

PG64

BULLETIN #119@

METALS OPTION PRODUCTS

Tue, Jun 23, 2026

PG64

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN
AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS,
CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY
R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN
THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU
DAY’S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES														
EXPIRATION:	JUN26	JUN26	JUN26	JUL26	AUG26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27	APR27	MAY27
COO OPT	06/30			07/31	08/28	09/30	10/30	11/30	12/31	01/29	02/26	03/31		
ECG10 OP		06/22	06/23											
ECG11 OP		06/22	06/23											
ECG13 OP		06/22	06/23											
ECG15 OP		06/22	06/23											
ECG16 OP		06/22	06/23											
ECGC OOF		06/22	06/23											
ECHG OOF		06/22	06/23											
ECSI OOF		06/22	06/23											
EHO OPT	06/30			07/31	08/28	09/30								
FMG OPT	06/26													
FSO OPT	06/30													
GMW MON	06/29			07/20										
GWR THU				07/23										
GWT TUE	06/30			07/14										
GMW WED	06/24			07/15										
HMW MON	06/29			07/20										
HRO OPT	06/23			07/28	08/25	09/29	10/27	11/24	12/29					
HWR THU				07/16										
HWT TUE	06/30			07/14										
HWW WED	06/24			07/15	08/05	09/02	09/24	10/27	11/24	12/28	01/26	02/23		
HX CALL				06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23		
HX PUT				06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23		
HXE CALL	06/26			07/24										
HXE PUT	06/26			07/24										
LHO OPT	06/30			07/31	08/31	09/30	10/30	11/30	12/31	01/29	02/26	03/31		
MMG MON	06/22													
OG CALL				06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24	
OG PUT				06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24	04/27
OG2 CALL				07/10										
OG2 PUT				07/10										
OG3 CALL				07/17										
OG3 PUT				07/17										
OG4 CALL	06/26			07/24										
OG4 PUT	06/26			07/24										
OMG OPT				06/25	07/28	08/26	09/24		11/24					
PAO CALL				07/15	08/19				11/18					
PAO PUT				07/15	08/19				11/18			02/17		
PAW OOF	06/26											02/17		
PLW OOF	06/26			07/10										
PO CALL				07/15	08/19	09/16				12/16				
PO PUT				07/15	08/19	09/16				12/16				
RWS THU				07/23										
SMW MON	06/29			07/13										
SO CALL				06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24	04/27
SO PUT				06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24	04/27
SO2 CALL				07/10										
SO2 PUT				07/10										
SO3 CALL				07/17										
SO3 PUT				07/17										
SO4 CALL	06/26			07/24										
SO4 PUT	06/26			07/24										
SWW WED	06/24			07/08										
TWS TUE	06/30			07/14										
WMG WED	06/24													

GOLD OPTIONS ON FUTURES														
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
WMG WED JUN26	MICRO GOLD WEEKLY WED OPTION WEEK4													
4000	3.10	3.10	#3.10/*3.10	#3.10/*3.10	----	1.30 NEW	----	----	----	1	----	1 +	1	
4450	----	----	----	----	----	0.10 - 0.30	----	----	----	----	----	2	UNCH	
4500	----	----	----	----	----	0.10 - 0.20	----	----	----	----	----	3	UNCH	
TOTAL										1		6+	1	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OMG OPT JUL26	MICRO GOLD OPTIONS													
3400	----	----	----	----	----	749.50 - 53.20	----	----	----	----	----	1	UNCH	
3460	----	----	----	----	----	689.50 - 53.20	----	----	----	----	----	1	UNCH	
4095	30.00	30.00	#30.00/*30.00	#30.00/*30.00	----	13.70 NEW	----	----	----	1	----	1 +	1	
4100	----	----	----	----	----	64.20 - 48.30	----	----	----	----	----	0	UNCH	
4200	----	----	----	----	----	62.00 + 26.70	----	----	----	----	----	2	UNCH	
4300	----	----	----	49.10B/----	----	152.20 + 48.10	----	----	----	----	----	1	UNCH	
4300	----	----	----	----/*20.00A	----	1.60 - 5.20	----	----	----	----	----	1	UNCH	
4400	----	----	----	----	----	251.30 + 52.40	----	----	----	----	----	1	UNCH	
4400	----	----	----	----	----	0.70 - 0.90	----	----	----	----	----	1	UNCH	
4500	----	----	----	----	----	351.00 + 53.00	----	----	----	----	----	2	UNCH	
4550	----	----	----	----	----	400.90 + 53.10	----	----	----	----	----	1	UNCH	
4600	----	----	----	----	----	450.80 + 53.10	----	----	----	----	----	2	UNCH	
4700	----	----	----	----	----	0.10 - 0.20	----	----	----	----	----	2	UNCH	
4800	----	----	----	----	----	0.10 - 0.10	----	----	----	----	----	2	UNCH	
5300	----	----	----	----	----	0.10 UNCH	----	----	----	----	----	3	UNCH	
5500	----	----	----	----	----	0.10 UNCH	----	----	----	----	----	2	UNCH	
TOTAL										1		23+	1	
AUG26														
3500	----	----	----	----/15.00A	----	7.90 + 1.50	----	----	----	----	----	1	UNCH	
3550	8.00	8.00	#8.00/*8.00	#8.00/*8.00	----	9.50 NEW	----	----	----	1	----	1 +	1	
3700	----	----	----	----	----	17.30 + 3.80	----	----	----	----	----	3	UNCH	
3900	----	----	----	----	----	40.10 + 9.00	----	----	----	----	----	5	UNCH	
3950	----	----	----	----	----	49.70 + 11.20	----	----	----	----	----	1	UNCH	
4000	----	----	----	----	----	210.40 - 39.60	----	----	----	----	----	1	UNCH	
4000	----	----	----	----	----	61.50 + 13.60	----	----	----	----	----	4	UNCH	
4050	----	----	----	----	----	76.00 + 16.30	----	----	----	----	----	1	UNCH	
4100	----	----	----	----	----	93.80 + 19.60	----	----	----	----	----	1	UNCH	
4200	----	----	----	----	----	89.80 - 26.10	----	----	----	----	----	1	UNCH	
4210	----	----	----	----	----	145.80 + 27.90	----	----	----	----	----	1	UNCH	
4300	----	----	----	54.00B/----	----	52.70 - 18.20	----	----	----	----	----	2	UNCH	
4400	----	----	----/*41.00A	----/*41.00A	----	29.70 - 11.90	----	----	----	----	----	1	UNCH	
4400	----	----	----	----	----	279.60 + 41.30	----	----	----	----	----	12	UNCH	
4535	----	----	----	----	----	14.10 - 6.00	----	----	----	----	----	2	UNCH	
4550	----	----	----	----	----	412.70 + 47.70	----	----	----	----	----	2	UNCH	
4600	----	----	----	----	----	10.30 - 4.20	----	----	----	----	----	1	UNCH	
TOTAL										1		40+	1	
SEP26														
3800	----	----	----	----	----	45.80 + 7.90	----	----	----	----	----	0	UNCH	
4100	104.80	104.80	104.80/104.80	104.80/104.80	----	123.30 + 19.90	----	----	----	1	----	3 +	1	
4230	----	----	----	----	----	132.50 - 26.60	----	----	----	----	----	2	UNCH	
4400	71.00	71.00	71.00/*71.00	71.00/*71.00	----	70.80 - 17.50	----	----	----	1	----	2 +	1	
TOTAL										2		7+	2	
OCT26														

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT
IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.



BULLETIN #119@				METALS OPTION PRODUCTS							Tue, Jun 23, 2026				PG64	
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG3 PUT JUL26		GOLD OPTIONS														
3000	----	----	----	0.90B/1.10A		----	0.90 UNCH		----	----	----	----	----	----	81	UNCH
3250	----	----	----	2.10B/2.60A		----	2.30 + 0.10		----	----	----	----	----	----	12	UNCH
3300	2.20	2.20	2.70/2.20	2.70/2.20		----	2.70 NEW		----	----	----	----	3	----	2	+
3400	4.10	4.10	4.10/4.10	4.10/3.70A		----	3.80 + 0.50		----	----	----	16	----	----	18	+
3500	----	----	6.10B/----	6.10B/4.90A		----	5.30 + 0.90		----	----	----	2	----	----	16	UNCH
3600	----	----	9.30B/----	9.30B/6.90A		----	7.80 + 1.60		----	----	----	41	----	----	112	+
3700	11.90	11.90	14.70B/11.90	14.70B/9.30A		----	11.80 + 2.70		----	----	----	13	----	----	42	+
3725	14.80	14.80	#16.60B/13.20	16.60B/10.20A		----	13.10 + 3.00		----	----	----	7	----	----	9	+
3750	15.50	15.50	18.70B/10.50A	18.70B/10.50A		----	14.70 + 3.50		----	----	----	64	----	----	119	+
3775	16.60	16.60	21.10B/11.70A	21.10B/11.70A		----	16.40 + 3.90		----	----	----	8	----	----	11	+
3800	20.00	20.00	23.80B/13.00A	23.80B/13.00A		----	18.40 + 4.40		----	----	----	2	----	----	177	+
3825	21.40	21.40	#26.80B/14.50A	26.80B/14.50A		----	20.70 + 5.00		----	----	----	1	----	----	11	UNCH
3850	24.70	24.70	30.30B/16.20A	30.30B/16.20A		----	23.30 + 5.60		----	----	----	23	----	----	42	+
3875	29.80	29.80	34.10B/18.50A	34.10B/18.50A		----	26.20 + 6.30		----	----	----	1	----	----	20	-
3900	----	----	38.10B/20.50A	38.10B/20.50A		----	29.50 + 7.10		----	----	----	----	----	----	158	UNCH
3925	----	----	42.80B/23.10A	42.80B/23.10A		----	33.30 + 8.00		----	----	----	----	----	----	12	UNCH
3950	----	----	48.40B/26.20A	48.40B/26.20A		----	37.50 + 9.00		----	----	----	1	----	----	34	-
3975	----	----	54.20B/29.60A	54.20B/29.60A		----	42.20 + 10.00		----	----	----	30	----	----	41	+
4000	42.50	42.50	60.80B/33.40A	60.80B/33.40A		----	47.60 + 11.30		----	----	----	17	----	----	208	+
4025	55.00	55.00	68.50B/37.80A	68.50B/37.80A		----	53.60 + 12.60		----	----	----	31	----	----	72	+
4050	63.00	63.00	76.50B/42.80A	76.50B/42.80A		----	60.50 + 14.20		----	----	----	1	----	----	36	UNCH
4075	----	----	86.50B/48.40A	86.50B/48.40A		----	68.20 + 15.90		----	----	----	----	----	----	6	UNCH
4100	----	----	96.70B/54.90A	96.70B/54.90A		----	77.00 + 17.90		----	----	----	----	----	----	160	UNCH
4125	96.40	96.40	105.70B/62.30A	105.70B/62.30A		----	86.80 + 20.00		----	----	----	2	----	----	34	+
4150	108.20	108.20	118.30B/70.60A	118.30B/70.60A		----	97.70 + 22.30		----	----	----	9	----	----	24	+
4175	----	----	129.20B/80.00A	129.20B/80.00A		----	109.80 + 24.70		----	----	----	----	----	----	4	UNCH
4200	----	----	144.60B/90.50A	144.60B/90.50A		----	123.10 + 27.10		----	----	----	----	----	----	84	UNCH
4225	----	----	159.90B/106.70A	159.90B/106.70A		----	137.70 + 29.60		----	----	----	1	----	----	5	+
4250	----	----	177.00B/120.80A	177.00B/120.80A		----	153.40 + 32.00		----	----						

BULLETIN #119@				METALS OPTION PRODUCTS								Tue, Jun 23, 2026				PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME			OPEN INTEREST
OG2 CALL	GOLD OPTIONS																
JUL26																	
4175	72.40	72.40		100.10B/*57.30A	100.10B/*57.30A	----			68.60 - 29.40	----	----	----	50	----			50
4200	62.00	62.00		85.30B/*48.10A	85.30B/*48.10A	----			57.20 - 26.50	----	----	----	41	----			41 + 34
4225	----	----		72.00B/*39.90A	72.00B/*39.90A	----			47.40 - 23.50	----	----	----	----	----			38 UNCH
4250	36.20	36.20		60.10B/*33.10A	60.10B/*33.10A	----			38.90 - 20.60	----	----	----	1	----			6 UNCH
4275	----	----		50.00B/*27.30A	50.00B/*27.30A	----			31.90 - 17.80	----	----	----	----	----			15 UNCH
4300	----	----		----/*22.50A	40.90B/*22.50A	----			26.00 - 15.20	----	----	3	----	----			110 + 3
4325	22.50	22.50		22.50/*18.40A	33.70B/*18.40A	----			21.20 - 12.80	----	----	41	----	----			36 + 20
4350	26.60	26.60		26.60/*15.20A	27.30B/*15.20A	----			17.30 - 10.70	----	----	61	----	----			97 + 35
4375	14.30	14.30		14.30/*12.50A	22.20B/*12.50A	----			14.20 - 8.80	----	----	1	----	----			7 - 1
4400	----	----		----/*10.40A	17.90B/*10.40A	----			11.70 - 7.30	----	----	20	----	----			63 + 2
4425	----	----		----/*8.80A	14.60B/*8.80A	----			9.70 - 6.00	----	----	2	----	----			3 + 1
4450	11.90	11.90		11.90/*7.50A	11.90/*7.50A	----			8.20 - 4.80	----	----	53	----	----			126 + 30
4475	----	----		----/*6.60A	9.70B/*6.60A	----			6.90 - 3.90	----	----	----	----	----			7 UNCH
4500	6.00	6.00		6.50/*5.70A	7.90B/*5.70A	----			5.90 - 3.20	----	----	5	----	----			122 - 1
4525	----	----		----/*5.00A	6.30B/*5.00A	----			5.10 - 2.60	----	----	1	----	----			9 UNCH
4550	----	----		----/*4.50A	5.10B/*4.50A	----			4.50 - 2.10	----	----	----	----	----			61 UNCH
4575	----	----		----/*4.00A	4.50B/*4.00A	----			4.00 - 1.70	----	----	4	----	----			4 UNCH
4600	3.80	3.80		3.80/*3.50	3.80/*3.50	----			3.50 - 1.50	----	----	4	----	----			57 - 1
4625	----	----		----/*3.20A	3.20B/*3.20A	----			3.10 - 1.30	----	----	----	----	----			5 UNCH
4650	----	----		----/*3.00A	2.80B/*3.00A	----			2.80 - 1.10	----	----	----	----	----			18 UNCH
4675	----	----		----/*2.80A	2.50B/*2.80A	----			2.50 - 1.00	----	----	----	----	----			5 UNCH
4700	----	----		----/*2.70A	2.30B/*2.70A	----			2.30 - 0.90	----	----	----	----	----			112 UNCH
4725	----	----		----/*2.50A	2.10B/*2.50A	----			2.10 - 0.80	----	----	----	----	----			6 UNCH
4750	----	----		----/*2.30A	1.90B/*2.30A	----			1.90 - 0.80	----	----	----	----	----			5 UNCH
4775	----	----		----/*2.20A	1.80B/*2.20A	----			1.70 - 0.80	----	----	----	----	----			1 UNCH
4800	----	----		----/*2.10A	1.60B/*2.10A	----			1.60 - 0.70	----	----	----	----	----			23 UNCH
4825	----	----		----/*2.00A	1.50B/*2.00A	----			1.50 - 0.70	----	----	----	----	----			2 UNCH
4850	----	----		----/*1.90A	1.40B/*1.90A	----			1.40 - 0.60	----	----	----	----	----			5 UNCH
4875	----	----		----/*1.60A	1.30B/*1.60A	----			1.40 - 0.50	----	----	----	----	----			4 UNCH
4900	----	----		----	1.20B/*1.80A	----			1.30 - 0.50	----	----	----	5	----			19 + 5
4925	----	----		----	1.10B/*1.70A	----			1.30 - 0.40	----	----	----	----	----			3 UNCH
4950	----	----		----	1.00B/*1.60A	----			1.20 - 0.40	----	----	----	----	----			59 UNCH
4975	----	----		----	0.90B/*1.60A	----			1.20 - 0.30	----	----	----	----	----			2 UNCH
5000	----	----		----	0.90B/1.70A	----			1.20 - 0.20	----	----	----	----	----			72 UNCH
5025	----	----		----	0.80B/1.60A	----			1.20 - 0.10	----	----	----	----	----			2 UNCH
5050	----	----		----	0.80B/1.70A	----			1.20 - 0.10	----	----	----	----	----			3 UNCH
5100	----	----		----	0.70B/1.70A	----			1.10 UNCH	----	----	----	----	----			52 UNCH
5200	----	----		----	0.50B/1.40A	----			1.10 + 0.10	----	----	----	----	----			6 UNCH
5250	----	----		----	0.50B/1.30A	----			1.10 + 0.20	----	----	----	----	----			4 UNCH
5400	----	----		----	0.30B/1.30A	----			0.90 + 0.10	----	----	----	----	----			22 UNCH
5750	----	----		----	0.20B/*1.00A	----			0.70 UNCH	----	----	----	----	----			2 UNCH
TOTAL													288				1291+ 177
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME			OPEN INTEREST
OG PUT	COMEX GOLD OPTIONS																
JUL26																	
2000	----	----		----	----/0.10A	----			0.10 UNCH	----	----	----	----	----			28 UNCH
2275	----	----		----	----/0.10A	----			0.10 UNCH	----	----	----	----	----			23 UNCH
2300	----	----		----	----/0.10A	----			0.10 UNCH	----	----	----	----	----			137 UNCH
2350	----	----		----	----/0.10A	----			0.10 UNCH	----	----	----	----	----			1 UNCH
2400	----	----		----	----/0.10A	----			0.10 UNCH	----	----	----	----	----			1 UNCH
2500	----	----		----	----/0.10A	----			0.10 UNCH	----	----	----	----	----			218 UNCH
2550	----	----		----	----/0.10A	----			0.10 UNCH	----	----	----	----	----			40 UNCH
2575	----	----		----	----/0.10A	----			0.10 UNCH	----	----	----	----	----			10 UNCH
2600	----	----		----	----/0.10A	----			0.10 UNCH	----	----	----	----	----			26 UNCH
2605	----	----		----	----/0.10A	----			0.10 UNCH	----	----	----	----	----			1 UNCH
2620	----	----		----	----/0.10A	----			0.10 UNCH	----	----	----	----	----			1 UNCH
2650	----	----		----	----/0.10A	----			0.10 UNCH	----	----	----	----	----			149 UNCH
2670	----	----		----	----/0.10A	----			0.10 UNCH	----	----	----	----	----			20 UNCH
2675	----	----		----	----/0.10A	----			0.10 UNCH	----	----	----	----	----			77 UNCH
2680	----	----		----	----/0.10A	----			0.10 UNCH	----	----	----	----	----			10 UNCH
2700	----	----		----	----/0.10A	----			0.10 UNCH	----	----	----	----	----			10 UNCH
2705	----	----		----	----/*0.10A	----			0.10 UNCH	----	----	----	----	----			1 UNCH
2710	----	----		----	----/0.10A	----			0.10 UNCH	----	----	----	----	----			12 UNCH
2725	----	----		----	----/0.10A	----			0.10 UNCH	----	----	----	----	----			178 UNCH
2730	----	----		----	----/*0.10A	----			0.10 UNCH	----	----	----	----	----			1 UNCH
2750	----	----		----	----/0.10A	----			0.10 UNCH	----	----	----	----	----			121 UNCH
2775	----	----		----	----/0.10A	----			0.10 UNCH	----	----	----	----	----			5 UNCH
2785	----	----		----	----/0.10A	----			0.10 UNCH	----	----	----	----	----			2 UNCH
2800	----	----		----	----/0.10A	----			0.10 UNCH	----	----	----	----	----			16 UNCH
2805	----	----		----	----/*0.10A	----			0.10 UNCH	----	----	----	----	----			1 UNCH
2850	----	----		----	----/0.10A	----			0.10 UNCH	----	----	----	----	----			10 UNCH
2860	----	----		----	----/0.10A	----			0.10 UNCH	----	----	----	----	----			6 UNCH
2885	----	----		----	----/0.10A	----			0.10 UNCH	----	----	----	----	----			14 UNCH
2890	----	----		----	----/0.10A	----			0.10 UNCH	----	----	----	----	----			65 UNCH
2895	----</																

PG64		BULLETIN #119@										METALS OPTION PRODUCTS										Tue, Jun 23, 2026		PG64									
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST																	
OG PUT		COMEX GOLD OPTIONS																															
JUL26																																	
3335	----	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	----	87	UNCH															
3340	----	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	----	1	UNCH															
3345	----	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	----	3	UNCH															
3350	----	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	----	155	UNCH															
3355	----	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	----	79	UNCH															
3360	----	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	----	5	UNCH															
3370	----	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	----	10	UNCH															
3375	----	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	----	77	UNCH															
3380	----	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	----	4	UNCH															
3385	----	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	----	26	UNCH															
3390	----	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	----	59	UNCH															
3395	----	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	----	32	UNCH															
3400	----	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	----	125	UNCH															
3405	----	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	----	9	UNCH															
3410	----	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	----	21	UNCH															
3415	----	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	----	17	UNCH															
3420	----	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	----	17	UNCH															
3425	----	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	----	58	UNCH															
3435	----	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	----	6	UNCH															
3440	----	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	----	7	UNCH															
3445	----	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	----	7	UNCH															
3450	----	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	----	176	UNCH															
3455	----	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	----	14	UNCH															
3460	----	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	----	12	UNCH															
3465	----	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	----	150	UNCH															
3470	----	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	----	7	UNCH															
3475	----	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	----	153	UNCH															
3480	----	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	----	117	UNCH															
3485	----	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	----	12	UNCH															
3490	----	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	----	7	UNCH															
3495	----	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	----	6	UNCH															
3500	0.10	0.10		0.10/0.10	0.10/0.10	0.10/0.10	0.10/0.10	0.10	UNCH	0.10	UNCH			22			443	UNCH															
3505	----	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	----	9	UNCH															
3510	----	----	----	----	----	----	0.10B/*0.10A	----	----	0.10	UNCH	----	----	----	----	----	12	UNCH															
3515	----	----	----	----	----	----	0.10B/*0.10A	----	----	0.10	UNCH	----	----	----	----	----	10	UNCH															
3520	----	----	----	----	----	----	0.10B/*0.10A	----	----	0.10	UNCH	----	----	----	----	----	8	UNCH															
3525	0.10	0.10		0.10/0.10	0.10/0.10	0.10/0.10	0.10/0.10	0.10	UNCH	0.10	UNCH			5			24 +	5															
3530	0.10	0.10		0.10/0.10	0.10/0.10	0.10/0.10	0.10/0.10	0.10	UNCH	0.10	UNCH			10			169	UNCH															
3535	0.10	0.10		0.10/0.10	0.10/0.10	0.10/0.10	0.10/0.10	0.10	UNCH	0.10	UNCH			5			41	UNCH															
3540	0.20	0.20		0.20/*0.10A	0.20/*0.10A	0.20/*0.10A	0.20/*0.10A	0.10	-	0.10				5			9 +	5															
3545	0.10	0.10		0.10/0.10	0.10/0.10	0.10/0.10	0.10/0.10	0.10	-	0.10				5			262 +	5															
3550	0.10	0.10		0.10/*0.10	0.10/*0.10	0.10/*0.10	0.10/*0.10	0.10	-	0.10				20			211 +	20															
3555	----	----	----	----	----	----	/0.10A	0.20B/*0.10A	0.10	-	0.10			----	----	----	6	UNCH															
3560	----	----	----	----	----	----	/0.10A	0.20B/*0.10A	0.10	-	0.10			----	----	----	1	UNCH															
3565	0.10	0.10		0.10/*0.10	0.20B/*0.10	0.20B/*0.10	0.20B/*0.10	0.10	-	0.10				5			10 +	5															
3570	----	----	----	----	0.20B/*0.20A	0.20B/*0.20A	0.20B/*0.20A	0.10	-	0.10			----	----	----	----	17	UNCH															
3575	----	----	----	----	0.20B/*0.20A	0.20B/*0.20A	0.20B/*0.20A	0.10	-	0.10				1			15	UNCH															
3580	----	----	----	----	0.20B/*0.20A	0.20B/*0.20A	0.20B/*0.20A	0.10	-	0.10			----	----	----	----	21	UNCH															
3585	----	----	----	----	0.20B/*0.20A	0.20B/*0.20A	0.20B/*0.20A	0.20	UNCH	0.20	UNCH			----	----	----	25	UNCH															
3590	----	----	----	----	0.20B/*0.20A	0.20B/*0.20A	0.20B/*0.20A	0.20	-	0.10			----	----	----	----	18	UNCH															
3595	----	----	----	----	/0.20A	0.30B/*0.20A	0.30B/*0.20A	0.20	-	0.10			----	----	----	----	15	UNCH															
3600	0.60	0.60		0.60/*0.10	0.60/*0.10	0.60/*0.10	0.60/*0.10	0.20	-	0.10				6			473 +	1															
3605	----	----	----	----	/0.20A	0.30B/*0.20A	0.30B/*0.20A	0.20	-	0.10			----	----	----	----	20	UNCH															
3610	----	----	----	----	/0.20A	0.30B/*0.20A	0.30B/*0.20A	0.20	-	0.10			----	----	----	----	19	UNCH															
3615	----	----	----	----	/0.20A	0.30B/*0.20A	0.30B/*0.20A	0.20	-	0.10			----	----	----	----	22	UNCH															
3620	----	----	----	0.40B/*0.20A	0.40B/*0.20A	0.40B/*0.20A	0.40B/*0.20A	0.20	-	0.10			----	----	----	----	20	UNCH															
3625	----	----	----	0.40B/*0.20A	0.40B/*0.20A	0.40B/*0.20A	0.40B/*0.20A	0.20	-	0.10			----	----	----	----	13																

PG64		BULLETIN #119@										METALS OPTION PRODUCTS										Tue, Jun 23, 2026		PG64													
		GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST																							
OG PUT		COMEX GOLD OPTIONS																																			
JUL26																																					
4030	10.00	10.00		15.70B/*3.40A	15.70B/*3.40A	----	5.50	+ 1.00	----	----	----	16	----	103	+	4																					
4035	10.90	10.90		16.60B/3.60A	16.60B/3.60A	----	5.80	+ 1.10	----	----	----	6	----	56	+	3																					
4040	13.00	13.00		17.60B/3.70A	17.60B/3.70A	----	6.20	+ 1.30	----	----	----	27	----	83	-	8																					
4045	12.00	12.00		18.70B/3.90A	18.70B/3.90A	----	6.60	+ 1.40	----	----	----	49	----	89	+	10																					
4050	4.30	4.30		19.80B/4.10A	19.80B/4.10A	----	7.00	+ 1.50	----	----	612	----	585	-	78																						
4055	13.40	13.40		21.10B/4.30A	21.10B/4.30A	----	7.50	+ 1.70	----	----	102	----	106	+	27																						
4060	9.00	9.00		22.60B/4.50A	22.60B/4.50A	----	8.00	+ 1.90	----	----	94	----	121	+	13																						
4065	5.70	5.70		23.70B/4.70	23.70B/4.70	----	8.60	+ 2.10	----	----	84	----	176	+	29																						
4070	22.80	22.80		25.30B/5.00A	25.30B/5.00A	----	9.30	+ 2.50	----	----	100	----	88	+	30																						
4075	17.00	17.00		26.80B/5.20A	26.80B/5.20A	----	10.00	+ 2.80	----	----	174	----	173	+	45																						
4080	19.20	19.20		28.40B/5.60A	28.40B/5.60A	----	10.80	+ 3.10	----	----	38	----	130	+	10																						
4085	11.20	11.20		30.20B/5.90A	30.20B/5.90A	----	11.70	+ 3.50	----	----	13	----	64	+	4																						
4090	21.80	21.80		31.90B/6.40A	31.90B/6.40A	----	12.60	+ 3.90	----	----	62	----	117	-	6																						
4095	23.00	23.00		33.80B/6.70A	33.80B/6.70A	----	13.70	+ 4.50	----	----	188	----	186	+	131																						
4100	7.60	7.60		35.70B/6.80	35.70B/6.80	----	14.80	+ 5.00	----	----	1037	----	1086	-	2																						
4105	37.00	37.00		38.10B/7.60A	38.10B/7.60A	----	16.10	+ 5.70	----	----	82	----	56	+	5																						
4110	39.30	39.30		40.10B/8.10A	40.10B/8.10A	----	17.40	+ 6.30	----	----	45	----	124	+	2																						
4115	26.80	26.80		42.50B/8.70A	42.50B/8.70A	----	18.80	+ 7.00	----	----	54	----	94	+	18																						
4120	16.60	16.60		44.90B/9.20A	44.90B/9.20A	----	20.30	+ 7.70	----	----	53	----	175	-	2																						
4125	29.40	29.40		47.40B/9.90A	47.40B/9.90A	----	22.00	+ 8.50	----	----	88	----	329	-	44																						
4130	24.00	24.00		50.40B/10.50A	50.40B/10.50A	----	23.70	+ 9.30	----	----	86	----	155	-	12																						
4135	39.70	39.70		53.30B/11.20A	53.30B/11.20A	----	25.50	+ 10.20	----	----	121	----	99	+	47																						
4140	36.70	36.70		56.10B/12.00A	56.10B/12.00A	----	27.40	+ 11.10	----	----	13	----	65	+	3																						
4145	44.20	44.20		59.10B/12.90A	59.10B/12.90A	----	29.50	+ 12.10	----	----	26	----	226	-	10																						
4150	15.30	15.30		62.20B/13.80A	62.20B/13.80A	----	31.70	+ 13.10	----	----	528	234	1077	-	189																						
4155	51.40	51.40		65.40B/14.80A	65.40B/14.80A	----	34.10	+ 14.20	----	----	83	----	490	+	27																						
4160	31.10	31.10		68.70B/15.80A	68.70B/15.80A	----	36.60	+ 15.40	----	----	16	----	288	-	10																						
4165	33.20	33.20		72.30B/17.00A	72.30B/17.00A	----	39.20	+ 16.60	----	----	14	----	175	-	1																						
4170	35.40	35.40		75.70B/18.20A	75.70B/18.20A	----	42.00	+ 17.90	----	----	19	----	244	-	5																						
4175	37.80	37.80		79.50B/19.60A	79.50B/19.60A	----	45.00	+ 19.30	----	----	32	----	257	-	14																						
4180	68.90	68.90		83.10B/21.00A	83.10B/21.00A	----	48.10	+ 20.70	----	----	6	----	67	-	UNCH																						
4185	55.50	55.50		87.10B/22.60A	87.10B/22.60A	----	51.40	+ 22.20	----	----	1	----	231	-	1																						
4190	----	----		91.10B/24.20A	91.10B/24.20A	----	54.80	+ 23.70	----	----	----	----	154	-	UNCH																						
4195	----	----		95.10B/26.00A	95.10B/26.00A	----	58.30	+ 25.10	----	----	10	----	123	-	6																						
4200	62.00	62.00		99.20B/27.90A	99.20B/27.90A	----	62.00	+ 26.70	----	----	66	----	1678	-	28																						
4205	----	----		103.40B/29.90A	103.40B/29.90A	----	65.80	+ 28.20	----	----	----	----	107	-	UNCH																						
4210	----	----		107.70B/32.10A	107.70B/32.10A	----	69.70	+ 29.70	----	----	18	----	156	-	6																						
4215	79.00	79.00		112.00B/34.40A	112.00B/34.40A	----	73.70	+ 31.10	----	----	2	----	87	-	1																						
4220	----	----		116.40B/36.80A	116.40B/36.80A	----	77.80	+ 32.60	----	----	----	----	240	-	UNCH																						
4225	85.80	85.80		120.90B/39.30A	120.90B/39.30A	----	82.10	+ 34.10	----	----	2	----	251	-	UNCH																						
4230	----	----		125.40B/42.00A	125.40B/42.00A	----	86.40	+ 35.40	----	----	----	----	120	-	UNCH																						
4235	----	----		130.00B/45.30A	130.00B/45.30A	----	90.80	+ 36.70	----	----	----	----	74	-	UNCH																						
4240	122.80	122.80		134.60B/48.30A	134.60B/48.30A	----	95.20	+ 37.90	----	----	12	----	233	-	UNCH																						
4245	----	----		139.30B/51.40A	139.30B/51.40A	----	99.80	+ 39.20	----	----	16	----	173	-	10																						
4250	111.30	111.30		143.80B/54.70A	143.80B/54.70A	----	104.40	+ 40.40	----	----	51	----	1155	-	UNCH																						
4255	----	----		148.70B/58.00A	148.70B/58.00A	----	109.00	+ 41.40	----	----	----	----	50	-	UNCH																						
4260	108.00	108.00		153.40B/61.60A	153.40B/61.60A	----	113.70	+ 42.40	----	----	13	----	114	-	6																						
4265	----	----		158.20B/65.30A	158.20B/65.30A	----	118.40	+ 43.30	----	----	----	----	164	-	UNCH																						
4270	----	----		163.00B/69.00A	163.00B/69.00A	----	123.10	+ 44.10	----	----	28	----	184	+	19																						
4275	137.10	137.10		167.80B/72.70A	167.80B/72.70A	----	127.90	+ 45.00	----	----	7	----	150	-	4																						
4280	----	----		172.70B/76.80A	172.70B/76.80A	----	132.70	+ 45.70	----	----	----	----	122	-	UNCH																						
4285	135.50	135.50		177.50B/81.00A	177.50B/81.00A	----	137.60	+ 46.40	----	----	15	----	233	-	13																						
4290	133.50	133.50		182.40B/84.90A	182.40B/84.90A	----	142.40	+ 47.00	----	----	16	----	101	-	UNCH																						
4295	----	----		187.30B/89.40A	187.30B/89.40A	----	147.30	+ 47.60	----	----	2	----	142																								

PG64		BULLETIN #119@										METALS OPTION PRODUCTS										Tue, Jun 23, 2026		PG64									
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST																	
OG PUT		COMEX GOLD OPTIONS																															
AUG26																																	
2860	----	----	----	----	----	1.00B/1.10A	----	1.10	+ 0.10	----	----	----	----	----	----	1	UNCH																
2875	----	----	----	----	----	1.10B/1.20A	----	1.20	+ 0.10	----	----	----	----	----	----	4	UNCH																
2890	----	----	----	----	----	1.10B/1.20A	----	1.20	+ 0.10	----	----	----	----	----	----	1	UNCH																
2900	----	----	----	----	1.20B/----	1.20B/1.30A	----	1.20	+ 0.10	----	----	----	----	----	----	39	UNCH																
2910	----	----	----	----	1.20B/----	1.20B/1.30A	----	1.30	+ 0.20	----	----	----	----	----	----	1	UNCH																
2940	----	----	----	----	1.40B/----	1.40B/1.40A	----	1.40	+ 0.20	----	----	----	----	----	----	2	UNCH																
2950	----	----	----	----	1.40B/----	1.40B/1.40A	----	1.40	+ 0.10	----	----	----	----	----	----	17	UNCH																
2965	----	----	----	----	1.50B/----	1.50B/1.50A	----	1.50	+ 0.20	----	----	----	----	----	----	2	UNCH																
2975	----	----	----	----	1.50B/----	1.50B/1.50A	----	1.50	+ 0.10	----	----	----	----	----	----	3	UNCH																
2980	1.60	1.60	----	----	1.60/1.40	1.60/1.40	----	1.60	+ 0.20	----	----	----	----	70	----	75	+	67															
2990	----	----	----	----	1.60B/----	1.60B/1.60A	----	1.60	+ 0.20	----	----	----	----	----	----	1	UNCH																
2995	----	----	----	----	1.60B/----	1.60B/1.60A	----	1.60	+ 0.20	----	----	----	----	----	----	2	UNCH																
3000	1.50	1.50	----	----	1.70B/1.50	1.70B/1.50	----	1.60	+ 0.10	----	----	----	----	17	----	352	+	15															
3005	----	----	----	----	1.70B/----	1.70B/1.60A	----	1.70	+ 0.20	----	----	----	----	----	----	5	UNCH																
3010	----	----	----	----	1.70B/----	1.70B/1.60A	----	1.70	+ 0.20	----	----	----	----	----	----	43	UNCH																
3015	----	----	----	----	1.70B/----	1.70B/1.60A	----	1.70	+ 0.20	----	----	----	----	----	----	1	UNCH																
3020	----	----	----	----	1.80B/----	1.80B/1.70A	----	1.70	NEW	----	----	----	1	----	----	1	+	1															
3025	----	----	----	----	1.80B/----	1.80B/1.70A	----	1.80	+ 0.30	----	----	----	----	----	----	10	UNCH																
3040	----	----	----	----	1.90B/----	1.90B/1.70A	----	1.80	+ 0.20	----	----	----	----	----	----	1	UNCH																
3045	----	----	----	----	1.90B/----	1.90B/1.80A	----	1.90	+ 0.30	----	----	----	----	----	----	10	UNCH																
3050	----	----	----	----	1.90B/----	1.90B/1.80A	----	1.90	+ 0.20	----	----	----	----	----	----	1	UNCH																
3065	----	----	----	----	2.00B/----	2.00B/1.80A	----	2.00	+ 0.30	----	----	----	----	----	----	1	UNCH																
3080	----	----	----	----	2.20B/----	2.20B/1.90A	----	2.10	+ 0.30	----	----	----	----	----	----	1	UNCH																
3090	1.90	1.90	----	----	2.20B/1.90	2.20B/1.90	----	2.10	+ 0.30	----	----	----	----	1	----	2	+	1															
3095	----	----	----	----	2.30B/----	2.30B/2.00A	----	2.20	+ 0.30	----	----	----	----	----	----	1	UNCH																
3100	2.00	2.00	----	----	2.30B/2.00	2.30B/2.00	----	2.20	+ 0.30	----	----	----	----	12	----	277	+	2															
3105	----	----	----	----	2.40B/----	2.40B/2.00A	----	2.20	+ 0.30	----	----	----	----	----	----	14	UNCH																
3110	----	----	----	----	2.40B/----	2.40B/2.10A	----	2.30	+ 0.40	----	----	----	----	----	----	15	UNCH																
3115	----	----	----	----	2.40B/----	2.40B/2.10A	----	2.30	+ 0.30	----	----	----	----	----	----	1	UNCH																
3120	----	----	----	----	2.50B/----	2.50B/2.10A	----	2.30	+ 0.30	----	----	----	----	----	----	29	UNCH																
3125	----	----	----	----	2.50B/----	2.50B/2.10A	----	2.40	+ 0.40	----	----	----	----	----	----	1	UNCH																
3130	----	----	----	----	2.60B/----	2.60B/2.20A	----	2.40	+ 0.30	----	----	----	----	----	----	5	UNCH																
3145	----	----	----	----	2.70B/----	2.70B/2.20A	----	2.50	+ 0.40	----	----	----	----	----	----	3	UNCH																
3150	----	----	----	----	2.80B/----	2.80B/2.30A	----	2.50	+ 0.30	----	----	----	----	----	----	14	UNCH																
3155	----	----	----	----	2.80B/----	2.80B/2.30A	----	2.60	+ 0.40	----	----	----	----	----	----	3	UNCH																
3160	----	----	----	----	2.80B/----	2.80B/2.30A	----	2.60	+ 0.40	----	----	----	----	----	----	1	UNCH																
3165	----	----	----	----	2.90B/----	2.90B/2.40A	----	2.70	+ 0.40	----	----	----	----	----	----	139	UNCH																
3170	----	----	----	----	2.90B/----	2.90B/2.40A	----	2.70	+ 0.40	----	----	----	----	----	----	2	UNCH																
3175	----	----	----	----	3.00B/----	3.00B/2.40A	----	2.70	+ 0.40	----	----	----	----	----	----	1	UNCH																
3180	----	----	----	----	3.10B/----	3.10B/2.40A	----	2.80	+ 0.40	----	----	----	----	----	----	26	UNCH																
3185	----	----	----	----	3.10B/----	3.10B/2.40A	----	2.80	+ 0.40	----	----	----	----	----	----	1	UNCH																
3190	2.90	2.90	----	----	3.20B/2.90	3.20B/2.50A	----	2.90	+ 0.50	----	----	----	----	2	----	885	+	2															
3195	----	----	----	----	3.20B/----	3.20B/2.50A	----	2.90	+ 0.40	----	----	----	----	----	----	9	UNCH																
3200	----	----	----	----	3.30B/----	3.30B/2.50A	----	3.00	+ 0.50	----	----	----	----	1	----	457	+	1															
3215	----	----	----	----	3.60B/----	3.60B/2.60A	----	3.10	+ 0.50	----	----	----	----	----	----	6	UNCH																
3225	----	----	----	----	3.60B/----	3.60B/2.70A	----	3.20	+ 0.50	----	----	----	----	----	----	10	UNCH																
3235	----	----	----	----	3.70B/2.70A	3.70B/2.70A	----	3.30	+ 0.50	----	----	----	----	----	----	20	UNCH																
3240	----	----	----	----	3.90B/----	3.90B/2.80A	----	3.30	+ 0.50	----	----	----	----	----	----	1	UNCH																
3250	3.50	3.50	----	----	3.90B/3.30	3.90B/2.90A	----	3.40	+ 0.50	----	----	----	11	----	----	509	+	7															
3260	----	----	----	----	4.00B/2.90A	4.00B/2.90A	----	3.50	+ 0.50	----	----	----	----	----	----	32	UNCH																
3270	----	----	----	----	4.20B/3.00A	4.20B/3.00A	----	3.70	+ 0.60	----	----	----	----	----	----	1	UNCH																
3280	----	----	----	----	4.30B/3.10A	4.30B/3.10A	----	3.80	+ 0.60	----	----	----	----	----	----	79	UNCH																
3290	----	----	----	----	4.50B/----	4.50B/3.20A	----	3.90	+ 0.70	----	----	----	----	----	----	1	UNCH																
3295	----	----	----	----	4.60B/3.20A	4.60B/3.20A	----	4.00	+ 0.70	----	----	----	----	----	----	19	UNCH																
3300	3.70	3.70	----	----	4.80B/3.70	4.80B/3.30A	----	4.00	+ 0.70	----	----	----	222	----	----	436	+	150															
3305	----	----	----	----	4.70B/3.30A	4.70B/3.30A	----	4.10	+ 0.70	----	----	----	----	----	----	20	UNCH																
3310	5.30	5.30	----	----	5.30/3.40A	5.30/3.40A	----	4.20																									

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG PUT		COMEX GOLD OPTIONS																	
SEP26																			
4615	----	----	----	502.40B/410.90A	502.40B/410.90A	----	----	----	465.50 + 45.40	----	----	----	----	----	14	UNCH			
4620	----	----	----	506.90B/415.10A	506.90B/415.10A	----	----	----	469.90 + 45.50	----	----	----	----	----	438	UNCH			
4625	----	----	----	511.50B/419.40A	511.50B/419.40A	----	----	----	474.30 + 45.60	----	----	----	----	----	112	UNCH			
4630	----	----	----	515.90B/423.70A	515.90B/423.70A	----	----	----	478.80 + 45.80	----	----	----	----	----	32	UNCH			
4635	----	----	----	520.50B/427.90A	520.50B/427.90A	----	----	----	483.20 + 45.90	----	----	----	----	----	1	UNCH			
4640	----	----	----	524.90B/432.20A	524.90B/432.20A	----	----	----	487.70 + 46.10	----	----	----	----	----	6	UNCH			
4645	----	----	----	529.40B/436.50A	529.40B/436.50A	----	----	----	492.10 + 46.20	----	----	----	----	----	1	UNCH			
4650	----	----	----	534.10B/440.90A	534.10B/440.90A	----	----	----	496.60 + 46.40	----	----	----	----	----	14	UNCH			
4655	----	----	----	538.50B/445.20A	538.50B/445.20A	----	----	----	501.10 + 46.50	----	----	----	----	----	14	UNCH			
4660	----	----	----	543.20B/449.60A	543.20B/449.60A	----	----	----	505.60 + 46.70	----	----	----	----	----	7	UNCH			
4665	----	----	----	547.60B/453.90A	547.60B/453.90A	----	----	----	510.10 + 46.80	----	----	----	----	----	2	UNCH			
4670	----	----	----	552.20B/458.30A	552.20B/458.30A	----	----	----	514.60 + 46.90	----	----	----	----	----	26	UNCH			
4675	----	----	----	557.00B/462.70A	557.00B/462.70A	----	----	----	519.20 + 47.10	----	----	----	----	----	7	UNCH			
4685	----	----	----	566.20B/471.50A	566.20B/471.50A	----	----	----	528.20 + 47.30	----	----	----	----	----	8	UNCH			
4690	----	----	----	570.80B/475.90A	570.80B/475.90A	----	----	----	532.80 + 47.40	----	----	----	----	----	2	UNCH			
4695	----	----	----	575.40B/480.30A	575.40B/480.30A	----	----	----	537.40 + 47.60	----	----	----	----	----	2	UNCH			
4700	----	----	----	579.80B/484.80A	579.80B/484.80A	----	----	----	541.90 + 47.60	----	----	----	----	----	138	UNCH			
4705	----	----	----	584.60B/489.20A	584.60B/489.20A	----	----	----	546.50 + 47.80	----	----	----	----	----	13	UNCH			
4710	----	----	----	589.10B/493.70A	589.10B/493.70A	----	----	----	551.10 + 47.90	----	----	----	----	----	2	UNCH			
4720	----	----	----	598.40B/502.70A	598.40B/502.70A	----	----	----	560.30 + 48.10	----	----	----	----	----	4	UNCH			
4725	----	----	----	603.20B/507.20A	603.20B/507.20A	----	----	----	565.00 + 48.30	----	----	----	----	----	7	UNCH			
4730	----	----	----	607.70B/511.70A	607.70B/511.70A	----	----	----	569.60 + 48.40	----	----	----	----	----	7	UNCH			
4735	----	----	----	612.40B/516.30A	612.40B/516.30A	----	----	----	574.20 + 48.40	----	----	----	----	----	101	UNCH			
4740	----	----	----	617.30B/520.80A	617.30B/520.80A	----	----	----	578.80 + 48.50	----	----	----	----	----	2	UNCH			
4750	----	----	----	626.70B/529.90A	626.70B/529.90A	----	----	----	588.20 + 48.80	----	----	----	----	----	175	UNCH			
4755	----	----	----	631.40B/534.40A	631.40B/534.40A	----	----	----	592.80 + 48.80	----	----	----	----	----	10	UNCH			
4760	----	----	----	636.10B/539.00A	636.10B/539.00A	----	----	----	597.50 + 48.90	----	----	----	----	----	109	UNCH			
4770	----	----	----	645.50B/548.20A	645.50B/548.20A	----	----	----	606.80 + 49.10	----	----	----	----	----	1	UNCH			
4775	----	----	----	650.00B/552.80A	650.00B/552.80A	----	----	----	611.50 + 49.20	----	----	----	----	----	130	UNCH			
4780	----	----	----	655.00B/557.40A	655.00B/557.40A	----	----	----	616.20 + 49.30	----	----	----	----	----	3	UNCH			
4795	----	----	----	669.00B/571.20A	669.00B/571.20A	----	----	----	630.30 + 49.50	----	----	----	----	----	6	UNCH			
4800	----	----	----	673.70B/575.90A	673.70B/575.90A	----	----	----	635.10 + 49.60	----	----	----	----	----	474	UNCH			
4805	----	----	----	678.50B/580.50A	678.50B/580.50A	----	----	----	639.80 + 49.70	----	----	----	----	----	9	UNCH			
4825	----	----	----	697.70B/599.20A	697.70B/599.20A	----	----	----	658.80 + 50.00	----	----	----	----	----	2	UNCH			
4830	----	----	----	702.30B/603.90A	702.30B/603.90A	----	----	----	663.50 + 50.10	----	----	----	----	----	10	UNCH			
4835	----	----	----	707.10B/608.50A	707.10B/608.50A	----	----	----	668.30 + 50.20	----	----	----	----	----	30	UNCH			
4850	----	----	----	721.50B/622.60A	721.50B/622.60A	----	----	----	682.60 + 50.40	----	----	----	----	----	1	UNCH			
4855	----	----	----	726.50B/627.30A	726.50B/627.30A	----	----	----	687.30 + 50.40	----	----	----	----	----	14	UNCH			
4860	----	----	----	731.30B/632.10A	731.30B/632.10A	----	----	----	692.10 + 50.50	----	----	----	----	----	11	UNCH			
4875	----	----	----	745.50B/646.20A	745.50B/646.20A	----	----	----	706.50 + 50.70	----	----	----	----	----	8	UNCH			
4885	----	----	----	755.20B/655.70A	755.20B/655.70A	----	----	----	716.10 + 50.80	----	----	----	----	----	4	UNCH			
4895	----	----	----	764.80B/665.30A	764.80B/665.30A	----	----	----	725.70 + 50.90	----	----	----	----	----	1	UNCH			
4900	----	----	----	769.80B/670.00A	769.80B/670.00A	----	----	----	730.50 + 50.90	----	----	----	----	----	31	UNCH			
4915	----	----	----	784.20B/684.30A	784.20B/684.30A	----	----	----	745.00 + 51.10	----	----	----	----	----	1	UNCH			
4930	----	----	----	798.90B/698.70A	798.90B/698.70A	----	----	----	759.50 + 51.30	----	----	----	----	----	20	UNCH			
4950	----	----	----	818.20B/717.90A	818.20B/717.90A	----	----	----	778.90 + 51.50	----	----	----	----	----	1	UNCH			
4955	----	----	----	823.20B/722.60A	823.20B/722.60A	----	----	----	783.70 + 51.50	----	----	----	----	----	1	UNCH			
4975	----	----	----	842.50B/741.90A	842.50B/741.90A	----	----	----	803.10 + 51.60	----	----	----	----	----	220	UNCH			
5000	----	----	----	867.10B/766.20A	867.10B/766.20A	----	----	----	827.50 + 51.90	----	----	----	----	----	13	UNCH			
5005	----	----	----	871.80B/770.90A	871.80B/770.90A	----	----	----	832.40 + 51.90	----	----	----	----	----	3	UNCH			
5020	----	----	----	886.50B/785.60A	886.50B/785.60A	----	----	----	847.00 + 52.00	----	----	----	----	----	3	UNCH			
5060	----	----	----	#925.70B/824.50	#925.70B/824.50A	----	----	----	886.20 + 52.30	----	----	----	----	----	4	UNCH			
5100	----	----	----	#965.10B/863.40	#965.10B/863.40A	----	----	----	925.50 + 52.50	----	----	----	----	----	28	UNCH			
5105	----	----	----	#970.20B/868.30	#970.20B/868.30A	----	----	----	930.40 + 52.50	----	----	----	----	----	2	UNCH			
5150	----	----	----	#1,014.30B/912.	#1014.30B/912.60A	----	----	----	974.70 + 52.70	----	----	----	----	----	2	UNCH			
5200	----	----	----	1,042.00B/----	1042.00B/1017.30A	----	----	----	1024.10 + 53.00	----	----	----	----	----	45	UNCH			
5230	----	----	----	1,072.30B/----	1072.30B/1046.00A	----	----	----	1053.80 + 53.10	----	----	----	----	----	400	UNCH			
5300	----	----	----	#1,142.10B/----	#1142.10B/1115.30A	----	----	----	1123.10 + 53.20	----	----	----	----	----	300	UNCH			
5400	----	----	----	#1,240.00B/----	#1240.00B/1215.80A	----	----	----	1222.50 + 53.50	----	----	----	----	----	100	UNCH			
5420	----	----	----	#1,259.80B/----	#1259.80B/1235.70A	----	----	----	1242.40 + 53.50	----	----	----	----	----	80	UNCH			
5450	----	----	----	----	----	----	----	----	1272.20 + 53.50	----	----	----	----	----	1	UNCH			
5500	----	----	----	#1,339.30B/----	#1339.30B/1315.50A	----	----	----	1322.00 + 53.60	----	----	----	----	----	3	UNCH			
TOTAL																1426	200	26297 +	429
OCT26																			
1500	----	----	----	----	----/0.70A	----	----	----	0.10 UNCH	----	----	----	----	----	2	UNCH			
2000	----	----	----	----	0.80B/1.10A	----	----	----	0.90 - 0.10	----	----	----	----	----	3	UNCH			
2200	----	----	----	----	1.30B/1.50A	----	----	----	1.40 - 0.10	----	----	----	----	----	1	UNCH			
2500	----	----	----	----	2.50B/2.60A	----	----	----	2.50 UNCH	----	----	----	----	----	5	UNCH			
2600	----	----	----	3.20B/----	3.20B/3.20A	----	----	----	3.00 UNCH	----	----	----	----	----	2	UNCH			
2675	----	----	----	3.70B/----	3.70B/3.70A	----	----	----	3.60 + 0.10	----	----	----	2	----	75	UNCH			
2700	----	----	----	4.00B/----	4.00B/3.90A	----	----	----	3.80 + 0.20	----	----	----	----	1	5 +	1			
2750	4.30	4.30	----	4.40/4.10	4.40/4.10	----	----	----	4.20 NEW	----	----	----	6	----	6 +	6			
2780	----	----	----	4.80B/----	4.80B/4.60A	----	----	----	4.50 + 0.20	----	----	----	----	----	5				

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG PUT	COMEX GOLD OPTIONS															
OCT26																
3730	----	----	----	62.208/45.20A	62.208/45.20A	----	----	53.90	NEW	----	----	1	----	1	+	1
3740	----	----	----	64.008/46.30A	64.008/46.30A	----	----	55.50	+ 7.90	----	----	----	----	1		UNCH
3750	65.50	65.50	----	65.908/47.80A	65.908/47.80A	----	----	57.10	+ 8.10	----	----	6	----	77	+	4
3755	----	----	----	66.808/48.50A	66.808/48.50A	----	----	58.00	+ 8.30	----	----	----	----	1		UNCH
3760	----	----	----	67.808/49.20A	67.808/49.20A	----	----	58.80	+ 8.40	----	----	----	----	1		UNCH
3765	----	----	----	68.808/49.80A	68.808/49.80A	----	----	59.70	+ 8.50	----	----	----	----	92		UNCH
3770	----	----	----	69.808/50.50A	69.808/50.50A	----	----	60.50	+ 8.60	----	----	----	----	4		UNCH
3775	----	----	----	70.808/51.40A	70.808/51.40A	----	----	61.40	+ 8.70	----	----	----	----	101		UNCH
3780	----	----	----	71.708/52.00A	71.708/52.00A	----	----	62.30	+ 8.90	----	----	----	----	6		UNCH
3785	----	----	----	72.808/52.80A	72.808/52.80A	----	----	63.20	+ 9.00	----	----	----	----	1		UNCH
3790	----	----	----	73.808/53.60A	73.808/53.60A	----	----	64.10	+ 9.10	----	----	----	----	5		UNCH
3795	----	----	----	74.908/54.30A	74.908/54.30A	----	----	65.10	+ 9.30	----	----	----	----	20		UNCH
3800	----	----	----	76.008/55.10A	76.008/55.10A	----	----	66.00	+ 9.40	----	----	----	----	323		UNCH
3805	----	----	----	77.108/55.80A	77.108/55.80A	----	----	67.00	+ 9.50	----	----	24	----	71	+	6
3810	----	----	----	78.208/56.70A	78.208/56.70A	----	----	67.90	+ 9.60	----	----	----	----	1		UNCH
3815	----	----	----	79.208/57.60A	79.208/57.60A	----	----	68.90	+ 9.80	----	----	----	----	9		UNCH
3820	----	----	----	80.408/58.40A	80.408/58.40A	----	----	69.90	+ 9.90	----	----	----	----	2		UNCH
3825	----	----	----	81.608/59.20A	81.608/59.20A	----	----	71.00	+ 10.10	----	----	----	----	5		UNCH
3835	----	----	----	83.808/60.90A	83.808/60.90A	----	----	73.00	+ 10.30	----	----	----	----	9		UNCH
3840	77.60	77.60	----	85.008/61.80A	85.008/61.80A	----	----	74.10	+ 10.50	----	----	2	----	22	+	2
3845	----	----	----	86.308/62.70A	86.308/62.70A	----	----	75.20	+ 10.70	----	----	----	----	11		UNCH
3850	----	----	----	87.508/63.60A	87.508/63.60A	----	----	76.30	+ 10.80	----	----	----	----	108		UNCH
3855	81.80	81.80	----	88.808/64.60A	88.808/64.60A	----	----	77.40	+ 11.00	----	----	2	----	3	+	1
3865	----	----	----	91.308/66.40A	91.308/66.40A	----	----	79.60	+ 11.20	----	----	----	----	9		UNCH
3870	83.30	83.30	----	92.608/67.30A	92.608/67.30A	----	----	80.80	+ 11.40	----	----	5	----	24	+	5
3875	88.80	88.80	----	93.908/68.30A	93.908/68.30A	----	----	82.00	+ 11.60	----	----	12	----	26	+	12
3880	----	----	----	95.208/69.30A	95.208/69.30A	----	----	83.10	+ 11.70	----	----	----	----	28		UNCH
3885	----	----	----	96.608/70.40A	96.608/70.40A	----	----	84.30	+ 11.90	----	----	----	----	11		UNCH
3890	----	----	----	97.908/71.30A	97.908/71.30A	----	----	85.60	+ 12.10	----	----	----	----	2		UNCH
3895	----	----	----	99.308/72.40A	99.308/72.40A	----	----	86.80	+ 12.20	----	----	----	----	17		UNCH
3900	85.90	85.90	----	100.608/73.40A	100.608/73.40A	----	----	88.00	+ 12.30	----	----	302	----	640	+	103
3905	93.10	93.10	----	102.108/74.50A	102.108/74.50A	----	----	89.30	NEW	----	----	2	----	2	+	2
3915	94.60	94.60	----	104.908/76.60A	104.908/76.60A	----	----	91.90	+ 12.90	----	----	4	----	5	+	4
3920	----	----	----	106.508/77.70A	106.508/77.70A	----	----	93.20	+ 13.00	----	----	----	----	29		UNCH
3925	----	----	----	108.008/78.90A	108.008/78.90A	----	----	94.60	+ 13.30	----	----	----	----	16		UNCH
3930	98.00	98.00	----	109.408/80.10A	109.408/80.10A	----	----	95.90	+ 13.40	----	----	2	----	4	+	2
3935	100.30	100.30	----	111.008/81.30A	111.008/81.30A	----	----	97.30	+ 13.60	----	----	2	----	19	+	2
3940	----	----	----	112.508/82.30A	112.508/82.30A	----	----	98.70	+ 13.80	----	----	----	----	66		UNCH
3945	100.90	100.90	----	114.108/83.60A	114.108/83.60A	----	----	100.10	+ 14.00	----	----	2	----	3	+	2
3950	106.00	106.00	----	115.708/84.80A	115.708/84.80A	----	----	101.50	+ 14.10	----	----	2	----	247	+	1
3955	----	----	----	117.308/86.10A	117.308/86.10A	----	----	103.00	+ 14.30	----	----	----	----	29		UNCH
3960	----	----	----	118.908/87.30A	118.908/87.30A	----	----	104.50	+ 14.60	----	----	----	----	1		UNCH
3965	----	----	----	120.608/88.60A	120.608/88.60A	----	----	106.00	+ 14.80	----	----	----	----	1		UNCH
3970	----	----	----	122.208/89.80A	122.208/89.80A	----	----	107.50	+ 14.90	----	----	----	----	2		UNCH
3975	----	----	----	123.908/91.20A	123.908/91.20A	----	----	109.00	+ 15.10	----	----	1	----	11	+	1
3980	----	----	----	125.608/92.50A	125.608/92.50A	----	----	110.50	+ 15.30	----	----	----	----	11		UNCH
3985	105.00	105.00	----	127.408/93.80A	127.408/93.80A	----	----	112.10	+ 15.50	----	----	12	----	13	+	12
4000	115.80	115.80	----	132.708/97.80A	132.708/97.80A	----	----	116.90	+ 16.10	----	----	179	----	1170	+	71
4010	----	----	----	136.408/100.60A	136.408/100.60A	----	----	120.30	+ 16.60	----	----	----	----	1		UNCH
4025	----	----	----	142.108/105.10A	142.108/105.10A	----	----	125.40	+ 17.10	----	----	----	----	27		UNCH
4030	----	----	----	144.008/106.60A	144.008/106.60A	----	----	127.10	+ 17.30	----	----	----	----	7		UNCH
4035	----	----	----	146.108/108.10A	146.108/108.10A	----	----	128.90	+ 17.50	----	----	----	----	1		UNCH
4040	----	----	----	147.908/109.60A	147.908/109.60A	----	----	130.70	+ 17.80	----	----	----	----	10		UNCH
4045	----	----	----	149.908/111.20A	149.908/111.20A	----	----	132.50	+ 18.00	----	----	----	----	1		UNCH
4050	----	----	----	151.908/112.70A	151.908/112.70A	----	----	134.40	+ 18.30	----	----	24	----	74	+	6
4055	----	----	----	154.008/114.30A	154.008/114.30A	----	----	136.20	+ 18.40	----	----	----	----	8		UNCH
4060	141.50	141.50	----	156.008/116.00A	156.008/116.00A	----	----	138.10	NEW	----	----	2	----	2	+	2
4065	----	----	----	158.108/117.60A	158.108/117.60A	----	----	140.00	+ 18.90	----	----	----	----	1		UNCH
4070	----	----	----	160.208/119.30A	160.208/119.30A	----	----	142.00	+ 19.20	----	----	----	----	33		UNCH
4075	----	----	----	162.408/121.00A	162.408/121.00A	----	----	143.90	+ 19.40	----	----	----	----	103		UNCH
4080	164.70	164.70	----	165.008/122.70A	165.008/122.70A	----	----	145.90	+ 19.60	----	----	13	----	16	+	13
4085	----	----	----	166.808/124.40A	166.808/124.40A	----	----	147.90	+ 19.80	----	----	----	----	1		UNCH
4090	----	----	----	169.008/126.10A	169.008/126.10A	----	----	149.90	+ 20.10	----	----	115	----	38	-	85
4095	----	----	----	171.408/127.90A	171.408/127.90A	----	----	151.90	+ 20.30	----	----	----	----	20		UNCH
4100	----	----	----	173.408/129.70A	173.408/129.70A	----	----	154.00	+ 20.50	----	----	----	----	764		UNCH
4110	----	----	----	177.908/133.30A	177.908/133.30A	----	----	158.20	+ 21.00	----	----	----	----	19		UNCH
4115	----	----	----	180.208/135.10A	180.208/135.10A	----	----	160.30	+ 21.20	----	----	----	----	1		UNCH
4120	174.90	174.90	----	182.608/137.00A	182.608/137.00A	----	----	162.40	+ 21.40	----	----	1	----	15	+	1
4125	174.00	174.00	----</													

PG64		BULLETIN #119@										METALS OPTION PRODUCTS										Tue, Jun 23, 2026		PG64
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
OG PUT		COMEX GOLD OPTIONS																						
OCT26																								
4495					422.40B/343.60A	422.40B/343.60A	----			389.80 + 39.00	----	----	----		----		5	UNCH						
4500	396.00		396.00		426.40B/347.00A	426.40B/347.00A	----			393.70 + 39.30	----	----	----	6	----		196	+						
4510					434.30B/354.50A	434.30B/354.50A	----			401.40 + 39.60	----	----	----		----									
4520					442.40B/361.60A	442.40B/361.60A	----			409.20 + 40.00	----	----	----		----		1	UNCH						
4525					446.40B/365.30A	446.40B/365.30A	----			413.10 + 40.20	----	----	----		----		2	UNCH						
4530					450.40B/369.00A	450.40B/369.00A	----			417.00 + 40.30	----	----	----		----		3	UNCH						
4535					454.50B/372.70A	454.50B/372.70A	----			421.00 + 40.50	----	----	----		----		2	UNCH						
4540					458.60B/376.70A	458.60B/376.70A	----			425.00 + 40.80	----	----	----		----		3	UNCH						
4545					462.60B/380.20A	462.60B/380.20A	----			428.90 + 40.90	----	----	----		----		5	UNCH						
4550					466.70B/384.00A	466.70B/384.00A	----			432.90 + 41.00	----	----	----		----		8	UNCH						
4555					470.80B/387.80A	470.80B/387.80A	----			436.90 + 41.20	----	----	----		----		6	UNCH						
4560					475.00B/391.90A	475.00B/391.90A	----			441.00 + 41.40	----	----	----		----		78	UNCH						
4565					479.10B/395.70A	479.10B/395.70A	----			445.00 + 41.50	----	----	----		----		16	UNCH						
4570					483.30B/399.30A	483.30B/399.30A	----			449.10 + 41.80	----	----	----		----		9	UNCH						
4580					491.60B/407.10A	491.60B/407.10A	----			457.20 + 42.00	----	----	----		----		6	UNCH						
4585					495.80B/411.00A	495.80B/411.00A	----			461.30 + 42.20	----	----	----		----		9	UNCH						
4590					500.00B/414.90A	500.00B/414.90A	----			465.50 + 42.40	----	----	----		----		3	UNCH						
4595					504.20B/419.10A	504.20B/419.10A	----			469.60 + 42.60	----	----	----		----		7	UNCH						
4600					508.40B/422.80A	508.40B/422.80A	----			473.70 + 42.70	----	----	----		----		340	UNCH						
4605					512.70B/427.00A	512.70B/427.00A	----			477.90 + 42.90	----	----	----		----		5	UNCH						
4610					516.90B/431.00A	516.90B/431.00A	----			482.00 + 42.90	----	----	----		----		12	UNCH						
4615					521.20B/435.00A	521.20B/435.00A	----			486.20 + 43.10	----	----	----		----		5	UNCH						
4620					525.20B/439.00A	525.20B/439.00A	----			490.40 + 43.30	----	----	----		----		4	UNCH						
4625					529.80B/442.80A	529.80B/442.80A	----			494.60 + 43.40	----	----	----		----		43	UNCH						
4630					534.10B/447.10A	534.10B/447.10A	----			498.90 + 43.60	----	----	----		----		7	UNCH						
4635					538.40B/450.90A	538.40B/450.90A	----			503.10 + 43.70	----	----	----		----		7	UNCH						
4640					542.70B/455.00A	542.70B/455.00A	----			507.30 + 43.80	----	----	----		----		23	UNCH						
4645					547.00B/459.10A	547.00B/459.10A	----			511.60 + 44.00	----	----	----		----		8	UNCH						
4650					551.40B/463.20A	551.40B/463.20A	----			515.90 + 44.20	----	----	----		----		135	UNCH						
4655					555.70B/467.30A	555.70B/467.30A	----			520.10 + 44.30	----	----	----		----		3	UNCH						
4660					560.10B/471.40A	560.10B/471.40A	----			524.40 + 44.40	----	----	----		----		3	UNCH						
4670					568.80B/479.70A	568.80B/479.70A	----			533.10 + 44.70	----	----	----		----		5	UNCH						
4675					573.20B/483.90A	573.20B/483.90A	----			537.40 + 44.90	----	----	----		----		6	UNCH						
4680					577.60B/488.10A	577.60B/488.10A	----			541.70 + 44.90	----	----	----		----		1	UNCH						
4690					586.50B/496.50A	586.50B/496.50A	----			550.40 + 45.20	----	----	----		----		4	UNCH						
4700					595.30B/505.00A	595.30B/505.00A	----			559.20 + 45.50	----	----	----		----		85	UNCH						
4715					608.70B/517.70A	608.70B/517.70A	----			572.40 + 45.90	----	----	----		----		3	UNCH						
4750					640.00B/548.00A	640.00B/548.00A	----			603.50 + 46.60	----	----	----		----		174	UNCH						
4755					644.70B/552.30A	644.70B/552.30A	----			608.00 + 46.80	----	----	----		----		168	UNCH						
4775					662.90B/569.90A	662.90B/569.90A	----			626.00 + 47.20	----	----	----		----		26	UNCH						
4780					667.50B/574.30A	667.50B/574.30A	----			630.50 + 47.30	----	----	----		----		1	UNCH						
4800					685.80B/592.00A	685.80B/592.00A	----			648.60 + 47.60	----	----	----		----		100	UNCH						
4805					690.40B/596.50A	690.40B/596.50A	----			653.20 + 47.70	----	----	----		----		1	UNCH						
4810					695.10B/600.90A	695.10B/600.90A	----			657.80 + 47.90	----	----	----		----		8	UNCH						
4815					699.40B/605.40A	699.40B/605.40A	----			662.30 + 47.90	----	----	----		----		39	UNCH						
4820					704.10B/609.90A	704.10B/609.90A	----			666.90 + 48.00	----	----	----		----		2	UNCH						
4835					718.00B/623.40A	718.00B/623.40A	----			680.70 + 48.30	----	----	----		----		3	UNCH						
4845					727.30B/632.40A	727.30B/632.40A	----			689.90 + 48.40	----	----	----		----		20	UNCH						
4850					731.90B/637.00A	731.90B/637.00A	----			694.50 + 48.50	----	----	----		----		81	UNCH						
4875					755.50B/659.80A	755.50B/659.80A	----			717.70 + 48.90	----	----	----		----		1	UNCH						
4880					760.20B/664.30A	760.20B/664.30A	----			722.40 + 49.00	----	----	----		----		5	UNCH						
4900					779.00B/682.70A	779.00B/682.70A	----			741.00 + 49.30	----	----	----		----		72	UNCH						
4910					788.20B/691.90A	788.20B/691.90A	----			750.40 + 49.40	----	----	----		----		1	UNCH						
4920					797.70B/701.20A	797.70B/701.20A	----			759.80 + 49.60	----	----	----		----		1	UNCH						
4925					802.60B/705.80A	802.60B/705.80A	----			764.50 + 49.60	----	----	----		----		25	UNCH						
4935					812.00B/715.10A	812.00B/715.10A	----			773.90 + 49.70	----	----	----		----		5	UNCH						
4965					840.60B/743.10A	840.60B/743.10A	----			802.30 + 50.10	----	----	----		----		13	UNCH						
4980					854.70B/757.20A	854.70B/757.20A	----			816.50 + 50.30	----	----	----		----		1	UNCH						
5000					874.00B/776.10A	874.00B/776.10A	----			835.60 + 50.50	----	----	----		----		50	UNCH						
5010					883.50B/785.40A	883.50B/785.40A	----			845.10 + 50.60	----	----	----		----		1	UNCH						
5050					922.00B/823.50A	922.00B/823.50A	----			883.50 + 51.00	----	----	----		----		25	UNCH						
5150					1,019.10B/919.4	1019.10B/919.40A	----			980.20 + 51.80	----	----	----		----		1	UNCH						
5200					1,068.00B/967.7	1068.00B/967.70A	----			1028.90 + 52.10	----	----	----		----		100	UNCH						
5230					1,097.30B/996.8	1097.30B/996.80A	----			1058.20 + 52.30	----	----	----		----		1	UNCH						
5250					1,117.00B/1,016	1117.00B/1016.30A	----			1077.80 + 52.40	----	----	----		----		76	UNCH						
5285					1,151.10B/1,050	1151.10B/1050.50A	----			1112.10 + 52.50	----	----	----		----		7	UNCH						
5300					1,165.90B/1,																			

PG64		BULLETIN #119@										METALS OPTION PRODUCTS										Tue, Jun 23, 2026		PG64	
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST									
OG PUT		COMEX GOLD OPTIONS																							
NOV26																									
4135	----	----	----	----	204.80B/161.00A	204.80B/161.00A	----	----	----	185.90 + 21.10	----	----	----	----	----	23	UNCH								
4150	----	----	----	----	212.00B/167.00A	212.00B/167.00A	----	----	----	192.50 + 21.70	----	----	----	----	----	1	UNCH								
4160	----	----	----	----	216.90B/171.00A	216.90B/171.00A	----	----	----	197.00 + 22.10	----	----	----	----	----	107	UNCH								
4165	----	----	----	----	219.20B/173.00A	219.20B/173.00A	----	----	----	199.30 + 22.40	----	----	----	----	----	1	UNCH								
4170	----	----	----	----	221.80B/175.10A	221.80B/175.10A	----	----	----	201.60 + 22.60	----	----	----	----	----	2	UNCH								
4180	----	----	----	----	226.60B/179.20A	226.60B/179.20A	----	----	----	206.20 + 23.00	----	----	----	----	----	5	UNCH								
4185	----	----	----	----	229.20B/181.40A	229.20B/181.40A	----	----	----	208.60 + 23.20	----	----	----	----	----	2	UNCH								
4190	----	----	----	----	231.70B/183.50A	231.70B/183.50A	----	----	----	211.00 + 23.50	----	----	----	----	----	13	UNCH								
4195	----	----	----	----	234.20B/185.60A	234.20B/185.60A	----	----	----	213.40 + 23.70	----	----	----	----	----	2	UNCH								
4200	----	----	----	----	236.40B/187.90A	236.40B/187.90A	----	----	----	215.80 + 23.90	----	----	----	----	----	14	UNCH								
4205	----	----	----	----	239.40B/190.90A	239.40B/190.90A	----	----	----	218.20 + 24.00	----	----	----	----	----	1	UNCH								
4210	222.00	----	222.00	----	242.00B/192.20A	242.00B/192.20A	----	----	----	220.70 + 24.30	----	----	----	50	----	51	+								
4215	----	----	----	----	244.60B/194.40A	244.60B/194.40A	----	----	----	223.20 + 24.50	----	----	----	----	----	6	UNCH								
4220	----	----	----	----	247.10B/196.80A	247.10B/196.80A	----	----	----	225.70 + 24.70	----	----	----	----	----	3	UNCH								
4225	----	----	----	----	249.40B/198.90A	249.40B/198.90A	----	----	----	228.20 + 24.90	----	----	----	----	----	4	UNCH								
4230	----	----	----	----	252.60B/201.20A	252.60B/201.20A	----	----	----	230.70 + 25.10	----	----	----	----	----	4	UNCH								
4235	----	----	----	----	255.10B/203.50A	255.10B/203.50A	----	----	----	233.30 + 25.40	----	----	----	----	----	50	UNCH								
4240	----	----	----	----	257.80B/205.80A	257.80B/205.80A	----	----	----	235.90 + 25.60	----	----	----	----	----	3	UNCH								
4245	----	----	----	----	260.60B/208.20A	260.60B/208.20A	----	----	----	238.50 + 25.80	----	----	----	----	----	3	UNCH								
4250	----	----	----	----	262.60B/210.50A	262.60B/210.50A	----	----	----	241.10 + 26.00	----	----	----	----	----	573	UNCH								
4255	----	----	----	----	266.20B/213.00A	266.20B/213.00A	----	----	----	243.70 + 26.20	----	----	----	----	----	3	UNCH								
4260	----	----	----	----	269.00B/215.40A	269.00B/215.40A	----	----	----	246.40 + 26.40	----	----	----	----	----	3	UNCH								
4265	----	----	----	----	271.50B/217.80A	271.50B/217.80A	----	----	----	249.10 + 26.70	----	----	----	1	----	2	+								
4275	----	----	----	----	277.60B/222.70A	277.60B/222.70A	----	----	----	254.50 + 27.10	----	----	----	----	----	22	UNCH								
4280	----	----	----	----	280.40B/225.30A	280.40B/225.30A	----	----	----	257.30 + 27.40	----	----	----	----	----	1	UNCH								
4290	----	----	----	----	286.40B/230.40A	286.40B/230.40A	----	----	----	262.80 + 27.70	----	----	----	----	----	1	UNCH								
4300	----	----	----	----	292.20B/235.60A	292.20B/235.60A	----	----	----	268.50 + 28.20	----	----	----	----	----	100	UNCH								
4305	----	----	----	----	295.30B/238.90A	295.30B/238.90A	----	----	----	271.30 + 28.40	----	----	----	----	----	3	UNCH								
4315	----	----	----	----	301.20B/244.80A	301.20B/244.80A	----	----	----	277.10 + 28.90	----	----	----	----	----	1	UNCH								
4320	----	----	----	----	304.30B/247.30A	304.30B/247.30A	----	----	----	280.00 + 29.10	----	----	----	----	----	43	UNCH								
4330	----	----	----	----	310.50B/252.70A	310.50B/252.70A	----	----	----	285.90 + 29.60	----	----	----	----	----	2	UNCH								
4335	----	----	----	----	313.60B/255.40A	313.60B/255.40A	----	----	----	288.80 + 29.70	----	----	----	----	----	1	UNCH								
4340	----	----	----	----	316.80B/258.20A	316.80B/258.20A	----	----	----	291.80 + 30.00	----	----	----	----	----	8	UNCH								
4350	----	----	----	----	321.00B/263.80A	321.00B/263.80A	----	----	----	297.80 + 30.40	----	----	----	----	----	5	UNCH								
4375	----	----	----	----	337.20B/277.70A	337.20B/277.70A	----	----	----	313.30 + 31.50	----	----	----	----	----	1	UNCH								
4380	----	----	----	----	341.10B/280.80A	341.10B/280.80A	----	----	----	316.40 + 31.70	----	----	----	----	----	20	UNCH								
4390	----	----	----	----	347.80B/286.60A	347.80B/286.60A	----	----	----	322.80 + 32.20	----	----	----	----	----	1	UNCH								
4395	----	----	----	----	350.50B/289.50A	350.50B/289.50A	----	----	----	326.00 + 32.40	----	----	----	----	----	1	UNCH								
4400	----	----	----	----	353.80B/292.50A	353.80B/292.50A	----	----	----	329.20 + 32.60	----	----	----	----	----	6	UNCH								
4405	----	----	----	----	357.40B/295.50A	357.40B/295.50A	----	----	----	332.40 + 32.80	----	----	----	----	----	1	UNCH								
4425	----	----	----	----	371.70B/307.60A	371.70B/307.60A	----	----	----	345.60 + 33.70	----	----	----	----	----	72	UNCH								
4430	----	----	----	----	375.10B/310.70A	375.10B/310.70A	----	----	----	348.90 + 33.90	----	----	----	----	----	10	UNCH								
4435	----	----	----	----	378.40B/314.40A	378.40B/314.40A	----	----	----	352.30 + 34.10	----	----	----	----	----	7	UNCH								
4450	----	----	----	----	389.00B/324.00A	389.00B/324.00A	----	----	----	362.40 + 34.70	----	----	----	----	----	44	UNCH								
4470	----	----	----	----	403.30B/337.20A	403.30B/337.20A	----	----	----	376.20 + 35.50	----	----	----	----	----	1	UNCH								
4485	----	----	----	----	414.20B/347.10A	414.20B/347.10A	----	----	----	386.80 + 36.20	----	----	----	----	----	1	UNCH								
4490	----	----	----	----	417.90B/350.20A	417.90B/350.20A	----	----	----	390.30 + 36.40	----	----	----	----	----	1	UNCH								
4500	----	----	----	----	425.40B/356.60A	425.40B/356.60A	----	----	----	397.40 + 36.70	----	----	----	----	----	134	UNCH								
4510	----	----	----	----	433.00B/362.40A	433.00B/362.40A	----	----	----	404.60 + 37.10	----	----	----	----	----	11	UNCH								
4530	----	----	----	----	448.10B/377.20A	448.10B/377.20A	----	----	----	419.20 + 37.90	----	----	----	----	----	40	UNCH								
4535	----	----	----	----	451.90B/380.50A	451.90B/380.50A	----	----	----	422.90 + 38.10	----	----	----	----	----	10	UNCH								
4540	----	----	----	----	455.70B/384.20A	455.70B/384.20A	----	----	----	426.60 + 38.20	----	----	----	----	----	6	UNCH								
4555	----	----	----	----	466.80B/394.70A	466.80B/394.70A	----	----	----	437.90 + 38.90	----	----	----	----	----	1	UNCH								
4580	----	----	----	----	486.80B/412.80A	486.80B/412.80A	----	----	----	456.80 + 39.70	----	----	----	----	----	10	UNCH								
4590	----	----	----	----	494.50B/419.90A	494.50B/419.90A	----	----	----	464.50 + 40.00	----	----	----	----	----	1	UNCH								
4600	----	----	----	----	502.50B/427.50A	502.50B/427.50A	----	----	----	472.30 + 40.40	----	----	----	----	----	72	UNCH								
4610	----	----	----	----	510.50B/434.90A	510.50B/434.90A	----	----	----	480.10 + 40.70	----	----	----	----	----	4	UNCH								
4640	----	----	----	----	534.80B/457.40A	534.80B/457.40A	----	----	----	503.80 + 41.60	----	----	----	----	----	90	UNCH								
4645	----	----	----	----	538.90B/461.30A	538.90B/461.30A	----	----	----	507.80 + 41.70	----	----	----	----	----	1	UNCH								
4650	----	----	----	----	543.00B/465.10A	543.00B/465.10A	----	----	----	511.90 + 41.90	----	----	----	----	----	78	UNCH								
4655	----	----	----	----	547.10B/468.70A	547.10B/468.70A	----	----	----	515.90 + 42.10	----	----	----	----	----	1	UNCH								
4700	----	----	----	----	584.80B/504.10A	584.80B/504.10A	----	----	----	552.70 + 43.30	----	----	----	----	----	58	UNCH								
4710	----	----	----	----	593.50B/512.00A	593.50B/512.00A	----	----	----	561.00 + 43.50	----	----	----	----	----	1	UNCH								
4725	----	----	----	----	606.00B/524.00A	606.00B/524.00A	----	----	----	573.50 + 43.80	----	----	----	----	----	2	UNCH								
4750	----	----	----	----	627.70B/544.60A	627.70B/544.60A	----	----	----	594.70 + 44.50	----	----	----	----	----	10	UNCH								
4755	----	----	----	----	632.10B/548.70A	632.10B/548.70A	----	----	----	598.90 + 44.50	----	----	----	----	----	1	UNCH								
4800	----	----	----	----	671.10B/585.90A	671.10B/585.90A	----	----	----	637.60 + 45.40	----	----	----	----	----	12	UNCH								
4820	----	----	----	----	689.00B/602.80A	689.00B/602.80A	----	----	----	655.10 + 45.80	----	----	----	----	----	1	UNCH								
4840	----	----	----	----	706.50B/620.10A	706.50B/620.10A	----	----	----	672.70 + 46.20	----	----	----	----	----	2	UNCH								
4845	----	----	----	----	711.00B/624.40A	711.00B/624.40A	----	----	----	677.10 + 46.20	----	----	----	----	----	10	UNCH								
4850	----	----	----	----	715.70B/628.40A	715.70B/628.40A	----	----	----	681.50 + 46.30	----	----	----	----	----	8	UNCH								
4900	----	----	----	----	760.50B/671.90A	760.50B/671.90A	----	----	----	726.20 + 47.30	----	----	----	----	----	12	UNCH								
4915	----	----	----	----	774.30B/685.10A	774.30B/685.10A	----	----	----	739.70 + 47.60	----	----	----	----	----	3	UNCH								
4935	----	----	----	----	792.70B/702.80A	792.70B/702.80A	----	----	----	757.90 + 48.10	----	----	----	----	----	25	UNCH								
4950	----	----	----	----	806.50B/716.20A	806.50B/716.20A	----	----	----	771.60 + 48.40	----	----	----	----	----	11	UNCH								
4960	----	----	----	----	815.90B/725.10A	815.90B/725.10A	----	----	----	780.80 + 48.60	----	----	----	----	----	2	UNCH								
5000	815.40	----	815.40	----	852.90B/761.30A	852.90B/761.30A	----	----	----	817.70 + 49.30	----	----	----	3	----	254	UNCH								
5020	----	----	----	----	871.60B/779.30A	871.60B/779.30A	----	----	----	836.20 + 49.50	----	----	----	----	----	30	UNCH								
5055	----	----	----	----	904.40B/811.80A	904.40B/811.80A	----	----	----	868.70 + 49.80	----	----	----	----	----	8	UNCH								
5200	----	----	----	----	1,042.30B/946.90A	1042.30B/946.90A	----	----	----	1005.40 + 50.90	----	----	----	----	----	81	UNCH								
5395	----	----	----	----	1,231.20B/1,133	1231.20B/1133.80A	----	----	----	1193.50 + 52.20	----	----	----	----	----	6	UNCH								
5400	----	----	----	----	1,235.90B/1,138	1235.90B/1138.60A	----	----	----	119															

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG PUT	COMEX GOLD OPTIONS																
DEC26																	
3650	----	----	----	76.60B/61.00A	76.60B/61.00A	----	----	----	69.00 + 7.60	----	----	----	----	----	220	UNCH	
3655	----	----	----	77.50B/61.70A	77.50B/61.70A	----	----	----	69.80 + 7.60	----	----	----	----	----	226	UNCH	
3660	----	----	----	78.40B/62.40A	78.40B/62.40A	----	----	----	70.60 + 7.70	----	----	----	----	----	5	UNCH	
3670	----	----	----	80.30B/----	80.30B/64.40A	----	----	----	72.30 + 7.90	----	----	----	----	----	46	UNCH	
3675	----	----	----	81.30B/64.70A	81.30B/64.70A	----	----	----	73.20 + 8.00	----	----	----	----	----	1	UNCH	
3680	----	----	----	82.20B/65.40A	82.20B/65.40A	----	----	----	74.10 + 8.10	----	----	----	----	----	1	UNCH	
3685	----	----	----	83.20B/66.60A	83.20B/66.60A	----	----	----	75.00 + 8.20	----	----	----	----	----	3	UNCH	
3690	----	----	----	84.20B/66.90A	84.20B/66.90A	----	----	----	75.90 + 8.30	----	----	----	----	----	12	UNCH	
3695	----	----	----	85.20B/67.70A	85.20B/67.70A	----	----	----	76.80 + 8.40	----	----	----	----	----	2	UNCH	
3700	----	----	----	86.10B/69.10A	86.10B/69.10A	----	----	----	77.70 + 8.50	----	----	----	----	----	941	UNCH	
3705	----	----	----	87.20B/69.30A	87.20B/69.30A	----	----	----	78.60 + 8.60	----	----	----	----	----	5	UNCH	
3710	----	----	----	88.20B/70.60A	88.20B/70.60A	----	----	----	79.60 + 8.80	----	----	----	----	----	91	UNCH	
3715	----	----	----	89.30B/71.00A	89.30B/71.00A	----	----	----	80.50 + 8.80	----	----	----	----	----	23	UNCH	
3720	----	----	----	90.20B/71.80A	90.20B/71.80A	----	----	----	81.50 + 9.00	----	----	----	----	----	66	UNCH	
3725	----	----	----	91.30B/72.60A	91.30B/72.60A	----	----	----	82.50 + 9.10	----	----	----	----	----	171	UNCH	
3730	----	----	----	92.50B/73.50A	92.50B/73.50A	----	----	----	83.40 + 9.10	----	----	----	----	----	673	UNCH	
3735	----	----	----	93.60B/74.30A	93.60B/74.30A	----	----	----	84.40 + 9.20	----	----	----	----	----	310	UNCH	
3740	----	----	----	94.60B/75.20A	94.60B/75.20A	----	----	----	85.40 + 9.30	----	----	----	----	----	60	UNCH	
3745	----	----	----	95.80B/76.10A	95.80B/76.10A	----	----	----	86.50 + 9.50	----	----	----	----	----	21	UNCH	
3750	----	----	----	96.90B/76.90A	96.90B/76.90A	----	----	----	87.50 + 9.60	----	----	----	----	----	216	UNCH	
3755	----	----	----	97.90B/77.90A	97.90B/77.90A	----	----	----	88.50 + 9.70	----	----	----	----	----	6	UNCH	
3760	----	----	----	99.20B/78.80A	99.20B/78.80A	----	----	----	89.60 + 9.90	----	----	----	----	----	187	UNCH	
3765	----	----	----	100.30B/79.70A	100.30B/79.70A	----	----	----	90.60 + 9.90	----	----	----	----	----	2	UNCH	
3770	----	----	----	101.50B/80.60A	101.50B/80.60A	----	----	----	91.70 + 10.10	----	----	----	----	----	2	UNCH	
3775	----	----	----	102.70B/81.60A	102.70B/81.60A	----	----	----	92.80 + 10.20	----	----	----	----	----	1	UNCH	
3780	----	----	----	103.90B/82.60A	103.90B/82.60A	----	----	----	93.90 + 10.30	----	----	----	----	----	2	UNCH	
3785	----	----	----	105.10B/83.50A	105.10B/83.50A	----	----	----	95.00 + 10.40	----	----	----	----	----	26	UNCH	
3795	----	----	----	107.60B/85.50A	107.60B/85.50A	----	----	----	97.30 + 10.70	----	----	----	----	----	10	UNCH	
3800	99.90	99.90	99.90	108.70B/86.50A	108.70B/86.50A	----	----	----	98.40 + 10.80	----	----	----	130	----	499 +	64	UNCH
3805	----	----	----	110.10B/87.50A	110.10B/87.50A	----	----	----	99.60 + 11.00	----	----	----	----	----	16	UNCH	
3810	101.30	101.30	101.30	111.30B/88.50A	111.30B/88.50A	----	----	----	100.80 + 11.10	----	----	----	1	----	57 +	1	UNCH
3850	----	----	----	122.10B/97.00A	122.10B/97.00A	----	----	----	110.70 + 12.20	----	----	----	----	----	58	UNCH	
3860	115.70	115.70	115.70	124.90B/99.30A	124.90B/99.30A	----	----	----	113.30 + 12.50	----	----	----	1	----	0 -	1	UNCH
3875	----	----	----	129.20B/102.90A	129.20B/102.90A	----	----	----	117.30 + 12.90	----	----	----	----	----	11	UNCH	
3880	----	----	----	130.70B/104.10A	130.70B/104.10A	----	----	----	118.60 + 13.00	----	----	----	----	----	1	UNCH	
3890	----	----	----	133.80B/106.50A	133.80B/106.50A	----	----	----	121.40 + 13.30	----	----	----	----	----	1	UNCH	
3895	----	----	----	135.30B/107.70A	135.30B/107.70A	----	----	----	122.80 + 13.50	----	----	----	----	----	200	UNCH	
3900	123.00	123.00	123.00	136.90B/108.90A	136.90B/108.90A	----	----	----	124.30 + 13.70	----	----	----	186	----	1303 +	59	UNCH
3920	----	----	----	143.10B/114.00A	143.10B/114.00A	----	----	----	130.10 + 14.30	----	----	----	----	----	51	UNCH	
3925	----	----	----	144.70B/115.40A	144.70B/115.40A	----	----	----	131.60 + 14.40	----	----	----	----	----	258	UNCH	
3930	----	----	----	146.30B/116.70A	146.30B/116.70A	----	----	----	133.10 + 14.60	----	----	----	----	----	2	UNCH	
3950	----	----	----	153.00B/122.20A	153.00B/122.20A	----	----	----	139.30 + 15.20	----	----	----	----	----	524	UNCH	
3965	----	----	----	158.20B/126.40A	158.20B/126.40A	----	----	----	144.20 + 15.80	----	----	----	----	----	50	UNCH	
3970	----	----	----	160.00B/127.80A	160.00B/127.80A	----	----	----	145.80 + 15.90	----	----	----	----	----	211	UNCH	
3975	----	----	----	161.80B/129.20A	161.80B/129.20A	----	----	----	147.50 + 16.10	----	----	----	----	----	193	UNCH	
3980	148.50	148.50	148.50	163.70B/130.80A	163.70B/130.80A	----	----	----	149.10 + 16.20	----	----	----	11	----	263	UNCH	
3995	----	----	----	168.60B/135.30A	168.60B/135.30A	----	----	----	154.30 + 16.80	----	----	----	----	----	1	UNCH	
4000	165.80	165.80	165.80	171.00B/136.80A	171.00B/136.80A	----	----	----	156.00 + 16.90	----	----	----	2	----	3055	UNCH	
4025	----	----	----	180.60B/144.70A	180.60B/144.70A	----	----	----	165.00 + 17.90	----	----	----	----	----	801	UNCH	
4050	----	----	----	190.70B/153.00A	190.70B/153.00A	----	----	----	174.30 + 18.70	----	----	----	----	----	217	UNCH	
4060	----	----	----	194.60B/156.40A	194.60B/156.40A	----	----	----	178.20 + 19.10	----	----	----	----	----	100	UNCH	
4070	----	----	----	198.80B/160.00A	198.80B/160.00A	----	----	----	182.20 + 19.50	----	----	----	----	----	8	UNCH	
4090	----	----	----	207.40B/167.10A	207.40B/167.10A	----	----	----	190.30 + 20.30	----	----	----	----	----	1	UNCH	
4100	----	----	----	211.80B/170.80A	211.80B/170.80A	----	----	----	194.40 + 20.60	----	----	----	103	----	397 -	97	UNCH
4105	----	----	----	214.10B/172.70A	214.10B/172.70A	----	----	----	196.50 + 20.80	----	----	----	----	----	1	UNCH	
4110	----	----	----	216.30B/174.70A	216.30B/174.70A	----	----	----	198.70 + 21.00	----	----	----	----	----	1	UNCH	
4115	----	----	----	218.60B/176.50A	218.60B/176.50A	----	----	----	200.80 + 21.20	----	----	----	20	----	23 +	20	UNCH
4120	----	----	----	221.00B/178.50A	221.00B/178.50A	----	----	----	203.00 + 21.40	----	----	----	----	----	3	UNCH	
4125	----	----	----	223.20B/180.50A	223.20B/180.50A	----	----	----	205.20 + 21.60	----	----	----	----	----	3	UNCH	
4130	----	----	----	225.60B/182.40A	225.60B/182.40A	----	----	----	207.40 + 21.80	----	----	----	----	----	27	UNCH	
4135	----	----	----	227.90B/184.40A	227.90B/184.40A	----	----	----	209.60 + 22.00	----	----	----	----	----	3	UNCH	
4140	----	----	----	230.20B/186.50A	230.20B/186.50A	----	----	----	211.80 + 22.10	----	----	----	----	----	3	UNCH	
4145	----	----	----	232.70B/188.50A	232.70B/188.50A	----	----	----	214.10 + 22.40	----	----	----	----	----	3	UNCH	
4150	----	----	----	235.00B/190.50A	235.00B/190.50A	----	----	----	216.40 + 22.60	----	----	----	----	----	86	UNCH	
4155	----	----	----	237.50B/192.60A	237.50B/192.60A	----	----	----	218.60 + 22.70	----	----	----	----	----	3	UNCH	
4160	----	----	----	239.90B/194.60A	239.90B/194.60A	----	----	----	221.00 + 23.00	----	----	----	----	----	255	UNCH	
4165	----	----	----	242.30B/196.80A	242.30B/196.80A	----	----	----	223.30 + 23.20	----	----	----	----	----	28	UNCH	
4170	----	----	----	244.90B/199.00A	244.90B/199.00A	----	----	----	225.60 + 23.30	----	----	----	----	----	6	UNCH	
4175	----	----	----	247.40B/201.20A	247.40B/201.20A	----	----	----	228.00 + 23.60	----	----	----	----	----	151	UNCH	
4180	----	----	----	249.90B/203.30A	249.90B/203.30A	----	----	----	230.40 + 23.80	----	----	----	----	----	3	UNCH	
4185	----	----	----	252.50B/205.50A	252.50B/205.50A	----	----	----	232.80 + 24.00	----	----	----	----	----	3	UNCH	
4190	----	----	----	255.00B/207.70A	255.00B/207.70A	----	----	----	235.20 + 24.10	----	----	----	----	----	3	UNCH	
4195	----	----	----	257.60B/209.90A	257.60B/209.90A	----	----	----	237.60 + 24.30	----	----	----	----	----	3	UNCH	
4200	253.00	253.00	253.00	260.10B/212.20A	260.10B/212.20A	----	----	----	240.10 + 24.50	----	----	----	7	----	1347 +	1	UNCH
4205	----	----	----	262.70B/214.40A	262.70B/214.40A	----	----	----	242.60 + 24.80	----	----	----	----	----	26	UNCH	
4210	----	----	----	265.40B/216.70A	265.40B/216.70A	----	----	----	245.10 + 25.00	----	----	----	----	----	63	UNCH	
4215	----	----	----	268.10B/218.90A	268.10B/218.90A	----	----	----	247.60 + 25.10	----	----	----	----	----	14	UNCH	
4220	----	----	----	270.70B/221.20A	270.70B/221.20A	----	----	----	250.10 + 25.30	----	----	----	----	----	38	UNCH	
4225	----	----	----	273.40B/223.50A	273.40B/223.50A	----	----	----	252.70 + 25.60	----	----	----	----	----	3	UNCH	
4230	----	----	----	275.90B/225.90A	275.90B/225.90A	----	----	----	255.20 + 25.70	----	----	----	----	----	153	UNCH	
4235	----	----	----	278.60B/228.20A	278.60B/228.20A	----	----	----	257.80 + 25.90	----	----	----	----	----	10	UNCH	
4240	----	----	----	281.40B/230.60A	281.40B/230.60A	----	----	----	260.40 + 26.10	----	----	----	----	----	3	UNCH	
4245	----	----	----	284.10B/233.00A	284.10B/233.00A	----	----	----	263.00 + 26.30	----	----	----	----	----	16	UNCH	
4250	----	----	----	286.90B/235.40A	286.90B/235.40A	----	----	----	265.60 + 26.40	----	----	----	----	----	488	UNCH	
4265	----	----	----	295.30B/242.70A	295.30B/242.70A	----	----	----	273.70 + 27.10	----	----	----	----	----	10	UNCH	
4270	----	----	----	298.30B/245.20A	298.30B/245.20A	----	----	----	276.40 + NEW	----	----	----	3	----	3		

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT		COMEX GOLD OPTIONS														
DEC26																
4640	----	----		553.90B/477.80A	553.90B/477.80A	----	----	----	523.00 + 39.70	----	----	----	----	----	104	UNCH
4650	----	----		562.00B/485.10A	562.00B/485.10A	----	----	----	530.80 + 40.00	----	----	----	----	----	118	UNCH
4655	----	----		565.90B/489.00A	565.90B/489.00A	----	----	----	534.70 + 40.10	----	----	----	----	----	7	UNCH
4660	----	----		569.90B/492.60A	569.90B/492.60A	----	----	----	538.60 + 40.30	----	----	----	----	----	7	UNCH
4665	----	----		574.10B/496.40A	574.10B/496.40A	----	----	----	542.60 + 40.50	----	----	----	----	----	70	UNCH
4675	----	----		582.20B/504.10A	582.20B/504.10A	----	----	----	550.50 + 40.70	----	----	----	----	----	10	UNCH
4680	----	----		586.10B/507.70A	586.10B/507.70A	----	----	----	554.40 + 40.80	----	----	----	----	----	60	UNCH
4700	----	----		602.40B/523.10A	602.40B/523.10A	----	----	----	570.50 + 41.40	----	----	----	----	----	512	UNCH
4710	----	----		610.80B/530.90A	610.80B/530.90A	----	----	----	578.50 + 41.60	----	----	----	----	----	1	UNCH
4715	----	----		614.90B/534.80A	614.90B/534.80A	----	----	----	582.60 + 41.80	----	----	----	----	----	15	UNCH
4725	----	----		623.00B/542.60A	623.00B/542.60A	----	----	----	590.80 + 42.10	----	----	----	----	----	127	UNCH
4750	----	----		644.30B/562.40A	644.30B/562.40A	----	----	----	611.30 + 42.60	----	----	----	----	----	63	UNCH
4790	----	----		678.10B/594.60A	678.10B/594.60A	----	----	----	644.80 + 43.70	----	----	----	----	----	60	UNCH
4795	----	----		682.30B/598.60A	682.30B/598.60A	----	----	----	649.00 + 43.80	----	----	----	----	----	1	UNCH
4800	----	----		686.80B/602.80A	686.80B/602.80A	----	----	----	653.20 + 43.80	----	----	----	----	----	332	UNCH
4810	----	----		694.80B/610.90A	694.80B/610.90A	----	----	----	661.70 + 44.10	----	----	----	----	----	56	UNCH
4815	----	----		699.40B/615.10A	699.40B/615.10A	----	----	----	666.00 + 44.20	----	----	----	----	----	10	UNCH
4820	----	----		703.70B/619.20A	703.70B/619.20A	----	----	----	670.20 + 44.30	----	----	----	----	----	21	UNCH
4825	----	----		708.20B/623.40A	708.20B/623.40A	----	----	----	674.50 + 44.40	----	----	----	----	----	112	UNCH
4830	----	----		712.10B/627.50A	712.10B/627.50A	----	----	----	678.80 + 44.50	----	----	----	----	----	6	UNCH
4835	----	----		716.70B/631.70A	716.70B/631.70A	----	----	----	683.10 + 44.70	----	----	----	----	----	125	UNCH
4850	----	----		730.00B/644.20A	730.00B/644.20A	----	----	----	696.00 + 45.00	----	----	----	----	----	13	UNCH
4875	----	----		752.10B/665.30A	752.10B/665.30A	----	----	----	717.70 + 45.50	----	----	----	----	----	16	UNCH
4880	----	----		756.20B/669.50A	756.20B/669.50A	----	----	----	722.00 + 45.50	----	----	----	----	----	12	UNCH
4900	----	----		774.00B/685.60A	774.00B/685.60A	----	----	----	739.50 + 45.90	----	----	----	----	----	111	UNCH
4925	----	----		796.20B/708.30A	796.20B/708.30A	----	----	----	761.60 + 46.40	----	----	----	----	----	240	UNCH
4930	----	----		800.80B/712.30A	800.80B/712.30A	----	----	----	766.00 + 46.40	----	----	----	----	----	1	UNCH
4935	----	----		805.30B/716.60A	805.30B/716.60A	----	----	----	770.40 + 46.50	----	----	----	----	----	2	UNCH
4940	----	----		809.90B/720.90A	809.90B/720.90A	----	----	----	774.90 + 46.60	----	----	----	----	----	29	UNCH
4950	----	----		818.60B/730.10A	818.60B/730.10A	----	----	----	783.80 + 46.80	----	----	----	----	----	24	UNCH
4975	----	----		841.20B/752.00A	841.20B/752.00A	----	----	----	806.10 + 47.10	----	----	----	----	----	43	UNCH
4980	----	----		845.70B/756.40A	845.70B/756.40A	----	----	----	810.60 + 47.20	----	----	----	----	----	5	UNCH
4995	----	----		859.60B/769.30A	859.60B/769.30A	----	----	----	824.10 + 47.40	----	----	----	----	----	32	UNCH
5000	----	----		863.90B/773.70A	863.90B/773.70A	----	----	----	828.60 + 47.50	----	----	----	2	----	453	+
5020	----	----		882.30B/791.50A	882.30B/791.50A	----	----	----	846.70 + 47.80	----	----	----	----	----	8	UNCH
5025	----	----		886.70B/795.90A	886.70B/795.90A	----	----	----	851.30 + 47.90	----	----	----	----	----	210	UNCH
5035	----	----		895.90B/804.80A	895.90B/804.80A	----	----	----	860.40 + 48.00	----	----	----	----	----	8	UNCH
5050	----	----		909.70B/818.30A	909.70B/818.30A	----	----	----	874.10 + 48.20	----	----	----	----	----	201	UNCH
5070	----	----		928.10B/836.30A	928.10B/836.30A	----	----	----	892.40 + 48.50	----	----	----	----	----	1	UNCH
5075	----	----		932.90B/841.10A	932.90B/841.10A	----	----	----	897.00 + 48.50	----	----	----	----	----	100	UNCH
5095	----	----		951.30B/859.00A	951.30B/859.00A	----	----	----	915.40 + 48.80	----	----	----	----	----	6	UNCH
5100	----	----		956.30B/863.50A	956.30B/863.50A	----	----	----	920.00 + 48.80	----	----	----	----	----	6	UNCH
5150	----	----		1,002.90B/909.2	1002.90B/909.20A	----	----	----	966.40 + 49.40	----	----	----	----	----	1	UNCH
5195	----	----		1,044.80B/950.8	1044.80B/950.80A	----	----	----	1008.50 + 49.80	----	----	----	----	----	5	UNCH
5200	----	----		1,049.90B/955.5	1049.90B/955.50A	----	----	----	1013.20 + 49.90	----	----	----	----	----	33	UNCH
5250	----	----		1,097.30B/1,002	1097.30B/1002.20A	----	----	----	1060.40 + 50.30	----	----	----	----	----	126	UNCH
5290	----	----		1,135.50B/1,039	1135.50B/1039.90A	----	----	----	1098.40 + 50.70	----	----	----	----	----	1	UNCH
5295	----	----		1,140.30B/1,044	1140.30B/1044.60A	----	----	----	1103.10 + 50.70	----	----	----	----	----	1	UNCH
5360	----	----		1,202.20B/1,106	1202.20B/1106.20A	----	----	----	1165.30 + 51.30	----	----	----	----	----	100	UNCH
5370	----	----		1,211.90B/1,115	1211.90B/1115.70A	----	----	----	1174.90 + 51.30	----	----	----	----	----	20	UNCH
5375	----	----		1,216.70B/1,120	1216.70B/1120.50A	----	----	----	1179.70 + 51.40	----	----	----	----	----	34	UNCH
5400	----	----		1,241.00B/1,144	1241.00B/1144.50A	----	----	----	1203.70 + 51.50	----	----	----	----	----	102	UNCH
5415	----	----		1,255.50B/1,158	1255.50B/1158.60A	----	----	----	1218.10 + 51.50	----	----	----	----	----	4	UNCH
5460	----	----		1,298.90B/1,201	1298.90B/1201.60A	----	----	----	1261.60 + 51.80	----	----	----	----	----	200	UNCH
5465	----	----		1,303.70B/1,206	1303.70B/1206.60A	----	----	----	1266.50 + 51.90	----	----	----	----	----	50	UNCH
5480	----	----		1,318.40B/1,221	1318.40B/1221.10A	----	----	----	1281.00 + 52.00	----	----	----	----	----	50	UNCH
55500	----	----		1,337.90B/1,240	1337.90B/1240.30A	----	----	----	1300.40 + 52.10	----	----	----	----	----	31	UNCH
55525	----	----		1,362.30B/1,264	1362.30B/1264.50A	----	----	----	1324.70 + 52.20	----	----	----	----	----	80	UNCH
5600	----	----		1,435.60B/1,337	1435.60B/1337.20A	----	----	----	1397.80 + 52.60	----	----	----	----	----	254	UNCH
5900	----	----		----	----	----	----	----	1692.80 + 53.50	----	----	----	----	----	127	UNCH
6000	----	----		----	----	----	----	----	1791.80 + 53.70	----	----	----	----	----	40	UNCH
6200	----	----		----	----	----	----	----	1990.40 + 54.00	----	----	----	----	----	3	UNCH
6500	----	----		----	----	----	----	----	2289.40 + 54.30	----	----	----	----	----	0	UNCH
TOTAL													1025	100	37761+	479
JAN27																
2700	----	----		8.20B/----	8.20B/12.40A	----	----	----	8.70 + 0.70	----	----	----	----	----	20	UNCH
2800	----	----		10.40B/----	10.40B/14.70A	----	----	----	10.70 + 0.90	----	----	----	----	----	12	UNCH
3000	----	----		16.90B/----	16.90B/21.10A	----	----	----	17.90 + 1.50	----	----	----	----	----	40	UNCH
3250	----	----		32.90B/----	32.90B/32.90A	----	----	----	31.70 + 2.70	----	----	----	----	----	5	UNCH
3300	----	----		37.00B/----	37.00B/35.70A	----	----	----	35.30 + 3.10	----	----	----	----	----	2	UNCH
3500	----	----		61.10B/----	61.10B/54.10A	----	----	----	55.70 + 5.80	----	----	----	----	----	4	UNCH
3520	----	----		63.90B/----	63.90B/56.40A	----	----	----	58.20 + 6.00	----	----	----	----	----	1	UNCH
3600	----	----		76.70B/----	76.70B/63.10A	----	----	----	69.70 + 7.20	----	----	----	----	----	5	UNCH
3680	----	----		91.70B/----	91.70B/76.20A	----	----	----	83.40 + 8.50	----	----	----	----	----	1	UNCH
3700	----	----		95.80B/----	95.80B/79.60A	----	----	----	87.20 + 8.90	----	----	----	----	----	3	UNCH
3800	----	----		119.10B/----	119.10B/98.80A	----	----	----	108.70 + 10.90	----	----	----	----	----	25	UNCH
3850	----	----		132.70B/----	132.70B/110.10A	----	----	----	121.30 + 12.10	----	----	----	----	----	230	UNCH
3900	----	----		147.50B/----	147.50B/122.50A	----	----	----	135.10 + 13.40	----	----	----	----	----	3	UNCH
3925	----	----		155.40B/127.10A	155.40B/127.10A	----	----	----	142.50 + 14.10	----	----	----	----	----	1	UNCH
3980	----	----		174.10B/----	174.10B/145.10A	----	----	----	160.00 + 15.70	----	----	----	----	----	1	UNCH
4000	----	----		181.50B/----	181.50B/151.10A	----	----	----	166.80 + 16.30	----	----	----	----	----	108	UNCH
4025	----	----		191.00B/----	191.00B/159.30A	----	----	----	175.60 + 17.00	----	----	----	----	----	2	UNCH
4070	----	----		209.10B/172.20A	209.10B/172.20A	----	----	----	192.50 + 18.50	----	----	----	----	----	1	UNCH
4100	----	----		220.70B/----	220.70B/185.30A	----	----	----	204.50 + 19.60	----	----	----	----	----	20	UNCH
4200	----	----		268.00B/----	268.00B/226.80A	----	----	----	248.60 + 23.00	----	----	----	----	----	8	UNCH
4205	250.30	250.30		270.40B/250.30	270.40B/228.70A	----	----	----	251.00 + NEW	----	----	----	4	----	4	+
4220	----	----		276.00B/232.40A	276.00B/232.40A	----	----	----	258.20 + 23.70	----	----	----	----	----	1	UNCH
4250	----	----		291.80B/245.40A	291.80B/245.40A	----	----	----	273.10 + 24.80	----	----	----	----	----	1	UNCH
4255	----	----		294.40B/247.80A	294.40B/247.80A	----	----	----	275.70 + 25.00	----	----	----	----			

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT		COMEX GOLD OPTIONS														
FEB27																
3650	----	----		96.30B/----	96.30B/81.50A	----	----		89.00 + 8.50	----	----	----	----	----	300	UNCH
3660	----	----		98.70B/----	98.70B/83.50A	----	----		90.90 + 8.60	----	----	----	----	----	1	UNCH
3700	99.50	99.50		107.30B/89.30A	107.30B/89.30A	----	----		98.90 NEW	----	----	----	1	----	1	+
3725	104.00	104.00		113.20B/94.00A	113.20B/94.00A	----	----		104.20 NEW	----	----	----	2	----	2	+
3750	----	----		119.20B/----	119.20B/100.70A	----	----		109.80 + 10.40	----	----	----	----	----	1	UNCH
3800	----	----		132.40B/109.90A	132.40B/109.90A	----	----		121.80 + 11.50	----	----	----	----	----	35	UNCH
3815	128.30	128.30		136.50B/113.30A	136.50B/113.30A	----	----		125.60 NEW	----	----	----	10	----	10	+
3880	----	----		155.90B/129.50A	155.90B/129.50A	----	----		143.50 + 13.40	----	----	----	----	----	2	UNCH
3950	----	----		179.20B/----	179.20B/151.80A	----	----		165.30 + 15.30	----	----	----	----	----	2	UNCH
3980	----	----		190.00B/----	190.00B/161.10A	----	----		175.50 + 16.20	----	----	----	----	----	1	UNCH
4000	----	----		197.70B/----	197.70B/167.60A	----	----		182.60 + 16.80	----	----	----	----	----	62	UNCH
4005	----	----		199.60B/----	199.60B/169.30A	----	----		184.40 + 16.90	----	----	----	----	----	13	UNCH
4025	----	----		206.90B/173.20A	206.90B/173.20A	----	----		191.80 + 17.50	----	----	----	----	----	35	UNCH
4050	----	----		217.50B/----	217.50B/185.80A	----	----		201.30 + 18.20	----	----	----	----	----	100	UNCH
4070	----	----		225.60B/188.80A	225.60B/188.80A	----	----		209.20 + 18.80	----	----	----	----	----	2	UNCH
4075	----	----		228.00B/191.30A	228.00B/191.30A	----	----		211.20 + 19.00	----	----	----	----	----	5	UNCH
4100	----	----		237.70B/200.00A	237.70B/200.00A	----	----		221.60 + 19.90	----	----	----	----	----	571	UNCH
4120	----	----		246.60B/207.80A	246.60B/207.80A	----	----		230.10 + 20.50	----	----	----	----	----	1	UNCH
4200	----	----		284.70B/241.10A	284.70B/241.10A	----	----		266.70 + 23.10	----	----	----	5	----	50	UNCH
4205	----	----		287.40B/244.10A	287.40B/244.10A	----	----		269.10 + 23.20	----	----	----	----	----	8	UNCH
4225	----	----		297.10B/252.80A	297.10B/252.80A	----	----		278.90 + 23.90	----	----	----	----	----	15	UNCH
4300	318.10	318.10		336.90B/288.50A	336.90B/288.50A	----	----		318.00 + 26.40	----	----	----	3	----	3	+
4330	----	----		351.30B/304.80A	351.30B/304.80A	----	----		334.60 + 27.40	----	----	----	----	----	6	UNCH
4370	----	----		375.10B/----	375.10B/331.90A	----	----		357.50 + 28.60	----	----	----	----	----	1	UNCH
4400	----	----		393.50B/344.00A	393.50B/344.00A	----	----		375.40 + 29.70	----	----	----	----	----	53	UNCH
4440	----	----		418.80B/----	418.80B/377.30A	----	----		400.00 + 30.90	----	----	----	----	----	1	UNCH
4500	----	----		455.50B/----	455.50B/413.80A	----	----		438.50 + 32.70	----	----	----	----	----	2	UNCH
4600	----	----		520.80B/----	520.80B/474.90A	----	----		507.00 + 35.60	----	----	----	----	----	17	UNCH
4630	----	----		542.80B/----	542.80B/524.30A	----	----		528.60 + 36.50	----	----	----	----	----	9	UNCH
4635	----	----		546.50B/----	546.50B/527.90A	----	----		532.20 + 36.60	----	----	----	----	----	2	UNCH
4650	----	----		557.60B/----	557.60B/538.60A	----	----		543.10 + 36.90	----	----	----	----	----	1	UNCH
4655	----	----		561.30B/----	561.30B/542.10A	----	----		546.80 + 37.10	----	----	----	----	----	1	UNCH
4660	----	----		565.00B/----	565.00B/545.90A	----	----		550.50 + 37.20	----	----	----	----	435	UNCH	
4665	----	----		568.90B/----	568.90B/549.60A	----	----		554.20 + 37.30	----	----	----	----	----	3	UNCH
4680	----	----		580.20B/----	580.20B/560.70A	----	----		565.40 + 37.70	----	----	----	----	----	3	UNCH
4750	----	----		613.80B/----	613.80B/613.60A	----	----		618.70 + 39.40	----	----	----	----	----	1	UNCH
4755	----	----		613.60B/----	613.60B/617.50A	----	----		622.60 + 39.50	----	----	----	----	----	1	UNCH
4775	----	----		----	528.90B/749.70A	----	----		638.30 + 40.00	----	----	----	----	----	1	UNCH
4785	----	----		----	536.70B/757.60A	----	----		646.20 + 40.20	----	----	----	----	100	UNCH	
4800	----	----		----	548.60B/769.60A	----	----		658.10 + 40.60	----	----	----	----	60	UNCH	
4805	----	----		----	552.50B/773.70A	----	----		662.00 + 40.60	----	----	----	----	2	UNCH	
4835	----	----		----	576.50B/797.90A	----	----		686.20 + 41.30	----	----	----	----	1	UNCH	
4840	----	----		----	580.50B/802.00A	----	----		690.20 + 41.40	----	----	----	----	1	UNCH	
4845	----	----		----	584.50B/806.10A	----	----		694.30 + 41.50	----	----	----	----	3	UNCH	
4855	----	----		----	592.60B/814.30A	----	----		702.40 + 41.70	----	----	----	----	3	UNCH	
4900	----	----		----	629.50B/851.60A	----	----		739.50 + 42.60	----	----	----	----	4	UNCH	
4905	----	----		----	633.70B/855.80A	----	----		743.70 + 42.70	----	----	----	----	4	UNCH	
4950	----	----		----	671.30B/893.70A	----	----		781.50 + 43.60	----	----	----	----	1	UNCH	
4955	----	----		----	675.60B/897.90A	----	----		785.80 + 43.80	----	----	----	----	1	UNCH	
5000	----	----		----	713.90B/936.50A	----	----		824.30 + 44.60	----	----	----	----	10	UNCH	
5005	----	----		----	718.20B/940.80A	----	----		828.60 + 44.70	----	----	----	----	2	UNCH	
5050	----	----		----	757.20B/980.00A	----	----		867.70 + 45.50	----	----	----	----	4	UNCH	
5055	----	----		----	761.60B/984.30A	----	----		872.10 + 45.60	----	----	----	----	4	UNCH	
5100	----	----		----	801.10B/1024.00A	----	----		911.80 + 46.40	----	----	----	----	2	UNCH	
5150	----	----		----	845.60B/1068.60A	----	----		956.50 + 47.30	----	----	----	----	1	UNCH	
5175	----	----		----	868.00B/1090.50A	----	----		979.00 + 47.60	----	----	----	----	125	UNCH	
5200	----	----		----	890.60B/1112.80A	----	----		1001.70 + 48.10	----	----	----	----	1	UNCH	
5250	----	----		----	935.50B/1157.30A	----	----		1047.30 + 48.80	----	----	----	----	15	UNCH	
5340	----	----		----	1017.10B/1239.40A	----	----		1130.30 + 49.90	----	----	----	----	1	UNCH	
5520	----	----		----	1183.70B/1409.90A	----	----		1299.10 + 51.40	----	----	----	----	300	UNCH	
5530	----	----		----	1193.00B/1419.50A	----	----		1308.60 + 51.40	----	----	----	----	100	UNCH	
5550	----	----		----	1211.80B/1438.80A	----	----		1327.60 + 51.60	----	----	----	----	65	UNCH	
5565	----	----		----	1225.90B/1453.20A	----	----		1341.80 + 51.60	----	----	----	----	50	UNCH	
TOTAL													66		2831+	30
MAR27																
3500	----	----		74.30B/----	74.30B/64.60A	----	----		70.30 + 7.80	----	----	----	----	----	5	UNCH
3525	----	----		78.20B/----	78.20B/68.00A	----	----		73.90 NEW	----	----	----	----	70	+	70
3550	----	----		82.50B/----	82.50B/71.50A	----	----		77.70 + 7.90	----	----	----	----	250	UNCH	
3600	----	----		91.80B/----	91.80B/78.90A	----	----		85.80 + 8.00	----	----	----	80	1235	UNCH	
3750	----	----		124.60B/----	124.60B/106.70A	----	----		115.50 + 9.80	----	----	----	----	10	UNCH	
3785	----	----		133.60B/----	133.60B/114.40A	----	----		123.70 + 10.50	----	----	----	----	2	UNCH	
3850	----	----		152.00B/----	152.00B/130.20A	----	----		140.50 + 11.90	----	----	----	----	21	UNCH	
3900	----	----		167.40B/----	167.40B/143.50A	----	----		154.80 + 13.10	----	----	----	----	11	UNCH	
4000	----	----		202.20B/----	202.20B/173.60A	----	----		187.20 + 15.50	----	----	----	----	6	UNCH	
4050	----	----		221.60B/----	221.60B/190.60A	----	----		205.50 + 16.90	----	----	----	----	1	UNCH	
4070	----	----		229.90B/----	229.90B/197.80A	----	----		213.20 + 17.50	----	----	----	----	2	UNCH	
4200	----	----		287.10B/----	287.10B/249.70A	----	----		269.00 + 21.40	----	----	----	----	575	UNCH	
4270	----	----		322.50B/----	322.50B/281.70A	----	----		303.20 + 23.70	----	----	----	----	35	UNCH	
4300	----	----		338.60B/----	338.60B/296.60A	----	----		318.70 + 24.60	----	----	----	----	10	UNCH	
4325	----	----		348.40B/----	348.40B/308.40A	----	----		332.00 + 25.40	----	----	----	----	10	UNCH	
4370	----	----		374.10B/----	374.10B/331.90A	----	----		357.00 + 27.00	----	----	----	----	250	UNCH	
4375	----	----		377.10B/----	377.10B/334.60A	----	----		359.80 + 27.10	----	----	----	----	1	UNCH	
4450	----	----		422.70B/----	422.70B/383.90A	----	----		404.10 + 29.70	----	----	----	----	40	UNCH	
4500	----	----		454.70B/----	454.70B/413.60A	----	----		435.40 + 31.40	----	----	----	----	6	UNCH	
4525	----	----		471.10B/----	471.10B/428.90A	----	----		451.60 + 32.20	----	----	----	----	10	UNCH	
4650	----	----		----	489.40B/508.90A	----	----		537.00 + 36.10	----	----	----	----	3	UNCH	
4660	----	----		----	490.20B/512.00A	----	----		544.10 + 36.30	----	----	----	----	25	UNCH	
4680	----	----		----	433.90B/685.00A	----	----		558.60 + 37.00	----	----	----	----	1	UNCH	
4700	----	----		----	448.10B/699.80A	----	----		573.20 + 37.50	----	----	----	----	9	UNCH	
4710	----	----		----	455.20B/707.30A	----	----		580.60 + 37.80	----	----	----	----	4	UNCH	
4720	----	----		----	462.50B/714.80A	----	----		588.00 + 38.10	----	----	----	----	2	UNCH	
4740	----	----		----	477.00B/730.00A	----	----		603.00 + 38.60	----	----	----	----	3	UNCH	
4750	----	----		----	484.40B/737.50A	----	----		610.50 + 38.90	----	----	----	----	15	UNCH	
4810	----	----		----	529.40B/783.90A	----	----		656.60 + 40.40	----	----	----	----	22	UNCH	
4850	----	----		----	560.30B/815.60A	----	----		688.10 + 41.40	----	----	----	----	6	UNCH	
4900	----	----		----	599.80B/855.80A	----	----		728.20 + 42.50	----	----	----	----	2	UNCH	
4905	----	----		----	603.80B/859.90A	----	----		732.20 + 42.60	----	----	----	----	2	UNCH	
5000	----	----		----												

PG64	BULLETIN #119@										METALS OPTION PRODUCTS					Tue, Jun 23, 2026			PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
OG PUT	COMEX GOLD OPTIONS																		
JUN27																			
2900	27.50	27.50		#27.50/*27.50	#27.50/27.50	----		29.10		NEW	----			1	----		1	+	1
3625	----	----		----	82.60B/191.50A	----		111.40	-	1.30	----			450	----		UNCH		
4900	----	----		----	#399.90B/1087.60A	----		739.20	+	6.90	----			1	----		UNCH		
4905	----	----		----	#403.80B/1091.30A	----		743.10	+	7.10	----			1	----		UNCH		
5085	----	----		----	#551.10B/1228.30A	----		886.40	+	14.70	----			150	----		UNCH		
TOTAL												1		611	+		1		
DEC27																			
3700	----	----		----	----	----		204.30	+	10.00	----			100	----		UNCH		
3715	----	----		----	----	----		208.30	+	10.20	----			150	----		UNCH		
3820	----	----		----	----	----		237.50	+	11.80	----			50	----		UNCH		
4130	----	----		----	----	----		339.30	+	16.80	----			168	----		UNCH		
4500	----	----		----	----	----		506.40	+	24.00	----			270	----		UNCH		
4630	----	----		----	----	----		579.20	+	27.00	----			284	----		UNCH		
4860	----	----		----	----	----		724.00	+	31.60	----			100	----		UNCH		
5000	----	----		----	----	----		821.20	+	34.20	----			50	----		UNCH		
5650	----	----		----	----	----		1336.90	+	42.80	----			200	----		UNCH		
5880	----	----		----	----	----		1537.60	+	45.20	----			200	----		UNCH		
TOTAL														1572			0		
JAN28																			
5000	----	----		----	----	----		813.10	+	32.90	----			1	----		UNCH		
5100	----	----		----	----	----		884.60	+	34.50	----			1	----		UNCH		
TOTAL														2			0		
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
OG CALL	COMEX GOLD OPTIONS																		
JUL26																			
500	----	----		----	3600.00B/*3709.10A	----		3649.50		NEW	----			0	----		UNCH		
2000	----	----		----	2102.90B/2205.40A	----		2149.50	-	53.20	----			2	----		UNCH		
2500	----	----		----	1605.00B/*1704.10A	----		1649.50	-	53.20	560	560	----	0	----		UNCH		
3300	----	----		----	857.40B/830.30A	----		849.50	-	53.20	24	----	----	0	----		UNCH		
3600	----	----		----	557.40B/530.30A	----		549.60	-	53.30	----			24	----		UNCH		
3650	----	----		----	507.50B/480.40A	----		499.70	-	53.30	----			10	----		UNCH		
3670	----	----		----	487.60B/460.50A	----		479.70	-	53.30	----			3	----		UNCH		
3700	----	----		----	459.30B/428.70A	----		449.80	-	53.30	----			118	----		UNCH		
3720	----	----		----	386.60B/487.40A	----		429.90	-	53.30	----			1	----		UNCH		
3735	----	----		----	371.30B/472.80A	----		415.00	-	53.20	----			1	----		UNCH		
3775	----	----		----	383.00B/356.00A	----		375.20	-	53.20	----			3	----		UNCH		
3800	----	----		----	372.70B/311.30A	----		350.40	-	53.10	----			2056	----		UNCH		
3815	----	----		----	357.80B/296.50A	----		335.50	-	53.10	----			1	----		UNCH		
3825	----	----		----	347.90B/286.70A	----		325.60	-	53.10	----			3	----		UNCH		
3850	----	----		363.90B/262.10A	363.90B/262.10A	----		300.80	-	53.10	----			66	----		UNCH		
3860	----	----		353.90B/252.30A	353.90B/252.30A	----		290.90	-	53.10	----			1	----		UNCH		
3865	----	----		348.70B/247.40A	348.70B/247.40A	----		285.90	-	53.10	----			7	----		UNCH		
3875	----	----		338.80B/237.70A	338.80B/237.70A	----		276.00	-	53.10	----			25	----		UNCH		
3880	----	----		334.10B/232.80A	334.10B/232.80A	----		271.10	-	53.10	----			1	----		UNCH		
3885	----	----		329.10B/228.00A	329.10B/228.00A	----		266.10	-	53.10	----			1	----		UNCH		
3900	----	----		314.20B/213.50A	314.20B/213.50A	----		251.30	-	53.10	----			21	----		UNCH		
3905	----	----		309.30B/208.60A	309.30B/208.60A	----		246.40	-	53.00	----			1	----		UNCH		
3910	----	----		304.30B/203.80A	304.30B/203.80A	----		241.40	-	53.10	----			1	----		UNCH		
3925	----	----		289.50B/189.50A	289.50B/189.50A	----		226.60	-	53.00	----			35	----		UNCH		
3940	----	----		274.60B/175.30A	274.60B/175.30A	----		211.90	-	52.90	----			0	----		UNCH		
3945	----	----		269.70B/170.60A	269.70B/170.60A	----		207.00	-	52.90	----			2	----		UNCH		
3950	----	----		264.60B/166.00A	264.60B/166.00A	----		202.10	-	52.90	----			821	----		UNCH		
3955	----	----		259.80B/161.30A	259.80B/161.30A	----		197.10	-	53.00	----			1	----		UNCH		
3960	173.50	173.50		254.60B/156.70A	254.60B/156.70A	----		192.30	-	52.90	----	1	----	2	+		1		
3965	----	----		250.00B/152.10A	250.00B/152.10A	----		187.40	-	52.80	----			2	----		UNCH		
3975	----	----		240.10B/143.00A	240.10B/143.00A	----		177.60	-	52.80	----			2	----		UNCH		
3985	----	----		235.00B/138.50A	235.00B/138.50A	----		172.70	-	52.80	----			1	----		UNCH		
3990	155.40	155.40		225.30B/129.60A	225.30B/129.60A	----		163.00	-	52.80	----	4	----	11	+		1		
4000	----	----		215.50B/120.80A	215.50B/120.80A	----		153.40	-	52.60	----			55	+		UNCH		
4005	148.70	148.70		210.60B/*116.50	210.60B/*116.50A	----		148.60	-	52.60	----	2	----	13	+		2		
4010	----	----		205.70B/*112.20	205.70B/*112.20A	----		143.80	-	52.60	----			13	+		UNCH		
4015	----	----		200.80B/*108.00	200.80B/*108.00A	----		139.00	-	52.50	----			1	----		UNCH		
4020	----	----		196.00B/*103.80	196.00B/*103.80A	----		134.30	-	52.40	----			3	----		UNCH		
4025	----	----		190.90B/99.70A	190.90B/99.70A	----		129.60	-	52.30	----	6	----	42	-		2		
4030	----	----		186.20B/*95.60A	186.20B/*95.60A	----		124.90	-	52.20	----			11	+		UNCH		
4035	----	----		181.10B/*91.60A	181.10B/*91.60A	----		120.20	-	52.10	----			3	----		UNCH		
4040	----	----		176.50B/*87.80A	176.50B/*87.80A	----		115.60	-	52.00	----			1	+		UNCH		
4045	----	----		171.50B/*83.90A	171.50B/*83.90A	----		111.00	-	51.90	----			1	+		UNCH		
4050	----	----		166.70B/79.90A	166.70B/79.90A	----		106.40	-	51.70	----			24	+		UNCH		
4060	----	----		157.20B/*72.50A	157.20B/*72.50A	----		97.40	-	51.40	----			2	+		UNCH		
4065	76.50	76.50		152.30B/*68.90A	152.30B/*68.90A	----		93.00	-	51.10	----	4	----	2	+		1		
4070	----	----		147.50B/*65.40A	147.50B/*65.40A	----		88.70	-	50.80	----			2	+		UNCH		
4075	----	----		142.80B/62.10A	142.80B/62.10A	----		84.40	-	50.50	----			6	+		UNCH		
4080	70.00	70.00		138.10B/*59.00A	138.10B/*59.00A	----		80.20	-	50.20	----	2	----	42	+		1		
4085	----	----		133.30B/*55.90A	133.30B/*55.90A	----		76.10	-	49.70	----			5	+		UNCH		
4090	----	----		128.90B/*52.80A	128.90B/*52.80A	----		72.00	-	49.30	----			26	+		UNCH		
4095	----	----		124.00B/*49.70A	124.00B/*49.70A	----		68.10	-	48.80	----			7	+		UNCH		
4100	74.80	74.80		119.50B/46.60A	119.50B/46.60A	----		64.20	-	48.30	----	11	----	394	+		1		
4105	45.00	45.00		114.90B/*43.70A	114.90B/*43.70A	----		60.50	-	47.60	----	1	----	22	+		UNCH		
4110	55.30	55.30		110.50B/*41.00A	110.50B/*41.00A	----		56.80	-	47.00	----	3	----	17	+		2		
4115	54.40	54.40		105.90B/*38.30A	105.90B/*38.30A	----		53.20	-	46.30	----	2	----	14	+		2		
4120	----	----		101.40B/*35.30A	101.40B/*35.30A	----		49.70	-	45.60	----	2	----	32	+		2		
4125	36.20	36.20		97.00B/*32.50A	97.00B/*32.50A	----		46.40	-	44.70	----	81	----	89	+		71		
4130	46.20	46.20		92.70B/*29.90A	92.70B/*29.90A	----													



PG64		BULLETIN #119@										METALS OPTION PRODUCTS										Tue, Jun 23, 2026		PG64		
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST										
OG CALL		COMEX GOLD OPTIONS																								
JUL26																										
4370	1.30	1.30		1.30/*0.70A	1.60B/*0.70A	----				0.80 - 1.50	----	----	----	6	----	98 -	4									
4375	1.00	1.00		1.00/*0.70	1.50B/*0.70	----				0.80 - 1.30	----	----	----	9	----	1030	UNCH									
4380	1.00	1.00		1.00/*0.70A	1.40B/*0.70A	----				0.70 - 1.30	----	----	----	1	----	111 -	1									
4385	----	----		----/*0.60A	1.30B/*0.60A	----				0.70 - 1.20	----	----	----	----	----	40	UNCH									
4390	----	----		----/*0.60A	1.20B/*0.60A	----				0.70 - 1.10	----	----	----	----	----	123	UNCH									
4395	----	----		----/*0.60A	1.20B/*0.60A	----				0.70 - 1.00	----	----	----	----	----	34	UNCH									
4400	1.10	1.10		1.10/*0.60	1.10/*0.60	----				0.70 - 0.90	----	----	32	----	----	4178 -	16									
4405	0.60	0.60		0.60/*0.50	1.00B/*0.50	----				0.60 - 0.90	----	----	3	----	----	42 -	1									
4410	----	----		----/*0.60A	1.00B/*0.60A	----				0.60 - 0.90	----	----	50	----	----	107 -	4									
4415	----	----		----/*0.50A	0.90B/*0.50A	----				0.60 - 0.80	----	----	----	----	----	81	UNCH									
4420	----	----		----/*0.60A	0.90B/*0.60A	----				0.60 - 0.70	----	----	1	----	----	130	UNCH									
4425	----	----		----/*0.60A	0.80B/*0.60A	----				0.60 - 0.70	----	----	----	----	----	504	UNCH									
4430	----	----		----/*0.50A	0.80B/*0.50A	----				0.60 - 0.60	----	----	----	----	----	437	UNCH									
4435	----	----		----/*0.50A	0.70B/*0.50A	----				0.60 - 0.60	----	----	----	----	----	105	UNCH									
4440	----	----		----/*0.50A	0.70B/*0.50A	----				0.60 - 0.50	----	----	----	----	----	50	UNCH									
4445	----	----		----/*0.50A	0.60B/*0.50A	----				0.60 - 0.50	----	----	----	----	----	88	UNCH									
4450	0.80	0.80		0.80/*0.50A	0.80/*0.50A	----				0.50 - 0.50	----	----	35	----	----	2047	UNCH									
4455	----	----		----/*0.50A	0.60B/*0.50A	----				0.50 - 0.50	----	----	----	----	----	27	UNCH									
4460	----	----		----/*0.40A	0.50B/*0.40A	----				0.50 - 0.50	----	----	1	----	----	149 -	1									
4465	----	----		----/*0.40A	0.50B/*0.40A	----				0.50 - 0.40	----	----	----	----	----	75	UNCH									
4470	----	----		----/*0.40A	0.50B/*0.40A	----				0.50 - 0.40	----	----	1	----	----	390	UNCH									
4475	0.50	0.50		0.50/*0.30	0.50/*0.30	----				0.50 - 0.40	----	----	51	----	----	495 +	20									
4480	----	----		----/*0.40A	0.40B/*0.40A	----				0.40 - 0.50	----	----	----	----	----	527	UNCH									
4485	----	----		----/*0.40A	0.40B/*0.40A	----				0.40 - 0.40	----	----	----	----	----	236	UNCH									
4490	----	----		----/*0.40A	0.40B/*0.40A	----				0.40 - 0.40	----	----	----	----	----	55	UNCH									
4495	----	----		----/*0.40A	0.40B/*0.40A	----				0.40 - 0.40	----	----	----	----	----	92	UNCH									
4500	0.80	0.80		0.80/*0.30	0.80/*0.30	----				0.40 - 0.40	----	----	6	----	----	3709 -	2									
4505	----	----		----/*0.30A	0.30B/*0.30A	----				0.40 - 0.30	----	----	----	----	----	101	UNCH									
4510	0.20	0.20		0.20/*0.20	0.30B/*0.20	----				0.30 - 0.40	----	----	6	----	----	117	UNCH									
4515	----	----		----/*0.30A	0.30B/*0.30A	----				0.30 - 0.40	----	----	----	----	----	289	UNCH									
4520	----	----		----/*0.30A	0.30B/*0.30A	----				0.30 - 0.40	----	----	----	----	----	203	UNCH									
4525	----	----		----/*0.30A	0.30B/*0.30A	----				0.30 - 0.40	----	----	----	----	----	224	UNCH									
4530	----	----		----/*0.30A	0.20B/*0.30A	----				0.30 - 0.30	----	----	----	----	----	1166	UNCH									
4535	----	----		----/*0.30A	0.20B/*0.30A	----				0.30 - 0.30	----	----	----	----	----	188	UNCH									
4540	----	----		----/*0.30A	0.20B/*0.30A	----				0.30 - 0.30	----	----	----	----	----	71	UNCH									
4545	----	----		----/*0.30A	0.20B/*0.30A	----				0.30 - 0.30	----	----	----	----	----	162	UNCH									
4550	0.40	0.40		0.40/*0.30	0.40/*0.30	----				0.30 - 0.30	----	----	21	----	----	1121 +	5									
4555	----	----		----/*0.30A	0.20B/*0.30A	----				0.30 - 0.30	----	----	----	----	----	50	UNCH									
4560	----	----		----/*0.30A	0.20B/*0.30A	----				0.20 - 0.30	----	----	----	----	----	106	UNCH									
4565	----	----		----/*0.30A	0.20B/*0.30A	----				0.20 - 0.30	----	----	----	----	----	152	UNCH									
4570	----	----		----/*0.20A	0.20B/*0.20A	----				0.20 - 0.30	----	----	----	----	----	67	UNCH									
4575	----	----		----/*0.20A	0.10B/*0.20A	----				0.20 - 0.30	----	----	----	----	----	164	UNCH									
4580	----	----		----/*0.20A	0.10B/*0.20A	----				0.20 - 0.30	----	----	9	----	----	96 -	1									
4585	----	----		----/*0.20A	0.10B/*0.20A	----				0.20 - 0.30	----	----	----	----	----	114	UNCH									
4590	----	----		----/*0.20A	0.10B/*0.20A	----				0.20 - 0.30	----	----	----	----	----	535	UNCH									
4595	----	----		----/*0.20A	0.10B/*0.20A	----				0.20 - 0.30	----	----	----	----	----	70	UNCH									
4600	0.30	0.30		0.30/*0.20A	0.30/*0.20A	----				0.20 - 0.20	----	----	70	----	----	2265 -	59									
4605	----	----		----/*0.20A	0.10B/*0.20A	----				0.20 - 0.20	----	----	2	----	----	136	UNCH									
4610	----	----		----/*0.20A	0.10B/*0.20A	----				0.20 - 0.20	----	----	----	----	----	116	UNCH									
4615	----	----		----/*0.30A	----	----				0.20 - 0.20	----	----	----	----	----	132	UNCH									
4620	----	----		----/*0.20A	----	----				0.20 - 0.20	----	----	----	----	----	91	UNCH									
4625	----	----		----/*0.30A	----	----				0.20 - 0.20	----	----	----	----	----	451	UNCH									
4630	----	----		----/0.30A	----	----				0.20 - 0.20	----	----	----	----	----	75	UNCH									
4635	----	----		----/*0.20A	----	----				0.20 - 0.20	----	----	----	----	----	154	UNCH									
4640	----	----		----/*0.20A	----	----				0.10 - 0.30	----	----	----	----	----	273	UNCH									
4645	----	----		----/*0.20A	----	----				0.10 - 0.30	----	----	----	----	----	75	UNCH									
4650	----	----		----/*0.20A	0.20B/*0.20A	----				0.10 - 0.30	----	----	4	----	----	1191	UNCH									
4655	----	----		----/*0.20A	----	----				0.10 - 0.30	----	----	----	----	----	62	UNCH									
4660	----	----		----/*0.20A	----	----				0.10 - 0.20	----	----	----	----	----	111	UNCH									
4665	----	----		----/*0.20A	----	----				0.10 - 0.20	----	----	----	----	----	343	UNCH									
4670	----	----		----/*0.20A	----	----				0.10 - 0.20	----	----	----	----	----	139	UNCH									
4675	----	----		----/*0.20A	----	----				0.10 - 0.20	----	----	----	----	----	215	UNCH									
4680	----	----		----/*0.20A	----	----				0.10 - 0.20	----	----	----	----	----	248	UNCH									
4685	----	----		----/*0.20A	----	----				0.10 - 0.20	----	----	----	----	----	62	UNCH									
4690	----	----		----/*0.20A	----	----				0.10 - 0.20	----	----	----	----	----	96	UNCH									
4695	----	----		----/*0.20A	----	----				0.10 - 0.20	----	----	----	----	----	95	UNCH									
4700	0.10	0.10		0.10/*0.10	0.10/*0.10	----				0.10 - 0.20	----	----	6	----	----	2316 +	4									
4705	----	----		----/*0.10A	----	----				0.10 - 0.20	----	----	1	----	----	63 -	1									
4710	----	----		----/*0.10A	----	----				0.10 - 0.20	----	----	----	----	----	217	UNCH									
4715	----	----		----/*0.10A	----	----				0.10 - 0.20	----	----	----	----	----	31	UNCH									
4720	----	----		----/*0.10A	----	----				0.10 - 0.20	----	----	----	----	----	116	UNCH									
4725	----	----		----/*0.10A	----	----				0.10 - 0.10	----	----	----	----	----	307	UNCH									
4730	----	----		----/*0.10A	----	----				0.10 - 0.10	----	----	----	----	----	348	UNCH									
4735	----	----		----/*0.10A	----	----				0.10 - 0.10	----	----	----	----	----	104	UNCH									
4740	----	----		----/*0.10A	----	----				0.10 - 0.10	----	----	----	----	----	34	UNCH									
4745	----	----		----/*0.10A	----	----				0.10 - 0.10	----	----	----	----	----	228	UNCH									
4750	----	----		----/*0.10A	----	----				0.10 - 0.10	----	----	----	----	----	2265	UNCH									
4755	----	----		----/*0.10A	----	----				0.10 - 0.10	----	----	----	----	----	103	UNCH									
4760	----	----		----/*0.10A	----	----				0.10 - 0.10	----	----	----	----	----	73	UNCH									
4765	----	----		----/*0.10A	----	----				0.10 - 0.10	----	----	----	----	----	153	UNCH									
4770	----	----		----/*0.10A	----	----				0.10 - 0.10	----	----	----	----	----	144	UNCH									
4775	----	----		----/*0.10A	----	----				0.10 - 0.10	----	----	----	----	----	407	UNCH									
4780	----	----		----/*0.10A	----	----				0.10 - 0.10	----	----	----	----	----	84	UNCH									
4785	----	----		----/*0.10A	----	----				0.10 - 0.10	----	----	----	----	----	128	UNCH									
4790	----	----		----/*0.10A	----	----				0.10 - 0.10	----	----	----	----	----	86	UNCH									
4795	----	----		----/*0.10A	----	----				0.10 - 0.10	----	----	----	----	----	835	UNCH									
4800	----	----		----/*0.10A	----	----				0.10 - 0.10	----	----	----	----	----	3762	UNCH									
4805	----	----		----/*0.10A	----	----				0.10 - 0.10	----	----	----	----	----	307	UNCH									
4810	----	----		----	----	----				0.10 UNCH	----	----	----	----	----	108	UNCH									
4815	----	----		----	----	----				0.10 UNCH	----	----	----	----	----	72	UNCH									
4820	----	----		----	----																					



PG64 BULLETIN #119@			METALS OPTION PRODUCTS										Tue, Jun 23, 2026			PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG CALL		COMEX GOLD OPTIONS															
JUL26																	
5055	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	31	UNCH	
5060	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	38	UNCH	
5065	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	183	UNCH	
5070	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	39	UNCH	
5075	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	149	UNCH	
5080	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	122	UNCH	
5085	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	54	UNCH	
5090	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	389	UNCH	
5095	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	290	UNCH	
5100	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	1397	UNCH	
5105	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	109	UNCH	
5110	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	409	UNCH	
5115	----	----	----	----	----	/*0.10A	----		0.10	UNCH	----	----	----	----	37	UNCH	
5120	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	63	UNCH	
5125	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	266	UNCH	
5130	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	49	UNCH	
5135	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	176	UNCH	
5140	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	97	UNCH	
5145	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	86	UNCH	
5150	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	1425	UNCH	
5155	----	----	----	----	----	/*0.10A	----		0.10	UNCH	----	----	----	----	21	UNCH	
5160	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	74	UNCH	
5165	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	25	UNCH	
5170	----	----	----	----	----	/*0.10A	----		0.10	UNCH	----	----	----	----	16	UNCH	
5175	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	97	UNCH	
5180	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	31	UNCH	
5185	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	154	UNCH	
5190	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	23	UNCH	
5195	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	38	UNCH	
5200	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	2850	UNCH	
5205	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	51	UNCH	
5210	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	48	UNCH	
5215	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	54	UNCH	
5220	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	44	UNCH	
5225	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	88	UNCH	
5230	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	103	UNCH	

PG64		BULLETIN #119@										METALS OPTION PRODUCTS										Tue, Jun 23, 2026		PG64			
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST											
OG CALL		COMEX GOLD OPTIONS																									
JUL26																											
5810	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	11	UNCH										
5820	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	208	UNCH										
5825	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	19	UNCH										
5830	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	1	UNCH										
5840	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	103	UNCH										
5850	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	116	UNCH										
5860	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	208	UNCH										
5870	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	17	UNCH										
5875	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	27	UNCH										
5880	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	11	UNCH										
5890	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	9	UNCH										
5900	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	438	UNCH										
5910	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	6	UNCH										
5920	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	19	UNCH										
5925	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	15	UNCH										
5930	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	7	UNCH										
5940	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	4	UNCH										
5950	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	74	UNCH										
5960	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	21	UNCH										
5970	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	65	UNCH										
5980	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	3	UNCH										
5990	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	86	UNCH										
6000	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	2165	UNCH										
6025	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	44	UNCH										
6050	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	55	UNCH										
6075	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	755	UNCH										
6100	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	294	UNCH										
6125	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	70	UNCH										
6150	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	882	UNCH										
6175	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	37	UNCH										
6200	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	570	UNCH										
6225	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	20	UNCH										
6250	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	392	UNCH										
6275	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	1	----	3	UNCH										
6300	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	336	UNCH										
6325	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	29	UNCH										
6350	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	21	UNCH										
6375	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	37	UNCH										
6400	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	111	UNCH										
6425	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	17	UNCH										
6450	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	48	UNCH										
6475	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	13	UNCH										
6500	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	667	UNCH										
6525	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	162	UNCH										
6550	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	11	UNCH										
6575	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	4	UNCH										
6600	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	27	UNCH										
6650	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	16	UNCH										
6675	----	----	----	----	----	----	/32.80A	----	0.10	UNCH	----	----	----	----	----	1	UNCH										
6700	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	137	UNCH										
6775	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	1	UNCH										
6800	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	202	UNCH										
6825	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	19	UNCH										
6850	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	201	UNCH										
6875	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	22	UNCH										
6900	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	19	UNCH										
6925	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	1	UNCH										
6950	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	22	UNCH										
6975	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	10	UNCH										
7000	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	1470	UNCH										
7025	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	1	UNCH										
7050	----	----	----	----	----	----	/0.10A	----	0.10	UNCH	----	----	----	----	----	18	UNCH										

PG64		BULLETIN #119@										METALS OPTION PRODUCTS										Tue, Jun 23, 2026		PG64			
		GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST												
OG CALL		COMEX GOLD OPTIONS																									
AUG26																											
3685	----	----	----	----	537.80B/444.40A	537.80B/444.40A	----	----	479.50 - 49.60	----	----	----	----	----	1	UNCH											
3700	----	----	----	----	523.50B/430.70A	523.50B/430.70A	----	----	465.50 - 49.50	----	----	----	----	----	40	UNCH											
3715	----	----	----	----	509.30B/417.20A	509.30B/417.20A	----	----	451.70 - 49.10	----	----	----	----	----	30	UNCH											
3720	----	----	----	----	504.80B/412.70A	504.80B/412.70A	----	----	447.10 - 49.00	----	----	----	----	----	1	UNCH											
3735	----	----	----	----	490.40B/399.20A	490.40B/399.20A	----	----	433.30 - 48.80	----	----	----	----	----	1	UNCH											
3750	----	----	----	----	476.30B/385.90A	476.30B/385.90A	----	----	419.60 - 48.50	----	----	----	1	----	28 +	1											
3755	----	----	----	----	471.70B/381.50A	471.70B/381.50A	----	----	415.10 - 48.30	----	----	----	----	----	1	UNCH											
3775	----	----	----	----	453.00B/363.90A	453.00B/363.90A	----	----	397.00 - 47.90	----	----	----	----	----	4	UNCH											
3780	----	----	----	----	448.50B/359.60A	448.50B/359.60A	----	----	392.50 - 47.80	----	----	----	----	----	37	UNCH											
3790	----	----	----	----	439.10B/350.90A	439.10B/350.90A	----	----	383.60 - 47.50	----	----	----	----	----	67	UNCH											
3800	----	----	----	----	429.80B/342.30A	429.80B/342.30A	----	----	374.70 - 47.20	----	----	----	----	----	304	UNCH											
3820	----	----	----	----	411.50B/325.20A	411.50B/325.20A	----	----	357.10 - 46.70	----	----	----	----	----	3	UNCH											
3840	----	----	----	----	393.30B/308.50A	393.30B/308.50A	----	----	339.70 - 46.00	----	----	----	----	----	1	UNCH											
3850	----	----	----	----	384.20B/300.20A	384.20B/300.20A	----	----	331.00 - 45.80	----	----	----	----	----	12	UNCH											
3885	----	----	----	----	353.20B/271.70A	353.20B/271.70A	----	----	301.30 - 44.60	----	----	----	----	----	2	UNCH											
3890	----	----	----	----	348.60B/267.90A	348.60B/267.90A	----	----	297.10 - 44.50	----	----	----	----	----	3	UNCH											
3900	----	----	----	----	339.90B/260.00A	339.90B/260.00A	----	----	288.80 - 44.10	----	----	----	----	----	150	UNCH											
3920	----	----	----	----	322.60B/244.40A	322.60B/244.40A	----	----	272.50 - 43.20	----	----	----	----	----	1	UNCH											
3925	----	----	----	----	318.30B/240.60A	318.30B/240.60A	----	----	268.40 - 43.10	----	----	----	----	----	10	UNCH											
3950	----	----	----	----	296.80B/221.80A	296.80B/221.80A	----	----	248.50 - 42.00	----	----	----	----	----	106	UNCH											
3955	----	----	----	----	292.60B/218.10A	292.60B/218.10A	----	----	244.60 - 41.80	----	----	----	----	----	7	UNCH											
3975	----	----	----	----	276.00B/203.50A	276.00B/203.50A	----	----	229.10 - 40.90	----	----	----	----	----	200	UNCH											
3985	----	----	----	----	267.70B/196.60A	267.70B/196.60A	----	----	221.60 - 40.40	----	----	----	----	----	1	UNCH											
3995	----	----	----	----	259.80B/189.70A	259.80B/189.70A	----	----	214.10 - 39.90	----	----	----	----	----	30	UNCH											
4000	----	----	----	----	255.60B/186.20A	255.60B/186.20A	----	----	210.40 - 39.60	----	----	1	----	824 +	1												
4005	----	----	----	----	251.60B/182.70A	251.60B/182.70A	----	----	206.80 - 39.30	----	----	----	----	----	12	UNCH											
4010	----	----	----	----	247.60B/179.50A	247.60B/179.50A	----	----	203.10 - 39.10	----	----	----	----	----	1	UNCH											
4015	----	----	----	----	243.60B/176.00A	243.60B/176.00A	----	----	199.50 - 38.80	----	----	----	----	----	12	UNCH											
4025	----	----	----	----	235.80B/169.50A	235.80B/169.50A	----	----	192.40 - 38.30	----	----	----	----	----	174	UNCH											
4040	----	----	----	----	224.20B/160.30A	224.20B/160.30A	----	----	181.90 - 37.40	----	----	----	----	----	1	UNCH											
4045	179.60	----	179.60	----	220.40B/*157.30	220.40B/*157.30A	----	----	178.50 - 37.10	----	----	10	----	40 +	10												
4050	----	----	----	----	216.70B/154.10A	216.70B/154.10A	----	----	175.10 - 36.80	----	----	----	----	----	101	UNCH											
4055	----	----	----	----	212.80B/*151.10	212.80B/*151.10A	----	----	171.70 - 36.50	----	----	----	----	----	100	UNCH											
4060	164.60	----	164.60	----	209.20B/147.90A	209.20B/147.90A	----	----	168.40 - 36.20	----	----	5	----	6 +	5												
4065	166.40	----	166.40	----	205.40B/*145.00	205.40B/*145.00A	----	----	165.10 - 35.90	----	----	10	----	10 +	8												
4070	----	----	----	----	201.80B/142.10A	201.80B/142.10A	----	----	161.80 - 35.60	----	----	----	----	----	11	UNCH											
4075	155.10	----	155.10	----	198.20B/139.10A	198.20B/139.10A	----	----	158.60 - 35.30	----	----	11	----	6 +	2												
4080	----	----	----	----	194.60B/136.10A	194.60B/136.10A	----	----	155.40 - 34.90	----	----	----	----	----	2	UNCH											
4085	----	----	----	----	190.90B/*133.20	190.90B/*133.20A	----	----	152.30 - 34.50	----	----	----	----	----	4	UNCH											
4090	153.30	----	153.30	----	187.40B/130.40A	187.40B/130.40A	----	----	149.10 - 34.30	----	----	4	----	8 +	2												
4095	146.90	----	146.90	----	183.90B/*127.60	183.90B/*127.60A	----	----	146.10 - 33.90	----	----	----	4	----	15	UNCH											
4100	142.90	----	142.90	----	180.40B/124.90A	180.40B/124.90A	----	----	143.00 - 33.60	----	----	14	----	347 -	6												
4105	----	----	----	----	177.00B/*122.20	177.00B/*122.20A	----	----	140.00 - 33.20	----	----	----	----	----	12	UNCH											
4110	----	----	----	----	173.60B/119.50A	173.60B/119.50A	----	----	137.00 - 32.90	----	----	----	----	----	36	UNCH											
4115	----	----	----	----	170.20B/*116.70	170.20B/*116.70A	----	----	134.10 - 32.50	----	----	13	----	21 +	9												
4120	----	----	----	----	166.80B/114.10A	166.80B/114.10A	----	----	131.20 - 32.10	----	----	8	----	26 +	4												
4125	126.00	126.00	----	----	163.50B/111.50A	163.50B/111.50A	----	----	128.30 - 31.80	----	----	----	7	475 +	1												
4130	118.80	118.80	----	----	160.30B/109.00A	160.30B/109.00A	----	----	125.50 - 31.40	----	----	27	----	32 +	23												
4135	116.20	116.20	----	----	157.00B/*106.60	157.00B/*106.60A	----	----	122.70 - 31.00	----	----	3	----	23 +	1												
4140	120.70	120.70	----	----	153.80B/*104.20	153.80B/*104.20A	----	----	119.90 - 30.70	----	----	7	----	18 +	6												
4145	111.40	111.40	----	----	151.00B/*101.70	151.00B/*101.70A	----	----	117.20 - 30.30	----	----	50	----	48 +	47												
4150	108																										

PG64		BULLETIN #119@										METALS OPTION PRODUCTS										Tue, Jun 23, 2026		PG64													
		GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST																							
OG CALL		COMEX GOLD OPTIONS																																			
AUG26																																					
4580	11.80	11.80		11.80/*10.50A	15.40B/*10.50A	----	11.30	- 4.70	----	----	----	2	----	315	+	1																					
4585	11.60	11.60		11.60/*10.40A	15.10B/*10.40A	----	11.00	- 4.60	----	----	----	1	----	154	-	1																					
4590	----	----		----/*10.20A	14.70B/*10.20A	----	10.80	- 4.40	----	----	----	----	----	87		UNCH																					
4595	----	----		----/*9.90A	14.30B/*9.90A	----	10.50	- 4.30	----	----	----	----	----	156		UNCH																					
4600	14.40	14.40		14.40/*9.70A	14.40/*9.70A	----	10.30	- 4.20	----	----	----	612	360	2668	+	211																					
4605	10.00	10.00		10.00/*9.50A	13.60B/*9.50A	----	10.00	- 4.10	----	----	5	----	----	21	+	5																					
4610	----	----		----/*9.30A	13.30B/*9.30A	----	9.80	- 4.00	----	----	1	----	----	70		UNCH																					
4615	----	----		----/*9.10A	12.90B/*9.10A	----	9.60	- 3.90	----	----	1	----	----	54	-	1																					
4620	----	----		----/*8.90A	12.60B/*8.90A	----	9.40	- 3.70	----	----	----	----	----	68		UNCH																					
4625	----	----		----/*8.70A	12.40B/*8.70A	----	9.20	- 3.60	----	----	----	----	----	385		UNCH																					
4630	----	----		----/*8.50A	12.00B/*8.50A	----	9.00	- 3.50	----	----	----	----	----	27		UNCH																					
4635	----	----		----/*8.40A	11.70B/*8.40A	----	8.80	- 3.40	----	----	----	----	----	74		UNCH																					
4640	----	----		----/*8.20A	11.50B/*8.20A	----	8.60	- 3.30	----	----	1	----	----	44		UNCH																					
4645	----	----		----/*8.00A	11.10B/*8.00A	----	8.40	- 3.30	----	----	----	----	----	27		UNCH																					
4650	8.50	8.50		8.50/*7.90A	10.90B/*7.90A	----	8.20	- 3.20	----	----	516	----	----	889	-	363																					
4655	----	----		----/*7.80A	10.70B/*7.80A	----	8.00	- 3.20	----	----	----	----	----	36		UNCH																					
4660	----	----		----/*7.60A	10.50B/*7.60A	----	7.90	- 3.00	----	----	----	----	----	37		UNCH																					
4665	----	----		----/*7.50A	10.20B/*7.50A	----	7.70	- 3.00	----	----	5	----	----	48		UNCH																					
4670	----	----		----/*7.30A	10.00B/*7.30A	----	7.60	- 2.80	----	----	5	----	----	86		UNCH																					
4675	----	----		----/*7.20A	9.70B/*7.20A	----	7.40	- 2.80	----	----	10	----	----	143	+	10																					
4680	----	----		----/*7.10A	9.50B/*7.10A	----	7.30	- 2.70	----	----	----	----	----	58		UNCH																					
4685	----	----		----/*6.90A	9.30B/*6.90A	----	7.10	- 2.70	----	----	10	----	----	241	+	10																					
4690	----	----		----/*6.70A	9.00B/*6.70A	----	7.00	- 2.50	----	----	----	----	----	59		UNCH																					
4695	----	----		----/*6.70A	8.80B/*6.70A	----	6.80	- 2.50	----	----	----	----	----	15		UNCH																					
4700	8.00	8.00		8.00/*6.60A	8.70B/*6.60A	----	6.70	- 2.40	----	----	60	----	----	4604		UNCH																					
4705	----	----		----/*6.40A	8.40B/*6.40A	----	6.60	- 2.40	----	----	----	----	----	122		UNCH																					
4710	6.40	6.40		6.40/*6.30A	8.30B/*6.30A	----	6.50	- 2.30	----	----	2	----	----	97	-	2																					
4715	----	----		----/*6.20A	8.20B/*6.20A	----	6.30	- 2.30	----	----	1	----	----	12		UNCH																					
4720	----	----		----/*6.10A	7.90B/*6.10A	----	6.20	- 2.20	----	----	5	----	----	171	-	4																					
4725	5.90	5.90		5.90/*5.90	7.80B/*5.90	----	6.10	- 2.20	----	----	1	----	----	155	-	1																					
4730	----	----		----/*5.90A	7.60B/*5.90A	----	6.00	- 2.10	----	----	2	----	----	96	+	1																					
4735	----	----		----/*5.80A	7.40B/*5.80A	----	5.90	- 2.00	----	----	----	----	----	72		UNCH																					
4740	----	----		----/*5.70A	7.30B/*5.70A	----	5.80	- 2.00	----	----	----	----	----	38		UNCH																					
4745	----	----		----/*5.70A	7.20B/*5.70A	----	5.70	- 1.90	----	----	----	----	----	92		UNCH																					
4750	6.00	6.00		6.10/*5.60A	7.10B/*5.60A	----	5.60	- 1.90	----	----	39	----	----	925	+	9																					
4755	6.20	6.20		6.20/*5.50A	6.90B/*5.50A	----	5.50	- 1.80	----	----	40	----	----	59	-	8																					
4760	----	----		----/*5.40A	6.70B/*5.40A	----	5.40	- 1.80	----	----	----	----	----	47		UNCH																					
4765	----	----		----/*5.30A	6.70B/*5.30A	----	5.30	- 1.80	----	----	----	----	----	17		UNCH																					
4770	----	----		----/*5.20A	6.50B/*5.20A	----	5.20	- 1.70	----	----	----	----	----	289		UNCH																					
4775	----	----		----/*5.20A	6.30B/*5.20A	----	5.10	- 1.70	----	----	90	----	----	363	+	60																					
4780	----	----		----/*5.10A	6.30B/*5.10A	----	5.00	- 1.70	----	----	30	----	----	148	+	30																					
4785	5.70	5.70		5.70/*5.00	6.10B/*5.00	----	5.00	- 1.60	----	----	90	----	----	112	-	35																					
4790	5.30	5.30		5.30/*4.90A	6.00B/*4.90A	----	4.90	- 1.60	----	----	95	----	----	122	+	86																					
4795	----	----		----/*4.80A	5.90B/*4.80A	----	4.80	- 1.50	----	----	----	----	----	338		UNCH																					
4800	4.90	4.90		5.60/*4.70	5.80B/*4.70	----	4.70	- 1.50	----	----	360	----	----	3870	-	141																					
4805	----	----		----/*4.70A	5.70B/*4.70A	----	4.60	- 1.50	----	----	----	----	----	39		UNCH																					
4810	----	----		----/*4.60A	5.60B/*4.60A	----	4.60	- 1.40	----	----	1	----	----	72		UNCH																					
4815	4.70	4.70		4.70/*4.60A	5.40B/*4.60A	----	4.50	- 1.40	----	----	3	----	----	65	-	2																					
4820	----	----		----/*4.50A	5.30B/*4.50A	----	4.40	- 1.40	----	----	----	----	----	163		UNCH																					
4825	----	----		----/*4.40A	5.20B/*4.40A	----	4.40	- 1.30	----	----	----	----	----	453		UNCH																					
4830	----	----		----/*4.40A	5.20B/*4.40A	----	4.30	- 1.30	----	----	1	----	----	107		UNCH																					
4835	----	----		----/*4.40A	5.10B/*4.40A	----	4.20	- 1.30	----	----	----	----	----	149		UNCH																					
4840	----	----		----/*4.30A	5.00B/*4.30A	----	4.20	- 1.30	----	----	----	----	----	28		UNCH																					
4845	----	----		----/*4.30A	4.90B/*4.30A	----	4.10	- 1.30	----	----	----	----	----	26		UNCH																					
4850	----	----		----/*4.20A	4.90B/*4.20A	----	4.10	- 1.20	----	----	----	----	----	735		UNCH																					
4855	----	----		----/*4.10A	4.70B/*4.10A	----	4.00	- 1.20	----	----	----	----	----	21		UNCH																					
4860	----	----		----/*4.10A	4.70B/*4.10A	----	3.90	- 1.20	----	----	----	----	----	35																							

PG64		BULLETIN #119@										METALS OPTION PRODUCTS										Tue, Jun 23, 2026		PG64			
		GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST												
OG CALL		COMEX GOLD OPTIONS																									
AUG26																											
5265	----	----	----	----	/*2.00A	2.00B/*2.00A	----	----	1.90 - 0.30	----	----	----	----	----	18	UNCH											
5270	----	----	----	----	/*2.00A	2.00B/*2.00A	----	----	1.90 - 0.30	----	----	----	----	----	152	UNCH											
5275	----	----	----	----	/*2.00A	1.90B/*2.00A	----	----	1.90 - 0.30	----	----	----	----	----	24	UNCH											
5280	----	----	----	----	/*2.00A	1.90B/*2.00A	----	----	1.90 - 0.30	----	----	----	----	----	210	UNCH											
5285	----	----	----	----	/*2.00A	1.90B/*2.00A	----	----	1.80 - 0.30	----	----	----	----	----	32	UNCH											
5290	----	----	----	----	/*2.00A	1.90B/*2.00A	----	----	1.80 - 0.30	----	----	----	----	----	25	UNCH											
5295	----	----	----	----	/*2.00A	1.90B/*2.00A	----	----	1.80 - 0.30	----	----	----	----	----	11	UNCH											
5300	----	----	----	----	/*2.00A	1.90B/*2.00A	----	----	1.80 - 0.30	----	----	----	----	----	1220	UNCH											
5305	----	----	----	----	/*1.90A	1.90B/*1.90A	----	----	1.80 - 0.30	----	----	----	----	----	17	UNCH											
5310	----	----	----	----	/*1.90A	1.90B/*1.90A	----	----	1.80 - 0.30	----	----	----	----	----	111	UNCH											
5315	----	----	----	----	/*1.90A	1.80B/*1.90A	----	----	1.80 - 0.30	----	----	----	----	----	16	UNCH											
5320	----	----	----	----	/*1.90A	1.80B/*1.90A	----	----	1.80 - 0.30	----	----	----	----	----	23	UNCH											
5325	2.20	2.20			2.20/*1.90A	2.20/*1.90A	----	----	1.70 - 0.30	----	----	----	1	----	44	UNCH											
5330	----	----	----	----	/*1.90A	1.80B/*1.90A	----	----	1.70 - 0.30	----	----	----	----	----	22	UNCH											
5335	----	----	----	----	/*1.90A	1.80B/*1.90A	----	----	1.70 - 0.30	----	----	----	----	----	3	UNCH											
5340	----	----	----	----	/*1.90A	1.80B/*1.90A	----	----	1.70 - 0.30	----	----	----	----	----	1	UNCH											
5345	----	----	----	----	/*1.90A	1.80B/*1.90A	----	----	1.70 - 0.30	----	----	----	----	----	29	UNCH											
5350	----	----	----	----	/*1.80A	1.80B/*1.80A	----	----	1.70 - 0.30	----	----	----	----	----	8002	UNCH											
5355	----	----	----	----	/*1.80A	1.80B/*1.80A	----	----	1.70 - 0.30	----	----	----	----	----	1	UNCH											
5360	----	----	----	----	/*1.80A	1.70B/*1.80A	----	----	1.70 - 0.30	----	----	----	----	----	123	UNCH											
5365	----	----	----	----	/*1.80A	1.70B/*1.80A	----	----	1.70 - 0.30	----	----	----	----	----	65	UNCH											
5370	----	----	----	----	/*1.80A	1.70B/*1.80A	----	----	1.70 - 0.20	----	----	----	----	----	8010	UNCH											
5375	----	----	----	----	/*1.80A	1.70B/*1.80A	----	----	1.70 - 0.20	----	----	----	----	----	255	UNCH											
5380	----	----	----	----	/*1.80A	1.70B/*1.80A	----	----	1.60 - 0.30	----	----	----	----	----	44	UNCH											
5390	----	----	----	----	/*1.80A	1.70B/*1.80A	----	----	1.60 - 0.30	----	----	----	----	----	2	UNCH											
5395	2.00	2.00			2.00/*1.80A	2.00/*1.80A	----	----	1.60 - 0.30	----	----	----	1	----	10	UNCH											
5400	2.00	2.00			2.00/1.70	2.00/1.70	----	----	1.60 - 0.30	----	----	----	5	----	2524	UNCH											
5405	----	----	----	----	/*1.70A	1.60B/*1.70A	----	----	1.60 - 0.30	----	----	----	----	----	10	UNCH											
5410	----	----	----	----	/1.70A	1.60B/1.70A	----	----	1.60 - 0.30	----	----	----	----	----	27	UNCH											
5415	----	----	----	----	/*1.70A	1.60B/*1.70A	----	----	1.60 - 0.30	----	----	----	----	----	1	UNCH											
5420	----	----	----	----	/*1.70A	1.60B/*1.70A	----	----	1.60 - 0.20	----	----	----	----	----	8	UNCH											
5425	----	----	----	----	/*1.70A	1.60B/*1.70A	----	----	1.60 - 0.20	----	----	----	----	----	23	UNCH											
5430	----	----	----	----	/*1.70A	1.60B/*1.70A	----	----	1.60 - 0.20	----	----	----	----	----	12	UNCH											
5435	----	----	----	----	/*1.70A	1.60B/*1.70A	----	----	1.60 - 0.20	----	----	----	----	----	51	UNCH											
5440	----	----	----	----	/*1.70A	1.60B/*1.70A	----	----	1.60 - 0.20	----	----	----	----	----	106	UNCH											
5445	----	----	----	----	/*1.70A	1.60B/*1.70A	----	----	1.60 - 0.20	----	----	----	----	----	17	UNCH											
5450	----	----	----	----	/1.70A	1.60B/1.70A	----	----	1.60 - 0.20	----	----	----	----	----	221	UNCH											
5455	----	----	----	----	/*1.70A	1.60B/*1.70A	----	----	1.60 - 0.20	----	----	----	----	----	20	UNCH											
5460	----	----	----	----	/*1.60A	1.50B/*1.60A	----	----	1.60 - 0.20	----	----	----	----	----	12	UNCH											
5465	----	----	----	----	/*1.60A	1.50B/*1.60A	----	----	1.50 - 0.30	----	----	----	----	----	42	UNCH											
5470	----	----	----	----	/*1.60A	1.50B/*1.60A	----	----	1.50 - 0.30	----	----	----	----	----	14	UNCH											
5475	----	----	----	----	/*1.60A	1.50B/*1.60A	----	----	1.50 - 0.20	----	----	----	----	----	6	UNCH											
5480	----	----	----	----	/*1.60A	1.50B/*1.60A	----	----	1.50 - 0.20	----	----	----	----	----	14	UNCH											
5485	----	----	----	----	/*1.60A	1.50B/*1.60A	----	----	1.50 - 0.20	----	----	----	----	----	19	UNCH											
5490	----	----	----	----	/*1.60A	1.50B/*1.60A	----	----	1.50 - 0.20	----	----	----	----	----	9	UNCH											
5495	----	----	----	----	/*1.60A	1.50B/*1.60A	----	----	1.50 - 0.20	----	----	----	----	----	19	UNCH											
5500	1.70	1.70			1.70/1.60A	1.70/1.60A	----	----	1.50 - 0.20	----	----	----	456	----	2848	- 89											
5505	----	----	----	----	/*1.60A	1.50B/*1.60A	----	----	1.50 - 0.20	----	----	----	----	----	14	UNCH											
5510	----	----	----	----	/*1.60A	1.50B/*1.60A	----	----	1.50 - 0.20	----	----	----	----	----	9	UNCH											
5515	----	----	----	----	/*1.60A	1.40B/*1.60A	----	----	1.50 - 0.20	----	----	----	----	----	46	UNCH											
5520	----	----	----	----	/1.60A	1.40B/1.60A	----	----	1.50 - 0.20	----	----	----	----	----	5	UNCH											
5525	----	----	----	----	/*1.50A	1.40B/*1.50A	----	----	1.50 - 0.20	----	----	----	----	----	2236	UNCH											
5530	----	----	----	----	/*1.50A	1.40B/*1.50A	----	----	1.50 - 0.10	----	----	----	----	----	2	UNCH											
5535	----	----	----	----	/*1.50A	1.40B/*1.50A	----	----	1.40 - 0.20	----	----	----	----	----	12	UNCH											
5540	----	----	----	----	/*1.50A	1.40B/*1.50A	----	----	1.40 - 0.20	----	----	----	----	----	9	UNCH											
5545	----	----	----	----	/*1.50A	1.40B/*1.50A	----	----	1.40 - 0.20																		



PG64		BULLETIN #119@										METALS OPTION PRODUCTS										Tue, Jun 23, 2026		PG64			
		GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST												
OG CALL		COMEX GOLD OPTIONS																									
SEP26																											
4195	----	----	----	----	181.20B/*134.10	181.20B/*134.10A	----	----	149.20 - 28.60	----	----	----	----	----	1	UNCH											
4200	----	----	----	----	178.40B/*132.00	178.40B/*132.00A	----	----	146.80 - 28.20	----	----	----	----	----	12	UNCH											
4205	----	----	----	----	175.60B/*129.80	175.60B/*129.80A	----	----	144.30 - 28.00	----	----	----	1	----	3	UNCH											
4210	----	----	----	----	172.80B/*127.60	172.80B/*127.60A	----	----	141.90 - 27.70	----	----	----	----	----	4	UNCH											
4220	----	----	----	----	167.40B/*123.30	167.40B/*123.30A	----	----	137.10 - 27.20	----	----	----	45	----	166	UNCH											
4225	----	----	----	----	164.70B/*121.20	164.70B/*121.20A	----	----	134.80 - 26.90	----	----	----	----	----	38	UNCH											
4240	----	----	----	----	156.80B/*115.10	156.80B/*115.10A	----	----	127.90 - 26.10	----	----	----	----	11	UNCH												
4245	----	----	----	----	154.20B/*113.30	154.20B/*113.30A	----	----	125.70 - 25.80	----	----	----	----	2	UNCH												
4250	----	----	----	----	151.70B/*111.10	151.70B/*111.10A	----	----	123.50 - 25.50	----	----	10	----	14	- 2												
4255	----	----	----	----	149.20B/*109.10	149.20B/*109.10A	----	----	121.40 - 25.20	----	----	----	----	2	UNCH												
4260	118.60	----	118.60	----	146.70B/*107.30	146.70B/*107.30A	----	----	119.20 - 24.90	----	----	10	----	34	UNCH												
4265	----	----	----	----	144.40B/*105.60	144.40B/*105.60A	----	----	117.10 - 24.70	----	----	----	----	11	UNCH												
4270	----	----	----	----	142.00B/*103.70	142.00B/*103.70A	----	----	115.00 - 24.40	----	----	----	----	26	UNCH												
4275	113.60	----	113.60	----	139.40B/*101.80	139.40B/*101.80A	----	----	113.00 - 24.10	----	----	2	----	70	+	2											
4280	----	----	----	----	137.10B/*100.00	137.10B/*100.00A	----	----	111.00 - 23.80	----	----	----	----	1	UNCH												
4285	----	----	----	----	134.90B/*98.30A	134.90B/*98.30A	----	----	109.00 - 23.50	----	----	----	----	4	UNCH												
4290	101.00	----	101.00	----	132.60B/*96.50A	132.60B/*96.50A	----	----	107.00 - 23.30	----	----	1	----	5	UNCH												
4295	----	----	----	----	130.40B/*94.70A	130.40B/*94.70A	----	----	105.10 - 23.00	----	----	----	----	51	UNCH												
4300	106.00	----	106.00	----	128.00B/*93.10A	128.00B/*93.10A	----	----	103.10 - 22.80	----	----	7	----	171	+	1											
4305	----	----	----	----	125.70B/*91.30A	125.70B/*91.30A	----	----	101.30 - 22.40	----	----	----	----	49	UNCH												
4310	----	----	----	----	123.50B/*89.70A	123.50B/*89.70A	----	----	99.40 - 22.20	----	----	----	----	2	UNCH												
4315	----	----	----	----	121.40B/*88.00A	121.40B/*88.00A	----	----	97.60 - 21.90	----	----	----	----	42	UNCH												
4320	----	----	----	----	119.20B/*86.50A	119.20B/*86.50A	----	----	95.80 - 21.70	----	----	45	----	162	UNCH												
4325	95.10	----	95.10	----	117.40B/*85.00A	117.40B/*85.00A	----	----	94.00 - 21.40	----	----	172	----	160	- 64												
4330	----	----	----	----	115.10B/*83.40A	115.10B/*83.40A	----	----	92.30 - 21.10	----	----	----	----	4	UNCH												
4335	87.70	----	87.70	----	113.20B/*81.90A	113.20B/*81.90A	----	----	90.60 - 20.90	----	----	1	----	2	+	1											
4340	----	----	----	----	111.00B/*80.40A	111.00B/*80.40A	----	----	88.90 - 20.60	----	----	----	----	11	UNCH												
4345	84.60	----	84.60	----	109.00B/*78.90A	109.00B/*78.90A	----	----	87.20 - 20.40	----	----	1	----	2	UNCH												
4350	84.50	----	84.50	----	107.40B/*77.50A	107.40B/*77.50A	----	----	85.60 - 20.10	----	----	25	----	154	- 1												
4355	----	----	----	----	105.10B/*76.10A	105.10B/*76.10A	----	----	84.00 - 19.80	----	----	----	----	1	UNCH												
4360	----	----	----	----	103.60B/*74.80A	103.60B/*74.80A	----	----	82.40 - 19.60	----	----	----	----	24	UNCH												
4365	----	----	----	----	101.40B/*73.40A	101.40B/*73.40A	----	----	80.90 - 19.30	----	----	----	----	8	UNCH												
4370	----	----	----	----	99.50B/*72.10A	99.50B/*72.10A	----	----	79.40 - 19.00	----	----	----	----	73	UNCH												
4375	----	----	----	----	98.00B/*70.70A	98.00B/*70.70A	----	----	77.90 - 18.80	----	----	1	----	8	+	1											
4380	----	----	----	----	95.90B/*69.40A	95.90B/*69.40A	----	----	76.40 - 18.50	----	----	----	----	49	UNCH												
4385	75.00	----	75.00	----	94.20B/*68.20A	94.20B/*68.20A	----	----	75.00 - 18.20	----	----	90	----	92	+	89											
4390	----	----	----	----	92.50B/*66.90A	92.50B/*66.90A	----	----	73.50 - 18.10	----	----	----	----	218	UNCH												
4395	74.00	----	74.00	----	90.80B/*65.60A	90.80B/*65.60A	----	----	72.20 - 17.70	----	----	57	----	109	+	45											
4400	71.30	----	71.30	----	89.50B/*64.40A	89.50B/*64.40A	----	----	70.80 - 17.50	----	----	6	----	273	UNCH												
4405	69.70	----	69.70	----	87.80B/*63.30A	87.80B/*63.30A	----	----	69.50 - 17.20	----	----	22	----	28	+	22											
4410	----	----	----	----	86.20B/*62.10A	86.20B/*62.10A	----	----	68.10 - 17.00	----	----	----	1	43	UNCH												
4415	65.00	----	65.00	----	84.60B/*61.00A	84.60B/*61.00A	----	----	66.90 - 16.70	----	----	2	----	80	UNCH												
4420	----	----	----	----	82.60B/*60.00A	82.60B/*60.00A	----	----	65.60 - 16.50	----	----	----	----	6	UNCH												
4425	65.90	----	65.90	----	81.30B/*58.90A	81.30B/*58.90A	----	----	64.30 - 16.30	----	----	5	----	34	+	1											
4430	----	----	----	----	80.10B/*57.60A	80.10B/*57.60A	----	----	63.10 - 16.00	----	----	----	----	3	UNCH												
4435	----	----	----	----	78.10B/*56.60A	78.10B/*56.60A	----	----	61.90 - 15.80	----	----	----	----	21	UNCH												
4440	----	----	----	----	76.60B/*55.50A	76.60B/*55.50A	----	----	60.80 - 15.40	----	----	----	----	12	UNCH												
4445	----	----	----	----	75.50B/*54.50A	75.50B/*54.50A	----	----	59.60 - 15.30	----	----	----	----	3	UNCH												
4450	----	----	----	----	74.00B/*53.50A	74.00B/*53.50A	----	----	58.50 - 15.00	----	----	1	----	21	UNCH												
4455	----	----	----	----	72.90B/*52.60A	72.90B/*52.60A	----	----	57.40 - 14.70	----	----	----	----	1	UNCH												
4460	----	----	----	----	71.40B/*51.60A	71.40B/*51.60A	----	----	56.30 - 14.50	----	----	----	----	5	UNCH												
4465	----	----	----	----	70.10B/*50.70A	70.10B/*50.70A	----	----	55.20 - 14.30																		

PG64		BULLETIN #119@										METALS OPTION PRODUCTS										Tue, Jun 23, 2026		PG64								
		GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST																	
OG CALL		COMEX GOLD OPTIONS																														
SEP26																																
4895	----	----	----	----	/*11.90A	14.90B/*11.90A	----	----	12.40 - 3.00	----	----	----	----	----	19	UNCH																
4900	----	----	----	----	/*11.80A	14.60B/*11.80A	----	----	12.20 - 3.00	----	----	----	6	----	581	- 6																
4905	----	----	----	----	/*11.60A	14.40B/*11.60A	----	----	12.00 - 2.90	----	----	----	----	----	54	UNCH																
4910	----	----	----	----	/*11.50A	14.20B/*11.50A	----	----	11.80 - 2.90	----	----	----	----	----	6	UNCH																
4915	----	----	----	----	/*11.30A	14.00B/*11.30A	----	----	11.70 - 2.80	----	----	----	----	----	67	UNCH																
4920	----	----	----	----	/*11.20A	13.80B/*11.20A	----	----	11.50 - 2.80	----	----	----	----	----	69	UNCH																
4925	----	----	----	----	/*11.00A	13.60B/*11.00A	----	----	11.40 - 2.70	----	----	----	----	----	116	UNCH																
4930	----	----	----	----	/*10.90A	13.40B/*10.90A	----	----	11.20 - 2.70	----	----	----	----	----	4	UNCH																
4935	----	----	----	----	/*10.70A	13.20B/*10.70A	----	----	11.10 - 2.60	----	----	----	----	----	20	UNCH																
4940	----	----	----	----	/*10.60A	13.00B/*10.60A	----	----	10.90 - 2.60	----	----	----	----	----	24	UNCH																
4945	----	----	----	----	/*10.50A	12.80B/*10.50A	----	----	10.80 - 2.50	----	----	----	----	----	16	UNCH																
4950	----	----	----	----	/*10.40A	12.60B/*10.40A	----	----	10.60 - 2.50	----	----	----	100	----	234	- 79																
4955	----	----	----	----	/*10.20A	12.40B/*10.20A	----	----	10.50 - 2.40	----	----	----	----	----	1	UNCH																
4960	----	----	----	----	/*10.10A	12.20B/*10.10A	----	----	10.30 - 2.50	----	----	----	----	----	148	UNCH																
4965	----	----	----	----	/*10.00A	12.10B/*10.00A	----	----	10.20 - 2.40	----	----	----	----	----	39	UNCH																
4970	----	----	----	----	/*9.90A	11.90B/*9.90A	----	----	10.10 - 2.30	----	----	----	----	----	53	UNCH																
4975	----	----	----	----	/*9.70A	11.70B/*9.70A	----	----	9.90 - 2.30	----	----	----	----	----	332	UNCH																
4980	----	----	----	----	/*9.60A	11.60B/*9.60A	----	----	9.80 - 2.30	----	----	----	----	----	11	UNCH																
4985	----	----	----	----	/*9.50A	11.40B/*9.50A	----	----	9.70 - 2.20	----	----	----	----	----	12	UNCH																
4995	----	----	----	----	/*9.30A	11.10B/*9.30A	----	----	9.40 - 2.20	----	----	----	----	----	11	UNCH																
5000	9.50	9.50		9.50	/*9.20	10.90B/*9.20			9.30 - 2.10				58		1641	+ 10																
5005	----	----	----	----	/*9.10A	10.80B/*9.10A			9.20 - 2.10				----	----	6	UNCH																
5010	----	----	----	----	/*9.00A	10.70B/*9.00A			9.10 - 2.00				----	----	15	UNCH																
5015	----	----	----	----	/*8.90A	10.50B/*8.90A			9.00 - 2.00				----	----	4	UNCH																
5020	----	----	----	----	/*8.80A	10.40B/*8.80A			8.90 - 2.00				----	----	3	UNCH																
5030	9.50	9.50		9.50	/*8.60A	10.10B/*8.60A			8.70 - 1.90				1		9	UNCH																
5040	----	----	----	----	/*8.40A	9.80B/*8.40A			8.50 - 1.80				----	----	53	UNCH																
5045	----	----	----	----	/*8.30A	9.70B/*8.30A			8.40 - 1.80				----	----	3	UNCH																
5050	----	----	----	----	/*8.20A	9.60B/*8.20A			8.30 - 1.80				----	----	434	UNCH																
5055	----	----	----	----	/*8.10A	9.50B/*8.10A			8.20 - 1.70				----	----	6	UNCH																
5060	----	----	----	----	/*8.00A	9.30B/*8.00A			8.10 - 1.70				----	----	45	UNCH																
5070	----	----	----	----	/*7.90A	9.10B/*7.90A			7.90 - 1.70				----	----	11	UNCH																
5075	----	----	----	----	/*7.80A	9.00B/*7.80A			7.80 - 1.70				----	----	4	UNCH																
5080	----	----	----	----	/*7.70A	8.90B/*7.70A			7.70 - 1.70				----	----	14	UNCH																
5085	----	----	----	----	/*7.60A	8.80B/*7.60A			7.60 - 1.60				----	----	8	UNCH																
5090	----	----	----	----	/*7.60A	8.70B/*7.60A			7.60 - 1.50				----	----	3	UNCH																
5095	----	----	----	----	/*7.50A	8.60B/*7.50A			7.50 - 1.50				----	----	17	UNCH																
5100	----	----	----	----	/*7.40A	8.40B/*7.40A			7.40 - 1.50				1		534	+ 1																
5105	----	----	----	----	/*7.30A	8.40B/*7.30A			7.30 - 1.50				----	----	5	UNCH																
5110	----	----	----	----	/*7.30A	8.20B/*7.30A			7.20 - 1.50				----	----	7	UNCH																
5115	----	----	----	----	/*7.20A	8.20B/*7.20A			7.20 - 1.40				----	----	11	UNCH																
5120	----	----	----	----	/*7.10A	8.10B/*7.10A			7.10 - 1.40				----	----	6	UNCH																
5130	----	----	----	----	/*7.00A	7.90B/*7.00A			7.00 - 1.30				----	----	4	UNCH																
5135	----	----	----	----	/*6.90A	7.80B/*6.90A			6.90 - 1.30				----	----	17	UNCH																
5140	----	----	----	----	/*6.90A	7.70B/*6.90A			6.80 - 1.40				----	----	4	UNCH																
5145	----	----	----	----	/*6.80A	7.60B/*6.80A			6.70 - 1.40				----	----	2	UNCH																
5150	----	----	----	----	/*6.80A	7.50B/*6.80A			6.70 - 1.30				----	----	362	UNCH																
5155	----	----	----	----	/*6.70A	7.40B/*6.70A			6.60 - 1.30				----	----	2	UNCH																
5160	----	----	----	----	/*6.60A	7.40B/*6.60A			6.60 - 1.20				----	----	22	UNCH																
5165	----	----	----	----	/*6.60A	7.30B/*6.60A			6.50 - 1.20				----	----	24	UNCH																
5170	----	----	----	----	/*6.50A	7.20B/*6.50A			6.40 - 1.30				----	----	9	UNCH																
5175	----	----	----	----	/*6.50A	7.10B/*6.50A			6.40 - 1.20				----	----	16	UNCH																
5180	----	----	----	----	/*6.40A	7.00B/*6.40A			6.30 - 1.20				----	----	9	UNCH																
5185	----	----	----	----	/*6.30A	7.00B/*6.30A			6.30 - 1.10				----	----	5	UNCH																
5190	7.30	7.30		7.30	/*6.30A	7.30/*6.30A			6.20 - 1.20				3		10002	+ 2																
5195	----	----	----	----	/*6.20A	6.80B/*6.20A			6.10 - 1.20				----	----	50	UNCH																
5200	6.60	6.60		6.																												

PG64		BULLETIN #119@										METALS OPTION PRODUCTS										Tue, Jun 23, 2026		PG64									
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST																	
OG CALL		COMEX GOLD OPTIONS																															
OCT26																																	
4675	----	----	----	----	---/*41.90A	53.20B/*41.90A	----	44.50	- 8.90	----	----	----	----	----	----	----	6	UNCH															
4680	----	----	----	----	---/*41.40A	52.40B/*41.40A	----	43.90	- 8.70	----	----	----	----	----	----	----	1	UNCH															
4690	----	----	----	----	---/*40.20A	50.90B/*40.20A	----	42.60	- 8.60	----	----	----	----	----	----	----	24	UNCH															
4695	----	----	----	----	---/*39.60A	50.20B/*39.60A	----	42.00	- 8.40	----	----	----	----	----	----	----	3	UNCH															
4700	41.90	41.90	41.90	41.90	---/*39.00A	49.50B/*39.00A	----	41.40	- 8.30	----	----	----	----	42	----	1050	+	26															
4705	----	----	----	----	---/*38.50A	48.70B/*38.50A	----	40.90	- 8.10	----	----	----	----	----	----	----	2	UNCH															
4710	----	----	----	----	---/*38.00A	48.00B/*38.00A	----	40.30	- 8.00	----	----	----	----	----	----	----	4	UNCH															
4715	----	----	----	----	---/*37.50A	47.30B/*37.50A	----	39.70	- 7.90	----	----	----	----	----	----	----	2	UNCH															
4720	----	----	----	----	---/*36.90A	46.70B/*36.90A	----	39.20	- 7.80	----	----	----	----	----	----	----	2	UNCH															
4725	----	----	----	----	---/*36.40A	46.00B/*36.40A	----	38.60	- 7.70	----	----	----	----	----	----	----	106	UNCH															
4730	----	----	----	----	---/*36.00A	45.20B/*36.00A	----	38.10	- 7.50	----	----	----	----	----	----	----	3	UNCH															
4735	----	----	----	----	---/*35.40A	44.60B/*35.40A	----	37.50	- 7.50	----	----	----	----	----	----	----	1	UNCH															
4740	----	----	----	----	---/*35.00A	44.10B/*35.00A	----	37.00	- 7.40	----	----	----	----	----	----	----	1	UNCH															
4750	----	----	----	----	---/*34.00A	42.70B/*34.00A	----	36.00	- 7.10	----	----	----	----	1501	----	2783	+	1372															
4755	----	----	----	----	---/*33.60A	42.20B/*33.60A	----	35.50	- 7.00	----	----	----	----	----	----	78	UNCH																
4760	----	----	----	----	---/*33.10A	41.60B/*33.10A	----	35.00	- 6.90	----	----	----	----	----	----	1	UNCH																
4765	----	----	----	----	---/*32.70A	41.00B/*32.70A	----	34.50	- 6.90	----	----	----	----	----	----	22	UNCH																
4775	----	----	----	----	---/*31.90A	39.80B/*31.90A	----	33.60	- 6.60	----	----	----	----	----	----	29	UNCH																
4785	----	----	----	----	---/*31.00A	38.60B/*31.00A	----	32.70	- 6.40	----	----	----	----	----	----	5	UNCH																
4790	----	----	----	----	---/*30.60A	38.20B/*30.60A	----	32.30	- 6.30	----	----	----	----	----	----	26	UNCH																
4795	----	----	----	----	---/*30.20A	37.50B/*30.20A	----	31.80	- 6.30	----	----	----	----	----	----	3	UNCH																
4800	----	----	----	----	---/*29.80A	37.00B/*29.80A	----	31.40	- 6.10	----	----	----	----	53	550	1037	+	470															
4805	----	----	----	----	---/*29.40A	36.50B/*29.40A	----	31.00	- 6.00	----	----	----	----	----	----	11	UNCH																
4810	----	----	----	----	---/*29.10A	36.00B/*29.10A	----	30.60	- 5.90	----	----	----	----	1	----	11	UNCH																
4815	----	----	----	----	---/*28.60A	35.50B/*28.60A	----	30.20	- 5.80	----	----	----	----	----	----	37	UNCH																
4820	----	----	----	----	---/*28.30A	35.00B/*28.30A	----	29.80	- 5.70	----	----	----	----	----	----	6	UNCH																
4825	----	----	----	----	---/*27.90A	34.50B/*27.90A	----	29.40	- 5.70	----	----	----	----	----	----	115	UNCH																
4830	----	----	----	----	---/*27.50A	34.00B/*27.50A	----	29.00	- 5.60	----	----	----	----	----	----	3	UNCH																
4835	----	----	----	----	---/*27.20A	33.60B/*27.20A	----	28.60	- 5.50	----	----	----	----	----	----	3	UNCH																
4840	----	----	----	----	---/*26.80A	33.20B/*26.80A	----	28.20	- 5.50	----	----	----	----	----	----	1	UNCH																
4845	----	----	----	----	---/*26.50A	32.70B/*26.50A	----	27.90	- 5.30	----	----	----	----	----	----	14	UNCH																
4850	----	----	----	----	---/*26.10A	32.30B/*26.10A	----	27.50	- 5.30	----	----	----	----	----	----	83	UNCH																
4860	----	----	----	----	---/*25.50A	31.40B/*25.50A	----	26.80	- 5.10	----	----	----	----	----	----	101	UNCH																
4865	----	----	----	----	---/*25.20A	31.00B/*25.20A	----	26.50	- 5.00	----	----	----	----	----	----	2	UNCH																
4870	----	----	----	----	---/*24.90A	30.60B/*24.90A	----	26.10	- 5.00	----	----	----	----	----	----	1	UNCH																
4875	----	----	----	----	---/*24.60A	30.20B/*24.60A	----	25.80	- 4.90	----	----	----	----	----	----	4	UNCH																
4880	----	----	----	----	---/*24.30A	29.80B/*24.30A	----	25.50	- 4.80	----	----	----	----	----	----	4	UNCH																
4885	----	----	----	----	---/*24.10A	29.40B/*24.10A	----	25.10	- 4.80	----	----	----	----	----	----	55	UNCH																
4895	----	----	----	----	---/*23.40A	28.60B/*23.40A	----	24.50	- 4.60	----	----	----	----	----	----	1	UNCH																
4900	----	----	----	----	---/*23.20A	28.20B/*23.20A	----	24.20	- 4.60	----	----	----	----	----	----	1517	UNCH																
4905	----	----	----	----	---/*22.90A	27.90B/*22.90A	----	23.90	- 4.50	----	----	----	----	----	----	36	UNCH																
4910	----	----	----	----	---/*22.70A	27.50B/*22.70A	----	23.60	- 4.40	----	----	----	----	----	----	1	UNCH																
4915	23.40	23.40	23.40	23.40	---/*22.30A	27.10B/*22.30A	----	23.30	- 4.40	----	----	----	----	4	----	9	+	2															
4920	----	----	----	----	---/*22.10A	26.80B/*22.10A	----	23.00	- 4.30	----	----	----	----	----	----	31	UNCH																
4925	----	----	----	----	---/*21.80A	26.50B/*21.80A	----	22.80	- 4.20	----	----	----	----	----	----	21	UNCH																
4930	----	----	----	----	---/*21.60A	26.20B/*21.60A	----	22.50	- 4.10	----	----	----	----	----	----	4	UNCH																
4935	----	----	----	----	---/*21.30A	25.70B/*21.30A	----	22.20	- 4.10	----	----	----	----	----	----	5	UNCH																
4945	----	----	----	----	---/*20.80A	25.10B/*20.80A	----	21.70	- 4.00	----	----	----	----	----	----	3	UNCH																
4950	----	----	----	----	---/*20.60A	24.90B/*20.60A	----	21.40	- 3.90	----	----	----	----	----	----	1784	UNCH																
4955	----	----	----	----	---/*20.40A	24.60B/*20.40A	----	21.20	- 3.80	----	----	----	----	----	----	2	UNCH																
4965	----	----	----	----	---/*19.90A	23.90B/*19.90A	----	20.70	- 3.70	----	----	----	----	----	----	6	UNCH																
4970	----	----	----	----	---/*19.70A	23.60B/*19.70A	----	20.40	- 3.70	----	----	----	----	----	----	1	UNCH																
4975	----	----	----	----	---/*19.50A	23.30B/*19.50A	----	20.20	- 3.60	----	----	----	----	----	----	4	UNCH																
4985	----	----	----	----	---/*19.10A	22.80B/*19.10A	----	19.70	- 3.60	----	----	----	----	2012	----	5	UNCH																
5000	19.10	19.10	19.60	19.60	---/*18.50A	22.00B/*18.50A	----	19.10	- 3.40	----	----	----	----	----	4433	+	1706																
5015	----	----	----	----	---/*17.80A	21.10B/*17.80A	----	18.40	- 3.30	----	----	----	----	----	----	5	UNCH																
5025	----	----	----	----	---/*17.50A	20.60B/*17.50A	----	18.00	- 3.20	----	----	----	----	----	----	16	UNCH																
5030	----	----	----	----	---/*17.30A	20.40B/*17.30A	----	17.80	- 3.20	----	----	----	----	----	----	255	UNCH																
5035	----	----	----	----	---/*17.10A	20.20B/*17.10A	----	17.70	- 3.00	----	----	----	----	----	----	15	UNCH																

BULLETIN #119@				METALS OPTION PRODUCTS										Tue, Jun 23, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG CALL	COMEX GOLD OPTIONS															
NOV26																
5975	8.50	8.50	9.00B/*8.50	9.00B/*8.50	----	9.80 - 0.70	----	----	----	2	----	3	UNCH			
6000	----	----	----	8.60B/10.40A	----	9.60 - 0.70	----	----	----	----	----	420	UNCH			
6100	----	----	----	8.10B/*9.70A	----	9.10 - 0.60	----	----	----	----	----	1	UNCH			
6200	----	----	----/*9.10A	7.50B/*9.10A	----	8.60 - 0.60	----	----	----	----	----	1	UNCH			
6400	----	----	----/*8.50A	6.90B/*8.50A	----	7.80 - 0.80	----	----	----	----	----	15	UNCH			
6500	----	----	----/*7.90A	6.60B/*7.90A	----	7.30 - 0.80	----	----	----	----	----	1165	UNCH			
8000	----	----	----	4.40B/*5.80A	----	5.10 - 0.40	----	----	----	----	----	941	UNCH			
9000	4.00	4.00	4.00/*4.00	4.00/*4.00	----	3.90 - 0.30	----	----	----	1	----	972	UNCH			
20000	----	----	----	0.40B/0.60A	----	0.50 - 0.10	----	----	----	----	----	333	UNCH			
TOTAL										222		10715 +	72			
DEC26																
2500	----	----	----	----	----	1710.90 - 54.50	----	120	----	120	----	620	UNCH			
2900	----	----	----	----	----	1314.50 - 53.60	----	----	----	----	----	25	UNCH			
3500	----	----	807.30B/719.60A	807.30B/719.60A	----	751.70 NEW	----	----	----	1	----	1 +	1			
3550	----	----	762.50B/677.20A	762.50B/677.20A	----	708.20 - 48.30	----	----	----	----	----	2	UNCH			
3570	----	----	745.30B/660.30A	745.30B/660.30A	----	691.00 - 48.00	----	----	----	----	----	1	UNCH			
3600	----	----	718.80B/635.10A	718.80B/635.10A	----	665.50 - 47.40	----	----	----	----	----	1	UNCH			
3800	----	----	552.40B/477.80A	552.40B/477.80A	----	504.70 - 43.10	----	----	----	----	----	4	UNCH			
3900	----	----	475.60B/407.30A	475.60B/407.30A	----	431.50 - 40.30	----	----	----	----	----	3	UNCH			
3995	----	----	407.70B/345.70A	407.70B/345.70A	----	367.60 - 37.10	----	----	----	----	----	1	UNCH			
4000	----	----	404.30B/342.60A	404.30B/342.60A	----	364.40 - 36.90	----	----	1	----	5 +	1				
4060	----	----	364.70B/307.60A	364.70B/307.60A	----	327.30 - 34.80	----	----	----	----	100	UNCH				
4085	----	----	348.80B/293.60A	348.80B/293.60A	----	312.60 - 33.80	----	----	----	----	1	UNCH				
4100	----	----	339.60B/285.30A	339.60B/285.30A	----	304.00 - 33.30	----	----	16	----	65 +	15				
4160	----	----	305.10B/254.50A	305.10B/254.50A	----	271.30 - 30.80	----	----	----	----	100	UNCH				
4170	246.20	246.20	299.40B/*246.20	299.40B/*246.20	----	266.00 - 30.50	1	----	----	----	5 +	1				
4175	----	----	296.60B/247.10A	296.60B/247.10A	----	263.50 - 30.30	----	----	----	----	48	UNCH				
4190	----	----	288.30B/240.10A	288.30B/240.10A	----	255.90 - 29.70	----	----	12	----	12 +	12				
4200	252.50	252.50	282.90B/235.40A	282.90B/235.40A	----	250.90 - 29.30	5	----	----	----	168	UNCH				
4245	----	----	259.30B/*215.00	259.30B/*215.00A	----	229.30 - 27.60	----	----	----	----	207	UNCH				
4250	----	----	256.80B/*212.80	256.80B/*212.80A	----	227.00 - 27.40	16	----	----	----	310 +	15				
4255	----	----	254.20B/*210.70	254.20B/*210.70A	----	224.70 - 27.20	----	----	----	----	50	UNCH				
4270	----	----	246.80B/*204.30	246.80B/*204.30A	----	218.00 NEW	3	----	3 +	3						
4300	227.20	227.20	232.40B/*192.00	232.40B/*192.00A	----	204.90 - 25.60	4	----	474 +	2						
4305	----	----	230.00B/*190.10	230.00B/*190.10A	----	202.80 - 25.40	----	----	----	----	5	UNCH				
4310	----	----	227.70B/*188.10	227.70B/*188.10A	----	200.70 - 25.20	----	----	----	----	5	UNCH				
4315	----	----	225.40B/*186.20	225.40B/*186.20A	----	198.60 - 25.10	----	----	----	----	1	UNCH				
4320	----	----	223.10B/*184.40	223.10B/*184.40A	----	196.50 - 25.00	----	----	100	UNCH						
4350	----	----	209.80B/*173.10	209.80B/*173.10A	----	184.50 - 24.00	----	----	233	UNCH						
4360	----	----	205.50B/*169.60	205.50B/*169.60A	----	180.60 - 23.70	----	----	1	UNCH						
4375	----	----	199.30B/*164.20	199.30B/*164.20A	----	174.90 - 23.20	----	----	65	UNCH						
4395	----	----	191.10B/*157.50	191.10B/*157.50A	----	167.60 - 22.50	----	----	71	UNCH						
4400	----	----	189.10B/*155.90	189.10B/*155.90A	----	165.90 - 22.30	----	----	242	UNCH						
4410	----	----	185.20B/*152.70	185.20B/*152.70A	----	162.40 - 21.90	----	----	3	UNCH						
4415	----	----	183.30B/*151.00	183.30B/*151.00A	----	160.60 NEW	20	----	20 +	20						
4420	----	----	181.30B/*149.50	181.30B/*149.50A	----	158.90 - 21.60	----	----	3	UNCH						
4425	----	----	179.40B/*148.00	179.40B/*148.00A	----	157.20 - 21.40	----	----	8	UNCH						
4430	----	----	177.50B/*146.30	177.50B/*146.30A	----	155.60 - 21.20	----	----	6	UNCH						
4440	----	----	173.80B/*143.30	173.80B/*143.30A	----	152.30 - 20.80	----	----	3	UNCH						
4450	----	----	170.20B/*140.30	170.20B/*140.30A	----	149.10 - 20.40	----	----	89	UNCH						
4460	----	----	166.90B/*137.40	166.90B/*137.40A	----	145.90 - 20.10	----	----	11	UNCH						
4465	----	----	165.00B/*136.00	165.00B/*136.00A	----	144.30 - 19.90	----	37	66 -	37						
4475	----	----	161.50B/*133.10	161.50B/*133.10A	----	141.30 - 19.50	----	----	11	UNCH						
4485	----	----	158.10B/*130.40	158.10B/*130.40A	----	138.30 - 19.10	----	----	3	UNCH						
4490	----	----	156.40B/*129.00	156.40B/*129.00A	----	136.80 - 19.00	----	----	7	UNCH						
4500	131.00	131.00	153.30B/*126.30	153.30B/*126.30A	----	133.90 - 18.60	----	45	1015 +	4						
4510	----	----	149.80B/*123.70	149.80B/*123.70A	----	131.00 - 18.30	----	----	19	UNCH						
4525	----	----	145.10B/*119.80	145.10B/*119.80A	----	126.80 - 17.80	----	----	26	UNCH						
4530	----	----	143.70B/*118.60	143.70B/*118.60A	----	125.50 - 17.50	----	----	3	UNCH						
4535	----	----	142.00B/*117.30	142.00B/*117.30A	----	124.10 - 17.40	----	----	4	UNCH						
4540	----	----	140.40B/*116.10	140.40B/*116.10A	----	122.80 - 17.20	----	----	9	UNCH						
4545	----	----	138.90B/*114.90	138.90B/*114.90A	----	121.40 - 17.10	----	----	45	UNCH						
4550	----	----	137.40B/*113.70	137.40B/*113.70A	----	120.10 - 16.90	----	----	29	UNCH						
4560	----	----	134.50B/*111.30	134.50B/*111.30A	----	117.50 - 16.60	----	----	7	UNCH						
4565	----	----	133.00B/*110.10	133.00B/*110.10A	----	116.30 - 16.40	----	37	56 -	37						
4570	----	----	131.60B/*109.00	131.60B/*109.00A	----	115.00 - 16.30	----	----	19	UNCH						
4575	----	----	130.20B/*107.90	130.20B/*107.90A	----	113.80 - 16.10	----	----	20	UNCH						
4580	----	----	128.80B/*106.70	128.80B/*106.70A	----	112.50 - 16.00	----	----	151	UNCH						
4585	----	----	127.40B/*105.60	127.40B/*105.60A	----	111.30 - 15.80	----	----	325	UNCH						
4590	----	----	126.20B/*104.50	126.20B/*104.50A	----	110.10 - 15.70	----	----	21	UNCH						
4595	----	----	124.70B/*103.40	124.70B/*103.40A	----	108.90 - 15.60	----	----	2	UNCH						
4600	----	----	123.30B/*102.30	123.30B/*102.30A	----	107.80 - 15.30	----	----	1019	UNCH						
4605	----	----	122.00B/*101.30	122.00B/*101.30A	----	106.60 - 15.20	----	----	8	UNCH						
4610	----	----	120.70B/*100.20	120.70B/*100.20A	----	105.40 - 15.10	----	----	3	UNCH						
4615	----	----	119.40B/*99.20A	119.40B/*99.20A	----	104.30 - 14.90	----	----	41	UNCH						
4620	----	----	118.10B/*98.10A	118.10B/*98.10A	----	103.20 - 14.80	----	----	5	UNCH						
4625	----	----	116.90B/*97.10A	116.90B/*97.10A	----	102.10 - 14.60	----	----	73	UNCH						

PG64		BULLETIN #119@										METALS OPTION PRODUCTS										Tue, Jun 23, 2026		PG64
		GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST									
OG CALL		COMEX GOLD OPTIONS																						
DEC26																								
5105	----	----	----	----	/*38.70A	43.80B/*38.70A	----	----	39.20 - 5.30	----	----	----	----	----	3	UNCH								
5115	----	----	----	----	/*38.00A	43.00B/*38.00A	----	----	38.60 - 5.20	----	----	----	----	----	2	UNCH								
5120	----	----	----	----	/*37.70A	42.60B/*37.70A	----	----	38.20 - 5.20	----	----	----	----	----	1	UNCH								
5125	----	----	----	----	/*37.40A	41.80B/*37.40A	----	----	37.90 - 5.10	----	----	----	----	----	70	UNCH								
5140	----	----	----	----	/*36.50A	40.60B/*36.50A	----	----	36.90 - 4.90	----	----	----	----	----	6	UNCH								
5150	----	----	----	----	/*35.90A	39.90B/*35.90A	----	----	36.30 - 4.80	----	----	----	----	----	32	UNCH								
5155	----	----	----	----	/*35.60A	39.50B/*35.60A	----	----	36.00 - 4.80	----	----	----	----	----	4	UNCH								
5160	----	----	----	----	/*35.30A	39.20B/*35.30A	----	----	35.70 - 4.70	----	----	----	----	----	1	UNCH								
5170	----	----	----	----	/*34.70A	38.50B/*34.70A	----	----	35.10 - 4.60	----	----	----	----	----	4	UNCH								
5175	----	----	----	----	/*34.40A	38.10B/*34.40A	----	----	34.80 - 4.60	----	----	----	----	----	102	UNCH								
5195	----	----	----	----	/*33.30A	36.80B/*33.30A	----	----	33.60 - 4.40	----	----	----	----	----	5	UNCH								
5200	----	----	----	----	/*33.10A	36.50B/*33.10A	----	----	33.30 - 4.40	----	----	----	----	----	1258	UNCH								
5215	----	----	----	----	/*32.30A	35.50B/*32.30A	----	----	32.50 - 4.30	----	----	----	----	----	1	UNCH								
5220	----	----	----	----	/*32.00A	35.30B/*32.00A	----	----	32.30 - 4.20	----	----	----	----	----	7	UNCH								
5225	----	----	----	----	/*31.80A	34.90B/*31.80A	----	----	32.00 - 4.20	----	----	----	----	----	11	UNCH								
5230	----	----	----	----	/*31.50A	34.60B/*31.50A	----	----	31.80 - 4.10	----	----	----	----	----	1	UNCH								
5235	----	----	----	----	/*31.30A	34.20B/*31.30A	----	----	31.50 - 4.10	----	----	----	----	----	1	UNCH								
5240	----	----	----	----	/*31.00A	34.00B/*31.00A	----	----	31.20 - 4.10	----	----	----	----	----	1	UNCH								
5245	----	----	----	----	/*30.80A	33.70B/*30.80A	----	----	31.00 - 4.00	----	----	----	----	----	19	UNCH								
5250	----	----	----	----	/*30.50A	33.50B/*30.50A	----	----	30.70 - 4.00	----	----	----	----	----	963	UNCH								
5255	----	----	----	----	/*30.30A	33.20B/*30.30A	----	----	30.50 - 3.90	----	----	----	----	----	3	UNCH								
5260	----	----	----	----	/*30.10A	32.80B/*30.10A	----	----	30.30 - 3.80	----	----	----	----	----	2	UNCH								
5265	----	----	----	----	/*29.90A	32.50B/*29.90A	----	----	30.00 - 3.90	----	----	----	----	----	7	UNCH								
5270	----	----	----	----	/*29.60A	32.40B/*29.60A	----	----	29.80 - 3.80	----	----	----	----	----	13	UNCH								
5275	----	----	----	----	/*29.40A	32.10B/*29.40A	----	----	29.60 - 3.70	----	----	----	----	----	24	UNCH								
5280	----	----	----	----	/*29.20A	31.80B/*29.20A	----	----	29.30 - 3.80	----	----	----	----	----	23	UNCH								
5285	----	----	----	----	/*29.00A	31.50B/*29.00A	----	----	29.10 - 3.70	----	----	----	----	----	1	UNCH								
5290	----	----	----	----	/*28.80A	31.10B/*28.80A	----	----	28.90 - 3.60	----	----	----	----	----	2	UNCH								
5295	----	----	----	----	/*28.60A	30.90B/*28.60A	----	----	28.70 - 3.60	----	----	----	----	----	2	UNCH								
5300	29.80	29.80			29.80/*28.30A	30.80B/*28.30A			28.40 - 3.60				1		1038	UNCH								
5305	----	----	----	----	/*28.10A	30.50B/*28.10A	----	----	28.20 - 3.60	----	----	----	----	----	5	UNCH								
5310	----	----	----	----	/*27.90A	30.20B/*27.90A	----	----	28.00 - 3.50	----	----	----	----	----	4	UNCH								
5315	----	----	----	----	/*27.70A	29.90B/*27.70A	----	----	27.80 - 3.50	----	----	----	----	----	4	UNCH								
5320	----	----	----	----	/*27.50A	29.70B/*27.50A	----	----	27.60 - 3.40	----	----	----	----	----	5	UNCH								
5325	27.90	27.90			27.90/*27.30A	29.30B/*27.30A			27.40 - 3.40			2			15	+								
5330	----	----	----	----	/*27.20A	29.20B/*27.20A	----	----	27.20 - 3.40	----	----	----	----	----	6	UNCH								
5335	----	----	----	----	/*27.00A	29.00B/*27.00A	----	----	27.00 - 3.30	----	----	----	----	----	21	UNCH								
5340	----	----	----	----	/*26.70A	28.90B/*26.70A	----	----	26.80 - 3.30	----	----	----	----	----	7	UNCH								
5345	----	----	----	----	/*26.60A	28.50B/*26.60A	----	----	26.60 - 3.30	----	----	----	----	----	5	UNCH								
5350	----	----	----	----	/*26.40A	28.40B/*26.40A	----	----	26.40 - 3.20	----	----	----	----	----	467	UNCH								
5355	----	----	----	----	/*26.20A	28.10B/*26.20A	----	----	26.20 - 3.20	----	----	----	----	----	4	UNCH								
5360	----	----	----	----	/*26.00A	27.80B/*26.00A	----	----	26.00 - 3.20	----	----	----	----	----	107	UNCH								
5365	----	----	----	----	/*25.90A	27.60B/*25.90A	----	----	25.80 - 3.20	----	----	----	----	----	22	UNCH								
5370	----	----	----	----	/*25.70A	27.20B/*25.70A	----	----	25.70 - 3.10	----	----	----	----	----	38	UNCH								
5375	----	----	----	----	/*25.50A	27.20B/*25.50A	----	----	25.50 - 3.10	----	----	----	----	----	2	UNCH								
5380	----	----	----	----	/*25.30A	27.00B/*25.30A	----	----	25.30 - 3.00	----	----	----	----	----	3	UNCH								
5385	----	----	----	----	/*25.20A	26.80B/*25.20A	----	----	25.10 - 3.00	----	----	----	----	----	2	UNCH								
5390	----	----	----	----	/*25.00A	26.60B/*25.00A	----	----	24.90 - 3.00	----	----	----	----	----	203	UNCH								
5395	----	----	----	----	/*24.80A	26.40B/*24.80A	----	----	24.80 - 2.90	----	----	----	----	----	3	UNCH								
5400	24.60	24.60			24.60/*24.60	26.20B/*24.60			24.60 - 2.90				1		779	-								
5425	----	----	----	----	/*23.90A	25.20B/*23.90A	----	----	23.80 - 2.80	----	----	----	----	----	200	UNCH								
5450	----	----	----	----	/*23.10A	24.10B/*23.10A	----	----	23.00 - 2.60	----	----	----	----	----	289	UNCH								
5460	----	----	----	----	/*22.80A	23.80B/*22.80A	----	----	22.70 - 2.60	----	----	----	----	----	200	UNCH								
5465	----	----	----	----	/*22.70A	23.50B/*22.70A	----	----	22.50 - 2.60	----	----	----	----	----	53	UNCH								
5475	----	----	----	----	/*22.40A	23.30B/*22.40A	----	----	22.30 - 2.50	----	----	----	----	----	572	UNCH								
5480	----	----	----	----	/*22.30A	23.00B/*22.30A	----	----	22.10 - 2.50	----	----	----	----	----	50	UNCH								
5500	22.30	22.30			22.30/*21.70A	22.60B/*21.70A			21.60 - 2.40			22			3780	+								
5505	21.30	21.30			21.30/*21.30	22.20B/*21.30			21.40 - 2.40			1			3	UNCH								
5525	----	----	----	----	/*21.10A	21.60B/*21.10A	----	----	20.90 - 2.30	----	----	----	----	----	92	UNCH								
5550	----	----	----	----	/*20.50A	21.00B/*20.50A	----	----	20.30 - 2.10	----	----	----	----	----	418	UNCH								
5570	----	----	----	----	/*20.10A	20.30B/*20.10A	----	----	19.80 - 2.10	----	----	----	----	----	198	UNCH								
5575	----	----	----	----	/*20.00A	20.20B/*20.00A	----	----	19.70 - 2.10	----	----	----	----	----	10	UNCH								
5600	19.00	19.00			19.00/*19.00	19.70B/*19.00			19.20 - 1.90				1		2693	UNCH								
5650	----	----	----	----	/*18.50A	18.40B/*18.50A	----	----	18.10 - 1.80	----	----	----	----	----	307	UNCH								
5660	----	----	----	----	/*18.30A	18.30B/*18.30A	----	----	18.00 - 1.70	----	----	----	----	----	1	UNCH								
5665	----	----	----	----	/*18.20A	18.20B/*18.20A	----	----	17.90 - 1.70	----	----	----	----	----	1	UNCH								
5670	----	----	----	----	/*18.10A	17.90B/*18.10A	----	----	17.80 - 1.70	----	----	----	----	----	2	UNCH								
5675	----	----	----	----	/*18.00A	17.80B/*18.00A	----	----	17.70 - 1.70	----	----	----	----	----	18	UNCH								
5680	----	----	----	----	/*17.90A	17.70B/*17.90A	----	----	17.60 - 1.60	----	----	----	----	----	41	UNCH								
5685	----	----	----	----	/*17.80A	17.60B/*17.80A	----	----	17.50 - 1.60	----	----	----	----	----	18	UNCH								
5690	----	----	----	----	/*17.80A	17.50B/*17.80A	----	----	17															

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS														
JAN27																
4575	----	----		165.50B/*139.80	165.50B/*139.80A	----			145.70 - 18.80	----	----	----	----	----		1 UNCH
4600	----	----		----/*133.50A	154.90B/*133.50A	----			138.90 - 18.10	----	----	----	----	----		4 UNCH
4650	----	----		----/*121.90A	142.30B/*121.90A	----			126.40 - 16.60	----	----	----	----	----		3 UNCH
4695	----	----		131.70B/*112.20	131.70B/*112.20A	----			116.10 - 15.40	----	----	----	----	----		3 UNCH
4700	----	----		----/*111.10A	128.20B/*111.10A	----			115.00 - 15.20	----	----	----	----	----		4 UNCH
4710	----	----		----/*109.30A	127.20B/*109.30A	----			112.80 - 15.00	----	----	----	----	----		3 UNCH
4725	----	----		----/*106.40A	123.50B/*106.40A	----			109.70 - 14.60	----	----	----	----	----		8 UNCH
4740	----	----		121.00B/*103.40	121.00B/*103.40A	----			106.70 - 14.20	----	----	----	----	----		4 UNCH
4750	----	----		----/*101.60A	117.60B/*101.60A	----			104.70 - 14.00	----	----	----	----	----		9 UNCH
4760	----	----		----/*99.90A	114.90B/*99.90A	----			102.80 - 13.70	----	----	----	----	----	102	UNCH
4765	----	----		----/*98.90A	113.80B/*98.90A	----			101.80 - 13.60	----	----	----	----	----	6	UNCH
4775	----	----		----/*97.30A	111.80B/*97.30A	----			99.90 - 13.40	----	----	----	----	----	1	UNCH
4800	----	----		----/*93.00A	106.50B/*93.00A	----			95.40 - 12.80	----	----	----	----	----	15	UNCH
4805	----	----		----/*92.20A	105.70B/*92.20A	----			94.60 - 12.60	----	----	----	----	----	1	UNCH
4835	----	----		----/*87.50A	99.80B/*87.50A	----			89.50 - 12.00	----	----	----	----	----	2	UNCH
4850	----	----		----/*85.20A	97.00B/*85.20A	----			87.10 - 11.60	----	----	----	----	----	2	UNCH
4875	----	----		----/*81.50A	92.70B/*81.50A	----			83.30 - 11.00	----	----	----	----	----	4	UNCH
4900	----	----		----/*77.90A	88.50B/*77.90A	----			79.70 - 10.50	----	----	----	----	----	31	UNCH
4905	----	----		----/*77.30A	87.80B/*77.30A	----			79.00 - 10.30	----	----	----	----	----	2	UNCH
4935	----	----		----/*73.30A	83.20B/*73.30A	----			74.90 - 9.80	----	----	----	----	----	1	UNCH
4950	----	----		----/*71.50A	80.80B/*71.50A	----			73.00 - 9.40	----	----	----	----	----	4	UNCH
4960	----	----		----/*70.30A	79.60B/*70.30A	----			71.70 - 9.30	----	----	----	----	----	1	UNCH
5000	72.80	72.80		72.80/*65.70A	73.90B/*65.70A	----			67.00 - 8.50	----	----	----	2	----	37	UNCH
5005	----	----		----/*65.10A	73.80B/*65.10A	----			66.40 - 8.40	----	----	----	----	----	1	UNCH
5050	----	----		----/*60.40A	67.80B/*60.40A	----			61.60 - 7.60	----	----	----	----	----	104	UNCH
5075	----	----		----/*58.00A	64.80B/*58.00A	----			59.10 - 7.20	----	----	----	----	----	2	UNCH
5100	----	----		----/*55.70A	62.10B/*55.70A	----			56.70 - 6.90	----	----	----	----	----	2	UNCH
5115	53.00	53.00		53.00/*53.00	61.40B/*53.00	----			55.40 NEW	----	----	----	25	----	25	+
5130	----	----		----/*53.10A	59.10B/*53.10A	----			54.10 - 6.40	----	----	----	----	----	1	UNCH
5135	52.00	52.00		52.00/*52.00	58.60B/*52.00	----			53.60 NEW	----	----	----	25	----	25	+
5195	----	----		----/*49.10A	53.00B/*49.10A	----			48.80 - 5.60	----	----	----	----	----	5	UNCH
5200	----	----		----/*48.20A	53.20B/*48.20A	----			48.40 - 5.60	----	----	----	----	----	4	UNCH
5230	----	----		----/*46.10A	50.10B/*46.10A	----			46.30 - 5.20	----	----	----	----	----	1	UNCH
5250	----	----		----/*45.50A	49.10B/*45.50A	----			44.90 - 5.10	----	----	----	----	----	52	UNCH
5300	----	----		----/*41.50A	41.00B/*41.50A	----			41.60 - 4.70	----	----	----	----	----	2	UNCH
5350	----	----		----/*38.80A	38.30B/*38.80A	----			38.70 - 4.40	----	----	----	----	----	3	UNCH
5380	----	----		----/*37.30A	36.70B/*37.30A	----			37.10 - 4.20	----	----	----	----	----	3	UNCH
5400	----	----		----/*36.40A	35.60B/*36.40A	----			36.00 - 4.10	----	----	----	----	----	54	UNCH
5450	----	----		----/*34.50A	33.30B/*34.50A	----			33.60 - 3.90	----	----	----	----	----	6	UNCH
5500	----	----		----/*32.70A	31.00B/*32.70A	----			31.40 - 3.70	----	----	----	----	----	60	UNCH
5550	----	----		----/*31.70A	27.70B/*31.70A	----			29.50 - 3.50	----	----	----	----	----	4	UNCH
5555	----	----		----/*31.60A	27.60B/*31.60A	----			29.30 - 3.50	----	----	----	----	----	2	UNCH
5560	----	----		----/*31.30A	27.50B/*31.30A	----			29.10 - 3.50	----	----	----	----	----	1	UNCH
5600	----	----		----/*30.00A	26.10B/*30.00A	----			27.70 - 3.30	----	----	----	----	----	226	UNCH
5700	----	----		----/*27.30A	22.90B/*27.30A	----			24.80 - 2.80	----	----	----	----	----	3	UNCH
5750	----	----		----/*26.00A	21.60B/*26.00A	----			23.50 - 2.60	----	----	----	----	----	2	UNCH
5820	----	----			20.00B/*24.50A	----			21.90 - 2.30	----	----	----	----	----	7	UNCH
5850	----	----			19.50B/*23.90A	----			21.30 - 2.10	----	----	----	----	----	3	UNCH
5900	----	----			18.40B/*22.90A	----			20.40 - 1.90	----	----	----	----	----	5	UNCH
6000	----	----			16.70B/*21.30A	----			18.60 - 1.60	----	----	----	----	----	295	UNCH
6025	----	----			16.30B/*20.80A	----			18.20 - 1.50	----	----	----	----	----	1	UNCH
6250	----	----			13.60B/*18.20A	----			15.10 - 1.10	----	----	----	----	----	1	UNCH
6300	----	----			13.20B/17.60A	----			14.50 - 1.20	----	----	----	----	----	503	UNCH
6500	----	----			11.80B/*16.10A	----			12.80 - 0.90	----	----	----	----	----	12	UNCH
20000	----	----			1.20B/3.10A	----			1.50 UNCH	----	----	----	----	----	121	UNCH
TOTAL													63		2000+	61
FEB27																
4000	----	----		----/405.80A	427.60B/405.80A	----			422.70 - 37.40	----	----	----	----	----	1	UNCH
4200	----	----		----/296.70A	339.50B/296.70A	----			310.00 NEW	----	----	----	25	----	25	+
4205	----	----		----/295.10A	334.60B/295.10A	----			307.50 - 30.90	----	----	----	----	----	7	UNCH
4220	----	----		----/291.50A	327.30B/291.50A	----			300.10 - 30.40	----	----	----	----	----	1	UNCH
4225	----	----		----/284.60A	324.70B/284.60A	----			297.70 - 30.20	----	----	----	----	----	1	UNCH
4390	----	----		----/215.50A	247.30B/215.50A	----			225.90 - 24.80	----	----	----	----	----	1	UNCH
4400	----	----		----/211.80A	243.10B/211.80A	----			222.00 - 24.50	----	----	----	----	----	11	UNCH
4440	----	----		----/197.70A	225.50B/197.70A	----			207.30 - 23.20	----	----	----	----	----	1	UNCH
4475	----	----		----/*186.20A	214.40B/*186.20A	----			195.10 - 22.10	----	----	----	----	----	2	UNCH
4500	----	----		----/*178.70A	203.60B/*178.70A	----			186.80 - 21.40	----	----	----	----	----	102	UNCH
4505	----	----		206.90B/*177.30	206.90B/*177.30A	----			185.20 - 21.20	----	----	----	----	----	1	UNCH
4600	----	----		----/*150.60A	174.10B/*150.60A	----			156.90 - 18.50	----	----	----	25	----	35	+
4615	----	----		----/*147.10A	169.60B/*147.10A	----			152.80 NEW	----	----	----	25	----	25	+
4630	----	----		----/*143.30A	164.80B/*143.30A	----			148.80 - 17.80	----	----	----	----	----	1	UNCH
4640	----	----		----/*140.90A	162.30B/*140.90A	----			146.30 - 17.40	----	----	----	----	----	5	UNCH
4650	----	----		----/*138.60A	159.60B/*138.60A	----			143.70 - 17.20	----	----	----	----	----	6	UNCH
4675	----	----		----/*132.90A	152.70B/*132.90A	----			137.60 - 16.60	----	----	----	----	----	1	UNCH
4700	----	----		----/*127.30A	146.40B/*127.30A	----			131.70 - 16.00	----	----	----	----	----	1	UNCH
4750	----	----		----/*117.20A	134.50B/*117.20A	----			120.70 - 14.90	----	----	----	1	----	557	+
4785	----	----		----/*110.70A	126.20B/*110.70A	----			113.60 - 14.10	----	----	----	----	----	100	UNCH
4800	----	----		----/*108.00A	121.90B/*108.00A	----			110.80 - 13.70	----	----	----	1	----	1	UNCH
4850	----	----		----/*99.50A	112.80B/*99.50A	----			101.70 - 12.70	----	----	----	----	----	36	UNCH
4900	----	----		----/*92.00A	103.50B/*92.00A	----			93.50 - 11.70	----	----	----	1	----	2	+
4950	----	----		----/*85.10A	95.70B/*85.10A	----			86.10 - 10.70	----	----	----	----	----	1	UNCH
5000	----	----		----/*78.60A	88.00B/*78.60A	----			79.40 - 9.80	----	----	----	1	----	1226	+
5030	----	----		----/*75.00A	83.50B/*75.00A	----			75.80 - 9.20	----	----	----	----	----	1	UNCH
5050	----	----		----/*72.70A	80.70B/*72.70A	----			73.40 - 9.00	----	----	----	----	----	112	UNCH
5100	----	----		----/*67.50A	74.90B/*67.50A	----			68.10 - 8.00	----	----	----	30	----	202	-
5175	----	----		----/*60.40A	66.10B/*60.40A	----			61.00 - 6.80	----	----	----	----	----	126	UNCH
5200	----	----		----/*58.30A	64.60B/*58.30A	----			58.90 - 6.40	----	----	----	30	----	343	-
5230	56.40	56.40		56.40/*55.90A	60.70B/*55.90A	----			56.40 NEW	----	----	----	12	----	12	+
5250	----	----		----/*55.00A	59.40B/*55.00A	----			53.90 - 5.80	----	----	----	----	----	522	UNCH
5270	----	----		----/*53.90A	57.30B/*53.90A	----			53.40 - 5.50	----	----	----	----	----	7	UNCH
5280	----	----		----/*53.30A	56.40B/*53.30A	----			52.70 - 5.40	----	----	----	----	----	9	UNCH
5295	----	----		----/*52.20A	56.00B/*52.20A	----			51.60 - 5.20	----	----	----	----	----	30	UNCH
5300	----	----		----/*52.00A	55.60B/*52.00A	----			51.30 - 5.10	----	----	----	----	----	622	UNCH
5350	----	----		----/*48.90A	47.70B/*48.90A	----			47.90 - 4.70	----	----	----	----	----	10	UNCH
5375	----	----		----/*474												

PG64	BULLETIN #119@										METALS OPTION PRODUCTS				Tue, Jun 23, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
OG CALL	COMEX GOLD OPTIONS																		
MAR27																			
5150	----	----	----	/*78.40A	84.90B/*78.40A	----	----	79.70	NEW	----	----	----	1	----			1	+	1
5200	----	----	----	/*73.50A	79.70B/*73.50A	----	----	74.20	- 7.30	----	----	----	----	----			17		UNCH
5220	----	----	----	/*71.50A	77.40B/*71.50A	----	----	72.10	- 7.20	----	----	----	----	----			13		UNCH
5250	----	----	----	/*68.80A	73.50B/*68.80A	----	----	69.10	- 6.90	----	----	----	----	----			53		UNCH
5285	----	----	----	/*65.60A	70.10B/*65.60A	----	----	65.90	- 6.50	----	----	----	----	----			8		UNCH
5300	----	----	----	/*64.50A	68.60B/*64.50A	----	----	64.60	- 6.30	----	----	----	----	----			5		UNCH
5305	----	----	----	/*64.10A	68.20B/*64.10A	----	----	64.10	- 6.30	----	----	----	----	----			2		UNCH
5350	----	----	----	/*60.80A	64.10B/*60.80A	----	----	60.40	- 5.90	----	----	----	----	----			2		UNCH
5400	----	----	----	/*58.10A	60.20B/*58.10A	----	----	56.50	- 5.60	----	----	----	----	----			12		UNCH
5450	----	----	----	/*57.20A	52.70B/*57.20A	----	----	53.00	- 5.20	----	----	----	----	----			3		UNCH
5500	----	----	----	/*54.10A	49.30B/*54.10A	----	----	49.70	- 4.90	----	----	----	----	----			534		UNCH
5510	----	----	----	/*53.60A	48.70B/*53.60A	----	----	49.10	- 4.80	----	----	----	----	----			2		UNCH
5550	----	----	----	/*48.20A	46.20B/*48.20A	----	----	46.70	- 4.60	----	----	----	----	----			1		UNCH
5600	----	----	----	/*45.70A	43.40B/*45.70A	----	----	43.80	- 4.30	----	----	----	----	----			10		UNCH
5635	----	----	----	/*44.20A	41.50B/*44.20A	----	----	41.90	- 4.10	----	----	----	----	----			2		UNCH
5650	----	----	----	/*43.30A	40.80B/*43.30A	----	----	41.20	- 4.00	----	----	----	----	----			16		UNCH
5700	----	----	----	/*41.20A	38.50B/*41.20A	----	----	38.70	- 3.80	----	----	----	----	----			11		UNCH
5790	----	----	----	----	34.60B/*38.80A	----	----	34.90	- 3.40	----	----	----	----	----			50		UNCH
5820	----	----	----	----	33.50B/40.60A	----	----	33.70	- 3.30	----	----	----	----	----			2		UNCH
5850	----	----	----	----	32.50B/39.80A	----	----	32.60	- 3.20	----	----	----	----	----			253		UNCH
5900	----	----	----	----	27.40B/38.20A	----	----	30.90	- 3.00	----	----	----	----	----			11		UNCH
5950	----	----	----	----	25.80B/*36.90A	----	----	29.40	- 2.80	----	----	----	----	----			14		UNCH
5975	----	----	----	----	25.10B/*36.20A	----	----	28.70	- 2.70	----	----	----	----	----			7		UNCH
6000	----	----	----	----	24.40B/*35.60A	----	----	27.90	- 2.70	----	----	----	----	----			2		UNCH
6250	24.40	24.40		24.40/*24.40	24.40/*24.40	----	----	22.30	- 2.00	----	----	2	----	----			10		UNCH
6300	----	----	----	----	18.80B/*29.60A	----	----	21.40	- 1.90	----	----	----	----	200			370	+	200
6500	----	----	----	----	15.40B/27.00A	----	----	18.40	- 1.60	----	----	----	----	----			527		UNCH
TOTAL												83	200	2913	+		121		
APR27																			
4400	----	----	----	/*259.70A	297.10B/259.70A	----	----	273.00	- 25.90	----	----	----	----	----			3		UNCH
4410	----	----	----	/*256.00A	288.90B/256.00A	----	----	269.10	- 25.50	----	----	----	----	----			1		UNCH
4440	----	----	----	/*245.40A	280.60B/245.40A	----	----	257.60	- 24.60	----	----	----	----	----			50		UNCH
4515	----	----	----	/*220.30A	246.00B/220.30A	----	----	230.90	- 22.10	----	----	----	----	----			2		UNCH
4575	----	----	----	/*201.00A	226.80B/*201.00A	----	----	211.30	- 20.40	----	----	----	----	----			50		UNCH
4600	----	----	----	/*193.70A	220.20B/*193.70A	----	----	203.70	- 19.60	----	----	----	----	----			15		UNCH
4650	----	----	----	/*180.30A	204.30B/*180.30A	----	----	189.20	- 18.20	----	----	----	----	----			11		UNCH
4700	----	----	----	/*167.40A	189.60B/*167.40A	----	----	175.70	- 16.90	----	----	----	----	----			5		UNCH
4750	----	----	----	/*155.90A	175.80B/*155.90A	----	----	163.20	- 15.70	----	----	----	----	----			50		UNCH
4765	----	----	----	/*152.60A	172.20B/*152.60A	----	----	159.60	- 15.40	----	----	----	----	----			2		UNCH
4900	----	----	----	/*126.00A	141.10B/*126.00A	----	----	131.10	- 12.40	----	----	----	----	----			1		UNCH
4925	----	----	----	/*121.70A	135.10B/*121.70A	----	----	126.40	- 11.90	----	----	----	----	----			1		UNCH
5000	----	----	----	/*109.80A	121.70B/*109.80A	----	----	113.60	- 10.60	----	----	----	----	----			100		UNCH
5050	----	----	----	/*102.70A	113.10B/*102.70A	----	----	105.90	- 9.70	----	----	----	----	----			24		UNCH
5060	----	----	----	/*101.30A	111.50B/*101.30A	----	----	104.40	- 9.60	----	----	----	----	----			25		UNCH
5130	----	----	----	/*92.60A	100.80B/*92.60A	----	----	94.80	- 8.60	----	----	----	----	----			18		UNCH
5150	----	----	----	/*90.20A	98.00B/*90.20A	----	----	92.20	- 8.40	----	----	1	----	----			101		UNCH
5180	----	----	----	/*87.00A	93.60B/*87.00A	----	----	88.60	- 7.90	----	----	----	----	----			18		UNCH
5200	----	----	----	/*84.70A	91.70B/*84.70A	----	----	86.30	- 7.60	----	----	----	----	----			151		UNCH
5220	----	----	----	/*82.80A	89.80B/*82.80A	----	----	84.00	- 7.40	----	----	----	----	----			1		UNCH
5230	----	----	----	/*81.60A	88.90B/*81.60A	----	----	82.90	- 7.30	----	----	----	----	----			3		UNCH
5250	----	----	----	/*79.70A	86.60B/*79.70A	----	----	80.70	- 7.10	----	----	----	----	----			2		UNCH
5300	----	----	----	/*75.00A	80.60B/*75.00A	----	----	75.70	- 6.60	----	----	----	----	----			30		UNCH
5350	----	----	----	/*70.80A	75.60B/*70.80A	----	----	71.00	- 6.10	----	----	----	----	----			2		UNCH
5400	----	----	----	/*66.90A	71.00B/*66.90A	----	----	66.80	- 5.60	----	----	----	----	----			1		UNCH
5430	----	----	----	/*64.70A	68.20B/*64.70A	----	----	64.40	- 5.40	----	----	----	----	----			2		UNCH
5550	----	----	----	----	54.70B/*60.90A	----	----	55.90	- 4.60	----	----	----	----	----			1		UNCH
5570	----	----	----	----	53.40B/*59.60A	----	----	54.70	- 4.40	----	----	----	----	----			1		UNCH
5600	----	----	----	----	51.50B/*57.90A	----	----	52.90	- 4.20	----	----	----	----	----			300		UNCH
5625	----	----	----	----	49.90B/*56.90A	----	----	51.50	- 4.00	----	----	----	----	----			2		UNCH
5700	----	----	----	/*49.20A	46.10B/*49.20A	----	----	47.50	- 3.70	----	----	----	----	----			2		UNCH
5800	----	----	----	/*44.90A	41.50B/*44.90A	----	----	43.00	- 3.10	----	----	----	----	----			50		UNCH
5820	39.40	39.40		40.50B/*39.40	40.50B/*39.40	----	----	42.20	- 3.00	----	----	1	----	----			1		UNCH
5900	----	----	----	/*41.50A	37.30B/*41.50A	----	----	39.10	- 2.70	----	----	----	----	----			1		UNCH
5950	----	----	----	----	35.10B/43.50A	----	----	37.40	- 2.40	----	----	----	----	----			1		UNCH
6000	----	----	----	----	33.40B/41.90A	----	----	35.90	- 2.20	----	----	----	----	----			179		UNCH
TOTAL												2		1207			0		
JUN27																			
5085	----	----	----	----	64.90B/228.00A	----	----	128.50	- 40.50	----	----	----	----	----			150		UNCH
7000	----	----	----	----	23.20B/*31.80A	----	----	27.50	- 0.40	----	----	----	----	----			83		UNCH
7500	----	----	----	----	20.00B/*27.30A	----	----	22.80	- 0.80	----	----	----	----	----			450		UNCH
8000	----	----	----	----	15.80B/24.70A	----	----	20.00	- 0.70	----	----	----	----	----			82		UNCH
9000	----	----	----	----	12.90B/21.90A	----	----	16.00	- 0.30	----	----	----	----	----			80		UNCH
10000	----	----	----	----	12.00B/20.50A	----	----	13.10	- 0.20	----	----	----	----	----			4		UNCH
TOTAL																	849		0
DEC27																			
4500	----	----	----	----	----	----	----	420.40	- 31.20	----	----	----	----	----			75		UNCH
4860	----	----	----	----	----	----	----	290.50	- 23.70	----	----	----	----	----			100		UNCH
5000	----	----	----	----	----	----	----	252.20	- 21.30	----	----	----	----	----			50		UNCH
5650	----	----	----	----	----	----	----	135.00	- 13.40	----	----	----	----	----			200		UNCH
5700	----	----	----	----	----	----	----	129.00	- 12.90	----	----	----	----	----			150		UNCH
5800	----	----	----	----	----	----	----	117.80	- 12.10	----	----	----	----	----			200		UNCH
5880	----	----	----	----	----	----	----	109.70	- 11.50	----	----	----	----	----			125		UNCH
6300	----	----	----	----	----	----	----	77.10	- 8.60	----	----	----	----	----			18		UNCH
7500	----	----	----	----	----	----	----	35.50	- 4.30	----	----	----	----	----			170		UNCH
7800	----	----	----	----	----	----	----	30.90	- 3.80	----	----	----	----	----			284		UNCH
10000	----	----	----	----	----	----	----	19.00	- 2.00	----	----	----	----	----			103		UNCH
10500	----	----	----	----	----	----	----	17.20	- 1.70	----	----	----	----	----			10		

PG64		BULLETIN #119@										METALS OPTION PRODUCTS										Tue, Jun 23, 2026		PG64							
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST															
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK4																													
JUN26																															
4550	----	----	----	----	424.10B/----	424.10B/392.50A	----	----	400.70 + 53.10	----	----	3	----	----	----	0 -	3														
4575	----	----	----	----	#449.10B/----	#449.10B/425.10A	----	----	425.70 + 53.20	----	----	----	----	----	----	1	UNCH														
4575	----	----	----	----	/*0.10A	/*0.10A	----	----	0.10 - 0.10	----	----	----	----	----	----	22	UNCH														
4600	0.10	0.10	----	----	0.10/*0.10	0.10/*0.10	----	----	0.10 - 0.10	----	----	----	----	1	----	66	UNCH														
4625	----	----	----	----	----	/*0.10A	----	----	0.10 UNCH	----	----	----	----	----	----	13	UNCH														
4650	----	----	----	----	----	/*0.10A	----	----	0.10 UNCH	----	----	----	----	----	----	9	UNCH														
4675	----	----	----	----	----	/*0.10A	----	----	0.10 UNCH	----	----	----	----	----	----	15	UNCH														
4700	----	----	----	----	----	/*0.10A	----	----	0.10 UNCH	----	----	----	----	----	----	18	UNCH														
4725	----	----	----	----	----	/*0.10A	----	----	0.10 UNCH	----	----	----	----	----	----	3	UNCH														
4750	----	----	----	----	----	/*0.10A	----	----	0.10 UNCH	----	----	----	----	2	----	7	UNCH														
4775	----	----	----	----	----	/*0.10A	----	----	0.10 UNCH	----	----	----	----	----	----	6	UNCH														
4800	0.10	0.10	----	----	0.10/*0.10	0.10/*0.10	----	----	0.10 UNCH	----	----	----	1	----	----	10	UNCH														
4825	----	----	----	----	----	/*0.10A	----	----	0.10 UNCH	----	----	----	----	----	----	1	UNCH														
4850	----	----	----	----	----	/*0.10A	----	----	0.10 UNCH	----	----	----	----	----	----	4	UNCH														
4875	----	----	----	----	----	/*0.10A	----	----	0.10 UNCH	----	----	----	----	----	----	27	UNCH														
4900	----	----	----	----	----	/*0.10A	----	----	0.10 UNCH	----	----	----	----	----	----	8	UNCH														
4925	----	----	----	----	----	/*0.10A	----	----	0.10 UNCH	----	----	----	----	----	----	2	UNCH														
4950	----	----	----	----	----	/*0.10A	----	----	0.10 UNCH	----	----	----	----	----	----	1	UNCH														
4975	----	----	----	----	----	/*0.10A	----	----	0.10 UNCH	----	----	----	----	----	----	1	UNCH														
5025	----	----	----	----	----	/-0.10A	----	----	0.10 UNCH	----	----	----	----	----	----	2	UNCH														
TOTAL															3171	4698 +	1736														
JUL26																															
3250	----	----	----	----	0.90B/----	0.90B/1.40A	----	----	1.00 + 0.20	----	----	----	----	----	----	15	UNCH														
3250	----	----	----	----	0.40B/----	0.40B/*0.50A	----	----	0.40 + 0.20	----	----	----	----	----	----	1	UNCH														
3500	1.10	1.10	----	----	1.10/1.10	1.10/1.10	----	----	1.20 + 0.50	----	----	----	----	10	----	12 +	10														
3600	----	----	----	----	4.30B/----	4.30B/3.30A	----	----	3.80 + 0.80	----	----	----	----	----	----	1	UNCH														
3600	1.50	1.50	----	----	1.70B/1.50	1.70B/1.50	----	----	1.70 NEW	----	----	----	----	9	----	9 +	9														
3700	----	----	----	----	7.40B/----	7.40B/4.60A	----	----	5.80 + 1.30	----	----	----	----	----	----	1	UNCH														
3700	----	----	----	----	#12.30B/----	#12.30B/10.00A	----	----	10.10 + 2.80	----	----	----	----	----	----	1	UNCH														
3700	2.40	2.40	----	----	3.40B/2.40	3.40B/2.30A	----	----	2.70 + 0.70	----	----	----	----	7	----	11 +	7														
3725	2.70	2.70	----	----	4.00B/2.70	4.00B/2.40A	----	----	3.00 NEW	----	----	----	----	7	----	7 +	7														
3725	9.40	9.40	----	----	9.40/7.90	9.40/5.10A	----	----	6.60 + 1.60	----	----	----	2	----	----	3 +	2														
3750	----	----	----	----	9.90B/----	9.90B/5.60A	----	----	7.40 + 1.80	----	----	----	----	----	----	1	UNCH														
3750	----	----	----	----	#15.40B/----	#15.40B/11.20A	----	----	12.60 + 3.20	----	----	----	----	----	----	1	UNCH														
3750	----	----	----	----	4.50B/----	4.50B/2.60A	----	----	3.40 + 0.90	----	----	----	----	----	----	32	UNCH														
3775	----	----	----	----	5.40B/----	5.40B/2.90A	----	----	3.80 + 1.00	----	----	----	----	----	----	6	UNCH														
3800	----	----	----	----	13.10B/6.70A	13.10B/6.70A	----	----	9.50 NEW	----	----	----	2	----	----	2 +	2														
3800	4.90	4.90	----	----	6.30B/4.90	6.30B/3.30A	----	----	4.40 + 1.20	----	----	----	5	----	----	9 +	4														
3825	----	----	----	----	7.40B/----	7.40B/3.70A	----	----	5.00 + 1.30	----	----	----	----	----	----	1	UNCH														
3825	----	----	----	----	15.10B/7.50A	15.10B/7.50A	----	----	10.90 + 2.70	----	----	----	1	----	----	6 +	1														
3850	----	----	----	----	8.80B/4.10A	8.80B/4.10A	----	----	5.80 + 1.50	----	----	----	----	----	----	1	UNCH														
3850	12.40	12.40	----	----	17.50B/8.40A	17.50B/8.40A	----	----	12.50 + 3.20	----	----	----	2	----	----	5 +	2														
3875	----	----	----	----	20.30B/9.60A	20.30B/9.60A	----	----	14.30 + 3.60	----	----	----	----	----	----	3	UNCH														
3875	7.80	7.80	----	----	10.60B/4.70A	10.60B/4.70A	----	----	6.70 + 1.70	----	----	----	----	----	----	5 +	1														
3900	19.30	19.30	----	----	23.50B/10.90A	23.50B/10.90A	----	----	16.50 + 4.30	----	----	----	5	----	----	13	UNCH														
3900	7.90	7.90	----	----	12.70B/5.20A	12.70B/5.20A	----	----	7.90 + 2.10	----	----	----	2	----	----	103	UNCH														
3925	9.50	9.50	----	----	15.20B/6.00A	15.20B/6.00A	----	----	9.40 + 2.60	----	----	----	1	----	----	3 +	1														
3925	----	----	----	----	27.20B/12.50A	27.20B/12.50A	----	----	19.10 + 5.00	----	----	----	----	----	----	10	UNCH														
3950	----	----	----	----	31.50B/14.60A	31.50B/14.60A	----	----	22.20 + 5.90	----	----	----	----	----	----	9	UNCH														
3950	11.40	11.40	----	----	18.50B/6.90A	18.50B/6.90A	----	----	11.30 + 3.20	----	----	----	27	----	----	47 +	24														
3975	13.70	13.70	----	----	22.40B/8.10A	22.40B/8.10A	----	----	13.60 + 4.00	----	----	----	29	----	----	34 +	29														
3975	----	----	----	----	36.70B/17.00A	36.70B/17.00A	----	----	25.70 + 6.90	----	----	----	----	----	----	4	UNCH														
4000	----	----	----	----	27.20B/9.70A	27.20B/9.70A	----	----	16.50 + 4.90	----	----	----	----	----	----	165	UNCH														
4000	----	----	----	----	42.50B/19.50A	42.50B/19.50A	----	----	29.90 + 8.10	----	----	----	----	----	----	4	UNCH														
4025	----	----	----	----	32.80B/11.90A	32.80B/11.90A	----	----	20.10 + 6.10	----	----	----	2	----	----	11 +	1														
4025	----	----	----	----	49.00B/22.70A	49.00B/22.70A	----	----	34.80 + 9.40	----	----	----	----	----	----	2	UNCH														
4025	----	----	----	----	#63.40B/34.00A	#63.40B/34.00A	----	----	48.90 + 12.10	----	----	----	----	----	----	3	UNCH														

PG64	BULLETIN #119@										METALS OPTION PRODUCTS					Tue, Jun 23, 2026			PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
GWW WED JUL26	GOLD WEEKLY WEDNESDAY OPTION WEEK2																		
4750	----	----	----	----/*1.90A	1.40B/*1.90A	----	----	1.80	NEW	----	----	----	----	4	----	4 +	4		
4750	----	----	----	----/*1.10A	0.40B/*1.10A	----	----	0.70	- 0.50	----	----	----	----	----	----	4	UNCH		
4775	----	----	----	----/*1.00A	0.30B/*1.00A	----	----	0.70	- 0.40	----	----	----	----	----	----	3	UNCH		
4800	----	----	----	----	1.10B/*1.90A	----	----	1.60	- 0.20	----	----	----	----	----	----	1	UNCH		
4800	----	----	----	----/*0.90A	0.30B/*0.90A	----	----	0.70	- 0.40	----	----	----	----	----	----	1	UNCH		
4825	----	----	----	----/*0.90A	0.30B/*0.90A	----	----	0.60	- 0.40	----	----	----	----	----	----	2	UNCH		
4850	----	----	----	----	0.20B/*0.90A	----	----	0.50	- 0.40	----	----	----	----	----	----	3	UNCH		
4875	----	----	----	----	0.20B/*0.90A	----	----	0.50	- 0.30	----	----	----	----	----	----	7	UNCH		
4900	----	----	----	----	0.80B/1.80A	----	----	1.40	UNCH	----	----	----	----	----	----	2	UNCH		
4900	----	----	----	----	0.20B/*0.80A	----	----	0.50	- 0.30	----	----	----	----	----	----	3	UNCH		
5000	----	----	----	----	0.60B/1.60A	----	----	1.20	UNCH	----	----	----	----	----	----	3	UNCH		
5000	----	----	----	----	----/*1.00A	----	----	0.30	- 0.30	----	----	----	----	----	----	8	UNCH		
TOTAL														225		3247 +	139		
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
GWT TUE JUN26	GOLD WEEKLY TUESDAY OPTION week4																		
3000	----	----	----	----	----/0.10A	----	----	0.00	- 0.10	----	----	----	----	----	----	0 -	2		
3000	----	----	----	----	----/0.50A	----	----	0.10	UNCH	----	----	----	----	----	----	1	UNCH		
3250	----	----	----	0.20B/----	0.20B/*0.50A	----	----	0.20	+ 0.10	----	----	----	----	----	----	3	UNCH		
3400	----	----	----	----	----/0.10A	----	----	0.00	- 0.10	----	----	----	----	----	----	0 -	2		
3500	----	----	----	----	----/0.10A	----	----	0.00	- 0.10	----	----	----	----	----	----	0 -	1		
3500	----	----	----	0.90B/----	0.90B/0.90A	----	----	0.90	+ 0.20	----	----	----	----	----	----	4	UNCH		
3600	----	----	----	1.30B/----	1.30B/1.30A	----	----	1.40	+ 0.40	----	----	----	----	2	----	11	UNCH		
3600	----	----	----	----	----/0.10A	----	----	0.00	- 0.10	----	----	----	----	----	----	0 -	28		
3700	----	----	----	----	----/0.10A	----	----	0.00	- 0.10	----	----	----	----	----	----	0 -	23		
3700	----	----	----	2.50B/----	2.50B/1.90A	----	----	2.10	+ 0.50	----	----	----	----	----	----	9	UNCH		
3750	----	----	----	3.50B/----	3.50B/2.30A	----	----	2.70	+ 0.70	----	----	----	----	----	----	8	UNCH		
3750	----	----	----	----	----/0.10A	----	----	0.00	- 0.10	----	----	----	----	----	----	0 -	14		
3775	----	----	----	437.50B/*334.90	437.50B/334.90A	----	----	374.40	- 53.40	----	----	1	----	----	----	0 -	1		
3775	----	----	----	----	----/*0.10A	----	----	0.00	- 0.10	----	----	----	----	----	----	0 -	5		
3775	3.20	3.20	----	4.20B/2.50	4.20B/2.40A	----	----	3.00	+ 0.70	----	----	----	----	4	----	6 +	4		
3800	----	----	----	----	----/0.10A	----	----	0.00	- 0.10	----	----	----	----	----	----	0 -	18		
3800	2.90	2.90	----	5.00B/2.90	5.00B/2.70A	----	----	3.40	+ 0.80	----	----	----	----	5	----	23 +	2		
3825	----	----	----	----	----/0.10A	----	----	0.00	- 0.10	----	----	----	----	----	----	0 -	3		
3825	----	----	----	5.90B/----	5.90B/3.00A	----	----	3.90	+ 0.90	----	----	----	----	----	----	1	UNCH		
3850	5.80	5.80	----	7.60/3.40A	7.60/3.40A	----	----	4.50	+ 1.00	----	----	----	12	----	----	15 -	1		
3850	0.20	0.20	----	0.20/0.10A	0.20/0.10A	----	----	0.00	- 0.10	----	----	----	5	----	----	0 -	40		
3875	----	----	----	----	----/0.20A	----	----	0.00	- 0.10	----	----	----	----	----	----	0 -	19		
3875	5.50	5.50	----	8.60B/3.80A	8.60B/3.80A	----	----	5.20	+ 1.20	----	----	----	9	----	----	33 -	4		
3900	----	----	----	----	0.10B/*0.10A	----	----	0.00	- 0.10	----	----	----	1	----	----	0 -	53		
3900	8.00	8.00	----	10.40B/4.30A	10.40B/4.30A	----	----	6.20	+ 1.50	----	----	----	7	----	----	128 +	7		
3920	----	----	----	----/*0.10A	0.20B/*0.10A	----	----	0.00	- 0.20	----	----	----	----	----	----	0 -	1		
3925	----	----	----	----/*0.10A	0.20B/*0.10A	----	----	0.00	- 0.20	----	----	----	----	----	----	0 -	6		
3925	8.00	8.00	----	12.70B/4.80A	12.70B/4.80A	----	----	7.30	+ 1.80	----	----	----	2	----	----	3 +	2		
3930	----	----	----	----/*0.10A	0.20B/*0.10A	----	----	0.00	- 0.20	----	----	----	----	----	----	0 -	2		
3935	0.50	0.50	----	0.50/*0.10A	0.50/*0.10A	----	----	0.00	NEW	----	----	----	1	----	----	0	UNCH		
3945	----	----	----	0.40B/*0.10A	0.40B/*0.10A	----	----	0.00	- 0.30	----	----	----	----	----	----	0 -	1		
3945	----	----	----	267.60B/*165.30	267.60B/*165.30A	----	----	204.40	- 53.60	----	----	1	----	----	----	0 -	1		
3950	12.50	12.50	----	15.50B/5.50A	15.50B/5.50A	----	----	8.80	+ 2.20	----	----	----	30	----	----	62 +	30		
3950	----	----	----	0.40B/*0.10A	0.40B/*0.10A	----	----	0.00	- 0.30	----	----	----	4	----	----	0 -	18		
3955	----	----	----	0.50B/*0.10A	0.50B/*0.10A	----	----	0.00	NEW	----	----	----	4	----	----	0	UNCH		
3960	0.10	0.10	----	0.50B/*0.10	0.50B/*0.10	----	----	0.00	- 0.30	----	----	----	1	----	----	0 -	4		
3965	0.10	0.10	----	0.60B/*0.10	0.60B/*0.10	----	----	0.00	- 0.40	----	----	----	1	----	----	0 -	1		
3970	0.50	0.50	----	0.70B/*0.10	0.70B/*0.10	----	----	0.00	- 0.40	----	----	----	6	----	----	0 -	1		
3975	14.00	14.00	----	19.20/6.50A	19.20/6.50A	----	----	10.70	+ 2.80	----	----	----	22	----	----	28 +	20		
3975	0.20	0.20	----	0.80/0.20	0.80/0.20	----	----	0.00	- 0.40	----	----	----	8	----	----	0 -	22		
3980	0.50	0.50	----	0.90B/0.20A	0.90B/0.20A	----	----	0.00	- 0.40	----	----	----	2	----	----	0 -	4		
3985	0.10	0.10	----	1.00B/*0.10	1.00B/*0.10	----	----	0.00	- 0.40	----	----	----	2	----	----	0 -	3		
3990	----	----	----	1.10B/*0.20A	1.10B/*0.20A	----	----	0.00	- 0.50	----	----	----	2	----	----	0 -	2		
3995	0.70	0.70	----	1.20B/*0.10A	1.20B/*0.10A	----	----	0.00	- 0.50	----	----	----	1	----	----	0 -	43		
4000	0.70	0.70	----	1.40B/*0.10A	1.40B/*0.10A	----	----	0.00	- 0.50	----	----	----	21	----	----	0 -	76		
4000	15.40	15.40	----	23.50B/7.80A	23.50B/7.80A	----	----	13.20	+ 3.70	----	----	----	133	----	----	228 +	66		
4005	0.10	0.10	----	1.50B/*0.10	1.50B/*0.10	----	----	0.00	- 0.60	----	----	----	5	----	----	0 -	2		
4010	----	----	----	1.80B/*0.10A	1.80B/*0.10A	----	----	0.00	- 0.60	----	----	----	----	----	----	0	UNCH		
4015	0.80	0.80	----	1.90B/*0.10	1.90B/*0.10	----	----	0.00	- 0.60	----	----	----	3	----	----	0 -	1		
4020	0.10	0.10	----	2.20B/*0.10	2.20B/*0.10	----	----	0.00	- 0.70	----	----	----	2	----	----	0 -	2		
4025	0.90	0.90	----	2.50B/*0.10A	2.50B/*0.10A	----	----	0.00	- 0.70	----	----	----	1	----	----	0 -	106		
4025	16.50	16.50	----	28.90B/9.70A	28.90B/9.70A	----	----	16.40	+ 4.80	----	----	----	16	----	----	24 -	7		
4025	----	----	----	187.90B/*87.70A	187.90B/*87.70A	----	----	124.40	- 54.00	----	----	1	----	----	----	0 -	1		
4030	0.50	0.50	----	2.80B/*0.10A	2.80B/*0.10A	----	----	0.00	- 0.80	----	----	----	1	----	----	0 -	6		
4035	0.50	0.50	----	3.00B/*0.10A	3.00B/*0.10A	----	----	0.00	- 0.80	----	----	----	15	----	----	0 -	12		
4040	1.10	1.10	----	3.40B/*0.10A	3.40B/*0.10A	----	----	0.00	NEW	----	----	----	4	----	----	0	UNCH		
4045	1.30	1.30	----	3.90B/*0.10A	3.90B/*0.10A	----	----	0.00	- 0.90	----	----	----	5	----	----	0 -	1		
4050	15.00	15.00	----	35.60B/11.80A	35.60B/11.80A	----	----	20.50	+ 6.30	----	----	----	4	----	----	34	UNCH		
4050	1.00	1.00	----	4.50/*0.10	4.50/*0.10	----	----	0.00	- 1.00	----	----	----	130	----	----	0 -	104		
4055	0.70	0.70	----	5.10B/*0.10A	5.10B/*0.10A	----	----	0.00	- 1.10	----	----	----	20	----	----	0 -	1		
4060	2.00	2.00	----	5.90B/*0.10A	5.90B/*0.10A	----	----	0.00	- 1.20	----	----	----	55	----	----	0 -	3		
4065	3.00	3.00	----	6.60B/*0.10A	6.60B/*0.10A	----	----	0.00	- 1.30	----	----	----	2	----	----	0 -	2		
4070	4.20	4.20	----	7.60B/*0.10	7.60B/*0.10	----	----	0.00	- 1.40	----	----	----	6	----	----	0 -	2		
4075	26.40	26.40	----	43.60B/14.60A	43.60B/14.60A	----	----	25.80	+ 8.20	----	----	----	7	----	----	41 +	7		
4075	103.50	103.50	----	150.70B/*80.10A	150.70B/*80.10A	----	----	100.20	- 45.00	----	----	----	1	----	----	2 +	1		
4075	2.70	2.70	----	8.60B/*0.10	8.60B/*0.10	----	----	0.00	- 1.50	----	----	----	60	----	----	0 -	57		
4075	----	----	----	138.20B/*44.20A	138.20B/*44.20A	----	----	74.40	- 54.80	----	----	3	----	----	----	0 -	3		
4080	3.40	3.40	----	9.70B/*0.10	9.70B/*0.10	----	----	0.00	- 1.60	----	----	----	24	----	----	0 -	1		
4085	1.00	1.00	----	11.00B/*0.10A	11.00B/*0.10A	----	----	0.00	- 1.80	----	----	----	7	----	----	0 -	1		
4090	1.40	1.40	----	12.50/*0.10	12.50/*0.10	----	----	0.00	- 1.90	----	----	----	46	----	----	0 -	24		
4095	----	----	----	13.80B/*0.10A	13.80B/*0.10A	----	----	0.00	- 2.10	----	----	----	1	----	----	0 -	2		
4100	1.20	1.20	----	15.50B/*0.10	15.														

BULLETIN #119@				METALS OPTION PRODUCTS								Tue, Jun 23, 2026		PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GOLD WEEKLY TUESDAY OPTION week4															
GWT TUE	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
JUN26	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
4675	----	----	----	#565.20B/462.50	#565.20B/462.50A	----	----	525.60 + 53.20	----	----	----	----	----	0	UNCH
4700	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	48
4700	----	----	----	#590.20B/487.20	#590.20B/487.20A	----	----	550.60 + 53.20	----	----	----	----	----	0	UNCH
4700	----	----	----	----	0.60B/*0.80A	----	----	0.50 - 0.30	----	----	----	----	----	43	UNCH
4715	----	----	----	#605.20B/*502.3	#605.20B/502.30A	----	----	565.60 + 53.20	----	----	----	----	----	0	UNCH
4725	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	6
4725	----	----	----	----	0.50B/*0.80A	----	----	0.40 - 0.30	----	----	----	----	----	2	UNCH
4750	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	5
4750	----	----	----	----	0.60B/*0.70A	----	----	0.40 - 0.20	----	----	----	----	----	8	UNCH
4775	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	4
4775	----	----	----	----	0.40B/*0.70A	----	----	0.30 - 0.20	----	----	----	----	----	2	UNCH
4800	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	23
4800	----	----	----	----	0.40B/0.60A	----	----	0.30 - 0.20	----	----	----	----	----	79	UNCH
4825	----	----	----	----	0.40B/*0.60A	----	----	0.30 - 0.10	----	----	----	----	----	6	UNCH
4850	----	----	----	----	----/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	4
4850	----	----	----	----	0.30B/*0.60A	----	----	0.30 - 0.10	----	----	----	----	----	2	UNCH
4875	----	----	----	----	0.30B/*0.60A	----	----	0.20 - 0.20	----	----	----	----	----	6	UNCH
4875	----	----	----	----	----/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	7
4900	----	----	----	#790.20B/687.30	#790.20B/687.30A	----	----	750.60 + 53.20	----	----	----	----	----	0	UNCH
4900	----	----	----	----	0.30B/*0.60A	----	----	0.20 - 0.10	----	----	----	----	----	6	UNCH
4900	----	----	----	----	----/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	2
4925	----	----	----	----	0.20B/*0.60A	----	----	0.20 - 0.10	----	----	----	----	----	17	UNCH
4950	----	----	----	----	----/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	3
4950	----	----	----	----	----/*0.60A	----	----	0.20 - 0.10	----	----	----	----	----	2	UNCH
4975	----	----	----	----	----/0.30A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	1
5000	----	----	----	----	----/0.30A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	4
5000	----	----	----	----	----/*0.50A	----	----	0.20 - 0.10	----	----	----	----	----	1	UNCH
5025	----	----	----	----	----/0.30A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	4
5050	----	----	----	----	----/0.30A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	1
5100	----	----	----	----	----/0.60A	----	----	0.10 - 0.10	----	----	----	----	----	17	UNCH
5200	----	----	----	----	----/0.30A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	2
5400	----	----	----	----	----/0.30A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	10
5500	----	----	----	----	----/0.30A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	3
TOTAL												4975		2406 -	3535
GOLD WEEKLY THURSDAY OPTION week2															
GWR THU	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
JUL26	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
3250	----	----	----	1.10B/----	1.10B/1.50A	----	----	1.30 + 0.30	----	----	----	----	----	2	UNCH
3250	----	----	----	0.60B/----	0.60B/*0.70A	----	----	0.70 + 0.30	----	----	----	----	----	1	UNCH
3400	----	----	----	3.60B/----	#3.60B/3.30A	----	----	3.50 + 0.30	----	----	----	----	----	1	UNCH
3400	1.10	1.10		1.10/1.10	1.10/1.00A	----	----	1.10 NEW	----	----	----	9	----	9 +	5
3500	----	----	----	3.20B/----	3.20B/2.70A	----	----	3.00 + 0.70	----	----	----	----	----	11	UNCH
3500	----	----	----	1.60B/----	1.60B/1.40A	----	----	1.60 + 0.30	----	----	----	----	----	1	UNCH
3600	----	----	----	5.10B/----	5.10B/3.70A	----	----	4.40 + 1.00	----	----	----	----	----	4	UNCH
3600	----	----	----	2.40B/----	2.40B/2.10A	----	----	2.30 + 0.40	----	----	----	----	----	22	UNCH
3700	----	----	----	8.40B/----	8.40B/5.20A	----	----	6.70 + 1.60	----	----	----	----	----	6	UNCH
3700	----	----	----	4.40B/----	4.40B/2.90A	----	----	3.60 + 0.80	----	----	----	----	----	2	UNCH
3725	----	----	----	9.70B/----	9.70B/5.70A	----	----	7.50 + 1.80	----	----	----	----	----	1	UNCH
3750	18.40	18.40		#22.30B/*18.40	#22.30B/14.80A	----	----	18.50 NEW	----	----	----	1	----	1 +	1
3750	----	----	----	11.00B/6.30A	11.00B/6.30A	----	----	8.40 + 2.00	----	----	----	----	----	6	UNCH
3750	----	----	----	#17.50B/10.30A	#17.50B/10.30A	----	----	13.60 NEW	----	----	----	1	----	1 +	1
3750	----	----	----	5.80B/3.40A	5.80B/3.40A	----	----	4.50 + 1.00	----	----	----	----	----	11	UNCH
3775	----	----	----	19.90B/11.00A	#19.90B/11.00A	----	----	15.30 + 3.60	----	----	----	----	----	1	UNCH
3775	----	----	----	12.70B/6.80A	12.70B/6.80A	----	----	9.50 + 2.30	----	----	----	----	----	2	UNCH
3775	----	----	----	6.90B/3.80A	6.90B/3.80A	----	----	5.10 + 1.20	----	----	----	----	----	5	UNCH
3800	----	----	----	22.50B/12.10A	#22.50B/12.10A	----	----	17.20 + 4.20	----	----	----	----	----	1	UNCH
3800	----	----	----	14.60B/7.50A	14.60B/7.50A	----	----	10.70 + 2.60	----	----	----	50	----	52 +	50
3800	26.50	26.50		#27.70B/*22.20	#27.70B/18.10A	----	----	22.90 NEW	----	----	----	11	----	11 +	11
3800	----	----	----	7.90B/----	7.90B/4.40A	----	----	5.80 + 1.40	----	----	----	----	----	49	UNCH
3825	29.60	29.60		#30.90B/*26.20	#30.90B/20.10A	----	----	25.60 NEW	----	----	----	12	----	12 +	12
3825	----	----	----	25.40B/13.50A	#25.40B/13.50A	----	----	19.30 + 4.80	----	----	----	----	----	1	UNCH
3825	----	----	----	16.70B/8.40A	16.70B/8.40A	----	----	12.20 + 3.00	----	----	----	----	----	1	UNCH

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GOLD WEEKLY THURSDAY OPTION week1																
JUL26																
3825	----	----	----	9.40B/----	9.40B/5.00A	----	----	----	6.70 + 1.70	----	----	----	----	----	8	UNCH
3850	7.50	7.50	----	11.10B/5.20A	11.10B/5.20A	----	----	----	7.70 + 2.00	----	----	----	16	----	46 +	16
3850	----	----	----	28.40B/15.30A	#28.40B/15.30A	----	----	----	21.70 + 5.40	----	----	----	----	----	3	UNCH
3850	28.60	28.60	----	#34.40B/27.70	#34.40B/22.20A	----	----	----	28.70 + 6.60	----	----	2	----	----	4 +	2
3850	----	----	----	19.20B/9.70A	19.20B/9.70A	----	----	----	13.90 + 3.50	----	----	----	----	----	3	UNCH
3875	----	----	----	22.20B/10.80A	22.20B/10.80A	----	----	----	15.90 + 4.00	----	----	----	----	----	6	UNCH
3875	33.90	33.90	----	#38.40B/*24.60A	#38.40B/24.60A	----	----	----	32.10 + 7.40	----	----	5	----	----	6 +	5
3875	----	----	----	32.00B/17.20A	#32.00B/17.20A	----	----	----	24.50 + 6.20	----	----	----	----	----	1	UNCH
3875	----	----	----	13.00B/6.00A	13.00B/6.00A	----	----	----	8.90 + 2.30	----	----	----	----	----	4	UNCH
3900	----	----	----	#42.80B/27.40A	#42.80B/27.40A	----	----	----	35.90 + 8.40	----	----	----	----	----	2	UNCH
3900	----	----	----	36.30B/19.40A	#36.30B/19.40A	----	----	----	27.60 + 6.90	----	----	----	----	----	1	UNCH
3900	11.10	11.10	----	15.60B/6.60A	15.60B/6.60A	----	----	----	10.40 + 2.80	----	----	21	----	----	104 +	4
3900	21.40	21.40	----	25.50B/12.50A	25.50B/12.50A	----	----	----	18.30 + 4.70	----	----	5	----	----	61	UNCH
3925	----	----	----	29.70B/14.20A	29.70B/14.20A	----	----	----	21.00 + 5.40	----	----	----	----	----	6	UNCH
3925	----	----	----	18.50B/7.60A	18.50B/7.60A	----	----	----	12.20 + 3.30	----	----	1	----	----	2	UNCH
3925	39.70	39.70	----	#47.60B/*30.60A	#47.60B/30.60A	----	----	----	40.20 NEW	----	----	2	----	----	2 +	2
3925	----	----	----	40.70B/21.80A	#40.70B/21.80A	----	----	----	31.20 + 7.90	----	----	----	----	----	1	UNCH
3950	47.20	47.20	----	#53.00B/*34.30A	#53.00B/34.30A	----	----	----	44.90 NEW	----	----	1	----	----	1 +	1
3950	45.00	45.00	----	45.90B/24.60A	#45.90B/24.60A	----	----	----	35.20 NEW	----	----	1	----	----	1 +	1
3950	----	----	----	34.10B/16.20A	34.10B/16.20A	----	----	----	24.20 + 6.30	----	----	----	----	----	10	UNCH
3950	10.80	10.80	----	22.10B/8.90A	22.10B/8.90A	----	----	----	14.40 + 4.00	----	----	15	----	----	69 +	4
3975	49.70	49.70	----	#59.10B/*38.30A	#59.10B/38.30A	----	----	----	50.10 NEW	----	----	7	----	----	7 +	7
3975	17.40	17.40	----	26.20B/10.40A	26.20B/10.40A	----	----	----	17.00 + 4.70	----	----	10	----	----	12 +	1
3975	----	----	----	39.40B/18.60A	39.40B/18.60A	----	----	----	27.90 + 7.30	----	----	----	----	----	6	UNCH
4000	61.90	61.90	----	#66.10B/*42.80A	#66.10B/42.80A	----	----	----	55.90 NEW	----	----	1	----	----	1 +	1
4000	----	----	----	45.30B/21.80A	45.30B/21.80A	----	----	----	32.30 + 8.50	----	----	----	----	----	27	UNCH
4000	22.10	22.10	----	31.50B/12.50A	31.50B/12.50A	----	----	----	20.30 + 5.80	----	----	21	----	----	75 -	1
4025	----	----	----	#66.00B/36.00A	#66.00B/36.00A	----	----	----	51.10 + 12.40	----	----	----	----	----	3	UNCH
4025	----	----	----	52.10B/25.00A	52.10B/25.00A	----	----	----	37.50 + 10.00	----	----	----	----	----	4	UNCH
4025	----	----	----	37.40B/14.80A	37.40B/14.80A	----	----	----	24.40 + 7.10	----	----	3	----	----	16	UNCH
4050	----	----	----	#74.80B/40.90A	#74.80B/40.90A	----	----	----	57.90 + 14.00	----	----	----	----	----	2	UNCH
4050	----	----	----	44.60B/17.80A	44.60B/17.80A	----	----	----	29.40 + 8.80	----	----	1	----	----	62 -	1
4050	----	----	----	178.40B/*106.40	178.40B/*106.40A	----	----	----	128.70 - 44.50	----	----	----	----	----	2	UNCH
4050	50.00	50.00	----	59.90B/29.00A	59.90B/29.00A	----	----	----	43.50 + 11.60	----	----	4	----	----	18 +	4
4075	----	----	----	68.70B/33.70A	68.70B/33.70A	----	----	----	50.50 + 13.50	----	----	1	----	----	2 +	1
4075	----	----	----	#83.70B/46.50A	#83.70B/46.50A	----	----	----	65.60 + 15.70	----	----	----	----	----	1	UNCH
4075	----	----	----	#91.70B/60.00A	#91.70B/60.00A	----	----	----	77.70 + 17.10	----	----	----	----	----	1	UNCH
4075	----	----	----	52.80B/21.40A	52.80B/21.40A	----	----	----	35.40 + 10.70	----	----	5	----	----	60 +	2
4100	65.50	65.50	----	78.80B/39.20A	78.80B/39.20A	----	----	----	58.60 + 15.60	----	----	1	----	----	14 +	1
4100	94.80	94.80	----	#94.80/52.90A	#94.80/52.90A	----	----	----	74.30 + 17.60	----	----	1	----	----	20 -	1
4100	----	----	----	62.70B/25.90A	62.70B/25.90A	----	----	----	42.80 + 13.10	----	----	1	----	----	57	UNCH
4100	----	----	----	135.90B/*75.00A	135.90B/*75.00A	----	----	----	92.10 - 40.20	----	----	----	----	----	2	UNCH
4125	----	----	----	90.10B/45.70A	90.10B/45.70A	----	----	----	68.00 + 18.00	----	----	----	----	----	3	UNCH
4125	----	----	----	116.20B/*61.40A	116.20B/*61.40A	----	----	----	76.00 - 37.40	----	----	3	----	----	4 +	3
4125	----	----	----	#103.20B/60.20A	#103.20B/60.20A	----	----	----	84.10 + 19.80	----	----	----	----	----	4	UNCH
4125	----	----	----	74.20B/31.40A	74.20B/31.40A	----	----	----	51.60 + 15.80	----	----	----	----	----	14	UNCH
4150	----	----	----	102.80B/53.30A	102.80B/53.30A	----	----	----	78.70 + 20.70	----	----	----	----	----	4	UNCH
4150	----	----	----	#115.90B/68.50A	#115.90B/68.50A	----	----	----	95.00 + 22.10	----	----	----	----	----	4	UNCH
4150	61.10	61.10	----	98.00B/*49.60A	98.00B/*49.60A	----	----	----	61.60 - 34.20	----	----	1	----	----	55	UNCH
4150	----	----	----	87.50B/38.10A	87.50B/38.10A	----	----	----	62.20 + 19.10	----	----	----	----	----	20	UNCH
4175	----	----	----	117.40B/62.10A	117.40B/62.10A	----	----	----	90.90 + 23.60	----	----	1	----	----	3 +	1
4175	----	----	----	#128.50B/77.80A	#128.50B/77.80A	----	----	----	107.10 + 24.50	----	----	----	----	----	1	UNCH
4175	----	----	----	102.70B/46.10A	102.70B/46.10A	----	----	----	74.60 + 22.70	----	----	2	----	----	11	UNCH
4175	----	----	----	81.00B/*39.60A	81.00B/*39.60A	----	----	----	49.00 - 30.60	----	----	----	----	----	1	UNCH
4175	70.00	70.00	----	97.30B/*54.50A	97.30B/*54.50A	----	----	----	65.30 NEW	----	----	50	----	----	50 +	50
4200	67.00	67.00	----	97.20B/*60.20A	97.20B/*60.20A	----	----	----	70.00 NEW	----	----	105	----	----	105 +	105
4200	----	----	----	133.00B/72.10A	133.00B/72.10A	----	----	----	104.60 + 26.60	----	----	----	----	----	21	UNCH
4200	----	----	----	#154.00B/105.40	#154.00B/105.40A	----	----	----	133.20 + 27.30	----	----	----	----	----	1	UNCH
4200	31.00	31.00	----	#143.30B/88.20A	#143.30B/88.20A	----	----	----	120.50 + 27.10	----	----	15	----	----	24 +	5
4200	86.00	86.00	----	66.30B/*31.00	66.30B/*31.00	----	----	----	38.30 - 26.80	----	----	9	----	----	59 -	3
4225	28.00	28.00	----	119.10B/56.00A	119.10B/56.00A	----	----	----	88.90 + 26.50	----	----	3	----	----	11 +	3
4225	----	----	----	52.80B/*24.00A	52.80B/*24.00A	----	----	----	29.60 - 22.80	----	----	15	----	----	11 -	11
4225	----	----	----	137.80B/67.40A	137.80B/67.40A	----	----	----	105.10 + 30.40	----	----	----	----	----	3	UNCH
4225	----	----	----	150.50B/83.70A	150.50B/83.70A	----	----	----	119.90 + 29.80	----	----	----	----	----	3	UNCH
4250	----	----	----	169.00B/96.80A	169.00B/96.80A	----	----	----	136.60 + 32.80	----	----	----	----	----	3	UNCH
4250	21.00	21.00	----	23.60/*18.30	41.50B/*18.30	----	----	----	22.60 - 19.00	----	----	11	----	----	68 +	4
4250	----	----	----	157.50B/81.40A	157.50B/81.40A	----	----	----	123.10 + 34.30	----	----	----	----	----	33	UNCH

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK5															
JUN26																	
4175	----	----	----	67.00B/*25.20A	67.00B/*25.20A	----	----	----	33.10 - 32.20	----	----	----	----	----	1	UNCH	
4175	----	----	----	89.50B/31.60A	89.50B/31.60A	----	----	----	58.70 + 21.10	----	----	----	----	----	8	UNCH	
4175	----	----	----	----	----	----	----	----	27.70 UNCH	----	----	----	----	----	0	UNCH	
4175	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH	
4180	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH	
4180	----	----	----	----	----	----	----	----	22.70 UNCH	----	----	----	----	----	0	UNCH	
4185	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH	
4185	----	----	----	----	----	----	----	----	17.70 UNCH	----	----	----	----	----	0	UNCH	
4190	23.40	23.40	----	#28.10/*20.50A	#57.90B/*20.50A	----	----	----	27.00 NEW	----	----	----	2	----	1 +	1	
4190	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH	
4190	----	----	----	----	----	----	----	----	12.70 UNCH	----	----	----	----	----	0	UNCH	
4195	----	----	----	----	----	----	----	----	7.70 UNCH	----	----	----	----	----	0	UNCH	
4195	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH	
4200	----	----	----	107.50B/40.80A	107.50B/40.80A	----	----	----	74.00 + 26.10	----	----	----	----	----	5	UNCH	
4200	34.00	34.00	----	51.80B/*17.70A	51.80B/*17.70A	----	----	----	23.50 - 27.10	----	----	----	19	----	38 -	3	
4200	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH	
4200	----	----	----	----	----	----	----	----	2.70 UNCH	----	----	----	----	----	0	UNCH	
4205	----	----	----	----	----	----	----	----	2.30 UNCH	----	----	----	----	----	0	UNCH	
4205	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH	
4210	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH	
4210	----	----	----	----	----	----	----	----	7.30 UNCH	----	----	----	----	----	0	UNCH	
4215	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH	
4215	----	----	----	----	----	----	----	----	12.30 UNCH	----	----	----	----	----	0	UNCH	
4220	----	----	----	----	----	----	----	----	17.30 UNCH	----	----	----	----	----	0	UNCH	
4220	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH	
4225	----	----	----	38.40B/*12.20A	38.40B/*12.20A	----	----	----	16.20 - 22.10	----	----	----	----	----	6	UNCH	
4225	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH	
4225	----	----	----	127.30B/52.30A	127.30B/52.30A	----	----	----	91.70 + 31.10	----	----	----	3	----	21 -	1	
4225	----	----	----	----	----	----	----	----	22.30 UNCH	----	----	----	----	----	0	UNCH	
4230	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH	
4230	----	----	----	----	----	----	----	----	27.30 UNCH	----	----	----	----	----	0	UNCH	
4235	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH	
4235	----	----	----	----	----	----	----	----	32.30 UNCH	----	----	----	----	----	0	UNCH	
4240	----	----	----	----	----	----	----	----	37.30 UNCH	----	----	----	----	----	0	UNCH	
4240	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH	
4245	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH	
4245	----	----	----	----	----	----	----	----	42.30 UNCH	----	----	----	----	----	0	UNCH	
4250	----	----	----	148.70B/67.00A	148.70B/67.00A	----	----	----	111.60 + 36.00	----	----	----	1	----	42	UNCH	
4250	----	----	----	---/*8.50A	27.50B/*8.50A	----	----	----	11.00 - 17.30	----	----	----	----	----	37	UNCH	
4250	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH	
4250	----	----	----	----	----	----	----	----	47.30 UNCH	----	----	----	----	----	0	UNCH	
4255	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH	
4255	----	----	----	----	----	----	----	----	52.30 UNCH	----	----	----	----	----	0	UNCH	
4260	----	----	----	----	----	----	----	----	57.30 UNCH	----	----	----	----	----	0	UNCH	
4260	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH	
4265	----	----	----	----	----	----	----	----	62.30 UNCH	----	----	----	----	----	0	UNCH	
4265	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH	
4270	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH	
4270	----	----	----	----	----	----	----	----	67.30 UNCH	----	----	----	----	----	0	UNCH	
4275	----	----	----	----	----	----	----	----	72.30 UNCH	----	----	----	----	----	0	UNCH	
4275	12.60	12.60	----	12.60/*6.00A	19.20B/*6.00A	----	----	----	7.60 - 12.90	----	----	----	1	----	8	UNCH	
4275	----	----	----	170.90B/83.60A	170.90B/83.60A	----	----	----	133.10 + 40.30	----	----	----	----	----	2	UNCH	
4275	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH	
4280	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH	
4280	----	----	----	----	----	----	----	----	77.30 UNCH	----	----	----	----	----	0	UNCH	
4285	----	----	----	----	----	----	----	----	82.30 UNCH	----	----	----	----	----	0	UNCH	
4285	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH	
4290	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH	
4295	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH	
4295	----	----	----	----	----	----	----	----	92.30 UNCH	----	----	----	----	----	0	UNCH	
4300	----	----	----	194.20B/102.10A	194.20B/102.10A	----	----	----	155.90 + 43.90	----	----	----	----	----	125	UNCH	
4300	6.60	6.60	----	6.60/*4.30A	13.00B/*4.30A	----	----	----	5.30 - 9.40	----	----	----	12	----	28 +	2	
4300	----	----	----	----	----	----	----	----	97.30 UNCH	----	----	----	----	----	0	UNCH	
4300	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH	
4305	----	----	----	----	----	----	----	----	102.30 UNCH	----	----	----	----	----	0	UNCH	
4305	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH	
4310	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH	
4310	----	----	----	----	----	----	----	----	107.30 UNCH	----	----	----	----	----	0	UNCH	
4315	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH	
4320	----	----	----	----	----	----	----	----	117.30 UNCH	----	----	----	----	----	0	UNCH	
4320	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH	
4325	----	----	----	---/*3.40A	8.80B/*3.40A	----	----	----	3.90 - 6.60	----	----	----	----	----	100	UNCH	
4325	----	----	----	218.00B/122.70A	218.00B/122.70A	----	----	----	179.40 + 46.70	----	----	----	----	----	6	UNCH	
4325	----	----	----	----	----	----	----	----	122.30 UNCH	----	----	----	----	----	0	UNCH	
4325	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH	
4330	----	----	----	----	----	----	----	----	127.30 UNCH	----	----	----	----	----	0	UNCH	
4330	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH	
4335	----	----	----	----	----	----	----	----	132.30 UNCH	----	----	----	----	----	0	UNCH	
4335	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH	
4340	----	----	----	----	----	----	----	----	137.30 UNCH	----	----	----	----	----	0	UNCH	
4340	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH	
4345	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH	
4345	----	----	----	----	----	----	----	----	142.30 UNCH	----	----	----	----	----	0	UNCH	
4350	3.50	3.50	----	3.50/*2.60A	6.00B/*2.60A	----	----	----	2.90 - 4.70	----	----	----	1	----	19 -	1	
4350	----	----	----	242.50B/144.80A	242.50B/144.80A	----	----	----	203.40 + 48.60	----	----	----	----	----	14	UNCH	
4350	----	----	----	----	----	----	----	----	147.30 UNCH	----	----	----	----	----	0	UNCH	
4350	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH	
4355	----	----	----	----	----	----	----	----	152.30 UNCH	----	----	----	----	----	0	UNCH	
4355	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH	
4360	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH	
4360	----	----	----	----	----	----	----	----	157.30 UNCH	----	----	----	----	----	0	UNCH	
4365	----	----	----	----	----	----	----	----	162.30 UNCH	----	----	----	----	----	0	UNCH	
4365	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH	
4370	----	----	----	----	----	----	----	----	167.30 UNCH	----	----	----	----	----	0	UNCH	
4375	----	----	----	---/*2.10A	4.10B/*2.10A	----	----	----	2.30 - 3.20	----	----	----	----	----	32	UNCH	
4375	----	----	----	232.60B/167.80A	232.60B/167.80A	----	----	----	227.70 + 50.00	----	----	----	----	----	1	UNCH	
4375	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH	
4375	----	----	----	----	----	----	----	----	172.30 UNCH	----	----	----	----	----	0	UNCH	
4380	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH	
4380	----	----	----	----	----	----	----	----	177.30 UNCH	----	----	----	----	----	0	UNCH	
4385	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH	
4390	----	----	----	----	----	----	----	----	187.30 UNCH	----	----	----	----	----	0	UNCH	
4390	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH	
4395	----	----	----	----	----	----	----	----	192.30 UNCH	----	----	----	----	----	0	UNCH	
4395	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH	
4400	1.80	1.80	----	1.80/*1.70A	2.90B/*1.70A	----	----	----	1.80 - 2.30	----	----	----	4	----	86 +	1	
4400	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH	
4400	----	----	----	----	----	----	----	----	197.30 UNCH	----	----	----	----	----	0	UNCH	
4400	----	----	----	271.50B/191.50A	271.50B/191.50A	----	----	----	252.30 + 51.00	----	----	----	----	----	13	UNCH	
4405	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH	
4410	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH	
4410	----	----	----	----	----	----	----	----	207.30 UNCH	----	----	----	----	----	0	UNCH	
4415	----	----	----														

BULLETIN #119@										METALS OPTION PRODUCTS										Tue, Jun 23, 2026		PG64
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST										
GMW MON GOLD WEEKLY MONDAY OPTION WEEK5																						
JUN26																						
4525	----	----	----/*1.00A	0.80B/*1.00A	----	0.80 - 0.70	----	----	----	----	----	5	UNCH									
4525	----	----	----	----	----	322.30 UNCH	----	----	----	----	----	0	UNCH									
4550	----	----	----	340.30B/453.90A	----	401.20 + 52.80	----	----	----	----	----	1	UNCH									
4550	----	----	----/*0.90A	0.70B/*0.90A	----	0.80 - 0.50	----	----	----	----	----	19	UNCH									
4575	----	----	----	----	----	372.30 UNCH	----	----	----	----	----	0	UNCH									
4575	----	----	----/*1.00A	0.70B/*1.00A	----	0.70 - 0.50	----	----	----	----	----	8	UNCH									
4600	----	----	----/*0.90A	0.60B/*0.90A	----	0.60 - 0.50	----	----	----	----	----	86	UNCH									
4600	----	----	----	----	----	397.30 UNCH	----	----	----	----	----	0	UNCH									
4625	1.00	1.00	1.00/*0.90A	1.00/*0.90A	----	0.60 - 0.40	----	----	----	1	----	3 -	1									
4650	----	----	----/*0.80A	0.40B/*0.80A	----	0.50 - 0.40	----	----	----	----	----	58	UNCH									
4675	----	----	----	0.30B/*0.80A	----	0.40 - 0.30	----	----	----	----	----	12	UNCH									
4700	----	----	----	0.40B/*0.80A	----	0.40 - 0.20	----	----	----	----	----	3	UNCH									
4725	----	----	----	----/*0.80A	----	0.30 - 0.30	----	----	----	----	----	2	UNCH									
4750	----	----	----	0.30B/*0.70A	----	0.30 - 0.20	----	----	----	----	----	3	UNCH									
4775	----	----	----	----/*0.70A	----	0.30 - 0.20	----	----	----	----	----	4	UNCH									
4775	----	----	----	----	----	572.30 UNCH	----	----	----	----	----	0	UNCH									
4800	----	----	----	----	----	0.20 UNCH	----	----	----	----	----	0	UNCH									
4800	----	----	----/*0.60A	----	----	0.20 - 0.20	----	----	----	----	----	21	UNCH									
4825	----	----	----/*0.60A	----	----	0.20 - 0.20	----	----	----	----	----	2	UNCH									
4850	----	----	----/*0.60A	----	----	0.20 - 0.10	----	----	----	----	----	1	UNCH									
4875	----	----	----	#669.00B/771.60A	----	725.60 + 53.20	----	----	----	----	----	1	UNCH									
4875	----	----	----/*0.60A	----	----	0.20 - 0.10	----	----	----	----	----	2	UNCH									
4900	----	----	----/*0.50A	----	----	0.20 - 0.10	----	----	----	----	----	1	UNCH									
4950	----	----	----/*0.50A	----	----	0.10 - 0.20	----	----	----	----	----	1	UNCH									
5000	----	----	----/*0.40A	----	----	0.10 - 0.10	----	----	----	----	----	2	UNCH									
TOTAL										200		1446+	58									
JUL26																						
3400	1.00	1.00	1.30B/*1.00	1.30B/*1.00	----	1.40 NEW	----	----	----	5	----	5 +	5									
3500	1.30	1.30	2.00B/*1.30	2.00B/*1.30	----	2.10 NEW				2	----	2 +	2									
3500	----	----	4.00B/----	#4.00B/3.40A	----	3.60 + 0.40	----	----	----	----	----	14	UNCH									
3600	----	----	3.40B/----	3.40B/2.60A	----	3.10 + 0.80	----	----	----	3	----	5 +	2									
3700	----	----	5.90B/----	5.90B/3.60A	----	4.70 + 1.20	----	----	----	----	----	1	UNCH									
3700	----	----	10.80B/----	#10.80B/7.10A	----	8.30 + 1.80	----	----	----	4	----	5 +	4									
3725	----	----	6.80B/----	6.80B/4.00A	----	5.20 + 1.30	----	----	----	1	----	2 +	1									
3750	----	----	7.90B/----	7.90B/4.40A	----	5.90 + 1.50	----	----	----	----	----	11	UNCH									
3775	----	----	9.00B/4.90A	9.00B/4.90A	----	6.60 + 1.60	----	----	----	----	----	5	UNCH									
3800	----	----	10.40B/5.40A	10.40B/5.40A	----	7.50 + 1.90	----	----	----	----	----	25	UNCH									
3825	8.60	8.60	12.10B/6.10A	12.10B/6.10A	----	8.60 NEW	----	----	----	2	----	2 +	2									
3850	----	----	14.20B/6.80A	14.20B/6.80A	----	9.90 + 2.60	----	----	----	----	----	9	UNCH									
3875	----	----	#26.60B/*13.40A	#26.60B/13.40A	----	19.40 NEW	----	----	----	4	----	4 +	4									
3875	----	----	16.50B/7.70A	16.50B/7.70A	----	11.40 + 3.00	----	----	----	----	----	51	UNCH									
3900	24.40	24.40	30.20B/15.40A	#30.20B/15.40A	----	22.20 + 5.60	----	----	----	29	----	30 +	29									
3900	----	----	19.30B/8.80A	19.30B/8.80A	----	13.20 + 3.50	----	----	----	2	----	65 +	1									
3925	----	----	22.50B/10.10A	22.50B/10.10A	----	15.30 + 4.10	----	----	----	1	----	7 +	1									
3925	32.00	32.00	33.90B/17.30A	#33.90B/17.30A	----	25.30 NEW	----	----	----	51	----	51 +	51									
3950	27.70	27.70	39.30B/19.70A	#39.30B/19.70A	----	28.90 + 7.30	----	----	----	1	----	2 +	1									
3950	----	----	26.40B/11.60A	26.40B/11.60A	----	17.90 + 4.90	----	----	----	----	----	162	UNCH									
3975	32.10	32.10	#44.70B/22.60A	#44.70B/22.60A	----	33.10 NEW	----	----	----	2	----	2 +	2									
3975	----	----	31.20B/13.70A	31.20B/13.70A	----	21.00 + 5.90	----	----	----	----	----	81	UNCH									
4000	----	----	36.60B/16.00A	36.60B/16.00A	----	24.70 + 7.00	----	----	----	1	----	5	UNCH									
4000	----	----	50.30B/25.80A	#50.30B/25.80A	----	37.90 + 9.60	----	----	----	----	----	1	UNCH									
4025	----	----	42.90B/18.80A	42.90B/18.80A	----	29.20 + 8.40	----	----	----	1	----	3 +	1									
4025	42.10	42.10	57.10B/29.60A	#57.10B/29.60A	----	43.40 NEW	----	----	----	1	----	1 +	1									
4050	38.90	38.90	50.30B/22.10A	50.30B/22.10A	----	34.60 + 10.00	----	----	----	7	----	6 +	3									
4050	----	----	65.20B/34.00A	#65.20B/34.00A	----	49.70 + 12.60	----	----	----	----	----	35	UNCH									
4075	----	----	59.00B/26.20A	59.00B/26.20A	----	41.00 + 11.90	----	----	----	----	----	4	UNCH									
4075	----	----	#74.20B/39.10A	#74.20B/39.10A	----	56.90 + 14.30	----	----	----	----	----	3	UNCH									
4075	----	----	161.10B/*96.20A	161.10B/*96.20A	----	115.30 - 41.30	----	----	----	----	----	10	UNCH									
4100	----	----	#85.50B/45.00A	#85.50B/45.00A	----	65.30 + 16.40	----	----	----	----	----	9	UNCH									
4100	----	----	69.10B/30.90A	69.10B/30.90A	----	48.70 + 14.20	----	----	----	2	156	158 +	156									
4125	----	----	80.50B/36.70A	80.50B/36.70A	----	57.70 + 16.80	----	----	----	1	----	4	UNCH									
4125	----	----	#94.20B/51.80A	#94.20B/51.80A	----	74.80 + 18.70	----	----	----	----	----	8	UNCH									
4150	70.00	70.00	95.00/43.60A	95.00/43.60A	----	68.30 + 19.80	----	----	----	16	----	13 +	7									
4150	56.00	56.00	#107.20B/56.00	#107.20B/56.00	----	85.60 + 21.20	----	----	----	1	----	2 -	1									
4175	71.50	71.50	#102.20B/*61.70	102.20B/*61.70A	----	72.20 NEW	----	----	----	1	----	1 +	1									
4175	----	----	#118.00B/68.90A	#118.00B/68.90A	----	97.80 + 24.00	----	----	----	----	----	1	UNCH									
4175	----	----	108.30B/52.10A	108.30B/52.10A	----	80.60 + 23.00	----	----	----	----	----	1	UNCH									
4175	51.80	51.80	87.30B/*45.60A	87.30B/*45.60A	----	55.10 NEW	----	----	----		----	1 +	1									
4200	40.40	40.40	72.20B/*36.50A	72.20B/*36.50A	----	44.10 - 26.70	----	----	----	3	----	53 +	3									
4200	----	----	124.80B/62.00A	124.80B/62.00A	----	94.70 + 26.50	----	----	----	----	----	86	UNCH									
4225	----	----	#149.60B/96.30A	#149.60B/96.30A	----	126.30 + 29.70	----	----	----	----	----	1	UNCH									
4225	----	----	59.00B/*29.20A	59.00B/*29.20A	----	34.90 - 23.20	----	----	----	1	----	102	UNCH									
4225	----	----	142.80B/73.50A	142.80B/73.50A	----	110.50 + 30.10	----	----	----	----	----	8	UNCH									
4250	----	----	47.20B/*23.00A	47.20B/*23.00A	----	27.40 - 19.70	----	----	----	2	----	16	UNCH									
4250	----	----	162.00B/86.70A	162.00B/86.70A	----	127.90 + 33.60	----	----	----	----	----	2	UNCH									
4275	----	----	182.20B/102.30A	182.20B/102.30A	----	146.80 + 36.80	----	----	----	----	----	102	UNCH									
4275	----	----	----/*18.10A	37.30B/*18.10A	----	21.40 - 16.40	----	----	----	----	----	112	UNCH									
4300	----	----	#205.70B/----	#205.70B/141.80A	----	179.10 + 37.90	----	----	----	----	----	1	UNCH									
4300	14.60	14.60	14.60/*14.20A	29.60B/*14.20A	----	16.70 - 13.30	----	----	----	6	----	11 +	6									
4300	171.60	171.60	203.50B/119.30A	203.50B/119.30A	----	167.10 + 39.90	----	----	----	1	----	2 +	1									
4325	----	----	----/*11.30A	22.90B/*11.30A	----	13.00 - 10.70	----	----	----	----	----	12	UNCH									
4350	----	----	248.30B/157.30A	248.30B/157.30A	----	210.70 + 44.90	----	----	----	----	----	2	UNCH									
43																						

BULLETIN #119@										METALS OPTION PRODUCTS				Tue, Jun 23, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
RWS THU	SILVER WEEKLY THURSDAY OPTION week2															
JUL26																
5200	----	----	#0.296B/----	#0.296B/0.289A	----	0.279	NEW	----	----	3	----	3	+			
5500			#0.531B/----	#0.531B/0.411A	----	0.490	+	0.250	----	----	----	5				
5800	0.800	0.800	0.850/0.800	0.850/0.409A	----	0.610	NEW	----	----	50	----	35	+			
5900	0.820	0.820	0.966B/0.820	0.966B/0.491A	----	0.791	NEW	----	----	1	----	1	+			
6000	1.601	1.601	#1.612/1.601	#1.612/0.941A	----	1.408	+	0.773	----	3	----	5				
6200	1.750	1.750	2.031B/1.750	2.031B/0.921A	----	1.723	NEW	----	----	1	----	1	+			
6200	----	----	#2.395B/----	#2.395B/1.368A	----	2.150	NEW	----	----	2	----	2	+			
6500	----	----	----/*0.875A	2.116B/*0.875A	----	0.947	-	1.606	----	----	----	2				
6550	----	----	#4.391B/----	#4.391B/2.636A	----	4.165	+	2.017	----	----	----	6				
6600	----	----	#4.578B/----	#4.578B/2.342A	----	4.172	+	2.252	----	1	----	2	+			
6600	----	----	----/*0.649A	1.590B/*0.649A	----	0.688	NEW	----	----	9	----	9	+			
6650	----	----	#4.994B/----	#4.994B/2.613A	----	4.568	NEW	----	----	1	----	1	+			
6700	----	----	#5.422B/----	#5.422B/3.040A	----	4.980	+	2.535	----	----	----	5				
6800	----	----	----/*0.366A	0.821B/*0.366A	----	0.361	-	0.771	----	----	----	3				
6800	----	----	----/*0.675A	1.178B/*0.675A	----	0.624	-	0.964	----	----	----	5				
6900	----	----	----/*0.296A	0.575B/*0.296A	----	0.265	-	0.575	----	----	----	45				
7000	0.380	0.380	0.380/*0.260A	0.386B/*0.260A	----	0.198	-	0.424	----	8	----	9	+			
7000	----	----	----/*0.680A	0.960B/*0.680A	----	0.609	-	0.747	----	----	----	16				
7000	----	----	----/*0.451A	0.650B/*0.451A	----	0.378	-	0.623	----	----	----	5				
7100	----	----	----/*0.582A	0.735B/*0.582A	----	0.500	-	0.615	----	----	----	6				
7100	----	----	----/*0.215A	0.251B/*0.215A	----	0.152	-	0.312	----	1	----	1	+			
7200	0.377	0.377	0.377/*0.305	0.377/*0.305	----	0.239	NEW	----	----	16	----	14	+			
7200	----	----	----/*0.150A	0.158B/*0.150A	----	0.119	-	0.230	----	----	----	5				
7250	----	----	----/*0.166A	0.122B/*0.166A	----	0.106	-	0.198	----	----	----	5				
7350	----	----	----/*0.144A	0.040B/*0.144A	----	0.085	-	0.149	----	----	----	4				
7500	----	----	----/*0.337A	0.238B/*0.337A	----	0.246	-	0.285	----	----	----	32				
7500	----	----	----/*0.120A	0.029B/*0.120A	----	0.061	-	0.102	----	----	----	6				
7600	----	----	----/*0.301A	0.195B/*0.301A	----	0.211	-	0.239	----	----	----	12				
7600	----	----	----/*0.121A	0.016B/*0.121A	----	0.050	-	0.080	----	----	----	3				
7800	----	----	----	0.003B/*0.110A	----	0.034	-	0.054	----	----	----	3				
8000	----	----	----	0.003B/*0.103A	----	0.026	-	0.038	----	----	----	2				
8000	----	----	----/*0.209A	0.105B/*0.209A	----	0.128	-	0.132	----	----	----	16				
8100	----	----	----/*0.193A	0.092B/*0.193A	----	0.116	-	0.116	----	----	----	6				
8100	----	----	----	0.004B/*0.099A	----	0.023	-	0.033	----	----	----	4				
8250	----	----	----	0.070B/*0.127A	----	0.071	-	0.037	----	----	----	2				
8400	----	----	----	0.003B/*0.090A	----	0.017	-	0.023	----	----	----	4				
8750	0.008	0.008	#0.008/*0.008	#0.008/*0.008	----	0.008	NEW	----	----	20	----	20	+			
9500	0.035	0.035	0.035/*0.035	0.035/*0.035	----	0.005	-	0.007	----	5	----	11	+			
TOTAL										121	0	316	+			
SMW MON	SILVER WEEKLY MONDAY OPTION WEEK5															
JUN26																
5000	0.050	0.050	0.060/*0.050	0.060/*0.050	----	0.021	NEW	----	----	25	----	25	+			
5200	0.040	0.040	#0.090/*0.040	0.090/*0.040	----	0.047	NEW	----	----	14	----	10	+			
5800	0.500	0.500	0.503B/0.500	0.503B/0.284A	----	0.348	NEW	----	----	5	----	5	+			
6000					----	0.000	UNCH	----	----	----	----	0				
6100	0.930	0.930	1.195B/0.930	1.195B/0.506A	----	0.922	NEW	----	----	70	----	70	+			
6100	----	----			----	0.000	UNCH	----	----	----	----	0				
6150	----	----			----	0.000	UNCH	----	----	----	----	0				
6200					----	0.000	UNCH	----	----	----	----	0				
6300	1.108	1.108	1.108/*1.098	2.942B/*1.098	----	1.277	NEW	----	----	2	----	0				
6300	----	----			----	2.583	UNCH	----	----	----	----	0				
6300	----	----			----	0.000	UNCH	----	----	----	----	0				
6300	----	----	2.039B/----	2.039B/0.838A	----	1.762	+	1.162	----	----	----	42				
6350	----	----			----	0.000	UNCH	----	----	----	----	0				
6390	----	----			----	0.000	UNCH	----	----	----	----	0				
6400	----	----			----	1.583	UNCH	----	----	----	----	0				
6400	----	----			----	0.000	UNCH	----	----	----	----	0				
6450	----	----			----	0.000	UNCH	----	----	----	----	0				
6500	----	----			----	0.583	UNCH	----	----	----	----	0				
6500	----	----			----	0.000	UNCH	----	----	----	----	0				
6510	----	----			----	0.000	UNCH	----	----	----	----	0				
6520	----	----			----	0.000	UNCH	----	----	----	----	0				
6530	----	----			----	0.000	UNCH	----	----	----	----	0				
6550	----	----			----	0.000	UNCH	----	----	----	----	0				
6550	----	----			----	0.083	UNCH	----	----	----	----	0				
6560	----	----			----	0.000	UNCH	----	----	----	----	0				
6580	----	----			----	0.217	UNCH	----	----	----	----	0				
6580	----	----			----	0.000	UNCH	----	----	----	----	0				
6600	----	----			----	0.000	UNCH	----	----	----	----	0				
6600	----	----			----	0.417	UNCH	----	----	----	----	0				
6630	----	----			----	0.717	UNCH	----	----	----	----	0				
6630	----	----			----	0.000	UNCH	----	----	----	----	0				
6650	----	----			----	0.917	UNCH	----	----	----	----	0				
6650	----	----			----	0.000	UNCH	----	----	----	----	0				
6700	----	----			----	1.417	UNCH	----	----	----	----	0				
6700	----	----			----	0.000	UNCH	----	----	----	----	0				
6720	----	----			----	0.000	UNCH	----	----	----	----	0				
6750	----	----			----	1.917	UNCH	----	----	----	----	0				
6750	----	----			----	0.000	UNCH	----	----	----	----	0				
6760	----	----			----	2.017	UNCH	----	----	----	----	0				
6780	----	----			----	0.000	UNCH	----	----	----	----	0				
6800	----	----			----	2.417	UNCH	----	----	----	----	0				
6800	----	----			----	0.000	UNCH	----	----	----	----	0				
6840	----	----			----	0.000	UNCH	----	----	----	----	0				
6850	----	----			----	0.000	UNCH	----	----	----	----	0				
6850	----	----			----	2.917	UNCH	----	----	----	----	0				
6850	0.300	0.300	0.300/*0.195A	0.358B/*0.195A	----	0.136	NEW	----	----	4	----	4	+			
6900	----	----			----	3.417	UNCH	----	----	----	----	0				
6900	----	----			----	0.000	UNCH	----	----	----	----	0				
6910	----	----			----	3.517	UNCH	----	----	----	----	0				
6950	----	----			----	0.000	UNCH	----	----	----	----	0				
6950	----	----			----	3.917	UNCH	----	----	----	----	0				
6960	----	----			----	0.000	UNCH	----	----	----	----	0				
7000	----	----			----	4.417	UNCH	----	----	----	----	0				
7000	----	----			----	0.000	UNCH	----	----	----	----					

	BULLETIN #119@			METALS OPTION PRODUCTS							Tue, Jun 23, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO CALL	COMEX SILVER OPTIONS													
JUL26														
5600	----	----	----/5.594A	9.203B/5.594A	----	6.149 - 3.481	----	----	----	----	----	106	UNCH	
5650	----	----	----/5.117A	8.709B/5.117A	----	5.664 - 3.475	----	----	----	----	----	43	UNCH	
5675	----	----	----/4.883A	8.462B/4.883A	----	5.423 - 3.470	----	----	----	----	----	25	UNCH	
5700	----	----	----/4.650A	8.215B/4.650A	----	5.183 - 3.466	----	----	----	----	----	27	UNCH	
5750	----	----	----/4.183A	7.723B/4.183A	----	4.708 - 3.452	----	----	----	----	----	163	UNCH	
5775	----	----	----/3.958A	7.477B/3.958A	----	4.472 - 3.444	----	----	----	----	----	1	UNCH	
5800	----	----	----/3.734A	7.232B/3.734A	----	4.238 - 3.435	----	----	----	----	----	16	UNCH	
5900	----	----	----/2.865A	6.255B/2.865A	----	3.324 - 3.375	----	----	----	----	----	10	UNCH	
5925	----	----	----/2.658A	6.012B/2.658A	----	3.103 - 3.353	----	----	----	----	----	10	UNCH	
5950	----	----	----/2.458A	5.770B/2.458A	----	2.885 - 3.329	----	----	----	----	----	6	UNCH	
5975	----	----	----/2.263A	5.529B/2.263A	----	2.673 - 3.300	----	----	----	----	----	20	UNCH	
6000	2.825	2.825	2.825/2.068A	5.287B/2.068A	----	2.466 - 3.268	----	----	----	9	----	561 +	6	
6050	----	----	----/1.714A	4.811B/1.714A	----	2.073 - 3.189	----	----	----	----	----	58	UNCH	
6075	----	----	----/1.522A	4.574B/1.522A	----	1.887 - 3.143	----	----	----	----	----	1	UNCH	
6100	1.732	1.732	1.732/*1.364A	4.339B/*1.364A	----	1.709 - 3.089	----	----	6	----	----	18 +	6	
6120	1.603	1.603	#1.603/*1.249A	4.152B/*1.249A	----	1.571	NEW	----	2	----	----	2 +	2	
6125	1.451	1.451	1.461/*1.221A	4.106B/*1.221A	----	1.538	NEW	----	2	----	----	1 +	1	
6140	1.681	1.681	#1.681/*1.135A	3.967B/*1.135A	----	1.439	NEW	----	2	----	----	1 +	1	
6150	1.402	1.402	1.402/*1.083A	3.875B/*1.083A	----	1.375	NEW	----	5	----	----	4 +	4	
6160	1.249	1.249	#1.249/*1.029A	3.783B/*1.029A	----	1.312	NEW	----	1	----	----	1 +	1	
6170	1.506	1.506	#1.506/*0.978A	3.692B/*0.978A	----	1.251	NEW	----	2	----	----	2 +	2	
6175	1.479	1.479	1.550/*0.953A	3.647B/*0.953A	----	1.221 - 2.889	----	----	15	----	----	14 +	12	
6190	1.236	1.236	#1.236/*0.884A	3.505B/*0.884A	----	1.134	NEW	----	1	----	----	1 +	1	
6200	1.898	1.898	1.898/*0.830A	3.416B/*0.830A	----	1.078 - 2.805	----	----	16	----	----	105 +	2	
6210	0.874	0.874	#0.874/*0.796A	3.327B/*0.796A	----	1.024	NEW	----	1	----	----	1 +	1	
6220	0.830	0.830	#0.830/*0.761A	3.237B/*0.761A	----	0.972	NEW	----	1	----	----	1 +	1	
6225	1.055	1.055	1.060/*0.733A	3.196B/*0.733A	----	0.946	NEW	----	15	----	----	15 +	15	
6230	1.200	1.200	#1.200/*0.714A	3.152B/*0.714A	----	0.921	NEW	----	1	----	----	1 +	1	
6240	1.306	1.306	#1.306/*0.674A	3.065B/*0.674A	----	0.873	NEW	----	1	----	----	1 +	1	
6250	1.347	1.347	1.347/*0.637A	2.977B/*0.637A	----	0.827 - 2.611	----	----	8	----	----	9 +	7	
6260	1.380	1.380	#1.450/*0.603A	2.894B/*0.603A	----	0.783	NEW	----	3	----	----	2 +	2	
6275	0.732	0.732	0.732/*0.553A	2.765B/*0.553A	----	0.721 - 2.500	----	----	1	----	----	2	UNCH	
6280	1.326	1.326	#1.326/*0.537A	2.723B/*0.537A	----	0.701	NEW	----	2	----	----	0	UNCH	
6290	1.274	1.274	#1.274/*0.507A	2.643B/*0.507A	----	0.662	NEW	----	1	----	----	1 +	1	
6300	1.305	1.305	1.305/*0.480A	2.559B/*0.480A	----	0.626 - 2.383	----	----	16	----	----	13 +	7	
6320	1.293	1.293	#1.305/*0.425A	2.397B/*0.425A	----	0.558	NEW	----	4	----	----	2 +	2	
6325	1.248	1.248	1.248/*0.413A	2.359B/*0.413A	----	0.542 - 2.258	----	----	13	----	----	8 +	7	
6330	0.554	0.554	#0.629/*0.400A	2.318B/*0.400A	----	0.527	NEW	----	12	----	----	12 +	12	
6340	0.521	0.521	#0.521/*0.378A	2.240B/*0.378A	----	0.497	NEW	----	1	----	----	1 +	1	
6350	0.616	0.616	0.651/*0.349A	2.164B/*0.349A	----	0.469 - 2.128	----	----	74	----	----	57 +	54	
6360	1.116	1.116	#1.116/*0.336A	2.088B/*0.336A	----	0.442	NEW	----	4	----	----	4 +	4	
6370	1.017	1.017	#1.017/*0.317A	2.013B/*0.317A	----	0.417	NEW	----	1	----	----	1 +	1	
6375	1.041	1.041	1.041/*0.307A	1.974B/*0.307A	----	0.405 - 1.995	----	----	3	----	----	3 +	1	
6380	1.011	1.011	#1.011/*0.298A	1.938B/*0.298A	----	0.394	NEW	----	5	----	----	5 +	5	
6400	1.000	1.000	1.000/*0.253	1.791B/*0.253	----	0.350 - 1.859	----	----	78	----	----	95 +	30	
6410	0.515	0.515	#0.515/*0.247A	1.724B/*0.247A	----	0.330	NEW	----	1	----	----	1 +	1	
6420	0.440	0.440	#0.440/*0.238A	1.655B/*0.238A	----	0.311	NEW	----	1	----	----	1 +	1	
6425	0.506	0.506	0.506/*0.231A	1.622B/*0.231A	----	0.302 - 1.724	----	----	3	----	----	6 -	1	
6440	1.181	1.181	#1.181/*0.217A	1.522B/*0.217A	----	0.276	NEW	----	1	----	----	1 +	1	
6450	0.970	0.970	0.970/*0.199A	1.460B/*0.199A	----	0.261 - 1.588	----	----	1	----	----	25 +	1	
6460	----	----	----/*0.193A	1.436B/*0.193A	----	0.246 - 1.535	----	----	----	----	----	0	UNCH	
6470	1.026	1.026	#1.026/*0.178A	1.393B/*0.178A	----	0.232	NEW	----	1	----	----	1 +	1	
6475	1.003	1.003	1.003/*0.176A	1.360B/*0.176A	----	0.225 - 1.456	----	----	1	----	----	6 +	1	
6480	0.976	0.976	#0.976/*0.172A	1.332B/*0.172A	----	0.218	NEW	----	1	----	----	1 +	1	
6500	0.620	0.620	0.620/*0.141	1.221B/*0.141	----	0.194 - 1.327	----	----	395	----	----	502 +	232	
6510	----	----	----/*0.148A	1.165B/*0.148A	----	0.183 - 1.277	----	----	----	----	----	2	UNCH	
6525	----	----	----/*0.145A	1.084B/*0.145A	----	0.167 - 1.203	----	----	----	----	----	49	UNCH	
6550	0.386	0.386	0.386/*0.134A	0.957B/*0.134A	----	0.144 - 1.085	----	----	16	----	----	32 +	3	
6560	0.880	0.880	0.920/*0.116	0.920/*0.116	----	0.136 - 1.039	----	----	3	----	----	3 +	2	
6570	0.188	0.188	0.188/*0.121A	0.864B/*0.121A	----	0.128 - 0.995	----	----	1	----	----	1 +	1	
6575	----	----	----/*0.118A	0.842B/*0.118A	----	0.124 - 0.973	----	----	1	----	----	8	UNCH	
6580	----	----	----/*0.114A	0.820B/*0.114A	----	0.120 - 0.952	----	----	----	----	----	1	UNCH	
6590	----	----	----/*0.110A	0.771B/*0.110A	----	0.114 - 0.909	----	----	----	----	----	2	UNCH	
6600	0.760	0.760	0.760/*0.098	0.760/*0.098	----	0.107 - 0.868	----	----	198	----	----	227 +	152	
6610	----	----	----/*0.109A	0.694B/*0.109A	----	0.102 - 0.828	----	----	----	----	----	1	UNCH	
6620	----	----	----/*0.104A	0.657B/*0.104A	----	0.096 - 0.789	----	----	1	----	----	2 +	1	
6625	0.270	0.270	0.270/*0.096A	0.640B/*0.096A	----	0.094 - 0.770	----	----	17	----	----	24 +	7	
6630	----	----	----/*0.094A	0.622B/*0.094A	----	0.092 - 0.751	----	----	----	----	----	1	UNCH	
6640	----	----	----/*0.093A	0.587B/*0.093A	----	0.087 - 0.715	----	----	----	----	----	1	UNCH	
6650	0.118	0.118	0.119/*0.087A	0.554B/*0.087A	----	0.084 - 0.678	----	----	53	----	----	202 +	18	
6660	----	----	----/*0.091A	0.525B/*0.091A	----	0.080 - 0.644	----	----	----	----	----	1	UNCH	
6670	----	----	----/*0.087A	0.496B/*0.087A	----	0.078 - 0.610	----	----	----	----	----	1	UNCH	
6675	----	----	----/*0.088A	0.482B/*0.088A	----									



BULLETIN #119@				METALS OPTION PRODUCTS							Tue, Jun 23, 2026			PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL	COMEX SILVER OPTIONS														
JUL26															
8075	----	----	----	----	----	----	---/*0.023A	0.006 - 0.003	----	----	----	----	----	11	UNCH
8100	----	----	----	----	----	----	0.001B/*0.012A	0.006 - 0.002	----	----	----	----	----	159	UNCH
8125	----	----	----	----	----	----	---/*0.016A	0.005 - 0.003	----	----	----	----	----	3	UNCH
8150	----	----	----	----	----	----	---/*0.016A	0.005 - 0.002	----	----	----	----	----	34	UNCH
8175	----	----	----	----	----	----	---/*0.022A	0.005 - 0.002	----	----	----	----	----	6	UNCH
8200	----	----	----	----	----	----	0.001B/0.015A	0.004 - 0.002	----	----	----	----	----	431	UNCH
8225	----	----	----	----	----	----	---/*0.015A	0.004 - 0.002	----	----	----	----	----	8	UNCH
8250	----	----	----	----	----	----	0.003B/0.021A	0.004 - 0.002	----	----	----	----	----	229	UNCH
8275	----	----	----	----	----	----	---/*0.021A	0.004 - 0.001	----	----	----	----	----	8	UNCH
8300	0.001	0.001		0.001/*0.001	0.001/*0.001	----	0.001/*0.001	0.003 - 0.002	----	----	----	1	----	608	UNCH
8325	----	----	----	----	----	----	---/*0.021A	0.003 - 0.001	----	----	----	----	----	24	UNCH
8350	----	----	----	----	----	----	---/*0.021A	0.003 - 0.001	----	----	----	----	----	18	UNCH
8375	----	----	----	----	----	----	---/*0.020A	0.003 - 0.001	----	----	----	----	----	55	UNCH
8400	----	----	----	----	----	----	---/*0.023A	0.003 - 0.001	----	----	----	----	----	152	UNCH
8425	----	----	----	----	----	----	---/*0.023A	0.002 - 0.001	----	----	----	----	----	50	UNCH
8450	----	----	----	----	----	----	---/*0.023A	0.002 - 0.001	----	----	----	----	----	35	UNCH
8475	----	----	----	----	----	----	---/*0.023A	0.002 - 0.001	----	----	----	----	----	3	UNCH
8500	0.001	0.001		0.001/*0.001	0.001/*0.001	----	0.001/*0.001	0.002 - 0.001	----	----	----	1	----	1114	UNCH
8525	----	----	----	----	----	----	0.002B/*0.009A	0.002 - 0.001	----	----	----	----	----	40	UNCH
8550	----	----	----	----	----	----	---/*0.023A	0.002 UNCH	----	----	----	----	----	191	UNCH
8575	----	----	----	----	----	----	---/*0.023A	0.002 UNCH	----	----	----	----	----	8	UNCH
8600	0.009	0.009		0.009/*0.005A	0.009/*0.005A	----	0.009/*0.005A	0.002 UNCH	----	----	----	1	----	698	+
8625	----	----	----	----	----	----	---/*0.025A	0.001 - 0.001	----	----	----	----	----	15	UNCH
8650	----	----	----	----	----	----	---/*0.025A	0.001 - 0.001	----	----	----	----	----	43	UNCH
8675	----	----	----	----	----	----	---/*0.023A	0.001 - 0.001	----	----	----	----	----	24	UNCH
8700	----	----	----	----	----	----	---/*0.007A	0.001 - 0.001	----	----	----	----	----	239	UNCH
8725	----	----	----	----	----	----	---/*0.022A	0.001 - 0.001	----	----	----	----	----	5	UNCH
8750	----	----	----	----	----	----	---/*0.024A	0.001 - 0.001	----	----	----	----	----	110	UNCH
8775	----	----	----	----	----	----	---/*0.024A	0.001 UNCH	----	----	----	----	----	51	UNCH
8800	----	----	----	----	----	----	---/*0.009A	0.001 UNCH	----	----	----	----	----	1918	UNCH
8825	----	----	----	----	----	----	---/0.024A	0.001 UNCH	----	----	----	----	----	5	UNCH
8850	----	----	----	----	----	----	---/0.025A	0.001 UNCH	----	----	----	----	----	11	UNCH
8875	----	----	----	----	----	----	---/0.156A	0.001 UNCH	----	----	----	----	----	13	UNCH
8900	----	----	----	----	----	----	---/0.124A	0.001 UNCH	----	----	----	----	----	149	UNCH
8925	----	----	----	----	----	----	---/0.123A	0.001 UNCH	----	----	----	----	----	12	UNCH
8950	----	----	----	----	----	----	---/0.156A	0.001 UNCH	----	----	----	----	----	39	UNCH
8975	----	----	----	----	----	----	---/0.153A	0.001 UNCH	----	----	----	----	----	17	UNCH
9000	----	----	----	----	----	----	0.001B/*0.003A	0.001 UNCH	----	----	----	----	----	1714	UNCH
9025	----	----	----	----	----	----	---/0.153A	0.001 UNCH	----	----	----	----	----	16	UNCH
9050	----	----	----	----	----	----	---/0.151A	0.001 UNCH	----	----	----	----	----	22	UNCH
9075	----	----	----	----	----	----	---/0.156A	0.001 UNCH	----	----	----	----	----	9	UNCH
9100	----	----	----	----	----	----	---/0.156A	0.001 UNCH	----	----	----	----	----	59	UNCH
9125	----	----	----	----	----	----	---/0.156A	0.001 UNCH	----	----	----	----	----	17	UNCH
9150	----	----	----	----	----	----	---/0.156A	0.001 UNCH	----	----	----	----	----	32	UNCH
9175	----	----	----	----	----	----	---/0.151A	0.001 UNCH	----	----	----	----	----	16	UNCH
9200	----	----	----	----	----	----	---/0.156A	0.001 UNCH	----	----	----	----	----	70	UNCH
9225	----	----	----	----	----	----	---/0.156A	0.001 UNCH	----	----	----	----	----	11	UNCH
9250	----	----	----	----	----	----	---/0.156A	0.001 UNCH	----	----	----	----	----	27	UNCH
9275	----	----	----	----	----	----	---/0.156A	0.001 UNCH	----	----	----	----	----	4	UNCH
9300	----	----	----	0.006B/----	0.006B/0.154A	----	0.006B/0.154A	0.001 UNCH	----	----	----	----	----	536	UNCH
9325	----	----	----	----	----	----	---/0.156A	0.001 UNCH	----	----	----	----	----	4	UNCH
9350	----	----	----	----	----	----	---/0.156A	0.001 UNCH	----	----	----	----	----	21	UNCH
9375	----	----	----	----	----	----	---/0.156A	0.001 UNCH	----	----	----	----	----	23	UNCH
9400	----	----	----	----	----	----	---/0.156A	0.001 UNCH	----	----	----	----	----	26	UNCH
9425	----	----	----	----	----	----	---/0.154A	0.001 UNCH	----	----	----	----	----	9	UNCH
9450	----	----	----	----	----	----	---/0.154A	0.001 UNCH	----	----	----	----	----	85	UNCH
9475	----	----	----	----	----	----	---/0.156A	0.001 UNCH	----	----	----	----	----	7	UNCH
9500	----	----	----	----	----	----	---/*0.003A	0.001 UNCH	----	----	----	----	----	857	UNCH
9525	----	----	----	----	----	----	0.001B/0.156A	0.001 UNCH	----	----	----	----	----	24	UNCH
9550	----	----	----	----	----	----	---/0.156A	0.001 UNCH	----	----	----	----	----	7	UNCH
9575	----	----	----	----	----	----	---/0.156A	0.001 UNCH	----	----	----	----	----	1	UNCH
9600	----	----	----	----	----	----	---/0.156A	0.001 UNCH	----	----	----	----	----	161	UNCH
9625	----	----	----	----	----	----	---/0.156A	0.001 UNCH	----	----	----	----	----	7	UNCH
9650	----	----	----	----	----	----	---/0.156A	0.001 UNCH	----	----	----	----	----	4	UNCH
9675	----	----	----	----	----	----	---/0.156A	0.001 UNCH	----	----	----	----	----	8	UNCH
9700	----	----	----	----	----	----	---/0.156A	0.001 UNCH	----	----	----	----	----	142	UNCH
9725	----	----	----	----	----	----	---/0.156A	0.001 UNCH	----	----	----	----	----	3	UNCH
9750	----	----	----	----	----	----	---/0.156A	0.001 UNCH	----	----	----	----	----	91	UNCH
9775	----	----	----	----	----	----	---/0.156A	0.001 UNCH	----	----	----	----	----	31	UNCH
9800	----	----	----	----	----	----	---/0.156A	0.001 UNCH	----	----	----	----	----	224	UNCH
9825	----	----	----	----	----	----	---/0.156A	0.001 UNCH	----	----	----	----	----	5	UNCH
9850	----	----	----	----	----	----	---/0.156A	0.001 UNCH	----	----	----	----	----	38	UNCH
9875	----	----	----	----	----	----	---/0.156A	0.001 UNCH	----	----	----	----	----	1	UNCH
9900	----	----	----	----	----	----	---/0.156A	0.001 UNCH	----	----	----	----	----	33	UNCH
9925	----	----	----	----	----	----	---/0.156A	0.001 UNCH	----	----	----	----	----	15	UNCH
9950	----	----	----	----	----	----	---/0.156A	0.001 UNCH	----	----	----	----	----	9	UNCH
9975	----	----	----	----	----	----	---/0.156A	0.001 UNCH	----	----	----	----	----	4	UNCH
10000	----	----	----	----	----	----	0.001B/*0.003A	0.001 UNCH	----	----	----	----	----	2096	UNCH
10025	----	----	----	----	----	----	---/0.156A	0.001 UNCH	----	----	----	----	----	2	UNCH
10050	----	----	----	----	----	----	---/0.156A	0.001 UNCH	----	----	----	----	----	2	UNCH
10075	----	----	----	----	----	----	---/0.156A	0.001 UNCH	----	----	----	----	----	21	UNCH
10100	----	----	----	----	----	----	---/0.156A	0.001 UNCH							

PG64	BULLETIN #119@				METALS OPTION PRODUCTS					Tue, Jun 23, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO CALL	COMEX SILVER OPTIONS													
JUL26														
11700	----	----	----	----/0.156A	----	0.001	UNCH	----	----	----	----	23	UNCH	
11725	----	----	----	----/0.156A	----	0.001	UNCH	----	----	----	----	22	UNCH	
11750	----	----	----	----/*0.009A	----	0.001	UNCH	----	----	----	----	23	UNCH	
11775	----	----	----	----/0.150A	----	0.001	UNCH	----	----	----	----	23	UNCH	
11800	----	----	----	----/0.156A	----	0.001	UNCH	----	----	----	----	3	UNCH	
11875	----	----	----	----/0.156A	----	0.001	UNCH	----	----	----	----	2	UNCH	
11900	----	----	----	----/0.156A	----	0.001	UNCH	----	----	----	----	2	UNCH	
11925	----	----	----	----/0.156A	----	0.001	UNCH	----	----	----	----	2	UNCH	
11950	----	----	----	----/0.156A	----	0.001	UNCH	----	----	----	----	1	UNCH	
12000	----	----	----	----/0.005A	----	0.001	UNCH	----	----	----	----	512	UNCH	
12150	----	----	----	----/0.156A	----	0.001	UNCH	----	----	----	----	1	UNCH	
12200	----	----	----	----/0.156A	----	0.001	UNCH	----	----	----	----	14	UNCH	
12225	----	----	----	----/0.156A	----	0.001	UNCH	----	----	----	----	16	UNCH	
12250	----	----	----	----/0.156A	----	0.001	UNCH	----	----	----	----	8	UNCH	
12275	----	----	----	----/0.156A	----	0.001	UNCH	----	----	----	----	1	UNCH	
12300	----	----	----	----/0.156A	----	0.001	UNCH	----	----	----	----	13	UNCH	
12325	----	----	----	----/0.156A	----	0.001	UNCH	----	----	----	----	1	UNCH	
12375	----	----	----	----/0.156A	----	0.001	UNCH	----	----	----	----	2	UNCH	
12425	----	----	----	----/0.156A	----	0.001	UNCH	----	----	----	----	3	UNCH	
12450	----	----	----	----/0.156A	----	0.001	UNCH	----	----	----	----	1	UNCH	
12475	----	----	----	----/0.156A	----	0.001	UNCH	----	----	----	----	3	UNCH	
12500	----	----	----	----/0.004A	----	0.001	UNCH	----	----	----	----	100	UNCH	
12575	----	----	----	----/0.156A	----	0.001	UNCH	----	----	----	----	2	UNCH	
12600	----	----	----	----/0.156A	----	0.001	UNCH	----	----	----	----	6	UNCH	
12700	----	----	----	----/*0.008A	----	0.001	UNCH	----	----	----	----	74	UNCH	
12725	----	----	----	----/0.156A	----	0.001	UNCH	----	----	----	----	2	UNCH	
12800	----	----	----	----/0.156A	----	0.001	UNCH	----	----	----	----	1	UNCH	
13000	----	----	----	----/0.155A	----	0.001	UNCH	----	----	----	----	2660	UNCH	
14000	----	----	----	----/*0.005A	----	0.001	UNCH	----	----	----	----	862	UNCH	
14700	----	----	----	----/0.156A	----	0.001	UNCH	----	----	----	----	11	UNCH	
15000	----	----	----	----/0.004A	----	0.001	UNCH	----	----	----	----	820	UNCH	
16000	----	----	----	----/0.156A	----	0.001	UNCH	----	----	----	----	3800	UNCH	
17000	----	----	----	----/0.156A	----	0.001	UNCH	----	----	----	----	22	UNCH	
18000	----	----	----	----/0.156A	----	0.001	UNCH	----	----	----	----	259	UNCH	
19000	----	----	----	----/0.156A	----	0.001	UNCH	----	----	----	----	79	UNCH	
20000	----	----	----	----/0.003A	----	0.001	UNCH	----	----	----	----	1220	UNCH	
21000	----	----	----	----/0.153A	----	0.001	UNCH	----	----	----	----	427	UNCH	
24000	----	----	----	----/0.156A	----	0.001	UNCH	----	----	----	----	133	UNCH	
25000	----	----	----	----/0.010A	----	0.001	UNCH	----	----	----	----	407	UNCH	
27000	----	----	----	----/0.156A	----	0.001	UNCH	----	----	----	----	6	UNCH	
30000	----	----	----	----/0.156A	----	0.001	UNCH	----	----	----	----	54	UNCH	
32000	----	----	----	----/0.156A	----	0.001	UNCH	----	----	----	----	4	UNCH	
35000	----	----	----	----/0.001A	----	0.001	UNCH	----	----	----	----	108	UNCH	
TOTAL										1200	0	40977 +	584	
AUG26														
4000	----	----	----/*21.956A	22.963B/*21.956A	----	22.576 -	3.518	----	----	----	----	7	UNCH	
5000	13.220	13.220	13.220/12.421A	15.843B/12.421A	----	12.939 -	3.348	----	----	1	----	9	UNCH	
5400	----	----	----/8.899A	12.067B/8.899A	----	9.352 -	3.153	----	----	1	----	4 +	1	
5500	----	----	----/8.071A	11.155B/8.071A	----	8.506 -	3.082	----	----	1	----	3 +	1	
5525	----	----	----/7.868A	10.929B/7.868A	----	8.298	NEW	----	----	1	----	1 +	1	
6000	4.844	4.844	5.000/4.450A	6.928B/4.450A	----	4.773 -	2.548	----	----	8	----	23 +	4	
6075	4.495	4.495	4.495/3.975A	6.357B/3.975A	----	4.304	NEW	----	----	1	----	1 +	1	
6100	4.340	4.340	4.340/3.840A	6.181B/3.840A	----	4.155	NEW	----	----	1	----	1 +	1	
6125	4.236	4.236	4.236/3.701A	6.001B/3.701A	----	4.008	NEW	----	----	1	----	1 +	1	
6150	3.668	3.668	3.668/3.567A	5.824B/3.567A	----	3.864	NEW	----	----	2	----	2 +	2	
6200	----	----	----/3.305A	5.476B/3.305A	----	3.587 -	2.252	----	----	1	----	5 +	1	
6225	----	----	----/3.180A	5.307B/3.180A	----	3.453 -	2.212	----	----	1	----	2 +	1	
6250	3.550	3.550	3.550/3.058A	5.135B/3.058A	----	3.322	NEW	----	----	3	----	3 +	3	
6275	----	----	----/2.941A	4.968B/2.941A	----	3.195	NEW	----	----	2	----	2 +	2	
6300	3.464	3.464	3.464/2.825A	4.808B/2.825A	----	3.072 -	2.091	----	35	68	109 +	101		
6325	3.360	3.360	3.360/2.714A	4.653B/2.714A	----	2.952 -	2.050	----	7	----	5 +	4		
6350	3.206	3.206	3.206/2.605A	4.521B/2.605A	----	2.836	NEW	----	24	----	24 +	24		
6375	3.109	3.109	3.109/2.501A	4.371B/2.501A	----	2.723	NEW	----	67	----	66 +	66		
6400	3.262	3.262	3.299/2.402A	4.225B/2.402A	----	2.614 -	1.922	----	10	----	31 +	9		
6425	3.124	3.124	3.124/2.302A	4.137B/2.302A	----	2.510 -	1.877	----	2	----	2 +	1		
6450	2.985	2.985	3.013/2.209A	3.984B/2.209A	----	2.409 -	1.832	----	2	----	3 +	2		
6475	2.930	2.930	2.930/2.119A	3.858B/2.119A	----	2.311 -	1.787	----	4	----	2 +	1		
6500	2.770	2.770	2.770/2.031A	3.715B/2.031A	----	2.217 -	1.742	----	92	----	101 +	57		
6525	2.689	2.689	2.689/*1.949A	3.589B/*1.949A	----	2.126 -	1.697	----	1	----	2	UNCH		
6550	2.755	2.755	2.755/*1.868A	3.461B/*1.868A	----	2.038 -	1.652	----	1	----	4	UNCH		
6575	----	----	----/*1.789A	3.336B/*1.789A	----	1.954 -	1.607	----	----	----	1	UNCH		
6600	2.705	2.705	2.705/*1.713A	3.215B/*1.713A	----	1.873 -	1.563	----	48	----	52 +	29		
6625	1.913	1.913	1.913/*1.642A	3.098B/*1.642A	----	1.795 -	1.519	----	3	----	5 +	3		
6650	1.640	1.640	1.640/*1.573A	2.991B/*1.573A	----	1.720 -	1.476	----	9	----	11 +	9		
6675	1.650	1.650	1.680/*1.499A	2.879B/*1.499A	----	1.649 -	1.433	----	71	64	64 +	55		
6700	2.097	2.097	2.097/*1.446A	2.771B/*1.446A	----	1.580 -	1.392	----	77	----	276 +	61		
6725	1.798	1.798	1.798/*1.386A	2.660B/*1.386A	----	1.514 -	1.350	----	2	----	76 +	2		
6750	1.570	1.570	1.570/*1.329A	2.559B/*1.329A	----	1.449 -	1.309	----	2	----	13	UNCH		
6775	----	----	----/*1.274A	2.461B/*1.274A	----	1.388 -	1.267	----	----	----	14	UNCH		
6800	1.750	1.750	1.750/*1.215A	2.366B/*1.215A	----	1.328 -	1.228	----	52	----	68 +	15		
6825	1.551	1.551	1.551/*1.170A	2.275B/*1.170A	----	1.272 -	1.188	----	1	----	2 +	1		
6850	----	----	----/*1.124A	2.187B/*1.124A	----	1.219 -	1.149	----	1	----	12	UNCH		
6875	1.450	1.450	1.450/*1.075A	2.102B/*1.075A	----	1.169 -	1.110	----	1	----	12	UNCH		
6900	1.365	1.365	1.365/*1.033A	2.021B/*1.033A	----	1.120 -	1.074	----	38	----	42 +	20		
6925	----	----	----/*0.992A	1.943B/*0.992A	----	1.074 -	1.037	----	----	----	14	UNCH		
6950	1.295	1.295	1.295/*0.952A	1.866B/*0.952A	----	1.031 -	1.000	----	8	----	16 +	8		
6975	----	----	----/*0.914A	1.793B/*0.914A	----	0.989 -	0.965	----	----	----	1	UNCH		
7000	1.202	1.202	1.210/*0.878A	1.725B/*0.878A	----	0.949 -	0.931	----	135	----	181 +	17		
7025	1.062	1.062	1.064/*0.844A	1.658B/*0.844A	----	0.911 -	0.897	----	195	----	197 +	189		
7050	----	----	----/*0.812A	1.593B/*0.812A	----	0.875 -	0.865	----	5	----	15 +	5		
7075	1.047	1.047	1.047/*0.780A	1.530B/*0.780A	----	0.841 -	0.832	----	1	----	22	UNCH		
7100	1.022	1.022	1.022/*0.740	1.473B/*0.740	----	0.808 -	0.802	----	37	----	51 +	10		
7125	----	----	----/*0.722A	1.416B/*0.722A	----	0.777 -	0.772	----	----	----	2	UNCH		
7150	0.957	0.957	0.957/*0.695A	1.355B/*0.695A	----	0.748 -	0.742	----	1	----	9 +	1		
7175	----	----	----/*0.670A	1.302B/*0.670A	----	0.719 -	0.715	----	----	----	13	UNCH		
7200	1.150	1.150	1.150/*0.645A	1.254B/*0.645A	----	0.693 -	0.687	----	173	68	192 -	2		
7225	0.948	0.948	0.948/*0.624A	1.205B/*0.624A	----	0.667 -	0.661	----	2	----	11	UNCH		
7250	----	----	----/*0.600A	1.159B/*0.600A	----	0.643 -	0.635	----	29	----	49 +	9		
7275	0.630	0.630	0.630/*0.580A	1.114B/*0.580A	----	0.620 -	0.611	----	7	----	2	UNCH		
7300	0.948	0.948	0.948/*0.560A	1.071B/*0.560A	----	0.598 -	0.587	----	7	----	43	UNCH		
7325	0.774	0.774	0.774/*0.542A	1.031B/*0.542A	----	0.577 -	0.565	----	2	----	4 +	2		
7350	----	----	----/*0.524A	0.991B/*0.524A	----	0.557 -	0.543	----	9	----	24 +	9		
7375	0.683	0.683	0.683/*0.508A	0.955B/*0.508A	----	0.538	NEW	----	4	----	4 +	4		
7400	----	----	----/*0.494A	0.916B/*0.494A	----	0.520 -	0.502	----	----	----	62	UNCH		

PG64	BULLETIN #119@				METALS OPTION PRODUCTS					Tue, Jun 23, 2026				PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH	OUTCRY LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL															
AUG26															
18000	----	----	----	----	----	/*0.009A	----	----	0.008 - 0.001	----	----	----	----	----	8 UNCH
19000	----	----	----	----	----	----/0.160A	----	----	0.006 UNCH	----	----	----	----	----	2 UNCH
20000	----	----	----	----	----	----/*0.007A	----	----	0.004 - 0.001	----	----	----	----	----	245 UNCH
25000	----	----	----	----	----	----/*0.008A	----	----	0.001 UNCH	----	----	----	----	----	21 UNCH
27000	0.001	0.001		0.001/0.001	0.001/0.001	----	----	----	0.001 UNCH	----	----	----	1	----	5 UNCH
30000	----	----	----	----	----	----/0.005A	----	----	0.001 UNCH	----	----	----	----	----	15 UNCH
32000	----	----	----	----	----	----/0.156A	----	----	0.001 UNCH	----	----	----	----	----	3 UNCH
35000	----	----	----	----	----	----/0.003A	----	----	0.001 UNCH	----	----	----	----	----	7 UNCH
TOTAL													1770	200	20753 + 784
SEP26															
5025	----	----	----	----/12.612A	15.813B/12.612A	----	----	----	13.101 - 3.180	----	----	----	----	----	1 UNCH
5050	----	----	----	----/12.400A	15.586B/12.400A	----	----	----	12.884 - 3.166	----	----	----	----	----	1 UNCH
5100	----	----	----	----/11.977A	15.127B/11.977A	----	----	----	12.453 - 3.140	----	----	----	----	----	1 UNCH
5900	----	----	----	----/6.099A	8.476B/6.099A	----	----	----	6.426 - 2.478	----	----	----	----	----	2 UNCH
6000	----	----	----	----/5.479A	7.769B/5.479A	----	----	----	5.821 - 2.367	----	----	----	4	----	11 + 4
6175	----	----	----	----/4.555A	6.620B/4.555A	----	----	----	4.857 - 2.159	----	----	----	----	----	1 UNCH
6250	4.532	4.532		4.682/4.197A	6.162B/4.197A	----	----	----	4.482 - 2.067	----	----	----	17	----	14 + 13
6275	4.496	4.496		4.496/4.085A	6.015B/4.085A	----	----	----	4.363 - 2.035	----	----	----	1	----	0 - 1
6300	4.600	4.600		4.600/3.972A	5.870B/3.972A	----	----	----	4.245 - 2.005	----	----	----	1	----	5 + 1
6350	----	----	----	----/3.753A	5.588B/3.753A	----	----	----	4.019 - 1.942	----	----	----	----	----	1 UNCH
6400	----	----	----	----/3.551A	5.397B/3.551A	----	----	----	3.802 - 1.880	----	----	----	----	----	1 UNCH
6450	----	----	----	----/3.352A	5.133B/3.352A	----	----	----	3.595 - 1.817	----	----	----	----	----	5 UNCH
6500	3.710	3.710		3.710/3.166A	4.874B/3.166A	----	----	----	3.398 - 1.756	----	----	13	----	----	15 + 5
6525	----	----	----	----/3.077A	4.756B/3.077A	----	----	----	3.304 - 1.724	----	----	----	----	----	1 UNCH
6575	----	----	----	----/*2.905A	4.508B/*2.905A	----	----	----	3.121 - 1.663	----	----	----	----	----	1 UNCH
6600	----	----	----	----/*2.823A	4.402B/*2.823A	----	----	----	3.033 - 1.633	----	----	1	----	----	3 UNCH
6625	----	----	----	----/*2.744A	4.289B/*2.744A	----	----	----	2.948 - 1.602	----	----	----	----	----	1 UNCH
6650	3.156	3.156		3.191/*2.664A	4.178B/*2.664A	----	----	----	2.865 - 1.572	----	----	3	----	----	6 + 2
6700	3.848	3.848		3.965B/*2.514A	3.965B/*2.514A	----	----	----	2.705 - 1.512	----	----	1	200	----	202 + 198
6750	----	----	----	----/*2.373A	3.764B/*2.373A	----	----	----	2.554 - 1.454	----	----	----	----	----	1 UNCH
6800	----	----	----	----/*2.245A	3.570B/*2.245A	----	----	----	2.411 - 1.397	----	----	----	----	----	2 UNCH
6900	3.100	3.100		3.211B/*2.004A	3.211B/*2.004A	----	----	----	2.149 - 1.286	----	----	2	----	----	3 UNCH
6925	----	----	----	----/*1.947A	3.126B/*1.947A	----	----	----	2.089 - 1.258	----	----	----	----	----	1 UNCH
6950	----	----	----	----/*1.893A	3.048B/*1.893A	----	----	----	2.030 - 1.232	----	----	----	----	----	1 UNCH
6975	----	----	----	----/*1.840A	2.964B/*1.840A	----	----	----	1.973 - 1.205	----	----	----	----	----	1 UNCH
7000	2.246	2.246		2.250/1.788A	2.889B/1.788A	----	----	----	1.917 - 1.180	----	----	59	----	----	284 + 6
7025	----	----	----	----/*1.739A	2.813B/*1.739A	----	----	----	1.864 - 1.154	----	----	----	----	----	1 UNCH
7050	2.580	2.580		2.737B/*1.690A	2.737B/*1.690A	----	----	----	1.812 - 1.129	----	----	7	----	----	7 + 5
7075	----	----	----	----/*1.645A	2.665B/*1.645A	----	----	----	1.761 - 1.105	----	----	----	----	----	5 UNCH
7100	----	----	----	----/*1.600A	2.588B/*1.600A	----	----	----	1.713 - 1.079	----	----	1	----	----	9 + 1
7125	1.990	1.990		1.990/*1.555A	2.520B/*1.555A	----	----	----	1.665 - 1.056	----	----	7	----	----	75 UNCH
7150	----	----	----	----/*1.514A	2.457B/*1.514A	----	----	----	1.620 - 1.032	----	----	----	----	----	3 UNCH
7175	----	----	----	----/*1.473A	2.390B/*1.473A	----	----	----	1.576 - 1.009	----	----	----	----	----	10 UNCH
7200	1.702	1.702		1.702/*1.433A	2.328B/*1.433A	----	----	----	1.533 - 0.987	----	----	22	----	----	22 + 16
7250	----	----	----	----/*1.358A	2.210B/*1.358A	----	----	----	1.452 - 0.942	----	----	----	----	----	2 UNCH
7275	----	----	----	----/*1.323A	2.152B/*1.323A	----	----	----	1.413 NEW	----	----	6	----	----	5 + 5
7300	----	----	----	----/*1.288A	2.097B/*1.288A	----	----	----	1.376 - 0.900	----	----	1	----	----	153 UNCH
7325	1.597	1.597		1.598/*1.255A	2.043B/*1.255A	----	----	----	1.340 NEW	----	----	10	----	----	10 + 10
7350	----	----	----	----/*1.223A	1.991B/*1.223A	----	----	----	1.305 - 0.859	----	----	----	----	----	1 UNCH
7375	----	----	----	----/*1.192A	1.940B/*1.192A	----	----	----	1.271 - 0.839	----	----	----	----	----	5 UNCH
7400	----	----	----	----/*1.160A	1.890B/*1.160A	----	----	----	1.238 - 0.820	----	----	38	----	----	135 + 29
7450	----	----	----	----/*1.104A	1.793B/*1.104A	----	----	----	1.176 - 0.782	----	----	----	----	----	4 UNCH
7475	----	----	----	----/*1.076A	1.748B/*1.076A	----	----	----	1.147 - 0.764	----	----	----	----	----	9 UNCH
7500	1.400	1.400		1.400/*1.049A	1.704B/*1.049A	----	----	----	1.118 - 0.746	----	----	116	----	----	324 + 58
7550	----	----	----	----/*1.001A	1.620B/*1.001A	----	----	----	1.064 - 0.712	----	----	----	----	----	10 UNCH
7575	----	----	----	----/*0.977A	1.580B/*0.977A	----	----	----	1.038 - 0.695	----	----	----	----	----	5 UNCH
7600	0.954	0.954		0.954/*0.952A	1.540B/*0.952A	----	----	----	1.013 - 0.679	----	----	3	----	----	70 + 3
7650	----	----	----	----/*0.910A	1.466B/*0.910A	----	----	----	0.965 - 0.648	----	----	----	----	----	16 UNCH
7675	----	----	----	----/*0.889A	1.430B/*0.889A	----	----	----	0.942 - 0.633	----	----	----	----	----	6 UNCH
7700	1.061	1.061		1.071/*0.869A	1.396B/*0.869A	----	----	----	0.920 - 0.618	----	----	15	----	----	26 + 13
7750	----	----	----	----/*0.830A	1.329B/*0.830A	----	----	----	0.878 - 0.590	----	----	----	----	----	15 UNCH
7800	----	----	----	----/*0.795A	1.267B/*0.795A	----	----	----	0.838 - 0.563	----	----	----	----	----	14 UNCH
7900	----	----	----	----/*0.730A	1.150B/*0.730A	----	----	----	0.767 - 0.513	----	----	45	----	----	49 + 36
7925	----	----	----	----/*0.715A	1.123B/*0.715A	----	----	----	0.750 - 0.502	----	----	----	----	----	1 UNCH
7950	----	----	----	----/*0.700A	1.098B/*0.700A	----	----	----	0.735 - 0.489	----	----	----	----	----	5 UNCH
8000	0.750	0.750		0.750/*0.684A	1.049B/*0.684A	----	----	----	0.704 - 0.468	----	----	252	----	----	578 + 220
8025	----	----	----	----/*0.672A	1.025B/*0.672A	----	----	----	0.690 - 0.457	----	----	----	----	----	2 UNCH
8075	----	----	----	----/*0.649A	0.981B/*0.649A	----	----	----	0.663 - 0.437	----	----	----	----	----	35 UNCH
8100	0.808	0.808		0.808/*0.632	0.960B/*0.632	----	----	----	0.650 - 0.427	----	----	6	----	----	229 + 3
8150	----	----	----	----/*0.611A	0.919B/*0.611A	----	----	----	0.625 - 0.409	----	----	----	----	----	1 UNCH
8175	----	----	----	----/*0.600A	0.899B/*0.600A	----	----	----	0.614 - 0.399	----	----	----	----	----	1 UNCH
8200	----	----	----	----/*0.588A	0.880B/*0.588A	----	----	----	0.602 - 0.391	----	----	----	----	----	98 UNCH
8250	----	----	----	----/*0.566A	0.844B/*0.566A	----	----	----	0.581 - 0.374	----	----	----	----	----	1 UNCH
8275	----	----	----	----/*0.555A	0.827B/*0.555A	----	----	----	0.570 - 0.367	----	----	----	----	----	2 UNCH
8300	----	----	----	----/*0.546A	0.810B/*0.546A	----	----	----	0.560 - 0.359	----	----	----	----	----	2 UNCH
8350	----	----	----	----/*0.536A	0.777B/*0.536A	----	----	----	0.541 - 0.344	----	----	----	----	----	20 UNCH
8400	----	----	----	----/*0.510A	0.747B/*0.510A	----	----	----	0.523 - 0.329	----	----	----	----	----	111 UNCH
8425	----	----	----	----/*0.509A	0.732B/*0.509A	----	----	----	0.514 - 0.323	----	----	----	----	----	1 UNCH
8450	----	----	----	----/*0.498A	0.718B/*0.498A	----	----	----	0.506 - 0.316	----	----	----	----	----	2 UNCH
8475	----	----	----	----/*0.490A	0.704B/*0.490A	----	----	----	0.498 - 0.309	----	----	----	----	----	1 UNCH
8500	0.581	0.581		0.581/*0.482A	0.690B/*0.482A	----	----	----	0.490 - 0.303	----	----	1	50	----	478 + 50
8525	----	----	----	----/*0.486A	0.677B/*0.486A	----	----	----	0.482 - 0.297	----	----	----	----	----	1 UNCH
8550	----	----	----	----/*0.479A	0.664B/*0.479A	----	----	----	0.474 - 0.291	----	----	----	----	----	1 UNCH
8600	----	----	----	----/*0.460A	0.617B/*0.460A	----	----	----	0.459 - 0.280	----	----	1	----	----	69 UNCH
8675	----	----	----	----/*0.441A	0.581B/*0.441A	----	----	----	0.438 - 0.264	----	----	----	----	----	5 UNCH
8700	----	----	----	----/*0.434A	0.570B/*0.434A	----	----	----	0.432 - 0.258	----	----	----	----	----	104 UNCH
8725	----	----	----	----/*0.428A	0.559B/*0.428A	----	----	----	0.425 - 0.253	----	----	----	----	----	1 UNCH
8750	----	----	----	----/*0.420A	0.549B/*0.420A	----	----	----	0.419 - 0.248	----	----	----	----	----	28 UNCH
8775	----	----	----	----/*0.414A	0.539B/*0.414A	----	----	----	0.412 - 0.244	----	----	----	----	----	1 UNCH
8800	----	----	----	----/*0.408A	0.529B/*0.408A	----	----	----	0.406 - 0.239	----	----	----	----	----	11 UNCH
8825	----	----	----	----/*0.402A	0.520B/*0.402A	----	----	----	0.400 - 0.235	----	----	----	----	----	2 UNCH
8900	----	----	----	----/*0.386A	0.492B/*0.386A	----	----	----	0.383 - 0.222	----	----	----	----	----	8 UNCH
8925	----	----	----	----/*0.381A	0.484B/*0.3										

PG64	BULLETIN #119@				METALS OPTION PRODUCTS						Tue, Jun 23, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST
SO CALL COMEX SILVER OPTIONS															
SEP26															
12700	----	----	----	----/*0.127A	0.089B/*0.127A	----	----	0.110 - 0.045	----	----	----	----	----	----	1 UNCH
12775	----	----	----	----/*0.125A	0.087B/*0.125A	----	----	0.108 - 0.045	----	----	----	----	----	----	2 UNCH
12800	----	----	----	----/*0.125A	0.084B/*0.125A	----	----	0.108 - 0.045	----	----	----	----	----	----	1 UNCH
13000	----	----	----	----/*0.120A	0.081B/*0.120A	----	----	0.103 - 0.045	----	----	----	----	----	205 UNCH	
13500	----	----	----	----/*0.109A	0.073B/*0.109A	----	----	0.092 - 0.041	----	----	----	----	----	7 UNCH	
14000	----	----	----	----/*0.099A	0.062B/*0.099A	----	----	0.083 - 0.033	----	----	----	----	----	233 UNCH	
15000	----	----	----	----	0.048B/0.085A	----	----	0.069 - 0.016	----	----	----	----	----	358 UNCH	
16000	----	----	----	----	0.034B/*0.074A	----	----	0.057 - 0.012	----	----	----	----	----	30 UNCH	
17000	----	----	----	----	0.024B/*0.065A	----	----	0.048 - 0.009	----	----	----	----	----	33 UNCH	
18000	----	----	----	----	0.017B/*0.057A	----	----	0.040 - 0.008	----	----	----	----	----	6 UNCH	
19000	----	----	----	-----/0.116A	----	----	----	0.034 - 0.007	----	----	----	----	----	13 UNCH	
20000	----	----	----	-----/0.175A	----	----	----	0.029 - 0.006	----	----	----	----	----	317 UNCH	
21000	----	----	----	-----/0.172A	----	----	----	0.025 - 0.005	----	----	----	----	----	11 UNCH	
23000	----	----	----	-----/0.168A	----	----	----	0.019 - 0.004	----	----	----	----	----	44 UNCH	
25000	----	----	----	-----/0.166A	----	----	----	0.015 - 0.003	----	----	----	----	----	78 UNCH	
26000	----	----	----	-----/0.164A	----	----	----	0.014 - 0.002	----	----	----	----	----	1 UNCH	
30000	----	----	----	----	-----/0.162A	----	----	0.008 - 0.001	----	----	----	----	----	18 UNCH	
35000	----	----	----	----	-----/0.020A	----	----	0.003 UNCH	----	----	----	----	----	28 UNCH	
TOTAL												2406	350	9176 +	2114
OCT26															
6300	----	----	----	----/*5.408A	6.944B/*5.408A	----	----	5.458 NEW	----	----	----	2	----	0 UNCH	
6500	5.118	5.118	5.118	5.118/*4.639A	5.888B/*4.639A	----	----	4.588 - 1.890	----	----	----	3	----	1 +	1
6550	4.913	4.913	4.913	4.913/*4.461A	5.632B/*4.461A	----	----	4.395 NEW	----	----	----	1	----	1 +	1
6600	4.719	4.719	4.719	4.719/*4.287A	5.408B/*4.287A	----	----	4.212 NEW	----	----	----	1	----	1 +	1
6625	4.626	4.626	4.626	4.626/*4.197A	5.313B/*4.197A	----	----	4.124 NEW	----	----	----	1	----	1 +	1
6650	4.530	4.530	4.530	4.530/*4.094A	5.185B/*4.094A	----	----	4.038 - 1.729	----	----	----	2	----	3 +	2
6700	4.338	4.338	4.338	4.338/*3.945A	4.961B/*3.945A	----	----	3.871 NEW	----	----	----	1	----	1 +	1
6725	4.242	4.242	4.242	4.242/*3.861A	4.865B/*3.861A	----	----	3.791 NEW	----	----	----	1	----	1 +	1
6800	----	----	----	----/*3.611A	4.577B/*3.611A	----	----	3.561 - 1.572	----	----	----	----	----	1 UNCH	
6850	----	----	----	----/*3.468A	4.385B/*3.468A	----	----	3.416 - 1.522	----	----	----	----	20 UNCH		
6925	----	----	----	----/*3.273A	4.097B/*3.273A	----	----	3.210 - 1.448	----	----	----	----	1 UNCH		
7000	----	----	----	----/*3.040A	3.841B/*3.040A	----	----	3.017 - 1.376	----	----	----	----	27 UNCH		
7100	----	----	----	----/*2.813A	3.521B/*2.813A	----	----	2.777 - 1.285	----	----	----	----	1 UNCH		
7200	2.711	2.711	2.711	2.711/*2.589A	3.233B/*2.589A	----	----	2.556 - 1.200	----	----	1	----	4 +	1	
7250	----	----	----	----/*2.498A	3.070B/*2.498A	----	----	2.452 - 1.160	----	----	----	----	19 UNCH		
7450	----	----	----	----/*2.120A	2.602B/*2.120A	----	----	2.078 - 1.013	----	----	----	----	1 UNCH		
7500	----	----	----	----/*2.034A	2.492B/*2.034A	----	----	1.994 - 0.981	----	----	32	----	44 +	32	
7525	2.117	2.117	2.117	2.117/*1.998A	2.439B/*1.998A	----	----	1.953 NEW	----	----	6	----	6 +	6	
7550	1.950	1.950	1.950	1.950/*1.948A	2.389B/*1.948A	----	----	1.913 NEW	----	----	2	----	2 +	2	
7600	2.030	2.030	2.030	2.030/*1.881A	2.289B/*1.881A	----	----	1.837 NEW	----	----	9	----	9 +	9	
7650	----	----	----	----/*1.807A	2.193B/*1.807A	----	----	1.763 - 0.891	----	----	----	----	2 UNCH		
7700	----	----	----	----/*1.749A	2.102B/*1.749A	----	----	1.694 - 0.862	----	----	----	----	1 UNCH		
7775	----	----	----	----/*1.642A	1.974B/*1.642A	----	----	1.596 - 0.822	----	----	----	----	2 UNCH		
7825	----	----	----	----/*1.587A	1.893B/*1.587A	----	----	1.535 - 0.796	----	----	----	----	1 UNCH		
7875	----	----	----	----/*1.529A	1.817B/*1.529A	----	----	1.477 - 0.771	----	----	----	----	2 UNCH		
7900	----	----	----	----/*1.496A	1.780B/*1.496A	----	----	1.450 - 0.758	----	----	----	----	1 UNCH		
8000	----	----	----	----/*1.364A	1.640B/*1.364A	----	----	1.348 - 0.707	----	----	32	----	145 +	32	
8050	----	----	----	----/*1.346A	1.575B/*1.346A	----	----	1.301 - 0.683	----	----	6	----	1 UNCH		
8075	----	----	----	----/*1.324A	1.544B/*1.324A	----	----	1.279 - 0.670	----	----	----	----	1 UNCH		
8125	----	----	----	----/*1.279A	1.484B/*1.279A	----	----	1.237 - 0.645	----	----	----	----	1 UNCH		
8200	----	----	----	----/*1.216A	1.398B/*1.216A	----	----	1.176 - 0.610	----	----	1	----	2 +	1	
8275	----	----	----	----/*1.158A	1.319B/*1.158A	----	----	1.119 - 0.578	----	----	----	----	2 UNCH		
8300	----	----	----	----/*1.141A	1.293B/*1.141A	----	----	1.101 NEW	----	----	1	----	1 +	1	
8400	1.200	1.200	1.200	1.200/*1.070A	1.200/*1.070A	----	----	1.030 - 0.531	----	----	10	----	11 +	4	
8425	----	----	----	----/*1.057A	1.175B/*1.057A	----	----	1.012 - 0.525	----	----	----	----	1 UNCH		
8450	----	----	----	----/*1.041A	1.153B/*1.041A	----	----	0.995 - 0.518	----	----	----	----	20 UNCH		
8500	----	----	----	----/*0.976A	1.117B/*0.976A	----	----	0.961 - 0.506	----	----	----	----	17 UNCH		
8550	----	----	----	----/*0.982A	1.083B/*0.982A	----	----	0.929 - 0.495	----	----	----	----	1 UNCH		
8600	----	----	----	----/*0.950A	1.050B/*0.950A	----	----	0.898 - 0.483	----	----	----	----	2 UNCH		
8650	----	----	----	----/*0.926A	1.017B/*0.926A	----	----	0.870 - 0.470	----	----	----	----	1 UNCH		
8675	----	----	----	----/*0.919A	0.997B/*0.919A	----	----	0.857 - 0.462	----	----	----	----	7 UNCH		
8700	0.812	0.812	0.812	0.812/*0.812	0.986B/*0.812	----	----	0.845 - 0.454	----	----	2	----	11 +	2	
8750	----	----	----	----/*0.882A	0.956B/*0.882A	----	----	0.820 - 0.440	----	----	----	----	1 UNCH		
8900	----	----	----	----/*0.806A	0.873B/*0.806A	----	----	0.755 - 0.397	----	----	----	----	12 UNCH		
9000	----	----	----	----/*0.767A	0.824B/*0.767A	----	----	0.714 - 0.375	----	----	1	----	39 -	1	
9100	----	----	----	----/*0.727A	0.804B/*0.727A	----	----	0.677 - 0.356	----	----	----	----	2 UNCH		
9150	----	----	----	----/*0.712A	0.758B/*0.712A	----	----	0.659 - 0.347	----	----	----	----	3 UNCH		
9200	----	----	----	----/*0.692A	0.736B/*0.692A	----	----	0.642 - 0.338	----	----	1	----	1 UNCH		
9475	----	----	----	----/*0.623A	0.638B/*0.623A	----	----	0.560 - 0.292	----	----	----	----	1 UNCH		
9500	----	----	----	----/*0.603A	0.629B/*0.603A	----	----	0.553 - 0.289	----	----	----	----	129 UNCH		
9600	----	----	----	----/*0.578A	0.598B/*0.578A	----	----	0.527 - 0.277	----	----	----	----	6 UNCH		
9625	----	----	----	----/*0.584A	0.591B/*0.584A	----	----	0.521 - 0.274	----	----	----	----	1 UNCH		
9700	----	----	----	----/*0.577A	0.570B/*0.577A	----	----	0.503 - 0.265	----	----	----	----	85 UNCH		
9875	----	----	----	----/*0.543A	0.516B/*0.543A	----	----	0.464 - 0.248	----	----	----	----	1 UNCH		
9900	----	----	----	----/*0.535A	0.517B/*0.535A	----	----	0.459 - 0.246	----	----	----	----	1 UNCH		
10000	----	----	----	----/*0.556A	0.494B/*0.556A	----	----	0.440 - 0.236	----	----	----	----	103 UNCH		
10100	----	----	----	----/*0.526A	0.472B/*0.526A	----	----	0.423 - 0.225	----	----	----	----	1 UNCH		
10275	----	----	----	----/*0.508A	0.430B/*0.508A	----	----	0.396 - 0.208	----	----	----	----	1 UNCH		
10300	----	----	----	----/*0.504A	0.427B/*0.504A	----	----	0.392 - 0.206	----	----	----	----	7 UNCH		
10325	----	----	----	----/*0.500A	0.408B/*0.500A	----	----	0.389 - 0.203	----	----	----	----	1 UNCH		
10350	----	----	----	----/*0.496A	0.418B/*0.496A	----	----	0.385 - 0.201	----	----	----	----	2 UNCH		
10375	----	----	----	----/*0.493A	0.411B/*0.493A	----	----	0.382 - 0.198	----	----	----	----	3 UNCH		
10400	----	----	----	----/*0.489A	0.407B/*0.489A	----	----	0.378 - 0.196	----	----	----	----	5 UNCH		
10425	----	----	----	----/*0.485A	0.373B/*0.485A	----	----	0.375 - 0.194	----	----	----	----	4 UNCH		
10450	----	----	----	----/*0.481A	0.337B/*0.481A	----	----	0.372 - 0.191	----	----	----	----	4 UNCH		
10475	----	----	----	----/*0.478A	0.333B/*0.478A	----	----	0.369 - 0.188	----	----	----	----	5 UNCH		
10500	----	----	----	----/*0.474A	0.329B/*0.474A	----	----	0.366 - 0.186	----	----	----	----	4 UNCH		
10525	----	----	----	----/*0.470A	0.325B/*0.470A	----	----	0.363 - 0.184	----	----	----	----	3 UNCH		
10550	----	----	----	----/*0.467A	0.325B/*0.467A	----	----	0.360 - 0.181	----	----	----	----	4 UNCH		
10575	----	----	----	----/*0.462A	0.325B/*0.462A	----	----	0.357 - 0.179	----	----	----	----	4 UNCH		
10600	----	----	----	----/*0.458A	0.314B/*0.458A	----	----	0.354 - 0.177	----	----	----	----	5 UNCH		
10625	----	----	----	----/*0.455A	0.310B/*0.455A	----	----	0.351 - 0.175	----	----	----	----	5 UNCH		
10650	----	----	----	----/*0.452A	0.306B/*0.452A	----	----	0.348 - 0.173	----	----	----	----	5 UNCH		
10675	----	----	----	----/*0.448A	0.303B/*0.448A	----	----	0.346 - 0.170	----	----	----	----	4 UNCH		
10700	0.325	0.325	0.325	0.335/*0.325	0.335/*0.325	----	----	0.343 - 0.168	----	----	5	----	8 +	4	
10725	----	----	----	----/*0.442A	0.296B/*0.442A	----	----	0.340 - 0.166	----	----	----	----	2 UNCH		
10750	----	----	----	----/*0.439A	0.292B/*0.439A	----	----	0.338 - 0.164	----	----	----	----	10 UNCH		
10775	----	----	----	----/*0.436A	0.289B/*0.436A	----	----	0.335							

PG64	BULLETIN #119@				METALS OPTION PRODUCTS					Tue, Jun 23, 2026					PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
SO CALL	COMEX SILVER OPTIONS														
NOV26															
7600	----	----	----/*2.653A	3.128B/*2.653A	----	2.523 - 1.058	----	----	----	----	----	45	UNCH		
7900	----	----	----/*2.235A	2.563B/*2.235A	----	2.085 - 0.928	----	----	----	----	----	16	UNCH		
8000	----	----	----/*2.116A	2.402B/*2.116A	----	1.961 - 0.889	----	----	----	----	----	10	UNCH		
8200	----	----	----/*1.908A	2.114B/*1.908A	----	1.740 - 0.817	----	----	----	----	----	6	UNCH		
8600	----	----	----/*1.575A	1.655B/*1.575A	----	1.386 - 0.693	----	----	----	----	----	20	UNCH		
8925	----	----	----/*1.368A	1.371B/*1.368A	----	1.168 - 0.605	----	----	----	----	----	1	UNCH		
8950	----	----	----/*1.354A	1.351B/*1.354A	----	1.153 - 0.599	----	----	----	----	----	1	UNCH		
9000	----	----	----/*1.327A	1.313B/*1.327A	----	1.124 - 0.588	----	----	----	----	----	60	UNCH		
9550	----	----	----/*1.080A	0.973B/*1.080A	----	0.867 - 0.470	----	----	----	----	----	3	UNCH		
9800	----	----	----/*0.960A	0.852B/*0.960A	----	0.780 - 0.425	----	----	----	----	----	3	UNCH		
10000	0.750	0.750	0.750/*0.743A	0.768B/*0.743A	----	0.719 - 0.393	----	----	----	31	----	55 +	31		
11000	----	----	----/*0.668A	0.492B/*0.668A	----	0.512 - 0.264	----	----	----	----	----	94	UNCH		
11700	----	----	----/*0.566A	0.377B/*0.566A	----	0.427 - 0.200	----	----	----	----	----	25	UNCH		
12000	----	----	----/*0.529A	0.340B/*0.529A	----	0.399 - 0.178	----	----	----	----	----	13	UNCH		
12500	----	----	----/*0.483A	0.293B/*0.483A	----	0.362 - 0.146	----	----	----	----	----	14	UNCH		
13000	----	----	----/*0.439A	0.250B/*0.439A	----	0.324 - 0.129	----	----	----	----	----	2	UNCH		
14000	----	----	----	0.187B/*0.378A	----	0.267 - 0.104	----	----	----	----	----	2	UNCH		
15000	----	----	----	0.143B/*0.329A	----	0.229 - 0.087	----	----	----	----	----	6	UNCH		
16000	----	----	----	0.111B/*0.291A	----	0.202 - 0.075	----	----	----	----	----	14	UNCH		
17000	----	----	----	0.086B/*0.261A	----	0.183 - 0.066	----	----	----	----	----	2	UNCH		
20000	----	----	----	0.039B/*0.204A	----	0.152 - 0.052	----	----	----	----	----	32	UNCH		
21000	----	----	----/*0.190A	0.029B/*0.190A	----	0.148 - 0.049	----	----	----	----	----	1	UNCH		
25000	----	----	----	----/0.388A	----	0.146 - 0.045	----	----	----	----	----	58	UNCH		
30000	----	----	----	0.001B/0.129A	----	0.068 - 0.022	----	----	----	----	----	2	UNCH		
TOTAL										31	0	526 +	31		
DEC26															
3875	----	----	----	6.942B/41.423A	----	24.708 - 3.429	----	----	----	----	----	1	UNCH		
5000	----	----	----/--/31.032A	----/31.032A	----	14.850 - 3.000	----	----	----	----	----	30	UNCH		
5250	----	----	----/*13.473A	12.426B/*13.473A	----	12.957 - 2.848	----	----	----	----	----	50	UNCH		
5500	----	----	----/11.775A	10.770B/11.775A	----	11.220 - 2.676	----	----	----	----	----	1	UNCH		
6500	----	----	----/*6.120A	7.344B/*6.120A	----	6.045 - 1.879	----	----	----	----	----	605	UNCH		
6900	5.000	5.000	5.000/*4.530A	5.746B/*4.530A	----	4.716 - 1.614	----	----	----	1	----	1	UNCH		
6950	----	----	----/*4.680A	5.576B/*4.680A	----	4.572 - 1.586	----	----	----	----	----	220	UNCH		
7000	----	----	----/*4.530A	5.406B/4.530A	----	4.433 - 1.558	----	----	----	----	----	120	UNCH		
7025	----	----	----/*4.470A	5.338B/*4.470A	----	4.366 - 1.544	----	----	----	----	----	1	UNCH		
7075	----	----	----/*4.350A	5.168B/*4.350A	----	4.233 - 1.517	----	----	----	----	----	5	UNCH		
7100	----	----	----/*4.290A	5.100B/*4.290A	----	4.169 - 1.503	----	----	----	----	----	15	UNCH		
7200	----	----	----/*4.060A	4.794B/*4.060A	----	3.922 - 1.448	----	----	----	----	----	1	UNCH		
7375	----	----	----/*3.659A	4.323B/*3.659A	----	3.530 - 1.354	----	----	----	----	----	2	UNCH		
7400	3.689	3.689	3.689/*3.609A	4.257B/*3.609A	----	3.478 - 1.340	----	----	----	10	----	10 +	8		
7500	----	----	----/*3.419A	3.993B/*3.419A	----	3.279 - 1.287	----	----	----	----	----	39	UNCH		
7550	----	----	----/*3.328A	3.894B/*3.328A	----	3.186 - 1.260	----	----	----	----	----	2	UNCH		
7575	----	----	----/*3.284A	3.828B/*3.284A	----	3.140 - 1.247	----	----	----	----	----	1	UNCH		
7600	----	----	----/*3.242A	3.795B/*3.242A	----	3.096 - 1.233	----	----	----	----	----	20	UNCH		
7700	----	----	----/*3.078A	3.564B/*3.078A	----	2.926 - 1.180	----	----	----	----	----	20	UNCH		
7800	----	----	----/*2.925A	3.380B/*2.925A	----	2.768 - 1.128	----	----	----	----	----	38	UNCH		
7900	----	----	----/*2.783A	3.194B/*2.783A	----	2.622 - 1.077	----	----	----	----	----	1	UNCH		
7925	----	----	----/*2.749A	3.149B/*2.749A	----	2.587 - 1.065	----	----	----	----	----	2	UNCH		
7950	----	----	----/*2.716A	3.105B/*2.716A	----	2.553 - 1.053	----	----	----	----	----	1	UNCH		
8000	----	----	----/2.651A	3.020B/2.651A	----	2.487 - 1.028	----	----	----	10	----	169 +	10		
8100	----	----	----/*2.529A	2.858B/*2.529A	----	2.361 - 0.981	----	----	----	----	----	1	UNCH		
8200	----	----	----/*2.414A	2.705B/*2.414A	----	2.244 - 0.937	----	----	----	----	----	33	UNCH		
8400	----	----	----/*2.209A	2.432B/*2.209A	----	2.033 - 0.855	----	----	----	----	----	62	UNCH		
8500	----	----	----/*2.116A	2.308B/*2.116A	----	1.938 - 0.817	----	----	----	----	----	172	UNCH		
8550	----	----	----/*2.072A	2.249B/*2.072A	----	1.893 - 0.798	----	----	----	----	----	25	UNCH		
8600	----	----	----/*2.030A	2.191B/*2.030A	----	1.850 - 0.780	----	----	----	----	----	49	UNCH		
8800	----	----	----/*1.873A	1.981B/*1.873A	----	1.690 - 0.713	----	----	----	----	----	10	UNCH		
8900	----	----	----/*1.802A	1.885B/*1.802A	----	1.617 - 0.683	----	----	----	----	----	30	UNCH		
8950	----	----	----/*1.767A	1.839B/*1.767A	----	1.583 - 0.668	----	----	----	----	----	1	UNCH		
9000	----	----	----/*1.735A	1.795B/*1.735A	----	1.549 - 0.654	----	----	----	11	----	176 +	10		
9050	----	----	----/*1.703A	1.753B/*1.703A	----	1.517 - 0.640	----	----	----	----	----	100	UNCH		
9100	----	----	----/*1.672A	1.712B/*1.672A	----	1.485 - 0.627	----	----	----	----	----	16	UNCH		
9300	----	----	----/*1.556A	1.558B/*1.556A	----	1.369 - 0.575	----	----	----	----	----	15	UNCH		
9500	----	----	----/*1.455A	1.421B/*1.455A	----	1.265 - 0.530	----	----	----	----	----	606	UNCH		
9700	----	----	----/*1.364A	1.299B/*1.364A	----	1.173 - 0.489	----	----	----	----	----	1	UNCH		
9800	----	----	----/*1.323A	1.244B/*1.323A	----	1.131 - 0.470	----	----	----	----	----	53	UNCH		
9900	----	----	----/*1.266A	1.191B/*1.266A	----	1.091 - 0.452	----	----	----	----	----	55	UNCH		
10000	----	----	----/*1.245A	1.140B/*1.245A	----	1.053 - 0.435	----	----	----	26	----	888 -	1		
10025	----	----	----/*1.236A	1.128B/*1.236A	----	1.044 - 0.430	----	----	----	----	----	3	UNCH		
10300	----	----	----/*1.144A	1.004B/*1.144A	----	0.952 - 0.388	----	----	----	----	----	1	UNCH		
10500	----	----	----/*1.056A	0.921B/*1.056A	----	0.893 - 0.360	----	----	----	----	----	780	UNCH		
10600	----	----	----/*1.027A	0.886B/*1.027A	----	0.865 - 0.348	----	----	----	----	----	6	UNCH		
10700	----	----	----/*0.999A	0.987B/*0.999A	----	0.839 - 0.336	----	----	----	----	----	100	UNCH		
10800	0.754	0.754	0.754/*0.754	0.817B/*0.754	----	0.815 - 0.323	----	----	----	1	----	100	UNCH		
11000	0.827	0.827	0.827/*0.750	0.827/*0.750	----	0.769 - 0.302	----	----	----	10	----	266	UNCH		
11350	----	----	----/*0.853A	0.658B/*0.853A	----	0.698 - 0.269	----	----	----	----	----	5	UNCH		
11400	----	----	----/*0.844A	0.645B/*0.844A	----	0.689 - 0.265	----	----	----	----	----	1	UNCH		
11600	----	----	----/*0.807A	0.599B/*0.807A	----	0.654 - 0.249	----	----	----	----	----	1	UNCH		
11800	----	----	----/*0.777A	0.556B/*0.777A	----	0.621 - 0.235	----	----	----	----	----	29	UNCH		
12000	0.659	0.659	0.659/*0.648A	0.659/*0.648A	----	0.591 - 0.222	----	----	----	27	----	600 +	15		
12200	----	----	----/*0.716A	0.480B/*0.716A	----	0.564 - 0.210	----	----	----	----	----	1	UNCH		
12300	----	----	----/*0.703A	0.468B/*0.703A	----	0.550 - 0.205	----	----	----	----	----	2	UNCH		
12500	----	----	----/*0.675A	0.440B/*0.675A	----	0.525 - 0.195	----	----	----	----	----	49	UNCH		
12800	----	----	----/*0.639A	0.402B/*0.639A	----	0.490 - 0.183	----	----	----	----	----	2	UNCH		
13000	0.500	0.500	0.500/*0.500	0.500/*0.500	----	0.469 - 0.175	----	----	----	1	----	389	UNCH		
13500	----	----	----/*0.575A	0.329B/*0.575A	----	0.419 - 0.161	----	----	----	----	----	6	UNCH		
14000	----	----	----	0.287B/0.532A	----	0.375 - 0.151	----	----	----	----	----	97	UNCH		
14200	----	----	----	0.272B/*0.515A	----	0.359 - 0.148	----	----	----	----	----	1	UNCH		
15000	0.400	0.400	0.400/*0.400	0.400/*0.400	----	0.302 - 0.139	----	----	----	1	----	1720 -	1		
16000	----	----	----/0.173B/*0.415A	0.173B/*0.415A	----	0.244 - 0.135	----	----	----	----	----	1612	UNCH		
17000	----	----	----/0.230B/*0.374A	0.230B/*0.374A	----	0.197 - 0.134	----	----	----	----	----	50	UNCH		
18000	0.250	0.250	0.250/*0.250	0.250/*0.250	----	0.160 - 0.135	----	----	----	11	----	142 +	1		
19000	----	----	----	0.088B/*0.313A	----	0.131 - 0.137	----	----	----	----	----	1	UNCH		
20000	0.210	0.210	0.210/*0.210	0.210/*0.210	----	0.109 - 0.138	----	----	----	2	----	481 +	2		
21000	----	----	----	0.055B/*0.273A	----	0.095 - 0.122	----	----	----	----	----	5	UNCH		
22000	----	----	----	0.111B/*0.256A	----	0.084 - 0.109	----	----	----	----	----	1	UNCH		
23000	----	----	----	0.032B/*0.241A	----	0.074 - 0.097	----	----	----	----	----	35	UNCH		
25000	----	----													



PG64	BULLETIN #119@										METALS OPTION PRODUCTS				Tue, Jun 23, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
SO CALL																			
FEB27																			
12975	----	----	----	----/*1.080A	0.871B/*1.080A	----	----	0.928 - 0.284	----	----	----	----	----	1					UNCH
30000	----	----	----	----	0.027B/0.319A	----	----	0.207 - 0.003	----	----	----	----	----	2					UNCH
TOTAL													25	100	126 +				77
MAR27																			
7500	----	----	----	----/*5.396A	5.977B/*5.396A	----	----	5.191 - 1.521	----	----	----	----	----	33					UNCH
7800	----	----	----	----/*4.810A	5.289B/*4.810A	----	----	4.591 - 1.372	----	----	----	----	----	1					UNCH
8000	----	----	----	----/*4.461A	4.872B/*4.461A	----	----	4.243 - 1.281	----	----	----	----	----	201					UNCH
8500	----	----	----	----/*3.755A	4.028B/*3.755A	----	----	3.522 - 1.095	----	----	----	----	----	2					UNCH
8775	----	----	----	----/*3.439A	3.639B/*3.439A	----	----	3.201 - 1.011	----	----	----	----	----	3					UNCH
9000	----	----	----	----/*3.211A	3.358B/*3.211A	----	----	2.970 - 0.947	----	----	----	----	35	90 +					35
9200	----	----	----	----/*3.029A	3.133B/*3.029A	----	----	2.785 - 0.894	----	----	----	----	----	25					UNCH
9500	----	----	----	----/*2.788A	2.834B/*2.788A	----	----	2.540 - 0.820	----	----	----	----	----	50					UNCH
10000	----	----	----	----/*2.451A	2.415B/*2.451A	----	----	2.201 - 0.710	----	----	----	----	----	5					UNCH
10500	----	----	----	----/*2.180A	2.080B/*2.180A	----	----	1.929 - 0.617	----	----	----	----	----	10					UNCH
11000	----	----	----	----/*1.958A	1.807B/*1.958A	----	----	1.708 - 0.538	----	----	----	----	----	1					UNCH
13000	----	----	----	----/*1.283A	1.151B/*1.283A	----	----	1.130 - 0.329	----	----	----	41	36	216 +					41
14000	----	----	----	----/*1.108A	0.869B/*1.108A	----	----	0.954 - 0.263	----	----	----	41	----	216 +					41
15000	1.000	1.000		1.000/*0.850	1.000/*0.850	----	----	0.820 - 0.215	----	----	----	2	----	50 +					2
16000	----	----	----	----/*0.876A	0.614B/*0.876A	----	----	0.716 - 0.177	----	----	----	----	----	22					UNCH
17000	----	----	----	----	0.477B/*0.790A	----	----	0.635 - 0.147	----	----	----	----	----	6					UNCH
20000	----	----	----	----	0.500B/*0.618A	----	----	0.478 - 0.088	----	----	----	----	----	12					UNCH
25000	----	----	----	----	0.129B/*0.466A	----	----	0.302 - 0.053	----	----	----	----	----	7					UNCH
30000	----	----	----	----	0.063B/*0.378A	----	----	0.219 - 0.035	----	----	----	----	----	7					UNCH
TOTAL												84	71	957 +					119
APR27																			
8525	----	----	----	----/*4.276A	4.528B/*4.276A	----	----	4.009 - 1.174	----	----	----	----	----	11					UNCH
13000	----	----	----	----/*1.651A	1.341B/*1.651A	----	----	1.422 - 0.425	----	----	----	----	----	1					UNCH
TOTAL													0	12					0
MAY27																			
11000	----	----	----	----/*2.649A	2.433B/*2.649A	----	----	2.322 - 0.702	----	----	----	----	----	1					UNCH
TOTAL													0	1					0
JUN27																			
6225	11.005	11.005		#11.046/*10.973	12.296B/*10.973A	----	----	10.941 - NEW	----	----	----	22	----	22 +					22
12000	----	----	----	----/*2.551A	2.217B/*2.551A	----	----	2.192 - NEW	----	----	----	1	----	1 +					1
13000	----	----	----	----/*2.200A	1.807B/*2.200A	----	----	1.847 - NEW	----	----	----	1	----	1 +					1
TOTAL												24	0	24 +					24
JUL27																			
2000	----	----	----	----	----	----	----	45.214 - 3.513	----	----	----	----	----	1					UNCH
10000	----	----	----	----	----	----	----	4.936 - 1.123	----	----	----	----	----	1					UNCH
10300	----	----	----	----	----	----	----	4.789 - 1.083	----	----	----	----	----	1					UNCH
TOTAL													0	3					0
DEC27																			
4000	----	----	----	----	----	----	----	29.373 - 3.117	----	----	----	----	----	1					UNCH
20000	----	----	----	----	----	----	----	3.767 - 0.681	----	----	----	----	----	25					UNCH
TOTAL													0	26					0
SO PUT																			
JUL26																			
2000	----	----	----	----	----/0.003A	----	----	0.001 - UNCH	----	----	----	----	----	6					UNCH
2400	----	----	----	----	----/0.156A	----	----	0.001 - UNCH	----	----	----	----	----	10					UNCH
2650	----	----	----	----	----/0.156A	----	----	0.001 - UNCH	----	----	----	----	----	6					UNCH
2700	----	----	----	----	----/0.156A	----	----	0.001 - UNCH	----	----	----	----	----	2					UNCH
2900	----	----	----	----	----/*0.016A	----	----	0.001 - UNCH	----	----	----	----	----	2					UNCH
3000	----	----	----	----	0.001B/0.008A	----	----	0.001 - UNCH	----	----	----	----	----	12					UNCH
3025	----	----	----	----	----/0.017A	----	----	0.001 - UNCH	----	----	----	----	----	1					UNCH
3175	----	----	----	----	----/0.017A	----	----	0.001 - UNCH	----	----	----	----	----	10					UNCH
3275	----	----	----	----	----/0.018A	----	----	0.001 - UNCH	----	----	----	----	----	1					UNCH
3350	----	----	----	----	----/0.016A	----	----	0.001 - UNCH	----	----	----	----	----	2					UNCH
3400	----	----	----	----	----/*0.017A	----	----	0.001 - UNCH	----	----	----	----	----	55					UNCH
3475	----	----	----	----	----/0.016A	----	----	0.001 - UNCH	----	----	----	----	----	5					UNCH
3500	----	----	----	----	0.001B/0.016A	----	----	0.001 - UNCH	----	----	----	----	----	6					UNCH
3600	----	----	----	----	----/0.017A	----	----	0.001 - UNCH	----	----	----	----	----	21					UNCH
3700	----	----	----	----	----/0.017A	----	----	0.001 - UNCH	----	----	----	----	----	95					UNCH
3800	----	----	----	----	----/0.017A	----	----	0.001 - UNCH	----	----	----	----	----	25					UNCH
3825	----	----	----	----	----/*0.017A	----	----	0.001 - UNCH	----	----	----	----	----	8					UNCH
3850	----	----	----	----	----/*0.018A	----	----	0.001 - UNCH	----	----	----	----	----	3					UNCH
3900	----	----	----	----	----/0.018A	----	----	0.001 - UNCH	----	----	----	----	----	12					UNCH
3950	----	----	----	----	----/*0.018A	----	----	0.001 - UNCH	----	----	----	----	----	1					UNCH
4000	----	----	----	0.002B/----	0.002B/0.010A	----	----	0.001 - UNCH	----	----	----	----	----	103					UNCH
4075	----	----	----	----	----/*0.019A	----	----	0.001 - UNCH	----	----	----	----	----	16					UNCH
4100	----	----	----	----	----/*0.019A	----	----	0.001 - UNCH	----	----	----	----	----	6					UNCH
4175	----	----	----	----	----/*0.019A	----	----	0.001 - UNCH	----	----	----	----	----	9					UNCH
4200	----	----	----	----	----/0.020A	----	----	0.001 - UNCH	----	----	----	----	----	28					UNCH
4225	----	----	----	----	----/*0.020A	----	----	0.001 - UNCH	----	----	----	----	----	1					UNCH
4250	----	----	----	----	----/*0.020A	----	----	0.001 - UNCH	----	----	----	----	----	21					UNCH
4300	----	----	----	0.002B/----	0.002B/*0.015A	----	----	0.001 - UNCH	----	----	----	----	----	98					UNCH
4325	----	----	----	----	----/*0.021A	----	----	0.001 - UNCH	----	----	----	----	----	17					UNCH
4350	----	----	----	----	----/*0.021A	----	----	0.001 - UNCH	----	----	----	----	----	3					UNCH
4375	----	----	----	----	----/*0.022A	----	----	0.001 - UNCH	----	----	----	----	----	32					UNCH
4400	----	----	----	----	----/*0.022A	----	----	0.001 - UNCH	----	----	----	----	----	33					UNCH
4425	----	----	----	----	----/0.022A	----	----	0.001 - UNCH	----	----	----	----	----	1					UNCH
4450	----	----	----	----	----/*0.023A	----	----	0.001 - UNCH	----	----	----	----	----	4					UNCH
4475	----	----	----	----	----/0.023A	----	----	0.002 + 0.001	----	----	----	----	----	19					UNCH
4500	----	----	----	0.003B/----	0.003B/0.010A	----	----	0.002 + 0.001	----	----	----	----	----	289					UNCH
4575	----	----	----	----	----/0.025A	----	----	0.002 + 0.001	----	----	----	----	----	75					UNCH
4600	----	----	----	0.004B/----	0.004B/*0.016A	----	----	0.002 + 0.001	----	----	----	----	----	101					UNCH
4625	----	----	----	----	----/0.026A	----	----	0.002 + 0.001	----	----	----	----	----	11					UNCH
4650	----	----	----	----	----/*0.026A	----	----	0.002 + 0.001	----	----	----	----	----	40					UNCH
4675	----	----	----	----	----/*0.027A	----	----	0.002 - UNCH	----	----	----	----	----	12					UNCH
4700	----	----	----	0.005B/----	0.005B/0.021A	----	----	0.002 - UNCH	----	----	----	----	----	172					UNCH
4725	----	----	----	----	----/*0.027A	----	----	0.002 - UNCH	----	----	----	----	----	3					UNCH
4750	----	----	----	----	----/*0.028A	----	----	0.002 - UNCH	----	----	----	----	----	55					UNCH
4775	----	----	----	----	----/*0.029														



PG64	BULLETIN #119@				METALS OPTION PRODUCTS					Tue, Jun 23, 2026					PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO PUT SEP26	COMEX SILVER OPTIONS														
5625	-----	-----	-----	2.2648/-	2.2648/1.413A	-----	-----	2.046 + 0.776	-----	-----	-----	-----	-----	1	UNCH
5700	2.086	2.086	-----	2.4988/2.086	2.4988/1.566A	-----	-----	2.261 + 0.848	-----	-----	-----	2	-----	35 +	2
5725	-----	-----	-----	2.5818/-	2.5818/1.620A	-----	-----	2.337 + 0.873	-----	-----	-----	-----	-----	6	UNCH
5750	-----	-----	-----	2.6638/-	2.6638/1.676A	-----	-----	2.416 + 0.899	-----	-----	-----	-----	-----	1	UNCH
5800	-----	-----	-----	2.8448/-	2.8448/1.794A	-----	-----	2.578 + 0.950	-----	-----	2	-----	-----	116	UNCH
5825	-----	-----	-----	2.9348/-	2.9348/1.856A	-----	-----	2.663 + 0.976	-----	-----	-----	-----	-----	86	UNCH
5875	-----	-----	-----	3.1298/-	3.1298/1.983A	-----	-----	2.839 + 1.029	-----	-----	-----	-----	-----	5	UNCH
5900	3.027	3.027	-----	3.2218/3.027	3.2218/2.054A	-----	-----	2.931 + 1.056	-----	-----	1	-----	-----	63 +	1
5950	-----	-----	-----	3.4288/-	3.4288/2.193A	-----	-----	3.121 + 1.111	-----	-----	-----	-----	-----	5	UNCH
5975	-----	-----	-----	3.5388/-	3.5388/2.268A	-----	-----	3.219 + 1.138	-----	-----	1	-----	-----	11 +	1
6000	3.450	3.450	-----	3.6498/3.340	3.6498/2.339A	-----	-----	3.320 + 1.166	-----	-----	-----	126	-----	913 +	89
6025	-----	-----	-----	3.7588/-	3.7588/2.424A	-----	-----	3.424 + 1.195	-----	-----	1	-----	-----	1	UNCH
6050	-----	-----	-----	3.8718/-	3.8718/2.498A	-----	-----	3.530 + 1.224	-----	-----	-----	-----	-----	19	UNCH
6075	-----	-----	-----	3.9878/-	3.9878/2.588A	-----	-----	3.638 + 1.253	-----	-----	-----	-----	-----	5	UNCH
6100	-----	-----	-----	4.1058/-	4.1058/2.665A	-----	-----	3.749 + 1.283	-----	-----	-----	-----	-----	113	UNCH
6175	-----	-----	-----	4.4758/-	4.4758/2.938A	-----	-----	4.097 NEW	-----	-----	1	-----	-----	1 +	1
6200	4.350	4.350	-----	4.6008/4.350	4.6008/3.036A	-----	-----	4.219 + 1.405	-----	-----	5	-----	-----	149 +	2
6225	-----	-----	-----	4.7348/-	4.7348/3.133A	-----	-----	4.342 + 1.435	-----	-----	-----	-----	-----	175	UNCH
6250	-----	-----	-----	4.8648/-	4.8648/3.232A	-----	-----	4.469 + 1.466	-----	-----	-----	-----	-----	0	UNCH
6275	-----	-----	-----	5.0038/-	5.0038/3.336A	-----	-----	4.597 + 1.496	-----	-----	-----	-----	-----	64	UNCH
6300	4.350	4.350	-----	5.1418/4.350	5.1418/3.440A	-----	-----	4.729 + 1.528	-----	-----	7	-----	-----	43	UNCH
6325	5.141	5.141	-----	5.2798/5.141	5.2798/3.544A	-----	-----	4.863 NEW	-----	-----	1	-----	-----	1 +	1
6375	-----	-----	-----	5.5708/-	5.5708/3.765A	-----	-----	5.139 + 1.622	-----	-----	-----	-----	-----	1	UNCH
6400	-----	-----	-----	5.7178/-	5.7178/3.881A	-----	-----	5.280 + 1.653	-----	-----	-----	-----	-----	50	UNCH
6425	-----	-----	-----	5.8648/-	5.8648/3.984A	-----	-----	5.424 + 1.684	-----	-----	-----	-----	-----	1	UNCH
6450	-----	-----	-----	6.0208/-	6.0208/4.103A	-----	-----	5.571 + 1.715	-----	-----	-----	-----	-----	1	UNCH
6500	5.822	5.822	-----	6.3258/5.822	6.3258/4.351A	-----	-----	5.871 + 1.777	-----	-----	3	-----	-----	192	UNCH
6525	-----	-----	-----	6.4618/-	6.4618/4.478A	-----	-----	6.025 + 1.808	-----	-----	-----	-----	-----	3	UNCH
6550	-----	-----	-----	6.6378/-	6.6378/4.606A	-----	-----	6.182 + 1.839	-----	-----	-----	-----	-----	37	UNCH
6600	-----	-----	-----	6.9598/-	6.9598/4.870A	-----	-----	6.501 + 1.900	-----	-----	2	-----	-----	37 +	2
6625	-----	-----	-----	7.1098/-	7.1098/5.003A	-----	-----	6.665 + 1.931	-----	-----	-----	-----	-----	14	UNCH
6700	-----	-----	-----	7.6158/-	7.6158/5.430A	-----	-----	7.168 + 2.020	-----	-----	-----	-----	-----	556	UNCH
6750	-----	-----	-----	7.9478/-	7.9478/5.725A	-----	-----	7.514 + 2.079	-----	-----	-----	-----	-----	1	UNCH
6800	-----	-----	-----	8.3088/-	8.3088/6.028A	-----	-----	7.869 + 2.137	-----	-----	-----	-----	-----	16	UNCH
6850	-----	-----	-----	8.6828/-	8.6828/6.343A	-----	-----	8.232 + 2.193	-----	-----	-----	-----	-----	2	UNCH
6900	-----	-----	-----	9.0558/-	9.0558/6.661A	-----	-----	8.602 + 2.248	-----	-----	-----	-----	-----	25	UNCH
6975	-----	-----	-----	9.6388/-	9.6388/7.243A	-----	-----	9.172 + 2.328	-----	-----	-----	-----	-----	15	UNCH
7000	9.794	9.794	-----	9.8538/9.794	9.8538/7.413A	-----	-----	9.366 + 2.355	-----	-----	1	-----	-----	202	UNCH
7050	-----	-----	-----	10.2218/-	10.2218/7.760A	-----	-----	9.758 + 2.406	-----	-----	-----	-----	-----	2	UNCH
7075	-----	-----	-----	10.4228/-	10.4228/7.936A	-----	-----	9.956 + 2.430	-----	-----	-----	-----	-----	5	UNCH
7100	-----	-----	-----	10.6268/-	10.6268/8.052A	-----	-----	10.156 + 2.454	-----	-----	-----	-----	-----	20	UNCH
7125	-----	-----	-----	10.8448/-	10.8448/8.295A	-----	-----	10.358 + 2.479	-----	-----	-----	-----	-----	25	UNCH
7175	-----	-----	-----	11.2608/-	11.2608/8.653A	-----	-----	10.766 + 2.526	-----	-----	-----	-----	-----	30	UNCH
7200	-----	-----	-----	11.4928/-	11.4928/8.846A	-----	-----	10.972 + 2.548	-----	-----	-----	-----	-----	77	UNCH
7300	-----	-----	-----	12.3388/-	12.3388/9.606A	-----	-----	11.811 + 2.636	-----	-----	-----	-----	-----	171	UNCH
7400	-----	-----	-----	13.1918/-	13.1918/10.391A	-----	-----	12.669 + 2.716	-----	-----	-----	-----	-----	26	UNCH
7450	-----	-----	-----	13.6198/-	13.6198/10.792A	-----	-----	13.105 + 2.754	-----	-----	1	-----	-----	2 +	1
7500	-----	-----	-----	14.0638/-	14.0638/11.192A	-----	-----	13.544 + 2.790	-----	-----	-----	-----	-----	18	UNCH
7550	-----	-----	-----	14.5118/-	14.5118/11.604A	-----	-----	13.988 + 2.825	-----	-----	-----	-----	-----	44	UNCH
7600	-----	-----	-----	14.9748/-	14.9748/12.019A	-----	-----	14.435 + 2.858	-----	-----	-----	-----	-----	29	UNCH
7650	-----	-----	-----	15.4178/-	15.4178/12.448A	-----	-----	14.885 + 2.889	-----	-----	-----	-----	-----	16	UNCH
7700	-----	-----	-----	15.8758/-	15.8758/12.875A	-----	-----	15.338 + 2.919	-----	-----	-----	-----	-----	9	UNCH
7775	-----	-----	-----	16.5658/-	16.5658/13.514A	-----	-----	16.024 + 2.963	-----	-----	-----	-----	-----	5	UNCH
7800	-----	-----	-----	16.8078/-	16.8078/13.733A	-----	-----	16.253 + 2.976	-----	-----	-----	-----	-----	26	UNCH
7900	-----	-----	-----	17.7298/-	17.7298/14.612A	-----	-----	17.178 + 3.026	-----	-----	-----	-----	-----	1	UNCH
8000	-----	-----	-----	18.6848/-	18.6848/15.504A	-----	-----	18.112 + 3.072	-----	-----	-----	-----	-----	93	UNCH
8100	-----	-----	-----	19.6148/-	19.6148/16.407A	-----	-----	19.055 + 3.114	-----	-----	-----	-----	-----	4	UNCH
8200	-----	-----	-----	20.5678/-	20.5678/17.322A	-----	-----	20.004 + 3.151	-----	-----	-----	-----	-----	1	UNCH
8300	-----	-----	-----	21.5248/-	21.5248/18.245A	-----	-----	20.959 + 3.184	-----	-----	-----	-----	-----	1	UNCH
8400	-----	-----	-----	22.4928/-	22.4928/19.176A	-----	-----	21.919 + 3.214	-----	-----	-----	-----	-----	42	UNCH
8500	-----	-----	-----	23.4648/-	23.4648/20.117A	-----	-----	22.883 + 3.241	-----	-----	-----	-----	-----	227	UNCH
8700	-----	-----	-----	25.4148/-	25.4148/22.006A	-----	-----	24.820 + 3.287	-----	-----	-----	-----	-----	101	UNCH
9000	-----	-----	-----	#28.342B/-	#28.342B/24.883A	-----	-----	27.744 + 3.342	-----	-----	-----	-----	-----	74	UNCH
9300	-----	-----	-----	#31.274B/-	#31.274B/27.791A	-----	-----	30.688 + 3.382	-----	-----	-----	-----	-----	1	UNCH
9400	-----	-----	-----	#32.260B/-	#32.260B/28.766A	-----	-----	31.673 + 3.394	-----	-----	-----	-----	-----	15	UNCH
10150	-----	-----	-----	#39.623B/-	#39.623B/36.125A	-----	-----	39.088 + 3.458	-----	-----	-----	-----	-----	1	UNCH
10300	-----	-----	-----	#41.139B/-	#41.139B/37.606A	-----	-----	40.576 + 3.467	-----	-----	-----	-----	-----	1	UNCH
11000	-----	-----	-----	#47.670B/-	#47.670B/47.451A	-----	-----	47.527 + 3.496	-----	-----	-----	-----	-----	1	UNCH
TOTAL												550	42	5432 +	415
OCT26															
2675	-----	-----	-----	0.0308/-	0.0308/0.147A	-----	-----	0.026 + 0.010	-----	-----	-----	-----	-----	8	UNCH
3000	-----	-----	-----	0.0598/-	0.0598/0.181A	-----	-----	0.041 + 0.016	-----	-----	-----	-----	-----	9	UNCH
3250	-----	-----	-----	0.2518/-	0.2518/0.376A	-----	-----	0.068 + 0.027	-----	-----	-----	-----	-----	1	UNCH
4000	-----	-----	-----	0.4588/*0.225	0.4588/*0.225	-----	-----	0.250 + 0.095	-----	-----	-----	-----	-----	3	UNCH
4375	0.225	0.225	-----	0.5608/*0.560	0.5608/*0.560	-----	-----	0.448 NEW	-----	-----	1	-----	-----	1 +	1
4500	0.560	0.560	-----	1.2008/-	1.2008/1.021A	-----	-----	0.541 + 0.201	-----	-----	1	-----	-----	1	UNCH
5000	-----	-----	-----	1.2888/-	1.2888/1.078A	-----	-----	1.115 + 0.393	-----	-----	5	-----	-----	8 +	3
5050	-----	-----	-----	1.3768/-	1.3768/1.139A	-----	-----	1.196 + 0.419	-----	-----	-----	-----	-----	1	UNCH
5100	-----	-----	-----	1.4738/-	1.4738/1.204A	-----	-----	1.281 NEW	-----	-----	7	-----	-----	7 +	7
5150	-----	-----	-----	2.3148/-	2.3148/1.787A	-----	-----	1.373 + 0.473	-----	-----	-----	-----	-----	5	UNCH
5500	-----	-----	-----	2.3378/-	2.3378/1.837A	-----	-----	2.176 + 0.739	-----	-----	-----	-----	-----	2	UNCH
5525	-----	-----	-----	2.4948/-	2.4948/1.943A	-----	-----	2.244 + 0.761	-----	-----	-----	-----	-----	1	UNCH
5575	-----	-----	-----	2.6742/2.674	2.6742/2.057A	-----	-----	2.385 + 0.804	-----	-----	-----	-----	-----	1	UNCH
5625	2.674	2.674	-----	3.1108/-	3.1108/2.366A	-----	-----	2.533 NEW	-----	-----	1	-----	-----	1 +	1
5750	-----														

PG64	BULLETIN #119@				METALS OPTION PRODUCTS					Tue, Jun 23, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO PUT	COMEX SILVER OPTIONS													
TOTAL										44	0	989 +	35	
NOV26														
4500	----	----	0.745B/----	0.745B/0.792A	----	0.752 + 0.256	----	----	----	----	----	1	UNCH	
4550			0.802B/----	0.802B/0.831A		0.808 + 0.274						1	UNCH	
4800	0.897	0.897	1.116B/0.897	1.116B/0.897	----	1.140 + 0.374				2		3 +	2	
5000	1.597	1.597	1.597/1.597	1.597/1.325A		1.479 + 0.471				1		136 +	1	
5200	----	----	1.792B/----	1.792B/1.644A	----	1.894 + 0.583				----	----	1	UNCH	
5400			2.318B/----	2.318B/2.041A		2.397 + 0.712						8	UNCH	
5500	2.820	2.820	2.872B/2.819	2.872B/2.272A	----	2.684 + 0.782				26		71 +	26	
5600	----	----	2.956B/----	2.956B/2.526A		2.997 + 0.856						9	UNCH	
5950	----	----	4.351B/----	4.351B/3.622A	----	4.308 + 1.139						1	UNCH	
6000			4.561B/----	4.561B/3.808A		4.530 + 1.185						17	UNCH	
6425	6.999	6.999	6.999/6.999	6.999/5.696A	----	6.753 + 1.616				1		0 -	1	
6500	----	----	7.299B/----	7.299B/6.080A		7.195 + 1.689						41	UNCH	
6675	----	----	8.402B/----	8.402B/7.029A	----	8.287 + 1.854						20	UNCH	
6700	----	----	8.557B/----	8.557B/7.194A		8.449 + 1.876						50	UNCH	
7000	----	----	10.682B/----	10.682B/9.042A	----	10.515 + 2.120						41	UNCH	
7025	----	----	11.024B/----	11.024B/9.207A		10.697 + 2.139						6	UNCH	
7050	----	----	11.090B/----	11.090B/9.372A	----	10.879 + 2.157						50	UNCH	
7400	----	----	13.717B/----	13.717B/11.840A		13.563 + 2.380						24	UNCH	
7500	----	----	14.497B/----	14.497B/12.576A	----	14.369 + 2.434						7	UNCH	
7700	----	----	15.889B/----	15.889B/14.144A		16.022 + 2.531						50	UNCH	
8500	----	----	#22.411B/----	#22.411B/23.657A	----	23.063 + 2.830						60	UNCH	
9000	----	----	----	13.608B/41.976A		27.692 + 2.971						5	UNCH	
10000	----	----	----	23.148B/51.523A	----	37.244 + 3.181						1	UNCH	
11000	----	----	----	33.170B/61.085A	----	47.014 + 3.326						1	UNCH	
TOTAL										30	0	604 +	28	
DEC26														
1500	----	----	----	-----/0.030A	----	0.002 + 0.001	----	----	----	----	----	180	UNCH	
2000	----	----	----	0.001B/0.202A		0.011 + 0.004						10	UNCH	
2500	----	----	----	0.001B/0.243A	----	0.040 + 0.015						32	UNCH	
3000	----	----	----	0.053B/0.254A		0.109 + 0.039						93	UNCH	
3100	----	----	----	0.071B/0.277A		0.131 + 0.048						1	UNCH	
3150	----	----	----	0.080B/0.289A	----	0.143 + 0.052						1	UNCH	
3500	----	----	0.174B/----	0.174B/0.396A		0.253 + 0.089						45	UNCH	
3850	----	----	0.328B/----	0.328B/0.541A	----	0.425 + 0.146						1	UNCH	
3925	----	----	0.369B/----	0.369B/0.574A		0.472 + 0.161						1	UNCH	
4000	----	----	0.418B/----	0.418B/0.610A	----	0.523 + 0.178						74	UNCH	
4500	----	----	0.834B/----	0.834B/0.965A		0.987 + 0.321						34	UNCH	
4600	----	----	0.930B/----	0.930B/1.067A	----	1.114 + 0.359						4	UNCH	
4750	----	----	1.265B/----	1.265B/1.243A		1.331 + 0.421						1	UNCH	
4800	----	----	1.252B/----	1.252B/1.309A	----	1.411 + 0.443						241	UNCH	
5000	1.850	1.850	1.850/1.850	1.850/1.611A		1.780 + 0.544				1		370	UNCH	
5100	----	----	1.877B/----	1.877B/1.788A	----	1.996 + 0.600						2	UNCH	
5250	----	----	2.264B/----	2.264B/2.089A		2.363 + 0.691						50	UNCH	
5300	----	----	2.405B/----	2.405B/2.199A	----	2.498 + 0.723						250	UNCH	
5400	2.843	2.843	2.900B/2.823	2.900B/2.435A		2.786 + 0.790				10		110	UNCH	
5500	3.230	3.230	3.337B/3.230	3.337B/2.697A	----	3.101 + 0.860				10		239 -	10	
5600	----	----	3.395B/----	3.395B/2.982A		3.443 + 0.933						10	UNCH	
5650	----	----	3.581B/----	3.581B/3.131A	----	3.625 + 0.971						12	UNCH	
5800	----	----	4.198B/----	4.198B/3.624A		4.213 + 1.087						10	UNCH	
5950	----	----	4.868B/----	4.868B/4.176A	----	4.866 + 1.207						5	UNCH	
6000	4.535	4.535	5.410B/4.535	5.410B/4.374A		5.098 + 1.247				12		137 +	2	
6100	----	----	5.612B/----	5.612B/4.792A	----	5.584 + 1.328						3	UNCH	
6200	----	----	6.145B/----	6.145B/5.247A		6.099 + 1.410						13	UNCH	
6300	----	----	6.690B/----	6.690B/5.742A	----	6.642 + 1.492						35	UNCH	
6500	----	----	7.873B/----	7.873B/6.766A		7.809 + 1.652						744	UNCH	
6600	----	----	8.515B/----	8.515B/7.310A	----	8.431 + 1.730						15	UNCH	
6650	----	----	8.845B/----	8.845B/7.582A		8.752 + 1.769						5	UNCH	
6700	----	----	9.150B/----	9.150B/7.888A	----	9.078 + 1.799						32	UNCH	
6725	----	----	9.330B/----	9.330B/8.024A		9.243 + 1.814						4	UNCH	
6750	----	----	9.505B/----	9.505B/8.194A	----	9.409 + 1.829						6	UNCH	
6800	----	----	9.840B/----	9.840B/8.500A		9.746 + 1.859				2		149	UNCH	
6850	----	----	10.170B/----	10.170B/8.806A	----	10.087 + 1.888						78	UNCH	
6900	----	----	10.530B/----	10.530B/9.112A		10.433 + 1.917						1	UNCH	
6950	----	----	10.891B/----	10.891B/9.418A	----	10.783 + 1.945						22	UNCH	
7000	----	----	11.250B/----	11.250B/9.758A		11.139 + 1.974						228	UNCH	
7075	----	----	11.790B/----	11.790B/10.268A	----	11.680 + 2.015						20	UNCH	
7100	----	----	12.096B/----	12.096B/10.438A		11.863 + 2.030						2	UNCH	
7200	----	----	12.720B/----	12.720B/11.118A	----	12.605 + 2.085						14	UNCH	
7250	----	----	13.110B/----	13.110B/11.458A		12.982 + 2.112						48	UNCH	
7500	----	----	15.090B/----	15.090B/13.260A	----	14.929 + 2.247						22	UNCH	
7550	----	----	15.480B/----	15.480B/13.634A		15.330 + 2.274						1	UNCH	
7800	----	----	17.217B/----	17.217B/15.572A	----	17.387 + 2.409						20	UNCH	
7850	----	----	#17.632B/----	17.632B/15.980A		17.808 + 2.435						10	UNCH	
7875	----	----	#17.840B/----	17.840B/16.184A	----	18.019 + 2.448						1	UNCH	
7900	----	----	#18.050B/----	#18.050B/16.388A		18.231 + 2.460						19	UNCH	
8000	----	----	18.894B/----	18.894B/17.204A	----	19.086 + 2.510						57	UNCH	
8100	----	----	#19.747B/----	#19.747B/18.020A		19.951 + 2.558						1	UNCH	
8200	----	----	#20.610B/----	#20.610B/21.512A	----	20.824 + 2.603						35	UNCH	
8350	----	----	#21.920B/----	#21.920B/22.830A		22.150 + 2.668						9	UNCH	
8400	----	----	#22.360B/----	#22.360B/23.273A	----	22.596 + 2.688						50	UNCH	
8500	----	----	#23.246B/----	#23.246B/24.165A		23.493 + 2.728						166	UNCH	
8550	----	----	#23.691B/----	#23.691B/24.614A	----	23.944 + 2.747						25	UNCH	
8600	----	----	#24.141B/----	#24.141B/25.063A		24.396 + 2.765				11		9 +	7	
8800	----	----	#25.498B/----	#25.498B/26.876A		26.220 + 2.834						12	UNCH	
8900	----	----	#26.259B/----	#26.259B/28.273A		27.140 + 2.867						30	UNCH	
9000	----	----	----	10.421B/45.955A	----	28.065 + 2.897						3	UNCH	
9050	----	----	----	10.844B/46.452A		28.529 + 2.912						100	UNCH	
9500	----	----	----	14.858B/50.816A	----	32.747 + 3.028						2	UNCH	
9850	----	----	----	18.211B/54.094A		36.073 + 3.103						8	UNCH	
9950	----	----	----	19.170B/55.031A	----	37.029 + 3.122						1	UNCH	
10025	----	----	----	19.927B/55.726A		37.747 + 3.135						3	UNCH	
10125	----	----	----	20.910B/56.672A	----	38.707 + 3.152						1	UNCH	
10700	----	----	----	26.713B/61.963A		44.265 + 3.241						5	UNCH	
10800	----	----	----	27.743B/62.889A	----	45.237 + 3.254						2	UNCH	
11000	----	----	----	29.796B/64.744A		47.185 + 3.279						2	UNCH	
11500	----	----	----	34.852B/69.401A	----	52.076 + 3.333						1	UNCH	
12000	----	----	----	39.992B/74.074A		56.990 + 3.376						1	UNCH	
12100	----	----	----	41.042B/75.034A	----	57.975 + 3.384						1	UNCH	
12300	----	----	----	43.092B/76.948A	----	59.948 + 3.399	----	----	----			1	UNCH	
TOTAL										46	0	3930 -	1	
JAN27														
3800	----	----	----	0.337B/0.606A	----	0.491 + 0.129	----	----	----	----	----	1	UNCH	
5000	----	----	#1.847B/----	1.847B/1.753A		1.985 + 0.486						5	UNCH	
6000	----	----	#5.407B/----	5.407B/4.757A		5.403 + 1.153						5	UNCH	
6500	----	----	#8.137B/----	8.137B/7.141A		8.094 + 1.527						1	UNCH	
6925	----	----	#10.916B/----	#10.916B/9.614A		10.862 + 1.792						24	UNCH	
7000	----	----	#11.434B/----											

PG64	BULLETIN #119@										METALS OPTION PRODUCTS				Tue, Jun 23, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	OUTCRY HIGH/LOW	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OUTCRY CLOSE RANGE	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
SO PUT																		
MAR27																		
8500	----	----		#23.920B/----	#23.920B/22.500A	----		24.241 + 2.439	----	----	----	----	----	3				UNCH
8975	----	----		#28.016B/----	#28.016B/29.269A	----		28.397 + 2.586	----	----	----	----	----	1				UNCH
10500	----	----		----	10.482B/74.649A	----		42.414 + 2.949	----	----	----	----	----	10				UNCH
TOTAL												1	0	275 -				1
APR27																		
4000	----	----		0.771B/----	0.771B/1.083A	----		0.901 + 0.182	----	----	----	----	----	1				UNCH
5600	----	----		#4.603B/----	#4.603B/4.402A	----		4.749 + 0.869	----	----	----	----	----	10				UNCH
6000	----	----		#6.451B/----	#6.451B/5.998A	----		6.553 + 1.147	----	----	----	----	----	100				UNCH
7925	----	----		#19.440B/----	#19.440B/18.081A	----		19.498 + 2.128	----	----	----	----	----	2				UNCH
8725	----	----		#26.019B/----	#26.019B/24.450A	----		26.164 + 2.440	----	----	----	----	----	3				UNCH
TOTAL													0	116				0
MAY27																		
6500	----	----		9.653B/----	9.653B/9.048A	----		9.782 + 1.428	----	----	----	----	----	12				UNCH
TOTAL													0	12				0
JUN27																		
4500	1.890	1.890		#1.890/*1.890	#1.890/1.890	----		1.994 NEW	----	----	----	2	----	2 +				2
5600	----	----		#5.111B/----	#5.111B/5.070A	----		5.346 NEW	----	----	----	2	----	2 +				2
6500	----	----		#9.776B/----	#9.776B/9.296A	----		9.963 NEW	----	----	----	11	----	10 +				10
TOTAL												15	0	14 +				14
DEC27																		
7175	----	----		----	----	----		16.018 + 1.540	----	----	----	----	----	25				UNCH
TOTAL													0	25				0
SO2 CALL																		
JUL26																		
6350	----	----		----/*1.895A	3.410B/*1.895A	----		1.990 - 2.014	----	----	----	----	----	10				UNCH
6400	----	----		----/*1.698A	3.072B/*1.698A	----		1.778 - 1.892	----	----	----	----	----	11				UNCH
6500	----	----		----/*1.364A	2.608B/*1.364A	----		1.408 - 1.644	----	----	----	----	----	2				UNCH
6600	----	----		----/*1.089A	2.072B/*1.089A	----		1.107 - 1.399	----	----	----	----	----	32				UNCH
6650	----	----		----/*0.974A	1.843B/*0.974A	----		0.980 - 1.280	----	----	----	----	----	6				UNCH
6700	----	----		----/*0.871A	1.636B/*0.871A	----		0.866 - 1.167	----	----	----	----	----	25				UNCH
6750	----	----		----/*0.775A	1.443B/*0.775A	----		0.766 - 1.058	----	----	----	----	----	24				UNCH
7000	----	----		----/*0.463A	0.730B/*0.463A	----		0.420 - 0.613	----	----	----	----	----	5				UNCH
7100	----	----		----/*0.405A	0.544B/*0.405A	----		0.334 - 0.485	----	----	----	----	----	7				UNCH
7300	----	----		----/*0.291A	0.359B/*0.291A	----		0.221 - 0.301	----	----	----	----	----	8				UNCH
7350	----	----		----/*0.288A	0.248B/*0.288A	----		0.201 - 0.268	----	----	----	----	----	1				UNCH
7500	----	----		----/*0.226A	0.128B/*0.226A	----		0.155 - 0.191	----	----	----	----	----	18				UNCH
7850	0.135	0.135		0.135/*0.135	0.135/*0.135	----		0.098 - 0.098	----	----	----	2	----	0 -				2
7900	0.140	0.140		0.140/*0.091	0.140/*0.091	----		0.094 - 0.089	----	----	----	3	----	1				UNCH
8000	----	----		----/*0.143A	0.051B/*0.143A	----		0.086 - 0.076	----	----	----	----	----	9				UNCH
TOTAL												5	0	159 -				2
SO2 PUT																		
JUL26																		
5000	0.250	0.250		0.250/*0.250	0.250/0.244A	----		0.221 NEW	----	----	----	3	----	3 +				3
5500	0.450	0.450		0.600/0.450	0.600/0.428A	----		0.540 + 0.282	----	----	----	3	----	4 +				3
5700	0.945	0.945		0.945/0.937	0.945/0.579A	----		0.800 + 0.431	----	----	----	11	----	90 -				10
5950	----	----		1.517B/----	1.517B/0.873A	----		1.337 + 0.729	----	----	----	----	----	1				UNCH
6000	----	----		1.692B/----	1.692B/0.952A	----		1.482 + 0.807	----	----	----	----	----	2				UNCH
6400	----	----		3.486B/----	3.486B/1.993A	----		3.262 + 1.654	----	----	----	----	----	4				UNCH
6500	----	----		#4.144B/----	#4.144B/2.388A	----		3.891 + 1.902	----	----	----	----	----	2				UNCH
6550	----	----		#4.504B/----	#4.504B/2.639A	----		4.231 + 2.025	----	----	----	----	----	25				UNCH
6600	----	----		#4.880B/----	#4.880B/2.886A	----		4.588 + 2.147	----	----	----	----	----	14				UNCH
6700	----	----		#5.674B/----	#5.674B/3.433A	----		5.346 + 2.380	----	----	----	----	----	49				UNCH
6750	6.000	6.000		#6.089B/6.000	#6.089B/3.872A	----		5.745 + 2.488	----	----	----	1	----	1				UNCH
6950	----	----		#7.858B/----	#7.858B/5.324A	----		7.448 + 2.858	----	----	----	----	----	5				UNCH
7000	----	----		#8.315B/----	#8.315B/5.698A	----		7.895 + 2.933	----	----	----	----	----	2				UNCH
TOTAL												18	0	202 -				4
SO3 CALL																		
JUL26																		
6300	2.921	2.921		2.921/*2.563A	4.123B/*2.563A	----		2.619 NEW	----	----	----	15	----	15 +				15
6500	----	----		----/*1.776A	3.028B/*1.776A	----		1.766 - 1.749	----	----	----	----	----	1				UNCH
6650	----	----		----/*1.356A	2.235B/*1.356A	----		1.291 - 1.458	----	----	----	----	----	6				UNCH
6800	1.650	1.650		1.650/*1.016A	1.650/*1.016A	----		0.939 - 1.177	----	----	----	3	----	9				UNCH
7000	0.850	0.850		0.850/*0.716A	1.052B/*0.716A	----		0.625 - 0.835	----	----	----	1	----	0 -				1
7200	----	----		----/*0.530A	0.636B/*0.530A	----		0.433 - 0.560	----	----	----	----	----	3				UNCH
7250	----	----		----/*0.505A	0.536B/*0.505A	----		0.398 - 0.505	----	----	----	----	----	2				UNCH
7300	----	----		----/*0.458A	0.497B/*0.458A	----		0.367 - 0.454	----	----	----	----	----	6				UNCH
7500	----	----		----/*0.354A	0.290B/*0.354A	----		0.271 - 0.303	----	----	----	----	----	9				UNCH
7700	0.240	0.240		0.240/*0.240	0.240/*0.240	----		0.209 - 0.212	----	----	----	7	----	0 -				7
7800	----	----		----/*0.259A	0.169B/*0.259A	----		0.186 - 0.182	----	----	----	----	----	2				UNCH
TOTAL												26	0	53 +				7
SO3 PUT																		
JUL26																		
5500	0.897	0.897		0.897/0.897	0.897/0.579A	----		0.767 NEW	----	----	----	1	----	1 +				1
6000	----	----		2.053B/----	2.053B/1.283A	----		1.861 + 0.917	----	----	----	----	----	2				UNCH
6200	----	----		2.883B/----	2.883B/1.796A	----		2.629 + 1.238	----	----	----	----	----	80				UNCH
6300	3.121	3.121		3.372B/3.121	3.372B/2.105A	----		3.104 + 1.416	----	----	----	13	----	134 +				3
6500	----	----		4.437B/----	4.437B/2.897A	----		4.247 + 1.795	----	----	----	----	----	7				UNCH
6600	----	----		#5.124B/----	#5.124B/3.379A	----		4.913 + 1.989	----	----	----	----	----	7				UNCH
6650	----	----		#5.452B/----	#5.452B/3.675A	----		5.269 + 2.086	----	----	----	----	----	6				UNCH
6950	----	----		#7.492B/----	#7.492B/5.642A	----		7.663 + 2.630	----	----	----	----	----	2				UNCH
TOTAL												14	0	239 +				4
SO4 CALL																		
JUN26																		
6300	0.969	0.969		0.969/*0.878A	2.963B/*0.878A	----		1.050 NEW	----	----	----	2	----	2 +				2
6380	0.758	0.758		#0.758/*0.610A	2.327B/*0.610A	----		0.731 NEW	----	----	----	5	----	5 +				5
6460	0.700	0.700		#0.700/*0.417A	1.756B/*0.417A	----		0.494 NEW	----	----	----	5	----	5 +				5
6500	0.600	0.600		0.600/*0.330	1.605B/*0.330	----		0.403 - 1.604	----	----	----	8	----	7 +				5
6600	----	----		----/*0.218A	1.069B/*0.218A	----		0.242 - 1.169	----	----	----	1	----	7 +				1
6750	----	----		----/*0.154A	0.510B/*0.154A	----		0.121 - 0.642	----	----	----	----	----	1				UNCH
6800	0.260	0.260		0.260/*0.075	0.386B/*0.075	----		0.099 - 0.510	----	----	----	7	----	18 -				3
6850	----	----		----/*0.109A	0.287B/*0.109A	----		0.083 - 0.400	----	----	----	----	----	30				UNCH
6900	0.090	0.090		0.090/*0.090	0.210B/*0.090	----		0.070 - 0.312	----	----	----	1	----	3				UNCH
6950	----	----		----/*0.082A	0.144B/*0.082A	----		0.060 - 0.242	----									

PG64	BULLETIN #119@				METALS OPTION PRODUCTS					Tue, Jun 23, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETTL.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
S04 PUT	SILVER OPTIONS													
JUN26														
6070	0.700	0.700	#0.893B/*0.700	#0.893B/0.332A	----	0.644	NEW	----	----	1	----	1 +	1	
6080	0.750	0.750	#0.919B/*0.750	#0.919B/0.340A	----	0.669	NEW	----	----	1	----	1 +	1	
6100	0.825	0.825	1.020B/0.825	1.020B/0.358A	----	0.723	NEW	----	----	4	----	4 +	4	
6120	0.800	0.800	#1.070B/*0.800	#1.070B/0.375A	----	0.782	NEW	----	----	1	----	1 +	1	
6200	1.000	1.000	1.403B/0.990	1.403B/0.467A	----	1.063 +	0.717	----	----	44	----	18 -	22	
6220	0.625	0.625	#1.500/0.625	#1.500/0.494A	----	1.147 +	0.779	----	----	8	----	30	UNCH	
6250	1.300	1.300	1.649B/1.300	1.649B/0.539A	----	1.282 +	0.876	----	----	1	----	1	UNCH	
6300	----	----	1.870B/----	1.870B/0.629A	----	1.536 +	1.060	----	----	----	----	1	UNCH	
6300	----	----	#1.998B/----	#1.998B/0.669A	----	1.648	NEW	----	----	3	----	3 +	3	
6350	2.258	2.258	2.335/2.258	2.335/0.735A	----	1.826 +	1.265	----	----	6	----	7	UNCH	
6400	----	----	2.557B/----	2.557B/0.865A	----	2.150 +	1.487	----	----	----	----	3	UNCH	
6450	----	----	2.944B/----	2.944B/1.020A	----	2.505 +	1.716	----	----	----	----	2	UNCH	
6500	----	----	3.356B/----	3.356B/1.196A	----	2.889 +	1.947	----	----	----	----	12	UNCH	
6550	----	----	3.789B/----	3.789B/1.405A	----	3.297 +	2.169	----	----	----	----	1	UNCH	
6600	----	----	4.239B/----	4.239B/1.644A	----	3.727 +	2.381	----	----	----	----	16	UNCH	
6650	----	----	4.702B/----	4.702B/2.039A	----	4.174 +	2.577	----	----	----	----	1	UNCH	
6700	----	----	5.173B/----	5.173B/2.347A	----	4.635 +	2.754	----	----	----	----	5	UNCH	
6850	----	----	6.624B/----	6.624B/3.436A	----	6.067 +	3.150	----	----	----	----	3	UNCH	
6900	----	----	7.114B/----	7.114B/3.845A	----	6.554 +	3.238	----	----	----	----	3	UNCH	
6950	----	----	7.271B/----	7.271B/4.283A	----	7.045 +	3.309	----	----	----	----	5	UNCH	
7100	----	----	7.452B/----	7.452B/5.646A	----	8.521 +	3.434	----	----	----	----	5	UNCH	
7400	----	----	----	----	----	11.497 +	3.511	----	----	----	----	1	UNCH	
7450	----	----	----	----	----	11.995 +	3.519	----	----	----	----	0	UNCH	
TOTAL										156	0	292 +	72	
JUL26														
6300	----	----	#3.569B/----	#3.569B/2.511A	----	3.449 +	1.451	----	----	----	----	130	UNCH	
6600	4.930	4.930	#5.430B/4.920	#5.430B/3.840A	----	5.240	NEW	----	----	25	----	25 +	25	
TOTAL										25	0	155 +	25	
SWW WED	SILVER WEEKLY WEDNESDAY OPTION WEEK													
JUN26														
4750	----	----	----	----/0.058A	----	0.001	UNCH	----	----	----	----	1	UNCH	
5000	----	----	0.010B/----	0.010B/0.063A	----	0.001	UNCH	----	----	----	----	1	UNCH	
5250	----	----	----/0.070A	0.013B/0.071A	----	0.001 -	0.001	----	----	----	----	1	UNCH	
5400	----	----	----	0.002B/0.074A	----	0.005 -	0.001	----	----	----	----	5	UNCH	
5500	----	----	0.013B/----	0.013B/0.071A	----	0.012 +	0.001	----	----	----	----	3	UNCH	
5700	0.094	0.094	0.094/*0.050	0.094/*0.050	----	0.046	NEW	----	----	2	----	0	UNCH	
5800	0.150	0.150	0.180B/*0.056	0.180B/*0.056	----	0.064	NEW	----	----	4	----	2 +	2	
5850	0.165	0.165	0.169B/*0.088A	0.169B/*0.088A	----	0.080	NEW	----	----	2	----	1 +	1	
6000	1.905	1.905	1.905/*1.886A	5.068B/*1.886A	----	2.259	NEW	----	----	1	----	1 +	1	
6000	0.269	0.269	0.422/0.182	0.422/0.182	----	0.189 +	0.120	----	----	97	----	93 +	78	
6010	0.262	0.262	#0.399B/*0.262	#0.399B/0.200A	----	0.202	NEW	----	----	1	----	1 +	1	
6040	0.340	0.340	#0.476B/*0.340	#0.476B/0.212A	----	0.247	NEW	----	----	15	----	15 +	15	
6050	0.350	0.350	0.508/0.257	0.508/0.216A	----	0.264 +	0.180	----	----	47	----	41 +	37	
6060	0.525	0.525	#0.527B/*0.525	#0.527B/0.221A	----	0.283	NEW	----	----	2	----	2 +	2	
6080	0.504	0.504	#0.602/0.345	#0.602/0.238A	----	0.324 +	0.229	----	----	25	----	5 -	6	
6090	0.576	0.576	#0.618B/*0.490	#0.618B/0.235A	----	0.347	NEW	----	----	2	----	0	UNCH	
6100	0.430	0.430	0.700/0.345	0.700/0.231A	----	0.372 +	0.269	----	----	84	----	63 +	56	
6130	0.580	0.580	#0.830/*0.470	#0.830/0.260A	----	0.456	NEW	----	----	58	----	13 +	13	
6150	0.479	0.479	0.840B/0.477	0.840B/0.263A	----	0.522	NEW	----	----	10	----	10 +	10	
6170	1.220	1.220	#1.220/*0.722A	3.424B/*0.722A	----	0.967	NEW	----	----	1	----	1 +	1	
6200	0.770	0.770	0.930/*0.517	3.142B/*0.517	----	0.795	NEW	----	----	11	----	9 +	9	
6200	0.258	0.258	1.147B/0.258	1.147B/0.258	----	0.725 +	0.565	----	----	33	----	23 +	7	
6220	0.225	0.225	#1.179B/*0.225	#1.179B/0.225	----	0.821	NEW	----	----	1	----	1 +	1	
6250	0.587	0.587	1.311B/0.587	1.311B/0.364A	----	0.984 +	0.781	----	----	27	----	16 +	14	
6250	1.104	1.104	1.104/*0.416	2.681B/*0.416	----	0.555	NEW	----	----	40	----	33 +	33	
6260	----	----	#1.382B/----	#1.382B/0.378A	----	1.043 +	0.830	----	----	----	----	1	UNCH	
6300	0.766	0.766	1.692B/0.766	1.692B/0.440A	----	1.302 +	1.042	----	----	4	----	36 +	1	
6300	1.163	1.163	1.163/*0.289A	2.237B/*0.289A	----	0.372	NEW	----	----	74	----	59 +	59	
6320	0.445	0.445	#0.445/*0.249A	2.065B/*0.249A	----	0.314	NEW	----	----	1	----	1 +	1	
6350	0.772	0.772	0.772/*0.202A	1.815B/*0.202A	----	0.242	NEW	----	----	38	----	32 +	32	
6350	1.119	1.119	2.116B/1.119	2.116B/0.538A	----	1.672 +	1.336	----	----	2	----	2 +	1	
6400	1.250	1.250	2.572B/1.250	2.572B/0.666A	----	2.084 +	1.648	----	----	6	----	19	UNCH	
6400	1.015	1.015	1.015/*0.100	1.423B/*0.100	----	0.155 -	1.864	----	----	41	----	38 +	38	
6450	----	----	3.044B/----	3.044B/0.829A	----	2.528 +	1.962	----	----	----	----	7	UNCH	
6450	0.775	0.775	1.096B/*0.095	1.096B/*0.095	----	0.098	NEW	----	----	77	----	64 +	74	
6470	0.100	0.100	#0.100/*0.100	1.085B/*0.100	----	0.082	NEW	----	----	3	----	3 +	3	
6500	----	----	3.529B/----	3.529B/1.032A	----	2.993 +	2.262	----	----	1	----	34	UNCH	
6500	0.570	0.570	0.570/*0.107	0.905B/*0.107	----	0.063	NEW	----	----	22	----	22 +	22	
6550	----	----	----/*0.095A	0.653B/*0.095A	----	0.042 -	0.980	----	----	2	----	0 -	2	
6550	----	----	4.020B/----	4.020B/1.275A	----	3.471 +	2.532	----	----	2	----	0 -	2	
6600	----	----	4.513B/----	4.513B/1.704A	----	3.958 +	2.766	----	----	----	----	10	UNCH	
6600	0.100	0.100	0.100/*0.067	0.451B/*0.067	----	0.029 -	0.746	----	----	4	----	6 +	4	
6630	0.150	0.150	#0.150/*0.068A	0.343B/*0.068A	----	0.023	NEW	----	----	2	----	2 +	2	
6640	----	----	#4.910B/----	#4.910B/1.962A	----	4.351 +	2.923	----	----	----	----	9	UNCH	
6640	----	----	----/*0.068A	0.313B/*0.068A	----	0.022 -	0.589	----	----	----	----	3	UNCH	
6650	0.141	0.141	0.144/*0.040A	0.286B/*0.040A	----	0.020 -	0.554	----	----	57	----	63 +	51	
6700	----	----	----/*0.020A	0.170B/*0.020A	----	0.015 -	0.402	----	----	----	----	18	UNCH	
6750	----	----	----/*0.066A	0.095B/*0.066A	----	0.012 -	0.288	----	----	----	----	1	UNCH	
6800	6.118	6.118	6.506B/6.118	6.506B/3.202A	----	5.939 +	3.307	----	----	1	----	4	UNCH	
6800	----	----	----/*0.019A	0.038B/*0.019A	----	0.009 -	0.206	----	----	----	----	20	UNCH	
6830	----	----	----/*0.016A	0.013B/*0.016A	----	0.008 -	0.169	----	----	----	----	4	UNCH	
6850	----	----	----/*0.061A	0.001B/*0.061A	----	0.008 -	0.148	----	----	----	----	1	UNCH	
6850	----	----	#7.006B/----	#7.006B/3.644A	----	6.437 +	3.364	----	----	----	----	1	UNCH	
6900	7.101	7.101	#7.507B/7.101	#7.507B/4.103A	----	6.936 +	3.403	----	----	1	----	10 -	1	
6900	----	----	----/*0.060A	0.001B/*0.060A	----	0.007 -	0.109	----	----	1	----	1	UNCH	
6930	----	----	----/*0.072A	0.008B/*0.072A	----	0.006 -	0.092	----	----	----	----	1	UNCH	
6950	----	----	----/*0.020A	0.001B/*0.020A	----	0.006 -	0.082	----	----	----	----	9	UNCH	
7000	0.030	0.030	0.030/*0.004A	0.030/*0.004A	----	0.005 -	0.065	----	----	23	----	53 -	22	
7000	----	----	#8.508B/----	#8.508B/5.053A	----	7.935 +	3.448	----	----	----	----	14	UNCH	
7050	0.012	0.012	0.016/*0.008A	0.016/*0.008A	----	0.004 -	0.052	----	----	9	----	23	UNCH	
7100	----	----	----/*0.014A	----/*0.014A	----	0.003 -	0.043	----	----	----	----	5	UNCH	
7150	----	----	----	----/0.088A	----	0.002 -	0.032	----	----	----	----	1	UNCH	
7180	----	----	----	----/0.111A	----	0.002 -	0.026	----	----	----	----	4	UNCH	
7200	----	----	----	----/0.116A	----	0.002 -	0.023	----	----	----	----	10	UNCH	
7300	----	----	----	----/0.124A	----	0.001 -	0.013	----	----	----	----	2	UNCH	
7350	----	----	----	----/0.127A	----	0.001 -	0.009	----	----	----	----	0	UNCH	
7400	----	----	----	----/0.132A	----	0.001 -	0.007	----	----	----	----	4	UNCH	
7440	----	----	----	----/0.134A	----	0.001 -	0.006	----	----	----	----	1	UNCH	
7450	----	----	----/*0.001A	----/*0.001A	----	0.001 -	0.005	----	----	----	----	5	UNCH	
7500	----	----	----	0.005B/0.137A	----	0.001 -	0.004	----	----	----	----	12	UNCH	
7600	----	----	----	----/0.143A										

PG64	BULLETIN #119@				METALS OPTION PRODUCTS					Tue, Jun 23, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
TWS TUE	SILVER WEEKLY TUESDAY OPTION Week4													
JUN26														
5950	0.100	0.100	0.100/*0.063A	0.100/*0.063A	----	0.000	NEW	----	----	1	----	0	UNCH	
6000	----	----	0.972B/----	0.972B/0.470A	----	0.788 + 0.488	----	----	----	----	----	5	UNCH	
6000	0.029	0.029	0.179/*0.001	0.179/*0.001	----	0.000	NEW	----	----	6	----	0	UNCH	
6000	----	----	----/*1.781A	5.019B/*1.781A	----	2.070	NEW	1	----	1	----	0	UNCH	
6040	0.210	0.210	#0.210/*0.056A	#0.210/*0.056A	----	0.000	NEW	----	----	1	----	0	UNCH	
6100	0.033	0.033	0.300/*0.001	0.300/*0.001	----	0.000	NEW	----	----	20	----	0	UNCH	
6150	0.400	0.400	0.443B/*0.001A	0.443B/*0.001A	----	0.000	NEW	----	----	57	----	0	UNCH	
6180	0.534	0.534	#0.568B/*0.053A	#0.568B/*0.053A	----	0.000	NEW	----	----	1	----	0	UNCH	
6200	0.300	0.300	0.675/*0.040	0.675/*0.040	----	0.000	NEW	----	----	41	----	0	UNCH	
6200	0.911	0.911	0.911/*0.148A	3.049B/*0.148A	----	0.070	NEW	----	----	2	----	0	UNCH	
6240	0.438	0.438	#0.806B/*0.381	#0.806B/0.217A	----	0.330	NEW	2	----	3	----	0	UNCH	
6250	0.263	0.263	0.820B/0.263	0.820B/0.215A	----	0.430 + 0.345	----	2	----	8	----	0 -	1	
6250	----	----	----/*1.494A	3.450B/*1.494A	----	1.678	NEW	----	----	1	----	1 +	1	
6250	0.852	0.852	0.852/*0.010	2.563B/*0.010	----	0.000	NEW	----	----	17	----	0	UNCH	
6260	0.389	0.389	#0.400/*0.052A	2.467B/*0.052A	----	0.000	NEW	----	----	2	----	0	UNCH	
6270	0.347	0.347	#0.347/*0.051A	2.372B/*0.051A	----	0.000	NEW	----	----	1	----	0	UNCH	
6300	0.661	0.661	0.755/*0.001A	2.085B/*0.001A	----	0.000	NEW	----	----	15	----	0	UNCH	
6300	0.311	0.311	1.288B/0.311	1.288B/0.200A	----	0.930 + 0.814	----	1	----	13	----	0 -	1	
6300	----	----	2.211B/----	2.211B/0.955A	----	1.915 + 1.228	----	----	----	----	----	4	UNCH	
6310	0.100	0.100	0.100/*0.053A	1.991B/*0.053A	----	0.000	NEW	----	----	1	----	0	UNCH	
6350	0.290	0.290	1.785B/0.290	1.785B/0.290	----	1.430 + 1.271	----	1	----	4	----	0 -	1	
6400	2.219	2.219	2.283B/2.209	2.283B/0.417A	----	1.930 + 1.709	----	8	----	4	----	0 -	8	
6400	0.696	0.696	0.696/*0.001	1.188B/*0.001	----	0.000	NEW	----	----	8	----	0	UNCH	
6400	----	----	2.828B/----	2.828B/1.237A	----	2.499 + 1.575	----	----	----	2	----	1 +	1	
6400	----	----	----/*0.914A	2.304B/*0.914A	----	1.014	NEW	----	----	2	----	2 +	2	
6430	0.900	0.900	0.900/*0.070	0.947B/*0.070	----	0.000	NEW	----	----	2	----	0	UNCH	
6450	2.717	2.717	2.787/2.677	2.787/0.553A	----	2.430 + 2.117	----	6	----	6	----	0 -	6	
6470	----	----	#2.981B/----	#2.981B/0.621A	----	2.630 + 2.268	----	10	----	----	----	0 -	10	
6490	----	----	#3.182B/----	#3.182B/0.708A	----	2.830 + 2.412	----	2	----	----	----	0 -	2	
6500	0.079	0.079	0.079/*0.006	0.616B/*0.006	----	0.000	NEW	----	----	28	----	0	UNCH	
6500	0.301	0.301	3.282B/0.301	3.282B/0.301	----	2.930 + 2.481	----	17	----	20	----	0 -	16	
6500	----	----	#3.569B/----	#3.569B/1.604A	----	3.187 + 1.944	----	----	----	3	----	2 -	1	
6520	1.587	1.587	#3.483B/1.587	#3.483B/0.833A	----	3.130 + 2.613	----	----	----	1	----	0 -	1	
6530	0.360	0.360	#0.360/*0.030	0.449B/*0.030	----	0.000	NEW	----	----	2	----	0	UNCH	
6550	0.100	0.100	0.100/*0.077A	0.358B/*0.077A	----	0.000 - 0.721	----	----	----	2	----	0 -	2	
6570	----	----	----/*0.075A	0.269B/*0.075A	----	0.000 - 0.613	----	----	----	----	----	0 -	2	
6600	4.287	4.287	4.287/3.992	4.287/1.429A	----	3.930 + 3.042	----	9	----	13	----	0 -	12	
6600	0.147	0.147	0.147/*0.033	0.171B/*0.033	----	0.000	NEW	----	----	6	----	0	UNCH	
6600	----	----	#4.391B/----	#4.391B/2.075A	----	3.964 + 2.304	----	----	----	----	----	3	UNCH	
6620	----	----	----/*0.087A	0.119B/*0.087A	----	0.000 - 0.390	----	----	----	----	----	0 -	6	
6620	----	----	#4.485B/----	#4.485B/1.564A	----	4.130 + 3.123	----	9	----	----	----	0 -	9	
6630	----	----	#4.581B/----	#4.581B/1.634A	----	4.230 + 3.159	----	12	----	----	----	0 -	12	
6630	----	----	----/*0.085A	0.096B/*0.085A	----	0.000 - 0.354	----	----	----	----	----	0 -	3	
6640	----	----	#4.685B/----	#4.685B/1.706A	----	4.330 + 3.193	----	1	----	----	----	0 -	1	
6650	0.091	0.091	0.151/*0.001A	0.151/*0.001A	----	0.000 - 0.289	----	----	----	3	----	0 -	4	
6650	4.787	4.787	4.787/4.532	4.787/1.780A	----	4.430 + 3.224	----	4	----	11	----	0 -	11	
6670	----	----	----/*0.082A	0.034B/*0.082A	----	0.000 - 0.235	----	----	----	----	----	0 -	9	
6680	----	----	#5.081B/----	#5.081B/2.013A	----	4.730 + 3.302	----	24	----	----	----	0 -	24	
6700	----	----	----/*0.001A	0.001B/*0.001A	----	0.000 - 0.172	----	----	----	----	----	0 -	10	
6750	----	----	5.782B/----	5.782B/2.607A	----	5.430 + 3.408	----	3	----	----	----	0 -	3	
6750	----	----	----/*0.068A	0.001B/*0.068A	----	0.000 - 0.105	----	----	----	----	----	0 -	6	
6800	0.250	0.250	0.250/*0.250	0.576B/*0.250	----	0.229 - 0.659	----	----	----	1	----	1 +	1	
6800	0.010	0.010	0.010/*0.010	0.010/*0.010	----	0.000 - 0.072	----	----	----	3	----	0 -	11	
6800	----	----	6.282B/----	6.282B/3.065A	----	5.930 + 3.441	----	1	----	----	----	0 -	1	
6850	----	----	----/*0.053A	0.000 - 0.059	----	0.000 - 0.059	----	----	----	----	----	0 -	1	
6860	----	----	#6.852B/----	#6.852B/3.635A	----	6.530 + 3.455	----	2	----	----	----	0 -	2	
6950	----	----	----/*0.042A	0.000 - 0.053	----	0.000 - 0.053	----	----	----	----	----	0 -	1	
7000	----	----	----/*0.175A	0.209B/*0.175A	----	0.123 - 0.319	----	----	----	----	----	6	UNCH	
7000	----	----	----/*0.037A	0.000 - 0.051	----	0.000 - 0.051	----	----	----	----	----	0 -	5	
7000	----	----	#8.111B/----	#8.111B/5.041A	----	7.605 + 3.231	----	----	----	----	----	1	UNCH	
7080	----	----	----/*0.032A	0.000 - 0.049	----	0.000 - 0.049	----	----	----	----	----	0 -	1	
7100	----	----	----/*0.033A	0.000 - 0.042	----	0.000 - 0.042	----	----	----	----	----	0 -	5	
7100	----	----	#9.217B/----	#9.217B/5.994A	----	8.930 + 3.471	----	1	----	----	----	0 -	1	
7150	----	----	----/*0.132A	0.034B/*0.132A	----	0.086 - 0.185	----	----	----	----	----	5	UNCH	
7150	----	----	----/*0.033A	0.000 - 0.029	----	0.000 - 0.029	----	----	----	----	----	0 -	1	
7150	----	----	#9.717B/----	#9.717B/6.492A	----	9.430 + 3.484	----	1	----	----	----	0 -	1	
7190	----	----	----/*0.031A	0.000 - 0.022	----	0.000 - 0.022	----	----	----	----	----	0 -	1	
7200	----	----	----/*0.031A	0.000 - 0.020	----	0.000 - 0.020	----	----	----	----	----	0 -	3	
7250	----	----	----/*0.031A	0.000 - 0.014	----	0.000 - 0.014	----	----	----	----	----	0 -	10	
7300	----	----	----/*0.031A	0.000 - 0.010	----	0.000 - 0.010	----	----	----	----	----	0 -	1	
7450	----	----	----/0.031A	0.000 - 0.003	----	0.000 - 0.003	----	----	----	----	----	0 -	2	
7500	----	----	----/35.900A	12.522 + 3.495	----	12.522 + 3.495	----	----	----	----	----	1	UNCH	
7500	----	----	----/0.096A	0.003B/0.096A	----	0.042 - 0.056	----	----	----	----	----	3	UNCH	
7500	0.003	0.003	0.003/*0.003	0.003/*0.003	----	0.000 - 0.002	----	----	----	1	----	0 -	2	
7900	----	----	----/*0.031A	0.000 - 0.001	----	0.000 - 0.001	----	----	----	----	----	0 -	2	
8000	----	----	----	0.001B/*0.079A	----	0.013 - 0.014	----	----	----	----	----	1	UNCH	
8000	----	----	----/*0.030A	0.000 - 0.001	----	0.000 - 0.001	----	----	----	----	----	0 -	1	
10000	----	----	----	----/*0.031A	----	0.000 - 0.001	----	----	----	----	----	0 -	2	
TOTAL										313	0	40 -	216	
JUL26														
6700	----	----	----/*0.714A	1.377B/*0.714A	----	0.677 - 1.135	----	----	----	----	----	0	UNCH	
6750	1.002	1.002	#1.002/*1.002	1.504B/*1.002	----	0.862	NEW	----	----	1	----	1 +	1	
7100	0.250	0.250	0.250/*0.230	0.358B/*0.230	----	0.214	NEW	----	----	2	----	2 +	2	
TOTAL										3	0	3 +	3	

COPPER OPTIONS ON FUTURES													
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
HWMR MON		COPPER WEEKLY MONDAY OPTION WEEK5											
JUN26													
525	----	----	----	----	----/0.0030A	0.0005	UNCH	----	----	----	----	10	UNCH
605	----	----	----/*0.1670A	0.3720B/*0.1670	----	0.1845 - 0.2020	----	----	----	----	----	9	UNCH
611	----	----	----	#0.0360B/*0.025	----	0.0355	NEW	----	----	4	----	4 +	4
615	0.0600	0.0600	0.0600/0.0600	0.0600/0.0195A	----	0.0475	NEW	----	----	2	----	2 +	2
622	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH
624	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH
630	----	----	0.1215B/----	0.1215B/0.0430A	----	0.1255 + 0.0955	----	----	----	----	----	7	UNCH
632	----	----	----	#0.0940B/*0.035	----	0.0320	NEW	----	----	4	----	4 +	4
633	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH
634	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH
635	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH
635	----	----	0.1890B/----	0.1890B/0.0590A	----	0.1630 + 0.1185	----	----	----	----	----	2	UNCH
636	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH
637	----	----	----	----	----	0.0045	UNCH	----	----	----	----	0	UNCH
638	----	----	----	----	----	0.0145	UNCH	----	----	1	----	0	UNCH
639	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH
640	----	----	----	----	----	0.0345	UNCH	----	----	----	----	0	UNCH
640	----	----	0.2330B/----	0.2330B/0.0795A	----	0.2045 + 0.1395	----	----	----	----	----	1	UNCH
644	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH
645	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH
646	----	----	----	----	----	0.0945	UNCH	----	----	----	----	0	UNCH
646	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH
650	----	----	----/*0.0125A	0.0440B/*0.0125	----	0.0080 - 0.0440	----	----	----	----	----	5	UNCH
655	----	----	----/*0.0105A	0.0305B/*0.0105	----	0.0060 - 0.0315	----	----	----	----	----	15	UNCH
660	----	----	----/*0.0100A	0.0205B/*0.0100	----	0.0050	NEW	----	----	1	----	1 +	1
680	----	----	----/*0.0075A	0.0035B/*0.0075	----	0.0030 - 0.0055	----	----	----	----	----	1	UNCH
775	----	----	----	----/0.0050A	----	0.0005	UNCH	----	----	11	----	10	UNCH
TOTAL										11		71+	11
JUL26													
500	0.0005	0.0005	#0.0005/*0.0005	#0.0005/*0.0005	----	0.0005	UNCH	----	----	10	----	10 +	10
575	0.0360	0.0360	#0.0360/*0.0360	#0.0360/*0.0360	----	0.0395	NEW	----	----	1	----	1 +	1
580	----	----	0.0160B/----	0.0160B/0.0125A	----	0.0150 + 0.0095	----	----	----	----	----	1	UNCH
630	----	----	0.1950B/----	0.1950B/0.0865A	----	0.1765 + 0.1010	----	----	----	1	----	0 -	1
640	----	----	0.2690B/----	0.2690B/0.1295A	----	0.2465 + 0.1275	----	----	----	1	----	0 -	1
640	0.0610	0.0610	0.0610/*0.0575A	0.1375B/*0.0575	----	0.0585	NEW	----	----	10	----	10 +	10
TOTAL										23		22+	19
HWMR THU		COPPER WEEKLY THURSDAY OPT week2											
JUL26													
500	----	----	----	----/0.0055A	----	0.0005	UNCH	----	----	----	----	12	UNCH

PG64	BULLETIN #119@										METALS OPTION PRODUCTS										Tue, Jun 23, 2026				PG64
	GLOBAL OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME						OPEN INTEREST					
HWR THU	COPPER WEEKLY THURSDAY OPT week3																								
JUL26																									
500	0.0005	0.0005		#0.0005/*0.0005	#0.0005/*0.0005	----			0.0005	UNCH	----	----	17	----						17	+				17
500	----	----		----/0.0045A	----/0.0045A	----			0.0005	UNCH	----	----	----	----						19					UNCH
525	----	----		----/0.0070A	----/0.0070A	----			0.0020	+ 0.0015	----	----	----	----						14					UNCH
550	----	----		#0.0055B/----	0.0055B/0.0100A	----			0.0080	+ 0.0065	----	----	----	----						1					UNCH
590	----	----		0.0390B/----	0.0390B/0.0210A	----			0.0360	+ 0.0210	----	----	----	----						1					UNCH
615	0.1250	0.1250		0.1255B/0.1250	0.1255B/0.0560A	----			0.1135	NEW	----	----	2	----						2	+				2
615	0.0900	0.0900		0.0940B/0.0900	0.0940B/0.0355A	----			0.0840	+ 0.0565	----	----	5	----						30	+				5
620	----	----		0.1520B/----	0.1520B/0.0690A	----			0.1375	+ 0.0770	----	----	----	----						1					UNCH
620	0.1695	0.1695		#0.1835B/0.1695	#0.1835B/0.0955	----			0.1690	NEW	----	----	1	----						1	+				1
620	----	----		0.1200B/----	0.1200B/0.0460A	----			0.1065	+ 0.0705	----	----	----	----						10					UNCH
625	----	----		0.1495B/----	0.1495B/0.0595A	----			0.1335	+ 0.0855	----	----	----	----						1					UNCH
635	----	----		0.1980B/----	0.1980B/0.0945A	----			0.1985	+ 0.1155	----	----	----	----						2					UNCH
640	----	----		0.2580B/----	0.2580B/0.1180A	----			0.2360	+ 0.1300	----	----	----	----						4					UNCH
640	----	----		----/*0.0470A	0.1250B/*0.0470	----			0.0480	- 0.0880	----	----	----	----						1					UNCH
650	----	----		----/*0.0315A	0.0815B/*0.0315	----			0.0305	- 0.0620	----	----	----	----						11					UNCH
660	----	----		----/*0.0600A	0.1140B/*0.0600	----			0.0615	- 0.0595	----	----	----	----						2					UNCH
660	----	----		#0.4345B/----	#0.4345B/0.2460	----			0.4070	+ 0.1760	----	----	----	----						20					UNCH
670	----	----		----/*0.0170A	0.0310B/*0.0170	----			0.0130	- 0.0265	----	----	----	----						7					UNCH
715	----	----		----/*0.0115A	0.0110B/*0.0115	----			0.0080	- 0.0080	----	----	----	----						1					UNCH
800	0.0035	0.0035		#0.0035/*0.0035	0.0035/*0.0035	----			0.0020	NEW	----	----	10	----						10	+				10
800	----	----		----	----/0.0055A	----			0.0005	UNCH	----	----	----	----						26					UNCH
TOTAL													35							193	+				35
HWT TUE	COPPER WEEKLY TUESDAY OPTION Week5																								
JUN26																									
500	----	----		----	----/0.0045A	----			0.0005	UNCH	----	----	----	----						19					UNCH
590	----	----		----	----/0.0045A	----			0.0000	- 0.0005	----	----	----	----						0	-				1
595	----	----		0.0185B/----	0.0185B/0.0125A	----			0.0175	+ 0.0125	----	----	----	----						1					UNCH
605	0.2010	0.2010		0.2010/*0.1910A	0.3740B/*0.1910	----			0.1950	NEW	----	----	1	----						1	+				1
610	----	----		0.0020B/----	0.0020B/*0.0045	----			0.0000	- 0.0005	----	----	----	----						0	-				1
612	0.0025	0.0025		0.0050B/*0.0025	0.0050B/*0.0025	----			0.0000	NEW	----	----	2	----						0					UNCH
615	----	----		0.0145B/----	0.0145B/0.0065A	----			0.0020	+ 0.0015	1	----	----	----						0	-				1
615	----	----		0.0715B/----	0.0715B/0.0240A	----			0.0625	+ 0.0470	----	----	----	----						1					UNCH
616	0.0035	0.0035		0.0035/*0.0035	0.1920B/*0.0035	----			0.0000	NEW	----	----	1	----						0					UNCH
619	0.0030	0.0030		0.0030/*0.0030	0.1630B/*0.0030	----			0.0000	NEW	----	----	2	----						0					UNCH
620	0.0075	0.0075		0.0535B/0.0075	0.0535B/0.0075	----			0.0520	+ 0.0515	18	----	11	----						0	-				17
620	0.0300	0.0300		0.0960B/0.0300	0.0960B/0.0300	----			0.0835	NEW	----	----	2	----						0					UNCH
620	0.0180	0.0180		0.0180/*0.0045A	0.1525B/*0.0045	----			0.0000	NEW	----	----	2	----						0					UNCH
620	----	----		----/*0.0855A	0.2385B/*0.0855	----			0.0955	- 0.1555	----	----	----	----						1					UNCH
622	0.0430	0.0430		#0.0735B/0.0430	#0.0735B/0.0105	----			0.0720	+ 0.0710	21	----	1	----						0	-				21
622	0.0100	0.0100		0.0100/*0.0050A	0.1340B/*0.0050	----			0.0000	NEW	----	----	15	----						0					UNCH
625	----	----		0.1255B/----	0.1255B/0.0425A	----			0.1100	+ 0.0800	----	----	1	----						1					UNCH
625	0.0175	0.0175		0.0175/*0.0045A	0.1050B/*0.0045	----			0.0000	NEW	----	----	10	----						0					UNCH
626	0.1090	0.1090		#0.1135B/0.1090	#0.1135B/0.0130	----			0.1120	+ 0.1090	1	----	1	----						0	-				1
630	0.1425	0.1425		0.1535B/0.1425	0.1535B/0.0205A	----			0.1520	+ 0.1440	1	----	2	----						0	-				2
630	0.0165	0.0165		0.0190/*0.0045A	0.0620B/*0.0045	----			0.0000	NEW	----	----	13	----						0					UNCH
630	----	----		----/*0.0495A	0.1400B/*0.0495	----			0.0530	- 0.1190	----	----	----	----						11					UNCH
635	0.1925	0.1925		0.2035B/0.1925	0.2035B/0.0380A	----			0.2020	+ 0.1790	1	----	2	----						0	-				2
635	----	----		0.1990B/----	0.1990B/0.0735A	----			0.1765	+ 0.1175	----	----	1	----						1					UNCH
635	0.0075	0.0075		0.0075/*0.0045A	0.0285B/*0.0045	----			0.0000	NEW	----	----	10	----						0					UNCH
636	----	----		#0.2135B/----	#0.2135B/0.0430	----			0.2120	+ 0.1845	1	----	----	----						0	-				1
637	----	----		----/*0.0050A	0.0190B/*0.0050	----			0.0000	- 0.0280	----	----	----	----						0					2
638	----	----		----/*0.0050A	0.0145B/*0.0050	----			0.0000	- 0.0235	----	----	----	----						0	-				1
639	----	----		#0.2435B/----	#0.2435B/0.0605	----			0.2420	+ 0.1980	1	----	----	----						0	-				1
640	----	----		----/*0.0045A	0.0080B/*0.0045	----			0.0000	- 0.0160	----	----	----	----						0	-				2
642	----	----		----/*0.0050A	0.0035B/*0.0050	----			0.0000	- 0.0105	----	----	----	----						0	-				1
645	----	----		0.3035B/----	0.3035B/0.1065A	----			0.3020	+ 0.2120	1	----	----	----						0	-				1
645	----	----		----/*0.0045A	0.0010B/*0.0045	----			0.0000	- 0.0055	----	----	----	----						0	-				2
648	----	----		----	----/0.0050A	----			0.0000	- 0.0025	----	----	----	----						0	-				2
650	----	----		----/*0.0045A	0.0000	- 0.0015	----		0.0000	- 0.0015	----	----	----	----						0	-				23
650	----	----		----/*0.0190A	0.0575B/*0.0190	----			0.0160	- 0.0510	----	----	----	----						2					UNCH
660	----	----		----/*0.0130A	0.0315B/*0.0130	----			0.0100	- 0.0285	----	----	----	----						1					UNCH
665	----	----		0.0010B/----	0.0010B/*0.0045	----			0.0000	- 0.0005	----	----	----	----						0	-				1
670	----	----		----/*0.0045A	0.0000	- 0.0005	----		0.0000	- 0.0005	----	----	----	----						0	-				2
670	----	----		----/*0.0100A	0.0165B/*0.0100	----			0.0070	- 0.0150	----	----	----	----						2					UNCH
680	----	----		----/*0.0085A	0.0085B/*0.0085	----			0.0045	- 0.0085	----	----	----	----						1					UNCH
695	----	----		----	0.0025B/*0.0075	----			0.0025	- 0.0045	----	----	----	----						1					UNCH
700	----	----		----	----/0.0045A	----			0.0000	- 0.0005	----	----	----	----						0	-				1
735	----	----		----	----/0.0050A	----			0.0000	- 0.0005	----	----	----	----						0	-	</			



PG64	BULLETIN #119@										METALS OPTION PRODUCTS										Tue, Jun 23, 2026		PG64
	GLOBAL OPEN	OPEN OUTCRY OPEN RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME		OPEN INTEREST									
COPPER WEEKLY WEDNESDAY OPTION WEEK																							
HWW WED JUL26																							
645	0.0525	0.0525	0.0525B/*0.0320A	0.0925B/*0.0320	0.1290B/*0.0525	0.0310	- 0.0725	----	----	----	----	----	101	UNCH									
645			0.0525/*0.0525	0.1290B/*0.0525	0.1290B/*0.0525	0.0580	NEW	----	----	----	5	----	5	+	5								
650			0.3385B/----	0.3385B/0.1680A	0.3385B/0.1680A	0.3120	+ 0.1580	----	----	----	----	11	UNCH										
650			----/*0.0260A	0.0725B/*0.0260	0.0725B/*0.0260	0.0240	- 0.0600	----	----	----	----	5	UNCH										
655	0.0220	0.0220	0.0220/*0.0215A	0.0565B/*0.0215	0.0565B/*0.0215	0.0190	- 0.0485	----	----	----	1	----	1	+	1								
660			----/*0.0185A	0.0430B/*0.0185	0.0430B/*0.0185	0.0150	- 0.0390	----	----	----	----	1	UNCH										
670			0.5270B/----	0.5270B/0.3180A	0.5270B/0.3180A	0.4980	+ 0.1940	----	----	----	----	19	UNCH										
680			0.6240B/----	0.6240B/0.4065A	0.6240B/0.4065A	0.5950	+ 0.2035	----	----	----	----	20	UNCH										
690			----/*0.0090A	0.0080B/*0.0090	0.0080B/*0.0090	0.0060	- 0.0080	----	----	----	----	25	UNCH										
700	0.0080	0.0080	0.0080/*0.0080	0.0080/*0.0080	0.0080/*0.0080	0.0050	- 0.0035	----	----	----	5	----	15	-	4								
710			----	0.0030B/0.0075A	0.0030B/0.0075A	0.0040	- 0.0010	----	----	----	----	5	UNCH										
710			----/*0.0180A	0.0240B/*0.0180	0.0240B/*0.0180	0.0160	- 0.0140	----	----	----	----	1	UNCH										
715			----	0.0020B/*0.0070	0.0020B/*0.0070	0.0035	- 0.0005	----	----	----	----	1	UNCH										
725			----/*0.0140A	0.0155B/*0.0140	0.0155B/*0.0140	0.0115	- 0.0090	----	----	----	----	1	UNCH										
800			----	----/0.0040A	----/0.0040A	0.0005	UNCH	----	----	----	----	26	UNCH										
TOTAL											47		660	+	35								
AUG26																							
559			0.0400B/----	0.0400B/0.0325A	0.0400B/0.0325A	0.0400	+ 0.0155	----	----	----	----	1	UNCH										
580			0.0810B/----	0.0810B/0.0560A	0.0810B/0.0560A	0.0800	NEW	----	----	----	1	----	1	+	1								
590			0.1110B/----	0.1110B/0.0740A	0.1110B/0.0740A	0.1080	NEW	----	----	----	1	----	1	+	1								
599			----	----	----	0.3610	- 0.1615	----	----	----	----	10	UNCH										
606			0.1755B/----	0.1755B/0.1145A	0.1755B/0.1145A	0.1690	+ 0.0660	----	----	----	----	1	UNCH										
630			0.3100B/----	0.3100B/0.2070A	0.3100B/0.2070A	0.2970	+ 0.1030	----	----	----	----	3	UNCH										
630			----/0.1995A	0.3110B/0.1995A	0.3110B/0.1995A	0.2090	- 0.1150	----	----	----	----	4	UNCH										
640			----/0.1670A	0.2615B/0.1670A	0.2615B/0.1670A	0.1745	- 0.1000	----	----	----	----	1	UNCH										
650			----/0.1400A	0.2190B/0.1400A	0.2190B/0.1400A	0.1450	- 0.0865	----	----	----	----	14	UNCH										
670			----/*0.0990A	0.1520B/*0.0990	0.1520B/*0.0990	0.1000	- 0.0640	----	----	----	----	1	UNCH										
TOTAL											2		37	+	2								
SEP26																							
525			#0.0220B/----	0.0220B/0.0250A	0.0220B/0.0250A	0.0270	+ 0.0100	----	----	----	----	1	UNCH										
550			0.0485B/----	0.0485B/0.0415A	0.0485B/0.0415A	0.0510	+ 0.0180	----	----	----	----	1	UNCH										
590			0.1410B/----	0.1410B/0.1045A	0.1410B/0.1045A	0.1390	+ 0.0435	----	----	----	----	1	UNCH										
620			----/*0.3490A	0.4870B/*0.3490	0.4870B/*0.3490	0.3620	- 0.1385	----	----	----	----	1	UNCH										
650			----/*0.2330A	0.3295B/*0.2330	0.3295B/*0.2330	0.2395	- 0.1025	----	----	----	----	1	UNCH										
750	0.0580	0.0580	0.0580/*0.0580	0.0790B/*0.0580	0.0790B/*0.0580	0.0590	- 0.0295	----	----	----	2	----	2	UNCH									
850			----/*0.0215A	0.0170B/*0.0215	0.0170B/*0.0215	0.0150	- 0.0080	----	----	----	1	----	0	-	1								
TOTAL											3		7	-	1								
COMEX COPPER OPTIONS																							
HX CALL JUL26																							
500			----/1.1165A	1.1555B/1.1165A	1.1555B/1.1165A	1.1485	- 0.2175	----	----	----	----	7	UNCH										
525			----/0.8670A	0.9000B/0.8670A	0.9000B/0.8670A	0.8990	- 0.2170	----	----	----	----	1	UNCH										
540			----/0.7175A	0.7570B/0.7175A	0.7570B/0.7175A	0.7495	- 0.2175	----	----	----	----	18	UNCH										
545			----/0.6675A	0.7315B/0.6675A	0.7315B/0.6675A	0.6995	- 0.2175	----	----	----	----	0	UNCH										
550			----/0.6180A	0.6955B/0.6180A	0.6955B/0.6180A	0.6495	- 0.2175	----	----	----	----	2	UNCH										
555			----/0.5685A	0.6460B/0.5685A	0.6460B/0.5685A	0.6000	- 0.2170	----	----	----	----	116	UNCH										
560			----/0.5190A	0.6675B/0.5190A	0.6675B/0.5190A	0.5505	- 0.2165	----	----	----	----	2	UNCH										
570			----/0.4195A	0.6520B/0.4195A	0.6520B/0.4195A	0.4515	- 0.2160	----	----	----	----	157	UNCH										
574			----/0.3825A	0.4215B/0.3825A	0.4215B/0.3825A	0.4120	- 0.2155	----	----	----	----	5	UNCH										
575			----/0.3730A	0.6020B/0.3730A	0.6020B/0.3730A	0.4020	- 0.2155	----	----	----	----	18	UNCH										
580			----/0.3250A	0.5525B/0.3250A	0.5525B/0.3250A	0.3530	- 0.2145	----	----	----	----	123	UNCH										
585			----/0.2745A	0.5025B/0.2745A	0.5025B/0.2745A	0.3040	- 0.2140	----	----	----	----	318	UNCH										
590	0.2535	0.2535	0.2535/0.2290A	0.4540B/0.2290A	0.4540B/0.2290A	0.2555	- 0.2125	----	----	----	4	----	103	UNCH									
591			----/0.2200A	0.2485B/0.2200A	0.2485B/0.2200A	0.2460	- 0.2120	----	----	----	----	3	UNCH										
593			----/0.2020A	0.2295B/0.2020A	0.2295B/0.2020A	0.2270	- 0.2115	----	----	----	----	1	UNCH										
594			----/0.1930A	0.2200B/0.1930A	0.2200B/0.1930A	0.2175	- 0.2110	----	----	----	----	2	UNCH										
595			----/0.1835A	0.4050B/0.1835A	0.4050B/0.1835A	0.2080	- 0.2105	----	----	----	----	29	UNCH										
597			----/*0.1665A	0.2125B/*0.1665	0.2125B/*0.1665	0.1895	- 0.2090	----	----	----	----	1	UNCH										
598			----/*0.1575A	0.2105B/*0.1575	0.2105B/*0.1575	0.1800	- 0.2090	----	----	----	----	1	UNCH										
598			----/*0.1490A	0.2095B/*0.1490	0.2095B/*0.1490	0.1710	- 0.2080	----	----	----	----	2	UNCH										
600	0.3240	0.3240	0.3280/*0.1385A	0.3555B/0.1385A	0.3555B/0.1385A	0.1620	- 0.2070	----	----	----	2	----	540	-	1								
602			----/*0.1245A	0.2030B/*0.1245	0.2030B/*0.1245	0.1445	- 0.2050	----	----	----	----	83	UNCH										
603			----/*0.1165A	0.1380B/*0.1165	0.1380B/*0.1165	0.1360	- 0.2035	----	----	----	----	3	UNCH										
605			----/*0.1015A	0.3075B/*0.1015	0.3075B/*0.1015	0.1190	- 0.2010	----	----	----	----	41	UNCH										
610	0.0875	0.0875	0.0875/*0.0665A	0.2590B/*0.0665	0.2590B/*0.0665	0.0810	- 0.1900	----	----	----	11	----	222	+	11								
615	0.0730	0.0730	0.0730/*0.0400A	0.2115B/*0.0400	0.2115B/*0.0400	0.0500	- 0.1735	----	----	----	50	----	486	+	21								
616	0.0490	0.0490	#0.0490/*0.0370	0.1065B/*0.0370	0.1065B/*0.0370	0.0450	NEW	----	----	----	1	----	1	+	1								
618	0.0330	0.0330	#0.0330/*0.0280	0.0875B/*0.0280	0.0875B/*0.0280	0.0325	NEW	----	----	----	2	----	2	+	2								
620			---/*0.0240A	0.1655B/*0.0240	0.1655B/*0.0240	0.																	

PG64	BULLETIN #119@										METALS OPTION PRODUCTS										Tue, Jun 23, 2026				PG64
	GLOBAL OPEN	OPEN OUTCRY OPEN RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST												
HX CALL	COMEX COPPER OPTIONS																								
JUL26																									
780	----	----	----	----/0.0030A	----	0.0005	UNCH	----	----	----	----	----	53	UNCH											
800	----	----	----	----/0.0015A	----	0.0005	UNCH	----	----	----	----	----	2390	UNCH											
825	----	----	----	----/0.0015A	----	0.0005	UNCH	----	----	----	----	----	13	UNCH											
850	----	----	----	----/0.0040A	----	0.0005	UNCH	----	----	----	----	----	336	UNCH											
875	----	----	----	----/0.0040A	----	0.0005	UNCH	----	----	----	----	----	4	UNCH											
900	----	----	----	----/0.0010A	----	0.0005	UNCH	----	----	----	----	----	2130	UNCH											
925	----	----	----	----/0.0025A	----	0.0005	UNCH	----	----	----	----	----	16	UNCH											
950	----	----	----	----/0.0040A	----	0.0005	UNCH	----	----	----	----	----	52	UNCH											
975	----	----	----	----/0.0040A	----	0.0005	UNCH	----	----	----	----	----	18	UNCH											
1000	----	----	----	----/0.0010A	----	0.0005	UNCH	----	----	----	----	----	8	UNCH											
TOTAL										240	328		22930+	55											
AUG26																									
500	----	----	----/1.2560A	1.2190B/1.2560A	----	1.2145	- 0.2165	----	----	----	----	----	8	UNCH											
550	----	----	----/0.7250A	0.7355B/0.7250A	----	0.7330	- 0.2080	----	----	----	----	----	3	UNCH											
580	----	----	----/0.4525A	0.6275B/0.4525A	----	0.4740	- 0.1890	----	----	----	----	----	253	UNCH											
585	----	----	----/0.4305A	0.5845B/0.4305A	----	0.4355	- 0.1840	----	----	----	----	----	11	UNCH											
590	----	----	----/0.3755A	0.5425B/0.3755A	----	0.3990	- 0.1780	----	----	----	----	----	17	UNCH											
595	----	----	----/0.3425A	0.5020B/0.3425A	----	0.3645	- 0.1715	----	----	----	----	----	1	UNCH											
600	----	----	----/0.3115A	0.4630B/0.3115A	----	0.3325	- 0.1640	----	----	----	----	----	4	UNCH											
610	0.2600	0.2600	0.2600/0.2540A	0.4100B/0.2540A	----	0.2740	- 0.1490	----	----	----	1	----	5	+											
615	0.2500	0.2500	0.2500/0.2300A	0.3755B/0.2300A	----	0.2480	- 0.1405	----	----	----	1	----	3	+											
620	0.2235	0.2235	0.2235/0.2080A	0.3435B/0.2080A	----	0.2245	- 0.1315	----	----	----	1	----	28	+											
625	----	----	----/0.1870A	0.3135B/0.1870A	----	0.2025	- 0.1235	----	----	----	2	120	218	+											
630	0.2195	0.2195	0.2200/0.1690A	0.2850B/0.1690A	----	0.1825	- 0.1150	----	----	----	4	----	61	+											
635	0.2260	0.2260	0.2260/0.1525A	0.2625B/0.1525A	----	0.1645	- 0.1070	----	----	----	9	----	26	+											
640	0.2080	0.2080	0.2090/0.1375A	0.2395B/0.1375A	----	0.1480	- 0.0990	----	----	----	51	----	175	-											
645	0.1950	0.1950	0.1950/0.1245A	0.2170B/0.1245A	----	0.1330	- 0.0920	----	----	----	34	----	44	+											
650	0.1850	0.1850	0.1850/*0.1120A	0.1960B/*0.1120	----	0.1195	- 0.0850	----	----	----	25	----	590	+											
655	0.1160	0.1160	0.1160/*0.1010A	0.1775B/*0.1010	----	0.1075	- 0.0780	----	----	----	78	----	257	+											
660	0.0985	0.0985	0.0985/*0.0915A	0.1605B/*0.0915	----	0.0970	- 0.0715	----	----	----	8	----	518	UNCH											
665	0.0875	0.0875	0.0875/*0.0830A	0.1450B/*0.0830	----	0.0870	- 0.0655	----	----	----	1	----	49	+											
670	0.0810	0.0810	0.0810/*0.0750A	0.1310B/*0.0750	----	0.0785	- 0.0595	----	----	----	16	----	486	+											
675	0.0770	0.0770	0.0770/*0.0680A	0.1185B/*0.0680	----	0.0710	- 0.0540	----	----	514	----	1801	+												
680	0.0655	0.0655	0.0690/*0.0620A	0.1070B/*0.0620	----	0.0640	- 0.0490	----	----	5	----	141	+												
685	0.0590	0.0590	0.0590/*0.0565A	0.0960B/*0.0565	----	0.0580	- 0.0440	----	----	3	----	90	+												
690	0.0530	0.0530	0.0530/*0.0510A	0.0870B/*0.0510	----	0.0525	- 0.0395	----	----	5	----	600	UNCH												
695	0.0510	0.0510	0.0515/*0.0465A	0.0780B/*0.0465	----	0.0475	- 0.0350	----	----	3	----	15	-												
700	0.0515	0.0515	0.0515/*0.0425A	0.0705B/*0.0425	----	0.0435	- 0.0310	----	----	1188	----	3891	+												
705	----	----	----/*0.0390A	0.0630B/*0.0390	----	0.0395	- 0.0275	----	----	----	----	----	10	UNCH											
710	0.0390	0.0390	0.0390/*0.0355A	0.0565B/*0.0355	----	0.0360	- 0.0240	----	----	19	----	354	+												
715	0.0330	0.0330	0.0330/*0.0325A	0.0515B/*0.0325	----	0.0330	- 0.0210	----	----	3	----	8	-												
720	0.0300	0.0300	0.0300/*0.0295A	0.0460B/*0.0295	----	0.0300	- 0.0185	----	----	3	----	229	UNCH												
725	0.0295	0.0295	0.0295/*0.0260	0.0420B/*0.0260	----	0.0275	- 0.0165	----	----	364	----	1419	+												
730	----	----	----/*0.0245A	0.0375B/*0.0245	----	0.0255	- 0.0140	----	----	----	----	84	UNCH												
735	----	----	----/*0.0220A	0.0340B/*0.0220	----	0.0230	- 0.0125	----	----	1	----	10	UNCH												
740	0.0200	0.0200	0.0200/*0.0200	0.0310B/*0.0200	----	0.0215	- 0.0110	----	----	2	----	578	+												
750	0.0200	0.0200	0.0200/*0.0170	0.0250B/*0.0170	----	0.0180	- 0.0085	----	----	17	----	1716	+												
770	0.0125	0.0125	0.0125/*0.0120A	0.0175B/*0.0120	----	0.0135	- 0.0055	----	----	3	----	4	+												
775	----	----	----/*0.0110A	0.0160B/*0.0110	----	0.0125	- 0.0050	----	----	----	----	173	UNCH												
780	0.0105	0.0105	0.0105/*0.0100A	0.0150B/*0.0100	----	0.0115	- 0.0045	----	----	2	----	8	+												
800	----	----	----/*0.0075A	0.0105B/*0.0075	----	0.0090	- 0.0030	----	----	1	----	483	UNCH												
825	0.0050	0.0050	0.0050/*0.0050	0.0065B/*0.0050	----	0.0065	- 0.0025	----	----	2	----	37	+												
850	----	----	----	0.0045B/0.0070A	----	0.0045	- 0.0015	----	----	1	----	26	+												
875	0.0040	0.0040	0.0040/*0.0040	0.0040/*0.0040	----	0.0040	- 0.0010	----	----	2	----	61	UNCH												
900	----	----	----	0.0010B/*0.0055	----	0.0035	- 0.0010	----	----	1	----	134	UNCH												
925	----	----	----	0.0005B/*0.0050	----	0.0025	- 0.0010	----	----	----	----	3	UNCH												
950	----	----	----	0.0025B/0.0045A	----	0.0020	- 0.0005	----	----	----	----	63	UNCH												
975	----	----	----	----/0.0040A	----	0.0015	- 0.0005	----	----	1	----	62	UNCH												
TOTAL										120	2371		14757+	1128											
SEP26																									
495	----	----	----	----	----	1.2690	- 0.2150	----	----	----	----	----	2	UNCH											
500	----	----	----/1.2615A	1.2235B/1.2615A	----	1.2205	- 0.2145	----	----	----	----	----	5	UNCH											
510	----	----	----	----	----	1.1245	- 0.2125	----	----	----	----	----	2	UNCH											
535	----	----	----	----	----	0.8925	- 0.2055	----	----	----	----	----	1	UNCH											
565	----	----	----	----	----	0.6395	- 0.1895	----	----	----	----	----	1	UNCH											
575	----	----	----/0.5435A	0.5675B/0.5435A	----	0.5645	- 0.1810	----	----	----	----	----	100	UNCH											
595	----	----	----/0.4150A	0.5795B/0.4150A	----	0.4325	- 0.1605	----	----	----	----	----	5	UNCH											
600	----	----	----/0.3840A	0.5445B/0.3840A	----	0.4035	- 0.1550	----	----	----	----	----	221	UNCH											
610	----	----	----/0.3340A	0.4795B/0.3340A	----	0.3505	- 0.1425	----	----	----	----	----	31	UNCH											
615	----	----	----/0.3110A	0.4490B/0.3110A	----	0.3265	- 0.1355	----	----	----	----	----	9	UNCH											
620	0.3070	0.3070	0.3070/0.2890A	0.4200B/0.2890A	----	0.3035	- 0.1295	----	----	1	----	187	UNCH												
625	----	----	----/0.2665A	0.3925B/0.2665A	----	0.2825	- 0.1230	----	----	2	----	633	+												
630	0.3005	0.3005	0.3005/0.2495A	0.3705B/0.2495A	----	0.2625	- 0.1170	----	----	1	----	51	UNCH												
635	----	----	----/0.2315A	0.3460B/0.2315A	----	0.2440	- 0.1105	----	----	1	----	89	-												
640	----	----	----/0.2140A	0.3220B/0.2140A	----	0.2270	- 0.1045	----	----	376	1000	1037	-												
645	----	----	----/0.1995A	0.3005B/0.1995A	----	0.2105	- 0.0990	----	----	102	----	203	+												
650	0.2065	0.2065	0.2065/0.1850A	0.2805B/0.1850A	----	0.1955	- 0.0935	----	----	2	----	383	-												
655	----	----	----/0.1725A	0.2615B/0.1725A	----	0.1815	- 0.0880	----	----	----	----	25	UNCH												
660	0.1830	0.1830	0.1830/0.1600A	0.2430B/0.1600A	----	0.1685	- 0.0830	----	----	1	----	106	+												
665	----	----	----/0.1490A	0.2265B/0.1490A	----	0.1565	- 0.0740	----	----	----	----	86	UNCH												
670	0.1560	0.1560	0.1560/0.1380A	0.2150B/0.1380A	----	0.1450	- 0.0740	----	----	203	----	408	+												
675	----	----	----/0.1285A	0.1960B/0.1285A	----	0.1345	- 0.0695	----	----	----	----	621	UNCH												
680	0.1345	0.1345	0.1345/0.1195A	0.1820B/0.1195A	----	0.1245	- 0.0655	----	----	364	1000	1383	-												
685	----	----	----/0.1115A	0.1690B/0.1115A	----	0.1155	- 0.0615	----	----	----	----	131	UNCH												
690	0.1120	0.1120	0.1120/0.1035A	0.1570B/0.1035A	----	0.1075	- 0.0575	----	----	100	----	737	-												
695	----	----	----/0.0965A	0.1460B/0.0965A	----	0.0995	- 0.0540	----	----	100	----	100	UNCH												
700	0.1205	0.1205	0.1205/0.0890	0.1360B/0.0890	----	0.0925	- 0.0505	----	----	31	----	12387	+												
705	----	----	----/*0.0830A	0.1255B/*0.0830	----	0.0855	- 0.0475	----	----	----	----	465	UNCH												
710	0.0800	0.0800	0.0850/*0.0775A	0.1170B/*0.0775	----	0.0795	- 0.0440	----	----	4	----	507	-												
715	----	----	----/*0.0730A	0.1080B/*0.0730	----	0.0740	- 0.0405	----	----	----	----	119	UNCH												
720	----	----	----/*0.0680A	0.1005B/*0.0680	----	0.0690	- 0.0375	----	----	----	----	169	UNCH												
725	0.0680	0.0680	0.0680/*0.0630A	0.0925B/*0.0630	----	0.0640	- 0.0350	----	----	1	200	461	+												
730	----	----	----/*0.0590A	0.0855B/*0.0590	----	0.0595	- 0.0320	----	----	----	----	129	UNCH												
735	0.0585	0.0585	0.0585/*0.0550A	0.0790B/*0.0550	----	0.0555	- 0.0295	----	----	1	----	121	+												
740	----	----	----/*0.0515A	0.0730B/*0.0515	----</																				

PG64	BULLETIN #119@										METALS OPTION PRODUCTS										Tue, Jun 23, 2026		PG64
	GLOBAL OPEN	OPEN OUTCRY OPEN RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE		SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME							OPEN INTEREST			
HX CALL	COMEX COPPER OPTIONS																						
OCT26																							
800	0.0515	0.0515	0.0515/*0.0515	0.0660B/*0.0515	----		0.0500 - 0.0220	----	----	----	----	1	----							77 +	1		
825	----	----	----/*0.0415A	0.0485B/*0.0415	----		0.0375 - 0.0170	----	----	----	----	----	----							2	UNCH		
850	----	----	----/*0.0330A	0.0370B/*0.0330	----		0.0285 - 0.0130	----	----	----	----	----	----							31	UNCH		
875	----	----	----/*0.0265A	0.0280B/*0.0265	----		0.0215 - 0.0105	----	----	----	----	----	----							3	UNCH		
900	----	----	----/*0.0220A	0.0215B/*0.0220	----		0.0170 - 0.0080	----	----	----	----	----	----							3	UNCH		
975	----	----	----	0.0105B/*0.0140	----		0.0085 - 0.0045	----	----	----	----	----	----							7	UNCH		
TOTAL												3								867 +	3		
NOV26																							
535	----	----	----	----	----		1.0260 - 0.1935	----	----	----	----	----	----							1	UNCH		
545	----	----	----	----	----		0.9460 - 0.1885	----	----	----	----	----	----							1	UNCH		
580	----	----	----/0.6770A	0.7805B/0.6770A	----		0.6950 - 0.1675	----	----	----	----	----	----							2	UNCH		
585	----	----	----/0.6460A	0.7935B/0.6460A	----		0.6635 - 0.1640	----	----	----	----	----	----							1	UNCH		
595	----	----	----/0.5875A	0.7445B/0.5875A	----		0.6040 - 0.1560	----	----	----	----	----	----							2	UNCH		
600	----	----	----/0.5600A	0.7125B/0.5600A	----		0.5755 - 0.1525	----	----	----	----	----	----							2	UNCH		
610	----	----	----/0.5080A	0.6510B/0.5080A	----		0.5225 - 0.1440	----	----	----	----	----	----							14	UNCH		
640	----	----	----/0.3770A	0.4915B/0.3770A	----		0.3875 - 0.1195	----	----	----	----	----	----							1	UNCH		
650	----	----	----/0.3405A	0.4470B/0.3405A	----		0.3500 - 0.1115	----	----	----	----	----	----							1	UNCH		
655	----	----	----/0.3240A	0.4260B/0.3240A	----		0.3325 - 0.1075	----	----	----	----	----	----							1	UNCH		
660	----	----	----/0.3075A	0.4060B/0.3075A	----		0.3155 - 0.1040	----	----	----	----	----	----							55	UNCH		
670	----	----	----/0.2780A	0.3675B/0.2780A	----		0.2845 - 0.0965	----	----	----	----	----	----							14	UNCH		
675	----	----	----/0.2640A	0.3500B/0.2640A	----		0.2700 - 0.0930	----	----	----	----	----	----							58	UNCH		
680	----	----	----/0.2510A	0.3330B/0.2510A	----		0.2565 - 0.0895	----	----	----	----	----	----							4	UNCH		
695	----	----	----/0.2155A	0.2870B/0.2155A	----		0.2195 - 0.0790	----	----	----	----	----	----							1	UNCH		
700	----	----	----/0.2050A	0.2730B/0.2050A	----		0.2080 - 0.0765	----	----	----	----	----	----							27	UNCH		
705	----	----	----/0.1950A	0.2595B/0.1950A	----		0.1975 - 0.0730	----	----	----	----	----	----							1	UNCH		
725	----	----	----/0.1595A	0.2115B/0.1595A	----		0.1610 - 0.0610	----	----	----	----	----	----							48	UNCH		
740	----	----	----/0.1380A	0.1815B/0.1380A	----		0.1380 - 0.0530	----	----	----	----	----	----							55	UNCH		
750	----	----	----/0.1255A	0.1635B/0.1255A	----		0.1250 - 0.0480	----	----	----	----	----	----							26	UNCH		
800	----	----	----/0.0795A	0.0980B/0.0795A	----		0.0755 - 0.0300	----	----	----	----	----	----							1	UNCH		
850	----	----	----/*0.0530A	0.0595B/*0.0530	----		0.0460 - 0.0195	----	----	----	----	----	----							2	UNCH		
900	----	----	----/*0.0375A	0.0370B/*0.0375	----		0.0290 - 0.0125	----	----	----	----	----	----							1	UNCH		
925	----	----	----/*0.0320A	0.0295B/*0.0320	----		0.0230 - 0.0105	----	----	----	----	----	----							1	UNCH		
975	----	----	----	0.0190B/*0.0245	----		0.0155 - 0.0070	----	----	----	----	----	----							4	UNCH		
TOTAL																				324			
DEC26																							
525	----	----	----	----	----		1.1295 - 0.1905	----	----	----	----	----	----							123	UNCH		
535	----	----	----	----	----		1.0490 - 0.1875	----	----	----	----	----	----							1	UNCH		
550	----	----	----	----	----		0.9350 - 0.1820	----	----	----	----	----	----							2	UNCH		
555	----	----	----	----	----		0.8990 - 0.1795	----	----	----	----	----	----							1	UNCH		
565	----	----	----/0.8115A	0.8300B/0.8115A	----		0.8295 - 0.1740	----	----	----	----	----	----							45	UNCH		
575	----	----	----/0.7465A	0.8470B/0.7465A	----		0.7635 - 0.1680	----	----	----	----	----	----							123	UNCH		
585	----	----	----/0.6860A	0.8445B/0.6860A	----		0.7015 - 0.1610	----	----	----	----	----	----							1	UNCH		
590	----	----	----/0.6570A	0.8120B/0.6570A	----		0.6720 - 0.1570	----	----	----	----	----	----							200	UNCH		
595	----	----	----/0.6290A	0.7800B/0.6290A	----		0.6430 - 0.1540	----	----	----	----	----	----							163	UNCH		
600	0.6300	0.6300	0.6300/0.6020A	0.7490B/0.6020A	----		0.6155 - 0.1500	----	----	----	----	1	----							617 -	1		
610	----	----	----/0.5515A	0.6900B/0.5515A	----		0.5630 - 0.1430	----	----	----	----	----	----							200	UNCH		
620	----	----	----/0.5045A	0.6340B/0.5045A	----		0.5145 - 0.1360	----	----	----	----	----	----							366	UNCH		
625	----	----	----/0.4820A	0.6080B/0.4820A	----		0.4920 - 0.1320	----	----	----	----	----	----							38	UNCH		
630	----	----	----/0.4610A	0.5820B/0.4610A	----		0.4700 - 0.1285	----	----	----	----	----	----							310	UNCH		
635	----	----	----/0.4405A	0.5575B/0.4405A	----		0.4490 - 0.1250	----	----	----	----	----	----							1	UNCH		
640	----	----	----/0.4210A	0.5345B/0.4210A	----		0.4290 - 0.1210	----	----	----	----	----	----							29	UNCH		
650	0.4045	0.4045	0.4045/0.3840A	0.4885B/0.3840A	----		0.3910 - 0.1145	----	----	----	----	93	----							252 -	81		
655	----	----	----/0.3670A	0.4685B/0.3670A	----		0.3735 - 0.1105	----	----	----	----	----	----							10	UNCH		
660	----	----	----/0.3505A	0.4490B/0.3505A	----		0.3565 - 0.1075	----	----	----	----	----	----							300	UNCH		
670	----	----	----/0.3200A	0.4105B/0.3200A	----		0.3250 - 0.1005	----	----	----	----	----	----							5	UNCH		
675	----	----	----/0.3055A	0.3925B/0.3055A	----		0.3100 - 0.0970	----	----	----	----	----	----							19	UNCH		
680	----	----	----/0.2920A	0.3750B/0.2920A	----		0.2960 - 0.0940	----	----	----	----	----	----							663	UNCH		
690	----	----	----/0.2665A	0.3430B/0.2665A	----		0.2695 - 0.0875	----	----	----	----	----	----							1	UNCH		
700	----	----	----/0.2435A	0.3130B/0.2435A	----		0.2450 - 0.0815	----	----	----	----	----	----							1783	UNCH		
705	----	----	----/0.2330A	0.2990B/0.2330A	----		0.2335 - 0.0790	----	----	----	----	----	----							2	UNCH		
710	----	----	----/0.2235A	0.2855B/0.2235A	----		0.2230 - 0.0760	----	----	----	----	----	----							50	UNCH		
725	----	----	----/0.1950A	0.2475B/0.1950A	----		0.1935 - 0.0680	----	----	----	----	----	----							124	UNCH		
730	----	----	----/0.1865A	0.2365B/0.1865A	----		0.1850 - 0.0650	----	----	----	----	----	----							4	UNCH		
740	----	----	----/0.1710A	0.2155B/0.1710A	----		0.1685 - 0.0605	----	----	----	----	----	----							226	UNCH		
750	----	----	----/0.1570A	0.1965B/0.1570A	----		0.1540 - 0.0555	----	----	----	----	2	----							559 +	2		
775	----	----	----/0.1280A	0.1560B/0.1280A	----		0.1235 - 0.0450	----	----	----	----	----	----							215	UNCH		
800	----	----	----/0.1050A	0.1240B/0.1050A	----		0.1000 - 0.0360	----	----	----	----	2	----							375	UNCH		
825	----	----	----/0.0870A	0.0990B/0.0870A	----		0.0815 - 0.0290	----	----	----	----	----	----							64	UNCH		
850	----	----	----/*0.0730A	0.0795B/*0.0730	----		0.0665 - 0.0240	----	----	----	----	----	----							161	UNCH		
900	----	----	----/0.0535A	0.0520B/0.0535A	----		0.0455 - 0.0165	----	----	----	----	----	----							643	UNCH		
925	----	----	----/*0.0460A	0.0425B/*0.0460	----		0.0380 - 0.0140	----	----	----	----	----	----							6	UNCH		
950	----	----	----/0.0405A	0.0345B/0.0405A	----		0.0320 - 0.0120	----	----	----	----	----	----							114	UNCH		
975	----	----	----/0.0355A	0.0285B/0.0355A	----		0.0275 - 0.0105	----	----	----	----	----	----							14	UNCH		
1000	----	----	----/*0.0315A	0.0235B/*0.0315	----		0.0235 - 0.0090																

PG64		BULLETIN #119@										METALS OPTION PRODUCTS										Tue, Jun 23, 2026		PG64	
		GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST										
HX PUT		COMEX COPPER OPTIONS																							
JUL26																									
536	----	----	----	----	----	---/0.0030A	----	----	0.0015	UNCH	----	----	----	----	5	UNCH									
538	----	----	----	----	----	---/0.0015A	----	----	0.0015	UNCH	----	----	----	----	3	UNCH									
539	----	----	----	----	----	---/0.0015A	----	----	0.0015	UNCH	----	----	----	----	3	UNCH									
540	----	----	----	----	----	---/0.0030A	----	----	0.0015	UNCH	----	----	----	----	907	UNCH									
541	----	----	----	----	----	---/0.0030A	----	----	0.0015	UNCH	----	----	----	----	2	UNCH									
542	----	----	----	----	----	---/0.0015A	----	----	0.0015	UNCH	----	----	----	----	2	UNCH									
543	----	----	----	----	----	---/0.0030A	----	----	0.0015	UNCH	----	----	----	----	4	UNCH									
544	----	----	----	----	----	---/0.0030A	----	----	0.0015	UNCH	----	----	----	----	5	UNCH									
545	----	----	----	----	----	---/0.0015A	----	----	0.0015	UNCH	----	----	----	----	5	UNCH									
546	----	----	----	----	----	---/0.0015A	----	----	0.0015	UNCH	----	----	----	----	3	UNCH									
547	----	----	----	----	----	---/0.0015A	----	----	0.0015	UNCH	----	----	----	----	9	UNCH									
548	----	----	----	----	----	---/0.0015A	----	----	0.0015	UNCH	----	----	----	----	17	UNCH									
549	----	----	----	----	----	---/0.0020A	----	----	0.0015	UNCH	----	----	----	----	2	UNCH									
550	----	----	----	----	----	0.0015B/0.0020A	----	----	0.0015	UNCH	----	----	100	----	942	-	100								
551	----	----	----	----	----	---/0.0020A	----	----	0.0020	+	0.0005	----	----	----	2	UNCH									
552	----	----	----	----	----	---/0.0020A	----	----	0.0020	+	0.0005	----	----	----	5	UNCH									
553	----	----	----	----	----	---/0.0025A	----	----	0.0020	+	0.0005	----	----	----	1	UNCH									
554	----	----	----	----	----	---/0.0025A	----	----	0.0020	+	0.0005	----	----	----	50	UNCH									
555	----	----	----	----	----	---/0.0025A	----	----	0.0020	+	0.0005	----	----	----	76	UNCH									
556	----	----	----	----	----	---/0.0025A	----	----	0.0020	+	0.0005	----	----	----	59	UNCH									
557	----	----	----	----	----	---/0.0025A	----	----	0.0020	+	0.0005	----	----	----	1	UNCH									
558	----	----	----	----	----	---/0.0025A	----	----	0.0020	+	0.0005	----	----	----	104	UNCH									
559	----	----	----	----	----	---/0.0025A	----	----	0.0025	+	0.0010	----	----	----	18	UNCH									
560	----	----	----	----	----	---/0.0025A	----	----	0.0025	+	0.0010	----	16	----	383	+	16								
561	----	----	----	----	----	---/0.0025A	----	----	0.0025	+	0.0010	----	----	----	7	UNCH									
562	----	----	----	----	0.0025B/----	0.0025B/0.0025A	----	----	0.0025	+	0.0010	----	----	----	2	UNCH									
563	----	----	----	----	0.0025B/----	0.0025B/0.0030A	----	----	0.0025	+	0.0010	----	----	----	16	UNCH									
564	----	----	----	----	0.0025B/----	0.0025B/0.0030A	----	----	0.0025	+	0.0010	----	----	----	13	UNCH									
565	0.0030	0.0030	0.0030	0.0030	0.0030/0.0030	0.0030/0.0030	0.0030	0.0030	0.0030	+	0.0015	----	5	----	17	+	5								
566	----	----	----	----	0.0035B/----	0.0035B/0.0030A	0.0030	0.0030	0.0030	+	0.0010	----	----	----	14	UNCH									
567	----	----	----	----	0.0035B/----	0.0035B/0.0030A	0.0030	0.0030	0.0030	+	0.0010	----	----	----	14	UNCH									
568	----	----	----	----	0.0035B/----	0.0035B/0.0030A	0.0030	0.0030	0.0030	+	0.0010	----	----	----	22	UNCH									
569	----	----	----	----	0.0040B/----	0.0040B/0.0035A	0.0035	0.0035	0.0035	+	0.0015	----	----	----	11	UNCH									
570	0.0045	0.0045	0.0045	0.0045	0.0045/0.0045	0.0045/0.0035A	0.0035	0.0035	0.0035	+	0.0015	4	----	----	306	UNCH									
571	0.0035	0.0035	0.0035	0.0035	0.0040B/0.0035	0.0040B/0.0035	0.0035	0.0035	0.0035	+	0.0015	3	----	----	30	+	3								
572	----	----	----	----	0.0045B/----	0.0045B/0.0030A	0.0035	0.0035	0.0035	+	0.0015	----	----	----	5	UNCH									
573	----	----	----	----	0.0045B/----	0.0045B/0.0035A	0.0040	0.0040	0.0040	+	0.0020	----	----	----	21	UNCH									
574	0.0035	0.0035	0.0035	0.0035	0.0050B/0.0035	0.0050B/0.0035	0.0040	0.0040	0.0040	+	0.0020	6	----	----	32	+	6								
575	0.0035	0.0035	0.0035	0.0035	0.0050B/0.0035	0.0050B/0.0035	0.0040	0.0040	0.0040	+	0.0020	3	----	----	272	+	3								
576	----	----	----	----	0.0060B/----	0.0060B/0.0040A	0.0045	0.0045	0.0045	+	0.0025	----	----	----	33	UNCH									
577	----	----	----	----	0.0055B/----	0.0055B/0.0045A	0.0045	0.0045	0.0045	+	0.0025	----	----	----	6	UNCH									
578	----	----	----	----	0.0060B/----	0.0060B/0.0045A	0.0045	0.0045	0.0045	+	0.0025	----	----	----	40	UNCH									
579	0.0070	0.0070	0.0070	0.0070	0.0070/0.0070	0.0070/0.0045A	0.0050	0.0050	0.0050	+	0.0030	1	----	----	52	UNCH									
580	0.0065	0.0065	0.0065	0.0065	0.0075/0.0055	0.0075/0.0045A	0.0050	0.0050	0.0050	+	0.0025	48	----	1902	-	15									
581	0.0075	0.0075	0.0075	0.0075	0.0075/0.0075	0.0075/0.0040A	0.0055	0.0055	0.0055	+	0.0030	3	----	----	25	UNCH									
582	----	----	----	----	0.0080B/----	0.0080B/0.0040A	0.0055	0.0055	0.0055	+	0.0030	----	----	----	65	UNCH									
583	----	----	----	----	0.0080B/----	0.0080B/0.0045A	0.0055	0.0055	0.0055	+	0.0030	----	----	----	55	UNCH									
584	0.0080	0.0080	0.0080	0.0080	0.0085/0.0080	0.0085/0.0045A	0.0060	0.0060	0.0060	+	0.0035	14	----	22	-	6									
585	0.0020	0.0020	0.0020	0.0020	0.0090B/*0.0020	0.0090B/*0.0020	0.0060	0.0060	0.0060	+	0.0035	114	----	851	-	16									
586	----	----	----	----	0.0100B/----	0.0100B/0.0050A	0.0065	0.0065	0.0065	+	0.0040	----	----	----	42	UNCH									
587	----	----	----	----	0.0105B/----	0.0105B/0.0050A	0.0065	0.0065	0.0065	+	0.0040	----	----	----	15	UNCH									
588	----	----	----	----	0.0110B/----	0.0110B/0.0055A	0.0070	0.0070	0.0070	+	0.0045	----	----	----	39	UNCH									
589	0.0065	0.0065	0.0065	0.0065	0.0120B/0.0065	0.0120B/0.0060A	0.0075	0.0075	0.0075	+	0.0050	48	----	89	+	44									

PG64	BULLETIN #119@										METALS OPTION PRODUCTS				Tue, Jun 23, 2026			PG64
	LOBEX OPEN	OPEN OUTCRY OPEN RANGE	LOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	LOBEX® VOLUME	PNT VOLUME	OPEN INTEREST						
PO CALL	PLATINUM OPTIONS																	
OCT26																		
2300	----	----	----/*12.40A	11.60B/*12.40A	----	13.20 UNCH	----	----	----	----	----	7	UNCH					
2375	----	----	----	8.60B/*10.30A	----	10.40 + 0.10	----	----	----	----	----	50	UNCH					
2400	----	----	----	7.80B/*9.70A	----	9.60 UNCH	----	----	----	----	----	527	UNCH					
2500	----	----	----	5.30B/*7.90A	----	7.10 + 0.10	----	----	----	----	----	365	UNCH					
2600	----	----	----	3.70B/*6.70A	----	5.50 + 0.10	----	----	----	----	----	23	UNCH					
2635	----	----	----	3.20B/*6.40A	----	5.20 + 0.20	----	----	----	----	----	200	UNCH					
2650	----	----	----	3.10B/*6.30A	----	5.10 + 0.20	----	----	----	----	----	25	UNCH					
2700	----	----	----	2.60B/*5.90A	----	4.80 + 0.10	----	----	----	----	----	306	UNCH					
2800	----	----	----	1.80B/*5.30A	----	4.60 + 0.10	----	----	----	----	----	39	UNCH					
2850	----	----	----	1.50B/*5.00A	----	4.60 + 0.10	----	----	----	----	----	155	UNCH					
2900	----	----	----	1.20B/*4.80A	----	4.40 UNCH	----	----	----	----	----	110	UNCH					
2950	----	----	----	3.30B/*4.60A	----	4.20 UNCH	----	----	----	----	----	55	UNCH					
3000	----	----	----	0.80B/*4.40A	----	3.90 + 0.10	----	----	----	----	----	348	UNCH					
3200	----	----	----	0.20B/*3.90A	----	2.20 + 0.10	----	----	----	----	----	10	UNCH					
3500	----	----	----	----/*3.40A	----	1.30 + 0.10	----	----	----	----	----	10	UNCH					
4000	----	----	----	----/2.90A	----	0.70 UNCH	----	----	----	----	----	5	UNCH					
TOTAL										32		2747 +	27					
JAN27																		
2360	----	----	----	----	----	35.30 - 2.70	----	----	----	----	----	100	UNCH					
TOTAL												100	0					
PO PUT	PLATINUM OPTIONS																	
AUG26																		
1400	1.00	1.00	1.80B/*1.00	1.80B/*1.00	----	1.30 NEW	----	----	----	154	----	154 +	154					
1600	33.00	33.00	34.70B/33.00	34.70B/22.70A	----	25.80 + 3.60	----	----	----	1	----	203 +	1					
1650	40.00	40.00	59.60B/39.50A	59.60B/39.50A	----	45.30 + 5.60	----	----	----	1	----	32	UNCH					
1675	----	----	74.50B/50.50A	74.50B/50.50A	----	57.70 + 6.40	----	----	----	----	----	56	UNCH					
1700	----	----	91.00B/63.30A	91.00B/63.30A	----	71.90 + 7.20	----	----	----	----	----	69	UNCH					
1725	----	----	#109.10B/77.70A	#109.10B/77.70A	----	87.50 + 7.80	----	----	----	----	----	45	UNCH					
1750	----	----	#128.60B/93.50A	#128.60B/93.50A	----	104.70 + 8.50	----	----	----	----	----	150	UNCH					
1775	----	----	#149.20B/110.90	#149.20B/110.90	----	123.30 + 9.30	----	----	----	----	----	15	UNCH					
1800	----	----	#170.80B/129.60	#170.80B/129.60	----	143.10 + 10.00	----	----	----	----	----	20	UNCH					
1850	----	----	#216.00B/170.50	#216.00B/170.50	----	185.80 + 11.20	----	----	----	----	----	200	UNCH					
2000	----	----	#360.20B/308.90	#360.20B/308.90	----	326.70 + 13.00	----	----	----	----	----	1	UNCH					
TOTAL										156		945 +	155					
SEP26																		
1250	1.00	1.00	1.00/*1.00	1.00/*1.00	----	1.20 NEW	----	----	----	10	----	10 +	10					
1400	10.00	10.00	10.10B/9.00	10.10B/9.00	----	8.80 NEW	----	----	----	20	----	20 +	20					
1650	----	----	92.10B/----	92.10B/71.30A	----	78.80 + 7.60	----	----	----	----	----	42	UNCH					
1675	----	----	#107.30B/83.90A	#107.30B/83.90A	----	92.40 + 8.30	----	----	----	----	----	15	UNCH					
1700	----	----	#123.50B/97.60A	#123.50B/97.60A	----	107.10 + 8.90	----	----	----	----	----	20	UNCH					
1850	----	----	#237.80B/199.80	#237.80B/199.80	----	213.80 + 11.60	----	----	----	----	----	16	UNCH					
TOTAL										30		123 +	30					
OCT26																		
1300	----	----	----	6.40B/9.20A	----	7.60 + 0.80	----	----	----	----	----	4	UNCH					
1400	----	----	18.70B/----	18.70B/17.90A	----	17.80 + 2.20	----	----	----	----	----	10	UNCH					
1450	----	----	29.20B/----	29.20B/25.60A	----	26.70 + 3.30	----	----	----	----	----	2	UNCH					
1500	----	----	43.60B/----	43.60B/36.70A	----	39.10 + 4.60	----	----	----	----	----	20	UNCH					
1600	----	----	86.20B/----	86.20B/70.40A	----	76.40 + 7.30	----	----	----	----	----	28	UNCH					
1690	----	----	138.80B/----	138.80B/115.00A	----	124.10 + 9.30	----	----	----	----	----	175	UNCH					
1700	----	----	145.30B/----	145.30B/120.70A	----	130.10 + 9.50	----	----	----	----	----	79	UNCH					
1720	----	----	153.90B/132.50A	153.90B/132.50A	----	142.60 + 9.90	----	----	----	----	----	2	UNCH					
1750	----	----	179.70B/151.30A	179.70B/151.30A	----	162.20 + 10.40	----	----	----	----	----	175	UNCH					
1800	----	----	216.70B/184.90A	216.70B/184.90A	----	197.10 + 11.20	----	----	----	----	----	75	UNCH					
1820	----	----	----	----	----	211.80 + 11.50	----	----	----	----	----	5	UNCH					
1850	----	----	256.00B/221.20A	256.00B/221.20A	----	234.50 + 11.80	----	----	----	----	----	275	UNCH					
1865	----	----	----	----	----	246.20 + 12.00	----	----	----	----	----	1	UNCH					
1900	----	----	297.10B/259.80A	297.10B/259.80A	----	274.10 + 12.40	----	----	----	----	----	225	UNCH					
1950	----	----	339.80B/300.40A	339.80B/300.40A	----	315.40 + 12.80	----	----	----	----	----	50	UNCH					
2000	----	----	383.80B/342.50A	383.80B/342.50A	----	358.10 + 13.00	----	----	----	----	----	1	UNCH					
2100	----	----	#474.50B/430.30	#474.50B/430.30	----	446.80 + 13.30	----	----	----	----	----	100	UNCH					
2130	----	----	----	----	----	474.10 + 13.40	----	----	----	----	----	41	UNCH					
2135	----	----	----	----	----	478.70 + 13.40	----	----	----	----	----	12	UNCH					
2140	----	----	----	----	----	483.30 + 13.40	----	----	----	----	----	12	UNCH					
2400	----	----	#761.20B/711.90	#761.20B/711.90	----	729.50 + 13.80	----	----	----	----	----	200	UNCH					
2500	----	----	#859.50B/809.30	#859.50B/809.30	----	826.90 + 13.80	----	----	----	----	----	1	UNCH					
TOTAL												1493	0					
JAN27																		
1500	----	----	----	----	----	78.60 + 3.40	----	----	----	----	----	70	UNCH					
1800	----	----	----	----	----	234.60 + 7.30	----	----	----	----	----	1	UNCH					
1900	----	----	----	----	----	306.00 + 8.40	----	----	----	----	----	100	UNCH					
2000	----	----	----	----	----	383.40 + 9.50	----	----	----	----	----	200	UNCH					
TOTAL												371	0					

OPTIONS EOO'S AND BLOCKS				
PRODUCT		STRIKE PRICE	EOO VOLUME	BLOCK VOLUME
OG CALL COMEX GOLD OPTIONS				
OG AUG26	CALL			
OG		4150	0	595
OG		4400	0	696
OG		4600	0	360
TOTALS			0	1651
OCT26	CALL			
OG		4800	0	550
TOTALS			0	550
MAR27	CALL			
OG		6300	0	200
TOTALS			0	200
OG PUT COMEX GOLD OPTIONS				
OG JUL26	PUT			
OG		4150	0	234
TOTALS			0	234
AUG26	PUT			
OG		3900	0	180
TOTALS			0	180
SEP26	PUT			
OG		3755	0	200
TOTALS			0	200
OCT26	PUT			
OG		3700	0	550
TOTALS			0	550
DEC26	PUT			
OG		3500	0	100
TOTALS			0	100
MAR27	PUT			
OG		3525	0	70
OG		3600	0	80
TOTALS			0	150
SO CALL COMEX SILVER OPTIONS				
SO AUG26	CALL			
SO		6300	0	68
SO		6675	0	64
SO		7200	0	68
TOTALS			0	200
SEP26	CALL			
SO		6700	0	200
SO		8500	0	50
SO		10000	0	100
TOTALS			0	350
FEB27	CALL			
SO		6500	0	100
TOTALS			0	100
MAR27	CALL			
SO		9000	0	35
SO		13000	0	36
TOTALS			0	71
SO PUT COMEX SILVER OPTIONS				
SO JUL26	PUT			
SO		6075	0	50
TOTALS			0	50
AUG26	PUT			
SO		5100	0	84
SO		5500	0	72
TOTALS			0	156
SEP26	PUT			
SO		5500	0	42
TOTALS			0	42
HX CALL COMEX COPPER OPTIONS				
HX JUL26	CALL			
HX		650	0	240
TOTALS			0	240
AUG26	CALL			
HX		625	0	120
TOTALS			0	120
SEP26	CALL			
HX		640	0	1000
HX		680	0	1000
HX		725	0	200
TOTALS			0	2200
HX PUT COMEX COPPER OPTIONS				
HX AUG26	PUT			
HX		575	0	200
HX		615	0	320
TOTALS			0	520
SEP26	PUT			
HX		590	0	600
HX		600	0	1000
HX		620	0	1000
HX		625	0	300
TOTALS			0	2900
PO CALL PLATINUM OPTIONS				
PO SEP26	CALL			
PO		2000	0	200
TOTALS			0	200
GMW MON GOLD WEEKLY MONDAY OPTION WEEK1				
GMW JUL26	PUT			
GM		4100	0	156
TOTALS			0	156