METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY'S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES

EXPIRATION:	APR26	APR26	APR26	MAY26	JUN26	JUL26	AUG26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27
COO OPT	04/30			05/29	06/30	07/31	08/28	09/30	10/30	11/30	12/31	01/29	02/26	03/31
ECG10 OP		04/23	04/24											
ECG11 OP		04/23	04/24											
ECG13 OP		04/23	04/24											
ECG15 OP		04/23	04/24											
ECG16 OP		04/23	04/24											
ECGC OOF		04/23	04/24											
ECHG OOF		04/23	04/24											
ECSI OOF		04/23	04/24											
EHO OPT	04/30			05/29	06/30	07/31	08/28	09/30						
FMG OPT	04/24			05/01										
FSO OPT	04/30			05/29	06/30									
GMW MON				05/18	06/01									
GWR THU	04/30			05/14										
GWT TUE	04/28			05/19										
GWW WED	04/29			05/20										
HMW MON				05/18	06/01									
HRO OPT	04/28			05/26	06/23	07/28	08/25	09/29	10/27	11/24	12/29			
HWR THU	04/30													
HWT TUE	04/28			05/05										
HWW WED	04/29			05/06	06/03	07/01								
HX CALL				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28		02/23
HX PUT				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
HXE CALL	04/24			05/08										
HXE PUT	04/24			05/08										
LHO OPT	04/30			05/29	06/30	07/31	08/31	09/30	10/30	11/30	12/31	01/29	02/26	03/31
OG CALL				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
OG PUT				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
OG1 CALL				05/01										
OG1 PUT				05/01										
OG2 CALL				05/08										
OG2 PUT				05/08										
OG3 CALL				05/15										
OG3 PUT				05/15										
OG4 CALL	04/24													
OG4 PUT	04/24													
OMG OPT				04/27	05/26	06/25								
PAO CALL					05/20	06/17		08/19			11/18			
PAO PUT					05/20	06/17		08/19			11/18			
PAW OOF	04/24													
PLW OOF	04/24			05/01										
PO CALL					05/20	06/17			09/16			12/16		
PO PUT					05/20	06/17			09/16			12/16		
RWS THU	04/30			05/07										
SMW MON				05/18	06/01									
SO CALL				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
SO PUT				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
SO1 CALL				05/01										
SO1 PUT				05/01										
SO2 CALL				05/08										
SO2 PUT				05/08										
SO3 CALL				05/15										
SO3 PUT				05/15										
SO4 CALL	04/24													
SO4 PUT	04/24													
SWW WED	04/29			05/06										
TWS TUE	04/28			05/19										

GOLD OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT		MICRO GOLD OPTIONS										
MAY26												
3600	----	----	----	----	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3700	----	----	----	----	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3850	----	----	----	----	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3900	----	----	----	----	----	0.10 UNCH	----	----	----	----	----	2 UNCH
4000	----	----	----	----	----	0.10 - 0.30	----	----	----	----	----	4 UNCH
4200	----	----	----	----	----	0.30 - 0.80	----	----	----	----	----	2 UNCH
4250	----	----	----	----	----	491.20 + 15.90	----	----	----	----	----	1 UNCH
4450	----	----	----	----	----	292.10 + 14.30	----	----	----	----	----	1 UNCH
4500	----	----	----	----	----	242.50 + 13.00	----	----	----	----	----	1 UNCH
4500	----	----	----	----	----	1.70 - 3.80	----	----	----	----	----	1 UNCH
4600	----	----	----	----	----	3.60 - 9.20	----	----	----	----	----	3 UNCH
4725	----	----	----	----	----	23.00 - 21.10	----	----	----	----	----	1 UNCH
4770	----	----	----	----	----	45.90 - 22.70	----	----	----	----	----	1 UNCH
4800	----	----	----	----	----	68.00 - 21.80	----	----	----	----	----	2 UNCH
4800	----	----	----	----	----	8.90 - 4.90	----	----	----	----	----	1 UNCH
4900	----	----	----	----	----	1.30 - 1.80	----	----	----	----	----	2 UNCH
4900	----	----	----	----	----	160.30 - 18.70	----	----	----	----	----	1 UNCH
4910	----	----	----	----	----	1.10 - 1.70	----	----	----	----	----	1 UNCH
5000	----	----	----	----	----	0.40 - 0.90	----	----	----	----	----	1 UNCH
5050	----	----	----	----	----	309.30 - 17.50	----	----	----	----	----	3 UNCH
5200	----	----	----	----	----	0.10 - 0.20	----	----	----	----	----	1 UNCH
5875	----	----	----	----	----	0.10 UNCH	----	----	----	----	----	1 UNCH
TOTAL												35 0
JUN26												
2500	----	----	----	----	----	0.20 UNCH	----	----	----	----	----	2 UNCH
4200	----	----	----	----	----	13.40 - 4.60	----	----	----	----	----	1 UNCH
4260	----	----	----	----	----	16.70 - 5.70	----	----	----	----	----	1 UNCH
4300	----	----	----	----	----	19.50 - 6.40	----	----	----	----	----	2 UNCH
4500	----	----	----	----	----	45.10 - 11.50	----	----	----	----	----	5 UNCH
4600	----	----	----	----/96.30A	----	69.50 - 13.80	----	----	----	----	----	1 UNCH
4625	----	----	----	----	----	77.40 - 14.50	----	----	----	----	----	1 UNCH
4645	----	----	----	----	----	84.20 - 15.00	----	----	----	----	----	6 UNCH
4700	----	----	----	----	----	146.40 + 0.90	----	----	----	----	----	1 UNCH
4720	112.00	112.00	#112.00/*111.50	#112.00/*111.50A	----	114.40 NEW	----	----	----	2	----	2 + 2
4900	----	----	----	----	----	60.10 - 2.10	----	----	----	----	----	2 UNCH
5000	38.00	38.00	38.00/*38.00	38.00/*38.00	----	36.20 - 2.50	----	----	----	1	----	0 - 1
5100	----	----	----	----	----	21.90 - 2.20	----	----	----	----	----	1 UNCH
5400	----	----	----	----	----	6.40 - 1.10	----	----	----	----	----	2 UNCH
5875	----	----	----	----	----	2.30 - 0.40	----	----	----	----	----	1 UNCH
TOTAL										3		28 + 1
JUL26												
3400	----	----	----	----	----	1377.30 + 16.10	----	----	----	----	----	1 UNCH
3460	----	----	----	----	----	1317.80 + 16.00	----	----	----	----	----	1 UNCH
4200	----	----	----	----	----	29.90 - 5.40	----	----	----	----	----	1 UNCH
4300	----	----	----	----	----	40.80 - 6.90	----	----	----	----	----	1 UNCH
4500	----	----	----	----	----	76.90 - 10.60	----	----	----	----	----	1 UNCH
4600	----	----	----	----	----	105.20 - 12.00	----	----	----	----	----	2 UNCH
TOTAL												7 0

GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 PUT		GOLD OPTIONS										
APR26												
3500	----	----	----	----/0.10A	----	0.00 NEW	----	----	----	5	----	0 UNCH
3800	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4000	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 20
4025	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4050	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
4100	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 32
4125	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
4150	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 19
4175	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
4200	0.20	0.20	0.20/0.10A	0.20/0.10A	----	0.00 - 0.10	----	----	----	1	----	0 - 8
4210	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4225	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
4235	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4250	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4255	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4275	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
4280	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
4290	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 11
4300	----	----	----	0.10B/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 23
4310	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 8
4315	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4320	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4325	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4330	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
4340	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 4
4345	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 1
4350	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.20	----	----	----	10	----	0 - 41
4355	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 10
4365	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 3
4370	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 1
4375	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 3
4380	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 7
4385	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 30
4395	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 9
4400	0.30	0.30	0.30/*0.10A	0.30/*0.10A	----	0.00 - 0.30	----	----	----	31	----	0 - 102
4410	----	----	----/*0.20A	0.10B/*0.20A	----	0.00 - 0.40	----	----	----	----	----	0 - 39
4415	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 17
4420	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 5
4425	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 25
4430	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 10
4435	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 1
4450	0.10	0.10	0.20/*0.10	0.40B/*0.10	----	0.00 - 0.70	----	----	----	2	----	0 - 45
4455	----	----	----/*0.10A	0.40B/*0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 1
4460	0.90	0.90	0.90/*0.10A	0.90/*0.10A	----	0.00 - 0.80	----	----	----	1	----	0 - 6
4470	----	----	----/*0.20A	0.40B/*0.20A	----	0.00 - 0.90	----	----	----	----	----	0 - 1
4475	----	----	----/*0.10A	0.50B/*0.10A	----	0.00 - 0.90	----	----	----	3	----	0 - 30
4480	----	----	----/*0.20A	0.50B/*0.20A	----	0.00 - 1.00	----	----	----	----	----	0 - 8
4485	----	----	----/*0.20A	0.60B/*0.20A	----	0.00 - 1.10	----	----	----	----	----	0 - 1
4490	----	----	----/*0.20A	0.60B/*0.20A	----	0.00 - 1.10	----	----	----	----	----	0 - 34
4495	----	----	----/*0.20A	0.70B/*0.20A	----	0.00 - 1.20	----	----	----	----	----	0 - 1
4500	1.30	1.30	1.30/*0.10	1.30/*0.10	----	0.00 - 1.30	----	----	----	7	----	0 - 205
4505	----	----	----/*0.20A	0.80B/*0.20A	----	0.00 - 1.40	----	----	----	4	----	0 - 50
4510	----	----	----/*0.20A	0.90B/*0.20A	----	0.00 - 1.50	----	----	----	----	----	0 - 12
4515	----	----	----/*0.20A	1.00B/*0.20A	----	0.00 - 1.60	----	----	----	1	----	0 - 13
4520	----	----	----/*0.20A	1.10B/*0.20A	----	0.00 - 1.70	----	----	----	2	----	0 - 31
4525	----	----	----/*0.20A	1.20B/*0.20A	----	0.00 - 1.80	----	----	----	----	----	0 - 149
4530	----	----	----/*0.20A	1.30B/*0.20A	----	0.00 - 1.90	----	----	----	----	----	0 - 7
4535	----	----	----/*0.20A	1.40B/*0.20A	----	0.00 - 2.00	----	----	----	----	----	0 - 8
4540	0.50	0.50	0.50/*0.20A	1.50B/*0.20A	----	0.00 - 2.10	----	----	----	5	----	0 - 39
4545	----	----	----/*0.20A	1.70B/*0.20A	----	0.00 - 2.30	----	----	----	----	----	0 - 7
4550	1.50	1.50	2.30/*0.10	2.30/*0.10	----	0.00 - 2.50	----	----	----	26	----	0 - 96
4555	----	----	----/*0.20A	2.00B/*0.20A	----	0.00 - 2.60	----	----	----	----	----	0 - 13
4560	2.80	2.80	2.80/*0.10	2.80/*0.10	----	0.00 - 2.80	----	----	----	35	----	0 - 40
4565	1.80	1.80	1.80/*0.20A	2.30B/*0.20A	----	0.00 - 3.00	----	----	----	21	----	0 - 25
4570	2.10	2.10	2.10/*0.20	2.50B/*0.20	----	0.00 - 3.20	----	----	----	4	----	0 - 5
4575	1.70	1.70	2.70/*0.10	2.70/*0.10	----	0.00 - 3.40	----	----	----	16	----	0 - 73
4580	----	----	----/*0.20A	3.10B/*0.20A	----	0.00 - 3.70	----	----	----	----	----	0 - 24
4585	1.20	1.20	1.30/*0.20A	3.50B/*0.20A	----	0.00 - 3.90	----	----	----	5	----	0 - 29
4590	3.00	3.00	3.30B/*0.20A	3.30B/*0.20A	----	0.00 - 4.20	----	----	----	3	----	0 - 7
4595	0.20	0.20	0.20/*0.20	3.60B/*0.20	----	0.00 - 4.50	----	----	----	1	----	0 - 11
4600	4.80	4.80	6.00/*0.10	6.00/*0.10	----	0.00 - 4.80	----	----	----	272	----	0 - 447
4605	0.80	0.80	0.80/*0.20A	4.30B/*0.20A	----	0.00 - 5.20	----	----	----	1	----	0 - 5
4610	5.30	5.30	5.30/*0.20A	5.30/*0.20A	----	0.00 - 5.50	----	----	----	3	----	0 - 11
4615	6.00	6.00	6.40/*0.10	6.40/*0.10	----	0.00 - 5.90	----	----	----	8	----	0 - 13
4620	2.60	2.60	7.90B/*0.10	7.90B/*0.10	----	0.00 - 6.40	----	----	----	8	----	0 - 49
4625	5.80	5.80	6.70B/*0.20A	6.70B/*0.20A	----	0.00 - 6.80	----	----	----	28	----	0 - 127
4630	5.60	5.60	10.50/*0.20A	10.50/*0.20A	----	0.00 - 7.30	----	----	----	34	----	0 - 36
4635	6.00	6.00	9.10B/*0.10	9.10B/*0.10	----	0.00 - 7.80	----	----	----	9	----	0 - 11
4640	----	----	9.20B/*0.20A	9.20B/*0.20A	----	0.00 - 8.40	----	----	----	4	----	0 - 50
4645	----	----	12.00B/*0.20A	12.00B/*0.20A	----	0.00 - 9.00	----	----	----	3	----	0 - 34
4650	11.70	11.70	15.60/*0.10	15.60/*0.10	----	0.00 - 9.60	----	----	----	211	----	0 - 334
4655	11.00	11.00	13.60/*0.20A	13.60/*0.20A	----	0.00 - 10.30	----	----	----	7	----	0 - 11
4660	15.50	15.50	18.00/*0.20A	18.00/*0.20A	----	0.00 - 11.10	----	----	----	17	----	0 - 27
4665	11.70	11.70	15.60B/*0.20	15.60B/*0.20	----	0.00 - 11.90	----	----	----	8	----	0 - 22
4670	7.90	7.90	19.00/*0.20A	19.00/*0.20A	----	0.00 - 12.80	----	----	----	99	----	0 - 43
4675	21.40	21.40	21.40/*0.10	21.40/*0.10	----	0.00 - 13.80	----	----	----	47	----	0 - 95
4680	12.50	12.50	21.00B/*0.10	21.00B/*0.10	----	0.00 - 14.80	----	----	----	32	----	0 - 32
4685	22.80	22.80	23.20B/*0.20	23.20B/*0.20	----	0.00 - 15.90	----	----	----	16	----	0 - 9
4690	4.60	4.60	31.40B/*0.40A	31.40B/*0.40A	----	0.00 - 17.20	----	----	----	93	----	0 - 32
4695	30.00	30.00	34.20B/*0.40A	34.20B/*0.40A	----	0.00 - 18.50	----	----	----	54	----	0 - 23
4700	22.40	22.40	37.30B/*0.40A	37.30B/*0.40A	----	0.00 - 19.90	----	----	----	262	----	0 - 216
4705	4.00	4.00	40.70B/*0.20	40.70B/*0.20	----	0.00 - 21.50	----	----	----	21	----	0 - 7
4710	25.00	25.00	44.20B/*0.40A	44.20B/*0.40A	----	0.00 - 23.20	----	----	----	190	----	0 - 44
4715	35.90	35.90	47.90B/*0.40A	47.90B/*0.40A	----	0.00 - 25.10	----	----	----	23	----	0 - 39
4720	13.10	13.10	52.10B/*0.20	52.10B/*0.20	----	0.00 - 27.00	----	----	----	51	----	0 - 63
4725	54.00	54.00	56.00B/*0.20	56.00B/*0.20	----	0.00 - 29.20	----	----	----	88	----	0 - 88
4730	11.80	11.80	60.10B/*0.10A	60.10B/*0.10A	----	0.00 - 31.50	----	----	----	39	----	0 - 91
4735	5.00	5.00	64.20B/*0.10	64.20B/*0.10	----	0.00 - 34.00	----	----	----	10	----	0 - 24
4740	19.00	19.00	68.90B/*0.40	68.90B/*0.40	----	0.00 - 36.70	----	----	----	57	----	0 - 47
4745	39.50	39.50	73.20B/*2.60A	73.20B/*2.60A	----	4.10 - 35.40	----	36	----	38	----	0 - 14
4750	42.00	42.00	77.90B/*6.20A	77.90B/*6.20A	----	9.10 - 33.40	----	70	----	44	----	0 - 80
4755	----	----	82.40B/*11.00A	82.40B/*11.00A	----	14.10 - 31.60	----	13	----	----	----	0 - 13
4760	60.00	60.00	87.00B/*15.70A	87.00B/*15.70A	----	19.10 - 29.90	----	35	----	3	----	0 - 36
4765	----	----	91.60B/18.80A	91.60B/18.80A	----	24.10 - 28.40	----	14	----	1	----	0 - 15
4770	64.00	64.00	96.30B/22.40A	96.30B/22.40A	----	29.10 - 27.10	----	66	----	8	----	0 - 71
4775	34.30	34.30	101.20B/26.20A	101.20B/26.20A	----	34.10 - 25.90	----	22	----	6	----	0 - 25
4780	36.80	36.80	105.90B/30.00A	105.90B/30.00A	----	39.10 - 24.80	----	41	----	8	----	0 - 42
4785	----	----	110.70B/34.20A	110.70B/34.20A	----	44.10 - 23.80	----	8	----	1	----	0 - 8
4790	52.80	52.80	115.50B/38.40A	115.50B/38.40A	----	49.10 - 23.00	----	6	----	2	----	0 - 6
4795	----	----	120.50B/42.60A	120.50B/42.60A	----	54.10 - 22.30	----	71	----	----	----	0 - 71
4800	83.80	83.80	125.40B/47.00A	125.40B/47.00A	----	59.10 - 21.60	----	104	----	12	----	0 - 107
4805	----	----	130.20B/52.10A	130.20B/52.10A	----	64.10 - 21.10	----	23	----	----	----	0 - 23
4810	----	----	135.10B/56.70A	135.10B/56.70A	----	69.10 - 20.60	----	24	----	----	----	0 - 24
4815	76.00	76.00	140.00B/61.60A	140.00B/61.60A	----	74.10 - 20.10	----	2	----	1	----	0 - 2
4820	----	----	145.00B/66.30A	145.00B/66.30A	----	79.10 - 19.80	----	41	----	----	----	0 - 41
4825	----	----	150.00B/70.90A	150.00B/70.90A	----	84.10 - 19.40	----	86	----	1	----	0 - 87
4830	----	----	154.90B/76.00A	154.90B/76.00A	----	89.10 - 19.10	----	36	----	1	----	0 - 36
4835	----	----	159.90B/81.00A	159.90B/81.00A	----	94.10 - 18.90	----	20	----	2	----	0 - 20
4840	----	----	164.70B/85.70A	164.70B/85.70A	----	99.10 - 18.70	----	15	----	----	----	0 - 15
4850	133.70	133.70	174.70B/95.60A	174.70B/95.60A	----	109.10 - 18.30	----	12	----	1	----	0 - 12
4855	----	----	179.60B/100.50A	179.60B/100.50A	----	114.10 - 18.10	----	2	----	----	----	0 - 2
4865	----	----	189.60B/110.80A	189.60B/110.80A	----	124.10 - 17.80	----	4	----	----	----	0 - 4
4870	----	----	194.60B/115.50A	194.60B/115.50A	----	129.10 - 17.70	----	1	----	----	----	0 - 1
4875	----	----	199.50B/120.50A	199.50B/120.50A	----	134.10 - 17.60	----	12	----	----	----	0 - 12
4880	----	----	204.50B/125.40A	204.50B/125.40A	----	139.10 - 17.50	----	----	----	----	----	0 UNCH
4900	----	----	224.50B/145.50A	224.50B/145.50A	----	159.10 - 17.30	----	12	----	----	----	0 - 12
4905	161.10	161.10	229.50B/150.50A	229.50B/150.50A	----	164.10 - 17.20	----	1	----	3	----	0 - 4
4910	----	----	234.50B/155.50A	234.50B/155.50A	----	169.10 - 17.20	----	1	----	----	----	0 - 1
4915	----	----	239.50B/160.50A	239.50B/160.50A	----	174.10 - 17.10	----	1	----	----	----	0 - 1
4920	----	----	244.50B/165.40A	244.50B/165.40A	----	179.10 - 17.10	----	1	----	----	----	0 - 1
4940	----	----	264.50B/185.70A	264.50B/185.70A	----	199.10 - 17.00	----	1	----	----	----	0 - 1
4995	----	----	319.40B/240.70A	319.40B/240.70A	----	254.10 - 17.00	----	2	----	----	----	0 - 2
5000	----	----	324.40B/245.60A	324.40B/245.60A	----	259.10 - 17.00	----	6	----	2	----	0 - 6
5075	----	----	399.40B/320.40A	399.40B/320.40A	----	334.10 - 17.00	----	----	----	----	----	0 UNCH
5200	----	----	524.40B/445.40A	524.40B/445.40A	----	459.10 - 17.00	----	1	----	----	----	0 - 1
6500	----	----	#1,824.40B/1,74	#1824.40B/1745.40A	----	1759.10 NEW	----	5	----	5	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 PUT		GOLD OPTIONS										
TOTAL										2017		0 - 4286

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 CALL		GOLD OPTIONS										
APR26												
3500	----	----	1,254.60B/*1,17	1254.60B/*1175.60A	----	1240.90 NEW	----	5	----	5	----	0 UNCH
4225	----	----	529.70B/450.70A	529.70B/450.70A	----	515.90 + 16.80	----	----	----	----	----	0 UNCH
4540	----	----	214.60B/*137.50	214.60B/*137.50A	----	200.90 + 14.80	----	1	----	----	----	0 - 1
4550	----	----	204.70B/*127.90	204.70B/*127.90A	----	190.90 + 14.50	----	1	----	----	----	0 - 1
4600	----	----	154.70B/*81.90A	154.70B/*81.90A	----	140.90 + 12.10	----	2	----	----	----	0 - 2
4620	----	----	134.60B/*65.10A	134.60B/*65.10A	----	120.90 + 10.50	----	1	----	1	----	0 - 1
4625	----	----	129.70B/*60.90A	129.70B/*60.90A	----	115.90 + 10.10	----	1	----	----	----	0 - 1
4650	----	----	104.80B/*41.90A	104.80B/*41.90A	----	90.90 + 7.30	----	7	----	----	----	0 - 7
4655	----	----	99.60B/*38.50A	99.60B/*38.50A	----	85.90 + 6.60	----	3	----	1	----	0 - 4
4675	----	----	80.20B/*28.50A	80.20B/*28.50A	----	65.90 + 3.10	----	1	----	----	----	0 - 1
4680	----	----	75.00B/*25.60A	75.00B/*25.60A	----	60.90 + 2.10	----	2	----	----	----	0 - 2
4685	----	----	70.40B/*23.30A	70.40B/*23.30A	----	55.90 + 1.00	----	1	----	2	----	0 - 1
4690	24.00	24.00	65.20B/*21.10A	65.20B/*21.10A	----	50.90 - 0.30	----	6	----	12	----	0 - 6
4695	35.00	35.00	60.70B/*13.00	60.70B/*13.00	----	45.90 - 1.60	----	3	----	5	----	0 - 1
4700	30.10	30.10	56.30B/*14.50	56.30B/*14.50	----	40.90 - 3.00	----	50	----	139	----	0 - 35
4705	32.70	32.70	50.80B/*13.70A	50.80B/*13.70A	----	35.90 - 4.60	----	8	----	17	----	0 - 4
4710	23.00	23.00	46.20B/*10.00	46.20B/*10.00	----	30.90 - 6.30	----	42	----	62	----	0 - 9
4715	33.90	33.90	41.60B/*9.80A	41.60B/*9.80A	----	25.90 - 8.20	----	49	----	32	----	0 - 33
4720	27.10	27.10	37.60B/*6.70A	37.60B/*6.70A	----	20.90 - 10.10	----	14	----	104	----	0 - 9
4725	21.20	21.20	33.00B/*5.90	33.00B/*5.90	----	15.90 - 12.30	----	23	----	52	----	0 - 12
4730	5.80	5.80	29.00B/*3.70	29.00B/*3.70	----	10.90 - 14.60	----	22	----	69	----	0 - 14
4735	15.00	15.00	24.80B/*4.00A	24.80B/*4.00A	----	5.90 - 17.10	----	24	----	40	----	0 - 2
4740	20.00	20.00	21.20B/*2.50	21.20B/*2.50	----	0.90 - 19.80	----	132	----	212	----	0 - 22
4745	9.00	9.00	17.70B/*0.50A	17.70B/*0.50A	----	0.00 - 18.50	----	----	----	54	----	0 - 21
4750	10.80	10.80	15.30B/*0.10	15.30B/*0.10	----	0.00 - 16.50	----	----	----	160	----	0 - 64
4755	9.00	9.00	12.40B/*0.40A	12.40B/*0.40A	----	0.00 - 14.70	----	----	----	45	----	0 - 28
4760	7.70	7.70	10.00B/*0.10	10.00B/*0.10	----	0.00 - 13.00	----	----	----	55	----	0 - 56
4765	3.00	3.00	8.00B/*0.40A	8.00B/*0.40A	----	0.00 - 11.50	----	----	----	22	----	0 - 14
4770	2.90	2.90	6.50B/*0.40A	6.50B/*0.40A	----	0.00 - 10.20	----	----	----	56	----	0 - 143
4775	4.70	4.70	5.10B/*0.30A	5.10B/*0.30A	----	0.00 - 9.00	----	----	----	29	----	0 - 46
4780	2.80	2.80	4.80/*0.20	4.80/*0.20	----	0.00 - 7.90	----	----	----	93	----	0 - 52
4785	3.90	3.90	3.90/*0.10A	4.00B/*0.10A	----	0.00 - 6.90	----	----	----	20	----	0 - 24
4790	4.50	4.50	4.50/*0.30	4.50/*0.30	----	0.00 - 6.10	----	----	----	10	----	0 - 45
4795	3.00	3.00	3.00/*0.30A	3.00/*0.30A	----	0.00 - 5.40	----	----	----	35	----	0 - 9
4800	2.30	2.30	3.00/*0.10	3.00/*0.10	----	0.00 - 4.70	----	----	----	102	----	0 - 167
4805	0.80	0.80	0.80/*0.20A	2.10B/*0.20A	----	0.00 - 4.20	----	----	----	4	----	0 - 59
4810	1.90	1.90	1.90/*0.20A	1.90/*0.20A	----	0.00 - 3.70	----	----	----	12	----	0 - 112
4815	----	----	----/*0.20A	1.40B/*0.20A	----	0.00 - 3.20	----	----	----	----	----	0 - 20
4820	----	----	----/*0.20A	1.10B/*0.20A	----	0.00 - 2.90	----	----	----	1	----	0 - 35
4825	1.50	1.50	1.50/*0.20	1.50/*0.20	----	0.00 - 2.50	----	----	----	10	----	0 - 173
4830	0.80	0.80	0.80/*0.10	0.80/*0.10	----	0.00 - 2.20	----	----	----	19	----	0 - 113
4835	0.20	0.20	0.20/*0.20	0.70B/*0.20	----	0.00 - 2.00	----	----	----	3	----	0 - 15
4840	0.60	0.60	0.60/*0.20	0.60/*0.20	----	0.00 - 1.80	----	----	----	3	----	0 - 31
4845	----	----	----/*0.20A	0.40B/*0.20A	----	0.00 - 1.60	----	----	----	1	----	0 - 25
4850	0.50	0.50	0.50/*0.10A	0.50/*0.10A	----	0.00 - 1.40	----	----	----	22	----	0 - 107
4855	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 1.20	----	----	----	----	----	0 - 16
4860	0.20	0.20	0.20/*0.10A	0.20/*0.10A	----	0.00 - 1.10	----	----	----	2	----	0 - 12
4865	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.90	----	----	----	----	----	0 - 4
4870	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.80	----	----	----	----	----	0 - 36
4875	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.70	----	----	----	5	----	0 - 25
4880	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.60	----	----	----	4	----	0 - 21
4885	0.40	0.40	0.40/*0.10A	0.40/*0.10A	----	0.00 - 0.50	----	----	----	1	----	0 - 14
4890	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 26
4895	----	----	----/0.20A	----/0.20A	----	0.00 - 0.40	----	----	----	----	----	0 - 35
4900	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.40	----	----	----	17	----	0 - 305
4905	----	----	----/0.20A	----/0.20A	----	0.00 - 0.30	----	----	----	----	----	0 - 7
4910	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 22
4915	----	----	----/0.20A	----/0.20A	----	0.00 - 0.30	----	----	----	----	----	0 - 7
4920	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 30
4925	----	----	----	----/0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 69
4930	----	----	----/0.10A	----/0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 207
4935	----	----	----/0.10A	----/0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 20
4940	0.20	0.20	0.20/0.10A	0.20/0.10A	----	0.00 - 0.20	----	----	----	1	----	0 - 16
4945	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 9
4950	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 276
4955	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 8
4960	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
4965	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
4970	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 18
4975	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 197
4980	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 12
4985	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
4990	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 30
4995	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 51
5000	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 340
5005	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 27
5010	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 49
5015	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 64
5020	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 73
5025	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 130
5030	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 96
5050	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 176
5060	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5075	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 91
5100	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	8	----	0 - 96
5120	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5125	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 53
5135	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5150	0.20	0.20	0.20/*0.10	0.20/*0.10	----	0.00 - 0.10	----	----	----	10	----	0 - 148
5175	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 24
5200	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 188
5225	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 8
5250	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5265	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5275	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
5300	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 78
5305	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5325	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
5350	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 26
5400	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.10	----	----	----	1	----	0 - 26
5450	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 68
5500	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 20
5600	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
5750	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
6500	----	----	----	----/*0.10A	----	0.00 NEW	----	----	----	5	----	0 UNCH
TOTAL										1563		0 - 4819

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG3 PUT		GOLD OPTIONS										
MAY26												
3900	----	----	----/*4.20A	3.30B/*4.20A	----	3.20 - 1.10	.0166	----	----	----	----	1 UNCH
4000	----	----	----/*5.40A	4.50B/*5.40A	----	4.20 - 1.60	.0229	----	----	----	----	1 UNCH
4100	----	----	----/*6.70A	6.90B/*6.70A	----	5.70 - 2.40	.0325	----	----	----	----	3 UNCH
4200	7.90	7.90	7.90/*7.90	10.90B/*7.90	----	8.10 - 3.50	.0480	----	----	1	----	51 + 1
4300	----	----	----/*12.40A	17.10B/*12.40A	----	12.10 - 5.00	.0733	----	----	1	----	13 + 1
4350	----	----	21.30B/*15.20A	21.30B/*15.20A	----	15.10 - 5.90	.0919	----	----	----	----	1 UNCH
4400	34.00	34.00	34.00/*19.30A	34.00/*19.30A	----	18.90 - 7.00	.1151	----	----	3	----	5 + 1
4450	----	----	35.40B/*24.20A	35.40B/24.20A	----	24.10 - 8.30	.1453	----	----	----	----	2 UNCH
4475	----	----	40.30B/*27.80A	40.30B/27.80A	----	27.20 NEW	.1630	----	----	4	----	2 + 2
4500	----	----	45.40B/*31.60A	45.40B/31.60A	----	30.90 - 9.70	.1832	----	----	----	----	1 UNCH
4550	40.20	40.20	58.30B/*40.20	58.30B/40.20	----	39.80 - 11.30	.2300	----	----	4	----	3 + 1
4575	----	----	65.90B/*46.10A	65.90B/46.10A	----	45.20 - 12.20	.2569	----	----	----	----	3 UNCH
4625	----	----	83.60B/59.10A	83.60B/59.10A	----	58.40 - 13.90	.3181	----	----	----	----	1 UNCH
4650	----	----	94.80B/66.90A	94.80B/66.90A	----	66.30 - 14.80	.3521	----	----	83	----	99 + 83
4675	----	----	103.70B/75.50A	103.70B/75.50A	----	75.20 - 15.60	.3880	----	----	----	----	1 UNCH
4700	----	----	115.20B/85.00A	115.20B/85.00A	----	85.00 - 16.50	.4254	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

OG3 PUT — GOLD OPTIONS

MAY26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4725	----	----	128.00B/95.40A	128.00B/95.40A	----	95.90 - 17.30	.4641	----	----	----	----	6 UNCH
4775	----	----	155.90B/118.80A	155.90B/118.80A	----	120.90 - 18.60	.5430	----	----	----	----	1 UNCH
4800	----	----	171.80B/132.20A	171.80B/132.20A	----	134.90 - 19.10	.5822	----	----	----	----	14 UNCH
TOTAL										96		210 + 89

OG3 CALL — GOLD OPTIONS

MAY26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4450	----	----	319.60B/*277.00	319.60B/*277.00A	----	314.50 + 8.60	.8541	----	----	----	----	1 UNCH
4650	----	----	168.60B/*134.60	168.60B/*134.60A	----	157.10 + 2.10	.6473	----	----	----	----	12 UNCH
4725	----	----	121.70B/*95.30A	121.70B/*95.30A	----	111.80 NEW	.5353	----	----	5	----	5 + 5
4750	88.50	88.50	108.00B/*83.90A	108.00B/*83.90A	----	98.80 - 1.10	.4960	----	----	3	----	11 + 3
4800	----	----	83.70B/*65.70A	83.70B/*65.70A	----	75.90 - 2.30	.4172	----	----	----	----	12 UNCH
4900	----	----	47.50B/*39.00A	47.50B/*39.00A	----	42.50 - 3.20	.2728	----	----	6	----	3 + 2
4950	----	----	35.00B/29.00A	35.00B/29.00A	----	31.20 - 3.20	.2132	----	----	----	----	3 UNCH
5000	20.00	20.00	27.00B/*19.50	27.00B/*19.50	----	22.80 - 3.00	.1640	----	----	46	----	36 + 23
5025	----	----	----/*18.20A	21.80B/*18.20A	----	19.60 - 2.80	.1437	----	----	----	----	1 UNCH
5050	----	----	----/*15.90A	19.00B/*15.90A	----	16.90 - 2.60	.1259	----	----	----	----	3 UNCH
5100	----	----	----/*11.70A	13.70B/*11.70A	----	12.70 - 2.20	.0968	----	----	4	----	6 + 2
5125	----	----	----/*10.60A	11.70B/*10.60A	----	11.00 - 2.10	.0847	----	----	----	----	1 UNCH
5150	----	----	----/*9.90A	10.50B/*9.90A	----	9.70 - 1.90	.0749	----	----	----	----	1 UNCH
5225	7.50	7.50	#7.50/*7.20A	7.50/*7.20A	----	6.70 NEW	.0521	----	----	2	----	2 + 2
5300	----	----	----/*5.60A	4.10B/*5.60A	----	4.80 NEW	.0371	----	----	2	----	2 + 2
5400	----	----	----	2.80B/*4.20A	----	3.00 - 0.80	.0231	----	----	----	----	1 UNCH
5500	----	----	----	2.10B/*3.40A	----	1.90 - 0.70	.0146	----	----	----	----	1 UNCH
TOTAL										68		101 + 39

OG2 PUT — GOLD OPTIONS

MAY26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3750	----	----	----/*1.20A	1.30B/*1.20A	----	1.30 - 0.40	.0064	----	----	----	----	2 UNCH
3800	1.80	1.80	1.80/*1.70A	1.80/*1.70A	----	1.40 NEW	.0072	----	----	1	----	1 + 1
3900	----	----	----/2.00A	2.40B/2.00A	----	1.80 - 0.90	.0098	----	----	----	----	1 UNCH
4000	----	----	----/*2.50A	3.50B/*2.50A	----	2.30 - 1.40	.0135	----	----	----	----	4 UNCH
4100	----	----	5.30B/*3.30A	5.30B/*3.30A	----	3.00 - 2.10	.0190	----	----	----	----	3 UNCH
4200	----	----	8.20B/*4.50A	8.20B/*4.50A	----	4.20 - 3.00	.0285	----	----	----	----	6 UNCH
4250	5.70	5.70	10.50B/*5.40A	10.50B/*5.40A	----	5.20 - 3.60	.0362	----	----	1	----	3 + 1
4275	----	----	11.40B/*5.90A	11.40B/*5.90A	----	5.80 - 3.90	.0409	----	----	----	----	2 UNCH
4300	7.00	7.00	11.60B/*6.60A	11.60B/*6.60A	----	6.50 - 4.30	.0464	----	----	1	----	3 + 1
4350	11.50	11.50	14.20B/*8.20A	14.20B/*8.20A	----	8.20 - 5.30	.0598	----	----	28	----	27 + 24
4375	14.60	14.60	16.10B/*9.30A	16.10B/*9.30A	----	9.30 - 5.90	.0684	----	----	25	----	27 + 25
4400	23.00	23.00	23.00/*10.60A	23.00/*10.60A	----	10.70 - 6.50	.0790	----	----	54	----	57 + 48
4425	----	----	20.60B/*12.10A	20.60B/*12.10A	----	12.20 - 7.30	.0906	----	----	----	----	2 UNCH
4450	----	----	23.60B/13.90A	23.60B/13.90A	----	14.10 - 8.10	.1047	----	----	1	----	8 + 1
4475	----	----	27.10B/16.00A	27.10B/16.00A	----	16.30 - 9.00	.1209	----	----	1	----	51 + 1
4500	23.50	23.50	31.70B/18.60A	31.70B/18.60A	----	19.00 - 10.00	.1401	----	----	372	----	405 + 354
4525	22.60	22.60	36.40B/21.70A	36.40B/21.70A	----	22.10 - 11.00	.1619	----	----	2	----	150 UNCH
4550	36.50	36.50	42.30B/25.40A	42.30B/25.40A	----	25.80 - 12.10	.1871	----	----	70	----	68 + 62
4575	45.00	45.00	49.10B/29.70A	49.10B/29.70A	----	30.10 - 13.30	.2155	----	----	65	----	39 + 37
4600	49.40	49.40	57.60B/35.00A	57.60B/35.00A	----	35.20 - 14.40	.2477	----	----	73	----	80 + 58
4650	----	----	76.30B/47.50A	76.30B/47.50A	----	48.20 - 16.20	.3233	----	----	2	----	10 + 2
4700	----	----	95.70B/64.00A	95.70B/64.00A	----	65.50 - 17.70	.4120	----	----	11	----	11 UNCH
4725	----	----	108.90B/74.40A	108.90B/74.40A	----	76.00 - 18.30	.4600	----	----	----	----	10 UNCH
4750	----	----	133.70B/85.60A	133.70B/85.60A	----	87.80 - 18.90	.5093	----	----	15	----	11 + 10
4775	----	----	149.70B/97.80A	149.70B/97.80A	----	101.00 - 19.30	.5589	----	----	3	----	10 - 3
4800	----	----	166.60B/111.40A	166.60B/111.40A	----	115.50 - 19.80	.6079	----	----	----	----	16 UNCH
4825	----	----	#184.70B/126.40	184.70B/126.40A	----	131.30 - 20.20	.6549	----	----	----	----	1 UNCH
4850	----	----	#203.80B/142.40	#203.80B/142.40A	----	148.30 - 20.50	.6997	----	----	----	----	1 UNCH
4900	----	----	#244.60B/178.10	#244.60B/178.10A	----	185.80 - 20.40	.7781	----	----	----	----	1 UNCH
4975	----	----	#311.20B/238.80	#311.20B/238.80A	----	248.80 - 19.70	.8657	----	----	----	----	2 UNCH
TOTAL										725		1012 + 622

OG2 CALL — GOLD OPTIONS

MAY26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4450	----	----	319.30B/*256.20	319.30B/*256.20A	----	304.70 + 8.80	.8949	----	----	----	----	2 UNCH
4500	----	----	274.20B/*215.00	274.20B/*215.00A	----	259.60 + 6.90	.8595	----	----	----	----	2 UNCH
4550	----	----	231.00B/*176.60	231.00B/*176.60A	----	216.40 + 4.70	.8125	----	----	----	----	1 UNCH
4575	----	----	210.20B/*158.60	210.20B/*158.60A	----	195.80 + 3.60	.7841	----	----	----	----	1 UNCH
4650	----	----	152.40B/*115.80	152.40B/*115.80A	----	139.00 NEW	.6763	----	----	3	----	3 + 3
4700	----	----	118.50B/*88.70A	118.50B/*88.70A	----	106.40 - 0.80	.5875	----	----	6	----	8 + 2
4725	82.20	82.20	104.00B/*77.10A	104.00B/*77.10A	----	91.90 - 1.40	.5395	----	----	15	----	31 + 15
4750	81.50	81.50	89.70B/*66.40A	89.70B/*66.40A	----	78.70 NEW	.4902	----	----	31	----	28 + 28
4775	61.00	61.00	77.00B/*56.40A	77.00B/*56.40A	----	66.90 - 2.50	.4406	----	----	7	----	15 + 1
4800	51.00	51.00	65.50B/*47.60A	65.50B/*47.60A	----	56.40 - 3.00	.3917	----	----	15	----	14 + 12
4825	----	----	55.10B/*40.10A	55.10B/*40.10A	----	47.30 NEW	.3447	----	----	1	----	1 + 1
4850	----	----	46.20B/*33.70A	46.20B/*33.70A	----	39.30 NEW	.2999	----	----	7	----	7 + 7
4875	31.50	31.50	38.40B/*28.00A	38.40B/*28.00A	----	32.60 - 3.60	.2589	----	----	11	----	12 + 11
4900	----	----	31.80B/*23.10A	31.80B/*23.10A	----	26.90 - 3.50	.2215	----	----	----	----	13 UNCH
4925	26.30	26.30	26.30/*19.10A	26.30/*19.10A	----	22.10 - 3.40	.1880	----	----	21	----	22 + 15
4950	16.70	16.70	21.60B/*15.70A	21.60B/*15.70A	----	18.20 - 3.10	.1590	----	----	11	----	22 UNCH
4975	----	----	----/*13.00A	17.70B/*13.00A	----	15.00 - 2.80	.1339	----	----	1	----	1 + 1
5000	11.40	11.40	14.90/*10.80A	14.90/*10.80A	----	12.40 - 2.50	.1127	----	----	26	----	34 + 18
5025	5.60	5.60	12.00B/*5.20	12.00B/*5.20	----	10.30 - 2.20	.0948	----	----	52	----	51 + 50
5050	9.60	9.60	9.90B/*7.50	9.90B/*7.50	----	8.60 - 1.90	.0799	----	----	33	----	30 + 25
5100	----	----	----/*5.60A	6.80B/*5.60A	----	6.10 - 1.60	.0571	----	----	----	----	4 UNCH
5150	----	----	----/*4.20A	4.80B/*4.20A	----	4.50 - 1.30	.0419	----	----	----	----	4 UNCH
5200	----	----	----/*3.30A	3.50B/*3.30A	----	3.40 - 1.00	.0313	----	----	----	----	6 UNCH
5250	----	----	----/*2.70A	2.70B/*2.70A	----	2.70 - 0.80	.0243	----	----	----	----	5 UNCH
5275	----	----	----/*2.50A	2.30B/*2.50A	----	2.30 - 0.80	.0206	----	----	----	----	1 UNCH
5300	----	----	----/*2.30A	2.10B/*2.30A	----	2.00 - 0.80	.0178	----	----	----	----	3 UNCH
TOTAL										240		321 + 189

OG1 PUT — GOLD OPTIONS

MAY26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3750	----	----	0.90B/----	0.90B/*0.70A	----	0.50 - 0.20	.0021	----	----	----	----	2 UNCH
3800	1.00	1.00	#1.10B/*0.80A	#1.10B/0.80A	----	0.60 - 0.30	.0027	----	----	4	----	14 + 4
3900	----	----	----/1.00A	0.90B/1.00A	----	0.70 - 0.60	.0035	----	----	----	----	6 UNCH
4000	0.90	0.90	0.90/*0.90	1.30B/*0.90	----	0.90 - 0.90	.0049	----	----	2	----	7 + 2
4100	1.60	1.60	1.60/*1.30	2.20B/*1.30	----	1.30 - 1.00	.0079	----	----	10	----	15 + 4
4125	----	----	----/*1.60A	2.40B/*1.60A	----	1.40 - 1.10	.0088	----	----	----	----	6 UNCH
4150	----	----	----/*1.70A	2.70B/*1.70A	----	1.50 - 1.20	.0097	----	----	----	----	1 UNCH
4175	----	----	3.10B/*1.80A	3.10B/*1.80A	----	1.60 - 1.40	.0107	----	----	----	----	2 UNCH
4200	3.90	3.90	3.90/*1.70A	3.90/*1.70A	----	1.80 - 1.50	.0123	----	----	4	----	4 UNCH
4225	1.80	1.80	4.00B/*1.80	4.00B/*1.80	----	1.90 NEW	.0134	----	----	3	----	3 + 3
4250	----	----	4.60B/*2.30A	4.60B/*2.30A	----	2.10 - 1.90	.0153	----	----	----	----	44 UNCH
4300	2.90	2.90	6.10B/*2.70A	6.10B/*2.70A	----	2.50 - 2.60	.0195	----	----	8	----	37 + 1
4325	----	----	7.10B/*2.90A	7.10B/*2.90A	----	2.80 - 3.00	.0225	----	----	----	----	12 UNCH
4335	----	----	7.50B/*3.10A	7.50B/*3.10A	----	2.90 - 3.20	.0236	----	----	----	----	1 UNCH
4345	----	----	8.00B/*3.20A	8.00B/*3.20A	----	3.10 - 3.30	.0255	----	----	3	----	4 + 2
4350	5.00	5.00	8.20B/*3.00	8.20B/*3.00	----	3.10 - 3.50	.0257	----	----	2	----	20 UNCH
4375	----	----	8.70B/*3.60A	8.70B/*3.60A	----	3.50 - 4.00	.0300	----	----	1	----	11 + 1
4400	4.90	4.90	8.80B/*4.10A	8.80B/*4.10A	----	4.00 - 4.70	.0353	----	----	17	----	48 UNCH
4420	----	----	10.10B/*4.60A	10.10B/*4.60A	----	4.50 - 5.20	.0406	----	----	1	----	1 UNCH
4425	----	----	11.70B/*4.70A	11.70B/*4.70A	----	4.60 - 5.40	.0418	----	----	----	----	1 UNCH
4450	10.00	10.00	13.40B/*5.30	13.40B/*5.30	----	5.40 - 6.20	.0503	----	----	34	----	167 - 2
4455	----	----	13.00B/*5.60A	13.00B/*5.60A	----	5.60 - 6.40	.0524	----	----	----	----	0 UNCH
4460	----	----	14.00B/*5.80A	14.00B/*5.80A	----	5.70 - 6.60	.0538	----	----	----	----	1 UNCH
4475	10.40	10.40	15.80B/*6.40A	15.80B/*6.40A	----	6.30 - 7.20	.0603	----	----	10	----	11 + 10
4480	----	----	16.40B/*6.60A	16.40B/*6.60A	----	6.60 - 7.30	.0632	----	----	3	----	8 + 3
4485	----	----	16.90B/*6.80A	16.90B/*6.80A	----	6.80 - 7.60	.0655	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG1 PUT		GOLD OPTIONS										
MAY26												
4490	----	----	17.50B/*7.00A	17.50B/*7.00A	----	7.00 - 7.80	.0678	----	----	3	----	20 UNCH
4495	----	----	18.10B/*7.30A	18.10B/*7.30A	----	7.30 - 8.00	.0709	----	----	----	----	1 UNCH
4500	23.00	23.00	23.00/*7.30	23.00/*7.30	----	7.60 - 8.20	.0740	----	----	275	----	263 + 127
4510	----	----	20.00B/*8.10A	20.00B/*8.10A	----	8.20 - 8.70	.0803	----	----	----	----	1 UNCH
4515	10.00	10.00	20.70B/*8.40A	20.70B/*8.40A	----	8.50 - 8.90	.0836	----	----	5	----	6 + 5
4520	14.50	14.50	21.40B/*8.80A	21.40B/*8.80A	----	8.80 - 9.20	.0869	----	----	3	----	8 + 3
4525	13.70	13.70	22.30B/*9.10A	22.30B/*9.10A	----	9.20 NEW	.0909	----	----	4	----	4 + 4
4535	10.20	10.20	23.70B/*9.80A	23.70B/*9.80A	----	9.90 - 10.00	.0985	----	----	1	----	4 + 1
4540	----	----	24.70B/*10.20A	24.70B/*10.20A	----	10.30 - 10.30	.1027	----	----	----	----	1 UNCH
4545	12.00	12.00	25.50B/*10.70A	25.50B/*10.70A	----	10.70 - 10.60	.1070	----	----	1	----	16 UNCH
4550	28.00	28.00	28.00/*11.00	28.00/*11.00	----	11.20 - 10.80	.1120	----	----	36	----	104 + 7
4555	20.00	20.00	27.30B/11.60A	27.30B/11.60A	----	11.70 NEW	.1170	----	----	1	----	1 + 1
4560	----	----	28.50B/12.10A	28.50B/12.10A	----	12.20 - 11.30	.1222	----	----	12	----	54 - 9
4570	----	----	30.30B/13.20A	30.30B/13.20A	----	13.20 NEW	.1326	----	----	1	----	1 + 1
4575	----	----	31.80B/13.80A	31.80B/13.80A	----	13.80 - 12.30	.1386	----	----	7	----	9 + 6
4580	----	----	32.80B/14.40A	32.80B/14.40A	----	14.40 - 12.60	.1447	----	----	----	----	1 UNCH
4585	----	----	33.80B/15.00A	33.80B/15.00A	----	15.10 - 12.90	.1514	----	----	----	----	10 UNCH
4590	31.20	31.20	34.90B/15.70A	34.90B/15.70A	----	15.80 NEW	.1582	----	----	3	----	3 + 3
4595	----	----	36.70B/16.40A	36.70B/16.40A	----	16.50 - 13.50	.1651	----	----	----	----	21 UNCH
4600	34.00	34.00	37.60B/17.10A	37.60B/17.10A	----	17.20 - 13.90	.1720	----	----	209	50	214 + 98
4605	----	----	39.40B/17.90A	39.40B/17.90A	----	18.00 - 14.20	.1797	----	----	----	----	5 UNCH
4610	25.50	25.50	40.80B/18.70A	40.80B/18.70A	----	18.80 - 14.50	.1874	----	----	6	----	18 UNCH
4620	22.40	22.40	43.80B/20.40A	43.80B/20.40A	----	20.60 - 15.10	.2041	----	----	3	----	14 + 3
4625	32.00	32.00	45.20B/21.40A	45.20B/21.40A	----	21.50 - 15.40	.2126	----	----	14	----	10 - 3
4630	----	----	46.60B/22.30A	46.60B/22.30A	----	22.50 - 15.70	.2217	----	----	----	----	81 UNCH
4635	----	----	48.30B/23.30A	48.30B/23.30A	----	23.50 - 16.00	.2309	----	----	----	----	72 UNCH
4640	----	----	50.50B/24.40A	50.50B/24.40A	----	24.60 - 16.20	.2407	----	----	1	----	72 + 1
4650	47.80	47.80	54.30B/26.50A	54.30B/26.50A	----	26.90 - 16.70	.2609	----	----	237	50	378 + 149
4655	----	----	55.80B/27.80A	55.80B/27.80A	----	28.10 NEW	.2714	----	----	4	----	4 + 4
4660	----	----	58.00B/29.00A	58.00B/29.00A	----	29.40 - 17.10	.2823	----	----	1	----	9 + 1
4665	----	----	60.00B/30.10A	60.00B/30.10A	----	30.80 - 17.20	.2937	----	----	1	----	4 UNCH
4670	----	----	61.70B/31.40A	61.70B/31.40A	----	32.10 - 17.50	.3049	----	----	1	----	3 UNCH
4675	34.70	34.70	64.30B/32.80A	64.30B/32.80A	----	33.60 - 17.60	.3169	----	----	4	----	7 - 1
4680	36.00	36.00	66.50B/34.20A	66.50B/34.20A	----	35.10 - 17.80	.3289	----	----	15	----	17 + 15
4685	37.80	37.80	67.60B/35.70A	67.60B/35.70A	----	36.70 NEW	.3413	----	----	1	----	1 + 1
4690	39.10	39.10	69.90B/37.30A	69.90B/37.30A	----	38.30 - 18.10	.3539	----	----	2	----	2 UNCH
4700	55.00	55.00	75.30B/40.50A	75.30B/40.50A	----	41.80 - 18.40	.3799	----	----	114	130	230 + 169
4705	----	----	78.40B/42.10A	78.40B/42.10A	----	43.60 - 18.70	.3932	----	----	----	----	1 UNCH
4710	----	----	79.90B/43.90A	79.90B/43.90A	----	45.60 - 18.80	.4069	----	----	----	----	1 UNCH
4715	----	----	91.10B/46.00A	91.10B/46.00A	----	47.50 - 19.10	.4205	----	----	1	----	1 UNCH
4720	50.00	50.00	93.90B/47.70A	93.90B/47.70A	----	49.60 - 19.20	.4345	----	----	198	----	175 + 172
4725	53.50	53.50	96.80B/49.90A	96.80B/49.90A	----	51.70 - 19.50	.4485	----	----	3	----	15 + 2
4730	----	----	99.80B/51.80A	99.80B/51.80A	----	53.90 - 19.70	.4627	----	----	----	----	10 UNCH
4735	----	----	102.80B/53.90A	102.80B/53.90A	----	56.20 - 19.80	.4771	----	----	10	----	11 - 6
4740	----	----	105.90B/56.10A	105.90B/56.10A	----	58.60 - 19.90	.4914	----	----	17	----	17 + 11
4750	65.50	65.50	112.20B/60.80A	112.20B/60.80A	----	63.50 - 20.20	.5204	----	----	12	----	17 + 1
4755	----	----	115.50B/63.20A	115.50B/63.20A	----	66.10 - 20.30	.5348	----	----	12	----	4 - 9
4760	----	----	118.80B/65.60A	118.80B/65.60A	----	68.70 - 20.50	.5494	----	----	----	----	7 UNCH
4775	----	----	129.20B/73.20A	129.20B/73.20A	----	77.10 - 20.70	.5925	----	----	1	----	2 + 1
4785	----	----	136.70B/78.60A	136.70B/78.60A	----	83.10 - 20.70	.6206	----	----	----	----	4 UNCH
4790	----	----	140.00B/81.50A	140.00B/81.50A	----	86.20 - 20.70	.6345	----	----	7	----	7 UNCH
4800	----	----	147.50B/87.30A	147.50B/87.30A	----	92.60 - 20.80	.6617	----	----	1	----	46 UNCH
4805	----	----	151.70B/90.60A	151.70B/90.60A	----	95.90 - 20.70	.6750	----	----	----	----	1 UNCH
4825	----	----	167.10B/103.40A	167.10B/103.40A	----	109.70 - 20.70	.7257	----	----	----	----	1 UNCH
4830	----	----	171.20B/106.90A	171.20B/106.90A	----	113.40 - 20.60	.7378	----	----	----	----	4 UNCH
4835	----	----	175.30B/110.10A	175.30B/110.10A	----	117.10 - 20.60	.7494	----	----	----	----	1 UNCH
4840	----	----	179.50B/113.60A	179.50B/113.60A	----	120.80 - 20.60	.7605	----	----	----	----	7 UNCH
4850	----	----	187.90B/120.80A	187.90B/120.80A	----	128.50 - 20.50	.7821	----	----	1	----	2 + 1
4880	----	----	214.10B/143.80A	214.10B/143.80A	----	152.90 - 20.00	.8382	----	----	----	----	3 UNCH
4890	----	----	223.30B/151.90A	223.30B/151.90A	----	161.40 - 19.80	.8542	----	----	2	----	1 + 1
4895	----	----	227.70B/155.80A	227.70B/155.80A	----	165.70 - 19.80	.8617	----	----	----	----	1 UNCH
4900	----	----	232.60B/160.20A	232.60B/160.20A	----	170.00 - 19.80	.8692	----	----	2	----	4 + 2
4910	----	----	241.80B/168.80A	241.80B/168.80A	----	178.80 - 19.60	.8825	----	----	----	----	1 UNCH
4935	----	----	265.00B/190.50A	265.00B/190.50A	----	201.40 - 19.30	.9103	----	----	----	----	1 UNCH
4950	----	----	279.00B/204.00A	279.00B/204.00A	----	215.30 - 19.10	.9235	----	----	1	----	2 + 1
5000	----	----	327.40B/250.70A	327.40B/250.70A	----	262.80 - 18.30	.9545	----	----	2	----	3 - 2
5050	----	----	355.90B/301.10A	355.90B/301.10A	----	311.40 - 17.80	.9712	----	----	----	----	2 UNCH
5200	----	----	504.40B/449.10A	504.40B/449.10A	----	460.00 - 17.10	.9894	----	----	----	----	3 UNCH
TOTAL										1337	230	2451+ 789

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG1 CALL		GOLD OPTIONS										
MAY26												
4400	----	----	359.00B/*287.80	359.00B/*287.80A	----	344.70 NEW	.9645	----	----	1	----	1 + 1
4500	230.00	230.00	263.00B/*198.80	263.00B/*198.80A	----	248.30 NEW	.9258	----	----	4	----	2 + 2
4600	----	----	172.60B/*120.50	172.60B/*120.50A	----	158.00 NEW	.8277	----	----	1	----	1 + 1
4625	----	----	151.40B/*103.30	151.40B/*103.30A	----	137.30 + 1.50	.7871	----	----	----	----	1 UNCH
4650	119.40	119.40	131.50B/*92.80A	131.50B/*92.80A	----	117.80 NEW	.7388	----	----	2	----	1 + 1
4655	----	----	127.60B/*91.50A	127.60B/*91.50A	----	114.00 UNCH	.7284	----	----	----	----	1 UNCH
4665	----	----	120.00B/*85.40A	120.00B/*85.40A	----	106.60 - 0.40	.7060	----	----	----	----	1 UNCH
4670	----	----	116.30B/*82.80A	116.30B/*82.80A	----	103.00 NEW	.6948	----	----	1	----	1 + 1
4680	----	----	109.10B/*77.00A	109.10B/*77.00A	----	96.00 NEW	.6708	----	----	1	----	1 + 1
4690	70.00	70.00	101.90B/*70.00	101.90B/*70.00	----	89.20 NEW	.6459	----	----	4	----	4 + 4
4700	70.00	70.00	95.20B/*64.30A	95.20B/*64.30A	----	82.70 - 1.50	.6198	----	----	24	----	21 + 1
4715	57.00	57.00	85.40B/*56.80A	85.40B/*56.80A	----	73.40 - 2.20	.5792	----	----	1	----	1 + 1
4720	50.00	50.00	82.30B/*50.00	82.30B/*50.00	----	70.50 - 2.30	.5652	----	----	174	----	183 + 171
4725	----	----	79.20B/*52.50A	79.20B/*52.50A	----	67.60 NEW	.5512	----	----	2	----	2 + 2
4730	64.00	64.00	76.70B/*51.40A	76.70B/*51.40A	----	64.80 - 2.80	.5370	----	----	2	----	29 - 1
4735	----	----	73.60B/*49.20A	73.60B/*49.20A	----	62.10 - 2.90	.5227	----	----	----	----	5 UNCH
4740	61.00	61.00	70.80B/*47.10A	70.80B/*47.10A	----	59.50 - 3.00	.5083	----	----	22	----	22 + 17
4745	----	----	67.90B/*45.10A	67.90B/*45.10A	----	56.90 - 3.20	.4938	----	----	----	----	5 UNCH
4750	----	----	65.30B/*43.10A	65.30B/*43.10A	----	54.40 - 3.30	.4794	----	----	5	----	13 - 3
4755	----	----	62.40B/*41.10A	62.40B/*41.10A	----	52.00 - 3.40	.4649	----	----	----	----	22 UNCH
4760	50.70	50.70	59.80B/*39.30A	59.80B/*39.30A	----	49.60 - 3.60	.4504	----	----	10	----	22 - 1
4765	46.20	46.20	57.30B/*37.50A	57.30B/*37.50A	----	47.40 NEW	.4360	----	----	2	----	2 + 2
4770	----	----	54.90B/*35.70A	54.90B/*35.70A	----	45.20 - 3.70	.4217	----	----	----	----	3 UNCH
4775	----	----	52.50B/*34.20A	52.50B/*34.20A	----	43.00 - 3.80	.4073	----	----	----	----	12 UNCH
4780	45.80	45.80	50.10B/*32.50A	50.10B/*32.50A	----	41.00 - 3.80	.3932	----	----	1	----	5 + 1
4785	35.50	35.50	48.10B/*30.70A	48.10B/*30.70A	----	39.00 - 3.90	.3791	----	----	15	----	22 + 13
4790	----	----	45.70B/*29.60A	45.70B/*29.60A	----	37.10 - 3.90	.3652	----	----	1	----	2 + 1
4795	----	----	43.60B/*27.70A	43.60B/*27.70A	----	35.30 NEW	.3516	----	----	1	----	1 + 1
4800	32.10	32.10	42.60/*25.80	42.60/*25.80	----	33.50 - 3.90	.3380	----	----	40	----	60 + 6
4810	----	----	37.60B/*23.70A	37.60B/*23.70A	----	30.20 - 3.90	.3117	----	----	8	----	14 + 4
4815	27.20	27.20	35.80B/*22.60A	35.80B/*22.60A	----	28.60 - 3.90	.2988	----	----	2	----	2 UNCH
4820	20.90	20.90	34.00B/*20.90	34.00B/*20.90	----	27.10 - 3.90	.2862	----	----	1	----	5 + 1
4825	23.70	23.70	32.40B/*20.10A	32.40B/*20.10A	----	25.70 - 3.80	.2741	----	----	28	----	16 + 3
4830	20.00	20.00	30.60B/*19.00A	30.60B/*19.00A	----	24.30 - 3.80	.2620	----	----	6	----	11 + 4
4835	22.90	22.90	29.20B/*17.90A	29.20B/*17.90A	----	23.00 - 3.80	.2503	----	----	3	----	37 + 1
4840	----	----	27.70B/*16.90A	27.70B/*16.90A	----	21.80 - 3.70	.2392	----	----	3	----	37 + 1
4845	----	----	26.30B/*16.00A	26.30B/*16.00A	----	20.60 - 3.60	.2282	----	----	----	----	7 UNCH
4850	20.00	20.00	24.70B/*15.10A	24.70B/*15.10A	----	19.50 - 3.50	.2177	----	----	127	----	140 + 119
4855	----	----	23.50B/*14.20A	23.50B/*14.20A	----	18.40 NEW	.2072	----	----	1	----	1 + 1
4860	15.40	15.40	22.30B/*13.40A	22.30B/*13.40A	----	17.40 - 3.40	.1973	----	----	3	----	4 UNCH
4865	17.80	17.80	21.00B/*12.80A	21.00B/*12.80A	----	16.50 - 3.30	.1881	----	----	5	----	15 + 5
4870	----	----	19.90B/*12.00A	19.90B/*12.00A	----	15.50 - 3.30	.1784	----	----	----	----	1 UNCH
4875	15.90	15.90	18.80B/*11.40A	18.80B/*11.40A	----	14.70 - 3.20	.1699	----	----	5	----	9 + 3
4880	14.50	14.50	17.90B/*10.70A	17.90B/*10.70A	----	13.90 - 3.10	.1615	----	----	2	----	5 + 1
4885	----	----	16.90B/*10.20A	16.90B/*10.20A	----	13.10 - 3.10	.1532	----	----	1	----	6 UNCH
4890	15.70	15.70	16.00B/*9.60A	16.00B/*9.60A	----	12.40 - 3.00	.1456	----	----	17	----	16 + 13
4895	----	----	15.10B/*9.00A	15.10B/*9.00A	----	11.70 - 2.90	.1381	----	----	----	----	2 UNCH
4900	10.00	10.00	14.30B/*8.60A	14.30B/*8.60A	----	11.00 - 2.90	.1306	----	----	42	----	79 + 23
4905	----	----	13.50B/*8.10A	13.50B/*8.10A	----	10.40 - 2.80	.1239	----	----	1	----	26 + 1
4910	----	----	----/*7.70A	12.60B/*7.70A	----	9.80 - 2.80	.1172	----	----	----	----	5 UNCH
4915	----	----	----/*7.40A	11.90B/*7.40A	----	9.30 - 2.60	.1114	----	----	1	----	52 + 1
4920	----	----	----/*7.00A	11.20B/*7.00A	----	8.80 - 2.60	.1056	----	----	----	----	5 UNCH
4925	----	----	----/*6.60A	10.60B/*6.60A	----	8.30 - 2.50	.0999	----	----	2	----	23 UNCH
4930	10.00	10.00	10.00/*6.30A	10.00/*6.30A	----	7.80 - 2.50	.0943	----	----	7	----	10 UNCH
4935	----	----	----/*5.90A	9.40B/*5.90A	----	7.40 - 2.40	.0895	----	----	2	----	52 + 2
4940	----	----	----/*5.70A	8.90B/*5.70A	----	7.00 - 2.40	.0847	----	----	----	----	5 UNCH
4945	----	----	----/*5.40A	8.40B/*5.40A	----	6.70 - 2.20	.0809	----	----	----	----	4 UNCH
4950	----	----	----/*5.20A	7.90B/*5.20A	----	6.30 - 2.20	.0763	----	----	60	----	118 + 60
4955	----	----	----/*4.90A	7.50B/*4.90A	----	6.00 - 2.10	.0725	----	----	----	----	5 UNCH
4960	----	----	----/*4.70A	7.00B/*4.70A	----	5.70 - 2.00	.0688	----	----	----	----	20 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

OG1 CALL — GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26												
4965	----	----	----/*4.50A	6.70B/*4.50A	----	5.40 - 2.00	.0652	----	----	1	----	5 + 1
4975	5.30	5.30	5.30/*4.10A	6.00B/*4.10A	----	4.90 - 1.80	.0589	----	----	5	----	28 + 5
4980	----	----	----/*3.90A	5.60B/*3.90A	----	4.60 - 1.80	.0554	----	----	----	----	5 UNCH
4990	----	----	----/*3.50A	5.10B/*3.50A	----	4.20 - 1.60	.0503	----	----	----	----	5 UNCH
4995	----	----	----/*3.40A	4.80B/*3.40A	----	4.00 - 1.50	.0478	----	----	----	----	2 UNCH
5000	3.80	3.80	4.60B/*3.30A	4.60B/*3.30A	----	3.80 - 1.50	.0453	----	----	106	----	125 + 98
5010	3.60	3.60	3.60/*3.10A	4.10B/*3.10A	----	3.50 - 1.30	.0414	----	----	11	----	13 + 11
5020	----	----	----/*2.80A	3.80B/*2.80A	----	3.20 - 1.20	.0376	----	----	----	----	31 UNCH
5025	----	----	----/*2.70A	3.60B/*2.70A	----	3.10 - 1.10	.0362	----	----	4	----	34 - 2
5050	----	----	----/*2.30A	2.80B/*2.30A	----	2.50 - 0.90	.0286	----	----	1	----	24 UNCH
5075	2.00	2.00	2.00/*2.00	2.10B/*2.00	----	2.00 - 0.80	.0225	----	----	20	----	39 + 20
5100	2.00	2.00	2.00/*1.70A	2.00/*1.70A	----	1.70 - 0.70	.0185	----	----	39	----	378 + 26
5125	----	----	----/*1.50A	1.40B/*1.50A	----	1.50 - 0.50	.0158	----	----	2	----	17 + 2
5150	1.50	1.50	1.50/*1.40A	1.50/*1.40A	----	1.30 - 0.40	.0133	----	----	13	----	26 - 10
5175	1.00	1.00	1.00/*1.00	1.00/*1.00	----	1.20 - 0.30	.0118	----	----	10	----	18 + 10
5200	----	----	----/*0.90A	0.90B/*0.90A	----	1.10 - 0.20	.0105	----	----	1	----	28 UNCH
5225	----	----	----/*0.80A	0.80B/*0.80A	----	1.00 - 0.20	.0092	----	----	----	----	26 UNCH
5250	----	----	----/*1.00A	0.70B/*1.00A	----	0.90 - 0.30	.0081	----	----	----	----	31 UNCH
5275	----	----	----/*1.00A	0.70B/*1.00A	----	0.80 - 0.30	.0070	----	----	----	----	30 UNCH
5325	----	----	----	0.50B/*0.90A	----	0.60 - 0.20	.0050	----	----	----	----	1 UNCH
5400	----	----	----	0.20B/*0.80A	----	0.40 - 0.20	.0031	----	----	6	----	15 + 4
5600	----	----	----	----/*0.60A	----	0.20 - 0.10	.0013	----	----	3	----	7 + 3
TOTAL										863		2066+ 633

OG PUT — COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26												
1000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2046 UNCH
1500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	761 UNCH
1600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	40 UNCH
1700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1800	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1900	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	149 UNCH
2175	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	25 UNCH
2200	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	129 UNCH
2225	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	271 UNCH
2250	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
2275	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2300	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	156 UNCH
2325	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
2350	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	122 UNCH
2400	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	13 UNCH
2420	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	16 UNCH
2450	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
2485	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
2495	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	75 UNCH
2500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	74 UNCH
2505	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
2520	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
2525	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	102 UNCH
2540	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
2550	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2560	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
2580	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	35 UNCH
2590	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	114 UNCH
2615	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2620	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2650	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
2660	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2685	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	34 UNCH
2705	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2715	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
2725	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2730	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
2750	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
2755	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
2770	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
2785	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	21 UNCH
2790	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
2800	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	88 UNCH
2815	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	35 UNCH
2820	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	74 UNCH
2845	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
2850	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
2870	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	23 UNCH
2895	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	39 UNCH
2900	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	348 UNCH
2905	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
2910	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
2930	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	28 UNCH
2940	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
2950	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	302 UNCH
2980	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
2995	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
3000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	140 UNCH
3005	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3010	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3020	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3040	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	52 UNCH
3045	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3050	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	19 UNCH
3055	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
3065	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
3070	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3075	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	66 UNCH
3080	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3090	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
3095	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
3100	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	308 UNCH
3105	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
3115	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
3120	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	41 UNCH
3125	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3130	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
3135	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3140	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
3150	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
3155	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	74 UNCH
3160	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
3170	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
3175	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
3185	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	18 UNCH
3200	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	268 UNCH
3205	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
3210	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
3220	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
3225	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	12 UNCH
3235	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
3245	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
3250	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	89 UNCH
3255	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
3260	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	21 UNCH
3265	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	16 UNCH
3270	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3275	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	22 UNCH
3280	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3290	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	40 UNCH
3295	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3300	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	592 UNCH
3305	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	60 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

OG PUT — COMEX GOLD OPTIONS

MAY26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3310	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3315	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
3320	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3325	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
3330	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3335	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
3340	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3345	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3350	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	53 UNCH
3360	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
3370	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	75 UNCH
3375	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	54 UNCH
3380	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
3385	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	12 UNCH
3390	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
3395	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	35 UNCH
3400	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	196 UNCH
3405	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
3415	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	118 UNCH
3420	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3425	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
3430	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	21 UNCH
3435	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	101 UNCH
3440	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3445	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	33 UNCH
3450	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	49 UNCH
3455	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	44 UNCH
3460	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	142 UNCH
3465	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	17 UNCH
3470	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	76 UNCH
3475	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	94 UNCH
3480	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	84 UNCH
3485	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	60 UNCH
3490	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	52 UNCH
3495	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	54 UNCH
3500	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	----	----	----	10	----	1428 UNCH
3505	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	14 UNCH
3510	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	35 UNCH
3515	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	82 UNCH
3520	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
3525	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	128 UNCH
3530	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	102 UNCH
3535	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	158 UNCH
3540	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
3545	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	67 UNCH
3550	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	362 UNCH
3555	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	45 UNCH
3560	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	9 UNCH
3565	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
3570	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
3575	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	96 UNCH
3580	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	9 UNCH
3585	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	9 UNCH
3590	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	38 UNCH
3595	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	44 UNCH
3600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1026 UNCH
3605	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	61 UNCH
3610	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	28 UNCH
3615	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	130 UNCH
3620	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	138 UNCH
3625	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	50 UNCH
3630	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	13 UNCH
3635	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	31 UNCH
3640	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	47 UNCH
3645	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
3650	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	430 UNCH
3655	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	26 UNCH
3660	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	52 UNCH
3665	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	35 UNCH
3670	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	35 UNCH
3675	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	66 UNCH
3680	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	118 UNCH
3685	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	26 UNCH
3690	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	23 UNCH
3695	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	73 UNCH
3700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1359 UNCH
3705	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	40 UNCH
3710	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	25 UNCH
3715	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	28 UNCH
3720	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	35 UNCH
3725	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	37 UNCH
3730	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	55 UNCH
3735	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	38 UNCH
3740	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	13 UNCH
3745	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	39 UNCH
3750	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	391 UNCH
3755	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
3760	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	49 UNCH
3765	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	102 UNCH
3770	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	25 UNCH
3775	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	----	----	----	1	----	280 + 1
3780	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	33 UNCH
3785	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	27 UNCH
3790	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	28 UNCH
3795	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	25 UNCH
3800	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	----	----	----	1	----	1477 + 1
3805	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	74 UNCH
3810	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
3815	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	53 UNCH
3820	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	788 UNCH
3825	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	113 UNCH
3830	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	18 UNCH
3835	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	31 UNCH
3840	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	51 UNCH
3845	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	36 UNCH
3850	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	2988 UNCH
3855	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	41 UNCH
3860	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	50 UNCH
3865	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	21 UNCH
3870	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	38 UNCH
3875	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	45 UNCH
3880	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	39 UNCH
3885	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	82 UNCH
3890	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	12 UNCH
3895	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	75 UNCH
3900	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	1780 UNCH
3905	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	27 UNCH
3910	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	----	----	----	10	----	145 + 10
3915	----	----	----	----/0.20A	----	0.10 - 0.10	----	----	----	----	----	38 UNCH
3920	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 - 0.10	.0000	----	----	10	----	218 + 10
3925	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	.0000	----	----	----	----	84 UNCH
3930	----	----	----	----/0.20A	----	0.10 - 0.10	.0000	----	----	----	----	62 UNCH
3935	----	----	----	----/0.20A	----	0.10 - 0.10	.0000	----	----	----	----	16 UNCH
3940	----	----	----	----/0.20A	----	0.10 - 0.10	.0000	----	----	----	----	37 UNCH
3945	----	----	----	----/0.20A	----	0.10 - 0.10	.0000	----	----	----	----	24 UNCH
3950	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	.0000	----	----	----	----	147 UNCH
3955	----	----	----	----/0.30A	----	0.10 - 0.20	.0000	----	----	----	----	59 UNCH
3960	----	----	----	----/0.30A	----	0.10 - 0.20	.0000	----	----	----	----	14 UNCH
3965	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.20	.0000	----	----	----	----	85 UNCH
3970	----	----	----	----/0.30A	----	0.10 - 0.20	.0000	----	----	----	----	44 UNCH
3975	----	----	----	----/0.30A	----	0.10 - 0.20	.0000	----	----	----	----	40 UNCH
3980	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.20	.0000	----	----	----	----	141 UNCH
3985	----	----	----	----/0.30A	----	0.10 - 0.20	.0000	----	----	----	----	51 UNCH
3990	----	----	----	----/0.30A	----	0.10 - 0.20	.0000	----	----	----	----	24 UNCH
3995	----	----	----/0.30A	----/0.30A	----	0.10 - 0.30	.0000	----	----	----	----	26 UNCH
4000	0.20	0.20	0.20/*0.10	0.20/*0.10	----	0.10 - 0.30	.0000	----	----	17	----	2988 - 13
4005	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.30	.0000	----	----	----	----	236 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
4010	----	----	----/*0.10A	0.10B/*0.10A	----	0.10 - 0.30	.0000	----	----	----	----	61 UNCH
4015	----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 0.30	.0000	----	----	----	----	53 UNCH
4020	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 0.30	.0000	----	----	----	----	92 UNCH
4025	----	----	----/*0.10A	0.20B/*0.10A	----	0.10 - 0.30	.0000	----	----	----	----	106 UNCH
4030	----	----	----/0.20A	0.20B/0.20A	----	0.10 - 0.30	.0000	----	----	----	----	39 UNCH
4035	----	----	----/0.20A	0.20B/0.20A	----	0.10 - 0.30	.0000	----	----	----	----	33 UNCH
4040	----	----	----/0.20A	0.20B/0.20A	----	0.10 - 0.30	.0001	----	----	----	----	61 UNCH
4045	----	----	----/*0.10A	0.20B/*0.10A	----	0.10 - 0.40	.0001	----	----	----	----	206 UNCH
4050	0.10	0.10	0.10/*0.10	0.30B/*0.10	----	0.10 - 0.40	.0001	----	----	60	----	1349 + 35
4055	----	----	----/*0.10A	0.30B/*0.10A	----	0.10 - 0.40	.0001	----	----	----	----	145 UNCH
4060	----	----	----/*0.10A	0.30B/*0.10A	----	0.10 - 0.40	.0001	----	----	----	----	26 UNCH
4065	0.10	0.10	0.10/*0.10	0.30B/*0.10	----	0.10 - 0.40	.0001	----	----	5	----	33 + 5
4070	0.10	0.10	0.10/*0.10	0.30B/*0.10	----	0.10 - 0.40	.0002	----	----	8	----	114 + 8
4075	----	----	----/*0.10A	0.30B/*0.10A	----	0.10 - 0.40	.0002	----	----	----	----	133 UNCH
4080	----	----	----/*0.10A	0.40B/*0.10A	----	0.10 - 0.50	.0002	----	----	----	----	150 UNCH
4085	0.10	0.10	0.10/*0.10	0.40B/*0.10	----	0.10 - 0.50	.0002	----	----	10	----	763 + 10
4090	----	----	----/*0.10A	0.40B/*0.10A	----	0.10 - 0.50	.0003	----	----	----	----	218 UNCH
4095	----	----	----/0.30A	0.40B/0.30A	----	0.20 - 0.40	.0006	----	----	----	----	155 UNCH
4100	----	----	----/*0.10A	0.40B/*0.10A	----	0.20 - 0.40	.0006	----	----	----	----	1520 UNCH
4105	0.20	0.20	0.20/*0.10A	0.50B/*0.10A	----	0.20 - 0.40	.0006	----	----	10	----	228 + 10
4110	----	----	----/0.30A	0.50B/0.30A	----	0.20 - 0.50	.0006	----	----	----	----	67 UNCH
4115	----	----	----/0.30A	0.50B/0.30A	----	0.20 - 0.50	.0006	----	----	----	----	44 UNCH
4120	----	----	----/0.30A	0.50B/0.30A	----	0.20 - 0.50	.0006	----	----	----	----	131 UNCH
4125	----	----	----/0.30A	0.50B/0.30A	----	0.20 - 0.50	.0006	----	----	----	----	209 UNCH
4130	----	----	----/0.30A	0.60B/0.30A	----	0.20 - 0.50	.0007	----	----	----	----	843 UNCH
4135	0.20	0.20	0.20/*0.20	0.60B/*0.20	----	0.20 - 0.60	.0007	----	----	10	----	92 + 10
4140	0.20	0.20	0.20/*0.20	0.60B/*0.20	----	0.20 - 0.60	.0007	----	----	2	----	28 + 2
4145	----	----	----/*0.30A	0.60B/*0.30A	----	0.20 - 0.60	.0007	----	----	----	----	100 UNCH
4150	0.20	0.20	0.20/*0.20	0.60B/*0.20	----	0.20 - 0.60	.0007	----	----	8	----	514 + 8
4155	----	----	----/*0.20A	0.70B/*0.20A	----	0.20 - 0.70	.0007	----	----	----	----	43 UNCH
4160	----	----	----/*0.30A	0.70B/*0.30A	----	0.20 - 0.70	.0007	----	----	----	----	28 UNCH
4165	0.30	0.30	0.30/*0.30	0.70B/*0.30	----	0.30 - 0.60	.0011	----	----	1	----	66 UNCH
4170	----	----	----/*0.30A	0.70B/*0.30A	----	0.30 - 0.60	.0011	----	----	----	----	82 UNCH
4175	0.30	0.30	0.30/*0.20A	0.80B/*0.20A	----	0.30 - 0.70	.0011	----	----	12	----	205 + 4
4180	----	----	----/0.40A	0.80B/0.40A	----	0.30 - 0.70	.0011	----	----	----	----	283 UNCH
4185	----	----	----/0.40A	0.80B/0.40A	----	0.30 - 0.70	.0012	----	----	----	----	357 UNCH
4190	----	----	----/0.40A	0.80B/0.40A	----	0.30 - 0.70	.0012	----	----	----	----	86 UNCH
4195	----	----	----/0.30A	0.80B/0.30A	----	0.30 - 0.80	.0012	----	----	----	----	113 UNCH
4200	0.90	0.90	0.90/*0.20	0.90/*0.20	----	0.30 - 0.80	.0012	----	----	23	----	2919 + 4
4205	----	----	----/0.40A	0.90B/0.40A	----	0.30 - 0.80	.0012	----	----	----	----	200 UNCH
4210	1.20	1.20	1.20/0.40	1.20/0.40	----	0.30 - 0.90	.0012	----	----	2	----	89 + 1
4215	0.40	0.40	0.40/0.40	1.00B/0.40	----	0.30 - 0.90	.0012	----	----	3	----	180 + 1
4220	----	----	----/0.40A	1.00B/0.40A	----	0.30 - 0.90	.0012	----	----	----	----	20 UNCH
4225	----	----	----/*0.20A	1.00B/*0.20A	----	0.30 - 1.00	.0013	----	----	----	----	199 UNCH
4230	----	----	----/0.40A	1.10B/0.40A	----	0.40 - 0.90	.0017	----	----	----	----	142 UNCH
4235	----	----	----/0.40A	1.10B/0.40A	----	0.40 - 0.90	.0018	----	----	----	----	59 UNCH
4240	1.30	1.30	1.30/0.50A	1.30/0.50A	----	0.40 - 1.00	.0018	----	----	1	----	161 + 1
4245	0.50	0.50	0.50/0.50	1.10B/0.50	----	0.40 - 1.00	.0018	----	----	1	----	51 + 1
4250	1.20	1.20	1.40/0.40A	1.40/0.40A	----	0.40 - 1.00	.0018	----	----	28	----	823 - 15
4255	----	----	----/0.50A	1.20B/0.50A	----	0.40 - 1.10	.0018	----	----	----	----	36 UNCH
4260	----	----	----/0.50A	1.20B/0.50A	----	0.40 - 1.10	.0019	----	----	----	----	105 UNCH
4265	----	----	----/0.50A	1.30B/0.50A	----	0.40 - 1.20	.0019	----	----	----	----	68 UNCH
4270	----	----	----/0.50A	1.30B/0.50A	----	0.50 - 1.10	.0024	----	----	6	----	112 - 6
4275	----	----	----/0.50A	1.40B/0.50A	----	0.50 - 1.10	.0024	----	----	----	----	140 UNCH
4280	----	----	----/0.50A	1.40B/0.50A	----	0.50 - 1.20	.0025	----	----	2	----	124 - 2
4285	----	----	----/*0.40A	1.40B/*0.40A	----	0.50 - 1.20	.0025	----	----	----	----	254 UNCH
4290	----	----	----/0.60A	1.50B/0.60A	----	0.50 - 1.30	.0025	----	----	----	----	113 UNCH
4295	----	----	----/0.60A	1.50B/0.60A	----	0.50 - 1.30	.0026	----	----	----	----	35 UNCH
4300	2.00	2.00	2.00/*0.40	2.00/*0.40	----	0.50 - 1.30	.0026	----	----	27	----	2971 - 11
4305	----	----	----/0.70A	1.60B/0.70A	----	0.60 - 1.30	.0032	----	----	----	----	58 UNCH
4310	0.80	0.80	0.80/0.70A	1.70B/0.70A	----	0.60 - 1.30	.0032	----	----	40	----	106 + 34
4315	0.50	0.50	0.50/*0.50	1.70B/*0.50	----	0.60 - 1.40	.0033	----	----	1	----	23 UNCH
4320	----	----	----/0.70A	1.80B/0.70A	----	0.60 - 1.40	.0033	----	----	3	----	68 + 1
4325	----	----	----/0.80A	1.90B/0.80A	----	0.60 - 1.50	.0034	----	----	1	----	197 + 1
4330	----	----	----/0.80A	1.90B/0.80A	----	0.60 - 1.50	.0034	----	----	----	----	275 UNCH
4335	----	----	----/0.80A	2.00B/0.80A	----	0.70 - 1.50	.0040	----	----	----	----	40 UNCH
4340	----	----	----/0.80A	2.10B/0.80A	----	0.70 - 1.50	.0041	----	----	----	----	145 UNCH
4345	0.80	0.80	0.80/0.80	2.10B/0.80	----	0.70 - 1.50	.0041	----	----	1	----	347 UNCH
4350	2.20	2.20	2.20/0.80A	2.20/0.80A	----	0.70 - 1.60	.0042	----	----	3	----	1026 + 2
4355	----	----	----/0.90A	2.30B/0.90A	----	0.80 - 1.60	.0049	----	----	----	----	80 UNCH
4360	----	----	----/0.90A	2.40B/0.90A	----	0.80 - 1.60	.0050	----	----	----	----	351 UNCH
4365	0.70	0.70	0.70/*0.70	2.50B/*0.70	----	0.80 - 1.70	.0050	----	----	1	----	39 UNCH
4370	----	----	2.60B/1.00A	2.60B/1.00A	----	0.80 - 1.70	.0051	----	----	----	----	882 UNCH
4375	----	----	2.70B/1.00A	2.70B/1.00A	----	0.90 - 1.70	.0058	----	----	----	----	114 UNCH
4380	----	----	2.70B/*1.00A	2.70B/*1.00A	----	0.90 - 1.70	.0059	----	----	----	----	81 UNCH
4385	1.10	1.10	2.80B/*1.10	2.80B/*1.10	----	0.90 - 1.80	.0060	----	----	1	----	394 UNCH
4390	----	----	2.90B/*1.10A	2.90B/*1.10A	----	0.90 - 1.90	.0061	----	----	----	----	95 UNCH
4395	----	----	3.10B/*1.10A	3.10B/*1.10A	----	1.00 - 1.90	.0068	----	----	----	----	60 UNCH
4400	1.00	1.00	3.20B/*0.80	3.20B/*0.80	----	1.00 - 1.90	.0070	----	----	5	30	4099 - 1
4405	1.00	1.00	3.30B/*1.00	3.30B/*1.00	----	1.00 - 2.00	.0071	----	----	1	----	33 + 1
4410	1.10	1.10	3.40B/*1.10	3.40B/*1.10	----	1.00 - 2.10	.0072	----	----	1	----	108 UNCH
4415	----	----	3.50B/*1.20A	3.50B/*1.20A	----	1.10 - 2.10	.0080	----	----	----	----	128 UNCH
4420	----	----	3.70B/*1.30A	3.70B/*1.30A	----	1.10 - 2.20	.0081	----	----	----	----	135 UNCH
4425	4.30	4.30	4.30/*1.10	4.30/*1.10	----	1.10 - 2.30	.0083	----	----	8	----	613 + 4
4430	1.40	1.40	4.00B/*1.20A	4.00B/*1.20A	----	1.20 - 2.30	.0091	----	----	3	----	114 + 2
4435	----	----	4.20B/*1.30A	4.20B/*1.30A	----	1.20 - 2.40	.0093	----	----	----	----	304 UNCH
4440	----	----	4.30B/*1.40A	4.30B/*1.40A	----	1.20 - 2.50	.0094	----	----	7	----	337 UNCH
4445	----	----	4.50B/*1.40A	4.50B/*1.40A	----	1.30 - 2.50	.0104	----	----	----	----	125 UNCH
4450	5.00	5.00	5.00/*1.30	5.00/*1.30	----	1.30 - 2.60	.0106	----	----	18	----	1298 + 1
4455	----	----	4.90B/*1.50A	4.90B/*1.50A	----	1.30 - 2.80	.0107	----	----	----	----	238 UNCH
4460	----	----	5.10B/*1.50A	5.10B/*1.50A	----	1.40 - 2.80	.0117	----	----	----	----	61 UNCH
4465	1.60	1.60	5.40B/*1.50A	5.40B/*1.50A	----	1.40 - 2.90	.0119	----	----	2	----	52 UNCH
4470	----	----	5.60B/*1.60A	5.60B/*1.60A	----	1.40 - 3.10	.0122	----	----	8	----	114 UNCH
4475	4.00	4.00	5.90B/*1.40	5.90B/*1.40	----	1.50 - 3.10	.0132	----	----	14	----	966 - 5
4480	----	----	6.00B/*1.60A	6.00B/*1.60A	----	1.50 - 3.30	.0135	----	----	1	----	136 UNCH
4485	----	----	6.40B/*1.70A	6.40B/*1.70A	----	1.50 - 3.50	.0137	----	----	2	----	48 UNCH
4490	4.40	4.40	6.50B/*1.70A	6.50B/*1.70A	----	1.60 - 3.60	.0149	----	----	50	----	202 - 34
4495	4.20	4.20	7.00B/*1.70	7.00B/*1.70	----	1.60 - 3.70	.0152	----	----	34	----	79 + 16
4500	7.50	7.50	7.50/*1.60	7.50/*1.60	----	1.70 - 3.80	.0164	----	----	212	----	2049 - 46
4505	1.90	1.90	7.10B/*1.90	7.10B/*1.90	----	1.70 - 4.10	.0167	----	----	1	----	39 UNCH
4510	7.00	7.00	7.40B/*1.90A	7.40B/*1.90A	----	1.80 - 4.20	.0180	----	----	5	----	100 - 4
4515	----	----	7.80B/*2.00A	7.80B/*2.00A	----	1.80 - 4.40	.0183	----	----	----	----	63 UNCH
4520	5.60	5.60	8.10B/*2.00A	8.10B/*2.00A	----	1.90 - 4.50	.0197	----	----	10	----	181 UNCH
4525	11.20	11.20	11.20/*2.10	11.20/*2.10	----	1.90 - 4.80	.0201	----	----	8	----	864 + 4
4530	----	----	9.00B/*2.20A	9.00B/*2.20A	----	2.00 - 5.00	.0215	----	----	5	----	99 + 1
4535	----	----	9.40B/*2.20A	9.40B/*2.20A	----	2.10 - 5.10	.0230	----	----	----	----	141 UNCH
4540	8.20	8.20	9.80B/*2.10	9.80B/*2.10	----	2.10 - 5.40	.0235	----	----	43	----	54 UNCH
4545	2.40	2.40	10.50B/*2.40	10.50B/*2.40	----	2.20 - 5.70	.0251	----	----	1	----	78 + 1
4550	10.70	10.70	11.00B/*2.30	11.00B/*2.30	----	2.30 - 5.90	.0267	----	----	195	----	1761 - 31
4555	7.70	7.70	11.50B/*2.50A	11.50B/*2.50A	----	2.40 - 6.10	.0284	----	----	2	----	36 - 1
4560	9.20	9.20	12.10B/*2.60A	12.10B/*2.60A	----	2.50 - 6.40	.0302	----	----	41	----	123 + 33
4565	15.00	15.00	15.00/*2.50	15.00/*2.50	----	2.60 - 6.70	.0320	----	----	58	----	115 - 44
4570	5.10	5.10	13.70B/*2.80A	13.70B/*2.80A	----	2.70 - 7.00	.0340	----	----	5	----	185 UNCH
4575	5.50	5.50	14.50B/*2.70	14.50B/*2.70	----	2.80 - 7.40	.0359	----	----	117	----	168 - 57
4580	6.40	6.40	15.30B/*3.10A	15.30B/*3.10A	----	2.90 - 7.70	.0380	----	----	32	----	158 - 10
4585	2.90	2.90	16.20B/*2.90	16.20B/*2.90	----	3.10 - 8.00	.0413	----	----	7	----	49 - 1
4590	13.70	13.70	17.00B/*3.30A	17.00B/*3.30A	----	3.20 - 8.40	.0436	----	----	6	----	100 - 1
4595	3.50	3.50	18.10B/*3.50	18.10B/*3.50	----	3.40 - 8.80	.0472	----	----	1	----	79 UNCH
4600	14.10	14.10	20.70/*3.50	20.70/*3.50	----	3.60 - 9.20	.0509	----	----	152	30	2852 - 12
4605	3.90	3.90	20.10B/*3.90	20.10B/*3.90	----	3.80 - 9.60	.0548	----	----	2	----	110 UNCH
4610	21.00	21.00	21.30B/*3.90	21.30B/*3.90	----	4.00 - 10.00	.0588	----	----	6	----	226 UNCH
4615	12.80	12.80	21.90B/*4.30A	21.90B/*4.30A	----	4.30 - 10.40	.0642	----	----	2	----	98 - 1
4620	6.10	6.10	23.70B/*4.50A	23.70B/*4.50A	----	4.50 - 11.00	.0687	----	----	4	----	214 + 2
4625	23.70	23.70	27.00/*4.80	27.00/*4.80	----	4.80 - 11.40	.0745	----	----	278	60	427 + 142
4630	6.70	6.70	26.40B/*5.00	26.40B/*5.00	----	5.10 - 11.90	.0806	----	----	21	----	826 + 12
4635	12.20	12.20	26.50B/*5.40	26.50B/*5.40	----	5.50 - 12.40	.0881	----	----	106	----	447 - 31
4640	7.20	7.20	28.80B/*5.60	28.80B/*5.60	----	5.90 - 12.90	.0960	----	----	11	----	161 + 2
4645	14.10	14.10	30.40B/*6.20A	30.40B/*6.20A	----	6.30 - 13.50	.1042	----	----	7	----	59 UNCH
4650	31.40	31.40	32.10/*6.70A	32.10/*6.70A	----	6.80 - 14.00	.1139	----	----	459	----	1061 - 154
4655	22.00	22.00	32.50B/*7.10A	32.50B/*7.10A	----	7.30 - 14.50	.1240	----	----	4	----	264 UNCH
4660	26.60	26.60	34.30B/*7.70A	34.30B/*7.70A	----	7.90 - 15.00	.1357	----	----	17	----	214 + 6
4665	----	----	36.50B/*8.30A	36.50B/*8.30A	----	8.50 - 15.60	.1478	----	----	1	----	89 - 1
4670	11.60	11.60	38.20B/*8.90A	38.20B/*8.90A	----	9.30 - 16.00	.1625	----	----	43	----	232 - 16
4675	28.00	28.00	40.50B/*9.60A	40.50B/*9.60A	----	10.00 - 16.60	.1768	----	----	461	60	273 - 130
4680	39.00	39.00	42.60B/*10.30	42.60B/*10.30	----	10.90 - 17.10	.1935	----	----	87	----	266 + 5
4685	41.00	41.00	47.50/*10.60	47.50/*10.60	----	11.80 - 17.60	.2108	----	----	31	----	137 + 8
4690	42.50	42.50	46.80B/*12.00A	46.80B/*12.00A	----	12.80 - 18.10	.2297	----	----	140	----	211 + 4

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
4695	42.00	42.00	47.10B/12.80	47.10B/12.80	----	14.00 - 18.50	.2508	----	----	13	----	110 + 4
4700	36.30	36.30	55.40B/14.20A	55.40B/14.20A	----	15.20 - 19.00	.2725	----	----	266	450	1800 - 264
4705	50.20	50.20	58.20B/15.20A	58.20B/15.20A	----	16.50 - 19.50	.2956	----	----	35	----	60 + 11
4710	19.70	19.70	61.40B/16.60A	61.40B/16.60A	----	17.90 - 20.00	.3200	----	----	11	----	261 + 2
4715	20.50	20.50	64.10B/18.00A	64.10B/18.00A	----	19.50 - 20.30	.3462	----	----	13	----	134 - 3
4720	38.20	38.20	67.50B/19.40A	67.50B/19.40A	----	21.20 - 20.70	.3735	----	----	47	----	329 - 12
4725	45.00	45.00	70.40B/21.10A	70.40B/21.10A	----	23.00 - 21.10	.4017	----	----	162	----	255 + 12
4730	25.80	25.80	73.80B/22.90A	73.80B/22.90A	----	24.90 - 21.40	.4308	----	----	87	----	112 - 37
4735	29.00	29.00	77.20B/24.60A	77.20B/24.60A	----	27.00 - 21.70	.4609	----	----	9	----	41 + 3
4740	28.50	28.50	80.70B/26.80A	80.70B/26.80A	----	29.20 - 22.00	.4916	----	----	15	----	118 + 7
4745	----	----	84.70B/28.80A	84.70B/28.80A	----	31.60 - 22.20	.5227	----	----	10	----	52 - 10
4750	34.60	34.60	88.40B/30.90A	88.40B/30.90A	----	34.10 - 22.50	.5541	----	----	55	----	851 + 14
4755	----	----	92.30B/33.40A	92.30B/33.40A	----	36.80 - 22.60	.5853	----	----	----	----	205 UNCH
4760	----	----	96.20B/35.80A	96.20B/35.80A	----	39.70 - 22.60	.6159	----	----	1	----	132 UNCH
4765	----	----	100.20B/38.40A	100.20B/38.40A	----	42.70 - 22.70	.6461	----	----	----	----	132 UNCH
4770	----	----	104.20B/41.10A	104.20B/41.10A	----	45.90 - 22.70	.6752	----	----	2	----	108 UNCH
4775	82.50	82.50	108.40B/43.80A	108.40B/43.80A	----	49.20 - 22.60	.7035	----	----	4	----	381 + 2
4780	----	----	112.70B/46.90A	112.70B/46.90A	----	52.70 - 22.50	.7292	----	----	----	----	101 UNCH
4785	----	----	117.00B/50.20A	117.00B/50.20A	----	56.40 - 22.30	.7545	----	----	1	----	108 UNCH
4790	----	----	121.50B/53.50A	121.50B/53.50A	----	60.10 - 22.20	.7775	----	----	----	----	373 UNCH
4795	----	----	125.80B/56.90A	125.80B/56.90A	----	64.00 - 22.00	.8001	----	----	----	----	59 UNCH
4800	89.30	89.30	130.40B/60.30A	130.40B/60.30A	----	68.00 - 21.80	.8201	----	----	40	----	1708 + 7
4805	----	----	134.90B/64.00A	134.90B/64.00A	----	72.10 - 21.60	.8385	15	----	31	----	78 + 16
4810	----	----	139.40B/67.70A	139.40B/67.70A	----	76.30 - 21.40	.8552	2	----	----	----	418 - 2
4815	----	----	144.00B/71.60A	144.00B/71.60A	----	80.50 - 21.20	.8714	----	----	1	----	53 + 1
4820	----	----	148.70B/75.40A	148.70B/75.40A	----	84.80 - 21.10	.8846	----	----	----	----	182 UNCH
4825	----	----	153.30B/79.40A	153.30B/79.40A	----	89.20 - 20.90	.8973	----	----	32	----	233 - 2
4830	140.00	140.00	158.00B/83.50A	158.00B/83.50A	----	93.70 - 20.70	.9096	----	----	4	----	77 - 3
4835	----	----	162.80B/87.70A	162.80B/87.70A	----	98.30 - 20.40	.9187	----	----	2	----	164 + 2
4840	----	----	167.60B/92.00A	167.60B/92.00A	----	102.90 - 20.20	.9275	2	----	----	----	132 - 2
4845	----	----	172.30B/96.40A	172.30B/96.40A	----	107.50 - 20.10	.9359	----	----	----	----	78 UNCH
4850	----	----	177.10B/100.80A	177.10B/100.80A	----	112.20 - 19.90	.9425	----	----	10	----	1090 UNCH
4855	----	----	181.90B/105.40A	181.90B/105.40A	----	116.90 - 19.70	.9489	----	----	8	----	143 UNCH
4860	----	----	186.80B/109.80A	186.80B/109.80A	----	121.60 - 19.60	.9535	----	----	----	----	42 UNCH
4865	----	----	191.60B/114.40A	191.60B/114.40A	----	126.40 - 19.50	.9594	----	----	5	----	80 - 4
4870	----	----	196.50B/118.80A	196.50B/118.80A	----	131.20 - 19.30	.9637	----	----	----	----	250 UNCH
4875	----	----	201.40B/123.40A	201.40B/123.40A	----	136.00 - 19.20	.9677	----	----	----	----	366 UNCH
4880	157.50	157.50	206.30B/128.10A	206.30B/128.10A	----	140.80 - 19.10	.9702	----	----	1	----	107 UNCH
4885	----	----	211.20B/133.00A	211.20B/133.00A	----	145.70 - 19.00	.9739	----	----	----	----	24 UNCH
4890	----	----	216.10B/137.70A	216.10B/137.70A	----	150.50 - 18.90	.9761	----	----	----	----	64 UNCH
4895	----	----	221.00B/142.60A	221.00B/142.60A	----	155.40 - 18.80	.9782	----	----	----	----	92 UNCH
4900	----	----	225.90B/147.20A	225.90B/147.20A	----	160.30 - 18.70	.9802	----	----	4	----	1034 - 2
4905	----	----	230.80B/152.20A	230.80B/152.20A	----	165.20 - 18.70	.9821	----	----	2	----	54 + 1
4910	----	----	235.80B/156.90A	235.80B/156.90A	----	170.10 - 18.60	.9839	----	----	2	----	92 + 2
4915	----	----	240.70B/161.80A	240.70B/161.80A	----	175.10 - 18.50	.9857	----	----	----	----	29 UNCH
4920	----	----	245.70B/166.50A	245.70B/166.50A	----	180.00 - 18.40	.9860	----	----	----	----	148 UNCH
4925	----	----	250.60B/171.70A	250.60B/171.70A	----	185.00 - 18.30	.9877	----	----	----	----	73 UNCH
4930	----	----	221.90B/176.50A	221.90B/176.50A	----	190.00 - 18.20	.9880	----	----	----	----	50 UNCH
4935	----	----	226.80B/181.40A	226.80B/181.40A	----	194.90 - 18.20	.9883	----	----	----	----	54 UNCH
4940	----	----	225.80B/193.30A	225.80B/193.30A	----	199.90 - 18.10	.9898	----	----	----	----	14 UNCH
4945	----	----	237.10B/191.30A	237.10B/191.30A	----	204.90 - 18.00	.9900	----	----	----	----	41 UNCH
4950	----	----	242.70B/195.70A	242.70B/195.70A	----	209.80 - 18.10	.9902	----	----	2	----	753 UNCH
4955	----	----	247.20B/201.00A	247.20B/201.00A	----	214.80 - 18.00	.9916	----	----	----	----	83 UNCH
4960	----	----	252.20B/205.90A	252.20B/205.90A	----	219.70 - 18.00	.9918	----	----	----	----	132 UNCH
4965	----	----	250.50B/217.60A	250.50B/217.60A	----	224.70 - 17.90	.9931	----	----	----	----	15 UNCH
4970	----	----	255.50B/223.00A	255.50B/223.00A	----	229.60 - 17.90	.9933	----	----	----	----	4 UNCH
4975	----	----	267.40B/220.70A	267.40B/220.70A	----	234.60 - 17.80	.9945	----	----	----	----	90 UNCH
4980	----	----	271.80B/226.00A	271.80B/226.00A	----	239.50 - 17.90	.9946	----	----	----	----	57 UNCH
4985	----	----	277.20B/230.60A	277.20B/230.60A	----	244.50 - 17.80	.9947	----	----	----	----	126 UNCH
4990	----	----	281.60B/235.80A	281.60B/235.80A	----	249.50 - 17.80	.9959	----	----	----	----	31 UNCH
4995	----	----	287.00B/241.00A	287.00B/241.00A	----	254.50 - 17.80	.9959	----	----	1	----	222 UNCH
5000	251.00	251.00	292.80B/246.10A	292.80B/246.10A	----	259.50 - 17.70	.9960	----	----	13	----	1110 - 7
5005	----	----	296.70B/250.70A	296.70B/250.70A	----	264.40 - 17.80	.9961	----	----	----	----	41 UNCH
5010	----	----	295.30B/262.80A	295.30B/262.80A	----	269.40 - 17.70	.9962	----	----	----	----	14 UNCH
5015	----	----	306.50B/260.80A	306.50B/260.80A	----	274.40 - 17.70	.9972	----	----	----	----	23 UNCH
5020	----	----	311.40B/265.70A	311.40B/265.70A	----	279.40 - 17.70	.9973	----	----	----	----	24 UNCH
5025	----	----	316.90B/270.50A	316.90B/270.50A	----	284.30 - 17.70	.9973	----	----	----	----	155 UNCH
5030	----	----	321.60B/275.70A	321.60B/275.70A	----	289.30 - 17.70	.9974	----	----	----	----	22 UNCH
5035	----	----	320.20B/287.70A	320.20B/287.70A	----	294.30 - 17.60	.9974	----	----	----	----	13 UNCH
5040	----	----	332.00B/285.50A	332.00B/285.50A	----	299.30 - 17.60	.9984	----	----	----	----	134 UNCH
5045	----	----	336.40B/290.80A	336.40B/290.80A	----	304.30 - 17.60	.9984	----	----	----	----	28 UNCH
5050	----	----	342.30B/296.00A	342.30B/296.00A	----	309.30 - 17.50	.9984	3	----	2	----	428 - 5
5055	----	----	346.80B/300.30A	346.80B/300.30A	----	314.30 - 17.50	.9984	2	----	----	----	104 - 2
5060	----	----	350.10B/305.30A	350.10B/305.30A	----	319.20 - 17.60	.9985	27	----	----	----	57 - 27
5065	----	----	350.00B/310.50A	350.00B/310.50A	----	324.20 - 17.50	.9985	----	----	3	----	54 UNCH
5070	----	----	356.80B/315.30A	356.80B/315.30A	----	329.20 - 17.50	.9985	6	----	----	----	165 - 6
5075	----	----	360.00B/320.50A	360.00B/320.50A	----	334.20 - 17.50	.9985	----	----	----	----	47 UNCH
5080	----	----	366.70B/325.20A	366.70B/325.20A	----	339.20 - 17.50	.9986	2	----	----	----	83 - 2
5085	----	----	371.70B/330.40A	371.70B/330.40A	----	344.20 - 17.40	.9986	4	----	----	----	112 - 4
5090	----	----	375.00B/335.60A	375.00B/335.60A	----	349.20 - 17.40	.9986	----	----	----	----	23 UNCH
5095	----	----	380.00B/340.40A	380.00B/340.40A	----	354.20 - 17.40	.9994	11	----	----	----	7 - 11
5100	400.00	400.00	400.00/344.90A	400.00/344.90A	----	359.10 - 17.50	.9995	----	----	6	----	377 - 2
5105	----	----	389.90B/355.40A	389.90B/355.40A	----	364.10 - 17.50	.9996	----	----	----	----	57 UNCH
5110	----	----	398.20B/357.90A	398.20B/357.90A	----	369.10 - 17.40	.9997	1	----	----	----	284 - 1
5115	----	----	399.90B/367.10A	399.90B/367.10A	----	374.10 - 17.40	.9998	----	----	----	----	23 UNCH
5120	----	----	404.90B/372.60A	404.90B/372.60A	----	379.10 - 17.40	.9999	----	----	----	----	16 UNCH
5125	----	----	411.60B/376.40A	411.60B/376.40A	----	384.10 - 17.40	.9999	----	----	----	----	88 UNCH
5130	----	----	416.60B/381.40A	416.60B/381.40A	----	389.10 - 17.40	1.0000	1	----	----	----	118 - 1
5135	----	----	421.60B/386.40A	421.60B/386.40A	----	394.10 - 17.30	1.0000	----	----	----	----	95 UNCH
5140	----	----	424.80B/392.60A	424.80B/392.60A	----	399.10 - 17.30	1.0000	----	----	----	----	22 UNCH
5145	----	----	429.80B/397.10A	429.80B/397.10A	----	404.10 - 17.30	1.0000	----	----	----	----	42 UNCH
5150	----	----	438.10B/397.90A	438.10B/397.90A	----	409.10 - 17.30	1.0000	63	----	----	----	240 - 63
5155	----	----	439.80B/407.60A	439.80B/407.60A	----	414.10 - 17.30	1.0000	----	----	----	----	8 UNCH
5160	----	----	444.80B/412.60A	444.80B/412.60A	----	419.10 - 17.20	1.0000	----	----	----	----	29 UNCH
5165	----	----	449.80B/417.60A	449.80B/417.60A	----	424.10 - 17.20	1.0000	2	----	----	----	44 - 2
5170	----	----	456.50B/421.40A	456.50B/421.40A	----	429.10 - 17.20	1.0000	----	----	----	----	142 UNCH
5175	----	----	459.80B/427.60A	459.80B/427.60A	----	434.10 - 17.20	1.0000	----	----	----	----	28 UNCH
5180	----	----	466.50B/430.90A	466.50B/430.90A	----	439.10 - 17.20	1.0000	----	----	----	----	76 UNCH
5185	----	----	----	334.00B/586.90A	----	444.10 - 17.20	1.0000	----	----	----	----	2 UNCH
5190	----	----	474.70B/442.60A	474.70B/442.60A	----	449.10 - 17.20	1.0000	1	----	3	----	8 - 1
5195	----	----	479.70B/447.60A	479.70B/447.60A	----	454.10 - 17.10	1.0000	16	----	----	----	9 - 16
5200	----	----	488.10B/447.80A	488.10B/447.80A	----	459.10 - 17.10	1.0000	177	----	----	----	217 - 177
5205	----	----	489.70B/457.10A	489.70B/457.10A	----	464.10 - 17.10	1.0000	3	----	----	----	15 - 3
5210	----	----	494.70B/462.60A	494.70B/462.60A	----	469.10 - 17.10	1.0000	3	----	----	----	6 - 3
5215	----	----	499.70B/467.60A	499.70B/467.60A	----	474.10 - 17.10	1.0000	2	----	----	----	3 - 2
5220	----	----	504.70B/472.10A	504.70B/472.10A	----	479.10 - 17.10	1.0000	----	----	----	----	9 UNCH
5225	----	----	509.70B/477.10A	509.70B/477.10A	----	484.10 - 17.10	1.0000	11	----	----	----	48 - 11
5230	----	----	514.70B/482.60A	514.70B/482.60A	----	489.10 - 17.10	1.0000	----	----	----	----	10 UNCH
5235	----	----	519.70B/487.10A	519.70B/487.10A	----	494.10 - 17.10	1.0000	23	----	----	----	46 - 23
5240	----	----	524.70B/492.10A	524.70B/492.10A	----	499.10 - 17.10	1.0000	23	----	----	----	17 - 23
5245	----	----	529.70B/497.60A	529.70B/497.60A	----	504.10 - 17.00	1.0000	----	----	----	----	13 UNCH
5250	----	----	538.00B/497.80A	538.00B/497.80A	----	509.10 - 17.00	1.0000	172	----	----	----	154 - 172
5255	----	----	----	404.90B/657.10A	----	514.10 - 17.00	1.0000	----	----	----	----	0 UNCH
5260	----	----	544.70B/512.10A	544.70B/512.10A	----	519.10 - 17.00	1.0000	----	----	----	----	11 UNCH
5265	----	----	----	415.10B/666.80A	----	524.10 - 17.00	1.0000	----	----	----	----	1 UNCH
5270	----	----	554.70B/522.10A	554.70B/522.10A	----	529.10 - 17.00	1.0000	----	----	----	----	15 UNCH
5275	----	----	561.40B/525.90A	561.40B/525.90A	----	534.10 - 17.00	1.0000	45	----	----	----	30 - 45
5280	----	----	----	430.20B/681.90A	----	539.10 - 17.00	1.0000	----	----	----	----	0 UNCH
5290	----	----	----	440.30B/692.20A	----	549.10 - 17.00	1.0000	1	----	----	----	1 - 1
5295	----	----	----	445.40B/697.20A	----	554.10 - 17.00	1.0000	----	----	----	----	0 UNCH
5300	552.50	552.50	584.60B/552.30A	584.60B/552.30A	----	559.10 - 17.00	1.0000	18	----	1	----	53 - 18
5305	----	----	589.60B/557.20A	589.60B/557.20A	----	564.10 - 17.00	1.0000	----	----	----	----	10 UNCH
5310	----	----	594.60B/562.20A	594.60B/562.20A	----	569.10 - 17.00	1.0000	----	----	----	----	32 UNCH
5315	----	----	----	465.40B/717.00A	----	574.10 - 17.00	1.0000	----	----	----	----	1 UNCH
5320	----	----	604.60B/572.20A	604.60B/572.20A	----	579.10 - 17.00	1.0000	----	----	----	----	24 UNCH
5325	----	----	609.60B/577.60A	609.60B/577.60A	----	584.10 - 17.00	1.0000	----	----	----	----	50 UNCH
5330	----	----	614.60B/582.60A	614.60B/582.60A	----	589.10 - 17.00	1.0000	----	----	----	----	12 UNCH
5335	----	----	----	485.30B/737.30A	----	594.10 - 17.00	1.0000	----	----	----	----	1 UNCH
5340	----	----	----	490.30B/742.30A	----	599.10 - 17.00	1.0000	----	----	----	----	0 UNCH
5350	----	----	634.60B/602.20A	634.60B/602.20A	----	609.10 - 16.90	1.0000	9	----	----	----	21 - 9
5360	----	----	----	510.20B/762.20A	----	619.10 - 16.90	1.0000	1	----	----	----	1 - 1
5370	----	----	654.70B/622.60A	654.70B/622.60A	----	629.10 - 16.90	1.0000	----	----	----	----	32 UNCH
5375	----	----	659.70B/627.60A	659.70B/627.60A	----	634.10 - 16.90	1.0000	8	----	----	----	5 - 8
5380	----	----	----	530.10B/782.40A	----	639.10 - 16.90	1.0000	----	----	----	----	0 UNCH
5385	----	----	669.50B/637.20A	669.50B/637.20A	----	644.10 - 16.90	1.0000	15	----	----	----	0 - 15
5395	----	----	----	545.10B/797.20A	----	654.10 - 16.90	1.0000	----	----	----	----	1 UNCH
5400	----	----	684.50B/652.10A	684.50B/652.10A	----	659.10 - 16.90	1.0000	----	----	----	----	53 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
5410	----	----	694.50B/662.60A	704.50B/662.60A	----	669.10 - 16.90	1.0000	----	----	----	----	55 UNCH
5420	----	----	704.50B/672.10A	704.50B/672.10A	----	679.10 - 16.90	1.0000	----	----	----	----	4 UNCH
5425	----	----	709.50B/677.10A	709.50B/677.10A	----	684.10 - 16.90	1.0000	----	----	----	----	31 UNCH
5450	----	----	734.60B/702.60A	734.60B/702.60A	----	709.10 - 16.90	1.0000	1	----	----	----	8 - 1
5490	----	----	774.80B/742.70A	774.80B/742.70A	----	749.10 - 16.90	1.0000	----	----	----	----	3 UNCH
5500	----	----	784.80B/752.70A	784.80B/752.70A	----	759.10 - 16.90	1.0000	----	----	----	----	19 UNCH
TOTAL										3958	630	94080 - 1142
JUN26												
1325	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
1375	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1400	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1425	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1475	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
1500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
1525	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
1575	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1580	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1590	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	175 UNCH
1600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	18 UNCH
1610	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1615	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1620	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	31 UNCH
1625	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1650	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1670	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
1675	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
1685	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
1690	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1695	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1725	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1735	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1740	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1745	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1750	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
1755	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1775	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1780	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1785	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1795	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
1800	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
1815	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1820	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1855	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1875	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
1900	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
1905	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
1915	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
1920	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1950	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1955	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1965	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
1975	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	85 UNCH
2000	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	603 UNCH
2005	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2010	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2015	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	7 UNCH
2020	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2025	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	40 UNCH
2030	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	13 UNCH
2050	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	20 UNCH
2085	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	15 UNCH
2100	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	90 UNCH
2105	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2130	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2170	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
2180	----	----	----	----/0.40A	----	0.10 UNCH	.0000	----	----	----	----	6 UNCH
2195	----	----	----	----/0.40A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
2200	----	----	----	----/0.40A	----	0.10 UNCH	.0000	----	----	----	----	9 UNCH
2205	----	----	----	----/0.40A	----	0.10 UNCH	.0000	----	----	----	----	7 UNCH
2220	----	----	----	----/0.40A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2230	----	----	----	----/0.40A	----	0.10 UNCH	.0000	----	----	----	----	25 UNCH
2235	----	----	----	----/0.40A	----	0.10 UNCH	.0000	----	----	----	----	21 UNCH
2240	----	----	----	----/0.40A	----	0.10 UNCH	.0000	----	----	----	----	6 UNCH
2250	----	----	----	----/0.40A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
2300	----	----	----	----/0.40A	----	0.10 UNCH	.0001	----	----	----	----	13 UNCH
2315	----	----	----	----/0.40A	----	0.10 UNCH	.0001	----	----	----	----	40 UNCH
2330	----	----	----	----/0.40A	----	0.10 UNCH	.0001	----	----	----	----	9 UNCH
2350	----	----	----	----/0.40A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
2380	----	----	----	----/0.40A	----	0.10 - 0.10	.0002	----	----	----	----	9 UNCH
2385	----	----	----	----/0.40A	----	0.10 - 0.10	.0002	----	----	----	----	1 UNCH
2390	----	----	----	----/0.40A	----	0.10 - 0.10	.0002	----	----	----	----	1 UNCH
2395	----	----	----	----/0.40A	----	0.10 - 0.10	.0002	----	----	----	----	1 UNCH
2400	----	----	----	----/0.40A	----	0.10 - 0.10	.0002	----	----	----	----	71 UNCH
2405	----	----	----	----/0.40A	----	0.10 - 0.10	.0002	----	----	----	----	1 UNCH
2410	----	----	----	----/0.40A	----	0.10 - 0.10	.0002	----	----	----	----	6 UNCH
2415	----	----	----	----/0.40A	----	0.10 - 0.10	.0002	----	----	----	----	1 UNCH
2420	----	----	----	----/0.40A	----	0.10 - 0.10	.0002	----	----	----	----	5 UNCH
2425	----	----	----	0.10B/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	23 UNCH
2430	----	----	----	0.10B/0.30A	----	0.10 - 0.10	.0003	----	----	----	----	1 UNCH
2445	----	----	----	0.10B/0.40A	----	0.20 UNCH	.0005	----	----	----	----	5 UNCH
2450	----	----	----	0.10B/0.40A	----	0.20 UNCH	.0005	----	----	1	----	51 UNCH
2460	----	----	----	0.10B/0.40A	----	0.20 UNCH	.0005	----	----	----	----	1 UNCH
2465	----	----	----	0.10B/0.40A	----	0.20 UNCH	.0005	----	----	----	----	7 UNCH
2475	----	----	----	0.10B/0.40A	----	0.20 UNCH	.0006	----	----	----	----	3 UNCH
2495	----	----	----	0.10B/0.40A	----	0.20 UNCH	.0006	----	----	----	----	1 UNCH
2500	----	----	----	0.10B/0.40A	----	0.20 UNCH	.0006	----	----	----	----	1924 UNCH
2510	----	----	----	0.10B/0.40A	----	0.20 UNCH	.0006	----	----	----	----	2 UNCH
2525	----	----	----	0.10B/0.40A	----	0.20 UNCH	.0006	----	----	----	----	25 UNCH
2535	----	----	----	0.10B/0.40A	----	0.20 UNCH	.0006	----	----	----	----	5 UNCH
2540	----	----	----	0.10B/0.40A	----	0.20 - 0.10	.0006	----	----	----	----	5 UNCH
2550	----	----	----	0.20B/0.40A	----	0.20 - 0.10	.0006	----	----	----	----	50 UNCH
2565	----	----	----	0.20B/0.40A	----	0.20 - 0.10	.0006	----	----	----	----	5 UNCH
2580	----	----	----	0.20B/0.40A	----	0.20 - 0.10	.0006	----	----	----	----	5 UNCH
2590	----	----	----	0.20B/0.40A	----	0.20 - 0.10	.0006	----	----	----	----	8 UNCH
2600	----	----	----	0.20B/0.40A	----	0.20 - 0.10	.0006	----	----	----	----	187 UNCH
2645	----	----	----	0.30B/0.50A	----	0.30 UNCH	.0009	----	----	----	----	10 UNCH
2650	----	----	----	0.30B/0.50A	----	0.30 UNCH	.0009	----	----	----	----	1 UNCH
2695	----	----	----	0.30B/0.50A	----	0.30 - 0.10	.0009	----	----	----	----	2 UNCH
2700	0.30	0.30	0.30/0.30	0.30/0.30	----	0.30 - 0.10	.0009	----	----	30	----	427 UNCH
2730	----	----	----	0.40B/0.50A	----	0.30 - 0.10	.0009	----	----	----	----	5 UNCH
2750	----	----	----	0.40B/0.50A	----	0.30 - 0.10	.0010	----	----	----	----	1 UNCH
2800	----	----	----	0.50B/0.60A	----	0.40 - 0.10	.0013	----	----	----	----	751 UNCH
2805	----	----	----	0.50B/0.60A	----	0.40 - 0.10	.0013	----	----	----	----	223 UNCH
2810	----	----	----	0.50B/0.60A	----	0.40 - 0.10	.0013	----	----	----	----	39 UNCH
2825	----	----	----	0.50B/0.60A	----	0.40 - 0.10	.0013	----	----	----	----	56 UNCH
2830	----	----	----	0.50B/0.60A	----	0.40 - 0.10	.0013	----	----	----	----	25 UNCH
2850	----	----	----	0.60B/0.60A	----	0.40 - 0.20	.0013	----	----	----	----	22 UNCH
2875	----	----	----	0.60B/0.70A	----	0.50 - 0.10	.0016	----	----	----	----	7 UNCH
2900	----	----	----	0.60B/0.70A	----	0.50 - 0.10	.0017	----	----	----	----	155 UNCH
2905	----	----	----	0.60B/0.70A	----	0.50 - 0.20	.0017	----	----	----	----	5 UNCH
2915	----	----	----	0.70B/0.70A	----	0.60 - 0.10	.0020	----	----	----	----	1 UNCH
2930	----	----	----	0.70B/0.80A	----	0.60 - 0.10	.0020	----	----	----	----	1 UNCH
2935	----	----	----	0.70B/0.80A	----	0.60 - 0.10	.0020	----	----	----	----	3 UNCH
2950	----	----	----	0.70B/0.80A	----	0.60 - 0.20	.0020	----	----	----	----	24 UNCH
2970	----	----	----	0.80B/0.80A	----	0.70 - 0.10	.0023	----	----	----	----	2 UNCH
2975	----	----	----	0.80B/0.80A	----	0.70 - 0.10	.0023	----	----	----	----	9 UNCH
2990	----	----	----	0.80B/0.90A	----	0.70 - 0.10	.0024	----	----	----	----	5 UNCH
2995	----	----	----	0.80B/0.90A	----	0.70 - 0.20	.0024	----	----	----	----	6 UNCH
3000	0.80	0.80	0.80/0.70	0.80/0.70	----	0.70 - 0.20	.0024	----	----	3	----	1675 + 2
3005	----	----	----	0.80B/0.90A	----	0.70 - 0.20	.0024	----	----	----	----	30 UNCH
3010	----	----	----	0.80B/0.90A	----	0.70 - 0.20	.0024	----	----	----	----	8 UNCH
3015	0.80	0.80	0.80/0.80	0.80/0.80	----	0.80 - 0.10	.0027	----	----	1	----	216 + 1
3020	----	----	----	0.90B/0.90A	----	0.80 - 0.10	.0027	----	----	----	----	35 UNCH
3035	----	----	----	0.90B/1.00A	----	0.80 - 0.20	.0027	----	----	----	----	1 UNCH
3050	----	----	----	0.90B/1.00A	----	0.80 - 0.20	.0028	----	----	----	----	389 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
3065	----	----	----	0.90B/1.00A	----	0.90 - 0.10	.0031	----	----	----	----	7 UNCH
3070	----	----	----	0.90B/1.00A	----	0.90 - 0.10	.0031	----	----	----	----	6 UNCH
3075	----	----	----	1.00B/1.10A	----	0.90 - 0.20	.0031	----	----	----	----	10 UNCH
3080	----	----	----	1.00B/1.10A	----	0.90 - 0.20	.0031	----	----	----	----	8 UNCH
3095	----	----	----	1.00B/1.10A	----	0.90 - 0.20	.0032	----	----	----	----	42 UNCH
3100	----	----	----/1.00A	1.00B/1.00A	----	1.00 - 0.10	.0035	----	----	----	----	367 UNCH
3105	----	----	----	1.00B/1.10A	----	1.00 - 0.10	.0035	----	----	----	----	13 UNCH
3110	----	----	----/1.10A	1.00B/1.10A	----	1.00 - 0.20	.0035	----	----	----	----	10 UNCH
3120	----	----	----/1.10A	1.10B/1.10A	----	1.00 - 0.20	.0035	----	----	----	----	13 UNCH
3125	----	----	----	1.10B/1.20A	----	1.00 - 0.20	.0035	----	----	----	----	13 UNCH
3130	----	----	----	1.10B/1.20A	----	1.00 - 0.20	.0035	----	----	----	----	26 UNCH
3140	----	----	----	1.10B/1.20A	----	1.10 - 0.10	.0039	----	----	----	----	5 UNCH
3150	----	----	----/1.20A	1.20B/1.20A	----	1.10 - 0.20	.0039	----	----	----	----	147 UNCH
3155	----	----	----/1.20A	1.20B/1.20A	----	1.10 - 0.20	.0039	----	----	----	----	16 UNCH
3160	----	----	----/1.20A	1.20B/1.20A	----	1.10 - 0.20	.0039	----	----	----	----	5 UNCH
3170	----	----	----/1.20A	1.20B/1.20A	----	1.10 - 0.20	.0039	----	----	----	----	6 UNCH
3175	----	----	----/1.20A	1.20B/1.20A	----	1.10 - 0.30	.0040	----	----	----	----	12 UNCH
3180	----	----	----/1.30A	1.20B/1.30A	----	1.20 - 0.20	.0043	----	----	----	----	5 UNCH
3185	----	----	----/1.30A	1.20B/1.30A	----	1.20 - 0.20	.0043	----	----	----	----	6 UNCH
3190	----	----	----/1.30A	1.30B/1.30A	----	1.20 - 0.20	.0043	----	----	----	----	18 UNCH
3195	----	----	----/1.30A	1.30B/1.30A	----	1.20 - 0.20	.0043	----	----	----	----	12 UNCH
3200	----	----	----/1.20A	1.30B/1.20A	----	1.20 - 0.20	.0043	----	----	----	----	296 UNCH
3205	----	----	----/1.30A	1.30B/1.30A	----	1.20 - 0.30	.0043	----	----	----	----	42 UNCH
3210	1.20	1.20	1.20/*1.20	1.30B/*1.20	----	1.20 - 0.30	.0044	----	----	10	----	25 + 10
3215	----	----	----/1.30A	1.30B/1.30A	----	1.30 - 0.20	.0047	----	----	----	----	22 UNCH
3220	1.20	1.20	1.20/*1.20	1.30B/*1.20	----	1.30 - 0.20	.0047	----	----	20	----	36 + 14
3225	1.20	1.20	1.20/*1.20	1.40B/*1.20	----	1.30 - 0.20	.0047	----	----	20	----	75 + 10
3230	1.20	1.20	1.20/*1.20	1.40B/*1.20	----	1.30 NEW	.0047	----	----	7	----	7 + 7
3235	2.20	2.20	2.20/1.40A	2.20/1.40A	----	1.30 - 0.30	.0047	----	----	1	----	25 + 1
3250	1.60	1.60	1.60/*1.30A	1.60/*1.30A	----	1.40 - 0.20	.0051	----	----	1	----	148 + 1
3255	1.80	1.80	1.80/1.40A	1.80/1.40A	----	1.40 - 0.20	.0051	----	----	2	----	124 + 2
3260	----	----	----/*1.30A	1.50B/*1.30A	----	1.40 - 0.30	.0051	----	----	----	----	45 UNCH
3265	1.30	1.30	1.30/*1.30	1.50B/*1.30	----	1.40 - 0.30	.0052	----	----	5	----	20 UNCH
3270	----	----	----/1.50A	1.50B/1.50A	----	1.40 - 0.30	.0052	----	----	----	----	7 UNCH
3275	1.30	1.30	1.30/*1.30	1.50B/*1.30	----	1.40 NEW	.0052	----	----	10	----	10 + 10
3280	----	----	----/1.50A	1.50B/1.50A	----	1.40 - 0.30	.0052	----	----	----	----	13 UNCH
3290	----	----	----/1.50A	1.60B/1.50A	----	1.50 - 0.30	.0056	----	----	----	----	37 UNCH
3300	1.80	1.80	1.90/1.60A	1.90/1.60A	----	1.50 - 0.30	.0056	----	----	26	----	398 + 25
3305	----	----	----/1.60A	1.60B/1.60A	----	1.50 - 0.30	.0056	----	----	----	----	1 UNCH
3310	----	----	----/1.60A	1.60B/1.60A	----	1.50 - 0.40	.0056	----	----	----	----	7 UNCH
3315	----	----	----/1.60A	1.70B/1.60A	----	1.50 - 0.40	.0057	----	----	----	----	7 UNCH
3320	----	----	----/1.60A	1.70B/1.60A	----	1.60 - 0.30	.0060	----	----	----	----	4 UNCH
3325	----	----	----/*1.60A	1.70B/*1.60A	----	1.60 - 0.30	.0060	----	----	----	----	47 UNCH
3335	----	----	----/1.70A	1.70B/1.70A	----	1.60 - 0.40	.0061	----	----	----	----	46 UNCH
3340	----	----	----/1.70A	1.70B/1.70A	----	1.60 - 0.40	.0061	----	----	----	----	22 UNCH
3345	----	----	----/1.70A	1.80B/1.70A	----	1.60 - 0.40	.0061	----	----	----	----	12 UNCH
3350	----	----	----/1.70A	1.80B/1.70A	----	1.70 - 0.30	.0064	----	----	----	----	407 UNCH
3355	----	----	----/1.70A	1.80B/1.70A	----	1.70 - 0.40	.0065	----	----	----	----	17 UNCH
3360	----	----	----/*1.70A	1.80B/*1.70A	----	1.70 - 0.40	.0065	----	----	----	----	7 UNCH
3365	----	----	----/1.80A	1.90B/1.80A	----	1.70 - 0.40	.0065	----	----	----	----	31 UNCH
3370	----	----	----/1.80A	1.90B/1.80A	----	1.70 - 0.40	.0065	----	----	----	----	26 UNCH
3375	----	----	----/1.80A	1.90B/1.80A	----	1.80 - 0.40	.0069	----	----	----	----	98 UNCH
3380	----	----	----/1.80A	1.90B/1.80A	----	1.80 - 0.40	.0069	----	----	----	----	46 UNCH
3385	----	----	----/*1.80A	2.00B/*1.80A	----	1.80 - 0.40	.0069	----	----	----	----	6 UNCH
3390	----	----	----/1.90A	2.00B/1.90A	----	1.80 - 0.40	.0069	----	----	----	----	59 UNCH
3395	----	----	----/1.90A	2.00B/1.90A	----	1.80 - 0.50	.0070	----	----	----	----	1 UNCH
3400	----	----	----/1.90A	2.00B/1.90A	----	1.80 - 0.50	.0070	----	----	----	----	742 UNCH
3405	----	----	----/1.90A	2.10B/1.90A	----	1.90 - 0.40	.0073	----	----	----	----	66 UNCH
3410	----	----	----/2.00A	2.10B/2.00A	----	1.90 - 0.40	.0074	----	----	----	----	7 UNCH
3415	----	----	----/2.00A	2.10B/2.00A	----	1.90 - 0.50	.0074	----	----	----	----	3 UNCH
3420	----	----	----/2.00A	2.20B/2.00A	----	1.90 - 0.50	.0074	----	----	----	----	18 UNCH
3425	----	----	----/2.00A	2.20B/2.00A	----	1.90 - 0.50	.0075	----	----	----	----	25 UNCH
3430	----	----	----/2.00A	2.20B/2.00A	----	2.00 - 0.50	.0078	----	----	----	----	10 UNCH
3435	----	----	----/2.00A	2.30B/2.00A	----	2.00 - 0.50	.0078	----	----	----	----	20 UNCH
3450	----	----	----/2.10A	2.40B/2.10A	----	2.00 - 0.60	.0079	----	----	----	----	407 UNCH
3455	----	----	----/2.10A	2.40B/2.10A	----	2.10 - 0.50	.0083	----	----	----	----	51 UNCH
3460	----	----	----/2.20A	2.40B/2.20A	----	2.10 - 0.50	.0083	----	----	----	----	50 UNCH
3465	----	----	----/2.20A	2.50B/2.20A	----	2.10 - 0.60	.0083	----	----	----	----	89 UNCH
3470	----	----	----/2.20A	2.50B/2.20A	----	2.10 - 0.60	.0084	----	----	----	----	28 UNCH
3475	----	----	----/2.20A	2.50B/2.20A	----	2.20 - 0.50	.0087	----	----	----	----	241 UNCH
3480	----	----	----/2.20A	2.60B/2.20A	----	2.20 - 0.60	.0088	----	----	----	----	171 UNCH
3485	----	----	----/2.30A	2.60B/2.30A	----	2.20 - 0.60	.0088	----	----	----	----	3 UNCH
3490	----	----	----/2.30A	2.60B/2.30A	----	2.20 - 0.60	.0088	----	----	----	----	21 UNCH
3500	----	----	----/2.30A	2.80B/2.30A	----	2.30 - 0.60	.0092	----	----	----	----	1797 UNCH
3505	----	----	----/2.40A	2.70B/2.40A	----	2.30 - 0.60	.0093	----	----	----	----	65 UNCH
3510	2.80	2.80	2.90/2.40A	2.90/2.40A	----	2.30 - 0.70	.0093	----	----	25	----	86 + 25
3515	----	----	----/2.40A	2.80B/2.40A	----	2.30 - 0.70	.0093	----	----	----	----	16 UNCH
3520	----	----	----/2.40A	2.80B/2.40A	----	2.40 - 0.60	.0097	----	----	----	----	138 UNCH
3525	----	----	----/2.40A	2.90B/2.40A	----	2.40 - 0.70	.0097	----	----	----	----	301 UNCH
3530	----	----	----/2.50A	2.90B/2.50A	----	2.40 - 0.70	.0098	----	----	----	----	7 UNCH
3535	----	----	----/2.50A	3.00B/2.50A	----	2.40 - 0.70	.0098	----	----	----	----	100 UNCH
3540	----	----	----/2.50A	3.00B/2.50A	----	2.50 - 0.70	.0102	----	----	----	----	5 UNCH
3545	----	----	----/2.50A	3.10B/2.50A	----	2.50 - 0.70	.0102	----	----	----	----	20 UNCH
3550	3.10	3.10	3.10/2.50A	3.10/2.50A	----	2.50 - 0.70	.0103	----	----	1	----	418 UNCH
3555	----	----	----/2.60A	3.20B/2.60A	----	2.60 - 0.70	.0106	----	----	----	----	2 UNCH
3560	----	----	----/2.60A	3.20B/2.60A	----	2.60 - 0.70	.0107	----	----	----	----	89 UNCH
3565	----	----	----/2.60A	3.20B/2.60A	----	2.60 - 0.70	.0107	----	----	----	----	41 UNCH
3570	----	----	----/2.60A	3.30B/2.60A	----	2.60 - 0.80	.0108	----	----	----	----	60 UNCH
3575	----	----	----/2.70A	3.30B/2.70A	----	2.70 - 0.70	.0112	----	----	----	----	40 UNCH
3580	----	----	----/2.70A	3.40B/2.70A	----	2.70 - 0.80	.0112	----	----	----	----	76 UNCH
3585	----	----	----/2.70A	3.40B/2.70A	----	2.70 - 0.80	.0112	----	----	----	----	2 UNCH
3590	----	----	----/2.70A	3.50B/2.70A	----	2.80 - 0.70	.0116	----	----	----	----	3 UNCH
3595	----	----	----/2.80A	3.50B/2.80A	----	2.80 - 0.80	.0117	----	----	----	----	23 UNCH
3600	3.70	3.70	3.70/2.80A	3.70/2.80A	----	2.80 - 0.80	.0117	----	----	5	----	1655 UNCH
3610	----	----	----/2.90A	3.60B/2.90A	----	2.90 - 0.80	.0122	----	----	----	----	3 UNCH
3615	----	----	----/2.90A	3.70B/2.90A	----	2.90 - 0.80	.0122	----	----	----	----	37 UNCH
3620	----	----	----/2.90A	3.70B/2.90A	----	3.00 - 0.80	.0126	----	----	----	----	11 UNCH
3625	----	----	----/3.00A	3.80B/3.00A	----	3.00 - 0.80	.0126	----	----	----	----	67 UNCH
3630	----	----	----/3.00A	3.80B/3.00A	----	3.00 - 0.80	.0127	----	----	----	----	86 UNCH
3635	----	----	----/3.00A	3.90B/3.00A	----	3.10 - 0.80	.0131	----	----	----	----	107 UNCH
3640	----	----	----/3.00A	3.90B/3.00A	----	3.10 - 0.80	.0131	----	----	----	----	24 UNCH
3645	----	----	----/3.10A	4.00B/3.10A	----	3.10 - 0.90	.0132	----	----	----	----	13 UNCH
3650	3.00	3.00	3.00/3.00	4.00B/3.00	----	3.20 - 0.80	.0136	----	----	3	----	556 + 1
3655	----	----	4.10B/3.10A	4.10B/3.10A	----	3.20 - 0.80	.0136	----	----	----	----	7 UNCH
3660	----	----	----/3.20A	4.10B/3.20A	----	3.20 - 0.90	.0137	----	----	----	----	1 UNCH
3665	----	----	4.20B/3.20A	4.20B/3.20A	----	3.30 - 0.80	.0141	----	----	----	----	15 UNCH
3670	----	----	4.30B/3.20A	4.30B/3.20A	----	3.30 - 0.90	.0142	----	----	----	----	31 UNCH
3675	----	----	4.30B/3.30A	4.30B/3.30A	----	3.30 - 0.90	.0142	----	----	----	----	46 UNCH
3680	----	----	4.40B/3.30A	4.40B/3.30A	----	3.40 - 0.90	.0146	----	----	----	----	18 UNCH
3685	----	----	4.40B/3.30A	4.40B/3.30A	----	3.40 - 0.90	.0147	----	----	----	----	51 UNCH
3690	----	----	4.50B/3.40A	4.50B/3.40A	----	3.40 - 0.90	.0148	----	----	----	----	7 UNCH
3695	----	----	4.60B/3.40A	4.60B/3.40A	----	3.50 - 0.90	.0152	----	----	----	----	19 UNCH
3700	----	----	4.70B/3.40A	4.70B/3.40A	----	3.50 - 0.90	.0152	----	----	6	----	819 - 6
3705	----	----	4.60B/3.50A	4.60B/3.50A	----	3.60 - 0.90	.0156	----	----	----	----	124 UNCH
3710	----	----	4.70B/3.50A	4.70B/3.50A	----	3.60 - 0.90	.0157	----	----	----	----	79 UNCH
3715	----	----	4.80B/3.60A	4.80B/3.60A	----	3.60 - 1.00	.0158	----	----	----	----	46 UNCH
3720	----	----	4.90B/3.60A	4.90B/3.60A	----	3.70 - 0.90	.0162	----	----	----	----	2 UNCH
3725	----	----	4.90B/3.70A	4.90B/3.70A	----	3.70 - 1.00	.0163	----	----	----	----	91 UNCH
3730	----	----	5.00B/3.70A	5.00B/3.70A	----	3.80 - 0.90	.0167	----	----	----	----	18 UNCH
3740	----	----	5.10B/3.80A	5.10B/3.80A	----	3.80 - 1.00	.0168	----	----	----	----	65 UNCH
3745	----	----	5.20B/3.80A	5.20B/3.80A	----	3.90 - 1.00	.0172	----	----	----	----	19 UNCH
3750	----	----	5.30B/3.80A	5.30B/3.80A	----	3.90 - 1.00	.0173	----	----	----	----	1324 UNCH
3755	----	----	5.30B/3.90A	5.30B/3.90A	----	4.00 - 1.00	.0177	----	----	----	----	14 UNCH
3760	----	----	5.40B/4.00A	5.40B/4.00A	----	4.00 - 1.00	.0178	----	----	----	----	23 UNCH
3765	----	----	5.50B/4.00A	5.50B/4.00A	----	4.10 - 1.00	.0183	----	----	----	----	48 UNCH
3770	----	----	5.70B/4.00A	5.70B/4.00A	----	4.10 - 1.10	.0183	----	----	----	----	10 UNCH
3775	----	----	5.60B/4.10A	5.60B/4.10A	----	4.20 - 1.00	.0188	----	----	----	----	39 UNCH
3780	----	----	5.80B/4.10A	5.80B/4.10A	----	4.20 - 1.10	.0189	----	----	----	----	15 UNCH
3785	----	----	5.90B/4.20A	5.90B/4.20A	----	4.30 - 1.00	.0193	----	----	----	----	7 UNCH
3790	----	----	5.90B/4.20A	5.90B/4.20A	----	4.30 - 1.10	.0194	----	----	----	----	259 UNCH
3795	----	----	6.00B/4.30A	6.00B/4.30A	----	4.30 - 1.20	.0195	----	----	----	----	57 UNCH
3800	4.60	4.60	6.20B/4.30A	6.20B/4.30A	----	4.40 - 1.10	.0199	----	----	6	----	1356 + 2
3805	5.60	5.60	6.20B/4.40A	6.20B/4.40A	----	4.40 - 1.20	.0200	----	----	3	----	71 + 3
3810	----	----	6.30B/4.40A	6.30B/4.40A	----	4.50 - 1.10	.0204	----	----	----	----	13 UNCH
3815	----	----	6.40B/4.50A	6.40B/4.50A	----	4.50 - 1.20	.0205	----	----	----	----	38 UNCH
3820	----	----	6.50B/4.50A	6.50B/4.50A	----	4.60 - 1.20	.0210	----	----	----	----	10 UNCH
3825	----	----	6.60B/4.60A	6.60B/4.60A	----	4.70 - 1.10	.0214	----	----	----	----	38 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
3830	----	----	6.70B/4.60A	6.70B/4.60A	----	4.70 - 1.20	.0215	----	----	----	----	185 UNCH
3835	----	----	6.80B/4.70A	6.80B/4.70A	----	4.80 - 1.20	.0220	----	----	----	----	55 UNCH
3840	----	----	6.90B/4.70A	6.90B/4.70A	----	4.80 - 1.30	.0221	----	----	----	----	3 UNCH
3845	----	----	6.90B/4.80A	6.90B/4.80A	----	4.90 - 1.20	.0226	----	----	----	----	1 UNCH
3850	6.80	6.80	7.10B/4.80A	7.10B/4.80A	----	4.90 - 1.30	.0227	----	----	4	----	690 + 1
3855	----	----	7.20B/4.90A	7.20B/4.90A	----	5.00 - 1.30	.0231	----	----	----	----	73 UNCH
3860	----	----	7.30B/4.90A	7.30B/4.90A	----	5.00 - 1.40	.0233	----	----	----	----	27 UNCH
3865	----	----	7.40B/5.00A	7.40B/5.00A	----	5.10 - 1.30	.0237	----	----	----	----	19 UNCH
3870	----	----	7.50B/5.00A	7.50B/5.00A	----	5.20 - 1.30	.0242	----	----	----	----	16 UNCH
3875	----	----	7.60B/5.10A	7.60B/5.10A	----	5.20 - 1.40	.0243	----	----	----	----	163 UNCH
3880	----	----	7.70B/5.20A	7.70B/5.20A	----	5.30 - 1.40	.0248	----	----	----	----	15 UNCH
3885	----	----	7.80B/5.20A	7.80B/5.20A	----	5.40 - 1.40	.0253	----	----	----	----	12 UNCH
3890	----	----	7.90B/5.30A	7.90B/5.30A	----	5.40 - 1.40	.0254	----	----	----	----	45 UNCH
3895	----	----	8.00B/5.30A	8.00B/5.30A	----	5.50 - 1.40	.0259	----	----	2	----	16 - 1
3900	----	----	8.10B/5.40A	8.10B/5.40A	----	5.60 - 1.40	.0263	----	----	6	----	1129 UNCH
3905	----	----	8.30B/5.40A	8.30B/5.40A	----	5.60 - 1.50	.0265	----	----	----	----	45 UNCH
3910	7.40	7.40	8.30B/5.50A	8.30B/5.50A	----	5.70 - 1.50	.0270	----	----	2	----	10 + 1
3915	----	----	8.50B/5.60A	8.50B/5.60A	----	5.80 - 1.50	.0275	----	----	----	----	24 UNCH
3920	----	----	8.60B/5.60A	8.60B/5.60A	----	5.80 - 1.60	.0276	----	----	----	----	33 UNCH
3925	----	----	8.80B/5.70A	8.80B/5.70A	----	5.90 - 1.60	.0281	----	----	----	----	51 UNCH
3930	----	----	8.90B/5.80A	8.90B/5.80A	----	6.00 - 1.60	.0286	----	----	----	----	23 UNCH
3935	----	----	9.00B/5.80A	9.00B/5.80A	----	6.10 - 1.60	.0291	----	----	----	----	28 UNCH
3940	----	----	9.10B/5.90A	9.10B/5.90A	----	6.10 - 1.70	.0293	----	----	----	----	101 UNCH
3945	----	----	9.30B/6.00A	9.30B/6.00A	----	6.20 - 1.70	.0298	----	----	----	----	18 UNCH
3950	8.00	8.00	9.50B/6.10A	9.50B/6.10A	----	6.30 - 1.70	.0303	----	----	11	----	318 - 1
3955	----	----	9.60B/6.10A	9.60B/6.10A	----	6.40 - 1.70	.0308	----	----	----	----	10 UNCH
3960	----	----	9.80B/6.20A	9.80B/6.20A	----	6.50 - 1.80	.0313	----	----	----	----	35 UNCH
3965	----	----	9.90B/6.30A	9.90B/6.30A	----	6.50 - 1.90	.0315	----	----	----	----	19 UNCH
3970	----	----	10.10B/6.40A	10.10B/6.40A	----	6.60 - 1.90	.0320	----	----	----	----	58 UNCH
3975	----	----	10.20B/6.50A	10.20B/6.50A	----	6.70 - 1.90	.0325	----	----	1	----	337 UNCH
3980	----	----	10.40B/6.60A	10.40B/6.60A	----	6.80 - 1.90	.0331	----	----	----	----	31 UNCH
3985	----	----	10.50B/6.70A	10.50B/6.70A	----	6.90 - 2.00	.0336	----	----	----	----	28 UNCH
3990	----	----	10.70B/6.70A	10.70B/6.70A	----	7.00 - 2.00	.0341	----	----	----	----	19 UNCH
3995	----	----	10.90B/6.80A	10.90B/6.80A	----	7.10 - 2.00	.0347	----	----	----	----	144 UNCH
4000	11.00	11.00	11.10B/6.70	11.10B/6.70	----	7.20 - 2.10	.0352	----	----	369	----	3897 - 149
4005	9.70	9.70	11.20B/7.00A	11.20B/7.00A	----	7.30 - 2.10	.0358	----	----	3	----	35 + 1
4010	----	----	11.40B/7.10A	11.40B/7.10A	----	7.40 - 2.10	.0363	----	----	----	----	42 UNCH
4015	----	----	11.60B/7.20A	11.60B/7.20A	----	7.50 - 2.20	.0369	----	----	----	----	17 UNCH
4020	8.70	8.70	11.80B/7.30A	11.80B/7.30A	----	7.60 - 2.20	.0375	----	----	10	----	187 - 3
4025	10.30	10.30	12.00B/7.40A	12.00B/7.40A	----	7.70 - 2.30	.0380	----	----	4	----	215 + 3
4030	----	----	12.20B/7.50A	12.20B/7.50A	----	7.80 - 2.30	.0386	----	----	----	----	17 UNCH
4035	----	----	12.40B/7.70A	12.40B/7.70A	----	7.90 - 2.40	.0392	----	----	----	----	45 UNCH
4040	----	----	12.60B/7.80A	12.60B/7.80A	----	8.00 - 2.50	.0398	----	----	----	----	76 UNCH
4045	----	----	12.80B/7.90A	12.80B/7.90A	----	8.10 - 2.50	.0403	----	----	----	----	2 UNCH
4050	----	----	13.00B/8.00A	13.00B/8.00A	----	8.30 - 2.50	.0413	----	----	1	----	1185 UNCH
4055	----	----	13.20B/8.10A	13.20B/8.10A	----	8.40 - 2.60	.0419	----	----	----	----	20 UNCH
4060	----	----	13.40B/8.20A	13.40B/8.20A	----	8.50 - 2.60	.0425	----	----	----	----	92 UNCH
4065	----	----	13.60B/8.40A	13.60B/8.40A	----	8.60 - 2.70	.0431	----	----	----	----	123 UNCH
4070	----	----	13.80B/8.50A	13.80B/8.50A	----	8.80 - 2.70	.0440	----	----	----	----	67 UNCH
4075	----	----	14.10B/8.60A	14.10B/8.60A	----	8.90 - 2.80	.0446	----	----	----	----	268 UNCH
4080	----	----	14.30B/8.70A	14.30B/8.70A	----	9.00 - 2.90	.0453	----	----	6	----	112 + 6
4085	----	----	14.60B/8.90A	14.60B/8.90A	----	9.20 - 2.90	.0462	----	----	4	----	67 + 4
4090	----	----	14.80B/9.00A	14.80B/9.00A	----	9.30 - 3.00	.0469	----	----	10	----	116 UNCH
4095	----	----	15.10B/9.20A	15.10B/9.20A	----	9.50 - 3.00	.0479	----	----	----	----	69 UNCH
4100	10.00	10.00	15.40B/9.10	15.40B/9.10	----	9.60 - 3.10	.0485	----	----	112	----	2270 + 29
4105	10.50	10.50	15.60B/9.50A	15.60B/9.50A	----	9.80 - 3.10	.0495	----	----	1	----	86 + 1
4110	----	----	15.90B/9.60A	15.90B/9.60A	----	9.90 - 3.20	.0501	----	----	----	----	146 UNCH
4115	11.00	11.00	16.20B/9.80A	16.20B/9.80A	----	10.10 - 3.20	.0512	----	----	2	----	459 + 1
4120	11.00	11.00	16.40B/9.90A	16.40B/9.90A	----	10.20 - 3.40	.0518	----	----	3	----	58 + 3
4125	11.20	11.20	16.70B/10.10A	16.70B/10.10A	----	10.40 - 3.40	.0528	----	----	3	----	373 + 2
4130	14.40	14.40	16.90B/10.30A	16.90B/10.30A	----	10.60 - 3.50	.0539	----	----	3	----	24 UNCH
4135	----	----	17.10B/10.40A	17.10B/10.40A	----	10.70 - 3.60	.0546	----	----	----	----	34 UNCH
4140	----	----	17.40B/10.60A	17.40B/10.60A	----	10.90 - 3.60	.0556	----	----	----	----	25 UNCH
4145	----	----	17.70B/10.80A	17.70B/10.80A	----	11.10 - 3.70	.0566	----	----	----	----	255 UNCH
4150	13.20	13.20	18.10B/11.00A	18.10B/11.00A	----	11.30 - 3.80	.0577	----	----	4	----	553 + 2
4155	----	----	18.40B/11.20A	18.40B/11.20A	----	11.50 - 3.80	.0588	----	----	----	----	24 UNCH
4160	----	----	18.70B/11.40A	18.70B/11.40A	----	11.70 - 3.90	.0598	----	----	----	----	87 UNCH
4165	----	----	19.10B/11.50A	19.10B/11.50A	----	11.90 - 4.00	.0609	----	----	----	----	24 UNCH
4170	16.50	16.50	19.40B/11.80A	19.40B/11.80A	----	12.10 - 4.10	.0620	----	----	8	----	57 + 8
4175	16.80	16.80	19.80B/12.00A	19.80B/12.00A	----	12.30 - 4.10	.0631	----	----	12	----	916 + 5
4180	14.90	14.90	20.10B/12.10A	20.10B/12.10A	----	12.50 - 4.20	.0642	----	----	2	----	123 UNCH
4185	----	----	20.50B/12.40A	20.50B/12.40A	----	12.70 - 4.30	.0653	----	----	----	----	26 UNCH
4190	16.10	16.10	20.90B/12.60A	20.90B/12.60A	----	12.90 - 4.40	.0664	----	----	1	----	31 - 1
4195	----	----	21.30B/12.80A	21.30B/12.80A	----	13.20 - 4.50	.0678	----	----	----	----	38 UNCH
4200	18.20	18.20	22.30/13.00A	22.30/13.00A	----	13.40 - 4.60	.0690	----	----	171	----	2852 - 3
4205	17.60	17.60	22.10B/13.30A	22.10B/13.30A	----	13.60 - 4.70	.0701	----	----	15	----	45 - 14
4210	----	----	22.50B/13.50A	22.50B/13.50A	----	13.90 - 4.70	.0716	----	----	----	----	394 UNCH
4215	----	----	22.90B/13.80A	22.90B/13.80A	----	14.10 - 4.90	.0728	----	----	----	----	14 UNCH
4220	17.20	17.20	23.30B/14.00A	23.30B/14.00A	----	14.40 - 4.90	.0743	----	----	10	----	199 + 3
4225	14.90	14.90	23.80B/14.30A	23.80B/14.30A	----	14.60 - 5.10	.0755	----	----	27	----	381 + 27
4230	----	----	24.20B/14.60A	24.20B/14.60A	----	14.90 - 5.10	.0770	----	----	----	----	71 UNCH
4235	----	----	24.60B/14.90A	24.60B/14.90A	----	15.20 - 5.20	.0785	----	----	----	----	59 UNCH
4240	----	----	24.80B/15.10A	24.80B/15.10A	----	15.50 - 5.30	.0800	----	----	----	----	59 UNCH
4245	----	----	25.30B/15.40A	25.30B/15.40A	----	15.80 - 5.40	.0816	----	----	23	----	61 + 10
4250	16.80	16.80	25.80B/15.70A	25.80B/15.70A	----	16.10 - 5.50	.0831	----	----	34	----	819 - 4
4255	----	----	26.30B/16.00A	26.30B/16.00A	----	16.40 - 5.60	.0847	----	----	----	----	40 UNCH
4260	----	----	26.80B/16.30A	26.80B/16.30A	----	16.70 - 5.70	.0863	----	----	----	----	108 UNCH
4265	----	----	27.30B/16.70A	27.30B/16.70A	----	17.00 - 5.80	.0879	----	----	----	----	35 UNCH
4270	----	----	27.80B/17.00A	27.80B/17.00A	----	17.30 - 5.90	.0895	----	----	2	----	53 + 2
4275	----	----	28.40B/17.30A	28.40B/17.30A	----	17.70 - 5.90	.0914	----	----	2	----	124 - 2
4280	----	----	28.90B/17.70A	28.90B/17.70A	----	18.00 - 6.10	.0931	----	----	2	----	80 - 2
4285	18.70	18.70	29.50B/18.00A	29.50B/18.00A	----	18.40 - 6.10	.0950	----	----	1	----	49 - 1
4290	----	----	30.00B/18.40A	30.00B/18.40A	----	18.70 - 6.30	.0967	----	----	----	----	105 UNCH
4295	----	----	30.60B/18.70A	30.60B/18.70A	----	19.10 - 6.40	.0986	----	----	----	----	31 UNCH
4300	28.70	28.70	31.10B/19.10A	31.10B/19.10A	----	19.50 - 6.40	.1006	----	----	238	----	3095 + 8
4305	----	----	31.90B/19.50A	31.90B/19.50A	----	19.80 - 6.60	.1023	----	----	----	----	79 UNCH
4310	----	----	32.40B/19.90A	32.40B/19.90A	----	20.20 - 6.70	.1043	----	----	----	----	56 UNCH
4315	----	----	33.10B/20.30A	33.10B/20.30A	----	20.60 - 6.80	.1064	----	----	2	----	54 + 2
4320	----	----	33.80B/20.70A	33.80B/20.70A	----	21.10 - 6.80	.1087	----	----	----	----	85 UNCH
4325	----	----	34.30B/21.10A	34.30B/21.10A	----	21.50 - 7.00	.1108	----	----	----	----	100 UNCH
4330	----	----	35.10B/21.60A	35.10B/21.60A	----	21.90 - 7.10	.1128	----	----	----	----	500 UNCH
4335	29.00	29.00	35.90B/22.00A	35.90B/22.00A	----	22.40 - 7.20	.1152	----	----	2	----	69 + 1
4340	----	----	36.40B/22.50A	36.40B/22.50A	----	22.80 - 7.30	.1173	----	----	13	----	104 - 13
4345	----	----	37.30B/22.90A	37.30B/22.90A	----	23.30 - 7.40	.1197	----	----	----	----	53 UNCH
4350	34.20	34.20	37.80B/23.40A	37.80B/23.40A	----	23.80 - 7.50	.1222	----	----	76	----	869 + 36
4355	33.20	33.20	38.60B/23.90A	38.60B/23.90A	----	24.30 - 7.60	.1246	----	----	25	----	62 - 20
4360	----	----	39.30B/24.40A	39.30B/24.40A	----	24.80 - 7.70	.1271	----	----	----	----	86 UNCH
4365	----	----	40.00B/24.90A	40.00B/24.90A	----	25.30 - 7.90	.1295	----	----	1	----	70 - 1
4370	----	----	40.60B/25.40A	40.60B/25.40A	----	25.80 - 8.00	.1320	----	----	----	----	41 UNCH
4375	----	----	41.40B/25.90A	41.40B/25.90A	----	26.40 - 8.10	.1348	----	----	----	----	528 UNCH
4380	----	----	42.30B/26.50A	42.30B/26.50A	----	26.90 - 8.20	.1373	----	----	5	----	509 UNCH
4385	28.00	28.00	43.10B/27.00A	43.10B/27.00A	----	27.50 - 8.30	.1401	----	----	2	----	131 - 2
4390	----	----	43.90B/27.60A	43.90B/27.60A	----	28.10 - 8.40	.1429	----	----	----	----	79 UNCH
4395	----	----	44.70B/28.20A	44.70B/28.20A	----	28.70 - 8.60	.1458	----	----	2	----	97 UNCH
4400	47.60	47.60	47.60/28.70A	47.60/28.70A	----	29.30 - 8.70	.1486	----	----	302	----	3048 - 27
4405	31.90	31.90	46.50B/29.40A	46.50B/29.40A	----	29.90 - 8.90	.1515	----	----	5	----	132 UNCH
4410	39.60	39.60	47.40B/30.10A	47.40B/30.10A	----	30.50 - 9.10	.1544	----	----	23	----	113 + 9
4415	----	----	48.60B/30.70A	48.60B/30.70A	----	31.20 - 9.10	.1576	----	----	2	----	100 + 2
4420	----	----	49.40B/31.30A	49.40B/31.30A	----	31.90 - 9.30	.1608	----	----	7	----	148 + 6
4425	----	----	50.30B/32.10A	50.30B/32.10A	----	32.60 - 9.40	.1640	----	----	3	----	407 + 3
4430	----	----	51.30B/32.80A	51.30B/32.80A	----	33.30 - 9.50	.1672	----	----	1	----	101 UNCH
4435	----	----	52.50B/33.40A	52.50B/33.40A	----	34.00 - 9.70	.1705	----	----	----	----	95 UNCH
4440	----	----	53.70B/34.10A	53.70B/34.10A	----	34.70 - 9.90	.1737	----	----	----	----	46 UNCH
4445	----	----	54.60B/34.90A	54.60B/34.90A	----	35.50 - 10.00	.1773	----	----	10	----	70 + 6
4450	37.40	37.40	55.70B/35.60A	55.70B/35.60A	----	36.30 - 10.10	.1808	----	----	17	----	1247 - 3
4455	----	----	56.80B/36.40A	56.80B/36.40A	----	37.10 - 10.30	.1844	----	----	----	----	67 UNCH
4460	48.50	48.50	58.20B/37.20A	58.20B/37.20A	----	37.90 - 10.40	.1880	----	----	11	----	42 + 10
4465	----	----	59.00B/38.00A	59.00B/38.00A	----	38.70 - 10.60	.1916	----	----	----	----	15 UNCH
4470	41.30	41.30	60.20B/39.00A	60.20B/39.00A	----	39.60 - 10.70	.1954	----	----	13	----	71 + 4
4475	----	----	61.40B/39.70A	61.40B/39.70A	----	40.40 - 10.90	.1991	----	----	----	----	171 UNCH
4480	----	----	62.80B/40.60A	62.80B/40.60A	----	41.30 - 11.00	.2030	----	----	----	----	105 UNCH
4485	43.60	43.60	63.60B/41.60A	63.60B/41.60A	----	42.20 - 11.10	.2069	----	----	6	----	58 - 3
4490	----	----	65.20B/42.50A	65.20B/42.50A	----	43.10 - 11.30	.2108	----	----	----	----	166 UNCH
4495	56.00	56.00	66.30B/43.50A	66.30B/43.50A	----	44.10 - 11.40	.2150	----	----	101	----	173 + 90
4500	66.00	66.00	68.80/44.30A	68.80/44.30A	----	45.10 - 11.50	.2192	----	----	692	----	5581 + 171
4505	----	----	69.10B/45.40A	69.10B/45.40A	----	46.10 - 11.60	.2234	----	----	14	----	283 + 10
4510	----	----	70.40B/46.40A	70.40B/46.40A	----	47.10 - 11.70	.2276	----	----	----	----	48 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
4515	47.60	47.60	71.80B/47.30A	71.80B/47.30A	----	48.10 - 11.90	.2318	----	----	2	----	473 - 2
4520	----	----	73.20B/48.50A	73.20B/48.50A	----	49.20 - 11.90	.2363	----	----	----	----	150 UNCH
4525	----	----	74.90B/49.60A	74.90B/49.60A	----	50.30 - 12.00	.2408	----	----	2	----	164 UNCH
4530	----	----	76.50B/50.70A	76.50B/50.70A	----	51.40 - 12.10	.2453	----	----	----	----	258 UNCH
4535	----	----	77.90B/51.70A	77.90B/51.70A	----	52.50 - 12.30	.2498	----	----	----	----	107 UNCH
4540	----	----	79.20B/52.80A	79.20B/52.80A	----	53.70 - 12.30	.2546	----	----	----	----	314 UNCH
4545	----	----	80.90B/54.00A	80.90B/54.00A	----	54.80 - 12.50	.2591	----	----	----	----	81 UNCH
4550	84.00	84.00	84.00/55.20A	84.00/55.20A	----	56.00 - 12.60	.2639	----	----	55	----	976 + 2
4555	57.70	57.70	83.90B/56.40A	83.90B/56.40A	----	57.30 - 12.60	.2689	----	----	2	----	55 UNCH
4560	----	----	85.60B/57.70A	85.60B/57.70A	----	58.50 - 12.80	.2737	----	----	----	----	124 UNCH
4565	----	----	87.00B/59.00A	87.00B/59.00A	----	59.80 - 12.90	.2787	----	----	----	----	211 UNCH
4570	----	----	89.00B/60.30A	89.00B/60.30A	----	61.10 - 13.00	.2837	----	----	1	----	174 UNCH
4575	----	----	90.40B/61.60A	90.40B/61.60A	----	62.50 - 13.10	.2889	----	----	----	----	307 UNCH
4580	----	----	92.10B/62.90A	92.10B/62.90A	----	63.80 - 13.30	.2940	----	----	----	----	219 UNCH
4585	----	----	94.20B/64.20A	94.20B/64.20A	----	65.20 - 13.40	.2992	----	----	1	----	135 UNCH
4590	----	----	95.70B/65.70A	95.70B/65.70A	----	66.60 - 13.50	.3045	----	----	----	----	177 UNCH
4595	----	----	97.90B/67.00A	97.90B/67.00A	----	68.10 - 13.60	.3099	----	----	----	----	87 UNCH
4600	97.00	97.00	99.50B/68.50A	99.50B/68.50A	----	69.50 - 13.80	.3152	----	----	145	----	2184 + 39
4605	----	----	101.30B/69.90A	101.30B/69.90A	----	71.10 - 13.90	.3208	----	----	----	----	111 UNCH
4610	----	----	103.20B/71.30A	103.20B/71.30A	----	72.60 - 14.10	.3262	----	----	----	----	212 UNCH
4615	----	----	105.20B/72.90A	105.20B/72.90A	----	74.10 - 14.30	.3317	----	----	----	----	56 UNCH
4620	100.00	100.00	107.30B/74.40A	107.30B/74.40A	----	75.70 - 14.40	.3374	----	----	2	----	189 + 1
4625	----	----	109.30B/76.00A	109.30B/76.00A	----	77.40 - 14.50	.3431	----	----	1	100	515 + 2
4630	----	----	111.50B/77.60A	111.50B/77.60A	----	79.00 - 14.70	.3488	----	----	1	----	148 UNCH
4635	----	----	113.50B/79.20A	113.50B/79.20A	----	80.70 - 14.80	.3546	----	----	----	----	48 UNCH
4640	83.50	83.50	115.70B/80.90A	115.70B/80.90A	----	82.40 - 15.00	.3604	----	----	11	----	62 + 1
4645	----	----	117.80B/82.60A	117.80B/82.60A	----	84.20 - 15.00	.3664	----	----	16	----	91 + 15
4650	108.00	108.00	120.00B/84.30A	120.00B/84.30A	----	86.00 - 15.10	.3723	----	----	152	150	1832 + 176
4655	----	----	122.30B/86.10A	122.30B/86.10A	----	87.80 - 15.20	.3783	----	----	84	----	100 + 54
4660	89.90	89.90	124.60B/87.90A	124.60B/87.90A	----	89.60 - 15.40	.3843	----	----	3	----	108 UNCH
4665	----	----	126.80B/89.70A	126.80B/89.70A	----	91.50 - 15.40	.3904	----	----	----	----	19 UNCH
4670	95.00	95.00	129.20B/91.60A	129.20B/91.60A	----	93.40 - 15.50	.3965	----	----	1	----	258 + 1
4675	121.20	121.20	131.50B/93.50A	131.50B/93.50A	----	95.40 - 15.50	.4027	----	----	1	----	423 UNCH
4680	123.80	123.80	133.90B/95.50A	133.90B/95.50A	----	97.40 - 15.60	.4089	----	----	15	----	96 - 4
4685	----	----	136.30B/97.30A	136.30B/97.30A	----	99.40 - 15.70	.4151	----	----	----	----	65 UNCH
4690	----	----	138.80B/99.30A	138.80B/99.30A	----	101.40 - 15.80	.4214	----	----	----	----	196 UNCH
4695	----	----	141.20B/101.40A	141.20B/101.40A	----	103.50 - 15.90	.4277	----	----	----	----	74 UNCH
4700	128.30	128.30	143.80B/103.30A	143.80B/103.30A	----	105.60 - 16.00	.4340	----	----	299	----	1953 + 9
4705	----	----	146.30B/105.40A	146.30B/105.40A	----	107.80 - 16.00	.4404	----	----	----	----	94 UNCH
4710	131.00	131.00	148.90B/107.50A	148.90B/107.50A	----	110.00 - 16.10	.4468	----	----	4	----	48 - 3
4715	140.10	140.10	151.50B/109.60A	151.50B/109.60A	----	112.20 - 16.20	.4532	----	----	1	----	56 + 1
4720	----	----	154.10B/111.70A	154.10B/111.70A	----	114.40 - 16.30	.4596	----	----	15	----	146 + 14
4725	----	----	156.80B/113.90A	156.80B/113.90A	----	116.70 - 16.40	.4660	----	----	1	----	149 UNCH
4730	122.40	122.40	159.50B/116.10A	159.50B/116.10A	----	119.00 - 16.50	.4725	----	----	4	----	89 + 2
4735	121.60	121.60	162.20B/118.30A	162.20B/118.30A	----	121.40 - 16.60	.4790	----	----	2	----	218 UNCH
4740	124.80	124.80	165.00B/120.60A	165.00B/120.60A	----	123.80 - 16.70	.4855	----	----	9	----	90 + 2
4745	----	----	167.90B/122.90A	167.90B/122.90A	----	126.20 - 16.80	.4920	----	----	----	----	7 UNCH
4750	165.70	165.70	172.00B/125.20A	172.00B/125.20A	----	128.60 - 17.00	.4986	----	----	91	----	933 - 2
4755	----	----	175.20B/127.60A	175.20B/127.60A	----	131.10 - 17.10	.5051	----	----	----	----	25 UNCH
4760	144.80	144.80	177.90B/130.00A	177.90B/130.00A	----	133.60 - 17.20	.5116	----	----	28	----	97 + 28
4765	----	----	180.80B/132.40A	180.80B/132.40A	----	136.20 - 17.30	.5181	----	----	----	----	67 UNCH
4770	140.00	140.00	183.80B/134.90A	183.80B/134.90A	----	138.80 - 17.40	.5247	----	----	1	----	97 UNCH
4775	----	----	186.90B/137.40A	186.90B/137.40A	----	141.40 - 17.60	.5313	----	----	----	----	192 UNCH
4780	----	----	189.90B/139.90A	189.90B/139.90A	----	144.10 - 17.70	.5378	----	----	----	----	68 UNCH
4785	----	----	193.30B/142.50A	193.30B/142.50A	----	146.80 - 17.80	.5443	----	----	5	----	102 UNCH
4790	----	----	196.20B/145.10A	196.20B/145.10A	----	149.50 - 17.90	.5509	----	----	----	----	70 UNCH
4795	----	----	199.40B/147.80A	199.40B/147.80A	----	152.30 - 18.00	.5574	----	----	----	----	56 UNCH
4800	175.00	175.00	202.60B/150.40A	202.60B/150.40A	----	155.10 - 18.10	.5639	----	----	113	----	3002 + 18
4805	----	----	205.80B/153.20A	205.80B/153.20A	----	157.90 - 18.30	.5703	----	----	----	----	83 UNCH
4810	----	----	209.10B/155.90A	209.10B/155.90A	----	160.80 - 18.30	.5768	----	----	----	----	46 UNCH
4815	----	----	212.40B/158.70A	212.40B/158.70A	----	163.70 - 18.40	.5833	----	----	4	----	119 UNCH
4820	----	----	216.00B/161.60A	216.00B/161.60A	----	166.70 - 18.50	.5897	----	----	----	----	37 UNCH
4825	----	----	219.30B/164.50A	219.30B/164.50A	----	169.70 - 18.50	.5960	----	----	----	----	204 UNCH
4830	----	----	222.50B/167.40A	222.50B/167.40A	----	172.70 - 18.60	.6023	----	----	----	----	124 UNCH
4835	----	----	226.00B/170.30A	226.00B/170.30A	----	175.80 - 18.60	.6086	----	----	----	----	32 UNCH
4840	----	----	229.50B/173.30A	229.50B/173.30A	----	178.90 - 18.60	.6150	----	----	----	----	36 UNCH
4845	----	----	232.80B/177.00A	232.80B/177.00A	----	182.00 - 18.70	.6213	----	----	----	----	15 UNCH
4850	----	----	236.40B/179.90A	236.40B/179.90A	----	185.20 - 18.70	.6275	----	----	42	----	601 UNCH
4855	----	----	239.90B/183.10A	239.90B/183.10A	----	188.40 - 18.70	.6337	----	----	----	----	305 UNCH
4860	----	----	243.50B/186.20A	243.50B/186.20A	----	191.70 - 18.70	.6397	----	----	----	----	91 UNCH
4865	----	----	247.30B/189.30A	247.30B/189.30A	----	195.00 - 18.70	.6458	----	----	----	----	50 UNCH
4870	----	----	250.70B/192.50A	250.70B/192.50A	----	198.30 - 18.70	.6519	----	----	----	----	44 UNCH
4875	----	----	254.60B/195.70A	254.60B/195.70A	----	201.60 - 18.80	.6578	----	----	----	----	71 UNCH
4880	217.50	217.50	258.00B/198.90A	258.00B/198.90A	----	205.00 - 18.80	.6639	----	----	1	----	8 + 1
4885	----	----	261.70B/202.20A	261.70B/202.20A	----	208.40 - 18.80	.6698	----	----	----	----	7 UNCH
4890	----	----	265.50B/205.50A	265.50B/205.50A	----	211.80 - 18.90	.6756	----	----	----	----	48 UNCH
4895	----	----	269.50B/208.80A	269.50B/208.80A	----	215.20 - 19.00	.6813	----	----	----	----	213 UNCH
4900	----	----	273.10B/212.10A	273.10B/212.10A	----	218.70 - 19.10	.6871	----	----	4	----	1709 - 2
4905	----	----	277.00B/215.60A	277.00B/215.60A	----	222.30 - 19.00	.6929	----	----	----	----	11 UNCH
4910	----	----	281.00B/219.00A	281.00B/219.00A	----	225.80 - 19.10	.6984	----	----	2	----	59 + 2
4915	----	----	284.80B/222.50A	284.80B/222.50A	----	229.40 - 19.10	.7040	----	----	----	----	37 UNCH
4920	----	----	288.70B/226.00A	288.70B/226.00A	----	233.00 - 19.20	.7096	----	----	----	----	92 UNCH
4925	----	----	292.70B/229.50A	292.70B/229.50A	----	236.60 - 19.30	.7152	----	----	----	----	74 UNCH
4930	----	----	296.40B/233.10A	296.40B/233.10A	----	240.30 - 19.30	.7205	----	----	----	----	199 UNCH
4940	----	----	304.30B/240.30A	304.30B/240.30A	----	247.70 - 19.30	.7311	----	----	----	----	64 UNCH
4945	----	----	308.20B/243.90A	308.20B/243.90A	----	251.50 - 19.30	.7364	----	----	----	----	13 UNCH
4950	----	----	312.60B/247.60A	312.60B/247.60A	----	255.30 - 19.30	.7416	----	----	----	----	290 UNCH
4955	----	----	316.70B/251.30A	316.70B/251.30A	----	259.10 - 19.30	.7467	----	----	----	----	31 UNCH
4960	----	----	320.80B/255.00A	320.80B/255.00A	----	262.90 - 19.40	.7516	----	----	----	----	23 UNCH
4965	----	----	324.90B/258.80A	324.90B/258.80A	----	266.80 - 19.40	.7565	----	----	----	----	26 UNCH
4970	----	----	329.00B/262.60A	329.00B/262.60A	----	270.70 - 19.40	.7614	----	----	----	----	44 UNCH
4975	----	----	333.20B/266.40A	333.20B/266.40A	----	274.60 - 19.40	.7663	----	----	1	----	156 UNCH
4980	----	----	337.30B/270.30A	337.30B/270.30A	----	278.60 - 19.30	.7709	----	----	----	----	28 UNCH
4985	----	----	341.50B/274.10A	341.50B/274.10A	----	282.50 - 19.40	.7755	----	----	----	----	10 UNCH
4990	----	----	345.80B/277.90A	345.80B/277.90A	----	286.50 - 19.40	.7801	----	----	----	----	293 UNCH
4995	----	----	349.60B/282.00A	349.60B/282.00A	----	290.60 - 19.30	.7847	----	----	----	----	11 UNCH
5000	----	----	353.80B/285.80A	353.80B/285.80A	----	294.60 - 19.40	.7890	----	----	----	----	1850 UNCH
5005	----	----	358.30B/289.80A	358.30B/289.80A	----	298.70 - 19.30	.7933	----	----	----	----	302 UNCH
5010	----	----	362.60B/293.90A	362.60B/293.90A	----	302.80 - 19.30	.7976	----	----	----	----	13 UNCH
5015	----	----	366.90B/297.90A	366.90B/297.90A	----	306.90 - 19.30	.8019	----	----	1	----	49 UNCH
5020	----	----	371.20B/302.00A	371.20B/302.00A	----	311.00 - 19.40	.8059	----	----	----	----	31 UNCH
5025	----	----	375.30B/306.10A	375.30B/306.10A	----	315.20 - 19.30	.8102	----	----	----	----	53 UNCH
5030	----	----	379.90B/309.90A	379.90B/309.90A	----	319.40 - 19.30	.8142	----	----	----	----	66 UNCH
5035	----	----	384.00B/314.30A	384.00B/314.30A	----	323.60 - 19.30	.8179	----	----	----	----	13 UNCH
5040	----	----	388.40B/318.30A	388.40B/318.30A	----	327.80 - 19.30	.8218	----	----	----	----	18 UNCH
5045	----	----	393.20B/322.60A	393.20B/322.60A	----	332.10 - 19.30	.8255	----	----	----	----	5 UNCH
5050	----	----	397.20B/326.60A	397.20B/326.60A	----	336.40 - 19.20	.8291	----	----	2	----	805 + 2
5055	----	----	401.90B/331.00A	401.90B/331.00A	----	340.70 - 19.20	.8327	----	----	----	----	63 UNCH
5060	----	----	406.30B/335.10A	406.30B/335.10A	----	345.00 - 19.20	.8363	----	----	----	----	64 UNCH
5065	----	----	410.80B/339.40A	410.80B/339.40A	----	349.30 - 19.20	.8399	----	----	----	----	17 UNCH
5070	----	----	415.60B/343.70A	415.60B/343.70A	----	353.60 - 19.20	.8431	----	----	3	----	52 UNCH
5075	----	----	419.50B/348.00A	419.50B/348.00A	----	358.00 - 19.20	.8467	----	----	2	----	30 + 2
5080	----	----	424.10B/352.30A	424.10B/352.30A	----	362.40 - 19.20	.8500	----	----	2	----	31 + 2
5085	----	----	428.60B/356.50A	428.60B/356.50A	----	366.80 - 19.10	.8532	----	----	----	----	123 UNCH
5090	----	----	433.50B/360.60A	433.50B/360.60A	----	371.20 - 19.10	.8561	----	----	----	----	111 UNCH
5095	----	----	437.60B/365.20A	437.60B/365.20A	----	375.60 - 19.10	.8593	----	----	----	----	127 UNCH
5100	----	----	442.60B/369.50A	442.60B/369.50A	----	380.10 - 19.10	.8621	----	----	----	----	465 UNCH
5105	----	----	446.80B/374.10A	446.80B/374.10A	----	384.50 - 19.10	.8653	----	----	1	----	38 UNCH
5110	----	----	451.50B/378.50A	451.50B/378.50A	----	389.00 - 19.10	.8681	----	----	----	----	74 UNCH
5115	----	----	456.30B/382.80A	456.30B/382.80A	----	393.50 - 19.00	.8709	----	----	----	----	14 UNCH
5120	----	----	460.90B/387.20A	460.90B/387.20A	----	398.00 - 19.00	.8737	----	----	----	----	25 UNCH
5125	----	----	465.50B/391.70A	465.50B/391.70A	----	402.50 - 19.00	.8765	----	----	----	----	192 UNCH
5130	----	----	470.10B/396.10A	470.10B/396.10A	----	407.00 - 19.00	.8789	----	----	----	----	26 UNCH
5135	----	----	474.40B/400.80A	474.40B/400.80A	----	411.60 - 18.90	.8817	----	----	----	----	37 UNCH
5140	----	----	479.40B/405.30A	479.40B/405.30A	----	416.10 - 19.00	.8840	----	----	----	----	14 UNCH
5145	----	----	483.70B/409.60A	483.70B/409.60A	----	420.70 - 18.90	.8864	----	----	----	----	39 UNCH
5150	----	----	488.70B/414.20A	488.70B/414.20A	----	425.30 - 18.90	.8891	----	----	----	----	389 UNCH
5155	----	----	493.00B/418.70A	493.00B/418.70A	----	429.80 - 19.00	.8915	----	----	----	----	38 UNCH
5160	----	----	497.70B/423.30A	497.70B/423.30A	----	434.40 - 18.90	.8938	----	----	----	----	70 UNCH
5165	----	----	502.70B/427.80A	502.70B/427.80A	----	439.00 - 18.90	.8958	----	----	----	----	47 UNCH
5170	----	----	507.30B/432.40A	507.30B/432.40A	----	443.70 - 18.80	.8981	----	----	----	----	504 UNCH
5175	----	----	512.00B/437.00A	512.00B/437.00A	----	448.30 - 18.90	.9004	----	----	----	----	15 UNCH
5180	----	----	516.60B/441.60A	516.60B/441.60A	----	452.90 - 18.90	.9023	----	----	----	----	19 UNCH
5185	----	----	521.40B/446.20A	521.40B/446.20A	----	457.60 - 18.80	.9046	----	----	----	----	22 UNCH
5190	----	----	525.90B/450.80A	525.90B/450.80A	----	462.20 - 18.90	.9065	----	----	----	----	5 UNCH
5195	----	----	530.90B/455.40A	530.90B/455.40A	----	466.90 - 18.80	.9083	----	----	3	----	8 UNCH
5200	----	----	535.60B/460.10A	535.60B/460.10A	----	471.60 - 18.80	.9102	----	----	----	----	611 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
5205	----	----	540.10B/464.70A	540.10B/464.70A	----	476.30 - 18.80	.9120	----	----	----	----	36 UNCH
5210	----	----	545.10B/469.40A	545.10B/469.40A	----	481.00 - 18.70	.9139	----	----	----	----	68 UNCH
5215	----	----	549.60B/474.10A	549.60B/474.10A	----	485.70 - 18.70	.9157	----	----	----	----	42 UNCH
5220	----	----	554.60B/478.90A	554.60B/478.90A	----	490.40 - 18.70	.9175	----	----	----	----	188 UNCH
5225	----	----	559.50B/483.50A	559.50B/483.50A	----	495.10 - 18.70	.9193	----	----	1	----	201 + 1
5230	----	----	563.90B/488.30A	563.90B/488.30A	----	499.90 - 18.60	.9207	----	----	----	----	7 UNCH
5235	----	----	568.70B/493.00A	568.70B/493.00A	----	504.60 - 18.70	.9225	----	----	----	----	160 UNCH
5240	----	----	573.50B/497.70A	573.50B/497.70A	----	509.30 - 18.70	.9239	----	----	1	----	1 - 1
5245	----	----	578.30B/502.30A	578.30B/502.30A	----	514.10 - 18.60	.9257	----	----	----	----	9 UNCH
5250	----	----	583.30B/507.00A	583.30B/507.00A	----	518.90 - 18.60	.9270	----	----	----	----	333 UNCH
5255	----	----	588.10B/511.90A	588.10B/511.90A	----	523.60 - 18.60	.9283	----	----	----	----	9 UNCH
5260	----	----	592.70B/516.50A	592.70B/516.50A	----	528.40 - 18.60	.9297	----	----	----	----	11 UNCH
5265	----	----	597.50B/521.40A	597.50B/521.40A	----	533.20 - 18.50	.9310	----	----	----	----	5 UNCH
5270	----	----	602.30B/526.00A	602.30B/526.00A	----	538.00 - 18.50	.9323	----	----	----	----	24 UNCH
5275	----	----	607.50B/530.80A	607.50B/530.80A	----	542.80 - 18.50	.9336	----	----	----	----	170 UNCH
5280	----	----	612.30B/535.60A	612.30B/535.60A	----	547.60 - 18.40	.9349	----	----	----	----	67 UNCH
5285	----	----	616.80B/540.40A	616.80B/540.40A	----	552.40 - 18.40	.9362	----	----	----	----	27 UNCH
5290	----	----	621.90B/545.20A	621.90B/545.20A	----	557.20 - 18.40	.9375	----	----	----	----	2 UNCH
5300	----	----	631.50B/554.80A	631.50B/554.80A	----	566.80 - 18.40	.9395	----	----	----	----	562 UNCH
5305	----	----	636.40B/559.50A	636.40B/559.50A	----	571.70 - 18.30	.9408	----	----	----	----	103 UNCH
5320	----	----	651.10B/574.00A	651.10B/574.00A	----	586.20 - 18.20	.9441	----	----	----	----	108 UNCH
5325	----	----	655.60B/578.90A	655.60B/578.90A	----	591.00 - 18.30	.9449	----	----	----	----	1 UNCH
5335	----	----	665.50B/588.50A	665.50B/588.50A	----	600.70 - 18.20	.9469	----	----	----	----	5 UNCH
5340	----	----	670.20B/593.30A	670.20B/593.30A	----	605.60 - 18.10	.9476	----	----	----	----	52 UNCH
5345	----	----	675.30B/598.40A	675.30B/598.40A	----	610.40 - 18.20	.9489	----	----	----	----	2 UNCH
5350	----	----	680.20B/603.00A	680.20B/603.00A	----	615.30 - 18.10	.9496	----	----	----	----	109 UNCH
5365	----	----	694.90B/617.60A	694.90B/617.60A	----	629.90 - 18.10	.9523	----	----	----	----	4 UNCH
5370	----	----	699.90B/622.40A	699.90B/622.40A	----	634.80 - 18.00	.9530	----	----	----	----	37 UNCH
5375	----	----	672.90B/627.40A	672.90B/627.40A	----	639.70 - 18.00	.9537	----	----	----	----	1 UNCH
5380	----	----	677.50B/632.40A	677.50B/632.40A	----	644.60 - 18.00	.9545	----	----	----	----	2 UNCH
5385	----	----	682.40B/637.00A	682.40B/637.00A	----	649.40 - 18.00	.9552	----	----	----	----	10 UNCH
5390	----	----	----	----	----	654.30 - 18.00	.9559	----	----	----	----	2 UNCH
5395	----	----	684.70B/652.40A	684.70B/652.40A	----	659.20 - 18.00	.9566	----	----	----	----	156 UNCH
5400	----	----	691.30B/656.20A	691.30B/656.20A	----	664.10 - 18.00	.9573	----	----	----	----	445 UNCH
5420	----	----	709.20B/676.90A	709.20B/676.90A	----	683.70 - 17.90	.9600	----	----	----	----	10 UNCH
5425	----	----	----	----	----	688.60 - 17.90	.9607	----	----	----	----	1 UNCH
5430	----	----	719.00B/686.70A	719.00B/686.70A	----	693.50 - 17.90	.9614	----	----	----	----	30 UNCH
5435	----	----	723.90B/691.60A	723.90B/691.60A	----	698.40 - 17.90	.9621	----	----	----	----	10 UNCH
5440	----	----	728.80B/696.50A	728.80B/696.50A	----	703.30 - 17.90	.9627	----	----	----	----	20 UNCH
5470	----	----	----	----	----	732.80 - 17.90	.9662	----	----	----	----	1 UNCH
5490	----	----	778.00B/745.60A	778.00B/745.60A	----	752.50 - 17.80	.9678	----	----	----	----	166 UNCH
5500	----	----	787.90B/755.40A	787.90B/755.40A	----	762.40 - 17.80	.9691	----	----	----	----	52 UNCH
5525	----	----	----	----	----	787.10 - 17.70	.9712	----	----	----	----	2 UNCH
5575	----	----	----	----	----	836.50 - 17.70	.9749	----	----	----	----	2 UNCH
5590	----	----	876.90B/844.30A	876.90B/844.30A	----	851.40 - 17.60	.9757	----	----	----	----	77 UNCH
5595	----	----	----	----	----	856.40 - 17.50	.9763	----	----	----	----	1 UNCH
5600	----	----	886.80B/854.20A	886.80B/854.20A	----	861.30 - 17.60	.9764	----	----	----	----	9 UNCH
5640	----	----	926.40B/893.90A	926.40B/893.90A	----	901.00 - 17.50	.9786	----	----	----	----	9 UNCH
5800	----	----	1,085.40B/1,052	1085.40B/1052.90A	----	1060.10 - 17.30	.9852	----	----	----	----	6 UNCH
6000	----	----	1,284.70B/1,252	1284.70B/1252.30A	----	1259.50 - 17.10	.9898	----	----	----	----	4 UNCH
6100	----	----	----	----	----	1359.30 - 17.00	.9918	----	----	----	----	0 UNCH
TOTAL										3768	250	97509 + 686
JUL26												
2275	----	----	----	0.30B/0.70A	----	0.40 UNCH	.0010	----	----	----	----	21 UNCH
2300	----	----	----	0.30B/0.80A	----	0.40 UNCH	.0010	----	----	----	----	96 UNCH
2400	----	----	----	0.50B/0.90A	----	0.60 UNCH	.0015	----	----	----	----	2 UNCH
2500	----	----	----	0.60B/1.00A	----	0.70 UNCH	.0018	----	----	----	----	194 UNCH
2575	----	----	----	0.70B/1.20A	----	0.90 UNCH	.0024	----	----	----	----	1 UNCH
2600	----	----	----	0.80B/1.20A	----	0.90 UNCH	.0024	----	----	----	----	12 UNCH
2620	----	----	----	0.80B/1.30A	----	1.00 UNCH	.0027	----	----	----	----	1 UNCH
2650	----	----	----	0.90B/1.30A	----	1.00 UNCH	.0027	----	----	----	----	51 UNCH
2670	----	----	----	0.90B/1.40A	----	1.10 UNCH	.0030	----	----	----	----	10 UNCH
2675	----	----	----	0.90B/1.40A	----	1.10 UNCH	.0030	----	----	----	----	10 UNCH
2680	----	----	----	0.90B/1.40A	----	1.10 UNCH	.0030	----	----	----	----	10 UNCH
2700	----	----	----	1.00B/1.40A	----	1.10 UNCH	.0030	----	----	----	----	3 UNCH
2705	----	----	----	1.00B/1.50A	----	1.20 UNCH	.0032	----	----	----	----	1 UNCH
2710	----	----	----	1.00B/1.50A	----	1.20 UNCH	.0033	----	----	----	----	7 UNCH
2730	----	----	----	1.10B/1.50A	----	1.20 UNCH	.0033	----	----	----	----	1 UNCH
2750	----	----	----/*1.10A	1.10B/*1.10A	----	1.30 UNCH	.0036	----	----	----	----	19 UNCH
2785	----	----	----	1.20B/1.70A	----	1.40 UNCH	.0039	----	----	----	----	2 UNCH
2800	----	----	----	1.30B/1.70A	----	1.40 UNCH	.0039	----	----	----	----	6 UNCH
2850	----	----	----	1.50B/1.80A	----	1.60 UNCH	.0045	----	----	----	----	3 UNCH
2860	----	----	----	1.50B/1.90A	----	1.60 UNCH	.0045	----	----	1	----	6 + 1
2890	----	----	----	1.60B/1.90A	----	1.70 UNCH	.0048	----	----	----	----	60 UNCH
2895	----	----	----	1.60B/2.00A	----	1.70 - 0.10	.0049	----	----	----	----	18 UNCH
2900	----	----	----	1.70B/2.00A	----	1.70 - 0.10	.0049	----	----	----	----	18 UNCH
2905	----	----	----	1.70B/2.00A	----	1.70 - 0.10	.0049	----	----	----	----	19 UNCH
2920	----	----	----	1.70B/2.00A	----	1.80 - 0.10	.0052	----	----	----	----	3 UNCH
2950	----	----	----	1.80B/2.10A	----	1.90 - 0.10	.0055	----	----	----	----	52 UNCH
2985	----	----	----	2.00B/2.30A	----	2.00 - 0.10	.0059	----	----	----	----	21 UNCH
2995	----	----	----	2.00B/2.30A	----	2.00 - 0.20	.0059	----	----	----	----	16 UNCH
3000	----	----	----/2.10A	2.00B/2.10A	----	2.10 - 0.10	.0062	----	----	----	----	63 UNCH
3010	----	----	----	2.00B/2.40A	----	2.10 - 0.20	.0062	----	----	----	----	1 UNCH
3015	----	----	----	2.10B/2.40A	----	2.10 - 0.20	.0062	----	----	----	----	5 UNCH
3025	----	----	----	2.10B/2.50A	----	2.20 - 0.10	.0065	----	----	----	----	1 UNCH
3035	----	----	----	2.10B/2.50A	----	2.20 - 0.20	.0065	----	----	----	----	5 UNCH
3050	----	----	----	2.30B/2.50A	----	2.30 - 0.20	.0068	----	----	----	----	1 UNCH
3100	----	----	----	2.50B/2.70A	----	2.50 - 0.20	.0076	----	----	----	----	43 UNCH
3105	----	----	----	2.50B/2.80A	----	2.50 - 0.20	.0076	----	----	----	----	1 UNCH
3125	----	----	----/2.80A	2.60B/2.80A	----	2.60 - 0.30	.0079	----	----	----	----	42 UNCH
3140	----	----	----/2.90A	2.70B/2.90A	----	2.70 - 0.30	.0082	----	----	----	----	1 UNCH
3150	----	----	----	2.80B/3.00A	----	2.70 - 0.30	.0083	----	----	----	----	12 UNCH
3155	----	----	----	2.80B/3.00A	----	2.70 - 0.30	.0083	----	----	----	----	1 UNCH
3200	----	----	----/3.20A	3.10B/3.20A	----	3.00 - 0.30	.0093	----	----	1	----	114 + 1
3210	----	----	----/3.30A	3.10B/3.30A	----	3.00 - 0.40	.0094	----	----	----	----	1 UNCH
3220	----	----	----/3.30A	3.20B/3.30A	----	3.10 - 0.40	.0097	----	----	----	----	1 UNCH
3225	----	----	----/3.30A	3.20B/3.30A	----	3.10 - 0.40	.0097	----	----	----	----	70 UNCH
3250	----	----	----/3.50A	3.40B/3.50A	----	3.30 - 0.40	.0104	----	----	----	----	62 UNCH
3275	----	----	----/3.60A	3.60B/3.60A	----	3.40 - 0.40	.0108	----	----	----	----	10 UNCH
3280	----	----	----/3.70A	3.60B/3.70A	----	3.50 - 0.40	.0111	----	----	----	----	10 UNCH
3290	----	----	----/3.70A	3.70B/3.70A	----	3.50 - 0.50	.0112	----	----	----	----	11 UNCH
3300	----	----	----/3.80A	3.80B/3.80A	----	3.60 - 0.40	.0115	----	----	----	----	70 UNCH
3320	----	----	----/3.90A	3.90B/3.90A	----	3.70 - 0.50	.0119	----	----	----	----	1 UNCH
3325	----	----	----/4.00A	3.90B/4.00A	----	3.80 - 0.40	.0122	----	----	----	----	147 UNCH
3335	----	----	----/4.00A	4.00B/4.00A	----	3.80 - 0.50	.0123	----	----	----	----	86 UNCH
3340	----	----	----/4.10A	4.10B/4.10A	----	3.90 - 0.50	.0126	----	----	----	----	1 UNCH
3350	----	----	----/4.10A	4.10B/4.10A	----	3.90 - 0.60	.0127	----	----	----	----	24 UNCH
3355	----	----	----/4.20A	4.20B/4.20A	----	4.00 - 0.50	.0130	----	----	----	----	69 UNCH
3360	----	----	----/4.20A	4.20B/4.20A	----	4.00 - 0.50	.0130	----	----	----	----	4 UNCH
3370	----	----	----/4.30A	4.30B/4.30A	----	4.10 - 0.50	.0134	----	----	----	----	9 UNCH
3380	----	----	----/4.40A	4.40B/4.40A	----	4.20 - 0.50	.0137	----	----	----	----	2 UNCH
3385	----	----	----/4.40A	4.40B/4.40A	----	4.20 - 0.60	.0138	----	----	----	----	4 UNCH
3390	----	----	----/4.40A	4.50B/4.40A	----	4.20 - 0.60	.0138	----	----	----	----	1 UNCH
3395	----	----	----/4.50A	4.50B/4.50A	----	4.30 - 0.60	.0141	----	----	----	----	31 UNCH
3400	----	----	----/4.50A	4.60B/4.50A	----	4.30 - 0.60	.0142	----	----	----	----	50 UNCH
3410	----	----	----/4.60A	4.60B/4.60A	----	4.40 - 0.60	.0145	----	----	----	----	5 UNCH
3425	----	----	----/4.70A	4.80B/4.70A	----	4.50 - 0.70	.0149	----	----	----	----	56 UNCH
3435	----	----	----/4.80A	4.90B/4.80A	----	4.60 - 0.70	.0153	----	----	----	----	5 UNCH
3445	----	----	----/4.90A	5.10B/4.90A	----	4.70 - 0.70	.0157	----	----	----	----	1 UNCH
3450	----	----	----/4.90A	5.20B/4.90A	----	4.80 - 0.60	.0160	----	----	----	----	134 UNCH
3455	----	----	----/5.00A	5.20B/5.00A	----	4.80 - 0.70	.0160	----	----	----	----	10 UNCH
3460	----	----	----/5.00A	5.20B/5.00A	----	4.90 - 0.60	.0164	----	----	----	----	10 UNCH
3465	----	----	----/5.10A	5.30B/5.10A	----	4.90 - 0.70	.0164	----	----	----	----	143 UNCH
3475	----	----	----/5.10A	5.40B/5.10A	----	5.00 - 0.70	.0168	----	----	----	----	140 UNCH
3480	----	----	----/5.20A	5.50B/5.20A	----	5.00 - 0.80	.0169	----	----	----	----	36 UNCH
3495	----	----	----/5.30A	5.70B/5.30A	----	5.20 - 0.80	.0176	----	----	----	----	5 UNCH
3500	6.00	6.00	6.10B/5.40A	6.10B/5.40A	----	5.30 - 0.70	.0179	----	----	31	----	609 + 20
3505	----	----	----/5.50A	5.90B/5.50A	----	5.30 - 0.80	.0180	----	----	----	----	9 UNCH
3510	----	----	----/5.50A	6.10B/5.50A	----	5.40 - 0.70	.0183	----	----	----	----	5 UNCH
3515	----	----	----/5.50A	6.00B/5.50A	----	5.40 - 0.80	.0183	----	----	----	----	6 UNCH
3525	----	----	----/5.60A	6.20B/5.60A	----	5.50 - 0.80	.0187	----	----	----	----	3 UNCH
3530	----	----	----/5.70A	6.20B/5.70A	----	5.60 - 0.80	.0191	----	----	----	----	168 UNCH
3535	----	----	----/5.70A	6.30B/5.70A	----	5.60 - 0.90	.0191	----	----	----	----	31 UNCH
3545	----	----	----/5.90A	6.50B/5.90A	----	5.70 - 0.90	.0195	----	----	----	----	256 UNCH
3550	----	----	----/5.90A	6.60B/5.90A	----	5.80 - 0.90	.0199	----	----	----	----	163 UNCH
3555	----	----	----/6.00A	6.70B/6.00A	----	5.90 - 0.90	.0202	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
3565	----	----	----/6.10A	6.80B/6.10A	----	6.00 - 0.90	.0206	----	----	----	----	2 UNCH
3575	----	----	----/6.20A	7.00B/6.20A	----	6.10 - 0.90	.0210	----	----	----	----	1 UNCH
3580	----	----	----/6.30A	7.10B/6.30A	----	6.20 - 0.90	.0214	----	----	----	----	5 UNCH
3590	----	----	----/6.40A	7.30B/6.40A	----	6.30 - 1.00	.0218	----	----	----	----	16 UNCH
3600	----	----	7.50B/6.50A	7.50B/6.50A	----	6.40 - 1.00	.0222	----	----	----	----	140 UNCH
3605	----	----	7.60B/6.60A	7.60B/6.60A	----	6.50 - 1.00	.0226	----	----	----	----	5 UNCH
3610	----	----	7.70B/6.70A	7.70B/6.70A	----	6.60 - 1.00	.0229	----	----	----	----	1 UNCH
3620	----	----	7.90B/6.80A	7.90B/6.80A	----	6.70 - 1.10	.0234	----	----	----	----	12 UNCH
3625	----	----	8.00B/6.90A	8.00B/6.90A	----	6.80 - 1.10	.0237	----	----	----	----	11 UNCH
3630	----	----	8.30B/6.90A	8.30B/6.90A	----	6.80 - 1.10	.0238	----	----	----	----	10 UNCH
3635	----	----	8.20B/7.00A	8.20B/7.00A	----	6.90 - 1.10	.0242	----	----	----	----	3 UNCH
3640	----	----	8.30B/7.10A	8.30B/7.10A	----	7.00 - 1.10	.0245	----	----	----	----	6 UNCH
3645	----	----	8.40B/7.10A	8.40B/7.10A	----	7.10 - 1.10	.0249	----	----	----	----	1 UNCH
3650	----	----	8.50B/7.20A	8.50B/7.20A	----	7.10 - 1.20	.0250	----	----	----	----	99 UNCH
3655	----	----	8.60B/7.30A	8.60B/7.30A	----	7.20 - 1.20	.0253	----	----	----	----	7 UNCH
3660	----	----	9.00B/7.30A	9.00B/7.30A	----	7.30 - 1.20	.0257	----	----	----	----	22 UNCH
3665	----	----	8.90B/7.40A	8.90B/7.40A	----	7.40 - 1.20	.0261	----	----	----	----	2 UNCH
3670	----	----	9.00B/7.50A	9.00B/7.50A	----	7.50 - 1.20	.0264	----	----	----	----	111 UNCH
3675	----	----	9.10B/7.60A	9.10B/7.60A	----	7.50 - 1.30	.0265	----	----	----	----	4 UNCH
3680	----	----	9.20B/7.60A	9.20B/7.60A	----	7.60 - 1.30	.0269	----	----	----	----	5 UNCH
3685	----	----	9.30B/7.70A	9.30B/7.70A	----	7.70 - 1.30	.0273	----	----	----	----	12 UNCH
3690	----	----	9.40B/7.80A	9.40B/7.80A	----	7.80 - 1.30	.0276	----	----	----	----	50 UNCH
3695	----	----	9.60B/7.90A	9.60B/7.90A	----	7.90 - 1.30	.0280	----	----	----	----	141 UNCH
3700	----	----	9.90B/8.00A	9.90B/8.00A	----	8.00 - 1.30	.0284	----	----	----	----	439 UNCH
3705	----	----	9.80B/8.10A	9.80B/8.10A	----	8.00 - 1.40	.0285	----	----	----	----	20 UNCH
3715	----	----	10.00B/8.20A	10.00B/8.20A	----	8.20 - 1.40	.0293	----	----	----	----	30 UNCH
3720	----	----	10.20B/8.30A	10.20B/8.30A	----	8.30 - 1.40	.0296	----	----	----	----	18 UNCH
3725	----	----	10.20B/8.40A	10.20B/8.40A	----	8.40 - 1.40	.0300	----	----	----	----	5 UNCH
3730	----	----	10.40B/8.50A	10.40B/8.50A	----	8.50 - 1.50	.0304	----	----	----	----	3 UNCH
3735	----	----	10.50B/8.60A	10.50B/8.60A	----	8.60 - 1.50	.0308	----	----	----	----	30 UNCH
3740	----	----	10.70B/8.70A	10.70B/8.70A	----	8.70 - 1.50	.0312	----	----	----	----	20 UNCH
3750	----	----	11.00B/8.90A	11.00B/8.90A	----	8.90 - 1.50	.0320	----	----	----	----	543 UNCH
3760	----	----	11.20B/9.10A	11.20B/9.10A	----	9.10 - 1.60	.0327	----	----	----	----	2 UNCH
3765	----	----	11.40B/9.20A	11.40B/9.20A	----	9.20 - 1.60	.0331	----	----	----	----	32 UNCH
3770	----	----	11.50B/9.30A	11.50B/9.30A	----	9.30 - 1.60	.0335	----	----	----	----	120 UNCH
3775	----	----	11.70B/9.40A	11.70B/9.40A	----	9.40 - 1.70	.0339	----	----	----	----	61 UNCH
3780	----	----	11.80B/9.50A	11.80B/9.50A	----	9.50 - 1.70	.0343	----	----	----	----	1 UNCH
3785	----	----	12.10B/9.60A	12.10B/9.60A	----	9.70 - 1.60	.0350	----	----	----	----	6 UNCH
3790	----	----	12.40B/9.70A	12.40B/9.70A	----	9.80 - 1.70	.0354	----	----	----	----	40 UNCH
3795	----	----	12.40B/9.80A	12.40B/9.80A	----	9.90 - 1.70	.0358	----	----	----	----	36 UNCH
3800	11.80	11.80	12.90B/9.90A	12.90B/9.90A	----	10.00 - 1.80	.0362	----	----	13	----	684 - 11
3810	----	----	13.30B/10.10A	13.30B/10.10A	----	10.20 - 1.90	.0371	----	----	----	----	16 UNCH
3815	----	----	13.40B/10.20A	13.40B/10.20A	----	10.40 - 1.80	.0377	----	----	----	----	14 UNCH
3820	----	----	13.60B/10.30A	13.60B/10.30A	----	10.50 - 1.80	.0382	----	----	----	----	10 UNCH
3825	----	----	13.70B/10.50A	13.70B/10.50A	----	10.60 - 1.90	.0386	----	----	----	----	9 UNCH
3830	12.80	12.80	13.90B/10.60A	13.90B/10.60A	----	10.80 - 1.90	.0393	----	----	1	----	24 UNCH
3835	----	----	14.10B/10.80A	14.10B/10.80A	----	10.90 - 1.90	.0397	----	----	----	----	1 UNCH
3840	----	----	14.60B/10.90A	14.60B/10.90A	----	11.00 - 2.00	.0401	----	----	----	----	33 UNCH
3845	----	----	14.60B/11.00A	14.60B/11.00A	----	11.20 - 1.90	.0408	----	----	----	----	13 UNCH
3850	----	----	14.70B/11.10A	14.70B/11.10A	----	11.30 - 2.00	.0413	----	----	----	----	207 UNCH
3860	----	----	15.20B/11.40A	15.20B/11.40A	----	11.60 - 2.00	.0424	----	----	----	----	29 UNCH
3870	14.10	14.10	15.50B/11.70A	15.50B/11.70A	----	11.90 - 2.10	.0436	----	----	1	----	2 + 1
3875	----	----	15.80B/11.80A	15.80B/11.80A	----	12.00 - 2.20	.0440	----	----	----	----	108 UNCH
3880	----	----	16.00B/12.00A	16.00B/12.00A	----	12.20 - 2.10	.0447	----	----	----	----	14 UNCH
3885	14.70	14.70	16.20B/12.20A	16.20B/12.20A	----	12.30 - 2.20	.0452	----	----	31	----	37 + 31
3890	----	----	16.40B/12.30A	16.40B/12.30A	----	12.50 - 2.20	.0459	----	----	----	----	4 UNCH
3895	----	----	16.60B/12.50A	16.60B/12.50A	----	12.60 - 2.30	.0463	----	----	----	----	2 UNCH
3900	----	----	16.80B/12.60A	16.80B/12.60A	----	12.80 - 2.30	.0471	----	----	1	----	313 UNCH
3905	----	----	17.10B/12.80A	17.10B/12.80A	----	13.00 - 2.30	.0478	----	----	----	----	12 UNCH
3910	----	----	17.40B/13.00A	17.40B/13.00A	----	13.10 - 2.40	.0483	----	----	----	----	54 UNCH
3920	----	----	17.70B/13.30A	17.70B/13.30A	----	13.50 - 2.40	.0497	----	----	----	----	9 UNCH
3925	----	----	17.80B/13.50A	17.80B/13.50A	----	13.60 - 2.50	.0502	----	----	----	----	49 UNCH
3930	----	----	18.00B/13.60A	18.00B/13.60A	----	13.80 - 2.50	.0509	----	----	----	----	32 UNCH
3935	----	----	18.60B/13.80A	18.60B/13.80A	----	14.00 - 2.50	.0517	----	----	----	----	7 UNCH
3940	----	----	18.60B/14.00A	18.60B/14.00A	----	14.20 - 2.50	.0524	----	----	----	----	25 UNCH
3945	----	----	18.80B/14.20A	18.80B/14.20A	----	14.40 - 2.60	.0532	----	----	----	----	21 UNCH
3950	14.60	14.60	19.10B/14.40A	19.10B/14.40A	----	14.60 - 2.60	.0539	----	----	1	----	600 - 1
3955	----	----	19.30B/14.60A	19.30B/14.60A	----	14.80 - 2.60	.0547	----	----	----	----	56 UNCH
3960	----	----	19.50B/14.80A	19.50B/14.80A	----	15.00 - 2.70	.0554	----	----	----	----	19 UNCH
3965	----	----	19.70B/15.00A	19.70B/15.00A	----	15.20 - 2.70	.0562	----	----	----	----	94 UNCH
3970	----	----	20.00B/15.20A	20.00B/15.20A	----	15.40 - 2.70	.0570	----	----	----	----	6 UNCH
3975	----	----	20.30B/15.40A	20.30B/15.40A	----	15.60 - 2.80	.0577	----	----	----	----	22 UNCH
3980	----	----	20.50B/15.60A	20.50B/15.60A	----	15.80 - 2.80	.0585	----	----	----	----	4 UNCH
3985	----	----	20.80B/15.80A	20.80B/15.80A	----	16.00 - 2.90	.0593	----	----	----	----	136 UNCH
3990	----	----	21.10B/16.00A	21.10B/16.00A	----	16.20 - 2.90	.0601	----	----	----	----	41 UNCH
3995	----	----	21.40B/16.30A	21.40B/16.30A	----	16.40 - 3.00	.0608	----	----	----	----	20 UNCH
4000	21.30	21.30	21.80B/16.50A	21.80B/16.50A	----	16.70 - 3.00	.0619	----	----	4	----	1090 - 2
4005	----	----	22.10B/16.70A	22.10B/16.70A	----	16.90 - 3.00	.0627	----	----	----	----	155 UNCH
4010	----	----	22.40B/16.90A	22.40B/16.90A	----	17.10 - 3.10	.0635	----	----	----	----	3 UNCH
4015	----	----	22.70B/17.20A	22.70B/17.20A	----	17.40 - 3.10	.0645	----	----	----	----	59 UNCH
4020	----	----	23.10B/17.40A	23.10B/17.40A	----	17.60 - 3.20	.0653	----	----	----	----	91 UNCH
4025	----	----	23.60B/17.60A	23.60B/17.60A	----	17.80 - 3.30	.0661	----	----	----	----	19 UNCH
4030	----	----	23.80B/17.80A	23.80B/17.80A	----	18.10 - 3.30	.0672	----	----	----	----	50 UNCH
4035	----	----	24.10B/18.10A	24.10B/18.10A	----	18.40 - 3.30	.0682	----	----	----	----	3 UNCH
4040	----	----	24.50B/18.30A	24.50B/18.30A	----	18.60 - 3.40	.0691	----	----	----	----	2 UNCH
4045	----	----	24.80B/18.60A	24.80B/18.60A	----	18.90 - 3.40	.0701	----	----	----	----	20 UNCH
4050	18.90	18.90	25.20B/18.90	25.20B/18.90	----	19.10 - 3.50	.0710	----	----	1	----	50 + 1
4055	----	----	25.60B/19.10A	25.60B/19.10A	----	19.40 - 3.50	.0720	----	----	----	----	32 UNCH
4060	----	----	26.00B/19.40A	26.00B/19.40A	----	19.70 - 3.50	.0731	----	----	----	----	2 UNCH
4065	----	----	26.30B/19.70A	26.30B/19.70A	----	20.00 - 3.60	.0742	----	----	----	----	8 UNCH
4070	----	----	26.80B/20.00A	26.80B/20.00A	----	20.30 - 3.60	.0753	----	----	----	----	10 UNCH
4075	----	----	27.20B/20.20A	27.20B/20.20A	----	20.60 - 3.70	.0764	----	----	----	----	14 UNCH
4080	----	----	28.20B/20.60A	28.20B/20.60A	----	20.90 - 3.70	.0775	----	----	----	----	9 UNCH
4085	----	----	27.90B/20.90A	27.90B/20.90A	----	21.20 - 3.80	.0786	----	----	----	----	13 UNCH
4090	----	----	28.40B/21.20A	28.40B/21.20A	----	21.50 - 3.80	.0797	----	----	----	----	5 UNCH
4095	----	----	28.80B/21.50A	28.80B/21.50A	----	21.80 - 3.90	.0808	----	----	----	----	4 UNCH
4100	27.50	27.50	29.30B/21.80A	29.30B/21.80A	----	22.10 - 4.00	.0819	----	----	11	----	1039 UNCH
4105	----	----	29.60B/22.10A	29.60B/22.10A	----	22.40 - 4.10	.0831	----	----	----	----	9 UNCH
4110	----	----	30.10B/22.50A	30.10B/22.50A	----	22.80 - 4.10	.0844	----	----	----	----	15 UNCH
4115	27.80	27.80	30.50B/22.80A	30.50B/22.80A	----	23.10 - 4.20	.0856	----	----	1	----	8 UNCH
4120	----	----	31.00B/23.10A	31.00B/23.10A	----	23.40 - 4.30	.0867	----	----	----	----	8 UNCH
4125	----	----	31.50B/23.50A	31.50B/23.50A	----	23.80 - 4.30	.0881	----	----	----	----	83 UNCH
4130	----	----	32.00B/23.80A	32.00B/23.80A	----	24.20 - 4.30	.0895	----	----	----	----	65 UNCH
4135	----	----	32.40B/24.20A	32.40B/24.20A	----	24.50 - 4.40	.0906	----	----	----	----	7 UNCH
4140	----	----	32.90B/24.60A	32.90B/24.60A	----	24.90 - 4.50	.0920	----	----	----	----	44 UNCH
4145	----	----	33.40B/24.90A	33.40B/24.90A	----	25.30 - 4.50	.0934	----	----	----	----	242 UNCH
4150	----	----	33.90B/25.20A	33.90B/25.20A	----	25.60 - 4.70	.0946	----	----	----	----	155 UNCH
4155	----	----	34.40B/25.70A	34.40B/25.70A	----	26.00 - 4.70	.0960	----	----	----	----	5 UNCH
4160	----	----	35.00B/26.00A	35.00B/26.00A	----	26.40 - 4.80	.0974	----	----	----	----	3 UNCH
4165	----	----	35.30B/26.40A	35.30B/26.40A	----	26.80 - 4.90	.0988	----	----	----	----	69 UNCH
4170	----	----	36.00B/26.80A	36.00B/26.80A	----	27.20 - 5.00	.1003	----	----	----	----	1 UNCH
4175	----	----	36.40B/27.20A	36.40B/27.20A	----	27.70 - 5.00	.1019	----	----	----	----	43 UNCH
4180	----	----	37.10B/27.60A	37.10B/27.60A	----	28.10 - 5.10	.1034	----	----	----	----	4 UNCH
4185	----	----	37.60B/28.00A	37.60B/28.00A	----	28.50 - 5.20	.1048	----	----	----	----	13 UNCH
4190	----	----	38.20B/28.50A	38.20B/28.50A	----	29.00 - 5.20	.1065	----	----	----	----	129 UNCH
4195	----	----	38.80B/29.00A	38.80B/29.00A	----	29.40 - 5.30	.1079	----	----	----	----	65 UNCH
4200	----	----	39.40B/29.40A	39.40B/29.40A	----	29.90 - 5.40	.1096	----	----	1	----	580 - 1
4205	----	----	40.00B/29.90A	40.00B/29.90A	----	30.30 - 5.50	.1111	----	----	----	----	6 UNCH
4210	----	----	40.50B/30.30A	40.50B/30.30A	----	30.80 - 5.60	.1128	----	----	1	----	68 + 1
4215	----	----	41.20B/30.80A	41.20B/30.80A	----	31.30 - 5.60	.1145	----	----	----	----	39 UNCH
4220	----	----	41.80B/31.20A	41.80B/31.20A	----	31.80 - 5.70	.1162	----	----	----	----	196 UNCH
4225	----	----	42.50B/31.70A	42.50B/31.70A	----	32.30 - 5.80	.1179	----	----	----	----	38 UNCH
4230	----	----	43.10B/32.20A	43.10B/32.20A	----	32.80 - 5.90	.1196	----	----	----	----	16 UNCH
4235	----	----	43.80B/32.70A	43.80B/32.70A	----	33.30 - 6.00	.1213	----	----	----	----	42 UNCH
4240	----	----	44.50B/33.20A	44.50B/33.20A	----	33.80 - 6.10	.1231	----	----	----	----	37 UNCH
4245	33.20	33.20	45.30B/33.20	45.30B/33.20	----	34.30 - 6.20	.1248	----	----	1	----	3 + 1
4250	40.00	40.00	46.00B/34.20	46.00B/34.20	----	34.90 - 6.20	.1268	----	----	4	----	1151 + 1
4255	----	----	46.60B/34.80A	46.60B/34.80A	----	35.40 - 6.30	.1285	----	----	----	----	3 UNCH
4260	----	----	47.30B/35.40A	47.30B/35.40A	----	36.00 - 6.30	.1305	----	----	1	----	20 + 1
4265	----	----	48.00B/35.90A	48.00B/35.90A	----	36.60 - 6.40	.1325	----	----	----	----	12 UNCH
4270	----	----	48.80B/36.50A	48.80B/36.50A	----	37.10 - 6.50	.1342	----	----	----	----	7 UNCH
4275	----	----	49.60B/37.10A	49.60B/37.10A	----	37.70 - 6.60	.1362	----	----	1	----	86 + 1
4280	----	----	50.30B/37.70A	50.30B/37.70A	----	38.30 - 6.70	.1382	----	----	1	----	51 + 1
4285	----	----	51.00B/38.20A	51.00B/38.20A	----	38.90 - 6.70	.1402	----	----	----	----	101 UNCH
4290	54.90	54.90	54.90/38.90A	54.90/38.90A	----	39.50 - 6.80	.1422	----	----	8	----	34 + 1
4295	----	----	52.60B/39.50A	52.60B/39.50A	----	40.20 - 6.80	.1444	----	----	----	----	20 UNCH
4300	52.50	52.50	54.00/40.10A	54.00/40.10A	----	40.80 - 6.90	.1465	----	----	8	----	871 + 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
4305	----	----	54.30B/40.70A	54.30B/40.70A	----	41.50 - 6.90	.1487	----	----	----	----	9 UNCH
4310	----	----	55.00B/41.40A	55.00B/41.40A	----	42.10 - 7.10	.1507	----	----	----	----	12 UNCH
4315	----	----	56.00B/42.10A	56.00B/42.10A	----	42.80 - 7.10	.1530	----	----	----	----	60 UNCH
4320	----	----	56.80B/42.70A	56.80B/42.70A	----	43.50 - 7.10	.1552	----	----	----	----	5 UNCH
4325	----	----	57.70B/43.40A	57.70B/43.40A	----	44.20 - 7.20	.1575	----	----	----	----	80 UNCH
4330	----	----	58.50B/44.10A	58.50B/44.10A	----	44.90 - 7.30	.1597	----	----	1	----	24 + 1
4335	----	----	59.60B/44.80A	59.60B/44.80A	----	45.60 - 7.40	.1620	----	----	----	----	111 UNCH
4340	----	----	60.40B/45.50A	60.40B/45.50A	----	46.30 - 7.50	.1643	----	----	----	----	114 UNCH
4345	----	----	61.30B/46.30A	61.30B/46.30A	----	47.00 - 7.60	.1666	----	----	----	----	12 UNCH
4350	----	----	62.20B/47.00A	62.20B/47.00A	----	47.80 - 7.60	.1690	----	----	10	----	426 UNCH
4355	----	----	63.00B/47.70A	63.00B/47.70A	----	48.60 - 7.60	.1715	----	----	----	----	124 UNCH
4360	----	----	64.10B/48.60A	64.10B/48.60A	----	49.30 - 7.80	.1738	----	----	----	----	104 UNCH
4365	----	----	65.10B/49.30A	65.10B/49.30A	----	50.10 - 7.80	.1763	----	----	----	----	29 UNCH
4370	----	----	66.10B/50.10A	66.10B/50.10A	----	50.90 - 7.90	.1788	----	----	----	----	139 UNCH
4375	----	----	67.10B/50.90A	67.10B/50.90A	----	51.70 - 8.00	.1813	----	----	----	----	27 UNCH
4380	----	----	68.30B/51.80A	68.30B/51.80A	----	52.60 - 8.00	.1840	----	----	----	----	6 UNCH
4385	----	----	68.90B/52.60A	68.90B/52.60A	----	53.40 - 8.10	.1866	----	----	----	----	52 UNCH
4390	----	----	70.20B/53.50A	70.20B/53.50A	----	54.30 - 8.20	.1893	----	----	----	----	2 UNCH
4395	----	----	71.30B/54.30A	71.30B/54.30A	----	55.10 - 8.30	.1918	----	----	----	----	26 UNCH
4400	64.00	64.00	72.50B/55.20A	72.50B/55.20A	----	56.00 - 8.40	.1946	----	----	61	----	987 + 16
4405	----	----	73.50B/56.10A	73.50B/56.10A	----	56.90 - 8.50	.1973	----	----	----	----	26 UNCH
4410	----	----	74.70B/57.00A	74.70B/57.00A	----	57.80 - 8.60	.2000	----	----	----	----	16 UNCH
4415	----	----	75.90B/57.90A	75.90B/57.90A	----	58.80 - 8.70	.2029	----	----	----	----	8 UNCH
4420	----	----	76.90B/58.80A	76.90B/58.80A	----	59.70 - 8.80	.2057	----	----	----	----	16 UNCH
4425	----	----	78.10B/59.80A	78.10B/59.80A	----	60.60 - 9.00	.2085	----	----	----	----	37 UNCH
4430	----	----	79.30B/60.70A	79.30B/60.70A	----	61.60 - 9.00	.2114	----	----	----	----	168 UNCH
4435	----	----	80.40B/61.70A	80.40B/61.70A	----	62.60 - 9.10	.2143	----	----	----	----	2 UNCH
4440	----	----	81.70B/62.70A	81.70B/62.70A	----	63.60 - 9.20	.2173	----	----	----	----	37 UNCH
4445	----	----	82.90B/63.70A	82.90B/63.70A	----	64.60 - 9.40	.2203	----	----	----	----	152 UNCH
4450	77.20	77.20	84.30B/64.80A	84.30B/64.80A	----	65.70 - 9.40	.2234	----	----	1	----	645 + 1
4455	----	----	85.40B/65.80A	85.40B/65.80A	----	66.70 - 9.60	.2263	----	----	----	----	19 UNCH
4460	75.30	75.30	86.70B/66.90A	86.70B/66.90A	----	67.80 - 9.70	.2295	----	----	1	----	103 + 1
4465	----	----	88.00B/67.90A	88.00B/67.90A	----	68.90 - 9.80	.2326	----	----	----	----	28 UNCH
4470	----	----	89.30B/69.00A	89.30B/69.00A	----	70.00 - 9.90	.2358	----	----	----	----	28 UNCH
4475	----	----	90.60B/70.10A	90.60B/70.10A	----	71.10 - 10.00	.2389	----	----	12	----	36 - 1
4480	----	----	92.10B/71.20A	92.10B/71.20A	----	72.20 - 10.10	.2421	----	----	----	----	140 UNCH
4485	----	----	93.40B/72.40A	93.40B/72.40A	----	73.40 - 10.20	.2454	----	----	----	----	50 UNCH
4490	----	----	94.90B/73.50A	94.90B/73.50A	----	74.50 - 10.40	.2486	----	----	24	----	41 + 12
4495	----	----	96.20B/74.70A	96.20B/74.70A	----	75.70 - 10.50	.2519	----	----	----	----	3 UNCH
4500	99.20	99.20	99.20/75.90A	99.20/75.90A	----	76.90 - 10.60	.2553	----	----	107	----	1233 + 31
4505	----	----	99.20B/77.10A	99.20B/77.10A	----	78.10 - 10.70	.2586	----	----	----	----	6 UNCH
4510	----	----	100.60B/78.40A	100.60B/78.40A	----	79.40 - 10.70	.2621	----	----	----	----	8 UNCH
4515	----	----	102.20B/79.60A	102.20B/79.60A	----	80.70 - 10.80	.2656	----	----	----	----	5 UNCH
4520	----	----	103.50B/80.90A	103.50B/80.90A	----	81.90 - 10.90	.2690	----	----	----	----	11 UNCH
4525	----	----	105.30B/82.20A	105.30B/82.20A	----	83.20 - 11.00	.2725	----	----	----	----	87 UNCH
4530	----	----	106.60B/83.50A	106.60B/83.50A	----	84.60 - 11.00	.2761	----	----	----	----	8 UNCH
4535	----	----	108.40B/84.80A	108.40B/84.80A	----	85.90 - 11.10	.2796	----	----	----	----	5 UNCH
4540	----	----	110.00B/86.20A	110.00B/86.20A	----	87.30 - 11.20	.2832	----	----	----	----	90 UNCH
4545	----	----	111.40B/87.60A	111.40B/87.60A	----	88.60 - 11.30	.2868	----	----	----	----	20 UNCH
4550	98.30	98.30	113.20B/88.90A	113.20B/88.90A	----	90.00 - 11.40	.2905	----	----	1	----	69 - 1
4555	----	----	114.70B/90.40A	114.70B/90.40A	----	91.50 - 11.40	.2942	----	----	----	----	16 UNCH
4560	----	----	116.40B/91.80A	116.40B/91.80A	----	92.90 - 11.50	.2979	----	----	1	----	29 + 1
4565	----	----	118.20B/93.20A	118.20B/93.20A	----	94.40 - 11.60	.3017	----	----	----	----	105 UNCH
4570	----	----	120.10B/94.70A	120.10B/94.70A	----	95.80 - 11.70	.3054	----	----	1	----	9 + 1
4575	----	----	121.50B/96.20A	121.50B/96.20A	----	97.30 - 11.80	.3092	----	----	1	----	20 + 1
4580	----	----	123.50B/97.70A	123.50B/97.70A	----	98.90 - 11.80	.3131	----	----	----	----	5 UNCH
4585	----	----	125.30B/99.30A	125.30B/99.30A	----	100.40 - 11.90	.3169	----	----	----	----	8 UNCH
4590	----	----	127.10B/101.10A	127.10B/101.10A	----	102.00 - 11.90	.3209	----	----	----	----	9 UNCH
4595	----	----	128.70B/102.70A	128.70B/102.70A	----	103.60 - 12.00	.3248	----	----	----	----	49 UNCH
4600	----	----	130.70B/104.10A	130.70B/104.10A	----	105.20 - 12.00	.3287	----	----	19	----	1286 + 9
4605	----	----	132.70B/105.90A	132.70B/105.90A	----	106.80 - 12.10	.3327	----	----	----	----	2 UNCH
4610	----	----	134.60B/107.50A	134.60B/107.50A	----	108.40 - 12.30	.3366	----	----	----	----	134 UNCH
4615	----	----	136.30B/109.30A	136.30B/109.30A	----	110.10 - 12.30	.3407	----	----	----	----	13 UNCH
4620	----	----	138.40B/110.90A	138.40B/110.90A	----	111.80 - 12.40	.3447	----	----	----	----	47 UNCH
4625	----	----	140.20B/112.70A	140.20B/112.70A	----	113.50 - 12.40	.3488	----	----	----	----	35 UNCH
4630	----	----	142.20B/114.30A	142.20B/114.30A	----	115.20 - 12.60	.3529	----	----	----	----	13 UNCH
4635	----	----	144.20B/116.10A	144.20B/116.10A	----	117.00 - 12.60	.3570	----	----	----	----	123 UNCH
4640	----	----	146.40B/117.90A	146.40B/117.90A	----	118.80 - 12.70	.3612	----	----	----	----	155 UNCH
4645	----	----	148.30B/119.60A	148.30B/119.60A	----	120.60 - 12.70	.3653	----	----	----	----	12 UNCH
4650	----	----	150.50B/121.30A	150.50B/121.30A	----	122.40 - 12.90	.3695	----	----	----	----	262 UNCH
4655	----	----	152.50B/123.20A	152.50B/123.20A	----	124.20 - 13.00	.3737	----	----	----	----	2 UNCH
4660	----	----	154.60B/125.00A	154.60B/125.00A	----	126.10 - 13.10	.3779	----	----	----	----	62 UNCH
4665	----	----	156.80B/126.90A	156.80B/126.90A	----	128.00 - 13.10	.3822	----	----	----	----	23 UNCH
4670	----	----	159.00B/128.70A	159.00B/128.70A	----	129.90 - 13.30	.3865	----	----	----	----	101 UNCH
4675	----	----	161.20B/130.60A	161.20B/130.60A	----	131.90 - 13.30	.3908	----	----	----	----	156 UNCH
4680	----	----	163.40B/132.50A	163.40B/132.50A	----	133.80 - 13.50	.3951	----	----	----	----	26 UNCH
4685	165.00	165.00	165.70B/134.50A	165.70B/134.50A	----	135.80 - 13.60	.3994	----	----	1	----	8 + 1
4690	166.00	166.00	168.50B/136.40A	168.50B/136.40A	----	137.80 - 13.70	.4037	----	----	1	----	13 + 1
4695	----	----	170.30B/138.40A	170.30B/138.40A	----	139.90 - 13.80	.4081	----	----	----	----	179 UNCH
4700	----	----	173.20B/140.30A	173.20B/140.30A	----	141.90 - 14.00	.4125	----	----	8	----	678 - 5
4705	164.40	164.40	175.00B/142.40A	175.00B/142.40A	----	144.00 - 14.10	.4169	----	----	1	----	10 + 1
4710	----	----	177.40B/144.50A	177.40B/144.50A	----	146.10 - 14.20	.4213	----	----	----	----	126 UNCH
4715	----	----	179.90B/146.60A	179.90B/146.60A	----	148.30 - 14.30	.4257	----	----	----	----	4 UNCH
4720	----	----	182.80B/148.70A	182.80B/148.70A	----	150.40 - 14.50	.4302	----	----	----	----	10 UNCH
4725	----	----	185.30B/150.80A	185.30B/150.80A	----	152.60 - 14.60	.4346	----	----	----	----	205 UNCH
4730	----	----	187.10B/152.90A	187.10B/152.90A	----	154.80 - 14.80	.4391	----	----	15	----	66 + 15
4735	----	----	190.40B/155.10A	190.40B/155.10A	----	157.10 - 14.90	.4436	----	----	----	----	17 UNCH
4740	163.90	163.90	192.20B/157.30A	192.20B/157.30A	----	159.30 - 15.10	.4481	----	----	1	----	115 + 1
4745	----	----	195.20B/159.50A	195.20B/159.50A	----	161.60 - 15.20	.4526	----	----	----	----	121 UNCH
4750	----	----	198.00B/161.70A	198.00B/161.70A	----	163.90 - 15.30	.4571	----	----	1	----	400 UNCH
4755	----	----	199.80B/164.00A	199.80B/164.00A	----	166.30 - 15.40	.4616	----	----	----	----	12 UNCH
4760	----	----	202.40B/166.30A	202.40B/166.30A	----	168.60 - 15.60	.4661	----	----	----	----	29 UNCH
4765	----	----	205.10B/168.60A	205.10B/168.60A	----	171.00 - 15.70	.4707	----	----	----	----	305 UNCH
4770	----	----	207.80B/171.00A	207.80B/171.00A	----	173.50 - 15.80	.4752	----	----	----	----	10 UNCH
4775	----	----	210.90B/173.30A	210.90B/173.30A	----	175.90 - 15.90	.4797	----	----	----	----	46 UNCH
4780	----	----	213.20B/175.70A	213.20B/175.70A	----	178.40 - 16.00	.4843	----	----	----	----	31 UNCH
4785	----	----	216.10B/178.10A	216.10B/178.10A	----	180.90 - 16.10	.4888	----	----	----	----	75 UNCH
4790	----	----	219.80B/180.60A	219.80B/180.60A	----	183.40 - 16.20	.4934	----	----	----	----	3 UNCH
4795	----	----	221.70B/183.10A	221.70B/183.10A	----	185.90 - 16.30	.4979	----	----	----	----	137 UNCH
4800	----	----	225.50B/185.50A	225.50B/185.50A	----	188.50 - 16.30	.5025	----	----	1	----	1283 UNCH
4805	----	----	227.30B/188.10A	227.30B/188.10A	----	191.10 - 16.40	.5070	----	----	----	----	4 UNCH
4810	----	----	230.20B/190.60A	230.20B/190.60A	----	193.70 - 16.50	.5115	----	----	1	----	8 UNCH
4815	----	----	233.50B/193.20A	233.50B/193.20A	----	196.40 - 16.50	.5161	----	----	----	----	27 UNCH
4820	----	----	236.30B/195.80A	236.30B/195.80A	----	199.00 - 16.60	.5206	----	----	15	----	206 UNCH
4825	----	----	239.30B/198.80A	239.30B/198.80A	----	201.70 - 16.60	.5251	----	----	----	----	33 UNCH
4830	----	----	243.10B/201.30A	243.10B/201.30A	----	204.50 - 16.60	.5297	----	----	----	----	2 UNCH
4835	----	----	245.90B/204.00A	245.90B/204.00A	----	207.20 - 16.60	.5342	----	----	----	----	21 UNCH
4840	----	----	248.10B/206.70A	248.10B/206.70A	----	210.00 - 16.60	.5387	----	----	1	----	9 - 1
4845	----	----	251.40B/209.40A	251.40B/209.40A	----	212.80 - 16.70	.5432	----	----	----	----	74 UNCH
4850	----	----	255.40B/212.10A	255.40B/212.10A	----	215.60 - 16.70	.5477	----	----	----	----	299 UNCH
4855	----	----	258.50B/214.90A	258.50B/214.90A	----	218.50 - 16.70	.5522	----	----	----	----	8 UNCH
4860	----	----	260.50B/217.70A	260.50B/217.70A	----	221.30 - 16.80	.5567	----	----	----	----	1 UNCH
4865	----	----	264.70B/220.50A	264.70B/220.50A	----	224.20 - 16.80	.5611	----	----	----	----	27 UNCH
4870	----	----	268.10B/223.50A	268.10B/223.50A	----	227.20 - 16.80	.5656	----	----	----	----	319 UNCH
4875	----	----	267.90B/226.20A	267.90B/226.20A	----	230.10 - 16.90	.5701	----	----	----	----	71 UNCH
4880	----	----	269.70B/229.10A	269.70B/229.10A	----	233.10 - 16.90	.5745	----	----	3	----	51 + 3
4885	----	----	268.50B/232.00A	268.50B/232.00A	----	236.10 - 16.90	.5789	----	----	----	----	12 UNCH
4890	----	----	270.00B/234.90A	270.00B/234.90A	----	239.10 - 17.00	.5833	----	----	----	----	9 UNCH
4895	----	----	269.70B/238.00A	269.70B/238.00A	----	242.20 - 17.00	.5876	----	----	----	----	48 UNCH
4900	278.00	278.00	278.00/240.80A	278.00/240.80A	----	245.20 - 17.10	.5921	----	----	15	----	243 UNCH
4905	----	----	272.80B/243.90A	272.80B/243.90A	----	248.30 - 17.20	.5964	----	----	----	----	54 UNCH
4910	----	----	274.90B/247.00A	274.90B/247.00A	----	251.40 - 17.20	.6008	----	----	----	----	2 UNCH
4915	----	----	279.40B/249.90A	279.40B/249.90A	----	254.60 - 17.20	.6050	----	----	----	----	118 UNCH
4920	----	----	282.60B/254.00A	282.60B/254.00A	----	257.70 - 17.30	.6093	----	----	----	----	22 UNCH
4925	----	----	284.80B/257.10A	284.80B/257.10A	----	260.90 - 17.40	.6136	----	----	----	----	11 UNCH
4930	----	----	289.00B/260.20A	289.00B/260.20A	----	264.10 - 17.40	.6179	----	----	----	----	52 UNCH
4935	----	----	291.60B/263.30A	291.60B/263.30A	----	267.40 - 17.40	.6221	----	----	----	----	4 UNCH
4940	----	----	294.90B/266.60A	294.90B/266.60A	----	270.60 - 17.60	.6263	----	----	----	----	11 UNCH
4950	----	----	302.80B/272.90A	302.80B/272.90A	----	277.20 - 17.60	.6347	----	----	----	----	106 UNCH
4975	----	----	319.10B/289.50A	319.10B/289.50A	----	294.10 - 17.80	.6553	----	----	----	----	2 UNCH
4980	----	----	322.80B/292.70A	322.80B/292.70A	----	297.50 - 17.90	.6594	----	----	----	----	6 UNCH
4985	----	----	327.40B/296.10A	327.40B/296.10A	----	301.00 - 17.90	.6634	----	----	----	----	104 UNCH
4990	----	----	329.80B/299.60A	329.80B/299.60A	----	304.40 - 18.00	.6673	----	----	----	----	2 UNCH
4995	----	----	333.60B/302.90A	333.60B/302.90A	----	307.90 - 18.10	.6713	----	----	----	----	12 UNCH
5000	315.80	315.80	338.40B/306.40A	338.40B/306.40A	----	311.50 - 18.00	.6752	----	----	2	----	543 UNCH
5005	----	----	340.80B/309.80A	340.80B/309.80A	----	315.00 - 18.10	.6792	----	----	----	----	12 UNCH
5010	----	----	344.50B/313.20A	344.50B/313.20A	----	318.60 - 18.10	.6830	----	----	----	----	9 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
5015	----	----	348.30B/316.80A	348.30B/316.80A	----	322.10 - 18.20	.6869	----	----	----	----	20 UNCH
5020	----	----	347.30B/320.40A	347.30B/320.40A	----	325.70 - 18.30	.6908	----	----	----	----	5 UNCH
5025	----	----	351.00B/324.00A	351.00B/324.00A	----	329.40 - 18.20	.6945	----	----	----	----	150 UNCH
5030	----	----	354.80B/327.50A	354.80B/327.50A	----	333.00 - 18.30	.6982	----	----	----	----	8 UNCH
5035	----	----	358.50B/331.10A	358.50B/331.10A	----	336.70 - 18.30	.7019	----	----	----	----	37 UNCH
5040	----	----	362.30B/334.70A	362.30B/334.70A	----	340.40 - 18.30	.7056	----	----	----	----	10 UNCH
5045	----	----	366.10B/338.30A	366.10B/338.30A	----	344.10 - 18.30	.7093	----	----	----	----	5 UNCH
5050	----	----	369.90B/342.00A	369.90B/342.00A	----	347.80 - 18.40	.7130	----	----	----	----	78 UNCH
5055	----	----	373.70B/345.80A	373.70B/345.80A	----	351.60 - 18.30	.7166	----	----	----	----	3 UNCH
5065	----	----	381.40B/358.90A	381.40B/358.90A	----	359.10 - 18.40	.7237	----	----	----	----	11 UNCH
5075	----	----	389.10B/366.30A	389.10B/366.30A	----	366.70 - 18.50	.7306	----	----	----	----	6 UNCH
5080	----	----	----	220.80B/514.50A	----	370.60 - 18.40	.7340	----	----	----	----	2 UNCH
5085	----	----	396.90B/373.90A	396.90B/373.90A	----	374.40 - 18.50	.7376	----	----	----	----	21 UNCH
5090	----	----	400.80B/377.70A	400.80B/377.70A	----	378.30 - 18.50	.7409	----	----	----	----	6 UNCH
5095	----	----	404.80B/381.50A	404.80B/381.50A	----	382.20 - 18.50	.7441	----	----	----	----	42 UNCH
5100	----	----	408.80B/385.40A	408.80B/385.40A	----	386.10 - 18.50	.7475	----	----	----	----	106 UNCH
5105	----	----	412.80B/389.20A	412.80B/389.20A	----	390.10 - 18.40	.7507	----	----	----	----	22 UNCH
5110	----	----	416.80B/393.10A	416.80B/393.10A	----	394.00 - 18.50	.7541	----	----	----	----	16 UNCH
5115	----	----	420.80B/397.00A	420.80B/397.00A	----	398.00 - 18.50	.7573	----	----	----	----	37 UNCH
5120	----	----	424.80B/400.90A	424.80B/400.90A	----	402.00 - 18.50	.7604	----	----	----	----	14 UNCH
5125	----	----	428.90B/404.80A	428.90B/404.80A	----	406.00 - 18.50	.7634	----	----	----	----	37 UNCH
5130	----	----	432.90B/408.80A	432.90B/408.80A	----	410.00 - 18.50	.7666	----	----	----	----	23 UNCH
5135	----	----	437.00B/412.70A	437.00B/412.70A	----	414.00 - 18.50	.7696	----	----	----	----	9 UNCH
5140	----	----	441.10B/416.70A	441.10B/416.70A	----	418.10 - 18.50	.7728	----	----	----	----	19 UNCH
5145	----	----	----	276.50B/576.70A	----	422.20 - 18.40	.7757	----	----	----	----	2 UNCH
5150	----	----	449.40B/424.70A	449.40B/424.70A	----	426.20 - 18.50	.7787	----	----	----	----	233 UNCH
5155	----	----	453.50B/428.70A	453.50B/428.70A	----	430.30 - 18.50	.7817	----	----	----	----	42 UNCH
5160	----	----	457.70B/432.80A	457.70B/432.80A	----	434.50 - 18.40	.7844	----	----	----	----	42 UNCH
5170	----	----	466.00B/440.90A	466.00B/440.90A	----	442.70 - 18.40	.7902	----	----	----	----	51 UNCH
5175	----	----	470.20B/445.00A	470.20B/445.00A	----	446.90 - 18.40	.7929	----	----	----	----	61 UNCH
5180	----	----	474.40B/449.10A	474.40B/449.10A	----	451.10 - 18.40	.7957	----	----	----	----	10 UNCH
5185	----	----	478.60B/453.20A	478.60B/453.20A	----	455.20 - 18.40	.7984	----	----	----	----	103 UNCH
5190	----	----	482.90B/457.40A	482.90B/457.40A	----	459.40 - 18.40	.8011	----	----	----	----	19 UNCH
5200	----	----	491.40B/465.70A	491.40B/465.70A	----	467.90 - 18.40	.8064	----	----	----	----	57 UNCH
5225	----	----	512.90B/486.70A	512.90B/486.70A	----	489.20 - 18.30	.8191	----	----	----	----	42 UNCH
5230	----	----	----	353.50B/658.50A	----	493.50 - 18.30	.8216	----	----	----	----	2 UNCH
5235	----	----	521.60B/495.20A	521.60B/495.20A	----	497.80 - 18.30	.8239	----	----	----	----	23 UNCH
5245	----	----	----	367.50B/670.80A	----	506.50 - 18.30	.8286	----	----	----	----	2 UNCH
5250	----	----	534.70B/508.00A	534.70B/508.00A	----	510.80 - 18.30	.8310	----	----	----	----	14 UNCH
5255	----	----	539.00B/512.30A	539.00B/512.30A	----	515.20 - 18.30	.8333	----	----	----	----	14 UNCH
5285	----	----	----	403.80B/704.60A	----	541.60 - 18.20	.8464	----	----	----	----	2 UNCH
5290	----	----	569.60B/542.80A	569.60B/542.80A	----	546.00 - 18.20	.8483	----	----	----	----	4 UNCH
5295	----	----	----	412.90B/713.10A	----	550.50 - 18.20	.8505	----	----	----	----	2 UNCH
5300	----	----	578.60B/551.60A	578.60B/551.60A	----	554.90 - 18.20	.8525	----	----	----	----	68 UNCH
5315	----	----	592.10B/564.90A	592.10B/564.90A	----	568.30 - 18.20	.8585	----	----	----	----	10 UNCH
5325	----	----	----	440.10B/739.60A	----	577.30 - 18.20	.8621	----	----	----	----	1 UNCH
5350	----	----	623.90B/596.00A	623.90B/596.00A	----	599.90 - 18.20	.8712	----	----	----	----	8 UNCH
5375	----	----	646.80B/618.60A	646.80B/618.60A	----	622.80 - 18.10	.8796	----	----	----	----	7 UNCH
5390	----	----	660.60B/632.30A	660.60B/632.30A	----	636.50 - 18.10	.8844	----	----	----	----	5 UNCH
5400	----	----	672.40B/639.60A	672.40B/639.60A	----	645.80 - 18.10	.8874	----	----	----	----	602 UNCH
5410	----	----	----	519.20B/817.60A	----	655.00 - 18.10	.8905	----	----	----	----	1 UNCH
5440	----	----	----	547.60B/845.40A	----	682.90 - 18.10	.8989	----	----	----	----	1 UNCH
5475	----	----	740.10B/711.00A	740.10B/711.00A	----	715.80 - 18.00	.9075	----	----	----	----	7 UNCH
5500	----	----	763.80B/734.50A	763.80B/734.50A	----	739.40 - 17.90	.9132	----	----	----	----	3 UNCH
5505	----	----	----	----	----	744.10 - 18.00	.9144	----	----	----	----	1 UNCH
5510	----	----	----	----	----	748.90 - 17.90	.9154	----	----	----	----	1 UNCH
6100	----	----	----	----	----	1326.10 - 16.90	.9733	----	----	----	----	2 UNCH
6125	----	----	----	----	----	1350.90 - 16.90	.9743	----	----	----	----	2 UNCH
TOTAL										430		31943 + 137
AUG26												
2300	----	----	----	0.40B/1.00A	----	0.70 - 0.10	.0017	----	----	----	----	36 UNCH
2325	----	----	----	0.50B/1.60A	----	0.80 - 0.10	.0019	----	----	----	----	1 UNCH
2350	----	----	----	0.50B/1.70A	----	0.90 UNCH	.0021	----	----	----	----	2 UNCH
2375	----	----	----	0.60B/1.80A	----	0.90 - 0.10	.0022	----	----	----	----	7 UNCH
2400	----	----	----	0.70B/1.80A	----	1.00 - 0.10	.0024	----	----	----	----	5 UNCH
2425	----	----	----	0.70B/1.90A	----	1.10 - 0.10	.0026	----	----	----	----	1 UNCH
2475	----	----	----	0.80B/2.00A	----	1.20 - 0.10	.0029	----	----	----	----	5 UNCH
2500	----	----	----	0.90B/2.10A	----	1.30 - 0.10	.0031	----	----	----	----	7 UNCH
2570	----	----	----	1.30B/2.10A	----	1.50 - 0.20	.0037	----	----	----	----	9 UNCH
2580	----	----	----	1.30B/2.10A	----	1.60 - 0.10	.0039	----	----	----	----	1 UNCH
2590	----	----	----	1.30B/2.10A	----	1.60 - 0.10	.0039	----	----	----	----	2 UNCH
2600	----	----	----	1.40B/2.20A	----	1.60 - 0.20	.0040	----	----	----	----	6 UNCH
2615	----	----	----	1.50B/2.20A	----	1.70 - 0.10	.0042	----	----	----	----	1 UNCH
2625	----	----	----	1.50B/2.20A	----	1.70 - 0.10	.0042	----	----	----	----	2 UNCH
2640	----	----	----	1.60B/2.30A	----	1.80 - 0.10	.0045	----	----	----	----	1 UNCH
2665	----	----	----	1.70B/2.40A	----	1.90 - 0.10	.0047	----	----	----	----	1 UNCH
2685	----	----	----	1.70B/2.30A	----	1.90 - 0.10	.0048	----	----	----	----	1 UNCH
2690	----	----	----	1.80B/2.30A	----	2.00 - 0.10	.0050	----	----	----	----	1 UNCH
2730	----	----	----	1.90B/2.50A	----	2.10 - 0.10	.0053	----	----	----	----	1 UNCH
2745	----	----	----	2.00B/2.50A	----	2.20 - 0.10	.0056	----	----	----	----	1 UNCH
2750	----	----	----	2.00B/2.50A	----	2.20 - 0.10	.0056	----	----	----	----	4 UNCH
2800	----	----	----	2.20B/2.70A	----	2.40 - 0.10	.0062	----	----	----	----	33 UNCH
2860	----	----	----	2.50B/2.90A	----	2.70 - 0.10	.0070	----	----	----	----	1 UNCH
2950	----	----	----	3.00B/3.40A	----	3.20 - 0.20	.0085	----	----	----	----	8 UNCH
3000	----	----	----	3.30B/3.80A	----	3.50 - 0.20	.0094	----	----	3	----	265 + 3
3005	----	----	----	3.30B/3.90A	----	3.50 - 0.20	.0094	----	----	----	----	5 UNCH
3010	----	----	----	3.30B/3.90A	----	3.60 - 0.20	.0097	----	----	----	----	1 UNCH
3015	----	----	----	3.40B/4.00A	----	3.60 - 0.20	.0097	----	----	----	----	1 UNCH
3025	----	----	----	3.50B/4.00A	----	3.70 - 0.20	.0100	----	----	----	----	5 UNCH
3040	----	----	----	3.60B/4.10A	----	3.80 - 0.20	.0103	----	----	----	----	1 UNCH
3065	----	----	----	3.70B/4.30A	----	3.90 - 0.30	.0106	----	----	----	----	1 UNCH
3090	----	----	----	3.90B/4.40A	----	4.10 - 0.30	.0112	----	----	----	----	1 UNCH
3095	----	----	----	3.90B/4.40A	----	4.20 - 0.20	.0115	----	----	----	----	1 UNCH
3100	----	----	----	4.00B/4.50A	----	4.20 - 0.20	.0115	----	----	----	----	139 UNCH
3110	----	----	----	4.10B/4.50A	----	4.30 - 0.20	.0118	----	----	----	----	15 UNCH
3120	----	----	----	4.20B/4.60A	----	4.40 - 0.20	.0121	----	----	----	----	29 UNCH
3130	----	----	----/4.40A	4.20B/4.40A	----	4.40 - 0.30	.0122	----	----	----	----	5 UNCH
3145	----	----	----	4.40B/4.80A	----	4.60 - 0.20	.0127	----	----	----	----	1 UNCH
3150	----	----	----/4.80A	4.40B/4.80A	----	4.60 - 0.30	.0128	----	----	----	----	10 UNCH
3155	----	----	----	4.50B/4.90A	----	4.60 - 0.30	.0128	----	----	----	----	3 UNCH
3160	----	----	----/4.90A	4.50B/4.90A	----	4.70 - 0.30	.0130	----	----	----	----	1 UNCH
3165	----	----	----/4.90A	4.60B/4.90A	----	4.70 - 0.30	.0131	----	----	----	----	141 UNCH
3170	----	----	----/5.00A	4.60B/5.00A	----	4.80 - 0.30	.0133	----	----	----	----	1 UNCH
3180	----	----	----/5.10A	4.70B/5.10A	----	4.90 - 0.30	.0136	----	----	----	----	25 UNCH
3185	----	----	----/5.10A	4.70B/5.10A	----	4.90 - 0.30	.0137	----	----	----	----	1 UNCH
3190	----	----	----/5.10A	4.80B/5.10A	----	4.90 - 0.40	.0137	----	----	----	----	881 UNCH
3195	----	----	----/5.20A	4.80B/5.20A	----	5.00 - 0.30	.0140	----	----	----	----	1 UNCH
3200	----	----	----/5.20A	4.90B/5.20A	----	5.00 - 0.40	.0140	----	----	----	----	406 UNCH
3250	----	----	----/5.70A	5.40B/5.70A	----	5.50 - 0.40	.0156	----	----	----	----	405 UNCH
3260	----	----	----/5.80A	5.70B/5.80A	----	5.60 - 0.40	.0159	----	----	----	----	30 UNCH
3300	----	----	----/6.20A	6.00B/6.20A	----	6.10 - 0.40	.0174	----	----	----	----	164 UNCH
3350	----	----	----/6.80A	6.70B/6.80A	----	6.70 - 0.50	.0194	----	----	----	----	375 UNCH
3370	----	----	----/7.00A	7.00B/7.00A	----	6.90 - 0.60	.0201	----	----	----	----	1 UNCH
3375	----	----	----/7.00A	7.10B/7.00A	----	7.00 - 0.60	.0203	----	----	----	----	15 UNCH
3380	----	----	----/7.10A	7.30B/7.10A	----	7.10 - 0.60	.0206	----	----	----	----	1 UNCH
3390	----	----	----/7.20A	7.30B/7.20A	----	7.20 - 0.60	.0210	----	----	----	----	1 UNCH
3400	----	----	----/7.30A	7.40B/7.30A	----	7.30 - 0.70	.0213	----	----	----	----	23 UNCH
3405	----	----	----/7.40A	7.50B/7.40A	----	7.40 - 0.70	.0216	----	----	----	----	4 UNCH
3450	----	----	----/8.10A	8.30B/8.10A	----	8.10 - 0.80	.0239	----	----	----	----	1 UNCH
3465	----	----	----/8.30A	8.60B/8.30A	----	8.40 - 0.80	.0248	----	----	----	----	6 UNCH
3470	----	----	----/8.40A	8.70B/8.40A	----	8.40 - 0.90	.0249	----	----	----	----	1 UNCH
3495	----	----	----/8.90A	9.20B/8.90A	----	8.90 - 0.90	.0264	----	----	----	----	1 UNCH
3500	----	----	----/9.00A	9.30B/9.00A	----	9.00 - 0.90	.0267	----	----	----	----	821 UNCH
3505	----	----	----/9.00A	9.40B/9.00A	----	9.10 - 0.90	.0270	----	----	----	----	1 UNCH
3510	----	----	----/9.10A	9.50B/9.10A	----	9.20 - 0.90	.0273	----	----	----	----	50 UNCH
3520	----	----	----/9.30A	9.80B/9.30A	----	9.40 - 1.00	.0280	----	----	----	----	210 UNCH
3525	----	----	----/9.40A	9.80B/9.40A	----	9.50 - 1.00	.0283	----	----	----	----	60 UNCH
3545	----	----	----/9.80A	10.30B/9.80A	----	9.90 - 1.00	.0296	----	----	----	----	9 UNCH
3550	----	----	----/9.90A	10.40B/9.90A	----	10.00 - 1.10	.0299	----	----	----	----	118 UNCH
3570	----	----	----/10.40A	11.10B/10.40A	----	10.40 - 1.20	.0312	----	----	----	----	32 UNCH
3575	----	----	----/10.50A	11.10B/10.50A	----	10.50 - 1.20	.0315	----	----	----	----	20 UNCH
3585	----	----	----/10.70A	11.30B/10.70A	----	10.70 - 1.30	.0322	----	----	----	----	50 UNCH
3600	----	----	----/11.10A	11.80B/11.10A	----	11.10 - 1.30	.0334	----	----	----	----	455 UNCH
3610	----	----	----/11.30A	12.10B/11.30A	----	11.30 - 1.40	.0341	----	----	----	----	1 UNCH
3630	----	----	----/11.80A	12.80B/11.80A	----	11.80 - 1.50	.0357	----	----	----	----	8 UNCH
3645	----	----	----/12.20A	13.30B/12.20A	----	12.20 - 1.50	.0370	----	----	----	----	22 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
3650	----	----	----/12.40A	13.40B/12.40A	----	12.40 - 1.50	.0375	----	----	----	----	40 UNCH
3655	----	----	----/12.50A	13.60B/12.50A	----	12.50 - 1.60	.0379	----	----	----	----	55 UNCH
3660	----	----	----/12.70A	13.70B/12.70A	----	12.70 - 1.50	.0385	----	----	----	----	9 UNCH
3665	----	----	----/12.80A	14.00B/12.80A	----	12.80 - 1.60	.0388	----	----	----	----	1 UNCH
3675	----	----	----/13.10A	14.30B/13.10A	----	13.10 - 1.60	.0398	----	----	----	----	24 UNCH
3690	----	----	----/13.60A	15.00B/13.60A	----	13.60 - 1.60	.0413	----	----	----	----	13 UNCH
3700	----	----	----/13.90A	15.30B/13.90A	----	13.90 - 1.70	.0422	----	----	----	----	219 UNCH
3705	----	----	----/14.00A	15.50B/14.00A	----	14.00 - 1.80	.0426	----	----	----	----	20 UNCH
3715	----	----	----/14.40A	15.90B/14.40A	----	14.40 - 1.80	.0438	----	----	----	----	30 UNCH
3725	----	----	----/14.70A	16.30B/14.70A	----	14.70 - 1.90	.0448	----	----	----	----	4 UNCH
3730	----	----	----/14.90A	16.50B/14.90A	----	14.90 - 1.90	.0454	----	----	----	----	10 UNCH
3750	----	----	----/15.60A	17.50B/15.60A	----	15.60 - 2.00	.0476	----	----	----	----	83 UNCH
3765	----	----	----/16.20A	18.00B/16.20A	----	16.10 - 2.10	.0492	----	----	----	----	100 UNCH
3770	----	----	----/16.40A	18.20B/16.40A	----	16.30 - 2.20	.0498	----	----	----	----	4 UNCH
3775	----	----	----/16.50A	18.50B/16.50A	----	16.50 - 2.20	.0504	----	----	----	----	12 UNCH
3790	----	----	21.10B/17.00A	21.10B/17.00A	----	17.10 - 2.30	.0523	----	----	----	----	2 UNCH
3795	----	----	21.30B/17.20A	21.30B/17.20A	----	17.30 - 2.30	.0529	----	----	----	----	81 UNCH
3800	----	----	21.60B/17.40A	21.60B/17.40A	----	17.60 - 2.20	.0537	----	----	----	----	323 UNCH
3805	----	----	21.90B/17.60A	21.90B/17.60A	----	17.80 - 2.30	.0543	----	----	----	----	4 UNCH
3810	----	----	22.20B/17.80A	22.20B/17.80A	----	18.00 - 2.30	.0550	----	----	----	----	50 UNCH
3815	----	----	22.50B/18.10A	22.50B/18.10A	----	18.20 - 2.40	.0556	----	----	----	----	150 UNCH
3820	----	----	22.70B/18.30A	22.70B/18.30A	----	18.40 - 2.40	.0562	----	----	----	----	52 UNCH
3825	----	----	23.00B/18.50A	23.00B/18.50A	----	18.70 - 2.40	.0571	----	----	----	----	51 UNCH
3835	----	----	23.60B/19.00A	23.60B/19.00A	----	19.10 - 2.50	.0584	----	----	----	----	10 UNCH
3845	23.40	23.40	24.20B/19.50A	24.20B/19.50A	----	19.60 NEW	.0599	----	----	1	----	1 + 1
3850	----	----	24.70B/19.70A	24.70B/19.70A	----	19.80 - 2.60	.0605	----	----	----	----	87 UNCH
3855	----	----	24.80B/20.00A	24.80B/20.00A	----	20.10 - 2.60	.0614	----	----	----	----	3 UNCH
3875	----	----	26.10B/21.00A	26.10B/21.00A	----	21.10 - 2.80	.0644	----	----	----	----	10 UNCH
3880	----	----	26.60B/21.20A	26.60B/21.20A	----	21.40 - 2.80	.0653	----	----	----	----	299 UNCH
3885	----	----	26.90B/21.50A	26.90B/21.50A	----	21.60 - 2.90	.0660	----	----	----	----	10 UNCH
3890	----	----	27.20B/21.70A	27.20B/21.70A	----	21.90 - 2.90	.0669	----	----	----	----	73 UNCH
3900	----	----	28.00B/22.30A	28.00B/22.30A	----	22.50 - 2.90	.0686	----	----	----	----	305 UNCH
3910	----	----	28.70B/22.80A	28.70B/22.80A	----	23.00 - 3.10	.0702	----	----	----	----	1 UNCH
3920	----	----	29.50B/23.40A	29.50B/23.40A	----	23.60 - 3.20	.0720	----	----	----	----	12 UNCH
3925	----	----	29.90B/23.70A	29.90B/23.70A	----	23.90 - 3.20	.0729	----	----	----	----	10 UNCH
3930	----	----	30.20B/24.00A	30.20B/24.00A	----	24.20 - 3.20	.0738	----	----	----	----	49 UNCH
3935	----	----	30.60B/24.30A	30.60B/24.30A	----	24.50 - 3.30	.0747	----	----	----	----	11 UNCH
3940	----	----	31.00B/24.60A	31.00B/24.60A	----	24.90 - 3.20	.0758	----	----	----	----	2 UNCH
3950	----	----	31.80B/25.30A	31.80B/25.30A	----	25.50 - 3.40	.0776	----	----	----	----	248 UNCH
3955	----	----	32.30B/25.60A	32.30B/25.60A	----	25.80 - 3.40	.0785	----	----	----	----	10 UNCH
3960	----	----	32.60B/25.90A	32.60B/25.90A	----	26.20 - 3.40	.0796	----	----	----	----	1 UNCH
3965	----	----	33.10B/26.30A	33.10B/26.30A	----	26.50 - 3.50	.0805	----	----	----	----	25 UNCH
3975	----	----	34.00B/27.00A	34.00B/27.00A	----	27.20 - 3.60	.0826	----	----	----	----	267 UNCH
3980	----	----	34.40B/27.30A	34.40B/27.30A	----	27.50 - 3.70	.0835	----	----	----	----	45 UNCH
3985	----	----	34.80B/27.70A	34.80B/27.70A	----	27.90 - 3.70	.0847	----	----	----	----	2 UNCH
3990	----	----	35.30B/28.00A	35.30B/28.00A	----	28.30 - 3.70	.0858	----	----	----	----	44 UNCH
3995	----	----	35.70B/28.40A	35.70B/28.40A	----	28.60 - 3.80	.0867	----	----	----	----	4 UNCH
4000	31.40	31.40	36.20B/28.40	36.20B/28.40	----	29.00 - 3.80	.0879	----	----	182	----	1352 + 36
4005	----	----	36.70B/29.10A	36.70B/29.10A	----	29.40 - 3.80	.0890	----	----	----	----	3 UNCH
4010	----	----	37.10B/29.50A	37.10B/29.50A	----	29.80 - 3.90	.0901	----	----	----	----	78 UNCH
4025	----	----	38.60B/30.70A	38.60B/30.70A	----	31.00 - 4.00	.0936	----	----	----	----	101 UNCH
4030	----	----	39.10B/31.10A	39.10B/31.10A	----	31.40 - 4.10	.0948	----	----	----	----	50 UNCH
4040	----	----	40.10B/31.90A	40.10B/31.90A	----	32.20 - 4.20	.0971	----	----	----	----	25 UNCH
4045	----	----	40.70B/32.30A	40.70B/32.30A	----	32.60 - 4.30	.0983	----	----	----	----	30 UNCH
4050	----	----	41.20B/32.80A	41.20B/32.80A	----	33.10 - 4.20	.0996	----	----	----	----	300 UNCH
4065	----	----	42.80B/34.10A	42.80B/34.10A	----	34.40 - 4.40	.1033	----	----	----	----	4 UNCH
4075	37.20	37.20	44.00B/35.00A	44.00B/35.00A	----	35.30 - 4.50	.1059	----	----	10	----	11 + 6
4080	----	----	44.60B/35.40A	44.60B/35.40A	----	35.80 - 4.60	.1073	----	----	----	----	6 UNCH
4085	----	----	45.10B/35.90A	45.10B/35.90A	----	36.20 - 4.70	.1085	----	----	----	----	28 UNCH
4095	----	----	46.40B/36.90A	46.40B/36.90A	----	37.20 - 4.80	.1113	----	----	----	----	4 UNCH
4100	----	----	46.90B/37.40A	46.90B/37.40A	----	37.70 - 4.80	.1127	----	----	----	----	136 UNCH
4110	----	----	48.20B/38.40A	48.20B/38.40A	----	38.70 - 5.00	.1155	----	----	----	----	1 UNCH
4115	41.30	41.30	48.90B/38.90A	48.90B/38.90A	----	39.30 - 4.90	.1171	----	----	10	----	16 + 10
4120	----	----	49.50B/39.40A	49.50B/39.40A	----	39.80 - 5.00	.1185	----	----	----	----	1 UNCH
4130	----	----	50.70B/40.50A	50.70B/40.50A	----	40.80 - 5.20	.1213	----	----	----	----	5 UNCH
4135	----	----	51.50B/41.00A	51.50B/41.00A	----	41.40 - 5.20	.1229	----	----	----	----	54 UNCH
4140	----	----	52.00B/41.60A	52.00B/41.60A	----	42.00 - 5.20	.1245	----	----	----	----	1 UNCH
4145	----	----	52.90B/42.10A	52.90B/42.10A	----	42.50 - 5.40	.1259	----	----	----	----	20 UNCH
4150	----	----	53.50B/42.70A	53.50B/42.70A	----	43.10 - 5.40	.1275	----	----	----	----	360 UNCH
4160	----	----	54.90B/43.80A	54.90B/43.80A	----	44.30 - 5.50	.1308	----	----	----	----	66 UNCH
4165	----	----	55.60B/44.40A	55.60B/44.40A	----	44.80 - 5.60	.1322	----	----	----	----	101 UNCH
4170	----	----	56.40B/45.00A	56.40B/45.00A	----	45.50 - 5.60	.1340	----	----	----	----	77 UNCH
4175	----	----	57.20B/45.60A	57.20B/45.60A	----	46.10 - 5.70	.1356	----	----	----	----	25 UNCH
4180	----	----	57.80B/46.20A	57.80B/46.20A	----	46.70 - 5.80	.1373	----	----	----	----	93 UNCH
4185	----	----	58.50B/46.80A	58.50B/46.80A	----	47.30 - 5.90	.1389	----	----	----	----	41 UNCH
4190	----	----	59.40B/47.50A	59.40B/47.50A	----	48.00 - 5.90	.1407	----	----	----	----	141 UNCH
4195	----	----	60.10B/48.10A	60.10B/48.10A	----	48.60 - 6.00	.1424	----	----	----	----	143 UNCH
4200	----	----	60.90B/48.80A	60.90B/48.80A	----	49.30 - 6.00	.1442	----	----	31	----	230 + 6
4205	----	----	61.70B/49.40A	61.70B/49.40A	----	49.90 - 6.10	.1459	----	----	----	----	306 UNCH
4215	----	----	63.30B/50.90A	63.30B/50.90A	----	51.30 - 6.20	.1495	----	----	----	----	18 UNCH
4220	----	----	64.20B/51.50A	64.20B/51.50A	----	52.00 - 6.30	.1513	----	----	----	----	12 UNCH
4225	----	----	65.10B/52.10A	65.10B/52.10A	----	52.70 - 6.30	.1532	----	----	----	----	1 UNCH
4230	----	----	65.80B/52.90A	65.80B/52.90A	----	53.40 - 6.40	.1550	----	----	----	----	10 UNCH
4235	----	----	66.90B/53.50A	66.90B/53.50A	----	54.10 - 6.50	.1569	----	----	----	----	1 UNCH
4245	----	----	68.70B/55.10A	68.70B/55.10A	----	55.60 - 6.60	.1607	----	----	----	----	32 UNCH
4250	----	----	69.40B/55.80A	69.40B/55.80A	----	56.30 - 6.80	.1626	----	----	50	----	427 + 28
4255	----	----	70.20B/56.40A	70.20B/56.40A	----	57.10 - 6.80	.1646	----	----	----	----	883 UNCH
4260	----	----	71.10B/57.30A	71.10B/57.30A	----	57.90 - 6.80	.1666	----	----	----	----	8 UNCH
4270	----	----	73.20B/58.90A	73.20B/58.90A	----	59.40 - 7.10	.1706	----	----	----	----	3 UNCH
4275	----	----	73.90B/59.60A	73.90B/59.60A	----	60.20 - 7.10	.1726	----	----	----	----	12 UNCH
4280	----	----	75.00B/60.40A	75.00B/60.40A	----	61.00 - 7.20	.1746	----	----	----	----	50 UNCH
4285	----	----	76.10B/61.30A	76.10B/61.30A	----	61.90 - 7.20	.1768	----	----	----	----	170 UNCH
4290	----	----	77.10B/62.10A	77.10B/62.10A	----	62.70 - 7.30	.1789	----	----	----	----	2 UNCH
4295	----	----	78.20B/63.00A	78.20B/63.00A	----	63.50 - 7.50	.1810	----	----	----	----	2 UNCH
4300	66.30	66.30	79.10B/63.60A	79.10B/63.60A	----	64.40 - 7.50	.1832	----	----	206	----	640 + 116
4305	----	----	80.10B/64.60A	80.10B/64.60A	----	65.30 - 7.50	.1854	----	----	----	----	101 UNCH
4310	----	----	81.20B/65.60A	81.20B/65.60A	----	66.20 - 7.60	.1876	----	----	----	----	2 UNCH
4315	----	----	82.10B/66.40A	82.10B/66.40A	----	67.00 - 7.80	.1897	----	----	----	----	8 UNCH
4320	----	----	83.20B/67.30A	83.20B/67.30A	----	67.90 - 7.90	.1919	----	----	----	----	5 UNCH
4325	----	----	84.40B/68.10A	84.40B/68.10A	----	68.90 - 7.80	.1943	----	----	----	----	287 UNCH
4330	----	----	85.40B/69.10A	85.40B/69.10A	----	69.80 - 8.00	.1965	----	----	----	----	103 UNCH
4335	----	----	86.50B/70.10A	86.50B/70.10A	----	70.70 - 8.10	.1987	----	----	----	----	1 UNCH
4340	----	----	87.70B/71.00A	87.70B/71.00A	----	71.70 - 8.10	.2011	----	----	----	----	2 UNCH
4350	----	----	90.00B/72.80A	90.00B/72.80A	----	73.60 - 8.30	.2058	----	----	----	----	672 UNCH
4355	----	----	90.90B/73.90A	90.90B/73.90A	----	74.60 - 8.40	.2082	----	----	----	----	2 UNCH
4360	----	----	92.10B/74.90A	92.10B/74.90A	----	75.60 - 8.50	.2106	----	----	----	----	61 UNCH
4365	----	----	93.20B/75.90A	93.20B/75.90A	----	76.60 - 8.60	.2130	----	----	----	----	100 UNCH
4375	----	----	95.50B/78.00A	95.50B/78.00A	----	78.70 - 8.70	.2179	----	----	----	----	8 UNCH
4380	----	----	96.80B/79.00A	96.80B/79.00A	----	79.80 - 8.70	.2205	----	----	----	----	1 UNCH
4385	----	----	98.10B/80.00A	98.10B/80.00A	----	80.80 - 8.90	.2229	----	----	----	----	8 UNCH
4390	----	----	99.30B/81.10A	99.30B/81.10A	----	81.90 - 9.00	.2254	----	----	----	----	16 UNCH
4395	----	----	100.70B/82.20A	100.70B/82.20A	----	83.00 - 9.10	.2280	----	----	----	----	2 UNCH
4400	105.00	105.00	105.00/83.10A	105.00/83.10A	----	84.10 - 9.10	.2306	----	----	281	325	1326 + 367
4405	----	----	103.30B/84.40A	103.30B/84.40A	----	85.20 - 9.30	.2331	----	----	----	----	12 UNCH
4410	----	----	104.50B/85.60A	104.50B/85.60A	----	86.40 - 9.30	.2358	----	----	----	----	1 UNCH
4415	----	----	105.80B/86.70A	105.80B/86.70A	----	87.50 - 9.40	.2384	----	----	----	----	136 UNCH
4420	----	----	107.10B/87.90A	107.10B/87.90A	----	88.70 - 9.50	.2411	----	----	----	----	2 UNCH
4425	----	----	108.40B/89.10A	108.40B/89.10A	----	89.90 - 9.50	.2438	----	----	----	----	3 UNCH
4430	----	----	109.90B/90.20A	109.90B/90.20A	----	91.10 - 9.60	.2465	----	----	----	----	24 UNCH
4435	----	----	111.40B/91.40A	111.40B/91.40A	----	92.30 - 9.70	.2492	----	----	----	----	6 UNCH
4440	93.20	93.20	112.80B/92.60A	112.80B/92.60A	----	93.50 - 9.80	.2520	----	----	38	----	53 + 4
4445	----	----	114.30B/93.90A	114.30B/93.90A	----	94.80 - 9.90	.2548	----	----	----	----	1 UNCH
4450	----	----	115.70B/95.10A	115.70B/95.10A	----	96.00 - 10.00	.2575	----	----	----	----	329 UNCH
4455	----	----	116.90B/96.40A	116.90B/96.40A	----	97.30 - 10.10	.2604	----	----	----	----	230 UNCH
4460	----	----	118.40B/97.60A	118.40B/97.60A	----	98.60 - 10.10	.2632	----	----	----	----	4 UNCH
4465	----	----	119.80B/98.90A	119.80B/98.90A	----	99.90 - 10.20	.2661	----	----	----	----	18 UNCH
4470	----	----	121.40B/100.40A	121.40B/100.40A	----	101.20 - 10.30	.2689	----	----	----	----	118 UNCH
4475	----	----	123.00B/101.80A	123.00B/101.80A	----	102.50 - 10.50	.2718	----	----	----	----	36 UNCH
4480	----	----	124.70B/103.10A	124.70B/103.10A	----	103.90 - 10.50	.2747	----	----	----	----	143 UNCH
4485	----	----	126.00B/104.50A	126.00B/104.50A	----	105.30 - 10.50	.2777	----	----	----	----	12 UNCH
4490	----	----	127.70B/105.80A	127.70B/105.80A	----	106.70 - 10.60	.2807	----	----	----	----	3 UNCH
4495	----	----	129.40B/107.20A	129.40B/107.20A	----	108.10 - 10.70	.2836	----	----	----	----	25 UNCH
4500	123.60	123.60	131.10B/108.40A	131.10B/108.40A	----	109.50 - 10.80	.2866	----	----	203	----	1345 + 44
4505	----	----	132.60B/110.00A	132.60B/110.00A	----	110.90 - 10.90	.2896	----	----	----	----	28 UNCH
4510	----	----	134.30B/111.50A	134.30B/111.50A	----	112.40 - 11.00	.2927	----	----	----	----	31 UNCH
4515	----	----	135.70B/112.90A	135.70B/112.90A	----	113.80 - 11.10	.2957	----	----	----	----	3 UNCH
4520	----	----	137.80B/114.40A	137.80B/114.40A	----	115.30 - 11.20	.2988	----	----	----	----	15 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
4525	----	----	139.40B/116.00A	139.40B/116.00A	----	116.80 - 11.30	.3019	----	----	----	----	1 UNCH
4535	----	----	142.70B/119.00A	142.70B/119.00A	----	119.90 - 11.40	.3082	----	----	----	----	10 UNCH
4540	----	----	144.80B/120.50A	144.80B/120.50A	----	121.50 - 11.50	.3114	----	----	----	----	14 UNCH
4545	----	----	146.50B/122.20A	146.50B/122.20A	----	123.00 - 11.60	.3145	----	----	----	----	21 UNCH
4550	128.20	128.20	148.20B/123.70A	148.20B/123.70A	----	124.60 - 11.70	.3177	----	----	3	----	12 + 2
4555	----	----	150.10B/125.30A	150.10B/125.30A	----	126.20 - 11.80	.3209	----	----	----	----	124 UNCH
4560	----	----	151.70B/126.90A	151.70B/126.90A	----	127.90 - 11.80	.3241	----	----	----	----	15 UNCH
4565	----	----	153.40B/128.60A	153.40B/128.60A	----	129.50 - 11.90	.3274	----	----	----	----	2 UNCH
4570	----	----	155.80B/130.10A	155.80B/130.10A	----	131.20 - 12.00	.3306	----	----	----	----	30 UNCH
4575	----	----	157.10B/131.90A	157.10B/131.90A	----	132.80 - 12.20	.3339	----	----	----	----	11 UNCH
4580	----	----	159.10B/133.60A	159.10B/133.60A	----	134.50 - 12.20	.3372	----	----	----	----	174 UNCH
4585	----	----	161.30B/135.30A	161.30B/135.30A	----	136.20 - 12.30	.3405	----	----	----	----	4 UNCH
4590	----	----	163.40B/137.10A	163.40B/137.10A	----	138.00 - 12.40	.3438	----	----	----	----	10 UNCH
4600	----	----	167.40B/140.60A	167.40B/140.60A	----	141.50 - 12.60	.3505	----	----	----	----	492 UNCH
4605	----	----	168.90B/142.30A	168.90B/142.30A	----	143.30 - 12.70	.3539	----	----	----	----	6 UNCH
4610	----	----	171.20B/144.20A	171.20B/144.20A	----	145.10 - 12.80	.3573	----	----	----	----	2 UNCH
4615	----	----	173.20B/146.00A	173.20B/146.00A	----	146.90 - 12.90	.3607	----	----	----	----	2 UNCH
4620	----	----	175.00B/147.90A	175.00B/147.90A	----	148.70 - 13.00	.3641	----	----	----	----	14 UNCH
4625	----	----	177.10B/149.80A	177.10B/149.80A	----	150.60 - 13.10	.3675	----	----	----	----	202 UNCH
4640	----	----	183.50B/155.50A	183.50B/155.50A	----	156.20 - 13.50	.3779	----	----	----	----	306 UNCH
4645	----	----	186.30B/157.40A	186.30B/157.40A	----	158.20 - 13.60	.3814	----	----	----	----	131 UNCH
4650	----	----	188.30B/159.30A	188.30B/159.30A	----	160.10 - 13.70	.3849	----	----	----	----	387 UNCH
4660	----	----	192.80B/163.40A	192.80B/163.40A	----	164.00 - 14.00	.3919	----	----	----	----	24 UNCH
4665	----	----	194.30B/165.60A	194.30B/165.60A	----	166.00 - 14.10	.3954	----	----	----	----	4 UNCH
4670	----	----	197.10B/167.40A	197.10B/167.40A	----	168.10 - 14.20	.3990	----	----	----	----	3 UNCH
4675	----	----	199.00B/169.60A	199.00B/169.60A	----	170.10 - 14.30	.4025	----	----	----	----	4 UNCH
4680	----	----	201.30B/171.70A	201.30B/171.70A	----	172.10 - 14.50	.4061	----	----	----	----	8 UNCH
4685	----	----	203.90B/173.70A	203.90B/173.70A	----	174.20 - 14.60	.4096	----	----	----	----	22 UNCH
4695	177.70	177.70	208.80B/177.70	208.80B/177.70	----	178.50 NEW	.4168	----	----	2	----	2 + 2
4700	----	----	211.00B/180.20A	211.00B/180.20A	----	180.60 - 15.00	.4204	----	----	81	----	329 + 12
4705	----	----	213.60B/182.50A	213.60B/182.50A	----	182.80 - 15.10	.4241	----	----	----	----	52 UNCH
4710	----	----	216.10B/184.60A	216.10B/184.60A	----	185.00 - 15.20	.4277	----	----	----	----	7 UNCH
4715	----	----	218.60B/187.10A	218.60B/187.10A	----	187.20 - 15.30	.4313	----	----	----	----	1 UNCH
4720	----	----	220.60B/189.20A	220.60B/189.20A	----	189.40 - 15.40	.4350	----	----	----	----	10 UNCH
4725	----	----	223.10B/191.40A	223.10B/191.40A	----	191.70 - 15.50	.4386	----	----	----	----	30 UNCH
4730	----	----	226.20B/193.80A	226.20B/193.80A	----	194.00 - 15.60	.4423	----	----	----	----	1 UNCH
4735	----	----	227.70B/196.00A	227.70B/196.00A	----	196.30 - 15.70	.4459	----	----	----	----	59 UNCH
4740	----	----	231.50B/198.30A	231.50B/198.30A	----	198.60 - 15.80	.4496	----	----	----	----	41 UNCH
4745	----	----	233.60B/200.60A	233.60B/200.60A	----	201.00 - 15.90	.4533	----	----	----	----	24 UNCH
4750	----	----	236.20B/203.00A	236.20B/203.00A	----	203.40 - 15.90	.4570	----	----	20	----	166 UNCH
4755	226.90	226.90	238.30B/205.30A	238.30B/205.30A	----	205.80 - 16.00	.4607	----	----	16	----	21 + 14
4760	----	----	241.60B/207.60A	241.60B/207.60A	----	208.20 - 16.10	.4643	----	----	----	----	1 UNCH
4770	214.60	214.60	246.10B/212.50A	246.10B/212.50A	----	213.20 NEW	.4717	----	----	20	250	250 + 250
4775	237.20	237.20	248.90B/214.90A	248.90B/214.90A	----	215.70 - 16.30	.4754	----	----	1	----	79 UNCH
4780	----	----	251.60B/217.50A	251.60B/217.50A	----	218.30 - 16.30	.4791	----	----	----	----	16 UNCH
4785	----	----	254.30B/219.80A	254.30B/219.80A	----	220.90 - 16.30	.4828	----	----	----	----	18 UNCH
4790	----	----	257.10B/222.30A	257.10B/222.30A	----	223.50 - 16.30	.4864	----	----	----	----	53 UNCH
4795	----	----	259.90B/224.90A	259.90B/224.90A	----	226.10 - 16.30	.4901	----	----	----	----	101 UNCH
4800	----	----	262.70B/227.30A	262.70B/227.30A	----	228.70 - 16.40	.4938	----	----	10	----	836 + 7
4805	----	----	265.60B/229.90A	265.60B/229.90A	----	231.40 - 16.40	.4975	----	----	----	----	2 UNCH
4810	----	----	268.40B/232.50A	268.40B/232.50A	----	234.10 - 16.40	.5011	----	----	----	----	5 UNCH
4815	----	----	271.30B/235.10A	271.30B/235.10A	----	236.80 - 16.40	.5048	----	----	----	----	2 UNCH
4820	----	----	274.20B/237.90A	274.20B/237.90A	----	239.50 - 16.40	.5084	----	----	----	----	4 UNCH
4825	----	----	278.20B/240.40A	278.20B/240.40A	----	242.30 - 16.40	.5121	----	----	----	----	30 UNCH
4835	----	----	282.90B/245.90A	282.90B/245.90A	----	247.80 - 16.50	.5194	----	----	----	----	36 UNCH
4840	----	----	287.10B/248.60A	287.10B/248.60A	----	250.60 - 16.50	.5230	----	----	----	----	15 UNCH
4850	----	----	292.20B/254.00A	292.20B/254.00A	----	256.20 - 16.60	.5303	----	----	----	----	154 UNCH
4855	----	----	295.00B/256.80A	295.00B/256.80A	----	259.10 - 16.60	.5339	----	----	----	----	11 UNCH
4860	----	----	298.90B/259.40A	298.90B/259.40A	----	261.90 - 16.60	.5375	----	----	----	----	9 UNCH
4865	----	----	301.10B/262.20A	301.10B/262.20A	----	264.80 - 16.70	.5411	----	----	----	----	12 UNCH
4870	----	----	304.90B/265.10A	304.90B/265.10A	----	267.70 - 16.70	.5448	----	----	----	----	28 UNCH
4875	----	----	308.60B/268.00A	308.60B/268.00A	----	270.60 - 16.70	.5483	----	----	----	----	82 UNCH
4880	----	----	310.70B/270.70A	310.70B/270.70A	----	273.60 - 16.70	.5519	----	----	----	----	125 UNCH
4885	----	----	313.60B/273.70A	313.60B/273.70A	----	276.50 - 16.80	.5555	----	----	----	----	8 UNCH
4890	----	----	316.80B/276.50A	316.80B/276.50A	----	279.50 - 16.80	.5591	----	----	----	----	3 UNCH
4900	----	----	324.30B/282.30A	324.30B/282.30A	----	285.50 - 16.90	.5662	----	----	----	----	375 UNCH
4905	----	----	327.70B/285.30A	327.70B/285.30A	----	288.50 - 17.00	.5698	----	----	----	----	29 UNCH
4910	----	----	330.20B/288.30A	330.20B/288.30A	----	291.50 - 17.00	.5733	----	----	----	----	22 UNCH
4920	----	----	334.20B/294.30A	334.20B/294.30A	----	297.70 - 17.10	.5803	----	----	----	----	3 UNCH
4925	----	----	335.10B/297.40A	335.10B/297.40A	----	300.80 - 17.10	.5838	----	----	3	----	53 + 3
4930	----	----	336.00B/300.50A	336.00B/300.50A	----	303.90 - 17.20	.5873	----	----	----	----	1 UNCH
4950	----	----	344.60B/312.80A	344.60B/312.80A	----	316.60 - 17.30	.6012	----	----	----	----	31 UNCH
4955	----	----	347.90B/316.10A	347.90B/316.10A	----	319.80 - 17.40	.6046	----	----	----	----	1 UNCH
4980	----	----	360.40B/332.20A	360.40B/332.20A	----	336.20 - 17.50	.6214	----	----	----	----	1 UNCH
5000	----	----	374.30B/345.30A	374.30B/345.30A	----	349.60 - 17.60	.6346	----	----	----	----	323 UNCH
5010	----	----	381.20B/352.10A	381.20B/352.10A	----	356.50 - 17.60	.6411	----	----	----	----	1 UNCH
5025	----	----	391.90B/362.10A	391.90B/362.10A	----	366.90 - 17.60	.6508	----	----	----	----	25 UNCH
5030	----	----	395.40B/365.70A	395.40B/365.70A	----	370.40 - 17.60	.6539	----	----	----	----	1 UNCH
5040	----	----	402.70B/372.50A	402.70B/372.50A	----	377.50 - 17.60	.6602	----	----	----	----	4 UNCH
5045	----	----	406.40B/375.90A	406.40B/375.90A	----	381.00 - 17.60	.6633	----	----	----	----	31 UNCH
5050	----	----	410.00B/379.40A	410.00B/379.40A	----	384.60 - 17.60	.6664	----	----	----	----	351 UNCH
5070	----	----	424.70B/393.60A	424.70B/393.60A	----	399.10 - 17.60	.6785	----	----	----	----	17 UNCH
5080	----	----	432.20B/400.80A	432.20B/400.80A	----	406.40 - 17.60	.6845	----	----	----	----	3 UNCH
5100	----	----	442.70B/415.30A	442.70B/415.30A	----	421.20 - 17.60	.6963	----	----	----	----	83 UNCH
5120	----	----	----/430.20A	436.20B/430.20A	----	436.20 - 17.70	.7077	----	----	----	----	2 UNCH
5180	----	----	----	330.30B/652.90A	----	482.70 - 17.90	.7400	----	----	----	----	1 UNCH
5195	----	----	----	342.90B/664.60A	----	494.60 - 18.00	.7476	----	----	----	----	2 UNCH
5200	----	----	521.00B/497.50A	521.00B/497.50A	----	498.60 - 18.00	.7501	----	----	----	----	112 UNCH
5265	----	----	----	403.40B/720.40A	----	551.60 - 18.30	.7808	----	----	----	----	1 UNCH
5300	----	----	604.20B/579.00A	604.20B/579.00A	----	581.00 - 18.30	.7958	----	----	----	----	3 UNCH
5355	----	----	----	484.40B/794.90A	----	628.10 - 18.30	.8175	----	----	----	----	1 UNCH
5400	----	----	691.10B/664.70A	691.10B/664.70A	----	667.50 - 18.20	.8333	----	----	----	----	76 UNCH
5460	----	----	----	580.60B/885.00A	----	721.10 - 18.00	.8523	----	----	----	----	1 UNCH
5500	----	----	780.60B/753.50A	780.60B/753.50A	----	757.30 - 17.90	.8636	----	----	----	----	3 UNCH
5530	----	----	----	644.90B/948.70A	----	784.70 - 17.90	.8714	----	----	----	----	1 UNCH
5575	----	----	----	686.90B/990.30A	----	826.20 - 17.80	.8822	----	----	----	----	2 UNCH
TOTAL										1171	575	25409 + 911
SEP26												
2350	----	----	----	0.10B/7.10A	----	1.30 + 0.20	.0029	----	----	----	----	55 UNCH
2375	----	----	----	0.10B/7.30A	----	1.40 + 0.20	.0031	----	----	----	----	4 UNCH
2400	----	----	----	0.10B/7.40A	----	1.50 + 0.30	.0033	----	----	----	----	1 UNCH
2500	----	----	----	0.10B/7.70A	----	1.90 + 0.30	.0043	----	----	----	----	4 UNCH
2600	----	----	----	0.10B/8.00A	----	2.30 + 0.30	.0053	----	----	----	----	2 UNCH
3000	----	----	----	0.20B/9.80A	----	5.60 + 0.70	.0133	----	----	----	----	2 UNCH
3145	----	----	----	1.20B/10.70A	----	6.90 + 0.30	.0170	----	----	----	----	15 UNCH
3150	----	----	----	1.30B/10.70A	----	7.00 + 0.30	.0173	----	----	----	----	2 UNCH
3200	----	----	----	1.90B/11.30A	----	7.50 + 0.10	.0187	----	----	----	----	1 UNCH
3270	----	----	----	3.10B/12.10A	----	8.30 - 0.30	.0211	----	----	----	----	15 UNCH
3300	----	----	----	3.70B/12.60A	----	8.70 - 0.40	.0223	----	----	----	----	1 UNCH
3475	----	----	----	7.60B/16.20A	----	11.80 - 1.30	.0312	----	----	----	----	2 UNCH
3480	----	----	----	6.70B/16.70A	----	11.90 - 1.30	.0315	----	----	----	----	780 UNCH
3500	----	----	----	8.20B/16.90A	----	12.30 - 1.50	.0327	----	----	----	----	21 UNCH
3525	----	----	----	8.90B/17.70A	----	13.00 - 1.60	.0346	----	----	----	----	2 UNCH
3550	----	----	----	9.70B/18.50A	----	13.60 - 1.80	.0364	----	----	----	----	3 UNCH
3565	----	----	----	9.30B/19.60A	----	14.00 - 1.90	.0375	----	----	----	----	1 UNCH
3610	----	----	----	10.80B/21.40A	----	15.40 - 2.10	.0414	----	----	----	----	1 UNCH
3625	----	----	----	12.30B/21.40A	----	16.00 - 2.10	.0429	----	----	----	----	1 UNCH
3650	----	----	----	13.20B/22.40A	----	16.90 - 2.20	.0454	----	----	----	----	66 UNCH
3690	----	----	----	14.00B/25.00A	----	18.50 - 2.40	.0497	----	----	----	----	60 UNCH
3700	----	----	----	15.40B/24.70A	----	18.90 - 2.50	.0508	----	----	----	----	147 UNCH
3720	----	----	----	19.80B/26.60A	----	19.80 - 2.60	.0532	----	----	----	----	50 UNCH
3750	----	----	----	21.70B/27.40A	----	21.30 - 2.60	.0571	----	----	----	----	80 UNCH
3755	----	----	----	22.00B/28.40A	----	21.50 - 2.70	.0577	----	----	----	----	310 UNCH
3800	----	----	----/24.60A	26.50B/24.60A	----	24.00 - 2.90	.0641	----	----	----	----	2 UNCH
3850	----	----	----/27.50A	29.70B/27.50A	----	27.10 - 3.10	.0720	----	----	----	----	20 UNCH
3880	----	----	----/29.40A	31.70B/29.40A	----	29.20 - 3.20	.0773	----	----	----	----	26 UNCH
3900	----	----	----/30.90A	32.90B/30.90A	----	30.60 - 3.40	.0809	----	----	----	----	211 UNCH
3910	----	----	----/31.80A	33.90B/31.80A	----	31.40 - 3.40	.0828	----	----	----	----	2 UNCH
3920	----	----	----/32.30A	34.80B/32.30A	----	32.10 - 3.50	.0846	----	----	----	----	14 UNCH
3930	----	----	----/33.10A	35.60B/33.10A	----	32.90 - 3.60	.0866	----	----	----	----	2 UNCH
3945	----	----	----/34.40A	37.10B/34.40A	----	34.10 - 3.70	.0896	----	----	----	----	380 UNCH
3950	----	----	----/34.70A	37.50B/34.70A	----	34.60 - 3.70	.0908	----	----	----	----	324 UNCH
4000	----	----	----/39.10A	42.70B/39.10A	----	39.00 - 4.20	.1016	----	----	----	----	895 UNCH
4005	----	----	----/39.50A	43.20B/39.50A	----	39.50 - 4.20	.1028	----	----	----	----	1 UNCH
4020	----	----	----/41.30A	44.90B/41.30A	----	40.90 - 4.40	.1062	----	----	----	----	14 UNCH
4030	----	----	----/42.30A	46.10B/42.30A	----	41.90 - 4.50	.1087	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
SEP26												
4050	----	----	----/44.20A	48.40B/44.20A	----	44.00 - 4.70	.1137	----	----	----	----	47 UNCH
4080	----	----	----/47.50A	52.40B/47.50A	----	47.30 - 5.10	.1215	----	----	----	----	4 UNCH
4085	----	----	----/48.10A	53.00B/48.10A	----	47.90 - 5.10	.1229	----	----	----	----	76 UNCH
4100	----	----	----/49.90A	55.00B/49.90A	----	49.60 - 5.40	.1269	----	----	----	----	22 UNCH
4130	----	----	59.20B/53.50A	59.20B/53.50A	----	53.40 - 5.70	.1357	----	----	----	----	20 UNCH
4135	----	----	----/54.10A	59.80B/54.10A	----	54.00 - 5.80	.1371	----	----	----	----	3 UNCH
4150	----	----	62.10B/56.00A	62.10B/56.00A	----	56.00 - 6.00	.1417	----	----	----	----	4 UNCH
4185	----	----	68.30B/60.80A	68.30B/60.80A	----	60.90 - 6.50	.1528	----	----	----	----	76 UNCH
4200	----	----	70.60B/63.10A	70.60B/63.10A	----	63.20 - 6.60	.1579	----	----	8	----	113 UNCH
4220	----	----	74.30B/66.20A	74.30B/66.20A	----	66.30 - 6.90	.1648	----	----	----	----	113 UNCH
4225	----	----	74.90B/67.00A	74.90B/67.00A	----	67.10 - 7.00	.1665	----	----	----	----	3 UNCH
4230	----	----	75.90B/67.90A	75.90B/67.90A	----	67.90 - 7.10	.1683	----	----	----	----	1 UNCH
4240	----	----	78.40B/69.50A	78.40B/69.50A	----	69.50 - 7.30	.1718	----	----	----	----	56 UNCH
4250	----	----	79.60B/71.20A	79.60B/71.20A	----	71.20 - 7.40	.1755	----	----	14	----	88 UNCH
4300	----	----	90.20B/80.30A	90.20B/80.30A	----	80.20 - 8.20	.1947	----	----	6	----	96 + 6
4320	----	----	94.50B/84.20A	94.50B/84.20A	----	84.20 - 8.40	.2030	----	----	----	----	152 UNCH
4350	----	----	101.60B/90.40A	101.60B/90.40A	----	90.40 - 8.90	.2157	----	----	----	----	20 UNCH
4365	----	----	106.20B/93.60A	106.20B/93.60A	----	93.60 - 9.20	.2222	----	----	----	----	5 UNCH
4390	----	----	112.20B/99.30A	112.20B/99.30A	----	99.30 - 9.50	.2335	----	----	----	----	16 UNCH
4400	----	----	114.80B/101.60A	114.80B/101.60A	----	101.70 - 9.60	.2382	----	----	----	----	36 UNCH
4410	----	----	117.20B/103.90A	117.20B/103.90A	----	104.10 - 9.80	.2428	----	----	----	----	6 UNCH
4420	----	----	120.40B/106.60A	120.40B/106.60A	----	106.60 - 9.90	.2476	----	----	----	----	1 UNCH
4430	----	----	123.40B/109.10A	123.40B/109.10A	----	109.10 - 10.10	.2524	----	----	----	----	2 UNCH
4440	----	----	126.30B/111.50A	126.30B/111.50A	----	111.70 - 10.20	.2573	----	----	----	----	7 UNCH
4450	----	----	129.30B/114.10A	129.30B/114.10A	----	114.30 - 10.40	.2623	----	----	----	----	430 UNCH
4475	----	----	136.90B/121.00A	136.90B/121.00A	----	121.10 - 10.70	.2749	----	----	----	----	3 UNCH
4490	----	----	141.10B/125.20A	141.10B/125.20A	----	125.40 - 10.90	.2827	----	----	----	----	50 UNCH
4500	----	----	144.60B/128.10A	144.60B/128.10A	----	128.30 - 11.00	.2879	----	----	----	----	453 UNCH
4520	----	----	151.70B/134.10A	151.70B/134.10A	----	134.30 - 11.30	.2986	----	----	----	----	91 UNCH
4550	----	----	162.30B/143.60A	162.30B/143.60A	----	143.80 - 11.60	.3151	----	----	----	----	350 UNCH
4560	----	----	165.20B/146.80A	165.20B/146.80A	----	147.10 - 11.70	.3207	----	----	----	----	6 UNCH
4575	152.50	152.50	171.50B/151.80A	171.50B/151.80A	----	152.10 NEW	.3291	----	----	10	----	10 + 10
4580	----	----	173.30B/153.90A	173.30B/153.90A	----	153.90 - 11.80	.3320	----	----	----	----	1 UNCH
4585	----	----	175.40B/155.60A	175.40B/155.60A	----	155.60 - 11.90	.3349	----	----	----	----	1 UNCH
4600	180.00	180.00	181.20B/160.60A	181.20B/160.60A	----	160.90 - 12.00	.3435	----	----	4	----	4 + 4
4605	----	----	183.10B/162.70A	183.10B/162.70A	----	162.70 NEW	.3464	----	----	1	----	1 + 1
4620	----	----	188.50B/167.90A	188.50B/167.90A	----	168.20 - 12.20	.3552	----	----	----	----	502 UNCH
4625	----	----	190.90B/170.00A	190.90B/170.00A	----	170.00 - 12.30	.3582	----	----	----	----	1 UNCH
4645	----	----	199.50B/177.60A	199.50B/177.60A	----	177.70 NEW	.3701	----	----	1	----	1 + 1
4650	----	----	201.80B/179.60A	201.80B/179.60A	----	179.60 - 12.50	.3731	----	----	----	----	2 UNCH
4655	----	----	203.80B/181.30A	203.80B/181.30A	----	181.60 - 12.50	.3761	----	----	----	----	3 UNCH
4700	----	----	223.80B/199.90A	223.80B/199.90A	----	200.10 - 13.10	.4036	----	----	----	----	76 UNCH
4705	----	----	226.10B/202.30A	226.10B/202.30A	----	202.30 - 13.10	.4067	----	----	----	----	2 UNCH
4710	----	----	228.50B/204.30A	228.50B/204.30A	----	204.50 - 13.10	.4098	----	----	----	----	1 UNCH
4725	----	----	235.20B/211.00A	235.20B/211.00A	----	211.10 - 13.40	.4192	----	----	----	----	1 UNCH
4730	----	----	237.60B/213.10A	237.60B/213.10A	----	213.30 - 13.50	.4223	----	----	----	----	5 UNCH
4740	----	----	242.50B/217.80A	242.50B/217.80A	----	217.90 - 13.60	.4286	----	----	----	----	2 UNCH
4750	----	----	247.50B/222.20A	247.50B/222.20A	----	222.50 - 13.80	.4348	----	----	----	----	151 UNCH
4760	----	----	253.50B/226.90A	253.50B/226.90A	----	227.20 - 14.00	.4411	----	----	----	----	100 UNCH
4775	----	----	261.20B/233.80A	261.20B/233.80A	----	234.30 - 14.40	.4506	----	----	----	----	18 UNCH
4780	----	----	263.80B/236.30A	263.80B/236.30A	----	236.80 - 14.50	.4538	----	----	----	----	2 UNCH
4800	----	----	274.30B/246.00A	274.30B/246.00A	----	246.70 - 14.90	.4664	----	----	----	----	470 UNCH
4825	----	----	288.00B/258.30A	288.00B/258.30A	----	259.40 - 15.60	.4822	----	----	----	----	2 UNCH
4835	----	----	293.60B/263.50A	293.60B/263.50A	----	264.70 - 15.80	.4885	----	----	----	----	30 UNCH
4855	----	----	304.00B/274.00A	304.00B/274.00A	----	275.40 - 16.30	.5011	----	----	1	----	14 UNCH
4875	----	----	315.70B/284.60A	315.70B/284.60A	----	286.40 - 16.60	.5137	----	----	----	----	4 UNCH
4885	----	----	321.50B/290.10A	321.50B/290.10A	----	292.00 - 16.80	.5199	----	----	----	----	4 UNCH
4895	----	----	328.70B/295.60A	328.70B/295.60A	----	297.60 - 17.00	.5262	----	----	----	----	1 UNCH
4900	----	----	330.50B/298.40A	330.50B/298.40A	----	300.50 - 17.00	.5293	----	----	----	----	3 UNCH
4915	----	----	339.70B/306.90A	339.70B/306.90A	----	309.10 NEW	.5385	----	----	1	----	1 + 1
4930	----	----	350.10B/315.50A	350.10B/315.50A	----	318.00 - 17.20	.5478	----	----	----	----	20 UNCH
4950	----	----	362.90B/327.30A	362.90B/327.30A	----	330.00 - 17.20	.5600	----	----	----	----	1 UNCH
4975	----	----	377.90B/342.40A	377.90B/342.40A	----	345.40 - 17.20	.5750	----	----	----	----	210 UNCH
5000	----	----	387.80B/357.90A	387.80B/357.90A	----	361.20 - 17.30	.5898	----	----	----	----	10 UNCH
5005	----	----	388.70B/361.10A	388.70B/361.10A	----	364.40 - 17.30	.5928	----	----	----	----	3 UNCH
5020	----	----	397.90B/370.60A	397.90B/370.60A	----	374.10 - 17.30	.6015	----	----	----	----	3 UNCH
5060	----	----	425.20B/396.90A	425.20B/396.90A	----	400.80 - 17.50	.6243	----	----	----	----	4 UNCH
5100	----	----	453.40B/424.00A	453.40B/424.00A	----	428.40 - 17.70	.6463	----	----	----	----	28 UNCH
5105	----	----	457.00B/427.50A	457.00B/427.50A	----	431.90 - 17.80	.6491	----	----	----	----	2 UNCH
5150	----	----	489.90B/459.20A	489.90B/459.20A	----	464.20 - 18.00	.6726	----	----	----	----	2 UNCH
5200	----	----	520.80B/495.90A	520.80B/495.90A	----	501.40 - 18.10	.6974	----	----	----	----	45 UNCH
5230	----	----	----/518.40A	531.40B/518.40A	----	524.40 - 18.00	.7116	----	----	----	----	400 UNCH
5300	----	----	----/580.30A	587.10B/580.30A	----	579.60 - 17.80	.7424	----	----	----	----	300 UNCH
5400	----	----	----/663.20A	669.20B/663.20A	----	661.90 - 17.40	.7813	----	----	----	----	100 UNCH
5420	----	----	----/680.00A	686.00B/680.00A	----	678.80 - 17.30	.7885	----	----	----	----	80 UNCH
5450	----	----	----	553.50B/875.30A	----	704.30 - 17.30	.7989	----	----	----	----	1 UNCH
5500	----	----	----/748.60A	755.30B/748.60A	----	747.40 - 17.40	.8149	----	----	----	----	3 UNCH
6000	----	----	----	----	----	1209.20 - 16.40	.9143	----	----	----	----	2 UNCH
TOTAL										46		8496 + 23
OCT26												
2700	----	----	----	0.10B/15.60A	----	6.00 + 3.30	.0118	----	----	----	----	1 UNCH
2800	----	----	----	0.50B/8.00A	----	7.50 + 4.00	.0148	----	----	----	----	3 UNCH
2900	----	----	----	0.10B/17.50A	----	8.90 + 4.50	.0178	----	----	----	----	1 UNCH
3100	----	----	----	0.10B/20.20A	----	10.20 + 3.40	.0221	----	----	----	----	1 UNCH
3155	----	----	----	0.10B/21.10A	----	10.70 + 2.80	.0237	----	----	----	----	1 UNCH
3200	----	----	----	0.10B/22.00A	----	11.10 + 2.10	.0250	----	----	----	----	414 UNCH
3240	----	----	----	0.10B/22.80A	----	11.50 + 1.30	.0263	----	----	----	----	5 UNCH
3300	----	----	----	0.10B/24.20A	----	12.30 - 0.10	.0287	----	----	----	----	415 UNCH
3340	----	----	----	0.10B/25.20A	----	12.90 - 1.20	.0304	----	----	----	----	9 UNCH
3360	----	----	----	0.10B/25.70A	----	13.10 - 1.90	.0312	----	----	----	----	1 UNCH
3380	----	----	----	0.10B/26.30A	----	13.40 - 2.40	.0321	----	----	----	----	1 UNCH
3390	----	----	----	0.10B/26.60A	----	13.60 - 2.60	.0326	----	----	----	----	4 UNCH
3400	----	----	----	0.10B/26.90A	----	13.70 - 2.90	.0330	----	----	----	----	150 UNCH
3480	----	----	----	0.10B/29.60A	----	14.80 - 4.10	.0368	----	----	----	----	12 UNCH
3500	----	----	----	0.10B/30.40A	----	15.20 - 4.20	.0380	----	----	----	----	10 UNCH
3520	----	----	----	0.10B/31.20A	----	15.60 - 4.30	.0392	----	----	----	----	12 UNCH
3550	----	----	----	0.10B/32.50A	----	16.30 - 4.30	.0413	----	----	----	----	25 UNCH
3600	----	----	----	1.30B/34.80A	----	18.10 - 4.20	.0459	----	----	----	----	177 UNCH
3615	----	----	----	2.00B/35.60A	----	18.80 - 4.10	.0476	----	----	----	----	1 UNCH
3700	----	----	----	26.20B/29.60A	----	23.90 - 3.50	.0592	----	----	----	----	135 UNCH
3715	----	----	----	27.20B/28.80A	----	25.00 - 3.40	.0617	----	----	----	----	196 UNCH
3750	----	----	----/30.60A	29.60B/30.60A	----	27.70 - 3.10	.0676	----	----	----	----	19 UNCH
3770	----	----	----/31.90A	31.10B/31.90A	----	29.40 - 2.90	.0712	----	----	----	----	1 UNCH
3785	----	----	----/33.00A	32.20B/33.00A	----	30.60 - 2.80	.0738	----	----	----	----	1 UNCH
3800	----	----	----/33.00A	33.60B/33.00A	----	31.90 - 2.70	.0766	----	----	----	----	20 UNCH
3805	----	----	----/33.50A	34.20B/33.50A	----	32.30 - 2.70	.0775	----	----	----	----	1 UNCH
3865	----	----	----/38.30A	39.10B/38.30A	----	37.60 - 2.50	.0889	----	----	----	----	2 UNCH
3870	----	----	----/38.60A	39.60B/38.60A	----	38.00 - 2.60	.0898	----	----	----	----	1 UNCH
3875	----	----	----/39.10A	40.30B/39.10A	----	38.50 - 2.50	.0909	----	----	----	----	12 UNCH
3885	----	----	----/39.90A	41.20B/39.90A	----	39.40 - 2.60	.0929	----	----	----	----	5 UNCH
3890	----	----	----/40.50A	41.90B/40.50A	----	39.80 - 2.60	.0938	----	----	----	----	2 UNCH
3895	----	----	----/40.80A	42.30B/40.80A	----	40.30 - 2.60	.0948	----	----	----	----	2 UNCH
3900	----	----	----/41.20A	43.00B/41.20A	----	40.80 - 2.60	.0959	----	----	----	----	22 UNCH
3920	----	----	----/43.10A	45.10B/43.10A	----	42.70 - 2.70	.1000	----	----	----	----	28 UNCH
3930	----	----	----/44.50A	46.10B/44.50A	----	43.60 - 2.80	.1021	----	----	----	----	2 UNCH
3940	----	----	----/45.60A	47.30B/45.60A	----	44.60 - 2.80	.1042	----	----	----	----	65 UNCH
3950	----	----	----/46.60A	48.50B/46.60A	----	45.60 - 2.90	.1064	----	----	----	----	2 UNCH
3975	----	----	51.50B/49.10A	51.50B/49.10A	----	48.20 - 3.10	.1120	----	----	----	----	5 UNCH
4000	52.00	52.00	54.90B/51.90A	54.90B/51.90A	----	51.00 - 3.30	.1180	----	----	15	----	406 UNCH
4030	----	----	59.00B/55.50A	59.00B/55.50A	----	54.50 - 3.70	.1254	----	----	----	----	2 UNCH
4035	----	----	59.80B/56.10A	59.80B/56.10A	----	55.10 - 3.80	.1267	----	----	----	----	1 UNCH
4050	----	----	62.00B/58.00A	62.00B/58.00A	----	57.00 - 4.00	.1306	----	----	----	----	5 UNCH
4070	----	----	65.10B/60.40A	65.10B/60.40A	----	59.60 - 4.30	.1360	----	----	----	----	24 UNCH
4100	----	----	69.40B/64.50A	69.40B/64.50A	----	63.80 - 4.70	.1445	----	----	----	150	464 + 150
4130	----	----	74.20B/69.10A	74.20B/69.10A	----	68.30 - 5.20	.1535	----	----	----	----	2 UNCH
4135	----	----	75.30B/69.80A	75.30B/69.80A	----	69.00 - 5.30	.1550	----	----	----	----	1 UNCH
4150	----	----	77.90B/71.80A	77.90B/71.80A	----	71.40 - 5.60	.1597	----	----	----	----	5 UNCH
4200	81.10	81.10	86.90B/80.60A	86.90B/80.60A	----	79.80 - 6.50	.1760	----	----	2	----	284 + 2
4220	----	----	91.00B/83.90A	91.00B/83.90A	----	83.50 - 6.70	.1830	----	----	----	----	5 UNCH
4235	----	----	94.10B/87.10A	94.10B/87.10A	----	86.30 - 7.00	.1883	----	----	----	----	1 UNCH
4250	----	----	97.50B/89.60A	97.50B/89.60A	----	89.20 - 7.20	.1938	----	----	----	----	72 UNCH
4265	----	----	100.50B/92.50A	100.50B/92.50A	----	92.20 - 7.40	.1993	----	----	----	----	200 UNCH
4270	----	----	101.90B/93.50A	101.90B/93.50A	----	93.20 - 7.50	.2012	----	----	----	----	226 UNCH
4280	----	----	103.90B/95.60A	103.90B/95.60A	----	95.30 - 7.60	.2050	----	----	----	----	196 UNCH
4300	----	----	108.70B/99.90A	108.70B/99.90A	----	99.60 - 7.80	.2128	----	----	----	----	476 UNCH
4330	----	----	116.20B/107.20A	116.20B/107.20A	----	106.30 - 8.00	.2248	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
OCT26												
4350	----	----	121.40B/111.30A	121.40B/111.30A	----	111.00 - 8.10	.2331	----	----	----	----	210 UNCH
4355	----	----	122.80B/112.40A	122.80B/112.40A	----	112.20 - 8.10	.2352	----	----	----	----	11 UNCH
4375	----	----	128.30B/117.50A	128.30B/117.50A	----	117.10 - 8.20	.2437	----	----	----	----	10 UNCH
4400	----	----	135.50B/123.90A	135.50B/123.90A	----	123.50 - 8.20	.2546	----	----	----	----	302 UNCH
4420	----	----	142.10B/129.10A	142.10B/129.10A	----	128.90 - 8.20	.2636	----	----	----	----	5 UNCH
4430	----	----	144.50B/131.80A	144.50B/131.80A	----	131.60 - 8.20	.2682	----	----	----	----	3 UNCH
4450	----	----	151.20B/137.80A	151.20B/137.80A	----	137.30 - 8.20	.2775	----	----	----	----	26 UNCH
4500	165.00	165.00	167.50B/152.80A	167.50B/152.80A	----	152.40 - 8.20	.3015	----	----	1	----	91 UNCH
4600	----	----	205.90B/187.30A	205.90B/187.30A	----	186.90 - 9.30	.3527	----	----	----	----	352 UNCH
4610	----	----	210.20B/191.10A	210.20B/191.10A	----	190.70 - 9.50	.3581	----	----	----	----	5 UNCH
4625	----	----	216.20B/197.10A	216.20B/197.10A	----	196.50 - 9.90	.3661	----	----	----	----	40 UNCH
4640	----	----	223.00B/203.00A	223.00B/203.00A	----	202.50 - 10.30	.3743	----	----	----	----	13 UNCH
4675	----	----	237.80B/218.00A	237.80B/218.00A	----	216.90 - 11.50	.3934	----	----	----	----	1 UNCH
4680	----	----	245.10B/220.30A	245.10B/220.30A	----	219.00 - 11.70	.3962	----	----	----	----	1 UNCH
4700	228.70	228.70	249.50B/228.70	249.50B/228.70	----	227.70 - 12.40	.4073	----	----	20	----	84 + 20
4740	264.60	264.60	269.60B/246.80A	269.60B/246.80A	----	245.90 NEW	.4298	----	----	1	----	1 + 1
4750	276.00	276.00	276.00/251.20A	276.00/251.20A	----	250.60 - 14.10	.4354	----	----	2	----	174 + 1
4775	----	----	287.60B/263.60A	287.60B/263.60A	----	262.70 - 14.80	.4496	----	----	----	----	1 UNCH
4780	----	----	289.40B/266.10A	289.40B/266.10A	----	265.10 - 15.00	.4524	----	----	----	----	1 UNCH
4800	----	----	301.00B/275.40A	301.00B/275.40A	----	275.20 - 15.50	.4638	----	----	----	----	100 UNCH
4845	----	----	325.90B/298.80A	325.90B/298.80A	----	298.60 - 16.50	.4893	----	----	----	----	17 UNCH
4850	----	----	328.70B/301.80A	328.70B/301.80A	----	301.30 - 16.60	.4921	----	----	----	----	80 UNCH
4875	----	----	342.10B/315.20A	342.10B/315.20A	----	314.80 - 17.00	.5062	----	----	----	----	1 UNCH
4900	----	----	358.00B/329.00A	358.00B/329.00A	----	328.70 - 17.30	.5202	----	----	----	----	131 UNCH
4910	----	----	364.10B/334.60A	364.10B/334.60A	----	334.30 - 17.50	.5258	----	----	----	----	1 UNCH
4920	----	----	369.00B/340.30A	369.00B/340.30A	----	340.10 - 17.50	.5313	----	----	----	----	1 UNCH
4925	----	----	372.10B/343.20A	372.10B/343.20A	----	343.00 - 17.50	.5341	----	----	----	----	25 UNCH
4935	----	----	378.30B/349.00A	378.30B/349.00A	----	348.90 - 17.60	.5396	----	----	----	----	5 UNCH
4965	----	----	398.30B/366.70A	398.30B/366.70A	----	367.30 - 17.30	.5558	----	----	----	----	13 UNCH
4980	----	----	406.80B/375.70A	406.80B/375.70A	----	376.90 - 17.00	.5637	----	----	----	----	1 UNCH
5000	407.00	407.00	421.20B/387.90A	421.20B/387.90A	----	389.90 - 16.60	.5742	----	----	2	----	47 UNCH
5010	----	----	426.50B/394.20A	426.50B/394.20A	----	396.40 - 16.50	.5794	----	----	----	----	1 UNCH
5050	----	----	444.80B/419.70A	444.80B/419.70A	----	422.80 - 16.30	.5999	----	----	----	----	25 UNCH
5150	----	----	514.90B/487.60A	514.90B/487.60A	----	491.20 - 17.40	.6492	----	----	----	----	1 UNCH
5200	----	----	551.70B/523.30A	551.70B/523.30A	----	527.10 - 17.90	.6724	----	----	----	----	100 UNCH
5230	----	----	574.20B/545.30A	574.20B/545.30A	----	549.30 - 18.10	.6859	----	----	----	----	2 UNCH
5250	----	----	589.60B/560.20A	589.60B/560.20A	----	564.30 - 18.20	.6945	----	----	----	----	75 UNCH
5300	----	----	----/597.90A	608.20B/597.90A	----	602.70 - 18.20	.7153	----	----	----	----	6 UNCH
5425	----	----	----	540.10B/882.70A	----	703.50 - 17.60	.7615	----	----	----	----	1 UNCH
5455	----	----	----/730.40A	734.60B/730.40A	----	728.50 - 17.50	.7713	----	----	----	----	40 UNCH
5495	----	----	----	601.20B/940.50A	----	762.40 - 17.30	.7838	----	----	----	----	1 UNCH
5500	----	----	----	605.60B/944.70A	----	766.70 - 17.20	.7853	----	----	----	----	1 UNCH
5600	----	----	----	695.50B/1029.40A	----	853.50 - 16.80	.8132	----	----	----	----	1 UNCH
5700	----	----	----	787.70B/1116.40A	----	942.00 - 17.10	.8377	----	----	----	----	1 UNCH
TOTAL										43	150	6143 + 174
NOV26												
2750	----	----	----	0.10B/26.90A	----	12.50 + 8.40	.0206	----	----	----	----	1 UNCH
2800	----	----	----	0.10B/27.60A	----	13.90 + 9.30	.0228	----	----	----	----	8 UNCH
2900	----	----	----	0.10B/29.00A	----	14.70 + 8.90	.0251	----	----	----	----	1 UNCH
3000	----	----	----	0.10B/21.00A	----	15.40 + 8.10	.0275	----	----	----	----	95 UNCH
3120	----	----	----	0.10B/33.10A	----	16.60 + 7.00	.0310	----	----	----	----	10 UNCH
3180	----	----	----	0.10B/34.50A	----	17.20 + 6.30	.0330	----	----	----	----	10 UNCH
3200	----	----	----	0.10B/35.00A	----	17.50 + 6.10	.0338	----	----	----	----	93 UNCH
3215	----	----	----	0.10B/35.40A	----	17.70 + 5.90	.0343	----	----	----	----	1 UNCH
3220	----	----	----	0.10B/35.60A	----	17.80 + 5.90	.0346	----	----	----	----	1 UNCH
3225	----	----	----	0.10B/35.70A	----	17.80 + 5.80	.0347	----	----	----	----	1 UNCH
3235	----	----	----	0.10B/36.00A	----	18.00 + 5.70	.0352	----	----	----	----	2 UNCH
3250	----	----	----	0.10B/36.40A	----	18.20 + 5.50	.0358	----	----	----	----	18 UNCH
3255	----	----	----	0.10B/36.60A	----	18.30 + 5.40	.0360	----	----	----	----	18 UNCH
3300	----	----	----	0.10B/38.00A	----	19.00 + 4.80	.0380	----	----	----	----	20 UNCH
3310	----	----	----	0.10B/38.30A	----	19.20 + 4.70	.0385	----	----	----	----	1 UNCH
3320	----	----	----	0.10B/38.70A	----	19.40 + 4.60	.0390	----	----	----	----	16 UNCH
3350	----	----	----	0.70B/39.70A	----	20.00 + 4.10	.0406	----	----	----	----	180 UNCH
3455	----	----	----	4.60B/44.00A	----	22.80 + 2.80	.0474	----	----	----	----	1 UNCH
3475	----	----	----	5.40B/44.90A	----	23.40 + 2.50	.0488	----	----	----	----	2 UNCH
3500	----	----	----	6.60B/44.90A	----	24.30 + 2.20	.0509	----	----	----	----	655 UNCH
3535	----	----	----	8.30B/48.00A	----	25.60 + 1.70	.0538	----	----	----	----	3 UNCH
3690	----	----	----	33.20B/34.90A	----	33.40 - 0.50	.0708	----	----	----	----	1 UNCH
3725	----	----	----	35.90B/37.40A	----	35.60 - 1.00	.0755	----	----	----	----	1 UNCH
3740	----	----	----	37.20B/38.50A	----	36.70 - 1.10	.0778	----	----	----	----	21 UNCH
3750	----	----	----	38.00B/39.30A	----	37.40 - 1.30	.0792	----	----	----	----	150 UNCH
3780	----	----	----	40.60B/41.70A	----	39.60 - 1.70	.0838	----	----	----	----	1 UNCH
3800	43.20	43.20	43.20/39.80	43.20/39.80	----	41.20 - 2.00	.0870	----	----	3	----	28 + 2
3820	----	----	----/43.00A	44.60B/43.00A	----	42.90 - 2.20	.0904	----	----	----	----	20 UNCH
3875	----	----	----/47.70A	50.60B/47.70A	----	47.90 - 3.00	.1003	----	----	----	----	24 UNCH
3980	----	----	64.00B/60.10A	64.00B/60.10A	----	59.40 - 4.30	.1224	----	----	----	----	1 UNCH
4000	----	----	66.70B/62.90A	66.70B/62.90A	----	61.90 - 4.60	.1271	----	----	----	----	3 UNCH
4100	----	----	83.10B/76.90A	83.10B/76.90A	----	76.10 - 5.80	.1529	----	----	----	----	2 UNCH
4160	----	----	94.10B/87.00A	94.10B/87.00A	----	86.00 - 6.60	.1703	----	----	----	----	1 UNCH
4170	----	----	96.50B/88.60A	96.50B/88.60A	----	87.80 - 6.70	.1734	----	----	----	----	1 UNCH
4200	----	----	102.70B/94.20A	102.70B/94.20A	----	93.40 - 7.00	.1829	----	----	----	----	5 UNCH
4205	----	----	103.70B/95.20A	103.70B/95.20A	----	94.30 - 7.10	.1845	----	----	----	----	1 UNCH
4215	----	----	105.60B/97.20A	105.60B/97.20A	----	96.20 - 7.30	.1877	----	----	----	----	5 UNCH
4275	----	----	119.90B/109.70A	119.90B/109.70A	----	108.60 - 8.00	.2081	----	----	----	----	3 UNCH
4305	----	----	127.40B/116.40A	127.40B/116.40A	----	115.30 - 8.50	.2189	----	----	----	----	1 UNCH
4320	----	----	131.30B/119.90A	131.30B/119.90A	----	118.80 - 8.70	.2244	----	----	----	----	43 UNCH
4330	----	----	134.00B/122.50A	134.00B/122.50A	----	121.20 - 8.80	.2282	----	----	----	----	2 UNCH
4350	----	----	139.00B/127.20A	139.00B/127.20A	----	126.10 - 9.10	.2358	----	----	----	----	3 UNCH
4400	----	----	153.80B/140.50A	153.80B/140.50A	----	139.10 - 9.80	.2556	----	----	----	----	3 UNCH
4425	----	----	161.00B/147.30A	161.00B/147.30A	----	146.10 - 10.10	.2659	----	----	----	----	72 UNCH
4430	----	----	163.10B/148.80A	163.10B/148.80A	----	147.50 - 10.20	.2679	----	----	----	----	10 UNCH
4450	----	----	169.60B/154.70A	169.60B/154.70A	----	153.30 - 10.60	.2763	----	----	----	----	39 UNCH
4500	----	----	185.90B/170.10A	185.90B/170.10A	----	168.70 - 11.40	.2981	----	----	----	----	45 UNCH
4510	----	----	189.40B/173.30A	189.40B/173.30A	----	171.90 - 11.60	.3025	----	----	----	----	10 UNCH
4535	----	----	199.20B/181.60A	199.20B/181.60A	----	180.20 - 12.00	.3138	----	----	----	----	10 UNCH
4540	----	----	200.40B/183.20A	200.40B/183.20A	----	181.80 - 12.20	.3160	----	----	----	----	6 UNCH
4580	----	----	216.30B/197.30A	216.30B/197.30A	----	195.90 - 12.90	.3346	----	----	----	----	10 UNCH
4640	----	----	241.00B/220.00A	241.00B/220.00A	----	218.50 - 13.80	.3632	----	----	----	----	90 UNCH
4700	----	----	267.10B/244.80A	267.10B/244.80A	----	243.20 - 13.70	.3927	----	----	----	----	2 UNCH
4725	----	----	279.60B/255.70A	279.60B/255.70A	----	254.10 - 13.40	.4052	----	----	----	----	2 UNCH
4800	----	----	316.20B/290.70A	316.20B/290.70A	----	289.00 - 13.60	.4431	----	----	----	----	7 UNCH
4840	----	----	338.30B/310.80A	338.30B/310.80A	----	309.20 - 15.20	.4635	----	----	----	----	2 UNCH
4845	----	----	341.10B/313.40A	341.10B/313.40A	----	311.80 - 15.40	.4660	----	----	----	----	10 UNCH
4850	----	----	343.80B/315.90A	343.80B/315.90A	----	314.40 - 15.60	.4686	----	----	----	----	6 UNCH
4900	----	----	371.00B/342.50A	371.00B/342.50A	----	341.60 - 17.00	.4938	----	----	----	----	12 UNCH
4915	----	----	380.20B/350.60A	380.20B/350.60A	----	350.10 - 17.00	.5012	----	----	----	----	3 UNCH
4935	----	----	392.70B/361.70A	392.70B/361.70A	----	361.70 - 16.90	.5111	----	----	----	----	25 UNCH
4950	----	----	400.50B/370.10A	400.50B/370.10A	----	370.40 - 16.80	.5185	----	----	----	----	11 UNCH
4960	----	----	406.60B/375.80A	406.60B/375.80A	----	376.40 - 16.60	.5234	----	----	----	----	2 UNCH
5000	----	----	431.40B/399.20A	431.40B/399.20A	----	400.40 - 16.50	.5429	----	----	----	----	256 UNCH
5020	----	----	445.30B/411.10A	445.30B/411.10A	----	412.60 - 16.50	.5525	----	----	----	----	30 UNCH
5055	----	----	466.90B/432.60A	466.90B/432.60A	----	434.50 - 16.60	.5692	----	----	----	----	8 UNCH
5200	----	----	554.10B/528.40A	554.10B/528.40A	----	531.30 - 17.30	.6345	----	----	----	----	81 UNCH
5395	----	----	----/671.80A	672.50B/671.80A	----	676.70 - 17.50	.7107	----	----	----	----	6 UNCH
5400	----	----	----/675.70A	673.50B/675.70A	----	680.60 - 17.50	.7124	----	----	----	----	6 UNCH
5760	----	----	----	803.20B/1177.70A	----	982.50 - 16.70	.8151	----	----	----	----	1 UNCH
5975	----	----	----	1001.00B/1368.90A	----	1176.30 - 16.50	.8567	----	----	----	----	1 UNCH
6000	----	----	----	1024.00B/1392.00A	----	1199.30 - 16.50	.8608	----	----	----	----	1 UNCH
TOTAL										3		2221 + 2
DEC26												
1350	----	----	----	----/1.10A	----	0.20 + 0.10	.0003	----	----	----	----	16 UNCH
1375	----	----	----	----/13.30A	----	0.20 + 0.10	.0003	----	----	----	----	1 UNCH
1500	----	----	----	----/2.00A	----	0.40 + 0.20	.0006	----	----	----	----	1 UNCH
1600	----	----	----	----/2.70A	----	0.50 + 0.20	.0008	----	----	----	----	190 UNCH
1700	----	----	----	----/3.50A	----	0.70 + 0.20	.0012	----	----	----	----	200 UNCH
1845	----	----	----	0.10B/3.00A	----	1.10 + 0.40	.0019	----	----	----	----	50 UNCH
1900	----	----	----	0.10B/15.70A	----	1.30 + 0.40	.0022	----	----	----	----	4 UNCH
2000	----	----	----	0.10B/16.30A	----	1.70 + 0.60	.0029	----	----	----	----	2 UNCH
2400	----	----	----	0.10B/19.00A	----	4.40 + 1.30	.0078	----	----	----	----	1 UNCH
2490	----	----	----	0.10B/19.80A	----	5.40 + 1.60	.0096	----	----	----	----	1 UNCH
2750	----	----	----	0.10B/22.70A	----	7.40 + 0.70	.0140	----	----	----	----	1 UNCH
2800	----	----	----	0.10B/8.00A	----	7.90 + 0.50	.0151	----	----	----	----	8 UNCH
2900	----	----	----	5.00B/25.00A	----	9.20 + 0.20	.0179	----	----	----	----	19 UNCH
2925	----	----	----	0.10B/25.40A	----	9.60 + 0.10	.0188	----	----	----	----	300 UNCH
2975	----	----	----	0.10B/26.40A	----	10.40 UNCH	.0205	----	----	----	----	400 UNCH
3000	----	----	----	0.10B/26.90A	----	10.90 - 0.10	.0215	----	----	----	----	1356 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
DEC26												
3160	----	----	----	0.10B/30.90A	----	14.50 - 0.40	.0290	----	----	----	----	2 UNCH
3175	----	----	----	0.10B/31.30A	----	14.90 - 0.40	.0298	----	----	----	----	1 UNCH
3190	----	----	----	0.10B/31.80A	----	15.30 - 0.40	.0306	----	----	----	----	5 UNCH
3250	----	----	----	0.10B/33.80A	----	16.90 - 0.70	.0340	----	----	----	----	15 UNCH
3300	----	----	----	0.10B/35.60A	----	18.40 - 0.90	.0372	----	----	----	----	7 UNCH
3400	----	----	----	0.10B/39.90A	----	21.70 - 1.60	.0442	----	----	----	----	1610 UNCH
3425	----	----	----	0.10B/41.20A	----	22.60 - 1.90	.0462	----	----	----	----	350 UNCH
3450	----	----	----	0.10B/42.50A	----	23.60 - 2.10	.0483	----	----	----	----	201 UNCH
3460	----	----	----	0.10B/43.00A	----	24.00 - 2.20	.0492	----	----	----	----	20 UNCH
3475	----	----	----	0.10B/43.80A	----	24.60 - 2.30	.0504	----	----	----	----	152 UNCH
3500	----	----	----	0.40B/45.30A	----	25.70 - 2.60	.0528	----	----	----	----	1457 UNCH
3550	----	----	----	26.10B/39.90A	----	28.10 - 3.10	.0578	----	----	----	----	18 UNCH
3565	----	----	----	27.20B/39.50A	----	28.90 - 3.20	.0594	----	----	----	----	2 UNCH
3590	----	----	----	31.50B/36.10A	----	30.30 - 3.40	.0622	----	----	----	----	1 UNCH
3600	----	----	----	32.20B/35.20A	----	30.90 - 3.50	.0634	----	----	----	----	356 UNCH
3610	----	----	----	33.00B/35.50A	----	31.60 - 3.50	.0648	----	----	----	----	3 UNCH
3650	----	----	----	36.10B/38.30A	----	34.30 - 3.80	.0700	----	----	----	----	201 UNCH
3660	----	----	----	36.90B/39.00A	----	35.00 - 3.90	.0714	----	----	----	----	5 UNCH
3670	----	----	----	37.80B/39.80A	----	35.70 - 4.00	.0728	----	----	----	----	1 UNCH
3690	----	----	----	39.50B/41.40A	----	37.30 - 4.10	.0758	----	----	----	----	1 UNCH
3700	----	----	----	40.40B/42.20A	----	38.20 - 4.00	.0774	----	----	----	----	269 UNCH
3710	----	----	----/43.00A	41.20B/43.00A	----	39.00 - 4.10	.0789	----	----	----	----	37 UNCH
3720	----	----	----/43.90A	42.20B/43.90A	----	39.90 - 4.10	.0806	----	----	----	----	1 UNCH
3725	----	----	----/44.30A	42.60B/44.30A	----	40.30 - 4.20	.0813	----	----	----	----	6 UNCH
3750	----	----	----/46.50A	45.00B/46.50A	----	42.70 - 4.10	.0857	----	----	----	----	166 UNCH
3760	----	----	----/47.50A	46.10B/47.50A	----	43.70 - 4.10	.0875	----	----	----	----	184 UNCH
3780	----	----	----/49.40A	48.10B/49.40A	----	45.70 - 4.20	.0910	----	----	----	----	1 UNCH
3800	----	----	----/50.10A	50.20B/50.10A	----	47.90 - 4.10	.0949	----	----	----	----	73 UNCH
3810	----	----	----/50.60A	51.50B/50.60A	----	49.00 - 4.10	.0968	----	----	----	----	56 UNCH
3850	----	----	----/55.70A	56.00B/55.70A	----	53.60 - 4.10	.1048	----	----	----	----	24 UNCH
3880	----	----	----/58.80A	59.70B/58.80A	----	57.40 - 4.00	.1113	----	----	----	----	1 UNCH
3900	----	----	----/61.30A	62.60B/61.30A	----	60.00 - 4.00	.1157	----	----	----	----	1206 UNCH
3925	----	----	----/64.50A	66.10B/64.50A	----	63.40 - 4.00	.1214	----	----	----	----	205 UNCH
3930	----	----	----/65.20A	66.90B/65.20A	----	64.10 - 4.00	.1225	----	----	----	----	2 UNCH
3950	----	----	----/67.60A	70.00B/67.60A	----	66.90 - 4.00	.1272	----	----	----	----	27 UNCH
3975	----	----	----/71.00A	73.90B/71.00A	----	70.60 - 4.00	.1333	----	----	----	----	190 UNCH
3980	72.00	72.00	72.00/71.90A	74.90B/71.90A	----	71.30 - 4.10	.1345	----	----	2	----	142 UNCH
4000	----	----	----/74.60A	78.10B/74.60A	----	74.40 - 4.10	.1395	----	----	----	250	1961 + 250
4025	----	----	----/78.30A	81.90B/78.30A	----	78.30 - 4.20	.1459	----	----	----	----	220 UNCH
4050	----	----	----/81.90A	86.20B/81.90A	----	82.30 - 4.40	.1524	----	----	----	----	200 UNCH
4070	----	----	90.40B/85.30A	90.40B/85.30A	----	85.70 - 4.50	.1578	----	----	----	----	5 UNCH
4090	----	----	----/88.80A	93.30B/88.80A	----	89.20 - 4.60	.1633	----	----	----	----	1 UNCH
4100	----	----	96.10B/90.20A	96.10B/90.20A	----	90.90 - 4.80	.1661	----	----	----	----	385 UNCH
4130	----	----	----/95.90A	101.30B/95.90A	----	96.40 - 5.00	.1747	----	----	----	----	2 UNCH
4160	----	----	107.80B/101.20A	107.80B/101.20A	----	102.10 - 5.40	.1836	----	----	----	----	252 UNCH
4170	----	----	----/103.60A	109.60B/103.60A	----	104.10 - 5.50	.1867	----	----	----	----	2 UNCH
4175	----	----	111.10B/104.10A	111.10B/104.10A	----	105.10 - 5.50	.1882	----	----	----	----	60 UNCH
4200	108.00	108.00	116.90B/108.00	116.90B/108.00	----	110.20 - 5.80	.1960	----	----	25	----	669 + 12
4215	----	----	120.70B/112.70A	120.70B/112.70A	----	113.30 - 6.10	.2007	----	----	----	----	14 UNCH
4250	----	----	129.00B/120.40A	129.00B/120.40A	----	121.00 - 6.50	.2122	----	----	----	----	344 UNCH
4300	----	----	140.90B/132.50A	140.90B/132.50A	----	132.60 - 7.30	.2292	----	----	----	----	2102 UNCH
4320	----	----	146.80B/137.30A	146.80B/137.30A	----	137.50 - 7.70	.2363	----	----	----	----	100 UNCH
4325	----	----	147.90B/138.60A	147.90B/138.60A	----	138.80 - 7.70	.2381	----	----	----	----	300 UNCH
4340	----	----	152.30B/142.70A	152.30B/142.70A	----	142.60 - 8.00	.2435	----	----	----	----	79 UNCH
4350	----	----	154.60B/145.20A	154.60B/145.20A	----	145.20 - 8.10	.2472	----	----	----	----	151 UNCH
4365	----	----	159.40B/149.40A	159.40B/149.40A	----	149.10 - 8.50	.2527	----	----	----	195	390 + 145
4375	----	----	161.60B/152.50A	161.60B/152.50A	----	151.80 - 8.60	.2565	----	----	----	----	2 UNCH
4385	----	----	165.40B/154.50A	165.40B/154.50A	----	154.60 - 8.70	.2603	----	----	----	----	75 UNCH
4390	----	----	166.90B/156.30A	166.90B/156.30A	----	155.90 - 8.90	.2622	----	----	----	----	14 UNCH
4400	----	----	169.50B/159.20A	169.50B/159.20A	----	158.70 - 9.10	.2660	----	----	139	----	253 + 133
4425	----	----	177.70B/166.60A	177.70B/166.60A	----	165.90 - 9.50	.2757	----	----	----	----	9 UNCH
4435	----	----	180.60B/169.50A	180.60B/169.50A	----	168.90 - 9.60	.2797	----	----	----	----	14 UNCH
4450	----	----	185.70B/174.30A	185.70B/174.30A	----	173.40 - 9.90	.2857	----	----	----	----	260 UNCH
4475	----	----	194.10B/181.90A	194.10B/181.90A	----	181.20 - 10.30	.2959	----	----	----	----	8 UNCH
4500	----	----	202.40B/190.30A	202.40B/190.30A	----	189.30 - 10.70	.3063	----	----	----	----	1206 UNCH
4510	----	----	205.80B/194.20A	205.80B/194.20A	----	192.60 - 10.90	.3104	----	----	----	----	2 UNCH
4515	----	----	208.10B/195.60A	208.10B/195.60A	----	194.30 - 10.90	.3126	----	----	----	----	242 UNCH
4520	----	----	210.30B/196.80A	210.30B/196.80A	----	196.00 - 11.00	.3147	----	----	----	----	25 UNCH
4525	----	----	211.70B/198.70A	211.70B/198.70A	----	197.70 - 11.10	.3168	----	----	----	----	200 UNCH
4530	----	----	213.50B/200.60A	213.50B/200.60A	----	199.40 - 11.20	.3189	----	----	----	----	20 UNCH
4535	----	----	215.40B/202.50A	215.40B/202.50A	----	201.10 - 11.30	.3211	----	----	----	----	102 UNCH
4540	----	----	216.70B/204.60A	216.70B/204.60A	----	202.90 - 11.30	.3232	----	----	----	----	1 UNCH
4550	----	----	220.90B/207.60A	220.90B/207.60A	----	206.40 - 11.50	.3275	----	----	----	----	4 UNCH
4555	----	----	222.90B/209.60A	222.90B/209.60A	----	208.20 - 11.50	.3297	----	----	----	----	50 UNCH
4580	----	----	232.70B/219.00A	232.70B/219.00A	----	217.30 - 11.90	.3406	----	----	----	----	50 UNCH
4585	----	----	235.00B/220.80A	235.00B/220.80A	----	219.20 - 11.90	.3429	----	----	----	----	325 UNCH
4600	----	----	240.70B/226.30A	240.70B/226.30A	----	224.90 - 12.10	.3495	----	----	5	----	515 UNCH
4620	----	----	249.10B/234.70A	249.10B/234.70A	----	232.70 - 12.30	.3585	----	----	----	----	50 UNCH
4625	----	----	251.00B/235.90A	251.00B/235.90A	----	234.70 - 12.30	.3607	----	----	----	----	24 UNCH
4640	----	----	257.80B/242.10A	257.80B/242.10A	----	240.70 - 12.50	.3675	----	----	----	----	100 UNCH
4650	----	----	262.10B/246.40A	262.10B/246.40A	----	244.80 - 12.60	.3721	----	----	----	----	112 UNCH
4680	----	----	275.90B/259.30A	275.90B/259.30A	----	257.30 - 12.90	.3858	----	----	----	----	60 UNCH
4690	----	----	280.60B/263.70A	280.60B/263.70A	----	261.60 - 13.10	.3905	----	----	----	----	1 UNCH
4700	----	----	285.20B/268.00A	285.20B/268.00A	----	266.00 - 13.10	.3951	----	----	----	----	517 UNCH
4750	----	----	308.40B/290.10A	308.40B/290.10A	----	288.70 - 13.60	.4185	----	----	1	----	67 - 1
4790	----	----	329.20B/309.40A	329.20B/309.40A	----	307.90 - 14.10	.4373	----	----	----	----	60 UNCH
4800	----	----	333.70B/314.60A	333.70B/314.60A	----	312.80 - 14.30	.4420	----	----	----	----	302 UNCH
4810	----	----	338.90B/319.30A	338.90B/319.30A	----	317.90 - 14.30	.4467	----	----	----	----	56 UNCH
4815	----	----	342.00B/322.10A	342.00B/322.10A	----	320.40 - 14.40	.4491	----	----	----	----	10 UNCH
4820	----	----	344.90B/324.70A	344.90B/324.70A	----	322.90 - 14.50	.4515	----	----	----	----	20 UNCH
4825	----	----	346.90B/327.00A	346.90B/327.00A	----	325.50 - 14.50	.4538	----	----	----	----	112 UNCH
4850	----	----	360.40B/339.90A	360.40B/339.90A	----	338.50 - 14.80	.4656	----	----	1	----	13 UNCH
4880	----	----	377.00B/355.60A	377.00B/355.60A	----	354.60 - 15.10	.4797	----	----	----	----	11 UNCH
4900	----	----	389.50B/366.40A	389.50B/366.40A	----	365.70 - 15.30	.4890	----	----	----	----	110 UNCH
4925	----	----	403.90B/380.50A	403.90B/380.50A	----	379.80 - 15.50	.5005	----	----	----	150	237 + 100
4950	----	----	417.70B/394.50A	417.70B/394.50A	----	394.30 - 15.60	.5120	----	----	----	----	24 UNCH
4975	----	----	433.80B/408.80A	433.80B/408.80A	----	409.00 - 15.80	.5233	----	----	----	----	43 UNCH
4980	----	----	437.00B/411.60A	437.00B/411.60A	----	412.00 - 15.90	.5256	----	----	----	----	5 UNCH
4995	----	----	446.20B/420.50A	446.20B/420.50A	----	421.10 - 15.90	.5324	----	----	----	----	32 UNCH
5000	----	----	449.40B/423.40A	449.40B/423.40A	----	424.10 - 15.90	.5346	----	----	----	----	445 UNCH
5020	----	----	460.80B/435.20A	460.80B/435.20A	----	436.40 - 16.00	.5435	----	----	----	----	8 UNCH
5025	----	----	464.00B/438.40A	464.00B/438.40A	----	439.40 - 16.10	.5457	----	----	----	----	210 UNCH
5035	----	----	471.40B/444.30A	471.40B/444.30A	----	445.70 - 16.00	.5502	----	----	----	----	8 UNCH
5050	----	----	481.20B/453.60A	481.20B/453.60A	----	455.10 - 16.10	.5568	----	----	----	----	201 UNCH
5070	----	----	493.10B/466.30A	493.10B/466.30A	----	467.70 - 16.20	.5655	----	----	----	----	1 UNCH
5075	----	----	496.40B/469.10A	496.40B/469.10A	----	470.90 - 16.20	.5676	----	----	----	----	100 UNCH
5095	----	----	510.90B/481.60A	510.90B/481.60A	----	483.80 - 16.30	.5763	----	----	----	----	6 UNCH
5100	----	----	513.00B/484.80A	513.00B/484.80A	----	487.10 - 16.20	.5784	----	----	----	----	6 UNCH
5195	----	----	572.50B/547.90A	572.50B/547.90A	----	550.80 - 16.40	.6178	----	----	----	----	5 UNCH
5200	----	----	576.00B/551.40A	576.00B/551.40A	----	554.30 - 16.40	.6198	----	----	----	----	38 UNCH
5250	----	----	611.70B/586.40A	611.70B/586.40A	----	589.40 - 16.50	.6395	----	----	----	----	126 UNCH
5290	----	----	641.10B/614.80A	641.10B/614.80A	----	618.30 - 16.50	.6547	----	----	----	----	1 UNCH
5295	----	----	644.70B/618.50A	644.70B/618.50A	----	622.00 - 16.40	.6566	----	----	----	----	1 UNCH
5360	----	----	693.80B/666.30A	693.80B/666.30A	----	670.40 - 16.40	.6801	----	----	----	----	100 UNCH
5370	----	----	701.60B/673.70A	701.60B/673.70A	----	678.00 - 16.40	.6836	----	----	----	----	20 UNCH
5375	----	----	705.30B/677.40A	705.30B/677.40A	----	681.80 - 16.40	.6853	----	----	----	----	34 UNCH
5400	----	----	724.80B/696.40A	724.80B/696.40A	----	701.00 - 16.40	.6938	----	----	----	----	102 UNCH
5415	----	----	736.10B/707.80A	736.10B/707.80A	----	712.60 - 16.40	.6989	----	----	----	----	4 UNCH
5460	----	----	767.40B/742.70A	767.40B/742.70A	----	748.00 - 16.30	.7135	----	----	----	----	200 UNCH
5465	----	----	771.40B/746.60A	771.40B/746.60A	----	751.90 - 16.40	.7150	----	----	----	----	50 UNCH
5480	----	----	783.30B/764.50A	783.30B/764.50A	----	763.90 - 16.30	.7197	----	----	----	----	50 UNCH
5500	----	----	799.30B/780.40A	799.30B/780.40A	----	779.90 - 16.30	.7258	----	----	----	----	31 UNCH
5525	----	----	819.40B/800.50A	819.40B/800.50A	----	800.00 - 16.40	.7334	----	----	----	----	80 UNCH
5600	----	----	882.50B/860.20A	882.50B/860.20A	----	861.60 - 16.40	.7547	----	----	----	----	252 UNCH
5900	----	----	1,139.70B/1,121	1139.70B/1121.10A	----	1121.00 - 16.70	.8237	----	----	----	----	125 UNCH
6000	----	----	1,229.00B/1,211	1229.00B/1211.50A	----	1211.20 - 16.60	.8414	----	----	----	----	40 UNCH
6500	----	----	----/1,682.30A	1693.30B/1682.30A	----	1679.50 - 15.70	.9029	----	----	----	----	4 UNCH
TOTAL										173	595	24376+ 639
JAN27												
2800	----	----	----	0.10B/12.00A	----	10.10 + 2.00	.0179	----	----	----	----	10 UNCH
3000	----	----	----	0.10B/41.20A	----	13.50 + 1.90	.0246	----	----	----	----	3 UNCH
3500	----	----	----	29.80B/41.00A	----	30.90 - 3.30	.0581	----	----	----	----	1 UNCH
3520	----	----	----	31.30B/46.50A	----	31.90 - 3.80	.0600	----	----	----	----	1 UNCH
3680	----	----	----/48.20A	45.70B/48.20A	----	43.10 - 6.30	.0801	----	----	----	----	1 UNCH
3800	----	----	----/58.90A	58.40B/58.90A	----	55.10 - 6.80	.1002	----	----	----	----	1 UNCH
3825	----	----	----/62.40A	61.50B/62.40A	----	58.00 - 6.80	.1049	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JAN27												
3900	----	----	----/71.70A	71.40B/71.70A	----	67.70 - 6.60	.1202	----	----	----	----	1 UNCH
3980	----	----	----/81.80A	83.80B/81.80A	----	79.50 - 6.50	.1383	----	----	----	----	1 UNCH
4000	----	----	----/84.90A	87.00B/84.90A	----	82.70 - 6.50	.1431	----	----	----	----	1 UNCH
4350	----	----	167.70B/159.20A	167.70B/159.20A	----	156.10 - 10.20	.2453	----	----	----	----	1 UNCH
4400	----	----	183.00B/173.30A	183.00B/173.30A	----	170.00 - 10.90	.2629	----	----	----	----	1 UNCH
4500	----	----	217.50B/205.30A	217.50B/205.30A	----	201.00 - 12.20	.3003	----	----	----	----	2 UNCH
4585	----	----	249.90B/235.70A	249.90B/235.70A	----	230.80 - 13.40	.3340	----	----	----	----	1 UNCH
4600	----	----	255.40B/241.30A	255.40B/241.30A	----	236.50 - 13.60	.3402	----	----	----	----	3 UNCH
4630	----	----	268.50B/252.50A	268.50B/252.50A	----	248.10 - 13.90	.3526	----	----	----	----	1 UNCH
4660	----	----	281.40B/265.00A	281.40B/265.00A	----	260.20 - 14.30	.3651	----	----	----	----	4 UNCH
4665	----	----	283.60B/267.30A	283.60B/267.30A	----	262.20 - 14.40	.3672	----	----	----	----	4 UNCH
4710	----	----	303.20B/286.10A	303.20B/286.10A	----	281.40 - 14.80	.3863	----	----	----	----	2 UNCH
4760	----	----	327.70B/308.40A	327.70B/308.40A	----	303.90 - 15.30	.4078	----	----	----	----	100 UNCH
4800	----	----	346.70B/327.30A	346.70B/327.30A	----	322.90 - 15.60	.4252	----	----	----	----	6 UNCH
4820	----	----	357.80B/337.10A	357.80B/337.10A	----	332.70 - 15.80	.4339	----	----	----	----	6 UNCH
4860	----	----	377.90B/357.00A	377.90B/357.00A	----	353.00 - 16.10	.4513	----	----	----	----	1 UNCH
4980	----	----	445.70B/421.80A	445.70B/421.80A	----	418.60 - 16.80	.5028	----	----	----	----	10 UNCH
4990	----	----	452.70B/427.40A	452.70B/427.40A	----	424.40 - 16.80	.5071	----	----	----	----	1 UNCH
4995	----	----	454.60B/430.30A	454.60B/430.30A	----	427.30 - 16.90	.5092	----	----	----	----	1 UNCH
5000	----	----	458.70B/433.10A	458.70B/433.10A	----	430.20 - 16.90	.5113	----	----	----	----	3 UNCH
5050	----	----	489.40B/462.30A	489.40B/462.30A	----	459.90 - 17.20	.5322	----	----	----	----	100 UNCH
5085	----	----	511.50B/483.40A	511.50B/483.40A	----	481.30 - 17.40	.5465	----	----	----	----	2 UNCH
5150	----	----	553.00B/524.10A	553.00B/524.10A	----	522.40 - 17.80	.5727	----	----	----	----	2 UNCH
5235	----	----	598.90B/580.10A	598.90B/580.10A	----	578.80 - 18.30	.6056	----	----	----	----	2 UNCH
5245	----	----	604.10B/586.90A	604.10B/586.90A	----	585.60 - 18.30	.6093	----	----	----	----	2 UNCH
5300	----	----	642.90B/625.30A	642.90B/625.30A	----	624.00 - 18.40	.6295	----	----	----	----	4 UNCH
TOTAL												280 0
FEB27												
4000	----	----	----/95.80A	95.80B/95.80A	----	91.80 - 9.40	.1503	----	----	----	----	1 UNCH
4200	----	----	----/135.80A	137.90B/135.80A	----	130.90 NEW	.2037	----	----	----	50	50 + 50
4600	----	----	266.90B/258.70A	266.90B/258.70A	----	253.30 - 13.10	.3436	----	----	----	----	17 UNCH
4650	----	----	288.70B/278.70A	288.70B/278.70A	----	273.50 - 13.70	.3635	----	----	----	----	1 UNCH
4655	----	----	291.10B/280.70A	291.10B/280.70A	----	275.50 - 13.80	.3655	----	----	----	----	1 UNCH
4660	----	----	293.30B/282.80A	293.30B/282.80A	----	277.60 - 13.80	.3675	----	----	----	----	435 UNCH
4665	----	----	295.30B/285.00A	295.30B/285.00A	----	279.70 - 13.90	.3695	----	----	----	----	3 UNCH
4750	----	----	334.10B/322.20A	334.10B/322.20A	----	317.20 - 14.90	.4041	----	----	----	----	1 UNCH
4755	----	----	337.40B/324.60A	337.40B/324.60A	----	319.50 - 15.00	.4062	----	----	----	----	1 UNCH
4775	----	----	347.20B/333.80A	347.20B/333.80A	----	328.80 - 15.30	.4144	----	----	----	----	1 UNCH
4800	344.30	344.30	359.70B/344.30	359.70B/344.30	----	340.80 - 15.50	.4247	----	----	35	----	125 + 25
4835	----	----	376.80B/362.90A	376.80B/362.90A	----	358.00 - 15.90	.4392	----	----	----	----	1 UNCH
4840	----	----	380.30B/365.30A	380.30B/365.30A	----	360.50 - 16.00	.4413	----	----	----	----	1 UNCH
5000	----	----	470.30B/451.20A	470.30B/451.20A	----	447.20 - 17.20	.5069	----	----	----	----	10 UNCH
5005	----	----	473.40B/454.00A	473.40B/454.00A	----	450.20 - 17.10	.5089	----	----	----	----	2 UNCH
5100	----	----	531.30B/510.40A	531.30B/510.40A	----	507.70 - 17.30	.5463	----	----	----	----	2 UNCH
5150	----	----	564.80B/541.70A	564.80B/541.70A	----	539.50 - 17.30	.5654	----	----	----	----	1 UNCH
5175	----	----	581.60B/557.60A	581.60B/557.60A	----	555.90 - 17.20	.5747	----	----	----	----	125 UNCH
5200	----	----	598.70B/573.90A	598.70B/573.90A	----	572.40 - 17.30	.5839	----	----	----	----	1 UNCH
5355	----	----	----/688.90A	695.00B/688.90A	----	680.50 - 17.10	.6380	----	----	----	----	1 UNCH
5520	----	----	----/810.10A	819.90B/810.10A	----	804.30 - 17.20	.6892	----	----	----	----	300 UNCH
5530	----	----	----/817.80A	827.70B/817.80A	----	812.10 - 17.20	.6921	----	----	----	----	100 UNCH
5550	----	----	----/833.20A	844.20B/833.20A	----	827.70 - 17.20	.6978	----	----	----	----	65 UNCH
5565	----	----	----/844.80A	856.10B/844.80A	----	839.50 - 17.20	.7020	----	----	----	----	50 UNCH
TOTAL										35	50	1295 + 75
MAR27												
5000	----	----	----	224.90B/666.80A	----	407.60 - 60.50	.4973	----	----	----	----	75 UNCH
TOTAL												75 0
APR27												
4300	----	----	----	29.10B/*304.00A	----	212.80 - 4.90	.2521	----	----	----	----	150 UNCH
5000	----	----	----	28.90B/740.30A	----	521.00 - 8.80	.4767	----	----	----	----	100 UNCH
5060	----	----	----	134.00B/788.30A	----	554.30 - 9.20	.4963	----	----	----	----	25 UNCH
TOTAL												275 0
DEC27												
3700	----	----	----	----	----	152.80 - 2.90	.1413	----	----	----	----	100 UNCH
3715	----	----	----	----	----	155.80 - 2.90	.1437	----	----	----	----	150 UNCH
3820	----	----	----	----	----	177.40 - 3.20	.1607	----	----	----	----	50 UNCH
4130	----	----	----	----	----	252.10 - 4.30	.2173	----	----	----	----	168 UNCH
4500	----	----	----	----	----	371.50 - 5.80	.2975	----	----	----	----	270 UNCH
4630	----	----	----	----	----	424.10 - 6.30	.3285	----	----	----	----	284 UNCH
4860	----	----	----	----	----	531.10 - 7.30	.3851	----	----	----	----	100 UNCH
5000	----	----	----	----	----	603.70 - 7.90	.4198	----	----	----	----	50 UNCH
5650	----	----	----	----	----	996.70 - 10.60	.5705	----	----	----	----	200 UNCH
5880	----	----	----	----	----	1157.20 - 11.40	.6176	----	----	----	----	200 UNCH
TOTAL												1572 0
JAN28												
5000	----	----	----	----	----	607.90 - 7.70	.4102	----	----	----	----	1 UNCH
5100	----	----	----	----	----	661.40 - 8.20	.4341	----	----	----	----	1 UNCH
TOTAL												2 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
3400	----	----	----	1195.80B/1451.50A	----	1340.90 + 16.90	1.0000	----	----	----	----	1 UNCH
3600	----	----	----	996.30B/1251.00A	----	1140.90 + 16.90	1.0000	----	----	----	----	10 UNCH
3700	----	----	----/1,014.70A	999.50B/1014.70A	----	1040.90 + 16.90	1.0000	----	----	----	----	11 UNCH
3800	----	----	----	796.80B/1050.50A	----	940.90 + 16.90	1.0000	----	----	----	----	0 UNCH
3855	----	----	----	742.20B/995.30A	----	885.90 + 16.90	1.0000	----	----	----	----	2 UNCH
3870	----	----	----	727.00B/980.20A	----	870.90 + 16.90	1.0000	----	----	----	----	0 UNCH
3875	----	----	872.10B/840.10A	872.10B/840.10A	----	865.90 + 16.90	1.0000	40	----	----	----	0 - 40
3880	----	----	----	717.20B/970.20A	----	860.90 + 16.90	1.0000	----	----	----	----	0 UNCH
3885	----	----	----	712.20B/965.20A	----	855.90 + 16.90	1.0000	----	----	----	----	0 UNCH
3890	----	----	----	707.30B/960.10A	----	850.90 + 16.90	1.0000	----	----	----	----	0 UNCH
3895	----	----	852.10B/820.10A	852.10B/820.10A	----	845.90 + 16.90	1.0000	9	----	----	----	0 - 9
3900	----	----	847.10B/815.10A	847.10B/815.10A	----	840.90 + 16.90	1.0000	21	----	----	----	25 - 21
3905	----	----	----	692.10B/945.20A	----	835.90 + 16.90	1.0000	----	----	----	----	0 UNCH
3910	----	----	----	687.10B/940.10A	----	830.90 + 16.90	1.0000	----	----	----	----	0 UNCH
3945	----	----	----	652.40B/905.10A	----	795.90 + 16.80	1.0000	----	----	----	----	0 UNCH
3950	----	----	797.10B/765.10A	797.10B/765.10A	----	790.90 + 16.80	1.0000	66	----	----	----	10 - 66
3955	----	----	----	642.40B/895.00A	----	785.90 + 16.80	1.0000	----	----	----	----	0 UNCH
3960	----	----	787.10B/755.10A	787.10B/755.10A	----	780.90 + 16.80	1.0000	8	----	----	----	0 - 8
3975	----	----	772.10B/740.10A	772.10B/740.10A	----	765.90 + 16.70	1.0000	13	----	----	----	0 - 13
3980	----	----	768.30B/733.30A	768.30B/733.30A	----	760.90 + 16.70	1.0000	63	----	----	----	34 - 63
3995	----	----	752.10B/720.10A	752.10B/720.10A	----	745.90 + 16.70	1.0000	62	----	----	----	0 - 62
4000	----	----	748.30B/713.30A	748.30B/713.30A	----	740.90 + 16.70	1.0000	129	----	----	----	6 - 129
4005	----	----	742.10B/710.10A	742.10B/710.10A	----	735.90 + 16.70	1.0000	30	----	----	----	0 - 30
4015	----	----	732.10B/700.10A	732.10B/700.10A	----	725.90 + 16.70	1.0000	5	----	----	----	0 - 5
4020	----	----	727.10B/695.10A	727.10B/695.10A	----	720.90 + 16.60	1.0000	14	----	----	----	0 - 14
4025	----	----	----	572.40B/826.00A	----	715.90 + 16.60	1.0000	1	----	----	----	0 - 1
4050	----	----	698.30B/663.30A	698.30B/663.30A	----	690.90 + 16.60	1.0000	51	----	----	----	125 - 51
4070	----	----	677.20B/645.10A	677.20B/645.10A	----	670.90 + 16.50	1.0000	----	----	----	----	25 UNCH
4075	----	----	672.20B/640.10A	672.20B/640.10A	----	665.90 + 16.50	1.0000	22	----	----	----	0 - 22
4090	----	----	----	507.90B/762.90A	----	651.00 + 16.60	.9998	----	----	----	----	1 UNCH
4100	----	----	647.20B/615.10A	647.20B/615.10A	----	641.00 + 16.50	.9994	32	----	----	----	14 - 32
4105	----	----	642.20B/610.10A	642.20B/610.10A	----	636.00 + 16.50	.9994	----	----	----	----	10 UNCH
4120	----	----	632.00B/591.80A	632.00B/591.80A	----	621.00 + 16.40	.9994	62	----	----	----	288 - 62
4125	----	----	----	473.10B/729.10A	----	616.00 + 16.40	.9994	1	----	----	----	0 - 1
4130	----	----	617.30B/585.20A	617.30B/585.20A	----	611.00 + 16.40	.9994	1	----	----	----	10 - 1
4135	----	----	612.30B/580.20A	612.30B/580.20A	----	606.00 + 16.40	.9994	3	----	----	----	0 - 3
4145	----	----	----	453.10B/709.80A	----	596.00 + 16.30	.9993	----	----	----	----	1 UNCH
4150	----	----	602.00B/561.90A	602.00B/561.90A	----	591.00 + 16.30	.9993	77	----	----	----	178 - 77
4155	----	----	----	443.10B/700.10A	----	586.00 + 16.30	.9993	1	----	----	----	0 - 1
4165	----	----	582.40B/550.20A	582.40B/550.20A	----	576.10 + 16.30	.9989	3	----	----	----	0 - 3
4170	----	----	577.40B/545.20A	577.40B/545.20A	----	571.10 + 16.30	.9989	18	----	----	----	6 - 18
4175	----	----	572.40B/540.20A	572.40B/540.20A	----	566.10 + 16.30	.9989	1	----	----	----	2 - 1
4180	----	----	568.60B/533.40A	568.60B/533.40A	----	561.10 + 16.30	.9988	3	----	----	----	120 - 3
4185	----	----	562.40B/530.30A	562.40B/530.30A	----	556.10 + 16.20	.9988	1	----	----	----	2 - 1
4190	----	----	557.40B/525.30A	557.40B/525.30A	----	551.10 + 16.20	.9988	17	----	----	----	1 - 17
4200	----	----	552.10B/512.10A	552.10B/512.10A	----	541.10 + 16.10	.9988	129	----	----	----	693 - 129
4205	----	----	542.40B/510.30A	542.40B/510.30A	----	536.10 + 16.10	.9988	----	----	----	----	4 UNCH
4210	----	----	537.50B/505.30A	537.50B/505.30A	----	531.10 + 16.10	.9988	12	----	----	----	11 - 12

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
4220	----	----	527.50B/495.30A	527.50B/495.30A	----	521.10 + 16.00	.9987	7	----	----	----	0 - 7
4240	----	----	507.60B/475.40A	507.60B/475.40A	----	501.20 + 16.00	.9982	----	----	----	----	21 UNCH
4245	----	----	----	352.10B/614.80A	----	496.20 + 15.90	.9982	----	----	----	----	2 UNCH
4250	----	----	502.30B/427.00A	502.30B/427.00A	----	491.20 + 15.90	.9981	----	----	----	----	277 UNCH
4255	----	----	493.80B/422.10A	493.80B/422.10A	----	486.20 + 15.90	.9981	----	----	----	----	103 UNCH
4260	----	----	487.60B/417.10A	487.60B/417.10A	----	481.20 + 15.80	.9981	----	----	----	----	8 UNCH
4265	----	----	482.60B/412.10A	482.60B/412.10A	----	476.20 + 15.80	.9981	----	----	----	----	13 UNCH
4270	----	----	477.60B/407.20A	477.60B/407.20A	----	471.30 + 15.80	.9975	----	----	----	----	29 UNCH
4275	----	----	472.70B/402.20A	472.70B/402.20A	----	466.30 + 15.80	.9975	----	----	----	----	14 UNCH
4280	----	----	----/397.20A	316.30B/397.20A	----	461.30 + 15.80	.9975	----	----	----	----	1 UNCH
4285	----	----	462.70B/392.30A	462.70B/392.30A	----	456.30 + 15.70	.9974	----	----	----	----	4 UNCH
4290	----	----	457.70B/387.30A	457.70B/387.30A	----	451.30 + 15.70	.9974	----	----	----	----	44 UNCH
4295	----	----	----/382.40A	301.10B/382.40A	----	446.30 + 15.60	.9974	----	----	----	----	2 UNCH
4300	----	----	452.40B/377.40A	452.40B/377.40A	----	441.40 + 15.70	.9973	----	----	----	----	1117 UNCH
4305	----	----	----/372.50A	290.50B/372.50A	----	436.40 + 15.60	.9967	----	----	----	----	2 UNCH
4315	----	----	432.80B/362.60A	432.80B/362.60A	----	426.40 + 15.60	.9967	----	----	----	----	3 UNCH
4325	----	----	427.60B/352.70A	427.60B/352.70A	----	416.40 + 15.50	.9966	----	----	----	----	562 UNCH
4330	----	----	417.90B/347.60A	417.90B/347.60A	----	411.50 + 15.50	.9965	----	----	----	----	26 UNCH
4335	----	----	----/342.80A	259.40B/342.80A	----	406.50 + 15.50	.9959	----	----	----	----	1 UNCH
4340	----	----	408.00B/337.80A	408.00B/337.80A	----	401.50 + 15.40	.9958	----	----	----	----	4 UNCH
4345	----	----	----/332.90A	249.30B/332.90A	----	396.50 + 15.40	.9958	----	----	----	----	2 UNCH
4350	----	----	399.20B/327.90A	399.20B/327.90A	----	391.60 + 15.40	.9957	----	----	----	----	249 UNCH
4355	----	----	393.10B/322.90A	393.10B/322.90A	----	386.60 + 15.40	.9950	----	----	----	----	40 UNCH
4360	----	----	392.70B/318.00A	392.70B/318.00A	----	381.60 + 15.30	.9950	----	----	----	----	349 UNCH
4365	----	----	383.10B/313.20A	383.10B/313.20A	----	376.60 + 15.20	.9949	----	----	----	----	5 UNCH
4370	----	----	379.30B/308.20A	379.30B/308.20A	----	371.60 + 15.20	.9948	----	----	----	----	75 UNCH
4375	----	----	373.20B/303.30A	373.20B/303.30A	----	366.70 + 15.20	.9941	----	----	----	----	34 UNCH
4380	----	----	375.60B/298.50A	375.60B/298.50A	----	361.70 + 15.20	.9940	----	----	----	----	12 UNCH
4385	----	----	370.50B/293.60A	370.50B/293.60A	----	356.70 + 15.10	.9939	----	----	----	----	4 UNCH
4390	----	----	365.30B/288.70A	365.30B/288.70A	----	351.80 + 15.10	.9938	----	----	----	----	10 UNCH
4395	----	----	360.40B/283.80A	360.40B/283.80A	----	346.80 + 15.00	.9931	----	----	----	----	5 UNCH
4400	----	----	355.50B/278.80A	355.50B/278.80A	----	341.80 + 15.00	.9929	----	----	----	30	1605 - 30
4405	----	----	350.70B/274.00A	350.70B/274.00A	----	336.80 + 14.90	.9928	----	----	----	----	16 UNCH
4410	----	----	345.50B/269.00A	345.50B/269.00A	----	331.90 + 14.90	.9927	----	----	----	----	44 UNCH
4415	----	----	340.50B/264.20A	340.50B/264.20A	----	326.90 + 14.80	.9919	----	----	----	----	35 UNCH
4420	----	----	335.70B/259.30A	335.70B/259.30A	----	321.90 + 14.70	.9918	----	----	----	----	50 UNCH
4425	----	----	331.10B/254.50A	331.10B/254.50A	----	317.00 + 14.70	.9916	----	----	----	----	75 UNCH
4430	----	----	325.70B/249.60A	325.70B/249.60A	----	312.00 + 14.60	.9908	----	----	----	----	16 UNCH
4435	----	----	320.80B/245.00A	320.80B/245.00A	----	307.00 + 14.50	.9906	----	----	----	----	6 UNCH
4440	----	----	315.90B/240.00A	315.90B/240.00A	----	302.10 + 14.50	.9904	----	----	----	----	60 UNCH
4445	----	----	311.00B/235.30A	311.00B/235.30A	----	297.10 + 14.40	.9895	----	----	----	----	7 UNCH
4450	----	----	306.40B/230.20A	306.40B/230.20A	----	292.10 + 14.30	.9893	----	----	----	----	270 UNCH
4455	----	----	300.80B/225.60A	300.80B/225.60A	----	287.20 + 14.20	.9891	----	----	----	----	44 UNCH
4460	----	----	295.90B/220.90A	295.90B/220.90A	----	282.20 + 14.10	.9882	----	----	----	----	27 UNCH
4465	----	----	291.10B/216.10A	291.10B/216.10A	----	277.20 + 14.00	.9879	----	----	----	----	20 UNCH
4470	----	----	286.00B/211.20A	286.00B/211.20A	----	272.30 + 13.90	.9877	----	----	----	----	53 UNCH
4475	----	----	281.10B/206.60A	281.10B/206.60A	----	267.30 + 13.70	.9867	----	----	----	----	39 UNCH
4480	----	----	276.50B/201.80A	276.50B/201.80A	----	262.30 + 13.60	.9864	----	----	----	----	117 UNCH
4485	----	----	271.20B/197.00A	271.20B/197.00A	----	257.40 + 13.50	.9862	----	----	----	----	23 UNCH
4490	----	----	266.30B/192.30A	266.30B/192.30A	----	252.40 + 13.30	.9850	----	----	----	----	19 UNCH
4495	----	----	261.30B/187.80A	261.30B/187.80A	----	247.50 + 13.20	.9847	----	----	----	----	16 UNCH
4500	185.00	185.00	256.90B/183.10A	256.90B/183.10A	----	242.50 + 13.00	.9835	----	----	1	----	1268 UNCH
4505	----	----	251.50B/178.40A	251.50B/178.40A	----	237.60 + 12.90	.9832	----	----	----	----	29 UNCH
4510	----	----	246.60B/173.70A	246.60B/173.70A	----	232.60 + 12.70	.9819	----	----	----	----	46 UNCH
4515	----	----	241.60B/169.10A	241.60B/169.10A	----	227.70 + 12.60	.9815	----	----	----	----	16 UNCH
4520	----	----	236.70B/164.50A	236.70B/164.50A	----	222.70 + 12.30	.9802	----	----	----	----	20 UNCH
4525	----	----	231.80B/160.10A	231.80B/160.10A	----	217.80 + 12.20	.9798	----	----	----	----	23 UNCH
4530	----	----	227.00B/155.80A	227.00B/155.80A	----	212.80 + 11.90	.9783	----	----	----	----	37 UNCH
4535	----	----	222.00B/151.30A	222.00B/151.30A	----	207.90 + 11.70	.9769	----	----	----	----	30 UNCH
4540	----	----	217.00B/146.60A	217.00B/146.60A	----	203.00 + 11.50	.9763	----	----	----	----	20 UNCH
4545	----	----	211.90B/142.30A	211.90B/142.30A	----	198.10 + 11.30	.9748	----	----	----	----	4 UNCH
4550	----	----	207.70B/137.90A	207.70B/137.90A	----	193.10 + 11.00	.9731	----	----	----	----	365 UNCH
4555	----	----	202.30B/133.60A	202.30B/133.60A	----	188.20 + 10.70	.9714	----	----	----	----	31 UNCH
4560	----	----	197.40B/129.10A	197.40B/129.10A	----	183.30 + 10.40	.9697	----	----	----	----	35 UNCH
4565	----	----	192.50B/124.80A	192.50B/124.80A	----	178.40 + 10.10	.9678	----	----	----	----	49 UNCH
4570	----	----	187.80B/120.50A	187.80B/120.50A	----	173.50 + 9.80	.9659	----	----	----	----	205 UNCH
4575	----	----	182.80B/116.70A	182.80B/116.70A	----	168.70 + 9.60	.9639	----	----	----	----	69 UNCH
4580	----	----	177.90B/112.20A	177.90B/112.20A	----	163.80 + 9.20	.9618	----	----	----	----	6 UNCH
4585	----	----	173.20B/108.10A	173.20B/108.10A	----	158.90 + 8.80	.9585	----	----	----	----	100 UNCH
4590	----	----	168.40B/104.30A	168.40B/104.30A	----	154.10 + 8.50	.9562	----	----	----	----	130 UNCH
4595	----	----	163.50B/100.10A	163.50B/100.10A	----	149.30 + 8.20	.9526	----	----	----	----	31 UNCH
4600	154.00	154.00	159.00B/96.10A	159.00B/96.10A	----	144.50 + 7.80	.9489	----	----	51	----	2640 - 27
4605	----	----	154.30B/92.50A	154.30B/92.50A	----	139.70 + 7.40	.9451	----	----	----	----	302 UNCH
4610	----	----	149.30B/88.40A	149.30B/88.40A	----	134.90 + 6.90	.9410	----	----	----	----	76 UNCH
4615	----	----	144.30B/84.90A	144.30B/84.90A	----	130.10 + 6.40	.9356	----	----	----	----	20 UNCH
4620	----	----	139.60B/81.20A	139.60B/81.20A	----	125.40 + 6.00	.9312	----	----	1	----	26 + 1
4625	----	----	135.20B/77.50A	135.20B/77.50A	----	120.70 + 5.50	.9254	----	----	----	----	117 UNCH
4630	----	----	130.20B/73.90A	130.20B/73.90A	----	116.00 + 5.00	.9192	----	----	----	----	39 UNCH
4635	----	----	125.80B/70.40A	125.80B/70.40A	----	111.40 + 4.50	.9117	----	----	----	----	229 UNCH
4640	----	----	120.90B/67.00A	120.90B/67.00A	----	106.80 + 4.00	.9038	----	----	----	----	46 UNCH
4645	----	----	116.20B/63.60A	116.20B/63.60A	----	102.20 + 3.50	.8956	----	----	----	----	6 UNCH
4650	----	----	112.20B/60.40A	112.20B/60.40A	----	97.70 + 3.00	.8859	----	----	3	----	581 UNCH
4655	----	----	107.60B/58.80A	107.60B/58.80A	----	93.20 + 2.40	.8758	----	----	1	----	223 + 1
4660	----	----	103.10B/56.40A	103.10B/56.40A	----	88.80 + 1.90	.8641	----	----	----	----	146 UNCH
4665	----	----	98.50B/*55.00A	98.50B/*55.00A	----	84.40 + 1.30	.8520	----	----	----	----	51 UNCH
4670	59.00	59.00	94.40B/50.30A	94.40B/50.30A	----	80.10 + 0.80	.8373	----	----	8	----	118 UNCH
4675	----	----	90.10B/47.30A	90.10B/47.30A	----	75.90 + 0.30	.8231	----	----	1	----	86 UNCH
4680	----	----	85.90B/*44.60A	85.90B/*44.60A	----	71.80 - 0.20	.8063	----	----	----	----	160 UNCH
4685	----	----	81.60B/*41.90A	81.60B/*41.90A	----	67.70 - 0.70	.7890	----	----	----	----	159 UNCH
4690	----	----	77.10B/*39.40A	77.10B/*39.40A	----	63.70 - 1.20	.7702	----	----	----	----	50 UNCH
4695	48.00	48.00	73.20B/*37.30A	73.20B/*37.30A	----	59.90 - 1.60	.7490	----	----	9	----	58 + 5
4700	42.00	42.00	69.60B/33.90A	69.60B/33.90A	----	56.10 - 2.10	.7273	----	----	274	200	1946 - 250
4705	29.10	29.10	65.80B/*29.10	65.80B/*29.10	----	52.40 - 2.60	.7042	----	----	21	----	303 - 2
4710	33.00	33.00	61.90B/*29.40A	61.90B/*29.40A	----	48.80 - 3.10	.6798	----	----	99	----	224 - 2
4715	30.90	30.90	58.00B/*28.20A	58.00B/*28.20A	----	45.40 - 3.40	.6536	----	----	58	----	108 + 35
4720	28.10	28.10	54.80B/*24.90A	54.80B/*24.90A	----	42.10 - 3.80	.6264	----	----	58	----	275 + 10
4725	28.00	28.00	51.30B/*23.10A	51.30B/*23.10A	----	38.90 - 4.20	.5981	----	----	163	----	200 + 46
4730	25.50	25.50	47.90B/*21.50A	47.90B/*21.50A	----	35.80 - 4.50	.5690	----	----	27	----	79 + 11
4735	20.90	20.90	44.70B/*19.90A	44.70B/*19.90A	----	32.90 - 4.80	.5389	----	----	98	----	42 + 17
4740	27.00	27.00	41.60B/*18.40A	41.60B/*18.40A	----	30.10 - 5.10	.5082	----	----	64	----	187 + 15
4745	20.00	20.00	38.60B/*15.30A	38.60B/*15.30A	----	27.50 - 5.30	.4771	----	----	59	----	71 + 31
4750	25.00	25.00	35.70B/*15.50	35.70B/*15.50	----	25.00 - 5.60	.4457	----	----	433	----	1052 + 54
4755	30.30	30.30	32.90B/*14.50A	32.90B/*14.50A	----	22.70 - 5.70	.4145	----	----	66	----	96 + 31
4760	20.40	20.40	30.40B/*12.90A	30.40B/*12.90A	----	20.60 - 5.70	.3839	----	----	86	----	149 + 51
4765	20.10	20.10	27.80B/*11.60A	27.80B/*11.60A	----	18.60 - 5.80	.3537	----	----	15	----	71 + 11
4770	12.50	12.50	25.60B/*10.30A	25.60B/*10.30A	----	16.80 - 5.80	.3246	----	----	17	----	107 + 2
4775	13.90	13.90	23.50B/*9.20A	23.50B/*9.20A	----	15.10 - 5.80	.2964	----	----	298	----	432 + 115
4780	11.10	11.10	21.40B/*8.30A	21.40B/*8.30A	----	13.70 - 5.60	.2706	----	----	31	----	79 + 13
4785	8.20	8.20	19.40B/*7.40A	19.40B/*7.40A	----	12.30 - 5.40	.2454	----	----	26	----	108 + 20
4790	14.20	14.20	17.70B/*6.60	17.70B/*6.60	----	11.10 - 5.20	.2223	----	----	11	----	222 - 8
4795	10.30	10.30	16.40B/*5.40	16.40B/*5.40	----	9.90 - 5.10	.1998	----	----	7	----	85 UNCH
4800	7.50	7.50	15.00/*5.00	15.00/*5.00	----	8.90 - 4.90	.1797	----	----	782	120	2539 - 25
4805	5.20	5.20	13.30B/*5.00A	13.30B/*5.00A	----	8.00 - 4.70	.1613	----	----	36	----	103 + 23
4810	9.60	9.60	12.20B/*4.30	12.20B/*4.30	----	7.20 - 4.50	.1447	----	----	60	----	738 - 11
4815	6.30	6.30	10.80B/*4.00A	10.80B/*4.00A	----	6.40 - 4.40	.1284	----	----	26	----	56 + 16
4820	5.00	5.00	5.00/*3.50A	9.90B/*3.50A	----	5.80 - 4.10	.1153	----	----	58	----	202 - 56
4825	7.50	7.50	8.80B/3.30A	8.80B/3.30A	----	5.20 - 3.90	.1026	----	----	286	----	388 + 96
4830	6.80	6.80	8.00B/3.00A	8.00B/3.00A	----	4.60 - 3.80	.0902	----	----	31	----	101 - 2
4835	4.10	4.10	6.80B/2.80A	6.80B/2.80A	----	4.20 - 3.50	.0811	----	----	18	----	70 - 9
4840	4.10	4.10	4.10/2.60A	6.10B/2.60A	----	3.80 - 3.30	.0724	----	----	34	----	209 UNCH
4845	2.50	2.50	5.50B/2.40A	5.50B/2.40A	----	3.40 - 3.20	.0640	----	----	7	----	190 UNCH
4850	4.20	4.20	4.90B/2.00	4.90B/2.00	----	3.10 - 3.00	.0573	----	----	845	----	1408 - 85
4855	2.30	2.30	4.40B/2.00A	4.40B/2.00A	----	2.80 - 2.90	.0510	----	----	23	----	163 + 1
4860	2.50	2.50	4.00B/1.90A	4.00B/1.90A	----	2.60 - 2.70	.0463	----	----	9	----	179 - 3
4865	2.00	2.00	3.50B/1.80A	3.50B/1.80A	----	2.30 - 2.60	.0404	----	----	11	----	201 UNCH
4870	2.00	2.00	3.50/1.50	3.50/1.50	----	2.10 - 2.50	.0362	----	----	12	----	197 - 1
4875	1.80	1.80	3.20/1.50A	3.20/1.50A	----	1.90 - 2.40	.0321	----	----	30	----	386 - 2
4880	2.10	2.10	2.10/1.50A	2.50B/1.50A	----	1.80 - 2.20	.0297	----	----	25	----	132 + 1
4885	1.50	1.50	1.50/1.50	2.30B/1.50	----	1.60 - 2.10	.0259	----	----	2	----	67 - 1
4890	1.70	1.70	1.70/1.40A	2.10B/1.40A	----	1.50 - 2.00	.0238	----	----	7	----	95 + 6
4895	1.20	1.20	1.20/1.20	1.90B/1.20	----	1.40 - 1.90	.0217	----	----	1	----	120 UNCH
4900	2.00	2.00	2.00/1.00	2.00/1.00	----	1.30 - 1.80	.0197	----	----	312	----	2028 - 107
4905	----	----	----/1.20A	1.50B/1.20A	----	1.20 - 1.70	.0178	----	----	----	----	50 UNCH
4910	1.00	1.00	1.00/1.00	1.40B/1.00	----	1.10 - 1.70	.0160	----	----	3	----	101 + 1
4915	----	----	----/1.00A	1.30B/1.00A	----	1.00 - 1.60	.0142	----	----	----	----	198 UNCH
4920	0.70	0.70	0.70/*0.70	1.20B/*0.70	----	1.00 - 1.50	.0138	----	----	1	----	167 UNCH
4925	----	----	----/1.00A	1.20B/1.00A	----	0.90 - 1.50	.0122	----	----	5	----	415 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
4930	0.80	0.80	0.80/0.80	1.10B/0.80	----	0.90 - 1.40	.0119	----	----	2	----	254 UNCH
4935	----	----	----/0.90A	1.00B/0.90A	----	0.90 - 1.30	.0116	----	----	----	----	61 UNCH
4940	----	----	----/0.80A	0.90B/0.80A	----	0.80 - 1.30	.0101	----	----	----	----	26 UNCH
4945	----	----	----/0.80A	0.90B/0.80A	----	0.80 - 1.20	.0099	----	----	----	----	88 UNCH
4950	0.50	0.50	0.90/*0.50	0.90/*0.50	----	0.80 - 1.10	.0097	----	----	213	----	1356 - 54
4955	0.60	0.60	0.60/*0.50A	0.80B/*0.50A	----	0.70 - 1.10	.0083	----	----	1	----	39 + 1
4960	----	----	----/*0.50A	0.70B/*0.50A	----	0.70 - 1.00	.0081	----	----	----	----	46 UNCH
4965	----	----	----/*0.50A	0.70B/*0.50A	----	0.60 - 1.10	.0068	----	----	----	----	63 UNCH
4970	0.60	0.60	0.60/*0.50A	0.60/*0.50A	----	0.60 - 1.00	.0067	----	----	1	----	59 UNCH
4975	0.60	0.60	0.60/*0.60	0.60/*0.60	----	0.50 - 1.00	.0054	----	----	9	----	291 + 4
4980	0.60	0.60	0.60/*0.50A	0.60/*0.50A	----	0.50 - 1.00	.0053	----	----	7	----	229 UNCH
4985	----	----	----/*0.50A	0.50B/*0.50A	----	0.50 - 0.90	.0052	----	----	----	----	178 UNCH
4990	----	----	----/*0.50A	0.50B/*0.50A	----	0.40 - 1.00	.0041	----	----	----	----	62 UNCH
4995	----	----	----/*0.50A	0.50B/*0.50A	----	0.40 - 0.90	.0040	----	----	----	----	138 UNCH
5000	0.70	0.70	0.90/*0.30	0.90/*0.30	----	0.40 - 0.90	.0039	----	----	30	----	3372 - 6
5005	0.30	0.30	0.30/*0.30	0.40B/*0.30	----	0.40 - 0.90	.0038	----	----	1	----	31 UNCH
5010	0.30	0.30	0.30/*0.30	0.40B/*0.30	----	0.40 - 0.80	.0038	----	----	1	----	124 + 1
5015	0.30	0.30	0.30/*0.30	0.40B/*0.30	----	0.30 - 0.90	.0027	----	----	1	----	66 UNCH
5020	----	----	----/*0.30A	0.40B/*0.30A	----	0.30 - 0.80	.0027	----	----	----	----	90 UNCH
5025	0.30	0.30	0.30/*0.30	0.30/*0.30	----	0.30 - 0.80	.0026	----	----	2	----	288 + 1
5030	----	----	----/*0.30A	0.30B/*0.30A	----	0.30 - 0.80	.0026	----	----	----	----	324 UNCH
5035	0.20	0.20	0.30/*0.20	0.30/*0.20	----	0.30 - 0.70	.0025	----	----	6	----	39 + 6
5040	----	----	----/*0.30A	0.30B/*0.30A	----	0.20 - 0.80	.0016	----	----	----	----	190 UNCH
5045	----	----	----/*0.30A	0.30B/*0.30A	----	0.20 - 0.80	.0016	----	----	----	----	925 UNCH
5050	0.40	0.40	0.40/*0.20	0.40/*0.20	----	0.20 - 0.70	.0016	----	----	8	----	1698 + 3
5055	----	----	----/*0.30A	0.20B/*0.30A	----	0.20 - 0.70	.0015	----	----	----	----	87 UNCH
5060	0.30	0.30	0.30/*0.20A	0.30/*0.20A	----	0.20 - 0.70	.0015	----	----	1	----	93 UNCH
5065	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.20 - 0.60	.0015	----	----	3	----	25 UNCH
5070	----	----	----/*0.20A	0.20B/*0.20A	----	0.20 - 0.60	.0015	----	----	----	----	65 UNCH
5075	----	----	----/*0.20A	0.20B/*0.20A	----	0.20 - 0.60	.0014	----	----	2	----	67 UNCH
5080	----	----	----/*0.30A	0.20B/*0.30A	----	0.20 - 0.60	.0014	----	----	----	----	322 UNCH
5085	0.20	0.20	0.20/*0.10	0.20/*0.10	----	0.20 - 0.50	.0014	----	----	9	----	328 UNCH
5090	----	----	----/*0.20A	0.20B/*0.20A	----	0.20 - 0.50	.0014	----	----	----	----	345 UNCH
5095	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 0.60	.0006	----	----	----	----	28 UNCH
5100	0.20	0.20	0.40/*0.10	0.40/*0.10	----	0.10 - 0.60	.0005	----	----	32	----	2305 + 10
5105	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 0.60	.0004	----	----	----	----	76 UNCH
5110	----	----	----/*0.30A	0.20B/*0.30A	----	0.10 - 0.50	.0004	----	----	----	----	455 UNCH
5115	----	----	----/*0.30A	0.20B/*0.30A	----	0.10 - 0.50	.0003	----	----	----	----	97 UNCH
5120	0.10	0.10	0.10/*0.10	0.20B/*0.10	----	0.10 - 0.50	.0003	----	----	5	----	53 + 5
5125	----	----	----/*0.30A	0.20B/*0.30A	----	0.10 - 0.50	.0002	----	----	----	----	450 UNCH
5130	----	----	----/*0.30A	0.20B/*0.30A	----	0.10 - 0.50	.0002	----	----	----	----	90 UNCH
5135	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 - 0.40	.0001	----	----	5	----	188 + 5
5140	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 0.40	.0001	----	----	----	----	261 UNCH
5145	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 0.40	.0001	----	----	----	----	77 UNCH
5150	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 - 0.40	.0001	----	----	25	----	1465 UNCH
5155	----	----	----/0.40A	----/0.40A	----	0.10 - 0.40	.0000	----	----	----	----	90 UNCH
5160	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 - 0.30	.0000	----	----	15	----	290 + 1
5165	----	----	----/*0.30A	----/*0.30A	----	0.10 - 0.30	.0000	----	----	----	----	67 UNCH
5170	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 - 0.30	.0000	----	----	10	----	205 UNCH
5175	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 - 0.30	.0000	----	----	10	----	270 UNCH
5180	----	----	----/0.30A	----/0.30A	----	0.10 - 0.30	.0000	----	----	----	----	45 UNCH
5185	----	----	----/0.30A	----/0.30A	----	0.10 - 0.30	.0000	----	----	----	----	38 UNCH
5190	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.30	.0000	----	----	----	----	344 UNCH
5195	----	----	----	----/0.30A	----	0.10 - 0.20	.0000	----	----	----	----	38 UNCH
5200	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.20	.0000	----	----	1	----	2529 - 1
5205	----	----	----	----/0.30A	----	0.10 - 0.20	.0000	----	----	----	----	29 UNCH
5210	----	----	----	----/0.30A	----	0.10 - 0.20	.0000	----	----	----	----	54 UNCH
5215	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.20	.0000	----	----	----	----	64 UNCH
5220	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.20	.0000	----	----	----	----	272 UNCH
5225	0.30	0.30	0.30/*0.10A	0.30/*0.10A	----	0.10 - 0.20	.0000	----	----	1	----	183 - 1
5230	----	----	----/0.20A	----/0.20A	----	0.10 - 0.20	.0000	----	----	----	----	46 UNCH
5235	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.20	----	----	----	----	----	73 UNCH
5240	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.20	----	----	----	----	----	93 UNCH
5245	0.20	0.20	0.20/*0.10A	0.20/*0.10A	----	0.10 - 0.20	----	----	----	8	----	58 UNCH
5250	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	----	----	----	1	----	1857 - 1
5255	----	----	----	----/0.20A	----	0.10 - 0.10	----	----	----	----	----	9 UNCH
5260	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	----	----	----	----	----	120 UNCH
5265	----	----	----	----/0.20A	----	0.10 - 0.10	----	----	----	----	----	62 UNCH
5270	----	----	----	----/0.20A	----	0.10 - 0.10	----	----	----	----	----	95 UNCH
5275	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	----	----	----	----	----	202 UNCH
5280	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	----	----	----	----	----	287 UNCH
5285	----	----	----	----/0.20A	----	0.10 - 0.10	----	----	----	----	----	35 UNCH
5290	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	----	----	----	----	----	65 UNCH
5295	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	----	----	----	----	----	69 UNCH
5300	0.20	0.20	0.20/0.10	0.20/0.10	----	0.10 - 0.10	----	----	----	5	----	2044 - 1
5305	----	----	----	----/0.20A	----	0.10 - 0.10	----	----	----	----	----	48 UNCH
5310	----	----	----	----/0.20A	----	0.10 - 0.10	----	----	----	----	----	36 UNCH
5315	----	----	----	----/0.20A	----	0.10 - 0.10	----	----	----	----	----	35 UNCH
5320	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	----	----	----	2	----	360 - 2
5325	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	----	----	----	----	----	110 UNCH
5330	----	----	----	----/0.20A	----	0.10 - 0.10	----	----	----	----	----	42 UNCH
5335	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	----	----	----	----	----	243 UNCH
5340	----	----	----/0.10A	----/0.10A	----	0.10 - 0.10	----	----	----	----	----	134 UNCH
5345	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	65 UNCH
5350	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	824 UNCH
5355	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	29 UNCH
5360	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	106 UNCH
5365	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	33 UNCH
5370	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	125 UNCH
5375	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	403 UNCH
5380	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	77 UNCH
5385	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	117 UNCH
5390	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	100 UNCH
5395	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	39 UNCH
5400	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2639 UNCH
5405	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	63 UNCH
5410	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	155 UNCH
5415	0.20	0.20	0.20/*0.10A	0.20/*0.10A	----	0.10 UNCH	----	----	----	6	----	35 UNCH
5420	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	143 UNCH
5425	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	100 UNCH
5430	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	22 UNCH
5435	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
5440	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	62 UNCH
5445	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	116 UNCH
5450	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	542 UNCH
5455	0.10	0.10	0.10/*0.10	0.10/0.10	----	0.10 UNCH	----	----	----	4	----	153 UNCH
5460	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	37 UNCH
5465	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	38 UNCH
5470	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	253 UNCH
5475	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	35 UNCH
5480	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	34 UNCH
5485	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	41 UNCH
5490	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	35 UNCH
5495	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	52 UNCH
5500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	3998 UNCH
5505	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	92 UNCH
5510	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	64 UNCH
5515	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	13 UNCH
5520	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	204 UNCH
5525	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	85 UNCH
5530	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	65 UNCH
5535	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	14 UNCH
5540	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	27 UNCH
5545	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
5550	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	854 UNCH
5555	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	18 UNCH
5560	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	28 UNCH
5565	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	46 UNCH
5570	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	556 UNCH
5575	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	238 UNCH
5580	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	139 UNCH
5585	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
5590	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	93 UNCH
5595	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	17 UNCH
5600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2955 UNCH
5610	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	462 UNCH
5620	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	137 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS												
MAY26														
5625	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	261	UNCH
5630	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	151	UNCH
5640	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	552	UNCH
5650	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	703	UNCH
5660	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	262	UNCH
5670	0.20	0.20	0.20/0.10A	0.20/0.10A	----	0.10	UNCH	----	----	----	8	----	43 +	2
5675	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
5680	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	94	UNCH
5690	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	178	UNCH
5700	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1830	UNCH
5710	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	50	UNCH
5720	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	35	UNCH
5725	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	431	UNCH
5730	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	120	UNCH
5740	0.10	0.10	0.10/*0.10	0.10/0.10	----	0.10	UNCH	----	----	----	5	----	55	UNCH
5750	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	309	UNCH
5760	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	63	UNCH
5770	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	16	UNCH
5775	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	70	UNCH
5780	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	23	UNCH
5790	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	38	UNCH
5800	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	3	----	989	UNCH
5810	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	37	UNCH
5820	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	50	UNCH
5825	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	112	UNCH
5830	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	138	UNCH
5840	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	89	UNCH
5850	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	330	UNCH
5860	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	68	UNCH
5870	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	17	UNCH
5875	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	123	UNCH
5880	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	24	UNCH
5890	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	23	UNCH
5900	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	773	UNCH
5910	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	61	UNCH
5920	0.10	0.10	0.10/*0.10	0.10/0.10	----	0.10	UNCH	----	----	----	6	----	113	UNCH
5930	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	136	UNCH
5940	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	59	UNCH
5950	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	377	UNCH
5960	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	45	UNCH
5970	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	37	UNCH
5980	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	136	UNCH
5990	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	89	UNCH
6000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	3496	UNCH
6025	0.10	0.10	0.10/*0.10	0.10/0.10	----	0.10	UNCH	----	----	----	6	----	86	UNCH
6050	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	103	UNCH
6075	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	23	UNCH
6100	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	527	UNCH
6125	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	48	UNCH
6150	0.10	0.10	0.10/*0.10	0.10/0.10	----	0.10	UNCH	----	----	----	3	----	132	UNCH
6175	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	128	UNCH
6200	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	374	UNCH
6225	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	138	UNCH
6250	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	278	UNCH
6275	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	34	UNCH
6300	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	274	UNCH
6325	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	148	UNCH
6350	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	203	UNCH
6375	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	24	UNCH
6400	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	333	UNCH
6425	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	42	UNCH
6450	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	49	UNCH
6475	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	68	UNCH
6500	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1575	UNCH
6525	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	20	UNCH
6550	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	75	UNCH
6575	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	10	UNCH
6600	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	71	UNCH
6625	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	38	UNCH
6650	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	57	UNCH
6675	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	29	UNCH
6700	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	381	UNCH
6725	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	101	UNCH
6750	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	64	UNCH
6775	----	----	----	----/*0.10A	----	0.10	UNCH	----	----	----	----	----	7	UNCH
6800	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	616	UNCH
6825	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	8	UNCH
6850	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	32	UNCH
6875	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	13	UNCH
6900	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	553	UNCH
6925	----	----	----	----/*0.10A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
6950	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	34	UNCH
6975	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	7	UNCH
7000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	823	UNCH
7025	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	402	UNCH
7050	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	33	UNCH
7075	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	86	UNCH
7100	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	106	UNCH
7125	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	14	UNCH
7150	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	26	UNCH
7175	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	37	UNCH
7200	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	97	UNCH
7225	----	----	----	----/*0.10A	----	0.10	UNCH	----	----	----	----	----	6	UNCH
7250	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	42	UNCH
7275	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	15	UNCH
7300	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	10	UNCH
7325	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
7350	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
7375	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	10	UNCH
7400	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	16	UNCH
7450	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	20	UNCH
7475	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	11	UNCH
7500	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	350	UNCH
7525	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	42	UNCH
7575	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	6	UNCH
7600	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	89	UNCH
7625	----	----	----	----/*0.10A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
7650	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
7675	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	36	UNCH
7700	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	77	UNCH
7725	----	----	----	----/*0.10A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
7750	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	20	UNCH
7775	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
7800	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	23	UNCH
7825	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	6	UNCH
7850	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	6	UNCH
7875	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
7900	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
7950	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	39	UNCH
7975	----	----	----	----/*0.10A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
8000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1098	UNCH
8100	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	54	UNCH
8200	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1081	UNCH
8300	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	37	UNCH
8400	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
8500	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	74	UNCH
8600	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
8700	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	13	UNCH
8800	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
8900	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	14	UNCH
9000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	332	UNCH
9100	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	9	UNCH
9200	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
9300	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
9400	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
9500	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	53	UNCH
9600	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	7	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS												
MAY26														
9700	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
9800	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	15	UNCH
9900	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	31	UNCH
10000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	767	UNCH
15000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	133	UNCH
TOTAL											5068	350	100834 -	937
JUN26														
1995	----	----	2,739.30B/----	2739.30B/2734.80A	----	2745.90	+ 16.90	1.0000	200	----	200	----	0	UNCH
2000	----	----	2,747.00B/2,714	2747.00B/2714.60A	----	2740.90	+ 16.90	1.0000	628	----	628	----	422	UNCH
2005	----	----	2,729.30B/----	2729.30B/2724.80A	----	2735.90	+ 16.90	1.0000	200	----	200	----	0	UNCH
2795	----	----	----	----	----	1945.90	+ 16.90	1.0000	50	----	50	----	0	UNCH
2800	----	----	1,950.10B/1,913	1950.10B/1913.00A	----	1940.90	+ 16.90	1.0000	668	----	668	----	500	UNCH
2805	----	----	----	----	----	1935.90	+ 16.90	1.0000	50	----	50	----	0	UNCH
2995	----	----	1,736.50B/----	1736.50B/1734.20A	----	1745.90	+ 16.90	.9986	220	----	220	----	0	UNCH
3000	----	----	1,750.70B/1,713	1750.70B/1713.20A	----	1740.90	+ 16.90	.9986	441	----	466	----	400	UNCH
3005	----	----	1,726.50B/----	1726.50B/1724.20A	----	1735.90	+ 16.90	.9985	220	----	220	----	0	UNCH
3400	----	----	1,351.80B/1,312	1351.80B/1312.60A	----	1341.20	+ 16.60	.9933	30	----	36	----	711 +	6
3500	----	----	1,248.10B/1,215	1248.10B/1215.70A	----	1241.50	+ 16.40	.9909	----	----	----	----	57	UNCH
3525	----	----	----	----	----	1216.60	+ 16.40	.9903	----	----	----	----	1	UNCH
3550	----	----	----	----	----	1191.80	+ 16.40	.9898	----	----	----	----	1	UNCH
3580	----	----	1,168.50B/1,136	1168.50B/1136.00A	----	1161.90	+ 16.30	.9888	----	----	----	----	18	UNCH
3585	----	----	1,163.50B/1,131	1163.50B/1131.00A	----	1157.00	+ 16.30	.9888	----	----	----	----	100	UNCH
3600	----	----	1,148.60B/1,116	1148.60B/1116.10A	----	1142.00	+ 16.20	.9883	----	----	----	----	214	UNCH
3635	----	----	1,113.80B/1,081	1113.80B/1081.40A	----	1107.30	+ 16.30	.9869	----	----	----	----	60	UNCH
3650	----	----	1,098.90B/1,066	1098.90B/1066.50A	----	1092.40	+ 16.20	.9863	----	----	----	----	143	UNCH
3665	----	----	1,084.00B/1,051	1084.00B/1051.60A	----	1077.50	+ 16.20	.9858	----	----	----	----	3	UNCH
3700	----	----	1,050.40B/1,015	1050.40B/1015.60A	----	1042.70	+ 16.10	.9847	----	----	----	----	389	UNCH
3715	----	----	1,034.40B/1,002	1034.40B/1002.00A	----	1027.90	+ 16.10	.9841	----	----	----	----	25	UNCH
3725	----	----	1,024.50B/992.1	1024.50B/992.10A	----	1017.90	+ 16.00	.9836	----	----	----	----	212	UNCH
3750	----	----	1,003.70B/964.7	1003.70B/964.70A	----	993.20	+ 16.00	.9825	----	----	----	----	1109	UNCH
3755	----	----	994.70B/962.40A	994.70B/962.40A	----	988.20	+ 16.00	.9821	----	----	----	----	15	UNCH
3785	----	----	965.00B/932.70A	965.00B/932.70A	----	958.50	+ 15.90	.9805	----	----	----	----	170	UNCH
3790	----	----	----	----	----	953.50	+ 15.90	.9804	----	----	----	----	1	UNCH
3800	----	----	954.20B/915.30A	954.20B/915.30A	----	943.60	+ 15.80	.9799	----	----	----	----	545	UNCH
3835	----	----	----/846.70A	----/846.70A	----	909.00	+ 15.80	.9777	----	----	----	----	1	UNCH
3840	----	----	910.70B/841.80A	910.70B/841.80A	----	904.10	+ 15.80	.9776	----	----	----	----	21	UNCH
3850	----	----	901.90B/832.00A	901.90B/832.00A	----	894.20	+ 15.70	.9771	----	----	----	----	322	UNCH
3875	----	----	876.10B/807.60A	876.10B/807.60A	----	869.50	+ 15.60	.9754	----	----	----	----	60	UNCH
3895	----	----	----/788.00A	----/788.00A	----	849.80	+ 15.60	.9738	----	----	----	----	1	UNCH
3900	----	----	852.60B/783.10A	852.60B/783.10A	----	844.90	+ 15.60	.9733	----	----	----	----	363	UNCH
3925	----	----	826.90B/758.80A	826.90B/758.80A	----	820.20	+ 15.40	.9715	----	----	----	----	4	UNCH
3950	----	----	809.60B/734.60A	809.60B/734.60A	----	795.60	+ 15.20	.9693	----	----	----	----	14	UNCH
3975	----	----	784.70B/710.30A	784.70B/710.30A	----	771.10	+ 15.10	.9671	----	----	----	----	106	UNCH
3990	----	----	770.00B/696.10A	770.00B/696.10A	----	756.40	+ 15.00	.9654	----	----	----	----	1	UNCH
3995	----	----	765.40B/690.90A	765.40B/690.90A	----	751.50	+ 15.00	.9649	----	----	----	----	5	UNCH
4000	----	----	760.30B/686.10A	760.30B/686.10A	----	746.60	+ 14.90	.9643	----	----	----	----	860	UNCH
4005	----	----	755.30B/681.30A	755.30B/681.30A	----	741.70	+ 14.90	.9638	----	----	----	----	10	UNCH
4010	----	----	750.80B/676.60A	750.80B/676.60A	----	736.80	+ 14.80	.9632	----	----	----	----	1	UNCH
4020	----	----	741.00B/667.00A	741.00B/667.00A	----	727.00	+ 14.70	.9621	----	----	----	----	2	UNCH
4025	----	----	735.80B/662.40A	735.80B/662.40A	----	722.10	+ 14.70	.9615	----	----	----	----	51	UNCH
4030	----	----	730.90B/657.60A	730.90B/657.60A	----	717.20	+ 14.60	.9610	----	----	----	----	1	UNCH
4040	----	----	721.50B/647.80A	721.50B/647.80A	----	707.50	+ 14.60	.9598	----	----	----	----	1	UNCH
4050	----	----	711.40B/638.10A	711.40B/638.10A	----	697.70	+ 14.40	.9583	----	----	----	----	185	UNCH
4060	----	----	701.70B/628.70A	701.70B/628.70A	----	688.00	+ 14.40	.9571	----	----	----	----	25	UNCH
4070	----	----	692.00B/619.00A	692.00B/619.00A	----	678.20	+ 14.20	.9555	----	----	----	----	10	UNCH
4075	----	----	687.10B/614.60A	687.10B/614.60A	----	673.40	+ 14.20	.9549	----	----	----	----	64	UNCH
4090	----	----	672.60B/600.10A	672.60B/600.10A	----	658.80	+ 14.00	.9526	----	----	----	----	34	UNCH
4100	----	----	663.00B/590.70A	663.00B/590.70A	----	649.10	+ 13.80	.9510	----	----	----	----	682	UNCH
4105	----	----	658.40B/586.00A	658.40B/586.00A	----	644.30	+ 13.80	.9500	----	----	----	----	50	UNCH
4110	----	----	653.50B/581.10A	653.50B/581.10A	----	639.40	+ 13.70	.9493	----	----	----	----	2	UNCH
4115	----	----	648.40B/576.80A	648.40B/576.80A	----	634.60	+ 13.70	.9483	----	----	----	----	5	UNCH
4125	----	----	638.80B/567.40A	638.80B/567.40A	----	624.90	+ 13.50	.9466	----	----	----	----	95	UNCH
4135	----	----	629.40B/558.00A	629.40B/558.00A	----	615.30	+ 13.40	.9449	----	----	----	----	16	UNCH
4150	----	----	615.00B/543.60A	615.00B/543.60A	----	600.90	+ 13.20	.9417	----	----	----	----	263	UNCH
4155	----	----	610.20B/539.10A	610.20B/539.10A	----	596.10	+ 13.10	.9407	----	----	4	----	5	UNCH
4170	----	----	595.80B/525.10A	595.80B/525.10A	----	581.70	+ 12.90	.9374	----	----	----	----	51	UNCH
4175	----	----	590.80B/520.70A	590.80B/520.70A	----	576.90	+ 12.80	.9363	----	----	----	----	61	UNCH
4195	----	----	571.70B/502.00A	571.70B/502.00A	----	557.80	+ 12.40	.9315	----	----	----	----	1	UNCH
4200	----	----	567.10B/497.40A	567.10B/497.40A	----	553.00	+ 12.30	.9304	----	----	----	----	2077	UNCH
4210	----	----	557.60B/488.20A	557.60B/488.20A	----	543.50	+ 12.10	.9278	----	----	----	----	1576	UNCH
4220	----	----	548.00B/479.40A	548.00B/479.40A	----	534.10	+ 12.00	.9251	----	----	----	----	84	UNCH
4225	----	----	543.30B/474.80A	543.30B/474.80A	----	529.30	+ 11.80	.9239	----	----	----	----	15	UNCH
4235	----	----	533.90B/465.70A	533.90B/465.70A	----	519.90	+ 11.70	.9209	----	----	----	----	6	UNCH
4240	----	----	529.20B/460.90A	529.20B/460.90A	----	515.20	+ 11.60	.9193	----	----	----	----	53	UNCH
4245	----	----	524.80B/456.20A	524.80B/456.20A	----	510.50	+ 11.50	.9178	----	----	----	----	263	UNCH
4250	----	----	520.30B/452.20A	520.30B/452.20A	----	505.80	+ 11.40	.9162	----	----	----	----	922	UNCH
4255	----	----	515.50B/447.70A	515.50B/447.70A	----	501.10	+ 11.30	.9146	----	----	----	----	6	UNCH
4260	----	----	510.50B/443.10A	510.50B/443.10A	----	496.40	+ 11.20	.9130	----	----	----	----	1	UNCH
4265	----	----	505.80B/438.40A	505.80B/438.40A	----	491.80	+ 11.20	.9114	----	----	----	----	87	UNCH
4270	----	----	501.20B/434.20A	501.20B/434.20A	----	487.10	+ 11.00	.9098	----	----	----	----	11	UNCH
4280	----	----	491.90B/425.30A	491.90B/425.30A	----	477.80	+ 10.80	.9063	----	----	----	----	1	UNCH
4285	----	----	487.20B/420.80A	487.20B/420.80A	----	473.20	+ 10.80	.9043	----	----	----	----	1	UNCH
4300	421.00	421.00	473.50B/407.70A	473.50B/407.70A	----	459.30	+ 10.50	.8987	----	----	3	----	2117	UNCH
4305	----	----	468.80B/402.90A	468.80B/402.90A	----	454.70	+ 10.40	.8970	----	----	----	----	1	UNCH
4310	----	----	464.50B/398.90A	464.50B/398.90A	----	450.10	+ 10.20	.8950	----	----	----	----	23	UNCH
4315	----	----	459.60B/394.10A	459.60B/394.10A	----	445.50	+ 10.10	.8929	----	----	----	----	1	UNCH
4320	----	----	455.10B/389.90A	455.10B/389.90A	----	440.90	+ 10.00	.8906	----	----	----	----	62	UNCH
4325	----	----	450.60B/385.90A	450.60B/385.90A	----	436.40	+ 10.00	.8885	----	----	----	----	72	UNCH
4335	----	----	441.50B/377.20A	441.50B/377.20A	----	427.30	+ 9.70	.8841	----	----	----	----	13	UNCH
4340	----	----	437.00B/373.00A	437.00B/373.00A	----	422.70	+ 9.60	.8819	----	----	----	----	17	UNCH
4345	----	----	432.70B/368.30A	432.70B/368.30A	----	418.20	+ 9.50	.8795	----	----	----	----	2	UNCH
4350	----	----	427.90B/364.40A	427.90B/364.40A	----	413.70	+ 9.40	.8771	----	----	----	----	1457	UNCH
4355	----	----	423.40B/359.80A	423.40B/359.80A	----	409.20	+ 9.30	.8747	----	----	----	----	129	UNCH
4360	----	----	419.20B/355.50A	419.20B/355.50A	----	404.70	+ 9.10	.8722	----	----	----	----	42	UNCH
4365	----	----	414.70B/351.40A	414.70B/351.40A	----	400.30	+ 9.10	.8697	----	----	----	----	4	UNCH
4370	----	----	410.00B/347.50A	410.00B/347.50A	----	395.80	+ 8.90	.8673	----	----	----	----	3	UNCH
4375	----	----	405.60B/342.90A	405.60B/342.90A	----	391.30	+ 8.70	.8645	----	----	----	----	106	UNCH
4380	----	----	401.50B/339.10A	401.50B/339.10A	----	386.90	+ 8.70	.8619	----	----	----	----	341	UNCH
4385	----	----	396.70B/335.00A	396.70B/335.00A	----	382.50	+ 8.60	.8591	----	----	----	----	3	UNCH
4390	----	----	392.40B/330.50A	392.40B/330.50A	----	378.10	+ 8.40	.8563	----	----	----	----	16	UNCH
4395	----	----	388.00B/326.40A	388.00B/326.40A	----	373.70	+ 8.30	.8535	----	----	----	----	10	UNCH
4400	----	----	383.50B/322.30A	383.50B/322.30A	----	369.30	+ 8.10	.8506	----	----	2	----	1456	UNCH
4410	----	----	375.00B/314.50A	375.00B/314.50A	----	360.60	+ 7.90	.8448	----	----	----	----	39	UNCH
4415	----	----	370.80B/310.10A	370.80B/310.10A	----	356.30	+ 7.80	.8416	----	----	----	----	176	UNCH
4420	----	----	366.50B/306.10A	366.50B/306.10A	----	352.00	+ 7.60	.8384	----	----	----	----	3	UNCH
4425	----	----	361.80B/302.40A	361.80B/302.40A	----	347.70	+ 7.50	.8352	----	----	----	----	274	UNCH
4430	----	----	357.90B/298.10A	357.90B/298.10A	----	343.40	+ 7.30	.8320	----	----	----	----	19	UNCH
4435	325.00	325.00	353.60B/294.40A	353.60B/294.40A	----	339.10	+ 7.20	.8287	----	----	4	----	19 -	1
4440	----	----	349.30B/290.50A	349.30B/290.50A	----	334.90	+ 7.10	.8255	----	----	----	----	20	UNCH
4445	----	----	345.10B/286.60A	345.10B/286.60A	----	330.60	+ 6.90	.8219	----	----	----	----	5	UNCH
4450	----	----	341.10B/282.70A	341.10B/282.70A	----	326.40	+ 6.70	.8184	----	----	----	----	497	UNCH
4455	----	----	336.30B/278.80A	336.30B/278.80A	----	322.20	+ 6.60	.8148	----	----	----	----	6	UNCH
4460	----	----	332.40B/274.70A	332.40B/274.70A	----	318.00	+ 6.40	.8112	----	----	----	----	20	UNCH
4465	----	----	328.30B/271.10A	328.30B/271.10A	----	313.90	+ 6.30	.8076	----	----	----	----	18	UNCH
4470	----	----	324.20B/267.40A	324.20B/267.40A	----	309.70	+ 6.10	.8038	----	----	----	----	24	UNCH
4475	----	----	319.90B/263.50A	319.90B/263.50A	----	305.60	+ 6.00	.8001	----	----	----	----	22	UNCH
4480	----	----	315.90B/259.80A	315.90B/259.80A	----	301.50	+ 5.90	.7962	----	----	----	----	59	UNCH
4485	----	----	311.40B/256.00A	311.40B/256.00A	----	297.50	+ 5.80	.7923	----	----	----	----	6	UNCH
4490	----	----	307.60B/252.30A	307.60B/252.30A	----	293.40	+ 5.60	.7884	----	----	----	----	51	UNCH
4495	----	----	303.60B/248.60A	303.60B/248.60A	----	289.40	+ 5.50	.7842	----	----	----	----	6	UNCH
4500	----	----	299.90B/244.90A	299.90B/244.90A	----	285.30	+ 5.30	.7800	----	----	1	----	4366	UNCH
4505	----	----	295.60B/241.30A	295.60B/241.30A	----	281.30	+ 5.20	.7758	----	----	----	----	49	UNCH
4510	----	----	291.90B/237.40A	291.90B/237.40A	----	277.40	+ 5.20	.7716	----	----	----	----	1475	UNCH
4515	----	----	287.60B/233.80A	287.60B/233.80A	----	273.40	+ 5.00	.7673	----	----	----	----	93	UNCH
4520	----	----	283.50B/230.50A	283.50B/230.50A	----	269.50	+ 4.90	.7629	----	----	----	----	51	UNCH
4525	----	----	279.70B/227.00A	279.70B/227.00A	----	265.60	+ 4.80	.7584	----	----	----	----	232	UNCH
4530	----	----	275.70B/223.20A	275.70B/223.20A	----	261.70	+ 4.70	.7539	----	----	----	----	13	UNCH
4535	----	----	271.80B/219.70A	271.80B/219.70A	----	257.90	+ 4.70	.7493	----	----	----	----	12	UNCH
4540	----	----	268.00B/216.30A	268.00B/216.30A	----	254.00	+ 4.50	.7446	----	----	----	----	78	UNCH
4545	----	----	264.10B/213.10A	264.10B/213.10A	----	250.20	+ 4.40	.7400	----	----	----	----	32	UNCH
4550	----	----	260.30B/209.40A	260.30B/209.40A	----	246.40	+ 4.30	.7353	----	----	----	----	219	UNCH
4555	----	----	256.40B/206.00A	256.40B/206.00A	----	242.70	+ 4.20	.7303	----	----	----	----	9	UNCH
4560	----	----	252.80B/202.90A	252.80B/202.90A	----	238.90	+ 4.00	.7255	----	----	----	----	158	UNCH
4565	----	----	248.90B/199.40A	248.90B/199.40A	----	235.20	+ 3.90	.7205	----	----	----	----	104	UNCH
4570	----	----	245.30B/196.10A	245.30B/196.10A	----	231.60	+ 3.90	.7155	----	----	----	----	35	UNCH
4575	----	----	241.60B/193.10A	241.60B/193.10A	----	227.90	+ 3.70	.7103	----	----	----	----	65	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
4580	----	----	237.80B/189.60A	237.80B/189.60A	----	224.30 + 3.60	.7052	----	----	----	----	8 UNCH
4585	----	----	234.10B/186.40A	234.10B/186.40A	----	220.70 + 3.50	.7000	----	----	----	----	15 UNCH
4590	----	----	230.60B/183.50A	230.60B/183.50A	----	217.10 + 3.30	.6947	----	----	----	----	79 UNCH
4595	----	----	226.90B/180.30A	226.90B/180.30A	----	213.60 + 3.20	.6893	----	----	----	----	13 UNCH
4600	----	----	223.70B/182.60A	223.70B/182.60A	----	210.10 + 3.10	.6840	----	----	----	----	5148 UNCH
4605	----	----	219.90B/178.30A	219.90B/178.30A	----	206.60 + 2.90	.6784	----	----	----	----	153 UNCH
4610	----	----	216.30B/176.80A	216.30B/176.80A	----	203.10 + 2.70	.6729	----	----	----	----	3 UNCH
4615	----	----	212.80B/173.70A	212.80B/173.70A	----	199.70 + 2.60	.6674	----	----	----	----	3 UNCH
4620	----	----	209.30B/170.70A	209.30B/170.70A	----	196.30 + 2.50	.6618	----	----	----	----	20 UNCH
4625	----	----	205.90B/164.60A	205.90B/164.60A	----	193.00 + 2.40	.6560	----	----	----	----	196 UNCH
4630	----	----	202.60B/164.10A	202.60B/164.10A	----	189.60 + 2.20	.6503	----	----	----	----	55 UNCH
4635	----	----	199.00B/161.70A	199.00B/161.70A	----	186.30 + 2.00	.6445	----	----	1	----	6 UNCH
4640	----	----	195.80B/155.70A	195.80B/155.70A	----	183.10 + 2.00	.6387	----	----	1	----	21 UNCH
4645	----	----	192.40B/152.80A	192.40B/152.80A	----	179.80 + 1.80	.6328	----	----	----	----	13 UNCH
4650	182.00	182.00	189.20B/150.00A	189.20B/150.00A	----	176.60 + 1.70	.6268	----	----	1	----	905 UNCH
4655	----	----	185.90B/147.30A	185.90B/147.30A	----	173.50 + 1.70	.6208	----	----	1	----	28 - 1
4660	----	----	182.70B/143.80A	182.70B/143.80A	----	170.30 + 1.50	.6148	----	----	----	----	25 UNCH
4665	----	----	179.30B/141.70A	179.30B/141.70A	----	167.20 + 1.40	.6087	----	----	----	----	2 UNCH
4670	----	----	176.30B/138.40A	176.30B/138.40A	----	164.20 + 1.40	.6026	----	----	----	----	151 UNCH
4675	----	----	173.30B/136.50A	173.30B/136.50A	----	161.10 + 1.30	.5964	----	----	1	----	511 UNCH
4680	----	----	170.00B/133.20A	170.00B/133.20A	----	158.10 + 1.20	.5902	----	----	----	----	235 UNCH
4685	----	----	167.10B/131.00A	167.10B/131.00A	----	155.10 + 1.10	.5840	----	----	----	----	32 UNCH
4690	----	----	164.00B/128.00A	164.00B/128.00A	----	152.20 + 1.10	.5778	----	----	----	----	38 UNCH
4695	----	----	161.10B/126.80A	161.10B/126.80A	----	149.30 + 1.00	.5715	----	----	----	----	51 UNCH
4700	142.70	142.70	158.30B/123.10A	158.30B/123.10A	----	146.40 + 0.90	.5651	----	----	136	----	3321 + 16
4705	----	----	155.20B/121.40A	155.20B/121.40A	----	143.60 + 0.90	.5588	----	----	6	----	17 + 4
4710	133.10	133.10	152.30B/119.00A	152.30B/119.00A	----	140.80 + 0.80	.5524	----	----	2	----	14 - 1
4715	----	----	149.40B/116.60A	149.40B/116.60A	----	138.00 + 0.70	.5460	----	----	----	----	17 UNCH
4720	127.90	127.90	146.60B/113.60A	146.60B/113.60A	----	135.30 + 0.60	.5395	----	----	7	----	229 - 2
4725	129.40	129.40	143.90B/112.00A	143.90B/112.00A	----	132.60 + 0.50	.5331	----	----	2	----	331 UNCH
4730	----	----	141.10B/108.90A	141.10B/108.90A	----	129.90 + 0.40	.5266	----	----	4	----	39 - 4
4735	114.60	114.60	138.40B/107.40A	138.40B/107.40A	----	127.30 + 0.30	.5201	----	----	1	----	239 + 1
4740	107.80	107.80	135.60B/105.10A	135.60B/105.10A	----	124.70 + 0.20	.5136	----	----	14	----	46 + 7
4745	110.00	110.00	133.00B/102.40A	133.00B/102.40A	----	122.10 UNCH	.5071	----	----	5	----	17 + 1
4750	106.90	106.90	130.30B/100.20A	130.30B/100.20A	----	119.50 - 0.10	.5006	----	----	31	----	2102 - 1
4755	110.00	110.00	127.70B/*98.30A	127.70B/*98.30A	----	117.00 - 0.30	.4940	----	----	1	----	106 UNCH
4760	----	----	125.20B/*96.10A	125.20B/*96.10A	----	114.60 - 0.30	.4875	----	----	3	----	65 + 3
4765	97.60	97.60	122.60B/*93.90A	122.60B/*93.90A	----	112.20 - 0.40	.4810	----	----	4	----	68 + 1
4770	----	----	120.10B/*92.00A	120.10B/*92.00A	----	109.80 - 0.60	.4744	----	----	1	----	53 - 1
4775	109.60	109.60	117.60B/90.00A	117.60B/90.00A	----	107.40 - 0.70	.4679	----	----	3	----	197 + 1
4780	----	----	115.20B/*88.10A	115.20B/*88.10A	----	105.10 - 0.80	.4614	----	----	2	----	129 - 1
4785	----	----	112.80B/*86.30A	112.80B/*86.30A	----	102.80 - 1.00	.4548	----	----	----	----	42 UNCH
4790	95.30	95.30	110.50B/*84.40A	110.50B/*84.40A	----	100.50 - 1.10	.4483	----	----	2	----	45 + 2
4795	105.10	105.10	108.10B/*82.80A	108.10B/*82.80A	----	98.30 - 1.20	.4418	----	----	1	----	48 UNCH
4800	88.00	88.00	106.00B/80.80A	106.00B/80.80A	----	96.10 - 1.30	.4352	----	----	114	----	3757 + 55
4805	----	----	103.50B/*79.10A	103.50B/*79.10A	----	94.00 - 1.40	.4288	----	----	----	----	29 UNCH
4810	----	----	101.30B/*77.30A	101.30B/*77.30A	----	91.90 - 1.50	.4223	----	----	----	----	80 UNCH
4815	----	----	99.10B/*75.60A	99.10B/*75.60A	----	89.80 - 1.60	.4159	----	----	----	----	89 UNCH
4820	90.40	90.40	97.00B/*74.00A	97.00B/*74.00A	----	87.80 - 1.60	.4095	----	----	5	----	77 + 2
4825	80.10	80.10	95.10B/72.30A	95.10B/72.30A	----	85.80 - 1.70	.4031	----	----	3	----	677 UNCH
4830	----	----	92.80B/*70.70A	92.80B/*70.70A	----	83.90 - 1.70	.3968	----	----	1	----	108 UNCH
4835	----	----	90.70B/*69.20A	90.70B/*69.20A	----	82.00 - 1.70	.3905	----	----	----	----	5 UNCH
4840	----	----	88.70B/*67.60A	88.70B/*67.60A	----	80.10 - 1.70	.3842	----	----	----	----	60 UNCH
4845	----	----	86.70B/*66.10A	86.70B/*66.10A	----	78.20 - 1.80	.3779	----	----	----	----	21 UNCH
4850	70.00	70.00	84.80B/64.00	84.80B/64.00	----	76.40 - 1.80	.3717	----	----	26	500	2131 + 400
4855	----	----	82.90B/*63.20A	82.90B/*63.20A	----	74.60 - 1.90	.3655	----	----	1	----	281 - 1
4860	----	----	81.00B/*61.80A	81.00B/*61.80A	----	72.90 - 1.80	.3594	----	----	----	----	62 UNCH
4865	----	----	79.10B/*60.40A	79.10B/*60.40A	----	71.20 - 1.80	.3533	----	----	----	----	55 UNCH
4870	----	----	77.30B/*59.00A	77.30B/*59.00A	----	69.50 - 1.90	.3473	----	----	1	----	29 - 1
4875	----	----	75.60B/57.70A	75.60B/57.70A	----	67.90 - 1.90	.3413	----	----	6	----	127 + 6
4880	72.00	72.00	73.70B/*56.40A	73.70B/*56.40A	----	66.20 - 2.00	.3353	----	----	1	----	73 UNCH
4885	----	----	72.00B/*55.10A	72.00B/*55.10A	----	64.60 - 2.10	.3293	----	----	----	----	262 UNCH
4890	62.50	62.50	70.50B/*53.90A	70.50B/*53.90A	----	63.10 - 2.10	.3236	----	----	12	----	304 + 8
4895	----	----	68.80B/*52.60A	68.80B/*52.60A	----	61.60 - 2.10	.3178	----	----	----	----	214 UNCH
4900	60.00	60.00	67.10B/50.90	67.10B/50.90	----	60.10 - 2.10	.3120	----	----	166	----	4254 + 63
4905	----	----	65.50B/*50.20A	65.50B/*50.20A	----	58.60 - 2.20	.3063	----	----	----	----	19 UNCH
4910	----	----	63.90B/*49.00A	63.90B/*49.00A	----	57.20 - 2.20	.3007	----	----	----	----	34 UNCH
4915	57.80	57.80	62.50B/*47.90A	62.50B/*47.90A	----	55.80 - 2.30	.2951	----	----	6	----	264 + 2
4920	----	----	60.90B/*46.90A	60.90B/*46.90A	----	54.40 - 2.30	.2896	----	----	----	----	121 UNCH
4925	----	----	59.40B/45.70A	59.40B/45.70A	----	53.00 - 2.40	.2840	----	----	----	----	103 UNCH
4930	----	----	58.00B/*44.70A	58.00B/*44.70A	----	51.70 - 2.40	.2786	----	----	2	----	208 - 1
4935	----	----	56.50B/*43.70A	56.50B/*43.70A	----	50.40 - 2.50	.2732	----	----	----	----	18 UNCH
4940	----	----	55.20B/*42.70A	55.20B/*42.70A	----	49.20 - 2.40	.2681	----	----	1	----	102 - 1
4945	43.70	43.70	53.80B/*41.60A	53.80B/*41.60A	----	47.90 - 2.50	.2627	----	----	101	----	344 + 83
4950	43.40	43.40	52.50B/40.70A	52.50B/40.70A	----	46.70 - 2.50	.2576	----	----	182	----	1511 + 146
4955	----	----	51.20B/*39.70A	51.20B/*39.70A	----	45.50 - 2.60	.2525	----	----	----	----	74 UNCH
4960	----	----	49.90B/*38.60A	49.90B/*38.60A	----	44.40 - 2.50	.2476	----	----	2	----	390 UNCH
4965	39.50	39.50	48.70B/*37.90A	48.70B/*37.90A	----	43.30 - 2.50	.2427	----	----	2	----	37 - 1
4970	----	----	47.50B/*36.90A	47.50B/*36.90A	----	42.20 - 2.50	.2378	----	----	20	----	152 + 8
4975	----	----	46.40B/*36.00A	46.40B/*36.00A	----	41.10 - 2.60	.2329	----	----	1	----	330 - 1
4980	----	----	45.10B/*35.30A	45.10B/*35.30A	----	40.10 - 2.50	.2283	----	----	1	----	148 UNCH
4985	----	----	44.00B/*34.10A	44.00B/*34.10A	----	39.10 - 2.50	.2237	----	----	----	----	117 UNCH
4990	----	----	43.00B/*33.80A	43.00B/*33.80A	----	38.10 - 2.50	.2191	----	----	8	----	974 - 8
4995	----	----	41.90B/*32.50A	41.90B/*32.50A	----	37.10 - 2.50	.2145	----	----	1	----	101 UNCH
5000	35.00	35.00	40.90B/31.50	40.90B/31.50	----	36.20 - 2.50	.2102	----	----	644	----	7372 + 89
5005	37.80	37.80	39.80B/*31.00A	39.80B/*31.00A	----	35.30 - 2.50	.2059	----	----	8	----	301 UNCH
5010	31.60	31.60	38.80B/*30.20A	38.80B/*30.20A	----	34.40 - 2.50	.2016	----	----	12	----	188 - 2
5015	----	----	37.90B/*29.40A	37.90B/*29.40A	----	33.50 - 2.50	.1973	----	----	----	----	77 UNCH
5020	----	----	36.90B/*28.70A	36.90B/*28.70A	----	32.70 - 2.50	.1933	----	----	----	----	470 UNCH
5025	33.90	33.90	36.00B/*28.40A	36.00B/*28.40A	----	31.80 - 2.50	.1890	----	----	6	----	117 + 5
5030	----	----	35.10B/*27.60A	35.10B/*27.60A	----	31.00 - 2.50	.1850	----	----	2	----	123 - 2
5035	----	----	34.20B/*26.80A	34.20B/*26.80A	----	30.30 - 2.40	.1814	----	----	----	----	58 UNCH
5040	----	----	33.30B/*26.30A	33.30B/*26.30A	----	29.50 - 2.50	.1774	----	----	----	----	233 UNCH
5045	28.00	28.00	32.50B/*25.50A	32.50B/*25.50A	----	28.80 - 2.40	.1738	----	----	4	----	148 + 1
5050	25.80	25.80	31.80B/*24.90A	31.80B/*24.90A	----	28.10 - 2.40	.1702	----	----	36	----	1711 + 27
5055	----	----	30.90B/*24.30A	30.90B/*24.30A	----	27.40 - 2.40	.1666	----	----	1	----	61 UNCH
5060	----	----	30.10B/*23.70A	30.10B/*23.70A	----	26.70 - 2.40	.1629	----	----	----	----	106 UNCH
5065	----	----	29.30B/*23.20A	29.30B/*23.20A	----	26.00 - 2.40	.1594	----	----	6	----	40 UNCH
5070	----	----	28.60B/*22.50A	28.60B/*22.50A	----	25.40 - 2.30	.1561	----	----	2	----	82 UNCH
5075	----	----	27.90B/*22.00A	27.90B/*22.00A	----	24.70 - 2.40	.1525	----	----	----	----	748 UNCH
5080	23.00	23.00	27.20B/*21.40A	27.20B/*21.40A	----	24.10 - 2.40	.1493	----	----	39	----	331 - 31
5085	----	----	26.50B/*20.80A	26.50B/*20.80A	----	23.50 - 2.40	.1461	----	----	2	----	198 + 2
5090	----	----	25.80B/*20.50A	25.80B/*20.50A	----	23.00 - 2.30	.1432	----	----	----	----	71 UNCH
5095	----	----	25.20B/*20.00A	25.20B/*20.00A	----	22.40 - 2.30	.1400	----	----	1	----	67 - 1
5100	20.00	20.00	24.60B/19.00	24.60B/19.00	----	21.90 - 2.20	.1372	----	----	209	----	5145 - 84
5105	----	----	24.00B/*18.90A	24.00B/*18.90A	----	21.30 - 2.30	.1340	----	----	3	----	41 + 2
5110	20.80	20.80	23.40B/*18.50A	23.40B/*18.50A	----	20.80 - 2.20	.1312	----	----	3	----	108 + 2
5115	20.30	20.30	22.90B/*18.00A	22.90B/*18.00A	----	20.30 - 2.20	.1284	----	----	20	----	153 + 18
5120	----	----	22.30B/*17.50A	22.30B/*17.50A	----	19.80 - 2.20	.1256	----	----	----	----	132 UNCH
5125	19.80	19.80	21.80B/*17.20A	21.80B/*17.20A	----	19.30 - 2.20	.1228	----	----	9	----	306 - 1
5130	----	----	21.30B/*16.80A	21.30B/*16.80A	----	18.90 - 2.10	.1204	----	----	4	----	50 - 3
5135	19.40	19.40	20.80B/*16.40A	20.80B/*16.40A	----	18.40 - 2.20	.1177	----	----	2	----	60 UNCH
5140	19.70	19.70	20.30B/*16.00A	20.30B/*16.00A	----	18.00 - 2.10	.1153	----	----	50	----	141 UNCH
5145	----	----	19.80B/*15.70A	19.80B/*15.70A	----	17.60 - 2.10	.1129	----	----	----	----	15 UNCH
5150	16.30	16.30	19.60/*15.30A	19.60/*15.30A	----	17.10 - 2.10	.1102	----	----	242	----	2473 - 40
5155	----	----	18.90B/*15.00A	18.90B/*15.00A	----	16.70 - 2.10	.1078	----	----	----	----	31 UNCH
5160	16.00	16.00	18.40B/*14.60A	18.40B/*14.60A	----	16.30 - 2.10	.1055	----	----	6	----	110 + 1
5165	15.80	15.80	18.00B/*14.30A	18.00B/*14.30A	----	16.00 - 2.00	.1036	----	----	17	----	165 UNCH
5170	----	----	----/*14.00A	17.60B/*14.00A	----	15.60 - 2.00	.1013	----	----	----	----	358 UNCH
5175	15.60	15.60	17.20B/*13.70A	17.20B/*13.70A	----	15.20 - 2.10	.0990	----	----	27	----	46 + 7
5180	15.30	15.30	16.80B/*13.40A	16.80B/*13.40A	----	14.90 - 2.00	.0971	----	----	19	----	67 + 5
5185	14.80	14.80	16.40B/*13.20A	16.40B/*13.20A	----	14.50 - 2.00	.0948	----	----	2	----	115 + 2
5190	14.40	14.40	16.00B/*12.90A	16.00B/*12.90A	----	14.20 - 2.00	.0929	----	----	16	----	500 UNCH
5195	14.20	14.20	15.60B/*12.50A	15.60B/*12.50A	----	13.90 - 2.00	.0911	----	----	16	----	521 + 16
5200	12.90	12.90	15.30B/12.20A	15.30B/12.20A	----	13.60 - 1.90	.0892	----	----	79	350	6245 - 142
5205	13.50	13.50	14.90B/*12.00A	14.90B/*12.00A	----	13.30 - 1.90	.0874	----	----	20	----	36 + 20
5210	13.20	13.20	14.50B/*11.70A	14.50B/*11.70A	----	13.00 - 1.90	.0855	----	----	20	----	3073 + 20
5215	13.00	13.00	14.30B/*11.50A	14.30B/*11.50A	----	12.70 - 1.90	.0837	----	----	7	----	81 + 3
5220	----	----	----/*11.20A	14.00B/*11.20A	----	12.40 - 1.90	.0819	----	----	2	----	204 + 2
5225	12.50	12.50	13.70B/*11.10A	13.70B/*11.10A	----	12.10 - 1.90	.0801	----	----	6	----	784 UNCH
5230	12.20	12.20	13.40B/*10.70A	13.40B/*10.70A	----	11.90 - 1.90	.0787	----	----	16	----	124 + 16
5235	----	----	----/*10.70A	13.10B/*10.70A	----	11.60 - 1.90	.0769	----	----	----	----	154 UNCH
5240	----	----	----/*10.30A	12.80B/*10.30A	----	11.40 - 1.80	.0756	----	----	----	----	66 UNCH
5245	----	----	----/*10.10A	12.50B/*10.10A	----	11.10 - 1.90	.0738	----	----	1	----	23 UNCH
5250	11.20	11.20	12.30B/*9.90A	12.30B/*9.90A	----	10.90 - 1.80	.0724	----	----	38	----	4275 - 23
5255	----	----	----/*9.70A	12.00B/*9.70A	----	10.70 - 1.80	.0711	----	----	----	----	70 UNCH
5260	----	----	----/*9.50A	11.70B/*9.50A	----	10.50 - 1.70	.0698	----	----	3	----	411 - 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
5265	----	----	----/*9.30A	11.50B/*9.30A	----	10.30 - 1.70	.0685	----	----	----	----	49 UNCH
5270	----	----	----/*9.10A	11.20B/*9.10A	----	10.10 - 1.70	.0672	----	----	----	----	50 UNCH
5275	----	----	----/*9.00A	11.00B/*9.00A	----	9.90 - 1.60	.0659	----	----	3	----	126 - 1
5280	----	----	----/*8.80A	10.80B/*8.80A	----	9.70 - 1.60	.0646	----	----	3	----	98 - 1
5285	----	----	----/*8.60A	10.60B/*8.60A	----	9.50 - 1.60	.0633	----	----	----	----	167 UNCH
5290	----	----	----/*8.60A	10.30B/*8.60A	----	9.30 - 1.60	.0620	----	----	----	----	35 UNCH
5295	----	----	----/*8.20A	10.10B/*8.20A	----	9.10 - 1.60	.0608	----	----	----	----	97 UNCH
5300	9.00	9.00	9.90B/8.00	9.90B/8.00	----	9.00 - 1.50	.0600	----	----	91	----	5121 - 24
5305	----	----	----/*8.00A	9.70B/*8.00A	----	8.80 - 1.50	.0587	----	----	----	----	304 UNCH
5310	----	----	----/*8.00A	9.50B/*8.00A	----	8.60 - 1.50	.0574	----	----	----	----	125 UNCH
5315	----	----	----/*7.70A	9.30B/*7.70A	----	8.50 - 1.50	.0567	----	----	----	----	82 UNCH
5320	----	----	----/*7.60A	9.20B/*7.60A	----	8.30 - 1.50	.0554	----	----	----	----	140 UNCH
5325	----	----	----/*7.50A	9.00B/*7.50A	----	8.20 - 1.40	.0546	----	----	----	----	162 UNCH
5330	----	----	----/*7.40A	8.80B/*7.40A	----	8.00 - 1.40	.0534	----	----	----	----	84 UNCH
5335	----	----	----/*7.20A	8.70B/*7.20A	----	7.90 - 1.40	.0527	----	----	----	----	26 UNCH
5340	----	----	----/*7.10A	8.50B/*7.10A	----	7.80 - 1.30	.0519	----	----	----	----	72 UNCH
5345	----	----	----/*7.00A	8.30B/*7.00A	----	7.60 - 1.40	.0507	----	----	----	----	24 UNCH
5350	7.50	7.50	8.20B/*6.90A	8.20B/*6.90A	----	7.50 - 1.30	.0499	----	----	87	----	1910 - 1
5355	----	----	----/*6.80A	8.00B/*6.80A	----	7.40 - 1.30	.0492	----	----	3	----	21 - 3
5360	----	----	----/*6.70A	7.90B/*6.70A	----	7.20 - 1.30	.0480	----	----	----	----	64 UNCH
5365	----	----	----/*6.60A	7.80B/*6.60A	----	7.10 - 1.30	.0473	----	----	----	----	13 UNCH
5370	----	----	----/*6.40A	7.60B/*6.40A	----	7.00 - 1.20	.0466	----	----	----	----	79 UNCH
5375	6.90	6.90	6.90/*6.30A	7.50B/*6.30A	----	6.90 - 1.20	.0458	----	----	3	----	269 UNCH
5380	----	----	----/*6.20A	7.40B/*6.20A	----	6.80 - 1.20	.0451	----	----	----	----	98 UNCH
5385	----	----	----/*6.10A	7.20B/*6.10A	----	6.70 - 1.10	.0444	----	----	----	----	10 UNCH
5390	----	----	----/*6.00A	7.10B/*6.00A	----	6.60 - 1.10	.0437	----	----	----	----	121 UNCH
5395	6.20	6.20	6.20/*6.00A	7.00B/*6.00A	----	6.50 - 1.10	.0430	----	----	1	----	48 UNCH
5400	6.30	6.30	6.90B/5.90A	6.90B/5.90A	----	6.40 - 1.10	.0423	----	----	31	----	5393 - 4
5405	----	----	----/*5.80A	6.70B/*5.80A	----	6.30 - 1.10	.0417	----	----	----	----	87 UNCH
5410	6.80	6.80	6.80/*5.70A	6.80/*5.70A	----	6.20 - 1.10	.0410	----	----	2	----	26 - 2
5415	----	----	----/*5.60A	6.50B/*5.60A	----	6.10 - 1.10	.0403	----	----	----	----	12 UNCH
5420	----	----	----/*5.50A	6.40B/*5.50A	----	6.00 - 1.10	.0396	----	----	----	----	43 UNCH
5425	----	----	----/*5.50A	6.30B/*5.50A	----	5.90 - 1.10	.0389	----	----	----	----	125 UNCH
5430	----	----	----/*5.40A	6.20B/*5.40A	----	5.80 - 1.10	.0383	----	----	----	----	103 UNCH
5435	----	----	----/*5.30A	6.10B/*5.30A	----	5.70 - 1.10	.0376	----	----	----	----	18 UNCH
5440	5.60	5.60	5.60/*5.20A	6.00B/*5.20A	----	5.60 - 1.10	.0369	----	----	4	----	99 + 4
5445	----	----	----/*5.20A	5.90B/*5.20A	----	5.50 - 1.10	.0363	----	----	----	----	40 UNCH
5450	5.80	5.80	6.00/*5.10A	6.00/*5.10A	----	5.40 - 1.10	.0356	----	----	5	----	1568 + 1
5455	6.20	6.20	6.20/*5.00A	6.20/*5.00A	----	5.40 - 1.00	.0355	----	----	6	----	181 + 6
5460	5.40	5.40	5.40/*4.90A	5.60B/*4.90A	----	5.30 - 1.00	.0348	----	----	1	----	130 + 1
5465	5.40	5.40	5.40/*4.90A	5.50B/*4.90A	----	5.20 - 1.00	.0342	----	----	1	----	39 + 1
5470	5.20	5.20	5.20/*4.80A	5.40B/*4.80A	----	5.10 - 1.10	.0335	----	----	1	----	35 UNCH
5475	----	----	----/*4.70A	5.40B/*4.70A	----	5.10 - 1.00	.0334	----	----	1	----	84 UNCH
5480	----	----	----/*4.70A	5.30B/*4.70A	----	5.00 - 1.00	.0327	----	----	----	----	47 UNCH
5485	----	----	----/*4.60A	5.20B/*4.60A	----	4.90 - 1.00	.0321	----	----	----	----	9 UNCH
5490	----	----	----/*4.60A	5.10B/*4.60A	----	4.90 - 1.00	.0319	----	----	1	----	178 UNCH
5495	----	----	----/*4.50A	5.00B/*4.50A	----	4.80 - 1.00	.0313	----	----	----	----	73 UNCH
5500	5.00	5.00	5.40/*4.30	5.40/*4.30	----	4.70 - 1.00	.0307	----	----	108	----	7138 - 22
5505	----	----	----/*4.40A	4.90B/*4.40A	----	4.70 - 0.90	.0306	----	----	----	----	15 UNCH
5510	----	----	----/*4.30A	4.80B/*4.30A	----	4.60 - 1.00	.0299	----	----	----	----	185 UNCH
5515	----	----	----/*4.30A	4.80B/*4.30A	----	4.50 - 1.00	.0293	----	----	----	----	39 UNCH
5520	----	----	----/*4.20A	4.70B/*4.20A	----	4.50 - 0.90	.0292	----	----	----	----	26 UNCH
5525	----	----	----/*4.20A	4.60B/*4.20A	----	4.40 - 1.00	.0286	----	----	4	----	165 UNCH
5530	----	----	----/*4.20A	4.60B/*4.20A	----	4.40 - 0.90	.0284	----	----	----	----	39 UNCH
5535	----	----	----/*4.20A	4.50B/*4.20A	----	4.30 - 0.90	.0278	----	----	----	----	8 UNCH
5540	----	----	----/*4.10A	4.50B/*4.10A	----	4.30 - 0.90	.0277	----	----	----	----	291 UNCH
5545	----	----	----/*4.10A	4.40B/*4.10A	----	4.20 - 0.90	.0271	----	----	----	----	19 UNCH
5550	----	----	----/*4.00A	4.40B/*4.00A	----	4.20 - 0.80	.0270	----	----	10	----	774 - 8
5555	----	----	----/*3.90A	4.30B/*3.90A	----	4.10 - 0.90	.0264	----	----	----	----	4 UNCH
5560	----	----	----/*3.90A	4.30B/*3.90A	----	4.10 - 0.80	.0263	----	----	----	----	52 UNCH
5565	----	----	----/*3.80A	4.20B/*3.80A	----	4.00 - 0.90	.0257	----	----	----	----	14 UNCH
5570	----	----	----/*3.80A	4.20B/*3.80A	----	4.00 - 0.80	.0256	----	----	----	----	28 UNCH
5575	----	----	----/*3.80A	4.10B/*3.80A	----	3.90 - 0.80	.0250	----	----	----	----	60 UNCH
5580	----	----	----/*3.70A	4.10B/*3.70A	----	3.90 - 0.80	.0249	----	----	----	----	13 UNCH
5585	----	----	----/*3.70A	4.00B/*3.70A	----	3.80 - 0.80	.0243	----	----	----	----	11 UNCH
5590	----	----	----/*3.70A	4.00B/*3.70A	----	3.80 - 0.80	.0242	----	----	----	----	95 UNCH
5595	----	----	----/*3.60A	4.00B/*3.60A	----	3.70 - 0.80	.0236	----	----	----	----	39 UNCH
5600	----	----	----/*3.60A	3.90B/*3.60A	----	3.70 - 0.80	.0235	----	----	5	----	2410 UNCH
5610	----	----	----/*3.50A	3.80B/*3.50A	----	3.60 - 0.80	.0229	----	----	----	----	73 UNCH
5620	----	----	----/*3.50A	3.70B/*3.50A	----	3.60 - 0.70	.0227	----	----	----	----	59 UNCH
5625	----	----	----/*3.40A	3.70B/*3.40A	----	3.50 - 0.70	.0221	----	----	----	----	405 UNCH
5630	----	----	----/*3.40A	3.70B/*3.40A	----	3.50 - 0.70	.0220	----	----	----	----	228 UNCH
5640	----	----	----/*3.30A	3.60B/*3.30A	----	3.40 - 0.70	.0214	----	----	----	----	79 UNCH
5650	----	----	----/*3.30A	3.50B/*3.30A	----	3.40 - 0.60	.0212	----	----	1	----	743 UNCH
5660	----	----	----/*3.20A	3.50B/*3.20A	----	3.30 - 0.60	.0206	----	----	----	----	43 UNCH
5665	----	----	----/*3.20A	3.40B/*3.20A	----	3.30 - 0.60	.0205	----	----	----	----	5 UNCH
5670	----	----	----/*3.20A	3.40B/*3.20A	----	3.20 - 0.70	.0199	----	----	----	----	119 UNCH
5675	----	----	----/*3.20A	3.40B/*3.20A	----	3.20 - 0.60	.0199	----	----	----	----	22 UNCH
5680	----	----	----/*3.10A	3.30B/*3.10A	----	3.20 - 0.60	.0198	----	----	----	----	47 UNCH
5690	----	----	----/*3.10A	3.10B/*3.10A	----	3.10 - 0.60	.0192	----	----	----	----	163 UNCH
5700	3.40	3.40	3.40/*3.00A	3.40/*3.00A	----	3.10 - 0.50	.0190	----	----	11	----	1964 UNCH
5710	----	----	----/*3.00A	3.00B/*3.00A	----	3.00 - 0.60	.0184	----	----	----	----	41 UNCH
5720	----	----	----/*2.90A	3.10B/*2.90A	----	2.90 - 0.60	.0178	----	----	----	----	18 UNCH
5725	----	----	----/*2.90A	3.10B/*2.90A	----	2.90 - 0.60	.0177	----	----	----	----	36 UNCH
5730	2.50	2.50	3.00B/*2.50	3.00B/*2.50	----	2.90 - 0.60	.0177	----	----	1	----	59 - 1
5740	----	----	----/*2.80A	2.80B/*2.80A	----	2.80 - 0.60	.0171	----	----	----	----	61 UNCH
5750	----	----	----/*2.80A	2.90B/*2.80A	----	2.80 - 0.60	.0170	----	----	----	----	1703 UNCH
5760	----	----	----/*2.70A	2.70B/*2.70A	----	2.70 - 0.60	.0164	----	----	----	----	18 UNCH
5770	----	----	----/*2.70A	2.90B/*2.70A	----	2.70 - 0.50	.0162	----	----	----	----	32 UNCH
5775	----	----	----/*2.70A	2.70B/*2.70A	----	2.60 - 0.60	.0157	----	----	----	----	167 UNCH
5780	----	----	----/*2.70A	2.60B/*2.70A	----	2.60 - 0.60	.0157	----	----	----	----	219 UNCH
5790	----	----	----/*2.60A	2.60B/*2.60A	----	2.60 - 0.50	.0156	----	----	----	----	11 UNCH
5800	----	----	----/*2.60A	2.90B/*2.60A	----	2.50 - 0.60	.0150	----	----	76	----	3162 - 63
5810	----	----	----/*2.50A	2.60B/*2.50A	----	2.50 - 0.50	.0149	----	----	----	----	260 UNCH
5820	----	----	----/*2.50A	2.50B/*2.50A	----	2.40 - 0.60	.0143	----	----	----	----	35 UNCH
5825	----	----	----/*2.50A	2.60B/*2.50A	----	2.40 - 0.60	.0143	----	----	----	----	37 UNCH
5830	----	----	----/*2.50A	2.40B/*2.50A	----	2.40 - 0.50	.0142	----	----	----	----	17 UNCH
5840	----	----	----/*2.50A	2.40B/*2.50A	----	2.40 - 0.50	.0141	----	----	----	----	22 UNCH
5850	----	----	----/*2.50A	2.30B/*2.50A	----	2.30 - 0.50	.0136	----	----	----	----	456 UNCH
5860	----	----	----/*2.40A	2.40B/*2.40A	----	2.30 - 0.50	.0135	----	----	----	----	24 UNCH
5870	----	----	----/*2.40A	2.30B/*2.40A	----	2.30 - 0.40	.0134	----	----	----	----	32 UNCH
5875	----	----	----/*2.40A	2.20B/*2.40A	----	2.30 - 0.40	.0134	----	----	----	----	196 UNCH
5880	----	----	----/*2.40A	2.20B/*2.40A	----	2.30 - 0.40	.0133	----	----	----	----	17 UNCH
5890	----	----	----/*2.30A	2.30B/*2.30A	----	2.20 - 0.40	.0128	----	----	----	----	138 UNCH
5900	----	----	----/2.30A	2.30B/2.30A	----	2.20 - 0.40	.0127	----	----	----	----	1374 UNCH
5910	----	----	----/*2.30A	2.10B/*2.30A	----	2.20 - 0.30	.0126	----	----	----	----	12 UNCH
5920	2.30	2.30	2.30/*2.30	2.30/*2.30	----	2.20 - 0.30	.0126	----	----	3	----	40 UNCH
5930	2.40	2.40	2.40/*1.90	2.40/*1.90	----	2.10 - 0.40	.0120	----	----	2	----	57 - 1
5940	----	----	----/*2.20A	2.00B/*2.20A	----	2.10 - 0.30	.0120	----	----	----	----	5 UNCH
5950	----	----	----/*2.20A	2.00B/*2.20A	----	2.10 - 0.30	.0119	----	----	----	----	170 UNCH
5960	----	----	----/*2.10A	2.10B/*2.10A	----	2.10 - 0.30	.0118	----	----	----	----	46 UNCH
5970	----	----	----/*2.10A	1.90B/*2.10A	----	2.00 - 0.30	.0113	----	----	----	----	35 UNCH
5980	----	----	----/*2.10A	1.90B/*2.10A	----	2.00 - 0.30	.0112	----	----	----	----	22 UNCH
5990	----	----	----/*2.00A	2.00B/*2.00A	----	2.00 - 0.30	.0112	----	----	----	----	13 UNCH
6000	2.50	2.50	2.50/*1.80	2.50/*1.80	----	1.90 - 0.30	.0107	----	----	28	----	5650 + 13
6010	----	----	----/*2.00A	1.80B/*2.00A	----	1.90 - 0.30	.0106	----	----	----	----	10 UNCH
6020	----	----	----/*1.90A	1.80B/*1.90A	----	1.90 - 0.30	.0105	----	----	----	----	23 UNCH
6030	----	----	----/*1.90A	1.80B/*1.90A	----	1.90 - 0.20	.0105	----	----	----	----	31 UNCH
6040	----	----	----/*1.90A	1.70B/*1.90A	----	1.80 - 0.30	.0100	----	----	----	----	24 UNCH
6050	----	----	----/*1.90A	1.70B/*1.90A	----	1.80 - 0.30	.0099	----	----	----	----	281 UNCH
6060	----	----	----/*1.90A	1.70B/*1.90A	----	1.80 - 0.30	.0099	----	----	----	----	32 UNCH
6070	----	----	----/1.90A	1.70B/1.90A	----	1.70 - 0.30	.0094	----	----	----	----	34 UNCH
6080	----	----	----/1.90A	1.60B/1.90A	----	1.70 - 0.30	.0093	----	----	----	----	10 UNCH
6090	----	----	----/*1.80A	1.60B/*1.80A	----	1.70 - 0.30	.0093	----	----	----	----	26 UNCH
6100	----	----	----/*1.80A	1.60B/*1.80A	----	1.60 - 0.30	.0088	----	----	----	----	2412 UNCH
6110	----	----	----/*1.80A	1.60B/*1.80A	----	1.60 - 0.30	.0087	----	----	----	----	65 UNCH
6120	----	----	----/*1.80A	1.50B/*1.80A	----	1.60 - 0.30	.0087	----	----	----	----	11 UNCH
6125	----	----	----/*1.80A	1.50B/*1.80A	----	1.60 - 0.30	.0087	----	----	----	----	16 UNCH
6130	----	----	----/*1.80A	1.50B/*1.80A	----	1.60 - 0.30	.0086	----	----	----	----	10 UNCH
6140	----	----	----/*1.70A	1.50B/*1.70A	----	1.50 - 0.30	.0082	----	----	----	----	9 UNCH
6150	----	----	----/*1.70A	1.50B/*1.70A	----	1.50 - 0.30	.0081	----	----	----	----	506 UNCH
6160	----	----	----/*1.70A	1.40B/*1.70A	----	1.50 - 0.30	.0081	----	----	----	----	138 UNCH
6170	----	----	----/*1.70A	1.40B/*1.70A	----	1.50 - 0.30	.0080	----	----	----	----	17 UNCH
6180	----	----	----/*1.70A	1.40B/*1.70A	----	1.40 - 0.40	.0075	----	----	----	----	75 UNCH
6190	----	----	----/*1.60A	1.30B/*1.60A	----	1.40 - 0.40	.0075	----	----	----	----	2 UNCH
6200	----	----	----/*1.60A	1.30B/*1.60A	----	1.40 - 0.40	.0075	----	----	----	----	4278 UNCH
6210	----	----	----/*1.60A	1.30B/*1.60A	----	1.40 - 0.30	.0074	----	----	----	----	53 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
6220	----	----	----/*1.60A	1.30B/*1.60A	----	1.30 - 0.40	.0070	----	----	----	----	7 UNCH
6230	----	----	----/*1.60A	1.30B/*1.60A	----	1.30 - 0.40	.0069	----	----	----	----	67 UNCH
6240	----	----	----/*1.50A	1.30B/*1.50A	----	1.30 - 0.40	.0069	----	----	----	----	21 UNCH
6250	----	----	----/*1.50A	1.20B/*1.50A	----	1.30 - 0.40	.0069	----	----	----	----	1323 UNCH
6260	----	----	----/*1.50A	1.20B/*1.50A	----	1.20 - 0.50	.0064	----	----	----	----	8 UNCH
6270	----	----	----/*1.50A	1.20B/*1.50A	----	1.20 - 0.50	.0064	----	----	----	----	146 UNCH
6280	----	----	----/*1.50A	1.20B/*1.50A	----	1.20 - 0.40	.0063	----	----	----	----	12 UNCH
6290	----	----	----/1.50A	1.10B/1.50A	----	1.20 - 0.40	.0063	----	----	----	----	19 UNCH
6300	----	----	----/*1.50A	1.10B/*1.50A	----	1.20 - 0.40	.0063	----	----	----	----	2450 UNCH
6310	----	----	----/*1.40A	1.10B/*1.40A	----	1.20 - 0.40	.0062	----	----	----	----	2 UNCH
6320	----	----	----/*1.40A	1.00B/*1.40A	----	1.10 - 0.40	.0058	----	----	----	----	24 UNCH
6330	----	----	----/*1.40A	1.00B/*1.40A	----	1.10 - 0.40	.0058	----	----	----	----	33 UNCH
6340	----	----	----/*1.40A	1.00B/*1.40A	----	1.10 - 0.40	.0057	----	----	----	----	36 UNCH
6350	----	----	----/*1.40A	1.00B/*1.40A	----	1.10 - 0.40	.0057	----	----	----	----	17 UNCH
6360	----	----	----/*1.40A	1.00B/*1.40A	----	1.10 - 0.40	.0057	----	----	----	----	2 UNCH
6370	1.40	1.40	1.40/*1.40	1.40/*1.40	----	1.10 - 0.30	.0057	----	----	2	----	6 + 2
6380	----	----	----/*1.30A	1.00B/*1.30A	----	1.10 - 0.30	.0056	----	----	----	----	8 UNCH
6390	----	----	----/*1.30A	0.90B/*1.30A	----	1.10 - 0.30	.0056	----	----	----	----	1 UNCH
6400	1.20	1.20	1.20/*1.20	1.20/*1.20	----	1.10 - 0.30	.0056	----	----	1	----	481 - 1
6410	----	----	----	0.90B/*1.30A	----	1.00 - 0.30	.0051	----	----	----	----	8 UNCH
6420	----	----	----	0.90B/*1.30A	----	1.00 - 0.30	.0051	----	----	----	----	3 UNCH
6430	1.30	1.30	1.30/*1.30	1.30/1.30	----	1.00 - 0.30	.0051	----	----	1	----	34 + 1
6440	----	----	----/*1.20A	0.90B/*1.20A	----	1.00 - 0.30	.0051	----	----	----	----	2 UNCH
6450	----	----	----/1.20A	0.90B/1.20A	----	1.00 - 0.30	.0050	----	----	----	----	64 UNCH
6460	----	----	----	0.80B/*1.20A	----	1.00 - 0.20	.0050	----	----	----	----	36 UNCH
6470	----	----	----	0.80B/*1.20A	----	1.00 - 0.20	.0050	----	----	----	----	9 UNCH
6480	----	----	----	0.80B/*1.20A	----	1.00 - 0.20	.0050	----	----	----	----	21 UNCH
6490	----	----	----	0.80B/*1.20A	----	1.00 - 0.20	.0050	----	----	----	----	17 UNCH
6500	0.90	0.90	0.90/*0.90	0.90/*0.90	----	1.00 - 0.20	.0049	----	----	4	----	1111 - 1
6525	----	----	----	0.80B/*1.10A	----	0.90 - 0.20	.0045	----	----	----	----	21 UNCH
6550	----	----	----	0.70B/*1.10A	----	0.90 - 0.20	.0044	----	----	----	----	209 UNCH
6575	----	----	----	0.70B/*1.10A	----	0.90 - 0.20	.0044	----	----	----	----	7 UNCH
6600	----	----	----	0.70B/*1.00A	----	0.90 - 0.10	.0044	----	----	----	----	880 UNCH
6625	----	----	----	0.60B/*1.00A	----	0.80 - 0.20	.0039	----	----	----	----	105 UNCH
6650	----	----	----	0.60B/*1.00A	----	0.80 - 0.20	.0039	----	----	----	----	40 UNCH
6675	----	----	----	0.60B/*1.00A	----	0.80 - 0.20	.0038	----	----	----	----	48 UNCH
6700	----	----	----	0.60B/0.90A	----	0.80 - 0.10	.0038	----	----	----	----	1346 UNCH
6725	----	----	----	0.60B/*0.90A	----	0.80 - 0.10	.0038	----	----	----	----	107 UNCH
6750	----	----	----/*0.80A	0.60B/*0.80A	----	0.70 - 0.20	.0033	----	----	----	----	134 UNCH
6775	----	----	----	0.50B/*0.90A	----	0.70 - 0.20	.0033	----	----	----	----	13 UNCH
6800	----	----	----/*0.80A	0.50B/*0.80A	----	0.70 - 0.20	.0033	----	----	----	----	239 UNCH
6825	----	----	----/*0.80A	0.50B/*0.80A	----	0.70 - 0.20	.0032	----	----	----	----	10 UNCH
6850	----	----	----/*0.70A	0.50B/*0.70A	----	0.60 - 0.20	.0028	----	----	----	----	26 UNCH
6875	----	----	----/*0.70A	0.40B/*0.70A	----	0.60 - 0.20	.0028	----	----	----	----	3 UNCH
6900	0.70	0.70	0.70/*0.70	0.70/*0.70	----	0.60 - 0.20	.0028	----	----	7	----	157 UNCH
6925	----	----	----/*0.70A	0.40B/*0.70A	----	0.60 - 0.20	.0027	----	----	----	----	51 UNCH
6950	----	----	----/*0.70A	0.40B/0.70A	----	0.60 - 0.20	.0027	----	----	----	----	27 UNCH
6975	----	----	----/*0.70A	0.40B/0.70A	----	0.50 - 0.30	.0023	----	----	----	----	21 UNCH
7000	----	----	----/*0.60A	0.40B/*0.60A	----	0.50 - 0.30	.0023	----	----	----	----	1851 UNCH
7025	----	----	----/*0.60A	0.30B/*0.60A	----	0.50 - 0.30	.0023	----	----	----	----	33 UNCH
7050	----	----	----/*0.60A	0.40B/*0.60A	----	0.50 - 0.20	.0022	----	----	----	----	5 UNCH
7075	0.60	0.60	0.60/*0.60	0.60/*0.60	----	0.50 - 0.20	.0022	----	----	2	----	10 + 2
7100	----	----	----/*0.60A	0.30B/*0.60A	----	0.50 - 0.20	.0022	----	----	----	----	145 UNCH
7125	----	----	----/*0.60A	0.30B/*0.60A	----	0.40 - 0.30	.0018	----	----	----	----	52 UNCH
7150	----	----	----/*0.60A	0.30B/0.60A	----	0.40 - 0.30	.0018	----	----	----	----	59 UNCH
7175	----	----	----/0.60A	0.30B/0.60A	----	0.40 - 0.30	.0018	----	----	----	----	3 UNCH
7200	----	----	----	0.30B/0.60A	----	0.40 - 0.20	.0018	----	----	----	----	134 UNCH
7225	----	----	----	0.30B/0.60A	----	0.40 - 0.20	.0018	----	----	----	----	2 UNCH
7250	----	----	----	0.30B/0.60A	----	0.40 - 0.20	.0017	----	----	----	----	91 UNCH
7275	----	----	----	0.30B/0.60A	----	0.30 - 0.30	.0013	----	----	----	----	1 UNCH
7300	----	----	----/*0.50A	0.30B/*0.50A	----	0.30 - 0.30	.0013	----	----	----	----	150 UNCH
7325	----	----	----/0.50A	0.30B/0.50A	----	0.30 - 0.30	.0013	----	----	----	----	14 UNCH
7350	----	----	----/0.50A	0.30B/0.50A	----	0.30 - 0.30	.0013	----	----	----	----	3 UNCH
7375	----	----	----	0.30B/0.50A	----	0.30 - 0.20	.0013	----	----	----	----	20 UNCH
7400	----	----	----	0.30B/0.50A	----	0.30 - 0.20	.0013	----	----	----	----	46 UNCH
7425	----	----	----	0.30B/0.50A	----	0.30 - 0.20	.0013	----	----	----	----	20 UNCH
7450	----	----	----	0.30B/0.50A	----	0.30 - 0.20	.0013	----	----	----	----	5 UNCH
7475	----	----	----	0.30B/0.50A	----	0.30 - 0.20	.0013	----	----	----	----	8 UNCH
7500	----	----	----	0.40B/0.50A	----	0.30 - 0.20	.0013	----	----	----	----	1355 UNCH
7525	----	----	----	0.30B/0.50A	----	0.30 - 0.20	.0013	----	----	----	----	22 UNCH
7575	----	----	----/*0.40A	0.30B/*0.40A	----	0.30 - 0.20	.0012	----	----	----	----	8 UNCH
7600	----	----	----/*0.40A	0.30B/*0.40A	----	0.30 - 0.20	.0012	----	----	----	----	48 UNCH
7700	----	----	----/*0.40A	0.40B/*0.40A	----	0.30 - 0.20	.0012	----	----	----	----	45 UNCH
7750	----	----	----/*0.40A	0.30B/*0.40A	----	0.30 - 0.20	.0012	----	----	----	----	12 UNCH
7800	----	----	----/0.40A	0.30B/0.40A	----	0.30 - 0.20	.0012	----	----	----	----	39 UNCH
7825	----	----	----/0.40A	0.30B/0.40A	----	0.30 - 0.20	.0012	----	----	----	----	1 UNCH
7875	----	----	----/0.40A	0.30B/0.40A	----	0.30 - 0.20	.0012	----	----	----	----	31 UNCH
7900	----	----	----	0.30B/0.50A	----	0.30 - 0.20	.0011	----	----	----	----	2 UNCH
7950	----	----	----	0.30B/0.50A	----	0.30 - 0.20	.0011	----	----	----	----	2 UNCH
8000	----	----	----/0.40A	0.30B/0.40A	----	0.30 - 0.20	.0011	----	----	----	----	923 UNCH
8100	----	----	----/0.40A	0.30B/0.40A	----	0.30 - 0.20	.0011	----	----	----	----	4 UNCH
8200	----	----	----/0.40A	0.20B/0.40A	----	0.30 - 0.20	.0011	----	----	----	----	89 UNCH
8300	----	----	----/0.40A	0.20B/0.40A	----	0.30 - 0.20	.0011	----	----	----	----	64 UNCH
8500	----	----	----/0.40A	0.40B/0.40A	----	0.30 - 0.20	.0010	----	----	----	----	146 UNCH
8600	----	----	----/0.40A	0.10B/0.40A	----	0.30 - 0.20	.0010	----	----	----	----	52 UNCH
8800	----	----	----	0.10B/0.40A	----	0.30 - 0.10	.0010	----	----	----	----	32 UNCH
8900	----	----	----/*0.30A	----/*0.30A	----	0.30 - 0.10	.0010	----	----	----	----	15 UNCH
9000	0.30	0.30	0.30/*0.20	0.30/*0.20	----	0.30 - 0.10	.0009	----	----	111	----	387 + 81
9100	----	----	----/*0.30A	0.20B/0.30A	----	0.30 - 0.10	.0009	----	----	----	----	11 UNCH
9200	----	----	----/*0.30A	----/0.30A	----	0.20 - 0.20	.0006	----	----	----	----	51 UNCH
9300	----	----	----/*0.30A	0.20B/0.30A	----	0.20 - 0.20	.0006	----	----	----	----	11 UNCH
9400	----	----	----/*0.30A	----/0.30A	----	0.20 - 0.20	.0006	----	----	----	----	25 UNCH
9500	----	----	----/*0.30A	0.20B/0.30A	----	0.20 - 0.20	.0006	----	----	----	----	23 UNCH
9600	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0006	----	----	----	----	27 UNCH
9700	----	----	----	----/0.30A	----	0.20 - 0.10	.0006	----	----	----	----	20 UNCH
9800	----	----	----	----/0.30A	----	0.20 - 0.10	.0006	----	----	----	----	17 UNCH
9900	----	----	----/*0.20A	0.10B/*0.20A	----	0.20 - 0.10	.0006	----	----	----	----	24 UNCH
10000	----	----	----/0.20A	0.20B/0.20A	----	0.20 - 0.10	.0006	----	----	----	----	363 UNCH
10100	----	----	----	----/0.30A	----	0.20 - 0.10	.0006	----	----	----	----	2 UNCH
10300	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	3 UNCH
10400	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	2 UNCH
10500	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	1 UNCH
10700	----	----	----	----/0.30A	----	0.10 UNCH	.0001	----	----	----	----	4 UNCH
11000	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	72 UNCH
11300	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	12 UNCH
11500	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
11600	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
11700	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	15 UNCH
11900	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
12000	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	406 UNCH
TOTAL										5866	850	170611 + 676
JUL26												
3500	----	----	----	----	----	1278.10 + 15.90	.9821	----	----	----	----	1 UNCH
3600	----	----	1,184.40B/1,154	1184.40B/1154.30A	----	1179.20 + 15.60	.9775	----	----	----	----	24 UNCH
3650	----	----	1,135.10B/1,105	1135.10B/1105.00A	----	1129.90 + 15.40	.9747	----	----	----	----	10 UNCH
3670	----	----	1,115.50B/1,085	1115.50B/1085.40A	----	1110.30 + 15.50	.9732	----	----	----	----	3 UNCH
3700	----	----	1,086.00B/1,056	1086.00B/1056.00A	----	1080.80 + 15.30	.9712	----	----	----	----	119 UNCH
3735	----	----	----	----	----	1046.40 + 15.10	.9687	----	----	----	----	1 UNCH
3775	----	----	1,012.60B/982.7	1012.60B/982.70A	----	1007.30 + 15.00	.9655	----	----	----	----	4 UNCH
3800	----	----	992.80B/954.70A	992.80B/954.70A	----	982.90 + 14.90	.9632	----	----	----	----	2050 UNCH
3825	----	----	963.90B/934.20A	963.90B/934.20A	----	958.50 + 14.70	.9608	----	----	----	----	3 UNCH
3850	----	----	939.60B/910.00A	939.60B/910.00A	----	934.20 + 14.60	.9581	----	----	----	----	65 UNCH
3860	----	----	----	----	----	924.50 + 14.50	.9569	----	----	----	----	1 UNCH
3865	----	----	925.10B/895.60A	925.10B/895.60A	----	919.70 + 14.50	.9564	----	----	----	----	7 UNCH
3875	----	----	915.40B/885.90A	915.40B/885.90A	----	910.00 + 14.50	.9553	----	----	----	----	25 UNCH
3900	----	----	891.30B/861.90A	891.30B/861.90A	----	885.80 + 14.30	.9522	----	----	----	----	18 UNCH
3925	----	----	867.20B/838.00A	867.20B/838.00A	----	861.70 + 14.10	.9490	----	----	----	----	35 UNCH
3950	----	----	847.80B/810.40A	847.80B/810.40A	----	837.70 + 14.00	.9452	----	----	4	----	820 UNCH
3960	----	----	----	----	----	828.10 + 13.90	.9437	----	----	----	----	1 UNCH
4000	----	----	795.60B/766.70A	795.60B/766.70A	----	789.90 + 13.60	.9372	----	----	----	----	16 UNCH
4020	----	----	----	----	----	770.80 + 13.30	.9337	----	----	----	----	1 UNCH
4030	----	----	----	----	----	761.40 + 13.30	.9319	----	----	----	----	2 UNCH
4040	----	----	----	----	----	751.90 + 13.20	.9300	----	----	----	----	1 UNCH
4075	----	----	724.80B/696.60A	724.80B/696.60A	----	718.90 + 12.80	.9226	----	----	4	----	6 UNCH
4095	----	----	706.10B/678.10A	706.10B/678.10A	----	700.20 + 12.60	.9181	----	----	4	----	4 UNCH
4100	----	----	701.50B/673.50A	701.50B/673.50A	----	695.60 + 12.60	.9170	----	----	----	----	194 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
4105	----	----	----	511.40B/829.40A	----	690.90 + 12.50	.9159	----	----	----	----	1 UNCH
4110	----	----	692.20B/664.30A	692.20B/664.30A	----	686.20 + 12.40	.9145	----	----	----	----	3 UNCH
4145	----	----	659.80B/632.40A	659.80B/632.40A	----	653.80 + 11.90	.9055	----	----	----	----	28 UNCH
4150	----	----	655.20B/627.90A	655.20B/627.90A	----	649.20 + 11.80	.9043	----	----	----	----	37 UNCH
4155	----	----	----	483.10B/784.40A	----	644.60 + 11.80	.9028	----	----	----	----	1 UNCH
4160	----	----	----	478.50B/779.90A	----	640.10 + 11.80	.9014	----	----	----	----	1 UNCH
4190	----	----	----	451.10B/753.20A	----	612.70 + 11.30	.8923	----	----	----	----	1 UNCH
4200	----	----	609.70B/583.00A	609.70B/583.00A	----	603.60 + 11.10	.8892	----	----	----	----	8 UNCH
4215	----	----	596.20B/569.80A	596.20B/569.80A	----	590.10 + 10.90	.8843	----	----	----	----	25 UNCH
4220	----	----	----	424.00B/726.90A	----	585.60 + 10.80	.8826	----	----	----	----	1 UNCH
4225	----	----	----	419.50B/705.20A	----	581.10 + 10.70	.8809	----	----	----	----	2 UNCH
4235	----	----	----	410.50B/709.40A	----	572.10 + 10.50	.8774	----	----	----	----	1 UNCH
4240	----	----	573.80B/547.80A	573.80B/547.80A	----	567.70 + 10.40	.8757	----	----	----	----	39 UNCH
4245	----	----	----	401.70B/699.90A	----	563.20 + 10.30	.8739	----	----	----	----	1 UNCH
4250	----	----	566.20B/537.80A	566.20B/537.80A	----	558.80 + 10.30	.8720	----	----	----	----	316 UNCH
4255	----	----	----	392.80B/693.40A	----	554.40 + 10.20	.8702	----	----	----	----	1 UNCH
4265	----	----	----	384.00B/680.70A	----	545.50 + 10.00	.8663	----	----	----	----	2 UNCH
4270	----	----	547.20B/521.90A	547.20B/521.90A	----	541.10 + 10.00	.8645	----	----	----	----	38 UNCH
4275	----	----	542.80B/517.40A	542.80B/517.40A	----	536.70 + 9.90	.8625	----	----	----	----	76 UNCH
4280	----	----	538.40B/513.40A	538.40B/513.40A	----	532.30 + 9.80	.8605	----	----	----	----	3 UNCH
4300	----	----	521.40B/496.30A	521.40B/496.30A	----	514.90 + 9.60	.8522	----	----	----	----	63 UNCH
4315	----	----	508.50B/483.60A	508.50B/483.60A	----	501.90 + 9.30	.8457	----	----	----	----	21 UNCH
4325	----	----	499.90B/475.30A	499.90B/475.30A	----	493.40 + 9.30	.8412	----	----	----	----	22 UNCH
4335	----	----	----	322.30B/633.60A	----	484.80 + 9.10	.8367	----	----	----	----	1 UNCH
4350	----	----	478.70B/454.60A	478.70B/454.60A	----	472.10 + 8.90	.8296	----	----	----	----	10 UNCH
4360	----	----	470.30B/446.40A	470.30B/446.40A	----	463.70 + 8.80	.8248	----	----	----	----	53 UNCH
4365	----	----	466.10B/442.30A	466.10B/442.30A	----	459.50 + 8.70	.8223	----	----	----	----	45 UNCH
4370	----	----	461.90B/438.20A	461.90B/438.20A	----	455.30 + 8.60	.8198	----	----	----	----	20 UNCH
4375	----	----	457.80B/434.20A	457.80B/434.20A	----	451.20 + 8.50	.8173	----	----	----	----	5 UNCH
4400	----	----	441.30B/410.20A	441.30B/410.20A	----	430.50 + 8.00	.8040	----	----	----	----	2267 UNCH
4410	----	----	429.00B/406.30A	429.00B/406.30A	----	422.40 + 7.90	.7986	----	----	----	----	4 UNCH
4415	----	----	425.00B/402.40A	425.00B/402.40A	----	418.30 + 7.70	.7956	----	----	----	----	39 UNCH
4420	----	----	420.90B/398.50A	420.90B/398.50A	----	414.30 + 7.70	.7929	----	----	----	----	5 UNCH
4425	----	----	416.90B/394.60A	416.90B/394.60A	----	410.30 + 7.60	.7901	----	----	----	----	16 UNCH
4430	----	----	----	240.40B/561.80A	----	406.30 + 7.50	.7872	----	----	----	----	1 UNCH
4445	----	----	401.00B/379.20A	401.00B/379.20A	----	394.30 + 7.10	.7783	----	----	----	----	30 UNCH
4450	----	----	398.20B/374.20A	398.20B/374.20A	----	390.40 + 7.00	.7752	----	----	----	----	255 UNCH
4455	----	----	----	220.00B/535.30A	----	386.40 + 6.80	.7722	----	----	----	----	2 UNCH
4460	----	----	----	215.90B/540.00A	----	382.50 + 6.70	.7691	----	----	----	----	2 UNCH
4475	----	----	----	204.00B/528.90A	----	370.90 + 6.40	.7596	----	----	----	----	2 UNCH
4480	----	----	373.60B/346.70A	373.60B/346.70A	----	367.10 + 6.40	.7564	----	----	----	----	25 UNCH
4490	----	----	366.00B/345.50A	366.00B/345.50A	----	359.40 + 6.10	.7499	----	----	----	----	9 UNCH
4500	----	----	362.40B/331.30A	362.40B/331.30A	----	351.90 + 5.90	.7433	----	----	----	----	968 UNCH
4505	----	----	----	180.60B/491.70A	----	348.10 + 5.80	.7399	----	----	----	----	2 UNCH
4510	----	----	350.90B/324.50A	350.90B/324.50A	----	344.40 + 5.70	.7364	----	----	----	----	45 UNCH
4515	----	----	348.10B/320.90A	348.10B/320.90A	----	340.70 + 5.70	.7329	----	----	----	----	200 UNCH
4520	----	----	348.60B/317.50A	348.60B/317.50A	----	337.00 + 5.60	.7296	----	----	----	----	188 UNCH
4525	----	----	346.10B/313.80A	346.10B/313.80A	----	333.30 + 5.50	.7260	----	----	----	----	129 UNCH
4530	----	----	336.10B/311.30A	336.10B/311.30A	----	329.70 + 5.40	.7224	----	----	----	----	5 UNCH
4535	----	----	332.40B/307.80A	332.40B/307.80A	----	326.00 + 5.30	.7189	----	----	----	----	14 UNCH
4540	----	----	335.40B/303.50A	335.40B/303.50A	----	322.40 + 5.20	.7152	----	----	----	----	54 UNCH
4550	----	----	321.60B/297.40A	321.60B/297.40A	----	315.20 + 5.00	.7080	----	----	----	----	10 UNCH
4560	----	----	314.80B/290.80A	314.80B/290.80A	----	308.10 + 4.90	.7006	----	----	----	----	2 UNCH
4565	----	----	314.50B/276.40A	314.50B/276.40A	----	304.60 + 4.80	.6968	----	----	----	----	1 UNCH
4570	----	----	312.20B/273.10A	312.20B/273.10A	----	301.10 + 4.80	.6931	----	----	----	----	2 UNCH
4575	----	----	310.40B/268.70A	310.40B/268.70A	----	297.70 + 4.80	.6893	----	----	----	----	128 UNCH
4580	----	----	305.20B/266.70A	305.20B/266.70A	----	294.20 + 4.60	.6854	----	----	----	----	1 UNCH
4600	----	----	293.50B/254.10A	293.50B/254.10A	----	280.60 + 4.40	.6697	----	----	----	----	342 UNCH
4605	----	----	288.10B/251.00A	288.10B/251.00A	----	277.20 + 4.20	.6658	----	----	----	----	10 UNCH
4610	----	----	284.70B/247.90A	284.70B/247.90A	----	273.90 + 4.20	.6618	----	----	----	----	6 UNCH
4635	----	----	269.90B/231.90A	269.90B/231.90A	----	257.60 + 3.80	.6414	----	----	----	----	84 UNCH
4640	----	----	266.60B/229.20A	266.60B/229.20A	----	254.40 + 3.70	.6373	----	----	----	----	239 UNCH
4645	----	----	261.80B/227.20A	261.80B/227.20A	----	251.20 + 3.60	.6331	----	----	----	----	14 UNCH
4650	----	----	260.60B/224.10A	260.60B/224.10A	----	248.10 + 3.60	.6289	----	----	----	----	257 UNCH
4655	----	----	257.00B/221.30A	257.00B/221.30A	----	244.90 + 3.40	.6248	----	----	----	----	18 UNCH
4660	----	----	253.90B/218.50A	253.90B/218.50A	----	241.80 + 3.40	.6205	----	----	----	----	20 UNCH
4665	----	----	251.00B/215.40A	251.00B/215.40A	----	238.70 + 3.20	.6163	----	----	----	----	268 UNCH
4670	----	----	247.80B/212.20A	247.80B/212.20A	----	235.70 + 3.20	.6120	----	----	----	----	105 UNCH
4675	----	----	244.70B/209.30A	244.70B/209.30A	----	232.70 + 3.10	.6077	----	----	----	----	129 UNCH
4680	----	----	240.20B/206.60A	240.20B/206.60A	----	229.60 + 2.90	.6034	----	----	----	----	10 UNCH
4685	----	----	237.30B/203.90A	237.30B/203.90A	----	226.70 + 2.90	.5990	----	----	----	----	11 UNCH
4695	----	----	232.40B/198.40A	232.40B/198.40A	----	220.80 + 2.70	.5903	----	----	----	----	23 UNCH
4700	211.10	211.10	229.80B/195.40A	229.80B/195.40A	----	217.80 + 2.50	.5859	----	----	12	----	593 UNCH
4710	----	----	223.60B/190.00A	223.60B/190.00A	----	212.10 + 2.20	.5771	----	----	----	----	117 UNCH
4720	----	----	217.80B/184.80A	217.80B/184.80A	----	206.40 + 1.90	.5683	----	----	----	----	9 UNCH
4725	----	----	214.90B/182.40A	214.90B/182.40A	----	203.70 + 1.90	.5638	----	----	----	----	52 UNCH
4730	----	----	212.10B/179.30A	212.10B/179.30A	----	200.90 + 1.70	.5593	----	----	----	----	3 UNCH
4740	----	----	205.80B/174.60A	205.80B/174.60A	----	195.50 + 1.40	.5504	----	----	----	----	1 UNCH
4745	----	----	203.80B/172.40A	203.80B/172.40A	----	192.80 + 1.30	.5459	----	----	----	----	177 UNCH
4750	----	----	201.20B/170.10A	201.20B/170.10A	----	190.10 + 1.10	.5414	----	----	----	----	1144 UNCH
4755	----	----	198.50B/167.70A	198.50B/167.70A	----	187.50 + 1.00	.5368	----	----	----	----	17 UNCH
4760	----	----	195.70B/165.20A	195.70B/165.20A	----	184.90 + 0.90	.5323	----	----	----	----	47 UNCH
4770	----	----	190.40B/160.60A	190.40B/160.60A	----	179.70 + 0.60	.5232	----	----	----	----	70 UNCH
4775	----	----	187.80B/158.20A	187.80B/158.20A	----	177.20 + 0.50	.5187	----	----	----	----	150 UNCH
4780	----	----	185.30B/156.20A	185.30B/156.20A	----	174.70 + 0.40	.5142	----	----	----	----	31 UNCH
4785	----	----	182.70B/154.00A	182.70B/154.00A	----	172.20 + 0.30	.5096	----	----	----	----	12 UNCH
4790	----	----	179.40B/151.50A	179.40B/151.50A	----	169.80 + 0.30	.5051	----	----	----	----	2 UNCH
4795	----	----	177.70B/149.70A	177.70B/149.70A	----	167.30 + 0.10	.5005	----	----	----	----	89 UNCH
4800	----	----	175.60B/147.30A	175.60B/147.30A	----	164.90 + 0.10	.4960	----	----	25	----	1745 + 6
4805	----	----	172.80B/145.40A	172.80B/145.40A	----	162.50 UNCH	.4914	----	----	----	----	29 UNCH
4810	----	----	170.30B/143.20A	170.30B/143.20A	----	160.20 UNCH	.4869	----	----	----	----	33 UNCH
4815	----	----	167.10B/140.40A	167.10B/140.40A	----	157.90 UNCH	.4824	----	----	----	----	1 UNCH
4820	----	----	165.60B/138.70A	165.60B/138.70A	----	155.60 - 0.10	.4778	----	----	----	----	23 UNCH
4825	----	----	163.30B/136.80A	163.30B/136.80A	----	153.30 - 0.10	.4733	----	----	----	----	647 UNCH
4830	----	----	160.90B/134.30A	160.90B/134.30A	----	151.00 - 0.20	.4687	----	----	----	----	12 UNCH
4835	----	----	158.20B/132.40A	158.20B/132.40A	----	148.80 - 0.20	.4642	----	----	----	----	18 UNCH
4840	----	----	156.40B/130.50A	156.40B/130.50A	----	146.60 - 0.30	.4597	----	----	----	----	6 UNCH
4845	----	----	154.10B/128.90A	154.10B/128.90A	----	144.40 - 0.30	.4552	----	----	----	----	61 UNCH
4850	----	----	152.00B/127.00A	152.00B/127.00A	----	142.30 - 0.30	.4507	----	----	----	----	420 UNCH
4855	----	----	149.60B/124.80A	149.60B/124.80A	----	140.20 - 0.30	.4463	----	----	6	----	7 UNCH
4860	----	----	146.80B/122.90A	146.80B/122.90A	----	138.10 - 0.30	.4418	----	----	----	----	13 UNCH
4865	----	----	145.30B/121.10A	145.30B/121.10A	----	136.00 - 0.40	.4373	----	----	----	----	32 UNCH
4870	----	----	143.20B/119.10A	143.20B/119.10A	----	133.90 - 0.50	.4328	----	----	6	----	62 - 6
4875	----	----	140.40B/117.40A	140.40B/117.40A	----	131.90 - 0.50	.4284	----	----	----	----	17 UNCH
4880	----	----	138.70B/115.70A	138.70B/115.70A	----	129.90 - 0.50	.4240	----	----	3	----	62 UNCH
4885	----	----	136.50B/114.20A	136.50B/114.20A	----	127.90 - 0.60	.4195	----	----	----	----	13 UNCH
4890	----	----	135.00B/112.20A	135.00B/112.20A	----	126.00 - 0.60	.4152	----	----	----	----	3 UNCH
4895	----	----	132.60B/110.60A	132.60B/110.60A	----	124.10 - 0.60	.4108	----	----	----	----	9 UNCH
4900	122.10	122.10	131.20B/109.00A	131.20B/109.00A	----	122.10 - 0.70	.4064	----	----	42	----	897 + 25
4905	----	----	128.70B/107.20A	128.70B/107.20A	----	120.30 - 0.70	.4021	----	----	----	----	9 UNCH
4910	----	----	126.50B/105.50A	126.50B/105.50A	----	118.40 - 0.80	.3977	----	----	----	----	106 UNCH
4915	----	----	124.80B/103.90A	124.80B/103.90A	----	116.60 - 0.80	.3934	----	----	----	----	36 UNCH
4920	----	----	122.70B/102.60A	122.70B/102.60A	----	114.80 - 0.90	.3891	----	----	----	----	9 UNCH
4925	----	----	120.70B/100.80A	120.70B/100.80A	----	113.00 - 0.90	.3848	----	----	18	----	37 - 3
4930	----	----	119.40B/99.50A	119.40B/99.50A	----	111.20 - 1.00	.3805	----	----	----	----	65 UNCH
4935	----	----	117.60B/98.00A	117.60B/98.00A	----	109.50 - 1.00	.3763	----	----	----	----	605 UNCH
4940	----	----	115.20B/96.20A	115.20B/96.20A	----	107.80 - 1.10	.3721	----	----	----	----	176 UNCH
4945	----	----	114.00B/*94.80A	114.00B/*94.80A	----	106.10 - 1.10	.3679	----	----	----	----	11 UNCH
4950	98.60	98.60	111.70B/93.50A	111.70B/93.50A	----	104.40 - 1.20	.3637	----	----	7	----	185 - 1
4955	----	----	109.90B/*91.80A	109.90B/*91.80A	----	102.70 - 1.30	.3595	----	----	----	----	72 UNCH
4960	----	----	108.20B/*90.40A	108.20B/*90.40A	----	101.10 - 1.30	.3554	----	----	----	----	16 UNCH
4965	----	----	106.70B/*89.10A	106.70B/*89.10A	----	99.50 - 1.40	.3513	----	----	----	----	173 UNCH
4970	----	----	104.90B/*87.70A	104.90B/*87.70A	----	97.90 - 1.40	.3472	----	----	----	----	8 UNCH
4975	----	----	103.90B/86.20A	103.90B/86.20A	----	96.40 - 1.40	.3432	----	----	----	----	42 UNCH
4980	----	----	101.60B/*85.00A	101.60B/*85.00A	----	94.80 - 1.50	.3391	----	----	----	----	3 UNCH
4985	----	----	100.70B/*83.70A	100.70B/*83.70A	----	93.30 - 1.50	.3351	----	----	----	----	27 UNCH
4990	----	----	98.50B/*82.30A	98.50B/*82.30A	----	91.80 - 1.60	.3311	----	----	----	----	15 UNCH
4995	----	----	97.50B/*81.10A	97.50B/*81.10A	----	90.30 - 1.70	.3272	----	----	----	----	36 UNCH
5000	86.00	86.00	95.70B/79.70A	95.70B/79.70A	----	88.90 - 1.60	.3233	----	----	110	250	2423 - 254
5005	----	----	94.40B/*78.50A	94.40B/*78.50A	----	87.40 - 1.70	.3193	----	----	----	----	18 UNCH
5010	----	----	92.90B/*77.30A	92.90B/*77.30A	----	86.00 - 1.80	.3155	----	----	----	----	35 UNCH
5015	----	----	91.50B/*76.00A	91.50B/*76.00A	----	84.60 - 1.80	.3116	----	----	----	----	29 UNCH
5020	----	----	90.10B/*74.90A	90.10B/*74.90A	----	83.20 - 1.90	.3077	----	----	----	----	7 UNCH
5025	----	----	88.10B/*73.70A	88.10B/*73.70A	----	81.90 - 1.80	.3040	----	----	----	----	34 UNCH
5030	80.40	80.40	87.20B/*72.60A	87.20B/*72.60A	----	80.60 - 1.80	.3003	----	----	2	----	42 UNCH
5035	----	----	85.80B/*71.40A	85.80B/*71.40A	----	79.30 - 1.90	.2966	----	----	----	----	60 UNCH
5040	----	----	83.60B/*70.20A	83.60B/*70.20A	----	78.00 - 1.90	.2929	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
5045	----	----	83.00B/*69.20A	83.00B/*69.20A	----	76.70 - 1.90	.2892	----	----	----	----	3 UNCH
5050	----	----	81.70B/*68.10A	81.70B/*68.10A	----	75.40 - 2.00	.2855	----	----	----	----	134 UNCH
5055	----	----	80.40B/*66.90A	80.40B/*66.90A	----	74.20 - 2.00	.2819	----	----	----	----	8 UNCH
5060	----	----	79.10B/*65.90A	79.10B/*65.90A	----	73.00 - 2.00	.2784	----	----	----	----	8 UNCH
5065	67.30	67.30	77.80B/*64.90A	77.80B/*64.90A	----	71.80 - 2.00	.2748	----	----	15	----	208 - 1
5070	----	----	76.60B/*64.00A	76.60B/*64.00A	----	70.60 - 2.10	.2713	----	----	----	----	22 UNCH
5075	68.40	68.40	75.30B/*63.00A	75.30B/*63.00A	----	69.50 - 2.00	.2679	----	----	8	----	57 + 6
5080	67.70	67.70	74.10B/*62.10A	74.10B/*62.10A	----	68.40 - 2.00	.2645	----	----	2	----	81 + 2
5085	----	----	72.90B/*60.90A	72.90B/*60.90A	----	67.20 - 2.10	.2610	----	----	----	----	34 UNCH
5090	----	----	71.10B/*60.00A	71.10B/*60.00A	----	66.10 - 2.10	.2576	----	----	----	----	2 UNCH
5095	----	----	70.50B/*59.00A	70.50B/*59.00A	----	65.10 - 2.00	.2544	----	----	----	----	38 UNCH
5100	58.70	58.70	69.50B/58.00A	69.50B/58.00A	----	64.00 - 2.10	.2510	----	----	96	----	880 - 78
5105	----	----	68.30B/*57.00A	68.30B/*57.00A	----	63.00 - 2.00	.2479	----	----	----	----	61 UNCH
5110	----	----	67.20B/*56.50A	67.20B/*56.50A	----	61.90 - 2.10	.2445	----	----	----	----	14 UNCH
5115	----	----	66.10B/*55.40A	66.10B/*55.40A	----	60.90 - 2.10	.2413	----	----	----	----	27 UNCH
5120	----	----	65.00B/*54.70A	65.00B/*54.70A	----	59.90 - 2.10	.2381	----	----	----	----	38 UNCH
5125	----	----	64.00B/*53.90A	64.00B/*53.90A	----	59.00 - 2.00	.2351	----	----	18	----	239 + 8
5130	57.00	57.00	63.00B/*52.80A	63.00B/*52.80A	----	58.00 - 2.10	.2320	----	----	24	----	36 + 23
5135	----	----	61.90B/*51.90A	61.90B/*51.90A	----	57.10 - 2.00	.2290	----	----	----	----	155 UNCH
5140	----	----	60.90B/*51.30A	60.90B/*51.30A	----	56.10 - 2.10	.2258	----	----	----	----	57 UNCH
5145	----	----	59.90B/*50.40A	59.90B/*50.40A	----	55.20 - 2.10	.2229	----	----	----	----	49 UNCH
5150	----	----	59.10B/*49.70A	59.10B/*49.70A	----	54.30 - 2.10	.2199	----	----	33	----	821 + 33
5155	----	----	58.00B/*48.90A	58.00B/*48.90A	----	53.40 - 2.10	.2169	----	----	----	----	4 UNCH
5160	----	----	57.10B/*48.20A	57.10B/*48.20A	----	52.60 - 2.00	.2142	----	----	----	----	12 UNCH
5165	----	----	56.10B/*47.40A	56.10B/*47.40A	----	51.70 - 2.10	.2112	----	----	----	----	7 UNCH
5170	----	----	55.20B/*46.70A	55.20B/*46.70A	----	50.90 - 2.00	.2085	----	----	----	----	6 UNCH
5175	----	----	54.30B/*45.90A	54.30B/*45.90A	----	50.10 - 2.00	.2057	----	----	----	----	55 UNCH
5180	----	----	53.50B/*45.20A	53.50B/*45.20A	----	49.30 - 2.00	.2030	----	----	----	----	14 UNCH
5185	----	----	52.60B/*44.50A	52.60B/*44.50A	----	48.50 - 2.00	.2002	----	----	----	----	118 UNCH
5190	----	----	51.20B/*43.70A	51.20B/*43.70A	----	47.70 - 2.00	.1975	----	----	----	----	2 UNCH
5195	----	----	50.90B/*43.00A	50.90B/*43.00A	----	46.90 - 2.00	.1948	----	----	----	----	41 UNCH
5200	----	----	50.20B/*42.50A	50.20B/*42.50A	----	46.20 - 1.90	.1923	----	----	16	----	1361 + 6
5205	46.10	46.10	48.90B/*41.80A	48.90B/*41.80A	----	45.40 - 2.00	.1895	----	----	35	----	34 + 25
5210	44.80	44.80	48.40B/*41.10A	48.40B/*41.10A	----	44.70 - 2.00	.1870	----	----	13	----	55 + 13
5215	----	----	47.70B/*40.40A	47.70B/*40.40A	----	44.00 - 1.90	.1845	----	----	1	----	26 - 1
5220	----	----	46.60B/*39.90A	46.60B/*39.90A	----	43.30 - 1.90	.1821	----	----	----	----	17 UNCH
5225	----	----	46.20B/*39.30A	46.20B/*39.30A	----	42.60 - 1.90	.1796	----	----	35	----	104 + 35
5230	----	----	45.40B/*38.70A	45.40B/*38.70A	----	41.90 - 1.90	.1771	----	----	----	----	68 UNCH
5235	----	----	44.20B/*38.10A	44.20B/*38.10A	----	41.30 - 1.90	.1748	----	----	----	----	2 UNCH
5240	----	----	44.00B/*37.40A	44.00B/*37.40A	----	40.60 - 1.90	.1724	----	----	----	----	119 UNCH
5245	----	----	43.20B/*36.90A	43.20B/*36.90A	----	40.00 - 1.90	.1701	----	----	----	----	61 UNCH
5250	----	----	42.70B/*36.30A	42.70B/*36.30A	----	39.30 - 1.90	.1677	----	----	1	----	640 UNCH
5255	----	----	41.90B/*35.80A	41.90B/*35.80A	----	38.70 - 1.90	.1654	----	----	----	----	14 UNCH
5260	----	----	40.80B/*35.20A	40.80B/*35.20A	----	38.10 - 1.90	.1632	----	----	----	----	150 UNCH
5265	----	----	40.20B/*34.60A	40.20B/*34.60A	----	37.50 - 1.90	.1610	----	----	----	----	4 UNCH
5270	34.50	34.50	39.50B/*34.10A	39.50B/*34.10A	----	36.90 - 1.90	.1588	----	----	1	----	17 + 1
5275	----	----	38.80B/*33.60A	38.80B/*33.60A	----	36.30 - 1.90	.1566	----	----	1	----	20 + 1
5280	----	----	38.20B/*33.00A	38.20B/*33.00A	----	35.80 - 1.80	.1546	----	----	----	----	5 UNCH
5285	----	----	37.70B/*32.50A	37.70B/*32.50A	----	35.20 - 1.80	.1524	----	----	----	----	19 UNCH
5290	----	----	37.10B/*32.00A	37.10B/*32.00A	----	34.70 - 1.80	.1504	----	----	----	----	43 UNCH
5295	----	----	36.40B/*31.50A	36.40B/*31.50A	----	34.10 - 1.80	.1482	----	----	----	----	79 UNCH
5300	32.30	32.30	35.90B/*31.00A	35.90B/*31.00A	----	33.60 - 1.80	.1463	----	----	39	----	1357 - 5
5305	----	----	35.40B/*30.50A	35.40B/*30.50A	----	33.10 - 1.80	.1444	----	----	----	----	63 UNCH
5310	----	----	34.90B/*30.10A	34.90B/*30.10A	----	32.60 - 1.80	.1424	----	----	----	----	7 UNCH
5315	----	----	34.30B/*29.60A	34.30B/*29.60A	----	32.00 - 1.80	.1403	----	----	----	----	26 UNCH
5320	31.80	31.80	33.80B/*29.20A	33.80B/*29.20A	----	31.60 - 1.70	.1386	----	----	2	----	59 + 1
5325	----	----	33.40B/*28.80A	33.40B/*28.80A	----	31.10 - 1.80	.1367	----	----	1	----	182 + 1
5330	----	----	32.90B/*28.30A	32.90B/*28.30A	----	30.60 - 1.80	.1348	----	----	----	----	13 UNCH
5335	----	----	32.40B/*27.90A	32.40B/*27.90A	----	30.10 - 1.80	.1328	----	----	----	----	3 UNCH
5340	----	----	31.90B/*27.50A	31.90B/*27.50A	----	29.70 - 1.70	.1312	----	----	----	----	30 UNCH
5345	----	----	31.40B/*27.00A	31.40B/*27.00A	----	29.20 - 1.80	.1293	----	----	----	----	42 UNCH
5350	----	----	30.80B/*26.60A	30.80B/*26.60A	----	28.80 - 1.70	.1277	----	----	4	----	650 - 4
5355	----	----	30.30B/*26.20A	30.30B/*26.20A	----	28.30 - 1.80	.1258	----	----	----	----	108 UNCH
5360	----	----	29.80B/*25.90A	29.80B/*25.90A	----	27.90 - 1.80	.1241	----	----	----	----	328 UNCH
5365	----	----	29.30B/*25.50A	29.30B/*25.50A	----	27.50 - 1.70	.1225	----	----	----	----	146 UNCH
5370	----	----	28.90B/*25.10A	28.90B/*25.10A	----	27.10 - 1.70	.1209	----	----	----	----	24 UNCH
5375	----	----	28.70B/*24.80A	28.70B/*24.80A	----	26.70 - 1.70	.1193	----	----	----	----	10 UNCH
5380	----	----	28.10B/*24.40A	28.10B/*24.40A	----	26.30 - 1.70	.1177	----	----	----	----	8 UNCH
5385	----	----	27.80B/*24.10A	27.80B/*24.10A	----	25.90 - 1.70	.1161	----	----	----	----	16 UNCH
5390	----	----	----/*23.70A	27.20B/*23.70A	----	25.50 - 1.70	.1145	----	----	----	----	13 UNCH
5395	----	----	----/*23.40A	26.80B/*23.40A	----	25.10 - 1.70	.1129	----	----	----	----	24 UNCH
5400	25.00	25.00	26.20B/*23.30A	26.20B/*23.30A	----	24.80 - 1.70	.1116	----	----	125	----	3029 + 74
5405	----	----	----/*22.80A	26.00B/*22.80A	----	24.40 - 1.70	.1100	----	----	----	----	10 UNCH
5410	----	----	----/*22.70A	25.40B/*22.70A	----	24.00 - 1.70	.1084	----	----	----	----	23 UNCH
5415	----	----	----/*22.30A	25.20B/*22.30A	----	23.70 - 1.70	.1071	----	----	----	----	16 UNCH
5420	22.50	22.50	22.50/*21.80A	24.70B/*21.80A	----	23.40 - 1.60	.1058	----	----	2	----	29 + 2
5425	----	----	24.90B/*21.50A	24.90B/*21.50A	----	23.00 - 1.70	.1042	----	----	----	----	27 UNCH
5430	----	----	----/*21.20A	24.40B/*21.20A	----	22.70 - 1.70	.1029	----	----	----	----	11 UNCH
5435	----	----	----/*20.80A	23.80B/*20.80A	----	22.40 - 1.60	.1016	----	----	----	----	6 UNCH
5440	----	----	----/*20.60A	23.50B/*20.60A	----	22.00 - 1.70	.1001	----	----	----	----	10 UNCH
5445	----	----	----/*20.20A	23.10B/*20.20A	----	21.70 - 1.70	.0988	----	----	----	----	24 UNCH
5450	----	----	----/*19.90A	22.80B/*19.90A	----	21.40 - 1.70	.0975	----	----	3	----	1188 + 1
5455	----	----	----/*19.70A	22.40B/*19.70A	----	21.10 - 1.70	.0962	----	----	----	----	36 UNCH
5460	----	----	----/*19.40A	22.10B/*19.40A	----	20.80 - 1.70	.0950	----	----	----	----	23 UNCH
5465	----	----	----/*19.20A	21.80B/*19.20A	----	20.50 - 1.70	.0937	----	----	----	----	18 UNCH
5470	----	----	----/*18.90A	21.40B/*18.90A	----	20.30 - 1.60	.0928	----	----	----	----	27 UNCH
5475	----	----	----/*18.60A	21.10B/*18.60A	----	20.00 - 1.60	.0915	----	----	----	----	206 UNCH
5480	----	----	----/*18.40A	21.10B/*18.40A	----	19.70 - 1.60	.0902	----	----	----	----	5 UNCH
5485	----	----	----/*18.20A	20.60B/*18.20A	----	19.40 - 1.60	.0890	----	----	----	----	9 UNCH
5490	----	----	----/*17.90A	20.50B/*17.90A	----	19.20 - 1.60	.0881	----	----	----	----	18 UNCH
5495	----	----	----/*17.70A	20.00B/*17.70A	----	18.90 - 1.60	.0868	----	----	----	----	4 UNCH
5500	18.70	18.70	19.00/17.50A	20.10B/17.50A	----	18.70 - 1.50	.0859	----	----	24	500	2700 - 518
5505	----	----	----/*17.20A	19.60B/*17.20A	----	18.40 - 1.60	.0846	----	----	----	----	6 UNCH
5510	----	----	----/*17.10A	19.30B/*17.10A	----	18.20 - 1.50	.0837	----	----	----	----	13 UNCH
5515	----	----	----/*16.80A	18.90B/*16.80A	----	17.90 - 1.60	.0825	----	----	----	----	17 UNCH
5520	----	----	----/*16.60A	18.80B/*16.60A	----	17.70 - 1.50	.0816	----	----	----	----	11 UNCH
5525	----	----	----/*16.40A	18.40B/*16.40A	----	17.50 - 1.50	.0806	----	----	----	----	90 UNCH
5530	----	----	----/*16.20A	18.30B/*16.20A	----	17.30 - 1.50	.0797	----	----	----	----	23 UNCH
5535	----	----	----/*15.90A	18.00B/*15.90A	----	17.00 - 1.50	.0785	----	----	----	----	12 UNCH
5540	----	----	----/*15.70A	17.80B/*15.70A	----	16.80 - 1.50	.0776	----	----	----	----	16 UNCH
5545	----	----	----/*15.50A	17.50B/*15.50A	----	16.60 - 1.50	.0767	----	----	----	----	17 UNCH
5550	15.70	15.70	17.30B/*15.40A	17.30B/*15.40A	----	16.40 - 1.50	.0758	----	----	2	----	202 UNCH
5555	----	----	----/*15.20A	17.10B/*15.20A	----	16.20 - 1.40	.0749	----	----	----	----	25 UNCH
5560	----	----	----/*15.00A	16.90B/*15.00A	----	16.00 - 1.40	.0740	----	----	----	----	23 UNCH
5565	----	----	----/*14.80A	16.50B/*14.80A	----	15.80 - 1.40	.0731	----	----	----	----	12 UNCH
5570	----	----	----/*14.60A	16.40B/*14.60A	----	15.60 - 1.40	.0722	----	----	----	----	4 UNCH
5575	----	----	----/*14.40A	16.20B/*14.40A	----	15.40 - 1.40	.0713	----	----	----	----	31 UNCH
5580	----	----	----/*14.30A	16.00B/*14.30A	----	15.20 - 1.40	.0704	----	----	----	----	7 UNCH
5585	----	----	----/*14.10A	15.80B/*14.10A	----	15.10 - 1.30	.0699	----	----	----	----	19 UNCH
5590	----	----	----/*13.90A	15.60B/*13.90A	----	14.90 - 1.30	.0690	----	----	----	----	5 UNCH
5595	----	----	----/*13.80A	15.60B/*13.80A	----	14.70 - 1.30	.0681	----	----	----	----	19 UNCH
5600	----	----	----/*13.60A	15.20B/*13.60A	----	14.50 - 1.40	.0672	----	----	14	----	2223 - 14
5605	----	----	----/*13.50A	15.20B/*13.50A	----	14.40 - 1.30	.0667	----	----	----	----	32 UNCH
5610	----	----	----/*13.30A	15.00B/*13.30A	----	14.20 - 1.30	.0658	----	----	----	----	5 UNCH
5620	----	----	----/*13.20A	14.60B/*13.20A	----	13.90 - 1.30	.0644	----	----	----	----	5 UNCH
5625	15.00	15.00	15.00/*13.00A	15.00/*13.00A	----	13.70 - 1.30	.0635	----	----	1	----	8 - 1
5630	----	----	----/*12.90A	14.30B/*12.90A	----	13.60 - 1.20	.0630	----	----	----	----	5 UNCH
5635	----	----	----/*12.80A	14.00B/*12.80A	----	13.40 - 1.30	.0622	----	----	----	----	12 UNCH
5640	----	----	----/*12.70A	13.80B/*12.70A	----	13.30 - 1.20	.0616	----	----	----	----	8 UNCH
5650	----	----	----/*12.40A	13.60B/*12.40A	----	13.00 - 1.20	.0602	----	----	----	----	444 UNCH
5660	----	----	----/*12.10A	13.40B/*12.10A	----	12.70 - 1.20	.0589	----	----	----	----	7 UNCH
5670	----	----	----/*11.80A	13.10B/*11.80A	----	12.40 - 1.20	.0575	----	----	----	----	11 UNCH
5675	----	----	----/*11.70A	12.90B/*11.70A	----	12.30 - 1.10	.0570	----	----	----	----	6 UNCH
5680	----	----	----/*11.70A	12.70B/*11.70A	----	12.20 - 1.10	.0565	----	----	----	----	6 UNCH
5690	----	----	----/*11.40A	12.40B/*11.40A	----	11.90 - 1.10	.0551	----	----	----	----	21 UNCH
5700	----	----	----/*11.20A	12.20B/*11.20A	----	11.70 - 1.10	.0541	----	----	3	----	961 - 2
5710	----	----	----/*11.10A	11.90B/*11.10A	----	11.40 - 1.10	.0528	----	----	----	----	12 UNCH
5720	----	----	----/*10.80A	11.60B/*10.80A	----	11.20 - 1.10	.0518	----	----	----	----	17 UNCH
5725	----	----	----/*10.70A	11.50B/*10.70A	----	11.10 - 1.00	.0513	----	----	----	----	57 UNCH
5730	----	----	----/*10.60A	11.30B/*10.60A	----	11.00 - 1.00	.0508	----	----	----	----	9 UNCH
5740	----	----	----/*10.40A	11.10B/*10.40A	----	10.80 - 1.00	.0499	----	----	----	----	9 UNCH
5750	10.00	10.00	10.00/*10.00	10.90B/*10.00	----	10.60 - 1.00	.0489	----	----	3	----	974 UNCH
5760	----	----	----/*10.00A	10.70B/*10.00A	----	10.40 - 0.90	.0479	----	----	----	----	168 UNCH
5770	----	----	----/*9.80A	10.50B/*9.80A	----	10.20 - 0.90	.0470	----	----	----	----	4 UNCH
5775	----	----	----/*9.70A	10.40B/*9.70A	----	10.10 - 0.90	.0465	----	----	----	----	216 UNCH
5780	----	----	----/*9.70A	10.20B/*9.70A	----	10.00 - 0.90	.0460	----	----	----	----	2 UNCH
5790	----	----	----/*9.40A	10.10B/*9.40A	----	9.80 - 0.90	.0451	----	----	1	----	9 - 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
5800	----	----	----/*9.30A	9.90B/*9.30A	----	9.60 - 0.90	.0442	----	----	----	----	779 UNCH
5810	----	----	----/*9.10A	9.60B/*9.10A	----	9.40 - 0.90	.0432	----	----	----	----	11 UNCH
5820	----	----	----/*9.00A	9.40B/*9.00A	----	9.30 - 0.90	.0427	----	----	----	----	207 UNCH
5825	----	----	----/*8.90A	9.40B/*8.90A	----	9.20 - 0.90	.0422	----	----	----	----	19 UNCH
5830	----	----	----/*8.80A	9.30B/*8.80A	----	9.10 - 0.90	.0417	----	----	----	----	1 UNCH
5840	----	----	----/*8.70A	9.10B/*8.70A	----	8.90 - 0.90	.0408	----	----	----	----	102 UNCH
5850	----	----	----/*8.50A	9.00B/*8.50A	----	8.80 - 0.90	.0403	----	----	----	----	109 UNCH
5860	8.70	8.70	8.70/*8.40A	8.80B/*8.40A	----	8.60 - 0.90	.0394	----	----	6	----	86 + 6
5870	----	----	----/*8.30A	8.70B/*8.30A	----	8.50 - 0.80	.0388	----	----	----	----	9 UNCH
5875	----	----	----/*8.20A	8.50B/*8.20A	----	8.40 - 0.90	.0384	----	----	----	----	22 UNCH
5880	----	----	----/*8.10A	8.50B/*8.10A	----	8.40 - 0.80	.0383	----	----	----	----	11 UNCH
5890	----	----	----/*8.00A	8.40B/*8.00A	----	8.20 - 0.80	.0374	----	----	----	----	9 UNCH
5900	----	----	----/*7.90A	8.20B/*7.90A	----	8.10 - 0.80	.0368	----	----	----	----	428 UNCH
5910	----	----	----/*7.80A	8.00B/*7.80A	----	8.00 - 0.80	.0363	----	----	----	----	6 UNCH
5920	----	----	----/*7.70A	8.00B/*7.70A	----	7.80 - 0.80	.0354	----	----	----	----	25 UNCH
5925	----	----	----/*7.50A	7.80B/*7.50A	----	7.80 - 0.80	.0353	----	----	----	----	6 UNCH
5940	----	----	----/*7.50A	7.70B/*7.50A	----	7.60 - 0.80	.0344	----	----	----	----	2 UNCH
5950	----	----	----/*7.30A	7.60B/*7.30A	----	7.50 - 0.70	.0339	----	----	----	----	4 UNCH
5960	----	----	----/*7.20A	7.50B/*7.20A	----	7.40 - 0.70	.0334	----	----	----	----	15 UNCH
5970	----	----	----/*7.10A	7.40B/*7.10A	----	7.30 - 0.70	.0328	----	----	----	----	55 UNCH
5980	----	----	----/*7.10A	7.30B/*7.10A	----	7.20 - 0.70	.0323	----	----	----	----	3 UNCH
5990	----	----	----/*7.00A	7.20B/*7.00A	----	7.10 - 0.70	.0318	----	----	----	----	70 UNCH
6000	----	----	----/6.90A	7.10B/6.90A	----	7.00 - 0.70	.0313	----	----	4	250	2213 - 252
6025	----	----	----/*6.70A	6.80B/*6.70A	----	6.70 - 0.70	.0299	----	----	----	----	29 UNCH
6050	----	----	----/*6.50A	6.60B/*6.50A	----	6.50 - 0.70	.0289	----	----	----	----	40 UNCH
6075	----	----	----/*6.40A	6.30B/*6.40A	----	6.30 - 0.60	.0279	----	----	----	----	90 UNCH
6100	----	----	----/*6.20A	6.10B/*6.20A	----	6.10 - 0.60	.0269	----	----	14	----	301 UNCH
6125	----	----	----/*6.00A	5.90B/*6.00A	----	5.90 - 0.60	.0259	----	----	----	----	60 UNCH
6150	----	----	----/*5.50A	5.60B/*5.50A	----	5.70 - 0.60	.0249	----	----	----	----	881 UNCH
6175	----	----	----/*5.70A	5.50B/*5.70A	----	5.60 - 0.60	.0243	----	----	----	----	39 UNCH
6200	5.00	5.00	5.00/*5.00	5.30B/*5.00	----	5.40 - 0.60	.0234	----	----	5	----	556 - 5
6225	----	----	----/*5.40A	5.10B/*5.40A	----	5.30 - 0.50	.0228	----	----	----	----	20 UNCH
6250	----	----	----/*5.30A	5.00B/*5.30A	----	5.10 - 0.60	.0219	----	----	----	----	392 UNCH
6275	----	----	----/*5.10A	4.80B/*5.10A	----	5.00 - 0.50	.0214	----	----	----	----	3 UNCH
6300	----	----	----/*5.00A	4.70B/*5.00A	----	4.90 - 0.50	.0208	----	----	----	----	336 UNCH
6325	----	----	----/*4.90A	4.60B/*4.90A	----	4.70 - 0.50	.0199	----	----	----	----	34 UNCH
6350	----	----	----/*4.90A	4.50B/*4.90A	----	4.60 - 0.50	.0194	----	----	----	----	32 UNCH
6375	----	----	----/*4.80A	4.40B/*4.80A	----	4.50 - 0.50	.0189	----	----	----	----	37 UNCH
6400	----	----	----/*4.70A	4.30B/*4.70A	----	4.40 - 0.50	.0184	----	----	----	----	183 UNCH
6425	----	----	----/*4.60A	4.10B/*4.60A	----	4.30 - 0.50	.0179	----	----	----	----	17 UNCH
6450	----	----	----/*4.50A	4.00B/*4.50A	----	4.20 - 0.50	.0174	----	----	----	----	48 UNCH
6475	----	----	----/*4.40A	3.90B/*4.40A	----	4.10 - 0.50	.0169	----	----	----	----	14 UNCH
6500	----	----	----/4.30A	3.80B/4.30A	----	4.00 - 0.50	.0164	----	----	3	----	851 - 2
6525	----	----	----/*4.20A	3.70B/*4.20A	----	3.90 - 0.50	.0159	----	----	----	----	132 UNCH
6550	4.00	4.00	4.00/*4.00	4.00/*4.00	----	3.80 - 0.50	.0155	----	----	4	----	1 - 4
6575	----	----	----/*4.10A	3.60B/*4.10A	----	3.80 - 0.40	.0153	----	----	----	----	4 UNCH
6600	----	----	----/*4.00A	3.50B/*4.00A	----	3.70 - 0.40	.0149	----	----	----	----	26 UNCH
6650	----	----	----/*3.80A	3.40B/*3.80A	----	3.50 - 0.40	.0140	----	----	----	----	16 UNCH
6675	----	----	----/*3.80A	3.30B/*3.80A	----	3.50 - 0.40	.0139	----	----	----	----	1 UNCH
6700	----	----	----/*3.70A	3.20B/*3.70A	----	3.40 - 0.40	.0135	----	----	----	----	127 UNCH
6775	----	----	----/*3.50A	3.00B/*3.50A	----	3.20 - 0.40	.0125	----	----	----	----	1 UNCH
6800	----	----	----/*3.40A	3.00B/*3.40A	----	3.10 - 0.40	.0121	----	----	----	----	201 UNCH
6825	----	----	----	2.90B/*3.40A	----	3.10 - 0.30	.0120	----	----	----	----	19 UNCH
6850	----	----	----/*3.30A	2.80B/*3.30A	----	3.00 - 0.40	.0116	----	----	----	----	201 UNCH
6875	----	----	----	2.80B/*3.30A	----	3.00 - 0.30	.0115	----	----	----	----	22 UNCH
6900	----	----	----	2.70B/*3.20A	----	2.90 - 0.30	.0111	----	----	----	----	19 UNCH
6925	----	----	----/*3.10A	2.70B/*3.10A	----	2.90 - 0.30	.0110	----	----	----	----	1 UNCH
6950	----	----	----	2.60B/*3.10A	----	2.80 - 0.30	.0107	----	----	----	----	22 UNCH
6975	----	----	----/*3.00A	2.60B/*3.00A	----	2.80 - 0.30	.0106	----	----	----	----	10 UNCH
7000	----	----	----	2.50B/3.00A	----	2.70 - 0.30	.0102	----	----	----	----	818 UNCH
7050	----	----	----	2.50B/*2.90A	----	2.60 - 0.30	.0098	----	----	----	----	18 UNCH
7075	----	----	----/*2.80A	2.40B/*2.80A	----	2.60 - 0.30	.0097	----	----	----	----	13 UNCH
7100	----	----	----	2.30B/*2.80A	----	2.50 - 0.30	.0093	----	----	----	----	28 UNCH
7125	----	----	----/*2.70A	2.30B/*2.70A	----	2.50 - 0.30	.0093	----	----	----	----	1 UNCH
7150	----	----	----	2.20B/*2.70A	----	2.40 - 0.30	.0089	----	----	----	----	19 UNCH
7175	----	----	----/*2.60A	2.20B/*2.60A	----	2.40 - 0.30	.0088	----	----	----	----	1 UNCH
7200	----	----	----	2.20B/*2.60A	----	2.40 - 0.20	.0088	----	----	----	----	3 UNCH
7225	----	----	----	2.10B/*2.60A	----	2.30 - 0.30	.0084	----	----	----	----	22 UNCH
7250	----	----	----	2.10B/*2.50A	----	2.30 - 0.20	.0084	----	----	----	----	23 UNCH
7275	----	----	----	2.00B/*2.50A	----	2.20 - 0.30	.0080	----	----	----	----	14 UNCH
7300	----	----	----	2.00B/*2.40A	----	2.20 - 0.20	.0080	----	----	----	----	42 UNCH
7350	----	----	----/*2.30A	1.90B/*2.30A	----	2.10 - 0.30	.0076	----	----	----	----	8 UNCH
7400	----	----	----	1.90B/*2.30A	----	2.10 - 0.20	.0075	----	----	----	----	2 UNCH
7425	----	----	----	1.80B/*2.30A	----	2.00 - 0.20	.0072	----	----	----	----	19 UNCH
7450	----	----	----	1.80B/*2.20A	----	2.00 - 0.20	.0071	----	----	----	----	16 UNCH
7475	----	----	----	1.70B/*2.20A	----	2.00 - 0.20	.0071	----	----	----	----	9 UNCH
7500	----	----	----/1.90A	1.70B/1.90A	----	1.90 - 0.20	.0067	----	----	----	----	301 UNCH
7525	----	----	----	1.70B/*2.20A	----	1.90 - 0.20	.0067	----	----	----	----	33 UNCH
7550	----	----	----/*1.90A	1.60B/*1.90A	----	1.90 - 0.20	.0067	----	----	----	----	50 UNCH
7575	----	----	----	1.60B/*2.10A	----	1.90 - 0.10	.0066	----	----	----	----	1 UNCH
7600	----	----	----	1.60B/2.00A	----	1.80 - 0.20	.0063	----	----	----	----	10 UNCH
7625	1.60	1.60	1.60/*1.60	1.60/*1.60	----	1.80 - 0.20	.0063	----	----	10	----	12 UNCH
7700	----	----	----	1.40B/*1.90A	----	1.70 - 0.20	.0059	----	----	----	----	11 UNCH
7725	----	----	----	1.40B/*1.90A	----	1.70 - 0.10	.0058	----	----	----	----	11 UNCH
7750	----	----	----	1.40B/*1.90A	----	1.70 - 0.10	.0058	----	----	----	----	6 UNCH
7775	----	----	----	1.40B/*1.80A	----	1.60 - 0.20	.0055	----	----	----	----	5 UNCH
7800	----	----	----	1.30B/*1.80A	----	1.60 - 0.10	.0055	----	----	----	----	5 UNCH
7825	----	----	----	1.30B/*1.80A	----	1.60 - 0.10	.0054	----	----	----	----	13 UNCH
7875	----	----	----	1.30B/*1.70A	----	1.50 - 0.20	.0051	----	----	----	----	151 UNCH
7900	----	----	----	1.20B/*1.70A	----	1.50 - 0.10	.0051	----	----	----	----	1 UNCH
8000	----	----	----	1.20B/1.60A	----	1.40 - 0.10	.0047	----	----	1	----	589 UNCH
8100	----	----	----	1.10B/*1.50A	----	1.30 - 0.20	.0043	----	----	----	----	7 UNCH
8300	----	----	----	1.00B/1.50A	----	1.20 - 0.10	.0039	----	----	----	----	4 UNCH
8500	----	----	----	0.80B/1.30A	----	1.00 - 0.20	.0032	----	----	3	----	46 + 3
8600	----	----	----	0.80B/1.20A	----	0.90 - 0.30	.0029	----	----	----	----	1 UNCH
8700	----	----	----	0.70B/*1.20A	----	0.90 - 0.20	.0029	----	----	----	----	25 UNCH
8800	----	----	----	0.70B/*1.10A	----	0.80 - 0.30	.0025	----	----	----	----	7 UNCH
9000	----	----	----/*0.90A	0.60B/0.90A	----	0.70 - 0.30	.0022	----	----	----	----	223 UNCH
9200	----	----	----	0.50B/*0.90A	----	0.60 - 0.30	.0019	----	----	----	----	11 UNCH
9300	----	----	----	0.50B/*0.90A	----	0.60 - 0.30	.0018	----	----	----	----	4 UNCH
9400	----	----	----	0.50B/*0.90A	----	0.60 - 0.30	.0018	----	----	----	----	141 UNCH
9500	----	----	----	0.50B/*0.80A	----	0.50 - 0.30	.0015	----	----	----	----	66 UNCH
9900	----	----	----	0.40B/*0.70A	----	0.50 - 0.20	.0015	----	----	----	----	5 UNCH
10000	0.40	0.40	0.40/*0.40	0.40/*0.40	----	0.50 - 0.20	.0014	----	----	2	----	173 UNCH
10100	----	----	----	0.30B/*0.70A	----	0.40 - 0.20	.0012	----	----	----	----	12 UNCH
11000	----	----	----	0.10B/*0.50A	----	0.30 - 0.10	.0008	----	----	----	----	88 UNCH
11200	----	----	----	0.10B/*0.50A	----	0.20 - 0.20	.0005	----	----	----	----	13 UNCH
11500	----	----	----	----/0.50A	----	0.20 - 0.10	.0005	----	----	----	----	47 UNCH
11600	----	----	----	----/0.50A	----	0.20 - 0.10	.0005	----	----	----	----	50 UNCH
12000	----	----	----	----/0.40A	----	0.10 - 0.10	.0003	----	----	----	----	217 UNCH
TOTAL										818	1,000	55816 - 880
AUG26												
3400	----	----	----	----	----	1378.30 + 16.00	.9786	----	----	----	----	1 UNCH
3500	----	----	1,283.80B/1,255	1283.80B/1255.60A	----	1279.80 + 15.70	.9730	----	----	----	----	46 UNCH
3505	----	----	1,278.90B/1,250	1278.90B/1250.70A	----	1274.90 + 15.70	.9726	----	----	----	----	4 UNCH
3520	----	----	1,264.20B/1,235	1264.20B/1235.90A	----	1260.20 + 15.70	.9717	----	----	----	----	65 UNCH
3550	----	----	1,236.40B/1,205	1236.40B/1205.00A	----	1230.80 + 15.60	.9697	----	----	----	----	310 UNCH
3600	----	----	1,189.10B/1,154	1189.10B/1154.80A	----	1181.90 + 15.40	.9660	----	----	----	----	1045 UNCH
3610	----	----	1,176.40B/1,148	1176.40B/1148.00A	----	1172.10 + 15.30	.9653	----	----	----	----	6 UNCH
3650	----	----	1,137.60B/1,109	1137.60B/1109.20A	----	1133.20 + 15.20	.9618	----	----	----	----	4 UNCH
3660	----	----	----	----	----	1123.40 + 15.00	.9608	----	----	----	----	1 UNCH
3685	----	----	----	----	----	1099.20 + 15.00	.9585	----	----	----	----	1 UNCH
3700	----	----	1,089.30B/1,060	1089.30B/1060.90A	----	1084.70 + 14.90	.9569	----	----	----	----	40 UNCH
3715	----	----	1,074.90B/1,046	1074.90B/1046.50A	----	1070.20 + 14.80	.9553	----	----	----	----	30 UNCH
3720	----	----	----	----	----	1065.40 + 14.80	.9549	----	----	----	----	1 UNCH
3735	----	----	----	----	----	1050.90 + 14.70	.9533	----	----	----	----	1 UNCH
3750	----	----	1,041.20B/1,012	1041.20B/1012.90A	----	1036.40 + 14.60	.9515	----	----	----	----	8 UNCH
3775	----	----	1,017.30B/989.0	1017.30B/989.00A	----	1012.40 + 14.40	.9486	----	----	----	----	4 UNCH
3780	----	----	1,012.50B/984.2	1012.50B/984.20A	----	1007.60 + 14.40	.9479	----	----	----	----	10 UNCH
3790	----	----	1,003.00B/974.7	1003.00B/974.70A	----	998.10 + 14.40	.9467	----	----	----	----	67 UNCH
3800	----	----	994.90B/963.80A	994.90B/963.80A	----	988.50 + 14.30	.9452	----	----	----	----	303 UNCH
3820	----	----	974.40B/946.20A	974.40B/946.20A	----	969.40 + 14.20	.9426	----	----	----	----	3 UNCH
3840	----	----	----	----	----	950.40 + 14.10	.9396	----	----	----	----	1 UNCH
3850	----	----	946.00B/917.90A	946.00B/917.90A	----	940.90 + 14.00	.9383	----	----	----	----	12 UNCH
3885	----	----	----	----	----	907.80 + 13.70	.9327	----	----	----	----	2 UNCH
3890	----	----	----	----	----	903.10 + 13.70	.9318	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
3900	----	----	899.00B/871.10A	899.00B/871.10A	----	893.60 + 13.50	.9301	----	----	----	----	146 UNCH
3920	----	----	----	----	----	874.90 + 13.50	.9267	----	----	----	----	1 UNCH
3925	----	----	875.60B/847.80A	875.60B/847.80A	----	870.20 + 13.40	.9257	----	----	----	----	10 UNCH
3950	----	----	852.30B/824.70A	852.30B/824.70A	----	846.80 + 13.10	.9210	----	----	----	----	106 UNCH
3955	----	----	847.70B/820.10A	847.70B/820.10A	----	842.20 + 13.20	.9200	----	----	----	----	7 UNCH
3975	----	----	829.20B/801.70A	829.20B/801.70A	----	823.60 + 12.90	.9159	----	----	----	----	200 UNCH
3995	----	----	810.70B/783.40A	810.70B/783.40A	----	805.10 + 12.70	.9117	----	----	----	----	30 UNCH
4000	----	----	808.80B/776.20A	808.80B/776.20A	----	800.50 + 12.70	.9106	----	----	----	----	683 UNCH
4005	----	----	----	617.40B/936.90A	----	795.90 + 12.70	.9094	----	----	----	----	1 UNCH
4015	----	----	792.40B/765.20A	792.40B/765.20A	----	786.70 + 12.50	.9071	----	----	----	----	12 UNCH
4025	----	----	783.30B/756.20A	783.30B/756.20A	----	777.60 + 12.50	.9048	----	----	----	----	174 UNCH
4045	----	----	765.10B/738.20A	765.10B/738.20A	----	759.30 + 12.30	.9001	----	----	----	----	30 UNCH
4050	----	----	760.60B/733.70A	760.60B/733.70A	----	754.80 + 12.30	.8987	----	----	----	----	100 UNCH
4055	----	----	756.00B/729.20A	756.00B/729.20A	----	750.20 + 12.20	.8976	----	----	----	----	100 UNCH
4075	----	----	738.00B/711.30A	738.00B/711.30A	----	732.10 + 11.90	.8924	----	----	----	----	3 UNCH
4080	----	----	----	564.50B/870.10A	----	727.60 + 11.90	.8910	----	----	----	----	1 UNCH
4100	----	----	715.60B/689.20A	715.60B/689.20A	----	709.60 + 11.60	.8856	----	----	----	----	73 UNCH
4110	----	----	706.70B/680.40A	706.70B/680.40A	----	700.70 + 11.60	.8828	----	----	----	----	19 UNCH
4135	----	----	684.50B/658.60A	684.50B/658.60A	----	678.50 + 11.30	.8753	----	----	----	----	20 UNCH
4140	----	----	----	510.90B/817.80A	----	674.10 + 11.20	.8737	----	----	----	----	1 UNCH
4150	----	----	671.30B/645.60A	671.30B/645.60A	----	665.20 + 11.00	.8706	----	----	----	----	40 UNCH
4165	----	----	----	489.00B/796.80A	----	652.10 + 10.90	.8659	----	----	----	----	1 UNCH
4195	----	----	632.10B/607.10A	632.10B/607.10A	----	626.00 + 10.50	.8557	----	----	----	----	3 UNCH
4200	----	----	628.20B/602.90A	628.20B/602.90A	----	621.70 + 10.50	.8539	----	----	----	----	75 UNCH
4215	----	----	----	445.80B/756.80A	----	608.80 + 10.20	.8486	----	----	----	----	1 UNCH
4220	----	----	611.10B/586.10A	611.10B/586.10A	----	604.50 + 10.20	.8467	----	----	----	----	16 UNCH
4225	----	----	606.80B/581.90A	606.80B/581.90A	----	600.20 + 10.10	.8449	----	----	----	----	102 UNCH
4235	----	----	----	427.90B/741.00A	----	591.70 + 9.90	.8412	----	----	----	----	1 UNCH
4250	----	----	585.70B/561.10A	585.70B/561.10A	----	579.00 + 9.70	.8354	----	----	----	----	71 UNCH
4265	----	----	573.10B/548.80A	573.10B/548.80A	----	566.40 + 9.50	.8295	----	----	----	----	77 UNCH
4285	----	----	556.50B/532.50A	556.50B/532.50A	----	549.80 + 9.20	.8212	----	----	----	----	8 UNCH
4300	----	----	544.20B/520.50A	544.20B/520.50A	----	537.40 + 9.00	.8148	----	----	----	----	42 UNCH
4320	----	----	----	354.60B/675.60A	----	521.10 + 8.70	.8061	----	----	----	----	2 UNCH
4325	----	----	523.80B/500.60A	523.80B/500.60A	----	517.00 + 8.50	.8037	----	----	----	----	6 UNCH
4330	----	----	519.80B/496.60A	519.80B/496.60A	----	513.00 + 8.50	.8015	----	----	----	----	201 UNCH
4350	----	----	506.10B/478.70A	506.10B/478.70A	----	496.90 + 8.10	.7922	----	----	----	----	774 UNCH
4360	----	----	----	321.40B/645.80A	----	489.00 + 8.00	.7874	----	----	----	----	1 UNCH
4375	----	----	484.00B/461.80A	484.00B/461.80A	----	477.10 + 7.70	.7800	----	----	----	----	3 UNCH
4385	----	----	476.20B/454.20A	476.20B/454.20A	----	469.30 + 7.50	.7750	----	----	----	----	100 UNCH
4390	----	----	----	297.20B/624.10A	----	465.40 + 7.40	.7724	----	----	----	----	1 UNCH
4400	----	----	465.80B/441.80A	465.80B/441.80A	----	457.70 + 7.30	.7673	----	----	----	----	325 UNCH
4420	----	----	449.30B/428.10A	449.30B/428.10A	----	442.40 + 6.90	.7567	----	----	----	----	50 UNCH
4425	----	----	445.50B/424.50A	445.50B/424.50A	----	438.70 + 6.90	.7540	----	----	----	----	5 UNCH
4440	----	----	----	258.10B/588.00A	----	427.40 + 6.60	.7459	----	----	----	----	1 UNCH
4450	----	----	426.80B/406.30A	426.80B/406.30A	----	420.00 + 6.50	.7403	----	----	----	----	6 UNCH
4455	----	----	----	246.90B/577.20A	----	416.30 + 6.40	.7375	----	----	----	----	2 UNCH
4460	----	----	419.40B/399.30A	419.40B/399.30A	----	412.60 + 6.30	.7346	----	----	----	----	5 UNCH
4465	----	----	415.80B/395.70A	415.80B/395.70A	----	408.90 + 6.10	.7318	----	----	----	----	9 UNCH
4470	----	----	412.10B/387.10A	412.10B/387.10A	----	405.30 + 6.10	.7289	----	----	----	----	7 UNCH
4475	----	----	408.50B/383.80A	408.50B/383.80A	----	401.70 + 6.00	.7260	----	----	----	----	29 UNCH
4485	----	----	401.30B/376.80A	401.30B/376.80A	----	394.50 + 5.90	.7201	----	----	----	----	5 UNCH
4490	----	----	----/373.50A	381.00B/373.50A	----	390.90 + 5.80	.7171	----	----	----	----	1 UNCH
4500	----	----	392.80B/366.50A	392.80B/366.50A	----	383.80 + 5.60	.7112	----	----	----	----	846 UNCH
4535	----	----	370.50B/343.10A	370.50B/343.10A	----	359.40 + 5.00	.6896	----	----	----	----	10 UNCH
4540	----	----	367.10B/329.90A	367.10B/329.90A	----	356.00 + 4.90	.6864	----	----	----	----	5 UNCH
4545	----	----	363.60B/326.70A	363.60B/326.70A	----	352.60 + 4.80	.6833	----	----	----	----	1 UNCH
4550	----	----	360.30B/322.80A	360.30B/322.80A	----	349.30 + 4.80	.6801	----	----	----	----	22 UNCH
4555	----	----	356.80B/320.40A	356.80B/320.40A	----	345.90 + 4.60	.6769	----	----	----	----	1 UNCH
4560	----	----	353.50B/316.00A	353.50B/316.00A	----	342.60 + 4.60	.6736	----	----	----	----	5 UNCH
4565	----	----	350.00B/314.20A	350.00B/314.20A	----	339.20 + 4.40	.6704	----	----	----	----	1 UNCH
4575	----	----	345.10B/307.30A	345.10B/307.30A	----	332.60 + 4.20	.6639	----	----	----	----	41 UNCH
4580	----	----	341.80B/304.20A	341.80B/304.20A	----	329.40 + 4.20	.6606	----	----	----	----	200 UNCH
4585	----	----	336.80B/300.80A	336.80B/300.80A	----	326.10 + 4.10	.6573	----	----	----	----	2 UNCH
4590	305.90	305.90	334.70B/297.90A	334.70B/297.90A	----	322.90 + 4.00	.6539	----	----	4	----	16 UNCH
4595	----	----	330.40B/295.10A	330.40B/295.10A	----	319.70 + 3.90	.6506	----	----	----	----	2 UNCH
4600	----	----	328.80B/292.90A	328.80B/292.90A	----	316.50 + 3.80	.6472	----	----	----	----	100 UNCH
4605	----	----	324.00B/288.90A	324.00B/288.90A	----	313.30 + 3.70	.6438	----	----	----	----	1 UNCH
4620	----	----	314.50B/281.20A	314.50B/281.20A	----	303.90 + 3.40	.6336	----	----	----	----	4 UNCH
4625	----	----	311.40B/277.50A	311.40B/277.50A	----	300.70 + 3.20	.6302	----	----	----	----	11 UNCH
4630	----	----	308.30B/274.90A	308.30B/274.90A	----	297.70 + 3.20	.6268	----	----	----	----	10 UNCH
4640	----	----	302.00B/269.90A	302.00B/269.90A	----	291.50 + 2.90	.6199	----	----	----	----	1 UNCH
4650	----	----	297.80B/263.80A	297.80B/263.80A	----	285.50 + 2.70	.6129	----	----	----	----	145 UNCH
4660	----	----	289.90B/258.20A	289.90B/258.20A	----	279.50 + 2.40	.6058	----	----	----	----	2 UNCH
4670	----	----	284.30B/252.80A	284.30B/252.80A	----	273.60 + 2.20	.5987	----	----	----	----	3 UNCH
4675	----	----	283.00B/249.90A	283.00B/249.90A	----	270.60 + 2.00	.5952	----	----	----	----	36 UNCH
4690	----	----	272.50B/240.50A	272.50B/240.50A	----	262.00 + 1.70	.5845	----	----	----	----	1 UNCH
4700	----	----	268.60B/235.40A	268.60B/235.40A	----	256.30 + 1.40	.5773	----	----	----	----	1629 UNCH
4705	----	----	265.80B/232.80A	265.80B/232.80A	----	253.50 + 1.30	.5736	----	----	----	----	20 UNCH
4710	----	----	263.00B/230.20A	263.00B/230.20A	----	250.80 + 1.20	.5700	----	----	----	----	17 UNCH
4720	----	----	257.10B/225.10A	257.10B/225.10A	----	245.30 + 1.00	.5627	----	----	----	----	29 UNCH
4725	----	----	254.20B/222.40A	254.20B/222.40A	----	242.60 + 0.90	.5591	----	----	----	----	2 UNCH
4730	----	----	251.70B/220.50A	251.70B/220.50A	----	239.90 + 0.70	.5554	----	----	----	----	3 UNCH
4735	----	----	248.90B/217.50A	248.90B/217.50A	----	237.30 + 0.70	.5517	----	----	----	----	2 UNCH
4745	----	----	243.60B/213.00A	243.60B/213.00A	----	232.00 + 0.40	.5444	----	----	3	----	12 + 2
4750	----	----	241.00B/210.30A	241.00B/210.30A	----	229.50 + 0.40	.5407	----	----	1	----	181 + 1
4755	----	----	238.20B/208.00A	238.20B/208.00A	----	226.90 NEW	.5370	----	----	7	----	7 + 7
4760	222.40	222.40	235.90B/206.00A	235.90B/206.00A	----	224.40 + 0.30	.5334	----	----	30	----	31 + 21
4770	----	----	230.60B/201.30A	230.60B/201.30A	----	219.50 + 0.20	.5260	----	----	----	250	250 + 222
4775	----	----	228.30B/198.20A	228.30B/198.20A	----	217.00 + 0.10	.5223	----	----	----	----	11 UNCH
4780	----	----	226.10B/196.50A	226.10B/196.50A	----	214.60 + 0.10	.5186	----	----	----	----	10 UNCH
4785	----	----	222.80B/194.30A	222.80B/194.30A	----	212.20 UNCH	.5149	----	----	3	----	2 + 2
4790	----	----	220.50B/192.20A	220.50B/192.20A	----	209.90 + 0.10	.5112	----	----	----	----	3 UNCH
4795	----	----	218.70B/190.00A	218.70B/190.00A	----	207.50 UNCH	.5076	----	----	----	----	106 UNCH
4800	198.80	198.80	216.50B/187.60A	216.50B/187.60A	----	205.20 UNCH	.5039	----	----	104	----	1716 + 94
4805	----	----	213.80B/185.30A	213.80B/185.30A	----	202.90 UNCH	.5002	----	----	6	----	12 + 6
4810	200.80	200.80	211.10B/183.60A	211.10B/183.60A	----	200.70 UNCH	.4966	----	----	9	----	24 + 9
4815	----	----	208.80B/181.50A	208.80B/181.50A	----	198.40 UNCH	.4929	----	----	----	----	3 UNCH
4820	----	----	206.30B/179.00A	206.30B/179.00A	----	196.20 UNCH	.4893	----	----	----	----	22 UNCH
4825	----	----	204.00B/177.30A	204.00B/177.30A	----	193.90 - 0.10	.4856	----	----	----	----	33 UNCH
4830	----	----	201.80B/175.00A	201.80B/175.00A	----	191.70 - 0.10	.4819	----	----	----	----	17 UNCH
4835	189.60	189.60	199.90B/173.30A	199.90B/173.30A	----	189.50 - 0.10	.4783	----	----	2	----	38 UNCH
4840	----	----	197.10B/171.30A	197.10B/171.30A	----	187.40 - 0.10	.4747	----	----	----	----	25 UNCH
4850	167.40	167.40	193.20B/167.00A	193.20B/167.00A	----	183.10 - 0.20	.4674	----	----	1	----	63 + 1
4860	----	----	188.80B/163.20A	188.80B/163.20A	----	178.90 - 0.20	.4602	----	----	----	----	28 UNCH
4865	----	----	186.00B/161.10A	186.00B/161.10A	----	176.80 - 0.20	.4566	----	----	----	----	10 UNCH
4870	----	----	184.00B/159.10A	184.00B/159.10A	----	174.70 - 0.30	.4529	----	----	----	----	13 UNCH
4875	----	----	182.00B/157.40A	182.00B/157.40A	----	172.70 - 0.30	.4494	----	----	----	----	146 UNCH
4880	155.70	155.70	179.70B/155.50A	179.70B/155.50A	----	170.60 - 0.40	.4458	----	----	1	----	146 UNCH
4885	155.90	155.90	177.60B/153.70A	177.60B/153.70A	----	168.60 - 0.40	.4422	----	----	15	----	21 + 14
4890	----	----	176.10B/151.90A	176.10B/151.90A	----	166.60 - 0.50	.4386	----	----	----	----	9 UNCH
4895	----	----	173.70B/150.10A	173.70B/150.10A	----	164.60 - 0.60	.4350	----	----	----	----	31 UNCH
4900	----	----	171.90B/148.30A	171.90B/148.30A	----	162.70 - 0.50	.4315	----	----	53	----	598 + 53
4905	----	----	169.80B/146.60A	169.80B/146.60A	----	160.70 - 0.60	.4279	----	----	----	----	15 UNCH
4910	----	----	167.90B/144.90A	167.90B/144.90A	----	158.80 - 0.70	.4244	----	----	----	----	7 UNCH
4920	----	----	164.10B/141.50A	164.10B/141.50A	----	155.00 - 0.80	.4174	----	----	----	----	3 UNCH
4925	----	----	161.60B/139.80A	161.60B/139.80A	----	153.20 - 0.80	.4139	----	----	----	----	125 UNCH
4930	----	----	159.00B/138.10A	159.00B/138.10A	----	151.30 - 0.90	.4104	----	----	----	----	1 UNCH
4935	----	----	157.00B/*136.50	157.00B/*136.50A	----	149.50 - 0.90	.4069	----	----	----	----	1 UNCH
4940	----	----	156.50B/134.90A	156.50B/134.90A	----	147.70 - 0.90	.4035	----	----	----	----	23 UNCH
4945	----	----	154.50B/*133.30	154.50B/*133.30A	----	145.90 - 1.00	.4000	----	----	----	----	23 UNCH
4950	----	----	152.40B/131.70A	152.40B/131.70A	----	144.10 - 1.00	.3966	----	----	52	----	116 + 51
4955	----	----	150.60B/*130.10	150.60B/*130.10A	----	142.40 - 1.00	.3932	----	----	----	----	22 UNCH
4960	----	----	149.20B/*128.50	149.20B/*128.50A	----	140.70 - 1.00	.3898	----	----	----	----	18 UNCH
4965	----	----	146.90B/*127.00	146.90B/*127.00A	----	139.00 - 1.10	.3864	----	----	----	----	22 UNCH
4975	----	----	142.80B/124.00A	142.80B/124.00A	----	135.60 - 1.20	.3796	----	----	----	----	2 UNCH
4980	----	----	141.80B/*122.50	141.80B/*122.50A	----	134.00 - 1.10	.3763	----	----	----	----	3 UNCH
4985	----	----	140.10B/*121.00	140.10B/*121.00A	----	132.30 - 1.20	.3729	----	----	----	----	14 UNCH
4990	----	----	138.40B/*119.60	138.40B/*119.60A	----	130.70 - 1.20	.3696	----	----	----	----	4 UNCH
4995	----	----	137.10B/*118.10	137.10B/*118.10A	----	129.10 - 1.30	.3663	----	----	----	----	3 UNCH
5000	119.00	119.00	135.40B/116.80A	135.40B/116.80A	----	127.60 - 1.20	.3631	----	----	74	----	1275 - 62
5005	----	----	133.90B/*115.30	133.90B/*115.30A	----	126.00 - 1.30	.3598	----	----	----	----	10 UNCH
5015	----	----	130.20B/*112.60	130.20B/*112.60A	----	123.00 - 1.20	.3534	----	----	----	----	3 UNCH
5020	----	----	128.00B/*111.30	128.00B/*111.30A	----	121.50 - 1.20	.3502	----	----	----	----	1 UNCH
5025	----	----	127.10B/109.90A	127.10B/109.90A	----	120.00 - 1.30	.3470	----	----	----	----	100 UNCH
5030	----	----	125.00B/*108.50	125.00B/*108.50A	----	118.60 - 1.20	.3439	----	----	----	----	2 UNCH
5035	----	----	124.30B/*107.20	124.30B/*107.20A	----	117.10 - 1.30	.3407	----	----	----	----	10 UNCH
5040	----	----	122.70B/*105.90	122.70B/*105.90A	----	115.70 - 1.20	.3376	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
5045	----	----	121.20B/*104.70	121.20B/*104.70A	----	114.30 - 1.20	.3345	----	----	----	----	22 UNCH
5050	----	----	119.60B/103.50A	119.60B/103.50A	----	112.90 - 1.20	.3314	----	----	105	----	248 + 105
5055	----	----	117.80B/*102.20	117.80B/*102.20A	----	111.50 - 1.30	.3283	----	----	----	----	1 UNCH
5060	----	----	117.20B/*101.00	117.20B/*101.00A	----	110.20 - 1.20	.3253	----	----	----	----	11 UNCH
5065	----	----	115.70B/*99.80A	115.70B/*99.80A	----	108.80 - 1.30	.3222	----	----	----	----	43 UNCH
5070	----	----	114.10B/*98.60A	114.10B/*98.60A	----	107.50 - 1.20	.3193	----	----	----	----	7 UNCH
5075	----	----	112.60B/97.30A	112.60B/97.30A	----	106.20 - 1.20	.3163	----	----	----	----	204 UNCH
5080	----	----	111.70B/*96.20A	111.70B/*96.20A	----	104.90 - 1.20	.3133	----	----	----	----	21 UNCH
5090	----	----	107.70B/*93.80A	107.70B/*93.80A	----	102.30 - 1.30	.3074	----	----	----	----	1 UNCH
5100	96.00	96.00	106.00B/86.60	106.00B/86.60	----	99.80 - 1.30	.3015	----	----	7	----	1545 + 4
5105	----	----	104.10B/*90.40A	104.10B/*90.40A	----	98.60 - 1.30	.2987	----	----	----	----	2 UNCH
5110	----	----	103.00B/*89.30A	103.00B/*89.30A	----	97.40 - 1.30	.2958	----	----	----	----	7 UNCH
5115	----	----	102.10B/*88.30A	102.10B/*88.30A	----	96.20 - 1.30	.2930	----	----	----	----	5 UNCH
5120	----	----	100.20B/*87.20A	100.20B/*87.20A	----	95.00 - 1.30	.2902	----	----	----	----	1 UNCH
5125	----	----	99.90B/86.30A	99.90B/86.30A	----	93.80 - 1.40	.2873	----	----	----	----	20 UNCH
5130	----	----	97.90B/*85.20A	97.90B/*85.20A	----	92.70 - 1.30	.2846	----	----	----	----	2 UNCH
5135	----	----	96.50B/*84.30A	96.50B/*84.30A	----	91.50 - 1.40	.2818	----	----	----	----	1 UNCH
5140	----	----	95.70B/*83.20A	95.70B/*83.20A	----	90.40 - 1.40	.2791	----	----	----	----	3 UNCH
5145	----	----	95.10B/*82.20A	95.10B/*82.20A	----	89.30 - 1.40	.2764	----	----	----	----	14 UNCH
5150	88.00	88.00	93.50B/81.30A	93.50B/81.30A	----	88.20 - 1.40	.2737	----	----	2	50	90 + 2
5155	----	----	92.60B/*80.30A	92.60B/*80.30A	----	87.10 - 1.50	.2710	----	----	----	----	18 UNCH
5160	----	----	91.80B/*79.30A	91.80B/*79.30A	----	86.00 - 1.50	.2683	----	----	----	----	7 UNCH
5165	----	----	89.60B/*78.30A	89.60B/*78.30A	----	85.00 - 1.50	.2657	----	----	----	----	2 UNCH
5170	----	----	89.60B/*77.40A	89.60B/*77.40A	----	83.90 - 1.50	.2630	----	----	----	----	6 UNCH
5175	----	----	87.30B/*76.30A	87.30B/*76.30A	----	82.90 - 1.50	.2605	----	----	----	325	325 + 324
5185	----	----	85.30B/*74.50A	85.30B/*74.50A	----	80.90 - 1.50	.2554	----	----	----	----	2 UNCH
5190	----	----	85.40B/*73.80A	85.40B/*73.80A	----	79.90 - 1.60	.2529	----	----	----	----	4 UNCH
5195	----	----	84.30B/*72.90A	84.30B/*72.90A	----	78.90 - 1.60	.2503	----	----	----	----	12 UNCH
5200	75.40	75.40	83.40B/72.20A	83.40B/72.20A	----	77.90 - 1.60	.2478	----	----	37	----	2750 + 15
5205	----	----	81.20B/*71.10A	81.20B/*71.10A	----	76.90 - 1.70	.2453	----	----	----	----	1 UNCH
5210	----	----	80.90B/*70.20A	80.90B/*70.20A	----	76.00 - 1.70	.2429	----	----	----	----	8 UNCH
5215	----	----	80.30B/*69.30A	80.30B/*69.30A	----	75.00 - 1.80	.2404	----	----	----	----	14 UNCH
5220	----	----	79.00B/*68.80A	79.00B/*68.80A	----	74.10 - 1.80	.2380	----	----	----	----	29 UNCH
5225	----	----	78.00B/*67.70A	78.00B/*67.70A	----	73.20 - 1.80	.2356	----	----	----	----	46 UNCH
5230	----	----	77.00B/*67.00A	77.00B/*67.00A	----	72.30 - 1.80	.2332	----	----	----	----	10 UNCH
5235	----	----	76.40B/*66.10A	76.40B/*66.10A	----	71.40 - 1.80	.2309	----	----	----	----	10 UNCH
5240	----	----	75.20B/*65.50A	75.20B/*65.50A	----	70.50 - 1.90	.2285	----	----	----	----	16 UNCH
5245	----	----	74.60B/*64.80A	74.60B/*64.80A	----	69.70 - 1.80	.2263	----	----	----	----	12 UNCH
5250	----	----	73.80B/*64.00A	73.80B/*64.00A	----	68.80 - 1.90	.2239	----	----	330	----	565 + 86
5255	----	----	72.80B/*63.20A	72.80B/*63.20A	----	68.00 - 1.90	.2217	----	----	----	----	888 UNCH
5260	----	----	71.50B/*62.50A	71.50B/*62.50A	----	67.10 - 1.90	.2194	----	----	----	----	24 UNCH
5265	----	----	70.70B/*61.70A	70.70B/*61.70A	----	66.30 - 1.90	.2172	----	----	----	----	11 UNCH
5270	----	----	70.20B/*60.80A	70.20B/*60.80A	----	65.50 - 1.90	.2150	----	----	----	----	18 UNCH
5275	----	----	69.10B/*60.30A	69.10B/*60.30A	----	64.70 - 1.90	.2128	----	----	----	----	17 UNCH
5280	----	----	68.30B/*59.60A	68.30B/*59.60A	----	63.90 - 2.00	.2106	----	----	----	----	6 UNCH
5285	----	----	67.50B/*58.90A	67.50B/*58.90A	----	63.10 - 2.00	.2085	----	----	----	----	32 UNCH
5290	----	----	66.70B/*58.20A	66.70B/*58.20A	----	62.40 - 1.90	.2065	----	----	----	----	16 UNCH
5295	----	----	65.90B/*57.40A	65.90B/*57.40A	----	61.60 - 2.00	.2043	----	----	----	----	6 UNCH
5300	62.30	62.30	65.30B/56.80A	65.30B/56.80A	----	60.90 - 2.00	.2023	----	----	91	----	890 + 25
5305	----	----	64.20B/*56.10A	64.20B/*56.10A	----	60.10 - 2.00	.2001	----	----	----	----	6 UNCH
5310	----	----	63.70B/*55.50A	63.70B/*55.50A	----	59.40 - 2.00	.1981	----	----	----	----	105 UNCH
5320	58.20	58.20	62.00B/*54.20A	62.00B/*54.20A	----	58.00 - 2.00	.1941	----	----	7	----	16 + 7
5325	----	----	61.40B/*53.60A	61.40B/*53.60A	----	57.30 - 2.00	.1922	----	----	----	----	20 UNCH
5330	----	----	60.70B/*52.90A	60.70B/*52.90A	----	56.60 - 2.00	.1902	----	----	----	----	3 UNCH
5335	----	----	59.10B/*52.30A	59.10B/*52.30A	----	56.00 - 1.90	.1884	----	----	----	----	1 UNCH
5345	----	----	57.70B/*51.10A	57.70B/*51.10A	----	54.60 - 2.00	.1844	----	----	----	----	2 UNCH
5350	----	----	58.00B/*50.50A	58.00B/*50.50A	----	54.00 - 1.90	.1826	----	----	2002	----	8001 + 2001
5355	----	----	56.40B/*50.00A	56.40B/*50.00A	----	53.30 - 2.00	.1807	----	----	----	----	1 UNCH
5360	----	----	56.50B/*49.40A	56.50B/*49.40A	----	52.70 - 2.00	.1789	----	----	----	----	110 UNCH
5370	----	----	55.30B/*48.20A	55.30B/*48.20A	----	51.50 - 1.90	.1753	----	----	2000	----	8000 + 1999
5375	----	----	54.30B/*47.70A	54.30B/*47.70A	----	50.90 - 1.90	.1736	----	----	----	----	4 UNCH
5380	----	----	53.60B/*47.10A	53.60B/*47.10A	----	50.30 - 1.90	.1718	----	----	----	----	3 UNCH
5400	----	----	51.50B/45.00A	51.50B/45.00A	----	48.00 - 1.90	.1649	----	----	25	----	2114 - 8
5405	----	----	50.70B/*44.50A	50.70B/*44.50A	----	47.40 - 1.90	.1632	----	----	----	----	7 UNCH
5410	----	----	49.30B/*44.20A	49.30B/*44.20A	----	46.90 - 1.80	.1616	----	----	----	----	6 UNCH
5420	----	----	48.20B/*43.00A	48.20B/*43.00A	----	45.80 - 1.80	.1583	----	----	----	----	8 UNCH
5435	----	----	46.60B/*41.60A	46.60B/*41.60A	----	44.30 - 1.70	.1537	----	----	----	----	2 UNCH
5440	----	----	46.00B/*41.10A	46.00B/*41.10A	----	43.80 - 1.70	.1521	----	----	----	----	105 UNCH
5445	----	----	45.50B/*40.70A	45.50B/*40.70A	----	43.30 - 1.70	.1506	----	----	----	----	3 UNCH
5450	----	----	45.00B/*40.20A	45.00B/*40.20A	----	42.80 - 1.70	.1491	----	----	1	----	124 + 1
5460	----	----	44.10B/*39.30A	44.10B/*39.30A	----	41.80 - 1.70	.1460	----	----	----	----	15 UNCH
5465	----	----	43.50B/*38.90A	43.50B/*38.90A	----	41.30 - 1.70	.1445	----	----	----	----	29 UNCH
5470	----	----	43.00B/*38.50A	43.00B/*38.50A	----	40.90 - 1.70	.1432	----	----	----	----	4 UNCH
5475	----	----	42.40B/*38.00A	42.40B/*38.00A	----	40.40 - 1.70	.1417	----	----	----	----	2 UNCH
5480	----	----	42.10B/*37.60A	42.10B/*37.60A	----	40.00 - 1.60	.1404	----	----	----	----	14 UNCH
5485	----	----	41.60B/*37.00A	41.60B/*37.00A	----	39.50 - 1.70	.1388	----	----	----	----	2 UNCH
5490	----	----	41.10B/*36.70A	41.10B/*36.70A	----	39.10 - 1.60	.1375	----	----	----	----	2 UNCH
5495	----	----	40.80B/*36.40A	40.80B/*36.40A	----	38.70 - 1.60	.1362	----	----	----	----	4 UNCH
5500	----	----	40.20B/36.00A	40.20B/36.00A	----	38.20 - 1.60	.1347	----	----	----	----	1240 UNCH
5505	36.30	36.30	39.70B/*35.60A	39.70B/*35.60A	----	37.80 - 1.60	.1334	----	----	2	----	10 UNCH
5510	----	----	39.30B/*35.40A	39.30B/*35.40A	----	37.40 - 1.60	.1322	----	----	----	----	8 UNCH
5515	----	----	38.80B/*34.80A	38.80B/*34.80A	----	37.00 - 1.50	.1309	----	----	----	----	2 UNCH
5520	----	----	38.50B/*34.50A	38.50B/*34.50A	----	36.60 - 1.50	.1296	----	----	----	----	1 UNCH
5525	----	----	37.90B/*34.10A	37.90B/*34.10A	----	36.20 - 1.50	.1283	----	----	----	----	29 UNCH
5530	----	----	37.50B/*33.70A	37.50B/*33.70A	----	35.80 - 1.50	.1270	----	----	----	----	1 UNCH
5535	----	----	37.20B/*33.40A	37.20B/*33.40A	----	35.40 - 1.50	.1257	----	----	----	----	12 UNCH
5540	----	----	36.70B/*33.00A	36.70B/*33.00A	----	35.00 - 1.50	.1245	----	----	----	----	1 UNCH
5545	----	----	36.30B/*32.80A	36.30B/*32.80A	----	34.70 - 1.40	.1234	----	----	----	----	2 UNCH
5550	----	----	35.80B/*32.50A	35.80B/*32.50A	----	34.30 - 1.40	.1221	----	----	----	----	127 UNCH
5555	----	----	----/*32.10A	35.40B/*32.10A	----	33.90 - 1.50	.1209	----	----	----	----	1 UNCH
5560	----	----	35.10B/*31.90A	35.10B/*31.90A	----	33.60 - 1.40	.1198	----	----	----	----	3 UNCH
5565	----	----	----/*31.40A	34.60B/*31.40A	----	33.20 - 1.40	.1186	----	----	----	----	5 UNCH
5570	----	----	----/*31.10A	34.30B/*31.10A	----	32.80 - 1.50	.1173	----	----	----	----	3 UNCH
5575	----	----	----/*30.80A	33.90B/*30.80A	----	32.50 - 1.40	.1163	----	----	----	----	3 UNCH
5580	----	----	----/*30.60A	33.50B/*30.60A	----	32.20 - 1.30	.1152	----	----	----	----	17 UNCH
5590	----	----	----/*30.00A	32.70B/*30.00A	----	31.50 - 1.40	.1130	----	----	----	----	1 UNCH
5595	----	----	----/*29.60A	32.40B/*29.60A	----	31.10 - 1.40	.1117	----	----	----	----	3 UNCH
5600	----	----	----/29.30A	32.00B/29.30A	----	30.80 - 1.40	.1107	----	----	----	----	1104 UNCH
5605	30.50	30.50	30.50/*29.00A	31.90B/*29.00A	----	30.50 NEW	.1097	----	----	7	----	7 + 7
5610	----	----	----/*28.70A	31.30B/*28.70A	----	30.20 - 1.30	.1087	----	----	----	----	11 UNCH
5615	----	----	----/*28.50A	31.00B/*28.50A	----	29.90 - 1.30	.1076	----	----	----	----	1 UNCH
5620	----	----	----/*28.10A	30.70B/*28.10A	----	29.60 - 1.30	.1066	----	----	----	----	2 UNCH
5635	----	----	----/*27.30A	29.90B/*27.30A	----	28.70 - 1.30	.1036	----	----	----	----	2 UNCH
5640	----	----	----/*27.00A	29.40B/*27.00A	----	28.40 - 1.30	.1026	----	----	----	----	3 UNCH
5650	----	----	----/*26.50A	28.80B/*26.50A	----	27.80 - 1.30	.1006	----	----	----	----	600 UNCH
5660	----	----	----/*26.10A	28.40B/*26.10A	----	27.30 - 1.20	.0989	----	----	----	----	18 UNCH
5670	----	----	----/*25.50A	27.80B/*25.50A	----	26.70 - 1.30	.0969	----	----	----	----	10 UNCH
5675	----	----	----/*25.00A	27.50B/*25.00A	----	26.40 - 1.30	.0959	----	----	----	----	4 UNCH
5680	----	----	----/*25.40A	27.30B/*25.40A	----	26.20 - 1.20	.0951	----	----	----	----	4 UNCH
5690	----	----	----/*25.00A	26.50B/*25.00A	----	25.70 - 1.20	.0934	----	----	----	----	16 UNCH
5700	----	----	----/24.40A	26.20B/24.40A	----	25.20 - 1.20	.0917	----	----	----	----	1682 UNCH
5710	----	----	----/*23.90A	25.70B/*23.90A	----	24.70 - 1.20	.0900	----	----	----	----	7 UNCH
5720	----	----	----/*23.70A	25.20B/*23.70A	----	24.20 - 1.20	.0883	----	----	----	----	13 UNCH
5725	----	----	----/*23.30A	24.80B/*23.30A	----	24.00 - 1.20	.0876	----	----	----	----	1 UNCH
5730	----	----	----/*23.10A	24.60B/*23.10A	----	23.80 - 1.20	.0868	----	----	----	----	15 UNCH
5750	----	----	----/*22.30A	23.70B/*22.30A	----	22.90 - 1.20	.0837	----	----	----	----	300 UNCH
5775	----	----	----/*21.20A	22.30B/*21.20A	----	21.90 - 1.10	.0801	----	----	----	----	2 UNCH
5800	----	----	----/20.30A	21.40B/20.30A	----	20.90 - 1.20	.0766	----	----	1	----	1030 UNCH
5825	----	----	----/*19.60A	20.50B/*19.60A	----	20.00 - 1.10	.0734	----	----	----	----	120 UNCH
5850	----	----	----/*18.80A	19.50B/*18.80A	----	19.20 - 1.10	.0705	----	----	----	----	165 UNCH
5875	----	----	----/*18.10A	18.80B/*18.10A	----	18.40 - 1.10	.0676	----	----	----	----	26 UNCH
5900	----	----	----/17.40A	17.90B/17.40A	----	17.70 - 1.10	.0649	----	----	----	----	1495 UNCH
5925	----	----	----/*16.80A	17.20B/*16.80A	----	17.10 - 1.00	.0626	----	----	----	----	2 UNCH
5950	----	----	----/*16.30A	16.70B/*16.30A	----	16.40 - 1.00	.0601	----	----	----	----	2 UNCH
6000	----	----	----/15.20A	15.30B/15.20A	----	15.30 - 0.90	.0559	----	----	----	----	1681 UNCH
6100	----	----	----/13.40A	13.40B/13.40A	----	13.50 - 0.80	.0489	----	----	----	----	373 UNCH
6200	----	----	----/11.90A	11.90B/11.90A	----	12.00 - 0.70	.0430	----	----	----	----	1483 UNCH
6300	----	----	----/10.80A	10.70B/10.80A	----	10.80 - 0.60	.0383	----	----	11	----	85 UNCH
6400	----	----	----/9.90A	9.70B/9.90A	----	9.80 - 0.50	.0343	----	----	----	----	65 UNCH
6500	----	----	----/9.10A	8.90B/9.10A	----	9.00 - 0.40	.0311	----	----	----	----	718 UNCH
6600	----	----	----/8.50A	8.10B/8.50A	----	8.30 - 0.40	.0283	----	----	----	----	150 UNCH
6700	----	----	----	7.50B/8.00A	----	7.70 - 0.30	.0259	----	----	----	----	254 UNCH
6800	----	----	----	7.10B/7.50A	----	7.20 - 0.30	.0239	----	----	----	----	50 UNCH
6900	----	----	----	6.70B/7.10A	----	6.80 - 0.20	.0222	----	----	----	----	2 UNCH
7000	----	----	----	6.30B/6.70A	----	6.30 - 0.30	.0204	----	----	4	----	633 + 3
7500	----	----	----	4.90B/5.30A	----	4.80 - 0.30	.0146	----	----	----	----	737 UNCH
8000	----	----	----	3.80B/4.10A	----	3.80 - 0.30	.0110	----	----	1	----	166 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
8500	----	----	----	2.90B/3.40A	----	3.00 - 0.40	.0083	----	----	1	----	90 UNCH
9000	----	----	----	2.40B/2.90A	----	2.50 - 0.40	.0067	----	----	----	----	9 UNCH
9500	----	----	----/2.30A	1.80B/2.30A	----	2.10 - 0.50	.0054	----	----	----	----	69 UNCH
10000	----	----	----/2.00A	1.40B/2.00A	----	1.80 - 0.40	.0045	----	----	----	----	98 UNCH
TOTAL										4999	625	55676 + 4992
SEP26												
3875	----	----	----	----	----	956.50 + 13.10	.9219	----	----	----	----	1 UNCH
3995	----	----	845.90B/834.20A	845.90B/834.20A	----	846.80 + 12.20	.8976	----	----	----	----	10 UNCH
4085	----	----	765.90B/754.20A	765.90B/754.20A	----	766.60 + 11.20	.8749	----	----	----	----	37 UNCH
4130	----	----	726.80B/715.00A	726.80B/715.00A	----	727.30 + 10.50	.8620	----	----	----	----	10 UNCH
4185	----	----	680.40B/668.30A	680.40B/668.30A	----	680.30 + 9.80	.8448	----	----	----	----	37 UNCH
4200	----	----	----	500.30B/820.20A	----	667.60 + 9.60	.8397	----	----	----	----	1 UNCH
4220	----	----	651.10B/638.90A	651.10B/638.90A	----	650.80 + 9.20	.8328	----	----	----	----	162 UNCH
4290	----	----	593.90B/581.80A	593.90B/581.80A	----	593.40 + 8.20	.8067	----	----	----	----	6 UNCH
4295	----	----	589.90B/577.80A	589.90B/577.80A	----	589.40 + 8.10	.8046	----	----	----	----	50 UNCH
4300	----	----	585.90B/573.80A	585.90B/573.80A	----	585.40 + 8.00	.8027	----	----	----	----	13 UNCH
4320	----	----	570.00B/558.00A	570.00B/558.00A	----	569.50 + 7.80	.7944	----	----	----	----	162 UNCH
4375	----	----	----	355.10B/688.50A	----	526.60 + 6.90	.7706	----	----	----	----	1 UNCH
4390	----	----	515.70B/504.00A	515.70B/504.00A	----	515.20 + 6.70	.7638	----	----	----	----	202 UNCH
4425	----	----	----	316.70B/652.80A	----	489.00 + 6.20	.7473	----	----	----	----	1 UNCH
4495	----	----	439.10B/422.00A	439.10B/422.00A	----	438.60 + 5.20	.7119	----	----	----	----	18 UNCH
4500	438.50	438.50	439.90/418.60A	439.90/418.60A	----	435.10 + 5.10	.7092	----	----	2	----	7 + 2
4505	----	----	434.70B/415.30A	434.70B/415.30A	----	431.70 + 5.20	.7066	----	----	----	----	2 UNCH
4510	----	----	435.10B/411.90A	435.10B/411.90A	----	428.20 + 5.10	.7039	----	----	----	----	2 UNCH
4515	----	----	434.80B/408.60A	434.80B/408.60A	----	424.80 + 5.00	.7012	----	----	----	----	2 UNCH
4545	----	----	415.50B/389.00A	415.50B/389.00A	----	404.40 + 4.60	.6848	----	----	----	----	16 UNCH
4550	----	----	412.20B/385.80A	412.20B/385.80A	----	401.10 + 4.60	.6821	----	----	----	----	222 UNCH
4560	----	----	405.50B/366.20A	405.50B/366.20A	----	394.50 + 4.50	.6765	----	----	----	----	2 UNCH
4565	----	----	402.20B/363.10A	402.20B/363.10A	----	391.20 + 4.50	.6736	----	----	----	----	2 UNCH
4570	----	----	398.80B/360.10A	398.80B/360.10A	----	387.90 + 4.40	.6709	----	----	----	----	2 UNCH
4575	----	----	395.60B/357.00A	395.60B/357.00A	----	384.60 + 4.30	.6680	----	----	----	----	2 UNCH
4580	----	----	392.40B/354.00A	392.40B/354.00A	----	381.40 + 4.30	.6651	----	----	----	----	2 UNCH
4585	----	----	389.10B/350.90A	389.10B/350.90A	----	378.20 + 4.30	.6623	----	----	----	----	2 UNCH
4590	----	----	385.90B/347.90A	385.90B/347.90A	----	375.00 + 4.20	.6594	----	----	----	----	2 UNCH
4600	----	----	379.50B/340.90A	379.50B/340.90A	----	368.60 + 4.10	.6536	----	----	----	----	53 UNCH
4650	----	----	348.30B/313.30A	348.30B/313.30A	----	337.80 + 3.60	.6240	----	----	----	----	1 UNCH
4675	----	----	333.40B/298.60A	333.40B/298.60A	----	323.10 + 3.40	.6088	----	----	----	----	1 UNCH
4680	----	----	330.50B/295.90A	330.50B/295.90A	----	320.20 + 3.40	.6058	----	----	----	----	1 UNCH
4700	----	----	318.90B/285.20A	318.90B/285.20A	----	308.80 + 3.10	.5934	----	----	----	----	117 UNCH
4705	----	----	316.20B/282.70A	316.20B/282.70A	----	306.00 + 3.00	.5903	----	----	----	----	10 UNCH
4710	----	----	313.30B/281.10A	313.30B/281.10A	----	303.20 + 3.00	.5872	----	----	----	----	1 UNCH
4720	----	----	307.70B/275.00A	307.70B/275.00A	----	297.70 + 2.80	.5810	----	----	----	----	45 UNCH
4725	----	----	305.00B/272.50A	305.00B/272.50A	----	295.00 + 2.80	.5779	----	----	----	----	2 UNCH
4730	----	----	302.20B/270.00A	302.20B/270.00A	----	292.30 + 2.70	.5748	----	----	----	----	5 UNCH
4750	----	----	291.30B/260.10A	291.30B/260.10A	----	281.60 + 2.30	.5622	----	----	----	----	43 UNCH
4770	----	----	280.80B/250.70A	280.80B/250.70A	----	271.20 + 1.80	.5496	----	----	----	----	2 UNCH
4775	----	----	278.20B/248.80A	278.20B/248.80A	----	268.70 + 1.80	.5465	----	----	----	----	184 UNCH
4780	----	----	275.60B/245.90A	275.60B/245.90A	----	266.20 + 1.70	.5433	----	----	----	----	7 UNCH
4795	----	----	268.00B/239.90A	268.00B/239.90A	----	258.70 + 1.30	.5338	----	----	----	----	2 UNCH
4800	----	----	265.40B/237.70A	265.40B/237.70A	----	256.30 + 1.20	.5306	----	----	----	----	941 UNCH
4840	----	----	245.90B/220.20A	245.90B/220.20A	----	237.30 + 0.20	.5054	----	----	----	----	2 UNCH
4850	----	----	241.30B/215.60A	241.30B/215.60A	----	232.80 UNCH	.4991	----	----	----	----	24 UNCH
4860	----	----	236.70B/211.90A	236.70B/211.90A	----	228.30 - 0.20	.4928	----	----	----	----	2 UNCH
4875	----	----	230.00B/205.30A	230.00B/205.30A	----	221.70 - 0.50	.4834	----	----	----	----	30 UNCH
4885	----	----	225.40B/201.60A	225.40B/201.60A	----	217.40 - 0.60	.4771	----	----	----	----	2 UNCH
4900	----	----	219.00B/195.80A	219.00B/195.80A	----	211.00 - 0.90	.4678	----	----	----	----	260 UNCH
4920	----	----	210.50B/188.70A	210.50B/188.70A	----	202.80 - 1.00	.4554	----	----	----	----	30 UNCH
4925	----	----	208.40B/186.50A	208.40B/186.50A	----	200.80 - 1.00	.4524	----	----	----	----	2 UNCH
4930	----	----	206.40B/184.50A	206.40B/184.50A	----	198.80 - 1.10	.4493	----	----	1	----	3 + 1
4935	----	----	204.40B/182.70A	204.40B/182.70A	----	196.80 NEW	.4462	----	----	1	----	1 + 1
4950	----	----	198.40B/177.60A	198.40B/177.60A	----	191.00 - 1.10	.4371	----	----	----	----	192 UNCH
4965	----	----	192.50B/172.10A	192.50B/172.10A	----	185.30 - 1.10	.4281	----	----	----	----	1 UNCH
4975	----	----	188.70B/168.70A	188.70B/168.70A	----	181.60 - 1.20	.4221	----	----	1	----	315 + 1
5000	----	----	179.70B/161.00A	179.70B/161.00A	----	172.70 - 1.10	.4073	----	----	----	----	527 UNCH
5005	----	----	177.90B/159.20A	177.90B/159.20A	----	170.90 - 1.20	.4043	----	----	----	----	1 UNCH
5050	----	----	162.40B/146.20A	162.40B/146.20A	----	156.00 - 1.30	.3785	----	----	----	----	1 UNCH
5075	----	----	154.30B/138.60A	154.30B/138.60A	----	148.20 - 1.50	.3645	----	----	----	----	1 UNCH
5100	----	----	146.70B/132.00A	146.70B/132.00A	----	140.80 - 1.60	.3509	----	----	----	----	241 UNCH
5110	----	----	143.60B/*129.40	143.60B/*129.40A	----	137.90 - 1.70	.3455	----	----	----	----	1 UNCH
5150	----	----	132.30B/120.20A	132.30B/120.20A	----	127.10 - 1.80	.3246	----	----	----	----	3 UNCH
5155	----	----	131.10B/*119.10	131.10B/*119.10A	----	125.80 - 1.80	.3221	----	----	----	----	1 UNCH
5200	----	----	119.50B/109.60A	119.50B/109.60A	----	114.70 - 2.00	.2998	----	----	----	----	373 UNCH
5230	----	----	112.30B/*103.00	112.30B/*103.00A	----	107.90 - 1.90	.2857	----	----	----	----	400 UNCH
5235	----	----	111.30B/*102.00	111.30B/*102.00A	----	106.80 - 1.90	.2834	----	----	----	----	1 UNCH
5245	----	----	108.90B/*100.00	108.90B/*100.00A	----	104.70 - 1.90	.2789	----	----	----	----	20 UNCH
5250	----	----	107.80B/*98.70A	107.80B/*98.70A	----	103.60 - 1.90	.2766	----	----	----	----	200 UNCH
5300	----	----	97.40B/89.50A	97.40B/89.50A	----	93.70 - 1.70	.2550	----	----	----	210	1183 + 170
5330	----	----	91.60B/*84.40A	91.60B/*84.40A	----	88.20 - 1.60	.2427	----	----	----	----	20 UNCH
5335	----	----	90.70B/*84.00A	90.70B/*84.00A	----	87.30 - 1.60	.2406	----	----	----	----	1 UNCH
5350	----	----	88.00B/*81.50A	88.00B/*81.50A	----	84.80 - 1.40	.2348	----	----	----	----	1 UNCH
5370	----	----	84.60B/*77.80A	84.60B/*77.80A	----	81.50 - 1.30	.2272	----	----	----	----	15 UNCH
5375	----	----	83.70B/*77.40A	83.70B/*77.40A	----	80.70 - 1.30	.2253	----	----	----	----	2 UNCH
5400	----	----	79.70B/73.10A	79.70B/73.10A	----	76.80 - 1.20	.2162	----	----	----	----	294 UNCH
5420	----	----	76.50B/*70.50A	76.50B/*70.50A	----	73.80 - 1.20	.2091	----	----	----	----	80 UNCH
5425	----	----	75.70B/*69.90A	75.70B/*69.90A	----	73.10 - 1.20	.2074	----	----	----	----	50 UNCH
5450	----	----	72.10B/*66.50A	72.10B/*66.50A	----	69.50 - 1.20	.1987	----	----	----	----	5 UNCH
5460	----	----	70.70B/*65.40A	70.70B/*65.40A	----	68.20 - 1.10	.1955	----	----	----	----	1 UNCH
5475	----	----	68.80B/*63.50A	68.80B/*63.50A	----	66.20 - 1.20	.1906	----	----	----	----	2 UNCH
5500	----	----	65.40B/60.40A	65.40B/60.40A	----	63.00 - 1.20	.1827	----	----	----	----	1099 UNCH
5505	----	----	64.90B/*59.90A	64.90B/*59.90A	----	62.40 - 1.20	.1812	----	----	----	----	3 UNCH
5520	----	----	62.90B/*58.30A	62.90B/*58.30A	----	60.60 - 1.30	.1767	----	----	----	----	1 UNCH
5525	----	----	62.30B/*57.80A	62.30B/*57.80A	----	60.00 - 1.30	.1752	----	----	----	----	2 UNCH
5540	----	----	60.50B/*56.00A	60.50B/*56.00A	----	58.30 - 1.30	.1709	----	----	----	----	15 UNCH
5600	----	----	54.10B/51.00A	54.10B/51.00A	----	52.20 - 1.10	.1549	----	----	----	----	1002 UNCH
5605	----	----	53.50B/*50.50A	53.50B/*50.50A	----	51.70 - 1.10	.1536	----	----	----	----	3 UNCH
5625	----	----	51.50B/*48.80A	51.50B/*48.80A	----	49.90 - 1.00	.1488	----	----	----	----	2 UNCH
5650	----	----	49.50B/*46.80A	49.50B/*46.80A	----	47.80 - 0.80	.1430	----	----	----	----	414 UNCH
5665	----	----	48.20B/*45.70A	48.20B/*45.70A	----	46.50 - 0.90	.1396	----	----	----	----	3 UNCH
5675	----	----	47.30B/*44.70A	47.30B/*44.70A	----	45.70 - 0.90	.1374	----	----	----	----	8 UNCH
5700	----	----	45.00B/42.80A	45.00B/42.80A	----	43.70 - 1.00	.1319	----	----	----	----	1060 UNCH
5730	----	----	42.60B/*41.00A	42.60B/*41.00A	----	41.40 - 1.10	.1256	----	----	----	----	2 UNCH
5750	----	----	----/*39.30A	41.10B/*39.30A	----	40.00 - 1.10	.1217	----	----	----	----	173 UNCH
5760	----	----	----/*39.00A	40.40B/*39.00A	----	39.30 - 1.20	.1198	----	----	----	----	1 UNCH
5800	----	----	----/36.00A	37.60B/36.00A	----	36.80 - 1.10	.1127	----	----	----	----	524 UNCH
5850	32.00	32.00	35.00B/*32.00	35.00B/*32.00	----	34.00 - 0.90	.1045	----	----	9	----	438 + 3
5900	----	----	32.40B/31.00A	32.40B/31.00A	----	31.50 - 0.70	.0972	----	----	5	----	548 + 5
5950	----	----	----/*28.90A	29.50B/*28.90A	----	29.30 - 0.50	.0906	----	----	----	----	51 UNCH
6000	----	----	----	27.30B/28.10A	----	27.30 - 0.30	.0845	----	----	5	----	1108 + 5
6100	----	----	----	23.40B/24.90A	----	23.90 - 0.20	.0740	----	----	----	----	185 UNCH
6200	----	----	----	20.40B/22.10A	----	21.10 - 0.20	.0653	----	----	----	----	232 UNCH
6300	----	----	----	18.00B/20.00A	----	18.80 - 0.40	.0580	----	----	----	----	159 UNCH
6400	----	----	----	16.10B/18.20A	----	17.00 - 0.30	.0521	----	----	----	----	215 UNCH
6500	----	----	----	14.70B/16.80A	----	15.40 - 0.30	.0469	----	----	----	----	540 UNCH
6600	----	----	----	13.40B/*15.60A	----	14.20 + 0.10	.0428	----	----	----	----	25 UNCH
6650	----	----	----	12.80B/*15.00A	----	13.70 + 0.30	.0411	----	----	----	----	5 UNCH
6750	----	----	----	11.90B/*13.90A	----	12.70 + 0.50	.0377	----	----	----	----	11 UNCH
6775	----	----	----	11.70B/*13.70A	----	12.50 + 0.60	.0370	----	----	----	----	1 UNCH
6800	12.40	12.40	12.40/*12.40	12.40/*12.40	----	12.30 + 0.60	.0363	----	----	1	----	127 UNCH
7000	----	----	----	10.10B/*12.10A	----	10.80 + 0.70	.0312	----	----	----	----	100 UNCH
TOTAL										25	210	14736 + 188
OCT26												
3600	----	----	#1,219.00B/----	#1219.00B/1208.60A	----	1218.80 + 12.60	.9530	----	----	----	----	12 UNCH
4300	----	----	605.30B/592.70A	605.30B/592.70A	----	603.80 + 8.40	.7840	----	----	----	----	102 UNCH
4400	----	----	530.60B/518.00A	530.60B/518.00A	----	528.70 + 8.00	.7420	----	----	----	----	8 UNCH
4405	----	----	----	346.10B/696.70A	----	525.10 + 8.00	.7398	----	----	----	----	2 UNCH
4480	----	----	479.00B/457.40A	479.00B/457.40A	----	472.20 + 8.00	.7049	----	----	----	----	1 UNCH
4500	----	----	469.00B/444.40A	469.00B/444.40A	----	458.60 + 7.90	.6951	----	----	----	----	3 UNCH
4515	----	----	458.90B/434.80A	458.90B/434.80A	----	448.50 + 7.80	.6877	----	----	----	----	1 UNCH
4550	----	----	435.90B/398.90A	435.90B/398.90A	----	425.60 + 7.60	.6699	----	----	----	----	1 UNCH
4580	----	----	416.80B/381.00A	416.80B/381.00A	----	406.60 + 7.20	.6543	----	----	----	----	70 UNCH
4600	----	----	404.30B/368.20A	404.30B/368.20A	----	394.20 + 6.80	.6438	----	----	----	----	134 UNCH
4610	----	----	398.10B/362.80A	398.10B/362.80A	----	388.10 + 6.60	.6384	----	----	----	----	5 UNCH
4620	----	----	392.20B/358.00A	392.20B/358.00A	----	382.10 + 6.30	.6331	----	----	----	----	1 UNCH
4630	----	----	386.00B/352.50A	386.00B/352.50A	----	376.10 + 6.00	.6276	----	----	----	----	3 UNCH
4650	----	----	374.30B/341.50A	374.30B/341.50A	----	364.40 + 5.50	.6168	----	----	----	----	1 UNCH
4670	----	----	362.50B/330.70A	362.50B/330.70A	----	352.90 + 4.80	.6058	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 37

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
OCT26												
4675	----	----	359.80B/327.20A	359.80B/327.20A	----	350.10 + 4.70	.6030	----	----	----	----	1 UNCH
4690	----	----	351.30B/320.30A	351.30B/320.30A	----	341.70 + 4.20	.5947	----	----	----	----	1 UNCH
4700	----	----	345.70B/314.20A	345.70B/314.20A	----	336.20 + 3.80	.5891	----	----	----	----	5 UNCH
4710	----	----	340.30B/310.10A	340.30B/310.10A	----	330.70 + 3.40	.5835	----	----	----	----	1 UNCH
4715	----	----	337.60B/306.50A	337.60B/306.50A	----	328.00 + 3.20	.5807	----	----	----	----	2 UNCH
4750	----	----	318.70B/289.50A	318.70B/289.50A	----	309.60 + 2.00	.5610	----	----	1	----	1 UNCH
4755	----	----	316.10B/288.00A	316.10B/288.00A	----	307.10 + 1.90	.5582	----	----	----	----	1 UNCH
4800	----	----	293.30B/266.30A	293.30B/266.30A	----	284.70 + 0.50	.5326	----	----	1	----	326 + 1
4845	----	----	271.90B/247.80A	271.90B/247.80A	----	263.70 - 0.40	.5072	----	----	----	----	2 UNCH
4850	----	----	269.60B/244.90A	269.60B/244.90A	----	261.50 - 0.40	.5044	----	----	----	----	53 UNCH
4865	----	----	262.80B/239.60A	262.80B/239.60A	----	254.70 - 0.70	.4959	----	----	----	----	2 UNCH
4880	----	----	256.10B/233.50A	256.10B/233.50A	----	248.10 - 0.90	.4875	----	----	----	----	1 UNCH
4900	----	----	247.20B/225.70A	247.20B/225.70A	----	239.40 - 1.20	.4762	----	----	----	----	1298 UNCH
4905	----	----	245.10B/223.80A	245.10B/223.80A	----	237.30 - 1.30	.4735	----	----	----	----	20 UNCH
4910	----	----	242.90B/221.90A	242.90B/221.90A	----	235.20 - 1.30	.4707	----	----	----	----	1 UNCH
4925	----	----	236.70B/215.60A	236.70B/215.60A	----	229.00 - 1.50	.4623	----	----	----	----	18 UNCH
4935	----	----	232.80B/212.60A	232.80B/212.60A	----	225.10 - 1.40	.4569	----	----	----	----	5 UNCH
4945	----	----	228.80B/208.20A	228.80B/208.20A	----	221.20 - 1.40	.4514	----	----	----	----	3 UNCH
4950	219.50	219.50	226.80B/206.40A	226.80B/206.40A	----	219.30 - 1.30	.4487	----	----	10	----	18 + 10
5000	----	----	207.60B/190.10A	207.60B/190.10A	----	201.70 - 0.50	.4223	----	----	1	----	1339 - 1
5025	----	----	198.60B/181.50A	198.60B/181.50A	----	193.40 - 0.30	.4094	----	----	----	----	2 UNCH
5050	----	----	190.00B/173.90A	190.00B/173.90A	----	185.20 - 0.20	.3966	----	----	----	----	57 UNCH
5075	----	----	181.80B/166.50A	181.80B/166.50A	----	177.20 - 0.40	.3840	----	----	1	----	2 UNCH
5080	----	----	180.00B/165.70A	180.00B/165.70A	----	175.60 - 0.50	.3815	----	----	----	----	3 UNCH
5085	----	----	178.60B/163.70A	178.60B/163.70A	----	174.10 - 0.50	.3790	----	----	----	----	3 UNCH
5100	----	----	173.90B/159.70A	173.90B/159.70A	----	169.40 - 0.70	.3716	----	----	----	----	802 UNCH
5125	----	----	166.30B/152.90A	166.30B/152.90A	----	161.90 - 1.00	.3593	----	----	----	----	1 UNCH
5150	----	----	159.00B/147.00A	159.00B/147.00A	----	154.70 - 1.30	.3474	----	----	1	----	2 + 1
5160	----	----	156.20B/*143.90	156.20B/*143.90A	----	151.90 - 1.40	.3427	----	----	----	----	1 UNCH
5170	----	----	153.40B/*142.00	153.40B/*142.00A	----	149.10 - 1.60	.3379	----	----	----	----	5 UNCH
5200	----	----	145.40B/135.00A	145.40B/135.00A	----	141.20 - 1.80	.3242	----	----	----	----	1086 UNCH
5250	----	----	133.00B/*123.60	133.00B/*123.60A	----	128.90 - 2.10	.3022	----	----	----	----	522 UNCH
5255	----	----	131.80B/*122.60	131.80B/*122.60A	----	127.70 - 2.10	.3001	----	----	----	----	2 UNCH
5300	----	----	121.60B/113.60A	121.60B/113.60A	----	117.80 - 2.10	.2815	----	----	----	----	939 UNCH
5325	----	----	116.30B/*109.20	116.30B/*109.20A	----	112.70 - 2.00	.2717	----	----	----	----	1 UNCH
5350	----	----	111.10B/*104.60	111.10B/*104.60A	----	107.80 - 2.00	.2621	----	----	----	----	4 UNCH
5365	----	----	108.20B/*102.70	108.20B/*102.70A	----	105.00 - 1.90	.2565	----	----	----	----	1 UNCH
5400	----	----	101.90B/95.80A	101.90B/95.80A	----	98.80 - 1.80	.2440	----	----	----	----	458 UNCH
5410	----	----	99.90B/*95.20A	99.90B/*95.20A	----	97.20 - 1.60	.2406	----	----	----	----	1 UNCH
5435	----	----	95.70B/*90.20A	95.70B/*90.20A	----	93.10 - 1.50	.2321	----	----	----	----	226 UNCH
5450	----	----	93.20B/*88.00A	93.20B/*88.00A	----	90.80 - 1.40	.2273	----	----	----	----	66 UNCH
5455	----	----	92.40B/*86.50A	92.40B/*86.50A	----	90.10 - 1.40	.2257	----	----	----	----	175 UNCH
5475	----	----	89.20B/*85.90A	89.20B/*85.90A	----	87.10 - 1.30	.2193	----	----	----	----	1 UNCH
5500	82.00	82.00	85.50B/80.10A	85.50B/80.10A	----	83.60 - 1.20	.2117	----	----	5	----	1996 - 5
5530	----	----	81.20B/*78.50A	81.20B/*78.50A	----	79.70 - 0.90	.2031	----	----	----	----	1 UNCH
5545	----	----	79.10B/*74.60A	79.10B/*74.60A	----	77.80 - 0.90	.1989	----	----	----	----	5 UNCH
5550	----	----	78.50B/*74.50A	78.50B/*74.50A	----	77.20 - 0.80	.1975	----	----	----	----	100 UNCH
5590	----	----	73.40B/*69.90A	73.40B/*69.90A	----	72.40 - 0.70	.1867	----	----	----	----	4 UNCH
5600	----	----	72.20B/68.80A	72.20B/68.80A	----	71.20 - 0.80	.1841	----	----	----	----	198 UNCH
5610	----	----	71.00B/*69.10A	71.00B/*69.10A	----	70.10 - 0.70	.1815	----	----	----	----	1 UNCH
5615	----	----	70.40B/*67.00A	70.40B/*67.00A	----	69.50 - 0.80	.1802	----	----	----	----	5 UNCH
5650	----	----	----/*63.60A	66.50B/*63.60A	----	65.70 - 0.80	.1715	----	----	----	----	401 UNCH
5655	----	----	----/*64.00A	65.90B/*64.00A	----	65.20 - 0.80	.1703	----	----	----	----	2 UNCH
5660	----	----	----/*63.90A	65.40B/*63.90A	----	64.70 - 0.80	.1692	----	----	----	----	1 UNCH
5675	----	----	----/*62.50A	63.80B/*62.50A	----	63.10 - 0.90	.1655	----	----	----	----	3 UNCH
5700	----	----	----/59.80A	61.30B/59.80A	----	60.60 - 0.90	.1597	----	----	----	150	170 + 150
5710	----	----	----/*58.80A	60.40B/*58.80A	----	59.60 - 1.00	.1574	----	----	----	----	5 UNCH
5720	----	----	----/*58.00A	59.40B/*58.00A	----	58.60 - 1.10	.1551	----	----	----	----	75 UNCH
5750	----	----	----/*55.50A	56.70B/*55.50A	----	55.90 - 1.10	.1487	----	----	----	----	1 UNCH
5775	----	----	----/*53.50A	54.80B/*53.50A	----	53.70 - 1.20	.1435	----	----	----	----	50 UNCH
5800	----	----	----/51.90A	52.60B/51.90A	----	51.70 - 1.20	.1387	----	----	----	----	411 UNCH
5825	----	----	----/*49.80A	50.40B/*49.80A	----	49.80 NEW	.1340	----	----	1	----	1 + 1
5875	----	----	----/*46.30A	46.60B/*46.30A	----	46.40 - 1.00	.1255	----	----	----	----	1 UNCH
5900	----	----	----/44.80A	44.90B/44.80A	----	44.90 - 0.90	.1216	----	----	----	----	132 UNCH
5925	----	----	----/*43.70A	43.30B/*43.70A	----	43.40 - 0.80	.1178	----	----	----	----	1 UNCH
5950	----	----	----/*41.90A	41.70B/*41.90A	----	42.00 - 0.70	.1141	----	----	----	----	1 UNCH
6000	----	----	----/38.70A	39.70B/38.70A	----	39.30 - 0.60	.1071	----	----	----	----	3157 UNCH
6100	----	----	----/34.70A	33.90B/34.70A	----	34.70 - 0.50	.0950	----	----	----	----	66 UNCH
6200	----	----	----	29.80B/32.50A	----	30.80 - 0.50	.0845	----	----	----	----	38 UNCH
6300	----	----	----	25.80B/29.70A	----	27.60 - 0.70	.0757	----	----	----	----	756 UNCH
6400	----	----	----	23.00B/27.10A	----	24.90 - 1.00	.0682	----	----	----	----	1910 UNCH
6500	22.20	22.20	22.20/22.20	22.20/22.20	----	22.70 - 1.20	.0619	----	----	3	----	4739 UNCH
6800	----	----	----	16.40B/*20.50A	----	18.00 - 1.80	.0481	----	----	----	----	1385 UNCH
6900	----	----	----	14.80B/*19.30A	----	16.90 - 1.90	.0447	----	----	----	----	1 UNCH
7000	----	----	----	14.00B/*18.60A	----	15.90 - 2.00	.0417	----	----	----	----	1583 UNCH
8000	----	----	----	9.20B/*13.10A	----	10.40 - 1.60	.0248	----	----	----	----	211 UNCH
8500	----	----	----	8.50B/*11.60A	----	9.10 - 1.20	.0207	----	----	----	----	208 UNCH
9000	----	----	----	7.50B/10.40A	----	8.10 - 0.90	.0177	----	----	----	----	69 UNCH
9500	----	----	----	6.40B/*9.30A	----	7.30 - 0.70	.0154	----	----	----	----	10 UNCH
13000	2.80	2.80	2.80/*2.80	2.80/*2.80	----	2.90 - 1.90	.0055	----	----	7	----	21 + 1
TOTAL										31	150	25522 + 158
NOV26												
4000	----	----	----	705.10B/1069.90A	----	896.80 + 11.90	.8697	----	----	----	----	1 UNCH
4100	----	----	----	620.20B/989.70A	----	811.80 + 10.60	.8437	----	----	----	----	1 UNCH
4275	----	----	----	475.10B/858.20A	----	671.10 + 8.30	.7881	----	----	----	----	38 UNCH
4300	----	----	----	455.50B/839.80A	----	652.00 + 8.00	.7791	----	----	----	----	1 UNCH
4375	----	----	----	398.40B/786.00A	----	596.10 + 6.90	.7505	----	----	----	----	38 UNCH
4400	----	----	----	380.00B/768.50A	----	578.10 + 6.60	.7405	----	----	----	----	1 UNCH
4440	----	----	----/533.80A	526.30B/533.80A	----	549.80 + 5.90	.7239	----	----	----	----	1 UNCH
4500	----	----	518.20B/494.20A	518.20B/494.20A	----	508.80 + 4.80	.6978	----	----	----	----	25 UNCH
4600	----	----	454.10B/425.30A	454.10B/425.30A	----	444.70 + 3.00	.6518	----	----	----	----	1 UNCH
4750	----	----	367.70B/343.90A	367.70B/343.90A	----	358.80 + 3.10	.5780	----	----	----	----	1 UNCH
4775	----	----	354.60B/331.90A	354.60B/331.90A	----	345.80 + 3.20	.5653	----	----	----	----	31 UNCH
4800	----	----	341.70B/321.00A	341.70B/321.00A	----	333.20 + 2.70	.5526	----	----	----	----	2 UNCH
4850	----	----	317.30B/298.00A	317.30B/298.00A	----	309.30 + 0.70	.5272	----	----	----	----	28 UNCH
4900	----	----	294.30B/277.30A	294.30B/277.30A	----	287.20 - 0.70	.5020	----	----	----	----	451 UNCH
4915	----	----	287.70B/271.20A	287.70B/271.20A	----	280.90 - 0.70	.4945	----	----	----	----	1 UNCH
4925	----	----	283.20B/267.30A	283.20B/267.30A	----	276.80 - 0.70	.4895	----	----	----	----	1 UNCH
4935	----	----	278.90B/262.50A	278.90B/262.50A	----	272.70 - 0.60	.4846	----	----	----	----	25 UNCH
4950	----	----	272.60B/256.70A	272.60B/256.70A	----	266.70 - 0.50	.4772	----	----	----	----	150 UNCH
4970	----	----	264.40B/249.20A	264.40B/249.20A	----	258.80 - 0.30	.4674	----	----	----	----	10 UNCH
5000	----	----	252.50B/238.60A	252.50B/238.60A	----	247.30 - 0.20	.4529	----	----	----	----	84 UNCH
5020	----	----	244.80B/232.10A	244.80B/232.10A	----	239.80 - 0.20	.4433	----	----	----	----	30 UNCH
5060	----	----	229.90B/218.70A	229.90B/218.70A	----	225.30 - 0.40	.4243	----	----	----	----	2 UNCH
5080	----	----	222.90B/211.60A	222.90B/211.60A	----	218.40 - 0.50	.4149	----	----	----	----	4 UNCH
5085	----	----	221.10B/210.10A	221.10B/210.10A	----	216.70 - 0.50	.4126	----	----	----	----	4 UNCH
5175	----	----	192.10B/183.80A	192.10B/183.80A	----	188.10 - 0.90	.3722	----	----	----	----	2 UNCH
5200	----	----	184.70B/176.80A	184.70B/176.80A	----	180.90 - 1.00	.3614	----	----	----	----	26 UNCH
5250	----	----	170.80B/163.80A	170.80B/163.80A	----	167.30 - 1.10	.3406	----	----	----	----	9 UNCH
5300	----	----	157.70B/151.60A	157.70B/151.60A	----	154.70 - 1.20	.3206	----	----	----	----	27 UNCH
5330	----	----	150.40B/144.70A	150.40B/144.70A	----	147.70 - 1.20	.3092	----	----	----	----	1 UNCH
5370	----	----	141.30B/*136.40	141.30B/*136.40A	----	138.90 - 1.20	.2945	----	----	----	----	5 UNCH
5400	----	----	134.80B/130.30A	134.80B/130.30A	----	132.60 - 1.20	.2837	----	----	----	----	17 UNCH
5420	----	----	130.70B/*126.40	130.70B/*126.40A	----	128.60 - 1.20	.2768	----	----	----	----	14 UNCH
5450	----	----	124.80B/*120.80	124.80B/*120.80A	----	122.90 - 1.20	.2668	----	----	----	----	925 UNCH
5460	----	----	122.90B/*118.80	122.90B/*118.80A	----	121.00 - 1.20	.2634	----	----	----	----	10 UNCH
5500	----	----	115.40B/111.90A	115.40B/111.90A	----	114.00 - 1.10	.2507	----	----	----	----	79 UNCH
5550	----	----	107.10B/*104.10	107.10B/*104.10A	----	105.80 - 1.00	.2356	----	----	----	----	1 UNCH
5600	----	----	99.30B/96.80A	99.30B/96.80A	----	98.30 - 0.80	.2214	----	----	----	----	43 UNCH
5680	----	----	----/*86.30A	88.10B/*86.30A	----	87.50 - 0.70	.2005	----	----	----	----	39 UNCH
5700	----	----	----/84.00A	85.70B/84.00A	----	85.10 - 0.60	.1957	----	----	----	----	45 UNCH
5710	----	----	----/*82.80A	84.30B/*82.80A	----	83.90 - 0.50	.1933	----	----	----	----	1 UNCH
5800	----	----	----/73.10A	74.40B/73.10A	----	74.00 - 0.40	.1731	----	----	----	----	80 UNCH
5825	----	----	----/*70.70A	71.70B/*70.70A	----	71.60 - 0.20	.1680	----	----	----	----	2 UNCH
5900	----	----	----/63.90A	64.90B/63.90A	----	64.80 - 0.20	.1536	----	----	----	----	1 UNCH
5925	----	----	----/*62.00A	62.70B/*62.00A	----	62.70 - 0.20	.1491	----	----	----	----	4 UNCH
5975	----	----	----/*58.20A	58.70B/*58.20A	----	58.80 - 0.20	.1407	----	----	----	----	3 UNCH
6000	----	----	----/56.80A	56.80B/56.80A	----	57.00 - 0.20	.1367	----	----	----	----	231 UNCH
6100	----	----	----/50.70A	49.90B/50.70A	----	50.50 - 0.30	.1221	----	----	----	----	1 UNCH
6200	----	----	----/44.70A	45.10B/44.70A	----	45.00 - 0.60	.1095	----	----	----	----	1 UNCH
6400	----	----	----/37.40A	35.40B/37.40A	----	36.50 - 1.20	.0893	----	----	----	----	13 UNCH
6500	----	----	----	30.70B/35.60A	----	33.20 - 1.40	.0812	----	----	----	----	1164 UNCH
8000	----	----	----	13.40B/*18.40A	----	15.30 - 0.80	.0335	----	----	----	----	11 UNCH
9000	----	----	----	10.50B/14.00A	----	11.80 - 0.70	.0239	----	----	----	----	8 UNCH
20000	----	----	----	----/2.00A	----	1.60 - 0.10	.0026	----	----	----	----	138 UNCH
TOTAL												3832 0

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
DEC26												
3550	----	----	----	----	----	1309.40 + 13.80	.9404	----	----	----	----	2 UNCH
3570	----	----	----	----	----	1290.50 + 13.60	.9380	----	----	----	----	1 UNCH
3600	----	----	----	----	----	1262.30 + 13.30	.9345	----	----	----	----	1 UNCH
3800	----	----	1,080.90B/1,060	1080.90B/1060.30A	----	1079.80 + 12.40	.9021	----	----	----	----	4 UNCH
3900	----	----	----	787.10B/1180.10A	----	992.60 + 12.50	.8809	----	----	----	----	2 UNCH
4060	----	----	859.80B/839.30A	859.80B/839.30A	----	858.00 + 11.90	.8411	----	----	----	----	100 UNCH
4100	----	----	827.30B/806.90A	827.30B/806.90A	----	825.40 + 11.70	.8299	----	----	----	----	48 UNCH
4160	----	----	779.50B/759.40A	779.50B/759.40A	----	777.20 + 11.00	.8123	----	----	----	----	100 UNCH
4175	----	----	767.80B/747.70A	767.80B/747.70A	----	765.40 + 10.90	.8077	----	----	----	----	37 UNCH
4200	----	----	748.30B/728.30A	748.30B/728.30A	----	745.70 + 10.50	.7998	----	----	----	----	150 UNCH
4250	----	----	711.60B/689.30A	711.60B/689.30A	----	707.10 + 9.80	.7835	----	----	----	----	293 UNCH
4255	----	----	706.30B/687.00A	706.30B/687.00A	----	703.30 + 9.70	.7819	----	----	----	----	50 UNCH
4300	----	----	674.30B/652.50A	674.30B/652.50A	----	669.40 + 9.00	.7664	----	----	----	----	436 UNCH
4315	----	----	----	445.20B/861.10A	----	658.30 + 8.80	.7610	----	----	----	----	1 UNCH
4320	----	----	658.00B/639.50A	658.00B/639.50A	----	654.60 + 8.70	.7593	----	----	----	----	100 UNCH
4350	----	----	636.30B/618.20A	636.30B/618.20A	----	632.60 + 8.10	.7483	----	----	----	----	206 UNCH
4375	----	----	618.50B/600.60A	618.50B/600.60A	----	614.60 + 7.70	.7390	----	----	----	----	61 UNCH
4400	----	----	----	383.10B/802.30A	----	596.90 + 7.30	.7295	----	----	----	----	2 UNCH
4425	----	----	583.70B/563.60A	583.70B/563.60A	----	579.40 + 6.80	.7197	----	----	----	----	8 UNCH
4450	----	----	566.70B/547.10A	566.70B/547.10A	----	562.30 + 6.40	.7097	----	----	----	----	87 UNCH
4465	----	----	561.50B/537.40A	561.50B/537.40A	----	552.10 + 6.10	.7036	----	----	----	----	93 UNCH
4490	----	----	544.90B/521.40A	544.90B/521.40A	----	535.40 + 5.70	.6933	----	----	----	----	7 UNCH
4500	----	----	538.20B/514.10A	538.20B/514.10A	----	528.90 + 5.60	.6891	----	----	----	----	757 UNCH
4525	----	----	522.10B/499.30A	522.10B/499.30A	----	512.60 + 5.20	.6785	----	----	----	----	5 UNCH
4540	----	----	512.70B/490.40A	512.70B/490.40A	----	503.10 + 5.00	.6721	----	----	----	----	9 UNCH
4550	----	----	506.30B/484.20A	506.30B/484.20A	----	496.70 + 4.80	.6677	----	----	----	----	1 UNCH
4565	----	----	497.00B/461.70A	497.00B/461.70A	----	487.40 + 4.70	.6612	----	----	----	----	93 UNCH
4580	----	----	487.60B/454.30A	487.60B/454.30A	----	478.10 + 4.40	.6546	----	----	----	----	150 UNCH
4585	----	----	484.60B/451.40A	484.60B/451.40A	----	475.00 + 4.30	.6524	----	----	----	----	325 UNCH
4590	----	----	481.60B/448.60A	481.60B/448.60A	----	472.00 + 4.30	.6502	----	----	----	----	15 UNCH
4600	----	----	475.50B/441.80A	475.50B/441.80A	----	465.90 + 4.20	.6457	----	----	----	----	145 UNCH
4615	----	----	466.60B/434.50A	466.60B/434.50A	----	457.00 + 4.10	.6390	----	----	----	----	41 UNCH
4625	----	----	460.60B/429.00A	460.60B/429.00A	----	451.10 + 3.90	.6345	----	----	----	----	71 UNCH
4640	----	----	451.90B/419.60A	451.90B/419.60A	----	442.30 + 3.70	.6277	----	----	----	----	100 UNCH
4650	----	----	446.10B/414.30A	446.10B/414.30A	----	436.60 + 3.70	.6231	----	----	----	----	302 UNCH
4700	380.00	380.00	418.10B/380.00	418.10B/380.00	----	408.60 + 3.20	.6001	----	----	1	----	97 UNCH
4750	----	----	391.20B/363.10A	391.20B/363.10A	----	382.00 + 2.60	.5767	----	----	----	----	211 UNCH
4780	----	----	375.60B/348.80A	375.60B/348.80A	----	366.80 + 2.30	.5626	----	----	----	----	2 UNCH
4795	----	----	368.30B/342.90A	368.30B/342.90A	----	359.40 + 2.10	.5555	----	----	----	----	6 UNCH
4800	----	----	365.80B/340.60A	365.80B/340.60A	----	357.00 + 2.10	.5531	----	----	----	----	375 UNCH
4810	----	----	361.60B/335.00A	361.60B/335.00A	----	352.10 + 1.90	.5484	----	----	----	----	56 UNCH
4820	----	----	356.10B/331.50A	356.10B/331.50A	----	347.30 + 1.70	.5437	----	----	----	----	49 UNCH
4825	----	----	353.70B/328.30A	353.70B/328.30A	----	345.00 + 1.70	.5413	----	----	----	----	104 UNCH
4850	----	----	341.80B/318.20A	341.80B/318.20A	----	333.40 + 1.40	.5295	----	----	----	----	296 UNCH
4875	----	----	329.60B/307.60A	329.60B/307.60A	----	322.20 + 1.20	.5178	----	----	----	----	1 UNCH
4880	----	----	328.00B/305.50A	328.00B/305.50A	----	320.00 + 1.10	.5155	----	----	----	----	4 UNCH
4900	314.80	314.80	318.80B/296.50A	318.80B/296.50A	----	311.30 + 0.90	.5062	----	----	1	----	352 - 1
4925	----	----	308.10B/286.50A	308.10B/286.50A	----	300.90 + 0.80	.4946	----	----	----	150	238 + 100
4950	----	----	297.60B/277.50A	297.60B/277.50A	----	290.70 + 0.60	.4832	----	----	----	----	103 UNCH
4975	----	----	287.40B/268.10A	287.40B/268.10A	----	280.90 + 0.50	.4718	----	----	----	----	50 UNCH
5000	263.40	263.40	277.30B/259.00A	277.30B/259.00A	----	271.30 + 0.30	.4606	----	----	26	----	2331 + 24
5005	----	----	275.60B/256.50A	275.60B/256.50A	----	269.40 + 0.30	.4583	----	----	----	----	4 UNCH
5025	----	----	267.80B/249.50A	267.80B/249.50A	----	262.00 + 0.20	.4495	----	----	----	----	218 UNCH
5050	----	----	258.30B/241.80A	258.30B/241.80A	----	253.00 + 0.10	.4385	----	----	----	----	101 UNCH
5070	----	----	251.30B/235.20A	251.30B/235.20A	----	246.00 UNCH	.4298	----	----	----	----	13 UNCH
5075	----	----	249.60B/232.80A	249.60B/232.80A	----	244.30 + 0.10	.4276	----	----	----	----	30 UNCH
5090	----	----	244.30B/228.10A	244.30B/228.10A	----	239.10 - 0.10	.4211	----	----	1	----	15 + 1
5100	----	----	240.70B/224.90A	240.70B/224.90A	----	235.80 UNCH	.4169	----	----	----	----	316 UNCH
5150	----	----	223.60B/210.00A	223.60B/210.00A	----	219.60 - 0.10	.3959	----	----	----	----	1 UNCH
5155	----	----	222.10B/208.60A	222.10B/208.60A	----	218.00 - 0.20	.3938	----	----	----	----	4 UNCH
5175	----	----	216.40B/202.90A	216.40B/202.90A	----	211.90 - 0.20	.3856	----	----	----	----	100 UNCH
5195	----	----	210.70B/198.00A	210.70B/198.00A	----	205.90 - 0.20	.3775	----	----	----	----	5 UNCH
5200	202.00	202.00	208.40B/196.00A	208.40B/196.00A	----	204.50 - 0.10	.3755	----	----	1	----	1306 UNCH
5245	----	----	195.20B/184.50A	195.20B/184.50A	----	191.70 - 0.20	.3578	----	----	2	----	4 + 2
5250	----	----	194.30B/183.30A	194.30B/183.30A	----	190.40 - 0.20	.3559	----	----	----	----	337 UNCH
5255	----	----	192.40B/182.00A	192.40B/182.00A	----	189.00 - 0.20	.3539	----	----	----	----	1 UNCH
5265	----	----	189.70B/179.50A	189.70B/179.50A	----	186.30 - 0.20	.3501	----	----	1	----	2 + 1
5275	----	----	187.90B/177.10A	187.90B/177.10A	----	183.70 - 0.20	.3463	----	----	----	----	20 UNCH
5300	----	----	180.80B/171.60A	180.80B/171.60A	----	177.30 - 0.20	.3370	----	----	----	----	340 UNCH
5350	----	----	169.00B/159.50A	169.00B/159.50A	----	165.20 - 0.20	.3190	----	----	----	----	457 UNCH
5360	----	----	166.50B/158.00A	166.50B/158.00A	----	162.90 - 0.10	.3155	----	----	----	----	100 UNCH
5370	----	----	164.00B/155.70A	164.00B/155.70A	----	160.60 - 0.20	.3120	----	----	----	----	36 UNCH
5400	----	----	157.30B/148.70A	157.30B/148.70A	----	154.00 - 0.20	.3017	----	----	----	----	1692 UNCH
5460	----	----	144.60B/*137.60	144.60B/*137.60A	----	141.70 - 0.20	.2822	----	----	----	----	200 UNCH
5465	----	----	143.60B/*136.80	143.60B/*136.80A	----	140.80 - 0.10	.2807	----	----	----	----	50 UNCH
5480	----	----	140.80B/*133.50	140.80B/*133.50A	----	137.90 - 0.10	.2760	----	----	----	----	50 UNCH
5500	----	----	136.80B/129.40A	136.80B/129.40A	----	134.20 - 0.10	.2699	----	----	3	----	2733 + 3
5525	----	----	132.40B/*125.70	132.40B/*125.70A	----	129.70 - 0.10	.2624	----	----	----	----	80 UNCH
5550	----	----	127.80B/*122.20	127.80B/*122.20A	----	125.30 - 0.20	.2551	----	----	----	----	3 UNCH
5570	----	----	123.00B/*119.90	123.00B/*119.90A	----	122.00 NEW	.2495	----	----	----	195	195 + 195
5600	----	----	119.10B/113.10A	119.10B/113.10A	----	117.20 - 0.10	.2412	----	----	200	----	2152 - 200
5650	----	----	111.40B/*106.40	111.40B/*106.40A	----	109.60 - 0.20	.2280	----	----	----	----	250 UNCH
5660	----	----	109.10B/*106.50	109.10B/*106.50A	----	108.10 - 0.30	.2254	----	----	----	----	1 UNCH
5675	----	----	108.10B/*103.50	108.10B/*103.50A	----	106.00 - 0.30	.2217	----	----	6	----	14 + 6
5680	----	----	106.20B/*103.60	106.20B/*103.60A	----	105.30 - 0.30	.2204	----	----	----	----	1 UNCH
5685	----	----	106.60B/*102.30	106.60B/*102.30A	----	104.60 - 0.30	.2192	----	----	----	----	18 UNCH
5690	----	----	105.30B/*101.20	105.30B/*101.20A	----	104.00 - 0.30	.2180	----	----	3	----	10 + 3
5700	----	----	104.20B/99.70A	104.20B/99.70A	----	102.60 - 0.30	.2155	----	----	----	----	375 UNCH
5705	----	----	103.40B/*99.40A	103.40B/*99.40A	----	101.90 - 0.40	.2143	----	----	----	----	5 UNCH
5710	----	----	102.60B/*98.80A	102.60B/*98.80A	----	101.30 - 0.30	.2132	----	----	----	----	5 UNCH
5750	----	----	97.50B/*93.60A	97.50B/*93.60A	----	96.20 - 0.30	.2039	----	----	----	----	301 UNCH
5770	----	----	95.00B/*91.50A	95.00B/*91.50A	----	93.70 - 0.40	.1993	----	----	----	----	8 UNCH
5775	----	----	----/*91.90A	93.60B/*91.90A	----	93.10 - 0.50	.1982	----	----	----	----	2 UNCH
5800	----	----	91.30B/87.50A	91.30B/87.50A	----	90.20 - 0.50	.1928	----	----	----	----	1655 UNCH
5810	----	----	90.10B/*86.80A	90.10B/*86.80A	----	89.10 - 0.50	.1907	----	----	----	----	56 UNCH
5825	----	----	88.40B/*85.50A	88.40B/*85.50A	----	87.50 - 0.40	.1877	----	----	----	----	4 UNCH
5850	----	----	85.50B/*82.80A	85.50B/*82.80A	----	84.80 - 0.40	.1826	----	----	----	----	51 UNCH
5875	----	----	82.90B/*80.20A	82.90B/*80.20A	----	82.20 - 0.50	.1776	----	----	----	----	9 UNCH
5900	80.00	80.00	81.10B/77.30A	81.10B/77.30A	----	79.80 - 0.40	.1730	----	----	3	----	1266 - 1
5950	----	----	----/*74.10A	75.20B/*74.10A	----	75.10 - 0.40	.1638	----	----	----	----	27 UNCH
6000	67.30	67.30	70.80B/67.30	70.80B/67.30	----	70.90 - 0.30	.1555	----	----	404	250	5350 + 18
6100	----	----	----/62.40A	63.00B/62.40A	----	63.40 UNCH	.1402	----	----	----	----	40 UNCH
6150	----	----	----	59.40B/*59.80A	----	60.00 + 0.20	.1333	----	----	1	----	2 + 1
6200	----	----	----	56.00B/56.70A	----	56.90 + 0.30	.1268	----	----	----	----	3201 UNCH
6250	----	----	----	52.60B/*54.00A	----	54.10 + 0.60	.1208	----	----	10	----	20 UNCH
6300	----	----	51.00B/----	51.00B/51.70A	----	51.40 + 0.60	.1151	----	----	----	----	1047 UNCH
6400	----	----	46.30B/----	46.30B/46.30A	----	46.60 + 0.80	.1048	----	----	200	----	703 UNCH
6500	----	----	----	41.30B/42.60A	----	42.40 + 0.70	.0956	----	----	2	----	5170 UNCH
6750	----	----	----	31.50B/*37.40A	----	33.80 - 0.50	.0766	----	----	----	----	100 UNCH
6775	----	----	----	30.90B/*36.60A	----	33.00 - 0.70	.0749	----	----	1	----	163 UNCH
6800	----	----	----	30.30B/*36.20A	----	32.30 - 0.80	.0733	----	----	----	----	1817 UNCH
6900	----	----	----	28.00B/*34.00A	----	29.80 - 1.30	.0677	----	----	10	----	12 UNCH
7000	29.00	29.00	29.00/29.00	29.00/29.00	----	27.70 - 1.70	.0628	----	----	6	----	4181 UNCH
7130	----	----	----	24.00B/*30.30A	----	25.40 - 2.10	.0573	----	----	----	----	200 UNCH
7175	----	----	----	23.20B/*29.80A	----	24.70 - 2.20	.0556	----	----	----	----	125 UNCH
7250	24.80	24.80	24.80/*24.80	24.80/*24.80	----	23.70 - 2.20	.0531	----	----	1	----	112 - 1
7500	----	----	----	19.80B/26.30A	----	21.10 - 2.20	.0464	----	----	----	----	109 UNCH
8000	19.50	19.50	19.50/18.40	19.50/18.40	----	18.50 - 1.40	.0386	----	----	23	----	795 + 13
8125	----	----	----	15.80B/*22.10A	----	18.10 - 1.20	.0373	----	----	----	----	801 UNCH
8500	----	----	----	14.80B/20.60A	----	17.30 - 0.50	.0342	----	----	----	----	170 UNCH
8630	----	----	----	14.20B/*19.90A	----	17.10 - 0.30	.0333	----	----	----	----	400 UNCH
8725	----	----	----	14.20B/*19.70A	----	16.90 - 0.20	.0326	----	----	----	----	250 UNCH
8775	15.40	15.40	15.40/*15.20	15.40/*15.20	----	16.80 NEW	.0322	----	----	25	----	25 + 25
9000	15.00	15.00	15.00/13.30	15.20B/13.30	----	16.30 - 0.10	.0307	----	----	9	----	210 + 5
9500	13.70	13.70	13.70/13.70	13.70/13.70	----	14.80 - 0.60	.0270	----	----	5	----	292 + 5
9900	----	----	----	13.50B/16.30A	----	13.60 - 1.10	.0243	----	----	----	----	17 UNCH
10000	13.50	13.50	13.90/12.00	13.90/12.00	----	13.30 - 1.20	.0237	----	----	970	----	8401 + 116
11000	----	----	----	10.00B/13.90A	----	11.10 - 1.80	.0189	----	----	----	----	397 UNCH
13000	----	----	----/9.00A	8.00B/9.00A	----	8.70 - 1.30	.0138	----	----	5	----	407 UNCH
15000	6.80	6.80	6.80/6.30	6.80/6.30	----	6.70 - 0.50	.0101	----	----	602	----	20256 + 508
17000	3.00	3.00	3.00/*3.00	3.80B/*3.00	----	4.60 - 0.30	.0069	----	----	1	----	27 UNCH
19000	----	----	----	----/20.20A	----	2.90 - 0.40	.0044	----	----	----	----	7 UNCH
20000	2.70	2.70	2.70/2.20	2.70/2.20	----	2.40 - 0.30	.0036	----	----	811	----	21251 + 716
21000	2.20	2.20	#2.20/2.20	2.20/2.20	----	1.80 - 0.30	.0028	----	----	2	----	30 + 2
24000	----	----	----	----/1.80A	----	1.50 - 0.30	.0022	----	----	----	----	31 UNCH
TOTAL										3336	595	98820+ 1541

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JAN27												
4190	----	----	----	565.10B/1019.20A	----	797.30 + 8.90	.8012	----	----	----	----	1 UNCH
4290	----	----	----	487.30B/946.90A	----	721.50 + 7.50	.7698	----	----	----	----	1 UNCH
4300	----	----	----	479.80B/939.90A	----	714.20 + 7.40	.7665	----	----	----	----	1 UNCH
4400	----	----	----	407.00B/871.20A	----	642.50 + 5.90	.7319	----	----	----	----	1 UNCH
4650	----	----	487.70B/467.70A	487.70B/467.70A	----	482.70 + 2.60	.6336	----	----	----	----	1 UNCH
4750	----	----	432.70B/415.50A	432.70B/415.50A	----	427.60 + 1.50	.5910	----	----	----	----	5 UNCH
4760	----	----	427.40B/410.50A	427.40B/410.50A	----	422.40 + 1.50	.5866	----	----	----	----	100 UNCH
4800	----	----	406.80B/390.10A	406.80B/390.10A	----	402.10 + 1.10	.5693	----	----	----	----	1 UNCH
4850	----	----	382.20B/367.20A	382.20B/367.20A	----	377.90 + 0.70	.5475	----	----	----	----	1 UNCH
4875	----	----	370.30B/356.00A	370.30B/356.00A	----	366.30 + 0.50	.5366	----	----	----	----	4 UNCH
4900	----	----	358.80B/345.30A	358.80B/345.30A	----	355.00 + 0.30	.5258	----	----	1	----	10 + 1
5000	----	----	315.60B/305.30A	315.60B/305.30A	----	312.90 - 0.20	.4832	----	----	1	----	26 - 1
5050	----	----	295.70B/287.10A	295.70B/287.10A	----	293.40 - 0.60	.4623	----	----	----	----	100 UNCH
5100	----	----	277.00B/270.40A	277.00B/270.40A	----	275.00 - 0.90	.4419	----	----	----	----	1 UNCH
5120	----	----	269.90B/263.80A	269.90B/263.80A	----	268.00 - 1.00	.4338	----	----	----	----	1 UNCH
5195	----	----	244.90B/239.80A	244.90B/239.80A	----	242.90 - 1.40	.4043	----	----	----	----	5 UNCH
5250	----	----	228.00B/223.50A	228.00B/223.50A	----	226.00 - 1.70	.3834	----	----	----	----	7 UNCH
5300	----	----	----/209.60A	213.50B/209.60A	----	211.80 - 1.80	.3652	----	----	----	----	2 UNCH
5400	----	----	----/184.70A	187.50B/184.70A	----	186.20 - 1.90	.3307	----	----	----	----	2 UNCH
5500	----	----	----/*163.20A	164.70B/*163.20A	----	164.30 - 1.70	.2993	----	----	----	----	24 UNCH
5550	----	----	----/*153.60A	154.50B/*153.60A	----	154.40 - 1.60	.2846	----	----	----	----	1 UNCH
5820	----	----	----/*112.30A	110.60B/*112.30A	----	112.10 - 1.10	.2172	----	----	----	----	6 UNCH
5850	----	----	----/*108.60A	106.80B/*108.60A	----	108.30 - 1.10	.2108	----	----	----	----	3 UNCH
5900	----	----	----/*102.90A	100.60B/*102.90A	----	102.30 - 1.10	.2006	----	----	----	----	5 UNCH
6000	----	----	----/*92.00A	89.60B/*92.00A	----	91.40 - 1.10	.1817	----	----	----	----	205 UNCH
6025	----	----	----	87.10B/*90.00A	----	88.90 - 1.10	.1773	----	----	----	----	1 UNCH
6300	----	----	----	64.80B/*69.40A	----	66.10 - 0.90	.1359	----	----	----	----	2 UNCH
20000	----	----	----	2.80B/4.00A	----	3.40 - 0.60	.0049	----	----	----	----	60 UNCH
TOTAL										2		577 0
FEB27												
4700	----	----	474.30B/*453.50	474.30B/*453.50A	----	471.90 NEW	.6102	----	----	1	----	1 + 1
5000	----	----	332.10B/*320.40	332.10B/*320.40A	----	330.20 - 0.40	.4870	----	----	----	----	2 UNCH
5100	----	----	293.60B/*284.80	293.60B/*284.80A	----	292.50 - 0.60	.4476	----	----	----	----	1 UNCH
5175	----	----	----/*261.30A	267.60B/*261.30A	----	267.10 - 0.60	.4193	----	----	----	----	125 UNCH
5250	----	----	----/*238.70A	243.80B/*238.70A	----	244.00 NEW	.3921	----	----	2	----	2 + 2
5300	----	----	----/*225.30A	229.30B/*225.30A	----	229.70 - 0.40	.3747	----	----	----	----	50 UNCH
5375	----	----	----/*206.70A	209.20B/*206.70A	----	210.00 - 0.30	.3498	----	----	----	----	2 UNCH
5400	----	----	----/*201.10A	203.10B/*201.10A	----	203.80 - 0.30	.3417	----	----	----	----	1 UNCH
5520	----	----	----/*175.30A	175.60B/*175.30A	----	176.70 - 0.50	.3053	----	----	----	----	300 UNCH
5530	----	----	----/*173.20A	173.00B/*173.20A	----	174.60 - 0.50	.3024	----	----	----	----	100 UNCH
5550	----	----	----/*169.30A	169.10B/*169.30A	----	170.60 - 0.50	.2968	----	----	----	----	65 UNCH
5600	----	----	----/*159.90A	159.20B/*159.90A	----	160.90 - 0.60	.2830	----	----	----	----	1 UNCH
6000	----	----	----	100.30B/*104.50A	----	102.90 - 1.30	.1938	----	----	----	50	122 + 50
6025	----	----	----	97.80B/*101.90A	----	100.20 - 1.30	.1894	----	----	----	----	4 UNCH
6100	----	----	----	90.30B/*94.80A	----	92.60 - 1.40	.1766	----	----	----	----	4 UNCH
6300	----	----	----	73.60B/*78.80A	----	75.90 - 1.60	.1476	----	----	----	----	1 UNCH
6500	----	----	----	60.80B/*66.90A	----	63.60 - 1.50	.1250	----	----	----	----	110 UNCH
6900	----	----	----	43.20B/*50.40A	----	47.90 - 1.60	.0941	----	----	----	----	532 UNCH
7000	----	----	----	40.00B/*46.90A	----	45.00 - 1.90	.0882	----	----	----	----	385 UNCH
7100	----	----	----	36.70B/*46.70A	----	42.30 - 2.30	.0828	----	----	----	----	9 UNCH
7900	----	----	----	15.50B/*40.80A	----	26.50 - 0.10	.0514	----	----	----	----	500 UNCH
8000	----	----	----	14.60B/40.40A	----	25.10 + 0.40	.0486	----	----	----	----	500 UNCH
TOTAL										3	50	2817 + 53
MAR27												
4210	----	----	----	471.10B/1189.00A	----	814.10 + 11.10	.7987	----	----	----	----	1 UNCH
5000	----	----	----	108.00B/*584.80A	----	323.70 - 43.40	.4960	----	----	----	----	75 UNCH
5500	----	----	----	56.00B/345.80A	----	190.20 - 22.60	.3220	----	----	----	----	67 UNCH
5650	----	----	----	44.90B/190.00A	----	165.50 - 15.10	.2841	----	----	----	----	15 UNCH
6000	----	----	----	24.20B/210.30A	----	119.70 - 8.30	.2123	----	----	----	----	2 UNCH
6500	----	----	----	7.10B/140.80A	----	76.40 - 9.80	.1410	----	----	----	----	1 UNCH
TOTAL												161 0
APR27												
5000	----	----	----	----/662.50A	----	437.20 + 8.10	.5161	----	----	----	----	100 UNCH
5060	----	----	----	----/*625.60A	----	411.90 + 7.80	.4965	----	----	----	----	25 UNCH
5600	----	----	----	----/*368.80A	----	248.10 + 5.20	.3418	----	----	----	----	300 UNCH
6000	----	----	----	----/255.50A	----	176.60 + 3.80	.2579	----	----	----	----	151 UNCH
TOTAL												576 0
JUN27												
9500	----	----	----	----	----	18.50 + 0.40	.0322	----	----	----	----	1 UNCH
TOTAL												1 0
DEC27												
4860	----	----	----	----	----	715.00 + 9.80	.6031	----	----	----	----	100 UNCH
5000	----	----	----	----	----	652.60 + 9.20	.5683	----	----	----	----	50 UNCH
5650	----	----	----	----	----	418.50 + 6.70	.4181	----	----	----	----	200 UNCH
5700	----	----	----	----	----	404.10 + 6.50	.4076	----	----	----	----	150 UNCH
5800	----	----	----	----	----	376.80 + 6.10	.3872	----	----	----	----	200 UNCH
5880	----	----	----	----	----	356.50 + 6.00	.3715	----	----	----	----	125 UNCH
6300	----	----	----	----	----	267.30 + 4.70	.2975	----	----	----	----	18 UNCH
7500	----	----	----	----	----	192.80 + 3.10	.2037	----	----	----	----	170 UNCH
7800	----	----	----	----	----	187.70 + 2.90	.1930	----	----	----	----	284 UNCH
10000	----	----	----	----	----	132.30 + 1.80	.1271	----	----	----	----	100 UNCH
10500	----	----	----	----	----	117.20 + 1.60	.1134	----	----	----	----	10 UNCH
TOTAL												1407 0
DEC28												
5750	----	----	----	----	----	638.80 + 7.60	.4778	----	----	----	50	100 + 50
TOTAL											50	100 + 50

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK5										
APR26												
4000	----	----	1.10B/----	1.10B/0.80A	----	0.40 - 0.40	.0019	----	----	----	----	3 UNCH
4200	----	----	----/*1.30A	1.90B/*1.30A	----	1.00 - 1.00	.0063	----	----	12	----	13 UNCH
4250	1.20	1.20	1.20/*1.20	2.50B/*1.20	----	1.20 - 1.30	.0081	----	----	13	----	12 UNCH
4275	----	----	----/*1.60A	2.90B/*1.60A	----	1.40 - 1.50	.0098	----	----	----	----	2 UNCH
4300	----	----	455.80B/*379.80	455.80B/*379.80A	----	442.30 + 15.30	.9889	----	----	----	----	1 UNCH
4300	4.20	4.20	4.20/*1.70A	4.20/*1.70A	----	1.50 - 1.70	.0110	----	----	2	----	1 UNCH
4330	4.20	4.20	#4.70B/*1.90A	4.70B/*1.90A	----	1.70 NEW	.0132	----	----	2	----	0 UNCH
4350	4.10	4.10	4.90B/*2.00A	4.90B/*2.00A	----	1.90 - 2.30	.0152	----	----	102	----	100 + 99
4425	----	----	7.00B/*2.80A	7.00B/*2.80A	----	2.70 - 3.80	.0248	----	----	1	----	1 UNCH
4450	----	----	----/*3.20A	7.30B/*3.20A	----	3.10 - 4.40	.0298	----	----	1	----	4 + 1
4475	----	----	----/*3.70A	8.80B/*3.70A	----	3.60 - 5.20	.0363	----	----	1	----	2 - 1
4480	----	----	10.50B/*3.80A	10.50B/*3.80A	----	3.70 - 5.40	.0377	----	----	----	----	1 UNCH
4485	----	----	10.10B/*3.90A	10.10B/*3.90A	----	3.80 - 5.60	.0391	----	----	----	----	1 UNCH
4495	----	----	10.90B/*4.20A	10.90B/*4.20A	----	4.10 - 6.00	.0429	----	----	----	----	1 UNCH
4500	12.50	12.50	12.50/*4.30A	12.50/*4.30A	----	4.20 - 6.20	.0444	----	----	6	----	59 + 3
4505	8.60	8.60	12.30B/*4.40A	12.30B/*4.40A	----	4.40 - 6.40	.0468	----	----	11	----	11 + 10
4510	----	----	12.40B/*4.60A	12.40B/*4.60A	----	4.60 - 6.60	.0493	----	----	----	----	2 UNCH
4515	----	----	12.80B/*4.70A	12.80B/*4.70A	----	4.70 - 6.90	.0510	----	----	----	----	6 UNCH
4520	9.10	9.10	13.50B/*4.90A	13.50B/*4.90A	----	4.90 - 7.10	.0536	----	----	1	----	2 + 1
4530	9.90	9.90	14.30B/*5.30A	14.30B/*5.30A	----	5.30 - 7.60	.0589	----	----	2	----	3 + 2
4535	----	----	14.70B/*5.50A	14.70B/*5.50A	----	5.50 - 7.80	.0616	----	----	----	----	2 UNCH
4550	6.00	6.00	17.20B/*6.00	17.20B/*6.00	----	6.20 - 8.70	.0712	----	----	1	----	1 UNCH
4555	12.50	12.50	17.80B/*6.40A	17.80B/*6.40A	----	6.50 NEW	.0751	----	----	21	----	20 + 20
4560	12.20	12.20	18.60B/*6.70A	18.60B/*6.70A	----	6.80 - 9.20	.0790	----	----	8	----	10 + 8
4565	12.80	12.80	19.30B/*7.00A	19.30B/*7.00A	----	7.10 NEW	.0831	----	----	4	----	4 + 4
4575	----	----	21.30B/*7.60A	21.30B/*7.60A	----	7.80 - 10.10	.0924	----	----	----	----	3 UNCH
4580	14.50	14.50	22.80B/*8.00A	22.80B/*8.00A	----	8.10 - 10.50	.0968	----	----	24	----	25 + 24
4590	15.00	15.00	24.30B/*8.80A	24.30B/*8.80A	----	8.90 - 11.10	.1075	----	----	11	----	11 + 10
4595	14.20	14.20	25.70B/*8.80	25.70B/*8.80	----	9.40 - 11.40	.1139	----	----	27	----	37 + 27
4600	10.50	10.50	26.40B/*9.50	26.40B/*9.50	----	9.80 - 11.80	.1196	----	----	29	----	57 + 25
4605	17.60	17.60	27.70B/*10.20A	27.70B/*10.20A	----	10.40 - 12.10	.1270	----	----	3	----	5 + 3
4610	----	----	29.00B/*10.70A	29.00B/*10.70A	----	10.90 - 12.50	.1338	----	----	----	----	7 UNCH
4615	----	----	30.30B/*11.30A	30.30B/*11.30A	----	11.50 - 12.80	.1415	----	----	1	----	1 UNCH
4620	----	----	147.00B/*93.90A	147.00B/*93.90A	----	132.90 + 3.70	.8505	----	----	----	----	1 UNCH
4620	----	----	31.50B/*11.90A	31.50B/*11.90A	----	12.10 - 13.20	.1493	----	----	----	----	4 UNCH
4630	19.40	19.40	34.40B/*13.20A	34.40B/*13.20A	----	13.40 - 14.00	.1663	----	----	1	----	2 + 1
4640	----	----	37.40B/14.70A	37.40B/14.70A	----	14.90 - 14.70	.1854	----	----	----	----	1 UNCH
4650	16.70	16.70	41.90B/16.40A	41.90B/16.40A	----	16.60 - 15.40	.2066	----	----	2	----	19 + 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK5										
APR26												
4655	----	----	43.00B/17.30A	43.00B/17.30A	----	17.50 - 15.80	.2178	----	----	----	----	2 UNCH
4660	25.70	25.70	44.90B/18.30A	44.90B/18.30A	----	18.50 - 16.20	.2299	----	----	16	----	20 + 15
4665	----	----	46.90B/19.30A	46.90B/19.30A	----	19.60 - 16.50	.2427	----	----	2	----	3 + 2
4670	----	----	48.90B/20.20A	48.90B/20.20A	----	20.70 - 16.90	.2557	----	----	2	----	4 UNCH
4675	----	----	51.20B/21.30A	51.20B/21.30A	----	21.90 - 17.20	.2695	----	----	----	----	12 UNCH
4680	30.90	30.90	53.00B/22.50A	53.00B/22.50A	----	23.20 - 17.50	.2839	----	----	4	----	7 + 2
4685	----	----	54.20B/23.70A	54.20B/23.70A	----	24.50 - 17.90	.2986	----	----	4	----	17 + 3
4690	----	----	89.30B/*57.80A	89.30B/*57.80A	----	76.80 - 1.30	.6858	----	----	----	----	1 UNCH
4695	27.90	27.90	58.80B/26.40A	58.80B/26.40A	----	27.40 - 18.50	.3299	----	----	9	----	15 + 5
4700	54.00	54.00	82.10B/*51.90A	82.10B/*51.90A	----	69.80 NEW	.6536	----	----	2	----	2 + 2
4700	----	----	62.00B/27.90A	62.00B/27.90A	----	28.90 - 18.80	.3461	----	----	21	----	52 - 1
4705	----	----	64.50B/29.40A	64.50B/29.40A	----	30.60 - 19.10	.3632	----	----	----	----	1 UNCH
4705	----	----	79.50B/*50.00A	79.50B/*50.00A	----	66.50 NEW	.6366	----	----	8	----	3 + 3
4715	----	----	77.90B/32.80A	77.90B/32.80A	----	34.20 - 19.60	.3984	----	----	----	----	47 UNCH
4720	56.10	56.10	69.40B/*42.60A	69.40B/*42.60A	----	57.00 NEW	.5833	----	----	1	----	1 + 1
4720	37.20	37.20	80.90B/34.50A	80.90B/34.50A	----	36.10 - 19.80	.4165	----	----	5	----	67 + 1
4730	----	----	63.00B/*38.10A	63.00B/*38.10A	----	51.10 - 3.40	.5460	----	----	----	----	39 UNCH
4735	45.00	45.00	90.20B/40.10A	90.20B/40.10A	----	42.40 - 20.50	.4728	----	----	1	----	2 UNCH
4735	40.80	40.80	59.80B/*35.90A	59.80B/*35.90A	----	48.30 NEW	.5269	----	----	1	----	1 + 1
4740	----	----	93.40B/42.20A	93.40B/42.20A	----	44.70 - 20.70	.4921	----	----	8	----	9 + 4
4740	39.60	39.60	56.80B/*33.90A	56.80B/*33.90A	----	45.60 - 3.80	.5077	----	----	11	----	8 + 3
4745	----	----	53.90B/*30.90A	53.90B/*30.90A	----	43.00 - 3.90	.4883	----	----	----	----	20 UNCH
4745	----	----	96.80B/44.20A	96.80B/44.20A	----	47.10 - 20.80	.5114	----	----	----	----	45 UNCH
4750	50.40	50.40	100.20B/46.50A	100.20B/46.50A	----	49.60 - 21.00	.5309	----	----	2	----	28 UNCH
4750	40.00	40.00	51.10B/*29.90A	51.10B/*29.90A	----	40.50 - 4.10	.4689	----	----	16	----	65 + 4
4755	37.00	37.00	48.50B/*27.60A	48.50B/*27.60A	----	38.10 - 4.20	.4495	----	----	1	----	15 + 1
4755	----	----	103.70B/48.90A	103.70B/48.90A	----	52.20 - 21.10	.5503	----	----	----	----	9 UNCH
4760	55.90	55.90	107.60B/51.20A	107.60B/51.20A	----	54.90 - 21.20	.5697	----	----	1	----	1 + 1
4760	----	----	45.70B/*26.60A	45.70B/*26.60A	----	35.80 - 4.30	.4301	----	----	----	----	5 UNCH
4770	----	----	40.90B/*23.40A	40.90B/*23.40A	----	31.60 - 4.40	.3919	----	----	4	----	1 - 1
4770	----	----	114.90B/56.30A	114.90B/56.30A	----	60.70 - 21.30	.6079	----	----	3	----	1 UNCH
4775	28.00	28.00	38.40B/*21.70A	38.40B/*21.70A	----	29.60 NEW	.3731	----	----	1	----	1 + 1
4780	----	----	36.10B/*20.30A	36.10B/*20.30A	----	27.70 - 4.50	.3545	----	----	----	----	63 UNCH
4785	----	----	34.00B/*19.00A	34.00B/*19.00A	----	25.90 - 4.50	.3363	----	----	----	----	3 UNCH
4790	----	----	31.90B/*17.60A	31.90B/*17.60A	----	24.20 NEW	.3186	----	----	1	----	1 + 1
4800	----	----	138.30B/74.00A	138.30B/74.00A	----	80.20 - 21.30	.7152	----	----	----	----	2 UNCH
4800	16.80	16.80	28.10B/*14.80	28.10B/*14.80	----	21.10 - 4.50	.2846	----	----	31	----	182 + 24
4805	----	----	26.30B/*14.10A	26.30B/*14.10A	----	19.70 - 4.40	.2685	----	----	4	----	5 + 1
4810	----	----	24.60B/*13.00A	24.60B/*13.00A	----	18.30 - 4.40	.2525	----	----	----	----	2 UNCH
4815	----	----	23.00B/*12.20A	23.00B/*12.20A	----	17.10 - 4.30	.2377	----	----	1	----	5 + 1
4820	----	----	21.40B/*11.20A	21.40B/*11.20A	----	15.90 - 4.20	.2231	----	----	4	----	1 - 1
4820	----	----	154.80B/87.40A	154.80B/87.40A	----	95.00 - 21.10	.7767	----	----	----	----	1 UNCH
4825	----	----	20.00B/*10.50A	20.00B/*10.50A	----	14.80 - 4.20	.2093	----	----	5	----	2 - 3
4830	18.00	18.00	18.60B/*9.80A	18.60B/*9.80A	----	13.80 - 4.00	.1963	----	----	8	----	10 + 8
4840	10.00	10.00	16.10B/*8.40A	16.10B/*8.40A	----	11.90 - 3.90	.1715	----	----	77	----	81 + 68
4845	12.50	12.50	15.00B/*7.90A	15.00B/*7.90A	----	11.10 - 3.70	.1605	----	----	6	----	14 + 3
4850	----	----	181.50B/109.80A	181.50B/109.80A	----	119.40 NEW	.8501	----	----	1	----	1 + 1
4850	12.60	12.60	13.90B/*7.30A	13.90B/*7.30A	----	10.30 - 3.70	.1497	----	----	10	----	9 + 6
4855	----	----	----/*6.80A	13.00B/*6.80A	----	9.60 - 3.50	.1398	----	----	7	----	9 + 6
4860	----	----	----/*6.40A	12.00B/*6.40A	----	8.90 - 3.40	.1301	----	----	1	----	10 - 1
4865	----	----	----/*6.00A	11.10B/*6.00A	----	8.30 - 3.30	.1214	----	----	----	----	3 UNCH
4870	----	----	----/*5.70A	10.30B/*5.70A	----	7.70 - 3.20	.1129	----	----	----	----	1 UNCH
4875	----	----	----/*5.30A	9.60B/*5.30A	----	7.20 - 3.10	.1054	----	----	----	----	1 UNCH
4880	----	----	----/*5.00A	8.90B/*5.00A	----	6.70 - 3.00	.0981	----	----	----	----	5 UNCH
4885	8.20	8.20	8.20/*4.70A	8.40B/*4.70A	----	6.20 NEW	.0909	----	----	1	----	1 + 1
4890	5.50	5.50	5.50/4.40A	7.70B/4.40A	----	5.80 - 2.80	.0848	----	----	1	----	19 + 1
4895	4.70	4.70	7.10B/*4.10A	7.10B/*4.10A	----	5.40 - 2.70	.0788	----	----	11	----	11 + 10
4900	4.90	4.90	4.90/*3.90A	6.60B/*3.90A	----	5.10 - 2.50	.0740	----	----	9	----	141 + 8
4905	4.50	4.50	4.50/*3.70A	6.10B/*3.70A	----	4.80 - 2.40	.0693	----	----	1	----	30 UNCH
4910	4.30	4.30	4.30/*3.50A	5.70B/*3.50A	----	4.50 - 2.30	.0647	----	----	1	----	27 + 1
4910	----	----	237.80B/161.80A	237.80B/161.80A	----	173.50 - 19.20	.9351	----	----	1	----	1 UNCH
4915	4.00	4.00	4.00/*3.30A	5.30B/*3.30A	----	4.20 - 2.20	.0602	----	----	1	----	2 + 1
4920	3.80	3.80	3.80/*3.10A	4.90B/*3.10A	----	3.90 NEW	.0557	----	----	1	----	1 + 1
4925	----	----	----/*3.00A	4.60B/*3.00A	----	3.70 - 2.00	.0525	----	----	----	----	5 UNCH
4930	----	----	----/*2.80A	4.30B/*2.80A	----	3.50 - 1.90	.0493	----	----	----	----	3 UNCH
4940	----	----	----/*2.60A	3.70B/*2.60A	----	3.10 - 1.70	.0431	----	----	2	----	3 + 2
4945	2.70	2.70	2.70/*2.50A	3.50B/*2.50A	----	2.90 NEW	.0401	----	----	1	----	1 + 1
4950	2.60	2.60	2.60/*2.40A	3.30B/*2.40A	----	2.70 - 1.70	.0372	----	----	2	----	38 + 1
4955	----	----	281.50B/204.20A	281.50B/204.20A	----	216.60 - 18.40	.9644	----	----	----	----	1 UNCH
4960	----	----	----/*2.20A	2.90B/*2.20A	----	2.40 - 1.50	.0326	----	----	----	----	1 UNCH
4970	----	----	----/*2.00A	2.50B/*2.00A	----	2.20 - 1.40	.0293	----	----	----	----	5 UNCH
4980	----	----	----/*1.90A	2.20B/*1.90A	----	2.00 - 1.20	.0261	----	----	----	----	1 UNCH
4995	----	----	301.80B/243.10A	301.80B/243.10A	----	255.70 - 18.00	.9782	----	----	----	----	2 UNCH
5000	1.60	1.60	1.90/*1.60	1.90/*1.60	----	1.70 - 1.00	.0213	----	----	11	----	21 + 8
5025	----	----	----/*1.40A	1.30B/*1.40A	----	1.40 - 0.80	.0167	----	----	1	----	1 UNCH
5050	----	----	----/*1.20A	1.10B/*1.20A	----	1.10 - 0.70	.0126	----	----	----	----	4 UNCH
5075	----	----	----/*1.10A	0.90B/*1.10A	----	1.00 - 0.50	.0108	----	----	1	----	3 UNCH
5100	----	----	----/*1.00A	0.70B/*1.00A	----	0.90 - 0.40	.0092	----	----	----	----	3 UNCH
5150	----	----	----/*0.80A	0.50B/*0.80A	----	0.60 - 0.30	.0057	----	----	----	----	10 UNCH
5175	----	----	----	0.40B/*0.80A	----	0.50 - 0.30	.0045	----	----	----	----	2 UNCH
5200	----	----	----	0.40B/*0.80A	----	0.40 - 0.30	.0035	----	----	----	----	120 UNCH
5225	----	----	----	0.30B/0.80A	----	0.30 - 0.30	.0025	----	----	----	----	1 UNCH
TOTAL										610		1808 + 435
MAY26												
3500	----	----	----	0.70B/1.80A	----	1.00 UNCH	.0043	----	----	----	----	16 UNCH
3900	1.90	1.90	1.90/*1.70A	1.90/*1.70A	----	1.40 NEW	.0077	----	----	30	----	30 + 30
4000	2.60	2.60	2.60/*2.00A	2.60/*2.00A	----	1.70 NEW	.0102	----	----	15	----	15 + 15
4100	3.40	3.40	3.40/*2.60A	3.70B/*2.60A	----	2.30 NEW	.0150	----	----	20	----	20 + 20
4275	----	----	8.70B/*4.60A	8.70B/*4.60A	----	4.30 NEW	.0321	----	----	1	----	1 + 1
4300	7.00	7.00	9.90B/*5.00A	9.90B/*5.00A	----	4.80 - 3.60	.0365	----	----	10	----	11 + 10
4300	----	----	15.50B/*10.10A	15.50B/*10.10A	----	9.40 - 4.10	.0616	----	----	----	----	2 UNCH
4400	9.00	9.00	13.80B/*7.90A	13.80B/*7.90A	----	7.90 - 5.80	.0635	----	----	2	----	126 UNCH
4500	----	----	25.80B/14.10A	25.80B/14.10A	----	14.50 - 9.00	.1189	----	----	----	----	1 UNCH
4525	----	----	48.40B/31.00A	48.40B/31.00A	----	29.90 - 11.00	.1904	----	----	----	----	0 UNCH
4550	20.10	20.10	35.20B/19.30	35.20B/19.30	----	20.20 - 11.10	.1642	----	----	10	----	91 + 10
4575	32.80	32.80	41.90B/23.40A	41.90B/23.40A	----	23.90 - 12.30	.1925	----	----	10	----	13 + 10
4575	----	----	62.20B/40.50A	62.20B/40.50A	----	39.40 - 13.30	.2432	----	----	----	----	2 UNCH
4590	----	----	45.40B/26.10A	45.40B/26.10A	----	26.50 NEW	.2118	----	----	1	----	1 + 1
4600	----	----	49.30B/27.90A	49.30B/27.90A	----	28.40 - 13.50	.2255	----	----	----	----	54 UNCH
4605	----	----	50.00B/29.00A	50.00B/29.00A	----	29.40 - 13.70	.2327	----	----	----	----	25 UNCH
4610	----	----	51.70B/30.00A	51.70B/30.00A	----	30.50 - 13.90	.2402	----	----	----	----	1 UNCH
4615	----	----	52.50B/31.00A	52.50B/31.00A	----	31.60 - 14.10	.2478	----	----	----	----	2 UNCH
4625	----	----	57.80B/33.40A	57.80B/33.40A	----	33.90 - 14.60	.2635	----	----	----	----	2 UNCH
4630	----	----	58.60B/34.60A	58.60B/34.60A	----	35.10 - 14.90	.2716	----	----	----	----	1 UNCH
4650	----	----	67.90B/39.80A	67.90B/39.80A	----	40.30 - 15.80	.3058	----	----	----	----	26 UNCH
4655	----	----	68.30B/41.20A	68.30B/41.20A	----	41.70 - 16.10	.3148	----	----	----	----	152 UNCH
4665	----	----	71.70B/44.20A	71.70B/44.20A	----	44.70 - 16.50	.3334	----	----	----	----	1 UNCH
4670	----	----	74.70B/45.60A	74.70B/45.60A	----	46.30 - 16.70	.3430	----	----	----	----	13 UNCH
4700	----	----	85.70B/55.70A	85.70B/55.70A	----	56.80 - 18.00	.4034	----	----	----	----	70 UNCH
4700	----	----	111.90B/78.30A	111.90B/78.30A	----	77.90 - 18.60	.4214	----	----	1	----	2 + 1
4705	----	----	89.10B/57.40A	89.10B/57.40A	----	58.70 - 18.20	.4139	----	----	----	----	1 UNCH
4750	----	----	138.80B/100.00A	138.80B/100.00A	----	100.70 - 20.10	.5053	----	----	----	----	1 UNCH
4750	----	----	125.40B/76.40A	125.40B/76.40A	----	78.80 - 19.70	.5126	----	----	----	----	1 UNCH
4760	----	----	132.10B/81.20A	132.10B/81.20A	----	83.90 - 20.00	.5350	----	----	----	----	10 UNCH
4770	----	----	138.20B/86.10A	138.20B/86.10A	----	89.30 - 20.10	.5574	----	----	----	----	1 UNCH
4770	----	----	69.90B/*50.10A	69.90B/*50.10A	----	60.20 - 3.30	.4422	----	----	----	----	1 UNCH
4800	----	----	56.20B/*39.50A	56.20B/*39.50A	----	47.80 - 3.70	.3763	----	----	----	----	102 UNCH
4810	----	----	52.10B/*36.90A	52.10B/*36.90A	----	44.10 - 3.80	.3550	----	----	----	----	1 UNCH
4840	----	----	40.90B/*28.60A	40.90B/*28.60A	----	34.40 - 4.00	.2942	----	----	----	----	4 UNCH
4845	----	----	39.30B/*27.60A	39.30B/*27.60A	----	33.00 - 4.00	.2847	----	----	----	----	1 UNCH
4850	----	----	37.80B/*26.40A	37.80B/*26.40A	----	31.60 - 4.00	.2753	----	----	4	----	51 UNCH
4850	----	----	197.30B/134.20A	197.30B/134.20A	----	140.60 - 20.80	.7243	----	----	----	----	9 UNCH
4865	----	----	33.30B/*23.20A	33.30B/*23.20A	----	27.80 NEW	.2484	----	----	1	----	1 + 1
4900	37.80	37.80	41.50B/*33.70A	41.50B/*33.70A	----	37.10 - 4.40	.2576	----	----	3	----	4 UNCH
4900	----	----	24.60B/*17.20A	24.60B/*17.20A	----	20.50 - 3.50	.1927	----	----	1	----	4 + 1
4900	----	----	#52.60B/*50.20A	#52.60B/*50.20A	----	51.00 NEW	.2935	----	----	1	----	1 + 1
4915	----	----	21.60B/*15.10A	21.60B/*15.10A	----	17.90 NEW	.1717	----	----	1	----	1 + 1
4925	----	----	----/*13.80A	19.60B/*13.80A	----	16.40 - 3.30	.1590	----	----	----	----	80 UNCH
4950	----	----	----/*11.10A	15.70B/*11.10A	----	13.20 - 2.90	.1309	----	----	----	----	4 UNCH
4950	----	----	----/*24.40A	29.70B/*24.40A	----	26.70 - 3.70	.1970	----	----	----	----	3 UNCH
4955	----	----	----/*10.70A	15.10B/*10.70A	----	12.70 - 2.80	.1262	----	----	----	----	1 UNCH
4960	----	----	----/*10.20A	14.40B/*10.20A	----	12.10 NEW	.1210	----	----	1	----	1 + 1
4970	----	----	----/*9.50A	13.20B/*9.50A	----	11.10 NEW	.1117	----	----	1	----	1 + 1
5000	----	----	----/*7.50A	10.10B/*7.50A	----	8.70 - 2.10	.0886	----	----	----	----	1 UNCH
5000	----	----	----/*17.30A	21.20B/*17.30A	----	19.10 - 2.70	.1481	----	----	1	----	3 + 1
5015	9.20	9.20	9.20/*6.70A	9.20/*6.70A	----	7.70 - 2.00	.0788	----	----	1	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

GWW WED — GOLD WEEKLY WEDNESDAY OPTION WEEK1

MAY26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
5025 ----	----	----/*6.30A	8.10B/*6.30A	----	7.10 - 1.80	.0729	----	----	----	----	1 UNCH
5025 14.60	14.60	14.60/*14.60	17.90B/*14.60	----	16.10 NEW	.1275	----	----	1	----	1 + 1
5050 6.20	6.20	6.50B/*5.20A	6.50B/*5.20A	----	5.90 - 1.50	.0606	----	----	2	----	2 UNCH
5050 ----	----	----/*13.10A	15.20B/*13.10A	----	13.60 NEW	.1097	----	----	1	----	1 + 1
5075 ----	----	----/*4.50A	5.30B/*4.50A	----	4.90 - 1.40	.0503	----	----	1	----	2 UNCH
5075 ----	----	----/*10.80A	12.70B/*10.80A	----	11.50 - 2.50	.0943	----	----	----	----	1 UNCH
5100 ----	----	----/*9.80A	10.70B/*9.80A	----	9.70 - 2.50	.0807	----	----	----	----	1 UNCH
5100 ----	----	----	#16.00B/*18.10A	----	16.40 NEW	.1147	----	----	2	----	2 + 2
5125 ----	----	----/*3.40A	3.50B/*3.40A	----	3.50 - 1.00	.0355	----	----	1	----	1 + 1
5150 ----	----	----/*3.00A	3.00B/*3.00A	----	3.00 - 0.90	.0301	----	----	----	----	1 UNCH
5175 3.00	3.00	3.00/*2.60A	3.00/*2.60A	----	2.60 - 0.80	.0258	----	----	1	----	2 + 1
5200 ----	----	----/*2.40A	2.20B/*2.40A	----	2.30 - 0.80	.0225	----	----	----	----	1 UNCH
5250 ----	----	----/*5.20A	3.90B/*5.20A	----	3.80 - 1.90	.0329	----	----	----	----	1 UNCH
5250 2.10	2.10	2.10/*2.00A	2.10/*2.00A	----	1.90 - 0.60	.0178	----	----	1	----	4 + 1
5300 ----	----	----	0.10B/*17.90A	----	4.80 NEW	.0377	----	----	1	----	1 + 1
TOTAL									126		989 + 113

GWT TUE — GOLD WEEKLY TUESDAY OPTION Week4

APR26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4000 ----	----	----	0.30B/0.60A	----	0.20 - 0.30	.0007	----	----	----	----	1 UNCH
4200 ----	----	----/*0.90A	1.20B/*0.90A	----	0.60 - 0.90	.0033	----	----	----	----	104 UNCH
4250 ----	----	----/*1.10A	1.60B/*1.10A	----	0.80 - 1.20	.0048	----	----	----	----	1 UNCH
4300 ----	----	----/1.30A	2.20B/1.30A	----	1.00 - 1.50	.0067	----	----	----	----	3 UNCH
4325 ----	----	----/*1.40A	2.60B/*1.40A	----	1.10 - 1.70	.0077	----	----	----	----	2 UNCH
4340 ----	----	----/*1.40A	2.90B/*1.40A	----	1.20 - 1.80	.0087	----	----	----	----	3 UNCH
4350 ----	----	----/*1.50A	3.10B/*1.50A	----	1.30 - 1.90	.0096	----	----	----	----	12 UNCH
4375 ----	----	----/*1.60A	3.60B/*1.60A	----	1.40 - 2.20	.0110	----	----	----	----	10 UNCH
4400 4.50	4.50	4.50/*1.80A	4.50/*1.80A	----	1.60 - 2.50	.0132	----	----	4	----	34 UNCH
4410 ----	----	4.80B/*1.80A	4.80B/*1.80A	----	1.70 - 2.60	.0144	----	----	----	----	3 UNCH
4425 4.50	4.50	5.40B/*1.90A	5.40B/*1.90A	----	1.80 - 2.90	.0158	----	----	9	----	19 + 9
4440 6.10	6.10	6.10/*2.10A	6.10/*2.10A	----	1.90 - 3.30	.0174	----	----	4	----	15 - 2
4445 2.00	2.00	5.90B/*2.00	5.90B/*2.00	----	2.00 NEW	.0184	----	----	1	----	1 + 1
4450 6.60	6.60	7.00/*2.20A	7.00/*2.20A	----	2.10 - 3.50	.0196	----	----	9	----	7 - 1
4455 7.50	7.50	7.50/*2.20A	7.50/*2.20A	----	2.10 - 3.70	.0199	----	----	35	----	29 - 6
4465 7.80	7.80	7.80/*2.40A	7.80/*2.40A	----	2.30 - 3.90	.0222	----	----	1	----	2 + 1
4475 ----	----	7.10B/*2.50A	7.10B/*2.50A	----	2.40 - 4.20	.0238	----	----	1	----	5 + 1
4480 ----	----	7.50B/*2.60A	7.50B/*2.60A	----	2.50 - 4.40	.0251	----	----	----	----	1 UNCH
4485 2.40	2.40	7.80B/*2.40	7.80B/*2.40	----	2.50 - 4.60	.0255	----	----	1	----	10 - 1
4490 ----	----	8.10B/*2.70A	8.10B/*2.70A	----	2.60 - 4.70	.0268	----	----	----	----	1 UNCH
4495 ----	----	8.50B/*2.80A	8.50B/*2.80A	----	2.70 - 4.90	.0282	----	----	----	----	1 UNCH
4500 5.40	5.40	8.90B/*2.80	8.90B/*2.80	----	2.80 - 5.00	.0296	----	----	3	----	21 + 1
4505 ----	----	9.30B/*3.00A	9.30B/*3.00A	----	2.90 - 5.20	.0310	----	----	----	----	10 UNCH
4510 ----	----	9.70B/*3.10A	9.70B/*3.10A	----	3.00 - 5.40	.0325	----	----	----	----	4 UNCH
4515 4.80	4.80	10.10B/*3.20A	10.10B/*3.20A	----	3.00 - 5.70	.0332	----	----	1	----	3 UNCH
4520 5.60	5.60	10.60B/*3.30A	10.60B/*3.30A	----	3.20 - 5.80	.0356	----	----	1	----	2 + 1
4525 5.80	5.80	11.10B/*3.40A	11.10B/*3.40A	----	3.30 - 6.10	.0373	----	----	1	----	4 + 1
4530 ----	----	11.60B/*3.50A	11.60B/*3.50A	----	3.40 - 6.50	.0389	----	----	----	----	6 UNCH
4535 ----	----	12.20B/*3.60A	12.20B/*3.60A	----	3.50 - 6.90	.0407	----	----	----	----	3 UNCH
4540 6.30	6.30	12.70B/*3.80A	12.70B/*3.80A	----	3.70 - 7.10	.0434	----	----	1	----	20 UNCH
4545 10.50	10.50	13.30B/*3.90A	13.30B/*3.90A	----	3.90 - 7.50	.0462	----	----	11	----	13 + 11
4550 7.20	7.20	14.10B/*4.10A	14.10B/*4.10A	----	4.00 - 7.90	.0481	----	----	2	----	10 UNCH
4555 ----	----	14.70B/*4.20A	14.70B/*4.20A	----	4.20 - 8.20	.0511	----	----	----	----	2 UNCH
4560 ----	----	15.40B/*4.40A	15.40B/*4.40A	----	4.40 - 8.60	.0541	----	----	2	----	3 + 2
4565 15.40	15.40	16.00B/*4.60A	16.00B/*4.60A	----	4.60 - 9.00	.0572	----	----	1	----	1 + 1
4570 7.60	7.60	16.80B/*4.80A	16.80B/*4.80A	----	4.90 - 9.30	.0614	----	----	2	----	2 + 1
4575 8.00	8.00	17.50B/*5.10A	17.50B/*5.10A	----	5.10 - 9.70	.0648	----	----	2	----	5 + 2
4580 18.30	18.30	18.30/*5.30A	18.30/*5.30A	----	5.40 - 10.10	.0692	----	----	9	----	4 + 1
4585 10.60	10.60	19.10B/*5.60A	19.10B/*5.60A	----	5.60 - 10.50	.0728	----	----	1	----	5 + 1
4590 ----	----	20.00B/*5.90A	20.00B/*5.90A	----	5.90 - 10.90	.0774	----	----	----	----	2 UNCH
4595 6.80	6.80	21.30B/*6.20A	21.30B/*6.20A	----	6.30 NEW	.0832	----	----	1	----	1 + 1
4600 23.60	23.60	25.00/*6.40	25.00/*6.40	----	6.60 - 11.70	.0881	----	----	33	----	42 + 20
4605 18.40	18.40	23.30B/*6.90A	23.30B/*6.90A	----	7.00 NEW	.0942	----	----	10	----	10 + 10
4610 13.20	13.20	24.20B/*7.30A	24.20B/*7.30A	----	7.40 - 12.50	.1004	----	----	14	----	16 + 14
4615 ----	----	25.30B/*7.70A	25.30B/*7.70A	----	7.80 - 12.90	.1068	----	----	----	----	15 UNCH
4620 27.30	27.30	27.30/*8.20A	27.30/*8.20A	----	8.30 - 13.30	.1143	----	----	30	----	38 + 20
4620 ----	----	143.70B/*88.50A	143.70B/*88.50A	----	129.10 NEW	.8855	----	----	1	----	1 + 1
4625 ----	----	139.00B/*84.60A	139.00B/*84.60A	----	124.70 NEW	.8778	----	----	1	----	1 + 1
4625 16.50	16.50	27.90B/*8.60A	27.90B/*8.60A	----	8.80 - 13.70	.1220	----	----	118	----	518 - 42
4630 ----	----	29.20B/*9.20A	29.20B/*9.20A	----	9.30 - 14.10	.1300	----	----	4	----	6 UNCH
4635 ----	----	30.60B/*9.80A	30.60B/*9.80A	----	9.90 - 14.50	.1391	----	----	----	----	1 UNCH
4640 34.00	34.00	34.00/*10.40A	34.00/*10.40A	----	10.50 - 14.90	.1484	----	----	8	----	19 + 3
4645 ----	----	33.60B/*11.00A	33.60B/*11.00A	----	11.20 - 15.30	.1588	----	----	1	----	1 UNCH
4650 29.00	29.00	35.90B/*11.60	35.90B/*11.60	----	11.90 - 15.70	.1694	----	----	42	----	50 + 35
4655 38.70	38.70	38.70/*12.50A	38.70/*12.50A	----	12.70 - 16.10	.1812	----	----	77	----	102 + 21
4660 36.00	36.00	39.10B/*13.30A	39.10B/*13.30A	----	13.50 - 16.50	.1932	----	----	32	----	32 + 31
4665 37.70	37.70	41.10B/14.10A	41.10B/14.10A	----	14.40 - 16.90	.2064	----	----	30	----	90 + 30
4670 36.80	36.80	42.70B/15.00A	42.70B/15.00A	----	15.40 - 17.20	.2205	----	----	79	----	396 + 75
4675 ----	----	96.10B/*58.90A	96.10B/*58.90A	----	82.30 - 0.70	.7649	----	----	----	----	100 UNCH
4675 36.00	36.00	44.80B/16.00A	44.80B/16.00A	----	16.40 - 17.60	.2349	----	----	8	----	7 + 5
4680 36.90	36.90	46.40B/17.00	46.40B/17.00	----	17.50 - 18.00	.2504	----	----	39	----	13 + 8
4685 39.00	39.00	48.60B/18.00A	48.60B/18.00A	----	18.70 - 18.30	.2667	----	----	12	----	19 + 5
4690 ----	----	83.90B/*50.20A	83.90B/*50.20A	----	70.90 NEW	.7158	----	----	6	----	1 + 1
4690 ----	----	50.90B/19.30A	50.90B/19.30A	----	20.00 - 18.60	.2840	----	----	6	----	6 + 1
4695 43.50	43.50	53.30B/20.00	53.30B/20.00	----	21.30 - 19.00	.3016	----	----	110	----	42 + 40
4695 ----	----	80.20B/*47.60A	80.20B/*47.60A	----	67.20 - 2.10	.6982	----	----	----	----	1 UNCH
4700 54.60	54.60	55.90B/21.70A	55.90B/21.70A	----	22.80 - 19.20	.3205	----	----	52	----	71 + 11
4700 47.00	47.00	76.60B/*44.90A	76.60B/*44.90A	----	63.70 NEW	.6793	----	----	18	----	3 + 3
4705 35.60	35.60	65.50B/23.10A	65.50B/23.10A	----	24.30 - 19.50	.3398	----	----	37	----	27 + 4
4710 35.80	35.80	68.40B/24.00	68.40B/24.00	----	25.90 - 19.80	.3598	----	----	67	----	115 + 41
4710 ----	----	69.10B/*39.90A	69.10B/*39.90A	----	56.80 - 2.90	.6400	----	----	2	----	13 + 2
4715 40.50	40.50	71.30B/26.20A	71.30B/26.20A	----	27.70 - 20.00	.3808	----	----	25	----	40 - 5
4715 ----	----	66.40B/*37.90A	66.40B/*37.90A	----	53.60 - 3.10	.6190	----	----	----	----	4 UNCH
4720 45.40	45.40	74.30B/27.70A	74.30B/27.70A	----	29.50 - 20.30	.4020	----	----	17	----	47 + 9
4720 42.50	42.50	63.10B/*35.40A	63.10B/*35.40A	----	50.40 - 3.40	.5978	----	----	4	----	4 UNCH
4725 60.20	60.20	77.40B/29.50A	77.40B/29.50A	----	31.50 - 20.40	.4240	----	----	69	----	82 + 52
4725 35.00	35.00	59.60B/*32.00A	59.60B/*32.00A	----	47.30 - 3.60	.5758	----	----	27	75	88 + 81
4730 38.50	38.50	56.30B/*31.00A	56.30B/*31.00A	----	44.40 - 3.80	.5535	----	----	37	----	22 + 20
4730 47.00	47.00	80.60B/31.40A	80.60B/31.40A	----	33.50 - 20.70	.4463	----	----	95	----	53 + 47
4735 ----	----	84.00B/33.40A	84.00B/33.40A	----	35.70 - 20.80	.4691	----	----	----	----	18 UNCH
4735 31.00	31.00	53.20B/*28.90A	53.20B/*28.90A	----	41.60 - 3.90	.5307	----	----	13	----	6 + 2
4740 29.20	29.20	50.30B/*19.40	50.30B/*19.40	----	38.80 - 4.20	.5077	----	----	134	----	29 + 25
4740 40.10	40.10	87.30B/35.50A	87.30B/35.50A	----	37.90 - 21.10	.4921	----	----	1	----	11 + 1
4745 ----	----	47.30B/*25.20A	47.30B/*25.20A	----	36.20 - 4.30	.4844	----	----	1	----	11 + 1
4745 39.50	39.50	90.70B/37.80A	90.70B/37.80A	----	40.30 NEW	.5154	----	----	6	----	2 + 2
4750 25.10	25.10	45.50/*23.40A	45.50/*23.40A	----	33.70 - 4.50	.4610	----	----	108	----	94 UNCH
4750 ----	----	94.30B/39.90A	94.30B/39.90A	----	42.80 - 21.40	.5388	----	----	----	----	25 UNCH
4755 26.50	26.50	41.50B/*21.90A	41.50B/*21.90A	----	31.40 - 4.50	.4378	----	----	19	----	37 + 11
4755 ----	----	97.90B/42.20A	97.90B/42.20A	----	45.40 - 21.50	.5620	----	----	----	----	21 UNCH
4760 23.50	23.50	39.20B/*20.50A	39.20B/*20.50A	----	29.10 - 4.70	.4144	----	----	9	----	10 + 7
4760 ----	----	101.60B/44.60A	101.60B/44.60A	----	48.20 - 21.50	.5854	----	----	3	----	12 + 3
4765 20.50	20.50	36.50B/*17.80	36.50B/*17.80	----	26.90 - 4.80	.3912	----	----	18	----	53 + 2
4765 ----	----	105.70B/47.20A	105.70B/47.20A	----	51.00 NEW	.6086	----	----	1	----	1 + 1
4770 19.20	19.20	34.00/*17.30A	34.00/*17.30A	----	24.90 - 4.90	.3685	----	----	54	----	46 + 1
4770 ----	----	109.60B/49.70A	109.60B/49.70A	----	54.00 - 21.70	.6313	----	----	3	----	20 UNCH
4775 20.10	20.10	31.80B/*15.90A	31.80B/*15.90A	----	23.00 - 4.90	.3462	----	----	7	----	13 + 7
4775 ----	----	113.10B/52.40A	113.10B/52.40A	----	57.10 - 21.80	.6536	----	----	----	----	5 UNCH
4780 17.00	17.00	29.80B/*14.50A	29.80B/*14.50A	----	21.20 - 4.90	.3243	----	----	13	----	12 + 1
4780 ----	----	117.20B/55.20A	117.20B/55.20A	----	60.30 - 21.80	.6755	----	----	6	----	18 + 6
4785 20.10	20.10	27.70B/*13.30A	27.70B/*13.30A	----	19.60 - 4.90	.3035	----	----	12	----	13 + 8
4790 ----	----	125.70B/61.70A	125.70B/61.70A	----	67.10 - 21.80	.7170	----	----	----	----	6 UNCH
4790 15.50	15.50	25.70B/*12.20A	25.70B/*12.20A	----	18.00 - 4.90	.2828	----	----	7	----	17 + 3
4795 ----	----	129.50B/64.90A	129.50B/64.90A	----	70.70 - 21.70	.7364	----	----	----	----	2 UNCH
4795 19.30	19.30	23.80B/*11.20A	23.80B/*11.20A	----	16.60 - 4.80	.2635	----	----	76	----	75 + 72
4800 11.10	11.10	22.50/*10.30A	22.50/*10.30A	----	15.30 - 4.70	.2450	----	----	72	----	106 + 19
4800 ----	----	133.80B/68.10A	133.80B/68.10A	----	74.30 - 21.70	.7548	----	----	----	----	13 UNCH
4805 ----	----	20.40B/*9.40A	20.40B/*9.40A	----	14.00 - 4.70	.2267	----	----	----	----	35 UNCH
4810 ----	----	142.60B/74.90A	142.60B/74.90A	----	82.00 - 21.40	.7897	----	----	----	----	1 UNCH
4810 ----	----	18.80B/*8.70A	18.80B/*8.70A	----	12.90 - 4.60	.2101	----	----	2	----	73 + 2
4815 ----	----	147.10B/78.30A	147.10B/78.30A	----	86.00 - 21.30	.8052	----	----	----	----	4 UNCH
4815 10.90	10.90	17.40B/*7.80A	17.40B/*7.80A	----	11.90 - 4.40	.1946	----	----	3	----	42 + 1
4820 10.50	10.50	16.00B/*7.30A	16.00B/*7.30A	----	11.00 - 4.20	.1802	----	----	7	----	58 - 1
4820 ----	----	151.60B/82.10A	151.60B/82.10A	----	90.10 - 21.10	.8196	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWT TUE		GOLD WEEKLY TUESDAY OPTION Week4										
APR26												
4825	----	----	14.70B/*6.70A	14.70B/*6.70A	----	10.10 - 4.10	.1661	----	----	----	----	14 UNCH
4830	----	----	160.20B/89.70A	160.20B/89.70A	----	98.40 - 20.80	.8466	----	----	----	----	9 UNCH
4830	9.60	9.60	13.50B/*6.20A	13.50B/*6.20A	----	9.30 - 4.00	.1532	----	----	12	----	46 + 7
4835	7.50	7.50	12.20B/*5.70A	12.20B/*5.70A	----	8.60 - 3.80	.1415	----	----	6	----	6 + 5
4835	----	----	164.80B/93.60A	164.80B/93.60A	----	102.70 - 20.60	.8583	----	----	----	----	2 UNCH
4840	----	----	169.40B/97.50A	169.40B/97.50A	----	107.00 - 20.50	.8687	----	----	----	----	3 UNCH
4840	6.70	6.70	11.50B/*5.30A	11.50B/*5.30A	----	8.00 - 3.60	.1311	----	----	4	----	25 UNCH
4845	8.60	8.60	8.60/*4.90A	10.20B/*4.90A	----	7.30 - 3.50	.1199	----	----	3	----	18 + 3
4850	8.00	8.00	9.80/*4.20	9.80/*4.20	----	6.80 - 3.30	.1110	----	----	28	----	69 + 18
4855	----	----	----/*4.20A	8.70B/*4.20A	----	6.30 - 3.10	.1024	----	----	----	----	1 UNCH
4860	----	----	188.10B/113.90A	188.10B/113.90A	----	124.80 - 19.90	.9059	----	----	----	----	1 UNCH
4860	----	----	----/*3.90A	8.00B/*3.90A	----	5.80 - 3.00	.0940	----	----	5	----	13 + 3
4865	----	----	192.80B/118.50A	192.80B/118.50A	----	129.40 - 19.80	.9141	----	----	----	----	2 UNCH
4870	4.30	4.30	6.70B/*3.40A	6.70B/*3.40A	----	4.90 - 2.80	.0788	----	----	7	----	12 + 4
4875	----	----	----/*3.20A	6.10B/*3.20A	----	4.60 - 2.60	.0732	----	----	1	----	9 + 1
4880	3.80	3.80	3.80/*2.90A	5.50B/*2.90A	----	4.20 - 2.50	.0666	----	----	2	----	24 UNCH
4885	3.40	3.40	5.10B/*2.80A	5.10B/*2.80A	----	3.90 - 2.40	.0614	----	----	2	----	5 + 2
4890	----	----	216.70B/140.80A	216.70B/140.80A	----	152.70 - 19.10	.9424	----	----	----	----	8 UNCH
4890	----	----	----/*2.60A	4.70B/*2.60A	----	3.70 - 2.20	.0574	----	----	----	----	15 UNCH
4895	----	----	----/*2.50A	4.40B/*2.50A	----	3.40 - 2.10	.0525	----	----	----	----	6 UNCH
4900	2.10	2.10	4.50/*2.00	4.50/*2.00	----	3.20 - 2.00	.0488	----	----	24	----	74 + 7
4900	----	----	226.40B/150.20A	226.40B/150.20A	----	162.20 - 18.90	.9510	----	----	1	----	2 UNCH
4905	3.30	3.30	3.30/*2.30A	3.60B/*2.30A	----	2.90 - 2.00	.0440	----	----	1	----	1 - 1
4910	----	----	----/*2.20A	3.30B/*2.20A	----	2.70 - 1.90	.0406	----	----	----	----	1 UNCH
4915	----	----	----/*2.10A	3.10B/*2.10A	----	2.60 - 1.70	.0385	----	----	----	----	14 UNCH
4920	----	----	----/*2.00A	2.90B/*2.00A	----	2.40 - 1.70	.0352	----	----	----	----	9 UNCH
4925	----	----	----/*1.90A	2.70B/*1.90A	----	2.20 - 1.60	.0320	----	----	----	----	13 UNCH
4930	----	----	----/1.80A	2.50B/1.80A	----	2.10 - 1.50	.0301	----	----	1	----	6 UNCH
4935	----	----	----/1.80A	2.20B/1.80A	----	2.00 - 1.40	.0283	----	----	----	----	1 UNCH
4940	1.90	1.90	1.90/1.60	2.10B/1.60	----	1.80 - 1.40	.0253	----	----	2	----	9 + 1
4950	1.70	1.70	1.70/1.50	1.70/1.50	----	1.60 - 1.30	.0219	----	----	8	----	23 + 7
4955	----	----	----/*1.40A	1.60B/*1.40A	----	1.50 - 1.30	.0203	----	----	----	----	1 UNCH
4960	1.50	1.50	1.60B/1.40A	1.60B/1.40A	----	1.50 - 1.10	.0199	----	----	1	----	2 - 1
4965	----	----	----/*1.30A	1.40B/*1.30A	----	1.40 - 1.10	.0184	----	----	50	----	51 + 50
4970	----	----	----/1.30A	1.30B/1.30A	----	1.30 - 1.10	.0169	----	----	----	----	103 UNCH
4970	----	----	295.10B/217.50A	295.10B/217.50A	----	230.30 - 18.00	.9830	----	----	----	----	2 UNCH
4975	1.40	1.40	1.50B/*1.00	1.50B/*1.00	----	1.20 - 1.10	.0154	----	----	24	----	41 + 24
4980	----	----	----/*1.20A	1.10B/*1.20A	----	1.20 - 1.00	.0151	----	----	6	----	6 UNCH
5000	0.90	0.90	0.90/*0.90	1.20B/*0.90	----	1.00 - 0.80	.0119	----	----	4	----	209 UNCH
5010	----	----	----/1.00A	0.70B/1.00A	----	0.90 - 0.80	.0105	----	----	----	----	49 UNCH
5015	----	----	----/*1.00A	0.70B/*1.00A	----	0.80 NEW	.0092	----	----	50	----	50 + 50
5020	----	----	328.10B/266.80A	328.10B/266.80A	----	279.80 - 17.60	.9908	----	----	----	----	2 UNCH
5020	----	----	----/*0.90A	0.60B/*0.90A	----	0.80 - 0.70	.0091	----	----	----	----	101 UNCH
5025	0.70	0.70	0.70/*0.50	0.70/*0.50	----	0.80 - 0.70	.0089	----	----	2	----	32 UNCH
5025	----	----	333.00B/271.80A	333.00B/271.80A	----	284.80 - 17.60	.9910	----	----	----	----	2 UNCH
5050	----	----	----/*0.80A	0.40B/*0.80A	----	0.60 - 0.60	.0063	----	----	----	----	32 UNCH
5075	----	----	----/*0.70A	0.40B/*0.70A	----	0.50 - 0.50	.0049	----	----	----	----	8 UNCH
5100	----	----	----/*0.70A	0.30B/*0.70A	----	0.40 - 0.40	.0037	----	----	----	----	1 UNCH
5150	----	----	----	0.10B/0.60A	----	0.20 - 0.40	.0016	----	----	----	----	19 UNCH
5200	----	----	----	----/0.60A	----	0.20 - 0.20	.0014	----	----	----	----	52 UNCH
5225	----	----	----	----/0.50A	----	0.10 - 0.20	.0005	----	----	----	----	8 UNCH
5300	----	----	----	----/0.50A	----	0.10 - 0.10	.0000	----	----	----	----	24 UNCH
5325	----	----	----	----/0.60A	----	0.10 - 0.10	.0000	----	----	----	----	0 UNCH
5350	----	----	----	----/0.50A	----	0.10 UNCH	.0000	----	----	----	----	19 UNCH
5400	----	----	707.90B/645.80A	707.90B/645.80A	----	659.10 - 16.90	1.0000	----	----	----	----	1 UNCH
TOTAL										2033	75	4627 + 923
MAY26												
4250	----	----	----/*8.30A	10.10B/*8.30A	----	7.50 - 4.30	.0484	----	----	----	----	20 UNCH
4275	----	----	----/*9.00A	11.20B/*9.00A	----	8.30 NEW	.0541	----	----	10	----	10 + 10
4300	----	----	----/*9.30A	13.00B/*9.30A	----	9.20 - 5.00	.0605	----	----	----	----	20 UNCH
4300	----	----	8.60B/*4.30A	8.60B/*4.30A	----	4.30 - 2.90	.0331	----	----	----	----	2 UNCH
4325	----	----	----/*10.20A	14.60B/*10.20A	----	10.20 NEW	.0677	----	----	10	----	10 + 10
4350	----	----	9.90B/5.30A	9.90B/5.30A	----	5.20 - 4.00	.0420	----	----	----	----	2 UNCH
4400	----	----	12.50B/*6.70A	12.50B/*6.70A	----	6.60 - 5.40	.0555	----	----	----	----	1 UNCH
4400	----	----	----/14.50A	21.30B/14.50A	----	14.50 - 6.80	.0974	----	----	----	----	1 UNCH
4425	----	----	14.10B/*7.60A	14.10B/*7.60A	----	7.60 - 6.10	.0647	----	----	----	----	1 UNCH
4450	----	----	28.30B/19.00A	28.30B/19.00A	----	18.70 - 8.10	.1255	----	----	----	----	3 UNCH
4450	----	----	16.90B/*8.80A	16.90B/*8.80A	----	8.80 - 7.00	.0759	----	----	----	----	50 UNCH
4475	----	----	33.00B/21.40A	33.00B/21.40A	----	21.30 NEW	.1425	----	----	7	----	7 + 7
4500	12.20	12.20	23.20B/12.00A	23.20B/12.00A	----	12.20 - 8.90	.1064	----	----	2	----	11 - 2
4500	----	----	51.50B/*37.70A	51.50B/*37.70A	----	34.40 - 13.00	.1935	----	----	----	----	1 UNCH
4525	----	----	43.00B/28.60A	43.00B/28.60A	----	28.00 - 10.50	.1842	----	----	----	----	1 UNCH
4535	14.90	14.90	28.30B/14.70	28.30B/14.70	----	15.50 NEW	.1353	----	----	10	----	10 + 10
4550	----	----	32.50B/16.90A	32.50B/16.90A	----	17.30 - 11.20	.1504	----	----	----	----	1 UNCH
4565	27.80	27.80	35.10B/18.90A	35.10B/18.90A	----	19.30 NEW	.1669	----	----	10	----	10 + 10
4575	----	----	56.30B/37.80A	56.30B/37.80A	----	37.00 NEW	.2369	----	----	7	----	7 + 7
4600	----	----	44.90B/24.50A	44.90B/24.50A	----	24.90 - 13.80	.2120	----	----	----	----	8 UNCH
4610	45.00	45.00	48.00B/26.40A	48.00B/26.40A	----	26.90 - 14.20	.2271	----	----	20	----	10 UNCH
4625	----	----	53.50B/29.60A	53.50B/29.60A	----	30.00 - 15.10	.2507	----	----	----	----	2 UNCH
4650	----	----	82.90B/57.40A	82.90B/57.40A	----	56.40 - 16.10	.3382	----	----	----	----	1 UNCH
4650	----	----	62.80B/35.60A	62.80B/35.60A	----	36.20 - 16.30	.2949	----	----	100	----	50 + 25
4675	----	----	72.90B/42.70A	72.90B/42.70A	----	43.50 - 17.50	.3440	----	----	----	----	2 UNCH
4690	----	----	76.50B/47.60A	76.50B/47.60A	----	48.50 - 18.10	.3757	----	----	----	----	10 UNCH
4700	54.00	54.00	82.30B/50.90A	82.30B/50.90A	----	52.20 - 18.50	.3978	----	----	6	----	37 - 1
4700	----	----	104.60B/74.80A	104.60B/74.80A	----	74.30 - 18.50	.4190	----	----	2	----	3 + 2
4705	----	----	84.90B/52.70A	84.90B/52.70A	----	54.10 - 18.70	.4090	----	----	----	----	1 UNCH
4715	----	----	89.10B/56.50A	89.10B/56.50A	----	58.10 - 19.00	.4318	----	----	----	----	10 UNCH
4720	----	----	102.60B/58.50A	102.60B/58.50A	----	60.10 - 19.30	.4433	----	----	----	----	9 UNCH
4725	----	----	105.50B/60.60A	105.50B/60.60A	----	62.30 - 19.40	.4551	----	----	----	----	1 UNCH
4750	----	----	130.40B/96.50A	130.40B/96.50A	----	97.10 - 19.70	.5063	----	----	----	----	1 UNCH
4750	61.60	61.60	75.20B/*53.90A	75.20B/*53.90A	----	64.90 - 3.30	.4850	----	----	30	----	53 - 10
4750	----	----	120.70B/71.40A	120.70B/71.40A	----	74.00 - 20.10	.5146	----	----	----	----	1 UNCH
4765	----	----	130.40B/78.60A	130.40B/78.60A	----	81.90 - 20.40	.5506	----	----	----	----	30 UNCH
4765	----	----	67.40B/*48.00A	67.40B/*48.00A	----	57.80 - 3.50	.4490	----	----	----	----	30 UNCH
4770	----	----	64.90B/*46.00A	64.90B/*46.00A	----	55.60 - 3.60	.4371	----	----	----	----	50 UNCH
4795	----	----	53.50B/*37.70A	53.50B/*37.70A	----	45.30 - 3.90	.3784	----	----	----	----	1 UNCH
4800	----	----	51.40B/*35.80A	51.40B/*35.80A	----	43.50 - 3.90	.3671	----	----	----	----	34 UNCH
4800	----	----	154.70B/97.60A	154.70B/97.60A	----	102.50 - 20.80	.6325	----	----	----	----	20 UNCH
4820	----	----	43.50B/*30.10A	43.50B/*30.10A	----	36.60 - 3.90	.3227	----	----	----	----	31 UNCH
4820	----	----	169.80B/110.00A	169.80B/110.00A	----	115.60 - 20.80	.6770	----	----	----	----	30 UNCH
4825	----	----	180.60B/136.70A	180.60B/136.70A	----	140.30 - 19.90	.6364	----	----	----	----	1 UNCH
4825	----	----	41.70B/*28.90A	41.70B/*28.90A	----	35.00 - 3.90	.3119	----	----	----	----	1 UNCH
4830	----	----	39.90B/*27.70A	39.90B/*27.70A	----	33.50 - 3.90	.3014	----	----	----	----	1 UNCH
4850	----	----	33.50B/*23.00A	33.50B/*23.00A	----	27.80 - 4.00	.2607	----	----	----	----	4 UNCH
4850	----	----	53.70B/*42.10A	53.70B/*42.10A	----	48.00 - 3.00	.3226	----	----	----	----	2 UNCH
4850	----	----	198.80B/152.30A	198.80B/152.30A	----	156.90 - 19.90	.6769	----	----	----	----	1 UNCH
4855	22.80	22.80	32.00B/*22.00A	32.00B/*22.00A	----	26.50 NEW	.2510	----	----	1	----	1 + 1
4860	----	----	30.60B/*21.10A	30.60B/*21.10A	----	25.30 NEW	.2417	----	----	4	----	4 + 4
4900	----	----	21.10B/*14.60A	21.10B/*14.60A	----	17.40 - 3.30	.1762	----	----	----	----	14 UNCH
4900	----	----	236.60B/167.60A	236.60B/167.60A	----	176.40 - 20.10	.8235	----	----	----	----	1 UNCH
4905	----	----	20.20B/*14.00A	20.20B/*14.00A	----	16.60 - 3.20	.1691	----	----	4	----	0 - 4
4925	----	----	32.30B/*26.20A	32.30B/*26.20A	----	28.80 NEW	.2162	----	----	7	----	7 + 7
4935	----	----	----/*10.70A	15.20B/*10.70A	----	12.70 - 2.50	.1326	----	----	----	----	10 UNCH
4950	----	----	27.10B/*22.20A	27.10B/*22.20A	----	24.10 - 2.90	.1867	----	----	2	----	3 + 2
4950	13.00	13.00	13.00/*9.30A	13.10B/*9.30A	----	11.10 - 2.20	.1171	----	----	4	----	6 UNCH
4965	----	----	----/*8.30A	11.40B/*8.30A	----	9.70 - 2.00	.1032	----	----	----	----	2 UNCH
4970	----	----	----/*7.90A	10.80B/*7.90A	----	9.30 - 1.90	.0991	----	----	----	----	1 UNCH
4975	22.10	22.10	22.10/*18.30A	22.70B/*18.30A	----	20.20 NEW	.1607	----	----	2	----	2 + 2
4990	----	----	----/*6.70A	9.00B/*6.70A	----	7.80 - 1.80	.0838	----	----	----	----	1 UNCH
5000	7.10	7.10	8.20B/*6.20A	8.20B/*6.20A	----	7.20 - 1.60	.0774	----	----	3	----	38 UNCH
5000	----	----	----/*15.70A	19.10B/*15.70A	----	16.90 - 2.60	.1377	----	----	----	----	1 UNCH
5020	----	----	----/*5.30A	6.80B/*5.30A	----	6.10 - 1.50	.0657	----	----	----	----	1 UNCH
5025	----	----	----/*13.50A	16.30B/*13.50A	----	14.20 NEW	.1179	----	----	7	----	7 + 7
5050	----	----	----/*4.30A	5.20B/*4.30A	----	4.80 - 1.30	.0517	----	----	----	----	3 UNCH
5075	----	----	----/*3.70A	4.30B/*3.70A	----	4.00 - 1.20	.0428	----	----	----	----	3 UNCH
5100	----	----	----/*15.70A	14.30B/*15.70A	----	14.60 - 2.90	.1066	----	----	----	----	1 UNCH
5150	----	----	----/*2.50A	2.40B/*2.50A	----	2.50 - 0.90	.0257	----	----	----	----	1 UNCH
5175	----	----	----	5.40B/*6.50A	----	5.50 - 0.90	.0479	----	----	----	----	1 UNCH
5200	----	----	----/*2.00A	1.70B/*2.00A	----	2.00 - 0.80	.0197	----	----	----	----	1 UNCH
5200	----	----	----	4.60B/*5.90A	----	4.80 NEW	.0418	----	----	3	----	3 + 3
TOTAL										251		715 + 90

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

GWR THU APR26 — GOLD WEEKLY THURSDAY OPTION Week5

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4000	----	----	----/*1.00A	1.00B/*1.00A	----	0.80 - 0.60	.0041	----	----	----	----	5 UNCH
4100	1.80	1.80	2.00B/1.30A	2.00B/1.30A	----	1.00 - 0.90	.0058	----	----	1	----	151 UNCH
4200	----	----	----/1.60A	2.70B/1.60A	----	1.40 - 1.30	.0093	----	----	----	----	5 UNCH
4225	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4250	----	----	3.60B/*1.90A	3.60B/*1.90A	----	1.70 - 1.70	.0121	----	----	----	----	2 UNCH
4325	----	----	5.60B/*2.40A	5.60B/*2.40A	----	2.30 - 2.50	.0182	----	----	----	----	1 UNCH
4375	----	----	382.30B/*309.50	382.30B/*309.50A	----	368.60 + 13.60	.9759	----	----	----	----	1 UNCH
4375	----	----	7.70B/*3.00A	7.70B/*3.00A	----	2.80 - 3.40	.0240	----	----	----	----	2 UNCH
4400	----	----	357.80B/*286.00	357.80B/*286.00A	----	344.00 + 13.00	.9714	----	----	----	----	31 UNCH
4400	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4400	----	----	8.00B/*3.30A	8.00B/*3.30A	----	3.20 - 4.00	.0284	----	----	----	----	2 UNCH
4425	----	----	8.90B/*3.80A	8.90B/*3.80A	----	3.70 - 4.70	.0340	----	----	----	----	16 UNCH
4430	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4450	----	----	10.70B/*4.30A	10.70B/*4.30A	----	4.30 - 5.40	.0409	----	----	9	----	9 + 8
4475	6.10	6.10	12.60B/*5.10A	12.60B/*5.10A	----	5.10 - 6.30	.0500	----	----	2	----	4 + 1
4480	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4480	----	----	13.70B/*5.20A	13.70B/*5.20A	----	5.30 - 6.50	.0522	----	----	----	----	1 UNCH
4485	8.90	8.90	14.00B/*5.40A	14.00B/*5.40A	----	5.40 - 6.80	.0537	----	----	9	----	8 + 7
4490	----	----	14.30B/*5.60A	14.30B/*5.60A	----	5.60 - 7.00	.0560	----	----	12	----	13 + 12
4495	----	----	14.80B/*5.80A	14.80B/*5.80A	----	5.80 NEW	.0584	----	----	4	----	4 + 4
4500	----	----	16.10B/*6.00A	16.10B/*6.00A	----	6.10 - 7.40	.0615	----	----	----	----	21 UNCH
4500	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4515	10.30	10.30	17.00B/*6.70A	17.00B/*6.70A	----	6.80 NEW	.0698	----	----	1	----	1 + 1
4520	----	----	17.80B/*6.90A	17.80B/*6.90A	----	7.00 - 8.40	.0724	----	----	----	----	1 UNCH
4525	----	----	18.50B/*7.20A	18.50B/*7.20A	----	7.30 - 8.70	.0758	----	----	17	----	17 + 14
4535	----	----	20.30B/*7.80A	20.30B/*7.80A	----	7.90 - 9.20	.0828	----	----	----	----	101 UNCH
4540	11.40	11.40	20.50B/*8.10A	20.50B/*8.10A	----	8.30 NEW	.0871	----	----	1	----	1 + 1
4545	11.90	11.90	22.40B/*8.50A	22.40B/*8.50A	----	8.60 - 9.70	.0908	----	----	1	----	3 + 1
4550	12.10	12.10	22.60B/*8.80A	22.60B/*8.80A	----	9.00 - 10.00	.0952	----	----	2	----	15 + 1
4550	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4555	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4555	8.60	8.60	23.20B/*8.60	23.20B/*8.60	----	9.40 - 10.20	.0998	----	----	10	----	11 + 10
4570	10.00	10.00	26.70B/*10.00	26.70B/*10.00	----	10.60 - 11.20	.1139	----	----	2	----	3 + 2
4570	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4575	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4575	----	----	191.10B/*133.80	191.10B/*133.80A	----	176.90 NEW	.8803	----	----	3	----	3 + 3
4575	15.50	15.50	27.00B/11.00A	27.00B/11.00A	----	11.10 - 11.50	.1195	----	----	7	----	16 - 3
4580	----	----	186.70B/*130.30	186.70B/*130.30A	----	172.40 NEW	.8746	----	----	3	----	3 + 3
4580	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4585	12.90	12.90	29.20B/12.10A	29.20B/12.10A	----	12.20 - 12.10	.1316	----	----	1	----	2 + 1
4590	13.50	13.50	30.90B/12.60A	30.90B/12.60A	----	12.70 NEW	.1375	----	----	3	----	3 + 3
4590	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4595	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4600	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4600	23.00	23.00	33.70B/13.90A	33.70B/13.90A	----	13.90 - 13.10	.1509	----	----	39	----	35 + 25
4600	----	----	168.90B/*115.60	168.90B/*115.60A	----	154.80 + 3.80	.8489	----	----	----	----	50 UNCH
4605	38.00	38.00	38.00/14.50A	38.00/14.50A	----	14.60 - 13.40	.1584	----	----	1	----	2 + 1
4615	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4615	----	----	----	----	----	109.00 UNCH	----	----	----	----	----	0 UNCH
4615	16.80	16.80	37.20B/16.00A	37.20B/16.00A	----	16.00 - 14.10	.1738	----	----	1	----	2 UNCH
4620	----	----	38.10B/16.70A	38.10B/16.70A	----	16.80 - 14.40	.1822	----	----	----	----	1 UNCH
4620	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4625	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4630	21.60	21.60	41.70B/18.40A	41.70B/18.40A	----	18.50 - 15.00	.2001	----	----	1	----	3 + 1
4630	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4635	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4640	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4645	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4645	----	----	46.30B/21.30A	46.30B/21.30A	----	21.40 - 16.00	.2297	----	----	----	----	1 UNCH
4650	----	----	127.30B/*87.40A	127.30B/*87.40A	----	113.30 + 0.60	.7597	----	----	----	----	1 UNCH
4650	45.00	45.00	49.10B/22.30A	49.10B/22.30A	----	22.40 - 16.30	.2401	----	----	1	----	2 + 1
4650	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4655	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4660	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4660	26.00	26.00	52.30B/24.50A	52.30B/24.50A	----	24.70 - 16.90	.2626	----	----	1	----	100 UNCH
4660	----	----	----	----	----	64.00 UNCH	----	----	----	----	----	0 UNCH
4665	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4670	----	----	56.20B/26.80A	56.20B/26.80A	----	27.20 - 17.60	.2866	----	----	4	----	11 + 1
4670	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4675	----	----	----	----	----	49.00 UNCH	----	----	----	----	----	0 UNCH
4675	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4680	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4680	----	----	----	----	----	44.00 UNCH	----	----	----	----	----	0 UNCH
4685	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4690	----	----	63.60B/32.30A	63.60B/32.30A	----	33.00 - 18.70	.3393	----	----	10	----	7 + 1
4690	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4695	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4700	----	----	90.50B/*60.20A	90.50B/*60.20A	----	77.20 - 2.30	.6319	----	----	2	----	1 UNCH
4700	----	----	----	----	----	24.00 UNCH	----	----	----	----	----	0 UNCH
4700	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4700	----	----	68.70B/35.50A	68.70B/35.50A	----	36.40 - 19.10	.3679	----	----	20	----	46 UNCH
4705	----	----	87.00B/*57.70A	87.00B/*57.70A	----	74.00 - 2.50	.6173	----	----	----	----	6 UNCH
4705	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4705	----	----	----	----	----	19.00 UNCH	----	----	----	----	----	0 UNCH
4710	68.10	68.10	73.50B/38.70A	73.50B/38.70A	----	40.00 - 19.50	.3975	----	----	3	----	29 + 2
4710	----	----	----	----	----	14.00 UNCH	----	----	----	----	----	0 UNCH
4710	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4715	61.90	61.90	80.50B/*52.50A	80.50B/*52.50A	----	67.80 NEW	.5871	----	----	1	----	1 + 1
4715	----	----	----	----	----	9.00 UNCH	----	----	----	----	----	0 UNCH
4715	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4720	----	----	88.50B/42.30A	88.50B/42.30A	----	43.90 - 20.00	.4281	----	----	----	----	1 UNCH
4720	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4720	----	----	----	----	----	4.00 UNCH	----	----	----	----	----	0 UNCH
4725	----	----	----	----	----	1.00 UNCH	----	----	----	----	----	0 UNCH
4725	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4730	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4730	----	----	94.60B/46.30A	94.60B/46.30A	----	48.20 - 20.30	.4597	----	----	----	----	1 UNCH
4730	----	----	----	----	----	6.00 UNCH	----	----	----	----	----	0 UNCH
4735	----	----	97.50B/48.40A	97.50B/48.40A	----	50.40 - 20.50	.4757	----	----	----	----	1 UNCH
4735	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4735	----	----	----	----	----	11.00 UNCH	----	----	----	----	----	0 UNCH
4740	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4740	----	----	----	----	----	16.00 UNCH	----	----	----	----	----	0 UNCH
4745	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4745	----	----	----	----	----	21.00 UNCH	----	----	----	----	----	0 UNCH
4750	41.50	41.50	59.50B/*36.30	59.50B/*36.30	----	48.60 - 3.90	.4756	----	----	16	----	32 + 12
4750	----	----	107.20B/55.00A	107.20B/55.00A	----	57.70 - 20.80	.5242	----	----	----	----	65 UNCH
4750	----	----	----	----	----	26.00 UNCH	----	----	----	----	----	0 UNCH
4750	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4755	----	----	110.50B/57.40A	110.50B/57.40A	----	60.30 - 20.90	.5404	----	----	----	----	16 UNCH
4755	----	----	----	----	----	31.00 UNCH	----	----	----	----	----	0 UNCH
4755	38.60	38.60	56.80B/*35.70A	56.80B/*35.70A	----	46.20 - 4.00	.4593	----	----	1	----	79 + 1
4755	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4760	----	----	54.20B/*34.00A	54.20B/*34.00A	----	43.80 - 4.20	.4430	----	----	----	----	17 UNCH
4760	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4760	----	----	113.90B/59.80A	113.90B/59.80A	----	62.90 - 21.10	.5567	----	----	----	----	28 UNCH
4760	----	----	----	----	----	36.00 UNCH	----	----	----	----	----	0 UNCH
4765	----	----	----	----	----	41.00 UNCH	----	----	----	----	----	0 UNCH
4765	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4770	----	----	----	----	----	46.00 UNCH	----	----	----	----	----	0 UNCH
4770	----	----	49.00B/*30.80A	49.00B/*30.80A	----	39.40 - 4.30	.4108	----	----	----	----	1 UNCH
4770	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4775	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4775	42.20	42.20	46.60B/*29.10A	46.60B/*29.10A	----	37.40 - 4.30	.3950	----	----	1	----	2 + 1
4775	----	----	----	----	----	51.00 UNCH	----	----	----	----	----	0 UNCH
4780	----	----	----	----	----	56.00 UNCH	----	----	----	----	----	0 UNCH
4780	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4785	30.70	30.70	42.10B/*26.10A	42.10B/*26.10A	----	33.50 NEW	.3637	----	----	11	----	8 + 8
4785	----	----	----	----	----	61.00 UNCH	----	----	----	----	----	0 UNCH
4785	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4790	----	----	40.00B/*24.60A	40.00B/*24.60A	----	31.70 - 4.40	.3485	----	----	3	----	2 + 1
4790	----	----	----	----	----	66.00 UNCH	----	----	----	----	----	0 UNCH
4790	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4795	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4795	----	----	37.90B/*23.10A	37.90B/*23.10A	----	29.90 - 4.40	.3333	----	----	----	----	1 UNCH
4800	----	----	----	----	----	76.00 UNCH	----	----	----	----	----	0 UNCH
4800	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU		GOLD WEEKLY THURSDAY OPTION Week5										
APR26												
4800	30.90	30.90	35.90B/*21.70A	35.90B/*21.70A	----	28.30 - 4.40	.3188	----	----	3	----	86 + 2
4805	----	----	----	----	----	81.00 UNCH	----	----	----	----	----	0 UNCH
4805	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4810	----	----	----	----	----	86.00 UNCH	----	----	----	----	----	0 UNCH
4810	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4810	----	----	32.20B/*19.30A	32.20B/*19.30A	----	25.20 - 4.30	.2903	----	----	26	----	27 + 26
4815	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4815	20.10	20.10	30.50B/*17.90	30.50B/*17.90	----	23.70 NEW	.2763	----	----	2	----	1 + 1
4820	----	----	----	----	----	96.00 UNCH	----	----	----	----	----	0 UNCH
4820	----	----	159.40B/94.90A	159.40B/94.90A	----	101.40 - 21.10	.7364	----	----	----	----	1 UNCH
4825	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4825	----	----	163.60B/98.20A	163.60B/98.20A	----	105.10 - 21.10	.7494	----	----	----	----	1 UNCH
4830	14.30	14.30	25.70B/*14.30	25.70B/*14.30	----	19.80 - 4.10	.2375	----	----	5	----	8 + 4
4830	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4830	----	----	----	----	----	106.00 UNCH	----	----	----	----	----	0 UNCH
4835	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4835	----	----	----	----	----	111.00 UNCH	----	----	----	----	----	0 UNCH
4840	----	----	22.70B/*13.20A	22.70B/*13.20A	----	17.60 - 3.90	.2142	----	----	2	----	2 UNCH
4840	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4840	----	----	----	----	----	116.00 UNCH	----	----	----	----	----	0 UNCH
4840	----	----	176.30B/108.80A	176.30B/108.80A	----	116.60 - 20.90	.7856	----	----	----	----	3 UNCH
4845	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4845	----	----	----	----	----	121.00 UNCH	----	----	----	----	----	0 UNCH
4845	----	----	180.80B/112.50A	180.80B/112.50A	----	120.60 NEW	.7972	----	----	4	----	4 + 4
4850	----	----	----	----	----	126.00 UNCH	----	----	----	----	----	0 UNCH
4850	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4850	----	----	20.10B/*11.80A	20.10B/*11.80A	----	15.60 - 3.70	.1923	----	----	----	----	86 UNCH
4850	----	----	184.90B/116.20A	184.90B/116.20A	----	124.60 NEW	.8074	----	----	4	----	4 + 4
4855	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4855	15.50	15.50	19.00B/*11.00A	19.00B/*11.00A	----	14.60 - 3.70	.1816	----	----	1	----	2 UNCH
4860	----	----	----	----	----	136.00 UNCH	----	----	----	----	----	0 UNCH
4860	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4860	12.80	12.80	17.80B/*10.30A	17.80B/*10.30A	----	13.80 - 3.50	.1722	----	----	1	----	3 UNCH
4865	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4865	----	----	16.80B/*9.70A	16.80B/*9.70A	----	12.90 - 3.50	.1622	----	----	----	----	1 UNCH
4870	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4870	----	----	----	----	----	146.00 UNCH	----	----	----	----	----	0 UNCH
4870	----	----	15.80B/*9.10A	15.80B/*9.10A	----	12.20 - 3.40	.1537	----	----	4	----	11 + 1
4875	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4875	12.50	12.50	14.80B/*8.60A	14.80B/*8.60A	----	11.40 - 3.30	.1446	----	----	27	----	26 + 21
4880	----	----	----	----	----	156.00 UNCH	----	----	----	----	----	0 UNCH
4880	11.60	11.60	14.00B/*8.10A	14.00B/*8.10A	----	10.80 - 3.10	.1371	----	----	20	----	30 + 20
4885	----	----	----/*7.60A	13.10B/*7.60A	----	10.10 - 3.10	.1289	----	----	----	----	2 UNCH
4885	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4890	8.10	8.10	8.10/*7.20A	12.30B/*7.20A	----	9.50 - 3.00	.1215	----	----	10	----	12 - 6
4890	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4900	----	----	----	----	----	176.00 UNCH	----	----	----	----	----	0 UNCH
4900	10.00	10.00	10.00/*6.50A	10.90B/*6.50A	----	8.40 - 2.80	.1079	----	----	2	----	14 UNCH
4900	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4905	----	----	----/*6.20A	10.10B/*6.20A	----	7.90 - 2.70	.1016	----	----	----	----	1 UNCH
4905	----	----	----	----	----	181.00 UNCH	----	----	----	----	----	0 UNCH
4905	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4915	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4915	----	----	----/*5.50A	9.00B/*5.50A	----	7.10 - 2.40	.0911	----	----	----	----	2 UNCH
4915	----	----	----	----	----	191.00 UNCH	----	----	----	----	----	0 UNCH
4920	----	----	----/5.30A	8.50B/5.30A	----	6.60 - 2.40	.0850	----	----	----	----	5 UNCH
4925	----	----	----/*5.00A	7.90B/*5.00A	----	6.30 - 2.20	.0808	----	----	12	----	13 + 12
4930	----	----	----/*4.70A	7.50B/*4.70A	----	5.90 - 2.20	.0758	----	----	----	----	5 UNCH
4935	----	----	----	----	----	211.00 UNCH	----	----	----	----	----	0 UNCH
4935	5.00	5.00	7.00B/*4.50	7.00B/*4.50	----	5.60 - 2.10	.0717	----	----	20	----	27 + 12
4940	----	----	----/*4.30A	6.50B/*4.30A	----	5.30 - 2.00	.0677	----	----	----	----	1 UNCH
4940	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4945	----	----	----/*4.10A	6.10B/*4.10A	----	5.00 - 1.90	.0638	----	----	----	----	1 UNCH
4950	4.60	4.60	4.60/*3.90A	5.80B/*3.90A	----	4.70 - 1.90	.0599	----	----	2	----	10 + 1
4960	----	----	----/*3.50A	5.20B/*3.50A	----	4.30 - 1.60	.0542	----	----	12	----	17 + 12
4965	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4965	----	----	----/*3.40A	4.90B/*3.40A	----	4.00 - 1.70	.0505	----	----	----	----	1 UNCH
4970	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4970	----	----	----/3.20A	4.60B/3.20A	----	3.80 - 1.60	.0478	----	----	----	----	1 UNCH
4975	3.40	3.40	4.30B/*3.10A	4.30B/*3.10A	----	3.60 - 1.50	.0451	----	----	30	----	38 + 30
5000	2.70	2.70	3.30B/*2.50	3.30B/*2.50	----	2.90 - 1.20	.0353	----	----	42	----	39 + 30
5000	----	----	----	----	----	276.00 UNCH	----	----	----	----	----	0 UNCH
5000	----	----	326.60B/249.00A	326.60B/249.00A	----	261.90 - 18.00	.9645	----	----	----	----	2 UNCH
5005	----	----	----/*2.50A	3.10B/*2.50A	----	2.80 - 1.10	.0338	----	----	----	----	4 UNCH
5020	----	----	----/*2.20A	2.60B/*2.20A	----	2.40 - 1.00	.0286	----	----	----	----	2 UNCH
5025	----	----	----/*2.20A	2.50B/*2.20A	----	2.30 - 1.00	.0273	----	----	----	----	10 UNCH
5050	----	----	----/*1.80A	1.90B/*1.80A	----	1.90 - 0.80	.0218	----	----	1	----	2 UNCH
5075	2.00	2.00	2.00/*1.60A	2.00/*1.60A	----	1.60 - 0.70	.0177	----	----	6	----	13 + 6
5125	----	----	----/*1.30A	1.10B/*1.30A	----	1.20 - 0.40	.0123	----	----	----	----	49 UNCH
5150	1.40	1.40	1.40/*1.20A	1.40/*1.20A	----	1.00 - 0.40	.0099	----	----	10	----	10 + 8
5200	----	----	----	0.70B/*1.00A	----	0.70 - 0.30	.0065	----	----	9	----	40 + 8
5225	----	----	----	0.60B/*0.90A	----	0.60 - 0.30	.0054	----	----	----	----	1 UNCH
5400	----	----	----	----/*0.70A	----	0.20 - 0.10	.0014	----	----	----	----	1 UNCH
5500	----	----	----	----/*0.60A	----	0.10 - 0.10	.0006	----	----	----	----	1 UNCH
5600	----	----	----	----/*0.60A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
TOTAL										459		1629 + 321
MAY26												
4200	6.90	6.90	7.50B/*4.10A	7.50B/*4.10A	----	3.90 NEW	.0267	----	----	1	----	1 + 1
4300	18.10	18.10	18.70B/*11.20A	18.70B/*11.20A	----	11.00 NEW	.0687	----	----	2	----	1 + 1
4325	----	----	12.10B/*6.40A	12.10B/*6.40A	----	6.40 - 4.30	.0476	----	----	----	----	1 UNCH
4400	----	----	16.50B/*9.10A	16.50B/*9.10A	----	9.20 - 6.20	.0710	----	----	----	----	7 UNCH
4425	----	----	19.20B/*10.40A	19.20B/*10.40A	----	10.60 - 6.90	.0823	----	----	----	----	2 UNCH
4450	----	----	36.00B/*22.50A	36.00B/*22.50A	----	22.10 - 8.70	.1384	----	----	----	----	10 UNCH
4475	26.20	26.20	40.60B/25.80A	40.60B/25.80A	----	25.10 NEW	.1561	----	----	2	----	2 + 2
4475	----	----	26.00B/13.80A	26.00B/13.80A	----	14.00 - 8.90	.1099	----	----	----	----	3 UNCH
4500	----	----	30.20B/16.00A	30.20B/16.00A	----	16.30 - 9.90	.1280	----	----	----	----	151 UNCH
4525	----	----	51.30B/*33.50A	51.30B/33.50A	----	32.60 NEW	.1985	----	----	2	----	2 + 2
4550	----	----	58.30B/*38.00A	58.30B/38.00A	----	37.20 - 11.90	.2233	----	----	----	----	10 UNCH
4550	21.40	21.40	40.50B/21.30	40.50B/21.30	----	22.40 - 12.10	.1739	----	----	22	----	66 + 16
4575	----	----	46.90B/26.00A	46.90B/26.00A	----	26.40 - 13.20	.2025	----	----	----	----	1 UNCH
4600	----	----	73.80B/*49.60A	73.80B/49.60A	----	48.50 - 13.50	.2807	----	----	2	----	152 + 2
4625	----	----	62.30B/36.30A	62.30B/36.30A	----	36.80 - 15.50	.2722	----	----	----	----	50 UNCH
4645	41.10	41.10	69.60B/41.10	69.60B/41.10	----	42.10 NEW	.3049	----	----	1	----	1 + 1
4650	----	----	92.60B/64.00A	92.60B/64.00A	----	63.10 - 14.80	.3480	----	----	----	----	4 UNCH
4650	----	----	71.50B/43.00A	71.50B/43.00A	----	43.50 - 16.50	.3135	----	----	1	----	12 UNCH
4660	78.30	78.30	78.30/45.90A	78.30/45.90A	----	46.50 NEW	.3311	----	----	1	----	1 + 1
4670	52.40	52.40	80.70B/49.00A	80.70B/49.00A	----	49.70 NEW	.3494	----	----	100	----	100 + 100
4700	----	----	113.30B/*85.10A	113.30B/*85.10A	----	101.30 NEW	.5923	----	----	----	200	200 + 200
4700	----	----	94.80B/59.20A	94.80B/59.20A	----	60.40 - 18.40	.4073	----	----	----	----	5 UNCH
4720	----	----	101.40B/*76.40A	101.40B/*76.40A	----	89.50 - 2.10	.5515	----	----	----	----	1 UNCH
4720	70.00	70.00	104.00B/67.20A	104.00B/67.20A	----	68.70 NEW	.4481	----	----	2	----	2 + 2
4725	77.10	77.10	113.60B/69.20A	113.60B/69.20A	----	70.80 NEW	.4584	----	----	4	----	4 + 4
4730	----	----	95.60B/*71.50A	95.60B/*71.50A	----	84.00 - 2.40	.5307	----	----	----	----	4 UNCH
4740	----	----	122.40B/75.90A	122.40B/75.90A	----	77.80 NEW	.4899	----	----	12	----	12 + 12
4740	----	----	89.90B/*66.70A	89.90B/*66.70A	----	78.70 NEW	.5096	----	----	1	----	1 + 1
4750	----	----	84.50B/*62.10A	84.50B/*62.10A	----	73.60 - 2.80	.4885	----	----	1	----	201 + 1
4750	----	----	129.30B/80.60A	129.30B/80.60A	----	82.70 NEW	.5111	----	----	1	----	1 + 1
4765	----	----	138.60B/88.10A	138.60B/88.10A	----	90.40 - 20.10	.5429	----	----	----	----	50 UNCH
4770	----	----	142.00B/90.50A	142.00B/90.50A	----	93.10 - 20.20	.5535	----	----	----	----	10 UNCH
4775	----	----	145.40B/93.10A	145.40B/93.10A	----	95.90 - 20.20	.5641	----	----	----	----	50 UNCH
4775	----	----	71.80B/*52.20A	71.80B/*52.20A	----	61.80 - 3.40	.4354	----	----	----	----	1 UNCH
4790	46.80	46.80	64.80B/*46.80	64.80B/*46.80	----	55.50 NEW	.4041	----	----	1	----	1 + 1
4800	----	----	#162.50B/106.80	#162.50B/106.80A	----	110.60 NEW	.6162	----	----	1	----	1 + 1
4815	----	----	#173.30B/115.90	#173.30B/115.90A	----	120.00 - 20.70	.6464	----	----	----	----	1 UNCH
4825	----	----	50.50B/*35.70A	50.50B/*35.70A	----	42.60 - 3.80	.3336	----	----	----	----	50 UNCH
4830	----	----	#184.70B/125.20	#184.70B/125.20A	----	130.00 - 20.70	.6756	----	----	----	----	4 UNCH
4845	----	----	#196.30B/134.80	#196.30B/134.80A	----	140.40 - 20.70	.7037	----	----	----	----	5 UNCH
4845	----	----	43.40B/*30.70A	43.40B/*30.70A	----	36.40 - 3.90	.2959	----	----	----	----	11 UNCH
4850	----	----	41.70B/*29.50A	41.70B/*29.50A	----	35.00 - 3.90	.2869	----	----	1	----	201 UNCH
4850	----	----	#200.30B/138.40	#200.30B/138.40A	----	144.00 - 20.70	.7127	----	----	----	----	9 UNCH
4900	----	----	28.10B/*19.90A	28.10B/*19.90A	----	23.30 - 3.60	.2062	----	----	----	----	3 UNCH
4925	----	----	37.90B/*31.40A	37.90B/*31.40A	----	33.90 - 2.70	.2338	----	----	----	----	11 UNCH
4925	----	----	22.90B/*16.20A	22.90B/*16.20A	----	19.00 - 3.30	.1731	----	----	----	----	50 UNCH
4955	----	----	17.90B/*12.80A	17.90B/*12.80A	----	14.80 - 3.00	.1390	----	----	----	----	9 UNCH
4970	----	----	----/*11.30A	15.80B/*11.30A	----	13.10 - 2.90	.1244	----	----	----	----	18 UNCH
4985	----	----	----/*10.10A	13.90B/*10.10A	----	11.70 - 2.60	.1119	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

GWR THU — GOLD WEEKLY THURSDAY OPTION Week1

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26												
4990	12.00	12.00	12.00/*9.90A	13.40B/*9.90A	----	11.20 NEW	.1076	----	----	20	----	20 + 20
5000	----	----	----/*19.10A	23.30B/*19.10A	----	21.00 - 2.80	.1565	----	----	4	----	154 + 4
5000	----	----	----/*9.10A	12.30B/*9.10A	----	10.40 - 2.40	.1003	----	----	----	----	10 UNCH
5015	----	----	----/*8.20A	10.80B/*8.20A	----	9.30 - 2.20	.0901	----	----	----	----	3 UNCH
5025	----	----	----/*16.80A	19.70B/*16.80A	----	17.90 - 2.70	.1361	----	----	----	----	10 UNCH
5025	----	----	----/*7.60A	10.00B/*7.60A	----	8.60 - 2.10	.0837	----	----	----	----	1 UNCH
5075	----	----	----/*12.00A	14.40B/*12.00A	----	13.10 NEW	.1027	----	----	4	----	4 + 4
5125	----	----	----/*4.10A	4.70B/*4.10A	----	4.50 - 1.20	.0434	----	----	----	----	1 UNCH
5200	2.90	2.90	2.90/*2.80A	2.90/*2.80A	----	3.00 - 0.80	.0281	----	----	1	----	1 - 1
5250	----	----	----/*2.40A	2.20B/*2.40A	----	2.40 - 0.60	.0218	----	----	----	----	1 UNCH
5275	----	----	----/*2.20A	1.90B/*2.20A	----	2.20 - 0.50	.0197	----	----	----	----	3 UNCH
5400	----	----	----	1.20B/*1.60A	----	1.30 - 0.10	.0109	----	----	----	----	1 UNCH
TOTAL										187	200	1703 + 376

GMW MON — GOLD WEEKLY MONDAY OPTION WEEK1

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26												
3800	----	----	----/1.10A	0.70B/1.10A	----	0.80 - 0.40	.0040	----	----	----	----	4 UNCH
3900	----	----	----/3.10A	2.40B/3.10A	----	2.20 - 1.20	.0120	----	----	----	----	6 UNCH
3900	----	----	----/*1.20A	1.10B/*1.20A	----	1.00 - 0.60	.0055	----	----	----	----	3 UNCH
4000	----	----	5.00B/----	5.00B/6.70A	----	2.80 - 1.50	.0170	----	----	----	----	2 UNCH
4100	----	----	#8.50B/----	#8.50B/*8.30A	----	4.90 - 2.30	.0294	----	----	----	----	3 UNCH
4100	----	----	----/*2.00A	2.70B/*2.00A	----	1.70 - 1.20	.0112	----	----	----	----	30 UNCH
4200	----	----	4.30B/*2.50A	4.30B/*2.50A	----	2.20 - 1.90	.0161	----	----	----	----	1 UNCH
4200	----	----	----/*6.00A	6.80B/*6.00A	----	5.40 - 1.40	.0352	----	----	----	----	1 UNCH
4200	----	----	13.20B/*11.30A	13.20B/*11.30A	----	8.40 - 3.40	.0497	----	----	----	----	2 UNCH
4225	----	----	4.90B/*2.80A	4.90B/*2.80A	----	2.40 - 2.20	.0180	----	----	----	----	1 UNCH
4250	----	----	5.70B/*2.90A	5.70B/*2.90A	----	2.60 - 2.50	.0201	----	----	----	----	3 UNCH
4250	----	----	8.70B/*7.60A	8.70B/*7.60A	----	6.40 - 2.20	.0430	----	----	----	----	2 UNCH
4300	----	----	11.30B/*8.80A	11.30B/*8.80A	----	7.80 - 3.20	.0538	----	----	----	----	6 UNCH
4300	----	----	7.50B/*3.50A	7.50B/*3.50A	----	3.20 - 3.10	.0259	----	----	----	----	19 UNCH
4300	----	----	20.50B/15.40A	20.50B/15.40A	----	13.40 - 5.60	.0789	----	----	----	----	1 UNCH
4325	----	----	12.90B/*9.00A	12.90B/*9.00A	----	8.70 - 3.80	.0606	----	----	----	----	2 UNCH
4325	----	----	22.80B/17.00A	22.80B/17.00A	----	14.90 - 6.30	.0879	----	----	----	----	4 UNCH
4350	----	----	14.70B/*10.10A	14.70B/*10.10A	----	9.70 - 4.50	.0682	----	----	----	----	17 UNCH
4350	----	----	9.20B/*4.30A	9.20B/*4.30A	----	4.00 - 4.00	.0340	----	----	----	----	3 UNCH
4350	----	----	25.60B/18.70A	25.60B/18.70A	----	16.60 - 7.00	.0980	----	----	----	----	1 UNCH
4360	----	----	9.60B/*4.50A	9.60B/*4.50A	----	4.20 - 4.20	.0360	----	----	----	----	1 UNCH
4370	----	----	10.00B/*4.70A	10.00B/*4.70A	----	4.50 - 4.40	.0388	----	----	----	----	2 UNCH
4375	----	----	16.80B/*11.30A	16.80B/*11.30A	----	10.90 - 5.20	.0772	----	----	----	----	1 UNCH
4375	----	----	9.40B/*4.90A	9.40B/*4.90A	----	4.60 - 4.50	.0398	----	----	----	----	1 UNCH
4375	----	----	29.00B/20.50A	29.00B/20.50A	----	18.60 - 7.60	.1095	----	----	----	----	3 UNCH
4385	----	----	9.80B/*5.10A	9.80B/*5.10A	----	4.80 - 4.80	.0420	----	----	----	----	1 UNCH
4400	11.00	11.00	11.60B/*5.50A	11.60B/*5.50A	----	5.30 - 5.10	.0468	----	----	3	----	92 + 3
4400	----	----	19.40B/*12.90A	19.40B/*12.90A	----	12.40 - 5.80	.0881	----	----	----	----	6 UNCH
4400	----	----	32.30B/23.10A	32.30B/23.10A	----	20.90 - 8.20	.1226	----	----	----	----	10 UNCH
4410	----	----	12.70B/*5.80A	12.70B/*5.80A	----	5.60 - 5.40	.0498	----	----	----	----	3 UNCH
4415	10.30	10.30	12.80B/*6.00A	12.80B/*6.00A	----	5.80 NEW	.0517	----	----	150	----	150 + 150
4420	----	----	12.90B/*6.10A	12.90B/*6.10A	----	5.90 - 5.70	.0529	----	----	----	----	1 UNCH
4450	----	----	26.00B/17.00A	26.00B/17.00A	----	16.20 - 7.20	.1151	----	----	----	----	2 UNCH
4450	----	----	15.90B/*7.30A	15.90B/*7.30A	----	7.10 - 6.60	.0649	----	----	----	----	3 UNCH
4460	----	----	17.00B/*7.70A	17.00B/*7.70A	----	7.60 - 7.00	.0697	----	----	----	----	2 UNCH
4475	----	----	29.70B/19.30A	29.70B/19.30A	----	18.60 - 8.10	.1318	----	----	----	----	10 UNCH
4475	----	----	18.70B/*8.50A	18.70B/*8.50A	----	8.40 - 7.50	.0776	----	----	----	----	1 UNCH
4475	----	----	45.90B/32.30A	45.90B/32.30A	----	29.70 - 9.90	.1710	----	----	----	----	4 UNCH
4485	----	----	31.50B/20.30A	31.50B/20.30A	----	19.70 - 8.50	.1393	----	----	----	----	11 UNCH
4490	----	----	32.70B/20.80A	32.70B/20.80A	----	20.30 - 8.60	.1432	----	----	----	----	2 UNCH
4500	----	----	34.70B/22.30A	34.70B/22.30A	----	21.50 - 9.10	.1513	----	----	----	----	5 UNCH
4500	10.20	10.20	22.50B/10.10A	22.50B/10.10A	----	10.10 - 8.40	.0937	----	----	1	----	15 UNCH
4500	----	----	51.70B/36.30A	51.70B/36.30A	----	33.60 - 10.40	.1913	----	----	----	----	5 UNCH
4505	----	----	22.70B/*10.50A	22.70B/*10.50A	----	10.40 - 8.70	.0968	----	----	1	----	1 UNCH
4505	----	----	35.70B/22.90A	35.70B/22.90A	----	22.10 - 9.30	.1554	----	----	----	----	1 UNCH
4520	----	----	38.80B/25.00A	38.80B/25.00A	----	24.10 - 10.00	.1686	----	----	----	----	1 UNCH
4525	----	----	26.20B/11.90A	26.20B/11.90A	----	12.10 - 9.50	.1127	----	----	----	----	1 UNCH
4525	----	----	57.40B/40.90A	57.40B/40.90A	----	37.90 - 11.10	.2133	----	----	----	----	2 UNCH
4540	----	----	43.00B/28.20A	43.00B/28.20A	----	27.20 - 10.80	.1882	----	----	----	----	1 UNCH
4540	----	----	28.80B/13.30A	28.80B/13.30A	----	13.50 - 10.20	.1259	----	----	----	----	2 UNCH
4550	----	----	30.80B/14.40A	30.80B/14.40A	----	14.60 - 10.70	.1359	----	----	----	----	15 UNCH
4550	----	----	46.00B/29.80A	46.00B/29.80A	----	28.80 - 11.30	.1984	----	----	----	----	2 UNCH
4550	----	----	64.20B/46.00A	64.20B/46.00A	----	42.80 - 11.80	.2375	----	----	----	----	2 UNCH
4555	----	----	47.00B/30.60A	47.00B/30.60A	----	29.70 - 11.50	.2039	----	----	----	----	1 UNCH
4555	----	----	31.90B/15.00A	31.90B/15.00A	----	15.20 - 10.90	.1412	----	----	----	----	1 UNCH
4565	----	----	49.80B/32.60A	49.80B/32.60A	----	31.50 - 12.00	.2151	----	----	----	----	1 UNCH
4570	----	----	51.30B/33.50A	51.30B/33.50A	----	32.50 - 12.20	.2210	----	----	----	----	2 UNCH
4575	26.20	26.20	36.20B/17.60A	36.20B/17.60A	----	17.70 NEW	.1638	----	----	10	----	10 + 10
4575	----	----	72.20B/51.60A	72.20B/51.60A	----	48.30 - 12.60	.2638	----	----	----	----	3 UNCH
4580	----	----	37.80B/18.20A	37.80B/18.20A	----	18.40 - 12.20	.1701	----	----	----	----	2 UNCH
4585	20.20	20.20	38.40B/19.00A	38.40B/19.00A	----	19.20 NEW	.1768	----	----	20	----	20 + 20
4590	----	----	39.70B/19.70A	39.70B/19.70A	----	20.00 - 12.70	.1836	----	----	----	----	2 UNCH
4600	----	----	42.50B/21.40A	42.50B/21.40A	----	21.60 - 13.30	.1975	----	----	----	----	7 UNCH
4600	----	----	80.00B/58.00A	80.00B/58.00A	----	54.50 - 13.70	.2923	----	----	----	----	31 UNCH
4600	42.50	42.50	61.10B/39.90A	61.10B/39.90A	----	38.90 - 13.60	.2586	----	----	20	----	32 UNCH
4605	23.70	23.70	43.90B/22.20A	43.90B/22.20A	----	22.50 - 13.50	.2050	----	----	2	----	3 + 2
4610	----	----	63.20B/42.10A	63.20B/42.10A	----	41.30 - 14.00	.2722	----	----	----	----	2 UNCH
4610	----	----	46.10B/23.10A	46.10B/23.10A	----	23.40 - 13.80	.2126	----	----	----	----	1 UNCH
4620	----	----	67.00B/44.90A	67.00B/44.90A	----	43.90 - 14.40	.2864	----	----	----	----	2 UNCH
4620	----	----	49.20B/25.10A	49.20B/25.10A	----	25.40 - 14.30	.2289	----	----	----	----	4 UNCH
4635	----	----	53.80B/28.30A	53.80B/28.30A	----	28.60 - 15.10	.2546	----	----	----	----	1 UNCH
4650	----	----	59.80B/31.80A	59.80B/31.80A	----	32.30 - 15.80	.2829	----	----	3	----	11 - 2
4650	----	----	135.90B/*100.10	135.90B/*100.10A	----	123.10 + 1.00	.7167	----	----	----	----	1 UNCH
4655	35.00	35.00	61.70B/33.10A	61.70B/33.10A	----	33.60 - 16.10	.2927	----	----	1	----	1 UNCH
4660	----	----	82.10B/56.50A	82.10B/56.50A	----	55.70 - 15.80	.3479	----	----	----	----	2 UNCH
4665	43.90	43.90	65.60B/36.00A	65.60B/36.00A	----	36.40 - 16.60	.3132	----	----	1	----	3 + 1
4670	----	----	67.90B/37.40A	67.90B/37.40A	----	37.90 - 16.80	.3239	----	----	1	----	12 UNCH
4680	48.90	48.90	71.30B/40.30A	71.30B/40.30A	----	41.00 NEW	.3456	----	----	1	----	1 + 1
4685	----	----	73.50B/41.80A	73.50B/41.80A	----	42.70 - 17.50	.3570	----	----	----	----	2 UNCH
4690	----	----	107.00B/*77.10A	107.00B/*77.10A	----	95.20 - 0.90	.6313	----	----	----	----	3 UNCH
4690	----	----	94.60B/66.80A	94.60B/66.80A	----	66.40 - 16.70	.3986	----	----	----	----	4 UNCH
4690	----	----	76.70B/43.40A	76.70B/43.40A	----	44.40 - 17.70	.3684	----	----	----	----	3 UNCH
4695	----	----	103.70B/*74.40A	103.70B/*74.40A	----	92.00 - 1.00	.6198	----	----	----	----	1 UNCH
4695	----	----	98.10B/68.70A	98.10B/68.70A	----	68.40 - 16.70	.4074	----	----	----	----	1 UNCH
4700	95.90	95.90	100.40/70.60A	100.40/70.60A	----	70.40 - 16.80	.4163	----	----	10	----	9 UNCH
4700	----	----	100.20B/*70.30A	100.20B/*70.30A	----	88.80 - 1.30	.6080	----	----	----	----	1 UNCH
4700	49.60	49.60	80.70B/46.80A	80.70B/46.80A	----	47.90 - 18.20	.3916	----	----	5	----	158 - 1
4700	----	----	122.00B/91.30A	122.00B/91.30A	----	87.60 - 18.70	.4268	----	----	----	----	3 UNCH
4705	----	----	83.20B/48.60A	83.20B/48.60A	----	49.80 - 18.40	.4036	----	----	----	----	11 UNCH
4705	69.00	69.00	96.90B/*68.10A	96.90B/*68.10A	----	85.70 - 1.50	.5960	----	----	2	----	2 + 1
4710	----	----	86.90B/50.70A	86.90B/50.70A	----	51.80 - 18.50	.4158	----	----	1	----	1 UNCH
4715	----	----	91.00B/*62.70A	91.00B/*62.70A	----	79.70 - 1.80	.5716	----	----	1	----	1 UNCH
4720	----	----	88.00B/*60.30A	88.00B/*60.30A	----	76.70 - 2.10	.5592	----	----	----	----	1 UNCH
4725	----	----	85.10B/*58.20A	85.10B/*58.20A	----	73.90 NEW	.5468	----	----	12	----	12 + 12
4725	----	----	112.30B/80.80A	112.30B/80.80A	----	81.10 - 17.40	.4614	----	----	----	----	2 UNCH
4730	----	----	115.90B/83.00A	115.90B/83.00A	----	83.40 - 17.50	.4706	----	----	----	----	20 UNCH
4730	----	----	81.90B/*57.00A	81.90B/*57.00A	----	71.10 - 2.30	.5341	----	----	1	----	6 + 1
4730	----	----	104.50B/58.40A	104.50B/58.40A	----	60.20 NEW	.4655	----	----	1	----	1 + 1
4735	----	----	79.10B/*54.90A	79.10B/*54.90A	----	68.40 NEW	.5215	----	----	1	----	1 + 1
4740	----	----	120.70B/87.50A	120.70B/87.50A	----	88.10 - 17.80	.4890	----	----	----	----	5 UNCH
4740	----	----	110.50B/62.60A	110.50B/62.60A	----	64.80 - 19.50	.4910	----	----	----	----	1 UNCH
4745	----	----	113.60B/64.90A	113.60B/64.90A	----	67.20 - 19.70	.5038	----	----	----	----	1 UNCH
4750	----	----	70.80B/*48.40A	70.80B/*48.40A	----	60.60 - 2.90	.4830	----	----	61	----	61 + 60
4750	----	----	117.40B/67.10A	117.40B/67.10A	----	69.70 - 19.80	.5166	----	----	1	----	1 UNCH
4750	----	----	93.10B/*70.60A	93.10B/*70.60A	----	83.90 - 1.20	.4919	----	----	----	----	8 UNCH
4750	----	----	127.60B/92.00A	127.60B/92.00A	----	93.00 - 18.00	.5076	----	----	----	----	5 UNCH
4750	----	----	148.90B/113.20A	148.90B/113.20A	----	110.50 - 19.80	.5027	----	----	1	----	1 - 1
4755	----	----	68.20B/*46.40A	68.20B/*46.40A	----	58.20 - 3.00	.4702	----	----	----	----	50 UNCH
4760	----	----	65.60B/*44.50A	65.60B/*44.50A	----	55.80 NEW	.4573	----	----	31	----	31 + 31
4760	----	----	123.60B/71.80A	123.60B/71.80A	----	74.90 - 20.00	.5423	----	----	1	----	3 + 1
4765	----	----	127.00B/74.30A	127.00B/74.30A	----	77.60 - 20.00	.5552	----	----	----	----	1 UNCH
4765	----	----	63.00B/*43.00A	63.00B/*43.00A	----	53.50 - 3.20	.4445	----	----	1	----	1 UNCH
4770	----	----	60.50B/*41.30A	60.50B/*41.30A	----	51.20 - 3.30	.4316	----	----	----	----	4 UNCH
4775	----	----	58.10B/*39.60A	58.10B/*39.60A	----	49.10 - 3.30	.4190	----	----	----	----	31 UNCH
4775	----	----	134.00B/79.40A	134.00B/79.40A	----	83.10 - 20.30	.5807	----	----	----	----	11 UNCH
4775	----	----	95.90B/*80.80A	95.90B/*80.80A	----	89.70 - 2.90	.4583	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

GMW MON — GOLD WEEKLY MONDAY OPTION WEEK3

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26											
4775 ----	----	163.80B/125.60A	163.80B/125.60A	----	123.70 NEW	.5410	----	----	1	----	1 + 1
4780 ----	----	55.70B/*37.70A	55.70B/*37.70A	----	47.00 NEW	.4063	----	----	1	----	1 + 1
4790 ----	----	51.30B/*34.50A	51.30B/*34.50A	----	43.00 - 3.50	.3813	----	----	1	----	51 UNCH
4795 ----	----	147.90B/90.40A	147.90B/90.40A	----	95.10 - 20.50	.6310	----	----	----	----	11 UNCH
4800 ----	----	69.00B/*52.60A	69.00B/*52.60A	----	61.70 - 1.90	.4000	----	----	----	----	101 UNCH
4800 ----	----	158.00B/117.80A	158.00B/117.80A	----	120.70 - 18.80	.5995	----	----	----	----	3 UNCH
4800 ----	----	151.60B/93.40A	151.60B/93.40A	----	98.30 - 20.40	.6431	----	----	----	----	1 UNCH
4800 40.00	40.00	47.10B/*31.70A	47.10B/*31.70A	----	39.20 - 3.60	.3566	----	----	28	----	28 + 23
4800 ----	----	181.00B/139.00A	181.00B/139.00A	----	138.10 - 19.40	.5787	----	----	1	----	1 - 1
4800 ----	----	84.40B/*72.20A	84.40B/*72.20A	----	79.10 - 2.60	.4206	----	----	----	----	13 UNCH
4805 ----	----	45.10B/*29.90A	45.10B/*29.90A	----	37.40 - 3.70	.3444	----	----	----	----	4 UNCH
4810 ----	----	64.80B/*49.30A	64.80B/*49.30A	----	57.80 - 2.10	.3820	----	----	----	----	1 UNCH
4815 ----	----	62.70B/*47.70A	62.70B/*47.70A	----	55.90 - 2.20	.3731	----	----	----	----	1 UNCH
4820 ----	----	60.70B/*46.40A	60.70B/*46.40A	----	54.10 - 2.30	.3644	----	----	----	----	1 UNCH
4820 ----	----	171.90B/129.50A	171.90B/129.50A	----	133.10 - 19.10	.6351	----	----	----	----	2 UNCH
4825 ----	----	171.00B/109.30A	171.00B/109.30A	----	115.00 - 20.50	.7015	----	----	----	----	1 UNCH
4825 26.00	26.00	37.50B/*24.70A	37.50B/*24.70A	----	31.00 - 3.60	.2982	----	----	10	----	4 - 2
4825 ----	----	73.90B/*63.50A	73.90B/*63.50A	----	69.60 - 2.10	.3839	----	----	----	----	1 UNCH
4830 ----	----	35.80B/*23.60A	35.80B/*23.60A	----	29.50 - 3.70	.2870	----	----	1	----	14 UNCH
4835 ----	----	34.20B/*22.50A	34.20B/*22.50A	----	28.10 - 3.60	.2761	----	----	----	----	3 UNCH
4845 ----	----	31.10B/*20.50A	31.10B/*20.50A	----	25.50 - 3.50	.2553	----	----	----	----	3 UNCH
4850 ----	----	49.70B/*38.70A	49.70B/*38.70A	----	44.20 - 2.50	.3136	----	----	----	----	2 UNCH
4850 ----	----	29.60B/*19.50A	29.60B/*19.50A	----	24.30 - 3.50	.2453	----	----	7	----	10 - 3
4850 ----	----	215.60B/169.00A	215.60B/169.00A	----	170.00 - 18.50	.6506	----	----	1	----	1 UNCH
4855 ----	----	28.20B/*18.70A	28.20B/*18.70A	----	23.10 - 3.50	.2354	----	----	----	----	2 UNCH
4860 20.20	20.20	26.90B/*16.90	26.90B/*16.90	----	22.00 - 3.40	.2260	----	----	4	----	1 UNCH
4865 22.70	22.70	25.60B/*17.00A	25.60B/*17.00A	----	20.90 NEW	.2166	----	----	1	----	1 + 1
4870 18.80	18.80	24.30B/*16.10A	24.30B/*16.10A	----	19.90 - 3.30	.2077	----	----	2	----	4 UNCH
4870 ----	----	211.30B/161.90A	211.30B/161.90A	----	167.40 - 19.40	.7176	----	----	----	----	2 UNCH
4875 ----	----	234.20B/186.30A	234.20B/186.30A	----	187.30 - 18.20	.6843	----	----	----	----	1 UNCH
4875 ----	----	55.80B/*49.70A	55.80B/*49.70A	----	53.40 - 1.40	.3151	----	----	----	----	2 UNCH
4880 ----	----	40.40B/*32.10A	40.40B/*32.10A	----	35.90 - 2.60	.2669	----	----	----	----	1 UNCH
4880 20.00	20.00	22.10B/*14.60A	22.10B/*14.60A	----	18.00 - 3.20	.1907	----	----	10	----	10 + 10
4900 ----	----	235.70B/185.70A	235.70B/185.70A	----	190.00 - 19.50	.7614	----	----	----	----	1 UNCH
4900 ----	----	35.00B/*27.90A	35.00B/*27.90A	----	31.10 - 2.70	.2381	----	----	----	----	18 UNCH
4900 ----	----	253.40B/202.70A	253.40B/202.70A	----	205.40 - 18.10	.7159	----	----	----	----	1 UNCH
4900 15.00	15.00	17.80B/*11.90A	17.80B/*11.90A	----	14.70 - 2.90	.1597	----	----	4	----	40 + 1
4905 ----	----	17.00B/*11.30A	17.00B/*11.30A	----	14.00 - 2.80	.1529	----	----	----	----	2 UNCH
4910 12.10	12.10	16.70/*10.80A	16.70/*10.80A	----	13.30 - 2.80	.1460	----	----	16	----	17 + 13
4915 ----	----	----/*10.20A	15.20B/*10.20A	----	12.70 - 2.60	.1399	----	----	----	----	1 UNCH
4920 ----	----	----/*9.70A	14.60B/*9.70A	----	12.00 - 2.60	.1332	----	----	----	----	4 UNCH
4925 20.00	20.00	30.00/*20.00	30.00/*20.00	----	26.00 NEW	.2055	----	----	9	----	9 + 9
4925 ----	----	----/*9.30A	13.70B/*9.30A	----	11.50 - 2.50	.1278	----	----	4	----	4 UNCH
4930 ----	----	----/*8.80A	13.00B/*8.80A	----	10.90 - 2.50	.1218	----	----	----	----	1 UNCH
4940 11.00	11.00	11.00/*8.10A	11.90B/*8.10A	----	9.90 NEW	.1113	----	----	1	----	1 + 1
4950 ----	----	----/*19.60A	24.20B/*19.60A	----	21.70 - 2.60	.1764	----	----	----	----	5 UNCH
4950 31.50	31.50	35.80B/*31.50	35.80B/*31.50	----	35.00 - 1.90	.2257	----	----	1	----	5 + 1
4950 6.80	6.80	10.60B/*6.70	10.60B/*6.70	----	9.00 - 2.10	.1016	----	----	2	----	40 UNCH
4960 ----	----	----/*6.80A	9.60B/*6.80A	----	8.20 - 2.00	.0929	----	----	----	----	2 UNCH
4960 ----	----	----/*17.70A	22.40B/*17.70A	----	20.20 - 2.60	.1658	----	----	----	----	5 UNCH
4970 ----	----	----/*16.60A	20.80B/*16.60A	----	18.80 NEW	.1558	----	----	5	----	5 + 5
4970 ----	----	----/*6.20A	8.60B/*6.20A	----	7.40 - 1.90	.0844	----	----	----	----	1 UNCH
4975 ----	----	----/*6.00A	8.20B/*6.00A	----	7.10 - 1.80	.0809	----	----	----	----	1 UNCH
4980 ----	----	----/*5.70A	7.60B/*5.70A	----	6.80 - 1.70	.0775	----	----	----	----	1 UNCH
4985 ----	----	----/*5.50A	7.40B/*5.50A	----	6.50 - 1.70	.0741	----	----	----	----	1 UNCH
4995 ----	----	317.20B/263.30A	317.20B/263.30A	----	269.50 - 19.20	.8666	----	----	----	----	1 UNCH
5000 ----	----	----/*4.80A	6.30B/*4.80A	----	5.60 - 1.60	.0642	----	----	----	----	4 UNCH
5000 ----	----	328.30B/252.70A	328.30B/252.70A	----	264.50 - 18.40	.9355	----	----	----	----	1 UNCH
5000 16.00	16.00	16.00/*13.90A	16.60B/*13.90A	----	15.20 - 2.40	.1290	----	----	3	----	7 + 3
5000 ----	----	----/*25.40A	26.30B/*25.40A	----	25.80 - 2.90	.1760	----	----	----	----	7 UNCH
5005 ----	----	----/*4.60A	6.00B/*4.60A	----	5.40 - 1.50	.0618	----	----	----	----	3 UNCH
5010 ----	----	----/*4.50A	5.70B/*4.50A	----	5.20 - 1.40	.0594	----	----	----	----	29 UNCH
5020 ----	----	----/*4.10A	5.20B/*4.10A	----	4.70 - 1.40	.0538	----	----	----	----	4 UNCH
5025 ----	----	346.70B/289.80A	346.70B/289.80A	----	296.40 - 19.10	.8898	----	----	----	----	1 UNCH
5025 ----	----	----/*4.00A	4.80B/*4.00A	----	4.50 - 1.30	.0515	----	----	----	----	1 UNCH
5025 ----	----	----/*11.80A	14.00B/*11.80A	----	12.70 - 2.30	.1097	----	----	----	----	4 UNCH
5050 ----	----	----/*3.30A	3.90B/*3.30A	----	3.70 - 1.10	.0420	----	----	----	----	1 UNCH
5050 ----	----	----/*19.50A	19.40B/*19.50A	----	19.30 - 2.60	.1368	----	----	----	----	3 UNCH
5075 ----	----	----/*9.20A	9.60B/*9.20A	----	9.10 - 1.90	.0803	----	----	----	----	1 UNCH
5075 ----	----	----/*2.80A	3.10B/*2.80A	----	3.10 - 0.90	.0347	----	----	----	----	2 UNCH
5100 ----	----	----/*8.20A	7.90B/*8.20A	----	7.70 - 1.80	.0685	----	----	----	----	4 UNCH
5100 ----	----	----/*2.50A	2.60B/*2.50A	----	2.60 - 0.80	.0287	----	----	----	----	5 UNCH
5100 ----	----	----/*15.20A	14.10B/*15.20A	----	14.50 - 2.50	.1059	----	----	1	----	4 + 1
5125 ----	----	----/*7.30A	6.30B/*7.30A	----	6.60 - 1.70	.0589	----	----	1	----	4 + 1
5125 ----	----	----/*2.20A	2.10B/*2.20A	----	2.20 - 0.70	.0239	----	----	----	----	1 UNCH
5150 ----	----	----/*6.50A	5.20B/*6.50A	----	5.70 NEW	.0509	----	----	1	----	1 + 1
5150 ----	----	----/12.70A	10.60B/12.70A	----	11.10 - 2.10	.0826	----	----	1	----	4 + 1
5175 ----	----	----/*1.80A	1.50B/*1.80A	----	1.70 - 0.50	.0177	----	----	----	----	0 UNCH
5200 ----	----	----/*1.60A	1.30B/*1.60A	----	1.50 - 0.50	.0153	----	----	----	----	3 UNCH
5200 ----	----	----/*5.40A	3.60B/*5.40A	----	4.40 - 1.30	.0389	----	----	----	----	92 UNCH
5200 ----	----	----/*10.40A	5.60B/*10.40A	----	8.60 - 1.90	.0648	----	----	----	----	4 UNCH
5200 ----	----	----	----	----	466.90 - 18.70	.9348	----	----	----	----	1 UNCH
5225 1.10	1.10	1.10/*1.10	1.10/*1.10	----	1.30 NEW	.0130	----	----	1	----	1 + 1
5225 ----	----	----/*4.70A	3.20B/*4.70A	----	3.90 - 1.20	.0343	----	----	----	----	1 UNCH
5250 ----	----	----/*4.20A	2.80B/*4.20A	----	3.50 - 1.10	.0305	----	----	----	----	9 UNCH
5275 ----	----	----/*3.80A	2.50B/*3.80A	----	3.10 - 1.10	.0269	----	----	3	----	3 UNCH
5300 ----	----	----	3.00B/*7.50A	----	5.40 - 1.40	.0409	----	----	----	----	1 UNCH
5500 ----	----	----	0.80B/*4.90A	----	2.30 - 0.80	.0172	----	----	----	----	1 UNCH
TOTAL									465		1741 + 359
JUN26											
3500 ----	----	----	0.10B/*11.00A	----	0.10 UNCH	.0006	----	----	----	----	2 UNCH
3750 ----	----	----	0.10B/*13.30A	----	0.90 UNCH	.0053	----	----	----	----	4 UNCH
3900 ----	----	----	0.10B/*15.50A	----	2.50 UNCH	.0139	----	----	----	----	2 UNCH
4100 ----	----	12.90B/----	12.90B/17.40A	----	8.30 - 0.10	.0424	----	----	----	----	4 UNCH
4200 18.30	18.30	18.90B/*16.20A	18.90B/*16.20A	----	14.10 - 0.40	.0685	----	----	1	----	1 UNCH
4300 ----	----	28.10B/*22.70A	28.10B/22.70A	----	20.50 - 4.90	.0990	----	----	2	----	5 + 2
4350 ----	----	34.60B/*27.20A	34.60B/*27.20A	----	24.80 - 4.60	.1189	----	----	----	----	1 UNCH
4400 ----	----	42.10B/*32.80A	42.10B/32.80A	----	30.30 - 6.70	.1433	----	----	----	----	1 UNCH
4450 ----	----	51.20B/*39.80A	51.20B/39.80A	----	37.10 - 9.30	.1723	----	----	----	----	1 UNCH
4475 ----	----	56.60B/*43.80A	56.60B/43.80A	----	41.00 - 10.50	.1886	----	----	----	----	2 UNCH
4500 ----	----	61.90B/*48.20A	61.90B/48.20A	----	45.40 - 11.40	.2063	----	----	----	----	1 UNCH
4525 ----	----	68.10B/*53.10A	68.10B/53.10A	----	50.20 - 12.10	.2252	----	----	----	----	2 UNCH
4550 ----	----	75.60B/*58.50A	75.60B/58.50A	----	55.60 - 12.70	.2458	----	----	----	----	4 UNCH
4575 ----	----	82.40B/*64.50A	82.40B/64.50A	----	61.40 - 13.20	.2674	----	----	1	----	1 + 1
4600 ----	----	91.20B/*71.00A	91.20B/71.00A	----	67.90 NEW	.2906	----	----	2	----	2 + 2
4625 ----	----	99.80B/*78.30A	99.80B/78.30A	----	75.00 - 13.70	.3151	----	----	----	----	0 UNCH
4750 ----	----	154.10B/123.70A	154.10B/123.70A	----	121.50 - 14.20	.4541	----	----	----	----	1 UNCH
4800 ----	----	181.60B/147.00A	181.60B/147.00A	----	145.80 - 14.70	.5143	----	----	----	----	1 UNCH
4875 76.00	76.00	94.70B/*76.00	94.70B/*76.00	----	90.10 NEW	.3955	----	----	1	----	1 + 1
5025 ----	----	----/*44.20A	48.10B/*44.20A	----	46.10 - 3.20	.2398	----	----	----	----	1 UNCH
5100 ----	----	----/*32.50A	33.40B/*32.50A	----	32.20 - 4.20	.1794	----	----	----	----	1 UNCH
5125 ----	----	----/*29.20A	29.50B/*29.20A	----	28.50 - 4.50	.1621	----	----	1	----	2 + 1
5150 ----	----	----/*26.20A	26.10B/*26.20A	----	25.40 NEW	.1468	----	----	1	----	1 + 1
5175 ----	----	----/*23.60A	23.20B/*23.60A	----	22.60 - 4.50	.1327	----	----	----	----	3 UNCH
5225 ----	----	----/*19.30A	18.30B/*19.30A	----	18.30 - 4.20	.1096	----	----	----	----	1 UNCH
5275 ----	----	----/*15.90A	14.50B/*15.90A	----	15.10 - 3.70	.0914	----	----	----	----	3 UNCH
5400 10.00	10.00	10.00/*10.00	10.00/*10.00	----	8.90 NEW	.0560	----	----	9	----	9 + 9
TOTAL									18		57 + 17

FMG OPT — MICRO GOLD WEEKLY FRI OPTION WEEK4

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26											
4630 ----	----	----	1.50B/----	----	0.00 - 7.30	----	----	----	----	----	0 - 1
4715 9.90	9.90	#24.00/*9.90	#24.00/*9.90	----	25.90 NEW	----	2	----	3	----	0 UNCH
4750 7.90	7.90	#7.90/*7.90	#7.90/*7.90	----	0.00 NEW	----	----	----	2	----	0 UNCH
4800 ----	----	----	----/*15.00A	----	0.00 - 4.70	----	----	----	----	----	0 - 1
TOTAL									5		0 - 2
MAY26											
4800 ----	----	----	----	----	92.60 - 20.80	.6617	----	----	----	----	1 UNCH
TOTAL											1 0

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 47

SILVER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU		SILVER WEEKLY THURSDAY OPTION Week5										
APR26												
6900	----	----	0.396B/0.242A	0.396B/0.242A	----	0.173 -	0.168 .0532	----	----	----	----	2 UNCH
7000	----	----	0.558B/*0.304A	0.558B/*0.304A	----	0.250 -	0.217 .0767	----	----	----	----	1 UNCH
7000	----	----	----	----	----	5.504	UNCH ----	----	----	----	----	0 UNCH
7100	----	----	0.777B/*0.388A	0.777B/*0.388A	----	0.343 -	0.286 .1056	----	----	----	----	1 UNCH
7200	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7300	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7300	----	----	1.389B/0.671A	1.389B/0.671A	----	0.636 -	0.457 .1922	----	----	----	----	1 UNCH
7400	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7420	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7425	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7490	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7500	----	----	2.161B/1.198A	2.161B/1.198A	----	1.149 -	0.644 .3246	----	----	----	----	4 UNCH
7500	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7550	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7600	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7600	----	----	2.324B/1.570A	2.324B/1.570A	----	1.519 -	0.729 .4063	----	----	----	----	4 UNCH
7600	----	----	----	----	----	0.496	UNCH ----	----	----	----	----	0 UNCH
7680	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7700	----	----	----	----	----	1.496	UNCH ----	----	----	----	----	0 UNCH
7700	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7700	1.890	1.890	1.890/*1.433A	1.890/*1.433A	----	1.920	NEW .5064	----	----	4	----	4 + 4
7725	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7750	----	----	----	----	----	1.996	UNCH ----	----	----	----	----	0 UNCH
7750	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7800	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7820	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7825	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7830	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7850	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7900	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7950	0.900	0.900	0.900/*0.827A	0.900/*0.827A	----	0.963	NEW .2994	----	----	1	----	1 + 1
8000	----	----	----	----/19.947A	----	3.890 -	0.895 .7354	----	----	----	----	1 UNCH
8000	----	----	----/*0.620A	0.686B/*0.620A	----	0.832 -	0.015 .2645	----	----	----	----	2 UNCH
8070	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
8100	----	----	----/*0.556A	0.467B/*0.556A	----	0.618 -	0.021 .2034	----	----	----	----	1 UNCH
8250	----	----	----	----	----	6.996	UNCH ----	----	----	----	----	0 UNCH
TOTAL										5	0	22 + 5
MAY26												
8000	----	----	----/*1.395A	1.434B/*1.395A	----	1.575 -	0.037 .3442	----	----	----	----	5 UNCH
TOTAL											0	5 0
SMW MON		SILVER WEEKLY MONDAY OPTION WEEK2										
MAY26												
5500	----	----	----	0.001B/0.146A	----	0.082 -	0.017 .0147	----	----	----	----	17 UNCH
6600	----	----	----/*0.215A	0.238B/*0.215A	----	0.163 -	0.113 .0432	----	----	----	----	1 UNCH
7200	----	----	1.358B/0.753A	1.358B/0.753A	----	0.737 -	0.338 .1892	----	----	----	----	1 UNCH
7425	----	----	2.226B/1.305A	2.226B/1.305A	----	1.309 -	0.513 .3073	----	----	----	----	1 UNCH
7600	----	----	2.768B/1.986A	2.768B/1.986A	----	1.955 -	0.666 .4201	----	----	----	----	15 UNCH
7625	----	----	3.617B/2.918A	3.617B/2.918A	----	2.456 -	0.933 .4419	----	----	----	----	1 UNCH
7800	----	----	2.497B/*2.221A	2.497B/*2.221A	----	2.294 -	0.122 .4554	----	----	----	----	1 UNCH
7900	----	----	2.723B/*2.499A	2.723B/*2.499A	----	2.526 -	0.140 .4254	----	----	----	----	1 UNCH
7900	----	----	----/4.771A	3.696B/4.771A	----	3.958 -	1.020 .6012	----	----	----	----	4 UNCH
7900	----	----	2.100B/*1.919A	2.100B/*1.919A	----	1.901 -	0.141 .3986	----	----	----	----	4 UNCH
7975	----	----	----/4.768A	3.541B/4.768A	----	4.000 -	0.947 .6802	----	----	----	----	2 UNCH
8000	----	----	1.754B/*1.645A	1.754B/*1.645A	----	1.572 -	0.147 .3455	----	----	----	----	50 UNCH
8000	----	----	----	2.908B/5.740A	----	4.172 -	0.959 .6961	----	----	----	----	2 UNCH
8500	----	----	----	0.660B/*0.806A	----	0.638 -	0.077 .1588	----	----	----	----	50 UNCH
8900	0.129	0.129	0.129/*0.129	0.129/*0.129	----	0.131	NEW .0410	----	----	1	----	1 + 1
TOTAL										1	0	151 + 1
JUN26												
7950	----	----	----	0.124B/13.224A	----	7.474 +	0.157 .5286	----	----	----	----	1 UNCH
8000	----	----	----	0.465B/13.572A	----	7.780 +	0.120 .5414	----	----	----	----	1 UNCH
TOTAL											0	2 0
SO CALL		COMEX SILVER OPTIONS										
MAY26												
3850	----	----	----	----	----	37.914 +	0.910 .0000	----	----	----	----	0 UNCH
3875	----	----	----	----	----	37.664 +	0.910 .0000	27	----	28	----	51 + 1
3900	----	----	----	----	----	37.414 +	0.910 .0000	----	----	----	----	0 UNCH
3975	----	----	----	----	----	36.664 +	0.910 .0000	----	----	----	----	0 UNCH
4000	----	----	----	----	----	36.414 +	0.910 .0000	----	----	----	----	53 UNCH
4025	----	----	----	----	----	36.164 +	0.910 .0000	----	----	----	----	0 UNCH
4075	----	----	----	----	----	35.664 +	0.910 .0000	----	----	----	----	0 UNCH
4100	----	----	----	----	----	35.414 +	0.910 .0000	----	----	----	----	50 UNCH
4125	----	----	----	----	----	35.164 +	0.910 .0000	----	----	----	----	0 UNCH
4175	----	----	----	----	----	34.664 +	0.910 .0000	25	----	25	----	0 UNCH
4200	----	----	----	----	----	34.414 +	0.910 .0000	50	----	50	----	116 UNCH
4225	----	----	----	----	----	34.164 +	0.910 .0000	25	----	25	----	0 UNCH
4600	----	----	30.072B/29.498A	30.072B/29.498A	----	30.414 +	0.910 .0000	----	----	----	----	20 UNCH
4650	----	----	29.759B/28.872A	29.759B/28.872A	----	29.914 +	0.910 .0000	----	----	----	----	71 UNCH
4675	----	----	29.377B/28.743A	29.377B/28.743A	----	29.664 +	0.910 .0000	----	----	----	----	10 UNCH
4800	----	----	28.228B/----	28.228B/27.518A	----	28.414 +	0.910 .0000	----	----	----	----	4 UNCH
4900	----	----	27.338B/----	27.338B/26.506A	----	27.414 +	0.910 .0000	----	----	----	----	1 UNCH
5000	----	----	26.417B/25.402A	26.417B/25.402A	----	26.414 +	0.910 .0000	----	----	----	----	40 UNCH
5250	----	----	23.897B/22.992A	23.897B/22.992A	----	23.914 +	0.908 .9999	----	----	----	----	11 UNCH
5300	----	----	23.472B/22.375A	23.472B/22.375A	----	23.414 +	0.908 .9999	----	----	----	----	76 UNCH
5350	----	----	22.840B/22.006A	22.840B/22.006A	----	22.914 +	0.907 .9999	5	----	----	----	0 - 5
5400	----	----	22.472B/21.375A	22.472B/21.375A	----	22.414 +	0.907 .9998	9	----	----	----	44 - 9
5450	----	----	21.965B/20.875A	21.965B/20.875A	----	21.914 +	0.907 .9998	----	----	----	----	50 UNCH
5500	----	----	21.464B/20.371A	21.464B/20.371A	----	21.414 +	0.906 .9998	171	----	----	----	8 - 171
5525	----	----	21.091B/----	21.091B/20.268A	----	21.164 +	0.906 .9998	5	----	----	----	0 - 5
5550	----	----	20.905B/19.988A	20.905B/19.988A	----	20.914 +	0.905 .9998	----	----	----	----	6 UNCH
5600	----	----	20.474B/19.373A	20.474B/19.373A	----	20.414 +	0.905 .9998	2	----	----	----	107 - 2
5625	----	----	20.105B/19.238A	20.105B/19.238A	----	20.164 +	0.904 .9998	----	----	----	----	6 UNCH
5650	----	----	19.905B/18.904A	19.905B/18.904A	----	19.914 +	0.904 .9997	----	----	----	----	31 UNCH
5675	----	----	19.605B/18.738A	19.605B/18.738A	----	19.665 +	0.905 .9997	----	----	----	----	6 UNCH
5700	----	----	19.342B/18.508A	19.342B/18.508A	----	19.415 +	0.904 .9997	----	----	----	----	1 UNCH
5750	----	----	18.856B/17.987A	18.856B/17.987A	----	18.915 +	0.904 .9997	1	----	----	----	7 - 1
5775	----	----	----	----	----	18.665 +	0.903 .9997	----	----	----	----	0 UNCH
5800	----	----	18.343B/----	18.343B/17.514A	----	18.415 +	0.903 .9997	----	----	----	----	1 UNCH
5825	----	----	18.106B/17.237A	18.106B/17.237A	----	18.165 +	0.902 .9995	----	----	----	----	11 UNCH
5850	----	----	17.843B/17.009A	17.843B/17.009A	----	17.915 +	0.902 .9995	----	----	----	----	2 UNCH
5900	----	----	17.469B/16.385A	17.469B/16.385A	----	17.416 +	0.901 .9995	----	----	----	----	124 UNCH
5925	----	----	17.094B/----	17.094B/16.268A	----	17.166 +	0.901 .9995	1	----	----	----	0 - 1
5950	----	----	16.857B/15.988A	16.857B/15.988A	----	16.916 +	0.900 .9994	----	----	----	----	15 UNCH
6000	----	----	16.476B/15.386A	16.476B/15.386A	----	16.417 +	0.900 .9993	114	----	----	----	106 - 114
6050	----	----	15.855B/15.012A	15.855B/15.012A	----	15.917 +	0.898 .9992	----	----	----	----	1 UNCH
6075	----	----	15.710B/14.637A	15.710B/14.637A	----	15.668 +	0.898 .9992	50	----	----	----	72 - 50
6100	----	----	15.350B/14.496A	15.350B/14.496A	----	15.418 +	0.898 .9992	8	----	----	----	0 - 8
6125	----	----	15.172B/----	15.172B/14.272A	----	15.168 +	0.897 .9990	----	----	----	----	1 UNCH
6150	----	----	14.922B/----	14.922B/14.026A	----	14.919 +	0.897 .9990	1	----	----	----	2 - 1
6175	----	----	14.672B/----	14.672B/13.777A	----	14.669 +	0.896 .9988	----	----	----	----	1 UNCH
6200	----	----	14.462B/13.390A	14.462B/13.390A	----	14.420 +	0.895 .9988	59	----	----	----	0 - 59
6225	----	----	14.211B/13.140A	14.211B/13.140A	----	14.170 +	0.894 .9986	52	----	----	----	17 - 52
6250	----	----	13.923B/13.026A	13.923B/13.026A	----	13.921 +	0.894 .9986	----	----	----	----	3 UNCH
6275	----	----	13.673B/12.777A	13.673B/12.777A	----	13.671 +	0.892 .9984	----	----	----	----	4 UNCH
6300	----	----	13.424B/12.500A	13.424B/12.500A	----	13.422 +	0.892 .9983	----	----	----	----	24 UNCH
6325	----	----	13.174B/12.281A	13.174B/12.281A	----	13.174 +	0.892 .9979	----	----	----	----	3 UNCH
6350	----	----	12.924B/12.001A	12.924B/12.001A	----	12.926 +	0.893 .9975	----	----	----	----	7 UNCH
6375	----	----	12.696B/11.690A	12.696B/11.690A	----	12.678 +	0.893 .9971	----	----	----	----	48 UNCH
6400	----	----	12.488B/11.395A	12.488B/11.395A	----	12.429 +	0.892 .9967	----	----	----	----	62 UNCH
6425	----	----	12.175B/11.254A	12.175B/11.254A	----	12.180 +	0.891 .9964	----	----	----	----	6 UNCH
6450	----	----	11.926B/11.038A	11.926B/11.038A	----	11.931 +	0.889 .9963	----	----	----	----	4 UNCH
6475	----	----	11.676B/10.755A	11.676B/10.755A	----	11.681 +	0.887 .9961	----	----	----	----	6 UNCH
6500	----	----	11.465B/10.399A	11.465B/10.399A	----	11.431 +	0.884 .9960	----	----	----	----	162 UNCH
6525	----	----	11.199B/10.199A	11.199B/10.199A	----	11.182 +	0.883 .9959	----	----	----	----	28 UNCH
6550	----	----	10.928B/10.009A	10.928B/10.009A	----	10.932 +	0.879 .9958	----	----	----	----	8 UNCH
6575	----	----	10.678B/9.794A	10.678B/9.794A	----	10.682 +	0.876 .9954	----	----	----	----	3 UNCH
6600	----	----	10.429B/9.511A	10.429B/9.511A	----	10.433 +	0.874 .9953	----	----	----	----	9 UNCH
6625	----	----	10.109B/9.264A	10.109B/9.264A	----	10.184 +	0.871 .9950	----	----	----	----	7 UNCH
6650	----	----	9.859B/9.016A	9.859B/9.016A	----	9.935 +	0.867 .9944	----	----	----	----	6 UNCH
6675	----	----	9.681B/8.803A	9.681B/8.803A	----	9.687 +	0.865 .9940	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
6700	8.666	8.666	9.479B/8.412A	9.479B/8.412A	----	9.439 + 0.862	.9933	----	----	1	----	170 + 1
6750	----	----	8.872B/8.025A	8.872B/8.025A	----	8.944 + 0.855	.9917	----	----	----	----	10 UNCH
6800	----	----	8.484B/7.423A	8.484B/7.423A	----	8.450 + 0.847	.9896	----	----	----	----	56 UNCH
6825	----	----	8.237B/7.176A	8.237B/7.176A	----	8.203 + 0.843	.9884	----	----	----	----	107 UNCH
6850	----	----	7.862B/7.032A	7.862B/7.032A	----	7.956 + 0.838	.9872	----	----	----	----	1 UNCH
6875	----	----	7.614B/6.829A	7.614B/6.829A	----	7.709 + 0.832	.9860	----	----	----	----	1 UNCH
6900	----	----	7.492B/6.440A	7.492B/6.440A	----	7.462 + 0.825	.9850	----	----	----	----	195 UNCH
6925	----	----	7.149B/6.302A	7.149B/6.302A	----	7.214 + 0.816	.9836	----	----	----	----	12 UNCH
6950	----	----	6.871B/6.069A	6.871B/6.069A	----	6.966 + 0.806	.9824	----	----	----	----	5 UNCH
7000	----	----	6.505B/5.199A	6.505B/5.199A	----	6.472 + 0.785	.9792	----	----	----	----	440 UNCH
7025	----	----	6.206B/5.333A	6.206B/5.333A	----	6.227 + 0.773	.9771	----	----	----	----	11 UNCH
7050	----	----	5.942B/5.040A	5.942B/5.040A	----	5.982 + 0.760	.9742	----	----	----	----	26 UNCH
7075	----	----	5.715B/4.855A	5.715B/4.855A	----	5.739 + 0.747	.9708	----	----	----	----	6 UNCH
7100	----	----	5.522B/4.515A	5.522B/4.515A	----	5.498 + 0.734	.9669	----	----	----	----	64 UNCH
7125	----	----	5.158B/4.398A	5.158B/4.398A	----	5.257 + 0.717	.9620	----	----	----	----	4 UNCH
7150	----	----	4.916B/4.166A	4.916B/4.166A	----	5.018 + 0.700	.9569	----	----	----	----	2 UNCH
7175	----	----	4.676B/3.920A	4.676B/3.920A	----	4.779 + 0.679	.9511	----	----	----	----	13 UNCH
7200	----	----	4.554B/3.606A	4.554B/3.606A	----	4.541 + 0.655	.9446	----	----	----	----	52 UNCH
7225	----	----	4.188B/3.479A	4.188B/3.479A	----	4.304 + 0.628	.9373	----	----	----	----	8 UNCH
7250	3.716	3.716	4.077B/3.172A	4.077B/3.172A	----	4.068 + 0.598	.9292	----	----	25	----	56 - 6
7275	----	----	3.721B/3.071A	3.721B/3.071A	----	3.833 + 0.563	.9201	----	----	----	----	2 UNCH
7300	3.600	3.600	3.608B/2.779A	3.608B/2.779A	----	3.600 + 0.525	.9097	----	----	1	----	141 - 1
7325	----	----	3.265B/*1.953A	3.265B/*1.953A	----	3.370 + 0.485	.8979	----	----	----	----	3 UNCH
7350	----	----	3.152B/*1.801A	3.152B/*1.801A	----	3.143 + 0.441	.8838	----	----	----	----	51 UNCH
7375	----	----	2.939B/*1.651A	2.939B/*1.651A	----	2.920 + 0.395	.8670	----	----	----	----	86 UNCH
7400	----	----	2.690B/*1.511A	2.690B/*1.511A	----	2.703 + 0.349	.8479	----	----	----	----	45 UNCH
7425	----	----	2.420B/*1.386A	2.420B/*1.386A	----	2.492 + 0.302	.8250	----	----	----	----	7 UNCH
7450	1.375	1.375	2.221B/*1.275A	2.221B/*1.275A	----	2.289 + 0.256	.7992	----	----	2	----	17 + 2
7460	----	----	#2.137B/*1.226A	2.137B/*1.226A	----	2.210 + 0.237	.7878	----	----	----	----	1 UNCH
7475	----	----	2.039B/*1.157A	2.039B/*1.157A	----	2.094 + 0.210	.7696	----	----	----	----	7 UNCH
7480	----	----	1.978B/*1.135A	1.978B/*1.135A	----	2.056 + 0.201	.7633	----	----	----	----	1 UNCH
7490	----	----	----/*1.094A	1.653B/*1.094A	----	1.981 + 0.183	.7503	----	----	----	----	0 UNCH
7500	1.100	1.100	2.015/1.013	2.015/1.013	----	1.907 + 0.165	.7369	----	----	49	----	403 UNCH
7520	----	----	#1.683B/*0.955A	1.683B/*0.955A	----	1.764 + 0.131	.7083	----	----	----	----	1 UNCH
7525	1.670	1.670	1.670/*0.929A	1.670/*0.929A	----	1.730 + 0.123	.7009	----	----	2	----	16 UNCH
7530	----	----	1.629B/*0.911A	1.629B/*0.911A	----	1.695 + 0.114	.6935	----	----	----	----	4 UNCH
7535	----	----	1.595B/*0.893A	1.595B/*0.893A	----	1.661 + 0.106	.6859	----	----	----	----	2 UNCH
7540	1.100	1.100	1.559B/*0.869A	1.559B/*0.869A	----	1.628 + 0.099	.6781	----	----	2	----	2 + 1
7545	----	----	1.525B/*0.864A	1.525B/*0.864A	----	1.594 + 0.090	.6702	----	----	----	----	2 UNCH
7550	----	----	1.499B/*0.839A	1.499B/*0.839A	----	1.561 + 0.082	.6623	----	----	----	----	14 UNCH
7555	----	----	1.472B/*0.817A	1.472B/*0.817A	----	1.529 + 0.075	.6544	----	----	----	----	7 UNCH
7565	----	----	----/*0.783A	1.371B/*0.783A	----	1.465 + 0.059	.6380	----	----	----	----	1 UNCH
7570	----	----	----/*0.765A	1.354B/*0.765A	----	1.434 + 0.052	.6299	----	----	----	----	3 UNCH
7575	0.870	0.870	1.448/*0.748A	1.448/*0.748A	----	1.403 + 0.044	.6215	----	----	11	----	9 - 2
7580	0.815	0.815	1.343B/*0.725A	1.343B/*0.725A	----	1.373 NEW	.6131	----	----	4	----	1 + 1
7585	----	----	----/*0.708A	1.307B/*0.708A	----	1.342 + 0.029	.6046	----	----	----	----	2 UNCH
7590	----	----	----/*0.688A	1.271B/*0.688A	----	1.313 + 0.023	.5961	----	----	----	----	1 UNCH
7595	----	----	----/*0.683A	1.256B/*0.683A	----	1.283 + 0.015	.5875	----	----	----	----	2 UNCH
7600	1.100	1.100	1.265B/*0.656A	1.265B/*0.656A	----	1.254 + 0.008	.5788	----	----	11	----	143 + 11
7605	----	----	----/*0.623A	1.200B/*0.623A	----	1.226 + 0.002	.5702	----	----	----	----	2 UNCH
7610	0.860	0.860	0.860/*0.632A	1.119B/*0.632A	----	1.198 - 0.005	.5614	----	----	2	----	1 + 1
7615	----	----	----/*0.617A	1.144B/*0.617A	----	1.170 - 0.011	.5526	----	----	----	----	2 UNCH
7620	----	----	----/*0.600A	1.129B/*0.600A	----	1.142 - 0.018	.5438	----	----	----	----	2 UNCH
7625	----	----	----/*0.581A	1.118B/*0.581A	----	1.115 - 0.025	.5350	----	----	----	----	13 UNCH
7630	----	----	1.122B/*0.561A	1.122B/*0.561A	----	1.089 - 0.031	.5261	----	----	----	----	1 UNCH
7635	----	----	----/*0.558A	1.094B/*0.558A	----	1.062 - 0.037	.5172	----	----	----	----	3 UNCH
7640	----	----	----/*0.540A	1.059B/*0.540A	----	1.036 - 0.044	.5083	----	----	----	----	4 UNCH
7645	----	----	----/*0.525A	1.033B/*0.525A	----	1.011 - 0.049	.4994	----	----	----	----	10 UNCH
7650	1.000	1.000	1.010B/*0.531A	1.010B/*0.531A	----	0.986 - 0.055	.4904	----	----	4	----	30 - 1
7655	----	----	----/*0.490A	0.979B/*0.490A	----	0.961 - 0.061	.4815	----	----	----	----	8 UNCH
7660	----	----	----/*0.481A	0.964B/*0.481A	----	0.937 - 0.066	.4725	----	----	----	----	28 UNCH
7665	----	----	----/*0.465A	0.930B/*0.465A	----	0.913 - 0.072	.4636	----	----	----	----	13 UNCH
7675	0.630	0.630	0.886B/*0.443A	0.886B/*0.443A	----	0.866 - 0.083	.4457	----	----	2	----	13 UNCH
7680	----	----	----/*0.436A	0.860B/*0.436A	----	0.843 - 0.088	.4368	----	----	----	----	4 UNCH
7685	----	----	----/*0.426A	0.836B/*0.426A	----	0.821 - 0.093	.4279	----	----	----	----	5 UNCH
7690	----	----	----/*0.390A	0.813B/*0.390A	----	0.799 - 0.097	.4191	----	----	----	----	3 UNCH
7695	----	----	----/*0.379A	0.791B/*0.379A	----	0.777 - 0.102	.4102	----	----	----	----	6 UNCH
7700	0.803	0.803	0.810/*0.371A	0.810/*0.371A	----	0.756 - 0.107	.4014	----	----	108	120	273 + 111
7705	0.600	0.600	0.746B/*0.358A	0.746B/*0.358A	----	0.735 - 0.111	.3926	----	----	1	----	6 + 1
7710	----	----	----/*0.349A	0.724B/*0.349A	----	0.715 - 0.115	.3840	----	----	----	----	2 UNCH
7715	----	----	----/*0.340A	0.702B/*0.340A	----	0.695 - 0.119	.3753	----	----	----	----	5 UNCH
7720	----	----	----/*0.331A	0.683B/*0.331A	----	0.675 - 0.124	.3667	----	----	----	----	3 UNCH
7725	0.409	0.409	0.662B/*0.322A	0.662B/*0.322A	----	0.656 - 0.127	.3582	----	----	2	----	15 UNCH
7735	----	----	----/*0.305A	0.622B/*0.305A	----	0.619 - 0.134	.3414	----	----	----	----	1 UNCH
7740	----	----	----/*0.297A	0.603B/*0.297A	----	0.601 - 0.137	.3331	----	----	----	----	2 UNCH
7745	----	----	----/*0.289A	0.584B/*0.289A	----	0.583 - 0.141	.3248	----	----	----	----	3 UNCH
7750	0.520	0.520	0.568B/*0.282A	0.568B/*0.282A	----	0.566 - 0.144	.3166	----	----	2	----	13 - 1
7755	----	----	----/*0.274A	0.549B/*0.274A	----	0.550 - 0.146	.3088	----	----	----	----	1 UNCH
7760	----	----	----/*0.266A	0.533B/*0.266A	----	0.533 - 0.149	.3007	----	----	----	----	2 UNCH
7765	----	----	----/*0.262A	0.515B/*0.262A	----	0.517 - 0.151	.2928	----	----	----	----	1 UNCH
7770	----	----	----/*0.255A	0.500B/*0.255A	----	0.502 - 0.153	.2852	----	----	----	----	1 UNCH
7775	----	----	----/*0.249A	0.485B/*0.249A	----	0.487 - 0.155	.2776	----	----	----	----	4 UNCH
7780	----	----	----/*0.242A	0.469B/*0.242A	----	0.472 - 0.157	.2701	----	----	----	----	1 UNCH
7785	----	----	----/*0.236A	0.454B/*0.236A	----	0.458 - 0.158	.2627	----	----	----	----	1 UNCH
7790	----	----	----/*0.230A	0.440B/*0.230A	----	0.444 - 0.160	.2555	----	----	----	----	4 UNCH
7795	----	----	----/*0.224A	0.425B/*0.224A	----	0.430 - 0.161	.2482	----	----	----	----	2 UNCH
7800	0.300	0.300	0.507/*0.200	0.507/*0.200	----	0.417 - 0.162	.2413	----	----	95	50	175 + 65
7805	0.218	0.218	0.399B/*0.212A	0.399B/*0.212A	----	0.404 - 0.163	.2343	----	----	2	----	7 UNCH
7810	0.212	0.212	0.385B/*0.207A	0.385B/*0.207A	----	0.391 - 0.165	.2274	----	----	2	----	5 + 2
7815	0.206	0.206	0.372B/*0.201A	0.372B/*0.201A	----	0.379 - 0.165	.2209	----	----	2	----	5 + 2
7820	----	----	----/*0.196A	0.359B/*0.196A	----	0.367 - 0.166	.2143	----	----	----	----	2 UNCH
7825	----	----	----/*0.191A	0.347B/*0.191A	----	0.356 - 0.166	.2081	----	----	----	----	5 UNCH
7835	----	----	----/*0.182A	0.327B/*0.182A	----	0.334 - 0.166	.1957	----	----	----	----	1 UNCH
7840	----	----	----/*0.177A	0.317B/*0.177A	----	0.324 - 0.165	.1899	----	----	----	----	3 UNCH
7845	----	----	----/*0.171A	0.306B/*0.171A	----	0.314 - 0.165	.1842	----	----	----	----	3 UNCH
7850	0.255	0.255	0.259/*0.165A	0.297B/*0.165A	----	0.304 - 0.165	.1785	----	----	5	----	38 + 3
7855	0.250	0.250	0.301/*0.159A	0.301/*0.159A	----	0.295 - 0.164	.1731	----	----	2	----	9 UNCH
7860	----	----	----/*0.154A	0.280B/*0.154A	----	0.285 - 0.164	.1675	----	----	----	----	5 UNCH
7865	----	----	----/*0.148A	0.271B/*0.148A	----	0.276 - 0.163	.1622	----	----	----	----	1 UNCH
7870	----	----	----/*0.143A	0.262B/*0.143A	----	0.268 - 0.162	.1573	----	----	----	----	2 UNCH
7875	----	----	----/*0.138A	0.254B/*0.138A	----	0.260 - 0.161	.1525	----	----	9	----	50 + 4
7880	----	----	----/*0.134A	0.245B/*0.134A	----	0.252 - 0.160	.1477	----	----	----	----	7 UNCH
7890	----	----	----/*0.125A	0.230B/*0.125A	----	0.236 - 0.158	.1382	----	----	----	----	1 UNCH
7895	----	----	----/*0.121A	0.222B/*0.121A	----	0.229 - 0.156	.1339	----	----	----	----	7 UNCH
7900	0.160	0.160	0.268/*0.117A	0.268/*0.117A	----	0.222 - 0.155	.1296	----	----	84	----	89 - 50
7905	0.148	0.148	0.200B/*0.113A	0.200B/*0.113A	----	0.215 - 0.154	.1253	----	----	4	----	7 + 3
7910	----	----	----/*0.109A	0.190B/*0.109A	----	0.208 - 0.153	.1211	----	----	----	----	4 UNCH
7915	----	----	----/*0.106A	0.183B/*0.106A	----	0.202 - 0.151	.1173	----	----	----	----	5 UNCH
7920	----	----	----/*0.103A	0.178B/*0.103A	----	0.196 - 0.149	.1136	----	----	----	----	3 UNCH
7925	----	----	----/*0.099A	0.175B/*0.099A	----	0.190 - 0.147	.1099	----	----	1	----	15 - 1
7930	----	----	----/*0.096A	0.165B/*0.096A	----	0.184 - 0.146	.1062	----	----	----	----	3 UNCH
7935	----	----	----/*0.093A	0.160B/*0.093A	----	0.179 - 0.143	.1030	----	----	----	----	2 UNCH
7940	----	----	----/*0.090A	0.157B/*0.090A	----	0.173 - 0.142	.0994	----	----	----	----	6 UNCH
7945	----	----	----/*0.087A	0.149B/*0.087A	----	0.168 - 0.140	.0962	----	----	----	----	6 UNCH
7950	0.075	0.075	0.076/*0.075	0.144B/*0.075	----	0.163 - 0.138	.0931	----	----	2	----	34 UNCH
7955	----	----	----/*0.081A	0.139B/*0.081A	----	0.158 - 0.137	.0899	----	----	----	----	9 UNCH
7960	----	----	----/*0.080A	0.134B/*0.080A	----	0.153 - 0.135	.0869	----	----	----	----	15 UNCH
7965	----	----	----/*0.078A	0.133B/*0.078A	----	0.149 - 0.133	.0842	----	----	----	----	2 UNCH
7970	----	----	----/*0.077A	0.129B/*0.077A	----	0.144 - 0.131	.0812	----	----	----	----	15 UNCH
7975	----	----	----/*0.074A	0.123B/*0.074A	----	0.140 - 0.129	.0787	----	----	----	----	15 UNCH
7980	----	----	----/*0.073A	0.126B/*0.073A	----	0.136 - 0.127	.0761	----	----	----	----	11 UNCH
7985	----	----	----/*0.071A	0.119B/*0.071A	----	0.132 - 0.125	.0736	----	----	----	----	3 UNCH
7990	----	----	----/*0.071A	0.109B/*0.071A	----	0.128 - 0.124	.0711	----	----	----	----	14 UNCH
7995	----	----	----/*0.070A	0.106B/*0.070A	----	0.124 - 0.122	.0687	----	----	----	----	26 UNCH
8000	0.150	0.150	0.251/*0.055	0.251/*0.055	----	0.121 - 0.120	.0667	----	----	30	----	1276 - 1
8005	----	----	----/*0.066A	0.100B/*0.066A	----	0.117 - 0.118	.0643	----	----	----	----	26 UNCH
8010	----	----	----/*0.067A	0.092B/*0.067A	----	0.114 - 0.116	.0623	----	----	----	----	34 UNCH
8015	0.107	0.107	0.107/*0.068A	0.107/*0.068A	----	0.111 - 0.114	.0604	----	----	20	----	25 UNCH
8020	0.105	0.105	0.105/*0.072A	0.105/*0.072A	----	0.108 - 0.112	.0585	----	----	13	----	14 UNCH
8025	0.102	0.102	0.102/*0.074A	0.102/*0.074A	----	0.105 - 0.110	.0566	----	----	7	----	33 UNCH
8030	0.096	0.096	0.101/*0.073A	0.101/*0.073A	----	0.102 - 0.108	.0547	----	----	4	----	28 UNCH
8035	----	----	----/*0.074A	0.089B/*0.074A	----	0.099 - 0.107	.0529	----	----	----	----	4 UNCH
8040	----	----	----/*0.073A	0.077B/*0.073A	----	0.096 - 0.105	.0511	----	----	----	----	3 UNCH
8045	----	----	----/*0.073A	0.068B/*0.073A	----	0.093 - 0.104	.0493	----	----	----	----	2 UNCH
8050	0.070	0.070	0.090/*0.070	0.090/*0.070	----	0.091 - 0.102	.0479	----	----	21	----	51 - 10
8055	----	----	----/*0.069A	0.062B/*0.069A	----	0.088 - 0.100	.0461	----	----	----	----	3 UNCH
8060	----	----	----/*0.068A	0.060B/*0.068A	----	0.086 - 0.098	.0448	----	----	----	----	1 UNCH
8065	0.069	0.069	0.069/*0.068A	0.069/*0.068A	----	0.083 - 0.097	.0431	----	----	3	----	9 + 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
8070	0.082	0.082	0.082/*0.069A	0.082/*0.069A	----	0.081 - 0.095	.0418	----	----	10	----	13 + 9
8075	----	----	----/*0.068A	0.053B/*0.068A	----	0.079 - 0.094	.0406	----	----	----	----	11 UNCH
8080	----	----	----/*0.068A	0.050B/*0.068A	----	0.077 - 0.092	.0393	----	----	----	----	2 UNCH
8085	----	----	----/*0.068A	0.048B/*0.068A	----	0.075 - 0.090	.0381	----	----	----	----	1 UNCH
8090	----	----	----/*0.069A	0.047B/*0.069A	----	0.073 - 0.089	.0369	----	----	----	----	21 UNCH
8095	----	----	----/*0.070A	0.046B/*0.070A	----	0.071 - 0.087	.0357	----	----	----	----	13 UNCH
8100	0.120	0.120	0.120/*0.041	0.120/*0.041	----	0.069 - 0.086	.0345	----	----	121	----	356 - 16
8105	----	----	----/*0.065A	0.040B/*0.065A	----	0.067 - 0.085	.0333	----	----	----	----	2 UNCH
8110	----	----	----/*0.084A	0.023B/*0.084A	----	0.065 - 0.084	.0322	----	----	----	----	2 UNCH
8115	----	----	----/*0.080A	0.022B/*0.080A	----	0.064 - 0.082	.0314	----	----	----	----	4 UNCH
8125	----	----	----/*0.082A	0.018B/*0.082A	----	0.060 - 0.080	.0292	----	----	----	----	3 UNCH
8140	----	----	----/*0.076A	0.013B/*0.076A	----	0.056 - 0.076	.0267	----	----	----	----	4 UNCH
8150	----	----	----/*0.080A	0.006B/*0.080A	----	0.053 - 0.074	.0250	----	----	----	----	14 UNCH
8170	----	----	----/*0.080A	0.004B/*0.080A	----	0.047 - 0.070	.0217	----	----	----	----	3 UNCH
8175	----	----	----/*0.084A	0.004B/*0.084A	----	0.046 - 0.069	.0211	----	----	----	----	17 UNCH
8195	----	----	----/*0.082A	0.007B/*0.082A	----	0.041 - 0.066	.0184	----	----	----	----	1 UNCH
8200	0.125	0.125	0.125/*0.038	0.125/*0.038	----	0.040 - 0.065	.0178	----	----	6	----	136 UNCH
8205	----	----	----/*0.082A	0.006B/*0.082A	----	0.039 - 0.064	.0173	----	----	----	----	1 UNCH
8210	----	----	----/*0.081A	0.007B/*0.081A	----	0.038 - 0.063	.0167	----	----	----	----	2 UNCH
8215	----	----	----/*0.081A	0.007B/*0.081A	----	0.037 - 0.063	.0162	----	----	----	----	0 UNCH
8220	----	----	----/*0.080A	0.007B/*0.080A	----	0.036 - 0.062	.0156	----	----	----	----	2 UNCH
8225	----	----	----/*0.079A	0.007B/*0.079A	----	0.035 - 0.061	.0151	----	----	----	----	3 UNCH
8235	----	----	----/*0.079A	0.005B/*0.079A	----	0.033 - 0.060	.0141	----	----	----	----	1 UNCH
8240	----	----	----/*0.078A	0.004B/*0.078A	----	0.032 - 0.060	.0136	----	----	----	----	2 UNCH
8250	----	----	----/*0.077A	0.003B/*0.077A	----	0.031 - 0.058	.0130	----	----	----	----	157 UNCH
8255	----	----	----/*0.077A	0.005B/*0.077A	----	0.030 - 0.057	.0125	----	----	----	----	4 UNCH
8260	----	----	----/*0.078A	0.002B/*0.078A	----	0.029 - 0.057	.0120	----	----	----	----	1 UNCH
8265	----	----	----/*0.077A	0.002B/*0.077A	----	0.029 - 0.056	.0119	----	----	----	----	2 UNCH
8270	----	----	----/*0.076A	0.002B/*0.076A	----	0.028 - 0.055	.0114	----	----	----	----	10 UNCH
8275	----	----	----/*0.076A	0.002B/*0.076A	----	0.027 - 0.055	.0109	----	----	----	----	6 UNCH
8280	----	----	----/*0.077A	0.002B/*0.077A	----	0.027 - 0.054	.0109	----	----	----	----	17 UNCH
8285	----	----	----/*0.077A	0.002B/*0.077A	----	0.026 - 0.054	.0104	----	----	----	----	1 UNCH
8290	----	----	----/*0.077A	0.002B/*0.077A	----	0.026 - 0.053	.0103	----	----	----	----	17 UNCH
8295	----	----	----/*0.076A	0.002B/*0.076A	----	0.025 - 0.053	.0099	----	----	----	----	2 UNCH
8300	0.060	0.060	0.060/*0.029	0.060/*0.029	----	0.024 - 0.052	.0094	----	----	3	----	141 + 1
8310	----	----	----	0.002B/*0.081A	----	0.023 - 0.051	.0089	----	----	----	----	8 UNCH
8325	----	----	----	0.002B/*0.080A	----	0.022 - 0.050	.0084	----	----	----	----	5 UNCH
8330	----	----	----	0.002B/*0.080A	----	0.022 - 0.049	.0083	----	----	----	----	1 UNCH
8335	----	----	----	0.002B/*0.079A	----	0.021 - 0.049	.0079	----	----	----	----	2 UNCH
8340	----	----	----	0.002B/*0.079A	----	0.021 - 0.048	.0078	----	----	----	----	32 UNCH
8345	----	----	----	0.002B/*0.079A	----	0.020 - 0.048	.0074	----	----	----	----	16 UNCH
8350	----	----	----	0.002B/*0.078A	----	0.020 - 0.047	.0073	----	----	----	----	38 UNCH
8360	0.030	0.030	0.030/*0.030	0.030/*0.030	----	0.019 - 0.047	.0069	----	----	1	----	10 + 1
8365	----	----	----	0.002B/*0.076A	----	0.019 - 0.046	.0068	----	----	----	----	1 UNCH
8370	----	----	----	0.003B/*0.076A	----	0.019 - 0.045	.0068	----	----	----	----	5 UNCH
8375	----	----	----	0.003B/*0.075A	----	0.018 - 0.045	.0064	----	----	----	----	7 UNCH
8395	0.034	0.034	0.034/*0.034	0.034/*0.034	----	0.017 - 0.044	.0059	----	----	1	----	2 + 1
8400	----	----	----	0.002B/*0.060A	----	0.017 - 0.043	.0058	----	----	1	----	152 UNCH
8410	----	----	----/*0.051A	0.001B/*0.051A	----	0.016 - 0.043	.0054	----	----	----	----	3 UNCH
8415	----	----	----/0.046A	0.010B/0.046A	----	0.016 - 0.042	.0054	----	----	----	----	2 UNCH
8420	----	----	----/*0.039A	0.001B/*0.039A	----	0.016 - 0.042	.0054	----	----	----	----	5 UNCH
8425	----	----	----/*0.042A	0.001B/*0.042A	----	0.016 - 0.041	.0053	----	----	----	----	6 UNCH
8430	----	----	----/*0.040A	0.001B/*0.040A	----	0.015 - 0.042	.0050	----	----	----	----	2 UNCH
8435	----	----	----/*0.047A	0.001B/*0.047A	----	0.015 - 0.041	.0049	----	----	----	----	2 UNCH
8440	----	----	----/*0.047A	0.001B/*0.047A	----	0.015 - 0.041	.0049	----	----	----	----	1 UNCH
8450	----	----	----/*0.041A	0.031B/*0.041A	----	0.015 - 0.040	.0048	----	----	12	----	175 + 6
8455	----	----	----/*0.039A	0.001B/*0.039A	----	0.014 - 0.040	.0045	----	----	----	----	2 UNCH
8460	----	----	----/*0.038A	0.001B/*0.038A	----	0.014 - 0.040	.0045	----	----	----	----	1 UNCH
8475	----	----	----/*0.034A	----/*0.034A	----	0.014 - 0.038	.0044	----	----	----	----	4 UNCH
8480	----	----	----/*0.034A	----/*0.034A	----	0.013 - 0.039	.0040	----	----	----	----	1 UNCH
8485	----	----	----/*0.032A	----/*0.032A	----	0.013 - 0.039	.0040	----	----	----	----	1 UNCH
8490	----	----	----/*0.035A	----/*0.035A	----	0.013 - 0.038	.0040	----	----	----	----	2 UNCH
8500	0.030	0.030	0.040/*0.010	0.040/*0.010	----	0.013 - 0.037	.0039	----	----	21	----	909 - 6
8505	----	----	----/*0.033A	----/*0.033A	----	0.013 - 0.037	.0039	----	----	----	----	5 UNCH
8510	----	----	----/*0.039A	----/*0.039A	----	0.013 - 0.037	.0039	----	----	----	----	2 UNCH
8515	----	----	----/*0.042A	----/*0.042A	----	0.012 - 0.037	.0036	----	----	----	----	1 UNCH
8525	----	----	----/*0.041A	----/*0.041A	----	0.012 - 0.037	.0035	----	----	----	----	22 UNCH
8530	----	----	----/*0.041A	----/*0.041A	----	0.012 - 0.036	.0035	----	----	----	----	1 UNCH
8535	----	----	----	----/*0.048A	----	0.012 - 0.036	.0035	----	----	----	----	1 UNCH
8540	----	----	----	----/*0.049A	----	0.012 - 0.036	.0035	----	----	----	----	14 UNCH
8545	----	----	----	----/*0.050A	----	0.012 - 0.035	.0035	----	----	----	----	4 UNCH
8550	0.030	0.030	0.040/*0.030	0.040/*0.030	----	0.012 - 0.035	.0034	----	----	3	----	9 - 2
8565	----	----	----	----/*0.057A	----	0.011 - 0.035	.0031	----	----	----	----	10 UNCH
8575	----	----	----	----/*0.057A	----	0.011 - 0.035	.0031	----	----	----	----	34 UNCH
8580	----	----	----	0.002B/*0.053A	----	0.011 - 0.034	.0030	----	----	----	----	1 UNCH
8590	----	----	----/*0.042A	----/*0.042A	----	0.011 - 0.034	.0030	----	----	----	----	1 UNCH
8595	----	----	----	----/*0.054A	----	0.011 - 0.034	.0030	----	----	----	----	4 UNCH
8600	0.032	0.032	0.032/0.032	0.032/0.032	----	0.011 - 0.033	.0030	----	----	4	----	441 + 4
8605	----	----	----	0.001B/*0.053A	----	0.011 - 0.033	.0030	----	----	----	----	9 UNCH
8615	----	----	----	----/*0.052A	----	0.010 - 0.034	.0027	----	----	----	----	1 UNCH
8620	----	----	----/*0.040A	0.016B/*0.040A	----	0.010 - 0.034	.0026	----	----	----	----	5 UNCH
8625	----	----	----	----/*0.051A	----	0.010 - 0.033	.0026	----	----	----	----	3 UNCH
8630	----	----	----	----/*0.050A	----	0.010 - 0.033	.0026	----	----	----	----	2 UNCH
8635	----	----	----	----/*0.049A	----	0.010 - 0.033	.0026	----	----	----	----	1 UNCH
8640	----	----	----	----/*0.049A	----	0.010 - 0.033	.0026	----	----	----	----	1 UNCH
8650	----	----	----	----/*0.048A	----	0.010 - 0.032	.0026	----	----	----	----	9 UNCH
8660	----	----	----	----/*0.047A	----	0.010 - 0.032	.0025	----	----	----	----	1 UNCH
8670	----	----	----	----/*0.046A	----	0.010 - 0.032	.0025	----	----	----	----	1 UNCH
8675	----	----	----	----/*0.046A	----	0.009 - 0.032	.0022	----	----	----	----	1 UNCH
8695	----	----	----	----/*0.044A	----	0.009 - 0.032	.0022	----	----	----	----	2 UNCH
8700	0.030	0.030	0.030/*0.030	0.030/*0.030	----	0.009 - 0.031	.0022	----	----	5	----	145 - 1
8705	----	----	----/*0.027A	----/*0.027A	----	0.009 - 0.031	.0022	----	----	----	----	21 UNCH
8725	----	----	----/*0.028A	----/*0.028A	----	0.008 - 0.030	.0019	----	----	----	----	2 UNCH
8750	0.015	0.015	0.015/*0.015	0.021B/*0.015	----	0.008 - 0.028	.0018	----	----	1	----	76 UNCH
8775	----	----	----	----/*0.039A	----	0.007 - 0.027	.0016	----	----	----	----	17 UNCH
8800	----	----	----	----/*0.037A	----	0.007 - 0.026	.0015	----	----	----	----	674 UNCH
8850	----	----	----	----/*0.035A	----	0.006 - 0.024	.0012	----	----	----	----	3 UNCH
8875	0.007	0.007	0.007/*0.007	0.007/*0.007	----	0.005 - 0.023	.0010	----	----	1	----	11 + 1
8900	----	----	----	----/0.033A	----	0.005 - 0.022	.0010	----	----	----	----	96 UNCH
8925	----	----	----	----/*0.033A	----	0.005 - 0.021	.0009	----	----	----	----	8 UNCH
8950	----	----	----	----/*0.032A	----	0.004 - 0.021	.0007	----	----	----	----	80 UNCH
8975	----	----	----	----/*0.032A	----	0.004 - 0.020	.0007	----	----	----	----	25 UNCH
9000	0.015	0.015	0.015/0.015	0.015/0.015	----	0.004 - 0.019	.0007	----	----	2	----	1201 UNCH
9025	----	----	----	----/*0.031A	----	0.004 - 0.018	.0007	----	----	----	----	23 UNCH
9050	----	----	----	----/*0.031A	----	0.004 - 0.017	.0007	----	----	----	----	29 UNCH
9075	----	----	----	----/*0.030A	----	0.003 - 0.018	.0005	----	----	----	----	6 UNCH
9100	----	----	----	----/*0.029A	----	0.003 - 0.017	.0005	----	----	----	----	76 UNCH
9125	----	----	----	----/*0.030A	----	0.003 - 0.016	.0004	----	----	----	----	5 UNCH
9150	----	----	----	----/*0.030A	----	0.003 - 0.016	.0004	----	----	----	----	29 UNCH
9175	----	----	----	----/*0.030A	----	0.003 - 0.015	.0004	----	----	----	----	8 UNCH
9200	----	----	----/*0.015A	----/*0.015A	----	0.003 - 0.015	.0004	----	----	----	----	155 UNCH
9225	----	----	----	----/*0.029A	----	0.003 - 0.014	.0004	----	----	----	----	17 UNCH
9250	----	----	----	----/*0.029A	----	0.003 - 0.014	.0004	----	----	----	----	37 UNCH
9275	----	----	----	----/*0.025A	----	0.002 - 0.015	.0002	----	----	----	----	29 UNCH
9300	----	----	----	----/*0.029A	----	0.002 - 0.014	.0002	----	----	----	----	151 UNCH
9325	----	----	----	----/*0.029A	----	0.002 - 0.014	.0002	----	----	----	----	6 UNCH
9350	----	----	----	----/*0.015A	----	0.002 - 0.013	.0002	----	----	----	----	48 UNCH
9375	----	----	----	----/*0.029A	----	0.002 - 0.013	.0002	----	----	----	----	13 UNCH
9400	----	----	----	----/*0.025A	----	0.002 - 0.012	.0002	----	----	----	----	53 UNCH
9425	----	----	----	----/*0.026A	----	0.002 - 0.012	.0002	----	----	----	----	8 UNCH
9450	----	----	----	----/*0.029A	----	0.002 - 0.011	.0002	----	----	----	----	21 UNCH
9475	----	----	----	----/*0.029A	----	0.002 - 0.011	.0002	----	----	----	----	17 UNCH
9500	----	----	----	0.010B/0.020A	----	0.002 - 0.011	.0002	----	----	----	----	790 UNCH
9525	----	----	----	----/*0.029A	----	0.002 - 0.010	.0002	----	----	----	----	21 UNCH
9550	----	----	----	----/*0.029A	----	0.002 - 0.010	.0002	----	----	----	----	30 UNCH
9575	----	----	----	----/*0.029A	----	0.001 - 0.010	.0001	----	----	----	----	4 UNCH
9600	0.012	0.012	0.012/*0.012	0.012/*0.012	----	0.001 - 0.010	.0000	----	----	5	----	113 - 5
9625	----	----	----	----/*0.029A	----	0.001 - 0.010	.0000	----	----	----	----	6 UNCH
9650	----	----	----	----/0.029A	----	0.001 - 0.010	.0000	----	----	----	----	15 UNCH
9675	----	----	----	----/0.029A	----	0.001 - 0.009	.0000	----	----	----	----	13 UNCH
9700	----	----	----	----/*0.027A	----	0.001 - 0.009	.0000	----	----	----	----	67 UNCH
9725	----	----	----	----/*0.027A	----	0.001 - 0.009	.0000	----	----	----	----	8 UNCH
9750	----	----	----	----/0.029A	----	0.001 - 0.008	.0000	----	----	----	----	63 UNCH
9775	----	----	----	----/0.029A	----	0.001 - 0.008	.0000	----	----	----	----	2 UNCH
9800	----	----	----	----/0.028A	----	0.001 - 0.008	.0000	----	----	----	----	98 UNCH
9825	----	----	----	----/0.029A	----	0.001 - 0.008	.0000	----	----	----	----	12 UNCH
9850	----	----	----	----/0.028A	----	0.001 - 0.007	.0000	----	----	----	----	30 UNCH
9875	----	----	----	----/0.029A	----	0.001 - 0.007	.0000	----	----	----	----	11 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL		COMEX SILVER OPTIONS											
MAY26													
9900	----	----	----	----/0.029A	----	0.001 - 0.007	.0000	----	----	----	----	239	UNCH
9925	----	----	----	----/0.029A	----	0.001 - 0.007	.0000	----	----	----	----	2	UNCH
9950	----	----	----	----/0.029A	----	0.001 - 0.006	.0000	----	----	----	----	21	UNCH
9975	----	----	----	----/0.029A	----	0.001 - 0.006	.0000	----	----	----	----	2	UNCH
10000	----	----	0.009B/----	0.009B/0.014A	----	0.001 - 0.006	.0000	----	----	----	----	1047	UNCH
10025	----	----	----	----/0.029A	----	0.001 - 0.006	----	----	----	----	----	2	UNCH
10050	----	----	----	----/0.031A	----	0.001 - 0.006	----	----	----	----	----	23	UNCH
10075	----	----	----	----/0.029A	----	0.001 - 0.005	----	----	----	----	----	4	UNCH
10100	----	----	----	----/0.030A	----	0.001 - 0.005	----	----	----	----	----	63	UNCH
10125	----	----	----	----/0.033A	----	0.001 - 0.005	----	----	----	----	----	1	UNCH
10175	----	----	----	----/0.032A	----	0.001 - 0.005	----	----	----	----	----	1	UNCH
10200	----	----	----	----/0.030A	----	0.001 - 0.005	----	----	----	----	----	28	UNCH
10225	----	----	----	----/0.029A	----	0.001 - 0.005	----	----	----	----	----	1	UNCH
10250	----	----	----	----/0.033A	----	0.001 - 0.004	----	----	----	----	----	5	UNCH
10275	----	----	----	----/0.032A	----	0.001 - 0.004	----	----	----	----	----	4	UNCH
10300	----	----	----	----/0.033A	----	0.001 - 0.004	----	----	----	----	----	204	UNCH
10305	----	----	----	----/0.033A	----	0.001 - 0.004	----	----	----	----	----	2	UNCH
10325	----	----	----	----/0.031A	----	0.001 - 0.004	----	----	----	----	----	1	UNCH
10350	----	----	----	----/0.032A	----	0.001 - 0.004	----	----	----	----	----	2	UNCH
10375	----	----	----	----/0.034A	----	0.001 - 0.004	----	----	----	----	----	1	UNCH
10400	----	----	----	----/0.033A	----	0.001 - 0.004	----	----	----	----	----	29	UNCH
10425	----	----	----	----/0.033A	----	0.001 - 0.004	----	----	----	----	----	19	UNCH
10450	----	----	----	----/0.033A	----	0.001 - 0.003	----	----	----	----	----	4	UNCH
10480	----	----	----	----/0.033A	----	0.001 - 0.003	----	----	----	----	----	2	UNCH
10485	----	----	----	----/0.033A	----	0.001 - 0.003	----	----	----	----	----	2	UNCH
10490	----	----	----	----/0.033A	----	0.001 - 0.003	----	----	----	----	----	1	UNCH
10500	0.004	0.004	0.004/*0.004	0.004/*0.004	----	0.001 - 0.003	----	----	----	1	----	282	UNCH
10515	----	----	----	----/0.031A	----	0.001 - 0.003	----	----	----	----	----	7	UNCH
10520	----	----	----	----/0.033A	----	0.001 - 0.003	----	----	----	----	----	2	UNCH
10550	----	----	----	----/0.033A	----	0.001 - 0.003	----	----	----	----	----	2	UNCH
10555	----	----	----	----/0.033A	----	0.001 - 0.003	----	----	----	----	----	1	UNCH
10560	----	----	----	----/0.039A	----	0.001 - 0.003	----	----	----	----	----	26	UNCH
10570	----	----	----	----/0.044A	----	0.001 - 0.003	----	----	----	----	----	1	UNCH
10575	----	----	----	----/0.043A	----	0.001 - 0.003	----	----	----	----	----	1	UNCH
10580	----	----	----	----/0.039A	----	0.001 - 0.003	----	----	----	----	----	1	UNCH
10595	----	----	----	----/0.035A	----	0.001 - 0.003	----	----	----	----	----	2	UNCH
10600	----	----	----	----/0.036A	----	0.001 - 0.003	----	----	----	----	----	23	UNCH
10605	----	----	----	----/0.035A	----	0.001 - 0.003	----	----	----	----	----	5	UNCH
10610	----	----	----	----/0.043A	----	0.001 - 0.003	----	----	----	----	----	1	UNCH
10615	----	----	----	----/0.043A	----	0.001 - 0.003	----	----	----	----	----	1	UNCH
10625	----	----	----	----/0.035A	----	0.001 - 0.003	----	----	----	----	----	1	UNCH
10630	----	----	----	----/0.035A	----	0.001 - 0.003	----	----	----	----	----	1	UNCH
10650	----	----	----	----/0.043A	----	0.001 - 0.003	----	----	----	----	----	1	UNCH
10655	----	----	----	----/0.042A	----	0.001 - 0.003	----	----	----	----	----	1	UNCH
10670	----	----	----	----/0.206A	----	0.001 - 0.003	----	----	----	----	----	1	UNCH
10675	----	----	----	----/0.206A	----	0.001 - 0.003	----	----	----	----	----	3	UNCH
10680	----	----	----	----/0.206A	----	0.001 - 0.003	----	----	----	----	----	7	UNCH
10685	----	----	----	----/0.206A	----	0.001 - 0.003	----	----	----	----	----	1	UNCH
10690	----	----	----	----/0.206A	----	0.001 - 0.003	----	----	----	----	----	1	UNCH
10700	----	----	----	----/0.206A	----	0.001 - 0.003	----	----	----	----	----	93	UNCH
10720	----	----	----	----/0.197A	----	0.001 - 0.003	----	----	----	----	----	1	UNCH
10725	----	----	----	----/0.206A	----	0.001 - 0.003	----	----	----	----	----	3	UNCH
10750	----	----	----	----/0.207A	----	0.001 - 0.003	----	----	----	----	----	1	UNCH
10755	----	----	----	----/0.207A	----	0.001 - 0.003	----	----	----	----	----	1	UNCH
10760	----	----	----	----/0.207A	----	0.001 - 0.003	----	----	----	----	----	10	UNCH
10765	----	----	----	----/0.207A	----	0.001 - 0.003	----	----	----	----	----	10	UNCH
10770	----	----	----	----/0.207A	----	0.001 - 0.003	----	----	----	----	----	1	UNCH
10800	----	----	----	----/0.207A	----	0.001 - 0.003	----	----	----	----	----	21	UNCH
10825	----	----	----	----/0.207A	----	0.001 - 0.003	----	----	----	----	----	1	UNCH
10835	----	----	----	----/0.207A	----	0.001 - 0.003	----	----	----	----	----	1	UNCH
10850	----	----	----	----/0.207A	----	0.001 - 0.003	----	----	----	----	----	12	UNCH
10855	----	----	----	----/0.207A	----	0.001 - 0.002	----	----	----	----	----	3	UNCH
10875	----	----	----	----/0.207A	----	0.001 - 0.002	----	----	----	----	----	2	UNCH
10900	----	----	----	----/0.207A	----	0.001 - 0.002	----	----	----	----	----	40	UNCH
10925	----	----	----	----/0.207A	----	0.001 - 0.002	----	----	----	----	----	5	UNCH
10950	----	----	----	----/0.208A	----	0.001 - 0.002	----	----	----	----	----	2	UNCH
10975	----	----	----	----/0.208A	----	0.001 - 0.002	----	----	----	----	----	9	UNCH
11000	----	----	----	----/0.012A	----	0.001 - 0.002	----	----	----	----	----	695	UNCH
11025	----	----	----	----/0.208A	----	0.001 - 0.002	----	----	----	----	----	5	UNCH
11050	----	----	----	----/0.208A	----	0.001 - 0.002	----	----	----	----	----	2	UNCH
11075	----	----	----	----/0.208A	----	0.001 - 0.002	----	----	----	----	----	1	UNCH
11100	----	----	----	----/0.208A	----	0.001 - 0.002	----	----	----	----	----	59	UNCH
11125	----	----	----	----/0.208A	----	0.001 - 0.002	----	----	----	----	----	3	UNCH
11150	----	----	----	----/0.208A	----	0.001 - 0.002	----	----	----	----	----	2	UNCH
11200	----	----	----	----/0.208A	----	0.001 - 0.002	----	----	----	----	----	262	UNCH
11225	----	----	----	----/0.208A	----	0.001 - 0.002	----	----	----	----	----	40	UNCH
11240	----	----	----	----/0.209A	----	0.001 - 0.001	----	----	----	----	----	2	UNCH
11245	----	----	----	----/0.209A	----	0.001 - 0.001	----	----	----	----	----	2	UNCH
11250	----	----	----	----/0.209A	----	0.001 - 0.001	----	----	----	----	----	22	UNCH
11255	----	----	----	----/0.209A	----	0.001 - 0.001	----	----	----	----	----	1	UNCH
11260	----	----	----	----/0.209A	----	0.001 - 0.001	----	----	----	----	----	1	UNCH
11265	----	----	----	----/0.209A	----	0.001 - 0.001	----	----	----	----	----	1	UNCH
11275	----	----	----	----/0.209A	----	0.001 - 0.001	----	----	----	----	----	1	UNCH
11290	----	----	----	----/0.209A	----	0.001 - 0.001	----	----	----	----	----	1	UNCH
11300	----	----	----	----/0.209A	----	0.001 - 0.001	----	----	----	----	----	93	UNCH
11305	----	----	----	----/0.199A	----	0.001 - 0.001	----	----	----	----	----	1	UNCH
11315	----	----	----	----/0.209A	----	0.001 - 0.001	----	----	----	----	----	1	UNCH
11325	----	----	----	----/0.209A	----	0.001 - 0.001	----	----	----	----	----	8	UNCH
11335	----	----	----	----/0.209A	----	0.001 - 0.001	----	----	----	----	----	2	UNCH
11345	----	----	----	----/0.209A	----	0.001 - 0.001	----	----	----	----	----	1	UNCH
11350	----	----	----	----/0.209A	----	0.001 - 0.001	----	----	----	----	----	4	UNCH
11365	----	----	----	----/0.209A	----	0.001 - 0.001	----	----	----	----	----	1	UNCH
11370	----	----	----	----/0.209A	----	0.001 - 0.001	----	----	----	----	----	2	UNCH
11380	----	----	----	----/0.209A	----	0.001 - 0.001	----	----	----	----	----	3	UNCH
11385	----	----	----	----/0.209A	----	0.001 - 0.001	----	----	----	----	----	1	UNCH
11400	----	----	----	----/0.209A	----	0.001 - 0.001	----	----	----	----	----	10	UNCH
11450	----	----	----	----/0.209A	----	0.001 - 0.001	----	----	----	----	----	41	UNCH
11455	----	----	----	----/0.209A	----	0.001 - 0.001	----	----	----	----	----	1	UNCH
11465	----	----	----	----/0.209A	----	0.001 - 0.001	----	----	----	----	----	1	UNCH
11475	----	----	----	----/0.209A	----	0.001 - 0.001	----	----	----	----	----	1	UNCH
11480	----	----	----	----/0.209A	----	0.001 - 0.001	----	----	----	----	----	1	UNCH
11485	----	----	----	----/0.209A	----	0.001 - 0.001	----	----	----	----	----	2	UNCH
11500	----	----	----	----/*0.011A	----	0.001 - 0.001	----	----	----	----	----	238	UNCH
11505	----	----	----	----/0.209A	----	0.001 - 0.001	----	----	----	----	----	2	UNCH
11515	----	----	----	----/0.209A	----	0.001 - 0.001	----	----	----	----	----	2	UNCH
11525	----	----	----	----/0.209A	----	0.001 - 0.001	----	----	----	----	----	7	UNCH
11530	----	----	----	----/0.209A	----	0.001 - 0.001	----	----	----	----	----	10	UNCH
11540	----	----	----	----/0.209A	----	0.001 - 0.001	----	----	----	----	----	10	UNCH
11550	----	----	----	----/0.209A	----	0.001 - 0.001	----	----	----	----	----	22	UNCH
11570	----	----	----	----/0.209A	----	0.001 - 0.001	----	----	----	----	----	1	UNCH
11575	----	----	----	----/0.209A	----	0.001 - 0.001	----	----	----	----	----	1	UNCH
11595	----	----	----	----/0.209A	----	0.001 - 0.001	----	----	----	----	----	1	UNCH
11600	----	----	----	----/0.209A	----	0.001 - 0.001	----	----	----	----	----	43	UNCH
11615	----	----	----	----/0.209A	----	0.001 - 0.001	----	----	----	----	----	1	UNCH
11625	----	----	----	----/0.209A	----	0.001 - 0.001	----	----	----	----	----	2	UNCH
11630	----	----	----	----/0.209A	----	0.001 - 0.001	----	----	----	----	----	1	UNCH
11640	----	----	----	----/0.209A	----	0.001 - 0.001	----	----	----	----	----	1	UNCH
11650	----	----	----	----/0.197A	----	0.001 - 0.001	----	----	----	----	----	2	UNCH
11665	----	----	----	----/0.209A	----	0.001 - 0.001	----	----	----	----	----	1	UNCH
11685	----	----	----	----/0.209A	----	0.001 - 0.001	----	----	----	----	----	1	UNCH
11690	----	----	----	----/0.209A	----	0.001 - 0.001	----	----	----	----	----	1	UNCH
11700	----	----	----	----/0.209A	----	0.001 UNCH	----	----	----	----	----	85	UNCH
11705	----	----	----	----/0.209A	----	0.001 UNCH	----	----	----	----	----	1	UNCH
11725	----	----	----	----/0.209A	----	0.001 UNCH	----	----	----	----	----	6	UNCH
11730	----	----	----	----/0.209A	----	0.001 UNCH	----	----	----	----	----	1	UNCH
11750	----	----	----	----/0.209A	----	0.001 UNCH	----	----	----	----	----	5	UNCH
11775	----	----	----	----/0.209A	----	0.001 UNCH	----	----	----	----	----	2	UNCH
11800	----	----	----	----/0.198A	----	0.001 UNCH	----	----	----	----	----	61	UNCH
11825	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	2	UNCH
11850	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	3	UNCH
11900	----	----	----	----/0.181A	----	0.001 UNCH	----	----	----	----	----	86	UNCH
11925	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	2	UNCH
11950	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	5	UNCH
11975	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	4	UNCH
12000	----	----	----	----/0.010A	----	0.001 UNCH	----	----	----	----	----	838	UNCH
12025	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	1	UNCH
12050	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	1	UNCH
12075	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	1	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL		COMEX SILVER OPTIONS												
MAY26														
12100	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	17	UNCH
12125	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	1	UNCH
12150	----	----	----	----/0.175A	----	0.001	UNCH	----	----	----	----	----	13	UNCH
12175	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	1	UNCH
12200	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	3	UNCH
12225	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	2	UNCH
12250	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	3	UNCH
12300	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	118	UNCH
12350	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	2	UNCH
12375	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	1	UNCH
12400	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	12	UNCH
12450	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	5	UNCH
12500	----	----	----	----/0.045A	----	0.001	UNCH	----	----	----	----	----	331	UNCH
12525	----	----	----	----/0.185A	----	0.001	UNCH	----	----	----	----	----	2	UNCH
12550	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	3	UNCH
12600	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	31	UNCH
12650	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	3	UNCH
12675	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	3	UNCH
12700	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	5	UNCH
12725	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	1	UNCH
12775	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	2	UNCH
12800	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	30	UNCH
12900	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	72	UNCH
13000	----	----	----	----/0.010A	----	0.001	UNCH	----	----	----	----	----	282	UNCH
13100	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	3	UNCH
13200	----	----	----	----/0.167A	----	0.001	UNCH	----	----	----	----	----	44	UNCH
13300	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	3	UNCH
13400	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	3	UNCH
13500	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	64	UNCH
13600	----	----	----	----/0.165A	----	0.001	UNCH	----	----	----	----	----	19	UNCH
13700	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	76	UNCH
13800	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	39	UNCH
13900	----	----	----	----/0.164A	----	0.001	UNCH	----	----	----	----	----	4	UNCH
14000	----	----	----	----/0.100A	----	0.001	UNCH	----	----	----	----	----	400	UNCH
14100	----	----	----	----/0.165A	----	0.001	UNCH	----	----	----	----	----	27	UNCH
14200	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	41	UNCH
14300	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	6	UNCH
14400	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	13	UNCH
14500	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	291	UNCH
14600	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	55	UNCH
14700	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	9	UNCH
14800	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	62	UNCH
14900	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	3	UNCH
15000	----	----	----	----/0.010A	----	0.001	UNCH	----	----	----	----	----	450	UNCH
15100	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	9	UNCH
15200	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	54	UNCH
15300	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	11	UNCH
15500	----	----	----	----/0.169A	----	0.001	UNCH	----	----	----	----	----	115	UNCH
15600	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	1	UNCH
15700	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	19	UNCH
15800	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	14	UNCH
15900	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	14	UNCH
16000	----	----	----	----/0.200A	----	0.001	UNCH	----	----	----	----	----	721	UNCH
16100	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	6	UNCH
16200	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	1	UNCH
16300	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	1	UNCH
16400	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	2	UNCH
16500	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	56	UNCH
16600	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	3	UNCH
16700	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	5	UNCH
16800	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	6	UNCH
16900	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	67	UNCH
17000	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	67	UNCH
17100	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	8	UNCH
17200	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	6	UNCH
17300	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	5	UNCH
17400	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	6	UNCH
17500	----	----	----	----/*0.003A	----	0.001	UNCH	----	----	----	----	----	96	UNCH
17600	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	7	UNCH
17700	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	9	UNCH
17800	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	8	UNCH
17900	----	----	----	----/0.170A	----	0.001	UNCH	----	----	----	----	----	3	UNCH
18000	----	----	----	----/0.050A	----	0.001	UNCH	----	----	----	----	----	54	UNCH
18100	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	1	UNCH
18200	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	11	UNCH
18300	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	5	UNCH
18400	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	2	UNCH
18500	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	11	UNCH
18700	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	8	UNCH
18800	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	6	UNCH
18900	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	3	UNCH
19000	----	----	----	----/0.003A	----	0.001	UNCH	----	----	----	----	----	51	UNCH
19100	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	74	UNCH
19200	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	130	UNCH
19300	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	6	UNCH
19400	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	66	UNCH
19500	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	86	UNCH
19700	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	2	UNCH
19800	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	10	UNCH
19900	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	11	UNCH
20000	----	----	----	----/0.001A	----	0.001	UNCH	----	----	----	----	----	382	UNCH
21000	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	14	UNCH
22000	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	10	UNCH
23000	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	6	UNCH
24000	----	----	----	----/0.210A	----	0.001	UNCH	----	----	----	----	----	4	UNCH
25000	----	----	----	----/0.002A	----	0.001	UNCH	----	----	----	----	----	94	UNCH
TOTAL											861	170	23604 -	347
JUN26														
4300	----	----	34.064B/32.858A	34.064B/32.858A	----	33.963 +	0.860	.9914	----	----	----	----	20	UNCH
4850	----	----	28.534B/27.396A	28.534B/27.396A	----	28.487 +	0.846	.9868	----	----	----	----	7	UNCH
4900	----	----	28.037B/26.888A	28.037B/26.888A	----	27.990 +	0.845	.9862	----	----	----	----	9	UNCH
5000	----	----	27.125B/25.846A	27.125B/25.846A	----	26.996 +	0.843	.9849	----	----	----	----	367	UNCH
5025	----	----	26.792B/25.665A	26.792B/25.665A	----	26.748 +	0.843	.9846	----	----	----	----	6	UNCH
5050	----	----	26.552B/25.409A	26.552B/25.409A	----	26.500 +	0.842	.9842	----	----	----	----	1	UNCH
5200	----	----	25.088B/23.874A	25.088B/23.874A	----	25.014 +	0.840	.9817	----	----	----	----	79	UNCH
5225	----	----	24.845B/23.690A	24.845B/23.690A	----	24.767 +	0.840	.9811	----	----	----	----	4	UNCH
5275	----	----	24.346B/23.208A	24.346B/23.208A	----	24.273 +	0.839	.9800	----	----	----	----	7	UNCH
5300	----	----	24.103B/22.961A	24.103B/22.961A	----	24.026 +	0.838	.9794	----	----	----	----	3	UNCH
5325	----	----	23.855B/22.708A	23.855B/22.708A	----	23.780 +	0.838	.9789	----	----	----	----	5	UNCH
5350	----	----	23.605B/22.476A	23.605B/22.476A	----	23.533 +	0.837	.9782	----	----	----	----	7	UNCH
5400	----	----	23.116B/21.975A	23.116B/21.975A	----	23.041 +	0.837	.9769	----	----	----	----	2	UNCH
5425	----	----	22.865B/21.735A	22.865B/21.735A	----	22.796 +	0.837	.9760	----	----	----	----	9	UNCH
5500	----	----	22.153B/20.963A	22.153B/20.963A	----	22.060 +	0.836	.9737	----	----	----	----	344	UNCH
5525	----	----	21.885B/20.748A	21.885B/20.748A	----	21.815 +	0.835	.9727	----	----	----	----	2	UNCH
5600	----	----	21.137B/20.041A	21.137B/20.041A	----	21.083 +	0.835	.9697	----	----	----	----	7	UNCH
5625	----	----	20.899B/19.800A	20.899B/19.800A	----	20.839 +	0.834	.9687	----	----	----	----	11	UNCH
5675	----	----	20.393B/19.302A	20.393B/19.302A	----	20.353 +	0.833	.9664	----	----	----	----	3	UNCH
5700	----	----	20.224B/19.025A	20.224B/19.025A	----	20.110 +	0.832	.9651	----	----	----	----	56	UNCH
5725	----	----	19.916B/18.842A	19.916B/18.842A	----	19.868 +	0.832	.9639	----	----	----	----	10	UNCH
5750	----	----	19.677B/18.603A	19.677B/18.603A	----	19.626 +	0.831	.9626	----	----	----	----	13	UNCH
5775	----	----	19.408B/18.348A	19.408B/18.348A	----	19.385 +	0.830	.9611	----	----	----	----	1	UNCH
5800	----	----	19.149B/18.110A	19.149B/18.110A	----	19.144 +	0.829	.9597	----	----	----	----	2	UNCH
5825	----	----	18.906B/17.873A	18.906B/17.873A	----	18.903 +	0.828	.9582	----	----	----	----	1	UNCH
5850	----	----	18.702B/17.651A	18.702B/17.651A	----	18.663 +	0.827	.9566	----	----	----	----	9	UNCH
5900	----	----	18.182B/17.163A	18.182B/17.163A	----	18.185 +	0.825	.9531	----	----	----	----	4	UNCH
5925	----	----	17.978B/16.942A	17.978B/16.942A	----	17.946 +	0.823	.9513	----	----	----	----	17	UNCH
6000	----	----	17.305B/16.205A	17.305B/16.205A	----	17.233 +	0.817	.9454	----	----	----	----	401	UNCH
6025	----	----	17.022B/16.007A	17.022B/16.007A	----	16.997 +	0.815	.9433	----	----	----	----	7	UNCH
6050	----	----	16.760B/15.747A	16.760B/15.747A	----	16.761 +	0.812	.9411	----	----	----	----	4	UNCH
6075	----	----	16.575B/15.527A	16.575B/15.527A	----	16.525 +	0.809	.9389	----	----	----	----	30	UNCH
6100	----	----	16.311B/15.301A	16.311B/15.301A	----	16.291 +	0.806	.9365	----	----	----	----	16	UNCH
6200	----	----	15.432B/14.362A	15.432B/14.362A	----	15.359 +	0.788	.9260	----	----	----	----	101	UNCH
6225	----	----	15.125B/14.150A	15.125B/14.150A	----	15.128 +	0.783	.9231	----	----	----	----	1	UNCH
6250	----	----	14.893B/13.926A	14.893B/13.926A	----	14.898 +	0.778	.9201	----	----	----	----	4	UNCH
6300	----	----	14.431B/13.481A	14.431B/13.481A	----	14.440 +	0.765	.9139	----	----	----	----	4	UNCH
6400	----	----	13.585B/12.585A	13.585B/12.585A	----	13.536 +	0.736	.8998	----	----	----	----	110	UNCH
6425	----	----	13.327B/12.377A	13.327B/12.377A	----	13.312 +	0.727	.8960	----	----	----	----	25	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 52

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUN26												
6450	----	----	13.074B/12.176A	13.074B/12.176A	----	13.090 + 0.719	.8921	----	----	----	----	5 UNCH
6475	----	----	12.859B/11.978A	12.859B/11.978A	----	12.869 + 0.711	.8879	----	----	----	----	7 UNCH
6500	----	----	12.634B/11.768A	12.634B/11.768A	----	12.649 + 0.701	.8838	----	----	----	----	13 UNCH
6625	----	----	11.535B/10.732A	11.535B/10.732A	----	11.569 + 0.653	.8604	----	----	----	----	10 UNCH
6700	----	----	10.855B/10.126A	10.855B/10.126A	----	10.939 + 0.623	.8447	----	----	----	----	1 UNCH
6725	----	----	10.646B/9.974A	10.646B/9.974A	----	10.732 + 0.612	.8391	----	----	----	----	1 UNCH
6750	----	----	10.444B/9.770A	10.444B/9.770A	----	10.527 + 0.602	.8334	----	----	----	----	3 UNCH
6800	----	----	10.070B/9.354A	10.070B/9.354A	----	10.122 + 0.582	.8214	----	----	----	----	6 UNCH
6850	----	----	9.646B/9.013A	9.646B/9.013A	----	9.725 + 0.561	.8088	----	----	----	----	5 UNCH
6900	----	----	9.272B/8.592A	9.272B/8.592A	----	9.335 + 0.541	.7957	----	----	----	----	16 UNCH
6925	----	----	9.058B/8.411A	9.058B/8.411A	----	9.143 + 0.530	.7889	----	----	----	----	9 UNCH
6975	----	----	8.703B/8.055A	8.703B/8.055A	----	8.765 + 0.509	.7749	----	----	----	----	7 UNCH
7000	----	----	8.571B/7.831A	8.571B/7.831A	----	8.580 + 0.500	.7676	----	----	----	----	126 UNCH
7025	----	----	8.289B/7.746A	8.289B/7.746A	----	8.396 + 0.489	.7602	----	----	----	----	1 UNCH
7050	----	----	8.114B/7.556A	8.114B/7.556A	----	8.215 + 0.479	.7527	----	----	----	----	1 UNCH
7075	----	----	7.933B/7.389A	7.933B/7.389A	----	8.035 + 0.468	.7451	----	----	----	----	4 UNCH
7100	----	----	7.841B/7.152A	7.841B/7.152A	----	7.859 + 0.458	.7373	----	----	----	----	97 UNCH
7150	----	----	7.438B/6.764A	7.438B/6.764A	----	7.512 + 0.437	.7214	----	----	----	----	1 UNCH
7225	----	----	6.910B/5.889A	6.910B/5.889A	----	7.009 + 0.405	.6967	----	----	----	----	1 UNCH
7250	----	----	6.793B/5.724A	6.793B/5.724A	----	6.846 + 0.394	.6882	----	----	----	----	31 UNCH
7275	----	----	6.581B/5.609A	6.581B/5.609A	----	6.686 + 0.384	.6796	----	----	----	----	2 UNCH
7300	----	----	6.465B/5.429A	6.465B/5.429A	----	6.528 + 0.373	.6710	----	----	----	----	11 UNCH
7350	5.700	5.700	6.144B/5.362A	6.144B/5.362A	----	6.219 + 0.351	.6535	----	----	4	----	1 + 1
7375	----	----	5.997B/5.072A	5.997B/5.072A	----	6.069 + 0.340	.6446	----	----	----	----	4 UNCH
7400	----	----	5.853B/4.915A	5.853B/4.915A	----	5.920 + 0.328	.6357	----	----	----	----	4 UNCH
7425	----	----	5.739B/4.811A	5.739B/4.811A	----	5.775 + 0.318	.6267	----	----	----	----	12 UNCH
7450	----	----	5.599B/4.694A	5.599B/4.694A	----	5.632 + 0.307	.6176	----	----	----	----	12 UNCH
7475	----	----	5.433B/4.577A	5.433B/4.577A	----	5.491 + 0.295	.6085	----	----	----	----	2 UNCH
7500	5.069	5.069	5.335B/4.368	5.335B/4.368	----	5.353 + 0.284	.5994	----	----	9	----	262 + 4
7525	----	----	5.263B/4.360A	5.263B/4.360A	----	5.218 + 0.273	.5902	----	----	----	----	9 UNCH
7550	----	----	5.139B/4.251A	5.139B/4.251A	----	5.085 + 0.261	.5810	----	----	----	----	25 UNCH
7575	----	----	4.996B/*4.144A	4.996B/4.144A	----	4.955 + 0.250	.5718	----	----	----	----	1 UNCH
7600	4.364	4.364	4.947B/*4.002A	4.947B/*4.002A	----	4.827 + 0.239	.5626	----	----	2	----	22 + 2
7650	3.731	3.731	4.699/*3.731	4.699/*3.731	----	4.579 NEW	.5441	----	----	2	----	2 + 2
7675	3.632	3.632	4.579B/*3.632	4.579B/*3.632	----	4.459 + 0.206	.5349	----	----	1	----	3 UNCH
7700	4.051	4.051	4.461B/*3.606A	4.461B/*3.606A	----	4.341 + 0.195	.5257	----	----	4	----	104 + 1
7725	3.699	3.699	4.345B/*3.531A	4.345B/*3.531A	----	4.226 + 0.184	.5165	----	----	1	----	9 + 1
7750	3.865	3.865	4.232B/*3.426A	4.232B/*3.426A	----	4.113 + 0.173	.5073	----	----	1	----	71 + 1
7775	----	----	4.121B/*3.332A	4.121B/*3.332A	----	4.003 + 0.162	.4982	----	----	----	----	4 UNCH
7800	----	----	4.012B/*3.241A	4.012B/*3.241A	----	3.895 + 0.152	.4891	----	----	----	----	173 UNCH
7825	----	----	3.906B/*3.165A	3.906B/*3.165A	----	3.790 + 0.142	.4800	----	----	----	----	2 UNCH
7850	----	----	3.801B/*3.066A	3.801B/*3.066A	----	3.687 + 0.131	.4710	----	----	----	----	2 UNCH
7900	3.049	3.049	3.600B/*2.879	3.600B/*2.879	----	3.488 + 0.111	.4532	----	----	6	----	105 - 2
7925	----	----	3.503B/*2.827A	3.503B/*2.827A	----	3.393 + 0.102	.4444	----	----	----	----	12 UNCH
7950	3.408	3.408	3.408/*2.743A	3.408/*2.743A	----	3.299 + 0.092	.4357	----	----	1	----	9 - 1
7975	3.315	3.315	3.315/*2.674A	3.315/*2.674A	----	3.208 + 0.083	.4270	----	----	1	----	7 - 1
8000	2.707	2.707	3.283/2.592A	3.283/2.592A	----	3.119 + 0.073	.4185	----	----	32	----	637 + 15
8025	----	----	3.135B/*2.520A	3.135B/*2.520A	----	3.033 + 0.065	.4100	----	----	----	----	4 UNCH
8050	2.252	2.252	3.048B/*2.252	3.048B/*2.252	----	2.948 + 0.056	.4016	----	----	8	----	8 + 2
8075	----	----	2.964B/*2.385A	2.964B/*2.385A	----	2.866 + 0.048	.3933	----	----	----	----	2 UNCH
8100	2.740	2.740	2.881B/*2.322A	2.881B/*2.322A	----	2.786 + 0.040	.3851	----	----	10	----	25 + 6
8125	----	----	2.801B/*2.261A	2.801B/*2.261A	----	2.708 + 0.031	.3770	----	----	----	----	3 UNCH
8150	2.630	2.630	2.722B/*2.198A	2.722B/*2.198A	----	2.632 + 0.024	.3690	----	----	1	----	14 + 1
8175	----	----	2.646B/*2.134A	2.646B/*2.134A	----	2.558 + 0.016	.3611	----	----	----	----	1 UNCH
8200	2.360	2.360	2.570B/*2.081A	2.570B/*2.081A	----	2.486 + 0.009	.3533	----	----	16	----	187 + 9
8225	----	----	2.499B/*2.020A	2.499B/*2.020A	----	2.417 + 0.002	.3457	----	----	----	----	3 UNCH
8250	----	----	2.428B/*1.964A	2.428B/*1.964A	----	2.349 - 0.004	.3381	----	----	1	----	23 + 1
8275	----	----	2.360B/*1.910A	2.360B/*1.910A	----	2.283 - 0.011	.3307	----	----	----	----	18 UNCH
8300	2.198	2.198	2.293B/1.855A	2.293B/1.855A	----	2.218 - 0.018	.3234	----	----	1	----	115 + 1
8325	----	----	2.229B/*1.813A	2.229B/*1.813A	----	2.156 - 0.024	.3162	----	----	----	----	7 UNCH
8350	----	----	2.166B/*1.762A	2.166B/*1.762A	----	2.096 - 0.029	.3092	----	----	----	----	26 UNCH
8375	----	----	2.105B/*1.709A	2.105B/*1.709A	----	2.037 - 0.035	.3022	----	----	----	----	5 UNCH
8400	1.968	1.968	2.045B/*1.664A	2.045B/*1.664A	----	1.980 - 0.040	.2954	----	----	7	----	325 + 2
8425	1.719	1.719	1.988B/*1.619A	1.988B/*1.619A	----	1.924 - 0.045	.2887	----	----	1	----	51 UNCH
8450	1.674	1.674	1.932B/*1.575A	1.932B/*1.575A	----	1.871 - 0.049	.2822	----	----	4	----	22 + 2
8475	1.635	1.635	1.878B/*1.533A	1.878B/*1.533A	----	1.818 - 0.055	.2757	----	----	1	----	4 UNCH
8500	1.594	1.594	1.850/1.492A	1.850/1.492A	----	1.768 - 0.058	.2694	----	----	69	----	620 - 1
8525	----	----	----/*1.458A	1.775B/*1.458A	----	1.719 - 0.062	.2632	----	----	----	----	18 UNCH
8550	----	----	----/*1.418A	1.725B/*1.418A	----	1.671 - 0.066	.2571	----	----	----	----	14 UNCH
8575	----	----	----/*1.378A	1.677B/*1.378A	----	1.625 - 0.070	.2512	----	----	----	----	6 UNCH
8600	1.388	1.388	1.630B/*1.342A	1.630B/*1.342A	----	1.580 - 0.073	.2454	----	----	14	----	103 + 9
8625	1.441	1.441	1.441/*1.311A	1.585B/*1.311A	----	1.537 - 0.076	.2398	----	----	1	----	5 UNCH
8650	1.399	1.399	1.399/*1.275A	1.543B/*1.275A	----	1.495 - 0.079	.2342	----	----	3	----	17 + 3
8675	1.358	1.358	1.362/*1.242A	1.503B/*1.242A	----	1.454 - 0.082	.2288	----	----	49	----	54 + 49
8700	1.338	1.338	1.338/*1.211A	1.463B/*1.211A	----	1.414 - 0.085	.2234	----	----	24	----	59 + 18
8725	1.301	1.301	1.301/*1.181A	1.426B/*1.181A	----	1.376 - 0.087	.2182	----	----	3	----	5 + 2
8750	1.264	1.264	1.264/*1.151A	1.389B/*1.151A	----	1.339 - 0.089	.2132	----	----	1	----	13 + 1
8775	1.232	1.232	1.232/*1.126A	1.353B/*1.126A	----	1.303 - 0.091	.2082	----	----	1	----	2 + 1
8800	1.200	1.200	1.200/*1.095A	1.318B/*1.095A	----	1.268 - 0.093	.2034	----	----	1	----	83 - 1
8825	----	----	----/*1.071A	1.285B/*1.071A	----	1.234 - 0.095	.1986	----	----	----	----	3 UNCH
8850	----	----	----/*1.041A	1.252B/*1.041A	----	1.201 - 0.097	.1940	----	----	----	----	28 UNCH
8875	----	----	----/*1.016A	1.221B/*1.016A	----	1.169 - 0.099	.1894	----	----	----	----	3 UNCH
8900	----	----	----/*0.991A	1.190B/*0.991A	----	1.138 - 0.101	.1850	----	----	----	----	61 UNCH
8925	----	----	----/*0.968A	1.160B/*0.968A	----	1.109 - 0.102	.1808	----	----	----	----	6 UNCH
8950	----	----	----/*0.945A	1.131B/*0.945A	----	1.080 - 0.103	.1766	----	----	----	----	77 UNCH
8975	----	----	----/*0.922A	1.102B/*0.922A	----	1.052 - 0.104	.1725	----	----	----	----	41 UNCH
9000	0.900	0.900	1.085/*0.870	1.085/*0.870	----	1.024 - 0.106	.1685	----	----	101	----	677 - 7
9025	----	----	----/*0.877A	1.048B/*0.877A	----	0.998 - 0.107	.1646	----	----	1	----	7 + 1
9050	----	----	----/*0.855A	1.023B/*0.855A	----	0.972 - 0.108	.1608	----	----	----	----	14 UNCH
9075	0.944	0.944	0.944/*0.833A	0.998B/*0.833A	----	0.948 - 0.108	.1571	----	----	6	----	3 - 3
9100	----	----	----/*0.811A	0.973B/*0.811A	----	0.924 - 0.109	.1535	----	----	2	----	332 UNCH
9125	----	----	----/*0.791A	0.950B/*0.791A	----	0.900 - 0.111	.1499	----	----	----	----	5 UNCH
9150	----	----	----/*0.771A	0.926B/*0.771A	----	0.878 - 0.111	.1466	----	----	2	----	110 + 2
9175	----	----	----/*0.751A	0.904B/*0.751A	----	0.856 - 0.111	.1432	----	----	----	----	1 UNCH
9200	----	----	----/*0.732A	0.882B/*0.732A	----	0.835 - 0.112	.1400	----	----	4	----	120 + 4
9225	----	----	----/*0.714A	0.857B/*0.714A	----	0.814 - 0.113	.1368	----	----	----	----	10 UNCH
9250	----	----	----/*0.696A	0.811B/*0.696A	----	0.794 - 0.113	.1337	----	----	----	----	8 UNCH
9275	----	----	----/*0.679A	0.816B/*0.679A	----	0.775 - 0.113	.1307	----	----	----	----	7 UNCH
9300	----	----	----/*0.663A	0.772B/*0.663A	----	0.756 - 0.114	.1277	----	----	1	----	36 - 1
9325	----	----	----/*0.647A	0.777B/*0.647A	----	0.738 - 0.114	.1249	----	----	----	----	4 UNCH
9350	----	----	----/*0.632A	0.736B/*0.632A	----	0.720 - 0.115	.1221	----	----	2	----	24 + 2
9375	----	----	----/*0.617A	0.745B/*0.617A	----	0.703 - 0.115	.1194	----	----	----	----	20 UNCH
9400	0.620	0.620	0.711B/*0.600	0.711B/*0.600	----	0.687 - 0.114	.1168	----	----	22	----	30 + 5
9425	----	----	----/*0.588A	0.706B/*0.588A	----	0.670 - 0.115	.1141	----	----	----	----	32 UNCH
9450	----	----	----/*0.574A	0.671B/*0.574A	----	0.655 - 0.115	.1117	----	----	----	----	4 UNCH
9475	----	----	----/*0.561A	0.675B/*0.561A	----	0.640 - 0.115	.1093	----	----	----	----	17 UNCH
9500	0.600	0.600	0.642B/*0.561A	0.642B/*0.561A	----	0.625 - 0.115	.1068	----	----	3	----	344 - 1
9525	----	----	----/*0.535A	0.651B/*0.535A	----	0.611 - 0.115	.1046	----	----	----	----	2 UNCH
9550	----	----	----/*0.523A	0.610B/*0.523A	----	0.597 - 0.115	.1023	----	----	----	----	4 UNCH
9575	----	----	----/*0.511A	0.622B/*0.511A	----	0.584 - 0.114	.1001	----	----	----	----	2 UNCH
9600	----	----	----/*0.500A	0.588B/*0.500A	----	0.571 - 0.114	.0980	----	----	1	----	26 - 1
9625	0.550	0.550	0.550/*0.489A	0.596B/*0.489A	----	0.558 - 0.114	.0959	----	----	4	----	9 + 4
9650	----	----	----/*0.479A	0.578B/*0.479A	----	0.546 - 0.114	.0939	----	----	----	----	2 UNCH
9675	----	----	----/*0.468A	0.571B/*0.468A	----	0.534 - 0.114	.0919	----	----	----	----	7 UNCH
9700	----	----	----/*0.458A	0.543B/*0.458A	----	0.522 - 0.114	.0899	----	----	----	----	39 UNCH
9725	----	----	----/*0.449A	0.545B/*0.449A	----	0.511 - 0.113	.0881	----	----	----	----	1 UNCH
9750	----	----	----/*0.442A	0.530B/*0.442A	----	0.500 - 0.113	.0862	----	----	----	----	29 UNCH
9775	----	----	----/*0.431A	0.525B/*0.431A	----	0.490 - 0.112	.0845	----	----	----	----	1 UNCH
9800	0.490	0.490	0.490/*0.423A	0.510B/*0.423A	----	0.479 - 0.112	.0827	----	----	2	----	25 - 1
9825	----	----	----/*0.418A	0.504B/*0.418A	----	0.469 - 0.112	.0810	----	----	1	----	1 UNCH
9850	----	----	----/*0.419A	0.488B/*0.419A	----	0.460 - 0.111	.0795	----	----	----	----	3 UNCH
9875	----	----	----/*0.417A	0.483B/*0.417A	----	0.450 - 0.111	.0778	----	----	----	----	11 UNCH
9900	----	----	----/*0.422A	0.470B/*0.422A	----	0.441 - 0.110	.0763	----	----	----	----	26 UNCH
9925	----	----	----/*0.423A	0.460B/*0.423A	----	0.432 - 0.110	.0747	----	----	----	----	2 UNCH
9950	----	----	----/*0.423A	0.451B/*0.423A	----	0.423 - 0.110	.0732	----	----	----	----	2 UNCH
9975	----	----	----/*0.425A	0.419B/*0.425A	----	0.415 - 0.109	.0718	----	----	----	----	4 UNCH
10000	0.430	0.430	0.430/*0.396	0.430/*0.396	----	0.407 - 0.108	.0704	----	----	23	----	1047 - 9
10025	----	----	----/*0.432A	0.400B/*0.432A	----	0.399 - 0.108	.0691	----	----	----	----	4 UNCH
10050	----	----	----/*0.447A	0.392B/*0.447A	----	0.391 - 0.107	.0677	----	----	----	----	6 UNCH
10075	----	----	----/*0.444A	0.385B/*0.444A	----	0.384 - 0.106	.0665	----	----	----	----	9 UNCH
10100	----	----	----/*0.392A	0.377B/*0.392A	----	0.376 - 0.106	.0651	----	----	----	----	24 UNCH
10125	----	----	----/*0.383A	0.370B/*0.383A	----	0.369 - 0.105	.0639	----	----	----	----	1 UNCH
10150	----	----	----/*0.422A	0.361B/*0.422A	----	0.362 - 0.105	.0627	----	----	----	----	2 UNCH
10175	----	----	----/*0.415A	0.355B/*0.415A	----	0.355 - 0.104	.0615	----	----	----	----	1 UNCH
10200	----	----	----/*0.397A	0.348B/*0.397A	----	0.349 - 0.103	.0604	----	----	----	----	15 UNCH
10225	----	----	----/*0.352A	0.340B/*0.352A	----	0.342 - 0.103	.0592	----	----	----	----	1 UNCH
10275	----	----	----/*0.340A	0.327B/*0.340A	----	0.330 - 0.101	.0571	----	----	----	----	1 UNCH
10300	----	----	----/*0.335A	0.322B/*0.335A	----	0.324 - 0.101	.0561	----	----	----	----	13 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUN26												
10375	----	----	----/*0.366A	0.302B/*0.366A	----	0.307 - 0.099	.0531	----	----	----	----	2 UNCH
10400	----	----	----/*0.351A	0.296B/*0.351A	----	0.302 - 0.098	.0522	----	----	1	----	26 - 1
10425	----	----	----/*0.356A	0.291B/*0.356A	----	0.297 - 0.097	.0513	----	----	----	----	1 UNCH
10450	----	----	----/*0.351A	0.286B/*0.351A	----	0.292 - 0.096	.0504	----	----	----	----	3 UNCH
10475	----	----	----/*0.345A	0.279B/*0.345A	----	0.287 - 0.095	.0495	----	----	----	----	2 UNCH
10500	----	----	----/*0.330A	0.274B/*0.330A	----	0.282 - 0.095	.0486	----	----	15	----	389 - 15
10525	----	----	----/*0.337A	0.269B/*0.337A	----	0.277 - 0.094	.0478	----	----	----	----	12 UNCH
10550	----	----	----/*0.332A	0.264B/*0.332A	----	0.273 - 0.093	.0470	----	----	----	----	1 UNCH
10575	----	----	----/*0.326A	0.260B/*0.326A	----	0.268 - 0.093	.0462	----	----	----	----	4 UNCH
10600	----	----	----/*0.315A	0.254B/*0.315A	----	0.264 - 0.092	.0454	----	----	15	----	92 - 15
10625	----	----	----/*0.319A	0.249B/*0.319A	----	0.260 - 0.091	.0447	----	----	----	----	1 UNCH
10650	----	----	----/*0.316A	0.245B/*0.316A	----	0.255 - 0.091	.0439	----	----	----	----	3 UNCH
10675	----	----	----/*0.301A	0.241B/*0.301A	----	0.251 - 0.090	.0431	----	----	----	----	15 UNCH
10700	----	----	----/*0.276A	0.236B/*0.276A	----	0.247 - 0.090	.0424	----	----	----	----	81 UNCH
10750	----	----	----/*0.285A	0.227B/*0.285A	----	0.240 - 0.088	.0411	----	----	----	----	5 UNCH
10800	----	----	----/*0.287A	0.219B/*0.287A	----	0.233 - 0.086	.0399	----	----	----	----	2 UNCH
10825	----	----	----/*0.293A	0.214B/*0.293A	----	0.229 - 0.086	.0392	----	----	----	----	1 UNCH
10850	----	----	----/*0.291A	0.210B/*0.291A	----	0.226 - 0.085	.0386	----	----	----	----	12 UNCH
10875	----	----	----/*0.287A	0.206B/*0.287A	----	0.222 - 0.085	.0379	----	----	----	----	6 UNCH
10900	----	----	----/*0.277A	0.202B/*0.277A	----	0.219 - 0.084	.0374	----	----	----	----	21 UNCH
10925	----	----	----/*0.281A	0.200B/*0.281A	----	0.216 - 0.083	.0368	----	----	----	----	2 UNCH
10950	----	----	----/*0.278A	0.195B/*0.278A	----	0.213 - 0.082	.0363	----	----	----	----	4 UNCH
11000	0.221	0.221	0.221/*0.180	0.221/*0.180	----	0.207 - 0.081	.0352	----	----	7	----	421 - 1
11025	----	----	----/*0.269A	0.185B/*0.269A	----	0.204 - 0.080	.0347	----	----	----	----	1 UNCH
11050	----	----	----/*0.266A	0.182B/*0.266A	----	0.201 - 0.080	.0341	----	----	----	----	5 UNCH
11075	----	----	----/*0.264A	0.178B/*0.264A	----	0.198 - 0.079	.0336	----	----	----	----	5 UNCH
11100	----	----	----/*0.257A	0.174B/*0.257A	----	0.195 - 0.079	.0331	----	----	----	----	3 UNCH
11125	----	----	----/*0.259A	0.171B/*0.259A	----	0.193 - 0.078	.0327	----	----	----	----	5 UNCH
11175	----	----	----/*0.254A	0.165B/*0.254A	----	0.188 - 0.076	.0318	----	----	----	----	3 UNCH
11200	----	----	----/*0.248A	0.163B/*0.248A	----	0.185 - 0.076	.0312	----	----	----	----	8 UNCH
11225	----	----	----/*0.249A	0.160B/*0.249A	----	0.183 - 0.075	.0309	----	----	----	----	3 UNCH
11300	----	----	----/*0.240A	0.152B/*0.240A	----	0.176 - 0.073	.0296	----	----	----	----	2 UNCH
11325	----	----	----/*0.241A	0.150B/*0.241A	----	0.173 - 0.074	.0291	----	----	----	----	6 UNCH
11350	----	----	----/*0.240A	0.145B/*0.240A	----	0.171 - 0.073	.0287	----	----	----	----	3 UNCH
11375	----	----	----/*0.238A	0.144B/*0.238A	----	0.169 - 0.072	.0283	----	----	----	----	1 UNCH
11400	----	----	----/*0.232A	0.142B/*0.232A	----	0.167 - 0.072	.0280	----	----	----	----	163 UNCH
11425	----	----	----/*0.234A	0.139B/*0.234A	----	0.165 - 0.071	.0276	----	----	----	----	12 UNCH
11450	----	----	----/*0.231A	0.137B/*0.231A	----	0.163 - 0.070	.0272	----	----	----	----	13 UNCH
11475	----	----	----/*0.229A	0.133B/*0.229A	----	0.161 - 0.070	.0269	----	----	----	----	8 UNCH
11500	0.206	0.206	0.208/*0.160A	0.208/*0.160A	----	0.159 - 0.069	.0265	----	----	5	----	268 - 2
11525	----	----	----	0.130B/*0.226A	----	0.157 - 0.069	.0262	----	----	----	----	8 UNCH
11550	----	----	----/*0.223A	0.128B/*0.223A	----	0.155 - 0.069	.0258	----	----	----	----	1 UNCH
11575	----	----	----	0.127B/*0.223A	----	0.153 - 0.068	.0254	----	----	----	----	4 UNCH
11600	----	----	----	0.125B/*0.220A	----	0.152 - 0.067	.0252	----	----	----	----	2 UNCH
11625	----	----	----	0.119B/*0.218A	----	0.150 - 0.067	.0249	----	----	----	----	21 UNCH
11675	----	----	----	0.118B/*0.215A	----	0.146 - 0.067	.0242	----	----	----	----	2 UNCH
11700	----	----	----	0.117B/*0.214A	----	0.145 - 0.065	.0240	----	----	----	----	8 UNCH
11725	----	----	----	0.111B/*0.211A	----	0.143 - 0.065	.0236	----	----	----	----	2 UNCH
11750	----	----	----	0.112B/*0.210A	----	0.141 - 0.065	.0233	----	----	----	----	15 UNCH
11775	----	----	----	0.110B/*0.209A	----	0.140 - 0.064	.0231	----	----	----	----	2 UNCH
11800	----	----	----	0.108B/*0.207A	----	0.138 - 0.064	.0227	----	----	----	----	6 UNCH
11825	----	----	----	0.106B/*0.207A	----	0.137 - 0.063	.0225	----	----	----	----	9 UNCH
11850	----	----	----	0.106B/*0.205A	----	0.135 - 0.063	.0222	----	----	----	----	5 UNCH
11875	----	----	----	0.099B/*0.203A	----	0.134 - 0.063	.0220	----	----	----	----	1 UNCH
11900	----	----	----	0.099B/*0.202A	----	0.132 - 0.063	.0216	----	----	----	----	2 UNCH
11925	----	----	----	0.097B/*0.201A	----	0.131 - 0.062	.0214	----	----	----	----	8 UNCH
11950	----	----	----/*0.189A	0.095B/*0.189A	----	0.130 - 0.061	.0212	----	----	----	----	6 UNCH
11975	----	----	----	0.093B/*0.198A	----	0.128 - 0.061	.0209	----	----	----	----	1 UNCH
12000	0.139	0.139	0.150/0.135A	0.150/0.135A	----	0.127 - 0.061	.0207	----	----	3	----	373 + 2
12025	----	----	----	0.090B/*0.196A	----	0.126 - 0.060	.0205	----	----	----	----	11 UNCH
12050	----	----	----	0.090B/*0.195A	----	0.124 - 0.060	.0202	----	----	----	----	1 UNCH
12075	----	----	----	0.087B/*0.193A	----	0.123 - 0.060	.0200	----	----	----	----	1 UNCH
12125	----	----	----	0.081B/*0.191A	----	0.120 - 0.060	.0195	----	----	----	----	1 UNCH
12200	----	----	----	0.079B/*0.188A	----	0.117 - 0.058	.0189	----	----	----	----	13 UNCH
12225	----	----	----	0.075B/*0.186A	----	0.116 - 0.058	.0187	----	----	----	----	7 UNCH
12275	----	----	----	0.077B/*0.184A	----	0.113 - 0.058	.0182	----	----	----	----	1 UNCH
12325	----	----	----	0.069B/0.182A	----	0.111 - 0.057	.0178	----	----	----	----	4 UNCH
12350	----	----	----	0.070B/*0.181A	----	0.110 - 0.057	.0177	----	----	----	----	5 UNCH
12400	----	----	----	0.067B/*0.180A	----	0.108 - 0.056	.0173	----	----	----	----	23 UNCH
12425	----	----	----	0.066B/*0.179A	----	0.107 - 0.056	.0171	----	----	----	----	1 UNCH
12450	----	----	----	0.065B/*0.178A	----	0.106 - 0.055	.0169	----	----	----	----	9 UNCH
12475	----	----	----	0.063B/*0.177A	----	0.105 - 0.055	.0168	----	----	----	----	1 UNCH
12500	----	----	----	0.062B/0.176A	----	0.104 - 0.055	.0166	----	----	----	----	111 UNCH
12525	----	----	----	0.059B/*0.175A	----	0.103 - 0.055	.0164	----	----	----	----	37 UNCH
12550	----	----	----	0.060B/*0.174A	----	0.102 - 0.055	.0162	----	----	----	----	6 UNCH
12575	----	----	----	0.060B/*0.173A	----	0.101 - 0.054	.0160	----	----	----	----	2 UNCH
12600	----	----	----	0.057B/*0.171A	----	0.100 - 0.054	.0159	----	----	----	----	9 UNCH
12650	----	----	----	0.055B/*0.171A	----	0.098 - 0.054	.0155	----	----	----	----	2 UNCH
12675	----	----	----	0.054B/*0.170A	----	0.097 - 0.054	.0153	----	----	----	----	2 UNCH
12700	----	----	----	0.055B/*0.169A	----	0.097 - 0.053	.0153	----	----	----	----	11 UNCH
12725	----	----	----	0.051B/*0.168A	----	0.096 - 0.053	.0151	----	----	----	----	2 UNCH
12750	----	----	----	0.050B/*0.168A	----	0.095 - 0.053	.0150	----	----	----	----	2 UNCH
12775	----	----	----	0.048B/*0.167A	----	0.094 - 0.053	.0148	----	----	----	----	7 UNCH
12800	----	----	----	0.046B/*0.166A	----	0.093 - 0.053	.0146	----	----	----	----	34 UNCH
12900	----	----	----	0.044B/*0.163A	----	0.090 - 0.052	.0141	----	----	----	----	6 UNCH
13000	0.100	0.100	0.100/*0.100	0.100/*0.100	----	0.087 - 0.051	.0136	----	----	1	----	273 + 1
13100	----	----	----	0.038B/*0.156A	----	0.084 - 0.051	.0130	----	----	----	----	4 UNCH
13200	----	----	----	0.031B/*0.153A	----	0.081 - 0.050	.0125	----	----	----	----	3 UNCH
13300	----	----	----	0.029B/*0.151A	----	0.079 - 0.049	.0121	----	----	----	----	3 UNCH
13400	----	----	----	0.028B/*0.148A	----	0.076 - 0.050	.0116	----	----	----	----	5 UNCH
13500	----	----	----	0.024B/*0.145A	----	0.074 - 0.049	.0113	----	----	----	----	23 UNCH
13600	----	----	----	0.021B/*0.144A	----	0.072 - 0.048	.0109	----	----	----	----	7 UNCH
13700	----	----	----	0.020B/*0.140A	----	0.070 - 0.048	.0106	----	----	----	----	5 UNCH
13800	----	----	----	0.016B/*0.138A	----	0.068 - 0.048	.0102	----	----	----	----	1 UNCH
13900	----	----	----	0.014B/*0.136A	----	0.066 - 0.048	.0099	----	----	----	----	3 UNCH
14000	----	----	----	0.011B/*0.134A	----	0.064 - 0.048	.0095	----	----	----	----	292 UNCH
14200	0.070	0.070	0.070/*0.070	0.070/*0.070	----	0.061 - 0.047	.0090	----	----	1	----	60 UNCH
14300	----	----	----	0.004B/*0.128A	----	0.059 - 0.048	.0087	----	----	----	----	1 UNCH
14400	----	----	----	0.004B/*0.127A	----	0.058 - 0.047	.0085	----	----	----	----	65 UNCH
14500	----	----	----	0.004B/*0.134A	----	0.056 - 0.048	.0082	----	----	----	----	31 UNCH
14600	----	----	----	0.002B/*0.135A	----	0.055 - 0.047	.0080	----	----	----	----	6 UNCH
14700	----	----	----	0.002B/*0.134A	----	0.054 - 0.047	.0078	----	----	----	----	11 UNCH
14800	----	----	----	0.001B/*0.133A	----	0.053 - 0.047	.0076	----	----	----	----	10 UNCH
14900	----	----	----	0.001B/*0.131A	----	0.051 - 0.048	.0073	----	----	----	----	6 UNCH
15000	----	----	----	0.050B/0.110A	----	0.050 - 0.048	.0071	----	----	----	----	146 UNCH
15300	----	----	----	0.001B/*0.124A	----	0.047 - 0.044	.0066	----	----	----	----	2 UNCH
15400	----	----	----	0.001B/*0.122A	----	0.046 - 0.043	.0065	----	----	----	----	1 UNCH
15500	----	----	----	0.001B/*0.119A	----	0.045 - 0.042	.0063	----	----	----	----	6 UNCH
15600	----	----	----	0.001B/*0.117A	----	0.044 - 0.041	.0061	----	----	----	----	1 UNCH
15700	----	----	----	0.001B/*0.115A	----	0.043 - 0.040	.0060	----	----	----	----	1 UNCH
15800	----	----	----	0.001B/*0.113A	----	0.043 - 0.038	.0059	----	----	----	----	6 UNCH
15900	----	----	----	0.001B/*0.111A	----	0.042 - 0.037	.0058	----	----	----	----	8 UNCH
16000	0.040	0.040	0.040/*0.040	0.040/*0.040	----	0.041 - 0.036	.0056	----	----	1	----	200 UNCH
16200	----	----	----	0.001B/*0.103A	----	0.040 - 0.033	.0054	----	----	----	----	36 UNCH
16400	----	----	----	0.001B/*0.098A	----	0.038 - 0.031	.0051	----	----	----	----	1 UNCH
16500	----	----	----	0.001B/0.095A	----	0.038 - 0.029	.0051	----	----	----	----	30 UNCH
16600	----	----	----	0.001B/*0.093A	----	0.037 - 0.029	.0050	----	----	----	----	2 UNCH
16700	----	----	----	0.001B/0.091A	----	0.036 - 0.028	.0048	----	----	----	----	7 UNCH
16800	----	----	----	0.001B/*0.088A	----	0.036 - 0.026	.0048	----	----	----	----	3 UNCH
17000	0.050	0.050	0.050/0.045	0.050/0.045	----	0.035 - 0.024	.0046	----	----	4	----	27 - 2
17100	----	----	----	0.001B/*0.082A	----	0.034 - 0.024	.0045	----	----	----	----	5 UNCH
17200	----	----	----	0.001B/*0.080A	----	0.034 - 0.022	.0045	----	----	----	----	5 UNCH
17300	----	----	----	0.001B/*0.078A	----	0.033 - 0.022	.0043	----	----	----	----	11 UNCH
17400	----	----	----	0.001B/*0.076A	----	0.033 - 0.020	.0043	----	----	----	----	2 UNCH
17500	----	----	----	0.001B/0.075A	----	0.032 - 0.020	.0042	----	----	----	----	63 UNCH
17700	----	----	----	----/*0.071A	----	0.032 - 0.017	.0041	----	----	----	----	3 UNCH
17800	----	----	----	----/*0.070A	----	0.031 - 0.017	.0040	----	----	----	----	3 UNCH
18000	----	----	----	----/0.067A	----	0.031 - 0.015	.0039	----	----	----	----	46 UNCH
18100	----	----	----	----/*0.066A	----	0.030 - 0.014	.0038	----	----	----	----	2 UNCH
18300	----	----	----	----/*0.063A	----	0.030 - 0.012	.0038	----	----	----	----	1 UNCH
18900	----	----	----	----/0.091A	----	0.028 - 0.007	.0035	----	----	----	----	1 UNCH
19000	----	----	----	----/0.106A	----	0.028 - 0.006	.0034	----	----	----	----	229 UNCH
19500	----	----	----	----/0.105A	----	0.027 - 0.003	.0033	----	----	----	----	126 UNCH
19600	----	----	----	----/0.105A	----	0.026 - 0.003	.0031	----	----	----	----	2 UNCH
19900	----	----	----	----/0.107A	----	0.026 - 0.001	.0031	----	----	----	----	28 UNCH
20000	0.034	0.034	0.034/*0.019	0.034/*0.019	----	0.026 UNCH	.0031	----	----	3	----	240 + 2
21000	----	----	----	----/0.124A	----	0.020 UNCH	.0024	----	----	----	----	20 UNCH
23000	----	----	----	----/0.146A	----	0.012 - 0.001	.0014	----	----	----	----	14 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUN26												
25000	----	----	----	----/0.159A	----	0.008 - 0.001	.0009	----	----	----	----	303 UNCH
27000	----	----	----	----/0.170A	----	0.005 UNCH	.0005	----	----	----	----	3 UNCH
30000	----	----	----	----/0.015A	----	0.002 - 0.001	.0002	----	----	----	----	31 UNCH
32000	----	----	----	----/0.187A	----	0.002 UNCH	.0002	----	----	----	----	1 UNCH
35000	----	----	----	----/*0.007A	----	0.001 UNCH	.0001	----	----	----	----	45 UNCH
TOTAL										511	0	13617 + 92
JUL26												
2700	----	----	50.010B/48.847A	50.010B/48.847A	----	49.940 + 0.880	.9974	----	----	----	----	1 UNCH
3900	----	----	37.991B/36.838A	37.991B/36.838A	----	37.952 + 0.885	.9902	----	----	----	----	1 UNCH
4000	----	----	37.034B/35.844A	37.034B/35.844A	----	36.957 + 0.886	.9892	----	----	----	----	1 UNCH
4500	----	----	32.045B/30.899A	32.045B/30.899A	----	31.997 + 0.887	.9829	----	----	----	----	28 UNCH
4600	----	----	31.079B/29.891A	31.079B/29.891A	----	31.009 + 0.886	.9812	----	----	----	----	124 UNCH
4700	----	----	30.020B/28.940A	30.020B/28.940A	----	30.023 + 0.884	.9792	----	----	----	----	1 UNCH
4750	----	----	29.560B/28.454A	29.560B/28.454A	----	29.531 + 0.884	.9781	----	----	----	----	1 UNCH
4825	----	----	28.822B/27.722A	28.822B/27.722A	----	28.795 + 0.883	.9762	----	----	----	----	3 UNCH
4900	----	----	28.088B/27.021A	28.088B/27.021A	----	28.060 + 0.882	.9742	----	----	----	----	1 UNCH
4925	----	----	27.842B/26.801A	27.842B/26.801A	----	27.816 + 0.882	.9735	----	----	----	----	16 UNCH
5000	----	----	27.128B/25.992A	27.128B/25.992A	----	27.085 + 0.881	.9711	----	----	----	----	307 UNCH
5025	----	----	26.864B/25.836A	26.864B/25.836A	----	26.841 + 0.880	.9703	----	----	----	----	4 UNCH
5050	----	----	26.619B/25.567A	26.619B/25.567A	----	26.598 + 0.879	.9694	----	----	----	----	2 UNCH
5100	----	----	26.148B/25.030A	26.148B/25.030A	----	26.114 + 0.879	.9675	----	----	----	----	133 UNCH
5150	----	----	25.685B/24.611A	25.685B/24.611A	----	25.630 + 0.878	.9655	----	----	----	----	6 UNCH
5200	----	----	25.160B/24.087A	25.160B/24.087A	----	25.148 + 0.877	.9633	----	----	----	----	40 UNCH
5225	----	----	24.908B/23.896A	24.908B/23.896A	----	24.908 + 0.876	.9621	----	----	----	----	9 UNCH
5250	----	----	24.715B/23.688A	24.715B/23.688A	----	24.668 + 0.876	.9608	----	----	----	----	2 UNCH
5275	----	----	24.425B/23.421A	24.425B/23.421A	----	24.429 + 0.876	.9596	----	----	----	----	1 UNCH
5300	----	----	24.184B/23.185A	24.184B/23.185A	----	24.190 + 0.875	.9583	----	----	----	----	7 UNCH
5350	----	----	23.779B/22.640A	23.779B/22.640A	----	23.713 + 0.873	.9556	----	----	----	----	157 UNCH
5375	----	----	23.463B/22.472A	23.463B/22.472A	----	23.475 + 0.872	.9541	----	----	----	----	1 UNCH
5400	----	----	23.240B/22.236A	23.240B/22.236A	----	23.238 + 0.871	.9527	----	----	----	----	21 UNCH
5425	----	----	22.998B/21.984A	22.998B/21.984A	----	23.002 + 0.871	.9512	----	----	----	----	42 UNCH
5450	----	----	22.748B/21.768A	22.748B/21.768A	----	22.766 + 0.870	.9495	----	----	----	----	1 UNCH
5500	----	----	22.327B/21.232A	22.327B/21.232A	----	22.295 + 0.868	.9462	----	----	----	----	496 UNCH
5550	----	----	21.769B/20.851A	21.769B/20.851A	----	21.827 + 0.866	.9426	----	----	----	----	3 UNCH
5600	----	----	21.381B/20.308A	21.381B/20.308A	----	21.362 + 0.864	.9388	----	----	----	----	106 UNCH
5650	----	----	20.893B/19.927A	20.893B/19.927A	----	20.899 + 0.861	.9348	----	----	----	----	43 UNCH
5675	----	----	20.662B/19.666A	20.662B/19.666A	----	20.669 + 0.860	.9326	----	----	----	----	25 UNCH
5700	----	----	20.430B/19.471A	20.430B/19.471A	----	20.439 + 0.858	.9304	----	----	----	----	26 UNCH
5750	----	----	19.998B/18.943A	19.998B/18.943A	----	19.982 + 0.855	.9259	----	----	----	----	164 UNCH
5775	----	----	19.718B/18.807A	19.718B/18.807A	----	19.755 + 0.853	.9235	----	----	----	----	1 UNCH
5800	----	----	19.456B/18.584A	19.456B/18.584A	----	19.528 + 0.851	.9210	----	----	----	----	16 UNCH
5900	----	----	18.556B/17.701A	18.556B/17.701A	----	18.630 + 0.842	.9106	----	----	----	----	10 UNCH
5925	----	----	18.332B/17.482A	18.332B/17.482A	----	18.408 + 0.840	.9078	----	----	----	----	10 UNCH
5950	----	----	18.107B/17.265A	18.107B/17.265A	----	18.186 + 0.836	.9049	----	----	----	----	6 UNCH
5975	----	----	17.883B/17.048A	17.883B/17.048A	----	17.966 + 0.834	.9020	----	----	----	----	20 UNCH
6000	----	----	17.744B/16.767A	17.744B/16.767A	----	17.746 + 0.830	.8989	----	----	----	----	552 UNCH
6050	----	----	17.258B/16.338A	17.258B/16.338A	----	17.310 + 0.824	.8927	----	----	----	----	58 UNCH
6075	----	----	17.012B/16.194A	17.012B/16.194A	----	17.093 + 0.820	.8895	----	----	----	----	1 UNCH
6100	----	----	16.792B/15.983A	16.792B/15.983A	----	16.877 + 0.816	.8861	----	----	----	----	10 UNCH
6200	----	----	15.982B/15.080A	15.982B/15.080A	----	16.024 + 0.798	.8721	----	----	----	----	101 UNCH
6250	----	----	15.525B/14.750A	15.525B/14.750A	----	15.605 + 0.788	.8647	----	----	----	----	1 UNCH
6300	----	----	15.027B/14.346A	15.027B/14.346A	----	15.189 + 0.776	.8569	----	----	----	----	3 UNCH
6350	----	----	14.630B/13.946A	14.630B/13.946A	----	14.779 + 0.764	.8488	----	----	----	----	2 UNCH
6450	----	----	13.827B/13.161A	13.827B/13.161A	----	13.974 + 0.737	.8317	----	----	----	----	1 UNCH
6500	----	----	13.567B/12.706A	13.567B/12.706A	----	13.580 + 0.723	.8226	----	----	----	----	195 UNCH
6600	----	----	12.788B/11.972A	12.788B/11.972A	----	12.808 + 0.690	.8036	----	----	----	----	56 UNCH
6650	----	----	12.334B/11.611A	12.334B/11.611A	----	12.432 + 0.674	.7936	----	----	----	----	102 UNCH
6750	----	----	11.568B/10.969A	11.568B/10.969A	----	11.697 + 0.637	.7728	----	----	----	----	24 UNCH
6800	----	----	11.237B/10.566A	11.237B/10.566A	----	11.339 + 0.617	.7620	----	----	----	----	250 UNCH
6825	----	----	11.024B/10.464A	11.024B/10.464A	----	11.163 + 0.607	.7565	----	----	----	----	6 UNCH
6850	----	----	10.846B/10.348A	10.846B/10.348A	----	10.988 + 0.597	.7509	----	----	----	----	1 UNCH
6875	----	----	10.670B/10.185A	10.670B/10.185A	----	10.815 + 0.587	.7453	----	----	----	----	16 UNCH
6900	----	----	10.549B/9.916A	10.549B/9.916A	----	10.644 + 0.576	.7396	----	----	----	----	99 UNCH
6950	----	----	10.151B/9.687A	10.151B/9.687A	----	10.307 + 0.555	.7280	----	----	----	----	1 UNCH
7000	----	----	9.881B/9.259A	9.881B/9.259A	----	9.978 + 0.535	.7162	----	----	2	----	153 - 1
7025	----	----	9.706B/9.138A	9.706B/9.138A	----	9.815 + 0.523	.7102	----	----	----	----	125 UNCH
7050	----	----	9.483B/9.084A	9.483B/9.084A	----	9.655 + 0.512	.7042	----	----	----	----	1 UNCH
7100	----	----	9.140B/8.782A	9.140B/8.782A	----	9.340 + 0.491	.6920	----	----	----	----	5 UNCH
7200	----	----	8.545B/8.215A	8.545B/8.215A	----	8.733 + 0.447	.6671	----	----	----	----	11 UNCH
7225	----	----	8.379B/8.081A	8.379B/8.081A	----	8.586 + 0.436	.6608	----	----	----	----	1 UNCH
7250	----	----	8.322B/7.817A	8.322B/7.817A	----	8.441 + 0.426	.6544	----	----	----	----	165 UNCH
7300	----	----	7.949B/7.339A	7.949B/7.339A	----	8.156 + 0.403	.6417	----	----	----	----	3 UNCH
7325	----	----	7.887B/7.020A	7.887B/7.020A	----	8.017 + 0.393	.6352	----	----	----	----	102 UNCH
7350	----	----	7.670B/7.154A	7.670B/7.154A	----	7.880 + 0.383	.6288	----	----	----	----	2 UNCH
7400	----	----	7.469B/6.871A	7.469B/6.871A	----	7.611 + 0.362	.6159	----	----	----	----	17 UNCH
7450	----	----	7.126B/6.703A	7.126B/6.703A	----	7.350 + 0.341	.6029	----	----	----	----	12 UNCH
7475	7.210	7.210	7.210/6.594A	7.210/6.594A	----	7.223 NEW	.5964	----	----	1	----	1 + 1
7500	----	----	6.979B/6.189A	6.979B/6.189A	----	7.097 + 0.321	.5899	----	----	1	----	295 UNCH
7525	----	----	6.701B/6.382A	6.701B/6.382A	----	6.974 NEW	.5834	----	----	1	----	1 + 1
7550	----	----	6.634B/6.279A	6.634B/6.279A	----	6.852 + 0.302	.5770	----	----	1	----	7 + 1
7575	----	----	6.525B/*6.178A	6.525B/6.178A	----	6.733 + 0.294	.5705	----	----	----	----	20 UNCH
7600	6.500	6.500	6.500/*6.022A	6.500/6.022A	----	6.615 + 0.284	.5640	----	----	31	----	32 + 21
7700	5.730	5.730	6.015B/*5.390A	6.015B/5.390A	----	6.163 + 0.249	.5382	----	----	10	----	124 + 5
7750	5.850	5.850	5.850/*5.246A	5.850/5.246A	----	5.948 + 0.233	.5255	----	----	1	----	115 UNCH
7800	5.290	5.290	5.593B/*5.285A	5.593B/5.285A	----	5.741 + 0.218	.5129	----	----	1	----	52 + 1
7900	----	----	----/*4.955A	5.082B/*4.955A	----	5.348 + 0.189	.4880	----	----	----	----	13 UNCH
7975	----	----	----/*4.780A	4.798B/*4.780A	----	5.071 + 0.170	.4698	----	----	1	----	7 + 1
8000	4.860	4.860	4.930/4.394A	4.930/4.394A	----	4.982 + 0.164	.4638	----	----	26	----	677 + 9
8025	----	----	----/4.634A	4.632B/4.634A	----	4.895 + 0.158	.4579	----	----	----	----	6 UNCH
8050	4.500	4.500	4.500/*4.500	4.538B/*4.500	----	4.809 + 0.152	.4520	----	----	1	----	3 UNCH
8100	----	----	----/*4.360A	4.479B/*4.360A	----	4.643 + 0.141	.4404	----	----	----	----	67 UNCH
8175	----	----	----/*4.220A	4.131B/*4.220A	----	4.405 + 0.126	.4233	----	----	----	----	1 UNCH
8200	4.273	4.273	4.274B/*3.855A	4.274B/*3.855A	----	4.328 + 0.121	.4177	----	----	1	----	153 - 1
8250	----	----	----/*3.767A	4.016B/*3.767A	----	4.180 + 0.112	.4067	----	----	----	----	145 UNCH
8300	----	----	----/*3.618A	3.921B/*3.618A	----	4.037 + 0.103	.3960	----	----	----	----	350 UNCH
8325	----	----	----/*3.840A	3.689B/*3.840A	----	3.968 + 0.099	.3907	----	----	----	----	1 UNCH
8350	----	----	----/*3.794A	3.631B/*3.794A	----	3.900 + 0.095	.3854	----	----	----	----	2 UNCH
8375	----	----	----/*3.685A	3.616B/*3.685A	----	3.834 + 0.092	.3803	----	----	----	----	48 UNCH
8400	----	----	----/*3.621A	3.489B/*3.621A	----	3.768 + 0.088	.3752	----	----	----	----	13 UNCH
8500	----	----	----/*3.235A	3.354B/*3.235A	----	3.520 + 0.074	.3553	----	----	----	----	834 UNCH
8550	----	----	----/*3.134A	3.234B/*3.134A	----	3.403 + 0.067	.3458	----	----	----	----	261 UNCH
8600	----	----	----/*3.220A	3.019B/*3.220A	----	3.291 + 0.062	.3364	----	----	----	----	12 UNCH
8650	----	----	----	2.916B/*3.146A	----	3.183 + 0.056	.3274	----	----	----	----	11 UNCH
8700	----	----	----/*2.837A	2.909B/*2.837A	----	3.080 + 0.051	.3186	----	----	----	----	111 UNCH
8750	----	----	----/*2.868A	2.809B/*2.868A	----	2.980 + 0.046	.3099	----	----	----	----	66 UNCH
8800	----	----	----	2.612B/*2.873A	----	2.884 + 0.041	.3016	----	----	----	----	12 UNCH
8850	----	----	----	2.522B/*2.787A	----	2.792 + 0.036	.2934	----	----	----	----	1 UNCH
8900	----	----	----/*2.532A	2.531B/*2.532A	----	2.704 + 0.032	.2855	----	----	----	----	111 UNCH
8950	----	----	----	2.350B/*2.626A	----	2.619 + 0.028	.2779	----	----	----	----	5 UNCH
9000	2.450	2.450	2.450/2.389A	2.450/2.389A	----	2.537 + 0.023	.2704	----	----	42	145	565 + 132
9050	----	----	----	2.192B/*2.479A	----	2.459 + 0.020	.2632	----	----	----	----	5 UNCH
9100	----	----	----	2.115B/*2.411A	----	2.383 + 0.016	.2561	----	----	1	----	11 + 1
9200	----	----	----/*2.186A	2.070B/*2.186A	----	2.241 + 0.010	.2427	----	----	----	----	78 UNCH
9225	----	----	----	1.941B/*2.261A	----	2.207 + 0.008	.2395	----	----	----	----	3 UNCH
9250	----	----	----	1.912B/*2.219A	----	2.173 + 0.006	.2362	----	----	----	----	7 UNCH
9300	----	----	----/*2.032A	1.938B/*2.032A	----	2.109 + 0.003	.2300	----	----	1	----	267 + 1
9350	----	----	----	1.769B/*2.105A	----	2.046 - 0.001	.2239	----	----	----	----	9 UNCH
9400	----	----	----	1.761B/*2.052A	----	1.986 - 0.004	.2181	----	----	1	----	11 UNCH
9450	----	----	----	1.708B/*1.952A	----	1.927 - 0.008	.2123	----	----	----	----	33 UNCH
9500	1.850	1.850	1.850/1.829A	1.850/1.829A	----	1.871 - 0.011	.2068	----	----	4	----	751 + 2
9525	----	----	----	1.586B/*1.925A	----	1.844 - 0.012	.2041	----	----	----	----	1 UNCH
9550	----	----	----	1.557B/*1.898A	----	1.817 - 0.014	.2014	----	----	----	----	7 UNCH
9600	----	----	----/*1.770A	1.596B/*1.770A	----	1.765 - 0.016	.1962	----	----	----	----	53 UNCH
9650	----	----	----	1.453B/*1.808A	----	1.714 - 0.020	.1911	----	----	----	----	1 UNCH
9700	----	----	----	1.415B/*1.764A	----	1.665 - 0.023	.1861	----	----	----	----	5 UNCH
9725	----	----	----	1.388B/*1.744A	----	1.641 - 0.025	.1837	----	----	----	----	1 UNCH
9750	----	----	----/*1.638A	1.451B/*1.638A	----	1.618 - 0.026	.1813	----	----	----	----	82 UNCH
9775	----	----	----/*1.615A	1.430B/*1.615A	----	1.595 - 0.028	.1790	----	----	25	----	47 - 10
9800	----	----	----/*1.576A	1.406B/*1.576A	----	1.572 - 0.030	.1766	----	----	1	----	130 UNCH
9825	----	----	----	1.301B/*1.662A	----	1.550 - 0.031	.1744	----	----	----	----	3 UNCH
9850	----	----	----	1.278B/*1.644A	----	1.528 - 0.033	.1721	----	----	----	----	23 UNCH
9900	----	----	----/*1.516A	1.321B/*1.516A	----	1.485 - 0.036	.1677	----	----	----	----	69 UNCH
9925	----	----	----	1.201B/*1.584A	----	1.464 - 0.038	.1655	----	----	----	----	6 UNCH
10000	1.250	1.250	1.350/1.250	1.350/1.250	----	1.403 - 0.043	.1592	----	----	42	----	1759 + 23
10100	----	----	----	1.061B/*1.476A	----	1.327 - 0.049	.1513	----	----	----	----	1 UNCH
10125	----	----	----	1.026B/*1.456A	----	1.309 - 0.050	.1494	----	----	----	----	7 UNCH
10200	----	----	----/*1.293A	1.039B/*1.293A	----	1.256 - 0.055	.1438	----	----	----	----	101 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUL26												
10250	----	----	----	0.963B/*1.376A	----	1.222 - 0.058	.1402	----	----	----	----	20 UNCH
10275	----	----	----	0.948B/*1.361A	----	1.205 - 0.059	.1384	----	----	----	----	10 UNCH
10375	----	----	----	0.890B/*1.303A	----	1.141 - 0.066	.1315	----	----	----	----	18 UNCH
10400	----	----	----	0.876B/*1.288A	----	1.126 - 0.067	.1299	----	----	----	----	1 UNCH
10475	----	----	----	0.842B/*1.242A	----	1.082 - 0.070	.1252	----	----	----	----	25 UNCH
10500	----	----	----/1.138A	0.870B/1.138A	----	1.067 - 0.072	.1236	----	----	----	----	594 UNCH
10550	----	----	----	0.837B/1.199A	----	1.039 - 0.075	.1205	----	----	----	----	1 UNCH
10600	----	----	----	0.812B/*1.172A	----	1.012 - 0.078	.1176	----	----	----	----	2 UNCH
10800	----	----	----	0.700B/1.069A	----	0.912 - 0.087	.1067	----	----	----	----	36 UNCH
11000	----	----	----/0.866A	0.696B/0.866A	----	0.824 - 0.096	.0969	----	----	30	----	1352 + 18
11100	0.756	0.756	0.756/*0.756	0.757B/*0.756	----	0.784 - 0.100	.0924	----	----	2	----	10 UNCH
11200	----	----	----/*0.804A	0.715B/*0.804A	----	0.746 - 0.103	.0882	----	----	----	----	8 UNCH
11225	----	----	----/*0.796A	0.722B/*0.796A	----	0.737 - 0.104	.0871	----	----	----	----	3 UNCH
11300	----	----	----/*0.773A	0.697B/*0.773A	----	0.711 - 0.106	.0842	----	----	----	----	50 UNCH
11400	----	----	----/*0.743A	0.666B/*0.743A	----	0.678 - 0.109	.0804	----	----	----	----	19 UNCH
11425	0.621	0.621	0.621/*0.621	0.658B/*0.621	----	0.670 NEW	.0795	----	----	10	----	10 + 10
11450	0.614	0.614	0.614/*0.614	0.651B/*0.614	----	0.662 NEW	.0786	----	----	3	----	3 + 3
11500	----	----	----/*0.716A	0.636B/*0.716A	----	0.647 - 0.111	.0769	----	----	----	----	57 UNCH
11600	----	----	----/*0.689A	0.608B/*0.689A	----	0.617 - 0.114	.0735	----	----	----	----	1 UNCH
11625	----	----	----/*0.683A	0.601B/*0.683A	----	0.610 - 0.115	.0727	----	----	----	----	2 UNCH
11650	----	----	----/*0.677A	0.594B/*0.677A	----	0.603 - 0.115	.0719	----	----	----	----	24 UNCH
11675	----	----	----/*0.671A	0.588B/*0.671A	----	0.597 - 0.115	.0711	----	----	----	----	22 UNCH
11700	----	----	----/*0.665A	0.581B/*0.665A	----	0.590 - 0.116	.0703	----	----	----	----	22 UNCH
11725	----	----	----/*0.659A	0.575B/*0.659A	----	0.583 - 0.116	.0695	----	----	----	----	22 UNCH
11750	----	----	----/*0.653A	0.569B/*0.653A	----	0.577 - 0.116	.0688	----	----	----	----	22 UNCH
11775	----	----	----/*0.647A	0.562B/*0.647A	----	0.570 - 0.117	.0680	----	----	----	----	22 UNCH
11800	----	----	----/*0.641A	0.556B/*0.641A	----	0.564 - 0.117	.0673	----	----	----	----	1 UNCH
11900	----	----	----/*0.619A	0.532B/*0.619A	----	0.540 - 0.118	.0645	----	----	----	----	1 UNCH
11950	----	----	----/*0.608A	0.521B/*0.608A	----	0.528 - 0.119	.0631	----	----	----	----	1 UNCH
12000	0.500	0.500	0.510B/0.500	0.510B/0.500	----	0.517 - 0.120	.0618	----	----	6	----	410 - 4
12200	----	----	----/*0.559A	0.468B/*0.559A	----	0.475 - 0.121	.0569	----	----	----	----	1 UNCH
12225	----	----	----/*0.555A	0.464B/*0.555A	----	0.470 - 0.121	.0563	----	----	----	----	16 UNCH
12250	----	----	----/*0.550A	0.459B/*0.550A	----	0.465 - 0.121	.0557	----	----	----	----	6 UNCH
12300	----	----	----/*0.542A	0.449B/*0.542A	----	0.456 - 0.121	.0547	----	----	----	----	8 UNCH
12375	----	----	----/*0.529A	0.436B/*0.529A	----	0.442 - 0.121	.0530	----	----	----	----	1 UNCH
12425	----	----	----/*0.520A	0.427B/*0.520A	----	0.434 - 0.121	.0520	----	----	----	----	1 UNCH
12450	----	----	----/*0.516A	0.422B/*0.516A	----	0.429 - 0.121	.0515	----	----	----	----	1 UNCH
12475	----	----	----/*0.512A	0.418B/*0.512A	----	0.425 - 0.121	.0510	----	----	----	----	3 UNCH
12500	----	----	----/*0.499A	0.414B/*0.499A	----	0.421 - 0.121	.0505	----	----	----	----	137 UNCH
12600	----	----	----/*0.493A	0.397B/*0.493A	----	0.405 - 0.120	.0486	----	----	----	----	6 UNCH
12725	----	----	----/*0.475A	0.378B/*0.475A	----	0.387 - 0.119	.0464	----	----	----	----	1 UNCH
12800	----	----	----/*0.465A	0.367B/*0.465A	----	0.376 - 0.118	.0451	----	----	----	----	1 UNCH
13000	0.350	0.350	0.350/*0.320	0.350/*0.320	----	0.350 - 0.116	.0419	----	----	21	----	572 - 20
14000	0.320	0.320	0.320/0.317A	0.320/0.317A	----	0.256 - 0.100	.0304	----	----	1	----	793 UNCH
14700	----	----	----/*0.294A	0.185B/*0.294A	----	0.212 - 0.092	.0249	----	----	----	----	1 UNCH
15000	0.185	0.185	0.185/*0.185	0.185/*0.185	----	0.197 - 0.089	.0230	----	----	2	----	714 - 2
16000	0.150	0.150	0.150/0.150	0.150/0.150	----	0.156 - 0.082	.0180	----	----	2	----	749 UNCH
17000	0.150	0.150	0.150/*0.123	0.150/*0.123	----	0.126 - 0.074	.0143	----	----	5	----	26 UNCH
18000	0.120	0.120	0.120/0.120	0.120/0.120	----	0.102 - 0.063	.0115	----	----	3	----	257 - 3
19000	----	----	----/*0.130A	0.039B/*0.130A	----	0.083 - 0.051	.0093	----	----	----	----	78 UNCH
20000	----	----	----/*0.080A	0.050B/*0.080A	----	0.068 - 0.039	.0075	----	----	----	----	1185 UNCH
21000	----	----	----/*0.073A	0.001B/*0.073A	----	0.056 - 0.027	.0062	----	----	----	----	427 UNCH
24000	----	----	----	0.001B/*0.055A	----	0.032 - 0.005	.0035	----	----	----	----	130 UNCH
25000	----	----	----	0.010B/*0.045A	----	0.027 - 0.001	.0029	----	----	----	----	364 UNCH
27000	----	----	----	----/*0.040A	----	0.023 - 0.001	.0024	----	----	----	----	4 UNCH
30000	----	----	----	----/*0.033A	----	0.020 - 0.001	.0020	----	----	----	----	23 UNCH
32000	----	----	----	----/*0.034A	----	0.016 - 0.001	.0016	----	----	----	----	4 UNCH
35000	0.021	0.021	0.021/*0.021	0.021/*0.021	----	0.010 UNCH	.0010	----	----	3	----	77 UNCH
TOTAL										283	145	19860 + 189
AUG26												
5000	----	----	27.512B/----	27.512B/27.016A	----	27.748 + 0.801	.9584	----	----	----	----	2 UNCH
5400	----	----	23.765B/----	23.765B/23.346A	----	24.008 + 0.764	.9343	----	----	----	----	2 UNCH
5500	----	----	22.865B/----	22.865B/22.443A	----	23.096 + 0.753	.9265	----	----	----	----	1 UNCH
6300	----	----	16.067B/----	16.067B/15.783A	----	16.303 + 0.632	.8330	----	----	----	----	5 UNCH
6450	----	----	14.910B/----	14.910B/14.667A	----	15.158 + 0.603	.8090	----	----	----	----	1 UNCH
6500	----	----	14.535B/----	14.535B/14.298A	----	14.787 + 0.593	.8005	----	----	----	----	2 UNCH
6600	----	----	13.800B/----	13.800B/13.596A	----	14.063 + 0.574	.7830	----	----	----	----	4 UNCH
6800	----	----	12.548B/12.070A	12.548B/12.070A	----	12.686 + 0.533	.7457	----	----	----	----	7 UNCH
6875	----	----	11.906B/----	11.906B/11.800A	----	12.195 + 0.517	.7310	----	----	----	----	5 UNCH
7000	----	----	11.138B/----	11.138B/11.024A	----	11.409 + 0.491	.7059	----	----	----	----	3 UNCH
7025	----	----	10.988B/----	10.988B/10.877A	----	11.257 + 0.486	.7008	----	----	----	----	5 UNCH
7050	----	----	10.839B/----	10.839B/10.743A	----	11.106 + 0.480	.6957	----	----	----	----	2 UNCH
7100	----	----	10.544B/----	10.544B/10.457A	----	10.810 + 0.470	.6854	----	----	----	----	2 UNCH
7400	----	----	8.922B/----	8.922B/8.902A	----	9.174 + 0.348	.6220	----	----	----	----	2 UNCH
7425	----	----	9.004B/8.562A	9.004B/8.562A	----	9.048 + 0.336	.6167	----	----	----	----	14 UNCH
7475	----	----	8.759B/8.261A	8.759B/8.261A	----	8.800 + 0.311	.6061	----	----	----	----	6 UNCH
7500	----	----	8.421B/8.152A	8.421B/8.152A	----	8.678 + 0.298	.6007	----	----	----	----	4 UNCH
7550	----	----	----/7.923A	8.140B/7.923A	----	8.438 + 0.272	.5901	----	----	----	----	4 UNCH
7625	----	----	8.085B/*7.608A	8.085B/7.608A	----	8.090 + 0.236	.5742	----	----	----	----	18 UNCH
7700	----	----	7.793B/*7.353A	7.793B/7.353A	----	7.755 + 0.200	.5584	----	----	----	----	1 UNCH
7800	----	----	7.380B/*6.900A	7.380B/6.900A	----	7.328 + 0.154	.5376	----	----	----	----	1 UNCH
7900	----	----	6.987B/*6.533A	6.987B/6.533A	----	6.925 + 0.112	.5171	----	----	----	----	1 UNCH
7950	----	----	6.799B/*6.422A	6.799B/*6.422A	----	6.732 + 0.091	.5070	----	----	----	----	9 UNCH
7975	----	----	6.708B/*6.270A	6.708B/*6.270A	----	6.637 + 0.081	.5020	----	----	----	----	1 UNCH
8000	----	----	6.617B/6.236A	6.617B/6.236A	----	6.544 + 0.071	.4970	----	----	1	----	20 + 1
8100	----	----	6.267B/*5.871A	6.267B/*5.871A	----	6.186 + 0.035	.4773	----	----	1	----	9 + 1
8200	----	----	5.939B/*5.561A	5.939B/*5.561A	----	5.851 + 0.003	.4582	----	----	----	----	1 UNCH
8300	----	----	5.625B/*5.274A	5.625B/*5.274A	----	5.537 - 0.025	.4397	----	----	----	----	3 UNCH
8400	----	----	5.335B/*5.004A	5.335B/*5.004A	----	5.243 - 0.050	.4218	----	----	----	----	1 UNCH
8450	----	----	5.191B/*4.883A	5.191B/*4.883A	----	5.104 - 0.060	.4131	----	----	----	----	2 UNCH
8500	----	----	5.058B/*4.754A	5.058B/*4.754A	----	4.970 - 0.070	.4046	----	----	----	----	13 UNCH
8600	4.524	4.524	4.827B/*4.513A	4.827B/*4.513A	----	4.714 - 0.087	.3880	----	----	2	----	93 + 2
8775	----	----	----/*4.157A	4.383B/*4.157A	----	4.307 - 0.110	.3606	----	----	----	----	2 UNCH
8900	----	----	----/*3.914A	4.115B/*3.914A	----	4.044 - 0.122	.3423	----	----	----	----	7 UNCH
8950	----	----	----/*3.823A	4.013B/*3.823A	----	3.946 - 0.125	.3353	----	----	----	----	6 UNCH
9000	----	----	----/3.734A	3.913B/3.734A	----	3.850 - 0.128	.3284	----	----	2	----	22 + 2
9100	----	----	----/*3.545A	3.734B/*3.545A	----	3.668 - 0.134	.3152	----	----	1	----	84 UNCH
9200	----	----	----/*3.404A	3.546B/*3.404A	----	3.497 - 0.138	.3026	----	----	----	----	1 UNCH
9250	----	----	----/*3.364A	3.459B/*3.364A	----	3.416 - 0.139	.2965	----	----	----	----	10 UNCH
9400	----	----	----/*3.089A	3.236B/*3.089A	----	3.187 - 0.142	.2790	----	----	----	----	104 UNCH
9450	----	----	----/*3.045A	3.145B/*3.045A	----	3.115 - 0.143	.2735	----	----	----	----	19 UNCH
9500	----	----	----/*2.979A	3.076B/*2.979A	----	3.045 - 0.144	.2681	----	----	----	----	1 UNCH
10000	----	----	----/2.417A	2.449B/2.417A	----	2.446 - 0.147	.2203	----	----	----	----	142 UNCH
10200	----	----	----/*2.240A	2.236B/*2.240A	----	2.248 - 0.148	.2040	----	----	1	----	4 UNCH
10400	----	----	----/*2.089A	2.055B/*2.089A	----	2.071 - 0.148	.1892	----	----	----	----	2 UNCH
10500	----	----	----/*2.011A	1.970B/*2.011A	----	1.989 - 0.148	.1823	----	----	----	----	7 UNCH
10800	----	----	----/*1.809A	1.750B/*1.809A	----	1.768 - 0.147	.1634	----	----	----	----	3 UNCH
11000	----	----	----	1.376B/1.934A	----	1.638 - 0.147	.1522	----	----	----	----	4 UNCH
11100	----	----	----	1.346B/1.874A	----	1.578 - 0.146	.1469	----	----	----	----	20 UNCH
11200	----	----	----	1.323B/*1.752A	----	1.520 - 0.147	.1418	----	----	----	----	1 UNCH
11400	----	----	----	1.245B/*1.615A	----	1.414 - 0.145	.1324	----	----	----	----	2 UNCH
11500	----	----	----	1.200B/1.561A	----	1.364 - 0.145	.1280	----	----	----	----	48 UNCH
11700	----	----	----	1.117B/*1.499A	----	1.272 - 0.144	.1198	----	----	----	----	2 UNCH
11850	----	----	----	1.048B/*1.378A	----	1.208 - 0.144	.1140	----	----	----	----	1 UNCH
12000	----	----	----	0.991B/1.311A	----	1.149 - 0.143	.1086	----	----	----	----	2 UNCH
12500	----	----	----	0.822B/*1.117A	----	0.977 - 0.140	.0929	----	----	----	----	1 UNCH
13000	----	----	----/0.898A	0.837B/0.898A	----	0.838 - 0.138	.0800	----	----	----	----	56 UNCH
14000	----	----	----/0.697A	0.626B/0.697A	----	0.633 - 0.132	.0607	----	----	----	----	7 UNCH
15000	----	----	----/0.588A	0.480B/0.588A	----	0.493 - 0.123	.0473	----	----	----	----	36 UNCH
16000	----	----	----/0.490A	0.376B/0.490A	----	0.393 - 0.114	.0376	----	----	----	----	1 UNCH
17000	----	----	----/0.420A	0.300B/0.420A	----	0.321 - 0.102	.0306	----	----	----	----	4 UNCH
18000	----	----	----	0.242B/0.364A	----	0.268 - 0.091	.0254	----	----	----	----	4 UNCH
19000	----	----	----	0.198B/0.321A	----	0.227 - 0.080	.0214	----	----	----	----	2 UNCH
20000	----	----	----	0.165B/0.283A	----	0.196 - 0.070	.0184	----	----	----	----	217 UNCH
25000	0.120	0.120	0.120/*0.120	0.120/*0.120	----	0.109 - 0.039	.0099	----	----	1	----	3 UNCH
30000	----	----	----	0.001B/0.328A	----	0.069 - 0.027	.0061	----	----	----	----	13 UNCH
32000	----	----	----	0.001B/0.320A	----	0.055 - 0.022	.0048	----	----	----	----	1 UNCH
35000	----	----	----	0.001B/0.312A	----	0.041 - 0.018	.0036	----	----	----	----	2 UNCH
TOTAL										9	0	1085 + 6
SEP26												
5100	----	----	#26.742B/----	26.742B/26.407A	----	27.015 + 0.822	.9377	----	----	----	----	1 UNCH
5900	----	----	#19.652B/----	19.652B/19.593A	----	20.046 + 0.729	.8650	----	----	----	----	2 UNCH
6000	----	----	#18.833B/----	18.833B/18.805A	----	19.243 + 0.712	.8526	----	----	----	----	7 UNCH
6700	----	----	13.739B/----	13.739B/13.849A	----	14.170 + 0.541	.7466	----	----	----	----	1 UNCH
7000	----	----	12.077B/----	12.077B/11.904A	----	12.327 + 0.445	.6935	----	----	----	----	121 UNCH
7125	----	----	11.374B/----	11.374B/11.225A	----	11.621 + 0.403	.6705	----	----	----	----	75 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 56

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
SEP26												
7400	10.175	10.175	10.175/10.042	10.175/9.911A	----	10.193 + 0.303	.6195	----	----	14	----	104 + 4
7500	----	----	----	9.291B/9.667A	----	9.716 + 0.265	.6009	----	----	----	----	1 UNCH
7700	----	----	----	8.436B/8.846A	----	8.827 + 0.191	.5641	----	----	----	----	1 UNCH
8000	----	----	----	7.470B/7.614A	----	7.649 + 0.085	.5107	----	----	----	----	101 UNCH
8200	----	----	----	6.612B/7.170A	----	6.959 + 0.022	.4769	----	----	----	----	24 UNCH
8500	6.030	6.030	6.030/*6.030	6.030/*6.030	----	6.054 - 0.056	.4294	----	----	1	----	101 + 1
8600	5.610	5.610	5.610/*5.610	5.610/*5.610	----	5.784 - 0.078	.4146	----	----	1	----	6 + 1
8675	----	----	----	5.328B/*5.928A	----	5.591 - 0.093	.4037	----	----	----	----	5 UNCH
8700	----	----	----/*5.570A	5.457B/*5.570A	----	5.528 - 0.098	.4001	----	----	----	----	100 UNCH
8800	----	----	----	5.063B/*5.551A	----	5.287 - 0.115	.3862	----	----	----	----	5 UNCH
9000	----	----	----	4.814B/5.032A	----	4.843 - 0.146	.3598	----	----	----	----	186 UNCH
9500	----	----	----	3.842B/*4.296A	----	3.931 - 0.194	.3022	----	----	----	----	43 UNCH
9600	----	----	----	3.692B/*4.108A	----	3.778 - 0.199	.2920	----	----	----	----	25 UNCH
9750	----	----	----	3.393B/*3.979A	----	3.564 - 0.206	.2775	----	----	----	----	23 UNCH
9800	----	----	----	3.516B/*3.746A	----	3.496 - 0.208	.2729	----	----	----	----	130 UNCH
9900	----	----	----	3.375B/*3.614A	----	3.367 - 0.210	.2640	----	----	----	----	59 UNCH
10000	----	----	----	3.249B/3.463A	----	3.245 - 0.211	.2555	----	----	----	----	290 UNCH
10100	----	----	----	2.951B/*3.548A	----	3.129 - 0.213	.2473	----	----	----	----	2 UNCH
10200	----	----	----	2.838B/*3.442A	----	3.019 - 0.213	.2394	----	----	----	----	1 UNCH
10500	----	----	----	2.700B/*2.942A	----	2.723 - 0.212	.2179	----	----	----	----	115 UNCH
10800	----	----	----	2.245B/*2.800A	----	2.470 - 0.206	.1990	----	----	----	----	2 UNCH
11000	----	----	----/2.468A	2.253B/2.468A	----	2.321 - 0.201	.1876	----	----	----	----	190 UNCH
11300	----	----	----/*2.257A	2.025B/*2.257A	----	2.123 - 0.192	.1724	----	----	----	----	60 UNCH
11500	----	----	----/*2.133A	1.889B/*2.133A	----	2.004 - 0.187	.1631	----	----	----	----	70 UNCH
12000	----	----	----	1.519B/2.080A	----	1.747 - 0.173	.1428	----	----	----	----	117 UNCH
12500	----	----	----	1.215B/*1.942A	----	1.533 - 0.162	.1258	----	----	----	----	35 UNCH
13000	----	----	----	1.013B/1.728A	----	1.351 - 0.154	.1112	----	----	----	----	36 UNCH
14000	----	----	----/1.142A	0.881B/1.142A	----	1.064 - 0.142	.0881	----	----	----	----	102 UNCH
15000	0.826	0.826	0.826/0.826	0.826/0.826	----	0.850 - 0.134	.0708	----	----	3	----	221 UNCH
16000	----	----	----/0.796A	0.666B/0.796A	----	0.688 - 0.128	.0576	----	----	----	----	18 UNCH
17000	----	----	----/0.682A	0.546B/0.682A	----	0.566 - 0.121	.0475	----	----	----	----	27 UNCH
18000	----	----	----	0.454B/0.596A	----	0.474 - 0.113	.0399	----	----	----	----	2 UNCH
19000	----	----	----	0.381B/0.526A	----	0.403 - 0.105	.0339	----	----	----	----	14 UNCH
20000	----	----	----	0.324B/0.470A	----	0.347 - 0.098	.0291	----	----	----	----	304 UNCH
21000	----	----	----	0.277B/*0.424A	----	0.303 - 0.091	.0254	----	----	----	----	1 UNCH
23000	----	----	----	0.207B/*0.353A	----	0.239 - 0.077	.0199	----	----	----	----	32 UNCH
25000	----	----	----	0.158B/*0.302A	----	0.197 - 0.065	.0162	----	----	----	----	14 UNCH
30000	----	----	----	0.083B/0.229A	----	0.139 - 0.045	.0111	----	----	----	----	18 UNCH
35000	----	----	----	0.001B/3.428A	----	0.073 - 0.027	.0060	----	----	----	----	27 UNCH
TOTAL										19	0	2819 + 6
OCT26												
3800	----	----	----	----	----	40.264 + 0.851	.9849	----	----	----	----	1 UNCH
7000	----	----	----	12.571B/14.045A	----	13.582 + 0.355	.6980	----	----	----	----	2 UNCH
7100	----	----	----	12.024B/13.492A	----	13.022 + 0.327	.6815	----	----	----	----	1 UNCH
7500	----	----	----	10.321B/11.191A	----	11.002 + 0.219	.6146	----	----	----	----	1 UNCH
7650	----	----	----	9.650B/10.689A	----	10.332 + 0.182	.5897	----	----	----	----	1 UNCH
7875	----	----	----	8.532B/9.952A	----	9.412 + 0.130	.5530	----	----	----	----	2 UNCH
8000	----	----	----	8.282B/9.384A	----	8.943 + 0.104	.5333	----	----	----	----	4 UNCH
8075	----	----	----	7.859B/9.236A	----	8.675 + 0.089	.5217	----	----	----	----	1 UNCH
8500	----	----	----	6.689B/7.881A	----	7.339 + 0.021	.4600	----	----	----	----	1 UNCH
8700	----	----	----	6.154B/7.379A	----	6.805 - 0.003	.4334	----	----	----	----	4 UNCH
9000	----	----	----	5.411B/6.668A	----	6.101 - 0.032	.3966	----	----	----	----	1 UNCH
9100	----	----	----	5.194B/*6.454A	----	5.889 - 0.040	.3852	----	----	----	----	73 UNCH
10000	----	----	----	3.783B/4.882A	----	4.362 - 0.094	.2978	----	----	----	----	96 UNCH
11000	----	----	----	2.749B/3.715A	----	3.217 - 0.132	.2272	----	----	----	----	3 UNCH
11100	----	----	----	2.665B/*3.621A	----	3.125 - 0.135	.2213	----	----	----	----	2 UNCH
11700	----	----	----	2.235B/*3.120A	----	2.642 - 0.148	.1899	----	----	----	----	2 UNCH
12000	----	----	----	2.053B/2.897A	----	2.437 - 0.153	.1764	----	----	----	----	65 UNCH
13000	----	----	----	1.558B/2.340A	----	1.892 - 0.162	.1394	----	----	----	----	145 UNCH
14000	----	----	----	1.145B/1.992A	----	1.504 - 0.163	.1122	----	----	----	----	2 UNCH
15000	----	----	----	0.849B/1.722A	----	1.223 - 0.160	.0919	----	----	----	----	178 UNCH
16000	----	----	----/1.148A	1.002B/1.148A	----	1.017 - 0.156	.0768	----	----	----	----	4 UNCH
18000	----	----	----	0.703B/0.867A	----	0.683 - 0.122	.0527	----	----	----	----	340 UNCH
20000	----	----	----	0.515B/0.688A	----	0.489 - 0.098	.0382	----	----	----	----	225 UNCH
TOTAL											0	1154 0
NOV26												
6500	----	----	----	----/42.410A	----	17.288 + 0.438	.7663	----	----	----	----	1 UNCH
7000	----	----	----	13.314B/14.851A	----	14.295 + 0.312	.6922	----	----	----	----	14 UNCH
7100	----	----	----	12.729B/14.090A	----	13.759 + 0.289	.6769	----	----	----	----	14 UNCH
7500	----	----	----	11.154B/12.260A	----	11.816 + 0.200	.6154	----	----	----	----	1 UNCH
7900	----	----	----	9.434B/10.709A	----	10.182 + 0.127	.5556	----	----	----	----	10 UNCH
8000	----	----	----	9.071B/10.364A	----	9.818 + 0.111	.5412	----	----	----	----	10 UNCH
9550	----	----	----	5.192B/*6.534A	----	5.909 NEW	.3611	----	----	3	----	3 + 3
9800	----	----	----	4.785B/*6.088A	----	5.497 NEW	.3393	----	----	3	----	3 + 3
10000	----	----	----	4.513B/5.797A	----	5.195 - 0.057	.3230	----	----	----	----	26 UNCH
12000	----	----	----	2.604B/3.636A	----	3.119 - 0.101	.2043	----	----	----	----	13 UNCH
12500	----	----	----	2.300B/*3.278A	----	2.782 - 0.107	.1839	----	----	----	----	10 UNCH
13000	----	----	----	2.042B/2.969A	----	2.493 - 0.111	.1661	----	----	----	----	2 UNCH
14000	----	----	----	1.603B/2.528A	----	2.028 - 0.117	.1369	----	----	----	----	3 UNCH
15000	----	----	----	1.231B/2.201A	----	1.675 - 0.122	.1143	----	----	----	----	5 UNCH
16000	----	----	----	0.951B/1.950A	----	1.405 - 0.126	.0966	----	----	----	----	2 UNCH
17000	----	----	----	1.002B/1.335A	----	1.195 - 0.132	.0827	----	----	----	----	1 UNCH
20000	----	----	----	0.735B/0.950A	----	0.793 - 0.136	.0553	----	----	----	----	32 UNCH
21000	----	----	----	0.644B/*0.856A	----	0.705 - 0.132	.0492	----	----	----	----	2 UNCH
TOTAL										6	0	152 + 6
DEC26												
3875	----	----	----	----	----	39.615 + 0.842	.9707	----	----	----	----	1 UNCH
5250	----	----	----	----/59.551A	----	27.155 + 0.743	.8952	----	----	----	----	50 UNCH
5500	----	----	----	----/57.509A	----	25.095 + 0.710	.8734	----	----	----	----	1 UNCH
6500	----	----	----	----/47.384A	----	17.850 + 0.526	.7580	----	----	----	----	564 UNCH
6900	----	----	----	14.148B/16.208A	----	15.497 + 0.434	.7025	----	----	----	----	1 UNCH
6950	----	----	----	13.878B/15.937A	----	15.225 + 0.422	.6953	----	----	----	----	200 UNCH
7000	----	----	----	13.709B/15.676A	----	14.959 + 0.411	.6882	----	----	----	----	120 UNCH
7025	----	----	----	13.579B/15.548A	----	14.828 + 0.405	.6846	----	----	----	----	1 UNCH
7075	----	----	----	13.322B/15.294A	----	14.568 + 0.393	.6775	----	----	----	----	5 UNCH
7100	----	----	----	13.137B/14.842A	----	14.440 + 0.387	.6739	----	----	----	----	15 UNCH
7375	----	----	----	11.884B/13.609A	----	13.112 + 0.325	.6345	----	----	----	----	2 UNCH
7500	----	----	----	11.697B/12.812A	----	12.553 + 0.297	.6167	----	----	----	----	18 UNCH
7575	----	----	----	10.960B/12.886A	----	12.231 + 0.281	.6061	----	----	----	----	1 UNCH
7750	----	----	----	10.663B/12.000A	----	11.518 + 0.245	.5816	----	----	----	----	2 UNCH
7800	----	----	----	10.472B/11.855A	----	11.324 + 0.235	.5748	----	----	----	----	1 UNCH
7925	----	----	----	9.681B/11.657A	----	10.855 + 0.210	.5578	----	----	----	----	2 UNCH
8000	----	----	----/10.260A	9.741B/10.260A	----	10.586 + 0.196	.5479	----	----	----	----	127 UNCH
8100	----	----	----	9.363B/10.794A	----	10.240 + 0.178	.5348	----	----	----	----	1 UNCH
8200	9.500	9.500	9.500/9.500	9.500/9.500	----	9.909 + 0.160	.5220	----	----	1	----	21 - 1
8400	----	----	----	8.423B/9.902A	----	9.288 + 0.126	.4973	----	----	----	----	50 UNCH
8500	----	----	----	8.136B/9.630A	----	8.998 + 0.111	.4854	----	----	----	----	150 UNCH
8550	----	----	----	7.989B/9.498A	----	8.858 + 0.104	.4795	----	----	----	----	25 UNCH
8600	----	----	----	7.862B/9.370A	----	8.720 + 0.096	.4737	----	----	----	----	7 UNCH
8800	----	----	----	7.339B/8.882A	----	8.200 + 0.069	.4513	----	----	----	----	5 UNCH
8900	----	----	----	7.098B/8.654A	----	7.957 + 0.057	.4406	----	----	----	----	2 UNCH
8950	----	----	----	6.982B/8.543A	----	7.839 + 0.051	.4353	----	----	----	----	1 UNCH
9000	----	----	----	6.868B/8.434A	----	7.723 + 0.044	.4301	----	----	----	----	229 UNCH
9050	----	----	----	6.758B/8.328A	----	7.611 + 0.039	.4250	----	----	----	----	100 UNCH
9300	----	----	----	6.236B/*7.829A	----	7.081 + 0.012	.4005	----	----	----	----	1 UNCH
9500	----	----	----/6.506A	5.852B/6.506A	----	6.696 - 0.006	.3822	----	----	----	----	10 UNCH
9700	----	----	----	5.496B/*7.126A	----	6.340 - 0.022	.3649	----	----	----	----	1 UNCH
9800	----	----	----	5.327B/*6.967A	----	6.173 - 0.029	.3567	----	----	5	----	24 + 5
9900	----	----	----	5.165B/*6.813A	----	6.012 - 0.036	.3487	----	----	----	----	3 UNCH
10000	----	----	----	5.009B/6.664A	----	5.856 - 0.043	.3408	----	----	5	----	780 + 5
10025	----	----	----	4.881B/*6.693A	----	5.818 - 0.044	.3389	----	----	----	----	3 UNCH
10500	----	----	----	4.309B/5.998A	----	5.158 - 0.067	.3051	----	----	----	----	2 UNCH
10600	----	----	----	4.183B/*5.879A	----	5.033 - 0.070	.2986	----	----	----	----	6 UNCH
10800	----	----	----	3.958B/*5.643A	----	4.794 - 0.078	.2860	----	----	----	----	1 UNCH
11000	----	----	----	3.741B/5.413A	----	4.572 - 0.082	.2741	----	----	----	----	91 UNCH
11350	----	----	----	3.413B/*5.023A	----	4.216 - 0.090	.2549	----	----	----	----	5 UNCH
11800	----	----	----	3.051B/*4.617A	----	3.814 - 0.097	.2328	----	----	----	----	25 UNCH
12000	----	----	----	2.904B/4.429A	----	3.653 - 0.099	.2238	----	----	----	----	478 UNCH
12200	----	----	----	2.768B/*4.268A	----	3.501 - 0.101	.2153	----	----	----	----	1 UNCH
12500	----	----	----	2.579B/4.043A	----	3.290 - 0.103	.2033	----	----	----	----	43 UNCH
13000	----	----	----	2.298B/3.705A	----	2.977 - 0.107	.1853	----	----	----	----	386 UNCH
14000	----	----	----	1.841B/3.132A	----	2.467 - 0.116	.1555	----	----	----	----	56 UNCH
14200	----	----	----	1.764B/*3.050A	----	2.381 - 0.117	.1504	----	----	----	----	1 UNCH
15000	----	----	----	1.437B/2.779A	----	2.074 - 0.124	.1320	----	----	6	----	1828 + 6
16000	----	----	----	1.091B/2.493A	----	1.765 - 0.132	.1132	----	----	6	----	1615 + 6

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
DEC26												
17000	----	----	----	0.831B/2.263A	----	1.518 - 0.138	.0980	----	----	----	----	50 UNCH
18000	----	----	----	0.626B/2.071A	----	1.318 - 0.142	.0856	----	----	----	----	7 UNCH
19000	----	----	----	1.032B/1.366A	----	1.154 - 0.144	.0753	----	----	----	----	1 UNCH
20000	1.000	1.000	1.000/1.000	1.000/1.000	----	1.020 - 0.141	.0668	----	----	2	----	262 UNCH
21000	----	----	----	0.786B/*1.128A	----	0.909 - 0.136	.0596	----	----	----	----	4 UNCH
23000	----	----	----	0.614B/*0.956A	----	0.740 - 0.120	.0486	----	----	----	----	4 UNCH
25000	----	----	----	0.489B/*0.828A	----	0.620 - 0.103	.0407	----	----	2	----	237 UNCH
30000	----	----	----	0.296B/0.620A	----	0.440 - 0.075	.0286	----	----	2	----	112 + 2
40000	0.300	0.300	0.300/*0.300	0.300/*0.300	----	0.284 - 0.053	.0179	----	----	1	----	23 UNCH
90000	----	----	----	----	----	0.102 - 0.022	.0059	----	----	----	----	2 UNCH
TOTAL										30	0	7764 + 23
JAN27												
7550	----	----	----	12.449B/13.939A	----	13.464 + 0.363	.6212	----	----	----	----	1 UNCH
7650	----	----	----	12.020B/13.537A	----	13.048 + 0.352	.6081	----	----	----	----	6 UNCH
10000	----	----	----	5.840B/*7.610A	----	6.706 + 0.153	.3638	----	----	----	----	5 UNCH
11000	----	----	----	4.482B/*6.287A	----	5.265 + 0.108	.2958	----	----	----	----	5 UNCH
13000	----	----	----	2.729B/*4.579A	----	3.603 + 0.058	.2083	----	----	----	----	1 UNCH
14000	----	----	----	2.200B/*4.014A	----	3.238 + 0.045	.1848	----	----	----	----	1 UNCH
14500	----	----	----	1.903B/*3.768A	----	3.101 + 0.040	.1755	----	----	----	----	400 UNCH
15000	----	----	----	1.687B/*3.557A	----	2.989 + 0.037	.1676	----	----	----	----	400 UNCH
TOTAL											0	819 0
FEB27												
9000	----	----	----	8.307B/10.133A	----	9.305 + 0.064	.4607	----	----	----	----	1 UNCH
30000	----	----	----	0.410B/*1.071A	----	0.587 - 0.076	.0359	----	----	----	----	1 UNCH
TOTAL											0	2 0
MAR27												
8000	----	----	----	10.892B/*14.424A	----	12.917 + 0.314	.5723	----	----	----	----	200 UNCH
9000	----	----	----	8.178B/11.573A	----	10.001 + 0.196	.4712	----	----	----	----	35 UNCH
9200	----	----	----	7.668B/*11.113A	----	9.536 + 0.174	.4536	----	----	----	----	25 UNCH
30000	1.178	1.178	1.178/*1.178	1.178/*1.178	----	1.091 - 0.087	.0582	----	----	1	----	2 + 1
TOTAL										1	0	262 + 1
JUL27												
2000	----	----	----	----	----	60.055 + 0.840	.9951	----	----	----	----	1 UNCH
10000	----	----	----	----	----	11.581 + 0.352	.4555	----	----	----	----	1 UNCH
10300	----	----	----	----	----	11.082 + 0.338	.4385	----	----	----	----	1 UNCH
TOTAL											0	3 0
DEC27												
4000	----	----	----	----	----	42.634 + 0.754	.9222	----	----	----	----	1 UNCH
20000	----	----	----	----	----	6.962 + 0.185	.2481	----	----	----	----	25 UNCH
TOTAL											0	26 0
SO PUT		COMEX SILVER OPTIONS										
MAY26												
2075	----	----	----	----/0.004A	----	0.001 UNCH	----	----	----	----	----	31 UNCH
2100	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
2150	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
2175	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
2650	----	----	----	----/0.150A	----	0.001 UNCH	----	----	----	----	----	2 UNCH
2700	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	50 UNCH
2800	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	12 UNCH
2850	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	3 UNCH
2875	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
2950	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
3000	----	----	----	----/0.010A	----	0.001 UNCH	----	----	----	----	----	22 UNCH
3075	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	16 UNCH
3100	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	5 UNCH
3125	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	14 UNCH
3175	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	14 UNCH
3200	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	13 UNCH
3225	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	10 UNCH
3275	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	54 UNCH
3300	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	79 UNCH
3325	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	2 UNCH
3350	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	14 UNCH
3375	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	12 UNCH
3400	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	39 UNCH
3450	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	5 UNCH
3475	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	13 UNCH
3500	----	----	----	----/0.007A	----	0.001 UNCH	----	----	----	----	----	59 UNCH
3550	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
3575	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	28 UNCH
3600	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	6 UNCH
3625	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	12 UNCH
3675	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	105 UNCH
3700	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	264 UNCH
3750	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	10 UNCH
3775	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	10 UNCH
3800	0.001	0.001	0.001/0.001	0.001/0.001	----	0.001 UNCH	----	----	----	2	----	356 UNCH
3850	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
3900	----	----	----	----/*0.010A	----	0.001 UNCH	----	----	----	----	----	52 UNCH
3925	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	9 UNCH
3950	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	11 UNCH
3975	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	5 UNCH
4000	0.006	0.006	0.006/0.006	0.006/0.006	----	0.001 UNCH	----	----	----	4	----	350 UNCH
4025	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	3 UNCH
4050	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	21 UNCH
4075	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	15 UNCH
4100	----	----	----	----/0.015A	----	0.001 UNCH	----	----	----	----	----	215 UNCH
4125	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	10 UNCH
4150	----	----	----	----/*0.012A	----	0.001 UNCH	----	----	----	----	----	9 UNCH
4175	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
4200	----	----	----	----/0.012A	----	0.001 UNCH	----	----	----	----	----	101 UNCH
4225	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	20 UNCH
4250	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	10 UNCH
4275	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	7 UNCH
4300	----	----	----	----/0.014A	----	0.001 UNCH	----	----	----	----	----	295 UNCH
4325	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
4350	----	----	----	----/*0.015A	----	0.001 UNCH	----	----	----	----	----	27 UNCH
4375	----	----	----	----/0.015A	----	0.001 UNCH	----	----	----	----	----	12 UNCH
4400	----	----	----	----/0.015A	----	0.001 UNCH	----	----	----	----	----	313 UNCH
4425	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	14 UNCH
4450	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	7 UNCH
4475	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	81 UNCH
4500	----	----	----	----/0.005A	----	0.001 UNCH	----	----	----	----	----	780 UNCH
4525	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	19 UNCH
4550	----	----	----	----/0.032A	----	0.001 UNCH	----	----	----	----	----	4 UNCH
4575	----	----	----	----/0.031A	----	0.001 UNCH	----	----	----	----	----	11 UNCH
4600	----	----	----	----/0.031A	----	0.001 UNCH	----	----	----	----	----	14 UNCH
4625	----	----	----	----/0.032A	----	0.001 UNCH	----	----	----	----	----	66 UNCH
4650	----	----	----	----/0.032A	----	0.001 UNCH	----	----	----	----	----	10 UNCH
4675	----	----	----	----/0.032A	----	0.001 UNCH	----	----	----	----	----	17 UNCH
4700	----	----	----	----/0.032A	----	0.001 UNCH	----	----	----	----	----	116 UNCH
4725	----	----	----	----/0.032A	----	0.001 UNCH	----	----	----	----	----	11 UNCH
4750	----	----	----	----/0.032A	----	0.001 - 0.001	----	----	----	----	----	18 UNCH
4775	----	----	----	----/0.032A	----	0.001 - 0.001	----	----	----	----	----	4 UNCH
4800	----	----	----	----/0.032A	----	0.001 - 0.001	----	----	----	----	----	318 UNCH
4825	----	----	----	----/*0.030A	----	0.001 - 0.001	----	----	----	----	----	3 UNCH
4850	----	----	----	----/0.032A	----	0.001 - 0.001	----	----	----	----	----	76 UNCH
4875	----	----	----	----/0.033A	----	0.001 - 0.001	----	----	----	----	----	1 UNCH
4900	----	----	----	----/0.031A	----	0.001 - 0.001	----	----	----	----	----	162 UNCH
4925	----	----	----	----/*0.031A	----	0.001 - 0.001	----	----	----	----	----	9 UNCH
4950	----	----	----	----/0.033A	----	0.001 - 0.002	----	----	----	----	----	11 UNCH
4975	----	----	----	----/0.033A	----	0.001 - 0.002	----	----	----	----	----	52 UNCH
5000	----	----	0.006B/----	0.006B/0.030A	----	0.001 - 0.002	----	----	----	----	----	916 UNCH
5025	----	----	----	----/0.033A	----	0.001 - 0.002	----	----	----	----	----	1 UNCH
5050	----	----	----	----/*0.033A	----	0.001 - 0.002	----	----	----	----	----	24 UNCH
5075	----	----	----	----/0.034A	----	0.001 - 0.003	.0000	----	----	----	----	7 UNCH
5100	----	----	----	----/0.034A	----	0.001 - 0.003	.0000	----	----	----	----	161 UNCH
5125	----	----	----	----/0.034A	----	0.001 - 0.003	.0000	----	----	----	----	51 UNCH
5150	----	----	----	----/*0.034A	----	0.001 - 0.003	.0000	----	----	----	----	48 UNCH
5175	----	----	----	----/*0.034A	----	0.001 - 0.004	.0000	----	----	----	----	2 UNCH
5200	----	----	----	----/0.034A	----	0.001 - 0.004	.0000	----	----	----	----	163 UNCH
5225	----	----	----	----/0.035A	----	0.001 - 0.004	.0000	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
5250	----	----	----	----/*0.035A	----	0.001 - 0.004	.0000	----	----	----	----	29 UNCH
5275	----	----	----	----/*0.035A	----	0.001 - 0.005	.0000	----	----	----	----	8 UNCH
5300	----	----	----	----/0.035A	----	0.001 - 0.005	.0000	----	----	----	----	172 UNCH
5325	----	----	----	----/*0.035A	----	0.001 - 0.005	.0000	----	----	----	----	23 UNCH
5350	----	----	----	----/*0.035A	----	0.001 - 0.005	.0000	----	----	----	----	28 UNCH
5375	----	----	----	----/0.036A	----	0.002 - 0.005	.0001	----	----	----	----	14 UNCH
5400	----	----	----	----/*0.036A	----	0.002 - 0.005	.0001	----	----	----	----	98 UNCH
5425	----	----	----	----/*0.036A	----	0.002 - 0.005	.0001	----	----	----	----	14 UNCH
5450	----	----	----	----/*0.036A	----	0.002 - 0.005	.0001	----	----	----	----	12 UNCH
5475	----	----	----	----/*0.036A	----	0.002 - 0.006	.0001	----	----	----	----	13 UNCH
5500	----	----	----	----/0.037A	----	0.002 - 0.006	.0001	----	----	----	----	627 UNCH
5525	----	----	----	----/*0.037A	----	0.002 - 0.006	.0001	----	----	----	----	37 UNCH
5550	----	----	----	----/0.037A	----	0.002 - 0.007	.0001	----	----	----	----	31 UNCH
5575	----	----	----	----/*0.037A	----	0.002 - 0.007	.0001	----	----	----	----	5 UNCH
5600	----	----	----	----/0.038A	----	0.002 - 0.007	.0001	----	----	----	----	81 UNCH
5625	----	----	----	----/*0.038A	----	0.002 - 0.008	.0001	----	----	----	----	6 UNCH
5650	----	----	----	----/*0.038A	----	0.003 - 0.007	.0002	----	----	----	----	41 UNCH
5675	----	----	----	----/*0.038A	----	0.003 - 0.007	.0002	----	----	----	----	48 UNCH
5700	----	----	----	----/0.039A	----	0.003 - 0.008	.0002	----	----	----	----	130 UNCH
5725	----	----	----	----/*0.039A	----	0.003 - 0.008	.0002	----	----	----	----	28 UNCH
5750	----	----	----	----/*0.039A	----	0.003 - 0.008	.0002	----	----	----	----	110 UNCH
5775	----	----	----	----/*0.040A	----	0.003 - 0.009	.0003	----	----	----	----	11 UNCH
5800	----	----	----	----/0.040A	----	0.003 - 0.009	.0003	----	----	----	----	357 UNCH
5825	----	----	----	----/0.041A	----	0.004 - 0.009	.0004	----	----	----	----	54 UNCH
5850	----	----	----	----/0.041A	----	0.004 - 0.009	.0004	----	----	----	----	7 UNCH
5875	----	----	----	----/*0.041A	----	0.004 - 0.010	.0004	----	----	----	----	4 UNCH
5900	----	----	----	----/*0.042A	----	0.004 - 0.010	.0004	----	----	1	----	106 UNCH
5925	----	----	----	----/*0.042A	----	0.004 - 0.011	.0004	----	----	----	----	13 UNCH
5950	----	----	----	----/*0.043A	----	0.005 - 0.011	.0005	----	----	----	----	13 UNCH
5975	----	----	----	----/*0.044A	----	0.005 - 0.011	.0006	----	----	----	----	23 UNCH
6000	----	----	----	0.005B/0.044A	----	0.005 - 0.012	.0006	----	----	2	----	1090 UNCH
6025	----	----	----	----/*0.045A	----	0.005 - 0.013	.0006	----	----	----	----	23 UNCH
6050	0.018	0.018	0.018/*0.018	0.018/*0.018	----	0.006 - 0.013	.0007	----	----	4	----	322 - 1
6075	----	----	----	----/0.046A	----	0.006 - 0.013	.0007	----	----	----	----	153 UNCH
6100	----	----	----	----/0.047A	----	0.006 - 0.014	.0008	----	----	1	----	153 - 1
6125	----	----	----	----/*0.048A	----	0.007 - 0.014	.0009	----	----	----	----	7 UNCH
6150	----	----	----	----/*0.049A	----	0.007 - 0.015	.0009	----	----	----	----	39 UNCH
6175	----	----	----	----/0.049A	----	0.008 - 0.015	.0011	----	----	----	----	14 UNCH
6200	----	----	----	----/0.051A	----	0.008 - 0.016	.0011	----	----	----	----	58 UNCH
6225	----	----	----	----/0.048A	----	0.009 - 0.016	.0013	----	----	----	----	33 UNCH
6250	----	----	----	0.005B/0.050A	----	0.009 - 0.018	.0013	----	----	----	----	87 UNCH
6275	----	----	----	----/0.040A	----	0.010 - 0.018	.0015	----	----	----	----	12 UNCH
6300	----	----	----	0.001B/0.057A	----	0.010 - 0.020	.0016	----	----	2	----	176 UNCH
6325	----	----	----	----/0.041A	----	0.012 - 0.019	.0020	----	----	----	----	125 UNCH
6350	----	----	----	0.003B/*0.040A	----	0.014 - 0.019	.0024	----	----	2	----	72 - 2
6375	----	----	----	----/*0.042A	----	0.016 - 0.019	.0028	----	----	----	----	28 UNCH
6400	0.020	0.020	0.021B/*0.019	0.021B/*0.019	----	0.018 - 0.018	.0032	----	----	9	----	100 - 2
6425	----	----	----	0.002B/*0.043A	----	0.019 - 0.020	.0035	----	----	----	----	9 UNCH
6450	----	----	----	0.003B/*0.046A	----	0.019 - 0.022	.0036	----	----	----	----	55 UNCH
6475	----	----	----	0.002B/*0.047A	----	0.020 - 0.023	.0038	----	----	----	----	10 UNCH
6500	0.030	0.030	0.030/0.030	0.031B/0.030	----	0.020 - 0.026	.0039	----	----	11	----	756 + 10
6525	----	----	----/*0.047A	0.007B/*0.047A	----	0.020 - 0.029	.0040	----	----	----	----	18 UNCH
6550	----	----	----/0.050A	0.007B/0.050A	----	0.020 - 0.032	.0041	----	----	----	----	172 UNCH
6575	0.035	0.035	0.050/*0.020	0.050/*0.020	----	0.021 - 0.034	.0045	----	----	11	----	49 UNCH
6600	----	----	----/*0.051A	0.011B/*0.051A	----	0.021 - 0.037	.0046	----	----	----	----	359 UNCH
6625	----	----	----/*0.057A	0.015B/*0.057A	----	0.022 - 0.040	.0049	----	----	----	----	6 UNCH
6650	----	----	----/*0.056A	0.013B/*0.056A	----	0.024 - 0.043	.0055	----	----	----	----	81 UNCH
6675	----	----	----/*0.057A	0.040B/*0.057A	----	0.025 - 0.046	.0059	----	----	----	----	63 UNCH
6700	----	----	----/*0.056A	0.009B/*0.056A	----	0.027 - 0.049	.0066	----	----	----	----	530 UNCH
6725	----	----	----/*0.057A	0.040B/*0.057A	----	0.029 - 0.053	.0073	----	----	----	----	10 UNCH
6750	0.034	0.034	0.034/*0.034	0.034/*0.034	----	0.032 - 0.055	.0082	----	----	1	----	86 - 1
6775	----	----	----/*0.062A	0.006B/*0.062A	----	0.035 - 0.059	.0093	----	----	----	----	14 UNCH
6800	----	----	----/*0.064A	0.067B/*0.064A	----	0.038 - 0.063	.0103	----	----	3	----	119 + 2
6825	----	----	----/*0.066A	0.077B/*0.066A	----	0.041 - 0.068	.0115	----	----	----	----	12 UNCH
6850	----	----	----/*0.064A	0.090B/*0.064A	----	0.044 - 0.073	.0127	----	----	----	----	16 UNCH
6875	----	----	----/*0.064A	0.101B/*0.064A	----	0.047 - 0.079	.0139	----	----	----	----	6 UNCH
6900	0.067	0.067	0.067/*0.044	0.112B/*0.044	----	0.049 - 0.086	.0150	----	----	8	----	460 - 6
6925	----	----	----/*0.071A	0.123B/*0.071A	----	0.052 - 0.094	.0163	----	----	----	----	79 UNCH
6950	----	----	----/*0.073A	0.138B/*0.073A	----	0.054 - 0.104	.0175	----	----	----	----	30 UNCH
6975	----	----	----/*0.080A	0.154B/*0.080A	----	0.056 - 0.115	.0188	----	----	----	----	9 UNCH
7000	0.160	0.160	0.200B/*0.049	0.200B/*0.049	----	0.060 - 0.125	.0207	----	----	121	----	751 - 95
7025	----	----	----/*0.092A	0.198B/*0.092A	----	0.064 - 0.137	.0228	----	----	----	----	16 UNCH
7030	----	----	----/*0.094A	0.204B/*0.094A	----	0.065 - 0.140	.0233	----	----	----	----	9 UNCH
7050	0.061	0.061	0.220B/*0.060	0.220B/*0.060	----	0.070 - 0.149	.0257	----	----	5	----	61 + 3
7075	----	----	0.242B/*0.097A	0.242B/*0.097A	----	0.077 - 0.162	.0291	----	----	----	----	11 UNCH
7100	0.120	0.120	0.293B/*0.049	0.293B/*0.049	----	0.085 - 0.177	.0330	----	----	13	----	74 - 3
7110	----	----	0.290B/*0.098A	0.290B/*0.098A	----	0.089 - 0.183	.0349	----	----	----	----	10 UNCH
7125	----	----	0.307B/*0.091A	0.307B/*0.091A	----	0.095 - 0.192	.0379	----	----	----	----	19 UNCH
7150	0.430	0.430	0.430/*0.091A	0.430/*0.091A	----	0.105 - 0.211	.0430	----	----	6	----	46 + 3
7175	----	----	0.391B/*0.095A	0.391B/*0.095A	----	0.116 - 0.231	.0488	----	----	----	----	23 UNCH
7200	0.227	0.227	0.458B/*0.104A	0.458B/*0.104A	----	0.128 - 0.255	.0553	----	----	20	----	412 - 2
7225	----	----	0.499B/*0.114A	0.499B/*0.114A	----	0.141 - 0.282	.0626	----	----	----	----	16 UNCH
7250	----	----	0.567B/*0.126A	0.567B/*0.126A	----	0.155 - 0.312	.0707	----	----	4	----	63 + 3
7260	----	----	0.588B/*0.133A	0.588B/*0.133A	----	0.160 - 0.327	.0739	----	----	----	----	2 UNCH
7275	----	----	0.638B/*0.140A	0.638B/*0.140A	----	0.170 - 0.347	.0798	----	----	----	----	8 UNCH
7300	0.575	0.575	0.731B/*0.158A	0.731B/*0.158A	----	0.187 - 0.385	.0902	----	----	6	----	101 + 2
7325	0.281	0.281	0.816B/*0.177A	0.816B/*0.177A	----	0.206 - 0.426	.1020	----	----	2	----	26 - 2
7340	----	----	0.874B/*0.191A	0.874B/*0.191A	----	0.220 - 0.451	.1104	----	----	----	----	3 UNCH
7350	0.200	0.200	0.915B/*0.200	0.915B/*0.200	----	0.229 - 0.469	.1161	----	----	9	----	59 - 3
7360	0.623	0.623	0.957B/*0.213A	0.957B/*0.213A	----	0.240 NEW	.1226	----	----	1	----	0 UNCH
7375	0.845	0.845	1.020B/*0.233A	1.020B/*0.233A	----	0.257 - 0.514	.1329	----	----	4	----	25 + 2
7380	0.858	0.858	1.043B/*0.235A	1.043B/*0.235A	----	0.263 NEW	.1365	----	----	2	----	1 + 1
7400	0.850	0.850	1.134B/*0.250	1.134B/*0.250	----	0.289 - 0.562	.1520	----	----	37	----	111 + 3
7410	----	----	1.162B/*0.276A	1.162B/*0.276A	----	0.304 - 0.580	.1607	----	----	----	----	5 UNCH
7425	----	----	1.255B/*0.301A	1.255B/*0.301A	----	0.329 - 0.608	.1749	----	----	----	----	23 UNCH
7450	0.550	0.550	1.381B/*0.336A	1.381B/*0.336A	----	0.375 - 0.655	.2007	----	----	13	----	46 - 2
7470	----	----	1.372B/*0.382A	1.372B/*0.382A	----	0.418 - 0.691	.2240	----	----	----	----	1 UNCH
7475	----	----	1.368B/*0.391A	1.368B/*0.391A	----	0.430 - 0.700	.2303	----	----	----	----	11 UNCH
7480	----	----	1.355B/*0.406A	1.355B/*0.406A	----	0.442 - 0.709	.2366	----	----	----	----	1 UNCH
7490	----	----	1.404B/*0.429A	1.404B/*0.429A	----	0.467 - 0.727	.2496	----	----	----	----	3 UNCH
7500	1.370	1.370	1.590/0.435A	1.590/0.435A	----	0.493 - 0.745	.2630	----	----	62	120	702 + 114
7525	0.596	0.596	1.574B/0.515A	1.574B/0.515A	----	0.566 - 0.787	.2990	----	----	5	----	31 - 3
7530	----	----	1.599B/0.538A	1.599B/0.538A	----	0.581 - 0.796	.3064	----	----	----	----	7 UNCH
7535	----	----	1.554B/0.548A	1.554B/0.548A	----	0.597 - 0.804	.3140	----	----	----	----	10 UNCH
7540	----	----	1.594B/0.563A	1.594B/0.563A	----	0.614 - 0.811	.3218	----	----	----	----	7 UNCH
7545	----	----	1.566B/0.581A	1.566B/0.581A	----	0.631 - 0.819	.3297	----	----	----	----	2 UNCH
7550	1.600	1.600	1.700/0.588A	1.700/0.588A	----	0.648 - 0.827	.3376	----	----	44	----	52 + 6
7555	----	----	1.574B/0.615A	1.574B/0.615A	----	0.665 - 0.835	.3455	----	----	----	----	7 UNCH
7560	0.599	0.599	1.549B/0.599	1.549B/0.599	----	0.683 - 0.843	.3536	----	----	1	----	2 UNCH
7565	----	----	----/0.647A	1.540B/0.647A	----	0.702 - 0.850	.3619	----	----	----	----	2 UNCH
7570	----	----	1.612B/0.665A	1.612B/0.665A	----	0.720 - 0.858	.3700	----	----	----	----	3 UNCH
7575	----	----	----/0.686A	1.520B/0.686A	----	0.739 - 0.866	.3784	----	----	----	----	3 UNCH
7580	0.698	0.698	0.698/0.698	1.437B/0.698	----	0.759 - 0.873	.3868	----	----	10	----	36 + 9
7585	0.918	0.918	0.918/0.721A	1.457B/0.721A	----	0.779 - 0.880	.3953	----	----	2	----	9 + 2
7590	0.778	0.778	0.778/0.698	1.485B/0.698	----	0.799 - 0.887	.4038	----	----	10	----	13 + 10
7595	----	----	----/0.761A	1.511B/0.761A	----	0.820 - 0.894	.4124	----	----	----	----	3 UNCH
7600	1.456	1.456	2.001B/0.770A	2.001B/0.770A	----	0.841 - 0.901	.4211	----	----	14	25	130 - 6
7605	----	----	----/0.801A	1.576B/0.801A	----	0.862 - 0.908	.4297	----	----	----	----	13 UNCH
7610	0.790	0.790	0.790/0.790	1.607B/0.790	----	0.884 - 0.914	.4385	----	----	2	----	2 + 1
7615	----	----	----/0.844A	1.561B/0.844A	----	0.906 - 0.921	.4473	----	----	----	----	2 UNCH
7620	----	----	----/0.865A	1.592B/0.865A	----	0.928 - 0.928	.4561	----	----	----	----	12 UNCH
7625	1.241	1.241	1.241/0.889A	1.620B/0.889A	----	0.951 - 0.935	.4649	----	----	1	----	11 UNCH
7630	----	----	----/0.912A	1.631B/0.912A	----	0.975 - 0.940	.4738	----	----	----	----	1 UNCH
7635	----	----	----/0.920A	1.679B/0.920A	----	0.998 - 0.947	.4827	----	----	----	----	36 UNCH
7645	----	----	----/0.983A	1.692B/0.983A	----	1.047 - 0.959	.5006	----	----	----	----	4 UNCH
7650	----	----	----/0.995A	1.770B/0.995A	----	1.072 - 0.965	.5095	----	----	----	----	27 UNCH
7655	----	----	----/1.031A	1.797B/1.031A	----	1.097 - 0.971	.5184	----	----	----	----	24 UNCH
7660	----	----	----/1.084A	1.828B/1.084A	----	1.123 - 0.976	.5274	----	----	----	----	16 UNCH
7665	----	----	----/1.111A	1.865B/1.111A	----	1.149 - 0.981	.5363	----	----	----	----	7 UNCH
7670	----	----	----/1.136A	1.847B/1.136A	----	1.175 - 0.987	.5453	----	----	----	----	4 UNCH
7675	----	----	----/1.167A	1.930B/1.167A	----	1.202 - 0.992	.5542	----	----	----	----	8 UNCH
7680	----	----	----/1.195A	1.885B/1.195A	----	1.229 - 0.997	.5631	----	----	----	----	3 UNCH
7685	----	----	----/1.224A	1.992B/1.224A	----	1.257 - 1.002	.5720	----	----	----	----	14 UNCH
7690	----	----	----/1.277A	1.953B/1.277A	----	1.284 - 1.008	.5808	----	----	----	----	5 UNCH
7695	----	----	----/1.301A	1.989B/1.301A	----	1.313 - 1.012	.5897	----	----	----	----	2 UNCH
7700	1.900	1.900	2.400B/1.305A	2.400B/1.305A	----	1.342 - 1.016	.5985	----	----	7	----	548 + 2
7705	----	----	----/1.363A	2.058B/1.363A	----	1.371 - 1.021	.6073	----	----	----	----	3 UNCH
7710	----	----	----/1.402A	2.106B/1.402A	----	1.400 - 1.026	.6159	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
7715	----	----	----/1.433A	2.143B/1.433A	----	1.431 - 1.029	.6246	----	----	----	----	4 UNCH
7720	----	----	----/1.481A	2.185B/1.481A	----	1.461 - 1.033	.6332	----	----	----	----	4 UNCH
7725	----	----	----/1.541A	2.219B/1.541A	----	1.492 - 1.037	.6417	----	----	----	----	5 UNCH
7730	----	----	----/1.554A	2.256B/1.554A	----	1.523 - 1.040	.6502	----	----	----	----	2 UNCH
7735	----	----	----/1.607A	2.291B/1.607A	----	1.555 - 1.043	.6585	----	----	----	----	3 UNCH
7740	----	----	----/1.634A	2.329B/1.634A	----	1.587 - 1.047	.6668	----	----	----	----	1 UNCH
7745	----	----	----/1.681A	2.366B/1.681A	----	1.619 - 1.050	.6751	----	----	----	----	3 UNCH
7750	2.000	2.000	2.000/1.681A	2.496B/1.681A	----	1.652 - 1.053	.6833	----	----	4	----	88 - 1
7755	----	----	----/1.750A	2.483B/1.750A	----	1.685 - 1.056	.6911	----	----	----	----	13 UNCH
7760	----	----	----/1.783A	2.519B/1.783A	----	1.719 - 1.058	.6992	----	----	----	----	14 UNCH
7765	----	----	----/1.816A	2.557B/1.816A	----	1.753 - 1.060	.7071	----	----	----	----	10 UNCH
7770	----	----	----/1.851A	2.551B/1.851A	----	1.787 - 1.063	.7147	----	----	----	----	3 UNCH
7775	----	----	----/1.878A	2.634B/1.878A	----	1.822 - 1.065	.7223	----	----	----	----	9 UNCH
7780	----	----	----/1.898A	2.631B/1.898A	----	1.857 - 1.067	.7299	----	----	----	----	2 UNCH
7785	----	----	----/1.932A	2.670B/1.932A	----	1.893 - 1.068	.7372	----	----	----	----	5 UNCH
7790	----	----	----/2.012A	2.711B/2.012A	----	1.929 - 1.070	.7444	----	----	----	----	2 UNCH
7800	3.700	3.700	3.700/2.032A	3.700/2.032A	----	2.002 - 1.072	.7586	----	----	8	----	80 - 3
7805	----	----	----/2.118A	2.833B/2.118A	----	2.039 - 1.073	.7656	----	----	----	----	2 UNCH
7810	----	----	----/2.165A	2.875B/2.165A	----	2.077 - 1.074	.7725	----	----	----	----	3 UNCH
7815	----	----	----/2.205A	2.917B/2.205A	----	2.115 - 1.074	.7790	----	----	----	----	2 UNCH
7820	----	----	----/2.241A	2.957B/2.241A	----	2.153 - 1.075	.7856	----	----	----	----	1 UNCH
7825	----	----	----/2.222A	3.045B/2.222A	----	2.192 - 1.075	.7918	----	----	----	----	11 UNCH
7830	----	----	----/2.259A	3.085B/2.259A	----	2.230 - 1.076	.7980	----	----	----	----	11 UNCH
7835	----	----	----/2.297A	3.123B/2.297A	----	2.270 - 1.075	.8042	----	----	----	----	20 UNCH
7840	----	----	----/2.394A	3.121B/2.394A	----	2.309 - 1.075	.8100	----	----	----	----	3 UNCH
7845	----	----	----/2.441A	3.164B/2.441A	----	2.349 - 1.075	.8157	----	----	----	----	2 UNCH
7850	2.870	2.870	2.870/2.418A	3.316B/2.418A	----	2.389 - 1.075	.8214	----	----	9	----	55 UNCH
7855	----	----	----/2.522A	3.251B/2.522A	----	2.430 - 1.074	.8268	----	----	----	----	3 UNCH
7860	----	----	----/2.562A	3.293B/2.562A	----	2.471 - 1.073	.8324	----	----	----	----	4 UNCH
7865	----	----	----/2.568A	3.368B/2.568A	----	2.512 - 1.072	.8377	----	----	----	----	12 UNCH
7870	----	----	----/2.646A	3.374B/2.646A	----	2.553 - 1.072	.8426	----	----	----	----	3 UNCH
7875	----	----	----/2.614A	3.457B/2.614A	----	2.595 - 1.071	.8474	----	----	----	----	12 UNCH
7880	----	----	----/2.655A	3.501B/2.655A	----	2.637 - 1.069	.8522	----	----	----	----	6 UNCH
7885	----	----	----/2.770A	3.514B/2.770A	----	2.679 - 1.068	.8570	----	----	----	----	3 UNCH
7890	----	----	----/2.811A	3.558B/2.811A	----	2.722 - 1.067	.8617	----	----	----	----	4 UNCH
7895	----	----	----/2.853A	3.594B/2.853A	----	2.764 - 1.066	.8660	----	----	----	----	2 UNCH
7900	----	----	4.417B/2.784A	4.417B/2.784A	----	2.807 - 1.065	.8703	----	----	----	----	66 UNCH
7905	----	----	----/2.938A	3.684B/2.938A	----	2.850 - 1.063	.8746	----	----	----	----	4 UNCH
7910	----	----	4.398B/2.980A	4.398B/2.980A	----	2.894 - 1.061	.8788	----	----	----	----	3 UNCH
7915	----	----	4.445B/3.023A	4.445B/3.023A	----	2.937 - 1.060	.8826	----	----	----	----	3 UNCH
7920	----	----	4.418B/3.024A	4.418B/3.024A	----	2.981 - 1.058	.8863	----	----	----	----	10 UNCH
7925	----	----	----/3.110A	3.866B/3.110A	----	3.025 - 1.057	.8900	----	----	----	----	2 UNCH
7930	----	----	4.403B/3.153A	4.403B/3.153A	----	3.069 - 1.055	.8937	----	----	----	----	3 UNCH
7935	----	----	4.450B/3.196A	4.450B/3.196A	----	3.114 - 1.053	.8969	----	----	----	----	3 UNCH
7940	----	----	4.446B/3.239A	4.446B/3.239A	----	3.158 - 1.052	.9005	----	----	----	----	4 UNCH
7945	----	----	4.438B/3.282A	4.438B/3.282A	----	3.203 - 1.050	.9037	----	----	----	----	1 UNCH
7950	----	----	4.430B/3.215A	4.430B/3.215A	----	3.248 - 1.048	.9068	----	----	----	----	57 UNCH
7955	----	----	----/3.330A	4.324B/3.330A	----	3.293 - 1.046	.9100	----	----	----	----	3 UNCH
7960	----	----	4.436B/3.374A	4.436B/3.374A	----	3.339 - 1.044	.9130	----	----	----	----	1 UNCH
7965	----	----	----/3.436A	4.378B/3.436A	----	3.384 - 1.042	.9157	----	----	----	----	7 UNCH
7970	----	----	----/3.480A	4.410B/3.480A	----	3.430 - 1.040	.9187	----	----	----	----	7 UNCH
7975	----	----	----/3.475A	4.391B/3.475A	----	3.475 - 1.039	.9212	----	----	----	----	2 UNCH
7980	----	----	----/3.520A	4.383B/3.520A	----	3.521 - 1.037	.9238	----	----	----	----	1 UNCH
7985	----	----	----/3.566A	4.431B/3.566A	----	3.567 - 1.035	.9263	----	----	----	----	2 UNCH
7990	----	----	----/3.662A	4.526B/3.662A	----	3.613 - 1.033	.9288	----	----	----	----	12 UNCH
7995	----	----	----/3.671A	4.651B/3.671A	----	3.660 - 1.031	.9312	----	----	----	----	2 UNCH
8000	4.400	4.400	4.400/3.665A	4.700B/3.665A	----	3.706 - 1.029	.9332	----	----	1	----	436 UNCH
8005	----	----	----/3.762A	4.676B/3.762A	----	3.752 - 1.028	.9356	----	----	----	----	6 UNCH
8010	----	----	----/3.796A	4.765B/3.796A	----	3.799 - 1.026	.9376	----	----	----	----	2 UNCH
8020	----	----	----/3.939A	4.812B/3.939A	----	3.893 - 1.021	.9414	----	----	----	----	23 UNCH
8025	----	----	----/3.945A	4.860B/3.945A	----	3.940 - 1.020	.9433	----	----	----	----	13 UNCH
8030	----	----	----/3.997A	4.874B/3.997A	----	3.987 - 1.018	.9452	----	----	----	----	1 UNCH
8035	----	----	----/4.044A	4.905B/4.044A	----	4.034 - 1.016	.9470	----	----	----	----	1 UNCH
8040	----	----	----/4.091A	4.955B/4.091A	----	4.081 - 1.015	.9488	----	----	----	----	1 UNCH
8050	----	----	----/4.252A	5.068B/4.252A	----	4.176 - 1.011	.9520	----	----	----	----	4 UNCH
8055	----	----	----/4.299A	5.099B/4.299A	----	4.223 - 1.010	.9538	----	----	----	----	1 UNCH
8060	----	----	----/4.283A	5.165B/4.283A	----	4.271 - 1.008	.9551	----	----	----	----	1 UNCH
8065	----	----	----/4.331A	5.214B/4.331A	----	4.318 - 1.007	.9568	----	----	----	----	3 UNCH
8070	----	----	----/4.442A	5.244B/4.442A	----	4.366 - 1.005	.9581	----	----	----	----	2 UNCH
8075	----	----	----/4.490A	5.311B/4.490A	----	4.414 - 1.003	.9593	1	----	----	----	3 - 1
8080	----	----	----/4.537A	5.342B/4.537A	----	4.462 - 1.001	.9606	----	----	----	----	3 UNCH
8085	----	----	----/4.556A	5.443B/4.556A	----	4.510 - 1.000	.9618	----	----	----	----	7 UNCH
8090	----	----	----/4.604A	5.491B/4.604A	----	4.558 - 0.998	.9630	----	----	----	----	20 UNCH
8095	----	----	----/4.682A	5.487B/4.682A	----	4.606 - 0.997	.9642	----	----	----	----	3 UNCH
8100	----	----	----/4.630A	5.626B/4.630A	----	4.654 - 0.995	.9654	----	----	----	----	33 UNCH
8105	----	----	----/4.779A	5.585B/4.779A	----	4.702 - 0.994	.9666	----	----	----	----	1 UNCH
8110	----	----	----/4.827A	5.635B/4.827A	----	4.750 - 0.993	.9677	----	----	----	----	2 UNCH
8125	----	----	----/4.972A	5.782B/4.972A	----	4.895 - 0.989	.9707	----	----	----	----	1 UNCH
8150	----	----	----/5.115A	6.117B/5.115A	----	5.138 - 0.983	.9749	19	----	----	----	25 - 19
8175	----	----	----/5.460A	6.275B/5.460A	----	5.380 - 0.979	.9788	----	----	----	----	2 UNCH
8195	----	----	----/5.656A	6.473B/5.656A	----	5.576 - 0.975	.9815	----	----	----	----	1 UNCH
8200	----	----	6.612B/5.603A	6.612B/5.603A	----	5.624 - 0.975	.9821	----	----	----	----	39 UNCH
8205	----	----	----/5.679A	6.572B/5.679A	----	5.673 - 0.974	.9826	----	----	----	----	1 UNCH
8210	----	----	----/5.804A	6.621B/5.804A	----	5.722 - 0.973	.9832	----	----	----	----	1 UNCH
8215	----	----	----/5.853A	6.671B/5.853A	----	5.771 - 0.972	.9837	----	----	----	----	1 UNCH
8220	----	----	----/5.874A	6.787B/5.874A	----	5.820 - 0.972	.9843	----	----	----	----	21 UNCH
8225	----	----	----/5.921A	6.800B/5.921A	----	5.869 - 0.971	.9848	----	----	----	----	8 UNCH
8230	----	----	----/5.973A	6.886B/5.973A	----	5.919 - 0.969	.9853	----	----	----	----	15 UNCH
8240	----	----	----/6.024A	6.919B/6.024A	----	6.017 - 0.968	.9863	----	----	----	----	2 UNCH
8245	----	----	7.058B/6.047A	7.058B/6.047A	----	6.066 - 0.968	.9868	----	----	----	----	25 UNCH
8250	----	----	7.155B/6.082A	7.155B/6.082A	----	6.115 - 0.967	.9869	----	----	----	----	74 UNCH
8255	----	----	----/6.172A	7.068B/6.172A	----	6.165 - 0.966	.9874	----	----	----	----	4 UNCH
8260	----	----	----/6.298A	7.117B/6.298A	----	6.214 - 0.966	.9879	----	----	----	----	1 UNCH
8265	----	----	----/6.271A	7.167B/6.271A	----	6.263 - 0.965	.9880	----	----	----	----	1 UNCH
8270	----	----	----/6.397A	7.216B/6.397A	----	6.312 - 0.965	.9885	----	----	----	----	1 UNCH
8275	----	----	----/6.371A	7.266B/6.371A	----	6.362 - 0.964	.9890	----	----	----	----	1 UNCH
8280	----	----	----/6.420A	7.316B/6.420A	----	6.411 - 0.964	.9890	----	----	----	----	3 UNCH
8285	----	----	----/6.546A	7.365B/6.546A	----	6.461 - 0.962	.9895	----	----	----	----	1 UNCH
8290	----	----	----/6.519A	7.415B/6.519A	----	6.510 - 0.962	.9896	----	----	----	----	2 UNCH
8295	----	----	----/6.645A	7.465B/6.645A	----	6.559 - 0.962	.9900	----	----	----	----	1 UNCH
8300	----	----	7.652B/6.578A	7.652B/6.578A	----	6.609 - 0.961	.9905	----	----	----	----	64 UNCH
8305	----	----	----/6.714A	7.596B/6.714A	----	6.658 - 0.961	.9906	2	----	----	----	7 - 2
8315	----	----	----/6.844A	7.664B/6.844A	----	6.757 - 0.960	.9911	----	----	----	----	1 UNCH
8320	----	----	----/6.817A	7.713B/6.817A	----	6.807 - 0.959	.9915	----	----	----	----	2 UNCH
8325	----	----	7.835B/6.893A	7.835B/6.893A	----	6.856 - 0.959	.9916	----	----	----	----	1 UNCH
8330	----	----	----/6.993A	7.813B/6.993A	----	6.906 - 0.958	.9916	----	----	----	----	1 UNCH
8335	----	----	----/7.043A	7.863B/7.043A	----	6.956 - 0.957	.9920	----	----	----	----	1 UNCH
8340	----	----	----/7.062A	7.945B/7.062A	----	7.005 - 0.957	.9921	----	----	----	----	19 UNCH
8350	----	----	----/7.169A	8.044B/7.169A	----	7.104 - 0.957	.9926	----	----	----	----	19 UNCH
8355	----	----	----/7.242A	8.061B/7.242A	----	7.154 - 0.956	.9926	----	----	----	----	3 UNCH
8360	----	----	----/7.215A	8.111B/7.215A	----	7.204 - 0.955	.9930	----	----	----	----	4 UNCH
8375	----	----	----/7.411A	8.293B/7.411A	----	7.353 - 0.954	.9935	----	----	----	----	8 UNCH
8385	----	----	----/7.464A	8.358B/7.464A	----	7.452 - 0.953	.9936	----	----	----	----	1 UNCH
8395	----	----	----/7.640A	8.460B/7.640A	----	7.551 - 0.953	.9940	----	----	----	----	1 UNCH
8400	----	----	8.600B/7.591A	8.600B/7.591A	----	7.601 - 0.952	.9941	----	----	----	----	26 UNCH
8405	----	----	----/7.739A	8.557B/7.739A	----	7.651 - 0.952	.9941	----	----	----	----	2 UNCH
8410	----	----	----/7.789A	8.609B/7.789A	----	7.701 - 0.951	.9945	----	----	----	----	3 UNCH
8415	----	----	----/7.762A	8.656B/7.762A	----	7.750 - 0.952	.9945	----	----	----	----	3 UNCH
8420	----	----	----/7.812A	8.706B/7.812A	----	7.800 - 0.951	.9945	----	----	----	----	2 UNCH
8425	----	----	----/7.938A	8.756B/7.938A	----	7.850 - 0.950	.9946	----	----	----	----	5 UNCH
8430	----	----	----/7.988A	8.806B/7.988A	----	7.900 - 0.950	.9949	----	----	----	----	2 UNCH
8445	----	----	----/8.137A	8.956B/8.137A	----	8.049 - 0.949	.9950	----	----	----	----	1 UNCH
8450	----	----	9.099B/8.088A	9.099B/8.088A	----	8.099 - 0.949	.9951	----	----	4	----	28 - 2
8455	----	----	----/8.160A	9.057B/8.160A	----	8.149 - 0.948	.9954	----	----	----	----	1 UNCH
8460	----	----	----/8.286A	9.107B/8.286A	----	8.198 - 0.949	.9954	----	----	----	----	1 UNCH
8475	----	----	----/8.359A	9.254B/8.359A	----	8.348 - 0.948	.9955	----	----	4	----	5 UNCH
8480	----	----	----/8.485A	9.304B/8.485A	----	8.398 - 0.947	.9959	----	----	----	----	1 UNCH
8490	----	----	----/8.508A	9.404B/8.508A	----	8.497 - 0.947	.9959	----	----	----	----	1 UNCH
8495	----	----	----/8.634A	9.456B/8.634A	----	8.547 - 0.947	.9959	----	----	----	----	1 UNCH
8500	----	----	9.644B/8.567A	9.644B/8.567A	----	8.597 - 0.947	.9960	----	----	----	----	329 UNCH
8515	----	----	----/8.757A	9.653B/8.757A	----	8.747 - 0.945	.9963	----	----	----	----	1 UNCH
8535	----	----	----/8.956A	9.854B/8.956A	----	8.946 - 0.945	.9964	----	----	----	----	2 UNCH
8545	----	----	----/9.055A	9.954B/9.055A	----	9.046 - 0.944	.9965	----	----	----	----	1 UNCH
8550	----	----	----/9.105A	10.004B/9.105A	----	9.096 - 0.944	.9965	----	----	----	----	2 UNCH
8555	----	----	----/9.155A	10.054B/9.155A	----	9.146 - 0.944	.9968	----	----	----	----	1 UNCH
8560	----	----	----/9.205A	10.101B/9.205A	----	9.196 - 0.943	.9968	----	----	----	----	1 UNCH
8565	----	----	----/9.254A	10.151B/9.254A	----	9.245 - 0.944	.9968	----	----	----	----	1 UNCH
8570	----	----	----/9.304A	10.203B/9.304A	----	9.295 - 0.944	.9968	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 60

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
8575	----	----	----/9.354A	10.253B/9.354A	----	9.345 - 0.944	.9969	----	----	----	----	3 UNCH
8580	----	----	----/9.403A	10.303B/9.403A	----	9.395 - 0.943	.9969	----	----	----	----	1 UNCH
8585	----	----	----/9.453A	10.353B/9.453A	----	9.445 - 0.943	.9969	----	----	----	----	1 UNCH
8590	----	----	----/9.503A	10.403B/9.503A	----	9.495 - 0.943	.9969	----	----	----	----	4 UNCH
8600	----	----	10.642B/9.539A	10.642B/9.539A	----	9.595 - 0.942	.9969	----	----	----	----	84 UNCH
8605	----	----	----/9.652A	10.552B/9.652A	----	9.645 - 0.942	.9969	----	----	----	----	3 UNCH
8620	----	----	----/9.802A	10.702B/9.802A	----	9.794 - 0.942	.9973	----	----	----	----	1 UNCH
8630	----	----	----/9.901A	10.801B/9.901A	----	9.894 - 0.942	.9973	----	----	----	----	1 UNCH
8640	----	----	----/10.000A	10.901B/10.000A	----	9.994 - 0.941	.9973	----	----	----	----	2 UNCH
8645	----	----	----/10.050A	10.951B/10.050A	----	10.044 - 0.941	.9973	----	----	----	----	1 UNCH
8650	----	----	----/10.100A	11.001B/10.100A	----	10.094 - 0.941	.9973	----	----	----	----	5 UNCH
8655	----	----	----/10.150A	11.051B/10.150A	----	10.144 - 0.941	.9974	----	----	----	----	3 UNCH
8665	----	----	----/10.249A	11.150B/10.249A	----	10.244 - 0.940	.9974	----	----	----	----	1 UNCH
8670	----	----	----/10.299A	11.200B/10.299A	----	10.294 - 0.940	.9974	----	----	----	----	1 UNCH
8675	----	----	11.285B/10.395A	11.285B/10.395A	----	10.344 - 0.940	.9977	----	----	----	----	9 UNCH
8685	----	----	----/10.448A	11.350B/10.448A	----	10.443 - 0.941	.9977	----	----	----	----	1 UNCH
8695	----	----	----/10.548A	11.450B/10.548A	----	10.543 - 0.940	.9977	----	----	----	----	1 UNCH
8700	11.260	11.260	11.591B/10.575A	11.591B/10.575A	----	10.593 - 0.940	.9977	----	----	2	----	33 UNCH
8705	----	----	11.584B/10.696A	11.584B/10.696A	----	10.643 - 0.940	.9977	----	----	----	----	10 UNCH
8725	----	----	----/10.846A	11.749B/10.846A	----	10.842 - 0.939	.9980	----	----	----	----	2 UNCH
8750	----	----	----/11.095A	11.998B/11.095A	----	11.092 - 0.937	.9981	----	----	----	----	1 UNCH
8775	----	----	12.282B/11.391A	12.282B/11.391A	----	11.341 - 0.936	.9984	----	----	----	----	9 UNCH
8800	----	----	12.637B/11.555A	12.637B/11.555A	----	11.591 - 0.934	.9984	----	----	----	----	220 UNCH
8825	----	----	----/11.908A	12.747B/11.908A	----	11.840 - 0.934	.9987	----	----	----	----	3 UNCH
8850	----	----	13.033B/12.094A	13.033B/12.094A	----	12.090 - 0.932	.9987	----	----	----	----	13 UNCH
8875	----	----	13.283B/12.373A	13.283B/12.373A	----	12.339 - 0.932	.9989	----	----	----	----	8 UNCH
8900	----	----	13.532B/12.605A	13.532B/12.605A	----	12.589 - 0.930	.9990	----	----	----	----	8 UNCH
8925	----	----	----/12.917A	13.745B/12.917A	----	12.839 - 0.929	.9990	----	----	----	----	5 UNCH
8950	----	----	----/13.167A	13.994B/13.167A	----	13.088 - 0.929	.9992	----	----	----	----	3 UNCH
8975	----	----	14.281B/13.353A	14.281B/13.353A	----	13.338 - 0.928	.9992	----	----	----	----	9 UNCH
9000	13.617	13.617	14.633B/13.534A	14.633B/13.534A	----	13.588 - 0.927	.9992	----	----	4	----	159 UNCH
9025	----	----	14.774B/13.852A	14.774B/13.852A	----	13.838 - 0.926	.9992	----	----	----	----	11 UNCH
9050	----	----	----/14.165A	14.993B/14.165A	----	14.088 - 0.925	.9993	----	----	----	----	2 UNCH
9075	----	----	----/14.415A	15.240B/14.415A	----	14.337 - 0.926	.9995	----	----	----	----	4 UNCH
9100	----	----	----/14.664A	15.492B/14.664A	----	14.587 - 0.925	.9995	----	----	----	----	4 UNCH
9150	----	----	16.024B/15.133A	16.024B/15.133A	----	15.087 - 0.924	.9995	----	----	----	----	7 UNCH
9175	----	----	16.274B/15.383A	16.274B/15.383A	----	15.337 - 0.923	.9995	----	----	----	----	19 UNCH
9200	----	----	16.524B/15.633A	16.524B/15.633A	----	15.587 - 0.923	.9995	1	----	----	----	6 - 1
9225	----	----	16.773B/15.895A	16.773B/15.895A	----	15.837 - 0.922	.9995	1	----	----	----	6 - 1
9250	----	----	----/16.164A	16.988B/16.164A	----	16.087 - 0.922	.9995	1	----	----	----	1 - 1
9275	----	----	----/16.414A	17.249B/16.414A	----	16.337 - 0.921	.9997	----	----	----	----	1 UNCH
9300	----	----	----/16.664A	17.493B/16.664A	----	16.587 - 0.921	.9997	2	----	----	----	3 - 2
9375	----	----	18.310B/17.399A	18.310B/17.399A	----	17.336 - 0.920	.9997	----	----	----	----	10 UNCH
9400	18.132	18.132	18.560B/17.610A	18.560B/17.610A	----	17.586 - 0.920	.9997	3	----	3	----	5 - 1
9450	----	----	----/18.164A	18.991B/18.164A	----	18.086 - 0.919	.9997	----	----	----	----	3 UNCH
9475	----	----	----/18.337A	19.241B/18.337A	----	18.336 - 0.919	.9997	2	----	----	----	2 - 2
9500	----	----	19.629B/18.548A	19.629B/18.548A	----	18.586 - 0.918	.9997	49	----	----	----	61 - 49
9525	----	----	----	----	----	18.836 - 0.918	.9997	----	----	----	----	0 UNCH
9550	----	----	----/19.087A	19.996B/19.087A	----	19.086 - 0.917	.9997	----	----	----	----	3 UNCH
9575	----	----	----/19.337A	20.246B/19.337A	----	19.336 - 0.917	.9999	1	----	----	----	0 - 1
9600	----	----	20.597B/19.587A	20.597B/19.587A	----	19.586 - 0.917	.9999	13	----	----	----	13 - 13
9650	----	----	21.054B/20.108A	21.054B/20.108A	----	20.086 - 0.916	.9999	11	----	----	----	0 - 11
9675	----	----	----/20.337A	21.239B/20.337A	----	20.336 - 0.916	.9999	1	----	----	----	0 - 1
9700	----	----	21.628B/20.563A	21.628B/20.563A	----	20.586 - 0.916	.9999	2	----	----	----	175 - 2
9725	----	----	----	----	----	20.836 - 0.915	.9999	----	----	----	----	0 UNCH
9750	----	----	----/21.087A	21.995B/21.087A	----	21.086 - 0.915	.0000	1	----	----	----	0 - 1
9775	----	----	----/21.337A	22.244B/21.337A	----	21.336 - 0.915	.0000	1	----	----	----	1 - 1
9800	----	----	----/21.587A	22.494B/21.587A	----	21.586 - 0.915	.0000	4	----	----	----	0 - 4
9825	----	----	----	----	----	21.836 - 0.914	.0000	----	----	----	----	0 UNCH
9850	----	----	23.127B/22.048A	23.127B/22.048A	----	22.086 - 0.914	.0000	178	----	----	----	0 - 178
9900	----	----	23.510B/22.607A	23.510B/22.607A	----	22.586 - 0.914	.0000	----	----	----	----	6 UNCH
10000	----	----	24.627B/23.548A	24.627B/23.548A	----	23.586 - 0.913	.0000	----	----	----	----	99 UNCH
10050	----	----	----/24.087A	24.994B/24.087A	----	24.086 - 0.912	.0000	----	----	----	----	1 UNCH
10100	----	----	----/24.587A	25.494B/24.587A	----	24.586 - 0.912	.0000	----	----	----	----	1 UNCH
10225	----	----	----/25.837A	26.744B/25.837A	----	25.836 - 0.911	.0000	----	----	----	----	1 UNCH
10250	----	----	----/26.087A	26.994B/26.087A	----	26.086 - 0.911	.0000	----	----	----	----	1 UNCH
10300	----	----	----/26.587A	27.493B/26.587A	----	26.586 - 0.911	.0000	----	----	----	----	1 UNCH
10325	----	----	----	----	----	26.836 - 0.911	.0000	----	----	----	----	0 UNCH
10350	----	----	----/27.087A	27.993B/27.087A	----	27.086 - 0.911	.0000	----	----	----	----	1 UNCH
10400	----	----	----/27.587A	28.494B/27.587A	----	27.586 - 0.911	.0000	----	----	----	----	2 UNCH
10450	----	----	----/28.087A	28.994B/28.087A	----	28.086 - 0.911	.0000	----	----	----	----	1 UNCH
10475	----	----	----/28.409A	29.244B/28.409A	----	28.336 - 0.911	.0000	----	----	----	----	1 UNCH
10500	----	----	29.514B/28.687A	29.514B/28.687A	----	28.586 - 0.911	.0000	1	----	2	----	9 + 1
10505	----	----	----	----	----	28.636 - 0.911	.0000	----	----	----	----	0 UNCH
10510	----	----	----	----	----	28.686 - 0.911	.0000	----	----	----	----	0 UNCH
10545	----	----	----	----	----	29.036 - 0.910	.0000	----	----	----	----	0 UNCH
10550	----	----	30.014B/29.285A	30.014B/29.285A	----	29.086 - 0.910	.0000	19	----	----	----	3 - 19
10585	----	----	----	----	----	29.436 - 0.910	.0000	----	----	----	----	0 UNCH
10590	----	----	----	----	----	29.486 - 0.910	.0000	----	----	----	----	0 UNCH
10595	----	----	----/29.736A	30.444B/29.736A	----	29.536 - 0.910	.0000	----	----	----	----	1 UNCH
10600	----	----	----/29.786A	30.494B/29.786A	----	29.586 - 0.910	.0000	----	----	----	----	2 UNCH
10670	----	----	----	----	----	30.286 - 0.910	.0000	----	----	----	----	0 UNCH
10675	----	----	----/30.707A	31.244B/30.707A	----	30.336 - 0.910	.0000	----	----	----	----	1 UNCH
10700	----	----	----/30.939A	31.493B/30.939A	----	30.586 - 0.910	.0000	4	----	----	----	2 - 4
10800	----	----	----/32.170A	32.494B/32.170A	----	31.586 - 0.910	.0000	----	----	----	----	1 UNCH
10975	----	----	----	----	----	33.336 - 0.910	.0000	----	----	----	----	0 UNCH
11000	----	----	----	----	----	33.586 - 0.910	.0000	10	----	----	----	0 - 10
11175	----	----	----	----	----	35.336 - 0.910	.0000	1	----	----	----	0 - 1
11200	----	----	----	----	----	35.586 - 0.910	.0000	----	----	----	----	2 UNCH
11225	----	----	----	----	----	35.836 - 0.910	.0000	2	----	----	----	0 - 2
11500	----	----	----	----	----	38.586 - 0.910	.0000	27	----	28	----	58 + 1
11800	----	----	----	----	----	41.586 - 0.910	.0000	----	----	----	----	1 UNCH
11875	----	----	----	----	----	42.336 - 0.910	.0000	----	----	----	----	1 UNCH
12300	----	----	----	----	----	46.586 - 0.910	.0000	----	----	----	----	1 UNCH
12700	----	----	----	----	----	50.586 - 0.910	.0000	----	----	----	----	1 UNCH
TOTAL										531	145	20310 - 287
JUN26												
2100	----	----	----	----/0.004A	----	0.001 UNCH	.0000	----	----	----	----	1 UNCH
2350	----	----	----	----/0.016A	----	0.003 UNCH	.0003	----	----	----	----	2 UNCH
2500	----	----	----	0.001B/0.010A	----	0.006 UNCH	.0006	----	----	----	----	141 UNCH
2650	----	----	----	----/0.190A	----	0.008 UNCH	.0008	----	----	----	----	1 UNCH
3000	----	----	----	----/0.032A	----	0.016 - 0.001	.0016	----	----	----	----	244 UNCH
3075	----	----	----	----/0.065A	----	0.018 - 0.002	.0018	----	----	----	----	4 UNCH
3100	----	----	----	----/0.066A	----	0.019 - 0.002	.0019	----	----	----	----	3 UNCH
3150	----	----	----	----/0.069A	----	0.020 - 0.002	.0021	----	----	----	----	9 UNCH
3200	----	----	----	----/0.071A	----	0.022 - 0.002	.0023	----	----	----	----	4 UNCH
3325	----	----	----	----/0.080A	----	0.027 - 0.003	.0028	----	----	----	----	2 UNCH
3350	----	----	----	----/0.081A	----	0.027 - 0.004	.0028	----	----	----	----	1 UNCH
3375	----	----	----	----/0.083A	----	0.028 - 0.005	.0030	----	----	----	----	1 UNCH
3400	----	----	----	----/0.085A	----	0.029 - 0.005	.0031	----	----	----	----	12 UNCH
3500	----	----	----	0.001B/0.092A	----	0.033 - 0.006	.0035	----	----	----	----	100 UNCH
3550	----	----	----	0.001B/0.095A	----	0.035 - 0.007	.0038	----	----	----	----	5 UNCH
3575	----	----	----	0.001B/0.097A	----	0.037 - 0.007	.0040	----	----	----	----	22 UNCH
3600	----	----	----	0.005B/0.099A	----	0.038 - 0.007	.0041	----	----	----	----	6 UNCH
3650	----	----	----	0.001B/0.103A	----	0.040 - 0.009	.0044	----	----	----	----	22 UNCH
3675	----	----	----	0.001B/0.105A	----	0.041 - 0.009	.0045	----	----	----	----	1 UNCH
3700	----	----	----	0.001B/0.105A	----	0.042 - 0.010	.0046	----	----	----	----	6 UNCH
3800	----	----	----	0.001B/0.106A	----	0.047 - 0.012	.0052	----	----	----	----	14 UNCH
3850	----	----	----	0.001B/0.108A	----	0.049 - 0.014	.0055	----	----	----	----	2 UNCH
3900	----	----	----	0.045B/0.110A	----	0.051 - 0.015	.0058	----	----	----	----	6 UNCH
3925	----	----	----	0.001B/0.111A	----	0.052 - 0.016	.0059	----	----	----	----	3 UNCH
4000	0.050	0.050	0.050/0.050	0.050/0.050	----	0.056 - 0.018	.0065	----	----	96	----	133 + 71
4075	----	----	----	0.050B/0.116A	----	0.059 - 0.020	.0069	----	----	----	----	1 UNCH
4100	0.053	0.053	0.053/*0.051	0.053/*0.051	----	0.060 - 0.021	.0071	----	----	29	----	31 + 29
4125	----	----	----	0.001B/0.122A	----	0.061 - 0.022	.0073	----	----	----	----	5 UNCH
4150	----	----	----	0.001B/0.123A	----	0.063 - 0.022	.0075	----	----	----	----	4 UNCH
4200	----	----	----	0.001B/0.125A	----	0.065 - 0.023	.0078	----	----	----	----	26 UNCH
4225	----	----	----	0.052B/0.130A	----	0.066 - 0.024	.0080	----	----	----	----	7 UNCH
4250	----	----	----	0.001B/0.131A	----	0.067 - 0.025	.0082	----	----	----	----	5 UNCH
4275	----	----	----	0.001B/0.131A	----	0.068 - 0.025	.0083	----	----	----	----	13 UNCH
4300	----	----	----	0.001B/0.133A	----	0.069 - 0.026	.0085	----	----	----	----	7 UNCH
4350	----	----	----	0.001B/0.134A	----	0.071 - 0.027	.0089	----	----	----	----	2 UNCH
4375	----	----	----	0.001B/0.135A	----	0.072 - 0.028	.0091	----	----	----	----	3 UNCH
4400	----	----	----	0.001B/0.135A	----	0.073 - 0.029	.0092	----	----	----	----	8 UNCH
4425	----	----	----	0.001B/0.134A	----	0.074 - 0.029	.0094	----	----	----	----	1 UNCH
4500	----	----	----/0.100A	0.050B/0.100A	----	0.077 - 0.031	.0100	----	----	2	----	168 + 1
4550	----	----	----	0.001B/0.132A	----	0.079 - 0.032	.0104	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUN26												
4600	----	----	----	0.005B/0.132A	----	0.081 - 0.033	.0108	----	----	----	----	7 UNCH
4625	----	----	----	0.004B/0.130A	----	0.082 - 0.034	.0110	----	----	----	----	12 UNCH
4650	----	----	----	0.009B/0.131A	----	0.083 - 0.034	.0112	----	----	----	----	1 UNCH
4700	----	----	----	0.011B/0.129A	----	0.085 - 0.036	.0116	----	----	----	----	2 UNCH
4725	----	----	----	0.008B/0.131A	----	0.086 - 0.036	.0118	----	----	----	----	10 UNCH
4750	----	----	----	0.010B/0.134A	----	0.087 - 0.037	.0121	----	----	----	----	3 UNCH
4800	----	----	----	0.014B/0.138A	----	0.090 - 0.037	.0126	----	----	----	----	29 UNCH
4850	----	----	----	0.018B/0.142A	----	0.092 - 0.038	.0131	----	----	----	----	3 UNCH
4875	----	----	----	0.020B/0.145A	----	0.094 - 0.038	.0134	----	----	----	----	15 UNCH
4900	----	----	----	0.022B/0.148A	----	0.095 - 0.039	.0137	----	----	12	----	171 UNCH
4975	----	----	----	0.020B/0.155A	----	0.099 - 0.041	.0145	----	----	----	----	1 UNCH
5000	0.100	0.100	0.100/0.090	0.100/0.090	----	0.101 - 0.041	.0149	----	----	28	----	1006 + 6
5025	----	----	----	0.034B/0.160A	----	0.103 - 0.041	.0153	----	----	----	----	8 UNCH
5050	----	----	----	0.100B/0.164A	----	0.105 - 0.041	.0157	----	----	----	----	3 UNCH
5075	----	----	----	0.036B/0.170A	----	0.107 - 0.041	.0161	----	----	----	----	2 UNCH
5100	----	----	----	0.044B/0.170A	----	0.109 - 0.042	.0165	----	----	----	----	32 UNCH
5125	----	----	----	0.039B/0.174A	----	0.111 - 0.042	.0169	----	----	----	----	1 UNCH
5150	----	----	----	0.110B/0.176A	----	0.113 - 0.043	.0173	----	----	----	----	16 UNCH
5175	----	----	----	0.053B/0.179A	----	0.115 - 0.043	.0177	----	----	----	----	12 UNCH
5200	----	----	----	0.057B/0.183A	----	0.118 - 0.043	.0182	----	----	----	----	8 UNCH
5225	----	----	----	0.062B/0.187A	----	0.121 - 0.043	.0187	----	----	----	----	1 UNCH
5250	----	----	----	0.067B/0.190A	----	0.124 - 0.043	.0193	----	----	----	----	14 UNCH
5275	----	----	----	0.073B/0.193A	----	0.127 - 0.043	.0198	----	----	----	----	17 UNCH
5300	----	----	----/0.166A	0.079B/0.166A	----	0.130 - 0.044	.0204	----	----	1	----	13 - 1
5325	----	----	----	0.085B/0.199A	----	0.133 - 0.044	.0210	----	----	----	----	10 UNCH
5350	----	----	----	0.091B/0.201A	----	0.137 - 0.044	.0217	----	----	----	----	12 UNCH
5375	----	----	----	0.098B/0.205A	----	0.140 - 0.045	.0223	----	----	----	----	10 UNCH
5400	----	----	----	0.105B/0.208A	----	0.144 - 0.045	.0230	----	----	6	----	19 + 5
5425	----	----	----	0.112B/0.214A	----	0.149 - 0.044	.0238	----	----	----	----	4 UNCH
5450	----	----	----	0.120B/0.218A	----	0.153 - 0.045	.0245	----	----	----	----	2 UNCH
5475	----	----	----	0.125B/0.224A	----	0.158 - 0.045	.0254	----	----	----	----	13 UNCH
5500	----	----	----/0.191A	0.136B/0.191A	----	0.162 - 0.046	.0262	----	----	----	----	531 UNCH
5525	----	----	----	0.137B/0.233A	----	0.168 - 0.045	.0272	----	----	----	----	16 UNCH
5550	----	----	----	0.144B/0.238A	----	0.173 - 0.046	.0281	----	----	----	----	10 UNCH
5575	----	----	----	0.150B/0.242A	----	0.179 - 0.046	.0291	----	----	----	----	2 UNCH
5600	----	----	----	0.169B/0.247A	----	0.185 - 0.046	.0301	----	----	1	----	18 UNCH
5625	----	----	----	0.166B/0.253A	----	0.191 - 0.047	.0312	----	----	----	----	2 UNCH
5650	----	----	----	0.174B/0.259A	----	0.197 - 0.048	.0322	----	----	----	----	51 UNCH
5675	----	----	----	0.182B/0.268A	----	0.204 - 0.048	.0334	----	----	----	----	21 UNCH
5700	0.206	0.206	0.206/0.206	0.206/0.206	----	0.212 - 0.048	.0347	----	----	6	----	243 - 6
5725	----	----	----	0.202B/0.283A	----	0.219 - 0.049	.0359	----	----	----	----	3 UNCH
5750	----	----	----	0.212B/0.291A	----	0.227 - 0.049	.0373	----	----	1	----	226 - 1
5775	----	----	----	0.223B/0.290A	----	0.236 - 0.050	.0388	----	----	----	----	9 UNCH
5800	----	----	----	0.248B/0.300A	----	0.244 - 0.051	.0401	----	----	----	----	101 UNCH
5825	----	----	----	0.246B/0.312A	----	0.253 - 0.052	.0417	----	----	----	----	9 UNCH
5850	----	----	----	0.261B/0.322A	----	0.263 - 0.053	.0433	----	----	----	----	16 UNCH
5875	----	----	----	0.276B/0.334A	----	0.273 - 0.054	.0449	----	----	----	----	12 UNCH
5900	----	----	0.381B/0.333A	0.381B/0.333A	----	0.284 - 0.055	.0467	----	----	10	----	38 - 10
5925	----	----	0.384B/----	0.384B/0.352A	----	0.295 - 0.057	.0485	----	----	----	----	21 UNCH
5950	----	----	0.407B/----	0.407B/0.367A	----	0.306 - 0.059	.0504	----	----	----	----	16 UNCH
5975	----	----	----	0.339B/0.379A	----	0.318 - 0.061	.0523	----	----	----	----	2 UNCH
6000	0.450	0.450	0.450/0.330	0.450/0.330	----	0.331 - 0.063	.0544	----	----	15	----	812 - 10
6025	----	----	----/0.407A	0.392B/0.407A	----	0.344 - 0.065	.0565	----	----	----	----	31 UNCH
6050	0.393	0.393	0.483B/0.393	0.483B/0.393	----	0.358 - 0.068	.0587	----	----	1	----	142 UNCH
6075	----	----	0.495B/0.425A	0.495B/0.425A	----	0.372 - 0.071	.0610	----	----	----	----	31 UNCH
6100	0.480	0.480	0.586B/0.390	0.586B/0.390	----	0.387 - 0.074	.0634	----	----	25	----	88 + 18
6125	----	----	0.544B/0.441A	0.544B/0.441A	----	0.403 - 0.078	.0659	----	----	----	----	2 UNCH
6150	----	----	0.597B/0.437A	0.597B/0.437A	----	0.419 - 0.082	.0684	----	----	----	----	13 UNCH
6175	0.497	0.497	0.624B/0.453A	0.624B/0.453A	----	0.436 - 0.087	.0711	----	----	10	----	305 UNCH
6200	0.638	0.638	0.651B/0.455A	0.651B/0.455A	----	0.454 - 0.091	.0739	----	----	5	----	143 UNCH
6225	----	----	0.676B/0.464A	0.676B/0.464A	----	0.473 - 0.096	.0768	----	----	----	----	2 UNCH
6250	0.692	0.692	0.707B/0.481A	0.707B/0.481A	----	0.492 - 0.102	.0797	----	----	2	----	93 + 2
6275	----	----	0.736B/0.499A	0.736B/0.499A	----	0.512 - 0.108	.0828	----	----	----	----	3 UNCH
6300	----	----	0.767B/0.517A	0.767B/0.517A	----	0.533 - 0.115	.0860	----	----	3	----	127 UNCH
6325	0.777	0.777	0.797B/0.538A	0.797B/0.538A	----	0.555 - 0.121	.0893	----	----	3	----	18 + 1
6350	----	----	0.816B/0.558A	0.816B/0.558A	----	0.578 - 0.128	.0927	----	----	----	----	31 UNCH
6375	----	----	0.848B/0.580A	0.848B/0.580A	----	0.602 - 0.136	.0963	----	----	----	----	105 UNCH
6400	0.700	0.700	0.883B/0.604A	0.883B/0.604A	----	0.627 - 0.144	.1000	----	----	2	----	92 + 2
6425	----	----	0.920B/0.629A	0.920B/0.629A	----	0.653 - 0.152	.1038	----	----	----	----	45 UNCH
6450	----	----	0.958B/0.655A	0.958B/0.655A	----	0.680 - 0.160	.1078	----	----	6	----	24 + 6
6475	----	----	0.998B/0.682A	0.998B/0.682A	----	0.709 - 0.169	.1119	----	----	----	----	120 UNCH
6500	1.015	1.015	1.044B/0.700	1.044B/0.700	----	0.738 - 0.178	.1161	----	----	90	----	372 - 30
6525	----	----	1.086B/0.740A	1.086B/0.740A	----	0.769 - 0.187	.1205	----	----	----	----	35 UNCH
6550	----	----	1.134B/0.772A	1.134B/0.772A	----	0.801 - 0.197	.1250	----	----	6	----	46 + 6
6575	----	----	1.180B/0.804A	1.180B/0.804A	----	0.835 - 0.206	.1297	----	----	----	----	6 UNCH
6600	1.020	1.020	1.231B/0.839A	1.231B/0.839A	----	0.870 - 0.216	.1345	----	----	32	----	155 + 13
6625	----	----	1.279B/0.872A	1.279B/0.872A	----	0.906 - 0.226	.1394	----	----	----	----	19 UNCH
6650	----	----	1.334B/0.911A	1.334B/0.911A	----	0.944 - 0.236	.1445	----	----	----	----	15 UNCH
6675	----	----	1.393B/0.948A	1.393B/0.948A	----	0.983 - 0.246	.1498	----	----	----	----	25 UNCH
6700	1.100	1.100	1.452B/0.987A	1.452B/0.987A	----	1.024 - 0.256	.1552	----	----	52	----	95 - 6
6725	----	----	1.504B/1.030A	1.504B/1.030A	----	1.067 - 0.266	.1608	----	----	----	----	30 UNCH
6750	1.318	1.318	1.565B/1.072A	1.565B/1.072A	----	1.111 - 0.277	.1665	----	----	15	----	56 + 7
6775	1.372	1.372	1.631B/1.116A	1.631B/1.116A	----	1.158 - 0.286	.1724	----	----	4	----	7 UNCH
6800	1.313	1.313	1.815B/1.163A	1.815B/1.163A	----	1.205 - 0.297	.1784	----	----	2	----	66 + 2
6825	----	----	1.761B/1.217A	1.761B/1.217A	----	1.255 - 0.307	.1846	----	----	----	----	3 UNCH
6850	1.537	1.537	1.832B/1.265A	1.832B/1.265A	----	1.307 - 0.317	.1910	----	----	50	----	52 + 29
6875	----	----	1.903B/1.317A	1.903B/1.317A	----	1.360 - 0.328	.1975	----	----	----	----	3 UNCH
6900	1.380	1.380	2.107B/1.368A	2.107B/1.368A	----	1.416 - 0.337	.2042	----	----	21	----	103 + 19
6925	----	----	2.051B/1.424A	2.051B/1.424A	----	1.473 - 0.348	.2109	----	----	----	----	10 UNCH
6950	1.809	1.809	2.131B/1.488A	2.131B/1.488A	----	1.533 - 0.358	.2179	----	----	1	----	13 UNCH
6975	1.880	1.880	2.209B/1.544A	2.209B/1.544A	----	1.594 - 0.369	.2250	----	----	1	----	9 UNCH
7000	1.801	1.801	2.437B/1.600	2.437B/1.600	----	1.658 - 0.379	.2322	----	----	121	----	637 + 13
7025	1.820	1.820	2.374B/1.691A	2.374B/1.691A	----	1.724 - 0.389	.2396	----	----	1	----	20 UNCH
7050	1.891	1.891	2.460B/1.751A	2.460B/1.751A	----	1.792 - 0.399	.2471	----	----	1	----	66 + 1
7075	1.840	1.840	2.547B/1.797	2.547B/1.797	----	1.862 - 0.410	.2548	----	----	2	----	44 + 2
7100	2.266	2.266	2.808B/1.883A	2.808B/1.883A	----	1.934 - 0.421	.2625	----	----	12	----	38 + 2
7125	----	----	2.735B/1.957A	2.735B/1.957A	----	2.009 - 0.431	.2704	----	----	----	----	8 UNCH
7150	----	----	2.824B/2.029A	2.824B/2.029A	----	2.086 - 0.442	.2784	----	----	----	----	27 UNCH
7175	----	----	2.926B/2.114A	2.926B/2.114A	----	2.165 - 0.452	.2866	----	----	----	----	39 UNCH
7200	2.679	2.679	3.210B/2.193A	3.210B/2.193A	----	2.247 - 0.463	.2948	----	----	29	----	318 - 2
7225	2.505	2.505	3.135B/2.277A	3.135B/2.277A	----	2.331 - 0.473	.3032	----	----	2	----	8 UNCH
7250	2.598	2.598	3.247B/2.362A	3.247B/2.362A	----	2.418 - 0.484	.3116	----	----	2	----	16 - 1
7275	2.687	2.687	3.357B/2.453A	3.357B/2.453A	----	2.507 - 0.494	.3202	----	----	1	----	10 + 1
7300	2.786	2.786	3.664B/2.535A	3.664B/2.535A	----	2.598 - 0.505	.3288	----	----	1	----	97 UNCH
7325	----	----	3.586B/2.636A	3.586B/2.636A	----	2.692 - 0.516	.3375	----	----	----	----	15 UNCH
7350	----	----	3.706B/2.719A	3.706B/2.719A	----	2.788 - 0.527	.3463	----	----	----	----	12 UNCH
7375	3.204	3.204	3.824B/2.816A	3.824B/2.816A	----	2.887 - 0.538	.3552	----	----	19	----	11 - 8
7400	3.192	3.192	4.155B/2.916A	4.155B/2.916A	----	2.988 - 0.549	.3641	----	----	1	----	53 UNCH
7425	4.220	4.220	4.220/3.019A	4.220/3.019A	----	3.092 - 0.560	.3731	----	----	1	----	3 + 1
7450	4.359	4.359	4.359/3.125A	4.359/3.125A	----	3.198 - 0.572	.3822	----	----	1	----	57 UNCH
7475	----	----	4.331B/3.233A	4.331B/3.233A	----	3.307 - 0.583	.3913	----	----	----	----	3 UNCH
7500	4.612	4.612	4.612/3.344A	4.612/3.344A	----	3.419 - 0.593	.4004	----	----	34	----	435 - 2
7525	----	----	4.601B/3.457A	4.601B/3.457A	----	3.533 - 0.605	.4096	----	----	----	----	6 UNCH
7550	3.851	3.851	4.740B/3.572A	4.740B/3.572A	----	3.649 - 0.616	.4188	----	----	5	----	9 - 2
7575	4.732	4.732	5.030/3.690A	5.030/3.690A	----	3.768 - 0.627	.4280	----	----	2	----	4 UNCH
7600	4.775	4.775	5.061B/3.811A	5.061B/3.811A	----	3.890 - 0.638	.4372	----	----	1	----	81 UNCH
7625	4.915	4.915	5.177B/3.934A	5.177B/3.934A	----	4.014 - 0.649	.4465	----	----	1	----	4 + 1
7650	4.478	4.478	5.299B/4.060A	5.299B/4.060A	----	4.140 - 0.661	.4557	----	----	5	----	13 + 4
7675	----	----	5.366B/4.188A	5.366B/4.188A	----	4.269 - 0.672	.4649	----	----	----	----	4 UNCH
7700	----	----	5.485B/4.318A	5.485B/4.318A	----	4.401 - 0.683	.4742	----	----	----	----	67 UNCH
7725	5.269	5.269	5.608B/4.452A	5.608B/4.452A	----	4.535 - 0.694	.4834	----	----	1	----	23 + 1
7750	----	----	5.768B/4.588A	5.768B/4.588A	----	4.672 - 0.704	.4925	----	----	----	----	4 UNCH
7775	----	----	5.846B/4.726A	5.846B/4.726A	----	4.811 - 0.715	.5017	----	----	1	----	31 UNCH
7800	----	----	6.001B/4.867A	6.001B/4.867A	----	4.952 - 0.726	.5108	----	----	----	----	42 UNCH
7825	----	----	5.929B/5.010A	5.929B/5.010A	----	5.096 - 0.736	.5198	----	----	----	----	5 UNCH
7850	----	----	6.227B/5.156A	6.227B/5.156A	----	5.243 - 0.746	.5288	----	----	----	----	10 UNCH
7875	----	----	----/5.304A	6.111B/5.304A	----	5.392 - 0.756	.5377	----	----	----	----	21 UNCH
7900	5.818	5.818	5.818/5.455A	6.236B/5.455A	----	5.543 - 0.766	.5466	----	----	3	----	112 - 3
7925	----	----	----/5.608A	6.379B/5.608A	----	5.696 - 0.776	.5554	----	----	----	----	19 UNCH
7950	----	----	----/5.763A	6.549B/5.763A	----	5.852 - 0.786	.5641	----	----	----	----	23 UNCH
7975	----	----	----/5.921A	6.636B/5.921A	----	6.011 - 0.794	.5728	----	----	----	----	2 UNCH
8000	6.536	6.536	6.536/6.082A	6.877B/6.082A	----	6.171 - 0.804	.5814	----	----	3	----	174 UNCH
8025	----	----	----/6.244A	6.962B/6.244A	----	6.334 - 0.812	.5898	----	----	----	----	1 UNCH
8050	----	----	----/6.410A	7.138B/6.410A	----	6.499 - 0.821	.5983	----	----	----	----	4 UNCH
8075	----	----	----/6.577A	7.312B/6.577A	----	6.666 - 0.829	.6065	----	----	----	----	1 UNCH
8100	----	----	----/6.746A	7.563B/6.746A	----	6.835 - 0.838	.6147	----	----	----	----	7 UNCH
8125	----	----	----/6.918A	7.671B/6.918A	----	7.006 - 0.846	.6228	----	----	----	----	2 UNCH
8150	----	----	----/7.091A	7.919B/7.091A	----	7.180 - 0.853	.6308	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUN26												
8175	----	----	----/7.267A	8.107B/7.267A	----	7.355 -	0.861 .6387	----	----	----	----	44 UNCH
8200	----	----	----/7.473A	8.284B/7.473A	----	7.533 -	0.868 .6465	----	----	----	----	12 UNCH
8225	----	----	----/7.652A	8.470B/7.652A	----	7.712 -	0.876 .6541	----	----	----	----	6 UNCH
8250	----	----	----/7.834A	8.657B/7.834A	----	7.894 -	0.882 .6617	----	----	----	----	18 UNCH
8275	----	----	----/8.017A	8.866B/8.017A	----	8.077 -	0.889 .6691	----	----	----	----	41 UNCH
8300	----	----	----/8.202A	9.037B/8.202A	----	8.262 -	0.895 .6765	----	----	----	----	8 UNCH
8350	----	----	----/8.710A	9.423B/8.710A	----	8.638 -	0.907 .6907	----	----	----	----	18 UNCH
8375	----	----	----/8.911A	9.566B/8.911A	----	8.829 -	0.912 .6976	----	----	----	----	1 UNCH
8400	----	----	----/9.125A	9.766B/9.125A	----	9.021 -	0.917 .7044	----	----	----	----	3 UNCH
8425	----	----	----/9.229A	10.066B/9.229A	----	9.215 -	0.922 .7112	----	----	----	----	63 UNCH
8450	----	----	----/9.472A	10.221B/9.472A	----	9.411 -	0.926 .7177	----	----	----	----	18 UNCH
8475	----	----	----/9.687A	10.369B/9.687A	----	9.608 -	0.931 .7242	----	----	----	----	2 UNCH
8500	----	----	----/9.819A	10.701B/9.819A	----	9.807 -	0.935 .7304	----	----	----	----	66 UNCH
8525	----	----	----/10.082A	10.785B/10.082A	----	10.007 -	0.939 .7366	----	----	----	----	1 UNCH
8550	----	----	----/10.281A	10.992B/10.281A	----	10.209 -	0.943 .7427	----	----	----	----	1 UNCH
8575	----	----	----/10.493A	11.203B/10.493A	----	10.412 -	0.947 .7486	----	----	----	----	1 UNCH
8600	----	----	----/10.696A	11.415B/10.696A	----	10.617 -	0.950 .7544	----	----	----	----	4 UNCH
8625	----	----	----/10.869A	11.683B/10.869A	----	10.823 -	0.953 .7601	----	----	----	----	11 UNCH
8650	----	----	----/11.106A	11.839B/11.106A	----	11.030 -	0.956 .7656	----	----	----	----	2 UNCH
8675	----	----	----/11.312A	12.055B/11.312A	----	11.238 -	0.959 .7711	----	----	----	----	2 UNCH
8700	----	----	----/11.488A	12.327B/11.488A	----	11.448 -	0.962 .7764	----	----	----	----	14 UNCH
8750	----	----	----/11.894A	12.782B/11.894A	----	11.872 -	0.966 .7867	----	----	----	----	26 UNCH
8775	----	----	----/12.119A	12.918B/12.119A	----	12.085 -	0.968 .7916	----	----	----	----	1 UNCH
8800	----	----	----/12.346A	13.179B/12.346A	----	12.299 -	0.971 .7965	----	----	----	----	14 UNCH
8825	----	----	----/12.569A	13.408B/12.569A	----	12.515 -	0.972 .8012	----	----	----	----	15 UNCH
8850	----	----	----/12.784A	13.621B/12.784A	----	12.732 -	0.974 .8059	----	----	----	----	6 UNCH
8925	----	----	----/13.463A	14.252B/13.463A	----	13.387 -	0.979 .8190	----	----	----	----	4 UNCH
8975	----	----	----/13.902A	14.703B/13.902A	----	13.829 -	0.982 .8273	----	----	----	----	2 UNCH
9000	----	----	15.051B/14.021A	15.051B/14.021A	----	14.051 -	0.983 .8314	----	----	----	----	134 UNCH
9050	----	----	----/14.530A	15.384B/14.530A	----	14.498 -	0.985 .8391	----	----	----	----	3 UNCH
9075	----	----	----/14.754A	15.613B/14.754A	----	14.723 -	0.986 .8427	----	----	----	----	2 UNCH
9100	----	----	----/14.978A	15.876B/14.978A	----	14.949 -	0.986 .8463	----	----	----	----	6 UNCH
9125	----	----	----/15.202A	16.071B/15.202A	----	15.175 -	0.987 .8499	----	----	----	----	1 UNCH
9150	----	----	----/15.429A	16.307B/15.429A	----	15.402 -	0.987 .8533	----	----	----	----	1 UNCH
9175	----	----	----/15.656A	16.582B/15.656A	----	15.629 -	0.989 .8566	----	----	----	----	1 UNCH
9200	----	----	16.863B/15.819A	16.863B/15.819A	----	15.858 -	0.988 .8599	----	----	----	----	80 UNCH
9325	----	----	----/17.031A	17.992B/17.031A	----	17.008 -	0.991 .8749	----	----	----	----	1 UNCH
9450	----	----	----/18.177A	19.147B/18.177A	----	18.173 -	0.991 .8882	----	----	----	----	6 UNCH
9500	----	----	19.701B/18.593A	19.701B/18.593A	----	18.642 -	0.991 .8930	----	----	----	----	138 UNCH
9525	----	----	19.872B/18.886A	19.872B/18.886A	----	18.878 -	0.991 .8953	----	----	----	----	1 UNCH
9550	----	----	20.122B/19.138A	20.122B/19.138A	----	19.113 -	0.991 .8976	----	----	----	----	1 UNCH
9575	----	----	20.349B/19.369A	20.349B/19.369A	----	19.349 -	0.991 .8997	----	----	----	----	2 UNCH
9725	----	----	22.221B/20.786A	22.221B/20.786A	----	20.774 -	0.989 .9118	----	----	----	----	1 UNCH
9825	----	----	22.764B/21.737A	22.764B/21.737A	----	21.731 -	0.987 .9188	----	----	----	----	1 UNCH
9850	----	----	22.993B/21.976A	22.993B/21.976A	----	21.971 -	0.987 .9204	----	----	----	----	1 UNCH
9900	----	----	23.461B/22.462A	23.461B/22.462A	----	22.451 -	0.986 .9236	----	----	----	----	17 UNCH
9925	----	----	23.720B/22.678A	23.720B/22.678A	----	22.692 -	0.986 .9251	----	----	----	----	1 UNCH
9950	----	----	23.963B/22.934A	23.963B/22.934A	----	22.933 -	0.985 .9266	----	----	----	----	1 UNCH
10000	----	----	24.489B/23.358A	24.489B/23.358A	----	23.416 -	0.983 .9294	----	----	----	----	97 UNCH
10025	----	----	24.693B/23.605A	24.693B/23.605A	----	23.657 -	0.984 .9308	----	----	----	----	2 UNCH
10075	----	----	25.178B/24.087A	25.178B/24.087A	----	24.141 -	0.982 .9334	----	----	----	----	1 UNCH
10100	----	----	25.417B/24.355A	25.417B/24.355A	----	24.384 -	0.981 .9347	----	----	----	----	6 UNCH
10125	----	----	25.666B/24.570A	25.666B/24.570A	----	24.626 -	0.981 .9359	----	----	----	----	1 UNCH
10150	----	----	25.904B/24.839A	25.904B/24.839A	----	24.869 -	0.980 .9372	----	----	----	----	8 UNCH
10175	----	----	26.155B/25.055A	26.155B/25.055A	----	25.112 -	0.979 .9384	----	----	----	----	2 UNCH
10200	----	----	26.436B/25.293A	26.436B/25.293A	----	25.355 -	0.978 .9394	----	----	----	----	120 UNCH
10225	----	----	26.644B/25.549A	26.644B/25.549A	----	25.598 -	0.978 .9406	----	----	----	----	1 UNCH
10325	----	----	27.623B/26.521A	27.623B/26.521A	----	26.573 -	0.975 .9448	----	----	----	----	1 UNCH
10350	----	----	27.868B/26.758A	27.868B/26.758A	----	26.817 -	0.974 .9458	----	----	----	----	1 UNCH
10375	----	----	28.112B/27.002A	28.112B/27.002A	----	27.061 -	0.973 .9468	----	----	----	----	1 UNCH
10400	----	----	28.359B/27.246A	28.359B/27.246A	----	27.306 -	0.972 .9477	----	----	----	----	1 UNCH
10500	----	----	29.324B/28.244A	29.324B/28.244A	----	28.284 -	0.970 .9512	----	----	2	----	11 + 2
10600	----	----	30.325B/29.199A	30.325B/29.199A	----	29.265 -	0.967 .9544	----	----	----	----	5 UNCH
10825	----	----	32.529B/31.428A	32.529B/31.428A	----	31.478 -	0.960 .9607	----	----	----	----	6 UNCH
10850	----	----	32.793B/31.649A	32.793B/31.649A	----	31.725 -	0.958 .9612	----	----	----	----	4 UNCH
10875	----	----	33.031B/31.866A	33.031B/31.866A	----	31.971 -	0.958 .9619	----	----	----	----	2 UNCH
10950	----	----	33.782B/32.632A	33.782B/32.632A	----	32.711 -	0.956 .9636	----	----	----	----	3 UNCH
11000	----	----	34.276B/33.124A	34.276B/33.124A	----	33.205 -	0.954 .9647	----	----	----	----	3 UNCH
11325	----	----	37.493B/36.315A	37.493B/36.315A	----	36.419 -	0.945 .9708	----	----	----	----	1 UNCH
11500	----	----	39.224B/38.088A	39.224B/38.088A	----	38.154 -	0.941 .9734	----	----	----	----	10 UNCH
11525	----	----	39.481B/38.344A	39.481B/38.344A	----	38.402 -	0.940 .9737	----	----	----	----	1 UNCH
11675	----	----	40.970B/39.805A	40.970B/39.805A	----	39.890 -	0.937 .9757	----	----	----	----	1 UNCH
11700	----	----	41.219B/40.048A	41.219B/40.048A	----	40.139 -	0.936 .9759	----	----	----	----	1 UNCH
12000	----	----	44.231B/42.992A	44.231B/42.992A	----	43.120 -	0.930 .9792	----	----	----	----	50 UNCH
12025	----	----	44.439B/43.303A	44.439B/43.303A	----	43.369 -	0.930 .9794	----	----	----	----	1 UNCH
13000	----	----	54.159B/53.029A	54.159B/53.029A	----	53.081 -	0.916 .9864	----	----	----	----	5 UNCH
TOTAL										790	0	10920 + 163
JUL26												
2000	----	----	----	0.003B/0.028A	----	0.010 +	0.001 .0008	----	----	----	----	6 UNCH
2400	----	----	----	----/0.217A	----	0.019 +	0.003 .0016	----	----	----	----	10 UNCH
2650	----	----	----	----/0.085A	----	0.027 +	0.005 .0024	----	----	----	----	6 UNCH
3000	----	----	----	0.001B/0.098A	----	0.039 +	0.007 .0036	----	----	----	----	5 UNCH
3025	----	----	----	0.001B/0.099A	----	0.040 +	0.007 .0037	----	----	----	----	1 UNCH
3350	----	----	----	0.001B/0.117A	----	0.056 +	0.010 .0054	----	----	----	----	1 UNCH
3400	----	----	----	0.001B/0.121A	----	0.059 +	0.010 .0058	----	----	----	----	55 UNCH
3475	----	----	----	0.001B/0.127A	----	0.064 +	0.012 .0063	----	----	----	----	5 UNCH
3500	----	----	----	0.001B/0.129A	----	0.065 +	0.011 .0064	----	----	----	----	4 UNCH
3600	----	----	----	0.001B/0.138A	----	0.072 +	0.012 .0072	----	----	----	----	12 UNCH
3700	----	----	----	0.001B/0.145A	----	0.079 +	0.013 .0080	----	----	----	----	91 UNCH
3800	----	----	----	0.001B/0.154A	----	0.086 +	0.014 .0089	----	----	----	----	25 UNCH
3825	----	----	----	0.001B/0.155A	----	0.087 +	0.013 .0090	----	----	----	----	8 UNCH
3850	----	----	----	0.001B/0.157A	----	0.089 +	0.013 .0093	----	----	----	----	3 UNCH
3900	----	----	----	0.001B/0.161A	----	0.092 +	0.013 .0097	----	----	----	----	11 UNCH
3950	----	----	----	0.001B/0.165A	----	0.096 +	0.013 .0102	----	----	----	----	1 UNCH
4000	----	----	----	0.038B/0.148A	----	0.100 +	0.013 .0107	----	----	----	----	70 UNCH
4075	----	----	----	0.011B/0.145A	----	0.105 +	0.012 .0114	----	----	----	----	16 UNCH
4100	----	----	----	0.011B/0.146A	----	0.107 +	0.012 .0116	----	----	----	----	6 UNCH
4175	----	----	----	0.019B/0.154A	----	0.113 +	0.012 .0124	----	----	----	----	9 UNCH
4200	----	----	----	0.022B/0.157A	----	0.115 +	0.011 .0127	----	----	----	----	27 UNCH
4225	----	----	----	0.025B/0.158A	----	0.118 +	0.012 .0131	----	----	----	----	1 UNCH
4250	----	----	----	0.028B/0.163A	----	0.120 +	0.012 .0134	----	----	----	----	21 UNCH
4300	----	----	----	0.034B/0.168A	----	0.124 +	0.010 .0139	----	----	----	----	98 UNCH
4325	----	----	----	0.037B/0.170A	----	0.127 +	0.011 .0143	----	----	----	----	17 UNCH
4375	----	----	----	0.043B/0.176A	----	0.132 +	0.010 .0150	----	----	----	----	32 UNCH
4400	----	----	----	0.047B/0.179A	----	0.134 +	0.010 .0153	----	----	----	----	29 UNCH
4450	----	----	----	0.054B/0.186A	----	0.140 +	0.010 .0161	----	----	----	----	4 UNCH
4475	----	----	----	0.058B/0.189A	----	0.143 +	0.010 .0165	----	----	----	----	16 UNCH
4500	----	----	----	0.112B/0.150A	----	0.146 +	0.009 .0169	----	----	----	----	302 UNCH
4575	----	----	----	0.073B/0.204A	----	0.155 +	0.008 .0181	----	----	----	----	75 UNCH
4600	----	----	----	0.077B/0.210A	----	0.159 +	0.008 .0187	----	----	----	----	101 UNCH
4650	----	----	----	0.085B/0.220A	----	0.166 +	0.008 .0196	----	----	----	----	40 UNCH
4675	----	----	----	0.090B/0.225A	----	0.170 +	0.007 .0201	----	----	----	----	12 UNCH
4700	----	----	----	0.094B/0.231A	----	0.173 +	0.006 .0206	----	----	----	----	153 UNCH
4725	----	----	----	0.099B/0.236A	----	0.178 +	0.007 .0212	----	----	----	----	3 UNCH
4750	----	----	----	0.104B/0.241A	----	0.182 +	0.006 .0217	----	----	----	----	54 UNCH
4775	----	----	----	0.109B/0.247A	----	0.186 +	0.005 .0223	----	----	----	----	8 UNCH
4800	----	----	----	0.114B/0.255A	----	0.191 +	0.005 .0229	----	----	----	----	15 UNCH
4825	----	----	----	0.120B/0.261A	----	0.196 +	0.005 .0236	----	----	----	----	26 UNCH
4850	----	----	----	0.125B/0.267A	----	0.201 +	0.005 .0242	----	----	----	----	2 UNCH
4875	----	----	----	0.131B/0.275A	----	0.206 +	0.004 .0249	----	----	----	----	23 UNCH
4900	----	----	----	0.144B/0.282A	----	0.211 +	0.004 .0256	----	----	----	----	172 UNCH
5000	0.225	0.225	0.225/0.225	0.225/0.225	----	0.235 +	0.002 .0287	----	----	1	----	891 + 1
5025	----	----	----	0.172B/0.318A	----	0.242 +	0.002 .0296	----	----	----	----	1 UNCH
5050	----	----	----	0.180B/0.326A	----	0.249 +	0.001 .0304	----	----	----	----	16 UNCH
5075	----	----	----	0.188B/0.335A	----	0.256	UNCH .0313	----	----	----	----	11 UNCH
5100	----	----	----	0.202B/0.334A	----	0.264	UNCH .0323	----	----	----	----	176 UNCH
5150	----	----	----	0.214B/0.361A	----	0.280 -	0.001 .0343	----	----	----	----	5 UNCH
5175	----	----	----	0.222B/0.371A	----	0.289 -	0.001 .0354	----	----	----	----	5 UNCH
5200	----	----	----	0.241B/0.371A	----	0.298 -	0.002 .0365	----	----	----	----	96 UNCH
5225	----	----	----	0.242B/0.390A	----	0.308 -	0.002 .0377	----	----	----	----	9 UNCH
5250	----	----	----	0.253B/*0.320A	----	0.318 -	0.002 .0390	----	----	50	----	225 - 25
5275	----	----	----	0.263B/0.411A	----	0.328 -	0.003 .0402	----	----	----	----	2 UNCH
5300	----	----	----	0.288B/0.421A	----	0.339 -	0.004 .0415	----	----	----	----	125 UNCH
5325	----	----	----	0.286B/0.432A	----	0.350 -	0.004 .0428	----	----	----	----	11 UNCH
5350	----	----	----	0.298B/0.444A	----	0.362 -	0.005 .0442	----	----	----	----	26 UNCH
5375	----	----	----	0.310B/0.456A	----	0.374 -	0.006 .0457	----	----	----	----	17 UNCH
5400	----	----	----	0.328B/0.467A	----	0.386 -	0.007 .0471	----	----	----	----	75 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 63

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUL26												
5425	----	----	----	0.341B/0.479A	----	0.399 - 0.008	.0486	----	----	----	----	49 UNCH
5450	----	----	----	0.355B/0.493A	----	0.413 - 0.008	.0502	----	----	----	----	38 UNCH
5475	----	----	----	0.370B/0.507A	----	0.427 - 0.009	.0519	----	----	----	----	53 UNCH
5500	0.455	0.455	0.455/0.455	0.455/0.455	----	0.442 - 0.010	.0536	----	----	1	----	1065 UNCH
5525	----	----	----	0.402B/0.535A	----	0.457 - 0.011	.0553	----	----	----	----	72 UNCH
5550	----	----	----	0.419B/0.550A	----	0.473 - 0.012	.0572	----	----	----	----	18 UNCH
5575	----	----	----	0.437B/0.569A	----	0.490 - 0.013	.0591	----	----	----	----	3 UNCH
5600	----	----	----	0.455B/0.582A	----	0.507 - 0.014	.0610	----	----	----	----	15 UNCH
5625	----	----	----	0.473B/0.598A	----	0.525 - 0.015	.0630	----	----	----	----	3 UNCH
5650	----	----	----	0.493B/0.615A	----	0.543 - 0.017	.0650	----	----	----	----	29 UNCH
5675	----	----	----	0.514B/0.633A	----	0.562 - 0.019	.0671	----	----	----	----	45 UNCH
5700	----	----	----	0.578B/0.652A	----	0.582 - 0.020	.0693	----	----	----	----	299 UNCH
5725	----	----	----	0.558B/0.671A	----	0.603 - 0.021	.0716	----	----	----	----	3 UNCH
5750	----	----	----	0.581B/0.690A	----	0.624 - 0.023	.0739	----	----	----	----	52 UNCH
5775	----	----	----	0.609B/0.710A	----	0.646 - 0.025	.0763	----	----	----	----	2 UNCH
5800	----	----	----	0.634B/0.731A	----	0.669 - 0.027	.0787	----	----	----	----	29 UNCH
5825	----	----	----	0.659B/0.753A	----	0.693 - 0.028	.0813	----	----	----	----	3 UNCH
5850	----	----	----	0.718B/0.775A	----	0.717 - 0.031	.0839	----	----	----	----	114 UNCH
5875	----	----	----	0.712B/0.799A	----	0.742 - 0.033	.0865	----	----	----	----	3 UNCH
5900	----	----	----	0.739B/0.822A	----	0.768 - 0.036	.0892	----	----	----	----	6 UNCH
5925	----	----	----	0.741B/0.847A	----	0.795 - 0.038	.0920	----	----	----	----	1 UNCH
5950	----	----	----	0.759B/0.873A	----	0.823 - 0.041	.0949	----	----	----	----	2 UNCH
5975	----	----	----	0.748B/0.899A	----	0.851 - 0.045	.0978	----	----	----	----	1 UNCH
6000	0.856	0.856	0.940B/0.856	0.940B/0.856	----	0.881 - 0.047	.1008	----	----	1	----	602 + 1
6100	----	----	1.097B/1.117A	1.097B/1.117A	----	1.009 - 0.061	.1136	----	----	----	----	288 UNCH
6125	----	----	----	0.988B/1.215A	----	1.043 - 0.066	.1170	----	----	----	----	1 UNCH
6200	----	----	----	1.113B/1.331A	----	1.153 - 0.079	.1277	----	----	----	----	8 UNCH
6250	----	----	----	1.162B/1.414A	----	1.231 - 0.090	.1351	----	----	----	----	13 UNCH
6275	----	----	----	1.211B/1.458A	----	1.272 - 0.095	.1389	----	----	----	----	1 UNCH
6300	----	----	1.472B/1.413A	1.472B/1.413A	----	1.314 - 0.101	.1429	----	----	----	----	239 UNCH
6325	----	----	----	1.312B/1.550A	----	1.357 - 0.107	.1468	----	----	----	----	20 UNCH
6375	----	----	----	1.422B/1.644A	----	1.448 - 0.119	.1551	----	----	----	----	1 UNCH
6400	----	----	----	1.525B/1.693A	----	1.495 - 0.126	.1594	----	----	----	----	59 UNCH
6500	1.853	1.853	1.945B/1.668	1.945B/1.668	----	1.697 - 0.154	.1771	----	----	3	----	708 UNCH
6550	1.972	1.972	1.972/1.887A	1.972/1.887A	----	1.806 - 0.169	.1865	----	----	27	----	52 - 7
6600	----	----	----/2.083A	2.040B/2.083A	----	1.921 - 0.186	.1962	----	----	1	----	8 + 1
6650	2.265	2.265	2.338B/2.129A	2.338B/2.129A	----	2.042 - 0.203	.2061	----	----	2	----	127 + 2
6700	2.345	2.345	2.526B/2.249A	2.526B/2.249A	----	2.169 - 0.221	.2164	----	----	2	----	97 + 2
6750	----	----	----/2.429A	2.450B/2.429A	----	2.303 - 0.240	.2269	----	----	----	----	26 UNCH
6800	2.630	2.630	2.858B/2.518A	2.858B/2.518A	----	2.443 - 0.259	.2377	----	----	64	145	349 + 89
6825	----	----	----	2.703B/2.791A	----	2.515 NEW	.2432	----	----	2	----	2 + 2
6900	----	----	----/2.844A	3.027B/2.844A	----	2.743 - 0.300	.2602	----	----	----	----	18 UNCH
7000	3.121	3.121	3.614B/3.121	3.614B/3.121	----	3.072 - 0.342	.2836	----	----	1	----	661 + 1
7025	----	----	3.685B/3.243A	3.685B/3.243A	----	3.158 - 0.353	.2895	----	----	----	----	128 UNCH
7050	----	----	----/3.415A	3.569B/3.415A	----	3.247 - 0.364	.2956	----	----	----	----	2 UNCH
7100	----	----	3.836B/3.601A	3.836B/3.601A	----	3.430 - 0.385	.3078	----	----	----	----	16 UNCH
7125	----	----	----/3.694A	3.892B/3.694A	----	3.524 - 0.396	.3139	----	----	----	----	9 UNCH
7150	----	----	----/3.789A	4.004B/3.789A	----	3.620 - 0.407	.3201	----	----	----	----	1 UNCH
7175	----	----	----/3.837A	4.117B/3.837A	----	3.718 - 0.418	.3264	----	----	----	----	30 UNCH
7200	----	----	4.287B/3.923A	4.287B/3.923A	----	3.817 - 0.429	.3327	----	----	----	----	49 UNCH
7250	----	----	4.699B/4.095A	4.699B/4.095A	----	4.023 - 0.450	.3453	----	----	----	----	182 UNCH
7300	----	----	4.770B/4.337A	4.770B/4.337A	----	4.236 - 0.472	.3581	----	----	----	----	30 UNCH
7375	----	----	5.346B/4.629A	5.346B/4.629A	----	4.570 - 0.504	.3774	----	----	----	----	157 UNCH
7400	----	----	5.282B/4.836A	5.282B/4.836A	----	4.686 - 0.514	.3839	----	----	----	----	21 UNCH
7450	----	----	5.494B/5.070A	5.494B/5.070A	----	4.923 - 0.534	.3968	----	----	----	----	1 UNCH
7500	----	----	5.825B/5.198A	5.825B/5.198A	----	5.167 - 0.554	.4098	----	----	8	----	53 UNCH
7525	----	----	5.910B/5.391A	5.910B/5.391A	----	5.292 - 0.564	.4163	----	----	----	----	25 UNCH
7550	----	----	6.053B/5.565A	6.053B/5.565A	----	5.419 - 0.573	.4228	----	----	----	----	7 UNCH
7600	----	----	6.400B/5.826A	6.400B/5.826A	----	5.680 - 0.591	.4358	----	----	----	----	4 UNCH
7625	----	----	6.493B/5.961A	6.493B/5.961A	----	5.812 - 0.601	.4422	----	----	----	----	2 UNCH
7675	----	----	6.795B/6.231A	6.795B/6.231A	----	6.084 - 0.618	.4551	----	----	----	----	14 UNCH
7700	6.541	6.541	7.226B/6.209A	7.226B/6.209A	----	6.223 - 0.626	.4615	----	----	4	----	108 + 2
7800	7.117	7.117	7.628B/6.846A	7.628B/6.846A	----	6.796 - 0.657	.4869	----	----	2	----	75 + 2
7825	----	----	----/7.096A	7.537B/7.096A	----	6.943 - 0.666	.4932	----	----	----	----	6 UNCH
7850	----	----	----/7.240A	7.588B/7.240A	----	7.093 - 0.672	.4994	----	----	----	----	6 UNCH
7900	----	----	----/7.548A	7.850B/7.548A	----	7.397 - 0.687	.5117	----	----	----	----	11 UNCH
7975	----	----	----/8.021A	8.314B/8.021A	----	7.867 - 0.706	.5300	----	----	----	----	5 UNCH
8000	----	----	8.752B/8.061A	8.752B/8.061A	----	8.027 - 0.711	.5359	----	----	60	----	288 - 13
8100	----	----	----/8.768A	9.206B/8.768A	----	8.682 - 0.735	.5594	----	----	----	----	44 UNCH
8125	----	----	----/8.989A	9.355B/8.989A	----	8.850 - 0.740	.5651	----	----	----	----	7 UNCH
8175	----	----	----/9.317A	9.634B/9.317A	----	9.191 - 0.749	.5764	----	----	----	----	4 UNCH
8225	----	----	----/9.657A	10.044B/9.657A	----	9.537 - 0.758	.5876	----	----	----	----	1 UNCH
8250	----	----	10.605B/9.784A	10.605B/9.784A	----	9.712 - 0.763	.5930	----	----	----	----	46 UNCH
8300	----	----	----/10.091A	10.827B/10.091A	----	10.067 - 0.772	.6038	----	----	----	----	128 UNCH
8375	----	----	----/10.705A	11.165B/10.705A	----	10.610 - 0.783	.6195	----	----	----	----	3 UNCH
8400	----	----	----/10.887A	11.340B/10.887A	----	10.794 - 0.787	.6246	----	----	----	----	7 UNCH
8500	----	----	----/11.535A	12.237B/11.535A	----	11.540 - 0.802	.6444	----	----	----	----	57 UNCH
8575	----	----	----/12.197A	12.693B/12.197A	----	12.113 - 0.811	.6587	----	----	----	----	3 UNCH
8600	----	----	----/12.296A	13.024B/12.296A	----	12.307 - 0.813	.6633	----	----	----	----	56 UNCH
8700	----	----	----/13.168A	13.695B/13.168A	----	13.090 - 0.825	.6812	----	----	----	----	4 UNCH
9000	15.485	15.485	15.620/15.485	16.328B/15.485	----	15.535 - 0.851	.7294	----	----	5	----	312 + 5
9200	----	----	----/17.286A	17.898B/17.286A	----	17.229 - 0.866	.7571	----	----	----	----	11 UNCH
9400	----	----	----/19.016A	19.671B/19.016A	----	18.966 - 0.878	.7817	----	----	----	----	1 UNCH
9450	----	----	----/19.455A	20.117B/19.455A	----	19.405 - 0.882	.7875	----	----	----	----	12 UNCH
9500	----	----	----/19.819A	20.707B/19.819A	----	19.847 - 0.885	.7930	----	----	----	----	218 UNCH
9600	----	----	----/20.672A	21.607B/20.672A	----	20.737 - 0.891	.8036	----	----	----	----	50 UNCH
9900	----	----	----/23.491A	24.202B/23.491A	----	23.445 - 0.911	.8321	----	----	----	----	6 UNCH
9950	----	----	----/23.948A	24.656B/23.948A	----	23.902 - 0.914	.8364	----	----	----	----	5 UNCH
10000	----	----	----/24.334A	25.271B/24.334A	----	24.360 - 0.917	.8406	----	----	----	----	205 UNCH
10275	----	----	----/26.944A	27.723B/26.944A	----	26.902 - 0.934	.8614	----	----	----	----	7 UNCH
10500	----	----	----/29.044A	29.834B/29.044A	----	29.007 - 0.946	.8762	----	----	----	----	3 UNCH
10600	----	----	----/29.985A	30.786B/29.985A	----	29.949 - 0.951	.8822	----	----	----	----	9 UNCH
11000	----	----	34.751B/33.707A	34.751B/33.707A	----	33.750 - 0.968	.9029	----	----	----	----	217 UNCH
11300	----	----	----/36.663A	37.522B/36.663A	----	36.629 - 0.979	.9156	----	----	----	----	10 UNCH
11500	----	----	----/38.646A	39.459B/38.646A	----	38.561 - 0.983	.9229	----	----	----	----	1 UNCH
12000	----	----	----/43.452A	44.329B/43.452A	----	43.422 - 0.989	.9380	----	----	----	----	15 UNCH
13000	----	----	----/53.267A	54.176B/53.267A	----	53.244 - 0.979	.9579	----	----	----	----	6 UNCH
TOTAL										234	145	11130 + 63
AUG26												
3300	----	----	----	0.001B/0.339A	----	0.044 - 0.010	.0044	----	----	----	----	2 UNCH
3900	----	----	----	0.054B/0.196A	----	0.108 - 0.022	.0109	----	----	----	----	2 UNCH
4000	----	----	----	0.068B/0.211A	----	0.123 - 0.024	.0125	----	----	----	----	1 UNCH
4175	----	----	----	0.097B/0.242A	----	0.152 - 0.030	.0155	----	----	----	----	1 UNCH
4300	----	----	----	0.120B/0.271A	----	0.177 - 0.034	.0181	----	----	----	----	1 UNCH
4350	----	----	----	0.131B/0.282A	----	0.188 - 0.035	.0192	----	----	----	----	1 UNCH
4375	----	----	----	0.137B/0.290A	----	0.193 - 0.037	.0197	----	----	----	----	160 UNCH
4400	----	----	----	0.143B/0.296A	----	0.199 - 0.038	.0204	----	----	----	----	1 UNCH
4500	----	----	----	0.168B/0.323A	----	0.224 - 0.042	.0230	----	----	----	----	2 UNCH
4600	----	----	----	0.198B/0.355A	----	0.252 - 0.047	.0258	----	----	----	----	4 UNCH
4625	----	----	----	0.206B/0.364A	----	0.260 - 0.048	.0266	----	----	----	----	1 UNCH
4700	----	----	----	0.231B/0.390A	----	0.284 - 0.052	.0291	----	----	----	----	1 UNCH
4775	----	----	----	0.259B/0.419A	----	0.310 - 0.056	.0318	----	----	----	----	1 UNCH
4800	0.321	0.321	0.321/0.319	0.321/0.319	----	0.320 - 0.057	.0327	----	----	3	----	16 UNCH
4825	----	----	----	0.279B/0.440A	----	0.330 - 0.058	.0337	----	----	----	----	1 UNCH
5000	----	----	----	0.363B/0.522A	----	0.406 - 0.071	.0413	----	----	----	----	14 UNCH
5275	----	----	----	0.545B/0.688A	----	0.567 - 0.093	.0568	----	----	----	----	1 UNCH
5300	----	----	----	0.566B/0.706A	----	0.585 - 0.095	.0585	----	----	----	----	1 UNCH
5500	----	----	----	0.765B/0.868A	----	0.746 - 0.116	.0733	----	----	----	----	25 UNCH
5675	----	----	----/0.967A	0.993B/0.967A	----	0.922 - 0.137	.0888	----	----	----	----	9 UNCH
5800	1.055	1.055	1.055/1.055	1.087B/1.055	----	1.072 - 0.153	.1015	----	----	1	----	5 + 1
5850	----	----	----	1.157B/1.310A	----	1.138 - 0.160	.1069	----	----	----	----	2 UNCH
5875	----	----	----	1.195B/1.384A	----	1.172 - 0.164	.1097	----	----	----	----	4 UNCH
5900	----	----	----	1.243B/1.437A	----	1.207 - 0.168	.1126	----	----	----	----	5 UNCH
5950	----	----	----	1.311B/1.521A	----	1.281 - 0.175	.1186	----	----	----	----	10 UNCH
6000	----	----	----	1.386B/1.605A	----	1.359 - 0.182	.1247	----	----	----	----	156 UNCH
6050	----	----	----	1.422B/1.703A	----	1.440 - 0.191	.1311	----	----	----	----	1 UNCH
6100	----	----	----	1.493B/1.829A	----	1.526 - 0.199	.1377	----	----	----	----	10 UNCH
6150	----	----	----	1.579B/1.970A	----	1.617 - 0.207	.1446	----	----	----	----	1 UNCH
6200	----	----	----	1.677B/2.072A	----	1.712 - 0.216	.1517	----	----	----	----	1 UNCH
6400	----	----	----/2.208A	2.280B/2.208A	----	2.143 - 0.251	.1825	----	----	----	----	1 UNCH
6500	2.443	2.443	2.443/2.428A	2.589B/2.428A	----	2.390 - 0.270	.1992	----	----	4	----	224 + 2
6600	----	----	----/2.712A	2.828B/2.712A	----	2.659 - 0.290	.2167	----	----	----	----	13 UNCH
6725	----	----	----/3.075A	3.229B/3.075A	----	3.029 - 0.315	.2397	----	----	----	----	7 UNCH
6825	----	----	----/3.388A	3.557B/3.388A	----	3.352 - 0.336	.2588	----	----	----	----	7 UNCH
6900	----	----	----/3.645A	3.826B/3.645A	----	3.611 - 0.351	.2736	----	----	----	----	1 UNCH
6950	----	----	----/3.824A	4.016B/3.824A	----	3.791 - 0.362	.2836	----	----	----	----	1 UNCH
6975	----	----	----/3.916A	4.114B/3.916A	----	3.884 - 0.367	.2887	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
AUG26												
7000	----	----	----/4.011A	4.235B/4.011A	----	3.978 - 0.372	.2937	----	----	----	----	8 UNCH
7050	----	----	----/4.203A	4.417B/4.203A	----	4.171 - 0.383	.3040	----	----	----	----	1 UNCH
7100	----	----	----/4.401A	4.650B/4.401A	----	4.371 - 0.393	.3143	----	----	----	----	3 UNCH
7200	----	----	----/4.823A	5.084B/4.823A	----	4.791 - 0.414	.3352	----	----	----	----	2 UNCH
7225	----	----	----/4.925A	5.187B/4.925A	----	4.901 - 0.426	.3405	----	----	----	----	2 UNCH
7300	----	----	----/5.281A	5.545B/5.281A	----	5.241 - 0.464	.3564	----	----	----	----	1 UNCH
7350	----	----	----/5.514A	5.790B/5.514A	----	5.475 - 0.489	.3670	----	----	----	----	6 UNCH
7400	----	----	----/5.751A	6.056B/5.751A	----	5.714 - 0.515	.3777	----	----	----	----	4 UNCH
7500	----	----	----/6.259A	6.579B/6.259A	----	6.210 - 0.565	.3989	----	----	----	----	6 UNCH
7550	----	----	----/6.520A	6.844B/6.520A	----	6.467 - 0.590	.4096	----	----	----	----	5 UNCH
7600	----	----	----/6.774A	7.160B/6.774A	----	6.730 - 0.614	.4202	----	----	----	----	4 UNCH
7700	----	----	----/7.332A	7.762B/7.332A	----	7.273 - 0.662	.4412	----	----	----	----	38 UNCH
7950	----	----	----/8.813A	9.249B/8.813A	----	8.731 - 0.771	.4927	----	----	----	----	4 UNCH
7975	----	----	----/8.978A	9.474B/8.978A	----	8.884 - 0.782	.4977	----	----	----	----	1 UNCH
8000	----	----	----/9.118A	9.685B/9.118A	----	9.039 - 0.791	.5027	----	----	60	----	139 + 59
8150	----	----	----/10.091A	10.610B/10.091A	----	10.000 - 0.844	.5320	----	----	----	----	10 UNCH
8200	----	----	----/10.438A	10.940B/10.438A	----	10.331 - 0.860	.5414	----	----	----	----	10 UNCH
8250	----	----	----/10.761A	11.295B/10.761A	----	10.668 - 0.874	.5508	----	----	----	----	5 UNCH
8500	----	----	----/12.522A	13.114B/12.522A	----	12.428 - 0.932	.5951	----	----	----	----	20 UNCH
9000	17.010	17.010	17.010/16.458A	17.010/16.458A	----	16.274 - 0.990	.6712	----	----	2	----	33 UNCH
9300	----	----	----/19.123A	19.196B/19.123A	----	18.741 - 1.002	.7092	----	----	----	----	1 UNCH
9500	----	----	----/20.624A	21.137B/20.624A	----	20.436 - 1.006	.7316	----	----	----	----	30 UNCH
10000	----	----	----/25.015A	25.517B/25.015A	----	24.806 - 1.008	.7794	----	----	----	----	6 UNCH
10025	----	----	----/25.401A	25.541B/25.401A	----	25.028 - 1.009	.7815	----	----	----	----	1 UNCH
10175	----	----	----/26.593A	27.106B/26.593A	----	26.372 - 1.009	.7937	----	----	----	----	15 UNCH
TOTAL										70	0	1050 + 62
SEP26												
2500	----	----	----	0.001B/3.253A	----	0.014 UNCH	.0013	----	----	----	----	60 UNCH
3000	----	----	----	0.001B/3.379A	----	0.040 - 0.001	.0037	----	----	----	----	22 UNCH
3500	----	----	----	0.042B/0.211A	----	0.096 - 0.004	.0088	----	----	----	----	74 UNCH
4000	----	----	----	0.131B/0.303A	----	0.213 - 0.009	.0188	----	----	----	----	46 UNCH
4500	----	----	----	0.289B/0.475A	----	0.376 - 0.020	.0330	----	----	----	----	12 UNCH
5000	----	----	----	0.582B/0.763A	----	0.647 - 0.040	.0559	----	----	----	----	232 UNCH
5100	----	----	----	0.670B/0.839A	----	0.721 - 0.046	.0620	----	----	----	----	1 UNCH
5400	----	----	----	0.985B/1.120A	----	1.002 - 0.070	.0839	----	----	----	----	1 UNCH
5500	----	----	----	1.122B/1.235A	----	1.118 - 0.079	.0926	----	----	----	----	228 UNCH
5600	----	----	----	1.157B/1.362A	----	1.246 - 0.091	.1019	----	----	----	----	1 UNCH
5700	----	----	----	1.106B/1.815A	----	1.388 - 0.104	.1121	----	----	----	----	2 UNCH
5800	----	----	----	1.289B/1.965A	----	1.545 - 0.119	.1229	----	----	----	----	8 UNCH
5900	----	----	----	1.487B/2.052A	----	1.718 - 0.134	.1346	----	----	----	----	50 UNCH
6000	1.988	1.988	1.988/1.919	1.988/1.919	----	1.908 - 0.151	.1470	----	----	25	----	153 + 15
6050	----	----	----	1.788B/2.379A	----	2.009 - 0.161	.1534	----	----	----	----	15 UNCH
6200	----	----	----	2.213B/2.640A	----	2.341 - 0.192	.1740	----	----	----	----	40 UNCH
6300	----	----	----/2.756A	2.470B/2.756A	----	2.587 - 0.214	.1885	----	----	----	----	5 UNCH
6400	----	----	----/2.971A	2.736B/2.971A	----	2.853 - 0.239	.2038	----	----	----	----	3 UNCH
6425	----	----	----/3.052A	2.741B/3.052A	----	2.923 - 0.245	.2077	----	----	----	----	3 UNCH
6500	----	----	----/3.087A	3.111B/3.087A	----	3.141 - 0.264	.2196	----	----	----	----	55 UNCH
6550	----	----	----/3.405A	3.173B/3.405A	----	3.292 - 0.278	.2278	----	----	----	----	15 UNCH
6800	----	----	----/4.206A	4.005B/4.206A	----	4.135 - 0.351	.2703	----	----	----	----	5 UNCH
6900	----	----	----/4.588A	4.395B/4.588A	----	4.511 - 0.383	.2881	----	----	----	----	1 UNCH
7000	----	----	----/4.985A	4.819B/4.985A	----	4.911 - 0.416	.3062	----	----	----	----	16 UNCH
7025	----	----	----/5.090A	4.899B/5.090A	----	5.015 - 0.424	.3107	----	----	----	----	1 UNCH
7100	----	----	----/5.414A	5.234B/5.414A	----	5.334 - 0.450	.3245	----	----	----	----	16 UNCH
7125	----	----	----/5.439A	5.432B/5.439A	----	5.443 - 0.459	.3291	----	----	----	----	25 UNCH
7175	----	----	----/5.750A	5.578B/5.750A	----	5.666 - 0.477	.3383	----	----	----	----	20 UNCH
7200	----	----	----/5.781A	5.867B/5.781A	----	5.780 - 0.485	.3429	----	----	----	----	50 UNCH
7400	----	----	----/6.844A	6.704B/6.844A	----	6.740 - 0.558	.3801	----	----	4	----	24 + 4
7500	----	----	----/7.369A	7.243B/7.369A	----	7.253 - 0.596	.3987	----	----	----	----	3 UNCH
7550	----	----	----/7.648A	7.523B/7.648A	----	7.518 - 0.615	.4080	----	----	----	----	2 UNCH
7700	----	----	----/8.512A	8.396B/8.512A	----	8.346 - 0.670	.4355	----	----	----	----	1 UNCH
7800	----	----	----/9.097A	9.027B/9.097A	----	8.923 - 0.707	.4537	----	----	----	----	4 UNCH
7900	----	----	----/9.743A	9.635B/9.743A	----	9.521 - 0.742	.4714	----	----	----	----	1 UNCH
8000	----	----	----/10.286A	10.376B/10.286A	----	10.139 - 0.775	.4889	----	----	----	----	40 UNCH
8100	----	----	----/11.026A	10.959B/11.026A	----	10.776 - 0.807	.5060	----	----	----	----	1 UNCH
8200	----	----	----/11.705A	11.641B/11.705A	----	11.430 - 0.838	.5227	----	----	----	----	1 UNCH
8500	----	----	----/13.645A	14.002B/13.645A	----	13.497 - 0.917	.5702	----	----	----	----	225 UNCH
8700	----	----	----/15.154A	15.505B/15.154A	----	14.954 - 0.958	.5995	----	----	----	----	100 UNCH
9000	----	----	----/17.500A	17.859B/17.500A	----	17.241 - 1.007	.6398	----	----	----	----	74 UNCH
9300	----	----	----/20.136A	20.092B/20.136A	----	19.638 - 1.039	.6758	----	----	----	----	1 UNCH
9400	----	----	----/20.963A	20.923B/20.963A	----	20.458 - 1.047	.6868	----	----	----	----	1 UNCH
10150	----	----	----/27.365A	27.377B/27.365A	----	26.877 - 1.073	.7563	----	----	----	----	1 UNCH
10300	----	----	----/28.693A	28.709B/28.693A	----	28.208 - 1.073	.7677	----	----	----	----	1 UNCH
TOTAL										29	0	1640 + 19
OCT26												
2675	----	----	----	0.001B/3.487A	----	0.030 - 0.002	.0026	----	----	----	----	8 UNCH
3250	----	----	----	0.032B/0.226A	----	0.075 - 0.004	.0066	----	----	----	----	1 UNCH
4000	----	----	----	0.190B/0.392A	----	0.233 - 0.011	.0197	----	----	----	----	3 UNCH
4500	----	----	----	0.396B/0.611A	----	0.490 - 0.023	.0386	----	----	----	----	3 UNCH
5000	----	----	----	0.767B/0.964A	----	0.849 - 0.062	.0646	----	----	----	----	6 UNCH
5050	----	----	----	0.815B/1.009A	----	0.895 - 0.067	.0678	----	----	----	----	1 UNCH
5150	----	----	----	0.918B/1.102A	----	0.992 - 0.078	.0745	----	----	----	----	5 UNCH
6500	----	----	----	3.353B/4.139A	----	3.596 - 0.349	.2227	----	----	----	----	6 UNCH
7000	----	----	----	5.214B/5.997A	----	5.416 - 0.490	.3015	----	----	----	----	85 UNCH
7225	----	----	----	6.221B/7.026A	----	6.413 - 0.553	.3389	----	----	----	----	87 UNCH
7500	----	----	----	7.598B/8.436A	----	7.780 - 0.626	.3850	----	----	25	----	33 + 16
7950	----	----	----	10.231B/11.109A	----	10.354 - 0.730	.4584	----	----	----	----	10 UNCH
8200	----	----	----/12.707A	11.880B/12.707A	----	11.950 - 0.777	.4967	----	----	----	----	6 UNCH
8375	----	----	----/13.911A	12.988B/13.911A	----	13.131 - 0.805	.5221	----	----	----	----	1 UNCH
9100	----	----	----/19.218A	18.548B/19.218A	----	18.487 - 0.885	.6144	----	----	----	----	1 UNCH
10000	----	----	----/26.766A	25.710B/26.766A	----	25.869 - 0.937	.7017	----	----	----	----	40 UNCH
TOTAL										25	0	296 + 16
NOV26												
4500	----	----	----	0.538B/0.786A	----	0.647 - 0.026	.0462	----	----	----	----	2 UNCH
4550	----	----	----	0.573B/0.822A	----	0.683 - 0.030	.0486	----	----	----	----	1 UNCH
4800	----	----	----	0.787B/1.026A	----	0.887 - 0.056	.0620	----	----	----	----	1 UNCH
5000	----	----	----	1.005B/1.226A	----	1.083 - 0.082	.0745	----	----	----	----	12 UNCH
5200	----	----	----	1.265B/1.459A	----	1.315 - 0.113	.0888	----	----	----	----	1 UNCH
5950	----	----	----	2.347B/3.173A	----	2.638 - 0.268	.1616	----	----	----	----	1 UNCH
6700	----	----	----	4.652B/5.555A	----	4.919 - 0.457	.2621	----	----	----	----	50 UNCH
7000	----	----	----	5.886B/6.887A	----	6.147 - 0.531	.3073	----	----	----	----	40 UNCH
7025	----	----	----	5.998B/7.002A	----	6.258 - 0.537	.3111	----	----	----	----	6 UNCH
7400	8.256	8.256	8.256/8.256	8.256/8.256	----	8.071 NEW	.3688	----	----	24	----	24 + 24
7500	----	----	----	8.380B/9.385A	----	8.602 - 0.642	.3841	----	----	----	----	7 UNCH
7700	----	----	----	9.507B/10.529A	----	9.721 - 0.681	.4144	----	----	----	----	50 UNCH
8500	----	----	----	14.754B/15.741A	----	14.884 - 0.798	.5252	----	----	----	----	60 UNCH
9000	----	----	----	18.496B/19.430A	----	18.571 - 0.845	.5837	----	----	----	----	5 UNCH
9050	----	----	----	18.885B/19.812A	----	18.955 - 0.848	.5890	----	----	----	----	3 UNCH
10000	----	----	----	26.429B/27.589A	----	26.656 - 0.899	.6765	----	----	----	----	1 UNCH
11000	----	----	----	11.721B/60.850A	----	35.329 - 0.927	.7446	----	----	----	----	1 UNCH
TOTAL										24	0	265 + 24
DEC26												
1500	----	----	----	----/0.085A	----	0.008 UNCH	.0005	----	----	----	----	180 UNCH
2000	----	----	----	0.001B/3.961A	----	0.029 - 0.001	.0020	----	----	----	----	10 UNCH
2500	----	----	----	0.001B/4.112A	----	0.056 - 0.001	.0041	----	----	----	----	32 UNCH
3000	----	----	----	0.024B/0.300A	----	0.105 - 0.002	.0079	----	----	----	----	93 UNCH
3100	----	----	----	0.040B/0.323A	----	0.119 - 0.002	.0089	----	----	----	----	1 UNCH
3150	----	----	----	0.048B/0.335A	----	0.131 - 0.003	.0098	----	----	----	----	1 UNCH
3500	----	----	----	0.123B/0.439A	----	0.251 - 0.005	.0176	----	----	----	----	45 UNCH
3850	----	----	----	0.238B/0.580A	----	0.416 - 0.013	.0280	----	----	----	----	1 UNCH
3925	----	----	----	0.270B/0.616A	----	0.455 - 0.015	.0305	----	----	----	----	1 UNCH
4000	----	----	----	0.304B/0.656A	----	0.497 - 0.017	.0331	----	----	----	----	81 UNCH
4500	----	----	----	0.626B/0.993A	----	0.852 - 0.041	.0548	----	----	----	----	35 UNCH
4600	----	----	----	0.715B/1.079A	----	0.942 - 0.047	.0601	----	----	----	----	4 UNCH
4800	0.860	0.860	1.050/*0.860	1.050/*0.860	----	1.145 - 0.061	.0719	----	----	3	----	241 UNCH
5000	----	----	----	1.168B/1.510A	----	1.380 - 0.079	.0852	----	----	----	----	357 UNCH
5250	----	----	----	1.479B/1.859A	----	1.730 - 0.105	.1043	----	----	----	----	50 UNCH
5300	----	----	----	1.466B/1.919A	----	1.808 - 0.110	.1084	----	----	----	----	250 UNCH
5400	----	----	----	1.286B/2.623A	----	1.973 - 0.123	.1170	----	----	----	----	100 UNCH
5500	----	----	----	1.493B/2.793A	----	2.150 - 0.136	.1261	----	----	----	----	109 UNCH
5600	----	----	----	1.724B/2.957A	----	2.340 - 0.151	.1356	----	----	----	----	4 UNCH
5650	----	----	----	1.876B/2.813A	----	2.441 - 0.158	.1406	----	----	----	----	12 UNCH
5800	----	----	----	2.184B/3.387A	----	2.765 - 0.181	.1561	----	----	----	----	1 UNCH
5950	----	----	----	2.549B/3.791A	----	3.124 - 0.207	.1727	----	----	----	----	5 UNCH
6000	----	----	----	2.691B/3.903A	----	3.252 - 0.216	.1784	----	----	----	----	147 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 65

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
DEC26												
6200	----	----	----	3.269B/4.550A	----	3.809 - 0.254	.2025	----	----	----	----	13 UNCH
6300	----	----	----	3.579B/4.884A	----	4.115 - 0.275	.2151	----	----	----	----	25 UNCH
6500	----	----	----	4.250B/5.560A	----	4.789 - 0.317	.2414	----	----	----	----	626 UNCH
6650	----	----	----	4.809B/6.198A	----	5.347 - 0.350	.2618	----	----	----	----	5 UNCH
6725	----	----	----	5.105B/6.456A	----	5.643 - 0.368	.2722	----	----	----	----	4 UNCH
6750	----	----	----	5.206B/6.561A	----	5.744 - 0.374	.2757	----	----	----	----	6 UNCH
6800	----	----	----	5.411B/6.831A	----	5.951 - 0.385	.2828	----	----	----	----	59 UNCH
6850	----	----	----	5.625B/7.051A	----	6.162 - 0.396	.2898	----	----	----	----	78 UNCH
6900	----	----	----	5.851B/7.275A	----	6.378 - 0.408	.2969	----	----	----	----	1 UNCH
6950	----	----	----	6.081B/7.494A	----	6.600 - 0.419	.3040	----	----	----	----	101 UNCH
7000	----	----	----	6.316B/7.724A	----	6.826 - 0.431	.3112	----	----	----	----	179 UNCH
7050	7.937	7.937	7.937/7.880A	7.937/7.880A	----	7.057 - 0.442	.3183	----	----	1	----	0 - 1
7075	----	----	----	6.625B/8.039A	----	7.174 - 0.448	.3219	----	----	----	----	20 UNCH
7100	----	----	----	6.801B/8.186A	----	7.292 - 0.455	.3255	----	----	----	----	2 UNCH
7200	----	----	----	7.305B/8.658A	----	7.778 - 0.477	.3399	----	----	----	----	14 UNCH
7250	----	----	----	7.564B/8.915A	----	8.028 - 0.488	.3470	----	----	----	----	48 UNCH
7500	----	----	----	8.928B/10.224A	----	9.344 - 0.544	.3827	----	----	----	----	22 UNCH
7550	----	----	----	9.214B/10.500A	----	9.621 - 0.555	.3898	----	----	----	----	1 UNCH
7800	----	----	----	10.710B/11.944A	----	11.069 - 0.606	.4246	----	----	----	----	20 UNCH
7850	----	----	----	11.021B/12.246A	----	11.370 - 0.617	.4315	----	----	----	----	10 UNCH
7875	----	----	----	10.986B/12.546A	----	11.523 - 0.621	.4348	----	----	----	----	1 UNCH
7900	----	----	----	11.337B/12.549A	----	11.676 - 0.626	.4382	----	----	----	----	19 UNCH
8000	----	----	----/12.353A	11.980B/12.353A	----	12.300 - 0.645	.4515	----	----	----	----	50 UNCH
8100	----	----	----	12.637B/13.815A	----	12.939 - 0.663	.4646	----	----	----	----	1 UNCH
8200	----	----	----	13.309B/14.470A	----	13.592 - 0.681	.4773	----	----	----	----	35 UNCH
8350	----	----	----	14.343B/15.480A	----	14.599 - 0.706	.4960	----	----	----	----	9 UNCH
8400	----	----	----	14.694B/15.823A	----	14.941 - 0.714	.5021	----	----	----	----	50 UNCH
8500	----	----	----	15.405B/16.519A	----	15.636 - 0.729	.5140	----	----	----	----	166 UNCH
8550	----	----	----/16.064A	15.765B/16.064A	----	15.988 - 0.737	.5199	----	----	----	----	25 UNCH
8600	----	----	----	16.129B/17.228A	----	16.343 - 0.744	.5257	----	----	----	----	2 UNCH
8800	----	----	----	17.608B/18.682A	----	17.793 - 0.771	.5481	----	----	----	----	12 UNCH
8900	----	----	----	18.363B/19.425A	----	18.535 - 0.784	.5588	----	----	----	----	30 UNCH
9000	----	----	----	19.127B/20.178A	----	19.287 - 0.796	.5693	----	----	----	----	3 UNCH
9050	----	----	----	19.513B/20.558A	----	19.666 - 0.802	.5744	----	----	----	----	100 UNCH
9500	----	----	----	23.076B/24.079A	----	23.187 - 0.847	.6172	----	----	----	----	2 UNCH
9850	----	----	----/26.893A	25.947B/26.893A	----	26.034 - 0.874	.6468	----	----	----	----	8 UNCH
9950	----	----	----/27.649A	26.755B/27.649A	----	26.863 - 0.880	.6547	----	----	----	----	1 UNCH
10025	----	----	----/27.951A	27.043B/27.951A	----	27.488 - 0.884	.6605	----	----	----	----	3 UNCH
10125	----	----	----	27.874B/29.490A	----	28.326 - 0.890	.6680	----	----	----	----	1 UNCH
10700	----	----	----	32.641B/34.422A	----	33.243 - 0.915	.7072	----	----	----	----	5 UNCH
10800	----	----	----	33.038B/35.811A	----	34.114 - 0.918	.7135	----	----	----	----	2 UNCH
11000	----	----	----	9.608B/63.900A	----	35.867 - 0.924	.7253	----	----	----	----	2 UNCH
11500	----	----	----	3.344B/73.145A	----	40.313 - 0.933	.7522	----	----	----	----	1 UNCH
12000	----	----	----	14.232B/78.739A	----	44.836 - 0.940	.7757	----	----	----	----	1 UNCH
12100	----	----	----	15.992B/78.146A	----	45.749 - 0.940	.7800	----	----	----	----	1 UNCH
12300	----	----	----	14.388B/81.963A	----	47.582 - 0.941	.7883	----	----	----	----	1 UNCH
15000	----	----	----	42.727B/103.986A	----	73.018 - 0.959	.8676	----	----	----	----	1 UNCH
19000	----	----	----	85.043B/136.192A	----	112.008 - 0.945	.9245	----	----	----	----	1 UNCH
TOTAL										4	0	3527 - 1
JAN27												
3800	----	----	----	0.167B/0.754A	----	0.340 - 0.035	.0236	----	----	----	----	1 UNCH
6500	----	----	----	4.495B/6.152A	----	5.183 - 0.355	.2399	----	----	----	----	1 UNCH
7125	----	----	----	6.705B/9.253A	----	7.833 - 0.420	.3216	----	----	----	----	1 UNCH
8600	----	----	----	16.349B/17.587A	----	16.686 - 0.580	.5054	----	----	----	----	1 UNCH
TOTAL											0	4 0
FEB27												
8150	----	----	----	13.792B/15.208A	----	14.158 - 0.666	.4493	----	----	----	----	10 UNCH
8225	----	----	----	13.542B/16.342A	----	14.645 - 0.677	.4579	----	----	----	----	10 UNCH
8250	----	----	----	14.461B/15.862A	----	14.808 - 0.682	.4607	----	----	----	----	10 UNCH
TOTAL											0	30 0
MAR27												
6500	----	----	----	4.895B/7.542A	----	6.087 - 0.326	.2485	----	----	----	----	20 UNCH
8300	----	----	----	14.538B/17.507A	----	15.829 - 0.550	.4594	----	----	----	----	50 UNCH
TOTAL											0	70 0
APR27												
4000	----	----	----	----	----	1.065 - 0.051	.0517	----	----	----	----	1 UNCH
TOTAL											0	1 0
DEC27												
7175	----	----	----	----	----	13.512 - 0.265	.3053	----	----	----	----	25 UNCH
TOTAL											0	25 0
SO1 CALL		SILVER OPTIONS										
MAY26												
7700	1.600	1.600	2.000/*1.570	2.000/*1.570	----	2.124 NEW	.5083	----	----	13	----	13 + 13
7800	----	----	----/*1.297A	1.513B/*1.297A	----	1.679 - 0.047	.4302	----	----	----	----	7 UNCH
7900	0.950	0.950	0.950/*0.950	1.151B/*0.950	----	1.311 NEW	.3562	----	----	10	----	10 + 10
8000	0.917	0.917	0.986/*0.848A	0.986/*0.848A	----	1.013 - 0.097	.2891	----	----	27	----	27 + 22
8100	----	----	----/*0.679A	0.608B/*0.679A	----	0.777 - 0.099	.2305	----	----	----	----	1 UNCH
8200	0.500	0.500	0.500/*0.500	0.500/*0.500	----	0.594 - 0.092	.1814	----	----	5	----	9 + 5
9000	0.075	0.075	0.080/*0.050	0.080/*0.050	----	0.074 - 0.031	.0226	----	----	6	----	12 + 4
10000	----	----	----	0.005B/0.102A	----	0.028 - 0.019	.0063	----	----	----	----	3 UNCH
TOTAL										61	0	82 + 54
SO1 PUT		SILVER OPTIONS										
MAY26												
6000	0.050	0.050	#0.050/*0.050	0.050/*0.050	----	0.017 NEW	.0040	----	----	10	----	10 + 10
6500	0.160	0.160	0.160/0.160	0.160/0.160	----	0.091 - 0.080	.0238	----	----	1	----	50 UNCH
6550	----	----	----/*0.175A	0.134B/*0.175A	----	0.109 - 0.091	.0285	----	----	----	----	4 UNCH
6700	0.400	0.400	0.400/0.213A	0.400/0.213A	----	0.152 - 0.119	.0416	----	----	1	----	22 + 1
6825	0.480	0.480	0.480/*0.268A	0.480/*0.268A	----	0.204 NEW	.0575	----	----	3	----	3 + 3
6900	0.220	0.220	0.497B/*0.220	0.497B/*0.220	----	0.247 - 0.179	.0706	----	----	1	----	1 UNCH
6925	----	----	0.516B/*0.333A	0.516B/*0.333A	----	0.263 - 0.190	.0755	----	----	----	----	1 UNCH
7000	0.600	0.600	0.678B/0.377A	0.678B/0.377A	----	0.322 - 0.227	.0930	----	----	9	----	10 + 9
7050	----	----	0.769B/*0.436A	0.769B/*0.436A	----	0.369 - 0.259	.1068	----	----	----	----	1 UNCH
7100	0.719	0.719	0.916B/*0.484A	0.916B/0.484A	----	0.425 - 0.294	.1228	----	----	5	----	7 + 5
7200	----	----	1.220B/0.619A	1.220B/0.619A	----	0.566 - 0.379	.1617	----	----	----	----	1 UNCH
7250	0.600	0.600	1.364B/*0.600	1.364B/*0.600	----	0.654 NEW	.1849	----	----	5	----	5 + 5
7300	0.755	0.755	1.557B/0.754A	1.557B/0.754A	----	0.755 - 0.480	.2106	----	----	1	----	7 UNCH
7400	0.950	0.950	1.976B/0.950	1.976B/0.950	----	1.003 - 0.588	.2698	----	----	4	----	4 UNCH
7500	1.300	1.300	2.342B/1.260	2.342B/1.260	----	1.319 NEW	.3380	----	----	10	----	9 + 9
7575	1.593	1.593	2.465B/1.593	2.465B/1.593	----	1.606 NEW	.3939	----	----	5	----	5 + 5
7600	----	----	2.599B/1.774A	2.599B/1.774A	----	1.711 - 0.794	.4131	----	----	----	----	25 UNCH
7650	1.823	1.823	1.826/1.819	2.701B/1.819	----	1.938 NEW	.4521	----	----	10	----	10 + 10
TOTAL										65	0	175 + 57
SO2 CALL		SILVER OPTIONS										
MAY26												
7500	----	----	----/*3.285A	3.548B/*3.285A	----	4.156 + 0.322	.6210	----	----	----	----	3 UNCH
7600	----	----	----/*2.838A	3.022B/*2.838A	----	3.581 + 0.256	.5692	----	----	----	----	5 UNCH
8000	1.814	1.814	1.814/*1.389	1.814/*1.389	----	1.818 + 0.048	.3602	----	----	4	----	5 + 2
8100	----	----	----/*1.329A	1.330B/*1.329A	----	1.506 + 0.014	.3126	----	----	----	----	1 UNCH
8200	----	----	----/*1.147A	1.083B/*1.147A	----	1.241 - 0.011	.2688	----	----	----	----	2 UNCH
8300	----	----	----/*0.993A	0.878B/*0.993A	----	1.019 - 0.029	.2292	----	----	----	----	5 UNCH
9000	----	----	----	0.264B/*0.339A	----	0.272 - 0.029	.0696	----	----	----	----	1 UNCH
9200	----	----	----	0.133B/*0.264A	----	0.203 - 0.015	.0517	----	----	----	----	4 UNCH
10000	----	----	----	0.029B/*0.173A	----	0.101 + 0.023	.0230	----	----	----	----	1 UNCH
TOTAL										4	0	27 + 2
SO2 PUT		SILVER OPTIONS										
MAY26												
6500	0.490	0.490	#0.490/*0.329A	#0.490/0.329A	----	0.296 NEW	.0636	----	----	1	----	1 + 1
7400	----	----	#2.743B/1.839A	#2.743B/1.839A	----	1.845 NEW	.3293	----	----	1	----	1 + 1
7600	----	----	#3.359B/2.641A	#3.359B/2.641A	----	2.642 NEW	.4307	----	----	1	----	1 + 1
7800	----	----	----/3.926A	3.773B/3.926A	----	3.651 - 0.740	.5370	----	----	----	----	1 UNCH
8000	----	----	----/5.306A	4.538B/5.306A	----	4.874 - 0.831	.6397	----	----	----	----	9 UNCH
TOTAL										3	0	13 + 3
SO3 CALL		SILVER OPTIONS										
MAY26												
7600	----	----	#3.966B/*3.453A	3.966B/*3.453A	----	4.089 + 0.154	.5651	----	----	----	----	5 UNCH
7700	----	----	3.476B/*3.056A	3.476B/*3.056A	----	3.578 NEW	.5201	----	----	55	----	50 + 50
7850	----	----	----/*2.572A	2.776B/*2.572A	----	2.903 + 0.053	.4529	----	----	----	----	2 UNCH
8100	----	----	----/*1.878A	1.924B/*1.878A	----	2.015 - 0.004	.3478	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 66

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO3 CALL		SILVER OPTIONS										
MAY26												
9000	----	----	----	0.475B/*0.664A	----	0.576 - 0.005	.1179	----	----	----	----	5 UNCH
9100	----	----	----	0.408B/*0.586A	----	0.515 UNCH	.1056	----	----	----	----	2 UNCH
TOTAL										55	0	66 + 50
SO3 PUT		SILVER OPTIONS										
MAY26												
7200	2.204	2.204	#2.408B/1.773A	#2.408B/1.773A	----	1.676 NEW	.2689	----	----	10	----	10 + 10
7700	----	----	#4.954B/3.803A	#4.954B/3.803A	----	3.637 NEW	.4797	----	----	55	----	50 + 50
7850	----	----	----/4.662A	5.061B/4.662A	----	4.460 - 0.825	.5470	----	----	----	----	2 UNCH
TOTAL										65	0	62 + 60
SO4 CALL		SILVER OPTIONS										
APR26												
7500	1.165	1.165	1.450B/*0.420	1.450B/*0.420	----	1.414 NEW	----	9	----	13	----	0 UNCH
7525	0.580	0.580	0.850/*0.466A	0.850/*0.466A	----	1.164 NEW	----	1	----	2	----	0 UNCH
7550	0.310	0.310	1.000/*0.310	1.000/*0.310	----	0.914 NEW	----	4	----	6	----	0 UNCH
7575	0.498	0.498	0.498/*0.370A	0.625B/*0.370A	----	0.664 NEW	----	10	----	10	----	0 UNCH
7600	0.310	0.310	0.310/*0.262A	0.519B/*0.262A	----	0.414 - 0.348	----	3	----	1	----	0 - 2
7620	0.101	0.101	#0.101/*0.101	0.410B/*0.101	----	0.214 NEW	----	1	----	1	----	0 UNCH
7625	0.200	0.200	0.200/*0.189A	0.388B/*0.189A	----	0.164 - 0.494	----	7	----	7	----	0 - 1
7650	0.550	0.550	0.550/*0.110	0.550/*0.110	----	0.000 NEW	----	----	----	24	----	0 UNCH
7660	----	----	----/*0.113A	0.251B/*0.113A	----	0.000 - 0.529	----	----	----	----	----	0 - 1
7700	0.309	0.309	0.309/*0.010	0.309/*0.010	----	0.000 - 0.405	----	----	----	26	----	0 - 5
7710	----	----	----/*0.074A	0.074B/*0.074A	----	0.000 - 0.378	----	----	----	----	----	0 - 1
7725	0.030	0.030	0.059/*0.001A	0.059/*0.001A	----	0.000 NEW	----	----	----	13	----	0 UNCH
7750	0.065	0.065	0.110/*0.001A	0.110/*0.001A	----	0.000 - 0.282	----	----	----	22	----	0 - 2
7775	0.050	0.050	0.062/*0.001A	0.062/*0.001A	----	0.000 NEW	----	----	----	27	----	0 UNCH
7790	0.202	0.202	0.202/*0.006	0.202/*0.006	----	0.000 NEW	----	----	----	2	----	0 UNCH
7800	0.075	0.075	0.091/*0.030	0.091/*0.030	----	0.000 - 0.191	----	----	----	11	----	0 - 28
7825	----	----	----/*0.100A	0.003B/*0.100A	----	0.000 - 0.156	----	----	----	----	----	0 - 4
7840	0.030	0.030	0.030/*0.030	0.030/*0.030	----	0.000 - 0.138	----	----	----	1	----	0 - 1
7850	0.015	0.015	0.015/*0.002	0.020B/*0.002	----	0.000 - 0.127	----	----	----	4	----	0 - 31
7900	0.052	0.052	0.054/*0.005	0.054/*0.005	----	0.000 - 0.082	----	----	----	7	----	0 - 19
7950	----	----	----	0.001B/0.109A	----	0.000 - 0.050	----	----	----	----	----	0 - 2
8000	0.035	0.035	0.035/*0.020	0.035/*0.020	----	0.000 - 0.030	----	----	----	18	----	0 - 17
8025	----	----	----	----/0.114A	----	0.000 - 0.023	----	----	----	----	----	0 - 7
8075	0.010	0.010	0.010/*0.005	0.013B/*0.005	----	0.000 - 0.014	----	----	----	2	----	0 - 4
8090	0.020	0.020	#0.020/*0.002A	0.020/*0.002A	----	0.000 NEW	----	----	----	1	----	0 UNCH
8100	----	----	----/*0.001A	----/*0.001A	----	0.000 - 0.010	----	----	----	----	----	0 - 11
8125	----	----	----	----/0.115A	----	0.000 - 0.008	----	----	----	----	----	0 - 1
8150	----	----	----	----/0.108A	----	0.000 - 0.006	----	----	----	----	----	0 - 2
8200	----	----	----	----/*0.006A	----	0.000 - 0.004	----	----	----	----	----	0 - 43
8225	----	----	----	----/*0.087A	----	0.000 - 0.003	----	----	----	----	----	0 - 2
8250	----	----	----	----/0.080A	----	0.000 - 0.002	----	----	----	----	----	0 - 8
8300	----	----	----	----/*0.080A	----	0.000 - 0.002	----	----	----	----	----	0 - 14
8400	----	----	----	----/*0.083A	----	0.000 - 0.001	----	----	----	----	----	0 - 18
8500	----	----	----	----/0.082A	----	0.000 - 0.001	----	----	----	----	----	0 - 12
8600	----	----	----	----/*0.077A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
8650	----	----	----	----/*0.076A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
8700	----	----	----	----/*0.076A	----	0.000 NEW	----	----	----	5	----	0 UNCH
9000	0.005	0.005	0.005/*0.005	0.005/*0.005	----	0.000 - 0.001	----	----	----	2	----	0 - 3
9100	----	----	----	----/0.076A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
9200	----	----	----	----/*0.075A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
9500	----	----	----	----/0.074A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
10000	----	----	----	----/0.073A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
TOTAL										205	0	0 - 252
SO4 PUT		SILVER OPTIONS										
APR26												
6000	----	----	----	----/0.074A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
6125	----	----	----	----/*0.075A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
6400	----	----	----	----/*0.076A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
6500	----	----	----	----/0.076A	----	0.000 - 0.002	----	----	----	----	----	0 - 11
6700	----	----	----	----/*0.083A	----	0.000 - 0.005	----	----	----	----	----	0 - 2
6825	0.030	0.030	0.030/*0.030	0.030/*0.030	----	0.000 NEW	----	----	----	1	----	0 UNCH
6900	----	----	----	----/0.082A	----	0.000 - 0.017	----	----	----	----	----	0 - 2
6975	----	----	----	----/*0.088A	----	0.000 - 0.029	----	----	----	----	----	0 - 1
7000	0.025	0.025	0.025/*0.001	0.025/*0.001	----	0.000 - 0.034	----	----	----	3	----	0 - 54
7100	----	----	----	0.002B/0.100A	----	0.000 - 0.067	----	----	----	----	----	0 - 1
7150	0.105	0.105	0.105/*0.001A	0.105/*0.001A	----	0.000 NEW	----	----	----	12	----	0 UNCH
7190	----	----	----/*0.050A	0.018B/*0.050A	----	0.000 - 0.124	----	----	----	----	----	0 - 1
7200	0.095	0.095	0.102/*0.001A	0.102/*0.001A	----	0.000 - 0.133	----	----	----	3	----	0 - 24
7250	----	----	----/*0.100A	0.096B/*0.100A	----	0.000 - 0.183	----	----	----	----	----	0 - 2
7290	0.006	0.006	0.006/*0.006	0.178B/*0.006	----	0.000 - 0.236	----	----	----	1	----	0 - 1
7300	0.176	0.176	0.223B/*0.108A	0.223B/*0.108A	----	0.000 - 0.251	----	----	----	7	----	0 - 9
7330	0.070	0.070	0.070/*0.069A	0.288B/*0.069A	----	0.000 - 0.301	----	----	----	1	----	0 - 1
7350	0.002	0.002	0.354B/*0.002	0.354B/*0.002	----	0.000 - 0.340	----	----	----	1	----	0 - 2
7400	0.320	0.320	0.590B/*0.005	0.590B/*0.005	----	0.000 - 0.454	----	----	----	33	----	0 - 28
7430	----	----	0.584B/*0.095A	0.584B/*0.095A	----	0.000 - 0.538	----	----	----	----	----	0 - 5
7475	0.624	0.624	0.624/*0.061	0.669B/*0.061	----	0.000 NEW	----	----	----	6	----	0 UNCH
7500	0.565	0.565	0.730/*0.093	0.730/*0.093	----	0.000 - 0.780	----	----	----	20	----	0 - 20
7525	----	----	----/*0.098A	0.527B/*0.098A	----	0.000 - 0.884	----	----	----	----	----	0 - 5
7540	----	----	----/*0.135A	0.553B/*0.135A	----	0.000 - 0.952	----	----	----	----	----	0 - 1
7550	----	----	----/*0.145A	0.607B/*0.145A	----	0.000 - 0.999	----	----	----	----	----	0 - 11
7580	----	----	----/*0.182A	0.592B/*0.182A	----	0.000 - 1.150	----	----	----	----	----	0 - 1
7600	1.040	1.040	1.213/*0.150	1.213/*0.150	----	0.000 - 1.258	----	----	----	17	----	0 - 24
7625	1.000	1.000	1.000/*0.365A	1.000/*0.365A	----	0.000 - 1.404	----	----	----	1	----	0 - 3
7660	----	----	----/*0.623A	0.055B/*0.623A	----	0.186 - 1.439	----	1	----	----	----	0 - 1
7675	----	----	----	----/1.873A	----	0.336 - 1.389	----	2	----	----	----	0 - 2
7680	----	----	----	----/2.653A	----	0.386 - 1.374	----	22	----	----	----	0 - 22
7700	1.835	1.835	1.990/*0.500	1.990/*0.500	----	0.586 - 1.315	----	40	----	55	----	0 - 79
7710	----	----	----	----/3.165A	----	0.686 - 1.288	----	1	----	----	----	0 - 1
7720	----	----	----	----/4.257A	----	0.786 - 1.262	----	1	----	----	----	0 - 1
7750	----	----	----	----/4.843A	----	1.086 - 1.192	----	4	----	----	----	0 - 4
7800	2.370	2.370	3.190/2.293A	3.190/2.293A	----	1.586 - 1.101	----	18	----	15	----	0 - 30
7825	----	----	----	----	----	1.836 - 1.066	----	5	----	----	----	0 - 5
7840	3.850	3.850	#3.850/3.850	#3.850/3.850	----	1.986 - 1.048	----	----	----	1	----	0 - 1
7850	2.730	2.730	2.780/2.730	2.780/2.730	----	2.086 - 1.037	----	2	----	4	----	0 - 6
7900	3.842	3.842	#3.842/2.500	3.842/2.500	----	2.586 - 0.992	----	8	----	6	----	0 - 10
7950	----	----	----	----	----	3.086 - 0.960	----	1	----	----	----	0 - 1
8000	4.588	4.588	#4.826/4.588	4.826/4.569A	----	3.586 - 0.940	----	2	----	4	----	0 - 4
8100	----	----	----	----	----	4.586 - 0.920	----	4	----	----	----	0 - 4
8125	----	----	----	----	----	4.836 - 0.918	----	2	----	----	----	0 - 2
8200	6.623	6.623	#6.821/6.623	#6.821/6.576A	----	5.586 - 0.914	----	----	----	2	----	0 - 2
TOTAL										193	0	0 - 388
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
APR26												
6000	----	----	----	----	----	16.940 + 0.877	.9998	----	----	----	----	1 UNCH
6750	0.111	0.111	0.111/*0.111	0.111/*0.111	----	0.054 NEW	.0170	----	----	1	----	1 + 1
6870	0.200	0.200	#0.200/*0.164A	#0.200/*0.164A	----	0.091 NEW	.0298	----	----	1	----	1 + 1
6900	----	----	----/*0.169A	0.235B/*0.169A	----	0.103 - 0.144	.0340	----	----	----	----	2 UNCH
7000	0.626	0.626	0.626/*0.159	0.626/*0.159	----	0.153 NEW	.0518	----	----	2	----	0 UNCH
7300	----	----	1.086B/*0.458A	1.086B/*0.458A	----	0.438 - 0.394	.1553	----	----	----	----	1 UNCH
7400	----	----	1.488B/0.641A	1.488B/0.641A	----	0.619 - 0.487	.2172	----	----	----	----	1 UNCH
7450	----	----	1.686B/0.780A	1.686B/0.780A	----	0.735 - 0.536	.2547	----	----	----	----	2 UNCH
7500	----	----	1.829B/0.903A	1.829B/0.903A	----	0.871 - 0.587	.2965	----	----	----	----	1 UNCH
7525	----	----	1.821B/0.999A	1.821B/0.999A	----	0.947 - 0.612	.3189	----	----	----	----	4 UNCH
7600	----	----	1.911B/1.247A	1.911B/1.247A	----	1.210 - 0.689	.3915	----	----	----	----	1 UNCH
7600	1.860	1.860	#1.860/*1.479A	1.860/*1.479A	----	2.149 NEW	.6084	----	----	2	----	2 + 2
7650	----	----	----/*1.323A	1.593B/*1.323A	----	1.857 + 0.142	.5566	----	----	----	----	16 UNCH
7660	----	----	----/*1.288A	1.591B/*1.288A	----	1.801 + 0.132	.5460	----	----	----	----	22 UNCH
7730	----	----	----/2.149A	1.723B/2.149A	----	1.804 - 0.809	.5291	----	----	----	----	17 UNCH
7730	1.100	1.100	1.100/*1.050	1.288B/*1.050	----	1.444 + 0.071	.4708	----	----	20	----	20 + 17
8000	----	----	----	----/21.011A	----	3.590 - 0.963	.7883	----	----	----	----	1 UNCH
8000	0.555	0.555	0.555/0.487A	0.555/0.487A	----	0.531 - 0.084	.2116	----	----	10	----	11 + 10
8200	----	----	----/*0.252A	0.131B/*0.252A	----	0.220 - 0.116	.0937	----	----	----	----	2 UNCH
8300	----	----	----/*0.185A	0.069B/*0.185A	----	0.145 - 0.106	.0613	----	----	----	----	5 UNCH
8700	----	----	----	0.001B/*0.116A	----	0.035 - 0.054	.0128	----	----	----	----	1 UNCH
8800	----	----	----	0.001B/*0.110A	----	0.026 - 0.045	.0090	----	----	----	----	1 UNCH
TOTAL										36	0	113 + 31
MAY26												
6000	----	----	----	0.048B/0.157A	----	0.070 - 0.043	.0158	----	----	----	----	15 UNCH
7400	----	----	#2.437B/1.542A	#2.437B/1.542A	----	1.504 - 0.433	.3116	----	----	----	----	1 UNCH
7825	----	----	1.894B/*1.726A	1.894B/*1.726A	----	2.064 + 0.173	.4354	----	----	----	----	1 UNCH
7875	----	----	----/*1.583A	1.703B/*1.583A	----	1.862 + 0.143	.4051	----	----	----	----	1 UNCH
8200	0.800	0.800	0.804B/*0.800	0.804B/*0.800	----	0.913 + 0.001	.2331	----	----	1	----	2 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 67

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
MAY26												
8500	0.500	0.500	0.500/*0.500	0.500/*0.500	----	0.466 - 0.049	.1293	----	----	5	----	6 + 5
8700	----	----	----/*0.350A	0.213B/*0.350A	----	0.307 - 0.053	.0872	----	----	----	----	1 UNCH
10000	----	----	----	0.001B/*0.142A	----	0.050 - 0.003	.0125	----	----	----	----	5 UNCH
TOTAL										6	0	32 + 6
TWS TUE		SILVER WEEKLY TUESDAY OPTION Week4										
APR26												
6750	0.140	0.140	0.140/*0.121A	0.140/*0.121A	----	0.032 NEW	.0095	----	----	1	----	1 + 1
6800	0.068	0.068	0.068/*0.068	0.068/*0.068	----	0.040 - 0.085	.0123	----	----	1	----	3 + 1
6875	----	----	----/*0.134A	0.083B/*0.134A	----	0.056 NEW	.0181	----	----	1	----	1 + 1
7000	----	----	----/*0.155A	0.206B/*0.155A	----	0.098 - 0.162	.0339	----	----	1	----	0 - 1
7200	----	----	0.550B/*0.245A	0.550B/*0.245A	----	0.201 NEW	.0779	----	----	1	----	1 + 1
7400	----	----	1.217B/*0.472A	1.217B/*0.472A	----	0.436 NEW	.1785	----	----	1	----	1 + 1
7550	0.824	0.824	1.547B/0.824	1.547B/0.824	----	0.795 NEW	.3157	----	----	25	----	25 + 25
7610	----	----	----/*1.231A	1.314B/*1.231A	----	1.845 + 0.091	.6143	----	----	----	----	22 UNCH
7620	----	----	----/*1.106A	1.442B/1.106A	----	1.045 - 0.799	.3979	----	----	----	----	22 UNCH
7675	----	----	----/1.362A	1.358B/1.362A	----	1.285 - 0.849	.4674	----	----	----	----	1 UNCH
7730	----	----	----/*0.849A	1.007B/*0.849A	----	1.206 - 0.009	.4615	----	----	----	----	7 UNCH
7730	----	----	----/1.921A	1.259B/1.921A	----	1.566 - 0.889	.5384	----	----	----	----	8 UNCH
7750	----	----	----/*0.799A	0.922B/*0.799A	----	1.117 - 0.022	.4360	----	----	----	----	3 UNCH
7880	0.570	0.570	#0.570/*0.544A	0.570/*0.544A	----	0.663 NEW	.2836	----	----	1	----	1 + 1
7975	----	----	----/*0.398A	0.245B/*0.398A	----	0.444 - 0.073	.1962	----	----	----	----	4 UNCH
8000	0.250	0.250	0.250/*0.220	0.250/*0.220	----	0.399 - 0.072	.1770	----	----	3	----	0 - 3
8250	----	----	----/*0.150A	0.004B/*0.150A	----	0.138 - 0.043	.0589	----	----	----	----	1 UNCH
8300	----	----	----/*0.134A	0.003B/*0.134A	----	0.112 - 0.037	.0469	----	----	----	----	2 UNCH
8400	0.045	0.045	0.045/*0.045	0.045/*0.045	----	0.073 NEW	.0292	----	----	1	----	1 + 1
8500	----	----	----	0.001B/*0.111A	----	0.046 NEW	.0175	----	----	1	----	1 + 1
TOTAL										37	0	105 + 29
MAY26												
7200	----	----	1.476B/0.869A	1.476B/0.869A	----	0.857 - 0.314	.2038	----	----	----	----	1 UNCH
7700	2.831	2.831	3.090B/*2.729A	3.090B/*2.729A	----	2.959 NEW	.5156	----	----	2	----	1 + 1
7700	----	----	----/2.599A	3.126B/2.599A	----	2.521 NEW	.4884	----	----	----	75	75 + 75
7800	----	----	----	0.050B/*9.660A	----	4.989 + 1.547	.5036	----	----	----	----	3 UNCH
7825	----	----	----/3.640A	3.012B/3.640A	----	3.187 - 0.692	.5721	----	----	----	----	20 UNCH
9200	0.310	0.310	0.310/*0.310	0.310/*0.310	----	0.262 NEW	.0637	----	----	1	----	1 + 1
9750	----	----	----	0.085B/*0.239A	----	0.176 + 0.014	.0394	----	----	----	----	1 UNCH
10500	----	----	----	0.069B/*0.185A	----	0.133 + 0.031	.0261	----	----	----	----	1 UNCH
TOTAL										3	75	103 + 77

COPPER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HMW MON		COPPER WEEKLY MONDAY OPTION WEEK1										
MAY26												
465	----	----	----	----/0.0065A	----	0.0005 UNCH	.0000	----	----	----	----	14 UNCH
490	----	----	----	----/0.0085A	----	0.0005 UNCH	.0025	----	----	----	----	14 UNCH
565	----	----	0.0185B/----	0.0185B/0.0210A	----	0.0185 + 0.0055	.0966	----	----	----	----	2 UNCH
570	----	----	0.0240B/----	0.0240B/0.0250A	----	0.0230 + 0.0070	.1191	----	----	----	----	1 UNCH
580	----	----	0.0150B/----	0.0150B/0.0200A	----	0.0165 + 0.0055	.1139	----	----	----	----	1 UNCH
585	----	----	0.0225B/----	0.0225B/0.0255A	----	0.0220 + 0.0075	.1510	----	----	----	----	1 UNCH
586	----	----	0.0540B/----	0.0540B/0.0495A	----	0.0475 + 0.0125	.2292	----	----	----	----	1 UNCH
590	----	----	0.0660B/----	0.0660B/0.0590A	----	0.0570 + 0.0140	.2671	----	----	----	----	1 UNCH
600	----	----	0.1340B/----	0.1340B/0.1200A	----	0.1210 + 0.0220	.3987	----	----	----	----	3 UNCH
606	----	----	0.1325B/----	0.1325B/0.1150A	----	0.1165 + 0.0235	.4536	----	----	----	----	4 UNCH
606	----	----	----/0.1345A	0.1500B/0.1345A	----	0.1450 - 0.0305	.5459	----	----	----	----	4 UNCH
615	----	----	0.2105B/----	0.2105B/0.1925A	----	0.1970 + 0.0285	.5471	----	----	----	----	4 UNCH
615	----	----	0.1800B/----	0.1800B/0.1610A	----	0.1655 + 0.0280	.5649	----	----	----	----	4 UNCH
615	----	----	----/*0.1280A	0.1410B/*0.1280	----	0.1355 - 0.0255	.4522	----	----	----	----	4 UNCH
615	----	----	----/0.0970A	0.1080B/0.0970A	----	0.1040 - 0.0260	.4346	----	----	----	----	4 UNCH
630	----	----	----/*0.0800A	0.0860B/*0.0800	----	0.0825 - 0.0210	.3150	----	----	----	----	29 UNCH
TOTAL												91
JUN26												
640	----	----	----/*0.0935A	0.1020B/*0.0935	----	0.0975 - 0.0140	.2972	----	----	----	----	3 UNCH
675	----	----	----/*0.0390A	0.0405B/*0.0390	----	0.0390 - 0.0105	.1381	----	----	----	----	3 UNCH
TOTAL												6
HWR THU		COPPER WEEKLY THURSDAY OPT Week5										
APR26												
465	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	21 UNCH
550	----	----	----	----/0.0095A	----	0.0030 + 0.0005	.0169	----	----	----	----	4 UNCH
592	----	----	0.0230B/----	0.0230B/0.0255A	----	0.0230 + 0.0095	.1802	----	----	----	----	3 UNCH
598	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
599	----	----	0.0430B/----	0.0430B/0.0400A	----	0.0385 + 0.0140	.2881	----	----	----	----	1 UNCH
601	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
605	----	----	----	----	----	0.0315 UNCH	----	----	----	----	----	0 UNCH
607	----	----	0.0800B/----	0.0800B/0.0675A	----	0.0675 + 0.0195	.4526	----	----	----	----	1 UNCH
609	----	----	----	----	----	0.0085 UNCH	----	----	----	----	----	0 UNCH
609	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
610	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
640	----	----	----/*0.0125A	0.0045B/*0.0125	----	0.0070 - 0.0070	.0602	----	----	----	----	24 UNCH
TOTAL												54
HWT TUE		COPPER WEEKLY TUESDAY OPTION Week4										
APR26												
465	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	21 UNCH
565	----	----	----	----/*0.0045A	----	0.0010 UNCH	.0068	----	----	----	----	1 UNCH
585	----	----	----	0.0025B/0.0115A	----	0.0050 + 0.0005	.0482	----	----	----	----	1 UNCH
589	----	----	----	0.0060B/0.0130A	----	0.0080 + 0.0015	.0791	----	----	----	----	2 UNCH
600	----	----	0.0265B/----	0.0265B/0.0260A	----	0.0225 + 0.0085	.2370	----	----	----	----	1 UNCH
605	----	----	0.0480B/----	0.0480B/0.0405A	----	0.0370 + 0.0145	.3716	----	----	----	----	1 UNCH
607	----	----	----/*0.0580A	0.0695B/0.0580A	----	0.0635 NEW	.5648	----	----	1	----	1 + 1
610	0.0500	0.0500	0.0500/0.0460A	0.0525B/0.0460A	----	0.0480 NEW	.4657	----	----	1	----	1 + 1
611	----	----	0.0830B/----	0.0830B/0.0660A	----	0.0650 + 0.0230	.5671	----	----	----	----	3 UNCH
630	----	----	----/*0.0120A	0.0025B/*0.0120	----	0.0050 - 0.0080	.0554	----	----	----	----	1 UNCH
660	----	----	----	----/0.0070A	----	0.0005 UNCH	.0001	----	----	----	----	1 UNCH
665	----	----	----	----/0.0070A	----	0.0005 UNCH	.0000	----	----	----	----	36 UNCH
TOTAL										2		70 + 2
MAY26												
490	----	----	----	----/0.0075A	----	0.0005 UNCH	.0006	----	----	----	----	14 UNCH
TOTAL												14
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
APR26												
465	----	----	----	----/0.0045A	----	0.0005 UNCH	----	----	----	----	----	21 UNCH
570	0.0040	0.0040	0.0040/*0.0040	0.0040/*0.0040	----	0.0030 NEW	.0228	----	----	1	----	1 + 1
580	----	----	0.0035B/----	0.0035B/0.0115A	----	0.0060 + 0.0030	.0510	----	----	----	----	1 UNCH
600	----	----	0.0350B/----	0.0350B/0.0350A	----	0.0305 + 0.0125	.2731	----	----	----	----	2 UNCH
604	----	----	----/*0.0810A	0.0955B/0.0810A	----	0.0915 NEW	.6335	----	----	1	----	1 + 1
613	----	----	0.1010B/----	0.1010B/0.0885A	----	0.0865 + 0.0240	.6075	----	----	----	----	7 UNCH
620	----	----	----/*0.0265A	0.0245B/*0.0265	----	0.0245 - 0.0205	.2330	----	----	----	----	1 UNCH
675	----	----	----	----/0.0055A	----	0.0005 UNCH	.0001	----	----	----	----	1 UNCH
TOTAL										2		35 + 2
MAY26												
455	----	----	----	----/0.0070A	----	0.0005 UNCH	.0000	----	----	----	----	21 UNCH
465	----	----	----	----/0.0070A	----	0.0005 UNCH	.0001	----	----	----	----	2 UNCH
475	----	----	----	----/0.0070A	----	0.0005 UNCH	.0003	----	----	----	----	2 UNCH
485	----	----	----	----/0.0075A	----	0.0005 UNCH	.0010	----	----	----	----	1 UNCH
500	----	----	----	----/0.0080A	----	0.0010 + 0.0005	.0046	----	----	----	----	2 UNCH
510	----	----	----	----/0.0085A	----	0.0015 + 0.0005	.0072	----	----	----	----	8 UNCH
520	----	----	----	----/0.0090A	----	0.0020 + 0.0005	.0101	----	----	----	----	1 UNCH
530	----	----	----	0.0005B/0.0100A	----	0.0030 + 0.0010	.0157	----	----	----	----	4 UNCH
540	----	----	----	0.0015B/0.0115A	----	0.0045 + 0.0015	.0244	----	----	----	----	10 UNCH
550	----	----	----	0.0040B/0.0120A	----	0.0065 + 0.0025	.0368	----	----	----	----	27 UNCH
550	----	----	----	----	----	0.5945 - 0.0515	.9630	----	----	----	----	3 UNCH
555	----	----	----	0.0050B/0.0130A	----	0.0080 + 0.0030	.0459	----	----	----	----	16 UNCH
556	----	----	0.0055B/----	0.0055B/0.0135A	----	0.0085 + 0.0035	.0487	----	----	----	----	1 UNCH
560	----	----	0.0070B/----	0.0070B/0.0140A	----	0.0095 + 0.0035	.0559	----	----	----	----	1 UNCH
562	----	----	0.0080B/----	0.0080B/0.0145A	----	0.0105 + 0.0040	.0618	----	----	----	----	20 UNCH
565	----	----	0.0095B/----	0.0095B/0.0155A	----	0.0120 + 0.0045	.0711	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
MAY26												
568	----	----	----/0.4280A	0.3185B/0.4280A	----	0.4215 - 0.0490	.9188	----	----	----	----	1 UNCH
575	----	----	0.0175B/----	0.0175B/0.0210A	----	0.0185 + 0.0070	.1118	----	----	----	----	1 UNCH
579	----	----	----/0.3375A	0.2930B/0.3375A	----	0.3205 - 0.0460	.8641	----	----	----	----	1 UNCH
584	----	----	0.0315B/----	0.0315B/0.0320A	----	0.0290 + 0.0095	.1726	----	----	----	----	24 UNCH
585	----	----	0.0345B/----	0.0345B/0.0335A	----	0.0310 + 0.0100	.1825	----	----	----	----	1 UNCH
590	----	----	0.0460B/----	0.0460B/0.0425A	----	0.0405 + 0.0120	.2315	----	----	----	----	17 UNCH
590	----	----	----/0.2100A	0.2220B/0.2100A	----	0.2290 - 0.0415	.7681	----	----	----	----	4 UNCH
600	----	----	0.0815B/----	0.0815B/0.0705A	----	0.0705 + 0.0190	.3598	----	----	----	----	1 UNCH
600	----	----	----/0.1465A	0.1615B/0.1465A	----	0.1590 - 0.0350	.6398	----	----	----	----	1 UNCH
607	----	----	----/0.1110A	0.1230B/0.1110A	----	0.1190 - 0.0300	.5364	----	----	----	----	1 UNCH
610	----	----	----/0.0975A	0.1085B/0.0975A	----	0.1040 - 0.0280	.4911	----	----	----	----	5 UNCH
614	----	----	----/0.0820A	0.0905B/0.0820A	----	0.0865 - 0.0255	.4315	----	----	----	----	1 UNCH
617	----	----	----/0.0715A	0.0785B/0.0715A	----	0.0745 - 0.0240	.3878	----	----	----	----	1 UNCH
624	----	----	----/0.0515A	0.0550B/0.0515A	----	0.0525 - 0.0200	.2952	----	----	----	----	16 UNCH
645	----	----	0.3475B/----	0.3475B/0.3945A	----	0.3785 + 0.0455	.8872	----	----	----	----	6 UNCH
660	----	----	----	0.0065B/*0.0130	----	0.0085 - 0.0040	.0555	----	----	----	----	1 UNCH
675	----	----	----	0.0020B/*0.0095	----	0.0045 - 0.0025	.0288	----	----	----	----	2 UNCH
695	----	----	----	----/0.0080A	----	0.0025 - 0.0015	.0148	----	----	----	----	20 UNCH
700	----	----	----	----/0.0075A	----	0.0020 - 0.0015	.0118	----	----	----	----	21 UNCH
710	----	----	----	----/0.0115A	----	0.0010 - 0.0010	.0060	----	----	----	----	2 UNCH
TOTAL												247
JUN26												
500	----	----	----	0.0060B/0.0185A	----	0.0100 + 0.0015	.0337	----	----	----	----	1 UNCH
555	----	----	0.0460B/----	0.0460B/0.0520A	----	0.0465 + 0.0060	.1476	----	----	----	----	2 UNCH
579	----	----	0.1015B/----	0.1015B/0.1020A	----	0.0970 + 0.0125	.2713	----	----	----	----	1 UNCH
580	----	----	0.1045B/----	0.1045B/0.1045A	----	0.1000 + 0.0130	.2777	----	----	----	----	5 UNCH
580	----	----	----/0.3695A	0.3890B/0.3695A	----	0.3875 - 0.0410	.7213	----	----	----	----	5 UNCH
595	----	----	0.1605B/----	0.1605B/0.1565A	----	0.1530 + 0.0175	.3801	----	----	----	----	5 UNCH
595	----	----	----/0.2775A	0.2920B/0.2775A	----	0.2910 - 0.0365	.6189	----	----	----	----	5 UNCH
606	----	----	0.2130B/----	0.2130B/0.2055A	----	0.2035 + 0.0210	.4608	----	----	----	----	3 UNCH
610	----	----	----/0.2035A	0.2135B/0.2035A	----	0.2125 - 0.0320	.5087	----	----	----	----	8 UNCH
650	----	----	----/0.0815A	0.0835B/0.0815A	----	0.0845 - 0.0210	.2543	----	----	----	----	6 UNCH
660	----	----	----/0.0640A	0.0645B/0.0640A	----	0.0670 - 0.0180	.2090	----	----	----	----	8 UNCH
700	----	----	----/*0.0290A	0.0210B/*0.0290	----	0.0265 - 0.0090	.0916	----	----	----	----	1 UNCH
TOTAL												50
JUL26												
600	----	----	----/0.3525A	0.3655B/0.3525A	----	0.3635 - 0.0365	.6037	----	----	----	----	12 UNCH
611	----	----	0.2805B/----	0.2805B/0.2750A	----	0.2705 + 0.0190	.4554	----	----	----	----	22 UNCH
612	----	----	0.2860B/----	0.2860B/0.2805A	----	0.2755 + 0.0190	.4609	----	----	----	----	5 UNCH
612	----	----	----/0.2945A	0.3045B/0.2945A	----	0.3025 - 0.0340	.5374	----	----	----	----	5 UNCH
614	----	----	0.2970B/----	0.2970B/0.2910A	----	0.2865 + 0.0200	.4719	----	----	----	----	0 UNCH
621	----	----	----/0.2565A	0.2650B/0.2565A	----	0.2630 - 0.0310	.4883	----	----	----	----	1 UNCH
TOTAL												45
HX CALL		COMEX COPPER OPTIONS										
MAY26												
525	0.7650	0.7650	0.7890B/0.7450A	0.7890B/0.7450A	----	0.7775 - 0.0545	.0000	----	----	10	----	9 - 1
530	----	----	----/0.6950A	0.7400B/0.6950A	----	0.7275 - 0.0545	.0000	----	----	----	----	274 UNCH
531	----	----	----/0.6850A	0.7250B/0.6850A	----	0.7175 - 0.0545	.0000	----	----	----	----	1 UNCH
532	----	----	----/0.6750A	0.7150B/0.6750A	----	0.7075 - 0.0545	.0000	----	----	----	----	1 UNCH
533	----	----	----/0.6650A	0.7050B/0.6650A	----	0.6975 - 0.0545	.0000	----	----	----	----	3 UNCH
534	----	----	----/0.6550A	0.6950B/0.6550A	----	0.6875 - 0.0545	.0000	----	----	----	----	4 UNCH
535	----	----	----/0.6450A	0.6850B/0.6450A	----	0.6775 - 0.0545	.0000	----	----	----	----	1 UNCH
536	----	----	----/0.6350A	0.6750B/0.6350A	----	0.6675 - 0.0545	.0000	----	----	----	----	1 UNCH
537	----	----	----/0.6255A	0.6650B/0.6255A	----	0.6575 - 0.0545	.0000	----	----	----	----	1 UNCH
539	----	----	----/0.6055A	0.6450B/0.6055A	----	0.6375 - 0.0545	.0000	----	----	----	----	1 UNCH
541	----	----	----/0.5855A	0.6295B/0.5855A	----	0.6175 - 0.0545	.0000	----	----	----	----	9 UNCH
542	----	----	----/0.5755A	0.6195B/0.5755A	----	0.6075 - 0.0545	.0000	----	----	----	----	12 UNCH
543	----	----	----/0.5655A	0.6055B/0.5655A	----	0.5975 - 0.0545	.0000	----	----	----	----	1 UNCH
544	----	----	----/0.5555A	0.5955B/0.5555A	----	0.5875 - 0.0545	.0000	----	----	----	----	2 UNCH
545	----	----	----/0.5455A	0.5895B/0.5455A	----	0.5775 - 0.0545	.0000	----	----	----	----	14 UNCH
546	----	----	----/0.5355A	0.5795B/0.5355A	----	0.5675 - 0.0545	.9999	----	----	----	----	7 UNCH
547	----	----	----/0.5255A	0.5655B/0.5255A	----	0.5575 - 0.0545	.9999	----	----	----	----	1 UNCH
548	----	----	----/0.5155A	0.5590B/0.5155A	----	0.5475 - 0.0545	.9999	----	----	----	----	27 UNCH
549	----	----	----/0.5060A	0.5455B/0.5060A	----	0.5375 - 0.0545	.9999	1	----	----	----	3 - 1
550	----	----	----/0.4960A	0.5400B/0.4960A	----	0.5275 - 0.0545	.9999	24	----	4	----	422 - 27
551	----	----	----/0.4860A	0.5300B/0.4860A	----	0.5175 - 0.0545	.9998	----	----	----	----	11 UNCH
552	----	----	----/0.4760A	0.5195B/0.4760A	----	0.5075 - 0.0545	.9998	1	----	----	----	17 - 1
553	----	----	----/0.4660A	0.5095B/0.4660A	----	0.4975 - 0.0545	.9997	----	----	----	----	19 UNCH
554	----	----	----/0.4560A	0.5000B/0.4560A	----	0.4875 - 0.0545	.9996	----	----	----	----	7 UNCH
555	----	----	----/0.4465A	0.4900B/0.4465A	----	0.4775 - 0.0545	.9995	----	----	----	----	108 UNCH
556	----	----	----/0.4365A	0.4800B/0.4365A	----	0.4675 - 0.0545	.9994	----	----	----	----	26 UNCH
557	----	----	----/0.4265A	0.4700B/0.4265A	----	0.4575 - 0.0545	.9992	----	----	----	----	14 UNCH
558	----	----	----/0.4165A	0.4595B/0.4165A	----	0.4475 - 0.0545	.9990	----	----	----	----	15 UNCH
559	----	----	----/0.4065A	0.4505B/0.4065A	----	0.4375 - 0.0545	.9988	----	----	----	----	14 UNCH
560	0.4250	0.4250	0.4400B/0.3965A	0.4400B/0.3965A	----	0.4275 - 0.0545	.9984	----	----	4	----	863 - 3
561	----	----	----/0.3870A	0.4300B/0.3870A	----	0.4175 - 0.0545	.9980	----	----	----	----	14 UNCH
562	----	----	----/0.3770A	0.4205B/0.3770A	----	0.4075 - 0.0545	.9975	----	----	----	----	7 UNCH
563	----	----	----/0.3675A	0.4105B/0.3675A	----	0.3975 - 0.0545	.9970	----	----	----	----	16 UNCH
564	----	----	----/0.3575A	0.4010B/0.3575A	----	0.3880 - 0.0540	.9937	----	----	----	----	23 UNCH
565	----	----	----/0.3475A	0.3915B/0.3475A	----	0.3780 - 0.0540	.9936	----	----	----	----	202 UNCH
566	----	----	----/0.3380A	0.3800B/0.3380A	----	0.3680 - 0.0540	.9934	----	----	----	----	12 UNCH
567	----	----	----/0.3280A	0.3700B/0.3280A	----	0.3585 - 0.0535	.9899	----	----	----	----	10 UNCH
568	----	----	----/0.3180A	0.3610B/0.3180A	----	0.3485 - 0.0535	.9897	----	----	----	----	59 UNCH
569	----	----	----/0.3085A	0.3510B/0.3085A	----	0.3390 - 0.0530	.9860	----	----	----	----	108 UNCH
570	----	----	----/0.2985A	0.3415B/0.2985A	----	0.3290 - 0.0530	.9856	----	----	1	----	552 - 1
571	0.3150	0.3150	0.3315B/0.2890A	0.3315B/0.2890A	----	0.3190 - 0.0535	.9818	----	----	6	----	26 - 5
572	----	----	----/0.2790A	0.3215B/0.2790A	----	0.3095 - 0.0530	.9812	----	----	----	----	29 UNCH
573	----	----	----/0.2695A	0.3120B/0.2695A	----	0.2995 - 0.0530	.9772	----	----	----	----	35 UNCH
574	----	----	----/0.2595A	0.3020B/0.2595A	----	0.2900 - 0.0525	.9764	----	----	----	----	17 UNCH
575	----	----	----/0.2495A	0.2930B/0.2495A	----	0.2805 - 0.0520	.9721	----	----	----	----	506 UNCH
576	----	----	----/0.2400A	0.2825B/0.2400A	----	0.2705 - 0.0525	.9712	----	----	----	----	113 UNCH
577	----	----	----/0.2300A	0.2735B/0.2300A	----	0.2610 - 0.0520	.9665	----	----	----	----	52 UNCH
578	----	----	----/0.2205A	0.2630B/0.2205A	----	0.2515 - 0.0515	.9617	----	----	----	----	15 UNCH
579	----	----	----/0.2110A	0.2535B/0.2110A	----	0.2420 - 0.0510	.9567	----	----	----	----	9 UNCH
580	----	----	----/0.2010A	0.2435B/0.2010A	----	0.2325 - 0.0510	.9514	----	----	----	----	508 UNCH
581	----	----	----/0.1915A	0.2300B/0.1915A	----	0.2225 - 0.0510	.9495	----	----	----	----	4 UNCH
582	----	----	----/0.1820A	0.2250B/0.1820A	----	0.2125 - 0.0515	.9475	----	----	----	----	7 UNCH
583	----	----	----/0.1725A	0.2150B/0.1725A	----	0.2025 - 0.0515	.9453	----	----	----	----	63 UNCH
584	----	----	----/0.1630A	0.2045B/0.1630A	----	0.1930 - 0.0510	.9389	----	----	----	----	43 UNCH
585	----	----	----/0.1540A	0.1960B/0.1540A	----	0.1830 - 0.0515	.9362	----	----	----	----	147 UNCH
586	----	----	----/0.1445A	0.1865B/0.1445A	----	0.1730 - 0.0515	.9290	----	----	----	----	13 UNCH
587	----	----	----/0.1355A	0.1765B/0.1355A	----	0.1635 - 0.0510	.9255	----	----	----	----	8 UNCH
588	----	----	----/0.1270A	0.1625B/0.1270A	----	0.1540 - 0.0505	.9173	----	----	----	----	3 UNCH
589	0.1540	0.1540	0.1540/0.1185A	0.1570B/0.1185A	----	0.1445 - 0.0505	.9084	----	----	6	----	18 UNCH
590	----	----	----/0.1095A	0.1480B/0.1095A	----	0.1350 - 0.0500	.8987	----	----	1	----	964 - 1
591	0.1320	0.1320	0.1380B/0.1020A	0.1380B/0.1020A	----	0.1255 - 0.0500	.8882	----	----	3	----	63 - 3
592	----	----	----/0.0945A	0.1255B/0.0945A	----	0.1165 - 0.0495	.8723	----	----	----	----	2 UNCH
593	----	----	----/0.0875A	0.1195B/0.0875A	----	0.1075 - 0.0490	.8551	----	----	----	----	16 UNCH
594	0.1070	0.1070	0.1105B/0.0805A	0.1105B/0.0805A	----	0.0985 - 0.0485	.8366	----	----	3	----	20 UNCH
595	0.0820	0.0820	0.1015B/0.0735A	0.1015B/0.0735A	----	0.0900 - 0.0480	.8123	----	----	8	----	788 - 4
596	----	----	----/0.0680A	0.0920B/0.0680A	----	0.0820 - 0.0470	.7827	----	----	----	----	1 UNCH
597	----	----	----/0.0625A	0.0850B/0.0625A	----	0.0745 - 0.0460	.7483	----	----	----	----	17 UNCH
598	----	----	----/0.0530A	0.0775B/0.0530A	----	0.0670 - 0.0450	.7099	----	----	----	----	31 UNCH
599	----	----	----/0.0485A	0.0705B/0.0485A	----	0.0605 - 0.0435	.6704	----	----	3	----	4 - 2
600	0.0515	0.0515	0.0585/0.0440A	0.0640B/0.0440A	----	0.0540 - 0.0420	.6277	----	----	24	----	1180 - 23
601	----	----	----/0.0395A	0.0605B/0.0395A	----	0.0485 - 0.0400	.5815	----	----	----	----	5 UNCH
602	0.0470	0.0470	0.0470/0.0365A	0.0565B/0.0365A	----	0.0430 - 0.0385	.5354	----	----	1	----	7 + 1
603	0.0500	0.0500	0.0500/0.0320A	0.0520B/0.0320A	----	0.0380 - 0.0370	.4888	----	----	9	----	17 - 7
604	0.0400	0.0400	0.0400/0.0290A	0.0470B/0.0290A	----	0.0340 - 0.0345	.4435	----	----	14	----	38 - 8
605	0.0340	0.0340	0.0340/0.0260A	0.0435B/0.0260A	----	0.0300 - 0.0325	.3995	----	----	4	----	229 - 3
606	0.0305	0.0305	0.0305/*0.0235A	0.0385B/*0.0235	----	0.0260 - 0.0310	.3559	----	----	5	----	12 - 4
607	0.0275	0.0275	0.0295/*0.0215A	0.0345B/*0.0215	----	0.0230 - 0.0285	.3169	----	----	18	----	23 - 12
608	0.0235	0.0235	0.0260/*0.0185A	0.0305B/*0.0185	----	0.0200 - 0.0270	.2791	----	----	18	----	61 - 10
609	----	----	----/*0.0165A	0.0265B/*0.0165	----	0.0175 - 0.0245	.2452	----	----	----	----	30 UNCH
610	0.0260	0.0260	0.0260/*0.0140A	0.0260/*0.0140A	----	0.0150 - 0.0230	.2123	----	----	21	240	845 - 250
611	----	----	----/*0.0130A	0.0205B/*0.0130	----	0.0130 - 0.0210	.1839	----	----	----	----	17 UNCH
612	----	----	----/*0.0115A	0.0180B/*0.0115	----	0.0115 - 0.0190	.1607	----	----	----	----	30 UNCH
613	----	----	----/*0.0105A	0.0160B/*0.0105	----	0.0100 - 0.0170	.1386	----	----	4	----	39 UNCH
614	0.0105	0.0105	0.0105/*0.0090	0.0125B/*0.0090	----	0.0085 - 0.0155	.1174	----	----	44	----	99 + 34
615	0.0090	0.0090	0.0115/*0.0065	0.0120B/*0.0065	----	0.0070 - 0.0140	.0969	----	----	7	----	723 - 5
616	----	----	----/*0.0070A	0.0090B/*0.0070	----	0.0060 - 0.0125	.0819	----	----	----	----	56 UNCH
617	0.0075	0.0075	0.0075/*0.0065A	0.0075/*0.0065A	----	0.0050 - 0.0115	.0676	----	----	2	----	99 UNCH
618	----	----	----/*0.0055A	0.0070B/*0.0055	----	0.0040 - 0.0105	.0537	----	----	----	----	146 UNCH
619	----	----	----/*0.0045A	0.0055B/*0.0045	----	0.0035 - 0.0090	.0457	----	----	----	----	298 UNCH
620	0.0065	0.0065	0.0065/*0.0040	0.0065/*0.0040	----	0.0030 - 0.0080	.0383	----	----	99	----	1170 - 29

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 69

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
MAY26												
621	----	----	----/*0.0035A	0.0040B/*0.0035	----	0.0025 - 0.0075	.0312	----	----	----	----	88 UNCH
622	----	----	----/*0.0030A	0.0030B/*0.0030	----	0.0020 - 0.0065	.0244	----	----	----	----	70 UNCH
623	----	----	----/*0.0030A	0.0025B/*0.0030	----	0.0020 - 0.0055	.0234	----	----	----	----	75 UNCH
624	----	----	----/*0.0025A	----/*0.0025A	----	0.0015 - 0.0050	.0172	----	----	----	----	65 UNCH
625	----	----	----/*0.0015A	----/*0.0015A	----	0.0015 - 0.0045	.0165	----	----	15	----	836 - 7
626	----	----	----/*0.0025A	----/*0.0025A	----	0.0010 - 0.0040	.0108	----	----	----	----	47 UNCH
627	----	----	----/*0.0020A	----/*0.0020A	----	0.0010 - 0.0035	.0103	----	----	----	----	36 UNCH
628	----	----	----/*0.0020A	----/*0.0020A	----	0.0010 - 0.0030	.0100	----	----	----	----	203 UNCH
629	----	----	----/*0.0020A	----/*0.0020A	----	0.0005 - 0.0030	.0048	----	----	----	----	121 UNCH
630	----	----	----/*0.0015A	0.0010B/*0.0015	----	0.0005 - 0.0025	.0036	----	----	----	----	832 UNCH
631	----	----	----/*0.0015A	----/*0.0015A	----	0.0005 - 0.0025	.0027	----	----	----	----	39 UNCH
632	----	----	----/*0.0010A	----/*0.0010A	----	0.0005 - 0.0020	.0020	----	----	----	----	6 UNCH
633	----	----	----/*0.0015A	----/*0.0015A	----	0.0005 - 0.0015	.0014	----	----	----	----	62 UNCH
634	----	----	----/*0.0010A	----/*0.0010A	----	0.0005 - 0.0015	.0010	----	----	----	----	48 UNCH
635	----	----	----/*0.0010A	----/*0.0010A	----	0.0005 - 0.0015	.0007	----	----	3	----	337 - 3
636	----	----	----/*0.0010A	----/*0.0010A	----	0.0005 - 0.0010	.0005	----	----	----	----	36 UNCH
637	----	----	----/*0.0010A	----/*0.0010A	----	0.0005 - 0.0010	.0004	----	----	----	----	8 UNCH
638	----	----	----	----/0.0015A	----	0.0005 - 0.0010	.0002	----	----	----	----	2 UNCH
639	----	----	----	----/0.0015A	----	0.0005 - 0.0005	.0002	----	----	----	----	29 UNCH
640	----	----	----	----/0.0015A	----	0.0005 - 0.0005	.0001	----	----	----	----	793 UNCH
641	----	----	----	----/0.0015A	----	0.0005 - 0.0005	.0000	----	----	----	----	9 UNCH
642	----	----	----	----/0.0015A	----	0.0005 - 0.0005	.0000	----	----	----	----	17 UNCH
643	----	----	----	----/0.0015A	----	0.0005 - 0.0005	.0000	----	----	----	----	9 UNCH
644	----	----	----	----/0.0015A	----	0.0005 - 0.0005	.0000	----	----	----	----	1 UNCH
645	----	----	----	----/0.0015A	----	0.0005 UNCH	.0000	----	----	----	----	91 UNCH
646	----	----	----	----/0.0015A	----	0.0005 UNCH	.0000	----	----	----	----	7 UNCH
647	----	----	----	----/0.0015A	----	0.0005 UNCH	.0000	----	----	----	----	3 UNCH
649	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	3 UNCH
650	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	2691 UNCH
655	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	123 UNCH
660	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	142 UNCH
665	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	24 UNCH
670	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	1069 UNCH
675	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	149 UNCH
680	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	1139 UNCH
685	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	13 UNCH
690	----	----	----	----/0.0035A	----	0.0005 UNCH	----	----	----	----	----	224 UNCH
695	----	----	----	----/0.0035A	----	0.0005 UNCH	----	----	----	----	----	96 UNCH
700	----	----	----	----/0.0010A	----	0.0005 UNCH	----	----	----	----	----	437 UNCH
705	----	----	----	----/0.0035A	----	0.0005 UNCH	----	----	----	----	----	14 UNCH
710	----	----	----	----/0.0035A	----	0.0005 UNCH	----	----	----	----	----	59 UNCH
715	----	----	----	----/0.0035A	----	0.0005 UNCH	----	----	----	----	----	44 UNCH
720	----	----	----	----/0.0035A	----	0.0005 UNCH	----	----	----	----	----	18 UNCH
725	----	----	----	----/0.0035A	----	0.0005 UNCH	----	----	----	----	----	93 UNCH
730	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	14 UNCH
735	----	----	----	----/0.0035A	----	0.0005 UNCH	----	----	----	----	----	5 UNCH
740	----	----	----	----/0.0035A	----	0.0005 UNCH	----	----	----	----	----	92 UNCH
745	----	----	----	----/0.0035A	----	0.0005 UNCH	----	----	----	----	----	34 UNCH
750	----	----	----	----/0.0010A	----	0.0005 UNCH	----	----	----	----	----	455 UNCH
755	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	2 UNCH
760	----	----	----	----/0.0035A	----	0.0005 UNCH	----	----	----	----	----	72 UNCH
765	----	----	----	----/0.0035A	----	0.0005 UNCH	----	----	----	----	----	4 UNCH
770	----	----	----	----/0.0035A	----	0.0005 UNCH	----	----	----	----	----	4 UNCH
775	----	----	----	----/0.0035A	----	0.0005 UNCH	----	----	----	----	----	47 UNCH
780	----	----	----	----/0.0035A	----	0.0005 UNCH	----	----	----	----	----	10 UNCH
785	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	3 UNCH
790	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	3 UNCH
795	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	5 UNCH
800	----	----	----	----/0.0010A	----	0.0005 UNCH	----	----	----	----	----	4120 UNCH
810	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	4040 UNCH
820	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	28 UNCH
825	----	----	----	----/0.0060A	----	0.0005 UNCH	----	----	----	----	----	91 UNCH
835	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
840	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	4 UNCH
850	----	----	----	----/0.0005A	----	0.0005 UNCH	----	----	----	----	----	62 UNCH
855	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	30 UNCH
860	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	4 UNCH
865	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	3 UNCH
870	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	4 UNCH
875	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
880	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	12 UNCH
890	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
900	----	----	----	----/0.0010A	----	0.0005 UNCH	----	----	----	----	----	73 UNCH
915	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
920	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	4 UNCH
925	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	10 UNCH
930	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
935	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
940	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	4 UNCH
945	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	10 UNCH
950	----	----	----	----/0.0005A	----	0.0005 UNCH	----	----	----	----	----	40 UNCH
TOTAL									240	337		31040 - 375
JUN26												
500	----	----	----	----	----	1.0950 - 0.0520	.9702	----	----	----	----	4 UNCH
510	----	----	----	----	----	0.9970 - 0.0515	.9624	----	----	----	----	1 UNCH
525	----	----	----	----	----	0.8510 - 0.0500	.9477	----	----	----	----	1 UNCH
535	----	----	----	----	----	0.7550 - 0.0495	.9319	----	----	----	----	2 UNCH
540	----	----	----/0.7110A	0.6905B/0.7110A	----	0.7075 - 0.0495	.9221	----	----	----	----	24 UNCH
545	----	----	----/0.6750A	0.6125B/0.6750A	----	0.6610 - 0.0485	.9094	----	----	----	----	2 UNCH
549	----	----	----/0.6365A	0.6165B/0.6365A	----	0.6240 - 0.0480	.8984	----	----	----	----	1 UNCH
550	----	----	----/0.6185A	0.6115B/0.6185A	----	0.6150 - 0.0480	.8950	----	----	----	----	5 UNCH
555	----	----	----/0.5825A	0.5640B/0.5825A	----	0.5700 - 0.0470	.8788	----	----	----	----	1 UNCH
556	----	----	----/0.5735A	0.5555B/0.5735A	----	0.5610 - 0.0470	.8752	----	----	----	----	1 UNCH
557	----	----	----/0.5565A	0.5480B/0.5565A	----	0.5520 - 0.0465	.8706	----	----	----	----	63 UNCH
559	----	----	----/0.5475A	0.5290B/0.5475A	----	0.5345 - 0.0460	.8634	----	----	----	----	4 UNCH
560	----	----	----/0.5305A	0.5215B/0.5305A	----	0.5255 - 0.0465	.8587	----	----	----	----	106 UNCH
562	----	----	----/0.5220A	0.5035B/0.5220A	----	0.5085 - 0.0455	.8503	----	----	----	----	1 UNCH
565	----	----	----/0.4970A	0.4780B/0.4970A	----	0.4830 - 0.0450	.8360	----	----	----	----	2 UNCH
568	----	----	----/0.4725A	0.4525B/0.4725A	----	0.4580 - 0.0440	.8206	----	----	----	----	3 UNCH
569	----	----	----/0.4645A	0.4450B/0.4645A	----	0.4500 - 0.0435	.8148	----	----	----	----	2 UNCH
570	----	----	----/0.4475A	0.4380B/0.4475A	----	0.4420 - 0.0430	.8091	----	----	----	----	21 UNCH
574	----	----	----/0.4255A	0.4050B/0.4255A	----	0.4100 - 0.0425	.7858	----	----	----	----	3 UNCH
575	----	----	----/0.3820A	0.4035B/0.3820A	----	0.4025 - 0.0415	.7792	----	----	----	----	149 UNCH
579	----	----	----/0.3885A	0.3665B/0.3885A	----	0.3725 - 0.0400	.7526	----	----	----	----	3 UNCH
580	----	----	----/0.3460A	0.3730B/0.3460A	----	0.3650 - 0.0400	.7460	----	----	----	----	45 UNCH
581	----	----	----/0.3745A	0.3520B/0.3745A	----	0.3580 - 0.0390	.7387	----	----	----	----	1 UNCH
582	----	----	----/0.3670A	0.3450B/0.3670A	----	0.3510 - 0.0385	.7319	----	----	----	----	1 UNCH
583	----	----	----/0.3600A	0.3375B/0.3600A	----	0.3440 - 0.0380	.7246	----	----	----	----	2 UNCH
584	----	----	----/0.3525A	0.3305B/0.3525A	----	0.3370 - 0.0380	.7173	----	----	----	----	3 UNCH
585	----	----	----/0.3120A	0.3370B/0.3120A	----	0.3300 - 0.0375	.7095	----	----	----	----	12 UNCH
586	----	----	----/0.3385A	0.3165B/0.3385A	----	0.3235 - 0.0365	.7022	----	----	----	----	1 UNCH
587	----	----	----/0.3320A	0.3100B/0.3320A	----	0.3165 - 0.0365	.6944	----	----	----	----	3 UNCH
588	----	----	----/0.3250A	0.3025B/0.3250A	----	0.3100 - 0.0360	.6870	----	----	----	----	4 UNCH
589	----	----	----/0.3185A	0.2965B/0.3185A	----	0.3035 - 0.0355	.6792	----	----	----	----	1 UNCH
590	----	----	----/0.2800A	0.3015B/0.2800A	----	0.2970 - 0.0350	.6714	----	----	----	----	82 UNCH
591	----	----	----/0.2855A	0.2835B/0.2855A	----	0.2905 - 0.0345	.6635	----	----	----	----	10 UNCH
594	----	----	----/0.2675A	0.2705B/0.2675A	----	0.2720 - 0.0335	.6393	----	----	----	----	3 UNCH
595	----	----	----/0.2460A	0.2695B/0.2460A	----	0.2660 - 0.0330	.6314	----	----	----	----	6 UNCH
596	----	----	----/0.2430A	0.2550B/0.2430A	----	0.2595 - 0.0330	.6233	----	----	----	----	3 UNCH
598	----	----	----/0.2320A	0.2430B/0.2320A	----	0.2480 - 0.0320	.6069	----	----	----	----	3 UNCH
599	----	----	----/0.2265A	0.2435B/0.2265A	----	0.2420 - 0.0320	.5984	----	----	----	----	1 UNCH
600	0.2200	0.2200	0.2430B/0.2200	0.2430B/0.2200	----	0.2360 - 0.0320	.5902	----	----	4	----	436 - 2
603	----	----	----/0.2010A	0.2260B/0.2010A	----	0.2195 - 0.0310	.5650	----	----	----	----	2 UNCH
604	----	----	----/0.1960A	0.2205B/0.1960A	----	0.2140 - 0.0305	.5565	----	----	----	----	14 UNCH
605	----	----	----/0.1910A	0.2155B/0.1910A	----	0.2090 - 0.0300	.5480	----	----	----	----	10 UNCH
606	0.1880	0.1880	0.1880/0.1860	0.2105B/0.1860	----	0.2035 - 0.0300	.5395	----	----	2	----	5 + 1
607	0.1870	0.1870	0.1870/0.1810A	0.2055B/0.1810A	----	0.1985 - 0.0300	.5310	----	----	36	----	77 + 35
608	0.1875	0.1875	0.1875/0.1760A	0.2005B/0.1760A	----	0.1935 - 0.0295	.5225	----	----	1	----	6 + 1
609	0.1770	0.1770	0.1770/0.1715	0.1955B/0.1715	----	0.1890 - 0.0290	.5140	----	----	10	----	16 + 5
610	0.1755	0.1755	0.1775/0.1675A	0.1905B/0.1675A	----	0.1840 - 0.0290	.5054	----	----	4	----	560 - 1
611	0.1740	0.1740	0.1740/0.1630	0.1860B/0.1630	----	0.1795 - 0.0285	.4970	----	----	4	----	9 + 4
612	0.1735	0.1735	0.1735/0.1595A	0.1815B/0.1595A	----	0.1750 - 0.0280	.4885	----	----	5	----	26 + 5
613	0.1690	0.1690	0.1690/0.1545A	0.1775B/0.1545A	----	0.1705 - 0.0275	.4801	----	----	3	----	52 + 3
614	0.1610	0.1610	0.1610/0.1515A	0.1730B/0.1515A	----	0.1660 - 0.0275	.4716	----	----	2	----	10 + 1
615	0.1575	0.1575	0.1605/0.1475A	0.1690B/0.1475A	----	0.1620 - 0.0270	.4634	----	----	3	----	867 UNCH
616	----	----	----/0.1435A	0.1645B/0.1435A	----	0.1575 - 0.0270	.4549	----	----	----	----	16 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
JUN26												
617	----	----	----/0.1400A	0.1605B/0.1400A	----	0.1535 - 0.0265	.4467	----	----	----	----	26 UNCH
618	----	----	----/0.1360A	0.1565B/0.1360A	----	0.1495 - 0.0260	.4385	----	----	----	----	16 UNCH
619	----	----	----/0.1330A	0.1525B/0.1330A	----	0.1455 - 0.0260	.4303	----	----	----	----	21 UNCH
620	----	----	----/0.1290A	0.1480B/0.1290A	----	0.1420 - 0.0250	.4223	----	----	----	----	575 UNCH
621	----	----	----/0.1250A	0.1440B/0.1250A	----	0.1380 - 0.0250	.4141	----	----	----	----	11 UNCH
622	----	----	----/0.1215A	0.1405B/0.1215A	----	0.1345 - 0.0245	.4063	----	----	----	----	7 UNCH
623	----	----	----/0.1190A	0.1370B/0.1190A	----	0.1310 - 0.0240	.3984	----	----	----	----	1 UNCH
624	----	----	----/0.1150A	0.1335B/0.1150A	----	0.1275 - 0.0240	.3906	----	----	----	----	3 UNCH
625	0.1195	0.1195	0.1195/0.1115A	0.1300B/0.1115A	----	0.1240 - 0.0235	.3828	----	----	1	----	406 - 1
626	----	----	----/0.1085A	0.1265B/0.1085A	----	0.1205 - 0.0235	.3749	----	----	----	----	3 UNCH
627	----	----	----/0.1050A	0.1225B/0.1050A	----	0.1170 - 0.0235	.3671	----	----	----	----	15 UNCH
628	----	----	----/0.1020A	0.1200B/0.1020A	----	0.1140 - 0.0230	.3598	----	----	----	----	13 UNCH
629	----	----	----/0.0995A	0.1160B/0.0995A	----	0.1105 - 0.0230	.3520	----	----	----	----	33 UNCH
630	0.0910	0.0910	0.1070/0.0910	0.1140B/0.0910	----	0.1075 - 0.0225	.3446	----	----	6	----	1614 - 5
631	0.0990	0.0990	0.1040/0.0940A	0.1105B/0.0940A	----	0.1045 NEW	.3373	----	----	9	----	9 + 9
632	0.0960	0.0960	0.1040/0.0910A	0.1075B/0.0910A	----	0.1015 - 0.0220	.3300	----	----	14	----	18 + 13
635	0.0885	0.0885	0.0950/0.0830A	0.0990B/0.0830A	----	0.0930 - 0.0215	.3087	----	----	7	----	90 + 4
640	0.0755	0.0755	0.0815/0.0720A	0.0850B/0.0720A	----	0.0800 - 0.0205	.2748	----	----	19	----	1010 + 12
645	0.0660	0.0660	0.0700/0.0615A	0.0735B/0.0615A	----	0.0685 - 0.0195	.2432	----	----	8	----	71 + 4
650	0.0540	0.0540	0.0600/0.0525A	0.0625B/0.0525A	----	0.0585 - 0.0185	.2142	----	----	59	----	722 - 7
655	0.0480	0.0480	0.0510/0.0450A	0.0540B/0.0450A	----	0.0505 - 0.0170	.1892	----	----	18	----	383 + 9
660	0.0395	0.0395	0.0430/0.0385A	0.0465B/0.0385A	----	0.0435 - 0.0155	.1665	----	----	252	----	859 + 239
665	0.0370	0.0370	0.0370/0.0335A	0.0410B/0.0335A	----	0.0375 - 0.0145	.1463	----	----	23	----	51 + 16
670	0.0300	0.0300	0.0320/0.0295A	0.0360B/0.0295A	----	0.0325 - 0.0130	.1287	----	----	12	----	1323 + 1
675	0.0280	0.0280	0.0280/0.0260A	0.0310B/0.0260A	----	0.0285 - 0.0115	.1139	----	----	16	----	49 + 6
680	0.0245	0.0245	0.0245/0.0230A	0.0270B/0.0230A	----	0.0250 - 0.0100	.1008	----	----	4	----	418 + 1
685	----	----	----/0.0205A	0.0235B/0.0205A	----	0.0220 - 0.0090	.0893	----	----	----	----	58 UNCH
690	----	----	----/0.0180A	0.0215B/0.0180A	----	0.0195 - 0.0080	.0795	----	----	----	----	137 UNCH
695	----	----	----/0.0160A	0.0185B/0.0160A	----	0.0175 - 0.0070	.0713	----	----	----	----	48 UNCH
700	----	----	----/0.0140A	0.0160B/0.0140A	----	0.0155 - 0.0065	.0634	----	----	----	----	748 UNCH
705	----	----	----/*0.0120A	0.0145B/*0.0120	----	0.0140 - 0.0055	.0572	----	----	----	----	15 UNCH
710	----	----	----/*0.0110A	0.0130B/*0.0110	----	0.0125 - 0.0050	.0512	----	----	----	----	80 UNCH
715	----	----	----/*0.0100A	0.0115B/*0.0100	----	0.0115 - 0.0045	.0467	----	----	----	----	10 UNCH
720	0.0095	0.0095	0.0095/*0.0090A	0.0105B/*0.0090	----	0.0100 - 0.0045	.0410	----	----	4	----	28 - 1
725	0.0075	0.0075	0.0085/*0.0075	0.0090B/*0.0075	----	0.0090 - 0.0040	.0369	----	----	8	----	84 - 7
730	----	----	----/*0.0075A	0.0085B/*0.0075	----	0.0085 - 0.0035	.0344	----	----	----	----	13 UNCH
735	----	----	----/*0.0070A	0.0075B/*0.0070	----	0.0075 - 0.0035	.0305	----	----	----	----	40 UNCH
740	----	----	----/*0.0065A	0.0065B/*0.0065	----	0.0070 - 0.0030	.0282	----	----	----	----	2 UNCH
745	0.0060	0.0060	0.0060/*0.0060	0.0060/*0.0060	----	0.0065 - 0.0025	.0260	----	----	6	----	1523 - 1
750	----	----	----/*0.0055A	0.0050B/*0.0055	----	0.0060 - 0.0025	.0239	----	----	----	----	167 UNCH
755	----	----	----/*0.0060A	0.0045B/*0.0060	----	0.0055 - 0.0020	.0218	----	----	----	----	1 UNCH
765	----	----	----/*0.0055A	0.0025B/*0.0055	----	0.0045 - 0.0020	.0178	----	----	----	----	1506 UNCH
770	----	----	----	0.0030B/0.0065A	----	0.0045 - 0.0020	.0175	----	----	----	----	6 UNCH
775	----	----	----	0.0015B/0.0065A	----	0.0040 - 0.0020	.0156	----	----	----	----	3 UNCH
780	----	----	----	0.0010B/0.0060A	----	0.0040 - 0.0015	.0153	----	----	----	----	8 UNCH
795	----	----	----	----/*0.0055A	----	0.0030 - 0.0015	.0115	----	----	----	----	33 UNCH
800	----	----	----	----/0.0040A	----	0.0030 - 0.0010	.0113	----	----	----	----	7 UNCH
810	----	----	----	----/*0.0050A	----	0.0025 - 0.0010	.0094	----	----	----	----	3 UNCH
825	----	----	----	----/*0.0045A	----	0.0020 - 0.0010	.0074	----	----	----	----	1 UNCH
840	----	----	----	----/0.0040A	----	0.0015 - 0.0010	.0056	----	----	----	----	6 UNCH
850	----	----	----	----/0.0035A	----	0.0015 - 0.0010	.0054	----	----	----	----	4 UNCH
880	----	----	----	----/0.0030A	----	0.0010 - 0.0005	.0035	----	----	----	----	2 UNCH
900	----	----	----	----/*0.0025A	----	0.0010 - 0.0005	.0034	----	----	----	----	9 UNCH
910	----	----	----	----/0.0025A	----	0.0010 UNCH	.0033	----	----	----	----	11 UNCH
950	----	----	----	----/0.0020A	----	0.0005 UNCH	.0008	----	----	----	----	1 UNCH
975	----	----	----	----/0.0015A	----	0.0005 UNCH	.0004	----	----	----	----	1 UNCH
TOTAL										540		14988 + 344
JUL26												
500	----	----	----/1.1105A	1.0870B/1.1105A	----	1.1065 - 0.0515	.9402	----	----	----	----	8 UNCH
520	----	----	----	----	----	0.9185 - 0.0500	.9098	----	----	----	----	2 UNCH
525	----	----	----	----	----	0.8730 - 0.0490	.8996	----	----	----	----	1 UNCH
530	----	----	----/0.8335A	0.8090B/0.8335A	----	0.8275 - 0.0490	.8884	----	----	----	----	6 UNCH
540	----	----	----/0.7470A	0.7215B/0.7470A	----	0.7400 - 0.0475	.8599	----	----	----	----	16 UNCH
545	----	----	----	----	----	0.6980 - 0.0465	.8436	----	----	----	----	1 UNCH
550	----	----	----	----	----	0.6565 - 0.0455	.8257	----	----	----	----	2 UNCH
555	----	----	----/0.6245A	0.5990B/0.6245A	----	0.6165 - 0.0445	.8063	----	----	----	----	116 UNCH
560	----	----	----	----	----	0.5775 - 0.0430	.7851	----	----	----	----	1 UNCH
570	----	----	----/0.4855A	0.5110B/0.4855A	----	0.5040 - 0.0400	.7384	----	----	----	----	157 UNCH
574	----	----	----/0.4860A	0.4590B/0.4860A	----	0.4760 - 0.0395	.7182	----	----	----	----	5 UNCH
575	----	----	----/0.4525A	0.4765B/0.4525A	----	0.4695 - 0.0390	.7132	----	----	----	----	19 UNCH
580	----	----	----/0.4210A	0.4430B/0.4210A	----	0.4360 - 0.0385	.6869	----	----	----	----	122 UNCH
585	----	----	----/0.3905A	0.4110B/0.3905A	----	0.4050 - 0.0370	.6594	----	----	----	----	304 UNCH
590	----	----	----/0.3615A	0.3810B/0.3615A	----	0.3750 - 0.0355	.6312	----	----	----	----	104 UNCH
591	----	----	----/0.3685A	0.3655B/0.3685A	----	0.3695 - 0.0350	.6256	----	----	----	----	3 UNCH
593	----	----	----/0.3450A	0.3540B/0.3450A	----	0.3580 - 0.0345	.6140	----	----	----	----	1 UNCH
594	----	----	----/0.3400A	0.3485B/0.3400A	----	0.3525 - 0.0345	.6083	----	----	----	----	2 UNCH
595	----	----	----/0.3335A	0.3520B/0.3335A	----	0.3470 - 0.0340	.6026	----	----	----	----	29 UNCH
597	----	----	----/0.3215A	0.3395B/0.3215A	----	0.3365 - 0.0335	.5910	----	----	----	----	1 UNCH
598	----	----	----/0.3170A	0.3340B/0.3170A	----	0.3310 - 0.0335	.5853	----	----	----	----	1 UNCH
599	----	----	----/0.3120A	0.3330B/0.3120A	----	0.3260 - 0.0330	.5794	----	----	----	----	2 UNCH
600	0.3170	0.3170	0.3170/0.3070A	0.3290B/0.3070A	----	0.3205 - 0.0335	.5737	----	----	2	----	393 + 2
603	0.3055	0.3055	0.3055/0.2925A	0.3130B/0.2925A	----	0.3055 NEW	.5563	----	----	2	----	1 + 1
605	----	----	----/0.2830A	0.3040B/0.2830A	----	0.2960 - 0.0325	.5447	----	----	----	----	33 UNCH
610	0.2715	0.2715	0.2715/0.2610A	0.2805B/0.2610A	----	0.2730 - 0.0310	.5159	----	----	2	----	111 + 1
615	----	----	----/0.2395A	0.2580B/0.2395A	----	0.2510 - 0.0300	.4875	----	----	1	----	1624 UNCH
620	0.2360	0.2360	0.2360/0.2215A	0.2380B/0.2215A	----	0.2310 - 0.0280	.4597	----	----	8	----	168 + 5
625	0.2225	0.2225	0.2225/0.2035A	0.2225/0.2035A	----	0.2120 - 0.0270	.4325	----	----	51	----	252 + 13
630	0.1865	0.1865	0.1985/0.1865	0.2015B/0.1865	----	0.1950 - 0.0255	.4063	----	----	46	----	327 + 14
635	0.1810	0.1810	0.1810/0.1715A	0.1855B/0.1715A	----	0.1785 - 0.0245	.3807	----	----	1	----	78 + 1
640	0.1660	0.1660	0.1670/0.1575A	0.1710B/0.1575A	----	0.1640 - 0.0235	.3565	----	----	47	----	1124 + 16
645	----	----	----/0.1445A	0.1570B/0.1445A	----	0.1500 - 0.0225	.3330	----	----	----	----	367 UNCH
650	0.1350	0.1350	0.1350/0.1325A	0.1445B/0.1325A	----	0.1375 - 0.0215	.3108	----	----	5	----	603 + 1
655	0.1280	0.1280	0.1280/0.1215A	0.1320B/0.1215A	----	0.1260 - 0.0205	.2897	----	----	1	----	682 UNCH
660	----	----	----/0.1115A	0.1210B/0.1115A	----	0.1155 - 0.0195	.2699	----	----	1	----	241 UNCH
665	----	----	----/0.1020A	0.1110B/0.1020A	----	0.1060 - 0.0180	.2513	----	----	----	----	2 UNCH
670	----	----	----/0.0940A	0.1020B/0.0940A	----	0.0970 - 0.0165	.2335	----	----	----	----	72 UNCH
675	0.0860	0.0860	0.0860/0.0845A	0.0925B/0.0845A	----	0.0890 - 0.0150	.2171	----	----	2	----	2072 UNCH
680	0.0805	0.0805	0.0805/0.0770A	0.0850B/0.0770A	----	0.0815 - 0.0140	.2015	----	----	1	----	202 - 1
685	0.0735	0.0735	0.0735/0.0700A	0.0780B/0.0700A	----	0.0745 - 0.0130	.1867	----	----	3	----	15 UNCH
690	0.0700	0.0700	0.0700/0.0640A	0.0710B/0.0640A	----	0.0685 - 0.0120	.1734	----	----	32	----	285 + 11
695	----	----	----/0.0585A	0.0645B/0.0585A	----	0.0630 - 0.0115	.1611	----	----	----	----	41 UNCH
700	0.0650	0.0650	0.0680/0.0535A	0.0680/0.0535A	----	0.0575 - 0.0110	.1489	----	----	93	----	465 - 30
710	----	----	----/0.0455A	0.0495B/0.0455A	----	0.0485 - 0.0100	.1279	----	----	----	----	855 UNCH
715	----	----	----/0.0425A	0.0450B/0.0425A	----	0.0445 - 0.0095	.1185	----	----	----	----	28 UNCH
720	0.0400	0.0400	0.0400/0.0395A	0.0415B/0.0395A	----	0.0410 - 0.0090	.1099	----	----	1	----	3 + 1
725	----	----	----/0.0365A	0.0385B/0.0365A	----	0.0380 - 0.0080	.1024	----	----	1	----	1557 + 1
730	----	----	----/0.0340A	0.0355B/0.0340A	----	0.0350 - 0.0075	.0950	----	----	----	----	5 UNCH
750	0.0220	0.0220	0.0265B/0.0220	0.0265B/0.0220	----	0.0250 - 0.0060	.0698	----	----	3	----	246 + 2
775	0.0175	0.0175	0.0190B/0.0175	0.0190B/0.0175	----	0.0175 - 0.0045	.0495	----	----	2	----	34 UNCH
780	----	----	----/*0.0180A	0.0175B/0.0180A	----	0.0165 - 0.0040	.0466	----	----	----	----	3 UNCH
800	0.0125	0.0125	0.0130B/*0.0125	0.0130B/*0.0125	----	0.0135 - 0.0030	.0377	----	----	2037	----	2090 + 2026
850	----	----	----/0.0100A	0.0060B/0.0100A	----	0.0090 - 0.0025	.0242	----	----	----	----	4 UNCH
875	----	----	----/*0.0085A	0.0035B/0.0085A	----	0.0070 - 0.0020	.0187	----	----	----	----	2 UNCH
900	----	----	----/0.0065A	0.0020B/0.0065A	----	0.0055 - 0.0015	.0147	----	----	2036	----	2222 + 1951
950	----	----	----	----/0.0045A	----	0.0030 - 0.0010	.0081	----	----	----	----	61 UNCH
975	----	----	----	----/0.0035A	----	0.0020 - 0.0010	.0056	----	----	----	----	2 UNCH
1000	----	----	----	----/0.0030A	----	0.0015 - 0.0005	.0042	----	----	----	----	4 UNCH
TOTAL										4378		17177 + 4015
AUG26												
500	----	----	----	----	----	1.1775 - 0.0475	.9201	----	----	----	----	2 UNCH
550	----	----	----	----	----	0.7480 - 0.0415	.8016	----	----	----	----	3 UNCH
580	----	----	----/0.5225A	0.5420B/0.5225A	----	0.5365 - 0.0335	.6851	----	----	----	----	252 UNCH
585	----	----	----/0.4925A	0.5080B/0.4925A	----	0.5060 - 0.0315	.6631	----	----	----	----	11 UNCH
590	----	----	----/0.4640A	0.4785B/0.4640A	----	0.4765 - 0.0300	.6409	----	----	----	----	16 UNCH
595	----	----	----/0.4370A	0.4505B/0.4370A	----	0.4480 - 0.0285	.6182	----	----	----	----	1 UNCH
600	----	----	----/0.4085A	0.4235B/0.4085A	----	0.4210 - 0.0265	.5954	----	----	----	----	4 UNCH
620	----	----	----/0.3165A	0.3315B/0.3165A	----	0.3265 - 0.0195	.5042	----	----	1	----	7 UNCH
625	----	----	----/0.2970A	0.3115B/0.2970A	----	0.3060 - 0.0180	.4820	----	----	----	----	92 UNCH
635	----	----	----/0.2610A	0.2730B/0.2610A	----	0.2685 - 0.0155	.4389	----	----	----	----	2 UNCH
640	----	----	----/0.2445A	0.2560B/0.2445A	----	0.2515 - 0.0145	.4183	----	----	----	----	153 UNCH
650	----	----	----/0.2150A	0.2245B/0.2150A	----	0.2205 - 0.0125	.3787	----	----	----	----	57 UNCH
675	----	----	----/0.1560A	0.1620B/0.1560A	----	0.1595 - 0.0090	.2924	----	----	----	----	169 UNCH
680	----	----	----/0.1465A	0.1520B/0.1465A	----	0.1495 - 0.0085	.2773	----	----	1	----	1 UNCH
690	----	----	----/0.1320A	0.1295B/0.1320A	----	0.1320 - 0.0075	.2495	----	----	----	----	3 UNCH
700	----	----	----/0.1160A	0.1125B/0.1160A	----	0.1160 - 0.0075	.2238	----	----	----	----	84 UNCH
725	----	----	----/0.0855A	0.0800B/0.0855A	----	0.0850 - 0.0085	.1707	----	----	----	----	86 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 71

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
AUG26												
730	----	----	----/0.0795A	0.0800B/0.0795A	----	0.0800 - 0.0090	.1617	----	----	----	----	1 UNCH
750	----	----	----/0.0635A	0.0615B/0.0635A	----	0.0620 - 0.0110	.1292	----	----	----	----	106 UNCH
800	0.0340	0.0340	0.0340/0.0340	0.0340/0.0340	----	0.0340 - 0.0075	.0747	----	----	1	----	10 + 1
850	----	----	----/*0.0240A	0.0185B/0.0240A	----	0.0200 - 0.0045	.0451	----	----	----	----	1 UNCH
900	----	----	----	0.0105B/0.0170A	----	0.0130 - 0.0030	.0294	----	----	----	----	57 UNCH
950	----	----	----	0.0060B/0.0130A	----	0.0080 - 0.0020	.0184	----	----	----	----	2 UNCH
975	----	----	----	0.0040B/0.0115A	----	0.0060 - 0.0020	.0141	----	----	----	----	4 UNCH
TOTAL										3		1124 + 1
SEP26												
495	----	----	----	----	----	1.2385 - 0.0515	.9068	----	----	----	----	2 UNCH
500	----	----	----/1.2070A	1.1675B/1.2070A	----	1.1935 - 0.0505	.8986	----	----	----	----	5 UNCH
535	----	----	----	----	----	0.8980 - 0.0440	.8209	----	----	----	----	1 UNCH
565	----	----	----/0.6635A	0.6805B/0.6635A	----	0.6780 - 0.0380	.7253	----	----	----	----	1 UNCH
575	----	----	----/0.6010A	0.6180B/0.6010A	----	0.6130 - 0.0350	.6885	----	----	----	----	100 UNCH
595	----	----	----/0.4890A	0.5005B/0.4890A	----	0.4980 - 0.0285	.6106	----	----	2	----	5 + 2
600	0.4680	0.4680	0.4680/0.4630A	0.4755B/0.4630A	----	0.4725 - 0.0265	.5908	----	----	3	----	244 - 1
610	----	----	----/0.4160A	0.4280B/0.4160A	----	0.4240 - 0.0240	.5510	----	----	----	----	31 UNCH
615	----	----	----/0.3945A	0.4060B/0.3945A	----	0.4015 - 0.0225	.5312	----	----	----	----	9 UNCH
620	----	----	----/0.3735A	0.3840B/0.3735A	----	0.3800 - 0.0210	.5117	----	----	----	----	185 UNCH
625	----	----	----/0.3540A	0.3635B/0.3540A	----	0.3600 - 0.0190	.4926	----	----	----	----	622 UNCH
630	----	----	----/0.3355A	0.3435B/0.3355A	----	0.3405 - 0.0175	.4737	----	----	----	----	2 UNCH
635	----	----	----/0.3175A	0.3250B/0.3175A	----	0.3220 - 0.0165	.4551	----	----	----	----	1 UNCH
640	----	----	----/0.3000A	0.3075B/0.3000A	----	0.3045 - 0.0150	.4370	----	----	----	----	12 UNCH
650	----	----	----/0.2685A	0.2760B/0.2685A	----	0.2725 - 0.0125	.4021	----	----	----	----	164 UNCH
655	----	----	----/0.2560A	0.2610B/0.2560A	----	0.2580 - 0.0115	.3855	----	----	----	----	4 UNCH
670	----	----	----/0.2180A	0.2210B/0.2180A	----	0.2180 - 0.0110	.3383	----	----	----	----	1 UNCH
675	----	----	----/0.2040A	0.2095B/0.2040A	----	0.2060 - 0.0110	.3235	----	----	----	----	325 UNCH
680	----	----	----/0.1940A	0.1980B/0.1940A	----	0.1950 - 0.0105	.3095	----	----	----	----	351 UNCH
690	----	----	----/0.1735A	0.1775B/0.1735A	----	0.1745 - 0.0100	.2828	----	----	----	----	12 UNCH
700	0.1580	0.1580	0.1580/0.1555A	0.1595B/0.1555A	----	0.1560 - 0.0090	.2579	----	----	2	----	444 - 2
720	----	----	----/0.1255A	0.1285B/0.1255A	----	0.1255 - 0.0065	.2146	----	----	----	----	5 UNCH
750	0.0875	0.0875	0.0890/0.0875	0.0935B/0.0875	----	0.0915 - 0.0070	.1629	----	----	25	----	73 + 25
775	----	----	----/0.0750A	0.0715B/0.0750A	----	0.0710 - 0.0090	.1298	----	----	----	----	3 UNCH
800	0.0550	0.0550	0.0550/*0.0550	0.0550/0.0550	----	0.0560 - 0.0075	.1043	----	----	1	----	21 - 1
875	----	----	----	0.0265B/0.0355A	----	0.0275 - 0.0040	.0540	----	----	----	----	1 UNCH
900	----	----	----	0.0210B/0.0305A	----	0.0220 - 0.0035	.0438	----	----	----	----	25 UNCH
975	----	----	----	0.0105B/0.0215A	----	0.0120 - 0.0015	.0244	----	----	----	----	3 UNCH
TOTAL										33		2652 + 23
OCT26												
600	----	----	----/0.5640A	0.5685B/0.5640A	----	0.5705 - 0.0265	.6168	----	----	----	----	2 UNCH
605	----	----	----/0.5390A	0.5425B/0.5390A	----	0.5445 - 0.0255	.5994	----	----	----	----	2 UNCH
615	----	----	----/0.4900A	0.4945B/0.4900A	----	0.4960 - 0.0230	.5645	----	----	----	----	10 UNCH
650	0.3675	0.3675	0.3675/0.3545A	0.3675/0.3545A	----	0.3555 - 0.0150	.4477	----	----	5	----	106 + 5
700	----	----	----/0.2255A	0.2140B/0.2255A	----	0.2190 - 0.0125	.3085	----	----	----	----	145 UNCH
775	----	----	----	0.1010B/0.1210A	----	0.1075 - 0.0085	.1697	----	----	----	----	71 UNCH
800	----	----	----/0.0920A	0.0830B/0.0920A	----	0.0870 - 0.0070	.1403	----	----	----	----	1 UNCH
850	----	----	----	0.0525B/0.0640A	----	0.0570 - 0.0050	.0956	----	----	----	----	30 UNCH
875	----	----	----	0.0430B/0.0545A	----	0.0475 - 0.0040	.0804	----	----	----	----	2 UNCH
900	----	----	----	0.0350B/0.0470A	----	0.0395 - 0.0035	.0676	----	----	----	----	3 UNCH
975	----	----	----	0.0195B/0.0325A	----	0.0250 - 0.0025	.0431	----	----	----	----	6 UNCH
TOTAL										5		378 + 5
NOV26												
535	----	----	----	----	----	1.0255 - 0.0635	.8019	----	----	----	----	1 UNCH
545	----	----	----	----	----	0.9525 - 0.0625	.7763	----	----	----	----	1 UNCH
580	----	----	----/0.7205A	0.7180B/0.7205A	----	0.7250 - 0.0600	.6753	----	----	----	----	2 UNCH
585	----	----	----/0.6925A	0.6890B/0.6925A	----	0.6965 - 0.0590	.6599	----	----	----	----	1 UNCH
595	----	----	----/0.6395A	0.6340B/0.6395A	----	0.6420 - 0.0575	.6287	----	----	----	----	2 UNCH
600	----	----	----/0.6140A	0.6080B/0.6140A	----	0.6160 - 0.0570	.6129	----	----	----	----	2 UNCH
610	----	----	----/0.5660A	0.5585B/0.5660A	----	0.5665 - 0.0555	.5814	----	----	----	----	14 UNCH
640	----	----	----/0.4415A	0.4305B/0.4415A	----	0.4390 - 0.0500	.4889	----	----	----	----	1 UNCH
655	----	----	----/0.3890A	0.3770B/0.3890A	----	0.3855 - 0.0480	.4454	----	----	----	----	1 UNCH
670	----	----	----/0.3430A	0.3295B/0.3430A	----	0.3385 - 0.0460	.4044	----	----	----	----	14 UNCH
675	----	----	----/0.3290A	0.3150B/0.3290A	----	0.3240 - 0.0450	.3913	----	----	----	----	1 UNCH
700	----	----	----/0.2670A	0.2510B/0.2670A	----	0.2600 - 0.0420	.3302	----	----	----	----	1 UNCH
750	----	----	----/0.1770A	0.1590B/0.1770A	----	0.1685 - 0.0390	.2320	----	----	----	----	2 UNCH
850	----	----	----/0.0860A	0.0670B/0.0860A	----	0.0745 - 0.0260	.1139	----	----	----	----	1 UNCH
900	----	----	----/*0.0645A	0.0445B/0.0645A	----	0.0505 - 0.0200	.0802	----	----	----	----	1 UNCH
975	----	----	----	0.0245B/0.0450A	----	0.0275 - 0.0135	.0463	----	----	----	----	1 UNCH
TOTAL												46
DEC26												
520	----	----	----	----	----	1.1600 - 0.0310	.8247	----	----	----	----	1 UNCH
525	----	----	----	----	----	1.1220 - 0.0305	.8136	----	----	----	----	123 UNCH
535	----	----	----	----	----	1.0485 - 0.0285	.7900	----	----	----	----	1 UNCH
550	----	----	----/0.9395A	0.9345B/0.9395A	----	0.9445 - 0.0270	.7521	----	----	----	----	2 UNCH
555	----	----	----/0.9070A	0.9010B/0.9070A	----	0.9115 - 0.0265	.7387	----	----	----	----	1 UNCH
565	----	----	----/0.8450A	0.8370B/0.8450A	----	0.8480 - 0.0255	.7114	----	----	----	----	45 UNCH
575	----	----	----/0.7860A	0.7760B/0.7860A	----	0.7880 - 0.0245	.6833	----	----	----	----	123 UNCH
585	----	----	----/0.7310A	0.7190B/0.7310A	----	0.7310 - 0.0235	.6545	----	----	----	----	1 UNCH
590	----	----	----/0.7045A	0.6920B/0.7045A	----	0.7040 - 0.0230	.6400	----	----	----	----	200 UNCH
595	----	----	----/0.6790A	0.6655B/0.6790A	----	0.6775 - 0.0225	.6254	----	----	----	----	163 UNCH
600	----	----	----/0.6540A	0.6400B/0.6540A	----	0.6525 - 0.0215	.6107	----	----	----	----	602 UNCH
610	----	----	----/0.6070A	0.5915B/0.6070A	----	0.6040 - 0.0195	.5814	----	----	----	----	356 UNCH
620	0.5600	0.5600	0.5600/0.5600	0.5600/0.5600	----	0.5585 - 0.0170	.5523	----	----	3	----	411 + 3
625	----	----	----/0.5420A	0.5245B/0.5420A	----	0.5370 - 0.0160	.5378	----	----	----	----	3 UNCH
630	----	----	----/0.5215A	0.5040B/0.5215A	----	0.5165 - 0.0145	.5236	----	----	----	----	456 UNCH
640	----	----	----/0.4830A	0.4645B/0.4830A	----	0.4770 - 0.0130	.4955	----	----	----	----	29 UNCH
650	----	----	----/0.4475A	0.4280B/0.4475A	----	0.4405 - 0.0120	.4683	----	----	----	----	573 UNCH
660	----	----	----/0.4145A	0.3940B/0.4145A	----	0.4070 - 0.0110	.4420	----	----	----	----	300 UNCH
670	----	----	----/0.3835A	0.3625B/0.3835A	----	0.3755 - 0.0100	.4165	----	----	----	----	4 UNCH
675	----	----	----/0.3690A	0.3475B/0.3690A	----	0.3610 - 0.0095	.4043	----	----	----	----	17 UNCH
680	----	----	----/0.3550A	0.3330B/0.3550A	----	0.3465 - 0.0095	.3921	----	----	----	----	3 UNCH
700	0.3100	0.3100	0.3100/0.3100	0.3100/0.3050A	----	0.2950 - 0.0075	.3464	----	----	1	----	844 UNCH
705	----	----	----	0.2700B/0.2935A	----	0.2830 - 0.0075	.3355	----	----	----	----	2 UNCH
725	----	----	----	0.2280B/0.2525A	----	0.2415 - 0.0060	.2955	----	----	----	----	5 UNCH
730	----	----	----	0.2185B/0.2430A	----	0.2320 - 0.0055	.2861	----	----	----	----	4 UNCH
750	----	----	----	0.1845B/0.2100A	----	0.1980 - 0.0045	.2513	----	----	----	----	24 UNCH
800	----	----	----	0.1220B/0.1485A	----	0.1355 - 0.0025	.1820	----	----	----	----	104 UNCH
850	----	----	----	0.0810B/0.1085A	----	0.0950 - 0.0015	.1329	----	----	----	----	4 UNCH
900	----	----	----	0.0600B/0.0830A	----	0.0685 - 0.0005	.0985	----	----	----	----	213 UNCH
925	----	----	----	0.0450B/0.0735A	----	0.0605 - 0.0005	.0871	----	----	----	----	6 UNCH
950	----	----	----	0.0370B/0.0655A	----	0.0540 - 0.0005	.0777	----	----	----	----	78 UNCH
975	----	----	----	0.0305B/0.0590A	----	0.0490 UNCH	.0702	----	----	----	----	13 UNCH
TOTAL										4		4711 + 3
JAN27												
500	----	----	----	----	----	1.4265 - 0.0450	.8527	----	----	----	----	1 UNCH
900	----	----	----	----	----	0.1400 - 0.0095	.1567	----	----	----	----	1 UNCH
TOTAL												2
MAR27												
680	----	----	----	----	----	0.5110 - 0.0245	.4490	----	----	----	----	30 UNCH
950	----	----	----	----	----	0.1090 - 0.0075	.1252	----	----	----	----	3 UNCH
TOTAL												33
HX PUT		COMEX COPPER OPTIONS										
MAY26												
125	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	10 UNCH
300	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	22 UNCH
330	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
340	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	6 UNCH
350	----	----	----	----/0.0010A	----	0.0005 UNCH	----	----	----	----	----	6 UNCH
360	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	35 UNCH
370	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
375	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
390	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	2 UNCH
395	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	6 UNCH
400	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	124 UNCH
405	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	125 UNCH
410	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	23 UNCH
415	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	6 UNCH
420	----	----	----	----/0.0005A	----	0.0005 UNCH	----	----	----	----	----	59 UNCH
425	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	56 UNCH
430	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	13 UNCH
435	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	8 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 72

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
MAY26												
440	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	130 UNCH
445	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	50 UNCH
450	----	----	----	----/0.0010A	----	0.0005 UNCH	----	----	----	----	----	855 UNCH
455	----	----	----	----/0.0035A	----	0.0005 UNCH	----	----	----	----	----	23 UNCH
460	----	----	----	----/0.0010A	----	0.0005 UNCH	----	----	----	----	----	498 UNCH
465	----	----	----	----/0.0035A	----	0.0005 UNCH	----	----	----	----	----	34 UNCH
470	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	57 UNCH
475	----	----	----	----/0.0010A	----	0.0005 UNCH	----	----	----	----	----	416 UNCH
480	----	----	----	----/0.0035A	----	0.0005 UNCH	----	----	----	----	----	1301 UNCH
485	----	----	----	----/0.0035A	----	0.0005 UNCH	----	----	----	----	----	85 UNCH
490	----	----	----	----/0.0010A	----	0.0005 UNCH	----	----	----	----	----	268 UNCH
495	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	90 UNCH
500	----	----	----	----/0.0010A	----	0.0005 UNCH	----	----	----	----	----	1752 UNCH
505	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	175 UNCH
510	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	1	----	387 - 1
514	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	43 UNCH
515	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	153 UNCH
516	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	74 UNCH
517	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	108 UNCH
518	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	117 UNCH
519	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	88 UNCH
520	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	1170 UNCH
521	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	67 UNCH
522	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	52 UNCH
523	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	23 UNCH
524	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	20 UNCH
525	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	329 UNCH
526	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	19 UNCH
527	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	17 UNCH
528	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	12 UNCH
529	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	6 UNCH
530	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	1	----	589 - 1
531	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	24 UNCH
532	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	11 UNCH
533	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	7 UNCH
534	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	9 UNCH
535	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	200 UNCH
536	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	12 UNCH
537	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	9 UNCH
538	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	10 UNCH
539	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	11 UNCH
540	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	314 UNCH
541	----	----	----	----/0.0015A	----	0.0005 UNCH	.0000	----	----	----	----	10 UNCH
542	----	----	----	----/0.0015A	----	0.0005 UNCH	.0000	----	----	----	----	8 UNCH
543	----	----	----	----/0.0015A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
544	----	----	----	----/0.0015A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
545	----	----	0.0020B/----	0.0020B/0.0015A	----	0.0005 UNCH	.0000	----	----	----	----	156 UNCH
546	----	----	----	----/0.0020A	----	0.0005 UNCH	.0000	----	----	----	----	10 UNCH
547	----	----	----	----/0.0020A	----	0.0005 UNCH	.0000	----	----	----	----	7 UNCH
548	----	----	----	----/0.0020A	----	0.0005 UNCH	.0000	----	----	----	----	55 UNCH
549	----	----	----	----/0.0020A	----	0.0005 UNCH	.0000	----	----	----	----	12 UNCH
550	----	----	----	----/0.0015A	----	0.0005 UNCH	.0001	----	----	2	----	1707 - 2
551	----	----	----	----/0.0020A	----	0.0005 UNCH	.0001	----	----	----	----	36 UNCH
552	----	----	----	----/0.0020A	----	0.0005 UNCH	.0002	----	----	----	----	16 UNCH
553	----	----	----	----/0.0025A	----	0.0005 UNCH	.0002	----	----	----	----	18 UNCH
554	----	----	----	----/0.0025A	----	0.0005 UNCH	.0003	----	----	----	----	19 UNCH
555	0.0005	0.0005	0.0005/0.0005	0.0005/0.0005	----	0.0005 UNCH	.0004	----	----	10	----	136 UNCH
556	----	----	----	----/0.0025A	----	0.0005 UNCH	.0005	----	----	----	----	12 UNCH
557	----	----	----	----/0.0030A	----	0.0005 UNCH	.0007	----	----	----	----	21 UNCH
558	----	----	----	----/0.0030A	----	0.0005 UNCH	.0009	----	----	----	----	74 UNCH
559	----	----	----	----/0.0030A	----	0.0005 UNCH	.0012	----	----	----	----	14 UNCH
560	----	----	----	----/0.0030A	----	0.0005 UNCH	.0015	----	----	----	----	592 UNCH
561	----	----	----	----/0.0035A	----	0.0005 UNCH	.0019	----	----	----	----	20 UNCH
562	----	----	----	----/0.0035A	----	0.0005 UNCH	.0024	----	----	----	----	17 UNCH
563	----	----	----	----/0.0035A	----	0.0005 UNCH	.0030	----	----	----	----	40 UNCH
564	----	----	----	----/0.0040A	----	0.0010 + 0.0005	.0062	----	----	----	----	9 UNCH
565	----	----	----	----/0.0040A	----	0.0010 + 0.0005	.0063	----	----	----	----	225 UNCH
566	----	----	----	----/0.0045A	----	0.0010 + 0.0005	.0065	----	----	----	----	7 UNCH
567	----	----	----	----/0.0030A	----	0.0015 + 0.0010	.0100	----	----	----	----	10 UNCH
568	----	----	----	----/0.0035A	----	0.0015 + 0.0010	.0102	----	----	----	----	56 UNCH
569	----	----	----	----/0.0035A	----	0.0020 + 0.0015	.0139	----	----	----	----	98 UNCH
570	0.0055	0.0055	0.0065/0.0030A	0.0065/0.0030A	----	0.0020 + 0.0010	.0143	----	----	10	----	704 + 1
571	----	----	0.0015B/----	0.0015B/0.0035A	----	0.0025 + 0.0015	.0181	----	----	----	----	9 UNCH
572	----	----	0.0015B/----	0.0015B/0.0035A	----	0.0025 + 0.0015	.0187	----	----	----	----	14 UNCH
573	----	----	0.0020B/----	0.0020B/0.0040A	----	0.0030 + 0.0020	.0227	----	----	----	----	12 UNCH
574	----	----	0.0030B/----	0.0030B/0.0045A	----	0.0030 + 0.0020	.0235	----	----	----	----	9 UNCH
575	0.0045	0.0045	0.0055/0.0045	0.0055/0.0045	----	0.0035 + 0.0020	.0278	----	----	83	----	380 - 30
576	0.0045	0.0045	0.0065/0.0045	0.0065/0.0045	----	0.0035 + 0.0020	.0287	----	----	18	----	48 + 18
577	0.0040	0.0040	0.0055/0.0040	0.0055/0.0040	----	0.0040 + 0.0025	.0334	----	----	10	----	75 + 4
578	----	----	0.0045B/----	0.0045B/0.0050A	----	0.0045 + 0.0030	.0382	----	----	----	----	33 UNCH
579	----	----	0.0050B/----	0.0050B/0.0060A	----	0.0050 + 0.0030	.0433	----	----	----	----	15 UNCH
580	0.0070	0.0070	0.0110/0.0050	0.0110/0.0050	----	0.0055 + 0.0035	.0485	----	----	97	----	320 + 6
581	----	----	0.0055B/----	0.0055B/0.0065A	----	0.0055 + 0.0035	.0504	----	----	----	----	35 UNCH
582	----	----	0.0055B/----	0.0055B/0.0070A	----	0.0055 + 0.0030	.0524	----	----	----	----	12 UNCH
583	----	----	0.0065B/----	0.0065B/0.0050A	----	0.0055 + 0.0030	.0546	----	----	----	----	9 UNCH
584	----	----	0.0075B/----	0.0075B/0.0080A	----	0.0060 + 0.0030	.0610	----	----	----	----	29 UNCH
585	0.0090	0.0090	0.0090/0.0075A	0.0090/0.0075A	----	0.0060 + 0.0030	.0637	----	----	38	----	353 + 12
586	----	----	0.0090B/----	0.0090B/0.0060A	----	0.0065 + 0.0035	.0709	----	----	----	----	18 UNCH
587	----	----	0.0100B/----	0.0100B/0.0080A	----	0.0065 + 0.0035	.0744	----	----	----	----	6 UNCH
588	----	----	0.0115B/----	0.0115B/0.0080A	----	0.0070 + 0.0035	.0826	----	----	----	----	21 UNCH
589	0.0080	0.0080	0.0125B/0.0065A	0.0125B/0.0065A	----	0.0075 + 0.0040	.0915	----	----	3	----	113 UNCH
590	0.0135	0.0135	0.0165B/0.0075	0.0165B/0.0075	----	0.0080 + 0.0045	.1012	----	----	118	240	582 - 96
591	0.0110	0.0110	0.0155B/0.0075	0.0155B/0.0075	----	0.0085 + 0.0045	.1117	----	----	5	----	28 - 2
592	0.0095	0.0095	0.0180B/0.0080	0.0180B/0.0080	----	0.0095 + 0.0050	.1276	----	----	7	----	104 + 7
593	0.0170	0.0170	0.0190B/0.0110A	0.0190B/0.0110A	----	0.0105 + 0.0055	.1448	----	----	2	----	30 - 2
594	0.0190	0.0190	0.0215B/0.0110A	0.0215B/0.0110A	----	0.0115 + 0.0060	.1633	----	----	6	----	23 - 4
595	0.0270	0.0270	0.0295B/0.0105	0.0295B/0.0105	----	0.0130 + 0.0065	.1876	----	----	32	----	235 + 10
596	0.0245	0.0245	0.0290B/0.0155A	0.0290B/0.0155A	----	0.0150 + 0.0075	.2172	----	----	3	----	27 + 1
597	----	----	0.0330B/----	0.0330B/0.0175A	----	0.0175 + 0.0085	.2516	----	----	----	----	38 UNCH
598	0.0185	0.0185	0.0375B/0.0185	0.0375B/0.0185	----	0.0205 + 0.0100	.2900	----	----	1	----	15 + 1
599	----	----	0.0420B/----	0.0420B/0.0220A	----	0.0235 + 0.0110	.3295	----	----	----	----	43 UNCH
600	0.0330	0.0330	0.0475B/0.0245	0.0475B/0.0245	----	0.0270 + 0.0125	.3723	----	----	42	----	1203 - 6
601	----	----	0.0520B/----	0.0520B/0.0315A	----	0.0315 + 0.0145	.4184	----	----	1	----	4 + 1
602	----	----	0.0580B/----	0.0580B/0.0355A	----	0.0360 + 0.0160	.4645	----	----	----	----	3 UNCH
603	0.0400	0.0400	0.0615B/0.0395	0.0615B/0.0395	----	0.0410 + 0.0175	.5111	----	----	3	----	5 + 3
604	----	----	0.0685B/----	0.0685B/0.0445A	----	0.0470 + 0.0200	.5564	----	----	----	----	16 UNCH
605	0.0800	0.0800	0.0800/0.0500A	0.0800/0.0500A	----	0.0530 + 0.0220	.6004	----	----	8	----	55 - 3
606	----	----	0.0830B/----	0.0830B/0.0545A	----	0.0590 + 0.0235	.6440	----	----	----	----	22 UNCH
607	----	----	0.0905B/----	0.0905B/0.0615A	----	0.0660 + 0.0260	.6830	----	----	----	----	22 UNCH
608	----	----	0.0985B/----	0.0985B/0.0685A	----	0.0730 + 0.0275	.7208	----	----	----	----	31 UNCH
609	----	----	0.1070B/----	0.1070B/0.0795A	----	0.0805 + 0.0300	.7547	----	----	----	----	3 UNCH
610	----	----	0.1150B/----	0.1150B/0.0820A	----	0.0880 + 0.0315	.7876	----	----	----	----	72 UNCH
611	----	----	0.1240B/----	0.1240B/0.0900A	----	0.0960 + 0.0335	.8160	----	----	----	----	5 UNCH
612	----	----	0.1330B/----	0.1330B/0.1015A	----	0.1045 + 0.0355	.8392	----	----	----	----	4 UNCH
613	----	----	0.1415B/----	0.1415B/0.1090A	----	0.1125 + 0.0370	.8613	----	----	----	----	4 UNCH
615	----	----	0.1600B/----	0.1600B/0.1255A	----	0.1300 + 0.0405	.9030	----	----	----	----	1 UNCH
617	----	----	0.1790B/----	0.1790B/0.1425A	----	0.1480 + 0.0430	.9324	----	----	----	----	1 UNCH
619	----	----	0.1980B/----	0.1980B/0.1605A	----	0.1665 + 0.0455	.9542	----	----	----	----	1 UNCH
620	----	----	0.2075B/----	0.2075B/0.1695A	----	0.1760 + 0.0465	.9616	----	----	----	----	3 UNCH
629	----	----	0.2960B/----	0.2960B/0.2520A	----	0.2635 + 0.0515	.9951	----	----	----	----	90 UNCH
645	----	----	0.4555B/----	0.4555B/0.4150A	----	0.4235 + 0.0545	.0000	----	----	----	----	1 UNCH
TOTAL									240	501		18392 - 83
JUN26												
330	----	----	----	----/0.0040A	----	0.0005 UNCH	.0005	----	----	----	----	8 UNCH
355	----	----	----	----/0.0040A	----	0.0010 UNCH	.0022	----	----	----	----	10 UNCH
370	----	----	----	----/0.0040A	----	0.0015 UNCH	.0034	----	----	----	----	1 UNCH
380	----	----	----	----/0.0045A	----	0.0020 + 0.0005	.0046	----	----	----	----	1 UNCH
400	----	----	----	----/0.0030A	----	0.0030 + 0.0005	.0071	----	----	----	----	3 UNCH
405	----	----	----	----/0.0035A	----	0.0030 + 0.0005	.0072	----	----	----	----	1 UNCH
410	----	----	----	----/0.0035A	----	0.0030 + 0.0005	.0074	----	----	----	----	2 UNCH
420	----	----	----	----/0.0045A	----	0.0030 + 0.0005	.0079	----	----	----	----	3 UNCH
430	----	----	----	----/0.0035A	----	0.0030 + 0.0005	.0083	----	----	----	----	3 UNCH
435	----	----	----	----/0.0055A	----	0.0035 + 0.0005	.0097	----	----	----	----	2 UNCH
440	----	----	----	----/0.0060A	----	0.0035 + 0.0005	.0100	----	----	----	----	8 UNCH
445	----	----	----	----/0.0065A	----	0.0040 + 0.0010	.0114	----	----	----	----	8 UNCH
450	----	----	----	0.0005B/0.0065A	----	0.0045 + 0.0010	.0129	----	----	1	----	450 - 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
JUN26												
455	----	----	----	0.0005B/0.0070A	----	0.0045 + 0.0010	.0133	----	----	----	----	42 UNCH
460	----	----	----	0.0025B/0.0080A	----	0.0055 + 0.0010	.0161	----	----	----	----	54 UNCH
465	----	----	----	0.0030B/0.0085A	----	0.0055 + 0.0010	.0166	----	----	----	----	884 UNCH
470	----	----	----	0.0020B/0.0090A	----	0.0055 + 0.0010	.0172	----	----	----	----	666 UNCH
475	----	----	----	0.0025B/0.0095A	----	0.0060 + 0.0010	.0190	----	----	----	----	155 UNCH
480	----	----	----	0.0045B/0.0100A	----	0.0065 + 0.0010	.0209	----	----	----	----	954 UNCH
485	----	----	----	0.0035B/0.0110A	----	0.0070 + 0.0015	.0229	----	----	----	----	60 UNCH
490	----	----	----	0.0040B/0.0115A	----	0.0075 + 0.0015	.0250	----	----	----	----	50 UNCH
495	----	----	----	0.0060B/*0.0085	----	0.0080 + 0.0015	.0272	----	----	----	----	35 UNCH
500	----	----	0.0070B/----	0.0070B/0.0085A	----	0.0085 + 0.0020	.0296	----	----	----	----	558 UNCH
505	----	----	0.0080B/----	0.0080B/0.0090A	----	0.0095 + 0.0025	.0334	----	----	----	----	522 UNCH
510	----	----	0.0090B/----	0.0090B/0.0105A	----	0.0105 + 0.0025	.0374	----	----	----	----	161 UNCH
515	----	----	0.0100B/----	0.0100B/0.0125A	----	0.0115 + 0.0030	.0416	----	----	----	----	35 UNCH
520	----	----	0.0120B/----	0.0120B/0.0125A	----	0.0125 + 0.0030	.0461	----	----	----	----	152 UNCH
523	----	----	0.0125B/----	0.0125B/0.0130A	----	0.0135 + 0.0035	.0500	----	----	----	----	4 UNCH
524	----	----	0.0130B/----	0.0130B/0.0135A	----	0.0140 + 0.0035	.0517	----	----	----	----	1 UNCH
525	0.0140	0.0140	0.0140/0.0140	0.0140/0.0140	----	0.0140 + 0.0035	.0522	----	----	3	----	2155 + 3
526	----	----	0.0135B/----	0.0135B/0.0140A	----	0.0145 + 0.0035	.0539	----	----	----	----	2 UNCH
527	----	----	0.0135B/----	0.0135B/0.0145A	----	0.0150 + 0.0040	.0557	----	----	----	----	2 UNCH
528	----	----	0.0145B/----	0.0145B/0.0150A	----	0.0150 + 0.0035	.0562	----	----	----	----	3 UNCH
529	----	----	0.0150B/----	0.0150B/0.0150A	----	0.0155 + 0.0040	.0580	----	----	----	----	5 UNCH
530	----	----	0.0150B/----	0.0150B/0.0155A	----	0.0160 + 0.0040	.0599	----	----	----	----	130 UNCH
531	----	----	0.0155B/----	0.0155B/0.0160A	----	0.0165 + 0.0040	.0617	----	----	----	----	4 UNCH
532	----	----	0.0160B/----	0.0160B/0.0160A	----	0.0170 + 0.0045	.0635	----	----	----	----	2 UNCH
533	----	----	0.0165B/----	0.0165B/0.0165A	----	0.0170 + 0.0040	.0642	----	----	----	----	1 UNCH
534	----	----	0.0175B/----	0.0175B/0.0170A	----	0.0175 + 0.0040	.0660	----	----	----	----	3 UNCH
535	----	----	0.0180B/----	0.0180B/0.0175A	----	0.0180 + 0.0040	.0679	----	----	----	----	73 UNCH
536	----	----	0.0185B/----	0.0185B/0.0180A	----	0.0185 + 0.0045	.0699	----	----	----	----	1 UNCH
537	----	----	0.0190B/----	0.0190B/0.0185A	----	0.0190 + 0.0045	.0718	----	----	----	----	4 UNCH
538	----	----	0.0195B/----	0.0195B/0.0190A	----	0.0195 + 0.0045	.0738	----	----	----	----	5 UNCH
539	----	----	0.0205B/----	0.0205B/0.0195A	----	0.0200 + 0.0045	.0757	----	----	----	----	1 UNCH
540	----	----	0.0210B/----	0.0210B/0.0200A	----	0.0205 + 0.0045	.0777	----	----	----	----	123 UNCH
542	----	----	0.0225B/----	0.0225B/0.0210A	----	0.0220 + 0.0050	.0830	----	----	----	----	4 UNCH
543	----	----	0.0235B/----	0.0235B/0.0215A	----	0.0225 + 0.0050	.0851	----	----	----	----	10 UNCH
544	----	----	0.0245B/----	0.0245B/0.0225A	----	0.0230 + 0.0050	.0872	----	----	----	----	2 UNCH
545	----	----	0.0250B/----	0.0250B/0.0230A	----	0.0240 + 0.0055	.0904	----	----	1	----	59 + 1
546	----	----	0.0260B/----	0.0260B/0.0235A	----	0.0245 + 0.0050	.0926	----	----	1	----	0 - 1
547	----	----	0.0270B/----	0.0270B/0.0245A	----	0.0255 + 0.0055	.0959	----	----	----	----	4 UNCH
548	0.0260	0.0260	0.0275B/0.0260	0.0275B/0.0250A	----	0.0260 + 0.0055	.0981	----	----	2	----	3 - 1
550	0.0290	0.0290	0.0310/0.0270	0.0310/0.0265A	----	0.0280 + 0.0060	.1049	----	----	203	----	790 + 198
551	0.0285	0.0285	0.0305B/0.0285	0.0305B/0.0275A	----	0.0285 + 0.0060	.1072	----	----	1	----	85 UNCH
552	----	----	0.0320B/----	0.0320B/0.0285A	----	0.0295 + 0.0060	.1106	----	----	----	----	1 UNCH
553	----	----	0.0330B/----	0.0330B/0.0295A	----	0.0305 + 0.0065	.1141	----	----	----	----	2 UNCH
554	0.0315	0.0315	0.0345B/0.0315	0.0345B/0.0305A	----	0.0315 + 0.0065	.1176	----	----	1	----	3 + 1
555	----	----	0.0355B/----	0.0355B/0.0315A	----	0.0325 + 0.0065	.1211	----	----	1	----	34 UNCH
556	----	----	0.0370B/----	0.0370B/0.0325A	----	0.0335 + 0.0070	.1246	----	----	----	----	8 UNCH
557	----	----	0.0385B/----	0.0385B/0.0335A	----	0.0350 + 0.0075	.1292	----	----	----	----	62 UNCH
559	----	----	0.0415B/----	0.0415B/0.0370A	----	0.0370 + 0.0075	.1365	----	----	----	----	5 UNCH
560	----	----	0.0430B/----	0.0430B/0.0380A	----	0.0385 + 0.0080	.1411	----	----	1	----	445 UNCH
561	----	----	0.0445B/----	0.0445B/0.0390A	----	0.0400 + 0.0085	.1458	----	----	----	----	3 UNCH
562	----	----	0.0460B/----	0.0460B/0.0405A	----	0.0410 + 0.0080	.1495	----	----	----	----	5 UNCH
565	0.0450	0.0450	0.0510B/0.0450	0.0510B/0.0450	----	0.0455 + 0.0090	.1638	----	----	4	----	222 - 2
566	----	----	0.0535B/----	0.0535B/0.0470A	----	0.0470 + 0.0090	.1686	----	----	----	----	3 UNCH
567	----	----	0.0555B/----	0.0555B/0.0485A	----	0.0490 + 0.0095	.1744	----	----	----	----	12 UNCH
568	----	----	0.0575B/----	0.0575B/0.0500A	----	0.0505 + 0.0095	.1792	----	----	----	----	1 UNCH
569	----	----	0.0590B/----	0.0590B/0.0520A	----	0.0525 + 0.0100	.1850	----	----	----	----	2 UNCH
570	----	----	0.0610B/----	0.0610B/0.0535A	----	0.0545 + 0.0105	.1908	----	----	3	----	48 + 2
571	----	----	0.0640B/----	0.0640B/0.0555A	----	0.0560 + 0.0105	.1958	----	----	----	----	7 UNCH
572	----	----	0.0655B/----	0.0655B/0.0575A	----	0.0580 + 0.0110	.2016	----	----	1	----	1 UNCH
573	----	----	0.0685B/----	0.0685B/0.0600A	----	0.0605 + 0.0115	.2082	----	----	----	----	2 UNCH
574	----	----	0.0705B/----	0.0705B/0.0620A	----	0.0625 + 0.0115	.2140	----	----	----	----	2 UNCH
575	----	----	0.0735B/----	0.0735B/0.0645A	----	0.0650 + 0.0125	.2207	----	----	1	----	83 + 1
576	----	----	0.0760B/----	0.0760B/0.0665A	----	0.0670 + 0.0125	.2266	----	----	----	----	3 UNCH
577	----	----	0.0780B/----	0.0780B/0.0690A	----	0.0695 + 0.0130	.2332	----	----	----	----	2 UNCH
578	----	----	0.0805B/----	0.0805B/0.0715A	----	0.0720 + 0.0130	.2399	----	----	----	----	2 UNCH
579	----	----	0.0835B/----	0.0835B/0.0735A	----	0.0750 + 0.0140	.2472	----	----	----	----	2 UNCH
580	0.0785	0.0785	0.0870B/0.0785	0.0870B/0.0755A	----	0.0775 + 0.0140	.2539	----	----	308	----	681 + 294
581	----	----	0.0895B/----	0.0895B/0.0790A	----	0.0805 + 0.0150	.2612	----	----	----	----	4 UNCH
582	----	----	0.0925B/----	0.0925B/0.0820A	----	0.0830 + 0.0150	.2679	----	----	----	----	4 UNCH
583	----	----	0.0955B/----	0.0955B/0.0845A	----	0.0860 + 0.0155	.2752	----	----	----	----	9 UNCH
584	0.0915	0.0915	0.0990B/0.0875A	0.0990B/0.0875A	----	0.0890 + 0.0160	.2825	----	----	2	----	12 + 2
585	----	----	0.1020B/----	0.1020B/0.0905A	----	0.0925 + 0.0170	.2903	----	----	----	----	26 UNCH
586	----	----	0.1055B/----	0.1055B/0.0935A	----	0.0955 + 0.0170	.2977	----	----	----	----	1 UNCH
588	----	----	0.1125B/----	0.1125B/0.1000A	----	0.1020 + 0.0180	.3128	----	----	----	----	2 UNCH
590	0.1190	0.1190	0.1200B/0.1060A	0.1200B/0.1060A	----	0.1090 + 0.0190	.3285	----	----	1	----	30 UNCH
591	----	----	0.1235B/----	0.1235B/0.1095A	----	0.1125 + 0.0190	.3363	----	----	----	----	1 UNCH
593	----	----	0.1320B/----	0.1320B/0.1165A	----	0.1200 + 0.0200	.3523	----	----	----	----	1 UNCH
594	----	----	0.1365B/----	0.1365B/0.1200A	----	0.1240 + 0.0205	.3605	----	----	----	----	6 UNCH
595	----	----	0.1410B/----	0.1410B/0.1235A	----	0.1275 + 0.0205	.3684	----	----	----	----	6 UNCH
596	----	----	0.1445B/----	0.1445B/0.1275A	----	0.1315 + 0.0210	.3766	----	----	----	----	11 UNCH
597	----	----	0.1490B/----	0.1490B/0.1315A	----	0.1355 + 0.0215	.3848	----	----	----	----	4 UNCH
598	----	----	0.1530B/----	0.1530B/0.1355A	----	0.1395 + 0.0215	.3930	----	----	1	----	7 UNCH
599	----	----	0.1575B/----	0.1575B/0.1390A	----	0.1440 + 0.0225	.4014	----	----	----	----	16 UNCH
600	0.1650	0.1650	0.1650/0.1435A	0.1650/0.1435A	----	0.1480 + 0.0225	.4096	----	----	94	----	103 + 43
601	----	----	0.1670B/----	0.1670B/0.1475A	----	0.1525 + 0.0225	.4180	----	----	----	----	5 UNCH
602	0.1695	0.1695	0.1725B/0.1515A	0.1725B/0.1515A	----	0.1565 + 0.0225	.4264	----	----	1	----	9 + 1
603	0.1705	0.1705	0.1770B/0.1565A	0.1770B/0.1565A	----	0.1610 + 0.0230	.4348	----	----	1	----	7 UNCH
604	0.1780	0.1780	0.1820B/0.1610A	0.1820B/0.1610A	----	0.1660 + 0.0235	.4433	----	----	2	----	9 + 2
605	0.1925	0.1925	0.1925/0.1655A	0.1925/0.1655A	----	0.1705 + 0.0235	.4518	----	----	3	----	60 + 1
606	0.1820	0.1820	0.1925B/0.1705A	0.1925B/0.1705A	----	0.1755 + 0.0240	.4603	----	----	2	----	14 + 2
607	0.1935	0.1935	0.1975B/0.1750A	0.1975B/0.1750A	----	0.1800 + 0.0240	.4688	----	----	2	----	79 + 2
608	0.1935	0.1935	0.2025B/0.1800A	0.2025B/0.1800A	----	0.1850 + 0.0240	.4774	----	----	4	----	47 + 4
609	0.2035	0.2035	0.2075B/0.1850A	0.2075B/0.1850A	----	0.1905 + 0.0250	.4858	----	----	9	----	42 + 5
610	0.2045	0.2045	0.2125B/0.1900A	0.2125B/0.1900A	----	0.1955 + 0.0250	.4944	----	----	3	----	42 + 1
611	0.2105	0.2105	0.2190B/0.1950A	0.2190B/0.1950A	----	0.2010 + 0.0255	.5028	----	----	3	----	15 + 3
612	----	----	0.2245B/----	0.2245B/0.2000A	----	0.2060 + 0.0255	.5113	----	----	----	----	9 UNCH
613	----	----	0.2290B/----	0.2290B/0.2055A	----	0.2120 + 0.0265	.5197	----	----	----	----	8 UNCH
614	----	----	0.2345B/----	0.2345B/0.2110A	----	0.2175 + 0.0265	.5282	----	----	----	----	5 UNCH
615	----	----	0.2400B/----	0.2400B/0.2160A	----	0.2230 + 0.0265	.5365	----	----	----	----	37 UNCH
616	----	----	0.2465B/----	0.2465B/0.2220A	----	0.2290 + 0.0270	.5449	----	----	----	----	15 UNCH
617	----	----	0.2520B/----	0.2520B/0.2275A	----	0.2350 + 0.0275	.5531	----	----	----	----	25 UNCH
618	----	----	0.2595B/----	0.2595B/0.2335A	----	0.2410 + 0.0280	.5614	----	----	----	----	12 UNCH
619	----	----	0.2620B/----	0.2620B/0.2395A	----	0.2470 + 0.0285	.5696	----	----	----	----	13 UNCH
620	----	----	0.2670B/----	0.2670B/0.2455A	----	0.2530 + 0.0285	.5775	----	----	----	----	13 UNCH
621	----	----	0.2695B/----	0.2695B/0.2515A	----	0.2590 + 0.0285	.5857	----	----	----	----	6 UNCH
622	----	----	0.2700B/----	0.2700B/0.2575A	----	0.2655 + 0.0290	.5936	----	----	----	----	1 UNCH
623	----	----	0.2765B/----	0.2765B/0.2630A	----	0.2720 + 0.0295	.6014	----	----	----	----	2 UNCH
630	----	----	0.3355B/----	0.3355B/0.3100A	----	0.3185 + 0.0315	.6552	----	----	----	----	9 UNCH
640	----	----	0.4105B/----	0.4105B/0.3855A	----	0.3905 + 0.0335	.7250	----	----	----	----	2 UNCH
645	----	----	0.4375B/----	0.4375B/0.4235A	----	0.4290 + 0.0345	.7566	----	----	----	----	1 UNCH
650	----	----	0.4730B/----	0.4730B/0.4830A	----	0.4690 + 0.0355	.7856	----	----	----	----	3 UNCH
655	----	----	0.5155B/----	0.5155B/0.5235A	----	0.5105 + 0.0365	.8107	----	----	----	----	10 UNCH
700	----	----	0.8925B/----	0.8925B/0.9630A	----	0.9250 + 0.0475	.9364	----	----	----	----	1 UNCH
TOTAL										660		10689 + 561
JUL26												
330	----	----	----	----/0.0070A	----	0.0005 UNCH	.0009	----	----	----	----	80 UNCH
350	----	----	----	----/0.0080A	----	0.0010 UNCH	.0023	----	----	----	----	5 UNCH
380	----	----	----	----/0.0090A	----	0.0020 UNCH	.0048	----	----	----	----	2 UNCH
390	----	----	----	----/0.0100A	----	0.0030 UNCH	.0070	----	----	----	----	6 UNCH
395	----	----	----	0.0005B/0.0105A	----	0.0030 UNCH	.0072	----	----	----	----	1 UNCH
400	----	----	----	0.0010B/0.0075A	----	0.0035 UNCH	.0084	----	----	----	----	586 UNCH
405	----	----	----	0.0015B/0.0080A	----	0.0040 UNCH	.0095	----	----	----	----	1 UNCH
415	----	----	----	0.0025B/0.0075A	----	0.0050 + 0.0005	.0119	----	----	----	----	53 UNCH
420	----	----	----	0.0030B/0.0080A	----	0.0055 + 0.0005	.0132	----	----	----	----	4 UNCH
425	----	----	----	0.0035B/0.0105A	----	0.0060 UNCH	.0145	----	----	----	----	33 UNCH
430	----	----	----	0.0040B/0.0100A	----	0.0065 UNCH	.0159	----	----	----	----	8 UNCH
435	----	----	----	0.0055B/0.0120A	----	0.0075 + 0.0005	.0182	----	----	----	----	5 UNCH
440	----	----	----	0.0060B/0.0125A	----	0.0080 UNCH	.0196	----	----	----	----	4 UNCH
445	----	----	----	0.0055B/0.0135A	----	0.0090 + 0.0005	.0220	----	----	----	----	3 UNCH
450	----	----	----	0.0060B/0.0135A	----	0.0100 + 0.0005	.0245	----	----	----	----	1921 UNCH
455	----	----	----	0.0070B/0.0120A	----	0.0105 + 0.0005	.0261	----	----	----	----	9 UNCH
460	----	----	----	0.0075B/0.0120A	----	0.0115 + 0.0005	.0288	----	----	----	----	6 UNCH
470	----	----	----	0.0095B/0.0170A	----	0.0130 + 0.0005	.0334	----	----	----	----	2 UNCH
475	0.0130	0.0130	0.0130/*0.0130	0.0130/*0.0130	----	0.0145 + 0.0015	.0373	----	----	1	----	513 + 1
480	----	----	----	0.0130B/0.0180A	----	0.0155 + 0.0015	.0404	----	----	----	----	70 UNCH
485	----	----	----	0.0140B/0.0190A	----	0.0170 + 0.0015	.0445	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
JUL26												
490	----	----	----	0.0165B/0.0210A	----	0.0185 + 0.0020	.0488	----	----	----	----	545 UNCH
495	----	----	----	0.0175B/0.0220A	----	0.0205 + 0.0025	.0541	----	----	----	----	96 UNCH
500	----	----	0.0210B/----	0.0210B/0.0235A	----	0.0225 + 0.0025	.0596	----	----	1	----	2665 UNCH
505	----	----	0.0225B/----	0.0225B/0.0260A	----	0.0245 + 0.0025	.0653	----	----	----	----	2 UNCH
510	----	----	0.0255B/----	0.0255B/0.0270A	----	0.0270 + 0.0030	.0722	----	----	1	----	203 UNCH
515	----	----	0.0290B/----	0.0290B/0.0320A	----	0.0305 + 0.0040	.0810	----	----	----	----	1 UNCH
520	0.0350	0.0350	0.0375/0.0320	0.0375/0.0320	----	0.0340 + 0.0040	.0900	----	----	81	----	359 + 30
525	0.0365	0.0365	0.0380B/0.0365	0.0380B/0.0365	----	0.0380 + 0.0045	.1001	----	----	1	----	524 UNCH
530	----	----	0.0440B/----	0.0440B/0.0410A	----	0.0425 + 0.0050	.1114	----	----	1	----	3228 UNCH
533	----	----	0.0475B/----	0.0475B/0.0460A	----	0.0460 + 0.0055	.1194	----	----	----	----	1 UNCH
534	----	----	0.0480B/----	0.0480B/0.0475A	----	0.0470 + 0.0055	.1219	----	----	----	----	2 UNCH
535	----	----	0.0500B/----	0.0500B/0.0485A	----	0.0485 + 0.0060	.1251	----	----	----	----	2 UNCH
539	----	----	0.0560B/----	0.0560B/0.0535A	----	0.0535 + 0.0065	.1366	----	----	----	----	2 UNCH
540	----	----	0.0575B/----	0.0575B/0.0550A	----	0.0550 + 0.0065	.1398	----	----	----	----	868 UNCH
541	----	----	0.0590B/----	0.0590B/0.0560A	----	0.0565 + 0.0070	.1431	----	----	----	----	1 UNCH
542	----	----	0.0600B/----	0.0600B/0.0575A	----	0.0575 + 0.0065	.1457	----	----	----	----	2 UNCH
543	----	----	0.0625B/----	0.0625B/0.0590A	----	0.0590 + 0.0065	.1490	----	----	----	----	3 UNCH
545	----	----	0.0655B/----	0.0655B/0.0625A	----	0.0625 + 0.0075	.1562	----	----	----	----	4 UNCH
548	----	----	0.0710B/----	0.0710B/0.0670A	----	0.0675 + 0.0080	.1668	----	----	----	----	1 UNCH
550	0.0705	0.0705	0.0755B/0.0690A	0.0755B/0.0690A	----	0.0710 + 0.0085	.1741	----	----	1	----	920 UNCH
552	----	----	0.0790B/----	0.0790B/0.0740A	----	0.0745 + 0.0085	.1815	----	----	----	----	2 UNCH
553	0.0745	0.0745	0.0815B/0.0745	0.0815B/0.0745	----	0.0765 NEW	.1854	----	----	1	----	1 + 1
554	----	----	0.0840B/----	0.0840B/0.0780A	----	0.0785 + 0.0090	.1894	----	----	----	----	10 UNCH
555	----	----	0.0855B/----	0.0855B/0.0785A	----	0.0805 + 0.0090	.1934	----	----	1	----	55 + 1
556	----	----	0.0880B/----	0.0880B/0.0825A	----	0.0825 + 0.0095	.1975	----	----	----	----	1 UNCH
559	----	----	0.0955B/----	0.0955B/0.0885A	----	0.0895 + 0.0110	.2106	----	----	----	----	1 UNCH
560	0.0930	0.0930	0.0975B/0.0910A	0.0975B/0.0910A	----	0.0915 + 0.0110	.2146	----	----	23	----	198 + 23
561	----	----	0.1005B/----	0.1005B/0.0930A	----	0.0940 + 0.0115	.2192	----	----	----	----	3 UNCH
563	----	----	0.1055B/----	0.1055B/0.0975A	----	0.0985 + 0.0115	.2279	----	----	----	----	12 UNCH
565	----	----	0.1110B/----	0.1110B/0.1025A	----	0.1040 + 0.0125	.2375	----	----	1	----	10 + 1
567	----	----	0.1165B/----	0.1165B/0.1080A	----	0.1090 + 0.0130	.2467	----	----	----	----	1 UNCH
570	----	----	0.1260B/----	0.1260B/0.1165A	----	0.1175 + 0.0140	.2614	----	----	----	----	95 UNCH
571	----	----	0.1285B/----	0.1285B/0.1190A	----	0.1205 + 0.0140	.2664	----	----	----	----	17 UNCH
572	----	----	0.1320B/----	0.1320B/0.1220A	----	0.1230 + 0.0140	.2711	----	----	----	----	3 UNCH
574	----	----	0.1390B/----	0.1390B/0.1280A	----	0.1295 + 0.0145	.2815	----	----	----	----	5 UNCH
575	----	----	0.1420B/----	0.1420B/0.1305A	----	0.1325 + 0.0145	.2866	----	----	----	----	204 UNCH
580	0.1585	0.1585	0.1600B/0.1470	0.1600B/0.1470	----	0.1490 + 0.0150	.3129	----	----	4	----	1791 + 2
585	----	----	0.1785B/----	0.1785B/0.1660A	----	0.1675 + 0.0165	.3404	----	----	----	----	27 UNCH
586	----	----	0.1825B/----	0.1825B/0.1695A	----	0.1715 + 0.0170	.3460	----	----	----	----	7 UNCH
587	----	----	0.1870B/----	0.1870B/0.1735A	----	0.1755 + 0.0175	.3516	----	----	----	----	7 UNCH
588	----	----	0.1910B/----	0.1910B/0.1780A	----	0.1795 + 0.0180	.3573	----	----	----	----	2 UNCH
589	----	----	0.1960B/----	0.1960B/0.1815A	----	0.1835 + 0.0180	.3629	----	----	----	----	7 UNCH
590	0.1845	0.1845	0.1995B/0.1845	0.1995B/0.1845	----	0.1875 + 0.0185	.3685	----	----	11	----	525 - 7
595	0.2135	0.2135	0.2225B/0.2075A	0.2225B/0.2075A	----	0.2090 + 0.0195	.3971	----	----	37	----	77 + 37
600	----	----	0.2460B/----	0.2460B/0.2290A	----	0.2325 + 0.0205	.4261	----	----	----	----	189 UNCH
605	----	----	0.2720B/----	0.2720B/0.2550A	----	0.2575 + 0.0210	.4550	----	----	----	----	64 UNCH
610	----	----	0.3015B/----	0.3015B/0.2810A	----	0.2840 + 0.0225	.4838	----	----	----	----	58 UNCH
615	----	----	0.3290B/----	0.3290B/0.3095A	----	0.3125 + 0.0240	.5122	----	----	----	----	16 UNCH
700	----	----	----	----	----	0.9650 + 0.0430	.8509	----	----	----	----	1 UNCH
705	----	----	----	----	----	1.0100 + 0.0430	.8615	----	----	----	----	1 UNCH
TOTAL										165		16132 + 89
AUG26												
405	----	----	----	0.0030B/0.0175A	----	0.0100 + 0.0020	.0189	----	----	----	----	3 UNCH
420	----	----	----	0.0050B/0.0195A	----	0.0120 + 0.0025	.0233	----	----	----	----	1 UNCH
440	----	----	----	0.0080B/0.0220A	----	0.0155 + 0.0035	.0311	----	----	----	----	11 UNCH
450	----	----	----	0.0135B/0.0215A	----	0.0175 + 0.0040	.0357	----	----	----	----	6 UNCH
475	----	----	0.0215B/----	0.0215B/0.0280A	----	0.0245 + 0.0050	.0519	----	----	----	----	4 UNCH
480	----	----	0.0235B/----	0.0235B/0.0300A	----	0.0265 + 0.0055	.0563	----	----	----	----	4 UNCH
500	----	----	0.0365B/----	0.0365B/0.0410A	----	0.0375 + 0.0060	.0796	----	----	----	----	2 UNCH
510	----	----	0.0460B/----	0.0460B/0.0490A	----	0.0455 + 0.0060	.0956	----	----	----	----	1 UNCH
520	----	----	0.0575B/----	0.0575B/0.0595A	----	0.0560 + 0.0070	.1154	----	----	----	----	300 UNCH
530	----	----	0.0720B/----	0.0720B/0.0725A	----	0.0690 + 0.0080	.1388	----	----	----	----	1 UNCH
550	----	----	0.1110B/----	0.1110B/0.1080A	----	0.1055 + 0.0115	.1981	----	----	----	----	2 UNCH
565	----	----	0.1515B/----	0.1515B/0.1455A	----	0.1435 + 0.0150	.2528	----	----	----	----	1 UNCH
575	----	----	0.1845B/----	0.1845B/0.1765A	----	0.1745 + 0.0180	.2933	----	----	----	----	1 UNCH
580	----	----	0.2030B/----	0.2030B/0.1915A	----	0.1920 + 0.0195	.3146	----	----	----	----	250 UNCH
585	----	----	0.2220B/----	0.2220B/0.2115A	----	0.2110 + 0.0210	.3365	----	----	----	----	7 UNCH
590	----	----	0.2430B/----	0.2430B/0.2315A	----	0.2310 + 0.0230	.3588	----	----	----	----	14 UNCH
625	----	----	0.4260B/----	0.4260B/0.4060A	----	0.4080 + 0.0345	.5177	----	----	----	----	5 UNCH
TOTAL												613
SEP26												
400	----	----	----	0.0065B/0.0220A	----	0.0140 - 0.0010	.0237	----	----	----	----	1 UNCH
440	----	----	----	0.0170B/0.0290A	----	0.0235 NEW	.0416	----	----	2	----	2 + 2
450	----	----	----	0.0255B/0.0325A	----	0.0265 - 0.0035	.0475	----	----	----	----	638 UNCH
470	----	----	----	0.0305B/0.0400A	----	0.0345 - 0.0015	.0630	----	----	----	----	3 UNCH
475	----	----	----	0.0335B/0.0430A	----	0.0370 - 0.0010	.0678	----	----	----	----	72 UNCH
480	----	----	----	0.0370B/0.0460A	----	0.0395 - 0.0010	.0727	----	----	----	----	7 UNCH
485	----	----	----	0.0410B/0.0500A	----	0.0430 UNCH	.0789	----	----	----	----	1 UNCH
490	----	----	----	0.0410B/0.0545A	----	0.0465 + 0.0005	.0852	----	----	2	----	9 UNCH
500	----	----	----	0.0515B/0.0635A	----	0.0560 + 0.0030	.1011	----	----	----	----	377 UNCH
520	----	----	0.0790B/----	0.0790B/0.0890A	----	0.0815 + 0.0065	.1409	----	----	----	----	3 UNCH
525	----	----	0.0875B/----	0.0875B/0.0970A	----	0.0895 + 0.0075	.1527	----	----	----	----	325 UNCH
535	----	----	0.1075B/----	0.1075B/0.1125A	----	0.1080 + 0.0090	.1787	----	----	----	----	350 UNCH
540	----	----	0.1240B/----	0.1240B/0.1230A	----	0.1185 + 0.0095	.1929	----	----	----	----	1 UNCH
550	----	----	0.1490B/----	0.1490B/0.1445A	----	0.1420 + 0.0110	.2233	----	----	----	----	20 UNCH
560	----	----	0.1785B/----	0.1785B/0.1715A	----	0.1700 + 0.0135	.2567	----	----	----	----	6 UNCH
570	----	----	0.2120B/----	0.2120B/0.2045A	----	0.2020 + 0.0165	.2924	----	----	----	----	3 UNCH
575	----	----	0.2305B/----	0.2305B/0.2215A	----	0.2200 + 0.0180	.3111	----	----	----	----	102 UNCH
580	----	----	0.2500B/----	0.2500B/0.2405A	----	0.2390 + 0.0200	.3302	----	----	----	----	552 UNCH
590	----	----	0.2930B/----	0.2930B/0.2800A	----	0.2805 + 0.0230	.3692	----	----	----	----	222 UNCH
600	----	----	0.3410B/----	0.3410B/0.3260A	----	0.3265 + 0.0260	.4088	----	----	----	----	9 UNCH
610	----	----	0.3925B/----	0.3925B/0.3760A	----	0.3775 + 0.0290	.4486	----	----	----	----	6 UNCH
615	----	----	0.4205B/----	0.4205B/0.4035A	----	0.4045 + 0.0305	.4684	----	----	----	----	1 UNCH
620	----	----	0.4490B/----	0.4490B/0.4315A	----	0.4325 + 0.0320	.4879	----	----	----	----	1 UNCH
625	----	----	0.4790B/----	0.4790B/0.4575A	----	0.4620 + 0.0340	.5070	----	----	----	----	147 UNCH
695	----	----	0.9820B/----	0.9820B/0.9615A	----	0.9605 + 0.0435	.7295	----	----	----	----	2 UNCH
TOTAL										4		2860 + 2
OCT26												
375	----	----	----	0.0040B/0.0235A	----	0.0140 + 0.0025	.0205	----	----	----	----	2 UNCH
400	----	----	----	0.0080B/0.0275A	----	0.0175 + 0.0030	.0269	----	----	----	----	1 UNCH
450	----	----	----	0.0220B/0.0405A	----	0.0315 + 0.0060	.0512	----	----	----	----	1 UNCH
470	----	----	----	0.0335B/0.0515A	----	0.0425 + 0.0085	.0688	----	----	----	----	1 UNCH
475	----	----	----	0.0355B/0.0565A	----	0.0460 + 0.0090	.0742	----	----	----	----	2 UNCH
500	0.0650	0.0650	0.0660/*0.0650	0.0660/*0.0650	----	0.0690 + 0.0115	.1082	----	----	6	----	60 - 1
570	----	----	0.2220B/----	0.2220B/0.2320A	----	0.2215 + 0.0205	.2816	----	----	----	----	4 UNCH
TOTAL										6		71 - 1
NOV26												
400	----	----	----	0.0085B/0.0355A	----	0.0220 - 0.0035	.0316	----	----	----	----	10 UNCH
475	----	----	----	0.0475B/0.0725A	----	0.0590 - 0.0095	.0861	----	----	----	----	2 UNCH
590	----	----	----	0.3410B/0.3560A	----	0.3420 - 0.0065	.3551	----	----	----	----	1 UNCH
735	----	----	1.3085B/----	1.3085B/1.3050A	----	1.2965 + 0.0125	.7414	----	----	----	----	2 UNCH
TOTAL												15
DEC26												
380	----	----	----	0.0050B/0.0375A	----	0.0215 + 0.0050	.0285	----	----	----	----	2 UNCH
385	----	----	----	0.0060B/0.0390A	----	0.0225 + 0.0050	.0300	----	----	----	----	1 UNCH
395	----	----	----	0.0080B/0.0410A	----	0.0250 + 0.0055	.0338	----	----	----	----	1 UNCH
400	----	----	----	0.0095B/0.0425A	----	0.0260 + 0.0055	.0355	----	----	----	----	18 UNCH
420	----	----	----	0.0165B/0.0490A	----	0.0325 + 0.0075	.0452	----	----	----	----	2 UNCH
475	----	----	0.0575B/----	0.0575B/0.0880A	----	0.0690 + 0.0145	.0943	----	----	----	----	76 UNCH
480	----	----	0.0640B/----	0.0640B/0.0800A	----	0.0750 + 0.0155	.1014	----	----	----	----	15 UNCH
490	----	----	0.0780B/----	0.0780B/0.1075A	----	0.0880 + 0.0170	.1166	----	----	----	----	5 UNCH
500	----	----	0.0945B/----	0.0945B/0.1230A	----	0.1040 + 0.0185	.1342	----	----	----	----	53 UNCH
550	----	----	0.2165B/----	0.2165B/0.2420A	----	0.2245 + 0.0255	.2473	----	----	----	----	153 UNCH
560	----	----	0.2505B/----	0.2505B/0.2755A	----	0.2580 + 0.0265	.2742	----	----	----	----	300 UNCH
570	----	----	0.2875B/----	0.2875B/0.3120A	----	0.2945 + 0.0270	.3019	----	----	----	----	1 UNCH
580	----	----	0.3285B/----	0.3285B/0.3520A	----	0.3345 + 0.0280	.3304	----	----	----	----	22 UNCH
600	----	----	0.4200B/----	0.4200B/0.4420A	----	0.4250 + 0.0305	.3886	----	----	----	----	26 UNCH
630	----	----	0.5820B/----	0.5820B/0.6005A	----	0.5845 + 0.0375	.4758	----	----	----	----	18 UNCH
TOTAL												693
JAN27												
400	----	----	----	----	----	0.0240 + 0.0015	.0326	----	----	----	----	8 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
TOTAL												8
FEB27												
400	----	----	----	----	----	0.0300 + 0.0020	.0379	----	----	----	----	2 UNCH
TOTAL												2
MAR27												
275	----	----	----	----	----	0.0160 + 0.0005	.0145	----	----	----	----	1 UNCH
TOTAL												1
HXE CALL		COPPER OPTIONS										
APR26												
558	----	----	----/0.4150A	0.4550B/0.4150A	----	0.4470 - 0.0550	----	11	----	----	----	0 - 11
580	----	----	----/0.1960A	0.2355B/0.1960A	----	0.2270 - 0.0550	----	2	----	----	----	0 - 2
595	----	----	----/0.0550A	0.0885B/0.0550A	----	0.0770 - 0.0565	----	2	----	----	----	0 - 2
599	0.0510	0.0510	0.0510/*0.0305A	0.0545B/*0.0305	----	0.0370 - 0.0605	----	1	----	1	----	0 - 1
600	0.0400	0.0400	0.0400/*0.0260A	0.0470B/*0.0260	----	0.0270 - 0.0620	----	11	----	10	----	0 - 11
601	----	----	----/*0.0220A	0.0400B/*0.0220	----	0.0170 - 0.0635	----	4	----	----	----	0 - 4
604	----	----	----/*0.0070A	0.0225B/*0.0070	----	0.0000 - 0.0580	----	----	----	----	----	0 - 1
608	0.0050	0.0050	0.0060/*0.0050	0.0070B/*0.0050	----	0.0000 - 0.0320	----	----	----	20	----	0 - 6
610	0.0005	0.0005	0.0005/*0.0005	0.0025B/*0.0005	----	0.0000 - 0.0235	----	----	----	1	----	0 - 2
615	----	----	----/*0.0045A	----/*0.0045A	----	0.0000 - 0.0100	----	----	----	----	----	0 - 4
620	----	----	----	----/*0.0045A	----	0.0000 - 0.0035	----	----	----	----	----	0 - 100
625	----	----	----	----/*0.0040A	----	0.0000 - 0.0010	----	----	----	----	----	0 - 50
630	----	----	----	----/*0.0040A	----	0.0000 - 0.0005	----	----	----	----	----	0 UNCH
635	----	----	----	----/*0.0040A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 53
640	----	----	----	----/0.0045A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
TOTAL										32		0 - 248
MAY26												
580	----	----	----/0.2745A	0.3085B/0.2745A	----	0.3010 - 0.0500	.9056	----	----	----	----	1 UNCH
593	----	----	----/0.2305A	0.1630B/0.2305A	----	0.1870 - 0.0450	.7905	----	----	----	----	1 UNCH
595	----	----	----/0.1780A	0.1765B/0.1780A	----	0.1710 - 0.0445	.7617	----	----	----	----	1 UNCH
596	----	----	----	0.1395B/0.2080A	----	0.1635 - 0.0440	.7478	----	----	----	----	1 UNCH
605	----	----	----/0.0960A	0.1085B/0.0960A	----	0.1050 - 0.0370	.5834	----	----	----	----	7 UNCH
615	0.0600	0.0600	0.0600/0.0555A	0.0605B/0.0555A	----	0.0585 NEW	.3860	----	----	3	----	2 + 2
630	----	----	----/*0.0235A	0.0205B/*0.0235	----	0.0210 - 0.0135	.1616	----	----	----	----	15 UNCH
635	----	----	----/*0.0190A	0.0135B/*0.0190	----	0.0145 - 0.0110	.1146	----	----	----	----	32 UNCH
635	----	----	----/*0.0400A	0.0415B/*0.0400	----	0.0390 NEW	.2102	----	----	52	----	50 + 50
640	----	----	----/*0.0155A	0.0085B/*0.0155	----	0.0105 - 0.0080	.0828	----	----	----	----	15 UNCH
645	----	----	----/*0.0260A	0.0255B/*0.0260	----	0.0245 NEW	.1394	----	----	52	----	50 + 50
TOTAL										107		175 + 102
HXE PUT		COPPER OPTIONS										
APR26												
524	----	----	----	----/0.0040A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
563	----	----	----	----/0.0045A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 4
580	----	----	----	----/*0.0040A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 26
585	----	----	----	----/0.0045A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 2
590	----	----	----	----/*0.0050A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 50
593	0.0010	0.0010	0.0010/*0.0010	0.0010/*0.0010	----	0.0000 NEW	----	----	----	1	----	0 UNCH
595	----	----	0.0025B/----	0.0025B/*0.0060	----	0.0000 - 0.0020	----	----	----	5	----	0 - 35
596	0.0090	0.0090	0.0100/*0.0060A	0.0100/*0.0060A	----	0.0000 NEW	----	----	----	2	----	0 UNCH
597	----	----	0.0080B/----	0.0080B/0.0060A	----	0.0000 - 0.0035	----	----	----	----	----	0 - 5
599	0.0250	0.0250	0.0250/*0.0010	0.0250/*0.0010	----	0.0000 - 0.0060	----	----	----	2	----	0 - 2
600	----	----	0.0210B/*0.0065	0.0210B/*0.0065	----	0.0000 - 0.0075	----	----	----	----	----	0 - 11
602	----	----	0.0340B/*0.0065	0.0340B/*0.0065	----	0.0000 - 0.0115	----	----	----	----	----	0 - 3
605	----	----	0.0595B/----	0.0595B/0.0230A	----	0.0230 + 0.0035	----	6	----	5	----	0 - 6
610	----	----	0.1060B/----	0.1060B/0.0655A	----	0.0730 + 0.0310	----	1	----	----	----	0 - 1
TOTAL										15		0 - 146
MAY26												
465	----	----	----	----/0.0045A	----	0.0005 UNCH	----	----	----	----	----	14 UNCH
558	----	----	----	0.0025B/0.0095A	----	0.0045 + 0.0020	.0281	----	----	----	----	1 UNCH
570	----	----	0.0195B/----	0.0195B/0.0225A	----	0.0200 NEW	.1084	----	----	52	----	50 + 50
575	----	----	----	0.0065B/0.0145A	----	0.0100 + 0.0030	.0704	----	----	----	----	15 UNCH
580	----	----	0.0345B/----	0.0345B/0.0340A	----	0.0310 + 0.0090	.1658	----	----	52	----	52 + 50
585	----	----	0.0165B/----	0.0165B/0.0210A	----	0.0170 + 0.0055	.1262	----	----	----	----	15 UNCH
590	0.0500	0.0500	0.0590B/0.0500	0.0590B/0.0500	----	0.0510 NEW	.2552	----	----	5	----	5 + 5
593	----	----	0.0325B/----	0.0325B/0.0320A	----	0.0285 + 0.0085	.2093	----	----	----	----	1 UNCH
595	----	----	0.0760B/----	0.0760B/0.0670A	----	0.0655 NEW	.3114	----	----	1	----	1 + 1
596	----	----	0.0410B/----	0.0410B/0.0385A	----	0.0350 + 0.0100	.2520	----	----	----	----	3 UNCH
599	----	----	0.0515B/----	0.0515B/0.0470A	----	0.0440 + 0.0120	.3032	----	----	----	----	1 UNCH
615	----	----	0.1345B/----	0.1345B/0.1175A	----	0.1200 + 0.0280	.6137	----	----	----	----	1 UNCH
TOTAL										110		159 + 106

ALUMINIUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST

PLATINUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO CALL		NYMEX PALLADIUM OPTIONS										
JUN26												
1400	----	----	132.00B/106.60A	132.00B/106.60A	----	138.20 + 13.90	.7563	----	----	----	----	75 UNCH
1440	----	----	----/84.80A	82.60B/84.80A	----	110.80 + 12.80	.6777	----	----	----	----	1 UNCH
1460	----	----	----/*75.50A	83.90B/*75.50A	----	98.40 + 12.10	.6349	----	----	----	----	25 UNCH
1500	----	----	70.70B/*59.80A	70.70B/*59.80A	----	76.90 + 10.50	.5456	----	----	----	----	110 UNCH
1525	----	----	59.70B/*51.80A	59.70B/*51.80A	----	65.60 + 9.40	.4899	----	----	----	----	5 UNCH
1550	----	----	50.30B/*44.90A	50.30B/*44.90A	----	56.00 + 8.40	.4366	----	----	----	----	14 UNCH
1575	----	----	42.20B/*39.00A	42.20B/*39.00A	----	47.80 + 7.40	.3867	----	----	----	----	15 UNCH
1600	----	----	35.40B/*33.90A	35.40B/*33.90A	----	40.90 + 6.50	.3412	----	----	----	----	57 UNCH
1650	----	----	----	24.60B/*26.10A	----	30.20 + 5.20	.2639	----	----	----	----	44 UNCH
1700	----	----	----	16.90B/*20.60A	----	22.30 + 4.00	.2023	----	----	----	----	33 UNCH
1750	----	----	----	11.60B/*17.00A	----	16.70 + 2.90	.1554	----	----	----	----	92 UNCH
1800	----	----	----	7.90B/*14.60A	----	12.80 + 2.10	.1206	----	----	----	----	112 UNCH
1850	----	----	----	5.40B/*12.80A	----	10.20 + 1.60	.0960	----	----	----	----	42 UNCH
1900	----	----	----	3.50B/11.60A	----	8.40 + 1.40	.0783	----	----	----	----	64 UNCH
1925	----	----	----	2.80B/11.00A	----	7.60 + 1.20	.0706	----	----	----	----	40 UNCH
1950	----	----	----	2.20B/10.60A	----	7.00 + 1.20	.0645	----	----	----	----	10 UNCH
2000	----	----	----	1.20B/9.80A	----	5.80 + 1.00	.0531	----	----	----	----	108 UNCH
2100	----	----	----	----/8.70A	----	3.40 + 0.60	.0320	----	----	----	----	52 UNCH
2200	----	----	----	----/7.80A	----	2.00 + 0.30	.0192	----	----	----	----	8 UNCH
2300	----	----	----	----/7.20A	----	1.30 + 0.30	.0125	----	----	----	----	30 UNCH
2400	----	----	----	----/6.70A	----	0.90 + 0.20	.0086	----	----	----	----	7 UNCH
2500	----	----	----	----/6.30A	----	0.50 + 0.10	.0049	----	----	----	----	25 UNCH
2700	----	----	----	----/5.80A	----	0.20 UNCH	.0019	----	----	----	----	50 UNCH
3000	----	----	----	----/5.30A	----	0.10 UNCH	.0002	----	----	----	----	30 UNCH
3500	----	----	----	----/4.90A	----	0.10 UNCH	.0000	----	----	----	----	25 UNCH
TOTAL												1074 0
JUL26												
1550	----	----	88.90B/*79.80A	88.90B/*79.80A	----	95.80 + 11.80	.5091	----	----	----	----	50 UNCH
1600	----	----	70.30B/*65.00A	70.30B/*65.00A	----	77.10 + 10.30	.4354	----	----	----	----	50 UNCH
1800	----	----	27.50B/----	27.50B/*31.70A	----	32.90 + 5.50	.2177	----	----	----	----	49 UNCH
TOTAL												149 0
SEP26												
1400	----	----	203.70B/186.90A	203.70B/186.90A	----	212.50 + 15.00	.6952	----	----	----	----	75 UNCH
1575	----	----	120.60B/*115.40	120.60B/*115.40	----	129.80 + 12.00	.5044	----	----	----	----	25 UNCH
1665	----	----	91.40B/----	91.40B/*90.50A	----	100.40 + 10.30	.4170	----	----	----	----	9 UNCH
1700	----	----	82.00B/----	82.00B/82.70A	----	91.00 + 9.60	.3864	----	----	----	----	55 UNCH
1800	----	----	----	60.50B/*65.00A	----	69.40 + 7.90	.3101	----	----	----	----	1 UNCH
1900	----	----	----	45.60B/*52.60A	----	54.20 + 6.30	.2504	----	----	----	----	5 UNCH
2000	----	----	----	35.30B/*43.90A	----	43.40 + 5.10	.2047	----	----	----	----	5 UNCH
2100	----	----	----	27.90B/37.50A	----	35.00 + 4.40	.1680	----	----	----	----	25 UNCH
2200	----	----	----	22.40B/32.70A	----	29.20 + 3.80	.1410	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 76

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO CALL		NYMEX PALLADIUM OPTIONS										
SEP26												
2400	----	----	----	14.50B/26.00A	----	22.10 + 2.90	.1056	----	----	----	----	15 UNCH
2550	----	----	----	10.50B/22.60A	----	18.20 + 2.30	.0864	----	----	----	----	50 UNCH
TOTAL												270 0
DEC26												
2000	----	----	----	----	----	78.50 + 4.20	.2817	----	----	----	----	1 UNCH
3000	----	----	----	----	----	27.60 + 1.40	.1001	----	----	----	----	1 UNCH
TOTAL												2 0
PAO PUT		NYMEX PALLADIUM OPTIONS										
JUN26												
1200	----	----	----	1.50B/9.50A	----	3.40 - 0.20	.0366	----	----	----	----	15 UNCH
1250	----	----	----	5.30B/12.10A	----	6.00 - 0.40	.0625	----	----	----	----	1 UNCH
1300	----	----	11.40B/----	11.40B/16.30A	----	10.30 - 0.80	.1025	----	----	----	----	75 UNCH
1325	----	----	15.60B/----	15.60B/19.20A	----	13.40 - 1.00	.1295	----	----	----	----	18 UNCH
1335	----	----	17.60B/----	17.60B/20.50A	----	14.90 - 1.20	.1419	----	----	----	----	1 UNCH
1350	----	----	21.00B/----	21.00B/22.90A	----	17.40 - 1.40	.1621	----	----	----	----	5 UNCH
1400	----	----	36.50B/----	36.50B/33.50A	----	28.60 - 2.30	.2436	----	----	----	----	217 UNCH
1440	----	----	54.30B/----	54.30B/46.10A	----	41.00 - 3.50	.3221	----	----	----	----	4 UNCH
1450	----	----	59.50B/----	59.50B/49.90A	----	44.70 - 3.80	.3433	----	----	----	----	101 UNCH
1460	----	----	65.00B/----	65.00B/54.00A	----	48.60 - 4.20	.3649	----	----	----	----	100 UNCH
1475	----	----	73.60B/----	73.60B/60.70A	----	55.00 - 4.80	.3981	----	----	----	----	10 UNCH
1500	----	----	89.30B/----	89.30B/73.10A	----	67.00 - 5.80	.4543	----	----	----	----	54 UNCH
1550	----	----	124.60B/102.50A	124.60B/102.50A	----	96.00 - 7.90	.5632	----	----	----	----	1 UNCH
1750	----	----	298.10B/261.60A	298.10B/261.60A	----	256.30 - 13.30	.8445	----	----	----	----	1 UNCH
1900	----	----	442.70B/403.10A	442.70B/403.10A	----	397.70 - 14.90	.9216	----	----	----	----	50 UNCH
TOTAL												653 0
JUL26												
1285	----	----	20.40B/----	20.40B/25.60A	----	19.80 + 0.20	.1331	----	----	----	----	9 UNCH
1300	----	----	23.30B/----	23.30B/27.80A	----	22.10 + 0.10	.1465	----	----	----	----	125 UNCH
1400	----	----	52.60B/----	52.60B/50.60A	----	44.10 - 1.00	.2608	----	----	----	----	20 UNCH
1450	----	----	75.00B/----	75.00B/68.40A	----	61.60 - 2.10	.3342	----	----	----	----	30 UNCH
TOTAL												184 0
SEP26												
1300	----	----	48.50B/----	48.50B/54.40A	----	46.60 - 0.10	.2041	----	----	----	----	10 UNCH
1460	----	----	118.20B/----	118.20B/115.00A	----	105.80 - 2.30	.3706	----	----	----	----	75 UNCH
1465	----	----	120.90B/----	120.90B/117.40A	----	108.30 - 2.30	.3762	----	----	----	----	150 UNCH
1550	----	----	172.50B/----	172.50B/164.10A	----	154.70 - 3.90	.4691	----	----	----	----	100 UNCH
1575	----	----	189.10B/----	189.10B/179.30A	----	169.90 - 4.30	.4952	----	----	----	----	25 UNCH
1650	----	----	242.60B/----	242.60B/228.70A	----	219.30 - 5.60	.5688	----	----	----	----	50 UNCH
1925	----	----	473.30B/447.20A	473.30B/447.20A	----	438.50 - 10.20	.7617	----	----	----	----	75 UNCH
TOTAL												485 0
DEC26												
1500	----	----	----	----	----	159.20 - 7.10	.3945	----	----	----	----	40 UNCH
TOTAL												40 0
PAW OOF		PALLADIUM WEEKLY FRIDAY OPTION Week										
APR26												
1650	----	----	----	----/*4.70A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
TOTAL												0 - 1
PLW OOF		PLATINUM WEEKLY FRIDAY OPTION Week4										
APR26												
1755	----	----	----	----/2.80A	----	0.00 - 0.10	----	----	----	----	----	0 - 27
2050	70.00	70.00	77.90B/21.10A	77.90B/21.10A	----	19.60 - 8.80	----	4	----	4	----	0 - 8
2085	----	----	----	----	----	54.60 + 1.60	----	26	----	----	----	0 - 26
2090	----	----	----	----	----	59.60 + 2.60	----	26	----	----	----	0 - 26
2090	----	----	----/*2.80A	0.20B/*2.80A	----	0.00 - 5.40	----	----	----	----	----	0 - 26
2095	----	----	----	----	----	64.60 + 3.40	----	53	----	----	----	0 - 53
2095	----	----	----/*2.80A	----/*2.80A	----	0.00 - 4.60	----	----	----	----	----	0 - 26
2100	----	----	----/*2.80A	----/*2.80A	----	0.00 - 3.90	----	----	----	----	----	0 - 20
2120	----	----	----	----/*2.80A	----	0.00 - 1.90	----	----	----	----	----	0 - 27
2200	----	----	----	----/*2.80A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
2210	----	----	----	----/*2.80A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
2225	----	----	----	----/*2.80A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
TOTAL										4		0 - 251
MAY26												
1700	----	----	----	----/*3.60A	----	0.20 - 0.30	.0026	----	----	----	----	3 UNCH
1915	----	----	----	----	----	126.50 - 10.90	.8512	----	----	----	----	20 UNCH
2000	----	----	64.30B/----	64.30B/37.30A	----	33.90 - 3.40	.3819	----	----	----	----	10 UNCH
2050	----	----	----/*27.40A	40.80B/*27.40A	----	39.50 - 10.30	.4428	----	----	----	----	10 UNCH
2095	20.10	20.10	20.10/*18.10A	24.80B/*18.10A	----	23.80 NEW	.2988	----	----	4	----	4 + 4
2200	----	----	----/*8.60A	6.10B/*8.60A	----	7.00 - 4.50	.0970	----	----	----	----	20 UNCH
TOTAL										4		67 + 4
PO CALL		PLATINUM OPTIONS										
JUN26												
1900	----	----	----/133.40A	167.90B/133.40A	----	167.90 - 11.10	.7443	----	----	----	----	1 UNCH
2000	----	----	----/84.30A	107.00B/84.30A	----	107.20 - 10.80	.5757	----	----	----	----	20 UNCH
2090	----	----	----/*53.70A	68.10B/*53.70A	----	68.50 - 9.40	.4218	----	----	----	----	2 UNCH
2100	----	----	----/*51.00A	64.50B/*51.00A	----	65.00 - 9.10	.4058	----	----	----	----	2 UNCH
2130	----	----	----/*43.70A	54.70B/*43.70A	----	55.20 - 8.70	.3594	----	----	----	----	100 UNCH
2150	----	----	----/*39.50A	48.90B/*39.50A	----	49.40 - 8.40	.3301	----	----	----	----	4 UNCH
2165	----	----	----/*36.60A	44.80B/*36.60A	----	45.30 - 8.20	.3089	----	----	----	----	1 UNCH
2175	----	----	----/*34.80A	42.30B/*34.80A	----	42.80 - 8.10	.2954	----	----	----	----	12 UNCH
2180	----	----	----/*33.90A	41.10B/*33.90A	----	41.60 - 8.00	.2888	----	----	----	----	12 UNCH
2185	----	----	----/*33.10A	39.90B/*33.10A	----	40.40 - 8.00	.2823	----	----	----	----	12 UNCH
2190	----	----	----/*32.30A	38.80B/*32.30A	----	39.30 - 7.80	.2760	----	----	----	----	12 UNCH
2195	----	----	----/*31.50A	37.70B/*31.50A	----	38.20 - 7.70	.2697	----	----	----	----	12 UNCH
2200	35.50	35.50	35.50/*30.80A	36.60B/*30.80A	----	37.10 - 7.70	.2635	----	----	17	----	365 + 8
2205	----	----	----/*30.00A	35.50B/*30.00A	----	36.00 - 7.70	.2573	----	----	----	----	12 UNCH
2210	----	----	----/*29.30A	34.50B/*29.30A	----	35.00 - 7.60	.2514	----	----	----	----	24 UNCH
2220	----	----	----/*28.00A	32.50B/*28.00A	----	33.00 - 7.40	.2397	----	----	----	----	6 UNCH
2225	----	----	----/*27.30A	31.60B/*27.30A	----	32.10 - 7.30	.2342	----	----	----	----	44 UNCH
2230	----	----	----/*26.70A	30.70B/*26.70A	----	31.20 - 7.20	.2287	----	----	----	----	24 UNCH
2235	----	----	----/*26.00A	29.80B/*26.00A	----	30.30 - 7.20	.2232	----	----	----	----	12 UNCH
2240	----	----	----/*25.50A	28.90B/*25.50A	----	29.50 - 7.00	.2182	----	----	----	----	27 UNCH
2250	----	----	----/*24.30A	27.30B/*24.30A	----	27.90 - 6.80	.2080	----	----	----	----	62 UNCH
2255	----	----	----/*23.80A	26.50B/*23.80A	----	27.10 - 6.70	.2030	----	----	----	----	15 UNCH
2270	----	----	----/*22.20A	24.20B/*22.20A	----	24.90 - 6.50	.1888	----	----	----	----	72 UNCH
2280	----	----	----/*21.30A	22.80B/*21.30A	----	23.60 - 6.20	.1801	----	----	----	----	60 UNCH
2300	----	----	----/*19.60A	20.30B/*19.60A	----	21.30 - 5.70	.1642	----	----	----	----	423 UNCH
2320	----	----	----/*18.20A	18.00B/*18.20A	----	19.20 - 5.30	.1496	----	----	----	----	78 UNCH
2340	----	----	----/*16.90A	16.00B/*16.90A	----	17.40 - 4.80	.1365	----	----	----	----	30 UNCH
2345	----	----	----/*16.60A	15.60B/*16.60A	----	17.00 - 4.70	.1336	----	----	----	----	15 UNCH
2350	----	----	----/*16.30A	15.10B/*16.30A	----	16.60 - 4.60	.1306	----	----	----	----	55 UNCH
2355	----	----	----/*16.00A	14.70B/*16.00A	----	16.20 - 4.50	.1277	----	----	----	----	17 UNCH
2400	----	----	----/*13.80A	11.20B/*13.80A	----	13.30 - 3.60	.1055	----	----	----	----	1 UNCH
2420	----	----	----/*12.90A	10.00B/*12.90A	----	12.20 - 3.30	.0970	----	----	----	----	4 UNCH
2450	----	----	----/*11.90A	8.50B/*11.90A	----	10.80 - 2.90	.0859	----	----	----	----	1 UNCH
2500	----	----	----/*10.40A	6.50B/*10.40A	----	8.40 - 2.40	.0679	----	----	----	----	100 UNCH
2650	----	----	----	3.00B/*7.60A	----	3.60 - 1.30	.0310	----	----	----	----	17 UNCH
TOTAL										17		1654 + 8
JUL26												
1500	----	----	----/481.20A	533.90B/481.20A	----	534.80 - 8.50	.9624	----	----	----	----	50 UNCH
1680	----	----	----	----	----	369.70 - 9.30	.8871	----	----	----	----	50 UNCH
1700	----	----	----/306.80A	352.00B/306.80A	----	352.70 - 9.40	.8738	----	----	----	----	1 UNCH
1800	----	----	----/234.00A	272.20B/234.00A	----	273.40 - 9.60	.7909	----	----	----	----	113 UNCH
1850	----	----	----/202.40A	236.30B/202.40A	----	238.00 - 9.30	.7405	----	----	----	----	1 UNCH
2000	----	----	----/126.50A	148.80B/126.50A	----	149.70 - 9.50	.5689	----	----	----	----	110 UNCH
2050	----	----	----/107.20A	126.00B/107.20A	----	126.50 - 9.40	.5099	----	----	----	----	1 UNCH
2085	----	----	----/95.40A	111.80B/95.40A	----	112.00 - 9.30	.4694	----	----	----	----	1 UNCH
2100	----	----	----/90.70A	106.10B/90.70A	----	106.30 - 9.20	.4525	----	----	3	----	522 UNCH
2150	----	----	----/76.70A	88.90B/76.70A	----	88.90 - 8.80	.3980	----	----	----	----	12 UNCH
2170	----	----	----/71.70A	82.80B/71.70A	----	82.70 - 8.70	.3773	----	----	----	----	4 UNCH
2200	----	----	----/64.80A	74.30B/64.80A	----	74.20 - 8.40	.3476	----	----	3	----	506 UNCH
2250	----	----	----/*54.90A	61.90B/*54.90A	----	61.80 - 8.10	.3016	----	----	----	----	5 UNCH
2300	----	----	----/*46.60A	51.50B/*46.60A	----	51.60 - 7.70	.2608	----	----	----	----	178 UNCH
2350	----	----	----/*39.90A	42.90B/*39.90A	----	43.30 - 7.10	.2253	----	----	----	200	101 - 99
2375	----	----	----/*37.00A	39.10B/*37.00A	----	39.70 - 6.80	.2093	----	----	----	----	50 UNCH
2400	32.00	32.00	32.00/*32.00	35.70B/*32.00	----	36.50 - 6.40	.1946	----	----	1	----	867 + 1
2450	----	----	----/*29.80A	29.80B/*29.80A	----	31.10 - 5.50	.1687	----	----	----	----	50 UNCH
2480	----	----	----/*27.60A	26.80B/*27.60A	----	28.40 - 4.90	.1553	----	----	----	----	50 UNCH
2500	----	----	----/*26.20A	25.00B/*26.20A	----	26.80 - 4.50	.1472	----	----	----	----	422 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 77

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PO CALL		PLATINUM OPTIONS										
JUL26												
2600	----	----	----/*20.90A	17.90B/*20.90A	----	20.50 - 3.10	.1140	----	----	1	----	363 + 1
2700	----	----	----/*17.30A	13.60B/*17.30A	----	16.30 - 2.00	.0906	----	----	----	----	114 UNCH
2800	----	----	----	10.60B/*14.70A	----	13.40 - 0.80	.0739	----	----	----	----	348 UNCH
2850	----	----	----	9.40B/*13.70A	----	12.20 - 0.20	.0671	----	----	----	----	91 UNCH
2900	----	----	----	8.40B/*12.80A	----	11.30 + 0.40	.0616	----	----	----	200	190 - 52
3000	----	----	----	6.80B/11.40A	----	9.80 + 1.30	.0526	----	----	----	----	583 UNCH
3100	----	----	----	5.50B/*10.30A	----	8.70 + 2.00	.0458	----	----	----	----	159 UNCH
3200	----	----	----	2.10B/11.80A	----	7.90 + 2.80	.0407	----	----	1	----	18 UNCH
3300	----	----	----	1.20B/*11.00A	----	7.30 + 3.30	.0367	----	----	----	----	31 UNCH
3400	----	----	----	0.50B/*10.40A	----	6.00 + 2.80	.0304	----	----	----	----	32 UNCH
3500	----	----	----	----/*9.90A	----	5.00 + 2.40	.0255	----	----	----	----	274 UNCH
3600	----	----	----	----/*9.40A	----	4.20 + 2.00	.0214	----	----	----	----	300 UNCH
3800	----	----	----	0.80B/*6.40A	----	3.10 + 1.50	.0158	----	----	----	----	12 UNCH
3900	----	----	----	0.50B/*6.10A	----	2.70 + 1.40	.0137	----	----	----	----	8 UNCH
4000	----	----	----	0.20B/5.90A	----	2.40 + 1.20	.0121	----	----	----	----	221 UNCH
TOTAL									400	9		5838 - 149
OCT26												
1720	----	----	----	----	----	407.10 - 7.80	.7804	----	----	----	----	1 UNCH
1800	----	----	----/319.90A	350.60B/319.90A	----	355.30 - 6.80	.7283	----	----	----	----	1 UNCH
2125	----	----	----/177.50A	191.70B/177.50A	----	196.40 - 5.80	.5033	----	----	----	----	12 UNCH
2135	----	----	----/174.40A	188.10B/174.40A	----	192.90 - 5.70	.4968	----	----	----	----	12 UNCH
2200	----	----	----/155.30A	166.40B/155.30A	----	171.60 - 5.30	.4558	----	----	----	----	135 UNCH
2400	----	----	----/110.00A	114.90B/110.00A	----	119.60 - 6.00	.3455	----	----	----	----	110 UNCH
2500	103.80	103.80	103.80/93.10A	103.80/93.10A	----	100.80 - 5.80	.3004	----	----	2	----	181 UNCH
2600	----	----	----/79.30A	80.10B/79.30A	----	85.20 - 5.30	.2611	----	----	----	----	10 UNCH
2700	----	----	----/68.00A	67.10B/68.00A	----	72.00 - 4.60	.2265	----	----	----	----	310 UNCH
2800	----	----	----/*58.80A	56.50B/*58.80A	----	61.30 - 3.70	.1972	----	----	----	----	31 UNCH
2850	----	----	----/*54.80A	51.90B/*54.80A	----	56.90 - 3.10	.1845	----	----	----	----	100 UNCH
2900	----	----	----/*51.20A	47.80B/*51.20A	----	52.90 - 2.60	.1728	----	----	----	----	210 UNCH
3000	----	----	----/*45.20A	40.80B/*45.20A	----	46.20 - 1.70	.1526	----	----	----	----	121 UNCH
3200	----	----	----/*36.20A	30.50B/*36.20A	----	35.20 - 1.30	.1190	----	----	----	----	10 UNCH
3500	----	----	----	20.80B/*27.80A	----	25.00 - 1.10	.0858	----	----	----	----	10 UNCH
4000	----	----	----	12.30B/*20.00A	----	16.70 - 0.80	.0568	----	----	----	----	5 UNCH
TOTAL										2		1259 0
JAN27												
2360	----	----	----	----	----	193.90 - 20.80	.4253	----	----	----	----	100 UNCH
TOTAL												100 0
PO PUT		PLATINUM OPTIONS										
JUN26												
1800	----	----	24.40B/----	24.40B/20.50A	----	17.70 - 1.60	.1346	----	----	----	----	2 UNCH
1825	----	----	30.20B/----	30.20B/24.40A	----	21.40 - 2.10	.1593	----	----	----	----	89 UNCH
1850	----	----	37.10B/----	37.10B/29.20A	----	25.90 - 2.50	.1877	----	----	----	----	4 UNCH
1875	----	----	45.20B/----	45.20B/34.70A	----	31.30 - 2.80	.2198	----	----	----	----	24 UNCH
1880	----	----	47.00B/----	47.00B/35.90A	----	32.50 - 2.90	.2266	----	----	----	----	24 UNCH
1885	----	----	48.90B/----	48.90B/37.20A	----	33.80 - 2.90	.2338	----	----	----	----	42 UNCH
1890	----	----	50.80B/----	50.80B/38.50A	----	35.00 - 3.00	.2407	----	----	----	----	24 UNCH
1895	----	----	52.70B/----	52.70B/39.90A	----	36.40 - 3.00	.2481	----	----	----	----	12 UNCH
1900	41.90	41.90	54.70B/41.90	54.70B/41.30A	----	37.80 - 3.10	.2556	----	----	28	----	401 + 28
1905	----	----	56.80B/----	56.80B/42.70A	----	39.20 - 3.10	.2631	----	----	----	----	39 UNCH
1910	----	----	58.90B/----	58.90B/44.20A	----	40.70 - 3.20	.2708	----	----	----	----	39 UNCH
1915	----	----	61.10B/----	61.10B/45.80A	----	42.30 - 3.20	.2788	----	----	----	----	54 UNCH
1920	----	----	63.30B/----	63.30B/47.40A	----	43.90 - 3.20	.2867	----	----	----	----	44 UNCH
1925	----	----	65.70B/----	65.70B/49.00A	----	45.50 - 3.30	.2947	----	----	----	----	27 UNCH
1930	----	----	67.90B/----	67.90B/50.70A	----	47.20 - 3.30	.3028	----	----	----	----	42 UNCH
1935	----	----	70.40B/----	70.40B/52.50A	----	49.00 - 3.30	.3112	----	----	----	----	42 UNCH
1940	----	----	72.70B/----	72.70B/54.30A	----	50.80 - 3.30	.3195	----	----	----	----	30 UNCH
1950	----	----	77.80B/----	77.80B/58.10A	----	54.60 - 3.30	.3365	----	----	----	----	139 UNCH
1955	----	----	80.30B/----	80.30B/60.10A	----	56.60 - 3.20	.3451	----	----	----	----	30 UNCH
1960	----	----	82.90B/----	82.90B/62.10A	----	58.70 - 3.20	.3539	----	----	----	----	15 UNCH
1965	----	----	85.60B/----	85.60B/64.20A	----	60.80 - 3.10	.3626	----	----	----	----	15 UNCH
1970	----	----	88.30B/----	88.30B/66.30A	----	62.90 - 3.10	.3713	----	----	----	----	15 UNCH
1975	----	----	91.00B/----	91.00B/68.50A	----	65.10 - 3.10	.3800	----	----	----	----	15 UNCH
1980	----	----	93.80B/----	93.80B/70.70A	----	67.40 - 3.00	.3889	----	----	----	----	15 UNCH
1985	----	----	96.60B/----	96.60B/73.00A	----	69.70 - 3.00	.3977	----	----	----	----	15 UNCH
1990	----	----	99.50B/----	99.50B/75.30A	----	72.00 - 2.90	.4065	----	----	----	----	15 UNCH
1995	----	----	102.40B/----	102.40B/77.70A	----	74.40 - 2.90	.4153	----	----	----	----	15 UNCH
2000	----	----	105.30B/----	105.30B/80.10A	----	76.90 - 2.80	.4242	----	----	----	----	24 UNCH
2020	----	----	116.50B/----	116.50B/90.20A	----	87.10 - 2.50	.4594	----	----	----	----	30 UNCH
2050	----	----	136.90B/----	136.90B/106.60A	----	103.70 - 2.10	.5114	----	----	----	----	3 UNCH
2100	----	----	172.20B/----	172.20B/136.90A	----	134.40 - 1.20	.5940	----	----	----	----	101 UNCH
2140	----	----	----	----	----	161.60 - 0.50	.6553	----	----	----	----	1 UNCH
2200	----	----	252.40B/----	252.40B/208.50A	----	206.30 + 0.30	.7363	----	----	----	----	10 UNCH
TOTAL										28		1397 + 28
JUL26												
1400	----	----	----	1.00B/6.50A	----	2.90 - 0.30	.0186	----	----	----	----	150 UNCH
1500	----	----	----	5.00B/9.30A	----	6.10 - 0.60	.0374	----	----	----	----	153 UNCH
1550	----	----	----	8.60B/11.70A	----	8.70 - 0.70	.0520	----	----	----	----	200 UNCH
1600	----	----	13.70B/----	13.70B/15.30A	----	12.20 - 0.90	.0707	----	----	----	----	402 UNCH
1650	----	----	20.70B/----	20.70B/20.20A	----	17.00 - 1.20	.0950	----	----	----	----	1 UNCH
1680	----	----	25.80B/----	25.80B/23.90A	----	20.70 - 1.40	.1127	----	----	----	----	50 UNCH
1700	----	----	29.70B/----	29.70B/26.80A	----	23.60 - 1.50	.1260	----	----	----	----	283 UNCH
1710	----	----	31.80B/----	31.80B/28.40A	----	25.20 - 1.50	.1331	----	----	----	----	1 UNCH
1750	----	----	41.30B/----	41.30B/35.70A	----	32.50 - 1.60	.1641	----	----	----	----	50 UNCH
1800	----	----	55.80B/----	55.80B/47.00A	----	44.00 - 1.60	.2089	----	----	----	----	261 UNCH
1825	----	----	64.30B/----	64.30B/53.70A	----	50.80 - 1.50	.2335	----	----	----	----	30 UNCH
1850	----	----	73.50B/----	73.50B/61.20A	----	58.30 - 1.50	.2592	----	----	----	----	40 UNCH
1900	----	----	94.60B/----	94.60B/78.40A	----	75.70 - 1.30	.3141	----	----	----	----	81 UNCH
2085	----	----	181.30B/----	181.30B/169.80A	----	166.40 - 1.30	.5304	----	----	----	----	1 UNCH
2100	----	----	210.50B/----	210.50B/179.00A	----	175.60 - 1.20	.5473	----	----	----	----	225 UNCH
2135	----	----	----	----	----	198.00 - 0.90	.5858	----	----	----	----	190 UNCH
2165	----	----	----	----	----	218.20 - 0.70	.6174	----	----	----	----	20 UNCH
2350	----	----	409.70B/----	409.70B/364.30A	----	361.50 + 0.80	.7745	----	----	----	----	5 UNCH
2400	----	----	454.30B/----	454.30B/407.20A	----	404.60 + 1.60	.8052	----	----	----	----	300 UNCH
4000	----	----	2,026.20B/----	2,026.20B/1,972	----	1969.60 + 8.00	.9878	----	----	----	----	10 UNCH
TOTAL												2453 0
OCT26												
1300	----	----	----	10.70B/18.60A	----	14.00 - 0.30	.0479	----	----	----	----	4 UNCH
1500	----	----	34.20B/----	34.20B/38.10A	----	33.10 - 0.60	.1052	----	----	----	----	20 UNCH
1600	----	----	54.90B/----	54.90B/55.60A	----	50.70 - 0.80	.1505	----	----	----	----	17 UNCH
1720	----	----	90.30B/----	90.30B/86.60A	----	81.90 UNCH	.2192	----	----	----	----	2 UNCH
1820	----	----	129.10B/----	129.10B/121.30A	----	116.90 + 1.10	.2848	----	----	----	----	3 UNCH
2000	----	----	220.50B/----	220.50B/204.50A	----	199.00 + 1.30	.4108	----	----	----	----	1 UNCH
2100	----	----	282.30B/----	282.30B/261.70A	----	256.30 + 1.70	.4797	----	----	----	----	100 UNCH
2130	----	----	302.20B/----	302.20B/280.20A	----	275.10 + 2.00	.4995	----	----	----	----	41 UNCH
2135	----	----	305.60B/----	305.60B/283.40A	----	278.30 + 2.00	.5028	----	----	----	----	12 UNCH
2140	----	----	308.90B/----	308.90B/286.50A	----	281.50 + 2.10	.5060	----	----	----	----	12 UNCH
2400	----	----	504.10B/----	504.10B/471.40A	----	467.20 + 1.80	.6541	----	----	----	----	200 UNCH
2500	----	----	586.80B/----	586.80B/551.10A	----	547.50 + 2.00	.6992	----	----	----	----	1 UNCH
TOTAL												413 0
JAN27												
1500	----	----	----	----	----	64.60 + 5.90	.1435	----	----	----	----	40 UNCH
1800	----	----	----	----	----	157.80 - 2.20	.2877	----	----	----	----	1 UNCH
TOTAL												41 0

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 78

PRELIMINARY

OPTIONS EOO'S AND BLOCKS

PRODUCT		STRIKE PRICE	EOO VOLUME	BLOCK VOLUME
OG CALL		COMEX GOLD OPTIONS		
MAY26	CALL			
OG		4400	0	30
OG		4700	0	200
OG		4800	0	120
TOTALS			0	350
JUN26	CALL			
OG		4850	0	500
OG		5200	0	350
TOTALS			0	850
JUL26	CALL			
OG		5000	0	250
OG		5500	0	500
OG		6000	0	250
TOTALS			0	1000
AUG26	CALL			
OG		4770	0	250
OG		5150	0	50
OG		5175	0	325
TOTALS			0	625
SEP26	CALL			
OG		5300	0	210
TOTALS			0	210
OCT26	CALL			
OG		5700	0	150
TOTALS			0	150
DEC26	CALL			
OG		4925	0	150
OG		5570	0	195
OG		6000	0	250
TOTALS			0	595
FEB27	CALL			
OG		6000	0	50
TOTALS			0	50
DEC28	CALL			
OG		5750	0	50
TOTALS			0	50
OG PUT		COMEX GOLD OPTIONS		
MAY26	PUT			
OG		4400	0	30
OG		4600	0	30
OG		4625	0	60
OG		4675	0	60
OG		4700	0	450
TOTALS			0	630
JUN26	PUT			
OG		4625	0	100
OG		4650	0	150
TOTALS			0	250
AUG26	PUT			
OG		4400	0	325
OG		4770	0	250
TOTALS			0	575
OCT26	PUT			
OG		4100	0	150
TOTALS			0	150
DEC26	PUT			
OG		4000	0	250
OG		4365	0	195
OG		4925	0	150
TOTALS			0	595
FEB27	PUT			
OG		4200	0	50
TOTALS			0	50
SO CALL		COMEX SILVER OPTIONS		
MAY26	CALL			
SO		7700	0	120
SO		7800	0	50
TOTALS			0	170
JUL26	CALL			
SO		9000	0	145
TOTALS			0	145
SO PUT		COMEX SILVER OPTIONS		
MAY26	PUT			
SO		7500	0	120
SO		7600	0	25
TOTALS			0	145
JUL26	PUT			
SO		6800	0	145
TOTALS			0	145
HX CALL		COMEX COPPER OPTIONS		
MAY26	CALL			
HX		610	0	240
TOTALS			0	240
HX PUT		COMEX COPPER OPTIONS		
MAY26	PUT			
HX		590	0	240
TOTALS			0	240
PO CALL		PLATINUM OPTIONS		
JUL26	CALL			
PO		2350	0	200
PO		2900	0	200
TOTALS			0	400
OG1 PUT		GOLD OPTIONS		
MAY26	PUT			
OG1		4600	0	50
OG1		4650	0	50
OG1		4700	0	130
TOTALS			0	230
GWR THU		GOLD WEEKLY THURSDAY OPTION Week1		
MAY26	CALL			
G1R		4700	0	200
TOTALS			0	200

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

GWT TUE GOLD WEEKLY TUESDAY OPTION Week4

APR26	CALL		
G4T	4725	0	75
TOTALS		0	75

TWS TUE SILVER WEEKLY TUESDAY OPTION Week1

MAY26	PUT		
S1T	7700	0	75
TOTALS		0	75

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.