

PG64

BULLETIN #111@

METALS OPTION PRODUCTS

Thu, Jun 11, 2026

PG64

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX ( OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY’S SETTLEMENT PRICE.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY’S SETTLEMENT PRICE.

| METAL FUTURES CONTRACTS LAST TRADE DATES |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
|------------------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| EXPIRATION:                              | JUN26 | JUN26 | JUN26 | JUL26 | AUG26 | SEP26 | OCT26 | NOV26 | DEC26 | JAN27 | FEB27 | MAR27 | APR27 | MAY27 |
| COO OPT                                  | 06/30 |       |       | 07/31 | 08/28 | 09/30 | 10/30 | 11/30 | 12/31 | 01/29 | 02/26 | 03/31 |       |       |
| ECG10 OP                                 |       | 06/10 | 06/11 |       |       |       |       |       |       |       |       |       |       |       |
| ECG11 OP                                 |       | 06/10 | 06/11 |       |       |       |       |       |       |       |       |       |       |       |
| ECG13 OP                                 |       | 06/10 | 06/11 |       |       |       |       |       |       |       |       |       |       |       |
| ECG15 OP                                 |       | 06/10 | 06/11 |       |       |       |       |       |       |       |       |       |       |       |
| ECG16 OP                                 |       | 06/10 | 06/11 |       |       |       |       |       |       |       |       |       |       |       |
| ECGC OOF                                 |       | 06/10 | 06/11 |       |       |       |       |       |       |       |       |       |       |       |
| ECHG OOF                                 |       | 06/10 | 06/11 |       |       |       |       |       |       |       |       |       |       |       |
| ECSI OOF                                 |       | 06/10 | 06/11 |       |       |       |       |       |       |       |       |       |       |       |
| EHO OPT                                  | 06/30 |       |       | 07/31 | 08/28 | 09/30 |       |       |       |       |       |       |       |       |
| FMG OPT                                  | 06/26 |       |       |       |       |       |       |       |       |       |       |       |       |       |
| FSO OPT                                  | 06/30 |       |       |       |       |       |       |       |       |       |       |       |       |       |
| GMW MON                                  | 06/29 |       |       | 07/06 |       |       |       |       |       |       |       |       |       |       |
| GWR THU                                  | 06/18 |       |       | 07/09 |       |       |       |       |       |       |       |       |       |       |
| GWT TUE                                  | 06/30 |       |       | 07/07 |       |       |       |       |       |       |       |       |       |       |
| GWV WED                                  | 06/24 |       |       | 07/01 |       |       |       |       |       |       |       |       |       |       |
| HMW MON                                  | 06/29 |       |       |       |       |       |       |       |       |       |       |       |       |       |
| HRO OPT                                  | 06/23 |       |       | 07/28 | 08/25 | 09/29 | 10/27 | 11/24 | 12/29 |       |       |       |       |       |
| HWR THU                                  | 06/18 |       |       | 07/09 |       |       |       |       |       |       |       |       |       |       |
| HWT TUE                                  | 06/30 |       |       |       |       |       |       |       |       |       |       |       |       |       |
| HWW WED                                  | 06/24 |       |       |       |       |       |       |       |       |       |       |       |       |       |
| HX CALL                                  |       |       |       | 07/01 |       |       |       |       |       |       |       |       |       |       |
| HX PUT                                   |       |       |       | 06/25 | 07/28 | 08/26 | 09/24 | 10/27 | 11/24 | 12/28 | 01/26 | 02/23 |       |       |
| HXE CALL                                 | 06/26 |       |       | 06/25 | 07/28 | 08/26 | 09/24 | 10/27 | 11/24 | 12/28 | 01/26 | 02/23 |       |       |
| HXE PUT                                  | 06/26 |       |       | 07/17 |       |       |       |       |       |       |       |       |       |       |
| LHO OPT                                  | 06/30 |       |       | 07/10 |       |       |       |       |       |       |       |       |       |       |
| MMG MON                                  | 06/15 |       |       | 07/31 | 08/31 | 09/30 | 10/30 | 11/30 | 12/31 | 01/29 | 02/26 | 03/31 |       |       |
| OG CALL                                  |       |       |       | 06/25 | 07/28 | 08/26 | 09/24 | 10/27 | 11/24 | 12/28 | 01/26 | 02/23 | 03/24 |       |
| OG PUT                                   |       |       |       | 06/25 | 07/28 | 08/26 | 09/24 | 10/27 | 11/24 | 12/28 | 01/26 | 02/23 | 03/24 |       |
| OG2 CALL                                 | 06/12 |       |       | 07/10 |       |       |       |       |       |       |       |       |       |       |
| OG2 PUT                                  | 06/12 |       |       | 07/10 |       |       |       |       |       |       |       |       |       |       |
| OG3 CALL                                 |       |       |       | 07/17 |       |       |       |       |       |       |       |       |       |       |
| OG3 PUT                                  |       |       |       | 07/17 |       |       |       |       |       |       |       |       |       |       |
| OG4 CALL                                 | 06/26 |       |       |       |       |       |       |       |       |       |       |       |       |       |
| OG4 PUT                                  | 06/26 |       |       |       |       |       |       |       |       |       |       |       |       |       |
| OMG OPT                                  |       |       |       | 06/25 | 07/28 | 08/26 | 09/24 |       | 11/24 |       |       |       |       |       |
| PAO CALL                                 |       |       |       | 06/17 | 07/15 | 08/19 |       |       | 11/18 |       |       |       |       |       |
| PAO PUT                                  |       |       |       | 06/17 | 07/15 | 08/19 |       |       | 11/18 |       |       | 02/17 |       |       |
| PLW OOF                                  |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| PO CALL                                  | 06/12 |       |       | 06/17 | 07/15 | 08/19 | 09/16 |       | 12/16 |       |       |       |       |       |
| PO PUT                                   |       |       |       | 06/17 | 07/15 | 08/19 | 09/16 |       | 12/16 |       |       |       |       |       |
| RWS THU                                  | 06/18 |       |       | 07/09 |       |       |       |       |       |       |       |       |       |       |
| SMW MON                                  | 06/29 |       |       |       |       |       |       |       |       |       |       |       |       |       |
| SO CALL                                  |       |       |       | 06/25 | 07/28 | 08/26 | 09/24 | 10/27 | 11/24 | 12/28 | 01/26 | 02/23 | 03/24 | 04/27 |
| SO PUT                                   |       |       |       | 06/25 | 07/28 | 08/26 | 09/24 | 10/27 | 11/24 | 12/28 | 01/26 | 02/23 | 03/24 | 04/27 |
| SO2 CALL                                 | 06/12 |       |       | 07/10 |       |       |       |       |       |       |       |       |       |       |
| SO2 PUT                                  | 06/12 |       |       | 07/10 |       |       |       |       |       |       |       |       |       |       |
| SO3 CALL                                 |       |       |       | 07/17 |       |       |       |       |       |       |       |       |       |       |
| SO3 PUT                                  |       |       |       | 07/17 |       |       |       |       |       |       |       |       |       |       |
| SO4 CALL                                 | 06/26 |       |       |       |       |       |       |       |       |       |       |       |       |       |
| SO4 PUT                                  | 06/26 |       |       |       |       |       |       |       |       |       |       |       |       |       |
| SWW WED                                  | 06/24 |       |       |       |       |       |       |       |       |       |       |       |       |       |
| TWS TUE                                  | 06/30 |       |       |       |       |       |       |       |       |       |       |       |       |       |

| GOLD OPTIONS ON FUTURES |                    |                           |                    |                         |                            |                          |       |               |                          |                   |               |                  |      |  |
|-------------------------|--------------------|---------------------------|--------------------|-------------------------|----------------------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|--|
|                         | GLOBEX<br>OPEN     | OPEN OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN OUTCRY<br>HIGH/LOW | OPEN OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |  |
| OMG OPT                 | MICRO GOLD OPTIONS |                           |                    |                         |                            |                          |       |               |                          |                   |               |                  |      |  |
| JUL26                   |                    |                           |                    |                         |                            |                          |       |               |                          |                   |               |                  |      |  |
| 3400                    | ----               | ----                      | ----               | ----                    | ----                       | 715.90 - 19.70           | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 3460                    | ----               | ----                      | ----               | ----                    | ----                       | 656.50 - 19.90           | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 4100                    | 102.00             | 102.00                    | 102.00/*102.00     | 102.00/*102.00          | ----                       | 100.40 NEW               | ----  | ----          | ----                     | 1                 | ----          | 1 +              | 1    |  |
| 4200                    | ----               | ----                      | ----               | ----                    | ----                       | 138.40 + 7.40            | ----  | ----          | ----                     | ----              | ----          | 2                | UNCH |  |
| 4215                    | 70.00              | 70.00                     | #70.00/*70.00      | #70.00/*70.00           | ----                       | 47.00 NEW                | ----  | ----          | ----                     | 1                 | ----          | 1 +              | 1    |  |
| 4275                    | ----               | ----                      | ----               | ----                    | ----                       | 190.30 + 10.20           | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 4300                    | 162.00             | 162.00                    | #162.00/162.00     | #162.00/162.00          | ----                       | 209.80 + 11.10           | ----  | ----          | ----                     | 1                 | ----          | 0 -              | 1    |  |
| 4400                    | ----               | ----                      | ----               | ----                    | ----                       | 295.90 + 14.20           | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 4500                    | ----               | ----                      | ----               | ----                    | ----                       | 4.50 - 3.30              | ----  | ----          | ----                     | ----              | ----          | 0                | UNCH |  |
| 4500                    | ----               | ----                      | #405.00B/----      | #405.00B/----           | ----                       | 390.10 + 16.00           | ----  | ----          | ----                     | ----              | ----          | 4                | UNCH |  |
| 4550                    | ----               | ----                      | ----               | ----                    | ----                       | 438.70 + 16.70           | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 4600                    | ----               | ----                      | ----               | ----                    | ----                       | 487.80 + 17.20           | ----  | ----          | ----                     | ----              | ----          | 2                | UNCH |  |
| 4600                    | 2.60               | 2.60                      | 2.60/*2.60         | 2.60/*2.60              | ----                       | 2.30 - 2.10              | ----  | ----          | ----                     | 2                 | ----          | 0 -              | 2    |  |
| 4700                    | ----               | ----                      | ----               | ----                    | ----                       | 1.40 - 1.50              | ----  | ----          | ----                     | ----              | ----          | 2                | UNCH |  |
| 4800                    | ----               | ----                      | ----               | ----                    | ----                       | 1.00 - 1.10              | ----  | ----          | ----                     | ----              | ----          | 2                | UNCH |  |
| 5000                    | ----               | ----                      | ----               | ----                    | ----                       | 0.80 - 0.50              | ----  | ----          | ----                     | ----              | ----          | 3                | UNCH |  |
| 5300                    | ----               | ----                      | ----               | ----                    | ----                       | 0.50 - 0.20              | ----  | ----          | ----                     | ----              | ----          | 3                | UNCH |  |
| 5500                    | ----               | ----                      | ----               | ----                    | ----                       | 0.30 - 0.20              | ----  | ----          | ----                     | ----              | ----          | 2                | UNCH |  |
| TOTAL                   |                    |                           |                    |                         |                            |                          |       |               |                          | 5                 |               | 27 -             | 1    |  |
| AUG26                   |                    |                           |                    |                         |                            |                          |       |               |                          |                   |               |                  |      |  |
| 3500                    | ----               | ----                      | ----               | ----                    | ----                       | 17.20 - 0.70             | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 3700                    | ----               | ----                      | ----               | ----                    | ----                       | 36.30 + 0.80             | ----  | ----          | ----                     | ----              | ----          | 2                | UNCH |  |
| 3900                    | 70.80              | 70.80                     | #70.80/70.80       | #70.80/70.80            | ----                       | 74.30 + 3.50             | ----  | ----          | ----                     | 5                 | ----          | 5 +              | 4    |  |
| 4000                    | 99.20              | 99.20                     | 110.00/99.20       | 110.00/99.20            | ----                       | 104.10 NEW               | ----  | ----          | ----                     | 4                 | ----          | 4 +              | 4    |  |
| 4100                    | 91.00              | 91.00                     | #91.00/*91.00      | #91.00/*91.00           | ----                       | 143.40 NEW               | ----  | ----          | ----                     | 1                 | ----          | 1 +              | 1    |  |
| 4210                    | ----               | ----                      | ----               | ----                    | ----                       | 200.10 + 8.20            | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 4400                    | ----               | ----                      | ----               | ----                    | ----                       | 46.30 - 7.90             | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 4400                    | ----               | ----                      | ----               | ----                    | ----                       | 331.30 + 11.40           | ----  | ----          | ----                     | ----              | ----          | 12               | UNCH |  |
| 4535                    | ----               | ----                      | ----               | ----                    | ----                       | 25.20 - 6.00             | ----  | ----          | ----                     | ----              | ----          | 2                | UNCH |  |
| 4550                    | ----               | ----                      | ----               | ----                    | ----                       | 458.00 + 13.50           | ----  | ----          | ----                     | ----              | ----          | 2                | UNCH |  |
| 4600                    | 22.00              | 22.00                     | #22.00/*22.00      | #22.00/*22.00           | ----                       | 18.90 NEW                | ----  | ----          | ----                     | 1                 | ----          | 1 +              | 1    |  |
| TOTAL                   |                    |                           |                    |                         |                            |                          |       |               |                          | 11                |               | 32 +             | 10   |  |
| SEP26                   |                    |                           |                    |                         |                            |                          |       |               |                          |                   |               |                  |      |  |
| 4230                    | 136.50             | 136.50                    | #136.50/*136.50    | #136.50/*136.50         | ----                       | 145.90 NEW               | ----  | ----          | ----                     | 2                 | ----          | 2 +              | 2    |  |
| TOTAL                   |                    |                           |                    |                         |                            |                          |       |               |                          | 2                 |               | 2 +              | 2    |  |
| OCT26                   |                    |                           |                    |                         |                            |                          |       |               |                          |                   |               |                  |      |  |
| 4680                    | ----               | ----                      | ----               | ----                    | ----                       | 54.30 - 4.80             | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| TOTAL                   |                    |                           |                    |                         |                            |                          |       |               |                          |                   |               | 1                | 0    |  |
| DEC26                   |                    |                           |                    |                         |                            |                          |       |               |                          |                   |               |                  |      |  |
| 3250                    | ----               | ----                      | ----               | ----                    | ----                       | 36.50 + 3.10             | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 4700                    | ----               | ----                      | ----               | ----                    | ----                       | 98.20 - 3.30             | ----  | ----          | ----                     | ----              | ----          | 10               | UNCH |  |
| TOTAL                   |                    |                           |                    |                         |                            |                          |       |               |                          |                   |               | 11               | 0    |  |
|                         | GLOBEX<br>OPEN     | OPEN OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN OUTCRY<br>HIGH/LOW | OPEN OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |  |
| OG4 PUT                 | GOLD OPTIONS       |                           |                    |                         |                            |                          |       |               |                          |                   |               |                  |      |  |
| JUN26                   |                    |                           |                    |                         |                            |                          |       |               |                          |                   |               |                  |      |  |
| 3250                    | 2.00               | 2.00                      | 2.50B/1.10A        | 2.50B/1.10A             | ----                       | 1.80 - 0.20              | .0095 | ----          | ----                     | 17                | ----          | 22 +             | 17   |  |
| 3500                    | 9.00               | 9.00                      | #9.00/1.90A        | #9.00/1.90A             | ----                       | 4.10 - 0.50              | .0251 | ----          | ----                     | 19                | ----          | 20 +             | 11   |  |
| 3600                    | 8.00               | 8.00                      | #13.80B/2.60A      | #13.80B/2.60A           | ----                       | 6.60 - 0.70              | .0414 | ----          | ----                     | 1                 | ----          | 96               | UNCH |  |
| 3700                    | ----               | ----                      | #22.40B/3.70A      | #22.40B/3.70A           | ----                       | 11.10 - 0.90             | .0701 | ----          | ----                     | 3                 | ----          | 31 +             | 1    |  |
| 3750                    | ----               | ----                      | #28.60B/4.80A      | #28.60B/4.80A           | ----                       | 14.60 - 0.90             | .0917 | ----          | ----                     | 2                 | ----          | 18 +             | 2    |  |
| 3775                    | 19.40              | 19.40                     | #21.10/*5.70A      | #31.70B/*5.70A          | ----                       | 16.70 NEW                | .1045 | ----          | ----                     | 7                 | ----          | 3 +              | 3    |  |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.

© Copyright CME Group Inc. All rights reserved.

| PG64              | BULLETIN #111@ |              |                 |                    |                  |                    |               |                 |                          |       | METALS OPTION PRODUCTS |                          |                   |               |                  |      |  |  |  |  | Thu, Jun 11, 2026 |  |  |  | PG64 |
|-------------------|----------------|--------------|-----------------|--------------------|------------------|--------------------|---------------|-----------------|--------------------------|-------|------------------------|--------------------------|-------------------|---------------|------------------|------|--|--|--|--|-------------------|--|--|--|------|
|                   | GLOBEX<br>OPEN | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES          | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |  |  |  |  |                   |  |  |  |      |
| OG4 PUT<br>JUN26  | GOLD OPTIONS   |              |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   |               |                  |      |  |  |  |  |                   |  |  |  |      |
| 3800              | 23.40          | 23.40        |                 | #36.10B/6.40A      | #36.10B/6.40A    | ----               |               |                 | 19.10 - 0.70             | .1190 | ----                   | ----                     | 16                | ----          | 30 +             | 13   |  |  |  |  |                   |  |  |  |      |
| 3850              | 48.00          | 48.00        |                 | #48.00/*8.60A      | #48.00/*8.60A    | ----               |               |                 | 25.10 - 0.30             | .1539 | ----                   | ----                     | 4                 | ----          | 4 +              | 2    |  |  |  |  |                   |  |  |  |      |
| 3875              | 35.00          | 35.00        |                 | #50.90B/*10.10A    | #50.90B/*10.10A  | ----               |               |                 | 28.60 NEW                | .1740 | ----                   | ----                     | 14                | ----          | 10 +             | 10   |  |  |  |  |                   |  |  |  |      |
| 3900              | 49.00          | 49.00        |                 | #57.00B/11.80A     | #57.00B/11.80A   | ----               |               |                 | 32.70 + 0.10             | .1967 | ----                   | ----                     | 9                 | ----          | 23 +             | 7    |  |  |  |  |                   |  |  |  |      |
| 3925              | 48.00          | 48.00        |                 | #63.50B/*13.80A    | #63.50B/*13.80A  | ----               |               |                 | 37.20 + 0.40             | .2214 | ----                   | ----                     | 8                 | ----          | 3 +              | 1    |  |  |  |  |                   |  |  |  |      |
| 3950              | 44.90          | 44.90        |                 | #70.80B/16.00A     | #70.80B/16.00A   | ----               |               |                 | 42.30 + 0.60             | .2487 | ----                   | ----                     | 11                | ----          | 9 +              | 2    |  |  |  |  |                   |  |  |  |      |
| 3975              | ----           | ----         |                 | #78.90B/19.10A     | #78.90B/19.10A   | ----               |               |                 | 48.10 + 1.00             | .2785 | ----                   | ----                     | ----              | ----          | 8                | UNCH |  |  |  |  |                   |  |  |  |      |
| 4000              | 61.00          | 61.00        |                 | #87.80B/22.40A     | #87.80B/22.40A   | ----               |               |                 | 54.60 + 1.40             | .3110 | ----                   | ----                     | 7                 | ----          | 25 -             | 1    |  |  |  |  |                   |  |  |  |      |
| 4025              | 69.00          | 69.00        |                 | #97.60B/26.10A     | #97.60B/26.10A   | ----               |               |                 | 62.00 NEW                | .3460 | ----                   | ----                     | 2                 | ----          | 1 +              | 1    |  |  |  |  |                   |  |  |  |      |
| 4050              | 74.40          | 74.40        |                 | #108.30B/30.50A    | #108.30B/30.50A  | ----               |               |                 | 70.30 + 2.60             | .3835 | ----                   | ----                     | 54                | ----          | 59 +             | 49   |  |  |  |  |                   |  |  |  |      |
| 4075              | ----           | ----         |                 | #120.20B/35.70A    | #120.20B/35.70A  | ----               |               |                 | 79.50 + 3.30             | .4231 | ----                   | ----                     | 1                 | ----          | 2                | UNCH |  |  |  |  |                   |  |  |  |      |
| 4100              | ----           | ----         |                 | #133.20B/41.60A    | #133.20B/41.60A  | ----               |               |                 | 89.90 + 4.20             | .4646 | ----                   | 103                      | ----              | 118 +         | 100              |      |  |  |  |  |                   |  |  |  |      |
| 4125              | 48.60          | 48.60        |                 | #146.90B/48.20A    | #146.90B/48.20A  | ----               |               |                 | 101.30 + 5.20            | .5074 | ----                   | 1                        | ----              | 6             | UNCH             |      |  |  |  |  |                   |  |  |  |      |
| 4150              | 138.00         | 138.00       |                 | #162.20B/55.70A    | #162.20B/55.70A  | ----               |               |                 | 113.60 + 6.10            | .5511 | ----                   | 110                      | ----              | 113 +         | 98               |      |  |  |  |  |                   |  |  |  |      |
| 4175              | 79.00          | 79.00        |                 | #178.60B/64.10A    | #178.60B/64.10A  | ----               |               |                 | 127.10 + 6.90            | .5950 | ----                   | 1                        | ----              | 4             | UNCH             |      |  |  |  |  |                   |  |  |  |      |
| 4200              | 84.80          | 84.80        |                 | #196.00B/74.20A    | #196.00B/74.20A  | ----               |               |                 | 141.80 + 7.80            | .6384 | ----                   | 53                       | ----              | 72 +          | 49               |      |  |  |  |  |                   |  |  |  |      |
| 4225              | ----           | ----         |                 | #213.90B/85.20A    | #213.90B/85.20A  | ----               |               |                 | 157.80 + 8.70            | .6805 | ----                   | ----                     | ----              | ----          | 8                | UNCH |  |  |  |  |                   |  |  |  |      |
| 4250              | ----           | ----         |                 | #233.20B/97.60A    | #233.20B/97.60A  | ----               |               |                 | 175.00 + 9.60            | .7208 | ----                   | ----                     | ----              | ----          | 26               | UNCH |  |  |  |  |                   |  |  |  |      |
| 4275              | ----           | ----         |                 | #253.10B/111.00    | #253.10B/111.00A | ----               |               |                 | 193.20 + 10.30           | .7581 | ----                   | ----                     | ----              | ----          | 45               | UNCH |  |  |  |  |                   |  |  |  |      |
| 4300              | ----           | ----         |                 | #273.80B/125.50    | #273.80B/125.50A | ----               |               |                 | 212.50 + 11.20           | .7923 | ----                   | ----                     | ----              | ----          | 17               | UNCH |  |  |  |  |                   |  |  |  |      |
| 4325              | ----           | ----         |                 | #294.90B/141.40    | #294.90B/141.40A | ----               |               |                 | 232.60 + 11.80           | .8232 | ----                   | 2                        | ----              | 7             | UNCH             |      |  |  |  |  |                   |  |  |  |      |
| 4350              | ----           | ----         |                 | #316.80B/158.30    | #316.80B/158.30A | ----               |               |                 | 253.60 + 12.60           | .8505 | ----                   | ----                     | ----              | ----          | 21               | UNCH |  |  |  |  |                   |  |  |  |      |
| 4375              | ----           | ----         |                 | #339.00B/176.10    | #339.00B/176.10A | ----               |               |                 | 275.30 + 13.30           | .8744 | ----                   | ----                     | ----              | ----          | 15               | UNCH |  |  |  |  |                   |  |  |  |      |
| 4400              | ----           | ----         |                 | #362.10B/195.00    | #362.10B/195.00A | ----               |               |                 | 297.60 + 13.90           | .8949 | ----                   | ----                     | ----              | ----          | 3                | UNCH |  |  |  |  |                   |  |  |  |      |
| 4425              | ----           | ----         |                 | #385.20B/214.70    | #385.20B/214.70A | ----               |               |                 | 320.40 + 14.50           | .9124 | ----                   | ----                     | ----              | ----          | 2                | UNCH |  |  |  |  |                   |  |  |  |      |
| 4450              | ----           | ----         |                 | #408.50B/235.10    | #408.50B/235.10A | ----               |               |                 | 343.60 + 14.90           | .9266 | ----                   | ----                     | ----              | ----          | 9                | UNCH |  |  |  |  |                   |  |  |  |      |
| 4475              | 381.50         | 381.50       |                 | #432.30B/256.30    | #432.30B/256.30A | ----               |               |                 | 367.20 + 15.40           | .9386 | ----                   | 25                       | ----              | 296 +         | 15               |      |  |  |  |  |                   |  |  |  |      |
| 4500              | ----           | ----         |                 | #456.40B/278.00    | #456.40B/278.00A | ----               |               |                 | 391.10 + 15.90           | .9484 | ----                   | 2                        | ----              | 10 -          | 2                |      |  |  |  |  |                   |  |  |  |      |
| 4525              | 363.00         | 363.00       |                 | #480.40B/300.20    | #480.40B/300.20A | ----               |               |                 | 415.20 + 16.20           | .9559 | ----                   | 1                        | ----              | 3             | UNCH             |      |  |  |  |  |                   |  |  |  |      |
| 4550              | ----           | ----         |                 | ----/323.20A       | 419.90B/323.20A  | ----               |               |                 | 439.50 + 16.60           | .9624 | ----                   | ----                     | ----              | ----          | 33               | UNCH |  |  |  |  |                   |  |  |  |      |
| 4600              | ----           | ----         |                 | ----/369.90A       | 451.80B/369.90A  | ----               |               |                 | 488.50 + 17.20           | .9720 | ----                   | ----                     | ----              | ----          | 7                | UNCH |  |  |  |  |                   |  |  |  |      |
| 4700              | ----           | ----         |                 | ----               | #493.40B/----    | ----               |               |                 | 587.30 + 17.80           | .9830 | ----                   | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |                   |  |  |  |      |
| 4725              | ----           | ----         |                 | ----               | ----             | ----               |               |                 | 612.20 + 18.00           | .9849 | ----                   | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |                   |  |  |  |      |
| TOTAL             |                |              |                 |                    |                  |                    |               |                 |                          |       |                        |                          | 473               |               | 1181+            | 378  |  |  |  |  |                   |  |  |  |      |
|                   | GLOBEX<br>OPEN | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES          | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |  |  |  |  |                   |  |  |  |      |
| OG4 CALL<br>JUN26 | GOLD OPTIONS   |              |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   |               |                  |      |  |  |  |  |                   |  |  |  |      |
| 3800              | ----           | ----         |                 | 444.10B/*287.80    | 444.10B/*287.80A | ----               |               |                 | 332.80 - 19.90           | .8806 | ----                   | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |                   |  |  |  |      |
| 4000              | ----           | ----         |                 | 260.50B/*141.60    | 260.50B/*141.60A | ----               |               |                 | 168.50 - 17.80           | .6886 | ----                   | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |                   |  |  |  |      |
| 4075              | 145.00         | 145.00       |                 | 199.10B/*98.90A    | 199.10B/*98.90A  | ----               |               |                 | 118.50 NEW               | .5764 | ----                   | ----                     | 1                 | ----          | 1 +              | 1    |  |  |  |  |                   |  |  |  |      |
| 4100              | ----           | ----         |                 | 180.00B/*86.60A    | 180.00B/*86.60A  | ----               |               |                 | 103.90 - 15.00           | .5349 | ----                   | ----                     | 5                 | ----          | 8 +              | 5    |  |  |  |  |                   |  |  |  |      |
| 4125              | 156.10         | 156.10       |                 | 161.80B/*75.60A    | 161.80B/*75.60A  | ----               |               |                 | 90.30 NEW                | .4921 | ----                   | ----                     | 1                 | ----          | 1 +              | 1    |  |  |  |  |                   |  |  |  |      |
| 4150              | 75.00          | 75.00        |                 | 144.60B/*65.50A    | 144.60B/*65.50A  | ----               |               |                 | 77.70 - 13.20            | .4485 | ----                   | 4                        | ----              | 2 -           | 2                |      |  |  |  |  |                   |  |  |  |      |
| 4175              | 59.60          | 59.60        |                 | 128.20B/*56.50A    | 128.20B/*56.50A  | ----               |               |                 | 66.20 - 12.30            | .4045 | ----                   | 7                        | ----              | 4 +           | 1                |      |  |  |  |  |                   |  |  |  |      |
| 4200              | 57.90          | 57.90        |                 | 113.70B/*47.80A    | 113.70B/*47.80A  | ----               |               |                 | 56.00 - 11.40            | .3611 | ----                   | 25                       | ----              | 7 -           | 2                |      |  |  |  |  |                   |  |  |  |      |
| 4225              | 51.00          | 51.00        |                 | 99.40B/*40.00      | 99.40B/*40.00    | ----               |               |                 | 47.00 NEW                | .3190 | ----                   | 50                       | ----              | 13 +          | 13               |      |  |  |  |  |                   |  |  |  |      |
| 4250              | 40.00          | 40.00        |                 | 86.40B/*32.70      | 86.40B/*32.70    | ----               |               |                 | 39.10 - 9.80             | .2788 | ----                   | 50                       | ----              | 31 -          | 19               |      |  |  |  |  |                   |  |  |  |      |
| 4275              | ----           | ----         |                 | 74.40B/*28.00A     | 74.40B/*28.00A   | ----               |               |                 | 32.40 - 9.00             | .2415 | ----                   | 4                        | ----              | 33 +          | 1                |      |  |  |  |  |                   |  |  |  |      |
| 4300              | 31.20          | 31.20        |                 | 64.10B/*23.20      | 64.10B/*23.20    | ----               |               |                 | 26.70 - 8.20             | .2072 | ----                   | 104                      | ----              | 48 -          | 8                |      |  |  |  |  |                   |  |  |  |      |
| 4325              | ----           | ----         |                 | 54.60B/*19.50A     | 54.60B/*19.50A   | ----               |               |                 | 21.90 - 7.40             | .1764 | ----                   | 1                        | ----              | 5             | UNCH             |      |  |  |  |  |                   |  |  |  |      |
| 4350              | 17.00          | 17.00        |                 | 46.40B/*16.20A     | 46.40B/*16.20A   | ----               |               |                 | 17.90 - 6.70             | .1491 | ----                   | 12                       | ----              | 35 +          | 8                |      |  |  |  |  |                   |  |  |  |      |
| 4375              | 19.10          | 19.10        |                 | 39.20B/*13.40A     | 39.20B/*13.40A   | ----               |               |                 | 14.60 - 6.00             | .1252 | ----                   | 18                       | ----              | 16 +          | 7                |      |  |  |  |  |                   |  |  |  |      |
| 4400              | 14.00          | 14.00        |                 | 32.80B/*11.10A     | 32.80B/*11.10A   | ----               |               |                 | 11.90 - 5.40             | .1047 | ----                   | 20                       | ----              | 66 +          | 10               |      |  |  |  |  |                   |  |  |  |      |
| 4425              | ----           | ----         |                 | 27.50B/*9.20A      | 27.50B/*9.20A    | ----               |               |                 | 9.70 - 4.90              | .0872 | ----                   | ----                     | ----              | 9             | UNCH             |      |  |  |  |  |                   |  |  |  |      |
| 4450              | 8.90           | 8.90         |                 | 22.90B/*7.60A      | 22.90B/*7.60A    | ----               |               |                 | 8.00 - 4.40              | .0731 | ----                   | 7                        | ----              | 11 -          | 1                |      |  |  |  |  |                   |  |  |  |      |
| 4475              | 9.40           | 9.40         |                 | 19.10B/*6.40A      | 19.10B/*6.40A    | ----               |               |                 | 6.60 - 3.90              | .0610 | ----                   | 2                        | ----              | 12 +          | 1                |      |  |  |  |  |                   |  |  |  |      |
| 4500              | 7.10           | 7.10         |                 | 15.90B/*5.40A      | 15.90B/*5.40A    | ----               |               |                 | 5.50 - 3.50              | .0513 | ----                   | 39                       | ----              | 52 +          | 15               |      |  |  |  |  |                   |  |  |  |      |
| 4525              | 6.00           | 6.00         |                 | 13.20B/*4.70A      | 13.20B/*4.70A    | ----               |               |                 | 4.70 - 3.00              | .0438 | ----                   | 8                        | ----              | 20 -          | 4                |      |  |  |  |  |                   |  |  |  |      |
| 4550              | ----           | ----         |                 | 11.10B/*4.00A      | 11.10B/*4.00A    | ----               |               |                 | 4.00 - 2.70              | .0373 | ----                   | ----                     | ----              | 13            | UNCH             |      |  |  |  |  |                   |  |  |  |      |
| 4575              | ----           | ----         |                 | 9.30B/*3.50A       | 9.30B/*3.50A     | ----               |               |                 | 3.40 - 2.50              | .0317 | ----                   | ----                     | ----              | 34            | UNCH             |      |  |  |  |  |                   |  |  |  |      |
| 4600              | 3.60           | 3.60         |                 | 7.90B/*3.10A       | 7.90B/*3.10A     | ----               |               |                 | 3.00 - 2.20              | .0278 | ----                   | 11                       | ----              | 87 +          | 5                |      |  |  |  |  |                   |  |  |  |      |
| 4625              | ----           | ----         |                 | 6.70B/*2.70A       | 6.70B/*2.70A     | ----               |               |                 | 2.60 - 2.00              | .0240 | ----                   | ----                     | ----              | 2             | UNCH             |      |  |  |  |  |                   |  |  |  |      |
| 4650              | 3.60           | 3.60         |                 | 5.70B/*2.40A       | 5.70B/*2.40A     | ----               |               |                 | 2.30 - 1.80              | .0210 | ----                   | 13                       | ----              | 26            | UNCH             |      |  |  |  |  |                   |  |  |  |      |
| 4675              | ----           | ----         |                 | 4.90B/*2.20A       | 4.90B/*2.20A     | ----               |               |                 | 2.10 - 1.60              | .0189 | ----                   | ----                     | ----              | 29            | UNCH             |      |  |  |  |  |                   |  |  |  |      |
| 4700              | 1.80           | 1.80         |                 | 4.20B/*1.80        | 4.20B/*1.80      | ----               |               |                 | 1.90 - 1.50              | .0169 | ----                   | 8                        | ----              | 88 -          | 3                |      |  |  |  |  |                   |  |  |  |      |
| 4725              | 3.70           | 3.70         |                 | 3.70/*1.80A        | 3.70/*1.80A      | ----               |               |                 | 1.70 - 1.40              | .0150 | ----                   | 1                        | ----              | 5             | UNCH             |      |  |  |  |  |                   |  |  |  |      |
| 4750              | 2.00           | 2.00         |                 | 3.20B/*1.70A       | 3.20B/*1.70A     | ----               |               |                 | 1.50 - 1.40              | .0131 | ----                   | 11                       | ----              | 26 -          | 1                |      |  |  |  |  |                   |  |  |  |      |
| 4775              | ----           | ----         |                 | 2.80B/*1.60A       | 2.80B/*1.60A     | ----               |               |                 | 1.40 - 1.30              | .0120 | ----                   | ----                     | ----              | 2             | UNCH             |      |  |  |  |  |                   |  |  |  |      |
| 4800              | 1.50           | 1.50         |                 | 2.50B/*1.50        | 2.50B/*1.50      | ----               |               |                 | 1.30 - 1.20              | .0110 | ----                   | 2                        | ----              | 55            | UNCH             |      |  |  |  |  |                   |  |  |  |      |
| 4825              | ----           | ----         |                 | ----/*1.30A        | 2.30B/*1.30A     | ----               |               |                 | 1.20 - 1.10              | .0100 | ----                   | 8                        | ----              | 20 +          | 8                |      |  |  |  |  |                   |  |  |  |      |
| 4850              | ----           | ----         |                 | ----/*1.40A        | 2.00B/*1.40A     | ----               |               |                 | 1.10 - 1.10              | .0091 | ----                   | 2                        | ----              | 27 -          | 1                |      |  |  |  |  |                   |  |  |  |      |
| 4875              | ----           | ----         |                 | ----/*1.60A        | 1.90B/*1.60A     | ----               |               |                 | 1.10 - 1.00              | .0089 | ----                   | ----                     | ----              | 4             | UNCH             |      |  |  |  |  |                   |  |  |  |      |
| 4900              | ----           | ----         |                 | ----/*1.50A        | 1.70B/*1.50A     | ----               |               |                 | 1.00 - 1.00              | .0080 | ----                   | ----                     | ----              | 29            | UNCH             |      |  |  |  |  |                   |  |  |  |      |
| 4950              | ----           | ----         |                 | ----/*1.40A        | 1.40B/*1.40A     | ----               |               |                 | 0.90 - 0.90              | .0070 | ----                   | ----                     | ----              | 4             | UNCH             |      |  |  |  |  |                   |  |  |  |      |
| 4975              | ----           | ----         |                 | ----/*1.40A        | 1.30B/*1.40A     | ----               |               |                 | 0.90 - 0.90              | .0068 | ----                   | ----                     | ----              | 1             | UNCH             |      |  |  |  |  |                   |  |  |  |      |
| 5000              | ----           | ----         |                 | ----/*1.40A        | 1.20B/*1.40A     | ----               |               |                 | 0.90 - 0.80              | .0067 | ----                   | ----                     | ----              | 11            | UNCH             |      |  |  |  |  |                   |  |  |  |      |
| 5050              | 0.90           | 0.90         |                 | 1.00B/*0.60        | 1.00B/*0.60      | ----               |               |                 | 0.80 - 0.80              | .0058 | ----                   | 10                       | ----              | 20            | UNCH             |      |  |  |  |  |                   |  |  |  |      |
| 5200              | ----           | ----         |                 | ----/1.20A         | 0.70B/*1.20A     | ----               |               |                 | 0.70 - 0.70              | .0046 | ----                   | ----                     | ----              | 20            | UNCH             |      |  |  |  |  |                   |  |  |  |      |
| 5250              | ----           | ----         |                 | ----/*1.10A        | 0.40B/*1.10A     | ----               |               |                 | 0.70 - 0.60              | .0045 | ----                   | ----                     | ----              | 1             | UNCH             |      |  |  |  |  |                   |  |  |  |      |
| 5300              | ----           | ----         |                 | ----               | 0.30B/1.10A      | ----               |               |                 | 0.60 - 0.50              | .0038 | ----                   | ----                     | ----              | 9             | UNCH             |      |  |  |  |  |                   |  |  |  |      |
| 5400              | ----           | ----         |                 | ----               | 0.20B/*0.90A     | ----               |               |                 | 0.50 - 0.40              | .0030 | ----                   | ----                     | ----              | 1             | UNCH             |      |  |  |  |  |                   |  |  |  |      |
| 5500              | ----           | ----         |                 | ----               | 0.20B/1.00A      | ----               |               |                 | 0.40 - 0.40              | .0023 | ----                   | ----                     | ----              | 1             | UNCH             |      |  |  |  |  |                   |  |  |  |      |
| 5750              | ----           | ----         |                 | ----               | ----/0.80A       | ----               |               |                 | 0.30 - 0.30              | .0016 | ----                   | ----                     | ----              | 1             | UNCH             |      |  |  |  |  |                   |  |  |  |      |
| TOTAL             |                |              |                 |                    |                  |                    |               |                 |                          |       |                        |                          | 424               |               | 882+             | 45   |  |  |  |  |                   |  |  |  |      |
|                   | GLOBEX<br>OPEN | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES          | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |  |  |  |  |                   |  |  |  |      |
| OG3 PUT<br>JUL26  | GOLD OPTIONS   |              |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   |               |                  |      |  |  |  |  |                   |  |  |  |      |
| 3000              | 3.20           | 3.20         |                 | 3.40/*2.90A        | 3.40/2.90A       | ----               |               |                 | 3.10 UNCH                | .0128 | ----                   | ----                     | 3                 | ----          | 3 +              | 2    |  |  |  |  |                   |  |  |  |      |
| 3250              | ----           | ----         |                 | 7.00B/3.20A        | 7.00B/3.20A      | ----               |               |                 | 6.30 + 0.10              | .0277 | ----                   | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |                   |  |  |  |      |
| 3500              | ----           | ----         |                 | #20.80B/6.10A      | #20.80B/6.10A    | ----               |               |                 | 14.10 NEW                | .0642 | ----                   | ----                     | 6                 | ----          | 2 +              | 2    |  |  |  |  |                   |  |  |  |      |
| 3600              | 20.50          | 20.50        |                 | #31.40B/8.70A      | #31.40B/8.70A    | ----               |               |                 | 20.10 - 0.10             | .0915 | ----                   | ----                     | 15                | ----          | 15 +             | 14   |  |  |  |  |                   |  |  |  |      |
| 3700              | 30.40          | 30.40        |                 | #45.20B/13.00A     | #45.20B/13.00A   | ----               |               |                 | 29.10 + 0.30             | .1307 | ----                   | 30                       | ----              | 19 +          | 12               |      |  |  |  |  |                   |  |  |  |      |
| 3750              |                |              |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   |               |                  |      |  |  |  |  |                   |  |  |  |      |

| PG64     |       | BULLETIN #111@ |              |                 |                    |                  |                    |               |                 |                          |        | METALS OPTION PRODUCTS |                          |                   |               |                  |      |      |    |  |  | Thu, Jun 11, 2026 |  | PG64 |
|----------|-------|----------------|--------------|-----------------|--------------------|------------------|--------------------|---------------|-----------------|--------------------------|--------|------------------------|--------------------------|-------------------|---------------|------------------|------|------|----|--|--|-------------------|--|------|
|          |       | GLOBEX<br>OPEN | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA  | EXER<br>CISES          | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |      |    |  |  |                   |  |      |
| OG3 CALL |       | GOLD OPTIONS   |              |                 |                    |                  |                    |               |                 |                          |        |                        |                          |                   |               |                  |      |      |    |  |  |                   |  |      |
| JUL26    |       |                |              |                 |                    |                  |                    |               |                 |                          |        |                        |                          |                   |               |                  |      |      |    |  |  |                   |  |      |
| 4450     | 30.50 | 30.50          |              |                 | 50.20B/*25.00A     | 50.20B/*25.00A   |                    | ----          |                 | 27.60                    | NEW    | .1634                  |                          | ----              | 50            | ----             | 50   | +    | 50 |  |  |                   |  |      |
| 4475     | ----  | ----           |              |                 | 44.40B/*22.10A     | 44.40B/*22.10A   |                    | ----          |                 | 24.40                    | - 5.70 | .1471                  |                          | ----              | ----          |                  | 1    | UNCH |    |  |  |                   |  |      |
| 4500     | ----  | ----           |              |                 | 39.60B/*19.60A     | 39.60B/*19.60A   |                    | ----          |                 | 21.70                    | - 5.10 | .1328                  |                          | ----              | ----          |                  | 13   | UNCH |    |  |  |                   |  |      |
| 4525     | 26.40 | 26.40          |              |                 | 34.90B/*17.40A     | 34.90B/*17.40A   |                    | ----          |                 | 19.40                    | NEW    | .1201                  |                          | ----              | 1             | ----             | 1    | +    | 1  |  |  |                   |  |      |
| 4550     | ----  | ----           |              |                 | 31.10B/*15.50A     | 31.10B/*15.50A   |                    | ----          |                 | 17.40                    | - 4.00 | .1088                  |                          | ----              | ----          |                  | 10   | UNCH |    |  |  |                   |  |      |
| 4575     | 20.20 | 20.20          |              |                 | 27.50B/*13.80A     | 27.50B/*13.80A   |                    | ----          |                 | 15.60                    | NEW    | .0985                  |                          | ----              | 2             | ----             | 2    | +    | 2  |  |  |                   |  |      |
| 4600     | ----  | ----           |              |                 | 24.50B/*12.60A     | 24.50B/*12.60A   |                    | ----          |                 | 14.10                    | - 3.10 | .0895                  |                          | ----              | ----          |                  | 1    | UNCH |    |  |  |                   |  |      |
| 4625     | 16.40 | 16.40          |              |                 | 21.80B/*11.30A     | 21.80B/*11.30A   |                    | ----          |                 | 12.80                    | - 2.70 | .0816                  |                          | ----              | 2             | ----             | 5    | +    | 2  |  |  |                   |  |      |
| 4650     | 18.80 | 18.80          |              |                 | 19.10B/*10.00A     | 19.10B/*10.00A   |                    | ----          |                 | 11.60                    | NEW    | .0743                  |                          | ----              | 1             | ----             | 1    | +    | 1  |  |  |                   |  |      |
| 4675     | 9.70  | 9.70           |              |                 | 17.00B/*9.20A      | 17.00B/*9.20A    |                    | ----          |                 | 10.50                    | - 2.10 | .0676                  |                          | ----              | 3             | ----             | 4    | +    | 3  |  |  |                   |  |      |
| 4700     | 8.40  | 8.40           |              |                 | #15.10B/*8.20A     | 15.10B/*8.20A    |                    | ----          |                 | 9.50                     | - 1.90 | .0614                  |                          | ----              | 6             | ----             | 6    | +    | 5  |  |  |                   |  |      |
| 4750     | 10.10 | 10.10          |              |                 | #11.90B/*6.80A     | 11.90B/*6.80A    |                    | ----          |                 | 8.00                     | NEW    | .0517                  |                          | ----              | 2             | ----             | 2    | +    | 2  |  |  |                   |  |      |
| 4775     | 8.90  | 8.90           |              |                 | 10.60B/*6.30A      | 10.60B/*6.30A    |                    | ----          |                 | 7.30                     | - 1.40 | .0473                  |                          | ----              | 1             | ----             | 2    | +    | 1  |  |  |                   |  |      |
| 4800     | ----  | ----           |              |                 | #9.30B/*5.80A      | 9.30B/*5.80A     |                    | ----          |                 | 6.70                     | - 1.30 | .0434                  |                          | ----              | ----          |                  | 1    | UNCH |    |  |  |                   |  |      |
| 4900     | 4.50  | 4.50           |              |                 | 6.10B/*4.20A       | 6.10B/*4.20A     |                    | ----          |                 | 5.00                     | - 0.90 | .0321                  |                          | ----              | 1             | ----             | 5    | +    | 1  |  |  |                   |  |      |
| 5000     | 3.50  | 3.50           |              |                 | #4.10B/*3.40       | 4.10B/*3.40      |                    | ----          |                 | 3.90                     | - 0.60 | .0245                  |                          | ----              | 3             | ----             | 4    | +    | 2  |  |  |                   |  |      |
| 5100     | 3.70  | 3.70           |              |                 | #3.70/*2.90A       | 3.70/*2.90A      |                    | ----          |                 | 3.20                     | NEW    | .0196                  |                          | ----              | 3             | ----             | 3    | +    | 3  |  |  |                   |  |      |
| TOTAL    |       |                |              |                 |                    |                  |                    |               |                 |                          |        |                        |                          |                   | 106           |                  | 139+ |      | 85 |  |  |                   |  |      |
|          |       | GLOBEX<br>OPEN | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA  | EXER<br>CISES          | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |      |    |  |  |                   |  |      |
| OG2 PUT  |       | GOLD OPTIONS   |              |                 |                    |                  |                    |               |                 |                          |        |                        |                          |                   |               |                  |      |      |    |  |  |                   |  |      |
| JUN26    |       |                |              |                 |                    |                  |                    |               |                 |                          |        |                        |                          |                   |               |                  |      |      |    |  |  |                   |  |      |
| 3250     | ----  | ----           |              |                 | ----               | ----             | /0.20A             | ----          |                 | 0.10                     | UNCH   | ----                   |                          | ----              | ----          |                  | 11   | UNCH |    |  |  |                   |  |      |
| 3500     | 0.50  | 0.50           |              |                 | 0.50/*0.10         | 0.50/*0.10       |                    | ----          |                 | 0.10                     | - 0.40 | ----                   |                          | ----              | 8             | ----             | 70   | +    | 6  |  |  |                   |  |      |
| 3600     | 1.00  | 1.00           |              |                 | 1.10B/*0.10        | 1.10B/*0.10      |                    | ----          |                 | 0.10                     | - 0.70 | ----                   |                          | ----              | 20            | ----             | 73   | +    | 11 |  |  |                   |  |      |
| 3700     | 0.90  | 0.90           |              |                 | 2.40B/*0.10        | 2.40B/*0.10      |                    | ----          |                 | 0.10                     | - 1.10 | ----                   |                          | ----              | 18            | ----             | 76   | +    | 14 |  |  |                   |  |      |
| 3725     | 0.20  | 0.20           |              |                 | #0.20/*0.20        | #1.80B/*0.20     |                    | ----          |                 | 0.10                     | NEW    | .0000                  |                          | ----              | 3             | ----             | 3    | +    | 3  |  |  |                   |  |      |
| 3735     | 0.30  | 0.30           |              |                 | #0.30/*0.20A       | #2.10B/*0.20A    |                    | ----          |                 | 0.10                     | NEW    | .0000                  |                          | ----              | 2             | ----             | 2    | +    | 2  |  |  |                   |  |      |
| 3740     | 0.30  | 0.30           |              |                 | #0.30/*0.20A       | #2.20B/*0.20A    |                    | ----          |                 | 0.10                     | NEW    | .0000                  |                          | ----              | 2             | ----             | 2    | +    | 2  |  |  |                   |  |      |
| 3750     | 4.60  | 4.60           |              |                 | #4.60/*0.20A       | #4.60/*0.20A     |                    | ----          |                 | 0.10                     | - 1.40 | .0000                  |                          | ----              | 7             | ----             | 58   | +    | 6  |  |  |                   |  |      |
| 3785     | 0.90  | 0.90           |              |                 | #0.90/*0.20A       | #3.80B/*0.20A    |                    | ----          |                 | 0.20                     | NEW    | .0001                  |                          | ----              | 3             | ----             | 3    | +    | 3  |  |  |                   |  |      |
| 3800     | 6.00  | 6.00           |              |                 | #6.40/*0.20        | #6.40/*0.20      |                    | ----          |                 | 0.20                     | - 1.80 | .0001                  |                          | ----              | 26            | ----             | 98   | +    | 3  |  |  |                   |  |      |
| 3820     | 0.60  | 0.60           |              |                 | #0.60/*0.20A       | #5.80B/*0.20A    |                    | ----          |                 | 0.30                     | NEW    | .0002                  |                          | ----              | 3             | ----             | 3    | +    | 3  |  |  |                   |  |      |
| 3825     | 1.30  | 1.30           |              |                 | #1.30/*0.20A       | #6.00B/*0.20A    |                    | ----          |                 | 0.40                     | NEW    | .0004                  |                          | ----              | 1             | ----             | 1    | +    | 1  |  |  |                   |  |      |
| 3835     | 1.50  | 1.50           |              |                 | #1.50/*0.20A       | #6.70B/*0.20A    |                    | ----          |                 | 0.40                     | NEW    | .0004                  |                          | ----              | 1             | ----             | 1    | +    | 1  |  |  |                   |  |      |
| 3850     | 2.40  | 2.40           |              |                 | #8.90B/*0.30A      | #8.90B/*0.30A    |                    | ----          |                 | 0.50                     | - 2.30 | .0007                  |                          | ----              | 55            | ----             | 53   | +    | 33 |  |  |                   |  |      |
| 3860     | 2.10  | 2.10           |              |                 | #9.80B/*0.30A      | #9.80B/*0.30A    |                    | ----          |                 | 0.60                     | - 2.40 | .0009                  |                          | ----              | 2             | ----             | 2    | +    | 1  |  |  |                   |  |      |
| 3865     | 1.10  | 1.10           |              |                 | #10.20B/*0.20A     | #10.20B/*0.20A   |                    | ----          |                 | 0.60                     | NEW    | .0010                  |                          | ----              | 5             | ----             | 5    | +    | 5  |  |  |                   |  |      |
| 3870     | 12.00 | 12.00          |              |                 | #12.00/*0.10A      | #12.00/*0.10A    |                    | ----          |                 | 0.70                     | NEW    | .0013                  |                          | ----              | 8             | ----             | 3    | +    | 3  |  |  |                   |  |      |
| 3875     | 2.70  | 2.70           |              |                 | #11.60B/*0.20A     | #11.60B/*0.20A   |                    | ----          |                 | 0.70                     | NEW    | .0013                  |                          | ----              | 27            | ----             | 26   | +    | 26 |  |  |                   |  |      |
| 3880     | 4.00  | 4.00           |              |                 | #12.10B/*0.20      | #12.10B/*0.20    |                    | ----          |                 | 0.80                     | NEW    | .0016                  |                          | ----              | 6             | ----             | 4    | +    | 4  |  |  |                   |  |      |
| 3885     | 0.60  | 0.60           |              |                 | #12.70B/*0.30A     | #12.70B/*0.30A   |                    | ----          |                 | 0.90                     | NEW    | .0020                  |                          | ----              | 3             | ----             | 3    | +    | 3  |  |  |                   |  |      |
| 3895     | 1.10  | 1.10           |              |                 | #14.00B/*0.30      | #14.00B/*0.30    |                    | ----          |                 | 1.00                     | NEW    | .0025                  |                          | ----              | 3             | ----             | 2    | +    | 2  |  |  |                   |  |      |
| 3900     | 9.50  | 9.50           |              |                 | #14.80B/*0.20      | #14.80B/*0.20    |                    | ----          |                 | 1.10                     | - 3.20 | .0029                  |                          | ----              | 74            | ----             | 151  | +    | 27 |  |  |                   |  |      |
| 3910     | 1.40  | 1.40           |              |                 | #15.60B/*0.30A     | #15.60B/*0.30A   |                    | ----          |                 | 1.30                     | NEW    | .0039                  |                          | ----              | 1             | ----             | 1    | +    | 1  |  |  |                   |  |      |
| 3915     | 4.00  | 4.00           |              |                 | #16.70B/*0.20A     | #16.70B/*0.20A   |                    | ----          |                 | 1.40                     | NEW    | .0045                  |                          | ----              | 1             | ----             | 1    | +    | 1  |  |  |                   |  |      |
| 3920     | 13.50 | 13.50          |              |                 | #17.20B/*0.20A     | #17.20B/*0.20A   |                    | ----          |                 | 1.50                     | - 3.80 | .0051                  |                          | ----              | 4             | ----             | 7    | +    | 3  |  |  |                   |  |      |
| 3925     | 5.00  | 5.00           |              |                 | #18.30B/*0.20A     | #18.30B/*0.20A   |                    | ----          |                 | 1.60                     | - 4.00 | .0057                  |                          | ----              | 2             | ----             | 12   | +    | 1  |  |  |                   |  |      |
| 3930     | 4.20  | 4.20           |              |                 | #19.20B/*0.20A     | #19.20B/*0.20A   |                    | ----          |                 | 1.70                     | - 4.10 | .0064                  |                          | ----              | 7             | ----             | 24   | +    | 3  |  |  |                   |  |      |
| 3935     | ----  | ----           |              |                 | #20.10B/*0.20A     | #20.10B/*0.20A   |                    | ----          |                 | 1.90                     | - 4.30 | .0077                  |                          | ----              | ----          | ----             | 17   | UNCH |    |  |  |                   |  |      |
| 3940     | 13.10 | 13.10          |              |                 | #20.50B/*0.20A     | #20.50B/*0.20A   |                    | ----          |                 | 2.00                     | - 4.50 | .0086                  |                          | ----              | 28            | ----             | 36   | +    | 2  |  |  |                   |  |      |
| 3945     | ----  | ----           |              |                 | #21.60B/*0.30A     | #21.60B/*0.30A   |                    | ----          |                 | 2.20                     | - 4.60 | .0100                  |                          | ----              | 2             | ----             | 38   | +    | 2  |  |  |                   |  |      |
| 3950     | 8.70  | 8.70           |              |                 | #23.20B/*0.30A     | #23.20B/*0.30A   |                    | ----          |                 | 2.40                     | - 4.80 | .0116                  |                          | ----              | 71            | ----             | 45   | +    | 10 |  |  |                   |  |      |
| 3955     | 20.10 | 20.10          |              |                 | #23.50B/*0.30A     | #23.50B/*0.30A   |                    | ----          |                 | 2.60                     | - 5.00 | .0133                  |                          | ----              | 7             | ----             | 14   | +    | 1  |  |  |                   |  |      |
| 3960     | 6.70  | 6.70           |              |                 | #25.10B/*0.30      | #25.10B/*0.30    |                    | ----          |                 | 2.80                     | - 5.20 | .0152                  |                          | ----              | 12            | ----             | 9    | +    | 1  |  |  |                   |  |      |
| 3965     | 3.60  | 3.60           |              |                 | #26.50B/*0.30A     | #26.50B/*0.30A   |                    | ----          |                 | 3.00                     | - 5.40 | .0171                  |                          | ----              | 10            | ----             | 12   | +    | 2  |  |  |                   |  |      |
| 3970     | 7.60  | 7.60           |              |                 | #27.30B/*0.20      | #27.30B/*0.20    |                    | ----          |                 | 3.30                     | - 5.60 | .0200                  |                          | ----              | 106           | ----             | 113  | +    | 2  |  |  |                   |  |      |
| 3975     | 20.00 | 20.00          |              |                 | #28.90B/*0.30A     | #28.90B/*0.30A   |                    | ----          |                 | 3.60                     | - 5.80 | .0230                  |                          |                   |               |                  |      |      |    |  |  |                   |  |      |

| PG64           | BULLETIN #111@ |              |        |                  |            |                    |                    |                  |      |                 | METALS OPTION PRODUCTS |                 |        |                          |      |       |               |                          |                   |               | Thu, Jun 11, 2026 |      |  |  | PG64 |
|----------------|----------------|--------------|--------|------------------|------------|--------------------|--------------------|------------------|------|-----------------|------------------------|-----------------|--------|--------------------------|------|-------|---------------|--------------------------|-------------------|---------------|-------------------|------|--|--|------|
|                |                |              |        |                  |            |                    |                    |                  |      |                 |                        |                 |        |                          |      |       |               |                          |                   |               |                   |      |  |  |      |
| GLOBEX<br>OPEN |                | OPEN<br>OPEN |        | OUTCRY<br>RANGE  |            | GLOBEX<br>HIGH/LOW |                    | OPEN<br>HIGH/LOW |      | OUTCRY<br>CLOSE |                        | OUTCRY<br>RANGE |        | SETT.PRICE<br>& PT.CHGE. |      | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST  |      |  |  |      |
|                |                |              |        |                  |            |                    |                    |                  |      |                 |                        |                 |        |                          |      |       |               |                          |                   |               |                   |      |  |  |      |
| OG2 PUT        |                | GOLD OPTIONS |        |                  |            |                    |                    |                  |      |                 |                        |                 |        |                          |      |       |               |                          |                   |               |                   |      |  |  |      |
| JUN26          |                |              |        |                  |            |                    |                    |                  |      |                 |                        |                 |        |                          |      |       |               |                          |                   |               |                   |      |  |  |      |
| 4380           | ----           | ----         | ----   | /145.60A         |            | 245.10B/145.60A    |                    | ----             | ---- | 266.10 + 17.70  |                        | 1.0000          |        | ----                     | ---- | ----  | ----          | ----                     | ----              | ----          | 1                 | UNCH |  |  |      |
| 4390           | ----           | ----         | ----   | ----             | /155.00A   |                    | 255.10B/155.00A    |                  | ---- | ----            | 276.10 + 17.80         |                 | 1.0000 |                          | ---- | ----  | ----          | ----                     | ----              | ----          | 2                 | UNCH |  |  |      |
| 4395           | ----           | ----         | ----   | #314.50B/159.70  |            | #314.50B/159.70A   |                    | ----             | ---- | 281.10 + 17.90  |                        | 1.0000          |        | ----                     | ---- | ----  | ----          | ----                     | ----              | ----          | 1                 | UNCH |  |  |      |
| 4400           | 177.30         | 177.30       | 177.30 | #325.00B/163.70  |            | #325.00B/163.70A   |                    | ----             | ---- | 286.10 + 17.90  |                        | 1.0000          |        | ----                     | ---- | 9     | ----          | ----                     | 9                 | ----          | 324               | -    |  |  |      |
| 4405           | ----           | ----         | ----   | #324.50B/169.20  |            | #324.50B/169.20A   |                    | ----             | ---- | 291.10 + 18.00  |                        | 1.0000          |        | ----                     | ---- | ----  | ----          | ----                     | ----              | ----          | 2                 | UNCH |  |  |      |
| 4415           | ----           | ----         | ----   | #334.50B/178.80  |            | #334.50B/178.80A   |                    | ----             | ---- | 301.10 + 18.10  |                        | 1.0000          |        | ----                     | ---- | ----  | ----          | ----                     | ----              | ----          | 4                 | UNCH |  |  |      |
| 4425           | ----           | ----         | ----   | #348.00B/187.70  |            | #348.00B/187.70A   |                    | ----             | ---- | 311.10 + 18.10  |                        | 1.0000          |        | ----                     | ---- | 1     | ----          | ----                     | 1                 | ----          | 122               | -    |  |  |      |
| 4445           | ----           | ----         | ----   | #364.40B/207.90  |            | #364.40B/207.90A   |                    | ----             | ---- | 331.10 + 18.30  |                        | 1.0000          |        | ----                     | ---- | ----  | ----          | ----                     | ----              | ----          | 2                 | UNCH |  |  |      |
| 4450           | ----           | ----         | ----   | #371.70B/212.00  |            | #371.70B/212.00A   |                    | ----             | ---- | 336.10 + 18.30  |                        | 1.0000          |        | ----                     | ---- | 1     | ----          | ----                     | 1                 | ----          | 123               | UNCH |  |  |      |
| 4465           | ----           | ----         | ----   | ----             | /227.60A   |                    | 330.00B/227.60A    |                  | ---- | ----            | 351.10 + 18.40         |                 | 1.0000 |                          | ---- | ----  | ----          | ----                     | ----              | ----          | 1                 | UNCH |  |  |      |
| 4475           | ----           | ----         | ----   | #395.50B/237.00  |            | #395.50B/237.00A   |                    | ----             | ---- | 361.10 + 18.50  |                        | 1.0000          |        | ----                     | ---- | ----  | ----          | ----                     | ----              | ----          | 81                | UNCH |  |  |      |
| 4480           | 291.00         | 291.00       | 291.00 | #399.40B/242.50  |            | #399.40B/242.50A   |                    | ----             | ---- | 366.10 + 18.50  |                        | 1.0000          |        | ----                     | ---- | ----  | ----          | 1                        | ----              | 1             | 3                 | -    |  |  |      |
| 4500           | ----           | ----         | ----   | #421.60B/261.90  |            | #421.60B/261.90A   |                    | ----             | ---- | 386.10 + 18.60  |                        | 1.0000          |        | ----                     | ---- | ----  | ----          | 1                        | ----              | 1             | 122               | -    |  |  |      |
| 4510           | ----           | ----         | ----   | ----             | /272.20A   |                    | #375.00B/272.20A   |                  | ---- | ----            | 396.10 + 18.60         |                 | 1.0000 |                          | ---- | ----  | ----          | ----                     | ----              | ----          | 0                 | UNCH |  |  |      |
| 4525           | ----           | ----         | ----   | #445.50B/286.80  |            | #445.50B/286.80A   |                    | ----             | ---- | 411.10 + 18.70  |                        | 1.0000          |        | ----                     | ---- | ----  | ----          | ----                     | ----              | ----          | 65                | UNCH |  |  |      |
| 4550           | 340.00         | 340.00       | 340.00 | #470.40B/311.80  |            | #470.40B/311.80A   |                    | ----             | ---- | 436.10 + 18.80  |                        | 1.0000          |        | ----                     | ---- | 1     | ----          | ----                     | 1                 | ----          | 63                | -    |  |  |      |
| 4575           | ----           | ----         | ----   | #494.30B/337.00  |            | #494.30B/337.00A   |                    | ----             | ---- | 461.10 + 18.80  |                        | 1.0000          |        | ----                     | ---- | ----  | ----          | ----                     | ----              | ----          | 8                 | UNCH |  |  |      |
| 4600           | ----           | ----         | ----   | #520.40B/362.00  |            | #520.40B/362.00A   |                    | ----             | ---- | 486.10 + 18.90  |                        | 1.0000          |        | 41                       | ---- | 3     | ----          | 3                        | ----              | 46            | -                 |      |  |  |      |
| 4675           | ----           | ----         | ----   | #594.20B/436.90  |            | #594.20B/436.90A   |                    | ----             | ---- | 561.10 + 19.00  |                        | 1.0000          |        | 1                        | ---- | 1     | ----          | 1                        | ----              | 1             | 0                 | -    |  |  |      |
| 4700           | ----           | ----         | ----   | #619.20B/461.90  |            | #619.20B/461.90A   |                    | ----             | ---- | 586.10 + 19.10  |                        | 1.0000          |        | 40                       | ---- | 4     | ----          | ----                     | ----              | ----          | 1                 | -    |  |  |      |
| 4765           | 624.20         | 624.20       | 624.20 | #624.20/*526.90  |            | #630.00B/526.90A   |                    | ----             | ---- | 651.10 NEW      |                        | 1.0000          |        | 2                        | ---- | 2     | ----          | 2                        | ----              | ----          | 0                 | UNCH |  |  |      |
| 4770           | 614.30         | 614.30       | 614.30 | #614.30/*531.90  |            | #635.00B/531.90A   |                    | ----             | ---- | 656.10 NEW      |                        | 1.0000          |        | 1                        | ---- | 1     | ----          | 1                        | ----              | ----          | 0                 | UNCH |  |  |      |
| 4780           | 640.10         | 640.10       | 640.10 | #640.10/*541.90  |            | #645.00B/541.90A   |                    | ----             | ---- | 666.10 NEW      |                        | 1.0000          |        | 1                        | ---- | 1     | ----          | 1                        | ----              | 1             | 0                 | UNCH |  |  |      |
| 4800           | ----           | ----         | ----   | ----             | /561.90A   |                    | #665.00B/561.90A   |                  | ---- | ----            | 686.10 + 19.20         |                 | 1.0000 |                          | 1    | ----  | ----          | ----                     | ----              | ----          | 0                 | -    |  |  |      |
| 4825           | 662.80         | 662.80       | 662.80 | #662.80B/586.90A |            | #690.00B/586.90A   |                    | ----             | ---- | 711.10 NEW      |                        | 1.0000          |        | 1                        | ---- | 1     | ----          | 1                        | ----              | ----          | 0                 | UNCH |  |  |      |
| 4850           | 687.70         | 687.70       | 687.70 | #687.70/611.90A  |            | #715.00B/611.90A   |                    | ----             | ---- | 736.10 NEW      |                        | 1.0000          |        | 1                        | ---- | 1     | ----          | 1                        | ----              | ----          | 0                 | UNCH |  |  |      |
| 10000          | ----           | ----         | ----   | ----             | /5,760.50A |                    | #5865.10B/5760.50A |                  | ---- | ----            | 5886.10 + 19.30        |                 | 1.0000 |                          | 125  | ----  | 125           | ----                     | 200               | ----          | 0                 | -    |  |  |      |
| TOTAL          |                |              |        |                  |            |                    |                    |                  |      |                 |                        |                 |        |                          |      |       |               |                          | 2859              | 25            | 6446+             | 319  |  |  |      |
| JUL26          |                |              |        |                  |            |                    |                    |                  |      |                 |                        |                 |        |                          |      |       |               |                          |                   |               |                   |      |  |  |      |
| 3000           | 2.40           | 2.40         | 2.40   | 2.40/*2.40       |            | 2.40/*2.40         |                    | ----             | ---- | 1.70 NEW        |                        | .0078           |        | ----                     | ---- | 1     | ----          | ----                     | 1                 | ----          | 1                 | +    |  |  |      |
| 3250           | ----           | ----         | ----   | ----             | /2.50A     |                    | 4.90B/2.50A        |                  | ---- | ----            | 4.60 - 0.30            |                 | .0216  |                          | ---- | ----  | ----          | ----                     | ----              | ----          | 22                | UNCH |  |  |      |
| 3500           | 11.60          | 11.60        | 11.60  | #14.90B/4.40A    |            | #14.90B/4.40A      |                    | ----             | ---- | 11.60 + 0.40    |                        | .0559           |        | ----                     | ---- | 5     | ----          | 5                        | ----              | ----          | 24                | UNCH |  |  |      |
| 3600           | 19.10          | 19.10        | 19.10  | #25.70B/6.10A    |            | #25.70B/6.10A      |                    | ----             | ---- | 16.50 + 0.50    |                        | .0804           |        | ----                     | ---- | 6     | ----          | 6                        | ----              | ----          | 10                | +    |  |  |      |
| 3700           | 32.20          | 32.20        | 32.20  | #38.10B/9.40A    |            | #38.10B/9.40A      |                    | ----             | ---- | 23.70 + 0.30    |                        | .1159           |        | ----                     | ---- | 9     | ----          | 9                        | ----              | ----          | 45                | +    |  |  |      |
| 3750           | 17.70          | 17.70        | 17.70  | #46.10B/11.70A   |            | #46.10B/11.70A     |                    | ----             | ---- | 28.80 + 0.50    |                        | .1400           |        | ----                     | ---- | 4     | ----          | 4                        | ----              | ----          | 9                 | +    |  |  |      |
| 3800           | 38.50          | 38.50        | 38.50  | #55.50B/14.80A   |            | #55.50B/14.80A     |                    | ----             | ---- | 35.10 + 0.70    |                        | .1689           |        | ----                     | ---- | 3     | ----          | 3                        | ----              | ----          | 149               | +    |  |  |      |
| 3850           | 18.90          | 18.90        | 18.90  | #66.00B/*18.90   |            | #66.00B/*18.90     |                    | ----             | ---- | 43.20 NEW       |                        | .2039           |        | ----                     | ---- | 4     | ----          | 4                        | ----              | ----          | 3                 | +    |  |  |      |
| 3900           | 82.00          | 82.00        | 82.00  | #82.00/24.50A    |            | #82.00/24.50A      |                    | ----             | ---- | 53.40 + 2.20    |                        | .2453           |        | ----                     | ---- | 2     | ----          | 2                        | ----              | ----          | 145               | UNCH |  |  |      |
| 3950           | ----           | ----         | ----   | #92.60B/31.70A   |            | #92.60B/31.70A     |                    | ----             | ---- | 65.70 + 3.30    |                        | .2926           |        | ----                     | ---- | ----  | ----          | ----                     | ----              | ----          | 12                | UNCH |  |  |      |
| 3975           | 59.30          | 59.30        | 59.30  | #102.80B/35.80A  |            | #102.80B/35.80A    |                    | ----             | ---- | 72.80 + 3.90    |                        | .3185           |        | ----                     | ---- | 1     | ----          | 1                        | ----              | ----          | 2                 | +    |  |  |      |
| 4000           | ----           | ----         | ----   | #110.90B/40.60A  |            | #110.90B/40.60A    |                    | ----             | ---- | 80.60 + 4.60    |                        | .3458           |        | ----                     | ---- | 9     | ----          | 9                        | ----              | ----          | 43                | -    |  |  |      |
| 4025           | ----           | ----         | ----   | #122.10B/45.90A  |            | #122.10B/45.90A    |                    | ----             | ---- | 89.00 + 5.20    |                        | .3743           |        | ----                     | ---- | ----  | ----          | ----                     | ----              | ----          | 3                 | UNCH |  |  |      |
| 4050           | ----           | ----         | ----   | #132.90B/51.50A  |            | #132.90B/51.50A    |                    | ----             | ---- | 98.00 + 5.80    |                        | .4040           |        | ----                     | ---- | 2     | ----          | 2                        | ----              | ----          | 5                 | +    |  |  |      |
| 4075           | 122.70         | 122.70       | 122.70 | #144.90B/57.90A  |            | #144.90B/57.90A    |                    | ----             | ---- | 107.80 + 6.30   |                        | .4348           |        | ----                     | ---- | 3     | ----          | 3                        | ----              | ----          | 50                | UNCH |  |  |      |
| 4100           | ----           | ----         | ----   | #154.60B/64.90A  |            | #154.60B/64.90A    |                    | ----             | ---- | 118.30 + 6.80   |                        | .4666           |        | ----                     | ---- | 8     | ----          | 8                        | ----              | ----          | 57                | +    |  |  |      |
| 4125           | ----           | ----         | ----   | #166.40B/73.00A  |            | #166.40B/73.00A    |                    | ----             | ---- | 129.40 + 7.00   |                        | .4992           |        | ----                     | ---- | ----  | ----          | ----                     | ----              | ----          | 13                | UNCH |  |  |      |
| 4150           | ----           | ----         | ----   | #179.70B/81.30A  |            | #179.70B/81.30A    |                    | ----             | ---- | 141.40 + 7.30   |                        | .5324           |        | ----                     | ---- | 7     | ----          | 7                        | ----              | ----          | 19                | +    |  |  |      |
| 4175           | ----           | ----         | ----   | #195.50B/90.90A  |            | #195.50B/90.90A    |                    | ----             | ---- | 154.30 + 7.60   |                        | .5660           |        | ----                     | ---- | ----  | ----          | ----                     | ----              | ----          | 52                | UNCH |  |  |      |
| 4200           | ----           | ----         | ----   | #211.10B/101.10  |            | #211.10B/101.10A   |                    | ----             | ---- | 168.20 + 8.00   |                        | .5997           |        | ----                     | ---- | 4     | ----          | 4                        | ----              | ----          | 58                | +    |  |  |      |
| 4225           | ----           | ----         | ----   | #227.20B/112.60  |            | #227.20B/112.60A   |                    | ----             | ---- | 183.30 + 8.60   |                        | .6326           |        | ----                     | ---- | ----  | ----          | ----                     | ----              | ----          | 5                 | UNCH |  |  |      |
| 4250           | ----           | ----         | ----   | #245.50B/125.40  |            | #245.50B/125.40A   |                    | ----             | ---- | 199.40 + 9.40   |                        | .6645           |        | ----                     | ---- | ----  | ----          | ----                     | ----              | ----          | 56                | UNCH |  |  |      |
| 4275           | 200.70         | 200.70       | 200.70 | #263.90B/139.10  |            | #263.90B/139.10A   |                    | ----             | ---- | 216.60 + 10.30  |                        | .6949           |        | ----                     | ---- | 7     | ----          | 7                        | ----              | ----          | 29                | -    |  |  |      |
| 4300           | ----           | ----         | ----   | #282.30B/156.10  |            | #282.30B/156.10A   |                    | ----             | ---- | 234.70 + 11.20  |                        | .7234           |        | ----                     | ---- | 1     | ----          | 1                        | ----              | ----          | 0                 | -    |  |  |      |
| 4325           | ----           | ----         | ----   | #301.70B/171.10  |            | #301.70B/171.10A   |                    | ----             | ---- | 253.60 + 12.10  |                        | .7501           |        | ----                     | ---- | ----  | ----          | ----                     | ----              | ----          | 1                 | UNCH |  |  |      |
| 4350           | ----           | ----         | ----   | #322.00B/187.00  |            | #322.00B/187.00A   |                    | ----             | ---- | 273.20 + 12.80  |                        | .7752           |        | ----                     | ---- | 1     | ----          | 1                        | ----              | ----          | 1                 | -    |  |  |      |
| 4400           | ----           | ----         | ----   | #364.30B/221.30  |            | #364.30B/221.30A   |                    | ----             | ---- | 314.10 + 13.90  |                        | .8198           |        | ----                     | ---- | ----  | ----          | ----                     | ----              | ----          | 50                | UNCH |  |  |      |
| 4450           | ----           | ----         | ----   | #408.80B/258.80  |            | #408.80B/258.80A   |                    | ----             | ---- | 357.00 + 14.70  |                        | .8574           |        | ----                     | ---- | ----  | ----          | ----                     | ----              | ----          | 1                 | UNCH |  |  |      |
| 4475           | ----           | ----         | ----   | #431.00B/278.60  |            | #431.00B/278.60A   |                    | ----             | ---- | 379.00 + 14.90  |                        | .8737           |        | ----                     | ---- | ----  | ----          | ----                     | ----              | ----          | 3                 | UNCH |  |  |      |
| 4500           | ----           | ----         | ----   | #454.40B/299.30  |            | #454.40B/299.30A   |                    | ----             | ---- | 401.50 + 15.10  |                        | .8883           |        | ----                     | ---- | ----  | ----          | ----                     | ----              | ----          | 103               | UNCH |  |  |      |
| 4525           | ----           | ----         | ----   | #477.60B/320.40  |            | #477.60B/320.40A   |                    | ----             | ---- | 424.20 + 15.30  |                        | .9016           |        | ----                     | ---- | ----  | ----          | ----                     | ----              | ----          | 1                 | UNCH |  |  |      |
| 4550           | ----           | ----         | ----   | #487.50B/341.90  |            | #487.50B/341.90A   |                    | ----             | ---- | 447.30 + 15.50  |                        | .9133           |        | ----                     | ---- | ----  | ----          | ----                     | ----              | ----          | 3                 | UNCH |  |  |      |
| 4575           | ----           | ----         | ----   | #489.70B/363.80  |            | #489.70B/363.80A   |                    | ----             | ---- | 470.60 + 15.60  |                        | .9236           |        | ----                     | ---- | ----  | ----          | ----                     | ----              | ----          | 1                 | UNCH |  |  |      |
| TOTAL          |                |              |        |                  |            |                    |                    |                  |      |                 |                        |                 |        |                          |      |       |               |                          | 77                |               | 976+              | 15   |  |  |      |
| GLOBEX<br>OPEN |                | OPEN<br>OPEN |        | OUTCRY<br>RANGE  |            | GLOBEX<br>HIGH/LOW |                    | OPEN<br>HIGH/LOW |      | OPEN<br>CLOSE   |                        | OUTCRY<br>RANGE |        | SETT.PRICE<br>& PT.CHGE. |      | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST  |      |  |  |      |
|                |                |              |        |                  |            |                    |                    |                  |      |                 |                        |                 |        |                          |      |       |               |                          |                   |               |                   |      |  |  |      |
| OG2 CALL       |                | GOLD OPTIONS |        |                  |            |                    |                    |                  |      |                 |                        |                 |        |                          |      |       |               |                          |                   |               |                   |      |  |  |      |
| JUN26          |                |              |        |                  |            |                    |                    |                  |      |                 |                        |                 |        |                          |      |       |               |                          |                   |               |                   |      |  |  |      |
| 500            | ----           | ----         | ----   | #3.738.40B/----  |            | 3738.40B/*3634.90A |                    | ----             | ---- | 3614.10 - 19.30 |                        | 1.0000          |        | 125                      | ---- | ----  | ----          | 200                      | ----              | ----          | 0                 | -    |  |  |      |
| 3950           | 142.40         | 142.40       | 142.40 | #288.30B/*123.6  |            | 288.30B/*123.60A   |                    | ----             | ---- | 166.40 NEW      |                        | .9883           |        | ----                     | ---- | 1     | ----          | 1                        | ----              | ----          | 1                 | +    |  |  |      |
| 3990           | 244.10         | 244.10       | 244.10 | #248.60B/*93.90  |            | 248.60B/*93.90A    |                    | ----             | ---- | 128.60 NEW      |                        | .9655           |        | ----                     | ---- | 1     | ----          | 1                        | ----              | ----          | 1                 | +    |  |  |      |
| 4000           | 108.00         | 108.00       | 108.00 | #238.60B/*87.00A |            | 238.60B/*87.00A    |                    | ----             | ---- | 119.40 NEW      |                        | .9553           |        | ----                     | ---- | 2     | ----          | 2                        | ----              | ----          | 1                 | +    |  |  |      |
| 4055           | 73.70          | 73.70        | 73.70  | #184.50B/*50.10A |            | 184.50B/*50.10A    |                    | ----             | ---- | 72.20 - 27.60   |                        | .8305           |        | ----                     | ---- | 2     | ----          | 2                        | ----              | ----          | 1                 | UNCH |  |  |      |
| 4060           | 51.00          | 51.00        | 51.00  | #179.60B/*47.00A |            | 179.60B/*47.00A    |                    | ----             | ---- | 68.30 NEW       |                        | .8110           |        | ----                     | ---- | 7     | ----          | 7                        | ----              | ----          | 5                 | +    |  |  |      |
| 4065           | 52.30          | 52.30        | 52.30  | #174.80B/*44.10A |            | 174.80B/*44.10A    |                    | ----             | ---- | 64.40 NEW       |                        | .7906           |        | ----                     | ---- | 6     | ----          | 6                        | ----              | ----          | 1                 | +    |  |  |      |
| 4070           | ----           | ----         | ----   | #169.90B/*41.20A |            | 169.90B/*41.20A    |                    | ----             | ---- | 60.70 NEW       |                        | .7676           |        | ----                     | ---- | 2     | ----          | 2                        | ----              | ----          | 1                 | +    |  |  |      |
| 4075           | 50.60          |              |        |                  |            |                    |                    |                  |      |                 |                        |                 |        |                          |      |       |               |                          |                   |               |                   |      |  |  |      |



2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>

CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY

| PG64           | BULLETIN #111@ |                 |                    |                  |                    |               |                 |                          |       |               | METALS OPTION PRODUCTS   |                   |               |                  |      |      |         |  |  |  | Thu, Jun 11, 2026 |  | PG64 |
|----------------|----------------|-----------------|--------------------|------------------|--------------------|---------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|------|---------|--|--|--|-------------------|--|------|
|                |                |                 |                    |                  |                    |               |                 |                          |       |               |                          |                   |               |                  |      |      |         |  |  |  |                   |  |      |
| GLOBEX<br>OPEN | OPEN<br>OPEN   | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |      |         |  |  |  |                   |  |      |
|                |                |                 |                    |                  |                    |               |                 |                          |       |               |                          |                   |               |                  |      |      |         |  |  |  |                   |  |      |
| OG2 CALL       |                |                 |                    |                  |                    |               |                 |                          |       |               |                          |                   |               |                  | GOLD |      | OPTIONS |  |  |  |                   |  |      |
| JUN26          |                |                 |                    |                  |                    |               |                 |                          |       |               |                          |                   |               |                  |      |      |         |  |  |  |                   |  |      |
| 4370           | 0.40           | 0.40            |                    | 4.40B/*0.30A     | 4.40B/*0.30A       | ----          |                 | 0.20 - 1.70              | .0002 | ----          | ----                     | 3                 | ----          | 21               | +    | 2    |         |  |  |  |                   |  |      |
| 4375           | 0.40           | 0.40            |                    | 4.20B/*0.30      | 4.20B/*0.30        | ----          |                 | 0.20 - 1.60              | .0002 | ----          | ----                     | 45                | ----          | 157              | +    | 4    |         |  |  |  |                   |  |      |
| 4380           | 0.80           | 0.80            |                    | 3.70B/*0.30A     | 3.70B/*0.30A       | ----          |                 | 0.10 - 1.60              | .0000 | ----          | ----                     | 6                 | ----          | 16               | +    | 1    |         |  |  |  |                   |  |      |
| 4385           | 0.30           | 0.30            |                    | 3.30B/*0.20A     | 3.30B/*0.20A       | ----          |                 | 0.10 - 1.60              | .0000 | ----          | ----                     | 5                 | ----          | 16               | +    | 5    |         |  |  |  |                   |  |      |
| 4390           | 2.60           | 2.60            |                    | 3.00B/*0.20A     | 3.00B/*0.20A       | ----          |                 | 0.10 - 1.50              | .0000 | ----          | ----                     | 1                 | ----          | 25               |      | UNCH |         |  |  |  |                   |  |      |
| 4395           | ----           | ----            |                    | 2.70B/*0.30A     | 2.70B/*0.30A       | ----          |                 | 0.10 - 1.40              | .0000 | ----          | ----                     | 1                 | ----          | 10               |      | UNCH |         |  |  |  |                   |  |      |
| 4400           | 1.00           | 1.00            |                    | 2.60B/*0.30A     | 2.60B/*0.30A       | ----          |                 | 0.10 - 1.40              | .0000 | ----          | ----                     | 223               | ----          | 451              | +    | 57   |         |  |  |  |                   |  |      |
| 4405           | 0.40           | 0.40            |                    | 2.30B/*0.30A     | 2.30B/*0.30A       | ----          |                 | 0.10 - 1.30              | .0000 | ----          | ----                     | 4                 | ----          | 16               | +    | 3    |         |  |  |  |                   |  |      |
| 4410           | 2.10           | 2.10            |                    | 2.10/*0.30A      | 2.10/*0.30A        | ----          |                 | 0.10 - 1.30              | .0000 | ----          | ----                     | 1                 | ----          | 14               |      | UNCH |         |  |  |  |                   |  |      |
| 4415           | ----           | ----            |                    | 1.80B/*0.20A     | 1.80B/*0.20A       | ----          |                 | 0.10 - 1.20              | .0000 | ----          | ----                     | ----              | ----          | 33               |      | UNCH |         |  |  |  |                   |  |      |
| 4420           | 0.20           | 0.20            |                    | 1.70B/*0.10A     | 1.70B/*0.10A       | ----          |                 | 0.10 - 1.20              | .0000 | ----          | ----                     | 6                 | ----          | 23               | +    | 3    |         |  |  |  |                   |  |      |
| 4425           | ----           | ----            |                    | 1.50B/*0.20A     | 1.50B/*0.20A       | ----          |                 | 0.10 - 1.20              | ----  | ----          | ----                     | ----              | ----          | 93               |      | UNCH |         |  |  |  |                   |  |      |
| 4430           | 1.00           | 1.00            |                    | 1.30B/*0.10A     | 1.30B/*0.10A       | ----          |                 | 0.10 - 1.10              | ----  | ----          | ----                     | 6                 | ----          | 19               | +    | 6    |         |  |  |  |                   |  |      |
| 4435           | 1.10           | 1.10            |                    | 1.10/*0.20A      | 1.20B/*0.20A       | ----          |                 | 0.10 - 1.10              | ----  | ----          | ----                     | 20                | ----          | 26               | -    | 1    |         |  |  |  |                   |  |      |
| 4440           | 0.20           | 0.20            |                    | 1.20B/*0.20      | 1.20B/*0.20        | ----          |                 | 0.10 - 1.00              | ----  | ----          | ----                     | 6                 | ----          | 14               | +    | 1    |         |  |  |  |                   |  |      |
| 4445           | 0.30           | 0.30            |                    | 1.20B/*0.10A     | 1.20B/*0.10A       | ----          |                 | 0.10 - 1.00              | ----  | ----          | ----                     | 21                | ----          | 25               | +    | 12   |         |  |  |  |                   |  |      |
| 4450           | 0.30           | 0.30            |                    | 1.10B/*0.20A     | 1.10B/*0.20A       | ----          |                 | 0.10 - 1.00              | ----  | ----          | ----                     | 5                 | ----          | 126              |      | UNCH |         |  |  |  |                   |  |      |
| 4455           | 0.20           | 0.20            |                    | 0.80B/*0.20      | 0.80B/*0.20        | ----          |                 | 0.10 - 0.90              | ----  | ----          | ----                     | 1                 | ----          | 20               |      | UNCH |         |  |  |  |                   |  |      |
| 4460           | 0.20           | 0.20            |                    | 0.80/*0.20       | 0.80/*0.20         | ----          |                 | 0.10 - 0.90              | ----  | ----          | ----                     | 8                 | ----          | 14               | +    | 7    |         |  |  |  |                   |  |      |
| 4465           | 0.20           | 0.20            |                    | 0.70B/*0.20      | 0.70B/*0.20        | ----          |                 | 0.10 - 0.90              | ----  | ----          | ----                     | 2                 | ----          | 5                | +    | 2    |         |  |  |  |                   |  |      |
| 4470           | ----           | ----            |                    | ----/*0.20A      | 0.60B/*0.20A       | ----          |                 | 0.10 - 0.80              | ----  | ----          | ----                     | ----              | ----          | 19               |      | UNCH |         |  |  |  |                   |  |      |
| 4475           | 0.30           | 0.30            |                    | 0.50B/*0.10A     | 0.50B/*0.10A       | ----          |                 | 0.10 - 0.80              | ----  | ----          | ----                     | 3                 | ----          | 121              | +    | 1    |         |  |  |  |                   |  |      |
| 4480           | 0.20           | 0.20            |                    | 0.50B/*0.10A     | 0.50B/*0.10A       | ----          |                 | 0.10 - 0.80              | ----  | ----          | ----                     | 20                | ----          | 11               | +    | 8    |         |  |  |  |                   |  |      |
| 4485           | 0.20           | 0.20            |                    | 0.50B/*0.20      | 0.50B/*0.20        | ----          |                 | 0.10 - 0.80              | ----  | ----          | ----                     | 2                 | ----          | 16               |      | UNCH |         |  |  |  |                   |  |      |
| 4490           | ----           | ----            |                    | ----/*0.20A      | 0.50B/*0.20A       | ----          |                 | 0.10 - 0.70              | ----  | ----          | ----                     | ----              | ----          | 4                |      | UNCH |         |  |  |  |                   |  |      |
| 4495           | ----           | ----            |                    | ----/*0.20A      | 0.40B/*0.20A       | ----          |                 | 0.10 - 0.70              | ----  | ----          | ----                     | ----              | ----          | 1                |      | UNCH |         |  |  |  |                   |  |      |
| 4500           | 0.10           | 0.10            |                    | 0.50/*0.10       | 0.50/*0.10         | ----          |                 | 0.10 - 0.70              | ----  | ----          | ----                     | 17                | ----          | 293              | +    | 3    |         |  |  |  |                   |  |      |
| 4505           | ----           | ----            |                    | ----/*0.20A      | 0.40B/*0.20A       | ----          |                 | 0.10 - 0.70              | ----  | ----          | ----                     | ----              | ----          | 1                |      | UNCH |         |  |  |  |                   |  |      |
| 4510           | 0.30           | 0.30            |                    | 0.30/*0.20A      | 0.40B/*0.20A       | ----          |                 | 0.10 - 0.70              | ----  | ----          | ----                     | 5                 | ----          | 8                | +    | 5    |         |  |  |  |                   |  |      |
| 4520           | ----           | ----            |                    | ----/*0.20A      | 0.30B/*0.20A       | ----          |                 | 0.10 - 0.60              | ----  | ----          | ----                     | ----              | ----          | 5                |      | UNCH |         |  |  |  |                   |  |      |
| 4525           | ----           | ----            |                    | ----/*0.20A      | 0.20B/*0.20A       | ----          |                 | 0.10 - 0.60              | ----  | ----          | ----                     | ----              | ----          | 177              |      | UNCH |         |  |  |  |                   |  |      |
| 4530           | ----           | ----            |                    | ----/*0.20A      | 0.10B/*0.20A       | ----          |                 | 0.10 - 0.60              | ----  | ----          | ----                     | ----              | ----          | 1                |      | UNCH |         |  |  |  |                   |  |      |
| 4535           | ----           | ----            |                    | ----/*0.20A      | 0.10B/*0.20A       | ----          |                 | 0.10 - 0.60              | ----  | ----          | ----                     | ----              | ----          | 4                |      | UNCH |         |  |  |  |                   |  |      |
| 4540           | ----           | ----            |                    | ----/*0.20A      | 0.10B/*0.20A       | ----          |                 | 0.10 - 0.60              | ----  | ----          | ----                     | ----              | ----          | 2                |      | UNCH |         |  |  |  |                   |  |      |
| 4545           | ----           | ----            |                    | ----/*0.20A      | 0.10B/*0.20A       | ----          |                 | 0.10 - 0.60              | ----  | ----          | ----                     | ----              | ----          | 11               |      | UNCH |         |  |  |  |                   |  |      |
| 4550           | 0.10           | 0.10            |                    | 0.20/*0.10       | 0.20/*0.10         | ----          |                 | 0.10 - 0.50              | ----  | ----          | ----                     | 24                | ----          | 453              | +    | 7    |         |  |  |  |                   |  |      |
| 4555           | 0.10           | 0.10            |                    | 0.10/*0.10       | 0.10/*0.10         | ----          |                 | 0.10 - 0.50              | ----  | ----          | ----                     | 14                | ----          | 20               | +    | 14   |         |  |  |  |                   |  |      |
| 4565           | 0.30           | 0.30            |                    | 0.30/*0.20A      | 0.30/*0.20A        | ----          |                 | 0.10 - 0.50              | ----  | ----          | ----                     | 3                 | ----          | 9                |      | UNCH |         |  |  |  |                   |  |      |
| 4570           | ----           | ----            |                    | ----/*0.10A      | 0.10B/*0.10A       | ----          |                 | 0.10 - 0.50              | ----  | ----          | ----                     | ----              | ----          | 17               |      | UNCH |         |  |  |  |                   |  |      |
| 4575           | 0.20           | 0.20            |                    | 0.20/*0.10A      | 0.20/*0.10A        | ----          |                 | 0.10 - 0.50              | ----  | ----          | ----                     | 6                 | ----          | 201              | +    | 2    |         |  |  |  |                   |  |      |
| 4580           | ----           | ----            |                    | ----/*0.10A      | 0.10B/*0.10A       | ----          |                 | 0.10 - 0.50              | ----  | ----          | ----                     | ----              | ----          | 26               |      | UNCH |         |  |  |  |                   |  |      |
| 4585           | ----           | ----            |                    | ----/*0.20A      | 0.10B/*0.20A       | ----          |                 | 0.10 - 0.50              | ----  | ----          | ----                     | ----              | ----          | 11               |      | UNCH |         |  |  |  |                   |  |      |
| 4590           | ----           | ----            |                    | ----/*0.20A      | 0.10B/*0.20A       | ----          |                 | 0.10 - 0.50              | ----  | ----          | ----                     | ----              | ----          | 12               |      | UNCH |         |  |  |  |                   |  |      |
| 4595           | ----           | ----            |                    | ----/*0.30A      | 0.10B/*0.30A       | ----          |                 | 0.10 - 0.40              | ----  | ----          | ----                     | ----              | ----          | 10               |      | UNCH |         |  |  |  |                   |  |      |
| 4600           | 0.20           | 0.20            |                    | 0.20/*0.20       | 0.20/*0.20         | ----          |                 | 0.10 - 0.40              | ----  | ----          | ----                     | 21                | ----          | 238              | +    | 19   |         |  |  |  |                   |  |      |
| 4625           | 0.10           | 0.10            |                    | 0.20/*0.10       | 0.20/*0.10         | ----          |                 | 0.10 - 0.40              | ----  | ----          | ----                     | 6                 | ----          | 81               | +    | 4    |         |  |  |  |                   |  |      |
| 4630           | ----           | ----            |                    | ----/*0.20A      | ----/*0.20A        | ----          |                 | 0.10 - 0.40              | ----  | ----          | ----                     | ----              | ----          | 2                |      | UNCH |         |  |  |  |                   |  |      |
| 4645           | ----           | ----            |                    | ----/*0.20A      | ----/*0.20A        | ----          |                 | 0.10 - 0.40              | ----  | ----          | ----                     | ----              | ----          | 1                |      | UNCH |         |  |  |  |                   |  |      |
| 4650           | ----           | ----            |                    | ----/0.30A       | ----/0.30A         | ----          |                 | 0.10 - 0.30              | ----  | ----          | ----                     | ----              | ----          | 436              |      | UNCH |         |  |  |  |                   |  |      |
| 4675           | 0.10           | 0.10            |                    | 0.40/*0.10       | 0.40/*0.10         | ----          |                 | 0.10 - 0.30              | ----  | ----          | ----                     | 2                 | ----          | 101              | -    | 1    |         |  |  |  |                   |  |      |
| 4695           | ----           | ----            |                    | ----/*0.10A      | ----/*0.10A        | ----          |                 | 0.10 - 0.20              | ----  | ----          | ----                     | ----              | ----          | 4                |      | UNCH |         |  |  |  |                   |  |      |
| 4700           | 0.10           | 0.10            |                    | 0.10/*0.10       | 0.10/*0.10         | ----          |                 | 0.10 - 0.20              | ----  | ----          | ----                     | 1                 | ----          | 75               |      | UNCH |         |  |  |  |                   |  |      |
| 4705           | ----           | ----            |                    | ----/0.20A       | ----/0.20A         | ----          |                 | 0.10 - 0.20              | ----  | ----          | ----                     | ----              | ----          | 2                |      | UNCH |         |  |  |  |                   |  |      |
| 4725           | 0.10           | 0.10            |                    | 0.10/*0.10       | 0.10/*0.10         | ----          |                 | 0.10 - 0.20              | ----  | ----          | ----                     | 45                | ----          | 77               | +    | 4    |         |  |  |  |                   |  |      |
| 4750           | 0.10           | 0.10            |                    | 0.10/*0.10       | 0.10/*0.10         | ----          |                 | 0.10 - 0.10              | ----  | ----          | ----                     | 1                 | ----          | 38               |      | UNCH |         |  |  |  |                   |  |      |
| 4775           | ----           | ----            |                    | ----/*0.20A      | ----/*0.20A        | ----          |                 | 0.10 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 16               |      | UNCH |         |  |  |  |                   |  |      |
| 4800           | 0.10           | 0.10            |                    | 0.10/*0.10       | 0.10/*0.10         | ----          |                 | 0.10 - 0.10              | ----  | ----          | ----                     | 3                 | ----          | 38               |      | UNCH |         |  |  |  |                   |  |      |
| 4825           | ----           | ----            |                    | ----/0.10A       | ----/0.10A         | ----          |                 | 0.10 UNCH                | ----  | ----          | ----                     | ----              | ----          | 17               |      | UNCH |         |  |  |  |                   |  |      |
| 4850           | 0.10           | 0.10            |                    | 0.10/*0.10       | 0.10/*0.10         | ----          |                 | 0.10 UNCH                | ----  | ----          | ----                     | 1                 | ----          | 36               |      | UNCH |         |  |  |  |                   |  |      |
| 4875           | ----           | ----            |                    | ----/*0.10A      | ----/*0.10A        | ----          |                 | 0.10 UNCH                | ----  | ----          | ----                     | ----              | ----          | 13               |      | UNCH |         |  |  |  |                   |  |      |
| 4900           | 0.10           | 0.10            |                    | 0.10/0.10        | 0.10/0.10          | ----          |                 | 0.10 UNCH                | ----  | ----          | ----                     | 4                 | ----          | 19               | +    | 2    |         |  |  |  |                   |  |      |
| 4925           | ----           | ----            |                    | ----/*0.10A      | ----/*0.10A        | ----          |                 | 0.10 UNCH                | ----  | ----          | ----                     | ----              | ----          | 2                |      | UNCH |         |  |  |  |                   |  |      |
| 4950           | ----           | ----            |                    | ----/*0.10A      | ----/*0.10A        | ----          |                 | 0.10 UNCH                | ----  | ----          | ----                     | ----              | ----          | 12               |      | UNCH |         |  |  |  |                   |  |      |
| 4975           | ----           | ----            |                    | ----/*0.10A      | ----/*0.10A        | ----          |                 | 0.10 UNCH                | ----  | ----          | ----                     | ----              | ----          | 6                |      | UNCH |         |  |  |  |                   |  |      |
| 5000           | ----           | ----            |                    | ----/0.10A       | ----/0.10A         | ----          |                 | 0.10 UNCH                | ----  | ----          | ----                     | ----              | ----          | 1                |      | UNCH |         |  |  |  |                   |  |      |
| 5025           | ----           | ----            |                    | ----/*0.10A      | ----/*0.10A        | ----          |                 | 0.10 UNCH                | ----  | ----          | ----                     | ----              | ----          | 3                |      | UNCH |         |  |  |  |                   |  |      |
| 5050           | ----           | ----            |                    | ----/0.10A       | ----/0.10A         | ----          |                 | 0.10 UNCH                | ----  | ----          | ----                     | ----              | ----          | 16               |      | UNCH |         |  |  |  |                   |  |      |
| 5100           | ----           | ----            |                    | ----/*0.10A      | ----/*0.10A        | ----          |                 | 0.10 UNCH                | ----  | ----          | ----                     | ----              | ----          | 8                |      | UNCH |         |  |  |  |                   |  |      |
| 5300           | ----           | ----            |                    | ----             | ----/*0.10A        | ----          |                 | 0.10 UNCH                | ----  | ----          | ----                     | ----              | ----          | 10               |      | UNCH |         |  |  |  |                   |  |      |
| TOTAL          |                |                 |                    |                  |                    |               |                 |                          |       |               |                          | 5674              | 25            | 7260             | +    | 1472 |         |  |  |  |                   |  |      |
| JUL26          |                |                 |                    |                  |                    |               |                 |                          |       |               |                          |                   |               |                  |      |      |         |  |  |  |                   |  |      |
| 4000           | ----           | ----            |                    | 269.80B/*169.80  | 269.80B/*169.80A   | ----          |                 |                          |       |               |                          |                   |               |                  |      |      |         |  |  |  |                   |  |      |

| GLOBEX<br>OPEN |      | OPEN<br>OPEN       | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |  |  |  |  |  |
|----------------|------|--------------------|-----------------|--------------------|------------------|-----------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|--|--|--|--|--|
| OG PUT         |      | COMEX GOLD OPTIONS |                 |                    |                  |                 |                 |                          |       |               |                          |                   |               |                  |      |  |  |  |  |  |
| JUL26          |      |                    |                 |                    |                  |                 |                 |                          |       |               |                          |                   |               |                  |      |  |  |  |  |  |
| 2705           | ---- | ----               | ----            | ----               | 0.20B/0.40A      | ----            | ----            | 0.20 - 0.10              | .0008 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |  |
| 2710           | ---- | ----               | ----            | ----               | 0.20B/0.30A      | ----            | ----            | 0.20 - 0.10              | .0008 | ----          | ----                     | ----              | ----          | 12               | UNCH |  |  |  |  |  |
| 2725           | ---- | ----               | ----            | ----               | 0.20B/0.30A      | ----            | ----            | 0.20 - 0.10              | .0008 | ----          | ----                     | ----              | ----          | 178              | UNCH |  |  |  |  |  |
| 2730           | ---- | ----               | ----            | ----               | 0.20B/0.40A      | ----            | ----            | 0.20 - 0.10              | .0008 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |  |
| 2750           | ---- | ----               | ----            | ----               | 0.30B/0.30A      | ----            | ----            | 0.20 - 0.10              | .0008 | ----          | ----                     | ----              | ----          | 121              | UNCH |  |  |  |  |  |
| 2775           | 0.30 | 0.30               |                 | 0.30/0.30          | 0.30/0.30        | ----            | ----            | 0.30 - 0.10              | .0012 | ----          | ----                     | 2                 | ----          | 5 -              | 1    |  |  |  |  |  |
| 2785           | ---- | ----               | ----            | ----               | 0.30B/0.40A      | ----            | ----            | 0.30 - 0.10              | .0012 | ----          | ----                     | ----              | ----          | 2                | UNCH |  |  |  |  |  |
| 2800           | 0.40 | 0.40               |                 | 0.40/0.40          | 0.40/0.40        | ----            | ----            | 0.30 - 0.10              | .0013 | ----          | ----                     | 13                | ----          | 16               | UNCH |  |  |  |  |  |
| 2805           | ---- | ----               | ----            | ----               | 0.40B/0.40A      | ----            | ----            | 0.30 - 0.10              | .0013 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |  |
| 2850           | ---- | ----               | ----            | ----               | 0.40B/0.50A      | ----            | ----            | 0.40 - 0.10              | .0017 | ----          | ----                     | ----              | ----          | 10               | UNCH |  |  |  |  |  |
| 2860           | ---- | ----               | ----            | ----               | 0.50B/0.50A      | ----            | ----            | 0.40 - 0.10              | .0017 | ----          | ----                     | ----              | ----          | 6                | UNCH |  |  |  |  |  |
| 2885           | ---- | ----               | ----            | ----               | 0.50B/0.50A      | ----            | ----            | 0.40 - 0.20              | .0018 | ----          | ----                     | ----              | ----          | 14               | UNCH |  |  |  |  |  |
| 2890           | ---- | ----               | ----            | ----               | 0.50B/0.50A      | ----            | ----            | 0.50 - 0.10              | .0022 | ----          | ----                     | ----              | ----          | 65               | UNCH |  |  |  |  |  |
| 2895           | ---- | ----               | ----            | ----               | 0.60B/0.50A      | ----            | ----            | 0.50 - 0.10              | .0022 | ----          | ----                     | ----              | ----          | 18               | UNCH |  |  |  |  |  |
| 2900           | 0.50 | 0.50               |                 | 0.50/0.50          | 0.60B/0.50       | ----            | ----            | 0.50 - 0.10              | .0022 | ----          | ----                     | 10                | ----          | 25 -             | 1    |  |  |  |  |  |
| 2905           | ---- | ----               | ----            | ----               | 0.60B/0.50A      | ----            | ----            | 0.50 - 0.10              | .0022 | ----          | ----                     | ----              | ----          | 19               | UNCH |  |  |  |  |  |
| 2915           | ---- | ----               | ----            | ----               | 0.60B/0.50A      | ----            | ----            | 0.50 - 0.20              | .0022 | ----          | ----                     | ----              | ----          | 2                | UNCH |  |  |  |  |  |
| 2920           | ---- | ----               | ----            | ----               | 0.60B/0.50A      | ----            | ----            | 0.50 - 0.20              | .0022 | ----          | ----                     | ----              | ----          | 5                | UNCH |  |  |  |  |  |
| 2945           | ---- | ----               | ----            | ----               | 0.70B/0.60A      | ----            | ----            | 0.60 - 0.10              | .0027 | ----          | ----                     | ----              | ----          | 2                | UNCH |  |  |  |  |  |
| 2950           | ---- | ----               | ----            | ----               | 0.70B/0.60A      | ----            | ----            | 0.60 - 0.10              | .0027 | ----          | ----                     | ----              | ----          | 36               | UNCH |  |  |  |  |  |
| 2960           | ---- | ----               | ----            | ----               | 0.80B/0.60A      | ----            | ----            | 0.60 - 0.20              | .0027 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |  |
| 2975           | ---- | ----               | ----            | ----               | 0.80B/0.60A      | ----            | ----            | 0.60 - 0.20              | .0028 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |  |
| 2985           | 0.60 | 0.60               |                 | 0.60/0.60          | 0.80B/0.60       | ----            | ----            | 0.70 - 0.10              | .0032 | ----          | ----                     | 10                | ----          | 15 -             | 7    |  |  |  |  |  |
| 2990           | 0.70 | 0.70               |                 | 0.70/0.60A         | 0.80B/0.60A      | ----            | ----            | 0.70 - 0.20              | .0032 | ----          | ----                     | 1                 | ----          | 11 +             | 1    |  |  |  |  |  |
| 2995           | ---- | ----               | ----            | ----               | 0.90B/0.60A      | ----            | ----            | 0.70 - 0.20              | .0032 | ----          | ----                     | ----              | ----          | 25               | UNCH |  |  |  |  |  |
| 3000           | 0.80 | 0.80               |                 | 0.80/0.50          | 0.80/0.50        | ----            | ----            | 0.70 - 0.20              | .0032 | ----          | ----                     | 6                 | ----          | 99 -             | 1    |  |  |  |  |  |
| 3010           | ---- | ----               | ----            | ----               | 0.90B/0.60A      | ----            | ----            | 0.70 - 0.20              | .0033 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |  |
| 3015           | ---- | ----               | ----            | ----               | 0.90B/0.60A      | ----            | ----            | 0.70 - 0.20              | .0033 | ----          | ----                     | ----              | ----          | 5                | UNCH |  |  |  |  |  |
| 3025           | ---- | ----               | ----            | ----               | 1.00B/0.60A      | ----            | ----            | 0.80 - 0.20              | .0037 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |  |
| 3030           | ---- | ----               | ----            | ----               | 1.00B/0.60A      | ----            | ----            | 0.80 - 0.20              | .0038 | ----          | ----                     | ----              | ----          | 18               | UNCH |  |  |  |  |  |
| 3035           | ---- | ----               | ----            | ----               | 1.00B/0.60A      | ----            | ----            | 0.80 - 0.20              | .0038 | ----          | ----                     | ----              | ----          | 10               | UNCH |  |  |  |  |  |
| 3050           | ---- | ----               | ----            | ----               | 1.10B/0.50A      | ----            | ----            | 0.80 - 0.30              | .0038 | ----          | ----                     | ----              | ----          | 15               | UNCH |  |  |  |  |  |
| 3060           | ---- | ----               | ----            | ----               | 1.10B/0.60A      | ----            | ----            | 0.90 - 0.20              | .0043 | ----          | ----                     | ----              | ----          | 28               | UNCH |  |  |  |  |  |
| 3080           | 1.20 | 1.20               |                 | 1.30B/0.60A        | 1.30B/0.60A      | ----            | ----            | 0.90 NEW                 | .0044 | ----          | ----                     | 10                | ----          | 10 +             | 10   |  |  |  |  |  |
| 3085           | 1.20 | 1.20               |                 | 1.30B/0.60A        | 1.30B/0.60A      | ----            | ----            | 0.90 NEW                 | .0044 | ----          | ----                     | 10                | ----          | 10 +             | 10   |  |  |  |  |  |
| 3100           | 0.80 | 0.80               |                 | 1.40B/0.60A        | 1.40B/0.60A      | ----            | ----            | 1.00 - 0.20              | .0049 | ----          | ----                     | 13                | ----          | 80 -             | 2    |  |  |  |  |  |
| 3105           | ---- | ----               | ----            | ----               | 1.40B/0.60A      | ----            | ----            | 1.00 - 0.20              | .0049 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |  |
| 3110           | ---- | ----               | ----            | ----               | 1.50B/0.60A      | ----            | ----            | 1.00 - 0.30              | .0049 | ----          | ----                     | ----              | ----          | 5                | UNCH |  |  |  |  |  |
| 3115           | 1.30 | 1.30               |                 | 1.70B/0.70A        | 1.70B/0.70A      | ----            | ----            | 1.00 - 0.30              | .0050 | ----          | ----                     | 7                 | ----          | 7 +              | 6    |  |  |  |  |  |
| 3120           | 0.80 | 0.80               |                 | 1.70B/0.60A        | 1.70B/0.60A      | ----            | ----            | 1.10 - 0.20              | .0054 | ----          | ----                     | 2                 | ----          | 2                | UNCH |  |  |  |  |  |
| 3125           | 0.80 | 0.80               |                 | 1.70B/0.60A        | 1.70B/0.60A      | ----            | ----            | 1.10 - 0.20              | .0054 | ----          | ----                     | 2                 | ----          | 42 -             | 2    |  |  |  |  |  |
| 3130           | 0.80 | 0.80               |                 | 1.80B/0.70A        | 1.80B/0.70A      | ----            | ----            | 1.10 - 0.20              | .0055 | ----          | ----                     | 4                 | ----          | 4                | UNCH |  |  |  |  |  |
| 3135           | 0.80 | 0.80               |                 | 1.80B/0.70A        | 1.80B/0.70A      | ----            | ----            | 1.10 - 0.30              | .0055 | ----          | ----                     | 9                 | ----          | 9                | UNCH |  |  |  |  |  |
| 3140           | 1.40 | 1.40               |                 | 1.80B/0.70A        | 1.80B/0.70A      | ----            | ----            | 1.10 - 0.30              | .0055 | ----          | ----                     | 20                | ----          | 21               | UNCH |  |  |  |  |  |
| 3145           | ---- | ----               | ----            | ----               | 1.90B/0.70A      | ----            | ----            | 1.10 - 0.30              | .0056 | ----          | ----                     | ----              | ----          | 12               | UNCH |  |  |  |  |  |
| 3150           | ---- | ----               | ----            | ----               | 1.90B/0.70A      | ----            | ----            | 1.20 - 0.20              | .0060 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |  |
| 3155           | ---- | ----               | ----            | ----               | 1.90B/0.70A      | ----            | ----            | 1.20 - 0.20              | .0060 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |  |
| 3160           | 1.30 | 1.30               |                 | 2.00B/0.70A        | 2.00B/0.70A      | ----            | ----            | 1.20 NEW                 | .0061 | ----          | ----                     | 13                | ----          | 13 +             | 13   |  |  |  |  |  |
| 3165           | ---- | ----               | ----            | ----               | 2.00B/0.70A      | ----            | ----            | 1.20 - 0.30              | .0061 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |  |
| 3170           | ---- | ----               | ----            | ----               | 2.10B/0.70A      | ----            | ----            | 1.20 - 0.30              | .0061 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |  |
| 3175           | ---- | ----               | ----            | ----               | 2.10B/0.70A      | ----            | ----            | 1.20 - 0.30              | .0062 | ----          | ----                     | ----              | ----          | 11               | UNCH |  |  |  |  |  |
| 3180           | ---- | ----               | ----            | ----               | 2.10B/0.70A      | ----            | ----            | 1.30 - 0.20              | .0066 | ----          | ----                     | ----              | ----          | 2                | UNCH |  |  |  |  |  |
| 3185           | 0.90 | 0.90               |                 | 2.20B/0.70A        | 2.20B/0.70A      | ----            | ----            | 1.30 - 0.30              | .0067 | ----          | ----                     | 20                | ----          | 21 -             | 1    |  |  |  |  |  |
| 3195           | ---- | ----               | ----            | ----               | 2.30B/0.70A      | ----            | ----            | 1.30 - 0.30              | .0067 | ----          | ----                     | ----              | ----          | 10               | UNCH |  |  |  |  |  |
| 3200           | 2.30 | 2.30               |                 | 2.30/0.70A         | 2.30/0.70A       | ----            | ----            | 1.30 - 0.30              | .0068 | ----          | ----                     | 9                 | ----          | 230 +            | 8    |  |  |  |  |  |
| 3210           | ---- | ----               | ----            | ----               | 2.40B/0.80A      | ----            | ----            | 1.40 - 0.30              | .0073 | ----          | ----                     | ----              | ----          | 6                | UNCH |  |  |  |  |  |
| 3220           | ---- | ----               | ----            | ----               | 2.50B/0.80A      | ----            | ----            | 1.40 - 0.30              | .0074 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |  |
| 3225           | 1.80 | 1.80               |                 | 2.50B/0.80A        | 2.50B/0.80A      | ----            | ----            | 1.40 - 0.30              | .0074 | ----          | ----                     | 7                 | ----          | 124              | UNCH |  |  |  |  |  |
| 3230           | 1.60 | 1.60               |                 | 2.60B/0.80A        | 2.60B/0.80A      | ----            | ----            | 1.40 - 0.40              | .0075 | ----          | ----                     | 13                | ----          | 14 +             | 13   |  |  |  |  |  |
| 3250           | ---- | ----               | ----            | ----               | 2.80B/0.80A      | ----            | ----            | 1.50 - 0.40              | .0081 | ----          | ----                     | 4                 | ----          | 210 +            | 4    |  |  |  |  |  |
| 3270           | ---- | ----               | ----            | ----               | 3.00B/0.90A      | ----            | ----            | 1.60 - 0.40              | .0087 | ----          | ----                     | ----              | ----          | 100              | UNCH |  |  |  |  |  |
| 3275           | ---- | ----               | ----            | ----               | 3.10B/0.90A      | ----            | ----            | 1.60 - 0.40              | .0088 | ----          | ----                     | ----              | ----          | 11               | UNCH |  |  |  |  |  |
| 3280           | 0.90 | 0.90               |                 | 3.20B/0.90         | 3.20B/0.90       | ----            | ----            | 1.70 - 0.30              | .0093 | ----          | ----                     | 10                | ----          | 25               | UNCH |  |  |  |  |  |
| 3285           | ---- | ----               | ----            | ----               | 3.30B/0.90A      | ----            | ----            | 1.70 - 0.40              | .0093 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |  |
| 3290           | ---- | ----               | ----            | ----               | 3.30B/0.90A      | ----            | ----            | 1.70 - 0.40              | .0094 | ----          | ----                     | ----              | ----          | 29               | UNCH |  |  |  |  |  |
| 3300           | 2.80 | 2.80               |                 | 3.50B/0.90A        | 3.50B/0.90A      | ----            | ----            | 1.80 - 0.30              | .0100 | ----          | ----                     | 9                 | ----          | 187 +            | 4    |  |  |  |  |  |
| 3310           | ---- | ----               | ----            | ----               | 3.70B/0.90A      | ----            | ----            | 1.80 - 0.40              | .0101 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |  |
| 3320           | ---- | ----               | ----            | ----               | 3.80B/1.00A      | ----            | ----            | 1.90 - 0.40              | .0107 | ----          | ----                     | ----              | ----          | 28               | UNCH |  |  |  |  |  |
| 3325           | ---- | ----               | ----            | ----               | 3.90B/1.00A      | ----            | ----            | 1.90 - 0.40              | .0107 | ----          | ----                     | 1                 | ----          | 173 +            | 1    |  |  |  |  |  |
| 3330           | ---- | ----               | ----            | ----               | 4.00B/1.00A      | ----            | ----            | 1.90 - 0.40              | .0108 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |  |
| 3335           | ---- | ----               | ----            | ----               | 4.10B/1.00A      | ----            | ----            | 2.00 - 0.40              | .0113 | ----          | ----                     | ----              | ----          | 87               | UNCH |  |  |  |  |  |
| 3340           | ---- | ----               | ----            | ----               | 4.20B/1.00A      | ----            | ----            | 2.00 - 0.40              | .0114 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |  |
| 3345           | ---- | ----               | ----            | ----               | 4.30B/1.00A      | ----            | ----            | 2.00 - 0.50              | .0115 | ----          | ----                     | ----              | ----          | 3                | UNCH |  |  |  |  |  |
| 3350           | 2.70 | 2.70               |                 | 4.40B/1.00A        | 4.40B/1.00A      | ----            | ----            | 2.10 - 0.40              | .0120 | ----          | ----                     | 5                 | ----          | 155              | UNCH |  |  |  |  |  |
| 3355           | ---- | ----               | ----            | ----               | 4.50B/1.10A      | ----            | ----            | 2.10 - 0.40              | .0121 | ----          | ----                     | ----              | ----          | 79               | UNCH |  |  |  |  |  |
| 3360           | 3.10 | 3.10               |                 | 4.60B/1.10A        | 4.60B/1.10A      | ----            | ----            | 2.10 - 0.50              | .0121 | ----          | ----                     | 1                 | ----          | 5 -              | 1    |  |  |  |  |  |
| 3370           | ---- | ----               | ----            | ----               | 4.80B/1.10A      | ----            | ----            | 2.20 - 0.50              | .0128 | ----          | ----                     | ----              | ----          | 9                | UNCH |  |  |  |  |  |

| GLOBEX<br>OPEN     |       | OPEN OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN OUTCRY<br>HIGH/LOW | OPEN OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |
|--------------------|-------|---------------------------|--------------------|-------------------------|----------------------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|
| COMEX GOLD OPTIONS |       |                           |                    |                         |                            |                          |       |               |                          |                   |               |                  |
| 3680               | 11.70 | 11.70                     | 20.108/2.80A       | 20.108/2.80A            | ----                       | 8.70 - 1.20              | .0571 | ----          | ----                     | 11                | ----          | 17 +             |
| 3685               | ----  | ----                      | 20.708/2.90A       | 20.708/2.90A            | ----                       | 8.90 - 1.30              | .0585 | ----          | ----                     | ----              | ----          | 66 UNCH          |
| 3690               | ----  | ----                      | 21.108/3.00A       | 21.108/3.00A            | ----                       | 9.10 - 1.30              | .0599 | ----          | ----                     | ----              | ----          | 68 UNCH          |
| 3695               | 11.90 | 11.90                     | 21.608/3.00A       | 21.608/3.00A            | ----                       | 9.40 - 1.30              | .0618 | ----          | 8                        | ----              | ----          | 167 +            |
| 3700               | 12.50 | 12.50                     | 22.108/3.10A       | 22.108/3.10A            | ----                       | 9.70 - 1.30              | .0637 | ----          | 323                      | ----              | ----          | 611 - 145        |
| 3705               | 13.20 | 13.20                     | 22.608/3.20A       | 22.608/3.20A            | ----                       | 9.90 - 1.30              | .0652 | ----          | 3                        | ----              | ----          | 29 +             |
| 3710               | 12.30 | 12.30                     | 23.308/3.20A       | 23.308/3.20A            | ----                       | 10.20 - 1.30             | .0671 | ----          | 2                        | ----              | ----          | 5 +              |
| 3715               | 14.00 | 14.00                     | 23.808/3.30A       | 23.808/3.30A            | ----                       | 10.50 - 1.30             | .0690 | ----          | 3                        | ----              | ----          | 32 +             |
| 3720               | 13.70 | 13.70                     | 24.208/3.40A       | 24.208/3.40A            | ----                       | 10.80 - 1.30             | .0710 | ----          | 1                        | ----              | ----          | 31 +             |
| 3725               | 13.70 | 13.70                     | 25.008/3.50A       | 25.008/3.50A            | ----                       | 11.10 - 1.30             | .0730 | ----          | 18                       | ----              | ----          | 145 + 10         |
| 3730               | 14.30 | 14.30                     | 25.608/3.60A       | 25.608/3.60A            | ----                       | 11.40 - 1.30             | .0750 | ----          | 3                        | ----              | ----          | 26 +             |
| 3735               | 14.80 | 14.80                     | 26.208/3.70A       | 26.208/3.70A            | ----                       | 11.80 - 1.20             | .0774 | ----          | 9                        | ----              | ----          | 51 +             |
| 3740               | 18.50 | 18.50                     | 26.608/3.80A       | 26.608/3.80A            | ----                       | 12.10 - 1.30             | .0794 | ----          | 5                        | ----              | ----          | 37 -             |
| 3745               | 15.30 | 15.30                     | 27.208/3.90A       | 27.208/3.90A            | ----                       | 12.50 - 1.20             | .0819 | ----          | 11                       | ----              | ----          | 31 +             |
| 3750               | 22.50 | 22.50                     | 28.008/4.00        | 28.008/4.00             | ----                       | 12.80 - 1.30             | .0840 | ----          | 306                      | ----              | ----          | 1381 - 17        |
| 3755               | 15.30 | 15.30                     | 28.708/4.10A       | 28.708/4.10A            | ----                       | 13.20 - 1.20             | .0865 | ----          | 11                       | ----              | ----          | 21 -             |
| 3760               | 14.30 | 14.30                     | 29.208/4.20A       | 29.208/4.20A            | ----                       | 13.60 - 1.20             | .0890 | ----          | 8                        | ----              | ----          | 21 +             |
| 3765               | 17.50 | 17.50                     | 29.908/4.30A       | 29.908/4.30A            | ----                       | 14.00 - 1.20             | .0915 | ----          | 8                        | ----              | ----          | 41 +             |
| 3770               | 21.20 | 21.20                     | 30.608/4.40A       | 30.608/4.40A            | ----                       | 14.40 - 1.20             | .0941 | ----          | 51                       | ----              | ----          | 134 +            |
| 3775               | 17.30 | 17.30                     | 31.408/4.50A       | 31.408/4.50A            | ----                       | 14.80 - 1.20             | .0967 | ----          | 8                        | ----              | ----          | 97 +             |
| 3780               | 23.90 | 23.90                     | 32.108/4.70A       | 32.108/4.70A            | ----                       | 15.30 - 1.10             | .0997 | ----          | 4                        | ----              | ----          | 32 +             |
| 3785               | ----  | ----                      | 32.908/4.80A       | 32.908/4.80A            | ----                       | 15.70 - 1.20             | .1023 | ----          | ----                     | ----              | ----          | 17 UNCH          |
| 3790               | ----  | ----                      | 33.608/5.00A       | 33.608/5.00A            | ----                       | 16.20 - 1.10             | .1053 | ----          | ----                     | ----              | ----          | 53 UNCH          |
| 3795               | 8.50  | 8.50                      | 34.408/5.10A       | 34.408/5.10A            | ----                       | 16.70 - 1.00             | .1084 | ----          | 1                        | ----              | ----          | 58 +             |
| 3800               | 28.00 | 28.00                     | 35.308/5.30A       | 35.308/5.30A            | ----                       | 17.20 - 1.00             | .1114 | ----          | 206                      | ----              | ----          | 1904 - 102       |
| 3805               | ----  | ----                      | 36.108/5.40A       | 36.108/5.40A            | ----                       | 17.70 - 1.00             | .1145 | ----          | ----                     | ----              | ----          | 29 UNCH          |
| 3810               | 9.80  | 9.80                      | 37.008/5.60A       | 37.008/5.60A            | ----                       | 18.20 - 1.00             | .1176 | ----          | 2                        | ----              | ----          | 62 +             |
| 3815               | 25.30 | 25.30                     | 37.808/5.70A       | 37.808/5.70A            | ----                       | 18.70 - 1.00             | .1208 | ----          | 30                       | ----              | ----          | 49 +             |
| 3820               | 26.50 | 26.50                     | 38.708/5.90A       | 38.708/5.90A            | ----                       | 19.30 - 0.90             | .1243 | ----          | 2                        | ----              | ----          | 28 +             |
| 3825               | 33.00 | 33.00                     | 39.708/6.10A       | 39.708/6.10A            | ----                       | 19.90 - 0.80             | .1279 | ----          | 18                       | ----              | ----          | 83 -             |
| 3830               | 23.30 | 23.30                     | 40.508/6.30A       | 40.508/6.30A            | ----                       | 20.40 - 0.90             | .1311 | ----          | 2                        | ----              | ----          | 32 +             |
| 3835               | 10.80 | 10.80                     | 42.008/6.50A       | 42.008/6.50A            | ----                       | 21.00 - 0.80             | .1347 | ----          | 1                        | ----              | ----          | 37 +             |
| 3840               | 11.70 | 11.70                     | 42.908/6.70A       | 42.908/6.70A            | ----                       | 21.70 - 0.70             | .1387 | ----          | 1                        | ----              | ----          | 55 +             |
| 3845               | 29.60 | 29.60                     | 43.908/6.90A       | 43.908/6.90A            | ----                       | 22.30 - 0.70             | .1424 | ----          | 4                        | ----              | ----          | 21 +             |
| 3850               | 26.80 | 26.80                     | 45.008/7.10A       | 45.008/7.10A            | ----                       | 22.90 - 0.70             | .1461 | ----          | 79                       | ----              | ----          | 312 -            |
| 3855               | 29.10 | 29.10                     | 46.008/7.40A       | 46.008/7.40A            | ----                       | 23.60 - 0.60             | .1501 | ----          | 4                        | ----              | ----          | 80 +             |
| 3860               | ----  | ----                      | 47.208/7.60A       | 47.208/7.60A            | ----                       | 24.30 - 0.50             | .1542 | ----          | ----                     | ----              | ----          | 59 UNCH          |
| 3865               | 26.80 | 26.80                     | 48.008/7.90A       | 48.008/7.90A            | ----                       | 25.00 - 0.50             | .1583 | ----          | 8                        | ----              | ----          | 108 -            |
| 3870               | 34.80 | 34.80                     | 48.808/8.10A       | 48.808/8.10A            | ----                       | 25.70 - 0.40             | .1625 | ----          | 6                        | ----              | ----          | 25 UNCH          |
| 3875               | 28.60 | 28.60                     | 50.108/8.40A       | 50.108/8.40A            | ----                       | 26.40 - 0.40             | .1667 | ----          | 5                        | ----              | ----          | 126 UNCH         |
| 3880               | 14.50 | 14.50                     | 51.608/8.70A       | 51.608/8.70A            | ----                       | 27.20 - 0.30             | .1712 | ----          | 9                        | ----              | ----          | 52 +             |
| 3885               | 34.00 | 34.00                     | 52.408/9.00A       | 52.408/9.00A            | ----                       | 28.00 - 0.20             | .1758 | ----          | 2                        | ----              | ----          | 56 UNCH          |
| 3890               | 16.20 | 16.20                     | 53.408/9.30A       | 53.408/9.30A            | ----                       | 28.80 - 0.20             | .1804 | ----          | 1                        | ----              | ----          | 139 UNCH         |
| 3895               | ----  | ----                      | 54.808/9.60A       | 54.808/9.60A            | ----                       | 29.60 - 0.10             | .1850 | ----          | ----                     | ----              | ----          | 27 UNCH          |
| 3900               | 51.20 | 51.20                     | 55.608/9.90        | 55.608/9.90             | ----                       | 30.40 - 0.10             | .1896 | ----          | 770                      | 100               | 1477          | - 79             |
| 3905               | 17.50 | 17.50                     | 57.208/10.30A      | 57.208/10.30A           | ----                       | 31.20 - 0.10             | .1943 | ----          | 1                        | ----              | ----          | 47 -             |
| 3910               | 41.40 | 41.40                     | 58.308/10.70A      | 58.308/10.70A           | ----                       | 32.10 UNCH               | .1994 | ----          | 2                        | ----              | ----          | 91 +             |
| 3915               | 39.50 | 39.50                     | 59.908/11.00A      | 59.908/11.00A           | ----                       | 33.00 + 0.10             | .2044 | ----          | 2                        | ----              | ----          | 31 UNCH          |
| 3920               | 39.00 | 39.00                     | 61.208/11.40A      | 61.208/11.40A           | ----                       | 33.90 + 0.10             | .2095 | ----          | 1                        | ----              | ----          | 145 -            |
| 3925               | 20.30 | 20.30                     | 62.408/11.80A      | 62.408/11.80A           | ----                       | 34.90 + 0.30             | .2150 | ----          | 2                        | ----              | ----          | 146 UNCH         |
| 3930               | 36.80 | 36.80                     | 63.708/12.20A      | 63.708/12.20A           | ----                       | 35.80 + 0.30             | .2201 | ----          | 79                       | ----              | ----          | 87 +             |
| 3935               | 48.60 | 48.60                     | 65.008/12.60A      | 65.008/12.60A           | ----                       | 36.80 + 0.40             | .2256 | ----          | 16                       | ----              | ----          | 70 -             |
| 3940               | 45.10 | 45.10                     | 66.708/13.10A      | 66.708/13.10A           | ----                       | 37.80 + 0.40             | .2312 | ----          | 20                       | ----              | ----          | 112 +            |
| 3945               | 51.70 | 51.70                     | 68.208/13.50A      | 68.208/13.50A           | ----                       | 38.80 + 0.50             | .2367 | ----          | 4                        | ----              | ----          | 78 -             |
| 3950               | 65.40 | 65.40                     | 69.308/14.00A      | 69.308/14.00A           | ----                       | 39.90 + 0.60             | .2426 | ----          | 393                      | ----              | ----          | 751 - 75         |
| 3955               | 46.70 | 46.70                     | 71.208/14.50A      | 71.208/14.50A           | ----                       | 41.00 + 0.70             | .2485 | ----          | 19                       | ----              | ----          | 161 +            |
| 3960               | 23.50 | 23.50                     | 73.008/14.80       | 73.008/14.80            | ----                       | 42.10 + 0.80             | .2545 | ----          | 78                       | ----              | ----          | 195 +            |
| 3965               | 50.20 | 50.20                     | 73.708/15.50A      | 73.708/15.50A           | ----                       | 43.20 + 0.80             | .2605 | ----          | 11                       | ----              | ----          | 176 -            |
| 3970               | 57.30 | 57.30                     | 75.808/16.10A      | 75.808/16.10A           | ----                       | 44.40 + 0.90             | .2667 | ----          | 53                       | ----              | ----          | 119 +            |
| 3975               | 49.90 | 49.90                     | 77.508/16.60A      | 77.508/16.60A           | ----                       | 45.60 + 1.00             | .2731 | ----          | 12                       | ----              | ----          | 78 +             |
| 3980               | 46.70 | 46.70                     | 78.908/17.20A      | 78.908/17.20A           | ----                       | 46.80 + 1.10             | .2794 | ----          | 13                       | ----              | ----          | 261 +            |
| 3985               | 42.20 | 42.20                     | 81.508/17.80A      | 81.508/17.80A           | ----                       | 48.10 + 1.20             | .2860 | ----          | 34                       | ----              | ----          | 311 +            |
| 3990               | 67.00 | 67.00                     | 83.308/18.40A      | 83.308/18.40A           | ----                       | 49.30 + 1.20             | .2925 | ----          | 24                       | ----              | ----          | 151 -            |
| 3995               | 51.50 | 51.50                     | 85.208/19.00A      | 85.208/19.00A           | ----                       | 50.70 + 1.40             | .2994 | ----          | 3                        | ----              | ----          | 50 -             |
| 4000               | 79.30 | 79.30                     | 86.908/19.70A      | 86.908/19.70A           | ----                       | 52.00 + 1.50             | .3062 | ----          | 1766                     | ----              | ----          | 4408 +           |
| 4005               | 56.00 | 56.00                     | 88.408/20.40A      | 88.408/20.40A           | ----                       | 53.40 + 1.60             | .3132 | ----          | 24                       | ----              | ----          | 201 +            |
| 4010               | 83.70 | 83.70                     | 90.708/21.10A      | 90.708/21.10A           | ----                       | 54.80 + 1.70             | .3202 | ----          | 10                       | ----              | ----          | 82 -             |
| 4015               | 58.70 | 58.70                     | 92.708/21.80A      | 92.708/21.80A           | ----                       | 56.20 + 1.80             | .3273 | ----          | 58                       | ----              | ----          | 103 -            |
| 4020               | 61.40 | 61.40                     | 94.608/22.60A      | 94.608/22.60A           | ----                       | 57.70 + 1.90             | .3346 | ----          | 11                       | ----              | ----          | 181 UNCH         |
| 4025               | 78.00 | 78.00                     | 96.708/23.40A      | 96.708/23.40A           | ----                       | 59.20 + 2.00             | .3420 | ----          | 53                       | ----              | ----          | 136 +            |
| 4030               | ----  | ----                      | 98.708/24.20A      | 98.708/24.20A           | ----                       | 60.70 + 2.10             | .3494 | ----          | 1                        | ----              | ----          | 76 +             |
| 4035               | 77.90 | 77.90                     | 100.808/25.00A     | 100.808/25.00A          | ----                       | 62.30 + 2.20             | .3570 | ----          | 4                        | ----              | ----          | 45 +             |
| 4040               | 74.50 | 74.50                     | 103.008/25.90A     | 103.008/25.90A          | ----                       | 63.90 + 2.30             | .3647 | ----          | 2                        | ----              | ----          | 45 UNCH          |
| 4045               | 42.80 | 42.80                     | 105.308/26.70A     | 105.308/26.70A          | ----                       | 65.60 + 2.50             | .3725 | ----          | 2                        | ----              | ----          | 51 +             |
| 4050               | 89.10 |                           |                    |                         |                            |                          |       |               |                          |                   |               |                  |



| BULLETIN #111@ |                    |                              |                    | METALS OPTION PRODUCTS     |                               |                          |        |               |                          |                   |               | Thu, Jun 11, 2026 |      | PG64 |
|----------------|--------------------|------------------------------|--------------------|----------------------------|-------------------------------|--------------------------|--------|---------------|--------------------------|-------------------|---------------|-------------------|------|------|
|                | GLOBEX<br>OPEN     | OPEN<br>OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA  | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST  |      |      |
| OG PUT         | COMEX GOLD OPTIONS |                              |                    |                            |                               |                          |        |               |                          |                   |               |                   |      |      |
| JUL26          |                    |                              |                    |                            |                               |                          |        |               |                          |                   |               |                   |      |      |
| 5080           | ----               | ----                         | ----               | ----                       | ----                          | 966.20 + 19.00           | .9953  | ----          | ----                     | ----              | ----          | 2                 | UNCH |      |
| 5085           | ----               | ----                         | ----               | ----                       | ----                          | 971.20 + 19.10           | .9953  | ----          | ----                     | ----              | ----          | 11                | UNCH |      |
| 5090           | ----               | ----                         | ----               | ----                       | ----                          | 976.20 + 19.10           | .9953  | ----          | ----                     | ----              | ----          | 6                 | UNCH |      |
| 5095           | ----               | ----                         | ----               | ----                       | ----                          | 981.20 + 19.10           | .9954  | ----          | ----                     | ----              | ----          | 42                | UNCH |      |
| 5100           | ----               | ----                         | ----               | ----                       | ----                          | 986.20 + 19.10           | .9954  | ----          | ----                     | ----              | ----          | 107               | UNCH |      |
| 5105           | ----               | ----                         | ----               | ----                       | ----                          | 991.20 + 19.10           | .9954  | ----          | ----                     | ----              | ----          | 22                | UNCH |      |
| 5110           | ----               | ----                         | ----               | ----                       | ----                          | 996.20 + 19.10           | .9954  | ----          | ----                     | ----              | ----          | 16                | UNCH |      |
| 5115           | ----               | ----                         | ----               | ----                       | ----                          | 1001.10 + 19.00          | .9954  | ----          | ----                     | ----              | ----          | 37                | UNCH |      |
| 5120           | ----               | ----                         | ----               | ----                       | ----                          | 1006.10 + 19.00          | .9955  | ----          | ----                     | ----              | ----          | 13                | UNCH |      |
| 5125           | ----               | ----                         | ----               | ----                       | ----                          | 1011.10 + 19.00          | .9955  | ----          | ----                     | ----              | ----          | 37                | UNCH |      |
| 5130           | ----               | ----                         | ----               | ----                       | ----                          | 1016.10 + 19.00          | .9961  | ----          | ----                     | ----              | ----          | 25                | UNCH |      |
| 5135           | ----               | ----                         | ----               | ----                       | ----                          | 1021.10 + 19.00          | .9962  | ----          | ----                     | 10                | ----          | 9 -               | 10   |      |
| 5140           | ----               | ----                         | ----               | ----                       | ----                          | 1026.10 + 19.10          | .9962  | ----          | ----                     | ----              | ----          | 21                | UNCH |      |
| 5145           | ----               | ----                         | ----               | ----                       | ----                          | 1031.10 + 19.10          | .9962  | ----          | ----                     | ----              | ----          | 3                 | UNCH |      |
| 5150           | ----               | ----                         | ----               | ----                       | ----                          | 1036.10 + 19.10          | .9962  | ----          | ----                     | ----              | ----          | 235               | UNCH |      |
| 5155           | ----               | ----                         | ----               | ----                       | ----                          | 1041.10 + 19.10          | .9962  | ----          | ----                     | 100               | ----          | 143 +             | 100  |      |
| 5160           | ----               | ----                         | ----               | ----                       | ----                          | 1046.10 + 19.10          | .9963  | ----          | ----                     | 100               | ----          | 142 +             | 98   |      |
| 5170           | ----               | ----                         | ----               | ----                       | ----                          | 1056.10 + 19.10          | .9963  | 20            | ----                     | ----              | ----          | 33 -              | 20   |      |
| 5175           | ----               | ----                         | ----               | ----                       | ----                          | 1061.10 + 19.10          | .9963  | ----          | ----                     | ----              | ----          | 61                | UNCH |      |
| 5180           | ----               | ----                         | ----               | ----                       | ----                          | 1066.10 + 19.10          | .9963  | ----          | ----                     | ----              | ----          | 12                | UNCH |      |
| 5185           | ----               | ----                         | ----               | ----                       | ----                          | 1071.10 + 19.10          | .9963  | 103           | ----                     | ----              | ----          | 0 -               | 103  |      |
| 5190           | ----               | ----                         | ----               | ----                       | ----                          | 1076.10 + 19.10          | .9964  | 18            | ----                     | ----              | ----          | 1 -               | 18   |      |
| 5200           | ----               | ----                         | ----               | ----                       | ----                          | 1086.10 + 19.10          | .9964  | 14            | ----                     | ----              | ----          | 40 -              | 14   |      |
| 5225           | ----               | ----                         | ----               | ----                       | ----                          | 1111.10 + 19.20          | .9971  | 139           | ----                     | 100               | ----          | 3 -               | 39   |      |
| 5230           | ----               | ----                         | ----               | ----                       | ----                          | 1116.10 + 19.20          | .9971  | ----          | ----                     | ----              | ----          | 2                 | UNCH |      |
| 5235           | ----               | ----                         | ----               | ----                       | ----                          | 1121.10 + 19.20          | .9971  | 105           | ----                     | 100               | ----          | 18 -              | 5    |      |
| 5245           | ----               | ----                         | ----               | ----                       | ----                          | 1131.00 + 19.10          | .9972  | 2             | ----                     | ----              | ----          | 0 -               | 2    |      |
| 5250           | ----               | ----                         | ----               | ----                       | ----                          | 1136.00 + 19.10          | .9972  | 12            | ----                     | ----              | ----          | 2 -               | 12   |      |
| 5255           | ----               | ----                         | ----               | ----                       | ----                          | 1141.00 + 19.10          | .9972  | 5             | ----                     | ----              | ----          | 9 -               | 5    |      |
| 5285           | ----               | ----                         | ----               | ----                       | ----                          | 1171.00 + 19.20          | .9973  | 1             | ----                     | ----              | ----          | 1 -               | 1    |      |
| 5290           | ----               | ----                         | ----               | ----                       | ----                          | 1176.00 + 19.20          | .9973  | 1             | ----                     | ----              | ----          | 3 -               | 1    |      |
| 5295           | ----               | ----                         | ----               | ----                       | ----                          | 1181.00 + 19.20          | .9973  | 2             | ----                     | ----              | ----          | 0 -               | 2    |      |
| 5300           | ----               | ----                         | ----               | ----                       | ----                          | 1186.00 + 19.20          | .9973  | 129           | ----                     | 70                | ----          | 8 -               | 59   |      |
| 5315           | ----               | ----                         | ----               | ----                       | ----                          | 1201.00 + 19.20          | .9973  | ----          | ----                     | ----              | ----          | 0                 | UNCH |      |
| 5325           | ----               | ----                         | ----               | ----                       | ----                          | 1211.00 + 19.20          | .9980  | 2             | ----                     | ----              | ----          | 0 -               | 2    |      |
| 5375           | 1276.60            | 1276.60                      | #1,278.70B/1,27    | #1278.70B/1276.50A         | ----                          | 1261.00 + 19.20          | .9981  | 7             | ----                     | 1                 | ----          | 1 -               | 7    |      |
| 5390           | ----               | ----                         | ----               | ----                       | ----                          | 1276.00 + 19.30          | .9981  | ----          | ----                     | ----              | ----          | 0                 | UNCH |      |
| 5400           | ----               | ----                         | ----               | ----                       | ----                          | 1286.00 + 19.30          | .9981  | ----          | ----                     | ----              | ----          | 2                 | UNCH |      |
| 5440           | ----               | ----                         | ----               | ----                       | ----                          | 1326.00 + 19.30          | .9989  | ----          | ----                     | ----              | ----          | 1                 | UNCH |      |
| 5475           | ----               | ----                         | ----               | ----                       | ----                          | 1361.00 + 19.30          | .9989  | ----          | ----                     | ----              | ----          | 6                 | UNCH |      |
| 5500           | ----               | ----                         | ----               | ----                       | ----                          | 1386.00 + 19.30          | .9990  | 1             | ----                     | ----              | ----          | 0 -               | 1    |      |
| 6000           | ----               | ----                         | ----               | ----                       | ----                          | 1886.00 + 19.30          | 1.0000 | ----          | ----                     | ----              | ----          | 0                 | UNCH |      |
| 7000           | ----               | ----                         | ----               | ----                       | ----                          | 2886.00 + 19.30          | 1.0000 | 75            | ----                     | 75                | ----          | 0                 | UNCH |      |
| 8000           | ----               | ----                         | ----               | ----                       | ----                          | 3886.00 + 19.30          | 1.0000 | 150           | ----                     | 250               | ----          | 0                 | UNCH |      |
| TOTAL          |                    |                              |                    |                            |                               |                          |        |               |                          | 8499              | 444           | 65143 -           | 386  |      |
| AUG26          |                    |                              |                    |                            |                               |                          |        |               |                          |                   |               |                   |      |      |
| 1995           | ----               | ----                         | ----               | 0.20B/0.60A                | ----                          | 0.20 - 0.10              | .0006  | ----          | ----                     | ----              | ----          | 10                | UNCH |      |
| 2000           | ----               | ----                         | ----               | 0.20B/0.50A                | ----                          | 0.20 - 0.10              | .0006  | ----          | ----                     | ----              | ----          | 10                | UNCH |      |
| 2005           | 0.60               | 0.60                         | #0.60/*0.50A       | #0.60/0.50A                | ----                          | 0.20 - NEW               | .0006  | ----          | ----                     | 4                 | ----          | 4 +               | 4    |      |
| 2300           | 0.80               | 0.80                         | 0.80/0.80          | 0.80/0.80                  | ----                          | 0.60 - 0.20              | .0020  | ----          | ----                     | 5                 | ----          | 53 +              | 5    |      |
| 2325           | ----               | ----                         | ----/*0.80A        | 0.80B/0.80A                | ----                          | 0.70 - 0.20              | .0023  | ----          | ----                     | ----              | ----          | 1                 | UNCH |      |
| 2350           | ----               | ----                         | ----/0.80A         | 0.90B/0.80A                | ----                          | 0.70 - 0.30              | .0023  | ----          | ----                     | ----              | ----          | 26                | UNCH |      |
| 2375           | 1.20               | 1.20                         | 1.20/*0.90A        | 1.20/0.90A                 | ----                          | 0.80 - 0.20              | .0027  | ----          | ----                     | 10                | ----          | 17 +              | 10   |      |
| 2400           | ----               | ----                         | ----/0.90A         | 1.00B/0.90A                | ----                          | 0.80 - 0.30              | .0027  | ----          | ----                     | ----              | ----          | 12                | UNCH |      |
| 2425           | ----               | ----                         | ----/0.90A         | 1.10B/0.90A                | ----                          | 0.90 - 0.30              | .0030  | ----          | ----                     | ----              | ----          | 1                 | UNCH |      |
| 2450           | ----               | ----                         | ----/1.00A         | 1.20B/1.00A                | ----                          | 1.00 - 0.20              | .0034  | ----          | ----                     | ----              | ----          | 58                | UNCH |      |
| 2475           | ----               | ----                         | ----/1.00A         | 1.30B/1.00A                | ----                          | 1.10 - 0.20              | .0037  | ----          | ----                     | ----              | ----          | 5                 | UNCH |      |
| 2500           | ----               | ----                         | ----/1.10A         | 1.40B/1.10A                | ----                          | 1.10 - 0.30              | .0038  | ----          | ----                     | ----              | ----          | 273               | UNCH |      |
| 2540           | ----               | ----                         | ----/*1.20A        | 1.50B/1.20A                | ----                          | 1.30 - NEW               | .0045  | ----          | ----                     | 1                 | ----          | 1 +               | 1    |      |
| 2550           | 1.00               | 1.00                         | 1.00/1.00          | 1.60B/1.00                 | ----                          | 1.30 - NEW               | .0045  | ----          | ----                     | 1                 | ----          | 1 +               | 1    |      |
| 2560           | ----               | ----                         | ----/1.20A         | 1.60B/1.20A                | ----                          | 1.30 - 0.30              | .0045  | ----          | ----                     | ----              | ----          | 2                 | UNCH |      |
| 2570           | 0.90               | 0.90                         | 1.70B/*0.90        | 1.70B/0.90                 | ----                          | 1.40 - 0.20              | .0049  | ----          | ----                     | 1                 | ----          | 10 +              | 1    |      |
| 2580           | ----               | ----                         | ----/*1.30A        | 1.70B/1.30A                | ----                          | 1.40 - 0.30              | .0049  | ----          | ----                     | ----              | ----          | 1                 | UNCH |      |
| 2590           | ----               | ----                         | 1.80B/1.30A        | 1.80B/1.30A                | ----                          | 1.50 - 0.20              | .0052  | ----          | ----                     | ----              | ----          | 2                 | UNCH |      |
| 2600           | ----               | ----                         | ----/1.30A         | 1.80B/1.30A                | ----                          | 1.50 - 0.30              | .0053  | ----          | ----                     | ----              | ----          | 8                 | UNCH |      |
| 2615           | ----               | ----                         | 1.90B/1.30A        | 1.90B/1.30A                | ----                          | 1.60 - 0.20              | .0056  | ----          | ----                     | ----              | ----          | 1                 | UNCH |      |
| 2625           | ----               | ----                         | 2.00B/1.30A        | 2.00B/1.30A                | ----                          | 1.60 - 0.30              | .0057  | ----          | ----                     | ----              | ----          | 3                 | UNCH |      |
| 2640           | ----               | ----                         | 2.10B/1.30A        | 2.10B/1.30A                | ----                          | 1.70 - 0.20              | .0060  | ----          | ----                     | ----              | ----          | 1                 | UNCH |      |
| 2650           | 1.00               | 1.00                         | 2.10B/1.00         | 2.10B/1.00                 | ----                          | 1.70 - 0.30              | .0061  | ----          | ----                     | 2                 | ----          | 2 +               | 2    |      |
| 2665           | ----               | ----                         | 2.20B/1.40A        | 2.20B/1.40A                | ----                          | 1.80 - 0.30              | .0064  | ----          | ----                     | ----              | ----          | 1                 | UNCH |      |
| 2685           | ----               | ----                         | 2.30B/1.40A        | 2.30B/1.40A                | ----                          | 1.90 - 0.20              | .0068  | ----          | ----                     | ----              | ----          | 1                 | UNCH |      |
| 2690           | ----               | ----                         | 2.40B/1.40A        | 2.40B/1.40A                | ----                          | 1.90 - 0.30              | .0068  | ----          | ----                     | ----              | ----          | 1                 | UNCH |      |
| 2700           | 2.50               | 2.50                         | 2.50/1.50A         | 2.50/1.50A                 | ----                          | 2.00 - 0.20              | .0072  | ----          | ----                     | 86                | ----          | 48 +              | 45   |      |
| 2730           | ----               | ----                         | 2.70B/1.50A        | 2.70B/1.50A                | ----                          | 2.10 - 0.30              | .0076  | ----          | ----                     | ----              | ----          | 3                 | UNCH |      |
| 2735           | ----               | ----                         | 2.70B/1.50A        | 2.70B/1.50A                | ----                          | 2.10 - 0.30              | .0077  | ----          | ----                     | ----              | ----          | 1                 | UNCH |      |
| 2740           | ----               | ----                         | 2.70B/1.60A        | 2.70B/1.60A                | ----                          | 2.20 - 0.20              | .0080  | ----          | ----                     | ----              | ----          | 2                 | UNCH |      |
| 2745           | ----               | ----                         | 2.80B/1.60A        | 2.80B/1.60A                | ----                          | 2.20 - 0.30              | .0080  | ----          | ----                     | ----              | ----          | 2                 | UNCH |      |
| 2750           | ----               | ----                         | 2.80B/1.60A        | 2.80B/1.60A                | ----                          | 2.20 - 0.30              | .0080  | ----          | ----                     | ----              | ----          | 4                 | UNCH |      |
| 2795           | ----               | ----                         | 3.20B/1.70A        | 3.20B/1.70A                | ----                          | 2.50 - 0.20              | .0092  | ----          | ----                     | ----              | ----          | 5                 | UNCH |      |
| 2800           | 2.80               | 2.80                         | 3.20B/1.70A        | 3.20B/1.70A                | ----                          | 2.50 - 0.30              | .0093  | ----          | ----                     | 1                 | ----          | 77 +              | 1    |      |
| 2810           | ----               | ----                         | 3.30B/1.80A        | 3.30B/1.80A                | ----                          | 2.60 - 0.20              | .0096  | ----          | ----                     | ----              | ----          | 5                 | UNCH |      |
| 2840           | ----               | ----                         | 3.60B/1.90A        | 3.60B/1.90A                | ----                          | 2.80 - 0.20              | .0105  | ----          | ----                     | ----              | ----          | 2                 | UNCH |      |
| 2860           | ----               | ----                         | 3.80B/1.90A        | 3.80B/1.90A                | ----                          | 2.90 - 0.30              | .0109  | ----          | ----                     | ----              | ----          | 1                 | UNCH |      |
| 2875           |                    |                              |                    |                            |                               |                          |        |               |                          |                   |               |                   |      |      |

| GLOBEX<br>OPEN |       | OPEN               | OUTCRY<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN          | OUTCRY<br>HIGH/LOW | OPEN | OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |   |      |
|----------------|-------|--------------------|----------------|-----------------|--------------------|---------------|--------------------|------|-----------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|---|------|
| OG PUT         |       | COMEX GOLD OPTIONS |                |                 |                    |               |                    |      |                 |                 |                          |       |               |                          |                   |               |                  |   |      |
| AUG26          |       |                    |                |                 |                    |               |                    |      |                 |                 |                          |       |               |                          |                   |               |                  |   |      |
| 3305           | 9.30  | 9.30               |                |                 | 14.90B/4.70A       | 14.90B/4.70A  | ----               | ---- | 8.90            | - 0.80          | .0380                    | ----  | ----          | ----                     | 21                | ----          | 20               | + | 19   |
| 3310           | 6.20  | 6.20               |                |                 | 15.20B/4.80A       | 15.20B/4.80A  | ----               | ---- | 9.10            | - 0.70          | .0388                    | ----  | ----          | ----                     | 1                 | ----          | 21               | + | 1    |
| 3320           | 10.00 | 10.00              |                |                 | 15.70B/4.90A       | 15.70B/4.90A  | ----               | ---- | 9.40            | - 0.70          | .0401                    | ----  | ----          | ----                     | 1                 | ----          | 9                | + | 1    |
| 3325           | 9.90  | 9.90               |                |                 | 15.90B/5.00        | 15.90B/5.00   | ----               | ---- | 9.50            | NEW             | .0406                    | ----  | ----          | ----                     | 12                | ----          | 12               | + | 12   |
| 3330           | ----  | ----               |                |                 | 16.20B/5.00A       | 16.20B/5.00A  | ----               | ---- | 9.70            | - 0.70          | .0414                    | ----  | ----          | ----                     | ----              | ----          | 4                | + | UNCH |
| 3335           | 10.60 | 10.60              |                |                 | 16.40B/5.10A       | 16.40B/5.10A  | ----               | ---- | 9.90            | - 0.70          | .0422                    | ----  | ----          | ----                     | 7                 | ----          | 7                | + | 6    |
| 3340           | 10.50 | 10.50              |                |                 | 16.70B/5.20A       | 16.70B/5.20A  | ----               | ---- | 10.00           | - 0.70          | .0428                    | ----  | ----          | ----                     | 3                 | ----          | 5                | + | 1    |
| 3345           | 10.50 | 10.50              |                |                 | 17.00B/5.20A       | 17.00B/5.20A  | ----               | ---- | 10.20           | - 0.70          | .0436                    | ----  | ----          | ----                     | 1                 | ----          | 2                | + | 1    |
| 3350           | 10.90 | 10.90              |                |                 | 17.20B/5.30A       | 17.20B/5.30A  | ----               | ---- | 10.30           | - 0.80          | .0441                    | ----  | ----          | ----                     | 14                | ----          | 490              | + | 10   |
| 3360           | 7.30  | 7.30               |                |                 | 17.80B/5.50A       | 17.80B/5.50A  | ----               | ---- | 10.70           | NEW             | .0458                    | ----  | ----          | ----                     | 1                 | ----          | 1                | + | 1    |
| 3365           | 11.20 | 11.20              |                |                 | 18.10B/5.50A       | 18.10B/5.50A  | ----               | ---- | 10.80           | - 0.80          | .0463                    | ----  | ----          | ----                     | 1                 | ----          | 1                | + | 1    |
| 3370           | 13.10 | 13.10              |                |                 | 18.40B/5.60A       | 18.40B/5.60A  | ----               | ---- | 11.00           | - 0.80          | .0472                    | ----  | ----          | ----                     | 2                 | ----          | 3                | - | 1    |
| 3375           | 7.50  | 7.50               |                |                 | 18.70B/5.70A       | 18.70B/5.70A  | ----               | ---- | 11.20           | - 0.80          | .0480                    | ----  | ----          | ----                     | 2                 | ----          | 17               | + | 1    |
| 3380           | 12.40 | 12.40              |                |                 | 19.00B/5.80A       | 19.00B/5.80A  | ----               | ---- | 11.40           | - 0.70          | .0489                    | ----  | ----          | ----                     | 5                 | ----          | 6                | + | 5    |
| 3390           | 14.30 | 14.30              |                |                 | 19.60B/6.00A       | 19.60B/6.00A  | ----               | ---- | 11.80           | - 0.70          | .0506                    | ----  | ----          | ----                     | 8                 | ----          | 6                | + | 4    |
| 3395           | 14.50 | 14.50              |                |                 | 19.90B/6.00A       | 19.90B/6.00A  | ----               | ---- | 12.00           | - 0.70          | .0514                    | ----  | ----          | ----                     | 2                 | ----          | 2                | - | 1    |
| 3400           | 14.50 | 14.50              |                |                 | 20.30B/6.10A       | 20.30B/6.10A  | ----               | ---- | 12.20           | - 0.70          | .0523                    | ----  | ----          | ----                     | 55                | ----          | 429              | - | 12   |
| 3405           | 15.00 | 15.00              |                |                 | 20.60B/6.20A       | 20.60B/6.20A  | ----               | ---- | 12.40           | - 0.70          | .0532                    | ----  | ----          | ----                     | 1                 | ----          | 24               | + | UNCH |
| 3410           | 13.50 | 13.50              |                |                 | 20.90B/6.30A       | 20.90B/6.30A  | ----               | ---- | 12.60           | - 0.70          | .0541                    | ----  | ----          | ----                     | 6                 | ----          | 33               | + | 6    |
| 3415           | 13.90 | 13.90              |                |                 | 21.30B/6.40A       | 21.30B/6.40A  | ----               | ---- | 12.80           | - 0.80          | .0549                    | ----  | ----          | ----                     | 7                 | ----          | 12               | + | 7    |
| 3420           | ----  | ----               |                |                 | 21.60B/6.50A       | 21.60B/6.50A  | ----               | ---- | 13.00           | - 0.80          | .0558                    | ----  | ----          | ----                     | ----              | ----          | 5                | + | UNCH |
| 3425           | 15.20 | 15.20              |                |                 | 22.00B/6.60A       | 22.00B/6.60A  | ----               | ---- | 13.20           | - 0.80          | .0567                    | ----  | ----          | ----                     | 5                 | ----          | 3                | + | 1    |
| 3430           | 16.30 | 16.30              |                |                 | 22.30B/6.70A       | 22.30B/6.70A  | ----               | ---- | 13.40           | - 0.80          | .0576                    | ----  | ----          | ----                     | 2                 | ----          | 29               | + | 1    |
| 3435           | ----  | ----               |                |                 | 22.70B/6.80A       | 22.70B/6.80A  | ----               | ---- | 13.70           | - 0.80          | .0588                    | ----  | ----          | ----                     | ----              | ----          | 1                | + | UNCH |
| 3445           | 15.10 | 15.10              |                |                 | 23.50B/7.00A       | 23.50B/7.00A  | ----               | ---- | 14.20           | - 0.70          | .0609                    | ----  | ----          | ----                     | 5                 | ----          | 22               | + | 5    |
| 3450           | 18.90 | 18.90              |                |                 | 23.90B/7.10A       | 23.90B/7.10A  | ----               | ---- | 14.40           | - 0.80          | .0618                    | ----  | ----          | ----                     | 20                | ----          | 25               | + | 4    |
| 3460           | ----  | ----               |                |                 | 24.70B/7.40A       | 24.70B/7.40A  | ----               | ---- | 14.90           | - 0.80          | .0640                    | ----  | ----          | ----                     | ----              | ----          | 2                | + | UNCH |
| 3465           | ----  | ----               |                |                 | 25.10B/7.50A       | 25.10B/7.50A  | ----               | ---- | 15.20           | - 0.80          | .0652                    | ----  | ----          | ----                     | ----              | ----          | 7                | + | UNCH |
| 3470           | ----  | ----               |                |                 | 25.50B/7.60A       | 25.50B/7.60A  | ----               | ---- | 15.50           | - 0.70          | .0664                    | ----  | ----          | ----                     | ----              | ----          | 1                | + | UNCH |
| 3475           | 11.40 | 11.40              |                |                 | 25.60B/7.70A       | 25.60B/7.70A  | ----               | ---- | 15.70           | - 0.80          | .0674                    | ----  | ----          | ----                     | 6                 | ----          | 13               | + | 6    |
| 3480           | 17.40 | 17.40              |                |                 | 26.10B/7.90A       | 26.10B/7.90A  | ----               | ---- | 16.00           | - 0.80          | .0686                    | ----  | ----          | ----                     | 7                 | ----          | 8                | + | 7    |
| 3485           | ----  | ----               |                |                 | 26.40B/8.00A       | 26.40B/8.00A  | ----               | ---- | 16.30           | - 0.80          | .0698                    | ----  | ----          | ----                     | ----              | ----          | 8                | + | UNCH |
| 3490           | 13.70 | 13.70              |                |                 | 27.00B/8.10A       | 27.00B/8.10A  | ----               | ---- | 16.60           | - 0.70          | .0711                    | ----  | ----          | ----                     | 2                 | ----          | 7                | + | 2    |
| 3495           | ----  | ----               |                |                 | 27.40B/8.30A       | 27.40B/8.30A  | ----               | ---- | 16.90           | - 0.70          | .0723                    | ----  | ----          | ----                     | ----              | ----          | 27               | + | UNCH |
| 3500           | 28.00 | 28.00              |                |                 | 28.00B/8.40A       | 28.00B/8.40A  | ----               | ---- | 17.20           | - 0.70          | .0736                    | ----  | ----          | ----                     | 1249              | ----          | 2046             | + | 970  |
| 3505           | ----  | ----               |                |                 | 28.50B/8.60A       | 28.50B/8.60A  | ----               | ---- | 17.50           | - 0.70          | .0748                    | ----  | ----          | ----                     | ----              | ----          | 2                | + | UNCH |
| 3510           | ----  | ----               |                |                 | 29.00B/8.70A       | 29.00B/8.70A  | ----               | ---- | 17.90           | - 0.60          | .0764                    | ----  | ----          | ----                     | ----              | ----          | 50               | + | UNCH |
| 3515           | ----  | ----               |                |                 | 29.50B/8.80A       | 29.50B/8.80A  | ----               | ---- | 18.20           | - 0.70          | .0776                    | ----  | ----          | ----                     | ----              | ----          | 6                | + | UNCH |
| 3520           | 19.90 | 19.90              |                |                 | 29.80B/9.00A       | 29.80B/9.00A  | ----               | ---- | 18.50           | - 0.70          | .0789                    | ----  | ----          | ----                     | 6                 | ----          | 224              | + | 1    |
| 3525           | ----  | ----               |                |                 | 30.30B/9.10A       | 30.30B/9.10A  | ----               | ---- | 18.90           | - 0.60          | .0805                    | ----  | ----          | ----                     | ----              | ----          | 71               | + | UNCH |
| 3530           | ----  | ----               |                |                 | 30.90B/9.30A       | 30.90B/9.30A  | ----               | ---- | 19.20           | - 0.60          | .0818                    | ----  | ----          | ----                     | ----              | ----          | 3                | + | UNCH |
| 3535           | ----  | ----               |                |                 | 31.50B/9.50A       | 31.50B/9.50A  | ----               | ---- | 19.60           | - 0.60          | .0833                    | ----  | ----          | ----                     | ----              | ----          | 10               | + | UNCH |
| 3540           | ----  | ----               |                |                 | 32.10B/9.60A       | 32.10B/9.60A  | ----               | ---- | 19.90           | - 0.60          | .0846                    | ----  | ----          | ----                     | 1                 | ----          | 18               | + | 1    |
| 3545           | ----  | ----               |                |                 | 32.60B/9.80A       | 32.60B/9.80A  | ----               | ---- | 20.30           | - 0.60          | .0862                    | ----  | ----          | ----                     | ----              | ----          | 21               | + | UNCH |
| 3550           | 13.70 | 13.70              |                |                 | 33.00B/10.00A      | 33.00B/10.00A | ----               | ---- | 20.70           | - 0.50          | .0878                    | ----  | ----          | ----                     | 10                | 250           | 354              | + | 196  |
| 3560           | ----  | ----               |                |                 | 34.20B/10.30A      | 34.20B/10.30A | ----               | ---- | 21.50           | - 0.50          | .0910                    | ----  | ----          | ----                     | 2                 | ----          | 11               | + | UNCH |
| 3565           | 10.50 | 10.50              |                |                 | 34.80B/10.50       | 34.80B/10.50  | ----               | ---- | 21.90           | - 0.40          | .0926                    | ----  | ----          | ----                     | 1                 | ----          | 3                | + | 2    |
| 3570           | 16.10 | 16.10              |                |                 | 35.40B/10.70A      | 35.40B/10.70A | ----               | ---- | 22.30           | - 0.40          | .0942                    | ----  | ----          | ----                     | 2                 | ----          | 36               | + | 1    |
| 3575           | ----  | ----               |                |                 | 36.10B/10.90A      | 36.10B/10.90A | ----               | ---- | 22.70           | - 0.40          | .0958                    | ----  | ----          | ----                     | ----              | ----          | 19               | + | UNCH |
| 3580           | 17.00 | 17.00              |                |                 | 36.70B/11.10A      | 36.70B/11.10A | ----               | ---- | 23.20           | - 0.30          | .0977                    | ----  | ----          | ----                     | 19                | ----          | 22               | + | 19   |
| 3585           | ----  | ----               |                |                 | 37.30B/11.30A      | 37.30B/11.30A | ----               | ---- | 23.60           | - 0.30          | .0993                    | ----  | ----          | ----                     | ----              | ----          | 50               | + | UNCH |
| 3590           | 17.60 | 17.60              |                |                 | 37.70B/11.50A      | 37.70B/11.50A | ----               | ---- | 24.00           | - 0.30          | .1010                    | ----  | ----          | ----                     | 8                 | ----          | 8                | + | 7    |
| 3595           | 30.40 | 30.40              |                |                 | 38.60B/11.70A      | 38.60B/11.70A | ----               | ---- | 24.50           | - 0.30          | .1029                    | ----  | ----          | ----                     | 2                 | ----          | 3                | + | 1    |
| 3600           | 31.30 | 31.30              |                |                 | 39.10B/12.00       | 39.10B/12.00  | ----               | ---- | 25.00           | - 0.20          | .1048                    | ----  | ----          | ----                     | 383               | 990           | 2572             | + | 822  |
| 3605           | 18.40 | 18.40              |                |                 | 39.80B/12.20A      | 39.80B/12.20A | ----               | ---- | 25.40           | - 0.20          | .1064                    | ----  | ----          | ----                     | 4                 | ----          | 5                | + | 4    |
| 3610           | 21.50 | 21.50              |                |                 | 40.40B/12.40A      | 40.40B/12.40A | ----               | ---- | 25.90           | - 0.20          | .1084                    | ----  | ----          | ----                     | 2                 | ----          | 48               | - | 2    |
| 3615           | 29.40 | 29.40              |                |                 | 41.20B/12.60A      | 41.20B/12.60A | ----               | ---- | 26.40           | - 0.10          | .1103                    | ----  | ----          | ----                     | 13                | ----          | 15               | + | 11   |
| 3620           | 28.70 | 28.70              |                |                 | 41.80B/12.90A      | 41.80B/12.90A | ----               | ---- | 26.90           | - 0.10          | .1122                    | ----  | ----          | ----                     | 5                 | ----          | 4                | + | 3    |
| 3625           | ----  | ----               |                |                 | 42.60B/13.10A      | 42.60B/13.10A | ----               | ---- | 27.40           | UNCH            | .1142                    | ----  | ----          | ----                     | 2                 | ----          | 18               | + | 1    |
| 3630           | ----  | ----               |                |                 | 43.30B/13.40A      | 43.30B/13.40A | ----               | ---- | 27.90           | UNCH            | .1161                    | ----  | ----          | ----                     | ----              | ----          | 8                | + | UNCH |
| 3635           | 13.90 | 13.90              |                |                 | 44.00B/13.60A      | 44.00B/13.60  |                    |      |                 |                 |                          |       |               |                          |                   |               |                  |   |      |

| GLOBEX<br>OPEN     |        | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |
|--------------------|--------|--------------|-----------------|--------------------|------------------|--------------------|---------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|
| COMEX GOLD OPTIONS |        |              |                 |                    |                  |                    |               |                 |                          |       |               |                          |                   |               |                  |      |
| AUG26              |        |              |                 |                    |                  |                    |               |                 |                          |       |               |                          |                   |               |                  |      |
| 4030               | ----   | ----         | ----            | 153.10B/66.60A     | 153.10B/66.60A   | ----               | ----          | ----            | 114.80 + 5.30            | .3940 | ----          | ----                     | ----              | ----          | 78               | UNCH |
| 4035               | ----   | ----         | ----            | 155.40B/68.00A     | 155.40B/68.00A   | ----               | ----          | ----            | 116.60 + 5.30            | .3989 | ----          | ----                     | 2                 | ----          | 37               | UNCH |
| 4040               | 126.30 | 126.30       | ----            | 157.70B/69.40A     | 157.70B/69.40A   | ----               | ----          | ----            | 118.50 + 5.40            | .4040 | ----          | ----                     | 20                | ----          | 34 +             | 2    |
| 4045               | 118.00 | 118.00       | ----            | 160.10B/70.70A     | 160.10B/70.70A   | ----               | ----          | ----            | 120.40 + 5.50            | .4090 | ----          | ----                     | 5                 | ----          | 46 +             | 5    |
| 4050               | 125.30 | 125.30       | ----            | 162.50B/72.10A     | 162.50B/72.10A   | ----               | ----          | ----            | 122.40 + 5.60            | .4141 | ----          | ----                     | 87                | ----          | 482 +            | 52   |
| 4055               | ----   | ----         | ----            | 164.80B/73.50A     | 164.80B/73.50A   | ----               | ----          | ----            | 124.40 + 5.70            | .4192 | ----          | ----                     | 1                 | ----          | 59               | UNCH |
| 4060               | 75.90  | 75.90        | ----            | 167.20B/75.00A     | 167.20B/75.00A   | ----               | ----          | ----            | 126.40 + 5.70            | .4244 | ----          | ----                     | 3                 | ----          | 17 +             | 3    |
| 4065               | 151.40 | 151.40       | ----            | 169.60B/76.40A     | 169.60B/76.40A   | ----               | ----          | ----            | 128.40 + 5.80            | .4295 | ----          | ----                     | 31                | ----          | 42 +             | 28   |
| 4070               | 136.00 | 136.00       | ----            | 172.00B/77.90A     | 172.00B/77.90A   | ----               | ----          | ----            | 130.50 + 5.90            | .4347 | ----          | ----                     | 5                 | ----          | 66 +             | 3    |
| 4075               | 159.00 | 159.00       | ----            | 174.10B/79.40A     | 174.10B/79.40A   | ----               | ----          | ----            | 132.50 + 5.90            | .4399 | ----          | ----                     | 86                | ----          | 600 +            | 46   |
| 4080               | ----   | ----         | ----            | 176.20B/80.90A     | 176.20B/80.90A   | ----               | ----          | ----            | 134.70 + 6.00            | .4452 | ----          | ----                     | 13                | ----          | 40 +             | 11   |
| 4085               | 147.00 | 147.00       | ----            | 179.10B/82.50A     | 179.10B/82.50A   | ----               | ----          | ----            | 136.80 + 6.10            | .4504 | ----          | ----                     | 23                | ----          | 370 +            | 21   |
| 4090               | 146.70 | 146.70       | ----            | 181.70B/84.10A     | 181.70B/84.10A   | ----               | ----          | ----            | 139.00 + 6.20            | .4557 | ----          | ----                     | 10                | ----          | 215 +            | 10   |
| 4095               | 131.10 | 131.10       | ----            | 184.30B/85.70A     | 184.30B/85.70A   | ----               | ----          | ----            | 141.20 + 6.20            | .4610 | ----          | ----                     | 9                 | ----          | 129 +            | 9    |
| 4100               | 155.00 | 155.00       | ----            | 186.90B/87.30A     | 186.90B/87.30A   | ----               | ----          | ----            | 143.40 + 6.30            | .4664 | ----          | ----                     | 335               | 100           | 1470 +           | 9    |
| 4105               | ----   | ----         | ----            | 189.40B/88.90A     | 189.40B/88.90A   | ----               | ----          | ----            | 145.70 + 6.40            | .4717 | ----          | ----                     | ----              | ----          | 19               | UNCH |
| 4110               | 158.30 | 158.30       | ----            | 192.20B/90.60A     | 192.20B/90.60A   | ----               | ----          | ----            | 148.00 + 6.50            | .4771 | ----          | ----                     | 15                | ----          | 67 +             | 7    |
| 4115               | 156.00 | 156.00       | ----            | 194.90B/92.30A     | 194.90B/92.30A   | ----               | ----          | ----            | 150.30 + 6.50            | .4825 | ----          | ----                     | 2                 | ----          | 64               | UNCH |
| 4120               | 163.10 | 163.10       | ----            | 197.50B/94.10A     | 197.50B/94.10A   | ----               | ----          | ----            | 152.60 + 6.60            | .4879 | ----          | ----                     | 30                | ----          | 146 +            | 6    |
| 4125               | 159.00 | 159.00       | ----            | 200.40B/95.80A     | 200.40B/95.80A   | ----               | ----          | ----            | 155.00 + 6.70            | .4933 | ----          | ----                     | 89                | ----          | 84 +             | 39   |
| 4130               | 174.00 | 174.00       | ----            | 203.00B/97.60A     | 203.00B/97.60A   | ----               | ----          | ----            | 157.40 + 6.80            | .4987 | ----          | ----                     | 1                 | ----          | 16               | ---- |
| 4135               | ----   | ----         | ----            | 205.90B/99.50A     | 205.90B/99.50A   | ----               | ----          | ----            | 159.90 + 6.90            | .5041 | ----          | ----                     | 4                 | ----          | 73 +             | 4    |
| 4140               | 198.00 | 198.00       | ----            | 208.70B/101.40A    | 208.70B/101.40A  | ----               | ----          | ----            | 162.30 + 6.90            | .5096 | ----          | ----                     | 10                | ----          | 51               | ---- |
| 4145               | ----   | ----         | ----            | 211.60B/103.20A    | 211.60B/103.20A  | ----               | ----          | ----            | 164.80 + 7.00            | .5150 | ----          | ----                     | ----              | ----          | 61               | UNCH |
| 4150               | 178.30 | 178.30       | ----            | 214.60B/105.10A    | 214.60B/105.10A  | ----               | ----          | ----            | 167.40 + 7.20            | .5204 | ----          | ----                     | 56                | 300           | 2091             | 155  |
| 4155               | 179.60 | 179.60       | ----            | 217.50B/107.00A    | 217.50B/107.00A  | ----               | ----          | ----            | 169.90 + 7.20            | .5259 | ----          | ----                     | 1                 | ----          | 67 +             | 1    |
| 4160               | 178.80 | 178.80       | ----            | 220.50B/109.00A    | 220.50B/109.00A  | ----               | ----          | ----            | 172.50 + 7.30            | .5313 | ----          | ----                     | 15                | ----          | 56               | ---- |
| 4165               | 171.80 | 171.80       | ----            | 223.40B/111.00A    | 223.40B/111.00A  | ----               | ----          | ----            | 175.20 + 7.50            | .5368 | ----          | ----                     | 11                | ----          | 125 +            | 6    |
| 4170               | ----   | ----         | ----            | 226.50B/113.00A    | 226.50B/113.00A  | ----               | ----          | ----            | 177.80 + 7.50            | .5422 | ----          | ----                     | ----              | ----          | 100              | UNCH |
| 4175               | 193.20 | 193.20       | ----            | 229.40B/115.10A    | 229.40B/115.10A  | ----               | ----          | ----            | 180.50 + 7.60            | .5477 | ----          | ----                     | 8                 | ----          | 33               | ---- |
| 4180               | 130.90 | 130.90       | ----            | 232.60B/117.20A    | 232.60B/117.20A  | ----               | ----          | ----            | 183.20 + 7.70            | .5531 | ----          | ----                     | 1                 | ----          | 135              | ---- |
| 4185               | ----   | ----         | ----            | 235.70B/119.30A    | 235.70B/119.30A  | ----               | ----          | ----            | 186.00 + 7.80            | .5586 | ----          | ----                     | ----              | ----          | 54               | UNCH |
| 4190               | 191.40 | 191.40       | ----            | 238.80B/121.40A    | 238.80B/121.40A  | ----               | ----          | ----            | 188.70 + 7.80            | .5640 | ----          | ----                     | 525               | ----          | 282              | 364  |
| 4195               | 204.70 | 204.70       | ----            | 241.90B/123.60A    | 241.90B/123.60A  | ----               | ----          | ----            | 191.50 + 7.90            | .5694 | ----          | ----                     | 3                 | ----          | 223              | UNCH |
| 4200               | 154.70 | 154.70       | ----            | 245.10B/125.50     | 245.10B/125.50   | ----               | ----          | ----            | 194.40 + 8.10            | .5749 | ----          | ----                     | 62                | ----          | 1535             | 24   |
| 4205               | ----   | ----         | ----            | 248.30B/128.00A    | 248.30B/128.00A  | ----               | ----          | ----            | 197.20 + 8.10            | .5803 | ----          | ----                     | ----              | ----          | 347              | UNCH |
| 4210               | ----   | ----         | ----            | 251.60B/130.20A    | 251.60B/130.20A  | ----               | ----          | ----            | 200.10 + 8.20            | .5857 | ----          | ----                     | 1                 | ----          | 37               | UNCH |
| 4215               | 145.20 | 145.20       | ----            | 254.80B/132.60A    | 254.80B/132.60A  | ----               | ----          | ----            | 203.10 + 8.40            | .5910 | ----          | ----                     | 1                 | ----          | 28               | UNCH |
| 4220               | 214.60 | 214.60       | ----            | 258.20B/134.90A    | 258.20B/134.90A  | ----               | ----          | ----            | 206.00 + 8.40            | .5965 | ----          | ----                     | 1                 | ----          | 60               | UNCH |
| 4225               | ----   | ----         | ----            | 261.40B/137.20A    | 261.40B/137.20A  | ----               | ----          | ----            | 209.00 + 8.50            | .6017 | ----          | ----                     | 21                | ----          | 47               | 10   |
| 4230               | ----   | ----         | ----            | 264.80B/139.60A    | 264.80B/139.60A  | ----               | ----          | ----            | 212.00 + 8.60            | .6071 | ----          | ----                     | ----              | ----          | 41               | UNCH |
| 4235               | ----   | ----         | ----            | 268.20B/142.00A    | 268.20B/142.00A  | ----               | ----          | ----            | 215.10 + 8.70            | .6124 | ----          | ----                     | 1                 | ----          | 11               | +    |
| 4240               | 261.00 | 261.00       | ----            | 271.50B/144.40A    | 271.50B/144.40A  | ----               | ----          | ----            | 218.20 + 8.90            | .6177 | ----          | ----                     | 1                 | ----          | 46               | UNCH |
| 4245               | ----   | ----         | ----            | 274.90B/146.90A    | 274.90B/146.90A  | ----               | ----          | ----            | 221.30 + 8.90            | .6230 | ----          | ----                     | ----              | ----          | 258              | UNCH |
| 4250               | ----   | ----         | ----            | 278.50B/149.30A    | 278.50B/149.30A  | ----               | ----          | ----            | 224.40 + 9.00            | .6283 | ----          | ----                     | 31                | 200           | 1323             | 222  |
| 4255               | ----   | ----         | ----            | 282.00B/152.20A    | 282.00B/152.20A  | ----               | ----          | ----            | 227.60 + 9.10            | .6335 | ----          | ----                     | ----              | ----          | 893              | UNCH |
| 4260               | ----   | ----         | ----            | 285.50B/154.70A    | 285.50B/154.70A  | ----               | ----          | ----            | 230.80 + 9.20            | .6386 | ----          | ----                     | ----              | ----          | 51               | UNCH |
| 4265               | ----   | ----         | ----            | 288.90B/157.30A    | 288.90B/157.30A  | ----               | ----          | ----            | 234.00 + 9.30            | .6438 | ----          | ----                     | ----              | ----          | 9                | UNCH |
| 4270               | ----   | ----         | ----            | 292.40B/160.10A    | 292.40B/160.10A  | ----               | ----          | ----            | 237.30 + 9.40            | .6489 | ----          | ----                     | 108               | ----          | 309              | +    |
| 4275               | ----   | ----         | ----            | 296.00B/162.60A    | 296.00B/162.60A  | ----               | ----          | ----            | 240.60 + 9.50            | .6541 | ----          | ----                     | 1                 | ----          | 104              | UNCH |
| 4280               | ----   | ----         | ----            | 299.60B/165.30A    | 299.60B/165.30A  | ----               | ----          | ----            | 243.90 + 9.60            | .6592 | ----          | ----                     | ----              | ----          | 377              | UNCH |
| 4285               | ----   | ----         | ----            | 303.20B/168.00A    | 303.20B/168.00A  | ----               | ----          | ----            | 247.20 + 9.70            | .6642 | ----          | ----                     | 4                 | ----          | 189              | +    |
| 4290               | ----   | ----         | ----            | 306.90B/170.80A    | 306.90B/170.80A  | ----               | ----          | ----            | 250.60 + 9.80            | .6692 | ----          | ----                     | ----              | ----          | 86               | UNCH |
| 4295               | ----   | ----         | ----            | 310.50B/173.70A    | 310.50B/173.70A  | ----               | ----          | ----            | 254.00 + 9.90            | .6742 | ----          | ----                     | ----              | ----          | 29               | UNCH |
| 4300               | 219.00 | 219.00       | ----            | 314.30B/176.40A    | 314.30B/176.40A  | ----               | ----          | ----            | 257.40 + 9.90            | .6792 | ----          | ----                     | 117               | ----          | 1142             | 42   |
| 4305               | ----   | ----         | ----            | 317.90B/179.20A    | 317.90B/179.20A  | ----               | ----          | ----            | 260.90 + 10.10           | .6841 | ----          | ----                     | 1                 | ----          | 521              | 1    |
| 4310               | ----   | ----         | ----            | 321.70B/182.00A    | 321.70B/182.00A  | ----               | ----          | ----            | 264.40 + 10.20           | .6890 | ----          | ----                     | 1                 | ----          | 21               | +    |
| 4315               | ----   | ----         | ----            | 325.50B/185.10A    | 325.50B/185.10A  | ----               | ----          | ----            | 267.90 + 10.20           | .6938 | ----          | ----                     | 1                 | ----          | 25               | UNCH |
| 4320               | ----   | ----         | ----            | 329.30B/187.90A    | 329.30B/187.90A  | ----               | ----          | ----            | 271.40 + 10.30           | .6986 | ----          | ----                     | ----              | ----          | 57               | UNCH |
| 4325               | ----   | ----         | ----            | 333.10B/190.90A    | 333.10B/190.90A  | ----               | ----          | ----            | 274.90 + 10.30           | .7034 | ----          | ----                     | 42                | ----          | 435              | +    |
| 4330               | ----   | ----         | ----            | 336.90B/194.00A    | 336.90B/194.00A  | ----               | ----          | ----            | 278.50 + 10.40           | .7082 | ----          | ----                     | ----              | ----          | 143              | UNCH |
| 4335               | ----   | ----         | ----            | 340.90B/197.00A    | 340.90B/197.00A  | ----               | ----          | ----            | 282.10 + 10.50           | .7127 | ----          | ----                     | ----              | ----          | 10               | UNCH |
| 4340               | ----   | ----         | ----            | 344.60B/200.10A    | 344.60B/200.10A  | ----               | ----          | ----            | 285.80 + 10.60           | .7175 | ----          | ----                     | ----              | ----          | 74               | UNCH |
| 4345               | ----   | ----         | ----            | 348.40B/203.30A    | 348.40B/203.30A  | ----               | ----          | ----            | 289.40 + 10.60           | .7220 | ----          | ----                     | ----              | ----          | 35               | UNCH |
| 4350               | 300.50 | 300.50       | ----            | 352.30B/206.20A    | 352.30B/206.20A  | ----               | ----          | ----            | 293.10 + 10.70           | .7266 | ----          | ----                     | 87                | ----          | 1251             | 1    |
| 4355               | ----   | ----         | ----            | 356.10B/209.50A    | 356.10B/209.50A  | ----               | ----          | ----            | 296.80 + 10.80           | .7311 | ----          | ----                     | ----              | ----          | 137              | UNCH |
| 4360               | ----   | ----         | ----            | 360.20B/212.50A    | 360.20B/212.50A  | ----               | ----          | ----            | 300.50 + 10.80           | .7355 | ----          | ----                     | 2                 | ----          | 90               | +    |
| 4365               | ----   | ----         | ----            | 364.10B/215.80A    | 364.10B/215.80A  | ----               | ----          | ----            | 304.30 + 10.90           | .7401 | ----          | ----                     | 2                 | ----          | 119              | 1    |
| 4370               | ----   | ----         | ----            | 368.20B/218.90A    | 368.20B/218.90A  | ----               | ----          | ----            | 308.10 + 11.00           | .7445 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 4375               | ----   | ----         | ----            | 372.10B/222.30A    | 372.10B/222.30A  | ----               | ----          | ----            | 311.90 + 11.10           | .7486 | ----          | ----                     | 15                | ----          | 90               | +    |
| 4380               | ----   | ----         | ----            | 376.30B/225.60A    | 376.30B/225.60A  | ----               | ----          | ----            | 315.70 + 11.10           | .7530 | ----          | ----                     | ----              | ----          | 21               | UNCH |
| 4385               | ----   | ----         | ----            | 380.30B/228.80A    | 380.30B/228.80A  | ----               | ----          | ----            | 319.60 + 11.20           | .7572 | ----          | ----                     | ----              | ----          | 15               | UNCH |
| 4390               | 345.00 | 345.00       | ----            | 384.20B/232.10A    | 384.20B/232.10A  | ----               | ----          | ----            | 323.40 + 11.20           | .7613 | ----          | ----                     | 2                 | ----          | 47               | 1    |
| 4395               | ----   | ----         | ----            | 388.30B/235.50A    | 388.30B/235.50A  | ----               | ----          | ----            | 327.30 + 11.30           | .7655 | ----          | ----                     | ----              | ----          | 34               | UNCH |
| 4400               | 323.00 | 323.00       | ----            | 392.40B/238.90A    | 392.40B/238.90A  | ----               | ----          | ----            | 331.30 + 11.40           | .7697 | ----          | ----                     | 5                 | ----          | 2007             | 1    |
| 4405               | ----   | ----         | ----            | 396.70B/242.30A    | 396.70B/242.30A  | ----               | ----          | ----            | 335.20 + 11.40           | .7736 | ----          | ----                     | ----              | ----          | 65               | UNCH |
| 4410               | ----   | ----         | ----            | 400.80B/245.90A    | 400.80B/245.90A  | ----               | ----          | ----            | 339.20 + 11.50           | .7775 | ----          | ----                     | ----              | ----          | 356              | UNCH |
| 4415               | ----   | ----         | ----            | 404.90B/249.40A    | 404.90B/249.40A  | ----               | ----          | ----            | 343.20 + 11.60           | .7815 | ----          | ----                     | ----              | ----          | 151              | UNCH |
| 4420               | ----   | ----         |                 |                    |                  |                    |               |                 |                          |       |               |                          |                   |               |                  |      |

| GLOBEX<br>OPEN |      | OPEN<br>OUTCRY<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |
|----------------|------|------------------------|-----------------|--------------------|----------------------------|-------------------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|
| OG PUT         |      | COMEX GOLD OPTIONS     |                 |                    |                            |                         |                 |                          |       |               |                          |                   |               |                  |      |
| AUG26          |      |                        |                 |                    |                            |                         |                 |                          |       |               |                          |                   |               |                  |      |
| 4715           | ---- | ----                   | ----            | #677.30B/496.10    | #677.30B/496.10A           | ----                    | ----            | 611.00 + 15.40           | .9285 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 4720           | ---- | ----                   | ----            | 681.90B/500.40A    | 681.90B/500.40A            | ----                    | ----            | 615.70 + 15.40           | .9296 | ----          | ----                     | ----              | ----          | 13               | UNCH |
| 4725           | ---- | ----                   | ----            | 686.70B/505.20A    | 686.70B/505.20A            | ----                    | ----            | 620.50 + 15.50           | .9308 | ----          | ----                     | ----              | ----          | 60               | UNCH |
| 4730           | ---- | ----                   | ----            | 691.60B/509.80A    | 691.60B/509.80A            | ----                    | ----            | 625.30 + 15.60           | .9320 | ----          | ----                     | ----              | ----          | 56               | UNCH |
| 4735           | ---- | ----                   | ----            | #696.40B/514.40    | #696.40B/514.40A           | ----                    | ----            | 630.10 + 15.60           | .9331 | ----          | ----                     | ----              | ----          | 59               | UNCH |
| 4740           | ---- | ----                   | ----            | 654.30B/518.80A    | 654.30B/518.80A            | ----                    | ----            | 634.90 + 15.70           | .9343 | ----          | ----                     | ----              | ----          | 38               | UNCH |
| 4745           | ---- | ----                   | ----            | 659.30B/523.70A    | 659.30B/523.70A            | ----                    | ----            | 639.70 + 15.80           | .9354 | ----          | ----                     | ----              | ----          | 44               | UNCH |
| 4750           | ---- | ----                   | ----            | 664.10B/528.30A    | 664.10B/528.30A            | ----                    | ----            | 644.50 + 15.80           | .9366 | ----          | ----                     | ----              | ----          | 182              | UNCH |
| 4755           | ---- | ----                   | ----            | 668.80B/533.00A    | 668.80B/533.00A            | ----                    | ----            | 649.30 + 15.80           | .9377 | ----          | ----                     | ----              | ----          | 25               | UNCH |
| 4760           | ---- | ----                   | ----            | 656.30B/537.60A    | 656.30B/537.60A            | ----                    | ----            | 654.10 + 15.90           | .9384 | ----          | ----                     | ----              | ----          | 7                | UNCH |
| 4765           | ---- | ----                   | ----            | 653.10B/542.20A    | 653.10B/542.20A            | ----                    | ----            | 659.00 + 16.00           | .9395 | ----          | ----                     | ----              | ----          | 8                | UNCH |
| 4770           | ---- | ----                   | ----            | 651.40B/546.90A    | 651.40B/546.90A            | ----                    | ----            | 663.80 + 16.00           | .9407 | ----          | ----                     | ----              | ----          | 260              | UNCH |
| 4775           | ---- | ----                   | ----            | 653.10B/551.60A    | 653.10B/551.60A            | ----                    | ----            | 668.60 + 16.10           | .9414 | ----          | ----                     | ----              | ----          | 171              | UNCH |
| 4780           | ---- | ----                   | ----            | -----/556.30A      | 654.90B/556.30A            | ----                    | ----            | 673.40 + 16.10           | .9425 | ----          | ----                     | ----              | ----          | 19               | UNCH |
| 4785           | ---- | ----                   | ----            | -----/561.00A      | 660.20B/561.00A            | ----                    | ----            | 678.30 + 16.20           | .9436 | ----          | ----                     | ----              | ----          | 18               | UNCH |
| 4790           | ---- | ----                   | ----            | -----/565.60A      | 665.00B/565.60A            | ----                    | ----            | 683.10 + 16.20           | .9443 | ----          | ----                     | ----              | ----          | 53               | UNCH |
| 4795           | ---- | ----                   | ----            | -----/570.30A      | 664.20B/570.30A            | ----                    | ----            | 687.90 + 16.20           | .9454 | ----          | ----                     | ----              | ----          | 128              | UNCH |
| 4800           | ---- | ----                   | ----            | 728.00B/574.80A    | 728.00B/574.80A            | ----                    | ----            | 692.80 + 16.30           | .9461 | ----          | ----                     | ----              | 100           | 965              | UNCH |
| 4805           | ---- | ----                   | ----            | -----/579.80A      | 673.60B/579.80A            | ----                    | ----            | 697.60 + 16.30           | .9472 | ----          | ----                     | ----              | ----          | 9                | UNCH |
| 4810           | ---- | ----                   | ----            | -----/584.50A      | 678.80B/584.50A            | ----                    | ----            | 702.50 + 16.40           | .9479 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 4815           | ---- | ----                   | ----            | -----/589.20A      | 683.30B/589.20A            | ----                    | ----            | 707.30 + 16.40           | .9490 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 4820           | ---- | ----                   | ----            | -----/594.00A      | 684.20B/594.00A            | ----                    | ----            | 712.20 + 16.50           | .9496 | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 4825           | ---- | ----                   | ----            | -----/598.70A      | 686.60B/598.70A            | ----                    | ----            | 717.00 + 16.40           | .9507 | ----          | ----                     | ----              | ----          | 30               | UNCH |
| 4830           | ---- | ----                   | ----            | -----/603.50A      | 691.50B/603.50A            | ----                    | ----            | 721.90 + 16.50           | .9514 | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 4835           | ---- | ----                   | ----            | -----/608.20A      | 694.80B/608.20A            | ----                    | ----            | 726.70 + 16.50           | .9520 | ----          | ----                     | ----              | ----          | 36               | UNCH |
| 4840           | ---- | ----                   | ----            | -----/612.70A      | 696.70B/612.70A            | ----                    | ----            | 731.60 + 16.50           | .9531 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 4850           | ---- | ----                   | ----            | -----/622.50A      | 705.70B/622.50A            | ----                    | ----            | 741.30 + 16.60           | .9544 | ----          | ----                     | ----              | ----          | 156              | UNCH |
| 4855           | ---- | ----                   | ----            | -----/627.30A      | 710.50B/627.30A            | ----                    | ----            | 746.20 + 16.60           | .9550 | ----          | ----                     | ----              | ----          | 11               | UNCH |
| 4860           | ---- | ----                   | ----            | -----/632.00A      | 715.70B/632.00A            | ----                    | ----            | 751.10 + 16.70           | .9557 | ----          | ----                     | ----              | ----          | 9                | UNCH |
| 4865           | ---- | ----                   | ----            | -----/636.80A      | 720.30B/636.80A            | ----                    | ----            | 756.00 + 16.70           | .9568 | ----          | ----                     | ----              | ----          | 12               | UNCH |
| 4870           | ---- | ----                   | ----            | -----/641.60A      | 725.50B/641.60A            | ----                    | ----            | 760.90 + 16.80           | .9574 | ----          | ----                     | ----              | ----          | 29               | UNCH |
| 4875           | ---- | ----                   | ----            | -----/646.40A      | 730.30B/646.40A            | ----                    | ----            | 765.70 + 16.70           | .9580 | ----          | ----                     | ----              | ----          | 82               | UNCH |
| 4880           | ---- | ----                   | ----            | -----/651.20A      | 734.80B/651.20A            | ----                    | ----            | 770.60 + 16.70           | .9587 | ----          | ----                     | ----              | ----          | 127              | UNCH |
| 4885           | ---- | ----                   | ----            | -----/656.00A      | 740.10B/656.00A            | ----                    | ----            | 775.50 + 16.80           | .9593 | ----          | ----                     | ----              | ----          | 8                | UNCH |
| 4890           | ---- | ----                   | ----            | -----/660.80A      | 744.90B/660.80A            | ----                    | ----            | 780.40 + 16.80           | .9599 | ----          | ----                     | ----              | ----          | 6                | UNCH |
| 4895           | ---- | ----                   | ----            | -----/665.60A      | 749.80B/665.60A            | ----                    | ----            | 785.30 + 16.80           | .9605 | ----          | ----                     | ----              | ----          | 6                | UNCH |
| 4900           | ---- | ----                   | ----            | 824.40B/670.50A    | 824.40B/670.50A            | ----                    | ----            | 790.20 + 16.90           | .9611 | ----          | ----                     | ----              | 7             | 338 +            | 7    |
| 4905           | ---- | ----                   | ----            | -----/675.30A      | 759.20B/675.30A            | ----                    | ----            | 795.10 + 16.90           | .9617 | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 4910           | ---- | ----                   | ----            | -----/680.10A      | 763.80B/680.10A            | ----                    | ----            | 800.00 + 16.90           | .9624 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 4920           | ---- | ----                   | ----            | -----/689.80A      | 774.20B/689.80A            | ----                    | ----            | 809.80 + 17.00           | .9636 | ----          | ----                     | ----              | ----          | 25               | UNCH |
| 4925           | ---- | ----                   | ----            | -----/694.60A      | 778.70B/694.60A            | ----                    | ----            | 814.70 + 17.00           | .9637 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 4930           | ---- | ----                   | ----            | -----/699.40A      | 783.60B/699.40A            | ----                    | ----            | 819.70 + 17.10           | .9643 | ----          | ----                     | ----              | ----          | 11               | UNCH |
| 4950           | ---- | ----                   | ----            | -----/718.80A      | 726.90B/718.80A            | ----                    | ----            | 839.30 + 17.10           | .9663 | ----          | ----                     | ----              | ----          | 31               | UNCH |
| 4955           | ---- | ----                   | ----            | -----/723.70A      | 731.80B/723.70A            | ----                    | ----            | 844.30 + 17.20           | .9669 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 4965           | ---- | ----                   | ----            | -----/733.40A      | 741.50B/733.40A            | ----                    | ----            | 854.10 + 17.20           | .9680 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 4980           | ---- | ----                   | ----            | -----/748.00A      | 756.30B/748.00A            | ----                    | ----            | 868.90 + 17.30           | .9693 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 5000           | ---- | ----                   | ----            | -----/767.50A      | 775.70B/767.50A            | ----                    | ----            | 888.70 + 17.40           | .9707 | ----          | ----                     | 7                 | ----          | 338 +            | 7    |
| 5005           | ---- | ----                   | ----            | -----/772.40A      | #780.60B/772.40A           | ----                    | ----            | 893.60 + 17.40           | .9713 | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 5010           | ---- | ----                   | ----            | -----/777.30A      | #785.60B/777.30A           | ----                    | ----            | 898.50 + 17.40           | .9714 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 5025           | ---- | ----                   | ----            | -----/792.00A      | #800.30B/792.00A           | ----                    | ----            | 913.40 + 17.50           | .9727 | ----          | ----                     | ----              | ----          | 25               | UNCH |
| 5030           | ---- | ----                   | ----            | -----/796.90A      | #805.20B/796.90A           | ----                    | ----            | 918.30 + 17.50           | .9728 | ----          | ----                     | 2                 | ----          | 3 +              | 2    |
| 5040           | ---- | ----                   | ----            | -----/806.70A      | #809.10B/806.70A           | ----                    | ----            | 928.20 + 17.60           | .9735 | ----          | ----                     | 2                 | ----          | 4 -              | 2    |
| 5045           | ---- | ----                   | ----            | ----               | ----                       | ----                    | ----            | 933.20 + 17.60           | .9740 | ----          | ----                     | ----              | ----          | 31               | UNCH |
| 5050           | ---- | ----                   | ----            | ----               | ----                       | ----                    | ----            | 938.10 + 17.60           | .9741 | ----          | ----                     | ----              | ----          | 351              | UNCH |
| 5070           | ---- | ----                   | ----            | ----               | ----                       | ----                    | ----            | 958.00 + 17.80           | .9754 | ----          | ----                     | ----              | ----          | 17               | UNCH |
| 5080           | ---- | ----                   | ----            | ----               | ----                       | ----                    | ----            | 967.90 + 17.80           | .9756 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 5085           | ---- | ----                   | ----            | ----               | ----                       | ----                    | ----            | 972.90 + 17.90           | .9762 | ----          | ----                     | ----              | ----          | 10               | UNCH |
| 5100           | ---- | ----                   | ----            | ----               | ----                       | ----                    | ----            | 987.80 + 18.00           | .9769 | ----          | ----                     | ----              | ----          | 85               | UNCH |
| 5120           | ---- | ----                   | ----            | ----               | ----                       | ----                    | ----            | 1007.60 + 18.00          | .9777 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 5180           | ---- | ----                   | ----            | ----               | ----                       | ----                    | ----            | 1067.30 + 18.30          | .9800 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 5200           | ---- | ----                   | ----            | ----               | ----                       | ----                    | ----            | 1087.20 + 18.40          | .9807 | ----          | ----                     | ----              | ----          | 114              | UNCH |
| 5265           | ---- | ----                   | ----            | ----               | ----                       | ----                    | ----            | 1151.80 + 18.40          | .9833 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 5300           | ---- | ----                   | ----            | ----               | ----                       | ----                    | ----            | 1186.70 + 18.50          | .9846 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 5355           | ---- | ----                   | ----            | ----               | ----                       | ----                    | ----            | 1241.50 + 18.60          | .9861 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 5400           | ---- | ----                   | ----            | ----               | ----                       | ----                    | ----            | 1286.30 + 18.60          | .9874 | ----          | ----                     | ----              | ----          | 77               | UNCH |
| 5460           | ---- | ----                   | ----            | ----               | ----                       | ----                    | ----            | 1346.20 + 18.70          | .9888 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 5500           | ---- | ----                   | ----            | ----               | ----                       | ----                    | ----            | 1386.10 + 18.70          | .9896 | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 5530           | ---- | ----                   | ----            | ----               | ----                       | ----                    | ----            | 1416.10 + 18.80          | .9902 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 5575           | ---- | ----                   | ----            | ----               | ----                       | ----                    | ----            | 1461.10 + 18.90          | .9905 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| TOTAL          |      |                        |                 |                    |                            |                         |                 |                          |       |               |                          | 9966              | 7,217         | 63469 +          | 1805 |
| SEP26          |      |                        |                 |                    |                            |                         |                 |                          |       |               |                          |                   |               |                  |      |
| 2000           | ---- | ----                   | ----            | ----               | 0.70B/0.90A                | ----                    | ----            | 0.70 UNCH                | .0019 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 2350           | ---- | ----                   | ----            | -----/1.60A        | 1.70B/1.60A                | ----                    | ----            | 1.60 - 0.10              | .0047 | ----          | ----                     | ----              | ----          | 37               | UNCH |
| 2375           | ---- | ----                   | ----            | -----/*1.70A       | 1.80B/1.70A                | ----                    | ----            | 1.70 - 0.10              | .0050 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 2400           | ---- | ----                   | ----            | -----/*1.70A       | 1.90B/1.70A                | ----                    | ----            | 1.80 - 0.10              | .0053 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 2500           | 2.50 | 2.50                   | 2.50            | 2.80/2.00A         | 2.80/2.00A                 | ----                    | ----            | 2.30 - 0.10              | .0070 | ----          | ----                     | 22                | ----          | 36 -             | 19   |
| 2575           | ---- | ----                   | ----            | -----/*2.20A       | 2.80B/2.20A                | ----                    | ----            | 2.80 - 0.10              | .0086 | ----          | ----                     | 5                 | ----          | 6 +              | 5    |
| 2600           | ---- | ----                   | ----            | -----/*2.30A       | 3.00B/2.30A                | ----                    | ----            | 2.90 - 0.20              | .0090 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 2705           | ---- | ----                   | ----            | 4.00B/2.70A        | 4.00B/2.70A                | ----                    | ----            | 3.70 - 0.20              | .0117 | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 2740           | ---- | ----                   | ----            | 4.50B/2.90A        | 4.50B/2.90A                | ----                    | ----            | 4.00 - 0.10              | .0128 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 2800           | 2.70 | 2.70                   | 2.70            | 5.20B/2.70         | 5.20B/2.70                 | ----                    | ----            | 4.60 - 0.10              | .0149 | ----          | ----                     | 1                 | ----          | 11               | UNCH |
| 2845           | ---- | ----                   | ----            | 5.90B/3.40A        | 5.90B/3.40A                | ----                    | ----            | 5.10 - 0.10              | .0166 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 2850           | ---- | ----                   | ----            | 6.00B/3.40A        | 6.00B/3.40A                | ----                    | ----            | 5.10 - 0.10              | .0167 | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 2855           | ---- | ----                   | ----            | 6.10B/3.50A        | 6.10B/3.50A                | ----                    | ----            | 5.20 - 0.10              | .0170 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 2860           | ---- | ----                   | ----            | 6.20B/3.50A        | 6.20B/3.50A                | ----                    | ----            | 5.20 - 0.10              | .0171 | ----          | ----                     | 13                | ----          | 23               | UNCH |
| 2865           | ---- | ----                   | ----            | 6.20B/3.60A        | 6.20B/3.60A                | ----                    | ----            | 5.30 - 0.10              | .0174 | ----          | ----                     | ----              | ----          | 15               | UNCH |
| 2900           | 5.70 | 5.70                   | 5.70            | 6.90B/3.80A        | 6.90B/3.80A                | ----                    | ----            | 5.70 - 0.10              | .0189 | ----          | ----                     | 3                 | ----          | 47               | UNCH |
| 2915           | ---- | ----                   | ----            | 7.30B/3.90A        | 7.30B/3.90A                | ----                    | ----            | 5.90 - 0.10              | .0196 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 2920           | ---- | ----                   | ----            | 7.40B/4.00A        | 7.40B/4.00A                | ----                    | ----            | 6.00 - 0.10              | .0199 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 2950           | ---- | ----                   | ----            | 7.90B/4.20A        | 7.90B/4.20A                | ----                    | ----            | 6.40 NEW                 | .0214 | ----          | ----                     | 1                 | ----          | 1 +              | 1    |
| 3000           | ---- | ----                   | ----            | 9.10B/4.70A        | 9.10B/4.70A                | ----                    | ----            | 7.10 - 0.20              | .0241 | ----          | ----                     | 6                 | ----          | 16 +             | 4    |
| 3045           | ---- | ----                   | ----            | 10.40B/5.10A       | 10.40B/5.10A               | ----                    | ----            | 8.00 - 0.20              | .0273 | ----          | ----                     | ----              | ----          | 25               | UNCH |
| 3055           | ---- | ----                   | ----            | 10.70B/5.20A       | 10.70B/5.20A               | ----                    | ----            | 8.20 - 0.20              | .0280 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 3100           | 6.20 | 6.20                   | 6.20            | 12.10B/5.80A       | 12.10B/5.80A               | ----                    | ----            | 9.20 - 0.10              | .0316 | ----          | ----                     | 2                 | ----          | 37 +             | 1    |
| 3145           | ---- | ----                   | ----            | 13.80B/6.40A       | 13.80B/6.40A               | ----                    | ----            | 10.30 - 0.20             | .0356 | ----          | ----                     | ----              | ----          | 15               | UNCH |
| 3150           | ---- | ----                   | ----            | 14.00B/6.50A       | 14.00B/6.50A               | ----                    | ----            | 10.50 - 0.10             | .0362 | ----          | ----                     | ----              | ----          |                  |      |

| GLOBEX<br>OPEN |                    | OPEN OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN OUTCRY<br>HIGH/LOW | OPEN OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |  |
|----------------|--------------------|---------------------------|--------------------|-------------------------|----------------------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|--|
| OG PUT         | COMEX GOLD OPTIONS |                           |                    |                         |                            |                          |       |               |                          |                   |               |                  |  |
| SEP26          | 38.20              | 38.20                     | 52.10B/22.20A      | 52.10B/22.20A           | ----                       | 39.30 + 2.20             | .1301 | ----          | ----                     | 1                 | ----          | 6 +              |  |
| 3595           | 38.20              | 38.20                     | 52.90B/22.50A      | 52.90B/22.50A           | ----                       | 39.90 + 2.30             | .1319 | ----          | ----                     | 24                | ----          | 356 +            |  |
| 3600           | 43.70              | 43.70                     | 53.60B/22.90A      | 53.60B/22.90A           | ----                       | 40.50 + 2.30             | .1337 | ----          | ----                     | ----              | ----          | 19               |  |
| 3605           | ----               | ----                      | 54.40B/23.30A      | 54.40B/23.30A           | ----                       | 41.10 + 2.30             | .1356 | ----          | ----                     | ----              | ----          | 9                |  |
| 3610           | ----               | ----                      | 55.20B/23.70A      | 55.20B/23.70A           | ----                       | 41.70 + 2.30             | .1374 | ----          | ----                     | 3                 | ----          | 4 +              |  |
| 3615           | 42.70              | 42.70                     | 56.00B/24.00A      | 56.00B/24.00A           | ----                       | 42.40 + 2.50             | .1394 | ----          | ----                     | 24                | ----          | 25 +             |  |
| 3620           | 40.80              | 40.80                     | 56.80B/24.40A      | 56.80B/24.40A           | ----                       | 43.00 + 2.50             | .1413 | ----          | ----                     | 2                 | ----          | 9 +              |  |
| 3625           | 43.60              | 43.60                     | 58.50B/25.30A      | 58.50B/25.30A           | ----                       | 44.40 + 2.60             | .1454 | ----          | ----                     | 3                 | ----          | 15 +             |  |
| 3635           | 43.90              | 43.90                     | 59.40B/25.70A      | 59.40B/25.70A           | ----                       | 45.10 NEW                | .1474 | ----          | ----                     | 1                 | ----          | 1 +              |  |
| 3640           | 33.60              | 33.60                     | 61.10B/26.50A      | 61.10B/26.50A           | ----                       | 46.50 + 2.80             | .1515 | ----          | 156                      | ----              | ----          | 191 +            |  |
| 3650           | 46.10              | 46.10                     | 62.00B/27.00A      | 62.00B/27.00A           | ----                       | 47.20 NEW                | .1536 | ----          | 1                        | ----              | ----          | 1 +              |  |
| 3655           | 35.30              | 35.30                     | 62.90B/27.40A      | 62.90B/27.40A           | ----                       | 47.90 + 2.90             | .1557 | ----          | 10                       | ----              | ----          | 11 +             |  |
| 3660           | 37.80              | 37.80                     | 63.80B/27.90A      | 63.80B/27.90A           | ----                       | 48.60 + 3.00             | .1578 | ----          | 55                       | ----              | ----          | 55 +             |  |
| 3665           | ----               | ----                      | 64.70B/28.40A      | 64.70B/28.40A           | ----                       | 49.40 + 3.10             | .1600 | ----          | ----                     | 1                 | ----          | 3                |  |
| 3670           | 54.40              | 54.40                     | 65.50B/28.90A      | 65.50B/28.90A           | ----                       | 50.10 + 3.10             | .1621 | ----          | 1                        | ----              | ----          | 12 +             |  |
| 3675           | 58.80              | 58.80                     | 66.40B/29.30A      | 66.40B/29.30A           | ----                       | 50.90 + 3.20             | .1644 | ----          | 19                       | ----              | ----          | 22 +             |  |
| 3685           | ----               | ----                      | 67.50B/29.80A      | 67.50B/29.80A           | ----                       | 51.70 + 3.30             | .1667 | ----          | ----                     | ----              | ----          | 5                |  |
| 3690           | ----               | ----                      | 68.40B/30.30A      | 68.40B/30.30A           | ----                       | 52.50 + 3.30             | .1689 | ----          | ----                     | ----              | ----          | 68               |  |
| 3695           | 54.60              | 54.60                     | 69.30B/30.80A      | 69.30B/30.80A           | ----                       | 53.30 NEW                | .1712 | ----          | 1                        | ----              | ----          | 1 +              |  |
| 3700           | 62.40              | 62.40                     | 70.30B/31.30A      | 70.30B/31.30A           | ----                       | 54.10 + 3.50             | .1735 | ----          | 223                      | ----              | ----          | 407 +            |  |
| 3710           | 42.50              | 42.50                     | 72.30B/32.40A      | 72.30B/32.40A           | ----                       | 55.70 NEW                | .1781 | ----          | 1                        | ----              | ----          | 1 +              |  |
| 3715           | ----               | ----                      | 73.40B/32.90A      | 73.40B/32.90A           | ----                       | 56.60 + 3.70             | .1806 | ----          | ----                     | ----              | ----          | 29               |  |
| 3720           | ----               | ----                      | 74.50B/33.40A      | 74.50B/33.40A           | ----                       | 57.40 + 3.70             | .1829 | ----          | ----                     | ----              | ----          | 52               |  |
| 3725           | 67.30              | 67.30                     | 75.50B/34.00A      | 75.50B/34.00A           | ----                       | 58.30 NEW                | .1854 | ----          | 19                       | ----              | ----          | 19 +             |  |
| 3730           | 61.20              | 61.20                     | 76.60B/34.60A      | 76.60B/34.60A           | ----                       | 59.20 NEW                | .1879 | ----          | 1                        | ----              | ----          | 1 +              |  |
| 3735           | ----               | ----                      | 77.70B/35.10A      | 77.70B/35.10A           | ----                       | 60.10 + 3.90             | .1904 | ----          | ----                     | ----              | ----          | 5                |  |
| 3740           | ----               | ----                      | 78.80B/35.70A      | 78.80B/35.70A           | ----                       | 61.00 + 4.00             | .1929 | ----          | 1                        | ----              | ----          | 1                |  |
| 3745           | 47.60              | 47.60                     | 79.80B/36.30A      | 79.80B/36.30A           | ----                       | 61.90 NEW                | .1954 | ----          | 1                        | ----              | ----          | 1 +              |  |
| 3750           | ----               | ----                      | 81.10B/36.90A      | 81.10B/36.90A           | ----                       | 62.80 + 4.10             | .1980 | ----          | 74                       | ----              | ----          | 103 -            |  |
| 3755           | ----               | ----                      | 82.10B/37.50A      | 82.10B/37.50A           | ----                       | 63.80 + 4.20             | .2006 | ----          | ----                     | 300               | ----          | 366 -            |  |
| 3765           | ----               | ----                      | 84.50B/38.70A      | 84.50B/38.70A           | ----                       | 65.70 + 4.40             | .2059 | ----          | ----                     | ----              | ----          | 2                |  |
| 3770           | 69.20              | 69.20                     | 85.70B/39.40A      | 85.70B/39.40A           | ----                       | 66.70 + 4.40             | .2085 | ----          | 2                        | ----              | ----          | 1                |  |
| 3775           | ----               | ----                      | 86.90B/40.10A      | 86.90B/40.10A           | ----                       | 67.70 + 4.50             | .2113 | ----          | ----                     | ----              | ----          | 1                |  |
| 3780           | 81.00              | 81.00                     | 88.20B/40.70A      | 88.20B/40.70A           | ----                       | 68.70 + 4.60             | .2140 | ----          | ----                     | ----              | ----          | 3                |  |
| 3790           | ----               | ----                      | 90.80B/42.10A      | 90.80B/42.10A           | ----                       | 70.70 + 4.70             | .2194 | ----          | 4                        | ----              | ----          | 1 -              |  |
| 3795           | 75.00              | 75.00                     | 91.90B/42.80A      | 91.90B/42.80A           | ----                       | 71.80 + 4.80             | .2223 | ----          | ----                     | ----              | ----          | 1                |  |
| 3800           | ----               | ----                      | 93.20B/43.50A      | 93.20B/43.50A           | ----                       | 72.80 + 4.80             | .2250 | ----          | 114                      | 60                | ----          | 597 +            |  |
| 3815           | 62.90              | 62.90                     | 97.10B/45.70A      | 97.10B/45.70A           | ----                       | 76.10 + 5.00             | .2337 | ----          | 3                        | ----              | ----          | 1                |  |
| 3820           | ----               | ----                      | 98.60B/46.50A      | 98.60B/46.50A           | ----                       | 77.20 + 5.10             | .2366 | ----          | 3                        | ----              | ----          | 3 +              |  |
| 3825           | 81.00              | 81.00                     | 99.70B/47.20A      | 99.70B/47.20A           | ----                       | 78.40 + 5.20             | .2397 | ----          | 12                       | ----              | ----          | 45 +             |  |
| 3830           | 79.40              | 79.40                     | 101.30B/48.00A     | 101.30B/48.00A          | ----                       | 79.50 + 5.30             | .2426 | ----          | 1                        | ----              | ----          | 50               |  |
| 3835           | ----               | ----                      | 102.70B/48.80A     | 102.70B/48.80A          | ----                       | 80.70 + 5.40             | .2457 | ----          | 3                        | ----              | ----          | 4 +              |  |
| 3840           | ----               | ----                      | 104.20B/49.60A     | 104.20B/49.60A          | ----                       | 81.90 + 5.50             | .2487 | ----          | 1                        | 100               | ----          | 104 +            |  |
| 3845           | 93.40              | 93.40                     | 105.60B/50.40A     | 105.60B/50.40A          | ----                       | 83.10 + 5.50             | .2518 | ----          | 19                       | ----              | ----          | 2 +              |  |
| 3850           | 93.50              | 93.50                     | 107.00B/51.20A     | 107.00B/51.20A          | ----                       | 84.30 + 5.60             | .2549 | ----          | 2                        | ----              | ----          | 58 -             |  |
| 3860           | ----               | ----                      | 109.70B/52.90A     | 109.70B/52.90A          | ----                       | 86.80 + 5.80             | .2612 | ----          | ----                     | ----              | ----          | 3 +              |  |
| 3865           | 88.80              | 88.80                     | 111.30B/53.80A     | 111.30B/53.80A          | ----                       | 88.00 + 5.80             | .2643 | ----          | 1                        | ----              | ----          | 1                |  |
| 3870           | ----               | ----                      | 113.00B/54.70A     | 113.00B/54.70A          | ----                       | 89.30 + 5.90             | .2675 | ----          | 166                      | ----              | ----          | 181 +            |  |
| 3875           | 96.80              | 96.80                     | 114.30B/55.60A     | 114.30B/55.60A          | ----                       | 90.60 + 6.00             | .2707 | ----          | 9                        | 100               | ----          | 101 +            |  |
| 3880           | 78.50              | 78.50                     | 116.20B/56.60A     | 116.20B/56.60A          | ----                       | 91.90 + 6.00             | .2740 | ----          | 1                        | ----              | ----          | 8 +              |  |
| 3885           | 117.10             | 117.10                    | 117.90B/57.50A     | 117.90B/57.50A          | ----                       | 93.20 + 6.10             | .2773 | ----          | 1                        | ----              | ----          | 34 +             |  |
| 3890           | 99.60              | 99.60                     | 119.30B/58.50A     | 119.30B/58.50A          | ----                       | 94.60 + 6.20             | .2806 | ----          | 104                      | 100               | ----          | 734 +            |  |
| 3895           | 104.00             | 104.00                    | 120.90B/59.40A     | 120.90B/59.40A          | ----                       | 95.90 + 6.20             | .2839 | ----          | 1                        | ----              | ----          | 3 +              |  |
| 3900           | ----               | ----                      | 122.30B/60.20A     | 122.30B/60.20A          | ----                       | 97.30 + 6.30             | .2873 | ----          | 1                        | ----              | ----          | 4 +              |  |
| 3905           | ----               | ----                      | 124.00B/61.40A     | 124.00B/61.40A          | ----                       | 98.70 + 6.40             | .2907 | ----          | 1                        | ----              | ----          | 8                |  |
| 3910           | ----               | ----                      | 126.00B/62.30A     | 126.00B/62.30A          | ----                       | 100.10 + 6.50            | .2941 | ----          | 1                        | ----              | ----          | 26               |  |
| 3915           | 108.50             | 108.50                    | 127.70B/63.40A     | 127.70B/63.40A          | ----                       | 101.50 + 6.50            | .2975 | ----          | 1                        | ----              | ----          | 18               |  |
| 3920           | 112.50             | 112.50                    | 129.30B/64.40A     | 129.30B/64.40A          | ----                       | 102.90 + 6.60            | .3009 | ----          | 1                        | ----              | ----          | 10 +             |  |
| 3925           | ----               | ----                      | 131.00B/65.30A     | 131.00B/65.30A          | ----                       | 104.40 + 6.70            | .3044 | ----          | 1                        | ----              | ----          | 1 +              |  |
| 3930           | ----               | ----                      | 132.80B/66.50A     | 132.80B/66.50A          | ----                       | 105.90 + 6.80            | .3079 | ----          | 1                        | ----              | ----          | 17               |  |
| 3935           | ----               | ----                      | 134.50B/67.60A     | 134.50B/67.60A          | ----                       | 107.40 NEW               | .3115 | ----          | 1                        | ----              | ----          | 704 +            |  |
| 3940           | ----               | ----                      | 136.40B/68.70A     | 136.40B/68.70A          | ----                       | 108.90 + 6.90            | .3150 | ----          | 1                        | ----              | 240           | 308 -            |  |
| 3945           | 134.20             | 134.20                    | 138.40B/69.80A     | 138.40B/69.80A          | ----                       | 110.40 + 6.90            | .3186 | ----          | 1                        | ----              | ----          | 31               |  |
| 3950           | 141.60             | 141.60                    | 139.70B/70.90A     | 139.70B/70.90A          | ----                       | 112.00 + 7.00            | .3222 | ----          | 1                        | ----              | ----          | 1                |  |
| 3955           | 150.00             | 150.00                    | 142.10B/72.00A     | 142.10B/72.00A          | ----                       | 113.50 + 7.00            | .3258 | ----          | 1                        | ----              | ----          | 1                |  |
| 3960           | ----               | ----                      | 143.80B/73.20A     | 143.80B/73.20A          | ----                       | 115.10 + 7.10            | .3295 | ----          | 1                        | ----              | ----          | 1                |  |
| 3965           | ----               | ----                      | 145.70B/74.30A     | 145.70B/74.30A          | ----                       | 116.70 + 7.20            | .3332 | ----          | 1                        | ----              | ----          | 6 +              |  |
| 3970           | 118.60             | 118.60                    | 147.50B/75.40A     | 147.50B/75.40A          | ----                       | 118.40 + 7.30            | .3369 | ----          | 1                        | ----              | ----          | 48               |  |
| 3975           | ----               | ----                      | 149.20B/76.70A     | 149.20B/76.70A          | ----                       | 120.00 + 7.30            | .3406 | ----          | 20                       | ----              | ----          | 17               |  |
| 3980           | 134.20             | 134.20                    | 151.40B/77.80A     | 151.40B/77.80A          | ----                       | 121.70 + 7.40            | .3444 | ----          | 1                        | ----              | ----          | 27               |  |
| 3985           | 141.60             | 141.60                    | 153.40B/79.20A     | 153.40B/79.20A          | ----                       | 123.30 + 7.40            | .3481 | ----          | 1                        | ----              | ----          | 6                |  |
| 3990           | 150.00             | 150.00                    | 155.10B/80.40A     | 155.10B/80.40A          | ----                       | 125.00 + 7.50            | .3519 | ----          | 2                        | ----              | ----          | 12 +             |  |
| 3995           | ----               | ----                      | 157.20B/81.70A     | 157.20B/81.70A          | ----                       | 126.80 + 7.60            | .3558 | ----          | 1                        | ----              | ----          | 2                |  |
| 4000           | ----               | ----                      | 159.20B/83.00A     | 159.20B/83.00A          | ----                       | 128.50 + 7.70            | .3596 | ----          | 396                      | 160               | 1468 -        | 416              |  |
| 4005           | ----               | ----                      | 161.70B/84.30A     | 161.70B/84.30A          | ----                       | 130.30 + 7.80            | .3634 | ----          | ----                     | ----              | ----          | 330              |  |
| 4010           | ----               | ----                      | 164.00B/85.60A     | 164.00B/85.60A          | ----                       | 132.00 + 7.70            | .3673 | ----          | ----                     | ----              | ----          | 1                |  |
| 4015           | 129.10             | 129.10                    | 165.50B/87.00A     | 165.50B/87.00A          | ----                       | 133.90 + 7.90            | .3712 | ----          | 19                       | ----              | ----          | 59 +             |  |
| 4020           | 138.70             | 138.70                    | 167.60B/88.40A     | 167.60B/88.40A          | ----                       | 135.70 + 7.90            | .3751 | ----          | 63                       | 60                | 333 +         | 80               |  |
| 4025           | 197.00             | 197.00                    | 169.80B/89.80A     | 169.80B/89.80A          | ----                       | 137.50 + 7.90            | .3791 | ----          | ----                     | ----              | ----          | 2                |  |
| 4030           | ----               | ----                      | 172.00B/91.20A     | 172.00B/91.20A          | ----                       | 139.40 + 8.00            | .3830 | ----          | 1                        | ----              | ----          | 55 +             |  |
| 4035           | ----               | ----                      | 174.20B/92.60A     | 174.20B/92.60A          | ----                       | 141.30 + 8.10            | .3870 | ----          | 17                       | ----              | ----          | 42 +             |  |
| 4040           | 185.00             | 185.00                    | 176.50B/94.00A     | 176.50B/94.00A          | ----                       | 143.20 + 8.20            | .3910 | ----          | 1                        | ----              | ----          | 1                |  |
| 4045           | ----               | ----                      | 178.70B/95.50A     | 178.70B/95.50A          | ----                       | 145.10 + 8.20            | .3950 | ----          | 7                        | ----              | ----          | 2                |  |
| 4050           | ----               | ----                      | 181.00B/97.00A     | 181.00B/97.00A          | ----                       | 147.00 + 8.30            | .3991 | ----          | 1                        | ----              | ----          | 225 -            |  |
| 4055           | 129.10             | 129.10                    | 183.30B/98.60A     | 183.30B/98.60A          | ----                       | 149.00 + 8.30            | .4031 | ----          | 1                        | ----              | ----          | 105              |  |
| 4060           | 138.70             | 138.70                    | 185.60B/100.00A    | 185.60B/100.00A         | ----                       | 151.00 + 8.40            | .4072 | ----          | 1                        | ----              | ----          | 17               |  |
| 4065           | 197.00             | 197.00                    | 188.00B/101.50A    | 188.00B/101.50A         | ----                       | 153.00 + 8.40            | .4113 | ----          | 1                        | ----              | ----          | 25               |  |
| 4070           | ----               | ----                      | 190.30B/103.10A    | 190.30B/103.10A         | ----                       | 155.10 + 8.50            | .4154 | ----          | 81                       | ----              | ----          | 14               |  |
| 4075           | 134.20             | 134.20                    | 192.90B/104.70A    | 192.90B/104.70A         | ----                       | 157.10 + 8.50            | .4195 | ----          | 1                        | ----              | ----          | 194 +            |  |
| 4080           | 141.60             | 141.60                    | 195.40B/106.30A    | 195.40B/106.30A         | ----                       | 159.20 + 8.60            | .4237 | ----          | 1                        | ----              | ----          | 355 -            |  |
| 4085           | 150.00             | 150.00                    | 197.60B/107.90A    | 197.60B/107.90A         | ----                       | 161.30 + 8.60            | .4278 | ----          | 19                       | ----              | ----          | 76               |  |
| 4090           | ----               | ----                      | 200.00B/109.60A    | 200.00B/109.60A         | ----                       | 163.50 + 8.80            | .4320 | ----          | 1                        | ----              | ----          | 59 +             |  |
| 4095           | 138.70             | 138.70                    | 202.50B/111.20A    | 202.50B/111.20A         | ----                       | 165.60 + 8.80            | .4362 | ----          | 63                       | 60                | 333 +         | 80               |  |
| 4100           | 197.00             | 197.00                    | 205.20B/112.90A    | 205.20B/112.90A         | ----                       | 167.80 + 8.90            | .4404 | ----          | 1                        | ----              | ----          | 2                |  |
| 4105           | ----               | ----                      | 207.80B/114.60A    | 207.80B/114.60A         | ----                       | 170.00 + 8.90            | .4446 | ----          | 1                        | ----              | ----          | 55 +             |  |
| 4110           | 185.00             | 185.00                    | 210.10B/116.40A    | 210.10B/116.40A         | ----                       | 172.20 + 9.00            | .4488 | ----          | 17                       | ----              | ----          | 42 +             |  |
| 4115           | ----               | ----                      | 213.20B/118.10A    | 213.20B/118.10A         | ----                       | 174.40 + 9.00            | .4530 | ----          | 1                        | ----              | ----          | 1                |  |
| 4120           | 129.10             | 129.10                    | 215.70             |                         |                            |                          |       |               |                          |                   |               |                  |  |

| PG64   |        | BULLETIN #111@     |                        |                 |                    |                            |                         |                 |                         |                           |       | METALS OPTION PRODUCTS |                          |                   |               |     |   |  |  |                  |  | Thu, Jun 11, 2026 |  | PG64 |
|--------|--------|--------------------|------------------------|-----------------|--------------------|----------------------------|-------------------------|-----------------|-------------------------|---------------------------|-------|------------------------|--------------------------|-------------------|---------------|-----|---|--|--|------------------|--|-------------------|--|------|
|        |        | GLOBEX<br>OPEN     | OPEN<br>OUTCRY<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE | OUTCRY<br>RANGE | OPEN<br>OUTCRY<br>CLOSE | SETTL.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES          | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME |     |   |  |  | OPEN<br>INTEREST |  |                   |  |      |
| OG PUT |        | COMEX GOLD OPTIONS |                        |                 |                    |                            |                         |                 |                         |                           |       |                        |                          |                   |               |     |   |  |  |                  |  |                   |  |      |
| SEP26  |        |                    |                        |                 |                    |                            |                         |                 |                         |                           |       |                        |                          |                   |               |     |   |  |  |                  |  |                   |  |      |
| 4320   |        |                    |                        | ----            | 338.80B/210.20A    | 338.80B/210.20A            | ----                    |                 | 287.30                  | + 11.50                   | .6269 | ----                   | ----                     | 10                | ----          | 162 | - |  |  | 9                |  |                   |  |      |
| 4325   | 246.90 |                    | 246.90                 | ----            | 342.00B/212.90A    | 342.00B/212.90A            | ----                    |                 | 290.60                  | + 11.60                   | .6309 | ----                   | ----                     | 7                 | ----          | 57  |   |  |  | UNCH             |  |                   |  |      |
| 4330   |        |                    |                        | ----            | 345.70B/215.70A    | 345.70B/215.70A            | ----                    |                 | 293.90                  | + 11.60                   | .6350 | ----                   | ----                     | ----              | ----          | 3   |   |  |  | UNCH             |  |                   |  |      |
| 4340   |        |                    |                        | ----            | 352.90B/221.30A    | 352.90B/221.30A            | ----                    |                 | 300.50                  | + 11.70                   | .6430 | ----                   | ----                     | ----              | ----          | 52  |   |  |  | UNCH             |  |                   |  |      |
| 4345   |        |                    |                        | ----            | 356.40B/224.10A    | 356.40B/224.10A            | ----                    |                 | 303.80                  | + 11.70                   | .6469 | ----                   | ----                     | ----              | ----          | 19  |   |  |  | UNCH             |  |                   |  |      |
| 4350   | 333.00 |                    | 333.00                 | ----            | 360.00B/227.00A    | 360.00B/227.00A            | ----                    |                 | 307.20                  | + 11.80                   | .6509 | ----                   | ----                     | 1                 | ----          | 140 |   |  |  | UNCH             |  |                   |  |      |
| 4355   |        |                    |                        | ----            | 363.80B/229.90A    | 363.80B/229.90A            | ----                    |                 | 310.50                  | + 11.80                   | .6548 | ----                   | ----                     | ----              | ----          | 7   |   |  |  | UNCH             |  |                   |  |      |
| 4360   |        |                    |                        | ----            | 367.20B/232.80A    | 367.20B/232.80A            | ----                    |                 | 313.90                  | + 11.80                   | .6587 | ----                   | ----                     | ----              | ----          | 77  |   |  |  | UNCH             |  |                   |  |      |
| 4365   |        |                    |                        | ----            | 371.10B/235.40A    | 371.10B/235.40A            | ----                    |                 | 317.40                  | + 12.00                   | .6626 | ----                   | ----                     | ----              | ----          | 6   |   |  |  | UNCH             |  |                   |  |      |
| 4370   |        |                    |                        | ----            | 374.70B/238.30A    | 374.70B/238.30A            | ----                    |                 | 320.80                  | + 12.00                   | .6665 | ----                   | ----                     | ----              | ----          | 2   |   |  |  | UNCH             |  |                   |  |      |
| 4375   |        |                    |                        | ----            | 378.20B/241.60A    | 378.20B/241.60A            | ----                    |                 | 324.30                  | + 12.10                   | .6703 | ----                   | ----                     | ----              | ----          | 66  |   |  |  | UNCH             |  |                   |  |      |
| 4380   |        |                    |                        | ----            | 382.10B/244.90A    | 382.10B/244.90A            | ----                    |                 | 327.70                  | + 12.00                   | .6742 | ----                   | ----                     | ----              | ----          | 95  |   |  |  | UNCH             |  |                   |  |      |
| 4385   |        |                    |                        | ----            | 385.80B/247.90A    | 385.80B/247.90A            | ----                    |                 | 331.20                  | + 12.00                   | .6779 | ----                   | ----                     | ----              | ----          | 2   |   |  |  | UNCH             |  |                   |  |      |
| 4390   |        |                    |                        | ----            | 389.60B/251.00A    | 389.60B/251.00A            | ----                    |                 | 334.70                  | + 12.10                   | .6817 | ----                   | ----                     | ----              | ----          | 59  |   |  |  | UNCH             |  |                   |  |      |
| 4395   |        |                    |                        | ----            | 393.50B/254.10A    | 393.50B/254.10A            | ----                    |                 | 338.30                  | + 12.20                   | .6854 | ----                   | ----                     | ----              | ----          | 52  |   |  |  | UNCH             |  |                   |  |      |
| 4400   |        |                    |                        | ----            | 397.00B/257.10A    | 397.00B/257.10A            | ----                    |                 | 341.80                  | + 12.10                   | .6893 | ----                   | ----                     | ----              | ----          | 974 |   |  |  | UNCH             |  |                   |  |      |
| 4405   |        |                    |                        | ----            | 400.80B/260.30A    | 400.80B/260.30A            | ----                    |                 | 345.40                  | + 12.20                   | .6930 | ----                   | ----                     | ----              | ----          | 56  |   |  |  | UNCH             |  |                   |  |      |
| 4410   |        |                    |                        | ----            | 404.70B/263.50A    | 404.70B/263.50A            | ----                    |                 | 349.00                  | + 12.20                   | .6965 | ----                   | ----                     | ----              | ----          | 7   |   |  |  | UNCH             |  |                   |  |      |
| 4415   |        |                    |                        | ----            | 408.70B/266.60A    | 408.70B/266.60A            | ----                    |                 | 352.60                  | + 12.20                   | .7003 | ----                   | ----                     | ----              | ----          | 3   |   |  |  | UNCH             |  |                   |  |      |
| 4420   |        |                    |                        | ----            | 412.40B/269.80A    | 412.40B/269.80A            | ----                    |                 | 356.20                  | + 12.20                   | .7040 | ----                   | ----                     | ----              | ----          | 4   |   |  |  | UNCH             |  |                   |  |      |
| 4425   |        |                    |                        | ----            | 416.30B/273.10A    | 416.30B/273.10A            | ----                    |                 | 359.90                  | + 12.30                   | .7075 | ----                   | ----                     | ----              | ----          | 208 |   |  |  | UNCH             |  |                   |  |      |
| 4430   |        |                    |                        | ----            | 420.20B/276.30A    | 420.20B/276.30A            | ----                    |                 | 363.50                  | + 12.20                   | .7111 | ----                   | ----                     | ----              | ----          | 12  |   |  |  | UNCH             |  |                   |  |      |
| 4435   |        |                    |                        | ----            | 424.10B/279.60A    | 424.10B/279.60A            | ----                    |                 | 367.20                  | + 12.30                   | .7147 | ----                   | ----                     | ----              | ----          | 2   |   |  |  | UNCH             |  |                   |  |      |
| 4440   |        |                    |                        | ----            | 428.20B/282.80A    | 428.20B/282.80A            | ----                    |                 | 370.90                  | + 12.30                   | .7181 | ----                   | ----                     | ----              | ----          | 8   |   |  |  | UNCH             |  |                   |  |      |
| 4445   |        |                    |                        | ----            | 432.00B/286.10A    | 432.00B/286.10A            | ----                    |                 | 374.70                  | + 12.40                   | .7217 | ----                   | ----                     | ----              | ----          | 5   |   |  |  | UNCH             |  |                   |  |      |
| 4450   |        |                    |                        | ----            | 435.80B/289.50A    | 435.80B/289.50A            | ----                    |                 | 378.40                  | + 12.40                   | .7252 | ----                   | ----                     | ----              | ----          | 458 |   |  |  | UNCH             |  |                   |  |      |
| 4455   |        |                    |                        | ----            | 439.90B/292.80A    | 439.90B/292.80A            | ----                    |                 | 382.20                  | + 12.40                   | .7286 | ----                   | ----                     | ----              | ----          | 4   |   |  |  | UNCH             |  |                   |  |      |
| 4465   |        |                    |                        | ----            | 448.00B/299.60A    | 448.00B/299.60A            | ----                    |                 | 389.80                  | + 12.50                   | .7353 | ----                   | ----                     | ----              | ----          | 2   |   |  |  | UNCH             |  |                   |  |      |
| 4470   | 340.40 |                    | 340.40                 | ----            | 451.90B/303.00A    | 451.90B/303.00A            | ----                    |                 | 393.60                  | + 12.50                   | .7387 | ----                   | ----                     | 1                 | ----          | 5   |   |  |  | UNCH             |  |                   |  |      |
| 4475   |        |                    |                        | ----            | 456.00B/306.40A    | 456.00B/306.40A            | ----                    |                 | 397.50                  | + 12.60                   | .7420 | ----                   | ----                     | ----              | ----          | 40  |   |  |  | UNCH             |  |                   |  |      |
| 4480   |        |                    |                        | ----            | 460.00B/309.90A    | 460.00B/309.90A            | ----                    |                 | 401.40                  | + 12.60                   | .7452 | ----                   | ----                     | ----              | ----          | 7   |   |  |  | UNCH             |  |                   |  |      |
| 4485   |        |                    |                        | ----            | 463.90B/313.30A    | 463.90B/313.30A            | ----                    |                 | 405.30                  | + 12.70                   | .7485 | ----                   | ----                     | ----              | ----          | 6   |   |  |  | UNCH             |  |                   |  |      |
| 4490   |        |                    |                        | ----            | 468.20B/316.90A    | 468.20B/316.90A            | ----                    |                 | 409.20                  | + 12.70                   | .7516 | ----                   | ----                     | ----              | ----          | 51  |   |  |  | UNCH             |  |                   |  |      |
| 4495   |        |                    |                        | ----            | 472.30B/320.40A    | 472.30B/320.40A            | ----                    |                 | 413.10                  | + 12.70                   | .7547 | ----                   | ----                     | ----              | ----          | 4   |   |  |  | UNCH             |  |                   |  |      |
| 4500   |        |                    |                        | ----            | 476.30B/323.80A    | 476.30B/323.80A            | ----                    |                 | 417.10                  | + 12.90                   | .7578 | ----                   | ----                     | ----              | ----          | 635 |   |  |  | UNCH             |  |                   |  |      |
| 4505   |        |                    |                        | ----            | 480.50B/327.50A    | 480.50B/327.50A            | ----                    |                 | 421.10                  | + 12.90                   | .7609 | ----                   | ----                     | ----              | ----          | 3   |   |  |  | UNCH             |  |                   |  |      |
| 4510   |        |                    |                        | ----            | 484.50B/331.10A    | 484.50B/331.10A            | ----                    |                 | 425.10                  | + 13.00                   | .7639 | ----                   | ----                     | ----              | ----          | 11  |   |  |  | UNCH             |  |                   |  |      |
| 4515   |        |                    |                        | ----            | 488.50B/334.70A    | 488.50B/334.70A            | ----                    |                 | 429.10                  | + 13.10                   | .7668 | ----                   | ----                     | ----              | ----          | 3   |   |  |  | UNCH             |  |                   |  |      |
| 4520   |        |                    |                        | ----            | 492.90B/338.30A    | 492.90B/338.30A            | ----                    |                 | 433.20                  | + 13.20                   | .7699 | ----                   | ----                     | ----              | ----          | 118 |   |  |  | UNCH             |  |                   |  |      |
| 4525   |        |                    |                        | ----            | 497.00B/342.10A    | 497.00B/342.10A            | ----                    |                 | 437.30                  | + 13.40                   | .7728 | ----                   | ----                     | ----              | ----          | 50  |   |  |  | UNCH             |  |                   |  |      |
| 4530   |        |                    |                        | ----            | 501.00B/345.60A    | 501.00B/345.60A            | ----                    |                 | 441.30                  | + 13.40                   | .7757 | ----                   | ----                     | ----              | ----          | 24  |   |  |  | UNCH             |  |                   |  |      |
| 4540   |        |                    |                        | ----            | 509.70B/353.00A    | 509.70B/353.00A            | ----                    |                 | 449.50                  | + 13.60                   | .7813 | ----                   | ----                     | ----              | ----          | 4   |   |  |  | UNCH             |  |                   |  |      |
| 4545   |        |                    |                        | ----            | 513.90B/356.70A    | 513.90B/356.70A            | ----                    |                 | 453.60                  | + 13.60                   | .7841 | ----                   | ----                     | ----              | ----          | 15  |   |  |  | UNCH             |  |                   |  |      |
| 4550   |        |                    |                        | ----            | 518.10B/360.60A    | 518.10B/360.60A            | ----                    |                 | 457.80                  | + 13.80                   | .7868 | ----                   | ----                     | 1                 | ----          | 513 |   |  |  | UNCH             |  |                   |  |      |
| 4555   |        |                    |                        | ----            | 522.10B/364.20A    | 522.10B/364.20A            | ----                    |                 | 461.90                  | + 13.80                   | .7897 | ----                   | ----                     | ----              | ----          | 108 |   |  |  | UNCH             |  |                   |  |      |
| 4560   |        |                    |                        | ----            | 526.60B/367.90A    | 526.60B/367.90A            | ----                    |                 | 466.00                  | + 13.80                   | .7924 | ----                   | ----                     | ----              | ----          | 36  |   |  |  | UNCH             |  |                   |  |      |
| 4565   |        |                    |                        | ----            | 530.90B/371.80A    | 530.90B/371.80A            | ----                    |                 | 470.20                  | + 13.90                   | .7952 | ----                   | ----                     | ----              | ----          | 85  |   |  |  | UNCH             |  |                   |  |      |
| 4570   | 503.50 |                    | 503.50                 | ----            | 535.10B/375.50A    | 535.10B/375.50A            | ----                    |                 | 474.30                  | + 13.90                   | .7979 | ----                   | ----                     | 7                 | ----          | 26  | - |  |  | 4                |  |                   |  |      |
| 4575   |        |                    |                        | ----            | 539.40B/379.40A    | 539.40B/379.40A            | ----                    |                 | 478.50                  | + 14.00                   | .8006 | ----                   | ----                     | ----              | ----          | 60  |   |  |  | UNCH             |  |                   |  |      |
| 4580   |        |                    |                        | ----            | 543.80B/383.30A    | 543.80B/383.30A            | ----                    |                 | 482.70                  | + 14.00                   | .8032 | ----                   | ----                     | ----              | ----          | 1   |   |  |  | UNCH             |  |                   |  |      |
| 4585   |        |                    |                        | ----            | 548.10B/387.10A    | 548.10B/387.10A            | ----                    |                 | 486.90                  | + 14.10                   | .8059 | ----                   | ----                     | ----              | ----          | 71  |   |  |  | UNCH             |  |                   |  |      |
| 4595   |        |                    |                        | ----            | 556.70B/394.80A    | 556.70B/394.80A            | ----                    |                 | 495.30                  | + 14.10                   | .8110 | ----                   | ----                     | ----              | ----          | 32  |   |  |  | UNCH             |  |                   |  |      |
| 4600   |        |                    |                        | ----            | 561.00B/398.70A    | 561.00B/398.70A            | ----                    |                 | 499.50                  | + 14.10                   | .8134 | ----                   | ----                     | ----              | ----          | 130 |   |  |  | UNCH             |  |                   |  |      |
| 4605   | 515.30 |                    | 515.30                 | ----            | 565.40B/402.70A    | 565.40B/402.70A            | ----                    |                 | 503.80                  | + 14.20                   | .8161 | ----                   | ----                     | 7                 | ----          |     |   |  |  |                  |  |                   |  |      |

| GLOBEX<br>OPEN |                    | OPEN<br>OUTCRY<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |  |
|----------------|--------------------|------------------------|-----------------|--------------------|----------------------------|-------------------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|--|
| OG PUT         | COMEX GOLD OPTIONS |                        |                 |                    |                            |                         |                 |                          |       |               |                          |                   |               |                  |      |  |
| OCT26          |                    |                        |                 |                    |                            |                         |                 |                          |       |               |                          |                   |               |                  |      |  |
| 3360           | ----               | ----                   | ----            | 35.90B/18.60A      | 35.90B/18.60A              | ----                    | ----            | 29.20 + 2.20             | .0860 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 3380           | ----               | ----                   | ----            | 37.90B/19.60A      | 37.90B/19.60A              | ----                    | ----            | 30.80 + 2.30             | .0904 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 3385           | ----               | ----                   | ----            | 38.40B/19.80A      | 38.40B/19.80A              | ----                    | ----            | 31.30 + 2.50             | .0917 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 3390           | ----               | ----                   | ----            | 39.00B/20.00A      | 39.00B/20.00A              | ----                    | ----            | 31.70 + 2.50             | .0929 | ----          | ----                     | ----              | ----          | 4                | UNCH |  |
| 3400           | ----               | ----                   | ----            | 40.10B/20.50A      | 40.10B/20.50A              | ----                    | ----            | 32.50 + 2.50             | .0952 | ----          | ----                     | ----              | ----          | 150              | UNCH |  |
| 3430           | ----               | ----                   | ----            | 43.60B/22.30A      | 43.60B/22.30A              | ----                    | ----            | 35.30 + 2.80             | .1028 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 3475           | 38.20              | 38.20                  | ----            | 49.20B/25.20A      | 49.20B/25.20A              | ----                    | ----            | 39.80 NEW                | .1151 | ----          | 200                      | ----              | ----          | 200              | +    |  |
| 3480           | ----               | ----                   | ----            | 49.70B/25.60A      | 49.70B/25.60A              | ----                    | ----            | 40.40 + 3.20             | .1166 | ----          | ----                     | ----              | ----          | 12               | UNCH |  |
| 3500           | 36.50              | 36.50                  | ----            | 52.50B/27.00A      | 52.50B/27.00A              | ----                    | ----            | 42.60 + 3.40             | .1225 | ----          | 3                        | ----              | ----          | 898              | +    |  |
| 3510           | ----               | ----                   | ----            | 54.00B/27.80A      | 54.00B/27.80A              | ----                    | ----            | 43.80 + 3.50             | .1256 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 3520           | ----               | ----                   | ----            | 55.30B/28.40A      | 55.30B/28.40A              | ----                    | ----            | 45.00 + 3.60             | .1288 | ----          | ----                     | ----              | ----          | 12               | UNCH |  |
| 3525           | ----               | ----                   | ----            | 56.10B/29.00A      | 56.10B/29.00A              | ----                    | ----            | 45.60 + 3.70             | .1304 | ----          | ----                     | ----              | ----          | 25               | UNCH |  |
| 3530           | ----               | ----                   | ----            | 56.80B/29.30A      | 56.80B/29.30A              | ----                    | ----            | 46.20 + 3.70             | .1320 | ----          | ----                     | ----              | ----          | 5                | UNCH |  |
| 3550           | 49.20              | 49.20                  | ----            | 60.00B/31.00A      | 60.00B/31.00A              | ----                    | ----            | 48.70 + 3.80             | .1385 | ----          | 20                       | ----              | ----          | 45               | +    |  |
| 3555           | 47.50              | 47.50                  | ----            | 60.80B/31.50A      | 60.80B/31.50A              | ----                    | ----            | 49.40 NEW                | .1403 | ----          | 1                        | ----              | ----          | 1                | +    |  |
| 3560           | ----               | ----                   | ----            | 61.50B/31.90A      | 61.50B/31.90A              | ----                    | ----            | 50.10 + 4.00             | .1421 | ----          | ----                     | ----              | ----          | 2                | UNCH |  |
| 3565           | 48.70              | 48.70                  | ----            | 62.40B/32.30A      | 62.40B/32.30A              | ----                    | ----            | 50.80 + 4.10             | .1439 | ----          | 1                        | ----              | ----          | 2                | +    |  |
| 3570           | ----               | ----                   | ----            | 63.20B/32.80A      | 63.20B/32.80A              | ----                    | ----            | 51.40 + 4.00             | .1455 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 3585           | ----               | ----                   | ----            | 65.50B/34.20A      | 65.50B/34.20A              | ----                    | ----            | 53.60 + 4.30             | .1510 | ----          | ----                     | ----              | ----          | 41               | UNCH |  |
| 3600           | 37.90              | 37.90                  | ----            | 68.30B/35.70A      | 68.30B/35.70A              | ----                    | ----            | 55.80 + 4.40             | .1566 | ----          | 1                        | ----              | ----          | 287              | UNCH |  |
| 3615           | ----               | ----                   | ----            | 71.20B/37.30A      | 71.20B/37.30A              | ----                    | ----            | 58.10 + 4.60             | .1623 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 3620           | ----               | ----                   | ----            | 72.10B/37.80A      | 72.10B/37.80A              | ----                    | ----            | 58.90 + 4.70             | .1643 | ----          | ----                     | ----              | ----          | 4                | UNCH |  |
| 3625           | ----               | ----                   | ----            | 73.00B/38.30A      | 73.00B/38.30A              | ----                    | ----            | 59.70 NEW                | .1663 | ----          | 2                        | ----              | ----          | 2                | +    |  |
| 3635           | ----               | ----                   | ----            | 74.90B/39.40A      | 74.90B/39.40A              | ----                    | ----            | 61.30 + 4.90             | .1703 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 3650           | ----               | ----                   | ----            | 77.90B/41.10A      | 77.90B/41.10A              | ----                    | ----            | 63.80 + 5.00             | .1764 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 3655           | ----               | ----                   | ----            | 79.00B/41.70A      | 79.00B/41.70A              | ----                    | ----            | 64.60 + 5.00             | .1784 | ----          | ----                     | ----              | ----          | 10               | UNCH |  |
| 3660           | ----               | ----                   | ----            | 80.00B/42.30A      | 80.00B/42.30A              | ----                    | ----            | 65.50 + 5.10             | .1806 | ----          | ----                     | ----              | ----          | 5                | UNCH |  |
| 3665           | ----               | ----                   | ----            | 81.00B/42.90A      | 81.00B/42.90A              | ----                    | ----            | 66.40 + 5.20             | .1828 | ----          | ----                     | ----              | ----          | 5                | UNCH |  |
| 3670           | ----               | ----                   | ----            | 81.80B/43.50A      | 81.80B/43.50A              | ----                    | ----            | 67.30 + 5.30             | .1849 | ----          | ----                     | ----              | ----          | 20               | UNCH |  |
| 3680           | ----               | ----                   | ----            | 84.10B/44.80A      | 84.10B/44.80A              | ----                    | ----            | 69.10 + 5.40             | .1893 | ----          | ----                     | ----              | ----          | 5                | UNCH |  |
| 3695           | ----               | ----                   | ----            | 87.40B/46.70A      | 87.40B/46.70A              | ----                    | ----            | 71.90 + 5.60             | .1960 | ----          | ----                     | ----              | ----          | 10               | UNCH |  |
| 3700           | 84.00              | 84.00                  | ----            | 88.70B/47.40A      | 88.70B/47.40A              | ----                    | ----            | 72.90 + 5.70             | .1983 | ----          | 58                       | ----              | ----          | 208              | -    |  |
| 3715           | ----               | ----                   | ----            | 92.10B/49.30A      | 92.10B/49.30A              | ----                    | ----            | 75.80 + 5.80             | .2052 | ----          | ----                     | ----              | ----          | 196              | UNCH |  |
| 3740           | ----               | ----                   | ----            | 98.20B/52.90A      | 98.20B/52.90A              | ----                    | ----            | 81.00 NEW                | .2172 | ----          | 1                        | ----              | ----          | 1                | +    |  |
| 3750           | 80.60              | 80.60                  | ----            | 100.70B/54.30A     | 100.70B/54.30A             | ----                    | ----            | 83.20 + 6.40             | .2222 | ----          | 10                       | ----              | ----          | 53               | +    |  |
| 3755           | 69.30              | 69.30                  | ----            | 102.00B/55.20A     | 102.00B/55.20A             | ----                    | ----            | 84.30 NEW                | .2247 | ----          | 1                        | ----              | ----          | 1                | +    |  |
| 3760           | 70.20              | 70.20                  | ----            | 103.20B/56.00A     | 103.20B/56.00A             | ----                    | ----            | 85.40 NEW                | .2272 | ----          | 1                        | ----              | ----          | 1                | +    |  |
| 3770           | ----               | ----                   | ----            | 105.80B/57.40A     | 105.80B/57.40A             | ----                    | ----            | 87.60 + 6.60             | .2322 | ----          | 1                        | ----              | ----          | 4                | +    |  |
| 3780           | 73.20              | 73.20                  | ----            | 108.60B/59.10A     | 108.60B/59.10A             | ----                    | ----            | 89.90 + 6.70             | .2374 | ----          | 1                        | ----              | ----          | 4                | +    |  |
| 3785           | ----               | ----                   | ----            | 109.90B/60.10A     | 109.90B/60.10A             | ----                    | ----            | 91.10 + 6.80             | .2400 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 3790           | 96.70              | 96.70                  | ----            | 111.30B/60.90A     | 111.30B/60.90A             | ----                    | ----            | 92.30 NEW                | .2427 | ----          | 1                        | ----              | ----          | 1                | +    |  |
| 3795           | 96.40              | 96.40                  | ----            | 112.70B/61.60A     | 112.70B/61.60A             | ----                    | ----            | 93.50 NEW                | .2453 | ----          | 20                       | ----              | ----          | 20               | +    |  |
| 3800           | 98.90              | 98.90                  | ----            | 114.20B/62.60A     | 114.20B/62.60A             | ----                    | ----            | 94.70 + 7.00             | .2480 | ----          | 16                       | ----              | ----          | 58               | +    |  |
| 3805           | 79.80              | 79.80                  | ----            | 115.50B/63.40A     | 115.50B/63.40A             | ----                    | ----            | 96.00 + 7.20             | .2508 | ----          | 1                        | ----              | ----          | 16               | +    |  |
| 3810           | 87.60              | 87.60                  | ----            | 117.00B/64.50A     | 117.00B/64.50A             | ----                    | ----            | 97.20 NEW                | .2535 | ----          | 1                        | ----              | ----          | 1                | +    |  |
| 3815           | ----               | ----                   | ----            | 118.50B/65.20A     | 118.50B/65.20A             | ----                    | ----            | 98.50 + 7.30             | .2562 | ----          | ----                     | ----              | ----          | 9                | UNCH |  |
| 3820           | ----               | ----                   | ----            | 119.90B/66.30A     | 119.90B/66.30A             | ----                    | ----            | 99.80 + 7.40             | .2590 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 3825           | 121.00             | 121.00                 | ----            | 121.50B/67.10A     | 121.50B/67.10A             | ----                    | ----            | 101.00 NEW               | .2617 | ----          | 8                        | ----              | ----          | 8                | +    |  |
| 3835           | 86.10              | 86.10                  | ----            | 124.50B/69.00A     | 124.50B/69.00A             | ----                    | ----            | 103.70 NEW               | .2674 | ----          | 5                        | ----              | ----          | 5                | +    |  |
| 3840           | 88.40              | 88.40                  | ----            | 126.00B/70.00A     | 126.00B/70.00A             | ----                    | ----            | 105.00 NEW               | .2702 | ----          | 20                       | ----              | ----          | 20               | +    |  |
| 3850           | 113.80             | 113.80                 | ----            | 129.10B/71.90A     | 129.10B/71.90A             | ----                    | ----            | 107.70 + 7.80            | .2760 | ----          | 2                        | ----              | ----          | 107              | UNCH |  |
| 3855           | 109.30             | 109.30                 | ----            | 130.80B/73.10A     | 130.80B/73.10A             | ----                    | ----            | 109.10 NEW               | .2789 | ----          | 2                        | ----              | ----          | 2                | +    |  |
| 3865           | ----               | ----                   | ----            | 134.00B/75.20A     | 134.00B/75.20A             | ----                    | ----            | 111.90 + 8.10            | .2847 | ----          | ----                     | ----              | ----          | 2                | UNCH |  |
| 3870           | 94.50              | 94.50                  | ----            | 135.70B/76.10A     | 135.70B/76.10A             | ----                    | ----            | 113.30 + 8.10            | .2877 | ----          | 10                       | ----              | ----          | 13               | +    |  |
| 3875           | ----               | ----                   | ----            | 137.40B/77.20A     | 137.40B/77.20A             | ----                    | ----            | 114.80 + 8.30            | .2907 | ----          | ----                     | ----              | ----          | 14               | UNCH |  |
| 3880           | 122.70             | 122.70                 | ----            | 138.90B/78.20A     | 138.90B/78.20A             | ----                    | ----            | 116.20 NEW               | .2936 | ----          | 7                        | ----              | ----          | 7                | +    |  |
| 3885           | ----               | ----                   | ----            | 140.60B/79.30A     | 140.60B/79.30A             | ----                    | ----            | 117.70 + 8.40            | .2967 | ----          | ----                     | ----              | ----          | 5                | UNCH |  |
| 3890           | ----               | ----                   | ----            | 142.40B/80.60A     | 142.40B/80.60A             | ----                    | ----            | 119.20 + 8.50            | .2997 | ----          | ----                     | ----              | ----          | 2                | UNCH |  |
| 3895           | ----               | ----                   | ----            | 144.10B/81.80A     | 144.10B/81.80A             | ----                    | ----            | 120.70 + 8.60            | .3028 | ----          | ----                     | ----              | ----          | 2                | UNCH |  |
| 3900           | 122.00             | 122.00                 | ----            | 145.90B/82.70A     | 145.90B/82.70A             | ----                    | ----            | 122.20 + 8.60            | .3058 | ----          | 97                       | ----              | ----          | 229              | +    |  |
| 3920           | ----               | ----                   | ----            | 153.10B/87.40A     | 153.10B/87.40A             | ----                    | ----            | 128.40 + 8.90            | .3183 | ----          | ----                     | ----              | ----          | 29               | UNCH |  |
| 3925           | ----               | ----                   | ----            | 155.00B/88.60A     | 155.00B/88.60A             | ----                    | ----            | 130.00 + 8.90            | .3214 | ----          | ----                     | ----              | ----          | 15               | UNCH |  |
| 3930           | ----               | ----                   | ----            | 156.70B/90.00A     | 156.70B/90.00A             | ----                    | ----            | 131.60 + 9.00            | .3246 | ----          | ----                     | ----              | ----          | 2                | UNCH |  |
| 3940           | ----               | ----                   | ----            | 160.60B/92.30A     | 160.60B/92.30A             | ----                    | ----            | 134.90 + 9.20            | .3310 | ----          | ----                     | ----              | ----          | 65               | UNCH |  |
| 3945           | 125.10             | 125.10                 | ----            | 162.50B/93.90A     | 162.50B/93.90A             | ----                    | ----            | 136.60 NEW               | .3342 | ----          | 1                        | ----              | ----          | 1                | +    |  |
| 3950           | ----               | ----                   | ----            | 164.50B/95.10A     | 164.50B/95.10A             | ----                    | ----            | 138.30 + 9.30            | .3375 | ----          | ----                     | ----              | ----          | 2                | UNCH |  |
| 3960           | ----               | ----                   | ----            | 168.40B/97.80A     | 168.40B/97.80A             | ----                    | ----            | 141.70 + 9.50            | .3440 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 3965           | ----               | ----                   | ----            | 170.40B/99.10A     | 170.40B/99.10A             | ----                    | ----            | 143.40 + 9.50            | .3473 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 3970           | ----               | ----                   | ----            | 172.00B/100.50A    | 172.00B/100.50A            | ----                    | ----            | 145.20 + 9.60            | .3506 | ----          | ----                     | ----              | ----          | 2                | UNCH |  |
| 3975           | ----               | ----                   |                 |                    |                            |                         |                 |                          |       |               |                          |                   |               |                  |      |  |



| BULLETIN #111@ |                    |                              |                    | METALS OPTION PRODUCTS     |                               |                          |       |               |                          |                   |               |                  |      | Thu, Jun 11, 2026 |  | PG64 |
|----------------|--------------------|------------------------------|--------------------|----------------------------|-------------------------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|-------------------|--|------|
|                | GLOBEX<br>OPEN     | OPEN<br>OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |                   |  |      |
| OG PUT         | COMEX GOLD OPTIONS |                              |                    |                            |                               |                          |       |               |                          |                   |               |                  |      |                   |  |      |
| NOV26          | ----               | ----                         | ----               | ----                       | ----                          | ----                     | ----  | ----          | ----                     | ----              | ----          | ----             | ---- |                   |  |      |
| 4180           | ----               | ----                         | 282.30B/191.30A    | 282.30B/191.30A            | ----                          | 250.00 + 12.30           | .4729 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |      |
| 4185           | ----               | ----                         | 284.90B/193.50A    | 284.90B/193.50A            | ----                          | 252.40 + 12.20           | .4761 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |      |
| 4190           | 259.50             | 259.50                       | 288.30B/195.70A    | 288.30B/195.70A            | ----                          | 254.90 NEW               | .4793 | ----          | ----                     | 10                | ----          | 10 +             | 10   |                   |  |      |
| 4200           | ----               | ----                         | 293.80B/199.80A    | 293.80B/199.80A            | ----                          | 259.90 + 12.30           | .4858 | ----          | ----                     | ----              | ----          | 11               | UNCH |                   |  |      |
| 4205           | ----               | ----                         | 296.60B/202.20A    | 296.60B/202.20A            | ----                          | 262.40 + 12.30           | .4891 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |      |
| 4215           | ----               | ----                         | 301.70B/206.60A    | 301.70B/206.60A            | ----                          | 267.50 + 12.30           | .4956 | ----          | ----                     | ----              | ----          | 5                | UNCH |                   |  |      |
| 4225           | ----               | ----                         | 307.20B/211.00A    | 307.20B/211.00A            | ----                          | 272.60 NEW               | .5021 | ----          | ----                     | 1                 | ----          | 1 +              | 1    |                   |  |      |
| 4250           | ----               | ----                         | 322.60B/222.70A    | 322.60B/222.70A            | ----                          | 285.80 + 12.20           | .5183 | ----          | ----                     | ----              | ----          | 567              | UNCH |                   |  |      |
| 4265           | ----               | ----                         | 330.40B/229.80A    | 330.40B/229.80A            | ----                          | 294.00 + 12.20           | .5280 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |      |
| 4275           | ----               | ----                         | 337.00B/234.60A    | 337.00B/234.60A            | ----                          | 299.50 + 12.20           | .5344 | ----          | ----                     | ----              | ----          | 23               | UNCH |                   |  |      |
| 4290           | ----               | ----                         | 345.90B/242.00A    | 345.90B/242.00A            | ----                          | 308.00 + 12.20           | .5441 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |      |
| 4300           | ----               | ----                         | 352.10B/247.00A    | 352.10B/247.00A            | ----                          | 313.70 + 12.20           | .5505 | ----          | ----                     | ----              | ----          | 100              | UNCH |                   |  |      |
| 4320           | ----               | ----                         | 364.70B/257.30A    | 364.70B/257.30A            | ----                          | 325.40 + 12.20           | .5632 | ----          | ----                     | ----              | ----          | 43               | UNCH |                   |  |      |
| 4330           | ----               | ----                         | 371.30B/262.60A    | 371.30B/262.60A            | ----                          | 331.40 + 12.30           | .5696 | ----          | ----                     | ----              | ----          | 2                | UNCH |                   |  |      |
| 4335           | ----               | ----                         | 374.40B/264.80A    | 374.40B/264.80A            | ----                          | 334.40 + 12.30           | .5727 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |      |
| 4340           | ----               | ----                         | 377.80B/267.50A    | 377.80B/267.50A            | ----                          | 337.40 + 12.30           | .5758 | ----          | ----                     | ----              | ----          | 6                | UNCH |                   |  |      |
| 4350           | ----               | ----                         | 384.20B/273.50A    | 384.20B/273.50A            | ----                          | 343.50 + 12.30           | .5821 | ----          | ----                     | ----              | ----          | 5                | UNCH |                   |  |      |
| 4375           | ----               | ----                         | 388.40B/287.10A    | 388.40B/287.10A            | ----                          | 359.20 + 12.50           | .5976 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |      |
| 4380           | ----               | ----                         | 390.20B/290.10A    | 390.20B/290.10A            | ----                          | 362.30 + 12.40           | .6006 | ----          | ----                     | ----              | ----          | 20               | UNCH |                   |  |      |
| 4390           | ----               | ----                         | 393.20B/295.80A    | 393.20B/295.80A            | ----                          | 368.80 + 12.60           | .6068 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |      |
| 4395           | ----               | ----                         | 396.50B/298.60A    | 396.50B/298.60A            | ----                          | 372.00 + 12.60           | .6098 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |      |
| 4400           | ----               | ----                         | 399.90B/301.50A    | 399.90B/301.50A            | ----                          | 375.30 + 12.60           | .6128 | ----          | ----                     | ----              | ----          | 6                | UNCH |                   |  |      |
| 4405           | ----               | ----                         | 403.40B/304.40A    | 403.40B/304.40A            | ----                          | 378.50 + 12.60           | .6158 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |      |
| 4425           | ----               | ----                         | 417.20B/316.30A    | 417.20B/316.30A            | ----                          | 391.80 + 12.70           | .6277 | ----          | ----                     | ----              | ----          | 72               | UNCH |                   |  |      |
| 4430           | ----               | ----                         | 420.70B/319.20A    | 420.70B/319.20A            | ----                          | 395.20 + 12.80           | .6306 | ----          | ----                     | ----              | ----          | 10               | UNCH |                   |  |      |
| 4435           | ----               | ----                         | 424.20B/322.20A    | 424.20B/322.20A            | ----                          | 398.50 + 12.80           | .6336 | ----          | ----                     | ----              | ----          | 7                | UNCH |                   |  |      |
| 4450           | ----               | ----                         | 434.80B/331.30A    | 434.80B/331.30A            | ----                          | 408.80 + 12.90           | .6423 | ----          | ----                     | ----              | ----          | 39               | UNCH |                   |  |      |
| 4470           | ----               | ----                         | 449.20B/343.80A    | 449.20B/343.80A            | ----                          | 422.70 + 13.10           | .6537 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |      |
| 4485           | ----               | ----                         | 460.10B/353.10A    | 460.10B/353.10A            | ----                          | 433.30 + 13.20           | .6621 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |      |
| 4490           | ----               | ----                         | 463.80B/356.70A    | 463.80B/356.70A            | ----                          | 436.80 + 13.20           | .6649 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |      |
| 4500           | ----               | ----                         | 471.10B/363.10A    | 471.10B/363.10A            | ----                          | 444.00 + 13.30           | .6703 | ----          | ----                     | 1                 | ----          | 98 +             | 1    |                   |  |      |
| 4510           | ----               | ----                         | 478.60B/370.00A    | 478.60B/370.00A            | ----                          | 451.20 + 13.40           | .6758 | ----          | ----                     | ----              | ----          | 11               | UNCH |                   |  |      |
| 4530           | ----               | ----                         | 493.60B/382.50A    | 493.60B/382.50A            | ----                          | 465.90 + 13.60           | .6864 | ----          | ----                     | ----              | ----          | 40               | UNCH |                   |  |      |
| 4535           | ----               | ----                         | 495.90B/385.80A    | 495.90B/385.80A            | ----                          | 469.60 + 13.70           | .6891 | ----          | ----                     | ----              | ----          | 10               | UNCH |                   |  |      |
| 4540           | ----               | ----                         | 497.20B/389.40A    | 497.20B/389.40A            | ----                          | 473.30 + 13.70           | .6916 | ----          | ----                     | ----              | ----          | 6                | UNCH |                   |  |      |
| 4555           | ----               | ----                         | 497.40B/399.30A    | 497.40B/399.30A            | ----                          | 484.50 + 13.80           | .6993 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |      |
| 4580           | ----               | ----                         | 515.70B/416.60A    | 515.70B/416.60A            | ----                          | 503.50 + 14.10           | .7119 | ----          | ----                     | ----              | ----          | 10               | UNCH |                   |  |      |
| 4590           | ----               | ----                         | 523.50B/423.50A    | 523.50B/423.50A            | ----                          | 511.20 + 14.20           | .7167 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |      |
| 4600           | ----               | ----                         | 531.30B/430.60A    | 531.30B/430.60A            | ----                          | 519.00 + 14.30           | .7216 | ----          | ----                     | ----              | ----          | 72               | UNCH |                   |  |      |
| 4610           | ----               | ----                         | 539.10B/437.70A    | 539.10B/437.70A            | ----                          | 526.80 + 14.40           | .7263 | ----          | ----                     | ----              | ----          | 4                | UNCH |                   |  |      |
| 4640           | ----               | ----                         | 562.80B/459.30A    | 562.80B/459.30A            | ----                          | 550.50 + 14.70           | .7401 | ----          | ----                     | ----              | ----          | 90               | UNCH |                   |  |      |
| 4645           | ----               | ----                         | 566.90B/463.40A    | 566.90B/463.40A            | ----                          | 554.50 + 14.80           | .7424 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |      |
| 4650           | ----               | ----                         | 570.90B/466.60A    | 570.90B/466.60A            | ----                          | 558.50 + 14.80           | .7445 | ----          | ----                     | ----              | ----          | 78               | UNCH |                   |  |      |
| 4655           | ----               | ----                         | 574.90B/470.30A    | 574.90B/470.30A            | ----                          | 562.50 + 14.80           | .7468 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |      |
| 4700           | ----               | ----                         | 611.80B/504.50A    | 611.80B/504.50A            | ----                          | 599.20 + 15.30           | .7658 | ----          | ----                     | ----              | ----          | 58               | UNCH |                   |  |      |
| 4710           | ----               | ----                         | 619.90B/511.60A    | 619.90B/511.60A            | ----                          | 607.40 + 15.40           | .7698 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |      |
| 4725           | ----               | ----                         | 632.60B/523.00A    | 632.60B/523.00A            | ----                          | 619.90 + 15.60           | .7757 | ----          | ----                     | ----              | ----          | 2                | UNCH |                   |  |      |
| 4750           | 549.00             | 549.00                       | 653.60B/543.10A    | 653.60B/543.10A            | ----                          | 640.90 + 15.80           | .7853 | ----          | ----                     | 15                | ----          | 10 -             | 5    |                   |  |      |
| 4755           | ----               | ----                         | #658.00B/546.40    | #658.00B/546.40A           | ----                          | 645.10 + 15.90           | .7872 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |      |
| 4800           | ----               | ----                         | 696.70B/582.70A    | 696.70B/582.70A            | ----                          | 683.60 + 16.40           | .8033 | ----          | ----                     | ----              | ----          | 12               | UNCH |                   |  |      |
| 4820           | ----               | ----                         | 713.90B/598.90A    | 713.90B/598.90A            | ----                          | 700.90 + 16.50           | .8099 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |      |
| 4840           | ----               | ----                         | 731.30B/615.00A    | 731.30B/615.00A            | ----                          | 718.30 + 16.70           | .8163 | ----          | ----                     | ----              | ----          | 2                | UNCH |                   |  |      |
| 4845           | ----               | ----                         | #735.70B/619.50    | #735.70B/619.50A           | ----                          | 722.70 + 16.70           | .8180 | ----          | ----                     | ----              | ----          | 10               | UNCH |                   |  |      |
| 4850           | ----               | ----                         | 740.10B/623.60A    | 740.10B/623.60A            | ----                          | 727.10 + 16.80           | .8196 | ----          | ----                     | ----              | ----          | 8                | UNCH |                   |  |      |
| 4900           | ----               | ----                         | 784.40B/665.40A    | 784.40B/665.40A            | ----                          | 771.00 + 16.80           | .8349 | ----          | ----                     | ----              | ----          | 12               | UNCH |                   |  |      |
| 4915           | ----               | ----                         | #797.70B/678.20    | #797.70B/678.20A           | ----                          | 784.30 + 16.80           | .8393 | ----          | ----                     | ----              | ----          | 3                | UNCH |                   |  |      |
| 4935           | ----               | ----                         | #815.80B/695.40    | #815.80B/695.40A           | ----                          | 802.10 + 16.90           | .8451 | ----          | ----                     | ----              | ----          | 25               | UNCH |                   |  |      |
| 4950           | ----               | ----                         | 829.20B/708.50A    | 829.20B/708.50A            | ----                          | 815.50 + 16.90           | .8492 | ----          | ----                     | ----              | ----          | 11               | UNCH |                   |  |      |
| 4960           | ----               | ----                         | #838.30B/716.90    | #838.30B/716.90A           | ----                          | 824.50 + 16.90           | .8520 | ----          | ----                     | ----              | ----          | 2                | UNCH |                   |  |      |
| 5000           | ----               | ----                         | 874.90B/751.40A    | 874.90B/751.40A            | ----                          | 860.70 + 17.20           | .8621 | ----          | ----                     | ----              | ----          | 254              | UNCH |                   |  |      |
| 5020           | ----               | ----                         | #893.10B/769.50    | #893.10B/769.50A           | ----                          | 879.00 + 17.30           | .8668 | ----          | ----                     | ----              | ----          | 30               | UNCH |                   |  |      |
| 5055           | ----               | ----                         | #925.50B/800.30    | #925.50B/800.30A           | ----                          | 911.10 + 17.50           | .8747 | ----          | ----                     | ----              | ----          | 8                | UNCH |                   |  |      |
| 5200           | ----               | ----                         | #1,061.50B/933.10  | #1061.50B/933.10A          | ----                          | 1046.40 + 18.20          | .9025 | ----          | ----                     | ----              | ----          | 81               | UNCH |                   |  |      |
| 5395           | ----               | ----                         | #1,248.50B/1,111   | #1248.50B/1116.70A         | ----                          | 1232.60 + 18.80          | .9293 | ----          | ----                     | ----              | ----          | 6                | UNCH |                   |  |      |
| 5400           | ----               | ----                         | #1,253.30B/1,112   | #1253.30B/1120.90A         | ----                          | 1237.50 + 18.90          | .9297 | ----          | ----                     | ----              | ----          | 6                | UNCH |                   |  |      |
| 5760           | ----               | ----                         | ----               | ----                       | ----                          | 1589.70 + 19.70          | .9575 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |      |
| 5975           | ----               | ----                         | ----               | ----                       | ----                          | 1802.60 + 20.00          | .9668 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |      |
| 6000           | ----               | ----                         | ----               | ----                       | ----                          | 1827.40 + 20.00          | .9676 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |      |
| TOTAL          |                    |                              |                    |                            |                               |                          |       |               |                          | 94                |               | 4410 +           | 72   |                   |  |      |
| DEC26          | ----               | ----                         | ----               | 0.10B/1.30A                | ----                          | 0.20 + 0.10              | .0004 | ----          | ----                     | ----              | ----          | 17               | UNCH |                   |  |      |
| 1350           | ----               | ----                         | ----               | 0.10B/1.40A                | ----                          | 0.20 UNCH                | .0004 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |      |
| 1375           | ----               | ----                         | 0.30B/----         | 0.30B/1.10A                | ----                          | 0.20 UNCH                | .0004 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |      |
| 1400           | ----               | ----                         | 0.60B/----         | 0.60B/1.30A                | ----                          | 0.50 + 0.10              | .0010 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |      |
| 1500           | ----               | ----                         | 0.90B/----         | 0.90B/1.60A                | ----                          | 0.80 + 0.10              | .0016 | ----          | ----                     | 2                 | ----          | 192 +            | 2    |                   |  |      |
| 1600           | ----               | ----                         | ----               | 1.10B/1.90A                | ----                          | 1.20 + 0.10              | .0024 | ----          | ----                     | ----              | ----          | 200              | UNCH |                   |  |      |
| 1700           | ----               | ----                         | ----               | 1.70B/2.30A                | ----                          | 2.10 + 0.10              | .0042 | ----          | ----                     | ----              | ----          | 60               | UNCH |                   |  |      |
| 1845           | ----               | ----                         | ----               | 1.90B/2.60A                | ----                          | 2.40 + 0.10              | .0049 | ----          | ----                     | ----              | ----          | 5                | UNCH |                   |  |      |
| 1900           | ----               | ----                         | ----               | 2.40B/3.10A                | ----                          | 2.90 + 0.10              | .0060 | ----          | ----                     | ----              | ----          | 2                | UNCH |                   |  |      |
| 2000           | ----               | ----                         | ----               | 3.70B/4.00A                | ----                          | 4.20 + 0.20              | .0091 | ----          | ----                     | ----              | ----          | 4                | UNCH |                   |  |      |
| 2200           | ----               | ----                         | ----               | #5.50B/5.80A               | ----                          | 6.10 + 0.40              | .0138 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |      |
| 2400           | ----               | ----                         | ----               | #6.10B/6.10A               | ----                          | 6.60 + 0.30              | .0151 | ----          | ----                     | ----              | ----          | 4                | UNCH |                   |  |      |
| 2450           | ----               | ----                         | ----               | 6.60B/6.50A                | ----                          | 7.20 + 0.40              | .0166 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |      |
| 2490           | ----               | ----                         | ----               | #6.70B/6.70A               | ----                          | 7.30 + 0.40              | .0169 | ----          | ----                     | 2                 | ----          | 183 +            | 2    |                   |  |      |
| 2500           | ----               | ----                         | ----               | #9.50B/8.70A               | ----                          | 9.90 + 0.60              | .0235 | ----          | ----                     | ----              | ----          | 4                | UNCH |                   |  |      |
| 2660           | ----               | ----                         | #11.80B/10.10A     | #11.80B/10.10A             | ----                          | 11.90 + 0.80             | .0285 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |      |
| 2750           | ----               | ----                         | 13.30B/10.80A      | 13.30B/10.80A              | ----                          | 13.00 NEW                | .0313 | ----          | ----                     | 10                | ----          | 10 +             | 10   |                   |  |      |
| 2795           | ----               | ----                         | 13.30B/10.90A      | 13.30B/10.90A              | ----                          | 13.20 + 1.00             | .0317 | ----          | ----                     | ----              | ----          | 20               | UNCH |                   |  |      |
| 2800           | ----               | ----                         | 17.00B/13.10A      | 17.00B/13.10A              | ----                          | 16.30 + 1.30             | .0395 | ----          | ----                     | ----              | ----          | 30               | UNCH |                   |  |      |
| 2900           | ----               | ----                         | 18.10B/13.70A      | 18.10B/13.70A              | ----                          | 17.20 + 1.40             | .0417 | ----          | ----                     | ----              | ----          | 300              | UNCH |                   |  |      |
| 2925           | ----               | ----                         | 20.50B/15.00A      | 20.50B/15.00A              | ----                          | 19.30 + 1.70             | .0467 | ----          | ----                     | ----              | ----          | 900              | UNCH |                   |  |      |
| 2975           | 20.80              | 20.80                        | 22.00B/15.80A      | 22.00B/15.80A              | ----                          | 20.40 + 1.80             | .0494 | ----          | ----                     | 103               | ----          | 1981 -           | 81   |                   |  |      |
| 3000           | ----               | ----                         | #23.20B/16.60A     | 23.20B/16.60A              | ----                          | 21.70 + 2.00             | .0524 | ----          | ----                     | ----              | ----          | 2                | UNCH |                   |  |      |
| 3025           | ----               | ----                         | 26.60B/18.30A      | 26.60B/18.30A              | ----                          | 24.40 + 2.30             | .0588 | ----          | ----                     | ----              | ----          | 3                | UNCH |                   |  |      |
| 3075           | ----               | ----                         | 28.40B/19.20A      | 28.40B/19.20A              | ----                          | 25.80 + 2.40             | .0621 | ----          | ----                     | ----              | ----          | 10               | UNCH |                   |  |      |
| 3100           | ----               | ----                         | 32.90B/21.90A      | 32.90B/21.90A              | ----                          | 29.70 + 2.70             | .0711 | ----          | ----                     | ----              | ----          | 2                | UNCH |                   |  |      |
| 3160           | ----               | ----                         | 34.10B/22.60A      | 34.10B/22.60A              | ----                          | 30.80 + 2.80             | .0736 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |      |
| 3175           | ----               | ----                         | 36.40B/23.90A      | 36.40B/23.90A              | ----                          | 32.60 + 2.90             | .0777 | ----          | ----                     | ----              | ----          | 6                | UNCH |                   |  |      |
| 3200           | ----               | ----                         | 40.90B/26.70A      | 40.90B/26.70A              | ----                          | 36.50 + 3.10             | .0866 | ----          | ----                     | ----              | ----          | 18               | UNCH |                   |  |      |
| 3250           | ----               | ----                         | 46.40B/29.60A      | 46.40B/29.60A              | ----                          |                          |       |               |                          |                   |               |                  |      |                   |  |      |

| GLOBEX<br>OPEN |                    | OPEN<br>OUTCRY<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |      |
|----------------|--------------------|------------------------|-----------------|--------------------|----------------------------|-------------------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|------|
| OG PUT         | COMEX GOLD OPTIONS |                        |                 |                    |                            |                         |                 |                          |       |               |                          |                   |               |                  |      |      |
| DEC26          |                    |                        |                 |                    |                            |                         |                 |                          |       |               |                          |                   |               |                  |      |      |
| 3775           | ----               | ----                   | ----            | 137.30B/88.60A     | 137.30B/88.60A             | ----                    | ----            | 122.20 + 10.40           | .2528 | ----          | ----                     | ----              | ----          | ----             | 1    | UNCH |
| 3780           | ----               | ----                   | ----            | 138.80B/89.70A     | 138.80B/89.70A             | ----                    | ----            | 123.50 + 10.50           | .2550 | ----          | ----                     | ----              | ----          | ----             | 2    | UNCH |
| 3785           | 120.30             | 120.30                 | 120.30          | 140.30B/90.10A     | 140.30B/90.10A             | ----                    | ----            | 124.90 + 10.60           | .2573 | ----          | ----                     | 16                | ----          | ----             | 26   | + 16 |
| 3795           | ----               | ----                   | ----            | 143.40B/92.80A     | 143.40B/92.80A             | ----                    | ----            | 127.60 NEW               | .2619 | ----          | ----                     | 10                | ----          | ----             | 10   | + 20 |
| 3800           | 110.60             | 110.60                 | 110.60          | 144.80B/93.10A     | 144.80B/93.10A             | ----                    | ----            | 129.00 + 10.90           | .2642 | ----          | ----                     | 21                | ----          | ----             | 395  | + 20 |
| 3805           | ----               | ----                   | ----            | 146.40B/94.30A     | 146.40B/94.30A             | ----                    | ----            | 130.40 + 10.90           | .2666 | ----          | ----                     | ----              | ----          | ----             | 16   | UNCH |
| 3810           | ----               | ----                   | ----            | 147.90B/95.40A     | 147.90B/95.40A             | ----                    | ----            | 131.80 + 11.00           | .2689 | ----          | ----                     | ----              | ----          | ----             | 56   | UNCH |
| 3850           | 148.80             | 148.80                 | 148.80          | 161.00B/104.40A    | 161.00B/104.40A            | ----                    | ----            | 143.60 + 11.70           | .2881 | ----          | 1                        | ----              | ----          | ----             | 57   | + 1  |
| 3875           | 154.00             | 154.00                 | 154.00          | 169.70B/111.50A    | 169.70B/111.50A            | ----                    | ----            | 151.40 NEW               | .3005 | ----          | 1                        | ----              | ----          | ----             | 1    | + 1  |
| 3880           | ----               | ----                   | ----            | 171.50B/112.70A    | 171.50B/112.70A            | ----                    | ----            | 152.90 + 12.20           | .3030 | ----          | ----                     | ----              | ----          | ----             | 1    | UNCH |
| 3890           | 162.10             | 162.10                 | 162.10          | 175.00B/115.30A    | 175.00B/115.30A            | ----                    | ----            | 156.20 NEW               | .3080 | ----          | 1                        | ----              | ----          | ----             | 1    | + 1  |
| 3900           | 165.50             | 165.50                 | 165.50          | 178.60B/116.70A    | 178.60B/116.70A            | ----                    | ----            | 159.40 + 12.50           | .3131 | ----          | 103                      | 200               | 1210          | UNCH             | 51   | UNCH |
| 3920           | ----               | ----                   | ----            | 186.30B/122.20A    | 186.30B/122.20A            | ----                    | ----            | 166.10 + 12.80           | .3234 | ----          | ----                     | ----              | ----          | ----             | 1    | UNCH |
| 3925           | 172.50             | 172.50                 | 172.50          | 188.30B/123.50A    | 188.30B/123.50A            | ----                    | ----            | 167.80 + 12.80           | .3260 | ----          | 1                        | ----              | ----          | ----             | 257  | + 1  |
| 3930           | ----               | ----                   | ----            | 190.20B/126.10A    | 190.20B/126.10A            | ----                    | ----            | 169.60 + 13.00           | .3286 | ----          | ----                     | ----              | ----          | ----             | 2    | UNCH |
| 3950           | ----               | ----                   | ----            | 198.10B/130.40A    | 198.10B/130.40A            | ----                    | ----            | 176.60 + 13.20           | .3392 | ----          | ----                     | ----              | ----          | ----             | 514  | UNCH |
| 3965           | ----               | ----                   | ----            | 204.20B/135.00A    | 204.20B/135.00A            | ----                    | ----            | 182.00 + 13.40           | .3472 | ----          | ----                     | ----              | ----          | ----             | 50   | UNCH |
| 3975           | ----               | ----                   | ----            | 207.90B/138.00A    | 207.90B/138.00A            | ----                    | ----            | 185.60 + 13.50           | .3525 | ----          | ----                     | ----              | ----          | ----             | 193  | UNCH |
| 3980           | 186.10             | 186.10                 | 186.10          | 210.10B/139.40A    | 210.10B/139.40A            | ----                    | ----            | 187.50 + 13.60           | .3553 | ----          | 34                       | ----              | ----          | ----             | 272  | - 3  |
| 3995           | ----               | ----                   | ----            | 216.70B/145.50A    | 216.70B/145.50A            | ----                    | ----            | 193.10 + 13.70           | .3634 | ----          | ----                     | ----              | ----          | ----             | 1    | UNCH |
| 4000           | 192.90             | 192.90                 | 192.90          | 218.80B/145.60A    | 218.80B/145.60A            | ----                    | ----            | 195.00 + 13.70           | .3662 | ----          | ----                     | 27                | 250           | 2698             | +    | 43   |
| 4025           | ----               | ----                   | ----            | 229.50B/153.70A    | 229.50B/153.70A            | ----                    | ----            | 204.70 + 13.90           | .3800 | ----          | ----                     | ----              | ----          | ----             | 801  | UNCH |
| 4050           | ----               | ----                   | ----            | 241.20B/162.40A    | 241.20B/162.40A            | ----                    | ----            | 214.80 + 14.00           | .3940 | ----          | ----                     | ----              | ----          | ----             | 217  | UNCH |
| 4060           | ----               | ----                   | ----            | 245.90B/165.90A    | 245.90B/165.90A            | ----                    | ----            | 219.00 + 14.10           | .3997 | ----          | ----                     | ----              | ----          | ----             | 100  | UNCH |
| 4070           | ----               | ----                   | ----            | 250.10B/169.50A    | 250.10B/169.50A            | ----                    | ----            | 223.20 + 14.20           | .4054 | ----          | ----                     | ----              | ----          | ----             | 8    | UNCH |
| 4090           | ----               | ----                   | ----            | 259.80B/178.10A    | 259.80B/178.10A            | ----                    | ----            | 231.80 + 14.30           | .4168 | ----          | ----                     | ----              | ----          | ----             | 1    | UNCH |
| 4100           | ----               | ----                   | ----            | 264.90B/180.40A    | 264.90B/180.40A            | ----                    | ----            | 236.20 + 14.30           | .4226 | ----          | ----                     | ----              | ----          | ----             | 396  | UNCH |
| 4115           | ----               | ----                   | ----            | 272.50B/187.80A    | 272.50B/187.80A            | ----                    | ----            | 242.90 + 14.30           | .4313 | ----          | ----                     | ----              | ----          | ----             | 1    | UNCH |
| 4130           | ----               | ----                   | ----            | 279.90B/192.20A    | 279.90B/192.20A            | ----                    | ----            | 249.70 + 14.30           | .4400 | ----          | ----                     | ----              | ----          | ----             | 30   | UNCH |
| 4150           | ----               | ----                   | ----            | 290.30B/200.40A    | 290.30B/200.40A            | ----                    | ----            | 259.10 + 14.40           | .4517 | ----          | ----                     | ----              | ----          | ----             | 93   | UNCH |
| 4160           | ----               | ----                   | ----            | 295.60B/204.40A    | 295.60B/204.40A            | ----                    | ----            | 263.90 + 14.40           | .4576 | ----          | ----                     | ----              | ----          | ----             | 252  | UNCH |
| 4165           | ----               | ----                   | ----            | 298.40B/206.70A    | 298.40B/206.70A            | ----                    | ----            | 266.30 + 14.30           | .4606 | ----          | ----                     | ----              | ----          | ----             | 28   | UNCH |
| 4170           | ----               | ----                   | ----            | 301.10B/208.80A    | 301.10B/208.80A            | ----                    | ----            | 268.70 + 14.30           | .4635 | ----          | ----                     | ----              | ----          | ----             | 2    | UNCH |
| 4175           | 300.00             | 300.00                 | 300.00          | 303.80B/210.90A    | 303.80B/210.90A            | ----                    | ----            | 271.20 + 14.40           | .4665 | ----          | 10                       | ----              | ----          | ----             | 144  | + 10 |
| 4200           | ----               | ----                   | ----            | 316.90B/221.60A    | 316.90B/221.60A            | ----                    | ----            | 283.70 + 14.30           | .4812 | ----          | 5                        | ----              | ----          | ----             | 1344 | - 1  |
| 4205           | ----               | ----                   | ----            | 319.70B/224.10A    | 319.70B/224.10A            | ----                    | ----            | 286.20 + 14.20           | .4841 | ----          | ----                     | ----              | ----          | ----             | 20   | UNCH |
| 4215           | ----               | ----                   | ----            | 325.40B/228.80A    | 325.40B/228.80A            | ----                    | ----            | 291.40 + 14.30           | .4900 | ----          | ----                     | ----              | ----          | ----             | 14   | UNCH |
| 4225           | ----               | ----                   | ----            | 331.50B/233.30A    | 331.50B/233.30A            | ----                    | ----            | 296.60 + 14.20           | .4959 | ----          | ----                     | ----              | ----          | ----             | 35   | UNCH |
| 4230           | ----               | ----                   | ----            | 334.10B/235.60A    | 334.10B/235.60A            | ----                    | ----            | 299.30 + 14.20           | .4988 | ----          | ----                     | ----              | ----          | ----             | 150  | UNCH |
| 4235           | ----               | ----                   | ----            | 337.40B/237.90A    | 337.40B/237.90A            | ----                    | ----            | 302.00 + 14.30           | .5018 | ----          | ----                     | ----              | ----          | ----             | 10   | UNCH |
| 4245           | ----               | ----                   | ----            | 342.80B/242.70A    | 342.80B/242.70A            | ----                    | ----            | 307.30 + 14.20           | .5077 | ----          | ----                     | ----              | ----          | ----             | 13   | UNCH |
| 4250           | ----               | ----                   | ----            | 345.80B/244.80A    | 345.80B/244.80A            | ----                    | ----            | 310.00 + 14.10           | .5106 | ----          | 2                        | ----              | ----          | ----             | 489  | + 1  |
| 4265           | ----               | ----                   | ----            | 354.90B/252.20A    | 354.90B/252.20A            | ----                    | ----            | 318.30 + 14.20           | .5194 | ----          | ----                     | ----              | ----          | ----             | 10   | UNCH |
| 4290           | ----               | ----                   | ----            | 371.00B/264.80A    | 371.00B/264.80A            | ----                    | ----            | 332.40 + 14.20           | .5339 | ----          | ----                     | ----              | ----          | ----             | 1    | UNCH |
| 4300           | 351.00             | 351.00                 | 351.00          | 377.30B/269.20A    | 377.30B/269.20A            | ----                    | ----            | 338.20 + 14.20           | .5397 | ----          | 57                       | ----              | ----          | ----             | 2602 | - 27 |
| 4320           | ----               | ----                   | ----            | 389.90B/280.10A    | 389.90B/280.10A            | ----                    | ----            | 350.00 + 14.30           | .5512 | ----          | ----                     | ----              | ----          | ----             | 124  | UNCH |
| 4325           | ----               | ----                   | ----            | 393.10B/282.20A    | 393.10B/282.20A            | ----                    | ----            | 353.00 + 14.40           | .5540 | ----          | ----                     | ----              | ----          | ----             | 559  | UNCH |
| 4340           | ----               | ----                   | ----            | 402.80B/290.70A    | 402.80B/290.70A            | ----                    | ----            | 362.10 + 14.60           | .5625 | ----          | ----                     | ----              | ----          | ----             | 82   | UNCH |
| 4350           | ----               | ----                   | ----            | 409.50B/296.70A    | 409.50B/296.70A            | ----                    | ----            | 368.20 + 14.60           | .5682 | ----          | ----                     | ----              | ----          | ----             | 164  | UNCH |
| 4360           | ----               | ----                   | ----            | 416.10B/302.10A    | 416.10B/302.10A            | ----                    | ----            | 374.40 + 14.70           | .5738 | ----          | ----                     | ----              | ----          | ----             | 1    | UNCH |
| 4365           | ----               | ----                   | ----            | 419.30B/304.90A    | 419.30B/304.90A            | ----                    | ----            | 377.50 + 14.80           | .5766 | ----          | ----                     | ----              | ----          | ----             | 195  | UNCH |
| 4375           | ----               | ----                   | ----            | 426.00B/310.40A    | 426.00B/310.40A            | ----                    | ----            | 383.80 + 14.90           | .5821 | ----          | ----                     | ----              | ----          | ----             | 117  | UNCH |
| 4385           | ----               | ----                   | ----            | 432.90B/315.90A    | 432.90B/315.90A            | ----                    | ----            | 390.20 + 15.00           | .5876 | ----          | ----                     | ----              | ----          | ----             | 75   | UNCH |
| 4390           | ----               | ----                   | ----            | 436.30B/318.80A    | 436.30B/318.80A            | ----                    | ----            | 393.40 + 15.10           | .5904 | ----          | ----                     | ----              | ----          | ----             | 200  | UNCH |
| 4400           | 397.00             | 397.00                 | 397.00          | 443.10B/324.50A    | 443.10B/324.50A            | ----                    | ----            | 399.80 + 15.20           | .5959 | ----          | 30                       | ----              | ----          | ----             | 418  | - 30 |
| 4425           | ----               | ----                   | ----            | 460.40B/338.90A    | 460.40B/338.90A            | ----                    | ----            | 416.20 + 15.50           | .6094 | ----          | ----                     | ----              | ----          | ----             | 9    | UNCH |
| 4430           | ----               | ----                   | ----            | 463.60B/341.80A    | 463.60B/341.80A            | ----                    | ----            | 419.50 + 15.50           | .6121 | ----          | ----                     | ----              | ----          | ----             | 37   | UNCH |
| 4435           | ----               | ----                   | ----            | 467.60B/344.90A    | 467.60B/344.90A            | ----                    | ----            | 422.80 + 15.50           | .6148 | ----          | ----                     | ----              | ----          | ----             | 14   | UNCH |
| 4440           | ----               | ----                   | ----            | 470.90B/347.80A    | 470.90B/347.80A            | ----                    | ----            | 426.20 + 15.60           | .6175 | ----          | ----                     | ----              | ----          | ----             | 6    | UNCH |
| 4450           | ----               | ----                   | ----            | 477.90B/353.70A    | 477.90B/353.70A            | ----                    | ----            | 432.90 + 15.70           | .6227 | ----          | ----                     | ----              | ----          | ----             | 269  | UNCH |
| 4460           | ----               | ----                   | ----            | 484.90B/359.80A    | 484.90B/359.80A            | ----                    | ----            | 439.70 + 15.80           | .6280 | ----          | ----                     | ----              | ----          | ----             | 17   | UNCH |
| 4470           | ----               | ----                   | ----            | 492.10B/366.20A    | 492.10B/366.20A            | ----                    | ----            | 446.50 + 15.80           | .6332 | ----          | ----                     | ----              | ----          | ----             | 1    | UNCH |
| 4475           | ----               | ----                   | ----            | 496.00B/368.80A    | 496.00B/368.80A            | ----                    | ----            | 449.90 + 15.80           | .6358 | ----          | ----                     | ----              | ----          | ----             | 9    | UNCH |
| 4480           | ----               | ----                   | ----            | 499.40B/372.40A    | 499.40B/372.40A            | ----                    | ----            | 453.40 + 15.90           | .6384 | ----          | ----                     | ----              | ----          | ----             | 1    | UNCH |
| 4490           | ----               | ----                   | ----            | 506.90B/37         |                            |                         |                 |                          |       |               |                          |                   |               |                  |      |      |

| BULLETIN #111@ |        |                    |                 |                    |                    |                  |                    |               |                 | METALS OPTION PRODUCTS   |         |       |               |                          |                   |               |                  |      |  | Thu, Jun 11, 2026 |  | PG64 |
|----------------|--------|--------------------|-----------------|--------------------|--------------------|------------------|--------------------|---------------|-----------------|--------------------------|---------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|--|-------------------|--|------|
| GLOBEX<br>OPEN |        | OPEN<br>OPEN       | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW |                    | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. |         | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |  |                   |  |      |
| OG PUT         |        | COMEX GOLD OPTIONS |                 |                    |                    |                  |                    |               |                 |                          |         |       |               |                          |                   |               |                  |      |  |                   |  |      |
| DEC26          |        |                    |                 |                    |                    |                  |                    |               |                 |                          |         |       |               |                          |                   |               |                  |      |  |                   |  |      |
| 5400           | ----   | ----               |                 | #1,261.60B/1,12    | #1261.60B/1128.90A | ----             |                    |               |                 | 1244.80                  | + 18.50 | .9083 | ----          | ----                     | ----              | ----          | 102              | UNCH |  |                   |  |      |
| 5415           | ----   | ----               |                 | #1,276.20B/1,14    | #1276.20B/1143.00A | ----             |                    |               |                 | 1259.10                  | + 18.50 | .9103 | ----          | ----                     | ----              | ----          | 4                | UNCH |  |                   |  |      |
| 5460           | ----   | ----               |                 | #1,319.40B/1,18    | #1319.40B/1185.20A | ----             |                    |               |                 | 1302.20                  | + 18.60 | .9154 | ----          | ----                     | ----              | ----          | 200              | UNCH |  |                   |  |      |
| 5465           | ----   | ----               |                 | #1,324.20B/1,18    | #1324.20B/1189.80A | ----             |                    |               |                 | 1307.00                  | + 18.60 | .9160 | ----          | ----                     | ----              | ----          | 50               | UNCH |  |                   |  |      |
| 5480           | ----   | ----               |                 | #1,338.50B/1,20    | #1338.50B/1205.20A | ----             |                    |               |                 | 1321.40                  | + 18.60 | .9176 | ----          | ----                     | ----              | ----          | 50               | UNCH |  |                   |  |      |
| 5500           | ----   | ----               |                 | #1,358.00B/1,22    | #1358.00B/1223.00A | ----             |                    |               |                 | 1340.70                  | + 18.70 | .9197 | ----          | ----                     | ----              | ----          | 31               | UNCH |  |                   |  |      |
| 5525           | ----   | ----               |                 | #1,381.80B/1,24    | #1381.80B/1248.00A | ----             |                    |               |                 | 1364.80                  | + 18.70 | .9224 | ----          | ----                     | ----              | ----          | 80               | UNCH |  |                   |  |      |
| 5600           | ----   | ----               |                 | #1,454.80B/1,31    | #1454.80B/1319.50A | ----             |                    |               |                 | 1437.40                  | + 18.80 | .9293 | ----          | ----                     | ----              | ----          | 252              | UNCH |  |                   |  |      |
| 5900           | ----   | ----               |                 | ----/1,617.80A     | 1609.60B/1617.80A  | ----             |                    |               |                 | 1730.90                  | + 19.10 | .9500 | ----          | ----                     | ----              | ----          | 125              | UNCH |  |                   |  |      |
| 6000           | ----   | ----               |                 | ----/1,715.90A     | 1707.70B/1715.90A  | ----             |                    |               |                 | 1829.60                  | + 19.30 | .9549 | ----          | ----                     | ----              | ----          | 40               | UNCH |  |                   |  |      |
| 6500           | ----   | ----               |                 |                    |                    | ----             |                    |               |                 | 2326.40                  | + 20.00 | .9706 | ----          | ----                     | ----              | ----          | 4                | UNCH |  |                   |  |      |
| TOTAL          |        |                    |                 |                    |                    |                  |                    |               |                 |                          |         |       |               |                          | 1759              | 905           | 34932+           | 1332 |  |                   |  |      |
| JAN27          |        |                    |                 |                    |                    |                  |                    |               |                 |                          |         |       |               |                          |                   |               |                  |      |  |                   |  |      |
| 2625           | ----   | ----               |                 | ----               | 8.40B/11.30A       | ----             |                    |               |                 | 11.90                    | + 1.40  | .0256 | ----          | ----                     | ----              | ----          | 4                | UNCH |  |                   |  |      |
| 2700           | ----   | ----               |                 | ----               | 10.00B/12.80A      | ----             |                    |               |                 | 13.50                    | + 1.60  | .0295 | ----          | ----                     | ----              | ----          | 21               | UNCH |  |                   |  |      |
| 2800           | ----   | ----               |                 | ----               | 13.10B/15.30A      | ----             |                    |               |                 | 16.40                    | + 2.00  | .0361 | ----          | ----                     | ----              | ----          | 12               | UNCH |  |                   |  |      |
| 3000           | 20.10  | 20.10              |                 | 20.10/20.10        | 21.70B/20.10       | ----             |                    |               |                 | 26.30                    | + 2.90  | .0569 | ----          | ----                     | ----              | ----          | 38               | UNCH |  |                   |  |      |
| 3250           | 30.70  | 30.70              |                 | 46.90B/30.40       | 46.90B/30.40       | ----             |                    |               |                 | 44.40                    | + 4.60  | .0945 | ----          | ----                     | ----              | ----          | 5 +              | 3    |  |                   |  |      |
| 3300           |        |                    |                 | 52.60B/37.20A      | 52.60B/37.20A      | ----             |                    |               |                 | 48.90                    | + 5.00  | .1039 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |                   |  |      |
| 3500           | 72.00  | 72.00              |                 | 82.00B/57.30A      | 82.00B/57.30A      | ----             |                    |               |                 | 74.90                    | + 7.40  | .1535 | ----          | ----                     | ----              | ----          | 3 +              | 1    |  |                   |  |      |
| 3520           | ----   | ----               |                 | 85.60B/59.70A      | 85.60B/59.70A      | ----             |                    |               |                 | 78.10                    | + 7.70  | .1593 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |                   |  |      |
| 3600           | ----   | ----               |                 | 101.70B/67.80A     | 101.70B/67.80A     | ----             |                    |               |                 | 92.40                    | + 8.70  | .1848 | ----          | ----                     | ----              | ----          | 13               | UNCH |  |                   |  |      |
| 3680           | ----   | ----               |                 | 120.20B/80.70A     | 120.20B/80.70A     | ----             |                    |               |                 | 109.00                   | + 9.60  | .2131 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |                   |  |      |
| 3700           | ----   | ----               |                 | 125.30B/84.30A     | 125.30B/84.30A     | ----             |                    |               |                 | 113.60                   | + 9.90  | .2206 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |                   |  |      |
| 3800           | ----   | ----               |                 | 153.60B/104.60A    | 153.60B/104.60A    | ----             |                    |               |                 | 139.20                   | + 11.20 | .2612 | ----          | ----                     | ----              | ----          | 17               | UNCH |  |                   |  |      |
| 3825           | ----   | ----               |                 | 161.50B/110.30A    | 161.50B/110.30A    | ----             |                    |               |                 | 146.40                   | + 11.70 | .2721 | ----          | ----                     | ----              | ----          | 0                | UNCH |  |                   |  |      |
| 3850           | ----   | ----               |                 | 169.80B/116.30A    | 169.80B/116.30A    | ----             |                    |               |                 | 153.90                   | + 12.10 | .2832 | ----          | ----                     | ----              | ----          | 230              | UNCH |  |                   |  |      |
| 3900           | ----   | ----               |                 | 187.10B/129.20A    | 187.10B/129.20A    | ----             |                    |               |                 | 169.80                   | + 12.90 | .3062 | ----          | ----                     | ----              | ----          | 3                | UNCH |  |                   |  |      |
| 3980           | ----   | ----               |                 | 218.00B/152.40A    | 218.00B/152.40A    | ----             |                    |               |                 | 198.00                   | + 14.10 | .3447 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |                   |  |      |
| 4000           | ----   | ----               |                 | #226.40B/158.70    | #226.40B/158.70A   | ----             |                    |               |                 | 205.70                   | + 14.50 | .3547 | ----          | ----                     | ----              | ----          | 106              | UNCH |  |                   |  |      |
| 4025           | ----   | ----               |                 | #236.90B/167.00    | #236.90B/167.00A   | ----             |                    |               |                 | 215.50                   | + 14.90 | .3673 | ----          | ----                     | ----              | ----          | 2                | UNCH |  |                   |  |      |
| 4070           | ----   | ----               |                 | #256.10B/182.50    | #256.10B/182.50A   | ----             |                    |               |                 | 234.10                   | + 15.60 | .3904 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |                   |  |      |
| 4100           | ----   | ----               |                 | #271.30B/193.60    | #271.30B/193.60A   | ----             |                    |               |                 | 247.20                   | + 16.00 | .4061 | ----          | ----                     | ----              | ----          | 20               | UNCH |  |                   |  |      |
| 4200           | ----   | ----               |                 | #322.10B/234.20    | #322.10B/234.20A   | ----             |                    |               |                 | 294.70                   | + 17.40 | .4590 | ----          | ----                     | ----              | ----          | 4                | UNCH |  |                   |  |      |
| 4220           | ----   | ----               |                 | #331.00B/243.30    | #331.00B/243.30A   | ----             |                    |               |                 | 304.90                   | NEW     | .4697 | ----          | 1                        | ----              | 1 +           | 1                |      |  |                   |  |      |
| 4250           | ----   | ----               |                 | #346.30B/257.00    | #346.30B/257.00A   | ----             |                    |               |                 | 320.60                   | + 18.00 | .4856 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |                   |  |      |
| 4255           | ----   | ----               |                 | #349.40B/259.40    | #349.40B/259.40A   | ----             |                    |               |                 | 323.30                   | + 18.00 | .4882 | ----          | ----                     | ----              | ----          | 19               | UNCH |  |                   |  |      |
| 4300           | ----   | ----               |                 | #375.60B/281.10    | #375.60B/281.10A   | ----             |                    |               |                 | 348.00                   | + 18.50 | .5120 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |                   |  |      |
| 4350           | ----   | ----               |                 | #406.10B/306.30    | #406.10B/306.30A   | ----             |                    |               |                 | 376.90                   | + 18.90 | .5380 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |                   |  |      |
| 4375           | ----   | ----               |                 | #422.00B/319.60    | #422.00B/319.60A   | ----             |                    |               |                 | 391.80                   | + 19.10 | .5508 | ----          | ----                     | ----              | ----          | 15               | UNCH |  |                   |  |      |
| 4400           | ----   | ----               |                 | #438.40B/334.10    | #438.40B/334.10A   | ----             |                    |               |                 | 407.10                   | + 19.20 | .5635 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |                   |  |      |
| 4455           | ----   | ----               |                 | #466.80B/365.60    | #466.80B/365.60A   | ----             |                    |               |                 | 442.00                   | + 19.50 | .5909 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |                   |  |      |
| 4500           | ----   | ----               |                 | #487.10B/392.40    | #487.10B/392.40A   | ----             |                    |               |                 | 471.70                   | + 19.70 | .6126 | ----          | ----                     | ----              | ----          | 10               | UNCH |  |                   |  |      |
| 4575           | ----   | ----               |                 | #540.70B/439.50    | #540.70B/439.50A   | ----             |                    |               |                 | 523.50                   | + 19.80 | .6474 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |                   |  |      |
| 4585           | ----   | ----               |                 | #548.30B/446.30    | #548.30B/446.30A   | ----             |                    |               |                 | 530.60                   | + 19.80 | .6518 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |                   |  |      |
| 4600           | ----   | ----               |                 | #559.40B/456.30    | #559.40B/456.30A   | ----             |                    |               |                 | 541.40                   | + 19.80 | .6584 | ----          | ----                     | ----              | ----          | 3                | UNCH |  |                   |  |      |
| 4610           | ----   | ----               |                 | #566.90B/462.90    | #566.90B/462.90A   | ----             |                    |               |                 | 548.60                   | + 19.80 | .6628 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |                   |  |      |
| 4620           | ----   | ----               |                 | #574.20B/469.60    | #574.20B/469.60A   | ----             |                    |               |                 | 555.90                   | + 19.80 | .6672 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |                   |  |      |
| 4630           | ----   | ----               |                 | #581.70B/476.30    | #581.70B/476.30A   | ----             |                    |               |                 | 563.20                   | + 19.80 | .6714 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |                   |  |      |
| 4650           | ----   | ----               |                 | #597.00B/489.90    | #597.00B/489.90A   | ----             |                    |               |                 | 578.00                   | + 19.90 | .6799 | ----          | ----                     | ----              | ----          | 2                | UNCH |  |                   |  |      |
| 4660           | ----   | ----               |                 | #604.60B/497.00    | #604.60B/497.00A   | ----             |                    |               |                 | 585.50                   | + 19.90 | .6841 | ----          | ----                     | ----              | ----          | 4                | UNCH |  |                   |  |      |
| 4665           | ----   | ----               |                 | #608.70B/500.40    | #608.70B/500.40A   | ----             |                    |               |                 | 589.20                   | + 19.90 | .6862 | ----          | ----                     | ----              | ----          | 4                | UNCH |  |                   |  |      |
| 4700           | ----   | ----               |                 | 616.20B/525.10A    | 616.20B/525.10A    | ----             |                    |               |                 | 615.70                   | + 19.90 | .7003 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |                   |  |      |
| 4710           | ----   | ----               |                 | 616.70B/532.20A    | 616.70B/532.20A    | ----             |                    |               |                 | 623.40                   | + 19.90 | .7043 | ----          | ----                     | ----              | ----          | 4                | UNCH |  |                   |  |      |
| 4760           | ----   | ----               |                 | ----/568.60A       | 618.70B/568.60A    | ----             |                    |               |                 | 662.30                   | + 19.80 | .7234 | ----          | ----                     | ----              | ----          | 100              | UNCH |  |                   |  |      |
| 4800           | ----   | ----               |                 | ----/598.50A       | 616.30B/598.50A    | ----             |                    |               |                 | 694.10                   | + 19.80 | .7380 | ----          | ----                     | ----              | ----          | 6                | UNCH |  |                   |  |      |
| 4805           | ----   | ----               |                 | ----/602.30A       | 618.30B/602.30A    | ----             |                    |               |                 | 698.10                   | + 19.80 | .7397 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |                   |  |      |
| 4820           | ----   | ----               |                 | ----/613.60A       | 620.00B/613.60A    | ----             |                    |               |                 | 710.20                   | + 19.80 | .7449 | ----          | ----                     | ----              | ----          | 6                | UNCH |  |                   |  |      |
| 4860           | ----   | ----               |                 | ----               | 635.90B/812.00A    | ----             |                    |               |                 | 742.90                   | + 19.80 | .7585 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |                   |  |      |
| 4880           | ----   | ----               |                 | ----               | 652.90B/827.60A    | ----             |                    |               |                 | 759.40                   | + 19.80 | .7649 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |                   |  |      |
| 4960           | ----   | ----               |                 | ----               | 721.80B/891.30A    | ----             |                    |               |                 | 826.80                   | + 19.80 | .7892 | ----          | ----                     | ----              | ----          | 42               | UNCH |  |                   |  |      |
| 4980           | ----   | ----               |                 | ----               | 739.30B/907.50A    | ----             |                    |               |                 | 843.90                   | + 19.80 | .7949 | ----          | ----                     | ----              | ----          | 9                | UNCH |  |                   |  |      |
| 4990           | ----   | ----               |                 | ----               | #748.10B/915.70A   | ----             |                    |               |                 | 852.50                   | + 19.80 | .7977 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |                   |  |      |
| 4995           | ----   | ----               |                 | ----               | #752.50B/919.80A   | ----             |                    |               |                 | 856.80                   | + 19.80 | .7990 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |                   |  |      |
| 5000           | ----   | ----               |                 | ----               | #756.90B/923.90A   | ----             |                    |               |                 | 861.10                   | + 19.80 | .8005 | ----          | ----                     | ----              | ----          | 2                | UNCH |  |                   |  |      |
| 5050           | ----   | ----               |                 | ----               | #801.40B/965.20A   | ----             |                    |               |                 | 904.70                   | + 20.00 | .8134 | ----          | ----                     | ----              | ----          | 100              | UNCH |  |                   |  |      |
| 5085           | ----   | ----               |                 | ----               | #832.80B/994.50A   | ----             |                    |               |                 | 935.50                   | + 20.00 | .8221 | ----          | ----                     | ----              | ----          | 2                | UNCH |  |                   |  |      |
| 5150           | ----   | ----               |                 | ----               | #891.90B/1049.70A  | ----             |                    |               |                 | 993.50                   | + 20.10 | .8367 | ----          | ----                     | ----              | ----          | 2                | UNCH |  |                   |  |      |
| 5235           | ----   | ----               |                 | ----               | #969.20B/1123.30A  | ----             |                    |               |                 | 1070.50                  | + 20.10 | .8539 | ----          | ----                     | ----              | ----          | 2                | UNCH |  |                   |  |      |
| 5245           | ----   | ----               |                 | ----               | #978.30B/1132.10A  | ----             |                    |               |                 | 1079.70                  | + 20.20 | .8559 | ----          | ----                     | ----              | ----          | 2                | UNCH |  |                   |  |      |
| 5300           | ----   | ----               |                 | ----               | #1028.80B/1180.60A | ----             |                    |               |                 | 1130.30                  | + 20.10 | .8656 | ----          | ----                     | ----              | ----          | 44               | UNCH |  |                   |  |      |
| TOTAL          |        |                    |                 |                    |                    |                  |                    |               |                 |                          |         |       |               |                          | 6                 |               | 879+             | 5    |  |                   |  |      |
| FEB27          |        |                    |                 |                    |                    |                  |                    |               |                 |                          |         |       |               |                          |                   |               |                  |      |  |                   |  |      |
| 2800           | ----   | ----               |                 | ----               | #15.40B/18.60A     | ----             |                    |               |                 | 19.10                    | + 3.30  | .0400 | ----          | ----                     | ----              | ----          | 10               | UNCH |  |                   |  |      |
| 3000           | ----   | ----               |                 | #25.80B/----       | #25.80B/26.40A     | ----             |                    |               |                 | 29.30                    | + 3.80  | .0609 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |                   |  |      |
| 3100           | 35.20  | 35.20              |                 | #35.20/*31.90A     | #35.20/31.90A      | ----             |                    |               |                 | 36.20                    | NEW     | .0747 | ----          | 7                        | ----              | 7 +           | 7                |      |  |                   |  |      |
| 3160           | ----   | ----               |                 | #39.00B/34.00A     | 39.00B/34.00A      | ----             |                    |               |                 | 41.00                    | + 4.30  | .0841 | ----          | ----                     | ----              | ----          | 2                | UNCH |  |                   |  |      |
| 3200           | ----   | ----               |                 | #47.80B/35.00A     | #47.80B/35.00A     | ----             |                    |               |                 | 44.50                    | + 4.40  | .0910 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |                   |  |      |
| 3400           | 55.30  | 55.30              |                 | #74.10B/54.30A     | #74.10B/54.30A     | ----             |                    |               |                 | 67.30                    | + 5.30  | .1335 | ----          | 2                        | ----              | ----          | 11               | UNCH |  |                   |  |      |
| 3500           | 82.00  | 82.00              |                 | #91.60B/62.90A     | #91.60B/62.90A     | ----             |                    |               |                 | 82.70                    | + 6.00  | .1606 | ----          | 2                        | ----              | ----          | 11 +             | 1    |  |                   |  |      |
| 3600           | ----   | ----               |                 | #112.50B/77.70A    | #112.50B/77.70A    | ----             |                    |               |                 | 101.50                   | + 7.10  | .1920 | ----          | 40                       | ----              | ----          | 62 +             | 40   |  |                   |  |      |
| 3660           | ----   | ----               |                 | #127.10B/88.10A    | #127.10B/88.10A    | ----             |                    |               |                 | 114.60                   | + 7.90  | .2129 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |                   |  |      |
| 3750           | 141.00 | 141.00             |                 | #151.90B/106.20    | #151.90B/106.20A   | ----             |                    |               |                 | 137.10                   | NEW     | .2471 | ----          | 1                        | ----              | 1 +           | 1                |      |  |                   |  |      |
| 3800           | ----   | ----               |                 | #167.30B/117.60    | #167.30B/117.60A   | ----             |                    |               |                 | 151.20                   | + 9.90  | .2675 | ----          | ----                     | ----              | ----          | 0                | UNCH |  |                   |  |      |
| 3880           | ----   | ----               |                 | #194.70B/138.20    | #194.70B/138.20A   | ----             |                    |               |                 | 176.20                   | + 11.10 | .3020 | ----          | ----                     | ----              | ----          | 2                | UNCH |  |                   |  |      |
| 3950           | 197.60 | 197.60             |                 | #221.40B/158.70    | #221.40B/158.70A   | ----             |                    |               |                 | 200.80                   | NEW     | .3340 | ----          | 2                        | ----              | ----          | 2 +              | 2    |  |                   |  |      |
| 3980           | 184.20 | 184.20             |                 | #233.60B/168.10    | #233.60B/168.10A   | ----             |                    |               |                 | 212.10                   | NEW     | .3482 | ----          | 1                        | ----              | 1 +           | 1                |      |  |                   |  |      |
| 40000          |        |                    |                 |                    |                    |                  |                    |               |                 |                          |         |       |               |                          |                   |               |                  |      |  |                   |  |      |



**2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>**

*CME Group, Inc.*

20 South Wacker Drive, Chicago, Illinois 60606-7499.

**Customer Service: (312) 930-1000**

**PRELIMINARY**

| BULLETIN #111@ |                    |                           |                    | METALS OPTION PRODUCTS  |                            |                          |        |               |                          |                   | Thu, Jun 11, 2026 |                  |      | PG64 |  |
|----------------|--------------------|---------------------------|--------------------|-------------------------|----------------------------|--------------------------|--------|---------------|--------------------------|-------------------|-------------------|------------------|------|------|--|
|                | GLOBEX<br>OPEN     | OPEN OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN OUTCRY<br>HIGH/LOW | OPEN OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA  | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME     | OPEN<br>INTEREST |      |      |  |
| OG PUT         | COMEX GOLD OPTIONS |                           |                    |                         |                            |                          |        |               |                          |                   |                   |                  |      |      |  |
| FEB27          |                    |                           |                    |                         |                            |                          |        |               |                          |                   |                   |                  |      |      |  |
| 5550           | ----               | ----                      | ----               | #1243.40B/1441.80A      | ----                       | 1369.50 + 17.20          | .8894  | ----          | ----                     | ----              | ----              | 65               | UNCH |      |  |
| 5565           | ----               | ----                      | ----               | #1257.40B/1455.90A      | ----                       | 1383.70 + 17.10          | .8912  | ----          | ----                     | ----              | ----              | 50               | UNCH |      |  |
| TOTAL          |                    |                           |                    |                         |                            |                          |        |               |                          | 112               |                   | 2368+            | 88   |      |  |
| MAR27          |                    |                           |                    |                         |                            |                          |        |               |                          |                   |                   |                  |      |      |  |
| 3500           | 87.20              | 87.20                     | #96.40B/68.10A     | #96.40B/68.10A          | ----                       | 87.10 + 6.00             | .1602  | ----          | ----                     | 4                 | ----              | 5                | +    |      |  |
| 3600           | ----               | ----                      | #117.70B/83.40A    | #117.70B/83.40A         | ----                       | 106.30 + 7.40            | .1903  | ----          | ----                     | ----              | ----              | 875              | UNCH |      |  |
| 3750           | ----               | ----                      | #157.10B/112.60    | #157.10B/112.60A        | ----                       | 142.30 + 10.10           | .2427  | ----          | ----                     | ----              | ----              | 10               | UNCH |      |  |
| 3850           | ----               | ----                      | #189.10B/136.80    | #189.10B/136.80A        | ----                       | 171.50 + 11.90           | .2821  | ----          | ----                     | ----              | ----              | 21               | UNCH |      |  |
| 3900           | ----               | ----                      | #206.70B/150.50    | #206.70B/150.50A        | ----                       | 187.90 + 12.80           | .3030  | ----          | ----                     | ----              | ----              | 11               | UNCH |      |  |
| 4000           | ----               | ----                      | #246.20B/181.20    | #246.20B/181.20A        | ----                       | 224.20 + 14.20           | .3468  | ----          | ----                     | ----              | ----              | 6                | UNCH |      |  |
| 4070           | ----               | ----                      | #275.90B/205.70    | #275.90B/205.70A        | ----                       | 252.70 + 14.90           | .3789  | ----          | ----                     | ----              | ----              | 2                | UNCH |      |  |
| 4200           | ----               | ----                      | #337.60B/257.60    | #337.60B/257.60A        | ----                       | 312.30 + 15.20           | .4403  | ----          | ----                     | ----              | ----              | 575              | UNCH |      |  |
| 4300           | ----               | ----                      | #387.00B/304.10    | #387.00B/304.10A        | ----                       | 364.30 NEW               | .4879  | ----          | 25                       | 40                | ----              | 65               | +    |      |  |
| 4325           | ----               | ----                      | #401.40B/316.40    | #401.40B/316.40A        | ----                       | 378.10 + 15.00           | .4997  | ----          | ----                     | ----              | ----              | 10               | UNCH |      |  |
| 4370           | ----               | ----                      | #433.00B/339.30    | #433.00B/339.30A        | ----                       | 403.70 + 14.90           | .5207  | ----          | ----                     | ----              | ----              | 250              | UNCH |      |  |
| 4500           | ----               | ----                      | #512.20B/417.10    | #512.20B/417.10A        | ----                       | 483.60 + 15.50           | .5795  | ----          | ----                     | ----              | ----              | 6                | UNCH |      |  |
| 4525           | ----               | ----                      | #527.40B/432.00    | #527.40B/432.00A        | ----                       | 499.90 + 15.70           | .5904  | ----          | ----                     | ----              | ----              | 11               | UNCH |      |  |
| 4650           | ----               | ----                      | ----/510.90A       | #546.70B/510.90A        | ----                       | 585.50 + 16.80           | .6422  | ----          | ----                     | ----              | ----              | 3                | UNCH |      |  |
| 4660           | ----               | ----                      | ----/517.60A       | #545.20B/517.60A        | ----                       | 592.60 + 16.80           | .6462  | ----          | ----                     | ----              | ----              | 25               | UNCH |      |  |
| 4680           | ----               | ----                      | ----/530.90A       | #544.80B/530.90A        | ----                       | 607.10 + 17.10           | .6540  | ----          | ----                     | ----              | ----              | 1                | UNCH |      |  |
| 4700           | ----               | ----                      | ----/544.20A       | #542.80B/544.20A        | ----                       | 621.60 + 17.30           | .6617  | ----          | 25                       | ----              | ----              | 9                | -    |      |  |
| 4710           | ----               | ----                      | ----/551.00A       | #542.70B/551.00A        | ----                       | 629.00 + 17.50           | .6654  | ----          | ----                     | ----              | ----              | 4                | UNCH |      |  |
| 4720           | ----               | ----                      | ----/557.70A       | #545.30B/557.70A        | ----                       | 636.40 + 17.60           | .6692  | ----          | ----                     | ----              | ----              | 2                | UNCH |      |  |
| 4740           | ----               | ----                      | ----               | 496.20B/780.00A         | ----                       | 651.20 + 17.70           | .6766  | ----          | ----                     | ----              | ----              | 3                | UNCH |      |  |
| 4750           | ----               | ----                      | ----               | 503.80B/787.20A         | ----                       | 658.70 + 17.90           | .6802  | ----          | ----                     | ----              | ----              | 15               | UNCH |      |  |
| 4810           | ----               | ----                      | ----               | #549.70B/830.80A        | ----                       | 704.50 + 18.60           | .7015  | ----          | ----                     | ----              | ----              | 22               | UNCH |      |  |
| 4850           | ----               | ----                      | ----               | #581.10B/860.60A        | ----                       | 735.70 + 19.00           | .7150  | ----          | ----                     | ----              | ----              | 6                | UNCH |      |  |
| 4900           | ----               | ----                      | ----               | #621.20B/898.40A        | ----                       | 775.40 + 19.50           | .7311  | ----          | ----                     | ----              | ----              | 2                | UNCH |      |  |
| 4905           | ----               | ----                      | ----               | #625.30B/902.30A        | ----                       | 779.50 + 19.60           | .7327  | ----          | ----                     | ----              | ----              | 2                | UNCH |      |  |
| 5000           | ----               | ----                      | ----               | #703.80B/976.40A        | ----                       | 857.20 + 20.30           | .7608  | ----          | ----                     | ----              | ----              | 75               | UNCH |      |  |
| TOTAL          |                    |                           |                    |                         |                            |                          |        |               |                          | 54                | 40                | 2016+            | 62   |      |  |
| APR27          |                    |                           |                    |                         |                            |                          |        |               |                          |                   |                   |                  |      |      |  |
| 3460           | ----               | ----                      | #98.20B/71.00A     | #98.20B/71.00A          | ----                       | 89.70 + 6.00             | .1569  | ----          | ----                     | ----              | ----              | 1                | UNCH |      |  |
| 3500           | ----               | ----                      | #106.20B/76.90A    | #106.20B/76.90A         | ----                       | 96.60 + 5.90             | .1677  | ----          | ----                     | ----              | ----              | 1                | UNCH |      |  |
| 3545           | ----               | ----                      | #115.90B/84.00A    | #115.90B/84.00A         | ----                       | 105.00 + 5.90            | .1805  | ----          | ----                     | ----              | ----              | 10               | UNCH |      |  |
| 3590           | ----               | ----                      | #126.30B/91.80A    | #126.30B/91.80A         | ----                       | 114.20 + 6.00            | .1941  | ----          | ----                     | ----              | ----              | 10               | UNCH |      |  |
| 3595           | ----               | ----                      | #127.50B/92.70A    | #127.50B/92.70A         | ----                       | 115.30 + 6.00            | .1956  | ----          | ----                     | ----              | ----              | 10               | UNCH |      |  |
| 3600           | ----               | ----                      | #128.80B/93.60A    | #128.80B/93.60A         | ----                       | 116.40 + 6.10            | .1972  | ----          | ----                     | ----              | ----              | 1                | UNCH |      |  |
| 3700           | ----               | ----                      | #155.30B/113.50    | #155.30B/113.50A        | ----                       | 140.10 + 6.50            | .2305  | ----          | ----                     | ----              | ----              | 2                | UNCH |      |  |
| 3750           | 161.00             | 161.00                    | #170.00B/124.80    | #170.00B/124.80A        | ----                       | 153.60 NEW               | .2485  | ----          | 25                       | ----              | ----              | 25               | +    |      |  |
| 3800           | ----               | ----                      | #185.80B/137.00    | #185.80B/137.00A        | ----                       | 168.20 + 7.40            | .2673  | ----          | ----                     | ----              | ----              | 1                | UNCH |      |  |
| 3900           | ----               | ----                      | #221.10B/164.70    | #221.10B/164.70A        | ----                       | 200.90 + 8.60            | .3072  | ----          | ----                     | ----              | ----              | 1                | UNCH |      |  |
| 4000           | ----               | ----                      | #261.30B/196.60    | #261.30B/196.60A        | ----                       | 238.50 + 10.00           | .3496  | ----          | ----                     | ----              | ----              | 1                | UNCH |      |  |
| 4100           | 280.00             | 280.00                    | #305.50B/233.20    | #305.50B/233.20A        | ----                       | 281.00 + 11.50           | .3937  | ----          | 5                        | ----              | ----              | 6                | +    |      |  |
| 4200           | ----               | ----                      | #346.90B/274.80    | #346.90B/274.80A        | ----                       | 328.50 + 13.00           | .4389  | ----          | ----                     | ----              | ----              | 1                | UNCH |      |  |
| 4300           | ----               | ----                      | #401.90B/321.70    | #401.90B/321.70A        | ----                       | 381.00 + 14.40           | .4842  | ----          | ----                     | ----              | 151               | UNCH             |      |      |  |
| 4350           | ----               | ----                      | #431.30B/346.80    | #431.30B/346.80A        | ----                       | 409.00 + 14.90           | .5065  | ----          | ----                     | ----              | ----              | 1                | UNCH |      |  |
| 4400           | ----               | ----                      | #461.90B/379.10    | #461.90B/379.10A        | ----                       | 438.30 + 15.50           | .5285  | ----          | ----                     | ----              | ----              | 1                | UNCH |      |  |
| 4500           | ----               | ----                      | #526.60B/435.30    | #526.60B/435.30A        | ----                       | 500.20 + 16.30           | .5712  | ----          | ----                     | ----              | ----              | 1                | UNCH |      |  |
| 4540           | ----               | ----                      | #553.60B/459.20    | #553.60B/459.20A        | ----                       | 526.20 + 16.60           | .5877  | ----          | ----                     | ----              | ----              | 1                | UNCH |      |  |
| 4900           | ----               | ----                      | ----               | #583.40B/967.70A        | ----                       | 788.70 + 17.20           | .7173  | ----          | ----                     | ----              | ----              | 2                | UNCH |      |  |
| 4905           | ----               | ----                      | ----               | #587.40B/971.40A        | ----                       | 792.60 + 17.10           | .7188  | ----          | ----                     | ----              | ----              | 2                | UNCH |      |  |
| 5000           | ----               | ----                      | ----               | #665.60B/1043.90A       | ----                       | 869.30 + 17.30           | .7465  | ----          | ----                     | ----              | ----              | 100              | UNCH |      |  |
| 5060           | ----               | ----                      | ----               | #716.30B/1090.80A       | ----                       | 919.10 + 17.60           | .7626  | ----          | ----                     | ----              | ----              | 25               | UNCH |      |  |
| 5200           | ----               | ----                      | ----               | #838.00B/1203.70A       | ----                       | 1038.50 + 18.60          | .7961  | ----          | ----                     | ----              | ----              | 15               | UNCH |      |  |
| TOTAL          |                    |                           |                    |                         |                            |                          |        |               |                          | 30                |                   | 369+             | 30   |      |  |
| JUN27          |                    |                           |                    |                         |                            |                          |        |               |                          |                   |                   |                  |      |      |  |
| 2800           | ----               | ----                      | ----/27.00A        | 0.10B/27.00A            | ----                       | 30.30 + 0.60             | .0520  | ----          | ----                     | ----              | ----              | 6                | UNCH |      |  |
| 3625           | ----               | ----                      | ----               | 9.10B/246.70A           | ----                       | 178.50 + 4.90            | .2280  | ----          | ----                     | ----              | ----              | 450              | UNCH |      |  |
| 4900           | ----               | ----                      | ----               | #388.30B/1180.80A       | ----                       | 867.20 + 12.60           | .6353  | ----          | ----                     | ----              | ----              | 1                | UNCH |      |  |
| 4905           | ----               | ----                      | ----               | #392.30B/1184.30A       | ----                       | 870.90 + 12.60           | .6366  | ----          | ----                     | ----              | ----              | 1                | UNCH |      |  |
| 5085           | ----               | ----                      | ----               | #541.80B/1314.40A       | ----                       | 1007.60 + 13.70          | .6813  | ----          | ----                     | ----              | ----              | 150              | UNCH |      |  |
| TOTAL          |                    |                           |                    |                         |                            |                          |        |               |                          |                   |                   | 608              | 0    |      |  |
| DEC27          |                    |                           |                    |                         |                            |                          |        |               |                          |                   |                   |                  |      |      |  |
| 3700           | ----               | ----                      | ----               | ----                    | ----                       | 220.20 + 5.20            | .2385  | ----          | ----                     | ----              | ----              | 100              | UNCH |      |  |
| 3715           | ----               | ----                      | ----               | ----                    | ----                       | 224.20 + 5.30            | .2424  | ----          | ----                     | ----              | ----              | 150              | UNCH |      |  |
| 3820           | ----               | ----                      | ----               | ----                    | ----                       | 253.90 + 5.90            | .2701  | ----          | ----                     | ----              | ----              | 50               | UNCH |      |  |
| 4130           | ----               | ----                      | ----               | ----                    | ----                       | 360.20 + 7.90            | .3624  | ----          | ----                     | ----              | ----              | 168              | UNCH |      |  |
| 4500           | ----               | ----                      | ----               | ----                    | ----                       | 533.10 + 10.70           | .4863  | ----          | ----                     | ----              | ----              | 270              | UNCH |      |  |
| 4630           | ----               | ----                      | ----               | ----                    | ----                       | 607.00 + 11.70           | .5292  | ----          | ----                     | ----              | ----              | 284              | UNCH |      |  |
| 4860           | ----               | ----                      | ----               | ----                    | ----                       | 753.70 + 13.40           | .6007  | ----          | ----                     | ----              | ----              | 100              | UNCH |      |  |
| 5000           | ----               | ----                      | ----               | ----                    | ----                       | 852.20 + 14.40           | .6402  | ----          | ----                     | ----              | ----              | 50               | UNCH |      |  |
| 5650           | ----               | ----                      | ----               | ----                    | ----                       | 1373.90 + 18.10          | .7809  | ----          | ----                     | ----              | ----              | 200              | UNCH |      |  |
| 5880           | ----               | ----                      | ----               | ----                    | ----                       | 1576.00 + 19.10          | .8163  | ----          | ----                     | ----              | ----              | 200              | UNCH |      |  |
| TOTAL          |                    |                           |                    |                         |                            |                          |        |               |                          |                   |                   | 1572             | 0    |      |  |
| JAN28          |                    |                           |                    |                         |                            |                          |        |               |                          |                   |                   |                  |      |      |  |
| 5000           | ----               | ----                      | ----               | ----                    | ----                       | 843.80 + 14.80           | .6225  | ----          | ----                     | ----              | ----              | 1                | UNCH |      |  |
| 5100           | ----               | ----                      | ----               | ----                    | ----                       | 916.30 + 15.50           | .6485  | ----          | ----                     | ----              | ----              | 1                | UNCH |      |  |
| TOTAL          |                    |                           |                    |                         |                            |                          |        |               |                          |                   |                   | 2                | 0    |      |  |
|                | GLOBEX<br>OPEN     | OPEN OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN OUTCRY<br>HIGH/LOW | OPEN OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA  | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME     | OPEN<br>INTEREST |      |      |  |
| OG CALL        | COMEX GOLD OPTIONS |                           |                    |                         |                            |                          |        |               |                          |                   |                   |                  |      |      |  |
| JUL26          |                    |                           |                    |                         |                            |                          |        |               |                          |                   |                   |                  |      |      |  |
| 2000           | ----               | ----                      | 2,223.50B/*2,08    | 2223.50B/*2081.20A      | ----                       | 2114.00 - 19.30          | 1.0000 | 225           | ----                     | 325               | ----              | 0                | UNCH |      |  |
| 3300           | ----               | ----                      | ----               | ----                    | ----                       | 815.10 - 19.60           | .9899  | ----          | ----                     | ----              | ----              | 2                | UNCH |      |  |
| 3400           | ----               | ----                      | ----/653.70A       | 734.90B/653.70A         | ----                       | 715.90 - 19.70           | .9851  | ----          | ----                     | ----              | ----              | 20               | UNCH |      |  |
| 3500           | ----               | ----                      | 663.60B/557.00A    | 663.60B/557.00A         | ----                       | 617.10 - 19.90           | .9768  | ----          | ----                     | ----              | ----              | 5                | UNCH |      |  |
| 3600           | ----               | ----                      | 593.10B/462.20A    | 593.10B/462.20A         | ----                       | 519.30 - 20.20           | .9623  | ----          | ----                     | ----              | ----              | 24               | UNCH |      |  |
| 3650           | ----               | ----                      | 583.60B/416.20A    | 583.60B/416.20A         | ----                       | 470.90 - 20.50           | .9513  | ----          | ----                     | ----              | ----              | 10               | UNCH |      |  |
| 3670           | ----               | ----                      | 570.50B/398.00A    | 570.50B/398.00A         | ----                       | 451.80 - 20.40           | .9459  | ----          | ----                     | ----              | ----              | 3                | UNCH |      |  |
| 3700           | ----               | ----                      | 541.20B/370.90A    | 541.20B/370.90A         | ----                       | 423.20 - 20.60           | .9360  | ----          | ----                     | ----              | ----              | 118              | UNCH |      |  |
| 3735           | ----               | ----                      | 506.80B/340.10A    | 506.80B/340.10A         | ----                       | 390.30 - 20.60           | .9222  | ----          | ----                     | ----              | ----              | 1                | UNCH |      |  |
| 3775           | ----               | ----                      | 467.60B/305.60A    | 467.60B/305.60A         | ----                       | 353.40 - 20.50           | .9030  | ----          | ----                     | ----              | ----              | 3                | UNCH |      |  |
| 3800           | 323.00             | 323.00                    | 443.40B/284.70A    | 443.40B/284.70A         | ----                       | 330.80 - 20.30           | .8882  | ----          | 2                        | ----              | 2056              | UNCH             |      |      |  |
| 3825           | ----               | ----                      | 419.60B/264.30A    | 419.60B/264.30A         | ----                       | 308.50 - 20.20           | .8717  | ----          | ----                     | ----              | ----              | 3                | UNCH |      |  |
| 3850           | 306.90             | 306.90                    | 395.70B/244.10A    | 395.70B/244.10A         | ----                       | 286.60 - 19.90           | .8535  | ----          | 1                        | ----              | 66                | +                |      |      |  |
| 3860           | ----               | ----                      | 386.00B/236.30A    | 386.00B/236.30A         | ----                       | 278.00 - 19.80           | .8454  | ----          | ----                     | ----              | ----              | 1                | UNCH |      |  |
| 3865           | ----               | ----                      | 381.30B/232.50A    | 381.30B/232.50A         | ----                       | 273.70 - 19.70           | .8413  | ----          | ----                     | ----              | ----              | 7                | UNCH |      |  |
| 3875           | ----               | ----                      | 371.90B/224.60A    | 371.90B/224.60A         | ----                       | 265.20 - 19.60           | .8329  | ----          | ----                     | ----              | ----              | 25               | UNCH |      |  |
| 3900           | 307.30             | 307.30                    | 348.80B/205.60A    | 348.80B/205.60A         | ----                       | 244.10 - 19.40           | .8099  | ----          | 13                       | ----              | 23                | +                |      |      |  |
| 3905           | ----               | ----                      | 343.90B/201.90A    | 343.90B/201.90A         | ----                       | 240.00 - 19.30           | .8052  | ----          | ----                     | ----              | ----              | 1                | UNCH |      |  |
| 3925           | ----               | ----                      | 325.50B/187.50A    | 325.50B/187.50A         | ----                       | 223.60 - 19.10           | .7846  | ----          | ----                     | ----              | ----              | 35               | UNCH |      |  |
| 3950           | ----               | ----                      | 302.90B/169.80A    | 302.90B/169.80A         | ----                       | 203.70 - 18.70           | .7570  | ----          | ----                     | ----              | 821               | UNCH             |      |      |  |
| 3955           | 189.60             | 189.60                    | 298.50B/166.40A    | 298.50B/166.40A         | ----                       | 199.80 NEW               | .7511  | ----          | 1                        | ----              | 1                 | +                |      |      |  |
| 3960           | 185.80             | 185.80                    | 293.80B/163.00A    | 293.80B/163.00A         | ----                       | 195.90 - 18.50           | .7451  | ----          | 1                        | ----              | 1                 | UNCH             |      |      |  |
| 3965           | 176.60             | 176.60                    | 289.40B/159.70A    | 289.40B/159.70A         | ----                       | 192.10 NEW               | .7391  | ----          | 2                        | ----              | 2                 | +                |      |      |  |
| 3975           | 174.60             | 174.60                    | 280.70B/153.90A    | 280.70B/153.90A         | ----                       | 184.40 - 18.30           | .7265  | ----          | 1                        | ----              | 2                 | +                |      |      |  |
| 3990           | ----               | ----                      | 267.40B/144.00A    |                         |                            |                          |        |               |                          |                   |                   |                  |      |      |  |

| PG64 BULLETIN #111@ |                              |                    |                            | METALS OPTION PRODUCTS        |                          |               |               |                          |                   | Thu, Jun 11, 2026 PG64 |                  |      |      |
|---------------------|------------------------------|--------------------|----------------------------|-------------------------------|--------------------------|---------------|---------------|--------------------------|-------------------|------------------------|------------------|------|------|
| GLOBEX<br>OPEN      | OPEN<br>OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA         | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME          | OPEN<br>INTEREST |      |      |
| OG CALL<br>JUL26    | COMEX GOLD OPTIONS           |                    |                            |                               |                          |               |               |                          |                   |                        |                  |      |      |
| 4115                | 100.30                       | 100.30             | 166.60B/*76.10A            | 166.60B/*76.10A               | ----                     | 91.90 - 14.90 | .5088         | ----                     | ----              | 3                      | ----             | 12   | UNCH |
| 4120                | 97.80                        | 97.80              | 162.80B/*73.90A            | 162.80B/*73.90A               | ----                     | 89.20 - 14.70 | .4999         | ----                     | ----              | 5                      | ----             | 5 +  | 2    |
| 4125                | 86.00                        | 86.00              | 159.20B/*71.80A            | 159.20B/*71.80A               | ----                     | 86.60 - 14.50 | .4909         | ----                     | ----              | 9                      | ----             | 21 + | 4    |
| 4130                | 92.20                        | 92.20              | 155.60B/*69.80A            | 155.60B/*69.80A               | ----                     | 84.00 - 14.30 | .4818         | ----                     | 69                | ----                   | 41 +             | 35   |      |
| 4135                | 75.10                        | 75.10              | 152.10B/*67.70A            | 152.10B/*67.70A               | ----                     | 81.40 - 14.20 | .4727         | ----                     | 4                 | ----                   | 6 +              | 3    |      |
| 4140                | 84.70                        | 84.70              | 148.60B/*65.70A            | 148.60B/*65.70A               | ----                     | 78.90 - 14.00 | .4636         | ----                     | 7                 | ----                   | 14 +             | 3    |      |
| 4145                | 75.00                        | 75.00              | 145.30B/*63.70A            | 145.30B/*63.70A               | ----                     | 76.40 - 13.80 | .4545         | ----                     | 2                 | ----                   | 46 +             | 2    |      |
| 4150                | 69.50                        | 69.50              | 141.70B/*61.70A            | 141.70B/*61.70A               | ----                     | 74.00 - 13.60 | .4453         | ----                     | 114               | ----                   | 152 +            | 22   |      |
| 4155                | 77.50                        | 77.50              | 138.50B/*59.80A            | 138.50B/*59.80A               | ----                     | 71.60 - 13.50 | .4361         | ----                     | 12                | ----                   | 12 +             | 6    |      |
| 4160                | 57.80                        | 57.80              | 135.00B/*57.80             | 135.00B/*57.80                | ----                     | 69.30 - 13.30 | .4270         | ----                     | 11                | ----                   | 47 +             | 8    |      |
| 4165                | 58.10                        | 58.10              | 131.70B/*55.90A            | 131.70B/*55.90A               | ----                     | 67.00 - 13.10 | .4178         | ----                     | 14                | ----                   | 16 +             | 8    |      |
| 4170                | 58.80                        | 58.80              | 128.60B/*54.00A            | 128.60B/*54.00A               | ----                     | 64.80 - 12.90 | .4087         | ----                     | 12                | ----                   | 23 +             | 11   |      |
| 4175                | 70.00                        | 70.00              | 125.40B/*52.20A            | 125.40B/*52.20A               | ----                     | 62.60 - 12.80 | .3995         | ----                     | 42                | ----                   | 44 +             | 25   |      |
| 4180                | 77.00                        | 77.00              | 122.10B/*50.40A            | 122.10B/*50.40A               | ----                     | 60.50 - 12.60 | .3904         | ----                     | 8                 | ----                   | 92 +             | 4    |      |
| 4185                | 54.40                        | 54.40              | 119.10B/*48.70A            | 119.10B/*48.70A               | ----                     | 58.40 - 12.40 | .3813         | ----                     | 3                 | ----                   | 71 +             | 3    |      |
| 4190                | 50.00                        | 50.00              | 116.00B/*47.00A            | 116.00B/*47.00A               | ----                     | 56.40 - 12.20 | .3723         | ----                     | 25                | ----                   | 66 +             | 18   |      |
| 4195                | 49.90                        | 49.90              | 113.00B/*45.30A            | 113.00B/*45.30A               | ----                     | 54.40 - 12.10 | .3632         | ----                     | 8                 | ----                   | 16 +             | 3    |      |
| 4200                | 53.80                        | 53.80              | 110.50B/*43.70A            | 110.50B/*43.70A               | ----                     | 52.50 - 11.80 | .3543         | ----                     | 1264              | ----                   | 973 +            | 687  |      |
| 4205                | 46.60                        | 46.60              | 107.80B/*42.10A            | 107.80B/*42.10A               | ----                     | 50.60 - 11.70 | .3454         | ----                     | 20                | ----                   | 26 +             | 16   |      |
| 4210                | 48.00                        | 48.00              | 104.60B/*40.60A            | 104.60B/*40.60A               | ----                     | 48.80 - 11.50 | .3366         | ----                     | 17                | ----                   | 24 +             | 4    |      |
| 4215                | 47.30                        | 47.30              | 101.70B/*39.20A            | 101.70B/*39.20A               | ----                     | 47.00 - 11.30 | .3278         | ----                     | 57                | ----                   | 83 +             | 50   |      |
| 4220                | 41.10                        | 41.10              | 98.70B/*37.80A             | 98.70B/*37.80A                | ----                     | 45.30 - 11.10 | .3192         | ----                     | 20                | ----                   | 21 +             | 13   |      |
| 4225                | 42.50                        | 42.50              | 96.10B/*36.40A             | 96.10B/*36.40A                | ----                     | 43.60 - 10.90 | .3105         | ----                     | 100               | ----                   | 81 +             | 65   |      |
| 4230                | 43.50                        | 43.50              | 93.60B/*35.00A             | 93.60B/*35.00A                | ----                     | 42.00 - 10.70 | .3021         | ----                     | 6                 | ----                   | 10               | UNCH |      |
| 4235                | 39.90                        | 39.90              | 90.90B/*33.70A             | 90.90B/*33.70A                | ----                     | 40.40 - 10.60 | .2936         | ----                     | 15                | ----                   | 10 -             | 1    |      |
| 4240                | 34.00                        | 34.00              | 88.30B/*32.50A             | 88.30B/*32.50A                | ----                     | 38.90 - 10.40 | .2854         | ----                     | 3                 | ----                   | 64 +             | 1    |      |
| 4245                | 37.10                        | 37.10              | 85.70B/*31.20A             | 85.70B/*31.20A                | ----                     | 37.40 - 10.20 | .2772         | ----                     | 5                 | ----                   | 31 -             | 2    |      |
| 4250                | 36.00                        | 36.00              | 83.20B/*30.10A             | 83.20B/*30.10A                | ----                     | 36.00 - 10.00 | .2693         | ----                     | 620               | ----                   | 815 +            | 279  |      |
| 4255                | 31.90                        | 31.90              | 80.80B/*29.00A             | 80.80B/*29.00A                | ----                     | 34.60 - 9.80  | .2613         | ----                     | 15                | ----                   | 22 +             | 2    |      |
| 4260                | 29.90                        | 29.90              | 78.40B/*27.90A             | 78.40B/*27.90A                | ----                     | 33.20 - 9.70  | .2533         | ----                     | 56                | ----                   | 46 +             | 12   |      |
| 4265                | 29.40                        | 29.40              | 76.10B/*26.80A             | 76.10B/*26.80A                | ----                     | 31.90 - 9.50  | .2456         | ----                     | 6                 | ----                   | 22 +             | 2    |      |
| 4270                | 29.60                        | 29.60              | 73.90B/*25.80A             | 73.90B/*25.80A                | ----                     | 30.70 - 9.30  | .2383         | ----                     | 10                | ----                   | 53 +             | 5    |      |
| 4275                | 28.40                        | 28.40              | 71.70B/*24.80A             | 71.70B/*24.80A                | ----                     | 29.50 - 9.10  | .2310         | ----                     | 37                | ----                   | 126 +            | 34   |      |
| 4280                | 25.60                        | 25.60              | 69.50B/*23.90A             | 69.50B/*23.90A                | ----                     | 28.30 - 8.90  | .2236         | ----                     | 12                | ----                   | 22 +             | 3    |      |
| 4285                | 25.00                        | 25.00              | 67.30B/*23.00A             | 67.30B/*23.00A                | ----                     | 27.20 - 8.70  | .2166         | ----                     | 2                 | ----                   | 17 +             | 1    |      |
| 4290                | 23.80                        | 23.80              | 65.20B/*22.00A             | 65.20B/*22.00A                | ----                     | 26.10 - 8.60  | .2096         | ----                     | 20                | ----                   | 58 +             | 16   |      |
| 4295                | 24.00                        | 24.00              | 63.00B/*21.30A             | 63.00B/*21.30A                | ----                     | 25.00 - 8.40  | .2026         | ----                     | 13                | ----                   | 59 +             | 3    |      |
| 4300                | 23.50                        | 23.50              | 61.10B/*20.40A             | 61.10B/*20.40A                | ----                     | 24.00 - 8.20  | .1960         | ----                     | 1261              | ----                   | 1295 +           | 804  |      |
| 4305                | 20.80                        | 20.80              | 59.10B/*19.60A             | 59.10B/*19.60A                | ----                     | 23.10 - 8.00  | .1898         | ----                     | 3                 | ----                   | 13 +             | 2    |      |
| 4310                | 22.00                        | 22.00              | 57.30B/*18.90A             | 57.30B/*18.90A                | ----                     | 22.10 - 7.90  | .1832         | ----                     | 10                | ----                   | 36 +             | 7    |      |
| 4315                | 19.70                        | 19.70              | 55.30B/*18.20A             | 55.30B/*18.20A                | ----                     | 21.20 - 7.70  | .1770         | ----                     | 4                 | ----                   | 31 +             | 3    |      |
| 4320                | 34.30                        | 34.30              | 53.50B/*17.50A             | 53.50B/*17.50A                | ----                     | 20.40 - 7.50  | .1713         | ----                     | 4                 | ----                   | 13 +             | 3    |      |
| 4325                | 17.90                        | 17.90              | 51.80B/*16.80A             | 51.80B/*16.80A                | ----                     | 19.50 - 7.30  | .1652         | ----                     | 108               | ----                   | 133 +            | 71   |      |
| 4330                | 18.70                        | 18.70              | 50.10B/*16.10A             | 50.10B/*16.10A                | ----                     | 18.70 - 7.20  | .1595         | ----                     | 108               | ----                   | 78 +             | 58   |      |
| 4335                | 17.70                        | 17.70              | 48.40B/*15.50A             | 48.40B/*15.50A                | ----                     | 17.90 - 7.00  | .1538         | ----                     | 40                | ----                   | 48 +             | 37   |      |
| 4340                | 18.00                        | 18.00              | 46.70B/*14.90A             | 46.70B/*14.90A                | ----                     | 17.20 - 6.80  | .1486         | ----                     | 15                | ----                   | 36 +             | 2    |      |
| 4345                | 17.60                        | 17.60              | 45.10B/*14.40A             | 45.10B/*14.40A                | ----                     | 16.50 - 6.60  | .1434         | ----                     | 17                | ----                   | 59 +             | 8    |      |
| 4350                | 16.70                        | 16.70              | 43.60B/*13.80A             | 43.60B/*13.80A                | ----                     | 15.80 - 6.50  | .1382         | ----                     | 258               | 1770                   | 2161 +           | 1714 |      |
| 4355                | 13.50                        | 13.50              | 42.00B/*13.30A             | 42.00B/*13.30A                | ----                     | 15.10 - 6.30  | .1330         | ----                     | 6                 | ----                   | 66 +             | 3    |      |
| 4360                | 14.00                        | 14.00              | 40.60B/*12.80A             | 40.60B/*12.80A                | ----                     | 14.50 - 6.20  | .1284         | ----                     | 3                 | ----                   | 840              | UNCH |      |
| 4365                | 13.60                        | 13.60              | 39.70B/*12.30A             | 39.70B/*12.30A                | ----                     | 13.90 - 6.00  | .1237         | ----                     | 9                 | ----                   | 84 +             | 1    |      |
| 4370                | 16.10                        | 16.10              | 37.80B/*11.80A             | 37.80B/*11.80A                | ----                     | 13.30 - 5.90  | .1191         | ----                     | 13                | ----                   | 73 +             | 9    |      |
| 4375                | 14.10                        | 14.10              | 36.40B/*11.30A             | 36.40B/*11.30A                | ----                     | 12.70 - 5.80  | .1145         | ----                     | 222               | ----                   | 140 -            | 125  |      |
| 4380                | 12.20                        | 12.20              | 35.20B/*10.90A             | 35.20B/*10.90A                | ----                     | 12.20 - 5.60  | .1104         | ----                     | 87                | ----                   | 125 +            | 63   |      |
| 4385                | 11.80                        | 11.80              | 34.00B/*10.50A             | 34.00B/*10.50A                | ----                     | 11.70 - 5.40  | .1064         | ----                     | 15                | ----                   | 31 +             | 14   |      |
| 4390                | 14.50                        | 14.50              | 32.60B/*10.00A             | 32.60B/*10.00A                | ----                     | 11.20 - 5.30  | .1024         | ----                     | 54                | ----                   | 95 +             | 44   |      |
| 4395                | 10.80                        | 10.80              | 31.60B/*9.60A              | 31.60B/*9.60A                 | ----                     | 10.70 - 5.20  | .0984         | ----                     | 12                | ----                   | 22 +             | 9    |      |
| 4400                | 11.00                        | 11.00              | 30.40B/*9.10               | 30.40B/*9.10                  | ----                     | 10.20 - 5.20  | .0944         | ----                     | 1018              | 1650                   | 5004 +           | 1766 |      |
| 4405                | 10.00                        | 10.00              | 29.30B/*8.90A              | 29.30B/*8.90A                 | ----                     | 9.80 - 5.00   | .0910         | ----                     | 22                | ----                   | 31 +             | 16   |      |
| 4410                | 9.60                         | 9.60               | 28.20B/*8.50               | 28.20B/*8.50                  | ----                     | 9.30 - 5.00   | .0870         | ----                     | 13                | ----                   | 63 +             | 2    |      |
| 4415                | 13.30                        | 13.30              | 27.20B/*8.20A              | 27.20B/*8.20A                 | ----                     | 8.90 - 4.90   | .0836         | ----                     | 44                | ----                   | 91 +             | 39   |      |
| 4420                | 10.90                        | 10.90              | 26.20B/*7.90A              | 26.20B/*7.90A                 | ----                     | 8.50 - 4.80   | .0802         | ----                     | 38                | ----                   | 107 +            | 32   |      |
| 4425                | 10.40                        | 10.40              | 25.20B/*7.60A              | 25.20B/*7.60A                 | ----                     | 8.20 - 4.60   | .0775         | ----                     | 46                | ----                   | 239 +            | 42   |      |
| 4430                | 10.10                        | 10.10              | 24.20B/*7.30A              | 24.20B/*7.30A                 | ----                     | 7.80 - 4.60   | .0742         | ----                     | 20                | ----                   | 155 +            | 14   |      |
| 4435                | 9.20                         | 9.20               | 23.50B/*7.00A              | 23.50B/*7.00A                 | ----                     | 7.50 - 4.50   | .0715         | ----                     | 9                 | ----                   | 55 +             | 6    |      |
| 4440                | 11.50                        | 11.50              | 22.50B/*6.80A              | 22.50B/*6.80A                 | ----                     | 7.20 - 4.30   | .0688         | ----                     | 2                 | ----                   | 33               | UNCH |      |
|                     |                              |                    |                            |                               |                          |               |               |                          |                   |                        |                  |      |      |

| GLOBEX<br>OPEN |      | OPEN<br>OPEN       | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |            |  |
|----------------|------|--------------------|-----------------|--------------------|------------------|--------------------|---------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------------|--|
| OG CALL        |      | COMEX GOLD OPTIONS |                 |                    |                  |                    |               |                 |                          |       |               |                          |                   |               |                  |            |  |
| JUL26          |      |                    |                 |                    |                  |                    |               |                 |                          |       |               |                          |                   |               |                  |            |  |
| 4800           | 2.00 | 2.00               |                 | 2.40/*1.20         | 2.40/*1.20       | ----               | 1.00          | - 1.10          | .0087                    | ----  | ----          | ----                     | 369               | ----          | ----             | 3817 + 330 |  |
| 4805           | 1.30 | 1.30               |                 | 2.10B/*1.20A       | 2.10B/*1.20A     | ----               | 1.00          | - 1.10          | .0087                    | ----  | ----          | ----                     | 14                | ----          | ----             | 310 + 1    |  |
| 4810           | 1.30 | 1.30               |                 | 2.20B/*1.20A       | 2.20B/*1.20A     | ----               | 1.00          | - 1.00          | .0086                    | ----  | ----          | ----                     | 16                | ----          | ----             | 102 + 16   |  |
| 4815           | 1.30 | 1.30               |                 | 2.00B/*1.20A       | 2.00B/*1.20A     | ----               | 1.00          | - 1.00          | .0086                    | ----  | ----          | ----                     | 11                | ----          | ----             | 75 + 11    |  |
| 4820           | 1.30 | 1.30               |                 | 2.00B/*1.30        | 2.00B/*1.30      | ----               | 1.00          | - 1.00          | .0085                    | ----  | ----          | ----                     | 1                 | ----          | ----             | 70 UNCH    |  |
| 4825           | ---- | ----               |                 | 2.10B/*1.20A       | 2.10B/*1.20A     | ----               | 1.00          | - 0.90          | .0085                    | ----  | ----          | ----                     | ----              | ----          | ----             | 737 UNCH   |  |
| 4830           | ---- | ----               |                 | 2.00B/*1.30A       | 2.00B/*1.30A     | ----               | 1.00          | - 0.90          | .0084                    | ----  | ----          | ----                     | ----              | ----          | ----             | 159 UNCH   |  |
| 4835           | ---- | ----               |                 | ----/*1.20A        | 1.90B/*1.20A     | ----               | 1.00          | - 0.90          | .0084                    | ----  | ----          | ----                     | ----              | ----          | ----             | 95 UNCH    |  |
| 4840           | ---- | ----               |                 | ----/*1.10A        | 1.80B/*1.10A     | ----               | 1.00          | - 0.90          | .0084                    | ----  | ----          | ----                     | ----              | ----          | ----             | 220 UNCH   |  |
| 4845           | ---- | ----               |                 | 1.90B/*1.20A       | 1.90B/*1.20A     | ----               | 0.90          | - 0.90          | .0076                    | ----  | ----          | ----                     | 11                | ----          | ----             | 147 + 8    |  |
| 4850           | 0.60 | 0.60               |                 | 1.90B/*0.60        | 1.90B/*0.60      | ----               | 0.90          | - 0.90          | .0076                    | ----  | ----          | ----                     | 268               | ----          | ----             | 1590 - 41  |  |
| 4855           | ---- | ----               |                 | ----/*1.20A        | 1.80B/*1.20A     | ----               | 0.90          | - 0.90          | .0075                    | ----  | ----          | ----                     | ----              | ----          | ----             | 251 UNCH   |  |
| 4860           | 1.40 | 1.40               |                 | 1.80B/*1.20A       | 1.80B/*1.20A     | ----               | 0.90          | - 0.90          | .0075                    | ----  | 1             | ----                     | ----              | ----          | ----             | 115 UNCH   |  |
| 4865           | ---- | ----               |                 | ----/*1.10A        | 1.60B/*1.10A     | ----               | 0.90          | - 0.80          | .0074                    | ----  | ----          | ----                     | ----              | ----          | ----             | 118 UNCH   |  |
| 4870           | ---- | ----               |                 | ----/*1.10A        | 1.60B/*1.10A     | ----               | 0.90          | - 0.80          | .0074                    | ----  | ----          | ----                     | ----              | ----          | ----             | 157 UNCH   |  |
| 4875           | ---- | ----               |                 | ----/*1.20A        | 1.70B/*1.20A     | ----               | 0.90          | - 0.80          | .0074                    | ----  | ----          | ----                     | ----              | ----          | ----             | 150 UNCH   |  |
| 4880           | 1.50 | 1.50               |                 | 1.70B/*1.10A       | 1.70B/*1.10A     | ----               | 0.90          | - 0.80          | .0073                    | ----  | ----          | 294                      | ----              | ----          | ----             | 456 + 270  |  |
| 4885           | ---- | ----               |                 | ----/*1.10A        | 1.50B/*1.10A     | ----               | 0.90          | - 0.80          | .0073                    | ----  | ----          | ----                     | ----              | ----          | ----             | 81 UNCH    |  |
| 4890           | ---- | ----               |                 | ----/*1.10A        | 1.60B/*1.10A     | ----               | 0.90          | - 0.70          | .0073                    | ----  | ----          | ----                     | ----              | ----          | ----             | 90 UNCH    |  |
| 4895           | ---- | ----               |                 | ----/*1.10A        | 1.50B/*1.10A     | ----               | 0.90          | - 0.70          | .0072                    | ----  | ----          | ----                     | ----              | ----          | ----             | 74 UNCH    |  |
| 4900           | 1.10 | 1.10               |                 | 1.50B/*1.10        | 1.50B/*1.10      | ----               | 0.90          | - 0.70          | .0072                    | ----  | ----          | 10                       | ----              | ----          | ----             | 2401 UNCH  |  |
| 4905           | ---- | ----               |                 | ----/*1.10A        | 1.40B/*1.10A     | ----               | 0.90          | - 0.70          | .0072                    | ----  | ----          | ----                     | ----              | ----          | ----             | 35 UNCH    |  |
| 4910           | ---- | ----               |                 | ----/*1.00A        | 1.40B/*1.00A     | ----               | 0.90          | - 0.70          | .0071                    | ----  | 3             | ----                     | ----              | ----          | ----             | 188 UNCH   |  |
| 4915           | ---- | ----               |                 | ----/*1.10A        | 1.50B/*1.10A     | ----               | 0.80          | - 0.70          | .0064                    | ----  | ----          | ----                     | ----              | ----          | ----             | 98 UNCH    |  |
| 4920           | ---- | ----               |                 | ----/*1.10A        | 1.40B/*1.10A     | ----               | 0.80          | - 0.70          | .0064                    | ----  | ----          | ----                     | ----              | ----          | ----             | 367 UNCH   |  |
| 4925           | ---- | ----               |                 | ----/*1.00A        | 1.40B/*1.00A     | ----               | 0.80          | - 0.70          | .0063                    | ----  | ----          | ----                     | ----              | ----          | ----             | 174 UNCH   |  |
| 4930           | ---- | ----               |                 | ----/*1.00A        | 1.30B/*1.00A     | ----               | 0.80          | - 0.70          | .0063                    | ----  | ----          | ----                     | ----              | ----          | ----             | 107 UNCH   |  |
| 4935           | ---- | ----               |                 | ----/*1.10A        | 1.40B/*1.10A     | ----               | 0.80          | - 0.70          | .0063                    | ----  | ----          | ----                     | ----              | ----          | ----             | 644 UNCH   |  |
| 4940           | ---- | ----               |                 | ----/*1.10A        | 1.30B/*1.10A     | ----               | 0.80          | - 0.60          | .0063                    | ----  | ----          | ----                     | ----              | ----          | ----             | 313 UNCH   |  |
| 4945           | ---- | ----               |                 | ----/*1.00A        | 1.30B/*1.00A     | ----               | 0.80          | - 0.60          | .0062                    | ----  | ----          | ----                     | ----              | ----          | ----             | 61 UNCH    |  |
| 4950           | 1.20 | 1.20               |                 | 1.30B/*1.00A       | 1.30B/*1.00A     | ----               | 0.80          | - 0.60          | .0062                    | ----  | 99            | ----                     | ----              | ----          | ----             | 678 + 84   |  |
| 4955           | ---- | ----               |                 | ----/*1.00A        | 1.30B/*1.00A     | ----               | 0.80          | - 0.60          | .0062                    | ----  | ----          | 52                       | ----              | ----          | ----             | 90 UNCH    |  |
| 4960           | ---- | ----               |                 | ----/*1.00A        | 1.30B/*1.00A     | ----               | 0.80          | - 0.60          | .0061                    | ----  | ----          | ----                     | ----              | ----          | ----             | 223 + 7    |  |
| 4965           | ---- | ----               |                 | ----/*1.00A        | 1.30B/*1.00A     | ----               | 0.80          | - 0.60          | .0061                    | ----  | ----          | ----                     | ----              | ----          | ----             | 218 UNCH   |  |
| 4970           | ---- | ----               |                 | ----/*0.90A        | 1.20B/*0.90A     | ----               | 0.80          | - 0.60          | .0061                    | ----  | ----          | ----                     | ----              | ----          | ----             | 67 UNCH    |  |
| 4975           | ---- | ----               |                 | ----/*1.00A        | 1.20B/*1.00A     | ----               | 0.80          | - 0.50          | .0061                    | ----  | ----          | ----                     | ----              | ----          | ----             | 79 UNCH    |  |
| 4980           | ---- | ----               |                 | ----/*1.00A        | 1.20B/*1.00A     | ----               | 0.80          | - 0.50          | .0060                    | ----  | ----          | ----                     | ----              | ----          | ----             | 71 UNCH    |  |
| 4985           | ---- | ----               |                 | ----/*1.00A        | 1.20B/*1.00A     | ----               | 0.80          | - 0.50          | .0060                    | ----  | ----          | ----                     | ----              | ----          | ----             | 96 UNCH    |  |
| 4990           | ---- | ----               |                 | ----/*1.00A        | 1.10B/*1.00A     | ----               | 0.80          | - 0.50          | .0060                    | ----  | ----          | ----                     | ----              | ----          | ----             | 144 UNCH   |  |
| 4995           | ---- | ----               |                 | ----/*1.00A        | 1.10B/*1.00A     | ----               | 0.80          | - 0.50          | .0060                    | ----  | ----          | ----                     | 211               | ----          | ----             | 1055 UNCH  |  |
| 5000           | 1.30 | 1.30               |                 | 1.40/*0.70         | 1.40/*0.70       | ----               | 0.80          | - 0.50          | .0059                    | ----  | ----          | ----                     | ----              | ----          | ----             | 4138 - 9   |  |
| 5005           | ---- | ----               |                 | ----/*1.00A        | 1.10B/*1.00A     | ----               | 0.80          | - 0.50          | .0059                    | ----  | ----          | ----                     | ----              | ----          | ----             | 64 UNCH    |  |
| 5010           | ---- | ----               |                 | ----/*0.80A        | 1.10B/*0.80A     | ----               | 0.80          | - 0.40          | .0059                    | ----  | ----          | ----                     | ----              | ----          | ----             | 54 UNCH    |  |
| 5015           | ---- | ----               |                 | ----/*0.90A        | 1.10B/*0.90A     | ----               | 0.80          | - 0.40          | .0059                    | ----  | ----          | ----                     | ----              | ----          | ----             | 104 UNCH   |  |
| 5020           | ---- | ----               |                 | ----/*0.80A        | 1.00B/*0.80A     | ----               | 0.80          | - 0.40          | .0058                    | ----  | ----          | ----                     | ----              | ----          | ----             | 29 UNCH    |  |
| 5025           | ---- | ----               |                 | ----/*0.90A        | 1.00B/*0.90A     | ----               | 0.80          | - 0.40          | .0058                    | ----  | ----          | ----                     | ----              | ----          | ----             | 314 UNCH   |  |
| 5030           | ---- | ----               |                 | ----/*0.90A        | 1.00B/*0.90A     | ----               | 0.80          | - 0.40          | .0058                    | ----  | ----          | ----                     | ----              | ----          | ----             | 215 UNCH   |  |
| 5035           | ---- | ----               |                 | ----/*0.90A        | 1.00B/*0.90A     | ----               | 0.80          | - 0.40          | .0058                    | ----  | ----          | ----                     | ----              | ----          | ----             | 103 UNCH   |  |
| 5040           | ---- | ----               |                 | ----/*0.80A        | 1.00B/*0.80A     | ----               | 0.80          | - 0.40          | .0057                    | ----  | ----          | ----                     | ----              | ----          | ----             | 27 UNCH    |  |
| 5045           | ---- | ----               |                 | ----/*0.90A        | 1.00B/*0.90A     | ----               | 0.80          | - 0.40          | .0057                    | ----  | ----          | ----                     | ----              | ----          | ----             | 18 UNCH    |  |
| 5050           | ---- | ----               |                 | ----/*0.90A        | 1.00B/*0.90A     | ----               | 0.70          | - 0.50          | .0051                    | ----  | 10            | ----                     | ----              | ----          | ----             | 505 - 10   |  |
| 5055           | ---- | ----               |                 | ----/*0.90A        | 1.00B/*0.90A     | ----               | 0.70          | - 0.40          | .0050                    | ----  | ----          | ----                     | ----              | ----          | ----             | 31 UNCH    |  |
| 5060           | ---- | ----               |                 | ----/*0.80A        | 0.90B/*0.80A     | ----               | 0.70          | - 0.40          | .0050                    | ----  | ----          | ----                     | ----              | ----          | ----             | 37 UNCH    |  |
| 5065           | ---- | ----               |                 | ----/*0.80A        | 0.90B/*0.80A     | ----               | 0.70          | - 0.40          | .0050                    | ----  | ----          | ----                     | ----              | ----          | ----             | 183 UNCH   |  |
| 5070           | ---- | ----               |                 | ----/*0.70A        | 0.90B/*0.70A     | ----               | 0.70          | - 0.40          | .0050                    | ----  | ----          | ----                     | ----              | ----          | ----             | 38 UNCH    |  |
| 5075           | ---- | ----               |                 | ----/*0.80A        | 0.90B/*0.80A     | ----               | 0.70          | - 0.40          | .0050                    | ----  | ----          | ----                     | ----              | ----          | ----             | 149 UNCH   |  |
| 5080           | ---- | ----               |                 | ----/*0.80A        | 0.90B/*0.80A     | ----               | 0.70          | - 0.40          | .0049                    | ----  | ----          | ----                     | ----              | ----          | ----             | 121 UNCH   |  |
| 5085           | 0.70 | 0.70               |                 | 0.90B/*0.70        | 0.90B/*0.70      | ----               | 0.70          | - 0.40          | .0049                    | ----  | 1             | ----                     | ----              | ----          | ----             | 53 UNCH    |  |
| 5090           | 0.70 | 0.70               |                 | 0.90B/*0.70        | 0.90B/*0.70      | ----               | 0.70          | - 0.40          | .0049                    | ----  | 1             | ----                     | ----              | ----          | ----             | 388 - 1    |  |
| 5095           | ---- | ----               |                 | ----/*0.70A        | 0.90B/*0.70A     | ----               | 0.70          | - 0.40          | .0049                    | ----  | ----          | ----                     | ----              | ----          | ----             | 290 UNCH   |  |
| 5100           | ---- | ----               |                 | ----/*0.80A        | 0.90B/*0.80A     | ----               | 0.70          | - 0.40          | .0049                    | ----  | ----          | ----                     | ----              | ----          | ----             | 1437 UNCH  |  |
| 5105           | ---- | ----               |                 | ----/*0.90A        | 0.90B/*0.90A     | ----               | 0.70          | - 0.30          | .0048                    | ----  | ----          | ----                     | ----              | ----          | ----             | 107 UNCH   |  |
| 5110           | ---- | ----               |                 | ----/*0.70A        | 0.80B/*0.70A     | ----               | 0.70          | - 0.30          | .0048                    | ----  | ----          | ----                     | ----              | ----          | ----             | 409 UNCH   |  |
| 5115           | ---- | ----               |                 | ----/*0.80A        | 0.80B/*0.80A     | ----               | 0.70          | - 0.30          | .0048                    | ----  | ----          | ----                     | ----              | ----          | ----             | 37 UNCH    |  |
| 5120           | ---- | ----               |                 | ----/*0.80A        | 0.80B/*0.80A     | ----               | 0.70          | - 0.30          | .0048                    | ----  | ----          | ----                     | ----              | ----          | ----             | 63 UNCH    |  |
| 5125           | ---- | ----               |                 | ----/*0.70A        | 0.80B/*0.70A     | ----               | 0.70          | - 0.30          | .0048                    | ----  | ----          | ----                     | ----              | ----          | ----             | 265 UNCH   |  |
| 5130           | ---- | ----               |                 | ----/*0.70A        | 0.80B/*0.70A     | ----               | 0.60          | - 0.40          | .0042                    | ----  | ----          | ----                     | ----              | ----          | ----             | 43 UNCH    |  |
| 5135           | 0.70 | 0.70               |                 | 0.80B/*0.70        | 0.80B/*0.70      | ----               | 0.60          | - 0.40          | .0041                    | ----  | 1             | ----                     | ----              | ----          | ----             | 174 - 1    |  |
| 5140           | ---- | ----               |                 | ----/*0.70A        | 0.80B/*0.70A     | ----               | 0.60          | - 0.40          | .0041                    | ----  | ----          | ----                     | ----              | ----          | ----             | 72 UNCH    |  |
| 5145           | ---- | ----               |                 | ----/*0.80A        | 0.80B/*0.80A     | ----               | 0.60          | - 0.40          | .0041                    | ----  | ----          | ----                     | ----              | ----          | ----             | 82 UNCH    |  |
| 5150           | ---- | ----               |                 | ----/*0.80A        | 0.70B/*0.80A     | ----               | 0.60          | - 0.40          | .0041                    | ----  | 10            | ----                     | ----              | ----          | ----             | 1422 - 10  |  |
| 5155           | ---- | ----               |                 | ----/*0.60A        | 0.60B/*0.60A     | ----               | 0.60          | - 0.40          | .0041                    | ----  | ----          | ----                     | ----              | ----          | ----             | 22 UNCH    |  |
| 5160           | ---- | ----               |                 | ----/*0.80A        | 0.70B/*0.80A     | ----               | 0.60          | - 0.40          | .0041                    | ----  | ----          | ----                     | ----              | ----          | ----             | 73 UNCH    |  |
| 5165           | ---- | ----               |                 | ----/*0.60A        | 0.60B/*0.60A     | ----               | 0.60          | - 0.30          | .0041                    | ----  | ----          | ----                     | ----              | ----          | ----             | 23 UNCH    |  |
| 5170           | ---- | ----               |                 | ----/*0.60A        | 0.60B/*0.60A     | ----               | 0.60          | - 0.30          | .0040                    | ----  | ----          | ----                     | ----              | ----          | ----             | 16 UNCH    |  |
| 5175           | ---- | ----               |                 | ----/*0.80A        | 0.70B/*0.80A     | ----               | 0.60          | - 0.30          | .0040                    | ----  | ----          | ----                     | ----              | ----          | ----             | 97 UNCH    |  |
| 5180           | ---- | ----               |                 | ----/*0.60A        | 0.60B/*0.60A     | ----               | 0.60          | - 0.30          | .0040                    | ----  | ----          | ----                     | ----              | ----          | ----             | 31 UNCH    |  |
| 5185           | ---- | ----               |                 | ----/*0.50A        | 0.60B/*0.50A     | ----               | 0.60          | - 0.30          | .0040                    | ----  | ----          | ----                     | ----              | ----          | ----             | 155 UNCH   |  |
| 5190           | ---- | ----               |                 | ----/*0.70A        | 0.60B/*0.70A     | ----               | 0.60          | - 0.30          | .0040                    | ----  | ----          | ----                     | ----              | ----          | ----             | 23 UNCH    |  |
| 5195           | 0.50 | 0.50               |                 | 0.60B/*0.50        | 0.60B/*0.50      | ----               | 0.60          | - 0.30          | .0040                    | ----  | 1             | ----                     | ----              | ----          | ----             | 37 + 1     |  |
| 5200           | 0.50 | 0.50               |                 | 0.60/*0.50         | 0.60/*0.50       | ----               | 0.60          | - 0.30          | .0040                    | ----  | 2             | 110                      | ----              | ----          | ----             | 2937 UNCH  |  |
| 5205           | ---- | ----               |                 | ----/*0.60A        | 0.60B/*0.60A     | ----               | 0.60          | - 0.30          | .0039                    | ----  | ----          | ----                     | ----              | ----          | ----             | 50 UNCH    |  |
| 5210           | ---- | ----               |                 | ----/*0.60A        | 0.60B/*0.60A     | ----               | 0.60          | - 0.30          | .0039                    | ----  | ----          | ----                     | ----              | ----          | ----             | 48 UNCH    |  |
| 5215           | ---- | ----               |                 | ----/*0.70A        | 0.60B/*0.70A     | ----               | 0.60          | - 0.30          | .0039                    | ----  | ----          | ----                     | ----              | ----          | ----             | 48 UNCH    |  |
| 5220           | ---- | ----               |                 | ----/*0.60A        | 0.50B/*0.60A     | ----               | 0.50          | - 0.40          | .0033                    | ----  | ----          | ----                     | ----              | ----          | ----             | 43 UNCH    |  |
| 5225           | ---- | ----               |                 | ----/*0.70A        | 0.50B/*0.70A     | ----               | 0.50          | - 0.40          | .0033                    | ----  | ----          | ----                     | ----              | ----          | ----             | 88 UNCH    |  |
| 5230           | ---- | ----               |                 | ----/*0.70A        | 0.50B/*0.70A     | ----               | 0.50          | - 0.30          | .0033                    | ----  | ----          | ----                     | ----              | ----          | ----             | 90 UNCH    |  |
| 5235           | ---- | ----               |                 | ----/*0.70A        | 0.60B/*0.70A     | ----               | 0.50          | - 0.30          | .0033                    | ----  | ----          | ----                     | ----              | ----          | ----             | 35 UNCH    |  |
| 5240           | ---- | ----               |                 | ----/*0.70A        | 0.50B/*0.70A     | ----               | 0.50          | - 0.30          | .0033                    | ----  | ----          | ----                     | ----              | ----          | ----             | 115 UNCH   |  |
| 5245           | ---- | ----               |                 | ----/*0.70A        | 0.50B/*0.70A     | ----               | 0.50          | - 0.30          | .0033                    | ----  | ----          | ----                     | ----              | ----          | ----             | 71 UNCH    |  |
| 5250           | ---- | ----               |                 | ----/0.70A         | 0.50B/0.70A      | ----               | 0.50          | - 0.30          | .0032                    | ----  | ----          | ----                     | ----              | ----          | ----             | 825 UNCH   |  |
| 5255           | ---- | ----               |                 | ----/*0.70A        | 0.50B/*0.70A     | ----               | 0.50          | - 0.30          | .0032                    | ----  | ----          | ----                     | ----              | ----          | ----             | 21 UNCH    |  |
| 5260           | ---- | ----               |                 | ----/*0.70A        | 0.50B/*0.70A     | ----               | 0.50          | - 0.30          | .0032                    | ----  | ----          | ----                     | ----              | ----          | ----             | 150 UNCH   |  |
| 5265           | ---- | ----               |                 |                    |                  |                    |               |                 |                          |       |               |                          |                   |               |                  |            |  |

| BULLETIN #111@ |                    |                        |                 | METALS OPTION PRODUCTS |                            |                         |                 |                          |       |               |                          |                   |               | Thu, Jun 11, 2026 |      | PG64 |
|----------------|--------------------|------------------------|-----------------|------------------------|----------------------------|-------------------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|-------------------|------|------|
|                | GLOBEX<br>OPEN     | OPEN<br>OUTCRY<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW     | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST  |      |      |
| OG CALL        | COMEX GOLD OPTIONS |                        |                 |                        |                            |                         |                 |                          |       |               |                          |                   |               |                   |      |      |
| JUL26          |                    |                        |                 |                        |                            |                         |                 |                          |       |               |                          |                   |               |                   |      |      |
| 5485           | ----               | ----                   | ----            | ----/0.40A             | 0.30B/0.40A                | ----                    |                 | 0.30 - 0.20              | .0018 | ----          | ----                     | ----              | ----          | 16                | UNCH |      |
| 5490           | ----               | ----                   | ----            | ----/0.40A             | 0.30B/0.40A                | ----                    |                 | 0.30 - 0.20              | .0018 | ----          | ----                     | ----              | ----          | 19                | UNCH |      |
| 5495           | ----               | ----                   | ----            | ----/*0.40A            | 0.30B/*0.40A               | ----                    |                 | 0.30 - 0.20              | .0018 | ----          | ----                     | ----              | ----          | 8                 | UNCH |      |
| 5500           | ----               | ----                   | ----            | ----/*0.40A            | 0.30B/*0.40A               | ----                    |                 | 0.30 - 0.20              | .0018 | ----          | ----                     | ----              | ----          | 2877              | UNCH |      |
| 5505           | ----               | ----                   | ----            |                        | 0.30B/*0.40A               | ----                    |                 | 0.30 - 0.10              | .0018 | ----          | ----                     | ----              | ----          | 15                | UNCH |      |
| 5510           | ----               | ----                   | ----            |                        | 0.20B/*0.40A               | ----                    |                 | 0.30 - 0.10              | .0017 | ----          | ----                     | ----              | ----          | 27                | UNCH |      |
| 5515           | ----               | ----                   | ----            |                        | 0.20B/*0.40A               | ----                    |                 | 0.30 - 0.10              | .0017 | ----          | ----                     | ----              | ----          | 18                | UNCH |      |
| 5520           | ----               | ----                   | ----            |                        | 0.20B/*0.40A               | ----                    |                 | 0.30 - 0.10              | .0017 | ----          | ----                     | ----              | ----          | 38                | UNCH |      |
| 5525           | ----               | ----                   | ----            |                        | 0.20B/*0.40A               | ----                    |                 | 0.30 - 0.10              | .0017 | ----          | ----                     | ----              | ----          | 91                | UNCH |      |
| 5530           | ----               | ----                   | ----            |                        | 0.20B/*0.40A               | ----                    |                 | 0.30 - 0.10              | .0017 | ----          | ----                     | ----              | ----          | 30                | UNCH |      |
| 5535           | ----               | ----                   | ----            |                        | 0.20B/*0.40A               | ----                    |                 | 0.20 - 0.20              | .0012 | ----          | ----                     | ----              | ----          | 15                | UNCH |      |
| 5540           | ----               | ----                   | ----            |                        | 0.20B/*0.40A               | ----                    |                 | 0.20 - 0.20              | .0012 | ----          | ----                     | ----              | ----          | 16                | UNCH |      |
| 5545           | ----               | ----                   | ----            |                        | 0.20B/*0.40A               | ----                    |                 | 0.20 - 0.20              | .0012 | ----          | ----                     | ----              | ----          | 16                | UNCH |      |
| 5550           | ----               | ----                   | ----            | ----/0.30A             | 0.20B/0.30A                | ----                    |                 | 0.20 - 0.20              | .0012 | ----          | ----                     | ----              | ----          | 192               | UNCH |      |
| 5555           | ----               | ----                   | ----            | ----/*0.30A            | 0.20B/*0.30A               | ----                    |                 | 0.20 - 0.20              | .0012 | ----          | ----                     | ----              | ----          | 35                | UNCH |      |
| 5560           | ----               | ----                   | ----            | ----/*0.30A            | 0.20B/*0.30A               | ----                    |                 | 0.20 - 0.20              | .0012 | ----          | ----                     | ----              | ----          | 18                | UNCH |      |
| 5565           | ----               | ----                   | ----            | ----/*0.30A            | 0.20B/*0.30A               | ----                    |                 | 0.20 - 0.20              | .0012 | ----          | ----                     | ----              | ----          | 12                | UNCH |      |
| 5570           | ----               | ----                   | ----            | ----/*0.30A            | 0.20B/*0.30A               | ----                    |                 | 0.20 - 0.20              | .0012 | ----          | ----                     | ----              | ----          | 4                 | UNCH |      |
| 5575           | ----               | ----                   | ----            | ----/*0.30A            | 0.20B/*0.30A               | ----                    |                 | 0.20 - 0.20              | .0012 | ----          | ----                     | ----              | ----          | 31                | UNCH |      |
| 5580           | ----               | ----                   | ----            | ----/*0.30A            | 0.10B/*0.30A               | ----                    |                 | 0.20 - 0.20              | .0012 | ----          | ----                     | ----              | ----          | 7                 | UNCH |      |
| 5585           | ----               | ----                   | ----            |                        | 0.20B/*0.30A               | ----                    |                 | 0.20 - 0.10              | .0012 | ----          | ----                     | ----              | ----          | 12                | UNCH |      |
| 5590           | ----               | ----                   | ----            |                        | 0.10B/*0.30A               | ----                    |                 | 0.20 - 0.10              | .0011 | ----          | ----                     | ----              | ----          | 5                 | UNCH |      |
| 5595           | ----               | ----                   | ----            |                        | 0.20B/*0.30A               | ----                    |                 | 0.20 - 0.10              | .0011 | ----          | ----                     | ----              | ----          | 19                | UNCH |      |
| 5600           | ----               | ----                   | ----            |                        | 0.10B/0.40A                | ----                    |                 | 0.20 - 0.10              | .0011 | ----          | ----                     | 45                | ----          | 2180              | - 35 |      |
| 5605           | ----               | ----                   | ----            |                        | 0.10B/*0.30A               | ----                    |                 | 0.20 - 0.10              | .0011 | ----          | ----                     | ----              | ----          | 42                | UNCH |      |
| 5610           | ----               | ----                   | ----            |                        | 0.10B/0.40A                | ----                    |                 | 0.20 - 0.10              | .0011 | ----          | ----                     | ----              | ----          | 11                | UNCH |      |
| 5615           | ----               | ----                   | ----            |                        | 0.10B/0.40A                | ----                    |                 | 0.20 - 0.10              | .0011 | ----          | ----                     | ----              | ----          | 1                 | UNCH |      |
| 5620           | ----               | ----                   | ----            |                        | 0.10B/0.40A                | ----                    |                 | 0.20 - 0.10              | .0011 | ----          | ----                     | ----              | ----          | 6                 | UNCH |      |
| 5625           | 0.30               | 0.30                   |                 | 0.30/*0.30             | 0.30/*0.30                 | 0.10B/*0.30A            | ----            | 0.20 - 0.10              | .0011 | ----          | ----                     | 1                 | ----          | 13                | UNCH |      |
| 5630           | ----               | ----                   | ----            |                        | 0.10B/*0.30A               | ----                    |                 | 0.20 - 0.10              | .0011 | ----          | ----                     | ----              | ----          | 4                 | UNCH |      |
| 5635           | ----               | ----                   | ----            |                        | 0.20B/0.30A                | ----                    |                 | 0.20 - 0.10              | .0011 | ----          | ----                     | ----              | ----          | 12                | UNCH |      |
| 5640           | ----               | ----                   | ----            |                        | 0.10B/*0.30A               | ----                    |                 | 0.20 - 0.10              | .0011 | ----          | ----                     | ----              | ----          | 8                 | UNCH |      |
| 5650           | ----               | ----                   | ----            |                        | 0.10B/*0.30A               | ----                    |                 | 0.20 - 0.10              | .0011 | ----          | ----                     | ----              | ----          | 406               | UNCH |      |
| 5660           | ----               | ----                   | ----            |                        | 0.10B/*0.30A               | ----                    |                 | 0.20 - 0.10              | .0011 | ----          | ----                     | ----              | ----          | 8                 | UNCH |      |
| 5670           | ----               | ----                   | ----            |                        | 0.10B/*0.30A               | ----                    |                 | 0.20 - 0.10              | .0011 | ----          | ----                     | ----              | ----          | 11                | UNCH |      |
| 5675           | ----               | ----                   | ----            |                        | 0.10B/*0.30A               | ----                    |                 | 0.20 - 0.10              | .0011 | ----          | ----                     | ----              | ----          | 7                 | UNCH |      |
| 5680           | ----               | ----                   | ----            |                        | 0.10B/0.30A                | ----                    |                 | 0.20 - 0.10              | .0011 | ----          | ----                     | ----              | ----          | 16                | UNCH |      |
| 5690           | ----               | ----                   | ----            |                        | 0.10B/*0.30A               | ----                    |                 | 0.10 - 0.10              | .0006 | ----          | ----                     | 10                | ----          | 21                | UNCH |      |
| 5700           | 0.20               | 0.20                   |                 | 0.20/*0.20             | 0.20/*0.20                 | 0.10B/*0.30A            | ----            | 0.10 - 0.10              | .0005 | ----          | ----                     | 10                | ----          | 986               | - 3  |      |
| 5710           | ----               | ----                   | ----            |                        | 0.10B/*0.30A               | ----                    |                 | 0.10 - 0.10              | .0005 | ----          | ----                     | ----              | ----          | 22                | UNCH |      |
| 5720           | ----               | ----                   | ----            |                        | 0.10B/0.30A                | ----                    |                 | 0.10 - 0.10              | .0005 | ----          | ----                     | ----              | ----          | 17                | UNCH |      |
| 5725           | ----               | ----                   | ----            |                        | 0.10B/0.30A                | ----                    |                 | 0.10 - 0.10              | .0004 | ----          | ----                     | ----              | ----          | 56                | UNCH |      |
| 5730           | ----               | ----                   | ----            |                        | 0.10B/0.30A                | ----                    |                 | 0.10 - 0.10              | .0004 | ----          | ----                     | ----              | ----          | 10                | UNCH |      |
| 5740           | ----               | ----                   | ----            |                        | ----/0.40A                 | ----                    |                 | 0.10 - 0.10              | .0004 | ----          | ----                     | ----              | ----          | 9                 | UNCH |      |
| 5750           | ----               | ----                   | ----            |                        | ----/0.40A                 | ----                    |                 | 0.10 - 0.10              | .0004 | ----          | ----                     | ----              | ----          | 1059              | UNCH |      |
| 5760           | ----               | ----                   | ----            |                        | ----/0.40A                 | ----                    |                 | 0.10 - 0.10              | .0003 | ----          | ----                     | ----              | ----          | 168               | UNCH |      |
| 5770           | ----               | ----                   | ----            |                        | ----/0.40A                 | ----                    |                 | 0.10 - 0.10              | .0003 | ----          | ----                     | ----              | ----          | 4                 | UNCH |      |
| 5775           | ----               | ----                   | ----            |                        | ----/0.40A                 | ----                    |                 | 0.10 - 0.10              | .0003 | ----          | ----                     | ----              | ----          | 215               | UNCH |      |
| 5780           | ----               | ----                   | ----            |                        | ----/0.40A                 | ----                    |                 | 0.10 - 0.10              | .0003 | ----          | ----                     | ----              | ----          | 6                 | UNCH |      |
| 5790           | ----               | ----                   | ----            |                        | ----/0.40A                 | ----                    |                 | 0.10 - 0.10              | .0003 | ----          | ----                     | ----              | ----          | 9                 | UNCH |      |
| 5800           | ----               | ----                   | ----            |                        | ----/0.40A                 | ----                    |                 | 0.10 - 0.10              | .0003 | ----          | ----                     | ----              | ----          | 804               | UNCH |      |
| 5810           | ----               | ----                   | ----            |                        | ----/0.40A                 | ----                    |                 | 0.10 - 0.10              | .0002 | ----          | ----                     | ----              | ----          | 11                | UNCH |      |
| 5820           | ----               | ----                   | ----            |                        | ----/0.40A                 | ----                    |                 | 0.10 - 0.10              | .0002 | ----          | ----                     | ----              | ----          | 208               | UNCH |      |
| 5825           | ----               | ----                   | ----            |                        | ----/0.40A                 | ----                    |                 | 0.10 - 0.10              | .0002 | ----          | ----                     | ----              | ----          | 19                | UNCH |      |
| 5830           | ----               | ----                   | ----            |                        | ----/0.40A                 | ----                    |                 | 0.10 - 0.10              | .0002 | ----          | ----                     | ----              | ----          | 1                 | UNCH |      |
| 5840           | ----               | ----                   | ----            |                        | ----/*0.10A                | ----                    |                 | 0.10 UNCH                | .0002 | ----          | ----                     | ----              | ----          | 103               | UNCH |      |
| 5850           | 0.10               | 0.10                   |                 | 0.10/*0.10             | 0.10/*0.10                 | 0.10B/*0.10A            | ----            | 0.10 UNCH                | .0002 | ----          | ----                     | 5                 | ----          | 116               | + 5  |      |
| 5860           | 0.10               | 0.10                   |                 | 0.10/*0.10             | 0.10/*0.10                 | 0.10B/*0.10A            | ----            | 0.10 UNCH                | .0002 | ----          | ----                     | 15                | ----          | 208               | UNCH |      |
| 5870           | ----               | ----                   | ----            |                        | 0.10B/*0.10A               | ----                    |                 | 0.10 UNCH                | .0001 | ----          | ----                     | ----              | ----          | 17                | UNCH |      |
| 5875           | 0.10               | 0.10                   |                 | 0.10/*0.10             | 0.10/*0.10                 | 0.10B/*0.10A            | ----            | 0.10 UNCH                | .0001 | ----          | ----                     | 5                 | ----          | 27                | + 5  |      |
| 5880           | ----               | ----                   | ----            |                        | ----/*0.10A                | ----                    |                 | 0.10 UNCH                | .0001 | ----          | ----                     | ----              | ----          | 11                | UNCH |      |
| 5890           | ----               | ----                   | ----            |                        | ----/0.40A                 | ----                    |                 | 0.10 UNCH                | .0001 | ----          | ----                     | ----              | ----          | 9                 | UNCH |      |
| 5900           | ----               | ----                   | ----            |                        | ----/0.10A                 | ----                    |                 | 0.10 UNCH                | .0001 | ----          | ----                     | ----              | ----          | 438               | UNCH |      |
| 5910           | ----               | ----                   | ----            |                        | ----/0.40A                 | ----                    |                 | 0.10 UNCH                | .0001 | ----          | ----                     | ----              | ----          | 6                 | UNCH |      |
| 5920           | ----               | ----                   | ----            |                        | ----/0.10A                 | ----                    |                 | 0.10 UNCH                | .0001 | ----          | ----                     | ----              | ----          | 19                | UNCH |      |
| 5925           | ----               | ----                   | ----            |                        | ----/0.10A                 | ----                    |                 | 0.10 UNCH                | .0001 | ----          | ----                     | ----              | ----          | 15                | UNCH |      |
| 5930           | ----               | ----                   | ----            |                        | ----/0.10A                 | ----                    |                 | 0.10 UNCH                | .0001 | ----          | ----                     | ----              | ----          | 7                 | UNCH |      |
| 5940           | ----               | ----                   | ----            |                        | ----/0.10A                 | ----                    |                 | 0.10 UNCH                | .0001 | ----          | ----                     | ----              | ----          | 4                 | UNCH |      |
| 5950           | ----               | ----                   | ----            |                        | ----/0.10A                 | ----                    |                 | 0.10 UNCH                | .0001 | ----          | ----                     | ----              | ----          | 74                | UNCH |      |
| 5960           | ----               | ----                   | ----            |                        | ----/0.10A                 | ----                    |                 | 0.10 UNCH                | .0001 | ----          | ----                     | ----              | ----          | 21                | UNCH |      |
| 5970           | ----               | ----                   | ----            |                        | ----/0.10A                 | ----                    |                 | 0.10 UNCH                | .0001 | ----          | ----                     | ----              | ----          | 65                | UNCH |      |
| 5980           | ----               | ----                   | ----            |                        | ----/0.30A                 | ----                    |                 | 0.10 UNCH                | .0000 | ----          | ----                     | ----              | ----          | 3                 | UNCH |      |
| 5990           | ----               | ----                   | ----            |                        | ----/0.10A                 | ----                    |                 | 0.10 UNCH                | .0000 | ----          | ----                     | ----              | ----          | 86                | UNCH |      |
| 6000           | 0.10               | 0.10                   |                 | 0.10/0.10              | 0.10/0.10                  | 0.10B/0.10              | ----            | 0.10 UNCH                | .0000 | ----          | ----                     | 163               | ----          | 2163              | - 21 |      |
| 6025           | ----               | ----                   | ----            |                        | ----/0.10A                 | ----                    |                 | 0.10 UNCH                | .0000 | ----          | ----                     | ----              | ----          | 44                | UNCH |      |
| 6050           | ----               | ----                   | ----            |                        | ----/0.10A                 | ----                    |                 | 0.10 UNCH                | .0000 | ----          | ----                     | ----              | ----          | 55                | UNCH |      |
| 6075           | ----               | ----                   | ----            |                        | ----/0.10A                 | ----                    |                 | 0.10 UNCH                | .0000 | ----          | ----                     | ----              | ----          | 755               | UNCH |      |
| 6100           | ----               | ----                   | ----            |                        | ----/0.10A                 | ----                    |                 | 0.10 UNCH                | .0000 | ----          | ----                     | ----              | ----          | 294               | UNCH |      |
| 6125           |                    |                        |                 |                        |                            |                         |                 |                          |       |               |                          |                   |               |                   |      |      |

| PG64    | BULLETIN #111@     |                        |                 |                    |                            |                         |                 |                          |        |               | METALS OPTION PRODUCTS   |                   |               |                  |      |  |  |  |  |  | Thu, Jun 11, 2026 |  |  | PG64 |
|---------|--------------------|------------------------|-----------------|--------------------|----------------------------|-------------------------|-----------------|--------------------------|--------|---------------|--------------------------|-------------------|---------------|------------------|------|--|--|--|--|--|-------------------|--|--|------|
|         | GLOBEX<br>OPEN     | OPEN<br>OUTCRY<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA  | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |  |  |  |  |  |                   |  |  |      |
| OG CALL | COMEX GOLD OPTIONS |                        |                 |                    |                            |                         |                 |                          |        |               |                          |                   |               |                  |      |  |  |  |  |  |                   |  |  |      |
| JUL26   |                    |                        |                 |                    |                            |                         |                 |                          |        |               |                          |                   |               |                  |      |  |  |  |  |  |                   |  |  |      |
| 7775    | ----               | ----                   | ----            | ----               | ----/0.10A                 | ----                    | ----            | 0.10                     | UNCH   | ----          | ----                     | ----              | ----          | 11               | UNCH |  |  |  |  |  |                   |  |  |      |
| 7800    | ----               | ----                   | ----            | ----               | ----/0.10A                 | ----                    | ----            | 0.10                     | UNCH   | ----          | ----                     | ----              | ----          | 10               | UNCH |  |  |  |  |  |                   |  |  |      |
| 7825    | ----               | ----                   | ----            | ----               | ----/0.10A                 | ----                    | ----            | 0.10                     | UNCH   | ----          | ----                     | ----              | ----          | 18               | UNCH |  |  |  |  |  |                   |  |  |      |
| 7875    | ----               | ----                   | ----            | ----               | ----/0.10A                 | ----                    | ----            | 0.10                     | UNCH   | ----          | ----                     | ----              | ----          | 166              | UNCH |  |  |  |  |  |                   |  |  |      |
| 7900    | ----               | ----                   | ----            | ----               | ----/0.10A                 | ----                    | ----            | 0.10                     | UNCH   | ----          | ----                     | ----              | ----          | 6                | UNCH |  |  |  |  |  |                   |  |  |      |
| 8000    | 0.10               | 0.10                   |                 | 0.10/0.10          | 0.10/0.10                  | ----                    | ----            | 0.10                     | UNCH   | ----          | ----                     | 2                 | ----          | 1116             | UNCH |  |  |  |  |  |                   |  |  |      |
| 8100    | ----               | ----                   | ----            | ----               | ----/0.10A                 | ----                    | ----            | 0.10                     | UNCH   | ----          | ----                     | ----              | ----          | 7                | UNCH |  |  |  |  |  |                   |  |  |      |
| 8200    | ----               | ----                   | ----            | ----               | ----/0.10A                 | ----                    | ----            | 0.10                     | UNCH   | ----          | ----                     | ----              | ----          | 3                | UNCH |  |  |  |  |  |                   |  |  |      |
| 8300    | ----               | ----                   | ----            | ----               | ----/0.10A                 | ----                    | ----            | 0.10                     | UNCH   | ----          | ----                     | ----              | ----          | 4                | UNCH |  |  |  |  |  |                   |  |  |      |
| 8500    | ----               | ----                   | ----            | ----               | ----/0.10A                 | ----                    | ----            | 0.10                     | UNCH   | ----          | ----                     | ----              | ----          | 40               | UNCH |  |  |  |  |  |                   |  |  |      |
| 8600    | ----               | ----                   | ----            | ----               | ----/0.20A                 | ----                    | ----            | 0.10                     | UNCH   | ----          | ----                     | ----              | ----          | 2                | UNCH |  |  |  |  |  |                   |  |  |      |
| 8700    | ----               | ----                   | ----            | ----               | ----/0.10A                 | ----                    | ----            | 0.10                     | UNCH   | ----          | ----                     | ----              | ----          | 24               | UNCH |  |  |  |  |  |                   |  |  |      |
| 8800    | ----               | ----                   | ----            | ----               | ----/0.10A                 | ----                    | ----            | 0.10                     | UNCH   | ----          | ----                     | ----              | ----          | 7                | UNCH |  |  |  |  |  |                   |  |  |      |
| 9000    | ----               | ----                   | ----            | ----               | ----/0.10A                 | ----                    | ----            | 0.10                     | UNCH   | ----          | ----                     | ----              | ----          | 340              | UNCH |  |  |  |  |  |                   |  |  |      |
| 9200    | ----               | ----                   | ----            | ----               | ----/0.10A                 | ----                    | ----            | 0.10                     | UNCH   | ----          | ----                     | ----              | ----          | 11               | UNCH |  |  |  |  |  |                   |  |  |      |
| 9300    | ----               | ----                   | ----            | ----               | ----/0.20A                 | ----                    | ----            | 0.10                     | UNCH   | ----          | ----                     | ----              | ----          | 4                | UNCH |  |  |  |  |  |                   |  |  |      |
| 9400    | ----               | ----                   | ----            | ----               | ----/0.10A                 | ----                    | ----            | 0.10                     | UNCH   | ----          | ----                     | ----              | ----          | 141              | UNCH |  |  |  |  |  |                   |  |  |      |
| 9500    | ----               | ----                   | ----            | ----               | ----/0.10A                 | ----                    | ----            | 0.10                     | UNCH   | ----          | ----                     | ----              | ----          | 66               | UNCH |  |  |  |  |  |                   |  |  |      |
| 9900    | ----               | ----                   | ----            | ----               | ----/0.10A                 | ----                    | ----            | 0.10                     | UNCH   | ----          | ----                     | ----              | ----          | 5                | UNCH |  |  |  |  |  |                   |  |  |      |
| 10000   | ----               | ----                   | ----            | ----               | ----/0.10A                 | ----                    | ----            | 0.10                     | UNCH   | ----          | ----                     | ----              | ----          | 275              | UNCH |  |  |  |  |  |                   |  |  |      |
| 10100   | 0.20               | 0.20                   |                 | 0.20/*0.10A        | 0.20/0.10A                 | ----                    | ----            | 0.10                     | UNCH   | ----          | ----                     | 12                | ----          | 12               | UNCH |  |  |  |  |  |                   |  |  |      |
| 10500   | ----               | ----                   | ----            | ----               | ----/0.10A                 | ----                    | ----            | 0.10                     | UNCH   | ----          | ----                     | ----              | ----          | 5                | UNCH |  |  |  |  |  |                   |  |  |      |
| 10700   | ----               | ----                   | ----            | ----               | ----/0.10A                 | ----                    | ----            | 0.10                     | UNCH   | ----          | ----                     | ----              | ----          | 5                | UNCH |  |  |  |  |  |                   |  |  |      |
| 11000   | ----               | ----                   | ----            | ----               | ----/0.10A                 | ----                    | ----            | 0.10                     | UNCH   | ----          | ----                     | ----              | ----          | 103              | UNCH |  |  |  |  |  |                   |  |  |      |
| 11200   | ----               | ----                   | ----            | ----               | ----/0.10A                 | ----                    | ----            | 0.10                     | UNCH   | ----          | ----                     | ----              | ----          | 13               | UNCH |  |  |  |  |  |                   |  |  |      |
| 11500   | ----               | ----                   | ----            | ----               | ----/0.10A                 | ----                    | ----            | 0.10                     | UNCH   | ----          | ----                     | ----              | ----          | 47               | UNCH |  |  |  |  |  |                   |  |  |      |
| 11600   | 0.10               | 0.10                   |                 | 0.10/0.10          | 0.10/0.10                  | ----                    | ----            | 0.10                     | UNCH   | ----          | ----                     | 10                | ----          | 50               | UNCH |  |  |  |  |  |                   |  |  |      |
| 12000   | 0.10               | 0.10                   |                 | 0.10/0.10          | 0.10/0.10                  | ----                    | ----            | 0.10                     | UNCH   | ----          | ----                     | 7                 | ----          | 222              | UNCH |  |  |  |  |  |                   |  |  |      |
| TOTAL   |                    |                        |                 |                    |                            |                         |                 |                          |        |               |                          | 11952             | 3,530         | 106053+          | 7226 |  |  |  |  |  |                   |  |  |      |
| AUG26   |                    |                        |                 |                    |                            |                         |                 |                          |        |               |                          |                   |               |                  |      |  |  |  |  |  |                   |  |  |      |
| 3200    | ----               | ----                   | ----            | 991.60B/857.30A    | 991.60B/857.30A            | ----                    | ----            | 918.10                   | -19.90 | .9726         | ----                     | ----              | ----          | 11               | UNCH |  |  |  |  |  |                   |  |  |      |
| 3300    | ----               | ----                   | ----            | 940.60B/761.40A    | 940.60B/761.40A            | ----                    | ----            | 820.50                   | -19.90 | .9619         | ----                     | ----              | ----          | 80               | UNCH |  |  |  |  |  |                   |  |  |      |
| 3305    | ----               | ----                   | ----            | 935.60B/756.80A    | 935.60B/756.80A            | ----                    | ----            | 815.70                   | -19.90 | .9614         | ----                     | ----              | ----          | 20               | UNCH |  |  |  |  |  |                   |  |  |      |
| 3325    | ----               | ----                   | ----            | 915.90B/737.90A    | 915.90B/737.90A            | ----                    | ----            | 796.30                   | -19.90 | .9588         | ----                     | ----              | ----          | 15               | UNCH |  |  |  |  |  |                   |  |  |      |
| 3350    | ----               | ----                   | ----            | 891.30B/714.00A    | 891.30B/714.00A            | ----                    | ----            | 772.10                   | -19.90 | .9552         | ----                     | ----              | ----          | 178              | UNCH |  |  |  |  |  |                   |  |  |      |
| 3400    | ----               | ----                   | ----            | 842.10B/667.40A    | 842.10B/667.40A            | ----                    | ----            | 724.00                   | -19.90 | .9470         | ----                     | ----              | ----          | 420              | UNCH |  |  |  |  |  |                   |  |  |      |
| 3500    | ----               | ----                   | ----            | 744.60B/575.80A    | 744.60B/575.80A            | ----                    | ----            | 629.20                   | -19.90 | .9256         | ----                     | ----              | ----          | 46               | UNCH |  |  |  |  |  |                   |  |  |      |
| 3505    | ----               | ----                   | ----            | 739.90B/571.10A    | 739.90B/571.10A            | ----                    | ----            | 624.60                   | -19.90 | .9243         | ----                     | ----              | ----          | 4                | UNCH |  |  |  |  |  |                   |  |  |      |
| 3520    | ----               | ----                   | ----            | 725.20B/557.70A    | 725.20B/557.70A            | ----                    | ----            | 610.60                   | -19.80 | .9202         | ----                     | ----              | ----          | 65               | UNCH |  |  |  |  |  |                   |  |  |      |
| 3550    | ----               | ----                   | ----            | 696.30B/531.10A    | 696.30B/531.10A            | ----                    | ----            | 582.80                   | -19.80 | .9113         | ----                     | ----              | ----          | 311              | UNCH |  |  |  |  |  |                   |  |  |      |
| 3600    | ----               | ----                   | ----            | 648.40B/487.20A    | 648.40B/487.20A            | ----                    | ----            | 537.20                   | -19.40 | .8943         | ----                     | ----              | ----          | 1045             | UNCH |  |  |  |  |  |                   |  |  |      |
| 3610    | ----               | ----                   | ----            | 638.90B/478.80A    | 638.90B/478.80A            | ----                    | ----            | 528.20                   | -19.30 | .8907         | ----                     | ----              | ----          | 6                | UNCH |  |  |  |  |  |                   |  |  |      |
| 3650    | ----               | ----                   | ----            | 601.10B/444.60A    | 601.10B/444.60A            | ----                    | ----            | 492.50                   | -19.00 | .8745         | ----                     | ----              | ----          | 4                | UNCH |  |  |  |  |  |                   |  |  |      |
| 3660    | ----               | ----                   | ----            | 591.70B/436.20A    | 591.70B/436.20A            | ----                    | ----            | 483.70                   | -18.90 | .8700         | ----                     | ----              | ----          | 25               | UNCH |  |  |  |  |  |                   |  |  |      |
| 3685    | ----               | ----                   | ----            | 568.40B/415.60A    | 568.40B/415.60A            | ----                    | ----            | 461.80                   | -18.60 | .8587         | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |  |                   |  |  |      |
| 3700    | 531.00             | 531.00                 |                 | 554.50B/403.20A    | 554.50B/403.20A            | ----                    | ----            | 448.80                   | -18.50 | .8513         | ----                     | 3                 | ----          | 40               | UNCH |  |  |  |  |  |                   |  |  |      |
| 3715    | ----               | ----                   | ----            | 540.60B/390.90A    | 540.60B/390.90A            | ----                    | ----            | 435.90                   | -18.30 | .8437         | ----                     | ----              | ----          | 30               | UNCH |  |  |  |  |  |                   |  |  |      |
| 3720    | ----               | ----                   | ----            | 536.00B/386.90A    | 536.00B/386.90A            | ----                    | ----            | 431.70                   | -18.20 | .8411         | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |  |                   |  |  |      |
| 3735    | ----               | ----                   | ----            | 522.30B/374.90A    | 522.30B/374.90A            | ----                    | ----            | 418.90                   | -18.00 | .8331         | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |  |                   |  |  |      |
| 3750    | ----               | ----                   | ----            | 508.90B/363.00A    | 508.90B/363.00A            | ----                    | ----            | 406.30                   | -17.80 | .8248         | ----                     | ----              | ----          | 8                | UNCH |  |  |  |  |  |                   |  |  |      |
| 3775    | ----               | ----                   | ----            | 486.10B/343.60A    | 486.10B/343.60A            | ----                    | ----            | 385.50                   | -17.50 | .8101         | ----                     | ----              | ----          | 4                | UNCH |  |  |  |  |  |                   |  |  |      |
| 3780    | ----               | ----                   | ----            | 481.60B/339.70A    | 481.60B/339.70A            | ----                    | ----            | 381.40                   | -17.40 | .8072         | ----                     | ----              | ----          | 37               | UNCH |  |  |  |  |  |                   |  |  |      |
| 3790    | ----               | ----                   | ----            | 472.70B/332.10A    | 472.70B/332.10A            | ----                    | ----            | 373.20                   | -17.30 | .8009         | ----                     | ----              | ----          | 67               | UNCH |  |  |  |  |  |                   |  |  |      |
| 3800    | ----               | ----                   | ----            | 463.80B/324.50A    | 463.80B/324.50A            | ----                    | ----            | 365.10                   | -17.20 | .7945         | ----                     | ----              | ----          | 303              | UNCH |  |  |  |  |  |                   |  |  |      |
| 3820    | ----               | ----                   | ----            | 446.10B/309.70A    | 446.10B/309.70A            | ----                    | ----            | 349.10                   | -16.80 | .7813         | ----                     | ----              | ----          | 3                | UNCH |  |  |  |  |  |                   |  |  |      |
| 3840    | ----               | ----                   | ----            | 428.60B/294.90A    | 428.60B/294.90A            | ----                    | ----            | 333.30                   | -16.50 | .7675         | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |  |                   |  |  |      |
| 3850    | ----               | ----                   | ----            | 420.00B/287.60A    | 420.00B/287.60A            | ----                    | ----            | 325.50                   | -16.40 | .7604         | ----                     | ----              | ----          | 12               | UNCH |  |  |  |  |  |                   |  |  |      |
| 3885    | ----               | ----                   | ----            | 390.20B/263.00A    | 390.20B/263.00A            | ----                    | ----            | 298.70                   | -15.90 | .7340         | ----                     | ----              | ----          | 2                | UNCH |  |  |  |  |  |                   |  |  |      |
| 3890    | ----               | ----                   | ----            | 386.00B/259.60A    | 386.00B/259.60A            | ----                    | ----            | 295.00                   | -15.80 | .7302         | ----                     | ----              | ----          | 2                | UNCH |  |  |  |  |  |                   |  |  |      |
| 3900    | ----               | ----                   | ----            | 377.60B/253.70A    | 377.60B/253.70A            | ----                    | ----            | 287.50                   | -15.70 | .7222         | ----                     | 3                 | ----          | 149              | UNCH |  |  |  |  |  |                   |  |  |      |
| 3920    | ----               | ----                   | ----            | 361.10B/240.40A    | 361.10B/240.40A            | ----                    | ----            | 272.90                   | -15.40 | .7058         | ----                     | ----              | ----          | 10               | UNCH |  |  |  |  |  |                   |  |  |      |
| 3925    | ----               | ----                   | ----            | 357.00B/237.10A    | 357.00B/237.10A            | ----                    | ----            | 269.30                   | -15.30 | .7016         | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |  |                   |  |  |      |
| 3950    | ----               | ----                   | ----            | 336.80B/220.30A    | 336.80B/220.30A            | ----                    | ----            | 251.50                   | -15.00 | .6801         | ----                     | 2                 | ----          | 106              | UNCH |  |  |  |  |  |                   |  |  |      |
| 3955    | ----               | ----                   | ----            | 332.80B/217.80A    | 332.80B/217.80A            | ----                    | ----            | 248.00                   | -14.90 | .6757         | ----                     | ----              | ----          | 7                | UNCH |  |  |  |  |  |                   |  |  |      |
| 3975    | ----               | ----                   | ----            | 317.20B/205.40A    | 317.20B/205.40A            | ----                    | ----            | 234.30                   | -14.60 | .6576         | ----                     | ----              | ----          | 200              | UNCH |  |  |  |  |  |                   |  |  |      |
| 3995    | ----               | ----                   | ----            | 301.60B/193.70A    | 301.60B/193.70A            | ----                    | ----            | 220.90                   | -14.40 | .6389         | ----                     | ----              | ----          | 30               | UNCH |  |  |  |  |  |                   |  |  |      |
| 4000    | 213.60             | 213.60                 |                 | 297.80B/190.70A    | 297.80B/190.70A            | ----                    | ----            | 217.60                   | -14.30 | .6341         | ----                     | 4                 | ----          | 722              | UNCH |  |  |  |  |  |                   |  |  |      |
| 4005    | 199.70             | 199.70                 |                 | 294.00B/187.70A    | 294.00B/187.70A            | ----                    | ----            | 214.40                   | -14.20 | .6293         | ----                     | 11                | ----          | 12               | +    |  |  |  |  |  |                   |  |  |      |
| 4015    | ----               | ----                   | ----            | 286.60B/182.20A    | 286.60B/182.20A            | ----                    | ----            | 207.90                   | -14.10 | .6196         | ----                     | ----              | ----          | 12               | UNCH |  |  |  |  |  |                   |  |  |      |
| 4025    | ----               | ----                   | ----            | 279.00B/175.70A    | 279.00B/175.70A            | ----                    | ----            | 201.60                   | -14.00 | .6098         | ----                     | ----              | ----          | 174              | UNCH |  |  |  |  |  |                   |  |  |      |
| 4045    | ----               | ----                   | ----            | 264.40B/*164.80A   | 264.40B/*164.80A           | ----                    | ----            | 189.20                   | -13.70 | .5898         | ----                     | ----              | ----          | 30               | UNCH |  |  |  |  |  |                   |  |  |      |
| 4050    | 185.30             | 185.30                 |                 | 260.80B/162.50A    | 260.80B/162.50A            | ----                    | ----            | 186.10                   | -13.70 | .5847         | ----                     | 1                 | ----          | 101              | +    |  |  |  |  |  |                   |  |  |      |
| 4055    | ----               | ----                   | ----            | 257.20B/*159.50A   | 257.20B/*159.50A           | ----                    | ----            | 183.10                   | -13.60 | .5796         | ----                     | ----              | ----          | 100              | UNCH |  |  |  |  |  |                   |  |  |      |
| 4065    | 204.30             | 204.30                 |                 | 250.30B/*154.70A   | 250.30B/*154.70A           | ----                    | ----            | 177.20                   | -NEW   | .5693         | ----                     | 2                 | ----          | 2                | +    |  |  |  |  |  |                   |  |  |      |
| 4070    | ----               | ----                   | ----            | 246.80B/152.20A    | 246.80B/152.20A            | ----                    | ----            | 174.30                   | -13.40 | .5641         | ----                     | 16                | ----          | 11               | +    |  |  |  |  |  |                   |  |  |      |
| 4075    | ----               | ----                   | ----            | 243.20B/149.20A    | 243.20B/149.20A            | ----                    | ----            | 171.40                   | -13.30 | .5589         | ----                     | ----              | ----          | 4                | UNCH |  |  |  |  |  |                   |  |  |      |
| 4080    | 150.00             | 150.00                 |                 | 239.70B/146.90A    | 239.70B/146.90A            | ----                    | ----            | 168.50                   | -13.30 | .5536         | ----                     | 1                 | ----          | 2                | +    |  |  |  |  |  |                   |  |  |      |
| 4085    | 160.00             | 160.00                 |                 | 236.30B/*144.20A   | 236.30B/*144.20A           | ----                    | ----            | 165.70                   | -NEW   | .5483         | ----                     | 5                 | ----          | 4                | +    |  |  |  |  |  |                   |  |  |      |
| 4090    | 201.20             | 201.20                 |                 | 232.90B/141.90A    | 232.90B/141.90A            | ----                    | ----            | 162.90                   | -13.10 | .5430         | ----                     | 2                 | ----          | 4                | +    |  |  |  |  |  |                   |  |  |      |
| 4095    | ----               | ----                   | ----            | 229.50B/*139.50A   | 229.50B/*139.50A           | ----                    | ----            | 160.10                   | -13.00 | .5377         | ----                     | ----              | ----          | 15               | UNCH |  |  |  |  |  |                   |  |  |      |
| 4100    | 147.00             | 147.00                 |                 | 226.20B/137.10A    | 226.20B/137.10A            | ----                    | ----            | 157.40                   | -12.90 | .5324         | ----                     | 233               | ----          | 247              | +    |  |  |  |  |  |                   |  |  |      |
| 4105    | 156.50             | 156.50                 |                 | 223.00B/*135.20A   | 223.00B/*135.20A           | ----                    | ----            | 154.60                   | -NEW   | .5271         | ----                     | 13                | ----          | 12               | +    |  |  |  |  |  |                   |  |  |      |
| 4110    | 156.00             | 156.00                 |                 | 219.70B/132.60A    | 219.70B/132.60A            | ----                    | ----            | 151.90                   | -12.80 | .5217         | ----                     | 22                | ----          | 35               | +    |  |  |  |  |  |                   |  |  |      |
| 4115    | 157.00             | 157.00                 |                 | 216.30B/*130.20A   | 216.30B/*130.20A           | ----                    | ----            | 149.30                   | -12.70 | .5163         | ----                     | 6                 | ----          | 8                | +    |  |  |  |  |  |                   |  |  |      |
| 4120    | 157.00             | 157.00                 |                 | 213.00B/127.90A    | 213.00B/127.90A            | ----                    | ----            | 146.70                   | -NEW   | .5109         | ----                     | 45                | ----          | 22               | +    |  |  |  |  |  |                   |  |  |      |
| 4125    | 125.00             | 125.00                 |                 | 209.80B/125.00A    | 209.80B/125.00A            | ----                    | ----            | 144.10                   | -12.50 | .5055         | ----                     | 69                | ----          | 454              | +    |  |  |  |  |  |                   |  |  |      |
| 4130    | 154.50             | 154.50                 |                 | 206.60B/123.70A    | 206.60B/123.70A            | ----                    | ----            | 141.50                   | -12.40 | .5001         | ----                     | 7                 | ----          | 7                | +    |  |  |  |  |  |                   |  |  |      |
| 4135    | 154.40             | 154.40                 |                 | 203.40B/*121.40A   | 203.40B/*121.40A           | ----                    | ----            | 138.90                   | -12.40 | .4947         | ----                     | 3                 | ----          | 21               | +    |  |  |  |  |  |                   |  |  |      |
| 4140    | 143.20             | 143.20                 |                 | 200.30B/*119.10A   | 200.30B/*119.10A           | ----                    | ----            | 136.40                   | -12.30 | .4892         | ----                     | 3                 | ----          | 3                | +    |  |  |  |  |  |                   |  |  |      |
| 4145    | ----               | ----                   | ----            | 197.20B/*117.00A   | 197.20B/*117.00A           | ----                    | ----            | 134.00                   | -12.10 | .4838         | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |  |                   |  |  |      |
| 4150    | 130.00             | 130.00                 |                 | 195.00B/114.90A    | 195.00B/114.90A            | ----                    | ----            | 131.50                   | -12.10 | .4783         | ----                     | 61                | 320           | 829              | +    |  |  |  |  |  |                   |  |  |      |
| 4160    | 150.00             | 150.00                 |                 | 188.80             |                            |                         |                 |                          |        |               |                          |                   |               |                  |      |  |  |  |  |  |                   |  |  |      |

| BULLETIN #111@ |                    |                              |                    | METALS OPTION PRODUCTS     |                               |                          |       |               |                          |                   |               |                  |      | Thu, Jun 11, 2026 |  |  |  | PG64 |
|----------------|--------------------|------------------------------|--------------------|----------------------------|-------------------------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|-------------------|--|--|--|------|
|                | GLOBEX<br>OPEN     | OPEN<br>OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |                   |  |  |  |      |
| OG CALL        | COMEX GOLD OPTIONS |                              |                    |                            |                               |                          |       |               |                          |                   |               |                  |      |                   |  |  |  |      |
| AUG26          |                    |                              |                    |                            |                               |                          |       |               |                          |                   |               |                  |      |                   |  |  |  |      |
| 4385           | 47.60              | 47.60                        | 83.40B/*45.00A     | 83.40B/*45.00A             | ----                          | 49.60 - 8.00             | .2417 | ----          | ----                     | 6                 | ----          | 107 +            | 6    |                   |  |  |  |      |
| 4390           | 45.90              | 45.90                        | 81.70B/*44.20A     | 81.70B/*44.20A             | ----                          | 48.50 - 8.00             | .2375 | ----          | ----                     | 95                | ----          | 99 +             | 86   |                   |  |  |  |      |
| 4395           | ----               | ----                         | 80.00B/*43.00A     | 80.00B/*43.00A             | ----                          | 47.40 - 7.90             | .2334 | ----          | ----                     | 7                 | ----          | 20 +             | 5    |                   |  |  |  |      |
| 4400           | 45.00              | 45.00                        | 78.40B/*42.20A     | 78.40B/*42.20A             | ----                          | 46.30 - 7.90             | .2292 | ----          | ----                     | 681               | 50            | 1607 +           | 334  |                   |  |  |  |      |
| 4405           | 54.00              | 54.00                        | 76.90B/*41.20A     | 76.90B/*41.20A             | ----                          | 45.30 - 7.80             | .2253 | ----          | ----                     | 11                | ----          | 18 +             | 3    |                   |  |  |  |      |
| 4410           | 48.70              | 48.70                        | 75.30B/*40.50A     | 75.30B/*40.50A             | ----                          | 44.30 - 7.70             | .2213 | ----          | ----                     | 5                 | 100           | 107 +            | 105  |                   |  |  |  |      |
| 4415           | ----               | ----                         | 73.80B/*39.60A     | 73.80B/*39.60A             | ----                          | 43.30 - 7.70             | .2174 | ----          | ----                     | ----              | ----          | 6                | UNCH |                   |  |  |  |      |
| 4420           | 50.00              | 50.00                        | 72.50B/*38.60A     | 72.50B/*38.60A             | ----                          | 42.30 - 7.60             | .2135 | ----          | ----                     | 33                | ----          | 71 +             | 10   |                   |  |  |  |      |
| 4425           | ----               | ----                         | 70.80B/*37.70A     | 70.80B/*37.70A             | ----                          | 41.40 - 7.50             | .2098 | ----          | ----                     | 25                | ----          | 176 -            | 1    |                   |  |  |  |      |
| 4430           | 40.10              | 40.10                        | 69.40B/*36.90A     | 69.40B/*36.90A             | ----                          | 40.50 - 7.40             | .2061 | ----          | ----                     | 13                | ----          | 100 +            | 1    |                   |  |  |  |      |
| 4435           | ----               | ----                         | 68.00B/*36.10A     | 68.00B/*36.10A             | ----                          | 39.60 - 7.30             | .2024 | ----          | ----                     | 1                 | ----          | 29 +             | 1    |                   |  |  |  |      |
| 4440           | 36.20              | 36.20                        | 66.60B/*35.30A     | 66.60B/*35.30A             | ----                          | 38.70 - 7.30             | .1987 | ----          | ----                     | 23                | ----          | 41 +             | 8    |                   |  |  |  |      |
| 4445           | 49.20              | 49.20                        | 65.20B/*34.60A     | 65.20B/*34.60A             | ----                          | 37.80 - 7.20             | .1951 | ----          | ----                     | 2                 | ----          | 15 +             | 2    |                   |  |  |  |      |
| 4450           | 34.90              | 34.90                        | 63.90B/*33.80A     | 63.90B/*33.80A             | ----                          | 37.00 - 7.10             | .1917 | ----          | ----                     | 355               | ----          | 653 +            | 118  |                   |  |  |  |      |
| 4455           | 43.00              | 43.00                        | 62.60B/*33.20A     | 62.60B/*33.20A             | ----                          | 36.20 - 7.00             | .1882 | ----          | ----                     | 11                | ----          | 29 +             | 8    |                   |  |  |  |      |
| 4460           | 36.00              | 36.00                        | 61.30B/*32.50A     | 61.30B/*32.50A             | ----                          | 35.40 - 6.90             | .1848 | ----          | ----                     | 4                 | ----          | 48 -             | 1    |                   |  |  |  |      |
| 4465           | 58.20              | 58.20                        | 60.20B/*31.70A     | 60.20B/*31.70A             | ----                          | 34.60 - 6.90             | .1814 | ----          | ----                     | 1                 | ----          | 55 +             | 1    |                   |  |  |  |      |
| 4470           | 36.40              | 36.40                        | 58.90B/*31.10A     | 58.90B/*31.10A             | ----                          | 33.80 - 6.80             | .1780 | ----          | ----                     | 7                 | ----          | 523 +            | 1    |                   |  |  |  |      |
| 4475           | 34.40              | 34.40                        | 57.70B/*30.40A     | 57.70B/*30.40A             | ----                          | 33.10 - 6.70             | .1749 | ----          | ----                     | 46                | ----          | 139 +            | 37   |                   |  |  |  |      |
| 4480           | 30.80              | 30.80                        | 56.50B/*29.70A     | 56.50B/*29.70A             | ----                          | 32.40 - 6.60             | .1718 | ----          | ----                     | 4                 | ----          | 553 +            | 4    |                   |  |  |  |      |
| 4485           | 34.10              | 34.10                        | 55.20B/*29.10A     | 55.20B/*29.10A             | ----                          | 31.70 - 6.50             | .1687 | ----          | ----                     | 4                 | ----          | 29               | UNCH |                   |  |  |  |      |
| 4490           | 41.30              | 41.30                        | 54.10B/*28.40A     | 54.10B/*28.40A             | ----                          | 31.00 - 6.40             | .1656 | ----          | ----                     | 6                 | ----          | 43 +             | 1    |                   |  |  |  |      |
| 4495           | 33.30              | 33.30                        | 53.00B/*27.80A     | 53.00B/*27.80A             | ----                          | 30.30 - 6.40             | .1625 | ----          | ----                     | 7                 | ----          | 5 -              | 3    |                   |  |  |  |      |
| 4500           | 34.30              | 34.30                        | 51.90B/*27.30A     | 51.90B/*27.30A             | ----                          | 29.60 - 6.30             | .1594 | ----          | ----                     | 685               | 295           | 1849 +           | 325  |                   |  |  |  |      |
| 4505           | 30.10              | 30.10                        | 50.80B/*26.80A     | 50.80B/*26.80A             | ----                          | 28.90 - 6.30             | .1563 | ----          | ----                     | 2                 | ----          | 33 +             | 1    |                   |  |  |  |      |
| 4510           | 40.30              | 40.30                        | 49.70B/*26.20A     | 49.70B/*26.20A             | ----                          | 28.30 - 6.20             | .1535 | ----          | ----                     | 12                | ----          | 38 +             | 10   |                   |  |  |  |      |
| 4515           | ----               | ----                         | 48.70B/*25.60A     | 48.70B/*25.60A             | ----                          | 27.60 - 6.20             | .1504 | ----          | ----                     | 1                 | ----          | 19 +             | 1    |                   |  |  |  |      |
| 4520           | 41.30              | 41.30                        | 47.90B/*25.00A     | 47.90B/*25.00A             | ----                          | 27.00 - 6.10             | .1476 | ----          | ----                     | 3                 | ----          | 57 +             | 2    |                   |  |  |  |      |
| 4525           | 25.20              | 25.20                        | 46.60B/*24.50A     | 46.60B/*24.50A             | ----                          | 26.40 - 6.10             | .1449 | ----          | ----                     | 14                | ----          | 425 -            | 1    |                   |  |  |  |      |
| 4530           | 25.30              | 25.30                        | 45.70B/*24.00A     | 45.70B/*24.00A             | ----                          | 25.80 - 6.00             | .1421 | ----          | ----                     | 7                 | ----          | 40 +             | 1    |                   |  |  |  |      |
| 4535           | 33.30              | 33.30                        | 44.70B/*23.50A     | 44.70B/*23.50A             | ----                          | 25.20 - 6.00             | .1393 | ----          | ----                     | 1                 | ----          | 57               | UNCH |                   |  |  |  |      |
| 4540           | 37.80              | 37.80                        | 43.80B/*23.00A     | 43.80B/*23.00A             | ----                          | 24.60 - 5.90             | .1365 | ----          | ----                     | 1                 | ----          | 59 +             | 1    |                   |  |  |  |      |
| 4545           | 25.20              | 25.20                        | 43.00B/*22.60A     | 43.00B/*22.60A             | ----                          | 24.00 - 5.90             | .1338 | ----          | ----                     | 1                 | ----          | 20 +             | 1    |                   |  |  |  |      |
| 4550           | 25.20              | 25.20                        | 42.10B/*22.10A     | 42.10B/*22.10A             | ----                          | 23.50 - 5.80             | .1313 | ----          | ----                     | 140               | ----          | 660 +            | 119  |                   |  |  |  |      |
| 4555           | 27.90              | 27.90                        | 41.10B/*21.60A     | 41.10B/*21.60A             | ----                          | 23.00 - 5.80             | .1289 | ----          | ----                     | 155               | ----          | 180 +            | 151  |                   |  |  |  |      |
| 4560           | 23.20              | 23.20                        | 40.40B/*21.20A     | 40.40B/*21.20A             | ----                          | 22.50 - 5.70             | .1265 | ----          | ----                     | 4                 | ----          | 380 +            | 3    |                   |  |  |  |      |
| 4565           | ----               | ----                         | 39.30B/*20.80A     | 39.30B/*20.80A             | ----                          | 22.10 - 5.60             | .1244 | ----          | ----                     | 3                 | ----          | 31               | UNCH |                   |  |  |  |      |
| 4570           | ----               | ----                         | 38.50B/*20.40A     | 38.50B/*20.40A             | ----                          | 21.60 - 5.50             | .1220 | ----          | ----                     | 8                 | ----          | 177              | UNCH |                   |  |  |  |      |
| 4575           | 25.70              | 25.70                        | 37.70B/*19.90A     | 37.70B/*19.90A             | ----                          | 21.20 - 5.40             | .1199 | ----          | ----                     | 22                | ----          | 65 -             | 19   |                   |  |  |  |      |
| 4580           | 19.90              | 19.90                        | 37.10B/*19.50A     | 37.10B/*19.50A             | ----                          | 20.70 - 5.40             | .1175 | ----          | ----                     | 5                 | ----          | 226 +            | 4    |                   |  |  |  |      |
| 4585           | ----               | ----                         | 36.30B/*19.20A     | 36.30B/*19.20A             | ----                          | 20.20 - 5.40             | .1151 | ----          | ----                     | ----              | ----          | 175              | UNCH |                   |  |  |  |      |
| 4590           | ----               | ----                         | 35.50B/*18.80A     | 35.50B/*18.80A             | ----                          | 19.80 - 5.30             | .1131 | ----          | ----                     | 2                 | ----          | 80 +             | 2    |                   |  |  |  |      |
| 4595           | 25.30              | 25.30                        | 34.70B/*18.40A     | 34.70B/*18.40A             | ----                          | 19.30 - 5.30             | .1107 | ----          | ----                     | 1                 | ----          | 46               | UNCH |                   |  |  |  |      |
| 4600           | 21.00              | 21.00                        | 34.10B/*18.10A     | 34.10B/*18.10A             | ----                          | 18.90 - 5.20             | .1086 | ----          | ----                     | 1225              | 130           | 1361 -           | 64   |                   |  |  |  |      |
| 4605           | 25.00              | 25.00                        | 33.40B/*17.70A     | 33.40B/*17.70A             | ----                          | 18.40 - 5.30             | .1062 | ----          | ----                     | 2                 | ----          | 17               | UNCH |                   |  |  |  |      |
| 4610           | 22.40              | 22.40                        | 32.70B/*17.40A     | 32.70B/*17.40A             | ----                          | 18.00 - 5.20             | .1042 | ----          | ----                     | 8                 | ----          | 32 +             | 1    |                   |  |  |  |      |
| 4615           | 21.80              | 21.80                        | 31.70B/*17.00A     | 31.70B/*17.00A             | ----                          | 17.60 - 5.20             | .1022 | ----          | ----                     | 18                | ----          | 52 +             | 12   |                   |  |  |  |      |
| 4620           | 22.30              | 22.30                        | 31.30B/*16.70A     | 31.30B/*16.70A             | ----                          | 17.20 - 5.10             | .1001 | ----          | ----                     | 1                 | ----          | 30               | UNCH |                   |  |  |  |      |
| 4625           | 20.90              | 20.90                        | 30.60B/*16.40A     | 30.60B/*16.40A             | ----                          | 16.90 - 5.00             | .0985 | ----          | ----                     | 56                | 350           | 409 +            | 305  |                   |  |  |  |      |
| 4630           | ----               | ----                         | 29.80B/*16.00A     | 29.80B/*16.00A             | ----                          | 16.50 - 5.00             | .0965 | ----          | ----                     | ----              | ----          | 25               | UNCH |                   |  |  |  |      |
| 4635           | 28.50              | 28.50                        | 29.10B/*15.70A     | 29.10B/*15.70A             | ----                          | 16.20 - 4.90             | .0948 | ----          | ----                     | 1                 | ----          | 27               | UNCH |                   |  |  |  |      |
| 4640           | 16.90              | 16.90                        | 28.50B/*15.40A     | 28.50B/*15.40A             | ----                          | 15.80 - 4.90             | .0928 | ----          | ----                     | 7                 | ----          | 20               | UNCH |                   |  |  |  |      |
| 4645           | 26.20              | 26.20                        | 28.00B/*15.10A     | 28.00B/*15.10A             | ----                          | 15.50 - 4.80             | .0912 | ----          | ----                     | 9                 | ----          | 12 +             | 9    |                   |  |  |  |      |
| 4650           | 18.50              | 18.50                        | 27.40B/*14.80A     | 27.40B/*14.80A             | ----                          | 15.20 - 4.70             | .0895 | ----          | ----                     | 121               | ----          | 752 +            | 8    |                   |  |  |  |      |
| 4655           | 25.30              | 25.30                        | 26.80B/*14.50A     | 26.80B/*14.50A             | ----                          | 14.90 - 4.70             | .0879 | ----          | ----                     | 4                 | ----          | 38 +             | 4    |                   |  |  |  |      |
| 4660           | 19.10              | 19.10                        | 26.40B/*14.20A     | 26.40B/*14.20A             | ----                          | 14.60 - 4.60             | .0863 | ----          | ----                     | 5                 | ----          | 39 +             | 4    |                   |  |  |  |      |
| 4665           | 20.10              | 20.10                        | 25.90B/*13.90A     | 25.90B/*13.90A             | ----                          | 14.30 - 4.60             | .0847 | ----          | ----                     | 4                 | ----          | 40 +             | 3    |                   |  |  |  |      |
| 4670           | 24.40              | 24.40                        | 25.40B/*13.70A     | 25.40B/*13.70A             | ----                          | 14.00 - 4.50             | .0831 | ----          | ----                     | 6                 | ----          | 82 +             | 1    |                   |  |  |  |      |
| 4675           | 14.60              | 14.60                        | 24.90/*13.40A      | 24.90/*13.40A              | ----                          | 13.70 - 4.50             | .0815 | ----          | ----                     | 28                | ----          | 117              | UNCH |                   |  |  |  |      |
| 4680           | 14.00              | 14.00                        | 24.40B/*13.20A     | 24.40B/*13.20A             | ----                          | 13.50 - 4.40             | .0803 | ----          | ----                     | 8                 | ----          | 55 +             | 8    |                   |  |  |  |      |
| 4685           | 23.90              | 23.90                        | 23.90/*12.90A      | 23.90/*12.90A              | ----                          | 13.20 - 4.30             | .0787 | ----          | ----                     | 1                 | ----          | 218              | UNCH |                   |  |  |  |      |
| 4690           | 16.00              | 16.00                        | 23.30B/*12.70A     | 23.30B/*12.70A             | ----                          | 13.00 - 4.20             | .0775 | ----          | ----                     | 3                 | ----          | 49 +             | 2    |                   |  |  |  |      |
| 4695           | 17.50              | 17.50                        | 22.80B/*12.40A     | 22.80B/*12.40A             | ----                          | 12.70 - 4.20             | .0759 | ----          | ----                     | 1                 | ----          | 16 +             | 1    |                   |  |  |  |      |
| 4700           | 13.50              | 13.50                        | 22.40B/*12.20A     | 22.40B/*12.20A             | ----                          | 12.50 - 4.10             | .0748 | ----          | ----                     | 378               | ----          | 4885 -           | 108  |                   |  |  |  |      |
| 4705           | 12.80              | 12.80                        | 21.90B/*12.00A     | 21.90B/*12.00A             | ----                          | 12.30 - 4.00             | .0736 | ----          | ----                     | 9                 | ----          | 126              | UNCH |                   |  |  |  |      |
| 4710           | 16.50              | 16.50                        | 21.50B/*11.80A     | 21.50B/*11.80A             | ----                          | 12.00 - 4.10             | .0720 | ----          | ----                     | 2                 | ----          | 109              | UNCH |                   |  |  |  |      |
| 4715           | ----               | ----                         | 21.10B/*11.50A     | 21.10B/*11.50A             | ----                          | 11.80 - 4.00             | .0708 | ----          | ----                     | 1                 | ----          | 10               | UNCH |                   |  |  |  |      |
| 4720           | ----               | ----                         | 20.70B/*11.30A     | 20.70B/*11.30A             | ----                          | 11.60 - 3.90             | .0697 | ----          | ----                     | ----              | ----          | 162              | UNCH |                   |  |  |  |      |
| 4725           | ----               | ----                         | 20.20B/*11.10A     | 20.20B/*11.10A             | ----                          | 11.40 - 3.80             | .0685 | ----          | ----                     | 3                 | ----          | 141              | UNCH |                   |  |  |  |      |
| 4730           | ----               | ----                         | 19.80B/*10.90A     | 19.80B/*10.90A             | ----                          | 11.20 - 3.80             | .0674 | ----          | ----                     | ----              | ----          | 78               | UNCH |                   |  |  |  |      |
| 4735           | 11.50              | 11.50                        | 19.40B/*10.70A     | 19.40B/*10.70A             | ----                          | 11.00 - 3.70             | .0662 | ----          | ----                     | 10                | ----          | 68 +             | 9    |                   |  |  |  |      |
| 4740           | 11.10              | 11.10                        | 19.10B/*10.60A     | 19.10B/*10.60A             | ----                          | 10.80 - 3.70             | .0651 | ----          | ----                     | 6                 | ----          | 30 +             | 4    |                   |  |  |  |      |
| 4745           | ----               | ----                         | 18.70B/*10.40A     | 18.70B/*10.40A             | ----                          | 10.60 - 3.60             | .0640 | ----          | ----                     | ----              | ----          | 85               | UNCH |                   |  |  |  |      |
| 4750           | 11.70              | 11.70                        | 18.40B/*10.20A     | 18.40B/*10.20A             | ----                          | 10.40 - 3.60             | .0628 | ----          | ----                     | 147               | ----          | 712 +            | 66   |                   |  |  |  |      |
| 4755           | ----               | ----                         | 18.00B/*10.00A     | 18.00B/*10.00A             | ----                          | 10.20 - 3.50             | .0617 | ----          | ----                     | ----              | ----          | 67               | UNCH |                   |  |  |  |      |
| 4760           | ----               | ----                         | 17.60B/*9.80A      | 17.60B/*9.80A              | ----                          | 10.10 - 3.40             | .0610 | ----          | ----                     | ----              | ----          | 49               | UNCH |                   |  |  |  |      |
| 4765           | 10.10              | 10.10                        | 17.30B/*9.70A      | 17.30B/*9.70A              | ----                          | 9.90 - 3.40              | .0599 | ----          | ----                     | 3                 | ----          | 13 +             | 3    |                   |  |  |  |      |
| 4770           | ----               | ----                         | 17.00B/*9.50A      | 17.00B/*9.50A              | ----                          | 9.70 - 3.40              | .0588 | ----          | ----                     | 2                 | ----          | 317 -            | 1    |                   |  |  |  |      |
| 4775           | 12.70              | 12.70                        | 16.70B/*9.40A      | 16.70B/*9.40A              | ----                          | 9.60 - 3.30              | .0581 | ----          | ----                     | 2                 | ----          | 334              | UNCH |                   |  |  |  |      |
| 4780           | ----               | ----                         | 16.30B/*9.20A      | 16.30B/*9.20A              | ----                          | 9.40 - 3.30              | .0569 | ----          | ----                     | 1                 | ----          | 123 -            | 1    |                   |  |  |  |      |
| 4785           | ----               | ----                         | 16.00B/*9.10A      | 16.00B/*9.10A              | ----                          | 9.20 - 3.20              | .0558 | ----          | ----                     | ----              | ----          | 175              | UNCH |                   |  |  |  |      |
| 4790           | 9.10               | 9.10                         | 15.70B/*8.90A      | 15.70B/*8.90A              | ----                          | 9.10 - 3.10              | .0552 | ----          | ----                     | 1                 | ----          | 35 +             | 1    |                   |  |  |  |      |
| 4795           | 9.90               | 9.90                         | 15.40B/*8.80A      | 15.40B/*8.80A              | ----                          | 8.90 - 3.20              | .0541 | ----          | ----                     | 15                | ----          | 328 +            | 2    |                   |  |  |  |      |
| 4800           | 11.00              | 11.00                        | 15.20B/*8.60A      | 15.20B/*8.60A              | ----                          | 8.80 - 3.10              | .0534 | ----          | ----                     | 947               | 100           | 3602 -           | 160  |                   |  |  |  |      |
| 4805           | 10.80              | 10.80                        | 14.90B/*8.50A      | 14.90B/*8.50A              | ----                          | 8.60 - 3.10              | .0523 | ----          | ----                     | 1                 | ----          | 23               | UNCH |                   |  |  |  |      |
| 4810           | ----               | ----                         | 14.60B/*8.40A      | 14.60B/*8.40A              | ----                          | 8.50 - 3.00              | .0516 | ----          | ----                     | 4                 | ----          | 35 -             | 4    |                   |  |  |  |      |
| 4815           | ----               | ----                         | 14.30B/*8.20A      | 14.30B/*8.20A              | ----                          | 8.30 - 3.00              | .0505 | ----          | ----                     | ----              | ----          | 63               | UNCH |                   |  |  |  |      |
| 4820           | ----               | ----                         | 14.10B/*8.10A      | 14.10B/*8.10A              | ----                          | 8.20 - 2.90              | .0499 | ----          | ----                     | ----              | ----          | 156              | UNCH |                   |  |  |  |      |
| 4825           | 10.30              | 10.30                        | 13.80B/*8.00A      | 13.80B/*8.00A              | ----                          | 8.00 - 3.00              | .0488 | ----          | ----                     | 3                 | ----          | 351 -            | 1    |                   |  |  |  |      |
| 4830           | ----               | ----                         | 13.50B/*7.80A      | 13.50B/*7.80A              | ----                          | 7.90 - 2.90              | .0482 | ----          | ----                     | ----              | ----          | 77               | UNCH |                   |  |  |  |      |
| 4835           | 9.90               | 9.90                         | 13.30B/*7.70A      | 13.30B/*7.70A              | ----                          | 7.80 - 2.80              | .0475 | ----          | ----                     | 1                 | ----          | 86               | UNCH |                   |  |  |  |      |
| 4840           | ----               | ----                         | 13.10B/*7.60A      | 13.10B/*7.60A              | ----                          | 7.60 - 2.90              | .0464 | ----          | ----                     | ----              | ----          | 28               | UNCH |                   |  |  |  |      |
| 4845           | 9.50               |                              |                    |                            |                               |                          |       |               |                          |                   |               |                  |      |                   |  |  |  |      |

| GLOBEX<br>OPEN |      | OPEN<br>OPEN       | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |
|----------------|------|--------------------|-----------------|--------------------|------------------|-----------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|
| OG CALL        |      | COMEX GOLD OPTIONS |                 |                    |                  |                 |                 |                          |       |               |                          |                   |               |                  |      |
| AUG26          |      |                    |                 |                    |                  |                 |                 |                          |       |               |                          |                   |               |                  |      |
| 5070           | ---- | ----               | ----            | 6.40B/*4.40A       | 6.40B/*4.40A     | ----            | ----            | 4.10 - 1.80              | .0246 | ----          | ----                     | ----              | ----          | 59               | UNCH |
| 5075           | ---- | ----               | ----            | 6.40B/*4.30A       | 6.40B/*4.30A     | ----            | ----            | 4.10 - 1.70              | .0245 | ----          | ----                     | ----              | ----          | 308              | UNCH |
| 5080           | ---- | ----               | ----            | 6.30B/*4.30A       | 6.30B/*4.40A     | ----            | ----            | 4.10 - 1.70              | .0245 | ----          | ----                     | ----              | ----          | 26               | UNCH |
| 5085           | ---- | ----               | ----            | 6.20B/*4.20A       | 6.20B/*4.20A     | ----            | ----            | 4.00 - 1.70              | .0239 | ----          | ----                     | ----              | ----          | 170              | UNCH |
| 5090           | 6.20 | 6.20               | 6.20            | 6.20/*4.20A        | 6.20/*4.20A      | ----            | ----            | 4.00 - 1.70              | .0238 | ----          | ----                     | 1                 | ----          | 11               | UNCH |
| 5095           | ---- | ----               | ----            | 6.00B/*4.20A       | 6.00B/*4.20A     | ----            | ----            | 4.00 - 1.60              | .0238 | ----          | ----                     | ----              | ----          | 10               | UNCH |
| 5100           | 4.40 | 4.40               | 4.40            | 6.00B/*4.10A       | 6.00B/*4.10A     | ----            | ----            | 3.90 - 1.60              | .0232 | ----          | ----                     | 70                | ----          | 4583             | -    |
| 5105           | 5.90 | 5.90               | 5.90            | 5.90/*4.10A        | 5.90/*4.10A      | ----            | ----            | 3.90 - 1.60              | .0231 | ----          | ----                     | 1                 | ----          | 17               | UNCH |
| 5110           | ---- | ----               | ----            | 5.90B/*4.10A       | 5.90B/*4.10A     | ----            | ----            | 3.90 - 1.50              | .0231 | ----          | ----                     | 2                 | ----          | 12               | UNCH |
| 5115           | ---- | ----               | ----            | 5.70B/*4.00A       | 5.70B/*4.00A     | ----            | ----            | 3.80 - 1.60              | .0225 | ----          | ----                     | ----              | ----          | 18               | UNCH |
| 5120           | ---- | ----               | ----            | 5.70B/*4.00A       | 5.70B/*4.00A     | ----            | ----            | 3.80 - 1.50              | .0225 | ----          | ----                     | ----              | ----          | 367              | UNCH |
| 5125           | ---- | ----               | ----            | 5.60B/*3.90A       | 5.60B/*3.90A     | ----            | ----            | 3.80 - 1.50              | .0224 | ----          | ----                     | ----              | ----          | 350              | UNCH |
| 5130           | ---- | ----               | ----            | 5.50B/*3.90A       | 5.50B/*3.90A     | ----            | ----            | 3.80 - 1.40              | .0223 | ----          | ----                     | ----              | ----          | 13               | UNCH |
| 5135           | ---- | ----               | ----            | 5.50B/*3.90A       | 5.50B/*3.90A     | ----            | ----            | 3.70 - 1.50              | .0218 | ----          | ----                     | ----              | ----          | 31               | UNCH |
| 5140           | ---- | ----               | ----            | 5.40B/*3.80A       | 5.40B/*3.80A     | ----            | ----            | 3.70 - 1.40              | .0217 | ----          | 1                        | ----              | ----          | 31               | UNCH |
| 5145           | ---- | ----               | ----            | 5.30B/*3.80A       | 5.30B/*3.80A     | ----            | ----            | 3.70 - 1.40              | .0217 | ----          | ----                     | ----              | ----          | 21               | UNCH |
| 5150           | 4.00 | 4.00               | 4.00            | 5.30B/*3.80A       | 5.30B/*3.80A     | ----            | ----            | 3.70 - 1.30              | .0216 | ----          | 10                       | ----              | ----          | 131              | -    |
| 5155           | ---- | ----               | ----            | 5.20B/*3.70A       | 5.20B/*3.70A     | ----            | ----            | 3.60 - 1.40              | .0211 | ----          | ----                     | ----              | ----          | 30               | UNCH |
| 5160           | ---- | ----               | ----            | 5.20B/*3.70A       | 5.20B/*3.70A     | ----            | ----            | 3.60 - 1.30              | .0210 | ----          | ----                     | ----              | ----          | 16               | UNCH |
| 5165           | ---- | ----               | ----            | 5.10B/*3.70A       | 5.10B/*3.70A     | ----            | ----            | 3.60 - 1.30              | .0209 | ----          | ----                     | ----              | ----          | 20               | UNCH |
| 5170           | 4.30 | 4.30               | 4.30            | 5.00B/*3.60A       | 5.00B/*3.60A     | ----            | ----            | 3.60 - 1.20              | .0209 | ----          | ----                     | 1                 | ----          | 13               | +    |
| 5175           | 4.40 | 4.40               | 4.40            | 5.00B/*3.60A       | 5.00B/*3.60A     | ----            | ----            | 3.50 - 1.30              | .0204 | ----          | 2                        | ----              | ----          | 370              | -    |
| 5180           | ---- | ----               | ----            | 4.90B/*3.60A       | 4.90B/*3.60A     | ----            | ----            | 3.50 - 1.20              | .0203 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 5185           | ---- | ----               | ----            | 4.90B/*3.60A       | 4.90B/*3.60A     | ----            | ----            | 3.50 - 1.20              | .0202 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 5190           | 5.10 | 5.10               | 5.10            | 5.10/*3.50A        | 5.10/*3.50A      | ----            | ----            | 3.40 - 1.30              | .0197 | ----          | 1                        | ----              | ----          | 34               | +    |
| 5195           | ---- | ----               | ----            | 4.80B/*3.50A       | 4.80B/*3.50A     | ----            | ----            | 3.40 - 1.20              | .0197 | ----          | ----                     | ----              | ----          | 42               | UNCH |
| 5200           | 4.20 | 4.20               | 4.20            | 4.70B/*3.50A       | 4.70B/*3.50A     | ----            | ----            | 3.40 - 1.20              | .0196 | ----          | 87                       | ----              | 3141          | UNCH             |      |
| 5205           | ---- | ----               | ----            | 4.70B/*3.50A       | 4.70B/*3.50A     | ----            | ----            | 3.40 - 1.20              | .0195 | ----          | ----                     | ----              | ----          | 6                | UNCH |
| 5210           | ---- | ----               | ----            | 4.60B/*3.50A       | 4.60B/*3.50A     | ----            | ----            | 3.30 - 1.20              | .0190 | ----          | ----                     | ----              | ----          | 8                | UNCH |
| 5215           | ---- | ----               | ----            | 4.60B/*3.40A       | 4.60B/*3.40A     | ----            | ----            | 3.30 - 1.20              | .0190 | ----          | ----                     | ----              | ----          | 15               | UNCH |
| 5220           | ---- | ----               | ----            | 4.50B/*3.40A       | 4.50B/*3.40A     | ----            | ----            | 3.30 - 1.20              | .0189 | ----          | ----                     | ----              | ----          | 291              | UNCH |
| 5225           | ---- | ----               | ----            | 4.50B/*3.40A       | 4.50B/*3.40A     | ----            | ----            | 3.20 - 1.20              | .0184 | ----          | ----                     | ----              | ----          | 60               | UNCH |
| 5230           | ---- | ----               | ----            | 4.40B/*3.40A       | 4.40B/*3.40A     | ----            | ----            | 3.20 - 1.20              | .0184 | ----          | ----                     | ----              | ----          | 13               | UNCH |
| 5235           | ---- | ----               | ----            | 4.40B/*3.40A       | 4.40B/*3.40A     | ----            | ----            | 3.20 - 1.20              | .0183 | ----          | ----                     | ----              | ----          | 15               | UNCH |
| 5240           | ---- | ----               | ----            | 4.30B/*3.30A       | 4.30B/*3.30A     | ----            | ----            | 3.20 - 1.10              | .0183 | ----          | ----                     | ----              | ----          | 36               | UNCH |
| 5245           | ---- | ----               | ----            | 4.30B/*3.30A       | 4.30B/*3.30A     | ----            | ----            | 3.10 - 1.20              | .0178 | ----          | ----                     | ----              | ----          | 17               | UNCH |
| 5250           | ---- | ----               | ----            | 4.30B/*3.30A       | 4.30B/*3.30A     | ----            | ----            | 3.10 - 1.20              | .0177 | ----          | ----                     | ----              | ----          | 703              | UNCH |
| 5255           | ---- | ----               | ----            | 4.20B/*3.30A       | 4.20B/*3.30A     | ----            | ----            | 3.10 - 1.10              | .0177 | ----          | ----                     | ----              | ----          | 904              | UNCH |
| 5260           | ---- | ----               | ----            | 4.30B/*3.20A       | 4.30B/*3.20A     | ----            | ----            | 3.00 - 1.20              | .0172 | ----          | ----                     | ----              | ----          | 35               | UNCH |
| 5265           | ---- | ----               | ----            | 4.10B/*3.20A       | 4.10B/*3.20A     | ----            | ----            | 3.00 - 1.20              | .0171 | ----          | ----                     | ----              | ----          | 18               | UNCH |
| 5270           | ---- | ----               | ----            | 4.10B/*3.20A       | 4.10B/*3.20A     | ----            | ----            | 3.00 - 1.20              | .0171 | ----          | ----                     | ----              | ----          | 152              | UNCH |
| 5275           | 3.50 | 3.50               | 3.50            | 4.10B/*3.20A       | 4.10B/*3.20A     | ----            | ----            | 2.90 - 1.20              | .0166 | ----          | 11                       | ----              | ----          | 24               | +    |
| 5280           | ---- | ----               | ----            | 4.10B/*3.20A       | 4.10B/*3.20A     | ----            | ----            | 2.90 - 1.20              | .0165 | ----          | ----                     | ----              | ----          | 210              | UNCH |
| 5285           | ---- | ----               | ----            | 4.00B/*3.10A       | 4.00B/*3.10A     | ----            | ----            | 2.90 - 1.20              | .0165 | ----          | ----                     | ----              | ----          | 31               | UNCH |
| 5290           | ---- | ----               | ----            | 3.90B/*3.10A       | 3.90B/*3.10A     | ----            | ----            | 2.90 - 1.10              | .0164 | ----          | ----                     | ----              | ----          | 24               | UNCH |
| 5295           | ---- | ----               | ----            | 3.90B/*3.10A       | 3.90B/*3.10A     | ----            | ----            | 2.80 - 1.20              | .0159 | ----          | ----                     | ----              | ----          | 11               | UNCH |
| 5300           | 3.20 | 3.20               | 3.20            | 3.90B/*3.10A       | 3.90B/*3.10A     | ----            | ----            | 2.80 - 1.20              | .0159 | ----          | 3                        | ----              | 1198          | -                |      |
| 5305           | ---- | ----               | ----            | 3.80B/*3.00A       | 3.80B/*3.00A     | ----            | ----            | 2.80 - 1.20              | .0158 | ----          | ----                     | ----              | ----          | 17               | UNCH |
| 5310           | ---- | ----               | ----            | 3.80B/*3.00A       | 3.80B/*3.00A     | ----            | ----            | 2.80 - 1.10              | .0158 | ----          | ----                     | ----              | ----          | 105              | UNCH |
| 5315           | 3.40 | 3.40               | 3.40            | 3.80B/*3.00A       | 3.80B/*3.00A     | ----            | ----            | 2.70 - 1.20              | .0153 | ----          | 1                        | ----              | ----          | 16               | UNCH |
| 5320           | ---- | ----               | ----            | 3.70B/*3.00A       | 3.70B/*3.00A     | ----            | ----            | 2.70 - 1.20              | .0153 | ----          | ----                     | ----              | ----          | 23               | UNCH |
| 5325           | ---- | ----               | ----            | 3.70B/*2.90A       | 3.70B/*2.90A     | ----            | ----            | 2.70 - 1.10              | .0152 | ----          | ----                     | ----              | ----          | 42               | UNCH |
| 5330           | ---- | ----               | ----            | 3.70B/*2.90A       | 3.70B/*2.90A     | ----            | ----            | 2.70 - 1.10              | .0152 | ----          | ----                     | ----              | ----          | 21               | UNCH |
| 5335           | ---- | ----               | ----            | 3.60B/*2.90A       | 3.60B/*2.90A     | ----            | ----            | 2.60 - 1.20              | .0147 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 5340           | ---- | ----               | ----            | 3.60B/*2.90A       | 3.60B/*2.90A     | ----            | ----            | 2.60 - 1.20              | .0146 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 5345           | ---- | ----               | ----            | 3.60B/*2.90A       | 3.60B/*2.90A     | ----            | ----            | 2.60 - 1.10              | .0146 | ----          | ----                     | ----              | ----          | 29               | UNCH |
| 5350           | ---- | ----               | ----            | 3.60B/*2.90A       | 3.60B/*2.90A     | ----            | ----            | 2.60 - 1.10              | .0146 | ----          | 1                        | ----              | 8002          | UNCH             |      |
| 5355           | ---- | ----               | ----            | 3.50B/*2.90A       | 3.50B/*2.90A     | ----            | ----            | 2.60 - 1.10              | .0145 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 5360           | ---- | ----               | ----            | 3.50B/*2.90A       | 3.50B/*2.90A     | ----            | ----            | 2.50 - 1.10              | .0140 | ----          | ----                     | ----              | ----          | 125              | UNCH |
| 5365           | ---- | ----               | ----            | 3.50B/*2.80A       | 3.50B/*2.80A     | ----            | ----            | 2.50 - 1.10              | .0140 | ----          | 120                      | ----              | ----          | 65               | +    |
| 5370           | ---- | ----               | ----            | 3.50B/*2.80A       | 3.50B/*2.80A     | ----            | ----            | 2.50 - 1.10              | .0140 | ----          | 10                       | ----              | ----          | 8008             | -    |
| 5375           | 2.90 | 2.90               | 2.90            | 3.40B/*2.80A       | 3.40B/*2.80A     | ----            | ----            | 2.50 - 1.10              | .0139 | ----          | 10                       | ----              | ----          | 255              | UNCH |
| 5380           | ---- | ----               | ----            | 3.40B/*2.80A       | 3.40B/*2.80A     | ----            | ----            | 2.50 - 1.00              | .0139 | ----          | ----                     | ----              | ----          | 43               | UNCH |
| 5395           | ---- | ----               | ----            | 3.30B/*2.80A       | 3.30B/*2.80A     | ----            | ----            | 2.40 - 1.10              | .0133 | ----          | ----                     | ----              | ----          | 10               | UNCH |
| 5400           | 3.00 | 3.00               | 3.00            | 3.30B/*2.70A       | 3.30B/*2.70A     | ----            | ----            | 2.40 - 1.00              | .0133 | ----          | 21                       | ----              | 2530          | -                |      |
| 5405           | ---- | ----               | ----            | 3.20B/*2.70A       | 3.20B/*2.70A     | ----            | ----            | 2.40 - 1.00              | .0133 | ----          | ----                     | ----              | ----          | 7                | UNCH |
| 5410           | ---- | ----               | ----            | 3.20B/*2.70A       | 3.20B/*2.70A     | ----            | ----            | 2.40 - 1.00              | .0132 | ----          | ----                     | ----              | ----          | 23               | UNCH |
| 5415           | ---- | ----               | ----            | 3.20B/*2.70A       | 3.20B/*2.70A     | ----            | ----            | 2.30 - 1.10              | .0128 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 5420           | ---- | ----               | ----            | 3.20B/*2.70A       | 3.20B/*2.70A     | ----            | ----            | 2.30 - 1.00              | .0127 | ----          | ----                     | ----              | ----          | 8                | UNCH |
| 5425           | ---- | ----               | ----            | 3.10B/*2.60A       | 3.10B/*2.60A     | ----            | ----            | 2.30 - 1.00              | .0127 | ----          | ----                     | ----              | ----          | 21               | UNCH |
| 5430           | 2.80 | 2.80               | 2.80            | 3.10B/*2.60A       | 3.10B/*2.60A     | ----            | ----            | 2.30 - 1.00              | .0127 | ----          | 4                        | ----              | ----          | 12               | UNCH |
| 5435           | 2.80 | 2.80               | 2.80            | 3.10B/*2.60A       | 3.10B/*2.60A     | ----            | ----            | 2.30 - 1.00              | .0126 | ----          | 1                        | ----              | 49            | -</              |      |

| BULLETIN #111@ |                    |              |                 | METALS OPTION PRODUCTS |                  |                    |               |                 |                          |       |               |                          |                   | Thu, Jun 11, 2026 |                  |      |  | PG64 |  |
|----------------|--------------------|--------------|-----------------|------------------------|------------------|--------------------|---------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|-------------------|------------------|------|--|------|--|
|                | GLOBEX<br>OPEN     | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW     | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME     | OPEN<br>INTEREST |      |  |      |  |
| OG CALL        | COMEX GOLD OPTIONS |              |                 |                        |                  |                    |               |                 |                          |       |               |                          |                   |                   |                  |      |  |      |  |
| AUG26          |                    |              |                 |                        |                  |                    |               |                 |                          |       |               |                          |                   |                   |                  |      |  |      |  |
| 6400           | ----               | ----         | ----            | ----                   | 1.30B/1.40A      | ----               | 1.10          | - 0.30          | .0048                    | ----  | ----          | ----                     | ----              | ----              | 55               | UNCH |  |      |  |
| 6500           | ----               | ----         | ----            | ----                   | 1.20B/1.30A      | ----               | 1.00          | - 0.30          | .0043                    | ----  | ----          | ----                     | 34                | ----              | 846              | +    |  |      |  |
| 6600           | ----               | ----         | ----            | ----                   | 1.10B/1.10A      | ----               | 0.90          | - 0.30          | .0038                    | ----  | ----          | ----                     | ----              | ----              | 209              | UNCH |  |      |  |
| 6700           | ----               | ----         | ----            | ----                   | 1.00B/1.10A      | ----               | 0.90          | - 0.20          | .0037                    | ----  | ----          | ----                     | ----              | ----              | 332              | UNCH |  |      |  |
| 6800           | ----               | ----         | ----            | ----                   | 0.90B/1.10A      | ----               | 0.80          | - 0.20          | .0033                    | ----  | ----          | ----                     | ----              | ----              | 41               | UNCH |  |      |  |
| 6900           | ----               | ----         | ----            | ----                   | 0.90B/*1.00A     | ----               | 0.70          | - 0.20          | .0029                    | ----  | ----          | ----                     | ----              | ----              | 33               | UNCH |  |      |  |
| 7000           | ----               | ----         | ----            | ----                   | 0.80B/1.00A      | ----               | 0.70          | - 0.20          | .0028                    | ----  | ----          | ----                     | ----              | ----              | 982              | UNCH |  |      |  |
| 7500           | 0.80               | 0.80         | 0.80            | 0.80/0.80              | 0.80/0.80        | 0.80/0.80          | 0.50          | - 0.10          | .0019                    | ----  | ----          | 4                        | ----              | ----              | 828              | UNCH |  |      |  |
| 8000           | 0.50               | 0.50         | 0.50            | 0.50/*0.50             | 0.50/0.50        | 0.50/0.50          | 0.40          | - 0.10          | .0014                    | ----  | ----          | 1                        | ----              | ----              | 678              | UNCH |  |      |  |
| 8500           | ----               | ----         | ----            | ----                   | 0.20B/0.50A      | ----               | 0.30          | - 0.10          | .0010                    | ----  | ----          | ----                     | ----              | ----              | 113              | UNCH |  |      |  |
| 9000           | ----               | ----         | ----            | ----                   | /0.40A           | ----               | 0.20          | - 0.10          | .0007                    | ----  | ----          | ----                     | ----              | ----              | 123              | UNCH |  |      |  |
| 9500           | ----               | ----         | ----            | ----                   | /0.30A           | ----               | 0.20          | UNCH            | .0006                    | ----  | ----          | ----                     | ----              | ----              | 316              | UNCH |  |      |  |
| 10000          | ----               | ----         | ----            | ----                   | /0.20A           | ----               | 0.10          | - 0.10          | .0003                    | ----  | ----          | ----                     | ----              | ----              | 266              | UNCH |  |      |  |
| TOTAL          |                    |              |                 |                        |                  |                    |               |                 |                          |       | 8938          | 4,231                    | 102095            | +                 | 5077             |      |  |      |  |
| SEP26          |                    |              |                 |                        |                  |                    |               |                 |                          |       |               |                          |                   |                   |                  |      |  |      |  |
| 3875           | ----               | ----         | ----            | 446.00B/*320.40        | 446.00B/*320.40A | ----               | 356.70        | - 13.90         | .7275                    | ----  | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |  |
| 3995           | ----               | ----         | ----            | 352.90B/*243.10        | 352.90B/*243.10A | ----               | 273.60        | - 12.30         | .6424                    | ----  | ----          | ----                     | ----              | ----              | 10               | UNCH |  |      |  |
| 4000           | 304.90             | 304.90       | 304.90          | 349.20B/*240.20        | 349.20B/*240.20A | ----               | 270.30        | - 12.30         | .6386                    | ----  | ----          | 4                        | ----              | ----              | 4                | +    |  |      |  |
| 4070           | 212.00             | 212.00       | 212.00          | 299.60B/*202.70        | 299.60B/*202.70A | ----               | 227.30        | NEW             | .5827                    | ----  | ----          | 2                        | ----              | ----              | 1                | +    |  |      |  |
| 4075           | 253.40             | 253.40       | 253.40          | 296.20B/*199.90        | 296.20B/*199.90A | ----               | 224.40        | NEW             | .5786                    | ----  | ----          | 7                        | ----              | ----              | 7                | +    |  |      |  |
| 4085           | ----               | ----         | ----            | 289.70B/*194.60        | 289.70B/*194.60A | ----               | 218.70        | - 11.20         | .5703                    | ----  | ----          | ----                     | ----              | ----              | 37               | UNCH |  |      |  |
| 4095           | ----               | ----         | ----            | 283.00B/*189.60        | 283.00B/*189.60A | ----               | 213.00        | - 11.10         | .5620                    | ----  | ----          | ----                     | ----              | ----              | 5                | UNCH |  |      |  |
| 4100           | ----               | ----         | ----            | 279.70B/*187.30        | 279.70B/*187.30A | ----               | 210.20        | - 11.10         | .5578                    | ----  | ----          | ----                     | ----              | ----              | 6                | UNCH |  |      |  |
| 4110           | ----               | ----         | ----            | 273.20B/*181.80        | 273.20B/*181.80A | ----               | 204.70        | NEW             | .5493                    | ----  | ----          | 2                        | ----              | ----              | 2                | +    |  |      |  |
| 4115           | ----               | ----         | ----            | 269.90B/*179.80        | 269.90B/*179.80A | ----               | 202.00        | NEW             | .5451                    | ----  | ----          | 14                       | ----              | ----              | 14               | +    |  |      |  |
| 4125           | 189.80             | 189.80       | 189.80          | 263.60B/*175.00        | 263.60B/*175.00A | ----               | 196.60        | NEW             | .5366                    | ----  | ----          | 10                       | ----              | ----              | 10               | +    |  |      |  |
| 4130           | ----               | ----         | ----            | 260.50B/*172.70        | 260.50B/*172.70A | ----               | 193.90        | - 10.70         | .5323                    | ----  | ----          | 10                       | ----              | ----              | 20               | +    |  |      |  |
| 4140           | 175.50             | 175.50       | 175.50          | 254.50B/*167.80        | 254.50B/*167.80A | ----               | 188.70        | - 10.60         | .5238                    | ----  | ----          | 2                        | ----              | ----              | 8                | +    |  |      |  |
| 4150           | ----               | ----         | ----            | 248.20B/*163.60        | 248.20B/*163.60A | ----               | 183.60        | NEW             | .5152                    | ----  | ----          | 40                       | 220               | 231               | +                |      |  |      |  |
| 4160           | 169.90             | 169.90       | 169.90          | 242.80B/*159.00        | 242.80B/*159.00A | ----               | 178.50        | NEW             | .5066                    | ----  | ----          | 1                        | ----              | ----              | 1                | +    |  |      |  |
| 4165           | ----               | ----         | ----            | 239.80B/*156.60        | 239.80B/*156.60A | ----               | 176.00        | - 10.30         | .5023                    | ----  | ----          | ----                     | ----              | ----              | 11               | UNCH |  |      |  |
| 4175           | ----               | ----         | ----            | 233.80B/*152.60        | 233.80B/*152.60A | ----               | 171.10        | - 10.20         | .4937                    | ----  | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |  |
| 4180           | ----               | ----         | ----            | 230.90B/*150.50        | 230.90B/*150.50A | ----               | 168.70        | - 10.10         | .4894                    | ----  | ----          | ----                     | ----              | ----              | 2                | UNCH |  |      |  |
| 4185           | ----               | ----         | ----            | 228.00B/*148.10        | 228.00B/*148.10A | ----               | 166.30        | - 10.10         | .4851                    | ----  | ----          | ----                     | ----              | ----              | 40               | UNCH |  |      |  |
| 4190           | ----               | ----         | ----            | 225.10B/*146.00        | 225.10B/*146.00A | ----               | 163.90        | - 10.00         | .4808                    | ----  | ----          | ----                     | ----              | ----              | 3                | UNCH |  |      |  |
| 4195           | 165.40             | 165.40       | 165.40          | 222.10B/*144.00        | 222.10B/*144.00A | ----               | 161.60        | NEW             | .4765                    | ----  | ----          | 1                        | ----              | ----              | 1                | +    |  |      |  |
| 4200           | 146.30             | 146.30       | 146.30          | 219.30B/*141.90        | 219.30B/*141.90A | ----               | 159.30        | - 9.90          | .4722                    | ----  | ----          | 8                        | ----              | ----              | 10               | +    |  |      |  |
| 4205           | 151.00             | 151.00       | 151.00          | 216.70B/*139.90        | 216.70B/*139.90A | ----               | 157.00        | - 9.80          | .4679                    | ----  | ----          | 2                        | ----              | ----              | 2                | +    |  |      |  |
| 4210           | 180.00             | 180.00       | 180.00          | 213.70B/*138.00        | 213.70B/*138.00A | ----               | 154.70        | NEW             | .4635                    | ----  | ----          | 1                        | ----              | ----              | 1                | +    |  |      |  |
| 4220           | 158.00             | 158.00       | 158.00          | 208.20B/*133.90        | 208.20B/*133.90A | ----               | 150.30        | - 9.60          | .4550                    | ----  | ----          | 2                        | ----              | ----              | 164              | -    |  |      |  |
| 4225           | ----               | ----         | ----            | 205.60B/*131.70        | 205.60B/*131.70A | ----               | 148.10        | - 9.60          | .4507                    | ----  | ----          | 14                       | ----              | ----              | 20               | -    |  |      |  |
| 4240           | ----               | ----         | ----            | 197.60B/*126.30        | 197.60B/*126.30A | ----               | 141.70        | - 9.30          | .4379                    | ----  | ----          | ----                     | ----              | ----              | 12               | UNCH |  |      |  |
| 4250           | 135.00             | 135.00       | 135.00          | 192.40B/*122.90        | 192.40B/*122.90A | ----               | 137.50        | - 9.30          | .4293                    | ----  | ----          | 1                        | ----              | ----              | 2                | +    |  |      |  |
| 4255           | 129.40             | 129.40       | 129.40          | 189.80B/*121.10        | 189.80B/*121.10A | ----               | 135.50        | NEW             | .4251                    | ----  | ----          | 2                        | ----              | ----              | 1                | +    |  |      |  |
| 4260           | ----               | ----         | ----            | 187.20B/*118.90        | 187.20B/*118.90A | ----               | 133.40        | - 9.20          | .4209                    | ----  | ----          | 20                       | ----              | ----              | 32               | +    |  |      |  |
| 4265           | ----               | ----         | ----            | 184.70B/*117.50        | 184.70B/*117.50A | ----               | 131.50        | - 9.00          | .4167                    | ----  | ----          | ----                     | ----              | ----              | 11               | UNCH |  |      |  |
| 4270           | ----               | ----         | ----            | 182.20B/*115.80        | 182.20B/*115.80A | ----               | 129.50        | - 9.00          | .4125                    | ----  | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |  |
| 4275           | ----               | ----         | ----            | 179.70B/*114.30        | 179.70B/*114.30A | ----               | 127.50        | - 9.00          | .4082                    | ----  | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |  |
| 4280           | 118.60             | 118.60       | 118.60          | 177.30B/*112.60        | 177.30B/*112.60A | ----               | 125.60        | NEW             | .4041                    | ----  | ----          | 1                        | ----              | ----              | 1                | +    |  |      |  |
| 4285           | ----               | ----         | ----            | 175.10B/*110.90        | 175.10B/*110.90A | ----               | 123.70        | - 8.80          | .3999                    | ----  | ----          | ----                     | ----              | ----              | 3                | UNCH |  |      |  |
| 4290           | ----               | ----         | ----            | 172.60B/*109.10        | 172.60B/*109.10A | ----               | 121.80        | - 8.80          | .3957                    | ----  | ----          | ----                     | ----              | ----              | 4                | UNCH |  |      |  |
| 4295           | 117.80             | 117.80       | 117.80          | 170.20B/*107.60        | 170.20B/*107.60A | ----               | 120.00        | - 8.70          | .3917                    | ----  | ----          | 1                        | ----              | ----              | 52               | +    |  |      |  |
| 4300           | 111.00             | 111.00       | 111.00          | 167.90B/*105.90        | 167.90B/*105.90A | ----               | 118.20        | - 8.60          | .3876                    | ----  | ----          | 19                       | ----              | ----              | 132              | +    |  |      |  |
| 4310           | 109.30             | 109.30       | 109.30          | 163.30B/*102.30        | 163.30B/*102.30A | ----               | 114.60        | NEW             | .3794                    | ----  | ----          | 2                        | ----              | ----              | 2                | +    |  |      |  |
| 4315           | ----               | ----         | ----            | 161.00B/*100.80        | 161.00B/*100.80A | ----               | 112.80        | - 8.50          | .3753                    | ----  | ----          | ----                     | ----              | ----              | 40               | UNCH |  |      |  |
| 4320           | ----               | ----         | ----            | 158.80B/*99.30A        | 158.80B/*99.30A  | ----               | 111.10        | - 8.40          | .3712                    | ----  | ----          | ----                     | ----              | ----              | 162              | UNCH |  |      |  |
| 4325           | ----               | ----         | ----            | 156.50B/*98.10A        | 156.50B/*98.10A  | ----               | 109.40        | - 8.30          | .3672                    | ----  | ----          | ----                     | ----              | ----              | 50               | UNCH |  |      |  |
| 4330           | 101.20             | 101.20       | 101.20          | 154.30B/*96.60A        | 154.30B/*96.60A  | ----               | 107.70        | NEW             | .3632                    | ----  | ----          | 4                        | ----              | ----              | 4                | +    |  |      |  |
| 4340           | 104.60             | 104.60       | 104.60          | 150.10B/*93.80A        | 150.10B/*93.80A  | ----               | 104.30        | NEW             | .3551                    | ----  | ----          | 1                        | ----              | ----              | 1                | +    |  |      |  |
| 4345           | ----               | ----         | ----            | 147.90B/*92.20A        | 147.90B/*92.20A  | ----               | 102.70        | - 8.20          | .3512                    | ----  | ----          | ----                     | ----              | ----              | 2                | UNCH |  |      |  |
| 4350           | 123.00             | 123.00       | 123.00          | 145.80B/*91.20A        | 145.80B/*91.20A  | ----               | 101.10        | - 8.10          | .3473                    | ----  | ----          | 3                        | ----              | ----              | 17               | +    |  |      |  |
| 4355           | 91.50              | 91.50        | 91.50           | 143.70B/*89.60A        | 143.70B/*89.60A  | ----               | 99.50         | NEW             | .3434                    | ----  | ----          | 1                        | ----              | ----              | 1                | +    |  |      |  |
| 4360           | ----               | ----         | ----            | 141.60B/*88.20A        | 141.60B/*88.20A  | ----               | 97.90         | - 8.00          | .3394                    | ----  | ----          | ----                     | ----              | ----              | 24               | UNCH |  |      |  |
| 4365           | 102.20             | 102.20       | 102.20          | 139.70B/*86.80A        | 139.70B/*86.80A  | ----               | 96.40         | NEW             | .3356                    | ----  | ----          | 7                        | ----              | ----              | 7                | +    |  |      |  |
| 4370           | ----               | ----         | ----            | 137.60B/*85.50A        | 137.60B/*85.50A  | ----               | 94.80         | - 8.00          | .3317                    | ----  | ----          | ----                     | ----              | ----              | 2                | UNCH |  |      |  |
| 4375           | 89.20              | 89.20        | 89.20           | 135.60B/*84.60A        | 135.60B/*84.60A  | ----               | 93.30         | - 7.90          | .3279                    | ----  | ----          | 3                        | ----              | ----              | 7                | +    |  |      |  |
| 4380           | 87.80              | 87.80        | 87.80           | 133.60B/*83.00A        | 133.60B/*83.00A  | ----               | 91.80         | - 7.90          | .3240                    | ----  | ----          | 2                        | ----              | ----              | 3                | +    |  |      |  |
| 4385           | 89.20              | 89.20        | 89.20           | 131.70B/*81.80A        | 131.70B/*81.80A  | ----               | 90.40         | - 7.80          | .3203                    | ----  | ----          | 2                        | ----              | ----              | 3                | +    |  |      |  |
| 4390           | 83.90              | 83.90        | 83.90           | 129.80B/*80.70A        | 129.80B/*80.70A  | ----               | 88.90         | - 7.80          | .3165                    | ----  | ----          | 1                        | ----              | ----              | 214              | UNCH |  |      |  |
| 4395           | ----               | ----         | ----            | 127.90B/*79.50A        | 127.90B/*79.50A  | ----               | 87.50         | - 7.70          | .3128                    | ----  | ----          | ----                     | ----              | ----              | 14               | UNCH |  |      |  |
| 4400           | 91.00              | 91.00        | 91.00           | 126.00B/*78.40A        | 126.00B/*78.40A  | ----               | 86.00         | - 7.80          | .3090                    | ----  | ----          | 152                      | ----              | ----              | 234              | +    |  |      |  |
| 4410           | ----               | ----         | ----            | 122.30B/*75.80A        | 122.30B/*75.80A  | ----               | 83.30         | - 7.70          | .3017                    | ----  | ----          | ----                     | ----              | ----              | 3                | UNCH |  |      |  |
| 4415           | 77.60              | 77.60        | 77.60           | 120.60B/*74.70A        | 120.60B/*74.70A  | ----               | 81.90         | - 7.70          | .2980                    | ----  | ----          | 1                        | ----              | ----              | 8                | +    |  |      |  |
| 4420           | 79.30              | 79.30        | 79.30           | 118.70B/*73.70A        | 118.70B/*73.70A  | ----               | 80.50         | - 7.70          | .2943                    | ----  | ----          | 1                        | ----              | ----              | 8                | +    |  |      |  |
| 4425           | 78.00              | 78.00        | 78.00           | 116.90B/*72.60A        | 116.90B/*72.60A  | ----               | 79.20         | - 7.70          | .2907                    | ----  | ----          | 2                        | ----              | ----              | 20               | +    |  |      |  |
| 4430           | 73.40              | 73.40        | 73.40           | 115.20B/*71.40A        | 115.20B/*71.40A  | ----               | 77.90         | - 7.60          | .2871                    | ----  | ----          | 1                        | ----              | ----              | 2                | +    |  |      |  |
| 4435           | ----               | ----         | ----            | 113.60B/*70.30A        | 113.60B/*70.30A  | ----               | 76.60         | - 7.60          | .2835                    | ----  | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |  |
| 4440           | ----               | ----         | ----            | 111.90B/*69.20A        | 111.90B/*69.20A  | ----               | 75.40         | - 7.60          | .2801                    | ----  | ----          | ----                     | ----              | ----              | 9                | UNCH |  |      |  |
| 4450           | 71.10              | 71.10        | 71.10           | 108.50B/*67.00A        | 108.50B/*67.00A  | ----               | 72.90         | - 7.50          | .2731                    | ----  | ----          | 1                        | ----              | ----              | 24               | -    |  |      |  |
| 4460           | 69.40              | 69.40        | 69.40           | 105.20B/*64.90A        | 105.20B/*64.90A  | ----               | 70.50         | - 7.50          | .2662                    | ----  | ----          | 2                        | ----              | ----              | 3                | +    |  |      |  |
| 4465           | 67.60              | 67.60        | 67.60           | 103.60B/*63.90A        | 103.60B/*63.90A  | ----               | 69.40         | - 7.40          | .2630                    | ----  | ----          | 1                        | ----              | ----              | 8                | +    |  |      |  |
| 4475           | ----               | ----         | ----            | 100.50B/*61.90A        | 100.50B/*61.90A  | ----               | 67.10         | - 7.40          | .2563                    | ----  | ----          | 2                        | ----              | ----              | 38               | UNCH |  |      |  |
| 4480           | ----               | ----         | ----            | 99.00B/*60.90A         | 99.00B/*60.90A   | ----               | 66.00         | - 7.30          | .2530                    | ----  | ----          | ----                     | ----              | ----              | 2                | UNCH |  |      |  |
| 4485           | ----               | ----         | ----            | 97.60B/*60.00A         | 97.60B/*60.00A   | ----               | 64.90         | - 7.30          | .2498                    | ----  | ----          | ----                     | ----              | ----              | 2                | UNCH |  |      |  |
| 4490           | 75.70              | 75.70        | 75.70           | 96.00B/*59.00A         | 96.00B/*59.00A   | ----               | 63.90         | - 7.20          | .2467                    | ----  | ----          | 10                       | ----              | ----              | 12               | +    |  |      |  |
| 4495           | ----               | ----         | ----            | 94.60B/*58.10A         | 94.60B/*58.10A   | ----               | 62.90         | - 7.10          | .2436                    | ----  | ----          | ----                     | ----              | ----              | 108              | UNCH |  |      |  |
| 4500           |                    |              |                 |                        |                  |                    |               |                 |                          |       |               |                          |                   |                   |                  |      |  |      |  |

| GLOBEX<br>OPEN |       | OPEN<br>OPEN       | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>RANGE | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |  |
|----------------|-------|--------------------|-----------------|--------------------|------------------|-----------------|---------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|--|
| OG CALL        |       | COMEX GOLD OPTIONS |                 |                    |                  |                 |               |                 |                          |       |               |                          |                   |               |                  |      |  |
| SEP26          |       |                    |                 |                    |                  |                 |               |                 |                          |       |               |                          |                   |               |                  |      |  |
| 4760           | ----  | ----               | ----            | 41.30B/*25.60A     | 41.30B/*25.60A   | ----            | ----          | 27.00           | - 4.40                   | .1199 | ----          | ----                     | ----              | ----          | 28               | UNCH |  |
| 4770           | ----  | ----               | ----            | 40.00B/*24.80A     | 40.00B/*24.80A   | ----            | ----          | 26.10           | - 4.40                   | .1165 | ----          | ----                     | ----              | ----          | 3                | UNCH |  |
| 4775           | ----  | ----               | ----            | 39.40B/*24.40A     | 39.40B/*24.40A   | ----            | ----          | 25.80           | - 4.30                   | .1152 | ----          | ----                     | ----              | ----          | 271              | UNCH |  |
| 4780           | 25.60 | 25.60              | 25.60           | 38.80B/*24.10A     | 38.80B/*24.10A   | ----            | ----          | 25.40           | - 4.30                   | .1136 | ----          | ----                     | 1                 | ----          | 11 +             | 1    |  |
| 4785           | ----  | ----               | ----            | 38.10B/*23.80A     | 38.10B/*23.80A   | ----            | ----          | 25.00           | - 4.20                   | .1120 | ----          | ----                     | ----              | ----          | 6                | UNCH |  |
| 4790           | ----  | ----               | ----            | 37.50B/*23.40A     | 37.50B/*23.40A   | ----            | ----          | 24.60           | - 4.20                   | .1105 | ----          | ----                     | ----              | ----          | 26               | UNCH |  |
| 4795           | ----  | ----               | ----            | 37.00B/*23.10A     | 37.00B/*23.10A   | ----            | ----          | 24.20           | - 4.20                   | .1089 | ----          | ----                     | ----              | ----          | 4                | UNCH |  |
| 4800           | 27.50 | 27.50              | 27.50           | 36.40B/*22.70      | 36.40B/*22.70    | ----            | ----          | 23.90           | - 4.10                   | .1076 | ----          | 71                       | ----              | ----          | 1290 +           | 6    |  |
| 4805           | 32.50 | 32.50              | 32.50           | 35.80B/*22.40A     | 35.80B/*22.40A   | ----            | ----          | 23.50           | - 4.10                   | .1061 | ----          | 1                        | ----              | ----          | 7 +              | 1    |  |
| 4810           | 32.00 | 32.00              | 32.00           | 35.30B/*22.10A     | 35.30B/*22.10A   | ----            | ----          | 23.20           | - 4.10                   | .1048 | ----          | 1                        | ----              | ----          | 11               | UNCH |  |
| 4815           | 32.40 | 32.40              | 32.40           | 34.80B/*21.80A     | 34.80B/*21.80A   | ----            | ----          | 22.80           | - 4.10                   | .1032 | ----          | 1                        | ----              | ----          | 13 +             | 1    |  |
| 4820           | ----  | ----               | ----            | 34.20B/*21.50A     | 34.20B/*21.50A   | ----            | ----          | 22.50           | - 4.00                   | .1020 | ----          | ----                     | ----              | ----          | 4                | UNCH |  |
| 4825           | 24.60 | 24.60              | 24.60           | 33.70B/*21.20A     | 33.70B/*21.20A   | ----            | ----          | 22.20           | - 4.00                   | .1007 | ----          | 9                        | ----              | ----          | 364 -            | 3    |  |
| 4830           | ----  | ----               | ----            | 33.20B/*20.90A     | 33.20B/*20.90A   | ----            | ----          | 21.80           | - 4.00                   | .0992 | ----          | ----                     | ----              | ----          | 14               | UNCH |  |
| 4835           | ----  | ----               | ----            | 32.70B/*20.60A     | 32.70B/*20.60A   | ----            | ----          | 21.50           | - 4.00                   | .0979 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 4840           | ----  | ----               | ----            | 32.30B/*20.30A     | 32.30B/*20.30A   | ----            | ----          | 21.20           | - 3.90                   | .0967 | ----          | ----                     | ----              | ----          | 47               | UNCH |  |
| 4845           | 20.60 | 20.60              | 20.60           | 31.80B/*20.10A     | 31.80B/*20.10A   | ----            | ----          | 20.90           | NEW                      | .0954 | ----          | 4                        | ----              | ----          | 4 +              | 4    |  |
| 4850           | 23.20 | 23.20              | 23.20           | 31.40B/*19.80A     | 31.40B/*19.80A   | ----            | ----          | 20.60           | - 3.90                   | .0942 | ----          | 4                        | ----              | ----          | 110 +            | 2    |  |
| 4855           | 19.80 | 19.80              | 19.80           | 30.90B/*19.50A     | 30.90B/*19.50A   | ----            | ----          | 20.30           | NEW                      | .0929 | ----          | 3                        | ----              | ----          | 3 +              | 3    |  |
| 4860           | 19.50 | 19.50              | 19.50           | 30.40B/*19.30A     | 30.40B/*19.30A   | ----            | ----          | 20.00           | - 3.80                   | .0917 | ----          | 2                        | ----              | ----          | 4 +              | 1    |  |
| 4870           | 19.00 | 19.00              | 19.00           | 29.60B/*18.70A     | 29.60B/*18.70A   | ----            | ----          | 19.50           | - 3.70                   | .0895 | ----          | 1                        | ----              | ----          | 3                | UNCH |  |
| 4875           | ----  | ----               | ----            | 29.10B/*18.50A     | 29.10B/*18.50A   | ----            | ----          | 19.20           | - 3.70                   | .0883 | ----          | ----                     | ----              | ----          | 179              | UNCH |  |
| 4880           | 18.50 | 18.50              | 18.50           | 28.70B/*18.20A     | 28.70B/*18.20A   | ----            | ----          | 18.90           | - 3.70                   | .0870 | ----          | 1                        | ----              | ----          | 15               | UNCH |  |
| 4885           | 18.20 | 18.20              | 18.20           | 28.30B/*18.10A     | 28.30B/*18.10A   | ----            | ----          | 18.70           | - 3.60                   | .0861 | ----          | 1                        | ----              | ----          | 53 +             | 1    |  |
| 4890           | 18.00 | 18.00              | 18.00           | 27.90B/*17.80A     | 27.90B/*17.80A   | ----            | ----          | 18.40           | NEW                      | .0849 | ----          | 1                        | ----              | ----          | 1 +              | 1    |  |
| 4895           | 17.70 | 17.70              | 17.70           | 27.50B/*17.60A     | 27.50B/*17.60A   | ----            | ----          | 18.20           | - 3.60                   | .0840 | ----          | 1                        | ----              | ----          | 11               | UNCH |  |
| 4900           | 19.60 | 19.60              | 19.60           | 27.10B/*17.40A     | 27.10B/*17.40A   | ----            | ----          | 17.90           | - 3.60                   | .0827 | ----          | 8                        | ----              | ----          | 482 -            | 2    |  |
| 4905           | 17.70 | 17.70              | 17.70           | 26.70B/*17.20A     | 26.70B/*17.20A   | ----            | ----          | 17.70           | - 3.50                   | .0818 | ----          | 1                        | ----              | ----          | 25               | UNCH |  |
| 4910           | 17.10 | 17.10              | 17.10           | 26.30B/*17.00A     | 26.30B/*17.00A   | ----            | ----          | 17.40           | NEW                      | .0806 | ----          | 3                        | ----              | ----          | 3 +              | 3    |  |
| 4915           | 16.80 | 16.80              | 16.80           | 25.90B/*16.70A     | 25.90B/*16.70A   | ----            | ----          | 17.20           | - 3.50                   | .0797 | ----          | 1                        | ----              | ----          | 51 +             | 1    |  |
| 4920           | 17.00 | 17.00              | 17.00           | 25.60B/*16.50A     | 25.60B/*16.50A   | ----            | ----          | 17.00           | - 3.40                   | .0788 | ----          | 1                        | ----              | ----          | 69 +             | 1    |  |
| 4925           | 16.80 | 16.80              | 16.80           | 25.20B/*16.20A     | 25.20B/*16.20A   | ----            | ----          | 16.80           | - 3.40                   | .0779 | ----          | 3                        | ----              | ----          | 116              | UNCH |  |
| 4930           | 16.70 | 16.70              | 16.70           | 24.80B/*16.00A     | 24.80B/*16.00A   | ----            | ----          | 16.50           | - 3.40                   | .0767 | ----          | 3                        | ----              | ----          | 4 +              | 2    |  |
| 4935           | ----  | ----               | ----            | 24.50B/*15.80A     | 24.50B/*15.80A   | ----            | ----          | 16.30           | - 3.40                   | .0758 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 4940           | ----  | ----               | ----            | 24.10B/*15.60A     | 24.10B/*15.60A   | ----            | ----          | 16.10           | - 3.30                   | .0749 | ----          | ----                     | ----              | ----          | 8                | UNCH |  |
| 4945           | ----  | ----               | ----            | 23.80B/*15.40A     | 23.80B/*15.40A   | ----            | ----          | 15.90           | - 3.30                   | .0740 | ----          | ----                     | ----              | ----          | 5                | UNCH |  |
| 4950           | 15.80 | 15.80              | 15.80           | 23.50B/*15.40A     | 23.50B/*15.40A   | ----            | ----          | 15.70           | - 3.20                   | .0731 | ----          | 6                        | ----              | ----          | 309 +            | 5    |  |
| 4955           | ----  | ----               | ----            | 23.20B/*15.20A     | 23.20B/*15.20A   | ----            | ----          | 15.50           | - 3.20                   | .0722 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 4960           | 15.40 | 15.40              | 15.40           | 22.80B/*15.00A     | 22.80B/*15.00A   | ----            | ----          | 15.30           | - 3.20                   | .0714 | ----          | 1                        | ----              | ----          | 49 +             | 1    |  |
| 4965           | ----  | ----               | ----            | 22.50B/*14.80A     | 22.50B/*14.80A   | ----            | ----          | 15.10           | - 3.20                   | .0705 | ----          | ----                     | ----              | ----          | 9                | UNCH |  |
| 4970           | 14.60 | 14.60              | 14.60           | 22.20B/*14.60      | 22.20B/*14.60    | ----            | ----          | 14.90           | - 3.10                   | .0696 | ----          | 2                        | ----              | ----          | 53 +             | 2    |  |
| 4975           | 15.10 | 15.10              | 15.10           | 21.90B/*14.40A     | 21.90B/*14.40A   | ----            | ----          | 14.70           | - 3.10                   | .0687 | ----          | 1                        | ----              | ----          | 332 +            | 1    |  |
| 4980           | ----  | ----               | ----            | 21.60B/*14.20A     | 21.60B/*14.20A   | ----            | ----          | 14.60           | - 3.00                   | .0682 | ----          | ----                     | ----              | ----          | 8                | UNCH |  |
| 4985           | ----  | ----               | ----            | 21.30B/*14.10A     | 21.30B/*14.10A   | ----            | ----          | 14.40           | - 3.00                   | .0673 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 4995           | 14.10 | 14.10              | 14.10           | 20.70B/*13.70A     | 20.70B/*13.70A   | ----            | ----          | 14.00           | - 3.00                   | .0656 | ----          | 1                        | ----              | ----          | 2 +              | 1    |  |
| 5000           | 15.40 | 15.40              | 15.40           | 20.50B/*13.50      | 20.50B/*13.50    | ----            | ----          | 13.90           | - 2.90                   | .0650 | ----          | 146                      | 60                | ----          | 1101 +           | 87   |  |
| 5005           | ----  | ----               | ----            | 20.20B/*13.40A     | 20.20B/*13.40A   | ----            | ----          | 13.70           | - 2.90                   | .0642 | ----          | ----                     | ----              | ----          | 3                | UNCH |  |
| 5010           | ----  | ----               | ----            | 19.90B/*13.30A     | 19.90B/*13.30A   | ----            | ----          | 13.50           | - 2.90                   | .0633 | ----          | ----                     | ----              | ----          | 10               | UNCH |  |
| 5015           | ----  | ----               | ----            | 19.70B/*13.10A     | 19.70B/*13.10A   | ----            | ----          | 13.40           | - 2.80                   | .0628 | ----          | ----                     | ----              | ----          | 4                | UNCH |  |
| 5030           | ----  | ----               | ----            | 18.90B/*12.70A     | 18.90B/*12.70A   | ----            | ----          | 12.90           | - 2.70                   | .0605 | ----          | ----                     | ----              | ----          | 9                | UNCH |  |
| 5040           | ----  | ----               | ----            | 18.40B/*12.40A     | 18.40B/*12.40A   | ----            | ----          | 12.60           | - 2.70                   | .0592 | ----          | ----                     | ----              | ----          | 3                | UNCH |  |
| 5045           | ----  | ----               | ----            | 18.20B/*12.30A     | 18.20B/*12.30A   | ----            | ----          | 12.40           | - 2.70                   | .0583 | ----          | ----                     | ----              | ----          | 3                | UNCH |  |
| 5050           | ----  | ----               | ----            | 17.90B/*12.10A     | 17.90B/*12.10A   | ----            | ----          | 12.30           | - 2.60                   | .0578 | ----          | ----                     | ----              | ----          | 406              | UNCH |  |
| 5055           | ----  | ----               | ----            | 17.70B/*12.10A     | 17.70B/*12.10A   | ----            | ----          | 12.10           | - 2.70                   | .0570 | ----          | ----                     | ----              | ----          | 6                | UNCH |  |
| 5060           | ----  | ----               | ----            | 17.50B/*11.90A     | 17.50B/*11.90A   | ----            | ----          | 12.00           | - 2.60                   | .0565 | ----          | ----                     | ----              | ----          | 9                | UNCH |  |
| 5070           | ----  | ----               | ----            | 17.10B/*11.60A     | 17.10B/*11.60A   | ----            | ----          | 11.70           | - 2.60                   | .0551 | ----          | ----                     | ----              | ----          | 8                | UNCH |  |
| 5075           | ----  | ----               | ----            | 16.80B/*11.50A     | 16.80B/*11.50A   | ----            | ----          | 11.60           | - 2.50                   | .0546 | ----          | ----                     | ----              | ----          | 4                | UNCH |  |
| 5080           | ----  | ----               | ----            | 16.60B/*11.40A     | 16.60B/*11.40A   | ----            | ----          | 11.40           | - 2.60                   | .0538 | ----          | ----                     | ----              | ----          | 14               | UNCH |  |
| 5085           | ----  | ----               | ----            | 16.40B/*11.30A     | 16.40B/*11.30A   | ----            | ----          | 11.30           | - 2.50                   | .0533 | ----          | ----                     | ----              | ----          | 8                | UNCH |  |
| 5090           | ----  | ----               | ----            | 16.20B/*11.10A     | 16.20B/*11.10A   | ----            | ----          | 11.20           | - 2.50                   | .0528 | ----          | ----                     | ----              | ----          | 3                | UNCH |  |
| 5095           | ----  | ----               | ----            | 16.00B/*11.00A     | 16.00B/*11.00A   | ----            | ----          | 11.10           | - 2.40                   | .0523 | ----          | ----                     | ----              | ----          | 16               | UNCH |  |
| 5100           | 14.00 | 14.00              | 14.00           | 15.80B/*10.90A     | 15.80B/*10.90A   | ----            | ----          | 10.90           | - 2.50                   | .0514 | ----          | 5                        | ----              | ----          | 431 +            | 2    |  |
| 5105           | ----  | ----               | ----            | 15.60B/*10.80A     | 15.60B/*10.80A   | ----            | ----          | 10.80           | - 2.40                   | .0510 | ----          | ----                     | ----              | ----          | 5                | UNCH |  |
| 5110           | ----  | ----               | ----            | 15.40B/*10.70A     | 15.40B/*10.70A   | ----            | ----          | 10.70           | - 2.40                   | .0505 | ----          | ----                     | ----              | ----          | 7                | UNCH |  |
| 5115           | ----  | ----               | ----            | 15.30B/*10.60A     | 15.30B/*10.60A   | ----            | ----          | 10.60           | - 2.40                   | .050  |               |                          |                   |               |                  |      |  |



| GLOBEX<br>OPEN |       | OPEN<br>OUTCRY<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |
|----------------|-------|------------------------|-----------------|--------------------|----------------------------|-------------------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|
| OG CALL        |       | COMEX GOLD OPTIONS     |                 |                    |                            |                         |                 |                          |       |               |                          |                   |               |                  |      |
| OCT26          |       |                        |                 |                    |                            |                         |                 |                          |       |               |                          |                   |               |                  |      |
| 4765           | ----  | ----                   | ----            | 61.60B/*40.90A     | 61.60B/*40.90A             | ----                    | ----            | 43.60 - 4.30             | .1586 | ----          | ----                     | ----              | ----          | 22               | UNCH |
| 4775           | ----  | ----                   | ----            | 60.00B/*40.00A     | 60.00B/*40.00A             | ----                    | ----            | 42.50 - 4.30             | .1552 | ----          | ----                     | ----              | ----          | 25               | UNCH |
| 4785           | ----  | ----                   | ----            | 58.50B/*39.00A     | 58.50B/*39.00A             | ----                    | ----            | 41.40 - 4.30             | .1518 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 4790           | ----  | ----                   | ----            | 57.80B/*38.60A     | 57.80B/*38.60A             | ----                    | ----            | 40.80 - 4.40             | .1499 | ----          | ----                     | ----              | ----          | 26               | UNCH |
| 4795           | ----  | ----                   | ----            | 57.10B/*38.10A     | 57.10B/*38.10A             | ----                    | ----            | 40.30 - 4.30             | .1483 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 4800           | 41.80 | 41.80                  | ----            | 56.50B/*37.70A     | 56.50B/*37.70A             | ----                    | ----            | 39.80 - 4.30             | .1467 | ----          | ----                     | 3                 | ----          | 548              | UNCH |
| 4805           | ----  | ----                   | ----            | 55.60B/*37.20A     | 55.60B/*37.20A             | ----                    | ----            | 39.30 - 4.30             | .1451 | ----          | ----                     | ----              | ----          | 9                | UNCH |
| 4810           | ----  | ----                   | ----            | 54.90B/*36.80A     | 54.90B/*36.80A             | ----                    | ----            | 38.80 - 4.30             | .1435 | ----          | ----                     | ----              | ----          | 36               | UNCH |
| 4815           | ----  | ----                   | ----            | 54.20B/*36.30A     | 54.20B/*36.30A             | ----                    | ----            | 38.30 - 4.20             | .1420 | ----          | ----                     | ----              | ----          | 6 +              | 2    |
| 4820           | ----  | ----                   | ----            | 53.60B/*35.90A     | 53.60B/*35.90A             | ----                    | ----            | 37.80 - 4.20             | .1404 | ----          | ----                     | 2                 | ----          | 115 -            | 2    |
| 4825           | ----  | ----                   | ----            | 52.80B/*35.50A     | 52.80B/*35.50A             | ----                    | ----            | 37.30 - 4.30             | .1388 | ----          | ----                     | 2                 | ----          | 2                | UNCH |
| 4830           | ----  | ----                   | ----            | 52.10B/*35.10A     | 52.10B/*35.10A             | ----                    | ----            | 36.90 - 4.20             | .1374 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 4835           | ----  | ----                   | ----            | 51.50B/*34.70A     | 51.50B/*34.70A             | ----                    | ----            | 36.40 - 4.20             | .1358 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 4840           | ----  | ----                   | ----            | 50.80B/*34.30A     | 50.80B/*34.30A             | ----                    | ----            | 35.90 - 4.20             | .1342 | ----          | ----                     | ----              | ----          | 10               | UNCH |
| 4845           | 36.80 | 36.80                  | ----            | 50.30B/*33.90A     | 50.30B/*33.90A             | ----                    | ----            | 35.50 - 4.20             | .1329 | ----          | ----                     | 10                | ----          | 14 +             | 10   |
| 4850           | ----  | ----                   | ----            | 49.60B/*33.50A     | 49.60B/*33.50A             | ----                    | ----            | 35.10 - 4.10             | .1315 | ----          | ----                     | ----              | ----          | 58               | UNCH |
| 4860           | ----  | ----                   | ----            | 48.40B/*32.70A     | 48.40B/*32.70A             | ----                    | ----            | 34.20 - 4.10             | .1286 | ----          | ----                     | ----              | ----          | 101              | UNCH |
| 4865           | ----  | ----                   | ----            | 47.70B/*32.30A     | 47.70B/*32.30A             | ----                    | ----            | 33.80 - 4.10             | .1272 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 4870           | ----  | ----                   | ----            | 47.20B/*32.00A     | 47.20B/*32.00A             | ----                    | ----            | 33.30 - 4.10             | .1257 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 4880           | ----  | ----                   | ----            | 46.00B/*31.30A     | 46.00B/*31.30A             | ----                    | ----            | 32.50 - 4.10             | .1230 | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 4885           | ----  | ----                   | ----            | 45.40B/*30.90A     | 45.40B/*30.90A             | ----                    | ----            | 32.10 - 4.10             | .1217 | ----          | ----                     | ----              | ----          | 55               | UNCH |
| 4895           | ----  | ----                   | ----            | 44.30B/*30.20A     | 44.30B/*30.20A             | ----                    | ----            | 31.40 - 4.00             | .1192 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 4900           | ----  | ----                   | ----            | 43.80B/*29.90A     | 43.80B/*29.90A             | ----                    | ----            | 31.00 - 4.00             | .1179 | ----          | ----                     | 1                 | ----          | 1440             | UNCH |
| 4905           | ----  | ----                   | ----            | 43.30B/*29.50A     | 43.30B/*29.50A             | ----                    | ----            | 30.60 - 4.00             | .1166 | ----          | ----                     | ----              | ----          | 22               | UNCH |
| 4910           | ----  | ----                   | ----            | 42.70B/*29.20A     | 42.70B/*29.20A             | ----                    | ----            | 30.30 - 3.90             | .1155 | ----          | ----                     | ----              | ----          | 7                | UNCH |
| 4915           | ----  | ----                   | ----            | 42.20B/*28.90A     | 42.20B/*28.90A             | ----                    | ----            | 29.90 - 3.90             | .1141 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 4925           | ----  | ----                   | ----            | 41.20B/*28.30A     | 41.20B/*28.30A             | ----                    | ----            | 29.30 - 3.80             | .1120 | ----          | ----                     | ----              | ----          | 21               | UNCH |
| 4935           | ----  | ----                   | ----            | 40.20B/*27.60A     | 40.20B/*27.60A             | ----                    | ----            | 28.60 - 3.80             | .1096 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 4945           | ----  | ----                   | ----            | 39.30B/*27.00A     | 39.30B/*27.00A             | ----                    | ----            | 28.00 - 3.70             | .1074 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 4950           | ----  | ----                   | ----            | 38.80B/*26.70A     | 38.80B/*26.70A             | ----                    | ----            | 27.70 - 3.60             | .1064 | ----          | ----                     | ----              | ----          | 1623             | UNCH |
| 4965           | ----  | ----                   | ----            | 37.40B/*25.90A     | 37.40B/*25.90A             | ----                    | ----            | 26.80 - 3.50             | .1032 | ----          | ----                     | ----              | ----          | 6                | UNCH |
| 4970           | ----  | ----                   | ----            | 37.10B/*25.50A     | 37.10B/*25.50A             | ----                    | ----            | 26.50 - 3.50             | .1021 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 4975           | ----  | ----                   | ----            | 36.60B/*25.20A     | 36.60B/*25.20A             | ----                    | ----            | 26.20 - 3.50             | .1011 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 4985           | ----  | ----                   | ----            | 35.70B/*24.80A     | 35.70B/*24.80A             | ----                    | ----            | 25.60 - 3.50             | .0989 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 5000           | 28.00 | 28.00                  | ----            | 34.50B/*23.90A     | 34.50B/*23.90A             | ----                    | ----            | 24.80 - 3.40             | .0961 | ----          | ----                     | 3                 | ----          | 1395 +           | 1    |
| 5025           | 28.30 | 28.30                  | ----            | 32.50B/*22.70A     | 32.50B/*22.70A             | ----                    | ----            | 23.50 - 3.20             | .0914 | ----          | ----                     | 2                 | ----          | 4 +              | 2    |
| 5030           | ----  | ----                   | ----            | 32.20B/*22.60A     | 32.20B/*22.60A             | ----                    | ----            | 23.20 - 3.30             | .0903 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 5040           | 27.40 | 27.40                  | ----            | 31.40B/*22.00A     | 31.40B/*22.00A             | ----                    | ----            | 22.70 - NEW              | .0885 | ----          | ----                     | 2                 | ----          | 2 +              | 2    |
| 5045           | ----  | ----                   | ----            | 31.10B/*21.80A     | 31.10B/*21.80A             | ----                    | ----            | 22.50 - 3.20             | .0877 | ----          | ----                     | ----              | ----          | 9                | UNCH |
| 5050           | 21.50 | 21.50                  | ----            | 30.70B/*21.50      | 30.70B/*21.50              | ----                    | ----            | 22.30 - 3.10             | .0870 | ----          | ----                     | 16                | ----          | 259 -            | 1    |
| 5055           | ----  | ----                   | ----            | 30.40B/*21.50A     | 30.40B/*21.50A             | ----                    | ----            | 22.00 - 3.10             | .0859 | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 5065           | ----  | ----                   | ----            | 29.70B/*21.00A     | 29.70B/*21.00A             | ----                    | ----            | 21.50 - 3.10             | .0842 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 5075           | ----  | ----                   | ----            | 29.00B/*20.70A     | 29.00B/*20.70A             | ----                    | ----            | 21.10 - 3.10             | .0826 | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 5080           | ----  | ----                   | ----            | 28.70B/*20.40A     | 28.70B/*20.40A             | ----                    | ----            | 20.90 - 3.00             | .0819 | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 5085           | ----  | ----                   | ----            | 28.40B/*20.20A     | 28.40B/*20.20A             | ----                    | ----            | 20.60 - 3.10             | .0809 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 5100           | ----  | ----                   | ----            | 27.50B/*19.70A     | 27.50B/*19.70A             | ----                    | ----            | 20.00 - 3.00             | .0786 | ----          | ----                     | ----              | ----          | 772              | UNCH |
| 5105           | 24.50 | 24.50                  | ----            | 27.20B/*19.50A     | 27.20B/*19.50A             | ----                    | ----            | 19.80 - NEW              | .0779 | ----          | ----                     | 3                 | ----          | 3 +              | 3    |
| 5120           | 19.30 | 19.30                  | ----            | 26.30B/*19.00A     | 26.30B/*19.00A             | ----                    | ----            | 19.20 - NEW              | .0756 | ----          | ----                     | 3                 | ----          | 3 +              | 3    |
| 5125           | ----  | ----                   | ----            | 26.00B/*18.80A     | 26.00B/*18.80A             | ----                    | ----            | 19.00 - 2.90             | .0749 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 5130           | 18.70 | 18.70                  | ----            | 25.70B/*18.60A     | 25.70B/*18.60A             | ----                    | ----            | 18.80 - NEW              | .0741 | ----          | ----                     | 3                 | ----          | 3 +              | 3    |
| 5140           | ----  | ----                   | ----            | 25.20B/*18.30A     | 25.20B/*18.30A             | ----                    | ----            | 18.40 - 2.80             | .0727 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 5150           | ----  | ----                   | ----            | 24.70B/*17.90A     | 24.70B/*17.90A             | ----                    | ----            | 18.00 - 2.80             | .0712 | ----          | ----                     | ----              | ----          | 615              | UNCH |
| 5155           | ----  | ----                   | ----            | 24.40B/*17.80A     | 24.40B/*17.80A             | ----                    | ----            | 17.80 - 2.80             | .0705 | ----          | ----                     | ----              | ----          | 8                | UNCH |
| 5160           | ----  | ----                   | ----            | 24.10B/*17.60A     | 24.10B/*17.60A             | ----                    | ----            | 17.70 - 2.70             | .0700 | ----          | ----                     | ----              | ----          | 8                | UNCH |
| 5170           | 17.50 | 17.50                  | ----            | 23.60B/*17.30A     | 23.60B/*17.30A             | ----                    | ----            | 17.30 - 2.80             | .0685 | ----          | ----                     | 3                 | ----          | 27 -             | 3    |
| 5180           | ----  | ----                   | ----            | 23.10B/*17.00A     | 23.10B/*17.00A             | ----                    | ----            | 17.00 - 2.70             | .0674 | ----          | ----                     | ----              | ----          | 10               | UNCH |
| 5185           | ----  | ----                   | ----            | 22.90B/*16.90A     | 22.90B/*16.90A             | ----                    | ----            | 16.80 - 2.70             | .0666 | ----          | ----                     | ----              | ----          | 20               | UNCH |
| 5195           | ----  | ----                   | ----            | 22.40B/*16.60A     | 22.40B/*16.60A             | ----                    | ----            | 16.50 - 2.70             | .0655 | ----          | ----                     | ----              | ----          | 20               | UNCH |
| 5200           | 17.40 | 17.40                  | ----            | 22.20B/*16.40      | 22.20B/*16.40              | ----                    | ----            | 16.30 - 2.70             | .0647 | ----          | ----                     | 6                 | ----          | 1565 +           | 1    |
| 5205           | ----  | ----                   | ----            | 22.00B/*16.30A     | 22.00B/*16.30A             | ----                    | ----            | 16.20 - 2.60             | .0643 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 5225           | ----  | ----                   | ----            | 21.10B/*15.80A     | 21.10B/*15.80A             | ----                    | ----            | 15.60 - 2.60             | .0620 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 5250           | ----  | ----                   | ----            | 20.10B/*15.10A     | 20.10B/*15.10A             | ----                    | ----            | 14.90 - 2.50             | .0593 | ----          | ----                     | ----              | ----          | 527              | UNCH |
| 5255           | ----  | ----                   | ----            | 19.90B/*15.00A     | 19.90B/*15.00A             | ----                    | ----            | 14.80 - 2.50             | .0588 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 5270           | ----  | ----                   | ----            | 19.30B/*14.60A     | 19.30B/*14.60A             | ----                    | ----            | 14.40 - 2.50             | .0573 | ----          | ----                     | ----              | ----          | 6                | UNCH |
| 5300           | 14.50 | 14.50                  | ----            | 18.20B/*14.00A     | 18.20B/*14.00A             | ----                    | ----            | 13.70 - 2.40             | .0545 | ----          | ----                     | 4                 | ----          | 1007             | UNCH |
| 5305           | ----  | ----                   | ----            | 18.10B/*13.90A     | 18.10B/*13.90A             | ----                    | ----            | 13.60 - 2.30             | .0541 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 5310           | 13.80 | 13.80                  | ----            | 17.90B/*13.80      | 17.90B/*13.80              | ----                    | ----            | 13.50 - 2.30             | .0537 | ----          | ----                     | 2                 | ----          | 4 +              | 2    |
| 5315           | ----  | ----                   | ----            | 17.70B/*13.70A     | 17.70B/*13.70A             | ----                    | ----            | 13.40 - 2.30             | .0533 | ----          | ----                     | ----              | ----          | 14               | UNCH |
| 5320           | ----  | ----                   | ----            | 17.60B/*13.60A     | 17.60B/*13.60A             | ----                    | ----            | 13.30 - 2.30             | .0528 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 5325           | ----  | ----                   | ----            | 17.40B/*13.50A     | 17.40B/*13.50A             | ----                    | ----            | 13.20 - 2.20             | .0524 | ----          | ----                     | ----              | ----          | 9                | UNCH |
| 5340           | 13.80 | 13.80                  | ----            | 16.90B/*13.20A     | 16.90B/*13.20A             | ----                    | ----            | 12.90 - NEW              | .0512 | ----          | ----                     | 1                 | ----          | 1 +              | 1    |
| 5345           | ----  | ----                   | ----            | 16.80B/*13.10A     | 16.80B/*13.10A             | ----                    | ----            | 12.80 - 2.10             | .0508 | ----          | ----                     | ----              | ----          | 157              | UNCH |
| 5350           | ----  | ----                   | ----            | 16.60B/*13.00A     | 16.60B/*13.00A             | ----                    | ----            | 12.70 - 2.10             | .0504 | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 5355           | 12.60 | 12.60                  | ----            | 16.50B/*12.60      | 16.50B/*12.60              | ----                    | ----            | 12.60 - 2.10             | .0500 | ----          | ----                     | 12                | ----          | 17 +             | 12   |
| 5365           | ----  | ----                   | ----            | 16.20B/*12.70A     | 16.20B/*12.70A             | ----                    | ----            | 12.40 - 2.10             | .0492 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 5390           | ----  | ----                   | ----            | 15.50B/*12.20A     | 15.50B/*12.20A             | ----                    | ----            | 12.00 - 1.90             | .0475 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 5395           | 11.90 | 11.90                  | ----            | 15.40B/*11.90      | 15.40B/*11.90              | ----                    | ----            | 11.90 - 1.90             | .0471 | ----          | ----                     | 13                | ----          | 15 +             | 13   |
| 5400           | ----  | ----                   | ----            | 15.20B/*12.10A     | 15.20B/*12.10A             | ----                    | ----            | 11.80 - 1.90             | .0467 | ----          | ----                     | 2                 | ----          | 655 +            | 2    |
| 5410           | ----  | ----                   | ----            | 15.00B/*11.90A     | 15.00B/*11.90A             | ----                    | ----            | 11.60 - 1.90             | .0459 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 5420           | ----  | ----                   | ----            | 14.70B/*11.80A     | 14.70B/*11.80A             | ----                    | ----            | 11.50 - 1.80             | .0454 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 5435           | ----  | ----                   | ----            | 14.30B/*11.50A     | 14.30B/*11.50A             | ----                    | ----            | 11.20 - 1.80             | .0443 | ----          | ----                     | ----              | ----          | 230              | UNCH |
| 5440           | ----  | ----                   | ----            | 14.20B/*11.50A     | 14.20B/*11.50A             | ----                    | ----            | 11.10 - 1.80             | .0439 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 5450           | ----  | ----                   | ----            | 14.00B/*11.30A     | 14.00B/*11.30A             | ----                    | ----            | 11.00 - 1.70             | .0434 | ----          | ----                     | ----              | ----          | 67               | UNCH |
| 5455           | ----  | ----                   | ----            | 13.90B/*11.20A     | 13.90B/*11.20A             | ----                    | ----            | 10.90 - 1.70             | .0430 | ----          | ----                     | ----              | ----          | 175              | UNCH |
| 5460           | ----  | ----                   | ----            | 13.80B/*11.20A     | 13.80B/*11.20A             | ----                    | ----            | 10.80 - 1.70             | .0427 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 5475           | ----  | ----                   | ----            | 13.40B/*11.00A     | 13.40B/*11.00A             | ----                    | ----            | 10.60 - 1.70             | .0418 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 5480           | ----  | ----                   | ----            | 13.30B/*10.90A     | 13.30B/*10.90A             | ----                    | ----            | 10.50 - 1.70             | .0414 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 5485           | ----  | ----                   | ----            | 13.20B/*10.80A     | 13.20B/*10.80A             | ----                    | ----            | 10.50 - 1.60             | .0413 | ----          | ----                     | ----              | ----          | 25               | UNCH |
| 5500           | 12.00 | 12.00                  | ----            | 12.90B/*10.60A     | 12.90B/*10.60A             | ----                    | ----            | 10.20 - 1.60             | .0402 | ----          | ----                     | 577               | ----          | 2680 +           | 522  |
| 5545           | ----  | ----                   | ----            | 12.00B/*10.10A     | 12.00B/*10.10A             | ----                    | ----            | 9.70 - 1.50              | .0380 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 5550           | ----  | ----                   | ----            | 12.00B/*10.00A     | 12.00B/*10.00A             | ----                    | ----            | 9.60 - 1.50              | .0377 | ----          | ----                     | ----              | ----</        |                  |      |

| GLOBEX<br>OPEN |        | OPEN<br>OUTCRY<br>OPEN<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |  |
|----------------|--------|---------------------------------|--------------------|----------------------------|----------------------------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|--|
| OG CALL        |        | COMEX GOLD OPTIONS              |                    |                            |                                  |                          |       |               |                          |                   |               |                  |      |  |
| NOV26          |        |                                 |                    |                            |                                  |                          |       |               |                          |                   |               |                  |      |  |
| 4185           | 278.80 | 278.80                          | 303.20B/*218.80    | 303.20B/*218.80A           | ----                             | 241.60 - 8.00            | .5207 | ----          | ----                     | 1                 | ----          | 0 -              | 1    |  |
| 4200           | 213.30 | 213.30                          | 295.00B/*212.20    | 295.00B/*212.20A           | ----                             | 234.10 - 8.10            | .5109 | ----          | ----                     | 2                 | ----          | 3                | UNCH |  |
| 4225           | ----   | ----                            | 281.40B/*201.50    | 281.40B/*201.50A           | ----                             | 222.10 NEW               | .4947 | ----          | ----                     | 1                 | ----          | 1 +              | 1    |  |
| 4250           | 221.20 | 221.20                          | 268.10B/*191.90    | 268.10B/*191.90A           | ----                             | 210.60 NEW               | .4785 | ----          | ----                     | 1                 | ----          | 1 +              | 1    |  |
| 4275           | ----   | ----                            | 255.20B/*181.90    | 255.20B/*181.90A           | ----                             | 199.60 - 8.10            | .4623 | ----          | ----                     | ----              | 38            | UNCH             |      |  |
| 4300           | ----   | ----                            | 242.90B/*171.70    | 242.90B/*171.70A           | ----                             | 189.00 - 8.10            | .4463 | ----          | ----                     | ----              | 3             | UNCH             |      |  |
| 4375           | ----   | ----                            | 208.50B/*146.50    | 208.50B/*146.50A           | ----                             | 160.30 - 7.80            | .3993 | ----          | ----                     | ----              | 38            | UNCH             |      |  |
| 4380           | ----   | ----                            | 206.60B/*144.90    | 206.60B/*144.90A           | ----                             | 158.50 - 7.80            | .3962 | ----          | ----                     | ----              | 2             | UNCH             |      |  |
| 4400           | ----   | ----                            | 198.10B/*138.90    | 198.10B/*138.90A           | ----                             | 151.60 - 7.70            | .3840 | ----          | ----                     | ----              | 5             | UNCH             |      |  |
| 4410           | ----   | ----                            | 193.90B/*136.00    | 193.90B/*136.00A           | ----                             | 148.30 - 7.60            | .3781 | ----          | ----                     | ----              | 2             | UNCH             |      |  |
| 4420           | 169.90 | 169.90                          | 190.00B/*132.90    | 190.00B/*132.90A           | ----                             | 145.00 NEW               | .3721 | ----          | 1                        | ----              | 1 +           | 1                |      |  |
| 4440           | ----   | ----                            | 182.00B/*127.50    | 182.00B/*127.50A           | ----                             | 138.70 - 7.50            | .3604 | ----          | ----                     | ----              | 1             | UNCH             |      |  |
| 4500           | 140.00 | 140.00                          | 160.30B/*111.90    | 160.30B/*111.90A           | ----                             | 121.30 - 7.00            | .3266 | ----          | 12                       | ----              | 41 +          | 12               |      |  |
| 4525           | ----   | ----                            | 151.70B/*106.20    | 151.70B/*106.20A           | ----                             | 114.80 - 6.70            | .3132 | ----          | ----                     | ----              | 7             | UNCH             |      |  |
| 4535           | ----   | ----                            | 148.60B/*104.00    | 148.60B/*104.00A           | ----                             | 112.20 - 6.70            | .3079 | ----          | ----                     | ----              | 5             | UNCH             |      |  |
| 4550           | ----   | ----                            | 143.70B/*100.70    | 143.70B/*100.70A           | ----                             | 108.60 NEW               | .3002 | ----          | 5                        | ----              | 5 +           | 5                |      |  |
| 4555           | ----   | ----                            | 142.30B/*99.50A    | 142.30B/*99.50A            | ----                             | 107.40 NEW               | .2977 | ----          | 5                        | ----              | 5 +           | 5                |      |  |
| 4575           | ----   | ----                            | 136.20B/*95.40A    | 136.20B/*95.40A            | ----                             | 102.70 - 6.30            | .2876 | ----          | ----                     | ----              | 1             | UNCH             |      |  |
| 4585           | ----   | ----                            | 133.30B/*93.40A    | 133.30B/*93.40A            | ----                             | 100.50 - 6.20            | .2827 | ----          | ----                     | ----              | 1             | UNCH             |      |  |
| 4590           | ----   | ----                            | 131.90B/*92.40A    | 131.90B/*92.40A            | ----                             | 99.40 - 6.20             | .2803 | ----          | ----                     | ----              | 15            | UNCH             |      |  |
| 4595           | ----   | ----                            | 130.50B/*91.40A    | 130.50B/*91.40A            | ----                             | 98.30 - 6.10             | .2779 | ----          | ----                     | ----              | 1             | UNCH             |      |  |
| 4600           | ----   | ----                            | 129.00B/*90.40A    | 129.00B/*90.40A            | ----                             | 97.20 - 6.10             | .2755 | ----          | ----                     | ----              | 5             | UNCH             |      |  |
| 4630           | 92.00  | 92.00                           | 120.80B/*85.10A    | 120.80B/*85.10A            | ----                             | 91.10 NEW                | .2616 | ----          | 1                        | ----              | 1 +           | 1                |      |  |
| 4650           | ----   | ----                            | 115.60B/*81.50A    | 115.60B/*81.50A            | ----                             | 87.20 - 5.60             | .2526 | ----          | ----                     | ----              | 32            | UNCH             |      |  |
| 4700           | ----   | ----                            | 103.60B/*73.50A    | 103.60B/*73.50A            | ----                             | 78.30 - 5.10             | .2314 | ----          | ----                     | ----              | 12            | UNCH             |      |  |
| 4750           | ----   | ----                            | 92.90B/*66.50A     | 92.90B/*66.50A             | ----                             | 70.50 - 4.50             | .2120 | ----          | 2                        | ----              | 4             | UNCH             |      |  |
| 4775           | ----   | ----                            | 88.00B/*63.10A     | 88.00B/*63.10A             | ----                             | 66.90 - 4.30             | .2029 | ----          | ----                     | ----              | 30            | UNCH             |      |  |
| 4800           | ----   | ----                            | 83.30B/*59.90A     | 83.30B/*59.90A             | ----                             | 63.50 - 4.10             | .1941 | ----          | ----                     | ----              | 34            | UNCH             |      |  |
| 4850           | 58.10  | 58.10                           | 74.80B/*54.10A     | 74.80B/*54.10A             | ----                             | 57.40 - 3.60             | .1780 | ----          | 2                        | ----              | 25            | UNCH             |      |  |
| 4900           | ----   | ----                            | 67.20B/*49.10A     | 67.20B/*49.10A             | ----                             | 51.70 - 3.50             | .1627 | ----          | ----                     | ----              | 452           | UNCH             |      |  |
| 4915           | ----   | ----                            | 65.20B/*47.60A     | 65.20B/*47.60A             | ----                             | 50.10 - 3.50             | .1583 | ----          | ----                     | ----              | 1             | UNCH             |      |  |
| 4925           | ----   | ----                            | 63.80B/*46.70A     | 63.80B/*46.70A             | ----                             | 49.00 - 3.60             | .1554 | ----          | ----                     | ----              | 1             | UNCH             |      |  |
| 4935           | ----   | ----                            | 62.50B/*45.90A     | 62.50B/*45.90A             | ----                             | 48.00 - 3.60             | .1526 | ----          | ----                     | ----              | 25            | UNCH             |      |  |
| 4950           | ----   | ----                            | 60.50B/*44.60A     | 60.50B/*44.60A             | ----                             | 46.50 - 3.60             | .1485 | ----          | ----                     | ----              | 150           | UNCH             |      |  |
| 4970           | ----   | ----                            | 58.10B/*43.10A     | 58.10B/*43.10A             | ----                             | 44.60 - 3.50             | .1432 | ----          | ----                     | ----              | 12            | UNCH             |      |  |
| 5000           | 44.30  | 44.30                           | 54.70B/*40.50A     | 54.70B/*40.50A             | ----                             | 42.00 - 3.30             | .1358 | ----          | 2                        | ----              | 111           | UNCH             |      |  |
| 5005           | 41.70  | 41.70                           | 54.10B/*40.20A     | 54.10B/*40.20A             | ----                             | 41.60 NEW                | .1347 | ----          | 2                        | ----              | 2 +           | 2                |      |  |
| 5020           | ----   | ----                            | 52.50B/*39.10A     | 52.50B/*39.10A             | ----                             | 40.40 - 3.10             | .1312 | ----          | ----                     | ----              | 30            | UNCH             |      |  |
| 5050           | ----   | ----                            | 49.50B/*37.00A     | 49.50B/*37.00A             | ----                             | 38.10 - 3.00             | .1245 | ----          | ----                     | ----              | 100           | UNCH             |      |  |
| 5060           | ----   | ----                            | 48.40B/*36.30A     | 48.40B/*36.30A             | ----                             | 37.40 - 2.90             | .1224 | ----          | ----                     | ----              | 2             | UNCH             |      |  |
| 5080           | ----   | ----                            | 46.50B/*35.00A     | 46.50B/*35.00A             | ----                             | 36.00 - 2.80             | .1182 | ----          | ----                     | ----              | 4             | UNCH             |      |  |
| 5085           | ----   | ----                            | 46.10B/*34.70A     | 46.10B/*34.70A             | ----                             | 35.60 - 2.80             | .1171 | ----          | ----                     | ----              | 4             | UNCH             |      |  |
| 5100           | ----   | ----                            | 44.80B/*33.80A     | 44.80B/*33.80A             | ----                             | 34.60 - 2.80             | .1141 | ----          | ----                     | ----              | 2387          | UNCH             |      |  |
| 5120           | ----   | ----                            | 43.00B/*32.80A     | 43.00B/*32.80A             | ----                             | 33.30 - 2.70             | .1102 | ----          | ----                     | ----              | 50            | UNCH             |      |  |
| 5145           | 39.50  | 39.50                           | 41.00B/*31.50A     | 41.00B/*31.50A             | ----                             | 31.70 NEW                | .1055 | ----          | 3                        | ----              | 3 +           | 3                |      |  |
| 5150           | ----   | ----                            | 40.60B/*31.00A     | 40.60B/*31.00A             | ----                             | 31.40 - 2.60             | .1046 | ----          | ----                     | ----              | 100           | UNCH             |      |  |
| 5175           | ----   | ----                            | 38.80B/*29.80A     | 38.80B/*29.80A             | ----                             | 30.00 - 2.40             | .1003 | ----          | ----                     | ----              | 12            | UNCH             |      |  |
| 5180           | ----   | ----                            | 38.40B/*29.70A     | 38.40B/*29.70A             | ----                             | 29.70 - 2.40             | .0994 | ----          | ----                     | ----              | 5             | UNCH             |      |  |
| 5185           | ----   | ----                            | 38.00B/*29.30A     | 38.00B/*29.30A             | ----                             | 29.40 - 2.40             | .0985 | ----          | ----                     | ----              | 1             | UNCH             |      |  |
| 5200           | ----   | ----                            | 37.00B/*28.70A     | 37.00B/*28.70A             | ----                             | 28.60 - 2.40             | .0960 | ----          | ----                     | ----              | 2377          | UNCH             |      |  |
| 5230           | ----   | ----                            | 34.90B/*27.50A     | 34.90B/*27.50A             | ----                             | 27.10 - 2.20             | .0913 | ----          | ----                     | ----              | 0             | UNCH             |      |  |
| 5250           | ----   | ----                            | 33.70B/*27.10A     | 33.70B/*27.10A             | ----                             | 26.10 - 2.20             | .0882 | ----          | ----                     | ----              | 11            | UNCH             |      |  |
| 5275           | ----   | ----                            | 32.40B/*26.30A     | 32.40B/*26.30A             | ----                             | 25.00 - 2.10             | .0847 | ----          | ----                     | ----              | 1             | UNCH             |      |  |
| 5285           | ----   | ----                            | 31.90B/*25.80A     | 31.90B/*25.80A             | ----                             | 24.60 - 2.00             | .0834 | ----          | ----                     | ----              | 2             | UNCH             |      |  |
| 5300           | ----   | ----                            | 31.00B/*25.30A     | 31.00B/*25.30A             | ----                             | 23.90 - 2.00             | .0813 | ----          | ----                     | ----              | 395           | UNCH             |      |  |
| 5325           | 28.60  | 28.60                           | 29.70B/*24.30A     | 29.70B/*24.30A             | ----                             | 22.90 - 2.00             | .0781 | ----          | 4                        | ----              | 4 +           | 3                |      |  |
| 5330           | ----   | ----                            | 29.40B/*24.20A     | 29.40B/*24.20A             | ----                             | 22.70 - 2.00             | .0774 | ----          | ----                     | ----              | 1             | UNCH             |      |  |
| 5370           | ----   | ----                            | 27.40B/*22.90A     | 27.40B/*22.90A             | ----                             | 21.30 - 1.80             | .0728 | ----          | ----                     | ----              | 5             | UNCH             |      |  |
| 5400           | ----   | ----                            | 26.10B/----        | 26.10B/*22.00A             | ----                             | 20.30 - 1.70             | .0695 | ----          | ----                     | ----              | 17            | UNCH             |      |  |
| 5420           | ----   | ----                            | 25.40B/----        | 25.40B/*21.40A             | ----                             | 19.60 - 1.70             | .0673 | ----          | ----                     | ----              | 14            | UNCH             |      |  |
| 5450           | ----   | ----                            | 24.10B/----        | 24.10B/*20.60A             | ----                             | 18.70 - 1.70             | .0643 | ----          | ----                     | ----              | 454           | UNCH             |      |  |
| 5460           | ----   | ----                            | 23.70B/----        | 23.70B/*20.20A             | ----                             | 18.50 - 1.60             | .0636 | ----          | ----                     | ----              | 10            | UNCH             |      |  |
| 5500           | ----   | ----                            | 22.30B/----        | 22.30B/*19.40A             | ----                             | 17.40 - 1.50             | .0599 | ----          | ----                     | ----              | 96            | UNCH             |      |  |
| 5530           | ----   | ----                            | 21.40B/----        | 21.40B/*18.70A             | ----                             | 16.70 - 1.40             | .0575 | ----          | ----                     | ----              | 1             | UNCH             |      |  |
| 5535           | ----   | ----                            | 21.20B/----        | 21.20B/*18.60A             | ----                             | 16.60 - 1.40             | .0571 | ----          | ----                     | ----              | 1             | UNCH             |      |  |
| 5540           | ----   | ----                            | 21.00B/----        | 21.00B/*18.40A             | ----                             | 16.50 - 1.40             | .0568 | ----          | ----                     | ----              | 1             | UNCH             |      |  |
| 5545           | ----   | ----                            | 20.90B/----        | 20.90B/*18.40A             | ----                             | 16.30 - 1.50             | .0562 | ----          | ----                     | ----              | 1             | UNCH             |      |  |
| 5550           | ----   | ----                            | 20.70B/----        | 20.70B/*18.20A             | ----                             | 16.20 - 1.50             | .0558 | ----          | ----                     | ----              | 3             | UNCH             |      |  |
| 5555           | ----   | ----                            | 20.60B/----        | 20.60B/*18.10A             | ----                             | 16.10 - 1.40             | .0555 | ----          | ----                     | ----              | 3             | UNCH             |      |  |
| 5560           | ----   | ----                            | 20.40B/----        | 20.40B/*18.10A             | ----                             | 16.00 - 1.40             | .0551 | ----          | ----                     | ----              | 4             | UNCH             |      |  |
| 5565           | ----   | ----                            | 20.30B/----        | 20.30B/*17.90A             | ----                             | 15.90 - 1.40             | .0547 | ----          | ----                     | ----              | 8             | UNCH             |      |  |
| 5570           | ----   | ----                            | 20.10B/----        | 20.10B/*17.70A             | ----                             | 15.80 - 1.40             | .0544 | ----          | ----                     | ----              | 20            | UNCH             |      |  |
| 5575           | ----   | ----                            | 20.00B/----        | 20.00B/*17.60A             | ----                             | 15.70 - 1.40             | .0540 | ----          | ----                     | ----              | 86            | UNCH             |      |  |
| 5600           | ----   | ----                            | 19.30B/----        | 19.30B/*17.20A             | ----                             | 15.20 - 1.30             | .0523 | ----          | 7                        | ----              | 42 -          | 1                |      |  |
| 5650           | ----   | ----                            | 18.00B/----        | 18.00B/*16.30A             | ----                             | 14.30 - 1.30             | .0491 | ----          | ----                     | ----              | 1             | UNCH             |      |  |

| PG64 BULLETIN #111@ |                        |                 | METALS OPTION PRODUCTS |                            |                         |                 |                          |       |               |                          |                   |               | Thu, Jun 11, 2026 |      | PG64 |  |
|---------------------|------------------------|-----------------|------------------------|----------------------------|-------------------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|-------------------|------|------|--|
| GLOBEX<br>OPEN      | OPEN<br>OUTCRY<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW     | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST  |      |      |  |
| OG CALL             |                        |                 | COMEX GOLD OPTIONS     |                            |                         |                 |                          |       |               |                          |                   |               |                   |      |      |  |
| DEC26               |                        |                 |                        |                            |                         |                 |                          |       |               |                          |                   |               |                   |      |      |  |
| 4530                | ----                   | ----            | 173.90B/*124.50        | 173.90B/*124.50A           | ----                    | ----            | 136.90 - 4.10            | .3328 | ----          | ----                     | ----              | ----          | 3                 | UNCH |      |  |
| 4535                | 129.30                 | 129.30          | 171.90B/*123.30        | 171.90B/*123.30A           | ----                    | ----            | 135.60 - NEW             | .3304 | ----          | ----                     | 1                 | ----          | 1                 | +    |      |  |
| 4540                | ----                   | ----            | 170.70B/*122.10        | 170.70B/*122.10A           | ----                    | ----            | 134.30 - 4.00            | .3280 | ----          | ----                     | ----              | ----          | 9                 | UNCH |      |  |
| 4545                | ----                   | ----            | 168.90B/*121.10        | 168.90B/*121.10A           | ----                    | ----            | 132.90 - 4.00            | .3255 | ----          | ----                     | ----              | ----          | 45                | UNCH |      |  |
| 4550                | ----                   | ----            | 167.80B/*119.90        | 167.80B/*119.90A           | ----                    | ----            | 131.60 - 4.00            | .3231 | ----          | ----                     | ----              | ----          | 14                | UNCH |      |  |
| 4560                | ----                   | ----            | 163.80B/*117.60        | 163.80B/*117.60A           | ----                    | ----            | 129.10 - 3.90            | .3183 | ----          | ----                     | ----              | ----          | 1                 | UNCH |      |  |
| 4565                | 120.00                 | 120.00          | 163.10B/*116.40        | 163.10B/*116.40A           | ----                    | ----            | 127.80 - 3.90            | .3159 | ----          | 1                        | ----              | ----          | 93                | UNCH |      |  |
| 4570                | 117.50                 | 117.50          | 161.10B/*115.30        | 161.10B/*115.30A           | ----                    | ----            | 126.50 - 3.90            | .3135 | ----          | 1                        | ----              | ----          | 19                | UNCH |      |  |
| 4575                | 117.00                 | 117.00          | 159.80B/*114.30        | 159.80B/*114.30A           | ----                    | ----            | 125.30 - 3.80            | .3112 | ----          | 2                        | ----              | ----          | 6 +               | 2    |      |  |
| 4580                | 120.00                 | 120.00          | 158.10B/*113.20        | 158.10B/*113.20A           | ----                    | ----            | 124.10 - 3.80            | .3089 | ----          | 1                        | ----              | ----          | 151 +             | 1    |      |  |
| 4585                | 115.30                 | 115.30          | 156.60B/*112.10        | 156.60B/*112.10A           | ----                    | ----            | 122.90 - 3.70            | .3066 | ----          | 1                        | ----              | ----          | 325               | UNCH |      |  |
| 4590                | ----                   | ----            | 155.10B/*111.10        | 155.10B/*111.10A           | ----                    | ----            | 121.70 - 3.70            | .3043 | ----          | ----                     | ----              | ----          | 18                | UNCH |      |  |
| 4595                | 111.80                 | 111.80          | 153.10B/*110.00        | 153.10B/*110.00A           | ----                    | ----            | 120.50 - NEW             | .3020 | ----          | 2                        | ----              | ----          | 2 +               | 2    |      |  |
| 4600                | ----                   | ----            | 152.40B/*109.00        | 152.40B/*109.00A           | ----                    | ----            | 119.30 - 3.70            | .2997 | ----          | 57                       | ----              | ----          | 845 +             | 27   |      |  |
| 4605                | ----                   | ----            | 150.90B/*108.00        | 150.90B/*108.00A           | ----                    | ----            | 118.10 - 3.70            | .2974 | ----          | ----                     | ----              | ----          | 5                 | UNCH |      |  |
| 4610                | ----                   | ----            | 149.40B/*107.00        | 149.40B/*107.00A           | ----                    | ----            | 117.00 - 3.60            | .2952 | ----          | ----                     | ----              | ----          | 3                 | UNCH |      |  |
| 4615                | ----                   | ----            | 147.80B/*106.00        | 147.80B/*106.00A           | ----                    | ----            | 115.80 - 3.70            | .2930 | ----          | ----                     | ----              | ----          | 41                | UNCH |      |  |
| 4620                | ----                   | ----            | 146.50B/*105.00        | 146.50B/*105.00A           | ----                    | ----            | 114.70 - 3.60            | .2908 | ----          | ----                     | ----              | ----          | 5                 | UNCH |      |  |
| 4625                | 108.30                 | 108.30          | 145.10B/*104.00        | 145.10B/*104.00A           | ----                    | ----            | 113.60 - 3.60            | .2886 | ----          | 1                        | ----              | ----          | 71                | UNCH |      |  |
| 4630                | ----                   | ----            | 143.70B/*103.10        | 143.70B/*103.10A           | ----                    | ----            | 112.50 - 3.60            | .2864 | ----          | ----                     | ----              | ----          | 3                 | UNCH |      |  |
| 4635                | 107.30                 | 107.30          | 141.70B/*102.00        | 141.70B/*102.00A           | ----                    | ----            | 111.40 - NEW             | .2842 | ----          | 2                        | ----              | ----          | 2 +               | 2    |      |  |
| 4640                | ----                   | ----            | 140.90B/*101.20        | 140.90B/*101.20A           | ----                    | ----            | 110.30 - 3.50            | .2820 | ----          | ----                     | ----              | ----          | 103               | UNCH |      |  |
| 4645                | 105.90                 | 105.90          | 139.10B/*100.10        | 139.10B/*100.10A           | ----                    | ----            | 109.30 - NEW             | .2799 | ----          | 2                        | ----              | ----          | 2 +               | 2    |      |  |
| 4650                | ----                   | ----            | 138.20B/*99.20A        | 138.20B/*99.20A            | ----                    | ----            | 108.20 - 3.50            | .2778 | ----          | ----                     | ----              | ----          | 333               | UNCH |      |  |
| 4660                | 124.50                 | 124.50          | 135.60B/*97.50A        | 135.60B/*97.50A            | ----                    | ----            | 106.10 - 3.40            | .2735 | ----          | 2                        | ----              | ----          | 4 -               | 2    |      |  |
| 4675                | ----                   | ----            | 131.80B/*94.70A        | 131.80B/*94.70A            | ----                    | ----            | 103.10 - 3.30            | .2673 | ----          | ----                     | ----              | ----          | 80                | UNCH |      |  |
| 4680                | ----                   | ----            | 130.40B/*93.90A        | 130.40B/*93.90A            | ----                    | ----            | 102.10 - 3.30            | .2653 | ----          | ----                     | ----              | ----          | 17                | UNCH |      |  |
| 4700                | 97.00                  | 97.00           | 125.70B/*90.40A        | 125.70B/*90.40A            | ----                    | ----            | 98.20 - 3.30             | .2572 | ----          | 19                       | ----              | ----          | 614 +             | 10   |      |  |
| 4705                | ----                   | ----            | 123.90B/*89.50A        | 123.90B/*89.50A            | ----                    | ----            | 97.30 - 3.20             | .2552 | ----          | ----                     | ----              | ----          | 1                 | UNCH |      |  |
| 4725                | ----                   | ----            | 119.50B/*86.30A        | 119.50B/*86.30A            | ----                    | ----            | 93.60 - 3.20             | .2474 | ----          | ----                     | ----              | ----          | 143               | UNCH |      |  |
| 4730                | 92.00                  | 92.00           | 118.50B/*85.60A        | 118.50B/*85.60A            | ----                    | ----            | 92.70 - 3.20             | .2455 | ----          | 2                        | ----              | ----          | 20 +              | 2    |      |  |
| 4750                | 113.50                 | 113.50          | 114.30B/*82.80A        | 114.30B/*82.80A            | ----                    | ----            | 89.20 - 3.20             | .2379 | ----          | 5                        | ----              | ----          | 248 +             | 5    |      |  |
| 4765                | ----                   | ----            | 110.90B/*80.60A        | 110.90B/*80.60A            | ----                    | ----            | 86.70 - 3.10             | .2324 | ----          | ----                     | ----              | ----          | 17                | UNCH |      |  |
| 4775                | ----                   | ----            | 108.80B/*79.00A        | 108.80B/*79.00A            | ----                    | ----            | 85.00 - 3.20             | .2288 | ----          | ----                     | ----              | ----          | 3                 | UNCH |      |  |
| 4780                | ----                   | ----            | 107.50B/*78.40A        | 107.50B/*78.40A            | ----                    | ----            | 84.20 - 3.20             | .2270 | ----          | ----                     | ----              | ----          | 3                 | UNCH |      |  |
| 4790                | ----                   | ----            | 105.70B/*76.90A        | 105.70B/*76.90A            | ----                    | ----            | 82.60 - 3.20             | .2234 | ----          | ----                     | ----              | ----          | 17                | UNCH |      |  |
| 4795                | ----                   | ----            | 104.50B/*76.20A        | 104.50B/*76.20A            | ----                    | ----            | 81.90 - 3.10             | .2218 | ----          | ----                     | ----              | ----          | 9                 | UNCH |      |  |
| 4800                | 78.50                  | 78.50           | 104.20B/*75.30A        | 104.20B/*75.30A            | ----                    | ----            | 81.10 - 3.10             | .2200 | ----          | ----                     | 123               | ----          | 1875 +            | 20   |      |  |
| 4810                | ----                   | ----            | 102.00B/*74.00A        | 102.00B/*74.00A            | ----                    | ----            | 79.60 - 3.10             | .2166 | ----          | ----                     | ----              | ----          | 63                | UNCH |      |  |
| 4815                | ----                   | ----            | 101.10B/*73.50A        | 101.10B/*73.50A            | ----                    | ----            | 78.80 - 3.20             | .2149 | ----          | ----                     | ----              | ----          | 11                | UNCH |      |  |
| 4820                | ----                   | ----            | 100.00B/*73.00A        | 100.00B/*73.00A            | ----                    | ----            | 78.10 - 3.10             | .2132 | ----          | ----                     | ----              | ----          | 91                | UNCH |      |  |
| 4825                | ----                   | ----            | 99.00B/*72.00A         | 99.00B/*72.00A             | ----                    | ----            | 77.30 - 3.20             | .2115 | ----          | ----                     | ----              | ----          | 104               | UNCH |      |  |
| 4835                | ----                   | ----            | 97.10B/*71.00A         | 97.10B/*71.00A             | ----                    | ----            | 75.90 - 3.20             | .2082 | ----          | ----                     | ----              | ----          | 127               | UNCH |      |  |
| 4850                | ----                   | ----            | 94.50B/*69.00A         | 94.50B/*69.00A             | ----                    | ----            | 73.70 - 3.30             | .2032 | ----          | ----                     | ----              | ----          | 301               | UNCH |      |  |
| 4875                | ----                   | ----            | 89.70B/*66.10A         | 89.70B/*66.10A             | ----                    | ----            | 70.30 - 3.30             | .1954 | ----          | ----                     | ----              | ----          | 2                 | UNCH |      |  |
| 4880                | ----                   | ----            | 89.20B/*65.30A         | 89.20B/*65.30A             | ----                    | ----            | 69.70 - 3.30             | .1939 | ----          | ----                     | ----              | ----          | 3                 | UNCH |      |  |
| 4890                | ----                   | ----            | 87.60B/*64.30A         | 87.60B/*64.30A             | ----                    | ----            | 68.40 - 3.30             | .1908 | ----          | ----                     | ----              | ----          | 9                 | UNCH |      |  |
| 4895                | ----                   | ----            | 86.70B/*63.80A         | 86.70B/*63.80A             | ----                    | ----            | 67.70 - 3.40             | .1892 | ----          | ----                     | ----              | ----          | 200               | UNCH |      |  |
| 4900                | ----                   | ----            | 86.10B/*63.00A         | 86.10B/*63.00A             | ----                    | ----            | 67.10 - 3.40             | .1878 | ----          | ----                     | ----              | ----          | 373               | UNCH |      |  |
| 4905                | ----                   | ----            | 85.10B/*62.60A         | 85.10B/*62.60A             | ----                    | ----            | 66.50 - 3.40             | .1864 | ----          | ----                     | ----              | ----          | 10                | UNCH |      |  |
| 4910                | ----                   | ----            | 84.30B/*62.10A         | 84.30B/*62.10A             | ----                    | ----            | 65.90 - 3.40             | .1849 | ----          | ----                     | ----              | ----          | 18                | UNCH |      |  |
| 4925                | ----                   | ----            | 82.10B/*60.50A         | 82.10B/*60.50A             | ----                    | ----            | 64.10 - 3.40             | .1806 | ----          | ----                     | ----              | ----          | 242               | UNCH |      |  |
| 4950                | 61.00                  | 61.00           | 78.40B/*57.90A         | 78.40B/*57.90A             | ----                    | ----            | 61.20 - 3.50             | .1736 | ----          | 1                        | ----              | ----          | 103               | UNCH |      |  |
| 4955                | ----                   | ----            | 77.60B/*57.40A         | 77.60B/*57.40A             | ----                    | ----            | 60.60 - 3.50             | .1722 | ----          | ----                     | ----              | ----          | 10                | UNCH |      |  |
| 4960                | ----                   | ----            | 76.90B/*56.80A         | 76.90B/*56.80A             | ----                    | ----            | 60.10 - 3.50             | .1709 | ----          | ----                     | ----              | ----          | 10                | UNCH |      |  |
| 4975                | ----                   | ----            | 75.00B/*55.40A         | 75.00B/*55.40A             | ----                    | ----            | 58.40 - 3.60             | .1668 | ----          | ----                     | ----              | ----          | 50                | UNCH |      |  |
| 5000                | 73.00                  | 73.00           | 73.00B/*53.20A         | 73.00B/*53.20A             | ----                    | ----            | 55.90 - 3.60             | .1605 | ----          | ----                     | 72                | ----          | 3492 +            | 70   |      |  |
| 5005                | 51.80                  | 51.80           | 70.90B/*51.80          | 70.90B/*51.80              | ----                    | ----            | 55.40 - 3.60             | .1592 | ----          | ----                     | 20                | ----          | 24 +              | 20   |      |  |
| 5020                | 51.00                  | 51.00           | 68.90B/*50.20          | 68.90B/*50.20              | ----                    | ----            | 53.90 - 3.60             | .1555 | ----          | ----                     | 2                 | ----          | 3 +               | 2    |      |  |
| 5025                | 50.70                  | 50.70           | 68.40B/*50.70          | 68.40B/*50.70              | ----                    | ----            | 53.50 - 3.50             | .1544 | ----          | ----                     | 1                 | ----          | 243               | UNCH |      |  |
| 5030                | 50.20                  | 50.20           | 67.60B/*50.20          | 67.60B/*50.20              | ----                    | ----            | 53.00 - NEW              | .1532 | ----          | ----                     | 1                 | ----          | 1 +               | 1    |      |  |
| 5045                | ----                   | ----            | 65.90B/*49.40A         | 65.90B/*49.40A             | ----                    | ----            | 51.60 - 3.60             | .1496 | ----          | ----                     | ----              | ----          | 1                 | UNCH |      |  |
| 5050                | ----                   | ----            | 65.50B/*49.00A         | 65.50B/*49.00A             | ----                    | ----            | 51.20 - 3.50             | .1486 | ----          | 1                        | ----              | ----          | 120 -             | 1    |      |  |
| 5055                | ----                   | ----            | 64.70B/*48.60A         | 64.70B/*48.60A             | ----                    | ----            | 50.70 - 3.50             | .1473 | ----          | ----                     | ----              | ----          | 1                 | UNCH |      |  |
| 5070                | ----                   | ----            | 63.20B/*47.40A         | 63.20B/*47.40A             | ----                    | ----            | 49.50 - 3.40             | .1442 | ----          | ----                     | ----              | ----          | 13                | UNCH |      |  |
| 5075                | 63.30                  | 63.30           | 63.30B/*47.00A         | 63.30B/*47.00A             | ----                    | ----            | 49.10 - 3.40             | .1431 | ----          | 1                        | ----              | ----          | 66                | UNCH |      |  |
| 5090                | ----                   | ----            | 61.00B/*46.00A         | 61.00B/*46.00A             | ----                    | ----            | 47.80 - 3.40             | .1398 | ----          | ----                     | ----              | ----          | 17                |      |      |  |

| BULLETIN #111@ |                    |                        |                 | METALS OPTION PRODUCTS |                            |                         |                 |                          |       |               |                          | Thu, Jun 11, 2026 |               |          |                  | PG64 |
|----------------|--------------------|------------------------|-----------------|------------------------|----------------------------|-------------------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|----------|------------------|------|
|                | GLOBEX<br>OPEN     | OPEN<br>OUTCRY<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW     | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME |          | OPEN<br>INTEREST |      |
| OG CALL        | COMEX GOLD OPTIONS |                        |                 |                        |                            |                         |                 |                          |       |               |                          |                   |               |          |                  |      |
| DEC26          |                    |                        |                 |                        |                            |                         |                 |                          |       |               |                          |                   |               |          |                  |      |
| 5705           | ----               | ----                   |                 | 24.20B/*20.50A         | 24.20B/*20.50A             | ----                    |                 | 20.30 - 1.90             | .0618 | ----          | ----                     | ----              | ----          | 5        | UNCH             |      |
| 5710           | ----               | ----                   |                 | 24.00B/*20.40A         | 24.00B/*20.40A             | ----                    |                 | 20.20 - 1.90             | .0615 | ----          | ----                     | ----              | ----          | 5        | UNCH             |      |
| 5750           | 19.60              | 19.60                  |                 | 22.90B/*19.60          | 22.90B/*19.60              | ----                    |                 | 19.40 - 1.80             | .0590 | ----          |                          | 1                 | ----          | 327 +    | 1                |      |
| 5770           | ----               | ----                   |                 | 22.30B/*19.20A         | 22.30B/*19.20A             | ----                    |                 | 19.00 - 1.80             | .0577 | ----          | ----                     | ----              | ----          | 8        | UNCH             |      |
| 5775           | ----               | ----                   |                 | 22.20B/*19.10A         | 22.20B/*19.10A             | ----                    |                 | 18.90 - 1.80             | .0574 | ----          | ----                     | ----              | ----          | 2        | UNCH             |      |
| 5780           | ----               | ----                   |                 | 22.00B/*19.00A         | 22.00B/*19.00A             | ----                    |                 | 18.80 - 1.80             | .0571 | ----          | ----                     | ----              | ----          | 2        | UNCH             |      |
| 5800           | ----               | ----                   |                 | 21.50B/*18.70A         | 21.50B/*18.70A             | ----                    |                 | 18.40 - 1.80             | .0559 | ----          |                          | 27                | 50            | 1849 -   | 23               |      |
| 5810           | ----               | ----                   |                 | 21.20B/*18.50A         | 21.20B/*18.50A             | ----                    |                 | 18.20 - 1.90             | .0553 | ----          | ----                     | ----              | ----          | 56       | UNCH             |      |
| 5825           | ----               | ----                   |                 | 20.80B/*18.30A         | 20.80B/*18.30A             | ----                    |                 | 17.90 - 1.90             | .0544 | ----          | ----                     | ----              | ----          | 4        | UNCH             |      |
| 5850           | 17.40              | 17.40                  |                 | 20.20B/*17.40          | 20.20B/*17.40              | ----                    |                 | 17.50 - 1.80             | .0531 | ----          | 1                        | ----              | ----          | 51       | UNCH             |      |
| 5875           | ----               | ----                   |                 | 19.70B/*17.50A         | 19.70B/*17.50A             | ----                    |                 | 17.10 - 1.80             | .0518 | ----          | ----                     | ----              | ----          | 9        | UNCH             |      |
| 5900           | 16.60              | 16.60                  |                 | 19.20B/*16.60          | 19.20B/*16.60              | ----                    |                 | 16.70 - 1.80             | .0505 | ----          |                          | 34                | ----          | 1512 -   | 1                |      |
| 5950           | ----               | ----                   |                 | 18.20B/*16.50A         | 18.20B/*16.50A             | ----                    |                 | 15.90 - 1.90             | .0480 | ----          | ----                     | ----              | ----          | 27       | UNCH             |      |
| 6000           | 19.10              | 19.10                  |                 | 19.10/*15.90A          | 19.10/*15.90A              | ----                    |                 | 15.30 - 1.80             | .0460 | ----          |                          | 178               | ----          | 7220 +   | 106              |      |
| 6100           | ----               | ----                   |                 | ----/*14.80A           | 15.90B/*14.80A             | ----                    |                 | 14.10 - 1.80             | .0421 | ----          | ----                     | ----              | ----          | 150      | UNCH             |      |
| 6150           | ----               | ----                   |                 | ----/*14.40A           | 15.30B/*14.40A             | ----                    |                 | 13.60 - 1.80             | .0405 | ----          | ----                     | ----              | ----          | 26       | UNCH             |      |
| 6200           | ----               | ----                   |                 | ----/*14.00A           | 14.70B/*14.00A             | ----                    |                 | 13.20 - 1.80             | .0390 | ----          | ----                     | ----              | ----          | 3207     | UNCH             |      |
| 6250           | ----               | ----                   |                 | ----/*13.60A           | 14.20B/*13.60A             | ----                    |                 | 12.80 - 1.70             | .0377 | ----          | ----                     | ----              | ----          | 76       | UNCH             |      |
| 6300           | ----               | ----                   |                 | ----/*13.20A           | 13.70B/*13.20A             | ----                    |                 | 12.40 - 1.70             | .0363 | ----          | ----                     | ----              | ----          | 837      | UNCH             |      |
| 6400           | ----               | ----                   |                 | ----/*12.60A           | 12.90B/*12.60A             | ----                    |                 | 11.70 - 1.80             | .0339 | ----          | ----                     | ----              | ----          | 971      | UNCH             |      |
| 6500           | 13.50              | 13.50                  |                 | 13.50/*12.00A          | 13.50/*12.00A              | ----                    |                 | 11.20 - 1.70             | .0321 | ----          |                          | 253               | ----          | 7332 +   | 140              |      |
| 6750           | ----               | ----                   |                 | ----/*10.90A           | 10.80B/*10.90A             | ----                    |                 | 10.10 - 1.60             | .0281 | ----          | ----                     | ----              | ----          | 105      | UNCH             |      |
| 6775           | ----               | ----                   |                 | ----/*10.80A           | 10.70B/*10.80A             | ----                    |                 | 10.00 - 1.60             | .0277 | ----          | ----                     | ----              | ----          | 164      | UNCH             |      |
| 6800           | ----               | ----                   |                 | ----/*10.70A           | 10.50B/*10.70A             | ----                    |                 | 10.00 - 1.50             | .0276 | ----          | ----                     | ----              | ----          | 1817     | UNCH             |      |
| 6900           | ----               | ----                   |                 | ----/*10.40A           | 10.10B/*10.40A             | ----                    |                 | 9.70 - 1.40              | .0264 | ----          | ----                     | ----              | ----          | 79       | UNCH             |      |
| 7000           | ----               | ----                   |                 | ----/*10.10A           | 9.70B/*10.10A              | ----                    |                 | 9.50 - 1.30              | .0255 | ----          |                          | 103               | ----          | 5345 +   | 2                |      |
| 7100           | ----               | ----                   |                 | ----/*9.80A            | 9.40B/*9.80A               | ----                    |                 | 9.30 - 1.20              | .0246 | ----          | ----                     | ----              | ----          | 1        | UNCH             |      |
| 7130           | ----               | ----                   |                 | ----/*9.70A            | 9.30B/*9.70A               | ----                    |                 | 9.20 - 1.20              | .0243 | ----          | ----                     | ----              | ----          | 200      | UNCH             |      |
| 7150           | ----               | ----                   |                 | ----/*9.70A            | 9.20B/*9.70A               | ----                    |                 | 9.20 - 1.10              | .0242 | ----          | ----                     | ----              | ----          | 1        | UNCH             |      |
| 7175           | ----               | ----                   |                 | ----/*9.60A            | 9.20B/*9.60A               | ----                    |                 | 9.10 - 1.10              | .0239 | ----          | ----                     | ----              | ----          | 125      | UNCH             |      |
| 7200           | ----               | ----                   |                 | ----/*9.60A            | 9.10B/*9.60A               | ----                    |                 | 9.10 - 1.10              | .0238 | ----          | ----                     | ----              | ----          | 1        | UNCH             |      |
| 7250           | ----               | ----                   |                 | ----/*9.40A            | 9.00B/*9.40A               | ----                    |                 | 9.00 - 1.00              | .0234 | ----          | 1                        | ----              | ----          | 111      | UNCH             |      |
| 7500           | ----               | ----                   |                 | ----/*8.90A            | 8.30B/*8.90A               | ----                    |                 | 8.70 - 0.60              | .0219 | ----          |                          | 1                 | ----          | 124      | UNCH             |      |
| 8000           | ----               | ----                   |                 | ----/8.20A             | 7.40B/8.20A                | ----                    |                 | 8.10 - 0.20              | .0193 | ----          |                          | 3                 | ----          | 2257 +   | 3                |      |
| 8125           | ----               | ----                   |                 | ----/*8.00A            | 7.20B/*8.00A               | ----                    |                 | 8.00 - 0.10              | .0188 | ----          | ----                     | ----              | ----          | 801      | UNCH             |      |
| 8500           | ----               | ----                   |                 | ----/*7.60A            | 6.80B/7.60A                | ----                    |                 | 7.60 - 0.10              | .0173 | ----          | ----                     | ----              | ----          | 257      | UNCH             |      |
| 8630           | ----               | ----                   |                 | ----/*7.40A            | 6.70B/*7.40A               | ----                    |                 | 7.50 UNCH                | .0168 | ----          | ----                     | ----              | ----          | 400      | UNCH             |      |
| 8725           | ----               | ----                   |                 | ----/*7.30A            | 6.60B/*7.30A               | ----                    |                 | 7.40 - 0.10              | .0165 | ----          | ----                     | ----              | ----          | 250      | UNCH             |      |
| 8775           | ----               | ----                   |                 | ----/*7.30A            | 6.50B/*7.30A               | ----                    |                 | 7.40 UNCH                | .0164 | ----          | ----                     | ----              | ----          | 25       | UNCH             |      |
| 9000           | ----               | ----                   |                 | ----/*7.10A            | 6.50B/7.10A                | ----                    |                 | 7.20 - 0.10              | .0157 | ----          | ----                     | ----              | ----          | 267      | UNCH             |      |
| 9500           | ----               | ----                   |                 | ----/6.60A             | 5.80B/6.60A                | ----                    |                 | 6.70 - 0.30              | .0141 | ----          | ----                     | ----              | ----          | 637      | UNCH             |      |
| 9900           | ----               | ----                   |                 | ----/*6.20A            | 5.50B/*6.20A               | ----                    |                 | 6.30 - 0.50              | .0130 | ----          | ----                     | ----              | ----          | 17       | UNCH             |      |
| 10000          | 5.90               | 5.90                   |                 | 6.00/5.90              | 6.00/5.90                  | ----                    |                 | 6.20 - 0.50              | .0127 | ----          |                          | 43                | ----          | 10101 +  | 40               |      |
| 11000          | ----               | ----                   |                 | ----/*5.40A            | 4.60B/*5.40A               | ----                    |                 | 5.10 - 0.90              | .0101 | ----          | ----                     | ----              | ----          | 837      | UNCH             |      |
| 13000          | ----               | ----                   |                 | ----/*3.80A            | 3.00B/*3.80A               | ----                    |                 | 3.60 - 0.70              | .0068 | ----          | ----                     | ----              | ----          | 626      | UNCH             |      |
| 15000          | 2.80               | 2.80                   |                 | 2.80/2.80              | 2.80/2.80                  | ----                    |                 | 3.00 + 0.20              | .0054 | ----          |                          | 126               | ----          | 25454 +  | 79               |      |
| 17000          | ----               | ----                   |                 | ----                   | 1.40B/2.90A                | ----                    |                 | 2.30 + 0.40              | .0040 | ----          | 2                        | ----              | ----          | 28       | UNCH             |      |
| 19000          | ----               | ----                   |                 | ----                   | 0.90B/2.30A                | ----                    |                 | 1.60 + 0.30              | .0028 | ----          | ----                     | ----              | ----          | 207      | UNCH             |      |
| 20000          | 1.20               | 1.20                   |                 | 1.20/1.20              | 1.20/1.20                  | ----                    |                 | 1.30 + 0.20              | .0022 | ----          | ----                     | 444               | ----          | 27196 +  | 291              |      |
| 21000          | ----               | ----                   |                 | ----                   | ----/16.80A                | ----                    |                 | 1.20 + 0.20              | .0020 | ----          | ----                     | ----              | ----          | 31       | UNCH             |      |
| 24000          | ----               | ----                   |                 | ----                   | 0.20B/16.00A               | ----                    |                 | 0.90 + 0.10              | .0015 | ----          | ----                     | ----              | ----          | 76       | UNCH             |      |
| TOTAL          |                    |                        |                 |                        |                            |                         |                 |                          |       |               |                          | 3447              | 360           | 129808 + | 897              |      |
| JAN27          |                    |                        |                 |                        |                            |                         |                 |                          |       |               |                          |                   |               |          |                  |      |
| 4190           | ----               | ----                   |                 | 362.90B/*280.10        | 362.90B/*280.10A           | ----                    |                 | 306.00 - 3.20            | .5418 | ----          | ----                     | ----              | ----          | 1        | UNCH             |      |
| 4290           | ----               | ----                   |                 | 310.50B/*234.00        | 310.50B/*234.00A           | ----                    |                 | 260.30 - 2.10            | .4887 | ----          | ----                     | ----              | ----          | 1        | UNCH             |      |
| 4300           | 258.20             | 258.20                 |                 | 305.60B/*230.20        | 305.60B/*230.20A           | ----                    |                 | 256.00 - 2.00            | .4835 | ----          |                          | 1                 | ----          | 3 +      | 1                |      |
| 4400           | ----               | ----                   |                 | 259.30B/*193.50        | 259.30B/*193.50A           | ----                    |                 | 216.60 - 1.20            | .4320 | ----          | ----                     | ----              | ----          | 1        | UNCH             |      |
| 4500           | 197.00             | 197.00                 |                 | 219.30B/*163.30        | 219.30B/*163.30A           | ----                    |                 | 182.60 - 0.80            | .3829 | ----          |                          | 2                 | ----          | 4 +      | 2                |      |
| 4570           | ----               | ----                   |                 | 194.20B/*145.00        | 194.20B/*145.00A           | ----                    |                 | 161.80 NEW               | .3505 | ----          | 1                        | ----              | ----          | 1 +      | 1                |      |
| 4575           | ----               | ----                   |                 | 192.50B/*143.70        | 192.50B/*143.70A           | ----                    |                 | 160.40 - 0.80            | .3483 | ----          | ----                     | ----              | ----          | 1        | UNCH             |      |
| 4600           | ----               | ----                   |                 | 184.40B/*137.40        | 184.40B/*137.40A           | ----                    |                 | 153.70 - 0.70            | .3373 | ----          | ----                     | ----              | ----          | 4        | UNCH             |      |
| 4650           | ----               | ----                   |                 | 169.00B/*126.60        | 169.00B/*126.60A           | ----                    |                 | 140.90 - 0.70            | .3159 | ----          | ----                     | ----              | ----          | 3        | UNCH             |      |
| 4695           | ----               | ----                   |                 | 156.40B/*117.30        | 156.40B/*117.30A           | ----                    |                 | 130.40 - 0.70            | .2975 | ----          | ----                     | ----              | ----          | 3        | UNCH             |      |
| 4700           | ----               | ----                   |                 | 155.10B/*116.40        | 155.10B/*116.40A           | ----                    |                 | 129.30 - 0.70            | .2956 | ----          | ----                     | ----              | ----          | 2        | UNCH             |      |
| 4710           | ----               | ----                   |                 | 152.30B/*114.40        | 152.30B/*114.40A           | ----                    |                 | 127.10 - 0.70            | .2916 | ----          | ----                     | ----              | ----          | 3        | UNCH             |      |
| 4740           | ----               | ----                   |                 | 144.60B/*108.80        | 144.60B/*108.80A           | ----                    |                 | 120.70 - 0.70            | .2801 | ----          | ----                     | ----              | ----          | 4        | UNCH             |      |
| 4750           | ----               | ----                   |                 | 142.20B/*107.10        | 142.20B/*107.10A           | ----                    |                 | 118.60 - 0.70            | .2762 | ----          | ----                     | ----              | ----          | 9        | UNCH             |      |
| 4760           | ----               | ----                   |                 | 139.70B/*105.40        | 139.70B/*105.40A           | ----                    |                 | 116.60 - 0.70            | .2725 | ----          | ----                     | ----              | ----          | 101      | UNCH             |      |
| 4765           | ----               | ----                   |                 | 138.40B/*104.40        | 138.40B/*104.40A           | ----                    |                 | 115.60 - 0.70            | .2707 | ----          | ----                     | ----              | ----          | 6        | UNCH             |      |
| 477            |                    |                        |                 |                        |                            |                         |                 |                          |       |               |                          |                   |               |          |                  |      |

| BULLETIN #111@ |                    |              |                 | METALS OPTION PRODUCTS |                  |                    |               |                 |  |                          |       |               |                          | Thu, Jun 11, 2026 |               |        |                  | PG64 |  |
|----------------|--------------------|--------------|-----------------|------------------------|------------------|--------------------|---------------|-----------------|--|--------------------------|-------|---------------|--------------------------|-------------------|---------------|--------|------------------|------|--|
|                | GLOBAL<br>OPEN     | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBAL<br>HIGH/LOW     | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE |  | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBAL®<br>VOLUME | PNT<br>VOLUME |        | OPEN<br>INTEREST |      |  |
| OG CALL        | COMEX GOLD OPTIONS |              |                 |                        |                  |                    |               |                 |  |                          |       |               |                          |                   |               |        |                  |      |  |
| FEB27          |                    |              |                 |                        |                  |                    |               |                 |  |                          |       |               |                          |                   |               |        |                  |      |  |
| 5375           | ----               |              |                 | 62.10B/*51.40A         | 62.10B/*51.40A   | ----               |               |                 |  | 52.60 - 2.60             | .1322 | ----          | ----                     | ----              | ----          |        | 1                |      |  |
| 5400           | ----               |              |                 | 60.20B/*49.90A         | 60.20B/*49.90A   | ----               |               |                 |  | 51.00 - 2.70             | .1284 |               |                          |                   |               |        | 233              |      |  |
| 5450           | ----               |              |                 | 55.90B/*46.90A         | 55.90B/*46.90A   | ----               |               |                 |  | 47.90 - 3.00             | .1212 |               |                          |                   |               |        | 10               |      |  |
| 5500           | ----               |              |                 | 51.10B/*44.30A         | 51.10B/*44.30A   | ----               |               |                 |  | 45.20 - 3.30             | .1148 |               |                          |                   |               |        | 18               |      |  |
| 5520           | ----               |              |                 | 49.60B/*43.30A         | 49.60B/*43.30A   | ----               |               |                 |  | 44.10 - 3.50             | .1122 |               |                          |                   |               |        | 300              |      |  |
| 5530           | ----               |              |                 | 48.90B/*43.20A         | 48.90B/*43.20A   | ----               |               |                 |  | 43.60 - 3.60             | .1110 |               |                          |                   |               |        | 100              |      |  |
| 5550           | ----               |              |                 | 47.60B/*42.10A         | 47.60B/*42.10A   | ----               |               |                 |  | 42.60 - 3.70             | .1086 |               |                          |                   |               |        | 82               |      |  |
| 5600           | ----               |              |                 | ----/*40.00A           | 44.30B/*40.00A   | ----               |               |                 |  | 40.30 - 4.10             | .1029 |               |                          |                   |               |        | 8                |      |  |
| 5700           | ----               |              |                 | 41.20B/*36.70A         | 41.20B/*36.70A   | ----               |               |                 |  | 36.20 - 4.80             | .0928 |               |                          |                   |               |        | 1                |      |  |
| 5800           | ----               |              |                 | ----/*35.50A           | 36.60B/*35.50A   | ----               |               |                 |  | 32.80 - 5.00             | .0842 |               |                          |                   |               |        | 1                |      |  |
| 5900           | ----               |              |                 | ----/*33.10A           | 32.80B/*33.10A   | ----               |               |                 |  | 29.80 - 4.60             | .0766 |               |                          |                   |               |        | 7                |      |  |
| 6000           | 32.00              | 32.00        |                 | 32.00/*30.00           | 32.00/*30.00     | ----               |               |                 |  | 27.10 - 4.40             | .0697 |               |                          | 100               |               |        | 2965 +           |      |  |
| 6025           | ----               |              |                 | ----/*30.40A           | 26.20B/*30.40A   | ----               |               |                 |  | 26.50 - 4.30             | .0682 |               |                          |                   |               |        | 4                |      |  |
| 6100           | ----               |              |                 | ----/*28.70A           | 24.30B/*28.70A   | ----               |               |                 |  | 24.80 - 4.00             | .0638 |               |                          |                   |               |        | 4                |      |  |
| 6300           | ----               |              |                 |                        | 20.30B/*25.40A   | ----               |               |                 |  | 21.00 - 3.50             | .0539 |               |                          |                   |               |        | 1                |      |  |
| 6500           | ----               |              |                 |                        | 17.70B/*23.50A   | ----               |               |                 |  | 18.00 - 3.10             | .0460 |               |                          |                   |               |        | 2910             |      |  |
| 6900           | ----               |              |                 |                        | 13.60B/*20.10A   | ----               |               |                 |  | 13.70 - 2.40             | .0346 |               |                          |                   |               |        | 533              |      |  |
| 7000           | ----               |              |                 | 15.50B/----            | 15.50B/19.50A    | ----               |               |                 |  | 12.90 - 2.30             | .0325 |               |                          |                   |               |        | 487              |      |  |
| 7100           | ----               |              |                 |                        | 12.50B/*18.60A   | ----               |               |                 |  | 12.20 - 2.20             | .0306 |               |                          |                   |               |        | 9                |      |  |
| 7700           | ----               |              |                 |                        | 10.10B/*16.60A   | ----               |               |                 |  | 9.10 - 1.60              | .0222 |               |                          |                   |               |        | 1                |      |  |
| 7900           | ----               |              |                 |                        | 9.60B/*16.00A    | ----               |               |                 |  | 8.40 - 1.50              | .0202 |               |                          |                   |               |        | 500              |      |  |
| 8000           | ----               |              |                 |                        | 9.30B/*15.80A    | ----               |               |                 |  | 8.10 - 1.50              | .0194 |               |                          |                   |               |        | 695              |      |  |
| TOTAL          |                    |              |                 |                        |                  |                    |               |                 |  |                          |       |               |                          | 498               |               |        | 12065 +          |      |  |
| MAR27          |                    |              |                 |                        |                  |                    |               |                 |  |                          |       |               |                          |                   |               |        |                  |      |  |
| 4300           | ----               |              |                 | 352.40B/*278.60        | 352.40B/*278.60A | ----               |               |                 |  | 303.20 - NEW             | .5064 | ----          | ----                     | ----              | 40            |        | 40 +             |      |  |
| 4400           | ----               |              |                 | 305.50B/*240.20        | 305.50B/*240.20A | ----               |               |                 |  | 262.20 - 5.50            | .4598 |               |                          |                   |               |        | 160              |      |  |
| 4610           | ----               |              |                 | 227.60B/*175.90        | 227.60B/*175.90A | ----               |               |                 |  | 191.90 - 4.20            | .3684 |               |                          |                   |               |        | 2                |      |  |
| 4650           | ----               |              |                 | 215.30B/*165.70        | 215.30B/*165.70A | ----               |               |                 |  | 180.80 - 3.80            | .3524 |               |                          |                   |               |        | 1                |      |  |
| 4660           | ----               |              |                 | 212.10B/*163.30        | 212.10B/*163.30A | ----               |               |                 |  | 178.10 - 3.70            | .3485 |               |                          |                   |               |        | 2                |      |  |
| 4670           | ----               |              |                 | 208.90B/*161.00        | 208.90B/*161.00A | ----               |               |                 |  | 175.40 - 3.60            | .3445 |               |                          |                   |               |        | 3                |      |  |
| 4675           | ----               |              |                 | 207.00B/*159.90        | 207.00B/*159.90A | ----               |               |                 |  | 174.10 - 3.60            | .3426 |               |                          |                   |               |        | 2                |      |  |
| 4680           | ----               |              |                 | 205.80B/*158.60        | 205.80B/*158.60A | ----               |               |                 |  | 172.80 - 3.50            | .3406 |               |                          |                   |               |        | 2                |      |  |
| 4710           | ----               |              |                 | 196.80B/*152.00        | 196.80B/*152.00A | ----               |               |                 |  | 165.30 - 3.10            | .3293 |               |                          |                   |               |        | 21               |      |  |
| 4800           | ----               |              |                 | 172.00B/*133.50        | 172.00B/*133.50A | ----               |               |                 |  | 144.50 - 2.20            | .2968 |               |                          | 10                |               | 16 +   |                  |      |  |
| 4820           | ----               |              |                 | 167.00B/*129.80        | 167.00B/*129.80A | ----               |               |                 |  | 140.30 - 1.90            | .2900 |               |                          |                   |               |        | 20               |      |  |
| 4995           | ----               |              |                 | 128.30B/*101.80        | 128.30B/*101.80A | ----               |               |                 |  | 108.70 - 0.30            | .2360 |               |                          |                   |               |        | 2                |      |  |
| 5000           | ----               |              |                 | 128.20B/*101.10        | 128.20B/*101.10A | ----               |               |                 |  | 107.90 - 0.30            | .2346 |               |                          | 10                |               | 104    |                  |      |  |
| 5105           | ----               |              |                 | 110.20B/*88.00A        | 110.20B/*88.00A  | ----               |               |                 |  | 93.10 - 0.50             | .2073 |               |                          | 3                 |               | 4 +    |                  |      |  |
| 5200           | ----               |              |                 | 96.40B/*79.90A         | 96.40B/*79.90A   | ----               |               |                 |  | 81.80 - 2.00             | .1855 |               |                          |                   |               |        | 17               |      |  |
| 5220           | ----               |              |                 | 93.00B/*77.90A         | 93.00B/*77.90A   | ----               |               |                 |  | 79.60 - 2.30             | .1812 |               |                          |                   |               |        | 12               |      |  |
| 5285           | ----               |              |                 | 85.80B/*73.40A         | 85.80B/*73.40A   | ----               |               |                 |  | 73.10 - 2.90             | .1682 |               |                          | 6                 |               | 8 +    |                  |      |  |
| 5300           | ----               |              |                 | 83.40B/*72.10A         | 83.40B/*72.10A   | ----               |               |                 |  | 71.70 - 2.90             | .1654 |               |                          | 3                 |               | 5 +    |                  |      |  |
| 5305           | ----               |              |                 | 83.40B/*72.00A         | 83.40B/*72.00A   | ----               |               |                 |  | 71.30 - 2.90             | .1645 |               |                          |                   |               | 2      |                  |      |  |
| 5350           | ----               |              |                 | 78.00B/*68.60A         | 78.00B/*68.60A   | ----               |               |                 |  | 67.30 - 2.80             | .1563 |               |                          |                   |               | 2      |                  |      |  |
| 5400           | ----               |              |                 | 73.50B/*64.80A         | 73.50B/*64.80A   | ----               |               |                 |  | 63.20 - 2.50             | .1478 |               |                          |                   |               | 11     |                  |      |  |
| 5450           | ----               |              |                 | 69.00B/*61.30A         | 69.00B/*61.30A   | ----               |               |                 |  | 59.50 - 1.90             | .1399 |               |                          |                   |               | 3      |                  |      |  |
| 5500           | ----               |              |                 | 64.90B/*55.20A         | 64.90B/*55.20A   | ----               |               |                 |  | 56.00 - 1.40             | .1324 |               |                          |                   |               | 534    |                  |      |  |
| 5510           | ----               |              |                 | 63.90B/*54.80A         | 63.90B/*54.80A   | ----               |               |                 |  | 55.30 - 1.30             | .1309 |               |                          |                   |               | 2      |                  |      |  |
| 5550           | ----               |              |                 | 60.60B/*52.80A         | 60.60B/*52.80A   | ----               |               |                 |  | 52.70 - 0.90             | .1253 |               |                          |                   |               | 1      |                  |      |  |
| 5600           | ----               |              |                 | 51.10B/*50.10A         | 51.10B/*50.10A   | ----               |               |                 |  | 49.70 - 0.80             | .1188 |               |                          |                   |               | 10     |                  |      |  |
| 5635           | ----               |              |                 | 48.80B/----            | 48.80B/*48.50A   | ----               |               |                 |  | 47.70 - 0.70             | .1144 |               |                          |                   |               | 2      |                  |      |  |
| 5650           | ----               |              |                 | 47.80B/----            | 47.80B/*47.80A   | ----               |               |                 |  | 46.90 - 0.70             | .1126 |               |                          |                   |               | 16     |                  |      |  |
| 5700           | ----               |              |                 | 45.70B/----            | 45.70B/*45.70A   | ----               |               |                 |  | 44.30 - 0.70             | .1068 |               |                          | 2                 |               | 11     |                  |      |  |
| 5790           | ----               |              |                 | 44.90B/----            | 44.90B/*42.30A   | ----               |               |                 |  | 40.30 - 0.50             | .0976 |               |                          |                   |               | 50     |                  |      |  |
| 5820           | ----               |              |                 | 43.30B/----            | 43.30B/*41.30A   | ----               |               |                 |  | 39.00 - 0.60             | .0947 |               |                          |                   |               | 2      |                  |      |  |
| 5850           | ----               |              |                 | 41.80B/----            | 41.80B/*40.40A   | ----               |               |                 |  | 37.90 - 0.50             | .0921 |               |                          |                   |               | 253    |                  |      |  |
| 5900           | ----               |              |                 | 39.60B/----            | 39.60B/*40.40A   | ----               |               |                 |  | 36.00 - 0.50             | .0877 |               |                          |                   |               | 11     |                  |      |  |
| 5950           | ----               |              |                 | 37.50B/----            | 37.50B/*41.90A   | ----               |               |                 |  | 34.40 - 0.40             | .0838 |               |                          | 4                 |               | 14 +   |                  |      |  |
| 5975           | ----               |              |                 | 34.90B/----            | 34.90B/*41.30A   | ----               |               |                 |  | 33.60 - 0.40             | .0819 |               |                          | 2                 |               | 7 +    |                  |      |  |
| 6000           | ----               |              |                 | 35.90B/----            | 35.90B/*40.60A   | ----               |               |                 |  | 32.80 - 0.40             | .0800 |               |                          |                   |               | 2      |                  |      |  |
| 6250           | ----               |              |                 | ----                   | 23.30B/*35.40A   | ----               |               |                 |  | 26.60 - 0.30             | .0649 |               |                          |                   |               | 10     |                  |      |  |
| 6300           | ----               |              |                 | ----                   | 21.80B/*34.30A   | ----               |               |                 |  | 25.60 - 0.30             | .0624 |               |                          |                   |               | 170    |                  |      |  |
| 6500           | ----               |              |                 | ----                   | 18.10B/31.20A    | ----               |               |                 |  | 22.30 - 0.20             | .0540 |               |                          |                   |               | 527    |                  |      |  |
| TOTAL          |                    |              |                 |                        |                  |                    |               |                 |  |                          |       |               |                          | 40                | 40            | 2061 + |                  |      |  |
| APR27          |                    |              |                 |                        |                  |                    |               |                 |  |                          |       |               |                          |                   |               |        |                  |      |  |
| 4400           | ----               |              |                 | 321.70B/*257.30        | 321.70B/*257.30A | ----               |               |                 |  | 279.40 - 5.00            | .4653 | ----          | ----                     | ----              |               | 3      |                  |      |  |
| 4600           | ----               |              |                 | 249.10B/*195.10        | 249.10B/*195.10A | ----               |               |                 |  | 211.60 - 3.70            | .3822 |               |                          |                   |               | 5      |                  |      |  |
| 4765           | ----               |              |                 | 199.30B/*155.60        | 199.30B/*155.60A | ----               |               |                 |  | 167.90 - 3.50            | .3212 |               |                          |                   |               | 2      |                  |      |  |
| 4925           | ----               |              |                 | 160.00B/*125.80        | 160.00B/*125.80A | ----               |               |                 |  | 134.50 - 3.40            | .2697 |               |                          |                   |               | 1      |                  |      |  |
| 5000           | ----               |              |                 | 143.50B/*114.20        | 143.50B/*114.20A | ----               |               |                 |  | 121.40 - 3.30            | .2483 |               |                          |                   |               | 100    |                  |      |  |
| 5050           | ----               |              |                 | 134.00B/*107.30        | 134.00B/*107.30A | ----               |               |                 |  | 113.60 - NEW             | .2350 |               |                          | 24                |               | 24 +   |                  |      |  |
| 5060           | ----               |              |                 | 133.20B/*106.00        | 133.20B/*106.00A | ----               |               |                 |  | 112.10 - 3.00            | .2324 |               |                          |                   |               | 25     |                  |      |  |
| 5130           | ----               |              |                 | 121.30B/*97.20A        | 121.30B/*97.20A  | ----               |               |                 |  | 102.20 - 2.60            | .2151 |               |                          |                   |               | 18     |                  |      |  |
| 5180           | ----               |              |                 | 113.20B/*91.50A        | 113.20B/*91.50A  | ----               |               |                 |  | 95.90 - 2.20             |       |               |                          |                   |               |        |                  |      |  |

| GLOBEX<br>OPEN                     |        | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>RANGE | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |
|------------------------------------|--------|--------------|-----------------|--------------------|------------------|-----------------|---------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|
| GOLD WEEKLY WEDNESDAY OPTION WEEK4 |        |              |                 |                    |                  |                 |               |                 |                          |       |               |                          |                   |               |                  |      |
| JUN26                              |        |              |                 |                    |                  |                 |               |                 |                          |       |               |                          |                   |               |                  |      |
| 3000                               | 1.00   | 1.00         |                 | #1.00/*0.20        | #1.00/*0.20      | ----            | 0.40          | NEW             | .0019                    | ----  | ----          | ----                     | 2                 | ----          | 0                | UNCH |
| 3250                               | ----   | ----         |                 | ----/1.00A         | 1.60B/1.00A      | ----            | 1.20          | - 0.40          | .0066                    | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 3500                               | ----   | ----         |                 | #6.60B/1.50A       | #6.60B/1.50A     | ----            | 3.30          | - 0.70          | .0207                    | ----  | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 3500                               | 1.40   | 1.40         |                 | 2.30B/0.60A        | 2.30B/0.60A      | ----            | 1.00          | - 0.70          | .0060                    | ----  | ----          | 12                       | ----              | 17            | +                | 12   |
| 3600                               | 6.70   | 6.70         |                 | #11.20B/1.90A      | #11.20B/1.90A    | ----            | 5.10          | - 1.10          | .0337                    | ----  | ----          | 78                       | ----              | 68            | +                | 3    |
| 3600                               | 2.20   | 2.20         |                 | #4.60B/*0.80A      | #4.60B/*0.80A    | ----            | 1.50          | - 1.00          | .0103                    | ----  | ----          | 2                        | ----              | 23            | +                | 2    |
| 3700                               | ----   | ----         |                 | ----               | ----             | ----            | 0.00          | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 3700                               | 16.50  | 16.50        |                 | #19.00B/2.80A      | #19.00B/2.80A    | ----            | 8.50          | - 1.40          | .0578                    | ----  | ----          | 4                        | ----              | 12            | +                | 2    |
| 3700                               | 4.20   | 4.20         |                 | #8.50B/0.90A       | #8.50B/0.90A     | ----            | 2.60          | - 1.40          | .0201                    | ----  | ----          | 2                        | ----              | 35            | +                | 1    |
| 3750                               | 5.60   | 5.60         |                 | #24.60B/3.60A      | #24.60B/3.60A    | ----            | 11.10         | - 1.60          | .0761                    | ----  | ----          | 2                        | ----              | 204           | +                | 1    |
| 3750                               | 11.10  | 11.10        |                 | #12.50B/1.20A      | #12.50B/1.20A    | ----            | 3.60          | - 1.70          | .0293                    | ----  | ----          | 3                        | ----              | 11            | +                | 3    |
| 3750                               | ----   | ----         |                 | ----               | ----             | ----            | 0.00          | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 3785                               | ----   | ----         |                 | ----               | #14.30B/*1.50A   | ----            | 4.60          | NEW             | .0387                    | ----  | ----          | 2                        | ----              | 2             | +                | 2    |
| 3800                               | 5.80   | 5.80         |                 | #31.40B/4.70A      | #31.40B/4.70A    | ----            | 14.70         | - 1.70          | .1008                    | ----  | ----          | 1                        | ----              | 155           | +                | 1    |
| 3800                               | 7.40   | 7.40         |                 | #17.30B/1.40A      | #17.30B/1.40A    | ----            | 5.20          | - 2.00          | .0441                    | ----  | ----          | 33                       | ----              | 73            | +                | 20   |
| 3800                               | ----   | ----         |                 | ----               | ----             | ----            | 0.00          | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 3810                               | 6.70   | 6.70         |                 | #6.70/*1.70A       | #16.90B/*1.70A   | ----            | 5.60          | NEW             | .0479                    | ----  | ----          | 20                       | ----              | 20            | +                | 20   |
| 3825                               | 9.80   | 9.80         |                 | #9.80/*1.80A       | #18.70B/*1.80A   | ----            | 6.30          | NEW             | .0544                    | ----  | ----          | 3                        | ----              | 3             | +                | 3    |
| 3850                               | ----   | ----         |                 | ----               | ----             | ----            | 0.00          | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 3850                               | 14.50  | 14.50        |                 | #23.50B/*1.80A     | #23.50B/*1.80A   | ----            | 7.70          | - 2.20          | .0674                    | ----  | ----          | 3                        | ----              | 13            | +                | 3    |
| 3850                               | 25.10  | 25.10        |                 | #40.10B/*6.50A     | #40.10B/*6.50A   | ----            | 19.60         | NEW             | .1335                    | ----  | ----          | 2                        | ----              | 1             | +                | 1    |
| 3865                               | 3.50   | 3.50         |                 | #3.50/*2.30A       | #24.60B/*2.30A   | ----            | 8.70          | NEW             | .0767                    | ----  | ----          | 20                       | ----              | 20            | +                | 20   |
| 3870                               | 10.00  | 10.00        |                 | #10.00/*2.30A      | #25.30B/*2.30A   | ----            | 9.10          | NEW             | .0803                    | ----  | ----          | 3                        | ----              | 3             | +                | 3    |
| 3875                               | 24.20  | 24.20        |                 | #27.40B/*2.30A     | #27.40B/*2.30A   | ----            | 9.50          | - 2.30          | .0839                    | ----  | ----          | 1                        | ----              | 13            | +                | 1    |
| 3900                               | 14.80  | 14.80        |                 | #31.90B/2.70A      | #31.90B/2.70A    | ----            | 11.60         | - 2.40          | .1034                    | ----  | ----          | 7                        | ----              | 121           | +                | 3    |
| 3900                               | ----   | ----         |                 | ----               | ----             | ----            | 0.00          | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 3900                               | 33.40  | 33.40        |                 | #50.30B/9.00A      | #50.30B/9.00A    | ----            | 26.20         | - 1.70          | .1759                    | ----  | ----          | 4                        | ----              | 24            | -                | 2    |
| 3925                               | 250.70 | 250.70       |                 | #323.60B/*186.5    | 323.60B/*186.50A | ----            | 219.10        | NEW             | .7984                    | ----  | ----          | 1                        | ----              | 1             | +                | 1    |
| 3925                               | 5.60   | 5.60         |                 | #37.10B/*3.10A     | #37.10B/*3.10A   | ----            | 14.30         | NEW             | .1277                    | ----  | ----          | 2                        | ----              | 2             | +                | 2    |
| 3930                               | 15.60  | 15.60        |                 | #15.60/*3.70A      | #37.00B/*3.70A   | ----            | 14.90         | NEW             | .1331                    | ----  | ----          | 1                        | ----              | 1             | +                | 1    |
| 3930                               | ----   | ----         |                 | ----               | ----             | ----            | 0.00          | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 3935                               | ----   | ----         |                 | ----               | ----             | ----            | 0.00          | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 3950                               | 18.10  | 18.10        |                 | #43.00B/3.70       | #43.00B/3.70     | ----            | 17.50         | - 2.50          | .1564                    | ----  | ----          | 2                        | ----              | 9             | +                | 1    |
| 3950                               | ----   | ----         |                 | ----               | ----             | ----            | 0.00          | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 3950                               | 25.70  | 25.70        |                 | #64.40B/12.30      | #64.40B/12.30    | ----            | 35.10         | - 1.20          | .2298                    | ----  | ----          | 2                        | ----              | 2             | +                | 1    |
| 3950                               | 191.00 | 191.00       |                 | 292.50B/*144.30    | 292.50B/*144.30A | ----            | 181.40        | NEW             | .8434                    | ----  | ----          | 1                        | ----              | 1             | +                | 1    |
| 3965                               | ----   | ----         |                 | ----               | ----             | ----            | 0.00          | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 3970                               | ----   | ----         |                 | ----               | ----             | ----            | 0.00          | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 3975                               | ----   | ----         |                 | #71.70B/15.10A     | #71.70B/15.10A   | ----            | 40.60         | - 0.80          | .2614                    | ----  | ----          | ----                     | ----              | 4             | +                | 1    |
| 3975                               | ----   | ----         |                 | ----               | ----             | ----            | 0.00          | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 3975                               | 32.30  | 32.30        |                 | #49.90B/4.70A      | #49.90B/4.70A    | ----            | 21.50         | - 2.40          | .1910                    | ----  | ----          | 4                        | ----              | 4             | +                | 3    |
| 3980                               | ----   | ----         |                 | ----               | ----             | ----            | 0.00          | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 3985                               | ----   | ----         |                 | ----               | ----             | ----            | 0.00          | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 3990                               | ----   | ----         |                 | ----               | ----             | ----            | 0.00          | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 3995                               | ----   | ----         |                 | ----               | ----             | ----            | 0.00          | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 4000                               | 43.40  | 43.40        |                 | #80.40B/18.00A     | #80.40B/18.00A   | ----            | 46.90         | - 0.30          | .2961                    | ----  | ----          | 3                        | ----              | 12            | +                | 2    |
| 4000                               | ----   | ----         |                 | 245.00B/*109.70    | 245.00B/*109.70A | ----            | 140.20        | - 21.40         | .7683                    | ----  | ----          | ----                     | ----              | 5             | UNCH             |      |
| 4000                               | 43.40  | 43.40        |                 | #57.40B/6.20A      | #57.40B/6.20A    | ----            | 26.30         | - 2.10          | .2315                    | ----  | ----          | 280                      | ----              | 223           | -                | 2    |
| 4000                               | ----   | ----         |                 | ----               | ----             | ----            | 0.00          | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 4005                               | ----   | ----         |                 | ----               | ----             | ----            | 0.00          | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 4010                               | ----   | ----         |                 | ----               | ----             | ----            | 0.00          | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 4015                               | ----   | ----         |                 | ----               | ----             | ----            | 0.00          | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 4020                               | ----   | ----         |                 | ----               | ----             | ----            | 0.00          | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 4025                               | ----   | ----         |                 | #90.10B/21.40A     | #90.10B/21.40A   | ----            | 54.20         | + 0.50          | .3342                    | ----  | ----          | 1                        | ----              | 11            | +                | 1    |
| 4025                               | 38.40  | 38.40        |                 | #66.10B/8.40A      | #66.10B/8.40A    | ----            | 32.00         | - 1.70          | .2780                    | ----  | ----          | 27                       | ----              | 31            | +                | 26   |
| 4025                               | ----   | ----         |                 | ----               | ----             | ----            | 0.00          | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 4030                               | ----   | ----         |                 | ----               | ----             | ----            | 0.00          | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 4035                               | ----   | ----         |                 | ----               | ----             | ----            | 0.00          | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 4040                               | ----   | ----         |                 | ----               | ----             | ----            | 0.00          | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 4045                               | ----   | ----         |                 | ----               | ----             | ----            | 0.00          | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 4050                               | ----   | ----         |                 | #76.80B/10.70A     | #76.80B/10.70A   | ----            | 38.90         | - 1.10          | .3312                    | ----  | ----          | 22                       | ----              | 80            | +                | 17   |
| 4050                               | ----   | ----         |                 | ----               | ----             | ----            | 0.00          | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 4050                               | 141.80 | 141.80       |                 | 199.30B/*80.10A    | 199.30B/*80.10A  | ----            | 102.90        | NEW             | .6686                    | ----  | ----          | 1                        | ----              | 1             | +                | 1    |
| 4050                               | ----   | ----         |                 | #101.10B/25.40A    | #101.10B/25.40A  | ----            | 62.40         | + 1.40          | .3749                    | ----  | ----          | ----                     | ----              | 3             | +                | 1    |
| 4055                               | ----   | ----         |                 | ----               | ----             | ----            | 0.00          | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 4060                               | ----   | ----         |                 | ----               | ----             | ----            | 0.00          | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 4065                               | 23.50  | 23.50        |                 | #23.50/*12.60A     | #83.80B/*12.60A  | ----            | 43.70         | NEW             | .3661                    | ----  | ----          | 1                        | ----              | 1             | +                | 1    |
| 4065                               | ----   | ----         |                 | ----               | ----             | ----            | 0.00          | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 4070                               | ----   | ----         |                 | ----               | ----             | ----            | 0.00          | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 4075                               | ----   | ----         |                 | #112.80B/30.10A    | #112.80B/30.10A  | ----            | 71.60         | + 2.40          | .4181                    | ----  | ----          | 1                        | ----              | 3             | +                | 1    |
| 4075                               | ----   | ----         |                 | ----               | ----             | ----            | 0.00          | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 4075                               | 65.90  | 65.90        |                 | #88.70B/13.80A     | #88.70B/13.80A   | ----            | 47.20         | - 0.10          | .3906                    | ----  | ----          | 1                        | ----              | 7             | +                | 1    |
| 4080                               | ----   | ----         |                 | ----               | ----             | ----            | 0.00          | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 4085                               | ----   | ----         |                 | ----               | ----             | ----            | 0.00          | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 4090                               | 65.80  | 65.80        |                 | #65.80/*16.10A     | #96.50B/*16.10A  | ----            | 52.80         | NEW             | .4287                    | ----  | ----          | 1                        | ----              | 1             | +                | 1    |
| 4090                               | ----   | ----         |                 | ----               | ----             | ----            | 0.00          | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 4095                               | ----   | ----         |                 | ----               | ----             | ----            | 0.00          | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 4100                               | 61.00  | 61.00        |                 | 156.40B/*55.30A    | 156.40B/*55.30A  | ----            | 70.90         | - 18.30         | .5448                    | ----  | ----          | 2                        | ----              | 5             | +                | 2    |
| 4100                               | ----   | ----         |                 | ----               | ----             | ----            | 0.00          | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 4100                               | 62.00  | 62.00        |                 | #102.80B/17.70A    | #102.80B/17.70A  | ----            | 56.90         | + 1.00          | .4550                    | ----  | ----          | 9                        | ----              | 23            | +                | 5    |
| 4100                               | ----   | ----         |                 | ----               | ----             | ----            | 33.30         | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 4100                               | 97.00  | 97.00        |                 | #125.00B/35.60A    | #125.00B/35.60A  | ----            | 82.00         | + 3.50          | .4634                    | ----  | ----          | 1                        | ----              | 21            | +                | 1    |
| 4105                               | ----   | ----         |                 | ----               | ----             | ----            | 0.00          | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 4110                               | ----   | ----         |                 | ----               | ----             | ----            | 0.00          | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 4110                               | ----   | ----         |                 | ----               | ----             | ----            | 23.30         | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 4115                               | 22.40  | 22.40        |                 | #22.40/*20.50A     | #111.60B/*20.50A | ----            | 63.50         | NEW             | .4955                    | ----  | ----          | 1                        | ----              | 1             | +                | 1    |
| 4115                               | ----   | ----         |                 | ----               | ----             | ----            | 0.00          | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 4120                               | 23.50  | 23.50        |                 | #23.50/*21.50A     | #114.60B/*21.50A | ----            | 65.80         | NEW             | .5093                    | ----  | ----          | 1                        | ----              | 1             | +                | 1    |
| 4120                               | ----   | ----         |                 | ----               | ----             | ----            | 13.30         | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 4120                               | ----   | ----         |                 | ----               | ----             | ----            | 0.00          | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 4125                               | ----   | ----         |                 | 155.60B/*68.90A    | 155.60B/*68.90A  | ----            | 82.60         | NEW             | .4894                    | ----  | ----          | 9                        | ----              | 9             | +                | 9    |
| 4125                               | ----   | ----         |                 | #139.10B/42.00A    | #139.10B/42.00A  | ----            | 93.60         | + 4.80          | .5101                    | ----  | ----          | ----                     | ----              | 1             | +                | 1    |
| 4125                               | 49.00  | 49.00        |                 | #117.80B/22.50A    | #117.80B/22.50A  | ----            | 68.20         | + 2.20          | .5231                    | ----  | ----          | 111                      | ----              | 86            | -                | 1    |
| 4125                               | ----   | ----         |                 | ----               | ----             | ----            | 0.00          | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 4125                               | ----   | ----         |                 | ----               | ----             | ----            | 8.30          | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 4125                               | 68.00  | 68.00        |                 | 136.40B/*44.40A    | 136.40B/*44.40A  | ----            | 57.20         | - 17.10         | .4767                    | ----  | ----          | 120                      | ----              | 76            | +                | 36   |
| 4130                               | ----   | ----         |                 | ----               | ----             | ----            | 3.30          | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 4130                               | ----   | ----         |                 | ----               | ----             | ----            | 0.00          | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 4135                               | ----   | ----         |                 | ----               | ----             | ----            | 0.00          | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 4135                               | ----   | ----         |                 | ----               | ----             | ----            | 1.70          | UNCH            | ----                     | ----  | ----          | ----                     | ----              | 0             | UNCH             |      |
| 4140                               | ----   | ----         |                 | ----               | #124.90B/*38.40A | ----            | 49.90         | NEW             | .4351                    | ----  | ----          | 1                        | ----              | 1             | +                | 1    |
| 4140                               | ----   | ----         |                 | ----               | ----             | ----            | 6.70          | UNCH            | ----                     | ----  | ----          | ----                     | ----              |               |                  |      |



| PG64             |                | BULLETIN #111@                     |                 |                    |                  | METALS OPTION PRODUCTS |       |                          |       |               |                          |                   | Thu, Jun 11, 2026 |       | PG64             |  |
|------------------|----------------|------------------------------------|-----------------|--------------------|------------------|------------------------|-------|--------------------------|-------|---------------|--------------------------|-------------------|-------------------|-------|------------------|--|
|                  | GLOBEX<br>OPEN | OPEN<br>OPEN                       | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>CLOSE        | RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME     |       | OPEN<br>INTEREST |  |
| GWN WED<br>JUN26 |                | GOLD WEEKLY WEDNESDAY OPTION WEEK4 |                 |                    |                  |                        |       |                          |       |               |                          |                   |                   |       |                  |  |
| 4200             | 70.50          | 70.50                              |                 | #188.50B/67.50A    | #188.50B/67.50A  | ----                   |       | 135.60 NEW               | .6512 | ----          | ----                     | 2                 | ----              | 2 +   | 2                |  |
| 4200             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 66.70 UNCH               | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4200             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4205             | 78.30          | 78.30                              |                 | #78.30/*78.30      | #80.80B/*19.40A  | ----                   |       | 25.30 NEW                | .2627 | ----          | ----                     | 150               | ----              | 150 + | 150              |  |
| 4205             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 71.70 UNCH               | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4205             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4210             | 75.40          | 75.40                              |                 | #75.40/*75.40      | #77.90B/*18.40A  | ----                   |       | 23.90 NEW                | .2508 | ----          | ----                     | 150               | ----              | 150 + | 150              |  |
| 4210             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4210             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 76.70 UNCH               | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4215             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4215             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 81.70 UNCH               | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4220             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 86.70 UNCH               | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4220             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4225             | 81.60          | 81.60                              |                 | #207.20B/78.40A    | #207.20B/78.40A  | ----                   |       | 152.10 NEW               | .6957 | ----          | ----                     | 1                 | ----              | 1 +   | 1                |  |
| 4225             | 18.90          | 18.90                              |                 | 70.00B/*15.60A     | 70.00B/*15.60A   | ----                   |       | 20.10 - 10.90            | .2173 | ----          | ----                     | 17                | ----              | 20 +  | 4                |  |
| 4225             | 59.00          | 59.00                              |                 | #192.30B/55.60A    | #192.30B/55.60A  | ----                   |       | 131.00 + 8.30            | .7825 | ----          | ----                     | 1                 | ----              | 73 -  | 1                |  |
| 4225             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4225             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 91.70 UNCH               | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4225             | 41.00          | 41.00                              |                 | 92.60B/*34.20A     | 92.60B/*34.20A   | ----                   |       | 41.20 NEW                | .3039 | ----          | ----                     | 1                 | ----              | 1 +   | 1                |  |
| 4230             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 96.70 UNCH               | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4230             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4235             | ----           | ----                               | ----            | ----               | #200.40B/*60.50A | ----                   |       | 138.80 NEW               | .8036 | ----          | ----                     | 6                 | ----              | 6 +   | 6                |  |
| 4235             | ----           | ----                               | ----            | ----               | #64.70B/*13.90A  | ----                   |       | 17.80 NEW                | .1962 | ----          | ----                     | 6                 | ----              | 6 +   | 6                |  |
| 4235             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 101.70 UNCH              | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4235             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4240             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 106.70 UNCH              | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4240             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4245             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 111.70 UNCH              | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4245             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4250             | 76.80          | 76.80                              |                 | 79.60B/*28.10A     | 79.60B/*28.10A   | ----                   |       | 33.80 - 8.80             | .2618 | ----          | ----                     | 5                 | ----              | 5 +   | 3                |  |
| 4250             | ----           | ----                               | ----            | #213.60B/68.20A    | #213.60B/68.20A  | ----                   |       | 150.80 + 9.90            | .8325 | ----          | ----                     | ----              | ----              | 19    | UNCH             |  |
| 4250             | 13.10          | 13.10                              |                 | 57.40B/*11.70A     | 57.40B/*11.70A   | ----                   |       | 14.80 - 9.50             | .1673 | ----          | ----                     | 7                 | ----              | 57 +  | 4                |  |
| 4250             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 116.70 UNCH              | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4250             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4250             | ----           | ----                               | ----            | #226.80B/90.70A    | #226.80B/90.70A  | ----                   |       | 169.60 + 10.40           | .7378 | ----          | ----                     | ----              | ----              | 1     | UNCH             |  |
| 4255             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 121.70 UNCH              | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4255             | 12.60          | 12.60                              |                 | #52.80B/*10.40A    | #52.80B/*10.40A  | ----                   |       | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4260             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 13.10 NEW                | .1500 | ----          | ----                     | 50                | ----              | 50 +  | 50               |  |
| 4260             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 126.70 UNCH              | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4260             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4265             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 131.70 UNCH              | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4265             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4270             | 13.20          | 13.20                              |                 | #48.40B/*13.20     | #48.40B/*9.30A   | ----                   |       | 11.60 NEW                | .1343 | ----          | ----                     | 2                 | ----              | 2 +   | 2                |  |
| 4270             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4270             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 136.70 UNCH              | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4275             | 27.50          | 27.50                              |                 | 67.90B/*23.00A     | 67.90B/*23.00A   | ----                   |       | 27.50 NEW                | .2230 | ----          | ----                     | 8                 | ----              | 7 +   | 7                |  |
| 4275             | ----           | ----                               | ----            | #247.20B/104.20    | #247.20B/104.20A | ----                   |       | 188.30 + 11.30           | .7766 | ----          | ----                     | ----              | ----              | 11    | UNCH             |  |
| 4275             | 10.30          | 10.30                              |                 | 46.30B/*8.80A      | 46.30B/*8.80A    | ----                   |       | 10.80 - 8.10             | .1262 | ----          | ----                     | 13                | ----              | 13 +  | 2                |  |
| 4275             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4275             | 115.10         | 115.10                             |                 | #235.70B/82.40A    | #235.70B/82.40A  | ----                   |       | 171.80 + 11.30           | .8736 | ----          | ----                     | 1                 | ----              | 6 +   | 1                |  |
| 4275             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 141.70 UNCH              | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4280             | 10.70          | 10.70                              |                 | #44.20B/*8.30A     | #44.20B/*8.30A   | ----                   |       | 10.20 NEW                | .1195 | ----          | ----                     | 3                 | ----              | 3 +   | 3                |  |
| 4280             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 146.70 UNCH              | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4280             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4285             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 151.70 UNCH              | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4285             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4290             | 9.50           | 9.50                               |                 | #40.50B/*7.40A     | #40.50B/*7.40A   | ----                   |       | 9.00 NEW                 | .1063 | ----          | ----                     | 1                 | ----              | 1 +   | 1                |  |
| 4290             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4290             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 156.70 UNCH              | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4295             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 161.70 UNCH              | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4295             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4300             | 34.20          | 34.20                              |                 | 57.50B/*18.80A     | 57.50B/*18.80A   | ----                   |       | 22.10 - 7.40             | .1873 | ----          | ----                     | 5                 | ----              | 7 +   | 5                |  |
| 4300             | ----           | ----                               | ----            | #268.50B/119.00    | #268.50B/119.00A | ----                   |       | 207.90 + 11.90           | .8123 | ----          | ----                     | 3                 | ----              | 12    | UNCH             |  |
| 4300             | ----           | ----                               | ----            | #258.50B/98.40A    | #258.50B/98.40A  | ----                   |       | 193.80 + 12.50           | .9057 | ----          | ----                     | ----              | ----              | 27    | UNCH             |  |
| 4300             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 166.70 UNCH              | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4300             | 10.00          | 10.00                              |                 | 36.90B/*6.60A      | 36.90B/*6.60A    | ----                   |       | 7.90 - 6.80              | .0941 | ----          | ----                     | 166               | ----              | 111 + | 98               |  |
| 4300             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4305             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4305             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 171.70 UNCH              | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4310             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 176.70 UNCH              | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4310             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4315             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4315             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 181.70 UNCH              | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4320             | 15.90          | 15.90                              |                 | #30.40B/*15.90     | #30.40B/*5.30A   | ----                   |       | 6.10 NEW                 | .0735 | ----          | ----                     | 1                 | ----              | 1 +   | 1                |  |
| 4320             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4320             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 186.70 UNCH              | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4325             | 217.00         | 217.00                             |                 | #281.90B/115.90    | #281.90B/115.90A | ----                   |       | 216.70 + 13.70           | .9301 | ----          | ----                     | 11                | ----              | 18 -  | 7                |  |
| 4325             | 17.50          | 17.50                              |                 | 48.40B/*15.30A     | 48.40B/*15.30A   | ----                   |       | 17.70 - 6.70             | .1559 | ----          | ----                     | 17                | ----              | 27 +  | 17               |  |
| 4325             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4325             | 11.60          | 11.60                              |                 | 29.10B/*5.00A      | 29.10B/*5.00A    | ----                   |       | 5.80 - 5.60              | .0697 | ----          | ----                     | 2                 | ----              | 8 +   | 1                |  |
| 4325             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 191.70 UNCH              | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4330             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 196.70 UNCH              | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4330             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4335             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4335             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 201.70 UNCH              | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4340             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4340             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 206.70 UNCH              | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4345             | ----           | ----                               | ----            | ----               | #23.90B/*4.00A   | ----                   |       | 4.50 NEW                 | .0543 | ----          | ----                     | 2                 | ----              | 2 +   | 2                |  |
| 4345             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 211.70 UNCH              | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4345             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4350             | ----           | ----                               | ----            | #305.40B/134.80    | #305.40B/134.80A | ----                   |       | 240.10 + 14.60           | .9491 | ----          | ----                     | ----              | ----              | 7     | UNCH             |  |
| 4350             | ----           | ----                               | ----            | 40.40B/*12.50A     | 40.40B/*12.50A   | ----                   |       | 14.10 - 6.10             | .1286 | ----          | ----                     | 1                 | ----              | 3 +   | 1                |  |
| 4350             | 20.10          | 20.10                              |                 | 22.70B/*3.70A      | 22.70B/*3.70A    | ----                   |       | 4.20 - 4.70              | .0507 | ----          | ----                     | 2                 | ----              | 11    | UNCH             |  |
| 4350             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4350             | ----           | ----                               | ----            | #312.60B/152.30    | #312.60B/152.30A | ----                   |       | 249.90 + 13.30           | .8711 | ----          | ----                     | ----              | ----              | 1     | UNCH             |  |
| 4350             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 216.70 UNCH              | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4355             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 221.70 UNCH              | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4355             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4360             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 226.70 UNCH              | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4360             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4365             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4365             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 231.70 UNCH              | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4370             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 236.70 UNCH              | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4370             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4375             | ----           | ----                               | ----            | #329.60B/154.60    | #329.60B/154.60A | ----                   |       | 264.10 + 15.50           | .9617 | ----          | ----                     | ----              | ----              | 16    | UNCH             |  |
| 4375             | ----           | ----                               | ----            | 17.50B/*2.80A      | 17.50B/*2.80A    | ----                   |       | 3.20 - 3.80              | .0381 | ----          | ----                     | 3                 | ----              | 10 -  | 2                |  |
| 4375             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4375             | 17.40          | 17.40                              |                 | 33.40B/*10.10A     | 33.40B/*10.10A   | ----                   |       | 241.70 UNCH              | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4375             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 11.20 - 5.50             | .1052 | ----          | ----                     | 6                 | ----              | 5 +   | 4                |  |
| 4380             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 246.70 UNCH              | ----  | ----          | ----                     | ----              | ----              | 0     | UNCH             |  |
| 4380             | ----           | ----                               | ----            | ----               | ----             | ----                   |       | 0.00 UNCH                |       |               |                          |                   |                   |       |                  |  |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.

| BULLETIN #111@                                   |                |              |                 | METALS OPTION PRODUCTS |                  |                 |                 |               |                 |                          |       |               |                          | Thu, Jun 11, 2026 |               | PG64             |      |
|--------------------------------------------------|----------------|--------------|-----------------|------------------------|------------------|-----------------|-----------------|---------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|
|                                                  | GLOBEX<br>OPEN | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW     | OPEN<br>HIGH/LOW | OUTCRY<br>CLOSE | OUTCRY<br>RANGE | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |
| GWW WED JUN26 GOLD WEEKLY WEDNESDAY OPTION WEEK2 |                |              |                 |                        |                  |                 |                 |               |                 |                          |       |               |                          |                   |               |                  |      |
| 4450                                             | ----           | ----         | ----            | ----                   | ----             | ----            | ----            | ----          | ----            | 0.00                     | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 4455                                             | ----           | ----         | ----            | ----                   | ----             | ----            | ----            | ----          | ----            | 321.70                   | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 4465                                             | ----           | ----         | ----            | ----                   | ----             | ----            | ----            | ----          | ----            | 0.00                     | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 4465                                             | ----           | ----         | ----            | ----                   | ----             | ----            | ----            | ----          | ----            | 331.70                   | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 4475                                             | ----           | ----         | ----            | 15.20B/*4.50A          | 15.20B/*4.50A    | ----            | ----            | ----          | ----            | 4.80 - 3.30              | .0478 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 4475                                             | ----           | ----         | ----            | #395.50B/242.90        | #395.50B/242.90A | ----            | ----            | ----          | ----            | 362.10 + 17.50           | .9859 | ----          | ----                     | ----              | ----          | 51               | UNCH |
| 4475                                             | 1.40           | 1.40         | 1.40            | 6.00B/*1.10A           | 6.00B/*1.10A     | ----            | ----            | ----          | ----            | 1.30 - 1.80              | .0140 | ----          | ----                     | 8                 | ----          | 17 +             | 8    |
| 4475                                             | ----           | ----         | ----            | ----                   | ----             | ----            | ----            | ----          | ----            | 341.70                   | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 4475                                             | ----           | ----         | ----            | ----                   | ----             | ----            | ----            | ----          | ----            | 0.00                     | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 4480                                             | ----           | ----         | ----            | ----                   | ----             | ----            | ----            | ----          | ----            | 0.00                     | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 4480                                             | ----           | ----         | ----            | ----                   | ----             | ----            | ----            | ----          | ----            | 346.70                   | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 4500                                             | 1.20           | 1.20         | 1.20            | 4.50B/*0.90            | 4.50B/*0.90      | ----            | ----            | ----          | ----            | 1.10 - 1.50              | .0114 | ----          | ----                     | 32                | ----          | 26 +             | 10   |
| 4500                                             | ----           | ----         | ----            | ----                   | ----             | ----            | ----            | ----          | ----            | 366.70                   | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 4500                                             | 4.60           | 4.60         | 4.60            | 12.60B/*3.80A          | 12.60B/*3.80A    | ----            | ----            | ----          | ----            | 4.00 - 2.90              | .0399 | ----          | ----                     | 6                 | ----          | 6 +              | 4    |
| 4505                                             | ----           | ----         | ----            | ----                   | ----             | ----            | ----            | ----          | ----            | 0.00                     | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 4505                                             | ----           | ----         | ----            | ----                   | ----             | ----            | ----            | ----          | ----            | 371.70                   | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 4520                                             | ----           | ----         | ----            | ----                   | ----             | ----            | ----            | ----          | ----            | 386.70                   | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 4525                                             | 1.70           | 1.70         | 1.70            | 3.80B/*0.90A           | 3.80B/*0.90A     | ----            | ----            | ----          | ----            | 0.90 - 1.30              | .0091 | ----          | ----                     | 2                 | ----          | 19               | UNCH |
| 4525                                             | 323.00         | 323.00       | 323.00          | #445.10B/286.70        | #445.10B/286.70  | ----            | ----            | ----          | ----            | 411.80 + 18.10           | .9908 | ----          | ----                     | 23                | ----          | 25 -             | 9    |
| 4525                                             | ----           | ----         | ----            | ----                   | ----             | ----            | ----            | ----          | ----            | 0.00                     | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 4525                                             | ----           | ----         | ----            | 10.30B/*3.20A          | 10.30B/*3.20A    | ----            | ----            | ----          | ----            | 3.40 - 2.50              | .0337 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 4525                                             | ----           | ----         | ----            | ----                   | ----             | ----            | ----            | ----          | ----            | 391.70                   | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 4550                                             | ----           | ----         | ----            | #469.90B/314.60        | #469.90B/314.60A | ----            | ----            | ----          | ----            | 436.70 + 18.30           | .9922 | ----          | ----                     | ----              | ----          | 6                | UNCH |
| 4550                                             | ----           | ----         | ----            | 2.70B/*0.80A           | 2.70B/*0.80A     | ----            | ----            | ----          | ----            | 0.80 - 1.10              | .0078 | ----          | ----                     | ----              | ----          | 48               | UNCH |
| 4550                                             | 2.60           | 2.60         | 2.60            | 8.40B/*2.60            | 8.40B/*2.60      | ----            | ----            | ----          | ----            | 2.80 - 2.30              | .0278 | ----          | ----                     | 4                 | ----          | 6 +              | 4    |
| 4550                                             | ----           | ----         | ----            | ----                   | ----             | ----            | ----            | ----          | ----            | 416.70                   | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 4550                                             | ----           | ----         | ----            | ----                   | ----             | ----            | ----            | ----          | ----            | 0.00                     | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 4550                                             | ----           | ----         | ----            | -----/320.50A          | 402.10B/320.50A  | ----            | ----            | ----          | ----            | 438.50 + 17.10           | .9719 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 4575                                             | 2.80           | 2.80         | 2.80            | 6.90B/*2.20            | 6.90B/*2.20      | ----            | ----            | ----          | ----            | 2.40 - 2.00              | .0237 | ----          | ----                     | 9                 | ----          | 11 +             | 9    |
| 4575                                             | ----           | ----         | ----            | 2.20B/*0.70A           | 2.20B/*0.70A     | ----            | ----            | ----          | ----            | 0.70 - 0.90              | .0066 | ----          | ----                     | ----              | ----          | 48               | UNCH |
| 4575                                             | ----           | ----         | ----            | ----                   | ----             | ----            | ----            | ----          | ----            | 441.70                   | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 4580                                             | ----           | ----         | ----            | ----                   | ----             | ----            | ----            | ----          | ----            | 446.70                   | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 4600                                             | ----           | ----         | ----            | 5.60B/*2.10A           | 5.60B/*2.10A     | ----            | ----            | ----          | ----            | 2.10 - 1.80              | .0205 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 4600                                             | ----           | ----         | ----            | 1.70B/*0.80A           | 1.70B/*0.80A     | ----            | ----            | ----          | ----            | 0.50 - 0.80              | .0046 | ----          | ----                     | 22                | ----          | 268 +            | 16   |
| 4600                                             | ----           | ----         | ----            | ----                   | #429.90B/488.30A | ----            | ----            | ----          | ----            | 486.40 + 18.60           | .9954 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 4620                                             | ----           | ----         | ----            | ----                   | ----             | ----            | ----            | ----          | ----            | 486.70                   | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 4625                                             | 2.00           | 2.00         | 2.00            | 4.70B/*1.90A           | 4.70B/*1.90A     | ----            | ----            | ----          | ----            | 1.80 - 1.60              | .0174 | ----          | ----                     | 1                 | ----          | 5 +              | 1    |
| 4625                                             | ----           | ----         | ----            | 1.30B/*0.80A           | 1.30B/*0.80A     | ----            | ----            | ----          | ----            | 0.50 - 0.70              | .0044 | ----          | ----                     | ----              | ----          | 52               | UNCH |
| 4650                                             | ----           | ----         | ----            | ----/*0.70A            | 1.00B/*0.70A     | ----            | ----            | ----          | ----            | 0.40 - 0.60              | .0034 | ----          | ----                     | ----              | ----          | 20               | UNCH |
| 4650                                             | 1.70           | 1.70         | 1.70            | 3.90B/*1.60            | 3.90B/*1.60      | ----            | ----            | ----          | ----            | 1.60 - 1.50              | .0153 | ----          | ----                     | 2                 | ----          | 8 +              | 2    |
| 4650                                             | ----           | ----         | ----            | ----                   | ----             | ----            | ----            | ----          | ----            | 516.70                   | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 4650                                             | ----           | ----         | ----            | ----                   | ----             | ----            | ----            | ----          | ----            | 0.00                     | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 4675                                             | 1.60           | 1.60         | 1.60            | 3.30B/*1.50A           | 3.30B/*1.50A     | ----            | ----            | ----          | ----            | 1.40 - 1.30              | .0132 | ----          | ----                     | 1                 | ----          | 8 +              | 1    |
| 4675                                             | ----           | ----         | ----            | ----/*0.70A            | 0.80B/*0.70A     | ----            | ----            | ----          | ----            | 0.30 - 0.60              | .0025 | ----          | ----                     | ----              | ----          | 57               | UNCH |
| 4700                                             | 1.40           | 1.40         | 1.40            | 2.80B/*1.40            | 2.80B/*1.40      | ----            | ----            | ----          | ----            | 1.30 - 1.20              | .0121 | ----          | ----                     | 1                 | ----          | 14 +             | 1    |
| 4700                                             | ----           | ----         | ----            | ----                   | #530.50B/583.40A | ----            | ----            | ----          | ----            | 586.10 + 18.80           | .9977 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 4700                                             | ----           | ----         | ----            | ----/*0.70A            | 0.70B/*0.70A     | ----            | ----            | ----          | ----            | 0.30 - 0.50              | .0024 | ----          | ----                     | ----              | ----          | 6                | UNCH |
| 4725                                             | ----           | ----         | ----            | 2.40B/*1.40A           | 2.40B/*1.40A     | ----            | ----            | ----          | ----            | 1.10 - 1.20              | .0102 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 4725                                             | ----           | ----         | ----            | ----                   | 0.60B/*0.70A     | ----            | ----            | ----          | ----            | 0.30 - 0.40              | .0023 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 4750                                             | ----           | ----         | ----            | ----/*1.40A            | 2.10B/*1.40A     | ----            | ----            | ----          | ----            | 1.00 - 1.10              | .0091 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 4750                                             | ----           | ----         | ----            | ----/*0.60A            | 0.50B/*0.60A     | ----            | ----            | ----          | ----            | 0.20 - 0.50              | .0015 | ----          | ----                     | ----              | ----          | 14               | UNCH |
| 4770                                             | ----           | ----         | ----            | ----                   | ----             | ----            | ----            | ----          | ----            | 636.70                   | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 4775                                             | ----           | ----         | ----            | ----/*1.30A            | 1.80B/*1.30A     | ----            | ----            | ----          | ----            | 0.90 - 1.00              | .0081 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 4775                                             | ----           | ----         | ----            | ----                   | 0.40B/*0.60A     | ----            | ----            | ----          | ----            | 0.20 - 0.40              | .0015 | ----          | ----                     | ----              | ----          | 50               | UNCH |
| 4775                                             | ----           | ----         | ----            | ----                   | ----             | ----            | ----            | ----          | ----            | 641.70                   | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 4800                                             | ----           | ----         | ----            | ----/*1.30A            | 1.70B/*1.30A     | ----            | ----            | ----          | ----            | 0.90 - 0.90              | .0078 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 4800                                             | ----           | ----         | ----            | ----                   | ----             | ----            | ----            | ----          | ----            | 666.70                   | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 4800                                             | ----           | ----         | ----            | ----                   | 0.30B/*0.60A     | ----            | ----            | ----          | ----            | 0.20 - 0.40              | .0014 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 4825                                             | ----           | ----         | ----            | ----                   | 0.30B/*0.50A     | ----            | ----            | ----          | ----            | 0.20 - 0.30              | .0014 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 4825                                             | ----           | ----         | ----            | ----                   | ----             | ----            | ----            | ----          | ----            | 0.00                     | UNCH  | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 4825                                             | ----           | ----         | ----            | ----/*1.40A            | 1.50B/*1.40A     | ----            | ----            | ----          | ----            | 0.80 - 0.80              | .0069 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 4850                                             | ----           | ----         | ----            | ----/*1.40A            | 1.30B/1.40A      | ----            | ----            | ----          | ----            | 0.80 - 0.70              | .0067 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 4875                                             | 0.60           | 0.60         | 0.60            | 0.60/*0.60             | 0.60/*0.50A      | ----            | ----            | ----          | ----            | 0.20 - 0.30              | .0013 | ----          | ----                     | 1                 | ----          | 1                | UNCH |
| 4875                                             | ----           | ----         | ----            | ----/*1.30A            | 1.20B/*1.30A     | ----            | ----            | ----          | ----            | 0.70 - 0.70              | .0058 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 4900                                             | ----           | ----         | ----            | ----/*1.30A            | 1.10B/*1.30A     | ----            | ----            | ----          | ----            | 0.70 - 0.70              | .0057 | ----          | ----                     | ----              | ----          | 8                | UNCH |
| 4900                                             | ----           | ----         | ----            | ----                   | ----/*0.50A      | ----            | ----            | ----          | ----            | 0.10 - 0.30              | .0006 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 4925                                             | ----           | ----         | ----            | ----/*0.50A            | ----             | ----            | ----            | ----          | ----            | 0.10 - 0.30              | .0004 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 4925                                             | ----           | ----         | ----            | ----/1.20A             | 1.00B/1.20A      | ----            | ----            | ----          | ----            | 0.60 - 0.70              | .0048 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 4950                                             | ----           | ----         | ----            | ----                   | ----/*0.40A      | ----            | ----            | ----          | ----            | 0.10 - 0.30              | .0003 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 4950                                             | ----           | ----         | ----            | ----                   | 0.90B/*1.20A     | ----            | ----            | ----          | ----            | 0.60 - 0.60              | .0047 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 4975                                             | ----           | ----         | ----            | ----                   | 0.80B/*1.30A     | ----            | ----            | ----          | ----            | 0.60 - 0.60              | .0046 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 5000                                             | ----           | ----         | ----            | ----                   | ----/*0.40A      | ----            | ----            | ----          | ----            | 0.10 - 0.20              | .0001 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 5025                                             | ----           | ----         | ----            | ----                   | 0.70B/*1.20A     | ----            | ----            | ----          | ----            | 0.50 - 0.60              |       |               |                          |                   |               |                  |      |



| PG64 BULLETIN #111@               |        |              |                 |                    |                  |                  |                 |               |                 | METALS OPTION PRODUCTS   |       |       |               |                          |                   |               |                  |   |      | Thu, Jun 11, 2026 PG64 |  |  |  |
|-----------------------------------|--------|--------------|-----------------|--------------------|------------------|------------------|-----------------|---------------|-----------------|--------------------------|-------|-------|---------------|--------------------------|-------------------|---------------|------------------|---|------|------------------------|--|--|--|
| GLOBEX<br>OPEN                    |        | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW |                  | OPEN<br>HIGH/LOW | OUTCRY<br>RANGE | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. |       | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |   |      |                        |  |  |  |
| GOLD WEEKLY TUESDAY OPTION weeks5 |        |              |                 |                    |                  |                  |                 |               |                 |                          |       |       |               |                          |                   |               |                  |   |      |                        |  |  |  |
| JUN26                             |        |              |                 |                    |                  |                  |                 |               |                 |                          |       |       |               |                          |                   |               |                  |   |      |                        |  |  |  |
| 3600                              | 10.20  | 10.20        |                 | #15.30B/3.60A      | #15.30B/3.60A    | ----             |                 | 10.40         | +               | 0.80                     | .0581 | ----  | ----          | ----                     | 7                 | ----          | 4                | + | 3    |                        |  |  |  |
| 3700                              | 8.00   | 8.00         |                 | #26.20B/4.80A      | #26.20B/4.80A    | ----             |                 | 15.70         | +               | 1.10                     | .0891 | ----  | ----          | ----                     | 1                 | ----          | 6                | + | 1    |                        |  |  |  |
| 3700                              | 9.00   | 9.00         |                 | #17.10B/2.50A      | #17.10B/2.50A    | ----             |                 | 7.60          | -               | 1.20                     | .0529 | ----  | ----          | ----                     | 6                 | ----          | 17               | + | 6    |                        |  |  |  |
| 3700                              | 2.30   | 2.30         |                 | #6.50B/*0.70A      | #6.50B/*0.70A    | ----             |                 | 1.70          | -               | 1.30                     | .0130 | ----  | ----          | ----                     | 1                 | ----          | 20               | + | 1    |                        |  |  |  |
| 3750                              | ----   | ----         |                 | #32.80B/6.20A      | #32.80B/6.20A    | ----             |                 | 19.50         | +               | 1.40                     | .1108 | ----  | ----          | ----                     | ----              | ----          | 1                |   | UNCH |                        |  |  |  |
| 3750                              | 12.40  | 12.40        |                 | #22.30B/3.10A      | #22.30B/3.10A    | ----             |                 | 10.10         | -               | 1.20                     | .0709 | ----  | ----          | ----                     | 6                 | ----          | 12               | + | 6    |                        |  |  |  |
| 3750                              | 2.80   | 2.80         |                 | #9.50B/*0.80A      | #9.50B/*0.80A    | ----             |                 | 2.50          | -               | 1.50                     | .0204 | ----  | ----          | ----                     | 7                 | ----          | 32               | + | 6    |                        |  |  |  |
| 3800                              | 5.90   | 5.90         |                 | #28.80B/3.80A      | #28.80B/3.80A    | ----             |                 | 13.50         | -               | 1.20                     | .0950 | ----  | ----          | ----                     | 5                 | ----          | 15               | + | 5    |                        |  |  |  |
| 3800                              | 5.30   | 5.30         |                 | #14.00B/1.00A      | #14.00B/1.00A    | ----             |                 | 3.70          | -               | 1.80                     | .0321 | ----  | ----          | ----                     | 12                | ----          | 103              | + | 3    |                        |  |  |  |
| 3800                              | ----   | ----         |                 | #40.80B/8.10A      | #40.80B/8.10A    | ----             |                 | 24.50         | +               | 1.70                     | .1385 | ----  | ----          | ----                     | 7                 | ----          | 8                | + | 6    |                        |  |  |  |
| 3850                              | 7.50   | 7.50         |                 | #37.20B/*5.20A     | #37.20B/*5.20A   | ----             |                 | 18.10         | NEW             |                          | .1269 | ----  | ----          | ----                     | 2                 | ----          | 2                | + | 2    |                        |  |  |  |
| 3850                              | 16.90  | 16.90        |                 | #50.50B/*10.70A    | #50.50B/*10.70A  | ----             |                 | 30.80         | NEW             |                          | .1724 | ----  | ----          | ----                     | 3                 | ----          | 3                | + | 3    |                        |  |  |  |
| 3850                              | 8.70   | 8.70         |                 | #19.50B/*1.20A     | #19.50B/*1.20A   | ----             |                 | 5.60          | -               | 2.20                     | .0512 | ----  | ----          | ----                     | 18                | ----          | 24               | + | 12   |                        |  |  |  |
| 3855                              | 2.90   | 2.90         |                 | #2.90/*1.40A       | #18.90B/*1.40A   | ----             |                 | 5.90          | NEW             |                          | .0541 | ----  | ----          | ----                     | 1                 | ----          | 1                | + | 1    |                        |  |  |  |
| 3865                              | 9.70   | 9.70         |                 | #21.70B/*1.30A     | #21.70B/*1.30A   | ----             |                 | 6.40          | NEW             |                          | .0592 | ----  | ----          | ----                     | 2                 | ----          | 2                | + | 2    |                        |  |  |  |
| 3870                              | 9.40   | 9.40         |                 | #22.40B/*1.40A     | #22.40B/*1.40A   | ----             |                 | 6.70          | NEW             |                          | .0622 | ----  | ----          | ----                     | 1                 | ----          | 1                | + | 1    |                        |  |  |  |
| 3875                              | 9.80   | 9.80         |                 | #23.10B/*1.40A     | #23.10B/*1.40A   | ----             |                 | 7.00          | NEW             |                          | .0653 | ----  | ----          | ----                     | 1                 | ----          | 1                | + | 1    |                        |  |  |  |
| 3875                              | 10.70  | 10.70        |                 | #42.00B/*6.30A     | #42.00B/*6.30A   | ----             |                 | 21.00         | NEW             |                          | .1466 | ----  | ----          | ----                     | 1                 | ----          | 2                | + | 2    |                        |  |  |  |
| 3875                              | 20.20  | 20.20        |                 | #56.10B/*12.40A    | #56.10B/*12.40A  | ----             |                 | 34.60         | NEW             |                          | .1922 | ----  | ----          | ----                     | 6                 | ----          | 5                | + | 5    |                        |  |  |  |
| 3880                              | 11.10  | 11.10        |                 | #23.90B/*1.50A     | #23.90B/*1.50A   | ----             |                 | 7.30          | NEW             |                          | .0684 | ----  | ----          | ----                     | 2                 | ----          | 2                | + | 2    |                        |  |  |  |
| 3900                              | ----   | ----         |                 | #62.10B/14.40A     | #62.10B/14.40A   | ----             |                 | 38.90         | +               | 2.60                     | .2141 | ----  | ----          | ----                     | 7                 | ----          | 121              |   | UNCH |                        |  |  |  |
| 3900                              | 27.20  | 27.20        |                 | #47.60B/7.30A      | #47.60B/7.30A    | ----             |                 | 24.40         | -               | 0.70                     | .1690 | ----  | ----          | ----                     | 4                 | ----          | 27               |   | UNCH |                        |  |  |  |
| 3900                              | 10.00  | 10.00        |                 | #27.30B/1.60A      | #27.30B/1.60A    | ----             |                 | 8.70          | -               | 2.50                     | .0827 | ----  | ----          | ----                     | 2                 | ----          | 43               | + | 1    |                        |  |  |  |
| 3925                              | 16.80  | 16.80        |                 | #69.00B/*16.80     | #69.00B/*16.80   | ----             |                 | 43.70         | NEW             |                          | .2380 | ----  | ----          | ----                     | 1                 | ----          | 1                | + | 1    |                        |  |  |  |
| 3925                              | 4.70   | 4.70         |                 | #32.10B/*2.00A     | #32.10B/*2.00A   | ----             |                 | 10.80         | NEW             |                          | .1043 | ----  | ----          | ----                     | 2                 | ----          | 2                | + | 2    |                        |  |  |  |
| 3930                              | 17.10  | 17.10        |                 | #33.20B/*2.10A     | #33.20B/*2.10A   | ----             |                 | 11.30         | NEW             |                          | .1093 | ----  | ----          | ----                     | 2                 | ----          | 1                | + | 1    |                        |  |  |  |
| 3940                              | 19.00  | 19.00        |                 | #35.40B/*2.20A     | #35.40B/*2.20A   | ----             |                 | 12.40         | NEW             |                          | .1203 | ----  | ----          | ----                     | 2                 | ----          | 1                | + | 1    |                        |  |  |  |
| 3945                              | ----   | ----         |                 | #36.60B/*2.30A     | #36.60B/*2.30A   | ----             |                 | 12.90         | -               | 2.80                     | .1256 | ----  | ----          | ----                     | ----              | ----          | 15               |   | UNCH |                        |  |  |  |
| 3950                              | 4.70   | 4.70         |                 | #37.80B/2.40A      | #37.80B/2.40A    | ----             |                 | 13.50         | -               | 2.80                     | .1316 | ----  | ----          | ----                     | 2                 | ----          | 62               | + | 2    |                        |  |  |  |
| 3950                              | ----   | ----         |                 | #76.60B/19.60A     | #76.60B/19.60A   | ----             |                 | 49.10         | +               | 3.10                     | .2641 | ----  | ----          | ----                     | ----              | ----          | 11               |   | UNCH |                        |  |  |  |
| 3950                              | 47.90  | 47.90        |                 | #60.50B/11.00A     | #60.50B/11.00A   | ----             |                 | 32.90         | -               | 0.10                     | .2229 | ----  | ----          | ----                     | 7                 | ----          | 14               | + | 4    |                        |  |  |  |
| 3955                              | ----   | ----         |                 | #39.20B/*2.60A     | #39.20B/*2.60A   | ----             |                 | 14.20         | -               | 2.70                     | .1383 | ----  | ----          | ----                     | ----              | ----          | 10               |   | UNCH |                        |  |  |  |
| 3960                              | 4.50   | 4.50         |                 | #40.30B/*2.70A     | #40.30B/*2.70A   | ----             |                 | 14.80         | -               | 2.80                     | .1445 | ----  | ----          | ----                     | 1                 | ----          | 2                | + | 1    |                        |  |  |  |
| 3975                              | ----   | ----         |                 | #84.50B/22.80A     | #84.50B/22.80A   | ----             |                 | 55.20         | +               | 3.50                     | .2926 | ----  | ----          | ----                     | 4                 | ----          | 8                | + | 3    |                        |  |  |  |
| 3975                              | 35.90  | 35.90        |                 | #68.30B/13.10A     | #68.30B/13.10A   | ----             |                 | 38.10         | +               | 0.20                     | .2546 | ----  | ----          | ----                     | 1                 | ----          | 2                | + | 1    |                        |  |  |  |
| 3975                              | 18.10  | 18.10        |                 | #44.50B/3.10A      | #44.50B/3.10A    | ----             |                 | 16.90         | -               | 2.80                     | .1655 | ----  | ----          | ----                     | 1                 | ----          | 11               |   | UNCH |                        |  |  |  |
| 3980                              | 7.50   | 7.50         |                 | #46.00B/*3.30A     | #46.00B/*3.30A   | ----             |                 | 17.70         | NEW             |                          | .1732 | ----  | ----          | ----                     | 3                 | ----          | 2                | + | 2    |                        |  |  |  |
| 3990                              | 3.90   | 3.90         |                 | #48.90B/*3.70A     | #48.90B/*3.70A   | ----             |                 | 19.30         | NEW             |                          | .1890 | ----  | ----          | ----                     | 1                 | ----          | 1                | + | 1    |                        |  |  |  |
| 3995                              | 10.90  | 10.90        |                 | #50.50B/*4.10A     | #50.50B/*4.10A   | ----             |                 | 20.20         | NEW             |                          | .1976 | ----  | ----          | ----                     | 2                 | ----          | 2                | + | 2    |                        |  |  |  |
| 4000                              | 50.50  | 50.50        |                 | #76.30B/15.80A     | #76.30B/15.80A   | ----             |                 | 44.20         | +               | 0.70                     | .2900 | ----  | ----          | ----                     | 4                 | ----          | 5                | + | 1    |                        |  |  |  |
| 4000                              | 69.30  | 69.30        |                 | #92.90B/26.50A     | #92.90B/26.50A   | ----             |                 | 62.00         | +               | 3.80                     | .3232 | ----  | ----          | ----                     | 22                | ----          | 40               |   | UNCH |                        |  |  |  |
| 4000                              | 23.00  | 23.00        |                 | #52.00B/4.10A      | #52.00B/4.10A    | ----             |                 | 21.20         | -               | 2.70                     | .2068 | ----  | ----          | ----                     | 29                | ----          | 49               |   | UNCH |                        |  |  |  |
| 4005                              | 8.20   | 8.20         |                 | #53.80B/*4.60A     | #53.80B/*4.60A   | ----             |                 | 22.10         | NEW             |                          | .2157 | ----  | ----          | ----                     | 1                 | ----          | 1                | + | 1    |                        |  |  |  |
| 4025                              | 31.30  | 31.30        |                 | #60.90B/5.80A      | #60.90B/5.80A    | ----             |                 | 26.40         | -               | 2.50                     | .2557 | ----  | ----          | ----                     | 66                | ----          | 144              | + | 51   |                        |  |  |  |
| 4025                              | ----   | ----         |                 | #102.40B/30.90A    | #102.40B/30.90A  | ----             |                 | 69.50         | +               | 4.10                     | .3558 | ----  | ----          | ----                     | ----              | ----          | 11               |   | UNCH |                        |  |  |  |
| 4025                              | 159.30 | 159.30       |                 | 219.30B/*89.20A    | 219.30B/*89.20A  | ----             |                 | 115.40        | NEW             |                          | .7441 | ----  | ----          | ----                     | 1                 | ----          | 1                | + | 1    |                        |  |  |  |
| 4025                              | 130.90 | 130.90       |                 | 231.90B/*115.80    | 231.90B/*115.80A | ----             |                 | 140.00        | NEW             |                          | .6710 | ----  | ----          | ----                     | 1                 | ----          | 1                | + | 1    |                        |  |  |  |
| 4025                              | ----   | ----         |                 | #85.80B/18.90A     | #85.80B/18.90A   | ----             |                 | 51.10         | +               | 1.20                     | .3286 | ----  | ----          | ----                     | ----              | ----          | 3                |   | UNCH |                        |  |  |  |
| 4030                              | 15.60  | 15.60        |                 | #62.90B/*6.00A     | #62.90B/*6.00A   | ----             |                 | 27.60         | NEW             |                          | .2665 | ----  | ----          | ----                     | 1                 | ----          | 1                | + | 1    |                        |  |  |  |
| 4040                              | 12.70  | 12.70        |                 | #67.00B/*6.80A     | #67.00B/*6.80A   | ----             |                 | 30.10         | NEW             |                          | .2890 | ----  | ----          | ----                     | 3                 | ----          | 3                | + | 3    |                        |  |  |  |
| 4050                              | 137.30 | 137.30       |                 | 196.30B/*74.70A    | 196.30B/*74.70A  | ----             |                 | 96.90         | NEW             |                          | .6866 | ----  | ----          | ----                     | 1                 | ----          | 1                | + | 1    |                        |  |  |  |
| 4050                              | ----   | ----         |                 | #71.20B/7.70A      | #71.20B/7.70A    | ----             |                 | 32.90         | -               | 2.10                     | .3132 | ----  | ----          | ----                     | 38                | ----          | 55               | + | 10   |                        |  |  |  |
| 4050                              | ----   | ----         |                 | #96.70B/22.70A     | #96.70B/22.70A   | ----             |                 | 59.00         | +               | 1.80                     | .3705 | ----  | ----          | ----                     | ----              | ----          | 5                |   | UNCH |                        |  |  |  |
| 4050                              | 35.10  | 35.10        |                 | #113.60B/35.10     | #113.60B/35.10   | ----             |                 | 77.80         | +               | 4.50                     | .3906 | ----  | ----          | ----                     | 2                 | ----          | 21               |   | UNCH |                        |  |  |  |
| 4055                              | 8.60   | 8.60         |                 | #73.50B/*8.10A     | #73.50B/*8.10A   | ----             |                 | 34.30         | NEW             |                          | .3255 | ----  | ----          | ----                     | 5                 | ----          | 5                | + | 5    |                        |  |  |  |
| 4060                              | 18.20  | 18.20        |                 | #75.50B/*8.60A     | #75.50B/*8.60A   | ----             |                 | 35.90         | NEW             |                          | .3385 | ----  | ----          | ----                     | 1                 | ----          | 1                | + | 1    |                        |  |  |  |
| 4065                              | 19.20  | 19.20        |                 | #77.90B/*9.20A     | #77.90B/*9.20A   | ----             |                 | 37.40         | NEW             |                          | .3514 | ----  | ----          | ----                     | 1                 | ----          | 1                | + | 1    |                        |  |  |  |
| 4075                              | 114.00 | 114.00       |                 | 194.50B/*107.10    | 194.50B/*107.10A | ----             |                 | 125.90        | NEW             |                          | .5723 | ----  | ----          | ----                     | 2                 | ----          | 1                | + | 1    |                        |  |  |  |
| 4075                              | 91.00  | 91.00        |                 | #124.60B/40.10     | #124.60B/40.10   | ----             |                 | 87.00         | +               | 4.80                     | .4272 | ----  | ----          | ----                     | 6                 | ----          | 5                | + | 3    |                        |  |  |  |
| 4075                              | 97.50  | 97.50        |                 | 190.30B/*88.50A    | 190.30B/*88.50A  | ----             |                 | 107.00        | NEW             |                          | .5843 | ----  | ----          | ----                     | 3                 | ----          | 3                | + | 3    |                        |  |  |  |
| 4075                              | 46.30  | 46.30        |                 | #83.20B/10.30A     | #83.20B/10.30A   | ----             |                 | 40.80         | -               | 1.40                     | .3786 | ----  | ----          | ----                     | 13                | ----          | 14               | - | 3    |                        |  |  |  |
| 4075                              | 76.60  | 76.60        |                 | #108.00B/27.20A    | #108.00B/27.20A  | ----             |                 | 68.00         | -               | 2.60                     | .4153 | ----  | ----          | ----                     | 29                | ----          | 30               | + | 28   |                        |  |  |  |
| 4080                              | ----   | ----         |                 | #85.40B/*10.80A    | #85.40B/*10.80A  | ----             |                 | 42.50         | -               | 1.30                     | .3924 | ----  | ----          | ----                     | 1                 | ----          |                  |   |      |                        |  |  |  |



| BULLETIN #111@                    |                |              |                 |                    |                  |               |               |                 |                          | METALS OPTION PRODUCTS |               |                          |                   |               |                  |   |      |  |  | Thu, Jun 11, 2026 |  |  |  | PG64 |
|-----------------------------------|----------------|--------------|-----------------|--------------------|------------------|---------------|---------------|-----------------|--------------------------|------------------------|---------------|--------------------------|-------------------|---------------|------------------|---|------|--|--|-------------------|--|--|--|------|
|                                   | GLOBEX<br>OPEN | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH     | OUTCRY<br>LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA                  | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |   |      |  |  |                   |  |  |  |      |
| GOLD WEEKLY TUESDAY OPTION week1  |                |              |                 |                    |                  |               |               |                 |                          |                        |               |                          |                   |               |                  |   |      |  |  |                   |  |  |  |      |
| JUL26                             |                |              |                 |                    |                  |               |               |                 |                          |                        |               |                          |                   |               |                  |   |      |  |  |                   |  |  |  |      |
| 4375                              | 25.50          | 25.50        |                 | #53.90B/*24.90A    | #53.90B/*24.90A  |               | ----          |                 | 29.50                    | NEW                    | .1896         | ----                     | 2                 | ----          | 2                | + | 2    |  |  |                   |  |  |  |      |
| 4525                              | 11.80          | 11.80        |                 | #22.80B/*10.50A    | #22.80B/*10.50A  |               | ----          |                 | 15.80                    | NEW                    | .1047         | ----                     | 1                 | ----          | 1                | + | 1    |  |  |                   |  |  |  |      |
| 4550                              | 9.80           | 9.80         |                 | #19.70B/*9.10A     | #19.70B/*9.10A   |               | ----          |                 | 14.50                    | NEW                    | .0958         | ----                     | 3                 | ----          | 3                | + | 3    |  |  |                   |  |  |  |      |
| 4600                              | 7.60           | 7.60         |                 | #14.80B/*7.20A     | #14.80B/*7.20A   |               | ----          |                 | 12.30                    | NEW                    | .0807         | ----                     | 2                 | ----          | 2                | + | 2    |  |  |                   |  |  |  |      |
| 4625                              | 6.70           | 6.70         |                 | #12.90B/*6.40A     | #12.90B/*6.40A   |               | ----          |                 | 11.10                    | NEW                    | .0731         | ----                     | 2                 | ----          | 2                | + | 2    |  |  |                   |  |  |  |      |
| 4700                              | 3.70           | 3.70         |                 | #8.40B/*3.70       | #8.40B/*3.70     |               | ----          |                 | 8.20                     | NEW                    | .0545         | ----                     | 1                 | ----          | 1                | + | 1    |  |  |                   |  |  |  |      |
| 4750                              | 3.70           | 3.70         |                 | #6.30B/*3.70       | #6.30B/*3.70     |               | ----          |                 | 6.70                     | NEW                    | .0447         | ----                     | 1                 | ----          | 1                | + | 1    |  |  |                   |  |  |  |      |
| TOTAL                             |                |              |                 |                    |                  |               |               |                 |                          |                        |               |                          | 34                |               | 34               | + | 30   |  |  |                   |  |  |  |      |
|                                   | GLOBEX<br>OPEN | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH     | OUTCRY<br>LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA                  | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |   |      |  |  |                   |  |  |  |      |
| GOLD WEEKLY THURSDAY OPTION week3 |                |              |                 |                    |                  |               |               |                 |                          |                        |               |                          |                   |               |                  |   |      |  |  |                   |  |  |  |      |
| JUN26                             |                |              |                 |                    |                  |               |               |                 |                          |                        |               |                          |                   |               |                  |   |      |  |  |                   |  |  |  |      |
| 3300                              | ----           | ----         | ----            | ----               | ----             | ----          | ----          | ----            | 0.50                     | NEW                    | .0026         | ----                     | 1                 | ----          | 1                | + | 1    |  |  |                   |  |  |  |      |
| 3500                              | 1.50           | 1.50         |                 | #3.40B/0.90A       | #3.40B/0.90A     |               | ----          |                 | 1.30                     | - 0.70                 | .0081         | ----                     | 30                | ----          | 75               | + | 12   |  |  |                   |  |  |  |      |
| 3500                              |                |              |                 | ----               | ----             | ----          | ----          | ----            | 0.00                     | - 0.10                 | ----          | ----                     | ----              | ----          | 0                | - | 3    |  |  |                   |  |  |  |      |
| 3600                              | 3.40           | 3.40         |                 | #6.40B/1.00A       | #6.40B/1.00A     |               | ----          |                 | 2.20                     | - 1.00                 | .0151         | ----                     | 5                 | ----          | 56               | + | 1    |  |  |                   |  |  |  |      |
| 3600                              | 0.20           | 0.20         |                 | 0.30/*0.10A        | 0.30/*0.10A      |               | ----          |                 | 0.00                     | - 0.10                 | ----          | ----                     | 10                | ----          | 0                | - | 54   |  |  |                   |  |  |  |      |
| 3700                              | 5.70           | 5.70         |                 | #11.70B/1.40A      | #11.70B/1.40A    |               | ----          |                 | 4.00                     | - 1.40                 | .0298         | ----                     | 46                | ----          | 93               | + | 2    |  |  |                   |  |  |  |      |
| 3700                              | 0.30           | 0.30         |                 | 0.60B/0.10A        | 0.60B/0.10A      |               | ----          |                 | 0.00                     | - 0.30                 | ----          | ----                     | 11                | ----          | 0                | - | 110  |  |  |                   |  |  |  |      |
| 3750                              | 13.00          | 13.00        |                 | #16.00B/1.80A      | #16.00B/1.80A    |               | ----          |                 | 5.50                     | - 1.60                 | .0424         | ----                     | 27                | ----          | 48               | + | 19   |  |  |                   |  |  |  |      |
| 3750                              | 1.20           | 1.20         |                 | 1.20/*0.10A        | 1.20/*0.10A      |               | ----          |                 | 0.00                     | - 0.40                 | ----          | ----                     | 5                 | ----          | 0                | - | 18   |  |  |                   |  |  |  |      |
| 3775                              | ----           | ----         | ----            | #17.30B/*2.10A     | #17.30B/*2.10A   |               | ----          |                 | 6.50                     | NEW                    | .0508         | ----                     | 50                | ----          | 50               | + | 50   |  |  |                   |  |  |  |      |
| 3800                              | 1.50           | 1.50         |                 | 1.90B/*0.10        | 1.90B/*0.10      |               | ----          |                 | 0.00                     | - 0.60                 | ----          | ----                     | 12                | ----          | 0                | - | 71   |  |  |                   |  |  |  |      |
| 3800                              | 10.80          | 10.80        |                 | #21.30B/2.20A      | #21.30B/2.20A    |               | ----          |                 | 7.70                     | - 1.90                 | .0609         | ----                     | 27                | ----          | 79               | + | 3    |  |  |                   |  |  |  |      |
| 3825                              | 11.80          | 11.80        |                 | #11.80/*2.70A      | #23.40B/*2.70A   |               | ----          |                 | 9.20                     | - 1.90                 | .0734         | ----                     | 3                 | ----          | 3                | + | 3    |  |  |                   |  |  |  |      |
| 3850                              | 2.40           | 2.40         |                 | #3.50B/*0.10       | #3.50B/*0.10     |               | ----          |                 | 0.00                     | - 1.00                 | ----          | ----                     | 18                | ----          | 0                | - | 44   |  |  |                   |  |  |  |      |
| 3850                              | 16.70          | 16.70        |                 | #28.40B/*3.10A     | #28.40B/*3.10A   |               | ----          |                 | 11.00                    | - 2.00                 | .0884         | ----                     | 22                | ----          | 31               | + | 17   |  |  |                   |  |  |  |      |
| 3860                              | 2.50           | 2.50         |                 | #4.00B/*0.10A      | #4.00B/*0.10A    |               | ----          |                 | 0.00                     | - 1.10                 | ----          | ----                     | 1                 | ----          | 0                | - | 1    |  |  |                   |  |  |  |      |
| 3865                              | ----           | ----         | ----            | #4.30B/*0.20A      | #4.30B/*0.20A    |               | ----          |                 | 0.00                     | - 1.10                 | ----          | ----                     | ----              | ----          | 0                | - | 2    |  |  |                   |  |  |  |      |
| 3870                              | ----           | ----         | ----            | #4.60B/*0.20A      | #4.60B/*0.20A    |               | ----          |                 | 0.00                     | - 1.20                 | ----          | ----                     | ----              | ----          | 0                | - | 2    |  |  |                   |  |  |  |      |
| 3875                              | 18.00          | 18.00        |                 | #32.50B/*3.60A     | #32.50B/*3.60A   |               | ----          |                 | 13.20                    | - 2.00                 | .1064         | ----                     | 106               | ----          | 108              | + | 54   |  |  |                   |  |  |  |      |
| 3875                              | ----           | ----         | ----            | #4.90B/*0.20A      | #4.90B/*0.20A    |               | ----          |                 | 0.00                     | - 1.20                 | ----          | ----                     | ----              | ----          | 0                | - | 6    |  |  |                   |  |  |  |      |
| 3880                              | 3.60           | 3.60         |                 | #5.20B/*0.20A      | #5.20B/*0.20A    |               | ----          |                 | 0.00                     | - 1.30                 | ----          | ----                     | 2                 | ----          | 0                | - | 1    |  |  |                   |  |  |  |      |
| 3890                              | ----           | ----         | ----            | #5.80B/*0.20A      | #5.80B/*0.20A    |               | ----          |                 | 0.00                     | - 1.50                 | ----          | ----                     | ----              | ----          | 0                | - | 3    |  |  |                   |  |  |  |      |
| 3895                              | ----           | ----         | ----            | #6.40B/*0.20A      | #6.40B/*0.20A    |               | ----          |                 | 0.00                     | NEW                    | ----          | ----                     | 2                 | ----          | 0                | - | UNCH |  |  |                   |  |  |  |      |
| 3900                              | 25.00          | 25.00        |                 | #37.50B/4.20A      | #37.50B/4.20A    |               | ----          |                 | 15.90                    | - 2.00                 | .1281         | ----                     | 31                | ----          | 68               | + | 4    |  |  |                   |  |  |  |      |
| 3900                              | 4.20           | 4.20         |                 | #6.70B/*0.20       | #6.70B/*0.20     |               | ----          |                 | 0.00                     | - 1.60                 | ----          | ----                     | 53                | ----          | 0                | - | 52   |  |  |                   |  |  |  |      |
| 3900                              | ----           | ----         | ----            | */#156.90A         | 234.30B/*156.90A |               | ----          |                 | 214.00                   | -20.90                 | ----          | 1                        | ----              | ----          | 0                | - | 1    |  |  |                   |  |  |  |      |
| 3905                              | ----           | ----         | ----            | #6.90B/*0.20A      | #6.90B/*0.20A    |               | ----          |                 | 0.00                     | - 1.70                 | ----          | ----                     | 7                 | ----          | 0                | - | 5    |  |  |                   |  |  |  |      |
| 3910                              | 1.40           | 1.40         |                 | #7.60B/*0.20A      | #7.60B/*0.20A    |               | ----          |                 | 0.00                     | NEW                    | ----          | ----                     | ----              | ----          | 0                | - | UNCH |  |  |                   |  |  |  |      |
| 3915                              | ----           | ----         | ----            | #7.40B/*0.20A      | #7.40B/*0.20A    |               | ----          |                 | 0.00                     | - 1.90                 | ----          | ----                     | ----              | ----          | 0                | - | 1    |  |  |                   |  |  |  |      |
| 3920                              | 0.40           | 0.40         |                 | #8.70B/*0.20A      | #8.70B/*0.20A    |               | ----          |                 | 0.00                     | - 2.00                 | ----          | ----                     | 2                 | ----          | 0                | - | 2    |  |  |                   |  |  |  |      |
| 3925                              | 26.20          | 26.20        |                 | #42.80B/*5.00A     | #42.80B/*5.00A   |               | ----          |                 | 19.20                    | - 1.90                 | .1538         | ----                     | 11                | ----          | 9                | + | 4    |  |  |                   |  |  |  |      |
| 3925                              | 1.30           | 1.30         |                 | #9.30B/*0.20A      | #9.30B/*0.20A    |               | ----          |                 | 0.00                     | - 2.10                 | ----          | ----                     | 2                 | ----          | 0                | - | 1    |  |  |                   |  |  |  |      |
| 3930                              | 2.00           | 2.00         |                 | #9.80B/*0.10       | #9.80B/*0.10     |               | ----          |                 | 0.00                     | - 2.30                 | ----          | ----                     | 15                | ----          | 0                | - | 3    |  |  |                   |  |  |  |      |
| 3935                              | 0.60           | 0.60         |                 | #10.60B/*0.20A     | #10.60B/*0.20A   |               | ----          |                 | 0.00                     | - 2.40                 | ----          | ----                     | 5                 | ----          | 0                | - | 17   |  |  |                   |  |  |  |      |
| 3940                              | 5.30           | 5.30         |                 | #10.80B/*0.20      | #10.80B/*0.20    |               | ----          |                 | 0.00                     | - 2.60                 | ----          | ----                     | 5                 | ----          | 0                | - | 8    |  |  |                   |  |  |  |      |
| 3945                              | 10.70          | 10.70        |                 | #11.50B/*0.20A     | #11.50B/*0.20A   |               | ----          |                 | 0.00                     | - 2.70                 | ----          | ----                     | 1                 | ----          | 0                | - | 6    |  |  |                   |  |  |  |      |
| 3950                              | 9.60           | 9.60         |                 | #12.70B/*0.20      | #12.70B/*0.20    |               | ----          |                 | 0.00                     | - 2.90                 | ----          | ----                     | 22                | ----          | 0                | - | 35   |  |  |                   |  |  |  |      |
| 3950                              | 33.60          | 33.60        |                 | #49.20B/6.40A      | #49.20B/6.40A    |               | ----          |                 | 23.30                    | - 1.50                 | .1844         | ----                     | 17                | ----          | 19               | + | 9    |  |  |                   |  |  |  |      |
| 3955                              | 3.50           | 3.50         |                 | #13.10B/*0.20A     | #13.10B/*0.20A   |               | ----          |                 | 0.00                     | - 3.10                 | ----          | ----                     | 3                 | ----          | 0                | - | 12   |  |  |                   |  |  |  |      |
| 3960                              | 131.80         | 131.80       |                 | 173.80B/*104.90    | 173.80B/*104.90A |               | ----          |                 | 154.00                   | NEW                    | ----          | ----                     | 2                 | ----          | 0                | - | UNCH |  |  |                   |  |  |  |      |
| 3960                              | 0.30           | 0.30         |                 | #14.40B/*0.20A     | #14.40B/*0.20A   |               | ----          |                 | 0.00                     | - 3.30                 | ----          | ----                     | 2                 | ----          | 0                | - | 23   |  |  |                   |  |  |  |      |
| 3965                              | 2.40           | 2.40         |                 | #15.30B/*0.20A     | #15.30B/*0.20A   |               | ----          |                 | 0.00                     | - 3.50                 | ----          | ----                     | 2                 | ----          | 0                | - | 23   |  |  |                   |  |  |  |      |
| 3965                              | ----           | ----         | ----            | */#100.90A         | 171.60B/*100.90A |               | ----          |                 | 149.00                   | -22.80                 | ----          | 1                        | ----              | ----          | 0                | - | 1    |  |  |                   |  |  |  |      |
| 3970                              | 1.50           | 1.50         |                 | #16.10B/*0.10      | #16.10B/*0.10    |               | ----          |                 | 0.00                     | - 3.70                 | ----          | ----                     | 4                 | ----          | 0                | - | 13   |  |  |                   |  |  |  |      |
| 3975                              | 5.90           | 5.90         |                 | #17.20B/*0.20A     | #17.20B/*0.20A   |               | ----          |                 | 0.00                     | - 4.00                 | ----          | ----                     | 16                | ----          | 0                | - | 23   |  |  |                   |  |  |  |      |
| 3975                              | 33.70          | 33.70        |                 | #56.50B/7.90A      | #56.50B/7.90A    |               | ----          |                 | 28.00                    | - 1.10                 | .2189         | ----                     | 57                | ----          | 92               | + | 1    |  |  |                   |  |  |  |      |
| 3980                              | 7.60           | 7.60         |                 | #18.10B/*0.20      | #18.10B/*0.20    |               | ----          |                 | 0.00                     | - 4.30                 | ----          | ----                     | 33                | ----          | 0                | - | 12   |  |  |                   |  |  |  |      |
| 3985                              | 2.70           | 2.70         |                 | #18.60B/*0.20      | #18.60B/*0.20    |               | ----          |                 | 0.00                     | - 4.60                 | ----          | ----                     | 9                 | ----          | 0                | - | 17   |  |  |                   |  |  |  |      |
| 3990                              | 1.00           | 1.00         |                 | #19.90B/*0.20A     | #19.90B/*0.20A   |               | ----          |                 | 0.00                     | - 4.90                 | ----          | ----                     | 7                 | ----          | 0                | - | 16   |  |  |                   |  |  |  |      |
| 3995                              | ----           | ----         | ----            | #20.80B/*0.10A     | #20.80B/*0.10A   |               | ----          |                 | 0.00                     | - 5.30                 | ----          | ----                     | ----              | ----          | 0                | - | 17   |  |  |                   |  |  |  |      |
| 4000                              | 49.50          | 49.50        |                 | #64.50B/9.80A      | #64.50B/9.80A    |               | ----          |                 | 33.50                    | - 0.60                 | .2579         | ----                     | 60                | ----          | 111              | + | 2    |  |  |                   |  |  |  |      |
| 4000                              | 88.60          | 88.60        |                 | 135.60B/*74.40A    | 135.60B/*74.40A  |               | ----          |                 | 114.00                   | NEW                    | ----          | 7                        | ----              | 9             | 0                | - | UNCH |  |  |                   |  |  |  |      |
| 4000                              | 16.00          | 16.00        |                 | #23.00/*0.20       | #23.00/*0.20     |               | ----          |                 | 0.00                     | - 5.60                 | ----          | ----                     | 184               | ----          | 0                | - | 170  |  |  |                   |  |  |  |      |
| 4005                              | 83.60          | 83.60        |                 | 130.90B/*70.80A    | 130.90B/*70.80A  |               | ----          |                 | 109.00                   | NEW                    | ----          | 1                        | ----              | 4             | 0                | - | UNCH |  |  |                   |  |  |  |      |
| 4005                              | ----           | ----         | ----            | #24.00B/*0.20A     | #24.00B/*0.20A   |               | ----          |                 | 0.00                     | - 6.10                 | ----          | ----                     | 4                 | ----          | 0                | - | 2    |  |  |                   |  |  |  |      |
| 4010                              | 15.30          | 15.30        |                 | #24.80B/*0.10      | #24.80B/*0.10    |               | ----          |                 | 0.00                     | - 6.50                 | ----          | ----                     | 7                 | ----          | 0                | - | 11   |  |  |                   |  |  |  |      |
| 4015                              | 79.00          | 79.00        |                 | 121.60B/*62.20A    | 121.60B/*62.20A  |               | ----          |                 | 99.00                    | NEW                    | ----          | 2                        | ----              | 4             | 0                | - | UNCH |  |  |                   |  |  |  |      |
| 4015                              | 1.40           | 1.40         |                 | #25.50B/*0.20A     | #25.50B/*0.20A   |               | ----          |                 | 0.00                     | - 7.00                 | ----          | ----                     | 4                 | ----          | 0                | - | 13   |  |  |                   |  |  |  |      |
| 4020                              | 13.00          | 13.00        |                 | #27.00B/*0.20A     | #27.00B/*0.20A   |               | ----          |                 | 0.00                     | - 7.50                 | ----          | ----                     | 25                | ----          | 0                | - | 15   |  |  |                   |  |  |  |      |
| 4025                              | 5.10           | 5.10         |                 | #28.50B/*0.20A     | #28.50B/*0.20A   |               | ----          |                 | 0.00                     | - 8.10                 | ----          | ----                     | 9                 | ----          | 0                | - | 11   |  |  |                   |  |  |  |      |
| 4025                              | 45.50          | 45.50        |                 | #74.00B/12.10A     | #74.00B/12.10A   |               | ----          |                 | 39.80                    | - 0.10                 | .3014         | ----                     | 19                | ----          | 74               | + | 4    |  |  |                   |  |  |  |      |
| 4025                              | 70.00          | 70.00        |                 | 114.10B/*53.10A    | 114.10B/*53.10A  |               | ----          |                 | 89.00                    | NEW                    | ----          | 4                        | ----              | 4             | 0                | - | UNCH |  |  |                   |  |  |  |      |
| 4030                              | 20.00          | 20.00        |                 | #31.00B/*0.10      | #31.00B/*0.10    |               | ----          |                 | 0.00                     | - 8.70                 | ----          | ----                     | 16                | ----          | 0                | - | 9    |  |  |                   |  |  |  |      |
| 4035                              | 21.00          | 21.00        |                 | #32.50B/*0.30A     | #32.50B/*0.30A   |               | ----          |                 | 0.00                     | - 9.30                 | ----          | ----                     | 0                 | ----          | 0                | - | 12   |  |  |                   |  |  |  |      |
| 4040                              | ----           | ----         | ----            | */#40.10A          | 100.40B/*40.10A  |               | ----          |                 | 74.00                    | NEW                    | ----          | 9                        | ----              | 18            | 0                | - | UNCH |  |  |                   |  |  |  |      |
| 4040                              | 26.00          | 26.00        |                 | #34.20B/*0.20A     | #34.20B/*0.20A   |               | ----          |                 | 0.00                     | - 10.00                | ----          | ----                     | 41                | ----          | 0                | - | 6    |  |  |                   |  |  |  |      |
| 4045                              | 4.80           | 4.80         |                 | #36.50B/*0.10      | #36.50B/*0.10    |               | ----          |                 | 0.00                     | - 10.70                | ----          | ----                     | 19                | ----          | 0                | - | 14   |  |  |                   |  |  |  |      |
| 4050                              | 28.60          | 28.60        |                 | #38.40B/*0.10A     | #38.40B/*0.10A   |               | ----          |                 | 0.00                     | - 11.50                | ----          | ----                     | 198               | ----          | 0                | - | 72   |  |  |                   |  |  |  |      |
| 4050                              | 50.00          | 50.00        |                 | #84.50B/15.10A     | #84.50B/15.10A   |               | ----          |                 | 47.10                    | + 0.40                 | .3495         | ----                     | 18                | ----          | 32               | + | UNCH |  |  |                   |  |  |  |      |
| 4050                              | 46.00          | 46.00        |                 | 90.20B/*32.00      | 90.20B/*32.00    |               | ----          |                 | 64.00                    | NEW                    | ----          | 5                        | ----              | 16            | 0                | - | UNCH |  |  |                   |  |  |  |      |
| 4055                              | 26.00          | 26.00        |                 | #40.60B/*0.20A     | #40.60B/*0.20A   |               | ----          |                 | 0.00                     | NEW                    | ----          | ----                     | 42                | ----          | 0                | - | UNCH |  |  |                   |  |  |  |      |
| 4060                              | 37.00          | 37.00        |                 | #42.70B/*0.10A     | #42.70B/*0.10A   |               | ----          |                 | 0.00                     | - 13.20                | ----          | ----                     | 42                | ----          | 0                | - | 8    |  |  |                   |  |  |  |      |
| 4060                              | 25.00          | 25.00        |                 | 25.00/*25.00       | 83.80B/*25.00    |               | ----          |                 | 54.00                    | NEW                    | ----          | 2                        | ----              | 16            | 0                | - | UNCH |  |  |                   |  |  |  |      |
| 4065                              | 8.50           | 8.50         |                 | #45.20B/*0.30A     | #45.20B/*0.30A   |               | ----          |                 | 0.00                     | - 14.10                | ----          | ----                     | 23                | ----          | 0                | - | 11   |  |  |                   |  |  |  |      |
| 4065                              | 39.00          | 39.00        |                 | 79.60B/*21.70A     | 79.60B/*21.70A   |               | ----          |                 | 49.00                    | NEW                    | ----          | 5                        | ----              | 16            | 0                | - | UNCH |  |  |                   |  |  |  |      |
| 4070                              | 45.80          | 45.80        |                 | 49.60/*18.60A      | 75.50B/*18.60A   |               | ----          |                 | 44.00                    | NEW                    | ----          | 3                        | ----              | 8             | 0                | - | UNCH |  |  |                   |  |  |  |      |
| 4070                              | 32.50          | 32.50        |                 | #47.70B/*0.10A     | #47.70B/*0.10A   |               | ----          |                 | 0.00                     | - 15.00                | ----          | ----                     | 125               | ----          | 0                | - | 91   |  |  |                   |  |  |  |      |

| BULLETIN #111@ |                                   |                              |                    | METALS OPTION PRODUCTS     |                               |                          |         |               |                          |                   |               |                  |    | Thu, Jun 11, 2026 |  | PG64 |
|----------------|-----------------------------------|------------------------------|--------------------|----------------------------|-------------------------------|--------------------------|---------|---------------|--------------------------|-------------------|---------------|------------------|----|-------------------|--|------|
|                | GLOBEX<br>OPEN                    | OPEN<br>OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA   | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |    |                   |  |      |
| GWR THU        | GOLD WEEKLY THURSDAY OPTION week2 |                              |                    |                            |                               |                          |         |               |                          |                   |               |                  |    |                   |  |      |
| JUN26          |                                   |                              |                    |                            |                               |                          |         |               |                          |                   |               |                  |    |                   |  |      |
| 4165           | ----                              | ----                         | #120.10B/38.60A    | #120.10B/38.60A            | ----                          | 51.00 - 1.20             | ----    | 3             | ----                     | 2                 | ----          | 0 -              | 4  |                   |  |      |
| 4165           | 6.60                              | 6.60                         | 16.60B/*0.20A      | 16.60B/*0.20A              | ----                          | 0.00 - 20.50             | ----    | ----          | 91                       | ----              | 0 -           | 16               |    |                   |  |      |
| 4170           | 76.70                             | 76.70                        | #124.70B/43.50A    | #124.70B/43.50A            | ----                          | 56.00 + 0.60             | ----    | 9             | ----                     | 5                 | ----          | 0 -              | 9  |                   |  |      |
| 4170           | 6.40                              | 6.40                         | 15.30/*0.20A       | 15.30/*0.20A               | ----                          | 0.00 - 18.70             | ----    | ----          | 26                       | ----              | 0 -           | 7                |    |                   |  |      |
| 4175           | 8.00                              | 8.00                         | 14.10/*0.10        | 14.10/*0.10                | ----                          | 0.00 - 17.00             | ----    | ----          | 83                       | ----              | 0 -           | 39               |    |                   |  |      |
| 4175           | 42.00                             | 42.00                        | 107.20B/*34.00A    | 107.20B/*34.00A            | ----                          | 43.00 - 13.70            | .3608   | ----          | 24                       | ----              | 11 +          | 2                |    |                   |  |      |
| 4175           | ----                              | ----                         | #129.20B/48.50A    | #129.20B/48.50A            | ----                          | 61.00 + 2.30             | ----    | 122           | ----                     | ----              | 0 -           | 122              |    |                   |  |      |
| 4175           | ----                              | ----                         | #158.80B/43.10A    | #158.80B/43.10A            | ----                          | 104.00 + 5.70            | .6389   | ----          | ----                     | ----              | 4 -           | UNCH             |    |                   |  |      |
| 4180           | 92.80                             | 92.80                        | #134.00B/53.50A    | #134.00B/53.50A            | ----                          | 66.00 + 3.90             | ----    | 20            | ----                     | 4                 | ----          | 0 -              | 18 |                   |  |      |
| 4180           | 4.50                              | 4.50                         | 12.90/*0.10        | 12.90/*0.10                | ----                          | 0.00 - 15.40             | ----    | ----          | 43                       | ----              | 0 -           | 33               |    |                   |  |      |
| 4185           | ----                              | ----                         | #138.60B/58.40A    | #138.60B/58.40A            | ----                          | 71.00 + 5.40             | ----    | 5             | ----                     | ----              | 0 -           | 5                |    |                   |  |      |
| 4185           | 5.00                              | 5.00                         | 10.30B/*0.10A      | 10.30B/*0.10A              | ----                          | 0.00 - 13.90             | ----    | ----          | 32                       | ----              | 0 -           | 3                |    |                   |  |      |
| 4190           | 79.60                             | 79.60                        | #143.40B/63.40A    | #143.40B/63.40A            | ----                          | 76.00 + 6.70             | ----    | 4             | ----                     | 1                 | ----          | 0 -              | 5  |                   |  |      |
| 4190           | 9.30                              | 9.30                         | 9.30/*0.10A        | 9.30/*0.10A                | ----                          | 0.00 - 12.60             | ----    | ----          | 4                        | ----              | 0 -           | 14               |    |                   |  |      |
| 4195           | ----                              | ----                         | #148.00B/68.40A    | #148.00B/68.40A            | ----                          | 81.00 + 7.90             | ----    | 5             | ----                     | 2                 | ----          | 0 -              | 6  |                   |  |      |
| 4195           | 5.10                              | 5.10                         | 5.10/*0.10A        | 7.80B/*0.10A               | ----                          | 0.00 - 11.40             | ----    | ----          | 11                       | ----              | 0 -           | 12               |    |                   |  |      |
| 4200           | 33.40                             | 33.40                        | 92.00/*26.90A      | 92.00/*26.90A              | ----                          | 34.00 - 12.30            | .3031   | ----          | 37                       | ----              | 20 +          | 17               |    |                   |  |      |
| 4200           | 104.50                            | 104.50                       | #152.80B/73.40A    | #152.80B/73.40A            | ----                          | 86.00 + 9.10             | ----    | 22            | ----                     | 3                 | ----          | 0 -              | 24 |                   |  |      |
| 4200           | 3.10                              | 3.10                         | 7.30/*0.10         | 7.30/*0.10                 | ----                          | 0.00 - 10.20             | ----    | ----          | 148                      | ----              | 0 -           | 153              |    |                   |  |      |
| 4200           | 60.40                             | 60.40                        | #177.50B/52.30A    | #177.50B/52.30A            | ----                          | 120.00 + 7.00            | .6967   | ----          | 24                       | ----              | 120 -         | 1                |    |                   |  |      |
| 4205           | ----                              | ----                         | #157.80B/78.20A    | #157.80B/78.20A            | ----                          | 91.00 + 10.10            | ----    | 4             | ----                     | ----              | 0 -           | 4                |    |                   |  |      |
| 4205           | 0.20                              | 0.20                         | 0.20/*0.10A        | 5.90B/*0.10A               | ----                          | 0.00 - 9.20              | ----    | ----          | 5                        | ----              | 0 -           | 21               |    |                   |  |      |
| 4210           | ----                              | ----                         | #162.60B/82.10A    | #162.60B/82.10A            | ----                          | 96.00 + 11.00            | ----    | 2             | ----                     | ----              | 0 -           | 2                |    |                   |  |      |
| 4210           | 2.40                              | 2.40                         | 2.40/*0.10         | 5.10B/*0.10                | ----                          | 0.00 - 8.30              | ----    | ----          | 19                       | ----              | 0 -           | 19               |    |                   |  |      |
| 4215           | 2.50                              | 2.50                         | 2.50/*0.10A        | 4.70B/*0.10A               | ----                          | 0.00 - 7.50              | ----    | ----          | 11                       | ----              | 0 -           | 26               |    |                   |  |      |
| 4215           | 120.40                            | 120.40                       | #167.50B/87.30A    | #167.50B/87.30A            | ----                          | 101.00 + 11.80           | ----    | 6             | ----                     | 4                 | ----          | 0 -              | 7  |                   |  |      |
| 4220           | 4.50                              | 4.50                         | 4.50/*0.20         | 4.50/*0.20                 | ----                          | 0.00 - 6.70              | ----    | ----          | 43                       | ----              | 0 -           | 27               |    |                   |  |      |
| 4220           | ----                              | ----                         | #172.20B/92.00A    | #172.20B/92.00A            | ----                          | 106.00 + 12.60           | ----    | 3             | ----                     | 2                 | ----          | 0 -              | 3  |                   |  |      |
| 4225           | 23.50                             | 23.50                        | 77.70B/*21.10A     | 77.70B/*21.10A             | ----                          | 26.60 - 10.90            | .2498   | ----          | 10                       | ----              | 241 +         | 1                |    |                   |  |      |
| 4225           | 112.00                            | 112.00                       | #177.10B/95.90A    | #177.10B/95.90A            | ----                          | 111.00 + 13.30           | ----    | 33            | ----                     | 1                 | ----          | 0 -              | 33 |                   |  |      |
| 4225           | 1.80                              | 1.80                         | 1.80/*0.10         | 3.70B/*0.10                | ----                          | 0.00 - 6.00              | ----    | ----          | 23                       | ----              | 0 -           | 34               |    |                   |  |      |
| 4225           | 74.60                             | 74.60                        | #197.40B/63.10A    | #197.40B/63.10A            | ----                          | 137.50 + 8.30            | .7499   | ----          | 1                        | ----              | 182 +         | 1                |    |                   |  |      |
| 4230           | ----                              | ----                         | #182.10B/100.40    | #182.10B/100.40A           | ----                          | 116.00 + 13.90           | ----    | 4             | ----                     | 1                 | ----          | 0 -              | 5  |                   |  |      |
| 4230           | 2.20                              | 2.20                         | 3.30B/*0.20A       | 3.30B/*0.20A               | ----                          | 0.00 - 5.40              | ----    | ----          | 1                        | ----              | 0 -           | 21               |    |                   |  |      |
| 4235           | 3.00                              | 3.00                         | 3.10/*0.20A        | 3.10/*0.20A                | ----                          | 0.00 - 4.90              | ----    | ----          | 3                        | ----              | 0 -           | 15               |    |                   |  |      |
| 4235           | ----                              | ----                         | #186.80B/104.90    | #186.80B/104.90A           | ----                          | 121.00 + 14.40           | ----    | 2             | ----                     | ----              | 0 -           | 2                |    |                   |  |      |
| 4240           | 0.10                              | 0.10                         | 0.10/*0.10         | 2.50B/*0.10                | ----                          | 0.00 - 4.40              | ----    | ----          | 7                        | ----              | 0 -           | 20               |    |                   |  |      |
| 4240           | ----                              | ----                         | #191.90B/109.00    | #191.90B/109.00A           | ----                          | 126.00 + 14.90           | ----    | 5             | ----                     | 2                 | ----          | 0 -              | 7  |                   |  |      |
| 4245           | ----                              | ----                         | -----/*0.20A       | 2.30B/*0.20A               | ----                          | 0.00 - 4.00              | ----    | ----          | 2                        | ----              | 0 -           | 10               |    |                   |  |      |
| 4245           | ----                              | ----                         | #196.90B/114.10    | #196.90B/114.10A           | ----                          | 131.00 + 15.30           | ----    | 3             | ----                     | ----              | 0 -           | 3                |    |                   |  |      |
| 4250           | 18.80                             | 18.80                        | 64.80B/*16.50A     | 64.80B/*16.50A             | ----                          | 20.60 - 9.50             | .2023   | ----          | 192                      | ----              | 365 +         | 164              |    |                   |  |      |
| 4250           | 186.00                            | 186.00                       | #218.00B/75.60A    | #218.00B/75.60A            | ----                          | 156.50 + 9.70            | .7975   | ----          | 7                        | ----              | 226 -         | 4                |    |                   |  |      |
| 4250           | 172.00                            | 172.00                       | #201.60B/118.80    | #201.60B/118.80A           | ----                          | 136.00 + 15.70           | ----    | 97            | ----                     | 4                 | ----          | 0 -              | 97 |                   |  |      |
| 4250           | 2.00                              | 2.00                         | 2.10/*0.20A        | 2.10/*0.20A                | ----                          | 0.00 - 3.60              | ----    | ----          | 34                       | ----              | 0 -           | 50               |    |                   |  |      |
| 4255           | 0.10                              | 0.10                         | 0.10/*0.10         | 1.80B/*0.10                | ----                          | 0.00 - 3.30              | ----    | ----          | 18                       | ----              | 0 -           | 2                |    |                   |  |      |
| 4255           | ----                              | ----                         | #206.60B/-----     | #206.60B/125.00A           | ----                          | 141.00 + 16.00           | ----    | 4             | ----                     | 3                 | ----          | 0 -              | 5  |                   |  |      |
| 4260           | ----                              | ----                         | #211.70B/128.30    | #211.70B/128.30A           | ----                          | 146.00 + 16.30           | ----    | 2             | ----                     | 2                 | ----          | 0 -              | 4  |                   |  |      |
| 4260           | 1.00                              | 1.00                         | 1.00/*0.20A        | 1.60B/*0.20A               | ----                          | 0.00 - 3.00              | ----    | ----          | 6                        | ----              | 0 -           | 10               |    |                   |  |      |
| 4265           | 1.50                              | 1.50                         | 1.50/*0.20A        | 1.50/*0.20A                | ----                          | 0.00 - 2.70              | ----    | ----          | 1                        | ----              | 0 -           | 9                |    |                   |  |      |
| 4265           | ----                              | ----                         | #216.50B/133.90    | #216.50B/133.90A           | ----                          | 151.00 + 16.60           | ----    | 1             | ----                     | 1                 | ----          | 0 -              | 1  |                   |  |      |
| 4270           | 0.20                              | 0.20                         | 0.20/*0.20         | 1.20B/*0.20                | ----                          | 0.00 - 2.40              | ----    | ----          | 1                        | ----              | 0 -           | 5                |    |                   |  |      |
| 4270           | ----                              | ----                         | #221.40B/-----     | #221.40B/140.20A           | ----                          | 156.00 + 16.90           | ----    | 3             | ----                     | ----              | 0 -           | 3                |    |                   |  |      |
| 4275           | ----                              | ----                         | #226.40B/142.30    | #226.40B/142.30A           | ----                          | 161.00 + 17.10           | ----    | 39            | ----                     | 1                 | ----          | 0 -              | 39 |                   |  |      |
| 4275           | 1.00                              | 1.00                         | 1.20/*0.20A        | 1.20/*0.20A                | ----                          | 0.00 - 2.20              | ----    | ----          | 33                       | ----              | 0 -           | 39               |    |                   |  |      |
| 4275           | ----                              | ----                         | #239.60B/89.50A    | #239.60B/89.50A            | ----                          | 176.80 + 11.10           | .8381   | ----          | 2                        | ----              | 14 +          | 2                |    |                   |  |      |
| 4275           | ----                              | ----                         | 53.40B/*12.80A     | 53.40B/*12.80A             | ----                          | 15.90 - 8.20             | .1616   | ----          | 5                        | ----              | 103 +         | 1                |    |                   |  |      |
| 4280           | 0.90                              | 0.90                         | 1.00/*0.20A        | 1.00/*0.20A                | ----                          | 0.00 - 2.00              | ----    | ----          | 3                        | ----              | 0 -           | 5                |    |                   |  |      |
| 4280           | ----                              | ----                         | #231.40B/-----     | #231.40B/149.90A           | ----                          | 166.00 + 17.30           | ----    | 6             | ----                     | ----              | 0 -           | 6                |    |                   |  |      |
| 4285           | 0.70                              | 0.70                         | 0.70/*0.20A        | 0.90B/*0.20A               | ----                          | 0.00 - 1.90              | ----    | ----          | 1                        | ----              | 0 -           | 14               |    |                   |  |      |
| 4285           | ----                              | ----                         | #236.30B/-----     | #236.30B/154.80A           | ----                          | 171.00 + 17.40           | ----    | 21            | ----                     | ----              | 0 -           | 21               |    |                   |  |      |
| 4290           | 0.10                              | 0.10                         | 0.10/*0.10         | 0.80B/*0.10                | ----                          | 0.00 - 1.70              | ----    | ----          | 1                        | ----              | 0 -           | 15               |    |                   |  |      |
| 4290           | 190.20                            | 190.20                       | #241.30B/156.90    | #241.30B/156.90A           | ----                          | 176.00 + 17.60           | ----    | 2             | ----                     | 1                 | ----          | 0 -              | 3  |                   |  |      |
| 4295           | ----                              | ----                         | #246.40B/163.10    | #246.40B/163.10A           | ----                          | 181.00 + 17.70           | ----    | 4             | ----                     | ----              | 0 -           | 4                |    |                   |  |      |
| 4295           | 0.80                              | 0.80                         | 0.80/*0.10A        | 0.80/*0.10A                | ----                          | 0.00 - 1.60              | ----    | ----          | 3                        | ----              | 0 -           | 19               |    |                   |  |      |
| 4300           | 20.10                             | 20.10                        | 43.50B/*10.00      | 43.50B/*10.00              | ----                          | 12.30 - 7.00             | .1281   | ----          | 36                       | ----              | 29 +          | 12               |    |                   |  |      |
| 4300           | ----                              | ----                         | #261.80B/105.10    | #261.80B/105.10A           | ----                          | 198.20 + 12.40           | .8717   | ----          | ----                     | 54                | ----          | UNCH             |    |                   |  |      |
| 4300           | ----                              | ----                         | #251.40B/166.70    | #251.40B/166.70A           | ----                          | 186.00 + 17.80           | ----    | 94            | ----                     | 2                 | ----          | 0 -              | 94 |                   |  |      |
| 4300           | 0.40                              | 0.40                         | 0.70/*0.10         | 0.70/*0.10                 | ----                          | 0.00 - 1.50              | ----    | ----          | 16                       | ----              | 0 -           | 21               |    |                   |  |      |
| 4305           | ----                              | ----                         | -----/*0.20A       | 0.20B/*0.20A               | ----                          | 0.00 - 1.40              | ----    | ----          | ----                     | ----              | 0 -           | 7                |    |                   |  |      |
| 4305           | ----                              | ----                         | #256.20B/-----     | #256.20B/174.40A           | ----                          | 191.00 + 17.90           | ----    | 1             | ----                     | ----              | 0 -           | 1                |    |                   |  |      |
| 4310           | ----                              | ----                         | #261.20B/176.40    | #261.20B/176.40A           | ----                          | 196.00 + 18.00           | ----    | 4             | ----                     | ----              | 0 -           | 4                |    |                   |  |      |
| 4310           | ----                              | ----                         | -----/*0.20A       | 0.20B/*0.20A               | ----                          | 0.00 - 1.30              | ----    | ----          | ----                     | ----              | 0 -           | 7                |    |                   |  |      |
| 4315           | ----                              | ----                         | #266.20B/182.30    | #266.20B/182.30A           | ----                          | 201.00 + 18.10           | ----    | 2             | ----                     | 1                 | ----          | 0 -              | 2  |                   |  |      |
| 4315           | 0.50                              | 0.50                         | 0.50/*0.20A        | 0.50/*0.20A                | ----                          | 0.00 - 1.20              | ----    | ----          | 1                        | ----              | 0 -           | 18               |    |                   |  |      |
| 4320           | 0.30                              | 0.30                         | 0.30/*0.10A        | 0.30/*0.10A                | ----                          | 0.00 - 1.10              | ----    | ----          | 2                        | ----              | 0 -           | 5                |    |                   |  |      |
| 4320           | ----                              | ----                         | #271.30B/-----     | #271.30B/189.20A           | ----                          | 206.00 + 18.20           | ----    | 5             | ----                     | 4                 | ----          | 0 -              | 5  |                   |  |      |
| 4325           | ----                              | ----                         | #284.70B/122.00    | #284.70B/122.00A           | ----                          | 220.30 + 13.30           | .8998</ |               |                          |                   |               |                  |    |                   |  |      |

| GLOBEX<br>OPEN                    |      | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE    | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |
|-----------------------------------|------|--------------|-----------------|--------------------|------------------|--------------------|------------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|
| GOLD WEEKLY THURSDAY OPTION week2 |      |              |                 |                    |                  |                    |                  |                 |                          |       |               |                          |                   |               |                  |
| JUN26                             |      |              |                 |                    |                  |                    |                  |                 |                          |       |               |                          |                   |               |                  |
| 4490                              | ---- | ----         | ----            | ----               | ----             | ----               | ----             | ----            | 0.00 - 0.20              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4495                              | ---- | ----         | ----            | ----               | ----             | ----               | ----             | ----            | 0.00 - 0.20              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4500                              | ---- | ----         | ----            | ----               | ----             | ----               | ----             | ----            | 0.00 - 0.20              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4500                              | 3.30 | 3.30         | 6.80B/*1.70     | 6.80B/*1.70        | 6.80B/*1.70      | 6.80B/*1.70        | 6.80B/*1.70      | ----            | 1.80 - 2.10              | .0185 | ----          | ----                     | 21                | ----          | 980 +            |
| 4500                              | ---- | ----         | #451.30B/366.50 | #451.30B/366.50    | #451.30B/366.50  | #451.30B/366.50    | #451.30B/366.50  | ----            | 386.00 + 19.10           | ----  | 36            | ----                     | ----              | ----          | 0 -              |
| 4500                              | ---- | ----         | -----/268.70A   | 351.40B/268.70A    | 351.40B/268.70A  | 351.40B/268.70A    | 351.40B/268.70A  | ----            | 387.60 + 17.20           | .9814 | ----          | 1                        | ----              | ----          | 41 +             |
| 4505                              | ---- | ----         | ----            | ----               | ----             | ----               | ----             | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4510                              | ---- | ----         | ----            | ----               | ----             | ----               | ----             | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4520                              | ---- | ----         | ----            | ----               | ----             | ----               | ----             | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4525                              | ---- | ----         | 5.40B/*1.60A    | 5.40B/*1.60A       | 5.40B/*1.60A     | 5.40B/*1.60A       | 5.40B/*1.60A     | ----            | 1.50 - 1.90              | .0151 | ----          | 1                        | ----              | ----          | 51               |
| 4525                              | ---- | ----         | ---/292.30A     | #373.70B/292.30A   | #373.70B/292.30A | #373.70B/292.30A   | #373.70B/292.30A | ----            | 412.30 + 17.40           | .9848 | ----          | ----                     | ----              | ----          | 27               |
| 4525                              | ---- | ----         | #476.30B/----   | #476.30B/393.40A   | #476.30B/393.40A | #476.30B/393.40A   | #476.30B/393.40A | ----            | 411.00 + 19.20           | ----  | 41            | ----                     | ----              | ----          | 0 -              |
| 4525                              | ---- | ----         | ----            | ----               | ----             | ----               | ----             | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4530                              | ---- | ----         | ----            | ----               | ----             | ----               | ----             | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4535                              | ---- | ----         | ----            | ----               | ----             | ----               | ----             | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4540                              | ---- | ----         | ----            | ----               | ----             | ----               | ----             | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4545                              | ---- | ----         | #496.00B/411.50 | #496.00B/411.50A   | #496.00B/411.50A | #496.00B/411.50A   | #496.00B/411.50A | ----            | 431.00 + 19.20           | ----  | 1             | ----                     | ----              | ----          | 0 -              |
| 4550                              | ---- | ----         | #501.00B/416.50 | #501.00B/416.50A   | #501.00B/416.50A | #501.00B/416.50A   | #501.00B/416.50A | ----            | 436.00 + 19.20           | ----  | 80            | ----                     | ----              | ----          | 0 -              |
| 4550                              | ---- | ----         | ----            | ----               | ----             | ----               | ----             | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4550                              | 1.50 | 1.50         | 4.20B/*1.40A    | 4.20B/*1.40A       | 4.20B/*1.40A     | 4.20B/*1.40A       | 4.20B/*1.40A     | ----            | 1.30 - 1.60              | .0127 | ----          | 3                        | ----              | ----          | 17               |
| 4555                              | ---- | ----         | ----            | ----               | ----             | ----               | ----             | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4560                              | ---- | ----         | ----            | ----               | ----             | ----               | ----             | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4575                              | ---- | ----         | -----/340.40A   | 352.30B/340.40A    | 352.30B/340.40A  | 352.30B/340.40A    | 352.30B/340.40A  | ----            | 461.90 + 17.90           | .9894 | ----          | 3                        | ----              | ----          | 1 -              |
| 4575                              | ---- | ----         | ----            | ----               | ----             | ----               | ----             | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4575                              | 1.10 | 1.10         | 3.40B/*1.10     | 3.40B/*1.10        | 3.40B/*1.10      | 3.40B/*1.10        | 3.40B/*1.10      | ----            | 1.10 - 1.50              | .0105 | ----          | 2                        | ----              | ----          | 19 +             |
| 4600                              | ---- | ----         | ----            | ----               | ----             | ----               | ----             | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4600                              | ---- | ----         | #551.30B/466.50 | #551.30B/466.50A   | #551.30B/466.50A | #551.30B/466.50A   | #551.30B/466.50A | ----            | 486.00 + 19.20           | ----  | 21            | ----                     | ----              | ----          | 0 -              |
| 4600                              | ---- | ----         | ---/364.70A     | #376.70B/364.70A   | #376.70B/364.70A | #376.70B/364.70A   | #376.70B/364.70A | ----            | 486.80 + 18.10           | .9907 | ----          | ----                     | ----              | ----          | 2                |
| 4600                              | 1.90 | 1.90         | 2.70B/*1.20A    | 2.70B/*1.20A       | 2.70B/*1.20A     | 2.70B/*1.20A       | 2.70B/*1.20A     | ----            | 1.00 - 1.30              | .0093 | ----          | 14                       | ----              | ----          | 40 +             |
| 4610                              | ---- | ----         | ----            | ----               | ----             | ----               | ----             | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4620                              | ---- | ----         | #571.30B/486.50 | #571.30B/486.50A   | #571.30B/486.50A | #571.30B/486.50A   | #571.30B/486.50A | ----            | 506.00 + 19.20           | ----  | ----          | ----                     | ----              | ----          | 0                |
| 4625                              | ---- | ----         | 2.30B/*1.10A    | 2.30B/*1.10A       | 2.30B/*1.10A     | 2.30B/*1.10A       | 2.30B/*1.10A     | ----            | 0.90 - 1.10              | .0081 | ----          | 1                        | ----              | ----          | 36 -             |
| 4625                              | ---- | ----         | ----            | ----               | ----             | ----               | ----             | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4625                              | ---- | ----         | #576.30B/491.50 | #576.30B/491.50A   | #576.30B/491.50A | #576.30B/491.50A   | #576.30B/491.50A | ----            | 511.00 + 19.20           | ----  | ----          | ----                     | ----              | ----          | 0                |
| 4650                              | ---- | ----         | ----            | #423.90B/540.10A   | #423.90B/540.10A | #423.90B/540.10A   | #423.90B/540.10A | ----            | 536.60 + 18.30           | .9929 | ----          | ----                     | ----              | ----          | 1                |
| 4650                              | ---- | ----         | -----/1.00A     | 1.80B/*1.00A       | 1.80B/*1.00A     | 1.80B/*1.00A       | 1.80B/*1.00A     | ----            | 0.80 - 1.00              | .0070 | ----          | ----                     | ----              | ----          | 25               |
| 4650                              | ---- | ----         | ----            | ----               | ----             | ----               | ----             | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4675                              | ---- | ----         | ----            | ----               | ----             | ----               | ----             | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4675                              | ---- | ----         | -----/1.00A     | 1.50B/*1.00A       | 1.50B/*1.00A     | 1.50B/*1.00A       | 1.50B/*1.00A     | ----            | 0.70 - 1.00              | .0060 | ----          | 1                        | ----              | ----          | 21 +             |
| 4700                              | ---- | ----         | ----            | ----               | ----             | ----               | ----             | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4700                              | 1.00 | 1.00         | 1.30B/*1.00     | 1.30B/*1.00        | 1.30B/*1.00      | 1.30B/*1.00        | 1.30B/*1.00      | ----            | 0.70 - 0.80              | .0058 | ----          | 40                       | ----              | ----          | 737 -            |
| 4725                              | ---- | ----         | -----/1.10A     | 1.10B/*1.10A       | 1.10B/*1.10A     | 1.10B/*1.10A       | 1.10B/*1.10A     | ----            | 0.60 - 0.80              | .0048 | ----          | ----                     | ----              | ----          | 14               |
| 4725                              | ---- | ----         | ----            | ----               | ----             | ----               | ----             | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4750                              | ---- | ----         | ----            | #525.50B/636.60A   | #525.50B/636.60A | #525.50B/636.60A   | #525.50B/636.60A | ----            | 636.30 + 18.70           | .9953 | ----          | ----                     | ----              | ----          | 2                |
| 4750                              | ---- | ----         | ----            | ----               | ----             | ----               | ----             | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4750                              | ---- | ----         | -----/1.00A     | 1.00B/*1.00A       | 1.00B/*1.00A     | 1.00B/*1.00A       | 1.00B/*1.00A     | ----            | 0.60 - 0.60              | .0047 | ----          | ----                     | ----              | ----          | 77               |
| 4775                              | ---- | ----         | -----/1.00A     | 0.80B/1.00A        | 0.80B/1.00A      | 0.80B/1.00A        | 0.80B/1.00A      | ----            | 0.50 - 0.70              | .0038 | ----          | ----                     | ----              | ----          | 91               |
| 4775                              | ---- | ----         | ----            | ----               | ----             | ----               | ----             | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4800                              | ---- | ----         | ----            | ----               | ----             | ----               | ----             | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4800                              | ---- | ----         | -----/1.00A     | 0.80B/*0.90A       | 0.80B/*0.90A     | 0.80B/*0.90A       | 0.80B/*0.90A     | ----            | 0.50 - 0.60              | .0037 | ----          | ----                     | ----              | ----          | 699              |
| 4805                              | ---- | ----         | #756.20B/671.10 | #756.20B/671.10A   | #756.20B/671.10A | #756.20B/671.10A   | #756.20B/671.10A | ----            | 691.00 + 19.20           | ----  | ----          | ----                     | ----              | ----          | 0                |
| 4815                              | ---- | ----         | #766.20B/681.10 | #766.20B/681.10A   | #766.20B/681.10A | #766.20B/681.10A   | #766.20B/681.10A | ----            | 701.00 + 19.20           | ----  | ----          | ----                     | ----              | ----          | 0                |
| 4825                              | ---- | ----         | ----            | ----               | ----             | ----               | ----             | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4825                              | ---- | ----         | -----/1.00A     | 0.60B/*0.90A       | 0.60B/*0.90A     | 0.60B/*0.90A       | 0.60B/*0.90A     | ----            | 0.50 - 0.60              | .0036 | ----          | ----                     | ----              | ----          | 23               |
| 4835                              | ---- | ----         | #786.20B/----   | #786.20B/703.20A   | #786.20B/703.20A | #786.20B/703.20A   | #786.20B/703.20A | ----            | 721.00 + 19.20           | ----  | ----          | ----                     | ----              | ----          | 0                |
| 4850                              | ---- | ----         | -----/1.00A     | 0.60B/*0.90A       | 0.60B/*0.90A     | 0.60B/*0.90A       | 0.60B/*0.90A     | ----            | 0.40 - 0.70              | .0028 | ----          | ----                     | ----              | ----          | 1                |
| 4850                              | ---- | ----         | ----            | ----               | ----             | ----               | ----             | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4865                              | ---- | ----         | #816.20B/----   | #816.20B/733.20A   | #816.20B/733.20A | #816.20B/733.20A   | #816.20B/733.20A | ----            | 751.00 + 19.20           | ----  | ----          | ----                     | ----              | ----          | 0                |
| 4870                              | ---- | ----         | #821.20B/----   | #821.20B/738.20A   | #821.20B/738.20A | #821.20B/738.20A   | #821.20B/738.20A | ----            | 756.00 + 19.20           | ----  | ----          | ----                     | ----              | ----          | 0                |
| 4875                              | ---- | ----         | -----/1.00A     | 0.50B/*0.90A       | 0.50B/*0.90A     | 0.50B/*0.90A       | 0.50B/*0.90A     | ----            | 0.40 - 0.60              | .0028 | ----          | ----                     | ----              | ----          | 19               |
| 4900                              | ---- | ----         | ----            | ----               | ----             | ----               | ----             | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4900                              | ---- | ----         | ----            | 0.50B/0.90A        | 0.50B/0.90A      | 0.50B/0.90A        | 0.50B/0.90A      | ----            | 0.40 - 0.50              | .0027 | ----          | ----                     | ----              | ----          | 8                |
| 4925                              | ---- | ----         | ----            | 0.40B/0.90A        | 0.40B/0.90A      | 0.40B/0.90A        | 0.40B/0.90A      | ----            | 0.40 - 0.50              | .0026 | ----          | 1                        | ----              | ----          | 15 +             |
| 4950                              | ---- | ----         | ----            | ----               | ----             | ----               | ----             | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4975                              | ---- | ----         | ----            | 0.30B/0.90A        | 0.30B/0.90A      | 0.30B/0.90A        | 0.30B/0.90A      | ----            | 0.40 - 0.40              | .0025 | ----          | ----                     | ----              | ----          | 2                |
| 5000                              | ---- | ----         | ----            | 0.20B/0.90A        | 0.20B/0.90A      | 0.20B/0.90A        | 0.20B/0.90A      | ----            | 0.40 - 0.30              | .0024 | ----          | 1                        | ----              | ----          | 4                |
| 5500                              | ---- | ----         | ----            | -----/0.50A        | ----             | ----               | ----             | ----            | 0.10 UNCH                | .0004 | ----          | ----                     | 35                | ----          | 35 +             |
| TOTAL                             |      |              |                 |                    |                  |                    |                  |                 |                          |       |               |                          | 6817              | 7025 -        | 3944             |
| JUL26                             |      |              |                 |                    |                  |                    |                  |                 |                          |       |               |                          |                   |               |                  |
| 3250                              | 5.10 | 5.10         | 5.10/*2.30A     | 5.10/*2.30A        | 5.10/*2.30A      | 5.10/*2.30A        | 5.10/*2.30A      | ----            | 6.80 + 2.90              | .0288 | ----          | ----                     | 1                 | ----          | 2 +              |
| 3250                              | 4.00 | 4.00         | #4.00/*2.20A    | #4.00/2.20A        | #4.00/2.20A      | #4.00/2.20A        | #4.00/2.20A      | ----            | 3.30 NEW                 | .0163 | ----          | ----                     | 1                 | ----          | 1 +              |
| 3500                              | 9.70 | 9.70         | #15.10B/4.10A   | #15.10B/4.10A      | #15.10B/4.10A    | #15.10B/4.10A      | #15.10B/4.10A    | ----            | 12.20 + 2.20             | .0578 | ----          |                          |                   |               |                  |

| BULLETIN #111@                            |                |              |                 | METALS OPTION PRODUCTS |                  |                    |               |                 |                          |       |               |                          |                   | Thu, Jun 11, 2026 |  | PG64             |
|-------------------------------------------|----------------|--------------|-----------------|------------------------|------------------|--------------------|---------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|-------------------|--|------------------|
|                                           | GLOBEX<br>OPEN | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW     | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME     |  | OPEN<br>INTEREST |
| GWR THU GOLD WEEKLY THURSDAY OPTION week1 |                |              |                 |                        |                  |                    |               |                 |                          |       |               |                          |                   |                   |  |                  |
| JUL26                                     |                |              |                 |                        |                  |                    |               |                 |                          |       |               |                          |                   |                   |  |                  |
| 4450                                      | ----           | ----         |                 | #399.90B/249.40        | #399.90B/249.40A | ----               | ----          |                 | 348.90 + 14.20           | .8947 | ----          | ----                     | ----              | ----              |  | 10               |
| 4475                                      | ----           | ----         |                 | 33.90B/*15.90A         | 33.90B/*15.90A   | ----               | ----          |                 | 16.90 - 5.00             | .1177 | ----          | ----                     | ----              | ----              |  | 2                |
| 4475                                      | ----           | ----         |                 | #423.40B/270.20        | #423.40B/270.20A | ----               | ----          |                 | 371.90 + 14.70           | .9089 | ----          | ----                     | ----              | ----              |  | 1                |
| 4475                                      | 17.60          | 17.60        |                 | 26.40B/*11.00A         | 26.40B/*11.00A   | ----               | ----          |                 | 11.40 - 4.70             | .0907 | ----          | ----                     | 1                 | ----              |  | 6                |
| 4500                                      | ----           | ----         |                 | 29.50B/*14.00A         | 29.50B/*14.00A   | ----               | ----          |                 | 14.80 - 4.50             | .1044 | ----          | ----                     | 1                 | ----              |  | 16 +             |
| 4500                                      | ----           | ----         |                 | #427.10B/291.40        | #427.10B/291.40A | ----               | ----          |                 | 395.20 + 15.10           | .9207 | ----          | ----                     | ----              | ----              |  | 53               |
| 4500                                      | 21.00          | 21.00        |                 | 22.60B/*9.50A          | 22.60B/*9.50A    | ----               | ----          |                 | 9.80 - 4.20              | .0788 | ----          | ----                     | 15                | ----              |  | 19 +             |
| 4525                                      | ----           | ----         |                 | 25.80B/*12.30A         | 25.80B/*12.30A   | ----               | ----          |                 | 13.20 - 3.80             | .0937 | ----          | ----                     | ----              | ----              |  | 11               |
| 4525                                      | ----           | ----         |                 | #426.40B/313.10        | #426.40B/313.10A | ----               | ----          |                 | 418.90 + 15.60           | .9307 | ----          | ----                     | ----              | ----              |  | 1                |
| 4525                                      | ----           | ----         |                 | 19.30B/*8.20A          | 19.30B/*8.20A    | ----               | ----          |                 | 8.50 - 3.70              | .0688 | ----          | ----                     | ----              | ----              |  | 14               |
| 4550                                      | ----           | ----         |                 | ----/335.20A           | #425.30B/335.20A | ----               | ----          |                 | 442.70 + 15.90           | .9393 | ----          | ----                     | 7                 | ----              |  | 7                |
| 4550                                      | ----           | ----         |                 | 16.60B/*7.20A          | 16.60B/*7.20A    | ----               | ----          |                 | 7.40 - 3.30              | .0603 | ----          | ----                     | ----              | ----              |  | 30               |
| 4575                                      | ----           | ----         |                 | 19.40B/*9.50A          | 19.40B/*9.50A    | ----               | ----          |                 | 10.60 - 2.80             | .0757 | ----          | ----                     | ----              | ----              |  | 1                |
| 4575                                      | ----           | ----         |                 | ----/357.80A           | 410.60B/357.80A  | ----               | ----          |                 | 466.80 + 16.40           | .9466 | ----          | ----                     | ----              | ----              |  | 1                |
| 4575                                      | 7.00           | 7.00         |                 | 14.70/*6.30A           | 14.70/*6.30A     | ----               | ----          |                 | 6.50 - 3.00              | .0530 | ----          | ----                     | 4                 | ----              |  | 3 +              |
| 4600                                      | 12.10          | 12.10        |                 | 12.10/*5.50A           | 12.10/*5.50A     | ----               | ----          |                 | 5.70 - 2.70              | .0466 | ----          | ----                     | 1                 | ----              |  | 22 +             |
| 4625                                      | 8.00           | 8.00         |                 | #14.80B/*7.40A         | 14.80B/*7.40A    | ----               | ----          |                 | 8.80 - 1.90              | .0626 | ----          | ----                     | 1                 | ----              |  | 4 +              |
| 4625                                      | 5.10           | 5.10         |                 | 10.50B/*4.70A          | 10.50B/*4.70A    | ----               | ----          |                 | 5.00 - 2.50              | .0410 | ----          | ----                     | 2                 | ----              |  | 3 +              |
| 4650                                      | 4.80           | 4.80         |                 | 9.00B/*4.10A           | 9.00B/*4.10A     | ----               | ----          |                 | 4.50 - 2.20              | .0367 | ----          | ----                     | 1                 | ----              |  | 25 +             |
| 4675                                      | 4.30           | 4.30         |                 | 7.70B/*3.90A           | 7.70B/*3.90A     | ----               | ----          |                 | 4.00 - 2.00              | .0326 | ----          | ----                     | 2                 | ----              |  | 4 +              |
| 4700                                      | 11.60          | 11.60        |                 | 11.60/*5.40A           | 11.60/*5.40A     | ----               | ----          |                 | 7.10 - 0.70              | .0494 | ----          | ----                     | 1                 | ----              |  | 2 +              |
| 4700                                      | 4.00           | 4.00         |                 | 6.70B/*3.60A           | 6.70B/*3.60A     | ----               | ----          |                 | 3.60 - 1.80              | .0292 | ----          | ----                     | 1                 | ----              |  | 3 +              |
| 4725                                      | ----           | ----         |                 | 8.50B/*5.00A           | 8.50B/*5.00A     | ----               | ----          |                 | 6.70 - 0.40              | .0461 | ----          | ----                     | ----              | ----              |  | 2                |
| 4725                                      | 3.70           | 3.70         |                 | 5.80B/*3.20A           | 5.80B/*3.20A     | ----               | ----          |                 | 3.20 - 1.70              | .0259 | ----          | ----                     | 1                 | ----              |  | 3 +              |
| 4750                                      | 4.00           | 4.00         |                 | #8.90/*4.00            | 8.90/*4.00       | ----               | ----          |                 | 6.40 UNCH                | .0435 | ----          | ----                     | 3                 | ----              |  | 19 -             |
| 4750                                      | 3.80           | 3.80         |                 | 5.10B/*3.10A           | 5.10B/*3.10A     | ----               | ----          |                 | 2.90 NEW                 | .0233 | ----          | ----                     | 1                 | ----              |  | 1 +              |
| 4775                                      | 5.40           | 5.40         |                 | 6.60B/*4.10A           | 6.60B/*4.10A     | ----               | ----          |                 | 6.10 + 0.30              | .0409 | ----          | ----                     | 1                 | ----              |  | 2 +              |
| 4775                                      | ----           | ----         |                 | 4.40B/*2.80A           | 4.40B/*2.80A     | ----               | ----          |                 | 2.60 - 1.50              | .0209 | ----          | ----                     | ----              | ----              |  | 3                |
| 4800                                      | 3.80           | 3.80         |                 | 5.80B/*3.80            | 5.80B/*3.80      | ----               | ----          |                 | 5.80 + 0.40              | .0385 | ----          | ----                     | 3                 | ----              |  | 4 +              |
| 4800                                      | 3.80           | 3.80         |                 | 4.40/*2.60A            | 4.40/*2.60A      | ----               | ----          |                 | 2.40 - 1.40              | .0191 | ----          | ----                     | ----              | ----              |  | 7                |
| 4825                                      | 3.90           | 3.90         |                 | #5.10B/*3.50           | 5.10B/*3.50      | ----               | ----          |                 | 5.60 NEW                 | .0367 | ----          | ----                     | 3                 | ----              |  | 3 +              |
| 4850                                      | ----           | ----         |                 | ----/*3.30A            | 4.50B/*3.30A     | ----               | ----          |                 | 5.40 + 0.90              | .0349 | ----          | ----                     | ----              | ----              |  | 1                |
| 4850                                      | ----           | ----         |                 | ----/*2.30A            | 2.90B/*2.30A     | ----               | ----          |                 | 2.00 - 1.20              | .0157 | ----          | ----                     | ----              | ----              |  | 4                |
| 4875                                      | ----           | ----         |                 | ----/*3.10A            | 4.00B/*3.10A     | ----               | ----          |                 | 5.20 + 1.00              | .0332 | ----          | ----                     | ----              | ----              |  | 42               |
| 4875                                      | ----           | ----         |                 | ----/*2.20A            | 2.50B/*2.20A     | ----               | ----          |                 | 1.90 - 1.10              | .0147 | ----          | ----                     | 1                 | ----              |  | 0 -              |
| 4900                                      | ----           | ----         |                 | ----/*2.10A            | 2.20B/*2.10A     | ----               | ----          |                 | 1.70 - 1.10              | .0131 | ----          | ----                     | 1                 | ----              |  | 11 -             |
| 4925                                      | ----           | ----         |                 | ----/*2.70A            | 3.10B/*2.70A     | ----               | ----          |                 | 4.90 + 1.30              | .0304 | ----          | ----                     | ----              | ----              |  | 30               |
| 4925                                      | ----           | ----         |                 | ----/*2.00A            | 2.00B/*2.00A     | ----               | ----          |                 | 1.60 - 1.00              | .0122 | ----          | ----                     | ----              | ----              |  | 2                |
| 4950                                      | ----           | ----         |                 | ----/*2.60A            | 2.80B/*2.60A     | ----               | ----          |                 | 4.70 + 1.30              | .0289 | ----          | ----                     | ----              | ----              |  | 5                |
| 4950                                      | ----           | ----         |                 | ----/*1.90A            | 1.80B/*1.90A     | ----               | ----          |                 | 1.50 - 1.00              | .0113 | ----          | ----                     | ----              | ----              |  | 2                |
| 5000                                      | ----           | ----         |                 | ----/*1.70A            | 1.40B/*1.70A     | ----               | ----          |                 | 1.30 - 0.90              | .0097 | ----          | ----                     | ----              | ----              |  | 1                |
| 5200                                      | ----           | ----         |                 | ----                   | 0.60B/4.50A      | ----               | ----          |                 | 0.90 - 0.60              | .0061 | ----          | ----                     | ----              | ----              |  | 2                |
| 5500                                      | ----           | ----         |                 | ----                   | 0.30B/2.50A      | ----               | ----          |                 | 0.70 - 0.40              | .0041 | ----          | ----                     | ----              | ----              |  | 1                |
| TOTAL                                     |                |              |                 |                        |                  |                    |               |                 |                          |       |               |                          | 412               |                   |  | 1031+            |
|                                           | GLOBEX<br>OPEN | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW     | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME     |  | OPEN<br>INTEREST |
| GMW MON GOLD WEEKLY MONDAY OPTION WEEK3   |                |              |                 |                        |                  |                    |               |                 |                          |       |               |                          |                   |                   |  |                  |
| JUN26                                     |                |              |                 |                        |                  |                    |               |                 |                          |       |               |                          |                   |                   |  |                  |
| 3000                                      | ----           | ----         |                 | ----/*2.20A            | ----/*0.10A      | ----               | ----          |                 | 0.10 UNCH                | ----  | ----          | ----                     | ----              | ----              |  | 3                |
| 3250                                      | 2.50           | 2.50         |                 | 2.50/*2.20A            | 2.50/*2.20A      | ----               | ----          |                 | 2.60 + 0.10              | .0132 | ----          | ----                     | 3                 | ----              |  | 5 +              |
| 3250                                      | ----           | ----         |                 | ----/*0.20A            | ----/*0.20A      | ----               | ----          |                 | 0.10 - 0.20              | .0000 | ----          | ----                     | ----              | ----              |  | 1                |
| 3500                                      | 2.40           | 2.40         |                 | #4.00B/1.20A           | #4.00B/1.20A     | ----               | ----          |                 | 2.20 - 0.60              | .0145 | ----          | ----                     | 2                 | ----              |  | 8 +              |
| 3500                                      | 5.00           | 5.00         |                 | #8.70B/2.40A           | #8.70B/2.40A     | ----               | ----          |                 | 5.90 UNCH                | .0336 | ----          | ----                     | 1                 | ----              |  | 1 +              |
| 3500                                      | ----           | ----         |                 | 1.20B/*0.30A           | 1.20B/*0.30A     | ----               | ----          |                 | 0.20 - 0.50              | .0009 | ----          | ----                     | ----              | ----              |  | 16               |
| 3600                                      | 5.60           | 5.60         |                 | #8.10B/1.40A           | #8.10B/1.40A     | ----               | ----          |                 | 3.60 - 0.90              | .0252 | ----          | ----                     | 3                 | ----              |  | 4 +              |
| 3600                                      | ----           | ----         |                 | 2.20B/*0.40A           | 2.20B/*0.40A     | ----               | ----          |                 | 0.40 - 0.70              | .0023 | ----          | ----                     | ----              | ----              |  | 1                |
| 3600                                      | 4.10           | 4.10         |                 | #13.90B/3.30A          | #13.90B/3.30A    | ----               | ----          |                 | 8.80 UNCH                | .0516 | ----          | ----                     | 2                 | ----              |  | 1                |
| 3700                                      | 8.00           | 8.00         |                 | #15.00B/2.00A          | #15.00B/2.00A    | ----               | ----          |                 | 6.10 - 1.40              | .0447 | ----          | ----                     | 13                | ----              |  | 20 +             |
| 3700                                      | 2.90           | 2.90         |                 | #4.90B/*0.30           | #4.90B/*0.30     | ----               | ----          |                 | 0.80 - 1.20              | .0057 | ----          | ----                     | 5                 | ----              |  | 17 +             |
| 3700                                      | 13.10          | 13.10        |                 | #24.50B/4.30A          | #24.50B/4.30A    | ----               | ----          |                 | 13.70 + 0.20             | .0815 | ----          | ----                     | 4                 | ----              |  | 4 +              |
| 3750                                      | 6.70           | 6.70         |                 | #7.10B/*0.30A          | #7.10B/*0.30A    | ----               | ----          |                 | 1.20 - 1.50              | .0095 | ----          | ----                     | 21                | ----              |  | 32 +             |
| 3750                                      | 16.10          | 16.10        |                 | #30.90B/5.50A          | #30.90B/5.50A    | ----               | ----          |                 | 17.50 NEW                | .1037 | ----          | ----                     | 3                 | ----              |  | 3 +              |
| 3750                                      | 10.40          | 10.40        |                 | #20.00B/2.50A          | #20.00B/2.50A    | ----               | ----          |                 | 8.10 - 1.70              | .0604 | ----          | ----                     | 3                 | ----              |  | 17 +             |
| 3765                                      | 2.50           | 2.50         |                 | #2.50/*0.40A           | #6.50B/*0.40A    | ----               | ----          |                 | 1.40 NEW                 | .0114 | ----          | ----                     | 20                | ----              |  | 20 +             |
| 3785                                      | 2.20           | 2.20         |                 | #2.20/*0.40A           | #7.80B/*0.40A    | ----               | ----          |                 | 1.60 NEW                 | .0136 | ----          | ----                     | 1                 | ----              |  | 1 +              |
| 3800                                      | 5.50           | 5.50         |                 | #26.00B/3.10A          | #26.00B/3.10A    | ----               | ----          |                 | 10.90 - 1.90             | .0822 | ----          | ----                     | 11                | ----              |  | 17 +             |
| 3800                                      | 5.50           | 5.50         |                 | #10.40B/*0.30A         | #10.40B/*0.30A   | ----               | ----          |                 | 1.80 - 2.00              | .0158 | ----          | ----                     | 12                | ----              |  | 51 +             |
| 3800                                      | 12.90          | 12.90        |                 | #38.50B/7.20A          | #38.50B/7.20A    | ----               | ----          |                 | 22.50 + 1.10             | .1318 | ----          | ----                     | 5                 | ----              |  | 4 +              |
| 3850                                      | 29.80          | 29.80        |                 | #48.30B/*9.60A         | #48.30B/*9.60A   | ----               | ----          |                 | 29.00 UNCH               | .1670 | ----          | ----                     | 8                 | ----              |  | 6 +              |
| 3850                                      | 10.50          | 10.50        |                 | #15.00B/*0.30          | #15.00B/*0.30    | ----               | ----          |                 | 2.80 NEW                 | .0272 | ----          | ----                     | 12                | ----              |  | 11 +             |
| 3850                                      | 15.70          | 15.70        |                 | #33.90B/*4.30A         | #33.90B/*4.30A   | ----               | ----          |                 | 14.90 - 2.00             | .1125 | ----          | ----                     | 1                 | ----              |  | 2 +              |
| 3860                                      | 14.00          | 14.00        |                 | #16.20B/*0.40A         | #16.20B/*0.40A   | ----               | ----          |                 | 3.10 NEW                 | .0306 | ----          | ----                     | 7                 | ----              |  | 5 +              |
| 3870                                      | 0.60           | 0.60         |                 | #17.60B/*0.40A         | #17.60B/*0.40A   | ----               | ----          |                 | 3.40 NEW                 | .0342 | ----          | ----                     | 5                 | ----              |  | 3 +              |
| 3875                                      | 18.10          | 18.10        |                 | #53.60B/*11.30A        | #53.60B/*11.30A  | ----               | ----          |                 | 33.00 NEW                | .1877 | ----          | ----                     | 2                 | ----              |  | 2 +              |
| 3875                                      | 1.50           | 1.50         |                 | #18.10B/*0.50A         | #18.10B/*0.50A   | ----               | ----          |                 | 3.60 NEW                 | .0365 | ----          | ----                     | 4                 | ----              |  | 4 +              |
| 3875                                      | 23.50          | 23.50        |                 | #38.60B/*5.00A         | #38.60B/*5.00A   | ----               | ----          |                 | 17.50 - 2.00             | .1316 | ----          | ----                     | 1                 | ----              |  | 2 +              |
| 3885                                      | 221.50         | 221.50       |                 | #353.70B/*184.8        | 353.70B/*184.80A | ----               | ----          |                 | 232.90 NEW               | .9594 | ----          | ----                     | 1                 | ----              |  | 1 +              |
| 3885                                      | 3.60           | 3.60         |                 | #19.50B/*0.50A         | #19.50B/*0.50A   | ----               | ----          |                 | 3.90 - 3.30              | .0404 | ----          | ----                     | 3                 | ----              |  | 35 +             |
| 3890                                      | 0.50           | 0.50         |                 | #20.60B/*0.50          | #20.60B/*0.50    | ----               | ----          |                 | 4.20 NEW                 | .0437 | ----          | ----                     | 5                 | ----              |  | 5 +              |
| 3900                                      | 47.60          | 47.60        |                 | #59.80B/13.10A         | #59.80B/13.10A   | ----               | ----          |                 | 37.40 + 2.80             | .2102 | ----          | ----                     | 6                 | ----              |  | 10 -             |
| 3900                                      | ----           | ----         |                 | #43.50B/6.00A          | #43.50B/6.00A    | ----               | ----          |                 | 20.60 - 1.90             | .1539 | ----          | ----                     | 5                 | ----              |  | 9 +              |
| 3900                                      | 7.50           | 7.50         |                 | #22.00B/*0.60A         | #22.00B/*0.60A   | ----               | ----          |                 | 4.60 - 3.50              | .0487 | ----          | ----                     | 3                 | ----              |  | 93 +             |
| 3910                                      | 11.40          | 11.40        |                 | #24.10B/*0.70A         | #24.10B/*0.70A   | ----               | ----          |                 | 5.10 NEW                 | .0549 | ----          | ----                     | 27                | ----              |  | 26 +             |
| 3915                                      | 12.20          | 12.20        |                 | #24.70B/*0.80A         | #24.70B/*0.80A   | ----               | ----          |                 | 5.40 NEW                 | .0584 | ----          | ----                     | 5                 | ----              |  | 5 +              |
| 3920                                      | 7.70           | 7.70         |                 | #25.70B/*0.80A         | #25.70B/*0.80A   | ----               | ----          |                 | 5.70 NEW                 | .0621 | ----          | ----                     | 2                 | ----              |  | 1 +              |
| 3925                                      | 26.60          | 26.60        |                 | #66.40B/*15.30A        | #66.40B/*15.30A  | ----               | ----          |                 | 42.40 NEW                | .2349 | ----          | ----                     | 1                 | ----              |  | 2 +              |
| 3925                                      | 7.10           | 7.10         |                 | #26.60B/*0.90A         | #26.60B/*0.90A   | ----               | ----          |                 | 6.00 - 4.00              | .0659 | ----          | ----                     | 2                 | ----              |  | 3 +              |
| 3930                                      | ----           | ----         |                 | #27.70B/*0.90A         | #27.70B/*0.90A   | ----               | ----          |                 | 6.30 - 4.10              | .0697 | ----          | ----                     | ----              | ----              |  | 4                |
| 3935                                      | 2.90           | 2.90         |                 | #28.60B/*1.00A         | #28.60B/*1.00A   | ----               | ----          |                 | 6.70 - 4.20              | .0744 | ----          | ----                     | 3                 | ----              |  | 4                |
| 3940                                      | ----           | ----         |                 | #30.10B/*1.00A         | #30.10B/*1.00A   | ----               | ----          |                 | 7.10 - 4.20              | .0792 | ----          | ----                     | ----              | ----              |  | 1                |
| 3945                                      | 11.50          | 11.50        |                 | #30.80B/*1.10A         | #30.80B/*1.10A   | ----               | ----          |                 | 7.50 - 4.30              | .0842 | ----          | ----                     | 1                 | ----              |  | 3 +              |
| 3950                                      | ----           | ----         |                 | #56.00B/9.00A          | #56.00B/9.00A    | ----               | ----          |                 | 28.70 - 1.30             | .2091 | ----          | ----                     | 1                 | ----              |  | 3                |
| 3950                                      | 48.70          | 48.70        |                 | #74.00B/18.            |                  |                    |               |                 |                          |       |               |                          |                   |                   |  |                  |

| GLOBEX<br>OPEN                  |        | OPEN<br>OUTCRY<br>OPEN<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE | OPEN<br>OUTCRY<br>CLOSE | OPEN<br>OUTCRY<br>CLOSE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |
|---------------------------------|--------|---------------------------------|--------------------|----------------------------|-------------------------|-------------------------|-------------------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|
| GOLD WEEKLY MONDAY OPTION WEEK3 |        |                                 |                    |                            |                         |                         |                         |                          |       |               |                          |                   |               |                  |      |
| JUN26                           |        |                                 |                    |                            |                         |                         |                         |                          |       |               |                          |                   |               |                  |      |
| 4085                            | ----   | ----                            | #160.90B/*47.80    | 160.90B/*47.80A            | ----                    | ----                    | 64.70                   | NEW                      | .6095 | ----          | ----                     | 10                | ----          | 5                | +    |
| 4090                            | 69.00  | 69.00                           | #84.00B/*7.70A     | #84.00B/*7.70A             | ----                    | ----                    | 37.60                   | - 3.10                   | .4077 | ----          | ----                     | 7                 | ----          | 7                | UNCH |
| 4095                            | 39.20  | 39.20                           | #87.00B/*8.30A     | #87.00B/*8.30A             | ----                    | ----                    | 39.60                   | - 2.90                   | .4254 | ----          | ----                     | 24                | ----          | 22               | +    |
| 4100                            | 52.50  | 52.50                           | 147.60B/*40.60A    | 147.60B/*40.60A            | ----                    | ----                    | 55.60                   | - 21.90                  | .5565 | ----          | ----                     | 18                | ----          | 12               | +    |
| 4100                            | 80.00  | 80.00                           | #89.90B/9.00A      | #89.90B/9.00A              | ----                    | ----                    | 41.70                   | - 2.50                   | .4433 | ----          | ----                     | 219               | ----          | 85               | -    |
| 4100                            | 116.00 | 116.00                          | #116.00/29.30A     | #116.00/29.30A             | ----                    | ----                    | 74.00                   | + 3.30                   | .4617 | ----          | ----                     | 11                | ----          | 44               | -    |
| 4100                            | 67.80  | 67.80                           | #131.60B/45.00A    | #131.60B/45.00A            | ----                    | ----                    | 96.10                   | + 7.00                   | .4654 | ----          | ----                     | 101               | ----          | 139              | +    |
| 4105                            | 54.40  | 54.40                           | #92.90B/*9.50      | #92.90B/*9.50              | ----                    | ----                    | 43.80                   | - 2.30                   | .4615 | ----          | ----                     | 3                 | ----          | 4                | UNCH |
| 4110                            | 43.90  | 43.90                           | #139.10B/*36.10    | 139.10B/*36.10A            | ----                    | ----                    | 50.00                   | - 21.30                  | .5199 | ----          | ----                     | 13                | ----          | 9                | +    |
| 4110                            | 44.30  | 44.30                           | #96.00B/*10.10A    | #96.00B/*10.10A            | ----                    | ----                    | 46.00                   | - 2.00                   | .4799 | ----          | ----                     | 6                 | ----          | 5                | +    |
| 4115                            | 54.30  | 54.30                           | #134.70B/*34.00    | 134.70B/*34.00A            | ----                    | ----                    | 47.30                   | NEW                      | .5014 | ----          | ----                     | 1                 | ----          | 1                | +    |
| 4115                            | 11.00  | 11.00                           | #99.20B/*10.90A    | #99.20B/*10.90A            | ----                    | ----                    | 48.30                   | - 1.70                   | .4984 | ----          | ----                     | 1                 | ----          | 3                | UNCH |
| 4120                            | 11.80  | 11.80                           | #102.70B/11.70A    | #102.70B/11.70A            | ----                    | ----                    | 50.70                   | - 1.40                   | .5171 | ----          | ----                     | 3                 | ----          | 5                | +    |
| 4120                            | 49.60  | 49.60                           | #130.50B/*32.00    | 130.50B/*32.00A            | ----                    | ----                    | 44.70                   | NEW                      | .4827 | ----          | ----                     | 14                | ----          | 3                | +    |
| 4125                            | 95.00  | 95.00                           | #105.80B/12.50A    | #105.80B/12.50A            | ----                    | ----                    | 53.20                   | - 1.00                   | .5359 | ----          | ----                     | 6                 | ----          | 8                | -    |
| 4125                            | 42.40  | 42.40                           | #130.80B/35.20A    | #130.80B/35.20A            | ----                    | ----                    | 85.40                   | + 4.30                   | .5135 | ----          | ----                     | 2                 | ----          | 7                | +    |
| 4125                            | 108.10 | 108.10                          | #145.20B/52.10A    | #145.20B/52.10A            | ----                    | ----                    | 107.10                  | + 7.60                   | .5055 | ----          | ----                     | 1                 | ----          | 2                | +    |
| 4125                            | ----   | ----                            | 126.30B/*30.10A    | 126.30B/*30.10A            | ----                    | ----                    | 42.20                   | NEW                      | .4639 | ----          | ----                     | 22                | ----          | 20               | +    |
| 4130                            | 33.90  | 33.90                           | #109.30B/*13.40    | #109.30B/13.40A            | ----                    | ----                    | 55.80                   | - 0.60                   | .5547 | ----          | ----                     | 1                 | ----          | 2                | UNCH |
| 4130                            | 33.10  | 33.10                           | #122.20B/*28.20    | 122.20B/*28.20A            | ----                    | ----                    | 39.80                   | - 19.90                  | .4451 | ----          | ----                     | 5                 | ----          | 10               | +    |
| 4135                            | ----   | ----                            | #112.70B/*14.30    | #112.70B/14.30A            | ----                    | ----                    | 58.40                   | - 0.30                   | .5736 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 4140                            | ----   | ----                            | #116.20B/*15.30    | #116.20B/15.30A            | ----                    | ----                    | 61.20                   | + 0.20                   | .5923 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 4145                            | 27.10  | 27.10                           | #110.10B/*23.10    | 110.10B/*23.10A            | ----                    | ----                    | 33.00                   | NEW                      | .3888 | ----          | ----                     | 2                 | ----          | 1                | +    |
| 4150                            | 35.20  | 35.20                           | #123.40B/17.40A    | #123.40B/17.40A            | ----                    | ----                    | 66.90                   | + 0.90                   | .6296 | ----          | ----                     | 84                | ----          | 58               | +    |
| 4150                            | ----   | ----                            | 130.20B/*50.60A    | 130.20B/*50.60A            | ----                    | ----                    | 62.20                   | - 13.80                  | .4334 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 4150                            | 33.00  | 33.00                           | 106.20B/*21.70A    | 106.20B/*21.70A            | ----                    | ----                    | 30.90                   | - 18.40                  | .3702 | ----          | ----                     | 10                | ----          | 5                | +    |
| 4150                            | 102.00 | 102.00                          | #146.20B/42.10A    | #146.20B/42.10A            | ----                    | ----                    | 98.20                   | + 5.50                   | .5662 | ----          | ----                     | 4                 | ----          | 16               | +    |
| 4155                            | 34.10  | 34.10                           | #102.40B/*20.20    | 102.40B/*20.20A            | ----                    | ----                    | 28.90                   | NEW                      | .3518 | ----          | ----                     | 19                | ----          | 19               | +    |
| 4160                            | ----   | ----                            | #98.60B/*18.90A    | 98.60B/*18.90A             | ----                    | ----                    | 27.10                   | NEW                      | .3341 | ----          | ----                     | 3                 | ----          | 2                | +    |
| 4160                            | 45.00  | 45.00                           | #131.10B/*19.70A   | #131.10B/19.70A            | ----                    | ----                    | 73.00                   | + 1.80                   | .6657 | ----          | ----                     | 2                 | ----          | 3                | +    |
| 4165                            | 24.00  | 24.00                           | #94.90B/*17.60A    | 94.90B/*17.60A             | ----                    | ----                    | 25.20                   | NEW                      | .3160 | ----          | ----                     | 6                 | ----          | 4                | +    |
| 4175                            | ----   | ----                            | #175.50B/69.00A    | #175.50B/69.00A            | ----                    | ----                    | 132.10                  | + 8.50                   | .5884 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 4175                            | 41.30  | 41.30                           | 114.20B/*41.30     | 114.20B/*41.30             | ----                    | ----                    | 51.30                   | NEW                      | .3808 | ----          | ----                     | 1                 | ----          | 1                | +    |
| 4175                            | 33.00  | 33.00                           | 87.70B/*15.30A     | 87.70B/*15.30A             | ----                    | ----                    | 21.90                   | - 16.10                  | .2818 | ----          | ----                     | 2                 | ----          | 50               | +    |
| 4175                            | 107.00 | 107.00                          | #142.70B/23.70A    | #142.70B/23.70A            | ----                    | ----                    | 82.90                   | + 3.20                   | .7180 | ----          | ----                     | 10                | ----          | 74               | -    |
| 4175                            | 62.00  | 62.00                           | #163.60B/50.30A    | #163.60B/50.30A            | ----                    | ----                    | 112.20                  | + 6.60                   | .6189 | ----          | ----                     | 1                 | ----          | 22               | +    |
| 4180                            | 36.90  | 36.90                           | #146.80B/*25.10    | #146.80B/25.10A            | ----                    | ----                    | 86.30                   | + 3.60                   | .7349 | ----          | ----                     | 1                 | ----          | 1                | UNCH |
| 4180                            | 44.40  | 44.40                           | #84.20B/*14.20A    | 84.20B/*14.20A             | ----                    | ----                    | 20.30                   | - 15.70                  | .2649 | ----          | ----                     | 2                 | ----          | 3                | +    |
| 4185                            | ----   | ----                            | #150.90B/26.70A    | #150.90B/26.70A            | ----                    | ----                    | 89.90                   | + 4.20                   | .7507 | ----          | ----                     | 2                 | ----          | 4                | UNCH |
| 4190                            | 15.90  | 15.90                           | #77.50B/*12.30A    | 77.50B/*12.30A             | ----                    | ----                    | 17.50                   | - 14.70                  | .2334 | ----          | ----                     | 6                 | ----          | 5                | +    |
| 4190                            | ----   | ----                            | #155.00B/*28.30    | #155.00B/28.30A            | ----                    | ----                    | 93.50                   | NEW                      | .7664 | ----          | ----                     | 2                 | ----          | 1                | +    |
| 4200                            | 18.50  | 18.50                           | 71.00B/*10.60A     | 71.00B/*10.60A             | ----                    | ----                    | 15.00                   | - 13.70                  | .2040 | ----          | ----                     | 60                | ----          | 48               | +    |
| 4200                            | 43.10  | 43.10                           | #163.40B/31.70A    | #163.40B/31.70A            | ----                    | ----                    | 100.90                  | + 5.50                   | .7958 | ----          | ----                     | 4                 | ----          | 196              | -    |
| 4200                            | 133.00 | 133.00                          | #181.80B/59.80A    | #181.80B/59.80A            | ----                    | ----                    | 127.70                  | + 7.80                   | .6702 | ----          | ----                     | 2                 | ----          | 207              | +    |
| 4200                            | ----   | ----                            | 111.40B/*51.90A    | 111.40B/*51.90A            | ----                    | ----                    | 60.60                   | - 10.10                  | .3696 | ----          | ----                     | ----              | ----          | 17               | UNCH |
| 4200                            | 101.30 | 101.30                          | #192.40B/78.90     | #192.40B/78.90             | ----                    | ----                    | 146.50                  | + 9.20                   | .6299 | ----          | ----                     | 2                 | ----          | 4                | -    |
| 4200                            | 43.00  | 43.00                           | 97.80B/*33.80A     | 97.80B/*33.80A             | ----                    | ----                    | 41.80                   | - 11.50                  | .3294 | ----          | ----                     | 4                 | ----          | 4                | +    |
| 4205                            | 17.60  | 17.60                           | #67.90B/*9.90A     | 67.90B/*9.90A              | ----                    | ----                    | 13.80                   | - 13.30                  | .1897 | ----          | ----                     | 2                 | ----          | 1                | UNCH |
| 4210                            | 12.90  | 12.90                           | #64.80B/*9.20A     | 64.80B/*9.20A              | ----                    | ----                    | 12.70                   | - 12.80                  | .1762 | ----          | ----                     | 6                 | ----          | 6                | +    |
| 4215                            | 35.60  | 35.60                           | #61.90B/*8.50A     | 61.90B/*8.50A              | ----                    | ----                    | 11.70                   | - 12.30                  | .1635 | ----          | ----                     | 10                | ----          | 8                | +    |
| 4215                            | 40.90  | 40.90                           | #176.20B/*37.80    | #176.20B/37.80A            | ----                    | ----                    | 112.70                  | + 7.00                   | .8363 | ----          | ----                     | 1                 | ----          | 2                | +    |
| 4220                            | 7.80   | 7.80                            | #59.70B/*7.80      | 59.70B/*7.80               | ----                    | ----                    | 10.80                   | - 11.80                  | .1518 | ----          | ----                     | 2                 | ----          | 3                | +    |
| 4220                            | 43.20  | 43.20                           | #180.60B/*39.90    | #180.60B/39.90A            | ----                    | ----                    | 116.70                  | + 7.40                   | .8480 | ----          | ----                     | 6                 | ----          | 8                | +    |
| 4225                            | 82.00  | 82.00                           | 84.30B/*27.30A     | 84.30B/*27.30A             | ----                    | ----                    | 33.70                   | NEW                      | .2807 | ----          | ----                     | 6                 | ----          | 2                | +    |
| 4225                            | 44.70  | 44.70                           | #185.00B/41.40     | #185.00B/41.40             | ----                    | ----                    | 120.90                  | + 7.90                   | .8597 | ----          | ----                     | 2                 | ----          | 56               |      |
| 4225                            | 55.10  | 55.10                           | 97.80B/*44.00A     | 97.80B/*44.00A             | ----                    | ----                    | 51.40                   | - 9.40                   | .3295 | ----          | ----                     | 4                 | ----          | 3                | +    |
| 4225                            | 15.00  | 15.00                           | 57.10B/*7.30A      | 57.10B/*7.30A              | ----                    | ----                    | 9.90                    | - 11.40                  | .1401 | ----          | ----                     | 10                | ----          | 44               | +    |
| 4225                            | ----   | ----                            | #210.10B/89.90A    | #210.10B/89.90A            | ----                    | ----                    | 162.20                  | + 9.90                   | .6700 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 4225                            | 73.30  | 73.30                           | #201.30B/70.60A    | #201.30B/70.60A            | ----                    | ----                    | 144.60                  | + 9.00                   | .7189 | ----          | ----                     | 5                 | ----          | 7                | +    |
| 4230                            | 29.10  | 29.10                           | #54.20B/*6.70A     | 54.20B/*6.70A              | ----                    | ----                    | 9.10                    | - 10.90                  | .1294 | ----          | ----                     | 21                | ----          | 21               | +    |
| 4235                            | 12.30  | 12.30                           | #51.70B/*6.20A     | 51.70B/*6.20A              | ----                    | ----                    | 8.30                    | - 10.50                  | .1188 | ----          | ----                     | 18                | ----          | 13               | +    |
| 4240                            | 22.50  | 22.50                           | #49.10B/*5.70A     | 49.10B/*5.70A              | ----                    | ----                    | 7.60                    | - 10.10                  | .1092 | ----          | ----                     | 4                 | ----          | 12               | +    |
| 4245                            | ----   | ----                            | #203.00B/*52.70    | #203.00B/52.70A            | ----                    | ----                    | 138.00                  | NEW                      | .8992 | ----          | ----                     | 2                 | ----          | 1                | +    |
| 4245                            | 21.20  | 21.20                           | #46.80B/*5.20A     | 46.80B/*5.20A              | ----                    | ----                    | 7.00                    | - 9.60                   | .1006 | ----          | ----                     | 1                 | ----          | 8                | +    |
| 4250                            | 99.10  | 99.10                           | #207.50B/55.40A    | #207.50B/55.40A            | ----                    | ----                    | 142.40                  | + 10.10                  | .9076 | ----          | ----                     | 10                | ----          | 142              | +    |
| 4250                            | 7.00   | 7.00                            | 44.40B/*4.80A      | 44.40B/*4.80A              | ----                    | ----                    | 6.40                    | - 9.20                   | .0922 | ----          | ----                     | 179               | ----          | 92               | +    |
| 4250                            | 172.90 | 172.90                          | #221.20B/83.00A    | #221.20B/83.00A            | ----                    | ----                    | 162.70                  | + 10.00                  | .7639 | ----          | ----                     | 1                 | ----          | 11               | +    |
| 4250                            |        |                                 |                    |                            |                         |                         |                         |                          |       |               |                          |                   |               |                  |      |

| PG64                                    | BULLETIN #111@ |              |                 |                    |                  |                    |               |                 |                          |         | METALS OPTION PRODUCTS |               |                          |                   |               |                  |   |      |   |  | Thu, Jun 11, 2026 |  |  |  | PG64 |
|-----------------------------------------|----------------|--------------|-----------------|--------------------|------------------|--------------------|---------------|-----------------|--------------------------|---------|------------------------|---------------|--------------------------|-------------------|---------------|------------------|---|------|---|--|-------------------|--|--|--|------|
|                                         | GLOBEX<br>OPEN | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. |         | DELTA                  | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |   |      |   |  |                   |  |  |  |      |
| GMW MON GOLD WEEKLY MONDAY OPTION WEEK3 |                |              |                 |                    |                  |                    |               |                 |                          |         |                        |               |                          |                   |               |                  |   |      |   |  |                   |  |  |  |      |
| JUN26                                   |                |              |                 |                    |                  |                    |               |                 |                          |         |                        |               |                          |                   |               |                  |   |      |   |  |                   |  |  |  |      |
| 4445                                    | 3.70           | 3.70         |                 | #4.00B/*0.40A      | 4.00B/*0.40A     | ----               |               |                 | 0.50                     | NEW     | .0050                  | ----          | ----                     | 7                 | ----          |                  | 7 | +    | 7 |  |                   |  |  |  |      |
| 4450                                    | ----           | ----         |                 | #370.80B/215.70    | #370.80B/215.70A | ----               |               |                 | 336.40                   | + 17.90 | .9960                  | ----          | ----                     | ----              | ----          | 94               | + | UNCH |   |  |                   |  |  |  |      |
| 4450                                    | ----           | ----         |                 | #395.70B/247.80    | #395.70B/247.80A | ----               |               |                 | 345.40                   | + 15.10 | .9141                  | ----          | ----                     | ----              | ----          | 2                | + | UNCH |   |  |                   |  |  |  |      |
| 4450                                    | 12.80          | 12.80        |                 | 24.40B/*8.90A      | 24.40B/*8.90A    | ----               |               |                 | 9.90                     | - 4.20  | .0855                  | ----          | 18                       | ----              | ----          | 40               | - | 1    |   |  |                   |  |  |  |      |
| 4450                                    | 263.00         | 263.00       |                 | #404.50B/227.00    | #404.50B/227.00A | ----               |               |                 | 339.90                   | + 15.90 | .9553                  | ----          | 9                        | ----              | ----          | 9                | + | 8    |   |  |                   |  |  |  |      |
| 4450                                    | 4.50           | 4.50         |                 | 15.10/*4.10A       | 15.10/*4.10A     | ----               |               |                 | 4.20                     | - 3.40  | .0444                  | ----          | 13                       | ----              | ----          | 512              | + | 7    |   |  |                   |  |  |  |      |
| 4450                                    | 2.30           | 2.30         |                 | 3.70B/*0.30A       | 3.70B/*0.30A     | ----               |               |                 | 0.40                     | - 1.50  | .0040                  | ----          | 3                        | ----              | ----          | 77               | + | 1    |   |  |                   |  |  |  |      |
| 4455                                    | 3.30           | 3.30         |                 | 3.50B/*0.30A       | 3.50B/*0.30A     | ----               |               |                 | 0.40                     | - 1.40  | .0039                  | ----          | 1                        | ----              | ----          | 12               | + | 1    |   |  |                   |  |  |  |      |
| 4460                                    | 0.50           | 0.50         |                 | #3.40/*0.30A       | 3.40/*0.30A      | ----               |               |                 | 0.40                     | - 1.40  | .0038                  | ----          | 12                       | ----              | ----          | 12               | + | 11   |   |  |                   |  |  |  |      |
| 4475                                    | ----           | ----         |                 | 2.70B/*0.30A       | 2.70B/*0.30A     | ----               |               |                 | 0.40                     | - 1.20  | .0037                  | ----          | ----                     | ----              | ----          | 95               | + | UNCH |   |  |                   |  |  |  |      |
| 4475                                    | ----           | ----         |                 | #394.60B/239.50    | #394.60B/239.50A | ----               |               |                 | 361.30                   | + 18.10 | .9963                  | ----          | ----                     | ----              | ----          | 16               | + | UNCH |   |  |                   |  |  |  |      |
| 4475                                    | 4.20           | 4.20         |                 | 12.50B/*3.10A      | 12.50B/*3.10A    | ----               |               |                 | 3.50                     | - 2.90  | .0368                  | ----          | 17                       | ----              | ----          | 21               | + | 6    |   |  |                   |  |  |  |      |
| 4475                                    | ----           | ----         |                 | #428.70B/249.20    | #428.70B/249.20A | ----               |               |                 | 364.20                   | + 16.40 | .9629                  | ----          | ----                     | ----              | ----          | 1                | + | UNCH |   |  |                   |  |  |  |      |
| 4475                                    | 13.50          | 13.50        |                 | 20.60B/*7.60A      | 20.60B/*7.60A    | ----               |               |                 | 8.10                     | - 3.90  | .0715                  | ----          | 2                        | ----              | ----          | 23               | - | 2    |   |  |                   |  |  |  |      |
| 4480                                    | 2.50           | 2.50         |                 | 2.50/*0.30A        | 2.50/*0.30A      | ----               |               |                 | 0.30                     | - 1.30  | .0027                  | ----          | 1                        | ----              | ----          | 3                | + | UNCH |   |  |                   |  |  |  |      |
| 4485                                    | 2.10           | 2.10         |                 | #2.30B/*0.30A      | 2.30B/*0.30A     | ----               |               |                 | 0.30                     | - 1.20  | .0027                  | ----          | 1                        | ----              | ----          | 1                | + | UNCH |   |  |                   |  |  |  |      |
| 4495                                    | ----           | ----         |                 | #2.00B/*0.30A      | 2.00B/*0.30A     | ----               |               |                 | 0.30                     | - 1.10  | .0026                  | ----          | ----                     | ----              | ----          | 1                | + | UNCH |   |  |                   |  |  |  |      |
| 4500                                    | ----           | ----         |                 | #419.50B/263.70    | #419.50B/263.70A | ----               |               |                 | 386.20                   | + 18.20 | .9974                  | ----          | ----                     | ----              | ----          | 20               | + | UNCH |   |  |                   |  |  |  |      |
| 4500                                    | 1.00           | 1.00         |                 | 1.80/*0.30A        | 1.80/*0.30A      | ----               |               |                 | 0.30                     | - 1.10  | .0026                  | ----          | ----                     | 16                | ----          | 35               | + | UNCH |   |  |                   |  |  |  |      |
| 4500                                    | 3.30           | 3.30         |                 | 10.20B/*2.90       | 10.20B/*2.90     | ----               |               |                 | 2.90                     | - 2.60  | .0304                  | ----          | 203                      | ----              | ----          | 320              | + | 178  |   |  |                   |  |  |  |      |
| 4500                                    | ----           | ----         |                 | #395.60B/290.60    | #395.60B/290.60A | ----               |               |                 | 392.10                   | + 15.60 | .9396                  | ----          | ----                     | ----              | ----          | 60               | + | UNCH |   |  |                   |  |  |  |      |
| 4500                                    | 6.70           | 6.70         |                 | 17.20B/*6.50A      | 17.20B/*6.50A    | ----               |               |                 | 6.70                     | - 3.60  | .0601                  | ----          | 2                        | ----              | ----          | 15               | - | 1    |   |  |                   |  |  |  |      |
| 4500                                    | ----           | ----         |                 | ----/271.90A       | 363.80B/271.90A  | ----               |               |                 | 388.60                   | + 16.70 | .9694                  | ----          | ----                     | ----              | ----          | 12               | + | UNCH |   |  |                   |  |  |  |      |
| 4505                                    | ----           | ----         |                 | 1.80B/*0.30A       | 1.80B/*0.30A     | ----               |               |                 | 0.30                     | - 1.10  | .0026                  | ----          | ----                     | ----              | ----          | 5                | + | UNCH |   |  |                   |  |  |  |      |
| 4510                                    | ----           | ----         |                 | #1.50B/*0.30A      | 1.50B/*0.30A     | ----               |               |                 | 0.30                     | - 1.00  | .0025                  | ----          | ----                     | ----              | ----          | 1                | + | UNCH |   |  |                   |  |  |  |      |
| 4515                                    | ----           | ----         |                 | 1.40B/*0.20A       | 1.40B/*0.20A     | ----               |               |                 | 0.30                     | - 1.00  | .0025                  | ----          | ----                     | ----              | ----          | 1                | + | UNCH |   |  |                   |  |  |  |      |
| 4520                                    | 1.00           | 1.00         |                 | #1.30B/*0.20A      | 1.30B/*0.20A     | ----               |               |                 | 0.30                     | NEW     | .0025                  | ----          | 5                        | ----              | ----          | 5                | + | 5    |   |  |                   |  |  |  |      |
| 4525                                    | ----           | ----         |                 | ----/295.10A       | 376.10B/295.10A  | ----               |               |                 | 413.20                   | + 17.10 | .9740                  | ----          | ----                     | ----              | ----          | 1                | + | UNCH |   |  |                   |  |  |  |      |
| 4525                                    | 9.50           | 9.50         |                 | 14.50B/*5.60A      | 14.50B/*5.60A    | ----               |               |                 | 5.50                     | - 3.40  | .0501                  | ----          | 1                        | ----              | ----          | 4                | + | UNCH |   |  |                   |  |  |  |      |
| 4525                                    | ----           | ----         |                 | 1.30B/*0.20A       | 1.30B/*0.20A     | ----               |               |                 | 0.30                     | - 0.90  | .0024                  | ----          | 1                        | ----              | ----          | 8                | - | 1    |   |  |                   |  |  |  |      |
| 4525                                    | 2.50           | 2.50         |                 | 8.40/*2.50         | 8.40/*2.50       | ----               |               |                 | 2.50                     | - 2.30  | .0258                  | ----          | 8                        | ----              | ----          | 17               | + | 1    |   |  |                   |  |  |  |      |
| 4525                                    | ----           | ----         |                 | ----/312.80A       | #390.20B/312.80A | ----               |               |                 | 416.00                   | + 15.90 | .9496                  | ----          | ----                     | ----              | ----          | 2                | + | UNCH |   |  |                   |  |  |  |      |
| 4550                                    | ----           | ----         |                 | ----/*0.30A        | 0.90B/*0.30A     | ----               |               |                 | 0.20                     | - 0.90  | .0015                  | ----          | ----                     | ----              | ----          | 111              | + | UNCH |   |  |                   |  |  |  |      |
| 4550                                    | 5.40           | 5.40         |                 | 12.20B/*4.80A      | 12.20B/*4.80A    | ----               |               |                 | 4.50                     | NEW     | .0416                  | ----          | 2                        | ----              | ----          | 2                | + | 2    |   |  |                   |  |  |  |      |
| 4550                                    | ----           | ----         |                 | #469.50B/318.50    | #469.50B/318.50A | ----               |               |                 | 436.10                   | + 18.50 | .9985                  | ----          | ----                     | ----              | ----          | 24               | + | UNCH |   |  |                   |  |  |  |      |
| 4550                                    | ----           | ----         |                 | 6.20B/*2.10A       | 6.20B/*2.10A     | ----               |               |                 | 2.10                     | - 2.10  | .0215                  | ----          | ----                     | ----              | ----          | 689              | + | UNCH |   |  |                   |  |  |  |      |
| 4575                                    | ----           | ----         |                 | ----/*0.30A        | 0.70B/*0.30A     | ----               |               |                 | 0.20                     | - 0.80  | .0014                  | ----          | ----                     | ----              | ----          | 69               | + | UNCH |   |  |                   |  |  |  |      |
| 4575                                    | 4.50           | 4.50         |                 | 10.30B/*4.10A      | 10.30B/*4.10A    | ----               |               |                 | 3.80                     | NEW     | .0353                  | ----          | 3                        | ----              | ----          | 3                | + | 3    |   |  |                   |  |  |  |      |
| 4575                                    | ----           | ----         |                 | ----/342.60A       | #423.00B/342.60A | ----               |               |                 | 462.50                   | + 17.50 | .9808                  | ----          | ----                     | ----              | ----          | 1                | + | UNCH |   |  |                   |  |  |  |      |
| 4575                                    | ----           | ----         |                 | #494.40B/343.30    | #494.40B/343.30A | ----               |               |                 | 461.10                   | + 18.60 | .9986                  | ----          | ----                     | ----              | ----          | 6                | + | UNCH |   |  |                   |  |  |  |      |
| 4575                                    | ----           | ----         |                 | 5.30B/*1.90A       | 5.30B/*1.90A     | ----               |               |                 | 1.90                     | - 1.80  | .0190                  | ----          | ----                     | ----              | ----          | 36               | + | UNCH |   |  |                   |  |  |  |      |
| 4600                                    | 6.80           | 6.80         |                 | 8.60B/*3.90A       | 8.60B/*3.90A     | ----               |               |                 | 3.20                     | - 2.80  | .0299                  | ----          | ----                     | ----              | ----          | 49               | + | 2    |   |  |                   |  |  |  |      |
| 4600                                    | 2.80           | 2.80         |                 | 4.30B/*1.60A       | 4.30B/*1.60A     | ----               |               |                 | 1.60                     | - 1.70  | .0159                  | ----          | 3                        | ----              | ----          | 78               | - | 1    |   |  |                   |  |  |  |      |
| 4600                                    | ----           | ----         |                 | ----/366.60A       | 377.50B/366.60A  | ----               |               |                 | 487.30                   | + 17.70 | .9840                  | ----          | ----                     | ----              | ----          | 1                | + | UNCH |   |  |                   |  |  |  |      |
| 4600                                    | ----           | ----         |                 |                    | #432.10B/481.90A | ----               |               |                 | 486.10                   | + 18.70 | .9987                  | ----          | ----                     | ----              | ----          | 2                | + | UNCH |   |  |                   |  |  |  |      |
| 4600                                    | 0.70           | 0.70         |                 | 0.70/*0.20A        | 0.70/*0.20A      | ----               |               |                 | 0.20                     | - 0.60  | .0014                  | ----          | 1                        | ----              | ----          | 163              | + | 1    |   |  |                   |  |  |  |      |
| 4605                                    | ----           | ----         |                 | ----               | #436.50B/486.80A | ----               |               |                 | 491.10                   | + 18.70 | .9987                  | ----          | ----                     | ----              | ----          | 1                | + | UNCH |   |  |                   |  |  |  |      |
| 4625                                    | ----           | ----         |                 | ----/*0.40A        | 0.20B/*0.40A     | ----               |               |                 | 0.10                     | - 0.60  | .0005                  | ----          | ----                     | ----              | ----          | 15               | + | UNCH |   |  |                   |  |  |  |      |
| 4625                                    | ----           | ----         |                 | 3.50B/*1.40A       | 3.50B/*1.40A     | ----               |               |                 | 1.50                     | - 1.40  | .0145                  | ----          | ----                     | ----              | ----          | 12               | + | UNCH |   |  |                   |  |  |  |      |
| 4625                                    | 4.90           | 4.90         |                 | 7.30B/*3.40A       | 7.30B/*3.40A     | ----               |               |                 | 2.70                     | - 2.60  | .0253                  | ----          | 2                        | ----              | ----          | 3                | + | 2    |   |  |                   |  |  |  |      |
| 4650                                    | ----           | ----         |                 | 6.20B/*3.10A       | 6.20B/*3.10A     | ----               |               |                 | 2.30                     | - 2.50  | .0216                  | ----          | ----                     | ----              | ----          | 23               | + | UNCH |   |  |                   |  |  |  |      |
| 4650                                    | ----           | ----         |                 | 2.90B/*1.30A       | 2.90B/*1.30A     | ----               |               |                 | 1.30                     | - 1.30  | .0024                  | ----          | ----                     | ----              | ----          | 548              | + | UNCH |   |  |                   |  |  |  |      |
| 4650                                    | 0.40           | 0.40         |                 | 0.40/*0.40         | 0.40/*0.40       | ----               |               |                 | 0.10                     | - 0.50  | .0003                  | ----          | 1                        | ----              | ----          | 40               | - | 1    |   |  |                   |  |  |  |      |
| 4675                                    | ----           | ----         |                 | ----/*0.40A        | 0.20B/*0.40A     | ----               |               |                 | 0.10                     | - 0.50  | .0001                  | ----          | ----                     | ----              | ----          | 12               | + | UNCH |   |  |                   |  |  |  |      |
| 4675                                    | ----           | ----         |                 | 5.20B/*2.90A       | 5.20B/*2.90A     | ----               |               |                 | 2.00                     | - 2.30  | .0187                  | ----          | ----                     | ----              | ----          | 12               | + | UNCH |   |  |                   |  |  |  |      |
| 4675                                    | ----           | ----         |                 | ----/*1.40A        | 2.40B/*1.40A     | ----               |               |                 | 1.20                     | - 1.20  | .0112                  | ----          | ----                     | ----              | ----          | 4                | + | UNCH |   |  |                   |  |  |  |      |
| 4700                                    | ----           | ----         |                 | ----/*0.40A        | ----/*0.40A      | ----               |               |                 | 0.10                     | - 0.40  | .0001                  | ----          | ----                     | ----              | ----          | 151              | + | UNCH |   |  |                   |  |  |  |      |
| 4700                                    | ----           | ----         |                 | #619.30B/467.90    | #619.30B/467.90A | ----               |               |                 | 586.00                   | + 19.00 | 1.0000                 | ----          | ----                     | ----              | ----          | 5                | + | UNCH |   |  |                   |  |  |  |      |
| 4700                                    | ----           | ----         |                 | 4.50B/*2.70A       | 4.50B/*2.70A     | ----               |               |                 | 1.80                     | - 2.10  | .0166                  | ----          | ----                     | ----              | ----          | 1                | + | UNCH |   |  |                   |  |  |  |      |
| 4700                                    | ----           | ----         |                 | ----/*1.30A        | 2.00B/*1.30A     | ----               |               |                 | 1.10                     | - 1.10  | .0101                  | ----          | ----                     | ----              | ----          | 5                | + | UNCH |   |  |                   |  |  |  |      |
| 4725                                    | ----           | ----         |                 | ----/*0.30A        | ----/*0.30A      | ----               |               |                 | 0.10                     | - 0.30  | .0000                  | ----          | ----                     | ----              | ----          | 6                | + | UNCH |   |  |                   |  |  |  |      |
| 4725                                    | ----           | ----         |                 | ----/*1.30A        | 1.70B/*1.30A     | ----               |               |                 | 1.00                     | - 1.00  | .0090                  | ----          | ----                     | ----              | ----          | 3                | + | UNCH |   |  |                   |  |  |  |      |
| 4725                                    | 3.70           | 3.70         |                 | 3.80B/*2.50A       | 3.80B/*2.50A     | ----               |               |                 | 1.60                     | - 2.00  | .0147                  | ----          | 1                        | ----              | ----          | 2                | + | 1    |   |  |                   |  |  |  |      |
| 4750                                    | ----           | ----         |                 | ----/*1.20A        | 1.50B/*1.20A     | ----               |               |                 | 0.90                     | - 0.90  | .0080                  | ----          | ----                     | ----              | ----          | 2                | + | UNCH |   |  |                   |  |  |  |      |
| 4750                                    |                |              |                 |                    |                  |                    |               |                 |                          |         |                        |               |                          |                   |               |                  |   |      |   |  |                   |  |  |  |      |

PG64

BULLETIN #111@

METALS OPTION PRODUCTS

Thu, Jun 11, 2026

PG64

|         | GLOBEX<br>OPEN                      | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>CLOSE | RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |
|---------|-------------------------------------|--------------|-----------------|--------------------|------------------|-----------------|-------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|
| RWS THU | SILVER WEEKLY THURSDAY OPTION week3 |              |                 |                    |                  |                 |       |                          |       |               |                          |                   |               |                  |
| JUN26   |                                     |              |                 |                    |                  |                 |       |                          |       |               |                          |                   |               |                  |
| 5500    | 0.143                               | 0.143        |                 | #0.317B/0.143      | #0.317B/0.143    | ----            |       | 0.206 + 0.010            | .0554 | ----          | ----                     | 5                 | 125           | 130 UNCH         |
| 5700    | ----                                | ----         | ----            | ----               | 0.001B/0.034A    | ----            |       | 0.000 - 0.019            | ----  | ----          | ----                     | ----              | ----          | 0 - 1            |
| 5750    | ----                                | ----         | ----            | #0.678B/0.211A     | #0.678B/0.211A   | ----            |       | 0.368 + 0.016            | .1046 | ----          | ----                     | ----              | ----          | 3 UNCH           |
| 5900    | 0.120                               | 0.120        |                 | 0.120/*0.038A      | 0.120/*0.038A    | ----            |       | 0.000 - 0.048            | ----  | ----          | 1                        | ----              | ----          | 0 - 21           |
| 6000    | 0.100                               | 0.100        |                 | 0.270B/*0.001      | 0.270B/*0.001    | ----            |       | 0.000 - 0.079            | ----  | ----          | 3                        | 079               | ----          | 0 - 20           |
| 6000    | ----                                | ----         | ----            | #1.355B/0.357A     | #1.355B/0.357A   | ----            |       | 0.702 + 0.042            | .2002 | ----          | 1                        | 100               | 164 + 35      |                  |
| 6100    | 0.129                               | 0.129        |                 | #0.544B/*0.035A    | #0.544B/*0.035A  | ----            |       | 0.000 - 0.134            | ----  | ----          | 1                        | ----              | ----          | 0 - 21           |
| 6100    | ----                                | ----         | ----            | #1.749B/0.442A     | #1.749B/0.442A   | ----            |       | 0.917 NEW                | .2567 | ----          | 10                       | ----              | 2 + 2         |                  |
| 6150    | ----                                | ----         | ----            | #1.974B/*0.499A    | #1.974B/*0.499A  | ----            |       | 1.048 NEW                | .2891 | ----          | 2                        | ----              | 1 + 1         |                  |
| 6200    | 0.117                               | 0.117        |                 | #0.981B/*0.030A    | #0.981B/*0.030A  | ----            |       | 0.000 - 0.232            | ----  | ----          | 6                        | ----              | 0 - 21        |                  |
| 6200    | ----                                | ----         | ----            | #2.221B/0.564A     | #2.221B/0.564A   | ----            |       | 1.197 + 0.095            | .3243 | ----          | ----                     | ----              | 1 UNCH        |                  |
| 6250    | ----                                | ----         | ----            | #2.488B/0.640A     | #2.488B/0.640A   | ----            |       | 1.364 + 0.114            | .3619 | ----          | ----                     | ----              | 3 UNCH        |                  |
| 6280    | 1.255                               | 1.255        |                 | #1.255/*0.030A     | #1.255/*0.030A   | ----            |       | 0.000 NEW                | ----  | ----          | 1                        | ----              | 0 UNCH        |                  |
| 6290    | ----                                | ----         | ----            | #1.273B/*0.030A    | #1.273B/*0.030A  | ----            |       | 0.000 - 0.393            | ----  | ----          | ----                     | ----              | 0 - 2         |                  |
| 6300    | 0.450                               | 0.450        |                 | #1.345B/*0.001     | #1.345B/*0.001   | ----            |       | 0.000 - 0.416            | ----  | ----          | 13                       | ----              | 0 - 22        |                  |
| 6300    | ----                                | ----         | ----            | ----/*0.694A       | 1.677B/*0.694A   | ----            |       | 1.001 NEW                | ----  | 1             | 2                        | ----              | 0 UNCH        |                  |
| 6300    | ----                                | ----         | ----            | #2.685B/0.725A     | #2.685B/0.725A   | ----            |       | 1.552 + 0.137            | .4016 | ----          | 2                        | ----              | 2 + 1         |                  |
| 6320    | ----                                | ----         | ----            | #1.520B/*0.032A    | #1.520B/*0.032A  | ----            |       | 0.000 - 0.465            | ----  | ----          | ----                     | ----              | 0 - 2         |                  |
| 6350    | ----                                | ----         | ----            | #1.735B/*0.035A    | #1.735B/*0.035A  | ----            |       | 0.000 - 0.548            | ----  | ----          | ----                     | ----              | 0 - 1         |                  |
| 6350    | 2.105                               | 2.105        |                 | 4.485B/*1.664A     | 4.485B/*1.664A   | ----            |       | 2.262 NEW                | .5570 | ----          | 11                       | ----              | 11 + 11       |                  |
| 6360    | ----                                | ----         | ----            | #1.837B/*0.041A    | #1.837B/*0.041A  | ----            |       | 0.000 - 0.578            | ----  | ----          | ----                     | ----              | 0 - 2         |                  |
| 6370    | 0.215                               | 0.215        |                 | #1.920B/*0.037A    | #1.920B/*0.037A  | ----            |       | 0.000 - 0.609            | ----  | ----          | 1                        | ----              | 0 - 1         |                  |
| 6380    | 0.080                               | 0.080        |                 | #2.003B/*0.045A    | #2.003B/*0.045A  | ----            |       | 0.000 NEW                | ----  | ----          | 2                        | ----              | 0 UNCH        |                  |
| 6400    | 0.550                               | 0.550        |                 | 0.952B/*0.107A     | 0.952B/*0.107A   | ----            |       | 0.001 - 1.450            | ----  | 16            | 19                       | ----              | 0 - 2         |                  |
| 6400    | ----                                | ----         | ----            | 4.084B/*1.480A     | 4.084B/*1.480A   | ----            |       | 1.994 - 0.548            | .5146 | ----          | ----                     | ----              | 5 UNCH        |                  |
| 6400    | 1.085                               | 1.085        |                 | #2.178B/*0.058A    | #2.178B/*0.058A  | ----            |       | 0.000 - 0.711            | ----  | ----          | 10                       | ----              | 0 - 28        |                  |
| 6400    | 2.100                               | 2.100        |                 | #3.188B/0.936A     | #3.188B/0.936A   | ----            |       | 1.993 + 0.190            | .4853 | ----          | 15                       | 22 + 12           | 22 + 12       |                  |
| 6440    | ----                                | ----         | ----            | ----/*0.041A       | 0.777B/*0.041A   | ----            |       | 0.000 NEW                | ----  | ----          | 3                        | ----              | 0 UNCH        |                  |
| 6450    | 0.515                               | 0.515        |                 | 0.515/*0.039A      | 0.716B/*0.039A   | ----            |       | 0.000 - 1.151            | ----  | ----          | 4                        | ----              | 0 - 2         |                  |
| 6500    | 0.405                               | 0.405        |                 | 0.445B/*0.002      | 0.445B/*0.002    | ----            |       | 0.000 - 0.890            | ----  | ----          | 54                       | ----              | 0 - 9         |                  |
| 6500    | ----                                | ----         | ----            | #3.094B/0.471A     | #3.094B/0.471A   | ----            |       | 0.999 - 0.151            | ----  | 7             | ----                     | 0 - 7             |               |                  |
| 6510    | 0.076                               | 0.076        |                 | 0.076/*0.028A      | 0.403B/*0.028A   | ----            |       | 0.000 NEW                | ----  | ----          | 2                        | ----              | 0 UNCH        |                  |
| 6540    | ----                                | ----         | ----            | #3.483B/0.798A     | #3.483B/0.798A   | ----            |       | 1.399 + 0.028            | ----  | 5             | ----                     | ----              | 0 - 5         |                  |
| 6550    | 0.288                               | 0.288        |                 | 0.288/*0.028A      | 0.288/*0.028A    | ----            |       | 0.000 - 0.670            | ----  | ----          | 6                        | ----              | 0 - 3         |                  |
| 6580    | ----                                | ----         | ----            | ----/*0.028A       | 0.172B/*0.028A   | ----            |       | 0.000 - 0.557            | ----  | ----          | ----                     | ----              | 0 - 1         |                  |
| 6580    | ----                                | ----         | ----            | #3.878B/1.172A     | #3.878B/1.172A   | ----            |       | 1.799 + 0.182            | ----  | 5             | ----                     | ----              | 0 - 5         |                  |
| 6590    | ----                                | ----         | ----            | ----/*0.028A       | 0.146B/*0.028A   | ----            |       | 0.000 - 0.523            | ----  | ----          | ----                     | ----              | 0 UNCH        |                  |
| 6600    | 0.250                               | 0.250        |                 | 0.250/*0.010       | 0.250/*0.010     | ----            |       | 0.000 - 0.490            | ----  | ----          | 12                       | ----              | 0 - 8         |                  |
| 6600    | ----                                | ----         | ----            | #4.702B/1.562A     | #4.702B/1.562A   | ----            |       | 3.138 + 0.317            | .6532 | ----          | ----                     | ----              | 1 UNCH        |                  |
| 6600    | 2.110                               | 2.110        |                 | 2.664B/*0.926A     | 2.664B/*0.926A   | ----            |       | 1.141 - 0.421            | .3467 | ----          | 11                       | 27 + 1            | 27 + 1        |                  |
| 6620    | ----                                | ----         | ----            | ----/*0.028A       | 0.068B/*0.028A   | ----            |       | 0.000 - 0.429            | ----  | ----          | 2                        | ----              | 0 - 2         |                  |
| 6640    | ----                                | ----         | ----            | ----/*0.028A       | 0.036B/*0.028A   | ----            |       | 0.000 - 0.374            | ----  | ----          | ----                     | ----              | 0 - 3         |                  |
| 6650    | 1.837                               | 1.837        |                 | 2.438B/*0.831A     | 2.438B/*0.831A   | ----            |       | 0.981 NEW                | .3081 | ----          | 11                       | 10 + 10           | 10 + 10       |                  |
| 6650    | ----                                | ----         | ----            | ----/*0.027A       | 0.020B/*0.027A   | ----            |       | 0.000 - 0.349            | ----  | ----          | ----                     | ----              | 0 - 15        |                  |
| 6700    | ----                                | ----         | ----            | ----/*0.027A       | 0.001B/*0.027A   | ----            |       | 0.000 - 0.242            | ----  | ----          | 3                        | ----              | 0 - 9         |                  |
| 6700    | ----                                | ----         | ----            | 2.268B/*0.740A     | 2.268B/*0.740A   | ----            |       | 0.840 NEW                | .2719 | ----          | 2                        | ----              | 1 + 1         |                  |
| 6700    | ----                                | ----         | ----            | #5.088B/2.366A     | #5.088B/2.366A   | ----            |       | 2.999 + 0.498            | ----  | 8             | ----                     | ----              | 0 - 8         |                  |
| 6740    | ----                                | ----         | ----            | ----/*0.029A       | 0.001B/*0.029A   | ----            |       | 0.000 - 0.177            | ----  | ----          | ----                     | ----              | 0 - 1         |                  |
| 6750    | ----                                | ----         | ----            | ----/*0.028A       | 0.001B/*0.028A   | ----            |       | 0.000 - 0.163            | ----  | ----          | ----                     | ----              | 0 - 3         |                  |
| 6750    | ----                                | ----         | ----            | 2.019B/*0.650A     | 2.019B/*0.650A   | ----            |       | 0.718 - 0.321            | .2386 | ----          | ----                     | ----              | 2 UNCH        |                  |
| 6800    | 0.694                               | 0.694        |                 | 1.785B/*0.571A     | 1.785B/*0.571A   | ----            |       | 0.612 - 0.289            | .2081 | ----          | 23                       | 5 + 2             | 5 + 2         |                  |
| 6800    | ----                                | ----         | ----            | #6.094B/----       | #6.094B/3.431A   | ----            |       | 3.999 + 0.631            | ----  | 2             | ----                     | ----              | 0 - 2         |                  |
| 6800    | ----                                | ----         | ----            | #6.405B/2.509A     | #6.405B/2.509A   | ----            |       | 4.608 + 0.449            | .7918 | ----          | ----                     | 10 UNCH           | 10 UNCH       |                  |
| 6800    | ----                                | ----         | ----            | ----/*0.031A       | 0.001B/*0.031A   | ----            |       | 0.000 - 0.108            | ----  | ----          | 1                        | ----              | 0 - 46        |                  |
| 6810    | ----                                | ----         | ----            | ----/*0.031A       | 0.007B/*0.031A   | ----            |       | 0.000 - 0.100            | ----  | ----          | ----                     | ----              | 0 - 3         |                  |
| 6840    | ----                                | ----         | ----            | ----/*0.032A       | 0.001B/*0.032A   | ----            |       | 0.000 - 0.077            | ----  | ----          | 1                        | ----              | 0 - 1         |                  |
| 6850    | ----                                | ----         | ----            | #6.591B/----       | #6.591B/3.866A   | ----            |       | 4.499 + 0.668            | ----  | 1             | ----                     | ----              | 0 - 1         |                  |
| 6880    | 0.007                               | 0.007        |                 | 0.007/*0.007       | 0.007/*0.007     | ----            |       | 0.000 NEW                | ----  | ----          | 1                        | ----              | 0 UNCH        |                  |
| 6900    | ----                                | ----         | ----            | #7.099B/----       | #7.099B/4.366A   | ----            |       | 4.999 + 0.693            | ----  | 1             | ----                     | ----              | 0 - 1         |                  |
| 6900    | 0.419                               | 0.419        |                 | 1.364B/*0.419      | 1.364B/*0.419    | ----            |       | 0.443 - 0.232            | .1562 | ----          | 5                        | 5 + 4             | 5 + 4         |                  |
| 6900    | ----                                | ----         | ----            | ----/*0.043A       | ----/*0.043A     | ----            |       | 0.000 - 0.046            | ----  | ----          | ----                     | ----              | 0 - 4         |                  |
| 6920    | 0.060                               | 0.060        |                 | #0.060/*0.012A     | 0.060/*0.012A    | ----            |       | 0.000 NEW                | ----  | ----          | 1                        | ----              | 0 UNCH        |                  |
| 6940    | ----                                | ----         | ----            | ----/*0.057A       | ----/*0.057A     | ----            |       | 0.000 - 0.033            | ----  | ----          | ----                     | ----              | 0 - 3         |                  |
| 6950    | ----                                | ----         | ----            | #7.603B/----       | #7.603B/4.866A   | ----            |       | 5.499 + 0.709            | ----  | 1             | ----                     | ----              | 0 - 1         |                  |
| 6950    | ----                                | ----         | ----            | ----/*0.058A       | ----/*0.058A     | ----            |       | 0.000 - 0.030            | ----  | ----          | ----                     | ----              | 0 - 1         |                  |
| 6960    | ----                                | ----         | ----            | ----/*0.061A       | ----/*0.061A     | ----            |       | 0.000 - 0.028            | ----  | ----          | ----                     | ----              | 0 - 1         |                  |
| 7000    | ----                                | ----         | ----            | ----/0.081A        | ----/0.081A      | ----            |       | 0.000 - 0.020            | ----  | ----          | ----                     | ----              | 0 - 15        |                  |
| 7000    | 0.500                               | 0.500        |                 | 1.035B/*0.336A     | 1.035B/*0.336A   | ----            |       | 0.321 - 0.183            | .1158 | ----          | 30                       | 36 + 23           | 36 + 23       |                  |
| 7000    | ----                                | ----         | ----            | #8.265B/3.910A     | #8.265B/3.910A   | ----            |       | 6.316 + 0.556            | .8841 | ----          | ----                     | ----              | 1 UNCH        |                  |
| 7020    | ----                                | ----         | ----            | ----/0.092A        | ----/0.092A      | ----            |       | 0.000 - 0.016            | ----  | ----          | ----                     | ----              | 0 - 1         |                  |
| 7030    | ----                                | ----         | ----            | ----/0.091A        | ----/0.091A      | ----            |       | 0.000 - 0.015            | ----  | ----          | ----                     | ----              | 0 - 1         |                  |
| 7040    | ----                                | ----         | ----            | ----</             |                  |                 |       |                          |       |               |                          |                   |               |                  |

| BULLETIN #111@ |                                   |                           |                    | METALS OPTION PRODUCTS  |                            |                          |       |               |                          | Thu, Jun 11, 2026 |               |                  |   | PG64 |      |
|----------------|-----------------------------------|---------------------------|--------------------|-------------------------|----------------------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|---|------|------|
|                | GLOBEX<br>OPEN                    | OPEN OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN OUTCRY<br>HIGH/LOW | OPEN OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |   |      |      |
| SMW MON        | SILVER WEEKLY MONDAY OPTION WEEK3 |                           |                    |                         |                            |                          |       |               |                          |                   |               |                  |   |      |      |
| JUN26          |                                   |                           |                    |                         |                            |                          |       |               |                          |                   |               |                  |   |      |      |
| 6500           | ----                              | ----                      | 2. 823B/*0. 714A   | 2. 823B/*0. 714A        | ----                       | 0. 842                   | NEW   | .3722         | ----                     | ----              | 2             | ----             | 1 | +    | 1    |
| 6600           | 0.525                             | 0.525                     | 2. 073B/*0. 516A   | 2. 073B/*0. 516A        | ----                       | 0. 543                   | NEW   | .2546         | ----                     | ----              | 1             | ----             | 1 | +    | 1    |
| 6600           | ----                              | ----                      | #4. 658B/1. 822A   | #4. 658B/1. 822A        | ----                       | 3. 362                   | +     | 0. 308        | .6306                    | ----              | ----          | 15               | + | UNCH |      |
| 6600           | ----                              | ----                      | #4. 332B/0. 964A   | #4. 332B/0. 964A        | ----                       | 2. 542                   | +     | 0. 261        | .7453                    | ----              | ----          | 1                | + | UNCH |      |
| 6640           | 1.503                             | 1.503                     | #1. 804B/*0. 441A  | #1. 804B/*0. 441A       | ----                       | 0. 451                   | NEW   | .2149         | ----                     | 1                 | ----          | 1                | + | 1    |      |
| 6700           | ----                              | ----                      | #5. 237B/1. 355A   | #5. 237B/1. 355A        | ----                       | 3. 336                   | +     | 0. 381        | .8363                    | ----              | ----          | 5                | + | UNCH |      |
| 6700           | 1.215                             | 1.215                     | 1. 630B/*0. 352A   | 1. 630B/*0. 352A        | ----                       | 0. 338                   | -     | 0. 358        | .1636                    | ----              | 7             | ----             | 5 | +    | 2    |
| 6750           | 0.280                             | 0.280                     | 1. 520/*0. 278     | 1. 520/*0. 278          | ----                       | 0. 265                   | NEW   | .1288         | ----                     | 24                | ----          | 15               | + | 15   |      |
| 6750           | ----                              | ----                      | #5. 705B/1. 595A   | #5. 705B/1. 595A        | ----                       | 3. 762                   | +     | 0. 434        | .8711                    | ----              | ----          | 10               | + | UNCH |      |
| 6760           | 1.557                             | 1.557                     | #5. 810B/*1. 557   | #5. 810B/1. 557         | ----                       | 3. 850                   | NEW   | .8773         | ----                     | 5                 | ----          | 5                | + | 5    |      |
| 6760           | 0.262                             | 0.262                     | #1. 323B/*0. 262   | 1. 323B/*0. 262         | ----                       | 0. 252                   | NEW   | .1226         | ----                     | 2                 | ----          | 1                | + | 1    |      |
| 6780           | ----                              | ----                      | #1. 225B/*0. 253A  | 1. 225B/*0. 253A        | ----                       | 0. 229                   | -     | 0. 275        | .1112                    | ----              | ----          | 1                | + | UNCH |      |
| 6800           | ----                              | ----                      | #6. 350B/2. 780A   | #6. 350B/2. 780A        | ----                       | 4. 793                   | +     | 0. 423        | .7572                    | ----              | ----          | 1                | + | UNCH |      |
| 6800           | ----                              | ----                      | #6. 175B/1. 867A   | #6. 175B/1. 867A        | ----                       | 4. 206                   | +     | 0. 484        | .8991                    | ----              | ----          | 1                | + | UNCH |      |
| 6800           | ----                              | ----                      | 1. 137B/*0. 234A   | 1. 137B/*0. 234A        | ----                       | 0. 208                   | NEW   | .1008         | ----                     | 7                 | ----          | 7                | + | 7    |      |
| 6840           | 0.240                             | 0.240                     | #0. 946B/*0. 199A  | 0. 946B/*0. 199A        | ----                       | 0. 172                   | NEW   | .0827         | ----                     | 2                 | ----          | 0                | + | UNCH |      |
| 6850           | ----                              | ----                      | 1. 806B/*0. 689A   | 1. 806B/*0. 689A        | ----                       | 0. 696                   | -     | 0. 288        | .2164                    | ----              | ----          | 0                | + | UNCH |      |
| 6850           | 0.568                             | 0.568                     | 0. 908B/*0. 192A   | 0. 908B/*0. 192A        | ----                       | 0. 165                   | NEW   | .0790         | ----                     | 3                 | ----          | 3                | + | 3    |      |
| 6900           | ----                              | ----                      | 0. 739B/*0. 158A   | 0. 739B/*0. 158A        | ----                       | 0. 132                   | -     | 0. 173        | .0620                    | ----              | ----          | 2                | + | UNCH |      |
| 6900           | ----                              | ----                      | #7. 156B/2. 634A   | #7. 156B/2. 634A        | ----                       | 5. 129                   | +     | 0. 566        | .9379                    | ----              | ----          | 5                | + | UNCH |      |
| 6980           | 0.110                             | 0.110                     | #0. 538B/*0. 110   | 0. 538B/*0. 110         | ----                       | 0. 095                   | NEW   | .0428         | ----                     | 5                 | ----          | 5                | + | 5    |      |
| 6990           | 0.290                             | 0.290                     | #0. 515B/*0. 121A  | 0. 515B/*0. 121A        | ----                       | 0. 091                   | NEW   | .0408         | ----                     | 2                 | ----          | 1                | + | 1    |      |
| 7000           | 6.150                             | 6.150                     | #8. 191B/4. 178A   | #8. 191B/4. 178A        | ----                       | 6. 455                   | +     | 0. 522        | .8486                    | ----              | 8             | ----             | 0 | -    | 8    |
| 7000           | ----                              | ----                      | #8. 128B/3. 362A   | #8. 128B/3. 362A        | ----                       | 6. 085                   | +     | 0. 627        | .9607                    | ----              | ----          | 1                | + | UNCH |      |
| 7000           | 0.095                             | 0.095                     | 0. 494B/*0. 095    | 0. 494B/*0. 095         | ----                       | 0. 088                   | -     | 0. 112        | .0392                    | ----              | 8             | ----             | 7 | +    | 6    |
| 7000           | 1.512                             | 1.512                     | #1. 900B/*1. 008A  | 1. 900B/*1. 008A        | ----                       | 0. 954                   | -     | 0. 247        | .2351                    | ----              | 2             | ----             | 3 | +    | 2    |
| 7050           | ----                              | ----                      | #8. 625B/3. 757A   | #8. 625B/3. 757A        | ----                       | 6. 570                   | +     | 0. 650        | .9684                    | ----              | ----          | 10               | + | UNCH |      |
| 7070           | 0.070                             | 0.070                     | #0. 369B/*0. 070   | 0. 369B/*0. 070         | ----                       | 0. 068                   | NEW   | .0289         | ----                     | 3                 | ----          | 3                | + | 3    |      |
| 7100           | 0.420                             | 0.420                     | 0. 420/*0. 089A    | 0. 420/*0. 089A         | ----                       | 0. 062                   | -     | 0. 071        | .0258                    | ----              | 3             | ----             | 2 | +    | UNCH |
| 7190           | ----                              | ----                      | #10. 023B/*4. 945  | #10. 023B/4. 945A       | ----                       | 7. 944                   | +     | 0. 693        | .9816                    | ----              | ----          | 1                | + | UNCH |      |
| 7200           | ----                              | ----                      | 0. 773B/*0. 320A   | 0. 773B/*0. 320A        | ----                       | 0. 273                   | +     | 0. 145        | .0928                    | ----              | ----          | 1                | + | UNCH |      |
| 7200           | ----                              | ----                      | #10. 113B/5. 671A  | #10. 113B/5. 671A       | ----                       | 8. 265                   | +     | 0. 595        | .9071                    | ----              | ----          | 5                | + | UNCH |      |
| 7200           | ----                              | ----                      | 0. 208B/*0. 072A   | 0. 208B/*0. 072A        | ----                       | 0. 046                   | -     | 0. 044        | .0178                    | ----              | ----          | 5                | + | UNCH |      |
| 7250           | ----                              | ----                      | 0. 688B/*0. 291A   | 0. 688B/*0. 291A        | ----                       | 0. 242                   | -     | 0. 130        | .0825                    | ----              | ----          | 6                | + | UNCH |      |
| 7400           | ----                              | ----                      | #12. 074B/7. 351A  | #12. 074B/7. 351A       | ----                       | 10. 161                  | +     | 0. 644        | .9418                    | ----              | ----          | 1                | + | UNCH |      |
| 7400           | 0.085                             | 0.085                     | 0. 089B/0. 085     | 0. 089B/*0. 049A        | ----                       | 0. 029                   | -     | 0. 016        | .0097                    | ----              | 1             | ----             | 3 | +    | UNCH |
| 7500           | ----                              | ----                      | 0. 047B/----       | 0. 047B/*0. 042A        | ----                       | 0. 020                   | -     | 0. 013        | .0062                    | ----              | ----          | 1                | + | UNCH |      |
| 7650           | ----                              | ----                      | ----               | 0. 016B/*0. 037A        | ----                       | 0. 012                   | -     | 0. 008        | .0034                    | ----              | ----          | 10               | + | UNCH |      |
| 7650           | ----                              | ----                      | 0. 284B/*0. 141A   | 0. 284B/*0. 141A        | ----                       | 0. 102                   | -     | 0. 061        | .0342                    | ----              | ----          | 16               | + | UNCH |      |
| 8000           | ----                              | ----                      | 0. 140B/*0. 093A   | 0. 140B/*0. 093A        | ----                       | 0. 059                   | -     | 0. 037        | .0186                    | ----              | ----          | 13               | + | UNCH |      |
| 8000           | 0.008                             | 0.008                     | 0. 009/*0. 008     | 0. 009/*0. 008          | ----                       | 0. 003                   | -     | 0. 003        | .0006                    | ----              | 3             | ----             | 1 | -    | 3    |
| 8050           | ----                              | ----                      | 0. 128B/*0. 089A   | 0. 128B/*0. 089A        | ----                       | 0. 055                   | -     | 0. 035        | .0172                    | ----              | ----          | 6                | + | UNCH |      |
| 8050           | ----                              | ----                      | ----               | ----/-0. 052A           | ----                       | 0. 003                   | -     | 0. 003        | .0006                    | ----              | ----          | 1                | + | UNCH |      |
| 8250           | ----                              | ----                      | 0. 092B/----       | 0. 092B/*0. 077A        | ----                       | 0. 044                   | -     | 0. 029        | .0132                    | ----              | ----          | 31               | + | UNCH |      |
| 8350           | ----                              | ----                      | 0. 079B/*0. 040A   | 0. 079B/*0. 040A        | ----                       | 0. 040                   | -     | 0. 027        | .0117                    | ----              | ----          | 24               | + | UNCH |      |
| 8400           | ----                              | ----                      | 0. 072B/----       | 0. 072B/0. 071A         | ----                       | 0. 038                   | -     | 0. 026        | .0110                    | ----              | ----          | 2                | + | UNCH |      |
| 8500           | ----                              | ----                      | ----/*17. 785A     | 17. 773B/17. 785A       | ----                       | 21. 022                  | +     | 0. 717        | .9897                    | ----              | ----          | 1                | + | UNCH |      |
| 8500           | ----                              | ----                      | ----               | ----/-0. 094A           | ----                       | 0. 001                   | -     | 0. 001        | .0000                    | ----              | ----          | 14               | + | UNCH |      |
| 8700           | 0.029                             | 0.029                     | 0. 045B/*0. 029    | 0. 045B/*0. 029         | ----                       | 0. 031                   | -     | 0. 022        | .0084                    | ----              | 1             | ----             | 0 | -    | 1    |
| 8800           | ----                              | ----                      | ----/20. 746A      | 20. 756B/20. 746A       | ----                       | 24. 015                  | +     | 0. 721        | .9922                    | ----              | ----          | 1                | + | UNCH |      |
| 9200           | 0.009                             | 0.009                     | 0. 010/*0. 009     | 0. 010/*0. 009          | ----                       | 0. 001                   | UNCH  | ----          | ----                     | 5                 | ----          | 5                | + | UNCH |      |
| TOTAL          |                                   |                           |                    |                         |                            |                          |       |               |                          | 112               | 0             | 311              | + | 57   |      |
| SO CALL        | COMEX SILVER OPTIONS              |                           |                    |                         |                            |                          |       |               |                          |                   |               |                  |   |      |      |
| JUL26          |                                   |                           |                    |                         |                            |                          |       |               |                          |                   |               |                  |   |      |      |
| 2700           | ----                              | ----                      | ----               | ----                    | ----                       | 37. 001                  | -     | 0. 739        | .9997                    | ----              | ----          | 1                | + | UNCH |      |
| 4000           | ----                              | ----                      | ----               | ----                    | ----                       | 24. 025                  | -     | 0. 730        | .9929                    | ----              | 2             | ----             | 0 | -    | 2    |
| 4500           | ----                              | ----                      | ----/-18. 606A     | 18. 763B/18. 606A       | ----                       | 19. 068                  | -     | 0. 725        | .9839                    | ----              | ----          | 3                | + | UNCH |      |
| 4600           | ----                              | ----                      | 19. 947B/15. 940A  | 19. 947B/15. 940A       | ----                       | 18. 081                  | -     | 0. 724        | .9810                    | ----              | ----          | 2                | + | UNCH |      |
| 4825           | ----                              | ----                      | 17. 920B/13. 779A  | 17. 920B/13. 779A       | ----                       | 15. 870                  | -     | 0. 721        | .9720                    | ----              | ----          | 3                | + | UNCH |      |
| 4900           | ----                              | ----                      | 17. 644B/13. 068A  | 17. 644B/13. 068A       | ----                       | 15. 137                  | -     | 0. 720        | .9682                    | ----              | ----          | 1                | + | UNCH |      |
| 4925           | ----                              | ----                      | 17. 398B/12. 832A  | 17. 398B/12. 832A       | ----                       | 14. 894                  | -     | 0. 719        | .9667                    | ----              | ----          | 16               | + | UNCH |      |
| 5000           | ----                              | ----                      | 17. 342B/12. 122A  | 17. 342B/12. 122A       | ----                       | 14. 164                  | -     | 0. 718        | .9618                    | ----              | ----          | 306              | + | UNCH |      |
| 5025           | ----                              | ----                      | 17. 101B/11. 888A  | 17. 101B/11. 888A       | ----                       | 13. 922                  | -     | 0. 718        | .9601                    | ----              | ----          | 4                | + | UNCH |      |
| 5050           | ----                              | ----                      | 16. 953B/11. 661A  | 16. 953B/11. 661A       | ----                       | 13. 680                  | -     | 0. 717        | .9583                    | ----              | ----          | 2                | + | UNCH |      |
| 5100           | ----                              | ----                      | 16. 480B/11. 192A  | 16. 480B/11. 192A       | ----                       | 13. 197                  | -     | 0. 716        | .9544                    | ----              | ----          | 5                | + | UNCH |      |
| 5150           | ----                              | ----                      | 15. 985B/10. 738A  | 15. 985B/10. 738A       | ----                       | 12. 716                  | -     | 0. 715        | .9499                    | ----              | ----          | 6                | + | UNCH |      |
| 5200           | ----                              | ----                      | 15. 519B/10. 282A  | 15. 519B/10. 282A       | ----                       | 12. 237                  | -     | 0. 713        | .9449                    | ----              | ----          | 40               | + | UNCH |      |
| 5225           | ----                              | ----                      | 15. 250B/10. 056A  | 15. 250B/10. 056A       | ----                       | 11. 998                  | -     | 0. 713        | .9423                    | ----              | ----          | 9                | + | UNCH |      |
| 5250           | ----                              | ----                      | 15. 010B/9. 831A   | 15. 010B/9. 831A        | ----                       | 11. 760                  | -     |               |                          |                   |               |                  |   |      |      |



| BULLETIN #111@ |                      |                           |                    | METALS OPTION PRODUCTS  |                            |                          |   |       |               |                          |                   |               |      | Thu, Jun 11, 2026 |      |  | PG64 |
|----------------|----------------------|---------------------------|--------------------|-------------------------|----------------------------|--------------------------|---|-------|---------------|--------------------------|-------------------|---------------|------|-------------------|------|--|------|
|                | GLOBEX<br>OPEN       | OPEN OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN OUTCRY<br>HIGH/LOW | OPEN OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. |   | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME |      | OPEN<br>INTEREST  |      |  |      |
| SO CALL        | COMEX SILVER OPTIONS |                           |                    |                         |                            |                          |   |       |               |                          |                   |               |      |                   |      |  |      |
| JUL26          |                      |                           |                    |                         |                            |                          |   |       |               |                          |                   |               |      |                   |      |  |      |
| 7300           | 0.369                | 0.369                     | 0.993B/*0.302A     | 0.993B/*0.302A          | ----                       | 0.345                    | - | 0.117 | .1033         | ----                     | 60                | ----          | 111  | +                 | 7    |  |      |
| 7325           | 0.560                | 0.560                     | 0.946B/*0.288A     | 0.946B/*0.288A          | ----                       | 0.327                    | - | 0.111 | .0982         | ----                     | 8                 | ----          | 116  | -                 | 7    |  |      |
| 7350           | 0.380                | 0.380                     | 0.894B/*0.278A     | 0.894B/*0.278A          | ----                       | 0.310                    | - | 0.106 | .0934         | ----                     | 5                 | ----          | 12   | -                 | 4    |  |      |
| 7375           | 0.485                | 0.485                     | 0.875/*0.262A      | 0.875/*0.262A           | ----                       | 0.294                    | - | 0.101 | .0888         | ----                     | 8                 | ----          | 17   | -                 | 3    |  |      |
| 7400           | 0.280                | 0.280                     | 0.825B/*0.253A     | 0.825B/*0.253A          | ----                       | 0.279                    | - | 0.096 | .0845         | ----                     | 33                | ----          | 67   | +                 | 8    |  |      |
| 7425           | ----                 | ----                      | 0.777B/*0.243A     | 0.777B/*0.243A          | ----                       | 0.265                    | - | 0.091 | .0804         | ----                     | ----              | ----          | 13   | ----              | UNCH |  |      |
| 7450           | 0.742                | 0.742                     | 0.756B/*0.232A     | 0.756B/*0.232A          | ----                       | 0.252                    | - | 0.086 | .0766         | ----                     | 4                 | ----          | 88   | -                 | 1    |  |      |
| 7475           | 0.549                | 0.549                     | 0.720B/*0.221A     | 0.720B/*0.221A          | ----                       | 0.240                    | - | 0.082 | .0730         | ----                     | 10                | ----          | 78   | ----              | UNCH |  |      |
| 7500           | 0.207                | 0.207                     | 0.700/*0.185       | 0.700/*0.185            | ----                       | 0.228                    | - | 0.078 | .0695         | ----                     | 160               | ----          | 531  | +                 | 25   |  |      |
| 7525           | ----                 | ----                      | 0.649B/*0.203A     | 0.649B/*0.203A          | ----                       | 0.218                    | - | 0.073 | .0664         | ----                     | ----              | ----          | 8    | ----              | UNCH |  |      |
| 7550           | 0.620                | 0.620                     | 0.635B/*0.194A     | 0.635B/*0.194A          | ----                       | 0.207                    | - | 0.071 | .0632         | ----                     | 2                 | ----          | 58   | ----              | UNCH |  |      |
| 7575           | ----                 | ----                      | 0.585B/*0.186A     | 0.585B/*0.186A          | ----                       | 0.198                    | - | 0.067 | .0604         | ----                     | ----              | ----          | 56   | ----              | UNCH |  |      |
| 7600           | 0.200                | 0.200                     | 0.572B/*0.178A     | 0.572B/*0.178A          | ----                       | 0.189                    | - | 0.063 | .0577         | ----                     | 6                 | ----          | 182  | ----              | UNCH |  |      |
| 7625           | 0.299                | 0.299                     | 0.548B/*0.170A     | 0.548B/*0.170A          | ----                       | 0.181                    | - | 0.060 | .0552         | ----                     | 1                 | ----          | 19   | +                 | 1    |  |      |
| 7650           | 0.174                | 0.174                     | 0.526B/*0.164A     | 0.526B/*0.164A          | ----                       | 0.173                    | - | 0.057 | .0527         | ----                     | 4                 | ----          | 36   | +                 | 1    |  |      |
| 7675           | ----                 | ----                      | 0.507B/*0.157A     | 0.507B/*0.157A          | ----                       | 0.165                    | - | 0.055 | .0503         | ----                     | ----              | ----          | 20   | ----              | UNCH |  |      |
| 7700           | 0.200                | 0.200                     | 0.489B/*0.152A     | 0.489B/*0.152A          | ----                       | 0.159                    | - | 0.051 | .0483         | ----                     | 11                | ----          | 383  | +                 | 5    |  |      |
| 7725           | 0.160                | 0.160                     | 0.470B/*0.146A     | 0.470B/*0.146A          | ----                       | 0.152                    | - | 0.049 | .0462         | ----                     | 5                 | ----          | 16   | +                 | 2    |  |      |
| 7750           | 0.156                | 0.156                     | 0.452B/*0.140A     | 0.452B/*0.140A          | ----                       | 0.146                    | - | 0.046 | .0443         | ----                     | 10                | ----          | 147  | -                 | 3    |  |      |
| 7775           | ----                 | ----                      | 0.436B/*0.135A     | 0.436B/*0.135A          | ----                       | 0.140                    | - | 0.044 | .0424         | ----                     | ----              | ----          | 10   | ----              | UNCH |  |      |
| 7800           | 0.142                | 0.142                     | 0.420B/*0.130A     | 0.420B/*0.130A          | ----                       | 0.135                    | - | 0.041 | .0408         | ----                     | 9                 | ----          | 314  | -                 | 1    |  |      |
| 7825           | ----                 | ----                      | 0.406B/*0.126A     | 0.406B/*0.126A          | ----                       | 0.130                    | - | 0.039 | .0392         | ----                     | ----              | ----          | 3    | ----              | UNCH |  |      |
| 7850           | 0.234                | 0.234                     | 0.394B/*0.122A     | 0.394B/*0.122A          | ----                       | 0.125                    | - | 0.037 | .0376         | ----                     | 2                 | ----          | 52   | -                 | 1    |  |      |
| 7875           | ----                 | ----                      | 0.378B/*0.118A     | 0.378B/*0.118A          | ----                       | 0.120                    | - | 0.036 | .0361         | ----                     | ----              | ----          | 13   | ----              | UNCH |  |      |
| 7900           | 0.140                | 0.140                     | 0.364B/*0.117      | 0.364B/*0.117           | ----                       | 0.116                    | - | 0.034 | .0348         | ----                     | 11                | ----          | 117  | -                 | 7    |  |      |
| 7925           | 0.115                | 0.115                     | 0.353B/*0.113A     | 0.353B/*0.113A          | ----                       | 0.112                    | - | 0.032 | .0335         | ----                     | 1                 | ----          | 6    | ----              | UNCH |  |      |
| 7950           | 0.131                | 0.131                     | 0.341B/*0.109A     | 0.341B/*0.109A          | ----                       | 0.108                    | - | 0.031 | .0322         | ----                     | 1                 | ----          | 20   | +                 | 1    |  |      |
| 7975           | 0.116                | 0.116                     | 0.330B/*0.105A     | 0.330B/*0.105A          | ----                       | 0.105                    | - | 0.029 | .0312         | ----                     | 3                 | ----          | 6    | +                 | 3    |  |      |
| 8000           | 0.086                | 0.086                     | 0.350/*0.086       | 0.350/*0.086            | ----                       | 0.101                    | - | 0.028 | .0299         | ----                     | 93                | ----          | 892  | +                 | 4    |  |      |
| 8025           | ----                 | ----                      | 0.302B/*0.095A     | 0.302B/*0.095A          | ----                       | 0.098                    | - | 0.027 | .0290         | ----                     | ----              | ----          | 19   | ----              | UNCH |  |      |
| 8050           | ----                 | ----                      | 0.298B/*0.091A     | 0.298B/*0.091A          | ----                       | 0.095                    | - | 0.026 | .0280         | ----                     | ----              | ----          | 30   | ----              | UNCH |  |      |
| 8075           | ----                 | ----                      | 0.291B/*0.088A     | 0.291B/*0.088A          | ----                       | 0.092                    | - | 0.025 | .0270         | ----                     | ----              | ----          | 11   | ----              | UNCH |  |      |
| 8100           | ----                 | ----                      | 0.286B/*0.083A     | 0.286B/*0.083A          | ----                       | 0.089                    | - | 0.024 | .0261         | ----                     | ----              | ----          | 156  | ----              | UNCH |  |      |
| 8125           | ----                 | ----                      | 0.280B/*0.079A     | 0.280B/*0.079A          | ----                       | 0.087                    | - | 0.022 | .0253         | ----                     | ----              | ----          | 2    | ----              | UNCH |  |      |
| 8150           | ----                 | ----                      | 0.272B/*0.076A     | 0.272B/*0.076A          | ----                       | 0.084                    | - | 0.022 | .0244         | ----                     | ----              | ----          | 23   | ----              | UNCH |  |      |
| 8175           | ----                 | ----                      | 0.264B/*0.073A     | 0.264B/*0.073A          | ----                       | 0.082                    | - | 0.021 | .0237         | ----                     | ----              | ----          | 6    | ----              | UNCH |  |      |
| 8200           | 0.100                | 0.100                     | 0.259B/0.071A      | 0.259B/0.071A           | ----                       | 0.080                    | - | 0.020 | .0231         | ----                     | 1                 | ----          | 209  | -                 | 1    |  |      |
| 8225           | 0.085                | 0.085                     | 0.255B/*0.069A     | 0.255B/*0.069A          | ----                       | 0.078                    | - | 0.020 | .0224         | ----                     | 3                 | ----          | 7    | +                 | 1    |  |      |
| 8250           | ----                 | ----                      | 0.247B/*0.067A     | 0.247B/*0.067A          | ----                       | 0.076                    | - | 0.019 | .0217         | ----                     | ----              | ----          | 157  | ----              | UNCH |  |      |
| 8275           | 0.122                | 0.122                     | 0.247B/*0.064A     | 0.247B/*0.064A          | ----                       | 0.074                    | - | 0.019 | .0211         | ----                     | 2                 | ----          | 8    | ----              | UNCH |  |      |
| 8300           | 0.118                | 0.118                     | 0.241B/*0.063A     | 0.241B/*0.063A          | ----                       | 0.072                    | - | 0.019 | .0204         | ----                     | 1                 | ----          | 524  | -                 | 1    |  |      |
| 8325           | 0.078                | 0.078                     | 0.234B/*0.061A     | 0.234B/*0.061A          | ----                       | 0.071                    | - | 0.018 | .0200         | ----                     | 3                 | ----          | 15   | ----              | UNCH |  |      |
| 8350           | 0.077                | 0.077                     | 0.216B/*0.062A     | 0.216B/*0.062A          | ----                       | 0.069                    | - | 0.018 | .0194         | ----                     | 1                 | ----          | 19   | ----              | UNCH |  |      |
| 8375           | ----                 | ----                      | 0.225B/*0.062A     | 0.225B/*0.062A          | ----                       | 0.067                    | - | 0.018 | .0188         | ----                     | ----              | ----          | 55   | ----              | UNCH |  |      |
| 8400           | ----                 | ----                      | 0.221B/*0.059A     | 0.221B/*0.059A          | ----                       | 0.066                    | - | 0.017 | .0184         | ----                     | ----              | ----          | 151  | ----              | UNCH |  |      |
| 8425           | ----                 | ----                      | 0.216B/*0.057A     | 0.216B/*0.057A          | ----                       | 0.064                    | - | 0.017 | .0178         | ----                     | ----              | ----          | 45   | ----              | UNCH |  |      |
| 8450           | ----                 | ----                      | 0.211B/*0.055A     | 0.211B/*0.055A          | ----                       | 0.063                    | - | 0.016 | .0174         | ----                     | ----              | ----          | 35   | ----              | UNCH |  |      |
| 8475           | ----                 | ----                      | 0.210B/*0.055A     | 0.210B/*0.055A          | ----                       | 0.062                    | - | 0.015 | .0171         | ----                     | ----              | ----          | 6    | ----              | UNCH |  |      |
| 8500           | 0.061                | 0.061                     | 0.219/*0.050A      | 0.219/*0.050A           | ----                       | 0.060                    | - | 0.016 | .0165         | ----                     | 6                 | ----          | 1113 | -                 | 2    |  |      |
| 8525           | ----                 | ----                      | 0.202B/*0.049A     | 0.202B/*0.049A          | ----                       | 0.059                    | - | 0.015 | .0161         | ----                     | ----              | ----          | 41   | ----              | UNCH |  |      |
| 8550           | ----                 | ----                      | 0.199B/*0.056A     | 0.199B/*0.056A          | ----                       | 0.058                    | - | 0.014 | .0158         | ----                     | ----              | ----          | 194  | ----              | UNCH |  |      |
| 8575           | 0.086                | 0.086                     | 0.201B/*0.048A     | 0.201B/*0.048A          | ----                       | 0.056                    | - | 0.014 | .0152         | ----                     | 1                 | ----          | 9    | +                 | 1    |  |      |
| 8600           | 0.065                | 0.065                     | 0.190B/*0.047A     | 0.190B/*0.047A          | ----                       | 0.055                    | - | 0.014 | .0149         | ----                     | 13                | ----          | 444  | -                 | 3    |  |      |
| 8625           | 0.051                | 0.051                     | 0.194B/*0.047A     | 0.194B/*0.047A          | ----                       | 0.054                    | - | 0.013 | .0145         | ----                     | 10                | ----          | 14   | -                 | 1    |  |      |
| 8650           | ----                 | ----                      | 0.184B/*0.047A     | 0.184B/*0.047A          | ----                       | 0.053                    | - | 0.012 | .0142         | ----                     | ----              | ----          | 44   | ----              | UNCH |  |      |
| 8675           | 0.079                | 0.079                     | 0.189B/*0.045A     | 0.189B/*0.045A          | ----                       | 0.052                    | - | 0.012 | .0139         | ----                     | 1                 | ----          | 24   | +                 | 1    |  |      |
| 8700           | 0.060                | 0.060                     | 0.177B/*0.043A     | 0.177B/*0.043A          | ----                       | 0.051                    | - | 0.011 | .0136         | ----                     | 1                 | ----          | 239  | -                 | 1    |  |      |
| 8725           | ----                 | ----                      | 0.180B/*0.041A     | 0.180B/*0.041A          | ----                       | 0.050                    | - | 0.011 | .0132         | ----                     | ----              | ----          | 5    | ----              | UNCH |  |      |
| 8750           | ----                 | ----                      | 0.180B/----        | 0.180B/0.060A           | ----                       | 0.049                    | - | 0.010 | .0129         | ----                     | ----              | ----          | 107  | ----              | UNCH |  |      |
| 8775           | ----                 | ----                      | 0.176B/----        | 0.176B/0.060A           | ----                       | 0.048                    | - | 0.010 | .0126         | ----                     | ----              | ----          | 15   | ----              | UNCH |  |      |
| 8800           | 0.075                | 0.075                     | 0.185/0.058A       | 0.185/0.058A            | ----                       | 0.047                    | - | 0.010 | .0123         | ----                     | 607               | ----          | 705  | +                 | 445  |  |      |
| 8825           | ----                 | ----                      | 0.142B/----        | 0.142B/0.058A           | ----                       | 0.046                    | - | 0.009 | .0120         | ----                     | ----              | ----          | 3    | ----              | UNCH |  |      |
| 8850           | 0.041                | 0.041                     | 0.140B/*0.037A     | 0.140B/*0.037A          | ----                       | 0.045                    | - | 0.009 | .0117         | ----                     | 2                 | ----          | 12   | -                 | 1    |  |      |
| 8875           | ----                 | ----                      | 0.170B/----        | 0.170B/0.057A           | ----                       | 0.044                    | - | 0.009 | .0114         | ----                     | ----              | ----          | 13   | ----              | UNCH |  |      |
| 8900           | 0.040                | 0.040                     | 0.135B/*0.034A     | 0.135B/*0.034A          | ----                       | 0.043                    | - | 0.009 | .0111         | ----                     | 3                 | ----          | 151  | ----              | UNCH |  |      |
| 8925           | ----                 | ----                      | 0.167B/----        | 0.167B/0.055A           | ----                       | 0.043                    | - | 0.008 | .0110         | ----                     | ----              | ----          | 13   | ----              | UNCH |  |      |
| 8950           |                      |                           |                    |                         |                            |                          |   |       |               |                          |                   |               |      |                   |      |  |      |

|         | BULLETIN #111@       |                           |                    |                         | METALS OPTION PRODUCTS     |                          |             |               | Thu, Jun 11, 2026        |                   |               |                  | PG64 |
|---------|----------------------|---------------------------|--------------------|-------------------------|----------------------------|--------------------------|-------------|---------------|--------------------------|-------------------|---------------|------------------|------|
|         | GLOBEX<br>OPEN       | OPEN OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN OUTCRY<br>HIGH/LOW | OPEN OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA       | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |
| SO CALL | COMEX SILVER OPTIONS |                           |                    |                         |                            |                          |             |               |                          |                   |               |                  |      |
| JUL26   |                      |                           |                    |                         |                            |                          |             |               |                          |                   |               |                  |      |
| 10800   | ----                 | ----                      | 0.052B/----        | 0.052B/0.049A           | ----                       | 0.020 -                  | 0.010 .0039 | ----          | ----                     | ----              | ----          | 36               | UNCH |
| 10875   | 0.076                | 0.076                     | 0.090B/0.076       | 0.090B/0.048A           | ----                       | 0.020 -                  | 0.009 .0039 | ----          | ----                     | 1                 | ----          | 15               | UNCH |
| 10900   | ----                 | ----                      | 0.049B/----        | 0.049B/0.047A           | ----                       | 0.019 -                  | 0.010 .0037 | ----          | ----                     | ----              | ----          | 6                | UNCH |
| 10925   | ----                 | ----                      | 0.049B/----        | 0.049B/0.047A           | ----                       | 0.019 -                  | 0.010 .0037 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 10950   | ----                 | ----                      | 0.048B/----        | 0.048B/0.047A           | ----                       | 0.019 -                  | 0.010 .0037 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 10975   | ----                 | ----                      | 0.047B/----        | 0.047B/0.047A           | ----                       | 0.019 -                  | 0.009 .0037 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 11000   | 0.020                | 0.020                     | 0.082B/*0.015      | 0.082B/*0.015           | ----                       | 0.019 -                  | 0.009 .0037 | ----          | ----                     | 6                 | 60            | 1299 +           | 2    |
| 11025   | 0.063                | 0.063                     | 0.082B/0.063       | 0.082B/0.046A           | ----                       | 0.018 -                  | 0.010 .0035 | ----          | ----                     | 1                 | ----          | 12 -             | 1    |
| 11050   | ----                 | ----                      | 0.046B/----        | 0.046B/0.046A           | ----                       | 0.018 -                  | 0.010 .0035 | ----          | ----                     | ----              | ----          | 8                | UNCH |
| 11075   | ----                 | ----                      | 0.045B/----        | 0.045B/0.046A           | ----                       | 0.018 -                  | 0.010 .0034 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 11100   | ----                 | ----                      | 0.044B/----        | 0.044B/0.046A           | ----                       | 0.018 -                  | 0.009 .0034 | ----          | ----                     | ----              | ----          | 15               | UNCH |
| 11125   | ----                 | ----                      | 0.044B/----        | 0.044B/0.045A           | ----                       | 0.018 -                  | 0.009 .0034 | ----          | ----                     | ----              | ----          | 7                | UNCH |
| 11150   | ----                 | ----                      | 0.043B/----        | 0.043B/0.045A           | ----                       | 0.017 -                  | 0.010 .0032 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 11175   | ----                 | ----                      | 0.043B/----        | 0.043B/0.045A           | ----                       | 0.017 -                  | 0.010 .0032 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 11200   | ----                 | ----                      | 0.042B/----        | 0.042B/0.045A           | ----                       | 0.017 -                  | 0.010 .0032 | ----          | ----                     | ----              | ----          | 15               | UNCH |
| 11225   | ----                 | ----                      | 0.042B/----        | 0.042B/0.045A           | ----                       | 0.017 -                  | 0.009 .0032 | ----          | ----                     | ----              | ----          | 8                | UNCH |
| 11250   | ----                 | ----                      | 0.041B/----        | 0.041B/0.044A           | ----                       | 0.017 -                  | 0.009 .0032 | ----          | ----                     | ----              | ----          | 12               | UNCH |
| 11275   | ----                 | ----                      | 0.040B/----        | 0.040B/0.040A           | ----                       | 0.017 -                  | 0.009 .0032 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 11300   | ----                 | ----                      | 0.040B/----        | 0.040B/0.044A           | ----                       | 0.016 -                  | 0.010 .0030 | ----          | ----                     | ----              | ----          | 52               | UNCH |
| 11325   | ----                 | ----                      | 0.039B/----        | 0.039B/0.044A           | ----                       | 0.016 -                  | 0.010 .0030 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 11350   | ----                 | ----                      | 0.039B/----        | 0.039B/0.040A           | ----                       | 0.016 -                  | 0.009 .0030 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 11400   | ----                 | ----                      | 0.038B/----        | 0.038B/0.044A           | ----                       | 0.016 -                  | 0.009 .0030 | ----          | ----                     | ----              | ----          | 21               | UNCH |
| 11425   | ----                 | ----                      | 0.037B/----        | 0.037B/0.043A           | ----                       | 0.016 -                  | 0.009 .0030 | ----          | ----                     | ----              | ----          | 10               | UNCH |
| 11450   | ----                 | ----                      | 0.037B/----        | 0.037B/0.040A           | ----                       | 0.015 -                  | 0.010 .0028 | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 11500   | ----                 | ----                      | 0.070B/----        | 0.070B/*0.026A          | ----                       | 0.015 -                  | 0.009 .0028 | ----          | ----                     | 1                 | ----          | 1228             | UNCH |
| 11550   | ----                 | ----                      | 0.035B/----        | 0.035B/0.042A           | ----                       | 0.015 -                  | 0.009 .0028 | ----          | ----                     | 1                 | ----          | 6                | UNCH |
| 11575   | ----                 | ----                      | 0.034B/----        | 0.034B/0.042A           | ----                       | 0.015 -                  | 0.009 .0027 | ----          | ----                     | ----              | ----          | 11               | UNCH |
| 11600   | ----                 | ----                      | 0.034B/----        | 0.034B/0.042A           | ----                       | 0.014 -                  | 0.010 .0026 | ----          | ----                     | ----              | ----          | 10               | UNCH |
| 11625   | ----                 | ----                      | 0.033B/----        | 0.033B/0.042A           | ----                       | 0.014 -                  | 0.009 .0026 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 11650   | ----                 | ----                      | 0.067B/----        | 0.067B/0.042A           | ----                       | 0.014 -                  | 0.009 .0026 | ----          | ----                     | ----              | ----          | 25               | UNCH |
| 11675   | ----                 | ----                      | 0.032B/----        | 0.032B/0.043A           | ----                       | 0.014 -                  | 0.009 .0025 | ----          | ----                     | ----              | ----          | 23               | UNCH |
| 11700   | ----                 | ----                      | 0.032B/----        | 0.032B/0.044A           | ----                       | 0.014 -                  | 0.009 .0025 | ----          | ----                     | ----              | ----          | 23               | UNCH |
| 11725   | ----                 | ----                      | 0.031B/----        | 0.031B/0.043A           | ----                       | 0.014 -                  | 0.009 .0025 | ----          | ----                     | ----              | ----          | 22               | UNCH |
| 11750   | ----                 | ----                      | 0.031B/----        | 0.031B/0.044A           | ----                       | 0.014 -                  | 0.009 .0025 | ----          | ----                     | ----              | ----          | 23               | UNCH |
| 11775   | ----                 | ----                      | 0.031B/----        | 0.031B/0.045A           | ----                       | 0.013 -                  | 0.009 .0024 | ----          | ----                     | ----              | ----          | 23               | UNCH |
| 11800   | ----                 | ----                      | 0.030B/----        | 0.030B/0.045A           | ----                       | 0.013 -                  | 0.009 .0023 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 11875   | ----                 | ----                      | 0.029B/----        | 0.029B/0.043A           | ----                       | 0.013 -                  | 0.009 .0023 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 11900   | ----                 | ----                      | 0.028B/----        | 0.028B/0.044A           | ----                       | 0.013 -                  | 0.009 .0023 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 11925   | ----                 | ----                      | 0.028B/----        | 0.028B/0.044A           | ----                       | 0.013 -                  | 0.009 .0023 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 11950   | ----                 | ----                      | 0.027B/----        | 0.027B/0.044A           | ----                       | 0.013 -                  | 0.008 .0023 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 12000   | ----                 | ----                      | 0.027B/----        | 0.027B/0.025A           | ----                       | 0.012 -                  | 0.009 .0021 | ----          | ----                     | ----              | ----          | 544              | UNCH |
| 12150   | ----                 | ----                      | 0.024B/----        | 0.024B/0.063A           | ----                       | 0.012 -                  | 0.008 .0021 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 12200   | ----                 | ----                      | 0.024B/----        | 0.024B/0.063A           | ----                       | 0.011 -                  | 0.008 .0019 | ----          | ----                     | ----              | ----          | 14               | UNCH |
| 12225   | ----                 | ----                      | 0.023B/----        | 0.023B/0.062A           | ----                       | 0.011 -                  | 0.008 .0019 | ----          | ----                     | ----              | ----          | 16               | UNCH |
| 12250   | ----                 | ----                      | 0.023B/----        | 0.023B/0.062A           | ----                       | 0.011 -                  | 0.008 .0019 | ----          | ----                     | ----              | ----          | 8                | UNCH |
| 12275   | ----                 | ----                      | 0.022B/----        | 0.022B/0.062A           | ----                       | 0.011 -                  | 0.008 .0019 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 12300   | ----                 | ----                      | 0.051B/----        | 0.051B/0.062A           | ----                       | 0.011 -                  | 0.007 .0019 | ----          | ----                     | ----              | ----          | 13               | UNCH |
| 12325   | ----                 | ----                      | 0.022B/----        | 0.022B/0.061A           | ----                       | 0.011 -                  | 0.007 .0019 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 12375   | ----                 | ----                      | 0.050B/----        | 0.050B/0.061A           | ----                       | 0.010 -                  | 0.008 .0017 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 12425   | ----                 | ----                      | 0.049B/----        | 0.049B/0.060A           | ----                       | 0.010 -                  | 0.007 .0017 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 12450   | ----                 | ----                      | 0.020B/----        | 0.020B/0.060A           | ----                       | 0.010 -                  | 0.007 .0017 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 12475   | ----                 | ----                      | 0.020B/----        | 0.020B/0.060A           | ----                       | 0.010 -                  | 0.007 .0017 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 12500   | ----                 | ----                      | 0.047B/----        | 0.047B/0.020A           | ----                       | 0.010 -                  | 0.007 .0017 | ----          | ----                     | ----              | ----          | 100              | UNCH |
| 12575   | ----                 | ----                      | 0.018B/----        | 0.018B/0.059A           | ----                       | 0.009 -                  | 0.007 .0015 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 12600   | ----                 | ----                      | 0.018B/----        | 0.018B/0.059A           | ----                       | 0.009 -                  | 0.007 .0015 | ----          | ----                     | ----              | ----          | 6                | UNCH |
| 12700   | ----                 | ----                      | 0.017B/----        | 0.017B/0.058A           | ----                       | 0.009 -                  | 0.006 .0015 | ----          | ----                     | ----              | ----          | 74               | UNCH |
| 12725   | ----                 | ----                      | 0.016B/----        | 0.016B/0.057A           | ----                       | 0.009 -                  | 0.006 .0015 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 12800   | ----                 | ----                      | ----               | 0.015B/0.057A           | ----                       | 0.008 -                  | 0.007 .0013 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 13000   | ----                 | ----                      | ----               | 0.013B/0.055A           | ----                       | 0.008 -                  | 0.006 .0013 | ----          | ----                     | ----              | ----          | 2659             | UNCH |
| 14000   | ----                 | ----                      | ----               | 0.005B/0.012A           | ----                       | 0.005 -                  | 0.004 .0008 | ----          | ----                     | ----              | ----          | 856              | UNCH |
| 14700   | ----                 | ----                      | ----/0.044A        | ----                    | ----                       | 0.004 -                  | 0.003 .0006 | ----          | ----                     | ----              | ----          | 11               | UNCH |
| 15000   | ----                 | ----                      | ----               | 0.001B/0.011A           | ----                       | 0.003 -                  | 0.003 .0004 | ----          | ----                     | ----              | ----          | 817              | UNCH |
| 16000   | ----                 | ----                      | ----               | 0.001B/0.010A           | ----                       | 0.002 -                  | 0.002 .0003 | ----          | ----                     | ----              | ----          | 3800             | UNCH |
| 17000   | ----                 | ----                      | ----/0.153A        | ----                    | ----                       | 0.001 -                  | 0.002 .0001 | ----          | ----                     | ----              | ----          | 22               | UNCH |
| 18000   | ----                 | ----                      | ----/0.182A        | ----                    | ----                       | 0.001 -                  | 0.001 .0000 | ----          | ----                     | ----              | ----          | 259              | UNCH |
| 19000   | ----                 | ----                      | ----/0.191A        | ----                    | ----                       | 0.001                    | UNCH .0000  | ----          | ----                     | ----              | ----          | 79               | UNCH |
| 20000   | ----                 | ----                      | ----/0.007A        | ----                    | ----                       | 0.001                    | UNCH .0000  | ----          | ----                     | ----              | ----          | 1220             | UNCH |
| 21000   | ----                 | ----                      | ----/0.192A        | ----                    | ----                       | 0.001                    | UNCH        | ----          | ----                     | ----              | ----          | 427              | UNCH |
| 24000   | 0.001                | 0.001                     | 0.001/*0.001       | 0.001/*0.001            | ----                       | 0.001                    | UNCH        | ----          | ----                     | 1                 | ----          | 133 +            | 1    |
| 25000   | ----                 | ----                      | ----/0.231A        | ----                    | ----                       | 0.001                    | UNCH        | ----          | ----                     | ----              | ----          | 407              | UNCH |
| 27000   | ----                 | ----                      | ----/0.234A        | ----                    | ----                       | 0.001                    | UNCH        | ----          | ----                     | ----              | ----          | 6                | UNCH |
| 30000   | ----                 | ----                      | ----/0.236A        | ----                    | ----                       | 0.001                    | UNCH        | ----          | ----                     | ----              | ----          | 54               | UNCH |
| 32000   | ----                 | ----                      | ----/0.237A        | ----                    | ----                       | 0.001                    | UNCH        | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 35000   | ----                 | ----                      | ----               | ----/0.001A             | ----                       | 0.001                    | UNCH        | ----          | ----                     | ----              | ----          | 108              | UNCH |
| TOTAL   |                      |                           |                    |                         |                            |                          |             |               |                          | 2316              | 115           | 36215 +          | 911  |
| AUG26   |                      |                           |                    |                         |                            |                          |             |               |                          |                   |               |                  |      |
| 4000    | ----                 | ----                      | ----               | ----                    | ----                       | 24.545 -                 | 0.724 .9797 | ----          | ----                     | 3                 | ----          | 5 +              | 3    |
| 5000    | ----                 | ----                      | 18.289B/13.041A    | 18.289B/13.041A         | ----                       | 14.974 -                 | 0.681 .9157 | ----          | ----                     | 8                 | ----          | UNCH             |      |
| 5400    | ----                 | ----                      | 14.542B/9.734A     | 14                      |                            |                          |             |               |                          |                   |               |                  |      |



2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>

CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY

| BULLETIN #111@ |                      |              |                 | METALS OPTION PRODUCTS |                  |                 |               |                 |                          |       |               |                          |                   | Thu, Jun 11, 2026 |                  |      | PG64 |
|----------------|----------------------|--------------|-----------------|------------------------|------------------|-----------------|---------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|-------------------|------------------|------|------|
|                | GLOBEX<br>OPEN       | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW     | OPEN<br>HIGH/LOW | OUTCRY<br>RANGE | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME     | OPEN<br>INTEREST |      |      |
| SO CALL        | COMEX SILVER OPTIONS |              |                 |                        |                  |                 |               |                 |                          |       |               |                          |                   |                   |                  |      |      |
| AUG26          |                      |              |                 |                        |                  |                 |               |                 |                          |       |               |                          |                   |                   |                  |      |      |
| 7800           | 0.920                | 0.920        |                 | 1.7878/*0.852A         | 1.7878/*0.852A   | ----            |               |                 | 1.034 - 0.133            | .1716 | ----          | ----                     | 4                 | ----              | 297 +            | 3    |      |
| 7825           | 1.351                | 1.351        |                 | 1.7218/*0.832A         | 1.7218/*0.832A   | ----            |               |                 | 1.008 - 0.130            | .1678 | ----          | ----                     | 2                 | ----              | 4 +              | 2    |      |
| 7850           | ----                 | ----         |                 | 1.6828/*0.826A         | 1.6828/*0.826A   | ----            |               |                 | 0.984 - 0.127            | .1642 | ----          | ----                     | 6                 | ----              | 11 -             | 6    |      |
| 7875           | ----                 | ----         |                 | 1.6468/*0.795A         | 1.6468/*0.795A   | ----            |               |                 | 0.960 - 0.124            | .1606 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 7900           | 0.932                | 0.932        |                 | 1.6198/*0.789A         | 1.6198/*0.789A   | ----            |               |                 | 0.936 - 0.123            | .1571 | ----          | ----                     | 1                 | ----              | 68               | UNCH |      |
| 7925           | ----                 | ----         |                 | 1.5748/*0.772A         | 1.5748/*0.772A   | ----            |               |                 | 0.914 - 0.120            | .1537 | ----          | ----                     | ----              | ----              | 2                | UNCH |      |
| 7950           | ----                 | ----         |                 | 1.5378/*0.765A         | 1.5378/*0.765A   | ----            |               |                 | 0.892 - 0.117            | .1504 | ----          | ----                     | 5                 | ----              | 14 -             | 3    |      |
| 7975           | 0.962                | 0.962        |                 | 1.5038/*0.741A         | 1.5038/*0.741A   | ----            |               |                 | 0.871 - 0.115            | .1472 | ----          | ----                     | 2                 | ----              | 4 +              | 2    |      |
| 8000           | 0.750                | 0.750        |                 | 1.4788/*0.711A         | 1.4788/*0.711A   | ----            |               |                 | 0.850 - 0.113            | .1440 | ----          | ----                     | 184               | ----              | 1070 -           | 125  |      |
| 8025           | ----                 | ----         |                 | 1.4388/*0.695A         | 1.4388/*0.695A   | ----            |               |                 | 0.830 - 0.110            | .1409 | ----          | ----                     | ----              | ----              | 2                | UNCH |      |
| 8050           | ----                 | ----         |                 | 1.4078/*0.677A         | 1.4078/*0.677A   | ----            |               |                 | 0.811 - 0.108            | .1379 | ----          | ----                     | ----              | ----              | 13               | UNCH |      |
| 8075           | ----                 | ----         |                 | 1.3758/*0.663A         | 1.3758/*0.663A   | ----            |               |                 | 0.792 - 0.106            | .1350 | ----          | ----                     | ----              | ----              | 5                | UNCH |      |
| 8100           | 0.784                | 0.784        |                 | 1.3498/*0.649A         | 1.3498/*0.649A   | ----            |               |                 | 0.774 - 0.103            | .1321 | ----          | ----                     | 5                 | ----              | 42 +             | 1    |      |
| 8125           | ----                 | ----         |                 | 1.3198/*0.636A         | 1.3198/*0.636A   | ----            |               |                 | 0.757 - 0.101            | .1294 | ----          | ----                     | ----              | ----              | 12               | UNCH |      |
| 8150           | ----                 | ----         |                 | 1.2958/*0.624A         | 1.2958/*0.624A   | ----            |               |                 | 0.740 - 0.098            | .1267 | ----          | ----                     | 10                | ----              | 52 -             | 10   |      |
| 8175           | ----                 | ----         |                 | 1.2658/*0.611A         | 1.2658/*0.611A   | ----            |               |                 | 0.723 - 0.097            | .1240 | ----          | ----                     | ----              | ----              | 5                | UNCH |      |
| 8200           | ----                 | ----         |                 | 1.2428/*0.599A         | 1.2428/*0.599A   | ----            |               |                 | 0.708 - 0.094            | .1216 | ----          | ----                     | 1                 | ----              | 65 -             | 1    |      |
| 8225           | ----                 | ----         |                 | 1.2138/*0.588A         | 1.2138/*0.588A   | ----            |               |                 | 0.692 - 0.092            | .1191 | ----          | ----                     | ----              | ----              | 10               | UNCH |      |
| 8250           | ----                 | ----         |                 | 1.1928/*0.576A         | 1.1928/*0.576A   | ----            |               |                 | 0.677 - 0.090            | .1166 | ----          | ----                     | 10                | ----              | 270 -            | 1    |      |
| 8275           | ----                 | ----         |                 | 1.1638/*0.566A         | 1.1638/*0.566A   | ----            |               |                 | 0.663 - 0.087            | .1143 | ----          | ----                     | ----              | ----              | 2                | UNCH |      |
| 8300           | 0.560                | 0.560        |                 | 1.1428/*0.556A         | 1.1428/*0.556A   | ----            |               |                 | 0.649 - 0.085            | .1120 | ----          | ----                     | 7                 | ----              | 118 -            | 4    |      |
| 8325           | ----                 | ----         |                 | 1.1178/*0.545A         | 1.1178/*0.545A   | ----            |               |                 | 0.635 - 0.084            | .1098 | ----          | ----                     | ----              | ----              | 3                | UNCH |      |
| 8350           | ----                 | ----         |                 | 1.0968/*0.534A         | 1.0968/*0.534A   | ----            |               |                 | 0.622 - 0.081            | .1076 | ----          | ----                     | ----              | ----              | 29               | UNCH |      |
| 8375           | ----                 | ----         |                 | 1.0748/*0.521A         | 1.0748/*0.521A   | ----            |               |                 | 0.609 - 0.080            | .1055 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 8400           | ----                 | ----         |                 | 1.0538/*0.511A         | 1.0538/*0.511A   | ----            |               |                 | 0.597 - 0.077            | .1035 | ----          | ----                     | 5                 | ----              | 70 -             | 4    |      |
| 8425           | ----                 | ----         |                 | 1.0328/*0.505A         | 1.0328/*0.505A   | ----            |               |                 | 0.585 - 0.075            | .1015 | ----          | ----                     | ----              | ----              | 2                | UNCH |      |
| 8450           | ----                 | ----         |                 | 1.0128/*0.497A         | 1.0128/*0.497A   | ----            |               |                 | 0.573 - 0.074            | .0995 | ----          | ----                     | 10                | ----              | 10 -             | 8    |      |
| 8475           | ----                 | ----         |                 | 0.9928/*0.489A         | 0.9928/*0.489A   | ----            |               |                 | 0.561 - 0.072            | .0975 | ----          | ----                     | ----              | ----              | 2                | UNCH |      |
| 8500           | 0.440                | 0.440        |                 | 0.990/*0.440           | 0.990/*0.440     | ----            |               |                 | 0.550 - 0.071            | .0957 | ----          | ----                     | 90                | ----              | 417 -            | 8    |      |
| 8550           | ----                 | ----         |                 | 0.9368/*0.463A         | 0.9368/*0.463A   | ----            |               |                 | 0.527 - 0.069            | .0919 | ----          | ----                     | 10                | ----              | 14 -             | 5    |      |
| 8575           | ----                 | ----         |                 | 0.9178/*0.455A         | 0.9178/*0.455A   | ----            |               |                 | 0.517 - 0.067            | .0902 | ----          | ----                     | ----              | ----              | 51               | UNCH |      |
| 8600           | ----                 | ----         |                 | 0.8998/*0.447A         | 0.8998/*0.447A   | ----            |               |                 | 0.506 - 0.067            | .0884 | ----          | ----                     | ----              | ----              | 207              | UNCH |      |
| 8625           | ----                 | ----         |                 | 0.8838/*0.440A         | 0.8838/*0.440A   | ----            |               |                 | 0.496 - 0.066            | .0867 | ----          | ----                     | ----              | ----              | 2                | UNCH |      |
| 8650           | ----                 | ----         |                 | 0.8668/*0.433A         | 0.8668/*0.433A   | ----            |               |                 | 0.486 - 0.066            | .0850 | ----          | ----                     | ----              | ----              | 4                | UNCH |      |
| 8675           | ----                 | ----         |                 | 0.8508/*0.426A         | 0.8508/*0.426A   | ----            |               |                 | 0.477 - 0.064            | .0835 | ----          | ----                     | ----              | ----              | 41               | UNCH |      |
| 8700           | 0.445                | 0.445        |                 | 0.8348/*0.419A         | 0.8348/*0.419A   | ----            |               |                 | 0.467 - 0.061            | .0818 | ----          | ----                     | 3                 | 52                | 184 +            | 50   |      |
| 8725           | 0.467                | 0.467        |                 | 0.8188/*0.412A         | 0.8188/*0.412A   | ----            |               |                 | 0.459 - 0.062            | .0804 | ----          | ----                     | 2                 | ----              | 2 +              | 1    |      |
| 8750           | ----                 | ----         |                 | 0.8038/*0.450A         | 0.8038/*0.450A   | ----            |               |                 | 0.450 - 0.064            | .0789 | ----          | ----                     | ----              | ----              | 44               | UNCH |      |
| 8775           | ----                 | ----         |                 | 0.7888/*0.442A         | 0.7888/*0.442A   | ----            |               |                 | 0.442 - 0.064            | .0775 | ----          | ----                     | ----              | ----              | 73               | UNCH |      |
| 8800           | 0.560                | 0.560        |                 | 0.7738/*0.435A         | 0.7738/*0.435A   | ----            |               |                 | 0.434 - 0.063            | .0761 | ----          | ----                     | 319               | ----              | 303 +            | 280  |      |
| 8825           | 0.433                | 0.433        |                 | 0.7608/*0.427A         | 0.7608/*0.427A   | ----            |               |                 | 0.426 - 0.062            | .0747 | ----          | ----                     | 3                 | ----              | 14 +             | 3    |      |
| 8850           | 0.425                | 0.425        |                 | 0.7468/*0.420A         | 0.7468/*0.420A   | ----            |               |                 | 0.418 - 0.060            | .0733 | ----          | ----                     | 1                 | ----              | 10 +             | 1    |      |
| 8875           | ----                 | ----         |                 | 0.7328/*0.413A         | 0.7328/*0.413A   | ----            |               |                 | 0.410 - 0.060            | .0720 | ----          | ----                     | ----              | ----              | 2                | UNCH |      |
| 8900           | ----                 | ----         |                 | 0.7198/*0.406A         | 0.7198/*0.406A   | ----            |               |                 | 0.403 - 0.058            | .0708 | ----          | ----                     | ----              | ----              | 20               | UNCH |      |
| 8925           | ----                 | ----         |                 | 0.7068/*0.400A         | 0.7068/*0.400A   | ----            |               |                 | 0.395 - 0.058            | .0694 | ----          | ----                     | ----              | ----              | 3                | UNCH |      |
| 8950           | ----                 | ----         |                 | 0.6938/*0.393A         | 0.6938/*0.393A   | ----            |               |                 | 0.388 - 0.057            | .0682 | ----          | ----                     | ----              | ----              | 8                | UNCH |      |
| 8975           | ----                 | ----         |                 | 0.6818/*0.387A         | 0.6818/*0.387A   | ----            |               |                 | 0.382 - 0.056            | .0671 | ----          | ----                     | ----              | ----              | 3                | UNCH |      |
| 9000           | 0.400                | 0.400        |                 | 0.6698/*0.381A         | 0.6698/*0.381A   | ----            |               |                 | 0.375 - 0.056            | .0659 | ----          | ----                     | 153               | ----              | 1164 -           | 8    |      |
| 9025           | ----                 | ----         |                 | 0.6578/*0.375A         | 0.6578/*0.375A   | ----            |               |                 | 0.368 - 0.056            | .0647 | ----          | ----                     | ----              | ----              | 4                | UNCH |      |
| 9050           | ----                 | ----         |                 | 0.6468/*0.369A         | 0.6468/*0.369A   | ----            |               |                 | 0.362 - 0.055            | .0636 | ----          | ----                     | ----              | ----              | 9                | UNCH |      |
| 9075           | ----                 | ----         |                 | 0.6358/*0.363A         | 0.6358/*0.363A   | ----            |               |                 | 0.356 - 0.055            | .0626 | ----          | ----                     | ----              | ----              | 2                | UNCH |      |
| 9100           | ----                 | ----         |                 | 0.6248/*0.332A         | 0.6248/*0.332A   | ----            |               |                 | 0.350 - 0.055            | .0615 | ----          | ----                     | 2                 | ----              | 31               | UNCH |      |
| 9150           | ----                 | ----         |                 | 0.6038/*0.347A         | 0.6038/*0.347A   | ----            |               |                 | 0.339 - 0.053            | .0595 | ----          | ----                     | ----              | ----              | 6                | UNCH |      |
| 9175           | ----                 | ----         |                 | 0.5938/*0.342A         | 0.5938/*0.342A   | ----            |               |                 | 0.333 - 0.053            | .0585 | ----          | ----                     | ----              | ----              | 2                | UNCH |      |
| 9200           | 0.290                | 0.290        |                 | 0.5838/*0.290          | 0.5838/*0.290    | ----            |               |                 | 0.327 - 0.052            | .0575 | ----          | ----                     | 7                 | ----              | 45 +             | 2    |      |
| 9225           | ----                 | ----         |                 | 0.5738/*0.332A         | 0.5738/*0.332A   | ----            |               |                 | 0.322 - 0.050            | .0566 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 9250           | ----                 | ----         |                 | 0.5648/*0.327A         | 0.5648/*0.327A   | ----            |               |                 | 0.317 - 0.048            | .0557 | ----          | ----                     | 1                 | ----              | 175 +            | 1    |      |
| 9275           | ----                 | ----         |                 | 0.5558/*0.322A         | 0.5558/*0.322A   | ----            |               |                 | 0.312 - 0.046            | .0548 | ----          | ----                     | ----              | ----              | 2                | UNCH |      |
| 9300           | ----                 | ----         |                 | 0.5458/*0.318A         | 0.5458/*0.318A   | ----            |               |                 | 0.307 - 0.045            | .0539 | ----          | ----                     | ----              | ----              | 18               | UNCH |      |
| 9325           | ----                 | ----         |                 | 0.5378/*0.313A         | 0.5378/*0.313A   | ----            |               |                 | 0.302 - 0.044            | .0530 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 9350           | ----                 | ----         |                 | 0.5288/*0.309A         | 0.5288/*0.309A   | ----            |               |                 | 0.297 - 0.043            | .0521 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 9400           | ----                 | ----         |                 | 0.5128/*0.300A         | 0.5128/*0.300A   | ----            |               |                 | 0.288 - 0.042            | .0505 | ----          | ----                     | ----              | ----              | 133              | UNCH |      |
| 9450           | ----                 | ----         |                 | 0.4818/*0.292A         | 0.4818/*0.292A   | ----            |               |                 | 0.279 - 0.040            | .0489 | ----          | ----                     | ----              | ----              | 8                | UNCH |      |
| 9475           | ----                 | ----         |                 | 0.4748/*0.288A         | 0.4748/*0.288A   | ----            |               |                 | 0.275 - 0.040            | .0482 | ----          | ----                     | ----              | ----              | 29               | UNCH |      |
| 9500           | 0.360                | 0.360        |                 | 0.4678/*0.284A         | 0.4678/*0.284A   | ----            |               |                 | 0.271 - 0.039            | .0475 | ----          | ----                     | 143               | ----              | 299 -            | 64   |      |
| 9550           | ----                 | ----         |                 | 0.4548/*0.277A         | 0.4548/*0.277A   | ----            |               |                 | 0.263 - 0.038            | .0460 | ----          | ----                     | ----              | ----              | 18               | UNCH |      |
| 9575           | ----                 | ----         |                 | 0.4488/*0.240A         | 0.4488/*0.240A   | ----            |               |                 | 0.260 - 0.037            | .0455 | ----          | ----                     | ----              | ----              | 2                | UNCH |      |
| 9600           | ----                 | ----         |                 | 0.4418/*0.269A         | 0.4418/*0.269A   | ----            |               |                 | 0.256 - 0.037            | .0448 | ----          | ----                     | ----              | ----              | 3                | UNCH |      |
| 9625           | ----                 | ----         |                 | 0.4358/*0.265A         | 0.4358/*0.265A   | ----            |               |                 | 0.252 - 0.037            | .0440 | ----          | ----</                   |                   |                   |                  |      |      |

|         | BULLETIN #111@       |              |                 | METALS OPTION PRODUCTS |                  |                 |                 |                          |       |               | Thu, Jun 11, 2026        |                   |               | PG64             |      |
|---------|----------------------|--------------|-----------------|------------------------|------------------|-----------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|
|         | GLOBEX<br>OPEN       | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW     | OPEN<br>HIGH/LOW | OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |
| SO CALL | COMEX SILVER OPTIONS |              |                 |                        |                  |                 |                 |                          |       |               |                          |                   |               |                  |      |
| AUG26   |                      |              |                 |                        |                  |                 |                 |                          |       |               |                          |                   |               |                  |      |
| 12725   | ----                 | ----         |                 | 0.116B/----            | 0.116B/*0.086A   | ----            | ----            | 0.078 - 0.007            | .0122 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 12775   | ----                 | ----         |                 | 0.117B/----            | 0.117B/*0.085A   | ----            | ----            | 0.078 - 0.006            | .0122 | ----          | ----                     | ----              | ----          | 13               | UNCH |
| 12800   | ----                 | ----         |                 | 0.116B/----            | 0.116B/*0.085A   | ----            | ----            | 0.077 - 0.006            | .0120 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 13000   | ----                 | ----         |                 | 0.108B/----            | 0.108B/*0.080A   | ----            | ----            | 0.074 - 0.005            | .0115 | ----          | ----                     | ----              | ----          | 3598             | UNCH |
| 14000   | 0.071                | 0.071        |                 | 0.074B/*0.063A         | 0.074B/*0.063A   | ----            | ----            | 0.058 - 0.003            | .0087 | ----          | ----                     | 2                 | ----          | 23 +             | 1    |
| 15000   | ----                 | ----         |                 | ----                   | 0.046B/*0.058A   | ----            | ----            | 0.045 - 0.004            | .0066 | ----          | ----                     | ----              | ----          | 116              | UNCH |
| 16000   | ----                 | ----         |                 | ----                   | 0.030B/*0.051A   | ----            | ----            | 0.036 - 0.003            | .0052 | ----          | ----                     | ----              | ----          | 9                | UNCH |
| 17000   | ----                 | ----         |                 | ----                   | 0.024B/*0.040A   | ----            | ----            | 0.030 - 0.002            | .0042 | ----          | ----                     | ----              | ----          | 2961             | UNCH |
| 18000   | ----                 | ----         |                 | ----                   | 0.015B/0.049A    | ----            | ----            | 0.025 - 0.002            | .0035 | ----          | ----                     | ----              | ----          | 8                | UNCH |
| 19000   | ----                 | ----         |                 | ----                   | 0.001B/0.044A    | ----            | ----            | 0.019 - 0.002            | .0026 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 20000   | ----                 | ----         |                 | ----                   | 0.003B/*0.025A   | ----            | ----            | 0.015 - 0.001            | .0020 | ----          | ----                     | ----              | ----          | 245              | UNCH |
| 25000   | ----                 | ----         |                 | ----                   | ---/2.362A       | ----            | ----            | 0.004 UNCH               | .0005 | ----          | ----                     | ----              | ----          | 21               | UNCH |
| 27000   | 0.001                | 0.001        |                 | 0.001/*0.001           | 0.001/*0.001     | ----            | ----            | 0.003 UNCH               | .0004 | ----          | ----                     | 6                 | ----          | 5 -              | 1    |
| 30000   | ----                 | ----         |                 | ----                   | ---/0.020A       | ----            | ----            | 0.002 UNCH               | .0002 | ----          | ----                     | ----              | ----          | 15               | UNCH |
| 32000   | ----                 | ----         |                 | ----                   | ---/*0.023A      | ----            | ----            | 0.001 - 0.001            | .0001 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 35000   | ----                 | ----         |                 | ----                   | ---/0.004A       | ----            | ----            | 0.001 UNCH               | .0000 | ----          | ----                     | ----              | ----          | 6                | UNCH |
| TOTAL   |                      |              |                 |                        |                  |                 |                 |                          |       |               |                          | 1542              | 94            | 16846 +          | 430  |
| SEP26   |                      |              |                 |                        |                  |                 |                 |                          |       |               |                          |                   |               |                  |      |
| 5025    | ----                 | ----         |                 | 18.184B/13.279A        | 18.184B/13.279A  | ----            | ----            | 15.079 - 0.637           | .8846 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 5050    | ----                 | ----         |                 | 17.955B/13.076A        | 17.955B/13.076A  | ----            | ----            | 14.863 - 0.635           | .8810 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 5100    | ----                 | ----         |                 | 17.501B/12.674A        | 17.501B/12.674A  | ----            | ----            | 14.435 - 0.631           | .8734 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 5900    | ----                 | ----         |                 | 10.862B/7.063A         | 10.862B/7.063A   | ----            | ----            | 8.424 - 0.501            | .6989 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 6000    | ----                 | ----         |                 | 10.144B/6.530A         | 10.144B/6.530A   | ----            | ----            | 7.810 - 0.480            | .6712 | ----          | ----                     | ----              | ----          | 7                | UNCH |
| 6175    | ----                 | ----         |                 | 8.963B/5.680A          | 8.963B/5.680A    | ----            | ----            | 6.815 - 0.446            | .6212 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 6250    | ----                 | ----         |                 | 8.488B/5.348A          | 8.488B/5.348A    | ----            | ----            | 6.421 - 0.431            | .5994 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 6275    | ----                 | ----         |                 | 8.334B/5.241A          | 8.334B/5.241A    | ----            | ----            | 6.294 - 0.426            | .5921 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 6300    | 6.191                | 6.191        |                 | 8.182B/5.136A          | 8.182B/5.136A    | ----            | ----            | 6.169 NEW                | .5848 | ----          | ----                     | 4                 | ----          | 4 +              | 4    |
| 6450    | ----                 | ----         |                 | 7.314B/4.550A          | 7.314B/4.550A    | ----            | ----            | 5.464 - 0.394            | .5411 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 6500    | 4.820                | 4.820        |                 | 7.042B/4.370A          | 7.042B/4.370A    | ----            | ----            | 5.245 - 0.386            | .5267 | ----          | ----                     | 2                 | ----          | 6                | UNCH |
| 6600    | ----                 | ----         |                 | 6.578B/*4.031A         | 6.578B/*4.031A   | ----            | ----            | 4.832 - 0.369            | .4982 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 6700    | ----                 | ----         |                 | 6.163B/*3.719A         | 6.163B/*3.719A   | ----            | ----            | 4.450 - 0.353            | .4705 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 6800    | ----                 | ----         |                 | 5.708B/*3.434A         | 5.708B/*3.434A   | ----            | ----            | 4.099 - 0.336            | .4436 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 6900    | ----                 | ----         |                 | 5.286B/*3.173A         | 5.286B/*3.173A   | ----            | ----            | 3.776 - 0.320            | .4176 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 6950    | ----                 | ----         |                 | 5.092B/*3.051A         | 5.092B/*3.051A   | ----            | ----            | 3.626 - 0.311            | .4051 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 6975    | ----                 | ----         |                 | 4.998B/*2.992A         | 4.998B/*2.992A   | ----            | ----            | 3.553 - 0.306            | .3989 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 7000    | 3.377                | 3.377        |                 | 4.885B/2.934A          | 4.885B/2.934A    | ----            | ----            | 3.481 - 0.303            | .3928 | ----          | ----                     | 11                | ----          | 272 +            | 1    |
| 7100    | 3.377                | 3.377        |                 | 4.537B/*2.716A         | 4.537B/*2.716A   | ----            | ----            | 3.212 - 0.285            | .3692 | ----          | ----                     | 3                 | ----          | 5 +              | 3    |
| 7125    | ----                 | ----         |                 | 4.452B/*2.670A         | 4.452B/*2.670A   | ----            | ----            | 3.148 - 0.280            | .3634 | ----          | ----                     | ----              | ----          | 75               | UNCH |
| 7150    | ----                 | ----         |                 | 4.351B/*2.619A         | 4.351B/*2.619A   | ----            | ----            | 3.086 - 0.276            | .3578 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 7200    | 4.200                | 4.200        |                 | 4.200/*2.522A          | 4.200/*2.522A    | ----            | ----            | 2.966 - 0.267            | .3467 | ----          | ----                     | 1                 | ----          | 6 +              | 1    |
| 7300    | ----                 | ----         |                 | 3.878B/*2.340A         | 3.878B/*2.340A   | ----            | ----            | 2.742 - 0.249            | .3255 | ----          | ----                     | ----              | ----          | 147              | UNCH |
| 7350    | ----                 | ----         |                 | 3.732B/*2.256A         | 3.732B/*2.256A   | ----            | ----            | 2.637 - 0.241            | .3154 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 7400    | 2.307                | 2.307        |                 | 3.593B/*2.175A         | 3.593B/*2.175A   | ----            | ----            | 2.537 - 0.233            | .3056 | ----          | ----                     | 7                 | ----          | 107 +            | 3    |
| 7450    | ----                 | ----         |                 | 3.460B/*2.098A         | 3.460B/*2.098A   | ----            | ----            | 2.441 - 0.226            | .2960 | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 7500    | 2.195                | 2.195        |                 | 3.333B/*2.024A         | 3.333B/*2.024A   | ----            | ----            | 2.349 - 0.219            | .2867 | ----          | ----                     | 64                | ----          | 143 +            | 52   |
| 7550    | ----                 | ----         |                 | 3.214B/*1.953A         | 3.214B/*1.953A   | ----            | ----            | 2.261 - 0.212            | .2777 | ----          | ----                     | ----              | ----          | 7                | UNCH |
| 7575    | ----                 | ----         |                 | 3.154B/*1.919A         | 3.154B/*1.919A   | ----            | ----            | 2.219 - 0.209            | .2734 | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 7600    | ----                 | ----         |                 | 3.096B/*1.886A         | 3.096B/*1.886A   | ----            | ----            | 2.177 - 0.206            | .2690 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 7650    | ----                 | ----         |                 | 2.983B/*1.822A         | 2.983B/*1.822A   | ----            | ----            | 2.097 - 0.200            | .2607 | ----          | ----                     | ----              | ----          | 15               | UNCH |
| 7700    | ----                 | ----         |                 | 2.875B/*1.760A         | 2.875B/*1.760A   | ----            | ----            | 2.020 - 0.194            | .2525 | ----          | ----                     | 6                 | ----          | 5 -              | 3    |
| 7750    | ----                 | ----         |                 | 2.772B/*1.701A         | 2.772B/*1.701A   | ----            | ----            | 1.947 - 0.188            | .2447 | ----          | ----                     | ----              | ----          | 15               | UNCH |
| 7800    | ----                 | ----         |                 | 2.672B/*1.645A         | 2.672B/*1.645A   | ----            | ----            | 1.876 - 0.183            | .2370 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 7900    | ----                 | ----         |                 | 2.486B/*1.540A         | 2.486B/*1.540A   | ----            | ----            | 1.745 - 0.173            | .2226 | ----          | ----                     | ----              | ----          | 12               | UNCH |
| 8000    | 2.300                | 2.300        |                 | 2.315B/1.444A          | 2.315B/1.444A    | ----            | ----            | 1.624 - 0.165            | .2090 | ----          | ----                     | 20                | ----          | 323 -            | 1    |
| 8025    | ----                 | ----         |                 | 2.280B/*1.423A         | 2.280B/*1.423A   | ----            | ----            | 1.596 - 0.162            | .2058 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 8075    | 1.653                | 1.653        |                 | 2.197B/*1.379A         | 2.197B/*1.379A   | ----            | ----            | 1.541 - 0.158            | .1995 | ----          | ----                     | 20                | ----          | 35 +             | 5    |
| 8100    | 1.515                | 1.515        |                 | 2.160B/*1.358A         | 2.160B/*1.358A   | ----            | ----            | 1.514 - 0.157            | .1964 | ----          | ----                     | 1                 | ----          | 236 +            | 1    |
| 8200    | 1.559                | 1.559        |                 | 2.017B/*1.277A         | 2.017B/*1.277A   | ----            | ----            | 1.414 - 0.148            | .1848 | ----          | ----                     | 25                | ----          | 47 +             | 9    |
| 8250    | ----                 | ----         |                 | 1.953B/*1.240A         | 1.953B/*1.240A   | ----            | ----            | 1.366 - 0.146            | .1792 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 8275    | ----                 | ----         |                 | 1.907B/*1.221A         | 1.907B/*1.221A   | ----            | ----            | 1.344 - 0.143            | .1765 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 8300    | ----                 | ----         |                 | 1.875B/*1.204A         | 1.875B/*1.204A   | ----            | ----            | 1.321 - 0.142            | .1738 | ----          | ----                     | 1                 | ----          | 3 +              | 1    |
| 8400    | ----                 | ----         |                 | 1.767B/*1.136A         | 1.767B/*1.136A   | ----            | ----            | 1.237 - 0.135            | .1637 | ----          | ----                     | 1                 | ----          | 11 +             | 1    |
| 8425    | 1.620                | 1.620        |                 | 1.724B/*1.120A         | 1.724B/*1.120A   | ----            | ----            | 1.217 NEW                | .1613 | ----          | ----                     | 1                 | ----          | 1 +              | 1    |
| 8475    | ----                 | ----         |                 | 1.669B/*1.089A         | 1.669B/*1.089A   | ----            | ----            | 1.178 - 0.131            | .1566 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 8500    | ----                 | ----         |                 | 1.642B/*1.074A         | 1.642B/*1.074A   | ----            | ----            | 1.159 - 0.129            | .1543 | ----          | ----                     | 10                | ----          | 299              | UNCH |
| 8600    | ----                 | ----         |                 | 1.541B/*1.026A         | 1.541B/*1.026A   | ----            | ----            | 1.089 - 0.122            | .1456 | ----          | ----                     | ----              | ----          | 76               | UNCH |
| 8675    | ----                 | ----         |                 | 1.470B/*0.985A         | 1.470B/*0.985A   | ----            | ----            | 1.039 - 0.118            | .1394 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 8700    |                      |              |                 |                        |                  |                 |                 |                          |       |               |                          |                   |               |                  |      |

| PG64    | BULLETIN #111@       |                           |                    |                         | METALS OPTION PRODUCTS     |                          |       |               |                          | Thu, Jun 11, 2026 |               |                  |      | PG64 |
|---------|----------------------|---------------------------|--------------------|-------------------------|----------------------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|------|
|         | GLOBEX<br>OPEN       | OPEN OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN OUTCRY<br>HIGH/LOW | OPEN OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |      |
| SO CALL | COMEX SILVER OPTIONS |                           |                    |                         |                            |                          |       |               |                          |                   |               |                  |      |      |
| OCT26   |                      |                           |                    |                         |                            |                          |       |               |                          |                   |               |                  |      |      |
| 8275    | ----                 | ----                      | 2.529B/*2.122A     | 2.529B/*2.122A          | ----                       | 2.103 - 0.176            | .2289 | ----          | ----                     | ----              | ----          | 2                | UNCH |      |
| 8400    | ----                 | ----                      | 2.404B/*1.904A     | 2.404B/*1.904A          | ----                       | 1.964 - 0.169            | .2154 | ----          | ----                     | ----              | ----          | 1                | UNCH |      |
| 8425    | ----                 | ----                      | 2.327B/*1.911A     | 2.327B/*1.911A          | ----                       | 1.938 - 0.170            | .2128 | ----          | ----                     | ----              | ----          | 1                | UNCH |      |
| 8450    | ----                 | ----                      | 2.343B/*1.855A     | 2.343B/*1.855A          | ----                       | 1.913 - 0.170            | .2103 | ----          | ----                     | ----              | ----          | 20               | UNCH |      |
| 8500    | ----                 | ----                      | 2.276B/*1.823A     | 2.276B/*1.823A          | ----                       | 1.864 - 0.172            | .2055 | ----          | ----                     | 4                 | ----          | 16 +             | 4    |      |
| 8550    | ----                 | ----                      | 2.220B/*1.764A     | 2.220B/*1.764A          | ----                       | 1.816 - 0.176            | .2007 | ----          | ----                     | ----              | ----          | 1                | UNCH |      |
| 8700    | ----                 | ----                      | 2.042B/*1.670A     | 2.042B/*1.670A          | ----                       | 1.685 - 0.181            | .1873 | ----          | 4                        | ----              | ----          | 8 +              | 4    |      |
| 8750    | ----                 | ----                      | 1.970B/*1.601A     | 1.970B/*1.601A          | ----                       | 1.644 - 0.180            | .1831 | ----          | ----                     | ----              | ----          | 1                | UNCH |      |
| 8900    | 1.568                | 1.568                     | 1.844B/*1.494A     | 1.844B/*1.494A          | ----                       | 1.525 - 0.161            | .1709 | ----          | 3                        | ----              | ----          | 12 +             | 3    |      |
| 9000    | ----                 | ----                      | 1.717B/*1.455A     | 1.717B/*1.455A          | ----                       | 1.449 - 0.136            | .1631 | ----          | ----                     | ----              | ----          | 40               | UNCH |      |
| 9100    | ----                 | ----                      | 1.634B/*1.362A     | 1.634B/*1.362A          | ----                       | 1.376 - 0.112            | .1557 | ----          | ----                     | ----              | ----          | 24               | UNCH |      |
| 9150    | ----                 | ----                      | 1.594B/*1.365A     | 1.594B/*1.365A          | ----                       | 1.342 - 0.102            | .1522 | ----          | ----                     | ----              | ----          | 2                | UNCH |      |
| 9200    | ----                 | ----                      | 1.554B/*1.303A     | 1.554B/*1.303A          | ----                       | 1.309 - 0.097            | .1487 | ----          | ----                     | ----              | ----          | 1                | UNCH |      |
| 9500    | ----                 | ----                      | 1.346B/*1.131A     | 1.346B/*1.131A          | ----                       | 1.136 - 0.083            | .1303 | ----          | ----                     | ----              | ----          | 129              | UNCH |      |
| 9600    | ----                 | ----                      | 1.285B/*1.097A     | 1.285B/*1.097A          | ----                       | 1.086 - 0.106            | .1249 | ----          | ----                     | ----              | ----          | 5                | UNCH |      |
| 9700    | ----                 | ----                      | 1.245B/*1.050A     | 1.245B/*1.050A          | ----                       | 1.039 - 0.111            | .1198 | ----          | ----                     | ----              | ----          | 70               | UNCH |      |
| 9875    | ----                 | ----                      | 1.139B/1.011A      | 1.139B/1.011A           | ----                       | 0.961 - 0.099            | .1113 | ----          | ----                     | ----              | ----          | 1                | UNCH |      |
| 9900    | ----                 | ----                      | 1.135B/*0.990A     | 1.135B/*0.990A          | ----                       | 0.951 - 0.096            | .1102 | ----          | ----                     | ----              | ----          | 1                | UNCH |      |
| 10000   | 1.000                | 1.000                     | 1.091B/0.972A      | 1.091B/0.972A           | ----                       | 0.909 - 0.091            | .1056 | ----          | ----                     | 12                | ----          | 108 +            | 12   |      |
| 10100   | ----                 | ----                      | 1.039B/*0.912A     | 1.039B/*0.912A          | ----                       | 0.869 - 0.088            | .1012 | ----          | ----                     | ----              | ----          | 1                | UNCH |      |
| 10275   | ----                 | ----                      | 0.959B/*0.860A     | 0.959B/*0.860A          | ----                       | 0.806 - 0.084            | .0943 | ----          | ----                     | ----              | ----          | 1                | UNCH |      |
| 10300   | ----                 | ----                      | 0.949B/*0.844A     | 0.949B/*0.844A          | ----                       | 0.798 - 0.083            | .0934 | ----          | ----                     | ----              | ----          | 7                | UNCH |      |
| 10325   | ----                 | ----                      | 0.940B/*0.861A     | 0.940B/0.861A           | ----                       | 0.790 - 0.083            | .0925 | ----          | ----                     | ----              | ----          | 1                | UNCH |      |
| 10350   | ----                 | ----                      | 0.930B/*0.854A     | 0.930B/0.854A           | ----                       | 0.782 - 0.082            | .0916 | ----          | ----                     | ----              | ----          | 2                | UNCH |      |
| 10375   | ----                 | ----                      | 0.921B/*0.835A     | 0.921B/0.835A           | ----                       | 0.774 - 0.082            | .0907 | ----          | ----                     | ----              | ----          | 3                | UNCH |      |
| 10400   | ----                 | ----                      | 0.913B/*0.839A     | 0.913B/0.839A           | ----                       | 0.767 - 0.081            | .0898 | ----          | ----                     | ----              | ----          | 5                | UNCH |      |
| 10425   | ----                 | ----                      | 0.903B/*0.832A     | 0.903B/0.832A           | ----                       | 0.759 - 0.081            | .0890 | ----          | ----                     | ----              | ----          | 4                | UNCH |      |
| 10450   | ----                 | ----                      | 0.895B/*0.822A     | 0.895B/0.822A           | ----                       | 0.752 - 0.080            | .0881 | ----          | ----                     | ----              | ----          | 4                | UNCH |      |
| 10475   | ----                 | ----                      | 0.886B/*0.817A     | 0.886B/0.817A           | ----                       | 0.745 - 0.080            | .0873 | ----          | ----                     | ----              | ----          | 5                | UNCH |      |
| 10500   | ----                 | ----                      | 0.878B/*0.804A     | 0.878B/0.804A           | ----                       | 0.738 - 0.079            | .0865 | ----          | ----                     | ----              | ----          | 4                | UNCH |      |
| 10525   | ----                 | ----                      | 0.869B/*0.776A     | 0.869B/*0.776A          | ----                       | 0.731 - 0.079            | .0857 | ----          | ----                     | ----              | ----          | 3                | UNCH |      |
| 10550   | ----                 | ----                      | 0.860B/*0.792A     | 0.860B/0.792A           | ----                       | 0.725 - 0.078            | .0850 | ----          | ----                     | ----              | ----          | 4                | UNCH |      |
| 10575   | ----                 | ----                      | 0.852B/*0.765A     | 0.852B/*0.765A          | ----                       | 0.718 - 0.078            | .0842 | ----          | ----                     | ----              | ----          | 4                | UNCH |      |
| 10600   | ----                 | ----                      | 0.845B/*0.772A     | 0.845B/0.772A           | ----                       | 0.712 - 0.077            | .0835 | ----          | ----                     | ----              | ----          | 5                | UNCH |      |
| 10625   | ----                 | ----                      | 0.836B/*0.752A     | 0.836B/*0.752A          | ----                       | 0.706 - 0.077            | .0828 | ----          | ----                     | ----              | ----          | 5                | UNCH |      |
| 10650   | ----                 | ----                      | 0.828B/*0.764A     | 0.828B/0.764A           | ----                       | 0.700 - 0.076            | .0821 | ----          | ----                     | ----              | ----          | 5                | UNCH |      |
| 10675   | ----                 | ----                      | 0.820B/*0.741A     | 0.820B/*0.741A          | ----                       | 0.694 - 0.075            | .0814 | ----          | ----                     | ----              | ----          | 4                | UNCH |      |
| 10700   | ----                 | ----                      | 0.813B/*0.752A     | 0.813B/0.752A           | ----                       | 0.688 - 0.075            | .0807 | ----          | ----                     | ----              | ----          | 4                | UNCH |      |
| 10725   | ----                 | ----                      | 0.804B/*0.742A     | 0.804B/0.742A           | ----                       | 0.682 - 0.075            | .0800 | ----          | ----                     | ----              | ----          | 2                | UNCH |      |
| 10750   | ----                 | ----                      | 0.797B/*0.721A     | 0.797B/*0.721A          | ----                       | 0.676 - 0.075            | .0793 | ----          | ----                     | ----              | ----          | 10               | UNCH |      |
| 10775   | ----                 | ----                      | 0.791B/*0.734A     | 0.791B/0.734A           | ----                       | 0.671 - 0.074            | .0787 | ----          | ----                     | ----              | ----          | 1                | UNCH |      |
| 10800   | ----                 | ----                      | 0.782B/*0.703A     | 0.782B/*0.703A          | ----                       | 0.666 - 0.073            | .0781 | ----          | ----                     | ----              | ----          | 1                | UNCH |      |
| 10825   | ----                 | ----                      | 0.775B/*0.722A     | 0.775B/0.722A           | ----                       | 0.660 - 0.073            | .0774 | ----          | ----                     | ----              | ----          | 2                | UNCH |      |
| 10850   | ----                 | ----                      | 0.741B/*0.692A     | 0.741B/*0.692A          | ----                       | 0.655 - 0.072            | .0768 | ----          | ----                     | ----              | ----          | 1                | UNCH |      |
| 10875   | ----                 | ----                      | 0.743B/*0.710A     | 0.743B/0.710A           | ----                       | 0.650 - 0.071            | .0761 | ----          | ----                     | ----              | ----          | 1                | UNCH |      |
| 10900   | ----                 | ----                      | 0.725B/*0.702A     | 0.725B/0.702A           | ----                       | 0.645 - 0.071            | .0755 | ----          | ----                     | ----              | ----          | 1                | UNCH |      |
| 10925   | ----                 | ----                      | ----/*0.697A       | 0.641B/0.697A           | ----                       | 0.640 - 0.070            | .0749 | ----          | ----                     | ----              | ----          | 3                | UNCH |      |
| 10950   | ----                 | ----                      | 0.711B/*0.689A     | 0.711B/0.689A           | ----                       | 0.635 - 0.070            | .0743 | ----          | ----                     | ----              | ----          | 3                | UNCH |      |
| 10975   | ----                 | ----                      | 0.702B/*0.672A     | 0.702B/*0.672A          | ----                       | 0.630 - 0.070            | .0737 | ----          | ----                     | ----              | ----          | 4                | UNCH |      |
| 11000   | ----                 | ----                      | 0.701B/*0.656A     | 0.701B/*0.656A          | ----                       | 0.625 - 0.070            | .0732 | ----          | ----                     | ----              | ----          | 11               | UNCH |      |
| 11025   | ----                 | ----                      | ----/*0.665A       | 0.688B/0.665A           | ----                       | 0.620 - 0.069            | .0726 | ----          | ----                     | ----              | ----          | 7                | UNCH |      |
| 11050   | ----                 | ----                      | 0.687B/*0.646A     | 0.687B/*0.646A          | ----                       | 0.615 - 0.068            | .0720 | ----          | ----                     | ----              | ----          | 10               | UNCH |      |
| 11100   | ----                 | ----                      | 0.674B/*0.634A     | 0.674B/*0.634A          | ----                       | 0.604 - 0.067            | .0707 | ----          | ----                     | ----              | ----          | 2                | UNCH |      |
| 11300   | ----                 | ----                      | ----/*0.595A       | 0.625B/*0.595A          | ----                       | 0.563 - 0.063            | .0660 | ----          | ----                     | ----              | ----          | 1                | UNCH |      |
| 11500   | ----                 | ----                      | ----/*0.558A       | 0.578B/*0.558A          | ----                       | 0.526 - 0.059            | .0617 | ----          | ----                     | ----              | ----          | 9                | UNCH |      |
| 11700   | ----                 | ----                      | ----               | 0.536B/*0.551A          | ----                       | 0.493 - 0.056            | .0579 | ----          | ----                     | ----              | ----          | 2                | UNCH |      |
| 12000   | ----                 | ----                      | ----               | 0.484B/0.565A           | ----                       | 0.450 - 0.051            | .0528 | ----          | ----                     | ----              | ----          | 76               | UNCH |      |
| 12500   | ----                 | ----                      | ----               | 0.305B/0.496A           | ----                       | 0.390 - 0.046            | .0456 | ----          | ----                     | ----              | ----          | 15               | UNCH |      |
| 12675   | ----                 | ----                      | ----               | 0.285B/0.479A           | ----                       | 0.373 - 0.043            | .0436 | ----          | ----                     | ----              | ----          | 7                | UNCH |      |
| 12700   | ----                 | ----                      | ----               | 0.282B/0.480A           | ----                       | 0.370 - 0.043            | .0432 | ----          | ----                     | ----              | ----          | 7                | UNCH |      |
| 12725   | ----                 | ----                      | ----               | 0.280B/0.475A           | ----                       | 0.368 - 0.042            | .0430 | ----          | ----                     | ----              | ----          | 7                | UNCH |      |
| 12750   | ----                 | ----                      | ----               | 0.277B/0.471A           | ----                       | 0.365 - 0.043            | .0426 | ----          | ----                     | ----              | ----          | 7                | UNCH |      |
| 12775   | ----                 | ----                      | ----               | 0.275B/0.468A           | ----                       | 0.363 - 0.042            | .0424 | ----          | ----                     | ----              | ----          | 7                | UNCH |      |
| 12800   | ----                 | ----                      | ----               | 0.268B/0.465A           | ----                       | 0.360 - 0.042            | .0421 | ----          | ----                     | ----              | ----          | 7                | UNCH |      |
| 12825   | ----                 | ----                      | ----               | 0.264B/0.464A           | ----                       | 0.358 - 0.042            | .0418 | ----          | ----                     | ----              | ----          | 7                | UNCH |      |
| 13000   | ----                 | ----                      | ----               | 0.248B/0.452A           | ----                       | 0.342 - 0.040            | .0399 | ----          | ----                     | ----              | ----          | 92               | UNCH |      |
| 14000   | ----                 | ----                      | ----               | 0.178B/*0.371A          | ----                       | 0.269 - 0.032            | .0312 | ----          | ----                     | ----              | ----          | 2                | UNCH |      |
| 15000   | ----                 | ----                      | ----               | 0.126B/0.321A           | ----                       | 0.216 - 0.026            | .0248 | ----          | ----                     | ----              | ----          | 179              | UNCH |      |
| 16000   | ----                 | ----                      | ----               | 0.092B/*0.278A          | ----                       | 0.178 - 0.021            | .0203 | ----          | ----                     | ----              | ----          | 35               | UNCH |      |
| 17000   | ----                 | ----                      | ----               | 0.067B/*0.246A          | ----                       | 0.149 - 0.018            | .0169 | ----          | ----                     | ----              | ----          | 120              | UNCH |      |
| 18000   | ----                 | ----                      | ----               | 0.048B/0.225A           | ----                       | 0.127 - 0.016            | .0142 | ----          | ----                     | ----              | ----          | 340              | UNCH |      |
| 20000   | ----                 | ----                      | ----               | 0.022B/0.188A           | ----                       | 0.098 - 0.013            | .0108 | ----          | ----                     | ----              | ----          | 191              | UNCH |      |
| TOTAL   |                      |                           |                    |                         |                            |                          |       |               |                          | 56                | 0             | 1875 +           | 34   |      |
| NOV26   |                      |                           |                    |                         |                            |                          |       |               |                          |                   |               |                  |      |      |
| 6500    | ----                 | ----                      | 8.402B/7.418A      | 8.402B/7.418A           | ----                       | 7.125 - 0.463            | .5570 | ----</        |                          |                   |               |                  |      |      |



|         | BULLETIN #111@       |              |                 |                    | METALS OPTION PRODUCTS |                    |               |                 |                          | Thu, Jun 11, 2026 |               |                          |                   | PG64          |                  |
|---------|----------------------|--------------|-----------------|--------------------|------------------------|--------------------|---------------|-----------------|--------------------------|-------------------|---------------|--------------------------|-------------------|---------------|------------------|
|         | GLOBEX<br>OPEN       | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW       | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA             | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |
| SO CALL | COMEX SILVER OPTIONS |              |                 |                    |                        |                    |               |                 |                          |                   |               |                          |                   |               |                  |
| DEC26   |                      |              |                 |                    |                        |                    |               |                 |                          |                   |               |                          |                   |               |                  |
| 9700    | ----                 | ----         | ----            | ----               | 1.465B/2.474A          | ----               | ----          | ----            | 1.903 - 0.153            | .1752             | ----          | ----                     | ----              | ----          | 1                |
| 9800    | ----                 | ----         | ----            | ----               | 1.386B/2.412A          | ----               | ----          | ----            | 1.838 - 0.150            | .1696             | ----          | ----                     | 1                 | ----          | 75 +             |
| 9900    | ----                 | ----         | ----            | ----               | 1.313B/2.356A          | ----               | ----          | ----            | 1.776 - 0.145            | .1643             | ----          | ----                     | ----              | ----          | 5                |
| 10000   | 2.050                | 2.050        | 2.050           | 2.050/2.050        | 2.050/1.857A           | ----               | ----          | ----            | 1.717 - 0.140            | .1592             | ----          | ----                     | 13                | ----          | 857 +            |
| 10025   | ----                 | ----         | ----            | ----               | 1.226B/2.292A          | ----               | ----          | ----            | 1.703 - 0.138            | .1580             | ----          | ----                     | ----              | ----          | 3                |
| 10300   | ----                 | ----         | ----            | ----               | 1.057B/2.156A          | ----               | ----          | ----            | 1.559 - 0.124            | .1454             | ----          | ----                     | ----              | ----          | 1                |
| 10500   | ----                 | ----         | ----            | ----               | 0.945B/2.068A          | ----               | ----          | ----            | 1.465 - 0.116            | .1371             | ----          | ----                     | ----              | ----          | 202              |
| 10600   | ----                 | ----         | ----            | ----               | 0.893B/2.024A          | ----               | ----          | ----            | 1.422 - 0.111            | .1332             | ----          | ----                     | ----              | ----          | 6                |
| 10700   | ----                 | ----         | ----            | ----               | 0.846B/1.982A          | ----               | ----          | ----            | 1.380 - 0.108            | .1294             | ----          | ----                     | ----              | ----          | 100              |
| 10800   | ----                 | ----         | ----            | ----               | 0.799B/1.945A          | ----               | ----          | ----            | 1.341 - 0.104            | .1259             | ----          | ----                     | ----              | ----          | 5                |
| 11000   | ----                 | ----         | ----            | ----               | 1.065B/1.435A          | ----               | ----          | ----            | 1.267 - 0.098            | .1192             | ----          | ----                     | ----              | ----          | 210              |
| 11350   | ----                 | ----         | ----            | ----               | 1.012B/1.328A          | ----               | ----          | ----            | 1.154 - 0.087            | .1088             | ----          | ----                     | ----              | ----          | 5                |
| 11400   | ----                 | ----         | ----            | ----               | 0.995B/1.310A          | ----               | ----          | ----            | 1.139 - 0.086            | .1074             | ----          | ----                     | ----              | ----          | 1                |
| 11600   | ----                 | ----         | ----            | ----               | 0.972B/1.228A          | ----               | ----          | ----            | 1.083 - 0.081            | .1022             | ----          | ----                     | ----              | ----          | 1                |
| 11800   | ----                 | ----         | ----            | ----               | 0.949B/1.193A          | ----               | ----          | ----            | 1.032 - 0.077            | .0974             | ----          | ----                     | ----              | ----          | 29               |
| 12000   | 1.050                | 1.050        | 1.050           | 1.050/*1.050       | 1.050/*1.050           | ----               | ----          | ----            | 0.985 - 0.073            | .0929             | ----          | 1                        | ----              | ----          | 585 -            |
| 12200   | ----                 | ----         | ----            | ----               | 0.889B/1.094A          | ----               | ----          | ----            | 0.941 - 0.070            | .0888             | ----          | ----                     | ----              | ----          | 1                |
| 12300   | ----                 | ----         | ----            | ----               | 0.910B/1.074A          | ----               | ----          | ----            | 0.921 - 0.068            | .0869             | ----          | ----                     | ----              | ----          | 2                |
| 12500   | 0.932                | 0.932        | 0.932           | 0.932/*0.932       | 0.932/*0.932           | ----               | ----          | ----            | 0.882 - 0.065            | .0831             | ----          | 5                        | ----              | ----          | 54 +             |
| 12800   | ----                 | ----         | ----            | ----               | 0.699B/0.970A          | ----               | ----          | ----            | 0.830 - 0.061            | .0781             | ----          | ----                     | ----              | ----          | 2                |
| 13000   | ----                 | ----         | ----            | ----               | 0.598B/0.936A          | ----               | ----          | ----            | 0.798 - 0.059            | .0750             | ----          | ----                     | ----              | ----          | 387              |
| 13500   | ----                 | ----         | ----            | ----               | 0.518B/0.856A          | ----               | ----          | ----            | 0.728 - 0.054            | .0682             | ----          | ----                     | ----              | ----          | 6                |
| 14000   | ----                 | ----         | ----            | ----               | 0.448B/0.793A          | ----               | ----          | ----            | 0.668 - 0.050            | .0624             | ----          | ----                     | ----              | ----          | 97               |
| 14200   | ----                 | ----         | ----            | ----               | 0.424B/0.765A          | ----               | ----          | ----            | 0.647 - 0.049            | .0603             | ----          | ----                     | ----              | ----          | 1                |
| 15000   | 0.500                | 0.500        | 0.500           | 0.500/*0.500       | 0.500/*0.500           | ----               | ----          | ----            | 0.573 - 0.044            | .0530             | ----          | 2                        | ----              | ----          | 1722             |
| 16000   | ----                 | ----         | ----            | ----               | 0.261B/0.594A          | ----               | ----          | ----            | 0.498 - 0.040            | .0457             | ----          | ----                     | ----              | ----          | 1612             |
| 17000   | ----                 | ----         | ----            | ----               | 0.204B/0.530A          | ----               | ----          | ----            | 0.436 - 0.037            | .0398             | ----          | ----                     | ----              | ----          | 50               |
| 18000   | ----                 | ----         | ----            | ----               | 0.270B/*0.476A         | ----               | ----          | ----            | 0.382 - 0.033            | .0347             | ----          | ----                     | ----              | ----          | 121              |
| 19000   | ----                 | ----         | ----            | ----               | 0.320B/*0.432A         | ----               | ----          | ----            | 0.331 - 0.029            | .0301             | ----          | ----                     | ----              | ----          | 1                |
| 20000   | 0.300                | 0.300        | 0.300           | 0.345/*0.300       | 0.345/*0.300           | ----               | ----          | ----            | 0.283 - 0.024            | .0258             | ----          | 3                        | ----              | ----          | 445 +            |
| 21000   | ----                 | ----         | ----            | ----               | 0.074B/0.368A          | ----               | ----          | ----            | 0.237 - 0.018            | .0218             | ----          | ----                     | ----              | ----          | 5                |
| 22000   | ----                 | ----         | ----            | ----               | 0.055B/0.343A          | ----               | ----          | ----            | 0.197 - 0.013            | .0184             | ----          | ----                     | ----              | ----          | 1                |
| 23000   | ----                 | ----         | ----            | ----               | 0.041B/0.329A          | ----               | ----          | ----            | 0.176 - 0.012            | .0164             | ----          | ----                     | ----              | ----          | 35               |
| 25000   | ----                 | ----         | ----            | ----               | 0.018B/0.294A          | ----               | ----          | ----            | 0.143 - 0.010            | .0133             | ----          | ----                     | ----              | ----          | 239              |
| 26000   | ----                 | ----         | ----            | ----               | 0.009B/0.279A          | ----               | ----          | ----            | 0.134 - 0.010            | .0123             | ----          | ----                     | ----              | ----          | 3                |
| 30000   | ----                 | ----         | ----            | ----               | 0.003B/0.236A          | ----               | ----          | ----            | 0.095 - 0.007            | .0087             | ----          | ----                     | ----              | ----          | 110              |
| 32000   | ----                 | ----         | ----            | ----               | 0.002B/0.322A          | ----               | ----          | ----            | 0.084 - 0.005            | .0076             | ----          | ----                     | ----              | ----          | 1                |
| 40000   | ----                 | ----         | ----            | ----               | 0.001B/1.500A          | ----               | ----          | ----            | 0.062 - 0.005            | .0054             | ----          | ----                     | ----              | ----          | 25               |
| 90000   | ----                 | ----         | ----            | ----               | -----/0.400A           | ----               | ----          | ----            | 0.025 - 0.002            | .0019             | ----          | ----                     | ----              | ----          | 2                |
| 100000  | ----                 | ----         | ----            | ----               | -----/0.057A           | ----               | ----          | ----            | 0.024 - 0.002            | .0018             | ----          | ----                     | ----              | ----          | 5                |
| TOTAL   |                      |              |                 |                    |                        |                    |               |                 |                          |                   |               |                          | 44                | 0             | 8973 +           |
| JAN27   |                      |              |                 |                    |                        |                    |               |                 |                          |                   |               |                          |                   |               |                  |
| 7550    | ----                 | ----         | ----            | ----               | 5.524B/*6.105A         | ----               | ----          | ----            | 5.442 - 0.342            | .4066             | ----          | ----                     | ----              | ----          | 4                |
| 7650    | ----                 | ----         | ----            | ----               | 5.267B/*5.900A         | ----               | ----          | ----            | 5.225 - 0.325            | .3932             | ----          | ----                     | ----              | ----          | 5                |
| 8000    | ----                 | ----         | ----            | ----               | 4.463B/*5.184A         | ----               | ----          | ----            | 4.553 - 0.271            | .3503             | ----          | ----                     | ----              | ----          | 2                |
| 8300    | ----                 | ----         | ----            | ----               | 3.881B/*4.659A         | ----               | ----          | ----            | 4.054 - 0.250            | .3174             | ----          | ----                     | ----              | ----          | 22               |
| 8500    | ----                 | ----         | ----            | ----               | 3.535B/*4.349A         | ----               | ----          | ----            | 3.757 - 0.242            | .2974             | ----          | ----                     | ----              | ----          | 1                |
| 8700    | ----                 | ----         | ----            | ----               | 3.229B/*4.066A         | ----               | ----          | ----            | 3.486 - 0.238            | .2788             | ----          | ----                     | ----              | ----          | 1                |
| 9000    | ----                 | ----         | ----            | ----               | 2.808B/*3.690A         | ----               | ----          | ----            | 3.126 - 0.230            | .2535             | ----          | ----                     | ----              | ----          | 1                |
| 9525    | ----                 | ----         | ----            | ----               | 2.210B/3.265A          | ----               | ----          | ----            | 2.613 - 0.204            | .2161             | ----          | ----                     | ----              | ----          | 1                |
| 10000   | ----                 | ----         | ----            | ----               | 1.763B/2.958A          | ----               | ----          | ----            | 2.249 - 0.174            | .1884             | ----          | ----                     | ----              | ----          | 11               |
| 11000   | ----                 | ----         | ----            | ----               | 1.094B/2.464A          | ----               | ----          | ----            | 1.689 - 0.118            | .1442             | ----          | ----                     | ----              | ----          | 21               |
| 12500   | ----                 | ----         | ----            | ----               | 0.982B/1.410A          | ----               | ----          | ----            | 1.167 - 0.070            | .1013             | ----          | ----                     | ----              | ----          | 1                |
| 13000   | ----                 | ----         | ----            | ----               | 1.045B/1.289A          | ----               | ----          | ----            | 1.046 - 0.061            | .0911             | ----          | ----                     | ----              | ----          | 7                |
| 14000   | ----                 | ----         | ----            | ----               | 0.647B/1.099A          | ----               | ----          | ----            | 0.857 - 0.049            | .0749             | ----          | ----                     | ----              | ----          | 1                |
| 14500   | ----                 | ----         | ----            | ----               | 0.568B/1.024A          | ----               | ----          | ----            | 0.784 - 0.044            | .0685             | ----          | ----                     | ----              | ----          | 400              |
| 15000   | ----                 | ----         | ----            | ----               | 0.660B/0.953A          | ----               | ----          | ----            | 0.722 - 0.040            | .0630             | ----          | ----                     | ----              | ----          | 402              |
| TOTAL   |                      |              |                 |                    |                        |                    |               |                 |                          |                   |               |                          |                   | 0             | 880              |
| FEB27   |                      |              |                 |                    |                        |                    |               |                 |                          |                   |               |                          |                   |               |                  |
| 6700    | 8.690                | 8.690        | 8.690           | 8.900B/*8.690      | 8.900B/*8.690          | ----               | ----          | ----            | 8.479 - 0.436            | .5474             | ----          | ----                     | 1                 | ----          | 8                |
| 7500    | ----                 | ----         | ----            | ----               | 6.163B/*6.794A         | ----               | ----          | ----            | 6.069 - 0.399            | .4258             | ----          | ----                     | ----              | ----          | 1                |
| 8500    | ----                 | ----         | ----            | ----               | 4.018B/*4.880A         | ----               | ----          | ----            | 4.246 - 0.255            | .3150             | ----          | ----                     | ----              | ----          | 4                |
| 9000    | ----                 | ----         | ----            | ----               | 3.265B/4.195A          | ----               | ----          | ----            | 3.583 - 0.229            | .2721             | ----          | ----                     | ----              | ----          | 1                |
| 9500    | ----                 | ----         | ----            | ----               | 2.710B/*3.693A         | ----               | ----          | ----            | 3.059 - 0.207            | .2365             | ----          | ----                     | ----              | ----          | 4                |
| 10000   | 3.200                | 3.200        | 3.200           | 3.200/*3.200       | 3.200/*3.200           | ----               | ----          | ----            | 2.641 - 0.188            | .2070             | ----          | 16                       | ----              | ----          | 16 +             |
| 30000   | ----                 | ----         | ----            | ----               | 0.021B/0.411A          | ----               | ----          | ----            | 0.214 - 0.014            | .0171             | ----          | ----                     | ----              | ----          | 1                |
| TOTAL   |                      |              |                 |                    |                        |                    |               |                 |                          |                   |               |                          | 17                | 0             | 35 +             |
| MAR27   |                      |              |                 |                    |                        |                    |               |                 |                          |                   |               |                          |                   |               |                  |
| 8000    | ----                 | ----         | ----            | ----               | 5.501B/*6.264A         | ----               | ----          | ----            | 5.551 - 0.322            | .3796             | ----          | ----                     | ----              | ----          | 201              |
| 8500    | ----                 | ----         | ----            | ----               | 4.475B/*5.390A         | ----               | ----          | ----            | 4.723 - 0.274            | .3308             | ----          | ----                     | ----              | ----          | 2                |
| 8775    | ----                 | ----         | ----            | ----               | 3.958B/*4.983A         | ----               | ----          | ----            | 4.332 - 0.260            | .3070             | ----          | ----                     | ----              | ----          | 3                |
| 9000    | ----                 | ----         | ----            | ----               | 3.704B/*4.682A         | ----               | ----          | ----            | 4.044 - 0.249            | .2892             | ----          | ----                     | ----              | ----          | 55               |
| 9200    | ----                 | ----         | ----            | ----               | 3.440B/*4.437A         | ----               | ----          | ----            | 3.810 - 0.238            | .2745             | ----          | ----                     | ----              | ----          | 25               |
| 9500    | ----                 | ----         | ----            | ----               | 3.101B/*4.106A         | ----               | ----          | ----            | 3.493 - 0.221            | .2541             | ----          | ----                     | ----              | ----          | 50               |
| 10000   | ----                 | ----         | ----            | ----               | 2.575B/*3.733A         | ----               | ----          | ----            | 3.044 - 0.193            | .2246             | ----          | ----                     | ----              | ----          | 5                |
| 10500   | ----                 | ----         | ----            | ----               | 2.112B/3.429A          | ----               | ----          | ----            | 2.673 - 0.171            | .1995             | ----          | ----                     | ----              | ----          | 10               |
| 11000   | ----                 | ----         | ----            | ----               | 2.408B/*2.468A         | ----               | ----          | ----            | 2.362 - 0.160            | .1781             | ----          | ----                     | ----              | ----          | 1                |
| 13000   | ----                 |              |                 |                    |                        |                    |               |                 |                          |                   |               |                          |                   |               |                  |



| BULLETIN #111@ |       |                           |      |                    |                |                         |      |                            |      |                          |       |       |      | METALS OPTION PRODUCTS |      |                          |      |                   |        |               |        |                  |  | Thu, Jun 11, 2026 |  |  |  | PG64 |
|----------------|-------|---------------------------|------|--------------------|----------------|-------------------------|------|----------------------------|------|--------------------------|-------|-------|------|------------------------|------|--------------------------|------|-------------------|--------|---------------|--------|------------------|--|-------------------|--|--|--|------|
| GLOBEX<br>OPEN |       | OPEN OUTCRY<br>OPEN RANGE |      | GLOBEX<br>HIGH/LOW |                | OPEN OUTCRY<br>HIGH/LOW |      | OPEN OUTCRY<br>CLOSE RANGE |      | SETT.PRICE<br>& PT.CHGE. |       | DELTA |      | EXER<br>CISES          |      | OPEN<br>OUTCRY<br>VOLUME |      | GLOBEX®<br>VOLUME |        | PNT<br>VOLUME |        | OPEN<br>INTEREST |  |                   |  |  |  |      |
| SO PUT         |       | COMEX SILVER OPTIONS      |      |                    |                |                         |      |                            |      |                          |       |       |      |                        |      |                          |      |                   |        |               |        |                  |  |                   |  |  |  |      |
| JUL26          |       |                           |      |                    |                |                         |      |                            |      |                          |       |       |      |                        |      |                          |      |                   |        |               |        |                  |  |                   |  |  |  |      |
| 4250           | ----  | ----                      | ---- | 0.0608/*0.047A     | 0.0608/0.047A  | ----                    | ---- | ----                       | ---- | 0.059 +                  | 0.011 | .0107 | ---- | ----                   | ---- | ----                     | ---- | ----              | ----   | ----          | 21     | UNCH             |  |                   |  |  |  |      |
| 4300           | ----  | ----                      | ---- | 0.0978/*0.026A     | 0.0978/*0.026A | ----                    | ---- | ----                       | ---- | 0.063 +                  | 0.011 | .0116 | ---- | ----                   | ---- | ----                     | ---- | ----              | ----   | ----          | 98     | UNCH             |  |                   |  |  |  |      |
| 4325           | ----  | ----                      | ---- | 0.1018/*0.028A     | 0.1018/*0.028A | ----                    | ---- | ----                       | ---- | 0.065 +                  | 0.011 | .0120 | ---- | ----                   | ---- | ----                     | ---- | ----              | ----   | ----          | 17     | UNCH             |  |                   |  |  |  |      |
| 4350           | 0.094 | 0.094                     | ---- | 0.1068/*0.029A     | 0.1068/*0.029A | ----                    | ---- | ----                       | ---- | 0.067                    | NEW   | .0125 | ---- | ----                   | ---- | ----                     | 3    | ----              | ----   | ----          | 3 +    | 3                |  |                   |  |  |  |      |
| 4375           | ----  | ----                      | ---- | 0.1108/*0.031A     | 0.1108/0.031A  | ----                    | ---- | ----                       | ---- | 0.070 +                  | 0.012 | .0131 | ---- | ----                   | ---- | ----                     | ---- | ----              | ----   | ----          | 32     | UNCH             |  |                   |  |  |  |      |
| 4400           | ----  | ----                      | ---- | 0.1158/*0.033A     | 0.1158/0.033A  | ----                    | ---- | ----                       | ---- | 0.072 +                  | 0.012 | .0135 | ---- | ----                   | ---- | ----                     | 1    | ----              | ----   | ----          | 33 +   | 1                |  |                   |  |  |  |      |
| 4425           | ----  | ----                      | ---- | 0.1208/*0.034A     | 0.1208/0.034A  | ----                    | ---- | ----                       | ---- | 0.075 +                  | 0.012 | .0142 | ---- | ----                   | ---- | ----                     | ---- | ----              | ----   | ----          | 1      | UNCH             |  |                   |  |  |  |      |
| 4450           | ----  | ----                      | ---- | 0.1268/*0.036A     | 0.1268/0.036A  | ----                    | ---- | ----                       | ---- | 0.078 +                  | 0.013 | .0148 | ---- | ----                   | ---- | ----                     | ---- | ----              | ----   | ----          | 4      | UNCH             |  |                   |  |  |  |      |
| 4475           | 0.019 | 0.019                     | ---- | 0.1328/*0.017A     | 0.1328/*0.017A | ----                    | ---- | ----                       | ---- | 0.080 +                  | 0.012 | .0153 | ---- | ----                   | ---- | ----                     | 3    | ----              | ----   | ----          | 19 +   | 3                |  |                   |  |  |  |      |
| 4500           | 0.045 | 0.045                     | ---- | 0.1378/*0.019A     | 0.1378/*0.019A | ----                    | ---- | ----                       | ---- | 0.083 +                  | 0.012 | .0160 | ---- | ----                   | ---- | ----                     | 2    | ----              | ----   | ----          | 289    | UNCH             |  |                   |  |  |  |      |
| 4575           | ----  | ----                      | ---- | 0.1568/*0.023A     | 0.1568/*0.023A | ----                    | ---- | ----                       | ---- | 0.093 +                  | 0.014 | .0182 | ---- | ----                   | ---- | ----                     | ---- | ----              | ----   | ----          | 75     | UNCH             |  |                   |  |  |  |      |
| 4600           | 0.086 | 0.086                     | ---- | 0.1638/*0.024A     | 0.1638/*0.024A | ----                    | ---- | ----                       | ---- | 0.096 +                  | 0.014 | .0189 | ---- | ----                   | ---- | ----                     | 1    | ----              | ----   | ----          | 102 +  | 1                |  |                   |  |  |  |      |
| 4625           | 0.152 | 0.152                     | ---- | 0.1708/*0.026A     | 0.1708/*0.026A | ----                    | ---- | ----                       | ---- | 0.100 +                  | 0.014 | .0198 | ---- | ----                   | ---- | ----                     | 5    | ----              | ----   | ----          | 11 +   | 2                |  |                   |  |  |  |      |
| 4650           | ----  | ----                      | ---- | 0.1788/*0.027A     | 0.1788/*0.027A | ----                    | ---- | ----                       | ---- | 0.104 +                  | 0.015 | .0207 | ---- | ----                   | ---- | ----                     | ---- | ----              | ----   | ----          | 40     | UNCH             |  |                   |  |  |  |      |
| 4675           | ----  | ----                      | ---- | 0.1868/*0.029A     | 0.1868/*0.029A | ----                    | ---- | ----                       | ---- | 0.107 +                  | 0.014 | .0214 | ---- | ----                   | ---- | ----                     | ---- | ----              | ----   | ----          | 12     | UNCH             |  |                   |  |  |  |      |
| 4700           | 0.113 | 0.113                     | ---- | 0.1948/*0.031A     | 0.1948/*0.031A | ----                    | ---- | ----                       | ---- | 0.111 +                  | 0.014 | .0224 | ---- | ----                   | ---- | ----                     | 1    | ----              | ----   | ----          | 172    | UNCH             |  |                   |  |  |  |      |
| 4725           | ----  | ----                      | ---- | 0.2038/*0.033A     | 0.2038/*0.033A | ----                    | ---- | ----                       | ---- | 0.116 +                  | 0.016 | .0235 | ---- | ----                   | ---- | ----                     | ---- | ----              | ----   | ----          | 3      | UNCH             |  |                   |  |  |  |      |
| 4750           | 0.160 | 0.160                     | ---- | 0.2148/*0.035A     | 0.2148/*0.035A | ----                    | ---- | ----                       | ---- | 0.120 +                  | 0.015 | .0244 | ---- | ----                   | ---- | ----                     | 2    | ----              | ----   | ----          | 55 +   | 1                |  |                   |  |  |  |      |
| 4775           | ----  | ----                      | ---- | 0.2258/*0.036A     | 0.2258/0.036A  | ----                    | ---- | ----                       | ---- | 0.125 +                  | 0.016 | .0256 | ---- | ----                   | ---- | ----                     | ---- | ----              | ----   | ----          | 8      | UNCH             |  |                   |  |  |  |      |
| 4800           | 0.170 | 0.170                     | ---- | 0.2358/*0.039A     | 0.2358/0.039A  | ----                    | ---- | ----                       | ---- | 0.130 +                  | 0.017 | .0267 | ---- | ----                   | ---- | ----                     | 4    | ----              | ----   | ----          | 21     | UNCH             |  |                   |  |  |  |      |
| 4825           | ----  | ----                      | ---- | 0.2448/*0.041A     | 0.2448/0.041A  | ----                    | ---- | ----                       | ---- | 0.135 +                  | 0.017 | .0279 | ---- | ----                   | ---- | ----                     | ---- | ----              | ----   | ----          | 26     | UNCH             |  |                   |  |  |  |      |
| 4850           | ----  | ----                      | ---- | 0.2518/*0.043A     | 0.2518/0.043A  | ----                    | ---- | ----                       | ---- | 0.140 +                  | 0.017 | .0291 | ---- | ----                   | ---- | ----                     | ---- | ----              | ----   | ----          | 2      | UNCH             |  |                   |  |  |  |      |
| 4875           | ----  | ----                      | ---- | 0.2668/*0.046A     | 0.2668/0.046A  | ----                    | ---- | ----                       | ---- | 0.145 +                  | 0.017 | .0303 | ---- | ----                   | ---- | ----                     | ---- | ----              | ----   | ----          | 23     | UNCH             |  |                   |  |  |  |      |
| 4900           | ----  | ----                      | ---- | 0.2798/*0.049A     | 0.2798/0.049A  | ----                    | ---- | ----                       | ---- | 0.151 +                  | 0.017 | .0317 | ---- | ----                   | ---- | ----                     | ---- | ----              | ----   | ----          | 170    | UNCH             |  |                   |  |  |  |      |
| 4950           | ----  | ----                      | ---- | 0.3048/0.054A      | 0.3048/0.054A  | ----                    | ---- | ----                       | ---- | 0.164 +                  | 0.019 | .0347 | ---- | ----                   | ---- | ----                     | ---- | ----              | ----   | ----          | 6      | UNCH             |  |                   |  |  |  |      |
| 4975           | 0.177 | 0.177                     | ---- | 0.3198/0.058A      | 0.3198/0.058A  | ----                    | ---- | ----                       | ---- | 0.170 +                  | 0.019 | .0362 | ---- | ----                   | ---- | ----                     | 1    | ----              | ----   | ----          | 3 +    | 1                |  |                   |  |  |  |      |
| 5000           | 0.275 | 0.275                     | ---- | 0.3308/0.060       | 0.3308/0.060   | ----                    | ---- | ----                       | ---- | 0.178 +                  | 0.020 | .0380 | ---- | ----                   | ---- | ----                     | 459  | ----              | ----   | ----          | 990 +  | 29               |  |                   |  |  |  |      |
| 5025           | 0.192 | 0.192                     | ---- | 0.3498/0.065A      | 0.3498/0.065A  | ----                    | ---- | ----                       | ---- | 0.185 +                  | 0.020 | .0397 | ---- | ----                   | ---- | ----                     | 1    | ----              | ----   | ----          | 2 +    | 1                |  |                   |  |  |  |      |
| 5050           | ----  | ----                      | ---- | 0.3588/0.069A      | 0.3588/0.069A  | ----                    | ---- | ----                       | ---- | 0.193 +                  | 0.021 | .0416 | ---- | ----                   | ---- | ----                     | ---- | ----              | ----   | ----          | 16     | UNCH             |  |                   |  |  |  |      |
| 5075           | 0.132 | 0.132                     | ---- | 0.3748/0.072A      | 0.3748/0.072A  | ----                    | ---- | ----                       | ---- | 0.201 +                  | 0.021 | .0435 | ---- | ----                   | ---- | ----                     | 1    | ----              | ----   | ----          | 8 +    | 1                |  |                   |  |  |  |      |
| 5100           | 0.210 | 0.210                     | ---- | 0.3908/0.077A      | 0.3908/0.077A  | ----                    | ---- | ----                       | ---- | 0.209 +                  | 0.021 | .0455 | ---- | ----                   | ---- | ----                     | 1    | ----              | ----   | ----          | 178 +  | 1                |  |                   |  |  |  |      |
| 5125           | ----  | ----                      | ---- | 0.4078/0.082A      | 0.4078/0.082A  | ----                    | ---- | ----                       | ---- | 0.219 +                  | 0.023 | .0478 | ---- | ----                   | ---- | ----                     | ---- | ----              | ----   | ----          | 1      | UNCH             |  |                   |  |  |  |      |
| 5150           | 0.244 | 0.244                     | ---- | 0.4338/0.086A      | 0.4338/0.086A  | ----                    | ---- | ----                       | ---- | 0.228 +                  | 0.023 | .0500 | ---- | ----                   | ---- | ----                     | 2    | ----              | ----   | ----          | 7 +    | 2                |  |                   |  |  |  |      |
| 5175           | 0.260 | 0.260                     | ---- | 0.4468/0.091A      | 0.4468/0.091A  | ----                    | ---- | ----                       | ---- | 0.238 +                  | 0.023 | .0524 | ---- | ----                   | ---- | ----                     | 3    | ----              | ----   | ----          | 8 +    | 3                |  |                   |  |  |  |      |
| 5200           | 0.250 | 0.250                     | ---- | 0.4648/0.096A      | 0.4648/0.096A  | ----                    | ---- | ----                       | ---- | 0.249 +                  | 0.025 | .0550 | ---- | ----                   | ---- | ----                     | 24   | ----              | ----   | ----          | 130 -  | 17               |  |                   |  |  |  |      |
| 5225           | 0.268 | 0.268                     | ---- | 0.4868/0.102A      | 0.4868/0.102A  | ----                    | ---- | ----                       | ---- | 0.260 +                  | 0.025 | .0576 | ---- | ----                   | ---- | ----                     | 3    | ----              | ----   | ----          | 13 +   | 3                |  |                   |  |  |  |      |
| 5250           | 0.430 | 0.430                     | ---- | 0.5098/0.107A      | 0.5098/0.107A  | ----                    | ---- | ----                       | ---- | 0.272 +                  | 0.026 | .0604 | ---- | ----                   | ---- | ----                     | 20   | ----              | ----   | ----          | 225    | UNCH             |  |                   |  |  |  |      |
| 5275           | 0.456 | 0.456                     | ---- | 0.5448/0.103       | 0.5448/0.103   | ----                    | ---- | ----                       | ---- | 0.284 +                  | 0.027 | .0633 | ---- | ----                   | ---- | ----                     | 2    | ----              | ----   | ----          | 3      | UNCH             |  |                   |  |  |  |      |
| 5300           | 0.350 | 0.350                     | ---- | 0.5568/0.120A      | 0.5568/0.120A  | ----                    | ---- | ----                       | ---- | 0.297 +                  | 0.028 | .0664 | ---- | ----                   | ---- | ----                     | 17   | ----              | ----   | ----          | 147 +  | 6                |  |                   |  |  |  |      |
| 5325           | ----  | ----                      | ---- | 0.5728/0.127A      | 0.5728/0.127A  | ----                    | ---- | ----                       | ---- | 0.311 +                  | 0.029 | .0697 | ---- | ----                   | ---- | ----                     | ---- | ----              | ----   | ----          | 11     | UNCH             |  |                   |  |  |  |      |
| 5350           | 0.360 | 0.360                     | ---- | 0.6008/0.134A      | 0.6008/0.134A  | ----                    | ---- | ----                       | ---- | 0.325 +                  | 0.029 | .0730 | ---- | ----                   | ---- | ----                     | 3    | ----              | ----   | ----          | 28 +   | 2                |  |                   |  |  |  |      |
| 5375           | 0.358 | 0.358                     | ---- | 0.6348/0.142A      | 0.6348/0.142A  | ----                    | ---- | ----                       | ---- | 0.341 +                  | 0.031 | .0767 | ---- | ----                   | ---- | ----                     | 1    | ----              | ----   | ----          | 25     | UNCH             |  |                   |  |  |  |      |
| 5400           | 0.589 | 0.589                     | ---- | 0.6658/0.147A      | 0.6658/0.147A  | ----                    | ---- | ----                       | ---- | 0.357 +                  | 0.032 | .0805 | ---- | ----                   | ---- | ----                     | 5    | ----              | ----   | ----          | 88     | UNCH             |  |                   |  |  |  |      |
| 5425           | 0.386 | 0.386                     | ---- | 0.6998/0.155A      | 0.6998/0.155A  | ----                    | ---- | ----                       | ---- | 0.374 +                  | 0.033 | .0845 | ---- | ----                   | ---- | ----                     | 6    | ----              | ----   | ----          | 54 +   | 5                |  |                   |  |  |  |      |
| 5450           | 0.405 | 0.405                     | ---- | 0.7288/0.167A      | 0.7288/0.167A  | ----                    | ---- | ----                       | ---- | 0.392 +                  | 0.035 | .0887 | ---- | ----                   | ---- | ----                     | 1    | ----              | ----   | ----          | 38 -   | 1                |  |                   |  |  |  |      |
| 5475           | ----  | ----                      | ---- | 0.7628/0.175A      | 0.7628/0.175A  | ----                    | ---- | ----                       | ---- | 0.411 +                  | 0.036 | .0931 | ---- | ----                   | ---- | ----                     | ---- | ----              | ----   | ----          | 54     | UNCH             |  |                   |  |  |  |      |
| 5500           | 0.500 | 0.500                     | ---- | 0.7998/0.172       | 0.7998/0.172   | ----                    | ---- | ----                       | ---- | 0.432 +                  | 0.038 | .0979 | ---- | ----                   | ---- | ----                     | 108  | ----              | ----   | ----          | 1028 - | 65               |  |                   |  |  |  |      |
| 5525           | ----  | ----                      | ---- | 0.8378/0.196A      | 0.8378/0.196A  | ----                    | ---- | ----                       | ---- | 0.453 +                  | 0.040 | .1027 | ---- | ----                   | ---- | ----                     | ---- | ----              | ----   | ----          | 89     | UNCH             |  |                   |  |  |  |      |
| 5550           | 0.476 | 0.476                     | ---- | 0.8788/0.203A      | 0.8788/0.203A  | ----                    | ---- | ----                       | ---- | 0.476 +                  | 0.042 | .1080 | ---- | ----                   | ---- | ----                     | 124  | ----              | ----   | ----          | 76 +   | 42               |  |                   |  |  |  |      |
| 5575           | 0.514 | 0.514                     | ---- | 0.9218/0.220A      | 0.9218/0.220A  | ----                    | ---- | ----                       | ---- | 0.499 +                  | 0.043 | .1133 | ---- | ----                   | ---- | ----                     | 2    | ----              | ----   | ----          | 9 +    | 2                |  |                   |  |  |  |      |
| 5600           | 0.647 | 0.647                     | ---- | 0.9678/0.228A      | 0.9678/0.228A  | ----                    | ---- | ----                       | ---- | 0.525 +                  | 0.046 | .1191 | ---- | ----                   | ---- | ----                     | 23   | ----              | ----</ |               |        |                  |  |                   |  |  |  |      |



| BULLETIN #111@ |                      |              |                 | METALS OPTION PRODUCTS |                  |                 |               |                 |                          |       |               |                          |                   | Thu, Jun 11, 2026 |                  |      |  | PG64 |
|----------------|----------------------|--------------|-----------------|------------------------|------------------|-----------------|---------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|-------------------|------------------|------|--|------|
|                | GLOBEX<br>OPEN       | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW     | OPEN<br>HIGH/LOW | OUTCRY<br>RANGE | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME     | OPEN<br>INTEREST |      |  |      |
| SO PUT         | COMEX SILVER OPTIONS |              |                 |                        |                  |                 |               |                 |                          |       |               |                          |                   |                   |                  |      |  |      |
| JUL26          |                      |              |                 |                        |                  |                 |               |                 |                          |       |               |                          |                   |                   |                  |      |  |      |
| 7800           | ----                 | ----         | ----            | 14.818B/10.945A        | 14.818B/10.945A  | ----            | 14.120        | +               | 0.698                    | .9591 | ----          | ----                     | 1                 | ----              | 102              | -    |  |      |
| 7825           | ----                 | ----         | ----            | 14.998B/11.167A        | 14.998B/11.167A  | ----            | 14.365        | +               | 0.700                    | .9607 | ----          | ----                     | ----              | ----              | 27               |      |  |      |
| 7850           | ----                 | ----         | ----            | 15.242B/11.402A        | 15.242B/11.402A  | ----            | 14.610        | +               | 0.702                    | .9623 | ----          | ----                     | ----              | ----              | 35               | UNCH |  |      |
| 7875           | ----                 | ----         | ----            | 15.488B/11.638A        | 15.488B/11.638A  | ----            | 14.855        | +               | 0.704                    | .9638 | ----          | ----                     | ----              | ----              | 26               | UNCH |  |      |
| 7900           | ----                 | ----         | ----            | 15.732B/11.875A        | 15.732B/11.875A  | ----            | 15.101        | +               | 0.706                    | .9651 | ----          | ----                     | ----              | ----              | 29               | UNCH |  |      |
| 7925           | ----                 | ----         | ----            | 15.820B/12.112A        | 15.820B/12.112A  | ----            | 15.346        | +               | 0.707                    | .9664 | ----          | ----                     | ----              | ----              | 2                | UNCH |  |      |
| 7950           | ----                 | ----         | ----            | 16.067B/12.350A        | 16.067B/12.350A  | ----            | 15.592        | +               | 0.708                    | .9677 | ----          | ----                     | ----              | ----              | 4                | UNCH |  |      |
| 7975           | ----                 | ----         | ----            | 16.312B/12.588A        | 16.312B/12.588A  | ----            | 15.839        | +               | 0.711                    | .9687 | ----          | ----                     | ----              | ----              | 5                | UNCH |  |      |
| 8000           | ----                 | ----         | ----            | 16.787B/12.826A        | 16.787B/12.826A  | ----            | 16.085        | +               | 0.712                    | .9699 | ----          | ----                     | ----              | ----              | 226              | UNCH |  |      |
| 8050           | ----                 | ----         | ----            | 17.051B/13.307A        | 17.051B/13.307A  | ----            | 16.579        | +               | 0.714                    | .9719 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |
| 8075           | ----                 | ----         | ----            | #17.439B/13.546        | #17.439B/13.546A | ----            | 16.826        | +               | 0.716                    | .9729 | ----          | ----                     | ----              | ----              | 10               | UNCH |  |      |
| 8100           | ----                 | ----         | ----            | #17.704B/13.788        | #17.704B/13.788A | ----            | 17.073        | +               | 0.716                    | .9738 | ----          | ----                     | ----              | ----              | 48               | UNCH |  |      |
| 8125           | ----                 | ----         | ----            | #17.932B/14.030        | #17.932B/14.030A | ----            | 17.320        | +               | 0.717                    | .9745 | ----          | ----                     | ----              | ----              | 7                | UNCH |  |      |
| 8150           | ----                 | ----         | ----            | #18.039B/14.272        | #18.039B/14.272A | ----            | 17.568        | +               | 0.718                    | .9755 | ----          | ----                     | ----              | ----              | 2                | UNCH |  |      |
| 8175           | ----                 | ----         | ----            | #18.286B/14.514        | #18.286B/14.514A | ----            | 17.815        | +               | 0.719                    | .9762 | ----          | ----                     | ----              | ----              | 4                | UNCH |  |      |
| 8200           | ----                 | ----         | ----            | #18.686B/14.757        | #18.686B/14.757A | ----            | 18.063        | +               | 0.720                    | .9768 | ----          | ----                     | ----              | ----              | 23               | UNCH |  |      |
| 8225           | ----                 | ----         | ----            | #18.934B/15.000        | #18.934B/15.000A | ----            | 18.311        | +               | 0.720                    | .9775 | ----          | ----                     | ----              | ----              | 17               | UNCH |  |      |
| 8250           | ----                 | ----         | ----            | #19.254B/15.243        | #19.254B/15.243A | ----            | 18.559        | +               | 0.721                    | .9782 | ----          | ----                     | ----              | ----              | 90               | UNCH |  |      |
| 8275           | ----                 | ----         | ----            | #19.421B/15.487        | #19.421B/15.487A | ----            | 18.807        | +               | 0.721                    | .9788 | ----          | ----                     | 2                 | ----              | 15               | UNCH |  |      |
| 8300           | ----                 | ----         | ----            | #19.754B/15.729        | #19.754B/15.729A | ----            | 19.055        | +               | 0.722                    | .9795 | ----          | ----                     | ----              | ----              | 129              | UNCH |  |      |
| 8325           | ----                 | ----         | ----            | 19.510B/15.975A        | 19.510B/15.975A  | ----            | 19.303        | +               | 0.722                    | .9799 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |
| 8350           | ----                 | ----         | ----            | 19.786B/16.219A        | 19.786B/16.219A  | ----            | 19.551        | +               | 0.722                    | .9805 | ----          | ----                     | ----              | ----              | 20               | UNCH |  |      |
| 8375           | ----                 | ----         | ----            | 19.993B/16.463A        | 19.993B/16.463A  | ----            | 19.800        | +               | 0.723                    | .9811 | ----          | ----                     | 2                 | ----              | 4                | UNCH |  |      |
| 8400           | ----                 | ----         | ----            | 20.204B/16.708A        | 20.204B/16.708A  | ----            | 20.048        | +               | 0.723                    | .9815 | ----          | ----                     | ----              | ----              | 13               | UNCH |  |      |
| 8425           | ----                 | ----         | ----            | 20.170B/16.953A        | 20.170B/16.953A  | ----            | 20.297        | +               | 0.724                    | .9821 | ----          | ----                     | ----              | ----              | 4                | UNCH |  |      |
| 8450           | ----                 | ----         | ----            | #20.745B/17.198        | #20.745B/17.198A | ----            | 20.545        | +               | 0.724                    | .9825 | ----          | ----                     | ----              | ----              | 33               | UNCH |  |      |
| 8475           | ----                 | ----         | ----            | #20.649B/17.444        | #20.649B/17.444A | ----            | 20.794        | +               | 0.725                    | .9828 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |
| 8500           | ----                 | ----         | ----            | #20.998B/17.689        | #20.998B/17.689A | ----            | 21.042        | +               | 0.725                    | .9834 | ----          | ----                     | ----              | ----              | 167              | UNCH |  |      |
| 8525           | ----                 | ----         | ----            | #21.147B/17.935        | #21.147B/17.935A | ----            | 21.291        | +               | 0.726                    | .9838 | ----          | ----                     | ----              | ----              | 4                | UNCH |  |      |
| 8550           | ----                 | ----         | ----            | #21.445B/18.181        | #21.445B/18.181A | ----            | 21.539        | +               | 0.725                    | .9841 | ----          | ----                     | ----              | ----              | 37               | UNCH |  |      |
| 8575           | ----                 | ----         | ----            | ----/18.427A           | 20.171B/18.427A  | ----            | 21.788        | +               | 0.726                    | .9847 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |
| 8600           | ----                 | ----         | ----            | ----/18.673A           | 20.526B/18.673A  | ----            | 22.037        | +               | 0.727                    | .9850 | ----          | ----                     | ----              | ----              | 75               | UNCH |  |      |
| 8625           | ----                 | ----         | ----            | ----/18.919A           | 20.594B/18.919A  | ----            | 22.285        | +               | 0.727                    | .9854 | ----          | ----                     | ----              | ----              | 7                | UNCH |  |      |
| 8650           | ----                 | ----         | ----            | ----/19.165A           | 20.829B/19.165A  | ----            | 22.534        | +               | 0.728                    | .9857 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |
| 8675           | ----                 | ----         | ----            | ----/19.412A           | 21.078B/19.412A  | ----            | 22.783        | +               | 0.728                    | .9860 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |
| 8700           | ----                 | ----         | ----            | ----/19.659A           | 21.306B/19.659A  | ----            | 23.032        | +               | 0.729                    | .9863 | ----          | ----                     | ----              | ----              | 11               | UNCH |  |      |
| 8725           | ----                 | ----         | ----            | ----/19.905A           | 21.576B/19.905A  | ----            | 23.281        | +               | 0.729                    | .9867 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |
| 8800           | ----                 | ----         | ----            | ----/20.646A           | 22.394B/20.646A  | ----            | 24.028        | +               | 0.731                    | .9876 | ----          | ----                     | ----              | ----              | 59               | UNCH |  |      |
| 8850           | ----                 | ----         | ----            | ----/21.141A           | 22.353B/21.141A  | ----            | 24.526        | +               | 0.731                    | .9882 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |
| 8900           | ----                 | ----         | ----            | ----/21.636A           | 22.707B/21.636A  | ----            | 25.024        | +               | 0.732                    | .9888 | ----          | ----                     | ----              | ----              | 2                | UNCH |  |      |
| 8975           | ----                 | ----         | ----            | ----/22.510A           | 22.792B/22.510A  | ----            | 25.772        | +               | 0.733                    | .9894 | ----          | ----                     | ----              | ----              | 2                | UNCH |  |      |
| 9000           | ----                 | ----         | ----            | ----/22.660A           | 23.099B/22.660A  | ----            | 26.021        | +               | 0.733                    | .9895 | ----          | ----                     | ----              | ----              | 320              | UNCH |  |      |
| 9025           | ----                 | ----         | ----            | ----/23.005A           | 23.290B/23.005A  | ----            | 26.271        | +               | 0.734                    | .9898 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |
| 9175           | ----                 | ----         | ----            | ----/24.490A           | 24.573B/24.490A  | ----            | 27.767        | +               | 0.733                    | .9908 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |
| 9200           | ----                 | ----         | ----            | ----/24.738A           | 24.821B/24.738A  | ----            | 28.017        | +               | 0.734                    | .9908 | ----          | ----                     | ----              | ----              | 11               | UNCH |  |      |
| 9250           | ----                 | ----         | ----            | ----/25.233A           | 25.153B/25.233A  | ----            | 28.516        | +               | 0.734                    | .9911 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |
| 9275           | ----                 | ----         | ----            | ----/25.481A           | 25.401B/25.481A  | ----            | 28.766        | +               | 0.734                    | .9912 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |
| 9300           | ----                 | ----         | ----            | ----/25.729A           | 25.643B/25.729A  | ----            | 29.015        | +               | 0.734                    | .9915 | ----          | ----                     | ----              | ----              | 5                | UNCH |  |      |
| 9400           | ----                 | ----         | ----            | ----/26.721A           | 26.644B/26.721A  | ----            | 30.014        | +               | 0.734                    | .9918 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |
| 9450           | ----                 | ----         | ----            | ----/27.217A           | 26.989B/27.217A  | ----            | 30.513        | +               | 0.734                    | .9921 | ----          | ----                     | ----              | ----              | 12               | UNCH |  |      |
| 9500           | ----                 | ----         | ----            | ----                   | ----             | ----            | 31.012        | +               | 0.733                    | .9922 | ----          | ----                     | ----              | ----              | 217              | UNCH |  |      |
| 9600           | ----                 | ----         | ----            | ----                   | ----             | ----            | 32.011        | +               | 0.733                    | .9926 | ----          | ----                     | ----              | ----              | 50               | UNCH |  |      |
| 9775           | ----                 | ----         | ----            | ----                   | ----             | ----            | 33.759        | +               | 0.733                    | .9932 | ----          | ----                     | ----              | ----              | 5                | UNCH |  |      |
| 9900           | ----                 | ----         | ----            | ----                   | ----             | ----            | 35.008        | +               | 0.733                    | .9936 | ----          | ----                     | ----              | ----              | 6                | UNCH |  |      |
| 9950           | ----                 | ----         | ----            | ----                   | ----             | ----            | 35.507        | +               | 0.732                    | .9938 | ----          | ----                     | ----              | ----              | 5                | UNCH |  |      |
| 10000          | ----                 | ----         | ----            | ----                   | ----             | ----            | 36.007        | +               | 0.733                    | .9939 | ----          | ----                     | ----              | ----              | 225              | UNCH |  |      |
| 10275          | ----                 | ----         | ----            | ----                   | ----             | ----            | 38.754        | +               | 0.733                    | .9947 | ----          | ----                     | ----              | ----              | 7                | UNCH |  |      |
| 10500          | ----                 | ----         | ----            | ----                   | ----             | ----            | 41.002        | +               | 0.733                    | .9953 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |
| 10600          | 41.700               | 41.700       |                 | 41.900/41.700          | 41.900/41.700    |                 | 42.002        | +               | 0.734                    | .9955 | ----          | ----                     | 4                 | ----              | 0                | -    |  |      |
| 10800          | ----                 | ----         | ----            | ----                   | ----             | ----            | 44.001        | +               | 0.735                    | .9960 | ----          | ----                     | ----              | ----              | 0                | UNCH |  |      |
| 11000          | ----                 | ----         | ----            | ----                   | ----             | ----            | 46.000        | +               | 0.735                    | .9963 | 29            | ----                     | ----              | ----              | 107              | -    |  |      |
| 11300          | ----                 | ----         | ----            | ----                   | ----             | ----            | 48.999        | +               | 0.736                    | .9969 | 10            | ----                     | ----              | ----              | 0                | -    |  |      |
| TOTAL          |                      |              |                 |                        |                  |                 |               |                 |                          |       |               |                          | 1990              | 106               | 17401            | -    |  |      |
| AUG26          |                      |              |                 |                        |                  |                 |               |                 |                          |       |               |                          |                   |                   |                  |      |  |      |
| 2125           | ----                 | ----         | ----            | ----/0.004A            | ----/0.004A      | ----            | 0.007         | +               | 0.001                    | .0008 | ----          | ----                     | ----              | ----              | 3                | UNCH |  |      |
| 2200           | 0.010                | 0.010        |                 | 0.010/*0.010           | 0.010/0.010      | ----            | 0.008         |                 | NEW                      | .0009 | ----          | ----                     | 1                 | ----              | 1                | +    |  |      |
| 2300           | ----                 | ----         | ----            | ----/0.223A            | ----/0.223A      | ----            | 0.010         | +               | 0.001                    | .0012 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |
| 2800           | ----                 | ----         | ----            | ----                   | 0.015B/0.037A    | ----            | 0.025         | +               | 0.003                    | .0032 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |
| 3000           | ----                 | ----         | ----            | ----                   | 0.023B/0.043A    | ----            | 0.034         | +               | 0.005                    | .0045 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |
| 3300           | ----                 | ----         | ----            | ----                   | 0.040B/0.055A    | ----            | 0.053         | +               | 0.007                    | .0072 | ----          | ----                     | ----              | ----              | 2                | UNCH |  |      |
| 3350           | ----                 | ----         | ----            | ----                   | 0.044B/0.057A    | ----            | 0.057         |                 | NEW                      | .0078 | ----          | ----                     | 1                 | ----              | 1                | +    |  |      |
| 3500           | ----                 | ----         | ----            | ----                   | 0.059B/0.067A    | ----            | 0.071         | +               | 0.009                    | .0098 | ----          | ----                     | ----              | ----              | 50               | UNCH |  |      |
| 3900           | ----                 | ----         | ----            | 0.109B/0.100A          | 0.109B/0.100A    | ----            | 0.121         | +               | 0.014                    | .0175 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |
| 4000           | ----                 | ----         | ----            | 0.127B/0.107A          | 0.127B/0.107A    | ----            | 0.138         | +               | 0.016                    | .0202 | ----          | ----                     | ----              | ----              | 4                | UNCH |  |      |
| 4175           | ----                 | ----         | ----            | 0.171B/*0.130A         | 0.171B/0.130A    | ----            | 0.174         | +               | 0.020                    | .0258 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |
| 4200           | ----                 | ----         | ----            | 0.194B/*0.134A         | 0.194B/0.134A    | ----            | 0.180         | +               | 0.020                    | .0268 | ----          | ----                     | ----              | ----              | 2                | UNCH |  |      |
| 4300           | ----                 | ----         | ----            | 0.246B/*0.116A         | 0.246B/0.116A    | ----            | 0.206         | +               | 0.023                    | .0309 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |
| 4350           | ----                 | ----         | ----            | 0.264B/*0.123A         | 0.264B/0.123A    | ----            | 0.220         | +               | 0.024                    | .0331 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |
| 4375           | 0.259                | 0.259        |                 | 0.275B/*0.128A         | 0.275B/0.128A    | ----            | 0.228         | +               | 0.025                    | .0343 | ----          | ----                     | 2                 | ----              | 160              | UNCH |  |      |
| 4450           | ----                 | ----         | ----            | 0.311B/*0.142A         | 0.311B/0.142A    | ----            | 0.252         | +               | 0.027                    | .0381 | ----          | ----                     | 4                 | ----              | 3                | +    |  |      |
| 4500           | ----                 | ----         | ----            | 0.340B/0.153A          | 0.340B/0.153A    | ----            | 0.270         | +               | 0.029                    | .0409 | ----          | ----                     | 13                | ----              | 13               | -    |  |      |
| 4600           | ----                 | ----         | ----            | 0.399B/*0.177A         | 0.399B/0.177A    | ----            | 0.311         | +               | 0.033                    | .0473 | ----          | ----                     | ----              | ----              | 5                | UNCH |  |      |
| 4625           | ----                 | ----         | ----            | 0.413B/*0.184A         | 0.413B/0.184A    | ----            | 0.322         | +               | 0.034                    | .0490 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |
| 4700           | ----                 | ----         | ----            | 0.465B/*0.206A         | 0.465B/0.206A    | ----            | 0.358         | +               | 0.038                    | .0545 | ----          | ----                     | ----              | ----              | 9                | UNCH |  |      |
| 4750           | ----                 | ----         | ----            | 0.503B/*0.223A         | 0.503B/0.223A    | ----            | 0.385         | +               | 0.040                    | .0586 | ----          | ----                     | ----              | ----              | 5                | UNCH |  |      |
| 4775           | ----                 | ----         | ----            | 0.523B/0.231A          | 0.523B/0.231A    | ----            | 0.399         | +               | 0.042                    | .0607 | ----          | ----                     | 2                 | ----              | 3                | +    |  |      |
| 4800           | ----                 | ----         | ----            | 0.545B/0.240A          | 0.545B/0.240A    | ----            | 0.414         | +               | 0.043                    | .0630 | ----          | ----                     | ----              | ----              | 19               | UNCH |  |      |
| 4825           | ----                 | ----         | ----            | 0.558B/0.250A          | 0.558B/0.250A    | ----            | 0.429         | +               | 0.045                    | .0653 | ----          | ----                     | ----              | ----              | 1                | UNCH |  |      |
| 4900           | 0.652                | 0.652        |                 | 0.652/0.278A           | 0.652/0.278A     | ----            | 0.479         | +               | 0.049                    | .0727 | ----          | ----                     | 2                 | ----              | 5                | +    |  |      |
| 5000           | 0.597                | 0.597        |                 | 0.715B/0.326A          | 0.715B/0.326A    | ----            | 0.557         | +               | 0.058                    | .0841 | ----          | ----                     | 51                | ----              | 92               | -    |  |      |
| 5050           | 0.628                | 0.628        |                 | 0.776B/0.355A          | 0.776B/0.355A    | ----            | 0.600         | +               | 0.061                    | .0903 | ----          | ----                     | 1                 | ----              | 1                | UNCH |  |      |
| 5075           | ----                 | ----         | ----            | 0.808B/0.373A          | 0.808B/0.373A    | ----            | 0.623         | +               | 0.064                    | .0936 | ----          | ----                     | ----              | ----              |                  |      |  |      |

| BULLETIN #111@ |                      |                           |                    | METALS OPTION PRODUCTS  |                            |                          |       |               |                          | Thu, Jun 11, 2026 |               |                  | PG64 |
|----------------|----------------------|---------------------------|--------------------|-------------------------|----------------------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|
|                | GLOBEX<br>OPEN       | OPEN OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN OUTCRY<br>HIGH/LOW | OPEN OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |
| SO PUT         | COMEX SILVER OPTIONS |                           |                    |                         |                            |                          |       |               |                          |                   |               |                  |      |
| AUG26          |                      |                           |                    |                         |                            |                          |       |               |                          |                   |               |                  |      |
| 6275           | 3.648                | 3.648                     | 4.639B/2.336A      | 4.639B/2.336A           | ----                       | 3.574 + 0.284            | .4038 | ----          | ----                     | 112               | 42            | 162 +            | 149  |
| 6300           | 4.870                | 4.870                     | 4.870/2.420A       | 4.870/2.420A            | ----                       | 3.689 + 0.291            | .4128 | ----          | ----                     | 17                | ----          | 561 -            | 4    |
| 6325           | -----                | -----                     | 4.916B/2.522A      | 4.916B/2.522A           | ----                       | 3.806 + 0.297            | .4218 | ----          | ----                     | -----             | -----         | 3 UNCH           |      |
| 6350           | -----                | -----                     | 5.061B/2.591A      | 5.061B/2.591A           | ----                       | 3.927 + 0.304            | .4309 | ----          | ----                     | -----             | -----         | 81 UNCH          |      |
| 6375           | -----                | -----                     | 5.208B/2.701A      | 5.208B/2.701A           | ----                       | 4.049 + 0.310            | .4400 | ----          | ----                     | -----             | -----         | 1 UNCH           |      |
| 6400           | 4.743                | 4.743                     | 5.357B/2.781A      | 5.357B/2.781A           | ----                       | 4.175 + 0.317            | .4491 | ----          | 6                        | 178 +             | 3             |                  |      |
| 6425           | 4.482                | 4.482                     | 5.510B/2.892A      | 5.510B/2.892A           | ----                       | 4.303 + 0.324            | .4582 | ----          | 1                        | 11 +              | 1             |                  |      |
| 6450           | 4.854                | 4.854                     | 5.550B/2.987A      | 5.550B/2.987A           | ----                       | 4.434 + 0.331            | .4672 | ----          | 1                        | 46 +              | 1             |                  |      |
| 6475           | -----                | -----                     | 5.709B/3.093A      | 5.709B/3.093A           | ----                       | 4.567 + 0.337            | .4763 | ----          | 1                        | 3 +               | 1             |                  |      |
| 6500           | 5.665                | 5.665                     | 5.866B/3.181A      | 5.866B/3.181A           | ----                       | 4.703 + 0.344            | .4853 | ----          | 29                       | 240 -             | 1             |                  |      |
| 6525           | -----                | -----                     | 6.028B/3.302A      | 6.028B/3.302A           | ----                       | 4.841 + 0.351            | .4943 | ----          | ----                     | -----             | -----         | 2 UNCH           |      |
| 6550           | -----                | -----                     | 6.192B/3.413A      | 6.192B/3.413A           | ----                       | 4.982 + 0.357            | .5033 | ----          | ----                     | -----             | -----         | 10 UNCH          |      |
| 6575           | -----                | -----                     | 6.362B/3.516A      | 6.362B/3.516A           | ----                       | 5.125 + 0.364            | .5122 | ----          | ----                     | -----             | -----         | 41 UNCH          |      |
| 6600           | 5.016                | 5.016                     | 6.521B/3.624A      | 6.521B/3.624A           | ----                       | 5.271 + 0.371            | .5211 | ----          | 4                        | 182 UNCH          |               |                  |      |
| 6625           | 5.369                | 5.369                     | 6.701B/3.754A      | 6.701B/3.754A           | ----                       | 5.420 + 0.378            | .5299 | ----          | 2                        | 22 +              | 1             |                  |      |
| 6650           | 5.520                | 5.520                     | 6.862B/3.852A      | 6.862B/3.852A           | ----                       | 5.570 + 0.384            | .5387 | ----          | 11                       | 24 +              | 9             |                  |      |
| 6675           | -----                | -----                     | 7.038B/3.955A      | 7.038B/3.955A           | ----                       | 5.724 + 0.391            | .5474 | ----          | ----                     | -----             | -----         | 2 UNCH           |      |
| 6700           | -----                | -----                     | 7.216B/4.109A      | 7.216B/4.109A           | ----                       | 5.879 + 0.397            | .5560 | ----          | ----                     | 92 UNCH           |               |                  |      |
| 6725           | -----                | -----                     | 7.395B/4.209A      | 7.395B/4.209A           | ----                       | 6.037 + 0.403            | .5645 | ----          | ----                     | 11 UNCH           |               |                  |      |
| 6750           | 6.373                | 6.373                     | 7.578B/4.346A      | 7.578B/4.346A           | ----                       | 6.198 + 0.411            | .5730 | ----          | 1                        | 3 +               | 1             |                  |      |
| 6775           | 6.540                | 6.540                     | 7.761B/4.473A      | 7.761B/4.473A           | ----                       | 6.360 + 0.416            | .5814 | ----          | 4                        | 19 +              | 3             |                  |      |
| 6800           | 6.232                | 6.232                     | 7.947B/4.624A      | 7.947B/4.624A           | ----                       | 6.525 + 0.423            | .5897 | ----          | 12                       | 244 +             | 1             |                  |      |
| 6825           | 6.880                | 6.880                     | 8.134B/4.746A      | 8.134B/4.746A           | ----                       | 6.693 + 0.430            | .5978 | ----          | 2                        | 35 UNCH           |               |                  |      |
| 6850           | 7.052                | 7.052                     | 8.323B/4.883A      | 8.323B/4.883A           | ----                       | 6.862 + 0.436            | .6059 | ----          | 3                        | 5 -               | 1             |                  |      |
| 6875           | 7.228                | 7.228                     | 8.514B/5.048A      | 8.514B/5.048A           | ----                       | 7.034 + 0.442            | .6139 | ----          | 2                        | 132 +             | 2             |                  |      |
| 6900           | -----                | -----                     | 8.707B/5.202A      | 8.707B/5.202A           | ----                       | 7.207 + 0.448            | .6218 | ----          | ----                     | 86 UNCH           |               |                  |      |
| 6925           | -----                | -----                     | 8.910B/5.380A      | 8.910B/5.380A           | ----                       | 7.383 + 0.454            | .6296 | ----          | ----                     | 10 UNCH           |               |                  |      |
| 6950           | -----                | -----                     | 9.106B/5.508A      | 9.106B/5.508A           | ----                       | 7.561 + 0.460            | .6372 | ----          | ----                     | 53 UNCH           |               |                  |      |
| 6975           | -----                | -----                     | 9.303B/5.683A      | 9.303B/5.683A           | ----                       | 7.741 + 0.466            | .6448 | ----          | ----                     | 11 UNCH           |               |                  |      |
| 7000           | 7.901                | 7.901                     | 9.502B/5.833A      | 9.502B/5.833A           | ----                       | 7.923 + 0.472            | .6522 | ----          | 2                        | 427 UNCH          |               |                  |      |
| 7025           | -----                | -----                     | 9.703B/5.993A      | 9.703B/5.993A           | ----                       | 8.107 + 0.478            | .6595 | ----          | ----                     | 25 UNCH           |               |                  |      |
| 7050           | -----                | -----                     | 9.905B/6.153A      | 9.905B/6.153A           | ----                       | 8.293 + 0.484            | .6667 | ----          | ----                     | 36 UNCH           |               |                  |      |
| 7075           | -----                | -----                     | 10.109B/6.310A     | 10.109B/6.310A          | ----                       | 8.480 + 0.489            | .6737 | ----          | ----                     | 25 UNCH           |               |                  |      |
| 7100           | 8.637                | 8.637                     | 10.314B/6.474A     | 10.314B/6.474A          | ----                       | 8.670 + 0.495            | .6807 | ----          | 1                        | 36 UNCH           |               |                  |      |
| 7125           | -----                | -----                     | 10.520B/6.643A     | 10.520B/6.643A          | ----                       | 8.861 + 0.501            | .6875 | ----          | ----                     | 20 UNCH           |               |                  |      |
| 7150           | -----                | -----                     | 10.728B/6.809A     | 10.728B/6.809A          | ----                       | 9.053 + 0.505            | .6942 | ----          | ----                     | 9 UNCH            |               |                  |      |
| 7175           | -----                | -----                     | 10.937B/6.977A     | 10.937B/6.977A          | ----                       | 9.248 + 0.511            | .7008 | ----          | 1                        | 10 UNCH           |               |                  |      |
| 7200           | 9.381                | 9.381                     | 11.148B/7.147A     | 11.148B/7.147A          | ----                       | 9.444 + 0.516            | .7072 | ----          | 2                        | 115 UNCH          |               |                  |      |
| 7225           | -----                | -----                     | 11.359B/7.343A     | 11.359B/7.343A          | ----                       | 9.641 + 0.521            | .7136 | ----          | ----                     | 11 UNCH           |               |                  |      |
| 7250           | -----                | -----                     | 11.572B/7.524A     | 11.572B/7.524A          | ----                       | 9.840 + 0.526            | .7198 | ----          | ----                     | 76 UNCH           |               |                  |      |
| 7275           | -----                | -----                     | 11.786B/7.753A     | 11.786B/7.753A          | ----                       | 10.041 + 0.531           | .7259 | ----          | ----                     | 10 UNCH           |               |                  |      |
| 7300           | -----                | -----                     | 12.001B/7.877A     | 12.001B/7.877A          | ----                       | 10.243 + 0.536           | .7319 | ----          | 1                        | 111 UNCH          |               |                  |      |
| 7325           | -----                | -----                     | 12.217B/8.113A     | 12.217B/8.113A          | ----                       | 10.446 + 0.540           | .7377 | ----          | ----                     | 2 UNCH            |               |                  |      |
| 7350           | -----                | -----                     | 12.434B/8.295A     | 12.434B/8.295A          | ----                       | 10.650 + 0.544           | .7434 | ----          | ----                     | 17 UNCH           |               |                  |      |
| 7375           | -----                | -----                     | 12.653B/8.426A     | 12.653B/8.426A          | ----                       | 10.856 + 0.548           | .7491 | ----          | 1                        | 2 +               | 1             |                  |      |
| 7400           | -----                | -----                     | 12.872B/8.632A     | 12.872B/8.632A          | ----                       | 11.063 + 0.553           | .7546 | ----          | ----                     | 32 UNCH           |               |                  |      |
| 7425           | -----                | -----                     | 13.092B/8.845A     | 13.092B/8.845A          | ----                       | 11.272 + 0.557           | .7600 | ----          | ----                     | 16 UNCH           |               |                  |      |
| 7450           | -----                | -----                     | 13.313B/9.035A     | 13.313B/9.035A          | ----                       | 11.481 + 0.561           | .7652 | ----          | ----                     | 1 UNCH            |               |                  |      |
| 7475           | -----                | -----                     | 13.535B/9.226A     | 13.535B/9.226A          | ----                       | 11.692 + 0.565           | .7704 | ----          | ----                     | 6 UNCH            |               |                  |      |
| 7500           | -----                | -----                     | 13.759B/9.353A     | 13.759B/9.353A          | ----                       | 11.903 + 0.568           | .7755 | ----          | 1                        | 133 +             | 1             |                  |      |
| 7525           | -----                | -----                     | 13.981B/9.613A     | 13.981B/9.613A          | ----                       | 12.116 + 0.572           | .7805 | ----          | ----                     | 11 UNCH           |               |                  |      |
| 7550           | -----                | -----                     | 14.198B/9.779A     | 14.198B/9.779A          | ----                       | 12.330 + 0.576           | .7853 | ----          | 1                        | 19 +              | 1             |                  |      |
| 7575           | -----                | -----                     | 14.423B/10.005A    | 14.423B/10.005A         | ----                       | 12.545 + 0.580           | .7901 | ----          | ----                     | 2 UNCH            |               |                  |      |
| 7600           | -----                | -----                     | 14.657B/10.204A    | 14.657B/10.204A         | ----                       | 12.761 + 0.583           | .7947 | ----          | ----                     | 8 UNCH            |               |                  |      |
| 7625           | -----                | -----                     | 14.883B/10.402A    | 14.883B/10.402A         | ----                       | 12.977 + 0.586           | .7992 | ----          | ----                     | 16 UNCH           |               |                  |      |
| 7650           | -----                | -----                     | 15.103B/10.591A    | 15.103B/10.591A         | ----                       | 13.195 + 0.589           | .8037 | ----          | ----                     | 42 UNCH           |               |                  |      |
| 7675           | -----                | -----                     | 15.331B/10.793A    | 15.331B/10.793A         | ----                       | 13.414 + 0.593           | .8080 | ----          | ----                     | 45 UNCH           |               |                  |      |
| 7700           | -----                | -----                     | 15.560B/10.932A    | 15.560B/10.932A         | ----                       | 13.633 + 0.595           | .8122 | ----          | ----                     | 164 UNCH          |               |                  |      |
| 7725           | -----                | -----                     | 15.789B/11.138A    | 15.789B/11.138A         | ----                       | 13.854 + 0.599           | .8164 | ----          | ----                     | 56 UNCH           |               |                  |      |
| 7750           | -----                | -----                     | 16.020B/11.413A    | 16.020B/11.413A         | ----                       | 14.075 + 0.601           | .8204 | ----          | ----                     | 1 UNCH            |               |                  |      |
| 7775           | -----                | -----                     | 16.250B/11.621A    | 16.250B/11.621A         | ----                       | 14.297 + 0.604           | .8244 | ----          | ----                     | 1 UNCH            |               |                  |      |
| 7800           | -----                | -----                     | 16.481B/11.817A    | 16.481B/11.817A         | ----                       | 14.520 + 0.607           | .8282 | ----          | ----                     | 29 UNCH           |               |                  |      |
| 7825           | -----                | -----                     | 16.713B/12.037A    | 16.713B/12.037A         | ----                       | 14.744 + 0.610           | .8320 | ----          | ----                     | 1 UNCH            |               |                  |      |
| 7850           | -----                | -----                     | 16.945B/12.246A    | 16.945B/12.246A         | ----                       | 14.968 + 0.612           | .8356 | ----          | ----                     | 17 UNCH           |               |                  |      |
| 7875           | -----                | -----                     | 17.178B/12.457A    | 17.178B/12.457A         | ----                       | 15.194 + 0.615           | .8392 | ----          | ----                     | 1 UNCH            |               |                  |      |
| 7900           | -----                | -----                     | 17.418B/12.668A    | 17.418B/12.668A         | ----                       | 15.420 + 0.618           | .8427 | ----          | ----                     | 11 UNCH           |               |                  |      |
| 7925           | -----                | -----                     | 17.652B/12.881A    | 17.652B/12.881A         | ----                       | 15.647 + 0.621           | .8461 | ----          | ----                     | 3 UNCH            |               |                  |      |
| 7950           | -----                | -----                     | 17.886B/13.028A    | 17.886B/13.028A         | ----                       | 15.874 + 0.623           | .8494 | ----          | ----                     | 61 UNCH           |               |                  |      |
| 7975           | -----                | -----                     | #18.121B/13.309A   | #18.121B/13.309A        | ----                       | 16.102 + 0.625           | .8527 | ----          |                          |                   |               |                  |      |

| BULLETIN #111@ |                      |                              | METALS OPTION PRODUCTS |                            |                               |                          |       |               |                          | Thu, Jun 11, 2026 |               |                  | PG64 |
|----------------|----------------------|------------------------------|------------------------|----------------------------|-------------------------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|
|                | GLOBEX<br>OPEN       | OPEN<br>OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW     | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |
| SO PUT         | COMEX SILVER OPTIONS |                              |                        |                            |                               |                          |       |               |                          |                   |               |                  |      |
| SEP26          |                      |                              |                        |                            |                               |                          |       |               |                          |                   |               |                  |      |
| 5475           | -----                | -----                        | 2.1538/1.204A          | 2.1538/1.204A              | -----                         | 1.740 + 0.154            | .1961 | -----         | -----                    | -----             | -----         | 3                |      |
| 5500           | 1.630                | 1.630                        | 2.2288/1.245A          | 2.2288/1.245A              | -----                         | 1.798 + 0.159            | .2016 | -----         | -----                    | 7                 | -----         | 240              |      |
| 5575           | -----                | -----                        | 2.4648/1.377A          | 2.4648/1.377A              | -----                         | 1.984 + 0.173            | .2185 | -----         | -----                    | -----             | -----         | 2                |      |
| 5600           | 1.361                | 1.361                        | 2.5468/1.361           | 2.5468/1.361               | -----                         | 2.050 + 0.178            | .2243 | -----         | -----                    | 10                | -----         | 22 +             |      |
| 5700           | -----                | -----                        | 2.8998/1.625A          | 2.8998/1.625A              | -----                         | 2.331 + 0.196            | .2485 | -----         | -----                    | -----             | -----         | 21               |      |
| 5725           | -----                | -----                        | 2.9928/1.679A          | 2.9928/1.679A              | -----                         | 2.407 + 0.202            | .2548 | -----         | -----                    | -----             | -----         | 3                |      |
| 5750           | -----                | -----                        | 3.0888/1.735A          | 3.0888/1.735A              | -----                         | 2.484 + 0.206            | .2612 | -----         | -----                    | -----             | -----         | 1                |      |
| 5800           | 1.791                | 1.791                        | 3.2868/1.791           | 3.2868/1.791               | -----                         | 2.645 + 0.216            | .2741 | -----         | -----                    | 2                 | -----         | 31 -             |      |
| 5825           | 2.204                | 2.204                        | 3.3888/1.913A          | 3.3888/1.913A              | -----                         | 2.728 + 0.220            | .2807 | -----         | -----                    | 2                 | -----         | 0 -              |      |
| 5850           | -----                | -----                        | 3.4928/1.976A          | 3.4928/1.976A              | -----                         | 2.814 + 0.226            | .2874 | -----         | -----                    | -----             | -----         | 0                |      |
| 5900           | -----                | -----                        | 3.7088/2.107A          | 3.7088/2.107A              | -----                         | 2.991 + 0.236            | .3008 | -----         | -----                    | -----             | -----         | 51               |      |
| 5950           | -----                | -----                        | 3.9338/2.245A          | 3.9338/2.245A              | -----                         | 3.176 + 0.245            | .3146 | -----         | -----                    | -----             | -----         | 4                |      |
| 5975           | 3.217                | 3.217                        | 4.0488/2.316A          | 4.0488/2.316A              | -----                         | 3.272 + NEW              | .3215 | -----         | -----                    | 10                | -----         | 10 +             |      |
| 6000           | 3.777                | 3.777                        | 4.1788/2.390A          | 4.1788/2.390A              | -----                         | 3.370 + 0.256            | .3285 | -----         | -----                    | 66                | 84            | 796 +            |      |
| 6025           | -----                | -----                        | 4.2988/2.466A          | 4.2988/2.466A              | -----                         | 3.470 + 0.261            | .3356 | -----         | -----                    | -----             | -----         | 1                |      |
| 6050           | -----                | -----                        | 4.4208/2.543A          | 4.4208/2.543A              | -----                         | 3.573 + 0.267            | .3426 | -----         | -----                    | -----             | -----         | 19               |      |
| 6100           | -----                | -----                        | 4.6718/2.704A          | 4.6718/2.704A              | -----                         | 3.783 + 0.276            | .3569 | -----         | -----                    | -----             | -----         | 82               |      |
| 6200           | -----                | -----                        | 5.1998/3.050A          | 5.1998/3.050A              | -----                         | 4.231 + 0.296            | .3858 | -----         | -----                    | 2                 | -----         | 138 +            |      |
| 6300           | 5.190                | 5.190                        | 5.7628/3.428A          | 5.7628/3.428A              | -----                         | 4.712 + 0.315            | .4150 | -----         | -----                    | 21                | -----         | 39 +             |      |
| 6400           | -----                | -----                        | 6.3578/3.841A          | 6.3578/3.841A              | -----                         | 5.227 + 0.333            | .4441 | -----         | -----                    | -----             | -----         | 12               |      |
| 6425           | -----                | -----                        | 6.5118/3.950A          | 6.5118/3.950A              | -----                         | 5.361 + 0.337            | .4514 | -----         | -----                    | -----             | -----         | 1                |      |
| 6450           | -----                | -----                        | 6.5718/4.060A          | 6.5718/4.060A              | -----                         | 5.497 + 0.342            | .4586 | -----         | -----                    | -----             | -----         | 1                |      |
| 6500           | -----                | -----                        | 6.8358/4.288A          | 6.8358/4.288A              | -----                         | 5.776 + 0.351            | .4730 | -----         | -----                    | 7                 | -----         | 155 -            |      |
| 6550           | -----                | -----                        | 7.1608/4.524A          | 7.1608/4.524A              | -----                         | 6.062 + 0.359            | .4873 | -----         | -----                    | -----             | -----         | 15               |      |
| 6600           | 6.900                | 6.900                        | 7.4928/4.768A          | 7.4928/4.768A              | -----                         | 6.356 + NEW              | .5015 | -----         | -----                    | 1                 | -----         | 1 +              |      |
| 6700           | -----                | -----                        | 8.1778/5.281A          | 8.1778/5.281A              | -----                         | 6.969 + 0.384            | .5292 | -----         | -----                    | -----             | -----         | 355              |      |
| 6750           | -----                | -----                        | 8.5308/5.550A          | 8.5308/5.550A              | -----                         | 7.286 + 0.392            | .5428 | -----         | -----                    | -----             | -----         | 1                |      |
| 6800           | -----                | -----                        | 8.8898/5.826A          | 8.8898/5.826A              | -----                         | 7.611 + 0.400            | .5561 | -----         | -----                    | -----             | -----         | 24               |      |
| 6850           | -----                | -----                        | 9.2548/6.111A          | 9.2548/6.111A              | -----                         | 7.944 + 0.409            | .5692 | -----         | -----                    | -----             | -----         | 2                |      |
| 6900           | -----                | -----                        | 9.6258/6.400A          | 9.6258/6.400A              | -----                         | 8.283 + 0.417            | .5821 | -----         | -----                    | -----             | -----         | 24               |      |
| 6975           | -----                | -----                        | 10.1938/6.850A         | 10.1938/6.850A             | -----                         | 8.805 + 0.430            | .6008 | -----         | -----                    | -----             | -----         | 15               |      |
| 7000           | 7.000                | 7.000                        | 10.3858/7.000          | 10.3858/7.000              | -----                         | 8.982 + 0.434            | .6069 | -----         | -----                    | 1                 | -----         | 201              |      |
| 7050           | -----                | -----                        | 10.7738/7.314A         | 10.7738/7.314A             | -----                         | 9.342 + 0.444            | .6189 | -----         | -----                    | -----             | -----         | 2                |      |
| 7075           | -----                | -----                        | 10.9698/7.479A         | 10.9698/7.479A             | -----                         | 9.524 + 0.448            | .6248 | -----         | -----                    | -----             | -----         | 2                |      |
| 7100           | -----                | -----                        | 11.1668/7.639A         | 11.1668/7.639A             | -----                         | 9.707 + 0.452            | .6306 | -----         | -----                    | -----             | -----         | 18               |      |
| 7125           | -----                | -----                        | 11.3658/7.795A         | 11.3658/7.795A             | -----                         | 9.892 + 0.457            | .6363 | -----         | -----                    | -----             | -----         | 25               |      |
| 7175           | -----                | -----                        | 11.7658/8.137A         | 11.7658/8.137A             | -----                         | 10.266 + 0.466           | .6475 | -----         | -----                    | -----             | -----         | 20               |      |
| 7200           | -----                | -----                        | 11.9678/8.293A         | 11.9678/8.293A             | -----                         | 10.456 + 0.471           | .6530 | -----         | -----                    | -----             | -----         | 77               |      |
| 7300           | -----                | -----                        | 12.7868/8.975A         | 12.7868/8.975A             | -----                         | 11.226 + 0.488           | .6742 | -----         | -----                    | -----             | -----         | 171              |      |
| 7400           | -----                | -----                        | 13.6218/9.719A         | 13.6218/9.719A             | -----                         | 12.015 + 0.504           | .6942 | -----         | -----                    | -----             | -----         | 26               |      |
| 7450           | -----                | -----                        | 14.0458/10.151A        | 14.0458/10.151A            | -----                         | 12.416 + 0.511           | .7037 | -----         | -----                    | -----             | -----         | 1                |      |
| 7500           | -----                | -----                        | 14.4728/10.521A        | 14.4728/10.521A            | -----                         | 12.822 + 0.519           | .7130 | -----         | -----                    | -----             | -----         | 18               |      |
| 7550           | -----                | -----                        | 14.9028/10.895A        | 14.9028/10.895A            | -----                         | 13.232 + 0.526           | .7220 | -----         | -----                    | -----             | -----         | 44               |      |
| 7600           | -----                | -----                        | 15.3358/11.243A        | 15.3358/11.243A            | -----                         | 13.645 + 0.532           | .7307 | -----         | -----                    | -----             | -----         | 26               |      |
| 7650           | -----                | -----                        | #15.7718/11.660        | #15.7718/11.660A           | -----                         | 14.062 + 0.538           | .7391 | -----         | -----                    | -----             | -----         | 16               |      |
| 7700           | -----                | -----                        | #16.2108/12.049        | #16.2108/12.049A           | -----                         | 14.483 + 0.545           | .7472 | -----         | -----                    | -----             | -----         | 9                |      |
| 7775           | -----                | -----                        | #16.8748/12.641        | #16.8748/12.641A           | -----                         | 15.120 + 0.553           | .7589 | -----         | -----                    | -----             | -----         | 5                |      |
| 7800           | -----                | -----                        | #17.0978/12.840        | #17.0978/12.840A           | -----                         | 15.334 + 0.556           | .7627 | -----         | -----                    | -----             | -----         | 26               |      |
| 7900           | -----                | -----                        | #17.9938/13.645        | #17.9938/13.645A           | -----                         | 16.197 + 0.565           | .7772 | -----         | -----                    | -----             | -----         | 1                |      |
| 8000           | -----                | -----                        | 18.8998/14.464A        | 18.8998/14.464A            | -----                         | 17.072 + 0.574           | .7907 | -----         | -----                    | -----             | -----         | 93               |      |
| 8100           | -----                | -----                        | #19.7998/15.299        | #19.7998/15.299A           | -----                         | 17.957 + 0.582           | .8033 | -----         | -----                    | -----             | -----         | 1                |      |
| 8200           | -----                | -----                        | #20.7208/16.146        | #20.7208/16.146A           | -----                         | 18.852 + 0.591           | .8150 | -----         | -----                    | -----             | -----         | 1                |      |
| 8300           | -----                | -----                        | #21.6488/17.005        | #21.6488/17.005A           | -----                         | 19.755 + 0.597           | .8259 | -----         | -----                    | -----             | -----         | 1                |      |
| 8400           | -----                | -----                        | #22.5828/17.875        | #22.5828/17.875A           | -----                         | 20.666 + 0.604           | .8360 | -----         | -----                    | -----             | -----         | 42               |      |
| 8500           | -----                | -----                        | #23.5228/18.755        | #23.5228/18.755A           | -----                         | 21.585 + 0.611           | .8455 | -----         | -----                    | -----             | -----         | 227              |      |
| 8700           | -----                | -----                        | #25.4248/20.542        | #25.4248/20.542A           | -----                         | 23.441 + 0.624           | .8622 | -----         | -----                    | -----             | -----         | 101              |      |
| 9000           | -----                | -----                        | #28.2918/23.279        | #28.2918/23.279A           | -----                         | 26.266 + 0.641           | .8833 | -----         | -----                    | -----             | -----         | 74               |      |
| 9300           | -----                | -----                        | #31.1858/26.070        | #31.1858/26.070A           | -----                         | 29.126 + 0.653           | .9002 | -----         | -----                    | -----             | -----         | 1                |      |
| 9400           | -----                | -----                        | #32.1548/27.010        | #32.1548/27.010A           | -----                         | 30.086 + 0.657           | .9052 | -----         | -----                    | -----             | -----         | 15               |      |
| 10150          | -----                | -----                        | #39.4828/34.171        | #39.4828/34.171A           | -----                         | 37.358 + 0.679           | .9335 | -----         | -----                    | -----             | -----         | 1                |      |
| 10300          | -----                | -----                        | #40.9578/35.621        | #40.9578/35.621A           | -----                         | 38.825 + 0.683           | .9377 | -----         | -----                    | -----             | -----         | 1                |      |
| 11000          | -----                | -----                        | ----/42.439A           | 44.1438/42.439A            | -----                         | 45.707 + 0.698           | .9530 | -----         | -----                    | -----             | -----         | 1                |      |
| TOTAL          |                      |                              |                        |                            |                               |                          |       |               |                          | 197               | 168           | 3971 +           |      |
| OCT26          |                      |                              |                        |                            |                               |                          |       |               |                          |                   |               |                  |      |
| 2675           | -----                | -----                        | -----                  | 0.0018/2.563A              | -----                         | 0.043 + 0.009            | .0048 | -----         | -----                    | -----             | -----         | 8                |      |
| 3000           | -----                | -----                        | -----                  | 0.0158/0.165A              | -----                         | 0.063 + 0.013            | .0074 | -----         | -----                    | -----             | -----         | 9                |      |
| 3250           | -----                | -----                        | -----                  | 0.0368/0.203A              | -----                         | 0.099 + 0.019            | .0115 | -----         | -----                    | -----             | -----         | 1                |      |
| 4000           | -----                | -----                        | -----                  | 0.2188/0.404A              | -----                         | 0.315 + 0.050            | .0360 | -----         | -----                    | -----             | -----         | 3                |      |
| 4500           | -----                | -----                        | -----                  | 0.5118/0.657A              | -----                         | 0.625 + 0.086            | .0692 | -----         | -----                    | -----             | -----         | 3                |      |
| 5000           | -----                | -----                        | 1.2418/-----           | 1.2418/1.180A              | -----                         | 1.197 + 0.138            | .1250 | -----         | -----                    | -----             | -----         | 5                |      |
| 5050           | -----                | -----                        | 1.2688/1.095A          | 1.2688/1.095A              | -----                         | 1.275 + 0.143            | .1322 | -----         | -----                    | -----             | -----         | 1                |      |
| 5150           | -----                | -----                        | 1.4728/1.206A          | 1.4728/1.206A              | -----                         | 1.446 + 0.157            | .1474 | -----         | -----                    | -----             |               |                  |      |



| BULLETIN #111@ |                      |                              |                    | METALS OPTION PRODUCTS     |                               |                          |       |               |                          |                   |               |                  |      | Thu, Jun 11, 2026 |  | PG64 |
|----------------|----------------------|------------------------------|--------------------|----------------------------|-------------------------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|-------------------|--|------|
|                | GLOBEX<br>OPEN       | OPEN<br>OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |                   |  |      |
| SO PUT         | COMEX SILVER OPTIONS |                              |                    |                            |                               |                          |       |               |                          |                   |               |                  |      |                   |  |      |
| NOV26          |                      |                              |                    |                            |                               |                          |       |               |                          |                   |               |                  |      |                   |  |      |
| 9000           | ----                 | ----                         | 26.557B/25.342A    | 26.557B/25.342A            | ----                          | 26.612 + 0.626           | .8033 | ----          | ----                     | ----              | ----          | 5                | UNCH |                   |  |      |
| 10000          | ----                 | ----                         | ----               | 23.040B/48.883A            | ----                          | 35.895 + 0.678           | .8638 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |      |
| 11000          | ----                 | ----                         | ----               | 32.915B/58.015A            | ----                          | 45.465 + 0.711           | .9017 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |      |
| TOTAL          |                      |                              |                    |                            |                               |                          |       |               |                          | 45                | 0             | 387 +            | 45   |                   |  |      |
| DEC26          |                      |                              |                    |                            |                               |                          |       |               |                          |                   |               |                  |      |                   |  |      |
| 1500           | ----                 | ----                         | ----               | ----/2.685A                | ----                          | 0.003 + 0.001            | .0003 | ----          | ----                     | ----              | ----          | 180              | UNCH |                   |  |      |
| 2000           | ----                 | ----                         | ----               | 0.001B/2.719A              | ----                          | 0.013 + 0.002            | .0014 | ----          | ----                     | ----              | ----          | 10               | UNCH |                   |  |      |
| 2500           | ----                 | ----                         | ----               | 0.001B/2.855A              | ----                          | 0.046 + 0.007            | .0048 | ----          | ----                     | ----              | ----          | 32               | UNCH |                   |  |      |
| 3000           | ----                 | ----                         | ----               | 0.011B/0.285A              | ----                          | 0.119 + 0.017            | .0121 | ----          | ----                     | ----              | ----          | 93               | UNCH |                   |  |      |
| 3100           | ----                 | ----                         | ----               | 0.026B/0.310A              | ----                          | 0.141 + 0.020            | .0143 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |      |
| 3150           | ----                 | ----                         | ----               | 0.035B/0.322A              | ----                          | 0.153 + 0.022            | .0154 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |      |
| 3500           | ----                 | ----                         | ----               | 0.130B/0.427A              | ----                          | 0.263 + 0.036            | .0261 | ----          | ----                     | ----              | ----          | 45               | UNCH |                   |  |      |
| 3850           | ----                 | ----                         | ----               | 0.270B/0.592A              | ----                          | 0.429 + 0.055            | .0417 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |      |
| 3925           | ----                 | ----                         | ----               | 0.310B/0.629A              | ----                          | 0.477 + 0.060            | .0460 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |      |
| 4000           | ----                 | ----                         | ----               | 0.356B/0.676A              | ----                          | 0.529 + 0.063            | .0506 | ----          | ----                     | ----              | ----          | 74               | UNCH |                   |  |      |
| 4500           | ----                 | ----                         | ----               | 0.496B/1.090A              | ----                          | 1.005 + 0.084            | .0911 | ----          | ----                     | ----              | ----          | 34               | UNCH |                   |  |      |
| 4600           | ----                 | ----                         | ----               | 0.603B/1.197A              | ----                          | 1.134 + 0.089            | .1015 | ----          | ----                     | ----              | ----          | 4                | UNCH |                   |  |      |
| 4800           | ----                 | ----                         | ----               | 0.809B/1.982A              | ----                          | 1.435 + 0.099            | .1249 | ----          | ----                     | ----              | ----          | 241              | UNCH |                   |  |      |
| 5000           | 1.876                | 1.876                        | 1.876/1.500        | 1.876/1.500                | ----                          | 1.804 + 0.112            | .1519 | ----          | 12                       | ----              | ----          | 370 -            | 1    |                   |  |      |
| 5250           | ----                 | ----                         | ----/2.088A        | 1.874B/2.088A              | ----                          | 2.380 + 0.133            | .1908 | ----          | ----                     | ----              | ----          | 50               | UNCH |                   |  |      |
| 5300           | ----                 | ----                         |                    | 2.033B/2.886A              | ----                          | 2.512 + 0.138            | .1993 | ----          | ----                     | ----              | ----          | 250              | UNCH |                   |  |      |
| 5400           | 2.800                | 2.800                        | 2.800/2.800        | 2.800/2.800                | ----                          | 2.794 + 0.149            | .2168 | ----          | 12                       | ----              | ----          | 110 +            | 10   |                   |  |      |
| 5500           | ----                 | ----                         | ----               | 2.722B/3.364A              | ----                          | 3.100 + 0.160            | .2351 | ----          | 10                       | ----              | ----          | 239 +            | 10   |                   |  |      |
| 5600           | ----                 | ----                         | ----               | 3.109B/3.605A              | ----                          | 3.432 + 0.173            | .2540 | ----          | ----                     | ----              | ----          | 8                | UNCH |                   |  |      |
| 5650           | ----                 | ----                         | ----               | 3.285B/3.727A              | ----                          | 3.607 + 0.179            | .2636 | ----          | ----                     | ----              | ----          | 12               | UNCH |                   |  |      |
| 5800           | ----                 | ----                         | ----               | 3.853B/4.144A              | ----                          | 4.173 + 0.201            | .2934 | ----          | ----                     | ----              | ----          | 2                | UNCH |                   |  |      |
| 5950           | ----                 | ----                         | ----               | 4.479B/4.703A              | ----                          | 4.799 + 0.224            | .3241 | ----          | ----                     | ----              | ----          | 5                | UNCH |                   |  |      |
| 6000           | ----                 | ----                         | ----               | 4.701B/4.908A              | ----                          | 5.021 + 0.232            | .3344 | ----          | ----                     | ----              | ----          | 136              | UNCH |                   |  |      |
| 6200           | ----                 | ----                         | ----               | 5.662B/5.792A              | ----                          | 5.975 + 0.265            | .3761 | ----          | ----                     | ----              | ----          | 13               | UNCH |                   |  |      |
| 6300           | ----                 | ----                         | ----               | 6.169B/6.281A              | ----                          | 6.492 + 0.282            | .3969 | ----          | ----                     | ----              | ----          | 25               | UNCH |                   |  |      |
| 6500           | 7.993                | 7.993                        | 7.993/7.330A       | 7.993/7.330A               | ----                          | 7.601 + 0.316            | .4380 | ----          | 2                        | ----              | ----          | 744 -            | 2    |                   |  |      |
| 6650           | ----                 | ----                         | 8.238B/8.119A      | 8.238B/8.119A              | ----                          | 8.497 + 0.341            | .4679 | ----          | ----                     | ----              | ----          | 5                | UNCH |                   |  |      |
| 6700           | ----                 | ----                         | 8.553B/8.408A      | 8.553B/8.408A              | ----                          | 8.807 + 0.349            | .4777 | ----          | ----                     | ----              | ----          | 32               | UNCH |                   |  |      |
| 6725           | ----                 | ----                         | 8.669B/8.554A      | 8.669B/8.554A              | ----                          | 8.965 + 0.354            | .4825 | ----          | ----                     | ----              | ----          | 4                | UNCH |                   |  |      |
| 6750           | ----                 | ----                         | 8.858B/8.702A      | 8.858B/8.702A              | ----                          | 9.123 + 0.357            | .4873 | ----          | ----                     | ----              | ----          | 6                | UNCH |                   |  |      |
| 6800           | ----                 | ----                         | 9.199B/9.001A      | 9.199B/9.001A              | ----                          | 9.445 + 0.366            | .4968 | ----          | ----                     | ----              | ----          | 79               | UNCH |                   |  |      |
| 6850           | ----                 | ----                         | 9.530B/9.314A      | 9.530B/9.314A              | ----                          | 9.771 + 0.373            | .5061 | ----          | ----                     | ----              | ----          | 78               | UNCH |                   |  |      |
| 6900           | ----                 | ----                         | 9.865B/9.620A      | 9.865B/9.620A              | ----                          | 10.103 + 0.381           | .5154 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |      |
| 6950           | ----                 | ----                         | 10.212B/9.930A     | 10.212B/9.930A             | ----                          | 10.440 + 0.389           | .5244 | ----          | ----                     | ----              | ----          | 22               | UNCH |                   |  |      |
| 7000           | ----                 | ----                         | 10.562B/10.244A    | 10.562B/10.244A            | ----                          | 10.782 + 0.396           | .5334 | ----          | ----                     | ----              | ----          | 228              | UNCH |                   |  |      |
| 7075           | ----                 | ----                         | 11.077B/10.743A    | 11.077B/10.743A            | ----                          | 11.303 + 0.407           | .5465 | ----          | ----                     | ----              | ----          | 20               | UNCH |                   |  |      |
| 7100           | ----                 | ----                         | 11.274B/10.893A    | 11.274B/10.893A            | ----                          | 11.479 + 0.410           | .5508 | ----          | ----                     | ----              | ----          | 2                | UNCH |                   |  |      |
| 7200           | ----                 | ----                         | 11.975B/11.564A    | 11.975B/11.564A            | ----                          | 12.194 + 0.424           | .5676 | ----          | ----                     | ----              | ----          | 14               | UNCH |                   |  |      |
| 7250           | ----                 | ----                         | 12.359B/11.893A    | 12.359B/11.893A            | ----                          | 12.558 + 0.431           | .5757 | ----          | ----                     | ----              | ----          | 48               | UNCH |                   |  |      |
| 7500           | ----                 | ----                         | 14.277B/13.668A    | 14.277B/13.668A            | ----                          | 14.434 + 0.462           | .6143 | ----          | ----                     | ----              | ----          | 22               | UNCH |                   |  |      |
| 7550           | ----                 | ----                         | 14.667B/14.032A    | 14.667B/14.032A            | ----                          | 14.819 + 0.468           | .6216 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |      |
| 7800           | ----                 | ----                         | 16.596B/15.906A    | 16.596B/15.906A            | ----                          | 16.793 + 0.496           | .6558 | ----          | ----                     | ----              | ----          | 20               | UNCH |                   |  |      |
| 7850           | ----                 | ----                         | 17.001B/16.290A    | 17.001B/16.290A            | ----                          | 17.196 + 0.501           | .6622 | ----          | ----                     | ----              | ----          | 10               | UNCH |                   |  |      |
| 7875           | ----                 | ----                         | 17.205B/16.549A    | 17.205B/16.549A            | ----                          | 17.398 + 0.503           | .6654 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |      |
| 7900           | ----                 | ----                         | 17.409B/16.679A    | 17.409B/16.679A            | ----                          | 17.601 + 0.506           | .6685 | ----          | ----                     | ----              | ----          | 19               | UNCH |                   |  |      |
| 8000           | ----                 | ----                         | 18.231B/17.460A    | 18.231B/17.460A            | ----                          | 18.420 + 0.517           | .6807 | ----          | ----                     | ----              | ----          | 57               | UNCH |                   |  |      |
| 8100           | ----                 | ----                         | 19.063B/18.042A    | 19.063B/18.042A            | ----                          | 19.248 + 0.527           | .6924 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |      |
| 8200           | ----                 | ----                         | 19.903B/18.576A    | 19.903B/18.576A            | ----                          | 20.085 + 0.537           | .7036 | ----          | ----                     | ----              | ----          | 35               | UNCH |                   |  |      |
| 8350           | ----                 | ----                         | 21.180B/19.482A    | 21.180B/19.482A            | ----                          | 21.356 + 0.552           | .7196 | ----          | ----                     | ----              | ----          | 9                | UNCH |                   |  |      |
| 8400           | ----                 | ----                         | 21.609B/20.794A    | 21.609B/20.794A            | ----                          | 21.783 + 0.556           | .7247 | ----          | ----                     | ----              | ----          | 50               | UNCH |                   |  |      |
| 8500           | ----                 | ----                         | 22.473B/21.631A    | 22.473B/21.631A            | ----                          | 22.644 + 0.565           | .7346 | ----          | ----                     | ----              | ----          | 166              | UNCH |                   |  |      |
| 8550           | ----                 | ----                         | 22.908B/22.051A    | 22.908B/22.051A            | ----                          | 23.077 + 0.569           | .7393 | ----          | ----                     | ----              | ----          | 25               | UNCH |                   |  |      |
| 8600           | ----                 | ----                         | 23.345B/22.529A    | 23.345B/22.529A            | ----                          | 23.512 + 0.574           | .7440 | ----          | ----                     | ----              | ----          | 2                | UNCH |                   |  |      |
| 8800           | ----                 | ----                         | #25.106B/24.185    | #25.106B/24.185A           | ----                          | 25.266 + 0.588           | .7617 | ----          | ----                     | ----              | ----          | 12               | UNCH |                   |  |      |
| 8900           | ----                 | ----                         | #25.995B/25.050    | #25.995B/25.050A           | ----                          | 26.153 + 0.595           | .7699 | ----          | ----                     | ----              | ----          | 30               | UNCH |                   |  |      |
| 9000           | ----                 | ----                         | 26.891B/25.922A    | 26.891B/25.922A            | ----                          | 27.045 + 0.600           | .7778 | ----          | ----                     | ----              | ----          | 3                | UNCH |                   |  |      |
| 9050           | ----                 | ----                         | #27.339B/26.408    | #27.339B/26.408A           | ----                          | 27.493 + 0.602           | .7817 | ----          | ----                     | ----              | ----          | 100              | UNCH |                   |  |      |
| 9500           | ----                 | ----                         | ----/30.365A       | #30.906B/30.365A           | ----                          | 31.580 + 0.617           | .8126 | ----          | ----                     | ----              | ----          | 2                | UNCH |                   |  |      |
| 9850           | ----                 | ----                         | ----/33.593A       | 31.783B/33.593A            | ----                          | 34.817 + 0.630           | .8327 | ----          | ----                     | ----              | ----          | 8                | UNCH |                   |  |      |
| 9950           | ----                 | ----                         |                    | 19.656B/52.030A            | ----                          | 35.750 + 0.636           | .8378 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |      |
| 10025          | ----                 | ----                         |                    | 20.269B/52.880A            | ----                          | 36.451 + 0.640           | .8416 | ----          | ----                     | ----              | ----          | 3                | UNCH |                   |  |      |
| 10125          | ----                 | ----                         |                    | 21.105B/53.689A            | ----                          | 37.389 + 0.645           | .8464 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |      |
| 10700          | ----                 | ----                         |                    | 26.800B/58.910A            | ----                          | 42.836 + 0.672           | .8702 | ----          | ----                     | ----              | ----          | 5                | UNCH |                   |  |      |
| 10800          | ----                 | ----                         |                    | 27.842B/59.879A            | ----                          | 43.791 + 0.676           | .8737 | ----          | ----                     | ----              | ----          | 2                | UNCH |                   |  |      |
| 11000          | ----                 | ----                         |                    | 29.814B/61.637A            | ----                          | 45.707 + 0.684           | .8804 | ----          | ----                     | ----              | ----          | 2                | UNCH |                   |  |      |
| 11500          | ----                 | ----                         |                    | 34.912B/66.249A            | ----                          | 50.528 + 0.700           | .8949 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |      |
| 12000          | ----                 | ----                         |                    | 40.099B/70.776A            | ----                          | 55.383 + 0.712           | .9067 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |      |
| 12100          | ----                 | ----                         |                    | 41.044B/71.683A            | ----                          | 56.358 + 0.714           | .9088 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |      |
| 12300          | ----                 | ----                         |                    | 43.238B/73.526A            | ----                          | 58.310 + 0.718           | .9128 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |      |
| TOTAL          |                      |                              |                    |                            |                               |                          |       |               |                          | 36                | 0             | 3811 +           | 17   |                   |  |      |
| JAN27          |                      |                              |                    |                            |                               |                          |       |               |                          |                   |               |                  |      |                   |  |      |
| 3800           | ----                 | ----                         | ----               | 0.259B/0.691A              | ----                          | 0.543 + 0.061            | .0465 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |      |
| 5000           | ----                 | ----                         | ----               | 1.265B/2.576A              | ----                          | 2.035 + 0.181            | .1556 | ----          | ----                     | ----              |               |                  |      |                   |  |      |

|          | BULLETIN #111@ |                           |                    | METALS OPTION PRODUCTS  |                            |                          |             |               |                          | Thu, Jun 11, 2026 |               |                  | PG64 |
|----------|----------------|---------------------------|--------------------|-------------------------|----------------------------|--------------------------|-------------|---------------|--------------------------|-------------------|---------------|------------------|------|
|          | GLOBEX<br>OPEN | OPEN OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN OUTCRY<br>HIGH/LOW | OPEN OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA       | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |
| S02 CALL | SILVER OPTIONS |                           |                    |                         |                            |                          |             |               |                          |                   |               |                  |      |
| JUN26    |                |                           |                    |                         |                            |                          |             |               |                          |                   |               |                  |      |
| 6620     | 0.980          | 0.980                     | 1.781B/*0.204A     | 1.781B/*0.204A          | ----                       | 0.184                    | NEW .0807   | ----          | ----                     | 54                | ----          | 52 +             | 52   |
| 6640     | 0.788          | 0.788                     | 1.554B/*0.179A     | 1.554B/*0.179A          | ----                       | 0.154                    | NEW .0630   | ----          | ----                     | 5                 | ----          | 5 +              | 5    |
| 6650     | 0.200          | 0.200                     | 1.488B/*0.168A     | 1.488B/*0.168A          | ----                       | 0.141                    | NEW .0556   | ----          | ----                     | 1                 | ----          | 1 +              | 1    |
| 6690     | 1.016          | 1.016                     | 1.235B/*0.130A     | 1.235B/*0.130A          | ----                       | 0.098                    | NEW .0326   | ----          | ----                     | 17                | ----          | 17 +             | 17   |
| 6700     | 0.850          | 0.850                     | 1.320/*0.121A      | 1.320/*0.121A           | ----                       | 0.089 -                  | 0.359 .0282 | ----          | ----                     | 60                | ----          | 49 +             | 42   |
| 6710     | 0.917          | 0.917                     | 1.139B/*0.113A     | 1.139B/*0.113A          | ----                       | 0.081                    | NEW .0244   | ----          | ----                     | 16                | ----          | 16 +             | 16   |
| 6720     | 0.110          | 0.110                     | 1.225B/*0.109A     | 1.225B/*0.109A          | ----                       | 0.074                    | NEW .0212   | ----          | ----                     | 3                 | ----          | 3 +              | 3    |
| 6740     | 0.987          | 0.987                     | 1.073B/*0.097A     | 1.073B/*0.097A          | ----                       | 0.061                    | NEW .0157   | ----          | ----                     | 5                 | ----          | 5 +              | 5    |
| 6750     | 0.108          | 0.108                     | 1.027B/*0.093A     | 1.027B/*0.093A          | ----                       | 0.055 -                  | 0.291 .0134 | ----          | ----                     | 8                 | ----          | 9 +              | 6    |
| 6760     | 0.896          | 0.896                     | 0.986B/*0.088A     | 0.986B/*0.088A          | ----                       | 0.050                    | NEW .0115   | ----          | ----                     | 21                | ----          | 21 +             | 21   |
| 6800     | 0.100          | 0.100                     | 0.905/*0.073A      | 0.905/*0.073A           | ----                       | 0.033 -                  | 0.232 .0059 | ----          | ----                     | 20                | ----          | 17 +             | 3    |
| 6820     | ----           | ----                      | 0.710B/*0.067A     | 0.710B/*0.067A          | ----                       | 0.027 -                  | 0.212 .0042 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 6830     | 0.475          | 0.475                     | 0.692B/*0.064A     | 0.692B/*0.064A          | ----                       | 0.025                    | NEW .0037   | ----          | ----                     | 1                 | ----          | 1 +              | 1    |
| 6840     | 0.436          | 0.436                     | 0.660B/*0.061A     | 0.660B/*0.061A          | ----                       | 0.022 -                  | 0.192 .0030 | ----          | ----                     | 62                | ----          | 63 +             | 59   |
| 6850     | 0.540          | 0.540                     | 0.587B/*0.058A     | 0.587B/*0.058A          | ----                       | 0.020 -                  | 0.183 .0025 | ----          | ----                     | 4                 | ----          | 10 -             | 1    |
| 6860     | 0.403          | 0.403                     | 0.586B/*0.056A     | 0.586B/*0.056A          | ----                       | 0.018 -                  | 0.174 .0021 | ----          | ----                     | 2                 | ----          | 3 +              | 2    |
| 6870     | ----           | ----                      | 0.557B/*0.054A     | 0.557B/*0.054A          | ----                       | 0.016 -                  | 0.166 .0017 | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 6880     | ----           | ----                      | 0.523B/*0.054A     | 0.523B/*0.054A          | ----                       | 0.015 -                  | 0.158 .0015 | ----          | ----                     | 1                 | ----          | 1                | UNCH |
| 6890     | 0.351          | 0.351                     | 0.497B/*0.052A     | 0.497B/*0.052A          | ----                       | 0.013                    | NEW .0012   | ----          | ----                     | 1                 | ----          | 1 +              | 1    |
| 6900     | 0.099          | 0.099                     | 0.514/*0.048A      | 0.514/*0.048A           | ----                       | 0.012 -                  | 0.143 .0010 | ----          | ----                     | 14                | ----          | 17 +             | 4    |
| 6910     | 0.248          | 0.248                     | 0.447B/*0.049A     | 0.447B/*0.049A          | ----                       | 0.011                    | NEW .0009   | ----          | ----                     | 14                | ----          | 7 +              | 7    |
| 6920     | 0.295          | 0.295                     | 0.418B/*0.047A     | 0.418B/*0.047A          | ----                       | 0.010                    | NEW .0007   | ----          | ----                     | 6                 | ----          | 6 +              | 6    |
| 6950     | ----           | ----                      | 0.357B/*0.043A     | 0.357B/*0.043A          | ----                       | 0.007 -                  | 0.111 .0004 | ----          | ----                     | ----              | ----          | 12               | UNCH |
| 6990     | ----           | ----                      | 0.280B/*0.039A     | 0.280B/*0.039A          | ----                       | 0.005 -                  | 0.090 .0002 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 7000     | 0.040          | 0.040                     | 0.265B/*0.038A     | 0.265B/*0.038A          | ----                       | 0.004 -                  | 0.086 .0001 | ----          | ----                     | 26                | ----          | 40 +             | 10   |
| 7020     | ----           | ----                      | 0.233B/*0.036A     | 0.233B/*0.036A          | ----                       | 0.003 -                  | 0.078 .0001 | ----          | ----                     | ----              | ----          | 20               | UNCH |
| 7030     | ----           | ----                      | 0.213B/*0.035A     | 0.213B/*0.035A          | ----                       | 0.003 -                  | 0.074 .0001 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 7050     | ----           | ----                      | 0.183B/*0.034A     | 0.183B/*0.034A          | ----                       | 0.002 -                  | 0.067 .0000 | ----          | ----                     | ----              | ----          | 7                | UNCH |
| 7060     | ----           | ----                      | 0.157B/*0.033A     | 0.157B/*0.033A          | ----                       | 0.002 -                  | 0.063 .0000 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 7070     | ----           | ----                      | 0.122B/*0.032A     | 0.122B/*0.032A          | ----                       | 0.002 -                  | 0.060 .0000 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 7080     | ----           | ----                      | 0.114B/*0.032A     | 0.114B/*0.032A          | ----                       | 0.002 -                  | 0.057 .0000 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 7090     | ----           | ----                      | 0.107B/*0.031A     | 0.107B/*0.031A          | ----                       | 0.002 -                  | 0.053 .0000 | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 7100     | ----           | ----                      | 0.099B/*0.030A     | 0.099B/*0.030A          | ----                       | 0.001 -                  | 0.051 .0000 | ----          | ----                     | ----              | ----          | 14               | UNCH |
| 7110     | ----           | ----                      | 0.093B/*0.030A     | 0.093B/*0.030A          | ----                       | 0.001 -                  | 0.049 .0000 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 7150     | ----           | ----                      | 0.066B/*0.028A     | 0.066B/*0.028A          | ----                       | 0.001 -                  | 0.038       | ----          | ----                     | ----              | ----          | 15               | UNCH |
| 7180     | 0.070          | 0.070                     | #0.070/*0.027A     | 0.070/*0.027A           | ----                       | 0.001                    | NEW         | ----          | ----                     | 1                 | ----          | 1 +              | 1    |
| 7200     | ----           | ----                      | 0.046B/0.026A      | 0.046B/0.026A           | ----                       | 0.001 -                  | 0.028       | ----          | ----                     | 2                 | ----          | 47               | UNCH |
| 7230     | ----           | ----                      | #0.028B/----       | 0.028B/0.026A           | ----                       | 0.001 -                  | 0.024       | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 7250     | ----           | ----                      | ----               | 0.020B/*0.025A          | ----                       | 0.001 -                  | 0.021       | ----          | ----                     | ----              | ----          | 14               | UNCH |
| 7300     | 0.050          | 0.050                     | 0.050/0.050        | 0.050/*0.026A           | ----                       | 0.001 -                  | 0.016       | ----          | ----                     | 2                 | ----          | 9 +              | 1    |
| 7400     | ----           | ----                      | ----               | 0.001B/0.049A           | ----                       | 0.001 -                  | 0.009       | ----          | ----                     | ----              | ----          | 47               | UNCH |
| 7450     | ----           | ----                      | ----               | 0.001B/0.047A           | ----                       | 0.001 -                  | 0.006       | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 7500     | ----           | ----                      | ----               | ----/0.044A             | ----                       | 0.001 -                  | 0.005       | ----          | ----                     | ----              | ----          | 22               | UNCH |
| 7600     | ----           | ----                      | ----               | ----/0.040A             | ----                       | 0.001 -                  | 0.003       | ----          | ----                     | ----              | ----          | 6                | UNCH |
| 7650     | ----           | ----                      | ----               | ----/0.038A             | ----                       | 0.001 -                  | 0.002       | ----          | ----                     | ----              | ----          | 8                | UNCH |
| 7700     | ----           | ----                      | ----               | ----/0.036A             | ----                       | 0.001 -                  | 0.001       | ----          | ----                     | ----              | ----          | 8                | UNCH |
| 7750     | ----           | ----                      | ----               | ----/0.035A             | ----                       | 0.001 -                  | 0.001       | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 7800     | ----           | ----                      | ----               | ----/0.032A             | ----                       | 0.001 -                  | 0.001       | ----          | ----                     | ----              | ----          | 103              | UNCH |
| 7850     | ----           | ----                      | ----               | ----/0.035A             | ----                       | 0.001                    | UNCH        | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 7900     | ----           | ----                      | ----               | ----/0.034A             | ----                       | 0.001                    | UNCH        | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 8000     | ----           | ----                      | ----               | 0.001B/0.032A           | ----                       | 0.001                    | UNCH        | ----          | ----                     | ----              | ----          | 14               | UNCH |
| 8050     | ----           | ----                      | ----               | ----/0.031A             | ----                       | 0.001                    | UNCH        | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 8100     | ----           | ----                      | ----               | ----/0.030A             | ----                       | 0.001                    | UNCH        | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 8200     | ----           | ----                      | ----               | ----/0.027A             | ----                       | 0.001                    | UNCH        | ----          | ----                     | ----              | ----          | 15               | UNCH |
| 8250     | 0.008          | 0.008                     | 0.008/*0.008       | 0.008/*0.008            | ----                       | 0.001                    | UNCH        | ----          | ----                     | 1                 | ----          | 5 -              | 1    |
| 8300     | ----           | ----                      | ----               | ----/*0.027A            | ----                       | 0.001                    | UNCH        | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 8400     | ----           | ----                      | ----               | ----/0.030A             | ----                       | 0.001                    | UNCH        | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 8500     | ----           | ----                      | ----               | ----/0.028A             | ----                       | 0.001                    | UNCH        | ----          | ----                     | ----              | ----          | 10               | UNCH |
| 8700     | ----           | ----                      | ----               | ----/0.026A             | ----                       | 0.001                    | UNCH        | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 9000     | ----           | ----                      | ----               | ----/0.214A             | ----                       | 0.001                    | UNCH        | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 10000    | ----           | ----                      | ----               | ----/0.228A             | ----                       | 0.001                    | UNCH        | ----          | ----                     | ----              | ----          | 2                | UNCH |
| TOTAL    |                |                           |                    |                         |                            |                          |             |               |                          | 442               | 0             | 820 +            | 294  |
| JUL26    |                |                           |                    |                         |                            |                          |             |               |                          |                   |               |                  |      |
| 6500     | ----           | ----                      | ----/*2.961A       | 3.823B/*2.961A          | ----                       | 3.316 -                  | 0.564 .5030 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 6600     | ----           | ----                      | #4.119B/*2.606A    | #4.119B/*2.606A         | ----                       | 2.867 -                  | 0.530 .4577 | ----          | ----                     | ----              | ----          | 32               | UNCH |
| 6650     | ----           | ----                      | #3.749B/*2.484A    | 3.749B/*2.484A          | ----                       | 2.661 -                  | 0.511 .4354 | ----          | ----                     | ----              | ----          | 6                | UNCH |
| 6700     | 3.505          | 3.505                     | #3.561B/*2.292A    | 3.561B/*2.292A          | ----                       | 2.466                    | NEW .4134   | ----          | ----                     | 25                | ----          | 25 +             | 25   |
| 6750     | 3.267          | 3.267                     | #3.355B/*2.199A    | 3.355B/*2.199A          | ----                       | 2.283                    | NEW .3917   | ----          | ----                     | 24                | ----          | 24 +             | 24   |
| 7000     | ----           | ----                      | 2.638B/*1.577A     | 2.638B/*1.577A          | ----                       | 1.532 -                  | 0.366 .2919 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 7500     | ----           | ----                      | 1.277B/----        | 1.277B/*0.904A          | ----                       | 0.690 -                  | 0.186 .1510 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 7850     | ----           | ----                      | #0.730B/----       | 0.730B/*0.644A          | ----                       | 0.426 -                  | 0.113 .0969 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 8000     | ----           | ----                      | 0.612B/----        | 0.612B/*0.535A          | ----                       | 0.357 -                  | 0.091 .0815 | ----          | ----                     | ----              | ----          | 13               | UNCH |
| TOTAL    |                |                           |                    |                         |                            |                          |             |               |                          | 49                | 0             | 112 +            | 49   |
| S02 PUT  | SILVER OPTIONS |                           |                    |                         |                            |                          |             |               |                          |                   |               |                  |      |
| JUN26    |                |                           |                    |                         |                            |                          |             |               |                          |                   |               |                  |      |
| 5250     | ----           | ----                      | ----               | 0.005B/0.031A           | ----                       | 0.002 -                  | 0.025 .0000 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 5400     | ----           | ----                      | ----/*0.036A       | 0.017B/*0.036A          | ----                       | 0.005                    | NEW .0000   | ----          | ----                     | 5                 | ----          | 5 +              | 5    |
| 5500     | 0.160          | 0.160                     | #0.160/*0.030A     | #0.160/*0.030A          |                            |                          |             |               |                          |                   |               |                  |      |

| PG64     | BULLETIN #111@                      |              |                 |                    | METALS OPTION PRODUCTS |                 |                 |                          |       | Thu, Jun 11, 2026 |                          |                   |               | PG64             |
|----------|-------------------------------------|--------------|-----------------|--------------------|------------------------|-----------------|-----------------|--------------------------|-------|-------------------|--------------------------|-------------------|---------------|------------------|
|          | GLOBEX<br>OPEN                      | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW       | OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES     | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |
| S02 PUT  | SILVER OPTIONS                      |              |                 |                    |                        |                 |                 |                          |       |                   |                          |                   |               |                  |
| JUL26    |                                     |              |                 |                    |                        |                 |                 |                          |       |                   |                          |                   |               |                  |
| 6000     | ----                                | ----         |                 | #2.250B/1.286A     | #2.250B/1.286A         | ----            |                 | 1.805 + 0.039            | .2831 | ----              | ----                     | ----              | ----          | 1                |
| 6300     | 3.000                               | 3.000        |                 | #3.468B/2.024A     | #3.468B/2.024A         | ----            |                 | 2.894 + 0.121            | .4069 | ----              | ----                     | 5                 | ----          | 0 - 5            |
| 6400     | ----                                | ----         |                 | #3.518B/2.337A     | #3.518B/2.337A         | ----            |                 | 3.348 + 0.146            | .4516 | ----              | ----                     | ----              | ----          | 4                |
| 6500     | 3.550                               | 3.550        |                 | #4.062B/2.701A     | #4.062B/2.701A         | ----            |                 | 3.849 + 0.175            | .4969 | ----              | ----                     | 1                 | ----          | 1 - 1            |
| 6550     | ----                                | ----         |                 | #3.939B/*2.939A    | #3.939B/2.939A         | ----            |                 | 4.117 + 0.191            | .5195 | ----              | ----                     | ----              | ----          | 10               |
| 6600     | ----                                | ----         |                 | -----/3.112A       | #4.129B/3.112A         | ----            |                 | 4.398 + 0.210            | .5421 | ----              | ----                     | ----              | ----          | 14               |
| 6700     | 3.482                               | 3.482        |                 | 3.482/3.482        | 4.080B/3.482           | ----            |                 | 4.994 NEW                | .5865 | ----              | ----                     | 49                | ----          | 49 + 49          |
| 6750     | ----                                | ----         |                 | -----/3.743A       | 3.375B/3.743A          | ----            |                 | 5.310 + 0.268            | .6081 | ----              | ----                     | ----              | ----          | 1                |
| 6950     | ----                                | ----         |                 | -----/5.447A       | 3.933B/5.447A          | ----            |                 | 6.684 + 0.353            | .6892 | ----              | ----                     | ----              | ----          | 5                |
| 7000     | ----                                | ----         |                 | -----/5.664A       | 4.152B/5.664A          | ----            |                 | 7.053 + 0.374            | .7079 | ----              | ----                     | ----              | ----          | 1                |
| TOTAL    |                                     |              |                 |                    |                        |                 |                 |                          |       |                   |                          | 55                | 0             | 86 + 43          |
| S03 CALL | SILVER OPTIONS                      |              |                 |                    |                        |                 |                 |                          |       |                   |                          |                   |               |                  |
| JUL26    |                                     |              |                 |                    |                        |                 |                 |                          |       |                   |                          |                   |               |                  |
| 6500     | ----                                | ----         |                 | #4.787B/*3.311A    | #4.787B/*3.311A        | ----            |                 | 3.875 - 0.431            | .5106 | ----              | ----                     | ----              | ----          | 1                |
| 6650     | 4.184                               | 4.184        |                 | #4.603B/*2.847A    | #4.603B/*2.847A        | ----            |                 | 3.194 NEW                | .4518 | ----              | ----                     | 6                 | ----          | 6 + 6            |
| 7000     | ----                                | ----         |                 | #3.043B/*1.897A    | 3.043B/*1.897A         | ----            |                 | 1.948 - 0.461            | .3213 | ----              | ----                     | ----              | ----          | 1                |
| 8000     | 0.500                               | 0.500        |                 | #0.877B/*0.500     | 0.877B/*0.500          | ----            |                 | 0.489 NEW                | .1013 | ----              | ----                     | 3                 | ----          | 3 + 3            |
| TOTAL    |                                     |              |                 |                    |                        |                 |                 |                          |       |                   |                          | 9                 | 0             | 11 + 9           |
| S03 PUT  | SILVER OPTIONS                      |              |                 |                    |                        |                 |                 |                          |       |                   |                          |                   |               |                  |
| JUL26    |                                     |              |                 |                    |                        |                 |                 |                          |       |                   |                          |                   |               |                  |
| 6300     | 3.119                               | 3.119        |                 | #3.933B/*2.349A    | #3.933B/2.349A         | ----            |                 | 3.457 NEW                | .4116 | ----              | ----                     | 1                 | ----          | 1 + 1            |
| 6600     | ----                                | ----         |                 | #4.964B/3.493A     | #4.964B/3.493A         | ----            |                 | 4.940 + 0.294            | .5284 | ----              | ----                     | ----              | ----          | 7                |
| 6650     | 3.942                               | 3.942        |                 | 4.938B/3.759A      | 4.938B/3.759A          | ----            |                 | 5.222 NEW                | .5480 | ----              | ----                     | 6                 | ----          | 6 + 6            |
| TOTAL    |                                     |              |                 |                    |                        |                 |                 |                          |       |                   |                          | 7                 | 0             | 14 + 7           |
| S04 CALL | SILVER OPTIONS                      |              |                 |                    |                        |                 |                 |                          |       |                   |                          |                   |               |                  |
| JUN26    |                                     |              |                 |                    |                        |                 |                 |                          |       |                   |                          |                   |               |                  |
| 6500     | ----                                | ----         |                 | 4.364B/*1.953A     | 4.364B/*1.953A         | ----            |                 | 2.477 - 0.469            | .4883 | ----              | ----                     | ----              | ----          | 2                |
| 6750     | ----                                | ----         |                 | #3.014B/*1.257A    | 3.014B/*1.257A         | ----            |                 | 1.490 - 0.361            | .3428 | ----              | ----                     | ----              | ----          | 1                |
| 6900     | ----                                | ----         |                 | 2.299B/*0.969A     | 2.299B/*0.969A         | ----            |                 | 1.075 - 0.295            | .2665 | ----              | ----                     | ----              | ----          | 0                |
| 7350     | ----                                | ----         |                 | #0.952B/*0.413A    | 0.952B/*0.413A         | ----            |                 | 0.399 - 0.137            | .1137 | ----              | ----                     | ----              | ----          | 2                |
| 7500     | ----                                | ----         |                 | 0.720B/*0.322A     | 0.720B/*0.322A         | ----            |                 | 0.294 - 0.103            | .0854 | ----              | ----                     | ----              | ----          | 3                |
| 7600     | ----                                | ----         |                 | 0.595B/*0.274A     | 0.595B/*0.274A         | ----            |                 | 0.243 - 0.084            | .0710 | ----              | ----                     | ----              | ----          | 1                |
| 7700     | ----                                | ----         |                 | 0.500B/*0.234A     | 0.500B/*0.234A         | ----            |                 | 0.202 - 0.071            | .0593 | ----              | ----                     | ----              | ----          | 3                |
| 7800     | ----                                | ----         |                 | 0.424B/*0.206A     | 0.424B/*0.206A         | ----            |                 | 0.171 - 0.058            | .0501 | ----              | ----                     | ----              | ----          | 1                |
| 8000     | 0.183                               | 0.183        |                 | 0.314B/0.158A      | 0.314B/0.158A          | ----            |                 | 0.127 - 0.040            | .0367 | ----              | ----                     | 2                 | ----          | 6 + 2            |
| 8200     | ----                                | ----         |                 | 0.236B/-----       | 0.236B/*0.127A         | ----            |                 | 0.099 - 0.028            | .0280 | ----              | ----                     | ----              | ----          | 1                |
| 8300     | ----                                | ----         |                 | 0.209B/-----       | 0.209B/*0.118A         | ----            |                 | 0.089 - 0.024            | .0249 | ----              | ----                     | ----              | ----          | 1                |
| 9000     | ----                                | ----         |                 | 0.107B/-----       | 0.107B/*0.079A         | ----            |                 | 0.052 - 0.009            | .0130 | ----              | ----                     | ----              | ----          | 1                |
| TOTAL    |                                     |              |                 |                    |                        |                 |                 |                          |       |                   |                          | 2                 | 0             | 22 + 2           |
| S04 PUT  | SILVER OPTIONS                      |              |                 |                    |                        |                 |                 |                          |       |                   |                          |                   |               |                  |
| JUN26    |                                     |              |                 |                    |                        |                 |                 |                          |       |                   |                          |                   |               |                  |
| 5250     | ----                                | ----         |                 | #0.374B/*0.174A    | #0.374B/0.174A         | ----            |                 | 0.287 + 0.044            | .0611 | ----              | ----                     | ----              | ----          | 36               |
| 6200     | ----                                | ----         |                 | #2.661B/0.930A     | #2.661B/0.930A         | ----            |                 | 1.730 + 0.172            | .3381 | ----              | ----                     | ----              | ----          | 3                |
| 6400     | ----                                | ----         |                 | #3.500B/1.383A     | #3.500B/1.383A         | ----            |                 | 2.519 + 0.233            | .4515 | ----              | ----                     | ----              | ----          | 3                |
| 6900     | ----                                | ----         |                 | #7.240B/3.480A     | #7.240B/3.480A         | ----            |                 | 5.604 + 0.446            | .7333 | ----              | ----                     | ----              | ----          | 3                |
| 6950     | ----                                | ----         |                 | #7.648B/3.776A     | #7.648B/3.776A         | ----            |                 | 5.990 + 0.467            | .7560 | ----              | ----                     | ----              | ----          | 5                |
| 7100     | ----                                | ----         |                 | #8.997B/4.881A     | #8.997B/4.881A         | ----            |                 | 7.215 + 0.526            | .8154 | ----              | ----                     | ----              | ----          | 1                |
| TOTAL    |                                     |              |                 |                    |                        |                 |                 |                          |       |                   |                          |                   | 0             | 51               |
| SWW WED  | SILVER WEEKLY WEDNESDAY OPTION WEEK |              |                 |                    |                        |                 |                 |                          |       |                   |                          |                   |               |                  |
| JUN26    |                                     |              |                 |                    |                        |                 |                 |                          |       |                   |                          |                   |               |                  |
| 4750     | 0.111                               | 0.111        |                 | #0.111/*0.099A     | #0.111/*0.099A         | ----            |                 | 0.092 NEW                | .0197 | ----              | ----                     | 1                 | ----          | 1 + 1            |
| 5000     | 0.165                               | 0.165        |                 | #0.165/*0.118A     | #0.165/*0.118A         | ----            |                 | 0.148 NEW                | .0330 | ----              | ----                     | 1                 | ----          | 1 + 1            |
| 5200     | 0.070                               | 0.070        |                 | #0.070/*0.070      | 0.073B/*0.070          | ----            |                 | 0.078 NEW                | .0194 | ----              | ----                     | 3                 | ----          | 3 + 3            |
| 5250     | ----                                | ----         |                 | -----/0.156A       | #0.256B/0.156A         | ----            |                 | 0.237 - 0.019            | .0546 | ----              | ----                     | ----              | ----          | 1                |
| 5250     | ----                                | ----         |                 |                    |                        | ----            |                 | 0.000 UNCH               | ----- | ----              | ----                     | ----              | ----          | 0                |
| 5250     | ----                                | ----         |                 | 0.084B/-----       | 0.084B/0.088A          | ----            |                 | 0.085 + 0.005            | .0217 | ----              | ----                     | ----              | ----          | 5                |
| 5600     | ----                                | ----         |                 | #0.330B/0.138A     | #0.330B/0.138A         | ----            |                 | 0.180 + 0.006            | .0536 | ----              | ----                     | ----              | ----          | 1                |
| 5700     | ----                                | ----         |                 |                    |                        | ----            |                 | 0.000 UNCH               | ----- | ----              | ----                     | ----              | ----          | 0                |
| 5700     | ----                                | ----         |                 | #0.462B/0.164A     | #0.462B/0.164A         | ----            |                 | 0.231 + 0.005            | .0712 | ----              | ----                     | ----              | ----          | 1                |
| 5750     | ----                                | ----         |                 | #0.544B/0.177A     | #0.544B/0.177A         | ----            |                 | 0.264 + 0.006            | .0825 | ----              | ----                     | ----              | ----          | 10               |
| 5800     | ----                                | ----         |                 |                    |                        | ----            |                 | 0.000 UNCH               | ----- | ----              | ----                     | ----              | ----          | 0                |
| 5800     | ----                                | ----         |                 | #0.639B/0.195A     | #0.639B/0.195A         | ----            |                 | 0.302 + 0.005            | .0956 | ----              | ----                     | ----              | ----          | 3                |
| 6000     | ----                                | ----         |                 |                    |                        | ----            |                 | 0.000 UNCH               | ----- | ----              | ----                     | ----              | ----          | 0                |
| 6000     | ----                                | ----         |                 | #1.172B/0.279A     | #1.172B/0.279A         | ----            |                 | 0.539 + 0.014            | .1738 | ----              | ----                     | ----              | ----          | 1                |
| 6100     | ----                                | ----         |                 |                    |                        | ----            |                 | 0.000 UNCH               | ----- | ----              | ----                     | ----              | ----          | 0                |
| 6200     | ----                                | ----         |                 | #2.583B/0.874A     | #2.583B/0.874A         | ----            |                 | 1.679 + 0.165            | .3545 | ----              | ----                     | ----              | ----          | 10               |
| 6200     | ----                                | ----         |                 |                    |                        | ----            |                 | 0.000 UNCH               | ----- | ----              | ----                     | ----              | ----          | 0                |
| 6250     | 1.890                               | 1.890        |                 | #2.844B/0.973A     | #2.844B/0.973A         | ----            |                 | 1.859 + 0.188            | .3847 | ----              | ----                     | 1                 | ----          | 3 - 1            |
| 6300     | ----                                | ----         |                 |                    |                        | ----            |                 | 0.000 UNCH               | ----- | ----              | ----                     | ----              | ----          | 0                |
| 6300     | 2.200                               | 2.200        |                 | #3.123B/1.084A     | #3.123B/1.084A         | ----            |                 | 2.055 + 0.212            | .4159 | ----              | ----                     | 42                | ----          | 16 + 6           |
| 6300     | ----                                | ----         |                 | #2.454B/0.581A     | #2.454B/0.581A         | ----            |                 | 1.317 + 0.094            | .3913 | ----              | ----                     | ----              | ----          | 3                |
| 6350     | ----                                | ----         |                 |                    |                        | ----            |                 | 1.240 UNCH               | ----- | ----              | ----                     | ----              | ----          | 0                |
| 6350     | ----                                | ----         |                 |                    |                        | ----            |                 | 0.000 UNCH               | ----- | ----              | ----                     | ----              | ----          | 0                |
| 6380     | ----                                | ----         |                 |                    |                        | ----            |                 | 0.000 UNCH               | ----- | ----              | ----                     | ----              | ----          | 0                |
| 6400     | ----                                | ----         |                 | #3.414B/1.342A     | #3.414B/1.342A         | ----            |                 | 2.499 + 0.260            | .4811 | ----              | ----                     | ----              | ----          | 1                |
| 6400     | ----                                | ----         |                 |                    |                        | ----            |                 | 0.740 UNCH               | ----- | ----              | ----                     | ----              | ----          | 0                |
| 6400     | ----                                | ----         |                 |                    |                        | ----            |                 | 0.000 UNCH               | ----- | ----              | ----                     | ----              | ----          | 0                |
| 6400     | ----                                | ----         |                 | 4.449B/*1.981A     | 4.449B/*1.981A         | ----            |                 | 2.500 - 0.478            | .5188 | ----              | ----                     | ----              | ----          | 1                |
| 6430     | ----                                | ----         |                 |                    |                        | ----            |                 | 0.440 UNCH               | ----- | ----              | ----                     | ----              | ----          | 0                |
| 6450     | ----                                | ----         |                 | #3.378B/0.880A     | #3.378B/0.880A         | ----            |                 | 2.001 + 0.184            | .5366 | ----              | ----                     | ----              | ----          | 1                |
| 6450     | ----                                | ----         |                 |                    |                        | ----            |                 | 0.240 UNCH               | ----- | ----              | ----                     | ----              | ----          | 0                |
| 6450     | ----                                | ----         |                 |                    |                        | ----            |                 | 0.000 UNCH               | ----- | ----              | ----                     | ----              | ----          | 0                |
| 6460     | ----                                | ----         |                 |                    |                        | ----            |                 | 0.000 UNCH               | ----- | ----              | ----                     | ----              | ----          | 0                |
| 6490     | ----                                | ----         |                 |                    |                        | ----            |                 | 0.160 UNCH               | ----- | ----              | ----                     | ----              | ----          | 0                |
| 6500     | ----                                | ----         |                 |                    |                        | ----            |                 | 0.000 UNCH               | ----- | ----              | ----                     | ----              | ----          | 0                |
| 6500     | ----                                | ----         |                 | #3.750B/1.014A     | #3.750B/1.014A         | ----            |                 | 2.280 + 0.220            | .5857 | ----              | ----                     | ----              | ----          | 5                |
| 6500     | ----                                | ----         |                 |                    |                        | ----            |                 | 0.260 UNCH               | ----- | ----              | ----                     | ----              | ----          | 0                |
| 6530     | ----                                | ----         |                 |                    |                        | ----            |                 | 0.000 UNCH               | ----- | ----              | ----                     | ----              | ----          | 0                |
| 6550     | ----                                | ----         |                 | #4.140B/1.166A     | #4.140B/1.166A         | ----            |                 | 2.586 + 0.261            | .6335 | ----              | ----                     | ----              | ----          | 5                |
| 6550     | ----                                | ----         |                 |                    |                        | ----            |                 | 0.000 UNCH               | ----- | ----              | ----                     | ----              | ----          | 0                |
| 6550     | ----                                | ----         |                 |                    |                        | ----            |                 | 0.760 UNCH               | ----- | ----              | ----                     | ----              | ----          | 0                |
| 6560     | ----                                | ----         |                 |                    |                        | ----            |                 | 0.000 UNCH               | ----- | ----              | ----                     | ----              | ----          | 0                |
| 6590     | ----                                | ----         |                 |                    |                        | ----            |                 | 0.000 UNCH               | ----- | ----              | ----                     | ----              | ----          | 0                |
| 6600     | ----                                | ----         |                 |                    |                        | ----            |                 | 1.260 UNCH               | ----- | ----              | ----                     | ----              | ----          | 0                |
| 6600     | ----                                | ----         |                 |                    |                        | ----            |                 | 0.000 UNCH               | ----- | ----              | ----                     | ----              | ----          | 0                |
| 6600     | ----                                | ----         |                 | #4.554B/1.338A     | #4.554B/1.338A         | ----            |                 | 2.915 + 0.301            | .6790 | ----              | ----                     | ----              | ----          | 1                |
| 6610     | ----                                | ----         |                 |                    | #2.385B/*0.735A        | ----            |                 | 0.886 NEW                | .3122 | ----              | ----                     | 5                 | ----          | 1 + 1            |
| 6610     | ----                                | ----         |                 |                    |                        | ----            |                 | 0.000 UNCH               | ----- | ----              | ----                     | ----              | ----          | 0                |
| 6620     | ----                                | ----         |                 |                    |                        | ----            |                 | 0.000 UNCH               | ----- | ----              | ----                     | ----              | ----          | 0                |
| 6650     | ----                                | ----         |                 | #4.968B/1.534A     | #4.968B/1.534A         | ----            |                 | 3.268 + 0.343            | .7213 | ----              | ----                     | ----              | ----          | 1                |
| 6650     | ----                                | ----         |                 |                    |                        | ----            |                 | 0.000 UNCH               | ----- | ----              | ----                     | ----              | ----          | 0                |
| 6650     | ----                                | ----         |                 |                    |                        | ----            |                 | 1.760 UNCH               | ----- | ----              | ----                     | ----              | ----          | 0                |
| 6660     | ----                                | ----         |                 |                    |                        | ----            |                 | 1.860 UNCH               | ----- | ----              | ----                     | ----              | ----          | 0                |
| 6700     | ----                                | ----         |                 | #5.400B/1.757A     | #5.400B/1.757A         | ----            |                 | 3.642 + 0.385            | .7601 | ----              | ----                     | ----              | ----          | 1                |
| 6700     | ----                                | ----         |                 |                    |                        | ----            |                 | 0.000 UNCH               | ----- | ----              | ----                     | ----              | ----          | 0                |
| 6700     | ----                                | ----         |                 |                    |                        | ----            |                 | 2.260 UNCH               | ----- | ----              | ----                     | ----              | ----          | 0                |

| BULLETIN #111@                              |                |                           |                    | METALS OPTION PRODUCTS  |                            |                          |       |               |                          |                   |               | Thu, Jun 11, 2026 |      | PG64 |
|---------------------------------------------|----------------|---------------------------|--------------------|-------------------------|----------------------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|-------------------|------|------|
|                                             | GLOBEX<br>OPEN | OPEN OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN OUTCRY<br>HIGH/LOW | OPEN OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST  |      |      |
| SWW WED SILVER WEEKLY WEDNESDAY OPTION WEEK |                |                           |                    |                         |                            |                          |       |               |                          |                   |               |                   |      |      |
| JUN26                                       |                |                           |                    |                         |                            |                          |       |               |                          |                   |               |                   |      |      |
| 7450                                        | ----           | ----                      | 0.554B/*0.255A     | 0.554B/*0.255A          | ----                       | 0.209 - 0.090            | .0667 | ----          | ----                     | ----              | ----          | 1                 | UNCH |      |
| 7490                                        | ----           | ----                      | ----               | ----                    | ----                       | 10.160 UNCH              | ----  | ----          | ----                     | ----              | ----          | 0                 | UNCH |      |
| 7500                                        | 0.645          | 0.645                     | 0.645/*0.232A      | 0.645/*0.232A           | ----                       | 0.189 - 0.081            | .0603 | ----          | ----                     | 1                 | ----          | 0 -               | 1    |      |
| 7750                                        | 0.140          | 0.140                     | 0.313B/*0.140      | 0.313B/*0.140           | ----                       | 0.119 - 0.050            | .0376 | ----          | ----                     | 2                 | ----          | 11 +              | 2    |      |
| 8050                                        | ----           | ----                      | 0.186B/----        | 0.186B/*0.114A          | ----                       | 0.077 - 0.031            | .0234 | ----          | ----                     | ----              | ----          | 4                 | UNCH |      |
| 8100                                        | ----           | ----                      | 0.173B/----        | 0.173B/*0.109A          | ----                       | 0.073 - 0.029            | .0220 | ----          | ----                     | ----              | ----          | 2                 | UNCH |      |
| 8150                                        | ----           | ----                      | 0.161B/----        | 0.161B/*0.105A          | ----                       | 0.069 - 0.027            | .0206 | ----          | ----                     | ----              | ----          | 4                 | UNCH |      |
| 8200                                        | ----           | ----                      | 0.036B/----        | 0.036B/0.071A           | ----                       | 0.008 - 0.005            | .0022 | ----          | ----                     | ----              | ----          | 10                | UNCH |      |
| 8350                                        | ----           | ----                      | #0.123B/----       | 0.123B/*0.091A          | ----                       | 0.057 - 0.022            | .0164 | ----          | ----                     | ----              | ----          | 12                | UNCH |      |
| 8400                                        | ----           | ----                      | 0.116B/----        | 0.116B/*0.088A          | ----                       | 0.055 - 0.021            | .0156 | ----          | ----                     | ----              | ----          | 8                 | UNCH |      |
| 8400                                        | ----           | ----                      | 0.022B/----        | 0.022B/0.062A           | ----                       | 0.005 - 0.004            | .0012 | ----          | ----                     | ----              | ----          | 2                 | UNCH |      |
| 8500                                        | ----           | ----                      | 0.102B/----        | 0.102B/*0.083A          | ----                       | 0.051 - 0.019            | .0142 | ----          | ----                     | ----              | ----          | 8                 | UNCH |      |
| 8500                                        | ----           | ----                      | #0.082B/*0.060A    | 0.082B/*0.060A          | ----                       | 0.045 - 0.017            | .0120 | ----          | ----                     | ----              | ----          | 4                 | UNCH |      |
| 8700                                        | ----           | ----                      | #0.082B/*0.060A    | 0.082B/*0.060A          | ----                       | 0.045 - 0.017            | .0120 | ----          | ----                     | 1                 | ----          | 0 -               | 1    |      |
| 9000                                        | 0.090          | 0.090                     | #0.090/*0.090      | 0.090/*0.069A           | ----                       | 0.040 - 0.016            | .0100 | ----          | ----                     | 64                | 0             | 187 +             | 15   |      |
| TOTAL                                       |                |                           |                    |                         |                            |                          |       |               |                          |                   |               |                   |      |      |
| TWS TUE SILVER WEEKLY TUESDAY OPTION Week3  |                |                           |                    |                         |                            |                          |       |               |                          |                   |               |                   |      |      |
| JUN26                                       |                |                           |                    |                         |                            |                          |       |               |                          |                   |               |                   |      |      |
| 5250                                        | ----           | ----                      | ----               | #0.055B/0.073A          | ----                       | 0.059 UNCH               | .0149 | ----          | ----                     | ----              | ----          | 5                 | UNCH |      |
| 5600                                        | ----           | ----                      | #0.762B/*0.429A    | #0.762B/0.429A          | ----                       | 0.651 + 0.120            | .1312 | ----          | ----                     | ----              | ----          | 2                 | UNCH |      |
| 5750                                        | 0.217          | 0.217                     | #0.391B/0.137A     | #0.391B/0.137A          | ----                       | 0.188 NEW                | .0627 | ----          | 2                        | ----              | ----          | 2 +               | 2    |      |
| 5900                                        | 0.400          | 0.400                     | #0.685B/0.183A     | #0.685B/0.183A          | ----                       | 0.293 - 0.025            | .1035 | ----          | 5                        | ----              | ----          | 4 +               | 3    |      |
| 6050                                        | 0.295          | 0.295                     | #1.145B/*0.240     | #1.145B/*0.240          | ----                       | 0.478 NEW                | .1730 | ----          | 4                        | ----              | ----          | 3 +               | 3    |      |
| 6300                                        | ----           | ----                      | #2.787B/1.481A     | #2.787B/1.481A          | ----                       | 2.372 + 0.313            | .3992 | ----          | ----                     | ----              | ----          | 2                 | UNCH |      |
| 6400                                        | ----           | ----                      | #2.744B/0.627A     | #2.744B/0.627A          | ----                       | 1.544 + 0.112            | .4888 | ----          | ----                     | ----              | ----          | 5                 | UNCH |      |
| 6520                                        | 1.185          | 1.185                     | #2.995/*0.853A     | #2.995/*0.853A          | ----                       | 1.007 NEW                | .3764 | ----          | 2                        | ----              | ----          | 1 +               | 1    |      |
| 6600                                        | 0.970          | 0.970                     | 2.274B/*0.675A     | 2.274B/*0.675A          | ----                       | 0.738 NEW                | .2938 | ----          | 3                        | ----              | ----          | 2 +               | 2    |      |
| 6600                                        | 3.113          | 3.113                     | #3.846B/2.462A     | #3.846B/2.462A          | ----                       | 3.852 NEW                | .5598 | ----          | 2                        | ----              | ----          | 2 +               | 2    |      |
| 6680                                        | 1.928          | 1.928                     | #5.069B/*1.481A    | #5.069B/*1.481A         | ----                       | 3.331 NEW                | .7775 | ----          | 8                        | ----              | ----          | 8 +               | 8    |      |
| 6700                                        | 1.920          | 1.920                     | 1.920/*0.474A      | 1.920/*0.474A           | ----                       | 0.490 - 0.361            | .2064 | ----          | 3                        | ----              | ----          | 4 +               | 3    |      |
| 6750                                        | 0.400          | 0.400                     | 1.589B/*0.396A     | 1.589B/*0.396A          | ----                       | 0.398 NEW                | .1706 | ----          | 1                        | ----              | ----          | 1 +               | 1    |      |
| 6800                                        | 1.250          | 1.250                     | 1.354B/*0.332A     | 1.354B/*0.332A          | ----                       | 0.323 - 0.274            | .1401 | ----          | 1                        | ----              | ----          | 3 +               | 1    |      |
| 7000                                        | ----           | ----                      | #6.676B/4.785A     | #6.676B/4.785A          | ----                       | 6.594 + 0.541            | .7517 | ----          | ----                     | ----              | ----          | 1                 | UNCH |      |
| 7000                                        | 0.380          | 0.380                     | 0.650B/*0.175A     | 0.650B/*0.175A          | ----                       | 0.144 - 0.146            | .0620 | ----          | 6                        | ----              | ----          | 3 -               | 1    |      |
| 7100                                        | ----           | ----                      | #1.652B/0.929A     | 1.652B/0.929A           | ----                       | 0.871 - 0.173            | .2103 | ----          | ----                     | ----              | ----          | 2                 | UNCH |      |
| 7250                                        | ----           | ----                      | #10.574B/5.598A    | #10.574B/5.598A         | ----                       | 8.556 + 0.677            | .9762 | ----          | ----                     | ----              | 30            | UNCH              |      |      |
| 7300                                        | 0.050          | 0.050                     | 0.231B/*0.050      | 0.231B/*0.050           | ----                       | 0.052 - 0.052            | .0201 | ----          | 1                        | ----              | 0 -           | 1                 |      |      |
| 7300                                        | ----           | ----                      | 8.477B/6.038A      | 8.477B/6.038A           | ----                       | 9.047 + 0.687            | .9798 | ----          | ----                     | ----              | 1             | UNCH              |      |      |
| 7400                                        | 0.042          | 0.042                     | 0.167B/*0.042      | 0.167B/*0.042           | ----                       | 0.039 - 0.037            | .0143 | ----          | 2                        | ----              | 2 +           | 1                 |      |      |
| 7450                                        | ----           | ----                      | 0.141B/*0.057A     | 0.141B/*0.057A          | ----                       | 0.034 - 0.032            | .0122 | ----          | ----                     | ----              | ----          | 1                 | UNCH |      |
| 7500                                        | ----           | ----                      | ----               | 0.041B/23.128A          | ----                       | 10.909 + 0.647           | .8953 | ----          | ----                     | ----              | ----          | 1                 | UNCH |      |
| 7500                                        | ----           | ----                      | 0.753B/----        | 0.753B/*0.487A          | ----                       | 0.390 - 0.094            | .1046 | ----          | ----                     | ----              | ----          | 1                 | UNCH |      |
| 7500                                        | ----           | ----                      | ----/7.876A        | 9.451B/7.876A           | ----                       | 11.026 + 0.714           | .9894 | ----          | ----                     | ----              | ----          | 2                 | UNCH |      |
| 7650                                        | ----           | ----                      | ----/9.303A        | #10.935B/9.303A         | ----                       | 12.513 + 0.724           | .9940 | ----          | ----                     | ----              | ----          | 1                 | UNCH |      |
| 7750                                        | ----           | ----                      | 0.049B/----        | 0.049B/*0.041A          | ----                       | 0.012 - 0.011            | .0037 | ----          | ----                     | ----              | ----          | 10                | UNCH |      |
| 7950                                        | ----           | ----                      | ----/12.231A       | 12.454B/12.231A         | ----                       | 15.501 + 0.734           | .9982 | ----          | ----                     | ----              | ----          | 2                 | UNCH |      |
| 8000                                        | ----           | ----                      | 0.282B/----        | 0.282B/*0.268A          | ----                       | 0.170 - 0.043            | .0469 | ----          | ----                     | ----              | ----          | 1                 | UNCH |      |
| 8150                                        | ----           | ----                      | ----/14.205A       | 14.464B/14.205A         | ----                       | 17.499 + 0.737           | .9992 | ----          | ----                     | ----              | ----          | 1                 | UNCH |      |
| 10000                                       | ----           | ----                      | ----               | 0.002B/0.071A           | ----                       | 0.025 - 0.012            | .0052 | ----          | ----                     | 40                | 0             | 105 +             | 25   |      |
| TOTAL                                       |                |                           |                    |                         |                            |                          |       |               |                          |                   |               |                   |      |      |
| COPPER OPTIONS ON FUTURES                   |                |                           |                    |                         |                            |                          |       |               |                          |                   |               |                   |      |      |
|                                             | GLOBEX<br>OPEN | OPEN OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN OUTCRY<br>HIGH/LOW | OPEN OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST  |      |      |
| HMR MON COPPER WEEKLY MONDAY OPTION WEEK5   |                |                           |                    |                         |                            |                          |       |               |                          |                   |               |                   |      |      |
| JUN26                                       |                |                           |                    |                         |                            |                          |       |               |                          |                   |               |                   |      |      |
| 525                                         | 0.0020         | 0.0020                    | #0.0020/*0.0020    | #0.0020/*0.0020         | ----                       | 0.0015 NEW               | .0072 | ----          | ----                     | 10                | ----          | 10 +              | 10   |      |
| 575                                         | ----           | ----                      | ----               | ----/0.0055A            | ----                       | 0.0005 - 0.0005          | .0003 | ----          | ----                     | ----              | ----          | 1                 | UNCH |      |
| 590                                         | ----           | ----                      | 0.4960B/*0.2900    | 0.4960B/*0.2900         | ----                       | 0.3760 + 0.0050          | .9920 | ----          | ----                     | ----              | ----          | 1                 | UNCH |      |
| 610                                         | ----           | ----                      | 0.0250B/0.0075A    | 0.0250B/0.0075A         | ----                       | 0.0105 - 0.0110          | .1045 | ----          | ----                     | ----              | ----          | 15                | UNCH |      |
| 614                                         | ----           | ----                      | #0.0395B/0.0085    | #0.0395B/0.0085         | ----                       | 0.0165 - 0.0130          | .1628 | ----          | ----                     | ----              | ----          | 1                 | UNCH |      |
| 615                                         | ----           | ----                      | 0.0440B/*0.0090    | 0.0440B/*0.0090         | ----                       | 0.0180 - 0.0135          | .1784 | ----          | ----                     | ----              | ----          | 10                | UNCH |      |
| 620                                         | 0.0290         | 0.0290                    | 0.0685B/0.0125A    | 0.0685B/0.0125A         | ----                       | 0.0300 - 0.0160          | .2855 | ----          | 6                        | ----              | 10            | UNCH              |      |      |
| 624                                         | 0.0635         | 0.0635                    | #0.1660B/*0.053    | 0.1660B/*0.0530         | ----                       | 0.0790 NEW               | .6069 | ----          | 1                        | ----              | 1 +           | 1                 |      |      |
| 625                                         | ----           | ----                      | 0.1460B/0.0555A    | 0.1460B/0.0555A         | ----                       | 0.0965 - 0.0120          | .4534 | ----          | ----                     | ----              | ----          | 3                 | UNCH |      |
| 625                                         | 0.0655         | 0.0655                    | 0.0955B/0.0180A    | 0.0955B/0.0180A         | ----                       | 0.0480 NEW               | .4216 | ----          | 1                        | ----              | 1 +           | 1                 |      |      |
| 627                                         | ----           | ----                      | 0.0975B/*0.0220    | 0.0975B/0.0220A         | ----                       | 0.0575 - 0.0175          | .4808 | ----          | ----                     | ----              | ----          | 1                 | UNCH |      |
| 630                                         | ----           | ----                      | 0.1170B/*0.0350    | 0.1170B/*0.0350         | ----                       | 0.0485 - 0.0095          | .4306 | ----          | ----                     | ----              | ----          | 7                 | UNCH |      |
| 630                                         | 0.1290         | 0.1290                    | #0.1815B/0.0855    | #0.1815B/0.0855         | ----                       | 0.1325 - 0.0120          | .4496 | ----          | 5                        | ----              | 6 +           | 5                 |      |      |
| 630                                         | ----           | ----                      | 0.1370B/0.0285A    | 0.1370B/0.0285A         | ----                       | 0.0735 - 0.0175          | .5692 | ----          | ----                     | ----              | ----          | 12                | UNCH |      |
| 635                                         | ----           | ----                      | 0.1790B/0.0440A    | 0.1790B/0.0440A         | ----                       | 0.1060 - 0.0170          | .7034 | ----          | ----                     | ----              | ----          | 57                | UNCH |      |
| 637                                         | 0.0530         | 0.0530                    | #0.0695B/*0.021    | 0.0695B/*0.0210         | ----                       | 0.0260 NEW               | .2517 | ----          | 20                       | ----              | 20 +          | 20                |      |      |
| 640                                         | ----           | ----                      | 0.0570B/*0.0160    | 0.0570B/*0.0160         | ----                       | 0.0190 - 0.0075          | .1896 | ----          | ----                     | ----              | ----          | 1                 | UNCH |      |
| 640                                         | ----           | ----                      | #0.2410B/0.1255    | #0.2410B/0.1255         | ----                       | 0.1865 - 0.0125          | .5572 | ----          | ----                     | ----              | ----          | 1                 | UNCH |      |
| 645                                         | 0.0300         | 0.0300                    | 0.0355B/*0.0115    | 0.0355B/*0.0115         | ----                       | 0.0110 NEW               | .1120 | ----          | 1                        | ----              | 1 +           | 1                 |      |      |
| 650                                         | ----           | ----                      | 0.0660B/*0.0325    | 0.0660B/*0.0325         | ----                       | 0.0350 - 0.0045          | .2111 | ----          | ----                     | ----              | ----          | 5                 | UNCH |      |
| 650                                         | ----           | ----                      | 0.0200B/*0.0090    | 0.0200B/*0.0090         | ----                       | 0.0060 - 0.0050          | .0609 | ----          | ----                     | ----              | ----          | 7                 | UNCH |      |
| 650                                         | ----           | ----                      | 0.3190B/0.1285A    | 0.3190B/0.1285A         | ----                       | 0.2310 - 0.0130          | .9390 | ----          | ----                     | ----              | ----          | 3                 | UNCH |      |
| 656                                         | 0.0130         | 0.0130                    | #0.0130/0.0130     | 0.0130/*0.0075A         | ----                       | 0.0030 NEW               | .0289 | ----          | 1                        | ----              | 1 +           | 1                 |      |      |
| 657                                         | 0.0085         | 0.0085                    | #0.0085/*0.0070    | 0.0085/*0.0070A         | ----                       | 0.0025 - 0.0030          | .0240 | ----          | 1                        | ----              | 0 -           | 1                 |      |      |
| 680                                         | ----           | ----                      | 0.0130B/*0.0115    | 0.0130B/*0.0115         | ----                       | 0.0090 - 0.0030          | .0561 | ----          | ----                     | ----              | ----          | 25                | UNCH |      |
| 705                                         | ----           | ----                      | ----               |                         |                            |                          |       |               |                          |                   |               |                   |      |      |

| PG64             | BULLETIN #111@ |                                     |                              |                    |                            |                               |                          |          |       |               | METALS OPTION PRODUCTS   |                   |               |       |      |                  |  |  |  |  | Thu, Jun 11, 2026 |  |  |  | PG64 |
|------------------|----------------|-------------------------------------|------------------------------|--------------------|----------------------------|-------------------------------|--------------------------|----------|-------|---------------|--------------------------|-------------------|---------------|-------|------|------------------|--|--|--|--|-------------------|--|--|--|------|
|                  |                | GLOBEX<br>OPEN                      | OPEN<br>OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. |          | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME |       |      | OPEN<br>INTEREST |  |  |  |  |                   |  |  |  |      |
| HWR THU<br>JUN26 |                | COPPER WEEKLY THURSDAY OPT week2    |                              |                    |                            |                               |                          |          |       |               |                          |                   |               |       |      |                  |  |  |  |  |                   |  |  |  |      |
| 680              | ----           | ----                                | ----                         | ----               | ----/0.0080A               | ----                          | 0.0000                   | - 0.0005 | ----  | ----          | ----                     | ----              | ----          | 0 -   | 10   |                  |  |  |  |  |                   |  |  |  |      |
| 680              | 0.0090         | 0.0090                              | 0.0120B/*0.0090              | 0.0120B/*0.0080    | ----                       | 0.0045                        | - 0.0025                 | .0303    | ----  | ----          | ----                     | 1                 | ----          | 1 +   | 1    |                  |  |  |  |  |                   |  |  |  |      |
| 690              | ----           | ----                                | ----                         | 0.0030B/*0.0085    | ----                       | 0.0030                        | - 0.0015                 | .0190    | ----  | ----          | ----                     | ----              | ----          | 2     | UNCH |                  |  |  |  |  |                   |  |  |  |      |
| 695              | ----           | ----                                | ----                         | 0.0015B/*0.0080    | ----                       | 0.0025                        | - 0.0010                 | .0153    | ----  | ----          | ----                     | ----              | ----          | 2     | UNCH |                  |  |  |  |  |                   |  |  |  |      |
| 700              | ----           | ----                                | ----                         | ----/0.0080A       | ----                       | 0.0000                        | - 0.0005                 | ----     | ----  | ----          | ----                     | ----              | ----          | 0 -   | 10   |                  |  |  |  |  |                   |  |  |  |      |
| 700              | ----           | ----                                | ----                         | ----/*0.0080A      | ----                       | 0.0015                        | - 0.0010                 | .0093    | ----  | ----          | ----                     | ----              | ----          | 2     | UNCH |                  |  |  |  |  |                   |  |  |  |      |
| 710              | ----           | ----                                | ----                         | ----/*0.0080A      | ----                       | 0.0010                        | - 0.0005                 | .0058    | ----  | ----          | ----                     | ----              | ----          | 1     | UNCH |                  |  |  |  |  |                   |  |  |  |      |
| TOTAL            |                |                                     |                              |                    |                            |                               |                          |          |       |               |                          | 23                |               | 104 - | 458  |                  |  |  |  |  |                   |  |  |  |      |
| JUL26            |                | COPPER WEEKLY TUESDAY OPTION week5  |                              |                    |                            |                               |                          |          |       |               |                          |                   |               |       |      |                  |  |  |  |  |                   |  |  |  |      |
| 500              | 0.0010         | 0.0010                              | 0.0010/0.0010                | 0.0010/0.0010      | ----                       | 0.0005                        | - 0.0005                 | .0025    | ----  | ----          | 5                        | ----              | 12 +          | 5     |      |                  |  |  |  |  |                   |  |  |  |      |
| 500              | 0.0010         | 0.0010                              | #0.0010/*0.0010              | #0.0010/*0.0010    | ----                       | 0.0005                        | NEW                      | .0024    | ----  | ----          | 19                       | ----              | 19 +          | 19    |      |                  |  |  |  |  |                   |  |  |  |      |
| 550              | ----           | ----                                | ----                         | 0.0060B/0.0150A    | ----                       | 0.0100                        | - 0.0025                 | .0413    | ----  | ----          | ----                     | ----              | 1             | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 620              | 0.0710         | 0.0710                              | #0.1550B/0.0710              | #0.1550B/0.0710    | ----                       | 0.1135                        | NEW                      | .3615    | ----  | ----          | 10                       | ----              | 10 +          | 10    |      |                  |  |  |  |  |                   |  |  |  |      |
| 640              | ----           | ----                                | #0.2665B/0.1535              | #0.2665B/0.1535    | ----                       | 0.2130                        | - 0.0110                 | .5446    | ----  | ----          | ----                     | ----              | 18            | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 640              | ----           | ----                                | 0.2060B/*0.1210              | 0.2060B/*0.1210    | ----                       | 0.1485                        | - 0.0030                 | .4548    | ----  | ----          | ----                     | ----              | 1             | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 660              | ----           | ----                                | #0.4080B/0.2690              | #0.4080B/0.2690    | ----                       | 0.3470                        | - 0.0120                 | .7067    | ----  | ----          | ----                     | ----              | 20            | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 715              | ----           | ----                                | 0.0290B/----                 | 0.0290B/*0.0305    | ----                       | 0.0265                        | - 0.0015                 | .0961    | ----  | ----          | ----                     | ----              | 1             | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 800              | 0.0030         | 0.0030                              | 0.0030/*0.0030               | 0.0030/*0.0030     | ----                       | 0.0025                        | NEW                      | .0101    | ----  | ----          | 26                       | ----              | 26 +          | 26    |      |                  |  |  |  |  |                   |  |  |  |      |
| TOTAL            |                |                                     |                              |                    |                            |                               |                          |          |       |               |                          | 60                |               | 108 + | 60   |                  |  |  |  |  |                   |  |  |  |      |
| HWT TUE<br>JUN26 |                | COPPER WEEKLY TUESDAY OPTION week5  |                              |                    |                            |                               |                          |          |       |               |                          |                   |               |       |      |                  |  |  |  |  |                   |  |  |  |      |
| 500              | 0.0005         | 0.0005                              | #0.0005/*0.0005              | #0.0005/*0.0005    | ----                       | 0.0005                        | NEW                      | .0023    | ----  | ----          | 19                       | ----              | 19 +          | 19    |      |                  |  |  |  |  |                   |  |  |  |      |
| 550              | ----           | ----                                | ----                         | ----/0.0080A       | ----                       | 0.0005                        | UNCH                     | .0000    | ----  | ----          | ----                     | ----              | 1             | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 590              | ----           | ----                                | 0.0265B/0.0125A              | 0.0265B/0.0125A    | ----                       | 0.0170                        | - 0.0055                 | .0994    | ----  | ----          | ----                     | ----              | 1             | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 590              | ----           | ----                                | ----                         | 0.0025B/0.0085A    | ----                       | 0.0025                        | - 0.0035                 | .0202    | ----  | ----          | ----                     | ----              | 1             | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 610              | ----           | ----                                | 0.0840B/0.0305A              | 0.0840B/0.0305A    | ----                       | 0.0505                        | - 0.0090                 | .2612    | ----  | ----          | ----                     | ----              | 1             | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 610              | ----           | ----                                | 0.0385B/0.0130A              | 0.0385B/0.0130A    | ----                       | 0.0155                        | - 0.0110                 | .1388    | ----  | ----          | ----                     | ----              | 15            | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 615              | ----           | ----                                | 0.0570B/0.0165A              | 0.0570B/0.0165A    | ----                       | 0.0255                        | - 0.0135                 | .2176    | ----  | ----          | ----                     | ----              | 10            | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 615              | ----           | ----                                | 0.2520B/*0.1050              | 0.2520B/*0.1050    | ----                       | 0.1505                        | - 0.0055                 | .7822    | ----  | ----          | ----                     | ----              | 9             | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 620              | ----           | ----                                | 0.1305B/0.0495A              | 0.1305B/0.0495A    | ----                       | 0.0845                        | - 0.0105                 | .3872    | ----  | ----          | ----                     | ----              | 16            | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 620              | 0.2390         | 0.2390                              | 0.3175B/*0.1935              | 0.3175B/*0.1935    | ----                       | 0.2395                        | NEW                      | .6448    | ----  | ----          | 1                        | ----              | 1 +           | 1     |      |                  |  |  |  |  |                   |  |  |  |      |
| 620              | ----           | ----                                | 0.0810B/0.0205A              | 0.0810B/0.0205A    | ----                       | 0.0395                        | - 0.0155                 | .3169    | ----  | ----          | ----                     | ----              | 10            | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 622              | 0.0160         | 0.0160                              | #0.0660B/*0.016              | 0.0660B/*0.0160    | ----                       | 0.0465                        | NEW                      | .3618    | ----  | ----          | 1                        | ----              | 1 +           | 1     |      |                  |  |  |  |  |                   |  |  |  |      |
| 625              | ----           | ----                                | 0.1100B/0.0285A              | 0.1100B/0.0285A    | ----                       | 0.0585                        | - 0.0175                 | .4331    | ----  | ----          | ----                     | ----              | 1             | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 630              | ----           | ----                                | 0.1870B/0.0805A              | 0.1870B/0.0805A    | ----                       | 0.1325                        | - 0.0110                 | .5251    | ----  | ----          | ----                     | ----              | 2             | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 630              | 0.1820         | 0.1820                              | 0.2480B/*0.1475              | 0.2480B/*0.1475    | ----                       | 0.1840                        | NEW                      | .5474    | ----  | ----          | 11                       | ----              | 11 +          | 11    |      |                  |  |  |  |  |                   |  |  |  |      |
| 630              | ----           | ----                                | 0.1120B/0.0405A              | 0.1120B/0.0405A    | ----                       | 0.0835                        | - 0.0185                 | .5566    | ----  | ----          | ----                     | ----              | 2             | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 635              | ----           | ----                                | 0.2215B/0.1010A              | 0.2215B/0.1010A    | ----                       | 0.1620                        | - 0.0110                 | .5926    | ----  | ----          | ----                     | ----              | 1             | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 635              | ----           | ----                                | 0.1850B/0.0580A              | 0.1850B/0.0580A    | ----                       | 0.1145                        | - 0.0180                 | .6736    | ----  | ----          | ----                     | ----              | 31            | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 640              | ----           | ----                                | 0.0645B/*0.0240              | 0.0645B/*0.0240    | ----                       | 0.0260                        | - 0.0090                 | .2274    | ----  | ----          | ----                     | ----              | 20            | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 645              | ----           | ----                                | 0.0415B/*0.0175              | 0.0415B/*0.0175    | ----                       | 0.0165                        | - 0.0075                 | .1501    | ----  | ----          | ----                     | ----              | 1             | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 650              | ----           | ----                                | 0.0255B/*0.0135              | 0.0255B/*0.0135    | ----                       | 0.0100                        | - 0.0060                 | .0933    | ----  | ----          | ----                     | ----              | 10            | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 660              | ----           | ----                                | 0.0065B/*0.0110              | 0.0065B/*0.0110    | ----                       | 0.0040                        | - 0.0040                 | .0359    | ----  | ----          | ----                     | ----              | 1             | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 670              | ----           | ----                                | 0.0285B/*0.0180              | 0.0285B/*0.0180    | ----                       | 0.0180                        | - 0.0030                 | .1039    | ----  | ----          | ----                     | ----              | 1             | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 675              | ----           | ----                                | ----/*0.0070A                | ----               | ----                       | 0.0010                        | - 0.0015                 | .0079    | ----  | ----          | ----                     | ----              | 7             | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 680              | ----           | ----                                | ----/*0.0075A                | ----               | ----                       | 0.0005                        | - 0.0010                 | .0029    | ----  | ----          | ----                     | ----              | 4             | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 690              | ----           | ----                                | ----/*0.0075A                | ----               | ----                       | 0.0005                        | UNCH                     | .0005    | ----  | ----          | ----                     | ----              | 51            | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 695              | ----           | ----                                | ----/0.0075A                 | ----               | ----                       | 0.0005                        | UNCH                     | .0002    | ----  | ----          | ----                     | ----              | 48            | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 700              | ----           | ----                                | ----/*0.0075A                | ----               | ----                       | 0.0005                        | UNCH                     | .0000    | ----  | ----          | ----                     | ----              | 33            | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 735              | ----           | ----                                | ----                         | 0.0010B/0.0115A    | ----                       | 0.0030                        | - 0.0015                 | .0145    | ----  | ----          | ----                     | ----              | 1             | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| TOTAL            |                |                                     |                              |                    |                            |                               |                          |          |       |               |                          | 32                |               | 310 + | 32   |                  |  |  |  |  |                   |  |  |  |      |
| HWW WED<br>JUN26 |                | COPPER WEEKLY WEDNESDAY OPTION WEEK |                              |                    |                            |                               |                          |          |       |               |                          |                   |               |       |      |                  |  |  |  |  |                   |  |  |  |      |
| 500              | ----           | ----                                | ----                         | ----/0.0080A       | ----                       | 0.0005                        | UNCH                     | .0002    | ----  | ----          | ----                     | ----              | 26            | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 570              | ----           | ----                                | ----                         | ----/0.0065A       | ----                       | 0.0005                        | - 0.0015                 | .0035    | ----  | ----          | ----                     | ----              | 1             | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 580              | ----           | ----                                | 0.0175B/0.0100A              | 0.0175B/0.0100A    | ----                       | 0.0120                        | - 0.0050                 | .0677    | ----  | ----          | ----                     | ----              | 1             | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 610              | ----           | ----                                | 0.0490B/0.0135A              | 0.0490B/0.0135A    | ----                       | 0.0230                        | - 0.0110                 | .1767    | ----  | ----          | ----                     | ----              | 15            | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 615              | ----           | ----                                | 0.0695B/0.0170A              | 0.0695B/0.0170A    | ----                       | 0.0340                        | - 0.0130                 | .2500    | ----  | ----          | ----                     | ----              | 11            | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 620              | 0.2230         | 0.2230                              | #0.1385B/0.0545              | #0.1385B/0.0545    | ----                       | 0.0915                        | - 0.0115                 | .3927    | ----  | ----          | ----                     | ----              | 1             | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 620              | ----           | ----                                | 0.2440B/*0.1290              | 0.2440B/*0.1290    | ----                       | 0.1665                        | NEW                      | .6069    | ----  | ----          | 1                        | ----              | 1 +           | 1     |      |                  |  |  |  |  |                   |  |  |  |      |
| 620              | ----           | ----                                | 0.0935B/0.0245A              | 0.0935B/0.0245A    | ----                       | 0.0000                        | UNCH                     | ----     | ----  | ----          | ----                     | ----              | 0             | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 622              | ----           | ----                                | ----                         | ----               | ----                       | 0.0495                        | - 0.0140                 | .3403    | ----  | ----          | ----                     | ----              | 10            | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 623              | ----           | ----                                | ----                         | ----               | ----                       | 0.0000                        | UNCH                     | ----     | ----  | ----          | ----                     | ----              | 0             | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 625              | ----           | ----                                | 0.1670B/0.0690               | 0.1670B/0.0690     | ----                       | 0.0370                        | UNCH                     | ----     | ----  | ----          | ----                     | ----              | 0             | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 625              | ----           | ----                                | #0.1195B/0.0350A             | #0.1195B/0.0350A   | ----                       | 0.1140                        | - 0.0120                 | .4574    | ----  | ----          | ----                     | ----              | 1             | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 628              | ----           | ----                                | 0.1195B/0.0350A              | 0.1195B/0.0350A    | ----                       | 0.0695                        | - 0.0150                 | .4413    | ----  | ----          | ----                     | ----              | 3             | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 629              | ----           | ----                                | ----                         | ----               | ----                       | 0.0130                        | UNCH                     | .0000    | ----  | ----          | ----                     | ----              | 0             | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 629              | ----           | ----                                | ----                         | ----               | ----                       | 0.0000                        | UNCH                     | ----     | ----  | ----          | ----                     | ----              | 0             | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 629              | ----           | ----                                | ----                         | ----               | ----                       | 0.0230                        | UNCH                     | .0000    | ----  | ----          | ----                     | ----              | 0             | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 630              | ----           | ----                                | #0.1940B/0.0865              | #0.1940B/0.0865    | ----                       | 0.1395                        | - 0.0125                 | .5225    | ----  | ----          | ----                     | ----              | 1             | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 630              | ----           | ----                                | ----                         | ----               | ----                       | 0.0000                        | UNCH                     | ----     | ----  | ----          | ----                     | ----              | 0             | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 630              | ----           | ----                                | ----                         | ----               | ----                       | 0.0330                        | UNCH                     | ----     | ----  | ----          | ----                     | ----              | 0             | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 630              | ----           | ----                                | 0.1310B/0.0485A              | 0.1310B/0.0485A    | ----                       | 0.0945                        | - 0.0155                 | .5466    | ----  | ----          | ----                     | ----              | 1             | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 632              | ----           | ----                                | ----                         | ----               | ----                       | 0.0530                        | UNCH                     | ----     | ----  | ----          | ----                     | ----              | 0             | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 635              | ----           | ----                                | ----                         | ----               | ----                       | 0.0000                        | UNCH                     | ----     | ----  | ----          | ----                     | ----              | 0             | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 635              | ----           | ----                                | ----                         | ----               | ----                       | 0.0830                        | UNCH                     | ----     | ----  | ----          | ----                     | ----              | 0             | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 636              | ----           | ----                                | ----                         | ----               | ----                       | 0.0930                        | UNCH                     | ----     | ----  | ----          | ----                     | ----              | 0             | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 637              | ----           | ----                                | ----                         | ----               | ----                       | 0.1030                        | UNCH                     | ----     | ----  | ----          | ----                     | ----              | 0             | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 638              | ----           | ----                                | ----                         | ----               | ----                       | 0.1130                        | UNCH                     | ----     | ----  | ----          | ----                     | ----              | 0             | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 639              | ----           | ----                                | ----                         | ----               | ----                       | 0.1230                        | UNCH                     | ----     | ----  | ----          | ----                     | ----              | 0             | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 640              | ----           | ----                                | ----                         | ----               | ----                       | 0.1330                        | UNCH                     | ----     | ----  | ----          | ----                     | ----              | 0             | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 642              | ----           | ----                                | ----                         | ----               | ----                       | 0.0000                        | UNCH                     | ----     | ----  | ----          | ----                     | ----              | 0             | UNCH  |      |                  |  |  |  |  |                   |  |  |  |      |
| 645              | 0.0905         | 0.0905                              | 0.1020B/*0.0500              | 0.1020B/*0.0500    | ----                       | 0.0610                        | NEW                      | .2974    | ----  | ----          | 8                        | ----              | 8 +           | 8     |      |                  |  |  |  |  |                   |  |  |  |      |
| 650              | ----           | ----                                | 0.0395B/*0.0170              | 0.0395B/*0.01      |                            |                               |                          |          |       |               |                          |                   |               |       |      |                  |  |  |  |  |                   |  |  |  |      |



| BULLETIN #111@                      |                |              |                 | METALS OPTION PRODUCTS |                  |                 |                 |  |                          |       |               |                          |                   | Thu, Jun 11, 2026 |      |                  | PG64 |  |
|-------------------------------------|----------------|--------------|-----------------|------------------------|------------------|-----------------|-----------------|--|--------------------------|-------|---------------|--------------------------|-------------------|-------------------|------|------------------|------|--|
|                                     | GLOBAL<br>OPEN | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBAL<br>HIGH/LOW     | OPEN<br>HIGH/LOW | OUTCRY<br>CLOSE | OUTCRY<br>RANGE |  | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBAL®<br>VOLUME | PNT<br>VOLUME     |      | OPEN<br>INTEREST |      |  |
| COPPER WEEKLY WEDNESDAY OPTION WEEK |                |              |                 |                        |                  |                 |                 |  |                          |       |               |                          |                   |                   |      |                  |      |  |
| HWW WED                             |                |              |                 |                        |                  |                 |                 |  |                          |       |               |                          |                   |                   |      |                  |      |  |
| AUG26                               |                |              |                 |                        |                  |                 |                 |  |                          |       |               |                          |                   |                   |      |                  |      |  |
| 650                                 | ----           | ----         |                 | 0.2785B/0.2150A        | 0.2785B/0.2150A  | ----            |                 |  | 0.2350 - 0.0030          | .4385 | ----          | ----                     | ----              | ----              |      | 14               |      |  |
| TOTAL                               |                |              |                 |                        |                  |                 |                 |  |                          |       |               |                          |                   |                   |      | 34               |      |  |
| SEP26                               |                |              |                 |                        |                  |                 |                 |  |                          |       |               |                          |                   |                   |      |                  |      |  |
| 550                                 | ----           | ----         |                 | ----/0.0550A           | 0.0675B/0.0550A  | ----            |                 |  | 0.0645 - 0.0055          | .1272 | ----          | ----                     | ----              | ----              |      | 1                |      |  |
| 650                                 | ----           | ----         |                 | 0.3925B/*0.3180        | 0.3925B/*0.3180  | ----            |                 |  | 0.3440 + 0.0005          | .4955 | ----          | ----                     | ----              | ----              |      | 1                |      |  |
| 750                                 | ----           | ----         |                 | 0.1115B/*0.0980        | 0.1115B/*0.0980  | ----            |                 |  | 0.0995 - 0.0015          | .1864 | ----          | ----                     | ----              | ----              |      | 2                |      |  |
| 850                                 | ----           | ----         |                 | ----                   | 0.0280B/*0.0375  | ----            |                 |  | 0.0310 - 0.0010          | .0652 | ----          | ----                     | ----              | ----              |      | 1                |      |  |
| TOTAL                               |                |              |                 |                        |                  |                 |                 |  |                          |       |               |                          |                   |                   |      | 5                |      |  |
| COMEX COPPER OPTIONS                |                |              |                 |                        |                  |                 |                 |  |                          |       |               |                          |                   |                   |      |                  |      |  |
| HX CALL                             |                |              |                 |                        |                  |                 |                 |  |                          |       |               |                          |                   |                   |      |                  |      |  |
| JUL26                               |                |              |                 |                        |                  |                 |                 |  |                          |       |               |                          |                   |                   |      |                  |      |  |
| 500                                 | ----           | ----         |                 | ----                   | ----             | ----            |                 |  | 1.2760 + 0.0080          | .9940 | ----          | ----                     | ----              | ----              |      | 7                |      |  |
| 525                                 | ----           | ----         |                 | ----                   | ----             | ----            |                 |  | 1.0260 + 0.0070          | .9927 | ----          | ----                     | ----              | ----              |      | 1                |      |  |
| 530                                 | ----           | ----         |                 | ----                   | ----             | ----            |                 |  | 0.9760 + 0.0065          | .9923 | ----          | ----                     | ----              | ----              |      | 6                |      |  |
| 540                                 | ----           | ----         |                 | ----                   | ----             | ----            |                 |  | 0.8765 + 0.0060          | .9871 | ----          | ----                     | ----              | ----              |      | 18               |      |  |
| 545                                 | ----           | ----         |                 | ----                   | ----             | ----            |                 |  | 0.8270 + 0.0060          | .9843 | ----          | ----                     | ----              | ----              |      | 1                |      |  |
| 550                                 | ----           | ----         |                 | ----                   | ----             | ----            |                 |  | 0.7775 + 0.0055          | .9813 | ----          | ----                     | ----              | ----              |      | 2                |      |  |
| 555                                 | ----           | ----         |                 | ----                   | ----             | ----            |                 |  | 0.7285 + 0.0055          | .9759 | ----          | ----                     | ----              | ----              |      | 116              |      |  |
| 560                                 | ----           | ----         |                 | ----                   | ----             | ----            |                 |  | 0.6800 + 0.0050          | .9702 | ----          | ----                     | ----              | ----              |      | 2                |      |  |
| 570                                 | ----           | ----         |                 | ----/0.5505A           | 0.5295B/0.5505A  | ----            |                 |  | 0.5835 + 0.0045          | .9514 | ----          | ----                     | ----              | ----              |      | 157              |      |  |
| 574                                 | ----           | ----         |                 | ----/0.4950A           | 0.4985B/0.4950A  | ----            |                 |  | 0.5450 + 0.0040          | .9428 | ----          | ----                     | ----              | ----              |      | 5                |      |  |
| 575                                 | ----           | ----         |                 | ----/0.4860A           | 0.4945B/0.4860A  | ----            |                 |  | 0.5355 + 0.0035          | .9383 | ----          | ----                     | ----              | ----              |      | 18               |      |  |
| 580                                 | ----           | ----         |                 | 0.5020B/0.4415A        | 0.5020B/0.4415A  | ----            |                 |  | 0.4890 + 0.0035          | .9225 | ----          | ----                     | ----              | ----              |      | 123              |      |  |
| 585                                 | ----           | ----         |                 | 0.5140B/0.3975A        | 0.5140B/0.3975A  | ----            |                 |  | 0.4430 + 0.0025          | .9023 | ----          | ----                     | ----              | ----              |      | 318              |      |  |
| 590                                 | ----           | ----         |                 | 0.5045B/0.3575A        | 0.5045B/0.3575A  | ----            |                 |  | 0.3985 + 0.0020          | .8777 | ----          | ----                     | ----              | ----              |      | 103              |      |  |
| 591                                 | ----           | ----         |                 | 0.4925B/0.3495A        | 0.4925B/0.3495A  | ----            |                 |  | 0.3895 + 0.0015          | .8711 | ----          | ----                     | ----              | ----              |      | 3                |      |  |
| 593                                 | ----           | ----         |                 | 0.4740B/0.3340A        | 0.4740B/0.3340A  | ----            |                 |  | 0.3725 + 0.0015          | .8593 | ----          | ----                     | ----              | ----              |      | 1                |      |  |
| 594                                 | ----           | ----         |                 | 0.4645B/0.3260A        | 0.4645B/0.3260A  | ----            |                 |  | 0.3635 + 0.0010          | .8526 | ----          | ----                     | ----              | ----              |      | 2                |      |  |
| 595                                 | ----           | ----         |                 | 0.4560B/0.2915A        | 0.4560B/0.2915A  | ----            |                 |  | 0.3555 + 0.0010          | .8459 | ----          | ----                     | ----              | ----              |      | 29               |      |  |
| 597                                 | ----           | ----         |                 | 0.4370B/0.3035A        | 0.4370B/0.3035A  | ----            |                 |  | 0.3385 + 0.0005          | .8310 | ----          | ----                     | ----              | ----              |      | 1                |      |  |
| 598                                 | ----           | ----         |                 | 0.4280B/0.2960A        | 0.4280B/0.2960A  | ----            |                 |  | 0.3305 + 0.0005          | .8242 | ----          | ----                     | ----              | ----              |      | 1                |      |  |
| 599                                 | ----           | ----         |                 | 0.4185B/0.2890A        | 0.4185B/0.2890A  | ----            |                 |  | 0.3220                   | .8160 | ----          | ----                     | ----              | ----              |      | 2                |      |  |
| 600                                 | 0.2770         | 0.2770       |                 | 0.4170B/0.2555A        | 0.4170B/0.2555A  | ----            |                 |  | 0.3140                   | .8078 | ----          | ----                     | 2                 | ----              | 538  | +                | 1    |  |
| 602                                 | ----           | ----         |                 | 0.3920B/0.2675A        | 0.3920B/0.2675A  | ----            |                 |  | 0.2980 - 0.0010          | .7913 | ----          | ----                     | ----              | ----              | 83   |                  |      |  |
| 603                                 | ----           | ----         |                 | 0.3830B/0.2605A        | 0.3830B/0.2605A  | ----            |                 |  | 0.2905 + 0.0005          | .7829 | ----          | ----                     | ----              | ----              | 3    |                  |      |  |
| 605                                 | ----           | ----         |                 | 0.3655B/0.2215A        | 0.3655B/0.2215A  | ----            |                 |  | 0.2750 + 0.0015          | .7640 | ----          | ----                     | ----              | ----              | 41   |                  |      |  |
| 610                                 | ----           | ----         |                 | 0.3230B/0.1870A        | 0.3230B/0.1870A  | ----            |                 |  | 0.2385 + 0.0020          | .7145 | ----          | ----                     | ----              | ----              | 229  |                  |      |  |
| 615                                 | ----           | ----         |                 | 0.2940B/0.1600A        | 0.2940B/0.1600A  | ----            |                 |  | 0.2050                   | .6602 | ----          | ----                     | ----              | ----              | 465  |                  |      |  |
| 620                                 | 0.1385         | 0.1385       |                 | 0.2535B/0.1350A        | 0.2535B/0.1350A  | ----            |                 |  | 0.1745 + 0.0035          | .6016 | ----          | ----                     | 1                 | ----              | 187  |                  |      |  |
| 625                                 | 0.1170         | 0.1170       |                 | 0.2190B/0.1130A        | 0.2190B/0.1130A  | ----            |                 |  | 0.1470 + 0.0040          | .5409 | ----          | ----                     | 32                | ----              | 389  | -                | 1    |  |
| 630                                 | 0.0910         | 0.0910       |                 | 0.1890B/0.0910         | 0.1890B/0.0910   | ----            |                 |  | 0.1225 + 0.0045          | .4797 | ----          | ----                     | 54                | ----              | 462  | +                | 42   |  |
| 635                                 | 0.0925         | 0.0925       |                 | 0.1610B/0.0785A        | 0.1610B/0.0785A  | ----            |                 |  | 0.1015 + 0.0050          | .4198 | ----          | ----                     | 32                | ----              | 227  | +                | 5    |  |
| 640                                 | 0.0625         | 0.0625       |                 | 0.1360/*0.0625         | 0.1360/*0.0625   | ----            |                 |  | 0.0835 + 0.0050          | .3629 | ----          | ----                     | 24                | ----              | 1426 | -                | 1    |  |
| 645                                 | 0.0535         | 0.0535       |                 | 0.1140B/*0.0520        | 0.1140B/*0.0520  | ----            |                 |  | 0.0680 + 0.0050          | .3098 | ----          | ----                     | 35                | ----              | 558  | +                | 15   |  |
| 650                                 | 0.0430         | 0.0430       |                 | 0.0945B/*0.0425        | 0.0945B/*0.0425  | ----            |                 |  | 0.0555 + 0.0050          | .2623 | ----          | ----                     | 192               | ----              | 1035 | +                | 9    |  |
| 655                                 | 0.0365         | 0.0365       |                 | 0.0785B/*0.0345        | 0.0785B/*0.0345  | ----            |                 |  | 0.0455 + 0.0045          | .2212 | ----          | ----                     | 16                | ----              | 410  | -                | 9    |  |
| 660                                 | 0.0295         | 0.0295       |                 | 0.0650B/*0.0285        | 0.0650B/*0.0285  | ----            |                 |  | 0.0370 + 0.0045          | .1848 | ----          | ----                     | 22                | ----              | 894  | -                | 16   |  |
| 665                                 | 0.0280         | 0.0280       |                 | 0.0550/*0.0230A        | 0.0550/*0.0230A  | ----            |                 |  | 0.0305 + 0.0040          | .1548 | ----          | ----                     | 95                | ----              | 221  | +                | 82   |  |
| 670                                 | 0.0360         | 0.0360       |                 | 0.0445B/*0.0190        | 0.0445B/*0.0190  | ----            |                 |  | 0.0255 + 0.0035          | .1305 | ----          | ----                     | 109               | ----              | 492  | +                | 8    |  |
| 675                                 | 0.0175         | 0.0175       |                 | 0.0375/*0.0160         | 0.0375/*0.0160   | ----            |                 |  | 0.0210 + 0.0040          | .1087 | ----          | ----                     | 9                 | ----              | 738  |                  |      |  |
| 679                                 | ----           | ----         |                 | 0.0310B/*0.0145        | 0.0310B/*0.0145  | ----            |                 |  | 0.0185 + 0.0035          | .0956 | ----          | ----                     | 5                 | ----              | 37   | +                | 2    |  |
| 680                                 | 0.0175         | 0.0175       |                 | 0.0300B/*0.0140        | 0.0300B/*0.0140  | ----            |                 |  | 0.0180 + 0.0035          | .0928 | ----          | ----                     | 18                | ----              | 305  | +                | 14   |  |
| 681                                 | 0.0135         | 0.0135       |                 | 0.0295B/*0.0135        | 0.0295B/*0.0135  | ----            |                 |  | 0.0175 + 0.0035          | .0901 | ----          | ----                     | 3                 | ----              | 65   | +                | 3    |  |
| 684                                 | 0.0140         | 0.0140       |                 | 0.0260B/*0.0125        | 0.0260B/*0.0125  | ----            |                 |  | 0.0160 + 0.0035          | .0821 | ----          | ----                     | 4                 | ----              | 49   | -                | 2    |  |
| 685                                 | ----           | ----         |                 | 0.0235B/*0.0120        | 0.0235B/*0.0120  | ----            |                 |  | 0.0155 + 0.0035          | .0795 | ----          | ----                     | ----              | ----              | 377  |                  |      |  |
| 686                                 | ----           | ----         |                 | 0.0245B/*0.0120        | 0.0245B/*0.0120  | ----            |                 |  | 0.0150 + 0.0035          | .0769 | ----          | ----                     | ----              | ----              | 83   |                  |      |  |
| 689                                 | ----           | ----         |                 | 0.0220B/*0.0110        | 0.0220B/*0.0110  | ----            |                 |  | 0.0140 + 0.0030          | .0711 | ----          | ----                     | ----              | ----              | 108  |                  |      |  |
| 690                                 | ----           | ----         |                 | 0.0215B/*0.0110        | 0.0215B/*0.0110  | ----            |                 |  | 0.0135 + 0.0035          | .0686 | ----          | ----                     | 2                 | ----              | 606  |                  |      |  |
| 691                                 | ----           | ----         |                 | 0.0205B/*0.0110        | 0.0205B/*0.0110  | ----            |                 |  | 0.0135 + 0.0030          | .0679 | ----          | ----                     | ----              | ----              | 122  |                  |      |  |
| 694                                 | 0.0195         | 0.0195       |                 | 0.0195/*0.0100A        | 0.0195/*0.0100A  | ----            |                 |  | 0.0125 + 0.0030          | .0625 | ----          | ----                     | 2                 | ----              | 64   | +                | 2    |  |
| 695                                 | 0.0110         | 0.0110       |                 | 0.0180B/*0.0100        | 0.0180B/*0.0100  | ----            |                 |  | 0.0120 + 0.0030          | .0601 | ----          | ----                     | 1                 | ----              | 176  | -                | 1    |  |
| 699                                 | ----           | ----         |                 | 0.0160B/*0.0095        | 0.0160B/*0.0095  | ----            |                 |  | 0.0110 + 0.0030          | .0544 | ----          | ----                     | 7                 | ----              | 64   | +                | 4    |  |
| 700                                 | 0.0100         | 0.0100       |                 | 0.0155B/0.0090A        | 0.0155B/0.0090A  | ----            |                 |  | 0.0110 + 0.0030          | .0539 | ----          | ----                     | 20                | ----              | 1333 |                  |      |  |
| 701                                 | ----           | ----         |                 | 0.0150B/*0.0090        | 0.0150B/*0.0090  | ----            |                 |  | 0.0110 + 0.0025          | .0535 | ----          | ----                     | ----              | ----              | 48   |                  |      |  |
| 704                                 | ----           | ----         |                 | 0.0140B/*0.0085        | 0.0140B/*0.0085  | ----            |                 |  | 0.0100 + 0.0030          | .0486 | ----          | ----                     | ----              | ----              | 88   |                  |      |  |
| 705                                 | 0.0100         | 0.0100       |                 | 0.0135B/*0.0085        | 0.0135B/*0.0085  | ----            |                 |  | 0.0100 + 0.0030          | .0482 | ----          | ----                     | 3                 | ----              | 129  |                  |      |  |
| 709                                 | ----           | ----         |                 | 0.0125B/*0.0080        | 0.0125B/*0.0080  | ----            |                 |  | 0.0095 + 0.0025          | .0448 | ----          | ----                     | ----              | ----              | 31   |                  |      |  |
| 710                                 | ----           | ----         |                 | ----/*0.0080A          | 0.0120B/*0.0080  | ----            |                 |  | 0.0095 + 0.0025</        |       |               |                          |                   |                   |      |                  |      |  |



| BULLETIN #111@ |                      |              |                 | METALS OPTION PRODUCTS |                  |                    |               |                 |                          |       |               |                          |                               | Thu, Jun 11, 2026 |                  | PG64 |
|----------------|----------------------|--------------|-----------------|------------------------|------------------|--------------------|---------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------------------|-------------------|------------------|------|
|                | GLOBAL<br>OPEN       | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBAL<br>HIGH/LOW     | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBAL <sup>®</sup><br>VOLUME | PNT<br>VOLUME     | OPEN<br>INTEREST |      |
| HX CALL        | COMEX COPPER OPTIONS |              |                 |                        |                  |                    |               |                 |                          |       |               |                          |                               |                   |                  |      |
| SEP26          |                      |              |                 |                        |                  |                    |               |                 |                          |       |               |                          |                               |                   |                  |      |
| 495            | ----                 | ----         | ----            | ----                   | ----             | ----               | ----          | ----            | 1.3960 + 0.0030          | .9606 | ----          | ----                     | ----                          | ----              | 2                |      |
| 500            | ----                 | ----         | ----            | ----                   | ----             | ----               | ----          | ----            | 1.3475 + 0.0025          | .9567 | ----          | ----                     | ----                          | ----              | 5                |      |
| 510            | ----                 | ----         | ----            | ----                   | ----             | ----               | ----          | ----            | 1.2520 + 0.0010          | .9462 | ----          | ----                     | ----                          | ----              | 2                |      |
| 535            | ----                 | ----         | ----            | ----                   | ----             | ----               | ----          | ----            | 1.0220 - 0.0015          | .9049 | ----          | ----                     | ----                          | ----              | 1                |      |
| 565            | ----                 | ----         | ----            | ----                   | ----             | ----               | ----          | ----            | 0.7740 - 0.0020          | .8181 | ----          | ----                     | ----                          | ----              | 1                |      |
| 575            | ----                 | ----         | ----            | -----/0.6450A          | 0.6590B/0.6450A  | 0.6590B/0.6450A    | ----          | ----            | 0.6995 - 0.0020          | .7818 | ----          | ----                     | ----                          | ----              | 100              |      |
| 595            | ----                 | ----         | ----            | 0.6445B/0.5190A        | 0.6445B/0.5190A  | 0.6445B/0.5190A    | ----          | ----            | 0.5635 - 0.0025          | .7003 | ----          | ----                     | ----                          | ----              | 5                |      |
| 600            | ----                 | ----         | ----            | 0.6145B/0.4890A        | 0.6145B/0.4890A  | 0.6145B/0.4890A    | ----          | ----            | 0.5325 - 0.0025          | .6785 | ----          | ----                     | ----                          | ----              | 221              |      |
| 610            | ----                 | ----         | ----            | 0.5465B/0.4355A        | 0.5465B/0.4355A  | 0.5465B/0.4355A    | ----          | ----            | 0.4745 - 0.0020          | .6340 | ----          | ----                     | ----                          | ----              | 31               |      |
| 615            | ----                 | ----         | ----            | 0.5160B/0.4060A        | 0.5160B/0.4060A  | 0.5160B/0.4060A    | ----          | ----            | 0.4470 - 0.0020          | .6115 | ----          | ----                     | ----                          | ----              | 9                |      |
| 620            | ----                 | ----         | ----            | 0.4915B/0.3825A        | 0.4915B/0.3825A  | 0.4915B/0.3825A    | ----          | ----            | 0.4210 - 0.0020          | .5888 | ----          | ----                     | ----                          | ----              | 187              |      |
| 625            | ----                 | ----         | ----            | 0.4640B/0.3600A        | 0.4640B/0.3600A  | 0.4640B/0.3600A    | ----          | ----            | 0.3965 - 0.0020          | .5662 | ----          | ----                     | ----                          | ----              | 631              |      |
| 630            | ----                 | ----         | ----            | 0.4335B/0.3385A        | 0.4335B/0.3385A  | 0.4335B/0.3385A    | ----          | ----            | 0.3730 - 0.0020          | .5437 | ----          | ----                     | ----                          | ----              | 51               |      |
| 635            | ----                 | ----         | ----            | 0.4125B/0.3185A        | 0.4125B/0.3185A  | 0.4125B/0.3185A    | ----          | ----            | 0.3505 - 0.0025          | .5214 | ----          | ----                     | 8                             | ----              | 90 +             |      |
| 640            | 0.3420               | 0.3420       |                 | 0.3905B/0.3000A        | 0.3905B/0.3000A  | 0.3905B/0.3000A    | ----          | ----            | 0.3295 - 0.0030          | .4994 | ----          | 128                      | ----                          | 1084 +            | 32               |      |
| 645            | ----                 | ----         | ----            | 0.3665B/0.2820A        | 0.3665B/0.2820A  | 0.3665B/0.2820A    | ----          | ----            | 0.3095 - 0.0035          | .4778 | ----          | ----                     | ----                          | ----              | 200              |      |
| 650            | 0.3025               | 0.3025       |                 | 0.3460B/0.2650A        | 0.3460B/0.2650A  | 0.3460B/0.2650A    | ----          | ----            | 0.2910 - 0.0035          | .4567 | ----          | 14                       | ----                          | 373 +             | 8                |      |
| 655            | ----                 | ----         | ----            | 0.3245B/0.2490A        | 0.3245B/0.2490A  | 0.3245B/0.2490A    | ----          | ----            | 0.2730 - 0.0040          | .4360 | ----          | ----                     | ----                          | ----              | 25               |      |
| 660            | ----                 | ----         | ----            | 0.3050B/0.2340A        | 0.3050B/0.2340A  | 0.3050B/0.2340A    | ----          | ----            | 0.2565 - 0.0040          | .4160 | ----          | ----                     | ----                          | ----              | 106              |      |
| 665            | ----                 | ----         | ----            | 0.2870B/0.2200A        | 0.2870B/0.2200A  | 0.2870B/0.2200A    | ----          | ----            | 0.2405 - 0.0045          | .3964 | ----          | 27                       | ----                          | 82 +              | 26               |      |
| 670            | 0.2260               | 0.2260       |                 | 0.2725B/0.2070A        | 0.2725B/0.2070A  | 0.2725B/0.2070A    | ----          | ----            | 0.2255 - 0.0050          | .3775 | ----          | 1                        | ----                          | 293               | UNCH             |      |
| 675            | 0.2115               | 0.2115       |                 | 0.2560B/0.1945A        | 0.2560B/0.1945A  | 0.2560B/0.1945A    | ----          | ----            | 0.2115 - 0.0050          | .3592 | ----          | 2                        | ----                          | 507 +             | 2                |      |
| 680            | 0.2340               | 0.2340       |                 | 0.2405B/0.1815A        | 0.2405B/0.1815A  | 0.2405B/0.1815A    | ----          | ----            | 0.1980 - 0.0050          | .3413 | ----          | 1                        | ----                          | 1413 +            | 1                |      |
| 685            | ----                 | ----         | ----            | 0.2225B/0.1715A        | 0.2225B/0.1715A  | 0.2225B/0.1715A    | ----          | ----            | 0.1855 - 0.0045          | .3242 | ----          | ----                     | ----                          | 55                | UNCH             |      |
| 690            | ----                 | ----         | ----            | 0.2125B/0.1590A        | 0.2125B/0.1590A  | 0.2125B/0.1590A    | ----          | ----            | 0.1740 - 0.0040          | .3080 | ----          | ----                     | ----                          | 989               | UNCH             |      |
| 695            | ----                 | ----         | ----            | 0.1960B/0.1505A        | 0.1960B/0.1505A  | 0.1960B/0.1505A    | ----          | ----            | 0.1630 - 0.0040          | .2922 | ----          | ----                     | ----                          | 57                | UNCH             |      |
| 700            | 0.1500               | 0.1500       |                 | 0.1865B/0.1395A        | 0.1865B/0.1395A  | 0.1865B/0.1395A    | ----          | ----            | 0.1525 - 0.0035          | .2769 | ----          | 10                       | 625                           | 12326 -           | 43               |      |
| 705            | ----                 | ----         | ----            | 0.1750B/0.1305A        | 0.1750B/0.1305A  | 0.1750B/0.1305A    | ----          | ----            | 0.1425 - 0.0035          | .2622 | ----          | 62                       | ----                          | 464 +             | 62               |      |
| 710            | ----                 | ----         | ----            | 0.1635B/0.1220A        | 0.1635B/0.1220A  | 0.1635B/0.1220A    | ----          | ----            | 0.1330 - 0.0035          | .2480 | ----          | ----                     | ----                          | 491               | UNCH             |      |
| 715            | ----                 | ----         | ----            | 0.1510B/0.1160A        | 0.1510B/0.1160A  | 0.1510B/0.1160A    | ----          | ----            | 0.1245 - 0.0035          | .2347 | ----          | ----                     | ----                          | 96                | UNCH             |      |
| 720            | ----                 | ----         | ----            | 0.1410B/0.1085A        | 0.1410B/0.1085A  | 0.1410B/0.1085A    | ----          | ----            | 0.1165 - 0.0030          | .2221 | ----          | ----                     | ----                          | 74                | UNCH             |      |
| 725            | ----                 | ----         | ----            | 0.1330B/0.1020A        | 0.1330B/0.1020A  | 0.1330B/0.1020A    | ----          | ----            | 0.1085 - 0.0035          | .2095 | ----          | ----                     | ----                          | 231               | UNCH             |      |
| 730            | ----                 | ----         | ----            | 0.1230B/0.0955A        | 0.1230B/0.0955A  | 0.1230B/0.0955A    | ----          | ----            | 0.1015 - 0.0030          | .1980 | ----          | ----                     | ----                          | 7                 | UNCH             |      |
| 735            | ----                 | ----         | ----            | 0.1150B/0.0895A        | 0.1150B/0.0895A  | 0.1150B/0.0895A    | ----          | ----            | 0.0945 - 0.0035          | .1866 | ----          | ----                     | ----                          | 1                 | UNCH             |      |
| 740            | ----                 | ----         | ----            | 0.1095B/*0.0825        | 0.1095B/*0.0825  | 0.1095B/*0.0825    | ----          | ----            | 0.0885 - 0.0030          | .1763 | ----          | ----                     | ----                          | 1213              | UNCH             |      |
| 750            | 0.0600               | 0.0600       |                 | 0.0940B/0.0600         | 0.0940B/0.0600   | 0.0940B/0.0600     | ----          | ----            | 0.0770 - 0.0035          | .1566 | ----          | 4                        | 625                           | 734 +             | 494              |      |
| 760            | ----                 | ----         | ----            | 0.0830B/*0.0650        | 0.0830B/*0.0650  | 0.0830B/*0.0650    | ----          | ----            | 0.0680 - 0.0025          | .1402 | ----          | ----                     | ----                          | 168               | UNCH             |      |
| 775            | ----                 | ----         | ----            | 0.0675B/0.0545A        | 0.0675B/0.0545A  | 0.0675B/0.0545A    | ----          | ----            | 0.0560 - 0.0025          | .1180 | ----          | ----                     | ----                          | 9234              | UNCH             |      |
| 790            | ----                 | ----         | ----            | 0.0550B/*0.0460        | 0.0550B/*0.0460  | 0.0550B/*0.0460    | ----          | ----            | 0.0470 - 0.0015          | .1004 | ----          | ----                     | ----                          | 76                | UNCH             |      |
| 800            | 0.0410               | 0.0410       |                 | 0.0490B/0.0410         | 0.0490B/0.0410   | 0.0490B/0.0410     | ----          | ----            | 0.0420 - 0.0010          | .0903 | ----          | 1                        | ----                          | 1437 -            | 1                |      |
| 810            | ----                 | ----         | ----            | 0.0430B/*0.0365        | 0.0430B/*0.0365  | 0.0430B/*0.0365    | ----          | ----            | 0.0375 - 0.0010          | .0813 | ----          | ----                     | ----                          | 1                 | UNCH             |      |
| 825            | ----                 | ----         | ----            | 0.0340B/-----          | 0.0340B/0.0320A  | 0.0340B/0.0320A    | ----          | ----            | 0.0325 + 0.0005          | .0706 | ----          | ----                     | ----                          | 131               | UNCH             |      |
| 850            | ----                 | ----         | ----            | 0.0250B/-----          | 0.0250B/0.0250A  | 0.0250B/0.0250A    | ----          | ----            | 0.0245                   | UNCH  | .0542         | ----                     | ----                          | 1                 | UNCH             |      |
| 875            | ----                 | ----         | ----            | ----                   | 0.0185B/*0.0200  | 0.0185B/*0.0200    | ----          | ----            | 0.0190                   | UNCH  | .0424         | ----                     | ----                          | 3                 | UNCH             |      |
| 900            | ----                 | ----         | ----            | ----                   | 0.0140B/*0.0165  | 0.0140B/*0.0165    | ----          | ----            | 0.0150                   | UNCH  | .0337         | ----                     | ----                          | 579               | UNCH             |      |
| 925            | ----                 | ----         | ----            | ----                   | 0.0110B/*0.0140  | 0.0110B/*0.0140    | ----          | ----            | 0.0120                   | UNCH  | .0270         | ----                     | ----                          | 1                 | UNCH             |      |
| 950            | ----                 | ----         | ----            | ----                   | 0.0085B/*0.0125  | 0.0085B/*0.0125    | ----          | ----            | 0.0095                   | UNCH  | .0215         | ----                     | ----                          | 1                 | UNCH             |      |
| 975            | ----                 | ----         | ----            | ----                   | 0.0080B/0.0115A  | 0.0080B/0.0115A    | ----          | ----            | 0.0080                   | UNCH  | .0180         | ----                     | ----                          | 17                | UNCH             |      |
| TOTAL          |                      |              |                 |                        |                  |                    |               |                 |                          |       |               | 1250                     | 258                           |                   | 33806 + 589      |      |
| OCT26          |                      |              |                 |                        |                  |                    |               |                 |                          |       |               |                          |                               |                   |                  |      |
| 500            | ----                 | ----         | ----            | -----/0.7565A          | 0.7685B/0.7565A  | 0.7685B/0.7565A    | ----          | ----            | 1.4420 + 0.0015          | .9421 | ----          | ----                     | ----                          | ----              | 2                |      |
| 575            | ----                 | ----         | ----            | 0.7235B/0.6010A        | 0.7235B/0.6010A  | 0.7235B/0.6010A    | ----          | ----            | 0.8130 + 0.0010          | .7765 | ----          | ----                     | ----                          | ----              | 2                |      |
| 600            | ----                 | ----         | ----            | 0.6910B/0.5730A        | 0.6910B/0.5730A  | 0.6910B/0.5730A    | ----          | ----            | 0.6475 - 0.0010          | .6903 | ----          | ----                     | ----                          | ----              | 40               |      |
| 605            | ----                 | ----         | ----            | 0.6285B/0.5200A        | 0.6285B/0.5200A  | 0.6285B/0.5200A    | ----          | ----            | 0.6180 - 0.0005          | .6719 | ----          | ----                     | ----                          | ----              | 2                |      |
| 615            | ----                 | ----         | ----            | 0.5990B/0.4890A        | 0.5990B/0.4890A  | 0.5990B/0.4890A    | ----          | ----            | 0.5610 - 0.0005          | .6347 | ----          | ----                     | ----                          | ----              | 5                |      |
| 620            | ----                 | ----         | ----            | 0.5710B/0.4650A        | 0.5710B/0.4650A  | 0.5710B/0.4650A    | ----          | ----            | 0.5345 - 0.0005          | .6160 | ----          | ----                     | ----                          | ----              | 1                |      |
| 625            | ----                 | ----         | ----            | 0.4940B/0.3995A        | 0.4940B/0.3995A  | 0.4940B/0.3995A    | ----          | ----            | 0.5085 - 0.0005          | .5972 | ----          | ----                     | ----                          | ----              | 5                |      |
| 640            | ----                 | ----         | ----            | 0.4505B/0.3605A        | 0.4505B/0.3605A  | 0.4505B/0.3605A    | ----          | ----            | 0.4375 - 0.0005          | .5409 | ----          | ----                     | ----                          | ----              | 1                |      |
| 650            | ----                 | ----         | ----            | 0.4280B/0.3425A        | 0.4280B/0.3425A  | 0.4280B/0.3425A    | ----          | ----            | 0.3945 - 0.0015          | .5042 | ----          | ----                     | ----                          | 106               | UNCH             |      |
| 655            | ----                 | ----         | ----            | 0.4070B/0.3255A        | 0.4070B/0.3255A  | 0.4070B/0.3255A    | ----          | ----            | 0.3750 - 0.0010          | .4863 | ----          | ----                     | ----                          | 1                 | UNCH             |      |
| 660            | ----                 | ----         | ----            | 0.3870B/0.3085A        | 0.3870B/0.3085A  | 0.3870B/0.3085A    | ----          | ----            | 0.3555 - 0.0020          | .4685 | ----          | ----                     | ----                          | 1                 | UNCH             |      |
| 665            | ----                 | ----         | ----            | 0.3670B/0.2930A        | 0.3670B/0.2930A  | 0.3670B/0.2930A    | ----          | ----            | 0.3375 - 0.0020          | .4512 | ----          | ----                     | ----                          | 1                 | UNCH             |      |
| 670            | ----                 | ----         |                 |                        |                  |                    |               |                 |                          |       |               |                          |                               |                   |                  |      |



| BULLETIN #111@ |        |                              |                    | METALS OPTION PRODUCTS     |                               |                          |          |       |               |                          |                   |               |                  | Thu, Jun 11, 2026 |     |  |  | PG64 |  |
|----------------|--------|------------------------------|--------------------|----------------------------|-------------------------------|--------------------------|----------|-------|---------------|--------------------------|-------------------|---------------|------------------|-------------------|-----|--|--|------|--|
| GLOBEX<br>OPEN |        | OPEN<br>OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. |          | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |                   |     |  |  |      |  |
| HX PUT         |        | COMEX COPPER OPTIONS         |                    |                            |                               |                          |          |       |               |                          |                   |               |                  |                   |     |  |  |      |  |
| JUL26          |        |                              |                    |                            |                               |                          |          |       |               |                          |                   |               |                  |                   |     |  |  |      |  |
| 620            | 0.1410 | 0.1410                       | 0.1475B/0.0570A    | 0.1475B/0.0570A            | ----                          | 0.0995                   | - 0.0115 | .3983 | ----          | ----                     | 134               | ----          | 484              | +                 | 4   |  |  |      |  |
| 625            | 0.1805 | 0.1805                       | 0.1805/0.0705      | 0.1805/0.0705              | ----                          | 0.1220                   | - 0.0120 | .4590 | ----          | ----                     | 61                | ----          | 786              | -                 | 4   |  |  |      |  |
| 630            | ----   | ----                         | 0.2020B/0.0900A    | 0.2020B/0.0900A            | ----                          | 0.1475                   | - 0.0125 | .5202 | ----          | ----                     | 24                | ----          | 388              | +                 | 6   |  |  |      |  |
| 635            | 0.2235 | 0.2235                       | 0.2365B/0.1105A    | 0.2365B/0.1105A            | ----                          | 0.1765                   | - 0.0125 | .5800 | ----          | ----                     | 19                | ----          | 390              | +                 | 1   |  |  |      |  |
| 640            | 0.1400 | 0.1400                       | 0.2730B/0.1350A    | 0.2730B/0.1350A            | ----                          | 0.2085                   | - 0.0125 | .6369 | ----          | ----                     | 5                 | ----          | 292              | -                 | 2   |  |  |      |  |
| 645            | 0.2530 | 0.2530                       | 0.3055B/0.1625A    | 0.3055B/0.1625A            | ----                          | 0.2430                   | - 0.0130 | .6901 | ----          | ----                     | 1                 | ----          | 189              | UNCH              |     |  |  |      |  |
| 650            | 0.1975 | 0.1975                       | 0.3175B/0.1935A    | 0.3175B/0.1935A            | ----                          | 0.2805                   | - 0.0125 | .7375 | ----          | ----                     | 2                 | ----          | 326              | -                 | 1   |  |  |      |  |
| 655            | ----   | ----                         | 0.3715B/0.2290A    | 0.3715B/0.2290A            | ----                          | 0.3200                   | - 0.0125 | .7787 | ----          | ----                     | ----              | ----          | 178              | UNCH              |     |  |  |      |  |
| 660            | ----   | ----                         | 0.3965B/0.2655A    | 0.3965B/0.2655A            | ----                          | 0.3620                   | - 0.0120 | .8151 | ----          | 20                       | ----              | ----          | 127              | UNCH              |     |  |  |      |  |
| 665            | ----   | ----                         | 0.4410B/0.3055A    | 0.4410B/0.3055A            | ----                          | 0.4050                   | - 0.0120 | .8450 | ----          | ----                     | ----              | ----          | 27               | UNCH              |     |  |  |      |  |
| 670            | ----   | ----                         | 0.4870B/0.3580A    | 0.4870B/0.3580A            | ----                          | 0.4500                   | - 0.0115 | .8694 | ----          | ----                     | ----              | ----          | 76               | UNCH              |     |  |  |      |  |
| 675            | ----   | ----                         | 0.5335B/0.4005A    | 0.5335B/0.4005A            | ----                          | 0.4955                   | - 0.0120 | .8912 | ----          | ----                     | ----              | ----          | 26               | UNCH              |     |  |  |      |  |
| 690            | ----   | ----                         | ----/0.5345A       | 0.6125B/0.5345A            | ----                          | 0.6380                   | - 0.0110 | .9313 | ----          | ----                     | ----              | ----          | 1                | UNCH              |     |  |  |      |  |
| 700            | ----   | ----                         | ----/0.6280A       | 0.6370B/0.6280A            | ----                          | 0.7350                   | - 0.0110 | .9459 | ----          | ----                     | ----              | ----          | 1                | UNCH              |     |  |  |      |  |
| 705            | ----   | ----                         | ----               | ----                       | ----                          | 0.7840                   | - 0.0110 | .9517 | ----          | ----                     | ----              | ----          | 1                | UNCH              |     |  |  |      |  |
| TOTAL          |        |                              |                    |                            |                               |                          |          |       |               | 80                       | 876               |               | 26412            | -                 | 65  |  |  |      |  |
| AUG26          |        |                              |                    |                            |                               |                          |          |       |               |                          |                   |               |                  |                   |     |  |  |      |  |
| 330            | ----   | ----                         | ----               | ----/0.0050A               | ----                          | 0.0005                   | - UNCH   | .0000 | ----          | ----                     | ----              | ----          | 3                | UNCH              |     |  |  |      |  |
| 405            | ----   | ----                         | ----               | ----/0.0050A               | ----                          | 0.0010                   | - 0.0010 | .0027 | ----          | ----                     | ----              | ----          | 3                | UNCH              |     |  |  |      |  |
| 420            | ----   | ----                         | ----               | ----/0.0055A               | ----                          | 0.0015                   | - 0.0010 | .0041 | ----          | ----                     | ----              | ----          | 1                | UNCH              |     |  |  |      |  |
| 440            | ----   | ----                         | ----               | ----/0.0060A               | ----                          | 0.0025                   | - 0.0010 | .0069 | ----          | ----                     | ----              | ----          | 5                | UNCH              |     |  |  |      |  |
| 450            | ----   | ----                         | ----               | ----/0.0065A               | ----                          | 0.0030                   | - 0.0015 | .0084 | ----          | ----                     | ----              | ----          | 11               | UNCH              |     |  |  |      |  |
| 460            | ----   | ----                         | ----               | ----/0.0070A               | ----                          | 0.0035                   | - 0.0020 | .0101 | ----          | ----                     | ----              | ----          | 3                | UNCH              |     |  |  |      |  |
| 465            | ----   | ----                         | ----               | ----/0.0075A               | ----                          | 0.0040                   | - 0.0020 | .0115 | ----          | ----                     | ----              | ----          | 1                | UNCH              |     |  |  |      |  |
| 470            | ----   | ----                         | ----               | ----/0.0075A               | ----                          | 0.0040                   | - 0.0025 | .0119 | ----          | ----                     | ----              | ----          | 3                | UNCH              |     |  |  |      |  |
| 475            | ----   | ----                         | ----               | 0.0005B/0.0080A            | ----                          | 0.0045                   | - 0.0025 | .0134 | ----          | ----                     | ----              | ----          | 15               | UNCH              |     |  |  |      |  |
| 480            | ----   | ----                         | ----               | 0.0010B/0.0085A            | ----                          | 0.0050                   | - 0.0025 | .0150 | ----          | ----                     | ----              | ----          | 8                | UNCH              |     |  |  |      |  |
| 485            | ----   | ----                         | ----               | 0.0060B/0.0085A            | ----                          | 0.0055                   | - 0.0025 | .0166 | ----          | ----                     | ----              | ----          | 2                | UNCH              |     |  |  |      |  |
| 490            | ----   | ----                         | ----               | 0.0075B/0.0090A            | ----                          | 0.0060                   | - 0.0030 | .0183 | ----          | ----                     | ----              | ----          | 2                | UNCH              |     |  |  |      |  |
| 495            | ----   | ----                         | ----/0.0095A       | 0.0085B/0.0095A            | ----                          | 0.0065                   | - 0.0035 | .0201 | ----          | ----                     | ----              | ----          | 1                | UNCH              |     |  |  |      |  |
| 500            | ----   | ----                         | ----/*0.0095A      | 0.0095B/*0.0095            | ----                          | 0.0075                   | - 0.0030 | .0232 | ----          | ----                     | ----              | ----          | 21               | UNCH              |     |  |  |      |  |
| 505            | ----   | ----                         | ----/*0.0080A      | 0.0110B/*0.0080            | ----                          | 0.0080                   | - 0.0040 | .0251 | ----          | ----                     | ----              | ----          | 2                | UNCH              |     |  |  |      |  |
| 510            | ----   | ----                         | ----/*0.0080A      | 0.0130B/*0.0080            | ----                          | 0.0090                   | - 0.0040 | .0284 | ----          | ----                     | ----              | ----          | 12               | UNCH              |     |  |  |      |  |
| 520            | 0.0110 | 0.0110                       | 0.0175B/0.0100A    | 0.0175B/0.0100A            | ----                          | 0.0115                   | - 0.0050 | .0364 | ----          | 22                       | ----              | ----          | 330              | +                 | 21  |  |  |      |  |
| 525            | ----   | ----                         | 0.0205B/*0.0115    | 0.0205B/*0.0115            | ----                          | 0.0135                   | - 0.0050 | .0422 | ----          | ----                     | ----              | ----          | 17               | UNCH              |     |  |  |      |  |
| 530            | ----   | ----                         | 0.0230B/*0.0130    | 0.0230B/*0.0130            | ----                          | 0.0155                   | - 0.0055 | .0483 | ----          | ----                     | ----              | ----          | 45               | UNCH              |     |  |  |      |  |
| 535            | 0.0175 | 0.0175                       | 0.0270B/0.0145A    | 0.0270B/0.0145A            | ----                          | 0.0175                   | - 0.0060 | .0545 | ----          | 8                        | ----              | ----          | 20               | +                 | 8   |  |  |      |  |
| 540            | ----   | ----                         | 0.0310B/0.0165A    | 0.0310B/0.0165A            | ----                          | 0.0205                   | - 0.0065 | .0630 | ----          | 1                        | ----              | ----          | 24               | UNCH              |     |  |  |      |  |
| 545            | ----   | ----                         | 0.0360B/0.0190A    | 0.0360B/0.0190A            | ----                          | 0.0240                   | - 0.0070 | .0726 | ----          | ----                     | ----              | ----          | 6                | UNCH              |     |  |  |      |  |
| 550            | 0.0225 | 0.0225                       | 0.0420B/0.0215A    | 0.0420B/0.0215A            | ----                          | 0.0280                   | - 0.0080 | .0835 | ----          | 30                       | ----              | ----          | 348              | -                 | 7   |  |  |      |  |
| 555            | ----   | ----                         | 0.0470B/0.0250A    | 0.0470B/0.0250A            | ----                          | 0.0325                   | - 0.0090 | .0954 | ----          | ----                     | ----              | ----          | 11               | UNCH              |     |  |  |      |  |
| 560            | 0.0490 | 0.0490                       | 0.0545B/0.0290A    | 0.0545B/0.0290A            | ----                          | 0.0380                   | - 0.0100 | .1094 | ----          | 57                       | ----              | ----          | 332              | +                 | 53  |  |  |      |  |
| 565            | ----   | ----                         | 0.0630B/0.0340A    | 0.0630B/0.0340A            | ----                          | 0.0445                   | - 0.0105 | .1251 | ----          | ----                     | ----              | ----          | 8                | UNCH              |     |  |  |      |  |
| 570            | 0.0555 | 0.0555                       | 0.0735B/0.0395A    | 0.0735B/0.0395A            | ----                          | 0.0520                   | - 0.0115 | .1426 | ----          | 20                       | ----              | ----          | 153              | -                 | 10  |  |  |      |  |
| 575            | 0.0620 | 0.0620                       | 0.0845B/0.0460A    | 0.0845B/0.0460A            | ----                          | 0.0610                   | - 0.0115 | .1623 | ----          | 50                       | ----              | ----          | 161              | -                 | 28  |  |  |      |  |
| 580            | 0.0900 | 0.0900                       | 0.0965B/0.0530A    | 0.0965B/0.0530A            | ----                          | 0.0710                   | - 0.0120 | .1834 | ----          | 37                       | ----              | ----          | 1348             | -                 | 8   |  |  |      |  |
| 585            | 0.0865 | 0.0865                       | 0.1105B/0.0615A    | 0.1105B/0.0615A            | ----                          | 0.0820                   | - 0.0130 | .2058 | ----          | 55                       | ----              | ----          | 82               | -                 | 46  |  |  |      |  |
| 590            | 0.0980 | 0.0980                       | 0.1260B/0.0705A    | 0.1260B/0.0705A            | ----                          | 0.0950                   | - 0.0130 | .2303 | ----          | 6                        | ----              | ----          | 153              | UNCH              |     |  |  |      |  |
| 595            | 0.1065 | 0.1065                       | 0.1425B/0.0820A    | 0.1425B/0.0820A            | ----                          | 0.1090                   | - 0.0135 | .2558 | ----          | 2                        | ----              | ----          | 5                | +                 | 2   |  |  |      |  |
| 600            | 0.1515 | 0.1515                       | 0.1610B/0.0930A    | 0.1610B/0.0930A            | ----                          | 0.1245                   | - 0.0135 | .2825 | ----          | 232                      | ----              | ----          | 1231             | -                 | 227 |  |  |      |  |
| 605            | ----   | ----                         | 0.1815B/0.1070A    | 0.1815B/0.1070A            | ----                          | 0.1420                   | - 0.0135 | .3105 | ----          | ----                     | ----              | ----          | 368              | UNCH              |     |  |  |      |  |
| 610            | 0.1255 | 0.1255                       | 0.2025B/0.1220A    | 0.2025B/0.1220A            | ----                          | 0.1610                   | - 0.0135 | .3392 | ----          | 6                        | ----              | ----          | 533              | -                 | 3   |  |  |      |  |
| 615            | ----   | ----                         | 0.2255B/0.1390A    | 0.2255B/0.1390A            | ----                          | 0.1815                   | - 0.0140 | .3685 | ----          | 4                        | ----              | ----          | 13               | UNCH              |     |  |  |      |  |
| 620            | 0.1680 | 0.1680                       | 0.2505B/0.1570A    | 0.2505B/0.1570A            | ----                          | 0.2035                   | - 0.0140 | .3981 | ----          | 4                        | ----              | ----          | 244              | +                 | 3   |  |  |      |  |
| 625            | 0.1900 | 0.1900                       | 0.2775B/0.1765A    | 0.2775B/0.1765A            | ----                          | 0.2275                   | - 0.0140 | .4279 | ----          | 3                        | ----              | ----          | 105              | +                 | 2   |  |  |      |  |
| 630            | 0.2890 | 0.2890                       | 0.3070B/0.1985A    | 0.3070B/0.1985A            | ----                          | 0.2525                   | - 0.0145 | .4577 | ----          | 19                       | ----              | ----          | 24               | -                 | 4   |  |  |      |  |
| 635            | 0.2975 | 0.2975                       | 0.3355B/0.2220A    | 0.3355B/0.2220A            | ----                          | 0.2795                   | - 0.0150 | .4872 | ----          | 4                        | ----              | ----          | 65               | -                 | 2   |  |  |      |  |
| 640            | ----   | ----                         | 0.3675B/0.2450A    | 0.3675B/0.2450A            | ----                          | 0.3080                   | - 0.0150 | .5162 | ----          | 1                        | ----              | ----          | 298              | +                 | 1   |  |  |      |  |
| 645            | ----   | ----                         | 0.3995B/0.2720A    | 0.3995B/0.2720A            | ----                          | 0.3385                   | - 0.0150 | .5446 | ----          | ----                     | ----              | ----          | 40               | UNCH              |     |  |  |      |  |
| 650            | ----   | ----                         | 0.4270B/0.3000A    | 0.4270B/0.3000A            | ----                          | 0.3695                   | - 0.0155 | .5721 | ----          | ----                     | ----              | ----          | 59               | UNCH              |     |  |  |      |  |
| 655            | ----   | ----                         | 0.4625B/0.3305A    | 0.4625B/0.3305A            | ----                          | 0.4025                   | - 0.0155 | .5987 | ----          | ----                     | ----              | ----          | 13               | UNCH              |     |  |  |      |  |
| 660            | ----   | ----                         | 0.4995B/0.3610A    | 0.4995B/0.3610A            | ----                          | 0.4365                   | - 0.0155 | .6246 | ----          | ----                     | ----              | ----          | 12               | UNCH              |     |  |  |      |  |
| 665            | ----   | ----                         | 0.5360B/0.3930A    | 0.5360B/0.3930A            | ----                          | 0.4720                   | - 0.0150 | .6492 | ----          | ----                     | ----              | ----          | 4                | UNCH              |     |  |  |      |  |
| 670            | ----   | ----                         | 0.5740B/0.4265A    | 0.5740B/0.4265A            | ----                          | 0.5080                   | - 0.0155 | .6728 | ----          | ----                     | ----              | ----          | 311              | UNCH              |     |  |  |      |  |
| 675            | ----   | ----                         | 0.6135B/0.4630A    | 0.6135B/0.4630A            | ----                          | 0.5455                   | - 0.0150 | .6953 | ----          | ----                     | 561               | ----          | 2                | UNCH              |     |  |  |      |  |
| TOTAL          |        |                              |                    |                            |                               |                          |          |       |               |                          |                   |               | 6458             | -                 | 242 |  |  |      |  |
| SEP26          |        |                              |                    |                            |                               |                          |          |       |               |                          |                   |               |                  |                   |     |  |  |      |  |
| 335            | ----   | ----                         | ----               | ----/0.0080A               | ----                          | 0.0010                   | - 0.0005 | .0020 | ----          | ----                     | ----              | ----          | 3                | UNCH              |     |  |  |      |  |
| 400            | ----   | ----                         | ----               | ----/0.0100A               | ----                          | 0.0035                   | - 0.0010 | .0075 | ----          | ----                     | ----              | ----          | 4                | UNCH              |     |  |  |      |  |
| 440            | ----   | ----                         | ----               | 0.0020B/0.0120A            | ----                          | 0.0065                   | - 0.0020 | .0149 | ----          | ----                     | ----              | ----          | 4                | UNCH              |     |  |  |      |  |
| 445            | ----   | ----                         | ----               | 0.0020B/0.0130A            | ----                          | 0.0070                   | - 0.0020 | .0162 | ----          | ----                     | ----              | ----          | 5                | UNCH              |     |  |  |      |  |
| 450            | ----   | ----                         | ----               | 0.0020B/0.0130A            | ----                          | 0.0070                   | - 0.0030 | .0166 | ----          | ----                     | ----              | ----          | 805              | UNCH              |     |  |  |      |  |
| 460            | ----   | ----                         | ----               | 0.0065B/0.0140A            | ----                          | 0.0085                   | - 0.0030 | .0203 | ----          | ----                     | ----              | ----          | 12               | UNCH              |     |  |  |      |  |
| 470            | ----   | ----                         | ----/*0.0120A      | 0.0090B/*0.0120            | ----                          | 0.0100                   | - 0.0035 | .0242 | ----          | ----                     | ----              | ----          | 3                | UNCH              |     |  |  |      |  |
| 475            | ----   | ----                         | ----/*0.0115A      | 0.0095B/*0.0115            | ----                          | 0.0110                   | - 0.0040 | .0267 | ----          | 25                       | ----              | ----          | 61               | UNCH              |     |  |  |      |  |
| 480            | ----   | ----                         | ----/*0.0130A      | 0.0110B/*0.0130            | ----                          | 0.0120                   | - 0.0040 | .0292 | ----          | ----                     | ----              | ----          | 7                | UNCH              |     |  |  |      |  |
| 485            | ----   | ----                         | ----/*0.0140A      | 0.0125B/*0.0140            | ----                          | 0.0135                   | - 0.0045 | .0328 | ----          | ----                     | ----              | ----          | 1                | UNCH              |     |  |  |      |  |
| 490            | ----   | ----                         | ----/*0.0145A      | 0.0145B/*0.0145            | ----                          | 0.0145                   | - 0.0050 | .0355 | ----          | ----                     | ----              | ----          | 11               | UNCH              |     |  |  |      |  |
| 500            | 0.0185 | 0.0185                       | 0.0185B/*0.0150    | 0.0195B/*0.0150            | ----                          | 0.0175                   | - 0.0065 | .0430 | ----          | 150                      | ----              | ----          | 565              | -                 | 12  |  |  |      |  |
| 510            | ----   | ----                         | ----/*0.0200A      | 0.0275B/*0.0200            | ----                          | 0.0220                   | - 0.0075 | .0536 | ----          | ----                     | ----              | ----          | 7                | UNCH              |     |  |  |      |  |
| 515            | ----   | ----                         | ----/*0.0220A      | 0.0325B/*0.0220            | ----                          | 0.0245                   | - 0.0080 | .0594 | ----          | ----                     | ----              | ----          | 1                | UNCH              |     |  |  |      |  |
| 520            | ----   | ----                         | ----/0.0250A       | 0.0365B/0.0250A            | ----                          | 0.0280                   | - 0.0085 | .0670 | ----          | ----                     | ----              | ----          | 7                | UNCH              |     |  |  |      |  |
| 525            | ----   | ----                         | 0.0415B/*0.0280    | 0.0415B/*0.0280            | ----                          | 0.0315                   | - 0.0095 | .0747 | ----          | ----                     | ----              | ----          | 329              | UNCH              |     |  |  |      |  |
| 530            | ----   | ----                         | 0.0480B/0.0325A    | 0.0480B/0.0325A            | ----                          | 0.0360                   | - 0.0095 | .0840 | ----          | ----                     | ----              | ----          | 5                | UNCH              |     |  |  |      |  |
| 535            | ----   | ----                         | 0.0545B/0.0365A    | 0.0545B/0.0365A            | ----                          | 0.0415                   | - 0.0100 | .0948 | ----          | ----                     | ----              | ----          | 350              | UNCH              |     |  |  |      |  |
| 540            | ----   | ----                         | 0.0620B/0.0415A    | 0.0620B/0.0415A            | ----                          | 0.0475                   | - 0.0100 | .1063 | ----          | ----                     | ----              | ----          | 403              | UNCH              |     |  |  |      |  |
| 545            | ----   | ----                         | 0.0705B/0.0465A    | 0.0705B/0.0465A            | ----                          | 0.0550                   | - 0.0095 | .1198 | ----          | ----                     | ----              | ----          | 3                | UNCH              |     |  |  |      |  |
| 550            | 0.0630 | 0.0630                       | 0.0795B/0.0520A    | 0.0795B/0.0520A            | ----                          | 0.0630                   | - 0.0095 | .1338 | ----          | 11                       | ----              | ----          | 404              | UNCH              |     |  |  |      |  |
| 555            | ----   | ----                         | 0.0905B/0.0590A    | 0.0905B/0.0590A            | ----                          | 0.0720                   | - 0.0095 | .1489 | ----          | ----                     | ----              | ----          | 1                | UNCH              |     |  |  |      |  |
| 560            | ----   | ----                         | 0.1020B/0.0670A    | 0.1020B/0.0670A            | ----                          | 0.0815                   | - 0.0100 | .1646 | ----          | ----                     | ----              | ----          | 5                | UNCH              |     |  |  |      |  |
| 565            | ----   | ----                         | 0.1145B/0.0755A    | 0.1145B/0.0755A            | ----                          | 0.0925                   | - 0.0100 | .1816 | ----          | ----                     | ----              | ----          | 2                | UNCH              |     |  |  |      |  |
| 570            | ----   | ----                         | 0.1290B/0.0855A    | 0.1290B/0.0855A            | ----                          | 0.1045                   | - 0.0100 | .1996 | ----          | ----                     | ----              | ----          | 125              | UNCH              |     |  |  |      |  |
| 575            | 0.1330 | 0.1                          |                    |                            |                               |                          |          |       |               |                          |                   |               |                  |                   |     |  |  |      |  |





| BULLETIN #111@ |                  |                           | METALS OPTION PRODUCTS |                         |                            |                          |        |       |               |                          | Thu, Jun 11, 2026 |               | PG64   |                  |
|----------------|------------------|---------------------------|------------------------|-------------------------|----------------------------|--------------------------|--------|-------|---------------|--------------------------|-------------------|---------------|--------|------------------|
|                | GLOBEX<br>OPEN   | OPEN OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW     | OPEN OUTCRY<br>HIGH/LOW | OPEN OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. |        | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME |        | OPEN<br>INTEREST |
| PO CALL        | PLATINUM OPTIONS |                           |                        |                         |                            |                          |        |       |               |                          |                   |               |        |                  |
| JUL26          |                  |                           |                        |                         |                            |                          |        |       |               |                          |                   |               |        |                  |
| 1800           | ----             | ----                      | 7.90B/*4.30A           | 7.90B/*4.30A            | ----                       | 2.10                     | - 2.80 | .0466 | ----          | ----                     | ----              | ----          | 113    | UNCH             |
| 1815           | ----             | ----                      | 5.40B/-----            | 5.40B/*3.80A            | ----                       | 1.50                     | - 2.20 | .0330 | ----          | ----                     | ----              | ----          | 6      | UNCH             |
| 1850           | ----             | ----                      |                        | 1.60B/*3.20A            | ----                       | 0.80                     | - 1.30 | .0166 | ----          | ----                     | ----              | ----          | 1      | UNCH             |
| 1900           | ----             | ----                      | ----                   | ---/*2.80A              | ----                       | 0.40                     | - 0.80 | .0074 | ----          | ----                     | ----              | ----          | 56     | UNCH             |
| 1925           | ----             | ----                      | ----                   | ---/*2.70A              | ----                       | 0.40                     | - 0.60 | .0068 | ----          | ----                     | ----              | ----          | 2      | UNCH             |
| 1930           | ----             | ----                      | ----                   | ---/*2.60A              | ----                       | 0.30                     | - 0.70 | .0051 | ----          | ----                     | ----              | ----          | 26     | UNCH             |
| 1935           | ----             | ----                      | ----                   | ---/*2.60A              | ----                       | 0.30                     | - 0.70 | .0051 | ----          | ----                     | ----              | ----          | 33     | UNCH             |
| 1945           | ----             | ----                      | ----                   | ---/*2.60A              | ----                       | 0.30                     | - 0.60 | .0049 | ----          | ----                     | ----              | ----          | 1      | UNCH             |
| 1950           | ----             | ----                      | ----                   | ---/*2.50A              | ----                       | 0.30                     | - 0.60 | .0048 | ----          | ----                     | ----              | ----          | 2      | UNCH             |
| 1960           | ----             | ----                      | ----                   | ---/*2.50A              | ----                       | 0.30                     | - 0.60 | .0047 | ----          | ----                     | ----              | ----          | 3      | UNCH             |
| 1965           | ----             | ----                      | ----                   | ---/*2.50A              | ----                       | 0.30                     | - 0.60 | .0046 | ----          | ----                     | ----              | ----          | 56     | UNCH             |
| 1970           | ----             | ----                      | ----                   | ---/2.50A               | ----                       | 0.30                     | - 0.60 | .0046 | ----          | ----                     | ----              | ----          | 2      | UNCH             |
| 1975           | ----             | ----                      | ----                   | ---/*2.40A              | ----                       | 0.30                     | - 0.50 | .0045 | ----          | ----                     | ----              | ----          | 11     | UNCH             |
| 1980           | ----             | ----                      | ----                   | ---/2.40A               | ----                       | 0.30                     | - 0.50 | .0044 | ----          | ----                     | ----              | ----          | 2      | UNCH             |
| 1995           | ----             | ----                      | ----                   | ---/2.40A               | ----                       | 0.30                     | - 0.50 | .0043 | ----          | ----                     | ----              | ----          | 15     | UNCH             |
| 2000           | ----             | ----                      | ----                   | ---/2.40A               | ----                       | 0.30                     | - 0.50 | .0042 | ----          | ----                     | ----              | ----          | 518    | UNCH             |
| 2005           | ----             | ----                      | ----                   | ---/2.40A               | ----                       | 0.30                     | - 0.50 | .0042 | ----          | ----                     | ----              | ----          | 15     | UNCH             |
| 2010           | ----             | ----                      | ----                   | ---/2.30A               | ----                       | 0.30                     | - 0.40 | .0041 | ----          | ----                     | ----              | ----          | 15     | UNCH             |
| 2015           | ----             | ----                      | ----                   | ---/2.30A               | ----                       | 0.20                     | - 0.50 | .0028 | ----          | ----                     | ----              | ----          | 15     | UNCH             |
| 2020           | ----             | ----                      | ----                   | ---/2.30A               | ----                       | 0.20                     | - 0.40 | .0027 | ----          | ----                     | ----              | ----          | 15     | UNCH             |
| 2025           | ----             | ----                      | ----                   | ---/2.30A               | ----                       | 0.20                     | - 0.40 | .0027 | ----          | ----                     | ----              | ----          | 37     | UNCH             |
| 2030           | ----             | ----                      | ----                   | ---/2.30A               | ----                       | 0.20                     | - 0.40 | .0027 | ----          | ----                     | ----              | ----          | 15     | UNCH             |
| 2035           | ----             | ----                      | ----                   | ---/2.30A               | ----                       | 0.20                     | - 0.30 | .0026 | ----          | ----                     | ----              | ----          | 15     | UNCH             |
| 2050           | ----             | ----                      | ----                   | ---/2.30A               | ----                       | 0.10                     | - 0.30 | .0012 | ----          | ----                     | ----              | ----          | 6      | UNCH             |
| 2065           | ----             | ----                      | ----                   | ---/2.20A               | ----                       | 0.10                     | - 0.20 | .0008 | ----          | ----                     | ----              | ----          | 4      | UNCH             |
| 2085           | ----             | ----                      | ----                   | ---/2.20A               | ----                       | 0.10                     | - 0.10 | .0005 | ----          | ----                     | ----              | ----          | 31     | UNCH             |
| 2090           | ----             | ----                      | ----                   | ---/2.20A               | ----                       | 0.10                     | - 0.10 | .0004 | ----          | ----                     | ----              | ----          | 34     | UNCH             |
| 2095           | ----             | ----                      | ----                   | ---/2.20A               | ----                       | 0.10                     | - 0.10 | .0004 | ----          | ----                     | ----              | ----          | 45     | UNCH             |
| 2100           | ----             | ----                      | ----                   | ---/2.20A               | ----                       | 0.10                     | - 0.10 | .0003 | ----          | ----                     | ----              | ----          | 389    | UNCH             |
| 2105           | ----             | ----                      | ----                   | ---/2.20A               | ----                       | 0.10                     | - 0.10 | .0003 | ----          | ----                     | ----              | ----          | 30     | UNCH             |
| 2110           | ----             | ----                      | ----                   | ---/2.20A               | ----                       | 0.10                     | - 0.10 | .0002 | ----          | ----                     | ----              | ----          | 31     | UNCH             |
| 2115           | ----             | ----                      | ----                   | ---/2.20A               | ----                       | 0.10                     | UNCH   | .0002 | ----          | ----                     | ----              | ----          | 30     | UNCH             |
| 2120           | ----             | ----                      | ----                   | ---/2.20A               | ----                       | 0.10                     | UNCH   | .0002 | ----          | ----                     | ----              | ----          | 15     | UNCH             |
| 2125           | ----             | ----                      | ----                   | ---/2.20A               | ----                       | 0.10                     | UNCH   | .0001 | ----          | ----                     | ----              | ----          | 15     | UNCH             |
| 2150           | ----             | ----                      | ----                   | ---/2.10A               | ----                       | 0.10                     | UNCH   | .0000 | ----          | ----                     | ----              | ----          | 18     | UNCH             |
| 2160           | ----             | ----                      | ----                   | ---/2.10A               | ----                       | 0.10                     | UNCH   | .0000 | ----          | ----                     | ----              | ----          | 1      | UNCH             |
| 2170           | ----             | ----                      | ----                   | ---/2.10A               | ----                       | 0.10                     | UNCH   | .0000 | ----          | ----                     | ----              | ----          | 4      | UNCH             |
| 2200           | ----             | ----                      | ----                   | ---/2.10A               | ----                       | 0.10                     | UNCH   | .0000 | ----          | ----                     | ----              | ----          | 456    | UNCH             |
| 2250           | ----             | ----                      | ----                   | ---/2.10A               | ----                       | 0.10                     | UNCH   | .0000 | ----          | ----                     | ----              | ----          | 117    | UNCH             |
| 2275           | ----             | ----                      | ----                   | ---/2.00A               | ----                       | 0.10                     | UNCH   | ----  | ----          | ----                     | ----              | ----          | 20     | UNCH             |
| 2300           | ----             | ----                      | ----                   | ---/2.00A               | ----                       | 0.10                     | UNCH   | ----  | ----          | ----                     | ----              | ----          | 255    | UNCH             |
| 2350           | ----             | ----                      | ----                   | ---/2.00A               | ----                       | 0.10                     | UNCH   | ----  | ----          | ----                     | ----              | ----          | 160    | UNCH             |
| 2400           | ----             | ----                      | ----                   | ---/2.00A               | ----                       | 0.10                     | UNCH   | ----  | ----          | ----                     | ----              | ----          | 904    | UNCH             |
| 2450           | ----             | ----                      | ----                   | ---/2.00A               | ----                       | 0.10                     | UNCH   | ----  | ----          | ----                     | ----              | ----          | 50     | UNCH             |
| 2480           | ----             | ----                      | ----                   | ---/2.00A               | ----                       | 0.10                     | UNCH   | ----  | ----          | ----                     | ----              | ----          | 50     | UNCH             |
| 2500           | ----             | ----                      | ----                   | ---/2.00A               | ----                       | 0.10                     | UNCH   | ----  | ----          | ----                     | ----              | ----          | 649    | UNCH             |
| 2600           | ----             | ----                      | ----                   | ---/2.00A               | ----                       | 0.10                     | UNCH   | ----  | ----          | ----                     | ----              | ----          | 360    | UNCH             |
| 2650           | ----             | ----                      | ----                   | ---/1.90A               | ----                       | 0.10                     | UNCH   | ----  | ----          | ----                     | ----              | ----          | 1      | UNCH             |
| 2700           | ----             | ----                      | ----                   | ---/1.90A               | ----                       | 0.10                     | UNCH   | ----  | ----          | ----                     | ----              | ----          | 111    | UNCH             |
| 2800           | ----             | ----                      | ----                   | ---/1.90A               | ----                       | 0.10                     | UNCH   | ----  | ----          | ----                     | ----              | ----          | 350    | UNCH             |
| 2850           | ----             | ----                      | ----                   | ---/1.90A               | ----                       | 0.10                     | UNCH   | ----  | ----          | ----                     | ----              | ----          | 58     | UNCH             |
| 2900           | ----             | ----                      | ----                   | ---/1.90A               | ----                       | 0.10                     | UNCH   | ----  | ----          | ----                     | ----              | ----          | 183    | UNCH             |
| 3000           | ----             | ----                      | ----                   | ---/1.90A               | ----                       | 0.10                     | UNCH   | ----  | ----          | ----                     | ----              | ----          | 574    | UNCH             |
| 3100           | ----             | ----                      | ----                   | ---/1.90A               | ----                       | 0.10                     | UNCH   | ----  | ----          | ----                     | ----              | ----          | 159    | UNCH             |
| 3200           | ----             | ----                      | ----                   | ---/3.60A               | ----                       | 0.10                     | UNCH   | ----  | ----          | ----                     | ----              | ----          | 18     | UNCH             |
| 3300           | ----             | ----                      | ----                   | ---/3.60A               | ----                       | 0.10                     | UNCH   | ----  | ----          | ----                     | ----              | ----          | 30     | UNCH             |
| 3400           | ----             | ----                      | ----                   | ---/3.60A               | ----                       | 0.10                     | UNCH   | ----  | ----          | ----                     | ----              | ----          | 32     | UNCH             |
| 3500           | ----             | ----                      | ----                   | ---/3.60A               | ----                       | 0.10                     | UNCH   | ----  | ----          | ----                     | ----              | ----          | 274    | UNCH             |
| 3600           | ----             | ----                      | ----                   | ---/3.60A               | ----                       | 0.10                     | UNCH   | ----  | ----          | ----                     | ----              | ----          | 300    | UNCH             |
| 3800           | ----             | ----                      | ----                   | ---/1.90A               | ----                       | 0.10                     | UNCH   | ----  | ----          | ----                     | ----              | ----          | 12     | UNCH             |
| 3900           | ----             | ----                      | ----                   | ---/1.90A               | ----                       | 0.10                     | UNCH   | ----  | ----          | ----                     | ----              | ----          | 9      | UNCH             |
| 4000           | ----             | ----                      | ----                   | ---/1.90A               | ----                       | 0.10                     | UNCH   | ----  | ----          | ----                     | ----              | ----          | 219    | UNCH             |
| TOTAL          |                  |                           |                        |                         |                            |                          |        |       |               |                          | 1                 |               | 7084 + | 1                |
| AUG26          |                  |                           |                        |                         |                            |                          |        |       |               |                          |                   |               |        |                  |
| 1750           | 72.30            | 72.30                     | 74.30B/43.20A          | 74.30B/43.20A           | ----                       | 48.20                    | NEW    | .3835 | ----          | ----                     | 44                | ----          | 44 +   | 44               |
| 1800           | ----             | ----                      | 53.20B/30.80A          | 53.20B/30.80A           | ----                       | 33.80                    | - 4.00 | .2931 | ----          | ----                     | ----              | ----          | 43     | UNCH             |
| 1950           | ----             | ----                      | 17.60B/12.30A          | 17.60B/12.30A           | ----                       | 11.70                    | - 0.80 | .1189 | ----          | ----                     | ----              | ----          | 3      | UNCH             |
| 1975           | ----             | ----                      | 14.60B/-----           | 14.60B/10.90A           | ----                       | 9.90                     | - 0.60 | .1021 | ----          | ----                     | ----              | ----          | 51     | UNCH             |
| 2000           | ----             | ----                      | 12.10B/-----           | 12.10B/9.70A            | ----                       | 8.40                     | - 0.40 | .0877 | ----          | ----                     | ----              | ----          | 1      | UNCH             |
| 2050           | ----             | ----                      | 8.10B/-----            | 8.10B/7.70A             | ----                       | 6.10                     | - 0.20 | .0650 | ----          | ----                     | ----              | ----          | 30     | UNCH             |
| 2100           | ----             | ----                      | 5.40B/-----            | 5.40B/6.40A             | ----                       | 4.60                     | - 0.10 | .0494 | ----          | ----                     | ----              | ----          | 52     | UNCH             |
| 2150           | ----             | ----                      | ----                   | 3.50B/5.50A             | ----                       | 3.60                     | UNCH   | .0385 | ----          | ----                     | ----              | ----          | 1      | UNCH             |
| 2175           | ----             | ----                      | ----                   | 2.80B/5.20A             | ----                       | 3.20                     | UNCH   | .0342 | ----          | ----                     | ----              | ----          | 30     | UNCH             |
| 2200           | ----             | ----                      | ----                   | 2.20B/4.90A             | ----                       | 2.90                     | UNCH   | .0308 | ----          | ----                     | ----              | ----          | 15     | UNCH             |
| 2250           | ----             | ----                      | ----                   | 1.30B/4.40A             | ----                       | 2.40                     | + 0.10 | .0251 | ----          | ----                     | ----              | ----          | 60     | UNCH             |
| 2275           | ----             | ----                      | ----                   | 1.00B/4.30A             | ----                       | 2.20                     | + 0.10 | .0229 | ----          | ----                     | ----              | ----          | 30     | UNCH             |
| 2300           | ----             | ----                      | ----                   | 0.70B/4.10A             | ----                       | 2.00                     | + 0.10 | .0207 | ----          | ----                     | ----              | ----          | 158    | UNCH             |
| 2350           | ----             | ----                      | ----                   | 0.30B/3.90A             | ----                       | 1.70                     | + 0.10 | .0173 | ----          | ----                     | ----              | ----          | 15     | UNCH             |
| 2400           | ----             | ----                      | ----                   | ---/3.60A               | ----                       | 1.40                     | UNCH   | .0142 | ----          | ----                     | ----              | ----          | 84     | UNCH             |
| 2500           | ----             | ----                      | ----                   | ---/3.30A               | ----                       | 1.10                     | + 0.10 | .0107 | ----          | ----                     | ----              | ----          | 153    | UNCH             |
| 2600           | ----             | ----                      | ----                   | ---/3.00A               | ----                       | 0.80                     | UNCH   | .0077 | ----          | ----                     | ----              | ----          | 545    | UNCH             |
| 2750           | ----             | ----                      | ----                   | ---/2.80A               | ----                       | 0.50                     | UNCH   | .0047 | ----          | ----                     | ----              | ----          | 105    | UNCH             |
| 3000           | ----             | ----                      | ----                   | ---/2.50A               | ----                       | 0.20                     | UNCH   | .0018 | ----          | ----                     | ----              | ----          | 54     | UNCH             |
| TOTAL          |                  |                           |                        |                         |                            |                          |        |       |               |                          | 44                |               | 1474 + | 44               |
| SEP26          |                  |                           |                        |                         |                            |                          |        |       |               |                          |                   |               |        |                  |
| 2100           | ----</           |                           |                        |                         |                            |                          |        |       |               |                          |                   |               |        |                  |

| PG64   | BULLETIN #111@   |              |                 |                    |                  |                 |                 |               |                 |                          | METALS OPTION PRODUCTS |               |                          |                   |               |                  |      |  |  |  | Thu, Jun 11, 2026 |  |  |  | PG64 |
|--------|------------------|--------------|-----------------|--------------------|------------------|-----------------|-----------------|---------------|-----------------|--------------------------|------------------------|---------------|--------------------------|-------------------|---------------|------------------|------|--|--|--|-------------------|--|--|--|------|
|        | GLOBEX<br>OPEN   | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>CLOSE | OUTCRY<br>RANGE | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA                  | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |  |  |  |                   |  |  |  |      |
| PO PUT | PLATINUM OPTIONS |              |                 |                    |                  |                 |                 |               |                 |                          |                        |               |                          |                   |               |                  |      |  |  |  |                   |  |  |  |      |
| JUL26  | ----             | ----         | ----            | 40.40B/20.30A      | 40.40B/20.30A    | ----            | ----            | 46.60         | + 11.10         | .6156                    | ----                   | ----          | ----                     | ----              | ----          | 6                | UNCH |  |  |  |                   |  |  |  |      |
| 1690   | ----             | ----         | ----            | 68.40B/23.40A      | 68.40B/23.40A    | ----            | ----            | 53.00         | + 12.50         | .6643                    | ----                   | ----          | ----                     | ----              | ----          | 227              | UNCH |  |  |  |                   |  |  |  |      |
| 1700   | ----             | ----         | ----            | ----/27.30A        | 37.60B/27.30A    | ----            | ----            | 59.80         | + 13.80         | .7098                    | ----                   | ----          | ----                     | ----              | ----          | 1                | UNCH |  |  |  |                   |  |  |  |      |
| 1710   | ----             | ----         | ----            | 87.90B/33.60A      | 87.90B/33.60A    | ----            | ----            | 70.90         | + 15.80         | .7727                    | ----                   | ----          | ----                     | ----              | ----          | 100              | UNCH |  |  |  |                   |  |  |  |      |
| 1725   | ----             | ----         | ----            | 109.50B/46.50A     | 109.50B/46.50A   | ----            | ----            | 91.10         | + 18.70         | .8563                    | ----                   | ----          | ----                     | ----              | ----          | 61               | UNCH |  |  |  |                   |  |  |  |      |
| 1750   | ----             | ----         | ----            | 156.40B/80.90A     | 156.40B/80.90A   | ----            | ----            | 136.30        | + 22.30         | .9533                    | ----                   | ----          | ----                     | ----              | ----          | 391              | UNCH |  |  |  |                   |  |  |  |      |
| 1800   | ----             | ----         | ----            | ----               | ----             | ----            | ----            | 141.10        | + 22.60         | .9579                    | ----                   | ----          | ----                     | ----              | ----          | 45               | UNCH |  |  |  |                   |  |  |  |      |
| 1805   | ----             | ----         | ----            | ----               | ----             | ----            | ----            | 145.90        | + 22.80         | .9624                    | ----                   | ----          | ----                     | ----              | ----          | 15               | UNCH |  |  |  |                   |  |  |  |      |
| 1810   | ----             | ----         | ----            | ----               | ----             | ----            | ----            | 150.70        | + 23.00         | .9669                    | ----                   | ----          | ----                     | ----              | ----          | 45               | UNCH |  |  |  |                   |  |  |  |      |
| 1815   | ----             | ----         | ----            | ----               | ----             | ----            | ----            | 155.60        | + 23.20         | .9712                    | ----                   | ----          | ----                     | ----              | ----          | 31               | UNCH |  |  |  |                   |  |  |  |      |
| 1820   | ----             | ----         | ----            | 180.60B/101.70A    | 180.60B/101.70A  | ----            | ----            | 160.40        | + 23.30         | .9737                    | ----                   | ----          | ----                     | ----              | ----          | 100              | UNCH |  |  |  |                   |  |  |  |      |
| 1825   | ----             | ----         | ----            | ----               | ----             | ----            | ----            | 165.30        | + 23.50         | .9761                    | ----                   | ----          | ----                     | ----              | ----          | 15               | UNCH |  |  |  |                   |  |  |  |      |
| 1830   | ----             | ----         | ----            | ----               | ----             | ----            | ----            | 170.20        | + 23.60         | .9784                    | ----                   | ----          | ----                     | ----              | ----          | 15               | UNCH |  |  |  |                   |  |  |  |      |
| 1835   | ----             | ----         | ----            | ----               | ----             | ----            | ----            | 175.10        | + 23.70         | .9807                    | ----                   | ----          | ----                     | ----              | ----          | 15               | UNCH |  |  |  |                   |  |  |  |      |
| 1840   | ----             | ----         | ----            | 205.20B/124.00A    | 205.20B/124.00A  | ----            | ----            | 185.00        | + 23.90         | .9833                    | ----                   | ----          | ----                     | ----              | ----          | 77               | UNCH |  |  |  |                   |  |  |  |      |
| 1850   | ----             | ----         | ----            | ----               | ----             | ----            | ----            | 194.90        | + 24.10         | .9857                    | ----                   | ----          | ----                     | ----              | ----          | 32               | UNCH |  |  |  |                   |  |  |  |      |
| 1860   | ----             | ----         | ----            | ----               | ----             | ----            | ----            | 204.80        | + 24.20         | .9880                    | ----                   | ----          | ----                     | ----              | ----          | 1                | UNCH |  |  |  |                   |  |  |  |      |
| 1870   | ----             | ----         | ----            | 254.80B/171.80A    | 254.80B/171.80A  | ----            | ----            | 234.60        | + 24.40         | .9925                    | ----                   | ----          | ----                     | ----              | ----          | 595              | UNCH |  |  |  |                   |  |  |  |      |
| 1900   | ----             | ----         | ----            | ----               | ----             | ----            | ----            | 254.60        | + 24.60         | .9930                    | ----                   | ----          | ----                     | ----              | ----          | 2                | UNCH |  |  |  |                   |  |  |  |      |
| 1920   | ----             | ----         | ----            | 304.70B/220.90A    | 304.70B/220.90A  | ----            | ----            | 284.50        | + 24.60         | .9951                    | ----                   | ----          | ----                     | ----              | ----          | 8                | UNCH |  |  |  |                   |  |  |  |      |
| 1950   | ----             | ----         | ----            | ----               | ----             | ----            | ----            | 314.50        | + 24.70         | .9955                    | ----                   | ----          | ----                     | ----              | ----          | 48               | UNCH |  |  |  |                   |  |  |  |      |
| 1980   | ----             | ----         | ----            | ----               | ----             | ----            | ----            | 324.50        | + 24.70         | .9956                    | ----                   | ----          | ----                     | ----              | ----          | 23               | UNCH |  |  |  |                   |  |  |  |      |
| 1990   | ----             | ----         | ----            | #354.60B/270.80    | #354.60B/270.80  | ----            | ----            | 334.50        | + 24.70         | .9957                    | ----                   | ----          | ----                     | ----              | ----          | 53               | UNCH |  |  |  |                   |  |  |  |      |
| 2000   | ----             | ----         | ----            | ----               | ----             | ----            | ----            | 349.40        | + 24.80         | .9971                    | ----                   | ----          | ----                     | ----              | ----          | 25               | UNCH |  |  |  |                   |  |  |  |      |
| 2015   | ----             | ----         | ----            | ----               | ----             | ----            | ----            | 364.40        | + 24.90         | .9972                    | ----                   | ----          | ----                     | ----              | ----          | 0                | UNCH |  |  |  |                   |  |  |  |      |
| 2030   | ----             | ----         | ----            | ----               | ----             | ----            | ----            | 369.40        | + 24.90         | .9973                    | ----                   | ----          | ----                     | ----              | ----          | 46               | UNCH |  |  |  |                   |  |  |  |      |
| 2035   | ----             | ----         | ----            | #429.50B/345.50    | #429.50B/345.50  | ----            | ----            | 409.30        | + 25.00         | .9993                    | ----                   | ----          | ----                     | ----              | ----          | 1                | UNCH |  |  |  |                   |  |  |  |      |
| 2075   | ----             | ----         | ----            | ----               | ----             | ----            | ----            | 419.30        | + 25.10         | .9995                    | ----                   | ----          | ----                     | ----              | ----          | 1                | UNCH |  |  |  |                   |  |  |  |      |
| 2085   | ----             | ----         | ----            | #454.50B/370.20    | #454.50B/370.20  | ----            | ----            | 434.30        | + 25.10         | .9996                    | ----                   | ----          | ----                     | ----              | ----          | 25               | UNCH |  |  |  |                   |  |  |  |      |
| 2100   | ----             | ----         | ----            | ----               | ----             | ----            | ----            | 464.30        | + 25.20         | .9998                    | ----                   | ----          | ----                     | ----              | ----          | 23               | UNCH |  |  |  |                   |  |  |  |      |
| 2130   | ----             | ----         | ----            | ----               | ----             | ----            | ----            | 469.30        | + 25.20         | .9999                    | ----                   | ----          | ----                     | ----              | ----          | 190              | UNCH |  |  |  |                   |  |  |  |      |
| 2135   | ----             | ----         | ----            | ----               | ----             | ----            | ----            | 499.30        | + 25.20         | 1.0000                   | ----                   | ----          | ----                     | ----              | ----          | 20               | UNCH |  |  |  |                   |  |  |  |      |
| 2165   | ----             | ----         | ----            | #704.40B/619.90    | #704.40B/619.90  | ----            | ----            | 684.30        | + 25.20         | 1.0000                   | ----                   | ----          | ----                     | ----              | ----          | 3                | UNCH |  |  |  |                   |  |  |  |      |
| 2350   | ----             | ----         | ----            | #754.40B/670.10    | #754.40B/670.10  | ----            | ----            | 734.30        | + 25.20         | 1.0000                   | ----                   | ----          | ----                     | ----              | ----          | 0                | UNCH |  |  |  |                   |  |  |  |      |
| 2400   | ----             | ----         | ----            | ----               | ----             | ----            | ----            | ----          | ----            | ----                     | ----                   | ----          | ----                     | ----              | ----          | 0                | UNCH |  |  |  |                   |  |  |  |      |
| TOTAL  |                  |              |                 |                    |                  |                 |                 |               |                 |                          |                        |               |                          |                   |               | 3163             | 0    |  |  |  |                   |  |  |  |      |
| AUG26  | ----             | ----         | ----            | #42.60B/25.80A     | #42.60B/25.80A   | ----            | ----            | 39.50         | + 10.20         | .3045                    | ----                   | ----          | ----                     | ----              | ----          | 201              | UNCH |  |  |  |                   |  |  |  |      |
| 1600   | ----             | ----         | ----            | #108.20B/67.80A    | #108.20B/67.80A  | ----            | ----            | 99.20         | + 17.70         | .5661                    | ----                   | ----          | ----                     | ----              | ----          | 30               | UNCH |  |  |  |                   |  |  |  |      |
| 1725   | ----             | ----         | ----            | #125.10B/79.00A    | #125.10B/79.00A  | ----            | ----            | 115.10        | + 19.40         | .6163                    | ----                   | ----          | ----                     | ----              | ----          | 105              | UNCH |  |  |  |                   |  |  |  |      |
| 1750   | ----             | ----         | ----            | #162.80B/109.10    | #162.80B/109.10  | ----            | ----            | 150.50        | + 21.90         | .7067                    | ----                   | ----          | ----                     | ----              | ----          | 15               | UNCH |  |  |  |                   |  |  |  |      |
| 1800   | ----             | ----         | ----            | #204.50B/142.70    | #204.50B/142.70  | ----            | ----            | 190.10        | + 23.20         | .7812                    | ----                   | ----          | ----                     | ----              | ----          | 200              | UNCH |  |  |  |                   |  |  |  |      |
| 1850   | ----             | ----         | ----            | #342.00B/266.30    | #342.00B/266.30  | ----            | ----            | 324.60        | + 25.50         | .9121                    | ----                   | ----          | ----                     | ----              | ----          | 1                | UNCH |  |  |  |                   |  |  |  |      |
| 2000   | ----             | ----         | ----            | ----               | ----             | ----            | ----            | ----          | ----            | ----                     | ----                   | ----          | ----                     | ----              | ----          | 552              | 0    |  |  |  |                   |  |  |  |      |
| TOTAL  |                  |              |                 |                    |                  |                 |                 |               |                 |                          |                        |               |                          |                   |               |                  |      |  |  |  |                   |  |  |  |      |
| SEP26  | ----             | ----         | ----            | #227.50B/177.30    | #227.50B/177.30  | ----            | ----            | 218.00        | + 24.00         | .6881                    | ----                   | ----          | ----                     | ----              | ----          | 16               | UNCH |  |  |  |                   |  |  |  |      |
| 1850   | ----             | ----         | ----            | ----               | ----             | ----            | ----            | ----          | ----            | ----                     | ----                   | ----          | ----                     | ----              | ----          | 16               | 0    |  |  |  |                   |  |  |  |      |
| TOTAL  |                  |              |                 |                    |                  |                 |                 |               |                 |                          |                        |               |                          |                   |               |                  |      |  |  |  |                   |  |  |  |      |
| OCT26  | ----             | ----         | ----            | 9.90B/----         | 9.90B/12.10A     | ----            | ----            | 12.30         | + 3.40          | .0761                    | ----                   | ----          | ----                     | ----              | ----          | 4                | UNCH |  |  |  |                   |  |  |  |      |
| 1300   | ----             | ----         | ----            | 34.00B/----        | 34.00B/28.80A    | ----            | ----            | 34.70         | + 8.00          | .1844                    | ----                   | ----          | ----                     | ----              | ----          | 2                | UNCH |  |  |  |                   |  |  |  |      |
| 1450   | ----             | ----         | ----            | 47.60B/----        | 47.60B/38.60A    | ----            | ----            | 47.60         | + 10.10         | .2363                    | ----                   | ----          | ----                     | ----              | ----          | 20               | UNCH |  |  |  |                   |  |  |  |      |
| 1500   | ----             | ----         | ----            | 86.10B/67.20A      | 86.10B/67.20A    | ----            | ----            | 84.20         | + 14.80         | .3569                    | ----                   | ----          | ----                     | ----              | ----          | 28               | UNCH |  |  |  |                   |  |  |  |      |
| 1600   | ----             | ----         | ----            | 134.00B/105.00A    | 134.00B/105.00A  | ----            | ----            | 129.80        | NEW             | .4714                    | ----                   | ----          | ----                     | ----              | 175           | 175              | +    |  |  |  |                   |  |  |  |      |
| 1690   | ----             | ----         | ----            | 139.90B/109.90A    | 139.90B/109.90A  | ----            | ----            | 135.60        | + 18.60         | .4838                    | ----                   | ----          | ----                     | ----              | ----          | 79               | UNCH |  |  |  |                   |  |  |  |      |
| 1700   | ----             | ----         | ----            | 152.30B/120.40A    | 152.30B/120.40A  | ----            | ----            | 147.60        | + 19.20         | .5082                    | ----                   | ----          | ----                     | ----              | ----          | 2                | UNCH |  |  |  |                   |  |  |  |      |
| 1720   | ----             | ----         | ----            | 171.90B/136.80A    | 171.90B/136.80A  | ----            | ----            | 166.60        | + 20.20         | .5435                    | ----                   | ----          | ----                     | ----              | ----          | 175              | UNCH |  |  |  |                   |  |  |  |      |
| 1750   | ----             | ----         | ----            | 206.70B/166.60A    | 206.70B/166.60A  | ----            | ----            | 200.60        | + 21.50         | .5986                    | ----                   | ----          | ----                     | ----              | ----          | 75               | UNCH |  |  |  |                   |  |  |  |      |
| 1800   | ----             | ----         | ----            | ----/179.40A       | 180.20B/179.40A  | ----            | ----            | 214.90        | + 22.00         | .6193                    | ----                   | ----          | ----                     | ----              | ----          | 5                | UNCH |  |  |  |                   |  |  |  |      |
| 1820   | ----             | ----         | ----            | 244.30B/199.10A    | 244.30B/199.10A  | ----            | ----            | 237.10        | + 22.60         | .6486                    | ----                   | ----          | ----                     | ----              | ----          | 275              | UNCH |  |  |  |                   |  |  |  |      |
| 1850   | ----             | ----         | ----            | ----               | ----             | ----            | ----            | 248.50        | + 23.00         | .6625                    | ----                   | ----          | ----                     | ----              | ----          | 1                | UNCH |  |  |  |                   |  |  |  |      |
| 1865   | ----             | ----         | ----            | 284.00B/234.50A    | 284.00B/234.50A  | ----            | ----            | 275.70        | + 23.60         | .6932                    | ----                   | ----          | ----                     | ----              | ----          | 225              | UNCH |  |  |  |                   |  |  |  |      |
| 1900   | ----             | ----         | ----            | 325.60B/271.60A    | 325.60B/271.60A  | ----            | ----            | 316.10        | + 24.40         | .7328                    | ----                   | ----          | ----                     | ----              | ----          | 50               | UNCH |  |  |  |                   |  |  |  |      |
| 1950   | ----             | ----         | ----            | 368.40B/311.20A    | 368.40B/311.20A  | ----            | ----            | 358.00        | + 25.10         | .7677                    | ----                   | ----          | ----                     | ----              | ----          | 1                | UNCH |  |  |  |                   |  |  |  |      |
| 2000   | ----             | ----         | ----            | 457.50B/394.40A    | 457.50B/394.40A  | ----            | ----            | 445.30        | + 26.10         | .8250                    | ----                   | ----          | ----                     | ----              | ----          | 100              | UNCH |  |  |  |                   |  |  |  |      |
| 2100   | ----             | ----         | ----            | ----               | ----             | ----            | ----            | 472.20        | + 26.20         | .8396                    | ----                   | ----          | ----                     | ----              | ----          | 41               | UNCH |  |  |  |                   |  |  |  |      |
| 2130   | ----             | ----         | ----            | ----               | ----             | ----            | ----            | 476.70        | + 26.20         | .8417                    | ----                   | ----          | ----                     | ----              | ----          | 12               | UNCH |  |  |  |                   |  |  |  |      |
| 2135   | ----             | ----         | ----            | ----               | ----             | ----            | ----            | 481.20        | + 26.20         | .8442                    | ----                   | ----          | ----                     | ----              | ----          | 12               | UNCH |  |  |  |                   |  |  |  |      |
| 2140   | ----             | ----         | ----            | #740.50B/666.70    | #740.50B/666.70  | ----            | ----            | 724.70        | + 26.40         | .9270                    | ----                   | ----          | ----                     | ----              | ----          | 200              | UNCH |  |  |  |                   |  |  |  |      |
| 2400   | ----             | ----         | ----            | #838.20B/762.10    | #838.20B/762.10  | ----            | ----            | 821.70        | + 26.40         | .9442                    | ----                   | ----          | ----                     | ----              | ----          | 1                | UNCH |  |  |  |                   |  |  |  |      |
| 2500   | ----             | ----         | ----            | ----               | ----             | ----            | ----            | ----          | ----            | ----                     | ----                   | ----          | 175                      |                   |               | 1483             | +    |  |  |  |                   |  |  |  |      |
| TOTAL  |                  |              |                 |                    |                  |                 |                 |               |                 |                          |                        |               |                          |                   |               |                  |      |  |  |  |                   |  |  |  |      |
| JAN27  | 75.00            | 75.00        |                 | 80.00/75.00        | 80.00/75.00      | ----            | ----            | 81.20         | + 6.40          | .2692                    | ----                   | ----          | ----                     | 20                | ----          | 70               | +    |  |  |  |                   |  |  |  |      |
| 1500   | ----             | ----         | ----            | ----               | ----             | ----            | ----            | 236.30        | + 13.30         | .5381                    | ----                   | ----          | ----                     | ----              | ----          | 1                | UNCH |  |  |  |                   |  |  |  |      |
| 1800   | ----             | ----         | ----            | ----               | ----             | ----            | ----            | 307.00        | + 15.30         | .6137                    | ----                   | ----          | ----                     | ----              | ----          | 100              | UNCH |  |  |  |                   |  |  |  |      |
| 1900   | ----             | ----         | ----            | ----               | ----             | ----            | ----            | 383.60        | + 17.10         | .6790                    | ----                   | ----          | ----                     | ----              | ----          | 200              | UNCH |  |  |  |                   |  |  |  |      |
| 2000   | ----             | ----         | ----            | ----               | ----             | ----            | ----            | ----          | ----            | ----                     | ----                   | ----          | ----                     | 20                |               | 371              | +    |  |  |  |                   |  |  |  |      |
| TOTAL  |                  |              |                 |                    |                  |                 |                 |               |                 |                          |                        |               |                          |                   |               |                  |      |  |  |  |                   |  |  |  |      |

| OPTIONS EOO'S AND BLOCKS     |      |              |            |              |
|------------------------------|------|--------------|------------|--------------|
| PRODUCT                      |      | STRIKE PRICE | EEO VOLUME | BLOCK VOLUME |
| OG CALL COMEX GOLD OPTIONS   |      |              |            |              |
| OG JUL26                     | CALL |              |            |              |
| OG                           |      | 4350         | 0          | 1770         |
| OG                           |      | 4400         | 0          | 1650         |
| OG                           |      | 5200         | 0          | 110          |
| TOTALS                       |      |              | 0          | 3530         |
| AUG26 CALL                   |      |              |            |              |
| OG                           | CALL | 4150         | 0          | 320          |
| OG                           |      | 4200         | 0          | 50           |
| OG                           |      | 4250         | 0          | 725          |
| OG                           |      | 4280         | 0          | 250          |
| OG                           |      | 4300         | 0          | 661          |
| OG                           |      | 4305         | 0          | 550          |
| OG                           |      | 4355         | 0          | 650          |
| OG                           |      | 4400         | 0          | 50           |
| OG                           |      | 4410         | 0          | 100          |
| OG                           |      | 4500         | 0          | 295          |
| OG                           |      | 4600         | 0          | 130          |
| OG                           |      | 4625         | 0          | 350          |
| OG                           |      | 4800         | 0          | 100          |
| TOTALS                       |      |              | 0          | 4231         |
| SEP26 CALL                   |      |              |            |              |
| OG                           | CALL | 4150         | 0          | 220          |
| OG                           |      | 4535         | 0          | 100          |
| OG                           |      | 5000         | 0          | 60           |
| TOTALS                       |      |              | 0          | 380          |
| OCT26 CALL                   |      |              |            |              |
| OG                           | CALL | 4200         | 0          | 50           |
| TOTALS                       |      |              | 0          | 50           |
| DEC26 CALL                   |      |              |            |              |
| OG                           | CALL | 5400         | 0          | 200          |
| OG                           |      | 5500         | 0          | 110          |
| OG                           |      | 5800         | 0          | 50           |
| TOTALS                       |      |              | 0          | 360          |
| MAR27 CALL                   |      |              |            |              |
| OG                           | CALL | 4300         | 0          | 40           |
| TOTALS                       |      |              | 0          | 40           |
| DEC27 CALL                   |      |              |            |              |
| OG                           | CALL | 4500         | 0          | 75           |
| TOTALS                       |      |              | 0          | 75           |
| OG PUT COMEX GOLD OPTIONS    |      |              |            |              |
| OG JUL26                     | PUT  |              |            |              |
| OG                           |      | 3900         | 0          | 100          |
| OG                           |      | 4150         | 0          | 100          |
| OG                           |      | 4350         | 0          | 244          |
| TOTALS                       |      |              | 0          | 444          |
| AUG26 PUT                    |      |              |            |              |
| OG                           | PUT  | 3550         | 0          | 250          |
| OG                           |      | 3600         | 0          | 990          |
| OG                           |      | 3700         | 0          | 681          |
| OG                           |      | 3800         | 0          | 200          |
| OG                           |      | 3850         | 0          | 600          |
| OG                           |      | 3880         | 0          | 260          |
| OG                           |      | 3900         | 0          | 825          |
| OG                           |      | 3980         | 0          | 2000         |
| OG                           |      | 4000         | 0          | 611          |
| OG                           |      | 4100         | 0          | 100          |
| OG                           |      | 4150         | 0          | 300          |
| OG                           |      | 4250         | 0          | 200          |
| OG                           |      | 4500         | 0          | 100          |
| OG                           |      | 4800         | 0          | 100          |
| TOTALS                       |      |              | 0          | 7217         |
| SEP26 PUT                    |      |              |            |              |
| OG                           | PUT  | 3755         | 0          | 300          |
| OG                           |      | 3800         | 0          | 60           |
| OG                           |      | 3840         | 0          | 100          |
| OG                           |      | 3885         | 0          | 100          |
| OG                           |      | 3900         | 0          | 100          |
| OG                           |      | 3945         | 0          | 240          |
| OG                           |      | 4000         | 0          | 160          |
| OG                           |      | 4100         | 0          | 60           |
| TOTALS                       |      |              | 0          | 1120         |
| OCT26 PUT                    |      |              |            |              |
| OG                           | PUT  | 4200         | 0          | 50           |
| TOTALS                       |      |              | 0          | 50           |
| DEC26 PUT                    |      |              |            |              |
| OG                           | PUT  | 3500         | 0          | 375          |
| OG                           |      | 3700         | 0          | 80           |
| OG                           |      | 3900         | 0          | 200          |
| OG                           |      | 4000         | 0          | 250          |
| TOTALS                       |      |              | 0          | 905          |
| MAR27 PUT                    |      |              |            |              |
| OG                           | PUT  | 4300         | 0          | 40           |
| TOTALS                       |      |              | 0          | 40           |
| SO CALL COMEX SILVER OPTIONS |      |              |            |              |
| SO JUL26                     | CALL |              |            |              |
| SO                           |      | 6400         | 0          | 55           |
| SO                           |      | 11000        | 0          | 60           |
| TOTALS                       |      |              | 0          | 115          |
| AUG26 CALL                   |      |              |            |              |
| SO                           | CALL | 6700         | 0          | 42           |
| SO                           |      | 8700         | 0          | 52           |
| TOTALS                       |      |              | 0          | 94           |
| SEP26 CALL                   |      |              |            |              |
| SO                           | CALL | 10000        | 0          | 84           |
| TOTALS                       |      |              | 0          | 84           |
| SO PUT COMEX SILVER OPTIONS  |      |              |            |              |
| SO JUL26                     | PUT  |              |            |              |
| SO                           |      | 5700         | 0          | 26           |
| SO                           |      | 7000         | 0          | 80           |
| TOTALS                       |      |              | 0          | 106          |
| AUG26 PUT                    |      |              |            |              |
| SO                           | PUT  | 5100         | 0          | 60           |
| SO                           |      | 6000         | 0          | 60           |
| SO                           |      | 6275         | 0          | 42           |
| TOTALS                       |      |              | 0          | 162          |
| SEP26 PUT                    |      |              |            |              |
| SO                           | PUT  | 5000         | 0          | 84           |
| SO                           |      | 6000         | 0          | 84           |
| TOTALS                       |      |              | 0          | 168          |
| MAR27 PUT                    |      |              |            |              |
| SO                           | PUT  | 5500         | 0          | 30           |
|                              |      |              |            |              |

PRELIMINARY

| PG64                                      | BULLETIN #111@ |                                     |   | METALS OPTION PRODUCTS |    | Thu, Jun 11, 2026 | PG64 |
|-------------------------------------------|----------------|-------------------------------------|---|------------------------|----|-------------------|------|
|                                           | TOTALS         |                                     |   | 0                      | 30 |                   |      |
| HX CALL<br>SEP26<br>HX<br>HX<br>TOTALS    | CALL           | COMEX COPPER OPTIONS                |   |                        |    |                   |      |
|                                           |                | 700                                 | 0 | 625                    |    |                   |      |
|                                           |                | 750                                 | 0 | 625                    |    |                   |      |
|                                           |                |                                     | 0 | 1250                   |    |                   |      |
| HX PUT<br>JUL26<br>HX<br>TOTALS           | PUT            | COMEX COPPER OPTIONS                |   |                        |    |                   |      |
|                                           |                | 530                                 | 0 | 80                     |    |                   |      |
|                                           |                |                                     | 0 | 80                     |    |                   |      |
|                                           |                |                                     |   |                        |    |                   |      |
| PO CALL<br>OCT26<br>PO<br>TOTALS          | CALL           | PLATINUM OPTIONS                    |   |                        |    |                   |      |
|                                           |                | 1690                                | 0 | 175                    |    |                   |      |
|                                           |                |                                     | 0 | 175                    |    |                   |      |
|                                           |                |                                     |   |                        |    |                   |      |
| PO PUT<br>OCT26<br>PO<br>TOTALS           | PUT            | PLATINUM OPTIONS                    |   |                        |    |                   |      |
|                                           |                | 1690                                | 0 | 175                    |    |                   |      |
|                                           |                |                                     | 0 | 175                    |    |                   |      |
|                                           |                |                                     |   |                        |    |                   |      |
| PAO CALL<br>SEP26<br>PAO<br>PAO<br>TOTALS | CALL           | NYMEX PALLADIUM OPTIONS             |   |                        |    |                   |      |
|                                           |                | 1400                                | 0 | 140                    |    |                   |      |
|                                           |                | 1600                                | 0 | 140                    |    |                   |      |
|                                           |                |                                     | 0 | 280                    |    |                   |      |
| MAR27<br>PAO<br>TOTALS                    | CALL           | 1350                                | 0 | 150                    |    |                   |      |
|                                           |                |                                     | 0 | 150                    |    |                   |      |
|                                           |                |                                     |   |                        |    |                   |      |
|                                           |                |                                     |   |                        |    |                   |      |
| PAO PUT<br>SEP26<br>PAO<br>PAO<br>TOTALS  | PUT            | NYMEX PALLADIUM OPTIONS             |   |                        |    |                   |      |
|                                           |                | 1050                                | 0 | 140                    |    |                   |      |
|                                           |                | 1150                                | 0 | 140                    |    |                   |      |
|                                           |                |                                     | 0 | 280                    |    |                   |      |
| MAR27<br>PAO<br>TOTALS                    | PUT            | 1350                                | 0 | 150                    |    |                   |      |
|                                           |                |                                     | 0 | 150                    |    |                   |      |
|                                           |                |                                     |   |                        |    |                   |      |
|                                           |                |                                     |   |                        |    |                   |      |
| OG2 PUT<br>JUN26<br>OG2<br>TOTALS         | PUT            | GOLD OPTIONS                        |   |                        |    |                   |      |
|                                           |                | 4100                                | 0 | 25                     |    |                   |      |
|                                           |                |                                     | 0 | 25                     |    |                   |      |
|                                           |                |                                     |   |                        |    |                   |      |
| OG2 CALL<br>JUN26<br>OG2<br>TOTALS        | CALL           | GOLD OPTIONS                        |   |                        |    |                   |      |
|                                           |                | 4150                                | 0 | 25                     |    |                   |      |
|                                           |                |                                     | 0 | 25                     |    |                   |      |
|                                           |                |                                     |   |                        |    |                   |      |
| HRO OPT<br>OCT26<br>HRO<br>TOTALS         | CALL           | U.S. MIDWEST DOMESTIC HOT-ROLLED CO |   |                        |    |                   |      |
|                                           |                | 120000                              | 0 | 100                    |    |                   |      |
|                                           |                |                                     | 0 | 100                    |    |                   |      |
|                                           |                |                                     |   |                        |    |                   |      |
| NOV26<br>HRO<br>TOTALS                    | CALL           | 120000                              | 0 | 100                    |    |                   |      |
|                                           |                |                                     | 0 | 100                    |    |                   |      |
|                                           |                |                                     |   |                        |    |                   |      |
|                                           |                |                                     |   |                        |    |                   |      |
| DEC26<br>HRO<br>TOTALS                    | CALL           | 120000                              | 0 | 100                    |    |                   |      |
|                                           |                |                                     | 0 | 100                    |    |                   |      |
|                                           |                |                                     |   |                        |    |                   |      |
|                                           |                |                                     |   |                        |    |                   |      |
| GWW WED<br>JUN26<br>G3W<br>TOTALS         | CALL           | GOLD WEEKLY WEDNESDAY OPTION WEEK3  |   |                        |    |                   |      |
|                                           |                | 4150                                | 0 | 75                     |    |                   |      |
|                                           |                |                                     | 0 | 75                     |    |                   |      |
|                                           |                |                                     |   |                        |    |                   |      |
| RWS THU<br>JUN26<br>R3S<br>R3S<br>TOTALS  | PUT            | SILVER WEEKLY THURSDAY OPTION week3 |   |                        |    |                   |      |
|                                           |                | 5500                                | 0 | 125                    |    |                   |      |
|                                           |                | 6000                                | 0 | 100                    |    |                   |      |
|                                           |                |                                     | 0 | 225                    |    |                   |      |
| GWT TUE<br>JUN26<br>G4T<br>TOTALS         | CALL           | GOLD WEEKLY TUESDAY OPTION week4    |   |                        |    |                   |      |
|                                           |                | 4150                                | 0 | 150                    |    |                   |      |
|                                           |                |                                     | 0 | 150                    |    |                   |      |
|                                           |                |                                     |   |                        |    |                   |      |