

PG64

BULLETIN #106@

METALS OPTION PRODUCTS

Thu, Jun 04, 2026

PG64

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY’S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES														
EXPIRATION:	JUN26	JUN26	JUN26	JUL26	AUG26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27	APR27	MAY27
COO OPT	06/30			07/31	08/28	09/30	10/30	11/30	12/31	01/29	02/26	03/31		
ECG10 OP		06/03	06/04											
ECG11 OP		06/03	06/04											
ECG13 OP		06/03	06/04											
ECG15 OP		06/03	06/04											
ECG16 OP		06/03	06/04											
ECGC OOF		06/03	06/04											
ECHG OOF		06/03	06/04											
ECSI OOF		06/03	06/04											
EHO OPT	06/30			07/31	08/28	09/30								
FMG OPT	06/12													
FSO OPT	06/30													
GMW MON	06/29													
GWR THU	06/18			07/02										
GWT TUE	06/30													
GWV WED	06/24													
HMW MON	06/22													
HRO OPT	06/23			07/28	08/25	09/29	10/27	11/24	12/29					
HWR THU	06/18			07/02										
HWT TUE	06/23													
HWV WED	06/24													
HX CALL				07/01	08/05	09/02	09/24	10/27	11/24	12/28	01/26	02/23		
HX PUT				06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23		
HXE CALL	06/26			07/10										
HXE PUT	06/26			07/10										
LHO OPT	06/30			07/31	08/31	09/30	10/30	11/30	12/31	01/29	02/26	03/31		
MMG MON	06/08													
OG CALL				06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24	
OG PUT				06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24	
OG1 CALL	06/05													
OG1 PUT	06/05													
OG2 CALL	06/12													
OG2 PUT	06/12			07/10										
OG4 CALL	06/26													
OG4 PUT	06/26													
OMG OPT				06/25	07/28		09/24		11/24					
PAO CALL				06/17	07/15	08/19			11/18					
PAO PUT				06/17	07/15	08/19			11/18					
PLW OOF														
PO CALL	06/12			06/17	07/15	08/19	09/16		12/16					
PO PUT				06/17	07/15	08/19	09/16		12/16					
RWS THU	06/18			07/02										
SMW MON	06/22													
SO CALL				06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24	04/27
SO PUT				06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24	
SO1 CALL	06/05													
SO1 PUT	06/05													
SO2 CALL	06/12			07/10										
SO2 PUT	06/12			07/10										
SO4 CALL	06/26													
SO4 PUT	06/26													
SWW WED	06/24													
TWS TUE	06/30													
WMG WED	06/03													

GOLD OPTIONS ON FUTURES														
GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
WMG WED JUN26 4500 TOTAL														
----	----	----	----	----	----	----	----	33.10 UNCH	----	----	----	----	----	0 UNCH 0
GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT JUL26 3400 3460 4200 4275 4300 4400 4500 4550 4600 4600 4700 4800 5000 5300 5500 TOTAL														
----	----	----	----	----	----	----	----	1105.10 + 38.10	----	----	----	----	----	1 UNCH
----	----	----	----	----	----	----	----	1045.20 + 38.00	----	----	----	----	----	1 UNCH
----	----	----	----	----	----	----	----	12.90 - 5.40	----	----	----	----	----	2 UNCH
----	----	----	----	----	----	----	----	20.00 - 8.80	----	----	----	----	----	1 UNCH
----	----	----	----	----	----	----	----	23.30 - 10.20	----	----	----	----	----	1 UNCH
----	----	----	----	----	----	----	----	44.40 - 17.20	----	----	----	----	----	1 UNCH
----	----	----	----	----	----	----	----	82.70 - 24.90	----	----	----	----	----	7 UNCH
----	----	----	----	----	----	----	----	109.50 - 28.50	----	----	----	----	----	1 UNCH
----	----	----	----	----	----	----	----	141.50 - 31.10	----	----	----	----	----	2 UNCH
----	----	----	----	----	----	----	----	46.70 + 7.00	----	----	----	----	----	3 UNCH
----	----	----	----	----	----	----	----	23.20 + 3.20	----	----	----	----	----	2 UNCH
----	----	----	----	----	----	----	----	11.60 + 1.50	----	----	----	----	----	2 UNCH
----	----	----	----	3.10B/----	----	----	----	3.90 + 0.40	----	----	----	----	----	3 UNCH
----	----	----	----	----	----	----	----	1.50 UNCH	----	----	----	----	----	3 UNCH
----	----	----	----	----	----	----	----	1.00 UNCH	----	----	----	----	----	2 UNCH 0
----	----	----	----	----	----	----	----							32
AUG26 3700 4400 4550 4995 TOTAL														
----	----	----	----	----	----	----	----	7.40 - 1.20	----	----	----	----	----	2 UNCH
----	----	----	----	----	----	----	----	95.40 - 18.10	----	----	----	----	----	6 UNCH
----	----	----	----	----	----	----	----	165.10 - 25.70	----	----	----	----	----	2 UNCH
----	----	----	----	----	----	----	----	21.80 + 1.90	----	----	----	----	----	1 UNCH 0
----	----	----	----	----	----	----	----							11
OCT26 4680 TOTAL														
----	----	----	----	----	----	----	----	153.90 + 12.50	----	----	----	----	----	1 UNCH 0
----	----	----	----	----	----	----	----							1
DEC26 3250 4700 TOTAL														
----	----	----	----	----	----	----	----	14.80 - 1.00	----	----	----	----	----	1 UNCH
----	----	----	----	----	----	----	----	217.30 + 13.50	----	----	----	----	----	10 UNCH 0
----	----	----	----	----	----	----	----							11
GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 PUT JUN26 3250 3500 3750 3800 3900 4000 4050 4075 4100														
----	----	----	----	0.40B/*0.80A	----	----	----	0.60 - 0.20	.0028	----	----	----	----	4 UNCH
----	----	----	----	1.00B/1.30A	----	----	----	1.10 - 0.30	.0059	----	----	----	----	6 UNCH
----	----	----	----	2.00B/*2.50A	----	----	----	2.20 - 0.50	.0136	----	----	----	----	1 UNCH
----	----	----	----	2.40B/*2.80A	----	----	----	2.60 - 0.60	.0165	----	----	----	----	13 UNCH
----	----	----	----	3.60B/*3.60A	----	----	----	3.60 - 1.10	.0242	----	----	----	----	1 UNCH
----	----	----	----	5.50B/*5.20A	----	----	----	5.40 - 1.70	.0380	----	----	----	----	7 UNCH
----	----	----	----	7.50B/*6.40A	----	----	----	6.60 - 2.40	.0475	----	----	----	----	1 UNCH
----	----	----	----	9.10B/*7.10A	----	----	----	7.40 - 2.70	.0537	----	----	----	----	2 UNCH
----	----	----	----	10.50B/*7.90A	----	----	----	8.30 - 3.20	.0607	----	----	----	----	15 UNCH

BULLETIN #106@				METALS OPTION PRODUCTS										Thu, Jun 04, 2026				PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST						
OG4 PUT JUN26	GOLD OPTIONS																		
4125	----	----	----	----/*8.80A	12.10B/*8.80A	----	9.50 - 3.60	.0696	----	----	----	----	1	UNCH					
4150	----	----	----	----/*10.00A	13.80B/*10.00A	----	10.80 - 4.20	.0794	----	----	----	----	11	UNCH					
4175	----	----	----	17.40B/*11.30A	17.40B/*11.30A	----	12.40 - 4.80	.0911	----	----	----	----	3	UNCH					
4200	----	----	----	20.20B/*12.80A	20.20B/*12.80A	----	14.20 - 5.60	.1043	----	----	----	----	11	UNCH					
4225	----	----	----	23.70B/*14.70A	23.70B/*14.70A	----	16.40 - 6.50	.1199	----	----	----	----	3	UNCH					
4250	----	----	----	27.50B/*16.90A	27.50B/*16.90A	----	18.90 - 7.60	.1375	----	----	----	----	6	UNCH					
4275	26.00	26.00		32.10B/*19.30A	32.10B/*19.30A	----	21.90 - 8.80	.1580	----	----	10	----	15 +	10					
4300	----	----	----	37.40B/*22.70A	37.40B/*22.70A	----	25.50 - 10.10	.1816	----	----	1	----	21 -	1					
4325	----	----	----	43.40B/26.20A	43.40B/26.20A	----	29.70 - 11.60	.2082	----	----	1	----	1 -	1					
4350	----	----	----	50.70B/30.40A	50.70B/30.40A	----	34.60 - 13.30	.2380	----	----	1	----	19 -	1					
4375	----	----	----	58.80B/35.30A	58.80B/35.30A	----	40.40 - 15.10	.2715	----	----	----	----	15	UNCH					
4400	----	----	----	67.60B/41.10A	67.60B/41.10A	----	47.20 - 17.00	.3083	----	----	----	----	3	UNCH					
4425	----	----	----	78.30B/47.80A	78.30B/47.80A	----	55.10 - 18.90	.3483	----	----	----	----	2	UNCH					
4450	59.10	59.10		89.70B/55.50A	89.70B/55.50A	----	64.10 - 20.90	.3908	----	----	1	----	7	UNCH					
4475	83.50	83.50		100.90B/64.20A	100.90B/64.20A	----	74.40 - 22.80	.4352	----	----	27	----	222 +	3					
4500	83.00	83.00		115.10B/74.10A	115.10B/74.10A	----	85.90 - 24.60	.4809	----	----	10	----	15 +	6					
4525	89.00	89.00		126.90B/85.20A	126.90B/85.20A	----	98.70 - 26.40	.5269	----	----	2	----	3	UNCH					
4550	----	----	----	143.00B/97.50A	143.00B/97.50A	----	112.80 - 28.00	.5723	----	----	30	----	33 +	29					
4600	----	----	----	178.20B/125.50A	178.20B/125.50A	----	144.50 - 30.80	.6587	----	----	----	----	7	UNCH					
4700	----	----	----	258.90B/203.30A	258.90B/203.30A	----	220.20 - 34.60	.7994	----	----	----	----	1	UNCH					
4725	----	----	----	280.90B/223.00A	280.90B/223.00A	----	241.10 - 35.30	.8264	----	----	----	----	1	UNCH					
TOTAL											83		450 +	45					
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST						
OG4 CALL JUN26	GOLD OPTIONS																		
4300	----	----	----	256.90B/----	256.90B/204.10A	----	230.10 + 27.90	.8179	----	----	----	----	1	UNCH					
4325	----	----	----	235.60B/----	235.60B/185.00A	----	209.40 + 26.40	.7912	----	----	----	----	1	UNCH					
4400	----	----	----	176.40B/130.60A	176.40B/130.60A	----	152.00 + 21.00	.6910	----	----	----	----	1	UNCH					
4450	----	----	----	144.70B/98.10A	144.70B/98.10A	----	119.00 + 17.20	.6086	----	----	----	----	1	UNCH					
4475	----	----	----	128.70B/85.70A	128.70B/85.70A	----	104.30 + 15.20	.5641	----	5	----	8 +	1						
4500	----	----	----	113.80B/73.50A	113.80B/73.50A	----	90.90 + 13.40	.5185	----	----	----	14	UNCH						
4525	----	----	----	100.80B/63.70A	100.80B/63.70A	----	78.80 + 11.70	.4725	----	3	----	15 -	1						
4550	----	----	----	87.70B/55.60A	87.70B/55.60A	----	67.90 + 10.10	.4270	----	----	----	2	UNCH						
4575	74.40	74.40		76.30B/47.20A	76.30B/47.20A	----	58.20 + 8.50	.3828	----	2	----	5	UNCH						
4600	65.00	65.00		66.00B/40.70A	66.00B/40.70A	----	49.70 + 7.20	.3407	----	8	----	25 +	6						
4625	----	----	----	56.80B/*34.70A	56.80B/*34.70A	----	42.20 + 6.00	.3008	----	----	----	2	UNCH						
4650	36.00	36.00		48.20B/*29.70A	48.20B/*29.70A	----	35.80 + 5.00	.2642	----	2	----	2 -	1						
4700	25.20	25.20		36.70/*21.60A	36.70/*21.60A	----	25.50 + 3.40	.2001	----	82	----	82 +	57						
4725	----	----	----	29.30B/----	29.30B/18.90A	----	21.50 + 2.70	.1730	----	----	----	4	UNCH						
4750	19.00	19.00		24.80B/18.00	24.80B/16.50A	----	18.20 + 2.30	.1495	----	17	----	20 +	17						
4775	----	----	----	21.00B/----	21.00B/14.20A	----	15.40 + 1.80	.1289	----	----	----	4	UNCH						
4800	13.00	13.00		18.50/13.00	18.50/12.30A	----	13.10 + 1.50	.1112	----	60	----	53 +	40						
4825	----	----	----	15.00B/----	15.00B/10.70A	----	11.20 + 1.20	.0961	----	----	----	8	UNCH						
4850	----	----	----	12.60B/----	12.60B/9.50A	----	9.60 + 1.00	.0831	----	2	----	9 +	1						
4875	----	----	----	10.90B/----	10.90B/8.30A	----	8.30 + 0.80	.0722	----	----	----	4	UNCH						
4900	----	----	----	9.20B/----	9.20B/7.30A	----	7.20 + 0.60	.0629	----	----	----	4	UNCH						
4950	----	----	----	6.60B/----	6.60B/5.70A	----	5.60 + 0.40	.0487	----	----	----	4	UNCH						
4975	----	----	----	5.70B/----	5.70B/5.00A	----	4.90 + 0.30	.0426	----	----	----	1	UNCH						
5000	----	----	----	4.80B/----	4.80B/4.50A	----	4.40 + 0.20	.0380	----	----	----	11	UNCH						
5050	----	----	----	3.80B/----	3.80B/3.70A	----	3.60 + 0.10	.0306	----	----	----	10	UNCH						
5200	----	----	----	2.00B/2.40A	2.00B/2.40A	----	2.10 UNCH	.0170	----	----	----	23	UNCH						
5250	----	----	----	1.70B/2.10A	1.70B/2.10A	----	1.80 - 0.10	.0143	----	----	----	1	UNCH						
5300	----	----	----	1.50B/1.90A	1.50B/1.90A	----	1.60 UNCH	.0124	----	----	----	18	UNCH						
5400	----	----	----	1.20B/*1.50A	1.20B/*1.50A	----	1.30 UNCH	.0096	----	----	----	1	UNCH						
5500	----	----	----	1.00B/1.50A	1.00B/1.50A	----	1.00 - 0.10	.0071	----	----	----	1	UNCH						
5750	----	----	----	----	0.50B/1.10A	----	0.70 - 0.10	.0045	----	----	----	1	UNCH						
TOTAL											181		336 +	120					
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST						
OG2 PUT JUN26	GOLD OPTIONS																		
3250	----	----	----	----	----/*0.40A	----	0.10 - 0.10	.0003	----	----	3	----	8 +	3					
3500	----	----	----	----/0.40A	----/0.40A	----	0.30 - 0.20	.0014	----	----	----	----	9	UNCH					
3600	----	----	----	----/*0.50A	0.10B/*0.50A	----	0.30 - 0.30	.0015	----	----	----	----	1	UNCH					
3700	----	----	----	----	0.50B/0.70A	----	0.40 - 0.30	.0023	----	----	----	----	1	UNCH					
3750	----	----	----	----/*0.70A	0.50B/*0.70A	----	0.50 - 0.30	.0030	----	----	----	20	UNCH						
3800	0.60	0.60		0.60/*0.60	0.60/*0.60	----	0.60 - 0.30	.0038	----	4	----	12 +	1						
3900	----	----	----	----/*1.00A	0.90B/*1.00A	----	0.80 - 0.40	.0057	----	3	----	59 +	3						
4000	1.30	1.30		1.30/*1.30	1.40B/*1.30	----	1.10 - 0.70	.0090	----	5	----	378 +	3						
4050	----	----	----	----/*1.50A	1.90B/*1.50A	----	1.40 - 0.90	.0121	----	2	----	14	UNCH						
4075	----	----	----	----/*1.70A	2.20B/*1.70A	----	1.60 - 1.00	.0143	----	----	----	2	UNCH						
4100	----	----	----	----/*1.80A	2.60B/*1.80A	----	1.80 - 1.20	.0166	----	1	----	11	UNCH						
4125	2.10	2.10		2.10/*2.10	3.10B/*2.10	----	2.10 - 1.40	.0199	----	1	----	6 +	4						
4150	2.40	2.40		2.40/*2.40	3.80B/*2.40	----	2.40 - 1.70	.0235	----	4	----	62 +	4						
4175	----	----	----	----/*2.70A	4.60B/*2.70A	----	2.80 - 2.00	.0283	----	----	----	2	UNCH						
4200	----	----	----	----/*3.10A	5.70B/*3.10A	----	3.30 - 2.40	.0343	----	2	----	120	UNCH						
4225	----	----	----	7.00B/*3.60A	7.00B/*3.60A	----	4.00 - 2.90	.0425											

BULLETIN #106@				METALS OPTION PRODUCTS										Thu, Jun 04, 2026				PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG2 CALL	GOLD OPTIONS																		
JUN26																			
4575	20.00	20.00		41.70B/*17.90A	41.70B/*17.90A	----	----	----	25.50 + 5.80	.2941	----	----	9	----	120 +	5			
4600	17.50	17.50		32.60B/*13.70A	32.60B/*13.70A	----	----	----	19.20 + 4.30	.2321	----	----	50	----	153 -	9			
4625	25.00	25.00		25.20B/*10.50A	25.20B/*10.50A	----	----	----	14.30 + 3.00	.1795	----	----	9	----	80 +	6			
4650	10.00	10.00		19.30B/*8.10A	19.30B/*8.10A	----	----	----	10.60 + 2.00	.1369	----	----	8	----	58 +	7			
4675	9.90	9.90		14.70B/6.30A	14.70B/6.30A	----	----	----	7.90 + 1.40	.1037	----	----	4	----	63 +	3			
4700	6.00	6.00		11.10B/6.00	11.10B/5.00A	----	----	----	5.90 + 0.90	.0781	----	----	12	----	77 +	10			
4725	4.90	4.90		8.50B/4.50	8.50B/4.10A	----	----	----	4.50 + 0.60	.0594	----	----	7	----	69 +	4			
4750	----	----		6.50B/----	6.50B/3.40A	----	----	----	3.50 + 0.40	.0457	----	----	----	----	11	UNCH			
4775	----	----		5.00B/----	5.00B/2.70A	----	----	----	2.80 + 0.30	.0359	----	----	----	----	15	UNCH			
4800	2.40	2.40		3.90B/2.10	3.90B/2.10	----	----	----	2.20 + 0.10	.0278	----	----	6	----	41 +	6			
4825	1.90	1.90		3.00B/1.80	3.00B/1.80	----	----	----	1.80 + 0.10	.0222	----	----	5	----	17 +	4			
4850	----	----		2.40B/----	2.40B/1.50A	----	----	----	1.50 UNCH	.0180	----	----	2	----	14	UNCH			
4875	----	----		1.90B/----	1.90B/1.30A	----	----	----	1.30 UNCH	.0151	----	----	----	----	13	UNCH			
4900	1.70	1.70		1.70/1.20A	1.70/1.20A	----	----	----	1.10 UNCH	.0124	----	----	1	----	17 +	1			
4925	----	----		1.30B/----	1.30B/*1.00A	----	----	----	1.00 UNCH	.0109	----	----	2	----	2	UNCH			
4950	----	----		1.10B/----	1.10B/*0.90A	----	----	----	0.80 - 0.10	.0086	----	----	----	----	12	UNCH			
4975	1.20	1.20		1.20/*0.80A	1.20/*0.80A	----	----	----	0.70 - 0.10	.0073	----	----	4	----	6 +	4			
5000	----	----		0.80B/----	0.80B/0.80A	----	----	----	0.60 - 0.10	.0061	----	----	----	----	1	UNCH			
5025	----	----		0.70B/----	0.70B/0.80A	----	----	----	0.60 UNCH	.0058	----	----	----	----	3	UNCH			
5050	----	----		----	0.60B/*0.70A	----	----	----	0.50 - 0.10	.0048	----	----	----	----	14	UNCH			
5100	----	----		----	0.50B/0.70A	----	----	----	0.40 - 0.10	.0036	----	----	----	----	5	UNCH			
5300	----	----		----	0.10B/*0.60A	----	----	----	0.20 UNCH	.0015	----	----	----	----	4	UNCH			
TOTAL													140		1118 +	58			
JUL26																			
4525	----	----		123.10B/*89.40A	123.10B/*89.40A	----	----	----	104.10 + 11.90	.4836	----	----	1	----	6 +	1			
4550	----	----		111.60B/*79.30A	111.60B/*79.30A	----	----	----	93.10 NEW	.4486	----	----	1	----	1 +	1			
4650	----	----		70.70B/*50.00A	70.70B/*50.00A	----	----	----	58.00 + 7.10	.3181	----	----	----	----	1	UNCH			
4800	30.00	30.00		33.60B/30.00	33.60B/24.60A	----	----	----	27.20 NEW	.1719	----	----	5	----	5 +	5			
4825	----	----		29.80B/----	29.80B/21.80A	----	----	----	24.00 + 2.50	.1542	----	----	1	----	1	UNCH			
4850	----	----		26.20B/----	26.20B/20.10A	----	----	----	21.20 NEW	.1383	----	----	2	----	2 +	2			
4875	----	----		23.20B/----	23.20B/18.00A	----	----	----	18.80 + 1.80	.1241	----	----	1	----	2 +	1			
4900	----	----		20.30B/----	20.30B/16.30A	----	----	----	16.70 + 1.50	.1115	----	----	2	----	5 +	1			
4925	----	----		18.00B/----	18.00B/14.90A	----	----	----	14.90 + 1.20	.1003	----	----	4	----	5 +	3			
4950	----	----		16.00B/----	16.00B/13.40A	----	----	----	13.30 + 1.00	.0902	----	----	1	----	51	UNCH			
4975	----	----		14.20B/----	14.20B/12.10A	----	----	----	12.00 + 0.90	.0817	----	----	1	----	2 +	1			
5000	12.30	12.30		12.80B/10.90A	12.80B/10.90A	----	----	----	10.80 + 0.70	.0738	----	----	7	----	56 +	3			
5025	----	----		11.50B/----	11.50B/9.90A	----	----	----	9.80 + 0.60	.0671	----	----	----	----	1	UNCH			
5250	4.50	4.50		4.90B/*4.50	4.90B/*4.50	----	----	----	4.50 NEW	.0304	----	----	7	----	4 +	4			
5750	----	----		----	1.50B/2.10A	----	----	----	1.80 - 0.10	.0104	----	----	----	----	1	UNCH			
TOTAL													33		143 +	22			
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG1 PUT	GOLD OPTIONS																		
JUN26																			
3250	----	----		----	----/0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH			
3500	----	----		----	----/*0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	32	UNCH			
3600	----	----		----	----/*0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH			
3700	----	----		----	----/*0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	9	UNCH			
3750	----	----		----	----/*0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	14	UNCH			
3800	----	----		----	----/0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	17	UNCH			
3900	----	----		----	----/*0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	53	UNCH			
4000	0.10	0.10		0.10/0.10	0.10/0.10	----	----	----	0.10 UNCH	----	----	----	2	----	102	UNCH			
4050	----	----		----	----/0.20A	----	----	----	0.10 - 0.10	----	----	----	----	----	43	UNCH			
4070	----	----		----	----/*0.20A	----	----	----	0.10 NEW	----	----	----	2	----	2 +	2			
4075	----	----		----/*0.10A	----/*0.10A	----	----	----	0.10 - 0.10	----	----	----	----	----	32	UNCH			
4100	----	----		----/*0.10A	----/*0.10A	----	----	----	0.10 - 0.10	----	----	----	----	----	19	UNCH			
4110	----	----		----	----/*0.20A	----	----	----	0.10 - 0.10	----	----	----	----	----	1	UNCH			
4125	----	----		----	----/*0.20A	----	----	----	0.10 - 0.10	----	----	----	----	----	4	UNCH			
4150	----	----		----	----/*0.20A	----	----	----	0.10 - 0.20	----	----	----	----	----	25	UNCH			
4175	----	----		----	----/*0.20A	----	----	----	0.10 - 0.30	----	----	----	2	----	26	UNCH			
4195	----	----		----/*0.20A	0.40B/*0.20A	----	----	----	0.10 NEW	----	----	----	2	----	2 +	2			
4200	----	----		----/*0.20A	0.40B/*0.20A	----	----	----	0.10 - 0.50	----	----	----	4	----	47 -	1			
4210	----	----		----/*0.20A	0.40B/*0.20A	----	----	----	0.10 - 0.50	----	----	----	----	----	1	UNCH			
4225	0.20	0.20		0.20/*0.20	0.60B/*0.20	----	----	----	0.10 - 0.70	----	----	----	34	----	42 +	26			
4230	----	----		----/*0.20A	0.70B/*0.20A	----	----	----	0.10 - 0.70	.0000	----	----	----	----	27	UNCH			
4235	0.50	0.50		0.50/*0.20A	0.70B/*0.20A	----	----	----	0.10 NEW	.0000	----	----	2	----	2 +	2			
4250	0.40	0.40		0.40/*0.20A	0.90B/*0.20A	----	----	----	0.10 - 0.90	.0000	----	----	8	----	41 -	1			
4255	----	----		----/*0.20A	1.00B/*0.20A	----	----	----	0.10 - 1.00	.0000	----	----	----	----	1	UNCH			
4265	----	----		----/*0.20A	1.00B/*0.20A	----	----	----	0.10 - 1.10	.0000	----	----	----	----	1	UNCH			
4270	0.20	0.20		0.20/*0.20	1.00B/*0.20	----	----	----	0.20 - 1.10	.0002	----	----	1	----	1	UNCH			
4275	0.20	0.20		0.20/*0.10	1.10B/*0.10	----	----	----	0.20 - 1.20	.0002	----	----	12	----	42 +	3			
4280	0.40	0.40		0.40/*0.20	1.20B/*0.20	----	----	----	0.20 - 1.30	.0002	----	----	17	----	16 +	15			
4285	1.00	1.00		1.00/*0.20A	1.30B/*0.20A	----	----</												

PG64		BULLETIN #106@										METALS OPTION PRODUCTS										Thu, Jun 04, 2026		PG64
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST									
OG1 PUT JUN26		GOLD OPTIONS																						
4610	----	----	----		#157.10B/74.90A	#157.10B/74.90A	----	105.90	NEW	.9938	----	----	7	----	7	+	7							
4625	105.50	----	105.50		171.90B/87.90A	171.90B/87.90A	----	120.50	- 38.40	.9976	----	----	1	----	13	+	1							
4650	----	----	----		----/111.50A	163.80B/111.50A	----	145.20	- 38.40	.9995	----	----	----	----	2		UNCH							
4670	----	----	----		----/131.00A	183.70B/131.00A	----	165.10	- 38.30	1.0000	----	----	----	----	1		UNCH							
4675	----	----	----		----/135.80A	188.70B/135.80A	----	170.10	- 38.30	1.0000	----	----	1	----	2		UNCH							
4700	195.00	----	195.00		195.00/159.40A	213.80B/159.40A	----	195.10	- 38.20	1.0000	----	----	1	----	22	-	4							
4750	----	----	----		----/209.00A	262.80B/209.00A	----	245.10	- 38.10	1.0000	----	----	----	----	0	-	25							
4775	----	----	----		----/238.00A	285.30B/238.00A	----	270.10	- 38.10	1.0000	----	----	----	----	11		UNCH							
4800	----	----	----		----/263.00A	310.30B/263.00A	----	295.10	- 38.10	1.0000	----	----	----	----	0	-	2							
4850	----	----	----		----/313.00A	360.30B/313.00A	----	345.10	- 38.10	1.0000	----	----	----	----	0	-	2							
4950	----	----	----		----/440.40A	448.30B/440.40A	----	445.10	- 38.10	1.0000	----	----	----	----	0	-	1							
6000	----	----	----		----/*1,490.40A	#1498.30B/*1490.40	----	1495.10	- 38.10	1.0000	----	----	60	----	0		UNCH							
10000	----	----	----		----	#5498.30B/*5490.20	----	5495.10	NEW	1.0000	----	----	25	----	25	+	25							
TOTAL																		6165+						
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST									
OG1 CALL JUN26		GOLD OPTIONS																						
3500	----	----	----		#1,009.60B/----	#1009.60B/*1001.70	----	1005.10	+ 38.10	1.0000	----	----	60	----	0		UNCH							
3600	----	----	----		#909.70B/----	#909.70B/*901.70A	----	905.10	NEW	1.0000	----	----	25	----	25	+	25							
4200	----	----	----		337.10B/----	337.10B/289.70A	----	305.10	+ 37.60	1.0000	----	----	----	----	2		UNCH							
4375	----	----	----		166.70B/86.70A	166.70B/86.70A	----	131.10	+ 33.10	.9941	----	----	----	----	14		UNCH							
4400	----	----	----		141.80B/66.20A	141.80B/66.20A	----	106.90	+ 30.40	.9847	----	----	2	----	4	+	2							
4405	----	----	----		137.40B/*62.40A	137.40B/*62.40A	----	102.10	+ 29.80	.9817	----	----	----	----	1		UNCH							
4410	----	----	----		132.30B/*58.70A	132.30B/*58.70A	----	97.30	+ 29.00	.9784	----	----	----	----	1		UNCH							
4425	----	----	----		118.70B/*48.10A	118.70B/*48.10A	----	83.20	+ 26.50	.9623	----	----	----	----	30		UNCH							
4435	----	----	----		108.70B/*41.60A	108.70B/*41.60A	----	74.10	+ 24.60	.9442	----	----	----	----	1		UNCH							
4440	----	----	----		104.10B/*38.80A	104.10B/*38.80A	----	69.60	NEW	.9330	----	----	2	----	2	+	2							
4450	----	----	----		95.10B/*33.10A	95.10B/*33.10A	----	60.90	+ 21.10	.9025	----	----	1	----	16	-	1							
4460	46.10	----	46.10		86.00B/*28.00A	86.00B/*28.00A	----	52.60	+ 18.60	.8602	----	----	4	----	7	+	2							
4465	----	----	----		81.80B/*25.80A	81.80B/*25.80A	----	48.60	+ 17.30	.8342	----	----	----	----	2		UNCH							
4470	49.00	----	49.00		77.40B/*23.60A	77.40B/*23.60A	----	44.70	+ 16.00	.8048	----	----	3	----	10	+	1							
4475	34.70	----	34.70		73.30B/*21.60A	73.30B/*21.60A	----	41.00	+ 14.70	.7709	----	----	5	----	65	+	1							
4480	30.90	----	30.90		69.10B/*19.70A	69.10B/*19.70A	----	37.50	+ 13.50	.7328	----	----	5	----	36		UNCH							
4485	32.00	----	32.00		65.10B/*17.90A	65.10B/*17.90A	----	34.10	+ 12.20	.6918	----	----	52	----	54	-	10							
4490	----	----	----		61.00B/*16.10A	61.00B/*16.10A	----	30.80	+ 10.90	.6481	----	----	1	----	6	+	1							
4495	26.00	----	26.00		57.10B/*14.70A	57.10B/*14.70A	----	27.80	+ 9.80	.6009	----	----	26	----	23	+	19							
4500	14.50	----	14.50		53.60B/*13.30A	53.60B/*13.30A	----	24.90	+ 8.60	.5520	----	----	78	----	118	+	21							
4505	25.80	----	25.80		49.70B/*12.00A	49.70B/*12.00A	----	22.20	+ 7.50	.5017	----	----	37	----	24	+	19							
4510	15.00	----	15.00		46.20B/*10.80A	46.20B/*10.80A	----	19.80	+ 6.60	.4511	----	----	36	----	21	+	13							
4515	12.50	----	12.50		42.80B/*9.70A	42.80B/*9.70A	----	17.50	+ 5.70	.4011	----	----	77	----	46	+	32							
4520	12.20	----	12.20		39.60B/*8.70A	39.60B/*8.70A	----	15.40	+ 4.80	.3524	----	----	79	----	35	+	30							
4525	12.50	----	12.50		36.70B/*7.80A	36.70B/*7.80A	----	13.40	+ 3.90	.3052	----	----	100	----	164	+	49							
4530	15.10	----	15.10		33.80B/*7.00A	33.80B/*7.00A	----	11.70	+ 3.20	.2618	----	----	77	----	23	+	11							
4535	10.50	----	10.50		31.00B/*6.30A	31.00B/*6.30A	----	10.20	+ 2.70	.2223	----	----	9	----	10	+	4							
4540	14.10	----	14.10		28.40B/*5.60A	28.40B/*5.60A	----	8.80	+ 2.10	.1860	----	----	32	----	32	+	13							
4545	10.00	----	10.00		25.90B/*4.90A	25.90B/*4.90A	----	7.60	+ 1.60	.1542	----	----	6	----	16		UNCH							
4550	5.10	----	5.10		24.20B/*4.50A	24.20B/*4.50A	----	6.50	+ 1.20	.1259	----	----	282	----	167	+	3							
4555	5.50	----	5.50		21.30B/*4.00A	21.30B/*4.00A	----	5.50	+ 0.80	.1010	----	----	25	----	25	+	21							
4560	16.20	----	16.20		19.20B/*3.60A	19.20B/*3.60A	----	4.70	+ 0.50	.0811	----	----	27	----	29	+	13							
4565	4.00	----	4.00		17.30B/*3.10A	17.30B/*3.10A	----	4.00	+ 0.30	.0644	----	----	36	----	35	+	26							
4570	4.70	----	4.70		15.80B/*2.80A	15.80B/*2.80A	----	3.40	+ 0.10	.0507	----	----	12	----	24	+	10							
4575	3.70	----	3.70		15.00/*2.40A	15.00/*2.40A	----	2.90	UNCH	.0398	----	----	53	----	153	+	24							
4580	4.40	----	4.40		12.70B/*2.00A	12.70B/*2.00A	----	2.40	- 0.20	.0301	----	----	31	----	39	+	21							
4585	10.20	----	10.20		11.50B/*1.70A	11.50B/*1.70A	----	2.10	- 0.20	.0241	----	----	11	----	9	+	4							
4590	2.60	----	2.60		10.20B/*1.40	10.20B/*1.40	----	1.70	- 0.30	.0176	----	----	11	----	53	+	1							
4595	4.00	----	4.00		9.10B/*1.10A	9.10B/*1.10A	----	1.50	- 0.30	.0141	----	----	8	----	11	+	2							
4600	2.60	----	2.60		8.10B/*0.90A	8.10B/*0.90A	----	1.20	- 0.30	.0100	----	----	136	----	167	+	52							
4605	2.00	----	2.00		7.20B/*0.70A	7.20B/*0.70A	----	1.00	- 0.40	.0074	----	----	3	----	3	+	2							
4610	0.80	----	0.80		6.40B/*0.60A	6.40B/*0.60A	----	0.90	- 0.30	.0061	----	----	8	----	9	+	6							
4615	0.90	----	0.90		5.60B/*0.50A	5.60B/*0.50A	----	0.70	- 0.40	.0041	----	----	12	----	20	+	4							
4620	1.00	----	1.00		5.00B/*0.40A	5.00B/*0.40A	----	0.60	- 0.30	.0031	----	----	2	----	14		UNCH							
4625	----	----	----		4.40B/*0.40A	4.40B/*0.40A	----	0.50	- 0.30	.0023	----	----	9	----	86	+	3							
4630	2.60	----	2.60		3.80B/*0.30	3.80B/*0.30	----	0.40	- 0.30	.0016	----	----	33	----	30	+	23							
4635	3.20	----	3.20		3.30B/*0.20	3.30B/*0.20	----	0.40	- 0.30	.0015	----	----	12	----	8	+	4							
4640	2.30	----	2.30		2.90B/*0.20	2.90B/*0.20	----	0.30	- 0.30	.0009	----	----	7	----	7	+	2							
4645	1.50	----	1.50		2.60B/*0.20A	2.60B/*0.20A	----	0.20	- 0.30	.0004	----	----	1	----	11	+	1							
4650	1.70	----	1.70		2.20B/*0.10	2.20B/*0.10	----	0.20	- 0.30	.0004	----	----	10	----	77	+	1							
4655	0.90	----	0.90		1.90B/*0.20	1.90B/*0.20	----	0.20	- 0.20	.0004	----	----	6	----	8	+	5							
4660	----	----	----		1.60B/*0.10A	1.60B/*0.10A	----	0.10	- 0.30	.0001	----	----	1	----	2		UNCH							
4665	----	----	----		1.40B/*0.10A	1.40B/*0.10A	----	0.10	- 0.30	.0000	----	----	1	----	2	-	1							
4670	0.10	----	0.10		1.20B/*0.10	1.20B/*0.10	----	0.10	- 0.20	.0000	----	----	11	----	25	+	9							
4675	----	----	----		1.00B/*0.10A	1.00B/*0.10A	----	0.10	- 0.20	.0000	----	----	34	----	105		UNCH							
4685	0.10	----	0.10		0.70B/*0.10	0.70B/*0.10	----	0.10	- 0.10	.0000	----	----	1	----	2		UNCH							
4690	----	----	----		0.60B/*0.10A	0.60B/*0.10A	----	0.10	NEW	.0000	----	----	5	----	5	+	5							
4695	0.40	----	0.40		0.50B/*0.10A	0.50B/*0.10A	----	0.10	- 0.10	----	----	----	3	----	2	+	1							
4700	0.50	----	0.50		0.50/*0.10A	0.50/*0.10A	----	0.10	- 0.10	----	----	----	13	----	170	+	5							
4715	----	----	----		0.20B/----	0.20B/*0.10A	----	0.10	UNCH	----	----	----	1	----	1		UNCH							
4725	0.20	----	0.20		0.20/*0.10A	0.20/*0.10A	----	0.10	UNCH	----	----	----	1	----	71		UNCH							
4735	----	----	----		0.10B/*0.10A	0.10B/*0.10A	----	0.10	UNCH	----	----	----	----	----	1		UNCH							
4750	----	----	----		----	----	----	0.10	UNCH	----	----	----	3	----	227	-	1							
4760	----	----	----		----	----	----	0.10	UNCH	----	----	----	----	----	1		UNCH							
4775	----	----	----		----	----	----	0.10	UNCH	----	----	----	----	----	135		UNCH							
4780	----	----	----		----	----	----	0.10	UNCH	----	----	----	----	----	1		UNCH							
4785	----	----	----		----	----	----	0.10	UNCH	----	----	----	----	----	1		UNCH							
4790	----	----	----		----	----	----	0.10	UNCH	----	----	----	----	----	1		UNCH							
4800	----	----	----		----	----	----	0.10	UNCH	----	----</													

BULLETIN #106@				METALS OPTION PRODUCTS										Thu, Jun 04, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST
OG PUT	COMEX GOLD OPTIONS															
JUL26	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
2725	----	----	----	----	----	----/0.10A	----	----	0.10	UNCH	.0000	----	----	----	----	142
2730	----	----	----	----	----	----/3.10A	----	----	0.10	UNCH	.0000	----	----	----	----	1
2750	----	----	----	----	----	----/0.10A	----	----	0.10	UNCH	.0000	----	----	----	----	92
2775	----	----	----	----	----	----/3.40A	----	----	0.10	UNCH	.0000	----	----	----	----	1
2785	----	----	----	----	----	----/3.60A	----	----	0.10	UNCH	.0001	----	----	----	----	2
2800	0.10	0.10		0.10	0.10	0.10	0.10	----	0.10	UNCH	.0001	----	3	----	----	9
2850	----	----	----	----	----	----/*0.10A	----	----	0.10	UNCH	.0001	----	----	----	----	4
2860	----	----	----	----	----	----/*0.10A	----	----	0.10	UNCH	.0002	----	----	----	----	6
2885	----	----	----	----	----	----/*0.10A	----	----	0.10	UNCH	.0002	----	----	----	----	14
2890	----	----	----	----	----	----/*0.10A	----	----	0.10	UNCH	.0002	----	----	----	----	60
2895	----	----	----	----	----	----/*0.10A	----	----	0.10	UNCH	.0003	----	----	----	----	18
2900	----	----	----	----	----	----/0.10A	----	----	0.10	UNCH	.0003	----	----	----	----	19
2905	----	----	----	----	----	----/*0.10A	----	----	0.10	UNCH	.0003	----	----	----	----	19
2915	----	----	----	----	----	----/*0.10A	----	----	0.10	- 0.10	.0003	----	----	----	----	2
2920	0.10	0.10		0.10	0.10	0.10	0.10	----	0.10	- 0.10	.0003	----	3	----	----	6 +
2950	----	----	----	----	----	----/0.20A	----	----	0.20	UNCH	.0008	----	----	----	----	35
2975	----	----	----	----	----	----/0.40A	----	----	0.20	UNCH	.0008	----	----	----	----	1
2985	----	----	----	----	----	----/0.20A	----	----	0.20	UNCH	.0008	----	----	----	----	21
2995	----	----	----	----	----	----/0.50A	----	----	0.20	UNCH	.0008	----	----	----	----	16
3000	----	----	----	----	----	0.10B	0.20A	----	0.20	UNCH	.0008	----	----	----	----	78
3010	----	----	----	----	----	----/0.50A	----	----	0.20	UNCH	.0009	----	----	----	----	1
3015	----	----	----	----	----	----/0.50A	----	----	0.20	UNCH	.0009	----	----	----	----	5
3025	----	----	----	----	----	----/0.60A	----	----	0.20	UNCH	.0009	----	----	----	----	1
3035	----	----	----	----	----	----/0.60A	----	----	0.20	- 0.10	.0009	----	----	----	----	5
3050	----	----	----	----	----	0.10B	0.30A	----	0.20	- 0.10	.0009	----	----	----	----	10
3060	----	----	----	----	----	0.10B	/*0.30A	----	0.20	- 0.10	.0009	----	----	----	----	24
3100	----	----	----	----	----	0.10B	/*0.30A	----	0.30	UNCH	.0013	----	----	----	----	77
3105	----	----	----	----	----	0.10B	/*0.30A	----	0.30	UNCH	.0013	----	----	----	----	1
3110	----	----	----	----	----	0.20B	/*0.30A	----	0.30	UNCH	.0013	----	----	----	----	5
3125	----	----	----	----	----	----/*0.30A	----	----	0.30	- 0.10	.0014	----	----	----	----	42
3140	----	----	----	----	----	0.20B	0.40A	----	0.30	- 0.10	.0014	----	----	----	----	1
3150	----	----	----	----	----	0.30B	0.40A	----	0.40	UNCH	.0018	----	----	----	----	12
3155	----	----	----	----	----	0.30B	0.40A	----	0.40	UNCH	.0018	----	----	----	----	1
3165	----	----	----	----	----	0.30B	0.40A	----	0.40	UNCH	.0018	----	----	----	----	1
3175	----	----	----	----	----	0.30B	0.40A	----	0.40	UNCH	.0018	----	----	----	----	1
3180	----	----	----	----	----	0.30B	0.40A	----	0.40	UNCH	.0018	----	----	----	----	2
3185	----	----	----	----	----	0.30B	0.40A	----	0.40	UNCH	.0018	----	----	----	----	22
3195	----	----	----	----	----	0.40B	0.50A	----	0.40	- 0.10	.0019	----	----	----	----	1
3200	----	----	----	----	----	0.40B	0.50A	----	0.40	- 0.10	.0019	----	----	----	----	211
3210	----	----	----	----	----	0.40B	0.50A	----	0.40	- 0.10	.0019	----	----	----	----	6
3220	----	----	----	----	----	0.40B	0.50A	----	0.50	UNCH	.0023	----	----	----	----	1
3225	----	----	----	----	----	0.40B	0.50A	----	0.50	UNCH	.0023	----	----	----	----	72
3250	----	----	----	----	----	0.50B	0.60A	----	0.50	UNCH	.0024	----	----	----	----	111
3270	----	----	----	----	----	0.50B	0.60A	----	0.50	- 0.10	.0024	----	----	----	----	1
3275	----	----	----	----	----	0.50B	0.60A	----	0.50	- 0.10	.0024	----	----	----	----	10
3280	----	----	----	----	----	0.50B	0.60A	----	0.60	UNCH	.0029	----	----	----	----	25
3285	----	----	----	----	----	0.50B	0.60A	----	0.60	UNCH	.0029	----	----	----	----	1
3290	----	----	----	----	----	0.60B	0.60A	----	0.60	UNCH	.0029	----	----	----	----	22
3300	0.70	0.70		0.70	0.70	0.70	0.60A	----	0.60	UNCH	.0029	----	1	----	----	176 -
3320	----	----	----	----	----	----/*0.60A	----	----	0.60	- 0.10	.0030	----	----	----	----	28
3325	0.70	0.70		0.70	0.70	0.70	0.70	----	0.60	- 0.10	.0030	----	1	----	----	147
3335	----	----	----	----	----	0.60B	0.70A	----	0.70	UNCH	.0034	----	----	----	----	87
3340	----	----	----	----	----	0.70B	0.70A	----	0.70	UNCH	.0034	----	----	----	----	1
3350	----	----	----	----	----	0.70B	0.70A	----	0.70	UNCH	.0035	----	----	----	----	25
3355	----	----	----	----	----	----/*0.70A	----	----	0.70	- 0.10	.0035	----	----	----	----	69
3360	----	----	----	----	----	----/*0.70A	----	----	0.70	- 0.10	.0035	----	----	----	----	6
3370	----	----	----	----	----	----/*0.70A	----	----	0.70	- 0.10	.0035	----	----	----	----	9
3375	----	----	----	----	----	----/*0.70A	----	----	0.80	UNCH	.0040	----	----	----	----	4
3380	----	----	----	----	----	----/*0.70A	----	----	0.80	UNCH	.0040	----	----	----	----	4
3385	----	----	----	----	----	0.70B	0.80A	----	0.80	UNCH	.0040	----	----	----	----	6
3390	----	----	----	----	----	----/0.80A	----	----	0.80	- 0.10	.0040	----	----	----	----	67
3395	----	----	----	----	----	----/0.80A	----	----	0.80	- 0.10	.0041	----	----	----	----	32
3400	----	----	----	----	----	----/0.80A	----	----	0.80	- 0.10	.0041	----	----	----	----	63
3405	----	----	----	----	----	----/*0.80A	----	----	0.80	- 0.10	.0041	----	----	----	----	7
3410	----	----	----	----	----	----/0.80A	----	----	0.80	- 0.10	.0041	----	----	----	----	6
3415	----	----	----	----	----	----/*0.80A	----	----	0.90	UNCH	.0046	----	----	----	----	1
3420	----	----	----	----	----	----/*0.80A	----	----	0.90	- 0.10	.0046	----	----	----	----	6
3425	----	----	----	----	----	----/*0.80A	----	----	0.90	- 0.10	.0046	----	----	----	----	57
3435	----	----	----	----	----	----/0.90A	----	----	0.90	- 0.10	.0047	----	----	----	----	6
3440	----	----	----	----	----	----/0.90A	----	----	0.90	- 0.10	.0047	----	----	----	----	7
3445	0.90	0.90		0.90	0.90	0.90	0.90	----	0.90	- 0.10	.0047	----	1	----	----	3 +
3450	----	----	----	----	----	----/0.90A	----	----	0.90	- 0.20	.0047	----	----	----	----	133
3455	----	----	----	----	----	----/*0.90A	----	----	1.00	- 0.10	.0052	----	----	----	----	10
3460	----	----	----	----	----	----/*0.90A	----	----	1.00	- 0.10	.0052	----	----	----	----	10
3465	----	----	----	----	----	0.90B	1.00A	----	1.00	- 0.10	.0052	----	----	----	----	142
3475	----	----	----	----	----	1.00B	1.00A	----	1.00	- 0.20	.0053	----	----	----	----	128
3480	----	----	----	----	----	1.00B	1.00A	----	1.00	- 0.20	.0053	----	----	----	----	129
3495	----	----	----	----	----	1.00B	1.10A	----	1.10	- 0.10	.0058	----	----	----	----</	

GLOBEX OPEN		OPEN	OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN	OUTCRY HIGH/LOW	OPEN	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG PUT		COMEX GOLD OPTIONS																	
JUL26																			
3820	----	----	----	----	---/*2.50A	3.00B/*2.50A	----	----	2.70	- 0.70	.0174	----	----	----	----	----	17	UNCH	
3825	----	----	----	----	---/*2.60A	3.00B/*2.60A	----	----	2.70	- 0.70	.0175	----	----	----	42	----	132	+	40
3830	----	----	----	----	---/*2.60A	3.20B/*2.60A	----	----	2.70	- 0.80	.0176	----	----	----	----	----	27	UNCH	
3835	2.70	2.70	----	----	2.70/*2.60A	3.10B/*2.60A	----	----	2.80	- 0.70	.0182	----	----	----	1	----	13	+	1
3840	----	----	----	----	---/*2.70A	3.30B/*2.70A	----	----	2.80	- 0.80	.0183	----	----	----	----	----	39	UNCH	
3845	----	----	----	----	---/*2.70A	3.30B/*2.70A	----	----	2.90	- 0.70	.0190	----	----	----	----	----	15	UNCH	
3850	----	----	----	----	---/*2.70A	3.30B/*2.70A	----	----	2.90	- 0.80	.0191	----	----	7	----	----	229	-	5
3855	----	----	----	----	---/*2.80A	3.50B/*2.80A	----	----	3.00	- 0.80	.0197	----	----	----	----	----	66	UNCH	
3860	----	----	----	----	---/*2.80A	3.50B/*2.80A	----	----	3.00	- 0.80	.0199	----	----	2	----	----	61	-	2
3865	2.90	2.90	----	----	3.00/*2.90	3.60B/*2.90	----	----	3.00	- 0.90	.0200	----	----	4	----	----	88	+	2
3870	----	----	----	----	---/*2.90A	3.70B/*2.90A	----	----	3.10	- 0.80	.0207	----	----	----	----	----	17	UNCH	
3875	----	----	----	----	---/*3.00A	3.80B/*3.00A	----	----	3.10	- 0.90	.0208	----	----	2	----	----	132	-	2
3880	----	----	----	----	---/*3.00A	3.80B/*3.00A	----	----	3.20	- 0.90	.0215	----	----	----	----	----	45	UNCH	
3885	----	----	----	----	---/*3.10A	3.90B/*3.10A	----	----	3.20	- 1.00	.0216	----	----	2	----	----	45	UNCH	
3890	----	----	----	----	---/*3.10A	4.00B/*3.10A	----	----	3.30	- 0.90	.0223	----	----	----	----	----	23	UNCH	
3895	3.30	3.30	----	----	3.30/*3.20A	4.10B/*3.20A	----	----	3.40	- 0.90	.0229	----	----	1	----	----	21	UNCH	
3900	3.60	3.60	----	----	3.60/*3.20A	4.20B/*3.20A	----	----	3.40	- 1.00	.0231	----	----	125	100	----	492	+	153
3905	----	----	----	----	---/*3.30A	4.20B/*3.30A	----	----	3.50	- 1.00	.0238	----	----	----	----	----	19	UNCH	
3910	3.30	3.30	----	----	3.40/*3.30	4.20B/*3.30	----	----	3.50	- 1.00	.0240	----	----	6	----	----	75	-	2
3915	3.60	3.60	----	----	3.60/*3.40A	4.40B/*3.40A	----	----	3.60	- 1.00	.0246	----	----	4	----	----	20	UNCH	
3920	----	----	----	----	---/*3.40A	4.40B/*3.40A	----	----	3.70	- 1.00	.0253	----	----	----	----	----	69	UNCH	
3925	3.60	3.60	----	----	3.70/*3.50A	4.50B/*3.50A	----	----	3.70	- 1.10	.0255	----	----	14	----	----	138	-	7
3930	----	----	----	----	---/*3.60A	4.70B/*3.60A	----	----	3.80	- 1.10	.0262	----	----	----	----	----	37	UNCH	
3935	----	----	----	----	---/*3.60A	4.80B/*3.60A	----	----	3.90	- 1.10	.0269	----	----	1	----	----	79	-	1
3940	----	----	----	----	---/*3.60A	4.90B/*3.60A	----	----	3.90	- 1.20	.0271	----	----	----	----	----	69	UNCH	
3945	----	----	----	----	---/*3.70A	5.00B/*3.70A	----	----	4.00	- 1.20	.0279	----	----	2	----	----	71	-	2
3950	4.30	4.30	----	----	4.30/*3.80A	5.10B/*3.80A	----	----	4.10	- 1.20	.0286	----	----	116	----	----	742	-	11
3955	----	----	----	----	---/*3.90A	5.20B/*3.90A	----	----	4.10	- 1.30	.0288	----	----	----	----	----	107	UNCH	
3960	----	----	----	----	---/*4.00A	5.40B/*4.00A	----	----	4.20	- 1.30	.0296	----	----	2	----	----	105	UNCH	
3965	4.30	4.30	----	----	4.30/*4.00A	5.50B/*4.00A	----	----	4.30	- 1.30	.0303	----	----	1	----	----	187	-	1
3970	----	----	----	----	---/*4.10A	5.60B/*4.10A	----	----	4.40	- 1.30	.0311	----	----	----	----	----	55	UNCH	
3975	----	----	----	----	---/*4.20A	5.70B/*4.20A	----	----	4.50	- 1.40	.0318	----	----	----	----	----	52	UNCH	
3980	----	----	----	----	---/*4.30A	5.90B/*4.30A	----	----	4.60	- 1.40	.0326	----	----	----	----	----	263	UNCH	
3985	----	----	----	----	---/*4.30A	6.00B/*4.30A	----	----	4.70	- 1.40	.0334	----	----	----	----	----	391	UNCH	
3990	----	----	----	----	---/*4.40A	6.20B/*4.40A	----	----	4.70	- 1.50	.0336	----	----	----	----	----	73	UNCH	
3995	----	----	----	----	---/*4.50A	6.30B/*4.50A	----	----	4.80	- 1.60	.0344	----	----	3	----	----	37	UNCH	
4000	6.00	6.00	----	----	6.00/*4.50A	6.50B/*4.50A	----	----	4.90	- 1.60	.0352	----	----	231	----	----	4537	+	130
4005	----	----	----	----	---/*4.70A	6.70B/*4.70A	----	----	5.00	- 1.70	.0361	----	----	----	----	----	178	UNCH	
4010	6.00	6.00	----	----	6.90B/*4.80A	6.90B/*4.80A	----	----	5.10	- 1.70	.0369	----	----	4	----	----	83	+	1
4015	----	----	----	----	---/*4.90A	7.00B/*4.90A	----	----	5.30	- 1.70	.0382	----	----	----	----	----	79	UNCH	
4020	----	----	----	----	7.20B/*5.00A	7.20B/*5.00A	----	----	5.40	- 1.70	.0391	----	----	----	----	----	120	UNCH	
4025	----	----	----	----	7.40B/*5.00A	7.40B/*5.00A	----	----	5.50	- 1.80	.0399	----	----	----	----	----	114	UNCH	
4030	----	----	----	----	7.60B/*5.20A	7.60B/*5.20A	----	----	5.60	- 1.90	.0408	----	----	----	----	----	71	UNCH	
4035	----	----	----	----	7.80B/*5.30A	7.80B/*5.30A	----	----	5.70	- 2.00	.0416	----	----	----	----	----	31	UNCH	
4040	5.60	5.60	----	----	8.00B/*5.40A	8.00B/*5.40A	----	----	5.80	- 2.00	.0425	----	----	7	----	----	46	UNCH	
4045	----	----	----	----	8.20B/*5.50A	8.20B/*5.50A	----	----	6.00	- 2.00	.0439	----	----	1	----	----	48	UNCH	
4050	6.80	6.80	----	----	8.40B/*5.60A	8.40B/*5.60A	----	----	6.10	- 2.10	.0448	----	----	9	----	----	730	-	7
4055	----	----	----	----	8.60B/*5.70A	8.60B/*5.70A	----	----	6.20	- 2.20	.0457	----	----	----	----	----	71	UNCH	
4060	5.90	5.90	----	----	8.90B/*5.80A	8.90B/*5.80A	----	----	6.40	- 2.20	.0471	----	----	38	----	----	71	+	30
4065	6.50	6.50	----	----	9.10B/*5.90A	9.10B/*5.90A	----	----	6.50	- 2.30	.0481	----	----	12	----	----	157	-	1
4070	6.50	6.50	----	----	9.20B/*6.00A	9.20B/*6.00A	----	----	6.70	- 2.40	.0495	----	----	6	----	----	42	UNCH	
4075	6.70	6.70	----	----	9.60B/*6.20A	9.60B/*6.20A	----	----	6.80	- 2.50	.0505	----	----	45	----	----	78	+	41
4080	6.70	6.70	----	----	9.80B/*6.30A	9.80B/*6.30A	----	----	7.00	- 2.50	.0520	----	----	9	----	----	111	-	3
4085	7.00	7.00	----	----	10.00B/*6.50A	10.00B/*6.50A	----	----	7.20	- 2.60	.0535	----	----	5	----	----	32	UNCH	
4090	7.60	7.60	----	----	10.40B/*6.50A	10.40B/*6.50A	----	----	7.30	- 2.70	.0545	----	----	30	----	----	61	+	11
4095	7.40	7.40	----	----	10.70B/*6.70A	10.70B/*6.70A	----	----	7.50	- 2.80	.0560	----	----	9	----	----	59	+	5
4100	10.30	10.30	----	----	11.00B/*6.90A	11.00B/*6.90A	----	----	7.70	- 2.90	.0576	----	----	167	----	----	1834	+	106
4105	7.10	7.10	----	----	11.30B/*7.10	11.30B/*7.10	----	----	7.90	- 2.90	.0591	----	----	16	----	----	40	+	6
4110	8.00	8.00	----	----	11.70B/*7.30A	11.70B/*7.30A	----	----	8.10	- 3.00	.0607	----	----	11	----	----	58	+	6
4115	8.10	8.10	----	----	11.80B/*7.40A	11.80B/*7.40A	----	----	8.30	- 3.10	.0623	----	----	5	----	----	22	+	5
4120	8.40	8.40	----	----	12.20B/*7.60A	12.20B/*7.60A	----	----	8.50	- 3.20	.0639	----	----	17	----	----	91	-	4
4125	9.10	9.10	----	----	12.70B/*7.80A	12.70B/*7.80A	----	----	8.70	- 3.40	.0655	----	----	12	----	----	104	+	6
4130	8.60	8.60	----	----	13.10B/*7.90A	13.10B/*7.90A	----	----	8.90	- 3.50	.0671	----	----	16	----	----	120	+	4
4135	9.30	9.30	----	----	13.40B/*8.10A.														



GLOBEX		OPEN	OUTCRY	GLOBEX		OPEN	OUTCRY	OPEN		OUTCRY	SETT.PRICE		DELTA	EXER	OPEN	GLOBEX®	PNT	OPEN	
OPEN		OPEN	RANGE	HIGH/LOW		OPEN	OUTCRY	HIGH/LOW		OUTCRY	CLOSE	RANGE			& PT.CHGE.				VOLUME
OG PUT		COMEX GOLD OPTIONS																	
JUL26																			
4505	91.80	91.80		117.90B/71.70A		117.90B/71.70A		----			85.10	-25.30	.4905	----	----	2	----	68	UNCH
4510	75.70	75.70		120.80B/73.80A		120.80B/73.80A		----			87.60	-25.70	.5000	----	----	2	----	65	-
4515	98.50	98.50		124.00B/76.10A		124.00B/76.10A		----			90.20	-26.00	.5096	----	----	5	----	16	+
4520	90.50	90.50		127.20B/78.40A		127.20B/78.40A		----			92.80	-26.40	.5192	----	----	9	----	157	-
4525				130.30B/81.10A		130.30B/81.10A		----			95.40	-26.80	.5287	----	----	8	----	151	UNCH
4530	95.30	95.30		133.50B/83.40A		133.50B/83.40A		----			98.20	-27.00	.5383	----	----	4	----	73	+
4535				136.70B/85.80A		136.70B/85.80A		----			100.90	-27.40	.5477	----	----	1	----	21	+
4540				140.00B/88.30A		140.00B/88.30A		----			103.70	-27.80	.5572	----	----		----	121	UNCH
4545				143.20B/90.70A		143.20B/90.70A		----			106.60	-28.10	.5666	----	----	1	----	46	UNCH
4550	97.50	97.50		146.60B/93.20A		146.60B/93.20A		----			109.50	-28.50	.5760	----	----	18	----	527	+
4555	109.60	109.60		150.00B/95.90A		150.00B/95.90A		----			112.40	-28.90	.5854	----	----	1	----	40	-
4560	120.10	120.10		153.50B/98.50A		153.50B/98.50A		----			115.50	-29.10	.5946	----	----	4	----	97	+
4565				157.00B/101.20A		157.00B/101.20A		----			118.50	-29.40	.6037	----	----	2	----	134	-
4570				160.40B/103.90A		160.40B/103.90A		----			121.70	-29.60	.6129	----	----		----	135	UNCH
4575				164.10B/106.70A		164.10B/106.70A		----			124.90	-29.80	.6219	----	----		----	45	UNCH
4580				167.70B/109.50A		167.70B/109.50A		----			128.10	-30.10	.6307	----	----		----	42	UNCH
4585				171.30B/112.40A		171.30B/112.40A		----			131.40	-30.30	.6394	----	----		----	27	UNCH
4590				175.10B/115.60A		175.10B/115.60A		----			134.70	-30.60	.6482	----	----	6	----	40	+
4595				178.70B/118.60A		178.70B/118.60A		----			138.10	-30.80	.6568	----	----	1	----	143	-
4600	141.40	141.40		182.50B/121.50A		182.50B/121.50A		----			141.50	-31.10	.6653	----	----	26	----	1465	-
4605				186.40B/124.60A		186.40B/124.60A		----			145.00	-31.30	.6738	----	----		----	88	UNCH
4610				190.10B/127.70A		190.10B/127.70A		----			148.40	-31.60	.6821	----	----		----	120	UNCH
4615				194.10B/131.00A		194.10B/131.00A		----			152.00	-31.70	.6902	----	----		----	56	UNCH
4620				198.00B/134.20A		198.00B/134.20A		----			155.50	-32.10	.6984	----	----		----	51	UNCH
4625				201.90B/137.50A		201.90B/137.50A		----			159.20	-32.20	.7062	----	----		----	176	UNCH
4630				205.90B/140.70A		205.90B/140.70A		----			162.80	-32.50	.7142	----	----		----	17	UNCH
4635				209.90B/144.10A		209.90B/144.10A		----			166.50	-32.70	.7219	----	----		----	168	UNCH
4640				213.90B/147.50A		213.90B/147.50A		----			170.20	-32.90	.7292	----	----		----	157	UNCH
4645				218.00B/151.00A		218.00B/151.00A		----			174.00	-33.10	.7369	----	----		----	28	UNCH
4650	157.00	157.00		222.00B/154.30A		222.00B/154.30A		----			177.80	-33.30	.7439	----	----	4	----	481	-
4655				226.00B/158.10A		226.00B/158.10A		----			181.70	-33.40	.7512	----	----		----	13	UNCH
4660				230.20B/161.60A		230.20B/161.60A		----			185.50	-33.70	.7582	----	----		----	101	UNCH
4665				234.50B/165.30A		234.50B/165.30A		----			189.50	-33.70	.7652	----	----		----	24	UNCH
4670				238.70B/168.60A		238.70B/168.60A		----			193.40	-34.00	.7718	----	----		----	101	UNCH
4675				242.90B/172.30A		242.90B/172.30A		----			197.40	-34.10	.7783	----	----		----	171	UNCH
4680				247.20B/176.10A		247.20B/176.10A		----			201.40	-34.30	.7849	----	----		----	164	UNCH
4685				251.30B/180.50A		251.30B/180.50A		----			205.50	-34.40	.7910	----	----		----	8	UNCH
4690				255.80B/183.80A		255.80B/183.80A		----			209.60	-34.50	.7971	----	----		----	60	UNCH
4695				260.00B/187.60A		260.00B/187.60A		----			213.70	-34.70	.8032	----	----		----	202	UNCH
4700				264.40B/191.10A		264.40B/191.10A		----			217.80	-34.90	.8089	----	----	1	----	772	UNCH
4705				268.80B/195.10A		268.80B/195.10A		----			222.00	-35.00	.8145	----	----		----	30	UNCH
4710				273.20B/199.20A		273.20B/199.20A		----			226.20	-35.10	.8201	----	----	1	----	128	UNCH
4715				277.60B/203.20A		277.60B/203.20A		----			230.50	-35.20	.8257	----	----		----	122	UNCH
4720				282.10B/206.90A		282.10B/206.90A		----			234.80	-35.30	.8309	----	----		----	61	UNCH
4725				286.60B/211.30A		286.60B/211.30A		----			239.10	-35.40	.8360	----	----		----	227	UNCH
4730				291.00B/215.30A		291.00B/215.30A		----			243.40	-35.50	.8406	----	----		----	73	UNCH
4735				295.50B/219.30A		295.50B/219.30A		----			247.70	-35.70	.8457	----	----		----	38	UNCH
4740				300.10B/223.40A		300.10B/223.40A		----			252.10	-35.70	.8502	----	----		----	119	UNCH
4745				304.70B/227.80A		304.70B/227.80A		----			256.50	-35.80	.8548	----	----		----	140	UNCH
4750				309.20B/231.70A		309.20B/231.70A		----			260.90	-35.90	.8593	----	----		----	779	UNCH
4755				313.70B/236.30A		313.70B/236.30A		----			265.30	-36.00	.8638	----	----		----	14	UNCH
4760				318.30B/240.20A		318.30B/240.20A		----			269.80	-36.00	.8678	----	----	1	----	70	-
4765	276.70	276.70		322.90B/244.40A		322.90B/244.40A		----			274.30	-36.10	.8717	----	----	5	----	307	+
4770				327.50B/249.30A		327.50B/249.30A		----			278.80	-36.10	.8756	----	----	2	----	11	-
4775				332.20B/253.40A		332.20B/253.40A		----			283.30	-36.20	.8796	----	----	1	----	56	-
4780				336.90B/257.40A		336.90B/257.40A		----			287.80	-36.30	.8829	----	----		----	39	UNCH
4785				341.60B/261.70A		341.60B/261.70A		----			292.40	-36.40	.8868	----	----		----	118	UNCH
4790				346.00B/266.60A		346.00B/266.60A		----			296.90	-36.50	.8901	----	----		----	3	UNCH
4795				350.70B/270.40A		350.70B/270.40A		----			301.50	-36.50	.8934	----	----		----	80	UNCH
4800				355.40B/274.90A		355.40B/274.90A		----			306.10	-36.60	.8967	----	----		----	1246	UNCH
4805				360.20B/279.30A		360.20B/279.30A		----			310.80	-36.60	.8999	----	----		----	22	UNCH
4810				364.90B/284.40A		364.90B/284.40A		----			315.40	-36.70	.9026	----	----		----	11	UNCH
4815				369.60B/288.40A		369.60B/288.40A		----			320.00	-36.80	.9058	----	----		----	28	UNCH
4820				374.40B/292.80A		374.40B/292.80A		----			324.70	-36.80	.9084	----	----		----	207	UNCH
4825				379.20B/297.20A		379.20B/297.20A		----			329.40	-36.80	.9110	----	----		----	33	UNCH
4830				383.90B/302.70A		383.90B/302.70A		----			334.10	-36.80	.9136	----	----		----	5	UNCH
4835				388.70B/306.50A		388.70B/306.50A		----			338.80	-36.80	.9161	----	----		----	24	UNCH
4840				393.40B/311.80A		393.40B/311.80A		----			343.50	-36.90	.9187	----	----		----	10	UNCH
4845				398.20B/315.70A		398.20B/315.70A		----			348.20	-36.90	.9212	----	----		----	53	UNCH
4850				402.90B/320.30A		402.90B/320.30A		----			352.90	-37.00	.9231	----	----		----	300	UNCH
4855				407.70B/325.40A		407.70B/325.40A		----			357.70	-37.00	.9256	----	----		----	11	UNCH
4860				412.70B/330.30A		412.70B/330.30A		----			362.40	-37.10	.9275	----	----		----	8	UNCH
4865				417.40B/334.20A		417.40B/334.20A		----			367.20	-37.00	.9300	----	----		----	30	UNCH
4870				422.30B/338.90A		422.30B/338.90A		----			372.00	-37.00	.9318	----	----		----	319	UNCH
4875				427.00B/343.50A		427.00B/343.50A		----			376.70	-37.20	.9336	----	----		----	71	UNCH
4880				432.00B/348.20A		432.00B/348.20A		----			381.50	-37.20	.9354	----	----		----	41	UNCH
4885				436.80B/353.10A		436.80B/353.10A		----			386.30	-37.20	.9372	----	----		----	12	UNCH
4890				441.60B/358.40A		441.60B/358.40A		----			391.10	-37.20	.9390	----	----		----	9	UNCH
4895				446.50B/362.90A		446.50B/362.90A		----			395.90	-37.30	.9408	----	----		----	48	UNCH
4900				451.30B/367.60A		451.30B/367.60A		----			400.70	-37.30	.9425	----	----		----	261	UNCH
4905				456.20B/372.00A		456.20B/372.00A													

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.



BULLETIN #106@				METALS OPTION PRODUCTS								Thu, Jun 04, 2026				PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST	
OG PUT																	
JUL26																	
5285	----	----	----	----	----	----	----		780.80 - 38.00	.9876	----	----	----	----	2	UNCH	
5290	----	----	----	----/758.90A	769.60B/758.90A	----	----		785.70 - 38.10	.9883	----	----	----	----	4	UNCH	
5295	----	----	----	----	----	----	----		790.70 - 38.00	.9884	----	----	----	----	2	UNCH	
5300	----	----	----	----/768.90A	779.50B/768.90A	----	----		795.70 - 38.00	.9884	----	----	----	----	68	UNCH	
5315	----	----	----	----/783.80A	794.50B/783.80A	----	----		810.60 - 38.10	.9892	----	----	----	----	10	UNCH	
5325	----	----	----	----	----	----	----		820.60 - 38.00	.9893	----	----	----	----	2	UNCH	
5350	----	----	----	----/818.70A	829.30B/818.70A	----	----		845.50 - 38.10	.9902	----	----	----	----	8	UNCH	
5375	----	----	----	----/843.60A	854.30B/843.60A	----	----		870.50 - 38.00	.9905	----	----	----	----	8	UNCH	
5390	----	----	----	----/858.60A	869.20B/858.60A	----	----		885.40 - 38.10	.9912	----	----	----	----	5	UNCH	
5400	----	----	----	----/861.70A	912.00B/861.70A	----	----		895.40 - 38.10	.9913	----	----	----	----	603	UNCH	
5440	----	----	----	----	----	----	----		935.30 - 38.10	.9923	----	----	----	----	1	UNCH	
5475	----	----	----	----/943.40A	954.00B/943.40A	----	----		970.30 - 38.00	.9925	----	----	----	----	7	UNCH	
5500	----	----	----	----/968.40A	978.90B/968.40A	----	----		995.20 - 38.10	.9933	----	----	----	----	3	UNCH	
5505	----	----	----	----	----	----	----		1000.20 - 38.10	.9933	----	----	----	----	1	UNCH	
5510	----	----	----	----	----	----	----		1005.20 - 38.10	.9933	----	----	----	----	1	UNCH	
TOTAL													6693	2,200	60939	- 424	
AUG26																	
1995	----	----	----	----	----/3.20A	----	----		0.10 UNCH	.0002	----	----	----	----	10	UNCH	
2300	----	----	----	----	----/*0.30A	----	----		0.30 UNCH	.0009	----	----	----	----	45	UNCH	
2325	----	----	----	----	----/*0.40A	----	----		0.30 UNCH	.0009	----	----	----	----	1	UNCH	
2350	----	----	----	----	0.10B/*0.40A	----	----		0.30 UNCH	.0009	----	----	----	----	22	UNCH	
2375	----	----	----	----	0.20B/*0.40A	----	----		0.30 - 0.10	.0009	----	----	----	----	7	UNCH	
2400	----	----	----	----/*0.30A	0.20B/*0.30A	----	----		0.40 UNCH	.0012	----	----	----	----	12	UNCH	
2425	----	----	----	----/*0.30A	0.20B/*0.30A	----	----		0.40 UNCH	.0012	----	----	----	----	1	UNCH	
2450	0.30	0.30		0.30/*0.30	0.30/*0.30	----	----		0.40 NEW	.0012	----	----	56	----	56 +	56	
2475	----	----	----	----	0.30B/*0.50A	----	----		0.50 UNCH	.0015	----	----	----	----	5	UNCH	
2500	----	----	----	----	0.30B/0.50A	----	----		0.50 UNCH	.0016	----	----	----	----	272	UNCH	
2570	----	----	----	----	0.40B/*0.70A	----	----		0.60 UNCH	.0019	----	----	----	----	9	UNCH	
2580	----	----	----	----	0.40B/*0.70A	----	----		0.60 - 0.10	.0019	----	----	----	----	1	UNCH	
2590	----	----	----	----	0.40B/*0.80A	----	----		0.60 - 0.10	.0019	----	----	----	----	2	UNCH	
2600	----	----	----	----	0.40B/*0.70A	----	----		0.70 UNCH	.0022	----	----	----	----	6	UNCH	
2615	----	----	----	----	0.50B/*0.80A	----	----		0.70 UNCH	.0022	----	----	----	----	1	UNCH	
2625	----	----	----	----	0.60B/0.80A	----	----		0.70 UNCH	.0023	----	----	----	----	3	UNCH	
2640	----	----	----	----	0.60B/0.80A	----	----		0.70 - 0.10	.0023	----	----	----	----	1	UNCH	
2665	----	----	----	----	0.60B/*0.80A	----	----		0.80 UNCH	.0026	----	----	----	----	1	UNCH	
2685	----	----	----	----	0.70B/0.90A	----	----		0.80 - 0.10	.0026	----	----	----	----	1	UNCH	
2690	----	----	----	----	0.70B/0.90A	----	----		0.80 - 0.10	.0026	----	----	----	----	1	UNCH	
2730	----	----	----	----	0.80B/1.00A	----	----		0.90 - 0.10	.0030	----	----	----	----	3	UNCH	
2735	----	----	----	----	0.80B/1.00A	----	----		1.00 UNCH	.0033	----	----	----	----	1	UNCH	
2740	----	----	----	----	0.80B/*1.00A	----	----		1.00 UNCH	.0033	----	----	----	----	2	UNCH	
2745	----	----	----	----	0.80B/1.10A	----	----		1.00 UNCH	.0033	----	----	----	----	2	UNCH	
2750	----	----	----	----	0.80B/1.10A	----	----		1.00 UNCH	.0033	----	----	----	----	4	UNCH	
2800	----	----	----	----	0.90B/1.20A	----	----		1.00 - 0.10	.0034	----	----	----	----	56	UNCH	
2860	----	----	----	----	1.00B/1.40A	----	----		1.20 - 0.10	.0041	----	----	----	----	1	UNCH	
2875	----	----	----	----	1.10B/1.40A	----	----		1.20 - 0.10	.0042	----	----	----	----	3	UNCH	
2900	----	----	----	----	1.10B/1.40A	----	----		1.20 - 0.20	.0043	----	----	----	----	2	UNCH	
2940	----	----	----	----	1.30B/1.50A	----	----		1.30 - 0.20	.0047	----	----	----	----	2	UNCH	
2950	----	----	----	----	1.30B/1.50A	----	----		1.40 - 0.10	.0050	----	----	----	----	8	UNCH	
2965	----	----	----	----	1.30B/1.60A	----	----		1.40 - 0.20	.0051	----	----	----	----	2	UNCH	
2975	----	----	----	----	1.40B/1.60A	----	----		1.40 - 0.20	.0051	----	----	----	----	2	UNCH	
2980	----	----	----	----	1.40B/1.60A	----	----		1.40 - 0.20	.0051	----	----	----	----	1	UNCH	
3000	----	----	----	----/*1.60A	1.40B/*1.60A	----	----		1.50 - 0.20	.0055	----	----	----	----	274	UNCH	
3005	----	----	----	----	1.50B/1.70A	----	----		1.50 - 0.20	.0055	----	----	----	----	5	UNCH	
3010	----	----	----	----	1.50B/1.70A	----	----		1.50 - 0.20	.0055	----	----	----	----	1	UNCH	
3015	----	----	----	----/1.70A	1.50B/1.70A	----	----		1.50 - 0.30	.0056	----	----	----	----	1	UNCH	
3025	----	----	----	----/1.70A	1.50B/1.70A	----	----		1.60 - 0.20	.0059	----	----	----	----	5	UNCH	
3040	----	----	----	----/1.80A	1.60B/1.80A	----	----		1.60 - 0.30	.0060	----	----	----	----	1	UNCH	
3065	----	----	----	----/*1.80A	1.70B/*1.80A	----	----		1.70 - 0.30	.0064	----	----	----	----	1	UNCH	
3090	----	----	----	----/*1.90A	1.80B/*1.90A	----	----		1.80 - 0.30	.0068	----	----	----	----	1	UNCH	
3095	----	----	----	----/*1.90A	1.80B/*1.90A	----	----		1.80 - 0.30	.0068	----	----	----	----	1	UNCH	
3100	----	----	----	----/2.00A	1.80B/2.00A	----	----		1.90 - 0.20	.0072	----	----	----	----	259	UNCH	
3110	----	----	----	----/*2.00A	1.90B/*2.00A	----	----		1.90 - 0.30	.0072	----	----	----	----	15	UNCH	
3115	----	----	----	----/*2.00A	1.90B/*2.00A	----	----		1.90 - 0.30	.0072	----	----	----	----	1	UNCH	
3120	----	----	----	----/*2.00A	1.90B/*2.00A	----	----		1.90 - 0.30	.0073	----	----	----	----	29	UNCH	
3125	----	----	----	----/2.10A	1.90B/2.10A	----	----		1.90 - 0.40	.0073	----	----	----	----	1	UNCH	
3130	----	----	----	----/2.10A	2.00B/2.10A	----	----		2.00 - 0.30	.0076	----	----	----	----	5	UNCH	
3145	----	----	----	----/*2.10A	2.00B/*2.10A	----	----		2.00 - 0.40	.0077	----	----	----	----	1	UNCH	
3150	----	----	----	----/2.20A	2.00B/2.20A	----	----		2.00 - 0.40	.0078	----	----	----	----	10	UNCH	
3155	----	----	----	----/2.20A	2.10B/2.20A	----	----		2.10 - 0.30	.0081	----	----	----	----	3	UNCH	
3160	----	----	----	----/*2.20A	2.10B/*2.20A	----	----		2.10 - 0.30	.0081	----	----	----	----	1	UNCH	
3165	----	----	----	----/*2.20A	2.10B/*2.20A	----	----		2.10 - 0.40	.0082	----	----	----	----	141	UNCH	
3170	----	----	----	----/*2.20A	2.10B/*2.20A	----	----		2.10 - 0.40	.0082	----	----	----	----	2	UNCH	
3175	----	----	----	----/2.30A	2.20B/2.30A	----	----		2.10 - 0.40	.0082	----	----	----	----	1	UNCH	
3180	----	----															

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG PUT	COMEX GOLD OPTIONS															
AUG26																
3740	----	----	----	---/*7.90A	9.70B/*7.90A	----	----	8.30 - 1.40	.0386	----	----	----	----	7	UNCH	
3745	----	----	----	---/*8.00A	9.90B/*8.00A	----	----	8.40 - 1.50	.0391	----	----	----	----	1	UNCH	
3750	----	----	----	---/*8.10A	10.00B/*8.10A	----	----	8.50 - 1.50	.0397	----	----	----	----	96	1	
3755	----	----	----	---/*8.20A	10.20B/*8.20A	----	----	8.60 - 1.60	.0402	----	----	1	----	1	UNCH	
3760	----	----	----	10.40B/*8.30A	10.40B/*8.30A	----	----	8.80 - 1.50	.0411	----	----	----	----	1	UNCH	
3765	----	----	----	---/*8.40A	10.50B/*8.40A	----	----	8.90 - 1.60	.0416	----	----	----	----	108	UNCH	
3770	----	----	----	---/*8.50A	10.70B/*8.50A	----	----	9.00 - 1.70	.0422	----	----	----	----	4	UNCH	
3775	----	----	----	10.90B/*8.70A	10.90B/*8.70A	----	----	9.20 - 1.60	.0431	----	----	----	----	22	UNCH	
3780	----	----	----	---/*8.80A	11.00B/*8.80A	----	----	9.30 - 1.70	.0436	----	----	----	----	1	UNCH	
3785	----	----	----	---/*8.90A	11.20B/*8.90A	----	----	9.40 - 1.80	.0442	----	----	----	----	1	UNCH	
3790	----	----	----	11.40B/*9.00A	11.40B/*9.00A	----	----	9.60 - 1.70	.0451	----	----	----	----	6	UNCH	
3795	10.10	10.10	----	11.60B/*9.10A	11.60B/*9.10A	----	----	9.70 - 1.80	.0457	----	1	----	----	84 +	1	
3800	10.60	10.60	----	11.80B/*9.30A	11.80B/*9.30A	----	----	9.90 - 1.80	.0466	----	143	----	----	599 +	88	
3805	----	----	----	12.00B/*9.40A	12.00B/*9.40A	----	----	10.00 - 1.90	.0472	----	1	----	----	6	UNCH	
3810	9.50	9.50	----	12.20B/*9.50	12.20B/*9.50	----	----	10.20 - 1.90	.0481	----	1	----	----	51 -	1	
3815	----	----	----	12.50B/*9.70A	12.50B/*9.70A	----	----	10.40 - 1.90	.0490	----	----	----	----	159	UNCH	
3820	----	----	----	12.70B/*9.80A	12.70B/*9.80A	----	----	10.50 - 2.00	.0496	----	----	----	----	52	UNCH	
3825	10.00	10.00	----	13.00B/*10.00	13.00B/*10.00	----	----	10.70 - 2.00	.0505	----	5	----	----	68 +	4	
3830	----	----	----	13.10B/*10.10A	13.10B/*10.10A	----	----	10.90 - 2.00	.0515	----	----	----	----	1	UNCH	
3835	----	----	----	13.40B/*10.30A	13.40B/*10.30A	----	----	11.00 - 2.10	.0521	----	----	----	----	16	UNCH	
3840	10.50	10.50	----	13.60B/*10.40A	13.60B/*10.40A	----	----	11.20 - 2.20	.0531	----	13	----	----	13 +	12	
3845	----	----	----	13.90B/*10.60A	13.90B/*10.60A	----	----	11.40 - 2.20	.0540	----	----	----	----	14	UNCH	
3850	----	----	----	14.10B/*10.80A	14.10B/*10.80A	----	----	11.60 - 2.20	.0550	----	----	----	----	175	UNCH	
3855	----	----	----	14.40B/*10.90A	14.40B/*10.90A	----	----	11.80 - 2.20	.0559	----	----	----	----	7	UNCH	
3860	----	----	----	14.50B/*11.10A	14.50B/*11.10A	----	----	12.00 - 2.30	.0569	----	----	----	----	1	UNCH	
3870	----	----	----	15.10B/*11.40A	15.10B/*11.40A	----	----	12.40 - 2.40	.0588	----	----	----	----	17	UNCH	
3875	12.90	12.90	----	15.40B/*11.60A	15.40B/*11.60A	----	----	12.60 - 2.40	.0598	----	16	----	----	43 +	16	
3880	11.90	11.90	----	15.60B/*11.70	15.60B/*11.70	----	----	12.80 - 2.50	.0608	----	12	----	----	350 +	9	
3885	----	----	----	16.00B/*12.00A	16.00B/*12.00A	----	----	13.00 - 2.60	.0618	----	2	----	----	94 +	2	
3890	----	----	----	16.30B/*12.20A	16.30B/*12.20A	----	----	13.20 - 2.60	.0628	----	----	----	----	73	UNCH	
3895	----	----	----	16.60B/*12.40A	16.60B/*12.40A	----	----	13.40 - 2.70	.0638	----	----	----	----	14	UNCH	
3900	12.70	12.70	----	16.90B/*12.50	16.90B/*12.50	----	----	13.70 - 2.70	.0652	----	207	200	2609 +	172		
3905	----	----	----	17.10B/*12.80A	17.10B/*12.80A	----	----	13.90 - 2.80	.0662	----	----	----	----	23	UNCH	
3910	----	----	----	17.50B/*13.00A	17.50B/*13.00A	----	----	14.10 - 2.90	.0672	----	----	----	----	90	UNCH	
3915	----	----	----	17.80B/*13.20A	17.80B/*13.20A	----	----	14.40 - 2.90	.0686	----	----	----	----	59	UNCH	
3920	----	----	----	18.10B/*13.40A	18.10B/*13.40A	----	----	14.60 - 3.00	.0696	----	----	----	----	64	UNCH	
3925	----	----	----	18.50B/*13.70A	18.50B/*13.70A	----	----	14.90 - 3.00	.0710	----	1	----	----	64 -	1	
3930	----	----	----	18.80B/*13.90A	18.80B/*13.90A	----	----	15.20 - 3.10	.0723	----	----	----	----	62	UNCH	
3935	----	----	----	19.10B/*14.10A	19.10B/*14.10A	----	----	15.40 - 3.20	.0734	----	----	----	----	13	UNCH	
3940	----	----	----	19.40B/*14.40A	19.40B/*14.40A	----	----	15.70 - 3.20	.0748	----	----	----	----	23	UNCH	
3945	----	----	----	19.90B/*14.60A	19.90B/*14.60A	----	----	16.00 - 3.30	.0762	----	----	----	----	2	UNCH	
3950	----	----	----	20.30B/*14.80A	20.30B/*14.80A	----	----	16.30 - 3.30	.0776	----	1	----	----	250	UNCH	
3955	----	----	----	20.60B/*15.10A	20.60B/*15.10A	----	----	16.50 - 3.50	.0787	----	----	----	----	14	UNCH	
3960	----	----	----	21.00B/*15.40A	21.00B/*15.40A	----	----	16.80 - 3.60	.0801	----	----	----	----	20	UNCH	
3965	20.00	20.00	----	21.40B/*15.60A	21.40B/*15.60A	----	----	17.10 - 3.60	.0815	----	10	----	----	40 +	10	
3970	----	----	----	21.80B/*15.90A	21.80B/*15.90A	----	----	17.50 - 3.60	.0832	----	----	----	----	11	UNCH	
3975	----	----	----	22.20B/*16.20A	22.20B/*16.20A	----	----	17.80 - 3.70	.0847	----	8	----	----	280 +	6	
3980	----	----	----	22.70B/*16.50A	22.70B/*16.50A	----	----	18.10 - 3.80	.0861	----	1	----	----	2253 +	1	
3985	----	----	----	23.10B/*16.80A	23.10B/*16.80A	----	----	18.40 - 3.90	.0876	----	----	----	----	4	UNCH	
3990	----	----	----	23.50B/17.10A	23.50B/17.10A	----	----	18.80 - 4.00	.0893	----	----	----	----	46	UNCH	
3995	----	----	----	24.00B/17.40A	24.00B/17.40A	----	----	19.10 - 4.10	.0908	----	----	----	----	11	UNCH	
4000	18.30	18.30	----	24.40B/17.70A	24.40B/17.70A	----	----	19.50 - 4.10	.0926	----	102	----	----	1782 -	9	
4005	----	----	----	24.90B/18.00A	24.90B/18.00A	----	----	19.80 - 4.30	.0941	----	----	----	----	6	UNCH	
4010	----	----	----	25.40B/18.30A	25.40B/18.30A	----	----	20.20 - 4.30	.0959	----	----	----	----	108	UNCH	
4015	----	----	----	25.90B/18.70A	25.90B/18.70A	----	----	20.60 - 4.40	.0977	----	----	----	----	3	UNCH	
4020	----	----	----	26.30B/19.00A	26.30B/19.00A	----	----	21.00 - 4.50	.0995	----	----	----	----	4	UNCH	
4025	----	----	----	26.90B/19.30A	26.90B/19.30A	----	----	21.40 - 4.60	.1013	----	1	----	----	263	UNCH	
4030	----	----	----	27.40B/19.70A	27.40B/19.70A	----	----	21.80 - 4.70	.1031	----	----	----	----	60	UNCH	
4035	----	----	----	27.90B/20.10A	27.90B/20.10A	----	----	22.20 - 4.80	.1050	----	----	----	----	29	UNCH	
4040	----	----	----	28.60B/20.40A	28.60B/20.40A	----	----	22.60 - 4.90	.1068	----	----	----	----	28	UNCH	
4045	----	----	----	29.10B/20.80A	29.10B/20.80A	----	----	23.00 - 5.10	.1087	----	2	----	----	34	UNCH	
4050	----	----	----	29.70B/21.20A	29.70B/21.20A	----	----	23.50 - 5.10	.1108	----	----	----	----	339 -	1	
4055	----	----	----	30.30B/21.60A	30.30B/21.60A	----	----	23.90 - 5.30	.1127	----	----	----	----	22	UNCH	
4060	----	----	----	30.90B/22.00A	30.90B/22.00A	----	----	24.40 - 5.30	.1149	----	----	----	----	5	UNCH	
4065	----	----	----	31.50B/22.40A	31.50B/22.40A	----	----	24.80 - 5.50	.1168	----	2	----	----	12	UNCH	
4070	----	----	----	32.10B/22.90A	32.10B/22.90A	----	----	25.30 - 5.60	.1190	----	----	----	----	57 +	1	
4075	----	----	----	32.80B/23.30A	32.80B/23.30A	----	----	25.80 - 5.70	.1212	----	----	----	----	23	UNCH	
4080	26.00	26.00	----	33.50B/23.70A	33.50B/23.70A	----	----	26.30 - 5.90	.1234	----	1	----	----	19	UNCH	
4085	----	----	----	34.00B/24.20A	34.00B/24.20A	----	----	26.80 - 6.00	.1256	----	2	----	----	348 -	1	
4090	----	----	----	34.80B/24.70A	34.80B/24.70A	----	----	27.40 - 6.10	.1281	----	----	----	----	208	UNCH	
4095	----	----	----	35.50B/25.10A	35.50B/25.10A	----	----	27.90 - 6.20	.1304	----	----	----	----	85	UNCH	
4100	----	----	----	36.20B/25.60A	36.20B/25.60A	----	----	28.50 - 6.30	.1329	----	8	----	----	948 -	3	
4105	----	----	----	37.00B/26.10A	37.00B/26.10A	----	----	29.00 - 6.50	.1352	----	----	----	----	21	UNCH	
4110	28.40	28.40	----	37.70B/26.60A	37.70B/26.60A	----	----	29.60 - 6.60	.1377	----	1	----	----	25 -	1	
4115	----	----	----	38.50B/27.10A	38.50B/27.10A	----	----	30.20 - 6.70	.1403	----	1	----	----	62	UNCH	
4120	29.50	29.50	----	39.30B/27.70A	39.30B/27.70A	----	----	30.80 - 6.90	.1428	----	6	----	----	135 +	5	
4125	29.80	29.80	----	40.10B/28.20A	40.10B/28.20A	----	----	31.40 - 7.00	.1454	----	6	----	----	21 -	5	
4130	----	----	----	40.90B/28.80A	40.90B/28.80A	----	----	32.10 - 7.10	.1482	----	----	----	----	19	UNCH	
4135	32.50	32.50	----	41.80B/29.40A	41.80B/29.40A	----	----	32.70 - 7.30	.1508	----	6	----	----	64	UNCH	
4140	31.50	31.50	----	42.60B/29.90A	42.60B/29.90A	----	----	33.40 - 7.40	.1537	----	5	----	----	17 +	1	
4145	32.60	32.60	----	43.50B/30.50A	43.50B/30.50A	----	----	34.00 - 7.70	.1563	----	1	----	----	46	UNCH	
4150	31.90	31.90	----	44.40B/31.10A	44.40B/31.10A	----	----	34.70 - 7.80	.1592	----	24	----	----	1165 -	2	
4155	33.90	33.90	----	45.30B/31.80A	45.30B/31.80A	----	----	35.40 - 8.00	.1621	----	2	----	----	24 +	1	
4160	----	----	----	46.20B/32.40A	46.20B/32.40A	----	----	36.20 - 8.00	.1653	----	1	----	----	56 +	1	
4165	----	----	----	47.20B/33.10A	47.20B/33.10A	----	----	36.90 - 8.20	.1682	----	----	----	----	111	UNCH	
4170	----	----	----	48.20B/33.70A	48.20B/33.70A	----	----	37.70 - 8.40	.1713	----	1	----	----	83	UNCH	
4175	----	----	----	49.20B/34.40A	49.20B/34.40A	----	----	38.40 - 8.60	.1743	----	----	----	----	40	UNCH	
4180	----	----	----	50.20B/35.10A	50.20B/35.10A	----	----	39.20 - 8.80	.1775	----	----	----	----	123	UNCH	
4185	40.40	40.40	----	51.20B/35.80A	51.20B/35.80A	----	----	40.00 - 8.90	.1807	----	2	----	----	50	UNCH	
4190	----	----	----	52.30B/36.50A	52.30B/36.50A	----	----	40.80 - 9.10	.1839	----	658	----	----	762 +	618	
4195	43.40	43.40	----	53.30B/37.30A	53.30B/37.30A</											

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG PUT	COMEX GOLD OPTIONS															
AUG26																
4430	----	----	----	132.80B/95.70A	132.80B/95.70A	----	----	107.00 - 19.70	.3996	----	----	----	----	53	UNCH	
4435	----	----	----	135.00B/97.50A	135.00B/97.50A	----	----	109.10 - 19.90	.4051	----	----	----	----	32	UNCH	
4440	----	----	----	137.50B/99.40A	137.50B/99.40A	----	----	111.20 - 20.10	.4106	----	----	----	----	80	UNCH	
4445	112.10	112.10	112.10	140.00B/101.30A	140.00B/101.30A	----	----	113.30 - 20.40	.4162	----	----	2	----	9 +	2	
4450	127.10	127.10	127.10	142.30B/103.10A	142.30B/103.10A	----	----	115.40 - 20.70	.4217	----	52	----	----	1003 +	16	
4455	----	----	----	144.80B/105.20A	144.80B/105.20A	----	----	117.60 - 20.90	.4273	----	----	----	----	274	UNCH	
4460	----	----	----	147.70B/107.20A	147.70B/107.20A	----	----	119.80 - 21.20	.4329	----	5	----	----	37 +	2	
4465	----	----	----	149.90B/109.20A	149.90B/109.20A	----	----	122.00 - 21.50	.4385	----	2	----	----	59 +	1	
4470	123.60	123.60	123.60	152.80B/111.30A	152.80B/111.30A	----	----	124.30 - 21.70	.4441	----	1	----	----	118 +	1	
4475	134.60	134.60	134.60	155.20B/113.40A	155.20B/113.40A	----	----	126.60 - 22.00	.4498	----	1	----	----	239 -	1	
4480	135.80	135.80	135.80	157.80B/115.60A	157.80B/115.60A	----	----	128.90 - 22.30	.4554	----	6	----	----	141 +	6	
4485	----	----	----	160.50B/117.60A	160.50B/117.60A	----	----	131.30 - 22.50	.4611	----	----	----	----	43	UNCH	
4490	138.10	138.10	138.10	163.20B/119.80A	163.20B/119.80A	----	----	133.70 - 22.80	.4668	----	6	----	----	21 +	2	
4495	----	----	----	166.00B/122.00A	166.00B/122.00A	----	----	136.10 - 23.10	.4724	----	11	----	----	46 +	5	
4500	131.90	131.90	131.90	168.80B/124.20A	168.80B/124.20A	----	----	138.60 - 23.30	.4781	----	57	----	----	2075 +	17	
4505	----	----	----	171.60B/126.50A	171.60B/126.50A	----	----	141.10 - 23.60	.4838	----	----	----	----	48	UNCH	
4510	----	----	----	174.50B/128.80A	174.50B/128.80A	----	----	143.60 - 23.80	.4895	----	----	----	----	57	UNCH	
4515	153.10	153.10	153.10	177.30B/131.60A	177.30B/131.60A	----	----	146.20 - 24.10	.4952	----	1	----	----	59 +	1	
4520	155.80	155.80	155.80	180.20B/133.90A	180.20B/133.90A	----	----	148.80 - 24.30	.5008	----	52	----	----	267 +	39	
4525	----	----	----	183.10B/136.40A	183.10B/136.40A	----	----	151.40 - 24.60	.5065	----	4	----	----	26	UNCH	
4530	----	----	----	186.10B/138.70A	186.10B/138.70A	----	----	154.10 - 24.80	.5122	----	1	----	----	38	UNCH	
4535	----	----	----	189.10B/141.30A	189.10B/141.30A	----	----	156.80 - 25.00	.5179	----	----	----	----	72	UNCH	
4540	----	----	----	192.10B/143.70A	192.10B/143.70A	----	----	159.50 - 25.30	.5235	----	----	----	----	73	UNCH	
4545	----	----	----	195.20B/146.30A	195.20B/146.30A	----	----	162.30 - 25.50	.5291	----	----	----	----	47	UNCH	
4550	182.00	182.00	182.00	198.20B/148.60A	198.20B/148.60A	----	----	165.10 - 25.70	.5347	----	52	----	----	266 +	36	
4555	----	----	----	201.30B/151.40A	201.30B/151.40A	----	----	167.90 - 25.90	.5404	----	----	----	----	124	UNCH	
4560	----	----	----	204.40B/154.10A	204.40B/154.10A	----	----	170.70 - 26.10	.5460	----	----	----	----	222	UNCH	
4565	----	----	----	207.60B/156.70A	207.60B/156.70A	----	----	173.50 - 26.40	.5516	----	----	----	----	16	UNCH	
4570	----	----	----	210.80B/159.30A	210.80B/159.30A	----	----	176.40 - 26.60	.5571	----	----	----	----	78	UNCH	
4575	----	----	----	214.00B/162.30A	214.00B/162.30A	----	----	179.40 - 26.70	.5627	----	----	----	----	74	UNCH	
4580	----	----	----	217.30B/164.80A	217.30B/164.80A	----	----	182.30 - 27.00	.5682	----	----	----	----	200	UNCH	
4585	----	----	----	220.40B/167.80A	220.40B/167.80A	----	----	185.30 - 27.20	.5737	----	1	----	----	7 +	1	
4590	----	----	----	223.80B/170.50A	223.80B/170.50A	----	----	188.40 - 27.40	.5792	----	----	----	----	41	UNCH	
4595	----	----	----	227.10B/173.30A	227.10B/173.30A	----	----	191.40 - 27.60	.5846	----	----	----	----	169	UNCH	
4600	----	----	----	230.50B/176.10A	230.50B/176.10A	----	----	194.50 - 27.80	.5901	----	----	----	----	696	UNCH	
4605	----	----	----	233.90B/179.20A	233.90B/179.20A	----	----	197.60 - 28.10	.5954	----	----	----	----	82	UNCH	
4610	----	----	----	237.50B/182.20A	237.50B/182.20A	----	----	200.80 - 28.20	.6008	----	----	----	----	52	UNCH	
4615	----	----	----	240.70B/185.10A	240.70B/185.10A	----	----	204.00 - 28.40	.6062	----	----	----	----	4	UNCH	
4620	----	----	----	244.20B/187.90A	244.20B/187.90A	----	----	207.20 - 28.60	.6114	----	----	----	----	41	UNCH	
4625	----	----	----	247.80B/190.90A	247.80B/190.90A	----	----	210.40 - 28.80	.6167	----	----	----	----	340	UNCH	
4630	----	----	----	251.20B/194.20A	251.20B/194.20A	----	----	213.70 - 28.90	.6219	----	----	----	----	53	UNCH	
4635	----	----	----	254.70B/197.20A	254.70B/197.20A	----	----	217.00 - 29.10	.6271	----	----	----	----	129	UNCH	
4640	----	----	----	258.50B/200.00A	258.50B/200.00A	----	----	220.30 - 29.30	.6322	----	----	----	----	310	UNCH	
4645	----	----	----	261.80B/203.20A	261.80B/203.20A	----	----	223.60 - 29.50	.6374	----	----	----	----	135	UNCH	
4650	----	----	----	265.40B/206.40A	265.40B/206.40A	----	----	227.00 - 29.70	.6425	----	11	----	----	444	UNCH	
4655	----	----	----	269.40B/209.60A	269.40B/209.60A	----	----	230.40 - 29.80	.6476	----	----	----	----	30	UNCH	
4660	----	----	----	272.90B/212.70A	272.90B/212.70A	----	----	233.80 - 30.00	.6525	----	----	----	----	33	UNCH	
4665	----	----	----	276.60B/216.30A	276.60B/216.30A	----	----	237.30 - 30.10	.6575	----	----	----	----	4	UNCH	
4670	----	----	----	280.40B/219.70A	280.40B/219.70A	----	----	240.80 - 30.20	.6624	----	----	----	----	53	UNCH	
4675	----	----	----	283.90B/222.80A	283.90B/222.80A	----	----	244.30 - 30.40	.6673	----	----	----	----	15	UNCH	
4680	----	----	----	287.80B/226.40A	287.80B/226.40A	----	----	247.80 - 30.60	.6723	----	2	----	----	33 -	1	
4685	----	----	----	291.40B/229.60A	291.40B/229.60A	----	----	251.30 - 30.80	.6770	----	----	----	----	224	UNCH	
4690	----	----	----	295.40B/232.80A	295.40B/232.80A	----	----	254.90 - 30.90	.6818	----	----	----	----	10	UNCH	
4695	----	----	----	299.20B/236.20A	299.20B/236.20A	----	----	258.50 - 31.10	.6866	----	----	----	----	5	UNCH	
4700	----	----	----	303.10B/239.60A	303.10B/239.60A	----	----	262.20 - 31.10	.6912	----	2	----	----	1051	UNCH	
4705	----	----	----	306.90B/243.20A	306.90B/243.20A	----	----	265.80 - 31.30	.6957	----	----	----	----	151	UNCH	
4710	----	----	----	310.80B/246.90A	310.80B/246.90A	----	----	269.50 - 31.40	.7003	----	----	----	----	10	UNCH	
4715	----	----	----	314.70B/250.10A	314.70B/250.10A	----	----	273.20 - 31.60	.7049	----	----	----	----	1	UNCH	
4720	----	----	----	318.60B/254.00A	318.60B/254.00A	----	----	276.90 - 31.70	.7095	----	----	----	----	13	UNCH	
4725	----	----	----	322.70B/257.50A	322.70B/257.50A	----	----	280.70 - 31.80	.7139	----	----	----	----	59	UNCH	
4730	----	----	----	326.60B/261.00A	326.60B/261.00A	----	----	284.50 - 31.90	.7182	----	----	----	----	57	UNCH	
4735	----	----	----	330.60B/264.50A	330.60B/264.50A	----	----	288.30 - 32.00	.7226	----	----	----	----	39	UNCH	
4740	----	----	----	334.60B/268.20A	334.60B/268.20A	----	----	292.10 - 32.20	.7268	----	----	----	----	58	UNCH	
4745	----	----	----	338.60B/271.80A	338.60B/271.80A	----	----	295.90 - 32.30	.7311	----	----	----	----	44	UNCH	
4750	----	----	----	342.70B/275.40A	342.70B/275.40A	----	----	299.80 - 32.40	.7353	----	----	----	----	181	UNCH	
4755	----	----	----	346.70B/279.10A	346.70B/279.10A	----	----	303.70 - 32.50	.7395	----	----	----	----	25	UNCH	
4760	----	----	----	350.60B/283.10A	350.60B/283.10A	----	----	307.60 - 32.60	.7434	----	----	----	----	8	UNCH	
4765	----	----	----	354.80B/287.00A	354.80B/287.00A	----	----	311.50 - 32.80	.7475	----	----	----	----	8	UNCH	
4770	----	----	----	358.80B/290.80A	358.80B/290.80A	----	----	315.50 - 32.80	.7515	----	----	----	----	260	UNCH	
4775	----	----	----	363.00B/294.30A	363.00B/294.30A	----	----	319.50 - 32.90	.7554	----	----	----	----	171	UNCH	
4780	----	----	----	367.20B/298.20A	367.20B/298.20A	----	----	323.50 - 33.00	.7593	----	----	----	----	19	UNCH	
4785	----	----	----	371.30B/302.00A	371.30B/302.00A	----	----	327.50 - 33.10	.7630	----	----	----	----	18	UNCH	
4790	----	----	----	375.50B/305.50A	375.50B/305.50A	----	----	331.50 - 33.30	.7668	----	----	----	----	53	UNCH	
4795	----	----	----	379.70B/309.50A	379.70B/309.50A	----	----	335.60 - 33.30	.7705	----	----	----	----	128	UNCH	
4800	----	----	----	383.90B/313.30A	383.90B/313.30A	----	----	339.60 - 33.50	.7742	----	----	----	----	968	UNCH	
4805	----	----	----	388.20B/317.80A	388.20B/317.80A	----	----	343.70 - 33.60	.7778	----	----	----	----	9	UNCH	
4810	----	----	----	392.40B/321.50A	392.40B/321.50A	----	----	347.80 - 33.70	.7814	----	----	----	----	5	UNCH	
4815	----	----	----	396.70B/325.70A	396.70B/325.70A	----	----	352.00 - 33.70	.7851	----	----	----	----	3	UNCH	
4820	----	----	----	400.90B/329.60A	400.90B/329.60A	----	----	356.10 - 33.80	.7884	----	----	----	----	4	UNCH	
4825	----	----	----	405.20B/333.20A	405.20B/333.20A	----	----	360.30 - 33.90	.7918	----	----	----	----	30	UNCH	
4830	----	----	----	409.50B/337.70A	409.50B/337.70A	----	----	364.40 - 34.00	.7952	----	----	----	----	4	UNCH	
4835	----	----	----	413.80B/341.30A	413.80B/341.30A	----	----	368.60 - 34.10	.7985	----	----	----	----	36	UNCH	
4840	----	----	----	418.20B/345.80A	418.20B/345.80A	----	----	372.80 - 34.20	.8019	----	----	----	----	5	UNCH	
4850																

BULLETIN #106@										METALS OPTION PRODUCTS										Thu, Jun 04, 2026		PG64
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST						
OG PUT		COMEX GOLD OPTIONS																				
SEP26																						
2860	----	----	----	----	2.10B/2.50A	----	2.30	- 0.20	.0070	----	----	----	----	----	----	23	UNCH					
2865	----	----	----	----	2.20B/2.60A	----	2.30	- 0.20	.0071	----	----	----	----	----	----	15	UNCH					
2900	----	----	----	----	2.30B/2.70A	----	2.50	- 0.20	.0077	----	----	----	----	----	----	5	UNCH					
2915	----	----	----	----	2.40B/2.80A	----	2.60	- 0.20	.0081	----	----	----	----	----	----	2	UNCH					
2920	----	----	----	----	2.40B/2.80A	----	2.60	- 0.20	.0081	----	----	----	----	----	----	5	UNCH					
3000	2.80	2.80		2.80/*2.80	2.80/*2.80	----	3.10	- 0.20	.0098	----	----	----	1	----	4 +	1						
3045	----	----	----	----/3.50A	3.10B/3.50A	----	3.30	- 0.40	.0106	----	----	----	----	----	----	25	UNCH					
3100	----	----	----	----/3.90A	3.50B/3.90A	----	3.70	- 0.30	.0121	----	----	----	----	----	----	25	UNCH					
3145	----	----	----	----/4.20A	3.80B/4.20A	----	4.00	- 0.40	.0132	----	----	----	----	----	----	15	UNCH					
3150	----	----	----	----/4.30A	3.80B/4.30A	----	4.00	- 0.40	.0133	----	----	----	----	----	----	2	UNCH					
3200	----	----	----	----/4.70A	4.30B/4.70A	----	4.40	- 0.50	.0148	----	----	----	----	----	----	16	UNCH					
3270	----	----	----	----/5.20A	4.90B/5.20A	----	5.10	- 0.40	.0175	----	----	----	----	----	----	15	UNCH					
3300	----	----	----	----/5.50A	5.40B/5.50A	----	5.40	- 0.50	.0187	----	----	----	----	----	----	15	UNCH					
3400	----	----	----	----/6.60A	6.80B/6.60A	----	6.60	- 0.70	.0234	----	----	----	----	----	----	51	UNCH					
3450	----	----	----	----/7.30A	7.70B/7.30A	----	7.40	- 0.80	.0266	----	----	----	----	----	----	1	UNCH					
3475	----	----	----	----/7.70A	8.20B/7.70A	----	7.90	- 0.80	.0284	----	----	----	----	----	----	2	UNCH					
3480	----	----	----	----/7.80A	8.20B/7.80A	----	8.00	- 0.80	.0288	----	----	----	----	----	----	780	UNCH					
3495	----	----	----	----/8.10A	8.50B/8.10A	----	8.20	- 0.90	.0297	----	----	----	----	----	----	1	UNCH					
3500	----	----	----	----/8.20A	8.60B/8.20A	----	8.30	- 0.90	.0301	----	----	----	1	----	335	UNCH						
3515	----	----	----	----/8.40A	9.00B/8.40A	----	8.60	- 1.00	.0313	----	----	----	----	----	----	25	UNCH					
3525	----	----	----	----/8.60A	9.20B/8.60A	----	8.90	- 0.90	.0323	----	----	----	----	----	----	2	UNCH					
3530	----	----	----	----/8.70A	9.30B/8.70A	----	9.00	- 0.90	.0327	----	----	----	----	----	----	1	UNCH					
3535	----	----	----	----/8.80A	9.40B/8.80A	----	9.10	- 1.00	.0331	----	----	----	----	----	----	1	UNCH					
3545	----	----	----	----/9.00A	9.70B/9.00A	----	9.30	- 1.00	.0339	----	----	----	----	----	----	6	UNCH					
3550	----	----	----	----/9.10A	9.80B/9.10A	----	9.40	- 1.10	.0343	----	----	----	----	----	----	6	UNCH					
3555	----	----	----	----/9.30A	9.90B/9.30A	----	9.50	- 1.10	.0347	----	----	----	----	----	----	6	UNCH					
3565	----	----	----	----/9.50A	10.20B/9.50A	----	9.80	- 1.10	.0358	----	----	----	----	----	----	1	UNCH					
3570	----	----	----	----/9.60A	10.30B/9.60A	----	9.90	- 1.10	.0362	----	----	----	----	----	----	3	UNCH					
3575	----	----	----	----/9.70A	10.40B/9.70A	----	10.00	- 1.10	.0367	----	----	----	----	----	----	64	UNCH					
3585	----	----	----	----/9.90A	10.70B/9.90A	----	10.30	- 1.10	.0378	----	----	----	----	----	----	1	UNCH					
3590	----	----	----	----/10.00A	10.90B/10.00A	----	10.40	- 1.20	.0382	----	----	----	----	----	----	4	UNCH					
3595	----	----	----	----/10.10A	11.00B/10.10A	----	10.50	- 1.20	.0386	----	----	----	----	----	----	5	UNCH					
3600	11.00	11.00		11.00/10.30A	11.20B/10.30A	----	10.70	- 1.20	.0393	----	----	----	62	----	93 +	52						
3605	----	----	----	----/10.40A	11.30B/10.40A	----	10.80	- 1.20	.0397	----	----	----	----	----	----	9	UNCH					
3610	----	----	----	----/10.50A	11.50B/10.50A	----	10.90	- 1.30	.0402	----	----	----	----	----	----	8	UNCH					
3625	----	----	----	----/10.90A	12.00B/10.90A	----	11.30	- 1.40	.0418	----	----	----	----	----	----	7	UNCH					
3635	----	----	----	----/11.10A	12.30B/11.10A	----	11.60	- 1.40	.0429	----	----	----	----	----	----	5	UNCH					
3650	----	----	----	----/11.60A	12.90B/11.60A	----	12.10	- 1.50	.0448	----	----	----	----	----	----	48	UNCH					
3665	----	----	----	----/12.00A	13.40B/12.00A	----	12.60	- 1.50	.0467	----	----	----	----	----	----	1	UNCH					
3670	----	----	----	----/12.10A	13.60B/12.10A	----	12.70	- 1.60	.0472	----	----	----	----	----	----	1	UNCH					
3675	----	----	----	----/12.30A	13.80B/12.30A	----	12.90	- 1.60	.0479	----	----	----	----	----	----	10	UNCH					
3680	----	----	----	----/12.40A	14.00B/12.40A	----	13.10	- 1.60	.0486	----	----	----	----	----	----	3	UNCH					
3685	----	----	----	----/12.60A	14.20B/12.60A	----	13.20	- 1.70	.0491	----	----	----	----	----	----	1	UNCH					
3690	----	----	----	----/12.70A	14.40B/12.70A	----	13.40	- 1.70	.0498	----	----	----	----	----	----	61	UNCH					
3700	14.00	14.00		14.00/13.10A	14.90B/13.10A	----	13.80	- 1.70	.0513	----	----	----	10	----	166 +	10						
3715	----	----	----	----/13.60A	15.60B/13.60A	----	14.30	- 1.90	.0533	----	----	----	----	----	----	14	UNCH					
3720	----	----	----	----/13.70A	15.80B/13.70A	----	14.50	- 1.90	.0541	----	----	----	----	----	----	50	UNCH					
3740	----	----	----	----/14.50A	16.80B/14.50A	----	15.30	- 2.00	.0572	----	----	----	----	----	----	1	UNCH					
3750	----	----	----	----/14.80A	17.30B/14.80A	----	15.80	- 2.00	.0590	----	----	----	----	----	----	107	UNCH					
3755	----	----	----	----/15.00A	17.90B/15.00A	----	16.00	- 2.10	.0597	----	----	----	3	----	456 +	3						
3765	----	----	----	----/15.40A	18.30B/15.40A	----	16.40	- 2.20	.0613	----	----	----	----	----	----	1	UNCH					
3775	----	----	----	----/15.80A	18.70B/15.80A	----	16.90	- 2.20	.0632	----	----	----	----	----	----	1	UNCH					
3790	----	----	----	----/16.50A	19.60B/16.50A	----	17.60	- 2.40	.0658	----	----	----	----	----	----	2	UNCH					
3795	----	----	----	----/16.70A	19.80B/16.70A	----	17.80	NEW	.0667	----	----	1	----	----	1 +	1						
3800	----	----	----	----/17.00A	20.20B/17.00A	----	18.10	- 2.40	.0677	----	----	----	----	----	----	487	UNCH					
3820	----	----	----	----/17.90A	21.40B/17.90A	----	19.10	- 2.70	.0716	----	----	----	----	----	----	1	UNCH					
3825	20.20	20.20		20.20/18.20A	21.90B/18.20A	----	19.40	- 2.70	.0726	----	----	----	2	----	12 -	1						
3830	----	----	----	----/18.40A	22.20B/18.40A	----	19.70	- 2.70	.0737	----	----	----	----	----	----	50	UNCH					
3840	----	----	----	----/18.90A	22.80B/18.90A	----	20.30	- 2.80	.0759	----	----	----	----	----	----	2	UNCH					
3845	----	----	----	----/19.20A	23.30B/19.20A	----	20.60	- 2.90	.0770	----	----	----	----	----	----	1	UNCH					
3850	----	----	----	----/19.50A	23.60B/19.50A	----	20.90	- 2.90	.0781	----	----	----	1	----	38	UNCH						
3860	----	----	----	----/20.00A	24.30B/20.00A	----	21.50	- 3.00	.0804	----	----	----	----	----	----	2	UNCH					
3875	----	----	----	----/20.90A	25.50B/20.90A	----	22.50	- 3.20	.0840	----	----	----	3	----	5	UNCH						
3880	----	----	----	----/21.20A	26.00B/21.20A	----	22.80	- 3.30	.0852	----	----	----	----	----	----	26	UNCH					
3890	----	----	----	27.00B/21.90A	27.00B/21.90A	----	23.50	- 3.40	.0877	----	----	----	----	----	----	2	UNCH					
3900	----	----	----	27.90B/22.50A	27.90B/22.50A	----	24.20	- 3.50	.0903	----	----	----	----	----	----	315	UNCH					
3910	----	----	----	28.80B/23.20A	28.80B/23.20A	----	24.90	- 3.70	.0928	----	----	----	----	----	----	4	UNCH					
3915	----	----	----	----/23.50A	29.10B/23.50A	----	25.30	- 3.80	.0943	----	----	----	----	----	----	7	UNCH					
3920	----	----	----	29.60B/23.90A	29.60B/23.90A	----	25.70	- 3.80	.0957	----	----	----	----	----	----	19	UNCH					
3930	----	----	----	----/24.60A	29.90B/24.60A</																	

PG64		BULLETIN #106@										METALS OPTION PRODUCTS										Thu, Jun 04, 2026		PG64	
		GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST										
OG PUT		COMEX GOLD OPTIONS																							
SEP26																									
4310	----	----	----	----	107.80B/82.90A	107.80B/82.90A	----	----	90.60 - 13.70	.2901	----	----	----	----	1	UNCH									
4315	----	----	----	----	109.50B/84.30A	109.50B/84.30A	----	----	92.10 - 13.90	.2938	----	----	----	----	71	UNCH									
4320	----	----	----	----	111.00B/85.60A	111.00B/85.60A	----	----	93.60 - 14.00	.2976	----	----	----	----	168	UNCH									
4325	----	----	----	----	113.00B/87.00A	113.00B/87.00A	----	----	95.10 - 14.30	.3013	----	----	----	----	56	UNCH									
4330	----	----	----	----	114.50B/88.40A	114.50B/88.40A	----	----	96.60 - 14.50	.3051	----	----	----	----	1	UNCH									
4340	----	----	----	----	118.40B/91.30A	118.40B/91.30A	----	----	99.80 - 14.80	.3128	----	----	----	----	50	UNCH									
4345	----	----	----	----	120.30B/92.70A	120.30B/92.70A	----	----	101.40 - 15.00	.3167	----	----	----	----	19	UNCH									
4350	----	----	----	----	122.10B/94.20A	122.10B/94.20A	----	----	103.00 - 15.20	.3206	----	----	----	----	143	UNCH									
4355	----	----	----	----	124.10B/95.70A	124.10B/95.70A	----	----	104.70 - 15.40	.3245	----	----	----	----	7	UNCH									
4360	----	----	----	----	125.50B/97.30A	125.50B/97.30A	----	----	106.40 - 15.50	.3285	----	----	----	----	54	UNCH									
4365	----	----	----	----	128.00B/98.90A	128.00B/98.90A	----	----	108.10 - 15.70	.3325	----	----	----	----	6	UNCH									
4375	----	----	----	----	132.00B/102.10A	132.00B/102.10A	----	----	111.50 - 16.20	.3405	----	----	----	----	63	UNCH									
4380	----	----	----	----	133.90B/103.70A	133.90B/103.70A	----	----	113.30 - 16.30	.3445	----	----	----	----	95	UNCH									
4385	----	----	----	----	135.70B/105.20A	135.70B/105.20A	----	----	115.10 - 16.50	.3486	----	----	----	----	2	UNCH									
4390	----	----	----	----	138.10B/107.00A	138.10B/107.00A	----	----	116.90 - 16.70	.3527	----	----	----	----	43	UNCH									
4395	----	----	----	----	140.10B/108.70A	140.10B/108.70A	----	----	118.70 - 17.00	.3568	----	----	----	----	52	UNCH									
4400	128.80	----	128.80	----	140.90B/109.80A	140.90B/109.80A	----	----	120.60 - 17.10	.3609	----	----	22	----	856 +	18									
4405	----	----	----	----	143.30B/112.10A	143.30B/112.10A	----	----	122.50 - 17.30	.3651	----	----	----	----	42	UNCH									
4410	----	----	----	----	145.40B/113.80A	145.40B/113.80A	----	----	124.40 - 17.50	.3693	----	----	----	----	6	UNCH									
4415	----	----	----	----	147.60B/115.60A	147.60B/115.60A	----	----	126.30 - 17.80	.3734	----	----	----	----	3	UNCH									
4420	125.90	----	125.90	----	149.80B/117.40A	149.80B/117.40A	----	----	128.30 - 17.90	.3776	----	----	2	----	4 +	1									
4425	----	----	----	----	152.00B/119.20A	152.00B/119.20A	----	----	130.30 - 18.10	.3819	----	----	----	----	201	UNCH									
4430	----	----	----	----	155.40B/121.10A	155.40B/121.10A	----	----	132.30 - 18.30	.3861	----	----	----	----	4	UNCH									
4435	----	----	----	----	156.70B/122.90A	156.70B/122.90A	----	----	134.30 - 18.60	.3904	----	----	----	----	2	UNCH									
4440	----	----	----	----	158.80B/124.70A	158.80B/124.70A	----	----	136.40 - 18.70	.3946	----	2	----	----	9 +	1									
4445	----	----	----	----	161.30B/126.70A	161.30B/126.70A	----	----	138.50 - 18.90	.3989	----	----	----	----	5	UNCH									
4450	138.00	----	138.00	----	161.00B/128.60A	161.00B/128.60A	----	----	140.60 - 19.10	.4032	----	2	----	----	450 +	2									
4455	----	----	----	----	167.10B/130.50A	167.10B/130.50A	----	----	142.70 - 19.40	.4075	----	----	----	----	4	UNCH									
4465	----	----	----	----	172.10B/134.60A	172.10B/134.60A	----	----	147.00 - 19.80	.4162	----	----	----	----	2	UNCH									
4470	----	----	----	----	170.90B/136.70A	170.90B/136.70A	----	----	149.20 - 20.00	.4205	----	----	----	----	5	UNCH									
4475	148.80	----	148.80	----	175.50B/138.70A	175.50B/138.70A	----	----	151.50 - 20.10	.4249	----	2	----	----	7	UNCH									
4480	----	----	----	----	178.20B/140.80A	178.20B/140.80A	----	----	153.70 - 20.40	.4292	----	----	----	----	3	UNCH									
4485	----	----	----	----	180.70B/142.90A	180.70B/142.90A	----	----	156.00 - 20.60	.4336	----	----	----	----	6	UNCH									
4490	----	----	----	----	184.50B/145.00A	184.50B/145.00A	----	----	158.30 - 20.70	.4380	----	----	----	----	50	UNCH									
4495	----	----	----	----	187.00B/147.20A	187.00B/147.20A	----	----	160.60 - 21.00	.4424	----	----	----	----	4	UNCH									
4500	181.70	----	181.70	----	184.80B/149.20A	184.80B/149.20A	----	----	163.00 - 21.10	.4468	----	104	----	----	628 +	8									
4505	----	----	----	----	192.30B/151.60A	192.30B/151.60A	----	----	165.40 - 21.30	.4512	----	----	----	----	3	UNCH									
4510	----	----	----	----	194.90B/153.80A	194.90B/153.80A	----	----	167.80 - 21.50	.4556	----	----	----	----	11	UNCH									
4515	----	----	----	----	196.30B/156.00A	196.30B/156.00A	----	----	170.20 - 21.70	.4600	----	----	----	----	3	UNCH									
4520	----	----	----	----	198.30B/158.30A	198.30B/158.30A	----	----	172.60 - 21.90	.4644	----	----	----	----	118	UNCH									
4525	----	----	----	----	202.30B/160.60A	202.30B/160.60A	----	----	175.10 - 22.10	.4688	----	----	----	----	50	UNCH									
4530	----	----	----	----	204.70B/162.90A	204.70B/162.90A	----	----	177.60 - 22.30	.4732	----	----	----	----	27	UNCH									
4540	----	----	----	----	210.20B/167.60A	210.20B/167.60A	----	----	182.70 - 22.60	.4820	----	----	----	----	4	UNCH									
4545	----	----	----	----	212.10B/170.50A	212.10B/170.50A	----	----	185.30 - 22.80	.4864	----	----	----	----	21	UNCH									
4550	----	----	----	----	212.00B/172.80A	212.00B/172.80A	----	----	187.90 - 23.00	.4908	----	----	----	----	513	UNCH									
4555	188.00	----	188.00	----	214.80B/175.40A	214.80B/175.40A	----	----	190.50 - 23.20	.4952	----	1	----	----	106 +	1									
4560	----	----	----	----	221.70B/177.90A	221.70B/177.90A	----	----	193.10 - 23.40	.4996	----	----	----	----	36	UNCH									
4565	----	----	----	----	220.50B/180.40A	220.50B/180.40A	----	----	195.80 - 23.50	.5040	----	----	----	----	85	UNCH									
4570	196.30	----	196.30	----	223.40B/183.00A	223.40B/183.00A	----	----	198.50 - 23.70	.5084	----	7	----	----	33 +	5									
4575	----	----	----	----	229.90B/185.50A	229.90B/185.50A	----	----	201.20 - 23.90	.5128	----	7	----	----	58 +	7									
4580	----	----	----	----	233.50B/188.10A	233.50B/188.10A	----	----	204.00 - 24.00	.5172	----	----	----	----	1	UNCH									
4585	----	----	----	----	233.60B/190.50A	233.60B/190.50A	----	----	206.70 - 24.30	.5215	----	----	----	----	71	UNCH									
4595	----	----	----	----	240.00B/196.00A	240.00B/196.00A	----	----	212.30 - 24.60	.5302	----	----	----	----	32	UNCH									
4600	----	----	----	----	246.10B/198.60A	246.10B/198.60A	----	----	215.20 - 24.70	.5345	----	----	----	----	127	UNCH									
4605	----	----	----	----	247.70B/201.20A	247.70B/201.20A	----	----	218.10 - 24.90	.5389	----	----	----	----	60	UNCH									
4610	----	----	----	----	249.90B/203.80A	249.90B/203.80A	----	----	220.90 - 25.10	.5432	----	----	----	----	5	UNCH									
4615	----	----	----	----	251.00B/206.80A	251.00B/206.80A	----	----	223.90 - 25.20	.5475	----	7	----	----	19	UNCH									
4620	----	----	----	----	253.90B/209.00A	253.90B/209.00A	----	----	226.80 - 25.40	.5518	----	----	----	----	438	UNCH									
4625	----	----	----	----	255.80B/212.30A	255.80B/212.30A	----	----	229.80 - 25.60	.5560	----	7	----	----	112 -	7									
4630	----	----	----	----	259.00B/215.10A	259.00B/215.10A	----	----	232.80 - 25.70	.5603	----	----	----	----	32	UNCH									
4635	----	----	----	----	261.90B/217.80A	261.90B/217.80A	----	----	235.80 - 25.90	.5645	----	----	----	----	1	UNCH									
4640	----	----	----	----	265.10B/220.90A	265.10B/220.90A	----	----	238.80 - 26.10	.5688	----	----	----	----	6	UNCH									
4645	----	----	----	----	268.40B/223.70A	268.40B/223.70A	----	----	241.90 - 26.20	.5730	----	----	----	----	1	UNCH									
4650	----	----	----	----	271.70B/226.60A	271.70B/226.60A	----	----	245.00 - 26.40	.5772	----	----	----	----	12	UNCH									
4655	----	----	----	----	275.00B/229.50A	275.00B/229.50A	----	----	248.10 - 26.60	.5813	----	----	----	----	14	UNCH									
4660	----	----	----	----	280.80B/232.50A	280.80B/232.50A	----	----	251.20 - 26.80	.5855	----	----	----	----	7	UNCH									
4665	----	----	----	----	/235.30A	277.50B/235.30A	----	----	254.40 - 26.90	.5896	----	----	----	----	2	UNCH									
4670	----	----	----	----	/238.40A	282.10B/238.40A	----	----	257.60 - 27.00	.5937	----	----	----	----	26	UNCH									
4675	----	----	----	----	/241.30A	282.60B/241.30A	----	----	260.80 - 27.20	.5978	----	----	----	----	7	UNCH									
4685	----	----	----	----	/247.60A	286.10B/247.60A	----	----	267.30 - 27.40	.6059	----	----	----	----	8	UNCH									
4690	----	----	----	----	/250.80A	286.50B/250.80A	----	----	270.60 - 27.60	.6099	----	----	----	----	2	UNCH									
4695	----	----	----	----	/253.80A	287.10B/253.80A	----	----	273.90 - 27.70	.6140	----	----	----	----	2	UNCH									
4700	270.10	----	270.10	----	289.90B/256.90A	289.90B/256.90A	----	----	277.20 - 27.80	.6179	----	4	----	----	143 +	4									
4705	----	----	----	----	/259.90A	293.30B/259.90A	----	----	280.60 - 27.90	.6218	----	----	----	----	13	UNCH									
4710	----	----	----	----	/263.10A	296.60B/263.10A	----	----	283.90 - 28.10	.6259	----	----	----	----	1	UNCH									
4720	----	----	----	----	/269.50A	303.60B/269.50A	----	----	290.70 - 28.30	.6336	----	----	----	----	4	UNCH									
4725	----	----	----	----	/272.90A	307.10B/272.90A	----	----	294.10 - 28.50	.6376	----	----	----	----	7	UNCH									
4730	----	----	----	----	/276.30A	310.60B/276.30A	----	----	297.60 - 28.60	.6414	----	----	----	----	7	UNCH									
4735	----	----	----	----	/279.40A	314.20B/279.40A	----	----	301.00 - 28.80	.6452	----	----	----	----	100	UNCH									
4740	----	----	----	----	/283.00A	317.50B/283.00A	----	----	304.50 - 28.90	.6490	----	----	----	----	2	UNCH									
4750	----	----	----	----	/289.60A	324.80B/289.60A	----	----	311.50 - 29.10	.6565	----	----	----	----	175	UNCH									
4755	----	----	----	----	/293.30A	328.30B/293.30A	----	----	315.10 - 29.20	.6602	----	----	----	----	10	UNCH									
4760	----	----	----	----	/296.30A	332.10B/296.30A	----	----	318.60 - 29.40	.6640	----	----	----	----	109	UNCH									
4770	----	----	----	----	/303.30A	339.10B/303.30A	----	----	325.80 - 29.60	.6712	----	----	----	----	1	UNCH									
4775	----	----	----	----	/307.10A	343.00B/307.10A	----	----	329.40 - 29.70	.6749	----	----	----</												

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT	COMEX GOLD OPTIONS															
OCT26																
3380	----	----	----	/10.30A	10.60B/10.30A	----	----	----	10.40 - 0.90	.0322	----	----	----	----	1	UNCH
3385	----	----	----	/10.40A	10.70B/10.40A	----	----	----	10.50 - NEW	.0325	----	----	1	----	1	+
3390	----	----	----	/10.50A	10.80B/10.50A	----	----	----	10.70 - 0.80	.0331	----	----	----	----	4	UNCH
3400	----	----	----	/10.70A	11.00B/10.70A	----	----	----	10.90 - 0.90	.0338	----	----	----	150	150	UNCH
3430	----	----	----	/11.40A	11.80B/11.40A	----	----	----	11.60 - 1.00	.0361	----	----	----	----	12	UNCH
3480	----	----	----	/12.70A	13.30B/12.70A	----	----	----	13.00 - 1.10	.0407	----	----	20	840	884	+
3500	----	----	----	/13.30A	13.90B/13.30A	----	----	----	13.60 - 1.20	.0427	----	----	----	----	766	UNCH
3510	----	----	----	/13.60A	14.30B/13.60A	----	----	----	13.90 - 1.30	.0437	----	----	----	----	1	UNCH
3520	----	----	----	/13.90A	14.70B/13.90A	----	----	----	14.20 - 1.30	.0447	----	----	----	----	12	UNCH
3530	----	----	----	/14.20A	15.00B/14.20A	----	----	----	14.60 - 1.30	.0459	----	----	----	----	5	UNCH
3550	----	----	----	/14.80A	15.80B/14.80A	----	----	----	15.30 - 1.40	.0482	----	----	----	----	25	UNCH
3560	16.40	16.40	16.40	16.40/15.20A	16.40/15.20A	16.40/15.20A	16.40	15.20A	15.60 NEW	.0492	----	2	2	2	2	+
3565	----	----	----	/15.30A	16.50B/15.30A	----	----	----	15.80 NEW	.0499	----	1	1	1	1	+
3570	----	----	----	/15.50A	16.70B/15.50A	----	----	----	16.00 - 1.50	.0505	----	----	----	----	1	UNCH
3585	----	----	----	/16.10A	17.30B/16.10A	----	----	----	16.60 - 1.50	.0524	----	----	----	----	41	UNCH
3600	17.50	17.50	17.50	17.50/16.60A	18.00B/16.60A	18.00B/16.60A	17.50	16.60A	17.20 - 1.60	.0544	----	10	10	219	+	10
3615	----	----	----	/17.20A	18.80B/17.20A	----	----	----	17.80 - 1.70	.0563	----	----	----	----	1	UNCH
3635	----	----	----	/18.00A	19.80B/18.00A	----	----	----	18.70 - 1.80	.0592	----	----	----	----	1	UNCH
3650	----	----	----	/18.70A	20.60B/18.70A	----	----	----	19.40 - 1.90	.0615	----	----	----	----	1	UNCH
3660	----	----	----	/19.10A	21.40B/19.10A	----	----	----	19.90 - 2.00	.0630	----	----	----	----	10	UNCH
3670	----	----	----	/19.60A	22.10B/19.60A	----	----	----	20.40 - 2.10	.0646	----	----	----	----	20	UNCH
3680	----	----	----	/20.10A	22.50B/20.10A	----	----	----	20.90 - 2.10	.0662	----	----	----	----	5	UNCH
3695	----	----	----	/20.80A	23.50B/20.80A	----	----	----	21.70 - 2.20	.0688	----	----	----	----	1	UNCH
3700	----	----	----	/21.00A	23.80B/21.00A	----	----	----	22.00 - 2.30	.0697	----	----	----	----	205	UNCH
3715	----	----	----	/21.80A	24.80B/21.80A	----	----	----	22.80 - 2.40	.0723	----	----	----	----	196	UNCH
3750	----	----	----	/23.80A	27.30B/23.80A	----	----	----	25.00 - 2.70	.0791	----	----	----	----	43	UNCH
3770	----	----	----	/25.00A	28.90B/25.00A	----	----	----	26.30 - 2.90	.0831	----	----	----	----	3	UNCH
3780	----	----	----	/25.60A	29.70B/25.60A	----	----	----	27.00 - 3.00	.0853	----	----	1	1	1	UNCH
3785	----	----	----	/26.00A	30.10B/26.00A	----	----	----	27.40 - 3.00	.0865	----	----	1	1	2	+
3800	29.50	29.50	29.50	29.50/26.90A	31.50B/26.90A	31.50B/26.90A	29.50	26.90A	28.40 - 3.30	.0896	----	10	10	32	+	10
3805	----	----	----	/27.30A	31.90B/27.30A	----	----	----	28.80 - 3.30	.0908	----	----	----	----	9	UNCH
3820	----	----	----	/28.40A	33.10B/28.40A	----	----	----	30.00 - 3.50	.0945	----	----	----	----	1	UNCH
3850	----	----	----	/30.70A	35.40B/30.70A	----	----	----	32.50 - 3.90	.1020	----	----	----	----	2	UNCH
3865	----	----	----	/31.90A	35.70B/31.90A	----	----	----	33.80 - 4.10	.1059	----	----	----	----	2	UNCH
3870	----	----	----	/32.40A	36.20B/32.40A	----	----	----	34.30 - 4.10	.1073	----	----	----	----	1	UNCH
3875	----	----	----	/32.80A	36.50B/32.80A	----	----	----	34.80 - 4.20	.1088	----	----	----	----	14	UNCH
3885	----	----	----	/33.70A	37.60B/33.70A	----	----	----	35.70 - 4.40	.1115	----	----	----	----	5	UNCH
3890	----	----	----	41.20B/34.10A	41.20B/34.10A	41.20B/34.10A	41.20	34.10A	36.20 - 4.50	.1130	----	----	----	----	2	UNCH
3895	----	----	----	41.70B/34.60A	41.70B/34.60A	41.70B/34.60A	41.70	34.60A	36.70 - 4.50	.1144	----	----	1	100	124	+
3900	36.00	36.00	36.00	42.30B/35.10A	42.30B/35.10A	42.30B/35.10A	36.00	35.10A	37.30 - 4.50	.1161	----	1	1	98	UNCH	
3920	----	----	----	44.90B/37.00A	44.90B/37.00A	44.90B/37.00A	39.40	37.00A	39.40 - 4.80	.1221	----	----	----	28	28	UNCH
3930	----	----	----	46.10B/38.00A	46.10B/38.00A	46.10B/38.00A	40.50	38.00A	40.50 - 5.00	.1253	----	----	----	2	2	UNCH
3940	----	----	----	47.40B/39.10A	47.40B/39.10A	47.40B/39.10A	41.60	39.10A	41.60 - 5.20	.1285	----	----	----	65	65	UNCH
3950	----	----	----	48.80B/40.20A	48.80B/40.20A	48.80B/40.20A	42.80	40.20A	42.80 - 5.30	.1319	----	----	----	2	2	UNCH
3960	----	----	----	50.30B/41.30A	50.30B/41.30A	50.30B/41.30A	44.00	41.30A	44.00 - 5.50	.1353	----	----	----	1	1	UNCH
3965	----	----	----	51.00B/41.80A	51.00B/41.80A	51.00B/41.80A	44.70	41.80A	44.70 - 5.50	.1371	----	----	----	1	1	UNCH
3975	----	----	----	52.50B/43.00A	52.50B/43.00A	52.50B/43.00A	45.90	43.00A	45.90 - 5.70	.1406	----	----	----	5	5	UNCH
3980	----	----	----	53.20B/43.60A	53.20B/43.60A	53.20B/43.60A	46.60	43.60A	46.60 - 5.80	.1424	----	----	45	610	+	30
4000	----	----	----	56.50B/46.10A	56.50B/46.10A	56.50B/46.10A	49.30	46.10A	49.30 - 6.10	.1499	----	----	----	10	10	UNCH
4025	----	----	----	60.70B/49.40A	60.70B/49.40A	60.70B/49.40A	52.90	49.40A	52.90 - 6.60	.1596	----	----	----	2	2	UNCH
4030	----	----	----	61.50B/50.10A	61.50B/50.10A	61.50B/50.10A	53.70	50.10A	53.70 - 6.70	.1617	----	----	----	1	1	UNCH
4045	----	----	----	64.30B/52.30A	64.30B/52.30A	64.30B/52.30A	56.00	52.30A	56.00 - 7.10	.1679	----	----	----	1	1	UNCH
4050	----	----	----	65.20B/53.00A	65.20B/53.00A	65.20B/53.00A	56.80	53.00A	56.80 - 7.20	.1700	----	----	----	14	14	UNCH
4055	----	----	----	66.30B/53.80A	66.30B/53.80A	66.30B/53.80A	57.60	53.80A	57.60 - 7.30	.1721	----	----	----	7	7	UNCH
4065	----	----	----	68.10B/55.30A	68.10B/55.30A	68.10B/55.30A	59.30	55.30A	59.30 - 7.50	.1765	----	----	----	1	1	UNCH
4070	----	----	----	69.10B/56.00A	69.10B/56.00A	69.10B/56.00A	60.10	56.00A	60.10 - 7.60	.1787	----	----	----	31	31	UNCH
4075	----	----	----	70.20B/56.80A	70.20B/56.80A	70.20B/56.80A	61.00	56.80A	61.00 - 7.70	.1810	----	----	----	2	2	UNCH
4090	----	----	----	73.20B/59.30A	73.20B/59.30A	73.20B/59.30A	63.70	59.30A	63.70 - 8.00	.1879	----	----	20	20	UNCH	
4095	----	----	----	74.40B/60.10A	74.40B/60.10A	74.40B/60.10A	64.60	60.10A	64.60 - 8.10	.1902	----	----	20	20	UNCH	
4100	72.20	72.20	72.20	75.40B/60.90A	75.40B/60.90A	75.40B/60.90A	65.50	60.90A	65.50 - 8.30	.1925	----	20	20	520	+	20
4115	----	----	----	78.70B/63.70A	78.70B/63.70A	78.70B/63.70A	68.40	63.70A	68.40 - 8.60	.1997	----	----	----	1	1	UNCH
4130	----	----	----	82.20B/66.40A	82.20B/66.40A	82.20B/66.40A	71.40	66.40A	71.40 - 9.00	.2072	----	----	25	2	2	UNCH
4150	----	----	----	86.90B/70.20A	86.90B/70.20A	86.90B/70.20A	75.50	70.20A	75.50 - 9.60	.2173	----	----	----	29	+	24
4160	----	----	----	89.40B/72.30A	89.40B/72.30A	89.40B/72.30A	77.70	72.30A	77.70 - 9.80	.2226	----	----	----	21	21	UNCH
4180	----	----	----	94.90B/76.50A	94.90B/76.50A	94.90B/76.50A	82.30	76.50A	82.30 - 10.30	.2334	----	----	----	1	1	UNCH
4185	----	----	----	96.00B/77.60A	96.00B/77.60A	96.00B/77.60A	83.50	77.60A	83.50 - 10.40	.2362	----	----	----	100	100	UNCH
4195	----	----	----	99.00B/79.80A	99.00B/79.80A	99.00B/79.80A	85.90	79.80A	85.90 - 10.70	.2418	----	----	----	1	1	UNCH
4200	----	----	----	100.30B/80.80A	100.30B/80.80A	100.30B/80.80A	87.10	80.80A	87.10 - 10.90	.2446	----	----	----	306	306	UNCH
4220	----	----	----	106.10B/85.60A	106.10B/85.60A	106.10B/85.60A	92.20	85.60A	92.20 - 11.40	.2562	----	----	----	10	10	UNCH
4225	----	----	----	107.10B/86.80A	107.10B/86.80A	107.10B/86.80A	93.50	86.80A	93.50 - 11.60	.2591	----	----	----	38	38	UNCH
4230	----	----	----	109.10B/88.00A	109.10B/88.00A	109.10B/88.00A	94.80	88.00A	94.80 - 11.80	.2620	----	----	----	51	51	UNCH
4235	----	----	----	110.80B/89.30A	110.80B/89.30A	110.80B/89.30A	96.20	89.30A	96.20 - 11.90	.2651	----	1	1	2	+	1
4240	----	----	----	112.20B/90.50A	112.20B/90.50A	112.20B/90.50A	97.50	90.50A	97.50 - 12.10	.2680	----	----	----	1	1	UNCH
4245	----	----	----	113.90B/91.80A	113.90B/91.80A	113.90B/91.80A	98.90	91.80A	98.90 - NEW	.2711	----	1	1	1	+	1
4250	----	----	----	113.40B/93.00A	113.40B/93.00A	113.40B/93.00A	100.30	93.00A	100.30 - 12.30	.2741	----	----	----	337	337	UNCH
4260	118.40	118.40	118.40	118.70B/95.70A	118.70B/95.70A	118.70B/95.70A	103.10	95.70A	103.10 - NEW	.2803	----	5	5	5	+	5
4265	----	----	----	119.90B/97.10A	119.90B/97.10A	119.90B/97.10A	104.60	97.10A	104.60 - 12.80	.2834	----	----	----	200	200	UNCH
4270	121.70	121.70	121.70	122.00B/98.40A	122.00B/98.40A	122.00B/98.40A	106.10	98.40A	106.10 - 12.90	.2866	----	1	1	230	+	1
4280	----	----	----	125.10B/101.20A	125.10B/101.20A	125.10B/101.20A	109.10	101.20A	109.10 - 13.20	.2929	----	1	1	197	+	1
4300	----	----	----	130.10B/106.80A	130.10B/106.80A	130.10B/106.80A	115.30	106.80A	115.30 - 13.90	.3058	----	----	----	718		

PG64		BULLETIN #106@										METALS OPTION PRODUCTS										Thu, Jun 04, 2026		PG64
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN VOLUME	OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST							
OG PUT		COMEX GOLD OPTIONS																						
OCT26																								
4660	----	----	----	----	/264.80A	306.80B/264.80A	----	283.40	- 24.90	.5653	----	----	----	----	----	----	3	UNCH						
4670	----	----	----	----	/270.60A	313.30B/270.60A	----	289.60	- 25.20	.5723	----	----	----	----	----	----	6	UNCH						
4675	----	----	----	----	/273.60A	316.60B/273.60A	----	292.70	- 25.40	.5758	----	----	----	----	----	----	9	UNCH						
4680	----	----	----	----	/276.50A	319.90B/276.50A	----	295.80	- 25.50	.5793	----	----	----	----	----	----	1	UNCH						
4690	----	----	----	----	/282.60A	326.60B/282.60A	----	302.20	- 25.70	.5863	----	----	----	----	----	----	3	UNCH						
4700	----	----	----	----	/288.90A	333.40B/288.90A	----	308.60	- 26.00	.5932	----	----	----	----	----	----	84	UNCH						
4715	----	----	----	----	/298.10A	340.00B/298.10A	----	318.40	- 26.40	.6034	----	----	----	----	----	----	3	UNCH						
4750	----	----	----	----	/320.50A	353.40B/320.50A	----	341.80	- 27.30	.6266	----	----	----	----	----	----	175	UNCH						
4755	----	----	----	----	/323.80A	357.00B/323.80A	----	345.30	- 27.30	.6299	----	----	----	----	----	----	168	UNCH						
4775	----	----	----	----	/337.40A	371.10B/337.40A	----	359.10	- 27.80	.6427	----	----	----	----	----	----	26	UNCH						
4780	----	----	----	----	/340.90A	374.50B/340.90A	----	362.60	- 28.00	.6459	----	----	----	----	----	----	1	UNCH						
4800	----	----	----	----	/354.80A	389.00B/354.80A	----	376.80	- 28.40	.6584	----	----	----	----	----	----	101	UNCH						
4805	----	----	----	----	/358.30A	392.40B/358.30A	----	380.40	- 28.50	.6615	----	----	----	----	----	----	1	UNCH						
4810	----	----	----	----	/361.80A	396.20B/361.80A	----	384.00	- 28.70	.6646	----	----	----	----	----	----	8	UNCH						
4815	----	----	----	----	/365.30A	400.00B/365.30A	----	387.70	- 28.70	.6676	----	----	----	----	----	----	39	UNCH						
4820	----	----	----	----	/368.80A	403.60B/368.80A	----	391.30	- 28.90	.6706	----	----	----	----	----	----	2	UNCH						
4835	----	----	----	----	/379.30A	414.80B/379.30A	----	402.30	- 29.20	.6795	----	----	----	----	----	----	3	UNCH						
4845	----	----	----	----	/386.70A	422.20B/386.70A	----	409.70	- 29.50	.6853	----	----	----	----	----	----	20	UNCH						
4850	----	----	----	----	/389.60A	426.10B/389.60A	----	413.50	- 29.50	.6882	----	----	----	----	----	----	81	UNCH						
4875	----	----	----	----	/408.60A	445.10B/408.60A	----	432.40	- 30.10	.7023	----	----	----	----	----	----	1	UNCH						
4880	----	----	----	----	/412.00A	449.10B/412.00A	----	436.20	- 30.20	.7052	----	----	----	----	----	----	5	UNCH						
4900	----	----	----	----	/427.00A	464.60B/427.00A	----	451.60	- 30.60	.7160	----	----	----	----	----	----	71	UNCH						
4910	----	----	----	----	/434.70A	472.40B/434.70A	----	459.40	- 30.80	.7213	----	----	----	----	----	----	1	UNCH						
4920	----	----	----	----	/442.20A	480.30B/442.20A	----	467.20	- 31.00	.7265	----	----	----	----	----	----	1	UNCH						
4925	----	----	----	----	/446.10A	484.40B/446.10A	----	471.20	- 31.10	.7291	----	----	----	----	----	----	25	UNCH						
4935	----	----	----	----	/453.80A	492.40B/453.80A	----	479.10	- 31.30	.7341	----	----	----	----	----	----	5	UNCH						
4965	----	----	----	----	/477.10A	516.60B/477.10A	----	503.20	- 31.70	.7489	----	----	----	----	----	----	13	UNCH						
4980	----	----	----	----	/489.10A	528.90B/489.10A	----	515.40	- 32.00	.7560	----	----	----	----	----	----	1	UNCH						
5000	----	----	----	----	/505.00A	545.50B/505.00A	----	531.80	- 32.30	.7651	----	----	----	----	----	----	47	UNCH						
5010	----	----	----	----	/512.60A	553.80B/512.60A	----	540.10	- 32.40	.7697	----	----	----	----	----	----	1	UNCH						
5050	----	----	----	----	/545.80A	587.60B/545.80A	----	573.60	- 32.90	.7868	----	----	----	----	----	----	25	UNCH						
5150	----	----	----	----	/630.20A	674.50B/630.20A	----	660.00	- 34.00	.8240	----	----	----	----	----	----	1	UNCH						
5200	----	----	----	----	/673.80A	719.20B/673.80A	----	704.40	- 34.50	.8400	----	----	----	----	----	----	100	UNCH						
5230	----	----	----	----	/700.50A	746.20B/700.50A	----	731.40	- 34.70	.8490	----	----	----	----	----	----	1	UNCH						
5250	----	----	----	----	/719.00A	764.50B/719.00A	----	749.50	- 34.90	.8546	----	----	----	----	----	----	75	UNCH						
5300	----	----	----	----	/764.00A	810.40B/764.00A	----	795.10	- 35.30	.8676	----	----	----	----	----	----	9	UNCH						
5425	----	----	----	----	/879.50A	927.00B/879.50A	----	911.40	- 36.30	.8944	----	----	----	----	----	----	1	UNCH						
5455	----	----	----	----	/906.80A	955.40B/906.80A	----	939.70	- 36.50	.8998	----	----	----	----	----	----	40	UNCH						
5495	----	----	----	----	/945.30A	993.40B/945.30A	----	977.70	- 36.50	.9065	----	----	----	----	----	----	1	UNCH						
5500	----	----	----	----	/949.30A	998.20B/949.30A	----	982.40	- 36.60	.9072	----	----	----	----	----	----	1	UNCH						
5600	----	----	----	----	/1,044.60A	1094.10B/1044.60A	----	1078.10	- 36.90	.9214	----	----	----	----	----	----	1	UNCH						
5700	----	----	----	----	/1,140.90A	1190.90B/1140.90A	----	1174.80	- 37.20	.9327	----	----	----	----	----	----	1	UNCH						
TOTAL																381	940	10080 +	1160					
NOV26																								
2750	----	----	----	----	3.50B/5.40A	----	----	4.50	- 0.40	.0110	----	----	----	----	----	----	1	UNCH						
2800	----	----	----	----	3.80B/6.00A	----	----	4.90	- 0.40	.0121	----	----	----	----	----	----	8	UNCH						
2900	----	----	----	----	4.70B/7.00A	----	----	5.80	- 0.40	.0147	----	----	----	----	----	----	1	UNCH						
3000	----	----	----	----	5.70B/7.90A	----	----	6.90	- 0.60	.0179	----	----	----	----	----	----	94	UNCH						
3120	----	----	----	----	7.50B/9.80A	----	----	8.70	- 0.60	.0229	----	----	----	----	----	----	10	UNCH						
3180	----	----	----	----	8.40B/10.90A	----	----	9.80	- 0.70	.0261	----	----	----	----	----	----	10	UNCH						
3200	----	----	----	----	8.80B/11.30A	----	----	10.20	- 0.70	.0272	----	----	----	----	----	----	93	UNCH						
3215	----	----	----	----	9.10B/11.60A	----	----	10.50	- 0.80	.0281	----	----	----	----	----	----	1	UNCH						
3220	----	----	----	----	9.20B/11.80A	----	----	10.60	- 0.80	.0283	----	----	----	----	----	----	1	UNCH						
3225	----	----	----	----	9.40B/11.90A	----	----	10.70	- 0.80	.0286	----	----	----	----	----	----	1	UNCH						
3235	----	----	----	----	9.50B/12.00A	----	----	10.90	- 0.80	.0292	----	----	----	----	----	----	2	UNCH						
3250	----	----	----	----	9.90B/12.30A	----	----	11.30	- 0.80	.0303	----	----	----	----	----	----	18	UNCH						
3255	----	----	----	----	10.00B/12.40A	----	----	11.40	- 0.80	.0306	----	----	----	----	----	----	18	UNCH						
3300	----	----	----	----	11.10B/13.50A	----	----	12.50	- 0.90	.0337	----	----	----	----	----	----	47	UNCH						
3310	----	----	----	----	11.30B/13.70A	----	----	12.70	- 1.00	.0343	----	----	----	----	----	----	1	UNCH						
3320	----	----	----	----	11.60B/14.00A	----	----	13.00	- 1.00	.0352	----	----	----	----	----	----	16	UNCH						
3350	----	----	----	----	/14.80A	12.50B/14.80A	----	13.90	- 1.00	.0376	----	----	----	----	----	----	180	UNCH						
3455	----	----	----	----	/18.10A	16.10B/18.10A	----	17.40	- 1.40	.0475	----	----	----	----	----	----	1	UNCH						
3475	----	----	----	----	/18.90A	16.90B/18.90A	----	18.20	- 1.50	.0497	----	----	----	----	----	----	2	UNCH						
3500	----	----	----	----	/19.80A	18.00B/19.80A	----	19.20	- 1.60	.0525	----	----	----	2	----	686 +	2							
3520	----	----	----	----	/20.70A	19.00B/20.70A	----	20.10	- 1.70	.0549	----	----	----	----	----	----	1	UNCH						
3535	----	----	----	----	/21.30A	19.60B/21.30A	----	20.80	- 1.70	.0568	----	----	----	----	2	----	1	UNCH						
3600	24.10	24.10	24.10	24.10	24.10/24.00	24.10/24.00	----	24.10	- 2.10	.0658	----	----	----	2	----	612 +	1							
3605	----	----	----	----	/24.70A	23.50B/24.70A	----	24.30	- 2.20	.0665	----	----	----	----	----	----	1	UNCH						
3690	----	----	----	----	/29.40A	30.10B/29.40A	----	29.70	- 2.80	.0														

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG PUT		COMEX GOLD OPTIONS																	
NOV26																			
4755	----	----	----	381.60B/336.00A	381.60B/336.00A	----	----	----	354.90 - 25.90	.5862	----	----	----	----	----	1	UNCH		
4800	----	----	----	---/364.70A	397.80B/364.70A	----	----	----	384.40 - 27.10	.6124	----	----	----	----	----	13	UNCH		
4820	----	----	----	---/377.80A	409.00B/377.80A	----	----	----	398.00 - 27.50	.6237	----	----	1	----	----	2 +	1		
4840	----	----	----	---/391.10A	422.90B/391.10A	----	----	----	411.90 - 27.80	.6347	----	----	----	----	----	2	UNCH		
4845	----	----	----	---/394.50A	426.50B/394.50A	----	----	----	415.40 - 27.90	.6375	----	----	----	----	----	10	UNCH		
4850	----	----	----	---/397.90A	429.90B/397.90A	----	----	----	418.90 - 28.00	.6402	----	----	----	----	----	8	UNCH		
4900	----	----	----	---/432.50A	466.20B/432.50A	----	----	----	454.90 - 28.80	.6665	----	----	----	----	----	12	UNCH		
4915	----	----	----	---/443.20A	477.40B/443.20A	----	----	----	466.00 - 29.00	.6741	----	----	----	----	----	3	UNCH		
4935	----	----	----	---/457.60A	492.50B/457.60A	----	----	----	480.90 - 29.40	.6839	----	----	----	----	----	25	UNCH		
4950	----	----	----	---/468.60A	503.80B/468.60A	----	----	----	492.30 - 29.50	.6912	----	----	----	----	----	11	UNCH		
4960	----	----	----	---/476.00A	511.40B/476.00A	----	----	----	499.90 - 29.70	.6960	----	----	----	----	----	2	UNCH		
5000	----	----	----	---/505.90A	516.90B/505.90A	----	----	----	530.80 - 30.40	.7145	----	----	----	----	----	255	UNCH		
5020	----	----	----	---/521.20A	520.60B/521.20A	----	----	----	546.50 - 30.70	.7234	----	----	----	----	----	30	UNCH		
5055	----	----	----	----	490.80B/636.00A	----	----	----	574.30 - 31.40	.7386	----	----	----	----	----	8	UNCH		
5200	----	----	----	----	611.10B/755.20A	----	----	----	694.80 - 33.50	.7931	----	----	----	----	----	81	UNCH		
5395	----	----	----	----	784.10B/925.40A	----	----	----	867.20 - 35.20	.8481	----	----	----	----	----	6	UNCH		
5400	----	----	----	----	788.60B/929.90A	----	----	----	871.80 - 35.20	.8492	----	----	----	----	----	6	UNCH		
5760	----	----	----	----	----	----	----	----	1208.90 - 36.80	.9100	----	----	----	----	----	1	UNCH		
5975	----	----	----	----	----	----	----	----	1416.70 - 37.30	.9310	----	----	----	----	----	1	UNCH		
6000	----	----	----	----	----	----	----	----	1441.00 - 37.40	.9330	----	----	----	----	----	1	UNCH		
TOTAL																8		4235 +	5
DEC26																			
1350	----	----	----	----	-----/0.50A	----	----	----	0.10 UNCH	.0001	----	----	----	----	----	16	UNCH		
1375	----	----	----	----	-----/1.30A	----	----	----	0.10 UNCH	.0002	----	----	----	----	----	1	UNCH		
1500	----	----	----	----	0.10B/0.90A	----	----	----	0.30 - 0.10	.0005	----	----	----	----	----	1	UNCH		
1600	----	----	----	----	0.20B/1.20A	----	----	----	0.50 - 0.10	.0009	----	----	----	----	----	190	UNCH		
1700	----	----	----	----	0.40B/1.50A	----	----	----	0.80 - 0.10	.0015	----	----	----	----	----	200	UNCH		
1845	----	----	----	----	0.60B/2.20A	----	----	----	1.40 - 0.10	.0026	----	----	----	----	----	60	UNCH		
1900	----	----	----	----	0.80B/2.20A	----	----	----	1.50 - 0.20	.0028	----	----	----	----	----	4	UNCH		
2000	----	----	----	----	1.10B/2.30A	----	----	----	1.80 - 0.20	.0034	----	----	----	----	----	2	UNCH		
2400	----	----	----	----	2.60B/3.80A	----	----	----	3.30 - 0.20	.0070	----	----	----	----	----	1	UNCH		
2450	----	----	----	----	3.00B/4.20A	----	----	----	3.60 - 0.20	.0078	----	----	----	----	----	4	UNCH		
2490	----	----	----	----	3.10B/4.50A	----	----	----	3.80 - 0.20	.0083	----	----	----	----	----	1	UNCH		
2500	----	----	----	----	3.30B/4.60A	----	----	----	3.90 - 0.20	.0085	----	----	----	----	----	171	UNCH		
2750	----	----	----	----	5.40B/6.50A	----	----	----	5.90 - 0.40	.0136	----	----	----	----	----	1	UNCH		
2800	----	----	----	----	5.80B/7.00A	----	----	----	6.50 - 0.30	.0150	----	----	----	----	----	18	UNCH		
2900	----	----	----	----	7.20B/8.30A	----	----	----	7.70 - 0.50	.0182	----	----	----	----	----	28	UNCH		
2925	----	----	----	----	7.40B/8.70A	----	----	----	8.10 - 0.40	.0192	----	----	----	----	----	300	UNCH		
2975	----	----	----	----	8.20B/9.40A	----	----	----	8.80 - 0.50	.0210	----	----	----	----	----	400	UNCH		
3000	9.00	9.00	9.00	9.00/9.00	9.00/9.00	----	----	----	9.20 - 0.60	.0221	----	----	1	----	----	1363 +	1		
3100	----	----	----	----	---/11.70A	10.50B/11.70A	----	----	11.10 - 0.70	.0270	----	----	----	----	----	4	UNCH		
3160	----	----	----	----	---/12.80A	11.90B/12.80A	----	----	12.40 - 0.90	.0304	----	----	----	----	----	2	UNCH		
3175	----	----	----	----	---/13.30A	12.30B/13.30A	----	----	12.80 - 0.90	.0314	----	----	----	----	----	1	UNCH		
3250	----	----	----	----	---/15.10A	14.50B/15.10A	----	----	14.80 - 1.00	.0366	----	----	----	----	----	20	UNCH		
3300	----	----	----	----	---/16.60A	16.20B/16.60A	----	----	16.40 - 1.10	.0407	----	----	----	----	----	2	UNCH		
3400	20.00	20.00	20.00	20.00/20.00	20.50B/20.00	----	----	----	20.10 - 1.60	.0501	----	----	40	----	----	543 +	2		
3425	----	----	----	----	---/21.30A	21.70B/21.30A	----	----	21.20 - 1.70	.0529	----	----	----	----	----	1070	UNCH		
3450	----	----	----	----	---/22.40A	23.10B/22.40A	----	----	22.40 - 1.80	.0558	----	----	----	----	----	350	UNCH		
3460	----	----	----	----	---/22.90A	23.60B/22.90A	----	----	22.90 - 1.80	.0571	----	----	----	----	----	201	UNCH		
3475	----	----	----	----	---/23.60A	24.50B/23.60A	----	----	23.60 - 1.90	.0588	----	----	----	----	----	20	UNCH		
3500	----	----	----	----	---/24.80A	26.00B/24.80A	----	----	25.00 - 2.00	.0622	----	----	----	----	----	152	UNCH		
3550	----	----	----	----	---/27.60A	29.30B/27.60A	----	----	28.00 - 2.30	.0695	----	----	----	----	----	1563	UNCH		
3560	----	----	----	----	---/28.20A	30.00B/28.20A	----	----	28.60 - 2.40	.0710	----	----	----	----	----	18	UNCH		
3565	----	----	----	----	---/28.50A	30.40B/28.50A	----	----	28.90 - 2.40	.0717	----	----	----	----	----	6	UNCH		
3590	----	----	----	----	---/30.10A	32.30B/30.10A	----	----	30.60 - 2.60	.0758	----	----	----	----	----	2	UNCH		
3600	30.90	30.90	30.90	30.90/30.70A	33.10B/30.70A	----	----	----	31.40 - 2.60	.0776	----	----	4	----	----	1	UNCH		
3610	----	----	----	----	---/31.40A	33.90B/31.40A	----	----	32.10 - 2.70	.0793	----	----	----	----	----	590 +	3		
3650	----	----	----	----	---/34.30A	37.30B/34.30A	----	----	35.20 - 3.00	.0865	----	----	----	----	----	3	UNCH		
3660	----	----	----	----	---/35.10A	38.20B/35.10A	----	----	36.00 - 3.00	.0884	----	----	----	----	----	201	UNCH		
3670	----	----	----	----	---/35.90A	39.10B/35.90A	----	----	36.90 - 3.10	.0904	----	----	----	----	----	5	UNCH		
3690	----	----	----	----	---/37.50A	41.00B/37.50A	----	----	38.60 - 3.30	.0944	----	----	----	----	----	1	UNCH		
3700	----	----	----	----	---/38.30A	41.90B/38.30A	----	----	39.50 - 3.30	.0965	----	----	----	----	----	1	UNCH		
3710	----	----	----	----	---/39.00A	40.90B/39.00A	----	----	40.40 - 3.50	.0985	----	----	----	----	----	916	UNCH		
3725	----	----	----	----	---/40.50A	42.40B/40.50A	----	----	41.80 - 3.60	.1018	----	----	----	----	----	37	UNCH		
3750	----	----	----	----	---/42.60A	44.90B/42.60A	----	----	44.30 - 3.80	.1074	----	----	----	----	----	6	UNCH		
3760	----	----	----	----	---/43.70A	46.00B/43.70A	----	----	45.30 - 4.00	.1097	----	----	----	----	----	166	UNCH		
3780	----	----	----	----	---/45.70A	51.50B/45.70A	----	----	47.40 - 4.20	.1144	----	----	----	----	----	184	UNCH		
3785	----	----	----	----	---/46.20A	51.70B/46.20A	----	----	47.90 - 4.30	.1156	----	----	----	----	----	10	UNCH		
3800	----	----	----	----	---/47.80A	53.90B/47.80A	----	----	49.60 - 4.50	.1194	----	----	----	----	----	1	UNCH		
3805	----	----	----	----	---/48.30A	54.50B/48.30A	----	----	50.20 - 4.50	.1207	----	----	----	----	----	351	UNCH		
3810	----	----	----	----	---/48.80A	55.20B/48.80A	----	----	50.70 - 4.60	.1218	----	----	----	----	----	11	UNCH		
3850	----	----	----	----	---/53.40A	60.80B/53.40A	----	----	55.60 - 5.20	.1326	----	----	----	----	----	56	UNCH		
3880	----	----	----	----	65.30B/57.10A	65.30B/57.10A	----	----	59.60 - 5.60	.1412	----	----	----	----	----	5	UNCH		
3900	----	----	----	----	68.40B/4														

PG64		BULLETIN #106@										METALS OPTION PRODUCTS										Thu, Jun 04, 2026		PG64
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
OG PUT		COMEX GOLD OPTIONS																						
FEB27																								
4500	----	----	----	----	----/257.20A	286.00B/257.20A	----	----	----	267.60 - 18.40	.4105	----	----	----	----	----	2	UNCH						
4600	----	----	----	----	338.40B/304.40A	338.40B/304.40A	----	----	----	316.70 - 20.50	.4600	----	----	----	----	----	17	UNCH						
4630	----	----	----	----	----/319.50A	347.10B/319.50A	----	----	----	332.50 - 21.20	.4748	----	----	----	----	----	9	UNCH						
4635	----	----	----	----	----/322.10A	347.50B/322.10A	----	----	----	335.20 - 21.30	.4772	----	----	----	----	----	2	UNCH						
4650	----	----	----	----	----/329.90A	356.10B/329.90A	----	----	----	343.30 - 21.70	.4846	----	----	----	----	----	1	UNCH						
4655	----	----	----	----	----/332.70A	359.00B/332.70A	----	----	----	346.10 - 21.70	.4870	----	----	----	----	----	1	UNCH						
4660	----	----	----	----	----/335.20A	361.90B/335.20A	----	----	----	348.80 - 21.90	.4895	----	----	----	----	----	435	UNCH						
4665	----	----	----	----	----/337.90A	364.80B/337.90A	----	----	----	351.60 - 22.00	.4919	----	----	----	----	----	3	UNCH						
4680	----	----	----	----	----/346.00A	373.50B/346.00A	----	----	----	360.00 - 22.30	.4992	----	----	----	----	----	3	UNCH						
4750	----	----	----	----	----/385.90A	415.80B/385.90A	----	----	----	400.90 - 23.60	.5327	----	----	----	----	----	1	UNCH						
4755	----	----	----	----	----/388.90A	418.90B/388.90A	----	----	----	403.90 - 23.80	.5351	----	----	----	----	----	1	UNCH						
4775	----	----	----	----	----/400.70A	431.50B/400.70A	----	----	----	416.10 - 24.20	.5444	----	----	----	----	----	1	UNCH						
4785	----	----	----	----	----/406.70A	437.80B/406.70A	----	----	----	422.30 - 24.30	.5491	----	----	----	----	----	100	UNCH						
4800	----	----	----	----	----/415.80A	447.50B/415.80A	----	----	----	431.60 - 24.70	.5561	----	----	----	----	----	60	UNCH						
4805	----	----	----	----	----/418.80A	450.70B/418.80A	----	----	----	434.80 - 24.70	.5583	----	----	----	----	----	2	UNCH						
4835	----	----	----	----	----/437.30A	470.40B/437.30A	----	----	----	453.90 - 25.30	.5720	----	----	----	----	----	1	UNCH						
4840	----	----	----	----	----/440.40A	473.80B/440.40A	----	----	----	457.20 - 25.40	.5743	----	----	----	----	----	1	UNCH						
4845	----	----	----	----	----/443.50A	477.10B/443.50A	----	----	----	460.40 - 25.50	.5765	----	----	----	----	----	3	UNCH						
4855	----	----	----	----	----/449.80A	483.80B/449.80A	----	----	----	466.90 - 25.70	.5810	----	----	----	----	----	3	UNCH						
4900	----	----	----	----	----/478.90A	516.00B/478.90A	----	----	----	496.90 - 26.50	.6007	----	----	----	----	----	4	UNCH						
4905	----	----	----	----	----/482.20A	520.60B/482.20A	----	----	----	500.30 - 26.60	.6029	----	----	----	----	----	4	UNCH						
4950	----	----	----	----	----/512.10A	539.70B/512.10A	----	----	----	531.30 - 27.30	.6220	----	----	----	----	----	1	UNCH						
4955	----	----	----	----	----/515.70A	543.00B/515.70A	----	----	----	534.80 - 27.40	.6240	----	----	----	----	----	1	UNCH						
5000	----	----	----	----	----/546.70A	575.50B/546.70A	----	----	----	566.80 - 28.10	.6423	----	----	----	----	----	10	UNCH						
5005	----	----	----	----	----/550.30A	579.10B/550.30A	----	----	----	570.40 - 28.20	.6443	----	----	----	----	----	2	UNCH						
5050	----	----	----	----	----/582.20A	612.30B/582.20A	----	----	----	603.30 - 28.90	.6619	----	----	----	----	----	4	UNCH						
5055	----	----	----	----	----/586.00A	616.00B/586.00A	----	----	----	607.00 - 29.00	.6638	----	----	----	----	----	4	UNCH						
5100	----	----	----	----	----/618.90A	650.00B/618.90A	----	----	----	640.80 - 29.60	.6806	----	----	----	----	----	2	UNCH						
5150	----	----	----	----	----/656.40A	688.60B/656.40A	----	----	----	679.20 - 30.20	.6984	----	----	----	----	----	1	UNCH						
5175	----	----	----	----	----/675.50A	700.80B/675.50A	----	----	----	698.70 - 30.50	.7070	----	----	----	----	----	125	UNCH						
5200	----	----	----	----	----/694.80A	702.50B/694.80A	----	----	----	718.50 - 30.70	.7154	----	----	----	----	----	1	UNCH						
5250	----	----	----	----	----	627.00B/865.00A	----	----	----	758.50 - 31.40	.7314	----	----	----	----	----	10	UNCH						
5340	----	----	----	----	----	699.90B/939.00A	----	----	----	832.60 - 32.10	.7579	----	----	----	----	----	1	UNCH						
5520	----	----	----	----	----	852.80B/1093.20A	----	----	----	987.20 - 33.30	.8026	----	----	----	----	----	300	UNCH						
5530	----	----	----	----	----	861.50B/1102.00A	----	----	----	996.00 - 33.30	.8048	----	----	----	----	----	100	UNCH						
5550	----	----	----	----	----	879.00B/1119.60A	----	----	----	1013.70 - 33.40	.8090	----	----	----	----	----	65	UNCH						
5565	----	----	----	----	----	892.20B/1132.80A	----	----	----	1027.00 - 33.40	.8121	----	----	----	----	----	50	UNCH						
TOTAL																50	2076 +	50						
MAR27																								
3600	----	----	----	----	----/51.10A	48.60B/51.10A	----	----	----	50.00 - 3.20	.0967	----	----	----	----	150	875 +	150						
3750	----	----	----	----	----/69.30A	71.00B/69.30A	----	----	----	66.70 - 4.30	.1264	----	----	----	----	----	10	UNCH						
3850	----	----	----	----	87.10B/81.50A	87.10B/81.50A	----	----	----	81.00 - 5.50	.1506	----	----	----	----	----	21	UNCH						
3900	----	----	----	----	96.50B/88.70A	96.50B/88.70A	----	----	----	89.30 - 6.20	.1642	----	----	----	----	----	11	UNCH						
4000	----	----	----	----	117.90B/107.50A	117.90B/107.50A	----	----	----	108.50 - 7.90	.1942	----	----	----	----	----	6	UNCH						
4070	----	----	----	----	135.10B/122.80A	135.10B/122.80A	----	----	----	124.20 - 9.30	.2175	----	----	----	----	----	2	UNCH						
4200	----	----	----	----	173.10B/156.50A	173.10B/156.50A	----	----	----	159.10 - 12.30	.2657	----	----	----	----	----	575	UNCH						
4325	----	----	----	----	217.30B/195.70A	217.30B/195.70A	----	----	----	200.10 - 15.50	.3173	----	----	----	----	----	10	UNCH						
4370	----	----	----	----	233.90B/211.70A	233.90B/211.70A	----	----	----	216.70 - 16.80	.3368	----	----	----	----	----	250	UNCH						
4500	----	----	----	----	291.30B/265.80A	291.30B/265.80A	----	----	----	270.40 - 20.70	.3955	----	----	----	----	----	6	UNCH						
4525	----	----	----	----	304.40B/276.70A	304.40B/276.70A	----	----	----	281.70 - 21.50	.4071	----	----	----	----	----	11	UNCH						
4650	----	----	----	----	----/336.70A	355.90B/336.70A	----	----	----	344.40 - 23.90	.4653	----	----	----	----	----	3	UNCH						
4660	----	----	----	----	----/341.90A	361.30B/341.90A	----	----	----	349.90 - 23.90	.4699	----	----	----	----	----	25	UNCH						
4680	----	----	----	----	----/352.00A	372.50B/352.00A	----	----	----	360.90 - 24.10	.4791	----	----	----	----	----	1	UNCH						
4700	----	----	----	----	----/365.70A	384.10B/365.70A	----	----	----	372.20 - 24.30	.4882	----	----	----	----	----	16	UNCH						
4710	----	----	----	----	----/371.10A	389.90B/371.10A	----	----	----	377.90 - 24.30	.4928	----	----	----	----	----	4	UNCH						
4720	----	----	----	----	----/376.60A	395.70B/376.60A	----	----	----	383.70 - 24.40	.4973	----	----	----	----	----	2	UNCH						
4740	----	----	----	----	----/387.50A	407.50B/387.50A	----	----	----	395.40 - 24.50	.5063	----	----	----	----	----	3	UNCH						
4750	----	----	----	----	----/393.10A	413.50B/393.10A	----	----	----	401.40 - 24.50	.5108	----	----	----	----	----	15	UNCH						
4810	----	----	----	----	----/427.70A	450.30B/427.70A	----	----	----	437.90 - 24.80	.5371	----	----	----	----	----	22	UNCH						
4850	----	----	----	----	----/451.70A	475.90B/451.70A	----	----	----	463.20 - 25.00	.5543	----	----	----	----	----	6	UNCH						
4900	----	----	----	----	----/482.80A	508.80B/482.80A	----	----	----	495.50 - 25.70	.5753	----	----	----	----	----	2	UNCH						
4905	----	----	----	----	----/485.90A	512.20B/485.90A	----	----	----	498.80 - 25.70	.5774	----	----	----	----	----	2	UNCH						
5000	----	----	----	----	----/548.40A	560.80B/548.40A	----	----	----	562.60 - 27.70	.6159	----	----	----	----	----	75	UNCH						
TOTAL																150	1953 +	150						
APR27																								
3460	----	----	----	----	----/46.30A	41.60B/46.30A	----	----	----	44.10 - 4.00	.0814	----	----	----	----	----	1	UNCH						
3500	----	----	----	----	----/49.60A	45.00B/49.60A	----	----	----	47.50 - 4.40	.0874	----	----	----	----	----	1	UNCH						
3600	----	----	----	----	----/59.10A	53.40B/59.10A	----	----	----	57.30 - 5.60	.1042	----	----	----	----	----	1	UNCH						
3700	----	----	----	----	----/72.00A	72.70B/72.00A	----	----	----	69.40 - 6.80	.1241	----	----	----	----	----	1	UNCH						
3800	----	----	----	----	----/84.20A	88.90B/84.20A	----	----	----	84.10 - 8.30	.1473	----	----	----	----	----	1	UNCH						
3900	----	----	----	----	----/100.80A	108.00B/100.80A	----	----	----	101.90 - 9.80	.1739	----	----	----	----	----	1	UNCH						
4000	----	----	----	----	----/121.10A	130.80B/121.10A	----	----	----	123.10 - 11.40	.2040	----	----	----	----	----	1	UNCH						
4100	----	----	----	----	----/144.90A	157.50B/144.90A	----	----	----	147.90 - 13.10	.2372	----	----	----	----	----	1	UNCH						
4200	----	----	----	----	----/172.80A	188.60B/172.80A	----	----	----	176.70 - 14.80	.2735	----	----	----	----	----	1	UNCH						
4300	----	----	----	----	----/205.20A	224.20B/205.20A	----	----	----	209.80 - 16.50	.3125	----	----	----	----	----	151	UNCH						
4350	----	----	----	----	----/222.60A	243.80B/222.60A	----	----	----	228.00 - 17.40	.3329	----	----	----	----	----	1	UNCH						
4400	----	----	----	----	----/241.50A	264.60B/241.50A	----	----	----	247.50 - 18.20	.3538	----	----	----	----	----	1	UNCH						
4500	----	----	----	----	----/283.30A	307.60B/283.30A	----	----	----	290.10 - 20.00	.3968	----	----	----	----	----	1	UNCH						
4540	----	----	----	----	----/299.60A	328.10B/299.60A	----	----	----	308.70 - 20.50	.4143	----	----	----	----	----	1	UNCH						
4900	----	----	----	----	----/501.70A	524.50B/501.70A	----	----	----	512.90 - 25.50	.5674	----	----	----	----	----	2	UNCH						
4905	----	----	----	----	----/504.80A	527.80B/504.80A	----	----	----	516.20 - 25.50	.5694	----	----	----	----	----	2	UNCH						
5000	----	----	----	----	----/566.70A	591.60B/566.70A	----	----	----	580.50 - 26.50	.6056	----	----	----	----	----	100	UNCH						
5060	----	----	----	----	----/607.70A	600.50B/607.70A	----	----	----	622.90 - 27.10	.6273	----	----	----	----	----	25	UNCH						
5200	----	----																						

PG64 BULLETIN #106@										METALS OPTION PRODUCTS										Thu, Jun 04, 2026 PG64	
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE		GLOBEX HIGH/LOW		OPEN OUTCRY HIGH/LOW		OPEN OUTCRY CLOSE RANGE		SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG CALL		COMEX GOLD OPTIONS																			
JUL26																					
3900	----	----	----	634.20B/----	----	634.20B/623.20A	----	----	----	607.60	+ 37.10	.9766	----	----	----	----	18	UNCH			
3925	----	----	----	609.50B/532.80A	----	609.50B/532.80A	----	----	----	583.00	+ 37.10	.9742	----	----	----	----	35	UNCH			
3950	----	----	----	591.40B/508.20A	----	591.40B/508.20A	----	----	----	558.30	+ 36.90	.9711	----	----	----	----	821	UNCH			
3960	----	----	----	582.90B/498.60A	----	582.90B/498.60A	----	----	----	548.50	+ 36.80	.9701	----	----	----	----	1	UNCH			
4000	497.60	497.60	----	544.00B/459.60A	----	544.00B/459.60A	----	----	----	509.20	+ 36.50	.9644	----	----	1	----	29	UNCH			
4020	----	----	----	524.80B/440.40A	----	524.80B/440.40A	----	----	----	489.70	+ 36.30	.9606	----	----	----	----	1	UNCH			
4040	----	----	----	504.80B/421.20A	----	504.80B/421.20A	----	----	----	470.20	+ 36.10	.9571	----	----	----	----	1	UNCH			
4070	----	----	----	475.70B/392.50A	----	475.70B/392.50A	----	----	----	441.00	+ 35.70	.9501	----	----	----	----	1	UNCH			
4075	----	----	----	470.90B/387.80A	----	470.90B/387.80A	----	----	----	436.20	+ 35.60	.9491	----	----	----	----	6	UNCH			
4095	----	----	----	451.90B/369.00A	----	451.90B/369.00A	----	----	----	416.90	+ 35.30	.9436	----	----	----	----	4	UNCH			
4100	----	----	----	446.70B/364.30A	----	446.70B/364.30A	----	----	----	412.10	+ 35.20	.9420	----	----	----	----	194	UNCH			
4105	----	----	----	441.70B/359.60A	----	441.70B/359.60A	----	----	----	407.30	+ 35.20	.9405	----	----	----	----	1	UNCH			
4110	----	----	----	437.40B/354.80A	----	437.40B/354.80A	----	----	----	402.50	+ 35.10	.9389	----	----	----	----	3	UNCH			
4115	----	----	----	432.50B/350.30A	----	432.50B/350.30A	----	----	----	397.70	+ 35.00	.9373	----	----	----	----	1	UNCH			
4130	----	----	----	417.70B/336.30A	----	417.70B/336.30A	----	----	----	383.30	+ 34.60	.9324	----	----	----	----	1	UNCH			
4145	----	----	----	403.30B/322.30A	----	403.30B/322.30A	----	----	----	369.10	+ 34.30	.9269	----	----	----	----	28	UNCH			
4150	----	----	----	398.60B/317.80A	----	398.60B/317.80A	----	----	----	364.30	+ 34.10	.9247	----	----	----	----	37	UNCH			
4155	----	----	----	393.80B/313.30A	----	393.80B/313.30A	----	----	----	359.60	+ 34.00	.9229	----	----	----	----	1	UNCH			
4160	----	----	----	389.20B/308.80A	----	389.20B/308.80A	----	----	----	354.90	+ 33.90	.9207	----	----	----	----	1	UNCH			
4190	----	----	----	360.70B/281.80A	----	360.70B/281.80A	----	----	----	326.70	+ 33.00	.9066	----	----	----	----	1	UNCH			
4200	----	----	----	351.40B/273.10A	----	351.40B/273.10A	----	----	----	317.40	+ 32.60	.9013	----	----	----	----	9	UNCH			
4215	----	----	----	338.00B/259.90A	----	338.00B/259.90A	----	----	----	303.60	+ 32.10	.8924	----	----	----	----	25	UNCH			
4220	----	----	----	332.80B/255.60A	----	332.80B/255.60A	----	----	----	299.00	+ 31.90	.8894	----	----	----	----	1	UNCH			
4225	----	----	----	328.20B/251.30A	----	328.20B/251.30A	----	----	----	294.40	+ 31.70	.8863	----	----	----	----	2	UNCH			
4235	----	----	----	319.00B/242.80A	----	319.00B/242.80A	----	----	----	285.30	+ 31.30	.8797	----	----	----	----	1	UNCH			
4240	----	----	----	314.90B/238.50A	----	314.90B/238.50A	----	----	----	280.80	+ 31.10	.8765	----	----	----	----	39	UNCH			
4245	----	----	----	309.90B/234.40A	----	309.90B/234.40A	----	----	----	276.30	+ 30.80	.8729	----	----	----	----	1	UNCH			
4250	----	----	----	305.80B/230.10A	----	305.80B/230.10A	----	----	----	271.80	+ 30.60	.8692	----	----	----	----	318	UNCH			
4255	----	----	----	300.80B/226.00A	----	300.80B/226.00A	----	----	----	267.30	+ 30.30	.8655	----	----	----	----	1	UNCH			
4265	----	----	----	291.80B/217.90A	----	291.80B/217.90A	----	----	----	258.40	+ 29.80	.8576	----	----	----	----	2	UNCH			
4270	----	----	----	287.60B/213.70A	----	287.60B/213.70A	----	----	----	254.00	+ 29.60	.8533	----	----	----	----	38	UNCH			
4275	----	----	----	283.40B/209.60A	----	283.40B/209.60A	----	----	----	249.60	+ 29.30	.8491	----	----	----	----	76	UNCH			
4280	----	----	----	278.40B/205.70A	----	278.40B/205.70A	----	----	----	245.20	+ 29.00	.8448	----	----	----	----	3	UNCH			
4300	----	----	----	261.00B/189.90A	----	261.00B/189.90A	----	----	----	228.00	+ 27.90	.8260	----	----	----	----	104	UNCH			
4305	----	----	----	256.50B/186.10A	----	256.50B/186.10A	----	----	----	223.70	+ 27.50	.8207	----	----	----	----	1	UNCH			
4315	215.80	215.80	----	247.90B/178.50A	----	247.90B/178.50A	----	----	----	215.30	+ 26.90	.8101	----	----	2	----	23	+	2		
4325	----	----	----	239.40B/171.00A	----	239.40B/171.00A	----	----	----	207.10	+ 26.40	.7989	----	----	----	----	22	UNCH			
4335	----	----	----	231.10B/163.80A	----	231.10B/163.80A	----	----	----	198.90	+ 25.70	.7873	----	----	----	----	1	UNCH			
4345	----	----	----	222.60B/156.80A	----	222.60B/156.80A	----	----	----	190.90	+ 25.10	.7751	----	----	----	----	1	UNCH			
4350	----	----	----	218.50B/153.20A	----	218.50B/153.20A	----	----	----	186.90	+ 24.70	.7685	----	----	----	----	17	UNCH			
4360	----	----	----	210.50B/146.30A	----	210.50B/146.30A	----	----	----	179.10	+ 24.00	.7554	----	----	----	----	53	UNCH			
4365	----	----	----	206.50B/143.00A	----	206.50B/143.00A	----	----	----	175.20	+ 23.60	.7484	----	----	----	----	45	UNCH			
4370	----	----	----	202.30B/139.60A	----	202.30B/139.60A	----	----	----	171.40	+ 23.30	.7416	----	----	----	----	20	UNCH			
4375	----	----	----	198.50B/136.50A	----	198.50B/136.50A	----	----	----	167.60	+ 22.90	.7345	----	----	----	----	5	UNCH			
4385	----	----	----	190.50B/130.10A	----	190.50B/130.10A	----	----	----	160.10	+ 22.10	.7200	----	----	----	----	1	UNCH			
4395	----	----	----	182.80B/123.70A	----	182.80B/123.70A	----	----	----	152.80	+ 21.30	.7047	----	----	----	----	2	UNCH			
4400	143.50	143.50	----	179.30B/119.80A	----	179.30B/119.80A	----	----	----	149.20	+ 20.80	.6969	----	1	----	2316	UNCH				
4405	----	----	----	175.30B/117.70A	----	175.30B/117.70A	----	----	----	145.70	+ 20.50	.6889	----	----	----	----	13	UNCH			
4410	----	----	----	171.70B/114.80A	----	171.70B/114.80A	----	----	----	142.20	+ 20.10	.6808	----	----	----	----	4	UNCH			
4415	----	----	----	167.90B/111.80A	----	167.90B/111.80A	----	----	----	138.80	+ 19.70	.6726	----	----	----	----	39	UNCH			
4420	----	----	----	164.50B/109.00A	----	164.50B/109.00A	----	----	----	135.40	+ 19.30	.6643	----	----	----	----	34	UNCH			
4425	----	----	----	160.90B/106.20A	----	160.90B/106.20A	----	----	----	132.00	+ 18.90	.6557	----	----	----	----	30	UNCH			
4430	----	----	----	157.10B/103.40A	----	157.10B/103.40A	----	----	----	128.70	+ 18.50	.6471	----	----	----	----	13	UNCH			
4435	----	----	----	153.60B/100.70A	----	153.60B/100.70A	----	----	----	125.50	+ 18.10	.6385	----	----	----	----	1	UNCH			
4440	----	----	----	150.10B/98.00A	----	150.10B/98.00A	----	----	----	122.30	+ 17.80	.6297	----	----	----	----	10	UNCH			
4445	----	----	----	146.80B/95.40A	----	146.80B/95.40A	----	----	----	119.10	+ 17.30	.6208	----	----	----	----	33	UNCH			
4450	112.40	112.40	----	143.30B/92.60A	----	143.30B/92.60A	----	----	----	116.00	+ 17.00	.6119	----	52	----	296	-	30			
4455	108.70	108.70	----	139.90B/90.30A	----	139.90B/90.30A	----	----	----	113.00	+ 16.70	.6028	----	1	----	10	UNCH				
4460	105.90	105.90	----	136.60B/87.30A	----	136.60B/87.30A	----	----	----	110.00	+ 16.30	.5936	----	2	----	9	UNCH				
4465	----	----	----	133.40B/84.90A	----	133.40B/84.90A	----	----	----	107.00	+ 15.90	.5844	----	----	----	----	40	UNCH			
4470	100.30	100.30	----	130.20B/82.40A	----	130.20B/82.40A	----	----													

BULLETIN #106@					METALS OPTION PRODUCTS										Thu, Jun 04, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG CALL	COMEX GOLD OPTIONS																
JUL26																	
4855	8.80	8.80		11.80B/8.80	11.80B/7.40A	----	8.20	+	1.00	.0739	----	----	5	----	243	UNCH	
4860	10.30	10.30		11.40B/8.30	11.40B/7.00A	----	8.00	+	1.00	.0721	----	----	14	----	96	-	
4865	8.30	8.30		10.90B/8.30	10.90B/7.00A	----	7.70	+	0.90	.0696	----	----	5	----	109	+	
4870	9.00	9.00		10.80B/8.20	10.80B/6.80A	----	7.50	+	0.90	.0678	----	----	16	----	144	+	
4875	9.40	9.40		10.40B/7.50	10.40B/6.60A	----	7.30	+	0.90	.0660	----	----	12	----	110	+	
4880	6.90	6.90		10.10B/6.90	10.10B/6.50A	----	7.10	+	0.90	.0642	----	----	2	----	130	+	
4885	----	----		9.80B/----	9.80B/6.30A	----	6.90	+	0.90	.0624	----	----	----	----	76	UNCH	
4890	7.30	7.30		9.50B/7.30	9.50B/6.20A	----	6.70	+	0.80	.0606	----	----	5	----	85	-	
4895	6.80	6.80		9.20B/6.80	9.20B/6.00A	----	6.50	+	0.80	.0588	----	----	3	----	71	+	
4900	7.20	7.20		8.80B/6.10	8.80B/5.90A	----	6.30	+	0.70	.0571	----	----	373	60	2551	-	
4905	6.40	6.40		8.70B/6.10	8.70B/5.70A	----	6.20	+	0.80	.0560	----	----	7	----	30	-	
4910	5.70	5.70		8.40B/5.70	8.40B/5.60A	----	6.00	+	0.70	.0542	----	----	20	----	185	UNCH	
4915	6.40	6.40		8.10B/5.70	8.10B/5.50A	----	5.80	+	0.60	.0525	----	----	8	----	78	-	
4920	6.20	6.20		7.80B/5.70	7.80B/5.40A	----	5.70	+	0.70	.0515	----	----	6	----	368	+	
4925	6.00	6.00		7.60B/6.00	7.60B/5.20A	----	5.50	+	0.60	.0498	----	----	5	----	73	+	
4930	5.30	5.30		7.30B/5.10A	7.30B/5.10A	----	5.40	+	0.60	.0487	----	----	21	----	107	+	
4935	5.50	5.50		7.10B/5.50	7.10B/5.00A	----	5.20	+	0.50	.0471	----	----	7	----	648	-	
4940	6.30	6.30		6.90B/5.60	6.90B/4.90A	----	5.10	+	0.50	.0461	----	----	13	----	308	-	
4945	5.50	5.50		6.70B/5.50	6.70B/4.80A	----	5.00	+	0.50	.0451	----	----	6	----	57	-	
4950	5.50	5.50		6.50B/4.90	6.50B/4.70A	----	4.90	+	0.50	.0441	----	----	53	----	562	+	
4955	5.20	5.20		6.40B/5.20	6.40B/4.60A	----	4.70	+	0.40	.0424	----	----	5	----	88	+	
4960	5.40	5.40		6.20B/5.10	6.20B/4.50A	----	4.60	+	0.40	.0414	----	----	3	----	247	-	
4965	4.90	4.90		6.00B/4.90	6.00B/4.40A	----	4.50	+	0.40	.0405	----	----	2	----	217	-	
4970	5.40	5.40		5.90B/5.40	5.90B/4.30A	----	4.40	+	0.40	.0395	----	----	4	----	67	UNCH	
4975	----	----		5.70B/----	5.70B/4.20A	----	4.30	+	0.40	.0386	----	----	1	----	80	-	
4980	4.60	4.60		5.60B/4.10A	5.60B/4.10A	----	4.20	+	0.40	.0376	----	----	4	----	72	-	
4985	----	----		5.50B/----	5.50B/4.00A	----	4.10	+	0.40	.0367	----	----	----	----	93	UNCH	
4990	----	----		5.30B/----	5.30B/3.90A	----	4.00	+	0.40	.0358	----	----	----	----	137	UNCH	
4995	----	----		5.20B/----	5.20B/3.80A	----	4.00	+	0.40	.0355	----	----	----	----	1053	UNCH	
5000	5.10	5.10		5.10/3.80	5.10/3.80	----	3.90	+	0.40	.0346	----	----	173	----	3961	-	
5005	----	----		5.00B/----	5.00B/3.70A	----	3.80	+	0.40	.0337	----	----	----	----	62	UNCH	
5010	3.40	3.40		4.80B/3.40	4.80B/3.40	----	3.70	+	0.40	.0328	----	----	20	----	50	-	
5015	----	----		4.70B/----	4.70B/3.50A	----	3.60	+	0.30	.0319	----	----	----	----	103	UNCH	
5020	----	----		4.60B/----	4.60B/3.50A	----	3.60	+	0.40	.0317	----	----	----	----	29	UNCH	
5025	3.60	3.60		4.50B/3.40A	4.50B/3.40A	----	3.50	+	0.30	.0308	----	----	41	----	340	-	
5030	3.80	3.80		4.40B/3.30A	4.40B/3.30A	----	3.40	+	0.30	.0300	----	----	4	----	215	+	
5035	----	----		4.30B/----	4.30B/3.20A	----	3.40	+	0.40	.0298	----	----	----	----	103	UNCH	
5040	3.50	3.50		4.20B/3.20A	4.20B/3.20A	----	3.30	+	0.30	.0289	----	----	3	----	26	-	
5045	3.60	3.60		4.10B/3.20A	4.10B/3.20A	----	3.20	+	0.30	.0281	----	----	2	----	18	UNCH	
5050	3.20	3.20		4.00B/3.10	4.00B/3.10	----	3.20	+	0.30	.0279	----	----	133	----	470	-	
5055	----	----		4.00B/----	4.00B/3.10A	----	3.10	+	0.30	.0270	----	----	----	----	31	UNCH	
5060	3.10	3.10		3.90B/2.90A	3.90B/2.90A	----	3.00	+	0.20	.0262	----	----	1	----	37	UNCH	
5065	3.20	3.20		3.80B/2.90A	3.80B/2.90A	----	3.00	+	0.30	.0260	----	----	6	----	183	-	
5070	3.00	3.00		3.70B/2.80A	3.70B/2.80A	----	2.90	+	0.20	.0252	----	----	1	----	38	+	
5075	----	----		3.60B/----	3.60B/2.80A	----	2.90	+	0.30	.0250	----	----	----	----	160	UNCH	
5080	2.90	2.90		3.50B/2.70A	3.50B/2.70A	----	2.80	+	0.20	.0242	----	----	2	----	121	UNCH	
5085	----	----		3.50B/----	3.50B/2.70A	----	2.80	+	0.30	.0241	----	----	----	----	52	UNCH	
5090	2.80	2.80		3.40B/2.80	3.40B/2.70A	----	2.70	+	0.20	.0233	----	----	3	----	389	UNCH	
5095	2.60	2.60		3.30B/2.60	3.30B/2.60	----	2.70	+	0.30	.0231	----	----	15	----	269	+	
5100	3.00	3.00		3.40/3.00	3.40/2.60A	----	2.60	+	0.20	.0223	----	----	63	----	1698	-	
5105	----	----		3.20B/----	3.20B/2.50A	----	2.60	+	0.20	.0222	----	----	----	----	107	UNCH	
5110	2.60	2.60		3.10B/2.50A	3.10B/2.50A	----	2.50	+	0.20	.0214	----	----	1	----	408	UNCH	
5115	2.30	2.30		3.10B/2.30	3.10B/2.30	----	2.50	+	0.20	.0213	----	----	2	----	37	-	
5120	2.50	2.50		3.00B/2.40A	3.00B/2.40A	----	2.40	+	0.10	.0205	----	----	5	----	63	+	
5125	----	----		3.00B/----	3.00B/2.30A	----	2.40	+	0.20	.0204	----	----	----	----	265	UNCH	
5130	2.40	2.40		2.90B/2.30A	2.90B/2.30A	----	2.40	+	0.20	.0202	----	----	1	----	44	+	
5135	----	----		2.90B/----	2.90B/2.30A	----	2.30	+	0.10	.0195	----	----	----	----	173	UNCH	
5140	----	----		2.80B/----	2.80B/2.30A	----	2.30	+	0.20	.0194	----	----	----	----	72	UNCH	
5145	----	----		2.70B/----	2.70B/2.20A	----	2.30	+	0.20	.0192	----	----	----	----	82	UNCH	
5150	----	----		2.70B/----	2.70B/2.20A	----	2.20	+	0.10	.0185	----	----	1	----	1432	UNCH	
5155	----	----		2.70B/----	2.70B/2.20A	----	2.20	+	0.10	.0184	----	----	----	----	22	UNCH	
5160	2.70	2.70		2.70/2.20	2.70/2.20	----	2.20	+	0.20	.0183	----	----	55	----	73	-	
5165	----	----		2.60B/----	2.60B/2.20A	----	2.10	+	0.10	.0175	----	----	----	----	23	UNCH	
5170	----	----		2.50B/----	2.50B/2.10A	----	2.10	+	0.10	.0174	----	----	----	----	17	UNCH	
5175	----	----		2.50B/----	2.50B/2.00A	----	2.10	+	0.10	.0173	----	----	----	----	77	UNCH	
5180	----	----		2.40B/----	2.40B/2.10A	----	2.10	+	0.20	.0172	----	----	----	----	31	UNCH	
5185	----	----		2.40B/----	2.40B/2.00A	----	2.00	+	0.10	.0165	----	----	1	----	155	UNCH	
5190	2.00	2.00		2.30B/2.00	2.30B/2.00	----	2.00	+	0.10	.0164	----	----	1	----	23	UNCH	
5195	----	----		2.30B/----	2.30B/1.90A	----	2.00	+	0.10								

BULLETIN #106@				METALS OPTION PRODUCTS										Thu, Jun 04, 2026		PG64
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME		OPEN INTEREST
OG CALL	COMEX GOLD OPTIONS															
JUL26																
5540	----	----	----	----	1.00B/1.00A	----	----	----	0.90 - 0.10	.0063	----	----	----	----	16	UNCH
5545	----	----	----	1.00B/----	1.00B/1.00A	1.00B/1.00A	----	----	0.90 UNCH	.0063	----	----	----	----	16	UNCH
5550	----	----	----	1.00B/----	1.00B/1.00A	1.00B/1.00A	----	----	0.90 UNCH	.0062	----	----	----	----	195	UNCH
5555	----	----	----	1.00B/----	1.00B/1.00A	1.00B/1.00A	----	----	0.90 UNCH	.0062	----	----	----	----	35	UNCH
5560	----	----	----	1.00B/----	1.00B/1.00A	1.00B/1.00A	----	----	0.90 UNCH	.0062	----	----	----	----	18	UNCH
5565	----	----	----	1.00B/----	1.00B/1.00A	1.00B/1.00A	----	----	0.90 UNCH	.0062	----	----	----	----	12	UNCH
5570	----	----	----	1.00B/----	1.00B/1.00A	1.00B/1.00A	----	----	0.90 UNCH	.0061	----	----	----	----	4	UNCH
5575	----	----	----	----	0.90B/1.00A	0.90B/1.00A	----	----	0.90 UNCH	.0061	----	----	----	----	31	UNCH
5580	----	----	----	----	0.90B/1.00A	0.90B/1.00A	----	----	0.90 UNCH	.0061	----	----	----	----	7	UNCH
5585	----	----	----	----	0.90B/1.00A	0.90B/1.00A	----	----	0.90 UNCH	.0061	----	----	----	----	12	UNCH
5590	----	----	----	----	0.90B/1.00A	0.90B/1.00A	----	----	0.90 UNCH	.0061	----	----	----	----	5	UNCH
5595	0.90	0.90	0.90	0.90/0.90	0.90/0.90	0.90/0.90	----	----	0.90 UNCH	.0060	----	----	1	----	19	UNCH
5600	----	----	----	----	0.90B/1.00A	0.90B/1.00A	----	----	0.90 UNCH	.0060	----	----	29	----	2229	- 2
5605	----	----	----	----	0.90B/0.90A	0.90B/0.90A	----	----	0.80 - 0.10	.0054	----	----	----	----	32	UNCH
5610	0.90	0.90	0.90	0.90/0.90	0.90/0.90	0.90/0.90	----	----	0.80 - 0.10	.0054	----	----	1	----	11	+ 1
5615	----	----	----	----	0.90B/0.90A	0.90B/0.90A	----	----	0.80 - 0.10	.0054	----	----	----	----	1	UNCH
5620	----	----	----	0.90B/----	0.90B/0.90A	0.90B/0.90A	----	----	0.80 UNCH	.0054	----	----	----	----	6	UNCH
5625	----	----	----	0.90B/----	0.90B/0.90A	0.90B/0.90A	----	----	0.80 UNCH	.0054	----	----	----	----	13	UNCH
5630	----	----	----	0.90B/----	0.90B/0.90A	0.90B/0.90A	----	----	0.80 UNCH	.0053	----	----	----	----	4	UNCH
5635	----	----	----	----	0.80B/0.90A	0.80B/0.90A	----	----	0.80 UNCH	.0053	----	----	----	----	12	UNCH
5640	----	----	----	----	0.80B/0.90A	0.80B/0.90A	----	----	0.80 UNCH	.0053	----	----	----	----	8	UNCH
5650	----	----	----	----	0.80B/0.90A	0.80B/0.90A	----	----	0.80 UNCH	.0053	----	----	2	----	400	- 2
5660	----	----	----	----	0.80B/0.90A	0.80B/0.90A	----	----	0.80 UNCH	.0052	----	----	----	----	7	UNCH
5670	----	----	----	----	0.80B/0.90A	0.80B/0.90A	----	----	0.80 UNCH	.0052	----	----	----	----	11	UNCH
5675	----	----	----	----	0.80B/0.90A	0.80B/0.90A	----	----	0.80 UNCH	.0052	----	----	----	----	7	UNCH
5680	----	----	----	----	0.80B/0.90A	0.80B/0.90A	----	----	0.80 UNCH	.0052	----	----	----	----	6	UNCH
5690	----	----	----	----	0.80B/*0.80A	0.80B/*0.80A	----	----	0.70 - 0.10	.0046	----	----	----	----	21	UNCH
5700	----	----	----	----	0.70B/0.80A	0.70B/0.80A	----	----	0.70 UNCH	.0046	----	----	----	----	991	UNCH
5710	----	----	----	----	0.70B/0.80A	0.70B/0.80A	----	----	0.70 UNCH	.0045	----	----	----	----	22	UNCH
5720	----	----	----	----	0.70B/0.80A	0.70B/0.80A	----	----	0.70 UNCH	.0045	----	----	----	----	17	UNCH
5725	----	----	----	----	0.70B/0.80A	0.70B/0.80A	----	----	0.70 UNCH	.0045	----	----	----	----	56	UNCH
5730	----	----	----	----	0.70B/0.80A	0.70B/0.80A	----	----	0.70 UNCH	.0045	----	----	----	----	10	UNCH
5740	----	----	----	----	0.70B/0.80A	0.70B/0.80A	----	----	0.70 UNCH	.0044	----	----	----	----	9	UNCH
5750	----	----	----	----	0.70B/0.80A	0.70B/0.80A	----	----	0.70 UNCH	.0044	----	----	----	----	1059	UNCH
5760	----	----	----	----	0.70B/0.80A	0.70B/0.80A	----	----	0.70 UNCH	.0044	----	----	1	----	168	UNCH
5770	----	----	----	----	0.60B/0.80A	0.60B/0.80A	----	----	0.70 + 0.10	.0044	----	----	----	----	4	UNCH
5775	----	----	----	----	0.60B/0.80A	0.60B/0.80A	----	----	0.70 + 0.10	.0044	----	----	----	----	215	UNCH
5780	----	----	----	----	0.60B/0.80A	0.60B/0.80A	----	----	0.70 + 0.10	.0043	----	----	----	----	6	UNCH
5790	----	----	----	----	0.60B/0.80A	0.60B/0.80A	----	----	0.70 + 0.10	.0043	----	----	----	----	9	UNCH
5800	----	----	----	----	0.60B/0.70A	0.60B/0.70A	----	----	0.70 + 0.10	.0043	----	----	----	----	805	UNCH
5810	----	----	----	----	0.60B/0.70A	0.60B/0.70A	----	----	0.60 UNCH	.0037	----	----	1	----	11	UNCH
5820	----	----	----	----	0.60B/0.70A	0.60B/0.70A	----	----	0.60 UNCH	.0037	----	----	----	----	208	UNCH
5825	----	----	----	----	0.60B/0.70A	0.60B/0.70A	----	----	0.60 UNCH	.0037	----	----	----	----	19	UNCH
5830	----	----	----	----	0.60B/0.70A	0.60B/0.70A	----	----	0.60 UNCH	.0037	----	----	----	----	1	UNCH
5840	----	----	----	----	0.60B/0.70A	0.60B/0.70A	----	----	0.60 UNCH	.0037	----	----	----	----	103	UNCH
5850	----	----	----	----	0.60B/0.70A	0.60B/0.70A	----	----	0.60 UNCH	.0037	----	----	----	----	111	UNCH
5860	----	----	----	----	0.60B/0.70A	0.60B/0.70A	----	----	0.60 UNCH	.0036	----	----	----	----	198	UNCH
5870	----	----	----	----	0.50B/0.70A	0.50B/0.70A	----	----	0.60 + 0.10	.0036	----	----	----	----	17	UNCH
5875	----	----	----	----	0.50B/0.70A	0.50B/0.70A	----	----	0.60 + 0.10	.0036	----	----	----	----	22	UNCH
5880	----	----	----	----	0.50B/0.70A	0.50B/0.70A	----	----	0.60 + 0.10	.0036	----	----	----	----	11	UNCH
5890	----	----	----	----	0.50B/0.70A	0.50B/0.70A	----	----	0.60 + 0.10	.0036	----	----	----	----	9	UNCH
5900	----	----	----	----	0.50B/0.60A	0.50B/0.60A	----	----	0.60 + 0.10	.0036	----	----	----	----	437	UNCH
5910	----	----	----	----	0.50B/0.70A	0.50B/0.70A	----	----	0.60 + 0.10	.0035	----	----	----	----	6	UNCH
5920	----	----	----	----	0.50B/0.60A	0.50B/0.60A	----	----	0.50 UNCH	.0030	----	----	----	----	19	UNCH
5925	----	----	----	----	0.50B/0.70A	0.50B/0.70A	----	----	0.50 UNCH	.0030	----	----	----	----	5	UNCH
5930	----	----	----	----	0.50B/0.70A	0.50B/0.70A	----	----	0.50 UNCH	.0030	----	----	----	----	4	UNCH
5940	----	----	----	----	0.50B/0.70A	0.50B/0.70A	----	----	0.50 UNCH	.0030	----	----	----	----	2	UNCH
5950	----	----	----	----	0.50B/0.60A	0.50B/0.60A	----	----	0.50 UNCH	.0030	----	----	----	----	51	UNCH
5960	----	----	----	----	0.50B/0.60A	0.50B/0.60A	----	----	0.50 UNCH	.0029	----	----	----	----	16	UNCH
5970	----	----	----	----	0.50B/0.60A	0.50B/0.60A	----	----	0.50 UNCH	.0029	----	----	----	----	55	UNCH
5980	----	----	----	0.50B/----	0.50B/0.60A	0.50B/0.60A	----	----	0.50 + 0.10	.0029	----	----	----	----	3	UNCH
5990	0.50	0.50	0.50	0.50/0.50	0.50/0.50	0.50/0.50	----	----	0.50 + 0.10	.0029	----	----	1	----	76	UNCH
6000	----	----	----	0.50B/----	0.50B/0.50A	0.50B/0.50A	----	----	0.50 + 0.10	.0029	----	----	----	----	2172	UNCH
6025	----	----	----	0.50B/----	0.50B/0.60A	0.50B/0.60A	----	----	0.50 + 0.10	.0028	----	----	----	----	34	UNCH
6050	----	----	----	----	0.40B/0.60A	0.40B/0.60A	----	----	0.50 + 0.10	.0028	----	----	----	----	45	UNCH
6075	----	----	----	----	0.40B/0.60A	0.40B/0.60A	----	----	0.40 UNCH	.0023	----	----	----	----	716	UNCH
6100	----	----	----	----	0.40B/0.50A	0.40B/0.50A	----	----	0.40 UNCH	.0023	----	----	----	----	291	UNCH
6125	----	----	----	0.40B/----	0.40B/0.50A	0.40B/0.50A	----	----	0.40 + 0.10	.0022	----	----	----	----	70	UNCH
6150	----	----	----	0.40B/----	0.40B/0.40A	0.40B/0.40A	----	----	0.40 + 0.10	.0022	----	----	----	----	881	UNCH
6175	----	----	----	----	0.30B/0.40A	0.30B/0.40A	----	----	0.40 + 0.10	.0						

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN VOLUME	OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG CALL		COMEX GOLD OPTIONS																
JUL26																		
8700	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	----	24	UNCH	
8800	----	----	----	----	----	/6.40A	----	----	0.10	UNCH	----	----	----	----	----	7	UNCH	
9000	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	----	340	UNCH	
9200	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	----	11	UNCH	
9300	----	----	----	----	----	/6.30A	----	----	0.10	UNCH	----	----	----	----	----	4	UNCH	
9400	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	----	141	UNCH	
9500	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	----	66	UNCH	
9900	----	----	----	----	----	/6.10A	----	----	0.10	UNCH	----	----	----	----	----	5	UNCH	
10000	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	----	275	UNCH	
10100	----	----	----	----	----	/0.30A	----	----	0.10	UNCH	----	----	----	----	----	12	UNCH	
10500	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	----	5	UNCH	
10700	----	----	----	----	----	/5.90A	----	----	0.10	UNCH	----	----	----	----	----	5	UNCH	
11000	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	----	103	UNCH	
11200	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	----	13	UNCH	
11500	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	----	47	UNCH	
11600	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	----	50	UNCH	
12000	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	----	222	UNCH	
TOTAL														5254	420	86342 +	446	
AUG26																		
3200	----	----	----	1,335.90B/----	1335.90B/1290.50A	----	----	----	1305.10	+ 37.90	.9915	----	----	----	----	11	UNCH	
3300	----	----	----	1,236.40B/----	1236.40B/1190.70A	----	----	----	1205.50	+ 37.80	.9889	----	----	----	----	80	UNCH	
3305	----	----	----	1,231.40B/----	1231.40B/1185.70A	----	----	----	1200.50	+ 37.80	.9885	----	----	----	----	20	UNCH	
3325	----	----	----	1,211.50B/----	1211.50B/1165.80A	----	----	----	1180.60	+ 37.80	.9880	----	----	----	----	15	UNCH	
3350	----	----	----	1,186.60B/----	1186.60B/1140.90A	----	----	----	1155.80	+ 37.80	.9870	----	----	----	----	178	UNCH	
3400	----	----	----	1,138.70B/----	1138.70B/1090.60A	----	----	----	1106.10	+ 37.70	.9854	----	----	----	----	420	UNCH	
3500	----	----	----	1,037.90B/----	1037.90B/992.00A	----	----	----	1006.90	+ 37.50	.9807	----	----	----	----	46	UNCH	
3505	----	----	----	1,027.80B/----	1027.80B/1018.20A	----	----	----	1002.00	+ 37.50	.9803	----	----	----	----	4	UNCH	
3520	----	----	----	1,018.10B/----	1018.10B/972.20A	----	----	----	987.10	+ 37.50	.9793	----	----	----	----	65	UNCH	
3550	----	----	----	984.50B/----	984.50B/972.50A	----	----	----	957.50	+ 37.40	.9777	----	----	----	----	310	UNCH	
3600	----	----	----	941.10B/----	941.10B/891.80A	----	----	----	908.10	+ 37.20	.9742	----	----	----	----	1045	UNCH	
3610	----	----	----	924.20B/----	924.20B/914.40A	----	----	----	898.30	+ 37.20	.9736	----	----	----	----	6	UNCH	
3650	----	----	----	893.50B/809.20A	893.50B/809.20A	----	----	----	858.90	+ 37.00	.9704	----	----	----	----	4	UNCH	
3660	----	----	----	883.70B/799.40A	883.70B/799.40A	----	----	----	849.10	+ 37.00	.9694	----	----	----	----	25	UNCH	
3685	----	----	----	859.10B/775.00A	859.10B/775.00A	----	----	----	824.60	+ 36.90	.9669	----	----	----	----	1	UNCH	
3700	----	----	----	844.40B/760.40A	844.40B/760.40A	----	----	----	809.90	+ 36.80	.9654	----	----	----	----	40	UNCH	
3715	----	----	----	829.80B/745.80A	829.80B/745.80A	----	----	----	795.30	+ 36.80	.9638	----	----	----	----	30	UNCH	
3720	----	----	----	824.80B/741.00A	824.80B/741.00A	----	----	----	790.40	+ 36.80	.9633	----	----	----	----	1	UNCH	
3735	----	----	----	810.20B/726.40A	810.20B/726.40A	----	----	----	775.70	+ 36.70	.9617	----	----	----	1	UNCH		
3750	----	----	----	795.50B/712.00A	795.50B/712.00A	----	----	----	761.10	+ 36.60	.9598	----	----	1	----	8	UNCH	
3775	----	----	----	771.10B/687.80A	771.10B/687.80A	----	----	----	736.80	+ 36.40	.9563	----	----	----	----	4	UNCH	
3780	----	----	----	766.30B/683.00A	766.30B/683.00A	----	----	----	731.90	+ 36.40	.9557	----	----	----	----	10	UNCH	
3790	----	----	----	756.60B/673.40A	756.60B/673.40A	----	----	----	722.20	+ 36.30	.9542	----	----	----	----	67	UNCH	
3800	----	----	----	746.90B/663.80A	746.90B/663.80A	----	----	----	712.60	+ 36.30	.9527	----	----	----	----	303	UNCH	
3820	----	----	----	727.50B/644.70A	727.50B/644.70A	----	----	----	693.20	+ 36.10	.9497	----	----	----	----	3	UNCH	
3840	----	----	----	708.10B/625.70A	708.10B/625.70A	----	----	----	674.00	+ 36.00	.9462	----	----	----	----	1	UNCH	
3850	----	----	----	698.90B/616.10A	698.90B/616.10A	----	----	----	664.30	+ 35.80	.9443	----	----	----	----	12	UNCH	
3885	----	----	----	664.80B/583.10A	664.80B/583.10A	----	----	----	630.80	+ 35.50	.9374	----	----	----	----	2	UNCH	
3890	----	----	----	660.00B/578.40A	660.00B/578.40A	----	----	----	626.10	+ 35.50	.9363	----	----	----	----	2	UNCH	
3900	----	----	----	650.50B/568.90A	650.50B/568.90A	----	----	----	616.50	+ 35.30	.9340	----	----	----	----	149	UNCH	
3920	----	----	----	631.70B/550.30A	631.70B/550.30A	----	----	----	597.50	+ 35.00	.9295	----	----	----	----	1	UNCH	
3925	----	----	----	626.60B/545.70A	626.60B/545.70A	----	----	----	592.80	+ 35.00	.9281	----	----	----	----	10	UNCH	
3950	----	----	----	603.00B/522.50A	603.00B/522.50A	----	----	----	569.20	+ 34.70	.9215	----	----	----	----	106	UNCH	
3955	----	----	----	598.50B/517.90A	598.50B/517.90A	----	----	----	564.50	+ 34.60	.9204	----	----	----	----	7	UNCH	
3975	----	----	----	579.40B/499.70A	579.40B/499.70A	----	----	----	545.80	+ 34.30	.9143	----	----	----	----	200	UNCH	
3995	----	----	----	560.70B/481.40A	560.70B/481.40A	----	----	----	527.20	+ 34.00	.9082	----	----	----	----	30	UNCH	
4000	----	----	----	556.00B/476.90A	556.00B/476.90A	----	----	----	522.60	+ 33.90	.9064	----	----	----	----	723	UNCH	
4005	----	----	----	551.50B/472.50A	551.50B/472.50A	----	----	----	517.90	+ 33.70	.9049	----	----	----	----	1	UNCH	
4015	----	----	----	542.10B/463.40A	542.10B/463.40A	----	----	----	508.70	+ 33.60	.9013	----	----	----	----	12	UNCH	
4025	----	----	----	532.90B/454.40A	532.90B/454.40A	----	----	----	499.50	+ 33.40	.8976	----	----	----	----	174	UNCH	
4045	----	----	----	514.40B/436.70A	514.40B/436.70A	----	----	----	481.20	+ 32.90	.8902	----	----	----	----	30	UNCH	
4050	----	----	----	509.80B/432.30A	509.80B/432.30A	----	----	----	476.70	+ 32.90	.8881	----	----	----	----	100	UNCH	
4055	----	----	----	505.30B/427.90A	505.30B/427.90A	----	----	----	472.20	+ 32.80	.8862	----	----	----	----	100	UNCH	
4075	----	----	----	487.10B/410.70A	487.10B/410.70A	----	----	----	454.10	+ 32.30	.8777	----	----	----	----	3	UNCH	
4080	----	----	----	482.50B/406.20A	482.50B/406.20A	----	----	----	449.70	+ 32.20	.8755	----	----	----	----	1	UNCH	
4090	----	----	----	473.50B/397.70A	473.50B/397.70A	----	----	----	440.70	+ 31.90	.8707	----	----	----	----	1	UNCH	
4100	----	----	----	464.50B/389.10A	464.50B/389.10A	----	----	----	431.90	+ 31.70	.8660	----	----	----	----	73	UNCH	
4110	----	----	----	455.60B/380.70A	455.60B/380.70A	----	----	----	423.00	+ 31.40	.8611	----	----	----	----	19	UNCH	
4115	----	----	----	451.20B/376.60A	451.20B/													

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS														
AUG26																
4640	----	----	----	102.60B/73.50A	102.60B/73.50A	----	----	85.90 + 8.60	.3664	----	----	----	----	----	10	UNCH
4645	----	----	----	100.60B/72.20A	100.60B/72.20A	----	----	84.20 + 8.40	.3612	----	----	----	----	----	1	UNCH
4650	80.70	80.70	80.70	98.90B/70.70A	98.90B/70.70A	----	----	82.60 + 8.20	.3561	----	----	----	185	----	1036	UNCH
4655	80.20	80.20	80.20	97.00B/69.40A	97.00B/69.40A	----	----	81.00 + 8.10	.3510	----	----	----	1	----	36	UNCH
4660	----	----	----	95.20B/68.10A	95.20B/68.10A	----	----	79.50 + 8.00	.3461	----	----	----	----	----	22	UNCH
4665	----	----	----	93.50B/66.80A	93.50B/66.80A	----	----	78.00 + 7.80	.3412	----	----	----	----	----	24	UNCH
4670	----	----	----	91.80B/65.50A	91.80B/65.50A	----	----	76.50 + 7.70	.3362	----	----	----	----	----	93	UNCH
4675	73.10	73.10	73.10	90.10B/64.30A	90.10B/64.30A	----	----	75.00 + 7.50	.3313	----	----	----	7	----	83	UNCH
4680	73.20	73.20	73.20	88.50B/63.00A	88.50B/63.00A	----	----	73.50 + 7.30	.3264	----	----	----	10	----	47 +	10
4685	----	----	----	87.00B/61.80A	87.00B/61.80A	----	----	72.10 + 7.20	.3216	----	----	----	----	----	210	UNCH
4690	----	----	----	85.20B/60.70A	85.20B/60.70A	----	----	70.70 + 7.00	.3169	----	----	----	----	----	41	UNCH
4695	----	----	----	83.60B/59.50A	83.60B/59.50A	----	----	69.30 + 6.90	.3121	----	----	----	----	----	8	UNCH
4700	67.50	67.50	67.50	82.20B/58.40A	82.20B/58.40A	----	----	68.00 + 6.80	.3075	----	----	----	247	----	5350 +	103
4705	----	----	----	80.70B/57.20A	80.70B/57.20A	----	----	66.70 + 6.70	.3029	----	----	----	----	----	126	UNCH
4710	----	----	----	79.10B/56.20A	79.10B/56.20A	----	----	65.40 + 6.50	.2984	----	----	----	2	----	91 +	2
4715	----	----	----	77.60B/55.10A	77.60B/55.10A	----	----	64.10 + 6.40	.2938	----	----	----	----	----	2	UNCH
4720	----	----	----	76.10B/54.00A	76.10B/54.00A	----	----	62.80 + 6.20	.2892	----	----	----	----	----	160	UNCH
4725	----	----	----	74.80B/53.00A	74.80B/53.00A	----	----	61.60 + 6.10	.2848	----	----	----	11	----	126 -	1
4730	----	----	----	73.40B/52.00A	73.40B/52.00A	----	----	60.40 + 6.00	.2805	----	----	----	----	----	78	UNCH
4735	----	----	----	71.90B/51.00A	71.90B/51.00A	----	----	59.20 + 5.80	.2761	----	----	----	----	----	44	UNCH
4740	----	----	----	70.50B/50.00A	70.50B/50.00A	----	----	58.10 + 5.80	.2719	----	----	----	----	----	23	UNCH
4745	----	----	----	69.40B/49.00A	69.40B/49.00A	----	----	56.90 + 5.60	.2676	----	----	----	----	----	89	UNCH
4750	60.70	60.70	60.70	67.90B/48.10A	67.90B/48.10A	----	----	55.80 + 5.50	.2634	----	----	----	58	----	677 +	38
4755	----	----	----	66.70B/47.20A	66.70B/47.20A	----	----	54.70 + 5.40	.2593	----	----	----	----	----	58	UNCH
4760	----	----	----	65.30B/46.30A	65.30B/46.30A	----	----	53.70 + 5.30	.2553	----	----	----	2	----	48	UNCH
4765	----	----	----	64.10B/45.40A	64.10B/45.40A	----	----	52.60 + 5.20	.2512	----	----	----	----	----	12	UNCH
4770	51.90	51.90	51.90	62.90B/44.50A	62.90B/44.50A	----	----	51.60 + 5.10	.2473	----	----	----	4	----	274 +	4
4775	----	----	----	61.70B/43.60A	61.70B/43.60A	----	----	50.60 + 5.00	.2434	----	----	----	25	----	342 +	16
4780	----	----	----	60.60B/42.80A	60.60B/42.80A	----	----	49.60 + 4.90	.2395	----	----	----	----	----	121	UNCH
4785	----	----	----	59.50B/42.00A	59.50B/42.00A	----	----	48.70 + 4.80	.2358	----	----	----	----	----	176	UNCH
4790	----	----	----	58.40B/41.20A	58.40B/41.20A	----	----	47.70 + 4.70	.2319	----	----	----	----	----	34	UNCH
4795	----	----	----	57.00B/40.40A	57.00B/40.40A	----	----	46.80 + 4.60	.2282	----	----	----	----	----	327	UNCH
4800	45.50	45.50	45.50	56.00B/39.60A	56.00B/39.60A	----	----	45.90 + 4.50	.2246	----	----	----	600	----	3444 -	173
4805	----	----	----	55.00B/38.90A	55.00B/38.90A	----	----	45.00 + 4.40	.2210	----	----	----	----	----	17	UNCH
4810	----	----	----	54.00B/38.10A	54.00B/38.10A	----	----	44.10 + 4.30	.2173	----	----	----	----	----	21	UNCH
4815	----	----	----	53.00B/37.40A	53.00B/37.40A	----	----	43.20 + 4.20	.2137	----	----	----	----	----	63	UNCH
4820	----	----	----	52.00B/36.80A	52.00B/36.80A	----	----	42.40 + 4.10	.2103	----	----	----	----	----	146	UNCH
4825	----	----	----	51.00B/36.00A	51.00B/36.00A	----	----	41.60 + 4.00	.2070	----	----	----	----	----	342	UNCH
4830	----	----	----	49.90B/35.30A	49.90B/35.30A	----	----	40.80 + 4.00	.2036	----	----	----	----	----	74	UNCH
4835	----	----	----	48.80B/34.70A	48.80B/34.70A	----	----	40.00 + 3.90	.2003	----	----	----	----	----	38	UNCH
4840	----	----	----	48.10B/34.00A	48.10B/34.00A	----	----	39.20 + 3.80	.1969	----	----	----	----	----	27	UNCH
4845	38.80	38.80	38.80	47.20B/33.40A	47.20B/33.40A	----	----	38.40 + 3.60	.1936	----	----	----	6	----	15 +	6
4850	36.90	36.90	36.90	46.20B/32.80A	46.20B/32.80A	----	----	37.70 + 3.60	.1905	----	----	----	40	----	310 -	11
4855	----	----	----	45.40B/32.10A	45.40B/32.10A	----	----	36.90 + 3.40	.1872	----	----	----	3	----	10	UNCH
4860	38.90	38.90	38.90	44.50B/31.50A	44.50B/31.50A	----	----	36.20 + 3.40	.1841	----	----	----	7	----	35 +	1
4865	35.70	35.70	35.70	43.70B/31.00A	43.70B/31.00A	----	----	35.50 + 3.30	.1811	----	----	----	3	----	19 +	3
4870	----	----	----	42.90B/30.50A	42.90B/30.50A	----	----	34.80 + 3.20	.1781	----	----	----	1	----	58	UNCH
4875	----	----	----	42.00B/30.10A	42.00B/30.10A	----	----	34.20 + 3.20	.1753	----	----	----	1	----	176 -	1
4880	----	----	----	41.20B/29.30A	41.20B/29.30A	----	----	33.50 + 3.10	.1723	----	----	----	----	----	144	UNCH
4885	----	----	----	40.50B/28.70A	40.50B/28.70A	----	----	32.90 + 3.10	.1695	----	----	----	----	----	52	UNCH
4890	----	----	----	39.70B/28.30A	39.70B/28.30A	----	----	32.20 + 2.90	.1665	----	----	----	----	----	35	UNCH
4895	----	----	----	38.90B/27.70A	38.90B/27.70A	----	----	31.60 + 2.90	.1638	----	----	----	----	----	65	UNCH
4900	30.10	30.10	30.10	38.20B/27.40A	38.20B/27.40A	----	----	31.00 + 2.80	.1611	----	----	----	516	35	1375 +	360
4905	----	----	----	37.50B/26.70A	37.50B/26.70A	----	----	30.40 + 2.70	.1584	----	----	----	----	----	15	UNCH
4910	----	----	----	36.70B/26.30A	36.70B/26.30A	----	----	29.90 + 2.70	.1560	----	----	----	----	----	17	UNCH
4915	----	----	----	36.10B/25.90A	36.10B/25.90A	----	----	29.30 + 2.60	.1533	----	----	----	1	----	43	UNCH
4920	----	----	----	35.40B/25.40A	35.40B/25.40A	----	----	28.80 + 2.60	.1509	----	----	----	1	----	29	UNCH
4925	28.00	28.00	28.00	34.60B/24.80A	34.60B/24.80A	----	----	28.20 + 2.50	.1482	----	----	----	8	----	320 +	4
4930	----	----	----	34.10B/24.50A	34.10B/24.50A	----	----	27.70 + 2.50	.1459	----	----	----	6	----	49 +	3
4935	----	----	----	33.40B/24.00A	33.40B/24.00A	----	----	27.20 + 2.40	.1435	----	----	----	----	----	21	UNCH
4940	----	----	----	32.80B/23.60A	32.80B/23.60A	----	----	26.70 + 2.40	.1411	----	----	----	----	----	51	UNCH
4945	----	----	----	32.20B/23.20A	32.20B/23.20A	----	----	26.20 + 2.30	.1388	----	----	----	----	----	85	UNCH
4950	----	----	----	31.60B/22.80A	31.60B/22.80A	----	----	25.70 + 2.30	.1365	----	----	----	7	----	713 +	6
4955	----	----	----	31.00B/22.40A	31.00B/22.40A	----	----	25.20 + 2.20	.1342	----	----	----	----	----	27	UNCH
4960	----	----	----	30.40B/22.00A	30.40B/22.00A	----	----	24.80 + 2.20	.1321	----	----	----	----	----	42	UNCH
4965	----	----	----	29.70B/21.60A	29.70B/21.60A	----	----	24.30 + 2.10	.1298	----	----	----	----	----	27	UNCH
4970	2															

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS														
AUG26																
5325	----	----	----	9.40B/----	9.40B/8.10A	----	----	8.20 + 0.40	.0453	----	----	----	----	----	33	UNCH
5330	----	----	----	9.20B/----	9.20B/8.00A	----	----	8.10 + 0.40	.0447	----	----	----	----	----	21	UNCH
5335	----	----	----	9.10B/----	9.10B/7.90A	----	----	8.00 + 0.40	.0442	----	----	----	----	----	2	UNCH
5340	----	----	----	9.00B/----	9.00B/7.80A	----	----	7.90 + 0.40	.0436	----	----	----	----	----	1	UNCH
5345	----	----	----	8.90B/----	8.90B/7.80A	----	----	7.80 + 0.30	.0430	----	----	----	----	----	27	UNCH
5350	----	----	----	8.80B/----	8.80B/7.70A	----	----	7.80 + 0.40	.0429	----	----	----	1	----	8011	+
5355	----	----	----	8.70B/----	8.70B/7.60A	----	----	7.70 + 0.40	.0423	----	----	----	----	----	1	UNCH
5360	7.40	7.40	7.40	8.60B/7.40	8.60B/7.40	----	----	7.60 + 0.40	.0418	----	----	----	2	----	125	+
5365	----	----	----	8.50B/----	8.50B/7.50A	----	----	7.50 + 0.30	.0412	----	----	----	----	----	9	UNCH
5370	----	----	----	8.40B/----	8.40B/7.40A	----	----	7.40 + 0.30	.0407	----	----	----	----	----	8008	UNCH
5375	----	----	----	8.30B/----	8.30B/7.30A	----	----	7.40 + 0.40	.0405	----	----	----	1	----	255	-
5380	----	----	----	8.20B/----	8.20B/7.20A	----	----	7.30 + 0.40	.0400	----	----	----	----	----	43	UNCH
5395	----	----	----	7.90B/----	7.90B/7.00A	----	----	7.10 + 0.40	.0388	----	----	----	----	----	7	UNCH
5400	6.80	6.80	6.80	7.90B/6.80	7.90B/6.80	----	----	7.00 + 0.30	.0382	----	----	----	258	----	2489	-
5405	----	----	----	7.80B/----	7.80B/6.90A	----	----	6.90 + 0.30	.0377	----	----	----	----	----	7	UNCH
5410	----	----	----	7.70B/----	7.70B/6.80A	----	----	6.90 + 0.40	.0376	----	----	----	----	----	24	UNCH
5415	----	----	----	7.60B/----	7.60B/6.70A	----	----	6.80 + 0.30	.0370	----	----	----	----	----	1	UNCH
5420	----	----	----	7.50B/----	7.50B/6.70A	----	----	6.70 + 0.30	.0365	----	----	----	----	----	8	UNCH
5425	----	----	----	7.40B/----	7.40B/6.60A	----	----	6.70 + 0.30	.0364	----	----	----	----	----	21	UNCH
5430	----	----	----	7.40B/----	7.40B/6.50A	----	----	6.60 + 0.30	.0358	----	----	----	----	----	18	UNCH
5435	----	----	----	7.30B/----	7.30B/6.50A	----	----	6.50 + 0.30	.0353	----	----	----	----	----	50	UNCH
5440	----	----	----	7.20B/----	7.20B/6.40A	----	----	6.50 + 0.30	.0352	----	----	----	----	----	105	UNCH
5445	----	----	----	7.10B/----	7.10B/6.40A	----	----	6.40 + 0.30	.0347	----	----	----	----	----	12	UNCH
5450	----	----	----	7.10B/----	7.10B/6.30A	----	----	6.30 + 0.20	.0342	----	----	----	----	----	228	UNCH
5455	----	----	----	7.00B/----	7.00B/6.20A	----	----	6.30 + 0.30	.0340	----	----	----	1	----	22	UNCH
5460	----	----	----	6.90B/----	6.90B/6.20A	----	----	6.20 + 0.20	.0335	----	----	----	----	----	12	UNCH
5465	----	----	----	6.90B/----	6.90B/6.10A	----	----	6.20 + 0.30	.0334	----	----	----	----	----	42	UNCH
5470	----	----	----	6.80B/----	6.80B/6.10A	----	----	6.10 + 0.20	.0329	----	----	----	----	----	14	UNCH
5475	----	----	----	6.70B/----	6.70B/6.00A	----	----	6.10 + 0.30	.0328	----	----	----	----	----	7	UNCH
5480	----	----	----	6.70B/----	6.70B/6.00A	----	----	6.00 + 0.20	.0323	----	----	----	----	----	14	UNCH
5485	----	----	----	6.60B/----	6.60B/5.90A	----	----	5.90 + 0.20	.0318	----	----	----	----	----	19	UNCH
5490	----	----	----	6.50B/----	6.50B/5.90A	----	----	5.90 + 0.20	.0317	----	----	----	----	----	2	UNCH
5495	----	----	----	6.50B/----	6.50B/5.80A	----	----	5.80 + 0.20	.0312	----	----	----	----	----	4	UNCH
5500	6.30	6.30	6.30	6.50B/5.70	6.50B/5.70	----	----	5.80 + 0.20	.0311	----	----	----	47	----	2210	-
5505	----	----	----	6.30B/----	6.30B/5.70A	----	----	5.70 + 0.20	.0306	----	----	----	----	----	13	UNCH
5510	----	----	----	6.40B/----	6.40B/5.70A	----	----	5.70 + 0.20	.0305	----	----	----	----	----	9	UNCH
5515	----	----	----	6.20B/----	6.20B/5.60A	----	----	5.60 + 0.20	.0300	----	----	----	----	----	41	UNCH
5520	----	----	----	6.20B/----	6.20B/5.60A	----	----	5.60 + 0.20	.0299	----	----	----	----	----	5	UNCH
5525	----	----	----	6.10B/----	6.10B/5.60A	----	----	5.50 + 0.20	.0294	----	----	----	----	----	2236	UNCH
5530	----	----	----	6.00B/----	6.00B/5.50A	----	----	5.50 + 0.20	.0293	----	----	----	----	----	1	UNCH
5535	----	----	----	6.00B/----	6.00B/5.40A	----	----	5.40 + 0.10	.0288	----	----	----	----	----	12	UNCH
5540	----	----	----	5.90B/----	5.90B/5.40A	----	----	5.40 + 0.20	.0287	----	----	----	----	----	9	UNCH
5545	----	----	----	5.90B/----	5.90B/5.40A	----	----	5.40 + 0.20	.0286	----	----	----	----	----	18	UNCH
5550	----	----	----	5.80B/----	5.80B/5.30A	----	----	5.30 + 0.20	.0281	----	----	----	----	----	128	UNCH
5555	----	----	----	5.80B/----	5.80B/5.30A	----	----	5.30 + 0.20	.0281	----	----	----	----	----	1	UNCH
5560	----	----	----	5.70B/----	5.70B/5.20A	----	----	5.20 + 0.10	.0276	----	----	----	----	----	3	UNCH
5565	----	----	----	5.70B/----	5.70B/5.20A	----	----	5.20 + 0.20	.0275	----	----	----	----	----	37	UNCH
5570	----	----	----	5.60B/----	5.60B/5.20A	----	----	5.10 + 0.10	.0270	----	----	----	----	----	21	UNCH
5575	----	----	----	5.60B/----	5.60B/5.20A	----	----	5.10 + 0.20	.0269	----	----	----	----	----	4	UNCH
5580	5.60	5.60	5.60	5.60/5.60	5.60/5.10A	----	----	5.10 + 0.20	.0268	----	----	----	21	----	55	+
5590	----	----	----	5.40B/----	5.40B/5.00A	----	----	5.00 + 0.20	.0263	----	----	----	----	----	2	UNCH
5595	5.50	5.50	5.50	5.50/5.50	5.50/5.00A	----	----	4.90 + 0.10	.0258	----	----	----	6	----	32	+
5600	5.20	5.20	5.20	5.30B/4.80A	5.30B/4.80A	----	----	4.90 + 0.10	.0257	----	----	----	2	----	1076	UNCH
5605	----	----	----	5.30B/----	5.30B/4.90A	----	----	4.90 + 0.20	.0257	----	----	----	----	----	7	UNCH
5610	5.50	5.50	5.50	5.50/5.50	5.50/4.90A	----	----	4.80 + 0.10	.0252	----	----	----	34	----	45	+
5615	----	----	----	5.20B/----	5.20B/4.80A	----	----	4.80 + 0.10	.0251	----	----	----	----	----	3	UNCH
5620	----	----	----	5.20B/----	5.20B/4.80A	----	----	4.80 + 0.20	.0250	----	----	----	----	----	37	UNCH
5625	----	----	----	5.10B/----	5.10B/4.80A	----	----	4.70 + 0.10	.0246	----	----	----	----	----	5	UNCH
5630	----	----	----	5.10B/----	5.10B/4.70A	----	----	4.70 + 0.10	.0245	----	----	----	----	----	15	UNCH
5635	----	----	----	5.10B/----	5.10B/4.70A	----	----	4.70 + 0.20	.0244	----	----	----	----	----	2	UNCH
5640	----	----	----	5.00B/----	5.00B/4.70A	----	----	4.60 + 0.10	.0240	----	----	----	----	----	9	UNCH
5650	----	----	----	4.90B/----	4.90B/4.60A	----	----	4.60 + 0.20	.0238	----	----	----	----	----	601	UNCH
5660	----	----	----	4.80B/----	4.80B/4.60A	----	----	4.50 + 0.10	.0233	----	----	----	----	----	34	UNCH
5670	----	----	----	4.80B/----	4.80B/4.50A	----	----	4.40 + 0.10	.0228	----	----	----	----	----	10	UNCH
5675	----	----	----	4.70B/----	4.70B/4.50A	----	----	4.40 + 0.10	.0227	----	----	----	----	----	3	UNCH
5680	----	----	----	4.70B/----	4.70B/4.40A	----	----	4.40 + 0.10	.0226	----	----	----	----	----	4	UNCH
5690	----	----	----	4.60B/----	4.60B/4.40A	----	----	4.30 + 0.10	.0221	----	----	----	----	----	16	UNCH
5700	4.10	4.10	4.10	4.50B/4.10	4.50B/4.10	----	----	4.30 + 0.10	.0220	----	----	----	1	----	1695	+
5710	----	----	----	4.50B/----	4.50B/4.30A	----	----	4.20	.0215	----	----	----	----	----	7	UNCH
5720	----	----	----	4.40B/----	4.40B/4.20A	----	----	4.20 + 0.10	.0214	----	----	----	----	----	19	UNCH
5725	----	----	----	4.40B/----	4.40B/4.20A	----	----	4.10	.0209	----	----	----	----	----	1	UNCH
5730	----	----	----	4.30B/----	4.30B/4.20A	----	----	4.10	.0209	----	----	----	----	----	15	UNCH
5750	----	----	----	4.20B/----	4.20B/4.10A	----	----	4.00</								

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG CALL		COMEX GOLD OPTIONS																
SEP26																		
4550	----	----	----	195.80B/156.60A	195.80B/156.60A	----	----	----	174.70	+ 15.00	.5071	----	----	----	----	280	UNCH	
4555	----	----	----	193.10B/154.90A	193.10B/154.90A	----	----	----	172.40	+ 14.90	.5027	----	----	----	----	100	UNCH	
4560	----	----	----	190.80B/152.80A	190.80B/152.80A	----	----	----	170.10	+ 14.70	.4984	----	7	----	----	29	+	
4565	----	----	----	188.40B/150.40A	188.40B/150.40A	----	----	----	167.80	+ 14.50	.4940	----	7	----	----	19	+	
4570	----	----	----	185.90B/147.60A	185.90B/147.60A	----	----	----	165.50	+ 14.30	.4896	----	----	----	----	19	UNCH	
4575	----	----	----	183.40B/146.30A	183.40B/146.30A	----	----	----	163.30	+ 14.20	.4852	----	----	----	----	68	UNCH	
4580	----	----	----	181.20B/144.10A	181.20B/144.10A	----	----	----	161.00	+ 14.00	.4808	----	----	----	----	3	UNCH	
4585	----	----	----	178.70B/142.30A	178.70B/142.30A	----	----	----	158.80	+ 13.80	.4764	----	----	----	----	31	UNCH	
4590	----	----	----	176.50B/140.80A	176.50B/140.80A	----	----	----	156.70	+ 13.70	.4721	----	----	----	----	16	UNCH	
4595	----	----	----	174.30B/138.40A	174.30B/138.40A	----	----	----	154.50	+ 13.50	.4678	----	----	----	----	33	UNCH	
4600	----	----	----	172.00B/136.70A	172.00B/136.70A	----	----	----	152.40	+ 13.30	.4634	----	8	25	----	307	+	
4605	----	----	----	169.70B/134.10A	169.70B/134.10A	----	----	----	150.30	+ 13.10	.4591	----	----	----	----	44	UNCH	
4610	----	----	----	167.40B/131.90A	167.40B/131.90A	----	----	----	148.20	+ 12.90	.4548	----	7	----	----	7	UNCH	
4615	----	----	----	165.20B/130.10A	165.20B/130.10A	----	----	----	146.20	+ 12.80	.4505	----	----	----	----	4	UNCH	
4620	156.40	----	156.40	163.00B/128.70A	163.00B/128.70A	----	----	----	144.10	+ 12.60	.4462	----	2	----	----	4	+	
4625	----	----	----	160.80B/127.80A	160.80B/127.80A	----	----	----	142.20	+ 12.50	.4420	----	----	----	----	7	UNCH	
4630	----	----	----	158.70B/124.80A	158.70B/124.80A	----	----	----	140.20	+ 12.30	.4377	----	----	----	----	15	UNCH	
4640	139.20	----	139.20	154.60B/122.20A	154.60B/122.20A	----	----	----	136.30	+ 12.00	.4292	----	2	----	----	12	+	
4645	----	----	----	152.30B/120.50A	152.30B/120.50A	----	----	----	134.40	+ 11.80	.4250	----	----	----	----	7	UNCH	
4650	----	----	----	150.30B/118.70A	150.30B/118.70A	----	----	----	132.50	+ 11.60	.4208	----	----	----	----	97	UNCH	
4655	----	----	----	148.40B/116.70A	148.40B/116.70A	----	----	----	130.70	+ 11.50	.4167	----	----	----	----	2	UNCH	
4660	----	----	----	146.20B/114.70A	146.20B/114.70A	----	----	----	128.80	+ 11.30	.4125	----	----	----	----	12	UNCH	
4665	----	----	----	144.30B/113.10A	144.30B/113.10A	----	----	----	127.00	+ 11.10	.4083	----	----	----	----	4	UNCH	
4675	----	----	----	140.40B/110.40A	140.40B/110.40A	----	----	----	123.50	+ 10.90	.4002	----	----	----	----	6	UNCH	
4680	----	----	----	138.40B/109.20A	138.40B/109.20A	----	----	----	121.80	+ 10.80	.3961	----	----	----	----	1	UNCH	
4690	----	----	----	134.70B/105.50A	134.70B/105.50A	----	----	----	118.40	+ 10.50	.3881	----	----	----	----	2	UNCH	
4700	111.80	----	111.80	131.10B/102.60A	131.10B/102.60A	----	----	----	115.10	+ 10.20	.3801	----	27	----	----	387	+	
4705	----	----	----	129.20B/101.40A	129.20B/101.40A	----	----	----	113.50	+ 10.10	.3762	----	----	----	----	10	UNCH	
4710	----	----	----	127.50B/99.70A	127.50B/99.70A	----	----	----	111.80	+ 9.90	.3721	----	----	----	----	1	UNCH	
4720	----	----	----	124.00B/97.20A	124.00B/97.20A	----	----	----	108.70	+ 9.70	.3644	----	----	----	----	45	UNCH	
4725	----	----	----	122.20B/95.50A	122.20B/95.50A	----	----	----	107.10	+ 9.50	.3605	----	----	----	----	12	UNCH	
4730	----	----	----	120.70B/94.20A	120.70B/94.20A	----	----	----	105.60	+ 9.40	.3566	----	----	----	----	11	UNCH	
4740	----	----	----	117.30B/91.60A	117.30B/91.60A	----	----	----	102.60	+ 9.20	.3490	----	2	----	----	5	+	
4745	----	----	----	115.60B/90.30A	115.60B/90.30A	----	----	----	101.10	+ 9.00	.3452	----	----	----	----	7	UNCH	
4750	----	----	----	113.90B/89.00A	113.90B/89.00A	----	----	----	99.70	+ 9.00	.3415	----	15	----	----	672	+	
4755	----	----	----	112.40B/88.10A	112.40B/88.10A	----	----	----	98.30	+ 8.90	.3378	----	----	----	----	10	UNCH	
4760	----	----	----	110.80B/86.80A	110.80B/86.80A	----	----	----	96.80	+ 8.60	.3340	----	----	----	----	26	UNCH	
4770	----	----	----	107.70B/84.50A	107.70B/84.50A	----	----	----	94.10	+ 8.50	.3268	----	----	----	----	3	UNCH	
4775	----	----	----	106.20B/83.20A	106.20B/83.20A	----	----	----	92.70	+ 8.30	.3231	----	----	----	----	268	UNCH	
4780	93.10	----	93.10	104.70B/81.80A	104.70B/81.80A	----	----	----	91.40	+ 8.20	.3196	----	1	----	----	10	UNCH	
4785	----	----	----	103.20B/80.60A	103.20B/80.60A	----	----	----	90.10	+ 8.10	.3161	----	----	----	----	5	UNCH	
4790	----	----	----	101.90B/79.70A	101.90B/79.70A	----	----	----	88.80	+ 8.00	.3125	----	----	----	----	6	UNCH	
4795	----	----	----	100.30B/78.50A	100.30B/78.50A	----	----	----	87.50	+ 7.80	.3090	----	----	----	----	4	UNCH	
4800	83.00	----	83.00	98.90B/77.40A	98.90B/77.40A	----	----	----	86.20	+ 7.70	.3055	----	164	----	----	1272	+	
4805	----	----	----	97.50B/76.30A	97.50B/76.30A	----	----	----	85.00	+ 7.60	.3021	----	----	----	----	2	UNCH	
4810	----	----	----	96.20B/75.40A	96.20B/75.40A	----	----	----	83.80	+ 7.50	.2987	----	2	----	----	6	UNCH	
4815	----	----	----	94.80B/74.20A	94.80B/74.20A	----	----	----	82.60	+ 7.40	.2953	----	----	----	----	12	UNCH	
4825	79.60	----	79.60	92.10B/72.00A	92.10B/72.00A	----	----	----	80.20	+ 7.10	.2886	----	9	----	----	369	UNCH	
4830	----	----	----	90.70B/71.10A	90.70B/71.10A	----	----	----	79.10	+ 7.10	.2854	----	----	----	----	3	UNCH	
4835	----	----	----	89.50B/70.10A	89.50B/70.10A	----	----	----	77.90	+ 6.90	.2820	----	----	----	----	1	UNCH	
4840	----	----	----	88.30B/69.10A	88.30B/69.10A	----	----	----	76.80	+ 6.80	.2788	----	----	----	----	50	UNCH	
4850	----	----	----	85.80B/67.00A	85.80B/67.00A	----	----	----	74.60	+ 6.60	.2724	----	----	----	----	112	UNCH	
4860	----	----	----	83.50B/65.30A	83.50B/65.30A	----	----	----	72.50	+ 6.40	.2662	----	----	----	----	2	UNCH	
4870	----	----	----	81.10B/63.50A	81.10B/63.50A	----	----	----	70.40	+ 6.20	.2600	----	----	----	----	2	UNCH	
4875	73.00	----	73.00	79.90B/62.50A	79.90B/62.50A	----	----	----	69.40	+ 6.10	.2570	----	15	----	----	45	+	
4880	----	----	----	78.60B/61.70A	78.60B/61.70A	----	----	----	68.40	+ 6.00	.2540	----	----	----	----	17	UNCH	
4885	----	----	----	77.60B/60.90A	77.60B/60.90A	----	----	----	67.50	+ 6.00	.2511	----	----	50	----	52	+	
4895	----	----	----	75.50B/59.20A	75.50B/59.20A	----	----	----	65.50	+ 5.70	.2451	----	----	----	----	2	UNCH	
4900	64.00	----	64.00	74.30B/58.20A	74.30B/58.20A	----	----	----	64.60	+ 5.60	.2423	----	2	----	----	513	+	
4905	----	----	----	73.40B/57.40A	73.40B/57.40A	----	----	----	63.70	+ 5.60	.2395	----	----	----	----	21	UNCH	
4915	----	----	----	71.30B/55.80A	71.30B/55.80A	----	----	----	61.90	+ 5.40	.2339	----	----	----	----	50	UNCH	
4920	----	----	----	70.10B/55.00A	70.10B/55.00A	----	----	----	61.00	+ 5.30	.2311	----	----	----	----	66	UNCH	
4925	----	----	----	69.30B/54.30A	69.30B/54.30A	----	----	----	60.20	+ 5.30	.2285	----	----	----	----	102	UNCH	
4930	----	----	----	68.10B/53.50A	68.10B/53.50A	----	----	----	59.30	+ 5.20	.2257	----	----	----	----	2	UNCH	
4935	----																	

BULLETIN #106@				METALS OPTION PRODUCTS										Thu, Jun 04, 2026				PG64	
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG CALL		COMEX GOLD OPTIONS																	
SEP26																			
5450	----	----	----	17.90B/----	17.90B/15.80A	----	----	----	16.10 + 0.90	.0688	----	----	----	----	29	UNCH			
5455	----	----	----	17.70B/----	17.70B/15.70A	----	----	----	16.00 + 1.00	.0683	----	----	----	----	39	UNCH			
5460	----	----	----	17.60B/----	17.60B/15.50A	----	----	----	15.80 + 0.90	.0675	----	----	----	----	3	UNCH			
5470	----	----	----	17.20B/----	17.20B/15.20A	----	----	----	15.50 + 0.90	.0662	----	----	----	----	27	UNCH			
5475	----	----	----	17.00B/----	17.00B/15.10A	----	----	----	15.30 + 0.80	.0654	----	----	----	----	1	UNCH			
5490	----	----	----	16.50B/----	16.50B/14.70A	----	----	----	14.90 + 0.80	.0636	----	----	----	----	3098 +	3			
5500	15.80	15.80	15.80	16.20B/14.30A	16.20B/14.40A	----	----	----	14.70 + 0.80	.0627	----	----	6	----	4 +	1			
5505	----	----	----	16.00B/14.30A	16.00B/14.30A	----	----	----	14.50 + 0.70	.0619	----	----	1	----	1	UNCH			
5510	----	----	----	15.80B/14.20A	15.80B/14.20A	----	----	----	14.40 + 0.80	.0614	----	----	----	----	1	UNCH			
5515	----	----	----	15.70B/14.00A	15.70B/14.00A	----	----	----	14.30 + 0.80	.0609	----	----	----	----	4	UNCH			
5520	----	----	----	15.50B/13.90A	15.50B/13.90A	----	----	----	14.10 + 0.70	.0602	----	----	----	----	7	UNCH			
5525	----	----	----	15.40B/13.80A	15.40B/13.80A	----	----	----	14.00 + 0.70	.0597	----	----	----	----	1 +	1			
5530	----	----	----	15.20B/13.70A	15.20B/13.70A	----	----	----	13.90 NEW	.0592	----	1	----	----	1	UNCH			
5535	----	----	----	15.10B/13.60A	15.10B/13.60A	----	----	----	13.80 + 0.70	.0587	----	----	----	----	19	UNCH			
5540	----	----	----	14.90B/13.40A	14.90B/13.40A	----	----	----	13.70 + 0.70	.0583	----	----	----	----	47 +	1			
5550	----	----	----	14.60B/13.20A	14.60B/13.20A	----	----	----	13.40 + 0.60	.0570	----	1	----	----	5	UNCH			
5555	----	----	----	14.50B/13.10A	14.50B/13.10A	----	----	----	13.30 + 0.60	.0566	----	----	----	----	2	UNCH			
5560	----	----	----	14.40B/13.00A	14.40B/13.00A	----	----	----	13.20 + 0.60	.0561	----	----	----	----	1	UNCH			
5570	----	----	----	14.10B/12.80A	14.10B/12.80A	----	----	----	13.00 + 0.60	.0552	----	----	----	----	1	UNCH			
5575	----	----	----	14.00B/12.70A	14.00B/12.70A	----	----	----	12.90 + 0.60	.0548	----	----	----	----	26	UNCH			
5590	----	----	----	13.60B/12.40A	13.60B/12.40A	----	----	----	12.50 + 0.50	.0531	----	----	----	----	4	UNCH			
5595	----	----	----	13.40B/12.30A	13.40B/12.30A	----	----	----	12.40 + 0.50	.0527	----	----	----	----	924	UNCH			
5600	----	----	----	13.30B/12.20A	13.30B/12.20A	----	----	----	12.30 + 0.50	.0522	----	----	----	----	3	UNCH			
5605	----	----	----	13.20B/12.10A	13.20B/12.10A	----	----	----	12.20 + 0.50	.0518	----	----	----	----	20	UNCH			
5620	----	----	----	12.90B/11.80A	12.90B/11.80A	----	----	----	11.90 + 0.50	.0504	----	----	----	----	2	UNCH			
5625	----	----	----	12.70B/11.70A	12.70B/11.70A	----	----	----	11.80 + 0.50	.0500	----	----	----	----	10	UNCH			
5635	----	----	----	12.50B/11.60A	12.50B/11.60A	----	----	----	11.60 + 0.40	.0491	----	----	----	----	5	UNCH			
5645	----	----	----	12.30B/11.40A	12.30B/11.40A	----	----	----	11.40 + 0.40	.0483	----	----	----	----	744	UNCH			
5650	----	----	----	12.20B/11.30A	12.20B/11.30A	----	----	----	11.30 + 0.40	.0478	----	----	----	----	4	UNCH			
5655	----	----	----	12.10B/11.20A	12.10B/11.20A	----	----	----	11.30 + 0.50	.0477	----	----	----	----	3	UNCH			
5665	----	----	----	11.90B/11.10A	11.90B/11.10A	----	----	----	11.10 + 0.40	.0469	----	----	----	----	8	UNCH			
5675	----	----	----	11.70B/10.90A	11.70B/10.90A	----	----	----	10.90 + 0.40	.0460	----	----	----	----	3	UNCH			
5690	----	----	----	11.40B/10.70A	11.40B/10.70A	----	----	----	10.70 + 0.40	.0450	----	----	----	----	1012	UNCH			
5700	----	----	----	11.30B/10.60A	11.30B/10.60A	----	----	----	10.50 + 0.30	.0442	----	----	----	----	2	UNCH			
5710	----	----	----	11.10B/10.40A	11.10B/10.40A	----	----	----	10.40 + 0.40	.0437	----	----	----	----	2	UNCH			
5730	----	----	----	10.80B/10.20A	10.80B/10.20A	----	----	----	10.10 + 0.30	.0423	----	----	----	----	194	UNCH			
5750	----	----	----	10.50B/9.90A	10.50B/9.90A	----	----	----	9.90 + 0.40	.0413	----	----	----	----	1	UNCH			
5760	----	----	----	10.30B/9.80A	10.30B/9.80A	----	----	----	9.70 + 0.30	.0405	----	----	----	----	2	UNCH			
5770	----	----	----	10.20B/9.60A	10.20B/9.60A	----	----	----	9.60 + 0.30	.0400	----	----	----	----	162	UNCH			
5775	9.20	9.20	9.20	9.80B/9.20	9.80B/9.20	----	----	----	9.60 + 0.40	.0399	----	----	13	622 +	6	UNCH			
5800	----	----	----	9.10B/8.80A	9.10B/8.80A	----	----	----	9.30 + 0.30	.0385	----	----	----	451	UNCH				
5850	----	----	----	8.60B/8.30A	8.60B/8.30A	----	----	----	8.70 + 0.20	.0358	----	----	1	831 -	1	UNCH			
5900	----	----	----	8.10B/7.90A	8.10B/7.90A	----	----	----	8.20 + 0.10	.0335	----	----	6	51	UNCH				
5950	7.30	7.30	7.30	7.70B/7.30	7.70B/7.30	----	----	----	7.80 + 0.10	.0316	----	----	6	1353	UNCH				
6000	6.80	6.80	6.80	7.30B/6.80	7.30B/6.80	----	----	----	7.40 + 0.10	.0297	----	----	6	6 +	6	UNCH			
6050	6.60	6.60	6.60	7.10B/7.00A	7.10B/7.00A	----	----	----	7.10 NEW	.0282	----	----	6	1	UNCH				
6075	----	----	----	6.90B/6.60	6.90B/6.60	----	----	----	6.90 + 0.10	.0274	----	----	----	----	180	UNCH			
6100	----	----	----	6.30B/6.40A	6.30B/6.40A	----	----	----	6.70 + 0.10	.0265	----	----	6	245	UNCH				
6200	----	----	----	6.00B/6.10A	6.00B/6.10A	----	----	----	6.20 + 0.10	.0241	----	----	----	----	8	UNCH			
6250	----	----	----	5.70B/5.90A	5.70B/5.90A	----	----	----	6.00 + 0.10	.0230	----	----	----	----	159	UNCH			
6300	----	----	----	5.30B/5.50A	5.30B/5.50A	----	----	----	5.80 + 0.10	.0221	----	----	1	223 +	1	UNCH			
6400	----	----	----	5.00B/5.30A	5.00B/5.30A	----	----	----	5.40 UNCH	.0202	----	----	----	535	UNCH				
6500	----	----	----	4.70B/5.10A	4.70B/5.10A	----	----	----	5.10 UNCH	.0187	----	----	----	49	UNCH				
6600	----	----	----	4.50B/4.90A	4.50B/4.90A	----	----	----	4.80 UNCH	.0173	----	----	----	9	UNCH				
6650	----	----	----	4.40B/4.70A	4.40B/4.70A	----	----	----	4.70 UNCH	.0168	----	----	----	11	UNCH				
6750	----	----	----	4.20B/4.70A	4.20B/4.70A	----	----	----	4.50 UNCH	.0158	----	----	----	1	UNCH				
6775	----	----	----	4.20B/4.60A	4.20B/4.60A	----	----	----	4.40 - 0.10	.0154	----	----	----	169	UNCH				
7000	3.70	3.70	3.70	3.70/3.70	3.70/3.70	----	----	----	4.40 UNCH	.0153	----	----	1	161	UNCH				
8000	----	----	----	2.30B/2.70A	2.30B/2.70A	----	----	----	4.00 - 0.10	.0135	----	----	----	131	UNCH				
TOTAL												391		75	46582 +	311			
OCT26																			
3600	----	----	----	981.30B/----	981.30B/931.20A	----	----	----	948.10 + 36.60	.9444	----	----	----	----	12	UNCH			
3900	----	----	----	701.40B/----	701.40B/653.70A	----	----	----	669.30 + 33.60	.8820	----	----	----	----	40	UNCH			
4300	----	----	----	375.80B/----	375.80B/339.10A	----	----	----	350.10 + 24.10	.6916	----	----	----	----	102	UNCH			
4400	----	----	----	310.20B/262.00A	310.20B/262.00A	----	----	----	286.70 + 21.00	.6228	----	----	----	----	8	UNCH			
4405	----	----	----	307.10B/259.40A	307.10B/259.40A	----	----	----	283.80 + 20.90	.6192	----	----	----	----	2	UNCH			
4450	241.90	241.90	241.90	280.50B/235.60A	280.50B/235.60A	----	----	----	258.20 + 19.40	.5865	----	----	----	----	5	UNCH			
4480	----	----	----	263.90B/220.70A	263.90B/220.70A	----	----	----	242.00 + 18.30	.5643	----	1	----	2 +	1	UNCH			
4490	----	----	----	258.40B/216.00A	258.40B/216.00A	----	----	----	236.80 + 18.00	.5569	----	----	----	13	UNCH				
4500	----	----	----	253.60B/210.00A	253.60B/210.00A	----	----	----	231.70 + 17.70	.5495	----	----	----	33	UNCH				
4515	----	----	----	245.50B/204.30A	245.50B/204.30A	----	----	----	224.20 + 17.20	.5383	----	----	----	4	UNCH				
4520	----	----	----	242.90B/201.80A	242.90B/201.80A	----	----	----	221.70 + 17.00	.5346	----	----	----	2	UNCH				
4525	----	----	----	240.30B/199.80A	240.30B/199.80A	----	----	----	219.30 +										

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS													
OCT26															
4910	----	----	----	99.40B/81.50A	99.40B/81.50A	----	----	89.30 + 7.20	.2763	----	----	----	----	1	UNCH
4925	----	----	----	96.00B/78.60A	96.00B/78.60A	----	----	86.20 + 6.90	.2685	----	----	----	----	20	UNCH
4935	----	----	----	93.80B/77.00A	93.80B/77.00A	----	----	84.20 + 6.70	.2634	----	----	----	----	5	UNCH
4945	----	----	----	91.60B/75.30A	91.60B/75.30A	----	----	82.20 + 6.50	.2584	----	----	----	----	3	UNCH
4950	----	----	----	90.60B/74.30A	90.60B/74.30A	----	----	81.30 + 6.50	.2560	----	----	600	750	1623 +	748
4970	----	----	----	86.40B/71.10A	86.40B/71.10A	----	----	77.60 + 6.20	.2463	----	----	----	----	1	UNCH
4975	----	----	----	85.40B/70.20A	85.40B/70.20A	----	----	76.70 + 6.10	.2440	----	----	----	----	1	UNCH
5000	----	----	----	80.40B/66.40A	80.40B/66.40A	----	----	72.40 + 5.80	.2325	----	156	----	----	1395 -	83
5025	----	----	----	76.00B/----	76.00B/62.90A	----	----	68.30 + 5.40	.2215	----	----	----	----	2	UNCH
5045	----	----	----	72.40B/----	72.40B/60.20A	----	----	65.20 + 5.10	.2130	----	----	----	----	9	UNCH
5050	62.40	62.40	62.40	71.80B/62.40	71.80B/59.40A	----	----	64.50 + 5.10	.2110	----	1	----	----	261 +	1
5055	----	----	----	71.00B/----	71.00B/58.80A	----	----	63.80 + 5.10	.2090	----	----	----	----	4	UNCH
5065	62.20	62.20	62.20	69.30B/57.30A	69.30B/57.30A	----	----	62.30 NEW	.2049	----	5	----	----	5 +	5
5075	----	----	----	67.80B/----	67.80B/56.40A	----	----	60.90 + 4.80	.2009	----	----	----	----	4	UNCH
5080	----	----	----	66.80B/----	66.80B/55.60A	----	----	60.20 + 4.70	.1989	----	----	----	----	4	UNCH
5085	----	----	----	66.20B/----	66.20B/55.10A	----	----	59.60 + 4.70	.1971	----	----	----	----	3	UNCH
5100	57.90	57.90	57.90	64.00B/57.90	64.00B/53.30A	----	----	57.60 + 4.50	.1914	----	77	----	----	731 -	58
5125	----	----	----	60.50B/----	60.50B/50.70A	----	----	54.50 + 4.30	.1824	----	----	----	----	1	UNCH
5140	----	----	----	58.50B/----	58.50B/49.10A	----	----	52.70 + 4.10	.1772	----	----	----	----	5	UNCH
5150	----	----	----	57.20B/----	57.20B/48.10A	----	----	51.60 + 4.10	.1739	----	----	----	579	615 +	579
5155	----	----	----	56.60B/----	56.60B/47.60A	----	----	51.00 + 4.00	.1721	----	----	----	----	3	UNCH
5160	----	----	----	55.90B/----	55.90B/47.10A	----	----	50.50 + 4.00	.1706	----	----	----	----	1	UNCH
5170	----	----	----	54.70B/----	54.70B/46.10A	----	----	49.40 + 3.90	.1673	----	----	----	----	30	UNCH
5180	----	----	----	53.50B/----	53.50B/45.10A	----	----	48.30 + 3.70	.1641	----	----	----	----	5	UNCH
5185	47.60	47.60	47.60	53.00B/47.60	53.00B/44.70A	----	----	47.80 NEW	.1625	----	3	----	----	3 +	3
5195	----	----	----	51.80B/----	51.80B/43.80A	----	----	46.80 + 3.60	.1595	----	----	----	----	20	UNCH
5200	47.20	47.20	47.20	51.20B/46.10	51.20B/43.30A	----	----	46.30 + 3.60	.1580	----	125	----	----	1665 -	29
5205	----	----	----	50.70B/----	50.70B/42.90A	----	----	45.80 + 3.60	.1564	----	----	----	----	1	UNCH
5250	----	----	----	45.90B/----	45.90B/39.90A	----	----	41.60 + 3.20	.1435	----	----	----	----	575	UNCH
5255	----	----	----	45.40B/----	45.40B/39.60A	----	----	41.20 + 3.20	.1422	----	----	----	----	1	UNCH
5270	----	----	----	44.00B/----	44.00B/38.50A	----	----	39.90 + 3.00	.1382	----	----	----	----	6	UNCH
5300	37.10	37.10	37.10	41.40B/37.10	41.40B/34.90A	----	----	37.50 + 2.80	.1306	----	2	----	----	1003 +	2
5305	----	----	----	40.90B/----	40.90B/34.40A	----	----	37.10 + 2.70	.1293	----	----	----	----	1	UNCH
5310	----	----	----	40.50B/----	40.50B/34.10A	----	----	36.80 + 2.70	.1283	----	----	----	----	2	UNCH
5315	----	----	----	40.10B/----	40.10B/33.70A	----	----	36.40 + 2.70	.1271	----	----	----	----	14	UNCH
5320	----	----	----	39.60B/----	39.60B/33.40A	----	----	36.00 + 2.60	.1258	----	----	----	----	2	UNCH
5325	----	----	----	39.20B/----	39.20B/33.50A	----	----	35.70 + 2.60	.1248	----	----	----	----	9	UNCH
5345	----	----	----	37.70B/31.80A	37.70B/31.80A	----	----	34.30 + 2.40	.1203	----	----	----	----	157	UNCH
5350	----	----	----	37.30B/----	37.30B/32.00A	----	----	33.90 + 2.30	.1190	----	----	----	----	4	UNCH
5355	----	----	----	37.10B/31.20A	37.10B/31.20A	----	----	33.60 + 2.30	.1180	----	----	----	----	5	UNCH
5365	----	----	----	36.20B/30.60A	36.20B/30.60A	----	----	33.00 + 2.30	.1160	----	----	----	----	1	UNCH
5390	31.30	31.30	31.30	34.60B/31.30	34.60B/29.30A	----	----	31.40 NEW	.1108	----	3	----	----	3 +	3
5395	----	----	----	34.00B/----	34.00B/29.30A	----	----	31.10 + 2.00	.1098	----	----	----	----	2	UNCH
5400	30.60	30.60	30.60	33.70B/30.60	33.70B/29.20A	----	----	30.80 + 2.00	.1088	----	5	----	----	652	UNCH
5410	----	----	----	33.00B/28.20A	33.00B/28.20A	----	----	30.20 + 1.90	.1068	----	----	----	----	1	UNCH
5420	----	----	----	32.40B/27.70A	32.40B/27.70A	----	----	29.70 + 1.90	.1051	----	----	----	----	2	UNCH
5435	----	----	----	31.80B/27.00A	31.80B/27.00A	----	----	28.80 + 1.70	.1021	----	----	----	----	230	UNCH
5440	----	----	----	31.50B/----	31.50B/26.80A	----	----	28.60 + 1.80	.1014	----	----	----	----	5	UNCH
5450	----	----	----	30.60B/----	30.60B/26.80A	----	----	28.10 + 1.70	.0997	----	----	----	----	67	UNCH
5455	----	----	----	30.30B/----	30.30B/26.10A	----	----	27.80 + 1.70	.0987	----	----	----	----	175	UNCH
5460	----	----	----	30.00B/----	30.00B/25.90A	----	----	27.60 + 1.70	.0980	----	----	----	----	2	UNCH
5475	----	----	----	29.50B/----	29.50B/25.70A	----	----	26.80 + 1.60	.0953	----	----	----	----	1	UNCH
5480	----	----	----	28.90B/----	28.90B/25.00A	----	----	26.60 + 1.60	.0946	----	----	----	----	2	UNCH
5485	----	----	----	28.50B/----	28.50B/25.10A	----	----	26.40 + 1.60	.0939	----	----	----	----	25	UNCH
5500	27.20	27.20	27.20	27.80B/27.20	27.80B/24.70A	----	----	25.70 + 1.50	.0915	----	33	----	----	3621 -	30
5545	----	----	----	25.50B/----	25.50B/22.50A	----	----	23.80 + 1.40	.0849	----	----	----	----	5	UNCH
5550	----	----	----	25.70B/----	25.70B/22.90A	----	----	23.60 + 1.40	.0842	----	----	----	----	280	UNCH
5570	----	----	----	24.50B/----	24.50B/21.60A	----	----	22.80 + 1.30	.0814	----	----	----	----	1	UNCH
5575	----	----	----	24.40B/----	24.40B/22.00A	----	----	22.60 + 1.30	.0807	----	----	----	----	3	UNCH
5590	----	----	----	23.90B/----	23.90B/21.00A	----	----	22.10 + 1.30	.0789	----	----	----	----	7	UNCH
5600	----	----	----	23.50B/----	23.50B/21.20A	----	----	21.70 + 1.20	.0776	----	1	----	----	233	UNCH
5610	----	----	----	22.90B/----	22.90B/20.40A	----	----	21.40 + 1.20	.0765	----	----	----	----	1	UNCH
5615	----	----	----	22.70B/----	22.70B/20.70A	----	----	21.20 + 1.20	.0758	----	----	----	----	5	UNCH
5640	----	----	----	21.90B/----	21.90B/20.00A	----	----	20.40 + 1.10	.0729	----	----	----	----	2	UNCH
5650	----	----	----	21.40B/----	21.40B/19.70A	----	----	20.10 + 1.10	.0718	----	----	----	----	401	UNCH
5655	----	----	----	21.20B/----	21.20B/19.60A	----	----	19.90 + 1.00	.0712	----	----	----	----	2	UNCH
5660	----	----	----	21.00B/----	21.00B/19.40A	----	----	19.80 + 1.10	.0707	----	----	----	----	1	UNCH
5675	----	----	----	20.70B/----	20.70B/19.00A	----	----	19.40 + 1.10	.0693	----	----	----	----	3	UNCH
5700	----	----	----	19.90B/----	19.90B/18.30A	----	----	18.60 + 0.90	.0665	----	----	----	----	206	UNCH
5710	----	----	----	19.40B/----	19.40B/18.10A	----	----	18.40 + 0.90	.0657	----	----	----	----	5	UNCH
5720	----	----	----	19.30B/----	19.30B/17.90A	----	----	18.10 + 0.80	.0646	----	----	----	----	87	UNCH
5750	----	----	----	18.40B/----	18.40B/17.20A	----	----	17.30 + 0.70	.0618	----	----	750	----	1604 +	750
5775	----	----	----	17.70B/----	17.70B/16.60A	----	----	16.80 + 0.70	.0598	----	----	----	----	52	UNCH
5800	----	----	----	17.00B/----	17.00B/16.10A	----	----	16.20 + 0.60	.0577	----	----	----	----	544	UNCH
5825	----	----	----	16.50B/----	16.50B/15.60A	----	----	15.70 + 0.60	.0558	----	1	----	----	2 +	1
5850	----	----	----	15.90B/----	15.90B/15.20A	----	----	15.20 + 0.50	.0540	----	----	----	----	3	UNCH
5875	----	----	----	15.40B/----	15.40B/14.70A	----	----	14.80 + 0.50	.0524	----	----	----	----	2	UNCH
5900	----	----	----	14.90B/----	14.90B/14.30A	----	----	14.40 + 0.60	.0508	----	----	----	----	260	UNCH
5925	----	----	----	14.50B/----	14.50B/14.00A	----	----	14.00 + 0.50	.0493	----	----	----	----	2	UNCH
5950	----	----	----	14.10B/----	14.10B/13.60A	----	----	13.60 + 0.50	.0478	----	----	----	----	2	UNCH
6000	12.70	12.70	12.70	13.30B/12.70	13.30B/12.70	----	----	12.90 + 0.40	.0451	----	51	840	----	3546 +	20
6100	----	----	----	11.90B/----	11.90B/11.80A	----	----	11.70 + 0.30	.0405	----	----	----	----	67	UNCH
6200	----	----	----	10.90B/----	10.90B/10.80A	----	----	10.70 + 0.10	.0365	----	----	----	----	38	UNCH
6300	----	----	----	10.00B/----	10.00B/10.10A	----	----	9.90 UNCH	.0334	----	----	----	----	883	UNCH
6400	8.50	8.50	8.50	8.60B/8.50	8.60B/8.50	----	----	9.30 UNCH	.0308	----	1	----	----	1910	UNCH
6500	----	----	----	----	8.80 UNCH	----	----	8.80 UNCH	.0287	----	----	----	----	4042 +	1
6800	----	----	----	----	7.30B/7.70A	----	----	7.60 - 0.10	.0236	----	----	----	----	1450	UNCH
6900	----	----	----	----	7.00B/7.40A	----	----	7.20 - 0.10	.0221	----	----	----	----	1	UNCH
7000	----	----	----	----	6.60B/7.10A	----	----	6.90 - 0.20	.0209	----	----	----	----	1671	UNCH
7500	----	----	----	----	5.40B/6.10A	----	----	5.70 - 0.20	.0162	----	----	----	----	1	UNCH
8000	----	----	----	----	4.60B/*5.20A	----	----	4.80 - 0.20	.0130	----	----	----	----	218	UNCH
8500	----	----	----	----	4.00B/*4.50A	----	----	4.10 - 0.10	.0106	----	----	----	----	208	UNCH
9000	----	----	----	----	3.30B/*3.80A	----	----	3.50 - 0.10	.0088	----	----	----	----	86	UNCH
9500	3.00	3.00	3.00	3.10/*3.00	3.10/*3.00	----	----	2.90 - 0.20	.0071	----	2	----	----	296	UNCH
13000	----	----	----	----	0.60B/*1.30A	----	----	1.10 - 0.20	.						



CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

FINAL



GLOBEX		OPEN	OUTCRY	GLOBEX		OPEN	OUTCRY	GLOBEX		OPEN	OUTCRY	SETT.PRICE	DELTA		EXER	OPEN	GLOBEX®	PNT	OPEN		
OPEN			RANGE	HIGH/LOW		HIGH/LOW		CLOSE		RANGE		& PT.CHGE.			CISES	OUTCRY	VOLUME	VOLUME	VOLUME	INTEREST	
OG CALL		COMEX GOLD OPTIONS																			
NOV26																					
5250	----	----		70.20B/----	70.20B/61.90A	----						65.10 + 4.00	.1882	----	----	----	----	----	11	UNCH	
5275	----	----		66.70B/----	66.70B/59.30A	----						62.20 + 3.80	.1808	----	----	----	----	----	2	UNCH	
5285	----	----		65.60B/----	65.60B/57.90A	----						61.10 + 3.70	.1780	----	----	----	----	----	1	UNCH	
5300	----	----		63.80B/----	63.80B/56.40A	----						59.40 + 3.50	.1737	----	----	----	----	395	UNCH		
5325	----	----		60.90B/----	60.90B/54.30A	----						56.90 + 3.40	.1671	----	----	----	----	2	UNCH		
5330	----	----		60.30B/----	60.30B/54.00A	----						56.40 + 3.40	.1658	----	----	----	----	1	UNCH		
5370	----	----		56.00B/----	56.00B/50.40A	----						52.50 + 3.00	.1555	----	----	----	----	5	UNCH		
5400	----	----		53.10B/----	53.10B/49.00A	----						49.90 + 2.80	.1485	----	----	----	----	17	UNCH		
5420	----	----		51.30B/----	51.30B/47.50A	----						48.30 + 2.80	.1441	----	----	----	----	14	UNCH		
5450	----	----		48.60B/----	48.60B/45.60A	----						45.90 + 2.60	.1375	----	----	----	454	UNCH			
5460	----	----		47.90B/----	47.90B/45.10A	----						45.20 + 2.60	.1355	----	----	----	10	UNCH			
5500	----	----		44.60B/----	44.60B/42.60A	----						42.30 + 2.30	.1275	----	----	5	89 +	4	UNCH		
5530	----	----		42.50B/----	42.50B/40.70A	----						40.40 + 2.20	.1221	----	----	----	1	UNCH			
5535	----	----		42.20B/----	42.20B/40.40A	----						40.10 + 2.20	.1212	----	----	----	1	UNCH			
5540	----	----		41.90B/----	41.90B/40.10A	----						39.70 + 2.10	.1201	----	----	----	1	UNCH			
5545	----	----		41.50B/----	41.50B/39.80A	----						39.40 + 2.10	.1193	----	----	----	1	UNCH			
5550	----	----		41.20B/----	41.20B/39.50A	----						39.10 + 2.10	.1184	----	----	----	3	UNCH			
5555	----	----		40.90B/----	40.90B/39.20A	----						38.80 + 2.10	.1176	----	----	----	3	UNCH			
5560	----	----		40.60B/----	40.60B/38.90A	----						38.50 + 2.00	.1167	----	----	----	4	UNCH			
5565	----	----		40.10B/----	40.10B/38.60A	----						38.20 + 2.00	.1158	----	----	----	8	UNCH			
5570	----	----		39.80B/----	39.80B/38.40A	----						38.00 + 2.10	.1152	----	----	----	20	UNCH			
5575	----	----		39.60B/----	39.60B/38.10A	----						37.70 + 2.10	.1143	----	----	----	86	UNCH			
5600	----	----		37.50B/----	37.50B/36.10A	----						36.30 + 2.00	.1103	----	----	4	44	UNCH			
5650	----	----		34.60B/----	34.60B/33.60A	----						33.70 + 1.80	.1027	----	----	----	1	UNCH			
5655	----	----		34.30B/----	34.30B/33.40A	----						33.50 + 1.80	.1021	----	----	----	1	UNCH			
5660	----	----		34.00B/----	34.00B/33.20A	----						33.20 + 1.70	.1013	----	----	----	1	UNCH			
5665	----	----		33.80B/----	33.80B/32.90A	----						33.00 + 1.70	.1007	----	----	----	1	UNCH			
5670	----	----		33.60B/----	33.60B/32.70A	----						32.80 + 1.70	.1000	----	----	----	2	UNCH			
5675	----	----		33.70B/----	33.70B/32.50A	----						32.50 + 1.70	.0992	----	----	----	2	UNCH			
5680	----	----		33.40B/----	33.40B/32.30A	----						32.30 + 1.70	.0986	----	----	39	UNCH				
5685	----	----		33.50B/----	33.50B/32.00A	----						32.10 + 1.70	.0980	----	----	5	UNCH				
5690	----	----		33.20B/----	33.20B/31.80A	----						31.80 + 1.60	.0972	----	----	18	UNCH				
5695	----	----		33.00B/----	33.00B/31.60A	----						31.60 + 1.60	.0965	----	----	15	UNCH				
5700	----	----		32.70B/----	32.70B/31.50A	----						31.40 + 1.60	.0959	----	----	54	UNCH				
5710	----	----		32.30B/----	32.30B/31.00A	----						31.00 + 1.60	.0947	----	----	1	UNCH				
5800	----	----		28.30B/----	28.30B/28.50A	----						27.50 + 1.40	.0841	----	----	80	UNCH				
5825	----	----		27.30B/----	27.30B/27.70A	----						26.60 + 1.30	.0814	----	----	2	UNCH				
5900	----	----		24.10B/----	24.10B/25.50A	----						24.30 + 1.10	.0743	----	----	1	UNCH				
5925	----	----		23.10B/----	23.10B/24.80A	----						23.70 + 1.10	.0723	----	----	4	UNCH				
5975	----	----		21.70B/----	21.70B/23.60A	----						22.40 + 1.00	.0682	----	----	3	UNCH				
6000	----	----		21.00B/----	21.00B/23.00A	----						21.80 + 1.00	.0664	----	----	331	UNCH				
6100	----	----		----	18.80B/21.00A	----						19.70 + 0.80	.0596	----	----	1	UNCH				
6200	----	----		----	16.90B/19.40A	----						18.00 + 0.70	.0540	----	----	1	UNCH				
6400	----	----		----	14.10B/16.70A	----						15.50 + 0.50	.0456	----	----	14	UNCH				
6500	14.30	14.30		14.30/14.30	14.30/14.30	----						14.50 + 0.40	.0422	----	----	1	1157 +	1	UNCH		
8000	----	----		----	7.20B/9.60A	----						8.40 + 0.10	.0204	----	----	----	930	UNCH			
9000	----	----		----	5.60B/8.00A	----						6.80 + 0.20	.0152	----	----	----	957	UNCH			
20000	----	----		----	0.50B/1.40A	----						1.10	UNCH	.0019	----	----	165	6331+	18		
TOTAL																	23				
DEC26																	1100				
2500	----	----		----	2070.40	+ 38.40	.9949	----	----	----	----							421	UNCH		
3550	----	----		----	1038.60	+ 35.90	.9285	----	----	----	----							2	UNCH		
3570	----	----		#1,070.70B/----	#1070.70B/1023.40A	----						1020.00	+ 35.80	.9253	----	----	1	UNCH			
3600	----	----		#1,052.00B/----	#1052.00B/1004.80A	----						992.20	+ 35.60	.9202	----	----	1	UNCH			
3800	----	----		#1,023.30B/----	1023.30B/977.00A	----						811.60	+ 33.70	.8778	----	----	4	UNCH			
3900	----	----		841.30B/----	841.30B/797.00A	----						725.10	+ 32.10	.8497	----	----	2	UNCH			
4060	----	----		754.30B/----	754.30B/711.30A	----						594.70	+ 29.10	.7931	----	100	UNCH				
4100	----	----		622.30B/----	622.30B/582.40A	----						563.90	+ 28.20	.7766	----	48	UNCH				
4160	----	----		590.90B/----	590.90B/552.10A	----						519.30	+ 26.90	.7500	----	100	UNCH				
4175	----	----		545.80B/----	545.80B/508.10A	----						508.40	+ 26.50	.7430	----	37	UNCH				
4200	----	----		534.70B/----	534.70B/497.50A	----						490.60	+ 26.00	.7311	----	150	UNCH				
4250	----	----		516.10B/----	516.10B/480.00A	----						456.20	+ 24.90	.7064	----	293	UNCH				
4255	----	----		480.60B/----	480.60B/446.00A	----						452.80	+ 24.80	.7039	----	50	UNCH				
4300	----	----		477.20B/----	477.20B/442.70A	----						423.20	+ 23.70	.6805	----	436	UNCH				
4315	----	----		447.70B/----	447.70B/413.60A	----						413.60	+ 23.40	.6726	----	1	UNCH				
4320	----	----		437.80B/----	437.80B/404.30A	----						410.40	+ 23.20	.6699	----	100	UNCH				
4350	----	----		434.50B/----	434.50B/401.00A	----						391.70	+ 22.40	.6536	----	206	UNCH				
4375	----	----		415.20B/369.20A	415.20B/369.20A	----						376.60	+ 21.80	.6399	----	61	UNCH				
4400	----	----		399.60B/----	399.60B/354.90A	----						361.80	+ 21.10	.6259	----	2	UNCH				
4425	----	----		384.30B/----	384.30B/341.00A	----						347.50	+ 20.40	.6118	----	8	UNCH				
4450	----	----		369.50B/326.30A	369.50B/326.30A	----						333.50	+ 19.70	.5975	----	87	UNCH				
4460	----	----		355.00B/313.70A	355.00B/313.70A	----						328.10	+ 19.40	.5917	----	10	UNCH				
4465	----	----		349.60B/----	349.60B/309.30A	----						325.30	+ 19.20	.5889	----	103	UNCH				
4475	----	----		346.70B/305.00A	346.70B/305.00A	----						320.00	+ 19.00	.5831	----	19	UNCH				
4480	----	----		341.10B/300.00A	341.10B/300.00A	----						314.70	+ 18.70	.5773	----	3	UNCH				
4485	----	----		335.50B/----	335.50B/296.80A	----						312.10	+ 18.50	.5744	----	7	UNCH				
4490	----	----		332.90B/292.60A	332.90B/292.60A	----						306.90	+ 18.30	.5686	----	770	UNCH				
4500	----	----		328.10B/287.80A	328.10B/287.80A	----						294.20	+ 17.50	.5541	----	26	UNCH				
4525	----	----		315.30B/275.90A	315.30B/275.90A	----						291.70	NEW	.5512	----	3	+				
4530	----	----		312.60B/273.60A	312.60B/273.60A	----						286.70	+ 17.00	.5453	----	9	UNCH				
4540	----	----		307.40B/267.10A	307.40B/267.10A	----						284.30	+ 16.90	.5424	----	35	+				
4545	----	----		304.80B/264.90A	304.80B/264.90A	----						281.90	+ 16.80	.5395	----	14	UNCH				
4550	----	----		302.40B/261.40A	302.40B/261.40A	----						277.10	+ 16.50	.5336	----	1	UNCH				
4560	----	----		297.30B/258.10A	297.30B/258.10A	----						274.70	+ 16.40	.5307	----	93	UNCH				
4565	----	----		294.80B/255.90A	294.80B/255.90A	----						272.40	+ 16.30	.5278	----	5	UNCH				
4570	----	----		292.50B/253.80A	292.50B/253.80A	----						270.00	+ 16.10	.5249	----	1	UNCH				
4575	----	----		289.90B/251.90A	289.90B/251.90A	----						267.70	+ 16.00	.5220	----	150	UNCH				
4580	----	----		287.40B/247.70A	287.40B/247.70A	----						265.40	+ 15.90	.5191	----	325	UNCH				
4585	----	----		285.00B/249.10A	285.00B/249.10A	----						263.20	+ 15.80	.5162	----	18	UNCH				
4590	----	----		282.80B/243.50A	282.80B/243.50A	----						258.70									

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.

© Copyright CME Group Inc. All rights reserved.

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS														
JAN27																
4760	----	----		251.70B/220.90A	251.70B/220.90A	----	----	----	236.60 + 14.40	.4509	----	----	----	----	101	UNCH
4765	----	----		249.80B/-----	249.80B/221.00A	----	----	----	234.70 + 14.20	.4484	----	----	----	----	6	UNCH
4800	----	----		236.40B/206.70A	236.40B/206.70A	----	----	----	221.90 + 13.50	.4311	----	----	----	----	13	UNCH
4805	----	----		234.50B/205.10A	234.50B/205.10A	----	----	----	220.10 + 13.30	.4286	----	----	----	----	1	UNCH
4850	----	----		218.20B/191.00A	218.20B/191.00A	----	----	----	204.80 + 12.50	.4070	----	----	----	----	2	UNCH
4875	----	----		209.70B/183.60A	209.70B/183.60A	----	----	----	196.70 + 12.00	.3952	----	----	----	----	4	UNCH
4900	----	----		201.50B/176.60A	201.50B/176.60A	----	----	----	188.90 + 11.50	.3837	----	----	----	----	31	UNCH
4935	----	----		190.50B/167.00A	190.50B/167.00A	----	----	----	178.50 + 10.80	.3678	----	----	----	----	1	UNCH
4945	----	----		187.40B/164.40A	187.40B/164.40A	----	----	----	175.70 + 10.60	.3634	----	----	----	----	1	UNCH
4960	----	----		183.00B/160.60A	183.00B/160.60A	----	----	----	171.50 + 10.40	.3569	----	----	----	----	1	UNCH
5000	----	----		171.60B/150.90A	171.60B/150.90A	----	----	----	160.80 + 9.70	.3398	----	----	----	----	30	UNCH
5005	----	----		170.20B/149.70A	170.20B/149.70A	----	----	----	159.50 + 9.60	.3377	----	----	----	----	1	UNCH
5050	----	----		158.30B/-----	158.30B/139.70A	----	----	----	148.40 + 8.80	.3193	----	----	----	----	100	UNCH
5075	----	----		152.20B/-----	152.20B/134.40A	----	----	----	142.60 + 8.40	.3094	----	----	----	----	2	UNCH
5100	----	----		146.20B/-----	146.20B/129.30A	----	----	----	137.10 + 8.10	.2999	----	----	----	----	1	UNCH
5130	----	----		139.40B/-----	139.40B/123.60A	----	----	----	130.80 + 7.70	.2888	----	----	----	----	1	UNCH
5195	----	----		125.80B/-----	125.80B/112.20A	----	----	----	118.20 + 6.90	.2659	----	----	----	----	5	UNCH
5200	----	----		124.80B/-----	124.80B/111.30A	----	----	----	117.30 + 6.80	.2642	----	----	----	----	3	UNCH
5250	----	----		115.40B/-----	115.40B/103.30A	----	----	----	108.70 + 6.30	.2480	----	----	----	----	7	UNCH
5300	----	----		106.70B/-----	106.70B/96.20A	----	----	----	100.80 + 5.80	.2328	----	----	----	----	1	UNCH
5350	----	----		98.90B/-----	98.90B/89.60A	----	----	----	93.60 + 5.30	.2185	----	----	----	----	3	UNCH
5380	----	----		94.50B/-----	94.50B/85.90A	----	----	----	89.60 + 5.10	.2104	----	----	----	----	3	UNCH
5400	----	----		91.80B/-----	91.80B/83.50A	----	----	----	87.00 + 4.80	.2052	----	----	----	----	6	UNCH
5450	----	----		85.20B/-----	85.20B/78.20A	----	----	----	81.00 + 4.40	.1928	----	----	----	----	6	UNCH
5500	----	----		79.30B/-----	79.30B/73.20A	----	----	----	75.60 + 4.10	.1813	----	----	1	----	59	+
5550	----	----		73.80B/-----	73.80B/68.50A	----	----	----	70.60 + 3.80	.1705	----	----	----	----	4	UNCH
5555	----	----		73.30B/-----	73.30B/68.10A	----	----	----	70.10 + 3.70	.1695	----	----	----	----	2	UNCH
5600	----	----		68.80B/-----	68.80B/64.30A	----	----	----	66.00 + 3.40	.1605	----	----	----	----	226	UNCH
5700	----	----		60.20B/-----	60.20B/57.70A	----	----	----	58.00 + 2.90	.1426	----	----	----	----	3	UNCH
5750	----	----		56.50B/-----	56.50B/55.20A	----	----	----	54.50 + 2.60	.1346	----	----	----	----	2	UNCH
5820	----	----		51.70B/-----	51.70B/51.40A	----	----	----	50.10 + 2.20	.1243	----	----	----	----	6	UNCH
5850	----	----		50.00B/-----	50.00B/49.80A	----	----	----	48.40 + 2.10	.1203	----	----	----	----	3	UNCH
5900	----	----		45.50B/-----	45.50B/46.40A	----	----	----	45.70 + 1.90	.1139	----	----	----	----	6	UNCH
6000	----	----		41.80B/-----	41.80B/41.50A	----	----	----	41.10 + 1.60	.1027	----	----	----	----	284	UNCH
6025	----	----		40.70B/-----	40.70B/40.40A	----	----	----	40.00 + 1.50	.1000	----	----	----	----	1	UNCH
6250	----	----		----	30.30B/35.00A	----	----	----	32.40 + 1.00	.0809	----	----	----	----	1	UNCH
6300	----	----		----	28.90B/33.70A	----	----	----	31.10 + 1.00	.0775	----	----	----	----	3	UNCH
6500	----	----		----	24.10B/29.50A	----	----	----	26.60 + 0.80	.0658	----	----	----	----	5	UNCH
20000	1.60	1.60		1.60/*1.60	2.30B/*1.60	----	----	----	3.20 - 0.40	.0048	----	----	5	----	127	UNCH
TOTAL													6		1089+	1
FEB27																
4630	----	----		327.90B/290.50A	327.90B/290.50A	----	----	----	308.80 + 16.60	.5199	----	----	----	----	1	UNCH
4640	----	----		323.30B/287.60A	323.30B/287.60A	----	----	----	304.40 + 16.50	.5150	----	----	----	----	5	UNCH
4650	----	----		318.60B/283.60A	318.60B/283.60A	----	----	----	300.00 + 16.20	.5101	----	----	----	----	6	UNCH
4675	----	----		307.50B/-----	307.50B/276.70A	----	----	----	289.30 + 15.70	.4979	----	----	----	----	1	UNCH
4700	----	----		296.60B/-----	296.60B/263.90A	----	----	----	278.90 + 15.10	.4858	----	----	----	----	1	UNCH
4750	----	----		275.60B/-----	275.60B/248.10A	----	----	----	259.20 + 14.10	.4620	----	----	----	----	386	UNCH
4785	----	----		261.80B/-----	261.80B/235.70A	----	----	----	246.20 + 13.50	.4456	----	----	----	----	100	UNCH
4800	----	----		256.20B/226.30A	256.20B/226.30A	----	----	----	240.80 + 13.20	.4387	----	----	----	----	1	UNCH
4850	----	----		237.80B/210.40A	237.80B/210.40A	----	----	----	223.70 + 12.30	.4161	----	----	----	----	36	UNCH
5000	----	----		190.30B/169.20A	190.30B/169.20A	----	----	----	179.30 + 9.80	.3526	----	----	----	----	702	UNCH
5030	----	----		182.10B/162.00A	182.10B/162.00A	----	----	----	171.50 + 9.30	.3408	----	----	----	----	1	UNCH
5100	----	----		164.20B/-----	164.20B/147.40A	----	----	----	154.80 + 8.30	.3145	----	----	----	----	148	UNCH
5175	----	----		147.10B/-----	147.10B/132.70A	----	----	----	138.80 + 7.40	.2882	----	----	----	----	125	UNCH
5200	----	----		141.70B/-----	141.70B/127.50A	----	----	----	133.90 + 7.10	.2799	----	----	----	----	537	UNCH
5250	----	----		131.80B/-----	131.80B/119.00A	----	----	----	124.70 + 6.60	.2641	----	----	----	----	352	UNCH
5300	----	----		122.70B/-----	122.70B/111.30A	----	----	----	116.30 + 6.20	.2491	----	----	----	----	621	UNCH
5350	----	----		114.20B/-----	114.20B/104.20A	----	----	----	108.50 + 5.80	.2350	----	----	----	----	10	UNCH
5375	----	----		110.20B/-----	110.20B/100.80A	----	----	----	104.90 + 5.60	.2283	----	----	----	----	1	UNCH
5400	----	----		106.40B/-----	106.40B/97.60A	----	----	----	101.50 + 5.50	.2219	----	----	----	----	634	UNCH
5450	----	----		99.40B/-----	99.40B/91.60A	----	----	----	95.00 + 5.20	.2095	----	----	----	----	10	UNCH
5500	----	----		92.90B/-----	92.90B/86.00A	----	----	----	89.00 + 4.90	.1979	----	----	1	----	18	UNCH
5520	----	----		90.40B/-----	90.40B/84.00A	----	----	----	86.80 + 4.80	.1935	----	----	----	----	300	UNCH
5530	----	----		89.20B/-----	89.20B/82.90A	----	----	----	85.70 + 4.80	.1914	----	----	----	----	100	UNCH
5550	----	----		86.90B/-----	86.90B/81.00A	----	----	----	83.60 + 4.70	.1872	----	----	----	----	82	UNCH
5600	----	----		81.50B/-----	81.50B/76.30A	----	----	----	78.60 + 4.40	.1771	----	----	----	----	8	UNCH
5700	----	----		71.90B/-----	71.90B/68.50A	----	----	----	69.80 + 4.00	.1589	----	----	----	----	1	UNCH
5800	----	----		63.90B/-----	63.90B/61.70A	----	----	----	62.30 + 3.40	.1430	----	----	----	----	1	UNCH
5900	----	----		56.80B/-----	56.80B/57.30A	----	----	----	55.80 + 2.60	.1290	----	----	----	----	7	UNCH
6000	----	----		49.20B/-----	49.20B/51.30A	----	----	----	50.30 + 1.90	.1168	----	----	----	100	3035	UNCH
6025	----	----		47.80B/-----	47.80B/49.10A	----	----	----	49.10 + 1.80	.1141	----	----	----	----	4	UNCH
6100	----	----		45.40B/-----	45.40B/46.00A	----	----	----	45.60 + 1.30	.1062	----	----	----	----	4	UNCH
6300	----	----		----	37.90B/40.00A	----	----	----	38.10 + 0.20	.0889	----	----	----	----	1	UNCH
6500	----	----		----	29.70B/36.00A	----	----	----	32.60 - 0.40	.0757	----	----	----	----	2910	UNCH
6900	----	----		----	22.30B/29.40A	----	----	----	25.60 - 0.50	.0581	----	----	----	----	533	UNCH
7000	----	----		----	20.90B/28.10A	----	----	----	24.50 - 0.30	.0523	----	----	----	----	497	UNCH
7100	----	----		----	19.90B/27.00A	----	----	----	23.40 - 0.20	.0523	----	----	----	----	9	UNCH
7700	----	----		----	15.80B/22.80A	----	----	----	19.40 + 0.20	.0409	----	----	----	----	1	UNCH
7900	----	----		----	14.80B/21.90A	----	----	----	18.50 + 0.10	.0383	----	----	----	----	500	UNCH
8000	----	----		----	14.50B/21.50A	----	----	----	18.20 + 0.10	.0373	----	----	----	----	695	UNCH
TOTAL													1	100	12384	0
MAR27																
4610	----	----		363.40B/-----	363.40B/338.50A	----	----	----	353.00 + 14.50	.5475	----	----	----	----	2	UNCH
4650	----	----		344.20B/318.50A	344.20B/318.50A	----	----	----	334.90 + 13.90	.5288	----	----	----	----	1	UNCH
4660	----	----		345.20B/314.30A	345.20B/314.30A	----	----	----	330.50 + 13.80	.5242	----	----	----	----	2	UNCH
4670	----	----		342.00B/310.10A	342.00B/310.10A	----	----	----	326.20 + 13.70	.5196	----	----	----	----	3	UNCH
4675	----	----		339.40B/308.00A	339.40B/308.00A	----	----	----	324.10 + 13.70	.5173	----	----	----	----	2	UNCH
4680	----	----		336.10B/306.00A	336.10B/306.00A	----	----	----	322.00 + 13.70	.5150	----	----	----	----	2	UNCH
4710	----	----		322.60B/294.60A	322.60B/294.60A	----	----	----	309.60 + 13.50	.5014	----	----	----	----	21	UNCH
4800	----	----		287.30B/258.70A	287.30B/258.70A	----	----	----	275.10 + 13.10	.4614	----	----	----	----	6	UNCH
4820	----	----		278.90B/253.50A	278.90B/253.50A	----	----	----	267.90 + 12.90	.4527	----	----	----	----	20	UNCH
4995	----	----		220.60B/198.60A	220.60B/198.60A	----	----	----	211.10 + 10.30	.3805	----	----	----	----	2	UNCH
5000	----	----		219.10B/197.30A	219.10B/197.30A	----	----	----	209.60 + 10.20	.3785	----	----	----	----	10	

BULLETIN #106@										METALS OPTION PRODUCTS					Thu, Jun 04, 2026			PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG CALL	COMEX GOLD OPTIONS																	
JUN27																		
5085	----	----		----	110.20B/429.20A	----	----	255.50 - 14.10	.3906	----	----	----	----		150	UNCH		
7000	----	----		----	0.10B/115.80A	----	----	40.80 - 13.20	.0797	----	----	----	----		3	UNCH		
7500	----	----		----	0.10B/310.00A	----	----	29.90 - 13.00	.0585	----	----	----	----		450	UNCH		
8000	----	----		----	0.10B/298.20A	----	----	23.60 - 12.80	.0456	----	----	----	----		2	UNCH		
10000	----	----		----	15.00B/*276.00A	----	----	16.00 - 13.40	.0273	----	----	----	----		3	UNCH		
TOTAL															608	0		
DEC27																		
4860	----	----		----	----	----	----	469.70 + 19.00	.5233	----	----	----	----		100	UNCH		
5000	----	----		----	----	----	----	416.20 + 17.50	.4814	----	----	----	----		50	UNCH		
5650	----	----		----	----	----	----	242.00 + 11.50	.3184	----	----	----	----		200	UNCH		
5700	----	----		----	----	----	----	232.40 + 11.10	.3082	----	----	----	----		150	UNCH		
5800	----	----		----	----	----	----	214.50 + 10.40	.2887	----	----	----	----		200	UNCH		
5880	----	----		----	----	----	----	201.20 + 9.80	.2739	----	----	----	----		125	UNCH		
6300	----	----		----	----	----	----	145.80 + 7.40	.2085	----	----	----	----		18	UNCH		
7500	----	----		----	----	----	----	67.60 + 3.70	.1038	----	----	----	----		170	UNCH		
7800	----	----		----	----	----	----	58.00 + 3.20	.0895	----	----	----	----		284	UNCH		
10000	----	----		----	----	----	----	28.70 + 1.50	.0427	----	----	----	----		103	UNCH		
10500	----	----		----	----	----	----	25.70 + 1.20	.0378	----	----	----	----		10	UNCH		
TOTAL															1410	0		
DEC28																		
5750	----	----		----	----	----	----	420.70 + 14.60	.3998	----	----	----	----		100	UNCH		
TOTAL															100	0		
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
MMG MON	MICRO GOLD WEEKLY MONDAY OPTION WEE																	
JUN26																		
4540	25.00	25.00		#25.00/*25.00	#25.00/*25.00	----	----	17.10 NEW	.3132	----	----	2	----		2 +	2		
TOTAL												2			2 +	2		
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
GWV WED	GOLD WEEKLY WEDNESDAY OPTION WEEK2																	
JUN26																		
3700	----	----		----	----/*0.40A	----	----	0.20 - 0.10	.0010	----	----	----	----		1	UNCH		
3800	----	----		----/*1.20A	1.00B/*1.20A	----	----	1.20 - 0.20	.0081	----	----	----	----		1	UNCH		
3900	----	----		----/*0.60A	0.50B/*0.60A	----	----	0.50 - 0.20	.0032	----	----	----	----		48	UNCH		
3900	1.60	1.60		1.60/*1.60	1.60/*1.60	----	----	1.50 - 0.50	.0113	----	----	25	----		26 +	25		
3900	3.00	3.00		3.00/*3.00	3.00/*3.00	----	----	2.90 - 0.80	.0203	----	----	4	----		6 +	4		
4000	----	----		----/*2.20A	2.50B/*2.20A	----	----	2.20 - 0.80	.0180	----	----	----	----		8	UNCH		
4000	----	----		----/*0.80A	0.70B/*0.80A	----	----	0.70 - 0.40	.0053	----	----	----	----		13	UNCH		
4050	5.50	5.50		5.50/*5.20A	5.60B/*5.20A	----	----	5.30 NEW	.0404	----	----	1	----		1 +	1		
4075	----	----		----/*3.00A	3.90B/*3.00A	----	----	3.00 - 1.40	.0263	----	----	----	----		2	UNCH		
4075	----	----		----/*1.00A	1.10B/*1.00A	----	----	1.00 - 0.60	.0086	----	----	----	----		2	UNCH		
4100	----	----		----/*1.10A	1.30B/*1.10A	----	----	1.10 - 0.70	.0098	----	----	----	----		6	UNCH		
4100	3.50	3.50		3.50/*3.30A	4.60B/*3.30A	----	----	3.40 NEW	.0304	----	----	1	----		1 +	1		
4125	----	----		----/*3.80A	5.50B/*3.80A	----	----	3.90 - 2.00	.0355	----	----	1	----		2 +	1		
4150	----	----		----/*1.40A	2.00B/*1.40A	----	----	1.40 - 1.10	.0137	----	----	----	----		4	UNCH		
4150	4.60	4.60		4.60/*4.20A	6.50B/*4.20A	----	----	4.50 - 2.40	.0416	----	----	2	----		4 +	2		
4175	9.80	9.80		9.80/*9.30A	14.10B/*9.30A	----	----	10.00 NEW	.0791	----	----	1	----		1 +	1		
4200	----	----		----/*1.80A	3.10B/*1.80A	----	----	1.90 - 1.60	.0203	----	----	----	----		13	UNCH		
4200	10.90	10.90		10.90/*5.50A	10.90/*5.50A	----	----	6.10 NEW	.0580	----	----	2	----		2 +	2		
4225	----	----		11.60B/*6.40A	11.60B/*6.40A	----	----	7.20 - 4.20	.0692	----	----	----	----		1	UNCH		
4225	----	----		----/*2.10A	4.00B/*2.10A	----	----	2.20 - 2.00	.0247	----	----	----	----		11	UNCH		
4250	----	----		13.90B/*7.50A	13.90B/*7.50A	----	----	8.60 - 5.00	.0831	----	----	1	----		7 +	1		
4250	----	----		23.30B/*14.10A	23.30B/*14.10A	----	----	15.60 - 7.10	.1230	----	----	----	----		1	UNCH		
4275	----	----		6.70B/*3.00A	6.70B/*3.00A	----	----	3.30 - 3.20	.0402	----	----	----	----		14	UNCH		
4275	----	----		16.90B/*8.90A	16.90B/*8.90A	----	----	10.30 - 6.10	.0999	----	----	----	----		1	UNCH		
4275	----	----		27.60B/*16.30A	27.60B/*16.30A	----	----	18.30 - 8.30	.1431	----	----	----	----		11	UNCH		
4300	----	----		----	----	----	----	0.00 UNCH	----	----	----	----	----		0	UNCH		
4300	----	----		8.80B/*3.60A	8.80B/*3.60A	----	----	4.10 - 4.20	.0519	----	----	2	----		8	UNCH		
4300	----	----		20.80B/*10.60A	20.80B/*10.60A	----	----	12.50 - 7.30	.1209	----	----	1	----		24 +	1		
4300	----	----		32.50B/*19.20A	32.50B/*19.20A	----	----	21.50 - 9.60	.1663	----	----	----	----		5	UNCH		
4320	----	----		----	#8.30B/*4.30A	----	----	5.00 NEW	.0649	----	----	2	----		0	UNCH		
4320	----	----		----	----	----	----	0.00 UNCH	----	----	----	----	----		0	UNCH		
4320	----	----		----	----	----	----	146.90 UNCH	----	----	----	----	----		0	UNCH		
4325	----	----		11.60B/*4.50A	11.60B/*4.50A	----	----	5.20 - 5.40	.0681	----	----	7	----		10 +	1		
4325	14.80	14.80		25.50B/*12.70A	25.50B/*12.70A	----	----	15.20 - 8.90	.1462	----	----	2	----		3 +	2		
4330	----	----		----	----	----	----	0.00 UNCH	----	----	----	----	----		0	UNCH		
4335	----	----		----	----	----	----	0.00 UNCH	----	----	----	----	----		0	UNCH		
4350	----	----		----	----	----	----	0.00 UNCH	----	----	----	----	----		0	UNCH		
4350	6.50	6.50		15.40B/*5.60A	15.40B/*5.60A	----	----	6.80 - 7.10	.0912	----	----	9	----		26 +	7		
4350	----	----		31.20B/*15.50A	31.20B/*15.50A	----	----	18.60 - 10.60	.1767	----	----	----	----		6	UNCH		
4350	----	----		207.90B/157.70A	207.90B/157.70A	----	----	184.60 + 25.20	.7759	----	----	----	----		1	UNCH		
4355	----	----		----	----	----	----	0.00 UNCH	----	----	----	----	----		0	UNCH		
4360	----	----		----	----	----	----	0.00 UNCH	----	----	----	----	----		0	UNCH		
4370	----	----		----	----	----	----	0.00 UNCH	----	----	----	----	----		0	UNCH		
4375	----	----		----	----	----	----	0.00 UNCH	----	----	----	----	----		0	UNCH		
4375	----	----		172.60B/100.60A	172.60B/100.60A	----	----	139.00 + 28.80	.8764	----	----	----	----		1	UNCH		
4375	12.20	12.20		20.50B/*7.20A	20.50B/*7.20A	----	----	9.10 - 9.30	.1234	----	----	6	----		103 +	3		
4375	----	----		38.10B/*18.80A	38.10B/*18.80A	----	----	22.80 - 12.70	.2129	----	----	----	----		12	UNCH		
4380	----	----		----	#17.10B/*7.60A	----	----	9.60 NEW	.1306	----	----	1	----		1 +	1		
4380	----	----		----	----	----	----	0.00 UNCH	----	----	----	----						

BULLETIN #106@				METALS OPTION PRODUCTS								Thu, Jun 04, 2026				PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
GWV WED	GOLD WEEKLY WEDNESDAY OPTION WEEK2																
JUN26	49.50	49.50	#49.50/*49.50	#81.80B/*43.90A	----	55.00	NEW	.5813	----	----	1	----	1 +	1			
4485	----	----	----	----	----	18.10	UNCH	----	----	----	----	----	0	UNCH			
4485	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH			
4485	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH			
4490	----	----	----	----	----	23.10	UNCH	----	----	----	----	----	0	UNCH			
4490	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH			
4495	----	----	----	----	----	28.10	UNCH	----	----	----	----	----	0	UNCH			
4495	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH			
4500	----	----	----	----	----	33.10	UNCH	----	----	----	----	----	0	UNCH			
4500	50.00	50.00	74.70B/*30.10A	74.70B/*30.10A	----	41.60	- 25.70	.4759	----	17	----	----	13 +	9			
4500	----	----	71.70B/*30.00A	71.70B/*30.00A	----	46.60	+ 12.40	.5239	----	10	----	----	98 +	9			
4505	48.60	48.60	#48.80/*48.50	#66.40B/*31.80A	----	44.00	NEW	.4954	----	20	----	----	20 +	20			
4505	----	----	----	----	----	38.10	UNCH	----	----	----	----	----	0	UNCH			
4505	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH			
4510	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH			
4510	----	----	----	----	----	43.10	UNCH	----	----	----	----	----	0	UNCH			
4515	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH			
4515	----	----	----	----	----	48.10	UNCH	----	----	----	----	----	0	UNCH			
4515	44.50	44.50	#44.50/*44.50	#62.40B/*31.40A	----	39.10	NEW	.4653	----	1	----	----	1 +	1			
4520	----	----	----	#78.20B/*37.60A	----	51.80	NEW	.5539	----	2	----	----	1 +	1			
4520	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH			
4520	----	----	----	----	----	53.10	UNCH	----	----	----	----	----	0	UNCH			
4525	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH			
4525	39.00	39.00	110.00B/61.70A	110.00B/61.70A	----	76.00	- 27.20	.5431	----	----	----	----	7	UNCH			
4525	----	----	56.60B/*22.20A	56.60B/*22.20A	----	34.60	+ 9.30	.4265	----	27	----	----	31 +	27			
4525	----	----	----	----	----	58.10	UNCH	----	----	----	----	----	0	UNCH			
4525	----	----	77.80B/*41.20A	77.80B/*41.20A	----	56.00	+ 10.80	.4565	----	----	----	----	4	UNCH			
4525	----	----	92.10B/39.60A	92.10B/39.60A	----	54.60	- 28.70	.5733	----	1	----	----	2 +	1			
4530	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH			
4530	----	----	----	----	----	63.10	UNCH	----	----	----	----	----	0	UNCH			
4535	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH			
4535	----	----	----	----	----	68.10	UNCH	----	----	----	----	----	0	UNCH			
4540	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH			
4540	----	----	----	----	----	73.10	UNCH	----	----	----	----	----	0	UNCH			
4545	----	----	----	----	----	78.10	UNCH	----	----	----	----	----	0	UNCH			
4545	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH			
4550	31.80	31.80	43.70B/*16.30A	43.70B/*16.30A	----	25.10	+ 6.70	.3337	----	5	----	----	9 +	5			
4550	----	----	111.20B/51.50A	111.20B/51.50A	----	70.00	- 31.40	.6661	----	----	----	----	3	UNCH			
4550	----	----	----	----	----	83.10	UNCH	----	----	----	----	----	0	UNCH			
4550	----	----	127.50B/73.70A	127.50B/73.70A	----	90.50	- 29.30	.6047	----	----	----	----	6	UNCH			
4555	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH			
4555	23.20	23.20	#23.20/*20.80	#39.20B/*18.10A	----	88.10	UNCH	----	----	2	----	----	2 +	2			
4560	----	----	----	----	----	21.90	NEW	.2991	----	----	----	----	0	UNCH			
4560	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH			
4565	----	----	----	----	----	93.10	UNCH	----	----	----	----	----	0	UNCH			
4570	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH			
4570	----	----	----	----	----	103.10	UNCH	----	----	----	----	----	0	UNCH			
4575	----	----	----	----	----	108.10	UNCH	----	----	----	----	----	8	UNCH			
4575	21.60	21.60	131.80B/66.50A	131.80B/66.50A	----	87.70	- 33.50	.7484	----	4	----	----	15	UNCH			
4575	----	----	33.20B/*11.90A	33.20B/*11.90A	----	17.80	+ 4.60	.2514	----	----	----	----	0	UNCH			
4575	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	5	UNCH			
4580	15.30	15.30	53.70B/*27.10A	53.70B/*27.10A	----	36.70	+ 7.00	.3362	----	3	----	----	3 +	3			
4580	----	----	#16.10/*15.30	#31.20B/*14.10A	----	16.60	NEW	.2366	----	----	----	----	0	UNCH			
4585	----	----	----	----	----	113.10	UNCH	----	----	----	----	----	0	UNCH			
4590	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH			
4590	16.40	16.40	#16.40/*12.60	#26.00B/*11.70A	----	123.10	UNCH	----	----	4	----	----	2 +	2			
4595	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH			
4595	----	----	----	----	----	128.10	UNCH	----	----	----	----	----	0	UNCH			
4600	29.00	29.00	43.90B/*21.80A	43.90B/*21.80A	----	0.00	UNCH	----	----	----	----	----	0	UNCH			
4600	14.10	14.10	24.60B/*8.60A	24.60B/*8.60A	----	133.10	UNCH	----	----	258	----	----	223 +	131			
4600	----	----	166.10B/103.20A	166.10B/103.20A	----	29.30	+ 5.40	.2821	----	10	----	----	130 +	1			
4610	----	----	----	#21.70B/*9.70A	----	12.40	+ 2.90	.1831	----	----	----	----	2	UNCH			
4610	----	----	----	----	----	124.20	- 32.60	.7175	----	2	----	----	2 +	2			
4610	----	----	----	----	----	10.80	NEW	.1609	----	----	----	----	0	UNCH			
4615	----	----	----	----	----	143.10	UNCH	----	----	----	----	----	0	UNCH			
4620	----	----	----	#20.40B/*9.10A	----	0.00	UNCH	----	----	2	----	----	2 +	2			
4620	----	----	----	----	----	10.00	NEW	.1500	----	----	----	----	0	UNCH			
4625	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH			
4625	----	----	----	----	----	153.10	UNCH	----	----	----	----	----	0	UNCH			
4625	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH			
4625	----	----	35.80B/*17.60A	35.80B/*17.60A	----	158.10	UNCH	----	----	----	----	----	0	UNCH			
4625	11.00	11.00	176.70B/101.80A	176.70B/101.80A	----	23.30	+ 4.20	.2340	----	2	----	----	10	UNCH			
4625	----	----	18.00B/*6.30A	18.00B/*6.30A	----	128.60	- 36.30	.8685	----	11	----	----	3 +	2			
4630	----	----	----	----	----	8.70	+ 1.80	.1312	----	----	----	----	154 +	2			
4635	----	----	----	----	----	163.10	UNCH	----	----	----	----	----	0	UNCH			
4645	----	----	----	#177.70B/*117.30A	----	0.00	UNCH	----	----	1	----	----	1 +	1			
4650	18.20	18.20	28.90B/*14.20A	28.90B/*14.20A	----	146.40	NEW	.9008	----	----	----	----	0	UNCH			
4650	5.80	5.80	13.00B/4.70A	13.00B/4.70A	----	0.00	UNCH	----	----	9	----	----	1 -	9			
4650	----	----	200.10B/122.10A	200.10B/122.10A	----	18.40	+ 3.10	.1918	----	3	----	----	11 +	1			
4660	----	----	----	----	----	6.10	+ 1.10	.0927	----	----	----	----	2	UNCH			
4670	----	----	----	----	----	151.00	- 37.00	.9071	----	1	----	----	0	UNCH			
4675	----	----	9.30B/3.70A	9.30B/3.70A	----	0.00	UNCH	----	----	----	----	----	0	UNCH			
4675	14.60	14.60	23.20B/*11.40A	23.20B/*11.40A	----	4.30	+ 0.50	.0651	----	----	----	----	12	UNCH			
4675	----	----	35.70B/21.40A	35.70B/21.40A	----	208.10	UNCH	----	----	----	----	----	0				

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GOLD WEEKLY TUESDAY OPTION Week2																
JUN26																
3700	----	----	----	----	----	----	----	----	0.10	UNCH	.0000	----	----	----	3	UNCH
3800	----	----	----	----	----	----	----	----	0.90	- 0.30	.0062	----	----	----	1	UNCH
3900	----	----	----	----	----	----	----	----	2.60	- 0.80	.0186	----	----	----	3	UNCH
3900	----	----	----	----	----	----	----	----	1.30	- 0.40	.0098	----	----	----	2	UNCH
4000	----	----	----	----	----	----	----	----	3.90	- 1.20	.0295	----	----	----	1	UNCH
4000	----	----	----	----	----	----	----	----	1.80	- 0.80	.0151	----	----	----	1	UNCH
4000	----	----	----	----	----	----	----	----	0.40	- 0.30	.0028	----	----	----	8	UNCH
4075	----	----	----	----	----	----	----	----	0.70	- 0.40	.0056	----	----	----	1	UNCH
4075	2.60	2.60	----	2.60	/*2.50A	3.20B	/*2.50A	----	2.60	- 1.20	.0232	----	1	----	7	+
4100	----	----	----	----	----	----	----	----	6.10	- 2.40	.0486	----	----	----	3	UNCH
4100	----	----	----	----	----	----	----	----	0.70	- 0.60	.0060	----	----	----	42	UNCH
4125	----	----	----	----	----	----	----	----	6.90	- 2.80	.0556	----	----	----	1	UNCH
4125	----	----	----	----	----	----	----	----	11.40	NEW	.0790	1	----	1	+	
4125	----	----	----	----	----	----	----	----	3.30	- 1.80	.0309	----	----	----	10	UNCH
4150	----	----	----	----	----	----	----	----	3.80	- 2.10	.0363	----	----	----	1	UNCH
4150	13.40	13.40	----	#17.80B	/*12.20A	#17.80B	/*12.20A	----	12.90	NEW	.0896	----	3	----	2	+
4150	----	----	----	----	----	----	----	----	0.90	- 0.80	.0085	----	----	----	7	UNCH
4175	----	----	----	----	----	----	----	----	9.10	- 4.00	.0742	----	1	----	3	+
4175	----	----	----	----	----	----	----	----	4.40	- 2.60	.0429	----	----	----	5	UNCH
4175	1.30	1.30	----	1.30	/*1.00A	1.60B	/*1.00A	----	1.00	- 1.00	.0101	----	5	----	8	+
4200	----	----	----	15.50B	/*9.70A	15.50B	/*9.70A	----	10.50	- 4.70	.0859	----	----	----	2	UNCH
4200	----	----	----	----	----	----	----	----	5.20	- 3.00	.0514	----	----	----	15	UNCH
4200	----	----	----	----	----	----	----	----	1.20	- 1.20	.0127	----	----	----	4	UNCH
4225	----	----	----	----	----	----	----	----	6.10	- 3.80	.0613	----	----	----	4	UNCH
4225	----	----	----	----	----	----	----	----	1.40	- 1.50	.0158	----	----	----	13	UNCH
4235	----	----	----	----	----	----	----	----	1.50	- 1.60	.0173	----	----	----	1	UNCH
4250	----	----	----	12.20B	/*6.40A	12.20B	/*6.40A	----	7.30	- 4.60	.0741	1	----	14	-	
4250	----	----	----	21.60B	/*12.80A	21.60B	/*12.80A	----	14.20	- 6.70	.1162	----	----	----	1	UNCH
4250	----	----	----	295.80B	/*217.00A	295.80B	/*217.00A	----	262.10	+	33.60	.9256	----	----	1	UNCH
4250	----	----	----	----	----	----	----	----	1.70	- 1.90	.0202	----	1	----	5	-
4260	----	----	----	----	----	----	----	----	1.80	- 2.10	.0220	----	----	----	1	UNCH
4275	28.30	28.30	----	#36.70B	/*23.30A	#36.70B	/*23.30A	----	25.50	NEW	.1715	----	20	----	20	+
4275	----	----	----	25.60B	/*14.90A	25.60B	/*14.90A	----	16.70	- 7.90	.1358	----	----	----	3	UNCH
4275	----	----	----	15.00B	/*7.50A	15.00B	/*7.50A	----	8.80	- 5.60	.0899	----	----	----	1	UNCH
4275	----	----	----	4.60B	/*2.00A	4.60B	/*2.00A	----	2.10	- 2.40	.0264	1	----	18	+	
4300	----	----	----	30.40B	/*17.40A	30.40B	/*17.40A	----	19.70	- 9.20	.1587	----	----	----	1	UNCH
4300	----	----	----	248.80B	/*173.60A	248.80B	/*173.60A	----	215.50	+	31.20	.8901	----	----	1	UNCH
4300	----	----	----	18.50B	/*9.00A	18.50B	/*9.00A	----	10.70	- 6.90	.1096	----	----	----	55	UNCH
4300	2.50	2.50	----	6.30B	/*2.40A	6.30B	/*2.40A	----	2.60	- 3.30	.0347	----	2	----	15	+
4325	----	----	----	35.90B	/*20.90A	35.90B	/*20.90A	----	23.30	- 10.80	.1852	----	----	----	1	UNCH
4325	----	----	----	8.50B	/*3.00A	8.50B	/*3.00A	----	3.40	- 4.40	.0476	----	----	----	43	UNCH
4350	----	----	----	28.40B	/*13.40A	28.40B	/*13.40A	----	16.30	- 10.10	.1644	----	----	----	3	UNCH
4350	----	----	----	11.60B	/*3.90A	11.60B	/*3.90A	----	4.50	- 6.00	.0659	3	----	46	+	
4360	4.70	4.70	----	#13.20B	/*4.30A	13.20B	/*4.30A	----	5.10	NEW	.0757	10	----	10	+	
4370	8.50	8.50	----	#15.10B	/*4.70A	15.10B	/*4.70A	----	5.80	NEW	.0872	2	----	2	+	
4375	----	----	----	35.00B	/*16.40A	35.00B	/*16.40A	----	20.20	- 12.20	.2007	1	----	11	+	
4375	10.60	10.60	----	16.10B	/*5.00A	16.10B	/*5.00A	----	6.20	- 8.00	.0937	50	----	168	-	
4375	----	----	----	170.40B	/*96.10A	170.40B	/*96.10A	----	136.10	+	30.00	.9061	----	2	UNCH	
4380	----	----	----	#17.20B	/*5.30A	17.20B	/*5.30A	----	6.60	NEW	.1003	2	----	0	UNCH	
4385	7.20	7.20	----	#18.30B	/*5.60A	18.30B	/*5.60A	----	7.00	NEW	.1072	12	----	11	+	
4390	12.10	12.10	----	#19.50B	/*5.90A	19.50B	/*5.90A	----	7.50	NEW	.1152	7	----	7	+	
4395	7.10	7.10	----	#20.80B	/*6.20A	20.80B	/*6.20A	----	8.00	NEW	.1235	4	----	4	+	
4400	----	----	----	43.00B	/*20.30A	43.00B	/*20.30A	----	25.20	- 14.50	.2441	1	183	UNCH		
4400	----	----	----	59.10B	/*34.00A	59.10B	/*34.00A	----	39.30	- 16.30	.2905	----	----	1	UNCH	
4400	14.10	14.10	----	22.20B	/*6.60A	22.20B	/*6.60A	----	8.60	- 10.80	.1329	185	69	-		
4400	----	----	----	147.10B	/*77.50A	147.10B	/*77.50A	----	113.60	+	27.30	.8669	----	2	UNCH	
4405	----	----	----	23.60B	/*7.00A	23.60B	/*7.00A	----	9.20	- 11.50	.1425	2	6	+		
4410	8.50	8.50	----	#25.20B	/*7.40A	25.20B	/*7.40A	----	9.90	NEW	.1533	5	5	+		
4425	9.70	9.70	----	30.30B	/*9.10A	30.30B	/*9.10A	----	12.30	- 14.20	.1898	23	35	-		
4425	----	----	----	140.60B	/*83.20A	140.60B	/*83.20A	----	111.40	+	21.00	.7048	----	1	UNCH	
4425	----	----	----	52.60B	/*25.20A	52.60B	/*25.20A	----	31.50	- 17.10	.2948	----	----	35	UNCH	
4450	----	----	----	80.50B	/*47.40A	80.50B	/*47.40A	----	55.50	- 20.50	.3807	1	1	UNCH		
4450	----	----	----	63.70B	/*31.10A	63.70B	/*31.10A	----	39.10	- 20.00	.3516	----	----	2	UNCH	
4450	22.50	22.50	----	40.80B	/*12.40A	40.80B	/*12.40A	----	17.60	- 18.20	.2660	202	178	+		
4450	----	----	----	103.60B	/*46.00A	103.60B	/*46.00A	----	72.60	+	19.90	.7338	----	2	UNCH	
4475	109.00	109.00	----	#131.70B	/*90.80A	#131.70B	/*90.80A	----	110.70	NEW	.5609	1	1	+		
4475	----	----	----	91.90B	/*55.80A	91.90B	/*55.80A	----	65.50	- 22.60	.4299	1	3	+		
4475	----	----	----	83.90B	/*34.10A	83.90B	/*34.10A	----	55.20	+	15.80	.6373	----	6	UNCH	
4475	----	----	----	53.80B	/*17.60A	53.80B	/*17.60A	----	25.20	- 22.30	.3625	----	----	22	UNCH	
4480	----	----	----	#80.40B	/*32.00A	#80.40B	/*32.00A	----	52.00	+	15.00	.6161	----	1	UNCH	
4485	----	----	----	#59.70B	/*20.00A	59.70B	/*20.00A	----	28.90	NEW	.4053	2	1	+		
4485	43.20	43.20	----	#76.50B	/*30.10A	#76.50B	/*30.10A	----	48.90	NEW	.5944	3	2	+		
4490	40.30	40.30	----	#62.80B	/*21.40A	62.80B	/*21.40A	----	31.00	NEW	.4277	1	1	+		
4495	29.10	29.10	----	#66.10B	/*23.00A	66.10B	/*23.00A	----	33.10	NEW	.4502	2	2	+		
4500	----	----	----	104.20B	/*65.40A	104.20B	/*65.40A	----	76.90	- 24.70	.4809	----	3	UNCH		
4500	66.20	66.20	----	88.30B	/*46.70A	88.30B	/*46.70A	----	64.40	+	12.70	.5198	3			

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
GOLD WEEKLY TUESDAY OPTION week3																	
JUN26																	
4825	----	----		4.90B/----	4.90B/3.20A		----		3.20 + 0.30	.0379	----	----	----	----		2	UNCH
4825	----	----		0.70B/----	0.70B/*0.50A		----		0.40 - 0.10	.0048	----	----	----	----		1	UNCH
4850	----	----		8.90B/----	8.90B/6.40A		----		6.60 + 0.60	.0639	----	----	----	----		1	UNCH
4850	----	----		3.90B/----	3.90B/2.70A		----		2.60 + 0.20	.0306	----	----	1	----		6	UNCH
4875	----	----		7.40B/----	7.40B/5.60A		----		5.60 + 0.40	.0544	----	----	----	----		4	UNCH
4875	----	----		3.30B/----	3.30B/2.30A		----		2.20 + 0.10	.0255	----	----	----	----		2	UNCH
4900	10.50	10.50		#11.80/9.30A	#11.80/9.30A		----		9.20 + 0.70	.0750	----	----	5	----		4	-
4900	----	----		6.10B/----	6.10B/4.70A		----		4.90 + 0.40	.0473	----	----	----	----		1	UNCH
4900	----	----			0.30B/*0.40A		----		0.30 - 0.10	.0030	----	----	----	----		10	UNCH
4900	----	----		2.70B/----	2.70B/2.00A		----		1.90 + 0.10	.0216	----	----	1	----		5	UNCH
4925	10.00	10.00		#10.00/*8.20A	#10.00/*8.20A		----		8.10 NEW	.0662	----	----	5	----		4	+
4950	----	----		4.50B/----	4.50B/3.60A		----		3.70 + 0.20	.0355	----	----	1	----		3	+
4950	----	----		1.90B/----	1.90B/1.50A		----		1.40 UNCH	.0154	----	----	----	----		2	UNCH
4950	----	----			0.20B/*0.30A		----		0.20 - 0.10	.0018	----	----	----	----		1	UNCH
4975	----	----		1.60B/----	1.60B/1.40A		----		1.30 UNCH	.0139	----	----	----	----		4	UNCH
5000	----	----		3.20B/----	3.20B/2.70A		----		2.90 + 0.20	.0274	----	----	----	----		3	UNCH
5000	----	----		1.40B/----	1.40B/*1.20A		----		1.10 - 0.10	.0117	----	----	----	----		3	UNCH
5000	----	----			0.10B/*0.30A		----		0.20 UNCH	.0016	----	----	----	----		2	UNCH
5025	2.40	2.40		3.00B/2.40	3.00B/2.40		----		2.50 + 0.10	.0236	----	----	2	----		4	+
5050	2.20	2.20		#2.70B/2.20	2.70B/2.20		----		2.30 NEW	.0213	----	----	1	----		1	+
5050	----	----		1.10B/----	1.10B/1.10A		----		1.00 UNCH	.0100	----	----	----	----		4	UNCH
5100	4.00	4.00		#4.50B/*4.00	#4.50B/*4.00		----		3.90 NEW	.0311	----	----	19	----		19	+
5100	----	----			---/*0.30A		----		0.10 - 0.10	.0001	----	----	----	----		1	UNCH
5200	----	----			1.20B/*1.30A		----		1.30 UNCH	.0113	----	----	----	----		2	UNCH
5250	----	----			0.50B/*0.80A		----		0.60 UNCH	.0050	----	----	----	----		1	UNCH
5250	----	----			---/*0.30A		----		0.10 UNCH	----	----	----	----	----		2	UNCH
5400	----	----			0.70B/*1.20A		----		0.80 UNCH	.0062	----	----	----	----		10	UNCH
5500	----	----			0.60B/1.10A		----		0.70 UNCH	.0051	----	----	----	----		3	UNCH
5500	----	----			---/4.70A		----		0.10 UNCH	----	----	----	----	----		1	UNCH
TOTAL													731			2503+	95
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
GOLD WEEKLY THURSDAY OPTION week2																	
JUN26																	
3500	----	----		----	---/*0.60A		----		0.10 - 0.10	.0001	----	----	----	----		2	UNCH
3800	----	----		----	---/0.10A		----		0.00 - 0.10	----	----	----	----	----		0	-
3800	----	----		---/*1.50A	1.30B/*1.50A		----		1.30 - 0.50	.0088	----	----	----	----		2	UNCH
3900	1.80	1.80		1.90/*1.80	2.00B/*1.80		----		1.90 - 0.60	.0138	----	----	39	----		38	+
4000	----	----		----	---/0.10A		----		0.00 - 0.10	----	----	----	----	----		0	-
4000	----	----		---/*2.70A	3.30B/*2.70A		----		2.70 - 1.20	.0214	----	----	3	----		5	+
4050	----	----		---/*3.30A	4.30B/*3.30A		----		3.40 - 1.50	.0279	----	----	----	----		5	UNCH
4050	----	----		----	---/0.10A		----		0.00 - 0.10	----	----	----	----	----		0	-
4050	----	----		---/*1.20A	1.30B/*1.20A		----		1.20 - 0.60	.0102	----	----	----	----		2	UNCH
4075	----	----		---/*1.40A	1.60B/*1.40A		----		1.30 - 0.70	.0115	----	----	----	----		1	UNCH
4075	----	----		----	---/*0.10A		----		0.00 - 0.10	----	----	----	----	----		0	-
4075	----	----		---/*3.70A	5.00B/*3.70A		----		3.80 - 1.80	.0318	----	----	----	----		2	UNCH
4100	----	----		---/*1.50A	1.90B/*1.50A		----		1.50 - 0.80	.0137	----	----	----	----		4	UNCH
4100	----	----		----	---/0.10A		----		0.00 - 0.10	----	----	----	----	----		0	-
4100	----	----		---/*4.10A	5.90B/*4.10A		----		4.30 NEW	.0366	----	----	3	----		3	+
4150	----	----		----	---/0.10A		----		0.00 - 0.10	----	----	----	----	----		0	-
4150	----	----		---/*1.80A	2.80B/*1.80A		----		1.90 - 1.30	.0187	----	----	2	----		3	+
4170	----	----		----	---/0.10A		----		0.00 - 0.10	----	----	----	----	----		0	-
4175	----	----		----	---/0.10A		----		0.00 - 0.10	----	----	----	----	----		0	-
4175	----	----		---/*2.10A	3.50B/*2.10A		----		2.20 - 1.50	.0225	----	----	----	----		2	UNCH
4190	----	----		----	---/0.10A		----		0.00 - 0.10	----	----	----	----	----		0	-
4200	----	----		---/*2.40A	4.30B/*2.40A		----		2.50 - 2.00	.0267	----	----	----	----		3	UNCH
4200	----	----		----	---/0.10A		----		0.00 - 0.10	----	----	----	----	----		0	-
4200	----	----		11.80B/*6.80A	11.80B/*6.80A		----		7.60 - 3.90	.0680	----	----	----	----		4	UNCH
4210	----	----		----	---/0.10A		----		0.00 - 0.10	----	----	----	----	----		0	-
4225	10.10	10.10		14.10B/*7.90A	14.10B/*7.90A		----		8.90 - 4.70	.0802	----	----	1	----		5	+
4225	----	----		5.50B/*2.80A	5.50B/*2.80A		----		3.00 - 2.40	.0331	----	----	----	----		6	UNCH
4225	----	----		----	---/0.10A		----		0.00 - 0.10	----	----	----	----	----		0	-
4250	5.00	5.00		7.00B/*3.30A	7.00B/*3.30A		----		3.60 - 3.10	.0411	----	----	2	----		6	+
4250	----	----		----	---/0.10A		----		0.00 - 0.20	----	----	----	----	----		0	-
4250	----	----		16.90B/*9.20A	16.90B/*9.20A		----		10.60 - 5.60	.0956	----	----	----	----		1	UNCH
4255	----	----		---/*0.10A	---/*0.10A		----		0.00 - 0.20	----	----	----	----	----		0	-
4260	----	----		---/*0.10A	---/*0.10A		----		0.00 - 0.20	----	----	----	----	----		0	-
4265	----	----		---/*0.10A	---/*0.10A		----		0.00 - 0.20	----	----	----	----	----		0	-
4270	----	----		---/*0.10A	---/*0.10A		----		0.00 - 0.20	----	----	----	----	----		0	-
4275	0.20	0.20		0.20/0.10A	0.20/0.10A		----		0.00 - 0.30	----	----	----	3	----		0	-
4275	----	----		8.90B/*4.00A	8.90B/*4.00A		----		4.40 - 3.90	.0518	----	----	----	----		3	UNCH
4275	----	----		20.40B/*10.90A	20.40B/*10.90A		----		12.60 - 6.70	.1136	----	----	1	----		13	+
4280	0.20	0.20		0.20/*0.10	0.20/*0.10		----		0.00 - 0.30	----	----	----	3	----		0	-
4285	----	----		---/*0.10A	---/*0.10A		----		0.00 - 0.30	----	----	----	----	----		0	-
4295	----	----		---/*0.10A	---/*0.10A		----		0.00 - 0.40	----	----	----	----	----		0	-
4300	0.30	0.30		0.30/*0.10	0.30/*0.10		----		0.00 - 0.40	----	----	----	4	----		136	+
4300	----	----		11.40B/*4.80A	11.40B/*4.80A		----		5.50 - 5.00	.0663	----	----	----	----		35	UNCH
4300	18.80	18.80		24.60B/*12.90A	24.60B/*12.90A		----		15.10 - 8.10	.1354	----	----	26	----		39	+
4305	----	----		---/*0.10A	0.20B/*0.10A		----		0.00 - 0.40	----	----	----	----	----		0	-
4310	0.40	0.40		0.90/*0.10	0.90/*0.10		----		0.00 - 0.50	----	----	----	5	----		0	-
4315	----	----		---/*0.10A	0.40B/*0.10A		----		0.00 - 0.50	----	----	----	----	----		0	-
4320	0.30	0.30		0.30/*0.10A	0.50B/*0.10A		----		0.00 - 0.60	----	----	----	1	----		0	-
4325	6.20	6.20		14.70B/*5.90A	14.70B/*5.90A		----		7.00 - 6.40	.0859	----	----	5	----		7	+
4325	----	----		29.80B/*15.50A	29.80B/*15.50A		----		18.20 - 9.60	.1616	----	----	----	----		15	UNCH
4325	0.10	0.10		0.10/*0.10	0.50B/*0.10		----		0.00 - 0.60	----	----	----	3	----		0	-
4330	----	----		---/*0.10A	0.50B/*0.10A		----		0.00 - 0.70	----	----	----	1	----		0	-
4335	----	----		---/*0.10A	0.60B/*0.10A		----		0.00 - 0.80	----	----	----	----	----		0	-
4340	1.00	1.00		1.00/*0.10A	1.00/*0.10A		----		0.00 - 0.80	----	----	----	1	----		0	-
4345	----	----		---/*0.10A	0.90B/*0.10A		----		0.00 - 0.90	----	----	----	----	----		0	-
4350	----	----		190.00B/105.30A	190.00B/105.30A		----		155.00 + 37.10	----	----	----	----	----		0	-
4350	8.90	8.90		19.00B/*7.40A	19.00B/*7.40A		----		9.10 - 8.10	.1125	----	----	5	----		16	+
4350	----	----		35.90B/*18.60A	35.90B/*18.60A		----		22.00 - 11.40	.1925	----	----	----	----		14	UNCH
4350	----	----		---/*0.10A	1.00B/*0.10A		----		0.00 - 1.00	----	----	----	1	----		0	-
4350	----	----		209.00B/141.50A	209.00B/141.50A		----		176.80 + 26.70	.8071	----	----	----	----		1	UNCH
4355	0.30	0.30		0.3													

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GOLD WEEKLY THURSDAY OPTION week1															
JUN26															
4460	5.00	5.00		23.10B/*0.10	23.10B/*0.10	----			0.00 - 17.40	----	----	----	180	----	0 -
4460	----	----		80.80B/*18.10A	80.80B/*18.10A	----			45.00 + 20.70	----	----	----	1	----	0 -
4465	21.00	21.00		76.00B/*15.90A	76.00B/*15.90A	----			40.00 + 18.50	----	----	----	2	----	0 -
4465	9.00	9.00		26.80B/*0.10A	26.80B/*0.10A	----			0.00 - 19.60	----	----	851	----	0 -	
4470	14.00	14.00		28.90B/*0.10	28.90B/*0.10	----			0.00 - 22.00	----	----	----	62	----	0 -
4470	13.10	13.10		71.10B/*13.10	71.10B/*13.10	----			35.00 + 16.10	----	----	----	5	----	0 -
4475	71.70	71.70		93.10B/*44.50A	93.10B/*44.50A	----			65.90 NEW .6069	----	----	----	6	----	2 +
4475	----	----		112.80B/66.40A	112.80B/66.40A	----			87.20 + 15.70 .5764	----	----	----	----	----	2
4475	----	----		64.40B/*26.90A	64.40B/*26.90A	----			35.90 - 22.10 .3929	----	----	----	----	----	25
4475	20.00	20.00		66.50B/*11.30A	66.50B/*11.30A	----			30.00 + 13.50	----	----	10	----	----	0 -
4475	10.50	10.50		32.20B/*0.10A	32.20B/*0.10A	----			0.00 - 24.60	----	----	111	----	----	0 -
4475	58.50	58.50		85.70B/47.00A	85.70B/47.00A	----			57.20 - 22.40 .4232	----	----	10	----	----	12 +
4480	11.40	11.40		35.50B/*0.10	35.50B/*0.10	----			0.00 - 27.40	----	----	153	----	----	0 -
4480	9.30	9.30		61.70B/*9.30	61.70B/*9.30	----			25.00 + 10.70	----	----	12	----	----	0 -
4485	15.50	15.50		57.20B/*8.50A	57.20B/*8.50A	----			20.00 + 7.60	----	----	23	----	----	0 -
4485	10.10	10.10		39.10B/*0.10A	39.10B/*0.10A	----			0.00 - 30.50	----	----	212	----	----	0 -
4490	14.00	14.00		52.90B/*6.80A	52.90B/*6.80A	----			15.00 + 4.40	----	----	139	----	----	0 -
4490	11.00	11.00		43.10B/*0.10A	43.10B/*0.10A	----			0.00 - 33.70	----	----	978	----	----	0 -
4495	7.00	7.00		48.40B/*4.80	48.40B/*4.80	----			10.00 + 0.90	----	----	164	----	----	0 -
4495	30.90	30.90		47.00B/*0.10	47.00B/*0.10	----			0.00 - 37.20	----	----	174	----	----	0 -
4500	24.00	24.00		51.10B/*0.10A	51.10B/*0.10A	----			0.00 - 40.80	----	----	244	----	----	0 -
4500	5.10	5.10		43.70B/*3.30A	43.70B/*3.30A	----			5.00 - 2.70	----	----	131	----	----	0 -
4500	----	----		76.30B/*34.30A	76.30B/*34.30A	----			51.50 + 12.70 .5223	----	----	5	----	----	4 +
4500	44.70	44.70		79.30B/34.80A	79.30B/34.80A	----			46.50 - 25.30 .4774	----	----	4	----	----	31 +
4500	----	----		97.30B/55.70A	97.30B/55.70A	----			73.40 + 13.40 .5190	----	----	----	----	----	7
4500	----	----		99.90B/56.40A	99.90B/56.40A	----			68.40 - 24.60 .4806	----	----	1	----	----	38
4505	17.00	17.00		55.30B/*0.30	55.30B/*0.30	----			0.00 - 44.60	----	----	65	----	----	0 -
4505	9.10	9.10		39.40B/*0.30	39.40B/*0.30	----			0.00 - 6.50	----	----	34	----	----	0 -
4510	9.90	9.90		59.60B/*2.00A	59.60B/*2.00A	----			5.00 - 43.60	----	----	17	----	----	0 -
4510	10.00	10.00		35.60B/*0.10	35.60B/*0.10	----			0.00 - 5.50	----	----	83	----	----	0 -
4515	13.00	13.00		64.10B/*2.60A	64.10B/*2.60A	----			10.00 - 42.70	----	----	12	----	----	0 -
4515	9.20	9.20		31.60B/*0.10A	31.60B/*0.10A	----			0.00 - 4.60	----	----	27	----	----	0 -
4520	17.60	17.60		68.60B/*3.40A	68.60B/*3.40A	----			15.00 - 42.00	----	----	20	----	----	0 -
4520	8.00	8.00		27.40B/*0.10A	27.40B/*0.10A	----			0.00 - 3.90	----	----	94	----	----	0 -
4525	----	----		61.70B/*26.40A	61.70B/*26.40A	----			39.50 + 9.90 .4356	----	----	1	----	----	7 +
4525	9.60	9.60		25.50/*0.10	25.50/*0.10	----			0.00 - 3.30	----	----	88	----	----	0 -
4525	51.00	51.00		96.20B/44.70A	96.20B/44.70A	----			59.40 - 28.30 .5642	----	----	2	----	----	41
4525	9.80	9.80		73.20B/*4.50A	73.20B/*4.50A	----			20.00 - 41.40	----	----	16	----	----	0 -
4525	----	----		83.20B/*46.50A	83.20B/*46.50A	----			61.20 + 11.30 .4609	----	----	13	----	----	33 +
4525	----	----		115.50B/66.90A	115.50B/66.90A	----			81.20 - 26.70 .5387	----	----	13	----	----	27 +
4530	1.60	1.60		20.70B/*0.10	20.70B/*0.10	----			0.00 - 2.80	----	----	65	----	----	0 -
4530	16.00	16.00		#77.90B/*6.10A	#77.90B/*6.10A	----			25.00 - 40.90	----	----	41	----	----	0 -
4535	4.80	4.80		18.10B/*0.10	18.10B/*0.10	----			0.00 - 2.30	----	----	69	----	----	0 -
4535	17.00	17.00		#82.70B/*7.80A	#82.70B/*7.80A	----			30.00 - 40.40	----	----	29	----	----	0 -
4540	1.90	1.90		15.20B/*0.10	15.20B/*0.10	----			0.00 - 2.00	----	----	115	----	----	0 -
4540	20.00	20.00		#87.40B/*9.90	#87.40B/*9.90	----			35.00 - 40.10	----	----	21	----	----	0 -
4545	5.00	5.00		13.20B/*0.10	13.20B/*0.10	----			0.00 - 1.60	----	----	44	----	----	0 -
4545	----	----		#92.30B/*12.70A	#92.30B/*12.70A	----			40.00 - 39.70	----	----	----	----	----	0 -
4550	20.60	20.60		97.10B/*15.90A	97.10B/*15.90A	----			45.00 - 39.50	----	----	4	----	----	0 -
4550	32.30	32.30		48.50B/*19.90A	48.50B/*19.90A	----			29.60 + 7.30 .3517	----	----	12	----	----	14 +
4550	----	----		114.80B/56.80A	114.80B/56.80A	----			74.60 - 30.70 .6480	----	----	2	----	----	82 +
4550	3.00	3.00		10.50B/*0.10	10.50B/*0.10	----			0.00 - 1.40	----	----	126	----	----	0 -
4550	----	----		70.30B/*38.40A	70.30B/*38.40A	----			50.60 + 9.40 .4037	----	----	5	----	----	4
4550	----	----		132.40B/79.00A	132.40B/79.00A	----			95.50 - 28.70 .5959	----	----	----	----	----	0
4555	3.40	3.40		8.70B/*0.10A	8.70B/*0.10A	----			0.00 - 1.10	----	----	15	----	----	0 -
4555	----	----		#102.00B/*20.00	#102.00B/*20.00A	----			50.00 - 39.20	----	----	4	----	----	0 -
4560	2.00	2.00		7.30B/*0.10A	7.30B/*0.10A	----			0.00 - 1.00	----	----	32	----	----	0 -
4560	----	----		#106.90B/*23.90	#106.90B/*23.90A	----			55.00 - 39.10	----	----	----	----	----	0 -
4565	----	----		#111.80B/*27.50	#111.80B/*27.50A	----			60.00 - 38.90	----	----	7	----	----	0 -
4565	1.20	1.20		6.00B/*0.10	6.00B/*0.10	----			0.00 - 0.80	----	----	29	----	----	0 -
4570	0.50	0.50		5.00/*0.10	5.00/*0.10	----			0.00 - 0.70	----	----	83	----	----	0 -
4570	----	----		#116.70B/*32.40A	#116.70B/*32.40A	----			65.00 - 38.80	----	----	----	----	----	0 -
4575	----	----		121.70B/36.20A	121.70B/36.20A	----			70.00 - 38.70	----	----	3	----	----	0 -
4575	0.30	0.30		4.10B/*0.10	4.10B/*0.10	----			0.00 - 0.60	----	----	165	----	----	0 -
4575	20.50	20.50		37.60B/*14.90A	37.60B/*14.90A	----			21.80 + 5.20 .2755	----	----	4	----	----	10 +
4575	----	----		150.60B/92.80A	150.60B/92.80A	----			111.40 - 30.40 .6506	----	----	----	----	----	3
4575	----	----		58.90B/*31.60A	58.90B/*31.60A	----			41.50 + 7.70 .3490	----	----	----	----	----	4
4580	1.20	1.20		3.20B/*0.10A	3.20B/*0.10A	----			0.00 - 0.50	----	----	6	----	----	0 -
4580	----	----		#126.60B/*41.50	#126.60B/41.50A	----			75.00 - 38.60	----	----	----	----	----	0 -
4585	0.60	0.60		2.60B/*0.10A	2.60B/*0.10A	----			0.00 - 0.40	----	----	3	----	----	0 -
4590	----	----		2.10B/*0.10A	2.10B/*0.10A	----			0.00 - 0.30	----	----	1	----	----	0 -
4595	----	----		#141.50B/55.80A	#141.50B/55.80A	----			90.00 - 38.30	----	----	1	----	----	0 -
4595	0.50	0.50		1.80B/*0.10A	1.80B/*0.10A	----			0.00 - 0.20	----	----	6	----	----	0 -
4600	----	----		146.50B/60.60A	146.50B/60.60A	----			95.00 - 38.30	----	----	1	----	----	0 -
4600	0.40	0.40		1.30B/0.10A	1.30B/0.10A	----			0.00 - 0.20	----	----	33	----	----	0 -
4600	----	----		156.30B/87.60A	156.30B/87.60A	----			110.80 - 34.50 .7892	----	----	----	----	----	21
4600	20.50	20.50		28.80B/*11.20A	28.80B/*11.20A	----			15.90 + 3.60 .2105	----	----	9	----	----	31 +
4600	----	----		169.90B/108.00A	169.90B/108.00A	----			128.60 - 31.90 .7016	----	----	2	----	----	2
46															

	BULLETIN #106@				METALS OPTION PRODUCTS							Thu, Jun 04, 2026			PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU	GOLD WEEKLY THURSDAY OPTION week2														
JUN26															
4850	1.50	1.50		1.70B/*1.10A	1.70B/*1.10A	----			1.10 UNCH	.0133	----	----	3	----	12 + 2
4850	----	----		6.30B/----	6.30B/4.30A	----			4.20 + 0.40	.0449	----	----	----	----	1 UNCH
4875	----	----		5.10B/----	5.10B/3.70A	----			3.60 + 0.30	.0382	----	----	----	----	19 UNCH
4900	----	----		----	----/0.10A	----			0.00 - 0.10	----	----	----	----	----	0 - 4
4900	1.40	1.40		1.40/0.90A	1.40/0.90A	----			0.80 UNCH	.0090	----	1	----	----	5 + 1
4900	----	----		4.30B/----	4.30B/3.10A	----			3.10 + 0.30	.0325	----	----	----	----	1 UNCH
4925	----	----		----	----/0.10A	----			0.00 - 0.10	----	----	----	----	----	0 - 2
4925	----	----		3.60B/----	3.60B/2.70A	----			2.70 + 0.20	.0280	----	----	----	----	14 UNCH
4950	----	----		0.80B/----	0.80B/0.80A	----			0.60 - 0.10	.0063	----	----	----	----	3 UNCH
4975	----	----		2.60B/----	2.60B/2.10A	----			2.10 + 0.20	.0212	----	----	----	----	2 UNCH
5000	----	----		----	----/0.10A	----			0.00 - 0.10	----	----	----	----	----	0 - 2
5000	----	----		2.30B/----	2.30B/1.90A	----			1.80 + 0.10	.0180	----	----	----	----	4 UNCH
5025	----	----		----	----/0.10A	----			0.00 - 0.10	----	----	----	----	----	0 - 1
5125	----	----		----	----/0.10A	----			0.00 - 0.10	----	----	----	----	----	0 - 1
5400	----	----		----	----/0.10A	----			0.00 - 0.10	----	----	----	----	----	0 - 3
TOTAL													6310		2661 - 3842
JUL26															
3800	3.50	3.50		4.80/*3.50	4.80/*3.50	----			3.70 - 0.90	.0222	----	----	3	----	3 + 1
4000	----	----		----/*7.30A	7.30B/*7.30A	----			7.60 - 2.00	.0491	----	----	2	----	4 + 2
4075	----	----		----/*9.90A	12.50B/*9.90A	----			10.60 - 3.30	.0693	----	----	1	----	1 UNCH
4100	----	----		----/*11.00A	13.80B/*11.00A	----			11.90 - 3.90	.0779	----	----	1	----	7 + 1
4150	----	----		----/*14.00A	19.90B/*14.00A	----			15.20 - 5.10	.0993	----	----	2	----	9 + 2
4250	24.80	24.80		34.60B/*23.30A	34.60B/*23.30A	----			25.60 - 8.70	.1626	----	20	----	----	25 + 10
4275	----	----		39.90B/*26.30A	39.90B/*26.30A	----			29.20 - 10.00	.1835	----	----	----	----	6 UNCH
4300	----	----		45.60B/*30.20A	45.60B/*30.20A	----			33.50 - 11.30	.2072	----	----	----	----	5 UNCH
4350	----	----		59.80B/*39.50A	59.80B/*39.50A	----			44.10 NEW	.2623	----	1	----	----	1 + 1
4375	----	----		68.40B/*45.40A	68.40B/45.40A	----			50.60 - 16.00	.2937	----	----	----	----	1 UNCH
4400	----	----		77.60B/*51.60A	77.60B/51.60A	----			58.10 - 17.60	.3277	----	----	----	----	8 UNCH
4400	----	----		184.70B/*137.90	184.70B/*137.90A	----			162.90 + 20.40	.6716	----	----	----	----	2 UNCH
4425	----	----		87.70B/*58.90A	87.70B/58.90A	----			66.60 - 19.20	.3638	----	----	----	----	1 UNCH
4450	----	----		150.70B/*108.50	150.70B/*108.50A	----			131.00 + 17.20	.5976	----	----	----	----	1 UNCH
4450	80.00	80.00		99.80B/*67.30A	99.80B/67.30A	----			76.10 NEW	.4016	----	16	----	----	6 + 6
4475	----	----		110.00B/*76.60A	110.00B/76.60A	----			86.70 - 22.50	.4407	----	----	----	----	1 UNCH
4500	----	----		123.40B/*87.10A	123.40B/87.10A	----			98.30 - 24.10	.4806	----	----	----	----	53 UNCH
4525	----	----		----/98.20A	134.70B/98.20A	----			111.00 - 25.80	.5208	----	----	----	----	1 UNCH
4525	----	----		110.20B/*75.00A	110.20B/*75.00A	----			91.10 + 12.30	.4785	----	----	----	----	7 UNCH
4550	----	----		----/111.00A	150.90B/111.00A	----			124.90 - 27.20	.5606	----	1	----	----	8 + 1
4550	83.80	83.80		98.40B/*65.90A	98.40B/*65.90A	----			80.00 + 10.80	.4386	----	2	----	----	4 UNCH
4575	----	----		----/124.50A	167.40B/124.50A	----			139.80 - 28.60	.5996	----	----	----	----	1 UNCH
4600	76.00	76.00		76.00/*51.10A	76.00/*51.10A	----			61.00 + 8.10	.3619	----	23	----	----	21 + 20
4625	----	----		66.50B/*44.50A	66.50B/*44.50A	----			53.00 + 6.90	.3260	----	----	----	----	1 UNCH
4650	45.60	45.60		58.40B/*38.60A	58.40B/*38.60A	----			46.00 NEW	.2923	----	22	----	----	22 + 22
4675	----	----		50.90B/*33.60A	50.90B/*33.60A	----			39.90 + 5.10	.2610	----	----	----	----	2 UNCH
4700	----	----		43.80B/*29.30A	43.80B/*29.30A	----			34.50 NEW	.2321	----	2	----	----	1 + 1
4700	----	----		262.90B/209.70A	262.90B/209.70A	----			229.10 NEW	.7672	----	1	----	----	1 + 1
4725	----	----		38.10B/*25.60A	38.10B/*25.60A	----			29.80 + 3.60	.2056	----	----	----	----	1 UNCH
4775	----	----		28.70B/----	28.70B/19.90A	----			22.30 + 2.60	.1604	----	----	----	----	1 UNCH
4800	----	----		24.70B/----	24.70B/17.80A	----			19.30 + 2.10	.1413	----	----	----	----	4 UNCH
4850	----	----		18.40B/----	18.40B/13.80A	----			14.50 + 1.30	.1094	----	1	----	----	4 + 1
4875	----	----		16.00B/----	16.00B/12.40A	----			12.70 + 1.10	.0967	----	----	----	----	1 UNCH
4900	----	----		13.70B/----	13.70B/11.20A	----			11.20 + 0.90	.0857	----	1	----	----	3 + 1
4925	----	----		12.20B/----	12.20B/10.00A	----			9.90 + 0.70	.0762	----	1	----	----	2 + 1
4950	----	----		10.60B/----	10.60B/8.90A	----			8.80 + 0.60	.0679	----	----	----	----	2 UNCH
5000	----	----		7.10B/----	7.10B/7.20A	----			7.10 NEW	.0547	----	1	----	----	1 + 1
5200	----	----		----	3.10B/3.60A	----			3.50 UNCH	.0259	----	1	----	----	1 + 1
5500	----	----		----/2.00A	1.40B/2.00A	----			2.10 - 0.20	.0135	----	----	102	----	2 UNCH
TOTAL															225+ 73
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON	GOLD WEEKLY MONDAY OPTON WEEK2														
JUN26															
3500	----	----		----	----/8.30A	----			0.10 UNCH	----	----	----	----	----	1 UNCH
3600	----	----		----	0.20B/0.80A	----			0.40 - 0.10	.0023	----	----	----	----	1 UNCH
3700	----	----		----/*2.40A	2.00B/*2.40A	----			2.30 - 0.50	.0135	----	----	----	----	2 UNCH
3700	----	----		----	0.50B/*0.80A	----			0.60 - 0.10	.0038	----	----	----	----	2 UNCH
3750	0.40	0.40		0.40/*0.40	0.60B/*0.40	----			0.80 - 0.10	.0051	----	1	----	----	7 + 1
3800	----	----		----/*0.90A	0.70B/*0.90A	----			0.80 - 0.20	.0055	----	----	----	----	32 UNCH
3800	----	----		----	----/*0.20A	----			0.10 UNCH	.0000	----	----	----	----	9 UNCH
3800	----	----		----/*1.80A	1.50B/*1.80A	----			1.70 - 0.50	.0115	----	----	----	----	1 UNCH
3900	----	----		----	0.10B/*0.30A	----			0.10 - 0.10	.0004	----	----	----	----	2 UNCH
3900	2.10	2.10		2.10/*2.10	1.10B/*1.20A	----			1.10 - 0.30	.0084	----	----	----	----	4 UNCH
4000	----	----		----/*0.30A	2.10/*2.10	----			2.40 - 0.60	.0173	----	1	----	----	5 UNCH
4000	----	----		----/*1.60A	1.70B/*1.60A	----			0.20 - 0.20	.0012	----	----	----	----	26 UNCH
4000	3.30	3.30		3.40/*3.30	3.40/*3.30	----			1.50 - 0.60	.0128	----	----	----	----	103 UNCH
4050	4.30	4.30		4.30/*4.20	4.80B/*4.20	----			3.40 - 1.20	.					

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON GOLD WEEKLY MONDAY OPTION WEEK5															
JUN26															
4400	53.70	53.70		69.80B/*45.00A	69.80B/*45.00A	----	50.40	- 17.20	.3147	----	----	----	2	----	3 +
4405	----	----		19.10B/*4.50A	19.10B/*4.50A	----	5.90	- 10.30	.1037	----	----	----	----	----	2
4410	----	----		#135.40B/*65.70	135.40B/*65.70A	----	101.30	NEW	.8865	----	----	----	2	----	2 +
4415	----	----		21.80B/*5.20A	21.80B/*5.20A	----	6.90	- 11.80	.1232	----	----	----	----	----	3
4420	11.20	11.20		23.40B/*5.50A	23.40B/*5.50A	----	7.50	- 12.50	.1346	----	----	----	1	----	3 +
4425	13.70	13.70		25.20B/*5.90A	25.20B/*5.90A	----	8.20	- 13.30	.1474	----	----	----	1	----	65 +
4425	----	----		121.60B/*55.50A	121.60B/*55.50A	----	88.10	+ 24.70	.8524	----	----	----	----	----	30
4430	29.80	29.80		49.30B/*22.70A	49.30B/*22.70A	----	28.50	- 16.60	.2844	----	5	----	----	----	14 +
4435	12.70	12.70		27.10B/*6.40A	27.10B/*6.40A	----	8.90	- 14.20	.1607	----	2	----	----	----	4 +
4440	10.20	10.20		28.90B/*6.80A	28.90B/*6.80A	----	9.70	- 15.00	.1753	----	1	----	----	----	3 +
4440	----	----		31.00B/*7.50A	31.00B/*7.50A	----	10.60	- 15.90	.1914	----	----	----	----	----	0
4445	----	----		33.20B/*8.10A	33.20B/*8.10A	----	11.50	- 16.80	.2079	----	----	----	----	----	2
4450	9.50	9.50		35.80B/*8.60A	35.80B/*8.60A	----	12.60	- 17.70	.2266	----	24	----	----	----	47 +
4450	30.70	30.70		60.40B/*28.40A	60.40B/*28.40A	----	35.90	- 19.50	.3438	----	3	----	----	----	94
4450	----	----		100.00B/*40.70A	100.00B/*40.70A	----	67.60	+ 20.40	.7732	----	----	----	----	----	7
4450	----	----		77.30B/44.60A	77.30B/44.60A	----	52.70	- 20.20	.3768	----	----	----	----	----	2
4450	----	----		119.20B/66.00A	119.20B/66.00A	----	90.80	+ 18.50	.6558	----	----	----	----	----	12
4450	----	----		91.50B/*60.00A	91.50B/*60.00A	----	67.70	- 20.80	.3944	----	----	----	----	----	2
4455	20.20	20.20		37.80B/*9.40A	37.80B/*9.40A	----	13.80	- 18.60	.2465	----	2	----	----	----	4 +
4455	----	----		#95.40B/*38.00A	95.40B/*38.00A	----	63.70	+ 19.40	.7533	----	----	----	----	----	3
4460	14.10	14.10		40.30B/*10.20A	40.30B/*10.20A	----	15.00	NEW	.2669	----	2	----	----	----	2 +
4465	12.30	12.30		43.00B/*10.90A	43.00B/*10.90A	----	16.40	- 20.50	.2890	----	3	----	----	----	4
4470	13.80	13.80		45.70B/*11.80A	45.70B/*11.80A	----	17.80	NEW	.3117	----	4	----	----	----	4 +
4470	53.40	53.40		#83.10B/*30.90A	83.10B/*30.90A	----	52.80	+ 16.50	.6881	----	1	----	----	----	5 +
4475	----	----		48.40B/*12.80A	48.40B/*12.80A	----	19.40	- 22.50	.3359	----	7	----	----	----	12
4475	46.00	46.00		79.20B/*28.60A	79.20B/*28.60A	----	49.40	+ 15.60	.6640	----	4	----	----	----	2 +
4475	----	----		101.40B/*54.00A	101.40B/*54.00A	----	75.00	+ 15.70	.5901	----	----	----	----	----	4
4475	----	----		88.80B/52.80A	88.80B/52.80A	----	62.60	- 22.40	.4279	----	----	----	----	----	1
4475	----	----		117.30B/72.30A	117.30B/72.30A	----	92.50	+ 15.60	.5716	----	----	----	----	----	1
4475	----	----		73.10B/35.60A	73.10B/35.60A	----	45.00	- 22.40	.4095	----	----	----	----	----	16
4480	15.20	15.20		51.40B/*13.90A	51.40B/*13.90A	----	21.20	NEW	.3613	----	2	----	----	----	2 +
4480	----	----		#75.60B/*26.90A	75.60B/*26.90A	----	46.10	+ 14.60	.6385	----	----	----	----	----	6
4485	43.00	43.00		#71.50B/*24.90A	71.50B/*24.90A	----	43.00	NEW	.6127	----	2	----	----	----	1 +
4485	17.60	17.60		54.50B/*15.00A	54.50B/*15.00A	----	23.00	- 24.40	.3871	----	12	----	----	----	11 +
4490	17.90	17.90		57.80B/*16.10A	57.80B/*16.10A	----	25.00	NEW	.4139	----	13	----	----	----	13 +
4495	35.00	35.00		#64.10B/*20.70A	64.10B/*20.70A	----	37.10	NEW	.5587	----	1	----	----	----	1 +
4495	----	----		61.10B/*17.50A	61.10B/*17.50A	----	27.10	- 26.20	.4411	----	8	----	----	----	9 +
4500	26.00	26.00		60.80B/*19.10A	60.80B/*19.10A	----	34.30	+ 10.90	.5311	----	15	----	----	----	19 +
4500	64.60	64.60		87.50B/44.10A	87.50B/44.10A	----	55.90	- 25.10	.4794	----	6	----	----	----	20 +
4500	----	----		85.40B/*43.50A	85.40B/*43.50A	----	60.90	+ 12.90	.5202	----	----	----	----	----	12
4500	63.80	63.80		101.60B/61.40A	101.60B/61.40A	----	78.90	+ 13.60	.5187	----	26	----	----	----	3
4500	69.20	69.20		64.50B/*18.70A	64.50B/*18.70A	----	29.30	- 27.10	.4688	----	7	----	----	----	144 +
4500	----	----		99.90B/62.30A	99.90B/62.30A	----	73.90	- 24.50	.4808	----	----	----	----	----	8 +
4500	97.00	97.00		#118.50B/*79.20	118.50B/*79.20A	----	89.60	- 24.40	.4808	----	----	----	----	----	60
4500	----	----		#113.20B/*77.40	113.20B/*77.40A	----	94.60	+ 13.70	.5185	----	2	----	----	----	2 -
4505	----	----		68.10B/*20.60A	68.10B/*20.60A	----	31.70	NEW	.4968	----	2	----	----	----	2 +
4510	20.00	20.00		#54.30B/*16.20A	54.30B/*16.20A	----	29.20	+ 9.30	.4749	----	5	----	----	----	6 +
4515	25.00	25.00		#50.70B/*15.10A	50.70B/*15.10A	----	26.90	+ 8.50	.4470	----	1	----	----	----	6
4515	----	----		75.40B/*23.80A	75.40B/*23.80A	----	36.90	- 29.50	.5528	----	5	----	----	----	4 -
4520	27.10	27.10		#48.00B/*14.00A	48.00B/*14.00A	----	24.60	+ 7.70	.4190	----	1	----	----	----	25 +
4520	----	----		79.30B/*25.70A	79.30B/*25.70A	----	39.60	- 30.40	.5808	----	----	----	----	----	1
4525	21.70	21.70		44.80B/*12.80A	44.80B/*12.80A	----	22.50	+ 7.00	.3914	----	3	----	----	----	9 +
4525	49.80	49.80		83.10B/*27.50A	83.10B/*27.50A	----	42.50	- 31.10	.6084	----	2	----	----	----	11 +
4525	----	----		70.50B/*34.80A	70.50B/*34.80A	----	48.70	+ 10.50	.4490	----	----	----	----	----	10
4525	----	----		114.80B/73.10A	114.80B/73.10A	----	86.70	- 26.40	.5343	----	----	----	----	----	1
4525	102.80	102.80		130.60B/*90.40A	130.60B/*90.40A	----	102.40	NEW	.5249	----	2	----	----	----	2 +
4530	36.00	36.00		#42.10B/*12.10A	42.10B/*12.10A	----	20.60	+ 6.30	.3647	----	4	----	----	----	4 +
4530	----	----		#87.10B/*29.70A	87.10B/*29.70A	----	45.60	- 31.70	.6351	----	----	----	----	----	1
4535	15.10	15.10		#39.20B/*10.80A	39.20B/*10.80A	----	18.80	NEW	.3386	----	50	----	----	----	50 +
4540	----	----		36.60B/*9.90A	36.60B/*9.90A	----	17.10	+ 5.10	.3131	----	52	----	----	----	54 +
4540	----	----		#95.30B/*34.30A	95.30B/*34.30A	----	52.00	NEW	.6867	----	3	----	----	----	3 +
4545	12.00	12.00		34.00B/*9.30A	34.00B/*9.30A	----	15.50	+ 4.50	.2884	----	3	----	----	----	4
4545	----	----		#99.50B/*36.60A	99.50B/*36.60A	----	55.50	- 33.60	.7114	----	----	----	----	----	3
4550	16.10	16.10		31.80B/*8.60A	31.80B/*8.60A	----	14.00	+ 3.90	.2646	----	38	----	----	----	57 +
4550	----	----		103.70B/39.60A	103.70B/39.60A	----	59.00	- 34.10	.7352	----	----	----	----	----	3
4550	----	----		57.80B/*27.50A	57.80B/*27.50A	----	38.40	+ 8.40	.3793	----	----	----	----	----	109
4550	----	----		75.50B/*43.80A	75.50B/*43.80A	----	55.90	+ 9.80	.4123	----	----	----	----	----	1
4550	30.00	30.00		121.50B/66.60A	121.50B/66.60A	----	83.40	- 29.70	.6204	----	7	----	----	----	25
4560	24.70	24.70		#30.20B/*7.90A	30.20B/*7.90A	----	12.70	+ 3.50	.2426	----	7	----	----	----	8 +
4560	----	----		#27.40B/*7.30A	27.40B/*7.30A	----	11.50	+ 3.10	.2217	----	2	----	----	----	2 +
4565	9.90	9.90		#112.50B/*45.10	112.50B/*45.10A	----	66.40	NEW	.7781	----	1	----	----	----	1 +
4570	18.80	18.80		25.40B/*6.60A	25.40B/*6.60A	----	10.30	+ 2.60	.2011	----	2	----	----	----	6
4575	----	----		#23.50B/*6.00A	23.50B/*6.00A	----	9.30	+ 2.30	.1827	----	4	----	----	----	9 +
4575	----	----		21.70B/*5.60A	21.70B/*5.60A	----	8.40	+ 2.00	.1658	----	552	----	----	----	587 +
4575	----	----		140.90B/80.10A	140.90B/80.10A	----	99.90	- 31.50	.6858	----	----	----	----	----	5
4575	----	----		46.80B/*21.70A	46.80B/*21.70A	----	29.90	+ 6.50	.3139	----	----	----	----	----	51
4575	----	----		126.10B/54.90A	126.10B/54.90A	----	78.40	- 36.10	.8341	----	1	----	----	----	2
4580	----	----		#20.10B/*5.10A	20.10B/*5.10A	----	7.60	+ 1.70	.1503	----	8	----	----	----	9 +
4585	112.90	112.90		#135.20B/*61.80	135.20B/61.80A	----	86.80	- 36.60	.8647	----	----	----	----	----	1
4600	5.50	5.50		149.30B/73.00A	149.30B/73.00A	----	99.90	- 37.30	.9023	----	2	----	----	----	7 +
4600	70.00	70.00		14.40B/*3.70A	14.40B/*3.70A	----	4.90	+ 0.80	.0975	----	12	----	----	----	65 +
4600	101.00	101.00		70.00/*43.60A	70.00/*43.60A	----	53.00	+ 7.60	.3476	----	2	----	----	----	41
4600	25.00	25.00		161.50B/96.10A	161.50B/96.10A	----	118.00	- 33.10	.7444	----	1	----	----	----	2 +
4600	----	----		37.20B/*17.00A	37.20B/*17.00A	----	23.10	+ 4.90	.2552	----	18	----	----	----	170 +
4600	----	----		53.50B/*30.60A	53.50B/*30.60A	----	38.50	+ 6.60	.3133	----	62	----	----	----	59 +
4600	----	----		167.80B/113.70A	167.80B/113.70A	----	133.40	- 31.30	.6862	----	----	----	----	----	2
4605	5.00	5.00		#13.20B/*3.20A	13.20B/*3.20A	----	4.40	+ 0.60	.0873	----	----	----	----	----	1
4610	3.40	3.40		#154.00B/*76.60	154.00B/76.60A	----	104.40	- 37.40	.9125	----	----	----	----	----	5
4615	----	----		12.10B/3.20A	12.10B/3.20A	----	4.00	NEW	.0788	----	2	----	----	----	2 +
4620	5.00	5.00		#11.10B/*2.90A	11.10B/*2.90A	----	3.60	+ 0.40	.0705	----	----	----	----	----	3
4625	----	----		10.10B/2.70A	10.10B/2.70A</										

BULLETIN #106@		METALS OPTION PRODUCTS										Thu, Jun 04, 2026		PG64	
	LOBEX OPEN	OPEN OUTCRY OPEN RANGE	LOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	LOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
GMW MON JUN26		GOLD WEEKLY MONDAY OPTION WEEK2													
4875	----	----	----	307.30B/412.60A	----	370.00	- 38.20	1.0000	----	----	----	----	0 -	1	
4900	----	----	----	333.00B/437.10A	----	395.00	- 38.10	1.0000	----	----	----	----	1	UNCH	
4900	----	----	----	0.10B/*0.20A	----	0.10	UNCH	.0000	----	----	----	----	6	UNCH	
4900	----	----	----	2.20B/----	2.20B/1.50A	----	1.60	+	0.10	.0185	----	----	5	UNCH	
4900	7.90	7.90	7.90	#10.20B/7.90	10.20B/7.90	----	8.30	NEW	.0698	----	1	----	1 +	1	
4925	----	----	----	1.90B/----	1.90B/1.40A	----	1.40	+	0.10	.0158	----	----	7	UNCH	
4950	----	----	----	----/*0.30A	----	0.10	UNCH	----	----	----	----	----	5	UNCH	
4950	----	----	----	3.60B/----	3.60B/3.00A	----	3.10	+	0.10	.0309	----	----	1	UNCH	
4950	----	----	----	1.60B/----	1.60B/1.30A	----	1.20	UNCH	.0133	----	----	----	11	UNCH	
4950	8.50	8.50	8.50	#8.50/6.50A	8.50/6.50A	----	6.40	NEW	.0541	----	2	----	1 +	1	
4975	----	----	----	1.40B/----	1.40B/*1.10A	----	1.10	+	0.10	.0119	----	----	5	UNCH	
5000	----	----	----	----/*0.30A	----	0.10	UNCH	----	----	----	----	----	32	UNCH	
5000	----	----	----	1.20B/----	1.20B/*1.00A	----	1.00	+	0.10	.0105	----	----	11	UNCH	
5000	----	----	----	2.80B/2.30A	2.80B/2.30A	----	2.50	+	0.10	.0242	----	----	1	UNCH	
5000	----	----	----	5.00B/----	5.00B/5.20A	----	5.00	+	0.40	.0422	----	----	1	UNCH	
5025	----	----	----	1.00B/----	1.00B/1.10A	----	0.90	UNCH	.0093	----	----	----	4	UNCH	
5050	----	----	----	----/*0.30A	----	0.10	UNCH	----	----	----	----	----	5	UNCH	
5050	----	----	----	----/1.90A	2.00B/1.90A	----	2.00	UNCH	.0190	----	----	----	3	UNCH	
5050	----	----	----	0.90B/----	0.90B/1.00A	----	0.80	UNCH	.0081	----	----	----	11	UNCH	
5100	----	----	----	0.70B/----	0.70B/0.90A	----	0.60	UNCH	.0059	----	----	----	6	UNCH	
5150	----	----	----	----/0.40A	----	0.10	UNCH	----	----	----	----	----	1	UNCH	
5250	----	----	----	----/0.50A	----	0.10	UNCH	----	----	----	----	----	4	UNCH	
5250	----	----	----	0.90B/1.50A	----	1.10	UNCH	.0093	----	----	----	----	1	UNCH	
5300	----	----	----	----/0.60A	----	0.10	UNCH	----	----	----	----	----	5	UNCH	
5750	----	----	----	----/0.60A	----	0.10	UNCH	.0000	----	----	----	----	3	UNCH	
TOTAL											2004		4539 +	1551	
	LOBEX OPEN	OPEN OUTCRY OPEN RANGE	LOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	LOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
FMG OPT JUN26		MICRO GOLD WEEKLY FRI OPTION WEEK2													
4400	----	----	----	----	----	18.80	- 13.50	.2111	----	----	----	----	3	UNCH	
4450	----	----	----	----	----	5.90	- 17.00	.0974	----	----	----	----	2	UNCH	
4530	15.00	15.00	#15.00/*15.00	#15.00/*15.00	----	11.70	NEW	.2618	----	----	2	----	2 +	2	
4550	----	----	----	----/*19.50A	----	6.50	+	1.20	.1259	----	----	----	2	UNCH	
4675	8.00	8.00	#8.00/*8.00	#8.00/*8.00	----	7.90	NEW	.1037	----	----	7	----	7 +	7	
4675	----	----	----	----	----	0.10	- 0.20	.0000	----	----	----	----	7	UNCH	
TOTAL											9		23 +	9	
SILVER OPTIONS ON FUTURES															
	LOBEX OPEN	OPEN OUTCRY OPEN RANGE	LOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	LOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
RWS THU JUN26		SILVER WEEKLY THURSDAY OPTION week3													
5500	----	----	----	0.004B/0.085A	----	0.019	+	0.005	.0049	----	----	----	5	UNCH	
6000	----	----	----	----/*0.040A	----	0.000	- 0.001	----	----	----	----	----	0 -	1	
6400	----	----	----	----/*0.207A	0.124B/*0.207A	----	0.234	- 0.025	.0622	----	----	----	10	UNCH	
6500	----	----	----	----/*0.042A	----	0.000	- 0.001	----	----	----	----	----	0 -	1	
6500	0.125	0.125	0.125/*0.125	0.125/*0.125	----	0.052	NEW	.0195	----	----	1	----	1 +	1	
6800	0.250	0.250	0.250/*0.212A	0.250/*0.212A	----	0.192	NEW	.0734	----	----	1	----	1 +	1	
6800	----	----	----	----/0.560A	0.629B/0.560A	----	0.524	- 0.149	.1450	----	----	----	10	UNCH	
6850	----	----	----	----/*0.239A	0.287B/*0.239A	----	0.232	- 0.161	.0888	----	----	----	1	UNCH	
6900	----	----	----	0.001B/*0.068A	----	0.000	- 0.012	----	----	----	----	----	0 -	1	
6900	----	----	----	----/0.270A	0.392B/0.270A	----	0.281	- 0.181	.1073	----	----	----	1	UNCH	
6950	----	----	----	----/0.395A	0.463B/0.395A	----	0.339	- 0.202	.1288	----	----	----	1	UNCH	
7000	0.001	0.001	0.001/*0.001	0.001/*0.001	----	0.000	- 0.030	----	----	----	2	----	0 -	3	
7000	----	----	----	1.151B/*0.775A	1.151B/*0.775A	----	0.860	- 0.246	.2284	----	----	----	1	UNCH	
7020	----	----	----	0.001B/*0.085A	----	0.000	- 0.035	----	----	----	----	----	0 -	1	
7050	----	----	----	0.001B/*0.089A	----	0.000	- 0.046	----	----	----	----	----	0 -	1	
7100	----	----	----	0.040B/0.097A	----	0.000	- 0.073	----	----	----	----	----	0 -	4	
7100	1.307	1.307	1.503B/1.118A	1.503B/1.118A	----	1.113	- 0.297	.2837	----	----	10	----	4 -	7	
7150	----	----	----/*0.109A	0.094B/*0.109A	----	0.000	- 0.115	----	----	----	8	----	0 -	4	
7160	0.005	0.005	0.005/*0.004	0.115B/*0.004	----	0.000	- 0.126	----	----	----	2	----	0 -	1	
7200	----	----	----	1.917B/1.402A	1.917B/1.402A	----	1.437	- 0.345	.3469	----	1	----	4 +	1	
7200	----	----	----	0.224B/*0.121A	0.224B/*0.121A	----	0.000	- 0.179	----	----	8	----	0 -	12	
7240	----	----	----	0.355B/*0.135A	0.355B/*0.135A	----	0.000	- 0.253	----	----	----	----	0 -	2	
7250	0.385	0.385	0.394B/*0.097A	0.394B/*0.097A	----	0.000	- 0.275	----	----	----	5	----	0 -	7	
7250	----	----	----	2.118B/1.594A	2.118B/1.594A	----	1.627	- 0.367	.3808	----	----	----	1	UNCH	
7290	----	----	----	0.469B/*0.134A	0.469B/*0.134A	----	0.000	- 0.382	----	----	----	----	0 -	1	
7300	2.250	2.250	2.395B/1.746A	2.395B/1.746A	----	1.838	- 0.386	.4157	----	----	1	----	1	UNCH	
7300	0.905	0.905	0.905/*0.055	0.905/*0.055	----	0.000	- 0.413	----	----	----	4	----	0 -	7	
7300	----	----	----	1.721B/1.068A	1.721B/1.068A	----	1.184	- 0.369	.3893	----	----	----	4	UNCH	
7330	----	----	----/*0.722A	0.428B/*0.722A	----	0.671	- 0.243	----	----	----	1	----	0 -	1	
7330	0.500	0.500	0.500/*0.134A	0.500/*0.134A	----	0.000	NEW	----	----	----	1	----	0	UNCH	
7350	0.605	0.605	0.905/*0.495A	0.905/*0.495A	----	0.471	- 0.326	----	----	----	3	----	0	UNCH	
7350	----	----	----	2.628B/1.775A	2.628B/1.775A	----	2.070	- 0.402	.4512	----	1	----	22	UNCH	
7350	0.755	0.755	0.755/*0.010	0.755/*0.010	----	0.000	- 0.603	----	----	----	5	----	0 -	11	
7380	----	----	----/*0.325A	0.404B/*0.325A	----	0.171	- 0.485	----	----	----	----	----	0 -	5	
7400	0.390	0.390	0.995/*0.105	0.995/*0.105	----	0.000	- 0.572	----	----	----	7	----	0 -	7	
7400	0.100	0.100	0.200/*0.100	0.494B/*0.100	----	0.029	- 0.849	----	----	----	10	----	0 -	6	
7400	1.540	1.540	1.953/1.423A	1.953/1.423A	----	1.630	NEW	.4928	----	----	20	----	20 +	20	
7400	----	----	----	2.946B/2.152A	2.946B/2.152A	----	2.321	- 0.417	.8869	----	----	----	1	UNCH	
7430	0.150	0.150	0.150/*0.150	0.221B/*0.150	----	0.329	NEW	----	----	----	1	----	0	UNCH	
7450	0.250	0.250	0.250/*0.020	0.250/*0.020	----	0.000	- 0.399	----	----	----	5	----	0 -	1	
7450	----	----	----	3.216B/2.404A	3.216B/2.404A	----	2.593	NEW	.5224	----	1	----	1 +	1	
7450	----	----	----/*0.348A	0.247B/*0.348A	----	0.529	- 0.676	----	----	----	2	----	0 -	12	
7460	0.600	0.600	0.600/*0.147A	0.600/*0.147A	----	0.000	NEW	----	----	----	2	----	0	UNCH	
7500	----	----	1.462B/*1.158A	1.462.											



BULLETIN #106@				METALS OPTION PRODUCTS								Thu, Jun 04, 2026		PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETTL.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST	
RWS THU	SILVER WEEKLY THURSDAY OPTION week1														
JUL26															
8400	----	----	----/*1.016A	0.942B/*1.016A	----	0.883 - 0.136	.1795	----	----	----	----	----	1	UNCH	
TOTAL												0	5	0	
SMW MON	SILVER WEEKLY MONDAY OPTION WEEK2														
JUN26															
5250	----	----	----	----/0.293A	----	0.001	UNCH	----	----	----	----	----	15	UNCH	
5500	----	----	----	----/0.284A	----	0.001	UNCH	----	----	----	----	----	3	UNCH	
6000	----	----	----	0.018B/0.079A	----	0.031 - 0.024	.0095	----	----	----	----	----	2	UNCH	
6000	----	----	----	0.041B/0.137A	----	0.120 - 0.003	.0301	----	----	----	----	----	2	UNCH	
6100	0.140	0.140	0.140/*0.139A	0.140/*0.139A	----	0.135 - 0.011	.0350	----	1	----	----	4 -	1		
6200	----	----	----	----/*0.038A	----	0.003 - 0.016	.0007	----	----	----	----	----	3	UNCH	
6300	0.222	0.222	0.225/0.206A	0.225/0.206A	----	0.182 - 0.035	.0497	----	10	----	----	3 -	7		
6500	----	----	----/*0.047A	0.006B/*0.047A	----	0.012 - 0.043	.0039	----	----	----	----	----	1	UNCH	
6700	0.125	0.125	0.125/*0.061A	0.125/*0.061A	----	0.029	NEW .0117	----	3	----	----	3 +	3		
6750	----	----	----/*0.067A	0.032B/*0.067A	----	0.036 - 0.089	.0153	----	----	----	----	----	1	UNCH	
6900	0.500	0.500	0.500/0.409A	0.586B/0.409A	----	0.442 - 0.194	.1457	----	2	----	----	5 +	2		
6950	0.150	0.150	0.150/*0.113A	0.150/*0.113A	----	0.099	NEW .0496	----	1	----	----	1 +	1		
6990	0.300	0.300	0.300/*0.129A	0.300/*0.129A	----	0.123 - 0.183	.0631	----	1	----	----	2 +	1		
7000	----	----	1.286B/0.983A	1.286B/0.983A	----	0.955 - 0.259	.2397	----	----	----	----	15	UNCH		
7000	0.220	0.220	0.220/*0.134A	0.240B/*0.134A	----	0.130 - 0.188	.0670	----	2	----	----	3 +	2		
7020	0.105	0.105	0.105/*0.105	0.253B/*0.105	----	0.144	NEW .0751	----	1	----	----	1 +	1		
7050	0.960	0.960	0.964B/0.584A	0.964B/0.584A	----	0.699 - 0.261	.2211	----	10	----	----	10 +	9		
7100	----	----	----/*0.192A	0.450B/*0.192A	----	0.223 - 0.249	.1198	----	----	----	----	23	UNCH		
7200	----	----	2.072B/1.530A	2.072B/1.530A	----	1.583 - 0.347	.3551	----	----	----	----	2	UNCH		
7200	----	----	0.750B/*0.290A	0.750B/*0.290A	----	0.384 - 0.317	.2071	----	----	----	----	2	UNCH		
7220	0.325	0.325	0.817B/*0.325	0.817B/*0.325	----	0.428	NEW .2297	----	10	----	----	10 +	10		
7250	----	----	0.939B/*0.376A	0.939B/*0.376A	----	0.502 - 0.349	.2667	----	----	----	----	10	UNCH		
7300	----	----	1.198B/0.471A	1.198B/0.471A	----	0.650 - 0.379	.3363	----	----	----	----	1	UNCH		
7320	0.625	0.625	1.275B/*0.521A	1.275B/0.521A	----	0.718	NEW .3666	----	20	----	----	20 +	20		
7350	0.620	0.620	1.440B/0.593A	1.440B/0.593A	----	0.833	NEW .4146	----	16	----	----	16 +	16		
7400	----	----	2.482B/1.791A	2.482B/1.791A	----	1.895	NEW .5098	----	1	----	----	1 +	1		
7400	----	----	----/2.307A	2.796B/2.307A	----	2.493 - 0.412	.4855	----	----	----	----	1	UNCH		
7400	1.600	1.600	1.754B/*0.895A	1.754B/*0.895A	----	1.034	NEW .5014	----	1	----	----	1 +	1		
7450	----	----	----/0.918A	1.519B/0.918A	----	1.333 - 0.424	.5829	----	----	----	----	3	UNCH		
7500	----	----	2.040B/1.388A	2.040B/1.388A	----	1.447 - 0.134	.4236	----	1	----	----	2 +	1		
7500	0.860	0.860	1.235B/*0.546A	1.235B/*0.546A	----	0.613	NEW .3364	----	4	----	----	4 +	4		
7520	----	----	----/*1.207A	2.009B/1.207A	----	1.776 - 0.426	.6936	----	----	----	----	1	UNCH		
7550	0.500	0.500	0.983B/*0.426A	0.983B/*0.426A	----	0.461	NEW .2638	----	1	----	----	1 +	1		
7600	0.400	0.400	0.769B/*0.331A	0.769B/*0.331A	----	0.343 - 0.142	.2018	----	4	----	----	4 +	2		
7650	0.940	0.940	1.378B/*0.890A	1.378B/*0.890A	----	0.941	NEW .3053	----	10	----	----	10 +	10		
7700	----	----	0.438B/*0.204A	0.438B/*0.204A	----	0.191 - 0.123	.1132	----	----	----	----	1	UNCH		
7750	----	----	0.330B/*0.163A	0.330B/*0.163A	----	0.145 - 0.109	.0845	----	----	----	----	1	UNCH		
7800	0.800	0.800	0.885B/*0.613A	0.885B/*0.613A	----	0.603 - 0.128	.2103	----	1	----	----	0 -	1		
7800	----	----	0.252B/*0.136A	0.252B/*0.136A	----	0.112 - 0.094	.0636	----	----	----	----	2	UNCH		
7850	----	----	0.181B/*0.111A	0.181B/*0.111A	----	0.089 - 0.077	.0487	----	----	----	----	1	UNCH		
7900	----	----	----/*0.094A	0.133B/*0.094A	----	0.071 - 0.063	.0374	----	----	----	----	0	UNCH		
7970	----	----	6.119B/*4.730A	6.119B/4.730A	----	5.781 - 0.322	.9731	----	----	----	----	1	UNCH		
7980	----	----	6.217B/*4.823A	6.217B/4.823A	----	5.879 - 0.320	.9744	----	----	----	----	1	UNCH		
8000	----	----	----/*0.074A	0.073B/*0.074A	----	0.048 - 0.039	.0232	----	----	----	----	13	UNCH		
8000	----	----	----/*0.837A	0.842B/*0.837A	----	0.725 - 0.142	.1963	----	----	----	----	1	UNCH		
8000	----	----	0.481B/*0.357A	0.481B/*0.357A	----	0.339 - 0.099	.1244	----	----	----	----	18	UNCH		
8050	0.392	0.392	0.411B/*0.314A	0.411B/*0.314A	----	0.295	NEW .1089	----	1	----	----	1 +	1		
8100	----	----	----	0.037B/*0.060A	----	0.029 - 0.029	.0130	----	----	----	----	1	UNCH		
8150	----	----	7.903B/6.450A	7.903B/6.450A	----	7.550 - 0.301	.9900	----	----	----	----	1	UNCH		
8250	0.608	0.608	0.626B/*0.556A	0.626B/*0.556A	----	0.023 - 0.025	.0099	----	----	----	----	1	UNCH		
8400	----	----	----	----	----	0.442	NEW .1250	----	21	----	----	21 +	21		
8500	----	----	----/*0.148A	0.110B/*0.148A	----	10.035 - 0.289	.9972	----	----	----	----	20	UNCH		
8700	0.250	0.250	0.250/*0.235A	0.250/*0.235A	----	0.110 - 0.042	.0389	----	----	----	----	14	UNCH		
8800	----	----	----	----	----	0.210	NEW .0597	----	4	----	----	4 +	4		
9200	----	----	----	0.038B/0.099A	----	0.002 - 0.005	.0004	----	----	----	----	13	UNCH		
TOTAL						0.058 - 0.013	.0166	----	----	126	0	309 +	102		
SO CALL	COMEX SILVER OPTIONS														
JUL26															
2700	----	----	47.951B/46.658A	47.951B/46.658A	----	46.971 + 0.277	.0000	----	----	----	----	----	1	UNCH	
4000	----	----	34.950B/33.657A	34.950B/33.657A	----	33.971 + 0.277	.9984	----	----	----	----	----	0 -	6	
4500	----	----	29.958B/28.656A	29.958B/28.656A	----	28.972 + 0.276	.9966	----	----	----	----	3	UNCH		
4600	----	----	29.051B/27.622A	29.051B/27.622A	----	27.973 + 0.275	.9960	----	----	----	----	2 -	31		
4825	----	----	26.714B/25.409A	26.714B/25.409A	----	25.728 + 0.274	.9946	----	----	----	----	3	UNCH		
4900	----	----	25.967B/24.661A	25.967B/24.661A	----	24.980 + 0.274	.9941	----	----	----	----	1	UNCH		
4925	----	----	25.711B/24.412A	25.711B/24.412A	----	24.731 + 0.274	.9939	----	----	----	----	16	UNCH		
5000	----	----	25.102B/23.595A	25.102B/23.595A	----	23.983 + 0.273	.9931	----	----	----	----	306	UNCH		
5025	----	----	24.721B/23.415A	24.721B/23.415A	----	23.734 + 0.272	.9929	----	----	----	----	4	UNCH		
5050	----	----	24.472B/23.166A	24.472B/23.166A	----	23.485 + 0.272	.9927	----	----	----	----	2	UNCH		
5100	----	----	24.105B/22.599A	24.105B/22.599A	----	22.987 + 0.272	.9922	----	----	----	----	5 -	128		
5150	----	----	23.470B/22.170A	23.470B/22.170A	----	22.489 + 0.271	.9916	----	----	----	----	6	UNCH		
5200	----	----	23.029B/21.638A	23.029B/21.638A	----	21.991 + 0.270	.9911	----	----	----	----	40	UNCH		
5225	----	----	22.809B/21.424A	22.809B/21.424A	----	21.742 + 0.270	.9908	----							

BULLETIN #106@				METALS OPTION PRODUCTS										Thu, Jun 04, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
SO CALL	COMEX SILVER OPTIONS																
JUL26																	
7550	2.629	2.629	2.844B/*1.916A	2.844B/*1.916A	----	2.156 -	0.140	.4318	----	10	----	12 -	1				
7575	----	----	2.731B/*1.827A	2.731B/*1.827A	----	2.063 -	0.142	.4181	----	----	----	55	UNCH				
7600	2.118	2.118	2.622B/*1.755A	2.622B/*1.755A	----	1.974 -	0.142	.4047	----	16	----	216 +	13				
7625	----	----	2.517B/*1.675A	2.517B/*1.675A	----	1.888 -	0.143	.3915	----	----	----	18	UNCH				
7650	1.793	1.793	2.414B/*1.605A	2.414B/*1.605A	----	1.805 -	0.144	.3785	----	3	----	40	UNCH				
7675	----	----	2.316B/*1.531A	2.316B/*1.531A	----	1.726 -	0.144	.3657	----	1	----	22 +	1				
7700	1.783	1.783	2.230/1.471A	2.230/1.471A	----	1.650 -	0.144	.3533	----	59	100	325 +	106				
7725	1.920	1.920	2.150/*1.402A	2.150/*1.402A	----	1.577 -	0.144	.3410	----	14	----	18 +	4				
7750	1.780	1.780	2.070/*1.347A	2.070/*1.347A	----	1.507 -	0.143	.3291	----	29	----	156 -	16				
7775	1.882	1.882	1.957B/*1.288A	1.957B/*1.288A	----	1.441 -	0.142	.3175	----	2	----	10	UNCH				
7800	1.400	1.400	1.875B/1.236A	1.875B/1.236A	----	1.377 -	0.141	.3062	----	25	----	234 +	3				
7825	----	----	1.798B/*1.181A	1.798B/*1.181A	----	1.316 -	0.140	.2951	----	----	----	3	UNCH				
7850	----	----	1.723B/1.134A	1.723B/1.134A	----	1.258 -	0.138	.2844	----	----	----	57	UNCH				
7875	----	----	1.650B/*1.086A	1.650B/*1.086A	----	1.202 -	0.137	.2740	----	----	----	12	UNCH				
7900	1.288	1.288	1.581B/1.040A	1.581B/1.040A	----	1.149 -	0.135	.2639	----	45	----	143 +	16				
7925	1.133	1.133	1.518B/0.997A	1.518B/0.997A	----	1.099 -	0.133	.2542	----	3	----	9 +	1				
7950	1.392	1.392	1.452B/0.956A	1.452B/0.956A	----	1.050 -	0.132	.2447	----	7	----	14 +	6				
7975	----	----	1.391B/0.918A	1.391B/0.918A	----	1.005 -	0.128	.2356	----	----	----	3	UNCH				
8000	1.089	1.089	1.332B/0.837A	1.332B/0.837A	----	0.961 -	0.126	.2267	----	207	----	1003 +	24				
8025	----	----	1.279B/0.843A	1.279B/0.843A	----	0.919 -	0.124	.2182	----	----	----	18	UNCH				
8050	0.972	0.972	1.225B/0.807A	1.225B/0.807A	----	0.879 -	0.122	.2099	----	3	----	51 +	3				
8075	----	----	1.168B/0.772A	1.168B/0.772A	----	0.842 -	0.119	.2021	----	----	----	11	UNCH				
8100	0.853	0.853	1.124/0.742A	1.124/0.742A	----	0.806 -	0.117	.1944	----	59	----	160	UNCH				
8125	0.923	0.923	1.073B/0.716A	1.073B/0.716A	----	0.772 -	0.114	.1871	----	1	----	1	UNCH				
8150	0.809	0.809	1.031B/0.685A	1.031B/0.685A	----	0.739 -	0.112	.1800	----	1	----	36 -	1				
8175	0.846	0.846	0.985B/0.659A	0.985B/0.659A	----	0.708 -	0.109	.1731	----	1	----	5	UNCH				
8200	0.720	0.720	0.951/0.637A	0.951/0.637A	----	0.679 -	0.106	.1667	----	91	----	253 +	30				
8225	----	----	0.908B/0.611A	0.908B/0.611A	----	0.651 -	0.104	.1604	----	----	----	4	UNCH				
8250	0.625	0.625	0.876B/0.584A	0.876B/0.584A	----	0.625 -	0.101	.1545	----	2	----	112	UNCH				
8275	----	----	0.838B/0.570A	0.838B/0.570A	----	0.600 -	0.098	.1487	----	----	----	8	UNCH				
8300	0.637	0.637	0.807B/0.552A	0.807B/0.552A	----	0.576 -	0.095	.1432	----	25	----	520 -	13				
8325	----	----	0.773B/0.528A	0.773B/0.528A	----	0.553 -	0.093	.1379	----	----	----	11	UNCH				
8350	----	----	0.745B/0.515A	0.745B/0.515A	----	0.531 -	0.091	.1327	----	----	----	29	UNCH				
8375	----	----	0.716B/0.496A	0.716B/0.496A	----	0.511 -	0.088	.1279	----	----	----	55	UNCH				
8400	0.547	0.547	0.691B/0.479A	0.691B/0.479A	----	0.491 -	0.086	.1232	----	12	----	167 -	1				
8425	----	----	0.664B/0.463A	0.664B/0.463A	----	0.473 -	0.083	.1188	----	----	----	44	UNCH				
8450	0.634	0.634	0.642B/0.448A	0.642B/0.448A	----	0.455 -	0.081	.1145	----	25	----	39 +	8				
8475	----	----	0.615B/0.428A	0.615B/0.428A	----	0.439 -	0.078	.1106	----	----	----	6	UNCH				
8500	0.473	0.473	0.600/0.415	0.600/0.415	----	0.423 -	0.076	.1067	----	90	----	1032 -	36				
8525	----	----	0.569B/0.407A	0.569B/0.407A	----	0.408 -	0.074	.1029	----	----	----	39	UNCH				
8550	----	----	0.554B/0.397A	0.554B/0.397A	----	0.394 -	0.071	.0994	----	----	----	195	UNCH				
8575	----	----	0.527B/0.385A	0.527B/0.385A	----	0.380 -	0.069	.0960	----	----	----	8	UNCH				
8600	0.403	0.403	0.508B/0.374A	0.508B/0.374A	----	0.367 -	0.067	.0927	----	71	----	466 +	33				
8625	0.479	0.479	0.490B/0.363A	0.490B/0.363A	----	0.355 -	0.065	.0897	----	1	----	15 +	1				
8650	----	----	0.473B/0.353A	0.473B/0.353A	----	0.343 -	0.063	.0866	----	----	----	49	UNCH				
8675	----	----	0.456B/0.342A	0.456B/0.342A	----	0.332 -	0.061	.0838	----	----	----	25	UNCH				
8700	0.370	0.370	0.442B/0.331A	0.442B/0.331A	----	0.322 -	0.059	.0812	----	10	----	325 +	3				
8725	----	----	0.425B/0.322A	0.425B/0.322A	----	0.312 -	0.057	.0786	----	----	----	4	UNCH				
8750	----	----	0.412B/0.313A	0.412B/0.313A	----	0.302 -	0.056	.0761	----	----	----	113	UNCH				
8775	----	----	0.398B/0.304A	0.398B/0.304A	----	0.293 -	0.054	.0737	----	----	----	15	UNCH				
8800	0.328	0.328	0.386B/0.295A	0.386B/0.295A	----	0.284 -	0.053	.0714	----	18	----	258 -	3				
8825	----	----	0.373B/0.286A	0.373B/0.286A	----	0.276 -	0.051	.0693	----	----	----	3	UNCH				
8850	----	----	0.362B/0.279A	0.362B/0.279A	----	0.268 -	0.049	.0672	----	----	----	11	UNCH				
8875	----	----	0.351B/0.271A	0.351B/0.271A	----	0.260 -	0.048	.0651	----	----	----	13	UNCH				
8900	0.318	0.318	0.341B/0.265A	0.341B/0.265A	----	0.253 -	0.047	.0633	----	5	----	149 -	3				
8925	----	----	0.330B/0.258A	0.330B/0.258A	----	0.246 -	0.045	.0614	----	----	----	11	UNCH				
8950	----	----	0.320B/0.252A	0.320B/0.252A	----	0.239 -	0.045	.0596	----	----	----	39	UNCH				
8975	----	----	0.310B/0.244A	0.310B/0.244A	----	0.233 -	0.043	.0580	----	----	----	17	UNCH				
9000	0.230	0.230	0.303B/*0.220	0.303B/*0.220	----	0.227 -	0.042	.0564	----	85	----	1754 -	3				
9025	----	----	0.286B/0.233A	0.286B/0.233A	----	0.221 -	0.041	.0548	----	----	----	14	UNCH				
9050	----	----	0.286B/0.227A	0.286B/0.227A	----	0.215 -	0.040	.0532	----	----	----	28	UNCH				
9075	----	----	0.277B/0.223A	0.277B/0.223A	----	0.210 -	0.039	.0518	----	----	----	10	UNCH				
9100	----	----	0.271B/0.218A	0.271B/0.218A	----	0.205 -	0.038	.0505	----	2	----	65 -	1				
9125	----	----	0.255B/0.213A	0.255B/0.213A	----	0.200 -	0.037	.0491	----	----	----	17	UNCH				
9150	----	----	0.251B/*0.208A	0.251B/*0.208A	----	0.195 -	0.037	.0478	----	----	----	21	UNCH				
9175	----	----	0.243B/0.204A	0.243B/0.204A	----	0.191 -	0.035	.0467	----	----	----	14	UNCH				
9200	----	----	0.244B/*0.199A	0.244B/*0.199A	----	0.186 -	0.035	.0454	----	1	----	76	UNCH				
9225	----	----	0.237B/*0.194A	0.237B/*0.194A	----	0.182 -	0.034	.0443	----	----	----	11	UNCH				
9250	----	----	0.231B/*0.190A	0.231B/*0.190A	----	0.178 -	0.034	.0432	----	----	----	26	UNCH				
9275	----	----	0.226B/*0.186A	0.226B/*0.186A	----	0.174 -	0.033	.0421	----	----	----	4	UNCH				
</																	

	BULLETIN #106@			METALS OPTION PRODUCTS							Thu, Jun 04, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO CALL	COMEX SILVER OPTIONS													
JUL26														
11100	----	----	----	0.065B/*0.073A	----	0.064 -	0.008 .0125	----	----	----	----	15	UNCH	
11125	----	----	----	0.064B/*0.073A	----	0.063 -	0.008 .0123	----	----	----	----	7	UNCH	
11150	----	----	----	0.063B/*0.072A	----	0.062 -	0.008 .0121	----	----	----	----	2	UNCH	
11175	----	----	----	0.063B/*0.072A	----	0.061 -	0.009 .0119	----	----	----	----	2	UNCH	
11200	----	----	----	0.062B/*0.071A	----	0.061 -	0.008 .0119	----	----	----	----	15	UNCH	
11225	----	----	----	0.061B/*0.070A	----	0.060 -	0.008 .0116	----	----	----	----	8	UNCH	
11250	----	----	----	0.060B/*0.070A	----	0.059 -	0.008 .0114	----	----	----	----	12	UNCH	
11275	----	----	----	0.060B/*0.067A	----	0.058 -	0.008 .0112	----	----	----	----	2	UNCH	
11300	----	----	----	0.059B/*0.068A	----	0.057 -	0.008 .0110	----	----	----	----	52	UNCH	
11325	----	----	----	0.058B/*0.067A	----	0.057 -	0.008 .0110	----	----	----	----	2	UNCH	
11350	----	----	----	0.058B/*0.066A	----	0.056 -	0.008 .0108	----	----	----	----	2	UNCH	
11400	----	----	----	0.056B/*0.065A	----	0.055 -	0.007 .0105	----	----	----	----	21	UNCH	
11425	----	----	----	0.055B/*0.065A	----	0.054 -	0.007 .0103	----	----	----	----	10	UNCH	
11450	----	----	----	0.055B/*0.064A	----	0.053 -	0.008 .0101	----	----	----	----	4	UNCH	
11500	0.067	0.067	0.074/*0.062	0.074/*0.062	----	0.052 -	0.007 .0099	----	----	35	----	1228	UNCH	
11550	----	----	----	0.052B/*0.062A	----	0.051 -	0.007 .0097	----	----	----	----	6	UNCH	
11575	----	----	----	0.052B/*0.062A	----	0.050 -	0.007 .0095	----	----	----	----	12	UNCH	
11600	----	----	----	0.051B/*0.061A	----	0.050 -	0.007 .0094	----	----	----	----	10	UNCH	
11625	----	----	----	0.050B/*0.060A	----	0.049 -	0.007 .0092	----	----	----	----	3	UNCH	
11650	----	----	----	0.051B/*0.059A	----	0.049 -	0.006 .0092	----	----	----	----	25	UNCH	
11675	----	----	----	0.049B/*0.059A	----	0.048 -	0.007 .0090	----	----	----	----	23	UNCH	
11700	----	----	----	0.048B/*0.058A	----	0.047 -	0.007 .0088	----	----	----	----	23	UNCH	
11725	----	----	----	0.048B/*0.058A	----	0.047 -	0.006 .0088	----	----	----	----	22	UNCH	
11750	----	----	----	0.047B/*0.058A	----	0.046 -	0.007 .0086	----	----	----	----	23	UNCH	
11775	----	----	----	0.047B/*0.056A	----	0.046 -	0.006 .0086	----	----	----	----	23	UNCH	
11800	----	----	----	0.046B/*0.057A	----	0.045 -	0.007 .0084	----	----	----	----	3	UNCH	
11875	----	----	----	0.045B/*0.054A	----	0.044 -	0.006 .0081	----	----	----	----	2	UNCH	
11900	----	----	----	0.044B/*0.054A	----	0.044 -	0.005 .0081	----	----	----	----	2	UNCH	
11925	----	----	----	0.043B/*0.053A	----	0.043 -	0.006 .0079	----	----	----	----	2	UNCH	
11950	----	----	----	0.043B/*0.053A	----	0.043 -	0.005 .0079	----	----	----	----	1	UNCH	
12000	0.042	0.042	0.042/*0.042	0.042/*0.042	----	0.042 -	0.005 .0077	----	----	4	----	546	UNCH	
12150	----	----	----	0.039B/*0.050A	----	0.039 -	0.005 .0071	----	----	----	----	1	UNCH	
12200	----	----	----	0.038B/*0.049A	----	0.038 -	0.006 .0069	----	----	----	----	14	UNCH	
12225	----	----	----	0.036B/*0.048A	----	0.038 -	0.005 .0069	----	----	----	----	16	UNCH	
12250	----	----	----	0.037B/*0.048A	----	0.038 -	0.005 .0068	----	----	----	----	8	UNCH	
12275	----	----	----	0.035B/*0.047A	----	0.037 -	0.005 .0067	----	----	----	----	1	UNCH	
12300	----	----	----	0.037B/*0.047A	----	0.037 -	0.005 .0067	----	----	----	----	13	UNCH	
12325	----	----	----	0.034B/*0.046A	----	0.036 -	0.005 .0065	----	----	----	----	1	UNCH	
12375	----	----	----	0.034B/*0.046A	----	0.036 -	0.005 .0064	----	----	----	----	2	UNCH	
12400	----	----	----	0.034B/*0.045A	----	0.035 -	0.005 .0063	----	----	----	----	1	UNCH	
12425	----	----	----	0.033B/*0.045A	----	0.035 -	0.005 .0062	----	----	----	----	3	UNCH	
12450	----	----	----	0.033B/*0.044A	----	0.035 -	0.004 .0062	----	----	----	----	1	UNCH	
12475	----	----	----	0.032B/*0.044A	----	0.034 -	0.005 .0061	----	----	----	----	3	UNCH	
12500	----	----	----	0.032B/*0.044A	----	0.034 -	0.005 .0060	----	----	----	----	101	UNCH	
12575	----	----	----	0.031B/*0.042A	----	0.033 -	0.005 .0058	----	----	----	----	2	UNCH	
12600	----	----	----	0.029B/*0.042A	----	0.033 -	0.004 .0058	----	----	----	----	6	UNCH	
12700	----	----	----	0.029B/*0.040A	----	0.031 -	0.005 .0054	----	----	----	----	74	UNCH	
12725	----	----	----	0.027B/*0.041A	----	0.031 -	0.005 .0054	----	----	----	----	2	UNCH	
12800	----	----	----	0.026B/*0.039A	----	0.030 -	0.005 .0052	----	----	----	----	1	UNCH	
13000	0.024	0.024	0.024/*0.024	0.024/*0.024	----	0.028 -	0.004 .0048	----	----	9	----	2658	UNCH	
14000	----	----	----	0.012B/*0.022A	----	0.020 -	0.003 .0032	----	----	----	----	856	UNCH	
14700	----	----	----	0.001B/0.030A	----	0.015 -	0.003 .0024	----	----	----	----	11	UNCH	
15000	----	----	----	----/0.030A	----	0.014 -	0.002 .0022	----	----	6	----	811 +	6	
16000	----	----	----	----/0.022A	----	0.009 -	0.003 .0013	----	----	----	----	3797	UNCH	
17000	----	----	----	----/*0.020A	----	0.007 -	0.001 .0010	----	----	----	----	22	UNCH	
18000	----	----	----	----/0.261A	----	0.005 -	0.001 .0007	----	----	----	----	259	UNCH	
19000	----	----	----	----/0.271A	----	0.003 -	0.001 .0004	----	----	----	----	79	UNCH	
20000	----	----	----	0.001B/0.010A	----	0.002 -	0.001 .0002	----	----	----	----	1220	UNCH	
21000	----	----	----	----/0.269A	----	0.002	UNCH .0002	----	----	----	----	427	UNCH	
24000	0.002	0.002	0.002/*0.002	0.002/*0.002	----	0.001 -	0.001 .0001	----	----	1	----	132 +	1	
25000	----	----	----	----/0.011A	----	0.001	UNCH .0000	----	----	----	----	407	UNCH	
27000	----	----	----	----/0.293A	----	0.001	UNCH .0000	----	----	----	----	6	UNCH	
30000	----	----	----	----/0.010A	----	0.001	UNCH .0000	----	----	----	----	54	UNCH	
32000	----	----	----	----/0.002A	----	0.001	UNCH	----	----	----	----	4	UNCH	
35000	----	----	----	----/0.002A	----	0.001	UNCH	----	----	----	----	108	UNCH	
TOTAL										1104	100	33853 +	15	
AUG26														
5000	24.548	24.548	25.786B/24.102A	25.786B/24.102A	----	24.562 +	0.263 .9821	----	----	2	----	3 +	1	
5400	----	----	21.817B/20.191A	21.817B/20.191A	----	20.639 +	0.245 .9686	----	----	----	----	3	UNCH	
5500	----	----	20.882B/19.229A	20.882B/19.229A	----	19.668 +	0.236 .9636	----	----	----	----	2	UNCH	
6300	----	----	13.424B/11.939A	13.424B/11.939A	----	12.266 +	0.112 .8751	----	----	----	----	7	UNCH	
6450	----	----	12.090B/10.696A	12.090B/10.696A	----	11.005 +	0.078 .8442	----	----	----	----	1	UNCH	
6500	----	----	11.700B/10.325A	11.700B/10.325A	----	10.598 +	0.066 .8328	----	----	----	----	2	UNCH	
6600	----	----	10.924B/9.560A	10.924B/9.560A	----	9.809 +	0.043 .8078	----	----	----	----	2	UNCH	
6800	----	----	9.366B/8.140A	9.366B/8.140A	----	8.338 +	0.002 .7509	----	----	----	----	7	UNCH	
6875	----	----	8.843B/7.647A	8.843B/7.647A	----	7.827 -	0.011 .7276	----	----	----	----	5	UNCH	
7000	----	----	7.983B/6.833A	7.983B/6.833A	----	7.029 -	0.029 .6865	----	----	----	----	136	UNCH	
7025	----	----	7.802B/6.704A	7.802B/6.704A	----	6.877 -	0.032 .6781	----	----	----	----	5	UNCH	
7050	----	----	7.637B/6.561A	7.637B/6.561A	----	6.728 -	0.035 .6696	----	----	----	----	4	UNCH	
7100	----	----	7.326B/6.284A											

	BULLETIN #106@				METALS OPTION PRODUCTS						Thu, Jun 04, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL	COMEX SILVER OPTIONS														
AUG26															
8875	----	----		1.600B/1.275A	1.600B/1.275A	----			1.339 -	0.056	.1906	----	----	----	2
8900	----	----		1.566B/1.253A	1.566B/1.253A	----			1.313 -	0.055	.1873	----	----	----	20
8925	----	----		1.537B/1.230A	1.537B/1.230A	----			1.287 -	0.055	.1839	----	----	----	3
8950	1.261	1.261		1.509B/1.221A	1.509B/1.221A	----			1.262 -	0.054	.1806	----	1	----	8 +
8975	----	----		1.477B/1.182A	1.477B/1.182A	----			1.238 -	0.053	.1774	----	1	----	3 +
9000	1.219	1.219		1.457B/1.169A	1.457B/1.169A	----			1.214 -	0.053	.1743	----	128	----	1150 -
9025	----	----		1.421B/1.148A	1.421B/1.148A	----			1.191 -	0.052	.1712	----	----	----	4
9050	----	----		1.397B/1.131A	1.397B/1.131A	----			1.168 -	0.052	.1682	----	----	----	13
9075	1.148	1.148		1.369B/*1.099A	1.369B/*1.099A	----			1.146 -	0.051	.1652	----	1	----	2
9100	1.270	1.270		1.346B/1.085A	1.346B/1.085A	----			1.124 -	0.051	.1623	----	1	----	35 +
9150	----	----		1.293B/1.051A	1.293B/1.051A	----			1.083 -	0.050	.1568	----	----	----	11
9175	----	----		1.266B/1.030A	1.266B/1.030A	----			1.063 -	0.049	.1541	----	----	----	2
9200	----	----		1.252B/1.013A	1.252B/1.013A	----			1.043 -	0.049	.1514	----	30	----	41 +
9225	----	----		1.222B/0.986A	1.222B/0.986A	----			1.024 -	0.048	.1488	----	----	----	1
9250	----	----		1.208B/0.979A	1.208B/0.979A	----			1.005 -	0.048	.1462	----	----	----	174
9275	----	----		1.177B/0.956A	1.177B/0.956A	----			0.987 -	0.048	.1437	----	----	----	2
9300	----	----		1.158B/0.935A	1.158B/0.935A	----			0.969 -	0.048	.1412	----	----	----	7
9350	----	----		1.118B/0.918A	1.118B/0.918A	----			0.935 -	0.047	.1365	----	----	----	1
9400	----	----		1.080B/0.867A	1.080B/0.867A	----			0.902 -	0.047	.1320	----	----	----	133
9450	----	----		1.045B/0.864A	1.045B/0.864A	----			0.871 -	0.046	.1276	----	----	----	8
9475	----	----		1.018B/0.843A	1.018B/0.843A	----			0.856 -	0.046	.1255	----	----	----	29
9500	----	----		1.009B/0.827A	1.009B/0.827A	----			0.842 -	0.045	.1235	----	121	----	239 -
9550	----	----		0.976B/0.814A	0.976B/0.814A	----			0.813 -	0.046	.1195	----	----	----	18
9575	----	----		0.958B/0.803A	0.958B/0.803A	----			0.800 -	0.045	.1176	----	----	----	2
9600	----	----		0.946B/0.777A	0.946B/0.777A	----			0.787 -	0.044	.1157	----	----	----	3
9625	----	----		0.926B/0.778A	0.926B/0.778A	----			0.774 -	0.044	.1139	----	----	----	27
9700	----	----		0.888B/0.731A	0.888B/0.731A	----			0.738 -	0.043	.1087	----	----	----	100
9725	----	----		0.867B/0.727A	0.867B/0.727A	----			0.726 -	0.043	.1069	----	----	----	1
9750	----	----		0.859B/0.713A	0.859B/0.713A	----			0.715 -	0.042	.1053	----	----	----	19
9775	----	----		0.839B/0.702A	0.839B/0.702A	----			0.704 -	0.042	.1037	----	----	----	1
9800	----	----		0.832B/0.690A	0.832B/0.690A	----			0.693 -	0.042	.1021	----	----	----	26
9850	----	----		0.808B/0.673A	0.808B/0.673A	----			0.673 -	0.041	.0992	----	----	----	16
9875	----	----		0.786B/0.662A	0.786B/0.662A	----			0.664 -	0.039	.0978	----	----	----	5
9900	----	----		0.773B/0.652A	0.773B/0.652A	----			0.654 -	0.039	.0963	----	----	----	7
9925	----	----		0.761B/0.644A	0.761B/0.644A	----			0.645 -	0.038	.0950	----	----	----	5
9950	----	----		0.751B/0.637A	0.751B/0.637A	----			0.636 -	0.038	.0936	----	----	----	3
9975	----	----		0.738B/0.627A	0.738B/0.627A	----			0.627 -	0.037	.0923	----	----	----	10
10000	0.630	0.630		0.727B/0.618A	0.727B/0.618A	----			0.619 -	0.036	.0910	----	7	----	528 +
10025	----	----		0.715B/0.610A	0.715B/0.610A	----			0.611 -	0.035	.0898	----	----	----	1
10075	----	----		0.694B/0.595A	0.694B/0.595A	----			0.594 -	0.033	.0873	----	----	----	15
10100	----	----		0.685B/0.587A	0.685B/0.587A	----			0.586 -	0.032	.0861	----	----	----	3
10125	----	----		0.672B/0.579A	0.672B/0.579A	----			0.578 -	0.030	.0849	----	----	----	1
10150	0.657	0.657		0.704/0.572A	0.704/0.572A	----			0.571 -	0.028	.0838	----	2	----	9 +
10175	----	----		0.654B/0.566A	0.654B/0.566A	----			0.563 -	0.027	.0826	----	----	----	4
10200	----	----		0.644B/0.568A	0.644B/0.568A	----			0.556 -	0.026	.0815	----	----	----	34
10225	----	----		0.635B/0.558A	0.635B/0.558A	----			0.548 -	0.025	.0804	----	----	----	1
10250	----	----		0.624B/-----	0.624B/-----	----			0.541 -	0.024	.0793	----	----	----	2
10275	----	----		0.615B/-----	0.615B/-----	----			0.535 -	0.022	.0784	----	----	----	21
10300	----	----		0.606B/-----	0.606B/-----	----			0.528 -	0.022	.0773	----	----	----	33
10325	----	----		0.594B/-----	0.594B/-----	----			0.522 -	0.020	.0764	----	----	----	11
10350	----	----		0.589B/-----	0.589B/-----	----			0.516 -	0.019	.0754	----	----	----	6
10375	----	----		0.580B/-----	0.580B/-----	----			0.510 -	0.018	.0745	----	----	----	1
10400	0.530	0.530		0.575B/0.530	0.575B/0.530	----			0.504 -	0.018	.0736	----	1	----	12
10475	----	----		0.549B/-----	0.549B/-----	----			0.488 -	0.015	.0710	----	----	----	6
10500	----	----		0.542B/-----	0.542B/-----	----			0.482 -	0.016	.0701	----	----	----	100
10600	----	----		0.513B/-----	0.513B/-----	----			0.463 -	0.013	.0671	----	----	----	5
10650	----	----		0.499B/-----	0.499B/-----	----			0.453 -	0.014	.0655	----	----	----	1
10675	----	----		0.493B/-----	0.493B/-----	----			0.448 -	0.014	.0647	----	----	----	4
10700	----	----		0.486B/-----	0.486B/-----	----			0.444 -	0.013	.0641	----	----	----	3
10725	----	----		0.480B/-----	0.480B/-----	----			0.439 -	0.014	.0633	----	----	----	1
10775	----	----		0.469B/-----	0.469B/-----	----			0.430 -	0.014	.0619	----	----	----	3
10800	----	----		0.463B/-----	0.463B/-----	----			0.425 -	0.014	.0612	----	----	----	5
10825	----	----		0.456B/-----	0.456B/-----	----			0.421 -	0.014	.0605	----	----	----	2
10875	----	----		0.445B/-----	0.445B/-----	----			0.412 -	0.014	.0591	----	----	----	5
10900	----	----		0.441B/-----	0.441B/-----	----			0.407 -	0.015	.0584	----	----	----	6
10925	----	----		0.434B/-----	0.434B/-----	----			0.403 -	0.015	.0578	----	----	----	4
10950	----	----		0.428B/-----	0.428B/-----	----			0.398 -	0.016	.0570	----	----	----	1
10975	----	----		0.418B/-----	0.418B/-----	----			0.394 -	0.016	.0564	----	----	----	7
11000	----	----		0.413B/-----	0.413B/-----	----			0.390 -	0.016	.0558	----	3	----	589
11075	----	----		0.398B/-----	0.398B/-----	----			0.377 -	0.017	.0539	----	----	----	3
11100	----	----		0.394B/-----	0.394B/-----</										



BULLETIN #106@			METALS OPTION PRODUCTS								Thu, Jun 04, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETTL.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL		COMEX SILVER	OPTIONS											
SEP26														
8675	----	----	----	2.778B/2.937A	----	2.688 -	0.169	.2852	----	----	----	----	5	
8700	----	----	----	2.735B/2.896A	----	2.649 -	0.167	.2815	----	----	----	----	104	
8800	----	----	----	2.570B/2.737A	----	2.496 -	0.164	.2672	----	----	----	----	13	
8900	----	----	----	2.414B/2.589A	----	2.354 -	0.161	.2537	----	----	----	----	4	
8925	----	----	----	2.377B/2.553A	----	2.320 -	0.160	.2504	----	----	----	----	2	
8950	----	----	----	2.340B/2.521A	----	2.287 -	0.159	.2472	----	----	----	----	2	
9000	2.390	2.390	2.390/2.390	2.390/2.390	----	2.222 -	0.158	.2409	----	1	----	----	227 +	
9025	----	----	----	2.237B/2.417A	----	2.190 -	0.158	.2378	----	----	----	----	4	
9100	----	----	----	2.137B/2.322A	----	2.098 -	0.156	.2289	----	----	----	----	12	
9150	----	----	----	2.081B/2.261A	----	2.039 -	0.156	.2231	----	----	----	----	16	
9200	----	----	----	2.017B/2.200A	----	1.982 -	0.155	.2174	----	----	----	----	4	
9300	----	----	----	1.906B/2.091A	----	1.874 -	0.152	.2067	----	----	----	----	28	
9400	----	----	----	1.799B/1.987A	----	1.773 -	0.149	.1965	----	----	----	----	20	
9500	----	----	----	1.694B/1.890A	----	1.679 -	0.145	.1870	----	----	36	----	422 +	
9600	----	----	----	1.601B/1.803A	----	1.591 -	0.140	.1779	----	----	----	----	37	
9750	----	----	----	1.473B/1.678A	----	1.470 -	0.129	.1653	----	----	----	----	23	
9800	----	----	----	1.433B/1.639A	----	1.432 -	0.125	.1614	----	----	----	----	130	
9900	----	----	----	1.368B/1.565A	----	1.361 -	0.114	.1539	----	----	----	----	85	
10000	1.330	1.330	1.330/1.330	1.330/1.330	----	1.295 -	0.101	.1468	----	3	----	----	428 +	
10025	----	----	----	1.282B/1.493A	----	1.279 -	0.098	.1451	----	----	----	----	1	
10050	1.497	1.497	1.497/1.479A	1.497/1.479A	----	1.264 -	0.094	.1435	----	3	----	----	3	
10100	----	----	----	1.223B/1.450A	----	1.233 -	0.087	.1402	----	----	----	----	54	
10125	----	----	----	1.211B/1.436A	----	1.219 -	0.082	.1386	----	----	----	----	1	
10200	----	----	----	1.162B/1.394A	----	1.176 -	0.072	.1339	----	----	----	----	54	
10300	----	----	----	1.098B/1.342A	----	1.123 -	0.060	.1281	----	----	----	----	52	
10500	----	----	----	0.984B/1.253A	----	1.026 -	0.045	.1174	----	----	----	----	233	
10800	----	----	0.944B/----	0.944B/*0.943A	----	0.905 -	0.034	.1037	----	----	----	----	2	
11000	----	----	0.896B/----	0.896B/0.907A	----	0.836 -	0.033	.0958	----	10	----	----	256 +	
11100	----	----	0.857B/----	0.857B/0.875A	----	0.804 -	0.034	.0922	----	----	----	----	3	
11300	----	----	0.789B/----	0.789B/0.816A	----	0.747 -	0.036	.0856	----	----	----	----	60	
11500	----	----	----	0.730B/0.763A	----	0.696 -	0.039	.0796	----	----	----	----	109	
12000	----	----	----	0.604B/0.652A	----	0.589 -	0.044	.0671	----	----	----	----	128	
12500	----	----	----	0.507B/0.568A	----	0.504 -	0.041	.0571	----	----	----	----	96	
12700	----	----	----	0.474B/0.539A	----	0.475 -	0.037	.0537	----	----	----	----	1	
12775	----	----	----	0.462B/0.528A	----	0.465 -	0.036	.0525	----	----	----	----	1	
12800	----	----	----	0.459B/0.525A	----	0.461 -	0.036	.0521	----	----	----	----	1	
13000	----	----	----	0.430B/0.499A	----	0.436 -	0.031	.0492	----	----	----	----	204	
14000	0.370	0.370	0.370/0.369A	0.370/0.369A	----	0.337 -	0.008	.0375	----	8	----	----	231 -	
15000	----	----	----	0.243B/0.322A	----	0.274 +	0.009	.0299	----	----	----	----	425	
16000	0.250	0.250	0.250/*0.249A	0.250/*0.249A	----	0.232 +	0.020	.0248	----	2	----	----	17	
17000	----	----	----	0.150B/0.229A	----	0.203 +	0.028	.0213	----	----	----	----	27	
18000	----	----	----	0.118B/0.199A	----	0.182 +	0.034	.0186	----	----	----	----	5	
19000	----	----	----	0.094B/0.172A	----	0.167 +	0.039	.0167	----	----	----	----	14	
20000	----	----	----	0.075B/0.155A	----	0.155 +	0.043	.0152	----	----	----	----	311	
21000	----	----	----	0.060B/0.138A	----	0.145 +	0.045	.0139	----	----	----	----	11	
23000	----	----	----	0.001B/2.556A	----	0.129 +	0.047	.0120	----	----	----	----	44	
25000	----	----	----	0.001B/2.488A	----	0.114 +	0.043	.0103	----	----	----	----	77	
26000	----	----	----	0.001B/2.469A	----	0.106 +	0.038	.0095	----	----	----	----	1	
30000	----	----	----	0.001B/2.415A	----	0.076 +	0.014	.0066	----	----	----	----	18	
35000	----	----	----	----/0.049A	----	0.049 +	0.015	.0042	----	----	----	----	28	
TOTAL											135	36	5406 +	
OCT26														
7000	----	----	9.865B/----	9.865B/10.002A	----	9.706 +	0.148	.6668	----	----	----	----	2	
7100	----	----	9.309B/----	9.309B/9.481A	----	9.180 +	0.140	.6441	----	----	----	----	1	
7500	----	----	7.645B/----	7.645B/7.246A	----	7.345 +	0.115	.5546	----	----	----	----	2	
7650	----	----	7.223B/----	7.223B/6.665A	----	6.755 +	0.105	.5224	----	----	----	----	2	
7775	----	----	6.661B/----	6.661B/6.256A	----	6.309 +	0.098	.4967	----	----	----	----	2	
7825	----	----	6.482B/----	6.482B/6.082A	----	6.141 +	0.096	.4866	----	----	----	----	1	
7875	----	----	6.328B/----	6.328B/5.913A	----	5.979 +	0.093	.4768	----	----	----	----	2	
8000	----	----	5.976B/5.492A	5.976B/5.492A	----	5.592 +	0.087	.4528	----	----	----	----	38	
8075	----	----	5.663B/----	5.663B/5.289A	----	5.371 +	0.083	.4388	----	----	----	----	1	
8275	----	----	5.121B/----	5.121B/4.754A	----	4.827 +	0.074	.4033	----	----	----	----	2	
8500	----	----	4.607B/4.230A	4.607B/4.230A	----	4.297 +	0.065	.3668	----	----	----	----	14	
8550	----	----	4.490B/4.122A	4.490B/4.122A	----	4.192 +	0.064	.3593	----	----	----	----	1	
8700	----	----	4.163B/3.826A	4.163B/3.826A	----	3.894 +	0.058	.3376	----	----	----	----	4	
8900	3.635	3.635	3.784B/3.468A	3.784B/3.468A	----	3.535 +	0.051	.3107	----	1	----	----	20 +	
9000	----	----	3.603B/3.305A	3.603B/3.305A	----	3.368 +	0.048	.2981	----	----	----	----	1	
9100	----	----	3.437B/3.151A	3.437B/3.151A	----	3.209 +	0.045	.2859	----	----	----	----	23	
9200	----	----	3.282B/3.007A	3.282B/3.007A	----	3.060 +	0.042	.2744	----	----	----	----	1	
9500	----	----	2.864B/2.629A	2.864B/2.629A	----	2.674 +	0.035	.2433	----	----	----	----	124	
9700	----	----	2.624B/2.412A	2.624B/2.412A	----	2.456 +	0.030	.2251	----	----	----	----	70	
9900	----	----	2.409B/2.218A	2.409B/2.218A	----	2.263 +	0.027	.2087	----	----	----	----	1	
10000	----	----	2.310B/2.129A	2.310B/2.129A	----	2.174 +	0.026	.2011	----	----	----	----	96	
10100	----	----	2.217B/2.045A	2.217B/2.045A	----	2.089 +	0.025	.1938	----	----	----	----	1	
10275	----	----	2.057B/1.919A	2.057B/1.919A	----	1.949 +	0.022	.1817	----	----	----	----	1	
10300	2.002	2.002	2.049B/1.889A	2.049B/1.889A	----	1.930 +	0.022	.1800	----	6	----	7 +	6	
10325	----	----	2.017B/1.883A	2.017B/1.883A	----	1.911 +	0.021	.1784	----	----	----	----	1	
10350	----	----	2.005B/1.856A	2.005B/1.856A	----	1.893 +	0.022	.1768	----	----	----	----	2	
10375	----	----	1.978B/1.846A	1.978B/1.846A	----	1.874 +	0.021	.1751	----	----	----	----		

	BULLETIN #106@										METALS OPTION PRODUCTS					Thu, Jun 04, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST		
SO CALL	COMEX SILVER OPTIONS																	
NOV26																		
9000	----	----	----	----/4.254A	4.131B/4.254A	----	----	----	4.403 +	0.059	.3347	----	----	----	60	UNCH		
9050	----	----	----		4.044B/4.499A	----	----	----	4.317 +	0.058	.3290	----	2	----	0	-		
9550	----	----	----		3.289B/3.753A	----	----	----	3.564 +	0.046	.2784	----	----	----	3	UNCH		
9800	----	----	----		2.979B/3.444A	----	----	----	3.251 +	0.041	.2566	----	----	----	3	UNCH		
10000	----	----	----		2.758B/3.221A	----	----	----	3.027 +	0.038	.2407	----	3	----	24	-		
11000	----	----	----		1.920B/2.366A	----	----	----	2.172 +	0.024	.1776	----	----	----	94	UNCH		
12000	----	----	----		1.367B/1.835A	----	----	----	1.624 +	0.015	.1349	----	----	----	13	UNCH		
12500	----	----	----		1.145B/1.652A	----	----	----	1.423 +	0.012	.1188	----	----	----	10	UNCH		
13000	----	----	----		1.188B/1.277A	----	----	----	1.257 +	0.011	.1053	----	----	----	1	UNCH		
14000	----	----	----		0.920B/1.039A	----	----	----	0.999 +	0.006	.0841	----	----	----	2	UNCH		
15000	----	----	----		0.730B/0.862A	----	----	----	0.812 +	0.004	.0685	----	----	----	6	UNCH		
16000	----	----	----		0.588B/0.730A	----	----	----	0.670 +	0.003	.0566	----	----	----	14	UNCH		
17000	----	----	----		0.483B/0.628A	----	----	----	0.559 +	0.002	.0473	----	----	----	2	UNCH		
20000	----	----	----		0.286B/0.434A	----	----	----	0.348	UNCH	.0294	----	----	----	33	UNCH		
21000	----	----	----		0.245B/0.394A	----	----	----	0.311 -	0.001	.0261	----	----	----	1	UNCH		
25000	----	----	----		0.138B/0.281A	----	----	----	0.241 -	0.002	.0193	----	----	----	13	UNCH		
30000	----	----	----		0.071B/*0.188A	----	----	----	0.127 -	0.001	.0104	----	----	----	6	UNCH		
TOTAL													5	0	367	-		
DEC26																		
3875	----	----	----		----	----	----	----	36.591 +	0.262	.9812	----	----	----	1	UNCH		
5000	----	----	----		10.321B/41.218A	----	----	----	25.899 +	0.239	.9303	----	----	----	30	UNCH		
5250	----	----	----		7.372B/39.668A	----	----	----	23.682 +	0.231	.9098	----	----	----	50	UNCH		
5500	----	----	----		5.528B/37.250A	----	----	----	21.552 +	0.221	.8850	----	----	----	1	UNCH		
6500	----	----	----	14.114B/----	14.114B/14.568A	----	----	----	14.222 +	0.174	.7419	----	----	----	600	UNCH		
6900	----	----	----		11.755B/12.259A	----	----	----	11.939 +	0.154	.6715	----	----	----	1	UNCH		
6950	----	----	----		11.491B/12.023A	----	----	----	11.680 +	0.150	.6625	----	----	----	220	UNCH		
7000	----	----	----		11.230B/11.779A	----	----	----	11.428 +	0.148	.6536	----	----	----	120	UNCH		
7025	----	----	----		11.102B/11.654A	----	----	----	11.304 +	0.147	.6491	----	----	----	1	UNCH		
7075	----	----	----		10.850B/11.408A	----	----	----	11.061 +	0.145	.6401	----	----	----	5	UNCH		
7100	----	----	----		10.730B/11.250A	----	----	----	10.941 +	0.143	.6357	----	----	----	15	UNCH		
7375	----	----	----	9.719B/----	9.719B/10.015A	----	----	----	9.717 +	0.129	.5870	----	----	----	2	UNCH		
7500	----	----	----		8.936B/9.506A	----	----	----	9.213 +	0.123	.5654	----	----	----	18	UNCH		
7575	----	----	----		8.640B/9.217A	----	----	----	8.926 +	0.119	.5527	----	----	----	1	UNCH		
7750	----	----	----		7.992B/8.584A	----	----	----	8.296 +	0.111	.5239	----	----	----	2	UNCH		
7800	----	----	----		7.818B/8.415A	----	----	----	8.127 +	0.109	.5159	----	----	----	37	UNCH		
7925	----	----	----		7.403B/8.009A	----	----	----	7.721 +	0.104	.4964	----	----	----	2	UNCH		
8000	----	----	----		7.167B/7.778A	----	----	----	7.490 +	0.101	.4850	----	----	----	154	UNCH		
8100	----	----	----		6.865B/7.485A	----	----	----	7.195 +	0.097	.4701	----	----	----	1	UNCH		
8200	----	----	----		6.580B/7.205A	----	----	----	6.915 +	0.093	.4557	----	----	----	21	UNCH		
8400	----	----	----		6.053B/6.688A	----	----	----	6.396 +	0.085	.4282	----	----	----	50	UNCH		
8500	----	----	----		5.810B/6.449A	----	----	----	6.156 +	0.082	.4151	----	----	----	165	UNCH		
8550	----	----	----		5.693B/6.335A	----	----	----	6.041 +	0.081	.4087	----	----	----	25	UNCH		
8600	----	----	----		5.579B/6.223A	----	----	----	5.928 +	0.079	.4025	----	----	----	47	UNCH		
8800	----	----	----		5.151B/5.800A	----	----	----	5.505 +	0.073	.3785	----	----	----	5	UNCH		
8900	----	----	----		4.953B/5.604A	----	----	----	5.309 +	0.070	.3671	----	----	----	30	UNCH		
8950	----	----	----		4.858B/5.510A	----	----	----	5.215 +	0.069	.3616	----	----	----	1	UNCH		
9000	----	----	----		4.765B/5.418A	----	----	----	5.123 +	0.067	.3561	----	----	----	249	UNCH		
9050	----	----	----		4.674B/5.328A	----	----	----	5.033 +	0.066	.3508	----	----	----	100	UNCH		
9100	----	----	----		4.586B/5.240A	----	----	----	4.945 +	0.064	.3455	----	----	----	16	UNCH		
9300	----	----	----		4.252B/4.908A	----	----	----	4.615 +	0.059	.3255	----	----	----	15	UNCH		
9500	----	----	----	----/*4.190A	3.950B/*4.190A	----	----	----	4.315 +	0.055	.3070	----	----	----	10	UNCH		
9700	----	----	----		3.675B/4.329A	----	----	----	4.042 +	0.051	.2897	----	----	----	1	UNCH		
9800	----	----	----		3.547B/4.201A	----	----	----	3.914 +	0.049	.2815	----	----	----	74	UNCH		
9900	----	----	----		3.424B/4.073A	----	----	----	3.792 +	0.047	.2737	----	----	----	5	UNCH		
10000	----	----	----		3.305B/3.957A	----	----	----	3.675 +	0.046	.2661	----	----	----	855	UNCH		
10025	----	----	----		3.279B/3.929A	----	----	----	3.646 +	0.045	.2642	----	----	----	3	UNCH		
10500	----	----	----		2.796B/*3.426A	----	----	----	3.155 +	0.037	.2318	----	----	----	103	UNCH		
10600	----	----	----		2.705B/3.344A	----	----	----	3.063 +	0.036	.2257	----	----	----	6	UNCH		
10800	----	----	----		2.536B/*3.156A	----	----	----	2.887 +	0.033	.2139	----	----	----	5	UNCH		
11000	----	----	----		2.381B/3.012A	----	----	----	2.724 +	0.031	.2028	----	----	----	210	UNCH		
11350	----	----	----		2.139B/2.760A	----	----	----	2.463 +	0.027	.1850	----	----	----	5	UNCH		
11400	----	----	----		2.107B/2.726A	----	----	----	2.428 +	0.027	.1826	----	----	----	1	UNCH		
11600	----	----	----		1.985B/*2.579A	----	----	----	2.295 +	0.025	.1734	----	----	----	1	UNCH		
11800	----	----	----		1.872B/*2.459A	----	----	----	2.171 +	0.023	.1648	----	----	----	29	UNCH		
12000	----	----	----		1.769B/2.366A	----	----	----	2.055 +	0.021	.1567	----	----	----	572	UNCH		
12200	----	----	----		1.671B/*2.265A	----	----	----	1.947 +	0.020	.1491	----	----	----	1	UNCH		
12300	----	----	----		1.625B/*2.224A	----	----	----	1.896 +	0.019	.1454	----	----	----	2	UNCH		
12500	----	----	----		1.525B/*2.125A	----	----	----	1.799 +	0.018	.1385	----	----	----	47	UNCH		
12800	----	----	----		1.386B/*2.015A	----	----	----	1.666 +	0.016	.1290	----	----	----	2	UNCH		
13000	1.700	1.700		1.700/1.697A	1.700/1.697A	----	----	----	1.586 +	0.015	.1231	----	2	----	385	+		
13500	----	----	----		1.114B/1.801A	----	----	----	1.409 +	0.013	.1101	----	----	----	6	UNCH		
14000	----	----	----		1.239B/1.387A	----	----	----	1.262 +	0.010	.0990	----	----	----	96	UNCH		
14200	----	----	----		1.184B/1.337A	----	----											



BULLETIN #106@				METALS OPTION PRODUCTS								Thu, Jun 04, 2026				PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETTL.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
SO CALL	COMEX SILVER OPTIONS																
MAY27																	
11000	----	----	----	0.001B/13.351A	----	6.037 + 0.055	.3133	----	----	----	----	----	1	UNCH			
TOTAL												0	1	0			
JUL27																	
2000	----	----	----	----	----	57.219 + 0.233	.9977	----	----	----	----	----	1	UNCH			
10000	----	----	----	----	----	8.635 + 0.072	.3999	----	----	----	----	----	1	UNCH			
10300	----	----	----	----	----	8.197 + 0.067	.3820	----	----	----	----	----	1	UNCH			
TOTAL												0	3	0			
DEC27																	
4000	----	----	----	----	----	39.302 + 0.199	.9312	----	----	----	----	----	1	UNCH			
20000	----	----	----	----	----	5.709 + 0.030	.2209	----	----	----	----	----	25	UNCH			
TOTAL												0	26	0			
SO PUT	COMEX SILVER OPTIONS																
JUL26																	
2000	----	----	----	----/0.006A	----	0.001	UNCH	----	----	----	----	----	6	UNCH			
2400	----	----	----	----/0.299A	----	0.001	UNCH	----	----	----	----	----	10	UNCH			
2650	----	----	----	----/0.018A	----	0.001	UNCH	0.0000	----	----	----	----	2	UNCH			
2900	----	----	----	----/0.018A	----	0.001	UNCH	0.0000	----	----	----	----	6	UNCH			
3000	----	----	----	----/0.010A	----	0.001 - 0.001	.0001	----	----	----	----	----	1	UNCH			
3025	----	----	----	----/*0.017A	----	0.001 - 0.001	.0001	----	----	----	----	----	1	UNCH			
3175	----	----	----	----/0.018A	----	0.002 - 0.001	.0002	----	----	----	----	----	10	UNCH			
3275	----	----	----	----/0.018A	----	0.002 - 0.002	.0003	----	----	----	----	----	1	UNCH			
3350	----	----	----	----/0.018A	----	0.003 - 0.002	.0004	----	----	----	----	----	2	UNCH			
3400	----	----	----	----/0.019A	----	0.003 - 0.002	.0004	----	----	----	----	----	55	UNCH			
3475	----	----	----	----/0.019A	----	0.004 - 0.002	.0005	----	----	----	----	----	5	UNCH			
3500	----	----	----	----/0.019A	----	0.004 - 0.002	.0006	----	----	----	----	----	4	UNCH			
3600	----	----	----	----/0.020A	----	0.005 - 0.002	.0007	----	----	----	----	----	12	UNCH			
3700	----	----	----	----/0.021A	----	0.006 - 0.003	.0009	----	----	----	----	----	94	UNCH			
3800	----	----	----	----/0.022A	----	0.007 - 0.003	.0010	----	----	----	----	----	25	UNCH			
3825	----	----	----	----/*0.022A	----	0.007 - 0.003	.0011	----	----	----	----	----	8	UNCH			
3850	----	----	----	----/*0.023A	----	0.008 - 0.002	.0012	----	----	----	----	----	3	UNCH			
3900	----	----	----	----/0.023A	----	0.008 - 0.003	.0012	----	----	----	----	----	11	UNCH			
3950	----	----	----	----/0.024A	----	0.009 - 0.003	.0014	----	----	----	----	----	1	UNCH			
4000	----	----	----	0.010B/0.015A	----	0.010 - 0.003	.0016	----	----	----	----	----	97	UNCH			
4075	----	----	----	----/*0.026A	----	0.011 - 0.003	.0018	----	----	----	----	----	16	UNCH			
4100	----	----	----	----/*0.027A	----	0.011 - 0.003	.0018	----	----	----	----	----	6	UNCH			
4175	----	----	----	----/*0.028A	----	0.012 - 0.004	.0020	----	----	----	----	----	9	UNCH			
4200	----	----	----/*0.014A	0.012B/*0.014A	----	0.013 - 0.003	.0021	----	----	----	----	----	27	UNCH			
4225	----	----	----	----/*0.029A	----	0.013 - 0.004	.0022	----	----	----	----	----	1	UNCH			
4250	----	----	----	----/*0.030A	----	0.014 - 0.003	.0023	----	----	----	----	----	21	UNCH			
4300	----	----	----	----/0.031A	----	0.015 - 0.003	.0025	----	----	----	----	----	98	UNCH			
4325	----	----	----	----/0.032A	----	0.015 - 0.004	.0025	----	----	----	----	----	17	UNCH			
4375	----	----	----	----/0.033A	----	0.016 - 0.004	.0027	----	----	----	----	----	32	UNCH			
4400	----	----	----	----/0.034A	----	0.017 - 0.003	.0029	----	----	----	----	----	34	UNCH			
4450	----	----	----	----/0.035A	----	0.018 - 0.003	.0031	----	----	----	----	----	4	UNCH			
4475	----	----	----	----/0.036A	----	0.018 - 0.004	.0032	----	----	----	----	----	16	UNCH			
4500	----	----	----	----/0.023A	----	0.019 - 0.004	.0033	----	----	----	----	----	302	UNCH			
4575	----	----	----	0.010B/0.037A	----	0.021 - 0.004	.0037	----	----	----	----	----	75	UNCH			
4600	----	----	----	0.010B/0.037A	----	0.022 - 0.003	.0039	----	----	----	----	----	101	UNCH			
4650	----	----	----	0.012B/*0.037A	----	0.023 - 0.004	.0042	----	----	----	----	----	40	UNCH			
4675	----	----	----	0.013B/*0.035A	----	0.024 - 0.004	.0044	----	----	----	----	----	12	UNCH			
4700	----	----	----	0.014B/*0.035A	----	0.024 - 0.004	.0044	----	----	----	----	----	154	UNCH			
4725	----	----	----	0.015B/*0.036A	----	0.025 - 0.004	.0046	----	----	----	----	----	3	UNCH			
4750	----	----	----	0.015B/0.036A	----	0.026 - 0.004	.0048	----	----	----	----	----	57	UNCH			
4775	----	----	----	0.017B/*0.034A	----	0.026 - 0.005	.0049	----	----	----	----	----	8	UNCH			
4800	----	----	----	0.018B/*0.035A	----	0.027 - 0.005	.0051	----	----	----	----	----	15	UNCH			
4825	----	----	----	0.018B/*0.035A	----	0.028 - 0.005	.0053	----	----	----	----	----	26	UNCH			
4850	----	----	----	0.019B/*0.035A	----	0.029 - 0.005	.0055	----	----	----	----	----	2	UNCH			
4875	----	----	----	0.019B/*0.035A	----	0.030 - 0.005	.0057	----	----	----	----	----	23	UNCH			
4900	----	----	----	0.021B/*0.036A	----	0.030 - 0.006	.0058	----	----	----	----	----	170	UNCH			
4975	----	----	----/*0.038A	0.022B/*0.038A	----	0.033 - 0.006	.0065	----	----	----	----	----	2	UNCH			
5000	0.040	0.040	0.040/*0.036	0.040/*0.036	----	0.034 - 0.006	.0067	----	----	10	----	----	973 +	9			
5025	----	----	----/*0.040A	0.024B/*0.040A	----	0.035 - 0.006	.0070	----	----	----	----	----	1	UNCH			
5050	----	----	----/*0.041A	0.025B/*0.041A	----	0.036 - 0.006	.0072	----	----	----	----	----	16	UNCH			
5075	----	----	----/*0.042A	0.026B/*0.042A	----	0.037 - 0.007	.0075	----	----	----	----	----	11	UNCH			
5100	----	----	----/*0.043A	0.041B/*0.043A	----	0.038 - 0.007	.0077	----	----	----	----	----	177	UNCH			
5150	----	----	----/*0.045A	0.030B/*0.045A	----	0.040 - 0.008	.0082	----	----	----	----	----	5	UNCH			
5175	----	----	----/*0.046A	0.031B/*0.046A	----	0.041 - 0.008	.0085	----	----	----	----	----	5	UNCH			
5200	----	----	----/*0.047A	0.032B/*0.047A	----	0.042 - 0.009	.0088	----	----	----	----	----	109	UNCH			
5225	----	----	----/*0.048A	0.033B/*0.048A	----	0.043 - 0.009	.0091	----	----	----	----	----	9	UNCH			
5250	----	----	----/*0.049A	0.035B/*0.049A	----	0.044 - 0.010	.0093	----	----	----	----	----	225	UNCH			
5275	----	----	----/*0.050A	0.036B/*0.050A	----	0.046 - 0.010	.0098	----	----	----	----	----	2	UNCH			
5300	----	----	----/0.051A	0.038B/0.051A	----	0.047 - 0.010	.0101	----	----	----	----	----	127	UNCH			
5325	----	----	----/*0.053A	0.039B/*0.053A	----	0.048 - 0.011	.0104	----	----	----	----	----	11	UNCH			
5350	----	----	----/*0.054A	0.041B/*0.054A	----	0.050 - 0.011	.0109	----	----	----	----	----	26	UNCH			
5375	----	----	----/*0.055A	0.042B/*0.055A	----	0.051 - 0.012	.0112	----	----	----	----	----	17	UNCH			
5400	----	----	----/0.057A	0.044B/0.057A	----	0.052 - 0.013	.0115	----	----	----	----	----	78	UNCH			
5425	0.057	0.057	0.057/*0.057	0.057/*0.057	----	0.054 - 0.014	.0120	----	----	1	----	----	50 +	1			
5450	----	----	----/*0.060A	0.047B/*0.060A	----	0.056 - 0.014	.0125	----	----	----	----	----	38	UNCH			
5475	----	----	----/*0.062A	0.049B/*0.062A	----	0.057 - 0.016	.0129	----	----	----	----	----	53	UNCH			
5500	0.068	0.068	0.068/*0.049A	0.068/*0.049A	----	0.059 - 0.016	.0134	----	----	4	----	----	993 -	2			
5525	----	----	----/*0.065A	0.055B/*0.065A	----	0.061 - 0.017	.0139	----	----	----	----	----	89	UNCH			
5550	----	----	----/*0.067A														

	BULLETIN #106@				METALS OPTION PRODUCTS										Thu, Jun 04, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
SO PUT	COMEX SILVER OPTIONS																		
JUL26																			
6925	1.210	1.210		1.5028/0.843A	1.5028/0.843A	----	1.021	-	0.270	.2282	----	----	2	----	52 +				
6950	0.926	0.926		1.5788/0.895A	1.5788/0.895A	----	1.083	-	0.280	.2394	----	----	6	----	137 +				
6975	1.330	1.330		1.6708/0.951A	1.6708/0.951A	----	1.148	-	0.290	.2510	----	----	5	----	12 +				
7000	1.536	1.536		1.7518/1.007A	1.7518/1.007A	----	1.217	-	0.299	.2629	----	----	61	150	1392 +				
7025	1.445	1.445		1.8468/1.063A	1.8468/1.063A	----	1.289	-	0.308	.2751	----	----	13	----	209 -				
7050	----	----		1.9458/1.124A	1.9458/1.124A	----	1.365	-	0.317	.2876	----	----	----	----	8				
7075	1.585	1.585		2.0458/1.192A	2.0458/1.192A	----	1.444	-	0.326	.3004	----	----	1	----	8				
7100	1.881	1.881		2.1368/1.263A	2.1368/1.263A	----	1.527	-	0.334	.3135	----	----	37	----	80 -				
7125	1.429	1.429		2.2528/1.335A	2.2528/1.335A	----	1.614	-	0.341	.3268	----	----	1	----	12 -				
7150	1.579	1.579		2.3518/1.410A	2.3518/1.410A	----	1.704	-	0.349	.3404	----	----	1	----	175 -				
7175	----	----		2.4758/1.482A	2.4758/1.482A	----	1.798	-	0.356	.3541	----	----	2	----	33				
7200	2.281	2.281		2.5788/1.565A	2.5788/1.565A	----	1.896	-	0.363	.3680	----	----	12	----	180 +				
7225	----	----		2.7118/1.660A	2.7118/1.660A	----	1.998	-	0.369	.3821	----	----	----	----	4				
7250	----	----		2.8228/1.748A	2.8228/1.748A	----	2.104	-	0.374	.3964	----	----	2	----	193 +				
7275	2.476	2.476		2.9608/1.837A	2.9608/1.837A	----	2.214	-	0.380	.4107	----	----	1	----	5 +				
7300	2.847	2.847		3.0938/1.932A	3.0938/1.932A	----	2.328	-	0.385	.4251	----	----	29	----	74 +				
7325	2.914	2.914		3.2268/2.033A	3.2268/2.033A	----	2.445	-	0.390	.4396	----	----	1	----	15 +				
7350	3.042	3.042		3.3648/2.137A	3.3648/2.137A	----	2.567	-	0.394	.4541	----	----	1	----	11				
7375	2.850	2.850		3.5048/2.243A	3.5048/2.243A	----	2.693	-	0.398	.4686	----	----	2	----	125 +				
7400	3.363	3.363		3.5988/2.355A	3.5988/2.355A	----	2.823	-	0.401	.4831	----	----	10	----	139 +				
7425	----	----		3.7538/2.470A	3.7538/2.470A	----	2.957	-	0.404	.4975	----	----	----	----	30				
7450	2.800	2.800		3.8998/2.588A	3.8998/2.588A	----	3.094	-	0.408	.5119	----	----	3	----	97 -				
7475	----	----		4.0298/2.711A	4.0298/2.711A	----	3.236	-	0.410	.5261	----	----	8	----	28				
7500	3.304	3.304		4.1878/2.836A	4.1878/2.836A	----	3.381	-	0.413	.5403	----	----	4	----	202 +				
7525	3.714	3.714		4.3438/2.967A	4.3438/2.967A	----	3.530	-	0.415	.5543	----	----	2	----	28 +				
7550	----	----		4.5178/3.100A	4.5178/3.100A	----	3.683	-	0.416	.5681	----	----	----	----	41				
7575	----	----		4.6868/3.235A	4.6868/3.235A	----	3.839	-	0.418	.5817	----	----	----	----	28				
7600	3.618	3.618		4.8598/3.378A	4.8598/3.378A	----	3.999	-	0.419	.5952	----	----	5	----	50 +				
7625	----	----		5.0358/3.522A	5.0358/3.522A	----	4.163	-	0.419	.6084	----	----	----	----	62 +				
7650	----	----		5.2138/3.671A	5.2138/3.671A	----	4.330	-	0.420	.6214	----	----	----	----	66				
7675	----	----		5.3958/3.824A	5.3958/3.824A	----	4.500	-	0.420	.6341	----	----	----	----	37				
7700	----	----		5.5808/3.978A	5.5808/3.978A	----	4.674	-	0.420	.6466	----	----	1	----	239				
7725	----	----		5.7678/4.136A	5.7678/4.136A	----	4.850	-	0.420	.6588	----	----	----	----	36				
7750	----	----		5.9578/4.332A	5.9578/4.332A	----	5.030	-	0.419	.6708	----	----	----	----	25				
7775	----	----		6.1508/4.496A	6.1508/4.496A	----	5.213	-	0.418	.6823	----	----	----	----	6				
7800	----	----		6.3468/4.665A	6.3468/4.665A	----	5.399	-	0.417	.6937	----	----	----	----	105				
7825	----	----		6.5448/4.834A	6.5448/4.834A	----	5.588	-	0.415	.7047	----	----	----	----	27				
7850	----	----		6.7448/5.010A	6.7448/5.010A	----	5.779	-	0.414	.7154	----	----	----	----	35				
7875	----	----		6.9478/5.187A	6.9478/5.187A	----	5.973	-	0.413	.7259	----	----	----	----	26				
7900	6.260	6.260		7.1528/5.362A	7.1528/5.362A	----	6.170	-	0.411	.7359	----	----	1	----	29 -				
7925	----	----		7.3608/5.549A	7.3608/5.549A	----	6.369	-	0.409	.7457	----	----	----	----	2				
7950	----	----		7.5708/5.734A	7.5708/5.734A	----	6.570	-	0.407	.7552	----	----	----	----	4				
7975	----	----		7.7818/5.917A	7.7818/5.917A	----	6.774	-	0.404	.7643	----	----	----	----	5				
8000	----	----		7.9948/6.106A	7.9948/6.106A	----	6.979	-	0.403	.7731	----	----	----	----	5				
8050	----	----		8.4278/6.495A	8.4278/6.495A	----	7.397	-	0.398	.7900	----	----	----	----	252				
8075	----	----		8.6468/6.693A	8.6468/6.693A	----	7.609	-	0.395	.7978	----	----	----	----	1				
8100	----	----		8.8668/6.893A	8.8668/6.893A	----	7.823	-	0.393	.8054	----	----	----	----	10				
8125	----	----		9.0888/7.095A	9.0888/7.095A	----	8.038	-	0.391	.8128	----	----	----	----	48				
8150	----	----		9.3118/7.301A	9.3118/7.301A	----	8.255	-	0.388	.8199	----	----	1	----	7				
8175	----	----		9.5368/7.505A	9.5368/7.505A	----	8.474	-	0.385	.8267	----	----	----	----	2				
8200	----	----		9.7628/7.715A	9.7628/7.715A	----	8.695	-	0.382	.8332	----	----	----	----	4				
8225	----	----		9.9898/7.923A	9.9898/7.923A	----	8.916	-	0.380	.8395	----	----	----	----	23				
8250	----	----		10.2128/8.135A	10.2128/8.135A	----	9.139	-	0.377	.8454	----	----	----	----	4				
8275	----	----		10.4418/8.349A	10.4418/8.349A	----	9.364	-	0.374	.8511	----	----	----	----	17				
8300	----	----		10.6728/8.564A	10.6728/8.564A	----	9.590	-	0.371	.8567	----	----	----	----	90				
8325	----	----		10.9098/8.781A	10.9098/8.781A	----	9.817	-	0.369	.8620	----	----	----	----	15				
8350	----	----		11.1418/8.999A	11.1418/8.999A	----	10.045	-	0.366	.8671	----	----	----	----	129				
8375	----	----		11.3698/9.219A	11.3698/9.219A	----	10.274	-	0.364	.8719	----	----	----	----	1				
8400	----	----		11.6038/9.445A	11.6038/9.445A	----	10.504	-	0.361	.8766	----	----	----	----	20				
8425	----	----		11.8448/9.663A	11.8448/9.663A	----	10.735	-	0.359	.8810	----	----	----	----	4				
8450	----	----		12.0808/9.891A	12.0808/9.891A	----	10.967	-	0.357	.8853	----	----	----	----	13				
8475	----	----		12.3118/10.112A	12.3118/10.112A	----	11.200	-	0.354	.8893	----	----	----	----	4				
8500	----	----		12.5488/10.343A	12.5488/10.343A	----	11.434	-	0.352	.8932	----	----	5	----	1				
8525	----	----		12.7918/10.566A	12.7918/10.566A	----	11.669	-	0.349	.8969	----	----	----	----	168				
8550	----	----		13.0308/10.794A	13.0308/10.794A	----	11.904	-	0.347	.9004	----	----	----	----	4				
8575	----	----		13.2638/11.023A	13.2638/11.023A	----	12.140	-	0.345	.9039	----	----	----	----	UNCH				
8600	----	----		13.5038/11.254A	13.5038/11.254A	----	12.377	-	0.343	.9071	----	----	----	----	7				
8625	----	----		13.7488/11.485A	13.7488/11.485A	----	12.615	-	0.340	.9102	----	----	----	----	UNCH				
8650	----	----		13.9898/11.717A	13.9898/11.717A	----	12.853	-	0.338	.9132	----	----	----	----	1				
8675	----	----		14.2248/11.950A	14.2248/11.950A	----	13.091	-	0.337	.9160	----	----	----	----	UNCH				
8700	----	----		14.4668/12.184A	14.4668/12.184A	----	13.330	-	0.335	.9187	----	----	----	----	1				
8725	----	----		14.7088/12.418A	14.7088/12.418A	----	13.570	-	0.333	.9212	----	----	----	----	11				
8800	----	----		15.4368/13.126A	15.4368/13.126A	----	14.292	-	0.327	.9285	----	----	----	----	UNCH				
8850	----	----		15.9228/13.601A	15.9228/13.601A	----	14.775	-	0.325	.9327	----	----	----	----	59				
8900	----	----		16.4108/14.078A	16.4108/14.078A	----	15.259	-	0.322	.9366	----	----	----	----	1				
8975	----	----		17.1448/14.798A	17.1448/14.798A	----	15.989	-	0.318	.9419	----	----	----	----	UNCH				
9000	----	----		17.3898/15.038A	17.3898/15.038A	----	16.232	-	0.317	.9435	----	----	----	----	2				
9025	----	----		17.6358/15.279A	17.6358/15.279A	----	16.476	-	0.316	.9451	----	----	----	----	UNCH				
9175	----	----		18.4168/16.733A	18.4168/16.733A	----	17.944	-	0.311	.9532	----	----	----	----	1				
9200	----	----		18.6628/16.976A	18.6628/16.976A	----	18.190	-	0.310	.9545	----	----	----	----	UNCH				
9250	----	----		19.1548/17.471A	19.1548/17.471A	----	18.681	-	0.309	.9567	----	----	----	----	11				
9275	----	----		19.4008/17.715A	19.4008/17.715A	----	18.927	-	0.308	.9577	----	----	----	----	UNCH				
9300	----	----		19.6478/17.952A	19.6478/17.952A	----	19.173	-	0.307	.9588	----	----	----	----	1				
9400	----	----		20.6378/18.938A	20.6378/18.938A	----	20.159	-	0.305	.9624	----	----	----	----	UNCH				
9450	----	----		21.1318/19.429A	21.1318/19.429A	----	20.652	-	0.304	.9640	----	----	----	----	12				
9500	----	----		21.6268/19.920A	21.6268/19.920A	----	21.146	-	0.303	.9656	----	----	----	----	UNCH				
9600	----	----		22.6168/20.905A	22.6168/20.905A	----	22.136	-	0.300	.9682	----	----	----	----	50				
9775	----	----		24.3478/22.632A	24.3478/22.632A	----	23.870	-	0.297	.9723	----	----	----	----	UNCH				
9900	----	----		25.4288/24.093A	25.4288/24.093A	----	25.111	-	0.294	.9745	----	----	----	----	5				
9950	----	----		25.9248/24.626A	25.9248/24.626A	----	25.608	-	0.293	.9754	----	----	----	----	UNCH				
10000	----	----		26.4898/24.981A	26.4898/24.981A	----	26.												

PG64	BULLETIN #106@				METALS OPTION PRODUCTS						Thu, Jun 04, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT AUG26	COMEX SILVER OPTIONS														
6025	----	----	----	----/*0.484A	0.601B/*0.484A	----	0.496	- 0.107	.0816	----	----	----	----	----	2 UNCH
6050	----	----	----	----/*0.500A	0.627B/*0.500A	----	0.518	- 0.111	.0849	----	----	----	5	----	47 + 5
6100	----	----	----	0.691B/*0.542A	0.691B/*0.542A	----	0.564	- 0.121	.0918	----	----	----	----	----	119 UNCH
6125	----	----	----	0.715B/*0.566A	0.715B/*0.566A	----	0.589	- 0.125	.0954	----	----	----	----	----	5 UNCH
6150	----	----	----	----/*0.588A	0.745B/*0.588A	----	0.614	- 0.131	.0991	----	----	5	----	----	5 + 5
6175	----	----	----	0.783B/0.615A	0.783B/0.615A	----	0.641	- 0.136	.1030	----	----	----	----	----	17 UNCH
6200	0.627	0.627	----	0.833B/*0.627	0.833B/*0.627	----	0.669	- 0.141	.1071	----	----	6	----	----	140 + 6
6225	----	----	----	0.861B/0.669A	0.861B/0.669A	----	0.699	- 0.146	.1113	----	----	----	----	----	10 UNCH
6250	0.738	0.738	----	0.898B/0.697A	0.898B/0.697A	----	0.730	- 0.151	.1156	----	----	1	----	----	131 UNCH
6275	----	----	----	0.940B/0.726A	0.940B/0.726A	----	0.762	- 0.156	.1201	----	----	----	----	----	2 UNCH
6300	0.940	0.940	----	0.986B/0.756A	0.986B/0.756A	----	0.795	- 0.162	.1246	----	----	6	----	----	178 + 2
6325	----	----	----	1.025B/0.788A	1.025B/0.788A	----	0.830	- 0.168	.1294	----	----	1	----	----	2 + 1
6350	----	----	----	1.067B/0.824A	1.067B/0.824A	----	0.867	- 0.173	.1343	----	----	----	----	----	71 UNCH
6375	----	----	----	1.113B/0.857A	1.113B/0.857A	----	0.905	- 0.179	.1394	----	----	----	----	----	2 UNCH
6400	----	----	----	1.171B/0.895A	1.171B/0.895A	----	0.945	- 0.184	.1446	----	----	----	----	----	99 UNCH
6425	----	----	----	1.218B/0.933A	1.218B/0.933A	----	0.986	- 0.190	.1500	----	----	----	----	----	9 UNCH
6450	----	----	----	1.271B/0.976A	1.271B/0.976A	----	1.030	- 0.195	.1556	----	----	----	----	----	43 UNCH
6475	----	----	----	1.327B/1.016A	1.327B/1.016A	----	1.075	- 0.201	.1612	----	----	1	----	----	2 + 1
6500	1.210	1.210	----	1.393B/1.051A	1.393B/1.051A	----	1.121	- 0.207	.1670	----	----	6	----	----	175 - 2
6525	----	----	----	1.447B/1.102A	1.447B/1.102A	----	1.170	- 0.213	.1730	----	----	----	----	----	1 UNCH
6550	----	----	----	1.502B/1.148A	1.502B/1.148A	----	1.221	- 0.218	.1792	----	----	----	----	----	4 UNCH
6575	----	----	----	1.573B/1.182A	1.573B/1.182A	----	1.274	- 0.224	.1855	----	----	----	----	----	51 UNCH
6600	1.327	1.327	----	1.637B/1.228A	1.637B/1.228A	----	1.329	- 0.229	.1920	----	----	53	----	----	176 + 37
6625	----	----	----	1.708B/1.292A	1.708B/1.292A	----	1.386	- 0.235	.1986	----	----	----	----	----	21 UNCH
6650	----	----	----	1.771B/1.345A	1.771B/1.345A	----	1.445	- 0.241	.2053	----	----	----	----	----	15 UNCH
6675	----	----	----	1.850B/1.400A	1.850B/1.400A	----	1.507	- 0.245	.2123	----	----	----	----	----	1 UNCH
6700	1.657	1.657	----	1.924B/1.449A	1.924B/1.449A	----	1.570	- 0.251	.2193	----	----	30	----	----	79 + 24
6725	----	----	----	2.003B/1.516A	2.003B/1.516A	----	1.637	- 0.256	.2265	----	----	----	----	----	11 UNCH
6750	----	----	----	2.078B/1.574A	2.078B/1.574A	----	1.705	- 0.261	.2338	----	----	----	----	----	10 UNCH
6775	1.829	1.829	----	2.166B/1.638A	2.166B/1.638A	----	1.776	- 0.266	.2412	----	----	1	----	----	16 UNCH
6800	2.118	2.118	----	2.248B/1.699A	2.248B/1.699A	----	1.850	- 0.270	.2488	----	----	9	----	----	220 + 3
6825	2.226	2.226	----	2.337B/1.767A	2.337B/1.767A	----	1.926	- 0.275	.2565	----	----	26	----	----	35 + 24
6850	----	----	----	2.417B/1.846A	2.417B/1.846A	----	2.004	- 0.280	.2643	----	----	----	----	----	3 UNCH
6875	----	----	----	2.517B/1.914A	2.517B/1.914A	----	2.085	- 0.284	.2722	----	----	----	----	----	129 UNCH
6900	2.157	2.157	----	2.609B/1.994A	2.609B/1.994A	----	2.169	- 0.288	.2803	----	----	52	----	----	70 + 43
6925	2.233	2.233	----	2.697B/2.070A	2.697B/2.070A	----	2.256	- 0.291	.2884	----	----	8	----	----	8 + 7
6950	----	----	----	2.785B/2.140A	2.785B/2.140A	----	2.345	- 0.295	.2966	----	----	----	----	----	33 UNCH
6975	----	----	----	2.884B/2.222A	2.884B/2.222A	----	2.437	- 0.299	.3049	----	----	----	----	----	11 UNCH
7000	2.507	2.507	----	3.007B/2.290A	3.007B/2.290A	----	2.532	- 0.302	.3133	----	----	57	----	----	437 + 27
7025	2.929	2.929	----	3.095B/2.391A	3.095B/2.391A	----	2.629	- 0.305	.3217	----	----	25	----	----	25 + 24
7050	----	----	----	3.195B/2.497A	3.195B/2.497A	----	2.730	- 0.307	.3302	----	----	----	----	----	14 UNCH
7075	2.789	2.789	----	3.306B/2.575A	3.306B/2.575A	----	2.833	- 0.309	.3387	----	----	1	----	----	23 + 1
7100	----	----	----	3.450B/2.659A	3.450B/2.659A	----	2.938	- 0.312	.3473	----	----	----	----	----	26 UNCH
7125	----	----	----	3.540B/2.769A	3.540B/2.769A	----	3.046	- 0.315	.3559	----	----	----	----	----	20 UNCH
7150	----	----	----	3.657B/2.865A	3.657B/2.865A	----	3.157	- 0.317	.3646	----	----	----	----	----	9 UNCH
7175	----	----	----	3.777B/2.968A	3.777B/2.968A	----	3.271	- 0.318	.3733	----	----	----	----	----	10 UNCH
7200	3.324	3.324	----	3.930B/3.079A	3.930B/3.079A	----	3.387	- 0.320	.3819	----	----	10	----	----	108 + 1
7225	----	----	----	4.022B/3.181A	4.022B/3.181A	----	3.506	- 0.321	.3906	----	----	----	----	----	11 UNCH
7250	3.416	3.416	----	4.143B/3.277A	4.143B/3.277A	----	3.627	- 0.323	.3993	----	----	17	----	----	76 + 15
7275	----	----	----	4.277B/3.389A	4.277B/3.389A	----	3.751	- 0.325	.4080	----	----	----	----	----	10 UNCH
7300	3.649	3.649	----	4.428B/3.511A	4.428B/3.511A	----	3.878	- 0.325	.4167	----	----	1	----	----	110 UNCH
7325	----	----	----	4.545B/3.633A	4.545B/3.633A	----	4.007	- 0.326	.4253	----	----	----	----	----	2 UNCH
7350	----	----	----	4.684B/3.754A	4.684B/3.754A	----	4.138	- 0.328	.4340	----	----	----	----	----	16 UNCH
7375	----	----	----	4.823B/3.861A	4.823B/3.861A	----	4.272	- 0.329	.4426	----	----	----	----	----	1 UNCH
7400	----	----	----	4.979B/3.985A	4.979B/3.985A	----	4.408	- 0.330	.4511	----	----	1	----	----	32 + 1
7425	----	----	----	5.108B/4.140A	5.108B/4.140A	----	4.546	- 0.331	.4596	----	----	15	----	----	16 + 14
7450	----	----	----	5.256B/4.269A	5.256B/4.269A	----	4.687	- 0.332	.4681	----	----	----	----	----	1 UNCH
7475	----	----	----	5.404B/4.383A	5.404B/4.383A	----	4.830	- 0.333	.4765	----	----	----	----	----	6 UNCH
7500	----	----	----	5.590B/4.501A	5.590B/4.501A	----	4.975	- 0.334	.4849	----	----	1	----	----	134 + 1
7525	----	----	----	5.701B/4.652A	5.701B/4.652A	----	5.122	- 0.335	.4932	----	----	----	----	----	11 UNCH
7550	----	----	----	5.866B/4.797A	5.866B/4.797A	----	5.271	- 0.336	.5015	----	----	----	----	----	18 UNCH
7575	----	----	----	6.025B/4.934A	6.025B/4.934A	----	5.423	- 0.337	.5097	----	----	----	----	----	2 UNCH
7600	----	----	----	6.216B/5.085A	6.216B/5.085A	----	5.576	- 0.338	.5178	----	----	----	----	----	7 UNCH
7625	----	----	----	6.343B/5.231A	6.343B/5.231A	----	5.732	- 0.339	.5258	----	----	----	----	----	16 UNCH
7650	----	----	----	6.509B/5.368A	6.509B/5.368A	----	5.890	- 0.339	.5338	----	----	----	----	----	41 UNCH
7675	6.459	6.459	----	6.675B/5.512A	6.675B/5.512A	----	6.049	- 0.341	.5417	----	----	1	----	----	45 + 1
7700	----	----	----	6.885B/5.659A	6.885B/5.659A	----	6.211	- 0.341	.5495	----	----	----	----	----	161 UNCH
7725	----	----	----	6.988B/5.800A	6.988B/5.800A	----	6.375	- 0.342	.5572	----	----	----	----	----	56 UNCH
7750	----	----	----	7.162B/5.958A	7.162B/5.958A	----	6.540	- 0.343	.5649	----	----	----	----	----	1 UNCH
7775	----	----	----	7.194B/6.111A	7.194B/6.111A	----	6.708	- 0.343	.5724	----	----	----	----	----	1 UNCH
7800	----	----	----	7.317B/6.264A	7.317B/6.264A	----	6.877	- 0.344	.5799	----	----	1	----	----	29 + 1
7825	----	----	----	7.473B/6.442A	7.473B/6.442A	----	7.048	- 0.344	.5872	----	----	----	----	----	1 UNCH
7850	----	----	----	----/6.594A	7.547B/6.594A	----	7.222	- 0.343	.5945	----	----	----	----	----	18 UNCH
7875	----	----	----	----/6.775A	7.731B/6.775A	----	7.396	- 0.344	.6017	----	----	----	----	----	1 UNCH
7900	----	----	----	----/6.929A	7.906B/6.929A	----	7.573	- 0.344	.6088	----	----	----	----	----	12 UNCH
7925	----	----	----	----/7.093A	8.058B/7.093A	----	7.751	- 0.344	.6158	----	----	----	----	----	2 UNCH
7950	----	----	----	8.286B/7.269A	8.286B/7.269A	----	7.931	- 0.344	.6227	----	----	----	----	----	61 UNCH
7975	----	----	----	----/7.440A	8.451B/7.440A	----	8.113	- 0.344	.6295	----	----	----	----	----	2 UNCH
8000	----	----	----	----/7.614A	8.634B/7.614A	----	8.297	- 0.343	.6362	----	----	1	----	----	301 + 1
8025	----	----	----	----/7.789A	8.825B/7.789A	----	8.482	- 0.343	.6428	----	----	----	----	----	1 UNCH
8050	----	----	----	9.012B/8.002A	9.012B/8.002A	----	8.668	- 0.343	.6492	----	----	----	----	----	1 UNCH
8100	----	----	----	----/8.366A	9.363B/8.366A	----	9.046	- 0.342	.6619	----	----	----	----	----	10 UNCH
8125	----	----	----	9.609B/8.549A	9.609B/8.549A	----	9.237	- 0.342	.6681	----	----	----	----	----	1 UNCH
8150	----	----	----	9.788B/8.733A	9.788B/8.733A	----	9.430	- 0.341	.6742	----	----	----	----	----	14 UNCH
8175	----	----	----	9.981B/8.904A	9.981B/8.904A	----	9.624	- 0.341	.6802	----	----	----	----	----	1 UNCH
8200	----	----	----	----/9.104A	10.149B/9.104A	----	9.819	- 0.341	.6861	----	----	----	----	----	10 UNCH

BULLETIN #106@				METALS OPTION PRODUCTS							Thu, Jun 04, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
SO PUT	COMEX SILVER OPTIONS														
SEP26															
5750	----	----	----/0.680A	0.636B/0.680A	----	0.656 - 0.093	.0846	----	----	----	----	1	UNCH		
5800	----	----	----/0.726A	0.645B/0.726A	----	0.707 - 0.100	.0905	----	----	----	----	9	UNCH		
5850	----	----	----/0.771A	0.651B/0.771A	----	0.763 - 0.112	.0968	----	----	----	----	1	UNCH		
5900	----	----	----	0.664B/0.964A	----	0.824 - 0.123	.1035	----	----	----	----	50	UNCH		
6000	----	----	----/1.078A	0.850B/1.078A	----	0.956 - 0.148	.1178	----	----	----	----	863	UNCH		
6050	----	----	----/1.142A	0.884B/1.142A	----	1.029 - 0.161	.1255	----	----	----	----	19	UNCH		
6100	----	----	----/1.207A	1.136B/1.207A	----	1.106 - 0.175	.1335	----	----	----	----	4	UNCH		
6200	----	----	----/1.312A	1.211B/1.312A	----	1.276 - 0.202	.1507	----	----	----	----	40	UNCH		
6300	----	----	----/1.427A	1.340B/1.427A	----	1.468 - 0.230	.1693	----	----	----	----	5	UNCH		
6400	----	----	----/1.720A	1.558B/1.720A	----	1.684 - 0.258	.1895	----	----	----	----	8	UNCH		
6425	----	----	----/1.782A	1.613B/1.782A	----	1.743 - 0.264	.1948	----	----	----	----	3	UNCH		
6450	----	----	----/1.841A	1.677B/1.841A	----	1.803 - 0.270	.2001	----	----	----	----	1	UNCH		
6500	----	----	----/1.963A	1.816B/1.963A	----	1.929 - 0.282	.2111	----	----	----	----	156	UNCH		
6550	----	----	----/2.093A	1.938B/2.093A	----	2.063 - 0.293	.2225	----	----	----	----	15	UNCH		
6700	----	----	----/2.529A	2.484B/2.529A	----	2.511 - 0.323	.2586	----	----	----	----	5	UNCH		
6750	----	----	----/2.689A	2.615B/2.689A	----	2.677 - 0.331	.2712	----	----	----	----	1	UNCH		
6800	2.800	2.800	2.800/2.800	2.867B/2.800	----	2.852 - 0.339	.2840	----	----	1	----	22 +	1		
6850	----	----	----/3.035A	3.013B/3.035A	----	3.035 - 0.348	.2971	----	----	----	----	2	UNCH		
6900	----	----	----/3.223A	3.283B/3.223A	----	3.227 - 0.356	.3103	----	----	----	----	24	UNCH		
7000	3.586	3.586	3.609/3.508	3.720B/3.508	----	3.638 - 0.373	.3373	----	----	70	----	207 +	60		
7025	----	----	----/3.726A	3.787B/3.726A	----	3.746 - 0.377	.3441	----	----	----	----	1	UNCH		
7100	----	----	----/4.044A	4.210B/4.044A	----	4.083 - 0.392	.3646	----	----	----	----	18	UNCH		
7125	----	----	----/4.157A	4.275B/4.157A	----	4.200 - 0.396	.3715	----	----	----	----	25	UNCH		
7175	----	----	----/4.390A	4.529B/4.390A	----	4.440 - 0.406	.3852	----	----	----	----	20	UNCH		
7200	----	----	----/4.513A	4.720B/4.513A	----	4.564 - 0.410	.3921	----	----	----	----	79	UNCH		
7300	----	----	----/5.014A	5.262B/5.014A	----	5.078 - 0.430	.4195	----	----	----	----	171	UNCH		
7400	----	----	----/5.544A	5.833B/5.544A	----	5.626 - 0.447	.4466	----	----	----	----	26	UNCH		
7500	----	----	----/6.105A	6.431B/6.105A	----	6.207 - 0.462	.4731	----	----	----	----	17	UNCH		
7550	----	----	----/6.401A	6.680B/6.401A	----	6.509 - 0.469	.4861	----	----	----	----	44	UNCH		
7600	----	----	----/6.687A	7.059B/6.687A	----	6.818 - 0.475	.4989	----	----	----	----	26	UNCH		
7650	----	----	----/7.005A	7.322B/7.005A	----	7.134 - 0.481	.5116	----	----	----	----	15	UNCH		
7700	----	----	----/7.306A	7.715B/7.306A	----	7.458 - 0.485	.5239	----	----	----	----	9	UNCH		
7775	----	----	----/7.787A	8.163B/7.787A	----	7.956 - 0.490	.5420	----	----	----	----	5	UNCH		
7800	----	----	----/7.966A	8.398B/7.966A	----	8.125 - 0.491	.5480	----	----	----	----	26	UNCH		
7900	----	----	----/8.618A	9.107B/8.618A	----	8.818 - 0.492	.5710	----	----	----	----	1	UNCH		
8000	----	----	----/9.321A	9.411B/9.321A	----	9.534 - 0.490	.5930	----	----	----	----	94	UNCH		
8100	----	----	----/10.038A	10.130B/10.038A	----	10.272 - 0.484	.6139	----	----	----	----	1	UNCH		
8200	----	----	----/10.764A	10.879B/10.764A	----	11.030 - 0.476	.6337	----	----	----	----	1	UNCH		
8300	----	----	----/11.530A	12.180B/11.530A	----	11.805 - 0.468	.6526	----	----	----	----	1	UNCH		
8400	----	----	----/12.305A	12.658B/12.305A	----	12.597 - 0.459	.6704	----	----	----	----	42	UNCH		
8500	----	----	----/13.079A	13.216B/13.079A	----	13.403 - 0.451	.6872	----	----	----	----	228	UNCH		
8700	----	----	----/14.709A	14.847B/14.709A	----	15.055 - 0.437	.7182	----	----	----	----	101	UNCH		
9000	----	----	----/17.230A	17.389B/17.230A	----	17.611 - 0.428	.7588	----	----	----	----	74	UNCH		
9300	----	----	----/19.832A	20.013B/19.832A	----	20.247 - 0.422	.7930	----	----	----	----	1	UNCH		
9400	----	----	----/20.719A	20.822B/20.719A	----	21.141 - 0.419	.8032	----	----	----	----	15	UNCH		
10150	----	----	----	20.664B/34.656A	----	28.038 - 0.348	.8627	----	----	----	----	1	UNCH		
10300	----	----	----	22.512B/36.193A	----	29.450 - 0.330	.8716	----	----	----	----	1	UNCH		
11000	----	----	----	28.559B/42.854A	----	36.139 - 0.302	.9039	----	----	----	----	1	UNCH		
TOTAL										71	0	3189 +	61		
OCT26															
2675	----	----	----	----/2.463A	----	0.046 - 0.003	.0039	----	----	----	----	8	UNCH		
3250	----	----	----	0.001B/0.500A	----	0.079 - 0.005	.0073	----	----	----	----	1	UNCH		
4000	----	----	----	0.059B/*0.169A	----	0.146 - 0.008	.0151	----	----	----	----	3	UNCH		
4500	----	----	----	0.145B/*0.261A	----	0.230 - 0.013	.0250	----	----	----	----	3	UNCH		
5000	----	----	----	0.307B/*0.426A	----	0.395 - 0.021	.0437	----	----	----	----	6	UNCH		
5050	----	----	----	0.331B/*0.448A	----	0.419 - 0.022	.0463	----	----	----	----	1	UNCH		
5150	----	----	----	0.384B/*0.498A	----	0.472 - 0.024	.0520	----	----	----	----	5	UNCH		
6250	----	----	----/1.737A	1.862B/1.737A	----	1.892 - 0.068	.1778	----	----	----	----	5	UNCH		
6300	----	----	----/1.845A	1.989B/1.845A	----	2.012 - 0.071	.1867	----	----	----	----	15	UNCH		
6400	----	----	----/2.080A	2.243B/2.080A	----	2.271 - 0.077	.2053	----	----	----	----	5	UNCH		
6500	----	----	----/2.336A	2.532B/2.336A	----	2.556 - 0.083	.2248	----	----	----	----	174	UNCH		
6600	2.699	2.699	2.699/2.622A	2.851B/2.622A	----	2.869 - 0.090	.2452	----	----	30	----	30 +	29		
6625	2.805	2.805	2.806/2.720A	2.897B/2.720A	----	2.952 - 0.091	.2504	----	----	32	----	32 +	31		
6650	----	----	----/2.778A	3.014B/2.778A	----	3.037 - 0.093	.2557	----	----	----	----	36	UNCH		
6700	----	----	----/2.938A	3.190B/2.938A	----	3.212 - 0.096	.2663	----	----	----	----	70	UNCH		
6725	----	----	----/3.043A	3.245B/3.043A	----	3.302 - 0.098	.2717	----	----	----	----	1	UNCH		
6750	----	----	----/3.111A	3.373B/3.111A	----	3.394 - 0.100	.2771	----	----	----	----	1	UNCH		
6800	3.800	3.800	3.800/3.287A	3.800/3.287A	----	3.584 - 0.103	.2881	----	----	3	----	13 +	3		
6850	----	----	----/3.468A	3.749B/3.468A	----	3.782 - 0.107	.2992	----	----	----	----	1	UNCH		
7000	----	----	----/4.061A	4.389B/4.061A	----	4.423 - 0.117	.3329	----	----	----	----	89	UNCH		
7025	----	----	----/4.170A	4.462B/4.170A	----	4.537 - 0.118	.3385	----	----	----	----	1	UNCH		
7050	----	----	----/4.273A	4.611B/4.273A	----	4.653 - 0.120	.3442	----	----	----	----	1	UNCH		
7075	----	----	----/4.386A	4.686B/4.386A	----	4.770 - 0.122	.3499	----	----	----	----	1	UNCH		
7225	----	----	----/5.116A	5.422B/5.116A	----	5.512 - 0.132	.3839	----	----	----	----	88	UNCH		
7250	----	----	----/5.214A	5.607B/5.214A	----	5.642 - 0.133	.3895	----	----	----	----	1	UNCH		
7275	----	----	----/5.360A	5.676B/5.360A	----	5.773 - 0.135	.3951	----	----	----	----	1	UNCH		
7300	----	----	----/5.454.												



	BULLETIN #106@				METALS OPTION PRODUCTS							Thu, Jun 04, 2026		PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT	COMEX SILVER OPTIONS														
DEC26															
5650	----	----	----	----	1.172B/1.831A	----	----	----	1.708 -	0.050	.1316	----	----	----	12
5800	----	----	----	----/1.972A	1.719B/1.972A	----	----	----	2.007 -	0.055	.1504	----	----	----	2
5950	----	----	----	----/2.361A	1.798B/2.361A	----	----	----	2.349 -	0.062	.1709	----	----	----	5
6000	----	----	----	----/2.478A	1.913B/2.478A	----	----	----	2.473 -	0.065	.1780	----	----	----	136
6200	----	----	----	----/*3.000A	2.430B/3.000A	----	----	----	3.025 -	0.073	.2082	----	----	----	13
6300	----	----	----	----/*3.294A	2.724B/3.294A	----	----	----	3.334 -	0.079	.2242	----	----	----	25
6500	3.750	3.750	3.750	3.750/3.750	3.750/3.750	----	----	----	4.023 -	0.089	.2576	----	7	----	745 +
6650	----	----	----	----/4.508A	3.942B/4.508A	----	----	----	4.603 -	0.097	.2836	----	----	----	5
6725	----	----	----	----/*4.807A	4.243B/4.807A	----	----	----	4.914 -	0.100	.2968	----	----	----	4
6750	----	----	----	----/4.909A	4.347B/4.909A	----	----	----	5.020 -	0.102	.3012	----	----	----	6
6800	----	----	----	----/5.118A	4.558B/5.118A	----	----	----	5.238 -	0.104	.3101	----	----	----	79
6850	----	----	----	----/5.334A	4.775B/5.334A	----	----	----	5.462 -	0.107	.3191	----	----	----	78
6900	----	----	----	----/5.555A	4.998B/5.555A	----	----	----	5.691 -	0.110	.3280	----	----	----	1
6950	----	----	----	----/5.782A	5.229B/5.782A	----	----	----	5.927 -	0.112	.3370	----	----	----	22
7000	----	----	----	----/6.016A	5.465B/6.016A	----	----	----	6.168 -	0.113	.3459	----	----	----	230
7075	----	----	----	----/6.376A	5.830B/6.376A	----	----	----	6.541 -	0.119	.3594	----	----	----	20
7100	----	----	----	----/6.499A	5.955B/6.499A	----	----	----	6.668 -	0.120	.3638	----	----	----	2
7200	----	----	----	----/7.007A	6.467B/7.007A	----	----	----	7.191 -	0.125	.3816	----	----	----	14
7250	----	----	----	----/7.269A	6.734B/7.269A	----	----	----	7.461 -	0.128	.3905	----	----	----	48
7500	----	----	----	----/8.661A	8.145B/8.661A	----	----	----	8.889 -	0.140	.4340	----	----	----	22
7550	----	----	----	----/8.955A	8.443B/8.955A	----	----	----	9.190 -	0.142	.4425	----	----	----	1
7800	----	----	----	----/10.501A	10.008B/10.501A	----	----	----	10.764 -	0.154	.4835	----	----	----	20
7850	----	----	----	----/10.824A	10.335B/10.824A	----	----	----	11.093 -	0.155	.4914	----	----	----	10
7875	----	----	----	----/10.987A	10.500B/10.987A	----	----	----	11.258 -	0.157	.4954	----	----	----	1
7900	----	----	----	----/11.152A	10.666B/11.152A	----	----	----	11.425 -	0.157	.4992	----	----	----	19
8000	----	----	----	----/11.820A	11.342B/11.820A	----	----	----	12.102 -	0.162	.5145	----	----	----	58
8100	----	----	----	----/12.505A	12.032B/12.505A	----	----	----	12.795 -	0.165	.5294	----	----	----	1
8200	----	----	----	----/13.205A	12.741B/13.205A	----	----	----	13.502 -	0.169	.5438	----	----	----	35
8350	----	----	----	----/14.283A	13.828B/14.283A	----	----	----	14.589 -	0.175	.5646	----	----	----	9
8400	----	----	----	----/14.649A	14.198B/14.649A	----	----	----	14.958 -	0.177	.5713	----	----	----	50
8500	----	----	----	----/15.391A	14.924B/15.391A	----	----	----	15.706 -	0.180	.5844	----	----	----	166
8550	----	----	----	----/15.767A	15.304B/15.767A	----	----	----	16.084 -	0.182	.5908	----	----	----	25
8600	----	----	----	----/16.146A	15.687B/16.146A	----	----	----	16.466 -	0.183	.5970	----	----	----	2
8800	----	----	----	----/17.689A	17.246B/17.689A	----	----	----	18.019 -	0.189	.6210	----	----	----	12
8900	----	----	----	----/18.476A	18.041B/18.476A	----	----	----	18.811 -	0.192	.6324	----	----	----	30
9000	----	----	----	----/19.274A	19.547B/19.274A	----	----	----	19.613 -	0.195	.6434	----	----	----	3
9050	----	----	----	----/19.676A	20.019B/19.676A	----	----	----	20.017 -	0.196	.6487	----	----	----	100
9500	----	----	----	----/23.388A	22.994B/23.388A	----	----	----	23.748 -	0.207	.6925	----	----	----	2
9850	----	----	----	----/26.375A	26.000B/26.375A	----	----	----	26.748 -	0.214	.7219	----	----	----	8
9950	----	----	----	----/27.242A	26.872B/27.242A	----	----	----	27.618 -	0.216	.7297	----	----	----	1
10025	----	----	----	----/27.896A	27.530B/27.896A	----	----	----	28.273 -	0.218	.7353	----	----	----	3
10125	----	----	----	----/28.773A	28.411B/28.773A	----	----	----	29.152 -	0.219	.7426	----	----	----	1
10700	----	----	----	----/33.901A	33.564B/33.901A	----	----	----	34.285 -	0.228	.7799	----	----	----	5
10800	----	----	----	----/34.807A	34.473B/34.807A	----	----	----	35.190 -	0.229	.7857	----	----	----	2
11000	----	----	----	----/36.628A	36.302B/36.628A	----	----	----	37.009 -	0.231	.7967	----	----	----	2
11500	----	----	----	----	25.478B/56.462A	----	----	----	41.605 -	0.237	.8216	----	----	----	1
12000	----	----	----	----	30.694B/61.475A	----	----	----	46.263 -	0.241	.8429	----	----	----	1
12100	----	----	----	----	31.164B/62.292A	----	----	----	47.202 -	0.242	.8468	----	----	----	1
12300	----	----	----	----	33.073B/64.075A	----	----	----	49.085 -	0.243	.8541	----	----	----	1
15000	----	----	----	----	59.687B/89.566A	----	----	----	75.118 -	0.257	.9181	----	----	----	0 -
19000	----	----	----	----	----	----	----	----	114.696 -	0.264	.9548	----	----	----	1
TOTAL													7	0	3773 +
JAN27															
3800	----	----	----	----	0.113B/*0.357A	----	----	----	0.282 -	0.010	.0223	----	----	----	1
6500	----	----	----	----/*4.475A	3.661B/4.475A	----	----	----	4.439 -	0.084	.2558	----	----	----	2
6925	----	----	----	----/*6.224A	5.413B/6.224A	----	----	----	6.239 -	0.103	.3242	----	----	----	24
7000	----	----	----	----/6.573A	5.764B/6.573A	----	----	----	6.597 -	0.107	.3364	----	----	----	35
7100	----	----	----	----/7.058A	6.251B/7.058A	----	----	----	7.094 -	0.111	.3527	----	----	----	20
7125	----	----	----	----/*7.182A	6.377B/7.182A	----	----	----	7.221 -	0.113	.3568	----	----	----	1
8600	----	----	----	----/16.533A	15.815B/16.533A	----	----	----	16.719 -	0.169	.5691	----	----	----	1
8850	----	----	----	----/18.425A	17.724B/18.425A	----	----	----	18.626 -	0.176	.5975	----	----	----	9
TOTAL														0	93
FEB27															
6500	----	----	----	----/*5.017A	4.147B/5.017A	----	----	----	4.954 -	0.084	.2623	----	----	----	1
7500	10.000	10.000	10.000	10.000/9.886A	10.000/9.886A	----	----	----	9.914 -	NEW	.4139	----	1	----	1 +
8150	----	----	----	----/14.006A	13.188B/14.006A	----	----	----	14.110 -	0.150	.5030	----	----	----	10
8225	----	----	----	----/14.523A	13.708B/14.523A	----	----	----	14.635 -	0.152	.5124	----	----	----	10
8250	----	----	----	----/14.697A	13.884B/14.697A	----	----	----	14.811 -	0.153	.5155	----	----	----	10
TOTAL													1	0	32 +
MAR27															
4500	----	----	----	----	0.590B/*0.890A	----	----	----	0.856 -	0.021	.0583	----	----	----	2
5500	----	----	----	----	1.755B/2.572A	----	----	----	2.346 -	0.048	.1401	----	----	----	1
6000	----	----	----	----	2.875B/3.778A	----	----	----	3.662 -	0.065	.1994	----	----	----	50
6500	----	----	----	----/5.540A	4.601B/5.540A	----	----	----	5.522 -	0.086	.2682	----	----	----	20
6825	----	----	----	----/*6.950A	6.004B/6.950A	----	----	----	7.000 -						

PG64	BULLETIN #106@				METALS OPTION PRODUCTS					Thu, Jun 04, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
S01 CALL	SILVER OPTIONS													
TOTAL										47	0	744 +	38	
S01 PUT	SILVER OPTIONS													
JUN26														
6100	----	----	----	----/0.093A	----	0.001 - 0.004	----	----	----	----	----	2	UNCH	
6200	----	----	----	----/0.039A	----	0.001 - 0.007	----	----	----	----	----	2	UNCH	
6400	----	----	----/*0.018A	----/*0.018A	----	0.001 - 0.018	.0000	----	----	----	----	6	UNCH	
6500	----	----	----/*0.018A	----/*0.018A	----	0.002 - 0.029	.0000	----	----	----	----	7	UNCH	
6600	----	----	----/*0.013A	0.001B/*0.013A	----	0.003 - 0.036	.0000	----	----	----	----	1	UNCH	
6700	----	----	----/*0.024A	0.005B/*0.024A	----	0.005 - 0.047	.0001	----	----	----	----	12	UNCH	
6750	----	----	----/*0.029A	0.008B/*0.029A	----	0.006 - 0.055	.0002	----	----	----	----	1	UNCH	
6800	----	----	0.080B/*0.035A	0.080B/*0.035A	----	0.009 - 0.064	.0005	----	----	----	----	6	UNCH	
6880	0.130	0.130	#0.130/*0.043A	0.130/*0.043A	----	0.015	NEW .0013	----	3	----	----	3 +	3	
6900	0.040	0.040	0.040/*0.040	0.040/*0.040	----	0.018 - 0.092	.0018	----	1	----	----	1 -	1	
6950	----	----	----/*0.049A	0.041B/*0.049A	----	0.026 - 0.112	.0034	----	----	----	----	2	UNCH	
7000	0.080	0.080	0.080/*0.056A	0.093B/*0.056A	----	0.037 - 0.137	.0065	----	8	----	----	60 +	8	
7050	----	----	----/*0.067A	0.137B/*0.067A	----	0.054 - 0.167	.0125	----	----	----	----	3	UNCH	
7100	0.261	0.261	0.261/*0.081A	0.261/*0.081A	----	0.078 - 0.205	.0233	----	1	----	----	32 -	1	
7120	0.220	0.220	0.220/*0.090A	0.273B/*0.090A	----	0.091	NEW .0300	----	1	----	----	1 +	1	
7150	----	----	----/*0.092A	0.349B/*0.092A	----	0.114 - 0.249	.0433	----	----	----	----	8	UNCH	
7200	0.500	0.500	0.525B/*0.125A	0.525B/*0.125A	----	0.165 - 0.301	.0776	----	13	----	----	25 +	6	
7240	0.165	0.165	0.652B/*0.165	0.652B/*0.165	----	0.224 - 0.344	.1219	----	1	----	----	3 +	1	
7250	0.220	0.220	0.693B/*0.178A	0.693B/*0.178A	----	0.241 - 0.356	.1356	----	10	----	----	16 +	6	
7290	0.652	0.652	0.874B/*0.192	0.874B/*0.192	----	0.326	NEW .2050	----	54	----	----	49 +	49	
7300	0.293	0.293	0.948B/*0.225	0.948B/*0.225	----	0.351 - 0.410	.2259	----	8	----	----	20 +	6	
7320	0.370	0.370	1.028B/*0.282A	1.028B/*0.282A	----	0.408	NEW .2726	----	1	----	----	1 +	1	
7330	0.380	0.380	1.087B/*0.286A	1.087B/*0.286A	----	0.439	NEW .2979	----	1	----	----	1 +	1	
7350	0.900	0.900	1.113B/*0.324A	1.113B/*0.324A	----	0.508 - 0.456	.3526	----	3	----	----	22 +	1	
7360	----	----	1.115B/*0.346A	1.115B/*0.346A	----	0.545 - 0.464	.3816	----	----	----	----	2	UNCH	
7370	0.574	0.574	1.125B/*0.364A	1.125B/*0.364A	----	0.585 - 0.472	.4116	----	5	----	----	7 +	5	
7380	----	----	1.137B/*0.388A	1.137B/*0.388A	----	0.628	NEW .4426	----	11	----	----	11 +	11	
7400	0.700	0.700	1.154B/*0.438A	1.154B/*0.438A	----	0.721 - 0.487	.5058	----	5	----	----	16 +	5	
7420	0.771	0.771	0.771/*0.491A	1.128B/*0.491A	----	0.824	NEW .5695	----	1	----	----	1 +	1	
7450	0.650	0.650	1.350B/*0.584A	1.350B/*0.584A	----	0.997 - 0.498	.6615	----	2	----	----	7 +	1	
7480	----	----	----/0.696A	1.561B/*0.696A	----	1.194 - 0.494	.7443	----	----	----	----	3	UNCH	
7490	1.045	1.045	1.643B/*0.728A	1.643B/*0.728A	----	1.264	NEW .7691	----	1	----	----	1 +	1	
7500	----	----	----/0.770A	1.717B/*0.770A	----	1.336 - 0.488	.7923	----	1	----	----	10 +	1	
7520	----	----	----/0.869A	1.878B/*0.869A	----	1.488 - 0.479	.8332	----	2	----	----	3 +	2	
7530	1.163	1.163	1.960B/*0.917A	1.960B/*0.917A	----	1.566	NEW .8515	----	1	----	----	1 +	1	
7540	1.284	1.284	2.053B/*0.968A	2.053B/*0.968A	----	1.646	NEW .8677	----	1	----	----	1 +	1	
7550	----	----	----/1.009A	2.141B/1.009A	----	1.729 - 0.462	.8826	----	----	----	----	17	UNCH	
7570	----	----	----/1.119A	2.319B/1.119A	----	1.897 - 0.451	.9079	----	----	----	----	1	UNCH	
7600	----	----	2.593B/1.367A	2.593B/1.367A	----	2.161 - 0.431	.9365	----	----	----	----	9	UNCH	
7610	----	----	2.686B/1.429A	2.686B/1.429A	----	2.251 - 0.424	.9438	----	----	----	----	1	UNCH	
7650	----	----	3.056B/1.707A	3.056B/1.707A	----	2.619 - 0.399	.9657	----	----	----	----	2	UNCH	
7700	----	----	3.543B/2.089A	3.543B/2.089A	----	3.092 - 0.371	.9813	----	----	----	----	13	UNCH	
7720	----	----	3.732B/2.248A	3.732B/2.248A	----	3.281 - 0.365	.9862	----	----	----	----	1	UNCH	
7750	----	----	4.029B/2.502A	4.029B/2.502A	----	3.568 - 0.355	.9913	----	----	----	----	1	UNCH	
8000	----	----	6.508B/4.818A	6.508B/4.818A	----	6.032 - 0.300	.9999	----	----	----	----	3	UNCH	
8600	----	----	12.322B/10.968A	12.322B/10.968A	----	12.029 - 0.279	.0000	----	1	----	----	1	UNCH	
TOTAL										136	0	396 +	110	
S02 CALL	SILVER OPTIONS													
JUN26														
7250	----	----	3.451B/2.378A	3.451B/2.378A	----	2.595 - 0.067	.6485	----	----	----	----	1	UNCH	
7400	1.800	1.800	2.437B/1.595A	2.437B/1.595A	----	1.739	NEW .5083	----	2	----	----	1 +	1	
7450	1.560	1.560	2.233B/1.383A	2.233B/1.383A	----	1.504	NEW .4603	----	2	----	----	1 +	1	
7500	----	----	1.960B/1.197A	1.960B/1.197A	----	1.294 - 0.126	.4132	----	1	----	----	18 +	1	
7600	1.070	1.070	1.487B/0.887A	1.487B/0.887A	----	0.947 - 0.128	.3249	----	4	----	----	6 +	4	
7700	1.070	1.070	1.115/*0.652A	1.115/*0.652A	----	0.686 - 0.122	.2485	----	11	----	----	7 -	4	
7750	----	----	0.948B/*0.562A	0.948B/*0.562A	----	0.583 - 0.116	.2157	----	----	----	----	1	UNCH	
7800	0.591	0.591	0.808B/*0.484A	0.808B/*0.484A	----	0.495 - 0.111	.1864	----	3	----	----	100 -	1	
7850	0.577	0.577	0.694B/*0.420A	0.694B/*0.420A	----	0.422	NEW .1609	----	4	----	----	4 +	4	
7900	----	----	0.588B/*0.362A	0.588B/*0.362A	----	0.360 - 0.096	.1386	----	----	----	----	1	UNCH	
8000	0.420	0.420	0.431B/*0.276A	0.431B/*0.276A	----	0.265 - 0.082	.1029	----	3	----	----	9 +	1	
8050	----	----	0.367B/*0.244A	0.367B/*0.244A	----	0.230 - 0.074	.0891	----	----	----	----	2	UNCH	
8100	0.390	0.390	0.390/*0.215A	0.390/*0.215A	----	0.200 - 0.068	.0773	----	1	----	----	5	UNCH	
8200	0.220	0.220	0.232B/*0.174A	0.232B/*0.174A	----	0.155 - 0.055	.0590	----	2	----	----	15	UNCH	
8250	----	----	0.202B/*0.156A	0.202B/*0.156A	----	0.138 - 0.050	.0520	----	----	----	----	6	UNCH	
8300	----	----	0.175B/*0.142A	0.175B/*0.142A	----	0.124 - 0.044	.0461	----	----	----	----	2	UNCH	
8400	----	----	----/*0.120A	0.134B/*0.120A	----	0.103 - 0.034	.0372	----	----	----	----	2	UNCH	
8500	----	----	----/*0.106A	0.102B/*0.106A	----	0.087 - 0.027	.0304	----	----	----	----	10	UNCH	
8700	----	----	----/*0.083A	0.065B/*0.083A	----	0.068 - 0.016	.0221	----	----	----	----	1	UNCH	
9000	----	----	----	0.050B/*0.066A	----	0.051 - 0.009	.0149	----	----	----	----	5	UNCH	
10000	----	----	----	0.014B/*0.050A	----	0.024 - 0.006	.0053	----	----	----	----	2	UNCH	
TOTAL										33	0	199 +	7	
JUL26														
8000	2.300	2.300	#2.300/*2.001A	#2.300/*2.001A	----	1.949	NEW .							

BULLETIN #106@										METALS OPTION PRODUCTS					Thu, Jun 04, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
SWW WED														SILVER WEEKLY WEDNESDAY OPTION WEEK			
JUN26																	
7150	0.977	0.977	1.534B/0.975A	1.534B/0.975A	----	1.162	NEW	.3065	----	1	----	1 +	1				
7180	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
7210	----	----	----	#0.925B/*0.614A	----	0.742	NEW	.2867	----	2	----	2 +	2				
7250	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
7300	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
7300	----	----	1.587B/0.818A	1.587B/0.818A	----	1.043	- 0.331	.3796	----	----	----	2	UNCH				
7320	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
7340	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
7350	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
7370	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
7400	----	----	-----/1.137A	1.765B/1.137A	----	1.486	- 0.357	.4941	----	2	----	3 +	2				
7400	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
7400	1.707	1.707	2.059B/1.324A	2.059B/1.324A	----	1.457	NEW	.5058	----	20	----	20 +	20				
7400	----	----	----	----	----	0.306	UNCH	----	----	----	----	0	UNCH				
7430	----	----	----	----	----	0.606	UNCH	----	----	----	----	0	UNCH				
7450	----	----	----	----	----	0.806	UNCH	----	----	----	----	0	UNCH				
7470	----	----	----	----	----	1.006	UNCH	----	----	----	----	0	UNCH				
7480	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
7500	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
7500	----	----	----	----	----	1.306	UNCH	----	----	----	----	0	UNCH				
7500	1.140	1.140	1.597B/0.935A	1.597B/0.935A	----	1.017	NEW	.3906	----	2	----	1 +	1				
7520	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
7550	----	----	----	----	----	1.806	UNCH	----	----	----	----	0	UNCH				
7580	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
7590	----	----	----	----	----	2.206	UNCH	----	----	----	----	0	UNCH				
7600	1.012	1.012	1.109B/*0.647A	1.109B/*0.647A	----	0.688	NEW	.2861	----	2	----	0	UNCH				
7600	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
7600	----	----	----	----	----	2.306	UNCH	----	----	----	----	0	UNCH				
7650	----	----	0.919B/*0.536A	0.919B/*0.536A	----	0.559	- 0.101	.2402	----	----	----	2	UNCH				
7700	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
7720	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
7820	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
7900	----	----	0.306B/*0.211A	0.306B/*0.211A	----	0.180	- 0.091	.0849	----	----	----	1	UNCH				
7950	----	----	0.241B/*0.180A	0.241B/*0.180A	----	0.147	- 0.083	.0691	----	----	----	1	UNCH				
7980	----	----	----	----	----	6.106	UNCH	----	----	----	----	0	UNCH				
7990	----	----	----	----	----	6.206	UNCH	----	----	----	----	0	UNCH				
8000	0.575	0.575	0.685B/*0.511A	0.685B/*0.511A	----	0.496	- 0.109	.1575	----	1	----	0 -	1				
8000	----	----	-----/*0.161A	0.189B/*0.161A	----	0.121	- 0.075	.0563	----	----	----	7	UNCH				
8100	----	----	----	----	----	7.306	UNCH	----	----	----	----	0	UNCH				
8160	----	----	----	----	----	7.906	UNCH	----	----	----	----	0	UNCH				
8200	0.477	0.477	0.477/*0.332A	0.477/*0.332A	----	0.318	NEW	.1029	----	10	----	10 +	10				
8250	----	----	----	0.592B/*0.711A	----	0.551	- 0.092	.1433	----	----	----	1	UNCH				
TOTAL										52	0	92 +	47				
TWS TUE														SILVER WEEKLY TUESDAY OPTION week3			
JUN26																	
5250	----	----	----	-----/0.180A	----	0.003	UNCH	.0008	----	----	----	5	UNCH				
6600	----	----	----	0.012B/0.108A	----	0.057	- 0.042	.0208	----	----	----	1	UNCH				
6900	0.200	0.200	0.200/*0.170A	0.200/*0.170A	----	0.115	NEW	.0545	----	1	----	1 +	1				
6950	----	----	-----/*0.190A	0.228B/*0.190A	----	0.137	- 0.181	.0673	----	----	----	5	UNCH				
7000	1.300	1.300	#1.300/*1.300	#1.587B/*1.300	----	1.362	NEW	.2602	----	1	----	1 +	1				
7050	----	----	-----/*0.248A	0.419B/*0.248A	----	0.208	- 0.252	.1075	----	----	----	1	UNCH				
7100	----	----	0.577B/0.362A	0.577B/0.362A	----	0.265	- 0.291	.1381	----	----	----	1	UNCH				
7250	1.605	1.605	1.846B/1.332A	1.846B/1.332A	----	1.385	NEW	.3694	----	30	----	30 +	30				
7300	----	----	1.354B/0.734A	1.354B/0.734A	----	0.732	- 0.436	.3497	----	----	----	1	UNCH				
7300	----	----	2.119B/1.462A	2.119B/1.462A	----	1.588	- 0.360	.4085	----	----	----	1	UNCH				
7390	1.090	1.090	#1.759B/*1.029A	#1.759B/*1.029A	----	1.122	NEW	.4821	----	4	----	4 +	4				
7400	----	----	1.803B/1.047A	1.803B/1.047A	----	1.173	- 0.470	.4972	----	----	----	4	UNCH				
7450	----	----	1.463B/*0.982A	1.463B/*0.982A	----	0.924	- 0.197	.4287	----	----	----	1	UNCH				
7500	3.250	3.250	#3.250/*3.158A	#3.582B/*3.158A	----	3.393	NEW	.5042	----	1	----	1 +	1				
7500	3.000	3.000	#3.000/*2.812A	#3.094B/*2.812A	----	2.910	NEW	.4956	----	1	----	1 +	1				
7550	----	----	-----/1.742A	1.922B/1.742A	----	2.123	- 0.457	.7034	----	----	----	5	UNCH				
7600	----	----	-----/1.973A	2.278B/1.973A	----	2.505	- 0.442	.7576	----	----	----	1	UNCH				
7600	0.750	0.750	0.765B/*0.558A	0.765B/*0.558A	----	0.477	NEW	.2423	----	4	----	4 +	4				
7650	----	----	0.561B/*0.481A	0.561B/*0.481A	----	0.385	- 0.146	.1970	----	----	----	2	UNCH				
7650	----	----	-----/2.958A	2.666B/2.958A	----	2.913	- 0.422	.8029	----	----	----	2	UNCH				
7650	----	----	-----/3.480A	3.363B/3.480A	----	3.593	- 0.444	.6802	----	----	----	1	UNCH				
7700	----	----	-----/*0.388A	0.436B/*0.388A	----	0.313	- 0.127	.1599	----	----	----	9	UNCH				
7750	----	----	1.007B/*0.940A	1.007B/*0.940A	----	0.817	- 0.164	.2569	----	----	----	1	UNCH				
7800	----	----	----	-----/19.116A	----	4.241	- 0.368	.8934	----	----	----	1	UNCH				
7900	----	----	-----/*0.206A	0.109B/*0.206A	----	0.155	- 0.062	.0735	----	----	----	6	UNCH				
8000	1.450	1.450	#1.450/*1.418A	#1.538B/*1.418A	----	1.321	NEW	.2723	----	1	----	1 +	1				
8100	----	----	----	0.058B/*0.129A	----	0.099	- 0.022	.0411	----	----	----	11	UNCH				
8200	0.047	0.047	0.047/*0.047	0.047/*0.047	----	0.086	- 0.009	.0331	----	1	----	4	UNCH				
8500	----	----	----	-----/30.733A	----	11.094	- 0.263	.9783	----	----	----	1	UNCH				
8500	----	----	----	0.004B/*0.095A	----	0.069	+ 0.013	.0216	----	----	----	5	UNCH				
8800	----	----	----	----	----	14.060	- 0.268	.9899	----	----	----	1	UNCH				
9000	----	----	----	-----/*0.071A	----	0.023	+ 0.005	.0059	----	----	----	3	UNCH				
9700	----	----	----	-----/0.230A	----	0.008	+ 0.001	.0016	----	----	----	11	UNCH				
TOTAL										44	0	127 +	43				

COPPER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST							
HWW MON														COPPER WEEKLY MONDAY OPTION WEEK2					
JUN26																			
500	----	----	----	-----/0.0050A	----	0.0005	UNCH	----	----	----	----	14	UNCH						
575	----	----	----	-----/*0.0060A	----	0.0010	- 0.0025	.0062	----	----	----	1	UNCH						
580	----	----	----	-----/0.0040A	----	0.0005	UNCH	----	----	----	----	1	UNCH						
610	----	----	0.4550B/0.3335A	0.4550B/0.3335A	----	0.4355	+ 0.0260	.0000	----	----	----	1	UNCH						
615	0.0130	0.0130	0.0210B/0.0105A	0.0210B/0.0105A	----	0.0070	NEW	.0535	----	10	----	10 +	10						
625	----	----	-----/*0.0055A	0.0080B/*0.0055	----	0.0010	- 0.0085	.0103	----	----	----	10	UNCH						
630	----	----	0.0550B/0.0225A	0.0550B/0.0225A	----	0.0230	- 0.0205	.1573	----	----	----								

GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
COPPER WEEKLY THURSDAY OPT Week3												
JUN26												
615	0.0265	0.0265	0.0375B/0.0170A	0.0375B/0.0170A	----	0.0165	NEW	.0972	----	10	----	10 +
615	----	----	----	----/0.0050A	----	0.0000	- 0.0005	----	----	----	----	0 -
620	0.0125	0.0125	0.0195B/0.0095A	0.0195B/0.0095A	----	0.0055	- 0.0115	.0462	----	10	----	11 +
620	----	----	0.0485B/0.0215A	0.0485B/0.0215A	----	0.0220	- 0.0160	.1263	----	----	----	1 UNCH
625	----	----	0.0295B/0.0110A	0.0295B/0.0110A	----	0.0085	- 0.0155	.0715	----	----	----	20 UNCH
625	----	----	0.0620B/0.0275A	0.0620B/0.0275A	----	0.0295	- 0.0190	.1631	----	----	----	2 UNCH
628	----	----	----	----/0.0050A	----	0.0000	- 0.0010	----	----	----	----	0 -
630	0.0150	0.0150	0.0425B/0.0150	0.0425B/0.0150	----	0.0140	- 0.0190	.1134	----	15	----	25 +
630	----	----	0.2690B/0.2110A	0.2690B/0.2110A	----	0.2490	+ 0.0085	.8864	----	----	----	1 UNCH
630	0.0030	0.0030	0.0030/*0.0015	0.0030/*0.0015	----	0.0000	- 0.0015	----	----	4	----	0 -
630	----	----	0.2545B/0.1335A	0.2545B/0.1335A	----	0.2350	+ 0.0260	----	----	----	----	0 -
635	0.0215	0.0215	0.0590B/0.0215	0.0590B/0.0215	----	0.0225	- 0.0230	.1719	----	1	----	21 +
635	----	----	0.2560B/0.1850A	0.2560B/0.1850A	----	0.2370	+ 0.0025	.7390	----	----	----	1 UNCH
640	----	----	0.0800B/0.0320A	0.0800B/0.0320A	----	0.0340	- 0.0275	.2441	----	----	----	78 UNCH
640	----	----	0.1875B/0.1195A	0.1875B/0.1195A	----	0.1690	UNCH	.7556	----	----	----	42 UNCH
640	----	----	0.0170B/*0.0050	0.0170B/*0.0050	----	0.0000	- 0.0105	----	----	----	----	0 -
642	0.0215	0.0215	#0.0250B/*0.005	0.0250B/*0.0050	----	0.0000	NEW	----	1	----	----	0 UNCH
644	0.0120	0.0120	#0.0345B/*0.005	0.0345B/*0.0050	----	0.0000	NEW	----	1	----	----	0 UNCH
645	----	----	0.1405B/0.0945A	0.1405B/0.0945A	----	0.1350	- 0.0035	.6690	----	----	----	9 UNCH
645	0.0950	0.0950	0.1450B/0.0805A	0.1450B/0.0805A	----	0.0875	NEW	.3807	----	1	----	1 +
645	0.0030	0.0030	0.0395B/*0.0030	0.0395B/*0.0030	----	0.0000	NEW	----	1	----	----	0 UNCH
647	----	----	#0.0515B/*0.005	0.0515B/*0.0050	----	0.0000	- 0.0265	----	----	----	----	0 -
648	----	----	#0.0580B/*0.005	0.0580B/*0.0050	----	0.0000	- 0.0305	----	----	----	----	0 -
648	----	----	0.0750B/*0.0165	0.0750B/*0.0165	----	0.0550	- 0.0030	----	----	----	----	0 -
649	----	----	0.0655B/*0.0050	0.0655B/*0.0050	----	0.0000	- 0.0345	----	----	----	----	0 -
649	----	----	0.0650B/*0.0135	0.0650B/*0.0135	----	0.0450	- 0.0070	----	----	----	----	0 -
650	----	----	0.1345B/0.0650A	0.1345B/0.0650A	----	0.0700	- 0.0340	.4252	----	----	150	UNCH
650	0.0010	0.0010	0.0740B/*0.0010	0.0740B/*0.0010	----	0.0000	- 0.0385	----	1	----	----	0 -
650	0.0330	0.0330	0.0555B/*0.0115	0.0555B/*0.0115	----	0.0350	- 0.0110	----	3	----	----	0 -
651	0.0150	0.0150	0.0465B/*0.0105	0.0465B/*0.0105	----	0.0250	- 0.0160	----	3	----	----	0 -
652	0.0125	0.0125	0.0375B/*0.0095	0.0375B/*0.0095	----	0.0150	NEW	----	1	----	----	0 UNCH
653	0.0180	0.0180	#0.1015B/*0.002	0.1015B/*0.0020	----	0.0000	NEW	----	3	----	----	0 UNCH
653	----	----	----/*0.0075A	0.0290B/*0.0075	----	0.0050	- 0.0270	----	----	----	----	0 -
654	----	----	#0.1110B/0.0140	0.1110B/0.0140A	----	0.0050	- 0.0555	----	----	----	----	0 -
654	0.0125	0.0125	0.0210B/*0.0055	0.0210B/*0.0055	----	0.0000	NEW	----	1	----	----	0 UNCH
655	0.0150	0.0150	0.1205B/0.0150	0.1205B/0.0150	----	0.0150	- 0.0520	----	1	----	----	0 -
655	0.0065	0.0065	0.0140B/*0.0050	0.0140B/*0.0050	----	0.0000	- 0.0245	----	15	----	----	0 -
656	----	----	#0.1305B/0.0220	0.1305B/0.0220A	----	0.0250	- 0.0490	----	----	----	----	0 -
657	0.0020	0.0020	0.0040/*0.0020	0.0040/*0.0020	----	0.0000	NEW	----	16	----	----	0 UNCH
658	----	----	----/*0.0050A	0.0020B/*0.0050	----	0.0000	- 0.0165	----	----	----	----	0 -
659	----	----	----/*0.0050A	0.0010B/*0.0050	----	0.0000	- 0.0145	----	----	----	----	0 -
660	0.0025	0.0025	0.0025/*0.0025	0.0025/*0.0025	----	0.0000	- 0.0125	----	1	----	----	0 -
661	0.0020	0.0020	0.0020/*0.0020	0.0020/*0.0020	----	0.0000	- 0.0105	----	3	----	----	0 -
662	0.0845	0.0845	#0.1905B/0.0665	0.1905B/0.0665A	----	0.0850	- 0.0365	----	2	----	----	0 -
663	0.0950	0.0950	#0.2005B/0.0760	0.2005B/0.0760A	----	0.0950	- 0.0350	----	2	----	----	0 -
665	----	----	----/*0.0050A	----/*0.0050A	----	0.0000	- 0.0055	----	----	----	----	0 -
666	----	----	----/*0.0050A	----/*0.0050A	----	0.0000	- 0.0045	----	----	----	----	0 -
667	----	----	#0.2405B/0.1160	0.2405B/0.1160A	----	0.1350	- 0.0315	----	----	----	----	0 -
667	----	----	----/*0.0050A	----/*0.0050A	----	0.0000	- 0.0040	----	----	----	----	0 -
668	----	----	#0.2505B/0.1255	0.2505B/0.1255A	----	0.1450	- 0.0305	----	----	----	----	0 -
668	----	----	----/*0.0050A	----/*0.0050A	----	0.0000	- 0.0030	----	----	----	----	0 -
671	----	----	----	----/0.0050A	----	0.0000	- 0.0020	----	----	----	----	0 UNCH
680	----	----	----/*0.0105A	0.0125B/*0.0105	----	0.0115	- 0.0100	.0976	----	----	----	10 UNCH
680	----	----	----/*0.0050A	----/*0.0050A	----	0.0000	- 0.0005	----	----	----	----	0 -
686	----	----	----/0.0050A	----/0.0050A	----	0.0000	- 0.0005	----	----	----	----	0 -
690	----	----	----/*0.0235A	0.0255B/*0.0235	----	0.0230	- 0.0105	.1332	----	----	----	2 UNCH
695	----	----	----/*0.0195A	0.0180B/*0.0195	----	0.0175	- 0.0100	.1047	----	----	----	2 UNCH
695	----	----	----	----/0.0050A	----	0.0000	- 0.0005	----	----	----	----	0 -
700	----	----	----/*0.0075A	0.0020B/*0.0075A	----	0.0020	- 0.0045	.0171	----	----	----	10 UNCH
700	----	----	----/*0.0160A	0.0140B/*0.0160	----	0.0135	- 0.0090	.0825	----	----	----	2 UNCH
710	----	----	----/*0.0115A	0.0085B/*0.0115	----	0.0085	- 0.0070	.0527	----	----	----	1 UNCH
720	----	----	----/*0.0090A	0.0050B/*0.0090	----	0.0060	- 0.0055	.0365	----	----	----	0 UNCH
TOTAL										96		411 -
JUL26												
660	0.2420	0.2420	#0.2640B/0.1965	0.2640B/0.1965A	----	0.2045	- 0.0285	.4886	----	1	----	20 UNCH
TOTAL										1		20
COPPER WEEKLY TUESDAY OPTION Week2												
JUN26												
500	----	----	----	----/0.0050A	----	0.0005	UNCH	----	----	----	----	14 UNCH
550	----	----	----	----/0.0060A	----	0.0005	- 0.0005	.0003	----	----	----	1 UNCH
590	----	----	0.0160B/*0.0100	0.0160B/*0.0100	----	0.0085	NEW	.0445	----	1	----	1 +
590	----	----	0.0045B/*0.0075	0.0045B/*0.0075	----	0.0020	- 0.0050	.0138	----	----	----	1 UNCH
595	----	----	----/*0.0055A	----/*0.0055A	----	0.0005	- 0.0005	.0000	----	----	----	1 UNCH
610	----	----	0.0410B/0.0185A	0.0410B/0.0185A	----	0.0200	NEW	.1029	----	1	----	1 +
610	----	----	0.0010B/*0.0060	0.0010B/*0.0060	----	0.0005	- 0.0035	.0016	----	----	----	1 UNCH
615	0.0165	0.0165	0.0265B/0.0120A	0.0265B/0.0120A	----	0.0100	NEW	.0693	----	10	----	10 +
615	----	----	0.0030B/*0.0065	0.0030B/*0.0065	----	0.0005	- 0.0055	.0047	----	----	----	1 UNCH
620	0.0440	0.0440	0.0635B/0.0285A	0.0635B/0.0285A	----	0.0330	NEW	.1600	----	16	----	16 +
620	----	----	----/*0.0070A	0.0075B/*0.0070	----	0.0015	- 0.0075	.0144	----	----	----	11 UNCH
625	----	----	0.3080B/0.2020A	0.3080B/0.2020A	----	0.2875	+ 0.0170	.9741	----	----	----	1 UNCH
627	0.0105	0.0105	#0.0180B/*0.008	#0.0180B/*0.008	----	0.0035	NEW	.0359	----	10	----	10 +
630	0.0190	0.0190	0.0250B/*0.0085	0.0250B/*0.0085	----	0.0050	- 0.0150	.0523	----	1	----	0 -
630	----	----	0.2600B/0.1670A	0.2600B/0.1670A	----	0.2400	+ 0.0125	.9475	----	----	----	1 UNCH
635	----	----	0.0825B/0.0360A	0.0825B/0.0360A	----	0.0390	- 0.0270	.2302	----	----	----	31 UNCH
635	----	----	0.0395B/0.0115A	0.0395B/0.0115A	----	0.0095	- 0.0200	.0985	----	----	----	10 UNCH
639	0.0170	0.0170	#0.0545B/*0.016	#0.0545B/*0.016	----	0.0155	NEW	.1554	----	15	----	15 +
640	----	----	0.2065B/0.1415A	0.2065B/0.1415A	----	0.1880	- 0.0015	.7051	----	----	----	20 UNCH
640	----	----	0.0590B/0.0175A	0.0590B/0.0175A	----	0.0170	- 0.0260	.1704	----	----	----	5 UNCH
642	0.0215	0.0215	#0.0685B/*0.021	#0.0685B/0.0215	----	0.0220	NEW	.2115	----	2	----	2 +
643	0.0245	0.0245	#0.0735B/0.024	#0.0735B/0.0240	----	0.0245	NEW	.2321	----	1	----	1 +
650	----	----	0.1420B/0.0960A	0.1420B/0.0960A	----	0.1280	- 0.0045	.5605	----	----	----	10 UNCH
650	0.0800	0.0800	0.0990B/0.0535A	0.0990B/0.0535A	----	0.0845	- 0.0035	.5966	----	4	----	6 +
652	0.0725	0.0725	#0.1245B/*0.055	#0.1245B/0.0555	----	0.0590	NEW	.4559	----	1	----	1 +
652	0.0745	0.0745	#0.0870B/*0.046	0.0870B/*0.0465	----	0.0740	NEW	.5439	----	1	----	1 +
670	0.0110	0.0110	0.0115/*0.0110	0.0140B/*0.0110	----	0.0135	- 0.0105	.1376	----	15	----	32 -
672	0.0100	0.0100	#0.0100/*0.0095	0.0100/*0.0095A	----	0.0110	NEW	.1127	----	3	----	3 +
675	----	----	----/0.0290A	0.0410B/0.0290A	----	0.0365	- 0.0100	.2205	----	----	----	7 UNCH
675	----	----	----/*0.0060A	0.0045B/*0.0060	----	0.0080	- 0.0085	.0823	----	----	----	10 UNCH
680	----	----	----/0.0235A	0.0300B/0.0235A	----	0.0270	- 0.0100	.1714	----	----	----	4 UNCH
690	----	----	----/0.0160A	0.0135B/0.0160A	----	0.0135	- 0.0100	.0945	----	----	----	51 UNCH
690	----	----	----/*0.0065A	----/*0.0065A	----	0.0010	- 0.0035	.0099	----	----	----	10 UNCH
695	----	----	----/*0.0075A	0.0090B/*0.0075	----	0.0095	- 0.0095	.0688	----	----	----	48 UNCH
700	----	----	----/0.0110A	0.0070B/0.0110A	----	0.0070	- 0.0085	.0513	----	----	----	33 UNCH
735	0.0125	0.0125	#0.0125/*0.0090	0.0125/*0.0090A	----	0.0070	NEW	.0369	----	1	----	1 +
TOTAL										82		371 +
COPPER WEEKLY WEDNESDAY OPTION WEEK												
JUN26												
500	----	----	----	----/0.0060A	----	0.0005	UNCH	.0003	----	----	----	26 UNCH
570												

PG64		BULLETIN #106@										METALS OPTION PRODUCTS										Thu, Jun 04, 2026		PG64	
		GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST										
HWW WED JUN26		COPPER WEEKLY WEDNESDAY OPTION WEEK																							
659	----	----	----	----	----	----	----	----	0.0825	UNCH	----	----	----	----	0	UNCH									
660	----	----	----	----	----	----	----	----	0.0925	UNCH	----	----	----	----	0	UNCH									
660	----	----	----	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH									
660	----	----	----	----	----/0.0330A	0.0590B/0.0330A	----	----	0.0505	- 0.0085	.3662	----	----	----	6	UNCH									
662	----	----	----	----	----	----	----	----	0.1125	UNCH	----	----	----	----	0	UNCH									
662	----	----	----	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH									
663	----	----	----	----	----	----	----	----	0.1225	UNCH	----	----	----	----	0	UNCH									
664	----	----	----	----	----	----	----	----	0.1325	UNCH	.0000	----	----	----	0	UNCH									
665	----	----	----	----	0.1185B/0.0855A	0.1185B/0.0855A	----	----	0.1055	- 0.0085	.3927	----	----	----	22	UNCH									
665	----	----	----	----	----	----	----	----	0.1425	UNCH	----	----	----	----	0	UNCH									
665	----	----	----	----	0.2650B/0.1770A	0.2650B/0.1770A	----	----	0.1850	- 0.0365	.6475	----	----	----	40	UNCH									
665	----	----	----	----	----/0.0230A	0.0400B/0.0230A	----	----	0.0345	- 0.0090	.2699	----	----	----	6	UNCH									
667	----	----	----	----	----	----	----	----	0.1625	UNCH	----	----	----	----	0	UNCH									
670	----	----	----	----	0.2805B/0.2105A	0.2805B/0.2105A	----	----	0.2195	- 0.0375	.7089	----	----	----	65	UNCH									
675	----	----	----	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH									
680	0.0070	0.0070	----	----	0.0070/*0.0065A	0.0070/*0.0065A	----	----	0.0090	- 0.0070	.0805	----	----	8	21 +	8									
695	----	----	----	----	----/*0.0060A	0.0130B/0.0150A	----	----	0.0020	- 0.0035	.0177	----	----	----	10	UNCH									
695	----	----	----	----	----/0.0150A	0.0130B/0.0150A	----	----	0.0130	- 0.0085	.0858	----	----	----	23	UNCH									
700	----	----	----	----	----/*0.0055A	0.0025B/*0.0065	----	----	0.0015	- 0.0025	.0126	----	----	----	2	UNCH									
725	----	----	----	----	----/*0.0065A	0.0025B/*0.0065	----	----	0.0030	- 0.0045	.0199	----	----	----	14	UNCH									
TOTAL														44	304 +	44									
JUL26																									
460	----	----	----	----	----	----/0.0060A	----	----	0.0005	UNCH	.0005	----	----	----	23	UNCH									
510	----	----	----	----	----	0.0005B/0.0070A	----	----	0.0020	- 0.0005	.0072	----	----	----	19	UNCH									
565	----	----	----	----	----/*0.0095A	0.0100B/*0.0095	----	----	0.0075	- 0.0030	.0304	----	----	----	6	UNCH									
568	----	----	----	----	----/*0.0100A	0.0105B/*0.0100	----	----	0.0085	- 0.0025	.0342	----	----	----	6	UNCH									
581	----	----	----	----	0.0180B/0.0130A	0.0180B/0.0130A	----	----	0.0125	- 0.0040	.0507	----	----	----	1	UNCH									
585	----	----	----	----	0.0215B/0.0145A	0.0215B/0.0145A	----	----	0.0140	- 0.0050	.0570	----	----	----	6	UNCH									
585	----	----	----	----	----/0.6900A	0.7005B/0.6900A	----	----	0.7575	+ 0.0225	.9425	----	----	----	6	UNCH									
592	----	----	----	----	0.0290B/0.0175A	0.0290B/0.0175A	----	----	0.0170	- 0.0075	.0698	----	----	----	1	UNCH									
600	----	----	----	----	0.0390B/0.0220A	0.0390B/0.0220A	----	----	0.0225	- 0.0100	.0912	----	----	----	1	UNCH									
600	----	----	----	----	0.6075B/0.5575A	0.6075B/0.5575A	----	----	0.6165	+ 0.0180	.9082	----	----	----	12	UNCH									
608	----	----	----	----	0.0525B/0.0290A	0.0525B/0.0290A	----	----	0.0315	- 0.0120	.1223	----	----	----	39	UNCH									
611	----	----	----	----	0.0585B/0.0325A	0.0585B/0.0325A	----	----	0.0360	- 0.0125	.1367	----	----	----	22	UNCH									
612	----	----	----	----	0.0605B/0.0340A	0.0605B/0.0340A	----	----	0.0375	- 0.0130	.1415	----	----	----	6	UNCH									
612	----	----	----	----	0.5030B/0.4595A	0.5030B/0.4595A	----	----	0.5115	+ 0.0145	.8579	----	----	----	5	UNCH									
613	----	----	----	----	0.0630B/0.0350A	0.0630B/0.0350A	----	----	0.0390	- 0.0135	.1463	----	----	----	3	UNCH									
621	----	----	----	----	0.4290B/0.3920A	0.4290B/0.3920A	----	----	0.4370	+ 0.0105	.8100	----	----	----	1	UNCH									
622	----	----	----	----	0.0865B/0.0495A	0.0865B/0.0495A	----	----	0.0550	- 0.0175	.1952	----	----	----	5	UNCH									
625	----	----	----	----	----/0.3410A	0.3975B/0.3410A	----	----	0.4055	+ 0.0080	.7855	----	----	----	22	UNCH									
630	----	----	----	----	0.3880B/0.3090A	0.3880B/0.3090A	----	----	0.3680	+ 0.0055	.7525	----	----	----	5	UNCH									
635	----	----	----	----	0.1325B/0.0820A	0.1325B/0.0820A	----	----	0.0885	- 0.0240	.2839	----	----	----	5	UNCH									
650	----	----	----	----	0.2580B/0.1975A	0.2580B/0.1975A	----	----	0.2420	- 0.0010	.5937	----	----	----	5	UNCH									
670	----	----	----	----	0.3260B/0.2450A	0.3260B/0.2450A	----	----	0.2565	- 0.0320	.5697	----	----	----	19	UNCH									
680	----	----	----	----	0.3985B/0.3110A	0.3985B/0.3110A	----	----	0.3220	- 0.0335	.6447	----	----	----	20	UNCH									
690	----	----	----	----	----/0.0735A	0.0965B/0.0735A	----	----	0.0890	- 0.0080	.2869	----	----	----	11	UNCH									
700	----	----	----	----	----/0.0560A	0.0720B/0.0560A	----	----	0.0665	- 0.0090	.2274	----	----	----	6	UNCH									
710	----	----	----	----	----/0.0425A	0.0520B/0.0425A	----	----	0.0490	- 0.0100	.1769	----	----	----	5	UNCH									
TOTAL															260										
AUG26																									
559	----	----	----	----	----/*0.0365A	0.0410B/*0.0365	----	----	0.0345	- 0.0075	.0837	----	----	----	1	UNCH									
599	----	----	----	----	----	----	----	----	0.6970	+ 0.0125	.8018	----	----	----	10	UNCH									
606	----	----	----	----	0.1365B/0.1105A	0.1365B/0.1105A	----	----	0.1130	- 0.0160	.2247	----	----	----	1	UNCH									
630	----	----	----	----	0.2280B/0.1895A	0.2280B/0.1895A	----	----	0.1940	- 0.0195	.3323	----	----	----	3	UNCH									
630	----	----	----	----	0.4990B/0.4255A	0.4990B/0.4255A	----	----	0.4875	+ 0.0080	.6662	----	----	----	4	UNCH									
640	----	----	----	----	0.4405B/0.3745A	0.4405B/0.3745A	----	----	0.4305	+ 0.0065	.6183	----	----	----	1	UNCH									
650	----	----	----	----	0.3875B/0.3285A	0.3875B/0.3285A	----	----	0.3790	+ 0.0050	.5700	----	----	----	14	UNCH									
750	----	----	----	----	----/0.0830A	0.0900B/0.0830A	----	----	0.0940	- 0.0045	.1940	----	----	----	1	UNCH									
800	----	----	----	----	----/*0.0450A	0.0410B/0.0450A	----	----	0.0455	- 0.0035	.1029	----	----	----	1	UNCH									
TOTAL															36										
SEP26																									
550	----	----	----	----	----/*0.0475A	0.0510B/*0.0475	----	----	0.0460	- 0.0080	.0888	----	----	----	1	UNCH									
660	0.4470	0.4470	----	----	0.4545B/0.3970A	0.4545B/0.3970A	----	----	0.4490	NEW	.5622	----	----	2	0	UNCH									
750	----	----	----	----	----/0.1485A	0.1645B/0.1485A	----	----	0.1660	- 0.0050	.2663	----	----	----	2	UNCH									
TOTAL														2		3									
HXH CALL JUL26		COMEX COPPER OPTIONS																							
500	1.5500	1.5500	----	----	1.5500/1.5500	1.5500/1.5370A	----	----	1.5355	+ 0.0275	.9946	----	----	1	----	7	-	1							
520	----	----	----	----	----	----	----	----	1.3360	+ 0.0270	.9906	----	----	----	0	-	1								
525	----	----	----	----	----	----	----	----	1.2865	+ 0.0270	.9903	----	----	----	1	UNCH									
530	----	----	----	----	1.2370B/----	1.2370B/1.2385A	----	----	1.2365	+ 0.0265	.9883	----	----	----	6	UNCH									
540	----	----	----	----	1.1380B/----	1.1380B/1.1390A	----	----	1.1370	+ 0.0265	.9858	----	----	----	18	UNCH									
545	----	----	----	----	----	----	----	----	1.0875	+ 0.0260	.9835	----	----	----	1	UNCH									
550	----	----	----	----	----	----	----	----	1.0385	+ 0.0265	.9812	----	----	----	2	UNCH									
555	----	----	----	----	0.9890B/----	0.9890B/0.9905A	----	----	0.9890	+ 0.0260	.9787	----	----	----	116	UNCH									
560	----	----	----	----	----	----	----	----	0.9390	+ 0.0250	.9761	----	----	----	2	UNCH									
570	----	----	----	----	0.8540B/----	0.8540B/0.8295A	----	----	0.8400	+ 0.0235	.9719	----	----	----	157	UNCH									
574	----	----	----	----	0.8025B/----	0.8025B/0.8035A	----	----	0.8000	+ 0.0225	.9690	----	----	----	5	UNCH									
575	----	----	----	----	0.7925B/----	0.7925B/0.7935A	----	----	0.7905	+ 0.0225	.9687	----	----	----	18	UNCH									
580	----	----	----	----	0.7440B/0.6715A	0.7440B/0.6715A	----	----	0.7415	+ 0.0215	.9633	----	----	----	123	UNCH									
585	----	----	----	----	0.7125B/0.6250A	0.7125B/0.6250A	----	----	0.6930	+ 0.0205	.9558	----	----	----	318	UNCH									
590	----	----	----	----	0.6480B/0.5790A	0.6480B/0.5790A	----	----	0.6450	+ 0.0195	.9461	----	----	----	103	UNCH									
591	----	----	----	----	0.6455B/0.5700A	0.6455B/0.5700A	----	----	0.6355	+ 0.0195	.9438	----	----	----	3	UNCH									
593	----	----	----	----	0.6085B/0.5520A	0.6085B/0.5520A	----	----	0.6165	+ 0.0190	.9391	----	----	----	1	UNCH									
594	----	----	----	----	0.5985B/0.5430A	0.5985B/0.5430A	----	----	0.6070	+ 0.0185	.9367	----	----	----	2	UNCH									
595	----	----	----	----	0.6010B/0.5440A	0.6010B/0.5440A	----	----	0.5975	+ 0.0185	.9342	----	----	----	29	UNCH									
597	----	----	----	----	0.5705B/0.5165A	0.5705B/0.5165A	----	----	0.5785	+ 0.0175	.9293	----	----	----	1	UNCH									
598	----	----	----	----	0.5615B/0.5080A	0.5615B/0.5080A	----	----	0.5695	+ 0.0175	.9268	----	----	----	1	UNCH									
599	----	----	----	----	0.5525B/0.4990A	0.5525B/0.4990A	----	----	0.5600	+ 0.0170	.9227	----	----	----	2	UNCH									
600	0.5390	0.5390	----	----	0.5720B/0.4905A	0.5720B/0.4905A	----	----	0.5505	+ 0.0165	.9201	----	----	1	542 -	1									
602	----	----	----	----	0.5360B/0.4735A	0.5360B/0.4735A	----	----	0.5320	+ 0.0155	.9133	----	----	----	83	UNCH									
603	----	----	----	----	0.5165B/0.4650A	0.5165B/0.4650A	----	----	0.5225	+ 0.0150	.9106	----	----	----	3	UNCH									
605	----	----	----	----	0.5085B/0.4480A	0.5085B/0.4480A	----	----	0.5045	+ 0.0145	.9036	----	----	----	41	UNCH									
610	----	----	----	----	0.47																				

BULLETIN #106@			METALS OPTION PRODUCTS										Thu, Jun 04, 2026			PG64
	GLOBAL OPEN	OPEN OUTCRY OPEN RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST			
HX CALL	COMEX COPPER OPTIONS															
JUL26																
775	0.0065	0.0065	0.0065/0.0045A	0.0065/0.0045A	----	0.0045	-	0.0050	.0202	----	6	----	123	-		
780	----	----	----/0.0045A	0.0055B/0.0045A	----	0.0045	-	0.0045	.0196	----	----	----	49	UNCH		
800	----	----	----/*0.0030A	0.0045B/*0.0030	----	0.0040	-	0.0035	.0161	----	1	----	2385	-		
825	----	----	----/*0.0025A	0.0035B/*0.0025	----	0.0040	-	0.0025	.0145	----	----	----	13	UNCH		
850	----	----	----/*0.0020A	----/*0.0020A	----	0.0035	-	0.0020	.0118	----	----	----	337	UNCH		
875	----	----	----/*0.0020A	----/*0.0020A	----	0.0030	-	0.0020	.0096	----	----	----	6	UNCH		
900	0.0015	0.0015	0.0020/0.0015	0.0020/0.0015	----	0.0025	-	0.0015	.0076	----	2	----	2131	UNCH		
925	----	----	----/0.0040A	----	----	0.0025	-	0.0005	.0072	----	----	----	16	UNCH		
950	----	----	----	----/0.0035A	----	0.0020		UNCH	.0056	----	----	----	52	UNCH		
975	----	----	----	----/0.0030A	----	0.0020	+	0.0005	.0053	----	----	----	18	UNCH		
1000	----	----	----	0.0005B/0.0025A	----	0.0015	+	0.0005	.0039	----	----	----	6	UNCH		
TOTAL										400	687		24916	-		
AUG26																
500	----	----	1.5835B/----	1.5835B/1.6190A	----	1.5990	+	0.0260	.9789	----	----	----	8	UNCH		
550	----	----	----	0.9850B/1.0975A	----	1.1115	+	0.0205	.9436	----	----	----	3	UNCH		
580	----	----	0.8440B/0.7840A	0.8440B/0.7840A	----	0.8365	+	0.0160	.8854	----	----	----	253	UNCH		
585	----	----	----/0.7430A	0.7755B/0.7430A	----	0.7935	+	0.0155	.8705	----	----	----	11	UNCH		
590	----	----	----/0.7025A	0.7335B/0.7025A	----	0.7515	+	0.0145	.8548	----	----	----	17	UNCH		
595	----	----	----/0.6635A	0.6920B/0.6635A	----	0.7105	+	0.0135	.8370	----	----	----	1	UNCH		
600	----	----	----/0.6260A	0.6530B/0.6260A	----	0.6705	+	0.0120	.8180	----	----	----	4	UNCH		
610	----	----	----/0.5230A	0.5780B/0.5230A	----	0.5950	+	0.0100	.7758	----	----	----	4	UNCH		
615	----	----	0.5760B/0.4900A	0.5760B/0.4900A	----	0.5595	+	0.0095	.7525	----	----	----	2	UNCH		
620	----	----	0.5410B/0.4590A	0.5410B/0.4590A	----	0.5250	+	0.0080	.7286	----	----	----	28	UNCH		
625	----	----	0.5080B/0.4290A	0.5080B/0.4290A	----	0.4925	+	0.0075	.7038	----	----	----	96	UNCH		
630	----	----	0.4760B/0.4005A	0.4760B/0.4005A	----	0.4610	+	0.0065	.6783	----	----	----	57	UNCH		
635	----	----	0.4450B/0.3730A	0.4450B/0.3730A	----	0.4315	+	0.0060	.6523	----	----	----	2	UNCH		
640	----	----	0.4170B/0.3470A	0.4170B/0.3470A	----	0.4030	+	0.0050	.6259	----	----	----	160	UNCH		
645	----	----	0.3885B/0.3210A	0.3885B/0.3210A	----	0.3765	+	0.0045	.5994	----	----	----	3	UNCH		
650	0.2945	0.2945	0.3655B/0.2945	0.3655B/0.2945	----	0.3510	+	0.0040	.5729	----	9	----	791	+		
655	----	----	0.3405B/0.2730A	0.3405B/0.2730A	----	0.3265	+	0.0025	.5465	----	1	----	461	-		
660	0.2535	0.2535	0.3165B/0.2535	0.3165B/0.2535	----	0.3040	+	0.0020	.5203	----	3	----	111	UNCH		
665	0.2505	0.2505	0.2950B/0.2385A	0.2950B/0.2385A	----	0.2825	+	0.0010	.4945	----	1	----	1	UNCH		
670	0.2630	0.2630	0.2745B/0.2210A	0.2745B/0.2210A	----	0.2620	-	0.0005	.4691	----	11	----	423	+		
675	----	----	0.2550B/0.2050A	0.2550B/0.2050A	----	0.2430	-	0.0010	.4443	----	5	----	1349	+		
680	0.2385	0.2385	0.2385/0.1900A	0.2385/0.1900A	----	0.2250	-	0.0020	.4201	----	2	----	119	-		
685	----	----	0.2190B/0.1755A	0.2190B/0.1755A	----	0.2085	-	0.0030	.3967	----	----	----	4	UNCH		
690	----	----	0.2030B/0.1625A	0.2030B/0.1625A	----	0.1925	-	0.0040	.3739	----	----	----	223	UNCH		
695	----	----	0.1875B/0.1500A	0.1875B/0.1500A	----	0.1780	-	0.0045	.3520	----	----	----	9	UNCH		
700	0.1415	0.1415	0.1745/0.1390A	0.1745/0.1390A	----	0.1640	-	0.0050	.3307	----	188	----	3345	+		
705	----	----	0.1595B/0.1280A	0.1595B/0.1280A	----	0.1515	-	0.0055	.3106	----	----	----	8	UNCH		
710	----	----	0.1470B/0.1180A	0.1470B/0.1180A	----	0.1395	-	0.0055	.2910	----	----	----	256	UNCH		
715	----	----	0.1355B/0.1090A	0.1355B/0.1090A	----	0.1285	-	0.0060	.2725	----	----	----	3	UNCH		
720	----	----	----/0.1015A	0.1245B/0.1015A	----	0.1180	-	0.0065	.2546	----	----	----	11	UNCH		
725	0.1095	0.1095	0.1095/0.0925A	0.1145B/0.0925A	----	0.1090	-	0.0065	.2383	----	5	----	1327	UNCH		
730	----	----	----/0.0850A	0.1055B/0.0850A	----	0.1000	-	0.0065	.2221	----	----	----	4	UNCH		
735	----	----	----/0.0785A	0.0970B/0.0785A	----	0.0920	-	0.0070	.2072	----	----	----	6	UNCH		
740	----	----	----/0.0725A	0.0890B/0.0725A	----	0.0845	-	0.0070	.1930	----	1	----	556	+		
750	0.0635	0.0635	0.0745B/0.0625A	0.0745B/0.0625A	----	0.0715	-	0.0070	.1674	----	172	----	1555	+		
775	----	----	----/0.0430A	0.0495B/0.0430A	----	0.0470	-	0.0075	.1161	----	1	----	162			
800	0.0325	0.0325	0.0335B/0.0305A	0.0335B/0.0305A	----	0.0320	-	0.0070	.0816	----	3	----	411	+		
825	----	----	----/0.0225A	0.0240B/0.0225A	----	0.0225	-	0.0060	.0585	----	----	----	2	UNCH		
850	----	----	----/*0.0165A	0.0180B/0.0165A	----	0.0170	-	0.0050	.0441	----	----	----	18	UNCH		
875	----	----	----/*0.0135A	0.0140B/0.0135A	----	0.0135	-	0.0045	.0346	----	----	----	31	UNCH		
900	0.0105	0.0105	0.0105/0.0085	0.0110B/0.0085	----	0.0110	-	0.0040	.0277	----	25	----	133	+		
925	----	----	----/0.0095A	0.0100B/0.0095A	----	0.0095	-	0.0030	.0233	----	----	----	4	UNCH		
950	----	----	----/0.0095A	0.0070B/0.0095A	----	0.0080	-	0.0025	.0193	----	----	----	63	UNCH		
975	----	----	----	0.0040B/0.0090A	----	0.0065	-	0.0025	.0156	----	----	----	62	UNCH		
TOTAL											427		12097	+		
SEP26																
495	----	----	----	----	----	1.6540	+	0.0240	.9650	----	----	----	2	UNCH		
500	----	----	----	1.5720B/1.6430A	----	1.6055	+	0.0240	.9625	----	----	----	5	UNCH		
510	----	----	----	----	----	1.5090	+	0.0235	.9551	----	----	----	2	UNCH		
535	----	----	----	----	----	1.2725	+	0.0205	.9287	----	----	----	1	UNCH		
565	----	----	----	----	----	1.0050	+	0.0155	.8729	----	----	----	1	UNCH		
575	----	----	----	0.8850B/0.9630A	----	0.9220	+	0.0140	.8470	----	----	----	100	UNCH		
590	----	----	----	0.7665B/0.8455A	----	0.8045	+	0.0115	.8013	----	----	----	5	UNCH		
595	----	----	----/0.6905A	0.7290B/0.6905A	----	0.7675	+	0.0110	.7845	----	----	----	5	UNCH		
600	----	----	----/0.6565A	0.7155B/0.6565A	----	0.7315	+	0.0100	.7668	----	----	----	222	UNCH		
610	----	----	0.6770B/0.5920A	0.6770B/0.5920A	----	0.6630	+	0.0090	.7298	----	----	----	31	UNCH		
615	----	----	0.6440B/0.5615A	0.6440B/0.5615A	----	0.6305	+	0.0080	.7106	----	----	----	9	UNCH		
620	----	----	0.6120B/0.5325A	0.6120B/0.5325A	----	0.5990	+	0.0075	.6910	----	----	----	187	UNCH		
625	----	----	0.5840B/0.5050A	0.5840B/0.5050A	----	0.5690	+	0.0070	.6709	----	----	----	632	UNCH		
630	----	----	0.5515B/0.4780A	0.5515B/0.4780A	----	0.5400	+	0.0065	.6506	----	----	----	51	UNCH		
635	----	----	0.5235B/0.4525A	0.5235B/0.4525A	----	0.5120	+	0.0055	.6301	----	10	----	76	+		
640	----	----	0.4970B/0.4280A	0.4970B/0.4280A	----	0.4850	+	0.0045	.6094	----	----	----	1052	UNCH		
645	----	----	0.4700B/0.4020A	0.4700B/0.4020A	----	0.4595	+	0.0040	.5888	----	----	----	200	UNCH		
650	----	----	0.4470B/0.3815A	0.4470B/0.3815A	----	0.4350	+	0.0030	.5682	----	15	----	358	+		
655	----	----	0.4220B/0.3585A	0.4220B/0.3585A	----	0.4115	+	0.0020	.5477	----	----	----	24	UNCH		
660	----	----	0.3995B/0.3390A	0.3995B/0.3390A	----	0.3895	+	0.0015	.5273	----	----	----	104	UNCH		
665	----	----	0.3780B/0.3225A	0.3780B/0.3225A	----	0.3685	+	0.0010	.5073	----	----	----	3	UNCH		
670	----	----	0.3575B/0.3025A	0.3575B/0.3025A	----	0.3485	+	0.0005	.4876	----	200	----	292	+		
675	----	----	0.3395B/0.2875A	0.3395B/0.2875A	----	0.3295		UNCH	.4682	----	5	----	495	UNCH		
680	0.2950	0.2950	0.3190B/0.2715A	0.3190B/0.2715A	----	0.3110	-	0.0010	.4492	----	1	----	1400	+		
685	----	----	0.3015B/0.2545A	0.3015B/0.2545A	----	0.2940	-	0.0015	.4307	----	----	----	36	UNCH		
690	0.2740	0.2740	0.2865B/0.2420A	0.2865B/0.2420A	----	0.2775	-	0.0020	.4126	----	5	----	457	-		
695	----	----	0.2670B/0.2285A	0.2670B/0.2285A	----	0.2620	-	0.0025	.3950	----	25	----	46	+		
700	0.2525	0.2525	0.2555B/0.2155A	0.2555B/0.2155A	----	0.2475	-	0.0030	.3780	----	243	----	11841	+		
705	----	----	0.2385B/0.2030A	0.2385B/0.2030A	----	0.2335	-	0.0035	.3614	----	----	----	402	UNCH		
710	----	----	0.2250B/0.1915A	0.2250B/0.1915A	----	0.2200	-	0.0040	.3452	----	----	----	1100	UNCH		
715	----	----	----/0.1810A	0.2105B/0.1810A	----	0.2070	-	0.0045	.3293	----	----	----	96	UNCH		
720	----	----	----/0.1700A	0.1985B/0.1700A	----	0.1950	-	0.0050	.3142	----	----	----	74	UNCH		
725	----	----	----/0.1605A	0.1870B/0.1605A	----	0.1835	-	0.0055	.2995	----	1	----	231	UNCH		
730	----	----	----/0.1515A	0.1760B/0.1515A	----	0.1730	-	0.0060	.2855	----	----	----	6	UNCH		
735	----	----	----/0.1425A	0.1655B/0.1425A	----	0.1625	-	0.0065	.2717	----	----	----	1	UNCH		
740	----	----	----/0.1340A	0.1570B/0.1340A	----	0.1530	-	0.0065	.2586	----	----	----	1450	UNCH		
750	----	----	----/0.1185A	0.1375B/0.1185A	----	0.1355	-	0.0070	.2340	----	----	----	239	UNCH		



	BULLETIN #106@				METALS OPTION PRODUCTS							Thu, Jun 04, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
HX CALL	COMEX COPPER OPTIONS													
OCT26														
875	----	----	----/0.0620A	0.0595B/0.0620A	----	0.0620 - 0.0060	.1042	----	----	----	----	3	UNCH	
900	----	----	----/0.0520A	0.0475B/0.0520A	----	0.0505 - 0.0045	.0860	----	----	----	----	3	UNCH	
975	----	----		0.0260B/0.0315A	----	0.0285 - 0.0030	.0500	----	----	----	----	7	UNCH	
TOTAL										2		897 +	1	
NOV26														
535	----	----	----	----	----	1.3950 + 0.0160	.8931	----	----	----	----	1	UNCH	
545	----	----	----	----	----	1.3095 + 0.0140	.8759	----	----	----	----	1	UNCH	
580	----	----	----	----	----	1.0345 + 0.0090	.7987	----	----	----	----	2	UNCH	
585	----	----	----	----	----	0.9985 + 0.0080	.7858	----	----	----	----	1	UNCH	
595	----	----	----/0.8565A	0.9230B/0.8565A	----	0.9290 + 0.0060	.7586	----	----	----	----	2	UNCH	
600	----	----	0.9045B/0.8245A	0.9045B/0.8245A	----	0.8960 + 0.0060	.7447	----	----	----	----	2	UNCH	
610	----	----	0.8395B/0.7635A	0.8395B/0.7635A	----	0.8315 + 0.0040	.7159	----	----	----	----	14	UNCH	
640	----	----	0.6655B/0.6020A	0.6655B/0.6020A	----	0.6605 + 0.0005	.6256	----	----	----	----	1	UNCH	
650	----	----	0.6145B/0.5550A	0.6145B/0.5550A	----	0.6100 + 0.0005	.5950	----	----	----	----	1	UNCH	
655	----	----	0.5900B/0.5330A	0.5900B/0.5330A	----	0.5860 + 0.0010	.5797	----	----	----	----	1	UNCH	
660	----	----	0.5690B/0.5115A	0.5690B/0.5115A	----	0.5630 + 0.0015	.5645	----	----	----	----	20	UNCH	
665	----	----	0.5455B/0.4910A	0.5455B/0.4910A	----	0.5405 + 0.0020	.5493	----	----	----	----	0	UNCH	
670	----	----	0.5235B/0.4710A	0.5235B/0.4710A	----	0.5190 + 0.0025	.5343	----	----	----	----	14	UNCH	
675	----	----	0.5025B/0.4520A	0.5025B/0.4520A	----	0.4980 + 0.0030	.5194	----	----	----	----	62	UNCH	
680	----	----	----/0.4335A	0.4810B/0.4335A	----	0.4780 + 0.0035	.5048	----	----	----	----	4	UNCH	
695	----	----	----/0.3825A	0.4230B/0.3825A	----	0.4220 + 0.0045	.4620	----	----	----	----	1	UNCH	
700	----	----	----/0.3665A	0.4055B/0.3665A	----	0.4045 + 0.0050	.4481	----	----	----	----	27	UNCH	
705	----	----	----/0.3515A	0.3880B/0.3515A	----	0.3880 + 0.0055	.4345	----	----	----	----	1	UNCH	
725	----	----	----/0.2965A	0.3260B/0.2965A	----	0.3270 + 0.0065	.3826	----	----	----	----	48	UNCH	
740	----	----	----/0.2610A	0.2855B/0.2610A	----	0.2870 + 0.0075	.3464	----	----	----	----	20	UNCH	
750	----	----	----/0.2400A	0.2610B/0.2400A	----	0.2630 + 0.0080	.3237	----	----	----	----	26	UNCH	
800	----	----	----/0.1575A	0.1660B/0.1575A	----	0.1700 + 0.0090	.2276	----	----	----	----	1	UNCH	
850	----	----	----/0.1060A	0.1055B/0.1060A	----	0.1120 + 0.0085	.1593	----	----	----	----	2	UNCH	
900	----	----	----/0.0750A	0.0690B/0.0750A	----	0.0760 + 0.0075	.1127	----	----	----	----	1	UNCH	
975	----	----	----/*0.0490A	0.0390B/0.0490A	----	0.0450 + 0.0060	.0693	----	----	----	----	4	UNCH	
TOTAL												257		
DEC26														
525	----	----	----	----	----	1.4980 + 0.0140	.8940	----	----	----	----	123	UNCH	
535	----	----	----	----	----	1.4130 + 0.0120	.8778	----	----	----	----	1	UNCH	
550	----	----	----	----	----	1.2905 + 0.0090	.8501	----	----	----	----	2	UNCH	
555	----	----	----	----	----	1.2515 + 0.0085	.8401	----	----	----	----	1	UNCH	
565	----	----	----	----	----	1.1750 + 0.0065	.8183	----	----	----	----	45	UNCH	
575	----	----	----	----	----	1.1020 + 0.0045	.7951	----	----	----	----	123	UNCH	
585	----	----	----/0.9625A	1.0070B/0.9625A	----	1.0325 + 0.0030	.7707	----	----	----	----	1	UNCH	
590	----	----	----/0.9305A	0.9935B/0.9305A	----	0.9985 + 0.0020	.7579	----	----	----	----	200	UNCH	
595	----	----	0.9705B/0.8990A	0.9705B/0.8990A	----	0.9660 + 0.0015	.7450	----	----	----	----	163	UNCH	
600	----	----	0.9380B/0.8680A	0.9380B/0.8680A	----	0.9340 + 0.0005	.7318	----	----	----	----	618	UNCH	
610	----	----	0.8760B/0.8095A	0.8760B/0.8095A	----	0.8725 + 0.0010	.7048	----	----	----	----	200	UNCH	
620	----	----	0.8165B/0.7540A	0.8165B/0.7540A	----	0.8140 + 0.0020	.6775	----	----	----	----	366	UNCH	
625	----	----	----/0.7275A	0.7880B/0.7275A	----	0.7860 + 0.0030	.6636	----	----	----	----	38	UNCH	
630	----	----	----/0.7015A	0.7605B/0.7015A	----	0.7585 + 0.0035	.6497	----	----	----	----	310	UNCH	
635	----	----	----/0.6765A	0.7335B/0.6765A	----	0.7320 + 0.0040	.6357	----	----	----	----	1	UNCH	
640	----	----	----/0.6525A	0.7075B/0.6525A	----	0.7065 + 0.0045	.6217	----	----	----	----	29	UNCH	
650	0.6120	0.6120	0.6570B/0.5915	0.6570B/0.5915	----	0.6570 + 0.0055	.5937	----	54	----	----	445 -	48	
655	----	----	----/0.5845A	0.6335B/0.5845A	----	0.6335 + 0.0060	.5797	----	----	----	----	10	UNCH	
660	----	----	----/0.5630A	0.6100B/0.5630A	----	0.6105 + 0.0065	.5658	----	----	----	----	300	UNCH	
670	----	----	----/0.5225A	0.5660B/0.5225A	----	0.5665 + 0.0080	.5382	----	----	----	----	4	UNCH	
675	----	----	----/0.5035A	0.5445B/0.5035A	----	0.5460 + 0.0080	.5247	----	----	----	----	17	UNCH	
680	----	----	----/0.4845A	0.5240B/0.4845A	----	0.5260 + 0.0085	.5112	----	----	----	----	663	UNCH	
690	----	----	----/0.4495A	0.4855B/0.4495A	----	0.4875 + 0.0095	.4848	----	----	----	----	1	UNCH	
700	0.4200	0.4200	0.4490B/0.4100	0.4490B/0.4100	----	0.4520 + 0.0100	.4591	----	13	----	----	1785 -	13	
705	----	----	----/0.4015A	0.4320B/0.4015A	----	0.4350 + 0.0105	.4466	----	----	----	----	2	UNCH	
710	----	----	----/0.3865A	0.4150B/0.3865A	----	0.4185 + 0.0110	.4342	----	----	----	----	50	UNCH	
725	0.3625	0.3625	0.3625/0.3450A	0.3685B/0.3450A	----	0.3730 + 0.0115	.3985	----	5	----	----	124 -	5	
730	----	----	----/0.3320A	0.3545B/0.3320A	----	0.3590 + 0.0115	.3871	----	----	----	----	4	UNCH	
750	----	----	----/0.2855A	0.3015B/0.2855A	----	0.3070 + 0.0125	.3434	----	----	----	----	381	UNCH	
775	----	----	----/0.2370A	0.2465B/0.2370A	----	0.2530 + 0.0120	.2947	----	----	----	----	211	UNCH	
800	----	----	----/0.1970A	0.2010B/0.1970A	----	0.2080 + 0.0120	.2516	----	10	----	----	154 -	10	
825	----	----	----/0.1645A	0.1640B/0.1645A	----	0.1715 + 0.0115	.2144	----	----	----	----	64	UNCH	
850	----	----	----/0.1385A	0.1350B/0.1385A	----	0.1425 + 0.0110	.1830	----	----	----	----	239	UNCH	
900	----	----	----/0.1015A	0.0930B/0.1015A	----	0.1010 + 0.0095	.1349	----	10	----	----	647 -	10	
925	----	----	----/0.0880A	0.0780B/0.0880A	----	0.0860 + 0.0085	.1165	----	----	----	----	6	UNCH	
950	----	----	----/0.0775A	0.0655B/0.0775A	----	0.0735 + 0.0080	.1009	----	----	----	----	114	UNCH	
975	----	----	----/0.0685A	0.0550B/0.0685A	----	0.0635 + 0.0075	.0880	----	----	----	----	13	UNCH	
1000	0.0545	0.0545	0.0545/0.0545	0.0545/0.0545	----	0.0550 + 0.0070	.0769	----	----	1	----	6 +	1	
TOTAL										93		7461 -	85	
JAN27														
500	----	----	----	----	----	1.8155 + 0.0190	.9210	----	----	----	----	1	UNCH	
900	----	----	----/0.1405A	0.1265B/0.1405A	----	0.1430 + 0.0080	.1686	----	----	----	----	1	UNCH	
TOTAL												2		
FEB27														
620	----	----	----/0.8985A	0.9440B/0.8985A	----	0.9545 + 0.0040	.6848	----	----	----	----	1	UNCH	
750	0.4235	0.4235	0.4365/*0.4060A	0.4365/*0.4060A	----	0.4295 + 0.0035	.3957	----	----	12	----	118 +	12	
850	----	----	----/*0.2235A	0.2125B/*0.2235	----	0.2320 + 0.0055	.2415	----	----	----	----	60	UNCH	
TOTAL										12		</		



PG64		BULLETIN #106@										METALS OPTION PRODUCTS										Thu, Jun 04, 2026		PG64					
		GLOBAL OPEN	OPEN OUTCRY OPEN RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST															
HX PUT		COMEX COPPER OPTIONS																											
JUL26																													
549	----	----	----	0.0070B/*0.0035	0.0070B/*0.0035	----	0.0045	-	0.0015	.0185	----	----	----	1	UNCH														
550	0.0050	0.0050		0.0070B/*0.0035	0.0070B/*0.0035	----	0.0045	-	0.0015	.0187	----	----	4	1052	-	2													
551	----	----	----	0.0075B/*0.0040	0.0075B/*0.0040	----	0.0050	-	0.0010	.0204	----	----	----	2	UNCH														
552	----	----	----	0.0075B/*0.0040	0.0075B/*0.0040	----	0.0050	-	0.0015	.0206	----	----	----	2	UNCH														
553	----	----	----	0.0080B/*0.0040	0.0080B/*0.0040	----	0.0050	-	0.0015	.0208	----	----	----	2	UNCH														
554	----	----	----	0.0080B/*0.0040	0.0080B/*0.0040	----	0.0050	-	0.0015	.0210	----	----	----	50	UNCH														
555	----	----	----	0.0080B/*0.0045	0.0080B/*0.0045	----	0.0050	-	0.0020	.0211	----	1	----	95	UNCH														
556	----	----	----	0.0085B/*0.0045	0.0085B/*0.0045	----	0.0050	-	0.0020	.0213	----	----	----	59	UNCH														
557	----	----	----	0.0085B/*0.0040	0.0085B/*0.0040	----	0.0050	-	0.0025	.0215	----	----	----	1	UNCH														
558	----	----	----	0.0090B/*0.0045	0.0090B/*0.0045	----	0.0055	-	0.0020	.0234	----	----	----	104	UNCH														
559	----	----	----	0.0095B/*0.0045	0.0095B/*0.0045	----	0.0055	-	0.0020	.0236	----	----	----	9	UNCH														
560	0.0055	0.0055		0.0095B/*0.0045	0.0095B/*0.0045	----	0.0055	-	0.0025	.0238	----	5	----	314	-	3													
561	----	----	----	0.0100B/*0.0045	0.0100B/*0.0045	----	0.0055	-	0.0025	.0240	----	----	----	7	UNCH														
562	----	----	----	0.0100B/*0.0045	0.0100B/*0.0045	----	0.0055	-	0.0030	.0242	----	----	----	2	UNCH														
563	----	----	----	0.0105B/*0.0050	0.0105B/*0.0050	----	0.0055	-	0.0030	.0245	----	----	----	17	UNCH														
564	----	----	----	0.0110B/*0.0050	0.0110B/*0.0050	----	0.0055	-	0.0035	.0247	----	----	----	10	UNCH														
565	----	----	----	0.0110B/*0.0050	0.0110B/*0.0050	----	0.0055	-	0.0035	.0249	----	1	----	10	-	1													
566	----	----	----	0.0115B/*0.0050	0.0115B/*0.0050	----	0.0055	-	0.0040	.0252	----	----	----	14	UNCH														
567	----	----	----	0.0120B/*0.0055	0.0120B/*0.0055	----	0.0060	-	0.0035	.0271	----	----	----	14	UNCH														
568	----	----	----	0.0125B/*0.0055	0.0125B/*0.0055	----	0.0060	-	0.0040	.0274	----	----	----	7	UNCH														
569	----	----	----	0.0125B/*0.0055	0.0125B/*0.0055	----	0.0060	-	0.0040	.0277	----	----	----	12	UNCH														
570	0.0050	0.0050		0.0130B/*0.0050	0.0130B/*0.0050	----	0.0060	-	0.0045	.0279	----	2	----	308	-	1													
571	----	----	----	0.0135B/*0.0055	0.0135B/*0.0055	----	0.0060	-	0.0045	.0282	----	----	----	27	UNCH														
572	----	----	----	0.0140B/*0.0060	0.0140B/*0.0060	----	0.0060	-	0.0050	.0285	----	----	----	5	UNCH														
573	----	----	----	0.0135B/*0.0060	0.0135B/*0.0060	----	0.0060	-	0.0050	.0288	----	----	----	21	UNCH														
574	----	----	----	0.0145B/*0.0060	0.0145B/*0.0060	----	0.0065	-	0.0050	.0309	----	----	----	16	UNCH														
575	----	----	----	0.0150B/*0.0060	0.0150B/*0.0060	----	0.0065	-	0.0050	.0312	----	1	----	270	UNCH														
576	----	----	----	0.0150B/*0.0060	0.0150B/*0.0060	----	0.0065	-	0.0055	.0315	----	----	----	24	UNCH														
577	----	----	----	0.0155B/*0.0065	0.0155B/*0.0065	----	0.0065	-	0.0060	.0319	----	----	----	6	UNCH														
578	----	----	----	0.0160B/*0.0065	0.0160B/*0.0065	----	0.0070	-	0.0060	.0340	----	----	----	40	UNCH														
579	----	----	----	0.0170B/*0.0065	0.0170B/*0.0065	----	0.0070	-	0.0060	.0344	----	----	----	28	UNCH														
580	0.0100	0.0100		0.0175B/*0.0070	0.0175B/*0.0070	----	0.0075	-	0.0060	.0366	----	2	----	1931	-	2													
581	----	----	----	0.0185B/*0.0070	0.0185B/*0.0070	----	0.0075	-	0.0065	.0370	----	----	----	25	UNCH														
582	----	----	----	0.0185B/*0.0070	0.0185B/*0.0070	----	0.0080	-	0.0065	.0392	----	4	----	50	+	2													
583	----	----	----	0.0190B/*0.0075	0.0190B/*0.0075	----	0.0085	-	0.0065	.0414	----	----	----	48	UNCH														
584	----	----	----	0.0205B/*0.0075	0.0205B/*0.0075	----	0.0085	-	0.0070	.0418	----	----	----	9	UNCH														
585	0.0135	0.0135		0.0205B/*0.0080	0.0205B/*0.0080	----	0.0090	-	0.0070	.0441	----	67	----	859	-	63													
586	----	----	----	0.0220B/*0.0080	0.0220B/*0.0080	----	0.0095	-	0.0070	.0463	----	----	----	42	UNCH														
587	----	----	----	0.0220B/*0.0085	0.0220B/*0.0085	----	0.0100	-	0.0070	.0486	----	----	----	15	UNCH														
588	----	----	----	0.0235B/*0.0085	0.0235B/*0.0085	----	0.0105	-	0.0070	.0508	----	----	----	29	UNCH														
589	----	----	----	0.0240B/*0.0090	0.0240B/*0.0090	----	0.0105	-	0.0075	.0514	----	----	----	45	UNCH														
590	----	----	----	0.0245B/*0.0090	0.0245B/*0.0090	----	0.0110	-	0.0080	.0537	----	----	----	943	UNCH														
591	----	----	----	0.0260B/*0.0095	0.0260B/*0.0095	----	0.0115	-	0.0080	.0561	----	----	----	25	UNCH														
592	----	----	----	0.0270B/*0.0100	0.0270B/*0.0100	----	0.0120	-	0.0080	.0584	----	----	----	13	UNCH														
593	----	----	----	0.0275B/*0.0100	0.0275B/*0.0100	----	0.0125	-	0.0085	.0608	----	----	----	54	UNCH														
594	----	----	----	0.0290B/*0.0095	0.0290B/*0.0095	----	0.0130	-	0.0090	.0632	----	----	----	21	UNCH														
595	0.0100	0.0100		0.0305B/*0.0100	0.0305B/*0.0100	----	0.0135	-	0.0090	.0656	----	15	----	245	-	14													
596	----	----	----	0.0310B/*0.0115	0.0310B/*0.0115	----	0.0140	-	0.0095	.0681	----	----	----	12	UNCH														
597	----	----	----	0.0320B/*0.0115	0.0320B/*0.0115	----	0.0145	-	0.0100	.0706	----	----	----	52	UNCH														
598	0.0150	0.0150		0.0330B/*0.0125	0.0330B/*0.0125	----	0.0150	-	0.0105	.0731	----	3	----	43	+	1													
599	0.0165	0.0165		0.0340B/*0.0125	0.0340B/*0.0125	----	0.0160	-	0.0105	.0772	----	5	----	88	+	4													
600	0.0350	0.0350		0.0355B/*0.0125	0.0355B/*0.0125	----	0.0165	-	0.0110	.0798	----	211	----	1423	+	30													
601	----	----	----	0.0370B/*0.0135	0.0370B/*0.0135	----	0.0170	-	0.0115	.0824	----	----	----	48	UNCH														
602	----	----	----	0.0390B/*0.0145	0.0390B/*0.0145	----	0.0180	-	0.0115	.0866	----	----	----	28	UNCH														
603	0.0170	0.0170		0.0405B/*0.0150A	0.0405B/*0.0150A	----	0.0185	-	0.0125	.0893	----	1	----	40	+	1													
605	0.0245	0.0245		0.0440B/*0.0150	0.0440B/*0.0150	----	0.0200	-	0.0135	.0963	----	13	----	257	+	8													
610	0.0500	0.0500		0.0560/0.0205	0.0560/0.0205	----	0.0250	-	0.0160	.1180	----	31	----	596	+	23													
615	0.0455	0.0455		0.0640B/0.0260A	0.0640B/0.0260A	----	0.0315	-	0.0185	.1447	----	37	----	226	+	19													
620	0.0665	0.0665		0.0780B/0.0335A	0.0780B/0.0335A	----	0.0395	-	0.0215	.1758	----	31	----	439	+	20													
625	0.0830	0.0830		0.0925B/0.0390	0.0925B/0.0390	----	0.0500	-	0.0240	.2131	----	401	230	664	+	148													
630	0.1000	0.1000		0.1105B/0.0540A	0.1105B/0.0540A	----	0.0630	-	0.0260	.2552	----	58	----	356	+	23													
635	0.0810	0.0810		0.1310B/0.0680A	0.1310B/0.0680A	----	0.0790	-	0.0275	.3017	----	58	----	322	+	23													
640	----	----	----	0.1545B/0.0850A	0.1545B/0.0850A	----	0.0975	-	0.0290	.3507	----	85	----	289	+	85													
645	0.1370	0.1370		0.1810B/0.1045A	0.1810B/0.1045A	----	0.1185	-	0.0305	.4011	----	2	----	178	UNCH														
650	0.1635	0.1635		0.2085B/0.1280A	0.2085B/0.1280A	----	0.1415	-	0.0320	.4522	----	62	----	334	UNCH														
655	----	----	----	0.2380B/0.1540A	0.2380B/0.1540A	----	0.1665	-	0.0345	.5034	----	----	----	178	UNCH														
660	----	----	----	0.2695B/0.1835A	0.2695B/0.1835A	----	0.1945	-	0.0360	.5538	----	20	----	129	+	19													
665	----	----	----	0.3045B/0.2135A	0.3045B/0.2135A	----	0.2250	-	0.0375	.6027	----	----	----	27	UNCH														
670	0.2680	0.2680		0.3415B/0.2460A	0.3415B/0.2460A	----	0.2580	-	0.0380	.6492	----	1	----	77	+	1													
675	----	----	----	0.3795B/0.2805A	0.3795B/0.2805A	----	0.2935	-	0.0385	.6923	----	----	----	26	UNCH														
690	----	----	----	0.4760B/0.4155A	0.4760B/0.4155A	----	0.4100	-	0.0390	.8028	----	----	----	1	UNCH														
700	----	----	----	0.5640B/0.5010A	0.5640B/0.5010A	----	0.4950	-	0.0390	.8591	----	----	----	1	UNCH														
705	----	----	----	0.6195B/0.5545A	0.6195B/0.5545A	----	0.5390	-	0.0395	.8816	----	----	----	1	UNCH														
TOTAL											230	1142		25396	+	311													
AUG26																													
330	----	----	----	----	----/0.0035A	----	0.0005	-	UNCH	.0003	----	----	----	3	UNCH														
405	----	----	----	----	----/0.0050A	----	0.0020	-	0.0005	.0043	----	----	----	3	UNCH														
420	----	----	----	----	----/0.0055A	----	0.0025	-	0.0005	.0056	----	----	----	1	UNCH														
440	----	----	----	----	0.0010B/*0.0060	----	0.0035	-	0.0005	.0080	----	----	----	5	UNCH														
450	----	----	----	----	0.0015B/*0.0065	----	0.0040	-	0.0010	.0094	----	3	----	11	+	3													
460	----	----	----	----	0.0025B/*0.0070	----	0.0045	-	0.0015	.0108	----	----	----	3	UNCH														
465	----	----	----	----	0.0025B/*0.0070	----	0.0050	-	0.0010	.0121	----	----	----	1	UNCH														
470	----	----	----	----	0.0030B/*0.0075	----	0.0055	-	0.0010	.0133	----	----	----	3	UNCH														
475	----	----	----	----	0.0035B/*0.0080	----	0.0055	-	0.0015	.0137	----	----	----	15	UNCH														
480	----																												

BULLETIN #106@				METALS OPTION PRODUCTS										Thu, Jun 04, 2026		PG64
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY CLOSE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST	
HX PUT COMEX COPPER OPTIONS																
SEP26																
510	----	----	----	----/*0.0205A	0.0230B/*0.0205	----			0.0210 - 0.0045	.0446	----	----	5	----	7 + 5	
515	----	----	----	----/*0.0225A	0.0260B/*0.0225	----			0.0230 - 0.0045	.0489	----	----	----	----	1 UNCH	
520	----	----	----	----/*0.0245A	0.0290B/*0.0245	----			0.0255 - 0.0050	.0539	----	----	----	----	7 UNCH	
525	----	----	----	----/0.0285A	0.0330B/0.0285A	----			0.0280 - 0.0055	.0590	----	----	----	----	327 UNCH	
530	----	----	----	----/*0.0305A	0.0370B/*0.0305	----			0.0310 - 0.0060	.0650	----	----	----	----	4 UNCH	
535	----	----	----	0.0415B/*0.0330	0.0415B/*0.0330	----			0.0340 - 0.0070	.0710	----	----	----	----	350 UNCH	
540	----	----	----	0.0465B/0.0375A	0.0465B/0.0375A	----			0.0380 - 0.0075	.0785	----	----	1	----	403 UNCH	
545	----	----	----	0.0520B/0.0415A	0.0520B/0.0415A	----			0.0420 - 0.0085	.0862	----	----	----	----	2 UNCH	
550	----	----	----	0.0585B/0.0460A	0.0585B/0.0460A	----			0.0470 - 0.0095	.0951	----	226	----	----	284 - 43	
555	----	----	----	0.0650B/0.0510A	0.0650B/0.0510A	----			0.0525 NEW	.1048	----	1	----	----	1 + 1	
560	----	----	----	0.0730B/0.0575A	0.0730B/0.0575A	----			0.0585 - 0.0110	.1152	----	----	----	----	5 UNCH	
565	----	----	----	0.0815B/0.0635A	0.0815B/0.0635A	----			0.0655 - 0.0120	.1268	----	----	----	----	2 UNCH	
570	----	----	----	0.0905B/0.0710A	0.0905B/0.0710A	----			0.0735 - 0.0125	.1395	----	----	----	----	124 UNCH	
575	0.0840	0.0840		0.1015B/0.0800A	0.1015B/0.0800A	----			0.0820 - 0.0135	.1527	----	27	1000	----	1150 + 744	
580	0.1100	0.1100		0.1135/0.0890A	0.1135/0.0890A	----			0.0915 - 0.0145	.1670	----	127	----	----	721 + 35	
585	0.1220	0.1220		0.1265/0.0990A	0.1265/0.0990A	----			0.1020 - 0.0150	.1821	----	55	----	----	54 + 35	
590	----	----	----	0.1385B/0.1095A	0.1385B/0.1095A	----			0.1140 - 0.0155	.1985	----	10	----	----	380 + 10	
595	----	----	----	0.1525B/0.1230A	0.1525B/0.1230A	----			0.1265 - 0.0165	.2152	----	----	----	----	8 UNCH	
600	0.1480	0.1480		0.1675B/0.1355A	0.1675B/0.1355A	----			0.1405 - 0.0170	.2329	----	252	----	----	1792 + 184	
610	0.1740	0.1740		0.2030B/0.1660A	0.2030B/0.1660A	----			0.1715 - 0.0180	.2699	----	20	500	----	1014 - 387	
615	----	----	----	0.2220B/0.1835A	0.2220B/0.1835A	----			0.1885 - 0.0190	.2891	----	----	----	----	2 UNCH	
620	----	----	----	0.2425B/0.2005A	0.2425B/0.2005A	----			0.2065 - 0.0200	.3087	----	----	----	----	1002 UNCH	
625	----	----	----	0.2640B/0.2195A	0.2640B/0.2195A	----			0.2260 - 0.0205	.3288	----	20	----	----	1167 + 15	
630	----	----	----	0.2860B/0.2405A	0.2860B/0.2405A	----			0.2465 - 0.0215	.3491	----	----	----	----	59 UNCH	
635	----	----	----	0.3100B/0.2620A	0.3100B/0.2620A	----			0.2685 - 0.0220	.3696	----	----	100	----	538 + 10	
640	----	----	----	0.3350B/0.2845A	0.3350B/0.2845A	----			0.2915 - 0.0225	.3903	----	39	----	----	392 - 9	
645	----	----	----	0.3620B/0.3085A	0.3620B/0.3085A	----			0.3155 - 0.0235	.4109	----	----	----	----	38 UNCH	
650	----	----	----	0.3885B/0.3340A	0.3885B/0.3340A	----			0.3405 - 0.0245	.4315	----	20	----	----	83 UNCH	
655	----	----	----	0.4170B/0.3600A	0.4170B/0.3600A	----			0.3670 - 0.0250	.4520	----	----	----	----	53 UNCH	
670	----	----	----	0.5095B/0.4440A	0.5095B/0.4440A	----			0.4525 - 0.0270	.5121	----	----	----	----	211 UNCH	
685	----	----	----	0.6105B/0.5380A	0.6105B/0.5380A	----			0.5475 - 0.0285	.5690	----	----	----	----	14 UNCH	
695	----	----	----	0.6765B/0.6055A	0.6765B/0.6055A	----			0.6150 - 0.0295	.6047	----	----	----	----	2 UNCH	
700	----	----	----	0.7135B/0.6405A	0.7135B/0.6405A	----			0.6500 - 0.0300	.6217	----	----	----	----	7 UNCH	
710	----	----	----	0.7895B/0.7140A	0.7895B/0.7140A	----			0.7215 - 0.0315	.6545	----	----	----	----	1 UNCH	
725	----	----	----	0.9075B/0.8265A	0.9075B/0.8265A	----			0.8345 - 0.0330	.7003	----	----	----	----	2 UNCH	
TOTAL												1600	803		11762 + 600	
OCT26																
300	----	----	----	-----/0.0080A	----	----			0.0010 - 0.0005	.0016	----	----	----	----	1 UNCH	
320	----	----	----	-----/0.0085A	----	----			0.0020 UNCH	.0030	----	----	----	----	3 UNCH	
345	----	----	----	0.0005B/0.0090A	0.0005B/0.0090A	----			0.0030 - 0.0010	.0047	----	----	----	----	1 UNCH	
375	----	----	----	0.0040B/0.0110A	0.0040B/0.0110A	----			0.0055 - 0.0010	.0085	----	----	----	----	2 UNCH	
400	----	----	----	0.0020B/0.0100A	0.0020B/0.0100A	----			0.0075 - 0.0015	.0120	----	----	----	----	1 UNCH	
430	----	----	----	0.0055B/0.0160A	0.0055B/0.0160A	----			0.0110 - 0.0020	.0183	----	----	----	----	10 UNCH	
450	----	----	----	0.0100B/*0.0185	0.0100B/*0.0185	----			0.0135 - 0.0025	.0232	----	----	----	----	1 UNCH	
470	----	----	----	0.0145B/*0.0210	0.0145B/*0.0210	----			0.0165 - 0.0040	.0295	----	----	----	----	1 UNCH	
475	----	----	----	0.0165B/*0.0220	0.0165B/*0.0220	----			0.0180 - 0.0040	.0321	----	----	----	----	2 UNCH	
500	----	----	----	-----/0.0285A	0.0275B/*0.0285	----			0.0255 - 0.0060	.0462	----	----	----	----	28 UNCH	
530	----	----	----	-----/0.0470A	0.0520B/0.0470A	----			0.0445 - 0.0090	.0776	----	----	----	----	1 UNCH	
535	----	----	----	-----/0.0515A	0.0575B/0.0515A	----			0.0490 - 0.0095	.0846	----	----	----	----	3 UNCH	
550	----	----	----	0.0780B/0.0680A	0.0780B/0.0680A	----			0.0660 - 0.0115	.1096	----	----	----	----	1 UNCH	
570	----	----	----	0.1155B/0.0990A	0.1155B/0.0990A	----			0.0975 - 0.0145	.1519	----	----	----	----	5 UNCH	
590	----	----	----	0.1665B/0.1420A	0.1665B/0.1420A	----			0.1425 - 0.0170	.2048	----	----	----	----	2 UNCH	
600	0.1675	0.1675		0.1975B/0.1675	0.1975B/0.1675	----			0.1705 - 0.0180	.2345	----	1	----	----	13 UNCH	
605	----	----	----	0.2145B/0.1845A	0.2145B/0.1845A	----			0.1860 - 0.0185	.2501	----	----	----	----	1 UNCH	
610	----	----	----	0.2325B/0.2005A	0.2325B/0.2005A	----			0.2020 NEW	.2659	----	5	----	----	5 + 5	
650	----	----	----	0.4115B/0.3625A	0.4115B/0.3625A	----			0.3670 - 0.0245	.4016	----	----	----	----	10 UNCH	
655	----	----	----	0.4380B/0.3875A	0.4380B/0.3875A	----			0.3915 - 0.0255	.4189	----	----	----	----	1 UNCH	
700	----	----	----	0.7150B/0.6475A	0.7150B/0.6475A	----			0.6550 - 0.0315	.5684	----	----	----	----	24 UNCH	
745	----	----	----	1.0500B/0.9715A	1.0500B/0.9715A	----			0.9775 - 0.0355	.6938	----	----	----	----	1 UNCH	
750	----	----	----	1.0900B/1.0105A	1.0900B/1.0105A	----			1.0160 - 0.0365	.7057	----	----	----	----	5 UNCH	
TOTAL													6		122 + 5	
NOV26																
400	----	----	----	----	0.0055B/*0.0180	----			0.0115 - 0.0020	.0167	----	----	----	----	1 UNCH	
475	----	----	----	----	0.0255B/*0.0335	----			0.0275 - 0.0050	.0430	----	----	----	----	2 UNCH	
480	----	----	----	----	0.0280B/*0.0350	----			0.0295 - 0.0055	.0462	----	----	----	----	2 UNCH	
500	----	----	----	-----/0.0450A	0.0415B/0.0450A	----			0.0400 - 0.0075	.0621	----	----	----	----	12 UNCH	
520	----	----	----	-----/0.0605A	0.0620B/*0.0605	----			0.0560 - 0.0100	.0845	----	----	----	----	4 UNCH	
550	----	----	----	-----/0.0975A	0.1090B/0.0975A	----			0.0950 - 0.0145	.1332	----	----	----	----	1 UNCH	
560	----	----	----	0.1305B/0.1155A	0.1305B/0.1155A	----			0.1130 - 0.0160	.1536	----	----	----	----	1 UNCH	
590	----	----	----	0.2135B/0.1875A	0.2135B/0.1875A	----			0.1870 - 0.0205	.2272	----	----	----	----	1 UNCH	
645	----	----	----	0.4460B/0.4010A	0.4460B/0.4010A	----			0.4030 - 0.0275	.3893	----	----	----	----	1 UNCH	
700	----	----	----	0.7750B/0.7120A	0.7750B/0.7120A	----			0.7165 - 0.0330	.5515	----	----	----	----	24 UNCH	
735	----	----	----	1.0245B/0.9520A	1.0245B/0.9520A	----			0.9580 - 0.0350	.6415	----	----	----	----	2 UNCH	
TOTAL															60	
DEC26																
380	----	----	----	----	0.0030B/*0.0215	----			0.0120 - 0.0025	.0159	----	----	----	----	2 UNCH	
385	----	----	----	----	0.0040B/*0.0225	----			0.0130 - 0.0025	.0172	----	----	----	----	1 UNCH	
395	----	----	----	----	0.0060B/0.0240A	----			0.0145 - 0.0025	.0194	----	----	----	----	3 UNCH	
400	----	----	----	----	0.0065B/*0.0245	----			0.0150 - 0.0030	.0203	----	----	----	----	18 UNCH	
420	----	----	----	----	0.0110B/*0.0280	----			0.0185 - 0.0035	.0256	----	----	----	----	2 UNCH	
460	----	----	----	----	0.0245B/*0.0380	----			0.0290 - 0.0060	.0416	----	----	----	----	2 UNCH	
475	----	----	----	----	0.0335B/*0.0445	----			0.0355 - 0.0070	.0510	----	----	----	----	76 UNCH	
480	----	----	----	----	0.0370B/*0.0470	----			0.0380 - 0.0080	.0546	----	----	----	----	12 UNCH	
490	----	----	----	-----/0.0530A	0.0450B/*0.0530	----			0.0445 - 0.0090	.0632	----	----	----	----	5 UNCH	
500	----	----	----	-----/0.0600A	0.0545B/0.0600A	----			0.0520 - 0.0105	.0731	----	----	----	----	104 UNCH	
520	----	----	----	-----/0.0795A	0.0800B/*0.0795	----			0.0725 - 0.0130	.0981	----	----	----	----	2 UNCH	
525	----	----	----	-----/0.0860A	0.0875B/*0.0860	----			0.0790 - 0.0140	.1056	----	----	----	----	1 UNCH	
540	----	----	----	-----/0.1075A	0.1150B/0.1075A	----			0.1015 - 0.0165	.1304	----	----	----	----	3 UNCH	
545	----	----	----	-----/0.1160A	0.1250B/0.1160A	----										

BULLETIN #106@				METALS OPTION PRODUCTS										Thu, Jun 04, 2026			PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	INTEREST		
PAO CALL	NYMEX PALLADIUM OPTIONS																	
DEC26																		
2000	----	----		----	----					40.70 - 0.90	.1798	----	----	----	----	1	UNCH	
3000	----	----		----	----					12.50 - 0.40	.0565	----	----	----	----	1	UNCH	
TOTAL																152	0	
PAO PUT	NYMEX PALLADIUM OPTIONS																	
JUL26																		
1200	----	----		----	4.10B/6.90A	----				4.00 - 0.90	.0740	----	----	----	----	4	UNCH	
1250	----	----		----	11.70B/12.50A	----				10.30 - 1.40	.1733	----	----	----	----	20	UNCH	
1280	----	----		19.70B/----	19.70B/18.50A	----				16.60 - 1.60	.2626	----	----	----	----	1	UNCH	
1285	----	----		21.40B/----	21.40B/19.80A	----				17.90 - 1.70	.2799	----	----	----	----	9	UNCH	
1300	----	----		27.10B/----	27.10B/24.30A	----				22.60 - 1.70	.3370	----	----	----	40	85 -	40	
1350	----	----		54.40B/46.30A	54.40B/46.30A	----				46.00 - 1.40	.5513	----	----	----	----	10	UNCH	
1400	----	----		92.20B/79.90A	92.20B/79.90A	----				81.10 - 0.50	.7339	----	----	----	----	31	UNCH	
1450	----	----		136.00B/121.40A	136.00B/121.40A	----				123.60 + 0.50	.8492	----	----	----	----	30	UNCH	
TOTAL													40			190 -	40	
AUG26																		
1200	----	----		-----/18.40A	#17.30B/18.40A	----				16.50 - 2.10	.1736	----	----	----	----	20	UNCH	
1400	----	----		#115.50B/105.10	#115.50B/105.10	----				105.50 - 1.60	.6258	----	----	----	----	1	UNCH	
TOTAL																21	0	
SEP26																		
1200	----	----		----	33.00B/35.00A	----				33.40 - 0.90	.2339	----	----	----	20	105 +	20	
1250	----	----		51.80B/----	51.80B/51.90A	----				50.70 - 1.00	.3166	----	----	----	----	10	UNCH	
1300	----	----		76.10B/----	76.10B/74.20A	----				72.90 - 0.90	.4044	----	----	----	----	18	UNCH	
1355	----	----		108.60B/----	108.60B/104.40A	----				103.00 - 0.80	.5001	----	----	----	----	21	UNCH	
1360	----	----		111.90B/----	111.90B/107.40A	----				106.00 - 0.90	.5084	----	----	----	----	12	UNCH	
1375	----	----		121.70B/----	121.70B/116.60A	----				115.40 - 0.80	.5331	----	----	----	----	100	UNCH	
1460	----	----		----	----	----				174.90 - 0.60	.6572	----	----	----	----	75	UNCH	
1465	----	----		----	----	----				178.70 - 0.60	.6637	----	----	----	----	150	UNCH	
1550	----	----		256.80B/246.40A	256.80B/246.40A	----				247.10 - 0.20	.7578	----	----	----	----	100	UNCH	
1575	----	----		278.30B/267.30A	278.30B/267.30A	----				268.30 - 0.10	.7808	----	----	----	----	25	UNCH	
1650	----	----		#345.00B/332.70	#345.00B/332.70	----				334.20 + 0.40	.8378	----	----	----	----	50	UNCH	
1925	----	----		#606.50B/592.60	#606.50B/592.60	----				594.60 + 1.80	.9406	----	----	----	----	75	UNCH	
TOTAL													20			741 +	20	
DEC26																		
1300	----	----		----	----	----				115.20 + 0.50	.3866	----	----	----	----	100	UNCH	
1400	----	----		----	----	----				168.70 + 0.80	.4966	----	----	----	----	150	UNCH	
1500	----	----		----	----	----				235.70 + 1.00	.5950	----	----	----	----	40	UNCH	
TOTAL																290	0	
PLW OOF	PLATINUM WEEKLY FRIDAY OPTION week2																	
JUN26																		
1850	----	----		33.80B/20.60A	33.80B/20.60A	----				19.30 - 12.20	.2871	----	----	----	----	7	UNCH	
1870	----	----		22.10B/7.00A	22.10B/7.00A	----				5.50 - 14.60	.1480	----	----	----	----	20	UNCH	
1875	19.00	19.00		35.10B/*18.90A	35.10B/*18.90A	----				31.70 NEW	.8074	----	----	1	----	1 +	1	
1900	----	----		44.70B/18.20A	44.70B/18.20A	----				16.70 - 21.20	.4982	----	----	----	----	2	UNCH	
1925	----	----		66.30B/33.30A	66.30B/33.30A	----				32.60 - 24.60	.7923	----	----	----	----	26	UNCH	
1925	----	----		8.90B/*6.30A	8.90B/*6.30A	----				7.50 + 0.70	.2076	----	----	----	----	1	UNCH	
1950	----	----		3.40B/*3.50A	3.40B/*3.50A	----				2.90 - 0.50	.0565	----	----	----	----	2	UNCH	
1950	----	----		#89.50B/52.80A	#89.50B/52.80A	----				53.00 - 25.80	.9434	----	----	----	----	53	UNCH	
1950	----	----		21.70B/*16.10A	21.70B/*16.10A	----				21.70 + 4.50	.3164	----	----	----	----	10	UNCH	
2000	----	----		----	----/2.10A	----				0.20 - 0.40	.0008	----	----	----	----	40	UNCH	
2100	----	----		----	----/*1.60A	----				0.10 UNCH	----	----	----	----	----	100	UNCH	
2100	----	----		----	1.50B/3.80A	----				2.90 + 0.60	.0476	----	----	----	----	26	UNCH	
2300	----	----		----	----/*1.40A	----				0.10 UNCH	----	----	----	----	----	100	UNCH	
TOTAL														1		388 +	1	
PO CALL	PLATINUM OPTIONS																	
JUL26																		
1500	----	----		402.70B/362.10A	402.70B/362.10A	----				399.90 + 25.30	1.0000	----	----	----	----	50	UNCH	
1680	----	----		----	----	----				221.10 + 23.80	.9770	----	----	----	----	50	UNCH	
1700	----	----		204.60B/167.40A	204.60B/167.40A	----				201.80 + 23.10	.9643	----	----	----	----	1	UNCH	
1800	----	----		114.80B/*87.30A	114.80B/*87.30A	----				112.30 + 17.20	.8221	----	----	----	----	113	UNCH	
1850	----	----		78.10B/*58.30A	78.10B/*58.30A	----				76.20 + 12.50	.6800	----	----	----	----	1	UNCH	
1900	43.00	43.00		50.40B/*36.90A	50.40B/*36.90A	----				48.90 + 8.60	.5120	----	1	----	4 +	1		
1925	----	----		39.10B/*28.90A	39.10B/*28.90A	----				38.50 + 7.20	.4301	----	----	----	----	2	UNCH	
1930	----	----		37.10B/*27.40A	37.10B/*27.40A	----				36.60 + 6.90	.4143	----	----	----	----	26	UNCH	
1935	----	----		35.20B/*26.10A	35.20B/*26.10A	----				34.80 + 6.60	.3988	----	----	----	----	33	UNCH	
1945	----	----		31.60B/*23.60A	31.60B/*23.60A	----				31.50 + 6.10	.3688	----	----	----	----	1	UNCH	
1950	----	----		29.90B/22.40A	29.90B/22.40A	----				29.90 + 5.80	.3542	----	----	----	----	2	UNCH	
1960	----	----		26.70B/*20.20A	26.70B/*20.20A	----				26.90 + 5.30	.3259	----	----	----	----	3	UNCH	
1965	----	----		25.40B/*19.20A	25.40B/*19.20A	----				25.60 + 5.20	.3127	----	----	----	----	56	UNCH	
1970	----	----		23.80B/*18.30A	23.80B/*18.30A	----				24.30 + 4.90	.2996	----	----	----	----	2	UNCH	
1975	----	----		22.40B/*17.40A	22.40B/*17.40A	----				23.00 + 4.70	.2866	----	----	----	----	11	UNCH	
1980	----	----		21.10B/*16.50A	21.10B/*16.50A	----				21.80 + 4.50	.2742	----	----	----	----	2	UNCH	
1995	----	----		17.60B/14.20A	17.60B/14.20A	----				18.60 + 3.90	.2396	----	----	----	----	15	UNCH	
2000	----	----		16.60B/13.50A	16.60B/13.50A	----				17.60 + 3.70	.2286	----	----	----	225	518 +	129	
2005	----	----		15.60B/12.90A	15.60B/12.90A	----				16.70 + 3.60	.2183	----	----	----	----	15	UNCH	
2010	----	----		14.80B/12.30A	14.80B/12.30A	----				15.80 + 3.40	.							

BULLETIN #106@				METALS OPTION PRODUCTS							Thu, Jun 04, 2026				PG64	
	GLOBAL OPEN	OPEN OUTCRY OPEN RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST			
PO CALL	PLATINUM OPTIONS															
AUG26																
2300	----	----	12.00B/----	12.00B/12.70A	----	13.10	+ 1.30	.1054	----	----	----	----	352	UNCH		
2350	----	----	----	9.20B/10.50A	----	10.30	+ 0.90	.0843	----	----	----	----	15	UNCH		
2400	----	----	----	7.10B/8.80A	----	8.30	+ 0.60	.0685	----	----	----	----	84	UNCH		
2500	----	----	----	4.30B/6.50A	----	5.60	+ 0.30	.0465	----	----	----	----	194	UNCH		
2600	----	----	----	2.70B/5.20A	----	4.10	+ 0.20	.0336	----	----	----	----	545	UNCH		
2750	----	----	----	1.50B/*4.10A	----	2.70	+ 0.10	.0216	----	----	----	----	105	UNCH		
3000	----	----	----	0.40B/*3.10A	----	1.20	UNCH	.0096	----	----	----	----	54	UNCH		
TOTAL											100		1621	+		
SEP26																
2100	----	----	65.60B/*59.20A	65.60B/*59.20A	----	66.20	+ 4.90	.3311	----	----	----	----	38	UNCH		
TOTAL													38	0		
OCT26																
1720	----	----	----	----	----	256.50	+ 17.10	.7550	----	----	----	----	1	UNCH		
1800	----	----	----	207.50B/187.30A	207.50B/187.30A	206.50	+ 13.30	.6707	----	----	----	----	1	UNCH		
1900	132.00	132.00	162.00/*131.70	162.00/*131.70	----	155.50	+ 8.80	.5605	----	----	29	----	8	-		
1930	143.90	143.90	143.90/*130.20A	143.90/*130.20A	----	142.70	NEW	.5281	----	----	1	----	1	+		
1950	133.00	133.00	135.70B/*123.10	135.70B/*123.10	----	134.80	NEW	.5070	----	----	6	----	6	+		
2000	116.00	116.00	120.00/*107.10A	120.00/*107.10A	----	117.00	+ 7.10	.4566	----	----	8	----	10	+		
2050	----	----	101.70B/*93.30A	101.70B/*93.30A	----	101.90	+ 6.90	.4101	----	----	----	----	6	UNCH		
2100	----	----	88.10B/*81.20A	88.10B/*81.20A	----	88.80	+ 6.40	.3674	----	----	----	----	3	UNCH		
2125	----	----	81.90B/*75.80A	81.90B/*75.80A	----	82.90	+ 6.00	.3475	----	----	----	----	12	UNCH		
2135	----	----	79.80B/*73.80A	79.80B/*73.80A	----	80.60	+ 5.80	.3397	----	----	----	----	12	UNCH		
2200	----	----	65.90B/*61.60A	65.90B/*61.60A	----	67.00	+ 4.50	.2923	----	----	----	----	136	UNCH		
2250	----	----	56.90B/*53.60A	56.90B/*53.60A	----	58.00	+ 3.60	.2596	----	----	----	----	1	UNCH		
2300	----	----	49.20B/*46.70A	49.20B/*46.70A	----	50.30	+ 3.20	.2304	----	----	----	----	7	UNCH		
2375	----	----	39.30B/----	39.30B/*38.10A	----	40.60	+ 2.80	.1921	----	----	----	----	50	UNCH		
2400	----	----	36.40B/----	36.40B/*35.60A	----	37.90	+ 2.70	.1809	----	----	----	----	467	UNCH		
2500	----	----	27.00B/----	27.00B/*27.60A	----	28.50	+ 1.90	.1413	----	----	5	----	371	+		
2600	----	----	----	20.10B/21.80A	----	21.70	+ 1.30	.1108	----	----	----	----	23	UNCH		
2635	----	----	----	18.10B/20.20A	----	19.80	+ 1.20	.1020	----	----	----	----	200	UNCH		
2650	----	----	----	17.30B/19.50A	----	19.10	+ 1.10	.0986	----	----	----	----	25	UNCH		
2700	----	----	----	15.00B/17.60A	----	16.80	+ 0.90	.0877	----	----	----	----	371	UNCH		
2800	----	----	----	11.30B/14.50A	----	13.20	+ 0.80	.0701	----	----	----	----	39	UNCH		
2850	----	----	----	9.90B/13.30A	----	11.60	+ 0.60	.0623	----	----	----	----	155	UNCH		
2900	----	----	----	8.70B/12.20A	----	10.30	+ 0.60	.0557	----	----	----	----	210	UNCH		
2950	----	----	----	7.60B/11.30A	----	9.10	+ 0.40	.0497	----	----	----	----	55	UNCH		
3000	----	----	----	6.70B/10.50A	----	8.10	+ 0.40	.0445	----	----	5	----	360	+		
3200	----	----	----	4.30B/*8.30A	----	5.20	+ 0.20	.0292	----	----	----	----	10	UNCH		
3500	----	----	----	2.30B/*6.60A	----	3.00	+ 0.10	.0170	----	----	----	----	10	UNCH		
4000	----	----	----	0.80B/*5.10A	----	1.80	UNCH	.0098	----	----	----	----	5	UNCH		
TOTAL											54		2555	+		
JAN27																
2360	----	----	----	----	----	99.60	+ 7.20	.3070	----	----	----	----	100	UNCH		
TOTAL													100	0		
PO PUT	PLATINUM OPTIONS															
JUL26																
1400	----	----	----	----/-1.40A	----	0.10	UNCH	----	----	----	----	----	150	UNCH		
1500	----	----	----	----/-1.50A	----	0.10	UNCH	.0000	----	----	----	----	153	UNCH		
1550	----	----	----	----/-1.60A	----	0.10	- 0.10	.0005	----	----	----	----	200	UNCH		
1590	----	----	----	----/-1.70A	----	0.20	- 0.20	.0035	----	----	----	----	10	UNCH		
1600	----	----	----	----/-1.80A	----	0.20	- 0.40	.0036	----	----	----	----	324	UNCH		
1630	----	----	----	----/-2.10A	----	0.40	- 0.70	.0073	----	----	----	----	25	UNCH		
1635	----	----	----	----/-2.10A	----	0.50	- 0.70	.0090	----	----	----	----	10	UNCH		
1650	----	----	----	----/-2.30A	----	0.70	- 0.90	.0125	----	----	----	----	1	UNCH		
1680	----	----	----	1.40B/2.90A	----	1.30	- 1.60	.0228	----	----	----	----	50	UNCH		
1700	----	----	----/-3.60A	2.90B/3.60A	----	2.10	- 2.20	.0356	----	----	----	----	278	UNCH		
1710	----	----	----/-4.00A	3.80B/4.00A	----	2.50	- 2.60	.0422	----	----	----	----	1	UNCH		
1725	----	----	----/-4.80A	5.50B/4.80A	----	3.40	- 3.10	.0560	----	----	----	----	100	UNCH		
1750	----	----	----/-6.80A	9.20B/6.80A	----	5.40	- 4.40	.0854	----	----	----	----	61	UNCH		
1800	----	----	21.30B/14.00A	21.30B/14.00A	----	12.50	- 8.10	.1777	----	----	----	----	391	UNCH		
1805	----	----	23.00B/15.00A	23.00B/15.00A	----	13.60	- 8.50	.1903	----	----	----	----	45	UNCH		
1810	----	----	24.70B/16.10A	24.70B/16.10A	----	14.70	- 8.90	.2028	----	----	----	----	15	UNCH		
1815	----	----	26.60B/17.30A	26.60B/17.30A	----	15.80	- 9.50	.2155	----	----	----	----	45	UNCH		
1820	----	----	28.50B/18.50A	28.50B/18.50A	----	17.10	- 9.90	.2293	----	----	----	----	31	UNCH		
1825	----	----	30.50B/19.90A	30.50B/19.90A	----	18.40	- 10.40	.2432	----	----	----	----	100	UNCH		
1830	----	----	32.60B/21.30A	32.60B/21.30A	----	19.80	- 10.90	.2577	----	----	----	----	15	UNCH		
1835	----	----	34.80B/22.70A	34.80B/22.70A	----	21.30	- 11.40	.2726	----	----	----	----	15	UNCH		
1840	----	----	37.10B/24.30A	37.10B/24.30A	----	22.90	- 11.80	.2880	----	----	----	----	15	UNCH		
1850	----	----	42.00B/27.70A	42.00B/27.70A	----	26.40	- 12.70	.3199	----	----	----	----	42	UNCH		
1860	----	----	47.10B/31.50A	47.10B/31.50A	----	30.20	- 13.60	.3526	----	----	----	----	32	UNCH		
1870	----	----	52.60B/35.60A	52.60B/35.60A	----	34.40	- 14.40	.3862	----	----	----	----	1	UNCH		
1900	----	----	70.70B/49.90A	70.70B/49.90A	----	49.00	- 16.70	.4879	----	----	----	210	595	+		
1920	----	----	----/60.90A	58.40B/60.90A	----	60.50	- 17.80	.5538	----	----	----	----	2	UNCH		
1950	----	----	106.30B/79.30A	106.30B/79.30A	----	79.90	- 19.50	.6457	----	----	----	----	8	UNCH		
1980	----	----	----	----	----	101.80	- 20.80	.7257	----	----	----	----	48	UNCH		
1990	----	----	----	----	----	109.60	- 21.20	.7493	----	----	----	----	23	UNCH		
2000	----	----	148.20B/115.80A	148.20B/115.80A	----	117.60	- 21.60	.7713	----	----	----	----	53	UNCH		
2015	----	----	----	----	----	129.90	- 22.10	.8011	----	----	----	----	25	UNCH		
2030	----	----	----	----	----	142.70	- 22.50	.8282	----	----	----	----	23	UNCH		
2035	----	----	----	----	----	147.00	- 22.70	.8366	----	----	----	----	46	UNCH		
2075	----	----	217.20B/180.10A	217.20B/180.10A	----	182.60	- 23.70	.8910	----	----	----	----	1	UNCH		
2085	----	----	----	----	----	191.80	- 23.90	.9016	----	----	----	----	1	UNCH		
2100	----	----	241.20B/203.00A	241.20B/203.00A	----	205.80	- 24.10	.9153	----	----	----	----	225	UNCH		
2130	----	----	----	----	----	234.20	- 24.50	.9376	----	----	----	----	23	UNCH		
2135	----	----	----	----	----	239.00	- 24.60	.9405	----	----	----	----	190	UNCH		
2165	----	----	----	----	----	268.00	- 24.80	.9551	----	----	----	----	20	UNCH		
2350	----	----	488.40B/448.20A	488.40B/448.20A	----	450.60	- 25.20	.9894	----	----	----	----	5	UNCH		
2400	----	----	538.30B/498.00A	538.30B/498.00A	----	500.30	- 25.30	.9934	----	----	----	----	300	UNCH		
TOTAL										210			3698	+		
AUG26																
1600	----	----	----/-7.10A	6.00B/7.10A	----	5.60	- 2.50	.0531	----	----	----	----	1	UNCH		
1750	----	----	----/-26.40A	32.20B/26.40A	----	24.90	NEW	.1903	----	----	----	100	100	+		
1800	----	----	49.30B/39.70A	49.30B/39.70A	----	38.40	- 9.70	.2652	----	----	----	----	1	UNCH		
1850	----	----	71.50B/58.00A	71.50B/58.00A	----	56.70	- 12.00	.3502	----	----	----	100	200	+		
2000	----	----	164.60B/140.20A	164.60B/140.20A	----	140.10	- 18.80	.6072	----	----	----	----	1	UNCH		
TOTAL										200			303	+		
SEP26																
1850	----	----	102.40B/89.30A	102.40B/89.30A	----	87.40	- 12.30	.3754	----	----	----	----	16	UNCH		
TOTAL													16	0		
OCT26																
1300	----	----	----	1.80B/*6.30A	----	3.80	- 0.70	.0231	----	----	----	----	4	UNCH		
1500	----	----	----/-16.40A	14.50B/16.40A	----	14.30	- 2.80	.0794	----	----	----	----	22	UNCH		
1600	----	----	----/-29.90A	31.20B/29.90A	----	27.50	- 4.90	.1387	----	----	----	----	28	UNCH		
1700	----	----	58.80B/53.50A	58.80B/53.50A	----	51.00	- 7.70	.2249	----	----	----	----	75	UNCH		
1720	----	----	65.80B/59.60A	65.80B/59.60A	----	57.10	- 8.50	.2446	----	----	----	----	2	UNCH		
1750	----	----	77.40B/69.80A	77.40B/69.80A	----	67.20	- 9.80	.2754	----	----	----	----	75	UNCH		
1800	----	----	99.40B/89.30A	99.40B/89.30A	----	86.50	- 12.30	.3290								

OPTIONS EOO'S AND BLOCKS				
PRODUCT		STRIKE PRICE	EEO VOLUME	BLOCK VOLUME
OG CALL COMEX GOLD OPTIONS				
OG JUL26	CALL			
OG		4700	0	60
OG		4900	0	60
OG		5200	0	100
OG		5350	0	200
TOTALS			0	420
AUG26 CALL				
OG	CALL	4900	0	35
OG		5200	0	100
TOTALS			0	135
SEP26 CALL				
OG	CALL	4600	0	25
OG		4885	0	50
TOTALS			0	75
OCT26 CALL				
OG	CALL	4700	0	25
OG		4750	0	579
OG		4950	0	750
OG		5150	0	579
OG		5750	0	750
OG		6000	0	840
TOTALS			0	3523
DEC26 CALL				
OG	CALL	5075	0	35
TOTALS			0	35
FEB27 CALL				
OG	CALL	6000	0	100
TOTALS			0	100
OG PUT COMEX GOLD OPTIONS				
OG JUL26	PUT			
OG		3900	0	100
OG		4300	0	1000
OG		4350	0	100
OG		4500	0	1000
TOTALS			0	2200
AUG26 PUT				
OG	PUT	3900	0	200
TOTALS			0	200
SEP26 PUT				
OG	PUT	4260	0	50
TOTALS			0	50
OCT26 PUT				
OG	PUT	3500	0	840
OG		3900	0	100
TOTALS			0	940
DEC26 PUT				
OG	PUT	4225	0	35
OG		4300	0	150
TOTALS			0	185
FEB27 PUT				
OG	PUT	4000	0	50
TOTALS			0	50
MAR27 PUT				
OG	PUT	3600	0	150
TOTALS			0	150
SO CALL COMEX SILVER OPTIONS				
SO JUL26	CALL	7700	0	100
TOTALS			0	100
SEP26 CALL				
SO	CALL	9500	0	36
TOTALS			0	36
SO PUT COMEX SILVER OPTIONS				
SO JUL26	PUT	7000	0	150
TOTALS			0	150
HX CALL COMEX COPPER OPTIONS				
HX JUL26	CALL			
HX		660	0	250
HX		715	0	75
HX		735	0	75
TOTALS			0	400
HX PUT COMEX COPPER OPTIONS				
HX JUL26	PUT	625	0	230
TOTALS			0	230
AUG26 PUT				
HX	PUT	590	0	100
HX		600	0	115
TOTALS			0	215
SEP26 PUT				
HX	PUT	575	0	1000
HX		610	0	500
HX		635	0	100
TOTALS			0	1600
PO CALL PLATINUM OPTIONS				
PO JUL26	CALL	2000	0	225
TOTALS			0	225
PO PUT PLATINUM OPTIONS				
PO JUL26	PUT	1900	0	210
TOTALS			0	210
AUG26 PUT				
PO	PUT	1750	0	100
PO		1850	0	100
TOTALS			0	200
OCT26 PUT				
PO	PUT	1900	0	150
TOTALS			0	150
PAO PUT NYMEX PALLADIUM OPTIONS				
PAO JUL26	PUT	1300	0	40
PAO				

PG64	BULLETIN #106@			METALS	OPTION	PRODUCTS	Thu, Jun 04, 2026	PG64
	TOTALS			0		40		
SEP26	PUT							
PAO		1200		0		20		
TOTALS				0		20		
HXE	CALL	COPPER OPTIONS						
JUL26	CALL							
H2E		680		0		150		
H2E		715		0		150		
TOTALS				0		300		
GWW	WED	GOLD WEEKLY WEDNESDAY OPTION WEEK2						
JUN26	PUT							
G2W		4400		0		50		
TOTALS				0		50		
RWS	THU	SILVER WEEKLY THURSDAY OPTION week3						
JUN26	CALL							
R3S		7700		0		35		
TOTALS				0		35		