METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY'S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES

EXPIRATION:	APR26	APR26	APR26	MAY26	JUN26	JUL26	AUG26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27
COO OPT	04/30			05/29	06/30	07/31	08/28	09/30	10/30	11/30	12/31	01/29	02/26	03/31
ECG10 OP		04/08	04/09											
ECG11 OP		04/08	04/09											
ECG13 OP		04/08	04/09											
ECG15 OP		04/08	04/09											
ECG16 OP		04/08	04/09											
ECGC OOF		04/08	04/09											
ECHG OOF		04/08	04/09											
ECSI OOF		04/08	04/09											
EHO OPT	04/30			05/29	06/30	07/31	08/28	09/30						
FMG OPT	04/17													
FSO OPT	04/30			05/29	06/30									
GMW MON	04/20			05/11										
GWR THU	04/30													
GWT TUE	04/28			05/05										
GWW WED	04/29													
HMW MON	04/20			05/11										
HRO OPT	04/28			05/26	06/23	07/28	08/25	09/29	10/27	11/24	12/29			
HWR THU	04/30													
HWT TUE	04/28													
HWW WED	04/29			05/06	06/03	07/01								
HX CALL				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28		02/23
HX PUT				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
HXE CALL	04/24													
HXE PUT	04/17			05/01										
LHO OPT	04/30			05/29	06/30	07/31	08/31	09/30	10/30	11/30	12/31	01/29	02/26	03/31
MMG MON	04/13													
OG CALL				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
OG PUT				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
OG1 CALL				05/01										
OG1 PUT				05/01										
OG2 CALL	04/10													
OG2 PUT	04/10													
OG3 CALL	04/17													
OG3 PUT	04/17													
OG4 CALL	04/24													
OG4 PUT	04/24													
OMG OPT				04/27	05/26	06/25								
PAO CALL				04/15	05/20	06/17		08/19			11/18			
PAO PUT				04/15	05/20	06/17		08/19						
PAW OOF	04/17													
PLW OOF	04/24			05/01										
PO CALL				04/15	05/20	06/17			09/16			12/16		
PO PUT				04/15	05/20	06/17			09/16			12/16		
RWS THU	04/23													
SMW MON	04/20			05/11										
SO CALL				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
SO PUT				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28		02/23
SO1 CALL				05/01										
SO2 CALL	04/10													
SO2 PUT	04/10													
SO3 CALL	04/17													
SO3 PUT	04/17													
SO4 CALL	04/24													
SO4 PUT	04/24													
SWW WED	04/29													
TWS TUE	04/28													
WMG WED	04/15													

GOLD OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
WMG WED		MICRO GOLD WEEKLY WED OPTION WEEK3										
APR26												
4500	----	----	----	----	----	6.60 - 6.90	.0526	----	----	----	----	1 UNCH
4700	----	----	----	----	----	77.20 UNCH	----	----	----	----	----	0 UNCH
TOTAL												1 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT		MICRO GOLD OPTIONS										
MAY26												
3600	----	----	----	----	----	1.10 - 0.60	----	----	----	----	----	2 UNCH
3700	----	----	----	----	----	1.40 - 0.70	----	----	----	----	----	1 UNCH
3850	----	----	----	----	----	2.10 - 1.10	----	----	----	----	----	2 UNCH
3900	----	----	----	----	----	2.40 - 1.30	----	----	----	----	----	3 UNCH
4000	----	----	----	----	----	3.10 - 2.00	----	----	----	----	----	7 UNCH
4200	----	----	----	----	----	6.20 - 4.80	----	----	----	----	----	2 UNCH
4250	----	----	----	----	----	574.90 + 34.80	----	----	----	----	----	1 UNCH
4400	----	----	----	----	----	433.00 + 29.80	----	----	----	----	----	1 UNCH
4450	----	----	----	----	----	387.40 + 27.60	----	----	----	----	----	1 UNCH
4450	----	----	----	----	----	19.90 - 13.20	----	----	----	----	----	1 UNCH
4500	----	----	----	----	----	25.50 - 15.60	----	----	----	----	----	1 UNCH
4500	----	----	----	----	----	343.10 + 25.20	----	----	----	----	----	1 UNCH
4600	----	----	----	----	----	42.00 - 21.20	----	----	----	----	----	2 UNCH
4725	----	----	----	----	----	76.10 - 29.10	----	----	----	----	----	1 UNCH
4800	----	----	----	----	----	124.10 + 7.50	----	----	----	----	----	1 UNCH
4800	----	----	----	----	----	106.10 - 33.30	----	----	----	----	----	1 UNCH
4900	----	----	----	----	----	159.50 - 37.90	----	----	----	----	----	1 UNCH
4900	----	----	----	----/81.50A	----	77.70 + 2.90	----	----	----	----	----	2 UNCH
4920	----	----	----	----	----	172.00 - 38.50	----	----	----	----	----	2 UNCH
4950	----	----	----	----	----	59.80 + 1.10	----	----	----	----	----	2 UNCH
5000	----	----	----	----	----	45.30 - 0.30	----	----	----	----	----	2 UNCH
5050	----	----	----	----	----	265.50 - 42.00	----	----	----	----	----	3 UNCH
5200	----	----	----	----	----	14.00 - 2.00	----	----	----	----	----	1 UNCH
5875	----	----	----	----	----	1.30 - 0.60	----	----	----	----	----	1 UNCH
TOTAL												42 0
JUN26												
2500	----	----	----	----	----	0.70 - 0.30	----	----	----	----	----	2 UNCH
4260	----	----	----	----	----	33.70 - 13.60	----	----	----	----	----	1 UNCH
4500	----	----	----	----	----	72.90 - 22.50	----	----	----	----	----	3 UNCH
4645	----	----	----	----	----	113.50 - 28.40	----	----	----	----	----	3 UNCH
4700	----	----	----	----	----	250.80 + 10.10	----	----	----	----	----	1 UNCH
4900	----	----	----	----	----	146.70 + 3.20	----	----	----	----	----	2 UNCH
5200	----	----	----	----	----	57.60 - 1.30	----	----	----	----	----	1 UNCH
5400	----	----	----	----	----	30.40 - 1.80	----	----	----	----	----	2 UNCH
5875	----	----	----	----	----	9.50 - 1.00	----	----	----	----	----	1 UNCH
TOTAL												16 0
JUL26												
3400	----	----	----	----	----	1457.30 + 39.50	----	----	----	----	----	1 UNCH
3460	----	----	----	----	----	1398.10 + 39.10	----	----	----	----	----	1 UNCH
4100	----	----	----	----	----	35.90 - 13.20	----	----	----	----	----	0 UNCH
TOTAL												2 0

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 PUT		GOLD OPTIONS										
APR26												
3800	1.80	1.80	#1.80/*1.80	1.80/*1.80	----	1.10 NEW	.0055	----	----	1	----	1 + 1
4025	----	----	----/*3.40A	2.90B/*3.40A	----	2.90 - 1.90	.0155	----	----	----	----	1 UNCH
4050	----	----	----/*3.70A	3.30B/*3.70A	----	3.20 - 2.00	.0173	----	----	2	----	4 UNCH
4100	----	----	----/*4.40A	4.10B/*4.40A	----	3.80 - 2.50	.0210	----	----	----	----	1 UNCH
4150	----	----	----/*5.20A	5.30B/*5.20A	----	4.50 - 3.20	.0254	----	----	----	----	9 UNCH
4175	----	----	----/*5.50A	7.10B/*5.50A	----	5.00 - 3.60	.0284	----	----	----	----	2 UNCH
4200	5.80	5.80	5.80/*5.80	8.50B/*5.80	----	5.50 - 4.10	.0316	----	----	1	----	4 + 1
4210	----	----	----/*6.30A	9.30B/*6.30A	----	5.70 - 4.40	.0329	----	----	----	----	2 UNCH
4225	----	----	----/*6.20A	9.80B/*6.20A	----	6.10 - 4.70	.0353	----	----	----	----	5 UNCH
4255	8.90	8.90	8.90/*7.50A	11.60B/*7.50A	----	6.90 - 5.50	.0403	----	----	1	----	1 UNCH
4300	18.00	18.00	18.00/*8.00	18.00/*8.00	----	8.40 - 6.90	.0495	----	----	3	----	7 - 1
4315	----	----	----/*9.40A	15.50B/*9.40A	----	9.00 - 7.40	.0531	----	----	----	----	1 UNCH
4375	----	----	----/*11.90A	21.40B/*11.90A	----	11.90 - 9.60	.0707	----	----	----	----	1 UNCH
4400	17.80	17.80	24.50B/*13.40A	24.50B/*13.40A	----	13.50 - 10.50	.0800	----	----	2	----	28 + 2
4450	22.00	22.00	31.80B/*17.00A	31.80B/*17.00A	----	17.50 - 12.60	.1028	----	----	10	----	10 + 10
4480	----	----	37.10B/*20.10A	37.10B/*20.10A	----	20.50 - 13.90	.1194	----	----	----	----	1 UNCH
4500	29.00	29.00	40.90B/*22.20A	40.90B/*22.20A	----	22.70 - 14.90	.1315	----	----	12	----	20 + 11
4520	26.30	26.30	44.80B/*24.50A	44.80B/*24.50A	----	25.20 NEW	.1448	----	----	1	----	1 + 1
4525	----	----	46.30B/*25.20A	46.30B/*25.20A	----	25.90 - 16.10	.1485	----	----	----	----	125 UNCH
4550	----	----	52.20B/*28.70A	52.20B/*28.70A	----	29.50 NEW	.1672	----	----	1	----	1 + 1
4565	----	----	56.20B/*31.00A	56.20B/*31.00A	----	31.90 - 18.20	.1794	----	----	----	----	1 UNCH
4575	40.50	40.50	58.30B/*32.70A	58.30B/*32.70A	----	33.70 NEW	.1882	----	----	6	----	6 + 6
4590	----	----	62.50B/*35.20A	62.50B/*35.20A	----	36.40 - 19.50	.2016	----	----	----	----	1 UNCH
4600	60.00	60.00	65.50B/*37.20A	65.50B/*37.20A	----	38.30 - 20.10	.2109	----	----	33	----	36 + 24
4625	46.20	46.20	73.90B/*42.20A	73.90B/*42.20A	----	43.60 - 21.50	.2359	----	----	1	----	3 UNCH
4650	----	----	82.40B/*47.80A	82.40B/*47.80A	----	49.50 - 23.00	.2628	----	----	----	----	2 UNCH
4670	----	----	89.50B/*53.60A	89.50B/*53.60A	----	54.80 - 24.10	.2860	----	----	----	----	2 UNCH
4675	----	----	91.40B/*54.50A	91.40B/*54.50A	----	56.20 - 24.40	.2919	----	----	----	----	1 UNCH
4695	66.00	66.00	99.60B/*60.00A	99.60B/*60.00A	----	62.00 - 25.60	.3164	----	----	1	----	1 UNCH
4700	----	----	102.10B/*61.50A	102.10B/*61.50A	----	63.60 - 25.90	.3229	----	----	----	----	50 UNCH
4765	----	----	132.50B/84.10A	132.50B/84.10A	----	86.80 - 29.70	.4110	----	----	----	----	10 UNCH
4770	----	----	135.10B/86.00A	135.10B/86.00A	----	88.80 NEW	.4182	----	----	4	----	4 + 4
4775	104.60	104.60	138.20B/88.00A	138.20B/88.00A	----	90.90 NEW	.4254	----	----	3	----	3 + 3
4780	----	----	141.30B/90.00A	141.30B/90.00A	----	93.00 - 30.60	.4326	----	----	1	----	2 + 1
4850	----	----	182.90B/123.10A	182.90B/123.10A	----	126.50 - 34.40	.5366	----	----	----	----	5 UNCH
4870	----	----	196.10B/134.40A	196.10B/134.40A	----	137.50 - 35.30	.5664	----	----	----	----	2 UNCH
4900	----	----	215.60B/151.90A	215.60B/151.90A	----	155.10 - 36.70	.6106	----	----	----	----	3 UNCH
5075	----	----	357.40B/281.20A	357.40B/281.20A	----	282.70 - 42.00	.8253	----	----	----	----	1 UNCH
TOTAL										83		358 + 64

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 CALL		GOLD OPTIONS										
APR26												
4540	----	----	304.00B/247.80A	304.00B/247.80A	----	305.70 + 24.00	.8401	----	----	1	----	2 + 1
4550	----	----	295.30B/239.80A	295.30B/239.80A	----	297.20 + 23.40	.8324	----	----	----	----	1 UNCH
4600	----	----	253.90B/203.80A	253.90B/203.80A	----	256.10 + 20.80	.7887	----	----	----	----	2 UNCH
4675	----	----	198.00B/155.00A	198.00B/155.00A	----	199.00 + 16.40	.7076	----	----	----	----	1 UNCH
4730	120.00	120.00	161.90B/120.00	161.90B/120.00	----	161.50 NEW	.6372	----	----	2	----	1 + 1
4765	----	----	140.90B/104.50A	140.90B/104.50A	----	139.70 + 11.00	.5885	----	----	----	----	10 UNCH
4770	----	----	137.80B/102.80A	137.80B/102.80A	----	136.80 NEW	.5814	----	----	4	----	4 + 4
4775	119.20	119.20	135.00B/100.20A	135.00B/100.20A	----	133.80 NEW	.5741	----	----	3	----	3 + 3
4800	110.00	110.00	120.80B/90.40A	120.80B/90.40A	----	119.80 + 9.10	.5376	----	----	1	----	18 + 1
4820	103.70	103.70	110.00B/81.70A	110.00B/81.70A	----	109.20 + 7.90	.5079	----	----	1	----	4 UNCH
4825	----	----	107.30B/78.30A	107.30B/78.30A	----	106.70 NEW	.5004	----	----	3	----	3 + 3
4850	----	----	95.10B/70.60A	95.10B/70.60A	----	94.60 + 6.40	.4630	----	----	1	----	4 + 1
4865	----	----	88.10B/65.60A	88.10B/65.60A	----	87.80 + 5.70	.4406	----	----	----	----	1 UNCH
4875	67.40	67.40	83.70B/61.80A	83.70B/61.80A	----	83.40 NEW	.4257	----	----	13	----	13 + 13
4890	----	----	77.40B/57.10A	77.40B/57.10A	----	77.20 + 4.50	.4036	----	----	----	----	9 UNCH
4895	70.50	70.50	75.30B/56.20A	75.30B/56.20A	----	75.20 + 4.30	.3962	----	----	2	----	15 + 1
4900	64.20	64.20	73.30B/53.20A	73.30B/53.20A	----	73.20 + 4.00	.3889	----	----	6	----	24 - 2
4930	----	----	61.90B/45.70A	61.90B/45.70A	----	62.20 + 2.80	.3461	----	----	----	----	14 UNCH
4950	48.00	48.00	55.40B/41.00A	55.40B/41.00A	----	55.60 NEW	.3186	----	----	13	----	12 + 12
4995	39.00	39.00	42.30B/*32.50A	42.30B/*32.50A	----	42.80 + 0.60	.2608	----	----	1	----	15 UNCH
5000	32.00	32.00	41.10B/*30.80A	41.10B/*30.80A	----	41.50 + 0.40	.2546	----	----	11	----	26 + 10
5025	----	----	----/*26.70A	35.10B/*26.70A	----	35.70 - 0.20	.2258	----	----	----	----	2 UNCH
5050	----	----	----/*23.40A	30.20B/*23.40A	----	30.50 - 0.80	.1989	----	----	1	----	56 + 1
5100	17.50	17.50	22.50/*17.50	22.50/*17.50	----	22.20 - 1.60	.1524	----	----	19	----	75 + 15
5200	12.00	12.00	12.00/*9.90A	12.00/*9.90A	----	11.60 - 2.30	.0859	----	----	300	----	301 + 300
5300	----	----	----/*6.20A	6.40B/*6.20A	----	6.40 - 2.00	.0489	----	----	2	----	11 UNCH
5400	----	----	----/*4.30A	4.00B/*4.30A	----	3.90 - 1.50	.0296	----	----	----	----	1 UNCH
5450	----	----	----/*3.60A	2.90B/*3.60A	----	3.10 - 1.40	.0234	----	----	----	----	20 UNCH
TOTAL										384		648 + 364

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG3 PUT		GOLD OPTIONS										
APR26												
3200	----	----	----	----/0.90A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
3350	----	----	----	----/*1.00A	----	0.10 - 0.10	.0002	----	----	----	----	2 UNCH
3500	----	----	----	----/1.10A	----	0.20 - 0.30	.0007	----	----	----	----	5 UNCH
3550	----	----	----	----/1.10A	----	0.30 - 0.20	.0011	----	----	----	----	2 UNCH
3600	----	----	----	0.20B/0.60A	----	0.30 - 0.30	.0011	----	----	----	----	11 UNCH
3650	----	----	----	0.40B/*0.70A	----	0.40 - 0.30	.0015	----	----	----	----	3 UNCH
3700	----	----	----	0.40B/*0.80A	----	0.40 - 0.40	.0016	----	----	----	----	3 UNCH
3750	----	----	----	0.50B/0.90A	----	0.50 - 0.40	.0021	----	----	----	----	3 UNCH
3800	----	----	----/*0.70A	0.70B/*0.70A	----	0.60 - 0.50	.0026	----	----	----	----	44 UNCH
3850	----	----	----/*0.90A	0.80B/*0.90A	----	0.70 - 0.60	.0032	----	----	----	----	6 UNCH
3900	----	----	----/*1.00A	0.90B/*1.00A	----	0.80 - 0.70	.0038	----	----	----	----	32 UNCH
3950	----	----	----/*1.20A	1.20B/*1.20A	----	1.00 - 0.80	.0049	----	----	----	----	52 UNCH
4000	----	----	----/*1.30A	1.50B/*1.30A	----	1.20 - 0.90	.0061	----	----	----	----	159 UNCH
4025	----	----	----/*1.40A	1.60B/*1.40A	----	1.30 - 1.00	.0068	----	----	----	----	2 UNCH
4050	----	----	----/*1.50A	1.70B/*1.50A	----	1.50 - 1.00	.0079	----	----	3	----	58 - 1
4100	----	----	----/*1.70A	2.30B/*1.70A	----	1.70 - 1.30	.0094	----	----	----	----	38 UNCH
4125	----	----	----/*1.90A	2.50B/*1.90A	----	1.90 NEW	.0107	----	----	2	----	2 + 2
4150	----	----	----/*2.00A	2.90B/*2.00A	----	2.00 - 1.60	.0116	----	----	1	----	4 UNCH
4175	----	----	----/*2.20A	3.40B/*2.20A	----	2.20 - 1.80	.0130	----	----	1	----	5 + 1
4200	4.90	4.90	4.90/*2.40A	4.90/*2.40A	----	2.50 - 1.90	.0150	----	----	12	----	29 + 7
4220	----	----	----/*2.60A	4.40B/*2.60A	----	2.70 - 2.10	.0165	----	----	----	----	150 UNCH
4225	----	----	----/*2.60A	4.50B/*2.60A	----	2.70 - 2.20	.0166	----	----	----	----	2 UNCH
4250	----	----	----/*2.90A	5.10B/*2.90A	----	3.00 - 2.40	.0188	----	----	----	----	144 UNCH
4255	3.80	3.80	5.40B/*2.90A	5.40B/*2.90A	----	3.10 NEW	.0195	----	----	5	----	5 + 5
4260	3.90	3.90	5.50B/*3.00A	5.50B/*3.00A	----	3.10 - 2.60	.0196	----	----	5	----	6 + 5
4275	----	----	----/*3.20A	6.10B/*3.20A	----	3.30 - 2.80	.0211	----	----	----	----	1 UNCH
4280	4.20	4.20	6.30B/*3.20A	6.30B/*3.20A	----	3.40 NEW	.0218	----	----	7	----	7 + 7
4295	----	----	6.90B/*3.40A	6.90B/*3.40A	----	3.60 - 3.10	.0234	----	----	----	----	2 UNCH
4300	----	----	7.10B/*3.50A	7.10B/*3.50A	----	3.70 - 3.10	.0241	----	----	----	----	52 UNCH
4315	----	----	7.80B/*3.70A	7.80B/*3.70A	----	4.00 NEW	.0263	----	----	1	----	1 + 1
4320	----	----	8.00B/*3.90A	8.00B/*3.90A	----	4.10 NEW	.0271	----	----	1	----	1 + 1
4345	----	----	9.30B/*4.30A	9.30B/*4.30A	----	4.60 NEW	.0310	----	----	1	----	1 + 1
4350	4.50	4.50	9.50B/*4.40A	9.50B/*4.40A	----	4.70 - 4.00	.0318	----	----	51	----	156 + 43
4375	----	----	11.20B/*5.00A	11.20B/*5.00A	----	5.30 - 4.60	.0364	----	----	----	----	26 UNCH
4380	----	----	11.50B/*5.10A	11.50B/*5.10A	----	5.40 - 4.80	.0373	----	----	----	----	1 UNCH
4385	----	----	11.90B/*5.20A	11.90B/*5.20A	----	5.60 - 4.80	.0387	----	----	2	----	2 UNCH
4390	10.60	10.60	12.30B/*5.30A	12.30B/*5.30A	----	5.70 NEW	.0396	----	----	10	----	10 + 10
4395	----	----	12.60B/*5.50A	12.60B/*5.50A	----	5.90 - 5.10	.0410	----	----	2	----	2 UNCH
4400	6.10	6.10	13.00B/*5.60A	13.00B/*5.60A	----	6.00 - 5.30	.0420	----	----	4	----	97 - 3
4410	----	----	13.90B/*6.00A	13.90B/*6.00A	----	6.30 NEW	.0444	----	----	1	----	1 + 1
4425	----	----	15.20B/*6.40A	15.20B/*6.40A	----	6.90 - 6.00	.0489	----	----	----	----	2 UNCH
4430	----	----	15.70B/*6.60A	15.70B/*6.60A	----	7.10 - 6.10	.0504	----	----	----	----	3 UNCH
4440	----	----	16.60B/*7.00A	16.60B/*7.00A	----	7.50 - 6.50	.0535	----	----	----	----	11 UNCH
4450	9.80	9.80	17.70B/*7.40A	17.70B/*7.40A	----	7.90 - 6.90	.0567	----	----	4	----	166 - 3
4455	8.20	8.20	18.30B/*7.50A	18.30B/*7.50A	----	8.10 NEW	.0584	----	----	109	----	100 + 100
4460	----	----	18.90B/*7.80A	18.90B/*7.80A	----	8.40 - 7.20	.0605	----	----	----	----	3 UNCH
4470	----	----	20.10B/*8.20A	20.10B/*8.20A	----	8.80 - 7.70	.0639	----	----	----	----	3 UNCH
4480	----	----	21.40B/*8.70A	21.40B/*8.70A	----	9.40 - 8.10	.0683	----	----	----	----	10 UNCH
4490	----	----	22.70B/*9.30A	22.70B/*9.30A	----	10.00 - 8.50	.0729	----	----	----	----	4 UNCH
4500	21.50	21.50	24.10B/*9.30	24.10B/*9.30	----	10.60 - 8.90	.0776	----	----	312	----	374 + 178
4510	----	----	25.80B/*10.50A	25.80B/*10.50A	----	11.20 - 9.50	.0823	----	----	----	----	2 UNCH
4520	----	----	27.30B/*11.20A	27.30B/*11.20A	----	11.90 - 10.00	.0877	----	----	----	----	20 UNCH
4525	16.10	16.10	28.30B/*11.50A	28.30B/*11.50A	----	12.30 - 10.20	.0907	----	----	6	----	6 - 1
4540	----	----	31.00B/*12.70A	31.00B/*12.70A	----	13.50 - 11.10	.0998	----	----	1	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG3 PUT GOLD OPTIONS
APR26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4545 ----	----	31.80B/*13.10A	31.80B/*13.10A	----	14.00 - 11.30	.1034	----	----	----	----	18 UNCH
4550 ----	----	32.80B/*13.50A	32.80B/*13.50A	----	14.40 - 11.60	.1065	----	----	40	----	268 + 4
4565 15.30	15.30	36.10B/*14.90A	36.10B/*14.90A	----	15.90 NEW	.1175	----	----	5	----	5 + 5
4575 ----	----	38.30B/*15.90A	38.30B/*15.90A	----	16.90 - 13.20	.1251	----	----	50	----	55 + 50
4580 ----	----	39.50B/*16.40A	39.50B/*16.40A	----	17.50 - 13.40	.1293	----	----	----	----	1 UNCH
4585 23.50	23.50	40.70B/*17.00A	40.70B/*17.00A	----	18.10 NEW	.1337	----	----	15	----	15 + 15
4590 29.30	29.30	41.80B/*17.60A	41.80B/*17.60A	----	18.70 NEW	.1380	----	----	1	----	1 + 1
4600 45.00	45.00	45.00/*18.70	45.00/*18.70	----	19.90 - 14.80	.1468	----	----	92	----	139 + 78
4610 ----	----	47.10B/*20.10A	47.10B/*20.10A	----	21.30 - 15.50	.1567	----	----	----	----	2 UNCH
4625 25.90	25.90	51.40B/*22.30A	51.40B/*22.30A	----	23.60 - 16.50	.1725	----	----	22	----	32 + 21
4630 41.70	41.70	53.00B/*23.10A	53.00B/*23.10A	----	24.40 - 16.90	.1781	----	----	12	----	17 + 12
4635 ----	----	54.60B/*23.90A	54.60B/*23.90A	----	25.20 - 17.30	.1836	----	----	----	----	11 UNCH
4640 ----	----	56.20B/*24.70A	56.20B/*24.70A	----	26.00 - 17.70	.1893	----	----	----	----	1 UNCH
4645 ----	----	57.90B/*25.60A	57.90B/*25.60A	----	26.90 - 18.10	.1953	----	----	----	----	5 UNCH
4650 35.10	35.10	59.60B/*26.30A	59.60B/*26.30A	----	27.80 - 18.50	.2014	----	----	55	----	107 + 11
4660 ----	----	63.00B/*28.30A	63.00B/*28.30A	----	29.80 - 19.20	.2144	----	----	----	----	4 UNCH
4675 40.10	40.10	68.50B/*31.20A	68.50B/*31.20A	----	32.90 - 20.40	.2346	----	----	5	----	89 + 2
4680 ----	----	70.40B/*32.40A	70.40B/*32.40A	----	34.00 - 20.80	.2416	----	----	----	----	72 UNCH
4685 ----	----	72.60B/*33.60A	72.60B/*33.60A	----	35.20 - 21.20	.2490	----	----	----	----	20 UNCH
4690 ----	----	74.60B/*34.70A	74.60B/*34.70A	----	36.40 - 21.60	.2565	----	----	----	----	38 UNCH
4695 ----	----	76.50B/*35.80A	76.50B/*35.80A	----	37.60 - 22.00	.2640	----	----	----	----	21 UNCH
4700 50.00	50.00	78.60B/37.00A	78.60B/37.00A	----	38.90 - 22.40	.2718	----	----	48	----	75 + 11
4710 ----	----	83.10B/*39.60A	83.10B/*39.60A	----	41.50 - 23.30	.2876	----	----	1	----	1 UNCH
4720 ----	----	87.70B/*42.20A	87.70B/*42.20A	----	44.40 - 24.00	.3044	----	----	1	----	5 UNCH
4725 ----	----	90.10B/43.70A	90.10B/43.70A	----	45.80 - 24.50	.3127	----	----	----	----	2 UNCH
4730 52.90	52.90	92.50B/*45.10A	92.50B/*45.10A	----	47.40 NEW	.3215	----	----	2	----	2 + 2
4735 54.60	54.60	94.90B/*46.40A	94.90B/*46.40A	----	48.90 - 25.30	.3302	----	----	4	----	36 + 2
4740 ----	----	97.40B/*47.90A	97.40B/*47.90A	----	50.50 - 25.80	.3391	----	----	25	----	34 - 25
4745 ----	----	99.90B/*49.50A	99.90B/*49.50A	----	52.20 - 26.10	.3482	----	----	----	----	24 UNCH
4750 91.00	91.00	102.50B/51.10A	102.50B/51.10A	----	53.90 - 26.50	.3574	----	----	28	----	15 - 15
4755 61.90	61.90	105.30B/52.80A	105.30B/52.80A	----	55.60 - 27.00	.3666	----	----	10	----	15 + 10
4760 ----	----	108.00B/*54.50A	108.00B/*54.50A	----	57.40 - 27.40	.3761	----	----	----	----	10 UNCH
4775 88.40	88.40	115.80B/59.80A	115.80B/59.80A	----	63.10 - 28.60	.4050	----	----	70	----	51 + 50
4780 79.10	79.10	118.70B/61.70A	118.70B/61.70A	----	65.10 - 29.00	.4149	----	----	43	----	44 + 40
4785 ----	----	121.60B/63.60A	121.60B/63.60A	----	67.10 - 29.40	.4247	----	----	----	----	15 UNCH
4795 ----	----	127.50B/67.90A	127.50B/67.90A	----	71.30 - 30.30	.4448	----	----	----	----	1 UNCH
4800 79.00	79.00	130.70B/69.80A	130.70B/69.80A	----	73.50 - 30.60	.4549	----	----	2	----	4 + 2
4805 ----	----	133.90B/71.90A	133.90B/71.90A	----	75.80 - 31.00	.4651	----	----	----	----	10 UNCH
4810 81.20	81.20	137.10B/74.30A	137.10B/74.30A	----	78.10 NEW	.4754	----	----	1	----	1 + 1
4820 ----	----	144.10B/78.90A	144.10B/78.90A	----	82.80 - 32.10	.4960	----	----	----	----	1 UNCH
4825 ----	----	147.00B/81.10A	147.00B/81.10A	----	85.30 - 32.50	.5063	----	----	----	----	2 UNCH
4850 ----	----	165.00B/93.70A	165.00B/93.70A	----	98.30 - 34.30	.5581	----	----	----	----	1 UNCH
4875 ----	----	183.50B/108.00A	183.50B/108.00A	----	112.70 - 35.90	.6093	----	----	1	----	1 + 1
4885 ----	----	191.10B/114.20A	191.10B/114.20A	----	118.80 - 36.50	.6294	----	----	----	----	1 UNCH
4900 ----	----	202.90B/123.60A	202.90B/123.60A	----	128.30 - 37.40	.6587	----	----	----	----	4 UNCH
4915 ----	----	215.00B/133.50A	215.00B/133.50A	----	138.30 - 38.10	.6871	----	----	----	----	5 UNCH
4950 ----	----	244.10B/158.30A	244.10B/158.30A	----	163.40 - 39.60	.7485	----	----	----	----	2 UNCH
4975 ----	----	265.90B/177.20A	265.90B/177.20A	----	182.60 - 40.40	.7876	----	----	----	----	1 UNCH
4995 ----	----	283.70B/193.20A	283.70B/193.20A	----	198.60 - 41.00	.8156	----	----	----	----	1 UNCH
5000 ----	----	288.10B/197.30A	288.10B/197.30A	----	202.70 - 41.10	.8222	----	----	----	----	1 UNCH
5050 ----	----	334.10B/239.80A	334.10B/239.80A	----	245.50 - 41.80	.8782	----	----	----	----	1 UNCH
5150 ----	----	429.60B/331.60A	429.60B/331.60A	----	337.70 - 42.00	.9455	----	----	----	----	1 UNCH
5180 ----	----	458.40B/360.40A	458.40B/360.40A	----	366.40 - 41.90	.9567	----	----	----	----	1 UNCH
TOTAL									1074		3123 + 632

OG3 CALL GOLD OPTIONS
APR26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4300 ----	----	526.20B/433.60A	526.20B/433.60A	----	521.40 + 37.70	.9757	----	----	----	----	1 UNCH
4375 ----	----	453.40B/362.90A	453.40B/362.90A	----	448.00 + 36.20	.9633	----	----	----	----	74 UNCH
4415 ----	----	414.40B/326.20A	414.40B/326.20A	----	409.30 + 35.20	.9539	----	----	----	----	6 UNCH
4435 ----	----	395.20B/308.20A	395.20B/308.20A	----	390.00 + 34.40	.9478	----	----	----	----	10 UNCH
4450 ----	----	381.00B/295.30A	381.00B/295.30A	----	375.70 + 34.00	.9430	----	----	----	----	1 UNCH
4475 310.00	310.00	356.90B/273.00A	356.90B/273.00A	----	351.90 NEW	.9337	----	----	1	----	1 + 1
4500 ----	----	333.30B/252.10A	333.30B/252.10A	----	328.40 + 31.90	.9222	----	----	----	----	1 UNCH
4550 ----	----	287.20B/210.90A	287.20B/210.90A	----	282.20 + 29.20	.8932	----	----	----	----	1 UNCH
4575 ----	----	264.90B/191.80A	264.90B/191.80A	----	259.80 + 27.70	.8747	----	----	----	----	4 UNCH
4585 ----	----	256.00B/183.80A	256.00B/183.80A	----	250.90 NEW	.8661	----	----	1	----	1 + 1
4600 ----	----	242.90B/173.10A	242.90B/173.10A	----	237.80 + 26.00	.8529	----	----	1	----	30 + 1
4610 ----	----	234.20B/165.90A	234.20B/165.90A	----	229.20 + 25.30	.8431	----	----	----	----	1 UNCH
4625 ----	----	221.40B/155.20A	221.40B/155.20A	----	216.40 + 24.20	.8272	----	----	----	----	3 UNCH
4650 164.40	164.40	200.40B/138.30A	200.40B/138.30A	----	195.70 + 22.30	.7984	----	----	2	----	9 - 2
4655 ----	----	196.40B/135.00A	196.40B/135.00A	----	191.70 NEW	.7919	----	----	1	----	1 + 1
4670 ----	----	184.60B/124.80A	184.60B/124.80A	----	179.70 + 20.80	.7721	----	----	----	----	4 UNCH
4675 156.10	156.10	180.60B/121.50A	180.60B/121.50A	----	175.80 + 20.40	.7651	----	----	3	----	7 - 1
4680 ----	----	176.70B/118.20A	176.70B/118.20A	----	171.90 + 19.90	.7581	----	----	----	----	32 UNCH
4685 ----	----	172.80B/115.20A	172.80B/115.20A	----	168.10 + 19.60	.7507	----	----	----	----	39 UNCH
4690 ----	----	169.00B/112.10A	169.00B/112.10A	----	164.30 + 19.20	.7432	----	----	----	----	20 UNCH
4695 ----	----	165.30B/109.10A	165.30B/109.10A	----	160.50 + 18.70	.7357	----	----	----	----	32 UNCH
4700 115.00	115.00	161.50B/106.20A	161.50B/106.20A	----	156.80 + 18.40	.7279	----	----	6	----	43 - 1
4710 ----	----	153.80B/100.20A	153.80B/100.20A	----	149.50 + 17.60	.7121	----	----	----	----	1 UNCH
4715 ----	----	150.00B/97.40A	150.00B/97.40A	----	145.90 + 17.20	.7038	----	----	----	----	2 UNCH
4725 ----	----	142.80B/91.90A	142.80B/91.90A	----	138.80 + 16.30	.6870	----	----	----	----	1 UNCH
4730 ----	----	139.30B/89.30A	139.30B/89.30A	----	135.30 + 15.90	.6782	----	----	----	----	1 UNCH
4740 ----	----	133.10B/84.10A	133.10B/84.10A	----	128.50 + 15.10	.6606	----	----	2	----	78 + 2
4745 ----	----	129.80B/81.20A	129.80B/81.20A	----	125.10 + 14.60	.6515	----	----	----	----	66 UNCH
4750 103.50	103.50	126.40B/79.20A	126.40B/79.20A	----	121.80 + 14.20	.6423	----	----	10	----	90 UNCH
4755 ----	----	122.20B/76.70A	122.20B/76.70A	----	118.60 + 13.80	.6331	----	----	20	----	15 + 10
4765 ----	----	116.60B/72.10A	116.60B/72.10A	----	112.20 + 13.00	.6140	----	----	----	----	77 UNCH
4770 ----	----	113.10B/69.70A	113.10B/69.70A	----	109.10 + 12.50	.6044	----	----	----	----	11 UNCH
4775 85.30	85.30	109.90B/67.40A	109.90B/67.40A	----	106.10 + 12.20	.5947	----	----	118	----	106 + 105
4780 ----	----	107.00B/65.20A	107.00B/65.20A	----	103.10 + 11.80	.5849	----	----	----	----	11 UNCH
4785 ----	----	104.00B/63.00A	104.00B/63.00A	----	100.10 + 11.40	.5750	----	----	----	----	10 UNCH
4790 77.50	77.50	101.10B/61.30A	101.10B/61.30A	----	97.20 + 11.00	.5650	----	----	4	----	6 + 3
4795 80.00	80.00	98.20B/59.30A	98.20B/59.30A	----	94.30 + 10.50	.5549	----	----	4	----	11 + 1
4800 78.10	78.10	95.20B/57.30A	95.20B/57.30A	----	91.50 + 10.10	.5448	----	----	22	----	61 - 3
4805 ----	----	92.20B/55.50A	92.20B/55.50A	----	88.80 + 9.80	.5346	----	----	----	----	1 UNCH
4810 ----	----	89.40B/53.60A	89.40B/53.60A	----	86.10 + 9.40	.5243	----	----	18	----	12 + 10
4815 ----	----	86.90B/51.80A	86.90B/51.80A	----	83.40 + 9.00	.5140	----	----	----	----	6 UNCH
4825 58.00	58.00	81.40B/48.10A	81.40B/48.10A	----	78.30 + 8.30	.4934	----	----	80	----	64 + 16
4830 ----	----	78.50B/46.70A	78.50B/46.70A	----	75.80 + 7.90	.4830	----	----	----	----	1 UNCH
4840 ----	----	73.90B/43.70A	73.90B/43.70A	----	70.90 + 7.10	.4623	----	----	----	----	22 UNCH
4845 ----	----	71.40B/42.10A	71.40B/42.10A	----	68.60 + 6.80	.4519	----	----	----	----	10 UNCH
4850 43.50	43.50	69.10B/40.50A	69.10B/40.50A	----	66.30 + 6.50	.4416	----	----	8	----	150 + 3
4860 59.00	59.00	64.20B/37.80A	64.20B/37.80A	----	61.90 + 5.80	.4210	----	----	3	----	4 + 3
4865 ----	----	62.20B/36.30A	62.20B/36.30A	----	59.80 + 5.50	.4108	----	----	----	----	18 UNCH
4870 ----	----	60.20B/35.10A	60.20B/35.10A	----	57.70 + 5.10	.4005	----	----	----	----	101 UNCH
4875 51.50	51.50	58.20B/33.80A	58.20B/33.80A	----	55.70 + 4.80	.3904	----	----	8	----	16 + 1
4880 ----	----	55.70B/32.50A	55.70B/32.50A	----	53.70 + 4.50	.3803	----	----	----	----	2 UNCH
4890 ----	----	52.30B/30.10A	52.30B/30.10A	----	50.00 + 4.00	.3606	----	----	23	----	25 - 23
4895 ----	----	50.40B/29.30A	50.40B/29.30A	----	48.10 + 3.60	.3506	----	----	----	----	5 UNCH
4900 31.00	31.00	48.30B/28.00A	48.30B/28.00A	----	46.40 + 3.40	.3410	----	----	273	----	265 + 62
4905 ----	----	46.30B/27.30A	46.30B/27.30A	----	44.70 + 3.20	.3315	----	----	----	----	1 UNCH
4910 41.00	41.00	44.60B/26.20A	44.60B/26.20A	----	43.00 + 2.90	.3219	----	----	3	----	4 + 3
4915 ----	----	43.00B/25.20A	43.00B/25.20A	----	41.40 + 2.60	.3126	----	----	----	----	1 UNCH
4920 ----	----	41.70B/24.30A	41.70B/24.30A	----	39.80 + 2.40	.3032	----	----	1	----	16 + 1
4925 32.00	32.00	40.10B/23.30A	40.10B/23.30A	----	38.30 + 2.10	.2942	----	----	11	----	19 + 11
4930 ----	----	38.40B/22.50A	38.40B/22.50A	----	36.90 + 2.00	.2854	----	----	----	----	3 UNCH
4935 34.20	34.20	36.70B/*21.70A	36.70B/*21.70A	----	35.40 + 1.70	.2764	----	----	3	----	4 + 3
4940 22.00	22.00	35.60B/*20.80A	35.60B/*20.80A	----	34.10 + 1.60	.2680	----	----	100	----	100 + 89
4945 ----	----	34.20B/*20.10A	34.20B/*20.10A	----	32.70 + 1.30	.2593	----	----	1	----	14 + 1
4950 20.60	20.60	32.80B/*19.40A	32.80B/*19.40A	----	31.50 + 1.20	.2512	----	----	30	----	55 + 17
4955 21.40	21.40	31.50B/*18.70A	31.50B/*18.70A	----	30.20 + 1.00	.2429	----	----	25	----	33 + 25
4960 ----	----	30.20B/*18.00A	30.20B/*18.00A	----	29.00 + 0.80	.2349	----	----	34	----	25 + 15
4965 ----	----	29.00B/*17.20A	29.00B/*17.20A	----	27.90 + 0.70	.2272	----	----	----	----	10 UNCH
4970 26.80	26.80	27.80B/*16.20A	27.80B/*16.20A	----	26.80 + 0.50	.2197	----	----	3	----	3 + 1
4975 24.80	24.80	26.70B/*15.80A	26.70B/*15.80A	----	25.70 + 0.40	.2121	----	----	7	----	58 + 4
4980 24.20	24.20	25.70B/*15.20A	25.70B/*15.20A	----	24.60 + 0.20	.2045	----	----	4	----	10 + 2
4985 ----	----	24.70B/*14.40A	24.70B/*14.40A	----	23.60 UNCH	.1974	----	----	----	----	2 UNCH
4990 ----	----	23.70B/*13.90A	23.70B/*13.90A	----	22.70 UNCH	.1908	----	----	----	----	4 UNCH
4995 19.10	19.10	22.80B/*13.50A	22.80B/*13.50A	----	21.80 - 0.10	.1841	----	----	1012	----	1000 + 976
5000 15.20	15.20	21.80B/*13.00A	21.80B/*13.00A	----	20.90 - 0.30	.1775	----	----	312	----	399 + 201
5005 ----	----	21.00B/*12.50A	21.00B/*12.50A	----	20.00 - 0.40	.1709	----	----	1000	----	1001 + 1000

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG3 CALL GOLD OPTIONS
APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
5010	----	----	20.10B/*11.90A	20.10B/*11.90A	----	19.20 - 0.50	.1648	----	----	2	----	7 UNCH
5015	----	----	19.30B/*11.60A	19.30B/*11.60A	----	18.40 - 0.60	.1588	----	----	----	----	17 UNCH
5020	11.70	11.70	18.50B/*11.20A	18.50B/*11.20A	----	17.60 - 0.70	.1527	----	----	50	----	51 + 49
5025	----	----	17.80B/*10.70A	17.80B/*10.70A	----	16.90 - 0.70	.1472	----	----	----	----	4 UNCH
5030	----	----	----/*10.30A	17.00B/*10.30A	----	16.20 - 0.80	.1417	----	----	----	----	2 UNCH
5035	15.00	15.00	15.00/*9.90A	16.30B/*9.90A	----	15.50 NEW	.1362	----	----	3	----	3 + 3
5050	10.40	10.40	14.40B/*8.80A	14.40B/*8.80A	----	13.70 - 1.00	.1215	----	----	12	----	19 + 10
5055	----	----	----/*8.40A	13.80B/*8.40A	----	13.10 - 1.10	.1167	----	----	----	----	1 UNCH
5070	----	----	----/*7.40A	12.20B/*7.40A	----	11.50 - 1.20	.1035	----	----	----	----	1 UNCH
5075	8.80	8.80	11.60B/*7.20A	11.60B/*7.20A	----	11.10 NEW	.0999	----	----	10	----	10 + 10
5080	----	----	----/*6.90A	11.20B/*6.90A	----	10.60 - 1.20	.0957	----	----	----	----	21 UNCH
5085	----	----	----/*6.60A	10.70B/*6.60A	----	10.20 - 1.20	.0922	----	----	----	----	1 UNCH
5090	----	----	----/*6.30A	10.20B/*6.30A	----	9.70 - 1.30	.0881	----	----	----	----	9 UNCH
5095	----	----	----/*6.10A	9.80B/*6.10A	----	9.30 - 1.30	.0846	----	----	----	----	2 UNCH
5100	6.20	6.20	9.40B/*5.90A	9.40B/*5.90A	----	9.00 - 1.20	.0818	----	----	237	----	467 + 154
5105	----	----	----/*5.60A	9.00B/*5.60A	----	8.60 - 1.30	.0784	----	----	----	----	2 UNCH
5120	----	----	----/*5.10A	7.90B/*5.10A	----	7.60 - 1.30	.0695	----	----	----	----	2 UNCH
5130	----	----	----/*4.70A	7.30B/*4.70A	----	7.00 - 1.30	.0641	----	----	----	----	3 UNCH
5135	----	----	----/*4.50A	7.00B/*4.50A	----	6.70 - 1.30	.0615	----	----	----	----	1 UNCH
5150	5.60	5.60	5.60/*4.00A	6.20B/*4.00A	----	5.90 - 1.30	.0543	----	----	6	----	11 + 5
5160	----	----	----/*3.80A	5.70B/*3.80A	----	5.50 - 1.20	.0504	----	----	----	----	3 UNCH
5170	----	----	----/*3.50A	5.20B/*3.50A	----	5.00 - 1.20	.0460	----	----	----	----	10 UNCH
5175	----	----	----/*3.50A	5.00B/*3.50A	----	4.90 - 1.10	.0449	----	----	----	----	3 UNCH
5190	4.00	4.00	4.00/*3.10A	4.40B/*3.10A	----	4.30 NEW	.0394	----	----	3	----	3 + 3
5195	4.50	4.50	4.50/*3.10A	4.50/*3.10A	----	4.20 NEW	.0383	----	----	29	----	29 + 29
5200	3.00	3.00	3.00/*2.90A	4.10B/*2.90A	----	4.00 - 1.10	.0366	----	----	17	----	189 - 5
5215	3.40	3.40	3.40/*2.60A	3.60B/*2.60A	----	3.60 NEW	.0327	----	----	1	----	1 + 1
5230	----	----	----/*2.50A	3.30B/*2.50A	----	3.20 - 0.90	.0290	----	----	----	----	3 UNCH
5245	2.70	2.70	2.90B/*2.30A	2.90B/*2.30A	----	2.90 - 0.80	.0261	----	----	1	----	7 + 1
5250	----	----	----/*2.20A	2.80B/*2.20A	----	2.80 - 0.80	.0251	----	----	----	----	200 UNCH
5255	2.20	2.20	2.20/*2.10A	2.70B/*2.10A	----	2.70 NEW	.0242	----	----	5	----	5 + 5
5265	2.10	2.10	2.10/*2.00A	2.60B/*2.00A	----	2.50 - 0.80	.0223	----	----	5	----	5 + 2
5270	2.30	2.30	2.30/*2.00	2.40B/*2.00	----	2.40 - 0.80	.0214	----	----	9	----	8 + 7
5275	1.90	1.90	1.90/*1.90	2.40B/*1.90	----	2.30 NEW	.0205	----	----	5	----	5 + 5
5280	----	----	----/*1.90A	2.30B/*1.90A	----	2.30 - 0.70	.0203	----	----	----	----	2 UNCH
5290	1.80	1.80	1.80/*1.80	2.20B/*1.80	----	2.10 NEW	.0186	----	----	38	----	38 + 38
5295	----	----	----/*1.70A	2.10B/*1.70A	----	2.00 - 0.70	.0177	----	----	----	----	2 UNCH
5300	1.50	1.50	2.00B/*1.50	2.00B/*1.50	----	2.00 - 0.60	.0175	----	----	90	----	81 + 70
5325	1.40	1.40	1.40/*1.40	1.70B/*1.40	----	1.70 - 0.50	.0147	----	----	5	----	6 + 5
5350	----	----	----/*1.20A	1.40B/*1.20A	----	1.50 - 0.40	.0127	----	----	2	----	28 UNCH
5375	----	----	----/*1.10A	1.20B/*1.10A	----	1.30 - 0.40	.0109	----	----	----	----	2 UNCH
5400	----	----	----/*1.00A	1.00B/*1.00A	----	1.10 - 0.30	.0091	----	----	----	----	7 UNCH
5425	----	----	----/*0.90A	0.80B/*0.90A	----	1.00 - 0.20	.0081	----	----	----	----	3 UNCH
5450	----	----	----/*0.80A	0.60B/*0.80A	----	0.90 - 0.20	.0071	----	----	----	----	1 UNCH
5500	0.90	0.90	0.90/*0.90	0.90/*0.80A	----	0.60 - 0.20	.0046	----	----	20	----	28 + 20
5550	0.80	0.80	0.80/*0.80	0.80/*0.80	----	0.40 - 0.20	.0030	----	----	20	----	20 + 19
TOTAL										3724		5655 + 2970

OG2 PUT GOLD OPTIONS
APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
2800	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	18 UNCH
3200	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3250	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
3300	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
3350	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	17 UNCH
3400	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	14 UNCH
3500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	33 UNCH
3550	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	9 UNCH
3600	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
3650	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	36 UNCH
3700	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	----	----	----	1	----	13 - 1
3750	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	54 UNCH
3800	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	----	----	----	1	----	21 UNCH
3850	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	44 UNCH
3900	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 - 0.10	----	----	----	7	----	128 - 2
3950	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	----	----	----	----	----	57 UNCH
4000	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.20	----	----	----	3	----	236 - 3
4025	----	----	----/0.20A	----/0.20A	----	0.10 - 0.20	----	----	----	1	----	12 UNCH
4050	----	----	----/*0.10A	0.10B/*0.10A	----	0.10 - 0.30	----	----	----	1	----	35 UNCH
4075	----	----	----/0.20A	0.10B/0.20A	----	0.10 - 0.30	----	----	----	----	----	29 UNCH
4100	----	----	----/*0.10A	0.20B/*0.10A	----	0.10 - 0.30	----	----	----	----	----	253 UNCH
4125	----	----	----/*0.10A	0.20B/*0.10A	----	0.10 - 0.40	----	----	----	----	----	46 UNCH
4150	0.40	0.40	0.40/*0.20A	0.40/*0.20A	----	0.10 - 0.40	----	----	----	1	----	48 - 1
4175	----	----	----/*0.10A	0.20B/*0.10A	----	0.10 - 0.50	----	----	----	----	----	4100 UNCH
4200	0.40	0.40	0.50/*0.20A	0.50/*0.20A	----	0.10 - 0.50	----	----	----	2	----	5064 - 1
4210	0.30	0.30	0.30/*0.20A	0.30/*0.20A	----	0.10 - 0.60	----	----	----	1	----	914 + 1
4215	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 0.60	----	----	----	----	----	10 UNCH
4220	----	----	----/*0.20A	0.30B/*0.20A	----	0.10 - 0.60	----	----	----	----	----	1204 UNCH
4225	----	----	----/*0.20A	0.30B/*0.20A	----	0.10 - 0.60	----	----	----	----	----	173 UNCH
4230	----	----	----/*0.20A	0.30B/*0.20A	----	0.10 - 0.60	----	----	----	----	----	49 UNCH
4235	----	----	----/*0.20A	0.30B/*0.20A	----	0.10 - 0.60	----	----	----	----	----	90 UNCH
4240	----	----	----/*0.20A	0.30B/*0.20A	----	0.10 - 0.70	----	----	----	----	----	926 UNCH
4245	----	----	----/*0.20A	0.30B/*0.20A	----	0.10 - 0.70	----	----	----	----	----	19 UNCH
4250	0.20	0.20	0.20/*0.20	0.30B/*0.20	----	0.10 - 0.70	----	----	----	3	----	289 UNCH
4255	----	----	----/*0.20A	0.40B/*0.20A	----	0.10 - 0.70	----	----	----	----	----	22 UNCH
4260	----	----	----/*0.20A	0.40B/*0.20A	----	0.10 - 0.70	----	----	----	----	----	71 UNCH
4265	----	----	----/*0.20A	0.40B/*0.20A	----	0.10 - 0.70	----	----	----	----	----	63 UNCH
4270	----	----	----/*0.10A	0.40B/*0.10A	----	0.10 - 0.80	----	----	----	----	----	5 UNCH
4275	----	----	----/*0.20A	0.40B/*0.20A	----	0.10 - 0.80	----	----	----	----	----	50 UNCH
4280	----	----	----/*0.20A	0.50B/*0.20A	----	0.10 - 0.80	----	----	----	----	----	1224 UNCH
4285	----	----	----/*0.20A	0.40B/*0.20A	----	0.10 - 0.80	----	----	----	----	----	24 UNCH
4290	----	----	----/*0.20A	0.50B/*0.20A	----	0.10 - 0.80	----	----	----	----	----	2 UNCH
4295	----	----	----/*0.20A	0.90B/*0.20A	----	0.10 - 0.90	----	----	----	----	----	18 UNCH
4300	0.10	0.10	0.10/*0.10	0.90B/*0.10	----	0.10 - 0.90	----	----	----	35	----	448 - 15
4305	----	----	----/*0.20A	0.90B/*0.20A	----	0.10 - 0.90	----	----	----	----	----	7 UNCH
4310	----	----	----/*0.20A	1.00B/*0.20A	----	0.10 - 0.90	----	----	----	----	----	13 UNCH
4315	----	----	----/*0.20A	1.00B/*0.20A	----	0.10 - 1.00	----	----	----	----	----	2 UNCH
4320	----	----	----/*0.20A	1.00B/*0.20A	----	0.10 - 1.00	----	----	----	----	----	3 UNCH
4325	----	----	----/*0.20A	0.90B/*0.20A	----	0.10 - 1.00	----	----	----	----	----	5 UNCH
4330	0.10	0.10	0.10/*0.10	1.00B/*0.10	----	0.10 - 1.00	----	----	----	2	----	13 + 2
4335	----	----	----/*0.20A	1.10B/*0.20A	----	0.10 - 1.10	----	----	----	----	----	1 UNCH
4340	----	----	----/*0.20A	1.10B/*0.20A	----	0.10 - 1.10	.0000	----	----	----	----	16 UNCH
4345	----	----	----/*0.20A	1.10B/*0.20A	----	0.10 - 1.10	.0000	----	----	----	----	2 UNCH
4350	0.90	0.90	1.10B/*0.20A	1.10B/*0.20A	----	0.10 - 1.20	.0000	----	----	2	----	361 + 1
4355	----	----	----/*0.20A	1.10B/*0.20A	----	0.10 - 1.20	.0000	----	----	----	----	51 UNCH
4360	----	----	----/*0.30A	1.10B/*0.30A	----	0.10 - 1.20	.0000	----	----	----	----	7 UNCH
4365	1.20	1.20	1.20/*0.20A	1.20/*0.20A	----	0.10 - 1.30	.0000	----	----	6	----	32 + 6
4370	----	----	----/*0.30A	1.20B/*0.30A	----	0.10 - 1.30	.0000	----	----	----	----	3 UNCH
4375	----	----	----/*0.30A	1.20B/*0.30A	----	0.10 - 1.30	.0000	----	----	----	----	7 UNCH
4380	----	----	----/*0.30A	1.20B/*0.30A	----	0.20 - 1.30	.0000	----	----	----	----	2 UNCH
4385	0.30	0.30	0.30/*0.20A	1.20B/*0.20A	----	0.20 - 1.30	.0000	----	----	2	----	16 - 2
4390	----	----	----/*0.30A	1.30B/*0.30A	----	0.20 - 1.30	.0000	----	----	----	----	3 UNCH
4395	----	----	----/*0.30A	1.30B/*0.30A	----	0.20 - 1.40	.0000	----	----	----	----	2 UNCH
4400	1.20	1.20	1.30B/*0.20A	1.30B/*0.20A	----	0.20 - 1.40	.0000	----	----	6	----	414 + 1
4405	----	----	----/*0.30A	1.30B/*0.30A	----	0.20 - 1.50	.0000	----	----	----	----	21 UNCH
4410	----	----	----/*0.30A	1.40B/*0.30A	----	0.20 - 1.50	.0000	----	----	----	----	10 UNCH
4415	----	----	----/*0.20A	1.40B/*0.20A	----	0.20 - 1.60	.0000	----	----	----	----	19 UNCH
4420	----	----	----/*0.20A	1.40B/*0.20A	----	0.20 - 1.60	.0000	----	----	----	----	2 UNCH
4425	----	----	----/*0.20A	1.50B/*0.20A	----	0.20 - 1.70	.0001	----	----	2	----	88 UNCH
4430	----	----	----/*0.20A	1.50B/*0.20A	----	0.20 - 1.70	.0001	----	----	----	----	8 UNCH
4435	----	----	----/*0.20A	1.60B/*0.20A	----	0.30 - 1.70	.0001	----	----	----	----	5 UNCH
4440	0.20	0.20	0.20/*0.20	1.70B/*0.20	----	0.30 NEW	.0001	----	----	1	----	1 + 1
4445	----	----	----/*0.20A	1.70B/*0.20A	----	0.30 - 1.80	.0002	----	----	----	----	5 UNCH
4450	1.00	1.00	1.00/*0.20A	1.80B/*0.20A	----	0.30 - 1.90	.0002	----	----	4	----	147 - 2
4455	----	----	----/*0.20A	1.90B/*0.20A	----	0.30 - 2.00	.0002	----	----	1	----	3 - 1
4460	1.10	1.10	1.10/*0.30A	2.00B/*0.30A	----	0.30 - 2.10	.0002	----	----	3	----	9 + 3
4465	1.40	1.40	1.40/*0.30A	2.10B/*0.30A	----	0.40 - 2.00	.0003	----	----	3	----	6 + 3
4470	0.30	0.30	0.30/*0.30	2.20B/*0.30	----	0.40 - 2.10	.0003	----	----	8	----	34 + 7
4475	----	----	----/*0.30A	2.30B/*0.30A	----	0.40 - 2.20	.0003	----	----	1	----	65 - 1
4480	----	----	----/*0.30A	2.40B/*0.30A	----	0.40 - 2.30	.0003	----	----	----	----	202 UNCH
4485	1.40	1.40	1.40/*0.30A	2.50B/*0.30A	----	0.40 - 2.40	.0003	----	----	5	----	15 + 5
4490	1.40	1.40	1.40/*0.30A	2.70B/*0.30A	----	0.50 - 2.40	.0005	----	----	13	----	65 + 13

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG2 PUT GOLD OPTIONS
APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4495	----	----	----/*0.30A	2.80B/*0.30A	----	0.50 - 2.50	.0005	----	----	----	----	3 UNCH
4500	3.20	3.20	3.40/*0.30A	3.40/*0.30A	----	0.50 - 2.60	.0005	----	----	95	----	267 + 29
4505	0.90	0.90	0.90/*0.40A	3.20B/*0.40A	----	0.60 - 2.60	.0007	----	----	1	----	7 + 1
4510	----	----	3.40B/*0.40A	3.40B/*0.40A	----	0.60 - 2.70	.0007	----	----	----	----	97 UNCH
4515	----	----	3.60B/*0.40A	3.60B/*0.40A	----	0.60 - 2.90	.0007	----	----	----	----	11 UNCH
4520	0.50	0.50	4.00B/*0.40A	4.00B/*0.40A	----	0.70 - 2.90	.0009	----	----	3	----	6 - 3
4525	1.30	1.30	4.10B/*0.40A	4.10B/*0.40A	----	0.70 - 3.10	.0010	----	----	1	----	6 + 1
4530	0.60	0.60	4.40B/*0.40A	4.40B/*0.40A	----	0.70 - 3.20	.0010	----	----	1	----	12 UNCH
4535	----	----	4.70B/*0.50A	4.70B/*0.50A	----	0.70 - 3.40	.0010	----	----	----	----	2 UNCH
4540	0.50	0.50	4.90B/*0.50	4.90B/*0.50	----	0.80 - 3.40	.0013	----	----	2	----	23 - 2
4545	----	----	5.20B/*0.50A	5.20B/*0.50A	----	0.80 - 3.60	.0013	----	----	----	----	45 UNCH
4550	0.50	0.50	5.60B/*0.50	5.60B/*0.50	----	0.80 - 3.80	.0013	----	----	45	----	216 UNCH
4555	----	----	6.00B/*0.50A	6.00B/*0.50A	----	0.90 - 3.90	.0016	----	----	----	----	29 UNCH
4560	----	----	6.30B/*0.60A	6.30B/*0.60A	----	0.90 - 4.10	.0017	----	----	----	----	35 UNCH
4565	----	----	6.70B/*0.60A	6.70B/*0.60A	----	1.00 - 4.20	.0020	----	----	----	----	8 UNCH
4570	0.60	0.60	7.00B/*0.60	7.00B/*0.60	----	1.00 - 4.50	.0021	----	----	3	----	21 + 3
4575	5.20	5.20	7.60B/*0.70A	7.60B/*0.70A	----	1.10 - 4.60	.0024	----	----	3	----	11 UNCH
4580	5.90	5.90	8.20B/*0.70A	8.20B/*0.70A	----	1.10 - 4.90	.0025	----	----	21	----	32 + 2
4585	1.50	1.50	8.80B/*0.70A	8.80B/*0.70A	----	1.20 - 5.10	.0029	----	----	2	----	77 + 1
4590	5.10	5.10	9.40B/*0.80A	9.40B/*0.80A	----	1.20 - 5.40	.0030	----	----	8	----	10 + 5
4595	----	----	10.00B/*0.80A	10.00B/*0.80A	----	1.30 - 5.60	.0035	----	----	----	----	5 UNCH
4600	7.10	7.10	10.60B/*0.90A	10.60B/*0.90A	----	1.40 - 5.80	.0040	----	----	93	----	221 + 15
4605	7.80	7.80	11.20B/*1.00A	11.20B/*1.00A	----	1.40 NEW	.0041	----	----	9	----	9 + 9
4610	8.60	8.60	11.90B/*1.00A	11.90B/*1.00A	----	1.50 - 6.50	.0046	----	----	5	----	80 + 3
4615	9.50	9.50	12.70B/*1.10A	12.70B/*1.10A	----	1.60 - 6.80	.0052	----	----	4	----	9 + 3
4620	1.50	1.50	13.40B/*1.20A	13.40B/*1.20A	----	1.70 - 7.10	.0059	----	----	14	----	70 UNCH
4625	11.00	11.00	14.30B/*1.30A	14.30B/*1.30A	----	1.80 - 7.40	.0065	----	----	1	----	122 + 1
4630	----	----	15.10B/*1.30A	15.10B/*1.30A	----	1.90 - 7.80	.0073	----	----	1	----	179 - 1
4635	10.90	10.90	16.10B/*1.40A	16.10B/*1.40A	----	2.00 - 8.20	.0080	----	----	4	----	2 + 1
4640	7.20	7.20	16.80B/*1.50A	16.80B/*1.50A	----	2.20 - 8.50	.0094	----	----	2	----	60 UNCH
4645	9.40	9.40	17.80B/*1.70A	17.80B/*1.70A	----	2.30 - 9.00	.0103	----	----	2	----	6 + 2
4650	18.00	18.00	19.00B/*1.70	19.00B/*1.70	----	2.40 - 9.50	.0113	----	----	178	----	169 - 20
4655	14.40	14.40	20.10B/*1.90A	20.10B/*1.90A	----	2.60 - 10.00	.0130	----	----	8	----	12 + 4
4660	14.60	14.60	21.30B/*2.00	21.30B/*2.00	----	2.80 - 10.50	.0147	----	----	34	----	16 + 12
4665	7.50	7.50	22.50B/*2.20A	22.50B/*2.20A	----	3.00 - 11.00	.0167	----	----	6	----	7 + 4
4670	9.40	9.40	24.00B/*2.40A	24.00B/*2.40A	----	3.20 - 11.50	.0187	----	----	157	----	155 + 147
4675	7.50	7.50	25.20B/*2.60A	25.20B/*2.60A	----	3.40 - 12.20	.0209	----	----	14	----	41 + 3
4680	8.00	8.00	26.70B/*2.80A	26.70B/*2.80A	----	3.60 - 12.80	.0233	----	----	7	----	8 + 5
4685	20.80	20.80	28.40B/*3.00A	28.40B/*3.00A	----	3.90 - 13.40	.0266	----	----	10	----	49 UNCH
4690	15.20	15.20	29.90B/*3.40A	29.90B/*3.40A	----	4.20 - 14.10	.0302	----	----	10	----	58 + 1
4695	6.80	6.80	31.60B/*3.70A	31.60B/*3.70A	----	4.50 NEW	.0340	----	----	14	----	13 + 13
4700	23.70	23.70	33.30B/*3.50	33.30B/*3.50	----	4.90 - 15.50	.0390	----	----	428	----	370 + 64
4705	4.00	4.00	35.20B/*4.00	35.20B/*4.00	----	5.20 - 16.30	.0434	----	----	6	----	7 + 4
4710	12.30	12.30	37.10B/*4.60A	37.10B/*4.60A	----	5.60 - 17.20	.0491	----	----	57	----	24 + 21
4715	29.60	29.60	39.10B/*5.10A	39.10B/*5.10A	----	6.10 - 17.90	.0561	----	----	203	----	194 + 193
4720	26.60	26.60	41.30B/*5.50A	41.30B/*5.50A	----	6.60 - 18.80	.0636	----	----	21	----	36 + 6
4725	29.90	29.90	43.70B/*6.00A	43.70B/*6.00A	----	7.10 - 19.70	.0716	----	----	176	----	114 + 100
4730	27.50	27.50	46.10B/*6.50A	46.10B/*6.50A	----	7.70 - 20.60	.0812	----	----	18	----	21 + 12
4735	44.50	44.50	48.60B/*6.70	48.60B/*6.70	----	8.30 - 21.60	.0914	----	----	64	----	50 + 17
4740	41.30	41.30	51.20B/*7.70A	51.20B/*7.70A	----	9.00 - 22.50	.1032	----	----	20	----	17 + 14
4745	32.50	32.50	53.90B/*8.30A	53.90B/*8.30A	----	9.70 - 23.60	.1158	----	----	46	----	47 + 9
4750	45.00	45.00	56.50B/*8.90A	56.50B/*8.90A	----	10.50 - 24.60	.1303	----	----	185	----	138 + 29
4755	37.80	37.80	57.30B/*9.80A	57.30B/*9.80A	----	11.30 NEW	.1456	----	----	15	----	13 + 13
4760	30.20	30.20	59.30B/*10.50A	59.30B/*10.50A	----	12.30 - 26.70	.1638	----	----	83	----	53 + 39
4765	----	----	62.10B/*11.60A	62.10B/*11.60A	----	13.30 - 27.80	.1830	----	----	2	----	7 + 2
4770	33.50	33.50	65.60B/*12.50A	65.60B/*12.50A	----	14.40 - 28.90	.2041	----	----	11	----	56 + 6
4775	23.20	23.20	68.90B/*13.60A	68.90B/*13.60A	----	15.60 - 30.00	.2272	----	----	16	----	13 + 10
4780	32.20	32.20	72.40B/*14.60	72.40B/*14.60	----	16.90 - 31.10	.2522	----	----	13	----	38 + 5
4785	20.10	20.10	76.00B/*16.10A	76.00B/*16.10A	----	18.30 - 32.20	.2792	----	----	5	----	50 + 2
4790	30.60	30.60	79.80B/*17.10	79.80B/*17.10	----	19.80 - 33.30	.3079	----	----	48	----	59 + 36
4795	31.00	31.00	83.30B/*19.10A	83.30B/*19.10A	----	21.50 - 34.30	.3389	----	----	14	70	115 + 66
4800	27.00	27.00	87.10B/*20.90A	87.10B/*20.90A	----	23.30 - 35.30	.3713	----	----	47	----	52 + 21
4805	22.60	22.60	91.10B/*22.60	91.10B/*22.60	----	25.20 - 36.20	.4050	----	----	10	----	17 + 10
4810	42.00	42.00	95.30B/*24.50A	95.30B/*24.50A	----	27.30 - 37.10	.4401	----	----	12	----	8 + 7
4815	32.00	32.00	99.30B/*26.50A	99.30B/*26.50A	----	29.60 - 37.90	.4759	----	----	2	----	2 + 2
4820	----	----	103.10B/*28.70A	103.10B/*28.70A	----	32.00 - 38.70	.5122	----	----	4	----	14 + 3
4825	35.00	35.00	107.40B/*31.10A	107.40B/*31.10A	----	34.50 - 39.40	.5486	----	----	1	----	8 + 1
4830	38.00	38.00	111.50B/*33.70A	111.50B/*33.70A	----	37.20 NEW	.5846	----	----	3	----	2 + 2
4840	----	----	120.50B/*39.20A	120.50B/*39.20A	----	43.10 - 41.20	.6541	----	----	----	----	1 UNCH
4845	----	----	124.80B/*42.60A	124.80B/*42.60A	----	46.20 - 41.70	.6873	----	----	1	----	1 UNCH
4850	----	----	129.10B/45.30A	129.10B/45.30A	----	49.50 - 42.10	.7185	----	----	7	----	25 + 2
4875	----	----	152.00B/62.90A	152.00B/62.90A	----	67.80 - 43.30	.8456	----	----	----	----	12 UNCH
4880	87.90	87.90	156.70B/66.90A	156.70B/66.90A	----	71.80 NEW	.8647	----	----	1	----	1 + 1
4900	----	----	175.60B/82.90A	175.60B/82.90A	----	88.70 - 43.50	.9218	----	----	5	----	22 + 5
4910	----	----	185.50B/91.90A	185.50B/91.90A	----	97.50 - 43.50	.9418	----	----	1	----	1 - 1
4925	----	----	199.70B/105.40A	199.70B/105.40A	----	111.10 - 43.30	.9631	----	----	----	----	2 UNCH
4935	----	----	209.40B/114.80A	209.40B/114.80A	----	120.50 - 43.10	.9718	----	----	----	----	1 UNCH
4945	----	----	219.50B/124.10A	219.50B/124.10A	----	129.90 - 42.90	.9793	----	----	----	----	3 UNCH
4950	----	----	224.10B/129.00A	224.10B/129.00A	----	134.70 - 42.80	.9818	----	----	3	----	3 + 1
4955	----	----	228.90B/133.80A	228.90B/133.80A	----	139.40 - 42.80	.9848	----	----	----	----	2 UNCH
4975	----	----	248.70B/153.10A	248.70B/153.10A	----	158.80 - 42.40	.9910	----	----	----	----	2 UNCH
4995	----	----	268.40B/172.50A	268.40B/172.50A	----	178.30 - 42.10	.9949	----	----	----	----	2 UNCH
5000	----	----	273.40B/176.70A	273.40B/176.70A	----	183.20 - 42.00	.9956	----	----	2	----	104 UNCH
5015	----	----	288.20B/192.20A	288.20B/192.20A	----	198.00 - 41.80	.9969	----	----	2	----	2 - 1
5020	----	----	257.30B/197.20A	257.30B/197.20A	----	203.00 - 41.70	.9970	----	----	----	----	8 UNCH
5025	----	----	262.00B/202.20A	262.00B/202.20A	----	207.90 - 41.70	.9975	----	----	----	----	2 UNCH
5050	----	----	286.80B/226.90A	286.80B/226.90A	----	232.70 - 41.40	.9985	----	----	----	----	4 UNCH
5065	----	----	303.50B/241.10A	303.50B/241.10A	----	247.60 - 41.30	.9989	----	----	----	----	20 UNCH
5070	248.60	248.60	307.10B/246.70A	307.10B/246.70A	----	252.60 - 41.30	.9989	----	----	2	----	4 UNCH
5075	----	----	312.00B/251.90A	312.00B/251.90A	----	257.50 - 41.30	.9992	----	----	1	----	1 UNCH
5100	----	----	337.20B/276.50A	337.20B/276.50A	----	282.40 - 41.20	.9995	----	----	----	----	10 - 4
5120	----	----	357.00B/296.50A	357.00B/296.50A	----	302.40 - 41.00	.9995	----	----	----	----	0 - 3
5125	----	----	362.00B/301.40A	362.00B/301.40A	----	307.30 - 41.10	.9997	----	----	----	----	3 UNCH
5130	----	----	367.00B/306.40A	367.00B/306.40A	----	312.30 - 41.10	.9997	----	----	----	----	4 UNCH
5200	----	----	437.00B/376.20A	437.00B/376.20A	----	382.10 - 41.00	1.0000	----	----	----	----	20 UNCH
5230	----	----	466.90B/406.20A	466.90B/406.20A	----	412.10 - 40.90	1.0000	----	----	----	----	2 UNCH
5235	----	----	471.90B/411.20A	471.90B/411.20A	----	417.10 - 40.90	1.0000	----	----	----	----	2 UNCH
5260	----	----	496.90B/436.20A	496.90B/436.20A	----	442.10 - 40.90	1.0000	----	----	----	----	31 UNCH
5360	----	----	596.20B/536.20A	596.20B/536.20A	----	542.10 - 40.80	1.0000	----	----	----	----	1 UNCH
5400	----	----	636.80B/576.20A	636.80B/576.20A	----	582.10 - 40.80	1.0000	----	----	----	----	1 UNCH
TOTAL										2408	70	21591+ 947

OG2 CALL GOLD OPTIONS
APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4000	----	----	823.90B/763.30A	823.90B/763.30A	----	818.10 + 40.60	1.0000	----	----	----	----	0 UNCH
4150	----	----	673.70B/613.40A	673.70B/613.40A	----	668.10 + 40.40	1.0000	----	----	----	----	0 - 1
4200	----	----	623.80B/563.30A	623.80B/563.30A	----	618.10 + 40.30	1.0000	----	----	----	----	1 - 3
4350	----	----	473.90B/378.60A	473.90B/378.60A	----	468.10 + 39.60	1.0000	----	----	1	----	1 - 1
4375	----	----	448.90B/353.80A	448.90B/353.80A	----	443.10 + 39.50	1.0000	----	----	----	----	2 - 1
4400	----	----	423.90B/329.10A	423.90B/329.10A	----	418.20 + 39.40	1.0000	----	----	----	----	66 UNCH
4415	----	----	408.70B/314.30A	408.70B/314.30A	----	403.20 + 39.20	.9999	----	----	----	----	5 UNCH
4450	----	----	374.00B/280.00A	374.00B/280.00A	----	368.30 + 38.90	.9998	----	----	----	----	2 UNCH
4475	----	----	349.30B/255.70A	349.30B/255.70A	----	343.40 + 38.60	.9996	----	----	----	----	20 UNCH
4480	----	----	344.30B/250.60A	344.30B/250.60A	----	338.40 + 38.50	.9996	----	----	----	----	16 UNCH
4500	----	----	324.40B/231.70A	324.40B/231.70A	----	318.50 + 38.20	.9994	----	----	1	----	141 - 4
4505	----	----	319.10B/226.50A	319.10B/226.50A	----	313.60 + 38.20	.9993	----	----	----	----	1 UNCH
4510	----	----	313.90B/221.80A	313.90B/221.80A	----	308.60 + 38.10	.9992	----	----	1	----	0 - 1
4525	----	----	299.20B/207.90A	299.20B/207.90A	----	293.70 + 37.70	.9990	----	----	----	----	1 UNCH
4530	----	----	294.40B/203.20A	294.40B/203.20A	----	288.70 + 37.60	.9989	----	----	----	----	101 UNCH
4535	----	----	289.20B/198.50A	289.20B/198.50A	----	283.70 + 37.40	.9989	----	----	----	----	1 UNCH
4540	----	----	284.30B/193.80A	284.30B/193.80A	----	278.80 + 37.40	.9987	----	----	----	----	2 UNCH
4545	----	----	279.30B/188.90A	279.30B/188.90A	----	273.80 + 37.20	.9986	----	----	----	----	6 UNCH
4550	----	----	274.50B/184.30A	274.50B/184.30A	----	268.80 + 37.00	.9986	----	----	----	----	106 UNCH
4555	----	----	269.50B/180.00A	269.50B/180.00A	----	263.90 + 36.90	.9983	----	----	----	----	10 UNCH
4560	----	----	264.40B/175.40A	264.40B/175.40A	----	258.90 + 36.70	.9982	----	----	----	----	9 UNCH
4570	----	----	254.40B/166.30A	254.40B/166.30A	----	249.00 + 36.30	.9978	----	----	----	----	4 UNCH
4575	----	----	249.50B/161.50A	249.50B/161.50A	----	244.10 + 36.20	.9975	----	----	----	----	1 UNCH
4580	----	----	244.70B/157.30A	244.70B/157.30A	----	239.10 + 35.90	.9974	----	----	----	----	103 UNCH
4585	----	----	239.60B/152.60A	239.60B/152.60A	----	234.20 + 35.70	.9970	----	----	1	----	1 UNCH
4595	----	----	229.70B/144.10A	229.70B/144.10A	----	224.30 + 35.20	.9964	----	----	----	----	1 UNCH
4600	220.00	220.00	225.00B/139.50A	225.00B/139.50A	----	219.40 + 35.00	.9959	----	----	6	----	292 - 3
4610	----	----	214.80B/131.30A	214.80B/131.30A	----	209.50 + 34.30	.9953	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG2 CALL		GOLD OPTIONS										
APR26												
4625	----	----	200.10B/118.50A	200.10B/118.50A	----	194.80 + 33.40	.9934	----	----	----	----	5 UNCH
4630	----	----	195.40B/114.80A	195.40B/114.80A	----	189.90 + 33.00	.9926	----	----	----	----	174 UNCH
4635	----	----	190.50B/110.70A	190.50B/110.70A	----	185.00 + 32.60	.9919	----	----	----	----	22 UNCH
4640	170.20	170.20	185.70B/106.80A	185.70B/106.80A	----	180.20 + 32.30	.9905	----	----	1	----	30 UNCH
4645	140.00	140.00	180.60B/102.90A	180.60B/102.90A	----	175.30 + 31.80	.9896	----	----	1	----	4 UNCH
4650	124.00	124.00	175.90B/99.10A	175.90B/99.10A	----	170.40 + 31.30	.9886	----	----	5	----	67 UNCH
4655	----	----	171.00B/95.30A	171.00B/95.30A	----	165.60 + 30.80	.9869	----	----	----	----	3 UNCH
4660	----	----	166.20B/91.70A	166.20B/91.70A	----	160.80 + 30.30	.9852	----	----	----	----	9 UNCH
4665	----	----	161.50B/88.00A	161.50B/88.00A	----	156.00 + 29.80	.9832	----	----	----	----	14 UNCH
4670	----	----	156.50B/84.50A	156.50B/84.50A	----	151.20 + 29.30	.9812	----	----	----	----	1 UNCH
4675	----	----	151.70B/80.50A	151.70B/80.50A	----	146.40 + 28.60	.9790	----	----	5	----	6 + 3
4680	----	----	147.10B/76.70A	147.10B/76.70A	----	141.60 + 28.00	.9766	----	----	----	----	13 UNCH
4685	----	----	142.30B/73.80A	142.30B/73.80A	----	136.90 + 27.40	.9733	----	----	----	----	1 UNCH
4695	----	----	132.90B/63.60A	132.90B/63.60A	----	127.50 + 26.00	.9659	----	----	----	----	4 UNCH
4700	59.40	59.40	128.20B/59.40	128.20B/59.40	----	122.90 + 25.30	.9609	----	----	85	----	327 - 69
4705	----	----	123.70B/55.20A	123.70B/55.20A	----	118.20 + 24.50	.9565	----	----	----	----	2 UNCH
4710	----	----	119.00B/52.10A	119.00B/52.10A	----	113.60 + 23.60	.9508	----	----	----	----	12 UNCH
4715	----	----	114.50B/49.20A	114.50B/49.20A	----	109.10 + 22.90	.9438	----	----	59	----	14 - 54
4720	----	----	110.10B/46.20A	110.10B/46.20A	----	104.60 + 22.00	.9363	----	----	4	----	10 UNCH
4725	60.10	60.10	105.40B/43.40A	105.40B/43.40A	----	100.10 + 21.10	.9283	----	----	5	----	13 + 4
4730	43.80	43.80	101.00B/40.70A	101.00B/40.70A	----	95.70 + 20.20	.9187	----	----	2	----	38 + 1
4735	41.40	41.40	96.60B/38.20A	96.60B/38.20A	----	91.30 + 19.20	.9085	----	----	3	----	17 + 1
4740	----	----	92.50B/35.50A	92.50B/35.50A	----	87.00 + 18.30	.8967	----	----	----	----	13 UNCH
4745	----	----	88.00B/33.10A	88.00B/33.10A	----	82.70 + 17.20	.8840	----	----	----	----	19 UNCH
4750	38.00	38.00	83.80B/30.80A	83.80B/30.80A	----	78.50 + 16.20	.8696	----	----	27	----	106 - 2
4755	----	----	79.90B/28.50A	79.90B/28.50A	----	74.30 + 15.10	.8543	----	----	----	----	6 UNCH
4760	30.90	30.90	75.60B/*26.50A	75.60B/*26.50A	----	70.30 + 14.10	.8361	----	----	4	----	21 UNCH
4765	----	----	71.60B/*24.50A	71.60B/*24.50A	----	66.30 + 13.00	.8169	----	----	7	----	13 + 4
4770	26.50	26.50	67.80B/*22.60A	67.80B/*22.60A	----	62.40 + 11.90	.7958	----	----	18	30	47 + 46
4775	26.00	26.00	64.00B/*20.80A	64.00B/*20.80A	----	58.60 + 10.80	.7727	----	----	155	----	75 - 19
4780	21.00	21.00	60.00B/*19.30A	60.00B/*19.30A	----	54.90 + 9.70	.7476	----	----	21	----	37 + 15
4785	20.10	20.10	56.40B/*17.80A	56.40B/*17.80A	----	51.30 + 8.60	.7207	----	----	7	----	19 + 2
4790	20.10	20.10	52.90B/*16.40A	52.90B/*16.40A	----	47.80 + 7.50	.6920	----	----	21	30	172 - 11
4795	26.50	26.50	49.90B/*15.00A	49.90B/*15.00A	----	44.50 + 6.50	.6610	----	----	32	----	37 + 32
4800	23.70	23.70	46.80B/*13.60A	46.80B/*13.60A	----	41.30 + 5.50	.6286	----	----	328	----	155 + 20
4805	26.90	26.90	43.50B/*12.50A	43.50B/*12.50A	----	38.20 + 4.60	.5949	----	----	14	----	23 + 7
4810	15.10	15.10	40.80B/*11.50A	40.80B/*11.50A	----	35.30 + 3.70	.5598	----	----	80	----	42 + 31
4815	23.30	23.30	37.80B/*10.60A	37.80B/*10.60A	----	32.60 + 2.90	.5239	----	----	30	----	22 + 17
4820	20.10	20.10	35.00B/*9.60A	35.00B/*9.60A	----	30.00 + 2.10	.4877	----	----	124	----	64 + 32
4825	10.50	10.50	32.20B/*8.80A	32.20B/*8.80A	----	27.50 + 1.40	.4513	----	----	71	----	82 + 16
4830	10.70	10.70	30.10B/*7.90A	30.10B/*7.90A	----	25.20 + 0.70	.4152	----	----	109	----	163 + 47
4835	10.00	10.00	27.60B/*7.20A	27.60B/*7.20A	----	23.10 + 0.20	.3801	----	----	6	----	58 + 3
4840	11.00	11.00	25.40B/*6.50A	25.40B/*6.50A	----	21.10 - 0.40	.3458	----	----	159	----	233 + 47
4845	10.40	10.40	23.00B/*6.00A	23.00B/*6.00A	----	19.20 - 0.90	.3126	----	----	12	----	14 + 3
4850	9.30	9.30	21.30B/*5.50A	21.30B/*5.50A	----	17.50 - 1.30	.2814	----	----	381	35	301 + 39
4855	8.30	8.30	19.30B/*5.10A	19.30B/*5.10A	----	15.90 - 1.60	.2517	----	----	28	----	39 + 10
4860	7.50	7.50	17.60B/*4.70A	17.60B/*4.70A	----	14.50 - 1.90	.2246	----	----	32	----	16 + 10
4865	13.70	13.70	16.00B/*4.50A	16.00B/*4.50A	----	13.20 - 2.10	.1995	----	----	15	----	10 + 6
4870	7.20	7.20	14.60B/*4.00A	14.60B/*4.00A	----	11.90 - 2.40	.1754	----	----	14	----	27 + 3
4875	9.70	9.70	13.40B/*3.80A	13.40B/*3.80A	----	10.80 - 2.50	.1543	----	----	107	----	81 + 5
4880	3.90	3.90	12.10B/*3.40A	12.10B/*3.40A	----	9.80 - 2.60	.1352	----	----	40	----	54 + 19
4885	3.30	3.30	11.00B/*3.20A	11.00B/*3.20A	----	8.90 - 2.70	.1182	----	----	11	----	41 UNCH
4890	3.00	3.00	10.00B/*3.00	10.00B/*3.00	----	8.10 - 2.70	.1032	----	----	31	----	30 + 13
4895	4.80	4.80	9.10B/*2.70A	9.10B/*2.70A	----	7.30 - 2.80	.0892	----	----	26	----	16 + 2
4900	4.50	4.50	8.30B/*2.30	8.30B/*2.30	----	6.70 - 2.70	.0781	----	----	273	----	292 + 2
4905	4.00	4.00	7.50B/*2.30A	7.50B/*2.30A	----	6.00 - 2.80	.0667	----	----	29	----	35 + 22
4910	3.70	3.70	6.90B/*2.10A	6.90B/*2.10A	----	5.50 - 2.70	.0581	----	----	8	----	10 + 1
4915	2.00	2.00	6.30B/*1.90A	6.30B/*1.90A	----	5.00 - 2.60	.0501	----	----	22	----	20 + 14
4920	5.10	5.10	5.80/*1.80A	5.80/*1.80A	----	4.60 - 2.50	.0437	----	----	129	----	152 + 102
4925	1.90	1.90	5.20B/*1.60A	5.20B/*1.60A	----	4.10 - 2.50	.0368	----	----	40	----	51 + 16
4930	1.80	1.80	4.80B/*1.50A	4.80B/*1.50A	----	3.80 - 2.40	.0323	----	----	39	----	19 UNCH
4935	1.90	1.90	4.40B/*1.30A	4.40B/*1.30A	----	3.50 - 2.30	.0281	----	----	9	----	9 + 1
4940	2.30	2.30	4.00B/*1.20A	4.00B/*1.20A	----	3.20 - 2.20	.0242	----	----	12	----	12 + 4
4945	2.30	2.30	3.70B/*1.10A	3.70B/*1.10A	----	2.90 - 2.10	.0206	----	----	7	----	24 + 3
4950	1.60	1.60	3.40B/*1.00A	3.40B/*1.00A	----	2.70 - 2.00	.0181	----	----	40	----	101 + 16
4955	2.00	2.00	3.20B/*0.90A	3.20B/*0.90A	----	2.40 - 2.00	.0151	----	----	1	----	14 - 1
4960	1.00	1.00	2.90B/*0.80A	2.90B/*0.80A	----	2.20 - 1.90	.0130	----	----	9	----	4 + 1
4965	----	----	----/*0.70A	2.70B/*0.70A	----	2.10 - 1.70	.0117	----	----	1	----	11 + 1
4970	2.10	2.10	2.50B/*0.70A	2.50B/*0.70A	----	1.90 - 1.70	.0099	----	----	3	----	9 UNCH
4975	0.70	0.70	2.50/*0.60A	2.50/*0.60A	----	1.80 - 1.60	.0089	----	----	523	----	212 + 176
4980	1.00	1.00	2.30/*0.60A	2.30/*0.60A	----	1.60 - 1.60	.0074	----	----	5	----	17 + 4
4985	1.00	1.00	2.10/*0.50A	2.10/*0.50A	----	1.50 - 1.50	.0065	----	----	6	----	7 + 5
4990	----	----	----/*0.50A	1.80B/*0.50A	----	1.40 - 1.40	.0057	----	----	4	----	75 + 3
4995	0.90	0.90	1.00/*0.50A	1.70B/*0.50A	----	1.30 - 1.30	.0050	----	----	6	----	20 + 6
5000	1.00	1.00	1.80/*0.40A	1.80/*0.40A	----	1.20 - 1.20	.0043	----	----	56	----	243 - 27
5005	0.70	0.70	1.50B/*0.40A	1.50B/*0.40A	----	1.20 - 1.10	.0042	----	----	10	----	15 + 6
5010	0.50	0.50	0.50/*0.40A	1.40B/*0.40A	----	1.10 - 1.10	.0036	----	----	5	----	5 + 5
5015	0.80	0.80	0.80/*0.40A	1.30B/*0.40A	----	1.00 - 1.00	.0030	----	----	1	----	29 + 1
5020	----	----	----/*0.30A	1.20B/*0.30A	----	1.00 - 0.90	.0029	----	----	----	----	20 UNCH
5025	0.40	0.40	0.50/*0.30A	1.20B/*0.30A	----	0.90 - 0.90	.0024	----	----	13	----	13 + 7
5030	0.50	0.50	0.50/*0.30A	1.00B/*0.30A	----	0.90 - 0.80	.0024	----	----	1	----	28 + 1
5035	----	----	----/*0.30A	1.00B/*0.30A	----	0.80 - 0.80	.0019	----	----	----	----	6 UNCH
5040	0.30	0.30	0.60/*0.30	0.90B/*0.30	----	0.80 - 0.70	.0019	----	----	8	----	34 + 6
5045	0.50	0.50	0.90B/*0.30	0.90B/*0.30	----	0.70 - 0.70	.0015	----	----	41	----	44 + 39
5050	0.30	0.30	0.80B/*0.20	0.80B/*0.20	----	0.70 - 0.60	.0014	----	----	7	----	81 + 4
5055	----	----	----/*0.20A	0.80B/*0.20A	----	0.70 - 0.60	.0014	----	----	----	----	16 UNCH
5060	0.60	0.60	0.70B/*0.20A	0.70B/*0.20A	----	0.60 - 0.60	.0011	----	----	4	----	6 + 2
5065	----	----	----/*0.20A	0.70B/*0.20A	----	0.60 - 0.50	.0010	----	----	1	----	22 + 1
5070	----	----	----/*0.20A	0.60B/*0.20A	----	0.60 - 0.50	.0010	----	----	----	----	11 UNCH
5075	0.50	0.50	0.50/*0.20A	0.60B/*0.20A	----	0.50 - 0.50	.0007	----	----	3	----	5 + 2
5080	----	----	----/*0.20A	0.60B/*0.20A	----	0.50 - 0.40	.0007	----	----	----	----	8 UNCH
5085	----	----	----/*0.20A	0.50B/*0.20A	----	0.50 - 0.40	.0007	----	----	----	----	4 UNCH
5090	----	----	----/*0.10A	0.50B/*0.10A	----	0.50 - 0.30	.0007	----	----	----	----	10 UNCH
5095	----	----	----/*0.10A	0.50B/*0.10A	----	0.50 - 0.30	.0007	----	----	----	----	2 UNCH
5100	----	----	----/*0.10A	0.50B/*0.10A	----	0.40 - 0.40	.0005	----	----	2	----	51 UNCH
5105	----	----	----/*0.10A	0.50B/*0.10A	----	0.40 - 0.30	.0004	----	----	----	----	1 UNCH
5115	0.20	0.20	0.30/*0.10A	0.50B/*0.10A	----	0.40 - 0.30	.0004	----	----	16	----	39 + 16
5120	0.20	0.20	0.20/*0.10A	0.40B/*0.10A	----	0.40 - 0.20	.0004	----	----	3	----	24 + 1
5125	0.20	0.20	0.20/*0.10A	0.40B/*0.10A	----	0.30 - 0.30	.0002	----	----	15	----	15 + 14
5130	----	----	----/*0.10A	0.20B/*0.10A	----	0.30 - 0.30	.0002	----	----	----	----	1 UNCH
5135	0.20	0.20	0.20/*0.10A	0.20/*0.10A	----	0.30 - 0.20	.0002	----	----	5	----	9 + 5
5145	----	----	----/*0.10A	0.20B/*0.10A	----	0.30 - 0.20	.0002	----	----	----	----	19 UNCH
5150	----	----	----/*0.10A	0.20B/*0.10A	----	0.20 - 0.30	.0001	----	----	3	----	61 + 3
5160	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.20 - 0.20	.0001	----	----	3	----	1 - 2
5170	----	----	----/*0.10A	----/*0.10A	----	0.20 - 0.20	.0001	----	----	----	----	10 UNCH
5175	----	----	----/*0.20A	----/*0.20A	----	0.20 - 0.20	.0001	----	----	----	----	29 UNCH
5185	----	----	----	----/0.30A	----	0.10 - 0.20	.0000	----	----	----	----	4 UNCH
5190	----	----	----	----/0.30A	----	0.10 - 0.20	.0000	----	----	----	----	10 UNCH
5200	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.20	.0000	----	----	----	----	118 UNCH
5205	----	----	----	----/0.40A	----	0.10 - 0.20	.0000	----	----	----	----	11 UNCH
5210	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	.0000	----	----	----	----	4 UNCH
5215	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	.0000	----	----	----	----	1 UNCH
5220	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	.0000	----	----	----	----	21 UNCH
5225	----	----	----	----/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	6 UNCH
5230	----	----	----	----/0.40A	----	0.10 - 0.10	.0000	----	----	----	----	11 UNCH
5235	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	----	----	----	----	----	6 UNCH
5245	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	2 UNCH
5250	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	----	----	----	----	----	50 UNCH
5255	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	----	----	----	----	----	7 UNCH
5260	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	----	----	----	----	----	4 UNCH
5265	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	3 UNCH
5270	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	1 UNCH
5280	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	2 UNCH
5285	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	4 UNCH
5290	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	2 UNCH
5300	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 - 0.10	----	----	----	2	----	20 + 2
5305	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	1 UNCH
5315	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5330	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5340	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
5350	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	19 UNCH
5375	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
5395	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	9 UNCH
5400	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	160 UNCH
5410	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5415	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5420	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG2 CALL — GOLD OPTIONS
APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
5450	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
5460	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5475	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5500	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	49 UNCH
5525	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
5575	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
5600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	305 UNCH
5625	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
5675	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
5700	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	42 UNCH
5750	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	256 UNCH
5800	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	384 UNCH
6300	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
6500	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	12 UNCH
TOTAL										3455	95	7245 + 731

OG1 PUT — GOLD OPTIONS
MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4125	----	----	12.20B/*8.30A	12.20B/*8.30A	----	6.40 - 5.70	.0334	----	----	----	----	2 UNCH
4150	10.30	10.30	13.70B/*9.00A	13.70B/*9.00A	----	7.20 - 6.20	.0375	----	----	1	----	1 - 1
4175	----	----	15.30B/*9.40A	15.30B/*9.40A	----	8.10 - 6.80	.0420	----	----	----	----	1 UNCH
4200	----	----	17.10B/*10.80A	17.10B/*10.80A	----	9.00 - 7.50	.0467	----	----	----	----	1 UNCH
4250	----	----	21.30B/*12.20A	21.30B/*12.20A	----	11.40 - 8.80	.0587	----	----	----	----	5 UNCH
4300	----	----	26.50B/*15.00A	26.50B/*15.00A	----	14.40 - 10.40	.0734	----	----	----	----	2 UNCH
4325	----	----	29.60B/*16.40A	29.60B/*16.40A	----	16.20 - 11.30	.0820	----	----	----	----	2 UNCH
4350	----	----	32.80B/*18.50A	32.80B/*18.50A	----	18.10 - 12.20	.0911	----	----	----	----	5 UNCH
4400	----	----	40.60B/*22.60A	40.60B/*22.60A	----	22.70 - 14.10	.1126	----	----	1	----	1 UNCH
4485	----	----	57.50B/*32.70A	57.50B/*32.70A	----	33.30 - 18.20	.1596	----	----	----	----	1 UNCH
4500	42.00	42.00	60.60B/*34.90A	60.60B/*34.90A	----	35.60 - 19.00	.1694	----	----	1	----	2 UNCH
4535	----	----	69.90B/*40.70A	69.90B/*40.70A	----	41.50 - 21.00	.1940	----	----	----	----	1 UNCH
4610	----	----	92.60B/*56.90A	92.60B/*56.90A	----	57.30 - 25.40	.2560	----	----	----	----	10 UNCH
4675	----	----	118.00B/*74.20A	118.00B/*74.20A	----	75.20 - 29.00	.3199	----	----	----	----	0 UNCH
4715	----	----	135.40B/*87.80A	135.40B/*87.80A	----	88.50 - 31.10	.3635	----	----	----	----	0 UNCH
4950	----	----	277.40B/205.50A	277.40B/205.50A	----	207.40 - 40.10	.6467	----	----	----	----	1 UNCH
5000	----	----	315.40B/239.40A	315.40B/239.40A	----	241.80 - 41.20	.7020	----	----	----	----	1 UNCH
TOTAL										3		36 - 1

OG1 CALL — GOLD OPTIONS
MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4625	----	----	255.30B/211.90A	255.30B/211.90A	----	253.70 + 14.50	.7294	----	----	----	----	1 UNCH
4665	----	----	226.10B/187.10A	226.10B/187.10A	----	224.90 + 12.30	.6899	----	----	----	----	1 UNCH
4715	----	----	192.80B/158.30A	192.80B/158.30A	----	191.30 + 9.60	.6359	----	----	----	----	0 UNCH
4800	----	----	142.90B/116.40A	142.90B/116.40A	----	141.10 + 5.60	.5352	----	----	----	----	0 UNCH
4825	----	----	129.70B/105.10A	129.70B/105.10A	----	128.20 + 4.70	.5044	----	----	----	----	1 UNCH
4840	----	----	121.90B/97.70A	121.90B/97.70A	----	120.80 + 4.10	.4858	----	----	----	----	10 UNCH
4860	----	----	112.20B/92.30A	112.20B/92.30A	----	111.40 + 3.40	.4610	----	----	----	----	1 UNCH
4875	----	----	105.50B/84.60A	105.50B/84.60A	----	104.70 + 2.80	.4425	----	----	----	----	1 UNCH
4900	----	----	94.70B/77.80A	94.70B/77.80A	----	94.20 + 2.00	.4119	----	----	----	----	11 UNCH
4925	82.00	82.00	84.80B/70.00A	84.80B/70.00A	----	84.50 NEW	.3819	----	----	20	----	20 + 20
4950	----	----	75.70B/62.00A	75.70B/62.00A	----	75.60 + 0.60	.3527	----	----	----	----	21 UNCH
5000	----	----	----/49.20A	59.60B/49.20A	----	60.10 - 0.60	.2974	----	----	----	----	2 UNCH
5050	----	----	----/*38.80A	46.50B/*38.80A	----	47.40 - 1.50	.2473	----	----	----	----	2 UNCH
5125	----	----	----/*27.00A	31.80B/*27.00A	----	32.50 - 2.60	.1825	----	----	----	----	1 UNCH
5200	----	----	----/*19.00A	21.50B/*19.00A	----	21.80 - 2.80	.1306	----	----	----	----	6 UNCH
TOTAL										20		78 + 20

OG PUT — COMEX GOLD OPTIONS
MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
1000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2046 UNCH
1500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	761 UNCH
1600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	40 UNCH
1700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1800	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1900	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	149 UNCH
2175	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	25 UNCH
2200	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	129 UNCH
2225	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	271 UNCH
2250	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
2275	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2300	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	156 UNCH
2325	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
2350	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	122 UNCH
2400	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	13 UNCH
2420	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	16 UNCH
2450	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	15 UNCH
2485	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	20 UNCH
2495	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	75 UNCH
2500	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	74 UNCH
2505	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
2520	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
2525	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	102 UNCH
2540	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
2550	----	----	----	----/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	1 UNCH
2560	----	----	----	----/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	6 UNCH
2580	----	----	----	----/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	35 UNCH
2590	----	----	----	----/0.30A	----	0.10 - 0.10	.0000	----	----	----	----	1 UNCH
2600	----	----	----	0.10B/0.20A	----	0.10 - 0.10	.0000	----	----	----	----	114 UNCH
2615	----	----	----	----/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	1 UNCH
2620	----	----	----	----/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	1 UNCH
2650	----	----	----	----/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	4 UNCH
2660	----	----	----	----/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	1 UNCH
2685	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	1 UNCH
2700	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	34 UNCH
2705	----	----	----	----/*0.30A	----	0.10 - 0.10	.0001	----	----	----	----	1 UNCH
2715	----	----	----	----/*0.30A	----	0.10 - 0.10	.0001	----	----	----	----	2 UNCH
2725	----	----	----	----/*0.30A	----	0.10 - 0.10	.0001	----	----	----	----	1 UNCH
2730	----	----	----	----/*0.30A	----	0.10 - 0.10	.0001	----	----	----	----	2 UNCH
2750	----	----	----	----/*0.30A	----	0.10 - 0.20	.0001	----	----	----	----	3 UNCH
2755	----	----	----	----/*0.30A	----	0.10 - 0.20	.0001	----	----	----	----	6 UNCH
2770	----	----	----	----/*0.30A	----	0.10 - 0.20	.0002	----	----	----	----	4 UNCH
2785	----	----	----	----/*0.30A	----	0.10 - 0.20	.0002	----	----	----	----	21 UNCH
2790	----	----	----	----/*0.30A	----	0.10 - 0.20	.0002	----	----	----	----	5 UNCH
2800	----	----	----	----/*0.30A	----	0.10 - 0.20	.0002	----	----	----	----	88 UNCH
2815	----	----	----	----/*0.40A	----	0.10 - 0.20	.0003	----	----	----	----	35 UNCH
2820	----	----	----	----/*0.40A	----	0.10 - 0.20	.0003	----	----	----	----	74 UNCH
2845	----	----	----	----/*0.40A	----	0.20 - 0.10	.0006	----	----	----	----	5 UNCH
2850	----	----	----	----/0.40A	----	0.20 - 0.10	.0006	----	----	----	----	2 UNCH
2870	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0006	----	----	----	----	23 UNCH
2895	----	----	----/*0.30A	0.10B/*0.30A	----	0.20 - 0.20	.0006	----	----	----	----	39 UNCH
2900	0.30	0.30	0.30/*0.30	0.30/*0.30	----	0.20 - 0.20	.0006	----	----	2	----	348 - 1
2905	----	----	----/*0.30A	0.10B/*0.30A	----	0.20 - 0.20	.0006	----	----	----	----	4 UNCH
2910	----	----	----/*0.30A	0.20B/*0.30A	----	0.20 - 0.20	.0006	----	----	----	----	20 UNCH
2930	----	----	----/*0.30A	0.20B/*0.30A	----	0.20 - 0.20	.0006	----	----	----	----	28 UNCH
2940	----	----	----/*0.30A	0.20B/*0.30A	----	0.20 - 0.20	.0006	----	----	----	----	8 UNCH
2950	----	----	----	0.20B/*0.40A	----	0.20 - 0.20	.0006	----	----	3	----	302 + 3
2980	----	----	----/*0.40A	0.20B/*0.40A	----	0.20 - 0.30	.0006	----	----	----	----	2 UNCH
2995	----	----	----/*0.40A	0.20B/*0.40A	----	0.20 - 0.30	.0007	----	----	----	----	4 UNCH
3000	----	----	----/*0.40A	0.20B/*0.40A	----	0.20 - 0.30	.0007	----	----	----	----	140 UNCH
3005	----	----	----/*0.40A	0.20B/*0.40A	----	0.20 - 0.30	.0007	----	----	----	----	1 UNCH
3010	----	----	----/*0.40A	0.20B/*0.40A	----	0.20 - 0.30	.0007	----	----	----	----	1 UNCH
3020	----	----	----/*0.40A	0.20B/*0.40A	----	0.20 - 0.30	.0007	----	----	----	----	1 UNCH
3040	----	----	----	0.20B/*0.50A	----	0.30 - 0.20	.0010	----	----	----	----	52 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
3045	----	----	----	0.20B/*0.50A	----	0.30 - 0.20	.0010	----	----	----	----	2 UNCH
3050	----	----	----	0.30B/*0.50A	----	0.30 - 0.20	.0010	----	----	----	----	19 UNCH
3055	----	----	----	0.30B/*0.50A	----	0.30 - 0.20	.0010	----	----	----	----	5 UNCH
3065	----	----	----/*0.50A	0.20B/*0.50A	----	0.30 - 0.30	.0010	----	----	----	----	5 UNCH
3070	----	----	----/*0.50A	0.20B/*0.50A	----	0.30 - 0.30	.0010	----	----	----	----	1 UNCH
3075	----	----	----/*0.50A	0.20B/*0.50A	----	0.30 - 0.30	.0010	----	----	----	----	66 UNCH
3080	----	----	----/*0.50A	0.20B/*0.50A	----	0.30 - 0.30	.0010	----	----	----	----	1 UNCH
3090	----	----	----/*0.50A	0.30B/*0.50A	----	0.30 - 0.30	.0010	----	----	----	----	5 UNCH
3095	----	----	----/*0.50A	0.30B/*0.50A	----	0.30 - 0.30	.0010	----	----	----	----	3 UNCH
3100	----	----	----/*0.50A	0.30B/*0.50A	----	0.30 - 0.30	.0010	----	----	----	----	306 UNCH
3105	----	----	----/*0.50A	0.30B/*0.50A	----	0.30 - 0.30	.0010	----	----	----	----	5 UNCH
3115	----	----	----/*0.50A	0.30B/*0.50A	----	0.30 - 0.30	.0010	----	----	----	----	5 UNCH
3120	----	----	----/*0.50A	0.30B/*0.50A	----	0.30 - 0.30	.0010	----	----	----	----	41 UNCH
3125	----	----	----/*0.50A	0.30B/*0.50A	----	0.30 - 0.30	.0010	----	----	----	----	1 UNCH
3130	----	----	----/*0.50A	0.30B/*0.50A	----	0.30 - 0.30	.0011	----	----	----	----	8 UNCH
3135	----	----	----/*0.50A	0.30B/*0.50A	----	0.30 - 0.30	.0011	----	----	----	----	2 UNCH
3140	----	----	----/*0.50A	0.30B/*0.50A	----	0.30 - 0.40	.0011	----	----	----	----	3 UNCH
3150	----	----	----/*0.50A	0.30B/*0.50A	----	0.30 - 0.40	.0011	----	----	----	----	10 UNCH
3155	----	----	----/*0.50A	0.40B/*0.50A	----	0.30 - 0.40	.0011	----	----	----	----	74 UNCH
3160	----	----	----/*0.50A	0.30B/*0.50A	----	0.40 - 0.30	.0014	----	----	----	----	15 UNCH
3170	0.60	0.60	0.60/*0.50A	0.60/*0.50A	----	0.40 - 0.30	.0014	----	----	1	----	5 UNCH
3175	----	----	----/*0.50A	0.40B/*0.50A	----	0.40 - 0.30	.0014	----	----	----	----	10 UNCH
3185	----	----	----/*0.60A	0.40B/*0.60A	----	0.40 - 0.30	.0014	----	----	----	----	18 UNCH
3200	----	----	----/0.60A	0.40B/0.60A	----	0.40 - 0.30	.0014	----	----	----	----	258 UNCH
3205	----	----	----/*0.60A	0.40B/*0.60A	----	0.40 - 0.30	.0014	----	----	----	----	10 UNCH
3210	----	----	----/*0.60A	0.40B/*0.60A	----	0.40 - 0.30	.0015	----	----	----	----	10 UNCH
3220	----	----	----/*0.60A	0.40B/*0.60A	----	0.40 - 0.40	.0015	----	----	----	----	8 UNCH
3225	----	----	----/*0.60A	0.50B/*0.60A	----	0.40 - 0.40	.0015	----	----	----	----	12 UNCH
3235	----	----	----/*0.60A	0.50B/*0.60A	----	0.40 - 0.40	.0015	----	----	----	----	5 UNCH
3245	----	----	----/*0.60A	0.50B/*0.60A	----	0.40 - 0.40	.0015	----	----	----	----	5 UNCH
3250	----	----	----/*0.60A	0.50B/*0.60A	----	0.40 - 0.40	.0015	----	----	----	----	84 UNCH
3255	----	----	----/*0.60A	0.50B/*0.60A	----	0.50 - 0.30	.0018	----	----	----	----	8 UNCH
3260	----	----	----/*0.60A	0.50B/*0.60A	----	0.50 - 0.30	.0018	----	----	----	----	21 UNCH
3265	----	----	----/*0.60A	0.50B/*0.60A	----	0.50 - 0.30	.0018	----	----	----	----	16 UNCH
3270	----	----	----/*0.60A	0.50B/*0.60A	----	0.50 - 0.30	.0019	----	----	----	----	2 UNCH
3275	----	----	----/*0.50A	0.60B/*0.50A	----	0.50 - 0.30	.0019	----	----	----	----	22 UNCH
3280	----	----	----/*0.60A	0.50B/*0.60A	----	0.50 - 0.40	.0019	----	----	----	----	1 UNCH
3290	----	----	----/*0.70A	0.50B/*0.70A	----	0.50 - 0.40	.0019	----	----	----	----	40 UNCH
3295	----	----	----/*0.70A	0.50B/*0.70A	----	0.50 - 0.40	.0019	----	----	----	----	1 UNCH
3300	0.60	0.60	0.60/*0.40A	0.60/*0.40A	----	0.50 - 0.40	.0019	----	----	3	----	600 - 2
3305	0.40	0.40	0.40/*0.40	0.60B/*0.40	----	0.50 - 0.40	.0019	----	----	2	----	60 UNCH
3310	----	----	----/*0.70A	0.60B/*0.70A	----	0.50 - 0.40	.0019	----	----	----	----	1 UNCH
3315	----	----	----/*0.70A	0.60B/*0.70A	----	0.50 - 0.40	.0019	----	----	----	----	3 UNCH
3320	----	----	----/*0.70A	0.60B/*0.70A	----	0.50 - 0.40	.0019	----	----	----	----	1 UNCH
3325	----	----	----/*0.70A	0.60B/*0.70A	----	0.50 - 0.40	.0019	----	----	----	----	10 UNCH
3330	----	----	----/*0.70A	0.70B/*0.70A	----	0.50 - 0.40	.0019	----	----	----	----	2 UNCH
3335	----	----	----/*0.70A	0.60B/*0.70A	----	0.60 - 0.40	.0023	----	----	----	----	20 UNCH
3340	----	----	----/*0.70A	0.60B/*0.70A	----	0.60 - 0.40	.0023	----	----	----	----	1 UNCH
3345	----	----	----/*0.70A	0.60B/*0.70A	----	0.60 - 0.40	.0023	----	----	----	----	1 UNCH
3350	----	----	----/*0.60A	0.70B/*0.60A	----	0.60 - 0.40	.0023	----	----	----	----	53 UNCH
3360	----	----	----/*0.70A	0.70B/*0.70A	----	0.60 - 0.40	.0023	----	----	----	----	4 UNCH
3370	----	----	----/*0.70A	0.70B/*0.70A	----	0.60 - 0.40	.0023	----	----	----	----	76 UNCH
3375	----	----	----/*0.80A	0.70B/*0.80A	----	0.60 - 0.40	.0024	----	----	----	----	54 UNCH
3380	----	----	----/*0.80A	0.70B/*0.80A	----	0.60 - 0.40	.0024	----	----	----	----	5 UNCH
3385	----	----	----/*0.80A	0.70B/*0.80A	----	0.60 - 0.50	.0024	----	----	----	----	12 UNCH
3390	----	----	----/*0.80A	0.70B/*0.80A	----	0.60 - 0.50	.0024	----	----	----	----	5 UNCH
3395	----	----	----/*0.70A	0.70B/*0.70A	----	0.60 - 0.50	.0024	----	----	----	----	35 UNCH
3400	----	----	----/*0.80A	0.70B/*0.80A	----	0.70 - 0.40	.0027	----	----	----	----	190 UNCH
3405	----	----	----/*0.80A	0.70B/*0.80A	----	0.70 - 0.40	.0028	----	----	----	----	5 UNCH
3415	----	----	----/*0.80A	0.70B/*0.80A	----	0.70 - 0.40	.0028	----	----	----	----	118 UNCH
3420	1.30	1.30	1.30/*0.70A	1.30/*0.70A	----	0.70 - 0.40	.0028	----	----	1	----	1 UNCH
3425	----	----	----/*0.80A	0.80B/*0.80A	----	0.70 - 0.40	.0028	----	----	----	----	11 UNCH
3430	----	----	----/*0.70A	0.80B/*0.70A	----	0.70 - 0.40	.0028	----	----	----	----	21 UNCH
3435	----	----	----/*0.90A	0.80B/*0.90A	----	0.70 - 0.50	.0028	----	----	----	----	101 UNCH
3440	----	----	----/*0.90A	0.80B/*0.90A	----	0.70 - 0.50	.0028	----	----	----	----	1 UNCH
3445	----	----	----/*0.90A	0.80B/*0.90A	----	0.70 - 0.50	.0028	----	----	----	----	33 UNCH
3450	----	----	----/*0.90A	0.90B/*0.90A	----	0.70 - 0.50	.0029	----	----	1	----	49 - 1
3455	----	----	----/*0.90A	0.80B/*0.90A	----	0.80 - 0.40	.0032	----	----	----	----	44 UNCH
3460	----	----	----/*0.70A	0.90B/*0.70A	----	0.80 - 0.40	.0032	----	----	----	----	142 UNCH
3465	----	----	----/*0.90A	0.80B/*0.90A	----	0.80 - 0.40	.0032	----	----	----	----	17 UNCH
3470	----	----	----/*0.90A	0.80B/*0.90A	----	0.80 - 0.40	.0033	----	----	----	----	76 UNCH
3475	----	----	----/*0.90A	0.80B/*0.90A	----	0.80 - 0.50	.0033	----	----	----	----	94 UNCH
3480	----	----	----/*0.80A	0.90B/*0.80A	----	0.80 - 0.50	.0033	----	----	----	----	84 UNCH
3485	0.90	0.90	1.00/*0.90	1.00/*0.90	----	0.80 - 0.50	.0033	----	----	7	----	60 - 1
3490	----	----	----/*0.90A	0.90B/*0.90A	----	0.80 - 0.50	.0033	----	----	----	----	52 UNCH
3495	----	----	----/*0.90A	0.90B/*0.90A	----	0.80 - 0.50	.0033	----	----	----	----	54 UNCH
3500	1.10	1.10	1.10/*0.80A	1.10/*0.80A	----	0.80 - 0.50	.0033	----	----	5	----	1432 + 1
3505	----	----	----/*1.00A	1.10B/*1.00A	----	0.90 - 0.40	.0037	----	----	----	----	14 UNCH
3510	----	----	----/*0.90A	0.90B/*0.90A	----	0.90 - 0.50	.0037	----	----	----	----	36 UNCH
3515	----	----	----/*0.90A	0.90B/*0.90A	----	0.90 - 0.50	.0037	----	----	----	----	82 UNCH
3520	----	----	----/*0.90A	1.10B/*0.90A	----	0.90 - 0.50	.0038	----	----	----	----	8 UNCH
3525	----	----	----/*1.00A	1.00B/*1.00A	----	0.90 - 0.50	.0038	----	----	----	----	119 UNCH
3530	----	----	----/*1.00A	1.00B/*1.00A	----	0.90 - 0.50	.0038	----	----	----	----	102 UNCH
3535	----	----	----/*1.00A	1.00B/*1.00A	----	0.90 - 0.50	.0038	----	----	----	----	158 UNCH
3540	----	----	----/*1.00A	1.00B/*1.00A	----	0.90 - 0.50	.0038	----	----	----	----	10 UNCH
3545	----	----	----/*1.00A	1.20B/*1.00A	----	0.90 - 0.60	.0038	----	----	----	----	66 UNCH
3550	----	----	----/*1.00A	1.20B/*1.00A	----	1.00 - 0.50	.0042	----	----	----	----	340 UNCH
3555	----	----	----/*1.00A	1.10B/*1.00A	----	1.00 - 0.50	.0042	----	----	----	----	45 UNCH
3560	0.90	0.90	0.90/*0.90	1.10B/*0.90	----	1.00 - 0.50	.0042	----	----	2	----	9 + 1
3565	----	----	----/*1.00A	1.10B/*1.00A	----	1.00 - 0.50	.0043	----	----	----	----	7 UNCH
3570	----	----	----/*1.00A	1.10B/*1.00A	----	1.00 - 0.50	.0043	----	----	----	----	11 UNCH
3575	----	----	----/*1.00A	1.10B/*1.00A	----	1.00 - 0.60	.0043	----	----	----	----	96 UNCH
3580	1.10	1.10	1.40/*1.00A	1.40/*1.00A	----	1.00 - 0.60	.0043	----	----	8	----	9 - 3
3585	----	----	----/*1.00A	1.20B/*1.00A	----	1.00 - 0.60	.0043	----	----	----	----	9 UNCH
3590	----	----	----/*1.00A	1.20B/*1.00A	----	1.10 - 0.50	.0047	----	----	----	----	33 UNCH
3595	----	----	----/*1.10A	1.20B/*1.10A	----	1.10 - 0.50	.0047	----	----	----	----	39 UNCH
3600	----	----	----/*1.10A	1.40B/*1.10A	----	1.10 - 0.60	.0048	----	----	----	----	982 UNCH
3605	----	----	----/*1.00A	1.30B/*1.00A	----	1.10 - 0.60	.0048	----	----	----	----	56 UNCH
3610	----	----	----/*1.10A	1.20B/*1.10A	----	1.10 - 0.60	.0048	----	----	----	----	23 UNCH
3615	----	----	----/*1.10A	1.20B/*1.10A	----	1.10 - 0.60	.0048	----	----	----	----	120 UNCH
3620	----	----	----/*1.00A	1.30B/*1.00A	----	1.10 - 0.60	.0048	----	----	----	----	128 UNCH
3625	----	----	----/*1.10A	1.30B/*1.10A	----	1.20 - 0.60	.0052	----	----	----	----	45 UNCH
3630	----	----	----/*1.10A	1.30B/*1.10A	----	1.20 - 0.60	.0053	----	----	----	----	13 UNCH
3635	----	----	----/*1.00A	1.50B/*1.00A	----	1.20 - 0.60	.0053	----	----	----	----	26 UNCH
3640	----	----	----/*1.00A	1.50B/*1.00A	----	1.20 - 0.60	.0053	----	----	----	----	42 UNCH
3645	----	----	----/*1.00A	1.60B/*1.00A	----	1.20 - 0.60	.0053	----	----	----	----	15 UNCH
3650	1.40	1.40	1.50/*1.00A	1.60B/*1.00A	----	1.20 - 0.70	.0053	----	----	9	----	414 - 4
3655	----	----	----/*1.00A	1.60B/*1.00A	----	1.20 - 0.70	.0054	----	----	----	----	24 UNCH
3660	----	----	----/*1.00A	1.60B/*1.00A	----	1.30 - 0.60	.0058	----	----	----	----	47 UNCH
3665	----	----	----/*1.10A	1.70B/*1.10A	----	1.30 - 0.60	.0058	----	----	----	----	35 UNCH
3670	----	----	----/*1.10A	1.70B/*1.10A	----	1.30 - 0.70	.0058	----	----	----	----	35 UNCH
3675	----	----	----/*1.10A	1.70B/*1.10A	----	1.30 - 0.70	.0058	----	----	----	----	66 UNCH
3680	----	----	----/*1.10A	1.70B/*1.10A	----	1.30 - 0.70	.0059	----	----	----	----	119 UNCH
3685	1.80	1.80	1.80/*1.10A	1.80/*1.10A	----	1.30 - 0.70	.0059	----	----	1	----	26 + 1
3690	----	----	----/*1.10A	1.80B/*1.10A	----	1.40 - 0.70	.0063	----	----	----	----	23 UNCH
3695	1.00	1.00	1.00/*1.00	1.80B/*1.00	----	1.40 - 0.70	.0063	----	----	1	----	73 UNCH
3700	1.40	1.40	1.40/*1.10A	1.80B/*1.10A	----	1.40 - 0.70	.0064	----	----	163	----	1319 + 148
3705	----	----	----/*1.20A	1.80B/*1.20A	----	1.40 - 0.70	.0064	----	----	----	----	40 UNCH
3710	----	----	----/*1.20A	1.90B/*1.20A	----	1.40 - 0.80	.0064	----	----	----	----	25 UNCH
3715	----	----	----/*1.20A	1.90B/*1.20A	----	1.40 - 0.80	.0064	----	----	----	----	28 UNCH
3720	----	----	----/*1.20A	1.90B/*1.20A	----	1.50 - 0.70	.0069	----	----	----	----	35 UNCH
3725	----	----	----/*1.20A	2.00B/*1.20A	----	1.50 - 0.70	.0069	----	----	----	----	37 UNCH
3730	----	----	----/*1.20A	2.00B/*1.20A	----	1.50 - 0.80	.0069	----	----	----	----	54 UNCH
3735	----	----	----/*1.20A	2.00B/*1.20A	----	1.50 - 0.80	.0070	----	----	----	----	38 UNCH
3740	----	----	----/*1.30A	2.10B/*1.30A	----	1.50 - 0.80	.0070	----	----	----	----	13 UNCH
3745	----	----	----/*1.30A	2.10B/*1.30A	----	1.60 - 0.80	.0074	----	----	----	----	39 UNCH
3750	----	----	----/*1.30A	2.10B/*1.30A	----	1.60 - 0.80	.0074	----	----	1	----	393 UNCH
3755	----	----	----/*1.30A	2.10B/*1.30A	----	1.60 - 0.80	.0075	----	----	----	----	10 UNCH
3760	----	----	----/*1.30A	2.20B/*1.30A	----	1.60 - 0.90	.0075	----	----	----	----	49 UNCH
3765	----	----	----/*1.30A	2.20B/*1.30A	----	1.60 - 0.90	.0075	----	----	----	----	104 UNCH
3770	----	----	----/*1.30A	2.20B/*1.30A	----	1.70 - 0.80	.0080	----	----	----	----	25 UNCH
3775	----	----	----/*1.40A	2.30B/*1.40A	----	1.70 - 0.90	.0080	----	----	----	----	279 UNCH
3780	----	----	----/*1.40A	2.30B/*1.40A	----	1.70 - 0.90	.0080	----	----	2	----	33 UNCH
3785	----	----	----/*1.40A	2.40B/*1.40A	----	1.70 - 0.90	.0081	----	----	----	----	27 UNCH
3790	----	----	----/*1.40A	2.40B/*1.40A	----	1.80 - 0.90	.0085	----	----	----	----	28 UNCH
3795	----	----	----/*1.40A	2.40B/*1.40A	----	1.80 - 0.90	.0085	----	----	----	----	25 UNCH
3800	----	----	----/*1.50A	2.50B/*1.50A	----	1.80 - 0.90	.0086	----	----	10	----	1488 - 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
3805	----	----	----/*1.50A	2.50B/*1.50A	----	1.80 - 1.00	.0086	----	----	----	----	75 UNCH
3810	----	----	----/*1.50A	2.60B/*1.50A	----	1.90 - 0.90	.0091	----	----	----	----	20 UNCH
3815	----	----	----/*1.50A	2.60B/*1.50A	----	1.90 - 1.00	.0091	----	----	----	----	53 UNCH
3820	----	----	----/*1.50A	2.60B/*1.50A	----	1.90 - 1.00	.0092	----	----	----	----	788 UNCH
3825	----	----	----/*1.50A	2.70B/*1.50A	----	1.90 - 1.00	.0092	----	----	----	----	113 UNCH
3830	----	----	----/*1.60A	2.70B/*1.60A	----	2.00 - 1.00	.0096	----	----	----	----	18 UNCH
3835	----	----	----/*1.60A	2.80B/*1.60A	----	2.00 - 1.00	.0097	----	----	----	----	31 UNCH
3840	----	----	----/*1.60A	2.80B/*1.60A	----	2.00 - 1.10	.0097	----	----	----	----	51 UNCH
3845	----	----	----/*1.60A	2.90B/*1.60A	----	2.00 - 1.10	.0098	----	----	----	----	36 UNCH
3850	----	----	----/*1.70A	2.90B/*1.70A	----	2.10 - 1.10	.0102	----	----	----	----	2996 UNCH
3855	----	----	----/*1.70A	3.00B/*1.70A	----	2.10 - 1.10	.0103	----	----	----	----	41 UNCH
3860	----	----	----/*1.70A	3.00B/*1.70A	----	2.10 - 1.20	.0103	----	----	2	----	53 - 1
3865	----	----	----/*1.70A	3.10B/*1.70A	----	2.10 - 1.20	.0104	----	----	----	----	21 UNCH
3870	----	----	----/*1.70A	3.10B/*1.70A	----	2.20 - 1.10	.0108	----	----	----	----	48 UNCH
3875	----	----	----/*1.80A	3.20B/*1.80A	----	2.20 - 1.20	.0109	----	----	----	----	42 UNCH
3880	----	----	----/*1.80A	3.20B/*1.80A	----	2.20 - 1.20	.0109	----	----	----	----	39 UNCH
3885	----	----	----/*1.80A	3.30B/*1.80A	----	2.30 - 1.20	.0114	----	----	----	----	82 UNCH
3890	----	----	----/*1.80A	3.40B/*1.80A	----	2.30 - 1.30	.0115	----	----	----	----	12 UNCH
3895	----	----	----/*1.90A	3.40B/*1.90A	----	2.30 - 1.30	.0115	----	----	----	----	75 UNCH
3900	----	----	----/*1.90A	3.50B/*1.90A	----	2.40 - 1.30	.0120	----	----	2	----	1830 - 1
3905	----	----	----/*1.90A	3.50B/*1.90A	----	2.40 - 1.30	.0120	----	----	----	----	27 UNCH
3910	----	----	----/*1.90A	3.60B/*1.90A	----	2.40 - 1.40	.0121	----	----	----	----	135 UNCH
3915	----	----	----/*2.00A	3.60B/*2.00A	----	2.50 - 1.30	.0126	----	----	1	----	38 UNCH
3920	2.40	2.40	2.40/*2.00A	3.70B/*2.00A	----	2.50 - 1.40	.0126	----	----	200	----	210 + 195
3925	2.00	2.00	2.00/*2.00	3.80B/*2.00	----	2.50 - 1.50	.0127	----	----	3	----	84 UNCH
3930	----	----	----/*2.10A	3.80B/*2.10A	----	2.60 - 1.40	.0132	----	----	----	----	61 UNCH
3935	----	----	----/*2.10A	3.90B/*2.10A	----	2.60 - 1.50	.0132	----	----	1	----	16 - 1
3940	----	----	----/*2.20A	4.00B/*2.20A	----	2.60 - 1.60	.0133	----	----	----	----	37 UNCH
3945	----	----	----/*2.20A	4.10B/*2.20A	----	2.70 - 1.50	.0138	----	----	----	----	24 UNCH
3950	----	----	----/*2.20A	4.10B/*2.20A	----	2.70 - 1.60	.0139	----	----	1	----	136 - 1
3955	----	----	----/*2.30A	4.20B/*2.30A	----	2.80 - 1.60	.0143	----	----	----	----	59 UNCH
3960	----	----	----/*2.30A	4.30B/*2.30A	----	2.80 - 1.60	.0144	----	----	1	----	14 - 1
3965	----	----	----/*2.30A	4.40B/*2.30A	----	2.80 - 1.70	.0145	----	----	----	----	85 UNCH
3970	----	----	----/*2.40A	4.50B/*2.40A	----	2.90 - 1.70	.0150	----	----	1	----	32 - 1
3975	----	----	----/*2.40A	4.60B/*2.40A	----	2.90 - 1.80	.0151	----	----	----	----	42 UNCH
3980	----	----	----/*2.50A	4.70B/*2.50A	----	3.00 - 1.70	.0156	----	----	----	----	141 UNCH
3985	----	----	----/*2.50A	4.80B/*2.50A	----	3.00 - 1.80	.0156	----	----	----	----	51 UNCH
3990	----	----	----/*2.60A	4.90B/*2.60A	----	3.00 - 1.90	.0157	----	----	----	----	20 UNCH
3995	----	----	----/*2.60A	5.00B/*2.60A	----	3.10 - 1.90	.0162	----	----	----	----	26 UNCH
4000	4.10	4.10	4.10/*2.50	5.10B/*2.50	----	3.10 - 2.00	.0163	----	----	318	----	3825 + 58
4005	----	----	----/*2.70A	5.20B/*2.70A	----	3.20 - 2.00	.0168	----	----	2	----	236 - 1
4010	----	----	5.30B/*2.70A	5.30B/*2.70A	----	3.20 - 2.00	.0169	----	----	----	----	61 UNCH
4015	2.80	2.80	5.40B/*2.80	5.40B/*2.80	----	3.30 - 2.00	.0174	----	----	7	----	53 + 2
4020	----	----	5.50B/*2.80A	5.50B/*2.80A	----	3.30 - 2.10	.0175	----	----	----	----	92 UNCH
4025	2.90	2.90	5.70B/*2.90	5.70B/*2.90	----	3.40 - 2.10	.0180	----	----	2	----	104 + 1
4030	----	----	5.80B/*2.90A	5.80B/*2.90A	----	3.40 - 2.20	.0181	----	----	----	----	40 UNCH
4035	----	----	5.90B/*3.00A	5.90B/*3.00A	----	3.50 - 2.20	.0187	----	----	----	----	32 UNCH
4040	----	----	6.00B/*3.00A	6.00B/*3.00A	----	3.50 - 2.30	.0188	----	----	1	----	62 - 1
4045	----	----	6.20B/*3.10A	6.20B/*3.10A	----	3.60 - 2.30	.0193	----	----	----	----	211 UNCH
4050	5.10	5.10	6.30B/*3.10A	6.30B/*3.10A	----	3.60 - 2.50	.0194	----	----	2	----	1317 - 2
4055	----	----	6.40B/*3.20A	6.40B/*3.20A	----	3.70 - 2.50	.0199	----	----	1	----	153 UNCH
4060	----	----	6.60B/*3.20A	6.60B/*3.20A	----	3.80 - 2.50	.0205	----	----	----	----	26 UNCH
4065	----	----	6.70B/*3.30A	6.70B/*3.30A	----	3.80 - 2.60	.0206	----	----	----	----	28 UNCH
4070	3.50	3.50	6.90B/*3.40A	6.90B/*3.40A	----	3.90 - 2.60	.0211	----	----	17	----	121 - 13
4075	----	----	7.10B/*3.40A	7.10B/*3.40A	----	3.90 - 2.70	.0213	----	----	----	----	125 UNCH
4080	----	----	7.30B/*3.50A	7.30B/*3.50A	----	4.00 - 2.80	.0218	----	----	----	----	92 UNCH
4085	3.50	3.50	7.50B/*3.40	7.50B/*3.40	----	4.10 - 2.80	.0224	----	----	35	----	732 + 20
4090	----	----	7.50B/*3.60A	7.50B/*3.60A	----	4.10 - 2.90	.0225	----	----	----	----	218 UNCH
4095	----	----	7.70B/*3.70A	7.70B/*3.70A	----	4.20 - 3.00	.0230	----	----	----	----	157 UNCH
4100	6.90	6.90	8.00B/*3.80A	8.00B/*3.80A	----	4.30 - 3.00	.0236	----	----	40	----	1526 + 15
4105	----	----	8.00B/*3.80A	8.00B/*3.80A	----	4.30 - 3.20	.0237	----	----	----	----	207 UNCH
4110	----	----	8.20B/*3.90A	8.20B/*3.90A	----	4.40 - 3.20	.0243	----	----	----	----	67 UNCH
4115	6.70	6.70	8.40B/*4.00A	8.40B/*4.00A	----	4.50 - 3.30	.0249	----	----	5	----	44 + 1
4120	----	----	8.60B/*4.10A	8.60B/*4.10A	----	4.60 - 3.30	.0255	----	----	1	----	130 - 1
4125	4.70	4.70	8.80B/*4.10A	8.80B/*4.10A	----	4.60 - 3.50	.0256	----	----	3	----	207 UNCH
4130	----	----	9.00B/*4.20A	9.00B/*4.20A	----	4.70 - 3.50	.0262	----	----	----	----	840 UNCH
4135	----	----	9.50B/*4.30A	9.50B/*4.30A	----	4.80 - 3.60	.0268	----	----	----	----	79 UNCH
4140	----	----	9.70B/*4.40A	9.70B/*4.40A	----	4.90 - 3.70	.0274	----	----	----	----	26 UNCH
4145	----	----	9.90B/*4.50A	9.90B/*4.50A	----	5.00 - 3.80	.0280	----	----	----	----	108 UNCH
4150	----	----	10.10B/*4.60A	10.10B/*4.60A	----	5.10 - 3.80	.0286	----	----	1	----	515 UNCH
4155	----	----	10.40B/*4.70A	10.40B/*4.70A	----	5.20 - 3.90	.0292	----	----	----	----	44 UNCH
4160	----	----	10.60B/*4.80A	10.60B/*4.80A	----	5.30 - 4.00	.0298	----	----	1	----	30 - 1
4165	6.40	6.40	10.80B/*4.90A	10.80B/*4.90A	----	5.40 - 4.10	.0304	----	----	14	----	66 - 1
4170	----	----	11.10B/*5.00A	11.10B/*5.00A	----	5.50 - 4.20	.0310	----	----	----	----	75 UNCH
4175	----	----	11.40B/*5.10A	11.40B/*5.10A	----	5.60 - 4.30	.0316	----	----	----	----	196 UNCH
4180	----	----	11.60B/*5.20A	11.60B/*5.20A	----	5.70 - 4.40	.0322	----	----	----	----	289 UNCH
4185	----	----	11.90B/*5.30A	11.90B/*5.30A	----	5.80 - 4.50	.0329	----	----	----	----	357 UNCH
4190	----	----	12.10B/*5.40A	12.10B/*5.40A	----	5.90 - 4.70	.0335	----	----	----	----	86 UNCH
4195	----	----	12.40B/*5.50A	12.40B/*5.50A	----	6.10 - 4.70	.0346	----	----	----	----	112 UNCH
4200	10.00	10.00	12.70B/*5.60A	12.70B/*5.60A	----	6.20 - 4.80	.0352	----	----	149	----	2199 + 7
4205	10.40	10.40	12.90B/*5.80A	12.90B/*5.80A	----	6.30 - 4.90	.0359	----	----	2	----	200 + 1
4210	----	----	13.20B/*5.90A	13.20B/*5.90A	----	6.40 - 5.10	.0365	----	----	----	----	87 UNCH
4215	6.70	6.70	13.50B/*6.00A	13.50B/*6.00A	----	6.60 - 5.10	.0376	----	----	6	----	178 - 6
4220	11.10	11.10	13.80B/*6.20A	13.80B/*6.20A	----	6.70 - 5.30	.0383	----	----	2	----	22 + 2
4225	8.00	8.00	14.20B/*6.30A	14.20B/*6.30A	----	6.90 - 5.40	.0393	----	----	12	----	218 - 1
4230	11.60	11.60	14.60B/*6.50A	14.60B/*6.50A	----	7.00 - 5.50	.0400	----	----	8	----	148 + 4
4235	----	----	14.90B/*6.60A	14.90B/*6.60A	----	7.20 - 5.60	.0411	----	----	1	----	59 UNCH
4240	12.20	12.20	15.20B/*6.70A	15.20B/*6.70A	----	7.30 - 5.80	.0418	----	----	6	----	155 - 5
4245	11.80	11.80	15.50B/*6.90A	15.50B/*6.90A	----	7.50 - 5.90	.0429	----	----	10	----	54 - 2
4250	11.80	11.80	15.90B/*7.00A	15.90B/*7.00A	----	7.70 - 6.00	.0440	----	----	179	----	974 - 44
4255	7.90	7.90	16.30B/*7.20A	16.30B/*7.20A	----	7.80 - 6.20	.0448	----	----	6	----	47 + 6
4260	----	----	16.60B/*7.30A	16.60B/*7.30A	----	8.00 - 6.30	.0459	----	----	3	----	106 - 3
4265	12.40	12.40	17.00B/*7.50A	17.00B/*7.50A	----	8.20 - 6.40	.0470	----	----	4	----	84 + 1
4270	----	----	17.50B/*7.70A	17.50B/*7.70A	----	8.40 - 6.50	.0482	----	----	----	----	109 UNCH
4275	----	----	17.90B/*7.90A	17.90B/*7.90A	----	8.60 - 6.60	.0493	----	----	----	----	142 UNCH
4280	----	----	18.30B/*8.00A	18.30B/*8.00A	----	8.80 - 6.80	.0505	----	----	3	----	121 - 3
4285	9.30	9.30	18.80B/*8.20A	18.80B/*8.20A	----	9.00 - 6.90	.0517	----	----	10	----	450 UNCH
4290	10.30	10.30	19.20B/*8.40A	19.20B/*8.40A	----	9.20 - 7.10	.0528	----	----	5	----	108 + 3
4295	16.80	16.80	19.70B/*8.60A	19.70B/*8.60A	----	9.40 - 7.20	.0540	----	----	9	----	37 + 1
4300	20.50	20.50	20.50/*8.80A	20.50/*8.80A	----	9.60 - 7.40	.0552	----	----	34	----	1981 - 12
4305	----	----	20.60B/*9.00A	20.60B/*9.00A	----	9.80 - 7.60	.0564	----	----	----	----	48 UNCH
4310	----	----	21.00B/9.20A	21.00B/9.20A	----	10.10 - 7.70	.0580	----	----	----	----	55 UNCH
4315	----	----	21.50B/*9.50A	21.50B/*9.50A	----	10.30 - 7.90	.0592	----	----	----	----	19 UNCH
4320	11.80	11.80	22.10B/9.70A	22.10B/9.70A	----	10.60 - 8.00	.0609	----	----	3	----	71 + 3
4325	----	----	22.60B/9.90A	22.60B/9.90A	----	10.80 - 8.20	.0621	----	----	----	----	165 UNCH
4330	23.80	23.80	23.80/10.10A	23.80/10.10A	----	11.10 - 8.30	.0637	----	----	2	----	276 UNCH
4335	11.30	11.30	23.60B/10.40A	23.60B/10.40A	----	11.40 - 8.50	.0654	----	----	1	----	40 + 1
4340	11.50	11.50	24.20B/10.60A	24.20B/10.60A	----	11.60 - 8.70	.0667	----	----	1	----	147 - 1
4345	----	----	24.70B/10.90A	24.70B/10.90A	----	11.90 - 8.90	.0683	----	----	----	----	337 UNCH
4350	14.80	14.80	25.30B/11.20A	25.30B/11.20A	----	12.20 - 9.10	.0700	----	----	36	----	1010 + 12
4355	15.20	15.20	25.90B/11.50A	25.90B/11.50A	----	12.50 - 9.20	.0717	----	----	2	----	72 UNCH
4360	24.40	24.40	26.40B/11.80A	26.40B/11.80A	----	12.80 - 9.40	.0734	----	----	5	----	371 - 2
4365	----	----	27.10B/12.10A	27.10B/12.10A	----	13.10 - 9.60	.0751	----	----	----	----	39 UNCH
4370	----	----	27.60B/12.40A	27.60B/12.40A	----	13.40 - 9.80	.0768	----	----	----	----	203 UNCH
4375	----	----	28.40B/12.70A	28.40B/12.70A	----	13.80 - 10.00	.0789	----	----	2	----	107 UNCH
4380	----	----	29.00B/13.00A	29.00B/13.00A	----	14.10 - 10.20	.0807	----	----	1	----	82 - 1
4385	----	----	29.80B/13.40A	29.80B/13.40A	----	14.50 - 10.30	.0828	----	----	1	----	399 UNCH
4390	30.00	30.00	30.40B/13.70A	30.40B/13.70A	----	14.80 - 10.60	.0846	----	----	5	----	96 + 1
4395	----	----	31.10B/14.10A	31.10B/14.10A	----	15.20 - 10.80	.0867	----	----	----	----	51 UNCH
4400	25.00	25.00	31.80B/14.40A	31.80B/14.40A	----	15.60 - 10.90	.0889	----	----	381	----	3083 - 112
4405	----	----	32.50B/14.80A	32.50B/14.80A	----	16.00 - 11.10	.0910	----	----	----	----	26 UNCH
4410	16.20	16.20	33.30B/15.20A	33.30B/15.20A	----	16.40 - 11.30	.0932	----	----	1	----	116 - 1
4415	----	----	34.00B/15.50A	34.00B/15.50A	----	16.80 - 11.60	.0954	----	----	----	----	121 UNCH
4420	----	----	34.80B/15.90A	34.80B/15.90A	----	17.20 - 11.80	.0976	----	----	----	----	150 UNCH
4425	34.70	34.70	35.60B/16.30A	35.60B/16.30A	----	17.60 - 12.00	.0998	----	----	4	----	577 - 1
4430	17.40	17.40	36.40B/16.80A	36.40B/16.80A	----	18.10 - 12.20	.1024	----	----	2	----	83 - 1
4435	----	----	37.20B/17.20A	37.20B/17.20A	----	18.50 - 12.50	.1047	----	----	----	----	283 UNCH
4440	32.60	32.60	38.10B/17.60A	38.10B/17.60A	----	19.00 - 12.60	.1073	----	----	9	----	296 UNCH
4445	----	----	39.00B/18.10A	39.00B/18.10A	----	19.40 - 12.90	.1096	----	----	----	----	120 UNCH
4450	32.70	32.70	39.80B/18.60	39.80B/18.60	----	19.90 - 13.20	.1122	----	----	58	----	656 + 14
4455	28.70	28.70	40.80B/19.10A	40.80B/19.10A	----	20.40 - 13.40	.1148	----	----	66	----	237 - 47
4460	----	----	41.60B/19.50A	41.60B/19.50A	----	20.90 - 13.60	.1175	----	----	----	----	58 UNCH
4465	23.90	23.90	42.60B/20.10A	42.60B/20.10A	----	21.50 - 13.80	.1205	----	----	10	----	47 + 10
4470	41.60	41.60	43.60B/20.60A	43.60B/20.60A	----	22.00 - 14.10	.1232	----	----	5	----	110 - 1
4475	23.10	23.10	44.50B/21.10A	44.50B/21.10A	----	22.50 - 14.40	.1260	----	----	12	----	948 - 3
4480	----	----	45.60B/21.70A	45.60B/21.70A	----	23.10 - 14.60	.1290	----	----	----	----	174 UNCH
4485	25.50	25.50	46.60B/22.20A	46.60B/22.20A	----	23.70 - 14.80	.1321	----	----	3	----	43 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG PUT COMEX GOLD OPTIONS
MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4490	26.00	26.00	47.70B/22.80A	47.70B/22.80A	----	24.30 - 15.10	.1352	----	----	3	----	262 UNCH
4495	----	----	48.70B/23.40A	48.70B/23.40A	----	24.90 - 15.30	.1383	----	----	----	----	25 UNCH
4500	49.40	49.40	49.80B/23.80	49.80B/23.80	----	25.50 - 15.60	.1414	----	----	688	----	2544 + 175
4505	----	----	50.90B/24.60A	50.90B/24.60A	----	26.20 - 15.80	.1448	----	----	1	----	32 UNCH
4510	----	----	52.10B/25.20A	52.10B/25.20A	----	26.80 - 16.20	.1480	----	----	----	----	100 UNCH
4515	----	----	53.20B/25.90A	53.20B/25.90A	----	27.50 - 16.40	.1515	----	----	----	----	57 UNCH
4520	----	----	54.30B/26.60A	54.30B/26.60A	----	28.20 - 16.70	.1550	----	----	----	----	162 UNCH
4525	31.10	31.10	55.60B/27.40A	55.60B/27.40A	----	28.90 - 16.90	.1585	----	----	7	----	780 - 6
4530	----	----	56.80B/28.00A	56.80B/28.00A	----	29.70 - 17.10	.1623	----	----	----	----	45 UNCH
4535	----	----	58.30B/28.80A	58.30B/28.80A	----	30.40 - 17.50	.1659	----	----	1	----	218 UNCH
4540	----	----	59.40B/29.50A	59.40B/29.50A	----	31.20 - 17.70	.1697	----	----	----	----	43 UNCH
4545	44.30	44.30	60.60B/30.20A	60.60B/30.20A	----	32.00 - 18.00	.1736	----	----	2	----	89 + 2
4550	44.00	44.00	62.00B/30.90A	62.00B/30.90A	----	32.80 - 18.30	.1775	----	----	33	----	610 - 25
4555	----	----	63.40B/31.70A	63.40B/31.70A	----	33.60 - 18.60	.1814	----	----	----	----	15 UNCH
4560	----	----	64.90B/32.50A	64.90B/32.50A	----	34.50 - 18.80	.1856	----	----	2	----	90 - 1
4565	----	----	66.30B/33.50A	66.30B/33.50A	----	35.30 - 19.20	.1896	----	----	----	----	131 UNCH
4570	40.90	40.90	67.60B/34.40A	67.60B/34.40A	----	36.20 - 19.40	.1938	----	----	6	----	184 + 3
4575	52.70	52.70	69.20B/35.20A	69.20B/35.20A	----	37.10 - 19.70	.1981	----	----	6	----	74 - 2
4580	65.50	65.50	70.70B/36.00A	70.70B/36.00A	----	38.10 - 20.00	.2026	----	----	2	----	127 + 2
4585	----	----	72.00B/37.10A	72.00B/37.10A	----	39.00 - 20.30	.2069	----	----	----	----	19 UNCH
4590	----	----	73.70B/38.00A	73.70B/38.00A	----	40.00 - 20.60	.2115	----	----	9	----	101 + 7
4595	48.80	48.80	75.30B/38.80A	75.30B/38.80A	----	41.00 - 20.90	.2160	----	----	4	----	62 + 1
4600	68.40	68.40	76.70B/39.90A	76.70B/39.90A	----	42.00 - 21.20	.2207	----	----	369	----	2066 - 17
4605	45.80	45.80	78.50B/40.80A	78.50B/40.80A	----	43.10 - 21.50	.2255	----	----	2	----	79 + 2
4610	75.00	75.00	80.10B/42.00A	80.10B/42.00A	----	44.10 - 21.80	.2302	----	----	7	----	215 - 2
4615	53.60	53.60	81.80B/42.90A	81.80B/42.90A	----	45.20 - 22.10	.2351	----	----	13	----	104 + 2
4620	----	----	83.50B/44.10A	83.50B/44.10A	----	46.30 - 22.40	.2400	----	----	----	----	196 UNCH
4625	----	----	85.20B/45.10A	85.20B/45.10A	----	47.50 - 22.70	.2451	----	----	----	----	292 UNCH
4630	71.00	71.00	87.00B/46.30A	87.00B/46.30A	----	48.70 - 23.00	.2503	----	----	68	----	786 + 11
4635	68.70	68.70	88.80B/47.40A	88.80B/47.40A	----	49.80 - 23.40	.2553	----	----	14	----	505 - 11
4640	66.30	66.30	90.60B/48.60A	90.60B/48.60A	----	51.10 - 23.60	.2607	----	----	3	----	147 - 2
4645	----	----	92.50B/49.80A	92.50B/49.80A	----	52.30 - 24.00	.2659	----	----	----	----	56 UNCH
4650	90.90	90.90	94.40B/51.00	94.40B/51.00	----	53.60 - 24.30	.2714	----	----	123	----	985 - 19
4655	----	----	96.30B/52.30A	96.30B/52.30A	----	54.90 - 24.60	.2769	----	----	2	----	33 UNCH
4660	76.70	76.70	98.20B/53.50A	98.20B/53.50A	----	56.20 - 24.90	.2824	----	----	4	----	204 - 2
4665	78.70	78.70	100.20B/54.90A	100.20B/54.90A	----	57.50 - 25.30	.2879	----	----	5	----	86 + 1
4670	58.70	58.70	102.20B/56.10A	102.20B/56.10A	----	58.90 - 25.60	.2936	----	----	2	----	170 UNCH
4675	98.40	98.40	104.20B/57.50A	104.20B/57.50A	----	60.30 - 25.90	.2993	----	----	5	----	418 - 2
4680	67.60	67.60	106.40B/58.90A	106.40B/58.90A	----	61.80 - 26.20	.3053	----	----	9	----	276 + 4
4685	66.00	66.00	108.50B/60.40A	108.50B/60.40A	----	63.20 - 26.60	.3111	----	----	4	----	177 + 3
4690	75.30	75.30	110.60B/61.80A	110.60B/61.80A	----	64.70 - 26.90	.3170	----	----	5	----	226 + 5
4695	----	----	112.60B/63.30A	112.60B/63.30A	----	66.30 - 27.20	.3231	----	----	----	----	83 UNCH
4700	110.00	110.00	114.80B/64.40	114.80B/64.40	----	67.80 - 27.50	.3292	----	----	297	----	1941 - 116
4705	----	----	117.30B/66.30A	117.30B/66.30A	----	69.40 - 27.90	.3353	----	----	----	----	47 UNCH
4710	95.90	95.90	119.40B/67.90A	119.40B/67.90A	----	71.10 - 28.10	.3416	----	----	24	----	201 + 2
4715	----	----	121.90B/69.60A	121.90B/69.60A	----	72.70 - 28.50	.3479	----	----	----	----	73 UNCH
4720	118.10	118.10	124.10B/71.10A	124.10B/71.10A	----	74.40 - 28.80	.3542	----	----	33	----	560 - 6
4725	78.40	78.40	126.50B/72.80A	126.50B/72.80A	----	76.10 - 29.10	.3606	----	----	5	----	71 + 3
4730	125.10	125.10	128.90B/74.50A	128.90B/74.50A	----	77.90 - 29.40	.3671	----	----	1	----	122 UNCH
4735	126.70	126.70	131.40B/76.30A	131.40B/76.30A	----	79.70 - 29.70	.3736	----	----	1	----	24 UNCH
4740	108.90	108.90	133.90B/78.00	133.90B/78.00	----	81.60 - 29.90	.3803	----	----	6	----	115 - 2
4745	131.50	131.50	136.40B/79.80A	136.40B/79.80A	----	83.40 - 30.20	.3868	----	----	2	----	38 + 1
4750	132.50	132.50	139.00B/81.40A	139.00B/81.40A	----	85.30 - 30.50	.3935	----	----	268	----	664 + 151
4755	133.00	133.00	141.60B/83.40A	141.60B/83.40A	----	87.20 - 30.90	.4002	----	----	8	----	149 + 2
4760	101.00	101.00	144.20B/85.30A	144.20B/85.30A	----	89.20 - 31.10	.4070	----	----	6	----	137 - 1
4765	----	----	146.90B/87.30A	146.90B/87.30A	----	91.20 - 31.40	.4138	----	----	----	----	63 UNCH
4770	94.90	94.90	149.60B/89.40A	149.60B/89.40A	----	93.20 - 31.70	.4207	----	----	18	----	74 + 6
4775	93.30	93.30	152.30B/91.10A	152.30B/91.10A	----	95.30 - 31.90	.4276	----	----	3	----	431 - 1
4780	114.50	114.50	154.30B/93.40A	154.30B/93.40A	----	97.30 - 32.30	.4345	----	----	8	----	113 UNCH
4785	109.80	109.80	157.90B/95.50	157.90B/95.50	----	99.50 - 32.50	.4415	----	----	71	----	100 + 9
4790	154.50	154.50	161.20B/97.40A	161.20B/97.40A	----	101.60 - 32.80	.4485	----	----	48	----	374 + 4
4795	114.10	114.10	164.00B/99.70A	164.00B/99.70A	----	103.90 - 33.00	.4555	----	----	4	----	35 - 1
4800	136.00	136.00	166.90B/101.70A	166.90B/101.70A	----	106.10 - 33.30	.4626	----	----	139	----	1544 - 25
4805	121.40	121.40	169.90B/104.20A	169.90B/104.20A	----	108.40 - 33.50	.4696	----	----	2	----	55 + 2
4810	118.30	118.30	170.90B/106.20A	170.90B/106.20A	----	110.80 - 33.70	.4768	----	----	10	----	267 + 5
4815	----	----	172.90B/108.80A	172.90B/108.80A	----	113.20 - 33.90	.4839	----	----	----	----	24 UNCH
4820	117.00	117.00	174.30B/110.90A	174.30B/110.90A	----	115.60 - 34.20	.4910	----	----	3	----	260 + 2
4825	----	----	177.30B/113.40A	177.30B/113.40A	----	118.10 - 34.40	.4982	----	----	----	----	188 UNCH
4830	----	----	180.20B/115.90A	180.20B/115.90A	----	120.60 - 34.60	.5053	----	----	----	----	67 UNCH
4835	----	----	183.40B/118.20A	183.40B/118.20A	----	123.20 - 34.80	.5125	----	----	----	----	135 UNCH
4840	----	----	186.50B/120.90A	186.50B/120.90A	----	125.80 - 35.10	.5196	----	----	----	----	56 UNCH
4845	131.10	131.10	189.50B/123.60A	189.50B/123.60A	----	128.40 - 35.30	.5268	----	----	10	----	40 UNCH
4850	133.80	133.80	192.60B/126.00A	192.60B/126.00A	----	131.00 - 35.60	.5339	----	----	51	----	1088 + 1
4855	----	----	195.90B/128.60A	195.90B/128.60A	----	133.70 - 35.80	.5410	----	----	----	----	76 UNCH
4860	----	----	199.40B/131.40A	199.40B/131.40A	----	136.40 - 36.10	.5482	----	----	----	----	38 UNCH
4865	----	----	202.80B/134.10A	202.80B/134.10A	----	139.20 - 36.30	.5553	----	----	----	----	27 UNCH
4870	----	----	206.00B/136.80A	206.00B/136.80A	----	142.00 - 36.50	.5624	----	----	----	----	234 UNCH
4875	156.30	156.30	209.20B/139.50A	209.20B/139.50A	----	144.80 - 36.80	.5695	----	----	3	----	281 UNCH
4880	----	----	212.70B/142.30A	212.70B/142.30A	----	147.70 - 37.00	.5766	----	----	1	----	90 UNCH
4885	----	----	216.20B/145.20A	216.20B/145.20A	----	150.60 - 37.20	.5836	----	----	----	----	21 UNCH
4890	----	----	219.70B/148.10A	219.70B/148.10A	----	153.60 - 37.30	.5906	----	----	1	----	66 UNCH
4895	----	----	222.90B/151.10A	222.90B/151.10A	----	156.50 - 37.60	.5977	----	----	----	----	96 UNCH
4900	220.00	220.00	226.70B/154.20A	226.70B/154.20A	----	159.50 - 37.90	.6046	----	----	9	----	1065 + 1
4905	----	----	230.60B/157.30A	230.60B/157.30A	----	162.60 - 38.00	.6116	----	----	----	----	53 UNCH
4910	----	----	234.10B/160.10A	234.10B/160.10A	----	165.70 - 38.20	.6185	----	----	----	----	89 UNCH
4915	203.80	203.80	237.70B/163.20A	237.70B/163.20A	----	168.80 - 38.40	.6253	----	----	1	----	31 - 1
4920	----	----	241.40B/166.20A	241.40B/166.20A	----	172.00 - 38.50	.6322	----	----	----	----	149 UNCH
4925	----	----	245.10B/169.40A	245.10B/169.40A	----	175.10 - 38.80	.6389	----	----	----	----	47 UNCH
4930	----	----	248.40B/172.60A	248.40B/172.60A	----	178.40 - 38.90	.6457	----	----	----	----	53 UNCH
4935	----	----	252.50B/175.80A	252.50B/175.80A	----	181.60 - 39.20	.6524	----	----	----	----	54 UNCH
4940	----	----	255.60B/179.40A	255.60B/179.40A	----	184.90 - 39.30	.6590	----	----	----	----	15 UNCH
4945	----	----	260.00B/182.40A	260.00B/182.40A	----	188.30 - 39.40	.6657	----	----	----	----	48 UNCH
4950	----	----	263.70B/185.70A	263.70B/185.70A	----	191.60 - 39.60	.6722	----	----	7	----	753 UNCH
4955	----	----	268.10B/189.10A	268.10B/189.10A	----	195.00 - 39.80	.6786	----	----	----	----	83 UNCH
4960	----	----	271.90B/192.50A	271.90B/192.50A	----	198.40 - 40.00	.6849	----	----	----	----	132 UNCH
4965	----	----	275.80B/195.90A	275.80B/195.90A	----	201.90 - 40.10	.6914	----	----	----	----	25 UNCH
4970	----	----	278.90B/199.60A	278.90B/199.60A	----	205.40 - 40.20	.6978	----	----	----	----	4 UNCH
4975	----	----	283.70B/202.80A	283.70B/202.80A	----	208.90 - 40.40	.7039	----	----	----	----	89 UNCH
4980	----	----	287.60B/206.30A	287.60B/206.30A	----	212.50 - 40.50	.7102	----	----	----	----	56 UNCH
4985	----	----	291.60B/209.90A	291.60B/209.90A	----	216.10 - 40.60	.7163	----	----	----	----	124 UNCH
4990	----	----	295.40B/213.50A	295.40B/213.50A	----	219.70 - 40.80	.7222	----	----	----	----	35 UNCH
4995	----	----	299.60B/217.10A	299.60B/217.10A	----	223.30 - 40.90	.7283	----	----	----	----	222 UNCH
5000	----	----	303.50B/220.70A	303.50B/220.70A	----	227.00 - 41.10	.7341	----	----	----	----	1124 UNCH
5005	----	----	307.80B/224.50A	307.80B/224.50A	----	230.70 - 41.20	.7400	----	----	----	----	41 UNCH
5010	----	----	311.30B/228.60A	311.30B/228.60A	----	234.50 - 41.20	.7456	----	----	----	----	14 UNCH
5015	----	----	316.00B/231.90A	316.00B/231.90A	----	238.30 - 41.30	.7513	----	----	----	----	23 UNCH
5020	----	----	320.10B/235.70A	320.10B/235.70A	----	242.10 - 41.40	.7569	----	----	----	----	23 UNCH
5025	----	----	324.30B/239.50A	324.30B/239.50A	----	245.90 - 41.60	.7625	----	----	----	----	154 UNCH
5030	----	----	328.50B/243.30A	328.50B/243.30A	----	249.80 - 41.60	.7679	----	----	----	----	24 UNCH
5035	----	----	332.30B/247.60A	332.30B/247.60A	----	253.70 - 41.70	.7732	----	----	----	----	13 UNCH
5040	----	----	336.90B/251.10A	336.90B/251.10A	----	257.60 - 41.80	.7786	----	----	----	----	135 UNCH
5045	----	----	341.10B/255.10A	341.10B/255.10A	----	261.60 - 41.90	.7836	----	----	----	----	28 UNCH
5050	----	----	345.10B/259.00A	345.10B/259.00A	----	265.50 - 42.00	.7887	----	----	2	----	435 - 2
5055	----	----	349.40B/263.00A	349.40B/263.00A	----	269.50 - 42.10	.7937	----	----	----	----	107 UNCH
5060	----	----	353.90B/267.00A	353.90B/267.00A	----	273.60 - 42.10	.7987	----	----	----	----	84 UNCH
5065	----	----	358.30B/271.00A	358.30B/271.00A	----	277.60 - 42.20	.8035	----	----	----	----	54 UNCH
5070	----	----	362.60B/275.10A	362.60B/275.10A	----	281.70 - 42.30	.8082	----	----	----	----	175 UNCH
5075	----	----	367.00B/279.20A	367.00B/279.20A	----	285.80 - 42.30	.8129	----	----	----	----	47 UNCH
5080	----	----	371.70B/283.30A	371.70B/283.30A	----	290.00 - 42.30	.8173	----	----	----	----	85 UNCH
5085	----	----	375.80B/287.50A	375.80B/287.50A	----	294.10 - 42.40	.8220	----	----	----	----	116 UNCH
5090	----	----	380.30B/291.60A	380.30B/291.60A	----	298.30 - 42.50	.8263	----	----	----	----	23 UNCH
5095	----	----	384.70B/295.80A	384.70B/295.80A	----	302.50 - 42.50	.8307	----	----	----	----	17 UNCH
5100	----	----	389.20B/300.00A	389.20B/300.00A	----	306.80 - 42.50	.8346	----	----	----	----	391 UNCH
5105	----	----	393.60B/304.20A	393.60B/304.20A	----	311.00 - 42.60	.8390	----	----	----	----	57 UNCH
5110	----	----	398.10B/308.50A	398.10B/308.50A	----	315.30 - 42.60	.8429	----	----	----	----	286 UNCH
5115	----	----	402.60B/312.70A	402.60B/312.70A	----	319.60 - 42.60	.8469	----	----	----	----	24 UNCH
5120	----	----	407.10B/317.10A	407.10B/317.10A	----	323.90 - 42.60	.8508	----	----	----	----	18 UNCH
5125	----	----	411.50B/321.40A	411.50B/321.40A	----	328.20 - 42.70	.8544	----	----	----	----	89 UNCH
5130	----	----	416.10B/325.70A	416.10B/325.70A	----	332.60 - 42.70	.8580	----	----	----	----	120 UNCH
5135	----	----	420.60B/330.10A	420.60B/330.10A	----	337.00 - 42.70	.8619	----	----	----	----	95 UNCH
5140	----	----	425.30B/334.40A	425.30B/334.40A	----	341.40 - 42.70	.8654	----	----	----	----	23 UNCH
5145	----	----	429.80B/338.90A	429.80B/338.90A	----	345.80 - 42.70	.8685	----	----	----	----	44 UNCH
5150	----	----	434.30B/343.30A	434.30B/343.30A	----	350.20 - 42.80	.8720	----	----	----	----	372 UNCH
5155	----	----	438.90B/348.20A	438.90B/348.20A	----	354.70 - 42.70	.8755	----	----	----	----	9 UNCH
5160	----	----	443.60B/352.70A	443.60B/352.70A	----	359.10 - 42.80	.8786	----	----	----	----	31 UNCH
5165	----	----	448.20B/357.20A	448.20B/357.20A	----	363.60 - 42.80	.8817	----	----	----	----	47 UNCH
5170	----	----	453.20B/361.70A	453.20B/361.70A	----	368.10 - 42.80	.8848	----	----	----	----	155 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
5175	----	----	457.80B/366.20A	457.80B/366.20A	----	372.60 - 42.80	.8878	----	----	----	----	30 UNCH
5180	----	----	462.10B/370.60A	462.10B/370.60A	----	377.20 - 42.70	.8904	----	----	----	----	76 UNCH
5185	----	----	466.80B/375.30A	466.80B/375.30A	----	381.70 - 42.80	.8935	----	----	----	----	2 UNCH
5190	----	----	471.80B/379.70A	471.80B/379.70A	----	386.30 - 42.70	.8961	----	----	----	----	10 UNCH
5195	----	----	476.30B/384.30A	476.30B/384.30A	----	390.80 - 42.80	.8986	----	----	----	----	25 UNCH
5200	----	----	480.80B/388.80A	480.80B/388.80A	----	395.40 - 42.80	.9012	----	----	----	----	424 UNCH
5205	----	----	485.50B/393.40A	485.50B/393.40A	----	400.00 - 42.80	.9038	----	----	----	----	19 UNCH
5210	----	----	490.20B/398.10A	490.20B/398.10A	----	404.60 - 42.80	.9063	----	----	----	----	9 UNCH
5215	----	----	495.00B/402.60A	495.00B/402.60A	----	409.30 - 42.70	.9088	----	----	----	----	5 UNCH
5220	----	----	499.70B/407.30A	499.70B/407.30A	----	413.90 - 42.70	.9114	----	----	----	----	9 UNCH
5225	----	----	504.40B/411.90A	504.40B/411.90A	----	418.50 - 42.70	.9134	----	----	----	----	59 UNCH
5230	----	----	509.20B/416.60A	509.20B/416.60A	----	423.20 - 42.70	.9155	----	----	----	----	10 UNCH
5235	----	----	513.90B/421.30A	513.90B/421.30A	----	427.90 - 42.60	.9180	----	----	----	----	71 UNCH
5240	----	----	518.70B/426.00A	518.70B/426.00A	----	432.50 - 42.70	.9200	----	----	----	----	43 UNCH
5245	----	----	523.80B/430.70A	523.80B/430.70A	----	437.20 - 42.70	.9220	----	----	----	----	15 UNCH
5250	----	----	528.20B/435.40A	528.20B/435.40A	----	441.90 - 42.70	.9241	----	----	1	----	430 - 1
5255	----	----	533.40B/440.10A	533.40B/440.10A	----	446.60 - 42.70	.9261	----	----	----	----	4 UNCH
5260	----	----	537.80B/444.80A	537.80B/444.80A	----	451.40 - 42.60	.9276	----	----	----	----	11 UNCH
5265	----	----	542.50B/449.40A	542.50B/449.40A	----	456.10 - 42.60	.9295	----	----	----	----	7 UNCH
5270	----	----	547.30B/454.30A	547.30B/454.30A	----	460.80 - 42.60	.9315	----	----	----	----	30 UNCH
5275	----	----	552.10B/459.10A	552.10B/459.10A	----	465.60 - 42.60	.9330	----	----	----	----	206 UNCH
5280	----	----	556.90B/463.90A	556.90B/463.90A	----	470.30 - 42.60	.9350	----	----	----	----	33 UNCH
5290	----	----	566.70B/473.60A	566.70B/473.60A	----	479.90 - 42.50	.9379	----	----	----	----	2 UNCH
5295	----	----	571.40B/478.20A	571.40B/478.20A	----	484.60 - 42.60	.9393	----	----	----	----	5 UNCH
5300	----	----	576.20B/483.00A	576.20B/483.00A	----	489.40 - 42.50	.9407	----	----	----	----	108 UNCH
5305	----	----	581.40B/487.90A	581.40B/487.90A	----	494.20 - 42.50	.9421	----	----	----	----	40 UNCH
5310	----	----	585.90B/492.70A	585.90B/492.70A	----	499.00 - 42.50	.9436	----	----	----	----	32 UNCH
5315	----	----	590.70B/497.60A	590.70B/497.60A	----	503.80 - 42.50	.9450	----	----	----	----	1 UNCH
5320	----	----	595.60B/502.40A	595.60B/502.40A	----	508.60 - 42.50	.9464	----	----	----	----	26 UNCH
5325	----	----	600.40B/507.20A	600.40B/507.20A	----	513.40 - 42.50	.9478	----	----	----	----	51 UNCH
5330	----	----	605.30B/512.00A	605.30B/512.00A	----	518.30 - 42.40	.9491	----	----	----	----	27 UNCH
5335	----	----	610.50B/517.00A	610.50B/517.00A	----	523.10 - 42.40	.9500	----	----	----	----	1 UNCH
5340	----	----	615.10B/521.80A	615.10B/521.80A	----	527.90 - 42.40	.9514	----	----	----	----	12 UNCH
5350	----	----	624.70B/531.50A	624.70B/531.50A	----	537.60 - 42.40	.9536	----	----	----	----	43 UNCH
5360	----	----	634.50B/541.10A	634.50B/541.10A	----	547.30 - 42.40	.9557	----	----	----	----	11 UNCH
5365	----	----	639.40B/546.10A	639.40B/546.10A	----	552.20 - 42.30	.9565	----	----	----	----	11 UNCH
5370	----	----	644.30B/551.00A	644.30B/551.00A	----	557.00 - 42.40	.9579	----	----	----	----	32 UNCH
5375	----	----	649.50B/555.80A	649.50B/555.80A	----	561.90 - 42.30	.9587	----	----	----	----	32 UNCH
5380	----	----	654.00B/560.70A	654.00B/560.70A	----	566.80 - 42.30	.9595	----	----	----	----	4 UNCH
5385	----	----	658.90B/565.70A	658.90B/565.70A	----	571.70 - 42.20	.9603	----	----	----	----	15 UNCH
5390	----	----	663.80B/570.60A	663.80B/570.60A	----	576.50 - 42.30	.9610	----	----	----	----	1 UNCH
5400	----	----	673.60B/580.30A	673.60B/580.30A	----	586.30 - 42.20	.9631	----	----	----	----	96 UNCH
5410	----	----	683.50B/590.10A	683.50B/590.10A	----	596.10 - 42.20	.9647	----	----	----	----	55 UNCH
5420	----	----	693.60B/603.10A	693.60B/603.10A	----	605.90 - 42.10	.9662	----	----	----	----	7 UNCH
5425	----	----	698.10B/608.30A	698.10B/608.30A	----	610.80 - 42.10	.9669	----	----	----	----	32 UNCH
5435	----	----	708.00B/619.60A	708.00B/619.60A	----	620.60 - 42.10	.9678	----	----	----	----	2 UNCH
5445	----	----	718.20B/629.20A	718.20B/629.20A	----	630.50 - 42.00	.9693	----	----	----	----	1 UNCH
5450	----	----	722.80B/632.90A	722.80B/632.90A	----	635.40 - 42.00	.9700	----	----	----	----	20 UNCH
5475	----	----	747.40B/659.10A	747.40B/659.10A	----	660.00 - 41.90	.9725	----	----	----	----	1 UNCH
5490	----	----	726.30B/672.30A	726.30B/672.30A	----	674.80 - 41.90	.9740	----	----	----	----	3 UNCH
5500	----	----	736.20B/682.20A	736.20B/682.20A	----	684.70 - 41.80	.9748	----	----	----	----	34 UNCH
5515	----	----	751.00B/697.00A	751.00B/697.00A	----	699.50 - 41.80	.9763	----	----	----	----	10 UNCH
5520	----	----	----	----	----	704.50 - 41.70	.9770	----	----	----	----	1 UNCH
5530	----	----	765.90B/711.80A	765.90B/711.80A	----	714.40 - 41.70	.9778	----	----	----	----	10 UNCH
5535	----	----	770.80B/716.80A	770.80B/716.80A	----	719.30 - 41.70	.9779	----	----	----	----	10 UNCH
5540	----	----	775.80B/721.70A	775.80B/721.70A	----	724.30 - 41.70	.9786	----	----	----	----	5 UNCH
5550	----	----	785.70B/731.60A	785.70B/731.60A	----	734.20 - 41.70	.9794	----	----	----	----	5 UNCH
5565	----	----	800.60B/746.50A	800.60B/746.50A	----	749.00 - 41.70	.9802	----	----	----	----	10 UNCH
5575	----	----	810.50B/756.40A	810.50B/756.40A	----	758.90 - 41.70	.9810	----	----	----	----	12 UNCH
5590	----	----	825.40B/771.30A	825.40B/771.30A	----	773.80 - 41.60	.9818	----	----	----	----	25 UNCH
5600	----	----	835.30B/781.30A	835.30B/781.30A	----	783.70 - 41.60	.9825	----	----	----	----	12 UNCH
5625	----	----	----	----	----	808.50 - 41.60	.9841	----	----	----	----	2 UNCH
5640	----	----	----	----	----	823.40 - 41.60	.9848	----	----	----	----	1 UNCH
5890	----	----	1,124.00B/1,070	1124.00B/1070.20A	----	1072.40 - 41.30	.9921	----	----	----	----	4 UNCH
5910	----	----	----	----	----	1092.40 - 41.20	.9928	----	----	----	----	0 - 1
5960	----	----	----	----	----	1142.40 - 41.10	.9930	----	----	----	----	1 UNCH
5980	----	----	----	----	----	1162.30 - 41.10	.9931	----	----	----	----	1 UNCH
6000	----	----	----	----	----	1182.30 - 41.10	.9938	----	----	----	----	0 - 2
6025	----	----	1,258.70B/1,205	1258.70B/1205.00A	----	1207.30 - 41.00	.9939	----	----	----	----	3 UNCH
6100	----	----	1,333.60B/1,280	1333.60B/1280.00A	----	1282.20 - 41.00	.9947	----	----	----	----	7 UNCH
TOTAL										4385		89070 + 385
JUN26												
1325	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
1375	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1400	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1425	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1475	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	11 UNCH
1500	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	3 UNCH
1525	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	8 UNCH
1575	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1580	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1590	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	175 UNCH
1600	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	18 UNCH
1610	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1615	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1620	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	31 UNCH
1625	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1650	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
1670	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH
1675	----	----	----	----/0.30A	----	0.10 UNCH	.0001	----	----	----	----	10 UNCH
1685	----	----	----	----/0.30A	----	0.10 UNCH	.0001	----	----	----	----	5 UNCH
1690	----	----	----	----/0.30A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
1695	----	----	----	----/0.30A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
1700	----	----	----	----/0.30A	----	0.10 UNCH	.0001	----	----	----	----	2 UNCH
1725	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	1 UNCH
1735	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	1 UNCH
1740	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	1 UNCH
1745	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	1 UNCH
1750	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	4 UNCH
1755	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	1 UNCH
1775	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	1 UNCH
1780	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	2 UNCH
1785	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	2 UNCH
1795	----	----	----	----/0.30A	----	0.20 UNCH	.0004	----	----	----	----	11 UNCH
1800	----	----	----	----/0.30A	----	0.20 UNCH	.0004	----	----	----	----	6 UNCH
1815	----	----	----	----/0.40A	----	0.20 UNCH	.0004	----	----	----	----	1 UNCH
1820	----	----	----	----/0.40A	----	0.20 UNCH	.0004	----	----	----	----	2 UNCH
1855	----	----	----	----/0.40A	----	0.20 - 0.10	.0004	----	----	----	----	1 UNCH
1875	----	----	----	----/0.40A	----	0.20 - 0.10	.0004	----	----	----	----	3 UNCH
1900	----	----	----	----/0.40A	----	0.20 - 0.10	.0004	----	----	----	----	3 UNCH
1905	----	----	----	----/0.40A	----	0.20 - 0.10	.0004	----	----	----	----	7 UNCH
1915	----	----	----	----/0.40A	----	0.20 - 0.10	.0004	----	----	----	----	10 UNCH
1920	----	----	----	----/0.40A	----	0.20 - 0.10	.0004	----	----	----	----	2 UNCH
1950	----	----	----	0.10B/0.40A	----	0.20 - 0.10	.0004	----	----	----	----	1 UNCH
1955	----	----	----	0.10B/0.40A	----	0.20 - 0.10	.0004	----	----	----	----	2 UNCH
1965	----	----	----	0.10B/0.40A	----	0.20 - 0.10	.0004	----	----	----	----	10 UNCH
1975	----	----	----	0.10B/0.40A	----	0.20 - 0.10	.0004	----	----	----	----	85 UNCH
2000	----	----	----	0.10B/0.40A	----	0.20 - 0.20	.0004	----	----	----	----	603 UNCH
2005	----	----	----	0.10B/0.40A	----	0.20 - 0.20	.0004	----	----	----	----	1 UNCH
2010	----	----	----	0.10B/0.40A	----	0.20 - 0.20	.0004	----	----	----	----	1 UNCH
2015	----	----	----	0.10B/0.40A	----	0.30 - 0.10	.0006	----	----	----	----	7 UNCH
2020	----	----	----	0.10B/0.40A	----	0.30 - 0.10	.0006	----	----	----	----	1 UNCH
2025	----	----	----	0.10B/0.40A	----	0.30 - 0.10	.0006	----	----	----	----	40 UNCH
2030	----	----	----	0.10B/0.40A	----	0.30 - 0.10	.0006	----	----	----	----	13 UNCH
2050	----	----	----	0.10B/0.40A	----	0.30 - 0.10	.0006	----	----	----	----	20 UNCH
2085	----	----	----	0.10B/0.40A	----	0.30 - 0.10	.0006	----	----	----	----	15 UNCH
2100	----	----	----	0.10B/0.40A	----	0.30 - 0.10	.0007	----	----	----	----	90 UNCH
2105	----	----	----	0.10B/0.40A	----	0.30 - 0.10	.0007	----	----	----	----	1 UNCH
2130	----	----	----	0.10B/0.50A	----	0.30 - 0.20	.0007	----	----	----	----	1 UNCH
2170	----	----	----	0.20B/0.50A	----	0.40 - 0.10	.0009	----	----	----	----	5 UNCH
2180	----	----	----	0.20B/0.50A	----	0.40 - 0.10	.0009	----	----	----	----	6 UNCH
2195	----	----	----	0.20B/0.50A	----	0.40 - 0.10	.0009	----	----	----	----	5 UNCH
2200	----	----	----	0.20B/0.50A	----	0.40 - 0.10	.0009	----	----	----	----	9 UNCH
2205	----	----	----	0.20B/0.50A	----	0.40 - 0.10	.0009	----	----	----	----	7 UNCH
2220	----	----	----/0.50A	0.20B/0.50A	----	0.40 - 0.20	.0009	----	----	----	----	1 UNCH
2230	----	----	----/0.50A	0.20B/0.50A	----	0.40 - 0.20	.0009	----	----	----	----	25 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
2235	----	----	----/0.50A	0.30B/0.50A	----	0.40 - 0.20	.0009	----	----	----	----	21 UNCH
2240	----	----	----/0.50A	0.30B/0.50A	----	0.40 - 0.20	.0009	----	----	----	----	6 UNCH
2250	----	----	----/0.50A	0.30B/0.50A	----	0.40 - 0.20	.0009	----	----	----	----	5 UNCH
2300	----	----	----/0.60A	0.30B/0.60A	----	0.50 - 0.20	.0012	----	----	----	----	13 UNCH
2315	----	----	----/0.60A	0.30B/0.60A	----	0.50 - 0.20	.0012	----	----	----	----	40 UNCH
2330	----	----	----/0.60A	0.30B/0.60A	----	0.50 - 0.20	.0012	----	----	----	----	9 UNCH
2350	----	----	----/0.60A	0.40B/0.60A	----	0.50 - 0.20	.0012	----	----	----	----	1 UNCH
2380	----	----	----/0.60A	0.40B/0.60A	----	0.60 - 0.20	.0014	----	----	----	----	9 UNCH
2385	----	----	----/0.70A	0.40B/0.70A	----	0.60 - 0.20	.0014	----	----	----	----	1 UNCH
2390	----	----	----/0.70A	0.40B/0.70A	----	0.60 - 0.20	.0014	----	----	----	----	1 UNCH
2395	----	----	----/0.70A	0.40B/0.70A	----	0.60 - 0.20	.0014	----	----	----	----	1 UNCH
2400	----	----	----/0.70A	0.40B/0.70A	----	0.60 - 0.20	.0014	----	----	----	----	72 UNCH
2405	----	----	----/0.70A	0.40B/0.70A	----	0.60 - 0.20	.0015	----	----	----	----	1 UNCH
2410	----	----	----/0.70A	0.40B/0.70A	----	0.60 - 0.20	.0015	----	----	----	----	6 UNCH
2415	----	----	----/0.70A	0.40B/0.70A	----	0.60 - 0.20	.0015	----	----	----	----	1 UNCH
2420	----	----	----/0.70A	0.40B/0.70A	----	0.60 - 0.20	.0015	----	----	----	----	5 UNCH
2425	----	----	----/0.70A	0.50B/0.70A	----	0.60 - 0.30	.0015	----	----	----	----	2 UNCH
2430	----	----	----/0.70A	0.50B/0.70A	----	0.60 - 0.30	.0015	----	----	----	----	1 UNCH
2445	----	----	----/0.70A	0.50B/0.70A	----	0.70 - 0.20	.0017	----	----	----	----	5 UNCH
2450	----	----	----/0.70A	0.50B/0.70A	----	0.70 - 0.20	.0017	----	----	----	----	2 UNCH
2460	----	----	----/0.70A	0.50B/0.70A	----	0.70 - 0.20	.0017	----	----	----	----	1 UNCH
2465	----	----	----/0.80A	0.50B/0.80A	----	0.70 - 0.20	.0017	----	----	----	----	7 UNCH
2475	----	----	----/0.80A	0.50B/0.80A	----	0.70 - 0.20	.0017	----	----	----	----	1 UNCH
2495	----	----	----/0.80A	0.60B/0.80A	----	0.70 - 0.30	.0017	----	----	----	----	1 UNCH
2500	----	----	----/0.80A	0.60B/0.80A	----	0.70 - 0.30	.0018	----	----	----	----	1821 UNCH
2510	----	----	----/0.80A	0.60B/0.80A	----	0.70 - 0.30	.0018	----	----	----	----	2 UNCH
2525	----	----	----/0.80A	0.60B/0.80A	----	0.80 - 0.20	.0020	----	----	----	----	25 UNCH
2535	----	----	----/0.90A	0.60B/0.90A	----	0.80 - 0.30	.0020	----	----	----	----	5 UNCH
2540	----	----	----/0.90A	0.60B/0.90A	----	0.80 - 0.30	.0020	----	----	----	----	5 UNCH
2550	----	----	----/0.90A	0.60B/0.90A	----	0.80 - 0.30	.0020	----	----	----	----	50 UNCH
2565	----	----	----/0.90A	0.70B/0.90A	----	0.80 - 0.30	.0020	----	----	----	----	5 UNCH
2580	----	----	----/0.90A	0.70B/0.90A	----	0.90 - 0.30	.0023	----	----	----	----	5 UNCH
2590	----	----	----/1.00A	0.80B/1.00A	----	0.90 - 0.30	.0023	----	----	----	----	8 UNCH
2600	----	----	----/1.00A	0.80B/1.00A	----	0.90 - 0.30	.0023	----	----	----	----	159 UNCH
2650	----	----	----/1.10A	0.90B/1.10A	----	1.00 - 0.30	.0026	----	----	----	----	1 UNCH
2700	----	----	----/1.10A	1.00B/1.10A	----	1.10 - 0.30	.0029	----	----	----	----	427 UNCH
2730	----	----	----/1.20A	1.10B/1.20A	----	1.10 - 0.40	.0029	----	----	----	----	5 UNCH
2750	----	----	----/1.30A	1.10B/1.30A	----	1.10 - 0.50	.0030	----	----	----	----	1 UNCH
2800	----	----	----/1.30A	1.30B/1.30A	----	1.20 - 0.50	.0033	----	----	----	----	749 UNCH
2805	----	----	----/1.40A	1.30B/1.40A	----	1.30 - 0.40	.0035	----	----	----	----	223 UNCH
2810	----	----	----/1.40A	1.30B/1.40A	----	1.30 - 0.50	.0036	----	----	----	----	39 UNCH
2825	----	----	----/1.50A	1.30B/1.50A	----	1.30 - 0.50	.0036	----	----	----	----	51 UNCH
2830	----	----	----/1.50A	1.30B/1.50A	----	1.30 - 0.50	.0036	----	----	----	----	25 UNCH
2850	----	----	----/1.40A	1.40B/1.40A	----	1.40 - 0.50	.0039	----	----	----	----	22 UNCH
2875	----	----	----/1.50A	1.50B/1.50A	----	1.40 - 0.60	.0039	----	----	----	----	7 UNCH
2900	1.30	1.30	1.30/1.30	1.60B/1.30	----	1.50 - 0.50	.0042	----	----	1	----	154 UNCH
2905	----	----	----/1.60A	1.50B/1.60A	----	1.50 - 0.60	.0042	----	----	----	----	5 UNCH
2915	----	----	----/1.60A	1.60B/1.60A	----	1.50 - 0.60	.0043	----	----	----	----	1 UNCH
2930	----	----	----/1.60A	1.60B/1.60A	----	1.50 - 0.60	.0043	----	----	----	----	1 UNCH
2935	----	----	----/1.70A	1.60B/1.70A	----	1.50 - 0.70	.0043	----	----	----	----	3 UNCH
2950	----	----	----/1.70A	1.70B/1.70A	----	1.60 - 0.60	.0046	----	----	----	----	24 UNCH
2970	----	----	----/1.80A	1.80B/1.80A	----	1.60 - 0.70	.0047	----	----	----	----	1 UNCH
2975	----	----	----/1.80A	1.80B/1.80A	----	1.60 - 0.70	.0047	----	----	----	----	9 UNCH
2990	----	----	----/1.80A	1.90B/1.80A	----	1.70 - 0.70	.0050	----	----	----	----	5 UNCH
2995	----	----	----/1.90A	1.90B/1.90A	----	1.70 - 0.70	.0050	----	----	----	----	6 UNCH
3000	2.20	2.20	2.20/1.60	2.20/1.60	----	1.70 - 0.70	.0050	----	----	90	----	1666 + 69
3005	----	----	----/1.90A	1.90B/1.90A	----	1.70 - 0.70	.0050	----	----	----	----	30 UNCH
3010	----	----	----/1.90A	1.90B/1.90A	----	1.70 - 0.80	.0050	----	----	----	----	8 UNCH
3015	----	----	----/1.90A	1.90B/1.90A	----	1.80 - 0.70	.0053	----	----	----	----	215 UNCH
3020	----	----	----/1.90A	2.00B/1.90A	----	1.80 - 0.70	.0053	----	----	----	----	35 UNCH
3035	----	----	----/2.00A	2.00B/2.00A	----	1.80 - 0.80	.0053	----	----	----	----	1 UNCH
3050	----	----	----/2.00A	2.10B/2.00A	----	1.90 - 0.70	.0056	----	----	----	----	389 UNCH
3065	----	----	----/2.10A	2.20B/2.10A	----	1.90 - 0.80	.0057	----	----	----	----	7 UNCH
3070	----	----	----/2.10A	2.20B/2.10A	----	1.90 - 0.80	.0057	----	----	----	----	6 UNCH
3075	----	----	----/2.10A	2.20B/2.10A	----	1.90 - 0.80	.0057	----	----	----	----	10 UNCH
3080	----	----	----/2.10A	2.20B/2.10A	----	2.00 - 0.80	.0060	----	----	----	----	8 UNCH
3095	----	----	----/2.20A	2.30B/2.20A	----	2.00 - 0.80	.0060	----	----	----	----	41 UNCH
3100	----	----	----/2.20A	2.30B/2.20A	----	2.00 - 0.90	.0061	----	----	----	----	365 UNCH
3105	----	----	----/2.20A	2.30B/2.20A	----	2.10 - 0.80	.0063	----	----	----	----	13 UNCH
3110	----	----	----/2.20A	2.40B/2.20A	----	2.10 - 0.80	.0063	----	----	----	----	10 UNCH
3120	----	----	----/2.30A	2.40B/2.30A	----	2.10 - 0.90	.0064	----	----	----	----	13 UNCH
3125	----	----	----/2.30A	2.40B/2.30A	----	2.10 - 0.90	.0064	----	----	----	----	10 UNCH
3130	----	----	----/2.30A	2.50B/2.30A	----	2.10 - 0.90	.0064	----	----	----	----	26 UNCH
3140	----	----	----/2.30A	2.50B/2.30A	----	2.20 - 0.90	.0067	----	----	----	----	5 UNCH
3150	2.30	2.30	2.30/2.30	2.60B/2.30	----	2.20 - 0.90	.0068	----	----	9	----	149 + 7
3155	----	----	----/2.40A	2.60B/2.40A	----	2.20 - 0.90	.0068	----	----	----	----	16 UNCH
3160	----	----	----/2.40A	2.60B/2.40A	----	2.30 - 0.90	.0071	----	----	----	----	5 UNCH
3170	----	----	----/2.40A	2.70B/2.40A	----	2.30 - 0.90	.0071	----	----	----	----	6 UNCH
3175	----	----	----/2.50A	2.70B/2.50A	----	2.30 - 0.90	.0071	----	----	----	----	12 UNCH
3180	----	----	----/2.50A	2.70B/2.50A	----	2.30 - 1.00	.0072	----	----	----	----	5 UNCH
3185	----	----	----/2.50A	2.80B/2.50A	----	2.40 - 0.90	.0074	----	----	----	----	6 UNCH
3190	----	----	----/2.40A	2.80B/2.40A	----	2.40 - 0.90	.0075	----	----	----	----	18 UNCH
3195	----	----	----/2.40A	2.80B/2.40A	----	2.40 - 1.00	.0075	----	----	----	----	12 UNCH
3200	2.50	2.50	2.50/2.50	3.00B/2.50	----	2.40 - 1.00	.0075	----	----	2	----	298 UNCH
3205	----	----	----/2.50A	2.90B/2.50A	----	2.50 - 0.90	.0078	----	----	----	----	42 UNCH
3210	----	----	----/2.50A	2.90B/2.50A	----	2.50 - 1.00	.0078	----	----	----	----	15 UNCH
3215	----	----	----/2.50A	3.00B/2.50A	----	2.50 - 1.00	.0078	----	----	----	----	22 UNCH
3220	----	----	----/2.50A	3.00B/2.50A	----	2.50 - 1.00	.0079	----	----	----	----	7 UNCH
3225	----	----	----/2.60A	3.10B/2.60A	----	2.50 - 1.10	.0079	----	----	----	----	65 UNCH
3235	----	----	----/2.60A	3.10B/2.60A	----	2.60 - 1.00	.0082	----	----	----	----	24 UNCH
3250	2.80	2.80	2.80/2.70A	3.20B/2.70A	----	2.70 - 1.00	.0085	----	----	1	----	147 UNCH
3255	----	----	----/2.70A	3.20B/2.70A	----	2.70 - 1.00	.0085	----	----	----	----	110 UNCH
3260	----	----	----/2.70A	3.30B/2.70A	----	2.70 - 1.10	.0086	----	----	----	----	1 UNCH
3265	----	----	----/2.70A	3.30B/2.70A	----	2.70 - 1.10	.0086	----	----	----	----	20 UNCH
3270	----	----	----/2.80A	3.40B/2.80A	----	2.80 - 1.10	.0089	----	----	----	----	7 UNCH
3280	----	----	----/2.80A	3.40B/2.80A	----	2.80 - 1.10	.0090	----	----	----	----	13 UNCH
3290	----	----	----/2.90A	3.50B/2.90A	----	2.90 - 1.10	.0093	----	----	----	----	37 UNCH
3300	3.90	3.90	3.90/2.90A	3.90/2.90A	----	2.90 - 1.20	.0093	----	----	5	----	370 - 5
3305	----	----	----/2.90A	3.60B/2.90A	----	3.00 - 1.10	.0096	----	----	----	----	1 UNCH
3310	----	----	----/3.00A	3.70B/3.00A	----	3.00 - 1.10	.0097	----	----	----	----	7 UNCH
3320	----	----	----/3.00A	3.70B/3.00A	----	3.00 - 1.20	.0097	----	----	----	----	4 UNCH
3325	----	----	----/3.10A	3.80B/3.10A	----	3.10 - 1.20	.0100	----	----	----	----	47 UNCH
3335	----	----	----/3.10A	3.90B/3.10A	----	3.10 - 1.20	.0101	----	----	----	----	46 UNCH
3340	----	----	----/3.20A	3.90B/3.20A	----	3.20 - 1.20	.0104	----	----	----	----	22 UNCH
3345	----	----	----/3.20A	3.90B/3.20A	----	3.20 - 1.20	.0104	----	----	----	----	12 UNCH
3350	----	----	----/3.20A	4.00B/3.20A	----	3.20 - 1.30	.0104	----	----	----	----	407 UNCH
3355	----	----	----/3.20A	4.10B/3.20A	----	3.30 - 1.20	.0107	----	----	----	----	17 UNCH
3360	----	----	----/3.30A	4.10B/3.30A	----	3.30 - 1.30	.0108	----	----	1	----	7 - 1
3365	----	----	----/3.30A	4.20B/3.30A	----	3.30 - 1.30	.0108	----	----	----	----	31 UNCH
3370	----	----	----/3.30A	4.20B/3.30A	----	3.40 - 1.20	.0111	----	----	----	----	26 UNCH
3375	----	----	----/3.40A	4.20B/3.40A	----	3.40 - 1.30	.0111	----	----	----	----	98 UNCH
3380	----	----	----/3.40A	4.30B/3.40A	----	3.40 - 1.30	.0112	----	----	----	----	46 UNCH
3385	----	----	----/3.40A	4.30B/3.40A	----	3.50 - 1.30	.0115	----	----	----	----	6 UNCH
3390	----	----	----/3.40A	4.40B/3.40A	----	3.50 - 1.30	.0115	----	----	----	----	59 UNCH
3395	----	----	----/3.50A	4.40B/3.50A	----	3.50 - 1.40	.0116	----	----	----	----	1 UNCH
3400	4.60	4.60	4.60/3.50A	4.60/3.50A	----	3.60 - 1.30	.0119	----	----	1	----	735 + 1
3405	----	----	----/3.50A	4.50B/3.50A	----	3.60 - 1.40	.0119	----	----	----	----	66 UNCH
3410	----	----	----/3.60A	4.60B/3.60A	----	3.60 - 1.40	.0119	----	----	----	----	7 UNCH
3415	----	----	----/3.60A	4.60B/3.60A	----	3.70 - 1.40	.0122	----	----	----	----	2 UNCH
3420	----	----	----/3.60A	4.70B/3.60A	----	3.70 - 1.40	.0123	----	----	----	----	18 UNCH
3425	----	----	----/3.70A	4.70B/3.70A	----	3.70 - 1.50	.0123	----	----	----	----	25 UNCH
3430	----	----	----/3.70A	4.80B/3.70A	----	3.80 - 1.40	.0126	----	----	3	----	7 + 3
3435	----	----	----/3.80A	4.90B/3.80A	----	3.80 - 1.50	.0127	----	----	----	----	20 UNCH
3440	----	----	----/3.80A	4.90B/3.80A	----	3.80 - 1.50	.0127	----	----	----	----	0 UNCH
3450	----	----	----/3.90A	5.10B/3.90A	----	3.90 - 1.50	.0131	----	----	1	----	427 UNCH
3455	----	----	----/3.90A	5.10B/3.90A	----	4.00 - 1.50	.0134	----	----	----	----	51 UNCH
3460	----	----	----/3.90A	5.20B/3.90A	----	4.00 - 1.50	.0134	----	----	----	----	50 UNCH
3465	----	----	----/4.00A	5.20B/4.00A	----	4.00 - 1.60	.0135	----	----	----	----	89 UNCH
3470	----	----	----/4.00A	5.30B/4.00A	----	4.10 - 1.60	.0138	----	----	----	----	28 UNCH
3475	----	----	----/4.10A	5.30B/4.10A	----	4.10 - 1.60	.0138	----	----	----	----	241 UNCH
3480	----	----	----/4.10A	5.50B/4.10A	----	4.20 - 1.60	.0142	----	----	1	----	171 UNCH
3485	----	----	----/4.10A	5.60B/4.10A	----	4.20 - 1.60	.0142	----	----	----	----	2 UNCH
3490	----	----	----/4.20A	5.50B/4.20A	----	4.20 - 1.70	.0143	----	----	----	----	21 UNCH
3500	5.00	5.00	5.00/4.20	5.80B/4.20	----	4.30 - 1.70	.0146	----	----	6	----	1805 - 1
3505	----	----	----/4.30A	5.80B/4.30A	----	4.40 - 1.70	.0150	----	----	----	----	65 UNCH
3510	----	----	----/4.40A	5.80B/4.40A	----	4.40 - 1.70	.0150	----	----	----	----	61 UNCH
3515	----	----	----/4.40A	5.90B/4.40A	----	4.50 - 1.70	.0153	----	----	----	----	16 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
3520	----	----	----/4.40A	6.00B/4.40A	----	4.50 - 1.80	.0154	----	----	----	----	248 UNCH
3525	----	----	----/4.60A	6.00B/4.60A	----	4.60 - 1.70	.0157	----	----	----	----	301 UNCH
3530	4.50	4.50	4.50/4.50	6.10B/4.50	----	4.60 - 1.80	.0158	----	----	2	----	7 + 2
3535	----	----	----/4.60A	6.20B/4.60A	----	4.70 - 1.80	.0161	----	----	----	----	100 UNCH
3540	----	----	----/4.60A	6.30B/4.60A	----	4.70 - 1.80	.0161	----	----	----	----	5 UNCH
3545	----	----	----/4.70A	6.30B/4.70A	----	4.80 - 1.80	.0165	----	----	----	----	20 UNCH
3550	----	----	----/4.60A	6.50B/4.60A	----	4.80 - 1.90	.0165	----	----	9	----	418 UNCH
3555	----	----	----/4.80A	6.50B/4.80A	----	4.90 - 1.90	.0169	----	----	----	----	2 UNCH
3560	----	----	----/4.90A	6.60B/4.90A	----	4.90 - 1.90	.0169	----	----	1	----	87 UNCH
3565	----	----	----/4.90A	6.70B/4.90A	----	5.00 - 1.90	.0172	----	----	----	----	41 UNCH
3570	----	----	----/4.90A	6.90B/4.90A	----	5.00 - 2.00	.0173	----	----	----	----	60 UNCH
3575	----	----	----/5.00A	6.90B/5.00A	----	5.10 - 2.00	.0176	----	----	2	----	40 - 1
3580	----	----	----/5.10A	6.90B/5.10A	----	5.10 - 2.00	.0177	----	----	1	----	76 - 1
3585	5.20	5.20	5.20/5.10A	7.00B/5.10A	----	5.20 - 2.00	.0180	----	----	2	----	2 UNCH
3590	----	----	----/5.20A	7.10B/5.20A	----	5.20 - 2.10	.0181	----	----	2	----	3 UNCH
3595	----	----	----/5.20A	7.20B/5.20A	----	5.30 - 2.10	.0184	----	----	----	----	23 UNCH
3600	7.00	7.00	7.00/5.30A	7.50B/5.30A	----	5.30 - 2.20	.0185	----	----	23	----	1664 - 8
3610	----	----	----/5.40A	7.50B/5.40A	----	5.50 - 2.20	.0192	----	----	2	----	3 - 1
3615	----	----	----/5.50A	7.60B/5.50A	----	5.50 - 2.20	.0193	----	----	----	----	37 UNCH
3620	----	----	----/5.50A	7.70B/5.50A	----	5.60 - 2.20	.0196	----	----	----	----	11 UNCH
3625	----	----	8.00B/5.60A	8.00B/5.60A	----	5.60 - 2.30	.0197	----	----	----	----	68 UNCH
3630	----	----	----/5.60A	7.90B/5.60A	----	5.70 - 2.30	.0200	----	----	----	----	86 UNCH
3635	----	----	8.20B/5.50A	8.20B/5.50A	----	5.80 - 2.30	.0204	----	----	----	----	107 UNCH
3640	----	----	8.30B/5.60A	8.30B/5.60A	----	5.80 - 2.40	.0204	----	----	----	----	25 UNCH
3645	----	----	8.40B/5.60A	8.40B/5.60A	----	5.90 - 2.40	.0208	----	----	----	----	13 UNCH
3650	9.10	9.10	9.10/5.70A	9.10/5.70A	----	6.00 - 2.40	.0211	----	----	9	----	523 UNCH
3655	----	----	8.70B/5.70A	8.70B/5.70A	----	6.00 - 2.50	.0212	----	----	----	----	2 UNCH
3660	----	----	8.70B/5.80A	8.70B/5.80A	----	6.10 - 2.50	.0216	----	----	----	----	1 UNCH
3665	----	----	8.90B/5.90A	8.90B/5.90A	----	6.20 - 2.50	.0219	----	----	1	----	15 + 1
3670	----	----	9.00B/5.90A	9.00B/5.90A	----	6.20 - 2.60	.0220	----	----	----	----	31 UNCH
3675	----	----	9.10B/6.00A	9.10B/6.00A	----	6.30 - 2.60	.0224	----	----	1	----	45 UNCH
3680	----	----	9.30B/6.10A	9.30B/6.10A	----	6.40 - 2.60	.0227	----	----	----	----	18 UNCH
3685	----	----	9.40B/6.10A	9.40B/6.10A	----	6.50 - 2.60	.0231	----	----	----	----	51 UNCH
3690	----	----	9.50B/6.20A	9.50B/6.20A	----	6.50 - 2.80	.0232	----	----	----	----	7 UNCH
3695	----	----	9.70B/6.30A	9.70B/6.30A	----	6.60 - 2.80	.0235	----	----	----	----	19 UNCH
3700	6.40	6.40	9.80B/6.20A	9.80B/6.20A	----	6.70 - 2.80	.0239	----	----	2	----	868 - 1
3705	----	----	9.90B/6.40A	9.90B/6.40A	----	6.80 - 2.80	.0242	----	----	----	----	123 UNCH
3710	----	----	10.10B/6.50A	10.10B/6.50A	----	6.80 - 2.90	.0243	----	----	----	----	79 UNCH
3715	----	----	10.20B/6.60A	10.20B/6.60A	----	6.90 - 3.00	.0247	----	----	----	----	46 UNCH
3720	----	----	10.40B/6.70A	10.40B/6.70A	----	7.00 - 3.00	.0251	----	----	----	----	2 UNCH
3725	----	----	10.60B/6.80A	10.60B/6.80A	----	7.10 - 3.00	.0254	----	----	----	----	90 UNCH
3730	----	----	10.70B/6.80A	10.70B/6.80A	----	7.20 - 3.00	.0258	----	----	1	----	18 UNCH
3740	----	----	11.00B/7.00A	11.00B/7.00A	----	7.30 - 3.20	.0263	----	----	1	----	67 UNCH
3745	----	----	11.10B/7.10A	11.10B/7.10A	----	7.40 - 3.20	.0267	----	----	----	----	19 UNCH
3750	----	----	11.40B/7.20A	11.40B/7.20A	----	7.50 - 3.30	.0270	----	----	10	----	1285 + 5
3755	----	----	11.50B/7.30A	11.50B/7.30A	----	7.60 - 3.30	.0274	----	----	----	----	2 UNCH
3760	----	----	11.60B/7.40A	11.60B/7.40A	----	7.70 - 3.40	.0278	----	----	7	----	23 - 1
3765	----	----	11.80B/7.40A	11.80B/7.40A	----	7.80 - 3.40	.0282	----	----	----	----	48 UNCH
3770	----	----	12.00B/7.50A	12.00B/7.50A	----	7.90 - 3.50	.0286	----	----	1	----	9 - 1
3775	----	----	12.20B/7.60A	12.20B/7.60A	----	8.00 - 3.50	.0289	----	----	----	----	40 UNCH
3780	----	----	12.30B/7.70A	12.30B/7.70A	----	8.10 - 3.60	.0293	----	----	----	----	14 UNCH
3785	----	----	12.50B/7.80A	12.50B/7.80A	----	8.20 - 3.60	.0297	----	----	----	----	6 UNCH
3790	----	----	12.70B/7.90A	12.70B/7.90A	----	8.30 - 3.70	.0301	----	----	----	----	257 UNCH
3795	----	----	12.80B/8.00A	12.80B/8.00A	----	8.40 - 3.70	.0305	----	----	----	----	55 UNCH
3800	11.00	11.00	13.10B/8.20A	13.10B/8.20A	----	8.50 - 3.80	.0309	----	----	13	----	1128 + 6
3805	----	----	13.20B/8.30A	13.20B/8.30A	----	8.60 - 3.90	.0313	----	----	----	----	67 UNCH
3810	----	----	13.40B/8.30A	13.40B/8.30A	----	8.70 - 3.90	.0317	----	----	5	----	13 - 3
3815	----	----	13.60B/8.40A	13.60B/8.40A	----	8.80 - 4.00	.0321	----	----	----	----	38 UNCH
3820	----	----	13.80B/8.60A	13.80B/8.60A	----	9.00 - 4.00	.0327	----	----	----	----	11 UNCH
3825	----	----	14.10B/8.70A	14.10B/8.70A	----	9.10 - 4.10	.0332	----	----	1	----	42 - 1
3830	----	----	14.20B/8.80A	14.20B/8.80A	----	9.20 - 4.10	.0336	----	----	----	----	184 UNCH
3835	----	----	14.50B/8.90A	14.50B/8.90A	----	9.30 - 4.20	.0340	----	----	1	----	56 + 1
3840	----	----	14.70B/9.00A	14.70B/9.00A	----	9.40 - 4.30	.0344	----	----	----	----	3 UNCH
3850	11.80	11.80	15.10B/9.30A	15.10B/9.30A	----	9.70 - 4.40	.0355	----	----	3	----	678 + 1
3855	----	----	15.30B/9.40A	15.30B/9.40A	----	9.80 - 4.50	.0359	----	----	1	----	72 UNCH
3860	----	----	15.90B/9.50A	15.90B/9.50A	----	10.00 - 4.50	.0366	----	----	----	----	28 UNCH
3865	----	----	16.20B/9.70A	16.20B/9.70A	----	10.10 - 4.60	.0370	----	----	----	----	16 UNCH
3870	----	----	16.40B/9.80A	16.40B/9.80A	----	10.20 - 4.70	.0374	----	----	----	----	15 UNCH
3875	----	----	16.70B/10.00A	16.70B/10.00A	----	10.40 - 4.70	.0381	----	----	4	----	162 - 1
3880	----	----	16.90B/10.10A	16.90B/10.10A	----	10.50 - 4.80	.0385	----	----	----	----	14 UNCH
3885	----	----	17.20B/10.20A	17.20B/10.20A	----	10.70 - 4.80	.0392	----	----	----	----	12 UNCH
3890	----	----	17.40B/10.40A	17.40B/10.40A	----	10.80 - 5.00	.0396	----	----	----	----	43 UNCH
3895	----	----	17.70B/10.50A	17.70B/10.50A	----	11.00 - 5.00	.0403	----	----	----	----	16 UNCH
3900	15.00	15.00	18.00B/10.50	18.00B/10.50	----	11.10 - 5.10	.0408	----	----	14	----	705 UNCH
3905	17.90	17.90	18.20B/10.80A	18.20B/10.80A	----	11.30 - 5.20	.0415	----	----	33	----	45 + 1
3910	----	----	18.50B/11.00A	18.50B/11.00A	----	11.40 - 5.30	.0419	----	----	----	----	8 UNCH
3915	----	----	18.80B/11.10A	18.80B/11.10A	----	11.60 - 5.30	.0426	----	----	----	----	29 UNCH
3920	14.70	14.70	19.00B/11.30A	19.00B/11.30A	----	11.70 - 5.50	.0431	----	----	1	----	38 UNCH
3925	----	----	19.40B/11.50A	19.40B/11.50A	----	11.90 - 5.50	.0438	----	----	2	----	49 - 1
3930	----	----	19.70B/11.60A	19.70B/11.60A	----	12.10 - 5.60	.0445	----	----	----	----	24 UNCH
3935	----	----	19.90B/11.80A	19.90B/11.80A	----	12.30 - 5.60	.0452	----	----	----	----	21 UNCH
3940	----	----	20.30B/12.00A	20.30B/12.00A	----	12.40 - 5.80	.0457	----	----	----	----	105 UNCH
3945	----	----	20.60B/12.20A	20.60B/12.20A	----	12.60 - 5.90	.0464	----	----	----	----	25 UNCH
3950	15.40	15.40	20.90B/12.30A	20.90B/12.30A	----	12.80 - 5.90	.0471	----	----	109	----	342 + 32
3955	----	----	21.10B/12.50A	21.10B/12.50A	----	13.00 - 6.00	.0478	----	----	----	----	6 UNCH
3960	----	----	21.50B/12.70A	21.50B/12.70A	----	13.20 - 6.10	.0486	----	----	3	----	32 UNCH
3965	----	----	21.80B/12.90A	21.80B/12.90A	----	13.40 - 6.20	.0493	----	----	----	----	23 UNCH
3970	----	----	22.10B/13.10A	22.10B/13.10A	----	13.60 - 6.30	.0500	----	----	----	----	56 UNCH
3975	----	----	22.60B/13.30A	22.60B/13.30A	----	13.80 - 6.30	.0508	----	----	----	----	336 UNCH
3980	----	----	22.80B/13.50A	22.80B/13.50A	----	14.00 - 6.40	.0515	----	----	3	----	32 UNCH
3985	----	----	23.20B/13.60A	23.20B/13.60A	----	14.20 - 6.50	.0523	----	----	----	----	27 UNCH
3990	----	----	23.50B/13.90A	23.50B/13.90A	----	14.40 - 6.70	.0530	----	----	2	----	22 - 2
3995	----	----	23.90B/14.10A	23.90B/14.10A	----	14.60 - 6.80	.0538	----	----	----	----	151 UNCH
4000	17.00	17.00	24.30B/14.00	24.30B/14.00	----	14.80 - 6.90	.0545	----	----	85	----	3700 + 30
4005	----	----	24.60B/14.50A	24.60B/14.50A	----	15.00 - 7.00	.0553	----	----	----	----	29 UNCH
4010	----	----	25.00B/14.70A	25.00B/14.70A	----	15.30 - 7.00	.0563	----	----	----	----	44 UNCH
4015	----	----	25.40B/14.90A	25.40B/14.90A	----	15.50 - 7.20	.0570	----	----	----	----	16 UNCH
4020	15.10	15.10	25.90B/14.80	25.90B/14.80	----	15.70 - 7.30	.0578	----	----	42	----	143 + 39
4025	----	----	26.20B/15.40A	26.20B/15.40A	----	16.00 - 7.40	.0588	----	----	----	----	215 UNCH
4030	----	----	26.70B/15.60A	26.70B/15.60A	----	16.20 - 7.50	.0596	----	----	----	----	16 UNCH
4035	----	----	27.20B/15.80A	27.20B/15.80A	----	16.50 - 7.60	.0606	----	----	----	----	48 UNCH
4040	----	----	27.50B/16.10A	27.50B/16.10A	----	16.70 - 7.70	.0614	----	----	----	----	76 UNCH
4045	----	----	27.90B/16.30A	27.90B/16.30A	----	17.00 - 7.80	.0624	----	----	----	----	1 UNCH
4050	20.10	20.10	28.30B/16.60A	28.30B/16.60A	----	17.20 - 8.00	.0632	----	----	32	----	1226 + 4
4055	----	----	28.80B/16.90A	28.80B/16.90A	----	17.50 - 8.00	.0643	----	----	----	----	14 UNCH
4060	----	----	29.20B/17.10A	29.20B/17.10A	----	17.80 - 8.10	.0653	----	----	1	----	85 UNCH
4065	----	----	29.60B/17.40A	29.60B/17.40A	----	18.10 - 8.20	.0664	----	----	----	----	119 UNCH
4070	----	----	30.00B/17.70A	30.00B/17.70A	----	18.30 - 8.40	.0672	----	----	----	----	61 UNCH
4075	----	----	30.50B/17.90A	30.50B/17.90A	----	18.60 - 8.50	.0682	----	----	21	----	266 + 19
4080	----	----	31.00B/18.20A	31.00B/18.20A	----	18.90 - 8.60	.0693	----	----	4	----	102 + 4
4085	19.70	19.70	31.50B/18.50A	31.50B/18.50A	----	19.20 - 8.70	.0703	----	----	51	----	64 + 42
4090	----	----	32.00B/18.80A	32.00B/18.80A	----	19.50 - 8.90	.0714	----	----	21	----	116 + 3
4095	----	----	32.50B/19.10A	32.50B/19.10A	----	19.80 - 9.00	.0725	----	----	1	----	60 UNCH
4100	26.70	26.70	32.90B/19.40A	32.90B/19.40A	----	20.10 - 9.10	.0735	----	----	15	----	1281 + 6
4105	----	----	33.50B/19.70A	33.50B/19.70A	----	20.50 - 9.20	.0749	----	----	5	----	89 + 1
4110	----	----	34.00B/20.00A	34.00B/20.00A	----	20.80 - 9.30	.0759	----	----	6	----	146 + 2
4115	----	----	34.90B/20.30A	34.90B/20.30A	----	21.10 - 9.50	.0770	----	----	----	----	456 UNCH
4120	----	----	35.20B/20.60A	35.20B/20.60A	----	21.50 - 9.50	.0783	----	----	4	----	53 UNCH
4125	25.10	25.10	35.70B/21.00A	35.70B/21.00A	----	21.80 - 9.70	.0794	----	----	11	----	382 + 6
4130	----	----	36.30B/21.30A	36.30B/21.30A	----	22.10 - 9.90	.0805	----	----	2	----	21 + 2
4135	----	----	36.90B/21.60A	36.90B/21.60A	----	22.50 - 10.00	.0819	----	----	2	----	23 - 1
4140	----	----	37.40B/22.00A	37.40B/22.00A	----	22.90 - 10.10	.0832	----	----	2	----	19 + 2
4145	----	----	38.00B/22.30A	38.00B/22.30A	----	23.20 - 10.30	.0843	----	----	35	----	253 + 35
4150	28.50	28.50	38.60B/22.80A	38.60B/22.80A	----	23.60 - 10.40	.0857	----	----	50	----	540 + 34
4155	----	----	39.30B/23.20A	39.30B/23.20A	----	24.00 - 10.50	.0870	----	----	----	----	21 UNCH
4160	----	----	39.80B/23.50A	39.80B/23.50A	----	24.40 - 10.60	.0884	----	----	4	----	81 UNCH
4165	----	----	40.30B/23.80A	40.30B/23.80A	----	24.80 - 10.70	.0897	----	----	----	----	27 UNCH
4170	----	----	41.00B/24.20A	41.00B/24.20A	----	25.20 - 10.90	.0911	----	----	----	----	48 UNCH
4175	28.90	28.90	41.60B/24.60A	41.60B/24.60A	----	25.60 - 11.00	.0925	----	----	20	----	923 + 10
4180	----	----	42.30B/25.00A	42.30B/25.00A	----	26.00 - 11.20	.0939	----	----	5	----	125 UNCH
4185	----	----	42.90B/25.40A	42.90B/25.40A	----	26.40 - 11.30	.0952	----	----	2	----	15 + 1
4190	----	----	43.70B/25.80A	43.70B/25.80A	----	26.80 - 11.50	.0966	----	----	----	----	44 UNCH
4195	----	----	44.50B/26.30A	44.50B/26.30A	----	27.30 - 11.60	.0982	----	----	----	----	33 UNCH
4200	38.10	38.10	45.00B/26.70A	45.00B/26.70A	----	27.70 - 11.80	.0996	----	----	471	----	2862 + 10
4205	----	----	45.70B/27.10A	45.70B/27.10A	----	28.20 - 11.90	.1012	----	----	2	----	58 UNCH
4210	----	----	46.50B/27.60A	46.50B/27.60A	----	28.60 - 12.10	.1027	----	----	----	----	392 UNCH
4215	----	----	47.00B/28.00A	47.00B/28.00A	----	29.10 - 12.20	.1043	----	----	1	----	9 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
4220	33.80	33.80	47.80B/28.50A	47.80B/28.50A	----	29.60 - 12.30	.1059	----	----	3	----	190 - 1
4225	----	----	48.40B/29.00A	48.40B/29.00A	----	30.10 - 12.50	.1075	----	----	3	----	270 + 3
4230	----	----	49.20B/29.50A	49.20B/29.50A	----	30.60 - 12.60	.1092	----	----	1	----	68 - 1
4235	----	----	50.10B/29.90A	50.10B/29.90A	----	31.10 - 12.80	.1108	----	----	----	----	47 UNCH
4240	35.90	35.90	50.80B/30.40A	50.80B/30.40A	----	31.60 - 12.90	.1125	----	----	4	----	57 + 3
4245	----	----	51.70B/30.90A	51.70B/30.90A	----	32.10 - 13.10	.1141	----	----	----	----	48 UNCH
4250	37.50	37.50	52.30B/31.40A	52.30B/31.40A	----	32.60 - 13.30	.1158	----	----	51	----	698 - 12
4255	----	----	53.20B/31.90A	53.20B/31.90A	----	33.10 - 13.50	.1175	----	----	----	----	10 UNCH
4260	----	----	54.10B/32.40A	54.10B/32.40A	----	33.70 - 13.60	.1194	----	----	1	----	107 + 1
4265	----	----	54.80B/33.00A	54.80B/33.00A	----	34.20 - 13.80	.1211	----	----	----	----	36 UNCH
4270	----	----	55.70B/33.50A	55.70B/33.50A	----	34.80 - 13.90	.1229	----	----	2	----	49 - 2
4275	----	----	56.50B/34.10A	56.50B/34.10A	----	35.40 - 14.10	.1248	----	----	----	----	88 UNCH
4280	----	----	57.20B/34.70A	57.20B/34.70A	----	36.00 - 14.20	.1267	----	----	1	----	77 + 1
4285	----	----	58.40B/35.20A	58.40B/35.20A	----	36.60 - 14.30	.1286	----	----	----	----	13 UNCH
4290	51.00	51.00	59.40B/35.80A	59.40B/35.80A	----	37.20 - 14.50	.1306	----	----	10	----	84 + 10
4295	----	----	60.20B/36.40A	60.20B/36.40A	----	37.80 - 14.70	.1325	----	----	2	----	20 - 2
4300	48.30	48.30	60.80B/37.00A	60.80B/37.00A	----	38.40 - 14.90	.1344	----	----	349	----	2542 + 129
4305	----	----	61.80B/37.60A	61.80B/37.60A	----	39.00 - 15.10	.1363	----	----	1	----	75 UNCH
4310	----	----	62.70B/38.30A	62.70B/38.30A	----	39.70 - 15.20	.1385	----	----	----	----	53 UNCH
4315	----	----	63.50B/38.90A	63.50B/38.90A	----	40.30 - 15.40	.1404	----	----	1	----	48 UNCH
4320	46.00	46.00	64.80B/39.50A	64.80B/39.50A	----	41.00 - 15.50	.1425	----	----	4	----	85 + 1
4325	----	----	65.50B/40.10A	65.50B/40.10A	----	41.60 - 15.80	.1445	----	----	----	----	58 UNCH
4330	----	----	66.50B/40.80A	66.50B/40.80A	----	42.30 - 15.90	.1467	----	----	35	----	493 + 32
4335	----	----	67.50B/41.50A	67.50B/41.50A	----	43.00 - 16.10	.1488	----	----	2	----	38 UNCH
4340	----	----	68.90B/42.20A	68.90B/42.20A	----	43.70 - 16.30	.1510	----	----	30	----	119 + 4
4345	----	----	69.50B/42.80A	69.50B/42.80A	----	44.40 - 16.50	.1532	----	----	5	----	48 + 5
4350	51.20	51.20	70.60B/43.50A	70.60B/43.50A	----	45.20 - 16.60	.1555	----	----	22	----	525 + 3
4355	----	----	71.70B/44.20A	71.70B/44.20A	----	45.90 - 16.80	.1577	----	----	----	----	80 UNCH
4360	----	----	72.70B/45.00A	72.70B/45.00A	----	46.60 - 17.00	.1599	----	----	9	----	91 + 1
4365	52.30	52.30	73.80B/45.70A	73.80B/45.70A	----	47.40 - 17.20	.1623	----	----	2	----	66 UNCH
4370	----	----	75.00B/46.60A	75.00B/46.60A	----	48.20 - 17.30	.1646	----	----	2	----	25 + 2
4375	----	----	76.00B/47.30A	76.00B/47.30A	----	49.00 - 17.50	.1670	----	----	22	----	506 + 14
4380	----	----	77.10B/48.00A	77.10B/48.00A	----	49.80 - 17.70	.1694	----	----	40	----	409 - 15
4385	52.40	52.40	78.40B/48.80A	78.40B/48.80A	----	50.60 - 17.90	.1718	----	----	127	----	135 + 113
4390	----	----	79.70B/49.60A	79.70B/49.60A	----	51.40 - 18.10	.1742	----	----	8	----	64 + 8
4395	----	----	80.70B/50.50A	80.70B/50.50A	----	52.20 - 18.30	.1767	----	----	----	----	79 UNCH
4400	59.00	59.00	81.80B/51.30A	81.80B/51.30A	----	53.10 - 18.40	.1792	----	----	82	----	4177 - 30
4405	----	----	83.10B/52.10A	83.10B/52.10A	----	53.90 - 18.70	.1817	----	----	1	----	133 + 1
4410	56.60	56.60	84.10B/53.00A	84.10B/53.00A	----	54.80 - 18.80	.1843	----	----	5	----	98 + 5
4415	----	----	85.60B/53.80A	85.60B/53.80A	----	55.70 - 19.00	.1869	----	----	----	----	86 UNCH
4420	62.00	62.00	86.90B/54.70A	86.90B/54.70A	----	56.60 - 19.20	.1895	----	----	1	----	29 UNCH
4425	----	----	88.20B/55.60A	88.20B/55.60A	----	57.50 - 19.40	.1921	----	----	68	----	132 + 11
4430	----	----	89.10B/56.50A	89.10B/56.50A	----	58.40 - 19.60	.1948	----	----	----	----	97 UNCH
4435	----	----	90.60B/57.40A	90.60B/57.40A	----	59.40 - 19.80	.1975	----	----	3	----	72 + 1
4440	----	----	91.80B/58.30A	91.80B/58.30A	----	60.30 - 20.00	.2002	----	----	2	----	35 + 2
4445	61.40	61.40	93.20B/59.30A	93.20B/59.30A	----	61.30 - 20.20	.2030	----	----	10	----	51 + 6
4450	----	----	94.50B/60.20A	94.50B/60.20A	----	62.30 - 20.40	.2058	----	----	3	----	851 + 1
4455	----	----	96.00B/61.20A	96.00B/61.20A	----	63.30 - 20.60	.2086	----	----	----	----	68 UNCH
4460	----	----	97.20B/62.30A	97.20B/62.30A	----	64.30 - 20.80	.2115	----	----	----	----	34 UNCH
4465	----	----	98.60B/63.30A	98.60B/63.30A	----	65.30 - 21.00	.2143	----	----	----	----	30 UNCH
4470	----	----	100.20B/64.20A	100.20B/64.20A	----	66.30 - 21.20	.2171	----	----	16	----	45 + 16
4475	----	----	101.60B/65.30A	101.60B/65.30A	----	67.40 - 21.40	.2201	----	----	----	----	155 UNCH
4480	----	----	103.00B/66.30A	103.00B/66.30A	----	68.50 - 21.60	.2231	----	----	2	----	105 + 2
4485	----	----	104.30B/67.50A	104.30B/67.50A	----	69.60 - 21.80	.2261	----	----	1	----	29 - 1
4490	80.00	80.00	105.80B/68.40A	105.80B/68.40A	----	70.70 - 22.00	.2291	----	----	3	----	88 - 3
4495	----	----	107.40B/69.50A	107.40B/69.50A	----	71.80 - 22.20	.2322	----	----	----	----	81 UNCH
4500	105.00	105.00	108.90B/70.30	108.90B/70.30	----	72.90 - 22.50	.2352	----	----	90	----	2686 + 11
4505	----	----	110.50B/71.80A	110.50B/71.80A	----	74.10 - 22.60	.2384	----	----	----	----	27 UNCH
4510	84.20	84.20	111.90B/72.90A	111.90B/72.90A	----	75.20 - 22.90	.2414	----	----	28	----	43 + 24
4515	----	----	113.50B/74.10A	113.50B/74.10A	----	76.40 - 23.10	.2446	----	----	10	----	241 - 2
4520	----	----	115.00B/75.30A	115.00B/75.30A	----	77.60 - 23.30	.2478	----	----	2	----	158 + 1
4525	79.10	79.10	116.90B/76.40A	116.90B/76.40A	----	78.80 - 23.50	.2510	----	----	40	----	152 + 21
4530	----	----	118.20B/77.60A	118.20B/77.60A	----	80.00 - 23.80	.2542	----	----	1	----	18 + 1
4535	----	----	120.10B/78.80A	120.10B/78.80A	----	81.30 - 24.00	.2575	----	----	2	----	25 + 1
4540	----	----	121.60B/80.10A	121.60B/80.10A	----	82.60 - 24.10	.2609	----	----	11	----	188 + 9
4545	----	----	123.50B/81.30A	123.50B/81.30A	----	83.80 - 24.40	.2641	----	----	1	----	78 - 1
4550	91.10	91.10	125.20B/82.60A	125.20B/82.60A	----	85.10 - 24.70	.2675	----	----	8	----	575 - 3
4555	----	----	126.80B/83.90A	126.80B/83.90A	----	86.50 - 24.80	.2709	----	----	13	----	45 - 10
4560	----	----	128.70B/85.30A	128.70B/85.30A	----	87.80 - 25.00	.2743	----	----	4	----	30 + 2
4565	----	----	130.00B/86.50A	130.00B/86.50A	----	89.20 - 25.20	.2778	----	----	----	----	199 UNCH
4570	----	----	132.20B/87.90A	132.20B/87.90A	----	90.50 - 25.50	.2812	----	----	12	----	61 - 9
4575	----	----	134.00B/89.20A	134.00B/89.20A	----	91.90 - 25.70	.2847	----	----	----	----	168 UNCH
4580	----	----	135.90B/90.60A	135.90B/90.60A	----	93.30 - 25.90	.2882	----	----	----	----	218 UNCH
4585	----	----	137.70B/92.00A	137.70B/92.00A	----	94.80 - 26.10	.2918	----	----	----	----	27 UNCH
4590	----	----	139.50B/93.40A	139.50B/93.40A	----	96.20 - 26.30	.2953	----	----	64	----	112 + 33
4595	----	----	141.40B/94.90A	141.40B/94.90A	----	97.70 - 26.50	.2990	----	----	1	----	29 + 1
4600	115.00	115.00	143.30B/96.40A	143.30B/96.40A	----	99.20 - 26.70	.3026	----	----	11	----	1685 + 3
4605	100.70	100.70	145.30B/97.80A	145.30B/97.80A	----	100.70 - 26.90	.3063	----	----	4	----	12 - 2
4610	102.00	102.00	147.30B/99.30A	147.30B/99.30A	----	102.20 - 27.10	.3099	----	----	1	----	13 + 1
4615	----	----	149.20B/100.80A	149.20B/100.80A	----	103.80 - 27.30	.3137	----	----	----	----	51 UNCH
4620	106.50	106.50	151.10B/102.30A	151.10B/102.30A	----	105.30 - 27.50	.3173	----	----	2	----	186 - 1
4625	106.20	106.20	153.20B/103.90A	153.20B/103.90A	----	106.90 - 27.70	.3211	----	----	4	----	203 UNCH
4630	----	----	155.20B/105.50A	155.20B/105.50A	----	108.50 - 27.90	.3249	----	----	----	----	132 UNCH
4635	----	----	157.30B/107.10A	157.30B/107.10A	----	110.20 - 28.00	.3287	----	----	----	----	25 UNCH
4640	----	----	159.30B/108.70A	159.30B/108.70A	----	111.80 - 28.30	.3325	----	----	1	----	48 - 1
4645	----	----	161.40B/110.30A	161.40B/110.30A	----	113.50 - 28.40	.3364	----	----	16	----	46 + 9
4650	156.10	156.10	163.50B/112.00A	163.50B/112.00A	----	115.20 - 28.60	.3403	----	----	16	----	1160 + 1
4655	----	----	165.70B/113.60A	165.70B/113.60A	----	116.90 - 28.80	.3442	----	----	----	----	45 UNCH
4660	----	----	167.80B/115.40A	167.80B/115.40A	----	118.60 - 29.00	.3481	----	----	----	----	105 UNCH
4665	138.60	138.60	170.00B/117.20A	170.00B/117.20A	----	120.40 - 29.20	.3520	----	----	1	----	16 UNCH
4670	119.60	119.60	172.20B/118.90A	172.20B/118.90A	----	122.20 - 29.30	.3560	----	----	212	----	255 + 100
4675	137.60	137.60	174.40B/120.50A	174.40B/120.50A	----	124.00 - 29.50	.3600	----	----	19	----	277 - 14
4680	----	----	176.70B/122.40A	176.70B/122.40A	----	125.80 - 29.70	.3640	----	----	1	----	61 UNCH
4685	123.50	123.50	178.90B/123.50	178.90B/123.50	----	127.60 - 30.00	.3680	----	----	3	----	37 - 2
4690	----	----	181.20B/126.10A	181.20B/126.10A	----	129.50 - 30.10	.3720	----	----	35	----	53 + 32
4695	----	----	183.50B/127.90A	183.50B/127.90A	----	131.30 - 30.40	.3761	----	----	----	----	31 UNCH
4700	181.00	181.00	185.90B/129.50A	185.90B/129.50A	----	133.20 - 30.60	.3801	----	----	273	----	1543 + 157
4705	----	----	188.20B/131.70A	188.20B/131.70A	----	135.10 - 30.90	.3842	----	----	----	----	91 UNCH
4710	----	----	190.60B/133.60A	190.60B/133.60A	----	137.10 - 31.00	.3884	----	----	1	----	21 UNCH
4715	----	----	193.00B/135.40A	193.00B/135.40A	----	139.00 - 31.30	.3925	----	----	----	----	41 UNCH
4720	189.00	189.00	195.40B/137.50A	195.40B/137.50A	----	141.00 - 31.50	.3966	----	----	7	----	105 + 3
4725	----	----	197.90B/139.30A	197.90B/139.30A	----	143.00 - 31.70	.4008	----	----	----	----	54 UNCH
4730	----	----	200.30B/141.40A	200.30B/141.40A	----	145.10 - 31.80	.4050	----	----	1	----	63 + 1
4735	194.10	194.10	202.80B/143.40A	202.80B/143.40A	----	147.10 - 32.10	.4092	----	----	2	----	57 + 1
4740	195.20	195.20	205.20B/145.50A	205.20B/145.50A	----	149.20 - 32.20	.4134	----	----	1	----	86 UNCH
4745	----	----	207.90B/147.50A	207.90B/147.50A	----	151.30 - 32.40	.4176	----	----	----	----	3 UNCH
4750	198.70	198.70	210.40B/149.50A	210.40B/149.50A	----	153.40 - 32.60	.4218	----	----	252	----	662 - 150
4755	202.50	202.50	213.00B/151.70A	213.00B/151.70A	----	155.60 - 32.80	.4261	----	----	4	----	17 - 2
4760	206.70	206.70	215.60B/153.80A	215.60B/153.80A	----	157.70 - 33.00	.4303	----	----	1	----	66 + 1
4765	209.30	209.30	218.20B/156.00A	218.20B/156.00A	----	159.90 - 33.20	.4346	----	----	4	----	68 + 1
4770	215.30	215.30	220.80B/158.10A	220.80B/158.10A	----	162.20 - 33.30	.4389	----	----	11	----	52 + 1
4775	210.00	210.00	223.50B/160.40A	223.50B/160.40A	----	164.40 - 33.50	.4432	----	----	13	----	100 - 9
4780	167.90	167.90	226.20B/162.40A	226.20B/162.40A	----	166.70 - 33.60	.4475	----	----	13	----	56 + 10
4785	----	----	228.90B/164.90A	228.90B/164.90A	----	169.00 - 33.80	.4518	----	----	41	----	86 + 38
4790	222.10	222.10	231.60B/167.20A	231.60B/167.20A	----	171.30 - 34.00	.4561	----	----	5	----	44 UNCH
4795	174.80	174.80	233.70B/169.10A	233.70B/169.10A	----	173.60 - 34.20	.4605	----	----	19	----	29 + 16
4800	192.40	192.40	236.50B/171.70A	236.50B/171.70A	----	176.00 - 34.30	.4648	----	----	212	----	2342 + 111
4805	225.20	225.20	239.30B/174.10A	239.30B/174.10A	----	178.40 - 34.50	.4691	----	----	19	----	84 + 2
4810	----	----	242.10B/176.30A	242.10B/176.30A	----	180.80 - 34.70	.4735	----	----	14	----	22 + 13
4815	201.30	201.30	244.90B/178.70A	244.90B/178.70A	----	183.20 - 34.90	.4778	----	----	28	----	92 + 20
4820	----	----	247.80B/181.40A	247.80B/181.40A	----	185.70 - 35.00	.4822	----	----	1	----	24 + 1
4825	----	----	250.70B/183.60A	250.70B/183.60A	----	188.20 - 35.20	.4865	----	----	----	----	166 UNCH
4830	----	----	253.60B/186.20A	253.60B/186.20A	----	190.70 - 35.30	.4909	----	----	----	----	137 UNCH
4835	----	----	257.00B/188.60A	257.00B/188.60A	----	193.20 - 35.50	.4953	----	----	----	----	30 UNCH
4840	----	----	259.40B/191.20A	259.40B/191.20A	----	195.80 - 35.70	.4996	----	----	----	----	18 UNCH
4845	----	----	262.90B/193.80A	262.90B/193.80A	----	198.40 - 35.80	.5040	----	----	----	----	11 UNCH
4850	----	----	265.90B/196.20A	265.90B/196.20A	----	201.00 - 36.00	.5083	----	----	3	----	542 + 1
4855	----	----	268.40B/198.80A	268.40B/198.80A	----	203.60 - 36.10	.5127	----	----	----	----	359 UNCH
4860	----	----	272.60B/201.60A	272.60B/201.60A	----	206.30 - 36.20	.5170	----	----	----	----	44 UNCH
4865	----	----	274.80B/204.40A	274.80B/204.40A	----	209.00 - 36.40	.5214	----	----	----	----	17 UNCH
4870	----	----	278.40B/207.10A	278.40B/207.10A	----	211.70 - 36.50	.5257	----	----	----	----	42 UNCH
4875	----	----	281.50B/209.70A	281.50B/209.70A	----	214.40 - 36.70	.5301	----	----	----	----	74 UNCH
4880	----	----	284.10B/212.40A	284.10B/212.40A	----	217.20 - 36.80	.5344	----	----	----	----	3 UNCH
4885	----	----	287.70B/215.00A	287.70B/215.00A	----	219.90 - 37.00	.5387	----	----	----	----	7 UNCH
4890	----	----	290.40B/217.80A	290.40B/217.80A	----	222.70 - 37.10	.5431	----	----	1	----	47 + 1
4895	----	----	294.10B/220.60A	294.10B/220.60A	----	225.50 - 37.30	.5474	----	----	----	----	211 UNCH
4900	242.00	242.00	297.30B/223.30A	297.30B/223.30A	----	228.40 - 37.40	.5517	----	----	14	----	1805 + 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 15

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
4905	----	----	300.00B/226.20A	300.00B/226.20A	----	231.20 - 37.60	.5560	----	----	----	----	10 UNCH
4910	----	----	303.70B/229.10A	303.70B/229.10A	----	234.10 - 37.70	.5603	----	----	----	----	57 UNCH
4915	----	----	306.50B/232.00A	306.50B/232.00A	----	237.00 - 37.80	.5646	----	----	----	----	37 UNCH
4920	----	----	310.00B/234.90A	310.00B/234.90A	----	240.00 - 37.90	.5688	----	----	----	----	92 UNCH
4925	----	----	313.10B/237.80A	313.10B/237.80A	----	242.90 - 38.10	.5732	----	----	----	----	73 UNCH
4930	----	----	316.40B/240.80A	316.40B/240.80A	----	245.90 - 38.20	.5774	----	----	----	----	199 UNCH
4940	----	----	323.10B/246.80A	323.10B/246.80A	----	251.90 - 38.50	.5859	----	----	----	----	64 UNCH
4945	----	----	326.50B/250.30A	326.50B/250.30A	----	255.00 - 38.50	.5900	----	----	----	----	2 UNCH
4950	----	----	330.00B/252.80A	330.00B/252.80A	----	258.00 - 38.70	.5943	----	----	4	----	289 + 2
4955	----	----	333.80B/256.30A	333.80B/256.30A	----	261.10 - 38.80	.5984	----	----	----	----	31 UNCH
4960	----	----	337.00B/259.30A	337.00B/259.30A	----	264.20 - 38.90	.6026	----	----	----	----	23 UNCH
4965	----	----	340.90B/262.50A	340.90B/262.50A	----	267.40 - 39.00	.6068	----	----	----	----	24 UNCH
4970	----	----	343.80B/265.60A	343.80B/265.60A	----	270.50 - 39.20	.6110	----	----	----	----	44 UNCH
4975	----	----	347.30B/268.80A	347.30B/268.80A	----	273.70 - 39.20	.6151	----	----	----	----	153 UNCH
4980	----	----	351.30B/272.00A	351.30B/272.00A	----	276.90 - 39.30	.6192	----	----	----	----	28 UNCH
4985	----	----	354.40B/275.40A	354.40B/275.40A	----	280.10 - 39.50	.6233	----	----	----	----	9 UNCH
4990	----	----	358.20B/278.40A	358.20B/278.40A	----	283.40 - 39.50	.6274	----	----	----	----	292 UNCH
4995	----	----	361.50B/281.80A	361.50B/281.80A	----	286.70 - 39.60	.6314	----	----	----	----	11 UNCH
5000	----	----	365.10B/284.90A	365.10B/284.90A	----	289.90 - 39.80	.6355	----	----	4	----	1884 - 2
5005	----	----	368.70B/288.20A	368.70B/288.20A	----	293.30 - 39.80	.6394	----	----	----	----	302 UNCH
5010	----	----	372.80B/291.70A	372.80B/291.70A	----	296.60 - 39.90	.6435	----	----	----	----	13 UNCH
5015	----	----	376.10B/294.80A	376.10B/294.80A	----	299.90 - 40.00	.6474	----	----	----	----	49 UNCH
5020	----	----	379.40B/298.10A	379.40B/298.10A	----	303.30 - 40.10	.6514	----	----	----	----	31 UNCH
5025	----	----	383.50B/301.50A	383.50B/301.50A	----	306.70 - 40.20	.6553	----	----	----	----	53 UNCH
5030	----	----	387.20B/304.90A	387.20B/304.90A	----	310.10 - 40.30	.6593	----	----	----	----	68 UNCH
5035	----	----	391.00B/308.70A	391.00B/308.70A	----	313.60 - 40.30	.6631	----	----	----	----	13 UNCH
5040	----	----	394.30B/311.80A	394.30B/311.80A	----	317.00 - 40.40	.6669	----	----	----	----	18 UNCH
5045	----	----	398.40B/315.60A	398.40B/315.60A	----	320.50 - 40.50	.6708	----	----	----	----	5 UNCH
5050	----	----	401.80B/318.70A	401.80B/318.70A	----	324.00 - 40.50	.6746	----	----	----	----	805 UNCH
5055	----	----	405.60B/322.20A	405.60B/322.20A	----	327.50 - 40.60	.6784	----	----	----	----	63 UNCH
5060	----	----	409.70B/325.70A	409.70B/325.70A	----	331.10 - 40.70	.6822	----	----	----	----	64 UNCH
5065	----	----	413.50B/329.30A	413.50B/329.30A	----	334.70 - 40.70	.6859	----	----	----	----	17 UNCH
5070	----	----	417.40B/332.90A	417.40B/332.90A	----	338.20 - 40.80	.6896	----	----	----	----	52 UNCH
5075	----	----	421.20B/336.40A	421.20B/336.40A	----	341.90 - 40.80	.6933	----	----	----	----	28 UNCH
5080	348.80	348.80	425.20B/340.10A	425.20B/340.10A	----	345.50 - 40.90	.6969	----	----	1	----	30 + 1
5085	----	----	428.90B/343.70A	428.90B/343.70A	----	349.10 - 41.00	.7005	----	----	----	----	123 UNCH
5090	----	----	433.20B/347.30A	433.20B/347.30A	----	352.80 - 41.00	.7042	----	----	----	----	109 UNCH
5095	----	----	436.90B/351.00A	436.90B/351.00A	----	356.50 - 41.10	.7076	----	----	10	----	127 + 10
5100	----	----	440.60B/355.20A	440.60B/355.20A	----	360.20 - 41.20	.7112	----	----	----	----	457 UNCH
5105	----	----	444.80B/358.80A	444.80B/358.80A	----	363.90 - 41.20	.7147	----	----	----	----	38 UNCH
5110	----	----	449.00B/362.60A	449.00B/362.60A	----	367.70 - 41.20	.7182	----	----	----	----	74 UNCH
5115	----	----	452.80B/366.40A	452.80B/366.40A	----	371.50 - 41.30	.7216	----	----	----	----	14 UNCH
5120	----	----	456.90B/370.10A	456.90B/370.10A	----	375.30 - 41.30	.7250	----	----	----	----	25 UNCH
5125	----	----	460.70B/373.80A	460.70B/373.80A	----	379.10 - 41.40	.7284	----	----	----	----	192 UNCH
5130	----	----	465.00B/377.60A	465.00B/377.60A	----	382.90 - 41.40	.7317	----	----	----	----	26 UNCH
5135	----	----	469.00B/381.50A	469.00B/381.50A	----	386.70 - 41.50	.7351	----	----	----	----	37 UNCH
5140	----	----	473.10B/385.30A	473.10B/385.30A	----	390.60 - 41.50	.7384	----	----	----	----	14 UNCH
5145	----	----	477.20B/389.20A	477.20B/389.20A	----	394.50 - 41.60	.7416	----	----	----	----	39 UNCH
5150	----	----	481.20B/393.00A	481.20B/393.00A	----	398.40 - 41.60	.7449	----	----	----	----	389 UNCH
5155	----	----	485.40B/396.90A	485.40B/396.90A	----	402.30 - 41.70	.7479	----	----	----	----	38 UNCH
5160	----	----	489.50B/400.80A	489.50B/400.80A	----	406.20 - 41.70	.7512	----	----	----	----	70 UNCH
5165	----	----	493.60B/404.70A	493.60B/404.70A	----	410.20 - 41.70	.7543	----	----	----	----	47 UNCH
5170	----	----	497.50B/408.60A	497.50B/408.60A	----	414.10 - 41.80	.7575	----	----	----	----	504 UNCH
5175	----	----	501.70B/412.70A	501.70B/412.70A	----	418.10 - 41.80	.7606	----	----	----	----	15 UNCH
5180	----	----	506.10B/416.60A	506.10B/416.60A	----	422.10 - 41.80	.7636	----	----	----	----	19 UNCH
5185	----	----	510.00B/420.60A	510.00B/420.60A	----	426.10 - 41.90	.7667	----	----	----	----	22 UNCH
5190	----	----	514.40B/424.60A	514.40B/424.60A	----	430.10 - 41.90	.7696	----	----	----	----	5 UNCH
5195	----	----	518.40B/428.60A	518.40B/428.60A	----	434.10 - 42.00	.7726	----	----	----	----	8 UNCH
5200	----	----	522.90B/432.70A	522.90B/432.70A	----	438.20 - 41.90	.7755	----	----	----	----	612 UNCH
5205	----	----	527.10B/436.70A	527.10B/436.70A	----	442.20 - 42.00	.7785	----	----	----	----	36 UNCH
5210	----	----	531.20B/440.80A	531.20B/440.80A	----	446.30 - 42.00	.7814	----	----	----	----	68 UNCH
5215	----	----	535.30B/444.90A	535.30B/444.90A	----	450.40 - 42.00	.7843	----	----	----	----	42 UNCH
5220	----	----	539.80B/449.00A	539.80B/449.00A	----	454.50 - 42.00	.7871	----	----	----	----	188 UNCH
5225	----	----	544.10B/453.10A	544.10B/453.10A	----	458.60 - 42.10	.7898	----	----	----	----	200 UNCH
5230	----	----	548.40B/457.20A	548.40B/457.20A	----	462.70 - 42.10	.7926	----	----	----	----	7 UNCH
5235	----	----	552.70B/461.40A	552.70B/461.40A	----	466.80 - 42.20	.7955	----	----	----	----	160 UNCH
5245	----	----	561.30B/469.70A	561.30B/469.70A	----	475.10 - 42.20	.8008	----	----	----	----	9 UNCH
5250	554.80	554.80	565.70B/473.90A	565.70B/473.90A	----	479.30 - 42.20	.8034	----	----	2	----	332 UNCH
5255	----	----	570.00B/478.10A	570.00B/478.10A	----	483.50 - 42.20	.8061	----	----	----	----	9 UNCH
5260	----	----	574.40B/482.30A	574.40B/482.30A	----	487.70 - 42.20	.8087	----	----	----	----	11 UNCH
5265	----	----	578.70B/486.40A	578.70B/486.40A	----	491.90 - 42.30	.8113	----	----	----	----	5 UNCH
5270	----	----	583.10B/490.80A	583.10B/490.80A	----	496.10 - 42.30	.8140	----	----	----	----	24 UNCH
5275	----	----	587.50B/495.00A	587.50B/495.00A	----	500.40 - 42.30	.8164	----	----	----	----	170 UNCH
5280	----	----	591.50B/499.30A	591.50B/499.30A	----	504.60 - 42.30	.8188	----	----	----	----	67 UNCH
5285	----	----	595.90B/503.50A	595.90B/503.50A	----	508.90 - 42.30	.8212	----	----	----	----	27 UNCH
5290	----	----	600.30B/507.90A	600.30B/507.90A	----	513.20 - 42.30	.8236	----	----	----	----	2 UNCH
5300	----	----	609.10B/516.50A	609.10B/516.50A	----	521.80 - 42.40	.8284	----	----	----	----	161 UNCH
5305	----	----	613.90B/520.70A	613.90B/520.70A	----	526.10 - 42.40	.8308	----	----	----	----	104 UNCH
5320	----	----	627.40B/533.80A	627.40B/533.80A	----	539.10 - 42.50	.8375	----	----	----	----	108 UNCH
5325	----	----	631.70B/538.20A	631.70B/538.20A	----	543.50 - 42.50	.8397	----	----	----	----	1 UNCH
5335	----	----	640.70B/546.90A	640.70B/546.90A	----	552.30 - 42.50	.8440	----	----	----	----	5 UNCH
5340	----	----	645.30B/551.40A	645.30B/551.40A	----	556.70 - 42.50	.8461	----	----	----	----	52 UNCH
5345	----	----	649.80B/555.80A	649.80B/555.80A	----	561.10 - 42.50	.8480	----	----	----	----	1 UNCH
5350	----	----	654.00B/560.20A	654.00B/560.20A	----	565.50 - 42.60	.8502	----	----	----	----	108 UNCH
5365	----	----	667.90B/573.60A	667.90B/573.60A	----	578.90 - 42.50	.8561	----	----	----	----	4 UNCH
5370	----	----	672.50B/578.00A	672.50B/578.00A	----	583.30 - 42.60	.8580	----	----	----	----	37 UNCH
5375	----	----	677.00B/582.60A	677.00B/582.60A	----	587.80 - 42.50	.8598	----	----	----	----	1 UNCH
5380	----	----	681.20B/587.00A	681.20B/587.00A	----	592.30 - 42.50	.8617	----	----	----	----	2 UNCH
5385	----	----	686.20B/591.30A	686.20B/591.30A	----	596.80 - 42.50	.8636	----	----	----	----	10 UNCH
5390	----	----	690.70B/596.10A	690.70B/596.10A	----	601.30 - 42.50	.8654	----	----	----	----	2 UNCH
5395	----	----	694.90B/600.40A	694.90B/600.40A	----	605.80 - 42.50	.8673	----	----	----	----	156 UNCH
5400	----	----	699.90B/604.90A	699.90B/604.90A	----	610.40 - 42.40	.8689	----	----	----	----	443 UNCH
5420	----	----	718.30B/623.00A	718.30B/623.00A	----	628.50 - 42.50	.8758	----	----	----	----	10 UNCH
5425	----	----	722.90B/627.80A	722.90B/627.80A	----	633.10 - 42.40	.8774	----	----	----	----	1 UNCH
5430	----	----	727.60B/632.20A	727.60B/632.20A	----	637.70 - 42.40	.8789	----	----	----	----	31 UNCH
5435	----	----	731.90B/636.80A	731.90B/636.80A	----	642.30 - 42.30	.8805	----	----	----	----	10 UNCH
5440	----	----	736.80B/641.40A	736.80B/641.40A	----	646.90 - 42.30	.8821	----	----	----	----	20 UNCH
5470	----	----	764.70B/669.30A	764.70B/669.30A	----	674.60 - 42.20	.8909	----	----	----	----	1 UNCH
5490	----	----	783.50B/687.70A	783.50B/687.70A	----	693.20 - 42.10	.8965	----	----	----	----	166 UNCH
5500	----	----	792.90B/697.00A	792.90B/697.00A	----	702.50 - 42.10	.8993	----	----	----	----	52 UNCH
5525	----	----	815.90B/720.70A	815.90B/720.70A	----	725.90 - 42.10	.9055	----	----	----	----	2 UNCH
5575	----	----	864.00B/767.90A	864.00B/767.90A	----	773.10 - 42.10	.9167	----	----	----	----	2 UNCH
5590	----	----	878.00B/782.00A	878.00B/782.00A	----	787.40 - 42.10	.9197	----	----	----	----	77 UNCH
5595	----	----	882.60B/787.00A	882.60B/787.00A	----	792.10 - 42.10	.9206	----	----	----	----	1 UNCH
5600	----	----	887.40B/791.60A	887.40B/791.60A	----	796.90 - 42.10	.9215	----	----	----	----	8 UNCH
5640	----	----	925.80B/830.00A	925.80B/830.00A	----	835.20 - 42.00	.9288	----	----	----	----	9 UNCH
5800	----	----	1,072.80B/985.5	1072.80B/985.50A	----	990.20 - 41.70	.9501	----	----	----	----	6 UNCH
6000	----	----	1,236.70B/1,184	1236.70B/1184.50A	----	1186.70 - 41.30	.9655	----	----	----	----	4 UNCH
6100	----	----	1,335.50B/1,283	1335.50B/1283.50A	----	1285.60 - 41.10	.9709	----	----	----	----	3 UNCH
6675	----	----	----	----	----	1857.40 - 40.90	.9876	----	----	----	----	2 UNCH
10000	----	----	----	----	----	5182.00 - 40.80	1.0000	----	----	5	----	0 UNCH
TOTAL										3801		84088 + 1092
JUL26												
2275	----	----	----	0.70B/1.30A	----	0.80 - 0.30	.0018	----	----	----	----	20 UNCH
2300	----	----	----	0.70B/1.30A	----	1.00 - 0.30	.0022	----	----	----	----	96 UNCH
2400	----	----	----/1.50A	1.00B/1.50A	----	1.20 - 0.40	.0027	----	----	----	----	2 UNCH
2500	----	----	----	1.20B/1.80A	----	1.50 - 0.30	.0034	----	----	----	----	192 UNCH
2575	----	----	----	1.40B/2.00A	----	1.70 - 0.30	.0039	----	----	----	----	1 UNCH
2600	----	----	----	1.50B/2.10A	----	1.80 - 0.30	.0042	----	----	----	----	12 UNCH
2620	----	----	----	1.50B/2.20A	----	1.80 - 0.40	.0042	----	----	----	----	1 UNCH
2650	----	----	----/2.20A	1.70B/2.20A	----	1.90 - 0.40	.0045	----	----	----	----	52 UNCH
2670	----	----	----/2.30A	1.70B/2.30A	----	2.00 - 0.40	.0047	----	----	----	----	10 UNCH
2675	----	----	----/2.30A	1.70B/2.30A	----	2.00 - 0.40	.0047	----	----	----	----	10 UNCH
2680	----	----	----	1.70B/2.40A	----	2.00 - 0.40	.0047	----	----	----	----	10 UNCH
2700	----	----	----/2.30A	1.80B/2.30A	----	2.10 - 0.40	.0050	----	----	----	----	3 UNCH
2705	----	----	----/2.30A	1.80B/2.30A	----	2.10 - 0.40	.0050	----	----	----	----	1 UNCH
2730	----	----	----/2.40A	1.90B/2.40A	----	2.20 - 0.40	.0053	----	----	----	----	1 UNCH
2750	----	----	----/2.50A	2.00B/2.50A	----	2.20 - 0.50	.0053	----	----	----	----	19 UNCH
2785	----	----	----/2.60A	2.10B/2.60A	----	2.30 - 0.50	.0056	----	----	----	----	2 UNCH
2800	2.00	2.00	2.00/2.00	2.20B/2.00	----	2.40 - 0.50	.0059	----	----	1	----	7 + 1
2850	----	----	----/2.80A	2.40B/2.80A	----	2.50 - 0.70	.0063	----	----	----	----	3 UNCH
2860	----	----	----/2.90A	2.50B/2.90A	----	2.60 - 0.60	.0065	----	----	----	----	5 UNCH
2890	----	----	----/3.00A	2.60B/3.00A	----	2.70 - 0.70	.0068	----	----	----	----	60 UNCH
2895	----	----	----/3.00A	2.60B/3.00A	----	2.70 - 0.70	.0068	----	----	----	----	18 UNCH
2900	----	----	----/3.00A	2.60B/3.00A	----	2.70 - 0.70	.0069	----	----	1	----	18 + 1
2905	----	----	----/3.10A	2.60B/3.10A	----	2.70 - 0.80	.0069	----	----	----	----	19 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
2920	----	----	----/3.20A	2.70B/3.20A	----	2.80 - 0.70	.0071	----	----	1	----	3 + 1
2950	----	----	----/3.30A	2.90B/3.30A	----	2.90 - 0.80	.0075	----	----	----	----	32 UNCH
2995	----	----	----/3.50A	3.10B/3.50A	----	3.10 - 0.90	.0081	----	----	10	----	16 UNCH
3000	----	----	----/3.50A	3.20B/3.50A	----	3.10 - 1.00	.0081	----	----	----	----	58 UNCH
3015	----	----	----/3.60A	3.20B/3.60A	----	3.20 - 1.00	.0084	----	----	----	----	5 UNCH
3025	----	----	----/3.70A	3.30B/3.70A	----	3.20 - 1.10	.0085	----	----	----	----	1 UNCH
3035	----	----	----/3.70A	3.40B/3.70A	----	3.30 - 1.00	.0087	----	----	----	----	5 UNCH
3100	----	----	----/4.00A	3.90B/4.00A	----	3.60 - 1.30	.0097	----	----	----	----	43 UNCH
3105	----	----	----/4.10A	4.00B/4.10A	----	3.60 - 1.30	.0097	----	----	----	----	1 UNCH
3125	----	----	----/4.10A	4.10B/4.10A	----	3.80 - 1.30	.0103	----	----	----	----	42 UNCH
3140	----	----	----/4.30A	4.20B/4.30A	----	3.90 - 1.40	.0106	----	----	----	----	1 UNCH
3150	----	----	----/4.40A	4.50B/4.40A	----	3.90 - 1.50	.0107	----	----	----	----	12 UNCH
3155	----	----	----/4.40A	4.40B/4.40A	----	4.00 - 1.40	.0109	----	----	----	----	1 UNCH
3180	----	----	----/4.60A	4.60B/4.60A	----	4.10 - 1.60	.0113	----	----	2	----	0 - 2
3200	----	----	----/4.80A	4.90B/4.80A	----	4.30 - 1.60	.0119	----	----	----	----	111 UNCH
3210	----	----	----/4.80A	4.90B/4.80A	----	4.40 - 1.60	.0122	----	----	----	----	1 UNCH
3220	----	----	----/4.90A	5.20B/4.90A	----	4.40 - 1.70	.0122	----	----	----	----	1 UNCH
3225	----	----	----/4.90A	5.00B/4.90A	----	4.50 - 1.70	.0125	----	----	----	----	70 UNCH
3230	----	----	----/5.00A	5.10B/5.00A	----	4.50 NEW	.0125	----	----	2	----	2 + 2
3250	----	----	----/5.10A	5.30B/5.10A	----	4.70 - 1.80	.0131	----	----	----	----	61 UNCH
3275	----	----	----/5.30A	5.60B/5.30A	----	4.90 - 1.90	.0138	----	----	----	----	10 UNCH
3290	----	----	----/5.60A	5.80B/5.60A	----	5.10 - 1.90	.0143	----	----	----	----	11 UNCH
3300	----	----	----/5.70A	6.00B/5.70A	----	5.20 - 2.00	.0146	----	----	----	----	55 UNCH
3320	----	----	----/5.90A	6.20B/5.90A	----	5.40 - 2.10	.0153	----	----	----	----	1 UNCH
3325	----	----	----/5.90A	6.30B/5.90A	----	5.40 - 2.10	.0153	----	----	----	----	147 UNCH
3335	----	----	----/6.00A	6.40B/6.00A	----	5.50 - 2.20	.0156	----	----	----	----	86 UNCH
3340	----	----	----/6.10A	6.60B/6.10A	----	5.60 - 2.20	.0159	----	----	----	----	1 UNCH
3350	----	----	----/6.20A	6.70B/6.20A	----	5.70 - 2.20	.0162	----	----	----	----	26 UNCH
3355	----	----	----/6.30A	6.80B/6.30A	----	5.80 - 2.20	.0165	----	----	----	----	69 UNCH
3360	----	----	----/6.40A	6.90B/6.40A	----	5.80 - 2.30	.0166	----	----	----	----	3 UNCH
3370	----	----	----/6.50A	7.00B/6.50A	----	6.00 - 2.30	.0171	----	----	----	----	9 UNCH
3380	----	----	----/6.60A	7.10B/6.60A	----	6.10 - 2.40	.0174	----	----	----	----	2 UNCH
3385	----	----	----/6.40A	7.30B/6.40A	----	6.20 - 2.40	.0177	----	----	----	----	4 UNCH
3390	----	----	----/6.70A	7.30B/6.70A	----	6.20 - 2.50	.0178	----	----	----	----	1 UNCH
3395	----	----	----/6.50A	7.40B/6.50A	----	6.30 - 2.50	.0180	----	----	----	----	31 UNCH
3400	----	----	----/6.80A	7.60B/6.80A	----	6.40 - 2.40	.0183	----	----	----	----	46 UNCH
3410	----	----	----/7.00A	7.70B/7.00A	----	6.50 - 2.50	.0187	----	----	----	----	5 UNCH
3425	----	----	----/7.20A	8.00B/7.20A	----	6.70 - 2.70	.0193	----	----	----	----	56 UNCH
3435	----	----	----/7.40A	8.10B/7.40A	----	6.90 - 2.70	.0198	----	----	----	----	5 UNCH
3445	----	----	----/7.50A	8.40B/7.50A	----	7.00 - 2.80	.0202	----	----	----	----	1 UNCH
3450	----	----	----/7.50A	8.50B/7.50A	----	7.10 - 2.80	.0205	----	----	----	----	138 UNCH
3455	----	----	----/7.60A	8.50B/7.60A	----	7.20 - 2.80	.0208	----	----	----	----	10 UNCH
3460	----	----	----/7.70A	8.60B/7.70A	----	7.30 - 2.80	.0210	----	----	----	----	10 UNCH
3465	----	----	----/7.70A	8.70B/7.70A	----	7.30 - 2.90	.0211	----	----	----	----	142 UNCH
3475	----	----	----/8.00A	9.00B/8.00A	----	7.50 - 3.00	.0217	----	----	----	----	138 UNCH
3480	----	----	----/7.70A	9.00B/7.70A	----	7.60 - 3.00	.0220	----	----	----	----	36 UNCH
3495	----	----	----/8.20A	9.40B/8.20A	----	7.90 - 3.10	.0228	----	----	----	----	5 UNCH
3500	10.10	10.10	10.10B/8.30A	10.50B/8.30A	----	8.00 - 3.10	.0231	----	----	4	----	579 UNCH
3505	----	----	----/8.10A	9.70B/8.10A	----	8.10 - 3.10	.0234	----	----	----	----	9 UNCH
3510	----	----	----/8.50A	10.80B/8.50A	----	8.10 - 3.30	.0235	----	----	----	----	5 UNCH
3515	----	----	----/8.70A	9.90B/8.70A	----	8.20 - 3.30	.0238	----	----	----	----	6 UNCH
3525	----	----	----/8.90A	10.10B/8.90A	----	8.40 - 3.40	.0244	----	----	----	----	3 UNCH
3530	----	----	----/8.90A	10.30B/8.90A	----	8.50 - 3.40	.0247	----	----	----	----	168 UNCH
3535	----	----	----/8.90A	10.30B/8.90A	----	8.60 - 3.50	.0250	----	----	----	----	31 UNCH
3545	----	----	----/9.20A	10.60B/9.20A	----	8.80 - 3.60	.0256	----	----	----	----	256 UNCH
3550	12.50	12.50	12.50/9.30A	12.50/9.30A	----	9.00 - 3.50	.0261	----	----	1	----	147 - 1
3575	----	----	----/9.80A	11.40B/9.80A	----	9.50 - 3.80	.0277	----	----	----	----	1 UNCH
3580	----	----	----/9.90A	11.50B/9.90A	----	9.60 - 3.90	.0280	----	----	----	----	5 UNCH
3590	----	----	----/9.80A	11.80B/9.80A	----	9.90 - 3.90	.0288	----	----	----	----	16 UNCH
3600	11.90	11.90	11.90/10.00A	12.20B/10.00A	----	10.10 - 4.00	.0294	----	----	20	----	112 + 20
3605	----	----	----/10.50A	12.30B/10.50A	----	10.20 - 4.10	.0297	----	----	----	----	5 UNCH
3620	----	----	----/10.80A	12.80B/10.80A	----	10.60 - 4.30	.0309	----	----	----	----	12 UNCH
3625	----	----	----/11.00A	13.00B/11.00A	----	10.70 - 4.30	.0312	----	----	----	----	11 UNCH
3630	----	----	----/11.00A	15.10B/11.00A	----	10.90 - 4.30	.0318	----	----	----	----	3 UNCH
3635	----	----	15.50B/10.80A	15.50B/10.80A	----	11.00 - 4.40	.0321	----	----	----	----	3 UNCH
3640	----	----	15.70B/10.90A	15.70B/10.90A	----	11.10 - 4.50	.0324	----	----	----	----	6 UNCH
3645	----	----	15.90B/11.10A	15.90B/11.10A	----	11.30 - 4.50	.0329	----	----	----	----	1 UNCH
3650	----	----	16.10B/11.20A	16.10B/11.20A	----	11.40 - 4.60	.0333	----	----	----	----	101 UNCH
3655	----	----	16.40B/11.30A	16.40B/11.30A	----	11.50 - 4.70	.0336	----	----	----	----	6 UNCH
3660	----	----	16.60B/11.50A	16.60B/11.50A	----	11.70 - 4.70	.0341	----	----	4	----	22 UNCH
3665	----	----	16.80B/11.60A	16.80B/11.60A	----	11.80 - 4.80	.0345	----	----	----	----	2 UNCH
3670	----	----	17.00B/11.70A	17.00B/11.70A	----	12.00 - 4.80	.0350	----	----	----	----	110 UNCH
3675	----	----	17.10B/11.90A	17.10B/11.90A	----	12.10 - 4.90	.0354	----	----	1	----	4 UNCH
3680	----	----	17.50B/12.00A	17.50B/12.00A	----	12.30 - 4.90	.0359	----	----	----	----	5 UNCH
3685	----	----	17.60B/12.10A	17.60B/12.10A	----	12.40 - 5.10	.0362	----	----	----	----	10 UNCH
3690	----	----	17.80B/12.30A	17.80B/12.30A	----	12.60 - 5.10	.0368	----	----	----	----	50 UNCH
3695	----	----	18.10B/12.40A	18.10B/12.40A	----	12.70 - 5.20	.0371	----	----	----	----	142 UNCH
3700	----	----	18.40B/12.60A	18.40B/12.60A	----	12.90 - 5.20	.0377	----	----	2	----	422 - 2
3705	----	----	18.60B/12.70A	18.60B/12.70A	----	13.00 - 5.40	.0380	----	----	----	----	20 UNCH
3715	----	----	19.50B/13.00A	19.50B/13.00A	----	13.40 - 5.40	.0391	----	----	----	----	30 UNCH
3720	----	----	20.30B/13.20A	20.30B/13.20A	----	13.50 - 5.60	.0395	----	----	----	----	18 UNCH
3725	----	----	20.50B/13.40A	20.50B/13.40A	----	13.70 - 5.60	.0400	----	----	----	----	5 UNCH
3730	----	----	20.80B/13.50A	20.80B/13.50A	----	13.90 - 5.60	.0406	----	----	----	----	3 UNCH
3735	----	----	21.10B/13.70A	21.10B/13.70A	----	14.00 - 5.80	.0410	----	----	----	----	30 UNCH
3740	----	----	21.40B/13.90A	21.40B/13.90A	----	14.20 - 5.80	.0415	----	----	----	----	20 UNCH
3750	----	----	21.90B/14.20A	21.90B/14.20A	----	14.50 - 6.00	.0424	----	----	----	----	550 UNCH
3760	----	----	22.50B/14.60A	22.50B/14.60A	----	14.90 - 6.20	.0436	----	----	----	----	2 UNCH
3765	----	----	22.80B/14.70A	22.80B/14.70A	----	15.10 - 6.20	.0441	----	----	----	----	32 UNCH
3770	----	----	23.10B/14.90A	23.10B/14.90A	----	15.30 - 6.30	.0447	----	----	----	----	120 UNCH
3775	----	----	23.50B/15.10A	23.50B/15.10A	----	15.50 - 6.40	.0453	----	----	----	----	61 UNCH
3780	----	----	23.70B/15.30A	23.70B/15.30A	----	15.70 - 6.50	.0459	----	----	----	----	1 UNCH
3785	----	----	24.10B/15.40A	24.10B/15.40A	----	15.90 - 6.50	.0464	----	----	----	----	5 UNCH
3790	----	----	24.40B/15.70A	24.40B/15.70A	----	16.10 - 6.60	.0470	----	----	----	----	40 UNCH
3795	----	----	24.70B/15.90A	24.70B/15.90A	----	16.30 - 6.70	.0476	----	----	----	----	36 UNCH
3800	----	----	25.10B/16.10A	25.10B/16.10A	----	16.50 - 6.80	.0482	----	----	----	----	684 UNCH
3810	----	----	25.60B/16.50A	25.60B/16.50A	----	16.90 - 7.00	.0494	----	----	----	----	16 UNCH
3815	----	----	26.00B/16.70A	26.00B/16.70A	----	17.10 - 7.10	.0500	----	----	----	----	14 UNCH
3820	----	----	26.30B/16.90A	26.30B/16.90A	----	17.30 - 7.20	.0505	----	----	3	----	10 + 3
3825	----	----	26.60B/17.10A	26.60B/17.10A	----	17.50 - 7.30	.0511	----	----	----	----	9 UNCH
3830	----	----	27.00B/17.30A	27.00B/17.30A	----	17.70 - 7.40	.0517	----	----	----	----	24 UNCH
3835	----	----	27.30B/17.50A	27.30B/17.50A	----	17.90 - 7.50	.0523	----	----	----	----	1 UNCH
3840	----	----	27.70B/17.70A	27.70B/17.70A	----	18.20 - 7.60	.0531	----	----	----	----	32 UNCH
3845	----	----	28.00B/17.90A	28.00B/17.90A	----	18.40 - 7.70	.0537	----	----	----	----	13 UNCH
3850	----	----	28.40B/18.10A	28.40B/18.10A	----	18.60 - 7.80	.0543	----	----	----	----	206 UNCH
3860	----	----	29.10B/18.60A	29.10B/18.60A	----	19.10 - 8.00	.0557	----	----	1	----	29 + 1
3875	----	----	30.20B/19.30A	30.20B/19.30A	----	19.80 - 8.30	.0578	----	----	----	----	108 UNCH
3880	19.90	19.90	30.60B/19.50A	30.60B/19.50A	----	20.10 - 8.40	.0586	----	----	1	----	14 + 1
3885	----	----	31.00B/19.80A	31.00B/19.80A	----	20.40 - 8.40	.0594	----	----	----	----	5 UNCH
3890	----	----	31.40B/20.00A	31.40B/20.00A	----	20.60 - 8.60	.0600	----	----	----	----	4 UNCH
3895	----	----	31.90B/20.30A	31.90B/20.30A	----	20.90 - 8.70	.0609	----	----	----	----	1 UNCH
3900	24.00	24.00	32.30B/20.50A	32.30B/20.50A	----	21.10 - 8.80	.0615	----	----	2	----	299 - 1
3905	23.20	23.20	32.70B/20.80A	32.70B/20.80A	----	21.40 - 8.90	.0623	----	----	2	----	12 + 2
3910	----	----	33.10B/21.10A	33.10B/21.10A	----	21.70 - 9.00	.0631	----	----	----	----	54 UNCH
3920	----	----	34.00B/21.70A	34.00B/21.70A	----	22.30 - 9.20	.0648	----	----	----	----	1 UNCH
3925	----	----	34.40B/21.90A	34.40B/21.90A	----	22.60 - 9.30	.0656	----	----	----	----	48 UNCH
3930	25.60	25.60	34.90B/22.20A	34.90B/22.20A	----	22.80 - 9.50	.0663	----	----	1	----	35 - 1
3935	----	----	35.30B/22.50A	35.30B/22.50A	----	23.10 - 9.60	.0671	----	----	----	----	7 UNCH
3940	----	----	35.70B/22.80A	35.70B/22.80A	----	23.40 - 9.70	.0679	----	----	----	----	20 UNCH
3945	----	----	36.20B/23.10A	36.20B/23.10A	----	23.80 - 9.70	.0690	----	----	----	----	20 UNCH
3950	27.10	27.10	36.70B/23.40A	36.70B/23.40A	----	24.10 - 9.80	.0698	----	----	23	----	599 - 5
3955	----	----	37.20B/23.70A	37.20B/23.70A	----	24.40 - 9.90	.0707	----	----	----	----	25 UNCH
3960	27.90	27.90	37.60B/24.10A	37.60B/24.10A	----	24.70 - 10.10	.0715	----	----	3	----	19 + 3
3965	----	----	38.10B/24.30A	38.10B/24.30A	----	25.00 - 10.20	.0724	----	----	----	----	94 UNCH
3970	----	----	38.60B/24.70A	38.60B/24.70A	----	25.40 - 10.20	.0734	----	----	----	----	2 UNCH
3975	----	----	39.10B/25.00A	39.10B/25.00A	----	25.70 - 10.40	.0743	----	----	2	----	21 UNCH
3980	----	----	39.60B/25.40A	39.60B/25.40A	----	26.00 - 10.50	.0751	----	----	----	----	3 UNCH
3985	----	----	40.10B/25.70A	40.10B/25.70A	----	26.40 - 10.60	.0762	----	----	----	----	136 UNCH
3990	----	----	40.60B/26.00A	40.60B/26.00A	----	26.70 - 10.70	.0771	----	----	----	----	41 UNCH
3995	----	----	41.10B/26.30A	41.10B/26.30A	----	27.10 - 10.80	.0781	----	----	----	----	14 UNCH
4000	37.50	37.50	41.60B/26.50	41.60B/26.50	----	27.50 - 10.90	.0792	----	----	718	----	1092 + 411
4005	26.80	26.80	42.00B/26.70	42.00B/26.70	----	27.80 - 11.10	.0800	----	----	25	----	120 + 25
4010	----	----	42.70B/27.50A	42.70B/27.50A	----	28.20 - 11.10	.0811	----	----	----	----	3 UNCH
4015	----	----	43.20B/27.70A	43.20B/27.70A	----	28.60 - 11.20	.0822	----	----	----	----	59 UNCH
4020	----	----	43.70B/28.10A	43.70B/28.10A	----	29.00 - 11.30	.0832	----	----	----	----	90 UNCH
4025	----	----	44.20B/28.60A	44.20B/28.60A	----	29.40 - 11.40	.0843	----	----	----	----	18 UNCH
4030	----	----	44.80B/28.90A	44.80B/28.90A	----	29.80 - 11.50	.0854	----	----	3	----	35 + 3
4035	----	----	45.50B/29.30A	45.50B/29.30A	----	30.20 - 11.60	.0864	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
4040	31.00	31.00	46.30B/29.80A	46.30B/29.80A	----	30.60 - 11.80	.0875	----	----	2	----	1 UNCH
4045	----	----	46.90B/30.00A	46.90B/30.00A	----	31.00 - 11.90	.0886	----	----	----	----	20 UNCH
4050	34.10	34.10	47.50B/30.50A	47.50B/30.50A	----	31.40 - 12.00	.0897	----	----	3	----	47 + 1
4055	----	----	48.10B/30.80A	48.10B/30.80A	----	31.80 - 12.20	.0908	----	----	----	----	31 UNCH
4065	----	----	49.20B/31.70A	49.20B/31.70A	----	32.70 - 12.30	.0931	----	----	1	----	7 + 1
4070	----	----	50.00B/32.10A	50.00B/32.10A	----	33.10 - 12.50	.0942	----	----	----	----	12 UNCH
4075	----	----	50.60B/32.50A	50.60B/32.50A	----	33.60 - 12.60	.0955	----	----	----	----	7 UNCH
4080	37.00	37.00	51.20B/33.00A	51.20B/33.00A	----	34.00 - 12.70	.0966	----	----	1	----	8 + 1
4085	----	----	51.80B/33.40A	51.80B/33.40A	----	34.50 - 12.80	.0979	----	----	----	----	10 UNCH
4095	----	----	53.00B/34.40A	53.00B/34.40A	----	35.40 - 13.10	.1003	----	----	----	----	1 UNCH
4100	46.00	46.00	53.70B/34.80A	53.70B/34.80A	----	35.90 - 13.20	.1015	----	----	17	240	548 + 231
4105	----	----	54.50B/35.30A	54.50B/35.30A	----	36.40 - 13.30	.1028	----	----	----	----	9 UNCH
4110	40.90	40.90	55.10B/35.80A	55.10B/35.80A	----	36.90 - 13.40	.1041	----	----	10	----	15 + 4
4115	----	----	55.80B/36.30A	55.80B/36.30A	----	37.40 - 13.50	.1054	----	----	----	----	5 UNCH
4120	----	----	56.40B/36.70A	56.40B/36.70A	----	37.90 - 13.60	.1067	----	----	----	----	6 UNCH
4125	----	----	57.30B/37.20A	57.30B/37.20A	----	38.40 - 13.80	.1080	----	----	----	----	72 UNCH
4130	----	----	58.20B/37.70A	58.20B/37.70A	----	38.90 - 13.90	.1093	----	----	----	----	65 UNCH
4135	49.80	49.80	58.60B/38.30A	58.60B/38.30A	----	39.40 NEW	.1106	----	----	9	----	7 + 7
4140	46.10	46.10	59.50B/38.80A	59.50B/38.80A	----	39.90 - 14.20	.1119	----	----	15	----	18 + 14
4145	----	----	60.20B/39.30A	60.20B/39.30A	----	40.50 - 14.30	.1134	----	----	----	----	235 UNCH
4150	44.30	44.30	61.20B/39.80A	61.20B/39.80A	----	41.00 - 14.50	.1147	----	----	12	----	132 UNCH
4155	----	----	61.80B/40.40A	61.80B/40.40A	----	41.60 - 14.50	.1162	----	----	----	----	5 UNCH
4160	----	----	62.50B/40.90A	62.50B/40.90A	----	42.10 - 14.70	.1176	----	----	1	----	3 - 1
4165	54.50	54.50	63.20B/41.50A	63.20B/41.50A	----	42.70 - 14.80	.1190	----	----	10	----	63 + 10
4170	----	----	64.10B/42.00A	64.10B/42.00A	----	43.30 - 14.90	.1205	----	----	----	----	1 UNCH
4175	----	----	64.90B/42.50A	64.90B/42.50A	----	43.80 - 15.10	.1219	----	----	----	----	42 UNCH
4190	49.20	49.20	67.40B/44.40A	67.40B/44.40A	----	45.60 - 15.50	.1264	----	----	15	----	126 - 3
4195	----	----	68.10B/45.00A	68.10B/45.00A	----	46.20 - 15.70	.1279	----	----	----	----	65 UNCH
4200	50.50	50.50	68.90B/45.60A	68.90B/45.60A	----	46.80 - 15.80	.1294	----	----	153	----	551 + 151
4205	50.10	50.10	69.80B/46.10A	69.80B/46.10A	----	47.50 - 15.90	.1311	----	----	2	----	6 + 2
4210	----	----	70.80B/46.80A	70.80B/46.80A	----	48.10 - 16.10	.1326	----	----	----	----	67 UNCH
4215	54.00	54.00	71.80B/47.50A	71.80B/47.50A	----	48.70 - 16.20	.1342	----	----	10	----	39 + 6
4220	50.70	50.70	72.40B/48.00A	72.40B/48.00A	----	49.40 - 16.30	.1358	----	----	152	----	195 + 121
4225	----	----	73.60B/48.70A	73.60B/48.70A	----	50.10 - 16.40	.1375	----	----	----	----	34 UNCH
4230	----	----	74.30B/49.30A	74.30B/49.30A	----	50.70 - 16.70	.1391	----	----	----	----	8 UNCH
4235	55.40	55.40	75.10B/50.10A	75.10B/50.10A	----	51.40 - 16.80	.1408	----	----	3	----	42 UNCH
4240	----	----	76.10B/50.60A	76.10B/50.60A	----	52.10 - 16.90	.1425	----	----	----	----	33 UNCH
4245	----	----	77.00B/51.40A	77.00B/51.40A	----	52.80 - 17.10	.1442	----	----	----	----	1 UNCH
4250	76.00	76.00	78.00B/52.10A	78.00B/52.10A	----	53.50 - 17.20	.1459	----	----	11	----	831 - 11
4255	----	----	79.00B/52.80A	79.00B/52.80A	----	54.20 - 17.40	.1476	----	----	----	----	2 UNCH
4260	----	----	79.90B/53.50A	79.90B/53.50A	----	54.90 - 17.60	.1493	----	----	----	----	4 UNCH
4265	----	----	80.90B/54.10A	80.90B/54.10A	----	55.70 - 17.70	.1511	----	----	----	----	12 UNCH
4270	----	----	81.80B/54.80A	81.80B/54.80A	----	56.40 - 17.90	.1529	----	----	----	----	1 UNCH
4275	----	----	82.90B/55.70A	82.90B/55.70A	----	57.20 - 18.00	.1547	----	----	----	----	73 UNCH
4280	----	----	84.00B/56.30A	84.00B/56.30A	----	57.90 - 18.20	.1565	----	----	1	----	39 + 1
4285	----	----	85.10B/57.20A	85.10B/57.20A	----	58.70 - 18.30	.1583	----	----	----	----	101 UNCH
4290	----	----	86.00B/57.80A	86.00B/57.80A	----	59.50 - 18.50	.1602	----	----	----	----	33 UNCH
4295	----	----	87.10B/58.60A	87.10B/58.60A	----	60.30 - 18.60	.1621	----	----	----	----	20 UNCH
4300	70.60	70.60	88.10B/59.40A	88.10B/59.40A	----	61.10 - 18.80	.1640	----	----	32	----	1239 - 27
4305	----	----	89.30B/60.30A	89.30B/60.30A	----	61.90 - 19.00	.1659	----	----	----	----	9 UNCH
4310	----	----	90.20B/61.10A	90.20B/61.10A	----	62.70 - 19.10	.1678	----	----	----	----	5 UNCH
4315	----	----	91.50B/61.80A	91.50B/61.80A	----	63.60 - 19.20	.1698	----	----	----	----	24 UNCH
4320	----	----	92.50B/62.60A	92.50B/62.60A	----	64.40 - 19.40	.1717	----	----	----	----	3 UNCH
4325	72.80	72.80	93.60B/63.40A	93.60B/63.40A	----	65.30 - 19.60	.1737	----	----	8	----	95 + 8
4330	----	----	94.70B/64.30A	94.70B/64.30A	----	66.10 - 19.80	.1756	----	----	2	----	23 + 2
4335	----	----	95.70B/65.10A	95.70B/65.10A	----	67.00 - 19.90	.1777	----	----	----	----	111 UNCH
4340	----	----	96.90B/66.00A	96.90B/66.00A	----	67.90 - 20.10	.1797	----	----	2	----	114 UNCH
4345	----	----	98.00B/66.90A	98.00B/66.90A	----	68.80 - 20.30	.1818	----	----	----	----	12 UNCH
4350	----	----	99.50B/67.70A	99.50B/67.70A	----	69.70 - 20.40	.1838	----	----	1	----	320 UNCH
4355	----	----	100.50B/68.60A	100.50B/68.60A	----	70.60 - 20.60	.1859	----	----	----	----	123 UNCH
4360	----	----	101.60B/69.60A	101.60B/69.60A	----	71.50 - 20.80	.1880	----	----	----	----	104 UNCH
4365	----	----	103.00B/70.50A	103.00B/70.50A	----	72.50 - 20.90	.1902	----	----	1	----	28 + 1
4370	----	----	104.30B/71.40A	104.30B/71.40A	----	73.40 - 21.10	.1922	----	----	----	----	140 UNCH
4375	80.60	80.60	105.30B/72.30A	105.30B/72.30A	----	74.40 - 21.30	.1944	----	----	1	----	26 - 1
4380	----	----	106.50B/73.30A	106.50B/73.30A	----	75.30 - 21.50	.1965	----	----	1	----	3 + 1
4385	----	----	107.90B/74.40A	107.90B/74.40A	----	76.30 - 21.70	.1987	----	----	----	----	52 UNCH
4390	77.40	77.40	109.20B/75.30A	109.20B/75.30A	----	77.30 - 21.80	.2010	----	----	1	----	2 UNCH
4395	----	----	110.50B/76.20A	110.50B/76.20A	----	78.30 - 22.00	.2032	----	----	----	----	13 UNCH
4400	94.20	94.20	111.90B/77.10A	111.90B/77.10A	----	79.30 - 22.20	.2054	----	----	20	----	1633 - 20
4405	87.30	87.30	113.10B/78.20A	113.10B/78.20A	----	80.40 - 22.30	.2077	----	----	10	----	11 + 10
4410	----	----	114.40B/79.30A	114.40B/79.30A	----	81.40 - 22.50	.2100	----	----	----	----	14 UNCH
4415	----	----	115.80B/80.40A	115.80B/80.40A	----	82.40 - 22.70	.2122	----	----	----	----	4 UNCH
4420	----	----	117.20B/81.40A	117.20B/81.40A	----	83.50 - 22.80	.2146	----	----	----	----	15 UNCH
4425	----	----	118.50B/82.50A	118.50B/82.50A	----	84.60 - 23.00	.2169	----	----	----	----	36 UNCH
4430	----	----	119.90B/83.70A	119.90B/83.70A	----	85.60 - 23.20	.2192	----	----	1	----	157 + 1
4435	----	----	121.20B/84.90A	121.20B/84.90A	----	86.70 - 23.40	.2215	----	----	----	----	1 UNCH
4440	----	----	122.70B/85.90A	122.70B/85.90A	----	87.80 - 23.50	.2239	----	----	----	----	36 UNCH
4445	----	----	124.10B/86.90A	124.10B/86.90A	----	89.00 - 23.60	.2264	----	----	----	----	152 UNCH
4450	90.90	90.90	125.60B/87.80A	125.60B/87.80A	----	90.10 - 23.80	.2288	----	----	1	----	584 - 1
4455	----	----	127.20B/89.20A	127.20B/89.20A	----	91.20 - 24.00	.2312	----	----	----	----	18 UNCH
4460	----	----	128.50B/90.40A	128.50B/90.40A	----	92.40 - 24.20	.2337	----	----	----	----	93 UNCH
4465	101.90	101.90	129.90B/91.50A	129.90B/91.50A	----	93.60 - 24.30	.2362	----	----	12	----	27 + 10
4470	----	----	131.80B/92.60A	131.80B/92.60A	----	94.80 - 24.50	.2387	----	----	----	----	10 UNCH
4475	96.90	96.90	133.10B/93.90A	133.10B/93.90A	----	96.00 - 24.60	.2412	----	----	1	----	28 + 1
4480	----	----	134.70B/95.10A	134.70B/95.10A	----	97.20 - 24.80	.2437	----	----	----	----	136 UNCH
4485	----	----	136.00B/96.30A	136.00B/96.30A	----	98.40 - 25.00	.2462	----	----	----	----	50 UNCH
4490	100.00	100.00	137.60B/97.30A	137.60B/97.30A	----	99.70 - 25.10	.2488	----	----	12	----	26 + 10
4495	----	----	139.30B/98.50A	139.30B/98.50A	----	100.90 - 25.40	.2514	----	----	----	----	3 UNCH
4500	137.40	137.40	140.90B/100.00A	140.90B/100.00A	----	102.20 - 25.50	.2540	----	----	259	50	589 + 66
4505	----	----	142.60B/101.30A	142.60B/101.30A	----	103.50 - 25.70	.2566	----	----	----	----	5 UNCH
4510	----	----	144.20B/102.50A	144.20B/102.50A	----	104.80 - 25.80	.2593	----	----	----	----	7 UNCH
4515	----	----	145.60B/103.80A	145.60B/103.80A	----	106.10 - 26.00	.2619	----	----	----	----	3 UNCH
4520	----	----	147.60B/104.90A	147.60B/104.90A	----	107.50 - 26.10	.2646	----	----	----	----	9 UNCH
4525	----	----	149.10B/106.20A	149.10B/106.20A	----	108.80 - 26.30	.2673	----	----	----	----	74 UNCH
4530	116.70	116.70	150.70B/107.80A	150.70B/107.80A	----	110.20 - 26.50	.2700	----	----	5	----	8 + 5
4535	----	----	152.40B/109.40A	152.40B/109.40A	----	111.60 - 26.60	.2728	----	----	----	----	2 UNCH
4540	----	----	154.30B/110.60A	154.30B/110.60A	----	113.00 - 26.80	.2755	----	----	----	----	89 UNCH
4545	----	----	155.70B/112.00A	155.70B/112.00A	----	114.40 - 26.90	.2783	----	----	----	----	20 UNCH
4550	----	----	157.90B/113.40A	157.90B/113.40A	----	115.80 - 27.10	.2810	----	----	1	----	63 UNCH
4555	----	----	159.30B/114.80A	159.30B/114.80A	----	117.30 - 27.30	.2839	----	----	----	----	15 UNCH
4560	124.20	124.20	161.20B/116.20A	161.20B/116.20A	----	118.80 - 27.40	.2867	----	----	3	----	19 + 1
4565	----	----	162.90B/117.70A	162.90B/117.70A	----	120.20 - 27.60	.2895	----	----	----	----	105 UNCH
4570	----	----	164.90B/118.80A	164.90B/118.80A	----	121.70 - 27.80	.2923	----	----	----	----	8 UNCH
4575	----	----	166.60B/120.40A	166.60B/120.40A	----	123.20 - 27.90	.2952	----	----	----	----	11 UNCH
4580	137.90	137.90	168.20B/121.80A	168.20B/121.80A	----	124.80 - 28.00	.2981	----	----	1	----	3 - 1
4585	139.50	139.50	170.40B/123.80A	170.40B/123.80A	----	126.30 - 28.20	.3010	----	----	1	----	5 + 1
4590	----	----	172.60B/124.80A	172.60B/124.80A	----	127.80 - 28.50	.3039	----	----	----	----	5 UNCH
4595	142.90	142.90	174.20B/126.70A	174.20B/126.70A	----	129.40 - 28.60	.3068	----	----	1	----	48 + 1
4600	175.00	175.00	175.60B/128.10A	175.60B/128.10A	----	131.00 - 28.70	.3098	----	----	23	----	1190 - 20
4605	----	----	177.80B/129.90A	177.80B/129.90A	----	132.60 - 28.90	.3127	----	----	----	----	1 UNCH
4610	----	----	179.70B/131.50A	179.70B/131.50A	----	134.20 - 29.10	.3157	----	----	----	----	143 UNCH
4615	----	----	181.80B/133.10A	181.80B/133.10A	----	135.80 - 29.30	.3186	----	----	----	----	12 UNCH
4620	----	----	184.00B/134.70A	184.00B/134.70A	----	137.40 - 29.50	.3216	----	----	----	----	45 UNCH
4625	153.30	153.30	185.80B/136.40A	185.80B/136.40A	----	139.10 - 29.60	.3246	----	----	1	----	27 UNCH
4630	141.30	141.30	187.90B/137.90A	187.90B/137.90A	----	140.80 - 29.80	.3277	----	----	3	----	3 + 3
4635	----	----	190.00B/139.60A	190.00B/139.60A	----	142.40 - 30.00	.3307	----	----	----	----	127 UNCH
4640	----	----	191.50B/141.40A	191.50B/141.40A	----	144.20 - 30.10	.3338	----	----	----	----	51 UNCH
4645	----	----	192.60B/143.10A	192.60B/143.10A	----	145.90 - 30.30	.3368	----	----	----	----	10 UNCH
4650	----	----	194.60B/144.80A	194.60B/144.80A	----	147.60 - 30.50	.3399	----	----	----	----	120 UNCH
4655	----	----	196.80B/146.50A	196.80B/146.50A	----	149.40 - 30.60	.3430	----	----	----	----	2 UNCH
4660	----	----	198.90B/148.00A	198.90B/148.00A	----	151.10 - 30.90	.3461	----	----	----	----	58 UNCH
4665	153.30	153.30	201.20B/150.00A	201.20B/150.00A	----	152.90 - 31.10	.3492	----	----	1	----	20 UNCH
4670	----	----	203.10B/151.90A	203.10B/151.90A	----	154.70 - 31.20	.3523	----	----	----	----	100 UNCH
4675	----	----	205.40B/153.60A	205.40B/153.60A	----	156.50 - 31.40	.3554	----	----	----	----	69 UNCH
4680	----	----	207.40B/155.50A	207.40B/155.50A	----	158.40 - 31.60	.3586	----	----	----	----	8 UNCH
4685	----	----	209.70B/157.40A	209.70B/157.40A	----	160.20 - 31.80	.3618	----	----	----	----	6 UNCH
4695	----	----	214.20B/161.10A	214.20B/161.10A	----	164.00 - 32.10	.3681	----	----	----	----	179 UNCH
4700	207.40	207.40	216.70B/162.70A	216.70B/162.70A	----	166.00 - 32.20	.3714	----	----	122	----	580 + 61
4705	----	----	218.70B/164.80A	218.70B/164.80A	----	167.90 - 32.40	.3746	----	----	----	----	6 UNCH
4710	----	----	221.10B/166.90A	221.10B/166.90A	----	169.90 - 32.50	.3778	----	----	1	----	124 UNCH
4715	----	----	223.50B/168.80A	223.50B/168.80A	----	171.80 - 32.70	.3810	----	----	----	----	1 UNCH
4720	----	----	225.60B/170.70A	225.60B/170.70A	----	173.80 - 32.90	.3843	----	----	----	----	9 UNCH
4725	----	----	228.30B/172.80A	228.30B/172.80A	----	175.90 - 32.90	.3876	----	----	----	----	205 UNCH
4730	----	----	230.30B/174.60A	230.30B/174.60A	----	177.90 - 33.10	.3908	----	----	----	----	58 UNCH
4735	----	----	232.60B/176.60A	232.60B/176.60A	----	180.00 - 33.20	.3941	----	----	----	----	11 UNCH
4740	----	----	235.20B/178.70A	235.20B/178.70A	----	182.00 - 33.40	.3974	----	----	----	----	114 UNCH
4745	----	----	237.40B/180.80A	237.40B/180.80A	----	184.10 - 33.50	.4007	----	----	----	----	115 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
4750	----	----	240.00B/182.80A	240.00B/182.80A	----	186.20 - 33.60	.4040	----	----	3	----	407 - 1
4755	----	----	242.70B/185.00A	242.70B/185.00A	----	188.40 - 33.70	.4073	----	----	----	----	9 UNCH
4760	----	----	244.80B/187.30A	244.80B/187.30A	----	190.50 - 33.90	.4106	----	----	----	----	28 UNCH
4765	----	----	247.30B/189.20A	247.30B/189.20A	----	192.70 - 34.00	.4139	----	----	----	----	302 UNCH
4770	----	----	250.50B/191.40A	250.50B/191.40A	----	194.90 - 34.10	.4173	----	----	----	----	1 UNCH
4775	----	----	252.80B/193.50A	252.80B/193.50A	----	197.10 - 34.20	.4206	----	----	----	----	43 UNCH
4780	----	----	255.60B/195.70A	255.60B/195.70A	----	199.30 - 34.40	.4240	----	----	----	----	30 UNCH
4785	----	----	258.00B/198.00A	258.00B/198.00A	----	201.50 - 34.50	.4273	----	----	----	----	17 UNCH
4790	----	----	260.60B/200.20A	260.60B/200.20A	----	203.80 - 34.60	.4307	----	----	----	----	1 UNCH
4795	----	----	263.40B/202.40A	263.40B/202.40A	----	206.00 - 34.80	.4340	----	----	----	----	7 UNCH
4800	233.00	233.00	265.50B/204.60A	265.50B/204.60A	----	208.30 - 34.90	.4374	----	----	30	150	1118 - 160
4805	210.90	210.90	268.60B/206.90A	268.60B/206.90A	----	210.60 - 35.10	.4408	----	----	2	----	3 + 2
4810	228.00	228.00	271.20B/209.30A	271.20B/209.30A	----	213.00 - 35.10	.4442	----	----	1	----	7 UNCH
4815	----	----	273.90B/211.60A	273.90B/211.60A	----	215.30 - 35.30	.4475	----	----	----	----	1 UNCH
4820	----	----	276.60B/214.00A	276.60B/214.00A	----	217.70 - 35.40	.4509	----	----	----	----	101 UNCH
4825	----	----	279.30B/216.30A	279.30B/216.30A	----	220.10 - 35.50	.4543	----	----	----	----	3 UNCH
4830	----	----	282.20B/218.70A	282.20B/218.70A	----	222.50 - 35.60	.4577	----	----	----	----	1 UNCH
4840	----	----	287.60B/223.50A	287.60B/223.50A	----	227.40 - 35.70	.4645	----	----	----	----	8 UNCH
4845	----	----	290.50B/225.90A	290.50B/225.90A	----	229.90 - 35.80	.4679	----	----	----	----	69 UNCH
4850	234.50	234.50	293.30B/228.40A	293.30B/228.40A	----	232.40 - 35.90	.4713	----	----	96	----	286 + 71
4860	----	----	298.90B/233.40A	298.90B/233.40A	----	237.40 - 36.10	.4781	----	----	----	----	1 UNCH
4865	----	----	301.80B/235.90A	301.80B/235.90A	----	240.00 - 36.20	.4815	----	----	----	----	2 UNCH
4870	----	----	304.80B/238.40A	304.80B/238.40A	----	242.60 - 36.20	.4849	----	----	----	----	318 UNCH
4875	----	----	307.70B/241.00A	307.70B/241.00A	----	245.10 - 36.40	.4883	----	----	----	----	70 UNCH
4880	----	----	310.60B/243.70A	310.60B/243.70A	----	247.80 - 36.40	.4917	----	----	----	----	11 UNCH
4890	249.50	249.50	316.50B/248.80A	316.50B/248.80A	----	253.00 - 36.70	.4985	----	----	8	----	9 + 6
4895	----	----	319.50B/251.50A	319.50B/251.50A	----	255.70 - 36.70	.5019	----	----	----	----	61 UNCH
4900	315.00	315.00	322.50B/254.00A	322.50B/254.00A	----	258.40 - 36.80	.5052	----	----	19	----	262 UNCH
4905	----	----	325.40B/256.90A	325.40B/256.90A	----	261.10 - 37.00	.5086	----	----	----	----	54 UNCH
4910	----	----	328.40B/260.00A	328.40B/260.00A	----	263.80 - 37.10	.5120	----	----	----	----	2 UNCH
4915	266.50	266.50	331.60B/262.30A	331.60B/262.30A	----	266.50 - 37.30	.5154	----	----	13	----	118 + 13
4920	----	----	334.60B/265.00A	334.60B/265.00A	----	269.30 - 37.40	.5188	----	----	----	----	22 UNCH
4925	----	----	337.60B/267.80A	337.60B/267.80A	----	272.10 - 37.50	.5221	----	----	----	----	11 UNCH
4930	----	----	340.70B/270.60A	340.70B/270.60A	----	274.90 - 37.60	.5255	----	----	----	----	52 UNCH
4935	----	----	343.00B/273.30A	343.00B/273.30A	----	277.70 - 37.80	.5289	----	----	----	----	4 UNCH
4940	----	----	345.50B/276.10A	345.50B/276.10A	----	280.50 - 37.90	.5322	----	----	----	----	11 UNCH
4950	----	----	347.70B/281.80A	347.70B/281.80A	----	286.20 - 38.20	.5389	----	----	----	----	106 UNCH
4975	----	----	363.60B/296.60A	363.60B/296.60A	----	300.80 - 38.90	.5555	----	----	----	----	2 UNCH
4980	----	----	366.80B/299.20A	366.80B/299.20A	----	303.70 - 39.10	.5588	----	----	----	----	6 UNCH
4985	----	----	370.10B/302.10A	370.10B/302.10A	----	306.70 - 39.20	.5622	----	----	----	----	104 UNCH
4990	----	----	373.30B/306.10A	373.30B/306.10A	----	309.70 - 39.30	.5655	----	----	----	----	2 UNCH
4995	----	----	375.20B/308.20A	375.20B/308.20A	----	312.70 - 39.40	.5687	----	----	----	----	12 UNCH
5000	368.40	368.40	374.90B/311.40A	374.90B/311.40A	----	315.80 - 39.50	.5720	----	----	14	----	551 - 2
5005	----	----	375.30B/314.10A	375.30B/314.10A	----	318.80 - 39.70	.5752	----	----	----	----	12 UNCH
5010	----	----	376.00B/317.30A	376.00B/317.30A	----	321.90 - 39.80	.5785	----	----	----	----	9 UNCH
5015	----	----	376.00B/320.70A	376.00B/320.70A	----	325.00 - 39.90	.5818	----	----	----	----	20 UNCH
5020	----	----	376.60B/323.40A	376.60B/323.40A	----	328.10 - 40.00	.5850	----	----	----	----	5 UNCH
5025	----	----	376.70B/326.60A	376.70B/326.60A	----	331.30 - 40.00	.5882	----	----	----	----	150 UNCH
5030	----	----	----/329.70A	374.30B/329.70A	----	334.40 - 40.10	.5914	----	----	----	----	8 UNCH
5035	----	----	----/332.80A	377.70B/332.80A	----	337.60 - 40.20	.5946	----	----	----	----	37 UNCH
5045	----	----	384.40B/339.20A	384.40B/339.20A	----	344.00 - 40.30	.6010	----	----	----	----	5 UNCH
5050	----	----	387.80B/342.40A	387.80B/342.40A	----	347.20 - 40.40	.6042	----	----	----	----	79 UNCH
5055	----	----	391.10B/347.40A	391.10B/347.40A	----	350.40 - 40.60	.6074	----	----	----	----	3 UNCH
5065	----	----	398.00B/354.30A	398.00B/354.30A	----	356.90 - 40.70	.6136	----	----	----	----	11 UNCH
5075	----	----	404.80B/360.40A	404.80B/360.40A	----	363.50 - 40.90	.6198	----	----	----	----	6 UNCH
5080	----	----	408.30B/364.70A	408.30B/364.70A	----	366.80 - 41.00	.6230	----	----	----	----	2 UNCH
5085	----	----	411.90B/367.10A	411.90B/367.10A	----	370.20 - 41.00	.6260	----	----	----	----	21 UNCH
5090	----	----	415.40B/371.40A	415.40B/371.40A	----	373.50 - 41.10	.6291	----	----	----	----	6 UNCH
5095	----	----	418.80B/374.60A	418.80B/374.60A	----	376.90 - 41.10	.6322	----	----	----	----	42 UNCH
5100	----	----	422.50B/378.00A	422.50B/378.00A	----	380.30 - 41.10	.6352	----	----	----	----	106 UNCH
5105	----	----	425.90B/381.40A	425.90B/381.40A	----	383.70 - 41.20	.6383	----	----	----	----	22 UNCH
5110	----	----	429.50B/384.80A	429.50B/384.80A	----	387.10 - 41.30	.6413	----	----	----	----	16 UNCH
5115	----	----	433.10B/388.30A	433.10B/388.30A	----	390.50 - 41.40	.6443	----	----	----	----	37 UNCH
5120	----	----	436.70B/391.70A	436.70B/391.70A	----	394.00 - 41.40	.6473	----	----	----	----	14 UNCH
5125	----	----	440.20B/395.10A	440.20B/395.10A	----	397.50 - 41.40	.6503	----	----	----	----	37 UNCH
5130	----	----	443.90B/398.60A	443.90B/398.60A	----	401.00 - 41.40	.6532	----	----	----	----	23 UNCH
5135	----	----	447.60B/402.10A	447.60B/402.10A	----	404.50 - 41.50	.6562	----	----	----	----	9 UNCH
5140	----	----	451.10B/405.60A	451.10B/405.60A	----	408.00 - 41.50	.6591	----	----	----	----	19 UNCH
5145	----	----	454.80B/409.20A	454.80B/409.20A	----	411.50 - 41.60	.6620	----	----	----	----	2 UNCH
5150	----	----	458.60B/412.70A	458.60B/412.70A	----	415.00 - 41.70	.6649	----	----	----	----	233 UNCH
5155	----	----	462.30B/416.30A	462.30B/416.30A	----	418.60 - 41.70	.6678	----	----	----	----	42 UNCH
5160	----	----	465.90B/419.80A	465.90B/419.80A	----	422.20 - 41.70	.6707	----	----	----	----	42 UNCH
5170	----	----	473.40B/427.00A	473.40B/427.00A	----	429.40 - 41.80	.6763	----	----	----	----	51 UNCH
5175	----	----	477.00B/430.60A	477.00B/430.60A	----	433.00 - 41.90	.6792	----	----	----	----	61 UNCH
5180	----	----	480.90B/434.20A	480.90B/434.20A	----	436.60 - 41.90	.6819	----	----	----	----	10 UNCH
5185	----	----	484.70B/437.90A	484.70B/437.90A	----	440.30 - 41.90	.6847	----	----	----	----	103 UNCH
5190	----	----	488.50B/441.60A	488.50B/441.60A	----	444.00 - 41.90	.6875	----	----	----	----	19 UNCH
5200	493.10	493.10	496.10B/448.90A	496.10B/448.90A	----	451.30 - 42.10	.6930	----	----	8	----	58 - 6
5225	----	----	515.30B/467.50A	515.30B/467.50A	----	470.00 - 42.20	.7065	----	----	----	----	42 UNCH
5230	----	----	519.20B/471.30A	519.20B/471.30A	----	473.80 - 42.20	.7091	----	----	----	----	2 UNCH
5235	----	----	523.30B/475.10A	523.30B/475.10A	----	477.60 - 42.30	.7116	----	----	----	----	23 UNCH
5245	----	----	531.00B/482.70A	531.00B/482.70A	----	485.20 - 42.40	.7169	----	----	----	----	2 UNCH
5250	----	----	535.00B/486.50A	535.00B/486.50A	----	489.10 - 42.30	.7194	----	----	----	----	14 UNCH
5255	----	----	539.00B/490.30A	539.00B/490.30A	----	492.90 - 42.40	.7219	----	----	----	----	14 UNCH
5285	----	----	562.80B/513.50A	562.80B/513.50A	----	516.30 - 42.60	.7369	----	----	----	----	2 UNCH
5290	----	----	566.90B/517.40A	566.90B/517.40A	----	520.20 - 42.70	.7392	----	----	----	----	4 UNCH
5295	----	----	570.90B/521.40A	570.90B/521.40A	----	524.20 - 42.60	.7417	----	----	----	----	2 UNCH
5300	----	----	575.00B/525.30A	575.00B/525.30A	----	528.10 - 42.70	.7441	----	----	----	----	67 UNCH
5315	----	----	587.40B/537.20A	587.40B/537.20A	----	540.10 - 42.80	.7511	----	----	----	----	10 UNCH
5325	----	----	595.40B/545.20A	595.40B/545.20A	----	548.10 - 42.90	.7558	----	----	----	----	1 UNCH
5350	----	----	616.30B/565.50A	616.30B/565.50A	----	568.40 - 43.00	.7670	----	----	----	----	8 UNCH
5375	----	----	637.30B/585.80A	637.30B/585.80A	----	588.90 - 43.20	.7777	----	----	----	----	7 UNCH
5390	----	----	649.90B/598.20A	649.90B/598.20A	----	601.40 - 43.20	.7840	----	----	----	----	5 UNCH
5400	----	----	658.40B/606.50A	658.40B/606.50A	----	609.70 - 43.30	.7881	----	----	----	----	602 UNCH
5410	----	----	----/615.20A	660.60B/615.20A	----	618.10 - 43.30	.7920	----	----	----	----	1 UNCH
5440	----	----	----/640.20A	648.10B/640.20A	----	643.50 - 43.40	.8037	----	----	----	----	1 UNCH
5475	----	----	720.90B/672.30A	720.90B/672.30A	----	673.50 - 43.50	.8165	----	----	----	----	6 UNCH
5500	----	----	742.90B/694.00A	742.90B/694.00A	----	695.20 - 43.50	.8251	----	----	----	----	3 UNCH
5505	----	----	----	573.40B/882.70A	----	699.50 - 43.60	.8270	----	----	----	----	1 UNCH
5510	----	----	----	578.10B/897.00A	----	703.90 - 43.50	.8286	----	----	----	----	1 UNCH
6100	----	----	----	----	----	1255.90 - 43.20	.9404	----	----	----	----	2 UNCH
6125	----	----	----	----	----	1280.30 - 43.10	.9425	----	----	----	----	2 UNCH
TOTAL										1983	440	29331+ 1032
AUG26												
2300	1.40	1.40	1.40/*1.40	1.40/1.40	----	1.40 - 0.10	.0029	----	----	1	----	32 + 1
2325	----	----	----	1.30B/1.90A	----	1.50 - 0.30	.0031	----	----	----	----	1 UNCH
2350	----	----	----	1.40B/2.20A	----	1.60 - 0.20	.0033	----	----	----	----	2 UNCH
2375	----	----	----	1.40B/2.30A	----	1.70 - 0.10	.0035	----	----	----	----	7 UNCH
2400	----	----	----	1.50B/2.40A	----	1.80 - 0.10	.0038	----	----	----	----	5 UNCH
2425	----	----	----	1.50B/2.50A	----	1.90 - 0.20	.0040	----	----	----	----	1 UNCH
2475	----	----	----	1.70B/2.70A	----	2.00 - 0.40	.0043	----	----	----	----	5 UNCH
2500	----	----	----	1.80B/2.80A	----	2.10 - 0.40	.0045	----	----	----	----	2 UNCH
2570	----	----	----/2.90A	2.10B/2.90A	----	2.40 - 0.60	.0052	----	----	----	----	9 UNCH
2580	----	----	----	2.10B/3.00A	----	2.40 - 0.60	.0052	----	----	----	----	1 UNCH
2590	----	----	----/3.00A	2.20B/3.00A	----	2.50 - 0.60	.0055	----	----	----	----	2 UNCH
2600	----	----	----/3.00A	2.20B/3.00A	----	2.50 - 0.60	.0055	----	----	----	----	2 UNCH
2615	----	----	----/3.10A	2.30B/3.10A	----	2.60 - 0.60	.0057	----	----	----	----	1 UNCH
2625	----	----	----/3.10A	2.30B/3.10A	----	2.60 - 0.70	.0057	----	----	----	----	2 UNCH
2640	----	----	----/3.20A	2.40B/3.20A	----	2.70 - 0.60	.0060	----	----	----	----	1 UNCH
2685	----	----	----/3.40A	2.60B/3.40A	----	2.90 - 0.70	.0065	----	----	----	----	1 UNCH
2690	----	----	----/3.40A	2.60B/3.40A	----	2.90 - 0.70	.0065	----	----	----	----	1 UNCH
2730	----	----	----/3.60A	2.90B/3.60A	----	3.10 - 0.70	.0070	----	----	----	----	1 UNCH
2745	----	----	----/3.70A	2.90B/3.70A	----	3.20 - 0.70	.0072	----	----	----	----	1 UNCH
2750	----	----	----/3.70A	3.00B/3.70A	----	3.20 - 0.70	.0073	----	----	----	----	4 UNCH
2800	----	----	----/4.00A	3.30B/4.00A	----	3.50 - 0.80	.0080	----	----	1	----	31 + 1
2860	----	----	----/4.40A	3.70B/4.40A	----	3.80 - 1.10	.0089	----	----	----	----	1 UNCH
2950	----	----	----/5.00A	4.60B/5.00A	----	4.30 - 1.50	.0103	----	----	----	----	8 UNCH
3000	4.70	4.70	4.70/4.70	5.10B/4.70	----	4.70 - 1.70	.0113	----	----	1	----	262 UNCH
3005	----	----	----/5.40A	5.10B/5.40A	----	4.80 - 1.70	.0116	----	----	----	----	5 UNCH
3010	----	----	----/5.40A	5.20B/5.40A	----	4.80 - 1.80	.0116	----	----	----	----	1 UNCH
3015	----	----	----/5.50A	5.20B/5.50A	----	4.90 - 1.70	.0118	----	----	----	----	1 UNCH
3025	----	----	----/5.70A	5.30B/5.70A	----	4.90 - 1.80	.0119	----	----	----	----	5 UNCH
3040	----	----	----/5.80A	5.50B/5.80A	----	5.10 - 1.80	.0124	----	----	----	----	1 UNCH
3065	----	----	----/6.00A	5.80B/6.00A	----	5.30 - 2.00	.0129	----	----	----	----	1 UNCH
3090	----	----	----/6.20A	6.20B/6.20A	----	5.60 - 2.10	.0137	----	----	----	----	1 UNCH
3095	----	----	----/6.20A	6.20B/6.20A	----	5.70 - 2.00	.0139	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
3100	----	----	----/6.30A	6.40B/6.30A	----	5.70 - 2.10	.0140	----	----	----	----	137 UNCH
3110	----	----	----/6.50A	6.50B/6.50A	----	5.80 - 2.20	.0142	----	----	----	----	15 UNCH
3120	----	----	----/6.50A	6.60B/6.50A	----	5.90 - 2.20	.0145	----	----	----	----	29 UNCH
3130	----	----	----/6.70A	6.80B/6.70A	----	6.10 - 2.20	.0150	----	----	----	----	5 UNCH
3150	----	----	----/7.00A	7.10B/7.00A	----	6.30 - 2.30	.0155	----	----	----	----	10 UNCH
3155	----	----	----/7.10A	7.20B/7.10A	----	6.40 - 2.30	.0157	----	----	----	----	3 UNCH
3160	----	----	----/7.10A	7.20B/7.10A	----	6.50 - 2.30	.0160	----	----	----	----	1 UNCH
3170	----	----	----/7.20A	7.40B/7.20A	----	6.60 - 2.40	.0163	----	----	----	----	1 UNCH
3180	----	----	----/7.30A	7.60B/7.30A	----	6.70 - 2.50	.0166	----	----	----	----	25 UNCH
3185	----	----	----/7.40A	7.70B/7.40A	----	6.80 - 2.40	.0168	----	----	----	----	1 UNCH
3190	----	----	----/7.50A	7.80B/7.50A	----	6.90 - 2.40	.0170	----	----	----	----	881 UNCH
3195	----	----	----/7.60A	7.90B/7.60A	----	6.90 - 2.50	.0171	----	----	----	----	1 UNCH
3200	----	----	----/7.70A	8.00B/7.70A	----	7.00 - 2.50	.0173	----	----	----	----	406 UNCH
3250	----	----	----/8.30A	9.00B/8.30A	----	7.80 - 2.80	.0194	----	----	----	----	405 UNCH
3260	----	----	----/8.30A	9.30B/8.30A	----	7.90 - 2.90	.0197	----	----	----	----	30 UNCH
3300	----	----	----/9.10A	10.10B/9.10A	----	8.60 - 3.20	.0215	----	----	5	----	160 + 3
3350	----	----	----/10.00A	11.40B/10.00A	----	9.60 - 3.50	.0240	----	----	----	----	371 UNCH
3370	----	----	----/10.60A	11.80B/10.60A	----	10.00 - 3.70	.0251	----	----	----	----	1 UNCH
3375	----	----	----/10.50A	12.00B/10.50A	----	10.20 - 3.70	.0255	----	----	----	----	15 UNCH
3380	----	----	----/10.80A	12.10B/10.80A	----	10.30 - 3.80	.0258	----	----	----	----	1 UNCH
3390	----	----	----/10.90A	12.40B/10.90A	----	10.50 - 3.90	.0263	----	----	----	----	1 UNCH
3400	11.90	11.90	11.90/11.20A	12.80B/11.20A	----	10.70 - 4.00	.0269	----	----	1	----	23 UNCH
3405	----	----	----/11.30A	12.90B/11.30A	----	10.80 - 4.10	.0271	----	----	----	----	4 UNCH
3450	----	----	----/12.40A	14.40B/12.40A	----	12.00 - 4.40	.0301	----	----	----	----	1 UNCH
3465	----	----	----/12.80A	14.80B/12.80A	----	12.40 - 4.60	.0311	----	----	----	----	6 UNCH
3470	----	----	----/13.00A	15.00B/13.00A	----	12.50 - 4.70	.0314	----	----	----	----	1 UNCH
3495	----	----	----/13.70A	15.90B/13.70A	----	13.20 - 5.00	.0332	----	----	----	----	1 UNCH
3500	15.00	15.00	15.00/13.80A	16.20B/13.80A	----	13.40 - 5.00	.0337	----	----	3	----	1021 - 1
3505	----	----	----/13.90A	16.30B/13.90A	----	13.50 - 5.10	.0340	----	----	----	----	1 UNCH
3510	----	----	----/14.10A	16.50B/14.10A	----	13.70 - 5.10	.0344	----	----	----	----	50 UNCH
3520	----	----	----/14.40A	16.90B/14.40A	----	14.00 - 5.30	.0352	----	----	----	----	210 UNCH
3525	----	----	----/14.60A	17.10B/14.60A	----	14.20 - 5.30	.0357	----	----	----	----	60 UNCH
3545	----	----	----/15.20A	18.30B/15.20A	----	14.80 - 5.60	.0372	----	----	----	----	9 UNCH
3550	----	----	----/15.40A	18.20B/15.40A	----	15.00 - 5.60	.0377	----	----	----	----	115 UNCH
3570	----	----	----/16.00A	19.00B/16.00A	----	15.70 - 5.90	.0394	----	----	----	----	32 UNCH
3575	----	----	----/16.20A	19.80B/16.20A	----	15.90 - 6.00	.0399	----	----	----	----	20 UNCH
3585	----	----	----/16.60A	20.30B/16.60A	----	16.20 - 6.20	.0407	----	----	----	----	50 UNCH
3600	----	----	----/17.10A	22.70B/17.10A	----	16.80 - 6.30	.0422	----	----	----	----	551 UNCH
3610	----	----	----/17.50A	23.10B/17.50A	----	17.20 - 6.50	.0432	----	----	----	----	1 UNCH
3630	----	----	----/18.40A	24.40B/18.40A	----	18.00 - 6.80	.0451	----	----	----	----	8 UNCH
3645	----	----	27.10B/18.60A	27.10B/18.60A	----	18.60 - 7.10	.0467	----	----	----	----	22 UNCH
3650	----	----	27.50B/19.00A	27.50B/19.00A	----	18.90 - 7.10	.0473	----	----	----	----	40 UNCH
3655	----	----	27.70B/19.20A	27.70B/19.20A	----	19.10 - 7.20	.0478	----	----	----	----	55 UNCH
3660	----	----	28.10B/19.40A	28.10B/19.40A	----	19.30 - 7.30	.0483	----	----	----	----	9 UNCH
3665	----	----	28.50B/19.50A	28.50B/19.50A	----	19.50 - 7.40	.0488	----	----	----	----	1 UNCH
3675	----	----	29.10B/20.10A	29.10B/20.10A	----	20.00 - 7.50	.0500	----	----	----	----	24 UNCH
3690	----	----	30.20B/20.60A	30.20B/20.60A	----	20.70 - 7.70	.0517	----	----	2	----	12 + 2
3700	----	----	30.90B/21.10A	30.90B/21.10A	----	21.20 - 7.90	.0529	----	----	----	----	221 UNCH
3705	----	----	31.20B/21.50A	31.20B/21.50A	----	21.50 - 7.90	.0536	----	----	----	----	20 UNCH
3715	----	----	32.00B/21.80A	32.00B/21.80A	----	22.00 - 8.10	.0548	----	----	----	----	30 UNCH
3725	----	----	32.70B/22.50A	32.70B/22.50A	----	22.50 - 8.30	.0561	----	----	----	----	4 UNCH
3730	----	----	33.10B/22.60A	33.10B/22.60A	----	22.80 - 8.40	.0568	----	----	----	----	10 UNCH
3750	----	----	34.70B/23.70A	34.70B/23.70A	----	23.90 - 8.70	.0594	----	----	----	----	77 UNCH
3765	----	----	35.90B/24.60A	35.90B/24.60A	----	24.70 - 9.00	.0614	----	----	----	----	100 UNCH
3770	----	----	36.40B/24.80A	36.40B/24.80A	----	25.00 - 9.10	.0621	----	----	----	----	4 UNCH
3775	----	----	36.80B/25.10A	36.80B/25.10A	----	25.30 - 9.20	.0628	----	----	----	----	12 UNCH
3790	----	----	38.10B/26.00A	38.10B/26.00A	----	26.20 NEW	.0649	----	----	2	----	2 + 2
3795	----	----	38.50B/26.30A	38.50B/26.30A	----	26.50 - 9.60	.0656	----	----	----	----	80 UNCH
3800	----	----	39.00B/26.60A	39.00B/26.60A	----	26.90 - 9.60	.0665	----	----	----	----	317 UNCH
3805	----	----	39.40B/26.90A	39.40B/26.90A	----	27.20 - 9.70	.0672	----	----	----	----	4 UNCH
3810	----	----	39.90B/27.30A	39.90B/27.30A	----	27.50 - 9.90	.0680	----	----	----	----	50 UNCH
3815	----	----	40.30B/27.60A	40.30B/27.60A	----	27.80 - 10.00	.0687	----	----	----	----	150 UNCH
3820	----	----	40.80B/27.90A	40.80B/27.90A	----	28.20 - 10.00	.0696	----	----	----	----	52 UNCH
3825	----	----	41.30B/28.20A	41.30B/28.20A	----	28.50 - 10.20	.0703	----	----	----	----	51 UNCH
3835	----	----	42.20B/28.80A	42.20B/28.80A	----	29.20 - 10.30	.0719	----	----	----	----	10 UNCH
3850	----	----	43.70B/29.90A	43.70B/29.90A	----	30.30 - 10.60	.0744	----	----	----	----	86 UNCH
3855	----	----	44.20B/30.20A	44.20B/30.20A	----	30.60 - 10.80	.0752	----	----	----	----	3 UNCH
3875	----	----	46.30B/31.80A	46.30B/31.80A	----	32.10 - 11.20	.0786	----	----	----	----	10 UNCH
3880	----	----	46.80B/32.10A	46.80B/32.10A	----	32.50 - 11.30	.0795	----	----	----	----	297 UNCH
3890	----	----	47.90B/32.90A	47.90B/32.90A	----	33.30 - 11.40	.0814	----	----	----	----	73 UNCH
3900	----	----	49.00B/33.60A	49.00B/33.60A	----	34.10 - 11.70	.0832	----	----	----	----	306 UNCH
3910	----	----	50.10B/34.50A	50.10B/34.50A	----	34.90 - 11.90	.0850	----	----	----	----	1 UNCH
3925	----	----	51.90B/35.70A	51.90B/35.70A	----	36.20 - 12.20	.0879	----	----	----	----	10 UNCH
3930	----	----	52.70B/36.10A	52.70B/36.10A	----	36.60 - 12.30	.0889	----	----	----	----	38 UNCH
3950	----	----	55.10B/37.90A	55.10B/37.90A	----	38.40 - 12.80	.0929	----	----	----	----	246 UNCH
3965	----	----	56.90B/39.30A	56.90B/39.30A	----	39.80 - 13.10	.0960	----	----	----	----	14 UNCH
3975	----	----	58.30B/40.20A	58.30B/40.20A	----	40.80 - 13.30	.0982	----	----	----	----	267 UNCH
3980	----	----	58.90B/40.60A	58.90B/40.60A	----	41.30 - 13.40	.0993	----	----	----	----	46 UNCH
3985	----	----	59.60B/41.10A	59.60B/41.10A	----	41.80 - 13.50	.1004	----	----	----	----	2 UNCH
3990	----	----	60.30B/41.60A	60.30B/41.60A	----	42.30 - 13.60	.1015	----	----	----	----	44 UNCH
3995	----	----	61.00B/42.10A	61.00B/42.10A	----	42.80 - 13.80	.1026	----	----	----	----	4 UNCH
4000	45.50	45.50	61.60B/42.60A	61.60B/42.60A	----	43.30 - 13.90	.1037	----	----	73	500	1587 + 408
4005	----	----	62.40B/43.10A	62.40B/43.10A	----	43.80 - 14.00	.1048	----	----	----	----	3 UNCH
4010	----	----	63.00B/43.60A	63.00B/43.60A	----	44.30 - 14.20	.1060	----	----	----	----	78 UNCH
4025	----	----	65.10B/45.20A	65.10B/45.20A	----	46.00 - 14.40	.1096	----	----	----	----	90 UNCH
4030	----	----	65.90B/45.70A	65.90B/45.70A	----	46.50 - 14.60	.1107	----	----	----	----	50 UNCH
4040	----	----	67.30B/46.80A	67.30B/46.80A	----	47.60 - 14.90	.1131	----	----	----	----	15 UNCH
4045	----	----	68.20B/47.40A	68.20B/47.40A	----	48.20 - 15.00	.1144	----	----	----	----	30 UNCH
4050	----	----	68.80B/48.10A	68.80B/48.10A	----	48.80 - 15.10	.1156	----	----	----	----	299 UNCH
4075	----	----	72.80B/51.00A	72.80B/51.00A	----	51.80 - 15.70	.1220	----	----	----	----	5 UNCH
4085	----	----	74.50B/52.20A	74.50B/52.20A	----	53.00 - 16.00	.1246	----	----	----	----	28 UNCH
4095	----	----	76.00B/53.50A	76.00B/53.50A	----	54.30 - 16.20	.1273	----	----	----	----	4 UNCH
4100	----	----	77.20B/54.10A	77.20B/54.10A	----	54.90 - 16.40	.1286	----	----	----	----	90 UNCH
4110	----	----	78.50B/55.40A	78.50B/55.40A	----	56.20 - 16.60	.1313	----	----	----	----	1 UNCH
4115	----	----	79.70B/56.00A	79.70B/56.00A	----	56.90 - 16.70	.1327	----	----	----	----	6 UNCH
4120	----	----	80.40B/56.60A	80.40B/56.60A	----	57.60 - 16.80	.1342	----	----	----	----	1 UNCH
4130	----	----	82.20B/58.00A	82.20B/58.00A	----	58.90 - 17.20	.1369	----	----	----	----	5 UNCH
4135	67.10	67.10	83.20B/58.70A	83.20B/58.70A	----	59.60 - 17.30	.1384	----	----	6	----	26 + 6
4140	----	----	83.90B/59.40A	83.90B/59.40A	----	60.30 - 17.40	.1398	----	----	----	----	1 UNCH
4145	----	----	85.10B/60.10A	85.10B/60.10A	----	61.00 - 17.60	.1413	----	----	----	----	20 UNCH
4150	----	----	85.80B/60.80A	85.80B/60.80A	----	61.80 - 17.60	.1428	----	----	20	----	309 - 20
4160	70.50	70.50	87.70B/62.20A	87.70B/62.20A	----	63.20 - 17.90	.1458	----	----	4	----	60 + 4
4165	----	----	88.90B/62.90A	88.90B/62.90A	----	64.00 - 18.00	.1473	----	----	----	----	100 UNCH
4170	----	----	89.70B/63.70A	89.70B/63.70A	----	64.70 - 18.20	.1488	----	----	----	----	77 UNCH
4175	----	----	90.80B/64.40A	90.80B/64.40A	----	65.50 - 18.30	.1504	----	----	----	----	25 UNCH
4180	----	----	92.00B/65.20A	92.00B/65.20A	----	66.30 - 18.40	.1520	----	----	----	----	91 UNCH
4185	----	----	92.70B/65.90A	92.70B/65.90A	----	67.00 - 18.60	.1534	----	----	----	----	40 UNCH
4190	----	----	93.70B/66.70A	93.70B/66.70A	----	67.80 - 18.70	.1550	----	----	----	----	140 UNCH
4195	----	----	94.80B/67.50A	94.80B/67.50A	----	68.60 - 18.90	.1566	----	----	----	----	143 UNCH
4200	76.70	76.70	95.40B/68.30A	95.40B/68.30A	----	69.40 - 19.00	.1582	----	----	10	----	186 + 10
4205	78.70	78.70	96.70B/69.10A	96.70B/69.10A	----	70.20 - 19.20	.1598	----	----	6	----	19 + 6
4215	----	----	98.80B/70.70A	98.80B/70.70A	----	71.90 - 19.40	.1632	----	----	----	----	1 UNCH
4220	----	----	99.80B/71.50A	99.80B/71.50A	----	72.70 - 19.60	.1648	----	----	----	----	9 UNCH
4225	----	----	101.00B/72.30A	101.00B/72.30A	----	73.50 - 19.70	.1664	----	----	----	----	1 UNCH
4230	----	----	101.90B/73.20A	101.90B/73.20A	----	74.40 - 19.80	.1681	----	----	----	----	10 UNCH
4245	----	----	105.20B/75.70A	105.20B/75.70A	----	77.00 - 20.30	.1732	----	----	----	----	32 UNCH
4250	----	----	106.20B/76.60A	106.20B/76.60A	----	77.90 - 20.40	.1750	----	----	1	----	175 UNCH
4255	----	----	107.40B/77.50A	107.40B/77.50A	----	78.80 - 20.60	.1767	----	----	----	----	883 UNCH
4260	----	----	108.90B/78.40A	108.90B/78.40A	----	79.70 - 20.70	.1784	----	----	----	----	8 UNCH
4270	----	----	110.90B/80.20A	110.90B/80.20A	----	81.60 - 20.90	.1821	----	----	----	----	3 UNCH
4275	91.80	91.80	112.30B/81.10A	112.30B/81.10A	----	82.50 NEW	.1838	----	----	6	----	6 + 6
4285	----	----	114.60B/83.00A	114.60B/83.00A	----	84.40 - 21.40	.1874	----	----	----	----	170 UNCH
4290	----	----	115.70B/84.00A	115.70B/84.00A	----	85.40 - 21.50	.1893	----	----	----	----	2 UNCH
4295	----	----	117.00B/84.90A	117.00B/84.90A	----	86.40 - 21.70	.1912	----	----	----	----	2 UNCH
4300	----	----	118.20B/85.90A	118.20B/85.90A	----	87.30 - 21.90	.1930	----	----	1	----	437 UNCH
4305	----	----	119.20B/86.90A	119.20B/86.90A	----	88.30 - 22.00	.1948	----	----	----	----	100 UNCH
4310	----	----	120.80B/87.90A	120.80B/87.90A	----	89.30 - 22.20	.1967	----	----	----	----	1 UNCH
4315	100.40	100.40	121.80B/88.90A	121.80B/88.90A	----	90.40 NEW	.1987	----	----	8	----	8 + 8
4320	----	----	123.30B/89.90A	123.30B/89.90A	----	91.40 - 22.40	.2006	----	----	----	----	5 UNCH
4325	----	----	124.60B/90.90A	124.60B/90.90A	----	92.40 - 22.60	.2025	----	----	----	----	275 UNCH
4330	----	----	125.60B/91.90A	125.60B/91.90A	----	93.50 - 22.70	.2045	----	----	----	----	101 UNCH
4340	----	----	128.20B/94.00A	128.20B/94.00A	----	95.60 - 23.00	.2084	----	----	----	----	1 UNCH
4350	----	----	130.90B/96.20A	130.90B/96.20A	----	97.80 - 23.30	.2124	----	----	----	----	632 UNCH
4355	----	----	132.40B/97.30A	132.40B/97.30A	----	98.90 - 23.50	.2144	----	----	----	----	2 UNCH
4360	----	----	133.60B/98.40A	133.60B/98.40A	----	100.00 - 23.60	.2164	----	----	----	----	50 UNCH
4365	----	----	134.90B/99.50A	134.90B/99.50A	----	101.10 - 23.80	.2184	----	----	----	----	100 UNCH
4380	----	----	139.40B/102.90A	139.40B/102.90A	----	104.50 - 24.30	.2246	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
4385	117.00	117.00	140.70B/104.00A	140.70B/104.00A	----	105.70 NEW	.2267	----	----	8	----	8 + 8
4390	----	----	142.30B/105.10A	142.30B/105.10A	----	106.90 - 24.50	.2288	----	----	----	----	6 UNCH
4395	----	----	143.50B/106.30A	143.50B/106.30A	----	108.10 - 24.70	.2309	----	----	----	----	1 UNCH
4400	110.40	110.40	145.20B/107.60A	145.20B/107.60A	----	109.30 - 24.80	.2330	----	----	1	----	838 + 1
4410	----	----	148.10B/109.90A	148.10B/109.90A	----	111.70 - 25.20	.2373	----	----	----	----	1 UNCH
4415	----	----	149.60B/111.30A	149.60B/111.30A	----	113.00 - 25.30	.2395	----	----	----	----	6 UNCH
4420	----	----	151.30B/112.40A	151.30B/112.40A	----	114.20 - 25.50	.2416	----	----	----	----	2 UNCH
4425	----	----	152.70B/113.70A	152.70B/113.70A	----	115.50 - 25.60	.2439	----	----	----	----	3 UNCH
4435	----	----	155.80B/116.20A	155.80B/116.20A	----	118.10 - 25.90	.2483	----	----	----	----	6 UNCH
4440	----	----	157.20B/117.60A	157.20B/117.60A	----	119.40 - 26.00	.2505	----	----	----	----	37 UNCH
4450	----	----	160.30B/120.10A	160.30B/120.10A	----	122.00 - 26.30	.2550	----	----	----	----	325 UNCH
4455	----	----	162.30B/121.50A	162.30B/121.50A	----	123.40 - 26.40	.2573	----	----	----	----	1 UNCH
4460	----	----	163.90B/122.70A	163.90B/122.70A	----	124.70 - 26.60	.2596	----	----	----	----	4 UNCH
4465	----	----	165.50B/124.10A	165.50B/124.10A	----	126.10 - 26.80	.2619	----	----	----	----	10 UNCH
4470	----	----	166.70B/125.50A	166.70B/125.50A	----	127.50 - 26.90	.2642	----	----	----	----	14 UNCH
4475	----	----	168.80B/126.80A	168.80B/126.80A	----	128.90 - 27.00	.2665	----	----	----	----	15 UNCH
4480	143.60	143.60	170.50B/128.20A	170.50B/128.20A	----	130.30 - 27.20	.2689	----	----	100	----	107 + 99
4485	----	----	172.10B/129.60A	172.10B/129.60A	----	131.70 - 27.30	.2712	----	----	----	----	10 UNCH
4490	----	----	173.50B/131.00A	173.50B/131.00A	----	133.20 - 27.40	.2736	----	----	----	----	3 UNCH
4500	146.20	146.20	177.30B/133.90A	177.30B/133.90A	----	136.10 - 27.70	.2783	----	----	82	400	1302 + 458
4505	----	----	179.10B/135.30A	179.10B/135.30A	----	137.60 - 27.80	.2807	----	----	----	----	3 UNCH
4515	----	----	182.60B/138.30A	182.60B/138.30A	----	140.60 - 28.10	.2856	----	----	----	----	1 UNCH
4525	----	----	186.30B/141.20A	186.30B/141.20A	----	143.60 - 28.50	.2904	----	----	----	----	1 UNCH
4535	----	----	189.90B/144.30A	189.90B/144.30A	----	146.70 - 28.70	.2953	----	----	----	----	10 UNCH
4545	----	----	193.60B/147.40A	193.60B/147.40A	----	149.90 - 29.00	.3003	----	----	----	----	21 UNCH
4550	----	----	195.50B/149.00A	195.50B/149.00A	----	151.50 - 29.10	.3028	----	----	----	----	2 UNCH
4560	----	----	199.30B/152.20A	199.30B/152.20A	----	154.70 - 29.40	.3078	----	----	----	----	3 UNCH
4570	173.80	173.80	203.00B/155.40A	203.00B/155.40A	----	158.00 - 29.70	.3129	----	----	8	----	10 + 8
4575	----	----	205.20B/157.00A	205.20B/157.00A	----	159.70 - 29.80	.3155	----	----	----	----	3 UNCH
4580	----	----	207.00B/158.70A	207.00B/158.70A	----	161.40 - 30.00	.3180	----	----	100	----	165 + 15
4585	----	----	208.80B/160.40A	208.80B/160.40A	----	163.10 - 30.10	.3206	----	----	----	----	2 UNCH
4590	----	----	210.80B/162.10A	210.80B/162.10A	----	164.80 - 30.20	.3232	----	----	----	----	6 UNCH
4600	175.50	175.50	215.00B/165.50A	215.00B/165.50A	----	168.30 - 30.50	.3284	----	----	5	----	355 + 1
4605	----	----	217.20B/167.20A	217.20B/167.20A	----	170.10 - 30.60	.3310	----	----	----	----	3 UNCH
4610	172.00	172.00	219.20B/169.00A	219.20B/169.00A	----	171.80 NEW	.3336	----	----	2	----	2 + 2
4620	----	----	223.50B/172.50A	223.50B/172.50A	----	175.40 - 31.10	.3388	----	----	----	----	3 UNCH
4625	----	----	225.50B/174.40A	225.50B/174.40A	----	177.20 - 31.20	.3415	----	----	----	----	100 UNCH
4640	----	----	230.20B/179.80A	230.20B/179.80A	----	182.80 - 31.50	.3495	----	----	202	----	302 + 202
4645	----	----	232.90B/181.70A	232.90B/181.70A	----	184.60 - 31.70	.3522	----	----	----	----	127 UNCH
4650	217.50	217.50	235.10B/183.50A	235.10B/183.50A	----	186.50 - 31.90	.3548	----	----	5	----	312 + 3
4665	----	----	241.00B/189.20A	241.00B/189.20A	----	192.30 - 32.20	.3630	----	----	----	----	1 UNCH
4675	----	----	245.90B/193.10A	245.90B/193.10A	----	196.10 - 32.60	.3684	----	----	----	----	2 UNCH
4680	----	----	247.80B/195.10A	247.80B/195.10A	----	198.10 - 32.70	.3711	----	----	----	----	5 UNCH
4700	232.90	232.90	257.60B/203.10A	257.60B/203.10A	----	206.10 - 33.30	.3821	----	----	21	----	473 + 20
4705	----	----	259.40B/205.00A	259.40B/205.00A	----	208.20 - 33.40	.3849	----	----	----	----	50 UNCH
4710	210.50	210.50	261.60B/207.10A	261.60B/207.10A	----	210.20 - 33.60	.3876	----	----	2	----	6 + 2
4715	----	----	264.00B/209.30A	264.00B/209.30A	----	212.30 - 33.70	.3904	----	----	----	----	1 UNCH
4720	----	----	266.40B/211.20A	266.40B/211.20A	----	214.40 - 33.80	.3932	----	----	----	----	9 UNCH
4725	----	----	268.90B/213.30A	268.90B/213.30A	----	216.50 - 34.00	.3960	----	----	----	----	30 UNCH
4730	----	----	271.20B/215.40A	271.20B/215.40A	----	218.60 - 34.20	.3988	----	----	----	----	1 UNCH
4735	274.50	274.50	274.50/217.70A	274.50/217.70A	----	220.80 - 34.20	.4016	----	----	22	----	59 + 19
4740	----	----	276.10B/219.70A	276.10B/219.70A	----	222.90 - 34.40	.4044	----	----	----	----	15 UNCH
4745	----	----	279.50B/222.00A	279.50B/222.00A	----	225.10 - 34.50	.4072	----	----	----	----	3 UNCH
4750	----	----	281.10B/224.20A	281.10B/224.20A	----	227.30 - 34.70	.4101	----	----	1	----	176 + 1
4760	----	----	286.10B/228.70A	286.10B/228.70A	----	231.80 - 34.90	.4157	----	----	----	----	1 UNCH
4775	----	----	293.90B/235.30A	293.90B/235.30A	----	238.60 - 35.20	.4242	----	----	----	----	57 UNCH
4780	268.00	268.00	297.30B/237.60A	297.30B/237.60A	----	240.90 NEW	.4271	----	----	14	----	14 + 14
4785	289.00	289.00	300.30B/239.90A	300.30B/239.90A	----	243.20 - 35.40	.4299	----	----	15	----	17 + 15
4795	----	----	305.50B/244.60A	305.50B/244.60A	----	247.90 - 35.70	.4356	----	----	----	----	2 UNCH
4800	----	----	307.20B/246.90A	307.20B/246.90A	----	250.20 - 35.90	.4385	----	----	1	200	847 + 200
4805	----	----	309.70B/249.20A	309.70B/249.20A	----	252.60 - 36.00	.4413	----	----	----	----	1 UNCH
4810	----	----	312.70B/251.60A	312.70B/251.60A	----	255.00 NEW	.4442	----	----	3	----	3 + 3
4820	----	----	318.90B/256.40A	318.90B/256.40A	----	259.80 - 36.40	.4499	----	----	----	----	1 UNCH
4835	----	----	325.90B/263.80A	325.90B/263.80A	----	267.20 - 36.70	.4585	----	----	25	----	36 + 25
4840	----	----	328.70B/266.30A	328.70B/266.30A	----	269.70 - 36.80	.4614	----	----	----	----	11 UNCH
4850	----	----	334.20B/271.20A	334.20B/271.20A	----	274.70 - 37.10	.4671	----	----	60	----	66 + 60
4855	----	----	338.30B/273.70A	338.30B/273.70A	----	277.30 - 37.10	.4700	----	----	----	----	10 UNCH
4865	----	----	342.70B/278.80A	342.70B/278.80A	----	282.50 - 37.30	.4757	----	----	----	----	2 UNCH
4870	----	----	346.90B/281.50A	346.90B/281.50A	----	285.10 - 37.30	.4786	----	----	----	----	14 UNCH
4875	----	----	347.00B/284.00A	347.00B/284.00A	----	287.80 - 37.30	.4815	----	----	----	----	76 UNCH
4900	----	----	358.40B/297.40A	358.40B/297.40A	----	301.20 - 37.70	.4957	----	----	10	----	355 + 10
4905	----	----	360.50B/299.90A	360.50B/299.90A	----	303.90 - 37.80	.4986	----	----	----	----	17 UNCH
4925	----	----	373.10B/311.40A	373.10B/311.40A	----	315.00 - 38.00	.5099	----	----	----	----	50 UNCH
4950	----	----	387.20B/325.40A	387.20B/325.40A	----	329.10 - 38.40	.5240	----	----	----	----	31 UNCH
4955	----	----	391.10B/328.20A	391.10B/328.20A	----	332.00 - 38.50	.5269	----	----	----	----	1 UNCH
4980	----	----	406.40B/342.90A	406.40B/342.90A	----	346.50 - 38.90	.5408	----	----	----	----	1 UNCH
5000	----	----	418.90B/356.20A	418.90B/356.20A	----	358.40 - 39.30	.5520	----	----	----	----	317 UNCH
5010	----	----	425.70B/362.30A	425.70B/362.30A	----	364.40 - 39.50	.5575	----	----	----	----	1 UNCH
5025	----	----	434.90B/371.40A	434.90B/371.40A	----	373.60 - 39.70	.5657	----	----	----	----	25 UNCH
5030	----	----	438.80B/374.60A	438.80B/374.60A	----	376.60 - 39.90	.5685	----	----	----	----	1 UNCH
5040	----	----	444.70B/380.60A	444.70B/380.60A	----	382.80 - 40.10	.5739	----	----	----	----	4 UNCH
5045	----	----	447.40B/383.90A	447.40B/383.90A	----	385.90 - 40.20	.5766	----	----	----	----	31 UNCH
5050	----	----	450.80B/387.00A	450.80B/387.00A	----	389.10 - 40.20	.5794	----	----	----	----	351 UNCH
5070	----	----	450.20B/399.70A	450.20B/399.70A	----	401.80 - 40.60	.5901	----	----	----	----	17 UNCH
5080	----	----	451.50B/406.30A	451.50B/406.30A	----	408.20 - 40.80	.5954	----	----	----	----	3 UNCH
5100	----	----	----/419.40A	461.40B/419.40A	----	421.30 - 41.00	.6059	----	----	----	----	81 UNCH
5120	----	----	----/432.80A	475.40B/432.80A	----	434.60 - 41.30	.6163	----	----	----	----	2 UNCH
5180	----	----	518.20B/473.90A	518.20B/473.90A	----	476.10 - 41.80	.6463	----	----	----	----	1 UNCH
5195	----	----	529.10B/484.70A	529.10B/484.70A	----	486.70 - 42.00	.6535	----	----	----	----	2 UNCH
5200	----	----	532.80B/488.00A	532.80B/488.00A	----	490.30 - 42.00	.6560	----	----	----	----	112 UNCH
5265	----	----	581.30B/535.60A	581.30B/535.60A	----	538.00 - 42.30	.6860	----	----	----	----	1 UNCH
5300	----	----	----/561.90A	579.10B/561.90A	----	564.50 - 42.40	.7013	----	----	----	----	3 UNCH
5355	----	----	----	461.30B/793.30A	----	607.10 - 42.80	.7243	----	----	----	----	1 UNCH
5400	----	----	----	499.30B/845.10A	----	642.80 - 43.00	.7421	----	----	----	----	76 UNCH
5460	----	----	----	551.30B/882.40A	----	691.60 - 43.30	.7643	----	----	----	----	1 UNCH
5500	----	----	----	586.60B/924.90A	----	724.70 - 43.60	.7782	----	----	----	----	3 UNCH
5530	----	----	----	613.40B/947.90A	----	750.00 - 43.70	.7880	----	----	----	----	1 UNCH
5575	----	----	----	654.10B/986.50A	----	788.30 - 43.90	.8021	----	----	----	----	2 UNCH
TOTAL										838	1,100	22020+ 1602
SEP26												
2350	----	----	----	0.10B/15.10A	----	1.60 - 0.60	.0033	----	----	----	----	54 UNCH
2375	----	----	----	0.20B/6.60A	----	1.70 - 0.70	.0035	----	----	----	----	3 UNCH
2400	----	----	----	0.20B/6.80A	----	1.80 - 0.70	.0037	----	----	----	----	1 UNCH
2500	----	----	----	1.00B/4.00A	----	2.20 - 0.90	.0046	----	----	----	----	4 UNCH
2600	----	----	----	1.40B/4.40A	----	2.80 - 1.00	.0059	----	----	----	----	2 UNCH
3000	----	----	----/8.20A	4.60B/8.20A	----	6.20 - 2.30	.0138	----	----	----	----	2 UNCH
3145	----	----	----/10.20A	7.00B/10.20A	----	8.60 - 3.10	.0192	----	----	----	----	15 UNCH
3150	----	----	----/10.60A	7.00B/10.60A	----	8.70 - 3.10	.0194	----	----	----	----	2 UNCH
3200	----	----	----/11.20A	7.90B/11.20A	----	9.60 - 3.60	.0215	----	----	----	----	1 UNCH
3270	----	----	----/12.90A	9.80B/12.90A	----	11.20 - 4.20	.0251	----	----	----	----	15 UNCH
3300	----	----	----/13.60A	10.60B/13.60A	----	12.00 - 4.40	.0268	----	----	----	----	1 UNCH
3475	----	----	----/19.50A	16.80B/19.50A	----	17.40 - 6.30	.0389	----	----	----	----	2 UNCH
3480	----	----	----/19.70A	17.10B/19.70A	----	17.60 - 6.40	.0393	----	----	----	----	780 UNCH
3500	----	----	----/20.50A	18.00B/20.50A	----	18.40 - 6.60	.0410	----	----	----	----	19 UNCH
3525	----	----	----/21.40A	24.10B/21.40A	----	19.40 - 7.00	.0432	----	----	----	----	2 UNCH
3565	----	----	----/23.20A	26.80B/23.20A	----	21.10 - 7.60	.0470	----	----	----	----	1 UNCH
3610	----	----	----/25.40A	29.80B/25.40A	----	23.30 - 8.20	.0517	----	----	----	----	1 UNCH
3625	----	----	----/26.30A	30.90B/26.30A	----	24.10 - 8.40	.0534	----	----	----	----	1 UNCH
3650	----	----	----/27.60A	32.90B/27.60A	----	25.40 - 8.90	.0562	----	----	----	----	66 UNCH
3700	----	----	----/29.30A	37.00B/29.30A	----	28.40 - 9.70	.0625	----	----	----	----	144 UNCH
3720	----	----	----/31.10A	38.60B/31.10A	----	29.70 - 10.10	.0652	----	----	----	----	50 UNCH
3755	----	----	----/32.70A	41.70B/32.70A	----	32.10 - 10.70	.0701	----	----	----	----	310 UNCH
3800	----	----	----/36.80A	46.20B/36.80A	----	35.40 - 11.60	.0769	----	----	----	----	1 UNCH
3850	----	----	----/40.80A	51.80B/40.80A	----	39.60 - 12.60	.0853	----	----	----	----	20 UNCH
3880	----	----	----/44.20A	55.30B/44.20A	----	42.40 - 13.20	.0908	----	----	----	----	26 UNCH
3900	----	----	58.00B/46.10A	58.00B/46.10A	----	44.30 - 13.60	.0945	----	----	----	----	211 UNCH
3910	----	----	59.20B/47.10A	59.20B/47.10A	----	45.30 - 13.80	.0965	----	----	----	----	2 UNCH
3920	----	----	60.50B/48.00A	60.50B/48.00A	----	46.30 NEW	.0984	----	----	14	----	14 + 14
3930	----	----	61.80B/49.10A	61.80B/49.10A	----	47.40 - 14.20	.1005	----	----	----	----	2 UNCH
3945	----	----	63.90B/50.60A	63.90B/50.60A	----	49.00 - 14.60	.1036	----	----	----	----	330 UNCH
3950	----	----	64.70B/51.10A	64.70B/51.10A	----	49.50 - 14.70	.1046	----	----	----	----	324 UNCH
4000	----	----	71.90B/56.70A	71.90B/56.70A	----	55.40 - 15.70	.1156	----	----	----	----	715 UNCH
4005	----	----	72.50B/57.30A	72.50B/57.30A	----	56.00 - 15.80	.1168	----	----	----	----	1 UNCH
4020	----	----	75.00B/59.10A	75.00B/59.10A	----	57.90 NEW	.1203	----	----	14	----	14 + 14
4030	----	----	76.50B/60.30A	76.50B/60.30A	----	59.20 - 16.40	.1227	----	----	----	----	1 UNCH
4050	69.20	69.20	79.90B/62.80A	79.90B/62.80A	----	61.80 - 16.90	.1275	----	----	4	----	43 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
SEP26												
4080	----	----	85.00B/66.70A	85.00B/66.70A	----	66.00 - 17.50	.1351	----	----	----	----	4 UNCH
4085	----	----	85.90B/67.40A	85.90B/67.40A	----	66.80 - 17.60	.1365	----	----	----	----	76 UNCH
4100	----	----	88.70B/69.50A	88.70B/69.50A	----	69.00 - 17.90	.1404	----	----	----	----	21 UNCH
4130	----	----	94.00B/73.80A	94.00B/73.80A	----	73.60 - 18.60	.1486	----	----	----	----	20 UNCH
4135	----	----	95.10B/74.60A	95.10B/74.60A	----	74.40 - 18.70	.1500	----	----	----	----	3 UNCH
4150	----	----	98.30B/77.30A	98.30B/77.30A	----	76.80 - 19.10	.1542	----	----	----	----	4 UNCH
4185	----	----	105.20B/83.00A	105.20B/83.00A	----	82.70 - 19.90	.1645	----	----	----	----	76 UNCH
4200	----	----	108.60B/85.70A	108.60B/85.70A	----	85.30 - 20.30	.1690	----	----	----	----	106 UNCH
4220	----	----	112.80B/89.30A	112.80B/89.30A	----	88.90 - 20.90	.1751	----	----	----	----	113 UNCH
4225	----	----	114.10B/90.20A	114.10B/90.20A	----	89.90 - 20.90	.1768	----	----	----	----	3 UNCH
4230	----	----	115.10B/91.20A	115.10B/91.20A	----	90.80 - 21.10	.1783	----	----	----	----	1 UNCH
4240	----	----	117.40B/93.10A	117.40B/93.10A	----	92.70 - 21.40	.1815	----	----	----	----	56 UNCH
4250	111.60	111.60	119.90B/95.00A	119.90B/95.00A	----	94.60 - 21.60	.1847	----	----	1	----	62 UNCH
4300	----	----	132.00B/105.30A	132.00B/105.30A	----	104.80 - 22.90	.2015	----	----	----	----	84 UNCH
4320	----	----	137.00B/109.60A	137.00B/109.60A	----	109.10 - 23.50	.2085	----	----	----	----	152 UNCH
4350	----	----	145.40B/116.50A	145.40B/116.50A	----	115.90 - 24.30	.2193	----	----	----	----	20 UNCH
4365	----	----	149.50B/120.10A	149.50B/120.10A	----	119.50 - 24.60	.2249	----	----	----	----	5 UNCH
4390	----	----	156.70B/126.20A	156.70B/126.20A	----	125.60 - 25.30	.2344	----	----	----	----	15 UNCH
4400	----	----	159.50B/128.70A	159.50B/128.70A	----	128.10 - 25.60	.2382	----	----	----	----	36 UNCH
4410	----	----	162.70B/131.30A	162.70B/131.30A	----	130.60 - 25.90	.2421	----	----	----	----	7 UNCH
4420	----	----	165.80B/133.80A	165.80B/133.80A	----	133.20 - 26.20	.2460	----	----	----	----	1 UNCH
4430	----	----	168.90B/136.20A	168.90B/136.20A	----	135.90 - 26.40	.2500	----	----	----	----	2 UNCH
4440	----	----	172.10B/139.20A	172.10B/139.20A	----	138.60 - 26.70	.2540	----	----	----	----	8 UNCH
4450	----	----	175.20B/141.90A	175.20B/141.90A	----	141.30 - 27.00	.2581	----	----	----	----	430 UNCH
4475	----	----	183.40B/149.00A	183.40B/149.00A	----	148.40 - 27.60	.2684	----	----	----	----	3 UNCH
4490	166.40	166.40	188.00B/153.40A	188.00B/153.40A	----	152.70 NEW	.2747	----	----	50	----	50 + 50
4500	----	----	192.00B/156.30A	192.00B/156.30A	----	155.70 - 28.30	.2789	----	----	1	----	459 UNCH
4550	----	----	209.90B/172.00A	209.90B/172.00A	----	171.40 - 29.50	.3008	----	----	----	----	350 UNCH
4560	----	----	213.60B/175.00A	213.60B/175.00A	----	174.70 - 29.70	.3052	----	----	----	----	7 UNCH
4580	----	----	221.30B/181.40A	221.30B/181.40A	----	181.40 - 30.20	.3143	----	----	----	----	1 UNCH
4600	----	----	229.30B/188.40A	229.30B/188.40A	----	188.40 - 30.60	.3234	----	----	----	----	0 UNCH
4620	----	----	237.00B/195.70A	237.00B/195.70A	----	195.60 - 31.10	.3327	----	----	----	----	500 UNCH
4650	----	----	249.80B/206.60A	249.80B/206.60A	----	206.80 - 31.70	.3469	----	----	----	----	2 UNCH
4700	----	----	271.60B/226.10A	271.60B/226.10A	----	226.50 - 32.80	.3709	----	----	----	----	75 UNCH
4725	----	----	282.80B/236.20A	282.80B/236.20A	----	236.80 - 33.30	.3831	----	----	----	----	1 UNCH
4730	----	----	285.20B/238.20A	285.20B/238.20A	----	238.90 - 33.40	.3855	----	----	----	----	5 UNCH
4750	----	----	294.70B/247.00A	294.70B/247.00A	----	247.40 - 33.90	.3954	----	----	----	----	150 UNCH
4760	----	----	299.50B/251.10A	299.50B/251.10A	----	251.80 - 34.10	.4004	----	----	----	----	100 UNCH
4775	----	----	306.90B/258.00A	306.90B/258.00A	----	258.40 - 34.50	.4078	----	----	----	----	18 UNCH
4800	----	----	319.30B/268.90A	319.30B/268.90A	----	269.70 - 35.10	.4203	----	----	----	----	27 UNCH
4825	----	----	332.20B/280.80A	332.20B/280.80A	----	281.50 - 35.50	.4329	----	----	----	----	2 UNCH
4835	----	----	337.50B/285.80A	337.50B/285.80A	----	286.30 - 35.80	.4379	----	----	----	----	30 UNCH
4900	----	----	373.30B/318.10A	373.30B/318.10A	----	319.40 - 36.60	.4707	----	----	----	----	3 UNCH
4930	----	----	390.50B/333.80A	390.50B/333.80A	----	335.50 - 37.00	.4858	----	----	----	----	20 UNCH
4950	----	----	402.20B/344.60A	402.20B/344.60A	----	346.50 - 37.30	.4958	----	----	----	----	1 UNCH
4975	----	----	417.30B/358.40A	417.30B/358.40A	----	360.60 - 37.60	.5082	----	----	----	----	210 UNCH
5000	----	----	432.30B/372.60A	432.30B/372.60A	----	375.00 - 37.90	.5205	----	----	----	----	10 UNCH
5005	----	----	435.60B/375.80A	435.60B/375.80A	----	377.90 - 38.00	.5229	----	----	----	----	3 UNCH
5020	----	----	444.90B/384.30A	444.90B/384.30A	----	386.80 - 38.10	.5303	----	----	----	----	3 UNCH
5100	----	----	496.40B/432.70A	496.40B/432.70A	----	435.50 - 39.50	.5687	----	----	----	----	28 UNCH
5105	----	----	500.00B/435.80A	500.00B/435.80A	----	438.70 - 39.60	.5711	----	----	----	----	2 UNCH
5200	----	----	----/498.90A	541.30B/498.90A	----	500.70 - 41.40	.6148	----	----	----	----	47 UNCH
5230	----	----	----/519.50A	562.50B/519.50A	----	521.30 - 41.80	.6280	----	----	----	----	400 UNCH
5300	----	----	----/569.10A	613.60B/569.10A	----	571.00 - 42.60	.6576	----	----	----	----	300 UNCH
5400	----	----	----/643.40A	673.00B/643.40A	----	645.70 - 43.30	.6968	----	----	----	----	100 UNCH
5420	----	----	----/658.70A	675.10B/658.70A	----	661.10 - 43.40	.7042	----	----	----	----	80 UNCH
5450	----	----	----	533.80B/884.90A	----	684.50 - 43.60	.7149	----	----	----	----	1 UNCH
5500	----	----	----	575.50B/928.70A	----	724.20 - 43.80	.7322	----	----	----	----	3 UNCH
6000	----	----	----	1025.70B/1353.00A	----	1155.90 - 45.50	.8585	----	----	----	----	2 UNCH
TOTAL										84		7478 + 78
OCT26												
2700	----	----	----	1.80B/7.20A	----	4.60 - 1.40	.0093	----	----	----	----	1 UNCH
2800	----	----	----	2.60B/8.00A	----	5.50 - 1.80	.0113	----	----	----	----	3 UNCH
3100	----	----	----	7.20B/13.60A	----	10.00 - 3.60	.0209	----	----	----	----	1 UNCH
3200	----	----	----/16.10A	9.70B/16.10A	----	12.50 - 4.40	.0260	----	----	----	----	414 UNCH
3240	----	----	----/17.20A	11.00B/17.20A	----	13.70 - 4.70	.0284	----	----	----	----	5 UNCH
3300	----	----	----/19.20A	13.00B/19.20A	----	15.60 - 5.40	.0323	----	----	----	----	415 UNCH
3340	----	----	----/20.90A	14.90B/20.90A	----	17.10 - 5.80	.0353	----	----	----	----	9 UNCH
3360	----	----	----/21.80A	15.60B/21.80A	----	17.90 - 6.00	.0369	----	----	----	----	1 UNCH
3380	----	----	----/22.50A	16.20B/22.50A	----	18.70 - 6.20	.0384	----	----	1	----	1 UNCH
3390	----	----	----/22.90A	16.70B/22.90A	----	19.10 - 6.40	.0392	----	----	----	----	4 UNCH
3400	----	----	----/23.30A	17.10B/23.30A	----	19.50 - 6.50	.0401	----	----	----	----	150 UNCH
3480	----	----	----/26.90A	28.00B/26.90A	----	23.30 - 7.70	.0475	----	----	----	----	12 UNCH
3500	----	----	----/28.20A	29.40B/28.20A	----	24.30 - 8.00	.0494	----	----	----	----	10 UNCH
3520	----	----	----/29.00A	30.90B/29.00A	----	25.40 - 8.30	.0515	----	----	----	----	12 UNCH
3550	----	----	----/30.70A	33.20B/30.70A	----	27.10 - 8.80	.0548	----	----	----	----	25 UNCH
3600	----	----	----/31.50A	37.20B/31.50A	----	30.10 - 9.70	.0606	----	----	----	----	177 UNCH
3615	----	----	----/32.50A	38.50B/32.50A	----	31.10 - 10.00	.0624	----	----	----	----	1 UNCH
3700	40.50	40.50	40.50/38.70A	46.70B/38.70A	----	36.90 - 11.70	.0735	----	----	40	----	170 - 40
3750	----	----	----/42.70A	52.10B/42.70A	----	41.00 - 12.60	.0811	----	----	----	----	19 UNCH
3770	----	----	----/44.80A	54.40B/44.80A	----	42.70 - 13.00	.0842	----	----	----	----	1 UNCH
3785	----	----	----/46.90A	56.10B/46.90A	----	44.10 - 13.20	.0867	----	----	----	----	1 UNCH
3800	55.00	55.00	55.00/48.30A	58.10B/48.30A	----	45.50 - 13.50	.0892	----	----	2	----	20 - 2
3805	----	----	----/48.90A	58.60B/48.90A	----	46.00 - 13.60	.0901	----	----	----	----	1 UNCH
3865	----	----	----/55.10A	66.50B/55.10A	----	52.30 - 14.70	.1012	----	----	----	----	2 UNCH
3870	----	----	----/55.60A	67.20B/55.60A	----	52.90 - 14.80	.1022	----	----	----	----	1 UNCH
3875	----	----	----/56.20A	67.80B/56.20A	----	53.50 - 14.90	.1032	----	----	----	----	12 UNCH
3885	----	----	----/57.40A	69.40B/57.40A	----	54.60 - 15.10	.1052	----	----	----	----	5 UNCH
3890	----	----	----/57.90A	70.10B/57.90A	----	55.20 - 15.20	.1062	----	----	----	----	2 UNCH
3895	----	----	----/58.80A	70.70B/58.80A	----	55.80 - 15.30	.1072	----	----	----	----	2 UNCH
3900	----	----	----/59.10A	71.40B/59.10A	----	56.50 - 15.30	.1084	----	----	----	----	22 UNCH
3920	----	----	----/61.40A	74.40B/61.40A	----	59.00 - 15.60	.1126	----	----	----	----	28 UNCH
3930	----	----	----/62.70A	76.00B/62.70A	----	60.20 - 15.90	.1146	----	----	----	----	2 UNCH
3940	----	----	----/64.20A	77.50B/64.20A	----	61.50 - 16.00	.1168	----	----	----	----	65 UNCH
3950	----	----	----/65.50A	79.10B/65.50A	----	62.90 - 16.20	.1191	----	----	----	----	2 UNCH
3975	----	----	83.20B/68.80A	83.20B/68.80A	----	66.30 - 16.60	.1248	----	----	----	----	5 UNCH
4000	----	----	87.60B/72.00A	87.60B/72.00A	----	69.90 - 17.10	.1306	----	----	----	----	406 UNCH
4030	----	----	92.80B/76.20A	92.80B/76.20A	----	74.40 - 17.70	.1379	----	----	----	----	2 UNCH
4050	----	----	96.50B/79.00A	96.50B/79.00A	----	77.50 - 18.10	.1429	----	----	----	----	5 UNCH
4070	----	----	100.30B/82.10A	100.30B/82.10A	----	80.70 - 18.50	.1481	----	----	----	----	24 UNCH
4100	----	----	106.40B/87.10A	106.40B/87.10A	----	85.80 - 19.10	.1561	----	----	----	----	314 UNCH
4130	----	----	112.70B/92.40A	112.70B/92.40A	----	91.00 - 19.80	.1642	----	----	----	----	1 UNCH
4150	----	----	116.80B/96.00A	116.80B/96.00A	----	94.70 - 20.20	.1699	----	----	----	----	5 UNCH
4200	111.90	111.90	128.30B/105.80A	128.30B/105.80A	----	104.30 - 21.50	.1846	----	----	4	----	131 + 4
4220	----	----	133.10B/110.00A	133.10B/110.00A	----	108.40 - 21.90	.1907	----	----	----	----	5 UNCH
4235	----	----	136.80B/112.70A	136.80B/112.70A	----	111.50 - 22.30	.1953	----	----	----	----	1 UNCH
4250	----	----	140.60B/116.40A	140.60B/116.40A	----	114.80 - 22.60	.2002	----	----	----	----	72 UNCH
4265	----	----	144.50B/119.00A	144.50B/119.00A	----	118.10 - 23.00	.2050	----	----	----	----	200 UNCH
4270	----	----	145.80B/120.30A	145.80B/120.30A	----	119.20 - 23.10	.2066	----	----	----	----	226 UNCH
4300	----	----	153.90B/127.90A	153.90B/127.90A	----	126.10 - 23.90	.2165	----	----	----	----	476 UNCH
4355	----	----	169.70B/141.00A	169.70B/141.00A	----	139.70 - 25.20	.2356	----	----	----	----	11 UNCH
4375	----	----	175.80B/146.40A	175.80B/146.40A	----	144.90 - 25.70	.2428	----	----	----	----	10 UNCH
4400	----	----	183.50B/153.20A	183.50B/153.20A	----	151.70 - 26.30	.2519	----	----	----	----	302 UNCH
4430	----	----	193.30B/160.90A	193.30B/160.90A	----	160.30 - 26.90	.2633	----	----	----	----	3 UNCH
4450	----	----	200.00B/166.70A	200.00B/166.70A	----	166.10 - 27.50	.2709	----	----	----	----	26 UNCH
4500	----	----	217.60B/182.20A	217.60B/182.20A	----	181.70 - 28.60	.2906	----	----	----	----	56 UNCH
4600	----	----	256.20B/215.90A	256.20B/215.90A	----	216.20 - 30.90	.3321	----	----	90	----	419 + 69
4610	----	----	260.80B/220.30A	260.80B/220.30A	----	219.90 - 31.20	.3364	----	----	----	----	5 UNCH
4675	----	----	288.20B/245.50A	288.20B/245.50A	----	245.20 - 32.80	.3647	----	----	----	----	1 UNCH
4700	----	----	299.80B/255.80A	299.80B/255.80A	----	255.50 - 33.40	.3758	----	----	----	----	64 UNCH
4750	----	----	323.60B/277.60A	323.60B/277.60A	----	277.20 - 34.50	.3983	----	----	----	----	173 UNCH
4775	----	----	335.60B/288.60A	335.60B/288.60A	----	288.50 - 35.00	.4096	----	----	----	----	1 UNCH
4800	----	----	348.40B/300.20A	348.40B/300.20A	----	300.20 - 35.50	.4210	----	----	----	----	126 UNCH
4845	----	----	372.40B/322.30A	372.40B/322.30A	----	322.10 - 36.20	.4416	----	----	----	----	17 UNCH
4850	----	----	375.10B/324.80A	375.10B/324.80A	----	324.60 - 36.30	.4439	----	----	----	----	83 UNCH
4875	----	----	388.80B/337.20A	388.80B/337.20A	----	337.40 - 36.60	.4554	----	----	----	----	1 UNCH
4900	----	----	402.60B/349.70A	402.60B/349.70A	----	350.50 - 36.90	.4669	----	----	----	----	110 UNCH
4910	----	----	408.30B/354.90A	408.30B/354.90A	----	355.80 - 37.00	.4714	----	----	----	----	1 UNCH
4920	----	----	414.00B/360.60A	414.00B/360.60A	----	361.10 - 37.20	.4760	----	----	----	----	1 UNCH
4925	----	----	416.90B/362.90A	416.90B/362.90A	----	363.90 - 37.10	.4783	----	----	----	----	25 UNCH
4980	----	----	449.20B/393.40A	449.20B/393.40A	----	394.40 - 37.80	.5031	----	----	----	----	1 UNCH
5000	----	----	461.30B/405.00A	461.30B/405.00A	----	405.90 - 38.00	.5121	----	----	----	----	47 UNCH
5010	----	----	467.50B/410.80A	467.50B/410.80A	----	411.70 - 38.10	.5166	----	----	----	----	1 UNCH
5050	----	----	492.50B/433.40A	492.50B/433.40A	----	435.30 - 38.70	.5343	----	----	----	----	25 UNCH
5200	----	----	571.60B/528.10A	571.60B/528.10A	----	530.50 - 40.80	.5982	----	----	----	----	100 UNCH
5230	----	----	----/549.80A	589.70B/549.80A	----	550.80 - 41.10	.6104	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
OCT26												
5250	----	----	----/563.20A	603.80B/563.20A	----	564.50 - 41.40	.6183	----	----	----	----	75 UNCH
5300	----	----	----/599.50A	640.00B/599.50A	----	599.70 - 41.80	.6377	----	----	----	----	6 UNCH
5425	----	----	----/690.80A	734.10B/690.80A	----	691.90 - 42.70	.6829	----	----	----	----	1 UNCH
5455	----	----	----/713.60A	753.60B/713.60A	----	714.80 - 43.00	.6931	----	----	----	----	40 UNCH
5600	----	----	----	663.90B/1050.70A	----	829.30 - 44.20	.7387	----	----	----	----	1 UNCH
5700	----	----	----	750.40B/1131.60A	----	911.80 - 44.60	.7664	----	----	----	----	1 UNCH
TOTAL										137		5204 + 31
NOV26												
2750	----	----	----	1.30B/10.60A	----	6.10 - 2.00	.0117	----	----	----	----	1 UNCH
2800	----	----	----	2.00B/11.40A	----	6.80 - 2.30	.0130	----	----	----	----	8 UNCH
2900	----	----	----	3.20B/13.50A	----	8.50 - 2.80	.0162	----	----	----	----	1 UNCH
3000	----	----	----	5.00B/15.80A	----	10.50 - 3.50	.0201	----	----	----	----	95 UNCH
3120	----	----	----	8.00B/19.20A	----	13.60 - 4.30	.0259	----	----	----	----	10 UNCH
3180	----	----	----	9.90B/20.90A	----	15.40 - 4.90	.0292	----	----	----	----	10 UNCH
3200	----	----	----	10.40B/21.80A	----	16.10 - 5.00	.0305	----	----	----	----	93 UNCH
3215	----	----	----	11.10B/22.40A	----	16.60 - 5.20	.0314	----	----	----	----	1 UNCH
3220	----	----	----	11.20B/22.60A	----	16.70 - 5.30	.0317	----	----	----	----	1 UNCH
3225	----	----	----	11.50B/22.80A	----	16.90 - 5.30	.0320	----	----	----	----	1 UNCH
3235	----	----	----	11.80B/23.20A	----	17.30 - 5.40	.0327	----	----	----	----	2 UNCH
3250	----	----	----	12.40B/23.80A	----	17.80 - 5.50	.0337	----	----	----	----	18 UNCH
3255	----	----	----	12.60B/24.00A	----	18.00 - 5.60	.0340	----	----	----	----	18 UNCH
3300	----	----	----	14.10B/25.80A	----	19.80 - 6.00	.0373	----	----	----	----	20 UNCH
3310	----	----	----/26.20A	14.50B/26.20A	----	20.20 - 6.10	.0380	----	----	----	----	1 UNCH
3320	----	----	----/26.70A	15.00B/26.70A	----	20.60 - 6.30	.0388	----	----	----	----	16 UNCH
3350	----	----	----/28.10A	16.50B/28.10A	----	22.00 - 6.50	.0413	----	----	1	----	180 - 1
3455	----	----	----/33.70A	34.70B/33.70A	----	27.40 - 7.80	.0508	----	----	----	----	1 UNCH
3475	----	----	----/34.90A	36.20B/34.90A	----	28.50 - 8.10	.0528	----	----	----	----	1 UNCH
3500	----	----	----/36.40A	38.20B/36.40A	----	30.10 - 8.40	.0555	----	----	----	----	655 UNCH
3535	----	----	----/36.80A	41.20B/36.80A	----	32.40 - 8.90	.0595	----	----	----	----	1 UNCH
3690	----	----	56.80B/46.60A	56.80B/46.60A	----	44.70 - 11.20	.0800	----	----	----	----	1 UNCH
3700	----	----	58.00B/48.60A	58.00B/48.60A	----	45.60 - 11.30	.0815	----	----	1	----	0 - 1
3725	----	----	61.00B/51.70A	61.00B/51.70A	----	48.00 - 11.80	.0854	----	----	----	----	1 UNCH
3740	----	----	62.70B/53.70A	62.70B/53.70A	----	49.50 - 12.00	.0878	----	----	----	----	20 UNCH
3750	----	----	64.20B/54.30A	64.20B/54.30A	----	50.50 - 12.20	.0894	----	----	----	----	150 UNCH
3780	----	----	68.00B/57.80A	68.00B/57.80A	----	53.70 - 12.70	.0945	----	----	----	----	1 UNCH
3800	----	----	70.60B/59.70A	70.60B/59.70A	----	55.90 - 13.00	.0979	----	----	----	----	25 UNCH
3820	----	----	73.30B/62.20A	73.30B/62.20A	----	58.20 - 13.30	.1015	----	----	----	----	20 UNCH
3875	----	----	81.50B/68.90A	81.50B/68.90A	----	64.90 - 14.40	.1119	----	----	----	----	24 UNCH
4000	----	----	102.80B/85.30A	102.80B/85.30A	----	82.80 - 16.70	.1385	----	----	----	----	2 UNCH
4100	----	----	123.10B/102.10A	123.10B/102.10A	----	99.90 - 18.80	.1629	----	----	----	----	1 UNCH
4160	----	----	136.50B/113.90A	136.50B/113.90A	----	111.50 - 20.00	.1788	----	----	----	----	1 UNCH
4170	----	----	138.90B/115.70A	138.90B/115.70A	----	113.50 - 20.30	.1816	----	----	----	----	1 UNCH
4200	----	----	146.30B/122.10A	146.30B/122.10A	----	119.80 - 20.90	.1900	----	----	----	----	4 UNCH
4205	----	----	147.50B/123.20A	147.50B/123.20A	----	120.90 - 21.00	.1915	----	----	----	----	1 UNCH
4215	----	----	150.00B/125.40A	150.00B/125.40A	----	123.10 - 21.20	.1944	----	----	----	----	5 UNCH
4275	----	----	166.00B/139.20A	166.00B/139.20A	----	136.80 - 22.50	.2122	----	----	----	----	3 UNCH
4320	----	----	178.80B/150.40A	178.80B/150.40A	----	147.90 - 23.60	.2263	----	----	----	----	43 UNCH
4350	----	----	187.70B/158.40A	187.70B/158.40A	----	155.80 - 24.10	.2361	----	----	----	----	3 UNCH
4400	----	----	203.50B/172.00A	203.50B/172.00A	----	169.60 - 25.20	.2528	----	----	----	----	3 UNCH
4425	----	----	211.70B/179.50A	211.70B/179.50A	----	176.80 - 25.80	.2614	----	----	----	----	72 UNCH
4500	----	----	238.10B/202.60A	238.10B/202.60A	----	200.10 - 27.40	.2882	----	----	----	----	40 UNCH
4580	----	----	268.70B/230.00A	268.70B/230.00A	----	227.60 - 29.10	.3181	----	----	----	----	10 UNCH
4640	----	----	293.80B/252.50A	293.80B/252.50A	----	250.10 - 30.30	.3414	----	----	----	----	90 UNCH
4700	----	----	320.00B/276.40A	320.00B/276.40A	----	274.00 - 31.70	.3653	----	----	----	----	2 UNCH
4725	----	----	331.90B/286.90A	331.90B/286.90A	----	284.50 - 32.20	.3754	----	----	----	----	2 UNCH
4800	----	----	367.90B/320.10A	367.90B/320.10A	----	317.60 - 33.90	.4060	----	----	----	----	1 UNCH
4840	----	----	388.60B/338.90A	388.60B/338.90A	----	336.30 - 34.70	.4226	----	----	----	----	2 UNCH
4900	----	----	420.60B/368.50A	420.60B/368.50A	----	366.00 - 35.70	.4476	----	----	----	----	2 UNCH
4915	----	----	428.80B/376.20A	428.80B/376.20A	----	373.80 - 35.90	.4538	----	----	----	----	3 UNCH
4950	----	----	448.60B/394.30A	448.60B/394.30A	----	392.30 - 36.30	.4683	----	----	----	----	11 UNCH
4960	----	----	454.30B/400.00A	454.30B/400.00A	----	397.70 - 36.50	.4725	----	----	----	----	2 UNCH
5000	451.10	451.10	477.60B/422.00A	477.60B/422.00A	----	419.80 - 37.00	.4889	----	----	1	----	253 UNCH
5055	----	----	509.80B/453.20A	509.80B/453.20A	----	451.50 - 37.50	.5112	----	----	----	----	8 UNCH
5200	----	----	604.20B/540.70A	604.20B/540.70A	----	541.40 - 39.00	.5679	----	----	----	----	81 UNCH
5395	----	----	----/675.20A	711.10B/675.20A	----	674.40 - 41.40	.6382	----	----	----	----	6 UNCH
5400	----	----	----/678.70A	714.80B/678.70A	----	678.00 - 41.50	.6399	----	----	----	----	6 UNCH
5760	----	----	----	768.00B/1199.70A	----	956.70 - 44.50	.7462	----	----	----	----	1 UNCH
5975	----	----	----	957.60B/1378.30A	----	1138.80 - 45.30	.7946	----	----	----	----	1 UNCH
6000	----	----	----	980.20B/1399.60A	----	1160.60 - 45.30	.7996	----	----	----	----	1 UNCH
TOTAL										3		2037 - 2
DEC26												
1350	----	----	----	----/1.10A	----	0.20 UNCH	.0003	----	----	----	----	16 UNCH
1500	----	----	----	----/2.20A	----	0.40 UNCH	.0006	----	----	----	----	1 UNCH
1600	----	----	----	0.10B/1.90A	----	0.50 - 0.10	.0008	----	----	----	----	190 UNCH
1700	----	----	----	0.10B/4.00A	----	0.70 - 0.10	.0011	----	----	----	----	200 UNCH
1845	----	----	----	0.10B/21.00A	----	1.00 - 0.20	.0017	----	----	----	----	36 UNCH
1900	----	----	----	0.10B/21.40A	----	1.20 - 0.20	.0020	----	----	----	----	4 UNCH
2000	----	----	----	0.10B/11.90A	----	1.60 - 0.20	.0027	----	----	----	----	2 UNCH
2400	----	----	----	0.60B/7.80A	----	4.00 - 0.60	.0070	----	----	----	----	1 UNCH
2490	----	----	----	0.60B/8.80A	----	4.80 - 0.80	.0084	----	----	----	----	1 UNCH
2750	----	----	----	2.20B/12.80A	----	8.30 - 1.80	.0147	----	----	----	----	1 UNCH
2800	----	----	----	2.80B/13.80A	----	9.10 - 2.10	.0162	----	----	----	----	8 UNCH
2900	----	----	----	5.50B/16.00A	----	11.10 - 2.70	.0198	----	----	----	----	19 UNCH
2925	----	----	----	4.80B/16.80A	----	11.60 - 3.00	.0207	----	----	----	----	300 UNCH
2975	----	----	----	6.00B/18.00A	----	12.80 - 3.30	.0228	----	----	----	----	400 UNCH
3000	----	----	----	6.80B/19.00A	----	13.40 - 3.60	.0239	----	----	----	----	1363 UNCH
3160	----	----	----	12.00B/24.60A	----	18.30 - 5.10	.0326	----	----	----	----	2 UNCH
3175	----	----	----	12.80B/25.20A	----	18.80 - 5.30	.0335	----	----	----	----	1 UNCH
3190	----	----	----	13.40B/25.80A	----	19.40 - 5.50	.0345	----	----	----	----	5 UNCH
3250	----	----	----	15.60B/28.50A	----	21.80 - 6.20	.0386	----	----	----	----	15 UNCH
3300	----	----	----	18.20B/31.00A	----	24.10 - 6.80	.0426	----	----	----	----	6 UNCH
3400	----	----	----/36.70A	34.70B/36.70A	----	29.50 - 8.20	.0516	----	----	----	----	1610 UNCH
3425	----	----	----/38.30A	36.80B/38.30A	----	31.00 - 8.60	.0540	----	----	----	----	350 UNCH
3450	----	----	----/39.80A	38.90B/39.80A	----	32.60 - 8.90	.0566	----	----	----	----	201 UNCH
3460	----	----	----/39.00A	39.80B/39.00A	----	33.30 - 9.00	.0578	----	----	----	----	20 UNCH
3475	----	----	----/39.30A	41.10B/39.30A	----	34.30 - 9.30	.0594	----	----	----	----	152 UNCH
3500	----	----	----/39.10A	43.40B/39.10A	----	36.10 - 9.70	.0623	----	----	----	----	1457 UNCH
3550	----	----	----/43.10A	48.30B/43.10A	----	39.90 - 10.50	.0683	----	----	----	----	18 UNCH
3565	----	----	----/44.40A	49.90B/44.40A	----	41.10 - 10.70	.0702	----	----	----	----	2 UNCH
3590	----	----	----/46.50A	52.50B/46.50A	----	43.30 - 11.10	.0736	----	----	----	----	1 UNCH
3600	----	----	----/47.20A	53.70B/47.20A	----	44.10 - 11.30	.0749	----	----	----	----	353 UNCH
3610	----	----	----/48.10A	54.70B/48.10A	----	45.00 - 11.50	.0763	----	----	----	----	3 UNCH
3650	----	----	----/52.20A	59.30B/52.20A	----	48.80 - 12.10	.0821	----	----	----	----	201 UNCH
3660	----	----	----/53.60A	60.50B/53.60A	----	49.70 - 12.30	.0835	----	----	----	----	5 UNCH
3670	----	----	----/54.90A	61.80B/54.90A	----	50.70 - 12.50	.0850	----	----	----	----	1 UNCH
3690	----	----	----/56.90A	64.40B/56.90A	----	52.80 - 12.80	.0881	----	----	----	----	1 UNCH
3700	----	----	----/58.00A	65.70B/58.00A	----	53.80 - 13.00	.0896	----	----	----	120	139 + 110
3710	----	----	----/59.00A	66.90B/59.00A	----	54.90 - 13.20	.0913	----	----	----	----	37 UNCH
3720	----	----	----/60.20A	68.30B/60.20A	----	56.00 - 13.40	.0929	----	----	----	----	1 UNCH
3725	----	----	----/60.70A	69.00B/60.70A	----	56.50 - 13.50	.0937	----	----	----	----	6 UNCH
3750	----	----	----/63.40A	72.40B/63.40A	----	59.40 - 13.90	.0979	----	----	----	----	166 UNCH
3760	----	----	----/64.70A	73.70B/64.70A	----	60.50 - 14.10	.0996	----	----	----	----	184 UNCH
3780	----	----	----/67.30A	76.60B/67.30A	----	62.90 - 14.50	.1031	----	----	----	----	1 UNCH
3800	----	----	----/69.40A	79.70B/69.40A	----	65.40 - 14.90	.1067	----	----	----	----	77 UNCH
3810	----	----	----/70.80A	81.10B/70.80A	----	66.70 - 15.00	.1086	----	----	----	----	56 UNCH
3850	----	----	----/76.00A	87.50B/76.00A	----	72.00 - 15.80	.1161	----	----	----	----	24 UNCH
3880	----	----	----/80.20A	92.60B/80.20A	----	76.20 - 16.40	.1221	----	----	----	----	1 UNCH
3900	----	----	96.00B/83.10A	96.00B/83.10A	----	79.20 - 16.70	.1262	----	----	----	----	805 UNCH
3925	----	----	100.50B/86.80A	100.50B/86.80A	----	83.00 - 17.20	.1315	----	----	----	----	209 UNCH
3930	----	----	101.40B/87.50A	101.40B/87.50A	----	83.70 - 17.40	.1325	----	----	----	----	2 UNCH
3950	----	----	105.10B/90.70A	105.10B/90.70A	----	86.90 - 17.70	.1368	----	----	----	----	27 UNCH
3975	----	----	109.90B/94.70A	109.90B/94.70A	----	91.00 - 18.20	.1424	----	----	----	----	190 UNCH
3980	99.10	99.10	111.10B/95.60A	111.10B/95.60A	----	91.90 - 18.30	.1436	----	----	6	----	132 UNCH
4000	----	----	114.90B/99.00A	114.90B/99.00A	----	95.30 - 18.70	.1481	----	----	----	----	1699 UNCH
4025	----	----	120.10B/103.50A	120.10B/103.50A	----	99.70 - 19.20	.1540	----	----	----	----	220 UNCH
4070	----	----	129.90B/112.10A	129.90B/112.10A	----	108.10 - 20.10	.1650	----	----	----	----	5 UNCH
4090	----	----	134.30B/116.00A	134.30B/116.00A	----	112.00 - 20.50	.1700	----	----	----	----	1 UNCH
4100	----	----	136.70B/117.60A	136.70B/117.60A	----	114.00 - 20.70	.1726	----	----	----	----	381 UNCH
4130	----	----	143.70B/124.10A	143.70B/124.10A	----	120.20 - 21.30	.1804	----	----	----	----	2 UNCH
4160	----	----	151.10B/130.50A	151.10B/130.50A	----	126.60 - 22.00	.1884	----	----	----	----	252 UNCH
4170	----	----	153.60B/132.80A	153.60B/132.80A	----	128.80 - 22.20	.1912	----	----	----	----	2 UNCH
4175	----	----	154.90B/133.60A	154.90B/133.60A	----	129.90 - 22.30	.1925	----	----	----	----	60 UNCH
4200	----	----	161.30B/139.60A	161.30B/139.60A	----	135.60 - 22.80	.1995	----	----	----	----	684 UNCH
4215	----	----	165.40B/143.10A	165.40B/143.10A	----	139.20 - 23.10	.2038	----	----	----	----	14 UNCH
4250	----	----	175.10B/151.50A	175.10B/151.50A	----	147.60 - 23.90	.2140	----	----	----	----	202 UNCH
4300	----	----	189.60B/164.40A	189.60B/164.40A	----	160.50 - 24.80	.2290	----	----	----	----	1906 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 23

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
DEC26												
4320	----	----	195.70B/169.70A	195.70B/169.70A	----	165.80 - 25.30	.2352	----	----	----	----	100 UNCH
4325	----	----	197.30B/171.10A	197.30B/171.10A	----	167.20 - 25.40	.2368	----	----	----	----	300 UNCH
4340	----	----	201.90B/175.00A	201.90B/175.00A	----	171.30 - 25.80	.2415	----	----	----	----	79 UNCH
4350	----	----	205.30B/178.00A	205.30B/178.00A	----	174.10 - 26.00	.2446	----	----	----	----	101 UNCH
4375	----	----	212.90B/184.90A	212.90B/184.90A	----	181.30 - 26.50	.2527	----	----	----	----	2 UNCH
4385	----	----	216.40B/187.80A	216.40B/187.80A	----	184.20 - 26.70	.2559	----	----	----	----	75 UNCH
4390	----	----	218.10B/189.70A	218.10B/189.70A	----	185.70 - 26.80	.2576	----	----	----	----	14 UNCH
4400	224.20	224.20	224.20/192.40A	224.20/192.40A	----	188.70 - 27.00	.2608	----	----	4	----	98 - 4
4425	----	----	230.00B/200.30A	230.00B/200.30A	----	196.40 - 27.50	.2692	----	----	----	----	9 UNCH
4435	----	----	233.70B/203.20A	233.70B/203.20A	----	199.50 - 27.70	.2725	----	----	----	----	14 UNCH
4450	----	----	238.80B/207.80A	238.80B/207.80A	----	204.20 - 28.10	.2776	----	----	----	----	60 UNCH
4475	----	----	247.80B/216.30A	247.80B/216.30A	----	212.30 - 28.60	.2861	----	----	----	----	8 UNCH
4500	255.40	255.40	257.40B/224.70A	257.40B/224.70A	----	220.70 - 29.10	.2948	----	----	1	600	1117 + 601
4510	----	----	260.90B/228.10A	260.90B/228.10A	----	224.10 - 29.30	.2983	----	----	----	----	2 UNCH
4515	----	----	263.10B/229.80A	263.10B/229.80A	----	225.80 - 29.40	.3001	----	----	----	----	242 UNCH
4520	----	----	265.00B/231.50A	265.00B/231.50A	----	227.50 - 29.60	.3018	----	----	----	----	25 UNCH
4530	----	----	268.70B/235.10A	268.70B/235.10A	----	231.00 - 29.80	.3054	----	----	----	----	20 UNCH
4535	----	----	270.60B/236.80A	270.60B/236.80A	----	232.80 - 29.80	.3072	----	----	----	----	102 UNCH
4540	----	----	272.60B/238.60A	272.60B/238.60A	----	234.50 - 30.00	.3090	----	----	----	----	1 UNCH
4550	----	----	276.70B/242.20A	276.70B/242.20A	----	238.10 - 30.20	.3125	----	----	----	----	5 UNCH
4555	250.50	250.50	278.50B/244.00A	278.50B/244.00A	----	239.90 NEW	.3143	----	----	50	----	50 + 50
4580	----	----	288.80B/253.20A	288.80B/253.20A	----	249.10 - 30.70	.3234	----	----	----	----	50 UNCH
4585	----	----	290.90B/255.10A	290.90B/255.10A	----	250.90 - 30.90	.3252	----	----	----	----	325 UNCH
4600	----	----	296.90B/260.70A	296.90B/260.70A	----	256.60 - 31.20	.3307	----	----	----	----	418 UNCH
4620	----	----	305.50B/268.20A	305.50B/268.20A	----	264.20 - 31.70	.3380	----	----	----	----	50 UNCH
4625	----	----	307.30B/269.90A	307.30B/269.90A	----	266.20 - 31.70	.3399	----	----	----	----	22 UNCH
4640	----	----	313.90B/275.90A	313.90B/275.90A	----	272.10 - 32.00	.3455	----	----	----	----	100 UNCH
4650	----	----	318.50B/280.00A	318.50B/280.00A	----	276.10 - 32.20	.3492	----	----	----	----	111 UNCH
4680	----	----	331.60B/291.50A	331.60B/291.50A	----	288.30 - 32.80	.3605	----	----	----	----	60 UNCH
4690	----	----	335.80B/296.40A	335.80B/296.40A	----	292.50 - 33.00	.3643	----	----	----	----	1 UNCH
4700	----	----	341.00B/299.80A	341.00B/299.80A	----	296.70 - 33.20	.3681	----	----	----	----	522 UNCH
4750	----	----	364.50B/321.20A	364.50B/321.20A	----	318.60 - 34.00	.3872	----	----	----	----	63 UNCH
4790	----	----	384.20B/339.40A	384.20B/339.40A	----	337.00 - 34.60	.4027	----	----	----	----	60 UNCH
4800	----	----	389.20B/344.00A	389.20B/344.00A	----	341.70 - 34.70	.4066	----	----	----	----	152 UNCH
4810	----	----	393.90B/348.70A	393.90B/348.70A	----	346.50 - 34.80	.4104	----	----	----	----	56 UNCH
4815	----	----	396.70B/352.40A	396.70B/352.40A	----	348.90 - 34.90	.4124	----	----	----	----	10 UNCH
4820	----	----	399.30B/354.50A	399.30B/354.50A	----	351.30 - 35.00	.4143	----	----	----	----	20 UNCH
4825	----	----	401.80B/355.80A	401.80B/355.80A	----	353.70 - 35.10	.4163	----	----	----	----	100 UNCH
4850	----	----	414.60B/367.90A	414.60B/367.90A	----	366.10 - 35.30	.4260	----	----	----	----	10 UNCH
4900	----	----	441.60B/392.60A	441.60B/392.60A	----	391.60 - 35.90	.4455	----	----	----	----	105 UNCH
4925	----	----	455.10B/406.20A	455.10B/406.20A	----	404.90 - 36.00	.4552	----	----	----	----	137 UNCH
4950	----	----	469.30B/419.80A	469.30B/419.80A	----	418.30 - 36.30	.4648	----	----	----	----	6 UNCH
4975	----	----	483.70B/433.00A	483.70B/433.00A	----	432.10 - 36.50	.4745	----	----	----	----	43 UNCH
4980	----	----	486.50B/435.80A	486.50B/435.80A	----	434.90 - 36.50	.4764	----	----	----	----	12 UNCH
4995	----	----	494.40B/444.60A	494.40B/444.60A	----	443.20 - 36.80	.4821	----	----	----	----	32 UNCH
5000	----	----	498.30B/446.80A	498.30B/446.80A	----	446.10 - 36.70	.4840	----	----	----	----	393 UNCH
5020	----	----	510.00B/458.00A	510.00B/458.00A	----	457.40 - 37.00	.4916	----	----	----	----	8 UNCH
5025	----	----	513.10B/460.80A	513.10B/460.80A	----	460.30 - 37.00	.4935	----	----	----	----	110 UNCH
5035	----	----	519.00B/466.40A	519.00B/466.40A	----	466.00 - 37.20	.4973	----	----	----	----	8 UNCH
5050	----	----	527.80B/475.70A	527.80B/475.70A	----	474.70 - 37.30	.5030	----	----	----	----	201 UNCH
5070	----	----	540.30B/486.80A	540.30B/486.80A	----	486.40 - 37.60	.5105	----	----	----	----	1 UNCH
5075	----	----	543.40B/489.80A	543.40B/489.80A	----	489.30 - 37.70	.5124	----	----	----	----	100 UNCH
5095	----	----	555.70B/501.70A	555.70B/501.70A	----	501.20 - 38.00	.5198	----	----	----	----	6 UNCH
5100	----	----	559.00B/504.60A	559.00B/504.60A	----	504.20 - 38.10	.5217	----	----	----	----	6 UNCH
5195	----	----	619.80B/563.10A	619.80B/563.10A	----	562.90 - 39.40	.5565	----	----	----	----	5 UNCH
5200	----	----	622.40B/565.60A	622.40B/565.60A	----	566.00 - 39.60	.5583	----	----	----	----	38 UNCH
5250	----	----	657.10B/598.40A	657.10B/598.40A	----	598.30 - 40.30	.5760	----	----	----	----	126 UNCH
5290	----	----	678.60B/623.70A	678.60B/623.70A	----	624.80 - 40.90	.5900	----	----	----	----	1 UNCH
5295	----	----	680.10B/627.00A	680.10B/627.00A	----	628.20 - 41.00	.5917	----	----	----	----	1 UNCH
5360	----	----	----/671.00A	708.60B/671.00A	----	672.60 - 41.90	.6136	----	----	----	----	100 UNCH
5370	----	----	----/678.10A	715.70B/678.10A	----	679.60 - 42.00	.6169	----	----	----	----	20 UNCH
5375	----	----	----/683.20A	719.40B/683.20A	----	683.10 - 42.00	.6185	----	----	----	----	34 UNCH
5400	----	----	----/703.50A	737.60B/703.50A	----	700.70 - 42.40	.6267	----	----	----	----	102 UNCH
5460	----	----	----/746.10A	781.70B/746.10A	----	743.90 - 43.00	.6456	----	----	----	----	200 UNCH
5465	----	----	----/750.20A	785.70B/750.20A	----	747.60 - 43.00	.6471	----	----	----	----	50 UNCH
5480	----	----	----/761.20A	796.70B/761.20A	----	758.60 - 43.20	.6518	----	----	----	----	50 UNCH
5500	----	----	----/775.50A	811.80B/775.50A	----	773.40 - 43.30	.6578	----	----	----	----	31 UNCH
5525	----	----	----/794.10A	830.90B/794.10A	----	792.00 - 43.60	.6653	----	----	----	----	80 UNCH
5600	----	----	----/851.40A	889.30B/851.40A	----	849.10 - 44.10	.6868	----	----	----	----	252 UNCH
5900	----	----	----	885.90B/1352.40A	----	1091.70 - 45.20	.7610	----	----	----	----	125 UNCH
6000	----	----	----	974.10B/1435.80A	----	1176.70 - 45.40	.7817	----	----	----	----	40 UNCH
6500	----	----	----	1432.80B/1876.50A	----	1624.20 - 45.80	.8596	----	----	----	----	4 UNCH
TOTAL										61	720	21412 + 757
JAN27												
2800	----	----	----	1.40B/18.20A	----	10.00 - 2.80	.0171	----	----	----	----	10 UNCH
3000	----	----	----	8.60B/24.50A	----	14.70 - 4.60	.0251	----	----	----	----	3 UNCH
3520	----	----	----/*48.50A	54.20B/48.50A	----	45.50 - 9.50	.0711	----	----	----	----	1 UNCH
3680	----	----	----/65.80A	73.50B/65.80A	----	61.70 - 11.80	.0935	----	----	----	----	1 UNCH
3800	----	----	91.20B/80.50A	91.20B/80.50A	----	76.40 - 13.70	.1133	----	----	----	----	1 UNCH
3825	----	----	95.30B/83.60A	95.30B/83.60A	----	79.80 - 14.20	.1177	----	----	----	----	1 UNCH
3900	----	----	108.50B/94.70A	108.50B/94.70A	----	90.90 - 15.40	.1320	----	----	----	----	1 UNCH
3980	----	----	124.00B/107.20A	124.00B/107.20A	----	104.00 - 16.90	.1485	----	----	----	----	1 UNCH
4000	----	----	128.40B/110.40A	128.40B/110.40A	----	107.60 - 17.20	.1529	----	----	----	----	1 UNCH
4350	----	----	220.90B/192.90A	220.90B/192.90A	----	188.60 - 24.50	.2439	----	----	----	----	1 UNCH
4400	----	----	237.90B/207.40A	237.90B/207.40A	----	203.30 - 25.60	.2590	----	----	----	----	1 UNCH
4500	----	----	273.80B/240.30A	273.80B/240.30A	----	235.40 - 27.70	.2905	----	----	----	----	1 UNCH
4585	----	----	307.30B/270.40A	307.30B/270.40A	----	265.70 - 29.40	.3187	----	----	----	----	1 UNCH
4600	----	----	313.50B/276.40A	313.50B/276.40A	----	271.30 - 29.70	.3237	----	----	----	----	3 UNCH
4630	----	----	326.10B/287.60A	326.10B/287.60A	----	282.90 - 30.20	.3340	----	----	----	----	1 UNCH
4660	----	----	339.10B/299.50A	339.10B/299.50A	----	294.90 - 30.60	.3443	----	----	----	----	4 UNCH
4665	----	----	341.30B/301.50A	341.30B/301.50A	----	296.90 - 30.70	.3461	----	----	----	----	4 UNCH
4760	----	----	385.00B/342.20A	385.00B/342.20A	----	337.50 - 32.10	.3795	----	----	----	----	100 UNCH
4800	----	----	404.40B/360.20A	404.40B/360.20A	----	355.80 - 32.60	.3938	----	----	----	----	6 UNCH
4820	----	----	414.40B/369.50A	414.40B/369.50A	----	365.20 - 32.80	.4010	----	----	----	----	6 UNCH
4860	----	----	434.80B/388.60A	434.80B/388.60A	----	384.50 - 33.20	.4154	----	----	----	----	1 UNCH
4990	----	----	504.60B/454.90A	504.60B/454.90A	----	451.50 - 34.60	.4622	----	----	----	----	1 UNCH
4995	----	----	508.10B/457.60A	508.10B/457.60A	----	454.20 - 34.70	.4640	----	----	----	----	1 UNCH
5000	----	----	511.10B/460.30A	511.10B/460.30A	----	456.90 - 34.70	.4658	----	----	----	----	3 UNCH
5050	----	----	540.00B/487.80A	540.00B/487.80A	----	484.80 - 35.10	.4835	----	----	----	----	100 UNCH
5085	----	----	561.10B/507.60A	561.10B/507.60A	----	504.80 - 35.50	.4958	----	----	----	----	2 UNCH
5150	----	----	601.10B/545.90A	601.10B/545.90A	----	543.10 - 36.20	.5184	----	----	----	----	2 UNCH
5235	----	----	655.80B/598.00A	655.80B/598.00A	----	595.50 - 37.20	.5472	----	----	----	----	2 UNCH
5245	----	----	662.40B/604.30A	662.40B/604.30A	----	601.80 - 37.30	.5506	----	----	2	----	2 UNCH
5300	----	----	699.30B/639.60A	699.30B/639.60A	----	637.20 - 38.10	.5687	----	----	2	----	4 + 2
TOTAL										4		266 + 2
FEB27												
4000	----	----	137.70B/123.00A	137.70B/123.00A	----	117.20 - 20.10	.1588	----	----	----	----	1 UNCH
4600	----	----	328.40B/294.70A	328.40B/294.70A	----	288.90 - 32.30	.3269	----	----	----	----	17 UNCH
4650	----	----	349.80B/*314.50	349.80B/314.50A	----	308.70 - 33.20	.3433	----	----	----	----	1 UNCH
4655	----	----	352.00B/*316.50	352.00B/316.50A	----	310.70 - 33.30	.3450	----	----	----	----	1 UNCH
4660	----	----	354.20B/*318.60	354.20B/318.60A	----	312.70 - 33.40	.3467	----	----	----	----	435 UNCH
4665	----	----	356.50B/*320.60	356.50B/320.60A	----	314.80 - 33.50	.3483	----	----	----	----	3 UNCH
4775	----	----	407.70B/*368.30	407.70B/368.30A	----	362.30 - 35.30	.3856	----	----	----	----	1 UNCH
5000	----	----	526.30B/480.10A	526.30B/480.10A	----	474.40 - 38.80	.4633	----	----	----	----	10 UNCH
5005	----	----	529.60B/*482.80	529.60B/482.80A	----	477.10 - 38.80	.4650	----	----	----	----	2 UNCH
5100	----	----	584.90B/*535.90	584.90B/535.90A	----	531.00 - 38.90	.4971	----	----	----	----	2 UNCH
5150	----	----	615.70B/*565.20	615.70B/565.20A	----	560.70 - 38.80	.5137	----	----	----	----	1 UNCH
5175	----	----	631.40B/*580.20	631.40B/580.20A	----	575.90 - 38.70	.5219	----	----	----	----	125 UNCH
5200	----	----	647.80B/*595.40	647.80B/595.40A	----	591.40 - 38.50	.5301	----	----	----	----	1 UNCH
5355	----	----	750.20B/*694.50	750.20B/694.50A	----	691.70 - 38.20	.5788	----	----	----	----	1 UNCH
5520	----	----	----	501.90B/1090.90A	----	806.30 - 39.00	.6270	----	----	----	----	300 UNCH
5530	----	----	----	537.40B/1098.30A	----	813.50 - 39.00	.6297	----	----	----	----	100 UNCH
5550	----	----	----	546.60B/1145.00A	----	828.00 - 39.20	.6353	----	----	----	----	65 UNCH
5565	----	----	----	555.30B/1122.50A	----	838.90 - 39.30	.6394	----	----	----	----	50 UNCH
TOTAL												1116 0
MAR27												
5000	----	----	----	35.80B/*952.80A	----	532.50 NEW	.4438	----	----	----	75	75 + 75
TOTAL											75	75 + 75
APR27												
5000	----	----	----	----	----	555.20 - 19.90	.4413	----	----	----	----	100 UNCH
TOTAL												100 0
DEC27												
3700	----	----	----	----	----	193.30 - 6.50	.1495	----	----	----	----	100 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG PUT — COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
DEC27													
3715	----	----	----	----	----	196.70 - 6.60	.1518	----	----	----	----	150	UNCH
3820	----	----	----	----	----	221.80 - 7.30	.1678	----	----	----	----	50	UNCH
4130	----	----	----	----	----	308.10 - 9.60	.2198	----	----	----	----	168	UNCH
4500	----	----	----	----	----	436.90 - 12.60	.2900	----	----	----	----	270	UNCH
4630	----	----	----	----	----	489.20 - 13.80	.3162	----	----	----	----	284	UNCH
4860	----	----	----	----	----	591.30 - 15.80	.3642	----	----	----	----	100	UNCH
5000	----	----	----	----	----	659.40 - 17.00	.3940	----	----	----	----	50	UNCH
5650	----	----	----	----	----	1034.50 - 22.60	.5275	----	----	----	----	200	UNCH
5880	----	----	----	----	----	1189.10 - 24.30	.5700	----	----	----	----	200	UNCH
TOTAL												1572	0
JAN28													
5000	----	----	----	----	----	666.40 - 16.70	.3857	----	----	----	----	1	UNCH
5100	----	----	----	----	----	717.20 - 17.60	.4065	----	----	----	----	1	UNCH
TOTAL												2	0

OG CALL — COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
MAY26													
3400	----	----	----	----	----	1418.00 + 40.60	.9976	----	----	----	----	1	UNCH
3500	----	----	----	----	----	1318.10 + 40.50	.9969	----	----	----	----	1	UNCH
3600	----	----	1,220.00B/1,166	1220.00B/1166.50A	----	1218.20 + 40.40	.9954	----	----	----	----	10	UNCH
3675	----	----	1,145.10B/1,091	1145.10B/1091.70A	----	1143.40 + 40.20	.9942	----	----	----	----	8	UNCH
3685	----	----	1,135.10B/1,081	1135.10B/1081.70A	----	1133.50 + 40.30	.9942	----	----	----	----	8	UNCH
3700	----	----	1,120.20B/1,066	1120.20B/1066.80A	----	1118.50 + 40.20	.9937	----	----	----	----	31	UNCH
3720	----	----	1,100.20B/1,046	1100.20B/1046.80A	----	1098.60 + 40.20	.9932	----	----	----	----	6	UNCH
3725	----	----	1,095.20B/1,041	1095.20B/1041.90A	----	1093.60 + 40.20	.9931	----	----	----	----	8	UNCH
3735	----	----	1,085.30B/1,031	1085.30B/1031.90A	----	1083.60 + 40.10	.9931	----	----	----	----	15	UNCH
3750	----	----	1,070.30B/1,017	1070.30B/1017.00A	----	1068.70 + 40.10	.9926	----	----	----	----	56	UNCH
3800	----	----	1,020.50B/933.3	1020.50B/933.30A	----	1018.90 + 40.00	.9914	----	----	----	----	44	UNCH
3820	----	----	1,000.60B/913.0	1000.60B/913.00A	----	999.00 + 39.90	.9908	----	----	----	----	4	UNCH
3840	----	----	980.70B/893.60A	980.70B/893.60A	----	979.10 + 39.80	.9902	----	----	----	----	20	UNCH
3855	----	----	963.10B/878.40A	963.10B/878.40A	----	964.20 + 39.80	.9897	----	----	----	----	2	UNCH
3875	----	----	945.80B/859.00A	945.80B/859.00A	----	944.30 + 39.70	.9890	----	----	----	----	41	UNCH
3890	----	----	929.60B/844.20A	929.60B/844.20A	----	929.40 + 39.60	.9884	----	----	----	----	1	UNCH
3895	----	----	926.00B/839.20A	926.00B/839.20A	----	924.40 + 39.60	.9884	----	----	----	----	9	UNCH
3900	----	----	921.90B/833.90A	921.90B/833.90A	----	919.50 + 39.60	.9879	----	----	----	----	112	UNCH
3950	----	----	872.20B/784.60A	872.20B/784.60A	----	869.80 + 39.30	.9860	----	----	----	----	223	UNCH
3960	----	----	861.40B/775.20A	861.40B/775.20A	----	859.90 + 39.20	.9854	----	----	----	----	11	UNCH
3975	----	----	846.50B/760.40A	846.50B/760.40A	----	845.00 + 39.10	.9848	----	----	----	----	13	UNCH
3980	----	----	842.50B/755.60A	842.50B/755.60A	----	840.10 + 39.10	.9843	----	----	----	----	97	UNCH
3995	----	----	826.70B/740.80A	826.70B/740.80A	----	825.20 + 39.00	.9836	----	----	----	----	62	UNCH
4000	----	----	822.70B/735.90A	822.70B/735.90A	----	820.30 + 39.00	.9835	----	----	----	----	143	UNCH
4005	----	----	816.80B/731.00A	816.80B/731.00A	----	815.30 + 38.90	.9830	----	----	----	----	30	UNCH
4015	----	----	806.90B/721.30A	806.90B/721.30A	----	805.40 + 38.80	.9824	----	----	----	----	5	UNCH
4020	----	----	802.00B/716.00A	802.00B/716.00A	----	800.50 + 38.80	.9823	----	----	----	----	15	UNCH
4025	----	----	795.50B/711.40A	795.50B/711.40A	----	795.50 + 38.70	.9818	----	----	----	----	2	UNCH
4050	----	----	773.20B/686.80A	773.20B/686.80A	----	770.80 + 38.50	.9804	----	----	----	----	176	UNCH
4070	----	----	752.60B/667.70A	752.60B/667.70A	----	751.00 + 38.20	.9786	----	----	----	----	25	UNCH
4075	----	----	747.70B/662.90A	747.70B/662.90A	----	746.10 + 38.20	.9785	----	----	----	----	22	UNCH
4090	----	----	732.30B/648.30A	732.30B/648.30A	----	731.30 + 38.00	.9773	----	----	----	----	1	UNCH
4100	----	----	723.00B/638.70A	723.00B/638.70A	----	721.40 + 37.80	.9762	----	----	----	----	48	UNCH
4105	----	----	718.10B/633.90A	718.10B/633.90A	----	716.50 + 37.70	.9760	----	----	----	----	10	UNCH
4115	----	----	708.30B/624.20A	708.30B/624.20A	----	706.70 + 37.60	.9749	----	----	----	----	4	UNCH
4120	----	----	705.10B/619.10A	705.10B/619.10A	----	701.70 + 37.50	.9743	----	----	----	----	372	UNCH
4125	----	----	697.70B/614.60A	697.70B/614.60A	----	696.80 + 37.40	.9741	----	----	----	----	1	UNCH
4130	----	----	693.60B/609.80A	693.60B/609.80A	----	691.90 + 37.30	.9735	----	----	----	----	11	UNCH
4135	----	----	688.70B/604.70A	688.70B/604.70A	----	687.00 + 37.30	.9730	----	----	----	----	3	UNCH
4145	----	----	682.30B/595.50A	682.30B/595.50A	----	677.20 + 37.10	.9718	----	----	----	----	1	UNCH
4150	----	----	677.30B/590.40A	677.30B/590.40A	----	672.30 + 37.00	.9712	----	----	----	----	255	UNCH
4155	----	----	672.50B/585.60A	672.50B/585.60A	----	667.40 + 36.90	.9706	----	----	----	----	1	UNCH
4165	----	----	662.70B/576.50A	662.70B/576.50A	----	657.60 + 36.70	.9693	----	----	----	----	3	UNCH
4170	----	----	657.70B/571.70A	657.70B/571.70A	----	652.70 + 36.60	.9687	----	----	----	----	24	UNCH
4175	----	----	652.80B/567.00A	652.80B/567.00A	----	647.80 + 36.50	.9681	----	----	----	----	3	UNCH
4180	----	----	647.90B/561.80A	647.90B/561.80A	----	642.90 + 36.40	.9675	----	----	----	----	123	UNCH
4185	----	----	643.10B/557.50A	643.10B/557.50A	----	638.00 + 36.30	.9668	----	----	----	----	3	UNCH
4190	----	----	638.40B/552.80A	638.40B/552.80A	----	633.20 + 36.30	.9662	----	----	----	----	18	UNCH
4200	----	----	628.40B/543.30A	628.40B/543.30A	----	623.40 + 36.00	.9645	----	----	----	----	822	UNCH
4205	----	----	623.60B/538.60A	623.60B/538.60A	----	618.50 + 35.90	.9638	----	----	----	----	4	UNCH
4210	----	----	618.70B/533.90A	618.70B/533.90A	----	613.70 + 35.80	.9632	----	----	----	----	23	UNCH
4220	----	----	608.90B/524.60A	608.90B/524.60A	----	604.00 + 35.60	.9614	----	----	----	----	7	UNCH
4240	----	----	589.80B/506.00A	589.80B/506.00A	----	584.60 + 35.10	.9578	----	----	----	----	21	UNCH
4245	----	----	584.80B/501.40A	584.80B/501.40A	----	579.70 + 34.90	.9567	----	----	----	----	2	UNCH
4250	----	----	579.90B/496.70A	579.90B/496.70A	----	574.90 + 34.80	.9556	----	----	----	----	277	UNCH
4255	----	----	575.10B/492.10A	575.10B/492.10A	----	570.10 + 34.70	.9549	----	----	----	----	103	UNCH
4260	----	----	570.20B/487.20A	570.20B/487.20A	----	565.30 + 34.60	.9537	----	----	----	----	8	UNCH
4265	----	----	565.50B/482.90A	565.50B/482.90A	----	560.50 + 34.50	.9526	----	----	----	----	13	UNCH
4270	----	----	560.60B/478.00A	560.60B/478.00A	----	555.70 + 34.30	.9515	----	----	----	----	29	UNCH
4275	----	----	555.80B/473.80A	555.80B/473.80A	----	550.90 + 34.20	.9503	----	----	----	----	14	UNCH
4280	----	----	551.00B/469.20A	551.00B/469.20A	----	546.10 + 34.00	.9491	----	----	----	----	1	UNCH
4285	----	----	546.20B/464.60A	546.20B/464.60A	----	541.30 + 33.90	.9480	----	----	----	----	4	UNCH
4290	----	----	541.50B/460.10A	541.50B/460.10A	----	536.50 + 33.70	.9468	----	----	----	----	44	UNCH
4295	----	----	536.50B/455.40A	536.50B/455.40A	----	531.70 + 33.60	.9456	----	----	----	----	2	UNCH
4300	494.90	494.90	531.90B/450.90A	531.90B/450.90A	----	526.90 + 33.40	.9444	----	----	2	----	1117 +	1
4305	----	----	527.10B/446.10A	527.10B/446.10A	----	522.20 + 33.30	.9432	----	----	----	----	2	UNCH
4315	----	----	517.50B/437.50A	517.50B/437.50A	----	512.60 + 32.90	.9404	----	----	----	----	3	UNCH
4325	----	----	508.00B/428.50A	508.00B/428.50A	----	503.20 + 32.70	.9375	----	----	----	----	560	UNCH
4330	----	----	503.30B/424.00A	503.30B/424.00A	----	498.40 + 32.40	.9359	----	----	----	----	26	UNCH
4335	----	----	498.60B/419.60A	498.60B/419.60A	----	493.70 + 32.30	.9342	----	----	----	----	2	UNCH
4340	----	----	493.80B/415.20A	493.80B/415.20A	----	489.00 + 32.10	.9329	----	----	----	----	4	UNCH
4345	----	----	489.10B/410.80A	489.10B/410.80A	----	484.30 + 32.00	.9313	----	----	----	----	2	UNCH
4350	418.00	418.00	484.40B/406.10A	484.40B/406.10A	----	479.60 + 31.80	.9296	----	----	2	----	250 -	1
4355	----	----	479.80B/401.70A	479.80B/401.70A	----	474.90 + 31.60	.9279	----	----	----	----	40	UNCH
4360	----	----	475.00B/397.60A	475.00B/397.60A	----	470.20 + 31.40	.9262	----	----	----	----	349	UNCH
4365	----	----	470.40B/393.30A	470.40B/393.30A	----	465.50 + 31.20	.9245	----	----	----	----	5	UNCH
4370	----	----	465.60B/388.90A	465.60B/388.90A	----	460.80 + 31.00	.9228	----	----	----	----	75	UNCH
4375	----	----	460.90B/384.60A	460.90B/384.60A	----	456.20 + 30.90	.9207	----	----	----	----	34	UNCH
4380	----	----	456.30B/380.20A	456.30B/380.20A	----	451.50 + 30.60	.9189	----	----	----	----	12	UNCH
4385	----	----	451.60B/375.90A	451.60B/375.90A	----	446.90 + 30.50	.9168	----	----	----	----	4	UNCH
4390	----	----	447.00B/371.60A	447.00B/371.60A	----	442.20 + 30.20	.9150	----	----	----	----	10	UNCH
4395	----	----	442.30B/367.10A	442.30B/367.10A	----	437.60 + 30.00	.9129	----	----	----	----	5	UNCH
4400	----	----	437.90B/362.50A	437.90B/362.50A	----	433.00 + 29.80	.9107	----	----	----	----	1635	UNCH
4405	----	----	433.00B/358.60A	433.00B/358.60A	----	428.40 + 29.60	.9085	----	----	----	----	16	UNCH
4410	----	----	428.40B/354.30A	428.40B/354.30A	----	423.80 + 29.40	.9064	----	----	----	----	44	UNCH
4415	----	----	424.00B/349.90A	424.00B/349.90A	----	419.20 + 29.20	.9042	----	----	----	----	35	UNCH
4420	----	----	419.30B/345.80A	419.30B/345.80A	----	414.60 + 29.00	.9020	----	----	----	----	50	UNCH
4425	----	----	414.80B/341.60A	414.80B/341.60A	----	410.10 + 28.80	.8997	----	----	----	----	67	UNCH
4430	----	----	410.20B/337.10A	410.20B/337.10A	----	405.50 + 28.60	.8971	----	----	----	----	16	UNCH
4435	----	----	405.60B/333.40A	405.60B/333.40A	----	401.00 + 28.40	.8949	----	----	----	----	6	UNCH
4440	----	----	401.30B/328.90A	401.30B/328.90A	----	396.40 + 28.10	.8923	----	----	----	----	62	UNCH
4445	387.60	387.60	396.70B/325.10A	396.70B/325.10A	----	391.90 + 27.90	.8900	----	----	7	----	7	UNCH
4450	----	----	392.00B/320.90A	392.00B/320.90A	----	387.40 + 27.60	.8873	----	----	----	----	270	UNCH
4455	319.00	319.00	387.50B/316.60A	387.50B/316.60A	----	382.90 + 27.40	.8847	----	----	1	----	44 +	1
4460	----	----	383.10B/312.80A	383.10B/312.80A	----	378.40 + 27.20	.8820	----	----	----	----	27	UNCH
4465	----	----	378.60B/308.40A	378.60B/308.40A	----	373.90 + 26.90	.8790	----	----	----	----	20	UNCH
4470	----	----	374.10B/304.60A	374.10B/304.60A	----	369.50 + 26.70	.8763	----	----	----	----	53	UNCH
4475	304.00	304.00	369.90B/299.00	369.90B/299.00	----	365.10 + 26.50	.8736	----	----	2	----	40 +	2
4480	310.00	310.00	365.20B/297.10A	365.20B/297.10A	----	360.60 + 26.20	.8705	----	----	3	----	117 +	1
4485	----	----	360.90B/292.70A	360.90B/292.70A	----	356.20 + 25.90	.8674	----	----	----	----	23	UNCH
4490	----	----	356.50B/289.20A	356.50B/289.20A	----	351.80 + 25.70	.8644	----	----	----	----	19	UNCH
4495	----	----	352.00B/285.30A	352.00B/285.30A	----	347.40 + 25.40	.8612	----	----	----	----	16	UNCH
4500	325.20	325.20	348.00B/281.00A	348.00B/281.00A	----	343.10 + 25.20	.8581	----	----	7	----	1256 -	7
4505	----	----	343.70B/277.00A	343.70B/277.00A	----	338.70 + 24.90	.8547	----	----	----	----	29	UNCH
4510	----	----	339.30B/273.30A	339.30B/273.30A	----	334.40 + 24.70	.8515	----	----	----	----	46	UNCH
4515	----	----	335.00B/269.50A	335.00B/269.50A	----	330.10 + 24.40	.8480	----	----	----	----	17	UNCH
4520	----	----	330.70B/265.60A	330.70B/265.60A	----	325.80 + 24.10	.8445	----	----	----	----	20	UNCH
4525	----	----	326.30B/261.50A	326.30B/261.50A	----	321.50 + 23.90	.8410	----	----	----	----	23	UNCH
4530	----	----	322.10B/258.00A	322.10B/258.00A	----	317.20 + 23.50	.8372	----	----	----	----	37	UNCH
4535	----	----	317.80B/254.30A	317.80B/254.30A	----	313.00 + 23.30	.8336	----	----	----	----	30	UNCH
4540	----	----	313.60B/250.20A	313.60B/250.20A	----	308.80 + 23.10	.8298	----	----	----	----	20	UNCH
4545	----	----	309.10B/247.10A	309.10B/247.10A	----	304.60 + 22.80	.8259	----	----	----	----	4	UNCH
4550	249.00	249.00	305.30B/242.90A	305.30B/242.90A	----	300.40 + 22.50	.8220	----	----	1	----	367	UNCH
4555	----	----	301.00B/240.10A	301.00B/240.10A	----	296.20 + 22.20	.8181	----	----	----	----	31	UNCH
4560	----	----	296.80B/236.40A	296.80B/236.40A	----	292.10 + 21.90	.8139	----	----	----	----	34	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG CALL COMEX GOLD OPTIONS
MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4565	279.00	279.00	292.90B/232.80A	292.90B/232.80A	----	288.00 + 21.70	.8099	----	----	2	----	49 + 2
4570	----	----	288.90B/228.60A	288.90B/228.60A	----	283.90 + 21.40	.8057	----	----	----	----	209 UNCH
4575	235.00	235.00	284.70B/225.40A	284.70B/225.40A	----	279.80 + 21.10	.8014	----	----	2	----	69 UNCH
4580	----	----	280.30B/222.00A	280.30B/222.00A	----	275.70 + 20.70	.7969	----	----	----	----	6 UNCH
4585	----	----	276.70B/218.20A	276.70B/218.20A	----	271.70 + 20.50	.7926	----	----	----	----	101 UNCH
4590	----	----	272.60B/214.50A	272.60B/214.50A	----	267.70 + 20.20	.7880	----	----	----	----	135 UNCH
4595	----	----	268.70B/211.10A	268.70B/211.10A	----	263.70 + 19.90	.7834	----	----	----	----	31 UNCH
4600	----	----	264.90B/207.60A	264.90B/207.60A	----	259.70 + 19.60	.7788	----	----	1	----	2685 UNCH
4605	----	----	260.80B/204.00A	260.80B/204.00A	----	255.70 + 19.20	.7740	----	----	----	----	302 UNCH
4610	----	----	256.80B/200.60A	256.80B/200.60A	----	251.80 + 18.90	.7693	----	----	----	----	77 UNCH
4615	----	----	252.90B/197.40A	252.90B/197.40A	----	247.90 + 18.60	.7644	----	----	----	----	20 UNCH
4620	----	----	248.90B/193.80A	248.90B/193.80A	----	244.00 + 18.30	.7595	----	----	----	----	26 UNCH
4625	----	----	245.20B/190.50A	245.20B/190.50A	----	240.20 + 18.10	.7544	----	----	----	----	117 UNCH
4630	----	----	241.40B/183.10A	241.40B/183.10A	----	236.40 + 17.80	.7492	----	----	----	----	40 UNCH
4635	----	----	237.80B/179.90A	237.80B/179.90A	----	232.60 + 17.50	.7442	----	----	----	----	229 UNCH
4640	----	----	233.80B/177.00A	233.80B/177.00A	----	228.80 + 17.10	.7388	----	----	----	----	45 UNCH
4645	----	----	229.10B/172.50A	229.10B/172.50A	----	225.00 + 16.70	.7335	----	----	----	----	6 UNCH
4650	----	----	226.50B/169.30A	226.50B/169.30A	----	221.30 + 16.50	.7281	----	----	2	----	619 UNCH
4655	----	----	222.50B/166.20A	222.50B/166.20A	----	217.60 + 16.10	.7226	----	----	----	----	223 UNCH
4660	----	----	218.90B/163.20A	218.90B/163.20A	----	214.00 + 15.90	.7171	----	----	----	----	151 UNCH
4665	----	----	215.30B/160.00A	215.30B/160.00A	----	210.30 + 15.50	.7116	----	----	----	----	57 UNCH
4670	208.60	208.60	211.60B/157.00A	211.60B/157.00A	----	206.70 + 15.20	.7059	----	----	2	----	118 UNCH
4675	----	----	208.30B/154.00A	208.30B/154.00A	----	203.10 + 14.80	.7001	----	----	----	----	87 UNCH
4680	----	----	204.60B/151.30A	204.60B/151.30A	----	199.60 + 14.60	.6942	----	----	----	----	162 UNCH
4685	----	----	201.10B/148.10A	201.10B/148.10A	----	196.00 + 14.20	.6884	----	----	----	----	159 UNCH
4690	191.00	191.00	197.50B/145.40A	197.50B/145.40A	----	192.50 + 13.80	.6825	----	----	5	----	49 - 2
4695	----	----	194.10B/142.30A	194.10B/142.30A	----	189.10 + 13.60	.6763	----	----	----	----	55 UNCH
4700	151.00	151.00	190.60B/139.70A	190.60B/139.70A	----	185.60 + 13.20	.6703	----	----	25	----	2233 - 18
4705	----	----	187.30B/136.90A	187.30B/136.90A	----	182.20 + 12.90	.6641	----	----	----	----	319 UNCH
4710	----	----	183.90B/133.90A	183.90B/133.90A	----	178.90 + 12.60	.6578	----	----	----	----	212 UNCH
4715	146.90	146.90	180.50B/130.90A	180.50B/130.90A	----	175.60 + 12.30	.6516	----	----	1	----	68 UNCH
4720	170.90	170.90	177.20B/128.20A	177.20B/128.20A	----	172.30 + 12.00	.6452	----	----	1	150	263 + 150
4725	148.00	148.00	173.90B/125.70A	173.90B/125.70A	----	169.00 + 11.70	.6389	----	----	11	----	147 + 3
4730	148.50	148.50	170.60B/123.40A	170.60B/123.40A	----	165.80 + 11.40	.6324	----	----	11	----	51 + 1
4735	----	----	167.30B/120.50A	167.30B/120.50A	----	162.60 + 11.10	.6258	----	----	----	----	31 UNCH
4740	----	----	164.30B/117.80A	164.30B/117.80A	----	159.40 + 10.80	.6192	----	----	----	----	161 UNCH
4745	----	----	161.00B/115.30A	161.00B/115.30A	----	156.30 + 10.50	.6126	----	----	----	----	27 UNCH
4750	131.40	131.40	158.00B/112.90A	158.00B/112.90A	----	153.20 + 10.20	.6059	----	----	49	----	1455 + 3
4755	116.10	116.10	154.80B/110.40A	154.80B/110.40A	----	150.10 + 9.90	.5992	----	----	1	----	47 + 1
4760	113.70	113.70	151.90B/108.40A	151.90B/108.40A	----	147.10 + 9.60	.5924	----	----	9	----	85 + 2
4765	115.70	115.70	148.80B/105.60A	148.80B/105.60A	----	144.10 + 9.30	.5856	----	----	28	----	79 + 3
4770	----	----	145.60B/103.40A	145.60B/103.40A	----	141.10 + 9.00	.5788	----	----	10	----	88 + 7
4775	108.80	108.80	142.50B/101.30A	142.50B/101.30A	----	138.20 + 8.80	.5719	----	----	20	----	196 + 7
4780	104.80	104.80	139.70B/98.80A	139.70B/98.80A	----	135.30 + 8.50	.5650	----	----	6	----	60 + 6
4785	125.00	125.00	136.80B/96.80A	136.80B/96.80A	----	132.40 + 8.20	.5580	----	----	3	----	34 + 2
4790	100.70	100.70	133.90B/94.60A	133.90B/94.60A	----	129.60 + 8.00	.5510	----	----	14	----	128 - 1
4795	----	----	131.10B/92.50A	131.10B/92.50A	----	126.80 + 7.70	.5440	----	----	----	----	57 UNCH
4800	92.00	92.00	128.30B/90.20A	128.30B/90.20A	----	124.10 + 7.50	.5369	----	----	246	250	2377 + 254
4805	96.00	96.00	125.60B/88.10A	125.60B/88.10A	----	121.40 + 7.20	.5298	----	----	33	----	51 + 32
4810	122.70	122.70	122.90B/86.10A	122.90B/86.10A	----	118.80 + 7.10	.5227	----	----	3	----	585 - 3
4815	----	----	120.20B/84.10A	120.20B/84.10A	----	116.20 + 6.80	.5156	----	----	----	----	16 UNCH
4820	85.70	85.70	117.60B/82.10A	117.60B/82.10A	----	113.70 + 6.60	.5085	----	----	82	----	195 + 47
4825	115.00	115.00	115.00/79.90A	115.00/79.90A	----	111.10 + 6.30	.5013	----	----	3	----	183 + 1
4830	----	----	112.40B/77.80A	112.40B/77.80A	----	108.60 + 6.10	.4942	----	----	----	----	65 UNCH
4835	----	----	109.90B/75.90A	109.90B/75.90A	----	106.20 + 5.90	.4870	----	----	----	----	10 UNCH
4840	----	----	107.50B/74.10A	107.50B/74.10A	----	103.80 + 5.60	.4799	----	----	----	----	34 UNCH
4845	79.00	79.00	105.00B/72.20A	105.00B/72.20A	----	101.40 + 5.40	.4727	----	----	105	----	125 + 100
4850	75.50	75.50	103.00/70.80A	103.00/70.80A	----	99.10 + 5.20	.4656	----	----	852	----	1272 + 338
4855	75.00	75.00	100.30B/68.70A	100.30B/68.70A	----	96.80 + 4.90	.4584	----	----	6	----	21 UNCH
4860	73.00	73.00	97.90B/67.10A	97.90B/67.10A	----	94.50 + 4.70	.4513	----	----	3	----	48 - 1
4865	83.30	83.30	95.70B/65.40A	95.70B/65.40A	----	92.30 + 4.50	.4442	----	----	7	----	64 + 7
4870	89.30	89.30	93.40B/63.70A	93.40B/63.70A	----	90.10 + 4.20	.4371	----	----	6	----	71 + 4
4875	----	----	91.30B/62.10A	91.30B/62.10A	----	87.90 + 4.00	.4299	----	----	----	----	176 UNCH
4880	78.50	78.50	89.00B/60.60A	89.00B/60.60A	----	85.80 + 3.80	.4229	----	----	7	----	30 UNCH
4885	79.50	79.50	86.90B/58.90A	86.90B/58.90A	----	83.70 + 3.50	.4158	----	----	11	----	59 - 9
4890	----	----	84.70B/57.50A	84.70B/57.50A	----	81.70 + 3.40	.4088	----	----	3	----	44 UNCH
4895	----	----	82.70B/55.90A	82.70B/55.90A	----	79.60 + 3.10	.4018	----	----	----	----	73 UNCH
4900	61.80	61.80	80.70B/54.50A	80.70B/54.50A	----	77.70 + 2.90	.3949	----	----	415	100	2235 + 74
4905	----	----	78.70B/53.30A	78.70B/53.30A	----	75.70 + 2.70	.3879	----	----	1	----	42 UNCH
4910	70.50	70.50	77.00/51.80A	77.00/51.80A	----	73.80 + 2.50	.3810	----	----	6	----	86 - 4
4915	----	----	74.80B/50.60A	74.80B/50.60A	----	72.00 + 2.40	.3742	----	----	3	----	70 UNCH
4920	69.80	69.80	72.90B/49.10A	72.90B/49.10A	----	70.10 + 2.10	.3673	----	----	7	----	64 + 4
4925	58.90	58.90	71.10B/47.80A	71.10B/47.80A	----	68.30 + 1.90	.3605	----	----	8	----	310 UNCH
4930	----	----	69.20B/46.50A	69.20B/46.50A	----	66.50 + 1.70	.3537	----	----	----	----	194 UNCH
4935	65.70	65.70	67.40B/45.50A	67.40B/45.50A	----	64.80 + 1.60	.3471	----	----	1	----	71 UNCH
4940	----	----	65.70B/44.10A	65.70B/44.10A	----	63.10 + 1.40	.3405	----	----	----	----	23 UNCH
4945	----	----	63.90B/42.90A	63.90B/42.90A	----	61.40 + 1.20	.3338	----	----	----	----	34 UNCH
4950	48.50	48.50	62.40B/41.80A	62.40B/41.80A	----	59.80 + 1.10	.3273	----	----	576	----	1407 + 476
4955	----	----	60.70B/40.50A	60.70B/40.50A	----	58.20 + 0.90	.3208	----	----	----	----	10 UNCH
4960	----	----	59.10B/39.40A	59.10B/39.40A	----	56.70 + 0.80	.3145	----	----	----	----	36 UNCH
4965	52.70	52.70	57.50B/38.40A	57.50B/38.40A	----	55.10 + 0.60	.3080	----	----	27	----	63 - 2
4970	----	----	56.00B/37.50A	56.00B/37.50A	----	53.60 + 0.50	.3017	----	----	2	----	72 - 1
4975	52.10	52.10	54.60B/36.50A	54.60B/36.50A	----	52.20 + 0.40	.2956	----	----	1	----	300 UNCH
4980	42.00	42.00	53.00B/35.50A	53.00B/35.50A	----	50.70 + 0.20	.2893	----	----	6	----	257 + 1
4985	----	----	51.50B/34.70A	51.50B/34.70A	----	49.30 UNCH	.2832	----	----	2	----	147 - 1
4990	36.50	36.50	50.20B/33.70A	50.20B/33.70A	----	48.00 UNCH	.2773	----	----	99	----	49 + 11
4995	----	----	48.80B/32.50A	48.80B/32.50A	----	46.60 - 0.20	.2712	----	----	101	----	112 - 1
5000	36.80	36.80	47.70/31.60A	47.70/31.60A	----	45.30 - 0.30	.2653	----	----	917	100	4234 - 135
5005	33.90	33.90	46.20B/30.90A	46.20B/30.90A	----	44.00 - 0.50	.2595	----	----	2	----	25 - 1
5010	44.40	44.40	44.90B/29.90A	44.90B/29.90A	----	42.80 - 0.50	.2538	----	----	64	----	162 - 20
5015	----	----	43.70B/29.10A	43.70B/29.10A	----	41.60 - 0.60	.2482	----	----	----	----	56 UNCH
5020	----	----	42.50B/28.30A	42.50B/28.30A	----	40.40 - 0.70	.2426	----	----	----	----	39 UNCH
5025	39.60	39.60	41.30B/27.80A	41.30B/27.80A	----	39.20 - 0.90	.2370	----	----	2	----	219 UNCH
5030	29.00	29.00	40.20B/*26.80A	40.20B/*26.80A	----	38.10 - 0.90	.2316	----	----	27	----	264 + 1
5035	----	----	39.00B/*26.20A	39.00B/*26.20A	----	37.00 - 1.00	.2263	----	----	----	----	19 UNCH
5040	35.80	35.80	38.00B/*25.40A	38.00B/*25.40A	----	35.90 - 1.20	.2209	----	----	2	----	153 + 1
5045	27.60	27.60	36.90B/*24.70A	36.90B/*24.70A	----	34.90 - 1.20	.2159	----	----	19	----	1241 - 4
5050	26.10	26.10	35.80B/24.20A	35.80B/24.20A	----	33.90 - 1.30	.2108	----	----	572	----	2077 - 114
5055	31.20	31.20	34.80B/*23.40A	34.80B/*23.40A	----	32.90 - 1.30	.2058	----	----	2	----	85 UNCH
5060	25.70	25.70	33.80B/*22.70A	33.80B/*22.70A	----	31.90 - 1.50	.2008	----	----	1	----	91 + 1
5065	29.70	29.70	32.80B/*22.30A	32.80B/*22.30A	----	31.00 - 1.50	.1960	----	----	3	----	21 + 3
5070	29.80	29.80	32.00B/*21.60A	32.00B/*21.60A	----	30.10 - 1.50	.1913	----	----	1	----	61 + 1
5075	----	----	31.00B/*20.90A	31.00B/*20.90A	----	29.20 - 1.60	.1866	----	----	5	----	55 + 3
5080	----	----	30.20B/*20.50A	30.20B/*20.50A	----	28.40 - 1.60	.1822	----	----	----	----	145 UNCH
5085	28.00	28.00	29.30B/*19.90A	29.30B/*19.90A	----	27.50 - 1.70	.1776	----	----	6	----	324 + 2
5090	22.50	22.50	28.40B/*19.40A	28.40B/*19.40A	----	26.70 - 1.80	.1732	----	----	70	----	232 + 17
5095	23.10	23.10	27.60B/*19.00A	27.60B/*19.00A	----	25.90 - 1.80	.1689	----	----	10	----	24 + 4
5100	20.50	20.50	27.00/*18.30A	27.00/18.30A	----	25.20 - 1.80	.1649	----	----	294	----	1793 - 103
5105	19.20	19.20	26.00B/*17.80A	26.00B/*17.80A	----	24.40 - 1.90	.1605	----	----	1	----	11 + 1
5110	17.40	17.40	25.30B/*17.30	25.30B/*17.30	----	23.70 - 1.90	.1566	----	----	11	----	419 + 4
5115	----	----	----/*16.80A	24.60B/*16.80A	----	23.00 - 1.90	.1526	----	----	----	----	118 UNCH
5120	----	----	----/*16.50A	23.80B/*16.50A	----	22.30 - 2.00	.1487	----	----	1	----	25 UNCH
5125	17.50	17.50	23.20B/*16.00A	23.20B/*16.00A	----	21.70 - 1.90	.1451	----	----	18	----	355 - 2
5130	17.60	17.60	22.50B/*15.70A	22.50B/*15.70A	----	21.10 - 1.90	.1416	----	----	6	----	92 + 3
5135	16.60	16.60	21.80B/*15.30A	21.80B/*15.30A	----	20.40 - 2.00	.1377	----	----	24	----	180 - 14
5140	----	----	----/*14.90A	21.20B/*14.90A	----	19.80 - 2.00	.1341	----	----	4	----	259 - 4
5145	----	----	----/*14.40A	20.60B/*14.40A	----	19.30 - 2.00	.1310	----	----	----	----	78 UNCH
5150	14.60	14.60	20.00B/*14.00A	20.00B/*14.00A	----	18.70 - 2.00	.1275	----	----	712	----	1549 + 218
5155	15.80	15.80	19.40B/*13.60A	19.40B/*13.60A	----	18.10 - 2.10	.1240	----	----	1	----	75 + 1
5160	----	----	----/*13.10A	18.90B/*13.10A	----	17.60 - 2.10	.1209	----	----	8	----	319 + 7
5165	16.10	16.10	16.10/*12.70A	18.30B/*12.70A	----	17.10 - 2.10	.1178	----	----	10	----	57 + 10
5170	----	----	----/*12.30A	17.80B/*12.30A	----	16.60 - 2.10	.1148	----	----	----	----	196 UNCH
5175	15.80	15.80	17.30/*11.90A	17.30/*11.90A	----	16.10 - 2.10	.1117	----	----	4	----	243 - 1
5180	15.60	15.60	16.80B/*11.60A	16.80B/*11.60A	----	15.70 - 2.00	.1091	----	----	15	----	42 + 8
5185	14.00	14.00	16.40B/*11.30A	16.40B/*11.30A	----	15.20 - 2.10	.1061	----	----	6	----	31 + 6
5190	14.70	14.70	15.90B/*11.00A	15.90B/*11.00A	----	14.80 - 2.00	.1035	----	----	11	----	345 + 5
5195	14.00	14.00	15.50B/*10.70A	15.50B/*10.70A	----	14.40 - 2.00	.1009	----	----	24	----	27 + 5
5200	12.30	12.30	15.00/*10.30A	15.00/*10.30A	----	14.00 - 2.00	.0984	----	----	240	----	2869 + 129
5205	12.80	12.80	12.80/*10.00A	14.60B/*10.00A	----	13.60 - 2.00	.0958	----	----	6	----	28 + 1
5210	12.10	12.10	12.10/*9.70A	14.20B/*9.70A	----	13.20 - 2.00	.0933	----	----	1	----	60 + 1
5215	13.10	13.10	13.10/*9.50A	13.80B/*9.50A	----	12.80 - 2.00	.0907	----	----	5	----	54 + 1
5220	11.80	11.80	11.80/*9.20A	13.40B/*9.20A	----	12.40 - 2.00	.0882	----	----	5	----	266 + 2
5225	10.70	10.70	13.10B/*8.90A	13.10B/*8.90A	----	12.10 - 2.00	.0861	----	----	8	----	184 + 6
5230	10.60	10.60	12.70B/*8.70A	12.70B/*8.70A	----	11.80 - 1.90	.0841	----	----	4	----	30 + 3
5235	12.30	12.30	12.30/*8.50A	12.40B/*8.50A	----	11.40 - 2.00	.0816	----	----	17	----	65 - 2
5240	11.60	11.60	12.10B/*8.20A	12.10B/*8.20A	----	11.10 - 2.00	.0796	----	----	4	----	97 + 3
5245	10.30	10.30	11.80B/*8.00A	11.80B/*8.00A	----	10.80 - 2.00	.0776	----	----	8	----	59 + 4

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
5250	9.00	9.00	11.50B/*7.80A	11.50B/*7.80A	----	10.50 - 2.00	.0755	----	----	128	----	1951 - 35
5255	----	----	----/*7.60A	11.20B/*7.60A	----	10.20 - 2.00	.0735	----	----	----	----	7 UNCH
5260	10.40	10.40	10.90B/*7.40A	10.90B/*7.40A	----	10.00 - 1.90	.0721	----	----	14	----	111 + 1
5265	8.70	8.70	10.60/*7.20A	10.60/*7.20A	----	9.70 - 1.90	.0701	----	----	7	----	61 + 5
5270	8.60	8.60	10.30B/*7.00A	10.30B/*7.00A	----	9.40 - 1.90	.0681	----	----	5	----	93 + 1
5275	8.40	8.40	10.10B/*6.80A	10.10B/*6.80A	----	9.20 - 1.90	.0666	----	----	10	----	203 + 2
5280	8.30	8.30	9.80B/*6.60A	9.80B/*6.60A	----	8.90 - 1.90	.0647	----	----	8	----	288 - 4
5285	8.00	8.00	9.60/*6.50A	9.60/*6.50A	----	8.70 - 1.90	.0632	----	----	23	----	36 + 7
5290	----	----	----/*6.30A	9.30B/*6.30A	----	8.50 - 1.80	.0618	----	----	----	----	64 UNCH
5295	7.70	7.70	9.10B/*6.10A	9.10B/*6.10A	----	8.30 - 1.80	.0603	----	----	7	----	69 + 2
5300	8.00	8.00	8.90B/*6.00A	8.90B/*6.00A	----	8.10 - 1.80	.0589	----	----	282	----	2590 + 5
5305	8.20	8.20	8.70B/*5.80A	8.70B/*5.80A	----	7.90 - 1.80	.0575	----	----	5	----	50 + 4
5310	7.10	7.10	8.50B/*5.70A	8.50B/*5.70A	----	7.70 - 1.80	.0561	----	----	10	----	31 - 2
5315	6.50	6.50	8.30B/*5.60A	8.30B/*5.60A	----	7.50 - 1.70	.0547	----	----	8	----	34 + 1
5320	6.80	6.80	8.10/*5.40A	8.10/*5.40A	----	7.30 - 1.70	.0533	----	----	4	----	529 - 2
5325	6.90	6.90	6.90/*5.30A	7.90B/*5.30A	----	7.10 - 1.80	.0519	----	----	3	----	110 UNCH
5330	7.20	7.20	7.70B/*5.20A	7.70B/*5.20A	----	6.90 - 1.80	.0505	----	----	10	----	42 - 2
5335	6.40	6.40	7.50B/*5.10A	7.50B/*5.10A	----	6.80 - 1.70	.0497	----	----	3	----	244 + 1
5340	6.90	6.90	7.30B/*4.90A	7.30B/*4.90A	----	6.60 - 1.70	.0483	----	----	2	----	133 + 2
5345	6.70	6.70	7.20B/*4.80A	7.20B/*4.80A	----	6.40 - 1.70	.0469	----	----	35	----	65 + 18
5350	6.40	6.40	6.40/*4.70A	7.00B/*4.70A	----	6.30 - 1.70	.0461	----	----	37	----	816 + 9
5355	6.40	6.40	6.80B/*4.60A	6.80B/*4.60A	----	6.10 - 1.70	.0448	----	----	3	----	29 + 3
5360	----	----	----/*4.50A	6.70B/*4.50A	----	6.00 - 1.70	.0440	----	----	----	----	106 UNCH
5365	----	----	----/*4.40A	6.50B/*4.40A	----	5.90 - 1.60	.0431	----	----	----	----	33 UNCH
5370	5.40	5.40	6.40B/*4.30A	6.40B/*4.30A	----	5.70 - 1.60	.0418	----	----	5	----	127 UNCH
5375	----	----	----/*4.20A	6.30B/*4.20A	----	5.60 - 1.60	.0410	----	----	----	----	403 UNCH
5380	----	----	----/*4.10A	6.10B/*4.10A	----	5.50 - 1.60	.0402	----	----	----	----	77 UNCH
5385	----	----	----/*4.00A	6.00B/*4.00A	----	5.40 - 1.50	.0394	----	----	----	----	117 UNCH
5390	----	----	----/*4.00A	5.80B/*4.00A	----	5.30 - 1.50	.0387	----	----	----	----	100 UNCH
5395	----	----	----/*3.90A	5.70B/*3.90A	----	5.10 - 1.60	.0374	----	----	----	----	39 UNCH
5400	5.60	5.60	5.60/*3.80A	5.60/*3.80A	----	5.00 - 1.50	.0366	----	----	108	----	2533 + 43
5405	----	----	----/*3.70A	5.50B/*3.70A	----	4.90 - 1.50	.0358	----	----	----	----	60 UNCH
5410	----	----	----/*3.70A	5.40B/*3.70A	----	4.80 - 1.50	.0351	----	----	----	----	155 UNCH
5415	5.30	5.30	5.30/*3.60A	5.30/*3.60A	----	4.70 - 1.50	.0343	----	----	1	----	37 - 1
5420	----	----	----/*3.50A	5.20B/*3.50A	----	4.60 - 1.50	.0336	----	----	1	----	143 UNCH
5425	----	----	----/*3.40A	5.10B/*3.40A	----	4.50 - 1.50	.0328	----	----	----	----	104 UNCH
5430	----	----	----/*3.40A	5.00B/*3.40A	----	4.50 - 1.40	.0327	----	----	----	----	27 UNCH
5435	----	----	----/*3.30A	4.90B/*3.30A	----	4.40 - 1.30	.0319	----	----	----	----	12 UNCH
5440	----	----	----/*3.20A	4.80B/*3.20A	----	4.30 - 1.30	.0312	----	----	----	----	56 UNCH
5445	4.00	4.00	4.70B/*3.20A	4.70B/*3.20A	----	4.20 - 1.30	.0305	----	----	2	----	115 + 2
5450	----	----	----/*3.10A	4.60B/*3.10A	----	4.10 - 1.40	.0297	----	----	----	----	641 UNCH
5455	----	----	----/*3.10A	4.50B/*3.10A	----	4.10 - 1.30	.0296	----	----	----	----	153 UNCH
5460	4.30	4.30	4.40B/*3.00A	4.40B/*3.00A	----	4.00 - 1.30	.0289	----	----	1	----	35 UNCH
5465	----	----	----/*3.00A	4.30B/*3.00A	----	3.90 - 1.30	.0282	----	----	----	----	40 UNCH
5470	----	----	----/*2.90A	4.30B/*2.90A	----	3.80 - 1.30	.0275	----	----	1	----	252 - 1
5475	----	----	----/*2.90A	4.20B/*2.90A	----	3.80 - 1.20	.0273	----	----	----	----	35 UNCH
5480	----	----	----/*2.80A	4.10B/*2.80A	----	3.70 - 1.20	.0266	----	----	----	----	34 UNCH
5485	----	----	----/*2.80A	4.00B/*2.80A	----	3.60 - 1.20	.0259	----	----	----	----	40 UNCH
5490	----	----	----/*2.70A	4.00B/*2.70A	----	3.60 - 1.20	.0258	----	----	----	----	35 UNCH
5495	----	----	----/*2.70A	3.90B/*2.70A	----	3.50 - 1.20	.0251	----	----	----	----	50 UNCH
5500	4.00	4.00	4.00/*2.60A	4.00/*2.60A	----	3.50 - 1.10	.0250	----	----	82	----	4445 - 22
5505	----	----	----/*2.60A	3.80B/*2.60A	----	3.40 - 1.10	.0243	----	----	----	----	91 UNCH
5510	----	----	----/*2.50A	3.70B/*2.50A	----	3.30 - 1.20	.0236	----	----	----	----	59 UNCH
5515	----	----	----/*2.50A	3.60B/*2.50A	----	3.30 - 1.10	.0235	----	----	----	----	13 UNCH
5520	----	----	----/*2.50A	3.50B/*2.50A	----	3.20 - 1.10	.0228	----	----	----	----	202 UNCH
5525	----	----	----/*2.40A	3.50B/*2.40A	----	3.20 - 1.10	.0227	----	----	----	----	84 UNCH
5530	----	----	----/*2.40A	3.50B/*2.40A	----	3.10 - 1.10	.0220	----	----	----	----	62 UNCH
5535	----	----	----/*2.30A	3.40B/*2.30A	----	3.10 - 1.00	.0219	----	----	----	----	14 UNCH
5540	----	----	----/*2.30A	3.30B/*2.30A	----	3.00 - 1.10	.0213	----	----	----	----	27 UNCH
5545	----	----	----/*2.30A	3.30B/*2.30A	----	3.00 - 1.00	.0211	----	----	1	----	6 UNCH
5550	----	----	----/*2.20A	3.20B/*2.20A	----	2.90 - 1.10	.0205	----	----	2	----	849 - 2
5555	----	----	----/*2.20A	3.20B/*2.20A	----	2.90 - 1.00	.0204	----	----	----	----	19 UNCH
5560	----	----	----/*2.20A	3.10B/*2.20A	----	2.90 - 1.00	.0203	----	----	----	----	28 UNCH
5565	----	----	----/*2.10A	3.10B/*2.10A	----	2.80 - 1.00	.0196	----	----	----	----	46 UNCH
5570	----	----	----/*2.10A	3.00B/*2.10A	----	2.80 - 1.00	.0195	----	----	----	----	558 UNCH
5575	----	----	----/*2.10A	3.00B/*2.10A	----	2.70 - 1.00	.0189	----	----	----	----	239 UNCH
5580	----	----	----/*2.10A	2.90B/*2.10A	----	2.70 - 1.00	.0188	----	----	----	----	137 UNCH
5585	----	----	----/*2.00A	2.90B/*2.00A	----	2.60 - 1.00	.0182	----	----	----	----	20 UNCH
5590	----	----	----/*2.00A	2.80B/*2.00A	----	2.60 - 1.00	.0181	----	----	----	----	93 UNCH
5595	----	----	----/*2.00A	2.80B/*2.00A	----	2.60 - 0.90	.0180	----	----	----	----	17 UNCH
5600	2.40	2.40	2.80/*1.90	2.80/*1.90	----	2.50 - 1.00	.0174	----	----	91	----	3258 + 69
5610	----	----	----/*1.90A	2.70B/*1.90A	----	2.50 - 0.90	.0172	----	----	----	----	461 UNCH
5620	----	----	----/*1.90A	2.60B/*1.90A	----	2.40 - 0.90	.0165	----	----	----	----	136 UNCH
5625	----	----	----/*1.80A	2.60B/*1.80A	----	2.30 - 1.00	.0159	----	----	----	----	267 UNCH
5630	----	----	----/*1.80A	2.50B/*1.80A	----	2.30 - 0.90	.0158	----	----	----	----	147 UNCH
5640	----	----	----/*1.80A	2.50B/*1.80A	----	2.20 - 0.90	.0151	----	----	----	----	552 UNCH
5650	----	----	----/*1.70A	2.40B/*1.70A	----	2.20 - 0.90	.0150	----	----	3	----	707 - 2
5660	----	----	----/*1.70A	2.40B/*1.70A	----	2.10 - 0.90	.0143	----	----	----	----	262 UNCH
5670	----	----	----/*1.60A	2.30B/*1.60A	----	2.00 - 0.90	.0136	----	----	----	----	41 UNCH
5675	----	----	----/*1.60A	2.30B/*1.60A	----	2.00 - 0.90	.0136	----	----	----	----	5 UNCH
5680	----	----	----/*1.60A	2.20B/*1.60A	----	2.00 - 0.90	.0135	----	----	----	----	94 UNCH
5690	----	----	----/*1.50A	2.20B/*1.50A	----	1.90 - 0.90	.0129	----	----	----	----	178 UNCH
5700	1.60	1.60	1.60/*1.50A	2.10B/*1.50A	----	1.90 - 0.80	.0127	----	----	29	----	1864 - 15
5710	----	----	----/*1.50A	2.10B/*1.50A	----	1.80 - 0.90	.0121	----	----	----	----	49 UNCH
5720	----	----	----/*1.40A	2.00B/*1.40A	----	1.70 - 0.90	.0114	----	----	----	----	35 UNCH
5725	----	----	----/*1.40A	2.00B/*1.40A	----	1.70 - 0.90	.0114	----	----	1	----	432 UNCH
5730	----	----	----/*1.40A	2.00B/*1.40A	----	1.70 - 0.90	.0114	----	----	----	----	121 UNCH
5740	----	----	----/*1.40A	1.90B/*1.40A	----	1.60 - 0.90	.0107	----	----	----	----	55 UNCH
5750	1.50	1.50	1.50/*1.30A	1.90B/*1.30A	----	1.60 - 0.90	.0106	----	----	9	----	309 - 2
5760	----	----	----/*1.30A	1.80B/*1.30A	----	1.60 - 0.80	.0105	----	----	----	----	63 UNCH
5770	----	----	----/*1.30A	1.80B/*1.30A	----	1.50 - 0.90	.0099	----	----	----	----	16 UNCH
5775	----	----	----/*1.30A	1.80B/*1.30A	----	1.50 - 0.90	.0099	----	----	----	----	69 UNCH
5780	----	----	----/*1.20A	1.80B/*1.20A	----	1.50 - 0.80	.0098	----	----	----	----	22 UNCH
5790	----	----	----/*1.20A	1.70B/*1.20A	----	1.40 - 0.90	.0092	----	----	----	----	41 UNCH
5800	1.50	1.50	1.50/*1.20A	1.70B/*1.20A	----	1.40 - 0.80	.0092	----	----	11	----	985 - 3
5810	----	----	----/*1.20A	1.60B/*1.20A	----	1.40 - 0.80	.0091	----	----	----	----	37 UNCH
5820	----	----	----/*1.20A	1.60B/*1.20A	----	1.40 - 0.80	.0090	----	----	8	----	51 + 3
5825	----	----	----/*1.10A	1.60B/*1.10A	----	1.30 - 0.80	.0084	----	----	1	----	112 UNCH
5830	----	----	----/*1.10A	1.60B/*1.10A	----	1.30 - 0.80	.0084	----	----	----	----	139 UNCH
5840	----	----	----/*1.10A	1.50B/*1.10A	----	1.30 - 0.80	.0084	----	----	----	----	87 UNCH
5850	----	----	----/*1.10A	1.50B/*1.10A	----	1.30 - 0.70	.0083	----	----	----	----	327 UNCH
5860	----	----	----/*1.10A	1.50B/*1.10A	----	1.30 - 0.70	.0082	----	----	----	----	68 UNCH
5870	----	----	----/*1.10A	1.50B/*1.10A	----	1.30 - 0.70	.0082	----	----	----	----	17 UNCH
5875	----	----	----/*1.00A	1.50B/*1.00A	----	1.30 - 0.60	.0082	----	----	----	----	29 UNCH
5880	----	----	----/*1.00A	1.40B/*1.00A	----	1.30 - 0.60	.0081	----	----	----	----	24 UNCH
5890	----	----	----/*1.00A	1.40B/*1.00A	----	1.30 - 0.60	.0081	----	----	----	----	23 UNCH
5900	1.20	1.20	1.20/*1.00A	1.40B/*1.00A	----	1.30 - 0.50	.0080	----	----	5	----	834 + 5
5910	----	----	----/*1.00A	1.40B/*1.00A	----	1.20 - 0.60	.0074	----	----	----	----	61 UNCH
5920	----	----	----/*1.00A	1.40B/*1.00A	----	1.20 - 0.60	.0074	----	----	----	----	113 UNCH
5930	----	----	----/*0.90A	1.30B/*0.90A	----	1.20 - 0.60	.0073	----	----	----	----	136 UNCH
5940	----	----	----/*0.90A	1.30B/*0.90A	----	1.20 - 0.50	.0073	----	----	----	----	59 UNCH
5950	1.00	1.00	1.00/*0.90	1.30B/*0.90	----	1.20 - 0.50	.0072	----	----	31	----	441 + 10
5960	----	----	----/*0.90A	1.30B/*0.90A	----	1.20 - 0.50	.0072	----	----	----	----	45 UNCH
5970	----	----	----/*0.90A	1.20B/*0.90A	----	1.20 - 0.50	.0072	----	----	----	----	35 UNCH
5980	----	----	----/*0.90A	1.20B/*0.90A	----	1.20 - 0.40	.0071	----	----	----	----	128 UNCH
5990	----	----	----/*0.90A	1.20B/*0.90A	----	1.20 - 0.40	.0071	----	----	----	----	72 UNCH
6000	1.10	1.10	1.10/*0.80A	1.30B/*0.80A	----	1.10 - 0.50	.0065	----	----	28	----	3535 UNCH
6025	----	----	----/*0.80A	1.20B/*0.80A	----	1.10 - 0.50	.0064	----	----	----	----	94 UNCH
6050	----	----	----/*0.80A	1.10B/*0.80A	----	1.10 - 0.40	.0063	----	----	----	----	103 UNCH
6075	----	----	----/*0.80A	1.10B/*0.80A	----	1.00 - 0.50	.0057	----	----	----	----	23 UNCH
6100	1.00	1.00	1.00/*0.70A	1.00/*0.70A	----	1.00 - 0.40	.0057	----	----	5	----	522 + 5
6125	----	----	----/*0.90A	1.00B/*0.90A	----	1.00 - 0.40	.0056	----	----	----	----	48 UNCH
6150	0.90	0.90	0.90/*0.90	0.90/*0.90	----	0.90 - 0.50	.0050	----	----	2	----	132 UNCH
6175	----	----	----/*0.60A	0.90B/*0.60A	----	0.90 - 0.40	.0050	----	----	----	----	131 UNCH
6200	----	----	----/*0.60A	0.90B/*0.60A	----	0.90 - 0.40	.0049	----	----	----	----	370 UNCH
6225	----	----	----/*0.60A	0.80B/*0.60A	----	0.80 - 0.50	.0044	----	----	----	----	138 UNCH
6250	----	----	----/*0.80A	0.90B/*0.80A	----	0.80 - 0.40	.0043	----	----	----	----	260 UNCH
6275	----	----	----/0.50A	0.80B/0.50A	----	0.70 - 0.50	.0038	----	----	----	----	34 UNCH
6300	----	----	----/*0.80A	0.80B/*0.80A	----	0.70 - 0.40	.0037	----	----	----	----	254 UNCH
6325	----	----	----/*0.80A	0.70B/*0.80A	----	0.70 - 0.40	.0037	----	----	----	----	148 UNCH
6350	----	----	----/*0.70A	0.70B/*0.70A	----	0.60 - 0.50	.0032	----	----	----	----	203 UNCH
6375	----	----	----/*0.70A	0.60B/*0.70A	----	0.60 - 0.40	.0031	----	----	----	----	24 UNCH
6400	----	----	----/*0.70A	0.70B/*0.70A	----	0.60 - 0.40	.0031	----	----	----	----	345 UNCH
6425	----	----	----/*0.70A	0.60B/*0.70A	----	0.60 - 0.40	.0031	----	----	----	----	42 UNCH
6450	----	----	----/*0.70A	0.60B/*0.70A	----	0.50 - 0.40	.0026	----	----	----	----	76 UNCH
6475	----	----	----/*0.60A	0.60B/*0.60A	----	0.50 - 0.40	.0026	----	----	----	----	68 UNCH
6500	----	----	----/*0.60A	0.50B/*0.60A	----	0.50 - 0.40	.0025	----	----	1	----	1123 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 27

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
6525	----	----	----/*0.50A	0.50B/*0.50A	----	0.50 - 0.30	.0025	----	----	----	----	20 UNCH
6550	----	----	----/*0.60A	0.50B/*0.60A	----	0.40 - 0.40	.0020	----	----	3	----	75 UNCH
6575	----	----	----/*0.60A	0.50B/*0.60A	----	0.40 - 0.40	.0020	----	----	----	----	10 UNCH
6600	----	----	----/*0.60A	0.50B/*0.60A	----	0.40 - 0.30	.0020	----	----	----	----	72 UNCH
6625	----	----	----/*0.40A	0.50B/*0.40A	----	0.40 - 0.30	.0020	----	----	----	----	38 UNCH
6650	----	----	----/*0.50A	0.50B/*0.50A	----	0.40 - 0.30	.0019	----	----	----	----	57 UNCH
6675	----	----	----/*0.40A	0.40B/*0.40A	----	0.40 - 0.30	.0019	----	----	----	----	29 UNCH
6700	----	----	----/*0.50A	0.40B/*0.50A	----	0.30 - 0.40	.0015	----	----	----	----	381 UNCH
6725	----	----	----/*0.50A	0.40B/*0.50A	----	0.30 - 0.30	.0014	----	----	----	----	101 UNCH
6750	----	----	----/*0.50A	0.40B/*0.50A	----	0.30 - 0.30	.0014	----	----	----	----	64 UNCH
6775	----	----	----/*0.50A	0.40B/*0.50A	----	0.30 - 0.30	.0014	----	----	----	----	7 UNCH
6800	----	----	----/*0.50A	0.40B/*0.50A	----	0.30 - 0.30	.0014	----	----	----	----	616 UNCH
6825	----	----	----/*0.50A	0.40B/*0.50A	----	0.30 - 0.30	.0014	----	----	----	----	8 UNCH
6850	----	----	----/*0.40A	0.30B/*0.40A	----	0.30 - 0.20	.0014	----	----	----	----	32 UNCH
6875	----	----	----/*0.40A	0.30B/*0.40A	----	0.30 - 0.20	.0014	----	----	----	----	13 UNCH
6900	----	----	----/*0.40A	0.30B/*0.40A	----	0.30 - 0.20	.0014	----	----	----	----	553 UNCH
6925	----	----	----/*0.40A	0.30B/*0.40A	----	0.30 - 0.20	.0013	----	----	----	----	1 UNCH
6950	----	----	----/*0.40A	0.30B/*0.40A	----	0.30 - 0.20	.0013	----	----	----	----	34 UNCH
6975	----	----	----/*0.40A	0.30B/*0.40A	----	0.20 - 0.30	.0009	----	----	----	----	7 UNCH
7000	----	----	----/*0.40A	0.30B/*0.40A	----	0.20 - 0.30	.0009	----	----	----	----	823 UNCH
7025	----	----	----/*0.40A	0.30B/*0.40A	----	0.20 - 0.30	.0009	----	----	----	----	402 UNCH
7050	----	----	----	0.20B/*0.40A	----	0.20 - 0.20	.0009	----	----	----	----	33 UNCH
7075	----	----	----	0.20B/*0.40A	----	0.20 - 0.20	.0009	----	----	----	----	86 UNCH
7100	----	----	----	0.20B/*0.40A	----	0.20 - 0.20	.0009	----	----	----	----	106 UNCH
7125	----	----	----	0.20B/*0.40A	----	0.20 - 0.20	.0009	----	----	----	----	14 UNCH
7150	----	----	----	0.10B/0.40A	----	0.20 - 0.20	.0009	----	----	----	----	26 UNCH
7175	----	----	----/*0.30A	0.10B/*0.30A	----	0.20 - 0.20	.0008	----	----	----	----	37 UNCH
7200	----	----	----	----/0.40A	----	0.20 - 0.20	.0008	----	----	----	----	97 UNCH
7225	----	----	----	----/0.40A	----	0.20 - 0.20	.0008	----	----	----	----	6 UNCH
7250	----	----	----	----/0.40A	----	0.20 - 0.20	.0008	----	----	----	----	42 UNCH
7275	----	----	----	----/0.40A	----	0.20 - 0.20	.0008	----	----	----	----	15 UNCH
7300	----	----	----/*0.30A	0.10B/*0.30A	----	0.20 - 0.20	.0008	----	----	----	----	10 UNCH
7325	----	----	----/*0.30A	0.10B/*0.30A	----	0.20 - 0.20	.0008	----	----	----	----	1 UNCH
7350	----	----	----	----/0.40A	----	0.20 - 0.10	.0008	----	----	----	----	1 UNCH
7375	----	----	----	----/0.40A	----	0.20 - 0.10	.0008	----	----	----	----	10 UNCH
7400	----	----	----	----/0.40A	----	0.20 - 0.10	.0008	----	----	----	----	16 UNCH
7450	----	----	----	----/0.40A	----	0.20 - 0.10	.0008	----	----	----	----	20 UNCH
7475	----	----	----	----/0.40A	----	0.20 - 0.10	.0008	----	----	----	----	11 UNCH
7500	----	----	----	----/0.40A	----	0.20 - 0.10	.0008	----	----	----	----	350 UNCH
7525	----	----	----	----/0.40A	----	0.20 - 0.10	.0008	----	----	----	----	42 UNCH
7575	----	----	----	----/0.40A	----	0.20 - 0.10	.0008	----	----	----	----	6 UNCH
7600	----	----	----	----/0.40A	----	0.10 - 0.20	.0004	----	----	----	----	89 UNCH
7625	----	----	----	----/0.40A	----	0.10 - 0.20	.0003	----	----	----	----	2 UNCH
7650	----	----	----	----/0.40A	----	0.10 - 0.20	.0003	----	----	----	----	2 UNCH
7675	----	----	----	----/*0.30A	----	0.10 - 0.20	.0003	----	----	----	----	36 UNCH
7700	----	----	----	----/*0.30A	----	0.10 - 0.20	.0003	----	----	----	----	77 UNCH
7725	----	----	----	----/*0.30A	----	0.10 - 0.20	.0002	----	----	----	----	1 UNCH
7750	----	----	----	----/*0.30A	----	0.10 - 0.20	.0002	----	----	----	----	20 UNCH
7775	----	----	----	----/*0.30A	----	0.10 - 0.20	.0002	----	----	----	----	5 UNCH
7800	----	----	----	----/*0.30A	----	0.10 - 0.20	.0002	----	----	----	----	23 UNCH
7825	----	----	----	----/*0.30A	----	0.10 - 0.20	.0001	----	----	----	----	6 UNCH
7850	----	----	----	----/*0.30A	----	0.10 - 0.20	.0001	----	----	----	----	6 UNCH
7875	----	----	----	----/*0.30A	----	0.10 - 0.20	.0001	----	----	----	----	5 UNCH
7900	----	----	----	----/*0.30A	----	0.10 - 0.20	.0001	----	----	----	----	5 UNCH
7950	----	----	----	----/*0.30A	----	0.10 - 0.10	.0001	----	----	----	----	39 UNCH
7975	----	----	----	----/*0.30A	----	0.10 - 0.10	.0001	----	----	----	----	5 UNCH
8000	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	100	----	1098 + 98
8100	----	----	----	----/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	54 UNCH
8200	----	----	----	----/*0.20A	----	0.10 - 0.10	.0000	----	----	100	----	1080 + 100
8300	----	----	----	----/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	27 UNCH
8400	----	----	----	----/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	1 UNCH
8500	----	----	----	0.10B/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	59 UNCH
8600	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
8700	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	13 UNCH
8800	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
8900	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	14 UNCH
9000	0.10	0.10	0.10/*0.10	0.10/0.10	----	0.10 UNCH	----	----	----	21	----	332 + 21
9100	0.10	0.10	0.10/*0.10	0.10/0.10	----	0.10 UNCH	----	----	----	7	----	9 + 7
9200	0.10	0.10	0.10/*0.10	0.10/0.10	----	0.10 UNCH	----	----	----	5	----	5 + 5
9300	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
9400	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
9500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	53 UNCH
9600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
9700	0.10	0.10	0.10/*0.10	0.10/0.10	----	0.10 UNCH	----	----	----	5	----	5 + 5
9800	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
9900	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	31 UNCH
10000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	767 UNCH
15000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	133 UNCH
TOTAL										7275	600	101644 + 1882
JUN26												
1995	----	----	2,823.00B/----	2823.00B/2802.70A	----	2823.00 + 40.80	1.0000	----	----	450	----	0 UNCH
2000	----	----	2,818.00B/2,767	2818.00B/2767.60A	----	2818.00 + 40.80	1.0000	----	----	1772	----	412 UNCH
2005	----	----	2,813.00B/----	2813.00B/2792.70A	----	2813.00 + 40.80	1.0000	----	----	450	----	0 UNCH
2795	----	----	2,008.20B/----	2008.20B/2001.80A	----	2023.00 + 40.80	.9979	----	----	250	----	0 UNCH
2800	----	----	2,020.10B/1,965	2020.10B/1965.30A	----	2018.00 + 40.80	.9979	----	----	1078	----	600 + 100
2805	----	----	1,998.30B/----	1998.30B/1991.80A	----	2013.00 + 40.80	.9976	----	----	250	----	0 UNCH
2990	----	----	----	----	----	1828.00 + 40.70	.9959	----	----	50	----	0 UNCH
2995	----	----	1,798.20B/----	1798.20B/1801.70A	----	1823.00 + 40.70	.9958	----	----	250	----	0 UNCH
3000	----	----	1,820.30B/1,765	1820.30B/1765.10A	----	1818.00 + 40.70	.9958	----	----	600	----	425 - 139
3005	----	----	1,786.20B/----	1786.20B/1791.00A	----	1813.00 + 40.70	.9958	----	----	250	----	0 UNCH
3010	----	----	----	----	----	1808.00 + 40.70	.9958	----	----	50	----	0 UNCH
3200	----	----	1,618.90B/1,567	1618.90B/1567.20A	----	1618.20 + 40.40	.9930	----	----	5	----	25 - 42
3300	----	----	1,519.30B/1,467	1519.30B/1467.40A	----	1518.40 + 40.00	.9910	----	----	----	----	0 - 4
3310	----	----	----	----	----	1508.50 + 40.10	.9906	----	----	----	----	0 - 1
3400	----	----	1,421.20B/1,338	1421.20B/1338.00A	----	1418.90 + 39.80	.9883	----	----	----	----	893 UNCH
3500	----	----	1,320.40B/1,239	1320.40B/1239.00A	----	1319.60 + 39.40	.9854	----	----	----	----	58 UNCH
3525	----	----	1,289.90B/1,214	1289.90B/1214.20A	----	1294.80 + 39.30	.9842	----	----	----	----	1 UNCH
3550	----	----	1,264.80B/1,181	1264.80B/1181.20A	----	1270.00 + 39.10	.9834	----	----	----	----	1 UNCH
3580	----	----	1,241.20B/1,151	1241.20B/1151.30A	----	1240.30 + 39.00	.9822	----	----	----	----	18 UNCH
3585	----	----	1,236.20B/1,146	1236.20B/1146.40A	----	1235.40 + 39.00	.9818	----	----	----	----	100 UNCH
3600	----	----	1,221.50B/1,131	1221.50B/1131.80A	----	1220.60 + 39.00	.9813	----	----	----	----	214 UNCH
3635	----	----	1,186.90B/1,097	1186.90B/1097.70A	----	1186.00 + 38.70	.9794	----	----	----	----	60 UNCH
3650	----	----	1,172.10B/1,083	1172.10B/1083.10A	----	1171.20 + 38.60	.9786	----	----	----	----	143 UNCH
3665	----	----	1,157.30B/1,068	1157.30B/1068.60A	----	1156.40 + 38.50	.9778	----	----	----	----	3 UNCH
3700	----	----	1,123.80B/1,034	1123.80B/1034.10A	----	1121.90 + 38.20	.9758	----	----	----	----	395 UNCH
3715	----	----	1,108.10B/1,019	1108.10B/1019.90A	----	1107.10 + 38.00	.9750	----	----	----	----	25 UNCH
3725	----	----	1,098.30B/1,010	1098.30B/1010.10A	----	1097.30 + 38.00	.9742	----	----	----	----	212 UNCH
3750	----	----	1,075.10B/985.9	1075.10B/985.90A	----	1072.80 + 37.80	.9726	----	----	----	----	1112 UNCH
3755	----	----	1,068.80B/981.0	1068.80B/981.00A	----	1067.80 + 37.60	.9722	----	----	----	----	15 UNCH
3785	----	----	1,039.40B/951.9	1039.40B/951.90A	----	1038.40 + 37.30	.9698	----	----	----	----	170 UNCH
3790	----	----	1,037.30B/947.5	1037.30B/947.50A	----	1033.60 + 37.30	.9694	----	----	----	----	1 UNCH
3800	----	----	1,027.50B/937.5	1027.50B/937.50A	----	1023.80 + 37.20	.9687	----	----	----	----	545 UNCH
3835	----	----	993.50B/904.00A	993.50B/904.00A	----	989.60 + 36.70	.9655	----	----	----	----	1 UNCH
3840	----	----	988.60B/899.20A	988.60B/899.20A	----	984.70 + 36.60	.9651	----	----	----	----	21 UNCH
3850	----	----	978.90B/889.70A	978.90B/889.70A	----	975.00 + 36.50	.9640	----	----	----	----	322 UNCH
3875	----	----	954.60B/865.90A	954.60B/865.90A	----	950.70 + 36.20	.9614	----	----	----	----	60 UNCH
3895	----	----	935.30B/847.30A	935.30B/847.30A	----	931.30 + 35.90	.9591	----	----	----	----	1 UNCH
3900	----	----	930.50B/842.40A	930.50B/842.40A	----	926.40 + 35.70	.9586	----	----	----	----	364 UNCH
3925	----	----	906.30B/818.80A	906.30B/818.80A	----	902.30 + 35.40	.9556	----	----	----	----	4 UNCH
3950	----	----	882.30B/795.50A	882.30B/795.50A	----	878.20 + 35.00	.9522	----	----	----	----	14 UNCH
3975	----	----	858.30B/772.10A	858.30B/772.10A	----	854.20 + 34.50	.9485	----	----	----	----	106 UNCH
3990	----	----	844.00B/758.20A	844.00B/758.20A	----	839.80 + 34.10	.9463	----	----	----	----	1 UNCH
3995	----	----	839.20B/753.20A	839.20B/753.20A	----	835.10 + 34.10	.9455	----	----	----	----	5 UNCH
4000	----	----	834.30B/749.20A	834.30B/749.20A	----	830.30 + 34.00	.9448	----	----	----	----	862 UNCH
4005	----	----	829.70B/744.00A	829.70B/744.00A	----	825.50 + 33.90	.9440	----	----	----	----	10 UNCH
4010	----	----	824.90B/739.40A	824.90B/739.40A	----	820.80 + 33.80	.9430	----	----	----	----	1 UNCH
4020	----	----	815.40B/730.80A	815.40B/730.80A	----	811.20 + 33.50	.9414	----	----	----	----	2 UNCH
4025	----	----	810.70B/726.20A	810.70B/726.20A	----	806.50 + 33.50	.9404	----	----	----	----	51 UNCH
4040	----	----	796.00B/711.90A	796.00B/711.90A	----	792.30 + 33.20	.9378	----	----	----	----	1 UNCH
4050	----	----	786.90B/702.80A	786.90B/702.80A	----	782.80 + 32.90	.9360	----	----	----	----	185 UNCH
4060	----	----	777.60B/693.70A	777.60B/693.70A	----	773.40 + 32.70	.9339	----	----	----	----	25 UNCH
4070	----	----	767.80B/684.70A	767.80B/684.70A	----	763.90 + 32.40	.9320	----	----	----	----	10 UNCH
4075	----	----	763.10B/680.20A	763.10B/680.20A	----	759.20 + 32.30	.9310	----	----	----	----	64 UNCH
4090	----	----	749.40B/667.20A	749.40B/667.20A	----	745.20 + 32.00	.9278	----	----	----	----	34 UNCH
4100	----	----	739.60B/657.70A	739.60B/657.70A	----	735.80 + 31.70	.9256	----	----	----	----	682 UNCH
4105	----	----	735.20B/653.20A	735.20B/653.20A	----	731.10 + 31.60	.9243	----	----	----	----	50 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
4110	----	----	730.60B/648.70A	730.60B/648.70A	----	726.50 + 31.50	.9232	----	----	----	----	2 UNCH
4115	----	----	725.70B/644.90A	725.70B/644.90A	----	721.80 + 31.30	.9221	----	----	----	----	5 UNCH
4125	----	----	716.40B/635.70A	716.40B/635.70A	----	712.50 + 31.10	.9197	----	----	----	----	95 UNCH
4135	----	----	707.40B/626.50A	707.40B/626.50A	----	703.20 + 30.80	.9172	----	----	----	----	16 UNCH
4150	----	----	693.50B/613.50A	693.50B/613.50A	----	689.40 + 30.40	.9134	----	----	----	----	263 UNCH
4155	----	----	688.90B/608.90A	688.90B/608.90A	----	684.80 + 30.30	.9121	----	----	----	----	5 UNCH
4170	----	----	674.80B/596.10A	674.80B/596.10A	----	671.00 + 29.90	.9080	----	----	----	----	51 UNCH
4175	----	----	670.20B/591.80A	670.20B/591.80A	----	666.40 + 29.70	.9066	----	----	----	----	61 UNCH
4195	----	----	652.20B/574.80A	652.20B/574.80A	----	648.20 + 29.20	.9008	----	----	----	----	1 UNCH
4200	----	----	647.40B/570.20A	647.40B/570.20A	----	643.60 + 29.00	.8994	----	----	----	----	2079 UNCH
4210	----	----	638.60B/561.90A	638.60B/561.90A	----	634.60 + 28.80	.8964	----	----	----	----	1582 UNCH
4220	----	----	629.70B/553.40A	629.70B/553.40A	----	625.50 + 28.40	.8931	----	----	----	----	84 UNCH
4225	----	----	624.70B/548.70A	624.70B/548.70A	----	621.00 + 28.20	.8915	----	----	----	----	15 UNCH
4235	----	----	616.00B/540.20A	616.00B/540.20A	----	612.00 + 27.90	.8882	----	----	----	----	6 UNCH
4240	----	----	611.40B/536.50A	611.40B/536.50A	----	607.60 + 27.80	.8865	----	----	----	----	53 UNCH
4245	----	----	606.80B/532.30A	606.80B/532.30A	----	603.10 + 27.60	.8849	----	----	----	----	263 UNCH
4250	----	----	602.40B/528.10A	602.40B/528.10A	----	598.60 + 27.40	.8832	----	----	----	----	922 UNCH
4255	----	----	597.90B/523.80A	597.90B/523.80A	----	594.20 + 27.30	.8815	----	----	----	----	6 UNCH
4260	----	----	593.40B/519.30A	593.40B/519.30A	----	589.70 + 27.10	.8796	----	----	----	----	1 UNCH
4265	----	----	589.10B/515.60A	589.10B/515.60A	----	585.30 + 27.00	.8779	----	----	----	----	87 UNCH
4270	----	----	584.90B/511.40A	584.90B/511.40A	----	580.90 + 26.90	.8761	----	----	----	----	11 UNCH
4280	----	----	575.70B/503.10A	575.70B/503.10A	----	572.10 + 26.50	.8723	----	----	----	----	1 UNCH
4285	----	----	571.30B/498.60A	571.30B/498.60A	----	567.70 + 26.40	.8703	----	----	----	----	1 UNCH
4300	----	----	558.40B/486.80A	558.40B/486.80A	----	554.50 + 25.80	.8646	----	----	----	----	2116 UNCH
4305	----	----	554.20B/482.70A	554.20B/482.70A	----	550.20 + 25.70	.8626	----	----	----	----	1 UNCH
4310	----	----	549.80B/478.70A	549.80B/478.70A	----	545.80 + 25.50	.8605	----	----	----	----	23 UNCH
4315	----	----	545.50B/474.60A	545.50B/474.60A	----	541.50 + 25.30	.8586	----	----	----	----	1 UNCH
4320	----	----	541.10B/470.60A	541.10B/470.60A	----	537.20 + 25.20	.8564	----	----	----	----	62 UNCH
4325	----	----	536.80B/466.60A	536.80B/466.60A	----	532.90 + 25.00	.8544	----	----	----	----	72 UNCH
4335	----	----	528.20B/458.50A	528.20B/458.50A	----	524.30 + 24.70	.8501	----	----	----	----	13 UNCH
4340	----	----	523.90B/454.60A	523.90B/454.60A	----	520.00 + 24.50	.8480	----	----	----	----	17 UNCH
4345	----	----	519.50B/450.70A	519.50B/450.70A	----	515.70 + 24.20	.8458	----	----	----	----	2 UNCH
4350	----	----	515.40B/446.70A	515.40B/446.70A	----	511.50 + 24.10	.8434	----	----	----	----	1451 UNCH
4355	----	----	511.00B/442.90A	511.00B/442.90A	----	507.20 + 23.90	.8412	----	----	----	----	129 UNCH
4360	----	----	506.70B/439.00A	506.70B/439.00A	----	503.00 + 23.70	.8390	----	----	----	----	42 UNCH
4365	----	----	502.40B/435.00A	502.40B/435.00A	----	498.80 + 23.60	.8367	----	----	----	----	4 UNCH
4370	----	----	498.40B/431.10A	498.40B/431.10A	----	494.60 + 23.40	.8343	----	----	----	----	3 UNCH
4375	----	----	494.10B/427.30A	494.10B/427.30A	----	490.40 + 23.20	.8319	----	----	----	----	106 UNCH
4380	----	----	490.00B/423.50A	490.00B/423.50A	----	486.20 + 23.00	.8295	----	----	----	----	341 UNCH
4385	----	----	485.80B/419.60A	485.80B/419.60A	----	482.00 + 22.80	.8271	----	----	----	----	3 UNCH
4390	----	----	481.60B/415.60A	481.60B/415.60A	----	477.80 + 22.60	.8247	----	----	----	----	16 UNCH
4395	----	----	477.50B/411.90A	477.50B/411.90A	----	473.70 + 22.50	.8222	----	----	----	----	10 UNCH
4400	----	----	473.30B/408.10A	473.30B/408.10A	----	469.50 + 22.20	.8197	----	----	----	----	1458 UNCH
4410	----	----	465.10B/400.50A	465.10B/400.50A	----	461.30 + 21.90	.8146	----	----	----	----	39 UNCH
4415	----	----	461.00B/396.80A	461.00B/396.80A	----	457.20 + 21.70	.8120	----	----	----	----	176 UNCH
4420	----	----	456.90B/393.10A	456.90B/393.10A	----	453.10 + 21.50	.8094	----	----	----	----	3 UNCH
4425	----	----	452.70B/389.50A	452.70B/389.50A	----	449.10 + 21.30	.8068	----	----	----	----	274 UNCH
4430	----	----	448.70B/385.80A	448.70B/385.80A	----	445.00 + 21.10	.8041	----	----	----	----	19 UNCH
4435	----	----	444.60B/381.90A	444.60B/381.90A	----	441.00 + 20.90	.8013	----	----	----	----	20 UNCH
4440	----	----	440.20B/378.30A	440.20B/378.30A	----	436.90 + 20.70	.7987	----	----	----	----	19 UNCH
4445	----	----	436.60B/374.80A	436.60B/374.80A	----	432.90 + 20.50	.7959	----	----	----	----	5 UNCH
4450	----	----	432.60B/371.00A	432.60B/371.00A	----	428.90 + 20.30	.7931	----	----	----	----	497 UNCH
4455	----	----	428.60B/367.20A	428.60B/367.20A	----	424.90 + 20.10	.7902	----	----	----	----	6 UNCH
4460	----	----	424.60B/363.70A	424.60B/363.70A	----	421.00 + 20.00	.7874	----	----	----	----	20 UNCH
4465	----	----	420.60B/360.20A	420.60B/360.20A	----	417.00 + 19.70	.7846	----	----	----	----	18 UNCH
4470	----	----	416.70B/356.50A	416.70B/356.50A	----	413.10 + 19.50	.7817	----	----	----	----	24 UNCH
4475	----	----	412.70B/353.00A	412.70B/353.00A	----	409.10 + 19.30	.7787	----	----	----	----	22 UNCH
4480	----	----	408.60B/349.40A	408.60B/349.40A	----	405.20 + 19.10	.7757	----	----	----	----	59 UNCH
4485	----	----	404.90B/345.90A	404.90B/345.90A	----	401.30 + 18.90	.7727	----	----	----	----	6 UNCH
4490	----	----	400.90B/342.40A	400.90B/342.40A	----	397.40 + 18.60	.7697	----	----	----	----	51 UNCH
4495	----	----	397.00B/339.00A	397.00B/339.00A	----	393.60 + 18.50	.7667	----	----	----	----	6 UNCH
4500	341.30	341.30	393.20B/335.50A	393.20B/335.50A	----	389.70 + 18.20	.7637	----	----	10	----	4396 - 5
4505	----	----	389.30B/332.10A	389.30B/332.10A	----	385.90 + 18.00	.7605	----	----	----	----	49 UNCH
4510	----	----	385.50B/328.70A	385.50B/328.70A	----	382.10 + 17.80	.7574	----	----	----	----	1475 UNCH
4515	----	----	381.80B/325.20A	381.80B/325.20A	----	378.30 + 17.60	.7543	----	----	----	----	93 UNCH
4520	----	----	378.00B/321.90A	378.00B/321.90A	----	374.50 + 17.40	.7511	----	----	----	----	51 UNCH
4525	----	----	374.10B/318.50A	374.10B/318.50A	----	370.70 + 17.10	.7479	----	----	----	----	232 UNCH
4530	----	----	370.30B/315.30A	370.30B/315.30A	----	367.00 + 17.00	.7446	----	----	----	----	13 UNCH
4535	----	----	366.50B/311.80A	366.50B/311.80A	----	363.20 + 16.70	.7413	----	----	----	----	12 UNCH
4540	----	----	362.90B/308.60A	362.90B/308.60A	----	359.50 + 16.50	.7380	----	----	----	----	78 UNCH
4545	----	----	359.20B/305.20A	359.20B/305.20A	----	355.80 + 16.30	.7347	----	----	----	----	32 UNCH
4550	----	----	355.50B/302.00A	355.50B/302.00A	----	352.10 + 16.00	.7314	----	----	----	----	219 UNCH
4555	----	----	351.80B/298.80A	351.80B/298.80A	----	348.50 + 15.90	.7279	----	----	----	----	9 UNCH
4560	----	----	348.50B/294.80A	348.50B/294.80A	----	344.80 + 15.60	.7245	----	----	----	----	159 UNCH
4565	----	----	346.20B/291.60A	346.20B/291.60A	----	341.20 + 15.40	.7210	----	----	----	----	104 UNCH
4570	----	----	342.60B/288.40A	342.60B/288.40A	----	337.60 + 15.20	.7176	----	----	----	----	35 UNCH
4575	----	----	338.70B/285.20A	338.70B/285.20A	----	334.00 + 15.00	.7141	----	----	----	----	65 UNCH
4580	----	----	333.70B/282.20A	333.70B/282.20A	----	330.40 + 14.70	.7106	----	----	----	----	8 UNCH
4585	----	----	330.00B/279.00A	330.00B/279.00A	----	326.90 + 14.60	.7070	----	----	----	----	15 UNCH
4590	----	----	328.30B/275.80A	328.30B/275.80A	----	323.30 + 14.30	.7035	----	----	----	----	79 UNCH
4595	----	----	322.90B/272.80A	322.90B/272.80A	----	319.80 + 14.10	.6998	----	----	----	----	13 UNCH
4600	315.00	315.00	321.90B/269.70A	321.90B/269.70A	----	316.30 + 13.90	.6962	----	----	6	----	5205 UNCH
4605	----	----	317.80B/266.50A	317.80B/266.50A	----	312.90 + 13.80	.6926	----	----	----	----	153 UNCH
4610	----	----	312.50B/263.70A	312.50B/263.70A	----	309.40 + 13.50	.6889	----	----	----	----	2 UNCH
4615	----	----	309.00B/260.70A	309.00B/260.70A	----	306.00 + 13.40	.6851	----	----	----	----	3 UNCH
4620	----	----	307.50B/257.50A	307.50B/257.50A	----	302.60 + 13.20	.6815	----	----	----	----	19 UNCH
4625	----	----	304.10B/254.50A	304.10B/254.50A	----	299.20 + 13.00	.6777	----	----	----	----	196 UNCH
4630	----	----	300.80B/251.80A	300.80B/251.80A	----	295.80 + 12.80	.6739	----	----	----	----	55 UNCH
4635	----	----	295.30B/247.50A	295.30B/247.50A	----	292.50 + 12.60	.6701	----	----	----	----	6 UNCH
4640	----	----	294.10B/245.30A	294.10B/245.30A	----	289.10 + 12.40	.6663	----	----	----	----	21 UNCH
4645	----	----	289.70B/242.10A	289.70B/242.10A	----	285.80 + 12.20	.6624	----	----	----	----	13 UNCH
4650	----	----	287.80B/239.50A	287.80B/239.50A	----	282.50 + 12.00	.6585	----	----	----	----	1011 UNCH
4655	----	----	284.10B/236.20A	284.10B/236.20A	----	279.30 + 11.90	.6546	----	----	----	----	28 UNCH
4660	----	----	280.80B/233.40A	280.80B/233.40A	----	276.00 + 11.60	.6507	----	----	----	----	25 UNCH
4665	----	----	276.50B/230.50A	276.50B/230.50A	----	272.80 + 11.50	.6468	----	----	----	----	1 UNCH
4670	----	----	274.30B/227.70A	274.30B/227.70A	----	269.60 + 11.30	.6428	----	----	----	----	152 UNCH
4675	252.00	252.00	271.60B/224.90A	271.60B/224.90A	----	266.40 + 11.10	.6388	----	----	9	----	511 - 1
4680	----	----	268.00B/221.80A	268.00B/221.80A	----	263.20 + 10.80	.6348	----	----	----	----	235 UNCH
4685	----	----	264.80B/219.80A	264.80B/219.80A	----	260.10 + 10.70	.6308	----	----	----	----	32 UNCH
4690	----	----	261.60B/216.90A	261.60B/216.90A	----	257.00 + 10.50	.6267	----	----	----	----	38 UNCH
4695	----	----	258.50B/214.40A	258.50B/214.40A	----	253.90 + 10.30	.6227	----	----	----	----	19 UNCH
4700	228.80	228.80	255.70B/211.40A	255.70B/211.40A	----	250.80 + 10.10	.6186	----	----	169	----	3438 - 27
4705	----	----	251.20B/208.90A	251.20B/208.90A	----	247.70 + 9.80	.6146	----	----	----	----	3 UNCH
4710	----	----	248.30B/206.50A	248.30B/206.50A	----	244.70 + 9.70	.6104	----	----	----	----	15 UNCH
4715	----	----	244.80B/204.20A	244.80B/204.20A	----	241.60 + 9.40	.6063	----	----	----	----	13 UNCH
4720	----	----	243.30B/200.70A	243.30B/200.70A	----	238.60 + 9.20	.6022	----	----	----	----	233 UNCH
4725	----	----	240.40B/198.50A	240.40B/198.50A	----	235.70 + 9.00	.5980	----	----	----	----	394 UNCH
4730	----	----	236.30B/196.40A	236.30B/196.40A	----	232.70 + 8.80	.5938	----	----	----	----	13 UNCH
4735	206.00	206.00	234.40B/193.40A	234.40B/193.40A	----	229.80 + 8.60	.5896	----	----	1	----	92 UNCH
4740	----	----	231.50B/190.70A	231.50B/190.70A	----	226.90 + 8.40	.5854	----	----	----	----	33 UNCH
4745	192.20	192.20	228.30B/189.10A	228.30B/189.10A	----	224.00 + 8.20	.5812	----	----	1	----	13 + 1
4750	193.60	193.60	226.00B/185.70A	226.00B/185.70A	----	221.10 + 8.00	.5770	----	----	158	200	1943 + 312
4755	----	----	222.60B/183.30A	222.60B/183.30A	----	218.30 + 7.80	.5727	----	----	----	----	102 UNCH
4760	183.50	183.50	219.80B/180.90A	219.80B/180.90A	----	215.50 + 7.70	.5684	----	----	12	----	53 - 2
4765	180.60	180.60	217.00B/179.30A	217.00B/179.30A	----	212.70 + 7.50	.5642	----	----	1	----	37 + 1
4770	182.70	182.70	214.20B/176.30A	214.20B/176.30A	----	210.00 + 7.40	.5599	----	----	4	----	38 + 2
4775	210.00	210.00	211.50B/174.10A	211.50B/174.10A	----	207.20 + 7.10	.5556	----	----	1	----	206 UNCH
4780	183.20	183.20	208.60B/171.50A	208.60B/171.50A	----	204.50 + 7.00	.5513	----	----	4	----	104 UNCH
4785	172.80	172.80	206.00B/169.60A	206.00B/169.60A	----	201.80 + 6.80	.5470	----	----	1	----	25 + 1
4790	188.90	188.90	203.30B/167.90A	203.30B/167.90A	----	199.20 + 6.70	.5427	----	----	4	----	26 + 2
4795	173.30	173.30	200.60B/165.50A	200.60B/165.50A	----	196.50 + 6.40	.5383	----	----	1	----	41 + 1
4800	170.00	170.00	197.90B/162.70A	197.90B/162.70A	----	193.90 + 6.30	.5340	----	----	339	130	2902 + 135
4805	162.40	162.40	195.30B/160.50A	195.30B/160.50A	----	191.30 + 6.10	.5296	----	----	2	----	8 + 1
4810	165.20	165.20	192.80B/158.80A	192.80B/158.80A	----	188.70 + 5.90	.5253	----	----	9	----	31 + 3
4815	158.00	158.00	190.30B/156.30A	190.30B/156.30A	----	186.20 + 5.80	.5209	----	----	1	----	43 UNCH
4820	158.70	158.70	187.60B/154.20A	187.60B/154.20A	----	183.70 + 5.60	.5166	----	----	4	----	37 + 1
4825	158.80	158.80	185.20B/152.00A	185.20B/152.00A	----	181.20 + 5.40	.5122	----	----	127	----	159 + 67
4830	----	----	182.70B/150.00A	182.70B/150.00A	----	178.70 + 5.30	.5079	----	----	----	----	129 UNCH
4835	----	----	180.20B/148.00A	180.20B/148.00A	----	176.30 + 5.10	.5035	----	----	----	----	2 UNCH
4840	----	----	177.60B/145.90A	177.60B/145.90A	----	173.90 + 5.00	.4992	----	----	----	----	38 UNCH
4845	----	----	175.20B/143.90A	175.20B/143.90A	----	171.50 + 4.80	.4948	----	----	----	----	15 UNCH
4850	145.30	145.30	172.90B/141.80A	172.90B/141.80A	----	169.10 + 4.70	.4904	----	----	149	----	652 + 23
4855	153.60	153.60	170.50B/140.00A	170.50B/140.00A	----	166.80 + 4.60	.4861	----	----	6	----	254 - 6
4860	152.10	152.10	168.10B/137.90A	168.10B/137.90A	----	164.50 + 4.40	.4818	----	----	14	----	63 + 10
4865	----	----	165.70B/136.00A	165.70B/136.00A	----	162.20 + 4.30	.4774	----	----	----	----	26 UNCH
4870	----	----	163.50B/134.20A	163.50B/134.20A	----	159.90 + 4.10	.4731	----	----	----	----	10 UNCH
4875	----	----	161.10B/132.00A	161.10B/132.00A	----	157.60 + 3.90	.4687	----	----	----	----	121 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
4880	----	----	158.90B/130.60A	158.90B/130.60A	----	155.40 + 3.80	.4644	----	----	----	----	63 UNCH
4885	141.60	141.60	156.60B/128.80A	156.60B/128.80A	----	153.20 + 3.70	.4600	----	----	2	----	256 UNCH
4890	----	----	154.50B/126.50A	154.50B/126.50A	----	151.00 + 3.50	.4557	----	----	----	----	292 UNCH
4895	----	----	152.30B/124.90A	152.30B/124.90A	----	148.80 + 3.30	.4514	----	----	----	----	204 UNCH
4900	139.00	139.00	150.20B/123.50A	150.20B/123.50A	----	146.70 + 3.20	.4471	----	----	454	----	3575 + 138
4905	----	----	147.90B/121.60A	147.90B/121.60A	----	144.60 + 3.10	.4428	----	----	----	----	9 UNCH
4910	----	----	145.80B/119.90A	145.80B/119.90A	----	142.50 + 3.00	.4385	----	----	----	----	27 UNCH
4915	----	----	143.60B/117.90A	143.60B/117.90A	----	140.40 + 2.80	.4342	----	----	----	----	40 UNCH
4920	----	----	141.60B/116.10A	141.60B/116.10A	----	138.40 + 2.70	.4299	----	----	----	----	108 UNCH
4925	----	----	139.50B/114.20A	139.50B/114.20A	----	136.30 + 2.50	.4256	----	----	----	----	45 UNCH
4930	124.20	124.20	137.50B/112.50A	137.50B/112.50A	----	134.30 + 2.40	.4214	----	----	20	----	205 + 20
4935	----	----	135.50B/111.20A	135.50B/111.20A	----	132.40 + 2.40	.4172	----	----	----	----	6 UNCH
4940	----	----	133.50B/109.40A	133.50B/109.40A	----	130.40 + 2.20	.4129	----	----	----	----	102 UNCH
4945	----	----	131.50B/107.80A	131.50B/107.80A	----	128.50 + 2.10	.4087	----	----	----	----	193 UNCH
4950	109.60	109.60	129.60B/106.20A	129.60B/106.20A	----	126.50 + 1.90	.4045	----	----	89	100	1032 + 99
4955	----	----	127.60B/104.60A	127.60B/104.60A	----	124.70 + 1.90	.4004	----	----	----	----	33 UNCH
4960	----	----	125.70B/102.90A	125.70B/102.90A	----	122.80 + 1.70	.3962	----	----	----	----	188 UNCH
4965	----	----	123.80B/101.80A	123.80B/101.80A	----	120.90 + 1.60	.3920	----	----	----	----	37 UNCH
4970	----	----	121.80B/100.20A	121.80B/100.20A	----	119.10 + 1.50	.3878	----	----	----	----	51 UNCH
4975	----	----	120.10B/98.60A	120.10B/98.60A	----	117.30 + 1.40	.3837	----	----	1	----	211 + 1
4980	----	----	118.30B/97.00A	118.30B/97.00A	----	115.50 + 1.30	.3796	----	----	----	----	74 UNCH
4985	----	----	116.50B/95.60A	116.50B/95.60A	----	113.80 + 1.20	.3755	----	----	----	----	115 UNCH
4990	113.00	113.00	114.80B/94.30A	114.80B/94.30A	----	112.00 + 1.10	.3714	----	----	5	----	1246 + 3
4995	----	----	113.00B/92.80A	113.00B/92.80A	----	110.30 + 1.00	.3674	----	----	----	----	41 UNCH
5000	100.10	100.10	111.30B/90.50	111.30B/90.50	----	108.60 + 0.90	.3633	----	----	873	350	7695 + 352
5005	----	----	109.50B/90.00A	109.50B/90.00A	----	107.00 + 0.80	.3594	----	----	----	----	301 UNCH
5010	----	----	107.80B/88.60A	107.80B/88.60A	----	105.30 + 0.70	.3553	----	----	6	----	90 + 6
5015	----	----	106.00B/87.30A	106.00B/87.30A	----	103.70 + 0.60	.3514	----	----	1	----	74 + 1
5020	----	----	104.50B/85.90A	104.50B/85.90A	----	102.10 + 0.60	.3474	----	----	----	----	460 UNCH
5025	99.80	99.80	102.80B/84.60A	102.80B/84.60A	----	100.50 + 0.50	.3435	----	----	11	----	69 + 1
5030	95.50	95.50	101.20B/83.40A	101.20B/83.40A	----	98.90 + 0.40	.3396	----	----	1	----	118 UNCH
5035	91.00	91.00	99.60B/82.00A	99.60B/82.00A	----	97.40 + 0.30	.3357	----	----	4	----	54 + 4
5040	88.90	88.90	98.10B/80.70A	98.10B/80.70A	----	95.90 + 0.30	.3319	----	----	3	----	50 + 3
5045	----	----	96.50B/79.60A	96.50B/79.60A	----	94.40 + 0.20	.3280	----	----	----	----	22 UNCH
5050	83.70	83.70	95.10B/78.20A	95.10B/78.20A	----	92.90 + 0.10	.3242	----	----	166	----	1163 + 68
5055	----	----	93.50B/77.20A	93.50B/77.20A	----	91.40 UNCH	.3204	----	----	----	----	7 UNCH
5060	----	----	92.00B/76.00A	92.00B/76.00A	----	90.00 UNCH	.3167	----	----	----	----	85 UNCH
5065	----	----	90.60B/74.90A	90.60B/74.90A	----	88.60 - 0.10	.3129	----	----	----	----	28 UNCH
5070	----	----	89.20B/73.90A	89.20B/73.90A	----	87.20 - 0.20	.3092	----	----	----	----	81 UNCH
5075	85.50	85.50	87.90B/72.40A	87.90B/72.40A	----	85.80 - 0.30	.3055	----	----	19	----	725 + 13
5080	----	----	86.40B/71.40A	86.40B/71.40A	----	84.50 - 0.30	.3020	----	----	----	----	154 UNCH
5085	----	----	85.00B/70.30A	85.00B/70.30A	----	83.20 - 0.30	.2984	----	----	----	----	129 UNCH
5090	----	----	83.60B/69.20A	83.60B/69.20A	----	81.80 - 0.40	.2947	----	----	----	----	46 UNCH
5095	----	----	82.30B/68.20A	82.30B/68.20A	----	80.60 - 0.40	.2912	----	----	----	----	56 UNCH
5100	72.50	72.50	81.20B/67.10A	81.20B/67.10A	----	79.30 - 0.50	.2877	----	----	76	----	4341 + 38
5105	----	----	79.70B/66.10A	79.70B/66.10A	----	78.00 - 0.60	.2841	----	----	----	----	40 UNCH
5110	----	----	78.50B/65.00A	78.50B/65.00A	----	76.80 - 0.60	.2807	----	----	----	----	104 UNCH
5115	----	----	77.20B/64.10A	77.20B/64.10A	----	75.60 - 0.70	.2773	----	----	----	----	108 UNCH
5120	----	----	76.00B/63.10A	76.00B/63.10A	----	74.40 - 0.70	.2738	----	----	----	----	53 UNCH
5125	----	----	74.80B/62.10A	74.80B/62.10A	----	73.20 - 0.80	.2704	----	----	----	----	224 UNCH
5130	----	----	73.50B/60.90A	73.50B/60.90A	----	72.10 - 0.80	.2672	----	----	----	----	44 UNCH
5135	----	----	72.30B/60.00A	72.30B/60.00A	----	70.90 - 0.90	.2638	----	----	----	----	44 UNCH
5140	----	----	71.30B/59.00A	71.30B/59.00A	----	69.80 - 0.90	.2605	----	----	----	----	32 UNCH
5145	----	----	70.00B/58.10A	70.00B/58.10A	----	68.70 - 1.00	.2573	----	----	----	----	9 UNCH
5150	61.30	61.30	69.10B/57.10A	69.10B/57.10A	----	67.60 - 1.00	.2540	----	----	187	----	1873 + 41
5155	----	----	67.80B/56.60A	67.80B/56.60A	----	66.60 - 1.00	.2509	----	----	----	----	22 UNCH
5160	----	----	66.70B/55.40A	66.70B/55.40A	----	65.50 - 1.10	.2477	----	----	1	----	96 UNCH
5165	----	----	----/54.60A	65.60B/54.60A	----	64.50 - 1.10	.2446	----	----	----	----	113 UNCH
5170	----	----	----/53.80A	64.60B/53.80A	----	63.40 - 1.20	.2414	----	----	----	----	45 UNCH
5175	56.00	56.00	63.60B/53.20A	63.60B/53.20A	----	62.40 - 1.20	.2383	----	----	7	----	45 - 1
5180	----	----	----/52.20A	62.50B/52.20A	----	61.40 - 1.30	.2353	----	----	2	----	53 + 1
5185	----	----	----/51.40A	61.50B/51.40A	----	60.40 - 1.30	.2322	----	----	----	----	87 UNCH
5190	56.50	56.50	60.60B/51.00A	60.60B/51.00A	----	59.50 - 1.30	.2293	----	----	517	----	503 - 21
5195	52.30	52.30	59.60B/49.90A	59.60B/49.90A	----	58.50 - 1.30	.2263	----	----	501	----	499 - 15
5200	53.80	53.80	58.70B/49.20A	58.70B/49.20A	----	57.60 - 1.30	.2234	----	----	1065	100	6122 - 250
5205	----	----	----/48.30A	57.60B/48.30A	----	56.60 - 1.40	.2204	----	----	----	----	15 UNCH
5210	----	----	----/47.70A	56.80B/47.70A	----	55.70 - 1.40	.2175	----	----	----	----	3046 UNCH
5215	----	----	----/46.90A	55.70B/46.90A	----	54.80 - 1.50	.2146	----	----	----	----	58 UNCH
5220	50.90	50.90	54.70B/46.20A	54.70B/46.20A	----	53.90 - 1.50	.2118	----	----	154	----	199 + 52
5225	----	----	----/45.40A	54.00B/45.40A	----	53.10 - 1.40	.2091	----	----	1	----	283 + 1
5230	----	----	----/44.80A	53.10B/44.80A	----	52.20 - 1.50	.2063	----	----	2	----	106 + 1
5235	----	----	----/44.00A	52.20B/44.00A	----	51.30 - 1.60	.2034	----	----	1	----	149 + 1
5240	----	----	----/43.30A	51.40B/43.30A	----	50.50 - 1.50	.2008	----	----	----	----	59 UNCH
5245	48.10	48.10	48.10/42.70A	50.60B/42.70A	----	49.70 - 1.50	.1981	----	----	6	----	19 + 4
5250	46.80	46.80	49.80B/42.10A	49.80B/42.10A	----	48.90 - 1.60	.1955	----	----	204	200	3877 + 322
5255	----	----	----/41.40A	48.90B/41.40A	----	48.10 - 1.60	.1929	----	----	----	----	68 UNCH
5260	----	----	----/40.70A	48.20B/40.70A	----	47.30 - 1.60	.1902	----	----	7	----	378 + 7
5265	----	----	----/40.00A	47.40B/40.00A	----	46.50 - 1.70	.1876	----	----	----	----	29 UNCH
5270	----	----	----/39.40A	46.60B/39.40A	----	45.70 - 1.70	.1850	----	----	----	----	48 UNCH
5275	39.50	39.50	45.80B/38.70A	45.80B/38.70A	----	45.00 - 1.70	.1826	----	----	3	----	29 UNCH
5280	----	----	----/38.10A	45.10B/38.10A	----	44.30 - 1.70	.1802	----	----	----	----	91 UNCH
5285	----	----	----/37.50A	44.30B/37.50A	----	43.60 - 1.70	.1777	----	----	----	----	168 UNCH
5290	----	----	----/36.90A	43.60B/36.90A	----	42.90 - 1.70	.1753	----	----	----	----	35 UNCH
5295	----	----	----/36.30A	42.90B/36.30A	----	42.20 - 1.70	.1729	----	----	----	----	86 UNCH
5300	38.70	38.70	42.20B/35.70A	42.20B/35.70A	----	41.50 - 1.80	.1706	----	----	152	120	5129 + 95
5305	----	----	----/35.10A	41.50B/35.10A	----	40.80 - 1.80	.1682	----	----	6	----	396 + 1
5310	----	----	----/34.60A	40.80B/34.60A	----	40.20 - 1.80	.1660	----	----	5	----	118 UNCH
5315	37.00	37.00	37.00/34.00A	40.20B/34.00A	----	39.50 - 1.90	.1636	----	----	6	----	64 UNCH
5320	----	----	----/33.50A	39.60B/33.50A	----	38.90 - 1.90	.1615	----	----	1	----	140 UNCH
5325	----	----	----/32.90A	38.90B/32.90A	----	38.30 - 1.90	.1593	----	----	----	----	156 UNCH
5330	----	----	----/32.40A	38.30B/32.40A	----	37.70 - 1.90	.1572	----	----	----	----	51 UNCH
5335	----	----	----/31.90A	37.70B/31.90A	----	37.10 - 1.90	.1550	----	----	----	----	6 UNCH
5340	34.60	34.60	37.10B/31.40A	37.10B/31.40A	----	36.50 - 1.90	.1529	----	----	3	----	69 UNCH
5345	----	----	----/30.90A	36.50B/30.90A	----	36.00 - 1.90	.1510	----	----	----	----	12 UNCH
5350	33.20	33.20	36.00B/30.40A	36.00B/30.40A	----	35.40 - 1.90	.1488	----	----	370	200	1795 + 438
5355	----	----	----/29.90A	35.40B/29.90A	----	34.90 - 1.90	.1469	----	----	----	----	12 UNCH
5360	----	----	----/29.40A	34.90B/29.40A	----	34.30 - 1.90	.1448	----	----	----	----	50 UNCH
5365	----	----	----/29.00A	34.30B/29.00A	----	33.80 - 1.90	.1429	----	----	----	----	7 UNCH
5370	----	----	----/28.50A	33.80B/28.50A	----	33.30 - 1.90	.1411	----	----	----	----	71 UNCH
5375	----	----	----/28.10A	33.30B/28.10A	----	32.80 - 1.90	.1392	----	----	1	----	43 + 1
5380	----	----	----/27.60A	32.80B/27.60A	----	32.30 - 1.90	.1373	----	----	----	----	93 UNCH
5385	----	----	----/27.20A	32.30B/27.20A	----	31.80 - 1.90	.1355	----	----	----	----	4 UNCH
5390	----	----	----/26.80A	31.80B/26.80A	----	31.30 - 1.90	.1336	----	----	1	----	58 UNCH
5395	----	----	----/26.40A	31.30B/26.40A	----	30.80 - 1.90	.1317	----	----	----	----	44 UNCH
5400	28.40	28.40	30.90B/26.00A	30.90B/26.00A	----	30.40 - 1.80	.1301	----	----	337	----	5458 + 113
5405	29.00	29.00	30.40B/25.60A	30.40B/25.60A	----	29.90 - 1.90	.1283	----	----	3	----	77 + 1
5410	28.50	28.50	30.00B/25.30A	30.00B/25.30A	----	29.50 - 1.80	.1267	----	----	8	----	35 + 8
5415	----	----	----/*24.90A	29.50B/*24.90A	----	29.00 - 1.90	.1249	----	----	----	----	15 UNCH
5420	----	----	----/*24.50A	29.00B/*24.50A	----	28.60 - 1.80	.1233	----	----	----	----	46 UNCH
5425	----	----	----/*24.10A	28.70B/*24.10A	----	28.20 - 1.80	.1217	----	----	----	----	121 UNCH
5430	----	----	----/*23.80A	28.20B/*23.80A	----	27.80 - 1.80	.1201	----	----	----	----	74 UNCH
5435	----	----	----/*23.40A	27.80B/*23.40A	----	27.40 - 1.70	.1186	----	----	----	----	15 UNCH
5440	----	----	----/*23.10A	27.40B/*23.10A	----	27.00 - 1.70	.1170	----	----	----	----	95 UNCH
5445	----	----	----/*22.70A	27.00B/*22.70A	----	26.60 - 1.70	.1155	----	----	2	----	31 UNCH
5450	23.70	23.70	26.60B/*22.40A	26.60B/*22.40A	----	26.20 - 1.70	.1139	----	----	6	----	1609 + 3
5455	25.10	25.10	25.10/*22.00A	26.20B/*22.00A	----	25.80 - 1.70	.1123	----	----	2	----	5 + 2
5460	23.20	23.20	25.80B/*21.70A	25.80B/*21.70A	----	25.50 - 1.60	.1111	----	----	1	----	115 + 1
5465	----	----	----/*21.40A	25.50B/*21.40A	----	25.10 - 1.70	.1095	----	----	----	----	38 UNCH
5470	----	----	----/*21.10A	25.10B/*21.10A	----	24.80 - 1.60	.1083	----	----	----	----	34 UNCH
5475	24.30	24.30	24.70B/*20.80A	24.70B/*20.80A	----	24.40 - 1.60	.1067	----	----	11	----	66 + 6
5480	23.90	23.90	24.40B/*20.50A	24.40B/*20.50A	----	24.10 - 1.60	.1055	----	----	11	----	27 - 11
5485	----	----	----/*20.20A	24.00B/*20.20A	----	23.70 - 1.60	.1039	----	----	----	----	9 UNCH
5490	----	----	----/*19.90A	23.70B/*19.90A	----	23.40 - 1.60	.1027	----	----	----	----	178 UNCH
5495	22.60	22.60	23.30B/*19.60A	23.30B/*19.60A	----	23.10 - 1.50	.1014	----	----	7	----	66 + 5
5500	21.90	21.90	23.10/19.30A	23.10/19.30A	----	22.70 - 1.60	.0999	----	----	468	308	6550 + 163
5505	----	----	----/*19.00A	22.70B/*19.00A	----	22.40 - 1.60	.0987	----	----	----	----	11 UNCH
5510	20.00	20.00	22.40B/*18.80A	22.40B/*18.80A	----	22.10 - 1.50	.0974	----	----	1	----	185 UNCH
5515	----	----	----/*18.50A	22.10B/*18.50A	----	21.80 - 1.50	.0962	----	----	----	----	40 UNCH
5520	----	----	----/*18.30A	21.80B/*18.30A	----	21.50 - 1.50	.0950	----	----	----	----	26 UNCH
5525	----	----	----/*18.00A	21.40B/*18.00A	----	21.20 - 1.50	.0937	----	----	----	----	167 UNCH
5530	----	----	----/*17.70A	21.20B/*17.70A	----	20.90 - 1.50	.0925	----	----	----	----	39 UNCH
5535	----	----	----/*17.50A	20.90B/*17.50A	----	20.70 - 1.40	.0916	----	----	----	----	7 UNCH
5540	----	----	----/*17.30A	20.60B/*17.30A	----	20.40 - 1.50	.0904	----	----	----	----	260 UNCH
5545	18.20	18.20	20.30B/*17.00A	20.30B/*17.00A	----	20.10 - 1.50	.0892	----	----	1	----	18 + 1
5550	19.00	19.00	20.00B/*16.60	20.00B/*16.60	----	19.80 - 1.50	.0879	----	----	7	----	774 + 2
5555	----	----	----/*16.60A	19.80B/*16.60A	----	19.60 - 1.50	.0870	----	----	----	----	1 UNCH
5560	----	----	----/*16.40A	19.50B/*16.40A	----	19.30 - 1.50	.0858	----	----	----	----	32 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
5565	----	----	----/*16.20A	19.30B/*16.20A	----	19.00 - 1.50	.0846	----	----	----	----	2 UNCH
5570	----	----	----/*15.90A	19.00B/*15.90A	----	18.80 - 1.50	.0837	----	----	----	----	24 UNCH
5575	----	----	----/*15.70A	18.70B/*15.70A	----	18.50 - 1.50	.0825	----	----	----	----	19 UNCH
5580	16.60	16.60	18.50B/*15.50A	18.50B/*15.50A	----	18.30 - 1.50	.0816	----	----	1	----	12 + 1
5585	----	----	----/*15.30A	18.30B/*15.30A	----	18.10 - 1.50	.0807	----	----	----	----	11 UNCH
5590	----	----	----/*15.20A	18.00B/*15.20A	----	17.80 - 1.50	.0795	----	----	----	----	94 UNCH
5595	----	----	----/*15.00A	17.90B/*15.00A	----	17.60 - 1.50	.0786	----	----	----	----	30 UNCH
5600	17.30	17.30	17.70B/14.80A	17.70B/14.80A	----	17.40 - 1.50	.0778	----	----	127	----	2341 + 7
5610	----	----	----/*14.40A	17.20B/*14.40A	----	16.90 - 1.50	.0757	----	----	----	----	69 UNCH
5620	----	----	----/*14.00A	16.80B/*14.00A	----	16.50 - 1.50	.0740	----	----	----	----	57 UNCH
5625	----	----	----/*13.90A	16.60B/*13.90A	----	16.30 - 1.50	.0731	----	----	----	----	404 UNCH
5630	----	----	----/*13.70A	16.40B/*13.70A	----	16.10 - 1.50	.0722	----	----	----	----	203 UNCH
5640	13.40	13.40	16.00B/*13.30A	16.00B/*13.30A	----	15.70 - 1.50	.0705	----	----	40	----	77 UNCH
5650	----	----	----/*13.00A	15.60B/*13.00A	----	15.30 - 1.50	.0688	----	----	----	----	705 UNCH
5660	----	----	----/*12.70A	15.20B/*12.70A	----	15.00 - 1.40	.0674	----	----	----	----	41 UNCH
5665	----	----	----/*12.60A	15.00B/*12.60A	----	14.80 - 1.40	.0665	----	----	----	----	3 UNCH
5670	----	----	----/*12.40A	14.90B/*12.40A	----	14.60 - 1.40	.0657	----	----	----	----	120 UNCH
5675	----	----	----/*12.30A	14.70B/*12.30A	----	14.50 - 1.40	.0651	----	----	1	----	22 + 1
5680	12.40	12.40	14.50B/*12.20A	14.50B/*12.20A	----	14.30 - 1.40	.0643	----	----	20	----	46 - 6
5690	----	----	----/*11.90A	14.20B/*11.90A	----	14.00 - 1.30	.0629	----	----	----	----	156 UNCH
5700	12.80	12.80	13.90B/11.60A	13.90B/11.60A	----	13.70 - 1.30	.0616	----	----	36	325	1807 - 138
5710	----	----	----/*11.30A	13.60B/*11.30A	----	13.40 - 1.30	.0602	----	----	----	----	40 UNCH
5720	11.50	11.50	13.30B/*11.10A	13.30B/*11.10A	----	13.10 - 1.20	.0589	----	----	2	----	17 - 2
5725	----	----	----/*11.00A	13.10B/*11.00A	----	12.90 - 1.30	.0581	----	----	----	----	16 UNCH
5730	----	----	----/*10.80A	13.00B/*10.80A	----	12.80 - 1.20	.0576	----	----	----	----	59 UNCH
5740	----	----	----/*10.60A	12.70B/*10.60A	----	12.50 - 1.20	.0563	----	----	----	----	58 UNCH
5750	11.60	11.60	11.60/*10.40A	12.40B/*10.40A	----	12.30 - 1.10	.0553	----	----	12	----	1683 - 2
5760	11.70	11.70	11.70/*10.10A	12.20B/*10.10A	----	12.00 - 1.20	.0540	----	----	7	----	18 + 6
5770	----	----	----/*9.90A	11.90B/*9.90A	----	11.80 - 1.10	.0530	----	----	----	----	30 UNCH
5775	----	----	----/*9.80A	11.80B/*9.80A	----	11.60 - 1.20	.0522	----	----	----	----	218 UNCH
5780	----	----	----/*9.70A	11.70B/*9.70A	----	11.50 - 1.10	.0517	----	----	----	----	219 UNCH
5790	----	----	----/*9.50A	11.40B/*9.50A	----	11.30 - 1.10	.0507	----	----	----	----	11 UNCH
5800	10.00	10.00	11.20B/*9.30A	11.20B/*9.30A	----	11.00 - 1.10	.0495	----	----	123	----	3020 - 39
5810	----	----	----/*9.10A	11.00B/*9.10A	----	10.80 - 1.10	.0485	----	----	----	----	259 UNCH
5820	----	----	----/*8.90A	10.70B/*8.90A	----	10.60 - 1.10	.0476	----	----	7	----	34 + 7
5825	----	----	----/*8.90A	10.60B/*8.90A	----	10.50 - 1.10	.0471	----	----	10	----	23 + 9
5830	----	----	----/*8.70A	10.50B/*8.70A	----	10.40 - 1.10	.0466	----	----	----	----	14 UNCH
5840	----	----	----/*8.60A	10.30B/*8.60A	----	10.20 - 1.00	.0457	----	----	----	----	22 UNCH
5850	9.40	9.40	10.10B/*8.40A	10.10B/*8.40A	----	10.00 - 1.00	.0448	----	----	16	----	469 - 16
5860	----	----	----/*8.20A	9.90B/*8.20A	----	9.80 - 1.00	.0439	----	----	----	----	22 UNCH
5870	----	----	----/*8.10A	9.80B/*8.10A	----	9.60 - 1.00	.0430	----	----	----	----	32 UNCH
5875	9.70	9.70	9.70/*8.00A	9.70/*8.00A	----	9.50 - 1.00	.0425	----	----	10	----	196 + 5
5880	----	----	----/*7.90A	9.60B/*7.90A	----	9.50 - 0.90	.0424	----	----	----	----	17 UNCH
5890	----	----	----/*7.80A	9.40B/*7.80A	----	9.30 - 0.90	.0415	----	----	----	----	137 UNCH
5900	----	----	----/*7.60A	9.20B/*7.60A	----	9.10 - 0.90	.0406	----	----	2	----	1363 - 1
5910	----	----	----/*7.50A	9.10B/*7.50A	----	9.00 - 0.90	.0401	----	----	----	----	10 UNCH
5920	----	----	----/*7.40A	8.80B/*7.40A	----	8.80 - 0.90	.0392	----	----	----	----	38 UNCH
5930	----	----	----/*7.30A	8.70B/*7.30A	----	8.70 - 0.80	.0386	----	----	----	----	58 UNCH
5940	----	----	----/*7.10A	8.50B/*7.10A	----	8.60 - 0.70	.0381	----	----	----	----	3 UNCH
5950	----	----	----/*7.00A	8.40B/*7.00A	----	8.40 - 0.80	.0372	----	----	5	----	168 UNCH
5960	----	----	----/*6.90A	8.20B/*6.90A	----	8.30 - 0.70	.0367	----	----	----	----	35 UNCH
5970	----	----	----/*6.80A	8.10B/*6.80A	----	8.10 - 0.70	.0359	----	----	----	----	35 UNCH
5980	----	----	----/*6.70A	8.00B/*6.70A	----	8.00 - 0.70	.0353	----	----	----	----	6 UNCH
5990	----	----	----/*6.60A	7.80B/*6.60A	----	7.90 - 0.70	.0348	----	----	----	----	4 UNCH
6000	7.00	7.00	8.00/6.20	8.00/6.20	----	7.80 - 0.60	.0343	----	----	660	----	7901 + 553
6010	----	----	----/*6.40A	7.60B/*6.40A	----	7.60 - 0.70	.0335	----	----	----	----	9 UNCH
6020	----	----	----/*6.30A	7.50B/*6.30A	----	7.50 - 0.70	.0330	----	----	----	----	23 UNCH
6030	----	----	----/*6.20A	7.40B/*6.20A	----	7.40 - 0.60	.0325	----	----	----	----	31 UNCH
6040	----	----	----/*6.10A	7.30B/*6.10A	----	7.30 - 0.60	.0320	----	----	----	----	26 UNCH
6050	----	----	----/*6.00A	7.10B/*6.00A	----	7.20 - 0.60	.0315	----	----	----	----	280 UNCH
6060	----	----	----/*5.90A	7.00B/*5.90A	----	7.10 - 0.60	.0310	----	----	----	----	32 UNCH
6070	----	----	----/*5.80A	6.90B/*5.80A	----	7.00 - 0.50	.0305	----	----	----	----	34 UNCH
6080	----	----	----/*5.70A	6.80B/*5.70A	----	6.90 - 0.50	.0300	----	----	----	----	9 UNCH
6090	----	----	----/*5.60A	6.70B/*5.60A	----	6.80 - 0.50	.0296	----	----	----	----	25 UNCH
6100	6.10	6.10	6.60B/*5.40	6.60B/*5.40	----	6.70 - 0.50	.0291	----	----	11	----	2394 - 9
6110	----	----	----/*5.50A	6.50B/*5.50A	----	6.60 - 0.50	.0286	----	----	----	----	65 UNCH
6120	----	----	----/*5.50A	6.40B/*5.50A	----	6.50 - 0.50	.0282	----	----	----	----	11 UNCH
6125	----	----	----/*5.30A	6.40B/*5.30A	----	6.40 - 0.50	.0278	----	----	----	----	16 UNCH
6130	----	----	----/*5.40A	6.30B/*5.40A	----	6.40 - 0.50	.0277	----	----	----	----	10 UNCH
6140	----	----	----/*5.30A	6.20B/*5.30A	----	6.30 - 0.40	.0272	----	----	----	----	8 UNCH
6150	----	----	----/*5.20A	6.10B/*5.20A	----	6.20 - 0.40	.0268	----	----	----	----	510 UNCH
6160	----	----	----/*5.20A	6.00B/*5.20A	----	6.10 - 0.40	.0263	----	----	2	----	132 + 2
6170	----	----	----/*5.00A	5.90B/*5.00A	----	6.00 - 0.50	.0259	----	----	----	----	17 UNCH
6180	----	----	----/*4.90A	5.90B/*4.90A	----	5.90 - 0.50	.0254	----	----	----	----	75 UNCH
6190	----	----	----/*5.00A	5.80B/*5.00A	----	5.80 - 0.50	.0250	----	----	----	----	2 UNCH
6200	5.30	5.30	5.70B/*4.70A	5.70B/*4.70A	----	5.80 - 0.40	.0249	----	----	57	----	3985 - 51
6210	----	----	----/*4.80A	5.60B/*4.80A	----	5.70 - 0.40	.0244	----	----	----	----	53 UNCH
6220	----	----	----/*4.80A	5.50B/*4.80A	----	5.60 - 0.40	.0240	----	----	----	----	7 UNCH
6230	----	----	----/*4.60A	5.40B/*4.60A	----	5.60 - 0.30	.0239	----	----	----	----	66 UNCH
6240	----	----	----/*4.60A	5.40B/*4.60A	----	5.50 - 0.40	.0234	----	----	----	----	21 UNCH
6250	----	----	----/*4.60A	5.30B/*4.60A	----	5.40 - 0.40	.0230	----	----	----	----	1307 UNCH
6260	----	----	----/*4.60A	5.20B/*4.60A	----	5.40 - 0.30	.0229	----	----	----	----	8 UNCH
6270	----	----	----/*4.40A	5.10B/*4.40A	----	5.30 - 0.30	.0225	----	----	----	----	146 UNCH
6280	----	----	----/*4.40A	5.10B/*4.40A	----	5.20 - 0.40	.0220	----	----	----	----	12 UNCH
6290	----	----	----/*4.30A	5.00B/*4.30A	----	5.20 - 0.30	.0220	----	----	----	----	19 UNCH
6300	4.50	4.50	4.90B/*4.10A	4.90B/*4.10A	----	5.10 - 0.30	.0215	----	----	25	----	2430 - 24
6310	----	----	----/*4.20A	4.90B/*4.20A	----	5.10 - 0.30	.0214	----	----	----	----	2 UNCH
6320	----	----	----/*4.20A	4.80B/*4.20A	----	5.00 - 0.30	.0210	----	----	----	----	24 UNCH
6330	----	----	----/*4.10A	4.80B/*4.10A	----	4.90 - 0.30	.0206	----	----	----	----	33 UNCH
6340	----	----	----/*4.10A	4.70B/*4.10A	----	4.90 - 0.20	.0205	----	----	----	----	35 UNCH
6350	----	----	----/*4.10A	4.60B/*4.10A	----	4.80 - 0.30	.0201	----	----	----	----	17 UNCH
6360	----	----	----/*4.00A	4.60B/*4.00A	----	4.80 - 0.20	.0200	----	----	----	----	2 UNCH
6370	----	----	----/*4.00A	4.50B/*4.00A	----	4.70 - 0.30	.0196	----	----	----	----	4 UNCH
6380	----	----	----/*4.00A	4.50B/*4.00A	----	4.60 - 0.30	.0192	----	----	----	----	9 UNCH
6390	----	----	----/*3.90A	4.40B/*3.90A	----	4.60 - 0.20	.0191	----	----	----	----	1 UNCH
6400	----	----	----/*3.90A	4.40B/*3.90A	----	4.50 - 0.30	.0187	----	----	----	----	419 UNCH
6410	----	----	----/*3.80A	4.30B/*3.80A	----	4.50 - 0.20	.0187	----	----	----	----	8 UNCH
6420	----	----	----/*3.70A	4.20B/*3.70A	----	4.40 - 0.30	.0183	----	----	----	----	3 UNCH
6430	----	----	----/*3.70A	4.20B/*3.70A	----	4.40 - 0.20	.0182	----	----	----	----	30 UNCH
6440	----	----	----/*3.70A	4.10B/*3.70A	----	4.30 - 0.20	.0178	----	----	----	----	2 UNCH
6450	----	----	----/*3.70A	4.10B/*3.70A	----	4.30 - 0.20	.0177	----	----	----	----	58 UNCH
6460	----	----	----/*3.70A	4.00B/*3.70A	----	4.20 - 0.20	.0173	----	----	----	----	36 UNCH
6470	----	----	----/*3.60A	4.00B/*3.60A	----	4.20 - 0.20	.0173	----	----	----	----	9 UNCH
6480	----	----	----/*3.60A	3.90B/*3.60A	----	4.10 - 0.20	.0169	----	----	----	----	21 UNCH
6490	----	----	----/*3.60A	3.90B/*3.60A	----	4.10 - 0.20	.0168	----	----	----	----	23 UNCH
6500	3.50	3.50	3.90B/3.30	3.90B/3.30	----	4.00 - 0.20	.0164	----	----	3	----	1095 - 1
6525	----	----	----/*3.40A	3.70B/*3.40A	----	3.90 - 0.20	.0159	----	----	3	----	23 + 3
6550	----	----	----/*3.30A	3.60B/*3.30A	----	3.80 - 0.20	.0155	----	----	----	----	210 UNCH
6575	----	----	----/*3.30A	3.50B/*3.30A	----	3.70 - 0.20	.0150	----	----	----	----	7 UNCH
6600	3.20	3.20	3.50/*3.20	3.50/*3.20	----	3.60 - 0.20	.0146	----	----	6	----	857 - 6
6625	----	----	----/3.10A	3.30B/3.10A	----	3.50 - 0.30	.0141	----	----	----	----	106 UNCH
6650	----	----	----/*3.00A	3.20B/*3.00A	----	3.40 - 0.30	.0137	----	----	----	----	33 UNCH
6675	----	----	----/*3.00A	3.20B/*3.00A	----	3.30 - 0.30	.0132	----	----	----	----	50 UNCH
6700	2.80	2.80	3.30/*2.50	3.30/*2.50	----	3.20 - 0.30	.0128	----	----	6	----	1205 - 2
6725	2.70	2.70	3.00B/*2.70	3.00B/*2.70	----	3.10 - 0.40	.0124	----	----	4	----	107 - 4
6750	----	----	----/*2.80A	2.90B/*2.80A	----	3.00 - 0.40	.0119	----	----	----	----	135 UNCH
6775	2.80	2.80	2.80/*2.70A	2.80/*2.70A	----	3.00 - 0.30	.0118	----	----	1	----	5 UNCH
6800	----	----	----/2.70A	2.80B/2.70A	----	2.90 - 0.40	.0114	----	----	----	----	245 UNCH
6825	----	----	----/*2.60A	2.70B/*2.60A	----	2.80 - 0.40	.0110	----	----	----	----	10 UNCH
6850	----	----	----/*2.50A	2.70B/*2.50A	----	2.80 - 0.40	.0109	----	----	----	----	26 UNCH
6875	----	----	----/*2.50A	2.60B/*2.50A	----	2.70 - 0.40	.0105	----	----	----	----	3 UNCH
6900	----	----	----/*2.50A	2.50B/*2.50A	----	2.60 - 0.50	.0101	----	----	----	----	157 UNCH
6925	----	----	----/*2.50A	2.50B/*2.50A	----	2.60 - 0.40	.0101	----	----	----	----	51 UNCH
6950	----	----	----/*2.50A	2.40B/*2.50A	----	2.50 - 0.50	.0097	----	----	----	----	27 UNCH
6975	----	----	----/*2.40A	2.40B/*2.40A	----	2.50 - 0.40	.0096	----	----	----	----	17 UNCH
7000	----	----	----/2.40A	2.30B/2.40A	----	2.40 - 0.50	.0092	----	----	----	----	1815 UNCH
7025	----	----	----/*2.40A	2.30B/*2.40A	----	2.40 - 0.40	.0091	----	----	----	----	32 UNCH
7050	----	----	----/*2.30A	2.20B/*2.30A	----	2.30 - 0.50	.0088	----	----	----	----	5 UNCH
7075	----	----	----/*2.30A	2.20B/*2.30A	----	2.30 - 0.40	.0087	----	----	----	----	8 UNCH
7100	----	----	----/*2.30A	2.20B/*2.30A	----	2.30 - 0.40	.0086	----	----	----	----	147 UNCH
7125	----	----	----/*2.20A	2.10B/*2.20A	----	2.20 - 0.50	.0083	----	----	----	----	52 UNCH
7150	----	----	----/*2.20A	2.10B/*2.20A	----	2.20 - 0.40	.0082	----	----	----	----	59 UNCH
7200	----	----	----/*2.10A	2.00B/*2.10A	----	2.10 - 0.40	.0078	----	----	----	----	129 UNCH
7250	----	----	----/*2.10A	1.90B/*2.10A	----	2.10 - 0.30	.0077	----	----	----	----	91 UNCH
7275	----	----	----/*2.10A	1.90B/*2.10A	----	2.00 - 0.40	.0073	----	----	----	----	1 UNCH
7300	----	----	----/*2.00A	1.80B/*2.00A	----	2.00 - 0.40	.0073	----	----	----	----	150 UNCH
7325	----	----	----/*2.00A	1.80B/*2.00A	----	2.00 - 0.30	.0073	----	----	----	----	14 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
7350	----	----	----/*2.00A	1.70B/*2.00A	----	1.90 - 0.40	.0069	----	----	----	----	3 UNCH
7375	----	----	----/*2.00A	1.70B/*2.00A	----	1.90 - 0.30	.0069	----	----	----	----	20 UNCH
7400	----	----	----/*1.90A	1.70B/*1.90A	----	1.90 - 0.30	.0068	----	----	----	----	46 UNCH
7425	----	----	----/*1.90A	1.60B/*1.90A	----	1.80 - 0.30	.0065	----	----	----	----	20 UNCH
7450	----	----	----/*1.90A	1.60B/*1.90A	----	1.80 - 0.30	.0064	----	----	----	----	5 UNCH
7475	----	----	----/*1.90A	1.60B/*1.90A	----	1.80 - 0.30	.0064	----	----	----	----	8 UNCH
7500	1.70	1.70	1.70/1.70	1.70/1.70	----	1.70 - 0.30	.0061	----	----	30	----	1357 + 5
7525	----	----	----/*1.80A	1.50B/*1.80A	----	1.70 - 0.30	.0060	----	----	----	----	22 UNCH
7575	----	----	----/*1.80A	1.50B/*1.80A	----	1.70 - 0.20	.0060	----	----	----	----	8 UNCH
7600	----	----	----/*1.80A	1.40B/*1.80A	----	1.60 - 0.30	.0056	----	----	----	----	46 UNCH
7700	----	----	----	1.30B/*1.70A	----	1.50 - 0.20	.0052	----	----	----	----	45 UNCH
7750	----	----	----	1.30B/*1.60A	----	1.50 - 0.10	.0052	----	----	----	----	12 UNCH
7800	----	----	----/*1.30A	1.20B/*1.30A	----	1.40 - 0.20	.0048	----	----	----	----	39 UNCH
7825	1.50	1.50	1.50/*1.20A	1.50/*1.20A	----	1.40 NEW	.0048	----	----	1	----	1 + 1
7875	----	----	----	1.20B/1.60A	----	1.40 - 0.10	.0047	----	----	----	----	31 UNCH
7900	----	----	----	1.20B/*1.50A	----	1.30 - 0.20	.0044	----	----	----	----	2 UNCH
7950	----	----	----	1.10B/*1.50A	----	1.30 - 0.10	.0044	----	----	----	----	2 UNCH
8000	----	----	----	1.10B/1.40A	----	1.30 UNCH	.0043	----	----	----	----	981 UNCH
8100	----	----	----	1.00B/1.50A	----	1.20 - 0.10	.0040	----	----	----	----	3 UNCH
8200	----	----	----	1.00B/1.40A	----	1.10 - 0.10	.0036	----	----	----	----	89 UNCH
8300	----	----	----	0.90B/1.30A	----	1.10 UNCH	.0036	----	----	----	----	64 UNCH
8500	1.30	1.30	1.30/1.30	1.30/1.20A	----	1.00 UNCH	.0032	----	----	1	----	142 + 1
8600	----	----	----	0.80B/1.20A	----	0.90 - 0.10	.0028	----	----	----	----	51 UNCH
8800	----	----	----	0.70B/1.10A	----	0.80 - 0.10	.0025	----	----	----	----	32 UNCH
8900	----	----	----	0.70B/1.00A	----	0.80 - 0.10	.0025	----	----	----	----	15 UNCH
9000	----	----	----	0.70B/1.00A	----	0.80 - 0.10	.0024	----	----	----	----	230 UNCH
9100	----	----	----	0.60B/0.90A	----	0.70 - 0.10	.0021	----	----	----	----	1 UNCH
9200	----	----	----	0.60B/0.90A	----	0.70 - 0.10	.0021	----	----	----	----	51 UNCH
9300	----	----	----	0.60B/0.90A	----	0.70 - 0.10	.0021	----	----	----	----	3 UNCH
9400	----	----	----	0.50B/0.80A	----	0.60 - 0.10	.0018	----	----	----	----	25 UNCH
9500	----	----	----	0.50B/0.80A	----	0.60 - 0.10	.0018	----	----	----	----	23 UNCH
9600	----	----	----	0.50B/0.80A	----	0.60 - 0.10	.0017	----	----	----	----	26 UNCH
9700	----	----	----	0.40B/0.80A	----	0.50 - 0.10	.0015	----	----	----	----	20 UNCH
9800	----	----	----	0.40B/0.70A	----	0.50 - 0.10	.0014	----	----	----	----	17 UNCH
9900	----	----	----	0.40B/0.70A	----	0.50 - 0.10	.0014	----	----	----	----	24 UNCH
10000	----	----	----	0.40B/0.70A	----	0.50 UNCH	.0014	----	----	----	----	263 UNCH
10100	----	----	----	0.30B/0.70A	----	0.50 UNCH	.0014	----	----	----	----	2 UNCH
10300	----	----	----	0.20B/0.70A	----	0.40 UNCH	.0011	----	----	----	----	3 UNCH
10400	----	----	----	0.30B/0.60A	----	0.40 UNCH	.0011	----	----	----	----	2 UNCH
10500	----	----	----	0.20B/0.60A	----	0.40 UNCH	.0011	----	----	----	----	1 UNCH
10700	----	----	----	0.20B/0.60A	----	0.30 - 0.10	.0008	----	----	----	----	4 UNCH
11000	----	----	----	0.10B/0.60A	----	0.30 UNCH	.0008	----	----	----	----	72 UNCH
11300	----	----	----	0.10B/0.50A	----	0.30 UNCH	.0008	----	----	----	----	12 UNCH
11500	----	----	----	----/0.50A	----	0.20 - 0.10	.0005	----	----	----	----	1 UNCH
11600	----	----	----	----/0.50A	----	0.20 - 0.10	.0005	----	----	----	----	5 UNCH
11700	----	----	----	----/0.50A	----	0.20 - 0.10	.0005	----	----	----	----	15 UNCH
11900	----	----	----	----/0.50A	----	0.20 - 0.10	.0005	----	----	----	----	1 UNCH
12000	----	----	----	0.10B/0.40A	----	0.20 UNCH	.0005	----	----	----	----	350 UNCH
TOTAL										13516	2,033	160568 + 2452
JUL26												
3500	----	----	----	----	----	1358.70 + 38.70	.9766	----	----	----	----	1 UNCH
3600	----	----	1,260.20B/1,211	1260.20B/1211.70A	----	1260.70 + 37.70	.9701	----	----	----	----	24 UNCH
3650	----	----	1,211.40B/1,163	1211.40B/1163.30A	----	1212.00 + 37.10	.9661	----	----	----	----	10 UNCH
3670	----	----	1,192.00B/1,144	1192.00B/1144.00A	----	1192.60 + 36.80	.9643	----	----	----	----	3 UNCH
3700	----	----	1,162.90B/1,115	1162.90B/1115.10A	----	1163.50 + 36.40	.9616	----	----	1	----	119 UNCH
3735	----	----	----	----	----	1129.70 + 35.90	.9583	----	----	----	----	1 UNCH
3775	----	----	1,090.70B/1,043	1090.70B/1043.50A	----	1091.20 + 35.20	.9538	----	----	----	----	4 UNCH
3800	----	----	1,068.90B/1,017	1068.90B/1017.50A	----	1067.20 + 34.80	.9509	----	----	----	----	2045 UNCH
3825	----	----	1,042.80B/996.2	1042.80B/996.20A	----	1043.30 + 34.30	.9479	----	----	----	----	5 UNCH
3850	----	----	1,019.00B/972.7	1019.00B/972.70A	----	1019.40 + 33.70	.9447	----	----	2	----	65 - 1
3860	----	----	----	----	----	1009.90 + 33.50	.9432	----	----	----	----	1 UNCH
3865	----	----	1,004.80B/958.7	1004.80B/958.70A	----	1005.20 + 33.50	.9426	----	----	1	----	7 UNCH
3875	----	----	995.30B/949.30A	995.30B/949.30A	----	995.70 + 33.30	.9412	----	----	----	----	25 UNCH
3900	----	----	971.70B/926.10A	971.70B/926.10A	----	972.10 + 32.80	.9374	----	----	----	----	18 UNCH
3925	----	----	948.20B/902.90A	948.20B/902.90A	----	948.50 + 32.20	.9332	----	----	----	----	35 UNCH
3950	----	----	927.00B/877.70A	927.00B/877.70A	----	925.10 + 31.60	.9290	----	----	----	----	820 UNCH
3960	----	----	----	668.50B/1044.60A	----	915.80 + 31.50	.9273	----	----	----	----	1 UNCH
4000	----	----	878.40B/834.30A	878.40B/834.30A	----	878.60 + 30.50	.9196	----	----	----	----	16 UNCH
4020	----	----	----	635.80B/991.40A	----	860.20 + 30.10	.9155	----	----	----	----	1 UNCH
4030	----	----	----	626.80B/982.60A	----	851.00 + 29.80	.9133	----	----	----	----	2 UNCH
4040	----	----	----	618.60B/973.80A	----	841.80 + 29.60	.9112	----	----	----	----	1 UNCH
4075	----	----	809.70B/767.20A	809.70B/767.20A	----	810.00 + 28.80	.9031	----	----	----	----	6 UNCH
4095	----	----	791.60B/749.50A	791.60B/749.50A	----	791.90 + 28.30	.8983	----	----	----	----	4 UNCH
4100	----	----	787.10B/745.10A	787.10B/745.10A	----	787.40 + 28.20	.8971	----	----	----	----	194 UNCH
4105	----	----	----	593.50B/917.50A	----	782.90 + 28.10	.8958	----	----	----	----	1 UNCH
4110	----	----	778.10B/736.40A	778.10B/736.40A	----	778.40 + 27.90	.8945	----	----	----	----	3 UNCH
4145	----	----	746.90B/706.00A	746.90B/706.00A	----	747.10 + 27.00	.8851	----	----	----	----	28 UNCH
4150	----	----	742.40B/701.70A	742.40B/701.70A	----	742.70 + 26.90	.8838	----	----	----	----	37 UNCH
4155	----	----	----	548.20B/875.90A	----	738.30 + 26.80	.8823	----	----	----	----	1 UNCH
4160	----	----	----	545.90B/871.90A	----	733.80 + 26.60	.8810	----	----	----	----	1 UNCH
4190	----	----	----	517.10B/848.30A	----	707.50 + 25.90	.8721	----	----	----	----	1 UNCH
4200	----	----	698.40B/659.10A	698.40B/659.10A	----	698.70 + 25.50	.8690	----	----	----	----	8 UNCH
4215	----	----	685.40B/646.50A	685.40B/646.50A	----	685.70 + 25.10	.8643	----	----	----	----	25 UNCH
4220	----	----	----	490.80B/825.10A	----	681.40 + 25.00	.8626	----	----	----	----	1 UNCH
4225	----	----	----	486.70B/821.20A	----	677.00 + 24.80	.8609	----	----	----	----	2 UNCH
4235	----	----	----	477.80B/813.50A	----	668.40 + 24.50	.8577	----	----	----	----	1 UNCH
4240	----	----	663.80B/625.70A	663.80B/625.70A	----	664.10 + 24.30	.8560	----	----	----	----	39 UNCH
4245	----	----	----	469.40B/805.90A	----	659.90 + 24.20	.8543	----	----	----	----	1 UNCH
4250	----	----	656.20B/616.50A	656.20B/616.50A	----	655.60 + 24.10	.8525	----	----	----	----	316 UNCH
4255	----	----	----	460.60B/798.30A	----	651.30 + 23.90	.8508	----	----	----	----	1 UNCH
4265	----	----	----	458.90B/790.70A	----	642.80 + 23.50	.8473	----	----	----	----	2 UNCH
4270	----	----	638.40B/601.10A	638.40B/601.10A	----	638.60 + 23.40	.8455	----	----	----	----	38 UNCH
4275	----	----	634.20B/597.00A	634.20B/597.00A	----	634.40 + 23.30	.8437	----	----	----	----	76 UNCH
4280	----	----	630.00B/592.90A	630.00B/592.90A	----	630.20 + 23.10	.8419	----	----	----	----	3 UNCH
4300	616.00	616.00	616.00/574.60A	616.00/574.60A	----	613.40 + 22.40	.8344	----	----	2	----	63 UNCH
4315	----	----	600.70B/562.60A	600.70B/562.60A	----	601.00 + 22.00	.8286	----	----	----	----	21 UNCH
4325	----	----	592.40B/554.90A	592.40B/554.90A	----	592.70 + 21.60	.8246	----	----	----	----	22 UNCH
4335	----	----	564.50B/547.10A	564.50B/547.10A	----	584.50 + 21.30	.8206	----	----	----	----	1 UNCH
4350	----	----	572.00B/535.30A	572.00B/535.30A	----	572.30 + 20.80	.8145	----	----	----	----	10 UNCH
4360	----	----	563.90B/527.50A	563.90B/527.50A	----	564.20 + 20.50	.8103	----	----	----	----	53 UNCH
4365	----	----	559.80B/523.70A	559.80B/523.70A	----	560.10 + 20.30	.8081	----	----	----	----	45 UNCH
4370	----	----	558.60B/519.80A	558.60B/519.80A	----	556.10 + 20.10	.8061	----	----	----	----	20 UNCH
4375	----	----	554.60B/516.00A	554.60B/516.00A	----	552.10 + 20.00	.8038	----	----	----	----	5 UNCH
4400	----	----	534.70B/496.90A	534.70B/496.90A	----	532.20 + 19.10	.7929	----	----	----	----	2267 UNCH
4410	----	----	526.90B/489.40A	526.90B/489.40A	----	524.30 + 18.80	.7883	----	----	----	----	4 UNCH
4415	----	----	523.00B/485.80A	523.00B/485.80A	----	520.40 + 18.60	.7860	----	----	----	----	39 UNCH
4420	----	----	519.10B/481.90A	519.10B/481.90A	----	516.40 + 18.40	.7837	----	----	----	----	5 UNCH
4425	----	----	515.30B/478.20A	515.30B/478.20A	----	512.50 + 18.20	.7813	----	----	----	----	16 UNCH
4430	----	----	511.30B/474.70A	511.30B/474.70A	----	508.60 + 18.00	.7791	----	----	----	----	1 UNCH
4445	----	----	499.80B/463.50A	499.80B/463.50A	----	497.00 + 17.50	.7718	----	----	----	----	30 UNCH
4450	----	----	495.90B/460.00A	495.90B/460.00A	----	493.20 + 17.40	.7694	----	----	----	----	255 UNCH
4455	----	----	492.00B/456.40A	492.00B/456.40A	----	489.40 + 17.20	.7671	----	----	----	----	2 UNCH
4460	----	----	488.30B/452.90A	488.30B/452.90A	----	485.60 + 17.10	.7646	----	----	----	----	2 UNCH
4475	----	----	476.90B/442.10A	476.90B/442.10A	----	474.20 + 16.50	.7570	----	----	----	----	2 UNCH
4480	----	----	473.40B/438.50A	473.40B/438.50A	----	470.40 + 16.30	.7545	----	----	----	----	25 UNCH
4490	----	----	465.80B/431.40A	465.80B/431.40A	----	463.00 + 16.00	.7494	----	----	----	----	9 UNCH
4500	----	----	458.50B/424.30A	458.50B/424.30A	----	455.60 + 15.70	.7442	----	----	----	----	969 UNCH
4505	----	----	454.70B/421.00A	454.70B/421.00A	----	451.90 + 15.50	.7416	----	----	----	----	2 UNCH
4510	----	----	451.20B/417.30A	451.20B/417.30A	----	448.20 + 15.30	.7389	----	----	----	----	45 UNCH
4515	----	----	447.30B/413.90A	447.30B/413.90A	----	444.60 + 15.20	.7363	----	----	----	----	200 UNCH
4520	----	----	443.80B/410.40A	443.80B/410.40A	----	441.00 + 15.10	.7336	----	----	----	----	188 UNCH
4525	----	----	440.20B/407.00A	440.20B/407.00A	----	437.30 + 14.80	.7309	----	----	----	----	129 UNCH
4530	----	----	436.60B/403.70A	436.60B/403.70A	----	433.70 + 14.70	.7282	----	----	----	----	5 UNCH
4535	----	----	433.00B/400.20A	433.00B/400.20A	----	430.20 + 14.60	.7254	----	----	----	----	14 UNCH
4540	----	----	429.40B/396.90A	429.40B/396.90A	----	426.60 + 14.40	.7227	----	----	----	----	53 UNCH
4550	----	----	422.20B/390.10A	422.20B/390.10A	----	419.50 + 14.10	.7172	----	----	----	----	10 UNCH
4560	----	----	415.10B/383.60A	415.10B/383.60A	----	412.50 + 13.80	.7115	----	----	----	----	2 UNCH
4565	----	----	411.70B/362.90A	411.70B/362.90A	----	409.00 + 13.60	.7087	----	----	----	----	1 UNCH
4570	----	----	408.20B/360.20A	408.20B/360.20A	----	405.50 + 13.40	.7058	----	----	----	----	2 UNCH
4575	----	----	404.80B/357.00A	404.80B/357.00A	----	402.00 + 13.20	.7030	----	----	----	----	128 UNCH
4600	389.60	389.60	389.60/341.30A	389.60/341.30A	----	384.90 + 12.40	.6884	----	----	3	----	345 + 1
4605	----	----	384.30B/338.40A	384.30B/338.40A	----	381.60 + 12.30	.6854	----	----	----	----	10 UNCH
4610	----	----	380.80B/335.40A	380.80B/335.40A	----	378.20 + 12.10	.6825	----	----	----	----	6 UNCH
4635	----	----	364.40B/319.90A	364.40B/319.90A	----	361.60 + 11.20	.6675	----	----	----	----	86 UNCH
4640	----	----	361.10B/316.60A	361.10B/316.60A	----	358.30 + 11.00	.6644	----	----	----	----	242 UNCH
4645	----	----	357.80B/315.00A	357.80B/315.00A	----	355.10 + 10.80	.6613	----	----	----	----	14 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
4650	----	----	354.60B/310.60A	354.60B/310.60A	----	351.90 + 10.70	.6583	----	----	----	----	259 UNCH
4655	----	----	351.30B/305.10A	351.30B/305.10A	----	348.60 + 10.40	.6551	----	----	----	----	18 UNCH
4660	----	----	348.70B/302.00A	348.70B/302.00A	----	345.40 + 10.30	.6521	----	----	----	----	20 UNCH
4665	----	----	347.90B/299.50A	347.90B/299.50A	----	342.30 + 10.20	.6489	----	----	----	----	268 UNCH
4670	----	----	344.60B/296.60A	344.60B/296.60A	----	339.10 + 10.00	.6458	----	----	----	----	105 UNCH
4675	----	----	341.50B/293.80A	341.50B/293.80A	----	335.90 + 9.70	.6427	----	----	----	----	129 UNCH
4680	----	----	335.60B/291.00A	335.60B/291.00A	----	332.80 + 9.60	.6395	----	----	----	----	10 UNCH
4685	----	----	332.80B/288.30A	332.80B/288.30A	----	329.70 + 9.40	.6364	----	----	----	----	11 UNCH
4695	----	----	329.10B/282.80A	329.10B/282.80A	----	323.60 + 9.10	.6300	----	----	----	----	22 UNCH
4700	----	----	326.20B/280.10A	326.20B/280.10A	----	320.50 + 8.90	.6267	----	----	3	----	588 + 3
4710	----	----	320.00B/275.70A	320.00B/275.70A	----	314.50 + 8.60	.6203	----	----	----	----	110 UNCH
4720	----	----	311.20B/269.40A	311.20B/269.40A	----	308.50 + 8.30	.6138	----	----	----	----	2 UNCH
4725	----	----	311.00B/268.00A	311.00B/268.00A	----	305.60 + 8.20	.6105	----	----	----	----	51 UNCH
4730	----	----	306.20B/264.30A	306.20B/264.30A	----	302.60 + 8.00	.6073	----	----	----	----	3 UNCH
4740	----	----	299.60B/259.10A	299.60B/259.10A	----	296.80 + 7.80	.6007	----	----	----	----	1 UNCH
4745	----	----	299.30B/257.40A	299.30B/257.40A	----	294.00 + 7.70	.5974	----	----	----	----	177 UNCH
4750	295.40	295.40	296.60B/255.10A	296.60B/255.10A	----	291.10 + 7.60	.5941	----	----	3	----	1066 UNCH
4755	----	----	292.80B/252.70A	292.80B/252.70A	----	288.30 + 7.50	.5908	----	----	----	----	12 UNCH
4760	----	----	290.70B/250.10A	290.70B/250.10A	----	285.40 + 7.30	.5875	----	----	----	----	47 UNCH
4770	----	----	285.00B/245.30A	285.00B/245.30A	----	279.80 + 7.00	.5808	----	----	----	----	69 UNCH
4775	----	----	282.00B/242.70A	282.00B/242.70A	----	277.10 + 6.90	.5775	----	----	----	----	150 UNCH
4780	273.20	273.20	279.30B/239.70A	279.30B/239.70A	----	274.30 + 6.80	.5741	----	----	3	----	32 UNCH
4785	----	----	276.30B/237.30A	276.30B/237.30A	----	271.60 + 6.70	.5708	----	----	----	----	12 UNCH
4790	----	----	273.30B/235.70A	273.30B/235.70A	----	268.90 + 6.50	.5674	----	----	----	----	2 UNCH
4795	----	----	270.90B/232.60A	270.90B/232.60A	----	266.20 + 6.40	.5641	----	----	----	----	32 UNCH
4800	255.70	255.70	268.30B/230.60A	268.30B/230.60A	----	263.50 + 6.30	.5607	----	----	10	----	1692 - 1
4805	----	----	265.60B/227.90A	265.60B/227.90A	----	260.80 + 6.10	.5573	----	----	----	----	3 UNCH
4810	----	----	263.10B/225.10A	263.10B/225.10A	----	258.20 + 6.00	.5539	----	----	----	----	32 UNCH
4820	240.00	240.00	257.70B/220.90A	257.70B/220.90A	----	253.00 + 5.80	.5472	----	----	11	----	12 + 2
4825	254.30	254.30	255.30B/218.50A	255.30B/218.50A	----	250.40 + 5.70	.5438	----	----	2	----	611 + 2
4830	235.90	235.90	252.30B/216.10A	252.30B/216.10A	----	247.80 + 5.50	.5404	----	----	9	----	10 + 7
4835	----	----	249.80B/214.00A	249.80B/214.00A	----	245.30 + 5.50	.5370	----	----	1	----	6 UNCH
4840	----	----	247.00B/211.80A	247.00B/211.80A	----	242.80 + 5.40	.5336	----	----	----	----	1 UNCH
4845	----	----	244.90B/209.60A	244.90B/209.60A	----	240.30 + 5.30	.5302	----	----	----	----	59 UNCH
4850	237.20	237.20	242.40B/207.50A	242.40B/207.50A	----	237.80 + 5.20	.5268	----	----	111	----	382 + 53
4855	----	----	239.50B/205.30A	239.50B/205.30A	----	235.40 + 5.20	.5234	----	----	----	----	1 UNCH
4860	----	----	237.10B/203.10A	237.10B/203.10A	----	233.00 + 5.10	.5200	----	----	1	----	10 UNCH
4865	219.60	219.60	234.80B/201.00A	234.80B/201.00A	----	230.50 NEW	.5166	----	----	6	----	6 + 6
4870	226.30	226.30	232.30B/199.00A	232.30B/199.00A	----	228.10 + 4.80	.5132	----	----	2	----	62 + 2
4875	----	----	230.00B/196.90A	230.00B/196.90A	----	225.80 + 4.80	.5098	----	----	2	----	13 + 1
4880	220.10	220.10	227.80B/194.90A	227.80B/194.90A	----	223.40 + 4.70	.5064	----	----	6	----	18 + 6
4885	----	----	223.60B/192.80A	223.60B/192.80A	----	221.10 + 4.60	.5030	----	----	----	----	2 UNCH
4890	----	----	221.60B/190.80A	221.60B/190.80A	----	218.70 + 4.50	.4996	----	----	----	----	2 UNCH
4900	198.60	198.60	218.90B/187.00A	218.90B/187.00A	----	214.20 + 4.30	.4929	----	----	20	----	632 + 5
4905	----	----	216.00B/185.00A	216.00B/185.00A	----	211.90 + 4.20	.4895	----	----	----	----	2 UNCH
4910	----	----	213.80B/182.90A	213.80B/182.90A	----	209.60 + 4.00	.4861	----	----	----	----	112 UNCH
4915	----	----	211.60B/181.00A	211.60B/181.00A	----	207.40 + 3.90	.4827	----	----	----	----	32 UNCH
4920	----	----	209.30B/179.10A	209.30B/179.10A	----	205.20 + 3.80	.4793	----	----	----	----	6 UNCH
4925	----	----	207.10B/177.00A	207.10B/177.00A	----	203.00 + 3.60	.4760	----	----	----	----	4 UNCH
4930	202.10	202.10	204.90B/175.10A	204.90B/175.10A	----	200.80 + 3.50	.4726	----	----	8	----	11 + 8
4935	----	----	203.10B/173.30A	203.10B/173.30A	----	198.60 + 3.30	.4692	----	----	----	----	600 UNCH
4940	----	----	200.50B/171.40A	200.50B/171.40A	----	196.50 + 3.20	.4659	----	----	----	----	165 UNCH
4945	195.60	195.60	198.20B/169.60A	198.20B/169.60A	----	194.40 NEW	.4625	----	----	8	----	8 + 8
4950	193.50	193.50	196.20B/167.80A	196.20B/167.80A	----	192.30 + 2.90	.4592	----	----	11	----	110 UNCH
4955	----	----	194.10B/166.10A	194.10B/166.10A	----	190.20 + 2.80	.4559	----	----	----	----	72 UNCH
4960	----	----	191.90B/164.20A	191.90B/164.20A	----	188.10 + 2.60	.4525	----	----	----	----	1 UNCH
4965	175.70	175.70	189.90B/162.60A	189.90B/162.60A	----	186.00 + 2.40	.4492	----	----	1	----	173 + 1
4970	----	----	187.80B/160.80A	187.80B/160.80A	----	184.00 + 2.30	.4459	----	----	----	----	8 UNCH
4975	----	----	185.80B/159.00A	185.80B/159.00A	----	182.00 + 2.20	.4426	----	----	----	----	42 UNCH
4980	----	----	183.80B/157.40A	183.80B/157.40A	----	180.00 + 2.10	.4393	----	----	----	----	3 UNCH
4985	----	----	181.70B/155.40A	181.70B/155.40A	----	178.00 + 2.00	.4360	----	----	----	----	27 UNCH
4990	----	----	179.80B/153.80A	179.80B/153.80A	----	176.00 + 1.80	.4326	----	----	----	----	13 UNCH
4995	----	----	177.80B/152.30A	177.80B/152.30A	----	174.10 + 1.70	.4294	----	----	----	----	20 UNCH
5000	172.80	172.80	176.20B/150.20A	176.20B/150.20A	----	172.20 + 1.60	.4261	----	----	21	250	2845 + 258
5005	----	----	173.90B/149.00A	173.90B/149.00A	----	170.30 + 1.50	.4229	----	----	----	----	12 UNCH
5010	166.00	166.00	172.10B/147.30A	172.10B/147.30A	----	168.40 + 1.40	.4196	----	----	3	----	15 + 3
5015	----	----	170.10B/145.70A	170.10B/145.70A	----	166.50 + 1.30	.4164	----	----	----	----	26 UNCH
5020	----	----	168.20B/144.30A	168.20B/144.30A	----	164.60 + 1.20	.4131	----	----	----	----	7 UNCH
5025	153.50	153.50	166.40B/142.70A	166.40B/142.70A	----	162.80 + 1.10	.4099	----	----	1	----	35 + 1
5030	----	----	164.60B/141.00A	164.60B/141.00A	----	161.00 + 1.00	.4067	----	----	----	----	31 UNCH
5035	----	----	162.70B/139.40A	162.70B/139.40A	----	159.20 + 0.90	.4035	----	----	----	----	54 UNCH
5040	----	----	160.70B/137.80A	160.70B/137.80A	----	157.40 + 0.80	.4003	----	----	----	----	2 UNCH
5045	160.10	160.10	160.10/136.50A	160.10/136.50A	----	155.60 + 0.70	.3971	----	----	1	----	3 + 1
5050	----	----	157.30B/135.00A	157.30B/135.00A	----	153.90 + 0.70	.3940	----	----	----	----	22 UNCH
5055	----	----	155.50B/133.30A	155.50B/133.30A	----	152.10 + 0.60	.3908	----	----	----	----	8 UNCH
5060	154.90	154.90	154.90/132.00A	154.90/132.00A	----	150.40 + 0.50	.3876	----	----	1	----	6 UNCH
5065	----	----	152.10B/130.60A	152.10B/130.60A	----	148.70 + 0.40	.3845	----	----	----	----	24 UNCH
5070	----	----	150.40B/129.20A	150.40B/129.20A	----	147.00 + 0.30	.3813	----	----	----	----	21 UNCH
5075	----	----	148.60B/127.40A	148.60B/127.40A	----	145.40 + 0.30	.3783	----	----	----	----	45 UNCH
5080	----	----	147.00B/126.50A	147.00B/126.50A	----	143.70 + 0.20	.3752	----	----	----	----	79 UNCH
5085	----	----	145.20B/125.00A	145.20B/125.00A	----	142.10 + 0.20	.3721	----	----	----	----	34 UNCH
5090	----	----	143.60B/123.30A	143.60B/123.30A	----	140.50 + 0.10	.3690	----	----	1	----	2 + 1
5095	----	----	142.00B/122.20A	142.00B/122.20A	----	138.90 + 0.10	.3660	----	----	----	----	45 UNCH
5100	135.70	135.70	140.60B/120.50A	140.60B/120.50A	----	137.30 UNCH	.3629	----	----	20	----	622 - 9
5105	----	----	138.90B/119.70A	138.90B/119.70A	----	135.70 - 0.10	.3599	----	----	----	----	61 UNCH
5110	----	----	137.20B/118.00A	137.20B/118.00A	----	134.20 - 0.10	.3569	----	----	----	----	3 UNCH
5115	----	----	135.70B/116.30A	135.70B/116.30A	----	132.60 - 0.20	.3538	----	----	----	----	27 UNCH
5120	----	----	134.10B/115.50A	134.10B/115.50A	----	131.10 - 0.20	.3509	----	----	----	----	38 UNCH
5125	----	----	132.50B/114.30A	132.50B/114.30A	----	129.60 - 0.30	.3479	----	----	----	----	214 UNCH
5130	----	----	131.00B/112.70A	131.00B/112.70A	----	128.10 - 0.30	.3449	----	----	----	----	13 UNCH
5135	125.00	125.00	129.50B/111.90A	129.50B/111.90A	----	126.60 - 0.40	.3420	----	----	2	----	155 UNCH
5140	----	----	128.00B/110.60A	128.00B/110.60A	----	125.20 - 0.40	.3391	----	----	----	----	55 UNCH
5145	----	----	126.50B/109.40A	126.50B/109.40A	----	123.70 - 0.50	.3361	----	----	----	----	49 UNCH
5150	110.10	110.10	125.10B/108.20A	125.10B/108.20A	----	122.30 - 0.50	.3332	----	----	23	----	699 - 1
5155	----	----	123.50B/107.00A	123.50B/107.00A	----	120.90 - 0.60	.3304	----	----	----	----	2 UNCH
5160	----	----	122.20B/105.00A	122.20B/105.00A	----	119.50 - 0.60	.3275	----	----	----	----	9 UNCH
5165	----	----	120.80B/104.30A	120.80B/104.30A	----	118.10 - 0.70	.3246	----	----	----	----	4 UNCH
5170	----	----	119.40B/103.30A	119.40B/103.30A	----	116.80 - 0.60	.3219	----	----	----	----	6 UNCH
5175	----	----	118.00B/102.00A	118.00B/102.00A	----	115.40 - 0.70	.3190	----	----	7	----	55 + 4
5180	----	----	116.60B/101.10A	116.60B/101.10A	----	114.10 - 0.70	.3162	----	----	3	----	14 + 1
5185	----	----	115.30B/99.90A	115.30B/99.90A	----	112.80 - 0.80	.3135	----	----	----	----	118 UNCH
5190	----	----	113.80B/98.80A	113.80B/98.80A	----	111.50 - 0.80	.3107	----	----	----	----	2 UNCH
5195	----	----	112.60B/97.00A	112.60B/97.00A	----	110.20 - 0.80	.3079	----	----	----	----	7 UNCH
5200	108.70	108.70	111.40B/96.70A	111.40B/96.70A	----	108.90 - 0.90	.3052	----	----	1	----	1192 + 1
5205	----	----	110.00B/95.60A	110.00B/95.60A	----	107.60 - 1.00	.3024	----	----	----	----	7 UNCH
5210	107.90	107.90	108.70B/93.90A	108.70B/93.90A	----	106.40 - 1.00	.2998	----	----	4	----	14 - 1
5215	----	----	107.40B/92.80A	107.40B/92.80A	----	105.20 - 1.00	.2971	----	----	----	----	8 UNCH
5220	----	----	106.20B/92.40A	106.20B/92.40A	----	103.90 - 1.10	.2944	----	----	----	----	17 UNCH
5225	----	----	105.00B/90.80A	105.00B/90.80A	----	102.70 - 1.10	.2917	----	----	----	----	3 UNCH
5230	----	----	103.80B/90.20A	103.80B/90.20A	----	101.50 - 1.10	.2891	----	----	----	----	9 UNCH
5240	----	----	101.20B/88.30A	101.20B/88.30A	----	99.20 - 1.20	.2839	----	----	----	----	1 UNCH
5245	----	----	100.20B/86.80A	100.20B/86.80A	----	98.00 - 1.20	.2813	----	----	----	----	61 UNCH
5250	----	----	99.20B/85.90A	99.20B/85.90A	----	96.90 - 1.20	.2788	----	----	----	----	374 UNCH
5255	----	----	97.90B/84.80A	97.90B/84.80A	----	95.80 - 1.30	.2763	----	----	----	----	14 UNCH
5260	----	----	96.80B/83.80A	96.80B/83.80A	----	94.70 - 1.30	.2738	----	----	----	----	150 UNCH
5265	----	----	95.60B/82.90A	95.60B/82.90A	----	93.60 - 1.30	.2713	----	----	----	----	3 UNCH
5270	----	----	94.40B/82.20A	94.40B/82.20A	----	92.50 - 1.40	.2688	----	----	----	----	10 UNCH
5275	----	----	93.40B/81.50A	93.40B/81.50A	----	91.40 - 1.40	.2663	----	----	----	----	16 UNCH
5280	91.00	91.00	92.40B/80.10A	92.40B/80.10A	----	90.40 - 1.40	.2639	----	----	1	----	5 UNCH
5285	----	----	91.30B/79.20A	91.30B/79.20A	----	89.30 - 1.50	.2614	----	----	----	----	14 UNCH
5290	----	----	90.10B/78.40A	90.10B/78.40A	----	88.30 - 1.50	.2590	----	----	----	----	33 UNCH
5295	----	----	89.10B/77.40A	89.10B/77.40A	----	87.20 - 1.60	.2565	----	----	----	----	1 UNCH
5300	85.90	85.90	88.20B/76.60A	88.20B/76.60A	----	86.20 - 1.60	.2541	----	----	5	----	912 + 5
5305	78.70	78.70	87.00B/75.90A	87.00B/75.90A	----	85.20 - 1.60	.2518	----	----	4	----	40 + 4
5310	----	----	86.10B/74.90A	86.10B/74.90A	----	84.20 - 1.70	.2494	----	----	----	----	4 UNCH
5315	----	----	85.10B/74.10A	85.10B/74.10A	----	83.30 - 1.70	.2472	----	----	----	----	13 UNCH
5320	----	----	84.10B/73.30A	84.10B/73.30A	----	82.30 - 1.70	.2448	----	----	----	----	8 UNCH
5325	----	----	----/72.50A	83.10B/72.50A	----	81.30 - 1.80	.2425	----	----	----	----	181 UNCH
5330	----	----	----/71.70A	82.10B/71.70A	----	80.40 - 1.80	.2403	----	----	----	----	4 UNCH
5345	----	----	----/69.30A	79.40B/69.30A	----	77.60 - 1.90	.2335	----	----	----	----	8 UNCH
5350	----	----	----/68.50A	78.60B/68.50A	----	76.70 - 2.00	.2313	----	----	1	----	518 + 1
5355	----	----	----/67.90A	77.50B/67.90A	----	75.90 - 1.90	.2292	----	----	----	----	4 UNCH
5360	----	----	----/67.00A	76.70B/67.00A	----	75.00 - 1.90	.2270	----	----	----	----	333 UNCH
5365	----	----	----/66.30A	75.80B/66.30A	----	74.10 - 2.00	.2248	----	----	----	----	14 UNCH
5370	----	----	----/65.70A	74.80B/65.70A	----	73.30 - 2.00	.2228	----	----	----	----	10 UNCH
5375	----	----	----/64.90A	73.90B/64.90A	----	72.40 - 2.10	.2206	----	----	----	----	4 UNCH
5380	----	----	----/64.20A	73.00B/64.20A	----	71.60 - 2.00	.2185	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
5385	----	----	----/63.60A	72.30B/63.60A	----	70.70 - 2.10	.2164	----	----	----	----	16 UNCH
5390	----	----	----/62.90A	71.40B/62.90A	----	69.90 - 2.10	.2143	----	----	----	----	11 UNCH
5395	----	----	----/62.10A	70.50B/62.10A	----	69.10 - 2.20	.2123	----	----	----	----	19 UNCH
5400	----	----	----/61.50A	69.80B/61.50A	----	68.30 - 2.20	.2103	----	----	2	----	3875 + 2
5405	----	----	----/60.90A	68.90B/60.90A	----	67.50 - 2.20	.2082	----	----	----	----	10 UNCH
5410	----	----	----/60.20A	68.10B/60.20A	----	66.80 - 2.10	.2063	----	----	----	----	16 UNCH
5415	----	----	----/59.90A	67.40B/59.90A	----	66.00 - 2.20	.2043	----	----	----	----	18 UNCH
5420	----	----	----/59.00A	66.70B/59.00A	----	65.20 - 2.30	.2023	----	----	----	----	10 UNCH
5425	----	----	----/58.70A	65.90B/58.70A	----	64.50 - 2.20	.2004	----	----	----	----	7 UNCH
5430	----	----	----/57.60A	65.10B/57.60A	----	63.70 - 2.30	.1984	----	----	----	----	5 UNCH
5435	----	----	----/57.00A	64.40B/57.00A	----	63.00 - 2.30	.1966	----	----	----	----	3 UNCH
5440	61.30	61.30	61.30/56.40A	63.60B/56.40A	----	62.30 - 2.30	.1947	----	----	2	----	8 + 2
5445	----	----	----/56.00A	62.80B/56.00A	----	61.60 - 2.30	.1928	----	----	----	----	8 UNCH
5450	----	----	----/55.10A	62.40B/55.10A	----	60.90 - 2.30	.1910	----	----	1	----	1186 + 1
5455	----	----	----/54.60A	61.40B/54.60A	----	60.20 - 2.30	.1891	----	----	----	----	13 UNCH
5460	----	----	----/54.00A	60.80B/54.00A	----	59.50 - 2.30	.1873	----	----	----	----	13 UNCH
5465	----	----	----/53.40A	60.10B/53.40A	----	58.80 - 2.30	.1855	----	----	----	----	16 UNCH
5470	----	----	----/52.80A	59.40B/52.80A	----	58.10 - 2.40	.1836	----	----	----	----	17 UNCH
5475	----	----	----/52.20A	58.70B/52.20A	----	57.50 - 2.30	.1819	----	----	----	----	206 UNCH
5480	----	----	----/51.60A	58.00B/51.60A	----	56.80 - 2.40	.1801	----	----	----	----	5 UNCH
5485	----	----	----/51.00A	57.10B/51.00A	----	56.10 - 2.40	.1783	----	----	----	----	2 UNCH
5490	----	----	----/50.40A	56.70B/50.40A	----	55.50 - 2.40	.1766	----	----	----	----	17 UNCH
5495	----	----	----/49.80A	55.90B/49.80A	----	54.90 - 2.40	.1750	----	----	----	----	1 UNCH
5500	52.30	52.30	55.50B/49.40A	55.50B/49.40A	----	54.30 - 2.40	.1733	----	----	108	500	4453 + 435
5505	----	----	----/48.90A	54.70B/48.90A	----	53.60 - 2.50	.1715	----	----	----	----	3 UNCH
5510	----	----	----/48.20A	54.20B/48.20A	----	53.00 - 2.50	.1698	----	----	----	----	5 UNCH
5515	----	----	----/47.70A	53.60B/47.70A	----	52.40 - 2.50	.1682	----	----	----	----	10 UNCH
5520	----	----	----/47.10A	52.90B/47.10A	----	51.80 - 2.50	.1665	----	----	----	----	11 UNCH
5525	----	----	----/46.60A	52.20B/46.60A	----	51.30 - 2.40	.1651	----	----	----	----	83 UNCH
5530	----	----	----/46.10A	51.60B/46.10A	----	50.70 - 2.40	.1634	----	----	----	----	25 UNCH
5535	----	----	----/45.60A	51.10B/45.60A	----	50.10 - 2.50	.1618	----	----	----	----	1 UNCH
5540	----	----	----/45.20A	50.50B/45.20A	----	49.50 - 2.50	.1601	----	----	----	----	16 UNCH
5545	----	----	----/44.60A	49.90B/44.60A	----	49.00 - 2.50	.1587	----	----	----	----	8 UNCH
5550	----	----	----/44.10A	49.40B/44.10A	----	48.40 - 2.50	.1571	----	----	----	----	204 UNCH
5555	----	----	----/43.60A	48.80B/43.60A	----	47.90 - 2.50	.1556	----	----	----	----	23 UNCH
5560	----	----	----/43.10A	48.30B/43.10A	----	47.40 - 2.50	.1542	----	----	----	----	21 UNCH
5565	----	----	----/42.60A	47.80B/42.60A	----	46.80 - 2.60	.1525	----	----	----	----	1 UNCH
5570	46.60	46.60	46.60/42.20A	47.20B/42.20A	----	46.30 - 2.50	.1511	----	----	2	----	4 + 2
5575	----	----	----/41.60A	46.70B/41.60A	----	45.80 - 2.50	.1497	----	----	----	----	29 UNCH
5580	----	----	----/41.20A	46.20B/41.20A	----	45.30 - 2.50	.1482	----	----	----	----	2 UNCH
5585	----	----	----/40.70A	45.70B/40.70A	----	44.80 - 2.50	.1468	----	----	----	----	19 UNCH
5590	----	----	----/40.30A	45.10B/40.30A	----	44.30 - 2.50	.1454	----	----	----	----	1 UNCH
5595	----	----	----/39.80A	44.70B/39.80A	----	43.80 - 2.60	.1439	----	----	----	----	19 UNCH
5600	40.30	40.30	44.20B/39.40A	44.20B/39.40A	----	43.30 - 2.60	.1425	----	----	69	----	2273 + 63
5605	----	----	----/39.00A	43.70B/39.00A	----	42.80 - 2.60	.1411	----	----	----	----	29 UNCH
5610	----	----	----/38.60A	43.20B/38.60A	----	42.40 - 2.60	.1399	----	----	----	----	1 UNCH
5625	40.00	40.00	40.00/37.30A	41.80B/37.30A	----	41.00 - 2.60	.1358	----	----	2	----	10 UNCH
5630	----	----	----/36.90A	41.30B/36.90A	----	40.60 - 2.60	.1346	----	----	----	----	5 UNCH
5635	----	----	----/36.50A	40.90B/36.50A	----	40.10 - 2.60	.1332	----	----	----	----	8 UNCH
5640	----	----	----/36.20A	40.40B/36.20A	----	39.70 - 2.60	.1320	----	----	----	----	4 UNCH
5650	38.10	38.10	38.10/35.30A	39.60B/35.30A	----	38.80 - 2.60	.1293	----	----	52	----	511 + 50
5660	----	----	----/34.60A	38.80B/34.60A	----	38.00 - 2.60	.1269	----	----	----	----	1 UNCH
5670	----	----	----/33.90A	38.00B/33.90A	----	37.20 - 2.60	.1245	----	----	----	----	11 UNCH
5675	----	----	----/33.50A	37.60B/33.50A	----	36.80 - 2.60	.1233	----	----	----	----	6 UNCH
5680	----	----	----/33.20A	37.30B/33.20A	----	36.40 - 2.60	.1221	----	----	----	----	6 UNCH
5690	----	----	----/32.50A	36.50B/32.50A	----	35.60 - 2.70	.1198	----	----	----	----	11 UNCH
5700	34.00	34.00	34.20/31.80A	35.70B/31.80A	----	34.90 - 2.60	.1176	----	----	3	----	898 - 1
5710	----	----	----/31.10A	35.00B/31.10A	----	34.20 - 2.60	.1154	----	----	----	----	12 UNCH
5720	----	----	----/30.50A	34.30B/30.50A	----	33.50 - 2.60	.1133	----	----	----	----	10 UNCH
5725	----	----	----/30.20A	33.90B/30.20A	----	33.10 - 2.70	.1121	----	----	----	----	57 UNCH
5730	----	----	----/29.90A	33.60B/29.90A	----	32.80 - 2.60	.1111	----	----	----	----	9 UNCH
5740	----	----	----/29.30A	32.90B/29.30A	----	32.10 - 2.70	.1090	----	----	----	----	8 UNCH
5750	31.00	31.00	31.00/28.70A	32.20B/28.70A	----	31.50 - 2.60	.1071	----	----	60	----	971 - 18
5760	----	----	----/28.10A	31.50B/28.10A	----	30.80 - 2.70	.1050	----	----	----	----	168 UNCH
5770	----	----	----/27.60A	30.90B/27.60A	----	30.20 - 2.70	.1031	----	----	----	----	4 UNCH
5775	----	----	----/27.20A	30.60B/27.20A	----	29.90 - 2.70	.1021	----	----	----	----	214 UNCH
5780	----	----	----/27.00A	30.30B/27.00A	----	29.60 - 2.70	.1012	----	----	----	----	2 UNCH
5790	----	----	----/26.40A	29.70B/26.40A	----	29.00 - 2.70	.0993	----	----	----	----	10 UNCH
5800	----	----	----/25.90A	29.10B/25.90A	----	28.50 - 2.60	.0977	----	----	1	----	951 - 1
5810	----	----	----/25.40A	28.60B/25.40A	----	27.90 - 2.60	.0958	----	----	----	----	10 UNCH
5820	----	----	----/24.90A	28.00B/24.90A	----	27.40 - 2.60	.0941	----	----	----	----	207 UNCH
5825	----	----	----/*24.70A	27.70B/*24.70A	----	27.10 - 2.60	.0932	----	----	----	----	19 UNCH
5830	----	----	----/24.50A	27.40B/24.50A	----	26.90 - 2.60	.0925	----	----	----	----	1 UNCH
5840	----	----	----/24.00A	26.90B/24.00A	----	26.40 - 2.60	.0909	----	----	----	----	102 UNCH
5850	----	----	----/23.60A	26.50B/23.60A	----	25.90 - 2.50	.0893	----	----	1	----	109 UNCH
5860	----	----	----/23.10A	25.90B/23.10A	----	25.40 - 2.60	.0877	----	----	----	----	69 UNCH
5870	23.20	23.20	23.20/23.00A	25.50B/23.00A	----	24.90 - 2.60	.0861	----	----	1	----	9 - 1
5875	----	----	----/*22.70A	25.30B/*22.70A	----	24.70 - 2.50	.0854	----	----	----	----	22 UNCH
5880	----	----	----/22.30A	25.10B/22.30A	----	24.50 - 2.50	.0847	----	----	----	----	11 UNCH
5890	----	----	----/21.90A	24.50B/21.90A	----	24.00 - 2.60	.0831	----	----	----	----	6 UNCH
5900	23.20	23.20	23.20/21.50A	24.10B/21.50A	----	23.60 - 2.50	.0818	----	----	5	----	416 - 1
5910	----	----	----/21.10A	23.70B/21.10A	----	23.20 - 2.50	.0804	----	----	----	----	6 UNCH
5920	----	----	----/20.80A	23.20B/20.80A	----	22.80 - 2.40	.0791	----	----	----	----	25 UNCH
5925	----	----	----/*20.60A	23.00B/*20.60A	----	22.60 - 2.40	.0784	----	----	----	----	6 UNCH
5940	----	----	----/20.10A	22.40B/20.10A	----	22.00 - 2.40	.0764	----	----	----	----	2 UNCH
5950	----	----	----/19.70A	22.00B/19.70A	----	21.60 - 2.40	.0751	----	----	----	----	3 UNCH
5960	----	----	----/19.40A	21.60B/19.40A	----	21.20 - 2.40	.0738	----	----	----	----	15 UNCH
5970	----	----	----/19.20A	21.30B/19.20A	----	20.90 - 2.30	.0727	----	----	----	----	55 UNCH
5980	----	----	----/18.80A	20.90B/18.80A	----	20.50 - 2.40	.0714	----	----	----	----	3 UNCH
5990	----	----	----/18.50A	20.50B/18.50A	----	20.20 - 2.30	.0703	----	----	----	----	70 UNCH
6000	19.30	19.30	19.30/18.20A	20.20B/18.20A	----	19.80 - 2.40	.0690	----	----	28	250	2571 + 96
6025	----	----	----/17.50A	19.40B/17.50A	----	19.00 - 2.30	.0663	----	----	----	----	14 UNCH
6050	17.90	17.90	17.90/16.80A	18.70B/16.80A	----	18.30 - 2.20	.0638	----	----	2	----	41 - 2
6075	----	----	----/16.10A	18.00B/16.10A	----	17.60 - 2.10	.0614	----	----	----	----	89 UNCH
6100	----	----	----/15.50A	17.30B/15.50A	----	16.90 - 2.10	.0590	----	----	----	----	253 UNCH
6125	14.70	14.70	14.70/14.70	16.50B/14.70	----	16.30 - 2.00	.0569	----	----	4	----	65 UNCH
6150	----	----	----/14.40A	15.90B/14.40A	----	15.70 - 2.00	.0548	----	----	52	----	880 + 26
6175	----	----	----/13.80A	15.30B/13.80A	----	15.10 - 1.90	.0527	----	----	----	----	38 UNCH
6200	15.00	15.00	15.00/13.60A	15.00/13.60A	----	14.60 - 1.90	.0509	----	----	5	----	538 UNCH
6225	----	----	----/13.20A	14.20B/13.20A	----	14.10 - 1.80	.0491	----	----	----	----	19 UNCH
6250	----	----	----/12.70A	13.80B/12.70A	----	13.70 - 1.70	.0476	----	----	----	----	393 UNCH
6275	----	----	----/12.30A	13.30B/12.30A	----	13.20 - 1.70	.0459	----	----	----	----	3 UNCH
6300	----	----	----/11.90A	12.90B/11.90A	----	12.80 - 1.60	.0444	----	----	----	----	324 UNCH
6325	----	----	----/11.50A	12.40B/11.50A	----	12.40 - 1.60	.0430	----	----	----	----	32 UNCH
6350	----	----	----/11.20A	12.10B/11.20A	----	12.00 - 1.50	.0416	----	----	----	----	32 UNCH
6375	----	----	----/10.80A	11.70B/10.80A	----	11.70 - 1.40	.0404	----	----	----	----	37 UNCH
6400	----	----	----/10.50A	11.30B/10.50A	----	11.30 - 1.40	.0390	----	----	----	----	192 UNCH
6425	----	----	----/10.20A	10.90B/10.20A	----	11.00 - 1.30	.0379	----	----	----	----	15 UNCH
6450	----	----	----/10.00A	10.60B/10.00A	----	10.70 - 1.30	.0368	----	----	----	----	48 UNCH
6475	----	----	----/9.70A	10.30B/9.70A	----	10.40 - 1.30	.0357	----	----	----	----	14 UNCH
6500	----	----	----/9.40A	10.00B/9.40A	----	10.10 - 1.20	.0346	----	----	1	----	830 - 1
6525	----	----	----/9.20A	9.70B/9.20A	----	9.90 - 1.10	.0338	----	----	----	----	132 UNCH
6550	----	----	----/9.00A	9.40B/9.00A	----	9.60 - 1.10	.0327	----	----	----	----	1 UNCH
6575	----	----	----/*8.80A	9.10B/8.80A	----	9.40 - 1.00	.0319	----	----	----	----	4 UNCH
6600	----	----	----/8.60A	8.90B/8.60A	----	9.10 - 1.10	.0309	----	----	----	----	30 UNCH
6650	----	----	----/8.10A	8.40B/8.10A	----	8.70 - 1.00	.0294	----	----	----	----	16 UNCH
6675	----	----	----/7.60A	8.40B/7.60A	----	8.50 - 0.90	.0286	----	----	----	----	1 UNCH
6700	----	----	----/7.80A	7.90B/7.80A	----	8.30 - 0.90	.0279	----	----	----	----	127 UNCH
6800	----	----	----/*7.10A	7.10B/7.10A	----	7.60 - 0.80	.0253	----	----	----	----	199 UNCH
6825	----	----	----/*6.90A	6.90B/6.90A	----	7.40 - 0.80	.0246	----	----	----	----	19 UNCH
6850	----	----	----/*6.70A	6.80B/6.70A	----	7.20 - 0.80	.0239	----	----	----	----	201 UNCH
6875	----	----	----/*6.60A	6.60B/6.60A	----	7.10 - 0.70	.0234	----	----	----	----	22 UNCH
6900	----	----	----/*6.50A	6.50B/6.50A	----	6.90 - 0.80	.0228	----	----	----	----	19 UNCH
6925	----	----	----/*6.40A	6.30B/6.40A	----	6.80 - 0.70	.0223	----	----	----	----	1 UNCH
6950	----	----	----/*6.20A	6.20B/6.20A	----	6.60 - 0.70	.0217	----	----	----	----	22 UNCH
6975	----	----	----/*5.90A	6.20B/5.90A	----	6.50 - 0.70	.0213	----	----	----	----	10 UNCH
7000	----	----	----/6.10A	5.90B/6.10A	----	6.40 - 0.70	.0209	----	----	----	----	790 UNCH
7050	----	----	----/*5.80A	5.60B/5.80A	----	6.10 - 0.70	.0198	----	----	----	----	17 UNCH
7075	----	----	----/*5.70A	5.50B/5.70A	----	6.00 - 0.70	.0194	----	----	2	----	13 - 2
7100	----	----	----/*5.60A	5.40B/5.60A	----	5.90 - 0.60	.0191	----	----	2	----	28 + 2
7125	----	----	----/*5.50A	5.20B/5.50A	----	5.80 - 0.60	.0187	----	----	----	----	1 UNCH
7150	----	----	----/*5.40A	5.10B/5.40A	----	5.60 - 0.70	.0181	----	----	----	----	19 UNCH
7175	----	----	----/*5.30A	5.00B/5.30A	----	5.50 - 0.70	.0177	----	----	----	----	1 UNCH
7200	----	----	----/*5.20A	4.90B/5.20A	----	5.40 - 0.70	.0173	----	----	----	----	3 UNCH
7225	----	----	----/*5.00A	5.00B/5.00A	----	5.30 - 0.70	.0170	----	----	----	----	17 UNCH
7250	----	----	----/*5.00A	4.80B/5.00A	----	5.20 - 0.70	.0166	----	----	----	----	2 UNCH
7275	----	----	----/*5.00A	4.60B/5.00A	----	5.10 - 0.70	.0163	----	----	----	----	14 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
7300	----	----	----/*4.90A	4.60B/4.90A	----	5.00 - 0.70	.0159	----	----	2	----	4 UNCH
7350	----	----	----/*4.70A	4.40B/4.70A	----	4.90 - 0.60	.0155	----	----	----	----	6 UNCH
7400	----	----	----/*4.50A	4.30B/4.50A	----	4.70 - 0.60	.0148	----	----	----	----	1 UNCH
7425	----	----	----/*4.50A	4.20B/4.50A	----	4.60 - 0.60	.0144	----	----	----	----	19 UNCH
7450	----	----	----/*4.40A	4.10B/4.40A	----	4.50 - 0.70	.0141	----	----	----	----	16 UNCH
7475	----	----	----/*4.30A	4.00B/4.30A	----	4.40 - 0.70	.0138	----	----	----	----	9 UNCH
7500	----	----	----/4.30A	4.00B/4.30A	----	4.40 - 0.60	.0137	----	----	10	----	291 UNCH
7525	----	----	----/*4.20A	3.90B/4.20A	----	4.30 - 0.60	.0134	----	----	----	----	33 UNCH
7550	----	----	----/*4.10A	3.80B/4.10A	----	4.20 - 0.70	.0131	----	----	----	----	50 UNCH
7575	----	----	----/*4.10A	3.80B/4.10A	----	4.10 - 0.70	.0127	----	----	----	----	1 UNCH
7600	----	----	----/*4.00A	3.70B/4.00A	----	4.10 - 0.60	.0127	----	----	----	----	10 UNCH
7625	----	----	----/*4.00A	3.60B/4.00A	----	4.00 - 0.70	.0124	----	----	----	----	12 UNCH
7700	----	----	----/*3.80A	3.50B/3.80A	----	3.80 - 0.70	.0117	----	----	----	----	11 UNCH
7725	----	----	----/*3.80A	3.40B/3.80A	----	3.70 - 0.70	.0114	----	----	----	----	11 UNCH
7750	----	----	----/*3.70A	3.40B/3.70A	----	3.70 - 0.60	.0113	----	----	----	----	2 UNCH
7775	----	----	----/*3.70A	3.40B/3.70A	----	3.60 - 0.70	.0110	----	----	----	----	5 UNCH
7800	----	----	----/*3.60A	3.30B/3.60A	----	3.50 - 0.70	.0107	----	----	----	----	5 UNCH
7825	----	----	----/*3.60A	3.20B/3.60A	----	3.50 - 0.70	.0106	----	----	----	----	10 UNCH
7875	----	----	----/*3.50A	3.10B/3.50A	----	3.40 - 0.70	.0103	----	----	----	----	140 UNCH
7900	----	----	----/*3.40A	3.10B/3.40A	----	3.30 - 0.70	.0100	----	----	----	----	1 UNCH
8000	----	----	----/3.20A	2.90B/3.20A	----	3.10 - 0.70	.0093	----	----	----	----	589 UNCH
8300	----	----	----/*2.80A	2.50B/2.80A	----	2.60 - 0.70	.0076	----	----	----	----	4 UNCH
8500	----	----	----/2.60A	2.20B/2.60A	----	2.40 - 0.60	.0069	----	----	----	----	6 UNCH
8600	----	----	----/2.50A	2.10B/2.50A	----	2.20 - 0.70	.0063	----	----	----	----	1 UNCH
8800	----	----	----/2.30A	1.90B/2.30A	----	2.10 - 0.50	.0059	----	----	----	----	7 UNCH
9000	----	----	----/2.10A	1.70B/2.10A	----	1.90 - 0.40	.0053	----	----	----	----	223 UNCH
9200	----	----	----/1.90A	1.60B/1.90A	----	1.80 - 0.20	.0049	----	----	----	----	11 UNCH
9300	----	----	----	1.40B/1.90A	----	1.70 - 0.20	.0046	----	----	----	----	4 UNCH
9400	----	----	----	1.40B/1.80A	----	1.70 - 0.10	.0046	----	----	----	----	141 UNCH
9500	----	----	----	1.30B/1.70A	----	1.70 UNCH	.0045	----	----	----	----	66 UNCH
9900	----	----	----	1.00B/1.40A	----	1.50 + 0.20	.0039	----	----	----	----	5 UNCH
10000	----	----	----	1.20B/1.50A	----	1.40 + 0.20	.0036	----	----	----	----	171 UNCH
10100	----	----	----	0.90B/1.40A	----	1.30 + 0.10	.0034	----	----	----	----	12 UNCH
11000	----	----	----	0.50B/1.20A	----	0.80 UNCH	.0020	----	----	----	----	86 UNCH
11200	----	----	----	0.50B/1.10A	----	0.70 UNCH	.0018	----	----	----	----	13 UNCH
11500	----	----	----	0.40B/1.00A	----	0.60 UNCH	.0015	----	----	----	----	47 UNCH
11600	----	----	----	0.40B/1.00A	----	0.50 UNCH	.0013	----	----	----	----	50 UNCH
12000	----	----	----	0.30B/0.90A	----	0.40 - 0.10	.0010	----	----	1	----	216 UNCH
TOTAL										744	1,000	55161+ 1024
AUG26												
3400	----	----	----	----	----	1459.30 + 38.10	.9728	----	----	----	----	1 UNCH
3500	----	----	----	----	----	1361.70 + 36.90	.9657	----	----	----	----	46 UNCH
3505	----	----	----	----	----	1356.90 + 36.90	.9654	----	----	----	----	4 UNCH
3520	----	----	----	----	----	1342.30 + 36.60	.9641	----	----	----	----	65 UNCH
3550	----	----	----	----	----	1313.30 + 36.20	.9615	----	----	----	----	310 UNCH
3600	----	----	----	----	----	1265.10 + 35.50	.9569	----	----	----	----	1045 UNCH
3610	----	----	----	----	----	1255.50 + 35.30	.9559	----	----	----	----	6 UNCH
3650	----	----	----	----	----	1217.20 + 34.70	.9516	----	----	----	----	4 UNCH
3660	----	----	----	----	----	1207.60 + 34.40	.9506	----	----	----	----	2 UNCH
3685	----	----	----	----	----	1183.80 + 34.00	.9476	----	----	----	----	1 UNCH
3700	----	----	----	----	----	1169.60 + 33.80	.9458	----	----	----	----	40 UNCH
3715	----	----	----	----	----	1155.40 + 33.60	.9439	----	----	----	----	30 UNCH
3720	----	----	----	----	----	1150.60 + 33.40	.9434	----	----	----	----	1 UNCH
3735	----	----	----	----	----	1136.50 + 33.20	.9414	----	----	----	----	1 UNCH
3750	----	----	----	----	----	1122.30 + 32.90	.9393	----	----	----	----	8 UNCH
3775	----	----	----	----	----	1098.80 + 32.40	.9358	----	----	----	----	4 UNCH
3780	----	----	----	----	----	1094.10 + 32.30	.9351	----	----	----	----	10 UNCH
3790	----	----	----	----	----	1084.80 + 32.10	.9336	----	----	----	----	67 UNCH
3800	----	----	----	----	----	1075.40 + 31.90	.9320	----	----	----	----	303 UNCH
3820	----	----	----	----	----	1056.80 + 31.50	.9289	----	----	----	----	3 UNCH
3840	----	----	----	783.80B/1169.80A	----	1038.20 + 31.10	.9258	----	----	----	----	1 UNCH
3850	----	----	----	785.10B/1160.90A	----	1029.00 + 30.90	.9240	----	----	----	----	12 UNCH
3885	----	----	----	769.90B/1129.90A	----	996.70 + 30.10	.9179	----	----	----	----	2 UNCH
3890	----	----	----	765.30B/1125.50A	----	992.10 + 30.00	.9170	----	----	----	----	2 UNCH
3900	----	----	----	756.30B/1116.70A	----	983.00 + 29.80	.9151	----	----	----	----	146 UNCH
3920	----	----	----	738.30B/1099.20A	----	964.70 + 29.30	.9112	----	----	----	----	1 UNCH
3925	----	----	----	733.80B/1094.80A	----	960.20 + 29.30	.9103	----	----	----	----	10 UNCH
3950	----	----	----	745.90B/1073.10A	----	937.50 + 28.70	.9053	----	----	----	----	106 UNCH
3955	----	----	----	741.30B/1068.80A	----	933.00 + 28.60	.9042	----	----	----	----	7 UNCH
3975	----	----	----	722.80B/1051.50A	----	915.00 + 28.10	.8999	----	----	----	----	200 UNCH
3995	----	----	----	705.00B/1034.40A	----	897.10 + 27.60	.8955	----	----	----	----	30 UNCH
4000	----	----	----	700.20B/1030.10A	----	892.60 + 27.50	.8944	----	----	----	----	714 UNCH
4005	----	----	----	696.00B/1025.80A	----	888.10 + 27.30	.8933	----	----	----	----	1 UNCH
4015	----	----	----	687.00B/1017.40A	----	879.20 + 27.10	.8909	----	----	----	----	12 UNCH
4025	----	----	----	677.80B/1008.90A	----	870.40 + 26.90	.8885	----	----	----	----	174 UNCH
4045	----	----	----	660.30B/992.00A	----	852.70 + 26.40	.8837	----	----	----	----	30 UNCH
4050	----	----	----	655.80B/987.80A	----	848.30 + 26.20	.8824	----	----	----	----	100 UNCH
4055	----	----	----	651.10B/983.80A	----	843.90 + 26.10	.8811	----	----	----	----	100 UNCH
4075	----	----	----	633.50B/968.00A	----	826.40 + 25.60	.8760	----	----	----	----	3 UNCH
4080	----	----	----	629.10B/964.00A	----	822.10 + 25.50	.8747	----	----	----	----	1 UNCH
4100	----	----	----	611.60B/948.40A	----	804.70 + 24.90	.8693	----	----	----	----	73 UNCH
4110	----	----	----	602.90B/940.60A	----	796.10 + 24.70	.8666	----	----	----	----	19 UNCH
4135	----	----	----	581.30B/921.20A	----	774.60 + 24.00	.8595	----	----	----	----	20 UNCH
4140	----	----	----	577.30B/917.40A	----	770.40 + 23.90	.8581	----	----	----	----	1 UNCH
4150	----	----	----	568.50B/909.70A	----	761.80 + 23.60	.8550	----	----	----	----	40 UNCH
4165	----	----	----	555.70B/898.30A	----	749.10 + 23.10	.8505	----	----	----	----	1 UNCH
4195	----	----	----	529.60B/875.60A	----	724.00 + 22.40	.8412	----	----	----	----	3 UNCH
4200	----	----	----	525.20B/871.80A	----	719.80 + 22.20	.8396	----	----	----	----	75 UNCH
4215	----	----	----	512.30B/860.60A	----	707.40 + 21.80	.8346	----	----	----	----	1 UNCH
4220	----	----	----	507.70B/856.90A	----	703.20 + 21.60	.8330	----	----	----	----	16 UNCH
4225	----	----	----	503.60B/853.20A	----	699.10 + 21.50	.8314	----	----	----	----	102 UNCH
4235	----	----	----	494.70B/845.80A	----	690.90 + 21.20	.8279	----	----	----	----	1 UNCH
4250	----	----	----	482.00B/834.80A	----	678.60 + 20.80	.8228	----	----	----	----	71 UNCH
4265	----	----	----	468.90B/823.80A	----	666.50 + 20.40	.8175	----	----	----	----	77 UNCH
4285	----	----	----	453.20B/809.30A	----	650.40 + 19.80	.8102	----	----	----	----	8 UNCH
4300	----	----	----	439.40B/798.60A	----	638.40 + 19.30	.8047	----	----	----	----	42 UNCH
4320	----	----	----	428.10B/784.30A	----	622.60 + 18.70	.7971	----	----	----	----	2 UNCH
4325	----	----	----	422.90B/780.80A	----	618.60 + 18.50	.7952	----	----	----	----	6 UNCH
4330	----	----	----	424.40B/777.30A	----	614.70 + 18.40	.7932	----	----	----	----	201 UNCH
4350	----	----	----	398.20B/763.20A	----	599.20 + 17.80	.7852	----	----	----	----	774 UNCH
4360	----	----	----	403.10B/756.30A	----	591.50 + 17.50	.7812	----	----	----	----	1 UNCH
4375	----	----	----	392.40B/745.90A	----	580.00 + 17.10	.7751	----	----	----	----	3 UNCH
4385	----	----	----	386.80B/739.10A	----	572.40 + 16.80	.7709	----	----	----	----	100 UNCH
4390	----	----	----	380.90B/735.60A	----	568.60 + 16.60	.7688	----	----	----	----	1 UNCH
4400	----	----	----	358.40B/728.80A	----	561.10 + 16.30	.7645	----	----	----	----	325 UNCH
4420	----	----	----	358.90B/715.30A	----	546.20 + 15.70	.7559	----	----	----	----	50 UNCH
4425	----	----	----	339.00B/712.00A	----	542.50 + 15.60	.7537	----	----	----	----	5 UNCH
4440	----	----	----	350.40B/702.00A	----	531.50 + 15.10	.7470	----	----	----	----	1 UNCH
4450	----	----	----	320.10B/675.70A	----	524.20 + 14.80	.7425	----	----	----	----	6 UNCH
4455	----	----	----	337.80B/683.20A	----	520.60 + 14.70	.7402	----	----	----	----	2 UNCH
4460	----	----	----	340.70B/679.40A	----	517.00 + 14.50	.7379	----	----	----	----	5 UNCH
4465	----	----	----/483.60A	476.30B/483.60A	----	513.40 + 14.40	.7356	----	----	----	----	9 UNCH
4470	----	----	----/480.30A	477.60B/480.30A	----	509.80 + 14.20	.7333	----	----	----	----	7 UNCH
4475	----	----	----/476.80A	476.30B/476.80A	----	506.20 + 14.00	.7310	----	----	----	----	29 UNCH
4485	----	----	----/470.00A	476.00B/470.00A	----	499.10 + 13.70	.7263	----	----	----	----	5 UNCH
4490	----	----	----/466.70A	476.20B/466.70A	----	495.60 + 13.60	.7239	----	----	----	----	1 UNCH
4500	----	----	476.70B/460.00A	476.70B/460.00A	----	488.60 + 13.30	.7191	----	----	----	----	846 UNCH
4535	----	----	466.70B/437.10A	466.70B/437.10A	----	464.50 + 12.30	.7021	----	----	----	----	10 UNCH
4540	----	----	463.30B/417.30A	463.30B/417.30A	----	461.20 + 12.30	.6996	----	----	----	----	5 UNCH
4545	----	----	460.00B/414.50A	460.00B/414.50A	----	457.80 + 12.10	.6971	----	----	----	----	1 UNCH
4550	----	----	456.60B/411.10A	456.60B/411.10A	----	454.40 + 11.90	.6946	----	----	----	----	22 UNCH
4555	----	----	453.20B/409.00A	453.20B/409.00A	----	451.10 + 11.80	.6921	----	----	----	----	1 UNCH
4560	----	----	449.90B/404.90A	449.90B/404.90A	----	447.80 + 11.70	.6896	----	----	----	----	5 UNCH
4565	----	----	446.50B/402.40A	446.50B/402.40A	----	444.40 + 11.50	.6871	----	----	----	----	1 UNCH
4575	----	----	439.90B/396.30A	439.90B/396.30A	----	437.90 + 11.30	.6820	----	----	----	----	41 UNCH
4580	----	----	436.60B/392.80A	436.60B/392.80A	----	434.60 + 11.10	.6794	----	----	----	----	200 UNCH
4585	418.00	418.00	433.40B/389.90A	433.40B/389.90A	----	431.30 + 11.00	.6768	----	----	1	----	2 UNCH
4590	----	----	430.10B/387.10A	430.10B/387.10A	----	428.10 + 10.90	.6743	----	----	----	----	16 UNCH
4595	----	----	426.80B/384.50A	426.80B/384.50A	----	424.90 + 10.80	.6716	----	----	----	----	2 UNCH
4600	----	----	423.60B/381.30A	423.60B/381.30A	----	421.60 + 10.50	.6691	----	----	----	----	100 UNCH
4605	----	----	420.40B/378.10A	420.40B/378.10A	----	418.40 + 10.40	.6664	----	----	----	----	1 UNCH
4620	----	----	410.80B/369.40A	410.80B/369.40A	----	408.90 + 10.00	.6586	----	----	----	----	4 UNCH
4640	----	----	398.30B/358.40A	398.30B/358.40A	----	396.40 + 9.50	.6479	----	----	----	----	1 UNCH
4650	----	----	391.90B/349.40A	391.90B/349.40A	----	390.30 + 9.20	.6426	----	----	----	----	145 UNCH
4660	----	----	386.00B/342.50A	386.00B/342.50A	----	384.20 + 9.00	.6372	----	----	----	----	2 UNCH
4670	----	----	379.90B/337.10A	379.90B/337.10A	----	378.10 + 8.60	.6317	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 35

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
4675	----	----	376.90B/334.30A	376.90B/334.30A	----	375.10 + 8.50	.6290	----	----	----	----	36 UNCH
4700	----	----	362.10B/321.20A	362.10B/321.20A	----	360.30 + 7.80	.6153	----	----	----	----	1619 UNCH
4705	----	----	359.20B/318.60A	359.20B/318.60A	----	357.40 + 7.60	.6125	----	----	----	----	20 UNCH
4710	----	----	356.10B/316.00A	356.10B/316.00A	----	354.50 + 7.50	.6097	----	----	----	----	17 UNCH
4720	----	----	350.50B/311.40A	350.50B/311.40A	----	348.80 + 7.30	.6042	----	----	----	----	29 UNCH
4725	----	----	347.80B/308.30A	347.80B/308.30A	----	345.90 + 7.10	.6014	----	----	----	----	2 UNCH
4730	----	----	345.00B/305.90A	345.00B/305.90A	----	343.10 + 7.00	.5986	----	----	----	----	3 UNCH
4750	----	----	334.00B/295.80A	334.00B/295.80A	----	331.90 + 6.40	.5873	----	----	----	----	182 UNCH
4760	----	----	329.40B/291.50A	329.40B/291.50A	----	326.50 + 6.20	.5817	----	----	----	----	10 UNCH
4770	----	----	324.10B/286.70A	324.10B/286.70A	----	321.10 + 6.00	.5760	----	----	----	----	14 UNCH
4775	----	----	321.10B/285.10A	321.10B/285.10A	----	318.40 + 5.80	.5731	----	----	----	----	10 UNCH
4780	----	----	318.60B/281.50A	318.60B/281.50A	----	315.80 + 5.80	.5703	----	----	----	----	3 UNCH
4795	----	----	309.50B/274.70A	309.50B/274.70A	----	307.90 + 5.40	.5617	----	----	----	----	2 UNCH
4800	270.00	270.00	307.10B/270.00	307.10B/270.00	----	305.30 + 5.30	.5589	----	----	2	----	1630 - 2
4810	----	----	302.00B/268.60A	302.00B/268.60A	----	300.10 + 4.90	.5532	----	----	3	----	4 + 3
4815	----	----	300.90B/266.60A	300.90B/266.60A	----	297.50 + 4.80	.5503	----	----	----	----	3 UNCH
4820	----	----	297.40B/264.20A	297.40B/264.20A	----	295.00 + 4.70	.5474	----	----	----	----	21 UNCH
4825	----	----	294.90B/260.90A	294.90B/260.90A	----	292.50 + 4.60	.5446	----	----	----	----	5 UNCH
4830	288.40	288.40	292.70B/259.20A	292.70B/259.20A	----	290.00 + 4.40	.5417	----	----	2	----	5 + 2
4835	----	----	290.80B/257.00A	290.80B/257.00A	----	287.50 + 4.30	.5388	----	----	25	----	35 + 25
4840	----	----	287.70B/254.30A	287.70B/254.30A	----	285.00 + 4.10	.5360	----	----	----	----	11 UNCH
4850	----	----	283.90B/250.00A	283.90B/250.00A	----	280.20 + 4.00	.5302	----	----	----	----	34 UNCH
4860	----	----	279.90B/245.70A	279.90B/245.70A	----	275.40 + 3.80	.5245	----	----	----	----	26 UNCH
4870	----	----	275.00B/241.60A	275.00B/241.60A	----	270.70 + 3.70	.5188	----	----	----	----	11 UNCH
4875	----	----	271.40B/239.50A	271.40B/239.50A	----	268.40 + 3.60	.5159	----	----	----	----	75 UNCH
4880	----	----	269.00B/237.40A	269.00B/237.40A	----	266.10 + 3.60	.5130	----	----	----	----	30 UNCH
4895	----	----	261.90B/231.30A	261.90B/231.30A	----	259.30 + 3.40	.5045	----	----	----	----	11 UNCH
4900	241.90	241.90	259.80B/229.30A	259.80B/229.30A	----	257.10 + 3.40	.5016	----	----	31	----	465 - 19
4905	----	----	257.80B/227.30A	257.80B/227.30A	----	254.80 + 3.20	.4988	----	----	----	----	9 UNCH
4925	----	----	250.20B/219.50A	250.20B/219.50A	----	246.10 + 3.00	.4874	----	----	----	----	123 UNCH
4935	----	----	245.70B/215.70A	245.70B/215.70A	----	241.70 + 2.80	.4818	----	----	----	----	1 UNCH
4940	----	----	243.50B/213.90A	243.50B/213.90A	----	239.60 + 2.70	.4789	----	----	----	----	1 UNCH
4950	----	----	239.30B/210.20A	239.30B/210.20A	----	235.40 + 2.60	.4733	----	----	----	----	64 UNCH
4955	----	----	237.30B/208.00A	237.30B/208.00A	----	233.30 + 2.50	.4705	----	----	----	----	22 UNCH
4975	----	----	229.00B/200.80A	229.00B/200.80A	----	225.10 + 2.20	.4593	----	----	----	----	2 UNCH
4985	----	----	224.80B/197.80A	224.80B/197.80A	----	221.10 + 2.10	.4538	----	----	----	----	1 UNCH
4995	----	----	220.90B/193.70A	220.90B/193.70A	----	217.10 + 1.80	.4482	----	----	----	----	3 UNCH
5000	193.60	193.60	218.80B/192.00A	218.80B/192.00A	----	215.10 + 1.70	.4454	----	----	23	----	1524 + 1
5005	----	----	217.00B/190.30A	217.00B/190.30A	----	213.20 + 1.70	.4427	----	----	----	----	4 UNCH
5015	----	----	213.10B/186.90A	213.10B/186.90A	----	209.30 + 1.50	.4371	----	----	----	----	3 UNCH
5025	----	----	209.20B/183.60A	209.20B/183.60A	----	205.50 + 1.30	.4317	----	----	----	----	5 UNCH
5030	----	----	207.40B/182.00A	207.40B/182.00A	----	203.60 + 1.20	.4289	----	----	----	----	2 UNCH
5045	----	----	201.80B/177.40A	201.80B/177.40A	----	198.10 + 0.90	.4208	----	----	----	----	1 UNCH
5050	----	----	200.00B/175.80A	200.00B/175.80A	----	196.20 + 0.80	.4180	----	----	3	----	18 UNCH
5065	----	----	194.70B/171.10A	194.70B/171.10A	----	190.80 + 0.50	.4100	----	----	----	----	22 UNCH
5075	----	----	191.10B/168.20A	191.10B/168.20A	----	187.30 + 0.30	.4046	----	----	----	----	201 UNCH
5080	----	----	189.50B/166.70A	189.50B/166.70A	----	185.60 NEW	.4020	----	----	21	----	21 + 21
5100	165.00	165.00	182.70B/160.70A	182.70B/160.70A	----	178.90 UNCH	.3915	----	----	15	----	1595 - 13
5105	----	----	180.80B/159.30A	180.80B/159.30A	----	177.20 - 0.10	.3889	----	----	----	----	2 UNCH
5110	----	----	179.30B/157.90A	179.30B/157.90A	----	175.60 - 0.10	.3863	----	----	----	----	4 UNCH
5115	----	----	177.70B/156.50A	177.70B/156.50A	----	174.00 - 0.20	.3837	----	----	----	----	4 UNCH
5125	----	----	174.40B/153.70A	174.40B/153.70A	----	170.80 - 0.30	.3786	----	----	----	----	20 UNCH
5130	----	----	172.70B/152.30A	172.70B/152.30A	----	169.20 - 0.40	.3760	----	----	----	----	1 UNCH
5145	159.80	159.80	168.20B/148.20A	168.20B/148.20A	----	164.60 - 0.50	.3685	----	----	12	----	14 + 12
5150	----	----	166.50B/146.90A	166.50B/146.90A	----	163.10 - 0.50	.3660	----	----	----	----	70 UNCH
5155	----	----	164.80B/145.60A	164.80B/145.60A	----	161.60 - 0.60	.3635	----	----	----	----	4 UNCH
5160	----	----	163.40B/144.20A	163.40B/144.20A	----	160.10 - 0.60	.3610	----	----	----	----	6 UNCH
5190	----	----	154.10B/136.80A	154.10B/136.80A	----	151.50 - 0.80	.3463	----	----	----	----	4 UNCH
5200	----	----	151.60B/134.30A	151.60B/134.30A	----	148.70 - 0.90	.3415	----	----	1	----	3401 UNCH
5205	----	----	150.30B/133.00A	150.30B/133.00A	----	147.30 - 1.00	.3391	----	----	----	----	1 UNCH
5210	----	----	148.90B/131.90A	148.90B/131.90A	----	146.00 - 0.90	.3368	----	----	----	----	6 UNCH
5215	----	----	147.60B/130.80A	147.60B/130.80A	----	144.70 - 0.90	.3345	----	----	----	----	14 UNCH
5220	136.60	136.60	146.20B/129.50A	146.20B/129.50A	----	143.30 - 1.00	.3321	----	----	11	----	29 + 3
5225	----	----	144.90B/128.50A	144.90B/128.50A	----	142.00 - 1.00	.3297	----	----	----	----	40 UNCH
5230	----	----	143.60B/127.20A	143.60B/127.20A	----	140.70 - 1.10	.3274	----	----	----	----	8 UNCH
5235	----	----	142.10B/126.20A	142.10B/126.20A	----	139.40 - 1.10	.3251	----	----	----	----	10 UNCH
5240	131.60	131.60	140.90B/125.10A	140.90B/125.10A	----	138.20 - 1.10	.3229	----	----	10	----	16 + 10
5245	----	----	139.50B/124.00A	139.50B/124.00A	----	136.90 - 1.10	.3206	----	----	----	----	6 UNCH
5250	131.00	131.00	138.20B/122.90A	138.20B/122.90A	----	135.60 - 1.20	.3182	----	----	4	----	465 + 4
5255	----	----	137.00B/121.80A	137.00B/121.80A	----	134.40 - 1.20	.3160	----	----	----	----	884 UNCH
5260	----	----	135.60B/120.70A	135.60B/120.70A	----	133.20 - 1.20	.3138	----	----	----	----	24 UNCH
5265	----	----	134.40B/119.60A	134.40B/119.60A	----	131.90 - 1.30	.3115	----	----	----	----	6 UNCH
5270	----	----	133.10B/118.50A	133.10B/118.50A	----	130.70 - 1.30	.3093	----	----	----	----	18 UNCH
5275	----	----	131.90B/117.50A	131.90B/117.50A	----	129.50 - 1.30	.3071	----	----	----	----	17 UNCH
5285	----	----	129.50B/115.40A	129.50B/115.40A	----	127.20 - 1.30	.3027	----	----	----	----	12 UNCH
5290	116.50	116.50	128.20B/114.40A	128.20B/114.40A	----	126.00 NEW	.3005	----	----	6	----	6 + 6
5295	----	----	127.20B/113.40A	127.20B/113.40A	----	124.80 - 1.40	.2983	----	----	----	----	6 UNCH
5300	115.90	115.90	125.90B/112.40A	125.90B/112.40A	----	123.70 - 1.40	.2962	----	----	118	----	457 - 85
5305	117.20	117.20	124.70B/111.40A	124.70B/111.40A	----	122.50 NEW	.2940	----	----	6	----	6 + 6
5310	117.10	117.10	123.50B/110.40A	123.50B/110.40A	----	121.40 NEW	.2919	----	----	100	----	100 + 100
5320	----	----	121.20B/108.40A	121.20B/108.40A	----	119.20 - 1.50	.2877	----	----	----	----	9 UNCH
5325	----	----	120.30B/107.50A	120.30B/107.50A	----	118.10 - 1.50	.2856	----	----	----	----	11 UNCH
5330	----	----	118.90B/106.50A	118.90B/106.50A	----	117.00 - 1.50	.2835	----	----	----	----	3 UNCH
5350	105.90	105.90	114.80B/102.80A	114.80B/102.80A	----	112.70 - 1.70	.2752	----	----	15	----	30 + 15
5355	----	----	113.60B/102.00A	113.60B/102.00A	----	111.70 - 1.70	.2733	----	----	----	----	1 UNCH
5360	109.50	109.50	112.60B/101.10A	112.60B/101.10A	----	110.70 NEW	.2713	----	----	50	----	50 + 50
5370	----	----	----/99.20A	110.40B/99.20A	----	108.60 - 1.80	.2672	----	----	----	----	2 UNCH
5375	----	----	109.60B/98.40A	109.60B/98.40A	----	107.60 - 1.80	.2652	----	----	----	----	4 UNCH
5400	----	----	----/93.80A	104.60B/93.80A	----	102.70 - 2.00	.2555	----	----	----	----	3756 UNCH
5410	----	----	----/92.50A	102.60B/92.50A	----	100.80 - 2.10	.2517	----	----	----	----	6 UNCH
5420	----	----	----/91.00A	100.70B/91.00A	----	99.00 - 2.10	.2480	----	----	----	----	5 UNCH
5445	----	----	----/86.80A	96.10B/86.80A	----	94.50 - 2.20	.2388	----	----	----	----	3 UNCH
5450	----	----	----/86.30A	95.30B/86.30A	----	93.60 - 2.30	.2369	----	----	----	----	6 UNCH
5460	----	----	----/84.70A	93.50B/84.70A	----	91.90 - 2.30	.2334	----	----	----	----	3 UNCH
5470	----	----	----/83.20A	91.80B/83.20A	----	90.20 - 2.40	.2298	----	----	----	----	1 UNCH
5475	----	----	----/82.70A	91.00B/82.70A	----	89.40 - 2.40	.2281	----	----	----	----	2 UNCH
5480	----	----	----/82.00A	90.10B/82.00A	----	88.60 - 2.40	.2264	----	----	----	----	10 UNCH
5485	----	----	----/80.90A	89.30B/80.90A	----	87.70 - 2.50	.2246	----	----	----	----	1 UNCH
5490	----	----	----/80.50A	88.40B/80.50A	----	86.90 - 2.50	.2229	----	----	----	----	2 UNCH
5495	----	----	----/79.70A	87.70B/79.70A	----	86.10 - 2.50	.2212	----	----	----	----	2 UNCH
5500	81.50	81.50	86.90B/78.70A	86.90B/78.70A	----	85.30 - 2.60	.2195	----	----	286	----	1055 + 241
5505	----	----	----/78.40A	86.10B/78.40A	----	84.60 - 2.50	.2180	----	----	----	----	6 UNCH
5515	----	----	----/76.70A	84.60B/76.70A	----	83.00 - 2.60	.2146	----	----	----	----	2 UNCH
5525	----	----	----/75.70A	83.00B/75.70A	----	81.50 - 2.70	.2113	----	----	----	----	25 UNCH
5535	----	----	----/74.40A	81.60B/74.40A	----	80.00 - 2.70	.2081	----	----	----	----	3 UNCH
5545	----	----	----/72.90A	80.10B/72.90A	----	78.60 - 2.70	.2050	----	----	----	----	2 UNCH
5550	----	----	----/72.50A	79.30B/72.50A	----	77.80 - 2.80	.2033	----	----	----	----	2 UNCH
5565	----	----	----/70.50A	77.10B/70.50A	----	75.70 - 2.90	.1987	----	----	----	----	5 UNCH
5575	----	----	----/69.40A	75.70B/69.40A	----	74.40 - 2.90	.1957	----	----	----	----	3 UNCH
5580	----	----	----/68.80A	75.10B/68.80A	----	73.70 - 2.90	.1942	----	----	----	----	17 UNCH
5595	----	----	----/67.00A	73.10B/67.00A	----	71.70 - 3.00	.1897	----	----	----	----	3 UNCH
5600	----	----	----/66.40A	72.40B/66.40A	----	71.10 - 2.90	.1884	----	----	----	----	2037 UNCH
5615	----	----	----/64.70A	70.50B/64.70A	----	69.20 - 3.00	.1841	----	----	----	----	1 UNCH
5620	----	----	----/64.10A	69.90B/64.10A	----	68.60 - 3.00	.1827	----	----	----	----	2 UNCH
5635	----	----	----/62.50A	68.10B/62.50A	----	66.70 - 3.10	.1784	----	----	----	----	2 UNCH
5640	----	----	----/61.90A	67.50B/61.90A	----	66.10 - 3.10	.1770	----	----	----	----	3 UNCH
5650	----	----	----/60.90A	66.30B/60.90A	----	65.00 - 3.10	.1744	----	----	----	----	89 UNCH
5660	----	----	----/59.80A	65.20B/59.80A	----	63.80 - 3.20	.1717	----	----	----	----	12 UNCH
5670	----	----	----/58.80A	64.00B/58.80A	----	62.70 - 3.20	.1691	----	----	----	----	10 UNCH
5675	----	----	----/58.30A	63.50B/58.30A	----	62.10 - 3.20	.1677	----	----	----	----	4 UNCH
5690	----	----	----/56.80A	61.90B/56.80A	----	60.50 - 3.20	.1640	----	----	----	----	13 UNCH
5700	----	----	----/55.80A	60.70B/55.80A	----	59.50 - 3.20	.1616	----	----	----	----	2198 UNCH
5720	57.00	57.00	57.00/54.00A	58.70B/54.00A	----	57.40 - 3.30	.1566	----	----	3	----	13 + 3
5725	----	----	----/53.50A	58.20B/53.50A	----	56.90 - 3.30	.1554	----	----	----	----	1 UNCH
5730	----	----	----/53.10A	57.70B/53.10A	----	56.40 - 3.30	.1542	----	----	----	----	12 UNCH
5750	----	----	----/51.30A	55.60B/51.30A	----	54.50 - 3.30	.1496	----	----	----	----	300 UNCH
5800	----	----	----/47.30A	51.10B/47.30A	----	50.10 - 3.30	.1388	----	----	21	----	941 + 20
5825	----	----	----/45.50A	48.90B/45.50A	----	48.00 - 3.40	.1337	----	----	----	----	14 UNCH
5850	----	----	----/43.60A	46.90B/43.60A	----	46.10 - 3.40	.1288	----	----	----	----	165 UNCH
5875	----	----	----/42.00A	44.90B/42.00A	----	44.20 - 3.40	.1241	----	----	----	----	21 UNCH
5900	----	----	----/40.30A	43.00B/40.30A	----	42.50 - 3.40	.1197	----	----	----	----	1858 UNCH
5925	----	----	----/38.80A	41.30B/38.80A	----	40.80 - 3.40	.1153	----	----	----	----	2 UNCH
5950	----	----	----/37.40A	39.80B/37.40A	----	39.20 - 3.40	.1112	----	----	----	----	1 UNCH
6000	36.00	36.00	36.70B/34.60A	36.70B/34.60A	----	36.30 - 3.40	.1036	----	----	547	----	1539 + 156
6100	----	----	----/29.90A	31.40B/29.90A	----	31.30 - 3.30	.0901	----	----	----	----	330 UNCH
6200	25.50	25.50	25.50/25.50	26.90B/25.50	----	27.20 - 3.10	.0788	----	----	5	----	1340 + 4
6300	----	----	----/23.50A	23.60B/23.50A	----	23.90 - 2.80	.0695	----	----	----	----	75 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
6400	20.00	20.00	20.00/20.00	21.10B/20.00	----	21.10 - 2.60	.0615	----	----	3	----	68 + 2
6500	19.10	19.10	19.10/18.60A	19.10/18.60A	----	18.80 - 2.30	.0547	----	----	84	----	812 + 67
6600	----	----	----/16.80A	16.70B/16.80A	----	16.90 - 2.10	.0491	----	----	----	----	132 UNCH
6700	----	----	----/15.20A	15.10B/15.20A	----	15.40 - 1.90	.0445	----	----	----	----	254 UNCH
6800	----	----	----/13.90A	13.70B/13.90A	----	14.00 - 1.80	.0403	----	----	----	----	49 UNCH
6900	----	----	----/12.80A	12.50B/12.80A	----	12.90 - 1.60	.0369	----	----	----	----	1 UNCH
7000	----	----	----/11.80A	11.40B/11.80A	----	11.90 - 1.50	.0338	----	----	----	----	541 UNCH
7500	----	----	----/8.50A	7.80B/8.50A	----	8.50 - 1.20	.0233	----	----	6	----	737 UNCH
8000	----	----	----/6.50A	5.80B/6.50A	----	6.50 - 1.10	.0171	----	----	----	----	93 UNCH
8500	5.10	5.10	5.10/5.10	5.10/5.10	----	5.00 - 1.10	.0128	----	----	15	----	88 + 15
9000	----	----	----/4.30A	3.60B/4.30A	----	4.00 - 1.00	.0100	----	----	----	----	9 UNCH
9500	----	----	----/3.70A	2.90B/3.70A	----	3.20 - 0.90	.0078	----	----	----	----	68 UNCH
10000	1.90	1.90	3.00/1.90	3.00/1.90	----	2.70 - 0.70	.0064	----	----	2	----	98 UNCH
TOTAL										1431		39653 + 647
SEP26												
3875	----	----	----	818.30B/1187.80A	----	1049.60 + 29.30	.9081	----	----	----	----	1 UNCH
3995	----	----	----	746.20B/1085.50A	----	943.10 + 26.60	.8831	----	----	----	----	10 UNCH
4085	----	----	----	668.00B/1014.10A	----	865.60 + 24.50	.8609	----	----	----	----	37 UNCH
4130	----	----	----	629.90B/979.60A	----	827.70 + 23.40	.8487	----	----	----	----	10 UNCH
4185	----	----	----	582.40B/938.30A	----	782.30 + 22.10	.8328	----	----	----	----	37 UNCH
4200	----	----	----	569.80B/927.20A	----	770.00 + 21.70	.8283	----	----	----	----	1 UNCH
4220	----	----	----	552.80B/912.50A	----	753.80 + 21.20	.8221	----	----	----	----	162 UNCH
4290	----	----	----	494.40B/862.00A	----	698.20 + 19.40	.7990	----	----	----	----	6 UNCH
4295	----	----	----	490.30B/858.50A	----	694.20 + 19.20	.7973	----	----	----	----	50 UNCH
4300	----	----	----	486.40B/854.90A	----	690.30 + 19.00	.7956	----	----	----	----	13 UNCH
4320	----	----	----	470.10B/840.90A	----	674.90 + 18.60	.7886	----	----	----	----	162 UNCH
4375	----	----	----	426.70B/802.90A	----	633.10 + 17.00	.7683	----	----	----	----	1 UNCH
4390	----	----	----	415.20B/792.70A	----	621.90 + 16.60	.7626	----	----	----	----	200 UNCH
4425	----	----	----	388.80B/769.20A	----	596.20 + 15.60	.7489	----	----	----	----	1 UNCH
4495	----	----	----/518.20A	532.30B/518.20A	----	546.60 + 13.80	.7201	----	----	----	----	18 UNCH
4500	----	----	533.50B/514.90A	533.50B/514.90A	----	543.10 + 13.70	.7179	----	----	----	----	5 UNCH
4505	----	----	530.70B/511.60A	530.70B/511.60A	----	539.70 + 13.60	.7158	----	----	----	----	2 UNCH
4510	----	----	527.30B/508.30A	527.30B/508.30A	----	536.20 + 13.40	.7136	----	----	----	----	2 UNCH
4515	----	----	525.70B/505.10A	525.70B/505.10A	----	532.80 + 13.30	.7115	----	----	----	----	2 UNCH
4545	----	----	514.30B/485.80A	514.30B/485.80A	----	512.60 + 12.50	.6983	----	----	----	----	16 UNCH
4550	----	----	511.00B/482.70A	511.00B/482.70A	----	509.30 + 12.40	.6961	----	----	----	----	222 UNCH
4560	----	----	504.40B/476.40A	504.40B/476.40A	----	502.70 + 12.20	.6916	----	----	----	----	2 UNCH
4565	----	----	500.90B/457.70A	500.90B/457.70A	----	499.40 + 12.10	.6893	----	----	----	----	2 UNCH
4570	----	----	497.80B/454.60A	497.80B/454.60A	----	496.10 + 11.90	.6871	----	----	----	----	2 UNCH
4575	----	----	494.50B/451.10A	494.50B/451.10A	----	492.90 + 11.90	.6848	----	----	----	----	2 UNCH
4580	----	----	491.30B/448.20A	491.30B/448.20A	----	489.60 + 11.70	.6826	----	----	----	----	2 UNCH
4585	----	----	488.10B/445.10A	488.10B/445.10A	----	486.40 + 11.60	.6803	----	----	----	----	2 UNCH
4590	----	----	484.80B/442.30A	484.80B/442.30A	----	483.20 + 11.50	.6780	----	----	----	----	2 UNCH
4600	----	----	478.20B/436.20A	478.20B/436.20A	----	476.80 + 11.30	.6734	----	----	----	----	53 UNCH
4650	----	----	446.90B/407.50A	446.90B/407.50A	----	445.60 + 10.10	.6499	----	----	----	----	1 UNCH
4675	----	----	432.00B/393.70A	432.00B/393.70A	----	430.60 + 9.60	.6380	----	----	----	----	1 UNCH
4680	----	----	429.00B/391.10A	429.00B/391.10A	----	427.60 + 9.50	.6356	----	----	----	----	1 UNCH
4700	----	----	416.90B/380.30A	416.90B/380.30A	----	415.90 + 9.10	.6259	----	----	----	----	117 UNCH
4705	----	----	414.00B/378.10A	414.00B/378.10A	----	412.90 + 8.90	.6235	----	----	----	----	10 UNCH
4710	----	----	411.10B/375.00A	411.10B/375.00A	----	410.10 + 8.90	.6210	----	----	----	----	1 UNCH
4720	----	----	405.30B/370.10A	405.30B/370.10A	----	404.30 + 8.60	.6161	----	----	----	----	45 UNCH
4725	----	----	402.50B/367.20A	402.50B/367.20A	----	401.40 + 8.50	.6137	----	----	----	----	2 UNCH
4730	----	----	399.60B/364.50A	399.60B/364.50A	----	398.60 + 8.40	.6112	----	----	----	----	5 UNCH
4750	----	----	388.40B/354.60A	388.40B/354.60A	----	387.40 + 8.00	.6014	----	----	----	----	43 UNCH
4775	----	----	374.60B/341.90A	374.60B/341.90A	----	373.60 + 7.40	.5889	----	----	----	----	184 UNCH
4780	----	----	371.90B/339.60A	371.90B/339.60A	----	370.90 + 7.30	.5864	----	----	----	----	7 UNCH
4800	360.50	360.50	361.30B/329.80A	361.30B/329.80A	----	360.20 + 6.80	.5764	----	----	101	----	674 - 8
4840	----	----	340.60B/311.40A	340.60B/311.40A	----	339.60 + 6.00	.5563	----	----	----	----	2 UNCH
4850	----	----	335.60B/306.90A	335.60B/306.90A	----	334.70 + 5.90	.5512	----	----	----	----	20 UNCH
4875	----	----	323.30B/295.80A	323.30B/295.80A	----	322.60 + 5.60	.5386	----	----	----	----	30 UNCH
4900	----	----	311.60B/284.90A	311.60B/284.90A	----	310.90 + 5.20	.5260	----	----	----	----	260 UNCH
4920	----	----	302.10B/276.60A	302.10B/276.60A	----	301.80 + 5.00	.5160	----	----	----	----	31 UNCH
4925	----	----	299.80B/274.30A	299.80B/274.30A	----	299.50 + 4.90	.5135	----	----	----	----	1 UNCH
4975	----	----	277.90B/254.80A	277.90B/254.80A	----	277.90 + 4.30	.4886	----	----	----	----	314 UNCH
5000	265.00	265.00	267.50B/245.40A	267.50B/245.40A	----	267.60 + 4.00	.4763	----	----	3	----	584 - 3
5005	----	----	265.30B/243.40A	265.30B/243.40A	----	265.50 + 3.90	.4738	----	----	----	----	1 UNCH
5050	----	----	247.50B/227.50A	247.50B/227.50A	----	247.80 + 3.20	.4519	----	----	----	----	1 UNCH
5075	----	----	237.90B/219.00A	237.90B/219.00A	----	238.30 + 2.80	.4399	----	----	----	----	1 UNCH
5100	----	----	228.80B/210.90A	228.80B/210.90A	----	229.10 + 2.30	.4280	----	----	----	----	241 UNCH
5150	----	----	211.40B/195.40A	211.40B/195.40A	----	211.60 + 1.40	.4047	----	----	----	----	3 UNCH
5200	----	----	195.30B/181.30A	195.30B/181.30A	----	195.30 + 0.50	.3820	----	----	1	----	373 UNCH
5230	----	----	----/173.10A	186.00B/173.10A	----	186.20 + 0.10	.3688	----	----	----	----	400 UNCH
5235	----	----	----/171.80A	184.40B/171.80A	----	184.70 UNCH	.3666	----	----	----	----	1 UNCH
5250	----	----	----/168.00A	180.20B/168.00A	----	180.30 - 0.30	.3601	----	----	----	----	10 UNCH
5300	----	----	----/155.70A	166.30B/155.70A	----	166.60 - 0.70	.3392	----	----	----	60	783 + 60
5335	----	----	----/148.00A	157.30B/148.00A	----	157.60 - 1.00	.3251	----	----	----	----	1 UNCH
5350	----	----	----/144.40A	153.60B/144.40A	----	153.90 - 1.10	.3192	----	----	----	----	1 UNCH
5375	----	----	----/139.10A	147.40B/139.10A	----	148.00 - 1.30	.3096	----	----	----	----	2 UNCH
5400	----	----	----/134.10A	141.50B/134.10A	----	142.30 - 1.40	.3002	----	----	100	----	416 - 14
5420	----	----	----/130.10A	137.00B/130.10A	----	137.90 - 1.50	.2928	----	----	----	----	80 UNCH
5425	132.60	132.60	135.90B/129.20A	135.90B/129.20A	----	136.80 - 1.60	.2910	----	----	50	----	50 + 50
5450	----	----	----/124.50A	131.00B/124.50A	----	131.60 - 1.70	.2821	----	----	3	----	5 + 2
5460	----	----	----/122.70A	128.50B/122.70A	----	129.50 - 1.80	.2785	----	----	----	----	1 UNCH
5475	----	----	----/120.00A	125.50B/120.00A	----	126.50 - 1.80	.2733	----	----	----	----	2 UNCH
5500	121.60	121.60	121.60/115.70A	121.60/115.70A	----	121.70 - 1.90	.2649	----	----	7	----	1239 UNCH
5505	----	----	----/114.90A	119.50B/114.90A	----	120.70 - 2.00	.2632	----	----	----	----	3 UNCH
5520	----	----	----/112.40A	116.80B/112.40A	----	117.90 - 2.10	.2582	----	----	----	----	1 UNCH
5525	----	----	----/111.40A	115.80B/111.40A	----	117.00 - 2.10	.2566	----	----	----	----	2 UNCH
5545	----	----	----/107.80A	112.20B/107.80A	----	113.40 - 2.20	.2501	----	----	2	----	0 - 2
5600	----	----	----/99.70A	102.70B/99.70A	----	104.10 - 2.50	.2331	----	----	----	----	558 UNCH
5625	----	----	----/96.50A	98.80B/96.50A	----	100.10 - 2.60	.2257	----	----	----	----	2 UNCH
5650	----	----	----/92.80A	94.80B/92.80A	----	96.30 - 2.70	.2186	----	----	----	----	559 UNCH
5700	84.00	84.00	87.70B/84.00	87.70B/84.00	----	89.20 - 2.90	.2049	----	----	4	----	1058 + 4
5750	----	----	----/80.10A	81.30B/80.10A	----	82.60 - 3.10	.1920	----	----	----	----	237 UNCH
5800	----	----	----/74.50A	75.30B/74.50A	----	76.60 - 3.20	.1800	----	----	----	----	827 UNCH
5850	----	----	----/69.30A	69.70B/69.30A	----	71.10 - 3.30	.1688	----	----	----	----	582 UNCH
5900	----	----	----/64.80A	64.80B/64.80A	----	66.00 - 3.40	.1582	----	----	----	----	503 UNCH
5950	----	----	----/60.70A	60.40B/60.70A	----	61.40 - 3.50	.1484	----	----	----	----	49 UNCH
6000	55.30	55.30	56.10B/55.30	56.10B/55.30	----	57.20 - 3.50	.1393	----	----	1	50	1160 + 50
6100	----	----	----/50.00A	48.10B/50.00A	----	49.70 - 3.70	.1228	----	----	----	----	362 UNCH
6200	----	----	----/43.20A	42.30B/43.20A	----	43.50 - 3.60	.1087	----	----	----	----	226 UNCH
6300	----	----	----/37.50A	37.80B/37.50A	----	38.20 - 3.60	.0964	----	----	----	----	159 UNCH
6400	----	----	----/34.20A	32.40B/34.20A	----	33.80 - 3.50	.0859	----	----	----	----	220 UNCH
6500	----	----	----/32.40A	27.90B/32.40A	----	30.30 - 3.20	.0772	----	----	----	----	344 UNCH
6600	----	----	----/*29.40A	24.70B/*29.40A	----	27.30 - 3.00	.0697	----	----	----	----	45 UNCH
6650	----	----	----/*28.10A	23.30B/*28.10A	----	26.00 - 2.90	.0664	----	----	----	----	5 UNCH
6750	----	----	----/*25.60A	20.70B/*25.60A	----	23.60 - 2.80	.0603	----	----	----	----	11 UNCH
6775	----	----	----/*25.00A	20.20B/*25.00A	----	23.10 - 2.70	.0589	----	----	----	----	1 UNCH
6800	----	----	----/24.80A	19.50B/24.80A	----	22.60 - 2.60	.0576	----	----	----	----	127 UNCH
7000	----	----	----/*21.00A	16.20B/*21.00A	----	19.10 - 2.30	.0485	----	----	----	50	200 + 50
TOTAL										272	160	14210 + 189
OCT26												
3600	----	----	----	----	----	1309.90 + 33.00	.9376	----	----	----	----	12 UNCH
4300	----	----	----	490.20B/895.10A	----	710.50 + 18.00	.7800	----	----	----	----	102 UNCH
4400	----	----	----	414.20B/828.20A	----	637.20 + 15.60	.7444	----	----	----	----	8 UNCH
4405	----	----	----	410.50B/825.00A	----	633.70 + 15.50	.7426	----	----	----	----	2 UNCH
4480	----	----	571.40B/555.60A	571.40B/555.60A	----	581.70 + 13.70	.7137	----	----	----	----	1 UNCH
4500	----	----	567.80B/542.50A	567.80B/542.50A	----	568.30 + 13.20	.7056	----	----	----	----	3 UNCH
4515	----	----	558.20B/533.00A	558.20B/533.00A	----	558.30 + 12.80	.6996	----	----	----	----	1 UNCH
4550	----	----	535.30B/495.10A	535.30B/495.10A	----	535.50 + 12.00	.6852	----	----	----	----	1 UNCH
4580	----	----	516.10B/476.80A	516.10B/476.80A	----	516.40 + 11.30	.6726	----	----	----	----	70 UNCH
4600	----	----	503.60B/465.60A	503.60B/465.60A	----	504.00 + 10.90	.6641	----	----	----	----	134 UNCH
4610	----	----	497.40B/459.60A	497.40B/459.60A	----	497.80 + 10.60	.6598	----	----	----	----	5 UNCH
4620	----	----	491.20B/453.90A	491.20B/453.90A	----	491.70 + 10.40	.6555	----	----	----	----	1 UNCH
4630	----	----	485.20B/449.30A	485.20B/449.30A	----	485.60 + 10.10	.6512	----	----	----	----	3 UNCH
4650	----	----	473.20B/437.40A	473.20B/437.40A	----	473.60 + 9.60	.6425	----	----	----	----	1 UNCH
4670	----	----	462.40B/426.40A	462.40B/426.40A	----	461.80 + 9.10	.6337	----	----	----	----	1 UNCH
4675	----	----	459.50B/424.20A	459.50B/424.20A	----	458.90 + 9.00	.6315	----	----	----	----	1 UNCH
4690	----	----	450.80B/416.30A	450.80B/416.30A	----	450.20 + 8.60	.6248	----	----	----	----	1 UNCH
4700	----	----	445.20B/410.60A	445.20B/410.60A	----	444.50 + 8.30	.6204	----	----	----	----	5 UNCH
4710	----	----	439.50B/405.40A	439.50B/405.40A	----	438.90 + 8.20	.6159	----	----	----	----	1 UNCH
4715	----	----	436.70B/403.00A	436.70B/403.00A	----	436.10 + 8.10	.6136	----	----	----	----	2 UNCH
4750	----	----	417.50B/385.60A	417.50B/385.60A	----	416.80 + 7.30	.5979	----	----	----	----	1 UNCH
4755	----	----	414.80B/382.60A	414.80B/382.60A	----	414.10 + 7.10	.5956	----	----	----	----	1 UNCH
4800	----	----	390.60B/361.00A	390.60B/361.00A	----	390.50 + 6.30	.5751	----	----	----	----	14 UNCH
4845	----	----	368.00B/340.80A	368.00B/340.80A	----	368.00 + 5.60	.5545	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 37

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
OCT26												
4850	----	----	365.50B/338.00A	365.50B/338.00A	----	365.50 + 5.50	.5522	----	----	----	----	54 UNCH
4865	----	----	358.70B/331.50A	358.70B/331.50A	----	358.30 + 5.30	.5453	----	----	----	----	2 UNCH
4880	----	----	351.00B/325.50A	351.00B/325.50A	----	351.20 + 5.10	.5384	----	----	----	----	1 UNCH
4900	----	----	341.70B/316.60A	341.70B/316.60A	----	342.00 + 4.90	.5292	----	----	----	----	1278 UNCH
4910	----	----	337.00B/312.90A	337.00B/312.90A	----	337.40 + 4.70	.5247	----	----	----	----	1 UNCH
4925	----	----	330.20B/306.60A	330.20B/306.60A	----	330.70 + 4.60	.5179	----	----	----	----	18 UNCH
4950	----	----	319.10B/296.30A	319.10B/296.30A	----	319.70 + 4.30	.5065	----	----	----	----	7 UNCH
5000	----	----	298.10B/276.90A	298.10B/276.90A	----	298.60 + 3.70	.4840	----	----	----	----	1427 UNCH
5025	----	----	288.00B/267.80A	288.00B/267.80A	----	288.50 + 3.40	.4729	----	----	----	----	2 UNCH
5050	----	----	277.80B/258.60A	277.80B/258.60A	----	278.70 + 3.10	.4618	----	----	----	----	57 UNCH
5075	----	----	268.20B/250.00A	268.20B/250.00A	----	269.10 + 2.70	.4509	----	----	----	----	2 UNCH
5080	----	----	266.40B/248.50A	266.40B/248.50A	----	267.20 + 2.60	.4487	----	----	----	----	3 UNCH
5085	----	----	264.70B/246.70A	264.70B/246.70A	----	265.40 + 2.50	.4465	----	----	----	----	3 UNCH
5100	245.00	245.00	259.00B/241.80A	259.00B/241.80A	----	259.80 + 2.30	.4400	----	----	10	----	602 - 10
5125	----	----	250.00B/233.60A	250.00B/233.60A	----	250.80 + 1.90	.4293	----	----	----	----	1 UNCH
5160	----	----	238.00B/222.70A	238.00B/222.70A	----	238.80 + 1.50	.4145	----	----	----	----	1 UNCH
5200	----	----	----/211.00A	224.70B/211.00A	----	225.70 + 1.00	.3980	----	----	----	----	1017 UNCH
5250	----	----	----/197.30A	209.20B/197.30A	----	210.30 + 0.40	.3779	----	----	----	----	522 UNCH
5255	----	----	----/195.80A	207.60B/195.80A	----	208.90 + 0.40	.3760	----	----	----	----	2 UNCH
5300	----	----	----/184.30A	194.70B/184.30A	----	196.10 UNCH	.3586	----	----	----	----	938 UNCH
5325	----	----	----/178.20A	187.70B/178.20A	----	189.40 - 0.20	.3492	----	----	----	----	1 UNCH
5400	----	----	----/161.30A	168.60B/161.30A	----	170.50 - 0.80	.3221	----	----	----	----	168 UNCH
5435	----	----	----/153.90A	160.20B/153.90A	----	162.40 - 1.10	.3100	----	----	----	----	226 UNCH
5450	----	----	----/150.80A	157.00B/150.80A	----	159.00 - 1.20	.3049	----	----	----	----	66 UNCH
5455	----	----	----/149.80A	155.90B/149.80A	----	157.90 - 1.20	.3033	----	----	----	----	175 UNCH
5475	----	----	----/146.00A	151.40B/146.00A	----	153.60 - 1.40	.2967	----	----	----	----	1 UNCH
5500	----	----	----/141.20A	146.10B/141.20A	----	148.30 - 1.60	.2886	----	----	105	----	405 - 14
5545	----	----	----/133.20A	136.80B/133.20A	----	139.30 - 1.90	.2744	----	----	----	----	5 UNCH
5550	----	----	----/132.40A	136.00B/132.40A	----	138.30 - 2.00	.2729	----	----	----	----	100 UNCH
5590	----	----	----/125.70A	128.40B/125.70A	----	130.80 - 2.30	.2609	----	----	----	----	4 UNCH
5600	----	----	----/124.10A	126.70B/124.10A	----	129.00 - 2.40	.2579	----	----	----	----	110 UNCH
5610	----	----	----/122.60A	124.70B/122.60A	----	127.20 - 2.50	.2550	----	----	----	----	1 UNCH
5615	----	----	----/121.80A	124.20B/121.80A	----	126.40 - 2.40	.2536	----	----	----	----	5 UNCH
5650	----	----	----/116.40A	118.20B/116.40A	----	120.40 - 2.70	.2438	----	----	----	----	201 UNCH
5655	----	----	----/115.60A	117.00B/115.60A	----	119.60 - 2.70	.2424	----	----	----	----	2 UNCH
5660	----	----	----/114.90A	116.30B/114.90A	----	118.80 - 2.70	.2411	----	----	----	----	1 UNCH
5675	----	----	----/112.60A	113.90B/112.60A	----	116.40 - 2.70	.2370	----	----	----	----	3 UNCH
5700	----	----	----/108.90A	110.00B/108.90A	----	112.50 - 2.80	.2304	----	----	----	----	20 UNCH
5710	----	----	----/107.50A	109.10B/107.50A	----	110.90 - 2.90	.2277	----	----	----	----	5 UNCH
5720	----	----	----/106.10A	107.40B/106.10A	----	109.50 - 2.90	.2252	----	----	----	----	75 UNCH
5750	----	----	----/102.00A	103.10B/102.00A	----	105.10 - 3.00	.2177	----	----	----	----	1 UNCH
5775	----	----	----/98.80A	99.00B/98.80A	----	101.70 - 3.00	.2117	----	----	----	----	50 UNCH
5800	----	----	----/95.60A	96.60B/95.60A	----	98.30 - 3.10	.2057	----	----	----	----	413 UNCH
5875	----	----	----/87.00A	86.70B/87.00A	----	89.10 - 3.10	.1890	----	----	----	----	1 UNCH
5900	----	----	----/84.30A	84.20B/84.30A	----	86.20 - 3.10	.1837	----	----	104	----	133 + 99
5925	----	----	----/81.70A	81.50B/81.70A	----	83.50 NEW	.1787	----	----	1	----	1 + 1
5950	----	----	----/79.20A	78.50B/79.20A	----	80.80 NEW	.1737	----	----	1	----	1 + 1
6000	74.00	74.00	76.00/72.00A	76.00/72.00A	----	75.80 - 3.20	.1643	----	----	441	----	2066 - 350
6100	----	----	----/66.30A	65.10B/66.30A	----	66.80 - 3.50	.1469	----	----	----	----	66 UNCH
6200	----	----	----/59.20A	57.00B/59.20A	----	59.00 - 3.80	.1315	----	----	----	----	38 UNCH
6300	----	----	----/53.10A	49.80B/53.10A	----	52.40 - 4.00	.1181	----	----	----	----	632 UNCH
6400	----	----	----/45.90A	46.30B/45.90A	----	46.90 - 3.90	.1065	----	----	----	----	1911 UNCH
6500	40.70	40.70	42.00/40.30	42.00/40.30	----	42.20 - 3.70	.0964	----	----	2154	----	5478 - 870
6800	----	----	----	27.20B/35.40A	----	31.70 - 3.00	.0731	----	----	----	----	1385 UNCH
6900	----	----	----	24.50B/*32.80A	----	29.00 - 2.90	.0670	----	----	----	----	1 UNCH
7000	26.00	26.00	27.00/*25.00	27.00/*25.00	----	26.60 - 2.80	.0615	----	----	2222	----	1571 - 692
8000	----	----	----	10.80B/18.60A	----	13.60 - 1.80	.0307	----	----	----	----	211 UNCH
8500	----	----	----	8.60B/*15.80A	----	10.70 - 1.60	.0237	----	----	8	----	208 + 8
9000	----	----	----	6.60B/13.80A	----	8.90 - 1.40	.0192	----	----	----	----	69 UNCH
9500	----	----	----	5.80B/*12.20A	----	7.40 - 1.20	.0156	----	----	----	----	10 UNCH
TOTAL										5046		22130 - 1827
NOV26												
4000	----	----	----	765.30B/1184.70A	----	999.10 + 25.90	.8580	----	----	----	----	1 UNCH
4100	----	----	----	680.80B/1110.10A	----	917.20 + 23.80	.8334	----	----	----	----	1 UNCH
4275	----	----	----	538.10B/986.30A	----	781.10 + 19.90	.7837	----	----	----	----	38 UNCH
4300	----	----	----	518.70B/969.40A	----	762.50 + 19.40	.7759	----	----	----	----	1 UNCH
4375	----	----	----	462.10B/919.60A	----	708.10 + 17.70	.7514	----	----	----	----	38 UNCH
4400	----	----	----	443.80B/903.40A	----	690.40 + 17.10	.7429	----	----	----	----	20 UNCH
4440	----	----	----/636.00A	621.30B/636.00A	----	662.60 + 16.20	.7290	----	----	----	----	1 UNCH
4500	----	----	617.90B/597.40A	617.90B/597.40A	----	622.30 + 15.00	.7075	----	----	----	----	25 UNCH
4600	----	----	555.10B/523.50A	555.10B/523.50A	----	558.50 + 12.90	.6697	----	----	----	----	1 UNCH
4750	----	----	473.20B/442.30A	473.20B/442.30A	----	470.90 + 9.40	.6099	----	----	----	----	1 UNCH
4775	----	----	459.70B/430.70A	459.70B/430.70A	----	457.30 + 8.90	.5997	----	----	----	----	30 UNCH
4800	----	----	446.00B/418.40A	446.00B/418.40A	----	444.00 + 8.40	.5894	----	----	----	----	2 UNCH
4850	----	----	420.50B/394.30A	420.50B/394.30A	----	418.30 + 7.40	.5687	----	----	----	----	25 UNCH
4900	----	----	396.10B/372.20A	396.10B/372.20A	----	393.90 + 6.60	.5478	----	----	----	----	451 UNCH
4915	----	----	389.00B/365.10A	389.00B/365.10A	----	386.90 + 6.40	.5416	----	----	----	----	1 UNCH
4925	----	----	384.30B/361.00A	384.30B/361.00A	----	382.20 + 6.20	.5374	----	----	----	----	1 UNCH
4950	----	----	372.80B/350.50A	372.80B/350.50A	----	370.90 + 5.90	.5271	----	----	----	----	150 UNCH
5000	332.80	332.80	350.70B/330.60A	350.70B/330.60A	----	349.20 + 5.30	.5065	----	----	2	----	29 UNCH
5080	----	----	317.90B/300.00A	317.90B/300.00A	----	316.90 + 4.50	.4743	----	----	----	----	4 UNCH
5085	----	----	315.90B/298.10A	315.90B/298.10A	----	315.00 + 4.40	.4723	----	----	----	----	4 UNCH
5175	----	----	282.30B/267.70A	282.30B/267.70A	----	282.20 + 3.50	.4372	----	----	----	----	2 UNCH
5200	----	----	273.70B/259.80A	273.70B/259.80A	----	273.60 + 3.20	.4276	----	----	----	----	26 UNCH
5250	----	----	256.80B/245.00A	256.80B/245.00A	----	257.20 + 2.70	.4089	----	----	----	----	9 UNCH
5300	----	----	241.20B/230.30A	241.20B/230.30A	----	241.60 + 2.00	.3907	----	----	----	----	27 UNCH
5370	----	----	220.60B/211.90A	220.60B/211.90A	----	221.20 + 1.10	.3660	----	----	----	----	5 UNCH
5400	----	----	----/204.60A	212.20B/204.60A	----	213.00 + 0.80	.3557	----	----	----	----	17 UNCH
5450	----	----	----/192.70A	199.30B/192.70A	----	200.00 + 0.20	.3391	----	----	----	----	925 UNCH
5500	----	----	----/182.00A	186.90B/182.00A	----	187.80 - 0.40	.3230	----	----	----	----	79 UNCH
5550	----	----	----/171.70A	175.60B/171.70A	----	176.40 - 0.80	.3076	----	----	----	----	1 UNCH
5600	----	----	----/162.00A	165.00B/162.00A	----	165.70 - 1.30	.2928	----	----	----	----	43 UNCH
5700	----	----	----/143.80A	145.50B/143.80A	----	146.50 - 2.00	.2652	----	----	----	----	35 UNCH
5710	----	----	----/142.10A	143.70B/142.10A	----	144.80 - 2.00	.2626	----	----	----	----	1 UNCH
5800	----	----	----/127.90A	128.60B/127.90A	----	129.90 - 2.40	.2402	----	----	----	----	25 UNCH
5825	----	----	----/124.30A	124.70B/124.30A	----	126.10 - 2.50	.2343	----	----	----	----	2 UNCH
5900	----	----	----/114.10A	113.90B/114.10A	----	115.40 - 2.80	.2174	----	----	----	----	1 UNCH
5925	----	----	----/111.00A	110.40B/111.00A	----	112.10 - 2.80	.2121	----	----	----	----	4 UNCH
5975	----	----	----/105.00A	104.10B/105.00A	----	105.80 - 2.90	.2019	----	----	----	----	1 UNCH
6000	----	----	----/103.30A	101.00B/103.30A	----	102.80 - 3.00	.1970	----	----	1	----	216 UNCH
6100	----	----	----/91.80A	89.90B/91.80A	----	91.80 - 3.10	.1786	----	----	----	----	1 UNCH
6200	85.00	85.00	85.00/82.70A	85.00/82.70A	----	82.30 - 3.10	.1621	----	----	1	----	1 - 1
6400	----	----	----/68.10A	64.10B/68.10A	----	66.70 - 3.00	.1342	----	----	----	----	13 UNCH
6500	----	----	----/62.10A	57.70B/62.10A	----	60.40 - 3.00	.1225	----	----	----	----	1161 UNCH
8000	----	----	----	14.20B/27.40A	----	20.90 - 2.10	.0427	----	----	----	----	11 UNCH
9000	----	----	----	8.60B/20.60A	----	13.50 - 1.50	.0267	----	----	----	----	5 UNCH
20000	----	----	1.20B/----	1.20B/1.70A	----	0.70 - 0.20	.0012	----	----	----	----	137 UNCH
TOTAL										4		3572 - 1
DEC26												
3550	----	----	----	----	----	1401.90 + 32.90	.9292	----	----	----	----	2 UNCH
3570	----	----	----	----	----	1383.60 + 32.60	.9265	----	----	----	----	1 UNCH
3600	----	----	----	----	----	1356.20 + 32.00	.9224	----	----	----	----	1 UNCH
3800	----	----	----	929.70B/1374.60A	----	1178.50 + 28.10	.8898	----	----	----	----	4 UNCH
3900	----	----	----	844.20B/1293.30A	----	1093.00 + 26.00	.8700	----	----	----	----	2 UNCH
4060	----	----	----	709.90B/1174.00A	----	961.60 + 22.60	.8333	----	----	----	----	100 UNCH
4100	----	----	----	676.50B/1145.20A	----	929.90 + 21.80	.8231	----	----	----	----	48 UNCH
4160	----	----	----	627.40B/1102.70A	----	883.20 + 20.50	.8071	----	----	----	----	100 UNCH
4175	----	----	----	615.30B/1092.30A	----	871.80 + 20.20	.8030	----	----	----	----	37 UNCH
4200	----	----	----	595.60B/1075.00A	----	852.80 + 19.70	.7960	----	----	----	----	150 UNCH
4250	----	----	----	556.20B/1041.00A	----	815.40 + 18.50	.7814	----	----	----	----	293 UNCH
4255	----	----	----	552.50B/1037.60A	----	811.70 + 18.40	.7799	----	----	----	----	50 UNCH
4285	----	----	----	529.40B/1017.60A	----	789.80 + 17.80	.7709	----	----	----	----	1 UNCH
4300	----	----	----	518.20B/1007.70A	----	778.90 + 17.50	.7663	----	----	----	----	436 UNCH
4315	----	----	----	506.80B/997.80A	----	768.20 + 17.20	.7616	----	----	----	----	1 UNCH
4320	----	----	----	503.10B/994.60A	----	764.60 + 17.10	.7601	----	----	----	----	100 UNCH
4350	----	----	----	481.00B/975.10A	----	743.30 + 16.40	.7506	----	----	----	----	206 UNCH
4375	----	----	----	462.90B/959.20A	----	725.90 + 15.90	.7425	----	----	----	----	61 UNCH
4400	----	----	----	445.10B/943.40A	----	708.60 + 15.30	.7343	----	----	----	----	2 UNCH
4425	----	----	----/666.80A	656.20B/666.80A	----	691.60 + 14.80	.7260	----	----	----	----	8 UNCH
4450	----	----	661.30B/650.90A	661.30B/650.90A	----	674.90 + 14.30	.7175	----	----	----	----	87 UNCH
4465	----	----	654.40B/641.40A	654.40B/641.40A	----	664.90 + 13.90	.7124	----	----	----	----	93 UNCH
4490	----	----	646.50B/625.70A	646.50B/625.70A	----	648.60 + 13.40	.7037	----	----	----	----	7 UNCH
4500	----	----	640.00B/619.50A	640.00B/619.50A	----	642.10 + 13.20	.7002	----	----	----	----	757 UNCH
4525	----	----	624.00B/604.30A	624.00B/604.30A	----	626.10 + 12.70	.6914	----	----	----	----	5 UNCH
4540	----	----	614.50B/595.10A	614.50B/595.10A	----	616.60 + 12.30	.6861	----	----	----	----	9 UNCH
4550	----	----	608.20B/589.10A	608.20B/589.10A	----	610.30 + 12.10	.6825	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
DEC26												
4565	----	----	598.40B/562.80A	598.40B/562.80A	----	600.90 + 11.70	.6771	----	----	----	----	93 UNCH
4580	----	----	589.60B/555.40A	589.60B/555.40A	----	591.70 + 11.50	.6716	----	----	----	----	150 UNCH
4585	----	----	586.60B/552.00A	586.60B/552.00A	----	588.60 + 11.30	.6698	----	----	----	----	325 UNCH
4590	----	----	583.50B/548.90A	583.50B/548.90A	----	585.60 + 11.30	.6679	----	----	----	----	15 UNCH
4600	----	----	577.00B/543.60A	577.00B/543.60A	----	579.50 + 11.00	.6643	----	----	----	----	145 UNCH
4615	----	----	568.40B/535.00A	568.40B/535.00A	----	570.50 + 10.70	.6588	----	----	----	----	41 UNCH
4625	----	----	562.00B/529.50A	562.00B/529.50A	----	564.50 + 10.50	.6550	----	----	----	----	72 UNCH
4640	----	----	553.60B/521.50A	553.60B/521.50A	----	555.70 + 10.20	.6495	----	----	----	----	100 UNCH
4650	----	----	547.70B/515.80A	547.70B/515.80A	----	549.80 + 10.00	.6457	----	----	----	----	302 UNCH
4700	490.00	490.00	522.30B/488.50	522.30B/488.50	----	521.30 + 9.10	.6268	----	----	2	----	98 + 1
4720	----	----	511.20B/479.60A	511.20B/479.60A	----	510.20 + 8.70	.6192	----	----	----	----	1 UNCH
4750	----	----	495.00B/464.80A	495.00B/464.80A	----	493.90 + 8.10	.6077	----	----	2	----	211 UNCH
4780	----	----	479.10B/449.20A	479.10B/449.20A	----	478.10 + 7.70	.5961	----	----	----	----	2 UNCH
4800	----	----	468.20B/440.00A	468.20B/440.00A	----	467.90 + 7.50	.5883	----	----	----	----	146 UNCH
4810	----	----	463.20B/435.10A	463.20B/435.10A	----	462.80 + 7.30	.5844	----	----	----	----	56 UNCH
4820	----	----	458.20B/430.20A	458.20B/430.20A	----	457.80 + 7.20	.5805	----	----	----	----	49 UNCH
4825	----	----	455.60B/428.70A	455.60B/428.70A	----	455.30 + 7.10	.5786	----	----	----	----	100 UNCH
4850	----	----	443.20B/416.50A	443.20B/416.50A	----	443.10 + 6.90	.5689	----	----	----	----	291 UNCH
4875	----	----	431.10B/405.20A	431.10B/405.20A	----	431.10 + 6.60	.5591	----	----	----	----	1 UNCH
4880	----	----	428.70B/403.20A	428.70B/403.20A	----	428.80 + 6.60	.5572	----	----	----	----	1 UNCH
4900	----	----	419.20B/394.20A	419.20B/394.20A	----	419.50 + 6.40	.5494	----	----	----	----	92 UNCH
4925	----	----	407.50B/383.50A	407.50B/383.50A	----	408.10 + 6.10	.5397	----	----	----	----	126 UNCH
4975	----	----	385.10B/363.20A	385.10B/363.20A	----	386.10 + 5.60	.5204	----	----	----	----	50 UNCH
5000	371.00	371.00	374.30B/353.10A	374.30B/353.10A	----	375.50 + 5.40	.5108	----	----	4	----	2135 + 1
5025	----	----	363.70B/343.50A	363.70B/343.50A	----	365.10 + 5.10	.5013	----	----	----	----	119 UNCH
5050	----	----	353.70B/334.10A	353.70B/334.10A	----	355.00 + 4.80	.4919	----	----	----	----	100 UNCH
5070	----	----	345.60B/326.60A	345.60B/326.60A	----	347.00 + 4.50	.4843	----	----	----	----	13 UNCH
5075	----	----	343.60B/324.90A	343.60B/324.90A	----	345.10 + 4.50	.4825	----	----	----	----	30 UNCH
5090	----	----	337.70B/319.40A	337.70B/319.40A	----	339.20 + 4.30	.4769	----	----	----	----	13 UNCH
5100	----	----	333.70B/315.80A	333.70B/315.80A	----	335.30 + 4.10	.4731	----	----	----	----	131 UNCH
5150	----	----	315.00B/298.60A	315.00B/298.60A	----	316.60 + 3.40	.4547	----	----	----	----	1 UNCH
5175	----	----	305.90B/290.40A	305.90B/290.40A	----	307.60 + 3.00	.4456	----	----	----	----	100 UNCH
5195	----	----	298.70B/284.10A	298.70B/284.10A	----	300.50 + 2.70	.4384	----	----	----	----	5 UNCH
5200	----	----	297.00B/282.30A	297.00B/282.30A	----	298.80 + 2.70	.4366	----	----	----	----	851 UNCH
5250	----	----	280.20B/267.50A	280.20B/267.50A	----	281.90 + 1.90	.4189	----	----	50	----	208 + 50
5275	----	----	----/259.90A	272.10B/259.90A	----	273.80 + 1.50	.4102	----	----	----	----	20 UNCH
5300	----	----	----/252.60A	264.20B/252.60A	----	265.90 + 1.20	.4016	----	----	----	----	340 UNCH
5350	----	----	----/239.00A	249.10B/239.00A	----	250.80 + 0.50	.3848	----	----	----	----	457 UNCH
5360	----	----	----/236.70A	246.20B/236.70A	----	247.90 + 0.30	.3815	----	----	----	----	100 UNCH
5370	----	----	----/233.70A	243.30B/233.70A	----	245.00 + 0.20	.3782	----	----	----	----	20 UNCH
5400	----	----	----/226.10A	234.80B/226.10A	----	236.60 - 0.20	.3684	----	----	----	----	1850 UNCH
5460	----	----	----/211.60A	219.00B/211.60A	----	220.70 - 0.80	.3495	----	----	----	----	200 UNCH
5465	----	----	----/213.30A	219.80B/213.30A	----	219.50 - 0.80	.3480	----	----	----	----	50 UNCH
5480	----	----	----/207.20A	213.70B/207.20A	----	215.70 - 1.00	.3434	----	----	----	----	50 UNCH
5500	207.40	207.40	208.60B/202.50A	208.60B/202.50A	----	210.80 - 1.10	.3374	----	----	1	----	2092 UNCH
5525	----	----	----/197.10A	202.80B/197.10A	----	204.80 - 1.40	.3299	----	----	----	----	80 UNCH
5550	----	----	----/191.80A	196.80B/191.80A	----	199.00 - 1.60	.3226	----	----	----	----	1 UNCH
5600	----	----	----/181.70A	185.60B/181.70A	----	188.00 - 1.90	.3085	----	----	----	----	2040 UNCH
5650	----	----	----/172.20A	175.30B/172.20A	----	177.60 - 2.20	.2949	----	----	----	----	6 UNCH
5660	----	----	----/170.40A	173.20B/170.40A	----	175.60 - 2.30	.2922	----	----	----	----	1 UNCH
5675	----	----	----/167.80A	170.00B/167.80A	----	172.70 - 2.30	.2883	----	----	----	----	8 UNCH
5680	----	----	----/166.80A	169.70B/166.80A	----	171.70 - 2.40	.2870	----	----	----	----	1 UNCH
5685	----	----	----/165.90A	168.00B/165.90A	----	170.70 - 2.40	.2857	----	----	----	----	18 UNCH
5690	----	----	----/165.00A	167.30B/165.00A	----	169.80 - 2.40	.2844	----	----	----	----	7 UNCH
5700	----	----	----/163.30A	165.10B/163.30A	----	167.90 - 2.40	.2818	----	----	----	----	285 UNCH
5705	----	----	----/162.50A	164.40B/162.50A	----	166.90 - 2.50	.2805	----	----	----	----	5 UNCH
5710	----	----	----/161.60A	163.20B/161.60A	----	166.00 - 2.50	.2793	----	----	----	----	5 UNCH
5750	----	----	----/155.00A	156.10B/155.00A	----	158.70 - 2.70	.2693	----	----	----	----	576 UNCH
5770	----	----	----/151.60A	152.50B/151.60A	----	155.20 - 2.80	.2644	----	----	----	----	5 UNCH
5775	----	----	----/150.80A	151.70B/150.80A	----	154.40 - 2.70	.2632	----	----	----	----	2 UNCH
5800	----	----	----/146.70A	147.20B/146.70A	----	150.20 - 2.80	.2573	----	----	----	----	220 UNCH
5810	----	----	----/145.20A	145.40B/145.20A	----	148.50 - 2.90	.2550	----	----	----	----	56 UNCH
5825	----	----	----/142.80A	143.20B/142.80A	----	146.10 - 2.90	.2515	----	----	----	----	4 UNCH
5875	----	----	----/135.40A	135.30B/135.40A	----	138.20 - 3.10	.2402	----	----	----	----	9 UNCH
5900	130.90	130.90	131.80B/130.90	131.80B/130.90	----	134.50 - 3.10	.2348	----	----	66	----	1172 + 62
5950	----	----	----/125.10A	124.30B/125.10A	----	127.40 - 3.20	.2244	----	----	----	----	25 UNCH
6000	115.00	115.00	115.00/115.00	118.20B/115.00	----	120.70 - 3.20	.2144	----	----	70	----	6024 UNCH
6100	----	----	----/107.40A	105.50B/107.40A	----	108.50 - 3.30	.1957	----	----	----	----	40 UNCH
6150	----	----	----/102.10A	99.80B/102.10A	----	103.00 - 3.30	.1871	----	----	----	----	1 UNCH
6200	----	----	----/97.30A	94.90B/97.30A	----	97.70 - 3.50	.1787	----	----	----	----	3345 UNCH
6300	----	----	----/88.40A	85.90B/88.40A	----	88.30 - 3.50	.1635	----	----	----	----	1046 UNCH
6400	----	----	----/80.70A	77.10B/80.70A	----	80.10 - 3.60	.1499	----	----	60	----	488 UNCH
6500	----	----	----/73.90A	70.00B/73.90A	----	72.90 - 3.80	.1376	----	----	100	----	4451 UNCH
6750	----	----	----/60.10A	55.90B/60.10A	----	59.00 - 4.00	.1128	----	----	----	----	100 UNCH
6775	----	----	----/59.00A	55.70B/59.00A	----	57.90 - 3.90	.1108	----	----	----	----	163 UNCH
6800	----	----	----/57.80A	54.30B/57.80A	----	56.80 - 3.90	.1088	----	----	----	----	1664 UNCH
6900	----	----	----/53.80A	50.00B/53.80A	----	52.60 - 4.00	.1010	----	----	----	----	2 UNCH
7000	48.00	48.00	48.00/48.00	48.00/48.00	----	48.90 - 4.00	.0941	----	----	8	----	4003 + 6
7130	----	----	----/*45.90A	40.20B/*45.90A	----	44.70 - 3.70	.0861	----	----	----	----	200 UNCH
7175	----	----	----/*45.00A	38.70B/*45.00A	----	43.30 - 3.70	.0835	----	----	----	----	125 UNCH
7250	----	----	----	33.20B/47.20A	----	41.10 - 3.60	.0793	----	----	----	----	107 UNCH
7500	----	----	----	27.20B/41.60A	----	35.00 - 3.10	.0676	----	----	2	----	109 + 2
8000	26.50	26.50	26.80/26.50	26.80/26.50	----	26.60 - 1.90	.0510	----	----	4	----	628 + 2
8125	----	----	----	17.60B/32.20A	----	25.00 - 1.70	.0478	----	----	----	----	801 UNCH
8500	----	----	----	14.60B/28.60A	----	21.60 - 1.20	.0406	----	----	----	----	170 UNCH
8630	----	----	----	13.60B/*27.60A	----	20.70 - 1.00	.0387	----	----	----	----	400 UNCH
8725	----	----	----	13.00B/26.80A	----	20.10 - 0.90	.0374	----	----	----	----	250 UNCH
9000	----	----	----	18.60B/25.00A	----	18.70 - 0.70	.0342	----	----	----	----	102 UNCH
9500	----	----	----	16.30B/22.60A	----	17.00 - 0.30	.0301	----	----	----	----	280 UNCH
9900	----	----	----	8.60B/21.00A	----	16.00 - 0.20	.0277	----	----	----	----	4 UNCH
10000	13.00	13.00	15.50/13.00	15.50/13.00	----	15.80 - 0.10	.0271	----	----	95	----	7535 + 30
11000	12.50	12.50	12.50/*12.20	12.50/*12.20	----	14.00 + 0.40	.0228	----	----	8	----	387 + 8
13000	8.50	8.50	8.60/8.50	8.60/8.50	----	11.10 + 1.10	.0167	----	----	102	----	387 + 21
15000	6.50	6.50	7.50/6.50	7.50/6.50	----	8.00 + 1.30	.0117	----	----	527	----	19106 + 392
17000	5.00	5.00	5.00/5.00	5.00/5.00	----	5.00 + 1.00	.0074	----	----	1	----	27 + 1
19000	----	----	----	2.10B/3.00A	----	3.00 + 0.90	.0045	----	----	----	----	7 UNCH
20000	2.00	2.00	2.40/2.00	2.40/2.00	----	2.30 + 0.80	.0035	----	----	178	----	18716 + 99
21000	1.70	1.70	2.00/*1.70	2.00/*1.70	----	1.80 + 0.60	.0028	----	----	3	----	21 + 3
24000	----	----	----	0.10B/1.60A	----	1.50 + 0.50	.0022	----	----	----	----	31 UNCH
TOTAL										1283		89160 + 678
JAN27												
4190	----	----	----	606.80B/1172.90A	----	908.80 + 21.90	.7959	----	----	----	----	1 UNCH
4290	----	----	----	529.20B/1106.60A	----	835.30 + 19.70	.7683	----	----	----	----	1 UNCH
4300	----	----	----	521.70B/1100.10A	----	828.10 + 19.40	.7654	----	----	----	----	1 UNCH
4400	----	----	----	448.70B/1036.70A	----	758.30 + 17.20	.7356	----	----	----	----	1 UNCH
4650	----	----	592.60B/570.10A	592.60B/570.10A	----	600.10 + 12.10	.6534	----	----	----	----	1 UNCH
4750	----	----	545.80B/517.60A	545.80B/517.60A	----	544.20 + 10.70	.6182	----	----	----	----	5 UNCH
4760	----	----	540.40B/512.60A	540.40B/512.60A	----	538.80 + 10.50	.6147	----	----	----	----	100 UNCH
4800	511.80	511.80	519.20B/492.80A	519.20B/492.80A	----	517.80 + 10.00	.6004	----	----	1	----	1 - 1
4850	----	----	493.20B/469.10A	493.20B/469.10A	----	492.60 + 9.60	.5824	----	----	----	----	1 UNCH
4875	----	----	480.80B/457.50A	480.80B/457.50A	----	480.30 + 9.20	.5734	----	----	----	----	4 UNCH
4900	----	----	468.70B/446.20A	468.70B/446.20A	----	468.30 + 9.00	.5643	----	----	----	----	9 UNCH
5000	----	----	422.70B/403.60A	422.70B/403.60A	----	422.70 + 7.90	.5284	----	----	----	----	27 UNCH
5050	----	----	401.20B/383.50A	401.20B/383.50A	----	401.50 + 7.50	.5106	----	----	----	----	100 UNCH
5100	----	----	380.60B/364.60A	380.60B/364.60A	----	381.10 + 7.00	.4931	----	----	----	----	1 UNCH
5195	356.50	356.50	356.50/331.00A	356.50/331.00A	----	344.90 NEW	.4604	----	----	10	----	10 + 10
5250	----	----	324.50B/313.10A	324.50B/313.10A	----	325.30 + 5.10	.4420	----	----	----	----	7 UNCH
5300	----	----	307.60B/297.50A	307.60B/297.50A	----	308.50 + 4.50	.4256	----	----	----	----	1 UNCH
5400	----	----	276.30B/269.00A	276.30B/269.00A	----	277.40 + 3.10	.3939	----	----	----	----	2 UNCH
5500	----	----	248.20B/243.20A	248.20B/243.20A	----	249.50 + 1.70	.3639	----	----	----	----	24 UNCH
5550	----	----	----/231.20A	235.30B/231.20A	----	236.70 + 1.10	.3496	----	----	----	----	1 UNCH
5820	----	----	----/176.40A	177.00B/176.40A	----	178.90 - 1.30	.2802	----	----	----	----	6 UNCH
5850	----	----	----/171.30A	171.50B/171.30A	----	173.60 - 1.40	.2734	----	----	----	----	3 UNCH
5900	----	----	----/163.10A	162.90B/163.10A	----	165.00 - 1.70	.2623	----	----	----	----	5 UNCH
6000	----	----	----/148.10A	147.00B/148.10A	----	149.20 - 2.10	.2414	----	----	----	----	204 UNCH
6025	----	----	----/144.60A	143.30B/144.60A	----	145.50 - 2.20	.2364	----	----	----	----	1 UNCH
6300	----	----	----/112.70A	109.40B/112.70A	----	110.80 - 2.80	.1877	----	----	----	----	2 UNCH
20000	----	----	----	3.00B/3.50A	----	3.30 + 0.20	.0048	----	----	----	----	47 UNCH
TOTAL										11		566 + 9
FEB27												
5000	----	----	440.40B/421.60A	440.40B/421.60A	----	440.20 + 3.70	.5303	----	----	----	----	1 UNCH
5100	----	----	399.00B/382.70A	399.00B/382.70A	----	398.80 + 3.60	.4964	----	----	----	----	1 UNCH
5175	----	----	369.90B/355.90A	369.90B/355.90A	----	370.30 + 3.80	.4717	----	----	----	----	125 UNCH
5300	----	----	325.90B/315.30A	325.90B/315.30A	----	327.10 + 4.30	.4319	----	----	----	----	50 UNCH
5375	----	----	301.90B/293.50A	301.90B/293.50A	----	303.50 + 4.30	.4090	----	----	----	----	1 UNCH
5520	----	----	260.50B/255.40A	260.50B/255.40A	----	262.40 + 3.60	.3670	----	----	----	----	300 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 39

FINAL

OG CALL — COMEX GOLD OPTIONS

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
FEB27											
5530 ----	----	257.80B/252.90A	257.80B/252.90A	----	259.80 + 3.50	.3642	----	----	----	----	100 UNCH
5550 ----	----	252.60B/248.20A	252.60B/248.20A	----	254.60 + 3.30	.3587	----	----	----	----	65 UNCH
5600 ----	----	240.10B/236.70A	240.10B/236.70A	----	242.20 + 2.90	.3452	----	----	----	----	1 UNCH
6000 ----	----	----/*163.30A	161.20B/*163.30A	----	163.80 - 0.90	.2525	----	----	----	----	5 UNCH
6025 ----	----	----/*159.70A	157.30B/*159.70A	----	160.00 - 1.00	.2476	----	----	----	----	4 UNCH
6100 ----	----	----/*149.30A	146.30B/*149.30A	----	149.30 - 1.40	.2336	----	----	----	----	1 UNCH
6300 ----	----	----/*125.70A	121.30B/*125.70A	----	124.80 - 2.00	.2003	----	----	----	----	1 UNCH
6500 ----	----	----	101.30B/*106.90A	----	104.70 - 2.20	.1719	----	----	----	----	110 UNCH
6900 ----	----	----	72.40B/*79.90A	----	74.20 - 2.30	.1268	----	----	----	----	800 UNCH
7000 ----	----	----	67.00B/73.00A	----	68.90 - 2.20	.1184	----	----	----	----	833 UNCH
7100 ----	----	----	62.10B/*70.30A	----	64.40 - 2.20	.1110	----	----	----	----	8 UNCH
7900 ----	----	----	0.20B/78.50A	----	38.00 - 1.80	.0671	----	----	----	----	500 UNCH
8000 39.50	39.50	39.50/*39.50	39.50/*39.50	----	35.40 - 1.80	.0629	----	----	1	----	500 UNCH
TOTAL									1		3406 0
MAR27											
5000 ----	----	----	0.10B/950.90A	----	532.30 NEW	.5492	----	----	----	75	75 + 75
TOTAL										75	75 + 75
APR27											
5000 ----	----	----	----	----	555.00 + 22.80	.5512	----	----	----	----	100 UNCH
5600 ----	----	----	----/*927.60A	----	339.60 + 16.10	.3930	----	----	----	----	300 UNCH
TOTAL											400 0
JUN27											
9500 ----	----	----	----	----	48.50 + 2.60	.0661	----	----	----	----	1 UNCH
TOTAL											1 0
DEC27											
4860 ----	----	----	----	----	859.40 + 25.90	.6237	----	----	----	----	100 UNCH
5000 ----	----	----	----	----	792.60 + 24.70	.5938	----	----	----	----	50 UNCH
5650 ----	----	----	----	----	541.30 + 19.00	.4607	----	----	----	----	200 UNCH
5700 ----	----	----	----	----	525.80 + 18.70	.4512	----	----	----	----	150 UNCH
5800 ----	----	----	----	----	496.20 + 17.90	.4328	----	----	----	----	200 UNCH
5880 ----	----	----	----	----	473.80 + 17.20	.4184	----	----	----	----	50 UNCH
6300 ----	----	----	----	----	373.50 + 14.40	.3495	----	----	----	----	18 UNCH
7500 ----	----	----	----	----	280.10 + 10.20	.2523	----	----	----	----	170 UNCH
7800 ----	----	----	----	----	272.50 + 9.70	.2401	----	----	----	----	284 UNCH
10000 192.00	192.00	192.00/192.00	192.00/192.00	----	198.10 + 6.60	.1654	----	----	9	----	100 - 9
10500 ----	----	----	----	----	178.20 + 5.90	.1499	----	----	----	----	10 UNCH
TOTAL									9		1332 - 9

MMG MON — MICRO GOLD WEEKLY MONDAY OPTION WEE

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26											
4595 ----	----	----	----	----	5.10 - 8.70	.0513	----	----	----	----	1 UNCH
4895 ----	----	----	----	----	20.10 + 0.30	.2467	----	----	----	----	3 UNCH
TOTAL											4 0

GWW WED — GOLD WEEKLY WEDNESDAY OPTION WEEK3

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26											
3700 ----	----	----	----/1.20A	----	0.20 - 0.40	.0007	----	----	----	----	1 UNCH
3750 ----	----	----	0.10B/*1.00A	----	0.30 - 0.40	.0011	----	----	----	----	2 UNCH
3800 ----	----	----	0.20B/*0.90A	----	0.30 - 0.50	.0011	----	----	----	----	2 UNCH
4000 ----	----	----/*1.00A	0.70B/*1.00A	----	0.70 - 0.90	.0033	----	----	----	----	44 UNCH
4050 ----	----	----/*1.10A	1.00B/*1.10A	----	0.90 - 1.00	.0044	----	----	----	----	12 UNCH
4100 ----	----	----/*1.30A	1.30B/*1.30A	----	1.00 - 1.20	.0052	----	----	----	----	13 UNCH
4125 ----	----	----/*1.30A	1.40B/*1.30A	----	1.20 - 1.20	.0064	----	----	----	----	2 UNCH
4150 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4200 ----	----	----/*4.70A	5.40B/*4.70A	----	4.00 - 3.40	.0243	----	----	----	----	3 UNCH
4200 ----	----	622.30B/531.80A	622.30B/531.80A	----	619.30 + 39.20	.9912	----	----	----	----	1 UNCH
4200 1.90	1.90	1.90/*1.60A	2.10B/*1.60A	----	1.50 - 1.70	.0087	----	----	15	----	16 + 15
4210 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4240 2.40	2.40	2.40/*1.90A	2.90B/*1.90A	----	1.80 NEW	.0109	----	----	1	----	1 + 1
4245 ----	----	----/*1.90A	2.80B/*1.90A	----	1.80 - 2.00	.0110	----	----	----	----	2 UNCH
4250 ----	----	----/*5.60A	8.00B/*5.60A	----	4.90 - 4.30	.0305	----	----	----	----	1 UNCH
4250 ----	----	----/*1.90A	2.90B/*1.90A	----	1.90 - 1.90	.0116	----	----	----	----	50 UNCH
4250 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4255 2.50	2.50	2.50/*2.00A	3.10B/*2.00A	----	1.90 NEW	.0117	----	----	1	----	1 + 1
4270 9.60	9.60	9.60/*5.80A	9.90B/*5.80A	----	5.30 - 4.80	.0333	----	----	1	----	1 UNCH
4290 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4300 ----	----	----/*7.30A	10.90B/*7.30A	----	6.00 - 5.60	.0382	----	----	----	----	2 UNCH
4300 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4300 ----	----	----/*2.30A	4.30B/*2.30A	----	2.30 - 2.50	.0149	----	----	----	----	102 UNCH
4300 524.30	524.30	529.60B/457.70A	529.60B/457.70A	----	528.70 NEW	.9367	----	----	1	----	1 + 1
4315 ----	----	----/*2.40A	4.60B/*2.40A	----	2.50 - 2.60	.0164	----	----	----	----	1 UNCH
4320 ----	----	----/*7.80A	12.30B/*7.80A	----	6.60 - 6.20	.0423	----	----	----	----	1 UNCH
4320 ----	----	----/*2.50A	4.90B/*2.50A	----	2.50 - 2.70	.0166	----	----	----	----	17 UNCH
4325 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4325 ----	----	----/*2.60A	4.90B/*2.60A	----	2.60 - 2.70	.0173	----	----	----	----	1 UNCH
4330 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4340 ----	----	----/*2.70A	5.40B/*2.70A	----	2.70 - 3.00	.0184	----	----	----	----	1 UNCH
4350 ----	----	----/*2.80A	5.90B/*2.80A	----	2.90 - 3.10	.0199	----	----	2	----	4 UNCH
4370 ----	----	6.70B/*3.10A	6.70B/*3.10A	----	3.20 - 3.40	.0224	----	----	----	----	14 UNCH
4400 ----	----	19.10B/*10.40A	19.10B/*10.40A	----	10.00 - 8.80	.0648	----	----	----	----	1 UNCH
4400 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4400 5.30	5.30	8.10B/*3.60A	8.10B/*3.60A	----	3.70 - 4.00	.0268	----	----	1	----	3 + 1
4410 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4410 5.60	5.60	8.50B/*3.70A	8.50B/*3.70A	----	3.90 NEW	.0286	----	----	1	----	1 + 1
4415 ----	----	----	----	----	362.20 UNCH	----	----	----	----	----	0 UNCH
4415 ----	----	8.80B/*3.90A	8.80B/*3.90A	----	4.00 - 4.40	.0295	----	----	1	----	1 UNCH
4420 ----	----	----	----	----	357.20 UNCH	----	----	----	----	----	0 UNCH
4420 ----	----	9.10B/*4.00A	9.10B/*4.00A	----	4.10 - 4.50	.0304	----	----	----	----	5 UNCH
4425 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4425 6.10	6.10	9.40B/*4.00A	9.40B/*4.00A	----	4.20 NEW	.0313	----	----	1	----	1 + 1
4430 6.30	6.30	10.00B/*4.20A	10.00B/*4.20A	----	4.30 - 4.80	.0322	----	----	1	----	16 + 1
4435 ----	----	10.10B/*4.30A	10.10B/*4.30A	----	4.40 - 4.90	.0332	----	----	----	----	2 UNCH
4440 ----	----	10.60B/*4.40A	10.60B/*4.40A	----	4.60 - 5.00	.0347	----	----	----	----	2 UNCH
4450 ----	----	41.30B/*24.50A	41.30B/*24.50A	----	24.30 - 13.40	.1265	----	----	----	----	1 UNCH
4450 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4450 ----	----	11.30B/*4.70A	11.30B/*4.70A	----	4.80 - 5.30	.0367	----	----	----	----	4 UNCH
4455 ----	----	11.80B/*4.80A	11.80B/*4.80A	----	5.00 - 5.40	.0383	----	----	----	----	16 UNCH
4460 7.50	7.50	12.10B/*5.00A	12.10B/*5.00A	----	5.10 NEW	.0394	----	----	1	----	1 + 1
4465 ----	----	364.70B/300.50A	364.70B/300.50A	----	366.90 + 29.10	.9073	----	----	----	----	5 UNCH
4475 8.10	8.10	13.50B/*5.50A	13.50B/*5.50A	----	5.60 - 6.10	.0438	----	----	107	----	108 + 106
4475 ----	----	46.20B/*27.30A	46.20B/*27.30A	----	27.40 - 14.50	.1411	----	----	----	----	1 UNCH
4480 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4480 ----	----	46.90B/*27.70A	46.90B/*27.70A	----	28.00 - 14.80	.1440	----	----	----	----	1 UNCH
4485 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4490 9.00	9.00	14.80B/*6.00A	14.80B/*6.00A	----	6.20 - 6.50	.0490	----	----	2	----	10 + 1
4495 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4500 ----	----	329.70B/247.60A	329.70B/247.60A	----	324.40 + 33.80	.9472	----	----	----	----	2 UNCH
4500 17.00	17.00	17.00/*6.40A	17.00/*6.40A	----	6.60 - 6.90	.0526	----	----	3	----	16 + 2
4500 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4500 ----	----	----	----	----	277.20 UNCH	----	----	----	----	----	0 UNCH
4505 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4505 ----	----	16.60B/*6.50A	16.60B/*6.50A	----	6.80 - 7.10	.0545	----	----	----	----	1 UNCH
4515 ----	----	17.70B/*7.00A	17.70B/*7.00A	----	7.30 - 7.50	.0589	----	----	----	----	4 UNCH
4525 ----	----	38.10B/*20.00A	38.10B/*20.00A	----	20.10 - 14.80	.1280	----	----	----	----	20 UNCH
4525 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4525 ----	----	----	----	----	252.20 UNCH	----	----	----	----	----	0 UNCH
4530 ----	----	301.10B/222.10A	301.10B/222.10A	----	295.90 + 32.60	.9344	----	----	----	----	1 UNCH
4530 ----	----	----	----	----	247.20 UNCH	----	----	----	----	----	0 UNCH
4535 ----	----	----	----	----	242.20 UNCH	----	----	----	----	----	0 UNCH
4535 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4545 10.00	10.00	22.00B/*8.50A	22.00B/*8.50A	----	8.90 NEW	.0733	----	----	1	----	1 + 1
4550 ----	----	289.60B/231.60A	289.60B/231.60A	----	290.90 + 24.50	.8533	----	----	----	----	1 UNCH
4550 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4550 ----	----	282.20B/205.20A	282.20B/205.20A	----	277.10 + 31.70	.9237	----	----	----	----	45 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED APR26		GOLD WEEKLY WEDNESDAY OPTION WEEK3										
4550	20.20	20.20	22.80B/*8.80A	22.80B/*8.80A	----	9.20 - 9.20	.0760	----	----	7	----	6 + 5
4550	----	----	----	----	----	227.20 UNCH	----	----	----	----	----	0 UNCH
4555	13.80	13.80	23.60B/*9.10A	23.60B/*9.10A	----	9.50 NEW	.0788	----	----	2	----	2 + 2
4560	14.30	14.30	24.50B/*9.40A	24.50B/*9.40A	----	9.90 - 9.70	.0822	----	----	1	----	2 + 1
4560	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4565	14.80	14.80	25.40B/*9.80A	25.40B/*9.80A	----	10.20 - 10.00	.0851	----	----	1	----	3 + 1
4570	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4570	----	----	----	----	----	207.20 UNCH	----	----	----	----	----	0 UNCH
4575	----	----	267.60B/213.30A	267.60B/213.30A	----	269.50 + 23.00	.8326	----	----	----	----	1 UNCH
4575	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4575	15.90	15.90	27.30B/*10.40A	27.30B/*10.40A	----	11.00 - 10.50	.0920	----	----	1	----	2 + 1
4580	----	----	----	----	----	197.20 UNCH	----	----	----	----	----	0 UNCH
4580	16.50	16.50	28.40B/*10.80A	28.40B/*10.80A	----	11.40 - 10.80	.0956	----	----	1	----	3 + 1
4580	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4585	----	----	259.30B/206.00A	259.30B/206.00A	----	261.10 + 22.30	.8236	----	----	----	----	1 UNCH
4590	----	----	----	----	----	187.20 UNCH	----	----	----	----	----	0 UNCH
4595	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4600	----	----	247.60B/195.00A	247.60B/195.00A	----	248.70 + 21.40	.8096	----	----	----	----	4 UNCH
4600	----	----	57.10B/*30.60A	57.10B/*30.60A	----	30.90 - 19.40	.1900	----	----	----	----	5 UNCH
4600	----	----	----	----	----	177.20 UNCH	----	----	----	----	----	0 UNCH
4600	21.00	21.00	32.80B/*12.40A	32.80B/*12.40A	----	13.20 - 12.10	.1115	----	----	14	----	17 + 14
4600	----	----	236.30B/166.00A	236.30B/166.00A	----	231.00 + 28.60	.8883	----	----	----	----	1 UNCH
4600	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4605	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4605	----	----	----	----	----	172.20 UNCH	----	----	----	----	----	0 UNCH
4605	----	----	231.60B/162.20A	231.60B/162.20A	----	226.50 + 28.30	.8840	----	----	----	----	1 UNCH
4610	----	----	----	----	----	167.20 UNCH	----	----	----	----	----	0 UNCH
4610	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4610	57.00	57.00	81.50B/*50.00	81.50B/*50.00	----	50.90 NEW	.2443	----	----	12	----	6 + 6
4615	21.20	21.20	36.10B/*14.10A	36.10B/*14.10A	----	14.70 NEW	.1247	----	----	1	----	1 + 1
4615	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4620	22.00	22.00	37.60B/*14.60A	37.60B/*14.60A	----	15.30 - 13.50	.1298	----	----	1	----	51 + 1
4620	----	----	218.10B/151.20A	218.10B/151.20A	----	213.20 + 27.30	.8700	----	----	----	----	1 UNCH
4620	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4620	----	----	----	----	----	157.20 UNCH	----	----	----	----	----	0 UNCH
4625	----	----	87.10B/*54.70A	87.10B/*54.70A	----	54.40 NEW	.2586	----	----	1	----	1 + 1
4625	----	----	----	----	----	152.20 UNCH	----	----	----	----	----	0 UNCH
4625	----	----	38.80B/*15.10A	38.80B/*15.10A	----	15.90 - 13.80	.1349	----	----	----	----	1 UNCH
4625	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4630	46.10	46.10	66.00B/*36.30A	66.00B/*36.30A	----	36.70 NEW	.2211	----	----	5	----	5 + 5
4630	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4630	23.60	23.60	40.30B/*15.80A	40.30B/*15.80A	----	16.50 - 14.20	.1401	----	----	1	----	2 + 1
4630	----	----	----	----	----	147.20 UNCH	----	----	----	----	----	0 UNCH
4635	----	----	----	----	----	142.20 UNCH	----	----	----	----	----	0 UNCH
4635	----	----	41.70B/*16.40A	41.70B/*16.40A	----	17.10 NEW	.1454	----	----	1	----	1 + 1
4640	----	----	----	----	----	137.20 UNCH	----	----	----	----	----	0 UNCH
4640	27.90	27.90	43.00B/*17.00A	43.00B/*17.00A	----	17.80 NEW	.1512	----	----	40	----	39 + 39
4640	----	----	200.50B/136.90A	200.50B/136.90A	----	195.70 + 25.80	.8486	----	----	----	----	1 UNCH
4645	----	----	----	----	----	132.20 UNCH	----	----	----	----	----	0 UNCH
4645	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4645	26.00	26.00	44.50B/*17.70A	44.50B/*17.70A	----	18.50 NEW	.1571	----	----	8	----	8 + 8
4650	----	----	207.70B/161.20A	207.70B/161.20A	----	208.90 + 18.10	.7557	----	----	----	----	2 UNCH
4650	----	----	96.20B/*61.00A	96.20B/*61.00A	----	60.80 NEW	.2838	----	----	10	----	10 + 10
4650	----	----	----	----	----	127.20 UNCH	----	----	----	----	----	0 UNCH
4650	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4650	22.00	22.00	46.10B/*18.40A	46.10B/*18.40A	----	19.20 - 15.80	.1630	----	----	46	----	52 + 44
4650	----	----	191.80B/130.00A	191.80B/130.00A	----	187.10 + 24.90	.8367	----	----	----	----	2 UNCH
4655	----	----	----	----	----	122.20 UNCH	----	----	----	----	----	0 UNCH
4655	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4660	----	----	49.40B/*19.80A	49.40B/*19.80A	----	20.70 - 16.70	.1757	----	----	----	----	1 UNCH
4660	----	----	----	----	----	117.20 UNCH	----	----	----	----	----	0 UNCH
4660	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4665	----	----	179.10B/119.90A	179.10B/119.90A	----	174.40 + 23.60	.8175	----	----	----	----	11 UNCH
4665	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4665	----	----	----	----	----	112.20 UNCH	----	----	----	----	----	0 UNCH
4665	----	----	51.10B/*20.70A	51.10B/*20.70A	----	21.50 - 17.20	.1823	----	----	----	----	21 UNCH
4670	----	----	192.30B/148.60A	192.30B/148.60A	----	193.70 + 16.70	.7315	----	----	----	----	8 UNCH
4670	----	----	52.70B/*21.40A	52.70B/*21.40A	----	22.40 - 17.50	.1895	----	----	1	----	2 + 1
4670	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4670	----	----	----	----	----	107.20 UNCH	----	----	----	----	----	0 UNCH
4675	----	----	81.30B/*46.40A	81.30B/*46.40A	----	47.20 - 24.40	.2744	----	----	----	----	4 UNCH
4675	----	----	----	----	----	102.20 UNCH	----	----	----	----	----	0 UNCH
4675	----	----	54.60B/*22.30A	54.60B/*22.30A	----	23.20 NEW	.1963	----	----	1	----	1 + 1
4675	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4680	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4680	----	----	56.10B/*23.20A	56.10B/*23.20A	----	24.20 - 18.40	.2040	----	----	----	----	2 UNCH
4680	----	----	----	----	----	97.20 UNCH	----	----	----	----	----	0 UNCH
4685	----	----	86.00B/*49.30A	86.00B/*49.30A	----	49.80 - 25.10	.2872	----	----	----	----	6 UNCH
4685	----	----	181.30B/139.40A	181.30B/139.40A	----	182.70 + 15.70	.7124	----	----	----	----	1 UNCH
4685	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4685	----	----	----	----	----	92.20 UNCH	----	----	----	----	----	0 UNCH
4690	----	----	200.70B/160.10A	200.70B/160.10A	----	200.10 + 16.10	.6723	----	----	----	----	1 UNCH
4690	----	----	180.90B/136.40A	180.90B/136.40A	----	179.10 + 15.30	.7057	----	----	----	----	5 UNCH
4690	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4690	----	----	----	----	----	87.20 UNCH	----	----	----	----	----	0 UNCH
4695	----	----	90.00B/*51.90A	90.00B/*51.90A	----	52.60 - 25.80	.3006	----	----	----	----	2 UNCH
4695	----	----	----	----	----	82.20 UNCH	----	----	----	----	----	0 UNCH
4695	----	----	154.40B/95.50A	154.40B/95.50A	----	150.10 + 20.90	.7725	----	----	----	----	1 UNCH
4695	----	----	61.90B/*26.00A	61.90B/*26.00A	----	27.10 - 19.90	.2273	----	----	----	----	1 UNCH
4695	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4700	----	----	----	----	----	77.20 UNCH	----	----	----	----	----	0 UNCH
4700	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4700	----	----	150.40B/92.50A	150.40B/92.50A	----	146.10 + 20.40	.7640	----	----	----	----	4 UNCH
4700	----	----	64.10B/*27.00A	64.10B/*27.00A	----	28.20 - 20.40	.2358	----	----	----	----	10 UNCH
4705	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4705	----	----	----	----	----	72.20 UNCH	----	----	----	----	----	0 UNCH
4705	----	----	146.50B/89.50A	146.50B/89.50A	----	142.20 + 19.90	.7555	----	----	----	----	1 UNCH
4710	----	----	68.20B/*29.20A	68.20B/*29.20A	----	30.50 - 21.30	.2532	----	----	----	----	1 UNCH
4710	----	----	----	----	----	67.20 UNCH	----	----	----	----	----	0 UNCH
4710	----	----	142.60B/86.60A	142.60B/86.60A	----	138.40 + 19.40	.7465	----	----	----	----	5 UNCH
4710	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4715	----	----	97.90B/*57.50A	97.90B/*57.50A	----	58.70 - 27.10	.3285	----	----	----	----	15 UNCH
4715	----	----	----	----	----	62.20 UNCH	----	----	----	----	----	0 UNCH
4715	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4720	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4720	----	----	----	----	----	57.20 UNCH	----	----	----	----	----	0 UNCH
4725	----	----	----	----	----	52.20 UNCH	----	----	----	----	----	0 UNCH
4725	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4725	----	----	131.10B/77.90A	131.10B/77.90A	----	127.10 + 17.90	.7188	----	----	----	----	1 UNCH
4725	46.50	46.50	75.10B/*32.70A	75.10B/*32.70A	----	34.20 - 22.80	.2810	----	----	7	----	9 + 6
4730	----	----	----	----	----	47.20 UNCH	----	----	----	----	----	0 UNCH
4730	69.50	69.50	77.50B/*33.90A	77.50B/*33.90A	----	35.50 NEW	.2906	----	----	15	----	7 + 7
4730	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4735	----	----	107.10B/*64.30A	107.10B/*64.30A	----	65.30 - 28.50	.3576	----	----	----	----	1 UNCH
4735	----	----	----	----	----	42.20 UNCH	----	----	----	----	----	0 UNCH
4735	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4735	79.40	79.40	80.70/35.20A	80.70/35.20A	----	36.90 - 23.90	.3006	----	----	9	----	9 + 8
4735	----	----	123.70B/72.50A	123.70B/72.50A	----	119.90 + 16.90	.6991	----	----	----	----	5 UNCH
4740	----	----	----	----	----	37.20 UNCH	----	----	----	----	----	0 UNCH
4740	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4740	----	----	82.50B/*36.50A	82.50B/*36.50A	----	38.30 - 24.40	.3107	----	----	----	----	1 UNCH
4745	----	----	----	----	----	32.20 UNCH	----	----	----	----	----	0 UNCH
4745	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4750	----	----	139.90B/101.80A	139.90B/101.80A	----	138.50 + 11.20	.6193	----	----	----	----	1 UNCH
4750	----	----	139.10B/93.40A	139.10B/93.40A	----	93.10 - 27.10	.3989	----	----	10	----	11 + 10
4750	43.30	43.30	88.30B/*39.40A	88.30B/*39.40A	----	41.40 - 25.40	.3320	----	----	10	----	15 UNCH
4750	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4750	----	----	----	----	----	27.20 UNCH	----	----	----	----	----	0 UNCH
4750	----	----	112.90B/65.00A	112.90B/65.00A	----	109.30 + 15.30	.6678	----	----	----	----	2 UNCH
4755	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4755	----	----	----	----	----	22.20 UNCH	----	----	----	----	----	0 UNCH
4760	----	----	145.00B/97.20A	145.00B/97.20A	----	97.00 NEW	.4115	----	----	1	----	1 + 1
4760	----	----	----	----	----	17.20 UNCH	----	----	----	----	----	0 UNCH
4760	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4760	----	----	106.00B/60.40A	106.00B/60.40A	----	102.60 + 14.30	.6460	----	----	----	----	33 UNCH
4765	----	----	130.70B/95.10A	130.70B/95.10A	----	129.20 + 10.20	.5959	----	----	----	----	3 UNCH
4765	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED APR26		GOLD WEEKLY WEDNESDAY OPTION WEEK2										
4765	----	----	----	----	----	12.20 UNCH	----	----	----	----	----	0 UNCH
4770	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4770	----	----	99.10B/55.70A	99.10B/55.70A	----	96.00 + 13.20	.6233	----	----	----	----	3 UNCH
4770	----	----	----	----	----	7.20 UNCH	----	----	----	----	----	0 UNCH
4775	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4775	----	----	----	----	----	2.20 UNCH	----	----	----	----	----	0 UNCH
4780	----	----	143.70B/111.90A	143.70B/111.90A	----	143.20 + 12.30	.5622	----	----	----	----	1 UNCH
4780	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4780	----	----	93.30B/51.70A	93.30B/51.70A	----	89.70 + 12.20	.5999	----	----	----	----	1 UNCH
4780	----	----	----	----	----	2.80 UNCH	----	----	----	----	----	0 UNCH
4785	----	----	----	----	----	7.80 UNCH	----	----	----	----	----	0 UNCH
4785	62.80	62.80	103.40B/*51.10A	103.40B/*51.10A	----	53.70 - 29.00	.4117	----	----	15	----	16 + 15
4785	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4790	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4790	----	----	----	----	----	12.80 UNCH	----	----	----	----	----	0 UNCH
4795	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4795	----	----	----	----	----	17.80 UNCH	----	----	----	----	----	0 UNCH
4800	112.00	112.00	166.20B/112.00	166.20B/112.00	----	114.10 NEW	.4634	----	----	1	----	1 + 1
4800	----	----	----	----	----	22.80 UNCH	----	----	----	----	----	0 UNCH
4800	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4800	45.50	45.50	81.60B/43.90A	81.60B/43.90A	----	77.90 + 10.30	.5515	----	----	2	----	10 + 2
4805	65.80	65.80	117.00B/*59.00A	117.00B/*59.00A	----	62.10 NEW	.4607	----	----	1	----	1 + 1
4805	----	----	----	----	----	27.80 UNCH	----	----	----	----	----	0 UNCH
4805	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4810	----	----	----	----	----	32.80 UNCH	----	----	----	----	----	0 UNCH
4810	----	----	75.80B/40.60A	75.80B/40.60A	----	72.30 + 9.30	.5266	----	----	----	----	3 UNCH
4810	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4815	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4815	----	----	----	----	----	37.80 UNCH	----	----	----	----	----	0 UNCH
4815	----	----	73.00B/38.60A	73.00B/38.60A	----	69.60 + 8.80	.5140	----	----	----	----	1 UNCH
4820	----	----	177.70B/123.50A	177.70B/123.50A	----	123.50 - 30.20	.4900	----	----	----	----	1 UNCH
4820	----	----	----	----	----	42.80 UNCH	----	----	----	----	----	0 UNCH
4820	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4820	----	----	70.30B/37.30A	70.30B/37.30A	----	67.00 + 8.30	.5014	----	----	----	----	5 UNCH
4825	----	----	----	----	----	47.80 UNCH	----	----	----	----	----	0 UNCH
4825	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4825	----	----	67.60B/35.60A	67.60B/35.60A	----	64.40 + 7.80	.4887	----	----	1	----	13 + 1
4830	----	----	----	----	----	52.80 UNCH	----	----	----	----	----	0 UNCH
4830	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4835	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4840	----	----	60.00B/31.40A	60.00B/31.40A	----	57.20 + 6.60	.4506	----	----	----	----	4 UNCH
4840	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4840	----	----	----	----	----	62.80 UNCH	----	----	----	----	----	0 UNCH
4845	----	----	87.90B/63.00A	87.90B/63.00A	----	86.20 + 5.40	.4647	----	----	----	----	18 UNCH
4845	----	----	----	----	----	67.80 UNCH	----	----	----	----	----	0 UNCH
4845	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4845	----	----	57.60B/30.00A	57.60B/30.00A	----	54.90 + 6.20	.4379	----	----	----	----	4 UNCH
4850	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4850	----	----	----	----	----	72.80 UNCH	----	----	----	----	----	0 UNCH
4850	50.30	50.30	55.30B/28.70A	55.30B/28.70A	----	52.60 + 5.70	.4252	----	----	12	----	36 - 2
4855	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4855	----	----	153.30B/83.40A	153.30B/83.40A	----	87.50 - 35.40	.5871	----	----	----	----	1 UNCH
4860	----	----	----	----	----	82.80 UNCH	----	----	----	----	----	0 UNCH
4860	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4865	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4865	----	----	----	----	----	87.80 UNCH	----	----	----	----	----	0 UNCH
4870	----	----	76.50B/53.90A	76.50B/53.90A	----	75.10 + 4.30	.4233	----	----	----	----	14 UNCH
4870	----	----	----	----	----	92.80 UNCH	----	----	----	----	----	0 UNCH
4870	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4875	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4875	----	----	----	----	----	97.80 UNCH	----	----	----	----	----	0 UNCH
4875	----	----	44.70B/*23.00A	44.70B/*23.00A	----	42.50 + 3.90	.3633	----	----	----	----	1 UNCH
4880	----	----	----	----	----	102.80 UNCH	----	----	----	----	----	0 UNCH
4880	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4885	----	----	40.90B/*21.00A	40.90B/*21.00A	----	38.90 + 3.20	.3394	----	----	----	----	10 UNCH
4885	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4890	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4890	----	----	39.10B/*20.20A	39.10B/*20.20A	----	37.10 NEW	.3274	----	----	1	----	1 + 1
4895	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4900	----	----	64.40B/45.50A	64.40B/45.50A	----	63.20 + 3.00	.3747	----	----	----	----	3 UNCH
4900	----	----	84.50B/65.80A	84.50B/65.80A	----	85.20 + 7.00	.4032	----	----	----	----	60 UNCH
4900	----	----	----	----	----	122.80 UNCH	----	----	----	----	----	0 UNCH
4900	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4900	21.00	21.00	35.70B/*18.30A	35.70B/*18.30A	----	33.90 + 2.30	.3047	----	----	17	----	42 + 13
4905	----	----	62.40B/43.90A	62.40B/43.90A	----	61.30 + 2.70	.3667	----	----	----	----	50 UNCH
4905	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4910	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4910	----	----	32.30B/*16.70A	32.30B/*16.70A	----	30.90 + 1.80	.2827	----	----	----	----	10 UNCH
4915	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4920	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4925	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4925	----	----	----	----	----	147.80 UNCH	----	----	----	----	----	0 UNCH
4925	----	----	28.00B/*14.50A	28.00B/*14.50A	----	26.80 + 1.10	.2512	----	----	1	----	2 + 1
4925	----	----	210.90B/129.00A	210.90B/129.00A	----	133.70 NEW	.7485	----	----	1	----	1 + 1
4930	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4935	----	----	----	----	----	157.80 UNCH	----	----	----	----	----	0 UNCH
4940	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4945	17.40	17.40	23.10B/*12.10A	23.10B/*12.10A	----	22.00 NEW	.2125	----	----	1	----	1 + 1
4950	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4950	----	----	21.90B/*11.50A	21.90B/*11.50A	----	21.00 + 0.10	.2039	----	----	7	----	7 + 3
4955	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4955	----	----	----	----	----	177.80 UNCH	----	----	----	----	----	0 UNCH
4955	----	----	20.80B/*11.00A	20.80B/*11.00A	----	20.00 UNCH	.1953	----	----	----	----	1 UNCH
4965	----	----	18.90B/*10.00A	18.90B/*10.00A	----	18.10 - 0.30	.1787	----	----	----	----	7 UNCH
4970	16.60	16.60	18.10/*9.70A	18.10/*9.70A	----	17.20 - 0.50	.1708	----	----	17	----	19 + 16
4975	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4975	9.00	9.00	17.00B/*9.00	17.00B/*9.00	----	16.30 - 0.60	.1628	----	----	32	----	33 + 32
4985	----	----	----/*8.40A	15.40B/*8.40A	----	14.80 NEW	.1489	----	----	1	----	1 + 1
4990	----	----	----/*25.60A	35.90B/*25.60A	----	36.20 + 0.20	.2444	----	----	----	----	14 UNCH
4990	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4990	----	----	----/*8.00A	14.60B/*8.00A	----	14.00 - 0.90	.1417	----	----	----	----	1 UNCH
4995	----	----	35.00B/*25.00A	35.00B/*25.00A	----	35.00 + 0.10	.2380	----	----	----	----	28 UNCH
4995	10.60	10.60	13.80B/*7.70A	13.80B/*7.70A	----	13.30 NEW	.1351	----	----	1	----	1 + 1
4995	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4995	----	----	274.40B/184.90A	274.40B/184.90A	----	190.20 - 41.70	.8647	----	----	----	----	1 UNCH
5000	----	----	50.60B/*40.90A	50.60B/*40.90A	----	52.10 + 3.00	.2812	----	----	----	----	1 UNCH
5000	34.00	34.00	34.00/*24.30A	34.00/*24.30A	----	33.90 UNCH	.2318	----	----	4	----	5 + 4
5000	----	----	----	----	----	222.80 UNCH	----	----	----	----	----	0 UNCH
5000	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
5000	8.50	8.50	13.20B/*7.20A	13.20B/*7.20A	----	12.70 - 1.00	.1292	----	----	4	----	13 + 2
5000	----	----	279.60B/189.10A	279.60B/189.10A	----	194.60 NEW	.8706	----	----	2	----	2 + 2
5005	----	----	----/*7.00A	12.50B/*7.00A	----	12.00 - 1.10	.1227	----	----	----	----	1 UNCH
5005	----	----	----	----	----	227.80 UNCH	----	----	----	----	----	0 UNCH
5010	----	----	----	----	----	232.80 UNCH	----	----	----	----	----	0 UNCH
5010	----	----	----/*6.70A	11.90B/*6.70A	----	11.40 - 1.20	.1169	----	----	1	----	6 + 1
5015	11.50	11.50	11.50/*6.40A	11.50/*6.40A	----	10.90 - 1.10	.1118	----	----	3	----	4 + 2
5015	----	----	293.60B/202.30A	293.60B/202.30A	----	207.80 NEW	.8880	----	----	2	----	2 + 2
5020	----	----	----/*6.10A	10.70B/*6.10A	----	10.30 - 1.20	.1061	----	----	----	----	1 UNCH
5025	8.00	8.00	10.10B/*5.90A	10.10B/*5.90A	----	9.80 - 1.30	.1011	----	----	1	----	4 + 1
5040	----	----	----/*5.20A	8.80B/*5.20A	----	8.40 - 1.40	.0870	----	----	----	----	40 UNCH
5050	----	----	----/*4.70A	7.90B/*4.70A	----	7.60 - 1.40	.0788	----	----	----	----	5 UNCH
5055	8.30	8.30	8.30/*4.60A	8.30/*4.60A	----	7.20 NEW	.0748	----	----	1	----	1 + 1
5060	7.50	7.50	7.50/*4.40A	7.50/*4.40A	----	6.90 NEW	.0715	----	----	6	----	6 + 6
5065	7.60	7.60	7.60/*4.20A	7.60/*4.20A	----	6.60 NEW	.0683	----	----	1	----	1 + 1
5070	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
5075	----	----	----/*28.20A	33.30B/*28.20A	----	34.90 + 0.90	.2049	----	----	----	----	2 UNCH
5075	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
5090	----	----	----/*3.40A	5.30B/*3.40A	----	5.20 - 1.30	.0535	----	----	----	----	13 UNCH
5095	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
5095	5.80	5.80	5.80/*3.40A	5.80/*3.40A	----	4.90 NEW	.0505	----	----	1	----	1 + 1
5100	----	----	----/*13.00A	16.70B/*13.00A	----	17.40 - 1.20	.1312	----	----	----	----	4 UNCH
5100	----	----	----	----	----	322.80 UNCH	----	----	----	----	----	0 UNCH
5100	----	----	----/*3.20A	4.80B/*3.20A	----	4.70 - 1.30	.0483	----	----	----	----	4 UNCH
5100	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
5105	----	----	----/*3.10A	4.60B/*3.10A	----	4.50 - 1.30	.0461	----	----	----	----	2 UNCH
5110	----	----	----/*3.00A	4.30B/*3.00A	----	4.30 - 1.30	.0439	----	----	----	----	2 UNCH
5150	----	----	----/*2.20A	3.10B/*2.20A	----	3.00 - 1.20	.0300	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWW WED — GOLD WEEKLY WEDNESDAY OPTION WEEK4

APR26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
5175	----	----	----/*8.60A	9.90B/*8.60A	----	10.30 - 1.50	.0817	----	----	----	----	4 UNCH
5175	2.00	2.00	2.50B/*1.90A	2.50B/*1.90A	----	2.50 - 1.00	.0244	----	----	1	----	2 UNCH
5200	15.00	15.00	17.00/*15.00	17.00/*15.00	----	16.60 NEW	.1102	----	----	360	----	360 + 360
5200	----	----	----/*1.60A	2.00B/*1.60A	----	2.00 - 0.90	.0192	----	----	----	----	3 UNCH
5250	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
5325	----	----	----/*0.90A	0.70B/*0.90A	----	0.60 - 0.40	.0052	----	----	----	----	2 UNCH
TOTAL										845		1918 + 780

GWT TUE — GOLD WEEKLY TUESDAY OPTION Week2

APR26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3500	----	----	----	----/1.00A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
3850	----	----	----	0.20B/*0.80A	----	0.20 - 0.40	.0007	----	----	----	----	2 UNCH
4000	1.80	1.80	#1.80/*1.80	1.80/*1.80	----	2.20 NEW	.0115	----	----	1	----	1 + 1
4000	----	----	----/*0.80A	0.40B/*0.80A	----	0.40 - 0.70	.0017	----	----	----	----	3 UNCH
4100	----	----	----/*0.80A	0.80B/*0.80A	----	0.60 - 1.00	.0029	----	----	----	----	16 UNCH
4150	----	----	----/*1.00A	1.00B/*1.00A	----	0.80 - 1.10	.0041	----	----	----	----	1 UNCH
4175	----	----	----/*1.00A	1.20B/*1.00A	----	0.80 - 1.30	.0043	----	----	----	----	48 UNCH
4200	----	----	----/*1.10A	1.40B/*1.10A	----	0.90 - 1.30	.0050	----	----	----	----	1 UNCH
4200	----	----	----/*4.00A	3.90B/*4.00A	----	3.80 - 2.90	.0230	----	----	----	----	1 UNCH
4250	----	----	----/*1.20A	1.80B/*1.20A	----	1.10 - 1.60	.0065	----	----	----	----	61 UNCH
4250	----	----	----/*4.90A	7.30B/*4.90A	----	4.50 - 3.90	.0282	----	----	----	----	25 UNCH
4285	----	----	----/*1.40A	2.20B/*1.40A	----	1.30 - 1.80	.0081	----	----	----	----	1 UNCH
4300	3.30	3.30	3.40B/*1.20	3.40B/*1.20	----	1.40 - 2.00	.0089	----	----	198	----	321 + 191
4300	17.50	17.50	20.00B/*11.40A	20.00B/*11.40A	----	10.70 - 7.90	.0597	----	----	2	----	2 UNCH
4300	----	----	----/*6.00A	9.80B/*6.00A	----	5.50 - 5.00	.0354	----	----	----	----	1 UNCH
4305	----	----	----/*1.50A	2.60B/*1.50A	----	1.40 - 2.00	.0090	----	----	----	----	5 UNCH
4310	----	----	----/*1.50A	2.70B/*1.50A	----	1.50 NEW	.0096	----	----	1	----	1 + 1
4340	----	----	----/*1.80A	3.40B/*1.80A	----	1.70 - 2.30	.0114	----	----	----	----	1 UNCH
4350	----	----	----/*1.80A	3.70B/*1.80A	----	1.80 - 2.40	.0123	----	----	----	----	99 UNCH
4350	----	----	25.40B/*14.10A	25.40B/*14.10A	----	13.70 - 9.40	.0758	----	----	----	----	1 UNCH
4360	----	----	----/*8.20A	13.90B/*8.20A	----	7.30 - 6.70	.0481	----	----	----	----	2 UNCH
4380	----	----	----/*2.10A	4.80B/*2.10A	----	2.10 NEW	.0149	----	----	5	----	3 + 3
4400	----	----	425.60B/335.30A	425.60B/335.30A	----	420.20 + 37.70	.9830	----	----	----	----	1 UNCH
4400	2.50	2.50	2.50/*2.30A	5.50B/*2.30A	----	2.30 - 3.20	.0169	----	----	1	----	21 UNCH
4450	----	----	8.00B/*3.10A	8.00B/*3.10A	----	3.10 - 4.10	.0243	----	----	----	----	8 UNCH
4455	5.00	5.00	8.30B/*3.20A	8.30B/*3.20A	----	3.20 NEW	.0253	----	----	1	----	1 + 1
4460	----	----	8.90B/*3.20A	8.90B/*3.20A	----	3.30 - 4.40	.0263	----	----	----	----	2 UNCH
4465	----	----	9.20B/*3.30A	9.20B/*3.30A	----	3.50 - 4.40	.0279	----	----	----	----	12 UNCH
4470	5.50	5.50	9.60B/*3.40A	9.60B/*3.40A	----	3.60 NEW	.0289	----	----	2	----	2 + 2
4475	----	----	10.00B/*3.60A	10.00B/*3.60A	----	3.70 - 4.70	.0299	----	----	----	----	2 UNCH
4475	----	----	45.20B/*25.20A	45.20B/*25.20A	----	25.10 - 14.50	.1342	----	----	----	----	1 UNCH
4475	----	----	356.10B/292.50A	356.10B/292.50A	----	356.10 + 29.60	.9095	----	----	----	----	5 UNCH
4480	----	----	27.90B/*13.40A	27.90B/*13.40A	----	13.90 - 11.30	.0928	----	----	----	----	5 UNCH
4485	----	----	10.70B/*3.80A	10.70B/*3.80A	----	3.90 - 5.10	.0320	----	----	----	----	11 UNCH
4490	----	----	11.10B/*3.90A	11.10B/*3.90A	----	4.10 - 5.20	.0338	----	----	----	----	0 UNCH
4495	----	----	11.60B/*4.00A	11.60B/*4.00A	----	4.20 NEW	.0349	----	----	1	----	1 + 1
4500	----	----	327.50B/242.50A	327.50B/242.50A	----	322.20 + 35.30	.9631	----	----	----	----	1 UNCH
4500	4.40	4.40	12.10B/*4.20A	12.10B/*4.20A	----	4.40 - 5.50	.0367	----	----	2	----	130 + 1
4500	15.00	15.00	31.20B/*15.00	31.20B/*15.00	----	15.50 NEW	.1035	----	----	1	----	1 + 1
4505	5.20	5.20	12.70B/*4.30A	12.70B/*4.30A	----	4.50 NEW	.0379	----	----	1	----	1 + 1
4520	----	----	14.00B/*4.80A	14.00B/*4.80A	----	5.00 - 6.30	.0428	----	----	----	----	2 UNCH
4525	----	----	14.60B/*4.90A	14.60B/*4.90A	----	5.20 - 6.50	.0448	----	----	50	----	103 + 50
4540	----	----	16.60B/*5.50A	16.60B/*5.50A	----	5.80 - 7.10	.0508	----	----	----	----	5 UNCH
4540	----	----	38.60B/*18.90A	38.60B/*18.90A	----	19.60 - 14.40	.1296	----	----	----	----	1 UNCH
4545	----	----	17.20B/*5.70A	17.20B/*5.70A	----	6.10 - 7.30	.0535	----	----	----	----	11 UNCH
4550	----	----	40.70B/*20.00A	40.70B/*20.00A	----	20.80 - 14.90	.1371	----	----	----	----	3 UNCH
4550	----	----	17.80B/*5.90A	17.80B/*5.90A	----	6.30 - 7.50	.0556	----	----	----	----	49 UNCH
4550	----	----	279.70B/199.30A	279.70B/199.30A	----	274.20 + 33.30	.9442	----	----	----	----	2 UNCH
4565	----	----	20.10B/*6.60A	20.10B/*6.60A	----	7.10 - 8.30	.0635	----	----	----	----	1 UNCH
4570	----	----	21.00B/*6.90A	21.00B/*6.90A	----	7.30 - 8.60	.0658	----	----	----	----	6 UNCH
4575	----	----	21.90B/*7.20A	21.90B/*7.20A	----	7.60 - 8.90	.0688	----	----	----	----	18 UNCH
4580	57.00	57.00	71.20B/*41.60A	71.20B/*41.60A	----	41.40 NEW	.2106	----	----	1	----	1 + 1
4585	----	----	72.50B/*42.70A	72.50B/*42.70A	----	42.40 - 20.10	.2150	----	----	----	----	3 UNCH
4590	----	----	241.90B/166.50A	241.90B/166.50A	----	236.50 + 31.00	.9211	----	----	----	----	1 UNCH
4590	----	----	24.40B/*8.10A	24.40B/*8.10A	----	8.60 - 9.80	.0787	----	----	----	----	14 UNCH
4595	13.70	13.70	25.50B/*8.40A	25.50B/*8.40A	----	9.00 NEW	.0826	----	----	3	----	3 + 3
4600	----	----	77.40B/*45.80A	77.40B/*45.80A	----	45.50 - 21.00	.2285	----	----	----	----	2 UNCH
4600	----	----	53.70B/*26.90A	53.70B/*26.90A	----	27.80 - 18.10	.1798	----	----	----	----	2 UNCH
4600	----	----	232.40B/159.00A	232.40B/159.00A	----	227.20 + 30.40	.9139	----	----	----	----	1 UNCH
4600	----	----	26.50B/*8.80A	26.50B/*8.80A	----	9.30 - 10.40	.0859	----	----	----	----	22 UNCH
4605	----	----	227.60B/154.80A	227.60B/154.80A	----	222.60 + 30.00	.9100	----	----	----	----	8 UNCH
4605	----	----	27.60B/*9.20A	27.60B/*9.20A	----	9.70 - 10.80	.0898	----	----	----	----	70 UNCH
4605	----	----	54.60B/*27.80A	54.60B/*27.80A	----	28.60 - 18.40	.1846	----	----	----	----	1 UNCH
4610	----	----	28.70B/*9.50A	28.70B/*9.50A	----	10.10 - 11.10	.0939	----	----	----	----	5 UNCH
4610	----	----	237.60B/186.60A	237.60B/186.60A	----	237.20 + 22.00	.8099	----	----	----	----	10 UNCH
4620	----	----	214.10B/143.50A	214.10B/143.50A	----	208.90 + 28.90	.8971	----	----	----	----	9 UNCH
4625	----	----	32.10B/*10.80A	32.10B/*10.80A	----	11.50 - 12.20	.1076	----	----	----	----	1 UNCH
4630	----	----	87.60B/*52.70A	87.60B/*52.70A	----	52.30 - 22.70	.2574	----	----	----	----	1 UNCH
4630	----	----	62.70B/*32.20A	62.70B/*32.20A	----	33.10 - 20.10	.2106	----	----	----	----	2 UNCH
4630	20.30	20.30	33.20B/*11.20A	33.20B/*11.20A	----	12.00 NEW	.1125	----	----	1	----	1 + 1
4635	----	----	200.30B/132.30A	200.30B/132.30A	----	195.40 + 27.80	.8823	----	----	----	----	12 UNCH
4635	----	----	64.30B/*33.20A	64.30B/*33.20A	----	34.00 NEW	.2160	----	----	18	----	18 + 18
4650	----	----	38.90B/*13.40A	38.90B/*13.40A	----	14.20 - 14.30	.1342	----	----	----	----	3 UNCH
4655	----	----	40.30B/*14.00A	40.30B/*14.00A	----	14.80 - 14.80	.1402	----	----	----	----	10 UNCH
4660	----	----	72.90B/*38.60A	72.90B/*38.60A	----	39.30 NEW	.2454	----	----	18	----	18 + 18
4665	----	----	43.50B/*15.30A	43.50B/*15.30A	----	16.10 NEW	.1529	----	----	25	----	25 + 25
4665	----	----	174.00B/112.10A	174.00B/112.10A	----	169.10 + 25.10	.8469	----	----	----	----	27 UNCH
4670	----	----	169.70B/108.60A	169.70B/108.60A	----	164.80 + 24.60	.8396	----	----	----	----	2 UNCH
4675	----	----	165.50B/101.10A	165.50B/101.10A	----	160.50 + 24.10	.8327	----	----	----	----	17 UNCH
4675	----	----	47.00B/*16.70A	47.00B/*16.70A	----	17.60 NEW	.1671	----	----	45	----	41 + 41
4680	----	----	161.20B/97.50A	161.20B/97.50A	----	156.30 + 23.60	.8252	----	----	----	----	9 UNCH
4680	18.80	18.80	48.60B/*17.30A	48.60B/*17.30A	----	18.40 - 17.20	.1746	----	----	2	----	2 + 1
4690	111.00	111.00	111.00/68.90A	111.00/68.90A	----	68.80 NEW	.3226	----	----	2	----	2 + 2
4690	----	----	175.60B/133.70A	175.60B/133.70A	----	174.40 + 16.10	.7153	----	----	----	----	3 UNCH
4690	24.00	24.00	52.40B/*18.90A	52.40B/*18.90A	----	20.10 - 18.20	.1905	----	----	26	----	25 + 24
4695	----	----	148.80B/87.30A	148.80B/87.30A	----	143.90 + 22.00	.8010	----	----	----	----	6 UNCH
4700	101.00	101.00	115.00B/*70.00	115.00B/*70.00	----	71.90 NEW	.3343	----	----	3	----	2 + 2
4700	45.30	45.30	56.40B/*20.60A	56.40B/*20.60A	----	21.90 - 19.30	.2072	----	----	3	----	29 - 1
4700	----	----	144.60B/84.50A	144.60B/84.50A	----	139.90 + 21.50	.7926	----	----	----	----	56 UNCH
4715	----	----	62.80B/*23.50A	62.80B/*23.50A	----	25.00 - 21.00	.2351	----	----	----	----	12 UNCH
4730	----	----	120.80B/67.10A	120.80B/67.10A	----	116.40 + 18.00	.7342	----	----	81	----	105 + 79
4730	35.80	35.80	69.80B/*26.80A	69.80B/*26.80A	----	28.50 - 22.70	.2656	----	----	13	----	37 + 2
4735	----	----	167.70B/131.80A	167.70B/131.80A	----	166.80 NEW	.6221	----	----	6	----	3 + 3
4735	----	----	131.60B/83.80A	131.60B/83.80A	----	83.90 NEW	.3773	----	----	6	----	3 + 3
4740	----	----	75.20B/*29.20A	75.20B/*29.20A	----	31.10 - 23.80	.2876	----	----	----	----	1 UNCH
4745	42.10	42.10	77.80B/*30.50A	77.80B/*30.50A	----	32.50 - 24.40	.2991	----	----	1	----	7 + 1
4745	----	----	109.70B/59.50A	109.70B/59.50A	----	105.40 + 16.30	.7007	----	----	----	----	1 UNCH
4750	----	----	106.00B/57.00A	106.00B/57.00A	----	101.90 + 15.80	.6891	----	----	----	----	8 UNCH
4750	68.20	68.20	112.10B/64.20A	112.10B/64.20A	----	65.10 NEW	.3742	----	----	2	----	2 + 2
4750	----	----	80.40B/*31.90A	80.40B/*31.90A	----	33.90 - 25.00	.3107	----	----	1	----	11 + 1
4755	----	----	102.70B/54.80A	102.70B/54.80A	----	98.40 + 15.20	.6770	----	----	----	----	7 UNCH
4770	----	----	92.10B/47.90A	92.10B/47.90A	----	88.20 + 13.40	.6394	----	----	5	----	4 + 1
4770	49.80	49.80	87.70B/*37.80A	87.70B/*37.80A	----	40.20 NEW	.3604	----	----	6	----	2 + 2
4790	51.30	51.30	79.80B/39.90A	79.80B/39.90A	----	75.60 NEW	.5856	----	----	1	----	1 + 1
4795	----	----	103.30B/*46.70A	103.30B/*46.70A	----	49.60 - 30.30	.4282	----	----	----	----	1 UNCH
4800	----	----	105.70B/73.80A	105.70B/73.80A	----	103.20 + 8.00	.5408	----	----	----	----	20 UNCH
4800	52.10	52.10	106.90B/*48.60A	106.90B/*48.60A	----	51.70 NEW	.4423	----	----	33	----	33 + 33
4800	----	----	73.70B/36.30A	73.70B/36.30A	----	69.70 + 10.00	.5575	----	----	----	----	34 UNCH
4805	----	----	70.70B/34.70A	70.70B/34.70A	----	66.80 + 9.30	.5432	----	----	----	----	1 UNCH
4805	57.70	57.70	110.10B/*50.80A	110.10B/*50.80A	----	53.90 NEW	.4566	----	----	1	----	1 + 1
4810	98.00	98.00	123.10B/97.20A	123.10B/97.20A	----	123.10 NEW	.5227	----	----	4	----	2 + 2
4815	----	----	173.80B/116.90A	173.80B/116.90A	----	117.50 NEW	.4836	----	----	6	----	6 + 6
4815	----	----	120.90B/94.10A	120.90B/94.10A	----	120.50 NEW	.5159	----	----	6	----	6 + 6
4815	----	----	65.00B/31.50A	65.00B/31.50A	----	61.40 + 8.30	.5143	----	----	----	----	13 UNCH
4825	----	----	92.20B/63.60A	92.20B/63.60A	----	90.10 + 6.50	.4967	----	----	----	----	3 UNCH
4825	29.60	29.60	60.00/28.60A	60.00/28.60A	----	56.20 + 7.30	.4851	----	----	97	----	76 + 66
4825	----	----	124.20B/59.70A	124.20B/59.70A	----	63.20 - 33.50	.5147	----	----	----	----	2 UNCH
4830	----	----	56.90B/27.20A	56.90B/27.20A	----	53.70 + 6.80	.4704	----	----	----	----	28 UNCH
4830	----	----	128.30B/62.00A	128.30B/62.00A	----	65.70 - 34.00	.5294	----	----	----	----	1 UNCH
4835	----	----	54.40B/25.90A	54.40B/25.90A	----	51.30 + 6.30	.4557	----	----	----	----	1 UNCH
4840	----	----	52.00B/*24.60A	52.00B/*24.60A	----	49.00 + 5.80	.4411	----	----	----	----	25 UNCH
4845	34.80	34.80	49.60B/*23.50A	49.60B/*23.50A	----	46.80 + 5.40	.4266	----	----	2	----	2 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWT TUE		GOLD WEEKLY TUESDAY OPTION Week2										
APR26												
4845	----	----	139.50B/69.70A	139.50B/69.70A	----	73.80 - 35.30	.5732	----	----	14	----	0 - 14
4850	91.00	91.00	108.00/80.80A	108.00/80.80A	----	103.10 NEW	.4676	----	----	2	----	1 + 1
4850	----	----	79.90B/55.30A	79.90B/55.30A	----	78.20 + 5.20	.4524	----	----	----	----	3 UNCH
4850	----	----	143.40B/72.40A	143.40B/72.40A	----	76.60 - 35.80	.5878	----	----	14	----	0 - 14
4850	44.00	44.00	47.20B/*22.20A	47.20B/*22.20A	----	44.60 + 5.00	.4120	----	----	1	----	12 + 1
4860	----	----	75.30B/51.60A	75.30B/51.60A	----	73.80 + 4.70	.4348	----	----	----	----	10 UNCH
4860	33.30	33.30	42.90B/*20.10A	42.90B/*20.10A	----	40.50 + 4.20	.3834	----	----	3	----	39 + 3
4870	29.90	29.90	38.90B/*18.10A	38.90B/*18.10A	----	36.70 NEW	.3554	----	----	1	----	1 + 1
4870	92.20	92.20	159.90B/84.30A	159.90B/84.30A	----	88.70 NEW	.6444	----	----	1	----	1 + 1
4875	28.40	28.40	37.00B/*17.10A	37.00B/*17.10A	----	34.90 + 3.10	.3417	----	----	56	----	59 + 54
4880	26.90	26.90	35.20B/*16.30A	35.20B/*16.30A	----	33.20 + 2.70	.3282	----	----	3	----	3 + 3
4885	22.20	22.20	33.40B/*15.50A	33.40B/*15.50A	----	31.50 NEW	.3149	----	----	56	----	55 + 55
4890	----	----	62.70B/42.00A	62.70B/42.00A	----	61.70 + 3.50	.3830	----	----	----	----	5 UNCH
4895	----	----	60.90B/41.00A	60.90B/41.00A	----	59.80 + 3.20	.3745	----	----	----	----	5 UNCH
4895	18.90	18.90	30.10B/*13.80A	30.10B/*13.80A	----	28.40 + 1.80	.2892	----	----	3	----	8 UNCH
4900	----	----	59.00B/*39.40A	59.00B/39.40A	----	58.00 + 3.10	.3661	----	----	----	----	1 UNCH
4900	23.30	23.30	28.50B/*13.20A	28.50B/*13.20A	----	26.90 + 1.50	.2766	----	----	118	----	111 + 105
4905	----	----	27.00B/*12.40A	27.00B/*12.40A	----	25.50 + 1.20	.2644	----	----	----	----	10 UNCH
4910	----	----	194.20B/111.30A	194.20B/111.30A	----	116.20 NEW	.7470	----	----	1	----	1 + 1
4910	20.60	20.60	25.60B/*11.90A	25.60B/*11.90A	----	24.20 NEW	.2528	----	----	89	----	41 + 41
4915	15.80	15.80	24.30B/*11.40A	24.30B/*11.40A	----	22.90 + 0.70	.2412	----	----	20	----	2 - 18
4925	----	----	226.30B/154.50A	226.30B/154.50A	----	156.50 - 38.50	.6741	----	----	----	----	1 UNCH
4925	14.80	14.80	21.70B/*10.10A	21.70B/*10.10A	----	20.60 NEW	.2196	----	----	15	----	15 + 15
4930	19.50	19.50	20.60B/*9.60A	20.60B/*9.60A	----	19.50 + 0.20	.2091	----	----	1	----	3 + 1
4935	----	----	19.40B/*9.20A	19.40B/*9.20A	----	18.50 + 0.10	.1993	----	----	25	----	26 + 25
4940	----	----	18.30B/*8.70A	18.30B/*8.70A	----	17.50 - 0.10	.1896	----	----	1	----	1 UNCH
4950	64.00	64.00	64.00/49.80A	64.00/49.80A	----	63.20 NEW	.3334	----	----	1	----	1 + 1
4950	----	----	42.30B/*28.80A	42.30B/*28.80A	----	42.20 NEW	.2872	----	----	18	----	18 + 18
4950	10.80	10.80	16.40B/*7.90A	16.40B/*7.90A	----	15.60 - 0.40	.1709	----	----	4	----	19 + 3
4960	----	----	39.70B/*27.00A	39.70B/*27.00A	----	39.40 + 1.10	.2723	----	----	----	----	5 UNCH
4960	8.80	8.80	14.70B/*7.20A	14.70B/*7.20A	----	14.00 - 0.60	.1543	----	----	5	----	5 + 4
4965	----	----	----/*6.80A	13.80B/*6.80A	----	13.20 - 0.70	.1461	----	----	----	----	1 UNCH
4970	13.80	13.80	13.80/*6.50A	13.80/*6.50A	----	12.50 - 0.80	.1386	----	----	20	----	20 UNCH
4975	----	----	266.80B/192.60A	266.80B/192.60A	----	192.50 - 40.00	.7482	----	----	----	----	1 UNCH
4975	----	----	35.70B/*24.20A	35.70B/*24.20A	----	35.70 NEW	.2514	----	----	18	----	18 + 18
4975	----	----	253.80B/163.20A	253.80B/163.20A	----	168.70 - 41.70	.8685	----	----	1	----	1 UNCH
4975	----	----	----/*6.20A	12.40B/*6.20A	----	11.80 - 0.90	.1313	----	----	----	----	16 UNCH
4980	----	----	----/*5.90A	11.70B/*5.90A	----	11.20 - 0.90	.1246	----	----	----	----	20 UNCH
4985	----	----	----/*5.60A	11.10B/*5.60A	----	10.60 - 1.00	.1181	----	----	----	----	306 UNCH
4985	----	----	262.90B/171.90A	262.90B/171.90A	----	177.50 NEW	.8817	----	----	1	----	1 + 1
4990	----	----	----/*5.40A	10.50B/*5.40A	----	10.00 - 1.10	.1117	----	----	----	----	5 UNCH
4995	----	----	----/*5.10A	9.90B/*5.10A	----	9.40 - 1.20	.1053	----	----	----	----	11 UNCH
5000	8.00	8.00	9.40B/*4.90A	9.40B/*4.90A	----	8.90 - 1.20	.0997	----	----	2	----	32 + 1
5005	----	----	----/*4.70A	8.90B/*4.70A	----	8.40 - 1.20	.0941	----	----	----	----	25 UNCH
5010	----	----	----/*4.50A	8.40B/*4.50A	----	8.00 - 1.20	.0894	----	----	----	----	46 UNCH
5015	----	----	----/*4.30A	7.80B/*4.30A	----	7.60 - 1.20	.0848	----	----	----	----	25 UNCH
5020	----	----	----/*4.10A	7.50B/*4.10A	----	7.20 - 1.20	.0803	----	----	----	----	1 UNCH
5025	----	----	----/*17.30A	24.80B/*17.30A	----	25.10 - 0.60	.1882	----	----	----	----	4 UNCH
5025	7.10	7.10	7.10/*4.00A	7.10/*4.00A	----	6.80 - 1.30	.0758	----	----	16	----	16 + 15
5030	6.80	6.80	6.80/*3.90A	6.80/*3.90A	----	6.40 - 1.30	.0713	----	----	1	----	2 + 1
5045	5.80	5.80	5.80/*3.40A	5.80/*3.40A	----	5.40 NEW	.0599	----	----	2	----	2 + 2
5050	5.40	5.40	5.40/*3.30A	5.40/*3.30A	----	5.20 - 1.30	.0573	----	----	2	----	3 + 2
5060	----	----	----/*3.00A	4.60B/*3.00A	----	4.60 - 1.30	.0506	----	----	----	----	5 UNCH
5070	4.50	4.50	4.50/*2.80A	4.50/*2.80A	----	4.20 NEW	.0457	----	----	6	----	6 + 6
5075	25.50	25.50	30.40B/*25.40A	30.40B/*25.40A	----	31.80 NEW	.1953	----	----	1	----	1 + 1
5085	3.90	3.90	3.90/*2.50A	3.90/*2.50A	----	3.60 NEW	.0387	----	----	2	----	2 + 2
5100	----	----	----/*2.20A	3.00B/*2.20A	----	3.10 - 1.10	.0329	----	----	----	----	6 UNCH
5120	----	----	----/*1.90A	2.50B/*1.90A	----	2.50 - 1.10	.0261	----	----	----	----	1 UNCH
5150	----	----	----/*8.10A	9.50B/*8.10A	----	10.10 - 2.00	.0838	----	----	----	----	21 UNCH
5175	----	----	----/*1.20A	1.40B/*1.20A	----	1.50 - 0.90	.0147	----	----	----	----	1 UNCH
5200	----	----	----/*13.90A	14.30B/*13.90A	----	15.50 - 1.90	.1053	----	----	1	----	1 UNCH
5200	----	----	----/*1.00A	1.10B/*1.00A	----	1.30 - 0.70	.0122	----	----	----	----	1 UNCH
5235	----	----	----/*0.90A	0.70B/*0.90A	----	1.00 - 0.60	.0089	----	----	----	----	2 UNCH
5300	----	----	----/*0.70A	0.30B/*0.70A	----	0.60 - 0.50	.0049	----	----	----	----	12 UNCH
TOTAL										1209		3003 + 934
MAY26												
4795	139.50	139.50	#150.30B/*124.1	150.30B/*124.10A	----	151.10 NEW	.5405	----	----	1	----	1 + 1
4850	107.00	107.00	#122.60B/*101.4	122.60B/*101.40A	----	123.60 NEW	.4764	----	----	4	----	4 + 4
4900	----	----	#100.20B/*83.90	100.20B/*83.90A	----	101.80 + 6.80	.4186	----	----	----	----	20 UNCH
5000	53.00	53.00	64.40B/*53.00	64.40B/*53.00	----	66.70 + 3.60	.3095	----	----	2	----	32 + 2
TOTAL										7		57 + 7

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU		GOLD WEEKLY THURSDAY OPTION Week2										
APR26												
3500	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
3700	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
3800	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
3850	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
3900	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
3950	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4000	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
4000	----	----	----/*1.20A	0.90B/*1.20A	----	0.90 NEW	.0045	----	----	3	----	3 + 3
4025	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4050	----	----	----/*1.30A	1.20B/*1.30A	----	1.10 - 0.60	.0057	----	----	----	----	2 UNCH
4100	1.20	1.20	1.20/*1.20	1.40B/*1.20	----	1.30 - 0.80	.0071	----	----	1	----	2 + 1
4100	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
4125	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4150	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4175	----	----	----/*1.80A	2.20B/*1.80A	----	1.80 NEW	.0105	----	----	2	----	2 + 2
4200	----	----	----/*1.90A	2.60B/*1.90A	----	1.90 - 1.40	.0114	----	----	----	----	3 UNCH
4200	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 123
4225	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 5
4225	----	----	----/*5.90A	8.20B/*5.90A	----	5.60 - 4.40	.0328	----	----	----	----	115 UNCH
4225	----	----	----/*2.10A	3.20B/*2.10A	----	2.10 - 1.60	.0129	----	----	----	----	3 UNCH
4230	----	----	----/*2.20A	3.20B/*2.20A	----	2.20 - 1.60	.0135	----	----	----	----	0 UNCH
4235	----	----	----/*2.20A	3.30B/*2.20A	----	2.20 - 1.70	.0136	----	----	----	----	1 UNCH
4245	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 1
4250	----	----	----	----/*0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 52
4250	----	----	----/*2.40A	3.70B/*2.40A	----	2.40 - 1.80	.0150	----	----	----	----	1 UNCH
4250	9.40	9.40	10.40/*7.40A	10.40/*7.40A	----	6.20 NEW	.0367	----	----	300	----	300 + 300
4255	----	----	----/*2.40A	3.80B/*2.40A	----	2.40 - 1.90	.0151	----	----	----	----	1 UNCH
4260	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 2
4265	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 1
4270	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 9
4275	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 1
4285	----	----	----/*2.70A	4.70B/*2.70A	----	2.70 - 2.40	.0175	----	----	----	----	1 UNCH
4300	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 31
4300	----	----	----/*2.90A	5.20B/*2.90A	----	2.90 - 2.60	.0191	----	----	----	----	2 UNCH
4305	----	----	----/0.20A	----/0.20A	----	0.00 - 0.30	----	----	----	----	----	0 - 1
4310	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 11
4310	----	----	----/*3.10A	5.60B/*3.10A	----	3.10 - 2.70	.0205	----	----	1	----	1 UNCH
4320	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 6
4325	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 4
4325	----	----	----/*3.10A	6.10B/*3.10A	----	3.30 - 2.90	.0222	----	----	----	----	150 UNCH
4330	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 10
4335	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 13
4340	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 3
4345	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 11
4350	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 189
4350	----	----	----/*3.50A	7.10B/*3.50A	----	3.70 - 3.40	.0254	----	----	----	----	4 UNCH
4355	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 5
4360	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 1
4365	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 1
4370	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 2
4375	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 2
4390	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 1
4395	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 2
4400	----	----	9.80B/*4.50A	9.80B/*4.50A	----	4.80 - 4.60	.0344	----	----	1	----	1 - 1
4400	----	----	22.00B/*11.90A	22.00B/*11.90A	----	12.10 - 9.60	.0741	----	----	----	----	1 UNCH
4400	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.60	----	----	----	1	----	0 - 22
4405	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 1
4410	----	----	10.50B/*4.80A	10.50B/*4.80A	----	5.00 - 4.90	.0362	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU		GOLD WEEKLY THURSDAY OPTION Week4										
APR26												
4410	----	----	23.00B/*12.50A	23.00B/*12.50A	----	12.70 - 10.00	.0778	----	----	----	----	2 UNCH
4410	----	----	----/*0.10A	0.20B/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 5
4415	----	----	408.20B/309.90A	408.20B/309.90A	----	403.00 + 40.10	----	----	----	----	----	0 - 8
4415	----	----	413.30B/323.90A	413.30B/323.90A	----	407.90 + 35.70	.9621	----	----	----	----	5 UNCH
4415	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 12
4420	----	----	403.20B/304.90A	403.20B/304.90A	----	398.00 + 40.10	----	----	----	----	----	0 - 5
4420	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 3
4420	----	----	408.10B/319.60A	408.10B/319.60A	----	403.10 + 35.60	.9612	----	----	----	----	5 UNCH
4425	28.80	28.80	#28.80/*24.40A	#28.80/*24.40A	----	23.90 NEW	.1205	----	----	15	----	15 + 15
4425	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 11
4425	----	----	11.70B/*5.20A	11.70B/*5.20A	----	5.40 - 5.40	.0396	----	----	----	----	1 UNCH
4430	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.70	----	----	----	----	----	0 - 1
4435	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 2
4440	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.80	----	----	----	----	----	0 - 2
4440	----	----	383.20B/285.00A	383.20B/285.00A	----	378.00 + 40.00	----	----	----	----	----	0 - 1
4445	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.80	----	----	----	----	----	0 - 1
4450	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.80	----	----	----	----	----	0 - 22
4455	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.80	----	----	----	----	----	0 - 1
4460	----	----	14.90B/*6.40A	14.90B/*6.40A	----	6.70 - 6.50	.0502	----	----	----	----	4 UNCH
4460	----	----	30.10B/*16.00A	30.10B/*16.00A	----	16.40 - 12.20	.1002	----	----	----	----	1 UNCH
4465	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.90	----	----	----	----	----	0 - 2
4465	----	----	15.40B/*6.50A	15.40B/*6.50A	----	6.90 - 6.70	.0518	----	----	----	----	3 UNCH
4470	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.90	----	----	----	----	----	0 - 2
4470	----	----	353.20B/255.30A	353.20B/255.30A	----	348.00 + 39.90	----	----	----	----	----	0 - 5
4470	----	----	31.70B/*16.80A	31.70B/*16.80A	----	17.20 - 12.70	.1051	----	----	----	----	2 UNCH
4475	0.30	0.30	0.30/*0.20A	0.30/*0.20A	----	0.00 - 0.90	----	----	----	1	----	0 - 91
4475	----	----	16.50B/*6.90A	16.50B/*6.90A	----	7.30 - 7.10	.0552	----	----	1	----	2 UNCH
4480	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.90	----	----	----	----	----	0 - 4
4480	----	----	33.60B/*17.70A	33.60B/*17.70A	----	18.20 - 13.20	.1108	----	----	----	----	4 UNCH
4480	----	----	17.10B/*7.10A	17.10B/*7.10A	----	7.50 - 7.30	.0569	----	----	1	----	1 UNCH
4485	----	----	17.70B/*7.40A	17.70B/*7.40A	----	7.70 NEW	.0587	----	----	1	----	1 + 1
4485	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 1.00	----	----	----	1	----	0 - 1
4495	----	----	----/*0.20A	0.50B/*0.20A	----	0.00 - 1.00	----	----	----	----	----	0 - 2
4495	270.00	270.00	328.20B/230.50A	328.20B/230.50A	----	323.00 + 39.80	----	----	----	2	----	0 - 2
4500	33.00	33.00	#34.90B/*33.00	#34.90B/*33.00	----	33.40 NEW	.1638	----	----	1	----	1 + 1
4500	270.10	270.10	323.30B/226.20A	323.30B/226.20A	----	318.00 + 39.70	----	----	----	2	----	0 - 11
4500	----	----	19.40B/*8.10A	19.40B/*8.10A	----	8.50 - 8.10	.0652	----	----	20	----	19 + 2
4500	----	----	----/*0.10A	0.50B/*0.10A	----	0.00 - 1.10	----	----	----	----	----	0 - 50
4500	----	----	37.10B/*19.80A	37.10B/*19.80A	----	20.20 - 14.20	.1225	----	----	----	----	1 UNCH
4510	----	----	39.00B/*20.80A	39.00B/*20.80A	----	21.30 - 14.70	.1288	----	----	----	----	2 UNCH
4510	----	----	----/*0.20A	0.60B/*0.20A	----	0.00 - 1.10	----	----	----	----	----	0 - 3
4520	----	----	----/*0.20A	0.80B/*0.20A	----	0.00 - 1.20	----	----	----	----	----	0 - 2
4525	15.70	15.70	23.00B/*9.50A	23.00B/*9.50A	----	9.90 - 9.40	.0770	----	----	19	----	72 UNCH
4525	----	----	----/*0.20A	0.90B/*0.20A	----	0.00 - 1.30	----	----	----	----	----	0 - 27
4530	----	----	----/*0.20A	0.90B/*0.20A	----	0.00 - 1.30	----	----	----	----	----	0 - 1
4530	----	----	23.90B/*9.80A	23.90B/*9.80A	----	10.30 - 9.50	.0801	----	----	----	----	2 UNCH
4535	----	----	----/*0.20A	1.00B/*0.20A	----	0.00 - 1.40	----	----	----	----	----	0 - 3
4535	----	----	288.10B/191.30A	288.10B/191.30A	----	283.00 + 39.40	----	----	----	1	----	0 - 1
4540	----	----	283.20B/187.00A	283.20B/187.00A	----	278.00 + 39.40	----	----	----	----	----	0 - 1
4540	----	----	45.40B/*24.50A	45.40B/*24.50A	----	25.00 - 16.30	.1497	----	----	----	----	2 UNCH
4540	12.00	12.00	25.50B/*10.50A	25.50B/*10.50A	----	11.00 NEW	.0858	----	----	2	----	2 + 2
4540	----	----	----/*0.20A	1.20B/*0.20A	----	0.00 - 1.40	----	----	----	----	----	0 - 4
4545	1.70	1.70	1.70/*0.20A	1.70/*0.20A	----	0.00 - 1.50	----	----	----	1	----	0 - 26
4545	----	----	----/*41.50A	#43.30B/*41.50A	----	40.80 NEW	.1958	----	----	2	----	2 + 2
4550	----	----	284.50B/206.90A	284.50B/206.90A	----	279.60 + 30.20	.9081	----	----	----	----	1 UNCH
4550	----	----	273.30B/176.70A	273.30B/176.70A	----	268.00 + 39.20	----	----	----	----	----	0 - 2
4550	1.40	1.40	1.40/*0.20A	1.40/*0.20A	----	0.00 - 1.60	----	----	----	1	----	0 - 19
4550	----	----	27.20B/*11.20A	27.20B/*11.20A	----	11.70 - 10.60	.0917	----	----	1	----	1 UNCH
4555	----	----	----/*0.20A	1.60B/*0.20A	----	0.00 - 1.60	----	----	----	----	----	0 - 6
4560	----	----	----/*0.20A	1.50B/*0.20A	----	0.00 - 1.70	----	----	----	----	----	0 - 4
4565	----	----	30.10B/*12.40A	30.10B/*12.40A	----	13.00 NEW	.1021	----	----	1	----	1 + 1
4565	----	----	----/*0.20A	1.70B/*0.20A	----	0.00 - 1.80	----	----	----	----	----	0 - 5
4570	----	----	----/*0.20A	1.80B/*0.20A	----	0.00 - 1.90	----	----	----	----	----	0 - 25
4575	----	----	----/*47.20A	#49.60B/*47.20A	----	46.50 NEW	.2197	----	----	1	----	1 + 1
4575	0.30	0.30	2.10B/*0.20A	2.10B/*0.20A	----	0.00 - 2.00	----	----	----	1	----	0 - 5
4575	----	----	54.30B/*29.60A	54.30B/*29.60A	----	30.20 - 18.30	.1780	----	----	----	----	55 UNCH
4580	0.20	0.20	2.20B/*0.20	2.20B/*0.20	----	0.00 - 2.10	----	----	----	1	----	0 - 23
4580	----	----	33.20B/*13.80A	33.20B/*13.80A	----	14.40 NEW	.1134	----	----	2	----	2 + 2
4585	----	----	2.60B/*0.20A	2.60B/*0.20A	----	0.00 - 2.20	----	----	----	----	----	0 - 14
4590	----	----	2.90B/*0.20A	2.90B/*0.20A	----	0.00 - 2.30	----	----	----	----	----	0 - 2
4590	----	----	35.40B/*14.80A	35.40B/*14.80A	----	15.40 - 13.00	.1214	----	----	----	----	1 UNCH
4595	----	----	3.10B/*0.20A	3.10B/*0.20A	----	0.00 - 2.40	----	----	----	----	----	0 - 3
4600	----	----	223.30B/129.20A	223.30B/129.20A	----	218.00 + 38.20	----	----	----	----	----	0 - 25
4600	3.70	3.70	3.70/*0.10	3.70/*0.10	----	0.00 - 2.60	----	----	----	115	----	0 - 206
4600	34.60	34.60	37.90B/*15.90A	37.90B/*15.90A	----	16.50 - 13.60	.1302	----	----	4	----	15 UNCH
4605	----	----	62.30B/*34.80A	62.30B/*34.80A	----	35.50 - 20.20	.2057	----	----	----	----	1 UNCH
4605	----	----	3.80B/*0.20A	3.80B/*0.20A	----	0.00 - 2.70	----	----	----	----	----	0 - 10
4610	----	----	4.20B/*0.20A	4.20B/*0.20A	----	0.00 - 2.90	----	----	----	3	----	0 - 2
4610	----	----	40.50B/*17.00A	40.50B/*17.00A	----	17.70 - 14.30	.1396	----	----	----	----	5 UNCH
4615	----	----	208.20B/116.10A	208.20B/116.10A	----	203.00 + 37.70	----	----	----	1	----	0 - 1
4615	3.10	3.10	4.80B/*0.20A	4.80B/*0.20A	----	0.00 NEW	----	----	----	3	----	0 UNCH
4620	----	----	203.20B/111.60A	203.20B/111.60A	----	198.00 + 37.50	----	----	----	----	----	0 - 3
4620	5.50	5.50	5.50/*0.20	5.50/*0.20	----	0.00 - 3.30	----	----	----	12	----	0 - 12
4620	20.00	20.00	43.10B/*18.30A	43.10B/*18.30A	----	19.00 NEW	.1496	----	----	12	----	12 + 12
4625	21.50	21.50	44.70B/*19.00A	44.70B/*19.00A	----	19.60 NEW	.1545	----	----	1	----	1 + 1
4625	----	----	198.20B/106.60A	198.20B/106.60A	----	193.00 + 37.30	----	----	----	----	----	0 - 2
4625	3.20	3.20	5.70B/*0.20A	5.70B/*0.20A	----	0.00 - 3.50	----	----	----	6	----	0 - 32
4630	----	----	6.20B/*0.20A	6.20B/*0.20A	----	0.00 - 3.70	----	----	----	1	----	0 - 7
4635	----	----	188.30B/98.20A	188.30B/98.20A	----	183.00 + 36.80	----	----	----	----	----	0 - 15
4640	0.80	0.80	7.50B/*0.20	7.50B/*0.20	----	0.00 - 4.30	----	----	----	2	----	0 - 3
4640	----	----	183.30B/93.60A	183.30B/93.60A	----	178.00 + 36.50	----	----	----	3	----	0 - 1
4640	----	----	48.90B/*21.10A	48.90B/*21.10A	----	21.90 - 16.70	.1717	----	----	----	----	1 UNCH
4645	----	----	8.20B/*0.20A	8.20B/*0.20A	----	0.00 - 4.60	----	----	----	2	----	0 - 2
4645	----	----	178.30B/89.30A	178.30B/89.30A	----	173.00 + 36.20	----	----	----	----	----	0 - 3
4650	27.50	27.50	52.00B/*22.70A	52.00B/*22.70A	----	23.50 - 17.50	.1838	----	----	4	----	5 + 4
4650	----	----	173.30B/85.40A	173.30B/85.40A	----	168.00 + 35.90	----	----	----	----	----	0 - 1
4650	1.00	1.00	9.00B/*0.20A	9.00B/*0.20A	----	0.00 - 4.90	----	----	----	11	----	0 - 104
4655	6.10	6.10	9.70B/*0.20A	9.70B/*0.20A	----	0.00 - 5.20	----	----	----	2	----	0 - 2
4655	----	----	53.70B/*23.50A	53.70B/*23.50A	----	24.30 - 18.00	.1899	----	----	----	----	1 UNCH
4655	----	----	168.30B/81.10A	168.30B/81.10A	----	163.00 + 35.60	----	----	----	3	----	0 - 4
4660	----	----	163.30B/77.20A	163.30B/77.20A	----	158.00 + 35.20	----	----	----	----	----	0 - 1
4660	31.00	31.00	55.30B/*24.30A	55.30B/*24.30A	----	25.20 NEW	.1965	----	----	1	----	1 + 1
4660	11.00	11.00	11.00/*0.10	11.00/*0.10	----	0.00 - 5.60	----	----	----	10	----	0 - 17
4665	----	----	158.20B/72.80A	158.20B/72.80A	----	153.00 + 34.80	----	----	----	----	----	0 - 6
4665	10.90	10.90	11.40B/*0.20	11.40B/*0.20	----	0.00 - 6.00	----	----	----	2	----	0 - 4
4670	12.50	12.50	12.50/*0.20A	12.50/*0.20A	----	0.00 - 6.40	----	----	----	13	----	0 - 4
4675	----	----	60.60B/*27.00A	60.60B/*27.00A	----	28.10 - 19.60	.2173	----	----	----	----	1 UNCH
4675	14.80	14.80	14.80/*0.20A	14.80/*0.20A	----	0.00 - 6.90	----	----	----	5	----	0 - 97
4675	----	----	148.10B/64.40A	148.10B/64.40A	----	143.00 + 33.90	----	----	----	----	----	0 - 1
4680	----	----	143.30B/60.30A	143.30B/60.30A	----	138.00 + 33.40	----	----	----	----	----	0 - 6
4680	----	----	171.10B/112.20A	171.10B/112.20A	----	167.00 + 20.70	.7753	----	----	----	----	30 UNCH
4680	1.20	1.20	14.60B/*0.20A	14.60B/*0.20A	----	0.00 - 7.40	----	----	----	10	----	0 - 42
4685	----	----	138.30B/56.30A	138.30B/56.30A	----	133.00 + 32.80	----	----	----	----	----	0 - 15
4685	9.50	9.50	16.30B/*0.20A	16.30B/*0.20A	----	0.00 - 8.00	----	----	----	7	----	0 - 8
4690	9.40	9.40	17.20B/*0.20A	17.20B/*0.20A	----	0.00 - 8.60	----	----	----	8	----	0 - 8
4690	----	----	133.30B/52.30A	133.30B/52.30A	----	128.00 + 32.20	----	----	----	----	----	0 - 8
4695	----	----	128.30B/48.90A	128.30B/48.90A	----	123.00 + 31.50	----	----	----	----	----	0 - 1
4695	14.00	14.00	18.90B/*0.20A	18.90B/*0.20A	----	0.00 - 9.30	----	----	----	5	----	0 - 1
4700	50.50	50.50	123.30B/45.20A	123.30B/45.20A	----	118.00 + 30.80	----	----	----	1	----	0 - 76
4700	20.00	20.00	22.50/*0.10	22.50/*0.10	----	0.00 - 10.00	----	----	----	66	----	0 - 190
4700	47.70	47.70	70.50B/*32.20A	70.50B/*32.20A	----	33.60 - 21.80	.2556	----	----	2	----	2 + 1
4700	----	----	155.50B/99.80A	155.50B/99.80A	----	151.50 + 19.00	.7441	----	----	----	----	6 UNCH
4700	----	----	178.00B/135.20A	178.00B/135.20A	----	176.60 + 14.40	.6841	----	----	----	----	1 UNCH
4705	----	----	118.30B/41.70A	118.30B/41.70A	----	113.00 + 30.00	----	----	----	3	----	0 - 9
4705	13.00	13.00	22.10B/*0.20A	22.10B/*0.20A	----	0.00 - 10.80	----	----	----	4	----	0 - 1
4710	----	----	113.30B/38.40A	113.30B/38.40A	----	108.00 + 29.20	----	----	----	2	----	0 - 37
4710	5.30	5.30	23.80B/*0.20A	23.80B/*0.20A	----	0.00 - 11.60	----	----	----	10	----	0 - 6
4710	100.00	100.00	100.80B/*60.50A	100.80B/*60.50A	----	61.90 NEW	.3289	----	----	1	----	1 + 1
4715	----	----	25.40B/*0.20A	25.40B/*0.20A	----	0.00 - 12.60	----	----	----	3	----	0 - 45
4715	----	----	77.30B/*35.80A	77.30B/*35.80A	----	37.30 - 23.10	.2807	----	----	----	----	1 UNCH
4715	----	----	108.20B/34.00A	108.20B/34.00A	----	103.00 + 28.20	----	----	----	----	----	0 - 9
4720	----	----	103.20B/31.20A	103.20B/31.20A	----	98.00 + 27.20	----	----	----	1	----	0 - 23
4720	17.20	17.20	27.40B/*0.10	27.40B/*0.10	----	0.00 - 13.60	----	----	----	61	----	0 - 17
4725	27.10	27.10	29.40B/*0.20A	29.40B/*0.20A	----	0.00 - 14.60	----	----	----	41	----	0 - 22
4725	----	----	98.40B/28.30A	98.40B/28.30A	----	93.00 + 26.20	----	----	----	----	----	0 - 10
4730	27.00	27.00	33.00/*0.20A	33.00/*0.20A	----	0.00 - 15.80	----	----	----	49	----	0 - 34
4730	47.00	47.00	84.40B/*39.80A	84.40B/*39.80A	----	41.50 NEW	.3077	----	----	3	----	3 + 3

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU APR26		GOLD WEEKLY THURSDAY OPTION Week2										
4730	32.50	32.50	93.40B/*23.60	93.40B/*23.60	----	88.00 + 25.00	----	----	----	6	----	0 - 6
4735	31.20	31.20	88.40B/*22.80A	88.40B/*22.80A	----	83.00 + 23.70	----	----	----	9	----	0 - 11
4735	18.20	18.20	34.00B/*0.20A	34.00B/*0.20A	----	0.00 - 17.10	----	----	----	20	----	0 - 8
4740	29.00	29.00	83.40B/*20.30A	83.40B/*20.30A	----	78.00 + 22.40	----	----	----	19	----	0 - 8
4740	10.80	10.80	36.40B/*0.20A	36.40B/*0.20A	----	0.00 - 18.40	----	----	----	36	----	0 - 3
4745	27.00	27.00	78.40B/*18.20A	78.40B/*18.20A	----	73.00 NEW	----	----	----	5	----	0 UNCH
4745	10.70	10.70	39.00B/*0.20	39.00B/*0.20	----	0.00 - 19.90	----	----	----	15	----	0 - 3
4745	96.80	96.80	122.50B/75.20A	122.50B/75.20A	----	119.00 + 15.00	.6635	----	----	2	----	64 + 2
4750	----	----	118.70B/72.80A	118.70B/72.80A	----	115.70 + 14.60	.6537	----	----	----	----	1 UNCH
4750	25.00	25.00	73.40B/*16.20A	73.40B/*16.20A	----	68.00 + 19.30	----	----	----	26	----	0 - 40
4750	21.50	21.50	42.20B/*0.20A	42.20B/*0.20A	----	0.00 - 21.50	----	----	----	29	----	0 - 80
4755	11.00	11.00	45.40B/*0.20A	45.40B/*0.20A	----	0.00 - 23.20	----	----	----	13	----	0 - 11
4755	----	----	97.50B/*47.50A	97.50B/*47.50A	----	49.40 - 26.60	.3561	----	----	----	----	1 UNCH
4760	24.00	24.00	63.40B/*12.50A	63.40B/*12.50A	----	58.00 + 15.80	----	----	----	28	----	0 - 1
4760	27.00	27.00	48.70B/*0.10A	48.70B/*0.10A	----	0.00 - 25.00	----	----	----	60	----	0 - 35
4760	87.90	87.90	112.20B/67.90A	112.20B/67.90A	----	109.10 NEW	.6335	----	----	3	----	3 + 3
4760	72.30	72.30	100.00B/*49.00A	100.00B/*49.00A	----	51.10 NEW	.3662	----	----	4	----	2 + 2
4765	16.30	16.30	51.90B/*0.20A	51.90B/*0.20A	----	0.00 - 27.00	----	----	----	27	----	0 - 3
4765	19.50	19.50	58.40B/*11.00A	58.40B/*11.00A	----	53.00 + 13.80	----	----	----	13	----	0 - 5
4770	31.00	31.00	55.70B/*0.20	55.70B/*0.20	----	0.00 - 29.10	----	----	----	88	----	0 - 19
4770	19.00	19.00	53.50B/*9.70A	53.50B/*9.70A	----	48.00 + 11.70	----	----	----	71	----	0 - 16
4775	----	----	108.20B/54.30A	108.20B/54.30A	----	56.60 - 28.40	.3976	----	----	----	----	1 UNCH
4775	----	----	103.00B/61.20A	103.00B/61.20A	----	99.60 + 12.40	.6022	----	----	----	----	6 UNCH
4775	9.90	9.90	48.60B/*6.90	48.60B/*6.90	----	43.00 + 9.50	----	----	----	49	----	0 - 71
4775	32.50	32.50	59.50B/*0.20A	59.50B/*0.20A	----	0.00 - 31.30	----	----	----	79	----	0 - 15
4780	37.50	37.50	63.30B/*0.20A	63.30B/*0.20A	----	0.00 - 33.70	----	----	----	50	----	0 - 6
4780	12.00	12.00	43.70B/*7.30A	43.70B/*7.30A	----	38.00 + 7.10	----	----	----	29	----	0 - 39
4785	15.80	15.80	67.70B/*0.20A	67.70B/*0.20A	----	0.00 - 36.20	----	----	----	15	----	0 - 8
4785	15.60	15.60	38.70B/*5.00A	38.70B/*5.00A	----	33.00 + 4.60	----	----	----	21	----	0 - 13
4790	11.90	11.90	34.10B/*5.00A	34.10B/*5.00A	----	28.00 + 2.00	----	----	----	84	----	0 - 18
4790	13.20	13.20	71.30B/*0.20A	71.30B/*0.20A	----	0.00 - 38.80	----	----	----	25	----	0 - 6
4795	11.90	11.90	76.10B/*0.30A	76.10B/*0.30A	----	0.00 NEW	----	----	----	19	----	0 UNCH
4795	5.50	5.50	29.40B/*4.40A	29.40B/*4.40A	----	23.00 - 0.80	----	----	----	47	----	0 - 4
4800	----	----	88.60B/51.10A	88.60B/51.10A	----	84.80 + 10.20	.5477	----	----	----	----	19 UNCH
4800	110.40	110.40	115.70B/83.70A	115.70B/83.70A	----	114.40 + 7.90	.5385	----	----	2	----	33 + 2
4800	67.00	67.00	80.00B/*0.10	80.00B/*0.10	----	0.00 - 44.60	----	----	----	80	----	0 - 73
4800	8.80	8.80	24.60B/*3.00	24.60B/*3.00	----	18.00 - 3.80	----	----	----	214	200	0 - 274
4805	7.50	7.50	84.50B/*0.10	84.50B/*0.10	----	0.00 - 47.70	----	----	----	30	----	0 - 6
4805	4.50	4.50	20.50B/*2.70A	20.50B/*2.70A	----	13.00 - 6.90	----	----	----	53	----	0 - 6
4805	----	----	126.50B/*66.20A	126.50B/*66.20A	----	69.10 - 30.90	.4633	----	----	----	----	1 UNCH
4805	----	----	113.10B/81.90A	113.10B/81.90A	----	111.70 + 7.60	.5307	----	----	----	----	19 UNCH
4810	5.80	5.80	16.10B/*2.10A	16.10B/*2.10A	----	8.00 - 10.10	----	----	----	124	----	0 - 29
4810	----	----	83.00B/47.50A	83.00B/47.50A	----	79.30 + 9.40	.5252	----	----	----	----	1 UNCH
4810	8.90	8.90	89.40B/*0.10	89.40B/*0.10	----	0.00 NEW	----	----	----	30	----	0 UNCH
4810	75.60	75.60	129.90B/*68.50A	129.90B/*68.50A	----	71.30 NEW	.4745	----	----	1	----	1 + 1
4810	----	----	110.50B/79.60A	110.50B/79.60A	----	109.00 + 7.20	.5228	----	----	----	----	1 UNCH
4815	----	----	80.20B/45.70A	80.20B/45.70A	----	76.70 + 9.10	.5140	----	----	----	----	1 UNCH
4815	6.20	6.20	94.00B/*0.10A	94.00B/*0.10A	----	0.00 - 54.20	----	----	----	14	----	0 - 3
4815	6.10	6.10	14.50/*1.50	14.50/*1.50	----	3.00 - 13.40	----	----	----	38	----	0 - 8
4820	1.90	1.90	10.80/*0.10	10.80/*0.10	----	0.00 - 14.90	----	----	----	61	----	0 - 25
4820	7.40	7.40	98.60B/*2.10A	98.60B/*2.10A	----	2.00 - 55.70	----	----	----	9	----	0 - 3
4825	2.20	2.20	7.80B/*0.10A	7.80B/*0.10A	----	0.00 - 13.50	----	----	----	86	----	0 - 45
4825	32.50	32.50	103.10B/*6.90A	103.10B/*6.90A	----	7.00 - 54.30	----	----	----	50	----	0 - 44
4830	2.40	2.40	5.90B/*0.10	5.90B/*0.10	----	0.00 - 12.20	----	----	----	22	----	0 - 4
4835	18.30	18.30	112.70B/*15.30A	112.70B/*15.30A	----	17.00 NEW	----	----	----	2	----	0 UNCH
4835	46.20	46.20	69.20B/39.10A	69.20B/39.10A	----	66.60 + 7.50	.4685	----	----	17	----	17 UNCH
4835	0.50	0.50	3.40/*0.10	4.40B/*0.10	----	0.00 - 11.10	----	----	----	68	----	0 - 2
4840	4.00	4.00	4.00/*0.20A	4.00/*0.20A	----	0.00 - 10.00	----	----	----	50	----	0 - 62
4840	----	----	117.50B/*19.80A	117.50B/*19.80A	----	22.00 - 50.80	----	----	----	1	----	0 - 3
4845	0.60	0.60	2.20/*0.20A	3.30B/*0.20A	----	0.00 - 9.10	----	----	----	7	----	0 - 12
4850	----	----	158.00B/88.00A	158.00B/88.00A	----	91.60 - 34.40	.5654	----	----	----	----	1 UNCH
4850	39.40	39.40	62.00B/34.80A	62.00B/34.80A	----	59.60 + 6.30	.4343	----	----	50	----	55 + 50
4850	1.20	1.20	1.90/*0.10	2.90B/*0.10	----	0.00 - 8.20	----	----	----	51	----	0 - 216
4850	28.60	28.60	127.10B/*28.60	127.10B/*28.60	----	32.00 - 49.00	----	----	----	2	----	0 - 2
4855	112.80	112.80	132.00B/*32.90A	132.00B/*32.90A	----	37.00 - 48.20	----	----	----	3	----	0 - 1
4855	0.30	0.30	1.40/*0.20A	2.50B/*0.20A	----	0.00 - 7.40	----	----	----	5	----	0 - 10
4860	37.40	37.40	57.50B/32.30A	57.50B/32.30A	----	55.30 + 5.60	.4118	----	----	19	----	19 + 2
4860	0.30	0.30	0.90/*0.10	2.10B/*0.10	----	0.00 - 6.70	----	----	----	32	----	0 - 5
4860	70.60	70.60	136.90B/*37.90A	136.90B/*37.90A	----	42.00 - 47.50	----	----	----	21	----	0 - 21
4860	----	----	184.60B/123.70A	184.60B/123.70A	----	126.60 - 36.20	.5555	----	----	----	----	1 UNCH
4865	0.30	0.30	0.30/*0.10A	2.00B/*0.10A	----	0.00 - 6.10	----	----	----	3	----	0 - 4
4865	80.90	80.90	83.40B/60.30A	83.40B/60.30A	----	82.40 NEW	.4362	----	----	20	----	20 + 20
4870	2.00	2.00	2.00/*0.10A	2.00/*0.10A	----	0.00 - 5.50	----	----	----	4	----	0 - 31
4870	133.30	133.30	146.10B/47.50A	146.10B/47.50A	----	52.00 - 46.30	----	----	----	4	----	0 - 1
4875	----	----	177.10B/102.60A	177.10B/102.60A	----	106.20 NEW	.6214	----	----	1	----	1 + 1
4875	----	----	151.60B/52.30A	151.60B/52.30A	----	57.00 - 45.80	----	----	----	1	----	0 - 2
4875	1.50	1.50	1.50/*0.10A	1.50/*0.10A	----	0.00 - 5.00	----	----	----	44	----	0 - 60
4880	1.40	1.40	1.40/*0.10A	1.40/*0.10A	----	0.00 - 4.50	----	----	----	6	----	0 - 12
4880	40.50	40.50	49.20B/27.90A	49.20B/27.90A	----	47.30 NEW	.3674	----	----	3	----	3 + 3
4885	1.00	1.00	1.00/*0.20A	1.10B/*0.20A	----	0.00 - 4.10	----	----	----	10	----	0 - 7
4885	26.40	26.40	47.50B/*26.10	47.50B/*26.10	----	45.50 NEW	.3567	----	----	50	----	50 + 50
4890	----	----	166.30B/67.10A	166.30B/67.10A	----	72.00 - 44.50	----	----	----	----	----	0 - 10
4890	0.30	0.30	0.30/*0.20A	0.90B/*0.20A	----	0.00 - 3.70	----	----	----	1	----	0 - 1
4895	----	----	171.30B/72.10A	171.30B/72.10A	----	77.00 - 44.20	----	----	----	4	----	0 - 5
4895	----	----	43.80B/*24.50A	43.80B/*24.50A	----	41.90 + 3.40	.3353	----	----	----	----	1 UNCH
4895	----	----	----/*0.20A	0.80B/*0.20A	----	0.00 - 3.40	----	----	----	----	----	0 - 28
4900	----	----	197.60B/118.20A	197.60B/118.20A	----	122.20 - 37.60	.6750	----	----	----	----	1 UNCH
4900	26.50	26.50	42.20/*23.40A	42.20/*23.40A	----	40.20 + 3.10	.3248	----	----	54	----	256 + 53
4900	66.90	66.90	68.80B/49.00A	68.80B/49.00A	----	68.10 + 2.90	.3820	----	----	20	----	25 + 20
4900	----	----	176.30B/76.90A	176.30B/76.90A	----	82.00 - 43.90	----	----	----	2	----	0 - 3
4900	1.50	1.50	1.50/*0.10	1.50/*0.10	----	0.00 - 3.10	----	----	----	12	----	0 - 53
4905	----	----	40.40B/*22.50A	40.40B/*22.50A	----	38.60 + 2.90	.3146	----	----	1	----	1 UNCH
4905	----	----	----/*0.20A	0.60B/*0.20A	----	0.00 - 2.80	----	----	----	----	----	0 UNCH
4910	----	----	38.70B/*21.50A	38.70B/*21.50A	----	37.00 + 2.60	.3043	----	----	1	----	5 UNCH
4910	----	----	----/*0.20A	0.60B/*0.20A	----	0.00 - 2.60	----	----	----	----	----	0 - 6
4920	26.50	26.50	35.50B/*20.40A	35.50B/*20.40A	----	34.10 NEW	.2848	----	----	132	----	132 + 132
4920	81.10	81.10	#81.10/*81.10	#81.10/*72.60A	----	82.50 NEW	.3834	----	----	1	----	1 + 1
4925	33.10	33.10	34.00B/*19.50A	34.00B/*19.50A	----	32.60 + 1.90	.2749	----	----	15	----	16 + 15
4925	60.60	60.60	61.00/43.60A	61.00/43.60A	----	59.00 NEW	.3446	----	----	20	----	20 + 20
4925	----	----	----/*0.20A	0.50B/*0.20A	----	0.00 - 2.00	----	----	----	----	----	0 - 2
4930	----	----	----/*0.20A	----/*0.20A	----	0.00 - 1.80	----	----	----	----	----	0 - 11
4935	0.80	0.80	0.80/*0.20A	0.80/*0.20A	----	0.00 - 1.70	----	----	----	3	----	0 - 2
4940	----	----	----/*0.20A	----/*0.20A	----	0.00 - 1.60	----	----	----	1	----	0 - 32
4940	----	----	54.20B/*38.70A	54.20B/*38.70A	----	54.10 + 1.70	.3230	----	----	1	----	1 UNCH
4945	22.00	22.00	28.50B/*16.60A	28.50B/*16.60A	----	27.50 NEW	.2387	----	----	10	----	10 + 10
4945	----	----	----/*0.20A	----/*0.20A	----	0.00 - 1.40	----	----	----	----	----	0 - 5
4950	----	----	240.00B/153.70A	240.00B/153.70A	----	158.20 NEW	.7698	----	----	1	----	1 + 1
4950	26.00	26.00	27.40B/*15.70A	27.40B/*15.70A	----	26.30 + 0.90	.2300	----	----	2	----	6 + 1
4950	0.30	0.30	0.30/*0.10A	0.30/*0.10A	----	0.00 - 1.30	----	----	----	1	----	0 - 39
4955	----	----	----/*0.20A	----/*0.20A	----	0.00 - 1.30	----	----	----	----	----	0 - 6
4960	----	----	249.10B/161.40A	249.10B/161.40A	----	166.00 NEW	.7863	----	----	1	----	1 + 1
4960	----	----	----/*0.20A	----/*0.20A	----	0.00 - 1.20	----	----	----	1	----	0 - 2
4965	----	----	240.90B/141.90A	240.90B/141.90A	----	147.00 - 41.90	----	----	----	----	----	0 - 1
4965	----	----	----/*0.20A	----/*0.20A	----	0.00 - 1.10	----	----	----	----	----	0 - 1
4970	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 1.00	----	----	----	1	----	0 - 1
4975	----	----	21.90B/*12.70A	21.90B/*12.70A	----	21.10 + 0.10	.1901	----	----	1	----	1 UNCH
4985	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.90	----	----	----	----	----	0 - 1
4990	----	----	275.70B/185.30A	275.70B/185.30A	----	190.30 NEW	.8312	----	----	2	----	2 + 2
4990	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.80	----	----	----	----	----	0 - 1
4990	----	----	265.90B/166.90A	265.90B/166.90A	----	172.00 - 41.60	----	----	----	----	----	0 - 1
4995	----	----	18.20B/*10.60A	18.20B/*10.60A	----	17.60 NEW	.1620	----	----	2	----	2 + 2
4995	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.80	----	----	----	----	----	0 - 1
5000	----	----	285.20B/193.50A	285.20B/193.50A	----	198.70 - 41.30	.8444	----	----	----	----	1 UNCH
5000	12.00	12.00	17.40B/*10.00	17.40B/*10.00	----	16.80 - 0.50	.1554	----	----	58	----	118 + 58
5000	----	----	----/*28.10A	37.30B/*28.10A	----	37.50 - 0.70	.2432	----	----	1	----	1 UNCH
5000	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.70	----	----	----	5	----	0 - 222
5000	----	----	275.80B/176.80A	275.80B/176.80A	----	182.00 - 41.50	----	----	----	2	----	0 - 3
5005	----	----	----/*9.70A	16.60B/*9.70A	----	16.10 - 0.60	.1494	----	----	----	----	1 UNCH
5005	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 9
5010	----	----	----/*9.30A	15.90B/*9.30A	----	15.40 - 0.60	.1434	----	----	3	----	4 + 3
5010	0.30	0.30	0.30/*0.10A	0.30/*0.10A	----	0.00 - 0.70	----	----	----	1	----	0 - 3
5015	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 3
5020	----	----	----/*8.60A	14.40B/*8.60A	----	14.00 - 0.80	.1315	----	----	----	----	2 UNCH
5025	----	----	----/*8.20A	13.80B/*8.20A	----	13.40 NEW	.1262	----	----	1	----	1 + 1
5025	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.60	----	----	----	----	----	0 - 2
5030	----	----	----/*7.90A	13.10B/*7.90A	----	12.80 - 0.90	.1210	----	----	----	----	1 UNCH
5035	----	----	----/*7.60A	12.50B/*7.60A	----	12.20 NEW	.1157	----	----	1	----	1 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWR THU — GOLD WEEKLY THURSDAY OPTION Week2

APR26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
5040 ----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 5
5045 ----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 1
5050 ----	----	----/*6.70A	10.80B/*6.70A	----	10.60 - 1.20	.1014	----	----	1	----	66 + 1
5050 0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.50	----	----	----	1	----	0 - 28
5050 307.50	307.50	325.70B/226.80A	325.70B/226.80A	----	232.00 NEW	----	----	----	4	----	0 UNCH
5060 ----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 6
5065 ----	----	----/*6.00A	9.40B/*6.00A	----	9.20 - 1.30	.0887	----	----	----	----	1 UNCH
5065 ----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 1
5075 ----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 9
5080 ----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 1
5085 ----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 2
5095 ----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 1
5100 4.70	4.70	4.70/*4.50	6.80B/*4.50	----	6.70 - 1.40	.0650	----	----	6	----	6 + 5
5100 ----	----	----	----/0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 4
5115 ----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 1
5145 ----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5150 ----	----	----/*3.30A	4.40B/*3.30A	----	4.40 - 1.30	.0423	----	----	----	----	1 UNCH
5150 ----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 11
5155 ----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
5180 ----	----	----/*2.60A	3.40B/*2.60A	----	3.50 - 1.20	.0332	----	----	----	----	1 UNCH
5200 ----	----	----/*2.30A	3.00B/*2.30A	----	3.00 - 1.10	.0282	----	----	----	----	1 UNCH
5200 ----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
5210 ----	----	----/*2.20A	2.70B/*2.20A	----	2.80 - 1.10	.0261	----	----	----	----	1 UNCH
5215 ----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5255 ----	----	----/*1.70A	1.90B/*1.70A	----	2.10 NEW	.0189	----	----	2	----	2 + 2
5300 ----	----	----/*1.40A	1.30B/*1.40A	----	1.60 - 0.80	.0139	----	----	----	----	1 UNCH
5305 ----	----	----/*1.30A	1.30B/*1.30A	----	1.50 - 0.80	.0130	----	----	----	----	2 UNCH
5320 ----	----	----/*1.20A	1.10B/*1.20A	----	1.40 - 0.80	.0120	----	----	----	----	1 UNCH
5400 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 250
5425 ----	----	----/*0.90A	0.20B/*0.90A	----	0.80 - 0.60	.0063	----	----	----	----	10 UNCH
5650 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
TOTAL									3436	200	1921 - 3463

GMW MON — GOLD WEEKLY MONDAY OPTION WEEK2

APR26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3500 ----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
3750 ----	----	----	----/*0.30A	----	0.10 - 0.10	.0000	----	----	----	----	1 UNCH
3850 ----	----	----	----/*0.50A	----	0.10 - 0.30	.0002	----	----	----	----	2 UNCH
3900 ----	----	----	----/*0.50A	----	0.20 - 0.20	.0006	----	----	----	----	2 UNCH
3950 ----	----	----	----/*0.50A	----	0.20 - 0.30	.0006	----	----	----	----	4 UNCH
4000 ----	----	----/*0.50A	0.20B/*0.50A	----	0.30 - 0.40	.0010	----	----	----	----	21 UNCH
4025 ----	----	----/*2.00A	1.50B/*2.00A	----	1.90 - 0.80	.0103	----	----	----	----	1 UNCH
4050 ----	----	----/*0.40A	0.30B/*0.40A	----	0.30 - 0.50	.0011	----	----	----	----	2 UNCH
4050 2.00	2.00	2.00/*2.00	2.00/*2.00	----	2.00 - 0.90	.0111	----	----	10	----	12 UNCH
4100 ----	----	----/*0.40A	0.40B/*0.40A	----	0.50 - 0.50	.0020	----	----	----	----	11 UNCH
4100 ----	----	----/*2.40A	2.00B/*2.40A	----	2.30 - 1.30	.0133	----	----	----	----	10 UNCH
4150 ----	----	----/*0.60A	0.60B/*0.60A	----	0.60 - 0.70	.0026	----	----	----	----	2 UNCH
4175 4.10	4.10	4.10/*3.10A	4.10/*3.10A	----	3.00 NEW	.0182	----	----	1	----	1 + 1
4200 0.50	0.50	0.50/*0.50	0.90B/*0.50	----	0.70 - 0.90	.0033	----	----	4	----	9 + 4
4215 ----	----	----/*0.60A	1.00B/*0.60A	----	0.70 - 0.90	.0034	----	----	----	----	5 UNCH
4220 ----	----	----/*3.70A	3.60B/*3.70A	----	3.40 - 2.60	.0214	----	----	----	----	1 UNCH
4225 ----	----	----/*3.80A	3.70B/*3.80A	----	3.50 - 2.60	.0220	----	----	----	----	49 UNCH
4250 ----	----	----/*0.60A	1.10B/*0.60A	----	0.70 - 1.20	.0036	----	----	----	----	100 UNCH
4250 ----	----	572.60B/479.90A	572.60B/479.90A	----	568.60 + 39.70	.9963	----	----	----	----	1 UNCH
4250 3.70	3.70	3.80/*3.70	5.70B/*3.70	----	3.90 - 2.90	.0249	----	----	20	----	25 + 20
4255 ----	----	----/*0.60A	1.20B/*0.60A	----	0.70 - 1.20	.0037	----	----	----	----	1 UNCH
4270 ----	----	----/*0.60A	1.30B/*0.60A	----	0.80 - 1.20	.0043	----	----	----	----	10 UNCH
4300 ----	----	----/*0.70A	1.60B/*0.70A	----	0.80 - 1.50	.0046	----	----	----	----	520 UNCH
4310 ----	----	----/*0.80A	1.60B/*0.80A	----	0.90 - 1.50	.0052	----	----	----	----	10 UNCH
4315 ----	----	----/*0.80A	1.70B/*0.80A	----	0.90 - 1.60	.0053	----	----	----	----	5 UNCH
4335 10.20	10.20	10.20/*6.00A	10.20/*6.00A	----	5.50 - 4.70	.0370	----	----	1	----	1 UNCH
4340 ----	----	----/*0.90A	2.20B/*0.90A	----	1.00 - 1.80	.0062	----	----	----	----	6 UNCH
4345 ----	----	----/*0.80A	2.30B/*0.80A	----	1.00 - 1.80	.0062	----	----	----	----	101 UNCH
4350 ----	----	----/*0.90A	2.50B/*0.90A	----	1.00 - 1.90	.0063	----	----	2	----	124 + 1
4350 ----	----	----/*6.40A	10.80B/*6.40A	----	5.90 - 5.10	.0400	----	----	----	----	5 UNCH
4355 ----	----	----/*0.90A	2.60B/*0.90A	----	1.00 - 2.00	.0064	----	----	----	----	1 UNCH
4365 ----	----	----/*0.90A	2.50B/*0.90A	----	1.10 - 2.00	.0071	----	----	----	----	1 UNCH
4375 ----	----	12.80B/*7.20A	12.80B/*7.20A	----	6.60 - 5.80	.0454	----	----	----	----	2 UNCH
4380 ----	----	----/*1.00A	3.20B/*1.00A	----	1.10 - 2.30	.0073	----	----	----	----	3 UNCH
4380 ----	----	13.10B/*7.70A	13.10B/*7.70A	----	6.80 - 6.00	.0468	----	----	----	----	2 UNCH
4390 ----	----	----/*1.10A	3.40B/*1.10A	----	1.20 NEW	.0082	----	----	1	----	1 + 1
4400 ----	----	----/*1.10A	3.80B/*1.10A	----	1.20 - 2.60	.0084	----	----	----	----	521 UNCH
4400 ----	----	14.80B/*8.00A	14.80B/*8.00A	----	7.50 - 6.60	.0520	----	----	----	----	150 UNCH
4405 ----	----	----/*1.20A	3.90B/*1.20A	----	1.30 NEW	.0091	----	----	1	----	1 + 1
4415 ----	----	409.70B/318.80A	409.70B/318.80A	----	404.20 + 38.10	.9906	----	----	----	----	10 UNCH
4420 2.80	2.80	4.40B/*1.30A	4.40B/*1.30A	----	1.40 - 2.80	.0101	----	----	3	----	3 + 2
4425 1.70	1.70	4.60B/*1.30A	4.60B/*1.30A	----	1.40 - 2.90	.0102	----	----	33	----	34 + 33
4440 ----	----	5.20B/*1.40A	5.20B/*1.40A	----	1.50 - 3.20	.0113	----	----	----	----	2 UNCH
4440 ----	----	384.90B/294.90A	384.90B/294.90A	----	379.40 + 37.60	.9886	----	----	----	----	1 UNCH
4440 ----	----	19.10B/*9.10A	19.10B/*9.10A	----	9.20 - 8.20	.0647	----	----	----	----	15 UNCH
4450 3.10	3.10	5.60B/*1.50A	5.60B/*1.50A	----	1.60 - 3.40	.0123	----	----	10	----	18 + 10
4450 12.50	12.50	20.20B/*9.70A	20.20B/*9.70A	----	9.70 NEW	.0684	----	----	1	----	1 + 1
4460 ----	----	21.60B/*10.20A	21.60B/*10.20A	----	10.30 - 9.00	.0727	----	----	----	----	10 UNCH
4465 ----	----	22.20B/*10.50A	22.20B/*10.50A	----	10.60 - 9.20	.0749	----	----	----	----	5 UNCH
4470 3.20	3.20	6.60B/*1.80A	6.60B/*1.80A	----	1.90 - 3.80	.0152	----	----	3	----	3 + 1
4470 ----	----	22.90B/*10.80A	22.90B/*10.80A	----	10.90 - 9.40	.0771	----	----	----	----	5 UNCH
4475 ----	----	23.40B/*11.10A	23.40B/*11.10A	----	11.20 - 9.70	.0793	----	----	----	----	2 UNCH
4480 ----	----	7.20B/*1.90A	7.20B/*1.90A	----	2.00 - 4.00	.0163	----	----	1	----	1 - 1
4485 ----	----	25.00B/*11.70A	25.00B/*11.70A	----	11.90 - 10.10	.0842	----	----	----	----	5 UNCH
4490 ----	----	7.80B/*2.00A	7.80B/*2.00A	----	2.20 - 4.20	.0183	----	----	----	----	7 UNCH
4500 ----	----	325.40B/238.70A	325.40B/238.70A	----	320.20 + 36.20	.9803	----	----	1	----	301 + 1
4500 7.70	7.70	8.50B/*2.20A	8.50B/*2.20A	----	2.30 - 4.60	.0195	----	----	57	----	58 + 47
4500 11.40	11.40	27.20B/*11.40	27.20B/*11.40	----	12.90 - 11.00	.0916	----	----	3	----	3 + 3
4510 1.90	1.90	9.10B/*1.90	9.10B/*1.90	----	2.50 NEW	.0216	----	----	1	----	1 + 1
4515 ----	----	9.50B/*2.50A	9.50B/*2.50A	----	2.60 - 5.00	.0227	----	----	----	----	6 UNCH
4525 8.00	8.00	10.40B/*2.60A	10.40B/*2.60A	----	2.80 - 5.40	.0249	----	----	3	----	22 + 1
4535 ----	----	291.10B/207.30A	291.10B/207.30A	----	285.90 + 35.00	.9726	----	----	----	----	4 UNCH
4535 ----	----	11.60B/*2.90A	11.60B/*2.90A	----	3.00 - 5.80	.0273	----	----	----	----	1 UNCH
4540 ----	----	286.20B/202.90A	286.20B/202.90A	----	281.10 NEW	.9706	----	----	1	----	1 + 1
4540 ----	----	12.10B/*3.00A	12.10B/*3.00A	----	3.20 - 5.90	.0292	----	----	----	----	2 UNCH
4550 9.80	9.80	13.20B/*3.20A	13.20B/*3.20A	----	3.40 - 6.40	.0318	----	----	1	----	5 + 1
4550 ----	----	276.70B/194.10A	276.70B/194.10A	----	271.30 + 34.40	.9681	----	----	----	----	1 UNCH
4550 ----	----	36.80B/*17.30A	36.80B/*17.30A	----	17.50 - 13.70	.1235	----	----	----	----	1 UNCH
4555 ----	----	13.80B/*3.40A	13.80B/*3.40A	----	3.60 - 6.60	.0338	----	----	----	----	19 UNCH
4570 ----	----	15.60B/*3.80A	15.60B/*3.80A	----	4.10 NEW	.0396	----	----	1	----	1 + 1
4570 ----	----	268.20B/212.10A	268.20B/212.10A	----	267.50 + 25.70	.8611	----	----	----	----	1 UNCH
4575 4.50	4.50	16.30B/*4.00A	16.30B/*4.00A	----	4.30 - 7.50	.0418	----	----	1	----	2 UNCH
4575 ----	----	252.60B/172.70A	252.60B/172.70A	----	247.20 + 33.20	.9580	----	----	----	----	5 UNCH
4575 21.80	21.80	42.10B/*20.10A	42.10B/*20.10A	----	20.40 NEW	.1430	----	----	1	----	1 + 1
4580 4.60	4.60	16.90B/*4.20A	16.90B/*4.20A	----	4.40 - 7.90	.0433	----	----	2	----	27 + 2
4580 ----	----	43.70B/*20.80A	43.70B/*20.80A	----	21.00 - 15.70	.1471	----	----	----	----	27 UNCH
4585 ----	----	242.80B/164.40A	242.80B/164.40A	----	237.60 + 32.70	.9534	----	----	----	----	1 UNCH
4585 5.20	5.20	17.80B/*4.40A	17.80B/*4.40A	----	4.70 - 8.10	.0465	----	----	3	----	5 + 1
4585 ----	----	44.90B/*21.40A	44.90B/*21.40A	----	21.70 - 16.00	.1516	----	----	----	----	2 UNCH
4590 18.20	18.20	18.90B/*4.60A	18.90B/*4.60A	----	4.90 - 8.40	.0489	----	----	19	----	10 + 9
4595 ----	----	47.50B/*22.80A	47.50B/*22.80A	----	23.10 - 16.70	.1608	----	----	----	----	2 UNCH
4600 ----	----	242.10B/189.10A	242.10B/189.10A	----	241.60 + 23.70	.8343	----	----	----	----	10 UNCH
4600 47.00	47.00	48.40B/*23.50A	48.40B/*23.50A	----	23.80 - 17.10	.1654	----	----	4	----	3 + 1
4600 20.80	20.80	20.80/*4.90A	20.80/*4.90A	----	5.30 - 9.10	.0538	----	----	31	----	29 + 22
4605 ----	----	50.20B/*24.30A	50.20B/*24.30A	----	24.50 - 17.50	.1701	----	----	----	----	27 UNCH
4610 ----	----	22.50B/*5.50A	22.50B/*5.50A	----	5.80 - 9.80	.0599	----	----	1	----	18 UNCH
4610 ----	----	218.90B/144.20A	218.90B/144.20A	----	213.80 + 31.10	.9400	----	----	----	----	1 UNCH
4615 ----	----	23.50B/*5.70A	23.50B/*5.70A	----	6.10 - 10.20	.0634	----	----	1	----	44 + 1
4620 ----	----	24.50B/*6.00A	24.50B/*6.00A	----	6.40 - 10.50	.0670	----	----	----	----	1 UNCH
4625 ----	----	204.80B/132.80A	204.80B/132.80A	----	199.70 NEW	.9292	----	----	1	----	1 + 1
4625 ----	----	25.80B/*6.30A	25.80B/*6.30A	----	6.70 - 10.90	.0706	----	----	----	----	3 UNCH
4630 ----	----	26.80B/*6.60A	26.80B/*6.60A	----	7.10 - 11.30	.0751	----	----	----	----	2 UNCH
4635 ----	----	28.00B/*6.90A	28.00B/*6.90A	----	7.40 - 11.70	.0790	----	----	----	----	11 UNCH
4635 ----	----	195.60B/124.80A	195.60B/124.80A	----	190.40 + 29.10	.9209	----	----	----	----	9 UNCH
4640 9.60	9.60	29.30B/*7.30A	29.30B/*7.30A	----	7.80 - 12.20	.0837	----	----	1	----	46 + 1
4645 ----	----	30.60B/*7.70A	30.60B/*7.70A	----	8.20 - 12.60	.0885	----	----	----	----	2 UNCH
4650 ----	----	181.80B/114.40A	181.80B/114.40A	----	176.50 + 27.70	.9065	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON APR26		GOLD WEEKLY MONDAY OPTION WEEK3										
4650	41.30	41.30	63.50B/*32.20A	63.50B/*32.20A	----	32.50 NEW	.2197	----	----	4	----	4 + 4
4650	13.80	13.80	31.90B/*8.00A	31.90B/*8.00A	----	8.60 - 13.10	.0934	----	----	11	----	137 + 2
4655	13.40	13.40	33.30B/*8.50A	33.30B/*8.50A	----	9.00 NEW	.0984	----	----	1	----	1 + 1
4660	----	----	172.70B/107.40A	172.70B/107.40A	----	167.40 + 26.70	.8956	----	----	----	----	2 UNCH
4660	12.00	12.00	34.70B/*8.90A	34.70B/*8.90A	----	9.50 - 14.10	.1042	----	----	4	----	16 + 2
4665	----	----	168.20B/103.80A	168.20B/103.80A	----	162.90 NEW	.8896	----	----	1	----	1 + 1
4665	----	----	36.30B/*9.40A	36.30B/*9.40A	----	10.00 NEW	.1102	----	----	22	----	22 + 22
4670	----	----	37.90B/*9.60A	37.90B/*9.60A	----	10.50 - 15.10	.1163	----	----	----	----	5 UNCH
4675	----	----	39.40B/*10.30A	39.40B/*10.30A	----	11.10 - 15.60	.1233	----	----	7	----	212 + 4
4680	----	----	178.00B/134.70A	178.00B/134.70A	----	177.10 + 17.70	.7408	----	----	----	----	1 UNCH
4680	----	----	41.10B/*10.90A	41.10B/*10.90A	----	11.60 NEW	.1297	----	----	23	----	23 + 23
4685	----	----	150.40B/85.60A	150.40B/85.60A	----	145.20 + 24.00	.8622	----	----	----	----	2 UNCH
4685	----	----	42.80B/*11.30A	42.80B/*11.30A	----	12.30 - 16.80	.1376	----	----	----	----	2 UNCH
4690	----	----	43.70B/*12.00A	43.70B/*12.00A	----	12.90 - 17.40	.1450	----	----	----	----	12 UNCH
4695	----	----	141.80B/77.50A	141.80B/77.50A	----	136.60 + 22.80	.8466	----	----	----	----	1 UNCH
4700	80.80	80.80	137.40B/73.80	137.40B/73.80	----	132.30 + 22.20	.8382	----	----	21	----	113 - 19
4700	43.70	43.70	47.30B/*13.40A	47.30B/*13.40A	----	14.30 - 18.70	.1616	----	----	13	----	10 + 6
4700	----	----	83.20B/*44.00A	83.20B/*44.00A	----	44.40 - 24.60	.2876	----	----	----	----	24 UNCH
4700	----	----	163.80B/122.40A	163.80B/122.40A	----	162.30 + 16.10	.7120	----	----	----	----	51 UNCH
4705	----	----	49.70B/*14.00A	49.70B/*14.00A	----	15.10 - 19.30	.1708	----	----	----	----	10 UNCH
4710	23.10	23.10	51.50B/*14.70A	51.50B/*14.70A	----	15.90 - 19.90	.1802	----	----	5	----	11 + 5
4720	24.20	24.20	56.10B/*16.60A	56.10B/*16.60A	----	17.70 - 21.20	.2006	----	----	46	----	44 + 11
4720	----	----	120.60B/62.10A	120.60B/62.10A	----	115.70 + 19.60	.7992	----	----	4	----	16 - 1
4725	19.60	19.60	58.60B/*17.40A	58.60B/*17.40A	----	18.70 - 21.90	.2117	----	----	1	----	66 UNCH
4730	28.30	28.30	60.90B/*18.30A	60.90B/*18.30A	----	19.70 - 22.60	.2230	----	----	14	----	78 + 14
4730	----	----	112.50B/56.50A	112.50B/56.50A	----	107.70 NEW	.7769	----	----	1	----	1 + 1
4735	20.30	20.30	63.40B/*19.50A	63.40B/*19.50A	----	20.80 - 23.30	.2349	----	----	1	----	42 + 1
4740	----	----	136.40B/95.30A	136.40B/95.30A	----	134.50 NEW	.6488	----	----	2	----	2 + 2
4740	----	----	65.70B/*20.60A	65.70B/*20.60A	----	21.90 - 24.00	.2471	----	----	----	----	1 UNCH
4745	32.80	32.80	68.30B/*21.60A	68.30B/*21.60A	----	23.10 NEW	.2600	----	----	5	----	4 + 4
4745	58.00	58.00	101.00B/48.90A	101.00B/48.90A	----	96.10 NEW	.7398	----	----	1	----	1 + 1
4750	65.50	65.50	71.00B/*22.80A	71.00B/*22.80A	----	24.40 - 25.40	.2735	----	----	11	----	8 + 5
4750	----	----	106.10B/*59.10A	106.10B/*59.10A	----	60.00 - 28.60	.3677	----	----	----	----	1 UNCH
4750	69.00	69.00	97.30B/46.50A	97.30B/46.50A	----	92.30 + 15.30	.7263	----	----	8	----	12 UNCH
4750	----	----	129.80B/89.90A	129.80B/89.90A	----	128.00 + 12.20	.6319	----	----	----	----	12 UNCH
4755	49.40	49.40	73.20B/*24.10A	73.20B/*24.10A	----	25.70 NEW	.2872	----	----	2	----	1 + 1
4760	35.40	35.40	75.70B/*25.50A	75.70B/*25.50A	----	27.10 - 26.80	.3015	----	----	34	----	32 + 31
4765	35.00	35.00	77.30B/*26.80A	77.30B/*26.80A	----	28.60 NEW	.3164	----	----	6	----	5 + 5
4770	30.90	30.90	78.50B/*28.30A	78.50B/*28.30A	----	30.10 NEW	.3315	----	----	1	----	1 + 1
4770	----	----	82.50B/37.70A	82.50B/37.70A	----	78.10 + 12.50	.6683	----	----	----	----	6 UNCH
4775	----	----	81.70B/*29.80A	81.70B/*29.80A	----	31.70 - 29.00	.3471	----	----	----	----	1 UNCH
4775	90.30	90.30	115.10B/77.70A	115.10B/77.70A	----	112.40 NEW	.5880	----	----	2	----	2 + 2
4775	85.70	85.70	119.00B/*68.70A	119.00B/*68.70A	----	69.50 - 30.40	.4117	----	----	2	----	20 UNCH
4780	----	----	112.10B/75.80A	112.10B/75.80A	----	109.50 + 10.00	.5790	----	----	----	----	1 UNCH
4780	----	----	76.40B/33.80A	76.40B/33.80A	----	71.40 + 11.10	.6367	----	----	----	----	2 UNCH
4780	----	----	84.70B/*31.20A	84.70B/*31.20A	----	33.40 - 29.70	.3631	----	----	----	----	1 UNCH
4785	----	----	125.50B/*72.30A	125.50B/*72.30A	----	73.60 - 31.10	.4298	----	----	----	----	24 UNCH
4785	----	----	108.90B/75.00A	108.90B/75.00A	----	106.60 + 9.70	.5699	----	----	----	----	24 UNCH
4785	----	----	73.00B/32.10A	73.00B/32.10A	----	68.20 + 10.40	.6202	----	----	1	----	1 UNCH
4790	----	----	106.20B/72.70A	106.20B/72.70A	----	103.70 NEW	.5607	----	----	3	----	3 + 3
4790	----	----	69.70B/*30.20A	69.70B/*30.20A	----	65.10 + 9.80	.6033	----	----	1	----	2 + 1
4790	38.50	38.50	90.90B/*34.90A	90.90B/*34.90A	----	37.10 NEW	.3965	----	----	10	----	10 + 10
4795	75.30	75.30	103.30B/70.60A	103.30B/70.60A	----	100.90 + 9.00	.5515	----	----	50	----	59 + 50
4795	----	----	93.90B/*36.60A	93.90B/*36.60A	----	39.10 - 31.60	.4137	----	----	----	----	4 UNCH
4795	----	----	67.20B/*28.50A	67.20B/*28.50A	----	62.00 + 9.10	.5861	----	----	----	----	10 UNCH
4800	40.80	40.80	97.60B/*38.60A	97.60B/*38.60A	----	41.10 - 32.30	.4310	----	----	1	----	7 + 1
4800	----	----	100.50B/68.20A	100.50B/68.20A	----	98.10 + 8.60	.5423	----	----	----	----	25 UNCH
4800	32.50	32.50	64.10B/*26.90A	64.10B/*26.90A	----	59.10 + 8.50	.5688	----	----	16	----	17 + 3
4805	----	----	61.00B/*25.50A	61.00B/*25.50A	----	56.20 + 7.80	.5511	----	----	----	----	4 UNCH
4810	----	----	104.70B/*42.60A	104.70B/*42.60A	----	45.50 - 33.50	.4665	----	----	----	----	4 UNCH
4810	----	----	58.10B/*24.10A	58.10B/*24.10A	----	53.50 + 7.30	.5333	----	----	----	----	4 UNCH
4815	----	----	92.20B/61.40A	92.20B/61.40A	----	90.10 + 7.60	.5142	----	----	----	----	10 UNCH
4820	----	----	111.80B/*47.00A	111.80B/*47.00A	----	50.20 - 34.70	.5026	----	----	1	----	2 + 1
4820	25.10	25.10	52.50B/*21.50A	52.50B/*21.50A	----	48.20 + 6.10	.4972	----	----	10	----	13 + 6
4825	21.20	21.20	49.90B/*20.00A	49.90B/*20.00A	----	45.70 + 5.50	.4791	----	----	27	----	18 + 14
4830	53.00	53.00	119.90B/*51.80A	119.90B/*51.80A	----	55.30 - 35.80	.5388	----	----	1	----	3 + 1
4830	26.00	26.00	46.90B/*18.80A	46.90B/*18.80A	----	43.30 + 5.00	.4610	----	----	4	----	11 + 3
4840	----	----	79.40B/52.80A	79.40B/52.80A	----	77.60 + 6.00	.4671	----	----	----	----	20 UNCH
4840	----	----	128.50B/*57.00A	128.50B/57.00A	----	60.80 - 36.70	.5748	----	----	1	----	2 + 1
4840	21.70	21.70	42.00B/*16.50A	42.00B/*16.50A	----	38.80 + 4.00	.4250	----	----	7	----	13 + 7
4845	75.10	75.10	77.20B/50.70A	77.20B/50.70A	----	75.30 NEW	.4577	----	----	80	----	80 + 80
4845	25.50	25.50	39.80B/*15.50A	39.80B/*15.50A	----	36.70 + 3.60	.4073	----	----	6	----	12 + 6
4850	----	----	74.40B/49.20A	74.40B/49.20A	----	73.00 + 5.40	.4483	----	----	4	----	9 + 4
4850	----	----	136.00B/62.50A	136.00B/62.50A	----	66.60 - 37.70	.6103	----	----	1	----	8 + 1
4850	16.60	16.60	37.50B/*14.60A	37.50B/*14.60A	----	34.60 + 3.10	.3896	----	----	132	----	175 - 27
4855	----	----	72.40B/49.00A	72.40B/49.00A	----	70.80 + 5.20	.4390	----	----	----	----	7 UNCH
4855	----	----	140.60B/65.80A	140.60B/65.80A	----	69.70 - 38.00	.6275	----	----	----	----	1 UNCH
4855	29.50	29.50	35.40B/*13.60A	35.40B/*13.60A	----	32.70 NEW	.3723	----	----	3	----	3 + 3
4860	17.00	17.00	33.60B/*12.80A	33.60B/*12.80A	----	30.80 + 2.30	.3551	----	----	49	----	30 - 15
4860	----	----	144.70B/69.00A	144.70B/69.00A	----	72.80 - 38.40	.6447	----	----	----	----	0 UNCH
4865	----	----	31.60B/*12.00A	31.60B/*12.00A	----	29.00 NEW	.3383	----	----	1	----	1 + 1
4870	----	----	29.80B/*11.20A	29.80B/*11.20A	----	27.30 + 1.60	.3219	----	----	2	----	8 UNCH
4875	20.20	20.20	28.00B/*10.40A	28.00B/*10.40A	----	25.70 + 1.30	.3059	----	----	53	----	45 - 6
4880	----	----	62.00B/41.30A	62.00B/41.30A	----	60.40 + 4.00	.3927	----	----	----	----	9 UNCH
4880	10.50	10.50	26.30B/*9.80A	26.30B/*9.80A	----	24.20 + 1.00	.2904	----	----	5	----	16 + 5
4885	----	----	24.80B/*9.20A	24.80B/*9.20A	----	22.80 + 0.80	.2756	----	----	45	----	34 - 15
4885	----	----	166.10B/85.20A	166.10B/85.20A	----	89.70 - 40.10	.7242	----	----	1	----	1 UNCH
4890	16.40	16.40	23.20B/*8.70A	23.20B/*8.70A	----	21.40 NEW	.2608	----	----	4	----	4 + 4
4890	----	----	170.90B/88.70A	170.90B/88.70A	----	93.40 NEW	.7390	----	----	2	----	2 + 2
4895	----	----	55.90B/37.60A	55.90B/37.60A	----	54.70 + 3.30	.3655	----	----	----	----	27 UNCH
4895	12.70	12.70	21.80B/*8.20A	21.80B/*8.20A	----	20.10 NEW	.2467	----	----	11	----	11 + 11
4900	37.50	37.50	53.90B/*35.00	53.90B/35.00	----	52.90 NEW	.3566	----	----	14	----	14 + 14
4900	8.50	8.50	20.50B/*7.70A	20.50B/*7.70A	----	18.90 + 0.10	.2332	----	----	87	----	133 + 48
4900	----	----	179.90B/96.10A	179.90B/96.10A	----	100.80 - 40.80	.7666	----	----	1	----	2 UNCH
4905	16.30	16.30	19.30B/*7.20A	19.30B/*7.20A	----	17.70 NEW	.2199	----	----	4	----	4 + 4
4905	----	----	184.80B/99.80A	184.80B/99.80A	----	104.70 - 40.90	.7799	----	----	----	----	1 UNCH
4910	----	----	18.10B/*6.70A	18.10B/*6.70A	----	16.60 - 0.30	.2073	----	----	1	----	6 UNCH
4915	51.00	51.00	51.00/*32.50A	51.00/*32.50A	----	47.70 NEW	.3303	----	----	2	----	1 + 1
4915	----	----	17.00B/*6.40A	17.00B/*6.40A	----	15.60 - 0.40	.1954	----	----	2	----	4 + 1
4920	----	----	46.70B/*31.50A	46.70B/*31.50A	----	46.10 + 2.20	.3218	----	----	----	----	27 UNCH
4920	15.10	15.10	15.90B/*6.00A	15.90B/*6.00A	----	14.60 - 0.60	.1837	----	----	4	----	16 + 4
4925	----	----	14.90B/*5.50A	14.90B/*5.50A	----	13.70 - 0.70	.1729	----	----	----	----	3 UNCH
4930	----	----	13.90B/*5.30A	13.90B/*5.30A	----	12.80 - 0.90	.1621	----	----	1	----	20 + 1
4935	----	----	----/*4.90A	13.00B/*4.90A	----	12.00 NEW	.1522	----	----	1	----	1 + 1
4940	11.30	11.30	11.30/*4.50A	12.20B/*4.50A	----	11.20 - 1.10	.1424	----	----	16	----	26 + 5
4940	----	----	217.20B/127.90A	217.20B/127.90A	----	133.20 - 41.80	.8574	----	----	1	----	0 - 1
4950	5.00	5.00	10.70/*4.00A	10.70/*4.00A	----	9.80 - 1.20	.1248	----	----	77	----	60 + 6
4955	----	----	----/*3.70A	10.00B/*3.70A	----	9.20 - 1.30	.1170	----	----	----	----	8 UNCH
4960	7.50	7.50	9.30B/*3.50A	9.30B/*3.50A	----	8.60 - 1.30	.1094	----	----	20	----	30 + 20
4965	----	----	----/*3.30A	8.70B/*3.30A	----	8.10 - 1.30	.1027	----	----	----	----	2 UNCH
4970	----	----	----/*3.10A	8.20B/*3.10A	----	7.60 - 1.30	.0961	----	----	----	----	3 UNCH
4975	----	----	31.40B/*21.50A	31.40B/*21.50A	----	31.10 + 0.50	.2358	----	----	----	----	4 UNCH
4975	----	----	250.40B/158.60A	250.40B/158.60A	----	164.00 - 42.20	.9102	----	----	1	----	1 UNCH
4975	5.60	5.60	7.60B/*2.90A	7.60B/*2.90A	----	7.10 - 1.30	.0896	----	----	2	----	17 + 1
4980	----	----	----/*2.70A	7.10B/*2.70A	----	6.60 - 1.40	.0833	----	----	----	----	1 UNCH
4985	5.10	5.10	6.70B/*2.60A	6.70B/*2.60A	----	6.20 - 1.40	.0779	----	----	1	----	3 UNCH
4990	----	----	265.00B/172.30A	265.00B/172.30A	----	177.80 - 42.10	.9272	----	----	1	----	1 UNCH
4990	2.50	2.50	6.40/*2.40A	6.40/*2.40A	----	5.80 - 1.40	.0726	----	----	4	----	16 + 3
5000	----	----	----/*17.60A	25.90B/*17.60A	----	25.90 UNCH	.2024	----	----	8	----	381 + 6
5000	3.50	3.50	5.40B/*2.10A	5.40B/*2.10A	----	5.10 - 1.40	.0633	----	----	34	----	31 + 18
5005	2.50	2.50	5.10B/*2.10A	5.10B/*2.10A	----	4.80 - 1.40	.0592	----	----	3	----	4 + 3
5010	2.50	2.50	5.00/*1.90A	5.00/*1.90A	----	4.50 - 1.30	.0552	----	----	10	----	24 + 3
5015	----	----	----/*1.90A	4.50B/*1.90A	----	4.20 - 1.30	.0513	----	----	----	----	2 UNCH
5020	----	----	----/*1.80A	4.20B/*1.80A	----	3.90 - 1.40	.0475	----	----	----	----	1 UNCH
5025	4.20	4.20	4.20/*1.70A	4.20/*1.70A	----	3.70 - 1.30	.0447	----	----	4	----	8 + 3
5035	----	----	----/*1.50A	3.50B/*1.50A	----	3.20 - 1.30	.0382	----	----	----	----	2 UNCH
5040	1.80	1.80	1.80/*1.50A	3.20B/*1.50A	----	3.00 - 1.30	.0356	----	----	1	----	3 + 1
5050	12.80	12.80	17.60B/*12.40A	17.60B/*12.40A	----	17.70 - 0.80	.1458	----	----	20	----	40 + 20
5050	----	----	----/*1.30A	2.80B/*1.30A	----	2.70 - 1.20	.0315	----	----	----	----	3 UNCH
5055	----	----	----/*1.20A	2.70B/*1.20A	----	2.50 - 1.20	.0290	----	----	----	----	3 UNCH
5060	----	----	----/*1.20A	2.60B/*1.20A	----	2.40 - 1.10	.0275	----	----	----	----	2 UNCH
5070	----	----	----/*1.10A	2.20B/*1.10A	----	2.10 - 1.00	.0237	----	----	----	----	4 UNCH
5075	----	----	----/*1.00A	2.10B/*1.00A	----	1.90 - 1.10	.0214	----	----	----	----	1 UNCH
5080	1.40	1.40	1.40/*1.00A	2.00B/*1.00A	----	1.80 - 1.00	.0201	----	----	1	----	2 + 1
5100	7.80	7.80	11.70B/*7.80	11.70B/*7.80	----	12.10 - 1.20	.1034	----	----	2	----	5 + 2
5100	1.30	1.30	1.70B/*0.80A	1.70B/*0.80A	----	1.50 - 0.90	.0160	----	----	11	----	13 + 11
5150	----	----	----/*6.80A	7.80B/*6.80A	----	8.30 NEW	.0726	----	----	4	----	4 + 4

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 48

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK2										
APR26												
5150	----	----	----/*0.60A	1.00B/*0.60A	----	0.90 - 0.70	.0087	----	----	----	----	6 UNCH
5180	----	----	412.60B/359.30A	412.60B/359.30A	----	362.60 - 41.40	.9936	----	----	----	----	1 UNCH
5200	----	----	----/*5.00A	5.10B/*5.00A	----	5.70 - 1.50	.0506	----	----	----	----	4 UNCH
5200	0.50	0.50	0.50/*0.50	0.60B/*0.50	----	0.60 - 0.60	.0052	----	----	5	----	16 + 5
5220	----	----	----/*0.50A	0.40B/*0.50A	----	0.50 - 0.60	.0041	----	----	----	----	2 UNCH
5225	----	----	----/*0.50A	0.40B/*0.50A	----	0.50 - 0.50	.0041	----	----	----	----	2 UNCH
5235	----	----	----/*0.50A	0.40B/*0.50A	----	0.40 - 0.60	.0032	----	----	----	----	2 UNCH
5250	----	----	----/*0.60A	0.30B/*0.60A	----	0.40 - 0.50	.0031	----	----	----	----	12 UNCH
5350	----	----	----/*0.50A	----/*0.50A	----	0.20 - 0.50	.0012	----	----	2	----	3 + 1
5400	----	----	----	----/*0.50A	----	0.20 - 0.30	.0011	----	----	----	----	1 UNCH
TOTAL										1354		5345 + 639
MAY26												
4200	----	----	----/*14.20A	17.50B/*14.20A	----	10.30 - 7.70	.0518	----	----	----	----	1 UNCH
4250	----	----	----/*15.20A	21.90B/*15.20A	----	13.00 - 9.10	.0646	----	----	----	----	2 UNCH
4300	----	----	#39.10B/*24.80A	39.10B/*24.80A	----	22.80 - 11.80	.0992	----	----	1	----	6 + 1
4300	----	----	27.30B/*18.40A	27.30B/*18.40A	----	16.30 - 10.70	.0800	----	----	----	----	18 UNCH
4350	----	----	33.80B/*22.20A	33.80B/*22.20A	----	20.40 - 12.40	.0986	----	----	----	----	2 UNCH
4350	----	----	47.30B/*29.80A	47.30B/*29.80A	----	27.80 - 13.60	.1191	----	----	----	----	15 UNCH
4370	----	----	36.80B/*24.00A	36.80B/*24.00A	----	22.20 - 13.20	.1067	----	----	----	----	1 UNCH
4375	----	----	37.60B/*24.50A	37.60B/*24.50A	----	22.70 - 13.40	.1090	----	----	----	----	1 UNCH
4400	35.00	35.00	41.80B/*27.10A	41.80B/*27.10A	----	25.40 - 14.30	.1207	----	----	1	----	1 UNCH
4400	----	----	#56.50B/*35.70A	56.50B/*35.70A	----	33.80 NEW	.1422	----	----	1	----	1 + 1
4450	----	----	#67.40B/*42.90A	67.40B/*42.90A	----	41.20 NEW	.1693	----	----	1	----	1 + 1
4475	----	----	#73.20B/*47.00A	73.20B/*47.00A	----	45.30 - 18.70	.1841	----	----	----	----	10 UNCH
4475	----	----	56.30B/*36.90A	56.30B/*36.90A	----	35.00 - 18.00	.1615	----	----	----	----	1 UNCH
4485	----	----	#76.10B/*48.80A	76.10B/*48.80A	----	47.10 - 19.10	.1904	----	----	----	----	10 UNCH
4500	----	----	62.50B/*40.80A	62.50B/*40.80A	----	38.90 - 19.40	.1775	----	----	----	----	2 UNCH
4505	----	----	63.80B/*41.60A	63.80B/*41.60A	----	39.70 - 19.70	.1808	----	----	----	----	1 UNCH
4580	----	----	84.40B/*56.20A	84.40B/*56.20A	----	54.20 - 24.00	.2369	----	----	----	----	2 UNCH
4600	----	----	#111.40B/*74.10	111.40B/*74.10A	----	72.40 - 24.80	.2740	----	----	----	----	1 UNCH
4600	----	----	90.90B/*60.80A	90.90B/*60.80A	----	58.80 - 25.20	.2539	----	----	----	----	4 UNCH
4610	----	----	#114.40B/*76.90	114.40B/*76.90A	----	75.10 NEW	.2823	----	----	2	----	2 + 2
4620	----	----	#118.10B/*79.60	118.10B/*79.60A	----	77.80 NEW	.2906	----	----	2	----	2 + 2
4650	----	----	239.20B/196.60A	239.20B/196.60A	----	239.70 + 13.00	.6992	----	----	----	----	1 UNCH
4690	----	----	211.60B/173.50A	211.60B/173.50A	----	212.20 + 11.20	.6586	----	----	----	----	3 UNCH
4695	100.00	100.00	#149.00B/*100.0	149.00B/*100.00	----	101.70 NEW	.3588	----	----	1	----	1 + 1
4700	----	----	129.60B/*89.60A	129.60B/*89.60A	----	87.90 - 29.90	.3513	----	----	----	----	1 UNCH
4700	----	----	204.90B/167.80A	204.90B/167.80A	----	205.60 + 10.70	.6480	----	----	----	----	1 UNCH
4700	100.00	100.00	#151.80B/*100.0	151.80B/*100.00	----	103.50 NEW	.3637	----	----	7	----	7 + 7
4705	----	----	201.60B/165.10A	201.60B/165.10A	----	202.40 + 10.60	.6427	----	----	----	----	1 UNCH
4705	----	----	131.80B/*91.30A	131.80B/*91.30A	----	89.60 - 30.20	.3566	----	----	----	----	11 UNCH
4710	----	----	198.30B/162.40A	198.30B/162.40A	----	199.20 + 10.40	.6373	----	----	----	----	0 UNCH
4720	----	----	191.90B/157.00A	191.90B/157.00A	----	192.80 + 10.00	.6264	----	----	----	----	1 UNCH
4730	118.50	118.50	#165.30B/*116.3	165.30B/*116.30A	----	114.90 NEW	.3932	----	----	20	----	20 + 20
4780	----	----	175.30B/*148.90	175.30B/148.90A	----	173.90 + 8.60	.5550	----	----	----	----	0 UNCH
4800	----	----	164.40B/*139.60	164.40B/139.60A	----	163.20 + 8.10	.5342	----	----	----	----	1 UNCH
4800	----	----	144.70B/118.20A	144.70B/118.20A	----	146.60 + 7.80	.5348	----	----	----	----	1 UNCH
4880	----	----	125.20B/*107.60	125.20B/107.60A	----	124.80 NEW	.4502	----	----	1	----	1 + 1
4900	----	----	97.30B/80.40A	97.30B/80.40A	----	100.10 + 5.10	.4172	----	----	----	----	21 UNCH
4900	115.10	115.10	116.70B/*100.80	116.70B/100.80A	----	116.40 + 6.10	.4295	----	----	10	----	11 + 10
4900	202.00	202.00	#263.90B/198.10	263.90B/198.10A	----	198.10 NEW	.5696	----	----	1	----	1 + 1
4905	----	----	95.20B/78.90A	95.20B/78.90A	----	98.10 + 5.00	.4114	----	----	----	----	2 UNCH
4950	----	----	78.20B/65.80A	78.20B/65.80A	----	81.40 + 3.50	.3606	----	----	----	----	1 UNCH
4975	----	----	----/59.30A	69.80B/59.30A	----	73.10 + 2.60	.3335	----	----	----	----	1 UNCH
5000	----	----	79.60B/*71.30A	79.60B/71.30A	----	80.30 NEW	.3304	----	----	1	----	1 + 1
5000	----	----	----/53.50A	62.10B/53.50A	----	65.50 + 1.70	.3073	----	----	----	----	3 UNCH
5000	----	----	314.50B/245.00A	314.50B/245.00A	----	247.10 - 39.00	.6920	----	----	----	----	1 UNCH
5005	----	----	----/52.30A	60.70B/52.30A	----	64.10 + 1.60	.3023	----	----	2	----	2 + 1
5075	51.00	51.00	58.30B/*51.00	58.30B/*51.00	----	59.50 NEW	.2637	----	----	1	----	1 + 1
5100	----	----	----/*35.30A	38.00B/*35.30A	----	41.20 NEW	.2144	----	----	2	----	2 + 2
5175	----	----	----/*24.90A	25.70B/*24.90A	----	28.30 - 2.90	.1579	----	----	----	----	2 UNCH
5200	----	----	----/*22.30A	22.50B/*22.30A	----	24.70 NEW	.1412	----	----	1	----	1 + 1
TOTAL										55		184 + 53

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
FMG OPT		MICRO GOLD WEEKLY FRI OPTION WEEK3										
APR26												
4250	----	----	----	----	----	3.00 - 2.40	.0188	----	----	----	----	1 UNCH
4600	----	----	----	----	----	1.40 - 5.80	.0040	----	----	----	----	2 UNCH
4700	----	----	----/*9.00A	12.00B/*9.00A	----	4.90 - 15.50	.0390	----	----	----	----	1 UNCH
4915	----	----	----	----	----	41.40 + 2.60	.3126	----	----	----	----	3 UNCH
TOTAL												7 0

SILVER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU		SILVER WEEKLY THURSDAY OPTION Week4										
APR26												
5000	----	----	----	0.001B/0.174A	----	0.089 - 0.012	.0125	----	----	----	----	1 UNCH
5000	----	----	----	0.001B/*0.121A	----	0.009 - 0.016	.0013	----	----	----	----	1 UNCH
5600	----	----	----	----/*0.097A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
6000	----	----	----	----/*0.099A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
6000	----	----	----	0.060B/0.184A	----	0.078 - 0.089	.0155	----	----	----	----	0 UNCH
6100	----	----	----/*0.347A	0.302B/*0.347A	----	0.238 - 0.114	.0442	----	----	----	----	1 UNCH
6150	----	----	----	----/*0.097A	----	0.000 - 0.002	----	----	----	----	----	0 - 1
6425	----	----	----	----/*0.096A	----	0.000 - 0.005	----	----	----	----	----	0 - 1
6500	----	----	----/*0.278A	0.293B/*0.278A	----	0.184 - 0.171	.0425	----	----	----	----	1 UNCH
6500	0.005	0.005	0.005/*0.002A	0.005/*0.002A	----	0.000 - 0.006	----	----	----	1	----	0 - 2
6550	0.010	0.010	0.010/*0.010	0.010/*0.010	----	0.000 - 0.008	----	----	----	2	----	0 - 2
6650	----	----	----	----/*0.096A	----	0.000 - 0.012	----	----	----	----	----	0 - 6
6650	----	----	----/*0.372A	0.425B/*0.372A	----	0.249 NEW	.0595	----	----	2	----	2 + 2
6660	----	----	----	----/*0.098A	----	0.000 - 0.013	----	----	----	----	----	0 - 4
6750	----	----	----	0.001B/*0.096A	----	0.000 - 0.020	----	----	----	----	----	0 - 10
6800	----	----	----	----	----	8.438 + 1.028	----	----	----	----	----	0 - 50
6800	----	----	0.692B/*0.470A	0.692B/*0.470A	----	0.346 NEW	.0845	----	----	2	----	2 + 2
6800	0.110	0.110	0.110/*0.074A	0.110/*0.074A	----	0.000 - 0.025	----	----	----	10	----	0 - 2
6850	----	----	1.445B/----	1.445B/*1.017A	----	0.847 + 0.080	.1575	----	----	----	----	25 UNCH
6900	0.001	0.001	0.001/*0.001	0.001/*0.001	----	0.000 - 0.043	----	----	----	2	----	0 - 2
7000	----	----	----	----/27.784A	----	7.548 + 1.149	.7980	----	----	----	----	1 UNCH
7000	----	----	0.110B/----	0.110B/*0.112A	----	0.000 - 0.074	----	----	----	----	----	0 - 3
7025	----	----	----	0.042B/*0.110A	----	0.000 - 0.085	----	----	----	----	----	0 - 1
7180	----	----	1.745B/*0.977A	1.745B/*0.977A	----	0.851 - 0.473	.2047	----	----	----	----	3 UNCH
7200	0.600	0.600	0.600/*0.010	0.600/*0.010	----	0.000 - 0.229	----	----	----	2	----	0 - 4
7250	0.360	0.360	0.509B/*0.020	0.509B/*0.020	----	0.000 - 0.302	----	----	----	4	----	0 - 2
7300	0.800	0.800	1.000/*0.111A	1.000/*0.111A	----	0.000 - 0.393	----	----	----	3	----	0 - 2
7300	----	----	----/1.412A	0.684B/1.412A	----	3.438 + 0.661	----	----	----	----	----	0 - 3
7325	2.246	2.246	2.373B/*1.324A	2.373B/*1.324A	----	1.206 NEW	.2786	----	----	10	----	10 + 10
7330	2.272	2.272	2.397B/*1.334A	2.397B/*1.334A	----	1.220 NEW	.2814	----	----	10	----	10 + 10
7350	0.755	0.755	0.755/*0.080	0.755/*0.080	----	0.000 - 0.493	----	----	----	4	----	0 - 4
7400	1.050	1.050	1.050/0.700	1.050/0.700	----	2.438 + 0.435	----	----	----	6	----	0 - 2
7400	0.455	0.455	0.871B/*0.104	0.871B/*0.104	----	0.000 - 0.618	----	----	----	4	----	0 - 7
7450	0.315	0.315	0.315/*0.109A	0.430B/*0.109A	----	0.000 - 0.774	----	----	----	1	----	0 - 1
7450	0.800	0.800	1.015/*0.500	1.015/*0.500	----	1.938 + 0.279	----	----	----	22	----	0 - 3
7455	0.750	0.750	0.750/*0.567A	0.750/*0.567A	----	1.888 + 0.261	----	----	----	3	----	0 - 1
7475	----	----	----/*0.481A	0.568B/*0.481A	----	1.688 + 0.187	----	----	----	1	----	0 - 1
7500	2.189	2.189	2.256/*1.863A	2.328B/*1.863A	----	1.787 NEW	.3862	----	----	30	----	30 + 30
7500	----	----	----/2.103A	2.759B/2.103A	----	3.224 + 0.331	.6137	----	----	----	----	1 UNCH
7500	0.955	0.955	0.955/*0.141A	0.955/*0.141A	----	0.000 - 0.968	----	----	----	1	----	0 - 3
7500	0.600	0.600	0.600/*0.337	0.600/*0.337	----	1.438 NEW	----	----	----	6	----	0 UNCH
7510	0.402	0.402	0.402/*0.365A	0.428B/*0.365A	----	1.338 NEW	----	----	----	1	----	0 UNCH
7520	1.201	1.201	1.201/*0.349A	1.201/*0.349A	----	1.238 - 0.004	----	----	----	3	----	0 - 3
7525	----	----	----/*0.200A	0.236B/*0.200A	----	0.000 - 1.080	----	----	----	----	----	0 - 5
7525	0.250	0.250	0.250/*0.250	0.373B/*0.250	----	1.188 NEW	----	----	----	2	----	0 UNCH
7550	0.615	0.615	0.615/*0.272A	0.615/*0.272A	----	0.000 - 1.204	----	----	----	1	----	0 - 1
7550	0.250	0.250	0.250/*0.155A	0.275B/*0.155A	----	0.938 - 0.151	----	----	----	2	----	0 - 2
7555	----	----	----/*0.298A	0.038B/*0.298A	----	0.000 - 1.230	----	----	----	----	----	0 UNCH
7575	----	----	----/*0.168A	0.205B/*0.168A	----	0.688 - 0.287	----	----	----	----	----	0 - 7

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU		SILVER WEEKLY THURSDAY OPTION Week2										
APR26												
7600	0.500	0.500	0.500/*0.118A	0.500/*0.118A	----	0.438 -	0.435 ----	----	----	3	----	0 - 4
7600	1.015	1.015	1.015/*0.036	1.015/*0.036	----	0.000 -	1.488 ----	----	----	3	----	0 - 1
7600	----	----	----/1.744A	2.164B/1.744A	----	2.645 +	0.242 .5455	----	----	----	----	2 UNCH
7625	0.103	0.103	0.103/*0.103	0.103/*0.103	----	0.188 -	0.592 ----	----	----	1	----	0 - 1
7650	----	----	----/*0.122A	0.057B/*0.122A	----	0.000 -	0.696 ----	----	----	2	----	0 - 2
7650	----	----	----/*0.155A	0.036B/*0.155A	----	0.062 -	1.749 ----	----	----	1	----	0 - 1
7700	----	----	----/*0.109A	0.014B/*0.109A	----	0.000 -	0.552 ----	----	----	----	----	0 - 11
7700	----	----	----/*0.705A	----/*0.705A	----	0.562 -	1.604 ----	----	----	----	----	0 UNCH
7725	0.097	0.097	0.097/*0.097	0.097/*0.097	----	0.000 -	0.491 ----	----	----	15	----	0 - 60
7750	----	----	----/*0.112A	0.001B/*0.112A	----	0.000 -	0.436 ----	----	----	----	----	0 - 13
7800	0.050	0.050	0.050/*0.050	0.050/*0.050	----	0.000 -	0.346 ----	----	----	1	----	0 - 4
7850	----	----	----/*0.122A	0.020B/*0.122A	----	0.000 -	0.275 ----	----	----	----	----	0 - 1
7900	----	----	----/*0.124A	----/*0.124A	----	0.000 -	0.219 ----	----	----	----	----	0 - 3
7950	----	----	----/*0.127A	----/*0.127A	----	0.000 -	0.177 ----	----	----	----	----	0 - 2
8000	----	----	----/*0.051A	----/*0.051A	----	0.000 -	0.144 ----	----	----	1	----	0 - 7
8250	----	----	----	----/25.816A	----	6.621 -	1.129 .8393	----	----	----	----	4 UNCH
8275	----	----	----	----/26.594A	----	6.836 -	1.132 .8485	----	----	----	----	4 UNCH
8300	----	----	----	----/0.103A	----	0.000 -	0.053 ----	----	----	----	----	0 - 1
8500	----	----	----	----/0.100A	----	0.000 -	0.033 ----	----	----	----	----	0 UNCH
8525	----	----	----	----/*0.098A	----	0.000 -	0.031 ----	----	----	----	----	0 - 1
8600	----	----	----	----/*0.096A	----	0.000 -	0.025 ----	----	----	----	----	0 - 1
8800	----	----	----	----/33.040A	----	11.696 -	1.129 .9586	----	----	----	----	1 UNCH
TOTAL										162	0	99 - 196
SMW MON		SILVER WEEKLY MONDAY OPTION WEEK2										
APR26												
6000	----	----	----	0.001B/0.110A	----	0.009 -	0.043 .0015	----	----	----	----	1 UNCH
6500	----	----	----	0.061B/*0.146A	----	0.034	NEW .0083	----	----	1	----	1 + 1
6600	----	----	----/*0.154A	0.104B/*0.154A	----	0.043 -	0.135 .0113	----	----	----	----	1 UNCH
6625	----	----	----/*0.156A	0.096B/*0.156A	----	0.046 -	0.141 .0123	----	----	----	----	6 UNCH
6700	----	----	----/*0.166A	0.171B/*0.166A	----	0.057 -	0.164 .0161	----	----	----	----	1 UNCH
6750	----	----	----/*0.172A	0.191B/*0.172A	----	0.066 -	0.181 .0193	----	----	----	----	1 UNCH
6900	----	----	0.396B/*0.209A	0.396B/*0.209A	----	0.106 -	0.248 .0340	----	----	----	----	2 UNCH
6975	----	----	0.501B/*0.256A	0.501B/*0.256A	----	0.138 -	0.290 .0461	----	----	----	----	11 UNCH
7000	0.760	0.760	1.534B/*0.760	1.534B/*0.760	----	0.785	NEW .1693	----	----	2	----	2 + 2
7000	----	----	0.586B/*0.262A	0.586B/*0.262A	----	0.150 -	0.307 .0508	----	----	----	----	1 UNCH
7050	----	----	----	----/48.154A	----	6.116 +	0.711 .9376	----	----	----	----	1 UNCH
7100	----	----	0.850B/*0.296A	0.850B/*0.296A	----	0.216	NEW .0762	----	----	1	----	1 + 1
7175	----	----	1.058B/*0.345A	1.058B/*0.345A	----	0.287 -	0.446 .1033	----	----	----	----	2 UNCH
7200	----	----	----/3.211A	1.789B/3.211A	----	4.753 +	0.584 .8856	----	----	----	----	1 UNCH
7205	----	----	1.169B/*0.366A	1.169B/*0.366A	----	0.322 -	0.475 .1166	----	----	----	----	1 UNCH
7250	----	----	1.324B/*0.415A	1.324B/*0.415A	----	0.383 -	0.519 .1392	----	----	----	----	2 UNCH
7300	----	----	----/3.444A	3.191B/3.444A	----	4.894 +	0.822 .7079	----	----	----	----	2 UNCH
7300	0.800	0.800	1.565B/*0.491A	1.565B/*0.491A	----	0.464	NEW .1687	----	----	18	----	17 + 17
7300	----	----	----/2.938A	1.917B/2.938A	----	3.901 +	0.481 .8312	----	----	----	----	4 UNCH
7400	----	----	----/1.740A	1.754B/1.740A	----	3.106 +	0.359 .7589	----	----	1	----	1 UNCH
7500	----	----	----/*1.033A	1.708B/*1.033A	----	0.948 -	0.828 .3323	----	----	----	----	1 UNCH
7500	1.400	1.400	1.772B/1.318A	1.772B/1.318A	----	2.385 +	0.224 .6676	----	----	1	----	4 + 1
7500	----	----	3.004B/2.508A	3.004B/2.508A	----	3.593 +	0.683 .6015	----	----	----	----	2 UNCH
7600	1.000	1.000	1.596B/1.000	1.596B/1.000	----	1.756 +	0.090 .5597	----	----	1	----	3 + 1
7700	0.900	0.900	1.200/0.751A	1.200/0.751A	----	1.234 -	0.028 .4421	----	----	2	----	2 + 1
7750	0.925	0.925	0.925/0.650A	0.926B/0.650A	----	1.015	NEW .3832	----	----	10	----	10 + 10
7800	0.400	0.400	0.725B/*0.400	0.725B/*0.400	----	0.825 -	0.119 .3262	----	----	1	----	2 + 1
7800	1.350	1.350	2.000/1.350	2.000/1.350	----	2.071	NEW .4244	----	----	2	----	0 UNCH
8000	0.300	0.300	0.300/0.281A	0.300/0.281A	----	0.326 -	0.194 .1443	----	----	2	----	4 + 2
8025	----	----	----/*0.265A	0.301B/*0.265A	----	0.292 -	0.191 .1294	----	----	----	----	1 UNCH
8100	----	----	----/*0.199A	0.164B/*0.199A	----	0.210 -	0.177 .0924	----	----	----	----	1 UNCH
8300	0.072	0.072	0.072/*0.072	0.072/*0.072	----	0.090	NEW .0369	----	----	1	----	1 + 1
8500	----	----	----/0.131A	0.002B/0.131A	----	0.042 -	0.093 .0153	----	----	1	----	2 + 1
TOTAL										44	0	92 + 39
MAY26												
6600	----	----	1.506B/----	1.506B/*1.125A	----	0.982 -	0.033 .1417	----	----	----	----	1 UNCH
7625	----	----	----/*4.897A	4.567B/*4.897A	----	4.624 -	1.177 .4432	----	----	----	----	1 UNCH
TOTAL											0	2 0
SO CALL		COMEX SILVER OPTIONS										
MAY26												
3750	----	----	39.083B/37.057A	39.083B/37.057A	----	38.943 +	1.051 .9967	----	----	----	----	1 UNCH
3875	----	----	37.906B/35.713A	37.906B/35.713A	----	37.697 +	1.049 .9958	----	----	----	----	50 UNCH
3900	----	----	37.582B/35.560A	37.582B/35.560A	----	37.448 +	1.049 .9957	----	----	----	----	1 UNCH
4000	----	----	36.656B/34.462A	36.656B/34.462A	----	36.453 +	1.048 .9950	----	----	----	----	53 UNCH
4100	----	----	35.657B/33.472A	35.657B/33.472A	----	35.455 +	1.046 .9946	----	----	----	----	50 UNCH
4200	----	----	34.660B/32.475A	34.660B/32.475A	----	34.457 +	1.044 .9942	----	----	----	----	116 UNCH
4400	----	----	32.625B/30.560A	32.625B/30.560A	----	32.462 +	1.040 .9932	----	----	----	----	43 UNCH
4450	----	----	32.089B/30.075A	32.089B/30.075A	----	31.964 +	1.039 .9930	----	----	----	----	2 UNCH
4500	----	----	31.664B/29.485A	31.664B/29.485A	----	31.465 +	1.038 .9926	----	----	----	----	120 UNCH
4550	----	----	31.092B/29.080A	31.092B/29.080A	----	30.967 +	1.037 .9923	----	----	----	----	1 UNCH
4600	----	----	30.631B/28.569A	30.631B/28.569A	----	30.469 +	1.036 .9919	----	----	----	----	43 UNCH
4650	----	----	30.170B/27.983A	30.170B/27.983A	----	29.971 +	1.034 .9915	----	----	----	----	77 UNCH
4675	----	----	29.846B/27.837A	29.846B/27.837A	----	29.722 +	1.034 .9913	----	----	----	----	15 UNCH
4700	----	----	29.597B/27.589A	29.597B/27.589A	----	29.474 +	1.034 .9911	----	----	----	----	2 UNCH
4725	----	----	29.348B/27.341A	29.348B/27.341A	----	29.225 +	1.033 .9909	----	----	----	----	2 UNCH
4750	----	----	29.099B/27.089A	29.099B/27.089A	----	28.976 +	1.032 .9906	----	----	----	----	7 UNCH
4800	----	----	28.602B/26.592A	28.602B/26.592A	----	28.479 +	1.031 .9902	----	----	----	----	7 UNCH
4825	----	----	28.353B/26.345A	28.353B/26.345A	----	28.230 +	1.030 .9899	----	----	----	----	22 UNCH
4850	----	----	28.104B/26.097A	28.104B/26.097A	----	27.982 +	1.030 .9897	----	----	----	----	10 UNCH
4900	----	----	27.607B/25.605A	27.607B/25.605A	----	27.485 +	1.028 .9890	----	----	----	----	14 UNCH
4925	----	----	27.358B/25.354A	27.358B/25.354A	----	27.237 +	1.028 .9888	----	----	----	----	12 UNCH
4950	----	----	27.110B/25.109A	27.110B/25.109A	----	26.989 +	1.027 .9884	----	----	----	----	4 UNCH
5000	----	----	26.689B/24.512A	26.689B/24.512A	----	26.492 +	1.025 .9878	----	----	----	----	99 UNCH
5025	----	----	26.364B/24.358A	26.364B/24.358A	----	26.244 +	1.024 .9875	----	----	----	----	3 UNCH
5050	----	----	26.116B/24.105A	26.116B/24.105A	----	25.996 +	1.023 .9871	----	----	----	----	6 UNCH
5075	----	----	25.868B/23.871A	25.868B/23.871A	----	25.749 +	1.023 .9867	----	----	----	----	6 UNCH
5100	----	----	25.619B/23.624A	25.619B/23.624A	----	25.501 +	1.021 .9864	----	----	----	----	9 UNCH
5125	----	----	25.371B/23.402A	25.371B/23.402A	----	25.253 +	1.020 .9858	----	----	----	----	1 UNCH
5150	----	----	25.123B/23.131A	25.123B/23.131A	----	25.006 +	1.019 .9855	----	----	----	----	15 UNCH
5200	----	----	24.627B/22.643A	24.627B/22.643A	----	24.511 +	1.016 .9845	----	----	----	----	11 UNCH
5225	----	----	24.379B/22.427A	24.379B/22.427A	----	24.264 +	1.015 .9840	----	----	----	----	1 UNCH
5250	----	----	24.131B/22.151A	24.131B/22.151A	----	24.017 +	1.014 .9834	----	----	----	----	21 UNCH
5275	----	----	23.884B/21.905A	23.884B/21.905A	----	23.771 +	1.014 .9828	----	----	----	----	6 UNCH
5300	----	----	23.714B/21.555A	23.714B/21.555A	----	23.525 +	1.013 .9821	----	----	----	----	126 UNCH
5325	----	----	23.427B/21.407A	23.427B/21.407A	----	23.279 +	1.012 .9815	----	----	----	----	29 UNCH
5350	----	----	23.180B/21.151A	23.180B/21.151A	----	23.034 +	1.012 .9806	----	----	----	----	25 UNCH
5400	----	----	22.726B/20.575A	22.726B/20.575A	----	22.543 +	1.010 .9791	----	----	----	----	146 UNCH
5425	----	----	22.399B/20.419A	22.399B/20.419A	----	22.298 +	1.009 .9783	----	----	----	----	12 UNCH
5450	----	----	22.233B/20.087A	22.233B/20.087A	----	22.054 +	1.009 .9774	----	----	----	----	50 UNCH
5475	----	----	21.906B/19.976A	21.906B/19.976A	----	21.809 +	1.008 .9765	----	----	----	----	2 UNCH
5500	----	----	21.740B/19.600A	21.740B/19.600A	----	21.564 +	1.006 .9756	----	----	----	----	185 UNCH
5525	----	----	21.454B/19.452A	21.454B/19.452A	----	21.320 +	1.006 .9747	----	----	----	----	35 UNCH
5550	----	----	21.170B/19.215A	21.170B/19.215A	----	21.075 +	1.003 .9738	----	----	----	----	8 UNCH
5600	----	----	20.758B/18.628A	20.758B/18.628A	----	20.586 +	0.999 .9719	----	----	----	----	110 UNCH
5625	----	----	20.432B/18.489A	20.432B/18.489A	----	20.341 +	0.996 .9710	----	----	----	----	8 UNCH
5650	----	----	20.227B/18.178A	20.227B/18.178A	----	20.096 +	0.993 .9700	----	----	----	----	31 UNCH
5675	----	----	19.942B/18.011A	19.942B/18.011A	----	19.852 +	0.990 .9691	----	----	----	----	6 UNCH
5700	----	----	19.697B/17.771A	19.697B/17.771A	----	19.607 +	0.986 .9681	----	----	----	----	9 UNCH
5750	----	----	19.208B/17.291A	19.208B/17.291A	----	19.118 +	0.978 .9661	----	----	----	----	16 UNCH
5775	----	----	18.964B/17.076A	18.964B/17.076A	----	18.873 +	0.973 .9650	----	----	----	----	1 UNCH
5800	----	----	18.720B/16.836A	18.720B/16.836A	----	18.629 +	0.968 .9639	----	----	----	----	1 UNCH
5825	----	----	18.476B/16.553A	18.476B/16.553A	----	18.385 +	0.963 .9627	----	----	----	----	11 UNCH
5850	----	----	18.233B/16.359A	18.233B/16.359A	----	18.141 +	0.957 .9616	----	----	----	----	2 UNCH
5900	----	----	17.829B/15.750A	17.829B/15.750A	----	17.653 +	0.945 .9591	----	----	----	----	124 UNCH
5925	----	----	17.504B/15.647A	17.504B/15.647A	----	17.410 +	0.939 .9579	----	----	----	----	1 UNCH
5950	----	----	17.261B/15.367A	17.261B/15.367A	----	17.167 +	0.933 .9565	----	----	----	----	16 UNCH
6000	----	----	16.860B/14.805A	16.860B/14.805A	----	16.682 +	0.919 .9535	----	----	----	----	247 UNCH
6050	----	----	16.296B/14.467A	16.296B/14.467A	----	16.200 +	0.906 .9502	----	----	----	----	2 UNCH
6075	----	----	16.139B/14.087A	16.139B/14.087A	----	15.959 +	0.899 .9484	----	----	----	----	122 UNCH
6100	----	----	15.819B/13.957A	15.819B/13.957A	----	15.719 +	0.891 .9465	----	----	----	----	9 UNCH
6125	----	----	15.578B/13.768A	15.578B/13.768A	----	15.480 +	0.885 .9446	----	----	----	----	1 UNCH
6150	----	----	15.339B/13.536A	15.339B/13.536A	----	15.241 +	0.877 .9425	----	----	----	----	3 UNCH
6175	----	----	15.101B/13.305A	15.101B/13.305A	----	15.003 +	0.870 .9402	----	----	----	----	1 UNCH
6200	----	----	14.946B/12.931A	14.946B/12.931A	----	14.765 +	0.861 .9380	----	----	----	----	59 UNCH
6225	----	----	14.709B/12.703A	14.709B/12.703A	----	14.528 +	0.853 .9356	----	----	----	----	69 UNCH
6250	----	----	14.389B/12.620A	14.389B/12.620A	----	14.292 +	0.846 .9331	----	----	----	----	3 UNCH
6275	----	----	14.153B/12.394A	14.153B/12.394A	----	14.057 +	0.838 .9304	----	----	----	----	4 UNCH
6300	----	----	13.918B/12.128A	13.918B/12.128A	----	13.822 +	0.829 .9276	----	----	----	----	24 UNCH
6325	----	----	13.684B/11.945A	13.684B/11.945A	----	13.589 +	0.821 .9247	----	----	----	----	3 UNCH
6350	----	----	13.449B/11.677A	13.449B/11.677A	----	13.356 +	0.812 .9217	----	----	----	----	7 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 50

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
6375	----	----	13.258B/11.422A	13.258B/11.422A	----	13.124 + 0.803	.9185	----	----	----	----	48 UNCH
6400	----	----	13.068B/11.136A	13.068B/11.136A	----	12.893 + 0.794	.9151	----	----	----	----	62 UNCH
6425	----	----	12.756B/11.013A	12.756B/11.013A	----	12.663 + 0.785	.9117	----	----	----	----	6 UNCH
6450	----	----	12.522B/10.844A	12.522B/10.844A	----	12.434 + 0.775	.9080	----	----	----	----	4 UNCH
6475	----	----	12.297B/10.584A	12.297B/10.584A	----	12.206 + 0.765	.9042	----	----	----	----	6 UNCH
6500	----	----	12.148B/10.270A	12.148B/10.270A	----	11.979 + 0.755	.9002	----	----	----	----	174 UNCH
6525	----	----	11.878B/10.129A	11.878B/10.129A	----	11.754 + 0.745	.8961	----	----	----	----	28 UNCH
6550	----	----	11.610B/9.934A	11.610B/9.934A	----	11.529 + 0.734	.8918	----	----	----	----	8 UNCH
6575	----	----	11.382B/9.777A	11.382B/9.777A	----	11.306 + 0.724	.8873	----	----	----	----	3 UNCH
6600	----	----	11.161B/9.528A	11.161B/9.528A	----	11.084 + 0.712	.8827	----	----	----	----	9 UNCH
6625	----	----	10.937B/9.306A	10.937B/9.306A	----	10.864 + 0.702	.8779	----	----	----	----	7 UNCH
6650	----	----	10.716B/9.100A	10.716B/9.100A	----	10.644 + 0.689	.8729	----	----	----	----	6 UNCH
6675	----	----	10.494B/8.953A	10.494B/8.953A	----	10.427 + 0.678	.8676	----	----	----	----	1 UNCH
6700	----	----	10.360B/8.612A	10.360B/8.612A	----	10.210 + 0.664	.8623	----	----	----	----	172 UNCH
6750	----	----	9.842B/8.291A	9.842B/8.291A	----	9.782 + 0.638	.8509	----	----	----	----	10 UNCH
6800	----	----	9.500B/7.833A	9.500B/7.833A	----	9.360 + 0.610	.8387	----	----	----	----	56 UNCH
6825	----	----	9.290B/7.643A	9.290B/7.643A	----	9.152 + 0.596	.8324	----	----	----	----	107 UNCH
6850	----	----	8.995B/7.589A	8.995B/7.589A	----	8.945 + 0.581	.8258	----	----	----	----	1 UNCH
6875	----	----	8.788B/7.402A	8.788B/7.402A	----	8.741 + 0.566	.8190	----	----	----	----	1 UNCH
6900	----	----	8.670B/7.089A	8.670B/7.089A	----	8.538 + 0.551	.8120	----	----	----	----	195 UNCH
6925	----	----	8.395B/6.960A	8.395B/6.960A	----	8.337 + 0.535	.8048	----	----	----	----	12 UNCH
6950	----	----	8.179B/6.857A	8.179B/6.857A	----	8.138 + 0.520	.7974	----	----	----	----	5 UNCH
7000	----	----	7.871B/6.380A	7.871B/6.380A	----	7.746 + 0.487	.7820	----	----	----	----	461 UNCH
7025	----	----	7.613B/6.250A	7.613B/6.250A	----	7.553 + 0.471	.7740	----	----	----	----	11 UNCH
7050	----	----	7.440B/6.078A	7.440B/6.078A	----	7.362 + 0.454	.7657	----	----	----	----	26 UNCH
7075	----	----	7.236B/5.532A	7.236B/5.532A	----	7.173 + 0.438	.7573	----	----	----	----	7 UNCH
7100	----	----	7.105B/5.318A	7.105B/5.318A	----	6.987 + 0.421	.7487	----	----	----	----	64 UNCH
7125	----	----	6.831B/5.097A	6.831B/5.097A	----	6.803 + 0.405	.7399	----	----	----	----	4 UNCH
7150	----	----	6.648B/4.937A	6.648B/4.937A	----	6.621 + 0.389	.7309	----	----	----	----	2 UNCH
7175	----	----	6.509B/4.790A	6.509B/4.790A	----	6.442 + 0.373	.7218	----	----	----	----	13 UNCH
7200	6.150	6.150	6.374B/4.637A	6.374B/4.637A	----	6.265 + 0.356	.7124	----	----	3	----	52 UNCH
7225	----	----	6.163B/4.494A	6.163B/4.494A	----	6.091 + 0.341	.7028	----	----	----	----	8 UNCH
7250	----	----	6.025B/4.367A	6.025B/4.367A	----	5.919 + 0.324	.6931	----	----	----	----	62 UNCH
7275	----	----	5.767B/4.166A	5.767B/4.166A	----	5.750 + 0.309	.6832	----	----	----	----	3 UNCH
7300	4.278	4.278	5.686B/4.007A	5.686B/4.007A	----	5.584 + 0.294	.6732	----	----	4	----	133 UNCH
7325	----	----	5.435B/3.911A	5.435B/3.911A	----	5.420 + 0.278	.6629	----	----	----	----	2 UNCH
7350	----	----	5.341B/3.864A	5.341B/3.864A	----	5.260 + 0.264	.6526	----	----	----	----	47 UNCH
7375	----	----	5.197B/3.716A	5.197B/3.716A	----	5.102 + 0.249	.6420	----	----	----	----	86 UNCH
7400	3.801	3.801	5.031B/3.615A	5.031B/3.615A	----	4.947 + 0.235	.6314	----	----	6	----	30 UNCH
7425	3.629	3.629	4.880B/3.510A	4.880B/3.510A	----	4.794 + 0.219	.6206	----	----	2	----	7 UNCH
7450	3.538	3.538	4.731B/3.388A	4.731B/3.388A	----	4.645 + 0.206	.6098	----	----	1	----	14 - 1
7475	----	----	4.608B/3.325A	4.608B/3.325A	----	4.499 + 0.192	.5988	----	----	----	----	6 UNCH
7500	3.100	3.100	4.482B/3.100	4.482B/3.100	----	4.356 + 0.179	.5877	----	----	21	----	449 - 2
7525	----	----	4.347B/3.103A	4.347B/3.103A	----	4.215 + 0.165	.5766	----	----	----	----	16 UNCH
7530	----	----	4.305B/3.075A	4.305B/3.075A	----	4.188 + 0.163	.5743	----	----	----	----	5 UNCH
7535	----	----	4.269B/3.071A	4.269B/3.071A	----	4.160 + 0.160	.5721	----	----	----	----	1 UNCH
7540	----	----	4.243B/3.016A	4.243B/3.016A	----	4.133 + 0.158	.5698	----	----	----	----	1 UNCH
7545	----	----	4.218B/2.994A	4.218B/2.994A	----	4.105 + 0.155	.5676	----	----	----	----	2 UNCH
7550	3.640	3.640	4.214B/2.980A	4.214B/2.980A	----	4.078 + 0.153	.5653	----	----	1	----	11 UNCH
7555	2.970	2.970	4.182B/2.970	4.182B/2.970	----	4.051 + 0.150	.5631	----	----	1	----	2 UNCH
7565	3.033	3.033	4.155B/2.919A	4.155B/2.919A	----	3.997 + 0.145	.5586	----	----	1	----	0 - 1
7570	----	----	4.127B/2.912A	4.127B/2.912A	----	3.971 + 0.143	.5563	----	----	----	----	1 UNCH
7575	----	----	4.099B/2.858A	4.099B/2.858A	----	3.944 + 0.140	.5541	----	----	----	----	9 UNCH
7585	----	----	4.052B/2.819A	4.052B/2.819A	----	3.891 + 0.135	.5495	----	----	----	----	2 UNCH
7590	----	----	4.017B/2.821A	4.017B/2.821A	----	3.865 + 0.133	.5473	----	----	----	----	1 UNCH
7595	----	----	3.988B/2.828A	3.988B/2.828A	----	3.839 + 0.131	.5450	----	----	----	----	2 UNCH
7600	2.750	2.750	3.979B/2.750	3.979B/2.750	----	3.813 + 0.128	.5427	----	----	97	----	102 + 8
7605	----	----	3.937B/2.710A	3.937B/2.710A	----	3.787 + 0.126	.5405	----	----	----	----	2 UNCH
7615	----	----	3.892B/2.749A	3.892B/2.749A	----	3.736 + 0.121	.5359	----	----	----	----	2 UNCH
7620	----	----	3.869B/2.666A	3.869B/2.666A	----	3.711 + 0.119	.5336	----	----	----	----	2 UNCH
7625	2.731	2.731	3.835B/2.649A	3.835B/2.649A	----	3.685 + 0.116	.5314	----	----	30	----	13 + 6
7630	----	----	3.818B/2.631A	3.818B/2.631A	----	3.660 + 0.114	.5291	----	----	----	----	1 UNCH
7635	----	----	3.781B/2.624A	3.781B/2.624A	----	3.635 + 0.112	.5268	----	----	----	----	2 UNCH
7640	----	----	3.758B/2.652A	3.758B/2.652A	----	3.610 + 0.110	.5245	----	----	----	----	3 UNCH
7645	----	----	3.732B/2.597A	3.732B/2.597A	----	3.586 + 0.108	.5223	----	----	----	----	10 UNCH
7650	3.420	3.420	3.709B/2.604A	3.709B/2.604A	----	3.561 + 0.106	.5200	----	----	1	----	19 UNCH
7655	----	----	3.681B/2.550A	3.681B/2.550A	----	3.536 + 0.103	.5177	----	----	----	----	2 UNCH
7660	3.357	3.357	3.663B/2.573A	3.663B/2.573A	----	3.512 + 0.101	.5154	----	----	3	----	4 + 3
7665	3.334	3.334	3.626B/2.508A	3.626B/2.508A	----	3.488 + 0.099	.5131	----	----	3	----	13 + 3
7675	3.287	3.287	3.580B/2.513A	3.580B/2.513A	----	3.439 + 0.094	.5086	----	----	3	----	4 + 3
7680	3.264	3.264	3.555B/2.508A	3.555B/2.508A	----	3.415 + 0.092	.5063	----	----	3	----	4 + 3
7685	3.241	3.241	3.531B/2.437A	3.531B/2.437A	----	3.392 + 0.091	.5040	----	----	3	----	4 + 3
7690	3.218	3.218	3.508B/2.428A	3.508B/2.428A	----	3.368 + 0.088	.5018	----	----	3	----	3 + 2
7695	3.196	3.196	3.483B/2.415A	3.483B/2.415A	----	3.344 + 0.086	.4995	----	----	3	----	4 + 3
7700	2.947	2.947	3.472B/2.420A	3.472B/2.420A	----	3.321 + 0.084	.4972	----	----	8	----	211 - 1
7705	3.151	3.151	3.435B/2.375A	3.435B/2.375A	----	3.298 NEW	.4949	----	----	3	----	3 + 3
7710	----	----	3.410B/2.379A	3.410B/2.379A	----	3.275 + 0.080	.4927	----	----	----	----	1 UNCH
7715	----	----	3.385B/2.327A	3.385B/2.327A	----	3.252 + 0.078	.4904	----	----	----	----	4 UNCH
7720	3.174	3.174	3.366B/2.327A	3.366B/2.327A	----	3.229 NEW	.4881	----	----	1	----	1 + 1
7725	3.152	3.152	3.361B/2.309A	3.361B/2.309A	----	3.206 + 0.074	.4858	----	----	1	----	7 + 1
7735	----	----	3.311B/2.285A	3.311B/2.285A	----	3.161 + 0.070	.4813	----	----	----	----	1 UNCH
7740	----	----	3.291B/2.266A	3.291B/2.266A	----	3.138 + 0.068	.4790	----	----	----	----	1 UNCH
7745	----	----	3.265B/2.277A	3.265B/2.277A	----	3.116 + 0.066	.4768	----	----	1	----	0 - 1
7750	2.434	2.434	3.244B/2.274A	3.244B/2.274A	----	3.094 + 0.064	.4745	----	----	2	----	7 UNCH
7760	----	----	3.196B/2.198A	3.196B/2.198A	----	3.050 + 0.061	.4700	----	----	----	----	2 UNCH
7770	----	----	3.151B/2.183A	3.151B/2.183A	----	3.007 + 0.057	.4655	----	----	----	----	1 UNCH
7775	----	----	3.130B/2.135A	3.130B/2.135A	----	2.985 + 0.055	.4632	----	----	----	----	3 UNCH
7780	----	----	3.106B/2.145A	3.106B/2.145A	----	2.964 + 0.054	.4610	----	----	----	----	1 UNCH
7785	----	----	3.086B/2.108A	3.086B/2.108A	----	2.942 + 0.051	.4587	----	----	----	----	1 UNCH
7790	----	----	3.064B/2.091A	3.064B/2.091A	----	2.921 + 0.050	.4565	----	----	----	----	2 UNCH
7800	2.200	2.200	3.041B/2.065A	3.041B/2.065A	----	2.879 + 0.046	.4520	----	----	14	----	89 + 8
7805	----	----	2.998B/2.047A	2.998B/2.047A	----	2.859 + 0.045	.4498	----	----	----	----	7 UNCH
7810	----	----	2.977B/2.032A	2.977B/2.032A	----	2.838 + 0.043	.4476	----	----	----	----	1 UNCH
7815	----	----	2.952B/2.020A	2.952B/2.020A	----	2.817 + 0.041	.4453	----	----	----	----	3 UNCH
7825	----	----	2.911B/1.989A	2.911B/1.989A	----	2.777 + 0.038	.4409	----	----	----	----	6 UNCH
7830	----	----	2.890B/1.975A	2.890B/1.975A	----	2.757 + 0.037	.4387	----	----	----	----	1 UNCH
7845	----	----	2.827B/1.944A	2.827B/1.944A	----	2.697 + 0.031	.4320	----	----	1	----	2 UNCH
7850	----	----	2.819B/1.950A	2.819B/1.950A	----	2.677 + 0.029	.4298	----	----	1	----	35 + 1
7855	----	----	2.785B/1.929A	2.785B/1.929A	----	2.658 + 0.028	.4276	----	----	----	----	8 UNCH
7860	----	----	2.766B/1.899A	2.766B/1.899A	----	2.638 + 0.026	.4254	----	----	----	----	4 UNCH
7865	2.027	2.027	2.745B/1.886A	2.745B/1.886A	----	2.619 NEW	.4232	----	----	1	----	1 + 1
7870	----	----	2.727B/1.921A	2.727B/1.921A	----	2.600 + 0.024	.4210	----	----	----	----	1 UNCH
7875	----	----	2.716B/1.856A	2.716B/1.856A	----	2.581 + 0.022	.4189	----	----	----	----	43 UNCH
7895	----	----	2.630B/1.804A	2.630B/1.804A	----	2.506 + 0.016	.4102	----	----	----	----	1 UNCH
7900	1.961	1.961	2.619B/1.792A	2.619B/1.792A	----	2.487 + 0.014	.4080	----	----	5	----	38 + 3
7905	----	----	2.589B/1.781A	2.589B/1.781A	----	2.469 + 0.013	.4058	----	----	----	----	3 UNCH
7910	----	----	2.570B/1.764A	2.570B/1.764A	----	2.451 + 0.012	.4037	----	----	----	----	1 UNCH
7915	----	----	2.550B/1.756A	2.550B/1.756A	----	2.433 + 0.011	.4015	----	----	----	----	2 UNCH
7920	----	----	2.531B/1.742A	2.531B/1.742A	----	2.415 + 0.009	.3994	----	----	----	----	1 UNCH
7925	----	----	2.515B/1.740A	2.515B/1.740A	----	2.397 + 0.008	.3973	----	----	----	----	6 UNCH
7930	----	----	2.493B/1.725A	2.493B/1.725A	----	2.379 + 0.006	.3951	----	----	----	----	2 UNCH
7935	----	----	2.477B/1.715A	2.477B/1.715A	----	2.362 + 0.006	.3930	----	----	----	----	1 UNCH
7940	----	----	2.456B/1.691A	2.456B/1.691A	----	2.344 + 0.004	.3909	----	----	----	----	3 UNCH
7945	----	----	2.439B/1.689A	2.439B/1.689A	----	2.327 + 0.003	.3888	----	----	----	----	2 UNCH
7950	----	----	2.419B/1.679A	2.419B/1.679A	----	2.309 + 0.001	.3866	----	----	----	----	21 UNCH
7955	----	----	2.403B/1.666A	2.403B/1.666A	----	2.292 UNCH	.3845	----	----	----	----	1 UNCH
7960	----	----	2.384B/1.662A	2.384B/1.662A	----	2.275 - 0.001	.3824	----	----	----	----	2 UNCH
7965	----	----	2.368B/1.643A	2.368B/1.643A	----	2.258 - 0.003	.3803	----	----	----	----	2 UNCH
7970	1.742	1.742	2.347B/1.631A	2.347B/1.631A	----	2.241 - 0.004	.3782	----	----	5	----	14 UNCH
7975	----	----	2.331B/1.619A	2.331B/1.619A	----	2.225 - 0.005	.3762	----	----	----	----	15 UNCH
7980	----	----	2.313B/1.608A	2.313B/1.608A	----	2.208 - 0.006	.3741	----	----	----	----	10 UNCH
7985	----	----	2.295B/1.597A	2.295B/1.597A	----	2.192 - 0.007	.3720	----	----	----	----	10 UNCH
7990	----	----	2.282B/1.586A	2.282B/1.586A	----	2.175 - 0.009	.3699	----	----	----	----	8 UNCH
7995	----	----	2.264B/1.580A	2.264B/1.580A	----	2.159 - 0.010	.3679	----	----	----	----	21 UNCH
8000	1.585	1.585	2.264B/1.565A	2.264B/1.565A	----	2.143 - 0.011	.3659	----	----	54	----	1331 + 1
8005	----	----	2.236B/1.555A	2.236B/1.555A	----	2.127 - 0.012	.3638	----	----	----	----	25 UNCH
8010	----	----	2.219B/1.545A	2.219B/1.545A	----	2.111 - 0.013	.3618	----	----	----	----	34 UNCH
8015	----	----	2.194B/1.534A	2.194B/1.534A	----	2.095 - 0.014	.3597	----	----	----	----	24 UNCH
8020	----	----	2.178B/1.523A	2.178B/1.523A	----	2.080 - 0.015	.3577	----	----	----	----	14 UNCH
8025	1.545	1.545	2.160B/1.513A	2.160B/1.513A	----	2.064 - 0.016	.3557	----	----	10	----	12 - 2
8030	----	----	2.145B/1.502A	2.145B/1.502A	----	2.048 - 0.018	.3536	----	----	----	----	4 UNCH
8035	----	----	2.129B/1.493A	2.129B/1.493A	----	2.033 - 0.018	.3517	----	----	----	----	2 UNCH
8040	----	----	2.112B/1.481A	2.112B/1.481A	----	2.018 - 0.019	.3497	----	----	----	----	2 UNCH
8045	----	----	2.094B/1.472A	2.094B/1.472A	----	2.003 - 0.020	.3477	----	----	----	----	1 UNCH
8050	1.441	1.441	2.085/1.441	2.085/1.441	----	1.988 - 0.021	.3457	----	----	13	----	13 UNCH
8055	----	----	2.063B/1.454A	2.063B/1.454A	----	1.973 - 0.022	.3437	----	----	----	----	1 UNCH
8060	----	----	2.047B/1.442A	2.047B/1.442A	----	1.958 - 0.023	.3417	----	----	----	----	1 UNCH
8065	----	----	2.033B/1.432A	2.033B/1.432A	----	1.943 - 0.024	.3398	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
8070	----	----	2.016B/1.422A	2.016B/1.422A	----	1.928 - 0.026	.3378	----	----	----	----	2 UNCH
8075	1.480	1.480	2.014/1.411A	2.014/1.411A	----	1.914 - 0.026	.3359	----	----	2	----	6 UNCH
8080	----	----	1.985B/1.400A	1.985B/1.400A	----	1.900 - 0.026	.3339	----	----	----	----	2 UNCH
8085	----	----	1.971B/1.390A	1.971B/1.390A	----	1.885 - 0.028	.3320	----	----	----	----	1 UNCH
8090	----	----	1.956B/1.379A	1.956B/1.379A	----	1.871 - 0.029	.3300	----	----	----	----	21 UNCH
8095	1.360	1.360	1.940B/1.325	1.940B/1.325	----	1.857 - 0.030	.3281	----	----	9	----	13 - 3
8100	1.340	1.340	1.944B/1.340	1.944B/1.340	----	1.843 - 0.030	.3262	----	----	10	----	241 UNCH
8105	----	----	1.911B/1.348A	1.911B/1.348A	----	1.829 - 0.031	.3243	----	----	----	----	1 UNCH
8110	1.781	1.781	1.898B/1.338A	1.898B/1.338A	----	1.815 - 0.032	.3224	----	----	2	----	4 + 2
8115	----	----	1.881B/1.327A	1.881B/1.327A	----	1.801 - 0.034	.3205	----	----	----	----	3 UNCH
8125	----	----	1.852B/1.287A	1.852B/1.287A	----	1.774 - 0.035	.3167	----	----	----	----	3 UNCH
8150	----	----	1.781B/1.234A	1.781B/1.234A	----	1.708 - 0.039	.3074	----	----	----	----	12 UNCH
8175	1.484	1.484	1.714B/1.188A	1.714B/1.188A	----	1.645 - 0.042	.2984	----	----	2	----	13 - 2
8200	1.240	1.240	1.662B/1.143A	1.662B/1.143A	----	1.583 - 0.046	.2894	----	----	6	----	96 + 4
8205	----	----	1.635B/1.132A	1.635B/1.132A	----	1.571 - 0.047	.2877	----	----	----	----	1 UNCH
8210	----	----	1.622B/1.124A	1.622B/1.124A	----	1.559 - 0.047	.2859	----	----	----	----	4 UNCH
8225	1.103	1.103	1.584B/1.101A	1.584B/1.101A	----	1.524 - 0.049	.2807	----	----	4	----	2 - 2
8230	----	----	1.571B/1.091A	1.571B/1.091A	----	1.513 - 0.049	.2791	----	----	1	----	0 - 1
8235	----	----	1.560B/1.081A	1.560B/1.081A	----	1.501 - 0.050	.2773	----	----	----	----	1 UNCH
8240	----	----	1.548B/1.071A	1.548B/1.071A	----	1.490 - 0.051	.2756	----	----	----	----	1 UNCH
8250	----	----	1.536B/1.054A	1.536B/1.054A	----	1.468 - 0.051	.2723	----	----	25	----	130 + 25
8255	----	----	1.511B/1.046A	1.511B/1.046A	----	1.456 - 0.053	.2705	----	----	----	----	3 UNCH
8265	----	----	----/1.030A	1.488B/1.030A	----	1.434 - 0.054	.2672	----	----	----	----	2 UNCH
8270	----	----	----/1.025A	1.476B/1.025A	----	1.424 - 0.053	.2656	----	----	----	----	3 UNCH
8275	1.427	1.427	1.427/1.014A	1.464B/1.014A	----	1.413 - 0.054	.2640	----	----	1	----	6 + 1
8280	----	----	----/1.009A	1.454B/1.009A	----	1.402 - 0.055	.2623	----	----	----	----	2 UNCH
8290	----	----	----/0.991A	1.430B/0.991A	----	1.381 - 0.056	.2591	----	----	1	----	11 + 1
8300	0.999	0.999	1.420B/0.976A	1.420B/0.976A	----	1.360 - 0.057	.2558	----	----	22	----	128 - 2
8310	----	----	----/0.961A	1.385B/0.961A	----	1.340 - 0.058	.2527	----	----	----	----	2 UNCH
8325	----	----	----/0.938A	1.355B/0.938A	----	1.310 - 0.059	.2480	----	----	----	----	4 UNCH
8340	----	----	----/0.914A	1.326B/0.914A	----	1.280 - 0.061	.2433	----	----	----	----	29 UNCH
8345	----	----	----/0.908A	1.315B/0.908A	----	1.271 - 0.061	.2418	----	----	----	----	16 UNCH
8350	----	----	----/0.900A	1.305B/0.900A	----	1.261 - 0.061	.2403	----	----	----	----	26 UNCH
8360	----	----	----/0.888A	1.284B/0.888A	----	1.242 - 0.062	.2372	----	----	----	----	1 UNCH
8365	----	----	----/0.881A	1.275B/0.881A	----	1.233 - 0.062	.2358	----	----	----	----	1 UNCH
8370	----	----	----/0.869A	1.265B/0.869A	----	1.224 - 0.062	.2343	----	----	----	----	1 UNCH
8375	----	----	----/0.868A	1.256B/0.868A	----	1.215 - 0.063	.2329	----	----	----	----	7 UNCH
8400	0.930	0.930	1.207B/0.838A	1.207B/0.838A	----	1.170 - 0.065	.2256	----	----	9	----	38 + 4
8415	----	----	----/0.816A	1.182B/0.816A	----	1.144 - 0.065	.2213	----	----	----	----	1 UNCH
8420	----	----	----/0.810A	1.170B/0.810A	----	1.135 - 0.066	.2199	----	----	----	----	3 UNCH
8425	----	----	----/0.805A	1.164B/0.805A	----	1.127 - 0.066	.2185	----	----	----	----	6 UNCH
8435	----	----	----/0.792A	1.144B/0.792A	----	1.110 - 0.067	.2157	----	----	----	----	1 UNCH
8440	----	----	----/0.786A	1.138B/0.786A	----	1.102 - 0.067	.2144	----	----	----	----	1 UNCH
8450	----	----	----/0.774A	1.124B/0.774A	----	1.085 - 0.068	.2116	----	----	9	----	157 + 5
8460	----	----	----/0.763A	1.105B/0.763A	----	1.069 - 0.069	.2089	----	----	----	----	1 UNCH
8465	----	----	----/0.757A	1.094B/0.757A	----	1.061 - 0.069	.2075	----	----	1	----	0 - 1
8475	----	----	----/*0.746A	1.078B/*0.746A	----	1.045 - 0.070	.2049	----	----	----	----	1 UNCH
8480	----	----	----/*0.739A	1.069B/*0.739A	----	1.038 - 0.069	.2036	----	----	1	----	1 + 1
8485	----	----	----/*0.734A	1.061B/*0.734A	----	1.030 - 0.070	.2023	----	----	----	----	1 UNCH
8490	----	----	----/*0.729A	1.053B/*0.729A	----	1.022 - 0.071	.2010	----	----	----	----	2 UNCH
8500	0.750	0.750	1.042B/*0.700	1.042B/*0.700	----	1.007 - 0.071	.1984	----	----	94	----	789 + 57
8505	----	----	----/0.713A	1.028B/0.713A	----	1.000 - 0.071	.1972	----	----	----	----	4 UNCH
8510	----	----	----/0.707A	1.020B/0.707A	----	0.993 - 0.071	.1959	----	----	----	----	2 UNCH
8515	----	----	----/*0.702A	1.012B/*0.702A	----	0.985 - 0.072	.1946	----	----	----	----	1 UNCH
8525	----	----	----/*0.692A	0.998B/*0.692A	----	0.971 - 0.072	.1922	----	----	----	----	23 UNCH
8535	----	----	----/*0.682A	0.981B/*0.682A	----	0.957 - 0.072	.1897	----	----	----	----	1 UNCH
8540	----	----	----/*0.676A	0.973B/*0.676A	----	0.949 - 0.073	.1884	----	----	----	----	6 UNCH
8545	----	----	----/*0.672A	0.965B/*0.672A	----	0.943 - 0.072	.1873	----	----	----	----	2 UNCH
8550	----	----	----/*0.663A	0.958B/*0.663A	----	0.936 - 0.072	.1861	----	----	----	----	10 UNCH
8565	----	----	----/*0.652A	0.938B/*0.652A	----	0.915 - 0.074	.1824	----	----	----	----	10 UNCH
8570	----	----	----/*0.648A	0.931B/*0.648A	----	0.909 - 0.073	.1813	----	----	----	----	4 UNCH
8575	----	----	----/*0.645A	0.922B/*0.645A	----	0.902 - 0.074	.1801	----	----	----	----	34 UNCH
8590	----	----	----/*0.630A	0.900B/*0.630A	----	0.882 - 0.075	.1766	----	----	----	----	1 UNCH
8600	----	----	----/*0.623A	0.891B/*0.623A	----	0.870 - 0.074	.1745	----	----	----	----	247 UNCH
8605	----	----	----/*0.617A	0.881B/*0.617A	----	0.863 - 0.075	.1733	----	----	----	----	8 UNCH
8615	----	----	----/*0.609A	0.869B/*0.609A	----	0.851 - 0.075	.1711	----	----	----	----	1 UNCH
8620	----	----	----/*0.603A	0.863B/*0.603A	----	0.845 - 0.075	.1700	----	----	----	----	5 UNCH
8625	----	----	----/*0.600A	0.855B/*0.600A	----	0.838 - 0.076	.1688	----	----	----	----	2 UNCH
8630	----	----	----/*0.593A	0.849B/*0.593A	----	0.832 - 0.076	.1677	----	----	----	----	2 UNCH
8635	----	----	----/*0.589A	0.844B/*0.589A	----	0.826 - 0.076	.1666	----	----	----	----	1 UNCH
8640	----	----	----/*0.587A	0.838B/*0.587A	----	0.820 - 0.076	.1656	----	----	----	----	1 UNCH
8650	----	----	----/*0.580A	0.826B/*0.580A	----	0.809 - 0.076	.1635	----	----	----	----	11 UNCH
8660	----	----	----/*0.572A	0.813B/*0.572A	----	0.797 - 0.077	.1614	----	----	----	----	2 UNCH
8670	----	----	----/*0.564A	0.800B/*0.564A	----	0.786 - 0.077	.1593	----	----	----	----	1 UNCH
8675	----	----	----/*0.561A	0.795B/*0.561A	----	0.780 - 0.077	.1583	----	----	----	----	1 UNCH
8695	----	----	----/*0.547A	0.772B/*0.547A	----	0.758 - 0.078	.1542	----	----	----	----	2 UNCH
8700	0.690	0.690	0.767B/*0.543A	0.767B/*0.543A	----	0.753 - 0.077	.1533	----	----	2	----	88 - 1
8705	----	----	----/*0.539A	0.761B/*0.539A	----	0.747 - 0.078	.1522	----	----	----	----	17 UNCH
8725	----	----	----/*0.531A	0.738B/*0.531A	----	0.726 - 0.079	.1484	----	----	----	----	2 UNCH
8750	----	----	----/*0.512A	0.714B/*0.512A	----	0.701 - 0.079	.1437	----	----	----	----	47 UNCH
8775	0.597	0.597	0.688B/*0.497A	0.688B/*0.497A	----	0.677 - 0.079	.1392	----	----	14	----	19 - 7
8800	0.648	0.648	0.648/*0.486A	0.666B/*0.486A	----	0.654 - 0.080	.1348	----	----	2	----	624 - 2
8850	----	----	----/*0.455A	0.617B/*0.455A	----	0.610 - 0.081	.1264	----	----	----	----	3 UNCH
8875	----	----	----/*0.443A	0.591B/*0.443A	----	0.590 - 0.081	.1225	----	----	----	----	3 UNCH
8900	0.547	0.547	0.579B/*0.430A	0.579B/*0.430A	----	0.570 - 0.081	.1187	----	----	22	----	105 - 11
8925	----	----	----/*0.418A	0.556B/*0.418A	----	0.551 - 0.082	.1149	----	----	----	----	4 UNCH
8950	----	----	----/*0.406A	0.539B/*0.406A	----	0.533 - 0.082	.1114	----	----	----	----	64 UNCH
8975	----	----	----/*0.396A	0.519B/*0.396A	----	0.516 - 0.082	.1080	----	----	----	----	23 UNCH
9000	0.425	0.425	0.504B/0.386A	0.504B/0.386A	----	0.500 - 0.081	.1048	----	----	99	----	1240 - 4
9025	----	----	----/*0.374A	0.485B/*0.374A	----	0.484 - 0.081	.1016	----	----	----	----	23 UNCH
9050	----	----	----/*0.365A	0.472B/*0.365A	----	0.469 - 0.081	.0986	----	----	----	----	17 UNCH
9075	----	----	----/*0.354A	0.453B/*0.354A	----	0.454 - 0.081	.0955	----	----	----	----	6 UNCH
9100	----	----	----/*0.341A	0.442B/*0.341A	----	0.440 - 0.081	.0927	----	----	----	----	80 UNCH
9125	----	----	----/*0.336A	0.427B/*0.336A	----	0.427 - 0.081	.0900	----	----	----	----	5 UNCH
9150	----	----	----/*0.327A	0.413B/*0.327A	----	0.414 - 0.081	.0873	----	----	----	----	27 UNCH
9175	----	----	----/*0.321A	0.398B/*0.321A	----	0.402 - 0.080	.0848	----	----	----	----	8 UNCH
9200	----	----	----/*0.313A	0.387B/*0.313A	----	0.390 - 0.080	.0824	----	----	----	----	173 UNCH
9225	----	----	----/*0.306A	0.375B/*0.306A	----	0.379 - 0.079	.0800	----	----	1	----	17 UNCH
9250	----	----	----/*0.297A	0.364B/*0.297A	----	0.368 - 0.079	.0777	----	----	2	----	37 + 2
9275	----	----	----/*0.286A	0.354B/*0.286A	----	0.358 - 0.078	.0756	----	----	----	----	29 UNCH
9300	----	----	----/*0.281A	0.344B/*0.281A	----	0.348 - 0.077	.0735	----	----	----	----	196 UNCH
9325	----	----	----/*0.275A	0.335B/*0.275A	----	0.339 - 0.076	.0716	----	----	----	----	7 UNCH
9350	----	----	----/*0.269A	0.322B/*0.269A	----	0.330 - 0.075	.0696	----	----	----	----	37 UNCH
9375	----	----	----/*0.263A	0.310B/*0.263A	----	0.321 - 0.074	.0677	----	----	----	----	13 UNCH
9400	0.295	0.295	0.301B/*0.256A	0.301B/*0.256A	----	0.313 - 0.073	.0660	----	----	1	----	39 UNCH
9425	0.280	0.280	0.292B/*0.252A	0.292B/*0.252A	----	0.305 - 0.072	.0642	----	----	3	----	9 UNCH
9450	----	----	----/*0.246A	0.285B/*0.246A	----	0.297 - 0.071	.0625	----	----	2	----	21 + 2
9475	----	----	----/*0.241A	0.278B/*0.241A	----	0.290 - 0.070	.0610	----	----	----	----	12 UNCH
9500	0.307	0.307	0.307/*0.234A	0.307/*0.234A	----	0.283 - 0.069	.0594	----	----	59	----	832 - 34
9525	----	----	----/*0.238A	0.264B/*0.238A	----	0.276 - 0.068	.0579	----	----	----	----	23 UNCH
9550	----	----	----/*0.235A	0.259B/*0.235A	----	0.270 - 0.066	.0566	----	----	----	----	30 UNCH
9575	----	----	----/*0.232A	0.253B/*0.232A	----	0.264 - 0.065	.0552	----	----	----	----	4 UNCH
9600	----	----	----/*0.225A	0.247B/*0.225A	----	0.258 - 0.064	.0539	----	----	----	----	143 UNCH
9625	----	----	----/*0.221A	0.241B/*0.221A	----	0.252 - 0.063	.0526	----	----	----	----	6 UNCH
9650	----	----	----/*0.219A	0.235B/*0.219A	----	0.247 - 0.061	.0514	----	----	----	----	14 UNCH
9675	----	----	----/*0.212A	0.230B/*0.212A	----	0.241 - 0.061	.0501	----	----	----	----	13 UNCH
9700	0.231	0.231	0.231/*0.210A	0.231/*0.210A	----	0.236 - 0.059	.0490	----	----	2	----	15 - 2
9725	----	----	----/*0.208A	0.219B/*0.208A	----	0.231 - 0.058	.0479	----	----	----	----	9 UNCH
9750	----	----	----/*0.206A	0.214B/*0.206A	----	0.226 - 0.058	.0468	----	----	----	----	73 UNCH
9775	----	----	----/*0.202A	0.210B/*0.202A	----	0.221 - 0.057	.0457	----	----	----	----	2 UNCH
9800	----	----	----/*0.195A	0.207B/*0.195A	----	0.216 - 0.057	.0446	----	----	2	----	100 UNCH
9825	0.170	0.170	0.191B/*0.170	0.191B/*0.170	----	0.212 - 0.056	.0437	----	----	2	----	5 UNCH
9850	----	----	----/*0.188A	0.184B/*0.188A	----	0.207 - 0.056	.0426	----	----	----	----	20 UNCH
9875	----	----	----/*0.186A	0.181B/*0.186A	----	0.203 - 0.055	.0417	----	----	----	----	11 UNCH
9900	----	----	----/*0.183A	0.177B/*0.183A	----	0.199 - 0.054	.0408	----	----	----	----	245 UNCH
9925	----	----	----/*0.179A	0.171B/*0.179A	----	0.195 - 0.054	.0399	----	----	----	----	2 UNCH
9950	----	----	----/*0.176A	0.167B/*0.176A	----	0.190 - 0.054	.0389	----	----	----	----	21 UNCH
9975	----	----	----/*0.173A	0.163B/*0.173A	----	0.187 - 0.053	.0382	----	----	----	----	2 UNCH
10000	0.180	0.180	0.180/*0.170A	0.180/*0.170A	----	0.183 - 0.053	.0373	----	----	6	----	1053 UNCH
10025	----	----	----/*0.167A	0.156B/*0.167A	----	0.179 - 0.053	.0365	----	----	----	----	2 UNCH
10050	----	----	----/*0.164A	0.153B/*0.164A	----	0.175 - 0.053	.0356	----	----	----	----	22 UNCH
10075	----	----	----/*0.162A	0.149B/*0.162A	----	0.172 - 0.052	.0349	----	----	----	----	4 UNCH
10100	----	----	----/*0.159A	0.145B/*0.159A	----	0.168 - 0.053	.0341	----	----	1	----	69 + 1
10125	----	----	----/*0.157A	0.142B/*0.157A	----	0.165 - 0.052	.0334	----	----	----	----	1 UNCH
10150	----	----	----/*0.156A	0.140B/*0.156A	----	0.162 - 0.052	.0327	----	----	1	----	0 - 1
10175	----	----	----/*0.151A	0.135B/*0.151A	----	0.159 - 0.051	.0321	----	----	----	----	1 UNCH
10200	----	----	----/*0.151A	0.150B/*0.151A	----	0.155 - 0.052	.0312	----	----	3	----	32 - 2
10225	----	----	----/*0.148A	0.129B/*0.148A	----	0.152 - 0.052	.0306	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
10250	----	----	----/*0.145A	0.123B/*0.145A	----	0.149 - 0.052	.0299	----	----	----	----	5 UNCH
10275	----	----	----/*0.142A	0.120B/*0.142A	----	0.147 - 0.050	.0295	----	----	----	----	4 UNCH
10300	----	----	----/*0.135A	0.123B/*0.135A	----	0.144 - 0.050	.0288	----	----	----	----	207 UNCH
10305	----	----	----/*0.142A	0.122B/*0.142A	----	0.143 - 0.051	.0286	----	----	----	----	2 UNCH
10325	----	----	----/*0.133A	0.115B/*0.133A	----	0.141 - 0.050	.0282	----	----	----	----	1 UNCH
10350	----	----	----/*0.134A	0.117B/*0.134A	----	0.138 - 0.051	.0276	----	----	----	----	2 UNCH
10375	----	----	----/*0.133A	0.113B/*0.133A	----	0.136 - 0.050	.0271	----	----	----	----	1 UNCH
10400	----	----	----/*0.131A	0.116B/*0.131A	----	0.133 - 0.050	.0265	----	----	----	----	27 UNCH
10425	----	----	----/*0.129A	0.108B/*0.129A	----	0.131 - 0.049	.0260	----	----	----	----	19 UNCH
10450	----	----	----/*0.129A	0.106B/*0.129A	----	0.129 - 0.049	.0256	----	----	----	----	4 UNCH
10480	----	----	----/*0.127A	0.105B/*0.127A	----	0.126 - 0.048	.0249	----	----	----	----	2 UNCH
10485	----	----	----/*0.125A	0.105B/*0.125A	----	0.125 - 0.049	.0247	----	----	----	----	2 UNCH
10490	----	----	----/*0.124A	0.103B/*0.124A	----	0.125 - 0.048	.0247	----	----	----	----	1 UNCH
10500	0.105	0.105	0.125/*0.105	0.125/*0.105	----	0.124 - 0.048	.0245	----	----	64	----	318 + 1
10515	----	----	----/*0.126A	0.101B/*0.126A	----	0.123 - 0.048	.0243	----	----	----	----	7 UNCH
10520	----	----	----/*0.124A	0.102B/*0.124A	----	0.122 - 0.048	.0241	----	----	----	----	2 UNCH
10550	----	----	----/*0.124A	0.099B/*0.124A	----	0.120 - 0.048	.0236	----	----	----	----	2 UNCH
10555	----	----	----/*0.123A	0.113B/*0.123A	----	0.119 - 0.048	.0234	----	----	----	----	1 UNCH
10560	0.110	0.110	0.110/*0.110	0.110/*0.110	----	0.119 - 0.048	.0234	----	----	1	----	21 + 1
10570	----	----	----/*0.122A	0.099B/*0.122A	----	0.118 - 0.048	.0232	----	----	----	----	1 UNCH
10575	----	----	----/*0.119A	0.098B/*0.119A	----	0.117 - 0.048	.0230	----	----	----	----	1 UNCH
10580	----	----	----/*0.121A	0.096B/*0.121A	----	0.117 - 0.048	.0230	----	----	----	----	1 UNCH
10595	----	----	----/*0.122A	0.096B/*0.122A	----	0.116 - 0.047	.0228	----	----	----	----	2 UNCH
10600	----	----	----/*0.119A	0.095B/*0.119A	----	0.115 - 0.048	.0226	----	----	----	----	23 UNCH
10605	----	----	----/*0.123A	0.095B/*0.123A	----	0.115 - 0.047	.0226	----	----	----	----	5 UNCH
10610	----	----	----/*0.119A	0.094B/*0.119A	----	0.115 - 0.047	.0225	----	----	----	----	1 UNCH
10615	----	----	----/*0.119A	0.095B/*0.119A	----	0.114 - 0.047	.0224	----	----	----	----	1 UNCH
10625	----	----	----/*0.119A	0.093B/*0.119A	----	0.113 - 0.048	.0222	----	----	----	----	1 UNCH
10630	----	----	----/*0.120A	0.091B/*0.120A	----	0.113 - 0.047	.0221	----	----	----	----	1 UNCH
10650	----	----	----/*0.119A	0.090B/*0.119A	----	0.112 - 0.046	.0219	----	----	----	----	1 UNCH
10655	----	----	----/*0.118A	0.092B/*0.118A	----	0.111 - 0.047	.0217	----	----	----	----	1 UNCH
10670	----	----	----/*0.117A	0.092B/*0.117A	----	0.110 - 0.047	.0215	----	----	----	----	1 UNCH
10675	----	----	----/*0.115A	0.088B/*0.115A	----	0.110 - 0.046	.0215	----	----	----	----	3 UNCH
10680	----	----	----/*0.117A	0.086B/*0.117A	----	0.109 - 0.047	.0213	----	----	----	----	7 UNCH
10685	----	----	----/*0.116A	0.091B/*0.116A	----	0.109 - 0.046	.0213	----	----	----	----	1 UNCH
10690	----	----	----/*0.116A	0.089B/*0.116A	----	0.109 - 0.046	.0212	----	----	----	----	1 UNCH
10700	----	----	----/*0.114A	0.088B/*0.114A	----	0.108 - 0.046	.0210	----	----	----	----	119 UNCH
10720	----	----	----/*0.115A	0.086B/*0.115A	----	0.106 - 0.046	.0206	----	----	----	----	1 UNCH
10725	----	----	----/*0.115A	0.086B/*0.115A	----	0.106 - 0.046	.0206	----	----	----	----	3 UNCH
10750	----	----	----/*0.112A	0.089B/*0.112A	----	0.104 - 0.046	.0202	----	----	----	----	1 UNCH
10755	----	----	----/*0.112A	0.084B/*0.112A	----	0.104 - 0.045	.0202	----	----	----	----	1 UNCH
10760	----	----	----/*0.113A	0.083B/*0.113A	----	0.104 - 0.045	.0202	----	----	----	----	10 UNCH
10765	----	----	----/*0.113A	0.085B/*0.113A	----	0.103 - 0.046	.0200	----	----	----	----	10 UNCH
10770	----	----	----/*0.112A	0.083B/*0.112A	----	0.103 - 0.045	.0200	----	----	----	----	1 UNCH
10800	----	----	----/*0.111A	0.080B/*0.111A	----	0.101 - 0.045	.0195	----	----	----	----	21 UNCH
10825	----	----	----/*0.112A	0.080B/*0.112A	----	0.099 - 0.045	.0191	----	----	----	----	1 UNCH
10835	----	----	----/*0.110A	0.078B/*0.110A	----	0.099 - 0.044	.0191	----	----	----	----	1 UNCH
10850	----	----	----/*0.108A	0.078B/*0.108A	----	0.098 - 0.044	.0189	----	----	----	----	12 UNCH
10855	----	----	----/*0.106A	0.079B/*0.106A	----	0.097 - 0.045	.0187	----	----	----	----	3 UNCH
10875	----	----	----/*0.105A	0.078B/*0.105A	----	0.096 - 0.044	.0185	----	----	----	----	2 UNCH
10900	----	----	----/*0.107A	0.076B/*0.107A	----	0.095 - 0.043	.0182	----	----	----	----	40 UNCH
10925	----	----	----/*0.105A	0.072B/*0.105A	----	0.093 - 0.043	.0178	----	----	----	----	5 UNCH
10950	----	----	----/*0.105A	0.070B/*0.105A	----	0.092 - 0.043	.0176	----	----	----	----	2 UNCH
10975	----	----	----/*0.104A	0.068B/*0.104A	----	0.090 - 0.043	.0172	----	----	----	----	9 UNCH
11000	0.137	0.137	0.137/*0.104A	0.137/*0.104A	----	0.089 - 0.042	.0170	----	----	1	----	692 - 1
11025	----	----	----/*0.101A	0.062B/*0.101A	----	0.088 - 0.042	.0167	----	----	----	----	5 UNCH
11050	----	----	----/*0.098A	0.065B/*0.098A	----	0.087 - 0.041	.0165	----	----	----	----	2 UNCH
11075	----	----	----/*0.099A	0.064B/*0.099A	----	0.085 - 0.041	.0161	----	----	----	----	1 UNCH
11100	----	----	----/*0.098A	0.058B/*0.098A	----	0.084 - 0.041	.0159	----	----	----	----	59 UNCH
11125	----	----	----/*0.095A	0.057B/*0.095A	----	0.083 - 0.040	.0157	----	----	----	----	3 UNCH
11150	----	----	----/*0.096A	0.058B/*0.096A	----	0.082 - 0.040	.0154	----	----	----	----	2 UNCH
11200	----	----	----/*0.095A	0.056B/*0.095A	----	0.080 - 0.039	.0150	----	----	----	----	262 UNCH
11225	----	----	----/*0.090A	0.055B/*0.090A	----	0.079 - 0.038	.0148	----	----	----	----	40 UNCH
11240	----	----	----/*0.089A	0.055B/*0.089A	----	0.078 - 0.039	.0146	----	----	----	----	2 UNCH
11245	----	----	----/*0.093A	0.044B/*0.093A	----	0.078 - 0.038	.0146	----	----	----	----	2 UNCH
11250	----	----	----/*0.089A	0.054B/*0.089A	----	0.078 - 0.038	.0146	----	----	----	----	22 UNCH
11255	----	----	----/*0.089A	0.054B/*0.089A	----	0.077 - 0.039	.0144	----	----	----	----	1 UNCH
11260	----	----	----/*0.093A	0.042B/*0.093A	----	0.077 - 0.038	.0144	----	----	----	----	1 UNCH
11265	----	----	----/*0.090A	0.054B/*0.090A	----	0.077 - 0.038	.0144	----	----	----	----	1 UNCH
11275	----	----	----/*0.091A	0.041B/*0.091A	----	0.077 - 0.038	.0144	----	----	----	----	1 UNCH
11290	----	----	----/*0.088A	0.041B/*0.088A	----	0.076 - 0.038	.0142	----	----	----	----	1 UNCH
11300	----	----	----/*0.090A	0.040B/*0.090A	----	0.076 - 0.037	.0141	----	----	----	----	93 UNCH
11305	----	----	----/*0.090A	0.046B/*0.090A	----	0.075 - 0.038	.0140	----	----	----	----	1 UNCH
11315	----	----	----/*0.088A	0.047B/*0.088A	----	0.075 - 0.037	.0139	----	----	----	----	1 UNCH
11325	----	----	----/*0.087A	0.041B/*0.087A	----	0.075 - 0.037	.0139	----	----	----	----	8 UNCH
11335	----	----	----/*0.087A	0.051B/*0.087A	----	0.074 - 0.037	.0137	----	----	----	----	2 UNCH
11345	----	----	----/*0.089A	0.049B/*0.089A	----	0.074 - 0.037	.0137	----	----	----	----	1 UNCH
11350	----	----	----/*0.086A	0.046B/*0.086A	----	0.074 - 0.037	.0137	----	----	----	----	4 UNCH
11365	----	----	----	0.006B/0.138A	----	0.073 - 0.037	.0135	----	----	----	----	1 UNCH
11370	----	----	----	0.006B/0.139A	----	0.073 - 0.037	.0135	----	----	----	----	2 UNCH
11380	----	----	----	0.006B/0.138A	----	0.073 - 0.036	.0135	----	----	----	----	3 UNCH
11385	----	----	----	0.006B/0.138A	----	0.072 - 0.037	.0133	----	----	----	----	1 UNCH
11400	----	----	----	0.006B/0.138A	----	0.072 - 0.036	.0133	----	----	----	----	10 UNCH
11450	----	----	----	0.006B/0.136A	----	0.070 - 0.036	.0129	----	----	----	----	41 UNCH
11455	----	----	----	0.006B/0.135A	----	0.070 - 0.035	.0129	----	----	----	----	1 UNCH
11465	----	----	----	0.006B/0.136A	----	0.070 - 0.035	.0128	----	----	----	----	1 UNCH
11475	----	----	----	0.006B/0.135A	----	0.070 - 0.034	.0128	----	----	----	----	1 UNCH
11480	----	----	----	0.006B/0.136A	----	0.069 - 0.035	.0127	----	----	----	----	1 UNCH
11485	----	----	----	0.006B/0.134A	----	0.069 - 0.035	.0127	----	----	----	----	2 UNCH
11500	----	----	----	0.006B/0.135A	----	0.069 - 0.034	.0126	----	----	----	----	250 UNCH
11505	----	----	----	0.006B/0.135A	----	0.069 - 0.034	.0126	----	----	----	----	2 UNCH
11515	----	----	----	0.006B/0.136A	----	0.068 - 0.035	.0124	----	----	----	----	2 UNCH
11525	----	----	----	0.006B/0.134A	----	0.068 - 0.034	.0124	----	----	----	----	7 UNCH
11530	----	----	----	0.006B/0.134A	----	0.068 - 0.034	.0124	----	----	----	----	10 UNCH
11540	----	----	----	0.006B/0.133A	----	0.068 - 0.033	.0124	----	----	----	----	10 UNCH
11550	----	----	----	0.026B/0.134A	----	0.067 - 0.034	.0122	----	----	----	----	22 UNCH
11570	----	----	----	0.006B/*0.133A	----	0.067 - 0.033	.0122	----	----	----	----	1 UNCH
11575	----	----	----	0.006B/*0.134A	----	0.067 - 0.033	.0122	----	----	----	----	1 UNCH
11595	----	----	----	0.006B/*0.133A	----	0.066 - 0.033	.0120	----	----	----	----	1 UNCH
11600	----	----	----	0.006B/*0.133A	----	0.066 - 0.033	.0120	----	----	----	----	43 UNCH
11615	----	----	----	0.006B/*0.132A	----	0.065 - 0.033	.0118	----	----	----	----	1 UNCH
11625	----	----	----	0.006B/*0.133A	----	0.065 - 0.033	.0118	----	----	----	----	2 UNCH
11630	----	----	----	0.006B/*0.132A	----	0.065 - 0.032	.0118	----	----	----	----	1 UNCH
11640	----	----	----	0.006B/*0.132A	----	0.065 - 0.032	.0117	----	----	----	----	1 UNCH
11650	----	----	----/*0.078A	0.006B/*0.078A	----	0.065 - 0.032	.0117	----	----	----	----	2 UNCH
11665	----	----	----	0.006B/*0.131A	----	0.064 - 0.032	.0116	----	----	----	----	1 UNCH
11685	----	----	----	0.006B/*0.130A	----	0.064 - 0.031	.0115	----	----	----	----	1 UNCH
11690	----	----	----	0.006B/*0.130A	----	0.064 - 0.031	.0115	----	----	----	----	1 UNCH
11700	----	----	----/*0.067A	0.006B/*0.067A	----	0.063 - 0.031	.0113	----	----	----	----	85 UNCH
11705	----	----	----	0.006B/*0.130A	----	0.063 - 0.031	.0113	----	----	----	----	1 UNCH
11725	----	----	----	0.006B/*0.129A	----	0.063 - 0.030	.0113	----	----	----	----	6 UNCH
11730	----	----	----	0.006B/*0.129A	----	0.063 - 0.030	.0113	----	----	----	----	1 UNCH
11750	----	----	----	0.006B/*0.129A	----	0.062 - 0.030	.0111	----	----	----	----	5 UNCH
11775	----	----	----	0.006B/*0.128A	----	0.062 - 0.029	.0111	----	----	----	----	2 UNCH
11800	----	----	----/*0.075A	0.006B/*0.075A	----	0.061 - 0.030	.0109	----	----	----	----	64 UNCH
11825	----	----	----	0.006B/*0.127A	----	0.060 - 0.030	.0107	----	----	----	----	2 UNCH
11850	----	----	----	0.006B/*0.126A	----	0.060 - 0.029	.0106	----	----	----	----	3 UNCH
11900	----	----	----/*0.084A	0.006B/*0.084A	----	0.059 - 0.028	.0104	----	----	----	----	86 UNCH
11925	----	----	----	0.006B/*0.124A	----	0.058 - 0.028	.0102	----	----	----	----	2 UNCH
11950	----	----	----	0.006B/*0.124A	----	0.058 - 0.027	.0102	----	----	----	----	5 UNCH
11975	----	----	----	0.006B/*0.123A	----	0.057 - 0.027	.0100	----	----	----	----	4 UNCH
12000	0.047	0.047	0.055/*0.047	0.058B/*0.047	----	0.057 - 0.026	.0100	----	----	2	----	842 UNCH
12025	----	----	----	0.006B/*0.122A	----	0.057 - 0.025	.0099	----	----	----	----	1 UNCH
12050	----	----	----/*0.081A	0.006B/0.081A	----	0.056 - 0.026	.0098	----	----	----	----	1 UNCH
12075	----	----	----	0.006B/0.122A	----	0.056 - 0.025	.0097	----	----	----	----	1 UNCH
12100	----	----	----	0.006B/0.121A	----	0.055 - 0.025	.0095	----	----	----	----	17 UNCH
12125	----	----	----	0.006B/0.121A	----	0.055 - 0.024	.0095	----	----	----	----	1 UNCH
12150	----	----	----	0.006B/*0.080A	----	0.054 - 0.024	.0093	----	----	----	----	13 UNCH
12175	----	----	----	0.006B/0.119A	----	0.054 - 0.024	.0093	----	----	----	----	1 UNCH
12200	----	----	----	0.006B/0.119A	----	0.054 - 0.023	.0093	----	----	----	----	3 UNCH
12225	----	----	----	0.006B/*0.117A	----	0.053 - 0.023	.0091	----	----	----	----	2 UNCH
12250	----	----	----	0.006B/*0.116A	----	0.053 - 0.022	.0091	----	----	----	----	3 UNCH
12300	----	----	----	0.009B/*0.114A	----	0.052 - 0.022	.0089	----	----	----	----	118 UNCH
12350	----	----	----	0.005B/*0.121A	----	0.052 - 0.021	.0088	----	----	----	----	2 UNCH
12375	----	----	----	0.005B/*0.121A	----	0.051 - 0.021	.0086	----	----	----	----	1 UNCH
12400	----	----	----	0.006B/*0.120A	----	0.051 - 0.020	.0086	----	----	----	----	12 UNCH
12450	----	----	----	0.007B/*0.120A	----	0.050 - 0.020	.0084	----	----	----	----	5 UNCH
12500	----	----	----	0.004B/0.119A	----	0.050 - 0.019	.0083	----	----	----	----	331 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
12525	----	----	----	0.002B/0.119A	----	0.050 - 0.018	.0083	----	----	----	----	2 UNCH
12550	----	----	----	0.002B/*0.118A	----	0.049 - 0.018	.0082	----	----	----	----	3 UNCH
12600	----	----	----	0.003B/0.118A	----	0.049 - 0.017	.0081	----	----	----	----	30 UNCH
12650	----	----	----	0.003B/0.117A	----	0.048 - 0.017	.0079	----	----	----	----	3 UNCH
12675	----	----	----	0.009B/*0.117A	----	0.048 - 0.017	.0079	----	----	----	----	3 UNCH
12700	----	----	----	0.017B/*0.089A	----	0.048 - 0.016	.0079	----	----	----	----	5 UNCH
12725	----	----	----	0.002B/0.117A	----	0.047 - 0.016	.0077	----	----	----	----	1 UNCH
12775	----	----	----	0.002B/0.116A	----	0.047 - 0.015	.0077	----	----	----	----	2 UNCH
12800	----	----	----	0.005B/0.116A	----	0.047 - 0.015	.0076	----	----	----	----	30 UNCH
12900	----	----	----	0.001B/0.115A	----	0.046 - 0.014	.0074	----	----	----	----	72 UNCH
13000	----	----	----/*0.048A	0.040B/*0.048A	----	0.045 - 0.013	.0072	----	----	----	----	293 UNCH
13100	----	----	----	0.001B/0.111A	----	0.044 - 0.012	.0070	----	----	----	----	3 UNCH
13200	----	----	----	0.001B/0.094A	----	0.043 - 0.011	.0068	----	----	----	----	44 UNCH
13300	----	----	----	0.001B/0.108A	----	0.043 - 0.010	.0067	----	----	----	----	3 UNCH
13400	----	----	----	0.001B/0.106A	----	0.042 - 0.009	.0065	----	----	----	----	3 UNCH
13500	----	----	----	0.001B/0.105A	----	0.041 - 0.009	.0063	----	----	----	----	64 UNCH
13600	----	----	----	0.001B/0.087A	----	0.041 - 0.007	.0062	----	----	----	----	19 UNCH
13700	----	----	----	0.001B/0.103A	----	0.040 - 0.007	.0060	----	----	----	----	76 UNCH
13800	----	----	----	----/0.103A	----	0.039 - 0.007	.0058	----	----	----	----	39 UNCH
13900	----	----	----	----/0.098A	----	0.039 - 0.005	.0058	----	----	----	----	4 UNCH
14000	----	----	----	----/0.103A	----	0.038 - 0.005	.0056	----	----	----	----	400 UNCH
14100	----	----	----	----/0.103A	----	0.037 - 0.005	.0054	----	----	----	----	27 UNCH
14200	----	----	----	----/0.104A	----	0.036 - 0.005	.0052	----	----	----	----	41 UNCH
14300	----	----	----	----/0.103A	----	0.036 - 0.004	.0052	----	----	----	----	6 UNCH
14400	----	----	----	----/0.102A	----	0.035 - 0.004	.0050	----	----	----	----	13 UNCH
14500	----	----	----	----/0.101A	----	0.034 - 0.005	.0049	----	----	----	----	117 UNCH
14600	----	----	----	----/0.100A	----	0.033 - 0.005	.0047	----	----	----	----	55 UNCH
14700	----	----	----	----/0.099A	----	0.033 - 0.004	.0047	----	----	----	----	9 UNCH
14800	----	----	----	----/0.098A	----	0.032 - 0.004	.0045	----	----	----	----	62 UNCH
14900	----	----	----	----/0.097A	----	0.031 - 0.005	.0043	----	----	----	----	3 UNCH
15000	----	----	----/0.030A	0.025B/0.030A	----	0.030 - 0.005	.0042	----	----	----	----	456 UNCH
15100	----	----	----	----/0.095A	----	0.029 - 0.005	.0040	----	----	----	----	9 UNCH
15200	----	----	----	----/0.094A	----	0.028 - 0.005	.0039	----	----	----	----	54 UNCH
15300	----	----	----	----/0.093A	----	0.027 - 0.005	.0037	----	----	----	----	11 UNCH
15500	----	----	----	----/0.074A	----	0.025 - 0.005	.0034	----	----	----	----	115 UNCH
15600	----	----	----	----/0.090A	----	0.024 - 0.005	.0033	----	----	----	----	1 UNCH
15700	----	----	----	----/0.089A	----	0.023 - 0.005	.0031	----	----	----	----	19 UNCH
15800	----	----	----	----/0.088A	----	0.022 - 0.005	.0030	----	----	----	----	14 UNCH
15900	----	----	----	----/0.087A	----	0.022 - 0.004	.0030	----	----	----	----	14 UNCH
16000	----	----	----	0.013B/0.026A	----	0.021 - 0.005	.0028	----	----	----	----	721 UNCH
16100	----	----	----	----/0.085A	----	0.020 - 0.005	.0027	----	----	----	----	6 UNCH
16200	----	----	----	----/0.084A	----	0.019 - 0.005	.0025	----	----	----	----	1 UNCH
16300	----	----	----	----/0.083A	----	0.018 - 0.005	.0024	----	----	----	----	1 UNCH
16400	----	----	----	----/0.082A	----	0.017 - 0.006	.0023	----	----	----	----	2 UNCH
16500	----	----	----	----/0.080A	----	0.016 - 0.006	.0021	----	----	----	----	56 UNCH
16600	----	----	----	----/0.079A	----	0.016 - 0.005	.0021	----	----	----	----	3 UNCH
16700	----	----	----	----/0.078A	----	0.015 - 0.006	.0020	----	----	----	----	5 UNCH
16800	----	----	----	----/0.078A	----	0.014 - 0.006	.0019	----	----	----	----	6 UNCH
16900	----	----	----	----/0.078A	----	0.013 - 0.007	.0017	----	----	----	----	67 UNCH
17000	----	----	----	----/0.078A	----	0.013 - 0.006	.0017	----	----	----	----	67 UNCH
17100	----	----	----	----/0.169A	----	0.012 - 0.007	.0016	----	----	----	----	8 UNCH
17200	----	----	----	----/0.171A	----	0.012 - 0.006	.0016	----	----	----	----	6 UNCH
17300	----	----	----	----/0.172A	----	0.011 - 0.007	.0014	----	----	----	----	5 UNCH
17400	----	----	----	----/0.173A	----	0.011 - 0.006	.0014	----	----	----	----	6 UNCH
17500	----	----	----/*0.010A	----/*0.010A	----	0.010 - 0.007	.0013	----	----	----	----	96 UNCH
17600	----	----	----	----/0.175A	----	0.010 - 0.006	.0013	----	----	----	----	7 UNCH
17700	----	----	----	----/0.176A	----	0.009 - 0.007	.0012	----	----	----	----	9 UNCH
17800	----	----	----	----/0.177A	----	0.009 - 0.007	.0012	----	----	----	----	8 UNCH
17900	----	----	----	----/0.178A	----	0.009 - 0.006	.0012	----	----	----	----	3 UNCH
18000	----	----	----	----/0.050A	----	0.009 - 0.006	.0011	----	----	----	----	54 UNCH
18100	----	----	----	----/0.180A	----	0.008 - 0.006	.0010	----	----	----	----	1 UNCH
18200	----	----	----	----/0.181A	----	0.008 - 0.006	.0010	----	----	----	----	11 UNCH
18300	----	----	----	----/0.182A	----	0.008 - 0.006	.0010	----	----	----	----	5 UNCH
18400	----	----	----	----/*0.014A	----	0.008 - 0.005	.0010	----	----	----	----	2 UNCH
18500	----	----	----	----/0.183A	----	0.008 - 0.005	.0010	----	----	----	----	11 UNCH
18700	----	----	----	----/0.185A	----	0.007 - 0.006	.0009	----	----	----	----	8 UNCH
18800	----	----	----	----/0.185A	----	0.007 - 0.005	.0009	----	----	----	----	6 UNCH
18900	----	----	----	----/0.186A	----	0.007 - 0.005	.0009	----	----	----	----	3 UNCH
19000	----	----	----	----/0.187A	----	0.007 - 0.005	.0009	----	----	----	----	51 UNCH
19100	----	----	----	----/0.187A	----	0.007 - 0.004	.0009	----	----	----	----	74 UNCH
19200	----	----	----	----/0.188A	----	0.006 - 0.005	.0007	----	----	----	----	130 UNCH
19300	----	----	----	----/0.188A	----	0.006 - 0.005	.0007	----	----	----	----	6 UNCH
19400	----	----	----	----/0.189A	----	0.006 - 0.005	.0007	----	----	----	----	66 UNCH
19500	----	----	----	----/0.189A	----	0.006 - 0.005	.0007	----	----	----	----	96 UNCH
19700	----	----	----	----/0.190A	----	0.006 - 0.004	.0007	----	----	----	----	2 UNCH
19800	----	----	----	----/0.191A	----	0.006 - 0.004	.0007	----	----	----	----	10 UNCH
19900	----	----	----	----/0.191A	----	0.006 - 0.004	.0007	----	----	----	----	11 UNCH
20000	----	----	----	----/0.015A	----	0.005 - 0.005	.0006	----	----	----	----	392 UNCH
21000	----	----	----	----/0.100A	----	0.004 - 0.003	.0005	----	----	----	----	15 UNCH
22000	----	----	----	----/0.198A	----	0.003 - 0.002	.0003	----	----	----	----	10 UNCH
23000	----	----	----	----/0.200A	----	0.002 - 0.002	.0002	----	----	----	----	6 UNCH
24000	----	----	----	----/0.202A	----	0.001 - 0.001	.0001	----	----	----	----	4 UNCH
25000	----	----	----	----/0.008A	----	0.001 - 0.001	.0000	----	----	----	----	91 UNCH
TOTAL										800	0	23451 + 76
JUN26												
4300	----	----	34.279B/32.002A	34.279B/32.002A	----	34.093 + 1.011	.9835	----	----	----	----	20 UNCH
4850	----	----	28.870B/26.731A	28.870B/26.731A	----	28.708 + 0.993	.9702	----	----	----	----	7 UNCH
4900	----	----	28.382B/26.261A	28.382B/26.261A	----	28.223 + 0.990	.9686	----	----	----	----	9 UNCH
5000	----	----	27.472B/25.200A	27.472B/25.200A	----	27.255 + 0.982	.9650	----	----	----	----	348 UNCH
5025	----	----	27.166B/25.071A	27.166B/25.071A	----	27.013 + 0.979	.9640	----	----	----	----	6 UNCH
5050	----	----	26.924B/24.801A	26.924B/24.801A	----	26.772 + 0.977	.9630	----	----	----	----	1 UNCH
5200	----	----	25.539B/23.316A	25.539B/23.316A	----	25.331 + 0.958	.9565	----	----	----	----	77 UNCH
5225	----	----	25.231B/23.173A	25.231B/23.173A	----	25.092 + 0.954	.9552	----	----	----	----	4 UNCH
5275	----	----	24.750B/22.717A	24.750B/22.717A	----	24.614 + 0.946	.9527	----	----	----	----	7 UNCH
5300	----	----	24.511B/22.484A	24.511B/22.484A	----	24.376 + 0.941	.9514	----	----	----	----	3 UNCH
5325	----	----	24.272B/22.239A	24.272B/22.239A	----	24.139 + 0.938	.9501	----	----	----	----	5 UNCH
5350	----	----	24.032B/22.021A	24.032B/22.021A	----	23.901 + 0.932	.9487	----	----	----	----	7 UNCH
5400	----	----	23.556B/21.550A	23.556B/21.550A	----	23.428 + 0.923	.9458	----	----	----	----	2 UNCH
5425	----	----	23.319B/21.330A	23.319B/21.330A	----	23.191 + 0.917	.9443	----	----	----	----	9 UNCH
5500	----	----	22.680B/20.553A	22.680B/20.553A	----	22.485 + 0.900	.9395	----	----	----	----	341 UNCH
5525	----	----	22.374B/20.407A	22.374B/20.407A	----	22.251 + 0.895	.9378	----	----	----	----	2 UNCH
5600	----	----	21.671B/19.732A	21.671B/19.732A	----	21.550 + 0.875	.9325	----	----	----	----	7 UNCH
5625	----	----	21.437B/19.508A	21.437B/19.508A	----	21.318 + 0.869	.9306	----	----	----	----	11 UNCH
5675	----	----	20.970B/19.065A	20.970B/19.065A	----	20.855 + 0.856	.9267	----	----	----	----	1 UNCH
5700	----	----	20.811B/18.744A	20.811B/18.744A	----	20.624 + 0.849	.9246	----	----	----	----	56 UNCH
5725	----	----	20.506B/18.616A	20.506B/18.616A	----	20.394 + 0.842	.9225	----	----	----	----	10 UNCH
5750	----	----	20.276B/18.411A	20.276B/18.411A	----	20.165 + 0.835	.9204	----	----	----	----	13 UNCH
5775	----	----	20.045B/18.179A	20.045B/18.179A	----	19.936 + 0.828	.9182	----	----	----	----	1 UNCH
5800	----	----	19.815B/17.961A	19.815B/17.961A	----	19.707 + 0.820	.9159	----	----	----	----	2 UNCH
5825	----	----	19.586B/17.745A	19.586B/17.745A	----	19.480 + 0.813	.9136	----	----	----	----	1 UNCH
5850	----	----	19.357B/17.524A	19.357B/17.524A	----	19.253 + 0.805	.9112	----	----	----	----	9 UNCH
5900	----	----	18.902B/17.102A	18.902B/17.102A	----	18.802 + 0.789	.9062	----	----	----	----	4 UNCH
5925	----	----	18.675B/16.907A	18.675B/16.907A	----	18.577 + 0.781	.9036	----	----	----	----	17 UNCH
6000	----	----	18.078B/16.193A	18.078B/16.193A	----	17.908 + 0.756	.8954	----	----	----	----	401 UNCH
6025	----	----	17.777B/16.054A	17.777B/16.054A	----	17.687 + 0.747	.8925	----	----	----	----	7 UNCH
6050	----	----	17.555B/15.834A	17.555B/15.834A	----	17.466 + 0.738	.8896	----	----	----	----	4 UNCH
6075	----	----	17.373B/15.593A	17.373B/15.593A	----	17.246 + 0.728	.8866	----	----	----	----	30 UNCH
6100	----	----	17.112B/15.424A	17.112B/15.424A	----	17.028 + 0.720	.8835	----	----	----	----	16 UNCH
6200	----	----	16.321B/14.552A	16.321B/14.552A	----	16.163 + 0.682	.8704	----	----	----	----	101 UNCH
6225	----	----	16.023B/14.414A	16.023B/14.414A	----	15.949 + 0.672	.8669	----	----	----	----	1 UNCH
6250	----	----	15.808B/14.216A	15.808B/14.216A	----	15.737 + 0.662	.8634	----	----	----	----	4 UNCH
6300	----	----	15.380B/13.814A	15.380B/13.814A	----	15.315 + 0.642	.8560	----	----	----	----	4 UNCH
6400	----	----	14.631B/12.981A	14.631B/12.981A	----	14.486 + 0.600	.8404	----	----	----	----	110 UNCH
6425	----	----	14.382B/12.826A	14.382B/12.826A	----	14.282 + 0.589	.8363	----	----	----	----	25 UNCH
6450	----	----	14.156B/12.661A	14.156B/12.661A	----	14.079 + 0.578	.8320	----	----	----	----	6 UNCH
6475	----	----	13.931B/12.507A	13.931B/12.507A	----	13.877 + 0.567	.8278	----	----	----	----	5 UNCH
6500	----	----	13.751B/12.285A	13.751B/12.285A	----	13.677 + 0.556	.8234	----	----	----	----	11 UNCH
6625	----	----	12.770B/11.368A	12.770B/11.368A	----	12.697 + 0.499	.8003	----	----	----	----	10 UNCH
6700	----	----	12.163B/10.879A	12.163B/10.879A	----	12.127 + 0.465	.7854	----	----	----	----	1 UNCH
6725	----	----	11.973B/10.706A	11.973B/10.706A	----	11.940 + 0.453	.7803	----	----	----	----	1 UNCH
6750	----	----	11.785B/10.533A	11.785B/10.533A	----	11.755 + 0.442	.7752	----	----	----	----	3 UNCH
6800	----	----	11.459B/10.154A	11.459B/10.154A	----	11.389 + 0.418	.7646	----	----	----	----	6 UNCH
6850	----	----	11.049B/9.868A	11.049B/9.868A	----	11.029 + 0.394	.7537	----	----	----	----	5 UNCH
6900	----	----	10.752B/9.482A	10.752B/9.482A	----	10.676 + 0.371	.7425	----	----	----	----	16 UNCH
6925	----	----	10.578B/9.325A	10.578B/9.325A	----	10.503 + 0.360	.7368	----	----	----	----	9 UNCH
6975	----	----	10.235B/9.001A	10.235B/9.001A	----	10.160 + 0.336	.7253	----	----	----	----	7 UNCH
7000	----	----	10.090B/8.484A	10.090B/8.484A	----	9.992 + 0.325	.7194	----	----	----	----	125 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUN26												
7025	----	----	9.823B/8.751A	9.823B/8.751A	----	9.825 + 0.313	.7134	----	----	----	----	1 UNCH
7050	----	----	9.655B/8.614A	9.655B/8.614A	----	9.660 + 0.301	.7075	----	----	----	----	1 UNCH
7075	----	----	9.489B/8.345A	9.489B/8.345A	----	9.497 + 0.290	.7014	----	----	----	----	4 UNCH
7100	----	----	9.423B/7.923A	9.423B/7.923A	----	9.336 + 0.279	.6953	----	----	----	----	99 UNCH
7150	----	----	9.003B/7.824A	9.003B/7.824A	----	9.019 + 0.256	.6829	----	----	----	----	1 UNCH
7225	----	----	8.532B/7.184A	8.532B/7.184A	----	8.557 + 0.223	.6640	----	----	----	----	1 UNCH
7250	----	----	8.487B/7.049A	8.487B/7.049A	----	8.407 + 0.212	.6576	----	----	----	----	31 UNCH
7275	----	----	8.228B/7.011A	8.228B/7.011A	----	8.259 + 0.201	.6512	----	----	----	----	2 UNCH
7300	----	----	8.193B/6.896A	8.193B/6.896A	----	8.113 + 0.191	.6448	----	----	----	----	13 UNCH
7375	----	----	7.642B/6.559A	7.642B/6.559A	----	7.685 + 0.159	.6252	----	----	----	----	4 UNCH
7400	----	----	7.500B/6.406A	7.500B/6.406A	----	7.547 + 0.150	.6187	----	----	----	----	4 UNCH
7425	----	----	7.493B/6.321A	7.493B/6.321A	----	7.410 + 0.140	.6121	----	----	----	----	12 UNCH
7450	----	----	7.359B/6.100A	7.359B/6.100A	----	7.275 + 0.130	.6055	----	----	----	----	12 UNCH
7475	----	----	7.106B/6.106A	7.106B/6.106A	----	7.142 + 0.120	.5989	----	----	----	----	2 UNCH
7500	----	----	7.133B/5.892A	7.133B/5.892A	----	7.011 + 0.111	.5922	----	----	16	----	242 + 11
7525	----	----	6.996B/5.764A	6.996B/5.764A	----	6.882 + 0.101	.5856	----	----	----	----	9 UNCH
7550	----	----	6.873B/5.815A	6.873B/5.815A	----	6.755 + 0.092	.5789	----	----	----	----	25 UNCH
7575	----	----	6.789B/5.690A	6.789B/5.690A	----	6.630 + 0.084	.5723	----	----	----	----	1 UNCH
7600	----	----	6.653B/5.559A	6.653B/5.559A	----	6.507 + 0.075	.5656	----	----	5	----	22 + 5
7675	----	----	6.286B/5.134A	6.286B/5.134A	----	6.149 + 0.050	.5457	----	----	----	----	3 UNCH
7700	5.970	5.970	6.167B/5.087A	6.167B/5.087A	----	6.033 + 0.042	.5390	----	----	33	----	111 - 5
7725	----	----	6.057B/4.983A	6.057B/4.983A	----	5.920 + 0.035	.5324	----	----	----	----	7 UNCH
7750	----	----	5.936B/4.904A	5.936B/4.904A	----	5.808 + 0.027	.5258	----	----	----	----	10 UNCH
7775	----	----	5.827B/4.798A	5.827B/4.798A	----	5.698 + 0.019	.5192	----	----	----	----	2 UNCH
7800	----	----	5.713B/4.775A	5.713B/4.775A	----	5.590 + 0.012	.5127	----	----	1	----	18 UNCH
7825	----	----	5.609B/4.643A	5.609B/4.643A	----	5.484 + 0.005	.5061	----	----	----	----	1 UNCH
7850	----	----	5.500B/4.623A	5.500B/4.623A	----	5.380 - 0.002	.4996	----	----	----	----	1 UNCH
7900	----	----	5.340B/4.361A	5.340B/4.361A	----	5.177 - 0.015	.4867	----	----	----	----	67 UNCH
7925	----	----	5.211B/4.362A	5.211B/4.362A	----	5.079 - 0.021	.4803	----	----	----	----	12 UNCH
7950	----	----	5.114B/4.224A	5.114B/4.224A	----	4.982 - 0.027	.4739	----	----	----	----	3 UNCH
7975	----	----	5.017B/4.176A	5.017B/4.176A	----	4.887 - 0.032	.4676	----	----	----	----	2 UNCH
8000	4.400	4.400	4.951B/4.067A	4.951B/4.067A	----	4.794 - 0.038	.4613	----	----	41	----	226 + 37
8025	----	----	4.829B/3.977A	4.829B/3.977A	----	4.702 - 0.044	.4550	----	----	----	----	3 UNCH
8050	----	----	4.764B/3.944A	4.764B/3.944A	----	4.613 - 0.048	.4488	----	----	----	60	6 - 52
8075	----	----	4.647B/3.819A	4.647B/3.819A	----	4.525 - 0.053	.4427	----	----	----	----	2 UNCH
8100	----	----	4.559B/3.812A	4.559B/3.812A	----	4.439 - 0.058	.4366	----	----	----	----	11 UNCH
8125	----	----	4.473B/3.665A	4.473B/3.665A	----	4.354 - 0.063	.4305	----	----	----	----	2 UNCH
8150	----	----	4.389B/3.669A	4.389B/3.669A	----	4.271 - 0.067	.4245	----	----	----	----	10 UNCH
8175	----	----	4.306B/3.562A	4.306B/3.562A	----	4.190 - 0.071	.4185	----	----	----	----	1 UNCH
8200	----	----	4.224B/3.534A	4.224B/3.534A	----	4.110 - 0.076	.4126	----	----	----	----	3 UNCH
8225	----	----	4.143B/3.401A	4.143B/3.401A	----	4.032 - 0.079	.4068	----	----	----	----	3 UNCH
8250	----	----	4.066B/3.363A	4.066B/3.363A	----	3.956 - 0.083	.4010	----	----	----	----	20 UNCH
8275	----	----	3.988B/3.287A	3.988B/3.287A	----	3.881 - 0.086	.3953	----	----	----	----	19 UNCH
8300	----	----	3.936B/3.245A	3.936B/3.245A	----	3.808 - 0.089	.3896	----	----	----	----	90 UNCH
8350	----	----	3.767B/3.125A	3.767B/3.125A	----	3.666 - 0.095	.3784	----	----	----	----	13 UNCH
8375	----	----	3.696B/3.077A	3.696B/3.077A	----	3.597 - 0.098	.3730	----	----	----	----	5 UNCH
8400	----	----	----/3.040A	3.627B/3.040A	----	3.529 - 0.101	.3675	----	----	----	----	7 UNCH
8425	----	----	3.573B/2.961A	3.573B/2.961A	----	3.463 - 0.104	.3622	----	----	----	----	51 UNCH
8450	----	----	----/2.916A	3.491B/2.916A	----	3.399 - 0.105	.3569	----	----	----	----	19 UNCH
8475	----	----	----/2.876A	3.427B/2.876A	----	3.335 - 0.108	.3516	----	----	----	----	4 UNCH
8500	2.930	2.930	3.379B/2.795A	3.379B/2.795A	----	3.273 - 0.110	.3465	----	----	52	----	354 + 38
8550	----	----	----/2.716A	3.237B/2.716A	----	3.153 - 0.114	.3363	----	----	----	----	5 UNCH
8575	----	----	----/2.676A	3.178B/2.676A	----	3.095 - 0.116	.3314	----	----	----	----	4 UNCH
8600	----	----	----/2.617A	3.121B/2.617A	----	3.038 - 0.118	.3265	----	----	----	----	9 UNCH
8625	----	----	----/2.578A	3.061B/2.578A	----	2.983 - 0.119	.3217	----	----	----	----	4 UNCH
8650	----	----	----/2.524A	3.006B/2.524A	----	2.928 - 0.121	.3169	----	----	----	----	5 UNCH
8675	----	----	----/2.488A	2.951B/2.488A	----	2.875 - 0.122	.3122	----	----	----	----	6 UNCH
8700	----	----	----/2.429A	2.901B/2.429A	----	2.823 - 0.123	.3076	----	----	4	----	32 UNCH
8725	----	----	----/2.401A	2.846B/2.401A	----	2.772 - 0.124	.3030	----	----	----	----	3 UNCH
8750	----	----	----/2.351A	2.794B/2.351A	----	2.722 - 0.125	.2985	----	----	----	----	12 UNCH
8800	----	----	----/2.248A	2.703B/2.248A	----	2.625 - 0.127	.2897	----	----	----	----	76 UNCH
8825	----	----	----/2.240A	2.648B/2.240A	----	2.578 - 0.128	.2853	----	----	----	----	2 UNCH
8850	----	----	----/2.191A	2.601B/2.191A	----	2.533 - 0.128	.2811	----	----	----	----	12 UNCH
8875	----	----	----/2.164A	2.555B/2.164A	----	2.488 - 0.129	.2769	----	----	----	----	2 UNCH
8900	2.100	2.100	2.507B/2.095	2.507B/2.095	----	2.444 - 0.130	.2728	----	----	6	----	22 + 6
8925	----	----	----/2.091A	2.462B/2.091A	----	2.401 - 0.130	.2688	----	----	----	----	3 UNCH
8950	----	----	----/2.042A	2.421B/2.042A	----	2.359 - 0.131	.2648	----	----	----	----	4 UNCH
8975	----	----	----/2.022A	2.374B/2.022A	----	2.318 - 0.131	.2608	----	----	----	----	4 UNCH
9000	1.995	1.995	2.345B/1.959A	2.345B/1.959A	----	2.278 - 0.131	.2570	----	----	7	----	518 + 1
9025	----	----	----/1.955A	2.296B/1.955A	----	2.238 - 0.132	.2531	----	----	----	----	4 UNCH
9050	----	----	----/1.910A	2.255B/1.910A	----	2.200 - 0.132	.2494	----	----	----	----	12 UNCH
9100	----	----	----/1.835A	2.186B/1.835A	----	2.125 - 0.133	.2421	----	----	1	----	328 + 1
9125	----	----	----/1.834A	2.135B/1.834A	----	2.089 - 0.133	.2385	----	----	----	----	2 UNCH
9150	----	----	----/1.775A	2.111B/1.775A	----	2.054 - 0.133	.2350	----	----	----	----	103 UNCH
9200	----	----	----/1.719A	2.039B/1.719A	----	1.986 - 0.133	.2282	----	----	----	----	98 UNCH
9225	----	----	----/1.720A	1.988B/1.720A	----	1.953 - 0.133	.2249	----	----	----	----	7 UNCH
9250	----	----	----/1.674A	1.957B/1.674A	----	1.920 - 0.134	.2215	----	----	----	----	6 UNCH
9275	----	----	----/1.668A	1.919B/1.668A	----	1.888 - 0.134	.2183	----	----	----	----	7 UNCH
9300	----	----	----/1.614A	1.898B/1.614A	----	1.857 - 0.134	.2151	----	----	----	----	31 UNCH
9325	----	----	----/1.617A	1.861B/1.617A	----	1.827 - 0.133	.2120	----	----	----	----	2 UNCH
9350	----	----	----/1.574A	1.830B/1.574A	----	1.797 - 0.133	.2089	----	----	----	----	17 UNCH
9375	----	----	----/1.563A	1.794B/1.563A	----	1.768 - 0.133	.2059	----	----	----	----	17 UNCH
9400	----	----	----/1.525A	1.769B/1.525A	----	1.739 - 0.134	.2029	----	----	----	----	20 UNCH
9425	----	----	----/1.512A	1.734B/1.512A	----	1.711 - 0.133	.2000	----	----	----	----	22 UNCH
9450	----	----	----/*1.468A	1.704B/*1.468A	----	1.684 - 0.133	.1971	----	----	----	----	4 UNCH
9475	----	----	----/1.466A	1.676B/1.466A	----	1.657 - 0.133	.1943	----	----	----	----	17 UNCH
9500	----	----	----/1.422A	1.662B/1.422A	----	1.630 - 0.134	.1915	----	----	6	----	235 + 4
9525	----	----	----/1.420A	1.623B/1.420A	----	1.605 - 0.133	.1888	----	----	----	----	1 UNCH
9550	----	----	----/*1.386A	1.593B/*1.386A	----	1.579 - 0.133	.1860	----	----	----	----	1 UNCH
9575	----	----	----/*1.377A	1.574B/*1.377A	----	1.554 - 0.133	.1834	----	----	----	----	1 UNCH
9600	----	----	----/*1.341A	1.543B/*1.341A	----	1.530 - 0.133	.1808	----	----	1	----	17 - 1
9625	----	----	----/*1.336A	1.525B/*1.336A	----	1.506 - 0.133	.1782	----	----	----	----	4 UNCH
9650	----	----	----/*1.297A	1.501B/*1.297A	----	1.483 - 0.133	.1757	----	----	----	----	1 UNCH
9675	----	----	----/*1.298A	1.474B/*1.298A	----	1.460 - 0.133	.1732	----	----	----	----	2 UNCH
9700	----	----	----/*1.263A	1.451B/*1.263A	----	1.437 - 0.133	.1707	----	----	----	----	37 UNCH
9750	----	----	----/*1.221A	1.412B/*1.221A	----	1.394 - 0.132	.1660	----	----	----	----	28 UNCH
9800	----	----	----/*1.191A	1.363B/*1.191A	----	1.352 - 0.132	.1614	----	----	----	----	6 UNCH
9850	----	----	----/*1.150A	1.326B/*1.150A	----	1.311 - 0.132	.1569	----	----	----	----	2 UNCH
9875	----	----	----/*1.153A	1.300B/*1.153A	----	1.291 - 0.132	.1547	----	----	----	----	10 UNCH
9900	----	----	----/*1.118A	1.276B/*1.118A	----	1.272 - 0.132	.1526	----	----	----	----	22 UNCH
9925	----	----	----/*1.119A	1.254B/*1.119A	----	1.253 - 0.132	.1505	----	----	----	----	1 UNCH
9950	----	----	----/*1.091A	1.240B/*1.091A	----	1.235 - 0.131	.1485	----	----	----	----	2 UNCH
9975	----	----	----/*1.087A	1.224B/*1.087A	----	1.216 - 0.132	.1464	----	----	----	----	4 UNCH
10000	1.132	1.132	1.200/1.058A	1.200/1.058A	----	1.198 - 0.132	.1443	----	----	23	----	692 - 4
10025	----	----	----/*1.057A	1.186B/*1.057A	----	1.181 - 0.131	.1424	----	----	----	----	5 UNCH
10050	----	----	----/*1.027A	1.169B/*1.027A	----	1.164 - 0.130	.1405	----	----	----	----	3 UNCH
10075	----	----	----/*1.025A	1.151B/*1.025A	----	1.147 - 0.130	.1386	----	----	----	----	9 UNCH
10100	----	----	----/*1.011A	1.126B/*1.011A	----	1.130 - 0.130	.1367	----	----	2	----	19 UNCH
10125	----	----	----/*0.999A	1.117B/*0.999A	----	1.114 - 0.130	.1348	----	----	----	----	1 UNCH
10175	----	----	----/*0.970A	1.083B/*0.970A	----	1.082 - 0.129	.1312	----	----	----	----	1 UNCH
10200	----	----	----/*0.952A	1.071B/*0.952A	----	1.067 - 0.128	.1295	----	----	----	----	9 UNCH
10225	----	----	----/*0.945A	1.052B/*0.945A	----	1.051 - 0.129	.1277	----	----	----	----	1 UNCH
10300	----	----	----/*0.907A	1.006B/*0.907A	----	1.008 - 0.127	.1227	----	----	1	----	8 + 1
10375	----	----	----/*0.872A	0.955B/*0.872A	----	0.966 - 0.126	.1179	----	----	----	----	2 UNCH
10400	----	----	----/*0.856A	0.944B/*0.856A	----	0.953 - 0.125	.1164	----	----	----	----	4 UNCH
10425	----	----	----/*0.845A	0.927B/*0.845A	----	0.939 - 0.125	.1148	----	----	----	----	1 UNCH
10450	----	----	----/*0.824A	0.914B/*0.824A	----	0.927 - 0.124	.1133	----	----	----	----	3 UNCH
10475	----	----	----/*0.826A	0.901B/*0.826A	----	0.914 - 0.124	.1118	----	----	----	----	2 UNCH
10500	----	----	----/*0.811A	0.889B/*0.811A	----	0.901 - 0.124	.1103	----	----	3	----	357 + 3
10525	----	----	----/*0.805A	0.878B/*0.805A	----	0.889 - 0.123	.1089	----	----	----	----	12 UNCH
10550	----	----	----/*0.795A	0.863B/*0.795A	----	0.877 - 0.122	.1075	----	----	----	----	1 UNCH
10600	----	----	----/*0.775A	0.836B/*0.775A	----	0.854 - 0.121	.1048	----	----	----	----	67 UNCH
10625	----	----	----/*0.766A	0.829B/*0.766A	----	0.842 - 0.121	.1034	----	----	----	----	1 UNCH
10650	----	----	----/*0.756A	0.819B/*0.756A	----	0.831 - 0.120	.1021	----	----	----	----	3 UNCH
10675	----	----	----/*0.745A	0.806B/*0.745A	----	0.820 - 0.120	.1008	----	----	----	----	3 UNCH
10700	----	----	----/*0.738A	0.796B/*0.738A	----	0.809 - 0.119	.0995	----	----	1	----	12 + 1
10750	----	----	----/*0.720A	0.773B/*0.720A	----	0.788 - 0.118	.0970	----	----	----	----	3 UNCH
10800	----	----	----/*0.703A	0.756B/*0.703A	----	0.768 - 0.117	.0947	----	----	----	----	2 UNCH
10850	----	----	----/*0.686A	0.739B/*0.686A	----	0.748 - 0.116	.0923	----	----	----	----	12 UNCH
10875	----	----	----/*0.676A	0.730B/*0.676A	----	0.739 - 0.115	.0912	----	----	----	----	6 UNCH
10900	----	----	----/*0.670A	0.718B/*0.670A	----	0.729 - 0.115	.0900	----	----	----	----	20 UNCH
10925	----	----	----/*0.661A	0.709B/*0.661A	----	0.720 - 0.114	.0889	----	----	----	----	1 UNCH
10950	----	----	----/*0.655A	0.701B/*0.655A	----	0.711 - 0.114	.0878	----	----	----	----	1 UNCH
11000	0.625	0.625	0.682B/0.625	0.682B/0.625	----	0.693 - 0.113	.0857	----	----	2	----	472 - 1
11025	----	----	----/*0.631A	0.674B/*0.631A	----	0.684 - 0.113	.0846	----	----	----	----	1 UNCH
11050	----	----	----/*0.625A	0.667B/*0.625A	----	0.676 - 0.112	.0836	----	----	----	----	4 UNCH
11075	----	----	----/*0.618A	0.656B/*0.618A	----	0.668 - 0.111	.0827	----	----	----	----	5 UNCH
11100	----	----	----/*0.612A	0.646B/*0.612A	----	0.659 - 0.111	.0816	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUN26												
11125	----	----	----/*0.605A	0.640B/*0.605A	----	0.651 - 0.110	.0806	----	----	----	----	5 UNCH
11175	----	----	----/*0.592A	0.621B/*0.592A	----	0.635 - 0.110	.0787	----	----	----	----	2 UNCH
11200	----	----	----/*0.591A	0.615B/*0.591A	----	0.628 - 0.109	.0778	----	----	----	----	3 UNCH
11225	----	----	----/*0.586A	0.607B/*0.586A	----	0.620 - 0.109	.0769	----	----	----	----	3 UNCH
11300	----	----	----/*0.565A	0.586B/*0.565A	----	0.598 - 0.107	.0742	----	----	----	----	2 UNCH
11325	----	----	----/*0.565A	0.577B/*0.565A	----	0.591 - 0.107	.0733	----	----	----	----	6 UNCH
11350	----	----	----/*0.564A	0.572B/*0.564A	----	0.584 - 0.106	.0725	----	----	----	----	3 UNCH
11375	----	----	----/*0.574A	0.556B/*0.574A	----	0.577 - 0.106	.0716	----	----	----	----	1 UNCH
11400	----	----	----/*0.583A	0.546B/*0.583A	----	0.571 - 0.105	.0709	----	----	----	----	164 UNCH
11425	----	----	----/*0.569A	0.549B/*0.569A	----	0.564 - 0.105	.0700	----	----	----	----	12 UNCH
11450	----	----	----/*0.572A	0.529B/*0.572A	----	0.558 - 0.104	.0693	----	----	----	----	13 UNCH
11475	----	----	----/*0.566A	0.534B/*0.566A	----	0.551 - 0.104	.0684	----	----	----	----	2 UNCH
11500	----	----	----/*0.561A	0.495B/*0.561A	----	0.545 - 0.104	.0677	----	----	----	----	245 UNCH
11525	----	----	----/*0.556A	0.511B/*0.556A	----	0.539 - 0.103	.0669	----	----	----	----	4 UNCH
11550	----	----	----/*0.551A	0.471B/*0.551A	----	0.533 - 0.103	.0662	----	----	----	----	1 UNCH
11625	----	----	----/*0.539A	0.439B/*0.539A	----	0.515 - 0.102	.0640	----	----	----	----	1 UNCH
11675	----	----	----/*0.528A	0.429B/*0.528A	----	0.503 - 0.102	.0625	----	----	----	----	2 UNCH
11700	----	----	----/*0.522A	0.423B/*0.522A	----	0.498 - 0.101	.0619	----	----	1	----	7 UNCH
11725	----	----	----/*0.521A	0.418B/*0.521A	----	0.492 - 0.101	.0612	----	----	----	----	2 UNCH
11750	----	----	----/*0.514A	0.411B/*0.514A	----	0.487 - 0.101	.0605	----	----	----	----	21 UNCH
11775	----	----	----/*0.512A	0.406B/*0.512A	----	0.482 - 0.100	.0599	----	----	----	----	2 UNCH
11800	----	----	----/*0.508A	0.401B/*0.508A	----	0.477 - 0.100	.0593	----	----	----	----	4 UNCH
11850	----	----	----/*0.499A	0.390B/*0.499A	----	0.466 - 0.100	.0579	----	----	----	----	5 UNCH
11900	----	----	----/*0.492A	0.380B/*0.492A	----	0.457 - 0.099	.0568	----	----	1	----	2 UNCH
11925	----	----	----/*0.488A	0.376B/*0.488A	----	0.452 - 0.099	.0561	----	----	----	----	8 UNCH
11950	----	----	----/*0.467A	0.371B/*0.467A	----	0.447 - 0.099	.0555	----	----	----	----	3 UNCH
12000	----	----	----/0.475A	0.386B/0.475A	----	0.438 - 0.098	.0544	----	----	----	----	452 UNCH
12025	----	----	----/*0.471A	0.357B/*0.471A	----	0.433 - 0.098	.0538	----	----	----	----	11 UNCH
12125	----	----	----/*0.458A	0.339B/*0.458A	----	0.416 - 0.097	.0516	----	----	----	----	1 UNCH
12200	----	----	----/*0.447A	0.327B/*0.447A	----	0.404 - 0.097	.0501	----	----	----	----	13 UNCH
12225	----	----	----/*0.442A	0.323B/*0.442A	----	0.400 - 0.097	.0496	----	----	----	----	7 UNCH
12275	----	----	----/*0.436A	0.315B/*0.436A	----	0.392 - 0.097	.0486	----	----	----	----	1 UNCH
12325	----	----	----/*0.430A	0.307B/*0.430A	----	0.384 - 0.097	.0476	----	----	----	----	3 UNCH
12350	----	----	----/*0.427A	0.303B/*0.427A	----	0.381 - 0.096	.0472	----	----	----	----	5 UNCH
12400	----	----	----/*0.420A	0.296B/*0.420A	----	0.373 - 0.097	.0462	----	----	----	----	23 UNCH
12425	----	----	----/*0.417A	0.292B/*0.417A	----	0.370 - 0.096	.0458	----	----	----	----	1 UNCH
12450	----	----	----/*0.416A	0.289B/*0.416A	----	0.366 - 0.097	.0453	----	----	----	----	9 UNCH
12475	----	----	----/*0.411A	0.285B/*0.411A	----	0.363 - 0.096	.0449	----	----	----	----	1 UNCH
12500	----	----	----/*0.410A	0.282B/*0.410A	----	0.360 - 0.096	.0445	----	----	----	----	102 UNCH
12525	----	----	----/*0.405A	0.278B/*0.405A	----	0.356 - 0.096	.0441	----	----	----	----	37 UNCH
12550	----	----	----/*0.406A	0.276B/*0.406A	----	0.353 - 0.096	.0437	----	----	----	----	6 UNCH
12575	----	----	----/*0.403A	0.271B/*0.403A	----	0.350 - 0.096	.0433	----	----	----	----	2 UNCH
12600	----	----	----/*0.401A	0.268B/*0.401A	----	0.347 - 0.095	.0429	----	----	----	----	5 UNCH
12650	----	----	----/*0.393A	0.262B/*0.393A	----	0.340 - 0.096	.0420	----	----	----	----	2 UNCH
12675	----	----	----/*0.390A	0.259B/*0.390A	----	0.337 - 0.096	.0416	----	----	----	----	2 UNCH
12700	----	----	----/*0.386A	0.257B/*0.386A	----	0.334 - 0.096	.0413	----	----	----	----	11 UNCH
12725	----	----	----/*0.384A	0.255B/*0.384A	----	0.331 - 0.096	.0409	----	----	----	----	2 UNCH
12750	----	----	----/*0.382A	0.252B/*0.382A	----	0.328 - 0.096	.0405	----	----	----	----	2 UNCH
12775	----	----	----/*0.380A	0.250B/*0.380A	----	0.325 - 0.096	.0401	----	----	----	----	7 UNCH
12800	----	----	----/*0.378A	0.247B/*0.378A	----	0.323 - 0.095	.0398	----	----	----	----	34 UNCH
12900	----	----	----/*0.370A	0.236B/*0.370A	----	0.312 - 0.094	.0384	----	----	----	----	6 UNCH
13000	----	----	----/0.361A	0.225B/0.361A	----	0.301 - 0.094	.0370	----	----	----	----	272 UNCH
13100	----	----	----/*0.351A	0.218B/*0.351A	----	0.291 - 0.094	.0358	----	----	----	----	4 UNCH
13200	----	----	----/*0.342A	0.208B/*0.342A	----	0.282 - 0.093	.0346	----	----	----	----	3 UNCH
13300	----	----	----/*0.335A	0.197B/*0.335A	----	0.273 - 0.092	.0334	----	----	----	----	3 UNCH
13400	----	----	----/*0.327A	0.188B/*0.327A	----	0.264 - 0.092	.0323	----	----	----	----	5 UNCH
13500	----	----	----/*0.320A	0.181B/*0.320A	----	0.256 - 0.091	.0313	----	----	----	----	23 UNCH
13600	----	----	----/*0.311A	0.174B/*0.311A	----	0.249 - 0.089	.0303	----	----	----	----	7 UNCH
13700	----	----	----/*0.309A	0.167B/*0.309A	----	0.241 - 0.089	.0293	----	----	----	----	5 UNCH
13800	----	----	----/*0.303A	0.160B/*0.303A	----	0.234 - 0.087	.0284	----	----	----	----	1 UNCH
13900	----	----	----/*0.295A	0.154B/*0.295A	----	0.228 - 0.085	.0276	----	----	----	----	3 UNCH
14000	----	----	----/0.291A	0.148B/0.291A	----	0.222 - 0.083	.0268	----	----	----	----	292 UNCH
14200	----	----	----/*0.281A	0.136B/*0.281A	----	0.210 - 0.079	.0253	----	----	----	----	60 UNCH
14300	----	----	----/*0.275A	0.129B/*0.275A	----	0.204 - 0.077	.0245	----	----	----	----	1 UNCH
14400	0.200	0.200	0.200/*0.200	0.200/*0.200	----	0.199 - 0.074	.0239	----	----	2	----	65 UNCH
14500	----	----	----/*0.264A	0.114B/*0.264A	----	0.194 - 0.071	.0232	----	----	----	----	31 UNCH
14600	----	----	----	0.111B/*0.260A	----	0.189 - 0.068	.0226	----	----	----	----	6 UNCH
14700	----	----	----	0.104B/*0.257A	----	0.184 - 0.065	.0220	----	----	----	----	11 UNCH
14800	----	----	----	0.101B/*0.252A	----	0.179 - 0.062	.0213	----	----	----	----	10 UNCH
14900	----	----	----	0.097B/*0.248A	----	0.175 - 0.058	.0208	----	----	----	----	6 UNCH
15000	----	----	----	0.093B/0.248A	----	0.171 - 0.055	.0203	----	----	----	----	146 UNCH
15300	----	----	----	0.077B/*0.237A	----	0.159 - 0.043	.0188	----	----	----	----	2 UNCH
15400	----	----	----	0.074B/*0.234A	----	0.155 - 0.039	.0183	----	----	----	----	1 UNCH
15500	----	----	----	0.071B/*0.229A	----	0.152 - 0.034	.0179	----	----	----	----	7 UNCH
15600	----	----	----	0.069B/*0.226A	----	0.148 - 0.031	.0174	----	----	----	----	1 UNCH
15700	----	----	----	0.067B/*0.223A	----	0.145 - 0.027	.0170	----	----	----	----	1 UNCH
15800	----	----	----	0.064B/*0.220A	----	0.142 - 0.023	.0166	----	----	----	----	6 UNCH
15900	----	----	----	0.061B/*0.219A	----	0.139 - 0.019	.0162	----	----	----	----	8 UNCH
16000	----	----	----	0.095B/0.178A	----	0.136 - 0.016	.0158	----	----	----	----	202 UNCH
16200	----	----	----	0.049B/*0.209A	----	0.129 - 0.015	.0150	----	----	----	----	36 UNCH
16400	----	----	----	0.043B/*0.207A	----	0.122 - 0.014	.0142	----	----	----	----	1 UNCH
16500	----	----	----	0.041B/*0.201A	----	0.118 - 0.015	.0137	----	----	----	----	30 UNCH
16600	----	----	----	0.038B/*0.205A	----	0.115 - 0.014	.0134	----	----	----	----	2 UNCH
16700	----	----	----	0.055B/*0.202A	----	0.112 - 0.014	.0130	----	----	----	----	6 UNCH
16800	----	----	----	0.034B/*0.198A	----	0.109 - 0.014	.0126	----	----	----	----	3 UNCH
17000	----	----	----	0.029B/0.194A	----	0.104 - 0.013	.0120	----	----	----	----	21 UNCH
17100	----	----	----	0.027B/*0.192A	----	0.101 - 0.013	.0117	----	----	----	----	5 UNCH
17200	----	----	----	0.025B/*0.190A	----	0.098 - 0.013	.0113	----	----	----	----	5 UNCH
17300	0.105	0.105	0.105/*0.105	0.105/*0.105	----	0.096 - 0.012	.0111	----	----	2	----	11 UNCH
17400	0.110	0.110	0.110/*0.110	0.110/*0.110	----	0.093 - 0.013	.0107	----	----	1	----	2 - 1
17500	----	----	----	0.019B/*0.188A	----	0.091 - 0.012	.0105	----	----	----	----	63 UNCH
17700	----	----	----	0.015B/*0.185A	----	0.087 - 0.011	.0100	----	----	----	----	3 UNCH
17800	----	----	----	0.014B/*0.183A	----	0.084 - 0.012	.0097	----	----	----	----	3 UNCH
18000	----	----	----	0.052B/0.174A	----	0.080 - 0.011	.0092	----	----	----	----	44 UNCH
18100	----	----	----	0.015B/*0.173A	----	0.078 - 0.011	.0090	----	----	----	----	2 UNCH
18300	----	----	----	0.007B/*0.167A	----	0.075 - 0.010	.0086	----	----	----	----	1 UNCH
18900	----	----	----	0.002B/*0.160A	----	0.065 - 0.010	.0074	----	----	----	----	1 UNCH
19000	----	----	----	0.002B/0.157A	----	0.064 - 0.009	.0073	----	----	----	----	229 UNCH
19500	----	----	----	0.001B/*0.145A	----	0.057 - 0.009	.0065	----	----	----	----	126 UNCH
19600	----	----	----	0.001B/*0.143A	----	0.056 - 0.008	.0064	----	----	----	----	2 UNCH
19900	----	----	----	0.001B/*0.156A	----	0.052 - 0.009	.0059	----	----	----	----	28 UNCH
20000	----	----	----	0.001B/0.155A	----	0.051 - 0.008	.0058	----	----	----	----	236 UNCH
21000	----	----	----	0.001B/0.199A	----	0.042 - 0.007	.0047	----	----	----	----	20 UNCH
23000	----	----	----	0.001B/0.184A	----	0.029 - 0.006	.0032	----	----	----	----	14 UNCH
25000	----	----	----	0.001B/0.123A	----	0.022 - 0.004	.0024	----	----	----	----	298 UNCH
27000	----	----	----	0.001B/*0.172A	----	0.014 - 0.003	.0015	----	----	----	----	3 UNCH
30000	----	----	----	----/*0.050A	----	0.008 - 0.002	.0008	----	----	----	----	31 UNCH
32000	----	----	----	----/0.211A	----	0.006 - 0.001	.0006	----	----	----	----	1 UNCH
35000	----	----	----	----/0.025A	----	0.004 - 0.001	.0004	----	----	----	----	21 UNCH
TOTAL										212	60	10696 + 44
JUL26												
2700	----	----	50.233B/47.947A	50.233B/47.947A	----	50.016 + 1.065	.9965	----	----	----	----	1 UNCH
3900	----	----	38.262B/36.008A	38.262B/36.008A	----	38.082 + 1.046	.9830	----	----	----	----	1 UNCH
4000	----	----	37.276B/35.049A	37.276B/35.049A	----	37.104 + 1.042	.9807	----	----	----	----	1 UNCH
4200	----	----	35.309B/33.118A	35.309B/33.118A	----	35.153 + 1.028	.9760	----	----	----	----	2 UNCH
4500	----	----	32.418B/30.257A	32.418B/30.257A	----	32.239 + 0.992	.9677	----	----	----	----	28 UNCH
4600	----	----	31.478B/29.254A	31.478B/29.254A	----	31.273 + 0.977	.9645	----	----	----	----	114 UNCH
4700	----	----	30.453B/28.415A	30.453B/28.415A	----	30.310 + 0.959	.9610	----	----	----	----	1 UNCH
4750	----	----	29.971B/27.948A	29.971B/27.948A	----	29.830 + 0.950	.9591	----	----	----	----	1 UNCH
4825	----	----	29.252B/27.272A	29.252B/27.272A	----	29.112 + 0.935	.9561	----	----	----	----	3 UNCH
4900	----	----	28.535B/26.580A	28.535B/26.580A	----	28.398 + 0.920	.9528	----	----	----	----	1 UNCH
4925	----	----	28.297B/26.306A	28.297B/26.306A	----	28.161 + 0.916	.9516	----	----	----	----	16 UNCH
5000	----	----	27.654B/25.546A	27.654B/25.546A	----	27.453 + 0.901	.9479	----	----	----	----	307 UNCH
5025	----	----	27.353B/25.437A	27.353B/25.437A	----	27.218 + 0.896	.9466	----	----	----	----	4 UNCH
5050	----	----	27.118B/25.211A	27.118B/25.211A	----	26.984 + 0.892	.9452	----	----	----	----	2 UNCH
5100	----	----	26.720B/24.644A	26.720B/24.644A	----	26.517 + 0.883	.9424	----	----	----	----	130 UNCH
5150	----	----	26.188B/24.311A	26.188B/24.311A	----	26.053 + 0.874	.9393	----	----	----	----	6 UNCH
5200	----	----	25.760B/23.784A	25.760B/23.784A	----	25.591 + 0.864	.9361	----	----	----	----	40 UNCH
5225	----	----	25.495B/23.596A	25.495B/23.596A	----	25.361 + 0.860	.9344	----	----	----	----	9 UNCH
5250	----	----	25.266B/23.377A	25.266B/23.377A	----	25.132 + 0.856	.9326	----	----	----	----	2 UNCH
5275	----	----	25.037B/23.157A	25.037B/23.157A	----	24.904 + 0.852	.9309	----	----	----	----	1 UNCH
5300	----	----	24.809B/22.938A	24.809B/22.938A	----	24.676 + 0.847	.9290	----	----	----	----	7 UNCH
5350	----	----	24.425B/22.448A	24.425B/22.448A	----	24.223 + 0.839	.9252	----	----	----	----	155 UNCH
5375	----	----	24.129B/22.283A	24.129B/22.283A	----	23.998 + 0.835	.9232	----	----	----	----	1 UNCH
5400	----	----	23.903B/22.067A	23.903B/22.067A	----	23.773 + 0.830	.9212	----	----	----	----	21 UNCH
5425	----	----	23.714B/21.813A	23.714B/21.813A	----	23.549 + 0.826	.9191	----	----	----	----	42 UNCH
5450	----	----	23.455B/21.637A	23.455B/21.637A	----	23.326 + 0.822	.9170	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS											
JUL26													
5500	----	----	23.081B/21.153A	23.081B/21.153A	----	22.882	+ 0.813	.9126	----	----	----	----	494 UNCH
5550	----	----	22.567B/20.776A	22.567B/20.776A	----	22.441	+ 0.804	.9080	----	----	----	----	3 UNCH
5600	----	----	22.200B/20.307A	22.200B/20.307A	----	22.003	+ 0.795	.9033	----	----	----	----	102 UNCH
5650	----	----	21.727B/19.911A	21.727B/19.911A	----	21.569	+ 0.786	.8983	----	----	----	----	43 UNCH
5675	----	----	21.511B/19.704A	21.511B/19.704A	----	21.352	+ 0.780	.8958	----	----	----	----	25 UNCH
5700	----	----	21.294B/19.499A	21.294B/19.499A	----	21.137	+ 0.775	.8932	----	----	----	----	26 UNCH
5750	----	----	20.903B/19.043A	20.903B/19.043A	----	20.710	+ 0.766	.8878	----	----	----	----	162 UNCH
5775	----	----	20.612B/18.944A	20.612B/18.944A	----	20.497	+ 0.760	.8851	----	----	----	----	1 UNCH
5800	----	----	20.399B/18.743A	20.399B/18.743A	----	20.285	+ 0.754	.8823	----	----	----	----	16 UNCH
5900	----	----	19.552B/17.932A	19.552B/17.932A	----	19.448	+ 0.731	.8705	----	----	----	----	10 UNCH
5925	----	----	19.346B/17.735A	19.346B/17.735A	----	19.242	+ 0.726	.8675	----	----	----	----	10 UNCH
5950	----	----	19.138B/17.539A	19.138B/17.539A	----	19.036	+ 0.720	.8644	----	----	----	----	6 UNCH
5975	----	----	18.931B/17.344A	18.931B/17.344A	----	18.831	+ 0.713	.8612	----	----	----	----	20 UNCH
6000	----	----	18.807B/17.052A	18.807B/17.052A	----	18.627	+ 0.707	.8580	----	----	----	----	550 UNCH
6050	----	----	18.399B/16.667A	18.399B/16.667A	----	18.223	+ 0.694	.8515	----	----	----	----	58 UNCH
6075	----	----	18.113B/16.577A	18.113B/16.577A	----	18.022	+ 0.687	.8481	----	----	----	----	1 UNCH
6100	----	----	17.912B/16.388A	17.912B/16.388A	----	17.822	+ 0.679	.8447	----	----	----	----	10 UNCH
6200	----	----	17.205B/15.523A	17.205B/15.523A	----	17.035	+ 0.651	.8306	----	----	----	----	101 UNCH
6250	----	----	16.728B/15.259A	16.728B/15.259A	----	16.648	+ 0.635	.8232	----	----	----	----	1 UNCH
6300	----	----	16.342B/14.890A	16.342B/14.890A	----	16.265	+ 0.618	.8157	----	----	----	----	3 UNCH
6350	----	----	15.960B/14.525A	15.960B/14.525A	----	15.887	+ 0.600	.8080	----	----	----	----	2 UNCH
6450	----	----	15.209B/13.814A	15.209B/13.814A	----	15.146	+ 0.564	.7920	----	----	----	----	1 UNCH
6500	13.336	13.336	14.929B/13.335	14.929B/13.335	----	14.782	+ 0.544	.7837	----	----	10	----	195 UNCH
6600	----	----	14.206B/12.678A	14.206B/12.678A	----	14.070	+ 0.502	.7667	----	----	----	----	53 UNCH
6650	----	----	13.854B/12.349A	13.854B/12.349A	----	13.721	+ 0.479	.7579	----	----	----	----	100 UNCH
6750	----	----	13.071B/11.827A	13.071B/11.827A	----	13.040	+ 0.432	.7400	----	----	----	----	24 UNCH
6800	----	----	12.825B/11.401A	12.825B/11.401A	----	12.707	+ 0.407	.7308	----	----	----	----	250 UNCH
6825	----	----	12.565B/11.367A	12.565B/11.367A	----	12.543	+ 0.394	.7261	----	----	----	----	6 UNCH
6850	----	----	12.400B/11.217A	12.400B/11.217A	----	12.380	+ 0.382	.7214	----	----	----	----	1 UNCH
6875	----	----	12.235B/11.068A	12.235B/11.068A	----	12.218	+ 0.368	.7167	----	----	----	----	16 UNCH
6900	----	----	12.167B/10.802A	12.167B/10.802A	----	12.058	+ 0.355	.7119	----	----	----	----	99 UNCH
6950	----	----	11.754B/10.634A	11.754B/10.634A	----	11.742	+ 0.329	.7024	----	----	----	----	1 UNCH
7000	11.300	11.300	11.535B/10.234A	11.535B/10.234A	----	11.432	+ 0.303	.6926	----	----	2	----	159 - 2
7025	----	----	11.381B/10.045A	11.381B/10.045A	----	11.279	+ 0.289	.6877	----	----	----	----	125 UNCH
7050	----	----	11.134B/10.010A	11.134B/10.010A	----	11.128	+ 0.276	.6828	----	----	----	----	1 UNCH
7100	----	----	10.833B/9.818A	10.833B/9.818A	----	10.830	+ 0.250	.6729	----	----	----	----	5 UNCH
7200	----	----	10.253B/9.311A	10.253B/9.311A	----	10.253	+ 0.198	.6528	----	----	----	----	11 UNCH
7225	----	----	10.113B/9.192A	10.113B/9.192A	----	10.112	+ 0.185	.6477	----	----	----	----	1 UNCH
7250	----	----	10.071B/8.868A	10.071B/8.868A	----	9.974	+ 0.173	.6426	----	----	----	----	164 UNCH
7300	----	----	9.702B/8.836A	9.702B/8.836A	----	9.701	+ 0.148	.6324	----	----	----	----	5 UNCH
7325	----	----	9.666B/8.533A	9.666B/8.533A	----	9.567	+ 0.135	.6273	----	----	----	----	100 UNCH
7350	----	----	9.437B/8.611A	9.437B/8.611A	----	9.434	+ 0.123	.6222	----	----	----	----	1 UNCH
7400	----	----	9.179B/8.443A	9.179B/8.443A	----	9.175	+ 0.100	.6119	----	----	----	----	22 UNCH
7450	----	----	8.925B/8.212A	8.925B/8.212A	----	8.921	+ 0.077	.6016	----	----	----	----	12 UNCH
7500	8.415	8.415	8.778B/7.745A	8.778B/7.745A	----	8.675	+ 0.055	.5912	----	----	5	----	328 + 3
7550	----	----	8.437B/7.816A	8.437B/7.816A	----	8.434	+ 0.034	.5809	----	----	----	----	6 UNCH
7575	----	----	8.317B/7.673A	8.317B/7.673A	----	8.316	+ 0.024	.5758	----	----	----	----	20 UNCH
7600	----	----	8.199B/7.581A	8.199B/7.581A	----	8.200	+ 0.014	.5706	----	----	----	----	19 UNCH
7700	----	----	----/7.211A	7.738B/7.211A	----	7.749	- 0.025	.5501	----	----	----	----	19 UNCH
7800	----	----	----/6.852A	7.295B/6.852A	----	7.322	- 0.062	.5298	----	----	----	----	15 UNCH
7900	----	----	----/6.515A	6.857B/6.515A	----	6.918	- 0.095	.5098	----	----	----	----	9 UNCH
7975	----	----	----/6.270A	6.543B/6.270A	----	6.629	- 0.120	.4951	----	----	----	----	5 UNCH
8000	----	----	----/5.945A	6.544B/5.945A	----	6.536	- 0.127	.4902	----	----	----	----	566 UNCH
8025	----	----	----/6.112A	6.338B/6.112A	----	6.444	- 0.134	.4853	----	----	----	----	8 UNCH
8100	----	----	----/5.887A	6.047B/5.887A	----	6.176	- 0.155	.4710	----	----	----	----	21 UNCH
8200	----	----	----/5.601A	5.677B/5.601A	----	5.836	- 0.182	.4522	----	----	----	----	2 UNCH
8250	----	----	----/5.397A	5.555B/5.397A	----	5.674	- 0.193	.4430	----	----	----	----	45 UNCH
8300	5.525	5.525	5.526/5.199A	5.526/5.199A	----	5.517	- 0.204	.4339	----	----	5	----	218 + 3
8350	----	----	----/5.195A	5.181B/5.195A	----	5.364	- 0.216	.4250	----	----	----	----	2 UNCH
8375	4.723	4.723	5.112B/4.723	5.112B/4.723	----	5.290	- 0.220	.4206	----	----	2	----	3 + 2
8400	4.664	4.664	5.077B/4.664	5.077B/4.664	----	5.217	- 0.225	.4162	----	----	2	----	5 + 2
8500	5.145	5.145	5.145/4.697A	5.145/4.697A	----	4.935	- 0.243	.3990	----	----	2	----	684 UNCH
8550	5.020	5.020	5.020/4.585A	5.020/4.585A	----	4.801	- 0.251	.3907	----	----	2	----	329 - 2
8600	----	----	----/4.595A	4.479B/4.595A	----	4.671	- 0.258	.3825	----	----	----	----	6 UNCH
8650	----	----	----/4.488A	4.361B/4.488A	----	4.545	- 0.265	.3744	----	----	----	----	1 UNCH
8700	----	----	----/4.265A	4.339B/4.265A	----	4.423	- 0.271	.3665	----	----	----	----	63 UNCH
8750	3.854	3.854	4.139B/3.854	4.139B/3.854	----	4.306	- 0.276	.3588	----	----	1	----	7 - 1
8800	----	----	----/4.170A	4.028B/4.170A	----	4.192	- 0.281	.3512	----	----	----	----	12 UNCH
8900	----	----	----/3.869A	3.909B/3.869A	----	3.975	- 0.289	.3365	----	----	----	----	103 UNCH
9000	----	----	----/3.693A	3.730B/3.693A	----	3.773	- 0.294	.3225	----	----	----	80	295 + 80
9100	----	----	----/3.632A	3.432B/3.632A	----	3.584	- 0.297	.3091	----	----	----	----	10 UNCH
9200	----	----	----/3.370A	3.354B/3.370A	----	3.408	- 0.298	.2963	----	----	----	----	81 UNCH
9250	----	----	----/3.401A	3.171B/3.401A	----	3.324	- 0.298	.2901	----	----	----	----	7 UNCH
9300	3.278	3.278	3.278/3.200	3.278/3.200	----	3.244	- 0.296	.2841	----	----	11	----	266 + 11
9350	----	----	----/3.253A	3.013B/3.253A	----	3.165	- 0.296	.2782	----	----	----	----	7 UNCH
9400	----	----	----/3.134A	2.984B/3.134A	----	3.090	- 0.294	.2725	----	----	----	----	25 UNCH
9450	----	----	----/3.074A	2.909B/3.074A	----	3.017	- 0.292	.2669	----	----	----	----	33 UNCH
9500	----	----	----/2.962A	2.885B/2.962A	----	2.947	- 0.289	.2615	----	----	----	----	449 UNCH
9600	----	----	----/2.842A	2.744B/2.842A	----	2.814	- 0.283	.2511	----	----	----	----	51 UNCH
9700	----	----	----/2.835A	2.512B/2.835A	----	2.689	- 0.276	.2412	----	----	----	----	4 UNCH
9725	----	----	----/2.784A	2.497B/2.784A	----	2.659	- 0.274	.2388	----	----	----	----	1 UNCH
9775	----	----	----/2.640A	2.521B/2.640A	----	2.600	- 0.270	.2341	----	----	----	----	50 UNCH
9800	----	----	----/2.613A	2.486B/2.613A	----	2.572	- 0.268	.2318	----	----	----	----	109 UNCH
9900	----	----	----/2.511A	2.370B/2.511A	----	2.461	- 0.261	.2228	----	----	----	----	73 UNCH
10000	2.137	2.137	2.400/2.137	2.400/2.137	----	2.357	- 0.253	.2142	----	----	48	----	1512 - 9
10100	----	----	----/2.408A	2.054B/2.408A	----	2.258	- 0.247	.2060	----	----	----	----	1 UNCH
10125	----	----	----/2.402A	2.030B/2.402A	----	2.234	- 0.245	.2041	----	----	----	----	1 UNCH
10200	----	----	----/2.230A	2.048B/2.230A	----	2.164	- 0.241	.1982	----	----	----	----	81 UNCH
10250	----	----	----/2.270A	1.906B/2.270A	----	2.119	- 0.238	.1944	----	----	----	----	20 UNCH
10375	----	----	----/2.192A	1.802B/2.192A	----	2.010	- 0.233	.1853	----	----	----	----	18 UNCH
10400	----	----	----/2.152A	1.770B/2.152A	----	1.989	- 0.232	.1835	----	----	----	----	1 UNCH
10475	----	----	----/2.057A	1.764B/2.057A	----	1.928	- 0.229	.1784	----	----	----	----	25 UNCH
10500	----	----	----/1.988A	1.790B/1.988A	----	1.909	- 0.227	.1767	----	----	12	----	584 - 12
10600	----	----	----/2.019A	1.610B/2.019A	----	1.832	- 0.224	.1702	----	----	----	----	1 UNCH
10800	----	----	----/1.890A	1.513B/1.890A	----	1.689	- 0.219	.1579	----	----	----	----	28 UNCH
11000	----	----	----/1.716A	1.530B/1.716A	----	1.559	- 0.215	.1466	----	----	27	----	1057 + 15
11100	----	----	----/1.710A	1.271B/1.710A	----	1.499	- 0.213	.1413	----	----	----	----	23 UNCH
11200	----	----	----	1.218B/*1.654A	----	1.442	- 0.211	.1363	----	----	----	----	8 UNCH
11225	----	----	----	1.205B/1.641A	----	1.428	- 0.211	.1351	----	----	----	----	3 UNCH
11300	----	----	----	1.167B/1.601A	----	1.387	- 0.210	.1314	----	----	----	----	62 UNCH
11400	----	----	----	1.119B/1.547A	----	1.335	- 0.209	.1268	----	----	----	----	19 UNCH
11500	----	----	----/1.411A	1.280B/1.411A	----	1.286	- 0.207	.1224	----	----	17	----	128 - 1
11600	----	----	----	1.030B/1.445A	----	1.239	- 0.205	.1182	----	----	----	----	1 UNCH
11625	----	----	----	1.020B/1.447A	----	1.227	- 0.205	.1171	----	----	----	----	2 UNCH
11650	----	----	----	1.009B/1.421A	----	1.216	- 0.205	.1161	----	----	----	----	24 UNCH
11675	----	----	----/*1.357A	0.999B/*1.357A	----	1.205	- 0.204	.1152	----	----	----	----	22 UNCH
11700	----	----	----/*1.356A	0.989B/*1.356A	----	1.194	- 0.204	.1142	----	----	----	----	22 UNCH
11725	----	----	----/*1.349A	0.979B/*1.349A	----	1.183	- 0.204	.1132	----	----	----	----	22 UNCH
11750	----	----	----/*1.348A	0.969B/*1.348A	----	1.172	- 0.204	.1122	----	----	----	----	22 UNCH
11775	----	----	----/*1.349A	0.959B/*1.349A	----	1.162	- 0.202	.1113	----	----	----	----	22 UNCH
11800	----	----	----/*1.350A	0.949B/*1.350A	----	1.151	- 0.203	.1103	----	----	----	----	1 UNCH
11900	----	----	----/*1.150A	1.006B/*1.150A	----	1.110	- 0.201	.1065	----	----	----	----	1 UNCH
11950	----	----	----/*1.132A	0.907B/*1.132A	----	1.091	- 0.200	.1048	----	----	----	----	1 UNCH
12000	----	----	----/1.117A	0.907B/1.117A	----	1.071	- 0.200	.1030	----	----	----	----	548 UNCH
12200	----	----	----/*1.053A	0.928B/*1.053A	----	0.999	- 0.196	.0964	----	----	----	----	1 UNCH
12225	----	----	----/*1.045A	0.929B/*1.045A	----	0.991	- 0.194	.0956	----	----	----	----	16 UNCH
12250	----	----	----/*1.038A	0.919B/*1.038A	----	0.982	- 0.194	.0948	----	----	----	----	6 UNCH
12300	----	----	----/*1.023A	0.902B/*1.023A	----	0.966	- 0.193	.0933	----	----	----	----	8 UNCH
12375	----	----	----/*1.001A	0.877B/*1.001A	----	0.941	- 0.192	.0910	----	----	----	----	1 UNCH
12425	----	----	----/*0.987A	0.860B/*0.987A	----	0.926	- 0.190	.0896	----	----	----	----	1 UNCH
12450	----	----	----/*0.980A	0.852B/*0.980A	----	0.918	- 0.190	.0888	----	----	----	----	1 UNCH
12475	----	----	----/*0.973A	0.844B/*0.973A	----	0.910	- 0.190	.0881	----	----	----	----	3 UNCH
12500	0.900	0.900	0.900/*0.900	0.900/*0.900	----	0.903	- 0.188	.0874	----	----	2	----	142 + 1
12600	----	----	----/*0.940A	0.806B/*0.940A	----	0.874	- 0.186	.0847	----	----	----	----	6 UNCH
12725	----	----	----/*0.909A	0.769B/*0.909A	----	0.840	- 0.181	.0815	----	----	----	----	1 UNCH
12800	----	----	----/*0.891A	0.750B/*0.891A	----	0.820	- 0.179	.0796	----	----	----	----	1 UNCH
13000	----	----	----/0.846A	0.697B/0.846A	----	0.771	- 0.173	.0750	----	----	----	----	691 UNCH
14000	0.600	0.600	0.600/0.600	0.600/0.600	----	0.582	- 0.139	.0567	----	----	4	----	799 UNCH
14700	----	----	----/*0.575A	0.401B/*0.575A	----	0.488	- 0.124	.0475	----	----	----	----	1 UNCH
15000	----	----	----/0.541A	0.420B/0.541A	----	0.455	- 0.119	.0443	----	----	5	----	685 + 5
16000	----	----	----/0.448A	0.277B/0.448A	----	0.369	- 0.104	.0356	----	----	----	----	759 UNCH
17000	0.325	0.325	0.330/0.313	0.330/0.313	----	0.311	- 0.088	.0297	----	----	3	----	24 + 1
18000	0.250	0.250	0.250/0.250	0.250/0.250	----	0.274	- 0.065	.0257	----	----	3	----	256 + 3
19000	----	----	----	0.130B/0.301A	----	0.247	- 0.041	.0228	----	----	----	----	78 UNCH
20000	----	----	----/0.230A	0.200B/0.230A	----	0.224	- 0.022	.0203	----	----	----	----	1208 UNCH
21000	----	----	----	0.150B/0.245A	----	0.200	- 0.012	.0180	----	----	----	----	427 UNCH
24000	----	----	----	0.035B/0.203A	----	0.132	- 0.015	.0118	----	----	----	----	125 UNCH
25000	----	----	----/0.124A	0.110B/0.124A	----	0.115	- 0.018	.0102	----	----	----	----	349 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 57

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUL26												
27000	----	----	----	0.001B/0.273A	----	0.102 -	0.016 .0089	----	----	----	----	4 UNCH
30000	----	----	----	0.040B/0.165A	----	0.091 -	0.015 .0076	----	----	----	----	23 UNCH
32000	----	----	----	0.001B/0.238A	----	0.076 -	0.013 .0063	----	----	----	----	4 UNCH
35000	----	----	----/0.055A	0.030B/0.055A	----	0.052 -	0.010 .0044	----	----	----	----	75 UNCH
TOTAL										163	80	17805 + 99
AUG26												
5000	----	----	----	12.212B/41.599A	----	28.282 +	0.830 .9333	----	----	----	----	2 UNCH
5400	----	----	----	9.094B/38.409A	----	24.713 +	0.747 .9041	----	----	----	----	2 UNCH
5500	----	----	----	7.384B/37.478A	----	23.849 +	0.725 .8953	----	----	----	----	1 UNCH
6300	----	----	----	3.108B/29.900A	----	17.489 +	0.527 .8014	----	----	----	----	5 UNCH
6450	----	----	----	2.480B/28.837A	----	16.425 +	0.484 .7794	----	----	----	----	1 UNCH
6500	----	----	----	2.300B/27.431A	----	16.080 +	0.469 .7718	----	----	----	----	2 UNCH
6600	----	----	----	2.112B/24.728A	----	15.406 +	0.438 .7563	----	----	----	----	4 UNCH
6800	----	----	----	12.513B/13.856A	----	14.122 +	0.372 .7240	----	----	----	----	7 UNCH
6875	----	----	----	12.453B/13.412A	----	13.663 +	0.347 .7115	----	----	----	----	5 UNCH
7000	----	----	----/12.396A	12.052B/12.396A	----	12.925 +	0.301 .6904	----	----	----	----	3 UNCH
7025	----	----	----/12.446A	11.920B/12.446A	----	12.781 +	0.292 .6861	----	----	----	----	5 UNCH
7050	----	----	----/12.097A	11.720B/12.097A	----	12.639 +	0.282 .6819	----	----	----	----	2 UNCH
7100	----	----	----/11.211A	11.492B/11.211A	----	12.358 +	0.262 .6732	----	----	----	----	2 UNCH
7400	----	----	----/10.368A	10.272B/10.368A	----	10.788 +	0.134 .6210	----	----	----	----	8 UNCH
7425	----	----	----/10.341A	9.833B/10.341A	----	10.666 +	0.123 .6167	----	----	----	----	14 UNCH
7475	9.435	9.435	9.894B/9.435	9.894B/9.435	----	10.425 +	0.099 .6079	----	----	6	----	6 UNCH
7500	----	----	----/9.931A	9.881B/9.931A	----	10.307 +	0.088 .6036	----	----	----	----	2 UNCH
7550	----	----	----/9.718A	9.551B/9.718A	----	10.075 +	0.066 .5949	----	----	----	----	4 UNCH
7625	----	----	----/9.466A	8.940B/9.466A	----	9.736 +	0.032 .5818	----	----	----	----	15 UNCH
7700	----	----	----/9.106A	8.880B/9.106A	----	9.408 -	0.002 .5689	----	----	----	----	1 UNCH
7800	----	----	----/8.765A	8.459B/8.765A	----	8.990 -	0.045 .5518	----	----	----	----	1 UNCH
7900	----	----	----/8.390A	8.060B/8.390A	----	8.591 -	0.086 .5349	----	----	----	----	1 UNCH
8000	----	----	----/8.033A	7.680B/8.033A	----	8.212 -	0.125 .5184	----	----	----	----	12 UNCH
8300	----	----	----/7.063A	6.656B/7.063A	----	7.186 -	0.216 .4708	----	----	----	----	1 UNCH
8450	----	----	----/6.631A	6.202B/6.631A	----	6.733 -	0.246 .4483	----	----	----	----	1 UNCH
8500	----	----	----/6.495A	6.059B/6.495A	----	6.590 -	0.253 .4410	----	----	----	----	12 UNCH
8775	5.719	5.719	5.719/5.680A	5.719/5.680A	----	5.869	NEW .4030	----	----	2	----	2 + 2
8900	----	----	----/5.525A	5.040B/5.525A	----	5.575 -	0.289 .3867	----	----	----	----	7 UNCH
9000	----	----	----/5.308A	4.818B/5.308A	----	5.354 -	0.291 .3743	----	----	----	----	20 UNCH
9100	----	----	----/5.101A	4.606B/5.101A	----	5.144 -	0.291 .3623	----	----	----	----	84 UNCH
9400	----	----	----/4.536A	4.031B/4.536A	----	4.576 -	0.285 .3286	----	----	----	----	102 UNCH
10000	----	----	----/3.653A	3.140B/3.653A	----	3.661 -	0.259 .2715	----	----	----	----	76 UNCH
10200	----	----	----/3.622A	2.910B/3.622A	----	3.408 -	0.251 .2550	----	----	----	----	3 UNCH
10400	----	----	----/3.395A	2.697B/3.395A	----	3.178 -	0.242 .2398	----	----	----	----	2 UNCH
10500	----	----	----/3.295A	2.597B/3.295A	----	3.070 -	0.239 .2326	----	----	----	----	7 UNCH
11100	----	----	----	2.148B/2.795A	----	2.514 -	0.217 .1944	----	----	----	----	1 UNCH
11200	----	----	----	2.077B/2.714A	----	2.435 -	0.214 .1888	----	----	----	----	1 UNCH
11300	----	----	----	2.009B/2.684A	----	2.359 -	0.211 .1835	----	----	----	----	10 UNCH
11500	----	----	----	1.878B/2.539A	----	2.217 -	0.204 .1733	----	----	----	----	9 UNCH
11850	----	----	----	1.688B/2.316A	----	1.994 -	0.194 .1572	----	----	----	----	1 UNCH
12000	----	----	----	1.633B/2.250A	----	1.908 -	0.190 .1509	----	----	----	----	2 UNCH
12500	----	----	----	1.349B/1.927A	----	1.655 -	0.179 .1321	----	----	----	----	1 UNCH
13000	----	----	----	1.204B/1.811A	----	1.447 -	0.169 .1163	----	----	----	----	53 UNCH
14000	----	----	----/1.189A	1.044B/1.189A	----	1.129 -	0.154 .0917	----	----	----	----	6 UNCH
15000	----	----	----/0.985A	0.817B/0.985A	----	0.903 -	0.142 .0738	----	----	----	----	36 UNCH
16000	----	----	----/0.831A	0.627B/0.831A	----	0.737 -	0.131 .0605	----	----	----	----	1 UNCH
17000	----	----	----/0.710A	0.504B/0.710A	----	0.614 -	0.118 .0504	----	----	----	----	2 UNCH
18000	----	----	----/0.618A	0.406B/0.618A	----	0.519 -	0.106 .0426	----	----	----	----	1 UNCH
19000	----	----	----	0.339B/0.544A	----	0.445 -	0.095 .0365	----	----	----	----	2 UNCH
20000	----	----	----	0.282B/0.490A	----	0.386 -	0.086 .0316	----	----	----	----	217 UNCH
25000	----	----	----	0.125B/*0.317A	----	0.215 -	0.055 .0174	----	----	----	----	2 UNCH
30000	----	----	----	0.054B/*0.242A	----	0.142 -	0.043 .0112	----	----	----	----	13 UNCH
35000	----	----	----	0.001B/3.901A	----	0.091 -	0.030 .0072	----	----	----	----	2 UNCH
TOTAL										8	0	782 + 2
SEP26												
5100	----	----	----	7.619B/45.718A	----	27.635 +	0.770 .9142	----	----	----	----	1 UNCH
5900	----	----	----	1.695B/38.565A	----	21.025 +	0.566 .8385	----	----	----	----	2 UNCH
6000	----	----	----	1.183B/37.535A	----	20.266 +	0.537 .8266	----	----	----	----	7 UNCH
6700	----	----	----	13.549B/15.384A	----	15.479 +	0.324 .7303	----	----	----	----	1 UNCH
7000	----	----	----/13.338A	12.837B/13.338A	----	13.730 +	0.226 .6842	----	----	----	----	119 UNCH
7125	----	----	----/12.263A	12.171B/12.263A	----	13.057 +	0.184 .6645	----	----	----	----	75 UNCH
7400	----	----	----/11.457A	11.121B/11.457A	----	11.690 +	0.088 .6210	----	----	----	----	100 UNCH
7500	----	----	----/11.043A	10.656B/11.043A	----	11.232 +	0.053 .6053	----	----	----	----	1 UNCH
7700	----	----	----/10.244A	9.786B/10.244A	----	10.373 -	0.018 .5741	----	----	----	----	1 UNCH
8000	----	----	----/9.195A	8.623B/9.195A	----	9.222 -	0.116 .5289	----	----	----	----	105 UNCH
8200	----	----	----/8.598A	7.936B/8.598A	----	8.538 -	0.173 .5002	----	----	----	----	20 UNCH
8500	----	----	----/7.793A	7.024B/7.793A	----	7.623 -	0.241 .4596	----	----	----	----	100 UNCH
8675	----	----	----	6.430B/7.454A	----	7.145 -	0.272 .4372	----	----	----	----	5 UNCH
8700	----	----	----/7.309A	6.485B/7.309A	----	7.080 -	0.275 .4341	----	----	----	----	100 UNCH
9000	----	----	----/6.661A	5.768B/6.661A	----	6.356 -	0.311 .3986	----	----	----	----	65 UNCH
9500	----	----	----	4.771B/5.761A	----	5.356 -	0.336 .3463	----	----	10	----	12 + 10
9750	----	----	----	4.350B/5.365A	----	4.938 -	0.336 .3233	----	----	----	----	23 UNCH
9800	----	----	----	4.276B/5.288A	----	4.860 -	0.336 .3189	----	----	----	----	9 UNCH
9900	----	----	----	4.132B/5.139A	----	4.709 -	0.334 .3104	----	----	----	----	40 UNCH
10000	----	----	----	3.968B/4.995A	----	4.565 -	0.331 .3022	----	----	----	----	182 UNCH
10500	----	----	----	3.389B/4.357A	----	3.936 -	0.307 .2651	----	----	----	----	50 UNCH
10800	----	----	----	3.050B/4.029A	----	3.619 -	0.288 .2458	----	----	----	----	2 UNCH
11000	----	----	----	2.892B/3.828A	----	3.428 -	0.275 .2340	----	----	----	----	58 UNCH
12000	----	----	----	2.116B/3.023A	----	2.664 -	0.212 .1853	----	----	----	----	47 UNCH
12500	----	----	----	1.852B/2.707A	----	2.365 -	0.192 .1658	----	----	----	----	92 UNCH
13000	----	----	----	1.598B/2.458A	----	2.108 -	0.176 .1489	----	----	----	----	2 UNCH
14000	----	----	----	1.157B/2.108A	----	1.689 -	0.160 .1209	----	----	----	----	41 UNCH
15000	----	----	----/1.423A	1.217B/1.423A	----	1.368 -	0.154 .0992	----	----	----	----	131 UNCH
16000	----	----	----/1.205A	0.980B/1.205A	----	1.122 -	0.151 .0822	----	----	----	----	18 UNCH
17000	----	----	----/1.042A	0.800B/1.042A	----	0.933 -	0.146 .0690	----	----	----	----	27 UNCH
18000	----	----	----/0.909A	0.669B/0.909A	----	0.789 -	0.138 .0586	----	----	----	----	2 UNCH
19000	----	----	----	0.559B/0.810A	----	0.677 -	0.130 .0505	----	----	----	----	14 UNCH
20000	----	----	----	0.474B/0.721A	----	0.591 -	0.118 .0441	----	----	----	----	307 UNCH
21000	----	----	----	0.398B/*0.653A	----	0.522 -	0.108 .0390	----	----	----	----	1 UNCH
23000	----	----	----	0.296B/*0.544A	----	0.423 -	0.086 .0314	----	----	----	----	32 UNCH
25000	----	----	----	0.227B/*0.462A	----	0.358 -	0.067 .0263	----	----	----	----	14 UNCH
30000	0.250	0.250	0.250/*0.250	0.250/*0.250	----	0.273 -	0.030 .0194	----	----	1	----	19 UNCH
35000	----	----	----	0.059B/0.279A	----	0.156 -	0.021 .0114	----	----	----	----	27 UNCH
TOTAL										11	0	1852 + 10
OCT26												
3800	----	----	----	----	----	40.508 +	0.993 .9750	----	----	----	----	1 UNCH
7000	----	----	----/15.035A	14.042B/15.035A	----	15.349 +	0.169 .6891	----	----	----	----	2 UNCH
7100	----	----	----/14.218A	13.512B/14.218A	----	14.798 +	0.141 .6752	----	----	----	----	1 UNCH
7500	----	----	----/12.398A	11.855B/12.398A	----	12.762 +	0.033 .6191	----	----	----	----	1 UNCH
7650	----	----	----/11.792A	11.194B/11.792A	----	12.068 -	0.004 .5980	----	----	----	----	1 UNCH
7875	----	----	----	10.051B/11.178A	----	11.099 -	0.053 .5666	----	----	----	----	2 UNCH
8000	----	----	----/10.547A	9.805B/10.547A	----	10.597 -	0.078 .5495	----	----	----	----	4 UNCH
8075	----	----	----	9.341B/10.480A	----	10.308 -	0.092 .5393	----	----	----	----	1 UNCH
8500	----	----	----	8.161B/9.075A	----	8.839 -	0.161 .4842	----	----	----	----	1 UNCH
8700	----	----	----	7.600B/8.565A	----	8.242 -	0.185 .4599	----	----	----	----	4 UNCH
9000	----	----	----	6.846B/7.879A	----	7.446 -	0.216 .4256	----	----	----	----	1 UNCH
9100	----	----	----	6.615B/7.671A	----	7.206 -	0.223 .4149	----	----	----	----	73 UNCH
10000	----	----	----	4.930B/6.097A	----	5.500 -	0.260 .3318	----	----	----	----	96 UNCH
11000	----	----	----	3.695B/4.802A	----	4.282 -	0.259 .2651	----	----	----	----	3 UNCH
12000	----	----	----	2.797B/3.866A	----	3.446 -	0.243 .2164	----	----	----	----	65 UNCH
13000	----	----	----	2.195B/3.185A	----	2.798 -	0.225 .1783	----	----	----	----	145 UNCH
14000	----	----	----	1.719B/2.695A	----	2.282 -	0.209 .1478	----	----	----	----	2 UNCH
15000	----	----	----	1.291B/2.362A	----	1.874 -	0.192 .1232	----	----	----	----	178 UNCH
16000	----	----	----/1.637A	1.331B/1.637A	----	1.555 -	0.177 .1036	----	----	----	----	1 UNCH
18000	----	----	----/1.245A	0.983B/1.245A	----	1.104 -	0.148 .0751	----	----	----	----	340 UNCH
20000	----	----	----	0.710B/0.990A	----	0.828 -	0.125 .0570	----	----	----	----	225 UNCH
TOTAL											0	1147 0
NOV26												
6500	----	----	----	----/45.172A	----	18.860 +	0.281 .7502	----	----	----	----	1 UNCH
7000	----	----	----/15.666A	14.653B/15.666A	----	15.954 +	0.130 .6865	----	----	----	----	14 UNCH
7100	----	----	----/15.109A	14.141B/15.109A	----	15.422 +	0.102 .6734	----	----	----	----	14 UNCH
7500	----	----	----/13.331A	12.486B/13.331A	----	13.461 -	0.001 .6207	----	----	----	----	1 UNCH
7900	----	----	----/11.837A	10.856B/11.837A	----	11.768 -	0.087 .5685	----	----	----	----	10 UNCH
8000	----	----	----	10.488B/11.503A	----	11.387 -	0.105 .5559	----	----	----	----	10 UNCH
10000	----	----	----	5.632B/7.001A	----	6.509 -	0.257 .3574	----	----	----	----	26 UNCH
12000	----	----	----	3.405B/4.648A	----	4.173 -	0.258 .2413	----	----	----	----	13 UNCH
12500	----	----	----	3.034B/4.257A	----	3.769 -	0.254 .2201	----	----	----	----	10 UNCH
14000	----	----	----	2.184B/3.314A	----	2.830 -	0.236 .1696	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
NOV26												
15000	----	----	----	1.757B/2.894A	----	2.370 - 0.222	.1441	----	----	----	----	5 UNCH
16000	----	----	----	1.356B/2.592A	----	2.007 - 0.208	.1235	----	----	----	----	2 UNCH
17000	----	----	----	1.083B/2.343A	----	1.720 - 0.194	.1069	----	----	----	----	1 UNCH
20000	----	----	----/1.296A	0.974B/1.296A	----	1.149 - 0.155	.0728	----	----	----	----	31 UNCH
TOTAL											0	139 0
DEC26												
3875	----	----	----	----	----	39.959 + 0.949	.9601	----	----	----	----	1 UNCH
5250	----	----	----	----/61.701A	----	27.943 + 0.672	.8782	----	----	----	----	50 UNCH
5500	----	----	----	----/59.676A	----	25.972 + 0.609	.8564	----	----	----	----	1 UNCH
6500	----	----	----	----/50.181A	----	19.055 + 0.354	.7482	----	----	----	----	564 UNCH
6900	----	----	----	15.639B/17.018A	----	16.797 + 0.260	.6982	----	----	----	----	1 UNCH
6950	----	----	----	15.316B/16.711A	----	16.536 + 0.249	.6918	----	----	----	----	200 UNCH
7000	----	----	----	15.122B/16.328A	----	16.279 + 0.238	.6855	----	----	----	----	120 UNCH
7025	----	----	----	14.996B/16.343A	----	16.153 + 0.233	.6823	----	----	----	----	1 UNCH
7075	----	----	----	14.756B/16.103A	----	15.902 + 0.221	.6759	----	----	----	----	5 UNCH
7100	----	----	----	14.630B/15.814A	----	15.779 + 0.216	.6727	----	----	----	----	15 UNCH
7375	----	----	----	13.338B/14.752A	----	14.491 + 0.156	.6377	----	----	----	----	3 UNCH
7500	----	----	----	12.966B/13.984A	----	13.946 + 0.128	.6219	----	----	----	----	18 UNCH
7575	----	----	----	12.485B/13.946A	----	13.632 + 0.113	.6126	----	----	----	----	1 UNCH
7750	----	----	----	11.939B/13.148A	----	12.932 + 0.076	.5909	----	----	----	----	2 UNCH
7800	----	----	----	11.745B/12.986A	----	12.741 + 0.066	.5848	----	----	----	----	1 UNCH
7925	----	----	----	11.148B/12.649A	----	12.278 + 0.040	.5697	----	----	----	----	2 UNCH
8000	----	----	----/11.430A	11.007B/11.430A	----	12.012 + 0.026	.5609	----	----	----	----	127 UNCH
8100	----	----	----	10.660B/11.989A	----	11.668 + 0.006	.5493	----	----	----	----	1 UNCH
8200	11.300	11.300	11.300/11.300	11.300/11.300	----	11.338 - 0.012	.5379	----	----	1	----	24 - 1
8400	----	----	----	9.699B/11.108A	----	10.716 - 0.049	.5157	----	----	----	----	50 UNCH
8500	----	----	----	9.404B/10.838A	----	10.423 - 0.066	.5050	----	----	----	----	150 UNCH
8550	----	----	----	9.261B/10.707A	----	10.281 - 0.075	.4998	----	----	----	----	1 UNCH
8800	----	----	----/9.299A	8.586B/9.299A	----	9.612 - 0.115	.4743	----	----	----	----	5 UNCH
8900	----	----	----	8.334B/9.876A	----	9.363 - 0.129	.4646	----	----	----	----	2 UNCH
8950	----	----	----	8.212B/9.761A	----	9.241 - 0.137	.4598	----	----	----	----	1 UNCH
9000	----	----	----	8.092B/9.646A	----	9.123 - 0.143	.4551	----	----	----	----	184 UNCH
9050	----	----	----	7.975B/9.534A	----	9.006 - 0.151	.4504	----	----	----	----	100 UNCH
9300	----	----	----	7.432B/9.004A	----	8.456 - 0.183	.4279	----	----	----	----	1 UNCH
9500	----	----	----	7.010B/8.613A	----	8.053 - 0.204	.4110	----	----	----	----	3 UNCH
9700	----	----	----	6.679B/8.241A	----	7.677 - 0.224	.3949	----	----	----	----	1 UNCH
9800	----	----	----	6.508B/8.066A	----	7.499 - 0.232	.3872	----	----	1	----	18 + 1
9900	----	----	----	6.307B/7.895A	----	7.327 - 0.240	.3797	----	----	----	----	3 UNCH
10000	7.035	7.035	7.035/7.035	7.035/7.035	----	7.160 - 0.248	.3723	----	----	4	----	774 + 1
10025	----	----	----	6.147B/7.692A	----	7.119 - 0.249	.3705	----	----	----	----	3 UNCH
10500	----	----	----	5.466B/6.992A	----	6.402 - 0.272	.3382	----	----	----	----	2 UNCH
10600	----	----	----	5.332B/6.857A	----	6.264 - 0.275	.3319	----	----	----	----	1 UNCH
10800	6.000	6.000	6.000/*6.000	6.000/6.000	----	6.000 NEW	.3197	----	----	1	----	1 + 1
11000	----	----	----	4.854B/6.351A	----	5.752 - 0.282	.3081	----	----	----	----	91 UNCH
11350	----	----	----	4.476B/5.953A	----	5.351 - 0.283	.2891	----	----	----	----	5 UNCH
11800	----	----	----	4.047B/5.493A	----	4.891 - 0.279	.2670	----	----	----	----	25 UNCH
12000	----	----	----/4.715A	4.000B/4.715A	----	4.705 - 0.275	.2579	----	----	----	----	438 UNCH
12200	----	----	----	3.710B/5.142A	----	4.528 - 0.272	.2492	----	----	----	----	1 UNCH
12500	----	----	----	3.480B/4.891A	----	4.281 - 0.265	.2369	----	----	----	----	43 UNCH
13000	----	----	----	3.137B/4.513A	----	3.909 - 0.253	.2182	----	----	----	----	338 UNCH
14000	----	----	----	2.565B/3.879A	----	3.290 - 0.233	.1864	----	----	----	----	56 UNCH
14200	----	----	----	2.468B/3.769A	----	3.183 - 0.229	.1808	----	----	----	----	1 UNCH
15000	----	----	----	2.117B/3.374A	----	2.801 - 0.216	.1607	----	----	----	----	1821 UNCH
16000	----	----	----/2.450A	1.706B/2.450A	----	2.408 - 0.202	.1397	----	----	----	----	1608 UNCH
17000	----	----	----	1.356B/2.748A	----	2.087 - 0.190	.1222	----	----	----	----	50 UNCH
18000	----	----	----	1.110B/2.523A	----	1.822 - 0.181	.1076	----	----	----	----	7 UNCH
19000	----	----	----/1.747A	1.403B/1.747A	----	1.603 - 0.172	.0954	----	----	----	----	1 UNCH
20000	----	----	----/1.580A	1.217B/1.580A	----	1.419 - 0.164	.0850	----	----	----	----	262 UNCH
21000	----	----	----	1.066B/1.434A	----	1.265 - 0.155	.0762	----	----	----	----	4 UNCH
23000	----	----	----	0.832B/1.207A	----	1.025 - 0.140	.0623	----	----	----	----	4 UNCH
25000	----	----	----	0.663B/1.047A	----	0.851 - 0.126	.0520	----	----	----	----	231 UNCH
30000	----	----	----	0.387B/0.766A	----	0.587 - 0.098	.0360	----	----	----	----	107 UNCH
40000	0.401	0.401	0.401/0.401	0.401/0.401	----	0.365 - 0.069	.0220	----	----	1	----	21 - 1
90000	----	----	----	----	----	0.180 - 0.037	.0096	----	----	----	----	1 UNCH
TOTAL										8	0	7552 + 1
JAN27												
7550	----	----	----	#13.682B/15.110A	----	14.829 - 0.083	.6268	----	----	----	----	1 UNCH
7650	----	----	----	13.265B/14.736A	----	14.407 - 0.086	.6150	----	----	----	----	6 UNCH
10000	----	----	----/8.871A	#6.872B/8.871A	----	8.075 - 1.481	.3935	----	----	----	----	1 UNCH
11000	----	----	----/*7.522A	5.377B/*7.522A	----	6.601 - 2.027	.3307	----	----	----	----	1 UNCH
13000	----	----	----/6.187A	#2.860B/6.187A	----	4.719 - 2.428	.2437	----	----	----	----	1 UNCH
14000	----	----	----/5.425A	#2.509B/5.425A	----	4.300 - 2.331	.2195	----	----	----	----	1 UNCH
14500	----	----	----/5.108A	#2.238B/5.108A	----	4.140 - 2.289	.2098	----	----	----	----	400 UNCH
15000	----	----	----/4.822A	#1.988B/4.822A	----	4.008 - 2.249	.2015	----	----	----	----	400 UNCH
TOTAL											0	811 0
FEB27												
9000	----	----	----	9.374B/11.467A	----	10.602 - 0.825	.4806	----	----	----	----	1 UNCH
30000	----	----	----	0.001B/6.220A	----	3.392 - 0.109	.1349	----	----	----	----	1 UNCH
TOTAL											0	2 0
MAR27												
8000	----	----	----	#11.916B/*15.244A	----	14.123 NEW	.5821	----	----	----	200	200 + 200
9200	----	----	----	#8.693B/*12.078A	----	10.722 - 0.706	.4722	----	----	----	----	25 UNCH
30000	3.301	3.301	#3.301/*3.170A	#3.301/*3.170A	----	1.961 NEW	.0905	----	----	1	----	1 + 1
TOTAL										1	200	226 + 201
JUL27												
2000	----	----	----	----	----	60.252 + 1.072	.9946	----	----	----	----	1 UNCH
10000	----	----	----	----	----	11.971 - 1.974	.4616	----	----	----	----	1 UNCH
10300	----	----	----	----	----	11.470 - 2.018	.4448	----	----	----	----	1 UNCH
TOTAL											0	3 0
DEC27												
4000	----	----	----	----	----	42.876 + 0.751	.9213	----	----	----	----	1 UNCH
20000	----	----	----	----	----	7.276 - 2.279	.2549	----	----	----	----	25 UNCH
TOTAL											0	26 0
SO PUT		COMEX SILVER OPTIONS										
MAY26												
2075	----	----	----	----/0.010A	----	0.001 UNCH	.0000	----	----	----	----	31 UNCH
2100	----	----	----	----/0.048A	----	0.001 UNCH	.0000	----	----	----	----	1 UNCH
2150	----	----	----	----/0.048A	----	0.001 UNCH	.0000	----	----	----	----	1 UNCH
2175	----	----	----	----/0.049A	----	0.001 UNCH	.0000	----	----	----	----	1 UNCH
2650	----	----	----	----/0.058A	----	0.003 - 0.001	.0003	----	----	----	----	2 UNCH
2700	----	----	----	----/0.059A	----	0.003 - 0.001	.0003	----	----	----	----	50 UNCH
2800	----	----	----	----/*0.012A	----	0.004 - 0.001	.0004	----	----	----	----	12 UNCH
2850	----	----	----	----/0.062A	----	0.005 - 0.001	.0005	----	----	----	----	3 UNCH
2875	----	----	----	----/0.063A	----	0.005 - 0.001	.0005	----	----	----	----	1 UNCH
2950	----	----	----	----/0.064A	----	0.006 - 0.001	.0006	----	----	----	----	1 UNCH
3000	----	----	----	----/0.014A	----	0.006 - 0.002	.0006	----	----	----	----	22 UNCH
3075	----	----	----	----/0.067A	----	0.008 - 0.001	.0008	----	----	----	----	16 UNCH
3100	----	----	----	----/0.067A	----	0.008 - 0.002	.0008	----	----	----	----	5 UNCH
3125	----	----	----	----/0.068A	----	0.009 - 0.001	.0009	----	----	----	----	14 UNCH
3175	----	----	----	----/0.069A	----	0.010 - 0.002	.0010	----	----	----	----	14 UNCH
3200	----	----	----	----/0.070A	----	0.010 - 0.002	.0010	----	----	----	----	13 UNCH
3225	----	----	----	----/0.070A	----	0.011 - 0.002	.0011	----	----	----	----	10 UNCH
3275	----	----	----	----/0.072A	----	0.012 - 0.002	.0013	----	----	----	----	54 UNCH
3300	----	----	----	----/0.072A	----	0.013 - 0.002	.0014	----	----	----	----	79 UNCH
3325	----	----	----	----/0.073A	----	0.013 - 0.003	.0014	----	----	----	----	2 UNCH
3350	----	----	----	----/0.073A	----	0.014 - 0.003	.0015	----	----	----	----	14 UNCH
3375	----	----	----	----/0.074A	----	0.015 - 0.002	.0016	----	----	----	----	12 UNCH
3400	----	----	----	----/0.075A	----	0.016 - 0.002	.0017	----	----	----	----	39 UNCH
3450	----	----	----	----/*0.076A	----	0.017 - 0.003	.0018	----	----	----	----	5 UNCH
3475	----	----	----	----/*0.077A	----	0.018 - 0.003	.0019	----	----	----	----	13 UNCH
3500	----	----	----	----/0.077A	----	0.019 - 0.003	.0020	----	----	----	----	59 UNCH
3550	----	----	----	----/*0.079A	----	0.021 - 0.003	.0023	----	----	----	----	1 UNCH
3575	----	----	----	----/*0.080A	----	0.022 - 0.003	.0024	----	----	----	----	28 UNCH
3600	----	----	----	----/*0.080A	----	0.023 - 0.004	.0025	----	----	----	----	6 UNCH
3625	----	----	----	----/*0.081A	----	0.024 - 0.004	.0026	----	----	----	----	12 UNCH
3675	----	----	----	----/0.083A	----	0.026 - 0.004	.0029	----	----	----	----	105 UNCH
3700	----	----	----	----/*0.084A	----	0.027 - 0.005	.0030	----	----	----	----	264 UNCH
3750	----	----	----	----/*0.085A	----	0.029 - 0.005	.0032	----	----	----	----	10 UNCH
3775	----	----	----	----/*0.086A	----	0.031 - 0.005	.0034	----	----	----	----	10 UNCH
3800	----	----	----	0.001B/0.087A	----	0.032 - 0.005	.0036	----	----	----	----	356 UNCH
3850	----	----	----	----/*0.089A	----	0.035 - 0.005	.0039	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
3900	----	----	----	----/0.091A	----	0.037 - 0.006	.0042	----	----	----	----	52 UNCH
3925	----	----	----	----/*0.093A	----	0.039 - 0.006	.0044	----	----	----	----	9 UNCH
3950	----	----	----	----/*0.094A	----	0.040 - 0.007	.0045	----	----	----	----	11 UNCH
3975	----	----	----	----/*0.095A	----	0.042 - 0.006	.0048	----	----	----	----	5 UNCH
4000	0.035	0.035	0.035/0.035	0.035/0.035	----	0.043 - 0.007	.0049	----	----	4	----	312 + 2
4025	----	----	----	----/*0.098A	----	0.044 - 0.007	.0051	----	----	----	----	3 UNCH
4050	----	----	----	0.001B/*0.099A	----	0.044 - 0.008	.0051	----	----	----	----	21 UNCH
4075	----	----	----	0.001B/*0.100A	----	0.045 - 0.008	.0052	----	----	----	----	15 UNCH
4100	----	----	----	0.001B/0.102A	----	0.045 - 0.009	.0053	----	----	----	----	190 UNCH
4125	----	----	----	0.001B/*0.103A	----	0.046 - 0.009	.0054	----	----	----	----	10 UNCH
4150	----	----	----	0.001B/*0.104A	----	0.046 - 0.010	.0055	----	----	----	----	9 UNCH
4175	----	----	----	0.001B/*0.105A	----	0.047 - 0.010	.0056	----	----	----	----	1 UNCH
4200	----	----	----	0.001B/*0.106A	----	0.047 - 0.011	.0057	----	----	----	----	101 UNCH
4225	----	----	----	0.001B/*0.107A	----	0.048 - 0.011	.0058	----	----	----	----	20 UNCH
4250	----	----	----	0.001B/*0.108A	----	0.048 - 0.013	.0059	----	----	----	----	10 UNCH
4275	----	----	----	0.001B/*0.109A	----	0.049 - 0.013	.0061	----	----	----	----	7 UNCH
4300	----	----	----	0.010B/*0.111A	----	0.049 - 0.014	.0061	----	----	----	----	267 UNCH
4325	----	----	----	0.001B/*0.112A	----	0.050 - 0.014	.0063	----	----	----	----	1 UNCH
4350	----	----	----	0.001B/*0.113A	----	0.051 - 0.014	.0064	----	----	----	----	27 UNCH
4375	----	----	----	0.001B/*0.114A	----	0.051 - 0.015	.0065	----	----	----	----	12 UNCH
4400	----	----	----	0.001B/*0.115A	----	0.052 - 0.016	.0067	----	----	----	----	314 UNCH
4425	----	----	----	0.001B/*0.117A	----	0.053 - 0.016	.0068	----	----	----	----	14 UNCH
4450	----	----	----	0.001B/*0.120A	----	0.053 - 0.017	.0069	----	----	----	----	7 UNCH
4475	----	----	----	0.001B/*0.122A	----	0.054 - 0.018	.0071	----	----	----	----	81 UNCH
4500	----	----	----	0.054B/0.100A	----	0.055 - 0.018	.0072	----	----	----	----	786 UNCH
4525	----	----	----	0.001B/*0.125A	----	0.056 - 0.018	.0074	----	----	----	----	19 UNCH
4550	----	----	----	0.001B/0.127A	----	0.057 - 0.019	.0076	----	----	----	----	4 UNCH
4575	----	----	----	0.002B/0.129A	----	0.058 - 0.019	.0078	----	----	----	----	11 UNCH
4600	----	----	----	0.003B/0.128A	----	0.059 - 0.020	.0080	----	----	----	----	14 UNCH
4625	----	----	----	0.004B/*0.130A	----	0.060 - 0.020	.0082	----	----	----	----	66 UNCH
4650	----	----	----	0.003B/*0.132A	----	0.061 - 0.021	.0084	----	----	----	----	10 UNCH
4675	----	----	----	0.006B/*0.133A	----	0.062 - 0.021	.0085	----	----	----	----	17 UNCH
4700	----	----	----	0.003B/*0.136A	----	0.063 - 0.022	.0087	----	----	----	----	116 UNCH
4725	----	----	----	0.017B/*0.129A	----	0.064 - 0.023	.0089	----	----	----	----	11 UNCH
4750	----	----	----	0.004B/*0.136A	----	0.066 - 0.023	.0093	----	----	----	----	18 UNCH
4775	----	----	----	0.005B/*0.137A	----	0.067 - 0.024	.0095	----	----	----	----	4 UNCH
4800	0.085	0.085	0.085/*0.085	0.085/*0.085	----	0.068 - 0.025	.0097	----	----	3	----	318 UNCH
4825	----	----	----	0.005B/*0.140A	----	0.070 - 0.025	.0100	----	----	----	----	3 UNCH
4850	----	----	----	0.016B/0.131A	----	0.071 - 0.026	.0102	----	----	----	----	78 UNCH
4875	----	----	----	0.012B/0.137A	----	0.073 - 0.026	.0105	----	----	----	----	1 UNCH
4900	----	----	----	0.014B/0.144A	----	0.075 - 0.026	.0109	----	----	----	----	163 UNCH
4925	----	----	----	0.018B/0.145A	----	0.076 - 0.028	.0111	----	----	----	----	9 UNCH
4950	----	----	----/*0.095A	0.039B/*0.095A	----	0.078 - 0.028	.0115	----	----	1	----	11 - 1
4975	----	----	----	0.025B/0.149A	----	0.080 - 0.029	.0118	----	----	----	----	52 UNCH
5000	0.081	0.081	0.081/0.072	0.081/0.072	----	0.081 - 0.030	.0121	----	----	33	----	883 - 10
5025	----	----	----/*0.100A	0.061B/*0.100A	----	0.083 - 0.031	.0124	----	----	----	----	1 UNCH
5050	----	----	----/*0.101A	0.056B/*0.101A	----	0.085 - 0.032	.0128	----	----	----	----	24 UNCH
5075	----	----	----/*0.106A	0.057B/*0.106A	----	0.087 - 0.033	.0132	----	----	----	----	7 UNCH
5100	----	----	----/*0.111A	0.061B/*0.111A	----	0.089 - 0.034	.0135	----	----	----	----	163 UNCH
5125	----	----	----/*0.112A	0.062B/*0.112A	----	0.092 - 0.035	.0140	----	----	----	----	52 UNCH
5150	----	----	----/*0.116A	0.063B/*0.116A	----	0.094 - 0.036	.0144	----	----	----	----	48 UNCH
5175	----	----	----/*0.133A	0.067B/*0.133A	----	0.097 - 0.037	.0149	----	----	----	----	2 UNCH
5200	----	----	----/*0.123A	0.071B/*0.123A	----	0.099 - 0.039	.0153	----	----	----	----	163 UNCH
5225	----	----	----/*0.124A	0.077B/*0.124A	----	0.102 - 0.040	.0159	----	----	----	----	5 UNCH
5250	----	----	----/*0.125A	0.081B/*0.125A	----	0.106 - 0.040	.0165	----	----	----	----	29 UNCH
5275	----	----	----/*0.135A	0.088B/*0.135A	----	0.109 - 0.041	.0171	----	----	----	----	8 UNCH
5300	----	----	----/*0.132A	0.094B/*0.132A	----	0.113 - 0.042	.0177	----	----	----	----	171 UNCH
5325	----	----	----/*0.136A	0.100B/*0.136A	----	0.117 - 0.043	.0184	----	----	----	----	23 UNCH
5350	----	----	----/*0.150A	0.107B/*0.150A	----	0.122 - 0.043	.0192	----	----	----	----	28 UNCH
5375	----	----	----/*0.146A	0.114B/*0.146A	----	0.126 - 0.044	.0199	----	----	----	----	14 UNCH
5400	0.143	0.143	0.143/*0.143	0.143/*0.143	----	0.131 - 0.044	.0208	----	----	1	----	99 UNCH
5425	----	----	----/*0.160A	0.125B/*0.160A	----	0.136 - 0.045	.0216	----	----	----	----	14 UNCH
5450	----	----	----/*0.165A	0.140B/*0.165A	----	0.141 - 0.046	.0224	----	----	----	----	12 UNCH
5475	----	----	----/*0.167A	0.146B/*0.167A	----	0.147 - 0.046	.0234	----	----	----	----	13 UNCH
5500	0.150	0.150	0.200B/*0.150	0.200B/*0.150	----	0.152 - 0.047	.0243	----	----	11	----	568 - 10
5525	----	----	----/*0.177A	0.158B/*0.177A	----	0.157 - 0.049	.0252	----	----	----	----	37 UNCH
5550	----	----	----/*0.183A	0.167B/*0.183A	----	0.162 - 0.051	.0261	----	----	----	----	31 UNCH
5575	----	----	----/*0.192A	0.168B/*0.192A	----	0.167 - 0.053	.0270	----	----	----	----	5 UNCH
5600	----	----	----/*0.200A	0.194B/*0.200A	----	0.173 - 0.054	.0280	----	----	1	----	73 + 1
5625	----	----	----/*0.210A	0.189B/*0.210A	----	0.178 - 0.057	.0289	----	----	----	----	6 UNCH
5650	----	----	----/*0.206A	0.197B/*0.206A	----	0.183 - 0.060	.0299	----	----	----	----	41 UNCH
5675	----	----	----/*0.223A	0.208B/*0.223A	----	0.188 - 0.064	.0308	----	----	----	----	48 UNCH
5700	----	----	0.298B/0.223A	0.298B/0.223A	----	0.193 - 0.068	.0318	----	----	1	----	131 UNCH
5725	----	----	0.314B/*0.222A	0.314B/*0.222A	----	0.198 - 0.072	.0328	----	----	----	----	28 UNCH
5750	----	----	0.328B/*0.235A	0.328B/*0.235A	----	0.203 - 0.077	.0338	----	----	----	----	111 UNCH
5775	----	----	0.342B/0.243A	0.342B/0.243A	----	0.209 - 0.081	.0349	----	----	----	----	14 UNCH
5800	----	----	0.357B/*0.245A	0.357B/*0.245A	----	0.214 - 0.086	.0360	----	----	2	----	370 UNCH
5825	----	----	0.374B/*0.250A	0.374B/*0.250A	----	0.220 - 0.091	.0371	----	----	----	----	55 UNCH
5850	0.264	0.264	0.389B/*0.252A	0.389B/*0.252A	----	0.226 - 0.096	.0383	----	----	3	----	7 UNCH
5875	----	----	0.405B/*0.263A	0.405B/*0.263A	----	0.232 - 0.102	.0395	----	----	----	----	4 UNCH
5900	----	----	0.423B/*0.267A	0.423B/*0.267A	----	0.238 - 0.108	.0408	----	----	----	----	116 UNCH
5925	----	----	0.439B/*0.281A	0.439B/*0.281A	----	0.244 - 0.115	.0420	----	----	----	----	13 UNCH
5950	----	----	0.462B/*0.280A	0.462B/*0.280A	----	0.251 - 0.121	.0434	----	----	----	----	13 UNCH
5975	----	----	0.481B/*0.280A	0.481B/*0.280A	----	0.258 - 0.128	.0448	----	----	----	----	23 UNCH
6000	0.500	0.500	0.500/*0.279A	0.500/*0.279A	----	0.266 - 0.134	.0464	----	----	68	----	1106 + 25
6025	----	----	0.522B/*0.286A	0.522B/*0.286A	----	0.274 - 0.141	.0480	----	----	----	----	24 UNCH
6050	----	----	0.544B/*0.295A	0.544B/*0.295A	----	0.283 - 0.148	.0497	----	----	----	----	328 UNCH
6075	0.381	0.381	0.556B/*0.304A	0.556B/*0.304A	----	0.292 - 0.155	.0515	----	----	4	----	165 + 1
6100	0.395	0.395	0.580B/*0.315A	0.580B/*0.315A	----	0.302 - 0.162	.0534	----	----	4	----	157 + 1
6125	----	----	0.641B/*0.325A	0.641B/*0.325A	----	0.312 - 0.169	.0553	----	----	----	----	7 UNCH
6150	----	----	0.653B/*0.335A	0.653B/*0.335A	----	0.323 - 0.176	.0574	----	----	----	----	43 UNCH
6175	----	----	0.681B/*0.348A	0.681B/*0.348A	----	0.335 - 0.184	.0596	----	----	1	----	14 UNCH
6200	----	----	0.694B/*0.360A	0.694B/*0.360A	----	0.347 - 0.191	.0619	----	----	----	----	59 UNCH
6225	----	----	0.736B/*0.371A	0.736B/*0.371A	----	0.360 - 0.199	.0643	----	----	----	----	32 UNCH
6250	----	----	0.767B/*0.385A	0.767B/*0.385A	----	0.373 - 0.208	.0668	----	----	----	----	93 UNCH
6275	----	----	0.818B/*0.398A	0.818B/*0.398A	----	0.388 - 0.215	.0695	----	----	----	----	13 UNCH
6300	0.538	0.538	0.838B/*0.414A	0.838B/*0.414A	----	0.403 - 0.224	.0722	----	----	25	----	193 + 16
6325	----	----	0.888B/*0.429A	0.888B/*0.429A	----	0.419 - 0.232	.0751	----	----	----	----	126 UNCH
6350	----	----	0.897B/*0.444A	0.897B/*0.444A	----	0.436 - 0.241	.0782	----	----	----	----	86 UNCH
6375	----	----	0.963B/*0.462A	0.963B/*0.462A	----	0.454 - 0.249	.0814	----	----	----	----	29 UNCH
6400	0.808	0.808	0.985B/*0.478A	0.985B/*0.478A	----	0.473 - 0.258	.0848	----	----	5	----	109 - 2
6425	----	----	1.012B/*0.497A	1.012B/*0.497A	----	0.492 - 0.268	.0882	----	----	----	----	9 UNCH
6450	0.780	0.780	1.070B/*0.510	1.070B/*0.510	----	0.513 - 0.278	.0918	----	----	27	----	61 + 3
6475	----	----	1.129B/*0.536A	1.129B/*0.536A	----	0.535 - 0.287	.0957	----	----	----	----	10 UNCH
6500	1.100	1.100	1.158B/*0.558A	1.158B/*0.558A	----	0.558 - 0.297	.0996	----	----	36	----	764 + 31
6525	----	----	1.226B/*0.580A	1.226B/*0.580A	----	0.582 - 0.307	.1037	----	----	----	----	17 UNCH
6550	0.921	0.921	1.280B/*0.604A	1.280B/*0.604A	----	0.607 - 0.318	.1080	----	----	5	----	172 UNCH
6575	----	----	1.318B/*0.631A	1.318B/*0.631A	----	0.634 - 0.328	.1125	----	----	----	----	59 UNCH
6600	0.864	0.864	1.360B/*0.657A	1.360B/*0.657A	----	0.661 - 0.340	.1171	----	----	14	----	385 + 14
6625	----	----	1.392B/*0.687A	1.392B/*0.687A	----	0.690 - 0.352	.1219	----	----	----	----	6 UNCH
6650	0.781	0.781	1.470B/*0.716A	1.470B/*0.716A	----	0.721 - 0.363	.1270	----	----	6	----	77 + 5
6675	0.779	0.779	1.505B/*0.745A	1.505B/*0.745A	----	0.753 - 0.375	.1322	----	----	1	----	66 + 1
6700	1.545	1.545	1.632B/*0.750	1.632B/*0.750	----	0.786 - 0.388	.1376	----	----	15	----	426 - 2
6725	----	----	1.674B/*0.808A	1.674B/*0.808A	----	0.821 - 0.401	.1432	----	----	----	----	8 UNCH
6750	1.295	1.295	1.732B/*0.844A	1.732B/*0.844A	----	0.857 - 0.414	.1489	----	----	14	----	88 + 5
6775	----	----	1.758B/*0.880A	1.758B/*0.880A	----	0.895 - 0.428	.1549	----	----	----	----	14 UNCH
6800	1.012	1.012	1.869B/*0.913A	1.869B/*0.913A	----	0.935 - 0.442	.1611	----	----	11	----	102 - 1
6825	----	----	1.953B/*0.964A	1.953B/*0.964A	----	0.976 - 0.456	.1675	----	----	----	----	13 UNCH
6850	----	----	2.033B/*1.006A	2.033B/*1.006A	----	1.019 - 0.471	.1741	----	----	----	----	11 UNCH
6875	----	----	2.108B/*1.043A	2.108B/*1.043A	----	1.064 - 0.486	.1809	----	----	----	----	8 UNCH
6900	1.367	1.367	2.178B/*1.085A	2.178B/*1.085A	----	1.111 - 0.501	.1879	----	----	16	----	442 + 8
6925	----	----	2.268B/*1.130A	2.268B/*1.130A	----	1.160 - 0.517	.1951	----	----	----	----	71 UNCH
6950	1.830	1.830	2.339B/*1.159	2.339B/*1.159	----	1.210 - 0.533	.2025	----	----	2	----	25 UNCH
6975	----	----	2.430B/*1.237A	2.430B/*1.237A	----	1.263 - 0.549	.2101	----	----	----	----	13 UNCH
7000	2.008	2.008	2.450B/*1.250	2.450B/*1.250	----	1.317 - 0.565	.2179	----	----	37	----	788 + 5
7025	2.361	2.361	2.611B/*1.344A	2.611B/*1.344A	----	1.374 - 0.581	.2259	----	----	3	----	13 + 1
7050	1.818	1.818	2.690B/*1.390A	2.690B/*1.390A	----	1.433 - 0.598	.2341	----	----	3	----	55 + 3
7075	1.970	1.970	2.796B/*1.456A	2.796B/*1.456A	----	1.494 - 0.614	.2425	----	----	4	----	8 - 4
7100	2.500	2.500	2.895B/*1.510A	2.895B/*1.510A	----	1.557 - 0.631	.2511	----	----	7	----	71 UNCH
7125	----	----	3.004B/*1.589A	3.004B/*1.589A	----	1.623 - 0.647	.2599	----	----	----	----	11 UNCH
7150	2.670	2.670	3.095B/*1.648A	3.095B/*1.648A	----	1.691 - 0.663	.2689	----	----	2	----	24 - 1
7175	2.709	2.709	3.218B/1.716A	3.218B/1.716A	----	1.761 - 0.679	.2781	----	----	10	----	21 - 2
7200	2.979	2.979	3.328B/1.778A	3.328B/1.778A	----	1.834 - 0.695	.2875	----	----	6	----	312 - 4
7225	2.800	2.800	3.443B/1.860A	3.443B/1.860A	----	1.910 - 0.711	.2971	----	----	11	----	21 + 2
7250	2.700	2.700	3.550B/1.927A	3.550B/1.927A	----	1.987 - 0.727	.3068	----	----	16	----	68 + 4
7275	----	----	3.693B/2.012A	3.693B/2.012A	----	2.068 - 0.742	.3167	----	----	----	----	7 UNCH
7300	3.417	3.417	3.777B/2.084A	3.777B/2.084A	----	2.151 - 0.758	.3267	----	----	24	----	63 + 8
7325	2.435	2.435	3.930B/2.147	3.930B/2.147	----	2.237 - 0.773	.3369	----	----	8	----	14 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 60

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
7350	----	----	4.036B/2.258A	4.036B/2.258A	----	2.326 -	0.788 .3473	----	----	----	----	31 UNCH
7375	3.978	3.978	4.159B/2.352A	4.159B/2.352A	----	2.418 -	0.803 .3578	----	----	1	----	6 - 1
7400	3.912	3.912	4.255B/2.400	4.255B/2.400	----	2.512 -	0.818 .3684	----	----	11	----	50 + 7
7425	3.887	3.887	4.457B/2.538A	4.457B/2.538A	----	2.610 -	0.831 .3792	----	----	6	----	12 - 3
7450	3.941	3.941	4.502B/2.639A	4.502B/2.639A	----	2.710 -	0.846 .3901	----	----	1	----	6 UNCH
7475	4.140	4.140	4.660B/2.737A	4.660B/2.737A	----	2.813 -	0.860 .4011	----	----	1	----	8 + 1
7500	4.207	4.207	4.772B/2.836A	4.772B/2.836A	----	2.920 -	0.873 .4121	----	----	5	----	408 + 1
7525	----	----	4.971B/2.949A	4.971B/2.949A	----	3.029 -	0.886 .4233	----	----	----	----	33 UNCH
7530	----	----	5.004B/2.972A	5.004B/2.972A	----	3.051 -	0.889 .4255	----	----	----	----	7 UNCH
7535	----	----	4.862B/2.994A	4.862B/2.994A	----	3.074 -	0.891 .4278	----	----	----	----	6 UNCH
7540	----	----	4.896B/3.021A	4.896B/3.021A	----	3.096 -	0.894 .4300	----	----	----	----	6 UNCH
7545	----	----	4.908B/3.037A	4.908B/3.037A	----	3.119 -	0.896 .4323	----	----	----	----	2 UNCH
7550	3.521	3.521	5.124B/3.059A	5.124B/3.059A	----	3.142 -	0.898 .4345	----	----	2	----	18 + 1
7555	----	----	5.032B/3.083A	5.032B/3.083A	----	3.165 -	0.901 .4368	----	----	----	----	1 UNCH
7560	----	----	5.079B/3.108A	5.079B/3.108A	----	3.188 -	0.903 .4390	----	----	----	----	1 UNCH
7565	----	----	4.930B/3.127A	4.930B/3.127A	----	3.211 -	0.906 .4413	----	----	----	----	1 UNCH
7570	----	----	5.077B/3.150A	5.077B/3.150A	----	3.234 -	0.908 .4436	----	----	----	----	3 UNCH
7575	----	----	5.161B/3.174A	5.161B/3.174A	----	3.257 -	0.911 .4458	----	----	----	----	2 UNCH
7580	3.671	3.671	5.049B/3.195A	5.049B/3.195A	----	3.281 -	0.913 .4481	----	----	1	----	26 + 1
7585	----	----	5.087B/3.218A	5.087B/3.218A	----	3.304 -	0.916 .4503	----	----	----	----	6 UNCH
7590	----	----	5.046B/3.244A	5.046B/3.244A	----	3.328 -	0.918 .4526	----	----	----	----	1 UNCH
7595	----	----	4.945B/3.270A	4.945B/3.270A	----	3.352 -	0.920 .4549	----	----	----	----	1 UNCH
7600	3.794	3.794	5.169B/3.284A	5.169B/3.284A	----	3.376 -	0.923 .4571	----	----	6	----	51 + 1
7605	----	----	5.004B/3.313A	5.004B/3.313A	----	3.400 -	0.925 .4594	----	----	----	----	3 UNCH
7610	----	----	4.844B/3.338A	4.844B/3.338A	----	3.424 -	0.928 .4617	----	----	1	----	2 + 1
7615	----	----	4.850B/3.364A	4.850B/3.364A	----	3.449 -	0.930 .4640	----	----	----	----	2 UNCH
7620	----	----	5.145B/3.383A	5.145B/3.383A	----	3.473 -	0.932 .4662	----	----	1	----	12 UNCH
7625	----	----	4.840B/3.410A	4.840B/3.410A	----	3.498 -	0.934 .4685	----	----	----	----	3 UNCH
7630	----	----	4.872B/3.432A	4.872B/3.432A	----	3.523 -	0.936 .4708	----	----	----	----	1 UNCH
7635	----	----	5.040B/3.456A	5.040B/3.456A	----	3.547 -	0.939 .4731	----	----	----	----	36 UNCH
7645	----	----	4.898B/3.501A	4.898B/3.501A	----	3.598 -	0.943 .4776	----	----	----	----	2 UNCH
7650	3.892	3.892	5.129B/3.530A	5.129B/3.530A	----	3.623 -	0.945 .4799	----	----	1	----	8 UNCH
7655	----	----	5.088B/3.555A	5.088B/3.555A	----	3.648 -	0.948 .4822	----	----	----	----	1 UNCH
7660	----	----	5.087B/3.581A	5.087B/3.581A	----	3.674 -	0.950 .4844	----	----	----	----	15 UNCH
7665	3.908	3.908	5.115B/3.607A	5.115B/3.607A	----	3.699 -	0.953 .4867	----	----	3	----	4 + 1
7670	3.935	3.935	5.130B/3.632A	5.130B/3.632A	----	3.725 -	0.954 .4890	----	----	3	----	4 + 3
7675	3.962	3.962	5.130B/3.659A	5.130B/3.659A	----	3.751 -	0.956 .4913	----	----	3	----	4 + 1
7680	3.989	3.989	5.180B/3.684A	5.180B/3.684A	----	3.777 -	0.959 .4936	----	----	3	----	3 + 2
7685	4.015	4.015	5.152B/3.710A	5.152B/3.710A	----	3.803 -	0.961 .4958	----	----	3	----	15 + 3
7690	4.043	4.043	5.201B/3.732A	5.201B/3.732A	----	3.829 -	0.963 .4981	----	----	4	----	5 + 4
7695	4.070	4.070	5.193B/3.761A	5.193B/3.761A	----	3.856 -	0.965 .5004	----	----	3	----	4 + 3
7700	4.098	4.098	5.219B/3.778A	5.219B/3.778A	----	3.882 -	0.967 .5027	----	----	4	----	256 UNCH
7705	4.124	4.124	5.224B/3.814A	5.224B/3.814A	----	3.909 -	0.969 .5049	----	----	3	----	2 - 1
7710	4.152	4.152	5.251B/3.837A	5.251B/3.837A	----	3.936 -	0.971 .5072	----	----	3	----	3 + 1
7715	----	----	5.285B/3.865A	5.285B/3.865A	----	3.962 -	0.974 .5095	----	----	----	----	1 UNCH
7720	----	----	5.285B/3.889A	5.285B/3.889A	----	3.989 -	0.976 .5117	----	----	----	----	2 UNCH
7725	----	----	5.256B/3.934A	5.256B/3.934A	----	4.017 -	0.977 .5140	----	----	----	----	3 UNCH
7730	----	----	5.278B/3.962A	5.278B/3.962A	----	4.044 -	0.979 .5163	----	----	----	----	1 UNCH
7735	----	----	5.337B/3.991A	5.337B/3.991A	----	4.071 -	0.981 .5186	----	----	----	----	3 UNCH
7740	----	----	5.344B/4.018A	5.344B/4.018A	----	4.099 -	0.983 .5208	----	----	----	----	1 UNCH
7745	----	----	5.363B/4.045A	5.363B/4.045A	----	4.126 -	0.985 .5231	----	----	----	----	3 UNCH
7750	----	----	5.477B/4.051A	5.477B/4.051A	----	4.154 -	0.987 .5253	----	----	----	----	61 UNCH
7755	----	----	5.510B/4.099A	5.510B/4.099A	----	4.182 -	0.989 .5276	----	----	----	----	11 UNCH
7760	----	----	5.541B/4.125A	5.541B/4.125A	----	4.210 -	0.991 .5299	----	----	----	----	14 UNCH
7765	----	----	5.387B/4.153A	5.387B/4.153A	----	4.238 -	0.993 .5321	----	----	----	----	10 UNCH
7770	----	----	5.409B/4.179A	5.409B/4.179A	----	4.267 -	0.994 .5344	----	----	----	----	2 UNCH
7775	----	----	5.442B/4.206A	5.442B/4.206A	----	4.295 -	0.996 .5366	----	----	----	----	1 UNCH
7780	----	----	5.474B/4.234A	5.474B/4.234A	----	4.324 -	0.997 .5389	----	----	----	----	1 UNCH
7785	----	----	5.507B/4.264A	5.507B/4.264A	----	4.352 -	1.000 .5411	----	----	----	----	1 UNCH
7790	----	----	5.540B/4.288A	5.540B/4.288A	----	4.381 -	1.001 .5434	----	----	----	----	2 UNCH
7800	4.669	4.669	5.803B/4.335A	5.803B/4.335A	----	4.439 -	1.005 .5479	----	----	1	----	26 - 1
7805	----	----	5.639B/4.375A	5.639B/4.375A	----	4.468 -	1.007 .5501	----	----	----	----	1 UNCH
7810	----	----	5.673B/4.404A	5.673B/4.404A	----	4.497 -	1.009 .5523	----	----	----	----	1 UNCH
7815	----	----	5.706B/4.431A	5.706B/4.431A	----	4.527 -	1.010 .5546	----	----	----	----	1 UNCH
7820	----	----	5.740B/4.461A	5.740B/4.461A	----	4.556 -	1.012 .5568	----	----	----	----	1 UNCH
7825	----	----	5.772B/4.489A	5.772B/4.489A	----	4.586 -	1.013 .5590	----	----	----	----	1 UNCH
7830	----	----	5.999B/4.529A	5.999B/4.529A	----	4.616 -	1.015 .5612	----	----	----	----	11 UNCH
7835	----	----	5.840B/4.545A	5.840B/4.545A	----	4.646 -	1.016 .5634	----	----	----	----	1 UNCH
7840	----	----	5.873B/4.579A	5.873B/4.579A	----	4.676 -	1.018 .5656	----	----	----	----	3 UNCH
7850	----	----	6.133B/4.626A	6.133B/4.626A	----	4.736 -	1.021 .5701	----	----	----	----	47 UNCH
7855	----	----	5.977B/4.663A	5.977B/4.663A	----	4.766 -	1.023 .5722	----	----	----	----	3 UNCH
7860	----	----	6.011B/4.699A	6.011B/4.699A	----	4.797 -	1.024 .5745	----	----	----	----	3 UNCH
7865	----	----	6.046B/4.721A	6.046B/4.721A	----	4.828 -	1.026 .5766	----	----	----	----	3 UNCH
7870	----	----	----/4.752A	5.808B/4.752A	----	4.858 -	1.028 .5788	----	----	----	----	3 UNCH
7875	----	----	6.303B/4.782A	6.303B/4.782A	----	4.889 -	1.029 .5810	----	----	----	----	9 UNCH
7880	----	----	6.148B/4.813A	6.148B/4.813A	----	4.920 -	1.031 .5832	----	----	----	----	4 UNCH
7885	----	----	6.182B/4.843A	6.182B/4.843A	----	4.951 -	1.032 .5854	----	----	----	----	3 UNCH
7890	----	----	6.222B/4.873A	6.222B/4.873A	----	4.983 -	1.033 .5876	----	----	----	----	3 UNCH
7895	----	----	6.252B/4.903A	6.252B/4.903A	----	5.014 -	1.035 .5897	----	----	----	----	3 UNCH
7900	----	----	6.474B/4.924A	6.474B/4.924A	----	5.045 -	1.037 .5919	----	----	----	----	33 UNCH
7905	----	----	----/4.966A	6.055B/4.966A	----	5.077 -	1.038 .5940	----	----	----	----	3 UNCH
7910	----	----	6.357B/4.996A	6.357B/4.996A	----	5.109 -	1.039 .5962	----	----	----	----	3 UNCH
7915	----	----	6.392B/5.026A	6.392B/5.026A	----	5.141 -	1.040 .5983	----	----	----	----	3 UNCH
7925	----	----	6.463B/5.089A	6.463B/5.089A	----	5.205 -	1.043 .6026	----	----	----	----	1 UNCH
7930	----	----	6.499B/5.122A	6.499B/5.122A	----	5.237 -	1.044 .6048	----	----	----	----	1 UNCH
7935	----	----	6.534B/5.149A	6.534B/5.149A	----	5.269 -	1.046 .6069	----	----	----	----	2 UNCH
7940	----	----	6.570B/5.186A	6.570B/5.186A	----	5.301 -	1.048 .6090	----	----	----	----	3 UNCH
7950	----	----	6.830B/5.245A	6.830B/5.245A	----	5.367 -	1.049 .6132	----	----	----	----	24 UNCH
7955	----	----	6.678B/5.276A	6.678B/5.276A	----	5.399 -	1.051 .6153	----	----	----	----	1 UNCH
7965	----	----	6.937B/5.352A	6.937B/5.352A	----	5.465 -	1.054 .6195	----	----	----	----	6 UNCH
7970	----	----	6.786B/5.374A	6.786B/5.374A	----	5.498 -	1.055 .6216	----	----	----	----	3 UNCH
7975	----	----	6.823B/5.435A	6.823B/5.435A	----	5.532 -	1.056 .6237	----	----	----	----	1 UNCH
7980	----	----	6.859B/5.482A	6.859B/5.482A	----	5.565 -	1.057 .6258	----	----	----	----	1 UNCH
7985	----	----	6.895B/5.627A	6.895B/5.627A	----	5.598 -	1.059 .6278	----	----	----	----	1 UNCH
7990	----	----	6.932B/5.660A	6.932B/5.660A	----	5.632 -	1.059 .6299	----	----	----	----	2 UNCH
8000	6.300	6.300	7.185B/5.632A	7.185B/5.632A	----	5.699 -	1.062 .6340	----	----	1	----	474 + 1
8005	----	----	7.044B/5.759A	7.044B/5.759A	----	5.733 -	1.063 .6361	----	----	----	----	2 UNCH
8010	----	----	7.082B/5.792A	7.082B/5.792A	----	5.767 -	1.064 .6381	----	----	----	----	2 UNCH
8020	----	----	7.156B/5.856A	7.156B/5.856A	----	5.836 -	1.066 .6421	----	----	----	----	1 UNCH
8025	----	----	7.372B/5.802A	7.372B/5.802A	----	5.870 -	1.067 .6442	----	----	----	----	7 UNCH
8030	----	----	7.231B/5.924A	7.231B/5.924A	----	5.904 -	1.069 .6462	----	----	----	----	1 UNCH
8035	----	----	7.268B/5.957A	7.268B/5.957A	----	5.939 -	1.069 .6482	----	----	----	----	1 UNCH
8040	----	----	7.306B/5.991A	7.306B/5.991A	----	5.974 -	1.070 .6502	----	----	----	----	1 UNCH
8050	----	----	7.381B/6.057A	7.381B/6.057A	----	6.043 -	1.073 .6542	----	----	----	----	4 UNCH
8065	----	----	7.496B/6.161A	7.496B/6.161A	----	6.149 -	1.075 .6601	----	----	----	----	1 UNCH
8070	----	----	7.533B/6.195A	7.533B/6.195A	----	6.184 -	1.076 .6621	----	----	----	----	2 UNCH
8075	----	----	7.572B/6.229A	7.572B/6.229A	----	6.219 -	1.077 .6640	----	----	----	----	4 UNCH
8080	----	----	7.610B/6.263A	7.610B/6.263A	----	6.255 -	1.078 .6659	----	----	----	----	3 UNCH
8085	----	----	7.825B/6.220A	7.825B/6.220A	----	6.290 -	1.079 .6679	----	----	----	----	7 UNCH
8090	----	----	7.860B/6.256A	7.860B/6.256A	----	6.326 -	1.080 .6698	----	----	----	----	20 UNCH
8095	----	----	7.726B/6.368A	7.726B/6.368A	----	6.362 -	1.081 .6717	----	----	----	----	2 UNCH
8100	----	----	7.914B/6.327A	7.914B/6.327A	----	6.398 -	1.081 .6737	----	----	----	----	33 UNCH
8105	----	----	7.804B/6.438A	7.804B/6.438A	----	6.434 -	1.082 .6756	----	----	----	----	1 UNCH
8110	----	----	7.843B/6.473A	7.843B/6.473A	----	6.470 -	1.083 .6775	----	----	----	----	1 UNCH
8125	----	----	7.961B/6.579A	7.961B/6.579A	----	6.579 -	1.086 .6832	----	----	----	----	1 UNCH
8150	----	----	8.159B/6.758A	8.159B/6.758A	----	6.763 -	1.089 .6924	----	----	----	----	4 UNCH
8175	----	----	8.359B/6.938A	8.359B/6.938A	----	6.949 -	1.093 .7015	----	----	----	----	2 UNCH
8195	----	----	8.514B/7.086A	8.514B/7.086A	----	7.099 -	1.096 .7087	----	----	----	----	2 UNCH
8200	----	----	8.726B/7.064A	8.726B/7.064A	----	7.137 -	1.096 .7104	----	----	----	----	37 UNCH
8205	----	----	8.595B/7.159A	8.595B/7.159A	----	7.175 -	1.097 .7122	----	----	----	----	1 UNCH
8210	----	----	8.636B/7.198A	8.636B/7.198A	----	7.213 -	1.098 .7139	----	----	----	----	1 UNCH
8215	----	----	8.676B/7.235A	8.676B/7.235A	----	7.251 -	1.098 .7156	----	----	----	----	1 UNCH
8225	----	----	8.757B/7.307A	8.757B/7.307A	----	7.327 -	1.100 .7191	----	----	----	----	5 UNCH
8230	----	----	8.798B/7.346A	8.798B/7.346A	----	7.366 -	1.100 .7208	----	----	----	----	1 UNCH
8240	----	----	8.880B/7.422A	8.880B/7.422A	----	7.443 -	1.101 .7242	----	----	----	----	2 UNCH
8250	----	----	9.150B/7.413A	9.150B/7.413A	----	7.520 -	1.103 .7276	----	----	----	----	73 UNCH
8255	----	----	9.003B/7.537A	9.003B/7.537A	----	7.559 -	1.103 .7293	----	----	----	----	3 UNCH
8265	----	----	9.086B/7.613A	9.086B/7.613A	----	7.637 -	1.104 .7326	----	----	----	----	1 UNCH
8270	----	----	9.127B/7.651A	9.127B/7.651A	----	7.676 -	1.105 .7342	----	----	----	----	1 UNCH
8275	----	----	9.169B/7.689A	9.169B/7.689A	----	7.715 -	1.105 .7359	----	----	----	----	1 UNCH
8280	----	----	9.210B/7.728A	9.210B/7.728A	----	7.755 -	1.105 .7376	----	----	----	----	3 UNCH
8285	----	----	9.252B/7.765A	9.252B/7.765A	----	7.794 -	1.106 .7391	----	----	----	----	1 UNCH
8290	----	----	9.294B/7.805A	9.294B/7.805A	----	7.833 -	1.107 .7408	----	----	----	----	2 UNCH
8295	----	----	9.335B/7.844A	9.335B/7.844A	----	7.873 -	1.107 .7424	----	----	----	----	1 UNCH
8300	----	----	9.559B/7.797A	9.559B/7.797A	----	7.912 -	1.108 .7440	----	----	----	----	64 UNCH
8305	----	----	9.419B/7.921A	9.419B/7.921A	----	7.952 -	1.108 .7456	----	----	----	----	1 UNCH
8315	----	----	9.503B/7.998A	9.503B/7.998A	----	8.032 -	1.109 .7487	----	----	----	----	1 UNCH
8320	----	----	9.545B/8.038A	9.545B/8.038A	----	8.071 -	1.110 .7503	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
8325	----	----	9.588B/8.077A	9.588B/8.077A	----	8.111 - 1.110	.7519	----	----	----	----	1 UNCH
8330	----	----	9.630B/8.115A	9.630B/8.115A	----	8.152 - 1.110	.7534	----	----	----	----	1 UNCH
8335	----	----	9.672B/8.156A	9.672B/8.156A	----	8.192 - 1.110	.7550	----	----	----	----	1 UNCH
8340	----	----	9.875B/8.166A	9.875B/8.166A	----	8.232 - 1.111	.7566	----	----	----	----	19 UNCH
8350	----	----	9.958B/8.247A	9.958B/8.247A	----	8.313 - 1.111	.7596	----	----	----	----	19 UNCH
8355	----	----	9.842B/8.315A	9.842B/8.315A	----	8.353 - 1.112	.7611	----	----	----	----	3 UNCH
8360	----	----	9.885B/8.355A	9.885B/8.355A	----	8.394 - 1.112	.7626	----	----	----	----	4 UNCH
8375	----	----	10.169B/8.447A	10.169B/8.447A	----	8.516 - 1.113	.7670	----	----	----	----	8 UNCH
8385	----	----	10.099B/8.553A	10.099B/8.553A	----	8.597 - 1.115	.7700	----	----	----	----	1 UNCH
8395	----	----	10.184B/8.636A	10.184B/8.636A	----	8.679 - 1.115	.7728	----	----	----	----	1 UNCH
8400	----	----	10.381B/8.633A	10.381B/8.633A	----	8.720 - 1.116	.7743	----	----	----	----	31 UNCH
8405	----	----	10.272B/8.716A	10.272B/8.716A	----	8.761 - 1.116	.7758	----	----	----	----	2 UNCH
8410	----	----	10.315B/8.757A	10.315B/8.757A	----	8.803 - 1.116	.7772	----	----	----	----	3 UNCH
8415	----	----	10.358B/8.798A	10.358B/8.798A	----	8.844 - 1.117	.7786	----	----	----	----	3 UNCH
8420	----	----	10.402B/8.838A	10.402B/8.838A	----	8.885 - 1.117	.7800	----	----	----	----	2 UNCH
8425	----	----	10.445B/8.880A	10.445B/8.880A	----	8.927 - 1.117	.7814	----	----	----	----	5 UNCH
8430	----	----	10.488B/8.921A	10.488B/8.921A	----	8.968 - 1.118	.7828	----	----	----	----	1 UNCH
8450	----	----	10.811B/9.042A	10.811B/9.042A	----	9.135 - 1.119	.7883	----	----	1	----	30 UNCH
8460	----	----	10.750B/9.168A	10.750B/9.168A	----	9.219 - 1.119	.7910	----	----	----	----	1 UNCH
8475	----	----	10.882B/9.292A	10.882B/9.292A	----	9.345 - 1.120	.7950	----	----	----	----	5 UNCH
8480	----	----	10.926B/9.332A	10.926B/9.332A	----	9.387 - 1.121	.7962	----	----	----	----	1 UNCH
8490	----	----	11.014B/9.417A	11.014B/9.417A	----	9.472 - 1.121	.7989	----	----	----	----	1 UNCH
8495	----	----	11.058B/9.458A	11.058B/9.458A	----	9.514 - 1.121	.8001	----	----	----	----	1 UNCH
8500	11.418	11.418	11.418/9.416A	11.418/9.416A	----	9.557 - 1.121	.8015	----	----	2	----	374 UNCH
8515	----	----	11.235B/9.627A	11.235B/9.627A	----	9.684 - 1.122	.8053	----	----	----	----	1 UNCH
8535	----	----	11.413B/9.797A	11.413B/9.797A	----	9.855 - 1.123	.8101	----	----	----	----	2 UNCH
8545	----	----	11.502B/9.881A	11.502B/9.881A	----	9.941 - 1.123	.8126	----	----	----	----	1 UNCH
8550	----	----	11.547B/9.924A	11.547B/9.924A	----	9.984 - 1.124	.8138	----	----	----	----	3 UNCH
8555	----	----	11.592B/9.967A	11.592B/9.967A	----	10.027 - 1.124	.8150	----	----	----	----	1 UNCH
8560	----	----	11.637B/10.010A	11.637B/10.010A	----	10.070 - 1.124	.8162	----	----	----	----	1 UNCH
8565	----	----	11.682B/10.051A	11.682B/10.051A	----	10.114 - 1.124	.8174	----	----	----	----	1 UNCH
8570	----	----	11.726B/10.095A	11.726B/10.095A	----	10.157 - 1.124	.8185	----	----	----	----	1 UNCH
8575	----	----	11.771B/10.138A	11.771B/10.138A	----	10.200 - 1.125	.8197	----	----	----	----	3 UNCH
8580	----	----	11.817B/10.181A	11.817B/10.181A	----	10.243 - 1.125	.8209	----	----	----	----	1 UNCH
8585	----	----	11.862B/10.224A	11.862B/10.224A	----	10.287 - 1.125	.8220	----	----	----	----	1 UNCH
8590	----	----	11.907B/10.267A	11.907B/10.267A	----	10.330 - 1.125	.8232	----	----	----	----	4 UNCH
8600	----	----	12.148B/10.267A	12.148B/10.267A	----	10.417 - 1.126	.8254	----	----	----	----	83 UNCH
8605	----	----	12.043B/10.396A	12.043B/10.396A	----	10.461 - 1.126	.8266	----	----	----	----	3 UNCH
8620	----	----	12.180B/10.525A	12.180B/10.525A	----	10.592 - 1.126	.8299	----	----	----	----	1 UNCH
8630	----	----	12.263B/10.611A	12.263B/10.611A	----	10.680 - 1.126	.8321	----	----	----	----	1 UNCH
8640	----	----	12.362B/10.700A	12.362B/10.700A	----	10.768 - 1.126	.8343	----	----	----	----	2 UNCH
8645	----	----	12.408B/10.744A	12.408B/10.744A	----	10.812 - 1.127	.8353	----	----	----	----	1 UNCH
8650	----	----	12.454B/10.787A	12.454B/10.787A	----	10.856 - 1.127	.8363	----	----	----	----	5 UNCH
8655	----	----	12.499B/10.831A	12.499B/10.831A	----	10.900 - 1.127	.8374	----	----	----	----	3 UNCH
8665	----	----	12.591B/10.919A	12.591B/10.919A	----	10.988 - 1.128	.8396	----	----	----	----	1 UNCH
8670	----	----	12.637B/10.963A	12.637B/10.963A	----	11.033 - 1.127	.8405	----	----	----	----	1 UNCH
8675	----	----	12.812B/11.007A	12.812B/11.007A	----	11.077 - 1.128	.8416	----	----	----	----	9 UNCH
8685	----	----	12.775B/11.097A	12.775B/11.097A	----	11.166 - 1.128	.8436	----	----	----	----	1 UNCH
8695	----	----	12.858B/11.184A	12.858B/11.184A	----	11.255 - 1.128	.8456	----	----	----	----	1 UNCH
8700	----	----	13.047B/11.185A	13.047B/11.185A	----	11.299 - 1.129	.8466	----	----	----	----	32 UNCH
8705	----	----	13.086B/11.273A	13.086B/11.273A	----	11.344 - 1.128	.8476	----	----	----	----	10 UNCH
8725	----	----	13.134B/11.450A	13.134B/11.450A	----	11.523 - 1.129	.8515	----	----	----	----	2 UNCH
8750	----	----	13.366B/11.674A	13.366B/11.674A	----	11.747 - 1.130	.8562	----	----	----	----	1 UNCH
8775	----	----	13.728B/11.899A	13.728B/11.899A	----	11.973 - 1.130	.8607	----	----	----	----	9 UNCH
8800	----	----	14.008B/12.039A	14.008B/12.039A	----	12.199 - 1.131	.8651	----	----	----	----	219 UNCH
8825	----	----	14.064B/12.351A	14.064B/12.351A	----	12.427 - 1.130	.8694	----	----	----	----	3 UNCH
8850	----	----	14.425B/12.577A	14.425B/12.577A	----	12.655 - 1.131	.8735	----	----	----	----	13 UNCH
8875	----	----	14.658B/12.805A	14.658B/12.805A	----	12.884 - 1.132	.8774	----	----	----	----	8 UNCH
8900	----	----	14.894B/13.033A	14.894B/13.033A	----	13.114 - 1.132	.8812	----	----	----	----	8 UNCH
8925	----	----	15.127B/13.263A	15.127B/13.263A	----	13.345 - 1.132	.8849	----	----	----	----	6 UNCH
8950	----	----	15.240B/13.491A	15.240B/13.491A	----	13.577 - 1.132	.8885	----	----	----	----	3 UNCH
8975	----	----	15.600B/13.725A	15.600B/13.725A	----	13.809 - 1.132	.8919	----	----	----	----	9 UNCH
9000	16.008	16.008	16.008/13.873A	16.008/13.873A	----	14.043 - 1.132	.8951	----	----	2	----	167 - 1
9025	----	----	16.072B/14.188A	16.072B/14.188A	----	14.276 - 1.132	.8983	----	----	----	----	11 UNCH
9050	----	----	16.194B/14.423A	16.194B/14.423A	----	14.511 - 1.132	.9013	----	----	----	----	2 UNCH
9075	----	----	16.429B/14.657A	16.429B/14.657A	----	14.746 - 1.132	.9043	----	----	----	----	4 UNCH
9100	----	----	17.378B/14.892A	17.378B/14.892A	----	14.982 - 1.131	.9072	----	----	----	----	4 UNCH
9150	----	----	17.543B/15.363A	17.543B/15.363A	----	15.455 - 1.131	.9125	----	----	----	----	7 UNCH
9175	----	----	17.618B/15.598A	17.618B/15.598A	----	15.693 - 1.130	.9150	----	----	----	----	19 UNCH
9200	----	----	17.745B/15.838A	17.745B/15.838A	----	15.931 - 1.130	.9175	----	----	----	----	7 UNCH
9225	----	----	17.984B/16.073A	17.984B/16.073A	----	16.169 - 1.129	.9198	----	----	----	----	7 UNCH
9250	----	----	18.111B/16.313A	18.111B/16.313A	----	16.408 - 1.129	.9221	----	----	----	----	2 UNCH
9275	----	----	18.352B/16.552A	18.352B/16.552A	----	16.648 - 1.128	.9243	----	----	----	----	1 UNCH
9300	----	----	18.712B/16.790A	18.712B/16.790A	----	16.888 - 1.127	.9264	----	----	----	----	6 UNCH
9375	----	----	19.437B/17.510A	19.437B/17.510A	----	17.610 - 1.124	.9322	----	----	----	----	10 UNCH
9400	----	----	19.680B/17.751A	19.680B/17.751A	----	17.851 - 1.124	.9339	----	----	----	----	6 UNCH
9450	----	----	20.055B/18.231A	20.055B/18.231A	----	18.336 - 1.120	.9373	----	----	----	----	3 UNCH
9475	----	----	20.295B/18.473A	20.295B/18.473A	----	18.578 - 1.120	.9389	----	----	----	----	4 UNCH
9500	----	----	20.736B/18.635A	20.736B/18.635A	----	18.821 - 1.118	.9404	----	----	----	----	110 UNCH
9525	----	----	20.788B/18.959A	20.788B/18.959A	----	19.064 - 1.117	.9419	----	----	----	----	1 UNCH
9550	----	----	21.033B/19.202A	21.033B/19.202A	----	19.307 - 1.116	.9433	----	----	----	----	3 UNCH
9575	----	----	21.376B/19.445A	21.376B/19.445A	----	19.551 - 1.115	.9446	----	----	----	----	1 UNCH
9600	----	----	21.657B/19.648A	21.657B/19.648A	----	19.795 - 1.113	.9460	----	----	----	----	26 UNCH
9650	----	----	22.124B/20.175A	22.124B/20.175A	----	20.283 - 1.111	.9484	----	----	----	----	11 UNCH
9675	----	----	22.248B/20.419A	22.248B/20.419A	----	20.527 - 1.110	.9497	----	----	----	----	2 UNCH
9700	----	----	22.698B/20.581A	22.698B/20.581A	----	20.772 - 1.109	.9509	----	----	1	----	182 UNCH
9725	----	----	22.739B/20.908A	22.739B/20.908A	----	21.017 - 1.108	.9520	----	----	----	----	1 UNCH
9750	----	----	22.985B/21.152A	22.985B/21.152A	----	21.262 - 1.107	.9531	----	----	----	----	3 UNCH
9775	----	----	23.230B/21.397A	23.230B/21.397A	----	21.506 - 1.107	.9542	----	----	----	----	3 UNCH
9800	----	----	23.597B/21.641A	23.597B/21.641A	----	21.752 - 1.106	.9553	----	----	----	----	7 UNCH
9825	----	----	23.722B/21.886A	23.722B/21.886A	----	21.997 - 1.105	.9562	----	----	----	----	2 UNCH
9850	----	----	24.173B/22.049A	24.173B/22.049A	----	22.242 - 1.105	.9573	----	----	----	----	179 UNCH
9900	----	----	24.584B/22.621A	24.584B/22.621A	----	22.733 - 1.104	.9591	----	----	----	----	8 UNCH
10000	----	----	25.651B/23.519A	25.651B/23.519A	----	23.716 - 1.103	.9626	----	----	----	----	133 UNCH
10050	----	----	26.034B/24.093A	26.034B/24.093A	----	24.209 - 1.102	.9643	----	----	----	----	2 UNCH
10100	----	----	26.542B/24.584A	26.542B/24.584A	----	24.701 - 1.102	.9658	----	----	----	----	2 UNCH
10225	----	----	27.778B/25.815A	27.778B/25.815A	----	25.935 - 1.100	.9693	----	----	----	----	2 UNCH
10250	----	----	27.920B/26.062A	27.920B/26.062A	----	26.182 - 1.100	.9699	----	----	----	----	4 UNCH
10300	----	----	28.523B/26.555A	28.523B/26.555A	----	26.676 - 1.099	.9711	----	----	----	----	4 UNCH
10325	----	----	28.770B/26.801A	28.770B/26.801A	----	26.923 - 1.099	.9717	----	----	----	----	1 UNCH
10350	----	----	29.016B/27.048A	29.016B/27.048A	----	27.170 - 1.099	.9723	----	----	----	----	1 UNCH
10400	----	----	29.499B/27.542A	29.499B/27.542A	----	27.665 - 1.098	.9734	----	----	----	----	2 UNCH
10450	----	----	30.007B/28.037A	30.007B/28.037A	----	28.159 - 1.098	.9743	----	----	----	----	2 UNCH
10475	----	----	30.227B/28.284A	30.227B/28.284A	----	28.407 - 1.097	.9749	----	----	----	----	1 UNCH
10500	----	----	30.524B/28.531A	30.524B/28.531A	----	28.655 - 1.097	.9754	----	----	----	----	10 UNCH
10505	----	----	30.525B/28.578A	30.525B/28.578A	----	28.704 - 1.097	.9756	----	----	----	----	1 UNCH
10510	----	----	30.602B/28.630A	30.602B/28.630A	----	28.754 - 1.097	.9756	----	----	----	----	1 UNCH
10545	----	----	30.939B/28.976A	30.939B/28.976A	----	29.101 - 1.096	.9762	----	----	----	----	1 UNCH
10550	----	----	31.020B/29.026A	31.020B/29.026A	----	29.150 - 1.096	.9763	----	----	----	----	22 UNCH
10585	----	----	31.347B/29.372A	31.347B/29.372A	----	29.497 - 1.096	.9769	----	----	----	----	1 UNCH
10590	----	----	31.385B/29.422A	31.385B/29.422A	----	29.547 - 1.095	.9771	----	----	----	----	1 UNCH
10595	----	----	31.435B/29.471A	31.435B/29.471A	----	29.596 - 1.096	.9771	----	----	----	----	3 UNCH
10600	----	----	31.509B/29.521A	31.509B/29.521A	----	29.646 - 1.095	.9773	----	----	----	----	5 UNCH
10670	----	----	32.180B/30.214A	32.180B/30.214A	----	30.340 - 1.095	.9784	----	----	----	----	3 UNCH
10675	----	----	32.214B/30.264A	32.214B/30.264A	----	30.390 - 1.094	.9784	----	----	----	----	1 UNCH
10700	----	----	32.506B/30.510A	32.506B/30.510A	----	30.638 - 1.094	.9788	----	----	----	----	9 UNCH
10800	----	----	33.498B/31.503A	33.498B/31.503A	----	31.630 - 1.093	.9803	----	----	----	----	1 UNCH
10820	----	----	33.694B/31.702A	33.694B/31.702A	----	31.829 - 1.093	.9806	----	----	----	----	1 UNCH
10825	----	----	33.747B/31.752A	33.747B/31.752A	----	31.879 - 1.092	.9808	----	----	----	----	1 UNCH
10835	----	----	33.846B/31.851A	33.846B/31.851A	----	31.978 - 1.092	.9808	----	----	----	----	2 UNCH
10845	----	----	33.946B/31.950A	33.946B/31.950A	----	32.077 - 1.093	.9810	----	----	----	----	1 UNCH
10875	----	----	34.241B/32.248A	34.241B/32.248A	----	32.375 - 1.092	.9814	----	----	----	----	2 UNCH
10900	----	----	34.490B/32.496A	34.490B/32.496A	----	32.624 - 1.091	.9816	----	----	----	----	1 UNCH
10950	----	----	34.988B/32.992A	34.988B/32.992A	----	33.121 - 1.090	.9823	----	----	----	----	1 UNCH
10975	----	----	35.237B/33.239A	35.237B/33.239A	----	33.369 - 1.090	.9827	----	----	----	----	3 UNCH
11000	----	----	35.572B/33.412A	35.572B/33.412A	----	33.618 - 1.090	.9829	----	----	----	----	60 UNCH
11025	----	----	35.735B/33.738A	35.735B/33.738A	----	33.867 - 1.089	.9832	----	----	----	----	1 UNCH
11075	----	----	36.233B/34.234A	36.233B/34.234A	----	34.364 - 1.088	.9838	----	----	----	----	1 UNCH
11100	----	----	36.482B/34.483A	36.482B/34.483A	----	34.613 - 1.088	.9840	----	----	----	----	1 UNCH
11125	----	----	36.732B/34.731A	36.732B/34.731A	----	34.861 - 1.088	.9842	----	----	----	----	1 UNCH
11175	----	----	37.230B/35.229A	37.230B/35.229A	----	35.359 - 1.087	.9847	----	----	----	----	1 UNCH
11200	----	----	37.479B/35.477A	37.479B/35.477A	----	35.608 - 1.086	.9849	----	----	----	----	4 UNCH
11225	----	----	37.728B/35.726A	37.728B/35.726A	----	35.857 - 1.086	.9851	----	----	----	----	3 UNCH
11250	----	----	37.978B/35.975A	37.978B/35.975A	----	36.106 - 1.085	.9853	----	----	----	----	1 UNCH
11500	----	----	40.558B/38.386A	40.558B/38.386A	----	38.597 - 1.081	.9873	----	----	----	----	78 UNCH
11550	----	----	40.971B/38.961A	40.971B/38.961A	----	39.095 - 1.080	.9877	----	----	----	----	1 UNCH
11650	----	----	41.969B/39.956A	41.969B/39.956A	----	40.092 - 1.079	.9882	----	----	----	----	1 UNCH
11800	----	----	43.467B/41.452A	43.467B/41.452A	----	41.588 - 1.076	.9890	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 62

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
11875	----	----	44.216B/42.200A	44.216B/42.200A	----	42.337 - 1.074	.9894	----	----	----	----	1 UNCH
12250	----	----	47.957B/45.940A	47.957B/45.940A	----	46.080 - 1.068	.9908	----	----	----	----	3 UNCH
12300	----	----	48.457B/46.439A	48.457B/46.439A	----	46.579 - 1.068	.9911	----	----	----	----	1 UNCH
12500	----	----	50.452B/48.433A	50.452B/48.433A	----	48.576 - 1.066	.9916	----	----	----	----	20 UNCH
12700	----	----	52.450B/50.433A	52.450B/50.433A	----	50.574 - 1.063	.9920	----	----	----	----	1 UNCH
13000	----	----	55.447B/53.428A	55.447B/53.428A	----	53.571 - 1.060	.9927	----	----	----	----	1 UNCH
TOTAL										522	0	19196 + 124
JUN26												
2100	----	----	----	----/0.017A	----	0.005 - 0.002	.0004	----	----	----	----	1 UNCH
2350	----	----	----	0.004B/*0.020A	----	0.014 - 0.003	.0012	----	----	----	----	2 UNCH
2500	----	----	----	0.011B/0.030A	----	0.022 - 0.005	.0018	----	----	----	----	141 UNCH
2650	----	----	----	----/0.175A	----	0.027 - 0.009	.0023	----	----	----	----	1 UNCH
3000	0.050	0.050	0.050/0.050	0.050/0.050	----	0.042 - 0.020	.0037	----	----	1	----	244 - 1
3075	----	----	----	0.001B/0.109A	----	0.046 - 0.023	.0041	----	----	----	----	4 UNCH
3100	----	----	----	0.001B/0.111A	----	0.048 - 0.023	.0043	----	----	----	----	3 UNCH
3150	----	----	----	0.001B/0.114A	----	0.050 - 0.026	.0045	----	----	----	----	8 UNCH
3200	----	----	----	0.001B/0.118A	----	0.053 - 0.028	.0048	----	----	----	----	4 UNCH
3325	----	----	----	0.001B/0.130A	----	0.060 - 0.033	.0056	----	----	----	----	2 UNCH
3350	----	----	----	0.001B/0.133A	----	0.062 - 0.034	.0058	----	----	----	----	1 UNCH
3400	----	----	----	0.001B/0.138A	----	0.065 - 0.036	.0061	----	----	----	----	12 UNCH
3500	----	----	----/0.100A	0.001B/0.100A	----	0.072 - 0.039	.0068	----	----	----	----	100 UNCH
3550	----	----	----	0.001B/0.154A	----	0.076 - 0.041	.0073	----	----	----	----	5 UNCH
3575	----	----	----	0.001B/0.156A	----	0.077 - 0.043	.0074	----	----	----	----	22 UNCH
3600	----	----	----	0.001B/0.159A	----	0.079 - 0.043	.0076	----	----	----	----	4 UNCH
3650	----	----	----	0.002B/0.164A	----	0.083 - 0.045	.0081	----	----	----	----	22 UNCH
3675	----	----	----	0.002B/0.167A	----	0.085 - 0.046	.0083	----	----	----	----	2 UNCH
3700	----	----	----	0.002B/0.170A	----	0.087 - 0.047	.0085	----	----	----	----	6 UNCH
3800	----	----	----	0.011B/0.176A	----	0.096 - 0.049	.0095	----	----	----	----	14 UNCH
3850	----	----	----	0.014B/0.177A	----	0.101 - 0.051	.0100	----	----	----	----	2 UNCH
3900	----	----	----	0.018B/0.176A	----	0.106 - 0.052	.0106	----	----	----	----	6 UNCH
3925	----	----	----	0.028B/*0.174A	----	0.108 - 0.053	.0108	----	----	----	----	3 UNCH
4000	0.118	0.118	0.118/0.118	0.118/0.118	----	0.116 - 0.055	.0118	----	----	2	----	55 UNCH
4075	----	----	----	0.046B/*0.189A	----	0.125 - 0.056	.0128	----	----	----	----	1 UNCH
4100	----	----	----	0.049B/*0.191A	----	0.128 - 0.057	.0131	----	----	----	----	2 UNCH
4125	----	----	----	0.053B/*0.194A	----	0.131 - 0.057	.0135	----	----	----	----	5 UNCH
4150	----	----	----	0.115B/*0.197A	----	0.134 - 0.058	.0138	----	----	----	----	4 UNCH
4200	----	----	----	0.065B/0.203A	----	0.141 - 0.059	.0146	----	----	----	----	26 UNCH
4225	----	----	----	0.069B/*0.206A	----	0.145 - 0.059	.0150	----	----	----	----	7 UNCH
4250	----	----	----	0.073B/*0.209A	----	0.148 - 0.060	.0154	----	----	----	----	5 UNCH
4275	----	----	----	0.081B/*0.212A	----	0.152 - 0.060	.0158	----	----	----	----	13 UNCH
4300	----	----	----	0.085B/0.216A	----	0.156 - 0.060	.0163	----	----	----	----	7 UNCH
4350	----	----	----/*0.223A	0.094B/*0.223A	----	0.163 - 0.062	.0171	----	----	----	----	2 UNCH
4375	----	----	----/0.227A	0.098B/0.227A	----	0.168 - 0.061	.0177	----	----	----	----	3 UNCH
4400	----	----	----/*0.230A	0.103B/*0.230A	----	0.172 - 0.062	.0181	----	----	----	----	8 UNCH
4425	----	----	----/*0.234A	0.113B/*0.234A	----	0.176 - 0.062	.0186	----	----	----	----	1 UNCH
4500	----	----	----/0.246A	0.128B/0.246A	----	0.190 - 0.063	.0202	----	----	----	----	167 UNCH
4550	----	----	----/*0.256A	0.139B/*0.256A	----	0.199 - 0.065	.0213	----	----	----	----	2 UNCH
4600	----	----	----/*0.266A	0.154B/*0.266A	----	0.210 - 0.065	.0225	----	----	----	----	7 UNCH
4625	----	----	----/*0.270A	0.161B/*0.270A	----	0.215 - 0.066	.0231	----	----	----	----	12 UNCH
4650	----	----	----/*0.276A	0.167B/*0.276A	----	0.221 - 0.067	.0238	----	----	----	----	1 UNCH
4700	----	----	----/*0.287A	0.182B/*0.287A	----	0.232 - 0.069	.0251	----	----	----	----	3 UNCH
4725	----	----	----/*0.292A	0.190B/*0.292A	----	0.238 - 0.069	.0258	----	----	----	----	10 UNCH
4750	----	----	----/0.298A	0.197B/0.298A	----	0.244 - 0.070	.0265	----	----	----	----	3 UNCH
4800	----	----	----/*0.311A	0.218B/*0.311A	----	0.257 - 0.072	.0280	----	----	1	----	23 UNCH
4850	----	----	----/*0.324A	0.237B/*0.324A	----	0.271 - 0.074	.0296	----	----	----	----	3 UNCH
4875	----	----	----/*0.331A	0.246B/*0.331A	----	0.278 - 0.076	.0304	----	----	----	----	15 UNCH
4900	0.285	0.285	0.285/*0.285	0.285/*0.285	----	0.285 - 0.078	.0312	----	----	1	----	176 - 1
5000	----	----	----/0.369A	0.317B/0.369A	----	0.316 - 0.085	.0348	----	----	2	----	1016 - 1
5025	----	----	----/*0.365A	0.357B/*0.365A	----	0.324 - 0.088	.0358	----	----	----	----	8 UNCH
5050	0.326	0.326	0.326/*0.326	0.378B/*0.326	----	0.333 - 0.090	.0368	----	----	3	----	3 + 3
5075	----	----	----/*0.384A	0.387B/*0.384A	----	0.342 - 0.092	.0378	----	----	----	----	2 UNCH
5100	----	----	----/*0.394A	0.395B/*0.394A	----	0.351 - 0.095	.0389	----	----	----	----	29 UNCH
5125	----	----	----/*0.403A	0.414B/*0.403A	----	0.360 - 0.099	.0399	----	----	----	----	1 UNCH
5150	----	----	----/*0.406A	0.426B/*0.406A	----	0.370 - 0.101	.0411	----	----	----	----	16 UNCH
5175	----	----	0.533B/*0.414A	0.533B/*0.414A	----	0.380 - 0.105	.0422	----	----	----	----	12 UNCH
5200	0.365	0.365	0.561B/*0.365	0.561B/*0.365	----	0.390 - 0.108	.0434	----	----	2	----	4 + 1
5225	----	----	0.567B/*0.435A	0.567B/*0.435A	----	0.401 - 0.112	.0446	----	----	----	----	1 UNCH
5250	----	----	0.599B/*0.437A	0.599B/*0.437A	----	0.411 - 0.116	.0458	----	----	----	----	13 UNCH
5275	----	----	0.619B/*0.448A	0.619B/*0.448A	----	0.423 - 0.120	.0471	----	----	----	----	23 UNCH
5300	----	----	0.637B/*0.462A	0.637B/*0.462A	----	0.434 - 0.124	.0484	----	----	----	----	14 UNCH
5325	----	----	0.657B/*0.471A	0.657B/*0.471A	----	0.446 - 0.129	.0497	----	----	----	----	10 UNCH
5350	----	----	0.677B/*0.493A	0.677B/*0.493A	----	0.458 - 0.134	.0511	----	----	----	----	13 UNCH
5375	----	----	0.699B/*0.518A	0.699B/*0.518A	----	0.471 - 0.138	.0526	----	----	----	----	10 UNCH
5400	----	----	0.720B/*0.534A	0.720B/*0.534A	----	0.484 - 0.143	.0540	----	----	----	----	14 UNCH
5425	----	----	0.743B/*0.546A	0.743B/*0.546A	----	0.497 - 0.149	.0555	----	----	----	----	4 UNCH
5450	----	----	0.767B/*0.542A	0.767B/*0.542A	----	0.511 - 0.154	.0571	----	----	----	----	2 UNCH
5475	----	----	0.792B/*0.570A	0.792B/*0.570A	----	0.525 - 0.159	.0587	----	----	----	----	13 UNCH
5500	----	----	0.815B/*0.584A	0.815B/*0.584A	----	0.540 - 0.165	.0603	----	----	50	----	309 + 8
5525	----	----	0.840B/*0.599A	0.840B/*0.599A	----	0.555 - 0.171	.0620	----	----	----	----	16 UNCH
5550	----	----	0.867B/*0.615A	0.867B/*0.615A	----	0.570 - 0.177	.0637	----	----	----	----	10 UNCH
5600	----	----	0.922B/*0.654A	0.922B/*0.654A	----	0.603 - 0.189	.0673	----	----	----	----	21 UNCH
5625	----	----	0.950B/*0.663A	0.950B/*0.663A	----	0.620 - 0.196	.0692	----	----	----	----	2 UNCH
5650	----	----	0.981B/*0.681A	0.981B/*0.681A	----	0.638 - 0.202	.0712	----	----	----	----	51 UNCH
5675	----	----	1.002B/*0.699A	1.002B/*0.699A	----	0.656 - 0.209	.0731	----	----	----	----	21 UNCH
5700	----	----	1.042B/*0.711A	1.042B/*0.711A	----	0.675 - 0.215	.0752	----	----	3	----	249 UNCH
5750	----	----	1.117B/*0.736A	1.117B/*0.736A	----	0.714 - 0.229	.0794	----	----	----	----	227 UNCH
5775	----	----	1.084B/0.760A	1.084B/0.760A	----	0.734 - 0.237	.0816	----	----	----	----	9 UNCH
5800	----	----	1.181B/*0.772A	1.181B/*0.772A	----	0.756 - 0.244	.0839	----	----	1	----	90 UNCH
5825	----	----	1.166B/*0.796A	1.166B/*0.796A	----	0.777 - 0.252	.0862	----	----	----	----	9 UNCH
5850	----	----	1.218B/*0.815A	1.218B/*0.815A	----	0.800 - 0.259	.0886	----	----	----	----	16 UNCH
5875	----	----	1.290B/*0.842A	1.290B/*0.842A	----	0.823 - 0.267	.0911	----	----	----	----	12 UNCH
5900	----	----	1.331B/*0.863A	1.331B/0.863A	----	0.847 - 0.275	.0936	----	----	2	----	50 + 2
5925	----	----	1.307B/*0.890A	1.307B/0.890A	----	0.872 - 0.283	.0962	----	----	1	----	22 + 1
5950	----	----	1.334B/*0.911A	1.334B/0.911A	----	0.897 - 0.292	.0988	----	----	----	----	16 UNCH
5975	----	----	1.382B/0.937A	1.382B/0.937A	----	0.924 - 0.300	.1016	----	----	----	----	1 UNCH
6000	----	----	1.470B/0.968A	1.470B/0.968A	----	0.951 - 0.308	.1044	----	----	1	----	761 - 1
6025	----	----	1.548B/0.997A	1.548B/0.997A	----	0.979 - 0.317	.1073	----	----	----	----	31 UNCH
6050	----	----	1.565B/1.022A	1.565B/1.022A	----	1.008 - 0.326	.1102	----	----	----	----	144 UNCH
6075	----	----	1.640B/1.055A	1.640B/1.055A	----	1.038 - 0.334	.1132	----	----	----	----	31 UNCH
6100	----	----	1.688B/1.083A	1.688B/1.083A	----	1.068 - 0.344	.1163	----	----	1	----	77 UNCH
6125	----	----	1.735B/1.116A	1.735B/1.116A	----	1.100 - 0.353	.1195	----	----	----	----	3 UNCH
6150	----	----	1.699B/1.148A	1.699B/1.148A	----	1.132 - 0.363	.1227	----	----	4	----	7 + 2
6175	----	----	1.824B/1.182A	1.824B/1.182A	----	1.166 - 0.372	.1260	----	----	----	----	291 UNCH
6200	----	----	1.877B/1.215A	1.877B/1.215A	----	1.201 - 0.381	.1294	----	----	2	----	155 UNCH
6225	----	----	1.951B/1.252A	1.951B/1.252A	----	1.236 - 0.391	.1329	----	----	----	----	2 UNCH
6250	----	----	2.007B/1.287A	2.007B/1.287A	----	1.273 - 0.401	.1364	----	----	4	----	93 + 4
6275	----	----	2.067B/1.323A	2.067B/1.323A	----	1.311 - 0.411	.1401	----	----	----	----	3 UNCH
6300	----	----	2.131B/1.361A	2.131B/1.361A	----	1.350 - 0.421	.1438	----	----	7	----	125 + 6
6325	----	----	2.206B/1.402A	2.206B/1.402A	----	1.390 - 0.431	.1476	----	----	----	----	6 UNCH
6350	----	----	2.250B/1.441A	2.250B/1.441A	----	1.431 - 0.442	.1514	----	----	1	----	28 + 1
6375	----	----	2.335B/1.485A	2.335B/1.485A	----	1.474 - 0.452	.1554	----	----	----	----	102 UNCH
6400	----	----	2.387B/1.524A	2.387B/1.524A	----	1.517 - 0.463	.1594	----	----	9	----	83 + 6
6425	----	----	2.471B/1.572A	2.471B/1.572A	----	1.562 - 0.474	.1635	----	----	1	----	46 - 1
6450	1.700	1.700	2.528B/1.611A	2.528B/1.611A	----	1.609 - 0.484	.1678	----	----	7	----	11 + 2
6475	----	----	2.604B/1.656A	2.604B/1.656A	----	1.656 - 0.496	.1720	----	----	----	----	121 UNCH
6500	1.806	1.806	2.664B/1.703A	2.664B/1.703A	----	1.705 - 0.507	.1764	----	----	56	----	249 + 51
6525	----	----	2.753B/1.760A	2.753B/1.760A	----	1.756 - 0.517	.1809	----	----	----	----	35 UNCH
6550	2.213	2.213	2.813B/1.812A	2.813B/1.812A	----	1.807 - 0.529	.1854	----	----	24	----	23 + 17
6575	----	----	2.907B/1.867A	2.907B/1.867A	----	1.861 - 0.540	.1901	----	----	1	----	2 UNCH
6600	----	----	2.970B/1.910A	2.970B/1.910A	----	1.915 - 0.552	.1947	----	----	1	----	141 UNCH
6625	----	----	3.066B/1.971A	3.066B/1.971A	----	1.971 - 0.563	.1995	----	----	1	----	10 + 1
6650	----	----	3.130B/2.029A	3.130B/2.029A	----	2.029 - 0.574	.2044	----	----	----	----	11 UNCH
6675	----	----	3.209B/2.092A	3.209B/2.092A	----	2.088 - 0.586	.2093	----	----	----	----	4 UNCH
6700	----	----	3.302B/2.137A	3.302B/2.137A	----	2.148 - 0.598	.2143	----	----	1	----	57 UNCH
6725	----	----	3.380B/2.206A	3.380B/2.206A	----	2.211 - 0.608	.2195	----	----	1	----	28 UNCH
6750	----	----	3.477B/2.269A	3.477B/2.269A	----	2.274 - 0.621	.2246	----	----	----	----	22 UNCH
6775	----	----	3.564B/2.339A	3.564B/2.339A	----	2.340 - 0.632	.2299	----	----	----	----	2 UNCH
6800	----	----	3.656B/2.404A	3.656B/2.404A	----	2.406 - 0.644	.2352	----	----	----	----	21 UNCH
6825	----	----	3.750B/2.469A	3.750B/2.469A	----	2.475 - 0.656	.2406	----	----	----	----	2 UNCH
6850	----	----	3.846B/2.539A	3.846B/2.539A	----	2.545 - 0.668	.2461	----	----	----	----	16 UNCH
6875	----	----	3.935B/2.608A	3.935B/2.608A	----	2.617 - 0.679	.2517	----	----	----	----	2 UNCH
6900	----	----	4.044B/2.668A	4.044B/2.668A	----	2.691 - 0.690	.2573	----	----	3	----	92 + 2
6925	----	----	4.140B/2.757A	4.140B/2.757A	----	2.766 - 0.702	.2630	----	----	----	----	9 UNCH
6950	----	----	4.230B/2.828A	4.230B/2.828A	----	2.843 - 0.714	.2687	----	----	2	----	5 - 2
6975	----	----	4.195B/2.903A	4.195B/2.903A	----	2.922 - 0.726	.2745	----	----	----	----	9 UNCH
7000	3.199	3.199	4.415B/2.974A	4.415B/2.974A	----	3.003 - 0.737	.2804	----	----	16	----	505 + 2
7025	----	----	4.543B/3.062A	4.543B/3.062A	----	3.085 - 0.749	.2863	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUN26												
7050	----	----	4.666B/3.146A	4.666B/3.146A	----	3.169 -	0.760 .2923	----	----	----	----	15 UNCH
7075	3.524	3.524	4.761B/3.230A	4.761B/3.230A	----	3.255 -	0.772 .2984	----	----	2	----	41 UNCH
7100	3.614	3.614	4.850B/3.312A	4.850B/3.312A	----	3.343 -	0.783 .3045	----	----	2	----	20 + 2
7125	----	----	5.011B/3.395A	5.011B/3.395A	----	3.433 -	0.794 .3107	----	----	----	----	3 UNCH
7150	----	----	5.118B/3.495A	5.118B/3.495A	----	3.524 -	0.805 .3169	----	----	----	----	27 UNCH
7175	----	----	5.236B/3.584A	5.236B/3.584A	----	3.617 -	0.817 .3231	----	----	----	----	36 UNCH
7200	5.060	5.060	5.360B/3.666A	5.360B/3.666A	----	3.713 -	0.827 .3294	----	----	4	----	233 - 2
7225	----	----	5.478B/3.767A	5.478B/3.767A	----	3.810 -	0.838 .3358	----	----	----	----	6 UNCH
7250	----	----	5.581B/3.880A	5.581B/3.880A	----	3.909 -	0.849 .3421	----	----	----	----	13 UNCH
7275	----	----	5.734B/3.976A	5.734B/3.976A	----	4.010 -	0.859 .3486	----	----	----	----	3 UNCH
7300	----	----	5.870B/4.055A	5.870B/4.055A	----	4.112 -	0.871 .3550	----	----	----	----	77 UNCH
7325	----	----	5.997B/4.183A	5.997B/4.183A	----	4.217 -	0.881 .3615	----	----	----	----	1 UNCH
7350	----	----	6.126B/4.287A	6.126B/4.287A	----	4.324 -	0.891 .3680	----	----	----	----	3 UNCH
7375	----	----	6.251B/4.395A	6.251B/4.395A	----	4.432 -	0.901 .3746	----	----	----	----	2 UNCH
7400	4.861	4.861	6.390B/4.491A	6.390B/4.491A	----	4.542 -	0.912 .3811	----	----	3	----	52 + 3
7425	----	----	6.542B/4.613A	6.542B/4.613A	----	4.655 -	0.921 .3877	----	----	----	----	2 UNCH
7450	5.216	5.216	6.674B/4.699A	6.674B/4.699A	----	4.769 -	0.931 .3943	----	----	51	----	52 + 50
7475	----	----	6.752B/4.835A	6.752B/4.835A	----	4.885 -	0.941 .4009	----	----	----	----	4 UNCH
7500	5.900	5.900	6.886B/4.927A	6.886B/4.927A	----	5.003 -	0.950 .4076	----	----	14	----	346 + 5
7525	----	----	7.055B/5.070A	7.055B/5.070A	----	5.123 -	0.959 .4142	----	----	----	----	3 UNCH
7550	----	----	7.249B/5.194A	7.249B/5.194A	----	5.245 -	0.968 .4209	----	----	----	----	7 UNCH
7575	----	----	7.369B/5.314A	7.369B/5.314A	----	5.369 -	0.977 .4275	----	----	----	----	5 UNCH
7600	5.575	5.575	7.545B/5.411A	7.545B/5.411A	----	5.495 -	0.986 .4342	----	----	2	----	81 + 2
7625	----	----	7.678B/5.566A	7.678B/5.566A	----	5.623 -	0.994 .4408	----	----	----	----	2 UNCH
7650	----	----	7.860B/5.693A	7.860B/5.693A	----	5.752 -	1.003 .4475	----	----	----	----	3 UNCH
7675	6.840	6.840	7.290B/5.821A	7.290B/5.821A	----	5.884 -	1.011 .4541	----	----	1	----	2 + 1
7700	7.010	7.010	7.368B/5.951A	7.368B/5.951A	----	6.017 -	1.019 .4608	----	----	4	----	21 + 2
7725	6.185	6.185	7.528B/6.087A	7.528B/6.087A	----	6.153 -	1.026 .4674	----	----	1	----	1 UNCH
7750	6.325	6.325	7.678B/6.226A	7.678B/6.226A	----	6.290 -	1.034 .4740	----	----	1	----	2 UNCH
7775	7.500	7.500	8.461B/6.351A	8.461B/6.351A	----	6.429 -	1.042 .4806	----	----	2	----	27 + 2
7800	6.922	6.922	8.597B/6.500A	8.597B/6.500A	----	6.570 -	1.049 .4871	----	----	2	----	6 + 2
7850	----	----	9.108B/6.788A	9.108B/6.788A	----	6.858 -	1.063 .5002	----	----	----	----	8 UNCH
7875	----	----	8.945B/6.928A	8.945B/6.928A	----	7.005 -	1.069 .5066	----	----	----	----	19 UNCH
7900	----	----	9.017B/7.076A	9.017B/7.076A	----	7.154 -	1.075 .5131	----	----	----	----	110 UNCH
7925	----	----	8.765B/7.243A	8.765B/7.243A	----	7.304 -	1.082 .5195	----	----	----	----	10 UNCH
7950	----	----	8.935B/7.382A	8.935B/7.382A	----	7.456 -	1.088 .5259	----	----	----	----	21 UNCH
8000	8.936	8.936	9.290B/7.681A	9.290B/7.681A	----	7.766 -	1.099 .5385	----	----	2	----	147 + 2
8025	----	----	9.378B/7.847A	9.378B/7.847A	----	7.924 -	1.104 .5448	----	----	----	----	1 UNCH
8050	----	----	9.541B/8.005A	9.541B/8.005A	----	8.083 -	1.109 .5510	----	----	----	----	1 UNCH
8075	----	----	9.730B/8.161A	9.730B/8.161A	----	8.244 -	1.114 .5571	----	----	----	----	1 UNCH
8100	----	----	9.797B/8.324A	9.797B/8.324A	----	8.407 -	1.119 .5632	----	----	----	----	2 UNCH
8125	----	----	9.964B/8.487A	9.964B/8.487A	----	8.572 -	1.123 .5693	----	----	----	----	2 UNCH
8150	----	----	10.143B/8.651A	10.143B/8.651A	----	8.738 -	1.127 .5753	----	----	----	----	4 UNCH
8175	----	----	10.466B/8.817A	10.466B/8.817A	----	8.906 -	1.131 .5813	----	----	----	----	42 UNCH
8200	----	----	10.645B/8.987A	10.645B/8.987A	----	9.075 -	1.136 .5872	----	----	----	----	14 UNCH
8225	----	----	10.826B/9.155A	10.826B/9.155A	----	9.246 -	1.140 .5930	----	----	----	----	6 UNCH
8250	----	----	11.007B/9.325A	11.007B/9.325A	----	9.419 -	1.143 .5988	----	----	----	----	15 UNCH
8275	----	----	11.191B/9.504A	11.191B/9.504A	----	9.593 -	1.147 .6045	----	----	----	----	23 UNCH
8300	----	----	11.374B/9.695A	11.374B/9.695A	----	9.769 -	1.150 .6102	----	----	----	----	6 UNCH
8350	----	----	11.746B/10.075A	11.746B/10.075A	----	10.125 -	1.156 .6213	----	----	----	----	17 UNCH
8400	----	----	12.002B/10.580A	12.002B/10.580A	----	10.487 -	1.161 .6323	----	----	----	----	3 UNCH
8425	----	----	12.331B/10.619A	12.331B/10.619A	----	10.670 -	1.163 .6376	----	----	----	----	63 UNCH
8450	----	----	12.506B/10.804A	12.506B/10.804A	----	10.854 -	1.166 .6429	----	----	----	----	18 UNCH
8475	----	----	12.582B/11.132A	12.582B/11.132A	----	11.040 -	1.168 .6482	----	----	----	----	2 UNCH
8500	----	----	12.899B/11.178A	12.899B/11.178A	----	11.227 -	1.170 .6533	----	----	----	----	62 UNCH
8525	----	----	12.975B/11.504A	12.975B/11.504A	----	11.415 -	1.173 .6584	----	----	----	----	1 UNCH
8550	----	----	13.172B/11.691A	13.172B/11.691A	----	11.605 -	1.174 .6634	----	----	----	----	1 UNCH
8575	----	----	13.371B/11.880A	13.371B/11.880A	----	11.796 -	1.176 .6684	----	----	----	----	1 UNCH
8600	----	----	13.571B/12.070A	13.571B/12.070A	----	11.988 -	1.178 .6733	----	----	----	----	5 UNCH
8625	----	----	13.881B/12.136A	13.881B/12.136A	----	12.182 -	1.179 .6781	----	----	----	----	11 UNCH
8675	----	----	14.180B/12.656A	14.180B/12.656A	----	12.572 -	1.182 .6876	----	----	----	----	2 UNCH
8700	----	----	14.486B/12.726A	14.486B/12.726A	----	12.769 -	1.183 .6922	----	----	----	----	14 UNCH
8750	----	----	14.902B/13.124A	14.902B/13.124A	----	13.166 -	1.186 .7013	----	----	----	----	26 UNCH
8775	----	----	15.000B/13.444A	15.000B/13.444A	----	13.367 -	1.186 .7058	----	----	----	----	1 UNCH
8800	----	----	15.305B/13.527A	15.305B/13.527A	----	13.568 -	1.187 .7101	----	----	----	----	14 UNCH
8825	----	----	15.513B/13.739A	15.513B/13.739A	----	13.770 -	1.188 .7145	----	----	----	----	15 UNCH
8850	----	----	15.721B/13.941A	15.721B/13.941A	----	13.974 -	1.188 .7187	----	----	----	----	6 UNCH
8925	----	----	16.259B/14.649A	16.259B/14.649A	----	14.589 -	1.191 .7310	----	----	----	----	4 UNCH
8975	----	----	16.684B/15.058A	16.684B/15.058A	----	15.005 -	1.191 .7389	----	----	----	----	2 UNCH
9000	----	----	17.020B/15.134A	17.020B/15.134A	----	15.214 -	1.191 .7428	----	----	----	----	93 UNCH
9050	----	----	17.328B/15.678A	17.328B/15.678A	----	15.634 -	1.192 .7504	----	----	----	----	3 UNCH
9075	----	----	17.544B/15.886A	17.544B/15.886A	----	15.846 -	1.192 .7541	----	----	----	----	2 UNCH
9100	----	----	17.840B/16.026A	17.840B/16.026A	----	16.058 -	1.193 .7577	----	----	----	----	6 UNCH
9125	----	----	17.978B/16.306A	17.978B/16.306A	----	16.271 -	1.193 .7613	----	----	----	----	1 UNCH
9150	----	----	18.196B/16.517A	18.196B/16.517A	----	16.485 -	1.193 .7648	----	----	----	----	1 UNCH
9175	----	----	18.414B/16.728A	18.414B/16.728A	----	16.699 -	1.194 .7682	----	----	----	----	1 UNCH
9200	----	----	18.768B/16.828A	18.768B/16.828A	----	16.915 -	1.193 .7716	----	----	----	----	80 UNCH
9325	----	----	19.738B/18.015A	19.738B/18.015A	----	18.002 -	1.193 .7878	----	----	----	----	1 UNCH
9450	----	----	20.936B/19.072A	20.936B/19.072A	----	19.105 -	1.193 .8027	----	----	----	----	6 UNCH
9500	----	----	21.434B/19.431A	21.434B/19.431A	----	19.550 -	1.193 .8083	----	----	----	----	138 UNCH
9525	----	----	21.531B/19.768A	21.531B/19.768A	----	19.773 -	1.193 .8110	----	----	----	----	1 UNCH
9550	----	----	21.757B/19.990A	21.757B/19.990A	----	19.997 -	1.193 .8138	----	----	----	----	1 UNCH
9575	----	----	21.984B/20.212A	21.984B/20.212A	----	20.221 -	1.193 .8164	----	----	1	----	2 + 1
9725	----	----	23.439B/21.558A	23.439B/21.558A	----	21.578 -	1.192 .8315	----	----	----	----	1 UNCH
9825	----	----	24.274B/22.465A	24.274B/22.465A	----	22.491 -	1.191 .8407	----	----	----	----	1 UNCH
9850	----	----	24.505B/22.693A	24.505B/22.693A	----	22.720 -	1.192 .8429	----	----	----	----	1 UNCH
9900	----	----	25.047B/23.129A	25.047B/23.129A	----	23.180 -	1.191 .8472	----	----	----	----	17 UNCH
9925	----	----	25.202B/23.379A	25.202B/23.379A	----	23.410 -	1.191 .8493	----	----	----	----	1 UNCH
9950	----	----	25.436B/23.609A	25.436B/23.609A	----	23.641 -	1.191 .8513	----	----	----	----	1 UNCH
10000	----	----	26.030B/23.962A	26.030B/23.962A	----	24.103 -	1.191 .8555	----	----	----	----	97 UNCH
10025	----	----	26.137B/24.296A	26.137B/24.296A	----	24.335 -	1.190 .8574	----	----	----	----	2 UNCH
10075	----	----	26.607B/24.760A	26.607B/24.760A	----	24.799 -	1.190 .8612	----	----	----	----	1 UNCH
10100	----	----	26.882B/24.972A	26.882B/24.972A	----	25.032 -	1.189 .8631	----	----	----	----	6 UNCH
10125	----	----	27.077B/25.221A	27.077B/25.221A	----	25.265 -	1.189 .8650	----	----	----	----	1 UNCH
10150	----	----	27.353B/25.413A	27.353B/25.413A	----	25.498 -	1.189 .8668	----	----	----	----	8 UNCH
10175	----	----	27.549B/25.684A	27.549B/25.684A	----	25.732 -	1.188 .8686	----	----	----	----	2 UNCH
10200	----	----	27.908B/25.815A	27.908B/25.815A	----	25.966 -	1.188 .8703	----	----	----	----	117 UNCH
10225	----	----	28.021B/26.148A	28.021B/26.148A	----	26.200 -	1.187 .8721	----	----	----	----	1 UNCH
10325	----	----	28.969B/27.081A	28.969B/27.081A	----	27.139 -	1.186 .8788	----	----	----	----	1 UNCH
10350	----	----	29.207B/27.315A	29.207B/27.315A	----	27.375 -	1.185 .8803	----	----	----	----	1 UNCH
10375	----	----	29.445B/27.532A	29.445B/27.532A	----	27.611 -	1.184 .8819	----	----	----	----	1 UNCH
10400	----	----	29.683B/27.767A	29.683B/27.767A	----	27.847 -	1.184 .8834	----	----	----	----	1 UNCH
10500	----	----	30.686B/28.711A	30.686B/28.711A	----	28.793 -	1.182 .8895	----	----	----	----	9 UNCH
10600	----	----	31.594B/29.657A	31.594B/29.657A	----	29.743 -	1.180 .8950	----	----	----	----	5 UNCH
10825	----	----	33.816B/31.802A	33.816B/31.802A	----	31.892 -	1.175 .9064	----	----	----	----	6 UNCH
10850	----	----	34.093B/32.039A	34.093B/32.039A	----	32.132 -	1.174 .9075	----	----	----	----	4 UNCH
10875	----	----	34.992B/32.266A	34.992B/32.266A	----	32.372 -	1.173 .9086	----	----	----	----	2 UNCH
10950	----	----	35.404B/32.984A	35.404B/32.984A	----	33.092 -	1.172 .9120	----	----	----	----	3 UNCH
11000	----	----	35.667B/33.475A	35.667B/33.475A	----	33.574 -	1.170 .9141	----	----	----	----	3 UNCH
11325	----	----	38.704B/36.593A	38.704B/36.593A	----	36.716 -	1.163 .9265	----	----	----	----	1 UNCH
11500	----	----	40.375B/38.294A	40.375B/38.294A	----	38.416 -	1.161 .9322	----	----	----	----	10 UNCH
11525	----	----	40.656B/38.536A	40.656B/38.536A	----	38.659 -	1.161 .9329	----	----	----	----	1 UNCH
11675	----	----	42.114B/39.995A	42.114B/39.995A	----	40.122 -	1.158 .9373	----	----	----	----	1 UNCH
11700	----	----	42.333B/40.238A	42.333B/40.238A	----	40.366 -	1.158 .9380	----	----	----	----	1 UNCH
12000	----	----	45.374B/43.089A	45.374B/43.089A	----	43.302 -	1.154 .9454	----	----	----	----	50 UNCH
12025	----	----	45.536B/43.410A	45.536B/43.410A	----	43.547 -	1.153 .9461	----	----	----	----	1 UNCH
13000	----	----	55.117B/52.994A	55.117B/52.994A	----	53.155 -	1.146 .9628	----	----	----	----	5 UNCH
TOTAL										304	0	9373 + 172
JUL26												
2000	----	----	----/0.032A	0.020B/0.032A	----	0.024 -	0.009 .0017	----	----	----	----	6 UNCH
2400	----	----	----	0.001B/0.236A	----	0.033 -	0.011 .0026	----	----	----	----	10 UNCH
2650	----	----	----	0.001B/0.107A	----	0.039 -	0.013 .0032	----	----	----	----	6 UNCH
3000	----	----	----	0.001B/0.100A	----	0.054 -	0.014 .0047	----	----	----	----	5 UNCH
3025	----	----	----	0.001B/0.140A	----	0.055 -	0.015 .0048	----	----	----	----	1 UNCH
3350	----	----	----	0.029B/0.180A	----	0.086 -	0.016 .0077	----	----	----	----	1 UNCH
3400	----	----	----	0.035B/0.185A	----	0.092 -	0.016 .0082	----	----	----	----	55 UNCH
3475	----	----	----	0.051B/0.196A	----	0.103 -	0.017 .0092	----	----	----	----	5 UNCH
3500	0.050	0.050	0.054B/*0.050	0.054B/*0.050	----	0.107 -	0.017 .0095	----	----	1	----	4 + 1
3600	----	----	----	0.067B/0.211A	----	0.125 -	0.017 .0111	----	----	----	----	12 UNCH
3700	----	----	----	0.087B/0.224A	----	0.145 -	0.018 .0128	----	----	----	----	92 UNCH
3800	----	----	----	0.106B/0.240A	----	0.167 -	0.020 .0147	----	----	----	----	25 UNCH
3825	----	----	----	0.110B/0.243A	----	0.173 -	0.021 .0152	----	----	----	----	8 UNCH
3850	----	----	----	0.115B/0.248A	----	0.179 -	0.022 .0157	----	----	----	----	3 UNCH
3900	----	----	----	0.124B/0.256A	----	0.191 -	0.023 .0168	----	----	----	----	11 UNCH
3950	----	----	----	0.134B/0.266A	----	0.204 -	0.025 .0179	----	----	----	----	1 UNCH
4000	----	----	----	0.150B/0.275A	----	0.217 -	0.027 .0191	----	----	----	----	70 UNCH
4075	----	----	----	0.166B/*0.295A	----	0.237 -	0.031 .0208	----	----	----	----	16 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUL26												
4100	----	----	----	0.171B/0.301A	----	0.243 - 0.033	.0214	----	----	----	----	6 UNCH
4175	----	----	----	0.191B/*0.321A	----	0.263 - 0.039	.0232	----	----	----	----	9 UNCH
4200	----	----	----	0.199B/0.328A	----	0.270 - 0.041	.0238	----	----	----	----	27 UNCH
4225	----	----	----	0.206B/*0.335A	----	0.277 - 0.043	.0245	----	----	----	----	1 UNCH
4250	----	----	----	0.213B/0.342A	----	0.284 - 0.045	.0251	----	----	----	----	21 UNCH
4300	----	----	----	0.228B/0.357A	----	0.298 - 0.051	.0264	----	----	----	----	96 UNCH
4325	----	----	----	0.236B/*0.365A	----	0.305 - 0.053	.0271	----	----	----	----	17 UNCH
4375	----	----	----	0.256B/*0.381A	----	0.320 - 0.059	.0285	----	----	----	----	32 UNCH
4400	----	----	----	0.266B/0.390A	----	0.327 - 0.062	.0292	----	----	----	----	28 UNCH
4450	----	----	----/0.407A	0.285B/0.407A	----	0.342 - 0.069	.0306	----	----	----	----	4 UNCH
4475	----	----	----/*0.416A	0.296B/*0.416A	----	0.350 - 0.072	.0314	----	----	----	----	16 UNCH
4500	----	----	----/0.426A	0.306B/0.426A	----	0.357 - 0.077	.0321	----	----	----	----	304 UNCH
4575	----	----	----/0.456A	0.342B/0.456A	----	0.382 - 0.088	.0345	----	----	----	----	75 UNCH
4600	----	----	----/0.467A	0.356B/0.467A	----	0.390 - 0.092	.0352	----	----	----	----	101 UNCH
4650	----	----	----/0.488A	0.380B/0.488A	----	0.408 - 0.100	.0370	----	----	----	----	40 UNCH
4675	----	----	----/*0.500A	0.394B/*0.500A	----	0.417 - 0.105	.0378	----	----	----	----	12 UNCH
4700	----	----	----/0.511A	0.408B/0.511A	----	0.426 - 0.110	.0387	----	----	----	----	153 UNCH
4725	----	----	----/*0.523A	0.421B/*0.523A	----	0.436 - 0.114	.0397	----	----	----	----	3 UNCH
4750	----	----	----/0.535A	0.438B/0.535A	----	0.446 - 0.118	.0406	----	----	----	----	54 UNCH
4775	----	----	----/*0.547A	0.453B/*0.547A	----	0.456 - 0.123	.0416	----	----	----	----	8 UNCH
4800	----	----	----/0.560A	0.472B/0.560A	----	0.466 - 0.128	.0426	----	----	----	----	15 UNCH
4825	----	----	----/*0.573A	0.489B/*0.573A	----	0.477 - 0.133	.0436	----	----	----	----	26 UNCH
4850	----	----	----/0.587A	0.504B/0.587A	----	0.488 - 0.138	.0447	----	----	----	----	2 UNCH
4875	----	----	----/*0.601A	0.522B/*0.601A	----	0.500 - 0.142	.0458	----	----	----	----	23 UNCH
4900	----	----	----/0.615A	0.539B/0.615A	----	0.512 - 0.147	.0469	----	----	----	----	172 UNCH
5000	0.639	0.639	0.639/0.605	0.639/0.605	----	0.565 - 0.166	.0518	----	----	11	----	863 + 1
5025	----	----	----/*0.693A	0.626B/*0.693A	----	0.580 - 0.170	.0532	----	----	----	----	1 UNCH
5050	----	----	----/0.708A	0.647B/0.708A	----	0.595 - 0.175	.0545	----	----	----	----	16 UNCH
5075	----	----	----/*0.725A	0.674B/*0.725A	----	0.611 - 0.179	.0560	----	----	----	----	11 UNCH
5100	----	----	----/0.742A	0.696B/0.742A	----	0.627 - 0.184	.0574	----	----	----	----	176 UNCH
5150	----	----	----/0.779A	0.741B/0.779A	----	0.662 - 0.193	.0605	----	----	----	----	5 UNCH
5175	----	----	----/*0.796A	0.765B/*0.796A	----	0.680 - 0.197	.0620	----	----	----	----	5 UNCH
5200	----	----	----/0.816A	0.795B/0.816A	----	0.699 - 0.201	.0637	----	----	----	----	86 UNCH
5225	----	----	----/*0.833A	0.815B/*0.833A	----	0.719 - 0.205	.0654	----	----	----	----	9 UNCH
5250	----	----	----/0.857A	0.841B/0.857A	----	0.739 - 0.210	.0671	----	----	----	----	250 UNCH
5275	----	----	----/*0.873A	0.868B/*0.873A	----	0.760 - 0.214	.0689	----	----	----	----	2 UNCH
5300	----	----	----/0.891A	0.896B/0.891A	----	0.782 - 0.218	.0707	----	----	----	----	125 UNCH
5325	----	----	----/0.916A	0.921B/0.916A	----	0.804 - 0.222	.0726	----	----	----	----	11 UNCH
5350	----	----	----/0.941A	0.951B/0.941A	----	0.828 - 0.225	.0746	----	----	----	----	26 UNCH
5375	----	----	----/0.965A	0.978B/0.965A	----	0.851 - 0.230	.0765	----	----	----	----	17 UNCH
5400	----	----	----/0.988A	1.040B/0.988A	----	0.876 - 0.234	.0785	----	----	----	----	75 UNCH
5425	----	----	----/1.014A	0.991B/1.014A	----	0.901 - 0.238	.0806	----	----	----	----	49 UNCH
5450	----	----	----/1.032A	1.014B/1.032A	----	0.927 - 0.243	.0827	----	----	----	----	38 UNCH
5475	----	----	----/1.058A	1.031B/1.058A	----	0.954 - 0.247	.0849	----	----	----	----	53 UNCH
5500	0.960	0.960	1.010/0.960	1.186B/0.960	----	0.982 - 0.250	.0871	----	----	2	----	885 UNCH
5525	----	----	----/1.112A	1.182B/1.112A	----	1.010 - 0.255	.0894	----	----	----	----	72 UNCH
5550	----	----	----/1.139A	1.130B/1.139A	----	1.039 - 0.259	.0917	----	----	----	----	13 UNCH
5575	----	----	----/1.164A	1.165B/1.164A	----	1.069 - 0.264	.0941	----	----	----	----	3 UNCH
5600	----	----	----/1.195A	1.200B/1.195A	----	1.099 - 0.269	.0964	----	----	----	----	13 UNCH
5625	----	----	----/1.217A	1.237B/1.217A	----	1.131 - 0.273	.0989	----	----	----	----	3 UNCH
5650	----	----	----/1.359A	1.274B/1.359A	----	1.163 - 0.278	.1014	----	----	----	----	29 UNCH
5675	----	----	----/1.394A	1.312B/1.394A	----	1.196 - 0.283	.1040	----	----	----	----	45 UNCH
5700	----	----	----/1.403A	1.505B/1.403A	----	1.230 - 0.287	.1066	----	----	----	----	297 UNCH
5725	----	----	----/1.466A	1.391B/1.466A	----	1.265 - 0.292	.1092	----	----	----	----	3 UNCH
5750	----	----	----/1.503A	1.432B/1.503A	----	1.300 - 0.298	.1119	----	----	----	----	52 UNCH
5775	----	----	----/1.541A	1.474B/1.541A	----	1.337 - 0.302	.1147	----	----	----	----	2 UNCH
5800	----	----	----/1.580A	1.517B/1.580A	----	1.374 - 0.308	.1175	----	----	----	----	21 UNCH
5825	----	----	----/1.620A	1.562B/1.620A	----	1.412 - 0.314	.1203	----	----	----	----	2 UNCH
5850	----	----	----/1.657A	1.755B/1.657A	----	1.452 - 0.319	.1232	----	----	----	----	114 UNCH
5875	----	----	----/1.702A	1.656B/1.702A	----	1.492 - 0.324	.1262	----	----	----	----	3 UNCH
5900	----	----	----/1.745A	1.704B/1.745A	----	1.533 - 0.330	.1292	----	----	----	----	6 UNCH
5950	----	----	----/1.833A	1.744B/1.833A	----	1.618 - 0.342	.1353	----	----	----	----	2 UNCH
5975	----	----	----/1.878A	1.868B/1.878A	----	1.662 - 0.349	.1385	----	----	----	----	1 UNCH
6000	2.003	2.003	2.131B/1.810	2.131B/1.810	----	1.707 - 0.355	.1417	----	----	20	----	613 + 20
6100	2.228	2.228	2.382B/2.046A	2.382B/2.046A	----	1.898 - 0.381	.1550	----	----	2	----	287 + 2
6200	----	----	----/2.311A	2.395B/2.311A	----	2.105 - 0.411	.1691	----	----	----	----	9 UNCH
6250	----	----	----/2.419A	2.525B/2.419A	----	2.216 - 0.426	.1765	----	----	----	----	13 UNCH
6275	----	----	----/2.477A	2.590B/2.477A	----	2.273 - 0.434	.1802	----	----	----	----	1 UNCH
6300	----	----	----/2.493A	2.700B/2.493A	----	2.331 - 0.442	.1840	----	----	----	----	31 UNCH
6325	----	----	----/2.583A	2.729B/2.583A	----	2.390 - 0.451	.1879	----	----	----	----	20 UNCH
6375	----	----	----/2.701A	2.872B/2.701A	----	2.512 - 0.468	.1957	----	----	----	----	1 UNCH
6400	2.617	2.617	2.617/2.617	3.031B/2.617	----	2.575 - 0.477	.1997	----	----	2	----	56 UNCH
6500	----	----	3.583B/2.939A	3.583B/2.939A	----	2.837 - 0.516	.2160	----	----	----	----	680 UNCH
6550	3.392	3.392	3.392/3.069A	3.507B/3.069A	----	2.976 - 0.537	.2244	----	----	2	----	52 + 2
6600	----	----	----/3.295A	3.660B/3.295A	----	3.120 - 0.558	.2330	----	----	----	----	1 UNCH
6650	----	----	4.082B/3.338A	4.082B/3.338A	----	3.268 - 0.581	.2418	----	----	----	----	100 UNCH
6700	----	----	4.321B/3.492A	4.321B/3.492A	----	3.422 - 0.604	.2507	----	----	----	----	81 UNCH
6750	----	----	----/3.755A	4.155B/3.755A	----	3.581 - 0.628	.2597	----	----	2	----	26 + 2
6800	----	----	4.726B/3.832A	4.726B/3.832A	----	3.745 - 0.653	.2689	----	----	2	----	257 UNCH
6900	----	----	4.861B/4.237A	4.861B/4.237A	----	4.091 - 0.703	.2878	----	----	----	----	11 UNCH
7000	5.233	5.233	5.598B/4.410	5.598B/4.410	----	4.459 - 0.756	.3071	----	----	97	----	611 + 57
7025	5.043	5.043	5.678B/4.630	5.678B/4.630	----	4.555 - 0.769	.3120	----	----	9	----	127 + 2
7100	----	----	5.776B/5.044A	5.776B/5.044A	----	4.851 - 0.809	.3268	----	----	1	----	3 + 1
7125	5.090	5.090	5.817B/5.090	5.817B/5.090	----	4.953 - 0.822	.3318	----	----	3	----	9 + 1
7150	----	----	5.913B/5.246A	5.913B/5.246A	----	5.056 - 0.835	.3368	----	----	----	----	1 UNCH
7200	----	----	6.263B/5.399A	6.263B/5.399A	----	5.267 - 0.861	.3469	----	----	----	----	39 UNCH
7250	5.674	5.674	6.801B/5.571A	6.801B/5.571A	----	5.485 - 0.887	.3571	----	----	2	----	171 + 2
7300	----	----	6.788B/5.853A	6.788B/5.853A	----	5.709 - 0.912	.3673	----	----	----	----	25 UNCH
7325	----	----	6.863B/6.268A	6.863B/6.268A	----	5.824 - 0.923	.3724	----	----	----	----	0 UNCH
7375	----	----	7.483B/6.141A	7.483B/6.141A	----	6.058 - 0.947	.3827	----	----	----	----	149 UNCH
7400	6.384	6.384	7.360B/6.384	7.360B/6.384	----	6.177 - 0.959	.3878	----	----	2	----	23 + 2
7450	----	----	7.560B/6.633A	7.560B/6.633A	----	6.421 - 0.982	.3981	----	----	----	----	1 UNCH
7500	----	----	7.933B/6.825A	7.933B/6.825A	----	6.671 - 1.003	.4085	----	----	----	----	38 UNCH
7525	----	----	7.978B/7.020A	7.978B/7.020A	----	6.798 - 1.014	.4136	----	----	----	----	2 UNCH
7550	----	----	8.145B/7.141A	8.145B/7.141A	----	6.927 - 1.025	.4188	----	----	----	----	7 UNCH
7600	----	----	8.531B/7.418A	8.531B/7.418A	----	7.190 - 1.045	.4291	----	----	----	----	3 UNCH
7625	----	----	8.600B/7.547A	8.600B/7.547A	----	7.324 - 1.054	.4342	----	----	----	----	1 UNCH
7700	----	----	9.030B/7.904A	9.030B/7.904A	----	7.733 - 1.084	.4496	----	----	1	----	2 + 1
7800	----	----	9.431B/8.505A	9.431B/8.505A	----	8.300 - 1.120	.4699	----	----	84	----	78 + 74
7850	----	----	9.807B/8.785A	9.807B/8.785A	----	8.592 - 1.137	.4799	----	----	----	----	1 UNCH
7900	----	----	10.075B/9.022A	10.075B/9.022A	----	8.890 - 1.154	.4899	----	----	----	----	8 UNCH
7975	----	----	10.570B/9.461A	10.570B/9.461A	----	9.347 - 1.177	.5047	----	----	----	----	5 UNCH
8000	----	----	10.845B/9.511A	10.845B/9.511A	----	9.502 - 1.185	.5095	----	----	----	----	291 UNCH
8100	----	----	11.477B/10.173A	11.477B/10.173A	----	10.135 - 1.214	.5288	----	----	----	----	25 UNCH
8125	----	----	11.602B/10.388A	11.602B/10.388A	----	10.297 - 1.220	.5335	----	----	----	----	4 UNCH
8250	----	----	12.542B/11.107A	12.542B/11.107A	----	11.125 - 1.251	.5567	----	----	----	----	46 UNCH
8300	----	----	13.013B/11.413A	13.013B/11.413A	----	11.464 - 1.263	.5658	----	----	----	----	120 UNCH
8375	----	----	13.401B/12.005A	13.401B/12.005A	----	11.983 - 1.278	.5792	----	----	----	----	1 UNCH
8400	----	----	13.586B/12.204A	13.586B/12.204A	----	12.158 - 1.283	.5835	----	----	----	----	7 UNCH
8500	12.960	12.960	14.532B/12.801A	14.532B/12.801A	----	12.870 - 1.301	.6007	----	----	5	----	57 + 4
8600	----	----	15.301B/13.541A	15.301B/13.541A	----	13.600 - 1.317	.6173	----	----	----	----	56 UNCH
8700	----	----	15.888B/14.385A	15.888B/14.385A	----	14.347 - 1.329	.6332	----	----	----	----	4 UNCH
9000	18.652	18.652	18.652/16.643A	18.652/16.643A	----	16.680 - 1.351	.6772	----	----	1	----	307 - 1
9200	----	----	19.964B/18.367A	19.964B/18.367A	----	18.304 - 1.355	.7034	----	----	----	----	11 UNCH
9400	----	----	21.666B/20.034A	21.666B/20.034A	----	19.975 - 1.351	.7272	----	----	----	----	1 UNCH
9450	----	----	22.093B/20.452A	22.093B/20.452A	----	20.399 - 1.350	.7328	----	----	----	----	12 UNCH
9500	----	----	22.714B/20.775A	22.714B/20.775A	----	20.827 - 1.346	.7382	----	----	----	----	218 UNCH
9600	----	----	23.585B/21.628A	23.585B/21.628A	----	21.688 - 1.340	.7486	----	----	----	----	50 UNCH
9900	----	----	26.048B/24.326A	26.048B/24.326A	----	24.320 - 1.318	.7770	----	----	----	----	6 UNCH
9950	----	----	26.495B/24.765A	26.495B/24.765A	----	24.765 - 1.314	.7813	----	----	----	----	5 UNCH
10000	----	----	27.133B/25.108A	27.133B/25.108A	----	25.211 - 1.310	.7855	----	----	----	----	205 UNCH
10275	----	----	29.435B/27.659A	29.435B/27.659A	----	27.687 - 1.294	.8072	----	----	----	----	7 UNCH
10500	----	----	31.495B/29.697A	31.495B/29.697A	----	29.739 - 1.284	.8230	----	----	----	----	3 UNCH
10600	----	----	32.419B/30.612A	32.419B/30.612A	----	30.658 - 1.281	.8296	----	----	----	----	9 UNCH
11000	34.266	34.266	36.334B/34.223A	36.334B/34.223A	----	34.369 - 1.270	.8532	----	----	2	----	217 UNCH
11300	----	----	38.989B/37.130A	38.989B/37.130A	----	37.186 - 1.264	.8683	----	----	----	----	10 UNCH
11500	----	----	40.893B/39.020A	40.893B/39.020A	----	39.077 - 1.261	.8773	----	----	----	----	1 UNCH
12000	----	----	45.689B/43.785A	45.689B/43.785A	----	43.846 - 1.252	.8968	----	----	----	----	15 UNCH
13000	----	----	55.389B/53.445A	55.389B/53.445A	----	53.520 - 1.222	.9248	----	----	----	----	6 UNCH
TOTAL										251	0	10197 + 171
AUG26												
3300	----	----	----	0.083B/0.245A	----	0.139 - 0.041	.0108	----	----	----	----	2 UNCH
3900	----	----	----	0.233B/0.382A	----	0.291 - 0.087	.0225	----	----	----	----	2 UNCH
4175	----	----	----/0.481A	0.336B/0.481A	----	0.386 - 0.117	.0300	----	----	----	----	1 UNCH
4300	----	----	----/0.536A	0.395B/0.536A	----	0.437 - 0.132	.0340	----	----	----	----	1 UNCH
4350	----	----	----/0.560A	0.422B/0.560A	----	0.459 - 0.139	.0357	----	----	----	----	1 UNCH
4375	----	----	----/0.572A	0.436B/0.572A	----	0.470 - 0.143	.0366	----	----	----	----	160 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 65

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
AUG26												
4500	----	----	----/0.637A	0.512B/0.637A	----	0.531 - 0.160	.0413	----	----	----	----	2 UNCH
4600	----	----	----/0.697A	0.581B/0.697A	----	0.586 - 0.175	.0455	----	----	----	----	2 UNCH
4625	----	----	----/*0.712A	0.599B/*0.712A	----	0.600 - 0.179	.0466	----	----	----	----	1 UNCH
4700	----	----	----/0.761A	0.657B/0.761A	----	0.646 - 0.191	.0501	----	----	----	----	1 UNCH
4775	----	----	----/*0.813A	0.752B/*0.813A	----	0.694 - 0.204	.0537	----	----	----	----	1 UNCH
4800	----	----	----/0.831A	0.747B/0.831A	----	0.711 - 0.208	.0550	----	----	----	----	16 UNCH
4825	----	----	----/*0.850A	0.797B/0.850A	----	0.729 - 0.212	.0564	----	----	----	----	1 UNCH
5000	----	----	----/0.991A	0.966B/0.991A	----	0.865 - 0.243	.0664	----	----	----	----	14 UNCH
5275	----	----	----/1.268A	1.250B/1.268A	----	1.133 - 0.297	.0855	----	----	----	----	1 UNCH
5300	----	----	----/1.292A	1.277B/1.292A	----	1.161 - 0.302	.0874	----	----	----	----	1 UNCH
5500	----	----	----	1.626B/1.879A	----	1.412 - 0.345	.1044	----	----	----	----	26 UNCH
5675	----	----	----	1.952B/2.133A	----	1.674 - 0.384	.1214	----	----	----	----	9 UNCH
5800	----	----	----	2.199B/2.332A	----	1.888 - 0.413	.1347	----	----	----	----	4 UNCH
5850	----	----	----	2.274B/2.414A	----	1.981 - 0.424	.1404	----	----	----	----	2 UNCH
5875	----	----	----	2.337B/2.469A	----	2.028 - 0.431	.1432	----	----	----	----	12 UNCH
5900	----	----	----/2.377A	2.423B/2.377A	----	2.077 - 0.436	.1462	----	----	----	----	5 UNCH
5950	2.500	2.500	2.500/2.451A	2.501B/2.451A	----	2.177 - 0.449	.1521	----	----	12	----	10 - 6
6000	----	----	----/2.706A	2.651B/2.706A	----	2.282 - 0.461	.1583	----	----	----	----	139 UNCH
6100	----	----	----/2.944A	2.873B/2.944A	----	2.504 - 0.486	.1710	----	----	----	----	9 UNCH
6300	----	----	----/3.474A	3.411B/3.474A	----	3.003 - 0.539	.1983	----	----	----	----	0 UNCH
6500	----	----	----/4.046A	4.024B/4.046A	----	3.580 - 0.596	.2278	----	----	----	----	156 UNCH
6600	----	----	----/4.395A	4.430B/4.395A	----	3.898 - 0.627	.2433	----	----	----	----	13 UNCH
6725	----	----	----/4.836A	4.753B/4.836A	----	4.326 - 0.666	.2633	----	----	----	----	7 UNCH
6825	----	----	----/5.190A	5.112B/5.190A	----	4.692 - 0.700	.2798	----	----	----	----	7 UNCH
7000	----	----	----/5.901A	5.865B/5.901A	----	5.385 - 0.762	.3092	----	----	----	----	6 UNCH
7050	----	----	----/6.128A	6.090B/6.128A	----	5.594 - 0.782	.3178	----	----	----	----	1 UNCH
7100	----	----	----/6.331A	6.321B/6.331A	----	5.810 - 0.801	.3264	----	----	----	----	2 UNCH
7350	----	----	----/7.474A	7.570B/7.474A	----	6.967 - 0.907	.3699	----	----	----	----	6 UNCH
7400	----	----	----/7.718A	7.793B/7.718A	----	7.215 - 0.929	.3786	----	----	----	----	4 UNCH
7500	----	----	----/8.223A	8.349B/8.223A	----	7.725 - 0.975	.3961	----	----	----	----	6 UNCH
7550	----	----	----/8.484A	8.690B/8.484A	----	7.989 - 0.997	.4048	----	----	----	----	5 UNCH
7600	9.117	9.117	9.117/8.749A	9.117/8.749A	----	8.257 NEW	.4135	----	----	4	----	4 + 4
7700	----	----	----/9.298A	9.503B/9.298A	----	8.810 - 1.064	.4308	----	----	----	----	25 UNCH
8000	----	----	----/11.071A	11.436B/11.071A	----	10.587 - 1.188	.4812	----	----	----	----	20 UNCH
8150	----	----	----/12.024A	12.513B/12.024A	----	11.542 - 1.237	.5055	----	----	----	----	10 UNCH
8200	----	----	----/12.351A	12.800B/12.351A	----	11.869 - 1.252	.5134	----	----	----	----	10 UNCH
8250	----	----	----/12.683A	13.142B/12.683A	----	12.201 - 1.265	.5212	----	----	----	----	5 UNCH
8500	----	----	----/14.405A	15.002B/14.405A	----	13.923 - 1.317	.5586	----	----	----	----	20 UNCH
9000	----	----	----/18.120A	18.785B/18.120A	----	17.647 - 1.353	.6253	----	----	----	----	29 UNCH
9300	----	----	----/20.492A	20.778B/20.492A	----	20.025 - 1.350	.6602	----	----	----	----	1 UNCH
9500	----	----	----/22.490A	22.424B/22.490A	----	21.659 - 1.343	.6814	----	----	----	----	30 UNCH
10000	----	----	----	13.918B/38.477A	----	25.878 - 1.321	.7282	----	----	----	----	6 UNCH
10175	----	----	----	15.407B/40.419A	----	27.393 - 1.314	.7426	----	----	----	----	15 UNCH
TOTAL										16	0	811 - 2
SEP26												
2500	----	----	----	0.001B/3.803A	----	0.042 - 0.017	.0033	----	----	----	----	60 UNCH
3000	----	----	----	0.071B/0.264A	----	0.102 - 0.037	.0078	----	----	----	----	22 UNCH
3500	----	----	----	0.187B/0.369A	----	0.217 - 0.068	.0161	----	----	----	----	74 UNCH
4000	----	----	----	0.377B/0.556A	----	0.424 - 0.116	.0302	----	----	----	----	46 UNCH
4500	----	----	----/0.846A	0.703B/0.846A	----	0.712 - 0.188	.0499	----	----	----	----	12 UNCH
5000	----	----	----/1.295A	1.234B/1.295A	----	1.150 - 0.280	.0784	----	----	----	----	232 UNCH
5100	----	----	----/1.410A	1.202B/1.410A	----	1.262 - 0.302	.0854	----	----	----	----	1 UNCH
5500	----	----	----	1.705B/2.345A	----	1.824 - 0.395	.1189	----	----	----	----	228 UNCH
5600	----	----	----	1.928B/2.508A	----	1.996 - 0.420	.1286	----	----	----	----	1 UNCH
5700	----	----	----	2.134B/2.685A	----	2.183 - 0.446	.1389	----	----	----	----	2 UNCH
5800	----	----	----/2.741A	2.357B/2.741A	----	2.384 - 0.473	.1497	----	----	----	----	7 UNCH
5900	----	----	----/3.099A	2.597B/3.099A	----	2.601 - 0.500	.1611	----	----	----	----	50 UNCH
6000	----	----	----/3.351A	2.852B/3.351A	----	2.835 - 0.528	.1730	----	----	----	----	128 UNCH
6050	----	----	----/3.478A	2.988B/3.478A	----	2.958 - 0.542	.1791	----	----	----	----	15 UNCH
6300	----	----	----/4.205A	3.734B/4.205A	----	3.642 - 0.614	.2117	----	----	----	----	3 UNCH
6400	----	----	----/4.526A	4.066B/4.526A	----	3.948 - 0.644	.2255	----	----	----	----	1 UNCH
6425	----	----	----/4.606A	4.152B/4.606A	----	4.027 - 0.652	.2290	----	----	----	----	1 UNCH
6500	----	----	----/4.891A	4.417B/4.891A	----	4.273 - 0.675	.2397	----	----	----	----	55 UNCH
6900	----	----	----/6.423A	6.077B/6.423A	----	5.777 - 0.803	.2998	----	----	----	----	1 UNCH
7000	----	----	----/6.858A	6.549B/6.858A	----	6.205 - 0.836	.3154	----	----	10	----	16 UNCH
7025	----	----	----/6.976A	6.597B/6.976A	----	6.315 - 0.844	.3193	----	----	----	----	1 UNCH
7100	----	----	----/7.328A	7.041B/7.328A	----	6.654 - 0.869	.3311	----	----	----	----	16 UNCH
7125	----	----	----/7.475A	7.076B/7.475A	----	6.769 - 0.878	.3350	----	----	----	----	25 UNCH
7175	----	----	----/7.675A	7.324B/7.675A	----	7.004 - 0.895	.3429	----	----	----	----	20 UNCH
7200	----	----	----/7.790A	7.553B/7.790A	----	7.123 - 0.903	.3469	----	----	----	----	50 UNCH
7400	----	----	----/8.775A	8.637B/8.775A	----	8.124 - 0.973	.3786	----	----	----	----	20 UNCH
7500	----	----	----/9.298A	9.212B/9.298A	----	8.655 - 1.008	.3943	----	----	----	----	3 UNCH
7550	----	----	----/9.567A	9.500B/9.567A	----	8.928 - 1.026	.4022	----	----	----	----	2 UNCH
7700	----	----	----/10.405A	10.405B/10.405A	----	9.775 - 1.079	.4255	----	----	----	----	1 UNCH
7800	----	----	----/10.987A	11.034B/10.987A	----	10.364 - 1.112	.4408	----	----	----	----	4 UNCH
7900	----	----	----/11.588A	11.672B/11.588A	----	10.970 - 1.145	.4558	----	----	----	----	1 UNCH
8000	----	----	----/12.207A	12.338B/12.207A	----	11.593 - 1.176	.4706	----	----	----	----	40 UNCH
8100	----	----	----/12.844A	13.015B/12.844A	----	12.233 - 1.206	.4851	----	----	----	----	1 UNCH
8200	----	----	----/13.497A	13.705B/13.497A	----	12.888 - 1.234	.4993	----	----	----	----	1 UNCH
8500	----	----	----/15.552A	15.855B/15.552A	----	14.942 - 1.301	.5400	----	----	----	----	225 UNCH
8700	----	----	----/16.992A	17.349B/16.992A	----	16.378 - 1.336	.5654	----	----	----	----	100 UNCH
9000	----	----	----/19.243A	19.677B/19.243A	----	18.624 - 1.371	.6010	----	----	----	----	74 UNCH
9300	----	----	----/21.587A	22.070B/21.587A	----	20.967 - 1.390	.6333	----	----	----	----	1 UNCH
9400	----	----	----/22.387A	22.887B/22.387A	----	21.767 - 1.394	.6435	----	----	----	----	1 UNCH
10150	----	----	----/28.982A	27.334B/28.982A	----	28.021 - 1.385	.7092	----	----	----	----	1 UNCH
10300	----	----	----	13.705B/46.149A	----	29.318 - 1.377	.7204	----	----	----	----	1 UNCH
TOTAL										10	0	1543 0
OCT26												
2675	----	----	----	0.029B/0.297A	----	0.079 - 0.028	.0056	----	----	----	----	8 UNCH
3250	----	----	----	0.163B/0.373A	----	0.174 - 0.055	.0124	----	----	----	----	1 UNCH
4000	----	----	----	0.469B/0.676A	----	0.457 - 0.121	.0312	----	----	----	----	3 UNCH
4500	----	----	----/1.017A	0.849B/1.017A	----	0.855 - 0.194	.0546	----	----	----	----	3 UNCH
5000	----	----	----/1.529A	1.298B/1.529A	----	1.475 - 0.303	.0878	----	----	----	----	6 UNCH
5050	----	----	----/1.589A	1.273B/1.589A	----	1.551 - 0.314	.0917	----	----	----	----	1 UNCH
5150	----	----	----	1.249B/2.153A	----	1.710 - 0.340	.0997	----	----	----	----	5 UNCH
6500	----	----	----/5.375A	4.803B/5.375A	----	5.097 - 0.738	.2437	----	----	----	----	6 UNCH
7000	----	----	----/7.415A	6.932B/7.415A	----	7.035 - 0.889	.3104	----	----	----	----	85 UNCH
7225	----	----	----/8.481A	7.985B/8.481A	----	8.042 - 0.952	.3417	----	----	----	----	87 UNCH
7500	----	----	----/9.897A	9.583B/9.897A	----	9.388 - 1.023	.3804	----	----	----	----	1 UNCH
7950	----	----	----/12.470A	12.340B/12.470A	----	11.864 - 1.125	.4432	----	----	----	----	10 UNCH
8200	----	----	----/14.049A	14.013B/14.049A	----	13.385 - 1.171	.4768	----	----	----	----	6 UNCH
8375	----	----	----/15.414A	14.992B/15.414A	----	14.509 - 1.199	.4996	----	----	----	----	1 UNCH
9100	----	----	----/20.444A	20.646B/20.444A	----	19.635 - 1.279	.5846	----	----	----	----	1 UNCH
10000	----	----	----/27.652A	27.601B/27.652A	----	26.827 - 1.316	.6677	----	----	----	----	40 UNCH
TOTAL											0	264 0
NOV26												
4500	----	----	----/1.235A	1.032B/1.235A	----	1.045 - 0.218	.0616	----	----	----	----	2 UNCH
4550	----	----	----/1.285A	1.090B/1.285A	----	1.104 - 0.228	.0646	----	----	----	----	1 UNCH
4800	----	----	----/1.565A	1.412B/1.565A	----	1.436 - 0.283	.0811	----	----	----	----	1 UNCH
5000	----	----	----/1.660A	1.222B/1.660A	----	1.745 - 0.332	.0959	----	----	----	----	12 UNCH
5200	----	----	----	1.611B/2.617A	----	2.098 - 0.385	.1121	----	----	----	----	1 UNCH
5950	----	----	----/4.229A	3.459B/4.229A	----	3.853 - 0.605	.1851	----	----	----	----	1 UNCH
6700	----	----	----/6.883A	6.125B/6.883A	----	6.395 - 0.838	.2742	----	----	----	----	50 UNCH
7000	----	----	----/8.219A	7.510B/8.219A	----	7.658 - 0.926	.3129	----	----	----	----	40 UNCH
7025	----	----	----/8.338A	7.631B/8.338A	----	7.770 - 0.933	.3161	----	----	----	----	6 UNCH
7500	----	----	----/10.790A	10.212B/10.790A	----	10.094 - 1.056	.3788	----	----	----	----	3 UNCH
7700	----	----	----/11.940A	11.411B/11.940A	----	11.185 - 1.101	.4050	----	----	----	----	50 UNCH
8500	----	----	----/17.044A	16.778B/17.044A	----	16.205 - 1.232	.5033	----	----	----	----	60 UNCH
9000	----	----	----/20.654A	20.509B/20.654A	----	19.821 - 1.276	.5563	----	----	----	----	5 UNCH
9050	----	----	----/21.029A	20.893B/21.029A	----	20.199 - 1.279	.5612	----	----	----	----	3 UNCH
10000	----	----	----/28.546A	28.741B/28.546A	----	27.790 - 1.311	.6421	----	----	----	----	1 UNCH
11000	----	----	----/37.322A	35.418B/37.322A	----	36.325 - 1.317	.7075	----	----	----	----	1 UNCH
TOTAL											0	237 0
DEC26												
1500	----	----	----	----/0.130A	----	0.020 - 0.006	.0012	----	----	----	----	180 UNCH
2000	----	----	----	0.001B/0.400A	----	0.063 - 0.017	.0037	----	----	----	----	10 UNCH
2500	----	----	----	0.013B/0.349A	----	0.114 - 0.030	.0070	----	----	----	----	32 UNCH
3000	----	----	----	0.155B/0.453A	----	0.203 - 0.051	.0128	----	----	----	----	93 UNCH
3100	----	----	----	0.185B/0.483A	----	0.228 - 0.055	.0144	----	----	----	----	1 UNCH
3150	----	----	----	0.200B/0.498A	----	0.248 - 0.060	.0155	----	----	----	----	1 UNCH
3500	----	----	----	0.345B/0.598A	----	0.435 - 0.092	.0257	----	----	----	----	45 UNCH
3850	----	----	----	0.553B/0.857A	----	0.679 - 0.133	.0385	----	----	----	----	1 UNCH
3900	----	----	----	0.589B/0.893A	----	0.716 - 0.140	.0404	----	----	----	----	1 UNCH
3925	----	----	----	0.609B/0.910A	----	0.735 - 0.143	.0414	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
DEC26												
4000	----	----	----	0.667B/0.965A	----	0.795 - 0.153	.0445	----	----	----	----	74 UNCH
4500	----	----	----/1.426A	1.192B/1.426A	----	1.283 - 0.235	.0692	----	----	----	----	32 UNCH
4600	----	----	----/1.541A	1.327B/1.541A	----	1.402 - 0.253	.0751	----	----	----	----	4 UNCH
4800	----	----	----/1.796A	1.426B/1.796A	----	1.665 - 0.293	.0877	----	----	----	----	241 UNCH
5000	----	----	----	1.407B/2.632A	----	1.964 - 0.335	.1017	----	----	----	----	357 UNCH
5250	----	----	----	1.955B/3.048A	----	2.396 - 0.392	.1212	----	----	----	----	50 UNCH
5300	----	----	----	2.076B/3.139A	----	2.490 - 0.404	.1253	----	----	----	----	250 UNCH
5400	----	----	----	2.337B/3.328A	----	2.689 - 0.428	.1340	----	----	----	----	100 UNCH
5500	3.350	3.350	3.350/2.910A	3.350/2.910A	----	2.900 - 0.452	.1429	----	----	30	----	84 - 2
5600	----	----	----	2.811B/3.737A	----	3.124 - 0.477	.1523	----	----	----	----	4 UNCH
5650	----	----	----	2.939B/3.880A	----	3.242 - 0.489	.1571	----	----	----	----	12 UNCH
5800	----	----	----	3.349B/4.273A	----	3.615 - 0.527	.1720	----	----	----	----	1 UNCH
5950	----	----	----	3.795B/4.720A	----	4.023 - 0.566	.1878	----	----	----	----	5 UNCH
6000	----	----	----	3.951B/4.904A	----	4.168 - 0.577	.1932	----	----	----	----	147 UNCH
6200	----	----	----	4.621B/5.541A	----	4.787 - 0.628	.2156	----	----	----	----	13 UNCH
6300	----	----	----	4.981B/5.903A	----	5.123 - 0.653	.2272	----	----	----	----	25 UNCH
6500	----	----	----	5.754B/6.671A	----	5.851 - 0.702	.2512	----	----	----	----	626 UNCH
6650	----	----	----	6.381B/7.289A	----	6.447 - 0.737	.2697	----	----	----	----	5 UNCH
6725	----	----	----	6.708B/7.613A	----	6.761 - 0.754	.2791	----	----	----	----	4 UNCH
6750	----	----	----	6.820B/7.722A	----	6.868 - 0.759	.2822	----	----	----	----	6 UNCH
6800	----	----	----	7.046B/7.981A	----	7.085 - 0.771	.2885	----	----	----	----	52 UNCH
6850	8.550	8.550	8.550/7.700A	8.550/7.700A	----	7.307 - 0.782	.2948	----	----	11	----	61 - 4
6900	----	----	----	7.511B/8.407A	----	7.533 - 0.793	.3012	----	----	----	----	1 UNCH
6950	----	----	----	7.751B/8.679A	----	7.764 - 0.804	.3075	----	----	----	----	101 UNCH
7000	----	----	----	7.994B/8.878A	----	7.999 - 0.815	.3139	----	----	----	----	179 UNCH
7050	----	----	----	8.240B/9.125A	----	8.239 - 0.826	.3203	----	----	----	----	1 UNCH
7075	----	----	----	8.368B/9.252A	----	8.360 - 0.832	.3235	----	----	----	----	20 UNCH
7100	----	----	----	8.493B/9.376A	----	8.482 - 0.838	.3266	----	----	----	----	2 UNCH
7200	----	----	----	9.010B/9.885A	----	8.983 - 0.860	.3394	----	----	----	----	14 UNCH
7500	12.150	12.150	12.150/11.506A	12.150/11.506A	----	10.585 - 0.925	.3774	----	----	10	----	21 - 4
7550	----	----	----/11.797A	10.986B/11.797A	----	10.867 - 0.934	.3837	----	----	----	----	1 UNCH
7800	----	----	----/13.276A	12.524B/13.276A	----	12.331 - 0.986	.4146	----	----	----	----	20 UNCH
7850	----	----	----/13.588A	12.842B/13.588A	----	12.635 - 0.997	.4207	----	----	----	----	10 UNCH
7875	----	----	----/13.738A	12.864B/13.738A	----	12.788 - 1.002	.4236	----	----	----	----	4 UNCH
7900	----	----	----/13.901A	13.164B/13.901A	----	12.943 - 1.006	.4266	----	----	----	----	19 UNCH
8000	----	----	----/14.536A	13.817B/14.536A	----	13.569 - 1.026	.4385	----	----	----	----	50 UNCH
8100	----	----	----/15.175A	14.484B/15.175A	----	14.209 - 1.046	.4501	----	----	----	----	1 UNCH
8200	----	----	----/15.826A	15.163B/15.826A	----	14.862 - 1.065	.4615	----	----	----	----	35 UNCH
8350	----	----	----/16.824A	16.204B/16.824A	----	15.867 - 1.092	.4782	----	----	----	----	9 UNCH
8400	----	----	----/16.657A	16.561B/16.657A	----	16.208 - 1.101	.4836	----	----	----	----	50 UNCH
8500	----	----	----/17.851A	17.272B/17.851A	----	16.899 - 1.118	.4943	----	----	----	----	160 UNCH
8600	----	----	----/18.550A	17.995B/18.550A	----	17.601 - 1.135	.5048	----	----	----	----	2 UNCH
8800	19.431	19.431	19.431/19.420A	19.471B/19.420A	----	19.040 - 1.166	.5250	----	----	2	----	12 + 2
8900	----	----	----/20.712A	20.225B/20.712A	----	19.774 - 1.182	.5348	----	----	----	----	30 UNCH
9000	----	----	----/21.453A	20.986B/21.453A	----	20.518 - 1.196	.5443	----	----	----	----	3 UNCH
9050	----	----	----/21.827A	21.374B/21.827A	----	20.894 - 1.203	.5490	----	----	----	----	100 UNCH
9500	----	----	----/25.289A	24.895B/25.289A	----	24.371 - 1.257	.5884	----	----	----	----	2 UNCH
9850	----	----	----/28.083A	27.748B/28.083A	----	27.178 - 1.288	.6160	----	----	----	----	8 UNCH
9950	----	----	----/28.896A	28.581B/28.896A	----	27.993 - 1.297	.6234	----	----	----	----	1 UNCH
10025	----	----	----/29.681A	28.934B/29.681A	----	28.609 - 1.301	.6289	----	----	----	----	3 UNCH
10125	----	----	----/30.510A	29.774B/30.510A	----	29.434 - 1.308	.6360	----	----	----	----	1 UNCH
10700	----	----	----/35.357A	34.651B/35.357A	----	34.274 - 1.329	.6737	----	----	----	----	5 UNCH
10800	----	----	----/36.227A	35.512B/36.227A	----	35.131 - 1.331	.6797	----	----	----	----	2 UNCH
11000	----	----	----/37.956A	37.241B/37.956A	----	36.855 - 1.334	.6913	----	----	----	----	2 UNCH
11500	----	----	----	9.508B/74.231A	----	41.230 - 1.333	.7179	----	----	----	----	1 UNCH
12000	----	----	----	12.262B/80.449A	----	45.683 - 1.325	.7416	----	----	----	----	1 UNCH
12100	----	----	----	12.965B/81.694A	----	46.581 - 1.324	.7460	----	----	----	----	1 UNCH
12300	----	----	----	14.363B/83.928A	----	48.386 - 1.319	.7544	----	----	----	----	1 UNCH
15000	----	----	----	37.957B/110.065A	----	73.492 - 1.258	.8388	----	----	----	----	1 UNCH
19000	----	----	----	80.206B/145.973A	----	112.130 - 1.192	.9043	----	----	----	----	1 UNCH
TOTAL										53	0	3393 - 8
JAN27												
3800	----	----	----/1.158A	0.336B/1.158A	----	0.721 - 0.847	.0386	----	----	----	----	1 UNCH
7125	----	----	----	7.814B/*10.833A	----	8.992 - 1.224	.3219	----	----	----	----	1 UNCH
8600	----	----	----/18.956A	18.043B/18.956A	----	17.799 - 1.506	.4882	----	----	----	----	1 UNCH
TOTAL											0	3 0
MAR27												
6500	9.000	9.000	#9.000/*7.492A	#9.000/*7.492A	----	7.040 NEW	.2536	----	----	20	----	20 + 20
TOTAL										20	0	20 + 20
DEC27												
7175	----	----	----	----	----	13.664 - 2.360	.3036	----	----	----	----	25 UNCH
TOTAL											0	25 0
SO1 CALL		SILVER OPTIONS										
MAY26												
8000	----	----	2.835B/2.561A	2.835B/2.561A	----	2.982 + 0.414	.4149	----	----	----	----	5 UNCH
TOTAL											0	5 0
SO2 CALL		SILVER OPTIONS										
APR26												
6200	----	----	----	----	----	14.450 + 1.032	.9997	----	----	----	----	1 UNCH
6800	----	----	----	----	----	8.470 + 0.944	.9980	----	----	----	----	2 UNCH
7000	----	----	----	----	----	6.486 + 0.838	.9950	----	----	----	----	2 UNCH
7050	----	----	----	----	----	5.993 + 0.796	.9934	----	----	----	----	2 UNCH
7110	----	----	----	----	----	5.405 + 0.734	.9905	----	----	----	----	1 UNCH
7200	----	----	----	----	----	4.531 + 0.613	.9822	----	----	----	----	2 UNCH
7300	----	----	----/2.519A	1.287B/2.519A	----	3.584 + 0.437	.9602	----	----	----	----	4 UNCH
7350	----	----	----/1.641A	1.383B/1.641A	----	3.128 + 0.337	.9395	----	----	----	----	4 UNCH
7355	----	----	----/1.603A	1.377B/1.603A	----	3.083 + 0.326	.9369	----	----	----	----	3 UNCH
7400	1.313	1.313	1.313/1.021	1.424B/1.021	----	2.687 + 0.228	.9075	----	----	28	----	132 + 26
7450	----	----	----/1.177A	1.161B/1.177A	----	2.270 + 0.120	.8604	----	----	----	----	2 UNCH
7475	----	----	----/1.109A	1.038B/1.109A	----	2.071 + 0.066	.8300	----	----	----	----	3 UNCH
7500	0.995	0.995	1.050/0.800	1.050/0.800	----	1.880 + 0.013	.7945	----	----	17	----	35 + 13
7525	0.826	0.826	1.007B/0.826	1.007B/0.826	----	1.697 NEW	.7540	----	----	1	----	1 + 1
7550	0.650	0.650	1.036B/0.649A	1.036B/0.649A	----	1.524 - 0.085	.7084	----	----	5	----	7 + 5
7560	1.450	1.450	1.450/0.760A	1.450/0.760A	----	1.458 NEW	.6888	----	----	3	----	3 + 3
7575	0.700	0.700	1.200B/0.580	1.200B/0.580	----	1.361 NEW	.6583	----	----	23	----	7 + 7
7585	1.100	1.100	1.100/0.665A	1.100/0.665A	----	1.299 NEW	.6371	----	----	2	----	0 UNCH
7600	0.580	0.580	1.200/*0.514	1.200/*0.514	----	1.208 - 0.169	.6044	----	----	16	----	16 + 9
7605	----	----	----/0.600A	0.950B/0.600A	----	1.179 - 0.176	.5934	----	----	----	----	5 UNCH
7620	1.058	1.058	1.058/0.541A	1.058/0.541A	----	1.094 NEW	.5594	----	----	2	----	2 + 2
7650	0.690	0.690	0.867/0.514A	0.867/0.514A	----	0.936 NEW	.4900	----	----	8	----	6 + 6
7675	----	----	----/*0.411A	0.777B/*0.411A	----	0.817 - 0.259	.4320	----	----	----	----	2 UNCH
7700	0.621	0.621	0.621/*0.398A	0.631B/*0.398A	----	0.710 - 0.277	.3754	----	----	1	----	10 UNCH
7725	0.550	0.550	0.587B/*0.301A	0.587B/*0.301A	----	0.613 - 0.292	.3215	----	----	2	----	2 + 2
7750	0.530	0.530	0.530/*0.317A	0.530/*0.317A	----	0.526 - 0.302	.2711	----	----	1	----	2 + 1
7775	----	----	----/*0.258A	0.415B/*0.258A	----	0.450 - 0.306	.2255	----	----	1	----	2 + 1
7800	0.165	0.165	0.443/*0.165	0.443/*0.165	----	0.383 - 0.306	.1849	----	----	13	----	21 + 1
7850	0.250	0.250	0.250/*0.218A	0.250/*0.218A	----	0.275 NEW	.1197	----	----	2	----	2 + 2
7900	0.200	0.200	0.200/*0.165A	0.200/*0.165A	----	0.196 - 0.273	.0743	----	----	2	----	2 - 2
7925	----	----	----/*0.158A	0.145B/*0.158A	----	0.164 - 0.260	.0573	----	----	----	----	5 UNCH
7950	0.110	0.110	0.110/*0.110	0.110/*0.110	----	0.138 NEW	.0442	----	----	4	----	4 + 4
8000	0.115	0.115	0.150/*0.050	0.150/*0.050	----	0.098 - 0.214	.0259	----	----	31	----	43 + 12
8100	0.036	0.036	0.049/*0.036	0.049/*0.036	----	0.051 - 0.154	.0088	----	----	2	----	23 UNCH
8150	----	----	----/*0.114A	0.010B/*0.114A	----	0.038 - 0.132	.0052	----	----	----	----	1 UNCH
8200	0.031	0.031	0.031/*0.031	0.031/*0.031	----	0.029 NEW	.0032	----	----	1	----	1 + 1
8250	----	----	----/*0.108A	----/*0.108A	----	0.022 - 0.097	.0019	----	----	----	----	7 UNCH
8300	0.030	0.030	0.030/*0.030	0.030/*0.030	----	0.018 - 0.083	.0013	----	----	1	----	1 UNCH
8400	----	----	----	----/*0.107A	----	0.013 - 0.061	.0006	----	----	----	----	5 UNCH
8500	----	----	----	----/0.118A	----	0.010 - 0.046	.0003	----	----	----	----	17 UNCH
8625	----	----	----	----/*0.118A	----	0.008 - 0.033	.0002	----	----	----	----	2 UNCH
8800	----	----	----	----/0.130A	----	0.008 - 0.015	.0001	----	----	----	----	6 UNCH
8825	0.020	0.020	0.020/*0.020	0.020/*0.020	----	0.008 NEW	.0001	----	----	1	----	1 + 1
9000	----	----	0.016B/----	0.016B/0.134A	----	0.008 - 0.001	.0001	----	----	----	----	16 UNCH
9125	----	----	----	----/0.151A	----	0.004 UNCH	.0000	----	----	----	----	2 UNCH
9200	----	----	----	----/0.159A	----	0.003 UNCH	.0000	----	----	----	----	7 UNCH
9225	----	----	----	----/0.161A	----	0.002 - 0.001	.0000	----	----	----	----	2 UNCH
9500	----	----	----	----/0.183A	----	0.001 UNCH	----	----	----	----	----	2 UNCH
9700	----	----	----	----/0.193A	----	0.001 UNCH	----	----	----	----	----	0 UNCH
TOTAL										167	0	428 + 95
SO2 PUT		SILVER OPTIONS										
APR26												
5500	----	----	----	----/0.165A	----	0.001 - 0.003	----	----	----	----	----	14 UNCH
5800	----	----	----	----/0.131A	----	0.002 - 0.008	.0000	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 67

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO2 PUT		SILVER OPTIONS										
APR26												
6000	----	----	----	----/0.118A	----	0.006 -	0.013 .0000	----	----	----	----	43 UNCH
6100	----	----	----	----/0.118A	----	0.009 -	0.018 .0001	----	----	----	----	10 UNCH
6200	0.070	0.070	0.070/0.050	0.070/0.050	----	0.013 -	0.022 .0002	----	----	22	----	20 + 16
6250	0.030	0.030	0.030/*0.030	0.030/*0.030	----	0.016 -	0.025 .0003	----	----	1	----	2 UNCH
6300	0.030	0.030	0.030/*0.030	0.030/*0.030	----	0.019 -	0.026 .0004	----	----	1	----	3 + 1
6400	----	----	----	0.001B/*0.106A	----	0.026 -	0.029 .0007	----	----	----	----	12 UNCH
6450	----	----	----	0.001B/*0.102A	----	0.028 -	0.033 .0009	----	----	----	----	2 UNCH
6500	0.080	0.080	0.080/*0.080	0.080/*0.080	----	0.028 -	0.040 .0009	----	----	1	----	19 UNCH
6575	----	----	----	0.001B/*0.104A	----	0.029 -	0.052 .0011	----	----	----	----	2 UNCH
6600	0.050	0.050	0.050/*0.050	0.050/*0.050	----	0.029 -	0.057 .0011	----	----	2	----	24 - 1
6650	----	----	----	0.077B/*0.106A	----	0.029 -	0.068 .0012	----	----	----	----	2 UNCH
6700	0.099	0.099	0.099/*0.099	0.099/*0.099	----	0.030 -	0.079 .0014	----	----	1	----	10 + 1
6750	----	----	----/*0.106A	0.049B/*0.106A	----	0.031 -	0.093 .0016	----	----	----	----	3 UNCH
6800	----	----	----/*0.110A	0.096B/*0.110A	----	0.033 -	0.110 .0019	----	----	----	----	3 UNCH
6870	----	----	----/*0.116A	0.129B/*0.116A	----	0.037 -	0.138 .0026	----	----	----	----	3 UNCH
6900	0.030	0.030	0.030/*0.030	0.182B/*0.030	----	0.039	NEW .0029	----	----	1	----	1 + 1
6950	----	----	----/*0.126A	0.214B/*0.126A	----	0.043 -	0.181 .0037	----	----	----	----	3 UNCH
6960	----	----	----/*0.127A	0.227B/*0.127A	----	0.044 -	0.187 .0039	----	----	----	----	1 UNCH
7000	0.101	0.101	0.314B/*0.051	0.314B/*0.051	----	0.049 -	0.215 .0049	----	----	24	----	27 + 15
7025	----	----	0.330B/*0.144A	0.330B/*0.144A	----	0.052 -	0.235 .0056	----	----	----	----	1 UNCH
7050	----	----	0.379B/*0.085A	0.379B/*0.085A	----	0.056 -	0.257 .0065	----	----	----	----	1 UNCH
7085	----	----	0.455B/*0.152A	0.455B/*0.152A	----	0.062 -	0.292 .0080	----	----	----	----	2 UNCH
7100	0.200	0.200	0.522B/*0.065	0.522B/*0.065	----	0.065 -	0.308 .0088	----	----	4	----	8 + 1
7110	----	----	0.520B/*0.156A	0.520B/*0.156A	----	0.067 -	0.320 .0094	----	----	----	----	2 UNCH
7115	----	----	0.535B/*0.157A	0.535B/*0.157A	----	0.068 -	0.326 .0097	----	----	----	----	5 UNCH
7135	----	----	0.585B/*0.161A	0.585B/*0.161A	----	0.073 -	0.350 .0112	----	----	----	----	1 UNCH
7150	----	----	0.629B/*0.166A	0.629B/*0.166A	----	0.077 -	0.369 .0124	----	----	----	----	3 UNCH
7155	----	----	0.643B/*0.168A	0.643B/*0.168A	----	0.078 -	0.376 .0127	----	----	----	----	1 UNCH
7175	----	----	0.706B/*0.180A	0.706B/*0.180A	----	0.085 -	0.403 .0149	----	----	----	----	1 UNCH
7180	----	----	0.721B/*0.183A	0.721B/*0.183A	----	0.086 -	0.411 .0153	----	----	----	----	1 UNCH
7195	----	----	0.770B/*0.192A	0.770B/*0.192A	----	0.091 -	0.433 .0171	----	----	----	----	1 UNCH
7200	0.350	0.350	0.820B/*0.115	0.820B/*0.115	----	0.093 -	0.441 .0177	----	----	16	----	19 + 16
7225	0.345	0.345	0.875B/*0.203A	0.875B/*0.203A	----	0.104	NEW .0217	----	----	1	----	1 + 1
7300	0.639	0.639	1.194B/*0.186	1.194B/*0.186	----	0.147	NEW .0397	----	----	3	----	2 + 2
7325	0.200	0.200	1.275B/*0.200	1.275B/*0.200	----	0.166 -	0.666 .0487	----	----	2	----	3 + 2
7400	0.304	0.304	1.336B/*0.304	1.336B/*0.304	----	0.250 -	0.824 .0924	----	----	4	----	51 UNCH
7450	----	----	----/*0.459A	1.152B/*0.459A	----	0.332 -	0.933 .1395	----	----	----	----	1 UNCH
7470	0.550	0.550	0.550/*0.434A	1.177B/*0.434A	----	0.372	NEW .1634	----	----	1	----	1 + 1
7475	0.440	0.440	0.450/*0.440	1.154B/*0.440	----	0.383	NEW .1699	----	----	4	----	4 + 4
7480	0.565	0.565	0.565/*0.456A	1.183B/*0.456A	----	0.394	NEW .1766	----	----	1	----	1 + 1
7500	0.950	0.950	0.950/*0.380	1.219B/*0.380	----	0.442 -	1.040 .2054	----	----	4	----	6 + 2
7505	----	----	----/*0.516A	1.238B/*0.516A	----	0.455 -	1.050 .2132	----	----	----	----	1 UNCH
7520	----	----	----/*0.555A	1.430B/*0.555A	----	0.495 -	1.081 .2374	----	----	----	----	1 UNCH
7580	2.835	2.835	2.835/*0.742A	2.835/*0.742A	----	0.692 -	1.190 .3522	----	----	1	----	3 UNCH
7600	0.736	0.736	0.955/*0.650	1.245B/*0.650	----	0.771 -	1.221 .3955	----	----	6	----	11 + 6
7650	1.000	1.000	1.000/*0.950	1.099B/*0.950	----	0.998	NEW .5099	----	----	3	----	1 + 1
7675	----	----	----/*1.211A	1.216B/*1.211A	----	1.129 -	1.312 .5679	----	----	----	----	1 UNCH
7700	----	----	----/1.514A	1.181B/1.514A	----	1.271 -	1.331 .6245	----	----	----	----	3 UNCH
TOTAL										103	0	343 + 70
SO3 CALL		SILVER OPTIONS										
APR26												
7000	----	----	----	----/24.656A	----	7.088 +	0.652 .8491	----	----	----	----	7 UNCH
7100	----	----	----	2.301B/7.006A	----	6.236 +	0.576 .8153	----	----	----	----	1 UNCH
7300	----	----	----/3.252A	3.323B/3.252A	----	4.654 +	0.404 .7270	----	----	----	----	3 UNCH
7400	----	----	----/2.726A	3.238B/2.726A	----	3.939 +	0.313 .6722	----	----	----	----	1 UNCH
7420	----	----	----/2.694A	3.184B/2.694A	----	3.803 +	0.294 .6605	----	----	----	----	5 UNCH
7500	----	----	3.125B/2.298A	3.125B/2.298A	----	3.285 +	0.223 .6110	----	----	7	----	17 UNCH
7550	----	----	3.002B/2.148A	3.002B/2.148A	----	2.984 +	0.180 .5785	----	----	----	----	1 UNCH
7575	----	----	2.853B/2.058A	2.853B/2.058A	----	2.839 +	0.159 .5619	----	----	----	----	2 UNCH
7600	----	----	2.733B/1.930A	2.733B/1.930A	----	2.700 +	0.139 .5450	----	----	5	----	10 + 4
7750	----	----	1.933B/1.508A	1.933B/1.508A	----	1.957 +	0.031 .4421	----	----	----	----	2 UNCH
7800	----	----	----/1.345A	1.736B/1.345A	----	1.747 +	0.001 .4081	----	----	----	----	3 UNCH
7825	----	----	----/1.320A	1.604B/1.320A	----	1.649 -	0.012 .3914	----	----	----	----	3 UNCH
7875	----	----	----/1.192A	1.408B/1.192A	----	1.465 -	0.037 .3586	----	----	----	----	4 UNCH
7975	----	----	----/0.973A	1.068B/0.973A	----	1.151 -	0.074 .2972	----	----	----	----	2 UNCH
8000	----	----	----/0.902A	0.996B/0.902A	----	1.082 -	0.082 .2829	----	----	----	----	3 UNCH
8100	0.680	0.680	0.762B/0.680	0.762B/0.680	----	0.845	NEW .2302	----	----	2	----	2 + 2
8300	----	----	----/*0.500A	0.388B/*0.500A	----	0.520 -	0.116 .1490	----	----	5	----	7 + 4
8500	----	----	----/0.356A	0.225B/0.356A	----	0.336 -	0.105 .0973	----	----	1	----	18 UNCH
8800	----	----	----/*0.218A	0.071B/*0.218A	----	0.193 -	0.080 .0543	----	----	1	----	2 + 1
8875	----	----	----/*0.180A	0.043B/*0.180A	----	0.156 -	0.072 .0443	----	----	----	----	2 UNCH
TOTAL										21	0	95 + 11
SO3 PUT		SILVER OPTIONS										
APR26												
4000	----	----	----	----/0.172A	----	0.001 -	0.001 .0001	----	----	----	----	20 UNCH
5500	----	----	----	0.001B/*0.150A	----	0.064 -	0.016 .0104	----	----	----	----	1 UNCH
6000	0.240	0.240	0.250/*0.140	0.250/*0.140	----	0.128 -	0.046 .0240	----	----	35	----	110 + 35
6300	----	----	----/*0.261A	0.229B/*0.261A	----	0.193 -	0.096 .0394	----	----	----	----	2 UNCH
6400	----	----	----/*0.289A	0.306B/*0.289A	----	0.224 -	0.120 .0470	----	----	----	----	6 UNCH
6500	----	----	----/0.350A	0.399B/0.350A	----	0.263 -	0.148 .0565	----	----	----	----	6 UNCH
6825	----	----	0.872B/*0.606A	0.872B/*0.606A	----	0.464 -	0.290 .1058	----	----	----	----	20 UNCH
7000	----	----	1.365B/*0.757A	1.365B/*0.757A	----	0.654 -	0.401 .1508	----	----	----	----	9 UNCH
7200	----	----	2.076B/*1.182A	2.076B/*1.182A	----	0.988 -	0.560 .2251	----	----	----	----	3 UNCH
7300	----	----	2.514B/*1.397A	2.514B/*1.397A	----	1.219 -	0.648 .2728	----	----	----	----	10 UNCH
7380	----	----	2.870B/*1.699A	2.870B/*1.699A	----	1.441 -	0.722 .3161	----	----	----	----	2 UNCH
7500	----	----	3.475B/*2.052A	3.475B/*2.052A	----	1.849 -	0.829 .3889	----	----	----	----	2 UNCH
7550	----	----	3.470B/*2.271A	3.470B/*2.271A	----	2.046 -	0.872 .4214	----	----	----	----	2 UNCH
7625	----	----	----/*2.618A	3.284B/*2.618A	----	2.377 -	0.932 .4719	----	----	----	----	0 UNCH
TOTAL										35	0	193 + 35
SO4 CALL		SILVER OPTIONS										
APR26												
7800	----	----	2.589B/2.172A	2.589B/2.172A	----	2.701 +	0.518 .4467	----	----	----	----	8 UNCH
7900	----	----	2.204B/----	2.204B/1.909A	----	2.302 +	0.412 .3998	----	----	----	----	5 UNCH
8000	1.600	1.600	1.842B/1.600	1.842B/1.600	----	1.948 +	0.310 .3545	----	----	1	----	1 + 1
8200	----	----	1.276B/1.239A	1.276B/1.239A	----	1.428 +	0.170 .2763	----	----	----	----	1 UNCH
8225	----	----	----	1.189B/1.242A	----	1.386 +	0.164 .2685	----	----	----	----	2 UNCH
8300	----	----	----/1.089A	1.050B/1.089A	----	1.269 +	0.146 .2467	----	----	----	----	1 UNCH
TOTAL										1	0	18 + 1
SO4 PUT		SILVER OPTIONS										
APR26												
6050	----	----	----/0.359A	0.303B/0.359A	----	0.242 -	0.159 .0439	----	----	----	----	0 UNCH
6100	0.330	0.330	0.330/*0.330	0.401B/*0.330	----	0.265	NEW .0480	----	----	1	----	1 + 1
6125	----	----	----/*0.401A	0.359B/*0.401A	----	0.278 -	0.175 .0503	----	----	----	----	2 UNCH
6400	0.600	0.600	0.686B/*0.483	0.686B/*0.483	----	0.444 -	0.188 .0805	----	----	8	----	1 UNCH
6500	0.600	0.600	0.836B/*0.600	0.836B/*0.600	----	0.522	NEW .0947	----	----	1	----	1 + 1
7000	----	----	2.106B/----	2.106B/*1.357A	----	1.200	NEW .2086	----	----	1	----	1 + 1
7200	----	----	2.892B/----	2.892B/*1.867A	----	1.689 -	0.071 .2795	----	----	----	----	1 UNCH
7300	----	----	3.354B/----	3.354B/*2.176A	----	1.997 -	0.109 .3203	----	----	----	----	1 UNCH
TOTAL										11	0	8 + 3
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
APR26												
6000	----	----	----	----/36.548A	----	16.515 +	1.032 .9841	----	----	----	----	1 UNCH
6000	----	----	----	----	----	15.385	UNCH ----	----	----	----	----	0 UNCH
6600	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
6700	----	----	0.415B/*0.296A	0.415B/*0.296A	----	0.206 -	0.204 .0525	----	----	----	----	1 UNCH
6800	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
6800	----	----	1.244B/*0.823A	1.244B/*0.823A	----	0.693 -	0.302 .1360	----	----	----	----	2 UNCH
6800	----	----	0.562B/*0.361A	0.562B/*0.361A	----	0.258 -	0.251 .0675	----	----	----	----	1 UNCH
7000	----	----	1.004B/*0.534A	1.004B/*0.534A	----	0.428 -	0.363 .1147	----	----	----	----	1 UNCH
7000	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7150	----	----	----	----	----	3.885	UNCH ----	----	----	----	----	0 UNCH
7190	----	----	----	----	----	3.485	UNCH ----	----	----	----	----	0 UNCH
7200	----	----	----	----	----	3.385	UNCH ----	----	----	----	----	0 UNCH
7200	----	----	1.671B/*0.828A	1.671B/*0.828A	----	0.725 -	0.493 .1921	----	----	----	----	1 UNCH
7250	----	----	----	----	----	2.885	UNCH ----	----	----	----	----	0 UNCH
7250	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7300	----	----	----	----	----	2.385	UNCH ----	----	----	----	----	0 UNCH
7300	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7330	----	----	----	----	----	2.085	UNCH ----	----	----	----	----	0 UNCH
7350	----	----	----	----	----	1.885	UNCH ----	----	----	----	----	0 UNCH
7375	----	----	----	----	----	1.635	UNCH ----	----	----	----	----	0 UNCH
7400	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7400	2.915	2.915	#2.915/*2.761A	#2.915/*2.761A	----	2.582	NEW .3524	----	----	1	----	1 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
APR26												
7400	----	----	----	----	----	1.385	UNCH	----	----	----	----	0 UNCH
7405	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
7415	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
7450	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
7450	----	----	----	----	----	0.885	UNCH	----	----	----	----	0 UNCH
7460	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
7500	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
7500	----	----	----	----	----	0.385	UNCH	----	----	----	----	0 UNCH
7550	----	----	----	----	----	0.115	UNCH	----	----	----	----	0 UNCH
7550	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
7600	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
7600	----	----	----	----	----	0.615	UNCH	----	----	----	----	0 UNCH
7610	----	----	----	----	----	0.715	UNCH	----	----	----	----	0 UNCH
7625	----	----	----	----	----	0.865	UNCH	----	----	----	----	0 UNCH
7650	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
7700	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
7725	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
7750	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
7800	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
7825	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
7850	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
7850	----	----	----/0.875A	1.068B/0.875A	----	1.337 +	0.109	.3566	----	----	----	4 UNCH
7875	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
7900	----	----	----/0.752A	0.905B/0.752A	----	1.172 +	0.085	.3214	----	----	----	4 UNCH
7900	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
8000	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
8000	----	----	----/0.588A	0.620B/0.588A	----	0.890 +	0.048	.2565	----	----	----	2 UNCH
8200	1.800	1.800	#1.800/*1.800	#1.851B/*1.800	----	2.036	NEW	.3297	----	----	2	---- 2 + 2
8300	0.220	0.220	0.220/*0.220	0.220/*0.220	----	0.365 -	0.010	.1155	----	----	2	---- 1 - 1
8800	----	----	----	----	----	12.615	UNCH	----	----	----	----	---- 0 UNCH
TOTAL											5	0 21 + 2
TWS TUE		SILVER WEEKLY TUESDAY OPTION Week2										
APR26												
6000	----	----	----	0.001B/0.130A	----	0.014 -	0.040	.0028	----	----	----	---- 0 UNCH
6500	----	----	----	0.120B/*0.184A	----	0.050 -	0.102	.0133	----	----	----	---- 1 UNCH
6550	----	----	----	0.125B/*0.194A	----	0.058 -	0.114	.0157	----	----	----	---- 1 UNCH
6600	0.300	0.300	0.300/*0.204A	0.300/*0.204A	----	0.067	NEW	.0186	----	----	1	---- 1 + 1
6700	----	----	0.276B/*0.227A	0.276B/*0.227A	----	0.093 -	0.158	.0269	----	----	1	---- 2 + 1
7000	----	----	0.785B/*0.414A	0.785B/*0.414A	----	0.258 -	0.309	.0800	----	----	----	---- 1 UNCH
7000	----	----	1.668B/*1.041A	1.668B/*1.041A	----	0.914 -	0.266	.1831	----	----	----	---- 1 UNCH
7250	----	----	1.581B/*0.766A	1.581B/*0.766A	----	0.616	NEW	.1861	----	----	1	---- 1 + 1
7300	----	----	#3.389B/*2.310A	3.389B/*2.310A	----	2.139 -	0.416	.3110	----	----	----	---- 3 UNCH
7300	----	----	----/3.281A	2.198B/3.281A	----	4.165 +	0.500	.7834	----	----	----	---- 1 UNCH
7355	----	----	1.952B/*1.003A	1.952B/*1.003A	----	0.849 -	0.624	.2506	----	----	----	---- 1 UNCH
7400	----	----	2.044B/*1.092A	2.044B/*1.092A	----	0.960 -	0.685	.2814	----	----	----	---- 2 UNCH
7475	----	----	----/*1.304A	1.799B/*1.304A	----	1.175 -	0.787	.3384	----	----	----	---- 2 UNCH
7475	----	----	----/1.763A	1.963B/1.763A	----	2.862 +	0.265	.6615	----	----	----	---- 2 UNCH
7500	----	----	----/1.627A	2.172B/1.627A	----	2.693 +	0.231	.6410	----	----	----	---- 1 UNCH
7520	----	----	----/*1.455A	1.783B/*1.455A	----	1.324 -	0.848	.3758	----	----	----	---- 4 UNCH
7535	----	----	----/*1.508A	1.894B/*1.508A	----	1.378 -	0.867	.3888	----	----	----	---- 4 UNCH
7580	----	----	----/*1.682A	2.166B/*1.682A	----	1.550 -	0.925	.4292	----	----	----	---- 2 UNCH
7600	----	----	----/1.293A	1.653B/1.293A	----	2.070 +	0.103	.5523	----	----	----	---- 7 UNCH
7750	----	----	3.396B/2.889A	3.396B/2.889A	----	3.562	NEW	.5031	----	----	3	---- 3 + 3
7800	0.580	0.580	1.005B/*0.580	1.005B/*0.580	----	1.112 -	0.088	.3609	----	----	3	---- 4 + 3
7850	----	----	----/0.694A	0.804B/0.694A	----	0.936 -	0.117	.3156	----	----	----	---- 8 UNCH
8000	----	----	----/*0.443A	0.399B/*0.443A	----	0.550 -	0.155	.2004	----	----	2	---- 6 + 2
8200	----	----	----/*0.269A	0.115B/*0.269A	----	0.283	NEW	.1047	----	----	1	---- 1 + 1
TOTAL											12	0 59 + 12

COPPER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HMW MON		COPPER WEEKLY MONDAY OPTION WEEK2										
APR26												
530	----	----	----/0.4065A	0.4665B/0.4065A	----	0.4650 -	0.0125	.0000	----	----	----	---- 9 UNCH
530	----	----	----	----/*0.0070A	----	0.0005	UNCH	.0000	----	----	----	---- 30 UNCH
535	----	----	----	----/*0.0070A	----	0.0005 -	0.0005	.0000	----	----	----	---- 1 UNCH
548	----	----	----/0.3145A	0.2820B/0.3145A	----	0.3010	NEW	.8820	----	----	1	---- 1 + 1
550	----	----	----/0.2120A	0.2680B/0.2120A	----	0.2655 -	0.0155	.9888	----	----	----	---- 3 UNCH
555	----	----	----	0.0040B/*0.0095	----	0.0025 -	0.0050	.0299	----	----	----	---- 20 UNCH
558	0.0130	0.0130	0.0130/*0.0115A	0.0130/*0.0115A	----	0.0040	NEW	.0497	----	----	1	---- 1 + 1
560	----	----	----/0.1275A	0.1720B/0.1275A	----	0.1700 -	0.0200	.9306	----	----	----	---- 5 UNCH
568	0.0925	0.0925	0.1020B/0.0770A	0.1020B/0.0770A	----	0.1030	NEW	.7785	----	----	1	---- 1 + 1
573	----	----	----/0.0540A	0.0660B/0.0540A	----	0.0690 -	0.0240	.6248	----	----	----	---- 1 UNCH
576	0.0565	0.0565	0.0565/0.0425A	0.0565/0.0425A	----	0.0520	NEW	.5199	----	----	1	---- 1 + 1
576	----	----	0.1290B/*0.0960	0.1290B/*0.0960	----	0.0935	NEW	.4841	----	----	1	---- 1 + 1
577	0.0585	0.0585	0.0860B/*0.0565	0.0860B/*0.0565	----	0.0525	NEW	.5157	----	----	1	---- 1 + 1
580	----	----	0.1145B/*0.0725	0.1145B/*0.0725	----	0.0700 -	0.0090	.6198	----	----	----	---- 5 UNCH
584	----	----	----/0.0230A	0.0170B/0.0230A	----	0.0215 -	0.0185	.2556	----	----	----	---- 1 UNCH
590	----	----	----/0.0140A	0.0050B/0.0140A	----	0.0095 -	0.0140	.1200	----	----	----	---- 39 UNCH
595	----	----	----/*0.0105A	0.0020B/*0.0105	----	0.0045 -	0.0100	.0565	----	----	----	---- 20 UNCH
596	0.0065	0.0065	0.0065/*0.0065	0.0065/*0.0065	----	0.0040	NEW	.0495	----	----	10	---- 10 + 10
TOTAL											16	150+ 16
MAY26												
465	0.0040	0.0040	#0.0040/*0.0040	0.0040/*0.0040	----	0.0030	NEW	.0122	----	----	14	---- 14 + 14
565	0.1050	0.1050	#0.1360B/*0.105	0.1360B/*0.1050	----	0.1085	NEW	.3360	----	----	2	---- 2 + 2
TOTAL											16	16+ 16
HWR THU		COPPER WEEKLY THURSDAY OPT Week5										
APR26												
465	----	----	----	----/0.0100A	----	0.0010 -	0.0010	.0048	----	----	----	---- 21 UNCH
500	----	----	----	----/*0.0100A	----	0.0005	UNCH	.0002	----	----	----	---- 3 UNCH
525	----	----	----	----/*0.0010A	----	0.0000 -	0.0005	----	----	----	----	---- 0 - 1
530	----	----	----	0.0015B/*0.0095	----	0.0020 -	0.0025	.0156	----	----	----	---- 2 UNCH
552	----	----	----	----/*0.0080A	----	0.0000 -	0.0005	----	----	----	----	---- 0 - 4
556	----	----	----	0.2010B/0.2420A	----	0.2220 -	0.0185	.8589	----	----	----	---- 1 UNCH
560	0.1685	0.1685	0.1685/0.1065A	0.1685/0.1065A	----	0.1645 -	0.0135	----	----	----	1	---- 0 - 1
562	0.0015	0.0015	0.0015/*0.0005A	0.0015/*0.0005A	----	0.0000	NEW	----	----	----	1	---- 0 UNCH
565	0.0100	0.0100	0.0100/*0.0010	0.0100/*0.0010	----	0.0000	NEW	----	----	----	12	---- 0 UNCH
565	----	----	----/0.0615A	0.1100B/0.0615A	----	0.1145 -	0.0165	----	----	----	----	---- 0 - 1
566	0.0095	0.0095	0.0095/0.0085A	0.0095/0.0085A	----	0.0000 -	0.0050	----	----	----	2	---- 0 - 2
570	----	----	0.0150B/*0.0085	0.0150B/*0.0085	----	0.0000 -	0.0115	----	----	----	1	---- 0 - 20
571	----	----	----/0.0915A	0.1050B/0.0915A	----	0.1090 -	0.0190	.6220	----	----	----	---- 1 UNCH
572	0.0400	0.0400	0.0400/*0.0085A	0.0400/*0.0085A	----	0.0000	NEW	----	----	----	1	---- 0 UNCH
574	0.0025	0.0025	0.0395B/*0.0025	0.0395B/*0.0025	----	0.0000 -	0.0220	----	----	----	1	---- 0 - 1
575	0.0150	0.0150	0.0485B/*0.0085	0.0485B/*0.0085	----	0.0000 -	0.0255	----	----	----	2	---- 0 - 15
575	0.0075	0.0075	0.0075/*0.0075	0.0200B/*0.0075	----	0.0145 -	0.0380	----	----	----	2	---- 0 - 5
577	0.0050	0.0050	0.0050/*0.0050	0.0110B/*0.0050	----	0.0000	NEW	----	----	----	1	---- 0 UNCH
578	0.0070	0.0070	0.0070/*0.0070	0.0070/*0.0070	----	0.0000	NEW	----	----	----	20	---- 0 UNCH
579	0.0040	0.0040	0.0040/*0.0040	0.0040/*0.0040	----	0.0000	NEW	----	----	----	1	---- 0 UNCH
580	----	----	----/*0.0085A	0.0010B/*0.0085	----	0.0000	NEW	----	----	----	1	---- 0 UNCH
585	----	----	----/*0.0055A	----/*0.0055A	----	0.0000 -	0.0120	----	----	----	----	---- 0 - 30
590	----	----	----/0.0325A	0.0275B/0.0325A	----	0.0325 -	0.0115	.2491	----	----	----	---- 2 UNCH
620	----	----	----	0.0005B/*0.0095	----	0.0035 -	0.0030	.0286	----	----	----	---- 4 UNCH
635	----	----	----	----/0.0080A	----	0.0000 -	0.0005	----	----	----	----	---- 0 - 1
650	----	----	----	----/0.0100A	----	0.0005	UNCH	.0011	----	----	----	---- 2 UNCH
TOTAL											46	36- 81
HWT TUE		COPPER WEEKLY TUESDAY OPTION Week4										
APR26												
465	0.0010	0.0010	#0.0010/*0.0010	0.0010/*0.0010	----	0.0010	NEW	.0048	----	----	21	---- 21 + 21
540	----	----	----	----/0.0090A	----	0.0010 -	0.0015	.0093	----	----	----	---- 0 UNCH
565	----	----	----/0.1035A	0.1330B/0.1035A	----	0.1355 -	0.0205	.7929	----	----	----	---- 1 UNCH
568	----	----	----/0.0870A	0.0990B/0.0870A	----	0.1130 -	0.0205	.7290	----	----	----	---- 1 UNCH
TOTAL											21	23+ 21
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
APR26												
465	0.0015	0.0015	#0.0015/*0.0010	0.0015/*0.0010	----	0.0005	NEW	.0026	----	----	21	---- 21 + 21
522	----	----	----	----/0.0080A	----	0.0005 -	0.0015	.0028	----	----	----	---- 1 UNCH
549	----	----	0.0350B/*0.0285	0.0350B/*0.0285	----	0.0240 -	0.0065	.1481	----	----	----	---- 1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
APR26												
554	----	----	----/*0.0155A	0.0150B/*0.0155	----	0.0105 - 0.0060	.0948	----	----	----	----	1 UNCH
559	----	----	----	----	----	0.1870 UNCH	----	----	----	----	----	0 UNCH
560	----	----	----	----	----	0.1770 UNCH	----	----	----	----	----	0 UNCH
560	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
564	----	----	----	----	----	0.1370 UNCH	----	----	----	----	----	0 UNCH
565	----	----	----	----	----	0.1270 UNCH	----	----	----	----	----	0 UNCH
565	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
566	----	----	----	----	----	0.1170 UNCH	----	----	----	----	----	0 UNCH
567	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
568	----	----	----	----	----	0.0970 UNCH	----	----	----	----	----	0 UNCH
568	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
570	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
571	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
572	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
573	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
574	----	----	----	----	----	0.0370 UNCH	----	----	----	----	----	0 UNCH
574	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
575	----	----	----	----	----	0.0270 UNCH	----	----	----	----	----	0 UNCH
575	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
578	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
580	----	----	----/0.0840A	0.0920B/0.0840A	----	0.0940 - 0.0155	.4562	----	----	----	----	1 UNCH
580	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
588	----	----	----/0.0300A	0.0255B/0.0300A	----	0.0295 - 0.0125	.2529	----	----	----	----	1 UNCH
595	----	----	----/*0.0195A	0.0120B/0.0195A	----	0.0160 - 0.0095	.1463	----	----	----	----	1 UNCH
600	----	----	----/0.0370A	0.0315B/0.0370A	----	0.0365 - 0.0070	.2132	----	----	----	----	3 UNCH
600	----	----	----/*0.0150A	0.0070B/0.0150A	----	0.0105 - 0.0070	.0970	----	----	----	----	1 UNCH
625	----	----	----	0.0070B/*0.0140	----	0.0090 - 0.0025	.0606	----	----	----	----	3 UNCH
TOTAL										21		34 + 21
MAY26												
455	0.0015	0.0015	0.0015/*0.0015	0.0015/*0.0015	----	0.0010 NEW	.0046	----	----	21	----	21 + 21
465	----	----	----	0.0005B/*0.0120	----	0.0015 - 0.0010	.0070	----	----	----	----	2 UNCH
475	----	----	----	0.0025B/*0.0120	----	0.0030 - 0.0015	.0133	----	----	----	----	2 UNCH
485	----	----	----	0.0045B/*0.0115	----	0.0050 - 0.0020	.0216	----	----	----	----	1 UNCH
500	----	----	----	0.0090B/*0.0140	----	0.0090 - 0.0030	.0384	----	----	----	----	1 UNCH
510	----	----	----	0.0145B/*0.0175	----	0.0130 - 0.0040	.0550	----	----	----	----	8 UNCH
520	----	----	----/*0.0225A	0.0225B/*0.0225	----	0.0185 - 0.0045	.0775	----	----	----	----	1 UNCH
530	----	----	0.0340B/*0.0305	0.0340B/*0.0305	----	0.0260 - 0.0055	.1076	----	----	----	----	4 UNCH
540	----	----	0.0490B/*0.0415	0.0490B/*0.0415	----	0.0375 - 0.0065	.1506	----	----	----	----	10 UNCH
550	----	----	----/0.3400A	0.3620B/0.3400A	----	0.3755 - 0.0180	.7909	----	----	----	----	3 UNCH
550	----	----	0.0705B/*0.0580	0.0705B/*0.0580	----	0.0545 - 0.0065	.2084	----	----	----	----	28 UNCH
555	----	----	0.0845B/*0.0690	0.0845B/*0.0690	----	0.0650 - 0.0070	.2424	----	----	----	----	16 UNCH
556	----	----	0.0875B/*0.0715	0.0875B/*0.0715	----	0.0675 - 0.0070	.2499	----	----	----	----	1 UNCH
560	----	----	0.1010B/*0.0820	0.1010B/*0.0820	----	0.0785 - 0.0065	.2816	----	----	----	----	1 UNCH
561	----	----	0.1045B/*0.0845	0.1045B/*0.0845	----	0.0810 - 0.0065	.2893	----	----	----	----	1 UNCH
562	----	----	0.1085B/*0.0880	0.1085B/*0.0880	----	0.0840 - 0.0065	.2976	----	----	----	----	20 UNCH
565	----	----	0.1205B/*0.0970	0.1205B/*0.0970	----	0.0940 - 0.0060	.3238	----	----	----	----	1 UNCH
568	----	----	----/0.2245A	0.2315B/0.2245A	----	0.2460 - 0.0175	.6487	----	----	----	----	1 UNCH
575	----	----	0.1665B/*0.1350	0.1665B/*0.1350	----	0.1325 - 0.0050	.4159	----	----	----	----	1 UNCH
579	----	----	----/0.1665A	0.1805B/0.1665A	----	0.1830 - 0.0160	.5447	----	----	----	----	1 UNCH
584	----	----	0.2165B/*0.1775	0.2165B/*0.1775	----	0.1770 - 0.0035	.5029	----	----	----	----	24 UNCH
585	----	----	0.2210B/*0.1820	0.2210B/*0.1820	----	0.1820 - 0.0035	.5125	----	----	----	----	1 UNCH
590	----	----	----/0.1220A	0.1295B/0.1220A	----	0.1330 - 0.0140	.4393	----	----	----	----	4 UNCH
590	----	----	0.2490B/*0.2105	0.2490B/*0.2105	----	0.2110 - 0.0025	.5599	----	----	----	----	17 UNCH
600	----	----	----/0.0910A	0.0945B/0.0910A	----	0.0980 - 0.0115	.3506	----	----	----	----	1 UNCH
600	----	----	0.3180B/----	0.3180B/0.2795A	----	0.2755 UNCH	.6487	----	----	----	----	1 UNCH
607	----	----	----/0.0740A	0.0750B/0.0740A	----	0.0785 - 0.0090	.2949	----	----	----	----	1 UNCH
610	----	----	----/0.0675A	0.0675B/0.0675A	----	0.0710 - 0.0085	.2726	----	----	----	----	4 UNCH
617	----	----	----/0.0545A	0.0525B/0.0545A	----	0.0570 - 0.0060	.2269	----	----	----	----	1 UNCH
624	----	----	----/0.0445A	0.0405B/0.0445A	----	0.0450 - 0.0050	.1862	----	----	----	----	16 UNCH
645	----	----	0.6595B/----	0.6595B/0.6635A	----	0.6500 + 0.0095	.8972	----	----	----	----	6 UNCH
660	----	----	----	0.0105B/*0.0185	----	0.0145 - 0.0015	.0664	----	----	----	----	1 UNCH
675	----	----	----	0.0060B/*0.0145	----	0.0085 - 0.0005	.0406	----	----	----	----	2 UNCH
695	----	----	----	0.0025B/*0.0110	----	0.0040 - 0.0005	.0201	----	----	----	----	20 UNCH
710	----	----	----	----/0.0140A	----	0.0025 UNCH	.0127	----	----	----	----	2 UNCH
TOTAL										21		225 + 21
JUN26												
579	----	----	0.2675B/*0.2405	0.2675B/*0.2405	----	0.2340 - 0.0090	.4575	----	----	----	----	1 UNCH
580	----	----	----/0.2490A	0.2540B/0.2490A	----	0.2605 - 0.0205	.5347	----	----	----	----	5 UNCH
580	----	----	0.2730B/*0.2455	0.2730B/*0.2455	----	0.2390 - 0.0090	.4639	----	----	----	----	5 UNCH
610	----	----	----/0.1410A	0.1370B/0.1410A	----	0.1435 - 0.0145	.3523	----	----	----	----	7 UNCH
630	----	----	----/0.0950A	0.0870B/0.0950A	----	0.0940 - 0.0105	.2532	----	----	----	----	8 UNCH
650	----	----	----/0.0645A	0.0535B/0.0645A	----	0.0610 - 0.0070	.1770	----	----	----	----	6 UNCH
660	----	----	----/*0.0540A	0.0415B/0.0540A	----	0.0485 - 0.0060	.1459	----	----	----	----	7 UNCH
TOTAL												39
JUL26												
600	----	----	----/0.2480A	0.2495B/0.2480A	----	0.2550 - 0.0200	.4633	----	----	----	----	12 UNCH
TOTAL												12
HX CALL		COMEX COPPER OPTIONS										
MAY26												
490	----	----	----	----	----	0.8675 - 0.0155	.9805	----	----	----	----	1 UNCH
500	----	----	----	----	----	0.7685 - 0.0160	.9763	----	----	----	----	3 UNCH
505	----	----	----	----	----	0.7190 - 0.0165	.9708	----	----	----	----	3 UNCH
525	----	----	----/0.5110A	0.5155B/0.5110A	----	0.5265 - 0.0160	.9327	----	----	----	----	14 UNCH
530	----	----	----/0.4475A	0.4825B/0.4475A	----	0.4795 - 0.0165	.9167	----	----	----	----	276 UNCH
531	----	----	----/0.4665A	0.4595B/0.4665A	----	0.4700 - 0.0165	.9120	----	----	----	----	1 UNCH
532	----	----	----/0.4575A	0.4505B/0.4575A	----	0.4610 - 0.0165	.9090	----	----	----	----	1 UNCH
533	----	----	----/0.4485A	0.4410B/0.4485A	----	0.4515 - 0.0170	.9042	----	----	----	----	3 UNCH
534	----	----	----/0.4395A	0.4320B/0.4395A	----	0.4425 - 0.0165	.9011	----	----	----	----	4 UNCH
535	----	----	----/0.4300A	0.4225B/0.4300A	----	0.4335 - 0.0165	.8962	----	----	----	----	1 UNCH
536	----	----	----/0.4210A	0.4135B/0.4210A	----	0.4245 - 0.0165	.8913	----	----	----	----	2 UNCH
537	----	----	----/0.4125A	0.4045B/0.4125A	----	0.4155 - 0.0165	.8864	----	----	----	----	1 UNCH
539	----	----	----/0.3945A	0.3865B/0.3945A	----	0.3975 - 0.0165	.8764	----	----	----	----	2 UNCH
540	----	----	----/0.3765A	0.3780B/0.3765A	----	0.3885 - 0.0170	.8713	----	----	----	----	44 UNCH
541	----	----	----/0.3675A	0.3690B/0.3675A	----	0.3795 - 0.0170	.8661	----	----	----	----	9 UNCH
542	----	----	----/0.3590A	0.3600B/0.3590A	----	0.3705 - 0.0175	.8609	----	----	----	----	15 UNCH
543	----	----	----/0.3600A	0.3505B/0.3600A	----	0.3620 - 0.0175	.8541	----	----	----	----	1 UNCH
544	----	----	----/0.3515A	0.3420B/0.3515A	----	0.3530 - 0.0180	.8487	----	----	----	----	2 UNCH
545	----	----	----/0.3340A	0.3340B/0.3340A	----	0.3445 - 0.0180	.8419	----	----	----	----	14 UNCH
546	----	----	----/0.3260A	0.3250B/0.3260A	----	0.3360 - 0.0180	.8349	----	----	----	----	7 UNCH
547	----	----	----/0.3265A	0.3160B/0.3265A	----	0.3275 - 0.0180	.8279	----	----	----	----	1 UNCH
548	----	----	----/0.3095A	0.3085B/0.3095A	----	0.3190 - 0.0185	.8209	----	----	----	----	28 UNCH
549	----	----	----/0.3015A	0.3000B/0.3015A	----	0.3105 - 0.0185	.8137	----	----	----	----	5 UNCH
550	0.2985	0.2985	0.3075B/0.2645A	0.3075B/0.2645A	----	0.3025 - 0.0185	.8053	----	----	12	100	459 - 62
551	----	----	----/0.2860A	0.2835B/0.2860A	----	0.2945 - 0.0185	.7979	----	----	----	----	14 UNCH
552	----	----	----/0.2785A	0.2755B/0.2785A	----	0.2860 - 0.0190	.7893	----	----	----	----	21 UNCH
553	----	----	----/0.2710A	0.2675B/0.2710A	----	0.2780 - 0.0190	.7807	----	----	----	----	21 UNCH
554	----	----	----/0.2635A	0.2595B/0.2635A	----	0.2705 - 0.0190	.7719	----	----	----	----	7 UNCH
555	0.2575	0.2575	0.2590B/0.2295A	0.2590B/0.2295A	----	0.2625 - 0.0195	.7621	----	----	8	----	114 UNCH
556	----	----	----/0.2490A	0.2440B/0.2490A	----	0.2550 - 0.0195	.7532	----	----	----	----	26 UNCH
557	----	----	----/0.2420A	0.2365B/0.2420A	----	0.2475 - 0.0195	.7432	----	----	----	----	18 UNCH
558	----	----	----/0.2350A	0.2295B/0.2350A	----	0.2400 - 0.0195	.7332	----	----	----	----	16 UNCH
559	----	----	----/0.2285A	0.2220B/0.2285A	----	0.2325 - 0.0195	.7222	----	----	----	----	20 UNCH
560	0.2130	0.2130	0.2295B/0.1980A	0.2295B/0.1980A	----	0.2255 - 0.0195	.7113	----	----	15	----	862 - 9
561	----	----	----/0.2010A	0.2080B/0.2010A	----	0.2185 - 0.0195	.7010	----	----	----	----	20 UNCH
562	----	----	----/0.1865A	0.2010B/0.1865A	----	0.2115 - 0.0195	.6893	----	----	----	----	12 UNCH
563	----	----	----/0.1785A	0.1945B/0.1785A	----	0.2050 - 0.0190	.6781	----	----	----	----	23 UNCH
564	----	----	----/0.1725A	0.1880B/0.1725A	----	0.1980 - 0.0195	.6663	----	----	----	----	24 UNCH
565	0.1770	0.1770	0.1900B/0.1665A	0.1900B/0.1665A	----	0.1920 - 0.0190	.6545	----	----	16	----	210 - 1
566	----	----	----/0.1590A	0.1820B/0.1590A	----	0.1855 - 0.0190	.6426	----	----	----	----	15 UNCH
567	----	----	----/0.1535A	0.1825B/0.1535A	----	0.1795 - 0.0185	.6303	----	----	----	----	11 UNCH
568	----	----	----/0.1485A	0.1750B/0.1485A	----	0.1735 - 0.0185	.6179	----	----	----	----	59 UNCH
569	----	----	----/0.1435A	0.1695B/0.1435A	----	0.1675 - 0.0185	.6055	----	----	3	----	108 UNCH
570	0.1555	0.1555	0.1645B/0.1385A	0.1645B/0.1385A	----	0.1615 - 0.0185	.5928	----	----	404	----	572 - 168
571	----	----	----/0.1335A	0.1585B/0.1335A	----	0.1560 - 0.0180	.5804	----	----	----	----	31 UNCH
572	0.1520	0.1520	0.1520/0.1295A	0.1530B/0.1295A	----	0.1505 - 0.0180	.5675	----	----	3	----	34 + 3
573	----	----	----/0.1255A	0.1475B/0.1255A	----	0.1455 - 0.0175	.5548	----	----	----	----	35 UNCH
574	0.1310	0.1310	0.1420B/0.1205A	0.1420B/0.1205A	----	0.1405 - 0.0170	.5420	----	----	2	----	19 + 2
575	0.1230	0.1230	0.1370B/0.1160A	0.1370B/0.1160A	----	0.1355 - 0.0170	.5292	----	----	15	----	686 + 15
576	0.1250	0.1250	0.1320B/0.1120A	0.1320B/0.1120A	----	0.1305 - 0.0170	.5165	----	----	105	----	125 + 89
577	----	----	----/0.1080A	0.1270B/0.1080A	----	0.1260 - 0.0165	.5038	----	----	----	----	56 UNCH
578	----	----	----/0.1040A	0.1225B/0.1040A	----	0.1215 - 0.0160	.4912	----	----	----	----	14 UNCH
579	----	----	----/0.1000A	0.1185B/0.1000A	----	0.1170 - 0.0160	.4786	----	----	----	----	9 UNCH
580	0.0990	0.0990	0.1165B/0.0960A	0.1165B/0.0960A	----	0.1125 - 0.0160	.4660	----	----	82	----	609 + 63
581	----	----	----/0.0925A	0.1100B/0.0925A	----	0.1085 - 0.0155	.4537	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
MAY26												
582	----	----	----/0.0895A	0.1055B/0.0895A	----	0.1045 - 0.0150	.4415	----	----	----	----	5 UNCH
583	----	----	----/0.0845A	0.1010B/0.0845A	----	0.1005 - 0.0150	.4293	----	----	----	----	64 UNCH
584	----	----	----/0.0820A	0.0975B/0.0820A	----	0.0970 - 0.0140	.4175	----	----	----	----	45 UNCH
585	0.0825	0.0825	0.0960B/0.0790A	0.0960B/0.0790A	----	0.0930 - 0.0140	.4054	----	----	21	----	477 - 2
586	----	----	----/0.0765A	0.0900B/0.0765A	----	0.0895 - 0.0140	.3938	----	----	1	----	10 UNCH
587	----	----	----/0.0735A	0.0860B/0.0735A	----	0.0860 - 0.0135	.3822	----	----	----	----	5 UNCH
588	----	----	----/0.0700A	0.0825B/0.0700A	----	0.0830 - 0.0130	.3712	----	----	----	----	3 UNCH
589	----	----	----/0.0670A	0.0800B/0.0670A	----	0.0795 - 0.0125	.3597	----	----	----	----	12 UNCH
590	0.0670	0.0670	0.0785B/0.0645A	0.0785B/0.0645A	----	0.0765 - 0.0120	.3489	----	----	8	125	1852 + 125
591	----	----	----/0.0615A	0.0750B/0.0615A	----	0.0735 - 0.0115	.3381	----	----	----	----	140 UNCH
592	----	----	----/0.0590A	0.0705B/0.0590A	----	0.0705 - 0.0110	.3274	----	----	----	----	2 UNCH
593	----	----	----/0.0570A	0.0670B/0.0570A	----	0.0675 - 0.0105	.3167	----	----	----	----	16 UNCH
594	----	----	----/0.0540A	0.0645B/0.0540A	----	0.0645 - 0.0105	.3060	----	----	----	----	4 UNCH
595	0.0570	0.0570	0.0630B/0.0515A	0.0630B/0.0515A	----	0.0620 - 0.0095	.2962	----	----	3	----	316 + 1
596	----	----	----/0.0500A	0.0590B/0.0500A	----	0.0595 - 0.0090	.2865	----	----	----	----	4 UNCH
597	----	----	----/0.0475A	0.0570B/0.0475A	----	0.0570 - 0.0090	.2768	----	----	----	----	1 UNCH
598	----	----	----/0.0450A	0.0540B/0.0450A	----	0.0545 - 0.0085	.2671	----	----	----	----	2 UNCH
599	----	----	----/0.0430A	0.0520B/0.0430A	----	0.0520 - 0.0085	.2575	----	----	3	----	6 + 3
600	0.0450	0.0450	0.0510/0.0410A	0.0510/0.0410A	----	0.0500 - 0.0080	.2489	----	----	17	----	1418 - 6
601	----	----	----/0.0395A	0.0475B/0.0395A	----	0.0480 - 0.0075	.2404	----	----	----	----	9 UNCH
602	----	----	----/0.0375A	0.0455B/0.0375A	----	0.0460 - 0.0075	.2320	----	----	----	----	4 UNCH
603	----	----	----/0.0360A	0.0435B/0.0360A	----	0.0440 - 0.0070	.2236	----	----	----	----	15 UNCH
604	----	----	----/0.0345A	0.0420B/0.0345A	----	0.0420 - 0.0070	.2152	----	----	----	----	44 UNCH
605	----	----	----/0.0330A	0.0405B/0.0330A	----	0.0400 - 0.0070	.2069	----	----	----	----	182 UNCH
606	----	----	----/0.0315A	0.0385B/0.0315A	----	0.0385 - 0.0070	.1998	----	----	----	----	5 UNCH
607	----	----	----/0.0305A	0.0370B/0.0305A	----	0.0370 - 0.0065	.1929	----	----	----	----	18 UNCH
608	----	----	----/0.0290A	0.0350B/0.0290A	----	0.0355 - 0.0060	.1859	----	----	----	----	50 UNCH
609	----	----	----/0.0280A	0.0335B/0.0280A	----	0.0340 - 0.0060	.1791	----	----	8	----	25 + 4
610	0.0315	0.0315	0.0325B/0.0265A	0.0325B/0.0265A	----	0.0325 - 0.0060	.1723	----	----	401	----	1012 - 252
611	----	----	----/0.0255A	0.0310B/0.0255A	----	0.0310 - 0.0055	.1655	----	----	----	----	17 UNCH
612	----	----	----/0.0245A	0.0295B/0.0245A	----	0.0300 - 0.0050	.1602	----	----	----	----	29 UNCH
613	----	----	----/0.0235A	0.0285B/0.0235A	----	0.0285 - 0.0050	.1535	----	----	----	----	39 UNCH
614	----	----	----/0.0215A	0.0270B/0.0215A	----	0.0275 - 0.0045	.1483	----	----	----	----	29 UNCH
615	----	----	----/0.0210A	0.0260B/0.0210A	----	0.0265 - 0.0040	.1432	----	----	----	----	467 UNCH
616	0.0235	0.0235	0.0250/0.0200A	0.0250/0.0200A	----	0.0250 - 0.0040	.1365	----	----	3	----	45 + 2
617	0.0230	0.0230	0.0245/0.0190A	0.0245/0.0190A	----	0.0240 - 0.0035	.1315	----	----	5	----	56 + 3
618	0.0215	0.0215	0.0235/0.0185A	0.0235/0.0185A	----	0.0230 - 0.0035	.1265	----	----	4	----	45 + 4
619	0.0215	0.0215	0.0230/0.0175A	0.0230/0.0175A	----	0.0220 - 0.0030	.1215	----	----	3	----	63 + 3
620	0.0200	0.0200	0.0220/0.0170A	0.0220/0.0170A	----	0.0215 - 0.0025	.1183	----	----	5	----	1036 + 1
621	0.0200	0.0200	0.0210/0.0165A	0.0210/0.0165A	----	0.0205 - 0.0025	.1134	----	----	5	----	56 + 5
622	0.0185	0.0185	0.0200/0.0155A	0.0200/0.0155A	----	0.0195 - 0.0025	.1086	----	----	3	----	45 + 3
623	0.0185	0.0185	0.0190/0.0150A	0.0190/0.0150A	----	0.0185 - 0.0025	.1037	----	----	3	----	69 + 2
624	0.0180	0.0180	0.0180/0.0145A	0.0180/0.0145A	----	0.0180 - 0.0020	.1007	----	----	4	----	29 + 4
625	0.0170	0.0170	0.0175B/0.0140A	0.0175B/0.0140A	----	0.0170 - 0.0020	.0959	----	----	11	----	1096 + 9
626	0.0165	0.0165	0.0165/0.0130A	0.0170B/0.0130A	----	0.0165 - 0.0015	.0929	----	----	1	----	29 + 1
627	----	----	----/0.0125A	0.0160B/0.0125A	----	0.0160 - 0.0015	.0900	----	----	----	----	32 UNCH
628	0.0155	0.0155	0.0155/0.0125A	0.0155/0.0125A	----	0.0150 - 0.0020	.0852	----	----	2	----	199 + 1
629	----	----	----/0.0120A	0.0150B/0.0120A	----	0.0145 - 0.0015	.0824	----	----	----	----	105 UNCH
630	----	----	----/0.0115A	0.0145B/0.0115A	----	0.0140 - 0.0015	.0795	----	----	1	----	544 UNCH
631	0.0140	0.0140	0.0140/0.0110A	0.0140/0.0110A	----	0.0135 - 0.0015	.0767	----	----	3	----	6 - 2
633	----	----	----/*0.0100A	0.0135B/*0.0100	----	0.0125 - 0.0015	.0712	----	----	----	----	37 UNCH
634	----	----	----/*0.0095A	0.0130B/*0.0095	----	0.0120 - 0.0020	.0685	----	----	----	----	3 UNCH
635	----	----	----/0.0095A	0.0125B/0.0095A	----	0.0115 - 0.0020	.0658	----	----	----	250	323 + 116
636	----	----	----/*0.0090A	0.0120B/*0.0090	----	0.0110 - 0.0020	.0631	----	----	----	----	7 UNCH
637	----	----	----/0.0090A	0.0115B/0.0090A	----	0.0105 - 0.0020	.0604	----	----	----	----	3 UNCH
638	----	----	----/*0.0085A	0.0115B/*0.0085	----	0.0100 - 0.0025	.0578	----	----	----	----	3 UNCH
639	----	----	----/0.0085A	0.0110B/0.0085A	----	0.0100 - 0.0020	.0572	----	----	----	----	1 UNCH
640	----	----	----/0.0080A	0.0105B/0.0080A	----	0.0095 - 0.0020	.0546	----	----	----	----	1193 UNCH
641	----	----	----/0.0080A	0.0105B/0.0080A	----	0.0090 - 0.0025	.0520	----	----	----	----	6 UNCH
642	----	----	----/*0.0075A	0.0100B/*0.0075	----	0.0085 - 0.0025	.0494	----	----	----	----	4 UNCH
643	----	----	----/0.0075A	0.0100B/0.0075A	----	0.0085 - 0.0020	.0489	----	----	----	----	9 UNCH
644	----	----	----/*0.0070A	0.0095B/*0.0070	----	0.0080 - 0.0025	.0463	----	----	----	----	1 UNCH
645	----	----	----/0.0075A	0.0090B/0.0075A	----	0.0080 - 0.0020	.0459	----	----	----	----	83 UNCH
646	----	----	----/0.0070A	0.0090B/0.0070A	----	0.0075 - 0.0025	.0433	----	----	----	----	1 UNCH
650	----	----	----/0.0065A	0.0080B/0.0065A	----	0.0065 - 0.0025	.0375	----	----	4	----	3287 - 4
655	----	----	----/0.0055A	0.0070B/0.0055A	----	0.0055 - 0.0025	.0316	----	----	----	----	70 UNCH
660	----	----	----/*0.0050A	0.0065B/*0.0050	----	0.0050 - 0.0020	.0282	----	----	----	----	148 UNCH
665	----	----	----/*0.0040A	0.0060B/*0.0040	----	0.0040 - 0.0025	.0227	----	----	----	----	17 UNCH
670	0.0055	0.0055	0.0060/*0.0040A	0.0060/*0.0040A	----	0.0035 - 0.0025	.0197	----	----	11	----	483 - 2
675	0.0055	0.0055	0.0055/*0.0035A	0.0055/*0.0035A	----	0.0035 - 0.0020	.0190	----	----	2	----	124 - 2
680	0.0050	0.0050	0.0050/*0.0030A	0.0050/*0.0030A	----	0.0030 - 0.0020	.0162	----	----	1	----	1101 UNCH
685	0.0045	0.0045	0.0045/0.0030A	0.0045/0.0030A	----	0.0025 - 0.0020	.0135	----	----	1	----	11 - 1
690	----	----	----/*0.0025A	----/*0.0025A	----	0.0025 - 0.0020	.0131	----	----	----	----	178 UNCH
695	----	----	----/*0.0025A	----/*0.0025A	----	0.0020 - 0.0020	.0105	----	----	----	----	26 UNCH
700	0.0030	0.0030	0.0030/*0.0020A	0.0035B/*0.0020	----	0.0020 - 0.0020	.0102	----	----	1	----	525 UNCH
705	----	----	----/*0.0020A	----/*0.0020A	----	0.0020 - 0.0020	.0099	----	----	----	----	2 UNCH
710	----	----	----/*0.0020A	----/*0.0020A	----	0.0020 - 0.0020	.0097	----	----	----	----	59 UNCH
715	----	----	----/*0.0020A	----/*0.0020A	----	0.0020 - 0.0015	.0094	----	----	----	----	13 UNCH
720	----	----	----/0.0020A	----/0.0020A	----	0.0020 - 0.0015	.0092	----	----	----	----	13 UNCH
725	----	----	----/0.0020A	----/0.0020A	----	0.0020 - 0.0015	.0090	----	----	----	----	90 UNCH
730	----	----	----/*0.0015A	----/*0.0015A	----	0.0020 - 0.0015	.0087	----	----	----	----	15 UNCH
735	----	----	----	----/0.0050A	----	0.0020 - 0.0015	.0085	----	----	----	----	5 UNCH
740	----	----	----	----/0.0050A	----	0.0020 - 0.0015	.0084	----	----	----	----	92 UNCH
745	----	----	----	----/0.0045A	----	0.0020 - 0.0015	.0082	----	----	----	----	34 UNCH
750	----	----	----	0.0010B/0.0045A	----	0.0020 - 0.0015	.0080	----	----	----	----	489 UNCH
755	----	----	----/*0.0015A	----/*0.0015A	----	0.0020 - 0.0015	.0079	----	----	----	----	2 UNCH
760	0.0010	0.0010	0.0010/*0.0010	0.0010/*0.0010	----	0.0020 - 0.0015	.0077	----	----	1	----	77 - 1
765	----	----	----	----/0.0045A	----	0.0015 - 0.0015	.0059	----	----	----	----	2 UNCH
770	----	----	----	----/0.0045A	----	0.0015 - 0.0015	.0058	----	----	----	----	3 UNCH
775	----	----	----	----/0.0040A	----	0.0015 - 0.0010	.0057	----	----	----	----	47 UNCH
780	----	----	----	----/0.0040A	----	0.0015 - 0.0010	.0056	----	----	----	----	8 UNCH
785	----	----	----	----/0.0040A	----	0.0015 - 0.0010	.0055	----	----	----	----	3 UNCH
790	----	----	----	----/0.0040A	----	0.0015 - 0.0010	.0054	----	----	----	----	3 UNCH
795	----	----	----	----/0.0035A	----	0.0015 - 0.0010	.0053	----	----	----	----	5 UNCH
800	----	----	----	----/0.0040A	----	0.0015 - 0.0010	.0052	----	----	----	----	4120 UNCH
810	----	----	----	----/*0.0035A	----	0.0010 - 0.0015	.0036	----	----	----	----	4040 UNCH
820	----	----	----	----/*0.0030A	----	0.0010 - 0.0010	.0035	----	----	----	----	28 UNCH
825	----	----	----	----/*0.0030A	----	0.0010 - 0.0010	.0034	----	----	----	----	91 UNCH
835	----	----	----	----/0.0030A	----	0.0010 - 0.0010	.0033	----	----	----	----	1 UNCH
840	----	----	----	----/0.0030A	----	0.0010 - 0.0005	.0033	----	----	----	----	4 UNCH
850	----	----	----	----/0.0025A	----	0.0010 - 0.0005	.0032	----	----	----	----	62 UNCH
855	----	----	----	----/*0.0025A	----	0.0005 - 0.0010	.0017	----	----	----	----	30 UNCH
860	----	----	----	----/*0.0025A	----	0.0005 - 0.0010	.0015	----	----	----	----	4 UNCH
865	----	----	----	----/0.0025A	----	0.0005 - 0.0010	.0013	----	----	----	----	3 UNCH
870	----	----	----	----/0.0025A	----	0.0005 - 0.0005	.0011	----	----	----	----	4 UNCH
875	----	----	----	----/0.0025A	----	0.0005 - 0.0005	.0009	----	----	----	----	1 UNCH
880	----	----	----	----/0.0025A	----	0.0005 - 0.0005	.0008	----	----	----	----	12 UNCH
890	----	----	----	----/*0.0020A	----	0.0005 - 0.0005	.0006	----	----	----	----	1 UNCH
900	----	----	----	----/0.0025A	----	0.0005 - 0.0005	.0004	----	----	----	----	73 UNCH
915	----	----	----	----/0.0075A	----	0.0005 UNCH	.0003	----	----	----	----	1 UNCH
920	----	----	----	----/0.0075A	----	0.0005 UNCH	.0002	----	----	----	----	4 UNCH
925	----	----	----	----/0.0075A	----	0.0005 UNCH	.0002	----	----	----	----	10 UNCH
930	----	----	----	----/0.0075A	----	0.0005 UNCH	.0001	----	----	----	----	1 UNCH
935	----	----	----	----/0.0075A	----	0.0005 UNCH	.0001	----	----	----	----	1 UNCH
940	----	----	----	----/0.0075A	----	0.0005 UNCH	.0001	----	----	----	----	4 UNCH
945	----	----	----	----/0.0075A	----	0.0005 UNCH	.0001	----	----	----	----	10 UNCH
950	----	----	----	----/*0.0010A	----	0.0005 UNCH	.0001	----	----	----	----	40 UNCH
TOTAL									475	1201		31625 - 53
JUN26												
500	----	----	----/0.8515A	0.7945B/0.8515A	----	0.8470 - 0.0155	.9170	----	----	----	----	4 UNCH
525	----	----	----/0.6300A	0.6105B/0.6300A	----	0.6230 - 0.0185	.8475	----	----	----	----	1 UNCH
535	----	----	----/0.5485A	0.5265B/0.5485A	----	0.5395 - 0.0195	.8075	----	----	----	----	2 UNCH
540	----	----	----/0.4640A	0.4870B/0.4640A	----	0.4995 - 0.0200	.7841	----	----	----	----	22 UNCH
545	----	----	----/0.4280A	0.4480B/0.4280A	----	0.4605 - 0.0205	.7590	----	----	----	----	2 UNCH
549	----	----	----/0.4430A	0.4180B/0.4430A	----	0.4305 - 0.0205	.7372	----	----	----	----	1 UNCH
550	----	----	----/0.3935A	0.4195B/0.3935A	----	0.4235 - 0.0205	.7317	----	----	----	----	3 UNCH
555	----	----	----/0.3610A	0.3830B/0.3610A	----	0.3880 - 0.0205	.7023	----	----	----	----	1 UNCH
556	----	----	----/0.3950A	0.3685B/0.3950A	----	0.3810 - 0.0210	.6962	----	----	----	----	1 UNCH
557	----	----	----/0.3760A	0.3620B/0.3760A	----	0.3745 - 0.0205	.6898	----	----	----	----	62 UNCH
559	----	----	----/0.3520A	0.3480B/0.3520A	----	0.3610 - 0.0210	.6773	----	----	----	----	4 UNCH
560	----	----	----/0.3305A	0.3535B/0.3305A	----	0.3545 - 0.0210	.6709	----	----	----	----	106 UNCH
562	----	----	----/0.3335A	0.3285B/0.3335A	----	0.3415 - 0.0210	.6580	----	----	----	----	1 UNCH
565	----	----	----/0.2970A	0.3220B/0.2970A	----	0.3230 - 0.0210	.6383	----	----	----	----	2 UNCH
568	----	----	----/0.2825A	0.2985B/0.2825A	----	0.3050 - 0.0205	.6180	----	----	----	----	3 UNCH
569	----	----	----/0.2770A	0.2940B/0.2770A	----	0.2990 - 0.0210	.6113	----	----	----	----	2 UNCH
570	----	----	----/0.2720A	0.2935B/0.2720A	----	0.2930 - 0.0210	.6045	----	----	4	----	22 + 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
JUN26												
574	----	----	----/0.2470A	0.2695B/0.2470A	----	0.2710 - 0.0205	.5768	----	----	----	----	3 UNCH
575	----	----	----/0.2430A	0.2660B/0.2430A	----	0.2655 - 0.0205	.5698	----	----	----	----	149 UNCH
579	----	----	----/0.2240A	0.2435B/0.2240A	----	0.2445 - 0.0205	.5418	----	----	----	----	3 UNCH
580	----	----	----/0.2195A	0.2395B/0.2195A	----	0.2395 - 0.0205	.5348	----	----	----	----	44 UNCH
581	----	----	----/0.2150A	0.2335B/0.2150A	----	0.2350 - 0.0200	.5278	----	----	----	----	1 UNCH
582	----	----	----/0.2110A	0.2290B/0.2110A	----	0.2300 - 0.0200	.5208	----	----	----	----	1 UNCH
583	----	----	----/0.2065A	0.2245B/0.2065A	----	0.2250 - 0.0200	.5137	----	----	1	----	2 + 1
584	----	----	----/0.2025A	0.2195B/0.2025A	----	0.2205 - 0.0200	.5067	----	----	----	----	3 UNCH
585	----	----	----/0.1975A	0.2155B/0.1975A	----	0.2160 - 0.0195	.4998	----	----	1	----	28 + 1
586	----	----	----/0.1940A	0.2110B/0.1940A	----	0.2115 - 0.0195	.4928	----	----	----	----	1 UNCH
587	----	----	----/0.1900A	0.2065B/0.1900A	----	0.2070 - 0.0195	.4859	----	----	----	----	3 UNCH
588	----	----	----/0.1860A	0.2020B/0.1860A	----	0.2025 - 0.0190	.4789	----	----	----	----	4 UNCH
589	----	----	----/0.1820A	0.1980B/0.1820A	----	0.1985 - 0.0185	.4721	----	----	----	----	1 UNCH
590	----	----	----/0.1780A	0.1935B/0.1780A	----	0.1940 - 0.0185	.4651	----	----	----	----	20 UNCH
591	----	----	----/0.1745A	0.1895B/0.1745A	----	0.1900 - 0.0185	.4583	----	----	----	----	10 UNCH
595	----	----	----/0.1595A	0.1735B/0.1595A	----	0.1740 - 0.0175	.4312	----	----	----	----	5 UNCH
596	0.1655	0.1655	0.1655/0.1550A	0.1690B/0.1550A	----	0.1705 - 0.0170	.4247	----	----	1	----	3 + 1
600	0.1525	0.1525	0.1570/0.1430A	0.1570/0.1430A	----	0.1560 - 0.0160	.3985	----	----	51	----	335 + 31
604	----	----	----/0.1310A	0.1420B/0.1310A	----	0.1425 - 0.0150	.3730	----	----	----	----	14 UNCH
605	----	----	----/0.1280A	0.1375B/0.1280A	----	0.1395 - 0.0150	.3670	----	----	----	----	3 UNCH
607	----	----	----/0.1220A	0.1315B/0.1220A	----	0.1335 - 0.0140	.3549	----	----	----	----	30 UNCH
608	----	----	----/0.1195A	0.1285B/0.1195A	----	0.1305 - 0.0140	.3489	----	----	----	----	2 UNCH
609	----	----	----/0.1165A	0.1265B/0.1165A	----	0.1275 - 0.0140	.3428	----	----	----	----	7 UNCH
610	0.1150	0.1150	0.1250B/0.1125	0.1250B/0.1125	----	0.1245 - 0.0140	.3368	----	----	31	----	541 + 9
612	----	----	----/0.1090A	0.1180B/0.1090A	----	0.1190 - 0.0135	.3253	----	----	----	----	14 UNCH
613	----	----	----/0.1065A	0.1145B/0.1065A	----	0.1160 - 0.0135	.3193	----	----	----	----	2 UNCH
615	----	----	----/0.1015A	0.1095B/0.1015A	----	0.1110 - 0.0125	.3083	----	----	----	----	15 UNCH
616	----	----	----/0.0990A	0.1070B/0.0990A	----	0.1085 - 0.0125	.3028	----	----	----	----	9 UNCH
617	----	----	----/0.0970A	0.1055B/0.0970A	----	0.1060 - 0.0125	.2974	----	----	----	----	1 UNCH
620	----	----	----/0.0900A	0.0980B/0.0900A	----	0.0985 - 0.0120	.2810	----	----	----	----	137 UNCH
622	----	----	----/0.0860A	0.0930B/0.0860A	----	0.0940 - 0.0115	.2707	----	----	----	----	3 UNCH
625	----	----	----/0.0805A	0.0870B/0.0805A	----	0.0875 - 0.0110	.2557	----	----	----	----	148 UNCH
627	----	----	----/0.0765A	0.0825B/0.0765A	----	0.0835 - 0.0105	.2462	----	----	----	----	11 UNCH
629	----	----	----/0.0730A	0.0790B/0.0730A	----	0.0795 - 0.0105	.2367	----	----	----	----	2 UNCH
630	----	----	----/0.0715A	0.0775B/0.0715A	----	0.0775 - 0.0105	.2319	----	----	1	----	538 UNCH
635	----	----	----/0.0625A	0.0685B/0.0625A	----	0.0685 - 0.0100	.2097	----	----	----	----	13 UNCH
640	----	----	----/0.0560A	0.0610B/0.0560A	----	0.0610 - 0.0090	.1901	----	----	3	----	59 + 1
645	----	----	----/0.0500A	0.0540B/0.0500A	----	0.0540 - 0.0085	.1715	----	----	2	----	11 UNCH
650	----	----	----/0.0440A	0.0480B/0.0440A	----	0.0480 - 0.0075	.1549	----	----	2	----	481 UNCH
655	----	----	----/0.0395A	0.0425B/0.0395A	----	0.0425 - 0.0070	.1395	----	----	----	----	7 UNCH
660	----	----	----/0.0355A	0.0375B/0.0355A	----	0.0380 - 0.0065	.1262	----	----	----	----	275 UNCH
665	----	----	----/0.0315A	0.0335B/0.0315A	----	0.0340 - 0.0055	.1141	----	----	10	----	29 + 10
670	----	----	----/0.0285A	0.0300B/0.0285A	----	0.0305 - 0.0050	.1033	----	----	3	----	207 + 3
675	0.0260	0.0260	0.0260/0.0250A	0.0270B/0.0250A	----	0.0270 - 0.0050	.0927	----	----	3	----	38 + 2
680	----	----	----/0.0225A	0.0240B/0.0225A	----	0.0245 - 0.0040	.0845	----	----	----	----	304 UNCH
685	----	----	----/0.0200A	0.0215B/0.0200A	----	0.0220 - 0.0040	.0764	----	----	10	----	11 + 10
690	----	----	----/*0.0180A	0.0195B/*0.0180	----	0.0195 - 0.0035	.0685	----	----	----	----	124 UNCH
695	----	----	----/*0.0160A	0.0175B/*0.0160	----	0.0175 - 0.0035	.0619	----	----	----	----	1 UNCH
700	0.0145	0.0145	0.0160B/*0.0140	0.0160B/*0.0140	----	0.0160 - 0.0030	.0567	----	----	2	----	320 UNCH
705	----	----	----/*0.0130A	0.0145B/*0.0130	----	0.0145 - 0.0025	.0516	----	----	----	----	1 UNCH
715	0.0120	0.0120	0.0120/*0.0110A	0.0120/*0.0110A	----	0.0120 - 0.0025	.0429	----	----	1	----	8 + 1
720	----	----	----/*0.0100A	0.0110B/*0.0100	----	0.0110 - 0.0025	.0394	----	----	----	----	5 UNCH
725	----	----	----/*0.0100A	0.0105B/*0.0100	----	0.0105 - 0.0020	.0372	----	----	----	----	72 UNCH
740	----	----	----/*0.0085A	0.0080B/*0.0085	----	0.0090 - 0.0015	.0312	----	----	----	----	1 UNCH
745	----	----	----/0.0080A	0.0075B/0.0080A	----	0.0085 - 0.0015	.0293	----	----	----	----	1502 UNCH
750	----	----	----/*0.0075A	0.0070B/*0.0075	----	0.0075 - 0.0020	.0261	----	----	1	----	160 + 1
755	----	----	----/*0.0070A	0.0065B/0.0070A	----	0.0075 - 0.0015	.0257	----	----	----	----	1 UNCH
765	----	----	----/*0.0060A	0.0055B/*0.0060	----	0.0065 - 0.0015	.0222	----	----	----	----	1503 UNCH
770	----	----	----/*0.0060A	0.0055B/0.0060A	----	0.0060 - 0.0015	.0205	----	----	----	----	3 UNCH
780	----	----	----	0.0045B/0.0070A	----	0.0055 - 0.0010	.0185	----	----	----	----	1 UNCH
795	----	----	----	----/0.0085A	----	0.0050 - 0.0010	.0164	----	----	----	----	33 UNCH
800	----	----	----	----/0.0085A	----	0.0045 - 0.0010	.0149	----	----	----	----	6 UNCH
825	----	----	----	----/0.0070A	----	0.0035 - 0.0005	.0113	----	----	----	----	1 UNCH
840	----	----	----	----/0.0060A	----	0.0025 - 0.0010	.0083	----	----	----	----	6 UNCH
850	----	----	----	----/0.0060A	----	0.0025 - 0.0005	.0081	----	----	----	----	5 UNCH
880	----	----	----	----/0.0045A	----	0.0015 - 0.0005	.0049	----	----	----	----	2 UNCH
900	----	----	----	----/0.0040A	----	0.0010 - 0.0005	.0033	----	----	----	----	9 UNCH
910	----	----	----	----/0.0035A	----	0.0010 - 0.0005	.0033	----	----	----	----	11 UNCH
950	----	----	----	----/*0.0005A	----	0.0005 UNCH	.0011	----	----	----	----	1 UNCH
975	----	----	----	----/*0.0015A	----	0.0005 UNCH	.0006	----	----	----	----	1 UNCH
TOTAL										127		7544 + 73
JUL26												
500	----	----	----	----	----	0.8735 - 0.0180	.8740	----	----	----	----	2 UNCH
520	----	----	----	----	----	0.7050 - 0.0195	.8149	----	----	----	----	1 UNCH
525	----	----	----	----	----	0.6655 - 0.0200	.7976	----	----	----	----	1 UNCH
530	----	----	----/0.5960A	0.6050B/0.5960A	----	0.6265 - 0.0205	.7786	----	----	----	----	6 UNCH
540	----	----	----/0.5250A	0.5535B/0.5250A	----	0.5520 - 0.0215	.7374	----	----	----	----	16 UNCH
545	----	----	----/0.4915A	0.5120B/0.4915A	----	0.5170 - 0.0215	.7151	----	----	----	----	1 UNCH
550	----	----	----/0.4595A	0.4775B/0.4595A	----	0.4825 - 0.0225	.6918	----	----	----	----	2 UNCH
555	----	----	----/0.4285A	0.4495B/0.4285A	----	0.4500 - 0.0225	.6676	----	----	----	----	146 UNCH
560	----	----	----/0.3995A	0.4140B/0.3995A	----	0.4190 - 0.0225	.6424	----	----	----	----	1 UNCH
570	----	----	----/0.3445A	0.3630B/0.3445A	----	0.3610 - 0.0220	.5905	----	----	----	----	157 UNCH
574	----	----	----/0.3195A	0.3420B/0.3195A	----	0.3390 - 0.0220	.5692	----	----	----	----	5 UNCH
575	----	----	----/0.3145A	0.3370B/0.3145A	----	0.3335 - 0.0220	.5639	----	----	----	----	17 UNCH
580	----	----	----/0.2915A	0.3125B/0.2915A	----	0.3080 - 0.0215	.5371	----	----	----	----	152 UNCH
585	----	----	----/0.2690A	0.2885B/0.2690A	----	0.2845 - 0.0205	.5102	----	----	----	----	304 UNCH
590	----	----	----/0.2480A	0.2660B/0.2480A	----	0.2625 - 0.0195	.4837	----	----	----	----	92 UNCH
595	----	----	----/0.2285A	0.2455B/0.2285A	----	0.2425 - 0.0180	.4577	----	----	----	----	44 UNCH
600	0.2200	0.2200	0.2200/0.2110A	0.2260B/0.2110A	----	0.2235 - 0.0165	.4321	----	----	12	----	230 UNCH
605	0.1990	0.1990	0.1990/0.1940A	0.2075B/0.1940A	----	0.2055 - 0.0160	.4071	----	----	30	----	44 + 30
610	----	----	----/0.1785A	0.1905B/0.1785A	----	0.1885 - 0.0155	.3827	----	----	----	----	33 UNCH
615	----	----	----/0.1640A	0.1745B/0.1640A	----	0.1725 - 0.0150	.3588	----	----	----	----	102 UNCH
620	----	----	----/0.1500A	0.1595B/0.1500A	----	0.1580 - 0.0145	.3361	----	----	2	----	81 UNCH
625	----	----	----/0.1380A	0.1460B/0.1380A	----	0.1440 - 0.0145	.3137	----	----	----	----	346 UNCH
630	----	----	----/0.1265A	0.1330B/0.1265A	----	0.1320 - 0.0140	.2931	----	----	----	----	5 UNCH
635	----	----	----/0.1160A	0.1215B/0.1160A	----	0.1205 - 0.0135	.2730	----	----	----	----	11 UNCH
640	0.1085	0.1085	0.1105/0.1025	0.1110B/0.1025	----	0.1100 - 0.0130	.2540	----	----	27	----	773 + 14
645	0.1015	0.1015	0.1020B/0.0970A	0.1020B/0.0970A	----	0.1010 - 0.0120	.2368	----	----	4	----	325 + 4
650	0.0930	0.0930	0.0930/0.0885A	0.0930/0.0885A	----	0.0925 - 0.0115	.2202	----	----	2	----	289 UNCH
660	0.0775	0.0775	0.0775/0.0745A	0.0780B/0.0745A	----	0.0780 - 0.0100	.1906	----	----	2	----	249 - 1
665	----	----	----/0.0700A	0.0705B/0.0700A	----	0.0720 - 0.0090	.1777	----	----	----	----	1 UNCH
670	----	----	----/0.0640A	0.0650B/0.0640A	----	0.0660 - 0.0085	.1650	----	----	----	----	22 UNCH
675	----	----	----/0.0585A	0.0590B/0.0585A	----	0.0610 - 0.0075	.1538	----	----	----	----	437 UNCH
680	----	----	----/0.0540A	0.0540B/0.0540A	----	0.0565 - 0.0065	.1435	----	----	----	----	3 UNCH
685	----	----	----/0.0495A	0.0495B/0.0495A	----	0.0520 - 0.0060	.1333	----	----	----	----	2 UNCH
690	----	----	----/0.0455A	0.0455B/0.0455A	----	0.0480 - 0.0060	.1241	----	----	----	----	245 UNCH
695	----	----	----/0.0415A	0.0420B/0.0415A	----	0.0445 - 0.0050	.1158	----	----	----	----	40 UNCH
700	----	----	----/0.0380A	0.0385B/0.0380A	----	0.0410 - 0.0050	.1076	----	----	----	----	131 UNCH
715	----	----	----/0.0305A	0.0300B/0.0305A	----	0.0325 - 0.0040	.0869	----	----	----	----	25 UNCH
725	----	----	----/0.0265A	0.0260B/0.0265A	----	0.0280 - 0.0035	.0757	----	----	----	----	1523 UNCH
730	----	----	----/0.0255A	0.0240B/0.0255A	----	0.0260 - 0.0035	.0706	----	----	1	----	4 + 1
750	----	----	----/0.0220A	0.0170B/0.0220A	----	0.0195 - 0.0030	.0538	----	----	1	----	185 + 1
775	----	----	----	0.0115B/0.0170A	----	0.0140 - 0.0025	.0391	----	----	----	----	25 UNCH
800	----	----	----	0.0080B/0.0145A	----	0.0105 - 0.0020	.0293	----	----	----	----	69 UNCH
850	----	----	----	0.0030B/0.0110A	----	0.0065 - 0.0010	.0179	----	----	1	----	3 UNCH
875	----	----	----	0.0010B/0.0095A	----	0.0050 - 0.0010	.0138	----	----	----	----	2 UNCH
900	----	----	----/*0.0040A	----/*0.0040A	----	0.0045 - 0.0005	.0121	----	----	----	----	271 UNCH
950	----	----	----	----/0.0055A	----	0.0025 - 0.0005	.0068	----	----	----	----	56 UNCH
975	----	----	----	----/0.0045A	----	0.0020 - 0.0005	.0054	----	----	----	----	2 UNCH
1000	----	----	----	----/0.0030A	----	0.0015 - 0.0005	.0041	----	----	----	----	4 UNCH
TOTAL										82		6485 + 49
AUG26												
500	----	----	----	----	----	0.9540 - 0.0170	.8534	----	----	----	----	2 UNCH
550	----	----	----/0.5530A	0.5705B/0.5530A	----	0.5770 - 0.0205	.6920	----	----	----	----	3 UNCH
575	----	----	----/0.4105A	0.4205B/0.4105A	----	0.4285 - 0.0215	.5873	----	----	----	----	1 UNCH
580	----	----	----/0.3855A	0.3960B/0.3855A	----	0.4025 - 0.0210	.5655	----	----	----	----	252 UNCH
585	----	----	----/0.3625A	0.3710B/0.3625A	----	0.3775 - 0.0210	.5435	----	----	----	----	11 UNCH
590	----	----	----/0.3400A	0.3470B/0.3400A	----	0.3540 - 0.0205	.5216	----	----	----	----	16 UNCH
600	----	----	----/0.2995A	0.3035B/0.2995A	----	0.3100 - 0.0195	.4782	----	----	----	----	4 UNCH
620	----	----	----/0.2305A	0.2315B/0.2305A	----	0.2355 - 0.0170	.3951	----	----	----	----	6 UNCH
625	0.2075	0.2075	0.2075/0.2075	0.2155B/0.2075	----	0.2195 - 0.0160	.3755	----	----	1	----	85 - 1
640	----	----	----/0.1765A	0.1745B/0.1765A	----	0.1775 - 0.0145	.3203	----	----	----	----	153 UNCH
650	0.1515	0.1515	0.1515/0.1485A	0.1515/0.1485A	----	0.1540 - 0.0135	.2869	----	----	30	----	30 + 26
675	----	----	----/0.1100A	0.1060B/0.1100A	----	0.1090 - 0.0110	.2164	----	----	----	----	168 UNCH
680	----	----	----/0.1030A	0.0990B/0.1030A	----	0.1015 - 0.0110	.2040	----	----	----	----	1 UNCH
690	----	----	----/0.0950A	0.0795B/0.0950A	----	0.0890 - 0.0095	.1822	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 72

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
AUG26												
700	0.0755	0.0755	0.0755/0.0755	0.0755/0.0755	----	0.0775 - 0.0090	.1619	----	----	1	----	4 UNCH
725	----	----	----	0.0465B/0.0635A	----	0.0560 - 0.0060	.1215	----	----	----	----	86 UNCH
730	----	----	----/0.0560A	0.0485B/0.0560A	----	0.0525 - 0.0060	.1147	----	----	----	----	1 UNCH
750	----	----	----	0.0370B/0.0450A	----	0.0405 - 0.0045	.0909	----	----	----	----	66 UNCH
800	----	----	----/0.0235A	0.0185B/0.0235A	----	0.0225 - 0.0030	.0526	----	----	----	----	6 UNCH
850	----	----	----	0.0095B/*0.0195	----	0.0135 - 0.0020	.0321	----	----	----	----	1 UNCH
900	----	----	----	0.0045B/*0.0145	----	0.0090 - 0.0015	.0213	----	----	----	----	57 UNCH
950	----	----	----	0.0010B/0.0150A	----	0.0055 - 0.0010	.0133	----	----	----	----	2 UNCH
975	----	----	----	----/*0.0140A	----	0.0045 - 0.0010	.0109	----	----	----	----	4 UNCH
TOTAL										32		962 + 25
SEP26												
495	----	----	----	----	----	1.0200 - 0.0160	.8434	----	----	----	----	2 UNCH
500	----	----	----	----	----	0.9795 - 0.0165	.8315	----	----	----	----	5 UNCH
535	----	----	----/0.7025A	0.6995B/0.7025A	----	0.7155 - 0.0190	.7308	----	----	----	----	1 UNCH
565	----	----	----/0.5120A	0.5220B/0.5120A	----	0.5275 - 0.0200	.6232	----	----	----	----	1 UNCH
575	----	----	----/0.4600A	0.4675B/0.4600A	----	0.4735 - 0.0200	.5848	----	----	----	----	100 UNCH
595	----	----	----/0.3695A	0.3715B/0.3695A	----	0.3780 - 0.0195	.5073	----	----	----	----	2 UNCH
600	0.3550	0.3550	0.3550/0.3495A	0.3550/0.3495A	----	0.3565 - 0.0190	.4881	----	----	1	----	287 + 1
610	----	----	----/0.3120A	0.3105B/0.3120A	----	0.3165 - 0.0180	.4505	----	----	----	----	31 UNCH
615	----	----	----/0.2950A	0.2920B/0.2950A	----	0.2980 - 0.0175	.4320	----	----	----	----	9 UNCH
620	----	----	----/0.2785A	0.2745B/0.2785A	----	0.2805 - 0.0170	.4140	----	----	----	----	35 UNCH
625	----	----	----/0.2625A	0.2580B/0.2625A	----	0.2635 - 0.0165	.3962	----	----	----	----	142 UNCH
630	----	----	----/0.2475A	0.2420B/0.2475A	----	0.2480 - 0.0160	.3790	----	----	----	----	2 UNCH
640	----	----	----/0.2200A	0.2130B/0.2200A	----	0.2195 - 0.0145	.3461	----	----	----	----	12 UNCH
650	----	----	----/0.1955A	0.1870B/0.1955A	----	0.1940 - 0.0135	.3150	----	----	----	----	201 UNCH
655	----	----	----/0.1845A	0.1755B/0.1845A	----	0.1825 - 0.0125	.3004	----	----	----	----	4 UNCH
670	----	----	----/0.1555A	0.1445B/0.1555A	----	0.1525 - 0.0110	.2601	----	----	----	----	1 UNCH
675	----	----	----/0.1465A	0.1355B/0.1465A	----	0.1440 - 0.0100	.2480	----	----	----	125	325 + 125
690	----	----	----/0.1245A	0.1125B/0.1245A	----	0.1210 - 0.0085	.2145	----	----	----	----	11 UNCH
700	----	----	----/0.1110A	0.0990B/0.1110A	----	0.1075 - 0.0080	.1942	----	----	----	----	55 UNCH
750	----	----	----/*0.0660A	0.0540B/0.0660A	----	0.0620 - 0.0055	.1196	----	----	----	----	10 UNCH
800	----	----	----	0.0295B/0.0430A	----	0.0365 - 0.0040	.0740	----	----	----	----	12 UNCH
875	----	----	----	0.0120B/0.0265A	----	0.0180 - 0.0025	.0380	----	----	----	----	1 UNCH
975	----	----	----	0.0035B/*0.0190	----	0.0080 - 0.0010	.0173	----	----	----	----	1 UNCH
TOTAL									125	1		1250 + 126
OCT26												
650	----	----	----/0.2640A	0.2490B/0.2640A	----	0.2605 - 0.0150	.3633	----	----	----	----	100 UNCH
700	----	----	----	0.1340B/0.1655A	----	0.1515 - 0.0120	.2380	----	----	----	----	145 UNCH
775	----	----	----	0.0560B/0.0860A	----	0.0745 - 0.0065	.1279	----	----	----	----	71 UNCH
800	----	----	----	0.0450B/0.0680A	----	0.0590 - 0.0055	.1038	----	----	----	----	1 UNCH
850	----	----	----	0.0250B/0.0500A	----	0.0385 - 0.0040	.0700	----	----	----	----	30 UNCH
875	----	----	----	0.0185B/0.0435A	----	0.0325 - 0.0035	.0593	----	----	----	----	2 UNCH
900	----	----	----	0.0135B/0.0390A	----	0.0280 - 0.0035	.0510	----	----	----	----	3 UNCH
975	----	----	----	0.0035B/*0.0290	----	0.0145 - 0.0020	.0278	----	----	----	----	4 UNCH
TOTAL												356
NOV26												
535	----	----	----/0.8235A	0.8245B/0.8235A	----	0.8420 - 0.0170	.7282	----	----	----	----	1 UNCH
545	----	----	----/0.7620A	0.7595B/0.7620A	----	0.7775 - 0.0175	.6996	----	----	----	----	1 UNCH
580	----	----	----/0.5740A	0.5605B/0.5740A	----	0.5780 - 0.0175	.5923	----	----	----	----	2 UNCH
585	----	----	----/0.5500A	0.5355B/0.5500A	----	0.5530 - 0.0175	.5765	----	----	----	----	1 UNCH
595	----	----	----/0.5055A	0.4885B/0.5055A	----	0.5055 - 0.0175	.5448	----	----	----	----	2 UNCH
600	----	----	----/0.4840A	0.4660B/0.4840A	----	0.4830 - 0.0170	.5290	----	----	----	----	2 UNCH
610	----	----	----/0.4435A	0.4235B/0.4435A	----	0.4405 - 0.0165	.4978	----	----	----	----	14 UNCH
640	----	----	----/0.3390A	0.3140B/0.3390A	----	0.3315 - 0.0150	.4086	----	----	----	----	1 UNCH
655	0.2840	0.2840	0.2840/0.2825A	0.2840/0.2825A	----	0.2870 NEW	.3676	----	----	1	----	1 + 1
670	----	----	----/0.2580A	0.2300B/0.2580A	----	0.2485 - 0.0125	.3296	----	----	----	----	14 UNCH
675	----	----	----/0.2470A	0.2185B/0.2470A	----	0.2370 - 0.0120	.3177	----	----	----	----	1 UNCH
750	----	----	----	0.0995B/0.1310A	----	0.1180 - 0.0065	.1793	----	----	----	----	1 UNCH
850	----	----	----	0.0350B/0.0675A	----	0.0515 - 0.0035	.0855	----	----	----	----	1 UNCH
900	----	----	----	0.0195B/*0.0530	----	0.0345 - 0.0030	.0593	----	----	----	----	1 UNCH
975	----	----	----	0.0065B/*0.0400	----	0.0190 - 0.0015	.0343	----	----	----	----	1 UNCH
TOTAL										1		44 + 1
DEC26												
520	----	----	----/0.9485A	0.9380B/0.9485A	----	0.9680 - 0.0155	.7596	----	----	----	----	1 UNCH
525	----	----	----/0.9160A	0.9130B/0.9160A	----	0.9340 - 0.0155	.7469	----	----	----	----	123 UNCH
535	----	----	----/0.8530A	0.8465B/0.8530A	----	0.8675 - 0.0160	.7206	----	----	----	----	1 UNCH
550	----	----	----/0.7645A	0.7525B/0.7645A	----	0.7745 - 0.0165	.6792	----	----	----	----	2 UNCH
555	----	----	----/0.7365A	0.7230B/0.7365A	----	0.7450 - 0.0170	.6651	----	----	----	----	1 UNCH
565	----	----	----/0.6835A	0.6670B/0.6835A	----	0.6890 - 0.0170	.6361	----	----	----	----	45 UNCH
575	----	----	----/0.6330A	0.6140B/0.6330A	----	0.6360 - 0.0175	.6067	----	----	----	----	123 UNCH
585	----	----	----/0.5860A	0.5640B/0.5860A	----	0.5865 - 0.0175	.5771	----	----	----	----	1 UNCH
590	----	----	----/0.5635A	0.5405B/0.5635A	----	0.5630 - 0.0175	.5623	----	----	----	----	200 UNCH
595	----	----	----/0.5415A	0.5175B/0.5415A	----	0.5400 - 0.0175	.5474	----	----	----	----	163 UNCH
600	----	----	----/0.5205A	0.4955B/0.5205A	----	0.5180 - 0.0170	.5327	----	----	----	----	601 UNCH
610	----	----	----/0.4805A	0.4535B/0.4805A	----	0.4755 - 0.0170	.5036	----	----	----	----	356 UNCH
620	----	----	----/0.4430A	0.4145B/0.4430A	----	0.4365 - 0.0160	.4751	----	----	----	----	408 UNCH
625	----	----	----/0.4250A	0.3955B/0.4250A	----	0.4180 - 0.0155	.4611	----	----	----	----	13 UNCH
630	----	----	----/0.4080A	0.3780B/0.4080A	----	0.4000 - 0.0150	.4472	----	----	----	----	456 UNCH
640	----	----	----/0.3755A	0.3440B/0.3755A	----	0.3660 - 0.0145	.4201	----	----	----	----	29 UNCH
650	----	----	----/0.3455A	0.3130B/0.3455A	----	0.3350 - 0.0135	.3940	----	----	----	----	371 UNCH
660	----	----	----/0.3180A	0.2840B/0.3180A	----	0.3065 - 0.0125	.3690	----	----	----	----	300 UNCH
670	----	----	----	0.2580B/0.2925A	----	0.2805 - 0.0120	.3452	----	----	----	----	4 UNCH
675	----	----	----	0.2455B/0.2805A	----	0.2680 - 0.0120	.3335	----	----	----	----	17 UNCH
680	----	----	----	0.2340B/0.2695A	----	0.2565 - 0.0115	.3224	----	----	----	----	3 UNCH
700	----	----	----	0.1925B/0.2295A	----	0.2155 - 0.0105	.2809	----	----	----	----	843 UNCH
705	----	----	----	0.1835B/0.2205A	----	0.2065 - 0.0100	.2714	----	----	----	----	2 UNCH
725	----	----	----	0.1520B/0.1890A	----	0.1745 - 0.0085	.2363	----	----	----	----	5 UNCH
730	----	----	----	0.1450B/0.1825A	----	0.1675 - 0.0080	.2283	----	----	----	----	2 UNCH
750	----	----	----	0.1200B/0.1575A	----	0.1425 - 0.0065	.1990	----	----	----	----	24 UNCH
800	----	----	----	0.0755B/0.1135A	----	0.0965 - 0.0050	.1416	----	----	----	----	104 UNCH
850	----	----	----	0.0470B/0.0855A	----	0.0670 - 0.0045	.1020	----	----	----	----	4 UNCH
900	----	----	----/*0.0500A	0.0285B/*0.0500	----	0.0485 - 0.0030	.0754	----	----	----	----	200 UNCH
925	----	----	----	0.0220B/*0.0610	----	0.0430 - 0.0030	.0668	----	----	----	----	6 UNCH
950	----	----	----	0.0300B/0.0555A	----	0.0385 - 0.0030	.0596	----	----	----	----	78 UNCH
975	----	----	----	0.0120B/0.0510A	----	0.0350 - 0.0025	.0539	----	----	----	----	13 UNCH
TOTAL												4499
JAN27												
500	----	----	----	----	----	1.2110 - 0.0070	.8035	----	----	----	----	1 UNCH
900	----	----	----	----	----	0.1130 - 0.0020	.1333	----	----	----	----	1 UNCH
TOTAL												2
MAR27												
680	----	----	----	----	----	0.4760 - 0.0045	.4114	----	----	----	----	30 UNCH
950	----	----	----	----	----	0.2335 - 0.0030	.1963	----	----	----	----	3 UNCH
TOTAL												33
HX PUT		COMEX COPPER OPTIONS										
MAY26												
125	----	----	----	----/0.0075A	----	0.0005 UNCH	----	----	----	----	----	10 UNCH
300	----	----	----	----/0.0075A	----	0.0005 UNCH	----	----	----	----	----	22 UNCH
330	----	----	----	----/0.0045A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
340	----	----	----	----/0.0045A	----	0.0005 UNCH	.0000	----	----	----	----	6 UNCH
350	----	----	----	----/0.0020A	----	0.0005 UNCH	.0000	----	----	----	----	6 UNCH
360	----	----	----	----/0.0020A	----	0.0005 UNCH	.0002	----	----	----	----	35 UNCH
370	----	----	----	----/0.0045A	----	0.0005 - 0.0005	.0004	----	----	----	----	1 UNCH
375	----	----	----	----/0.0045A	----	0.0005 - 0.0005	.0006	----	----	----	----	1 UNCH
390	----	----	----	----/0.0050A	----	0.0005 - 0.0010	.0016	----	----	----	----	2 UNCH
395	----	----	----	----/0.0050A	----	0.0010 - 0.0005	.0030	----	----	----	----	6 UNCH
400	----	----	----	0.0010B/0.0050A	----	0.0010 - 0.0010	.0031	----	----	----	----	124 UNCH
405	----	----	----	----/0.0050A	----	0.0010 - 0.0010	.0032	----	----	----	----	125 UNCH
410	----	----	----	----/0.0050A	----	0.0010 - 0.0015	.0033	----	----	----	----	23 UNCH
415	----	----	----	----/0.0050A	----	0.0010 - 0.0015	.0034	----	----	----	----	6 UNCH
420	----	----	----/*0.0015A	----/*0.0015A	----	0.0015 - 0.0010	.0049	----	----	----	----	60 UNCH
425	----	----	----	----/0.0050A	----	0.0015 - 0.0015	.0051	----	----	----	----	56 UNCH
430	----	----	----	----/0.0050A	----	0.0015 - 0.0015	.0053	----	----	----	----	21 UNCH
435	----	----	----/*0.0015A	----/*0.0015A	----	0.0015 - 0.0015	.0055	----	----	----	----	8 UNCH
440	0.0005	0.0005	0.0005/*0.0005	0.0005/*0.0005	----	0.0020 - 0.0015	.0072	----	----	4	----	130 - 4
445	----	----	----/*0.0015A	----/*0.0015A	----	0.0020 - 0.0015	.0075	----	----	----	----	52 UNCH
450	0.0010	0.0010	0.0010/*0.0010	0.0010/*0.0010	----	0.0025 - 0.0015	.0094	----	----	41	----	857 - 3
455	----	----	----/*0.0015A	----/*0.0015A	----	0.0025 - 0.0015	.0097	----	----	----	----	23 UNCH
460	0.0045	0.0045	0.0045/*0.0030	0.0045/*0.0030	----	0.0025 - 0.0020	.0101	----	----	8	----	547 UNCH
465	----	----	----/*0.0020A	----/*0.0020A	----	0.0025 - 0.0025	.0106	----	----	----	----	34 UNCH
470	----	----	----/*0.0020A	0.0035B/*0.0020	----	0.0025 - 0.0025	.0110	----	----	6	----	58 - 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
MAY26												
475	----	----	----/*0.0020A	0.0040B/*0.0020	----	0.0030 - 0.0025	.0134	----	----	22	----	418 - 20
480	0.0040	0.0040	0.0040/*0.0025	0.0040/*0.0025	----	0.0035 - 0.0025	.0158	----	----	12	----	1306 - 2
485	----	----	----/*0.0030A	0.0045B/*0.0030	----	0.0040 - 0.0025	.0184	----	----	4	----	86 - 3
490	----	----	----/*0.0035A	0.0055B/*0.0035	----	0.0040 - 0.0030	.0193	----	----	1	----	271 UNCH
495	----	----	----/*0.0040A	0.0065B/*0.0040	----	0.0040 - 0.0035	.0204	----	----	----	----	92 UNCH
500	0.0090	0.0090	0.0110/*0.0050	0.0110/*0.0050	----	0.0045 - 0.0040	.0236	----	----	114	----	1785 - 4
505	----	----	----/*0.0060A	0.0085B/*0.0060	----	0.0055 - 0.0040	.0290	----	----	----	----	178 UNCH
510	----	----	----/*0.0070A	0.0100B/*0.0070	----	0.0065 - 0.0040	.0349	----	----	----	----	388 UNCH
514	----	----	----/*0.0080A	0.0115B/*0.0080	----	0.0075 - 0.0045	.0407	----	----	----	----	43 UNCH
515	----	----	0.0125B/*0.0080	0.0125B/*0.0080	----	0.0080 - 0.0040	.0432	----	----	8	----	155 + 8
516	----	----	----/*0.0085A	0.0125B/*0.0085	----	0.0085 - 0.0040	.0456	----	----	----	----	74 UNCH
517	----	----	----/*0.0090A	0.0130B/*0.0090	----	0.0085 - 0.0045	.0462	----	----	----	----	108 UNCH
518	----	----	0.0135B/*0.0090	0.0135B/*0.0090	----	0.0090 - 0.0040	.0488	----	----	----	----	118 UNCH
519	0.0095	0.0095	0.0140B/*0.0095	0.0140B/*0.0095	----	0.0095 - 0.0040	.0513	----	----	1	----	88 UNCH
520	0.0100	0.0100	0.0150B/*0.0100	0.0150B/*0.0100	----	0.0100 - 0.0040	.0539	----	----	5	----	1185 - 5
521	----	----	0.0160B/*0.0105	0.0160B/*0.0105	----	0.0105 - 0.0040	.0565	----	----	----	----	66 UNCH
522	----	----	0.0165B/*0.0110	0.0165B/*0.0110	----	0.0110 - 0.0040	.0591	----	----	----	----	49 UNCH
523	----	----	0.0175B/*0.0115	0.0175B/*0.0115	----	0.0115 - 0.0040	.0618	----	----	----	----	21 UNCH
524	0.0115	0.0115	0.0185B/*0.0115	0.0185B/*0.0115	----	0.0120 - 0.0040	.0645	----	----	1	----	20 + 1
525	0.0120	0.0120	0.0190B/*0.0120	0.0190B/*0.0120	----	0.0125 - 0.0040	.0672	----	----	21	----	365 + 21
526	0.0185	0.0185	0.0200B/*0.0130	0.0200B/*0.0130	----	0.0130 - 0.0040	.0700	----	----	8	----	19 + 5
527	----	----	0.0210B/*0.0135	0.0210B/*0.0135	----	0.0135 - 0.0040	.0728	----	----	----	----	17 UNCH
528	----	----	0.0215B/*0.0140	0.0215B/*0.0140	----	0.0145 - 0.0040	.0774	----	----	----	----	12 UNCH
529	----	----	0.0225B/*0.0145	0.0225B/*0.0145	----	0.0150 - 0.0040	.0803	----	----	----	----	6 UNCH
530	----	----	0.0235B/*0.0155	0.0235B/*0.0155	----	0.0155 - 0.0040	.0832	----	----	1	----	684 UNCH
531	0.0230	0.0230	0.0240B/*0.0160	0.0240B/*0.0160	----	0.0165 - 0.0040	.0879	----	----	3	----	24 + 3
532	0.0175	0.0175	0.0250B/*0.0165	0.0250B/*0.0165	----	0.0170 - 0.0040	.0909	----	----	1	----	16 + 1
533	----	----	0.0265B/*0.0175	0.0265B/*0.0175	----	0.0180 - 0.0040	.0957	----	----	----	----	7 UNCH
534	0.0190	0.0190	0.0275B/*0.0180	0.0275B/*0.0180	----	0.0185 - 0.0045	.0988	----	----	1	----	9 + 1
535	0.0200	0.0200	0.0285B/*0.0190	0.0285B/*0.0190	----	0.0195 - 0.0040	.1036	----	----	5	----	207 - 3
536	0.0260	0.0260	0.0300B/*0.0195	0.0300B/*0.0195	----	0.0205 - 0.0040	.1085	----	----	3	----	12 + 2
537	0.0215	0.0215	0.0305B/*0.0205	0.0305B/*0.0205	----	0.0215 - 0.0040	.1134	----	----	2	----	9 + 1
538	0.0225	0.0225	0.0330B/*0.0215	0.0330B/*0.0215	----	0.0225 - 0.0040	.1184	----	----	2	----	10 + 2
539	0.0240	0.0240	0.0345B/*0.0225	0.0345B/*0.0225	----	0.0235 - 0.0045	.1235	----	----	6	----	11 + 5
540	0.0360	0.0360	0.0360/*0.0235	0.0360/*0.0235	----	0.0245 - 0.0045	.1286	----	----	13	----	347 - 32
541	0.0265	0.0265	0.0380B/*0.0245	0.0380B/*0.0245	----	0.0255 - 0.0045	.1337	----	----	2	----	10 + 2
542	0.0265	0.0265	0.0400B/*0.0260	0.0400B/*0.0260	----	0.0265 - 0.0050	.1390	----	----	1	----	8 UNCH
543	----	----	0.0420B/*0.0270	0.0420B/*0.0270	----	0.0280 - 0.0050	.1457	----	----	----	----	1 UNCH
544	----	----	0.0440B/*0.0285	0.0440B/*0.0285	----	0.0290 - 0.0055	.1511	----	----	----	----	1 UNCH
545	0.0300	0.0300	0.0455B/*0.0295	0.0455B/*0.0295	----	0.0305 - 0.0055	.1580	----	----	2	----	165 UNCH
546	0.0400	0.0400	0.0480B/*0.0310	0.0480B/*0.0310	----	0.0320 - 0.0055	.1649	----	----	1	----	11 UNCH
547	0.0330	0.0330	0.0495B/*0.0325	0.0495B/*0.0325	----	0.0335 - 0.0055	.1719	----	----	1	----	8 - 1
548	0.0375	0.0375	0.0530B/*0.0340	0.0530B/*0.0340	----	0.0350 - 0.0060	.1790	----	----	42	----	101 - 8
549	0.0455	0.0455	0.0550B/*0.0360	0.0550B/*0.0360	----	0.0365 - 0.0060	.1862	----	----	1	----	12 UNCH
550	0.0510	0.0510	0.0580B/*0.0370	0.0580B/*0.0370	----	0.0385 - 0.0060	.1946	----	----	21	100	1839 - 47
551	0.0415	0.0415	0.0600B/*0.0390	0.0600B/*0.0390	----	0.0400 - 0.0065	.2019	----	----	3	----	31 - 1
552	----	----	0.0635B/*0.0410	0.0635B/*0.0410	----	0.0420 - 0.0065	.2105	----	----	----	----	18 UNCH
553	----	----	0.0655B/*0.0430	0.0655B/*0.0430	----	0.0440 - 0.0065	.2192	----	----	----	----	21 UNCH
554	----	----	0.0690B/*0.0455	0.0690B/*0.0455	----	0.0460 - 0.0070	.2279	----	----	----	----	17 UNCH
555	0.0490	0.0490	0.0725B/*0.0470	0.0725B/*0.0470	----	0.0485 - 0.0065	.2378	----	----	18	----	129 + 7
556	----	----	0.0760B/*0.0495	0.0760B/*0.0495	----	0.0505 - 0.0070	.2467	----	----	----	----	15 UNCH
557	0.0560	0.0560	0.0790B/*0.0515	0.0790B/*0.0515	----	0.0530 - 0.0070	.2567	----	----	11	----	37 + 5
558	0.0605	0.0605	0.0825B/*0.0545	0.0825B/*0.0545	----	0.0555 - 0.0075	.2667	----	----	2	----	107 UNCH
559	0.0635	0.0635	0.0865B/*0.0570	0.0865B/*0.0570	----	0.0585 - 0.0070	.2776	----	----	2	----	25 + 1
560	0.0670	0.0670	0.0900B/*0.0590	0.0900B/*0.0590	----	0.0615 - 0.0070	.2886	----	----	18	----	522 - 6
561	----	----	0.0940B/*0.0620	0.0940B/*0.0620	----	0.0640 - 0.0075	.2988	----	----	----	----	15 UNCH
562	----	----	0.0955B/*0.0655	0.0955B/*0.0655	----	0.0675 - 0.0070	.3106	----	----	----	----	22 UNCH
563	----	----	0.1000B/*0.0680	0.1000B/*0.0680	----	0.0705 - 0.0070	.3217	----	----	----	----	12 UNCH
564	----	----	0.1040B/*0.0715	0.1040B/*0.0715	----	0.0740 - 0.0065	.3335	----	----	----	----	9 UNCH
565	0.0855	0.0855	0.1085B/*0.0745	0.1085B/*0.0745	----	0.0775 - 0.0065	.3454	----	----	16	----	208 - 12
566	----	----	0.1140B/*0.0790	0.1140B/*0.0790	----	0.0810 - 0.0065	.3572	----	----	----	----	6 UNCH
567	----	----	0.1185B/*0.0820	0.1185B/*0.0820	----	0.0850 - 0.0065	.3696	----	----	----	----	3 UNCH
568	----	----	0.1235B/*0.0855	0.1235B/*0.0855	----	0.0890 - 0.0060	.3820	----	----	----	----	8 UNCH
569	----	----	0.1285B/*0.0895	0.1285B/*0.0895	----	0.0930 - 0.0060	.3944	----	----	----	----	27 UNCH
570	0.1150	0.1150	0.1345B/*0.0930	0.1345B/*0.0930	----	0.0975 - 0.0055	.4071	----	----	44	----	536 - 14
571	----	----	0.1395B/*0.0980	0.1395B/*0.0980	----	0.1015 - 0.0055	.4195	----	----	----	----	5 UNCH
572	----	----	0.1440B/*0.1025	0.1440B/*0.1025	----	0.1065 - 0.0050	.4324	----	----	----	----	9 UNCH
573	----	----	0.1500B/*0.1070	0.1500B/*0.1070	----	0.1110 - 0.0050	.4451	----	----	----	----	5 UNCH
574	0.1255	0.1255	0.1555B/*0.1120	0.1555B/*0.1120	----	0.1160 - 0.0045	.4579	----	----	1	----	1 + 1
575	0.1310	0.1310	0.1605B/*0.1155	0.1605B/*0.1155	----	0.1210 - 0.0045	.4706	----	----	27	----	308 UNCH
576	----	----	0.1635B/*0.1225	0.1635B/*0.1225	----	0.1260 - 0.0045	.4834	----	----	----	----	29 UNCH
577	----	----	0.1680B/*0.1275	0.1680B/*0.1275	----	0.1315 - 0.0040	.4961	----	----	----	----	77 UNCH
578	----	----	0.1750B/*0.1325	0.1750B/*0.1325	----	0.1370 - 0.0035	.5087	----	----	----	----	25 UNCH
579	----	----	0.1810B/*0.1385	0.1810B/*0.1385	----	0.1425 - 0.0035	.5213	----	----	----	----	6 UNCH
580	0.1630	0.1630	0.1855B/*0.1440	0.1855B/*0.1440	----	0.1480 - 0.0030	.5338	----	----	8	----	262 - 40
581	----	----	0.1910B/*0.1500	0.1910B/*0.1500	----	0.1540 - 0.0030	.5461	----	----	----	----	20 UNCH
582	----	----	0.1935B/*0.1560	0.1935B/*0.1560	----	0.1600 - 0.0025	.5584	----	----	----	----	7 UNCH
583	----	----	0.1960B/*0.1615	0.1960B/*0.1615	----	0.1660 - 0.0025	.5706	----	----	----	----	1 UNCH
584	----	----	0.1990B/*0.1680	0.1990B/*0.1680	----	0.1720 - 0.0020	.5823	----	----	----	----	5 UNCH
585	----	----	0.2190B/*0.1730	0.2190B/*0.1730	----	0.1785 - 0.0015	.5944	----	----	----	----	189 UNCH
586	----	----	0.2090B/*0.1815	0.2090B/*0.1815	----	0.1850 - 0.0010	.6061	----	----	----	----	3 UNCH
587	----	----	0.2125B/----	0.2125B/0.1925A	----	0.1915 - 0.0010	.6177	----	----	----	----	3 UNCH
588	----	----	0.2100B/----	0.2100B/*0.1995	----	0.1980 - 0.0005	.6287	----	----	----	----	2 UNCH
589	----	----	0.2170B/----	0.2170B/*0.2060	----	0.2050 UNCH	.6402	----	----	----	----	2 UNCH
590	----	----	0.2545B/0.2060A	0.2545B/0.2060A	----	0.2115 UNCH	.6510	----	----	----	----	144 UNCH
591	----	----	0.2315B/----	0.2315B/*0.2195	----	0.2185 + 0.0010	.6618	----	----	----	----	1 UNCH
592	----	----	0.2410B/----	0.2410B/0.2355A	----	0.2255 + 0.0010	.6725	----	----	----	----	50 UNCH
594	----	----	0.2535B/----	0.2535B/0.2530A	----	0.2400 + 0.0025	.6939	----	----	----	----	1 UNCH
595	----	----	0.2915B/----	0.2915B/0.2455A	----	0.2470 + 0.0025	.7037	----	----	----	----	31 UNCH
597	----	----	0.2765B/----	0.2765B/0.2750A	----	0.2620 + 0.0035	.7231	----	----	----	----	1 UNCH
598	----	----	0.2840B/----	0.2840B/0.2825A	----	0.2695 + 0.0040	.7328	----	----	----	----	1 UNCH
600	0.2880	0.2880	0.3190B/0.2795A	0.3190B/0.2795A	----	0.2850 + 0.0045	.7510	----	----	8	----	505 UNCH
602	----	----	0.3165B/----	0.3165B/0.3135A	----	0.3010 + 0.0050	.7679	----	----	----	----	1 UNCH
603	----	----	0.3250B/----	0.3250B/0.3215A	----	0.3090 + 0.0050	.7763	----	----	----	----	1 UNCH
604	----	----	0.3330B/----	0.3330B/0.3295A	----	0.3170 + 0.0055	.7847	----	----	----	----	2 UNCH
605	----	----	0.3425B/----	0.3425B/0.3345A	----	0.3255 + 0.0060	.7930	----	----	----	----	37 UNCH
610	----	----	0.3855B/----	0.3855B/0.3765A	----	0.3675 + 0.0070	.8276	----	----	----	----	42 UNCH
615	----	----	0.4290B/----	0.4290B/0.4230A	----	0.4110 + 0.0080	.8567	----	----	----	----	1 UNCH
619	----	----	0.4655B/----	0.4655B/0.4585A	----	0.4470 + 0.0095	.8783	----	----	----	----	1 UNCH
620	----	----	0.4750B/----	0.4750B/0.4675A	----	0.4560 + 0.0095	.8816	----	----	----	----	3 UNCH
645	----	----	----	----	----	0.6925 + 0.0105	.9540	----	----	----	----	1 UNCH
TOTAL									100	522		16126 - 141
JUN26												
330	----	----	----	----/*0.0030A	----	0.0010 - 0.0005	.0023	----	----	----	----	3 UNCH
355	----	----	----	----/0.0080A	----	0.0015 - 0.0010	.0037	----	----	----	----	10 UNCH
370	----	----	----	----/0.0085A	----	0.0025 - 0.0010	.0061	----	----	----	----	1 UNCH
380	----	----	----	----/*0.0090A	----	0.0030 - 0.0015	.0074	----	----	----	----	1 UNCH
400	0.0050	0.0050	0.0050/*0.0050	0.0050/*0.0050	----	0.0040 - 0.0020	.0104	----	----	1	----	3 + 1
405	----	----	----	0.0005B/*0.0085	----	0.0045 - 0.0020	.0118	----	----	----	----	1 UNCH
410	----	----	----	0.0010B/*0.0090	----	0.0045 - 0.0025	.0121	----	----	----	----	2 UNCH
420	----	----	----	0.0035B/*0.0100	----	0.0055 - 0.0025	.0150	----	----	----	----	3 UNCH
430	----	----	----/*0.0085A	0.0025B/*0.0085	----	0.0060 - 0.0030	.0171	----	----	----	----	4 UNCH
435	----	----	----	0.0035B/0.0120A	----	0.0065 - 0.0030	.0187	----	----	----	----	2 UNCH
440	----	----	----/0.0095A	0.0080B/0.0095A	----	0.0075 - 0.0025	.0215	----	----	----	----	8 UNCH
445	----	----	----/*0.0095A	0.0085B/*0.0095	----	0.0080 - 0.0030	.0234	----	----	----	----	12 UNCH
450	0.0070	0.0070	0.0085/*0.0070	0.0100B/*0.0070	----	0.0090 - 0.0025	.0264	----	----	14	----	476 + 8
455	0.0090	0.0090	0.0090/*0.0090	0.0105B/*0.0090	----	0.0095 - 0.0030	.0284	----	----	8	----	70 - 3
460	0.0125	0.0125	0.0125/*0.0105A	0.0125/*0.0105A	----	0.0105 - 0.0030	.0316	----	----	4	----	90 + 1
465	----	----	----/*0.0115A	0.0140B/*0.0115	----	0.0120 - 0.0030	.0360	----	----	7	----	921 UNCH
470	0.0135	0.0135	0.0135/*0.0130A	0.0160B/*0.0130	----	0.0135 - 0.0030	.0406	----	----	3	----	671 + 2
475	----	----	----/*0.0145A	0.0180B/*0.0145	----	0.0155 - 0.0025	.0464	----	----	1	----	163 - 1
480	0.0165	0.0165	0.0205B/*0.0165	0.0205B/*0.0165	----	0.0175 + 0.0025	.0524	----	----	2	----	1009 + 2
485	----	----	0.0230B/*0.0185	0.0230B/*0.0185	----	0.0195 - 0.0030	.0586	----	----	----	----	54 UNCH
490	----	----	0.0265B/*0.0210	0.0265B/*0.0210	----	0.0220 - 0.0030	.0660	----	----	----	----	63 UNCH
495	----	----	0.0300B/*0.0240	0.0300B/*0.0240	----	0.0245 - 0.0040	.0737	----	----	----	----	35 UNCH
500	----	----	0.0345B/*0.0270	0.0345B/*0.0270	----	0.0275 - 0.0045	.0828	----	----	2	----	568 + 1
505	----	----	0.0395B/*0.0310	0.0395B/*0.0310	----	0.0315 - 0.0045	.0940	----	----	----	----	515 UNCH
510	----	----	0.0450B/*0.0350	0.0450B/*0.0350	----	0.0355 - 0.0055	.1056	----	----	12	----	222 + 4
515	----	----	0.0510B/*0.0400	0.0510B/*0.0400	----	0.0405 - 0.0060	.1194	----	----	----	----	29 UNCH
520	0.0440	0.0440	0.0585B/*0.0440	0.0585B/*0.0440	----	0.0465 - 0.0065	.1352	----	----	18	----	189 + 10
523	----	----	0.0630B/*0.0495	0.0630B/*0.0495	----	0.0500 - 0.0070	.1448	----	----	----	----	3 UNCH
525	----	----	0.0670B/*0.0525	0.0670B/*0.0525	----	0.0530 - 0.0070	.1523	----	----	6	----	2304 + 1
528	----	----	0.0715B/*0.0565	0.0715B/*0.0565	----	0.0575 - 0.0075	.1637	----	----	----	----	3 UNCH
529	----	----	0.0735B/*0.0580	0.0735B/*0.0580	----	0.0590 - 0.0075	.1675	----	----	----	----	5 UNCH
530	0.0630	0.0630	0.0760B/*0.0595	0.0760B/*0.0595	----	0.0605 - 0.0080	.1714	----	----	6	----	117 + 4
531	----	----	0.0775B/*0.0610	0.0775B/*0.0610	----	0.0620 - 0.0080	.1752	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
JUN26												
534	0.0800	0.0800	0.0840B/*0.0660	0.0840B/*0.0660	----	0.0675 NEW	.1884	----	----	3	----	3 + 3
535	0.0720	0.0720	0.0860B/*0.0680	0.0860B/*0.0680	----	0.0690 - 0.0085	.1923	----	----	1	----	22 + 1
537	----	----	0.0910B/*0.0715	0.0910B/*0.0715	----	0.0730 - 0.0080	.2016	----	----	----	----	4 UNCH
538	0.0930	0.0930	0.0950/*0.0735A	0.0950/*0.0735A	----	0.0750 - 0.0080	.2063	----	----	15	----	5 + 4
539	----	----	0.0950B/*0.0755	0.0950B/*0.0755	----	0.0770 - 0.0085	.2110	----	----	----	----	1 UNCH
540	0.0980	0.0980	0.1005/*0.0780A	0.1005/*0.0780A	----	0.0790 - 0.0085	.2157	----	----	6	----	51 + 6
542	----	----	0.1025B/*0.0825	0.1025B/*0.0825	----	0.0830 - 0.0090	.2253	----	----	----	----	3 UNCH
543	----	----	0.1050B/*0.0845	0.1050B/*0.0845	----	0.0855 - 0.0085	.2306	----	----	----	----	12 UNCH
544	0.0900	0.0900	0.1085B/*0.0865	0.1085B/*0.0865	----	0.0875 NEW	.2355	----	----	1	----	1 + 1
545	----	----	0.1110B/*0.0895	0.1110B/*0.0895	----	0.0900 - 0.0090	.2408	----	----	----	----	67 UNCH
548	0.1000	0.1000	0.1195B/*0.0965	0.1195B/*0.0965	----	0.0975 NEW	.2571	----	----	1	----	1 + 1
550	0.1190	0.1190	0.1260B/*0.1015	0.1260B/*0.1015	----	0.1025 - 0.0090	.2681	----	----	28	----	151 + 20
551	----	----	0.1290B/*0.1040	0.1290B/*0.1040	----	0.1055 - 0.0090	.2740	----	----	----	----	90 UNCH
555	----	----	0.1430B/*0.1160	0.1430B/*0.1160	----	0.1170 - 0.0095	.2975	----	----	----	----	10 UNCH
557	----	----	0.1505B/*0.1220	0.1505B/*0.1220	----	0.1235 - 0.0090	.3100	----	----	----	----	50 UNCH
559	0.1290	0.1290	0.1580B/*0.1280	0.1580B/*0.1280	----	0.1300 - 0.0095	.3225	----	----	3	----	5 + 3
560	0.1260	0.1260	0.1620B/*0.1260	0.1620B/*0.1260	----	0.1335 - 0.0095	.3289	----	----	1	----	5 + 1
561	0.1565	0.1565	0.1680B/*0.1345	0.1680B/*0.1345	----	0.1370 - 0.0095	.3353	----	----	1	----	2 + 1
565	0.1565	0.1565	0.1845B/*0.1480	0.1845B/*0.1480	----	0.1515 - 0.0095	.3615	----	----	15	----	166 + 3
568	----	----	0.1960B/*0.1610	0.1960B/*0.1610	----	0.1635 - 0.0095	.3818	----	----	1	----	0 - 1
570	----	----	0.2075B/*0.1690	0.2075B/*0.1690	----	0.1715 - 0.0095	.3953	----	----	1	----	13 UNCH
574	----	----	0.2270B/*0.1860	0.2270B/*0.1860	----	0.1890 - 0.0095	.4230	----	----	----	----	1 UNCH
575	----	----	0.2325B/*0.1900	0.2325B/*0.1900	----	0.1935 - 0.0095	.4299	----	----	----	----	62 UNCH
576	----	----	0.2355B/*0.1950	0.2355B/*0.1950	----	0.1985 - 0.0090	.4370	----	----	----	----	1 UNCH
577	----	----	0.2430B/*0.2000	0.2430B/*0.2000	----	0.2030 - 0.0095	.4440	----	----	----	----	1 UNCH
578	----	----	0.2460B/*0.2045	0.2460B/*0.2045	----	0.2080 - 0.0090	.4510	----	----	----	----	1 UNCH
579	----	----	0.2515B/*0.2095	0.2515B/*0.2095	----	0.2130 - 0.0090	.4580	----	----	----	----	2 UNCH
580	----	----	0.2565B/*0.2135	0.2565B/*0.2135	----	0.2180 - 0.0090	.4650	----	----	----	----	14 UNCH
581	----	----	0.2620B/*0.2190	0.2620B/*0.2190	----	0.2230 - 0.0085	.4720	----	----	----	----	1 UNCH
582	0.2660	0.2660	0.2685B/*0.2245	0.2685B/*0.2245	----	0.2280 - 0.0085	.4790	----	----	2	----	2 + 1
583	----	----	0.2730B/*0.2300	0.2730B/*0.2300	----	0.2330 - 0.0085	.4861	----	----	----	----	1 UNCH
584	----	----	0.2810B/*0.2355	0.2810B/*0.2355	----	0.2385 - 0.0085	.4930	----	----	----	----	2 UNCH
585	----	----	0.2875B/*0.2400	0.2875B/*0.2400	----	0.2440 - 0.0080	.5000	----	----	----	----	2 UNCH
590	----	----	0.3130B/*0.2685	0.3130B/*0.2685	----	0.2720 - 0.0070	.5347	----	----	----	----	2 UNCH
600	----	----	0.3740B/0.3300A	0.3740B/0.3300A	----	0.3335 - 0.0045	.6013	----	----	----	----	15 UNCH
602	----	----	0.3670B/0.3490A	0.3670B/0.3490A	----	0.3465 - 0.0040	.6142	----	----	----	----	1 UNCH
605	----	----	0.4085B/0.3625A	0.4085B/0.3625A	----	0.3665 - 0.0035	.6328	----	----	----	----	48 UNCH
610	----	----	0.4450B/0.3985A	0.4450B/0.3985A	----	0.4015 - 0.0020	.6630	----	----	----	----	20 UNCH
615	----	----	0.4825B/0.4345A	0.4825B/0.4345A	----	0.4375 - 0.0015	.6915	----	----	----	----	31 UNCH
620	----	----	0.5215B/0.4720A	0.5215B/0.4720A	----	0.4750 - 0.0005	.7188	----	----	----	----	9 UNCH
630	----	----	0.5700B/----	0.5700B/0.5695A	----	0.5535 + 0.0010	.7679	----	----	----	----	9 UNCH
645	----	----	0.6965B/----	0.6965B/0.7055A	----	0.6800 + 0.0035	.8283	----	----	----	----	1 UNCH
650	----	----	0.7410B/----	0.7410B/0.7500A	----	0.7235 + 0.0040	.8449	----	----	----	----	3 UNCH
655	----	----	0.7860B/----	0.7860B/0.7950A	----	0.7680 + 0.0045	.8603	----	----	----	----	1 UNCH
700	----	----	----	----	----	1.1905 + 0.0085	.9431	----	----	----	----	1 UNCH
TOTAL										163		8452 + 74
JUL26												
330	----	----	----	----/0.0095A	----	0.0015 - 0.0005	.0034	----	----	----	----	80 UNCH
350	----	----	----	----/0.0110A	----	0.0025 - 0.0005	.0056	----	----	----	----	5 UNCH
380	----	----	----	0.0020B/0.0135A	----	0.0045 - 0.0010	.0105	----	----	----	----	2 UNCH
390	----	----	----	0.0020B/*0.0150	----	0.0055 - 0.0015	.0129	----	----	----	----	6 UNCH
395	----	----	----	0.0020B/*0.0155	----	0.0060 - 0.0020	.0142	----	----	----	----	1 UNCH
400	----	----	----	0.0050B/0.0135A	----	0.0070 - 0.0015	.0164	----	----	----	----	508 UNCH
405	----	----	----	0.0050B/*0.0140	----	0.0075 - 0.0020	.0178	----	----	----	----	1 UNCH
415	----	----	----/*0.0110A	0.0080B/*0.0110	----	0.0095 - 0.0020	.0224	----	----	----	----	53 UNCH
420	----	----	----/*0.0120A	0.0090B/*0.0120	----	0.0105 - 0.0025	.0248	----	----	----	----	4 UNCH
425	----	----	----/*0.0120A	0.0100B/*0.0120	----	0.0115 - 0.0025	.0273	----	----	----	----	50 UNCH
430	----	----	----/*0.0135A	0.0115B/*0.0135	----	0.0125 - 0.0030	.0298	----	----	----	----	8 UNCH
435	----	----	----	0.0125B/*0.0190	----	0.0140 - 0.0035	.0333	----	----	1	----	5 UNCH
440	----	----	----	0.0145B/*0.0200	----	0.0155 - 0.0035	.0369	----	----	----	----	3 UNCH
445	----	----	----	0.0165B/*0.0210	----	0.0170 - 0.0040	.0406	----	----	----	----	3 UNCH
450	----	----	----/*0.0195A	0.0195B/*0.0195	----	0.0190 - 0.0040	.0453	----	----	3	----	1923 + 2
455	----	----	----/*0.0215A	0.0210B/*0.0215	----	0.0215 - 0.0040	.0508	----	----	----	----	9 UNCH
460	----	----	----/*0.0240A	0.0240B/*0.0240	----	0.0240 - 0.0040	.0565	----	----	2	----	5 + 1
470	----	----	----/*0.0290A	0.0335B/*0.0290	----	0.0295 - 0.0045	.0690	----	----	1	----	3 UNCH
475	----	----	----/*0.0325A	0.0375B/*0.0325	----	0.0325 - 0.0050	.0760	----	----	----	----	510 UNCH
480	0.0360	0.0360	0.0360/*0.0360	0.0415B/*0.0360	----	0.0365 - 0.0050	.0846	----	----	1	----	70 + 1
485	----	----	0.0465B/*0.0410	0.0465B/*0.0410	----	0.0405 - 0.0055	.0933	----	----	----	----	1 UNCH
490	----	----	0.0525B/*0.0455	0.0525B/*0.0455	----	0.0450 - 0.0060	.1030	----	----	----	----	543 UNCH
495	----	----	0.0595B/*0.0505	0.0595B/*0.0505	----	0.0505 - 0.0060	.1143	----	----	----	----	96 UNCH
500	----	----	0.0675B/*0.0565	0.0675B/*0.0565	----	0.0560 - 0.0065	.1258	----	----	----	----	2618 UNCH
505	----	----	0.0755B/*0.0630	0.0755B/*0.0630	----	0.0625 - 0.0070	.1388	----	----	----	----	2 UNCH
510	----	----	0.0840B/*0.0700	0.0840B/*0.0700	----	0.0700 - 0.0070	.1531	----	----	2	----	33 + 2
520	0.0905	0.0905	0.1040B/*0.0855	0.1040B/*0.0855	----	0.0870 - 0.0080	.1849	----	----	1	----	618 - 1
525	0.1005	0.1005	0.1160B/*0.0940	0.1160B/*0.0940	----	0.0965 - 0.0090	.2022	----	----	22	----	524 + 17
530	0.1080	0.1080	0.1285B/*0.1050	0.1285B/*0.1050	----	0.1075 - 0.0090	.2211	----	----	5	----	3220 + 5
534	----	----	0.1395B/*0.1165	0.1395B/*0.1165	----	0.1170 - 0.0095	.2371	----	----	----	----	1 UNCH
535	----	----	0.1425B/*0.1195	0.1425B/*0.1195	----	0.1195 - 0.0095	.2412	----	----	----	----	1 UNCH
539	----	----	0.1540B/*0.1295	0.1540B/*0.1295	----	0.1300 - 0.0100	.2581	----	----	----	----	1 UNCH
540	----	----	0.1570B/*0.1305	0.1570B/*0.1305	----	0.1325 - 0.0100	.2623	----	----	1	----	457 UNCH
550	0.1680	0.1680	0.1920B/*0.1600	0.1920B/*0.1600	----	0.1625 - 0.0110	.3079	----	----	13	----	471 + 2
555	----	----	0.2110B/*0.1785	0.2110B/*0.1785	----	0.1795 - 0.0110	.3321	----	----	----	----	44 UNCH
560	0.2295	0.2295	0.2315B/*0.1975	0.2315B/*0.1975	----	0.1985 - 0.0110	.3574	----	----	110	----	153 + 110
565	----	----	0.2535B/*0.2165	0.2535B/*0.2165	----	0.2185 - 0.0110	.3831	----	----	----	----	7 UNCH
570	0.2340	0.2340	0.2775B/*0.2340	0.2775B/*0.2340	----	0.2395 - 0.0110	.4092	----	----	30	----	81 + 25
571	0.2420	0.2420	0.2825B/*0.2420	0.2825B/*0.2420	----	0.2440 NEW	.4145	----	----	1	----	1 + 1
574	----	----	0.2975B/*0.2555	0.2975B/*0.2555	----	0.2575 - 0.0105	.4305	----	----	----	----	5 UNCH
580	0.2945	0.2945	0.3290B/*0.2815	0.3290B/*0.2815	----	0.2860 - 0.0105	.4627	----	----	1	----	1735 UNCH
585	----	----	0.3560B/*0.3100	0.3560B/*0.3100	----	0.3120 - 0.0095	.4895	----	----	----	----	21 UNCH
586	0.3320	0.3320	0.3620B/*0.3150	0.3620B/*0.3150	----	0.3175 NEW	.4948	----	----	7	----	7 + 7
587	0.3315	0.3315	0.3675B/*0.3205	0.3675B/*0.3205	----	0.3230 NEW	.5001	----	----	7	----	7 + 7
588	----	----	0.3735B/*0.3285	0.3735B/*0.3285	----	0.3285 - 0.0090	.5055	----	----	----	----	1 UNCH
589	----	----	0.3790B/*0.3330	0.3790B/*0.3330	----	0.3345 - 0.0080	.5107	----	----	----	----	7 UNCH
590	----	----	0.3860B/*0.3385	0.3860B/*0.3385	----	0.3400 - 0.0080	.5160	----	----	----	----	21 UNCH
595	----	----	0.4115B/0.3690A	0.4115B/0.3690A	----	0.3695 - 0.0065	.5420	----	----	----	----	2 UNCH
600	----	----	0.4425B/0.3970A	0.4425B/0.3970A	----	0.4000 - 0.0055	.5676	----	----	----	----	10 UNCH
610	----	----	0.5090B/0.4615A	0.5090B/0.4615A	----	0.4645 - 0.0045	.6170	----	----	----	----	47 UNCH
615	----	----	0.5445B/0.4970A	0.5445B/0.4970A	----	0.4985 - 0.0040	.6409	----	----	----	----	10 UNCH
700	----	----	----	----	----	1.2130 + 0.0065	.8922	----	----	----	----	1 UNCH
705	----	----	----	----	----	1.2600 + 0.0075	.8994	----	----	----	----	1 UNCH
TOTAL										208		13996 + 179
AUG26												
405	----	----	----	0.0110B/*0.0210	----	0.0150 - 0.0020	.0288	----	----	----	----	3 UNCH
420	----	----	----	0.0150B/*0.0250	----	0.0185 - 0.0025	.0362	----	----	----	----	1 UNCH
440	----	----	----	0.0230B/0.0315A	----	0.0260 - 0.0030	.0510	----	----	----	----	9 UNCH
450	----	----	----	0.0295B/*0.0365	----	0.0310 - 0.0035	.0607	----	----	----	----	4 UNCH
475	0.0520	0.0520	0.0520/*0.0520	0.0540B/*0.0520	----	0.0495 - 0.0060	.0945	----	----	2	----	2 UNCH
480	----	----	----/*0.0590A	0.0605B/*0.0590	----	0.0550 - 0.0060	.1037	----	----	----	----	4 UNCH
500	----	----	0.0905B/*0.0860	0.0905B/*0.0860	----	0.0810 - 0.0080	.1462	----	----	----	----	3 UNCH
510	----	----	0.1095B/*0.1025	0.1095B/*0.1025	----	0.0980 - 0.0085	.1722	----	----	----	----	1 UNCH
520	0.1300	0.1300	0.1320B/*0.1225	0.1320B/*0.1225	----	0.1180 - 0.0095	.2014	----	----	1	----	300 UNCH
530	----	----	0.1570B/*0.1460	0.1570B/*0.1460	----	0.1415 - 0.0100	.2338	----	----	----	----	1 UNCH
580	----	----	0.3565B/0.3260A	0.3565B/0.3260A	----	0.3235 - 0.0120	.4342	----	----	----	----	250 UNCH
585	----	----	0.3830B/0.3510A	0.3830B/0.3510A	----	0.3485 - 0.0115	.4561	----	----	----	----	5 UNCH
590	----	----	0.4105B/0.3765A	0.4105B/0.3765A	----	0.3745 - 0.0110	.4780	----	----	----	----	14 UNCH
TOTAL										3		597
SEP26												
400	----	----	----	0.0135B/*0.0270	----	0.0195 - 0.0020	.0338	----	----	----	----	1 UNCH
450	----	----	----	0.0405B/*0.0500	----	0.0425 - 0.0045	.0740	----	----	----	----	578 UNCH
470	----	----	----	0.0630B/*0.0705	----	0.0620 - 0.0055	.1041	----	----	----	----	3 UNCH
475	----	----	----	0.0705B/*0.0770	----	0.0685 - 0.0055	.1134	----	----	----	----	70 UNCH
480	----	----	----	0.0780B/*0.0830	----	0.0755 - 0.0060	.1233	----	----	----	----	7 UNCH
485	----	----	----	0.0865B/*0.0895	----	0.0825 - 0.0065	.1333	----	----	----	----	1 UNCH
490	----	----	----	0.0920B/*0.1010	----	0.0905 - 0.0070	.1443	----	----	----	----	9 UNCH
500	----	----	----	0.1115B/*0.1185	----	0.1085 - 0.0070	.1681	----	----	----	----	377 UNCH
520	----	----	----	0.1595B/*0.1625	----	0.1510 - 0.0085	.2219	----	----	----	----	3 UNCH
525	----	----	0.1735B/----	0.1735B/*0.1755	----	0.1640 - 0.0085	.2371	----	----	----	125	325 + 125
540	----	----	0.2275B/*0.2130	0.2275B/*0.2130	----	0.2070 - 0.0100	.2855	----	----	----	----	1 UNCH
550	----	----	0.2655B/*0.2470	0.2655B/*0.2470	----	0.2410 - 0.0105	.3207	----	----	----	----	20 UNCH
575	----	----	0.3780B/0.3510A	0.3780B/0.3510A	----	0.3455 - 0.0105	.4148	----	----	----	----	102 UNCH
590	----	----	0.4570B/0.4260A	0.4570B/0.4260A	----	0.4205 - 0.0105	.4730	----	----	----	----	2 UNCH
600	----	----	0.5150B/0.4805A	0.5150B/0.4805A	----	0.4755 - 0.0100	.5114	----	----	----	----	9 UNCH
610	----	----	0.5760B/0.5395A	0.5760B/0.5395A	----	0.5345 - 0.0090	.5491	----	----	----	----	6 UNCH
615	----	----	0.6080B/0.5700A	0.6080B/0.5700A	----	0.5655 - 0.0085	.5675	----	----	----	----	1 UNCH
625	----	----	0.6745B/----	0.6745B/0.6405A	----	0.6305 - 0.0070	.6034	----	----	----	----	147 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 75

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
SEP26												
695	----	----	----	----	----	1.1745 + 0.0015	.7955	----	----	----	----	2 UNCH
TOTAL									125			1664 + 125
OCT26												
375	----	----	----	0.0045B/0.0290A	----	0.0160 - 0.0025	.0251	----	----	----	----	2 UNCH
400	----	----	----	0.0140B/*0.0345	----	0.0215 - 0.0040	.0349	----	----	----	----	1 UNCH
450	----	----	----	0.0470B/*0.0625	----	0.0495 - 0.0065	.0778	----	----	----	----	1 UNCH
470	----	----	----	0.0705B/*0.0855	----	0.0720 - 0.0065	.1080	----	----	----	----	1 UNCH
500	----	----	----	0.1180B/*0.1360	----	0.1220 - 0.0065	.1685	----	----	----	----	110 UNCH
TOTAL												115
NOV26												
400	----	----	----	0.0140B/0.0445A	----	0.0275 - 0.0040	.0413	----	----	----	----	10 UNCH
475	----	----	----	0.0940B/*0.1155	----	0.0980 - 0.0050	.1307	----	----	----	----	2 UNCH
735	----	----	----	----	----	1.5070 + 0.0015	.7984	----	----	----	----	2 UNCH
TOTAL												14
DEC26												
385	----	----	----	0.0110B/*0.0465	----	0.0275 - 0.0030	.0384	----	----	----	----	1 UNCH
400	----	----	----	0.0300B/0.0530A	----	0.0335 - 0.0045	.0470	----	----	----	----	17 UNCH
420	----	----	----	0.0315B/*0.0655	----	0.0455 - 0.0055	.0631	----	----	----	----	2 UNCH
455	----	----	----	0.0735B/0.1030A	----	0.0830 - 0.0055	.1073	----	----	----	----	1 UNCH
475	----	----	----	0.1080B/*0.1350	----	0.1145 - 0.0060	.1411	----	----	----	----	77 UNCH
490	----	----	----	0.1395B/*0.1650	----	0.1445 - 0.0060	.1709	----	----	----	----	5 UNCH
500	----	----	----	0.1635B/0.1880	----	0.1670 - 0.0060	.1924	----	----	----	----	62 UNCH
550	----	----	----	0.3290B/0.3435A	----	0.3220 - 0.0080	.3201	----	----	----	----	2 UNCH
560	----	----	0.3720B/----	0.3720B/0.3830A	----	0.3625 - 0.0080	.3487	----	----	----	----	300 UNCH
570	----	----	0.4185B/----	0.4185B/0.4260A	----	0.4065 - 0.0085	.3779	----	----	----	----	1 UNCH
580	----	----	0.4680B/----	0.4680B/0.4725A	----	0.4535 - 0.0090	.4074	----	----	----	----	22 UNCH
600	----	----	0.5760B/----	0.5760B/0.5740A	----	0.5570 - 0.0085	.4666	----	----	----	----	26 UNCH
630	----	----	0.7585B/----	0.7585B/0.7490A	----	0.7345 - 0.0060	.5521	----	----	----	----	18 UNCH
TOTAL												534
JAN27												
400	----	----	----	----	----	0.0395 UNCH	.0507	----	----	----	----	8 UNCH
TOTAL												8
FEB27												
400	----	----	----	----	----	0.0470 UNCH	.0566	----	----	----	----	2 UNCH
TOTAL												2
MAR27												
275	----	----	----	----	----	0.0130 UNCH	.0136	----	----	----	----	1 UNCH
TOTAL												1
HXE CALL		COPPER OPTIONS										
APR26												
548	----	----	----/0.2265A	0.2865B/0.2265A	----	0.2850 - 0.0150	.0000	----	----	1	----	2 UNCH
555	----	----	----/0.1595A	0.2170B/0.1595A	----	0.2155 - 0.0170	.9973	----	----	----	----	1 UNCH
558	----	----	----/0.2340A	0.2130B/0.2340A	----	0.2330 - 0.0200	.7460	----	----	----	----	11 UNCH
560	0.1385	0.1385	0.1675B/0.1155A	0.1675B/0.1155A	----	0.1660 - 0.0185	.9935	----	----	2	----	2 - 2
567	----	----	----/0.0670A	0.1010B/0.0670A	----	0.1005 - 0.0220	.9396	----	----	----	----	5 UNCH
570	----	----	----/0.0515A	0.0750B/0.0515A	----	0.0755 - 0.0230	.8593	----	----	----	----	1 UNCH
572	----	----	----/0.0425A	0.0585B/0.0425A	----	0.0605 - 0.0240	.7735	----	----	----	----	1 UNCH
574	----	----	----/0.0870A	0.0985B/0.0870A	----	0.1000 - 0.0185	.5540	----	----	----	----	1 UNCH
575	0.0300	0.0300	0.0380B/0.0290A	0.0380B/0.0290A	----	0.0410 - 0.0245	.5991	----	----	1	----	9 UNCH
575	----	----	----/0.1140A	0.1280B/0.1140A	----	0.1285 - 0.0185	.5296	----	----	----	----	7 UNCH
576	----	----	----/0.0280A	0.0325B/0.0280A	----	0.0360 - 0.0235	.5320	----	----	----	----	1 UNCH
580	0.0185	0.0185	0.0195/0.0185	0.0195/0.0185	----	0.0190 - 0.0210	.2786	----	----	2	----	8 + 2
580	----	----	----/0.0645A	0.0685B/0.0645A	----	0.0720 - 0.0160	.4397	----	----	----	----	5 UNCH
580	----	----	----/0.0945A	0.1040B/0.0945A	----	0.1060 - 0.0160	.4627	----	----	----	----	2 UNCH
581	----	----	----/0.0610A	0.0640B/0.0610A	----	0.0680 - 0.0155	.4212	----	----	----	----	1 UNCH
585	----	----	----/*0.0100A	0.0040B/*0.0100	----	0.0070 - 0.0155	.0781	----	----	----	----	3 UNCH
587	----	----	----/*0.0090A	0.0010B/*0.0090	----	0.0045 - 0.0130	.0412	----	----	----	----	1 UNCH
589	0.0065	0.0065	0.0065/*0.0065	0.0065/*0.0065	----	0.0025 - 0.0110	.0175	----	----	3	----	5 + 3
590	----	----	----/*0.0080A	0.0010B/*0.0080	----	0.0020 - 0.0100	.0122	----	----	----	----	30 UNCH
590	----	----	----/0.0385A	0.0350B/0.0385A	----	0.0395 - 0.0110	.2721	----	----	----	----	10 UNCH
594	----	----	----/*0.0065A	----/*0.0065A	----	0.0010 - 0.0060	.0035	----	----	----	----	1 UNCH
595	----	----	----/0.0295A	0.0235B/0.0295A	----	0.0290 - 0.0090	.2073	----	----	----	----	5 UNCH
595	----	----	----/0.0530A	0.0530B/0.0530A	----	0.0570 - 0.0070	.2858	----	----	----	----	7 UNCH
600	----	----	----	----/0.0070A	----	0.0005 - 0.0025	.0000	----	----	----	----	4 UNCH
604	----	----	----	----/*0.0060A	----	0.0005 - 0.0010	----	----	----	----	----	1 UNCH
610	----	----	----	----/*0.0070A	----	0.0005 UNCH	----	----	----	----	----	100 UNCH
630	----	----	----	----/0.0070A	----	0.0005 UNCH	----	----	----	----	----	2 UNCH
640	----	----	----	----/*0.0080A	----	0.0015 - 0.0010	.0109	----	----	----	----	3 UNCH
670	----	----	----	----/0.0095A	----	0.0005 UNCH	.0003	----	----	----	----	3 UNCH
TOTAL										9		232 + 3
HXE PUT		COPPER OPTIONS										
APR26												
470	----	----	----	----/0.0060A	----	0.0005 UNCH	----	----	----	----	----	2 UNCH
490	----	----	----	----/*0.0095A	----	0.0005 UNCH	.0008	----	----	----	----	2 UNCH
510	----	----	----	----/*0.0100A	----	0.0010 - 0.0010	.0065	----	----	----	----	25 UNCH
515	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	115 UNCH
520	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	31 UNCH
526	----	----	----	----/*0.0065A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
530	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	31 UNCH
535	----	----	----	----/0.0070A	----	0.0005 UNCH	----	----	----	----	----	7 UNCH
540	----	----	----	----/*0.0030A	----	0.0005 - 0.0005	----	----	----	----	----	115 UNCH
545	----	----	----	----/*0.0030A	----	0.0005 - 0.0015	.0000	----	----	----	----	1 UNCH
550	0.0040	0.0040	0.0040/*0.0010A	0.0040/*0.0010A	----	0.0005 - 0.0035	.0001	----	----	3	----	5 + 2
552	----	----	----	----/*0.0075A	----	0.0005 - 0.0040	.0003	----	----	----	----	1 UNCH
555	----	----	----	0.0005B/*0.0075	----	0.0010 - 0.0045	.0026	----	----	----	----	1 UNCH
558	0.0040	0.0040	0.0040/*0.0040	0.0040/*0.0040	----	0.0010 - 0.0055	.0032	----	----	1	----	1 - 1
560	0.0075	0.0075	0.0090B/*0.0010	0.0090B/*0.0010	----	0.0015 - 0.0060	.0064	----	----	12	----	18 + 12
564	----	----	0.0580B/*0.0425	0.0580B/*0.0425	----	0.0390 - 0.0070	.2675	----	----	----	----	0 UNCH
565	0.0150	0.0150	0.0150/*0.0100A	0.0150/*0.0100A	----	0.0040 - 0.0085	.0325	----	----	2	----	3 + 2
565	----	----	0.0625B/*0.0455	0.0625B/*0.0455	----	0.0420 - 0.0070	.2838	----	----	----	----	1 UNCH
568	----	----	0.0765B/*0.0545	0.0765B/*0.0545	----	0.0515 - 0.0070	.3344	----	----	----	----	1 UNCH
569	0.0100	0.0100	0.0280B/*0.0100	0.0280B/*0.0100	----	0.0090 NEW	.1074	----	----	5	----	5 + 5
570	0.0360	0.0360	0.0360/*0.0100	0.0360/*0.0100	----	0.0110 - 0.0105	.1406	----	----	11	----	11 + 10
571	0.0125	0.0125	0.0385B/*0.0125	0.0385B/*0.0125	----	0.0130 NEW	.1773	----	----	10	----	10 + 10
572	0.0480	0.0480	0.0480/*0.0150	0.0480/*0.0150	----	0.0160 NEW	.2264	----	----	11	----	11 + 11
575	0.0300	0.0300	0.0640B/*0.0300	0.0640B/*0.0300	----	0.0265 NEW	.4008	----	----	1	----	1 + 1
576	----	----	0.0715B/0.0350A	0.0715B/0.0350A	----	0.0315 - 0.0110	.4679	----	----	----	----	1 UNCH
TOTAL										56		400 + 52
MAY26												
465	0.0040	0.0040	#0.0040/*0.0040	0.0040/*0.0040	----	0.0030 NEW	.0120	----	----	14	----	14 + 14
510	----	----	----	0.0100B/*0.0140	----	0.0100 - 0.0035	.0453	----	----	----	----	1 UNCH
TOTAL										14		15 + 14

ALUMINIUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST

PLATINUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO CALL		NYMEX PALLADIUM OPTIONS										
MAY26												
1575	----	----	----/38.10A	45.40B/38.10A	----	39.70 - 24.40	.4813	----	----	----	----	5 UNCH
1585	----	----	----/34.60A	40.20B/34.60A	----	35.40 - 23.00	.4424	----	----	----	----	1 UNCH
1600	----	----	----/29.90A	33.30B/29.90A	----	29.70 - 20.90	.3863	----	----	----	----	31 UNCH
1610	----	----	----/27.20A	29.10B/27.20A	----	26.40 - 19.50	.3511	----	----	----	----	15 UNCH
1615	----	----	----/25.90A	27.20B/25.90A	----	24.90 - 18.80	.3342	----	----	----	----	15 UNCH
1720	----	----	----/12.20A	4.80B/12.20A	----	6.80 - 8.00	.1003	----	----	----	----	8 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 76

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
PAO CALL		NYMEX PALLADIUM OPTIONS											
MAY26													
1800	----	----	----	----/9.20A	----	2.80 - 4.30	.0394	----	----	----	----	4	UNCH
1900	----	----	----	----/7.60A	----	0.90 - 1.80	.0116	----	----	----	----	20	UNCH
1925	----	----	----	----/7.40A	----	0.60 - 1.40	.0076	----	----	----	----	10	UNCH
1950	----	----	----	----/7.20A	----	0.50 - 1.10	.0061	----	----	----	----	40	UNCH
2475	----	----	----	----/5.30A	----	0.10 UNCH	----	----	----	----	----	100	UNCH
TOTAL												249	0
JUN26													
1400	----	----	----/197.50A	218.50B/197.50A	----	207.80 - 29.40	.7680	----	----	----	----	75	UNCH
1440	----	----	----	----	----	179.10 - 27.80	.7185	----	----	----	----	1	UNCH
1460	----	----	----	----	----	165.70 - 26.90	.6914	----	----	----	----	25	UNCH
1500	----	----	----/134.70A	147.90B/134.70A	----	141.00 - 25.00	.6342	----	----	----	----	110	UNCH
1525	----	----	----/121.80A	133.00B/121.80A	----	127.00 - 23.70	.5969	----	----	----	----	5	UNCH
1550	----	----	----/109.90A	119.30B/109.90A	----	114.00 - 22.40	.5591	----	----	----	----	11	UNCH
1575	----	----	----/99.00A	106.60B/99.00A	----	102.20 - 20.90	.5212	----	----	----	----	15	UNCH
1600	----	----	----/89.10A	95.00B/89.10A	----	91.30 - 19.60	.4837	----	----	----	----	53	UNCH
1655	----	----	----/70.40A	72.90B/70.40A	----	70.90 - 16.50	.4049	----	----	----	----	1	UNCH
1700	----	----	----/58.20A	58.10B/58.20A	----	57.60 - 14.00	.3463	----	----	----	----	25	UNCH
1750	----	----	----/47.60A	45.00B/47.60A	----	45.80 - 11.40	.2888	----	----	----	----	10	UNCH
1800	----	----	----/39.60A	35.00B/39.60A	----	36.80 - 9.20	.2405	----	----	----	----	110	UNCH
1850	----	----	----/33.50A	27.40B/33.50A	----	30.10 - 7.30	.2014	----	----	----	----	2	UNCH
1900	----	----	----/28.80A	21.70B/28.80A	----	25.00 - 5.90	.1697	----	----	----	----	64	UNCH
1925	----	----	----/26.90A	19.40B/26.90A	----	22.90 - 5.30	.1563	----	----	----	----	40	UNCH
1950	----	----	----/*25.30A	17.40B/25.30A	----	21.10 - 4.80	.1444	----	----	----	----	10	UNCH
2000	----	----	----	14.00B/22.60A	----	18.00 - 4.00	.1237	----	----	----	----	106	UNCH
2100	----	----	----	9.10B/18.70A	----	12.30 - 2.80	.0872	----	----	----	----	52	UNCH
2200	----	----	----	6.00B/16.20A	----	8.50 - 1.90	.0618	----	----	----	----	7	UNCH
2300	----	----	----	3.90B/14.30A	----	6.10 - 1.40	.0449	----	----	----	----	30	UNCH
2400	----	----	----	2.30B/13.00A	----	4.70 - 1.10	.0344	----	----	----	----	7	UNCH
2500	----	----	----	1.10B/11.90A	----	3.30 - 0.80	.0247	----	----	----	----	25	UNCH
2700	----	----	----	----/10.20A	----	1.80 - 0.40	.0136	----	----	----	----	50	UNCH
3000	----	----	----	----/8.70A	----	0.80 - 0.20	.0061	----	----	----	----	30	UNCH
3500	----	----	----	----/7.30A	----	0.20 UNCH	.0015	----	----	----	----	25	UNCH
TOTAL												889	0
JUL26													
1800	----	----	----/74.10A	71.10B/74.10A	----	72.40 - 13.50	.3348	----	----	----	----	29	UNCH
TOTAL												29	0
SEP26													
1400	----	----	----/280.60A	290.60B/280.60A	----	285.50 - 27.10	.7193	----	----	----	----	75	UNCH
1575	----	----	----/196.30A	198.30B/196.30A	----	197.20 - 21.50	.5727	----	----	----	----	25	UNCH
1665	----	----	----/163.60A	162.50B/163.60A	----	162.80 - 19.10	.5009	----	----	----	----	9	UNCH
1700	----	----	----/152.50A	150.30B/152.50A	----	151.10 - 18.10	.4746	----	----	----	----	5	UNCH
1800	----	----	----/125.20A	120.20B/125.20A	----	122.40 - 15.30	.4051	----	----	----	----	1	UNCH
1900	----	----	----/103.80A	96.40B/103.80A	----	99.90 - 12.50	.3449	----	----	----	----	5	UNCH
2100	----	----	----/*74.80A	63.90B/74.80A	----	69.30 - 9.00	.2528	----	----	----	----	25	UNCH
2200	----	----	----/*65.20A	53.30B/65.20A	----	60.20 - 7.80	.2212	----	----	----	----	5	UNCH
2400	----	----	----/51.50A	38.50B/51.50A	----	48.10 - 6.30	.1761	----	----	----	----	15	UNCH
2550	----	----	----/*44.40A	31.00B/44.40A	----	41.30 - 5.40	.1507	----	----	----	----	50	UNCH
TOTAL												215	0
DEC26													
2000	----	----	----	----	----	185.90 - 15.30	.4197	----	----	----	----	1	UNCH
3000	----	----	----	----	----	113.80 - 9.50	.2486	----	----	----	----	1	UNCH
TOTAL												2	0
PAO PUT		NYMEX PALLADIUM OPTIONS											
MAY26													
1250	----	----	----	----/6.00A	----	0.10 UNCH	.0005	----	----	----	----	160	UNCH
1300	----	----	----	----/6.80A	----	0.30 UNCH	.0042	----	----	----	----	1	UNCH
1400	----	----	----	1.90B/*10.00A	----	2.80 + 0.20	.0436	----	----	----	----	22	UNCH
1450	----	----	8.00B/----	8.00B/14.00A	----	7.80 + 1.30	.1157	----	----	----	----	2	UNCH
1500	----	----	20.00B/----	20.00B/21.70A	----	18.40 + 3.20	.2454	----	----	----	----	2	UNCH
1550	----	----	41.60B/----	41.60B/36.10A	----	35.40 + 7.00	.4202	----	----	----	----	100	UNCH
1605	----	----	62.20B/----	62.20B/62.70A	----	66.00 + 14.20	.6315	----	----	----	----	17	UNCH
1610	----	----	60.70B/----	60.70B/65.60A	----	69.40 + 14.90	.6488	----	----	----	----	17	UNCH
1615	----	----	62.70B/----	62.70B/68.70A	----	72.90 + 15.60	.6656	----	----	----	----	26	UNCH
1675	----	----	134.20B/----	134.20B/111.30A	----	120.00 + 22.80	.8261	----	----	----	----	100	UNCH
1820	----	----	----	----	----	255.20 + 30.80	.9682	----	----	----	----	25	UNCH
TOTAL												472	0
JUN26													
1200	----	----	----	7.50B/16.90A	----	10.90 + 1.60	.0710	----	----	----	----	15	UNCH
1250	----	----	----	12.70B/21.30A	----	16.30 + 2.30	.1011	----	----	----	----	1	UNCH
1300	----	----	----	19.40B/27.00A	----	22.60 + 2.30	.1360	----	----	----	----	125	UNCH
1325	----	----	----	23.50B/30.50A	----	26.30 + 2.70	.1562	----	----	----	----	18	UNCH
1335	----	----	25.20B/----	25.20B/32.10A	----	27.90 + 2.90	.1648	----	----	----	----	1	UNCH
1400	----	----	39.70B/----	39.70B/44.50A	----	41.40 + 4.90	.2318	----	----	----	----	215	UNCH
1440	----	----	51.90B/----	51.90B/54.70A	----	52.50 + 6.40	.2813	----	----	----	----	4	UNCH
1450	----	----	55.30B/----	55.30B/57.60A	----	55.70 + 6.90	.2947	----	----	----	----	76	UNCH
1460	----	----	59.00B/----	59.00B/60.70A	----	59.10 + 7.40	.3084	----	----	----	----	25	UNCH
1750	----	----	237.90B/----	237.90B/221.00A	----	228.20 + 22.90	.7110	----	----	----	----	1	UNCH
1900	----	----	370.00B/----	370.00B/346.00A	----	356.90 + 28.40	.8301	----	----	----	----	50	UNCH
TOTAL												531	0
JUL26													
1285	----	----	----	28.70B/37.70A	----	32.90 + 3.90	.1506	----	----	----	----	9	UNCH
1300	----	----	----	31.60B/40.30A	----	35.60 + 3.60	.1613	----	----	----	----	35	UNCH
TOTAL												44	0
SEP26													
1465	----	----	120.90B/----	120.90B/128.50A	----	124.00 + 9.70	.3345	----	----	----	----	150	UNCH
1575	----	----	179.90B/----	179.90B/183.90A	----	181.30 + 13.20	.4269	----	----	----	----	25	UNCH
1650	----	----	226.40B/----	226.40B/228.10A	----	226.40 + 15.20	.4871	----	----	----	----	50	UNCH
1925	----	----	430.00B/----	430.00B/423.10A	----	425.80 + 22.80	.6681	----	----	----	----	75	UNCH
TOTAL												300	0
PAW OOF		PALLADIUM WEEKLY FRIDAY OPTION Week											
APR26													
1500	----	----	----/60.70A	86.10B/60.70A	----	70.80 - 35.40	.9469	----	----	----	----	2	UNCH
1600	----	----	----/38.40A	41.90B/38.40A	----	38.60 - 20.50	.4125	----	----	----	----	1	UNCH
1630	----	----	----/10.70A	6.60B/10.70A	----	5.60 - 18.00	.0856	----	----	----	----	7	UNCH
TOTAL												10	0
PLW OOF		PLATINUM WEEKLY FRIDAY OPTION Week4											
APR26													
1755	----	----	10.20B/*9.30A	10.20B/*9.30A	----	6.60 - 3.40	.0518	----	----	----	----	27	UNCH
1765	----	----	----	3.00B/*5.70A	----	2.40 - 2.20	.0226	----	----	----	----	27	UNCH
1790	----	----	----	5.10B/*6.30A	----	3.20 - 2.70	.0303	----	----	----	----	27	UNCH
1840	----	----	10.90B/*8.10A	10.90B/*8.10A	----	5.60 - 4.10	.0530	----	----	----	----	27	UNCH
1940	----	----	8.80B/*4.20A	8.80B/*4.20A	----	0.60 - 5.20	.0017	----	----	----	----	35	UNCH
1955	----	----	----	----	----	158.00 + 37.90	.9966	----	----	----	----	10	UNCH
1975	----	----	155.60B/63.20A	155.60B/63.20A	----	138.70 + 35.50	.9913	----	----	----	----	4	UNCH
2040	----	----	----/59.50A	70.30B/59.50A	----	108.90 + 25.40	.6896	----	----	----	----	10	UNCH
2050	----	----	85.40B/25.70A	85.40B/25.70A	----	71.80 + 22.60	.8700	----	----	----	----	20	UNCH
2065	----	----	----/21.20A	32.40B/21.20A	----	60.10 + 19.20	.8077	----	----	----	----	25	UNCH
2085	----	----	#109.60B/*72.30	109.60B/*72.30A	----	76.30 - 23.20	.4298	----	----	----	----	26	UNCH
2090	----	----	----/*18.00A	30.70B/*18.00A	----	20.60 - 31.40	.3360	----	----	----	----	18	UNCH
2090	----	----	94.00B/61.20A	94.00B/61.20A	----	100.70 + 20.90	.5609	----	----	----	----	26	UNCH
2090	----	----	#112.20B/*74.40	112.20B/*74.40A	----	78.70 - 23.60	.4389	----	----	----	----	26	UNCH
2095	----	----	#107.40B/*76.70	107.40B/*76.70A	----	81.10 - 24.00	.4481	----	----	----	----	53	UNCH
2095	----	----	31.70B/14.80A	31.70B/14.80A	----	39.60 + 12.10	.6297	----	----	----	----	25	UNCH
2095	----	----	94.50B/59.50A	94.50B/59.50A	----	98.20 + 20.60	.5518	----	----	----	----	26	UNCH
2100	----	----	45.20B/14.10A	45.20B/14.10A	----	36.70 + 11.00	.5941	----	----	----	----	23	UNCH
2115	----	----	31.50B/12.00A	31.50B/12.00A	----	28.70 + 7.90	.4833	----	----	----	----	24	UNCH
2120	----	----	#92.30B/51.90A	#92.30B/51.90A	----	86.00 + 18.60	.5061	----	----	----	----	27	UNCH
2125	----	----	29.70B/11.00A	29.70B/11.00A	----	24.20 + 6.20	.4097	----	----	----	----	1	UNCH
2150	----	----	158.00B/*81.10A	158.00B/*81.10A	----	88.10 - 30.50	.5791	----	----	----	----	12	UNCH
2155	----	----	----/*84.00A	79.60B/*84.00A	----	91.20 - 31.00	.5913	----	----	----	----	12	UNCH
2160	----	----	----/*86.80A	80.00B/*86.80A	----	94.40 - 31.40	.6031	----	----	----	----	12	UNCH
2160	----	----	50.70B/25.80A	50.70B/25.80A	----	46.50 + 13.10	.3968	----	----	----	----	12	UNCH
2265	----	----	19.60B/14.10A	19.60B/14.10A	----	19.50 + 5.10	.1927	----	----	----	----	26	UNCH
2345	----	----	----	----/4.00A	----	0.10 - 0.40	.0000	----	----	----	----	1	UNCH
TOTAL												562	0
MAY26													
1700	----	----	11.50B/----	11.50B/*11.00A	----	7.50 - 3.00	.0519	----	----	----	----	3	UNCH
1915	----	----	----	----	----	233.10 + 33.50	.7920	----	----	----	----	20	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PLW OOF		PLATINUM WEEKLY FRIDAY OPTION Week1										
MAY26												
2050	----	----	#149.90B/93.20A	#149.90B/93.20A	----	141.70 + 25.00	.6171	----	----	----	----	10 UNCH
TOTAL												33 0
PO CALL		PLATINUM OPTIONS										
MAY26												
1750	----	----	380.20B/267.50A	380.20B/267.50A	----	362.60 + 43.60	.9930	----	----	----	----	19 UNCH
1800	----	----	330.70B/220.30A	330.70B/220.30A	----	313.40 + 42.70	.9844	----	----	----	----	18 UNCH
1850	----	----	281.80B/175.20A	281.80B/175.20A	----	265.00 + 41.30	.9678	----	----	----	----	2 UNCH
1950	----	----	187.50B/96.50A	187.50B/96.50A	----	172.20 + 36.10	.8891	----	----	----	----	3 UNCH
1995	----	----	----	----	----	133.50 + 31.50	.8209	----	----	----	----	15 UNCH
2000	----	----	143.50B/67.30A	143.50B/67.30A	----	129.50 + 31.00	.8117	----	----	----	----	304 UNCH
2005	----	----	----/64.80A	59.60B/64.80A	----	125.40 + 30.30	.8018	----	----	----	----	14 UNCH
2025	----	----	122.70B/55.60A	122.70B/55.60A	----	110.00 + 27.80	.7580	----	----	----	----	50 UNCH
2040	----	----	----/49.30A	58.70B/49.30A	----	99.20 + 25.90	.7213	----	----	----	----	64 UNCH
2045	----	----	----/47.40A	60.70B/47.40A	----	95.70 + 25.20	.7080	----	----	----	----	50 UNCH
2050	----	----	103.20B/45.60A	103.20B/45.60A	----	92.30 + 24.50	.6947	----	----	----	----	111 UNCH
2055	----	----	----/43.70A	59.30B/43.70A	----	89.00 + 23.90	.6810	----	----	----	----	57 UNCH
2060	----	----	----/42.00A	59.00B/42.00A	----	85.80 + 23.30	.6672	----	----	----	----	12 UNCH
2065	----	----	----/40.30A	58.10B/40.30A	----	82.60 + 22.70	.6529	----	----	----	----	14 UNCH
2070	----	----	58.80B/38.70A	58.80B/38.70A	----	79.60 + 22.10	.6385	----	----	----	----	14 UNCH
2075	----	----	85.40B/37.20A	85.40B/37.20A	----	76.60 + 21.50	.6239	----	----	----	----	25 UNCH
2080	----	----	58.70B/35.60A	58.70B/35.60A	----	73.60 + 20.80	.6091	----	----	----	----	20 UNCH
2085	----	----	58.50B/34.20A	58.50B/34.20A	----	70.80 + 20.30	.5943	----	----	----	----	14 UNCH
2090	----	----	59.10B/32.90A	59.10B/32.90A	----	68.00 + 19.70	.5793	----	----	----	----	21 UNCH
2095	----	----	58.20B/31.60A	58.20B/31.60A	----	65.30 + 19.10	.5642	----	----	----	----	7 UNCH
2100	41.00	41.00	69.70B/30.20A	69.70B/30.20A	----	62.70 + 18.60	.5491	----	----	2	----	233 UNCH
2105	----	----	59.70B/29.00A	59.70B/29.00A	----	60.10 + 17.90	.5339	----	----	----	----	7 UNCH
2110	----	----	59.60B/27.90A	59.60B/27.90A	----	57.60 + 17.30	.5187	----	----	----	----	37 UNCH
2115	----	----	59.30B/26.80A	59.30B/26.80A	----	55.20 + 16.80	.5036	----	----	----	----	22 UNCH
2120	----	----	58.60B/25.90A	58.60B/25.90A	----	52.80 + 16.20	.4884	----	----	----	----	14 UNCH
2125	----	----	56.00B/24.80A	56.00B/24.80A	----	50.60 + 15.70	.4734	----	----	----	----	14 UNCH
2130	----	----	53.50B/23.90A	53.50B/23.90A	----	48.30 + 15.00	.4583	----	----	----	----	107 UNCH
2135	----	----	51.10B/23.10A	51.10B/23.10A	----	46.20 + 14.50	.4434	----	----	----	----	7 UNCH
2140	----	----	48.80B/22.10A	48.80B/22.10A	----	44.10 + 13.90	.4286	----	----	----	----	7 UNCH
2145	----	----	46.40B/21.30A	46.40B/21.30A	----	42.10 + 13.30	.4139	----	----	----	----	7 UNCH
2150	----	----	44.20B/20.50A	44.20B/20.50A	----	40.20 + 12.80	.3995	----	----	----	----	119 UNCH
2155	----	----	42.10B/19.80A	42.10B/19.80A	----	38.30 + 12.20	.3851	----	----	----	----	7 UNCH
2160	----	----	40.10B/19.10A	40.10B/19.10A	----	36.50 + 11.60	.3710	----	----	----	----	13 UNCH
2170	----	----	36.20B/17.80A	36.20B/17.80A	----	33.10 + 10.60	.3435	----	----	----	----	75 UNCH
2175	----	----	34.40B/17.20A	34.40B/17.20A	----	31.50 + 10.00	.3301	----	----	----	----	208 UNCH
2200	15.00	15.00	26.30B/14.60A	26.30B/14.60A	----	24.50 + 7.60	.2678	----	----	1	----	205 - 1
2215	----	----	22.30B/13.40A	22.30B/13.40A	----	21.10 + 6.40	.2348	----	----	----	----	20 UNCH
2220	----	----	21.00B/13.10A	21.00B/13.10A	----	20.10 + 6.00	.2247	----	----	----	----	21 UNCH
2245	----	----	15.70B/----	15.70B/11.50A	----	15.70 + 4.40	.1790	----	----	----	----	10 UNCH
2250	----	----	14.80B/----	14.80B/11.20A	----	14.90 + 4.10	.1706	----	----	----	----	29 UNCH
2260	----	----	13.10B/----	13.10B/10.70A	----	13.60 + 3.60	.1560	----	----	----	----	10 UNCH
2265	----	----	12.30B/----	12.30B/10.50A	----	12.90 + 3.30	.1485	----	----	----	----	10 UNCH
2270	----	----	11.60B/----	11.60B/10.30A	----	12.30 + 3.10	.1417	----	----	----	----	183 UNCH
2275	----	----	10.90B/----	10.90B/10.00A	----	11.80 + 2.90	.1358	----	----	----	----	10 UNCH
2280	6.90	6.90	10.20B/*6.90	10.20B/6.90	----	11.20 + 2.70	.1292	----	----	28	----	38 + 28
2285	----	----	9.60B/----	9.60B/9.60A	----	10.70 + 2.50	.1234	----	----	----	----	10 UNCH
2300	----	----	7.90B/----	7.90B/9.10A	----	9.40 + 2.00	.1080	----	----	13	----	27 + 13
2315	----	----	----	6.50B/8.60A	----	8.20 + 1.60	.0940	----	----	----	----	10 UNCH
2320	----	----	----	6.10B/8.50A	----	7.90 + 1.60	.0902	----	----	----	----	4 UNCH
2330	----	----	----	5.30B/8.20A	----	7.20 + 1.50	.0821	----	----	----	----	10 UNCH
2350	----	----	----	4.00B/7.70A	----	5.90 + 1.10	.0671	----	----	----	----	1 UNCH
2360	----	----	----	3.40B/7.40A	----	5.40 + 1.00	.0612	----	----	----	----	10 UNCH
2390	----	----	----	2.00B/6.70A	----	3.90 + 0.70	.0441	----	----	----	----	21 UNCH
2400	----	----	----	1.70B/6.60A	----	3.40 + 0.50	.0386	----	----	13	----	18 + 13
2450	----	----	----	0.30B/5.80A	----	1.90 + 0.30	.0213	----	----	----	----	160 UNCH
2500	----	----	----	----/5.20A	----	1.10 + 0.10	.0119	----	----	----	----	170 UNCH
2700	----	----	----	----/4.00A	----	0.10 UNCH	.0005	----	----	----	----	110 UNCH
2730	----	----	----	----/3.90A	----	0.10 UNCH	.0003	----	----	----	----	1 UNCH
2750	----	----	----	----/3.80A	----	0.10 UNCH	.0002	----	----	----	----	2 UNCH
2800	----	----	----	----/3.70A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2880	----	----	----	----/3.50A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
3000	----	----	----	----/3.40A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3050	----	----	----	----/3.30A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3150	----	----	----	----/3.20A	----	0.10 UNCH	----	----	----	----	----	121 UNCH
TOTAL										57		2928 + 53
JUN26												
1900	----	----	284.00B/204.70A	284.00B/204.70A	----	272.00 + 32.20	.7546	----	----	----	----	1 UNCH
2000	----	----	215.90B/151.20A	215.90B/151.20A	----	206.20 + 27.10	.6558	----	----	----	----	20 UNCH
2100	----	----	159.40B/109.20A	159.40B/109.20A	----	152.30 + 21.80	.5474	----	----	----	----	2 UNCH
2150	----	----	135.70B/92.10A	135.70B/92.10A	----	129.80 + 19.30	.4930	----	----	----	----	4 UNCH
2200	----	----	114.80B/77.50A	114.80B/77.50A	----	110.10 + 16.90	.4402	----	----	----	----	200 UNCH
2225	----	----	105.40B/71.10A	105.40B/71.10A	----	101.20 + 15.80	.4147	----	----	----	----	30 UNCH
2250	----	----	96.60B/65.20A	96.60B/65.20A	----	93.00 + 14.70	.3900	----	----	----	----	2 UNCH
2300	----	----	81.00B/54.70A	81.00B/54.70A	----	78.30 + 12.60	.3431	----	----	----	----	321 UNCH
2500	37.00	37.00	38.50B/29.30A	38.50B/29.30A	----	38.60 + 5.90	.1947	----	----	1	----	105 + 1
2650	----	----	22.10B/----	22.10B/20.70A	----	23.30 + 3.60	.1254	----	----	----	----	17 UNCH
TOTAL										1		702 + 1
JUL26												
1500	----	----	638.10B/531.40A	638.10B/531.40A	----	622.40 + 42.20	.9447	----	----	----	----	50 UNCH
1680	----	----	----	----	----	463.10 + 38.20	.8735	----	----	----	----	50 UNCH
1700	----	----	460.60B/367.40A	460.60B/367.40A	----	446.80 + 37.70	.8624	----	----	----	----	1 UNCH
1800	----	----	381.70B/297.80A	381.70B/297.80A	----	369.60 + 34.40	.7987	----	----	----	----	113 UNCH
1850	----	----	345.30B/266.30A	345.30B/266.30A	----	334.00 + 32.50	.7623	----	----	----	----	1 UNCH
1950	----	----	278.60B/210.20A	278.60B/210.20A	----	269.10 + 28.80	.6826	----	----	1	----	0 - 1
2000	----	----	248.40B/185.60A	248.40B/185.60A	----	239.80 + 26.90	.6404	----	----	----	----	110 UNCH
2050	----	----	220.30B/163.30A	220.30B/163.30A	----	212.70 + 24.90	.5971	----	----	----	----	1 UNCH
2100	146.00	146.00	194.50B/143.10A	194.50B/143.10A	----	187.80 + 22.70	.5533	----	----	13	----	422 + 12
2150	----	----	171.00B/125.10A	171.00B/125.10A	----	165.40 + 20.50	.5097	----	----	----	----	12 UNCH
2200	----	----	149.90B/109.20A	149.90B/109.20A	----	145.30 + 18.40	.4672	----	----	----	----	404 UNCH
2300	----	----	114.30B/83.00A	114.30B/83.00A	----	111.50 + 14.30	.3870	----	----	1	----	163 UNCH
2375	----	----	92.80B/67.70A	92.80B/67.70A	----	91.20 + 11.60	.3329	----	----	----	----	50 UNCH
2400	----	----	86.60B/63.30A	86.60B/63.30A	----	85.20 + 10.80	.3159	----	----	----	----	766 UNCH
2500	----	----	65.20B/49.10A	65.20B/49.10A	----	64.80 + 7.70	.2547	----	----	----	----	422 UNCH
2600	----	----	48.90B/39.10A	48.90B/39.10A	----	49.60 + 5.50	.2044	----	----	101	----	361 - 51
2700	----	----	36.90B/32.20A	36.90B/32.20A	----	38.50 + 3.90	.1645	----	----	----	----	13 UNCH
2755	----	----	31.80B/29.40A	31.80B/29.40A	----	33.70 + 3.30	.1463	----	----	----	----	1 UNCH
2800	----	----	28.30B/----	28.30B/27.40A	----	30.10 + 2.90	.1325	----	----	100	----	347 - 2
2850	----	----	24.90B/----	24.90B/25.40A	----	26.80 + 2.50	.1193	----	----	100	----	91 - 67
2900	----	----	22.10B/----	22.10B/23.70A	----	23.90 + 2.20	.1076	----	----	----	----	90 UNCH
3000	----	----	17.70B/----	17.70B/20.90A	----	19.30 + 1.70	.0882	----	----	100	----	582 - 100
3100	----	----	14.40B/----	14.40B/18.80A	----	15.70 + 1.40	.0727	----	----	----	----	159 UNCH
3200	----	----	----	9.20B/20.10A	----	12.60 + 1.00	.0593	----	----	----	----	14 UNCH
3300	----	----	----	7.30B/18.60A	----	10.40 + 0.80	.0494	----	----	----	----	31 UNCH
3400	----	----	----	5.80B/17.40A	----	8.60 + 0.60	.0412	----	----	----	----	32 UNCH
3500	----	----	----	4.50B/16.30A	----	7.30 + 0.50	.0351	----	----	----	----	274 UNCH
3600	----	----	----	3.50B/15.40A	----	6.20 + 0.40	.0299	----	----	----	----	300 UNCH
3800	----	----	----	4.50B/11.00A	----	4.80 + 0.30	.0229	----	----	----	----	12 UNCH
3900	----	----	----	3.80B/10.40A	----	4.20 + 0.20	.0201	----	----	----	----	8 UNCH
4000	----	----	----	3.20B/10.00A	----	3.80 + 0.20	.0180	----	----	----	----	221 UNCH
TOTAL										416		5101 - 209
OCT26												
1720	----	----	----	----	----	500.70 + 37.70	.7950	----	----	----	----	1 UNCH
1800	----	----	457.50B/381.00A	457.50B/381.00A	----	448.40 + 35.70	.7527	----	----	----	----	1 UNCH
2000	----	----	342.70B/281.90A	342.70B/281.90A	----	336.40 + 30.50	.6397	----	----	----	----	0 UNCH
2200	----	----	253.10B/208.30A	253.10B/208.30A	----	249.30 + 24.50	.5264	----	----	----	----	135 UNCH
2400	187.00	187.00	187.40B/155.70A	187.40B/155.70A	----	185.80 + 18.90	.4252	----	----	10	----	110 + 10
2500	----	----	161.90B/135.30A	161.90B/135.30A	----	161.50 + 16.70	.3813	----	----	----	----	175 UNCH
2600	----	----	140.40B/117.50A	140.40B/117.50A	----	141.00 + 15.00	.3419	----	----	----	----	10 UNCH
2700	----	----	121.90B/102.40A	121.90B/102.40A	----	123.60 + 13.60	.3068	----	----	100	----	300 + 100
2800	----	----	106.00B/89.50A	106.00B/89.50A	----	108.50 + 11.80	.2753	----	----	----	----	30 UNCH
2850	----	----	98.90B/83.80A	98.90B/83.80A	----	101.90 NEW	.2610	----	----	100	----	100 + 100
2900	----	----	92.30B/78.50A	92.30B/78.50A	----	95.70 + 10.40	.2474	----	----	100	----	210 + 100
3000	----	----	80.40B/69.30A	80.40B/69.30A	----	84.80 + 9.10	.2228	----	----	100	----	121 + 100
3200	----	----	61.60B/55.20A	61.60B/55.20A	----	67.80 + 7.30	.1826	----	----	----	----	10 UNCH
3500	----	----	----/42.00A	42.60B/42.00A	----	50.30 + 5.50	.1388	----	----	----	----	10 UNCH
TOTAL										410		1213 + 410
JAN27												
2360	----	----	----	----	----	258.10 + 20.50	.4823	----	----	----	----	100 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
PO CALL		PLATINUM OPTIONS											
TOTAL												100	0
PO PUT		PLATINUM OPTIONS											
MAY26													
1700	----	----	----	----/*3.70A	----	0.30 - 0.40	.0028	----	----	----	----	1	UNCH
1725	----	----	----	----/*3.90A	----	0.40 - 0.70	.0039	----	----	----	----	13	UNCH
1745	----	----	----	----/*4.00A	----	0.60 - 0.90	.0059	----	----	----	----	15	UNCH
1750	----	----	----	----/*4.10A	----	0.70 - 0.90	.0069	----	----	----	----	76	UNCH
1780	----	----	----	0.90B/*4.50A	----	1.10 - 1.40	.0112	----	----	----	----	1	UNCH
1785	----	----	----	1.20B/*4.60A	----	1.20 - 1.50	.0123	----	----	----	----	1	UNCH
1800	----	----	----	2.10B/*4.80A	----	1.50 - 1.80	.0155	----	----	----	----	108	UNCH
1820	----	----	----	3.70B/*5.20A	----	2.00 - 2.30	.0210	----	----	----	----	100	UNCH
1825	----	----	----	4.20B/*5.30A	----	2.10 - 2.50	.0222	----	----	----	----	14	UNCH
1850	----	----	6.80B/*6.00A	6.80B/*6.00A	----	3.00 - 3.30	.0321	----	----	----	----	78	UNCH
1855	----	----	7.40B/*6.10A	7.40B/*6.10A	----	3.30 - 3.40	.0352	----	----	----	----	15	UNCH
1860	----	----	8.10B/*6.30A	8.10B/*6.30A	----	3.50 - 3.70	.0374	----	----	----	----	100	UNCH
1865	----	----	8.70B/*6.50A	8.70B/*6.50A	----	3.70 - 3.90	.0398	----	----	----	----	5	UNCH
1870	----	----	9.40B/*6.70A	9.40B/*6.70A	----	4.00 - 4.10	.0429	----	----	----	----	14	UNCH
1875	----	----	10.10B/*6.90A	10.10B/*6.90A	----	4.30 - 4.30	.0461	----	----	----	----	122	UNCH
1890	----	----	12.40B/*7.60A	12.40B/*7.60A	----	5.20 - 5.00	.0560	----	----	----	----	22	UNCH
1895	----	----	13.30B/*7.80A	13.30B/*7.80A	----	5.50 - 5.20	.0594	----	----	----	----	29	UNCH
1900	----	----	14.20B/*8.10A	14.20B/*8.10A	----	5.80 - 5.50	.0628	----	----	----	----	132	UNCH
1905	----	----	15.20B/*8.40A	15.20B/*8.40A	----	6.10 - 5.80	.0663	----	----	----	----	46	UNCH
1910	----	----	16.20B/*8.70A	16.20B/*8.70A	----	6.50 - 6.00	.0707	----	----	----	----	46	UNCH
1915	----	----	17.30B/*9.00A	17.30B/*9.00A	----	6.90 - 6.20	.0750	----	----	----	----	67	UNCH
1920	----	----	18.40B/*9.30A	18.40B/*9.30A	----	7.30 - 6.50	.0795	----	----	----	----	49	UNCH
1925	----	----	19.60B/*9.70A	19.60B/*9.70A	----	7.70 - 6.80	.0840	----	----	----	----	20	UNCH
1930	----	----	20.80B/*10.10A	20.80B/*10.10A	----	8.20 - 7.10	.0894	----	----	----	----	20	UNCH
1935	----	----	22.30B/*10.50A	22.30B/*10.50A	----	8.60 - 7.40	.0941	----	----	----	----	20	UNCH
1945	----	----	25.20B/*11.40A	25.20B/*11.40A	----	9.60 - 8.10	.1051	----	----	----	----	30	UNCH
1950	----	----	26.80B/*11.80A	26.80B/*11.80A	----	10.10 - 8.60	.1108	----	----	----	----	79	UNCH
1970	----	----	33.80B/*13.90A	33.80B/*13.90A	----	12.60 - 10.30	.1379	----	----	----	----	9	UNCH
1990	----	----	42.30B/*16.50A	42.30B/*16.50A	----	15.60 - 12.50	.1698	----	----	----	----	10	UNCH
2000	45.00	45.00	50.00/*18.10A	50.00/*18.10A	----	17.40 - 13.70	.1882	----	----	8	----	335 +	6
2030	----	----	63.20B/*23.60A	63.20B/*23.60A	----	24.30 - 17.40	.2538	----	----	----	----	75	UNCH
2050	----	----	75.50B/*28.30A	75.50B/*28.30A	----	30.30 - 20.00	.3052	----	----	----	----	200	UNCH
2100	45.00	45.00	110.90B/*45.00	110.90B/*45.00	----	50.60 - 26.00	.4508	----	----	2	----	70	UNCH
2115	----	----	----/*52.00A	63.70B/*52.00A	----	58.10 - 27.80	.4963	----	----	----	----	22	UNCH
2155	----	----	----/*72.90A	66.30B/*72.90A	----	81.20 - 32.40	.6148	----	----	----	----	13	UNCH
2160	----	----	----	----	----	84.40 - 32.90	.6289	----	----	----	----	38	UNCH
2175	----	----	173.90B/*85.00A	173.90B/*85.00A	----	94.40 - 34.50	.6698	----	----	----	----	10	UNCH
2195	----	----	----	----	----	108.70 - 36.40	.7202	----	----	----	----	23	UNCH
2200	----	----	196.50B/*101.70	196.50B/*101.70	----	112.40 - 36.90	.7321	----	----	----	----	10	UNCH
2215	----	----	----	----	----	123.90 - 38.20	.7650	----	----	----	----	60	UNCH
2450	----	----	438.20B/324.30A	438.20B/324.30A	----	339.60 - 44.40	.9786	----	----	----	----	50	UNCH
2500	----	----	487.70B/373.30A	487.70B/373.30A	----	388.80 - 44.50	.9880	----	----	----	----	100	UNCH
TOTAL										10		2248 +	6
JUN26													
1825	----	----	58.80B/*42.40A	58.80B/*42.40A	----	42.00 - 9.00	.1822	----	----	----	----	89	UNCH
1850	----	----	66.90B/*47.70A	66.90B/*47.70A	----	47.60 - 10.00	.2019	----	----	----	----	1	UNCH
1900	----	----	84.90B/*60.00A	84.90B/*60.00A	----	60.60 - 12.20	.2452	----	----	----	----	275	UNCH
2000	----	----	130.70B/92.00A	130.70B/92.00A	----	94.50 - 17.40	.3440	----	----	----	----	1	UNCH
2100	----	----	188.40B/135.50A	188.40B/135.50A	----	140.20 - 22.60	.4524	----	----	----	----	100	UNCH
TOTAL												466	0
JUL26													
1400	----	----	----	6.00B/*11.00A	----	7.50 - 1.30	.0332	----	----	----	----	150	UNCH
1500	----	----	----	14.00B/*15.80A	----	12.90 - 2.40	.0551	----	----	----	----	153	UNCH
1550	----	----	20.10B/*19.40A	20.10B/*19.40A	----	16.80 - 3.10	.0700	----	----	----	----	200	UNCH
1600	----	----	27.80B/*24.30A	27.80B/*24.30A	----	21.90 - 4.10	.0885	----	----	----	----	403	UNCH
1650	----	----	37.30B/*30.40A	37.30B/*30.40A	----	28.40 - 5.40	.1108	----	----	----	----	1	UNCH
1680	----	----	43.90B/*34.90A	43.90B/*34.90A	----	33.20 - 6.20	.1263	----	----	----	----	50	UNCH
1700	----	----	48.70B/*38.20A	48.70B/38.20A	----	36.80 - 6.70	.1374	----	----	1	----	286 +	1
1710	----	----	51.30B/*39.90A	51.30B/39.90A	----	38.60 - 7.10	.1430	----	----	----	----	1	UNCH
1750	----	----	62.30B/*47.80A	62.30B/47.80A	----	47.00 - 8.30	.1676	----	----	----	----	50	UNCH
1800	----	----	77.90B/59.40A	77.90B/59.40A	----	59.10 - 10.10	.2010	----	----	----	----	218	UNCH
1900	----	----	116.40B/88.70A	116.40B/88.70A	----	89.60 - 13.70	.2763	----	----	----	----	1	UNCH
2100	----	----	220.80B/171.80A	220.80B/171.80A	----	175.80 - 21.70	.4465	----	----	----	----	225	UNCH
2165	----	----	239.50B/206.40A	239.50B/206.40A	----	211.70 - 24.50	.5029	----	----	----	----	20	UNCH
2350	----	----	399.70B/325.40A	399.70B/325.40A	----	334.10 - 31.90	.6495	----	----	----	----	5	UNCH
2400	----	----	440.60B/362.00A	440.60B/362.00A	----	371.50 - 33.60	.6838	----	----	----	----	300	UNCH
4000	----	----	1,987.40B/1,873	1,987.40B/1,873	----	1888.00 - 44.60	.9819	----	----	----	----	10	UNCH
TOTAL										1		2073 +	1
OCT26													
1300	----	----	----	17.40B/24.60A	----	20.10 - 0.90	.0549	----	----	----	----	4	UNCH
1500	----	----	46.50B/----	46.50B/46.60A	----	42.80 - 2.90	.1085	----	----	----	----	80	UNCH
1600	----	----	70.30B/65.10A	70.30B/65.10A	----	62.10 - 4.60	.1478	----	----	----	----	17	UNCH
1720	----	----	108.70B/96.20A	108.70B/96.20A	----	94.00 - 7.20	.2046	----	----	----	----	2	UNCH
1800	120.00	120.00	140.10B/120.00	140.10B/120.00	----	120.90 - 9.10	.2468	----	----	10	----	0 -	10
2000	----	----	237.80B/206.30A	237.80B/206.30A	----	206.60 - 14.30	.3599	----	----	----	----	1	UNCH
2100	----	----	296.70B/257.40A	296.70B/257.40A	----	258.70 - 17.30	.4173	----	----	----	----	100	UNCH
2400	----	----	507.10B/446.30A	507.10B/446.30A	----	451.20 - 26.00	.5743	----	----	----	----	200	UNCH
2500	----	----	585.70B/519.60A	585.70B/519.60A	----	525.90 - 28.10	.6182	----	----	----	----	1	UNCH
TOTAL										10		405 -	10
JAN27													
1500	----	----	----	----/105.00A	----	53.60 - 6.00	.1200	----	----	----	----	40	UNCH
1800	----	----	----	----	----	147.00 - 12.40	.2552	----	----	----	----	1	UNCH
TOTAL												41	0

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 79

FINAL

OPTIONS EOO'S AND BLOCKS

PRODUCT		STRIKE PRICE	EOO VOLUME	BLOCK VOLUME
OG CALL		COMEX GOLD OPTIONS		
MAY26	CALL			
OG		4720	0	150
OG		4800	0	250
OG		4900	0	100
OG		5000	0	100
TOTALS			0	600
JUN26	CALL			
OG		4750	0	200
OG		4800	0	130
OG		4950	0	100
OG		5000	0	350
OG		5200	0	100
OG		5250	0	200
OG		5300	0	120
OG		5350	0	200
OG		5500	0	308
OG		5700	0	325
TOTALS			0	2033
JUL26	CALL			
OG		5000	0	250
OG		5500	0	500
OG		6000	0	250
TOTALS			0	1000
SEP26	CALL			
OG		5300	0	60
OG		6000	0	50
OG		7000	0	50
TOTALS			0	160
MAR27	CALL			
OG		5000	0	75
TOTALS			0	75
OG PUT		COMEX GOLD OPTIONS		
JUL26	PUT			
OG		4100	0	240
OG		4500	0	50
OG		4800	0	150
TOTALS			0	440
AUG26	PUT			
OG		4000	0	500
OG		4500	0	400
OG		4800	0	200
TOTALS			0	1100
DEC26	PUT			
OG		3700	0	120
OG		4500	0	600
TOTALS			0	720
MAR27	PUT			
OG		5000	0	75
TOTALS			0	75
SO CALL		COMEX SILVER OPTIONS		
JUN26	CALL			
SO		8050	0	60
TOTALS			0	60
JUL26	CALL			
SO		9000	0	80
TOTALS			0	80
MAR27	CALL			
SO		8000	0	200
TOTALS			0	200
HX CALL		COMEX COPPER OPTIONS		
MAY26	CALL			
HX		550	0	100
HX		590	0	125
HX		635	0	250
TOTALS			0	475
SEP26	CALL			
HX		675	0	125
TOTALS			0	125
HX PUT		COMEX COPPER OPTIONS		
MAY26	PUT			
HX		550	0	100
TOTALS			0	100
SEP26	PUT			
HX		525	0	125
TOTALS			0	125
OG2 PUT		GOLD OPTIONS		
APR26	PUT			
OG2		4795	0	70
TOTALS			0	70
OG2 CALL		GOLD OPTIONS		
APR26	CALL			
OG2		4770	0	30
OG2		4790	0	30
OG2		4850	0	35
TOTALS			0	95
HRO OPT		U.S. MIDWEST DOMESTIC HOT-ROLLED CO		
MAY26	CALL			
HRO		107500	0	25
HRO		110000	0	100
TOTALS			0	125
JUN26	CALL			
HRO		107500	0	25
HRO		110000	0	100
TOTALS			0	125
HRO OPT		U.S. MIDWEST DOMESTIC HOT-ROLLED CO		
MAY26	PUT			
HRO		105000	0	100
TOTALS			0	100
GWR THU		GOLD WEEKLY THURSDAY OPTION Week2		
APR26	CALL			
G2R		4800	0	200
TOTALS			0	200

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.