METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY'S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES

EXPIRATION:	MAR26	APR26	APR26	APR26	MAY26	JUN26	JUL26	AUG26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27
COO OPT	03/31	04/30			05/29	06/30	07/31	08/28	09/30	10/30	11/30	12/31	01/29	02/26
ECG10 OP			04/01	04/02										
ECG11 OP			04/01	04/02										
ECG13 OP			04/01	04/02										
ECG15 OP			04/01	04/02										
ECG16 OP			04/01	04/02										
ECGC OOF			04/01	04/02										
ECHG OOF			04/01	04/02										
ECSI OOF			04/01	04/02										
EHO OPT		04/30			05/29	06/30	07/31	08/28	09/30					
FMG OPT		04/17												
FSO OPT		04/30			05/29	06/30								
GMW MON		04/20			05/04									
GWR THU		04/23												
GWT TUE		04/28												
GWW WED		04/22												
HMW MON		04/13												
HRO OPT		04/28			05/26	06/23	07/28	08/25	09/29	10/27	11/24	12/29		
HWR THU		04/23												
HWT TUE		04/14												
HWW WED		04/22			05/06	06/03	07/01							
HX CALL					04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	
HX PUT					04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26
HXE CALL		04/24												
HXE PUT		04/17												
LHO OPT	03/31	04/30			05/29	06/30	07/31	08/31	09/30	10/30	11/30	12/31	01/29	02/26
MMG MON		04/06												
OG CALL					04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26
OG PUT					04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26
OG1 CALL					05/01									
OG1 PUT					05/01									
OG2 CALL		04/10												
OG2 PUT		04/10												
OG3 CALL		04/17												
OG3 PUT		04/17												
OG4 CALL		04/24												
OG4 PUT		04/24												
OMG OPT					04/27	05/26	06/25							
PAO CALL					04/15	05/20			08/19			11/18		
PAO PUT					04/15	05/20			08/19					
PAW OOF		04/17												
PLW OOF		04/24			05/01									
PO CALL					04/15	05/20	06/17			09/16			12/16	
PO PUT					04/15	05/20	06/17			09/16			12/16	
RWS THU		04/23												
SMW MON		04/13												
SO CALL					04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26
SO PUT					04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	
SO1 CALL					05/01									
SO2 CALL		04/10												
SO2 PUT		04/10												
SO3 CALL		04/17												
SO3 PUT		04/17												
SO4 CALL		04/24												
SO4 PUT		04/24												
SWW WED		04/22												
TWS TUE		04/14												
WMG WED		04/08												

GOLD OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
WMG WED		MICRO GOLD WEEKLY WED OPTION WEEK2										
APR26												
4500	----	----	----	----	----	29.90 + 15.90	.1972	----	----	----	----	1 UNCH
4540	----	----	----	----	----	273.10 UNCH	----	----	----	----	----	0 UNCH
4600	----	----	----	----	----	213.10 UNCH	----	----	----	----	----	0 UNCH
4750	----	----	----	----	----	63.10 UNCH	----	----	----	----	----	0 UNCH
TOTAL												1 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT		MICRO GOLD OPTIONS										
MAY26												
3600	----	----	----	----	----	5.70 + 2.20	----	----	----	----	----	2 UNCH
3700	----	----	----	----	----	7.50 + 3.10	----	----	----	----	----	1 UNCH
3850	----	----	----	----	----	11.70 + 5.30	----	----	----	----	----	2 UNCH
3900	----	----	----	----	----	13.70 + 6.30	----	----	----	----	----	3 UNCH
4000	----	----	----	----	----	18.90 + 9.00	----	----	----	----	----	7 UNCH
4200	----	----	----	----	----	36.90 + 17.70	----	----	----	----	----	2 UNCH
4250	----	----	----	----	----	472.40 - 12.50	----	----	----	----	----	1 UNCH
4400	----	----	----	----	----	349.90 - 01.60	----	----	----	----	----	1 UNCH
4450	----	----	----	----	----	312.00 - 97.20	----	----	----	----	----	1 UNCH
4450	----	----	----	----	----	82.80 + 35.90	----	----	----	----	----	1 UNCH
4500	----	----	----	----	----	96.70 + 40.70	----	----	----	----	----	1 UNCH
4500	----	----	----	----	----	276.10 - 92.30	----	----	----	----	----	1 UNCH
4600	----	----	----	----	----	130.80 + 51.50	----	----	----	----	----	2 UNCH
4725	----	----	----	----	----	187.20 + 67.00	----	----	----	----	----	1 UNCH
4800	----	----	----	----	----	229.10 + 76.90	----	----	----	----	----	1 UNCH
4800	162.00	162.00	#162.00/*162.00	#162.00/162.00	----	109.00 NEW	----	----	----	1	----	1 + 1
4900	----	----	----	----	----	294.10 + 89.80	----	----	----	----	----	1 UNCH
4900	----	----	----	----/117.60A	----	74.30 - 43.30	----	----	----	----	----	2 UNCH
4920	----	----	----	----	----	308.40 + 92.30	----	----	----	----	----	2 UNCH
4950	----	----	----	----	----	60.70 - 37.20	----	----	----	----	----	2 UNCH
5000	----	----	----	----/111.00A	----	49.20 - 31.70	----	----	----	----	----	2 UNCH
5050	----	----	----	----	----	409.30 + 06.50	----	----	----	----	----	3 UNCH
5200	----	----	----	----	----	20.80 - 15.00	----	----	----	----	----	1 UNCH
5875	----	----	----	----	----	2.70 - 1.80	----	----	----	----	----	1 UNCH
TOTAL										1		42 + 1
JUN26												
2500	----	----	----	----	----	2.70 + 1.30	----	----	----	----	----	2 UNCH
4000	48.90	48.90	48.90/*48.90	48.90/48.90	----	45.50 + 17.80	----	----	----	1	----	1 + 1
4050	----	----	----	----	----	51.60 + 19.90	----	----	----	----	----	0 UNCH
4260	----	----	----	----	----	87.20 + 31.10	----	----	----	----	----	1 UNCH
4500	----	----	----	----	----	154.90 + 48.70	----	----	----	----	----	3 UNCH
4645	227.00	227.00	#227.00/*227.00	#227.00/*227.00	----	214.00 NEW	----	----	----	3	----	3 + 3
4700	----	----	----	----	----	220.30 - 66.20	----	----	----	----	----	1 UNCH
4900	----	----	----	----	----	137.90 - 47.40	----	----	----	----	----	2 UNCH
5200	----	----	----/87.50A	----/87.50A	----	64.20 - 24.60	----	----	----	----	----	1 UNCH
5400	----	----	----	----	----	38.80 - 14.70	----	----	----	----	----	2 UNCH
5875	----	----	----	----	----	14.20 - 4.80	----	----	----	----	----	1 UNCH
TOTAL										4		17 + 4
JUL26												

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT		MICRO GOLD OPTIONS										
JUL26												
3400	----	----	----	----	----	1325.90 - 29.10	----	----	----	----	----	1 UNCH
3460	----	----	----	----	----	1268.50 - 27.90	----	----	----	----	----	1 UNCH
TOTAL												2 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 PUT		GOLD OPTIONS										
APR26												
4100	----	----	32.90B/----	32.90B/18.20A	----	24.50 + 12.00	.0942	----	----	----	----	1 UNCH
4175	----	----	42.00B/----	42.00B/21.30A	----	31.60 + 15.40	.1201	----	----	----	----	2 UNCH
4300	50.00	50.00	63.50B/50.00	63.50B/31.20A	----	47.50 + 22.10	.1765	----	----	1	----	3 + 1
4315	----	----	66.60B/----	66.60B/32.80A	----	49.90 + 23.10	.1846	----	----	----	----	1 UNCH
4375	----	----	80.10B/----	80.10B/39.70A	----	61.10 + 27.70	.2211	----	----	----	----	1 UNCH
4400	----	----	86.90B/----	86.90B/43.10A	----	66.40 + 29.80	.2378	----	----	----	----	7 UNCH
4450	----	----	101.10B/----	101.10B/50.70A	----	78.50 + 34.50	.2743	----	----	1	----	0 - 1
4500	98.00	98.00	118.20B/98.00	118.20B/59.70A	----	92.60 + 39.80	.3145	----	----	1	----	8 + 1
4590	131.00	131.00	153.90B/111.00	153.90B/80.00A	----	123.00 NEW	.3947	----	----	2	----	1 + 1
4600	----	----	158.60B/----	158.60B/82.60A	----	126.80 + 51.60	.4042	----	----	----	----	1 UNCH
4650	----	----	182.60B/----	182.60B/96.80A	----	147.40 NEW	.4530	----	----	1	----	1 + 1
4695	----	----	206.50B/----	206.50B/112.10A	----	168.10 + 64.00	.4985	----	----	----	----	1 UNCH
4700	----	----	209.30B/----	209.30B/112.70A	----	170.50 + 64.70	.5036	----	----	----	----	50 UNCH
5075	----	----	#481.10B/----	#481.10B/325.20A	----	426.90 + 10.00	.8384	----	----	----	----	1 UNCH
TOTAL										6		78 + 3

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 CALL		GOLD OPTIONS										
APR26												
4540	----	----	----/200.40A	324.00B/200.40A	----	244.70 - 88.80	.6505	----	----	----	----	1 UNCH
4550	----	----	----/194.30A	316.20B/194.30A	----	238.10 - 87.60	.6416	----	----	4	----	1 - 3
4600	----	----	----/165.30A	278.70B/165.30A	----	206.40 - 81.50	.5952	----	----	4	----	1 - 3
4800	----	----	----/85.00A	157.70B/85.00A	----	104.70 - 54.80	.3931	----	----	----	----	1 UNCH
4850	63.40	63.40	70.70/*63.40	132.20B/63.40	----	85.90 - 48.20	.3431	----	----	30	----	0 - 10
4900	57.80	57.80	58.90/*57.80	109.50B/57.80	----	69.90 - 41.80	.2957	----	----	2	----	20 UNCH
4925	----	----	----/53.20A	99.00B/53.20A	----	62.80 - 38.80	.2731	----	----	----	----	0 UNCH
4930	75.10	75.10	#75.10/*75.10	#92.10B/*52.20A	----	61.50 NEW	.2688	----	----	14	----	14 + 14
5300	25.00	25.00	#25.00/*12.40A	#25.00/*12.40A	----	12.40 NEW	.0688	----	----	3	----	3 + 3
TOTAL										57		41 + 1

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG3 PUT		GOLD OPTIONS										
APR26												
3200	1.40	1.40	#1.40/*1.00A	1.40/*1.00A	----	0.80 NEW	.0028	----	----	1	----	1 + 1
3350	----	----	#1.80B/----	1.80B/2.10A	----	1.40 + 0.60	.0051	----	----	----	----	2 UNCH
3500	----	----	3.00B/----	3.00B/2.70A	----	2.50 + 1.00	.0094	----	----	----	----	4 UNCH
3550	----	----	3.60B/----	3.60B/2.90A	----	2.80 + 1.10	.0107	----	----	1	----	2 - 1
3600	----	----	4.10B/----	4.10B/3.30A	----	3.30 + 1.40	.0128	----	----	----	----	6 UNCH
3700	----	----	5.80B/----	5.80B/4.20A	----	4.30 + 1.80	.0173	----	----	----	----	1 UNCH
3750	6.50	6.50	6.80B/4.70A	6.80B/4.70A	----	5.00 + 2.10	.0205	----	----	1	----	3 - 1
3800	----	----	8.00B/----	8.00B/5.30A	----	5.90 + 2.60	.0244	----	----	----	----	2 UNCH
3850	----	----	9.50B/----	9.50B/6.10A	----	6.90 + 3.10	.0290	----	----	1	----	6 - 1
3900	----	----	11.40B/----	11.40B/7.10A	----	8.10 + 3.70	.0344	----	----	1	----	11 UNCH
3950	----	----	13.60B/----	13.60B/8.30A	----	9.50 + 4.40	.0409	----	----	----	----	4 UNCH
4000	10.70	10.70	16.30B/10.70	16.30B/9.80A	----	11.30 + 5.40	.0490	----	----	1	----	159 UNCH
4025	----	----	17.70B/----	17.70B/10.60A	----	12.40 NEW	.0539	----	----	2	----	2 + 2
4050	----	----	18.60B/----	18.60B/10.50A	----	13.50 + 6.60	.0589	----	----	1	----	58 + 1
4100	14.40	14.40	23.30B/14.40	23.30B/13.00A	----	16.20 + 8.10	.0709	----	----	2	----	33 + 2
4150	----	----	27.70B/----	27.70B/13.50A	----	19.50 NEW	.0853	----	----	2	----	2 + 2
4200	33.50	33.50	33.70B/33.50	33.70B/15.70A	----	23.40 + 12.00	.1023	----	----	2	----	20 + 1
4220	----	----	36.40B/----	36.40B/16.00A	----	25.20 + 12.90	.1101	----	----	----	----	150 UNCH
4225	----	----	36.50B/----	36.50B/16.60A	----	25.70 + 13.20	.1122	----	----	----	----	2 UNCH
4250	38.00	38.00	40.50B/38.00	40.50B/16.50A	----	28.20 + 14.50	.1228	----	----	1	----	142 + 1
4295	48.00	48.00	48.00/48.00	48.00/19.50A	----	33.40 + 17.10	.1445	----	----	1	----	1 UNCH
4300	39.20	39.20	48.20B/39.20	48.20B/19.70A	----	34.00 + 17.30	.1470	----	----	23	----	47 + 19
4350	----	----	57.60B/----	57.60B/24.00A	----	41.00 + 20.70	.1755	----	----	1	----	9 + 1
4375	----	----	63.40B/----	63.40B/26.30A	----	44.90 + 22.40	.1912	----	----	----	----	26 UNCH
4385	----	----	64.10B/----	64.10B/27.60A	----	46.60 NEW	.1979	----	----	2	----	2 + 2
4395	----	----	66.60B/----	66.60B/28.10A	----	48.40 NEW	.2049	----	----	2	----	2 + 2
4400	48.00	48.00	69.40B/48.00	69.40B/28.70A	----	49.30 + 24.40	.2084	----	----	17	----	23 + 14
4425	----	----	74.40B/----	74.40B/30.10A	----	54.10 + 26.50	.2268	----	----	----	----	1 UNCH
4440	----	----	78.10B/----	78.10B/33.40A	----	57.20 + 27.80	.2385	----	----	----	----	1 UNCH
4450	80.00	80.00	84.30B/52.50	84.30B/33.00A	----	59.40 + 28.80	.2466	----	----	4	----	171 + 1
4480	----	----	93.60B/----	93.60B/40.00A	----	66.30 + 31.60	.2719	----	----	----	----	10 UNCH
4500	95.00	95.00	100.70B/65.50	100.70B/42.10A	----	71.30 + 33.60	.2898	----	----	5	----	103 UNCH
4540	----	----	111.60B/----	111.60B/46.50A	----	82.50 + 38.00	.3284	----	----	----	----	2 UNCH
4550	97.00	97.00	120.50B/77.70	120.50B/51.30A	----	85.50 + 39.20	.3385	----	----	4	----	176 + 1
4580	94.00	94.00	129.90B/94.00	129.90B/56.60A	----	95.20 NEW	.3701	----	----	1	----	1 + 1
4600	----	----	142.80B/----	142.80B/61.70A	----	102.20 + 45.30	.3921	----	----	----	----	54 UNCH
4625	----	----	148.80B/----	148.80B/65.20A	----	111.60 + 48.60	.4205	----	----	----	----	8 UNCH
4630	----	----	150.30B/----	150.30B/65.50A	----	113.60 + 49.30	.4264	----	----	----	----	5 UNCH
4635	104.20	104.20	151.70B/104.20	151.70B/70.20A	----	115.60 NEW	.4322	----	----	10	----	10 + 10
4640	----	----	153.90B/----	153.90B/68.40A	----	117.60 + 50.70	.4381	----	----	----	----	1 UNCH
4650	----	----	169.10B/----	169.10B/74.80A	----	121.80 + 52.20	.4499	----	----	----	----	92 UNCH
4675	----	----	174.00B/----	174.00B/81.60A	----	132.70 + 55.80	.4801	----	----	----	----	12 UNCH
4680	----	----	176.90B/----	176.90B/83.20A	----	134.90 + 56.50	.4862	----	----	----	----	15 UNCH
4690	----	----	180.70B/----	180.70B/82.70A	----	139.60 + 58.00	.4985	----	----	----	----	1 UNCH
4700	130.00	130.00	187.80B/130.00	187.80B/90.80A	----	144.30 + 59.50	.5108	----	----	26	----	37 + 26
4710	----	----	191.50B/----	191.50B/92.90A	----	149.30 + 61.10	.5232	----	----	----	----	1 UNCH
4720	----	----	197.50B/----	197.50B/96.30A	----	154.30 + 62.60	.5357	----	----	----	----	1 UNCH
4725	----	----	200.40B/----	200.40B/99.40A	----	156.90 + 63.40	.5419	----	----	----	----	1 UNCH
4750	----	----	215.90B/----	215.90B/109.40A	----	170.20 + 67.40	.5731	----	----	10	----	11 + 10
4795	----	----	245.80B/----	245.80B/127.40A	----	196.50 NEW	.6287	----	----	1	----	1 + 1
4800	----	----	249.30B/----	249.30B/126.10A	----	199.60 + 75.70	.6348	----	----	----	----	1 UNCH
4825	----	----	279.20B/----	279.20B/139.90A	----	215.50 + 79.80	.6646	----	----	----	----	1 UNCH
4850	----	----	277.50B/----	277.50B/152.40A	----	232.30 + 84.00	.6935	----	----	----	----	1 UNCH
4975	----	----	381.10B/----	381.10B/231.80A	----	327.20 + 03.00	.8169	----	----	----	----	1 UNCH
4995	----	----	398.60B/----	398.60B/246.10A	----	343.80 NEW	.8327	----	----	1	----	1 + 1
5000	----	----	402.40B/----	402.40B/249.60A	----	348.00 + 06.20	.8365	----	----	----	----	1 UNCH
5050	----	----	448.30B/----	448.30B/287.40A	----	391.20 + 11.90	.8709	----	----	----	----	1 UNCH
5150	----	----	526.50B/----	526.50B/370.30A	----	482.30 + 20.40	.9196	----	----	----	----	1 UNCH
5180	----	----	529.80B/----	529.80B/396.60A	----	510.50 + 22.20	.9303	----	----	----	----	1 UNCH
TOTAL										124		1444 + 96

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG3 CALL		GOLD OPTIONS										
APR26												
4300	----	----	----/351.50A	521.10B/351.50A	----	413.20 - 15.90	.8526	----	----	----	----	1 UNCH
4375	----	----	----/284.30A	449.40B/284.30A	----	349.30 - 10.70	.8084	----	----	----	----	74 UNCH
4415	----	----	----/259.20A	413.90B/259.20A	----	316.50 - 07.60	.7803	----	----	----	----	6 UNCH
4435	----	----	----/244.40A	398.50B/244.40A	----	300.50 - 05.90	.7649	----	----	----	----	10 UNCH
4450	----	----	----/237.00A	384.10B/237.00A	----	288.80 - 04.40	.7530	----	----	----	----	1 UNCH
4500	----	----	----/198.60A	342.20B/198.60A	----	250.80 - 99.60	.7097	----	----	----	----	1 UNCH
4550	----	----	----/169.00A	298.40B/169.00A	----	215.10 - 94.00	.6610	----	----	----	----	1 UNCH
4575	----	----	----/151.30A	278.90B/151.30A	----	198.10 - 91.00	.6348	----	----	----	----	3 UNCH
4600	----	----	----/138.00A	260.60B/138.00A	----	181.80 - 87.90	.6075	----	----	1	----	25 UNCH
4610	----	----	----/135.00A	251.50B/135.00A	----	175.50 - 86.60	.5962	----	----	----	----	1 UNCH
4625	----	----	----/127.70A	242.50B/127.70A	----	166.30 - 84.50	.5790	----	----	----	----	3 UNCH
4650	----	----	----/114.90A	221.90B/114.90A	----	151.40 - 81.10	.5496	----	----	----	----	7 UNCH
4675	----	----	----/104.30A	204.60B/104.30A	----	137.40 - 77.40	.5195	----	----	2	----	5 + 2
4680	116.30	116.30	116.30/101.80A	201.10B/101.80A	----	134.60 - 76.70	.5133	----	----	5	----	20 + 5
4690	----	----	----/97.00A	195.20B/97.00A	----	129.30 - 75.20	.5011	----	----	----	----	1 UNCH
4695	135.00	135.00	135.00/96.80A	190.60B/96.80A	----	126.70 NEW	.4949	----	----	4	----	2 + 2
4700	----	----	----/92.30A	190.30B/92.30A	----	124.10 - 73.70	.4887	----	----	25	----	42 + 25
4710	----	----	----/90.90A	180.70B/90.90A	----	119.00 - 72.10	.4763	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG3 CALL — GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
4725	----	----	----/85.30A	171.00B/85.30A	----	111.60 - 69.80	.4576	----	----	----	----	1 UNCH
4730	----	----	----/83.90A	167.80B/83.90A	----	109.20 - 69.10	.4513	----	----	----	----	1 UNCH
4750	80.30	80.30	80.30/74.60A	162.60B/74.60A	----	100.00 - 65.80	.4264	----	----	25	----	49 + 14
4755	----	----	----/74.90A	154.70B/74.90A	----	97.80 - 65.00	.4202	----	----	----	----	2 UNCH
4765	----	----	----/69.70A	149.10B/69.70A	----	93.50 - 63.40	.4078	----	----	----	----	74 UNCH
4785	----	----	----/66.10A	137.30B/66.10A	----	85.20 - 60.10	.3830	----	----	----	----	2 UNCH
4800	88.80	88.80	88.80/59.70A	133.80B/59.70A	----	79.40 - 57.60	.3648	----	----	3	----	15 UNCH
4805	----	----	----/60.10A	130.90B/60.10A	----	77.50 - 56.80	.3587	----	----	----	----	1 UNCH
4810	----	----	----/58.60A	129.40B/58.60A	----	75.70 - 55.90	.3527	----	----	----	----	2 UNCH
4825	----	----	----/53.40A	122.30B/53.40A	----	70.40 - 53.40	.3349	----	----	----	----	44 UNCH
4830	----	----	----/53.30A	118.70B/53.30A	----	68.70 NEW	.3291	----	----	1	----	1 + 1
4845	----	----	----/48.60A	111.20B/48.60A	----	63.80 - 50.10	.3118	----	----	----	----	10 UNCH
4850	48.70	48.70	48.70/47.40A	109.60B/47.40A	----	62.20 - 49.30	.3061	----	----	8	----	14 + 8
4860	----	----	----/47.00A	103.80B/47.00A	----	59.20 NEW	.2949	----	----	1	----	1 + 1
4875	42.50	42.50	42.50/42.30A	97.70B/42.30A	----	54.80 - 45.20	.2784	----	----	11	----	10 UNCH
4890	----	----	----/38.80A	90.10B/38.80A	----	50.70 - 42.80	.2624	----	----	----	----	25 UNCH
4900	38.50	38.50	51.10/37.20A	86.80B/37.20A	----	48.20 - 41.20	.2522	----	----	46	----	83 + 32
4905	----	----	----/38.40A	85.10B/38.40A	----	46.90 - 40.40	.2470	----	----	----	----	1 UNCH
4925	----	----	79.90B/33.00A	79.90B/33.00A	----	42.20 - 37.40	.2273	----	----	----	----	6 UNCH
4945	----	----	----/30.10A	68.90B/30.10A	----	37.90 - 34.50	.2086	----	----	1	----	3 UNCH
4950	----	----	----/29.30A	68.00B/29.30A	----	36.90 - 33.70	.2042	----	----	----	----	4 UNCH
4955	----	----	----/29.20A	65.40B/29.20A	----	35.90 - 33.10	.1997	----	----	----	----	1 UNCH
4970	----	----	----/26.60A	64.00B/26.60A	----	33.10 NEW	.1868	----	----	2	----	2 + 2
4975	----	----	----/26.30A	59.60B/26.30A	----	32.20 - 30.30	.1827	----	----	2	----	7 UNCH
4980	----	----	----/25.50A	57.30B/25.50A	----	31.40 NEW	.1788	----	----	2	----	2 + 2
5000	22.00	22.00	26.20/22.00	55.10B/22.00	----	28.10 - 27.10	.1630	----	----	11	----	55 - 1
5005	----	----	----/22.40A	53.70B/22.40A	----	27.30 - 26.50	.1592	----	----	----	----	1 UNCH
5010	22.80	22.80	52.60B/22.10A	52.60B/22.10A	----	26.60 NEW	.1557	----	----	5	----	5 + 5
5015	22.20	22.20	51.30B/21.30A	51.30B/21.30A	----	25.90 - 25.20	.1521	----	----	17	----	17 + 13
5020	----	----	----/*20.60A	49.80B/*20.60A	----	25.20 - 24.60	.1486	----	----	----	----	1 UNCH
5025	----	----	----/*20.10A	45.30B/*20.10A	----	24.50 - 24.10	.1451	----	----	----	----	3 UNCH
5050	----	----	----/*17.70A	39.80B/*17.70A	----	21.30 - 21.40	.1287	----	----	2	----	4 + 2
5080	----	----	----/*15.20A	33.40B/*15.20A	----	18.10 - 18.50	.1115	----	----	----	----	3 UNCH
5085	----	----	----/*14.80A	32.50B/*14.80A	----	17.70 - 17.90	.1091	----	----	----	----	1 UNCH
5095	----	----	----/*14.10A	30.60B/*14.10A	----	16.70 - 17.10	.1037	----	----	2	----	2 UNCH
5100	----	----	----/*13.80A	29.60B/*13.80A	----	16.30 - 16.70	.1014	----	----	----	----	100 UNCH
5105	----	----	----/*13.50A	31.70B/*13.50A	----	15.90 - 16.20	.0991	----	----	----	----	1 UNCH
5150	----	----	----/*10.80A	22.80B/*10.80A	----	12.60 - 12.90	.0800	----	----	----	----	4 UNCH
5160	----	----	----/*10.30A	21.60B/*10.30A	----	11.90 - 12.30	.0760	----	----	----	----	3 UNCH
5170	----	----	----/*9.80A	22.30B/*9.80A	----	11.30 - 11.70	.0724	----	----	----	----	10 UNCH
5175	----	----	----/*9.60A	21.80B/*9.60A	----	11.10 - 11.30	.0711	----	----	1	----	2 UNCH
5200	14.00	14.00	14.00/*8.50A	18.30B/*8.50A	----	9.80 - 9.90	.0632	----	----	10	----	285 UNCH
5245	----	----	----/*7.10A	13.30B/*7.10A	----	7.80 - 7.90	.0509	----	----	----	----	6 UNCH
5250	----	----	----/*6.90A	13.00B/*6.90A	----	7.60 - 7.70	.0496	----	----	----	----	200 UNCH
5265	----	----	----/*6.40A	11.90B/*6.40A	----	7.10 - 7.20	.0464	----	----	----	----	3 UNCH
5300	----	----	----/*5.70A	10.20B/*5.70A	----	6.00 - 6.10	.0394	----	----	----	----	8 UNCH
5325	----	----	----/*5.10A	8.80B/*5.10A	----	5.30 - 5.50	.0349	----	----	----	----	1 UNCH
5350	----	----	----/*4.60A	5.50B/*4.60A	----	4.70 - 4.90	.0311	----	----	----	----	11 UNCH
5375	----	----	----/*4.20A	6.40B/*4.20A	----	4.20 - 4.40	.0278	----	----	----	----	2 UNCH
5400	----	----	----/*4.10A	5.60B/*4.10A	----	3.80 - 3.90	.0250	----	----	----	----	6 UNCH
5425	----	----	----/*3.50A	4.60B/*3.50A	----	3.40 - 3.50	.0224	----	----	----	----	2 UNCH
5450	----	----	----/*3.30A	4.20B/*3.30A	----	3.00 - 3.20	.0198	----	----	----	----	1 UNCH
5500	----	----	----/*2.90A	3.20B/*2.90A	----	2.50 - 2.50	.0163	----	----	10	----	12 - 7
5550	----	----	----/*2.40A	2.40B/*2.40A	----	2.00 - 2.10	.0131	----	----	----	----	1 UNCH
TOTAL										197		1315 + 106

OG2 PUT — GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
2800	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.20 + 0.10	.0004	----	----	1	----	19 + 1
3200	----	----	#0.40B/----	0.40B/1.00A	----	0.60 + 0.30	.0017	----	----	----	----	1 UNCH
3250	----	----	0.50B/----	0.50B/0.90A	----	0.60 + 0.20	.0018	----	----	----	----	15 UNCH
3300	0.50	0.50	0.60B/0.50	0.60B/0.50	----	0.80 + 0.40	.0024	----	----	3	----	4 + 3
3350	----	----	0.70B/----	0.70B/0.60A	----	0.90 + 0.40	.0028	----	----	10	----	17 UNCH
3400	----	----	0.90B/----	0.90B/1.10A	----	1.10 + 0.50	.0035	----	----	----	----	13 UNCH
3500	1.50	1.50	1.50/*0.90A	1.50/*0.90A	----	1.50 + 0.70	.0051	----	----	3	----	33 + 3
3550	1.10	1.10	1.60B/1.10	1.60B/1.10	----	1.70 + 0.80	.0060	----	----	7	----	9 + 7
3600	----	----	1.70B/----	1.70B/1.70A	----	1.90 + 0.90	.0069	----	----	----	----	4 UNCH
3650	2.00	2.00	2.10B/1.20	2.10B/1.20	----	2.00 + 0.90	.0076	----	----	12	----	32 + 12
3700	2.00	2.00	2.70B/2.00	2.70B/1.70A	----	2.10 + 0.80	.0083	----	----	6	----	10 + 5
3750	3.00	3.00	3.20B/1.90A	3.20B/1.90A	----	2.30 + 0.90	.0094	----	----	13	----	49 - 2
3800	4.00	4.00	4.00/2.00	4.00/2.00	----	2.60 + 1.00	.0111	----	----	2	----	16 - 1
3850	3.90	3.90	4.60/2.60A	4.60/2.60A	----	2.90 + 1.10	.0128	----	----	39	----	32 + 7
3900	----	----	5.60B/----	5.60B/2.50A	----	3.20 + 1.10	.0148	----	----	7	----	126 + 3
3950	6.00	6.00	6.70B/6.00	6.70B/2.90A	----	3.80 + 1.40	.0181	----	----	16	----	57 + 16
4000	6.00	6.00	8.10B/4.50	8.10B/3.40A	----	4.90 + 2.10	.0237	----	----	176	----	256 + 79
4025	3.30	3.30	8.90B/3.30	8.90B/3.30	----	5.40 + 2.40	.0265	----	----	3	----	11 + 1
4050	8.00	8.00	9.80B/8.00	9.80B/4.10A	----	5.80 + 2.50	.0289	----	----	43	----	34 + 25
4075	9.40	9.40	10.90B/6.20	10.90B/4.80A	----	6.40 + 2.80	.0324	----	----	29	----	34 + 8
4100	10.00	10.00	12.50/7.50	12.50/4.80A	----	7.20 + 3.30	.0367	----	----	66	----	244 - 1
4125	8.00	8.00	13.50B/8.00	13.50B/5.30A	----	8.20 NEW	.0420	----	----	46	----	46 + 46
4150	10.30	10.30	15.00B/7.70	15.00B/5.70A	----	9.20 + 4.50	.0474	----	----	9	----	50 + 6
4175	16.30	16.30	16.70B/16.30	16.70B/6.40A	----	10.10 + 5.00	.0528	----	----	29	----	242 + 11
4200	11.00	11.00	18.50B/11.00	18.50B/6.90A	----	11.20 + 5.60	.0591	----	----	156	500	615 + 539
4210	----	----	19.30B/----	19.30B/7.10A	----	11.70 + 5.90	.0620	----	----	----	----	8 UNCH
4215	9.60	9.60	19.90B/9.60	19.90B/7.30A	----	11.90 NEW	.0632	----	----	8	----	8 + 8
4220	----	----	20.40B/----	20.40B/7.50A	----	12.20 + 6.10	.0649	----	----	----	----	3 UNCH
4225	----	----	21.00B/----	21.00B/7.50A	----	12.40 + 6.20	.0661	----	----	20	----	171 + 20
4230	10.60	10.60	21.50B/10.60	21.50B/7.90A	----	12.70 + 6.40	.0678	----	----	3	----	45 + 3
4235	----	----	21.90B/----	21.90B/7.80A	----	13.00 + 6.60	.0695	----	----	----	----	89 UNCH
4240	----	----	22.40B/----	22.40B/8.30A	----	13.30 + 6.70	.0712	----	----	----	----	83 UNCH
4245	----	----	22.50B/----	22.50B/8.10A	----	13.50 + 6.80	.0725	----	----	----	----	19 UNCH
4250	14.70	14.70	23.00B/11.60	23.00B/8.30A	----	13.90 + 7.10	.0746	----	----	228	----	287 + 42
4255	----	----	24.00B/----	24.00B/8.50A	----	14.20 + 7.20	.0764	----	----	----	----	22 UNCH
4260	10.70	10.70	24.70B/10.70	24.70B/8.80A	----	14.50 + 7.40	.0781	----	----	3	----	70 + 1
4265	12.30	12.30	25.10B/12.30	25.10B/8.90A	----	14.80 + 7.50	.0799	----	----	19	----	63 + 19
4275	13.00	13.00	26.50B/13.00	26.50B/9.10A	----	15.50 + 7.90	.0838	----	----	3	----	48 UNCH
4280	----	----	26.90B/----	26.90B/9.40A	----	15.90 + 8.20	.0860	----	----	----	----	14 UNCH
4285	----	----	27.70B/----	27.70B/9.40A	----	16.20 + 8.30	.0878	----	----	----	----	24 UNCH
4295	26.50	26.50	29.00B/26.50	29.00B/9.90A	----	17.00 + 8.80	.0923	----	----	13	----	13 + 8
4300	10.10	10.10	30.10B/10.10	30.10B/9.80A	----	17.40 + 9.00	.0945	----	----	130	----	489 + 72
4310	----	----	31.10B/----	31.10B/10.50A	----	18.20 + 9.40	.0991	----	----	----	----	12 UNCH
4315	----	----	31.50B/----	31.50B/10.70A	----	18.60 + 9.70	.1014	----	----	----	----	1 UNCH
4325	----	----	32.50B/----	32.50B/11.10A	----	19.50 NEW	.1064	----	----	5	----	5 + 5
4330	10.00	10.00	33.80B/10.00	33.80B/10.00	----	20.00 + 10.50	.1091	----	----	3	----	11 + 1
4340	25.50	25.50	34.70B/25.50	34.70B/11.80A	----	20.90 NEW	.1143	----	----	4	----	4 + 4
4345	----	----	35.50B/----	35.50B/12.10A	----	21.40 + 11.20	.1171	----	----	----	----	2 UNCH
4350	34.90	34.90	37.40B/20.70	37.40B/12.10A	----	21.90 + 11.50	.1199	----	----	35	----	146 + 24
4355	----	----	37.90B/----	37.90B/12.20A	----	22.40 + 11.80	.1227	----	----	----	----	50 UNCH
4365	35.00	35.00	39.30B/19.00	39.30B/12.70A	----	23.50 NEW	.1287	----	----	2	----	1 + 1
4375	----	----	41.10B/----	41.10B/13.20A	----	24.60 + 13.00	.1349	----	----	----	----	1 UNCH
4390	31.80	31.80	43.80B/31.80	43.80B/14.00A	----	26.30 NEW	.1444	----	----	3	----	3 + 3
4400	25.80	25.80	47.20B/25.00	47.20B/14.60A	----	27.60 + 14.60	.1515	----	----	51	----	50 - 25
4405	25.50	25.50	48.00B/25.50	48.00B/15.00A	----	28.20 + 14.90	.1549	----	----	1	----	21 UNCH
4410	----	----	49.10B/----	49.10B/15.20A	----	28.90 + 15.30	.1587	----	----	----	----	10 UNCH
4415	26.70	26.70	50.20B/26.70	50.20B/15.60A	----	29.50 + 15.60	.1621	----	----	2	----	6 + 2
4420	----	----	50.80B/----	50.80B/15.90A	----	30.20 + 16.00	.1660	----	----	----	----	1 UNCH
4425	42.50	42.50	52.60B/42.50	52.60B/16.30A	----	30.90 + 16.40	.1698	----	----	2	----	6 + 2
4435	47.90	47.90	54.50B/36.50	54.50B/16.90A	----	32.40 + 17.20	.1779	----	----	2	----	3 + 1
4445	----	----	57.00B/----	57.00B/17.70A	----	33.90 + 18.00	.1861	----	----	----	----	1 UNCH
4450	18.00	18.00	59.10B/18.00	59.10B/18.00	----	34.70 + 18.40	.1904	----	----	10	----	41 + 7
4460	----	----	61.00B/----	61.00B/18.90A	----	36.30 + 19.20	.1991	----	----	1	----	2 + 1
4465	19.90	19.90	62.60B/19.30A	62.60B/19.30A	----	37.20 + 19.70	.2037	----	----	1	----	2 UNCH
4470	----	----	64.70B/----	64.70B/19.80A	----	38.10 + 20.10	.2085	----	----	----	----	27 UNCH
4475	46.70	46.70	66.20B/46.70	66.20B/20.20A	----	38.90 + 20.50	.2130	----	----	50	----	55 + 39
4480	44.40	44.40	67.80B/44.40	67.80B/20.70A	----	39.90 + 21.10	.2180	----	----	150	----	200 + 144
4490	38.30	38.30	70.10B/38.30	70.10B/21.60A	----	41.70 NEW	.2277	----	----	4	----	4 + 4
4500	41.80	41.80	75.10B/38.30	75.10B/22.40A	----	43.70 + 22.90	.2381	----	----	51	----	317 + 30
4510	----	----	76.80B/----	76.80B/23.50A	----	45.80 NEW	.2488	----	----	3	----	3 + 3
4515	----	----	79.50B/----	79.50B/24.10A	----	46.90 + 24.50	.2544	----	----	6	----	9 + 5
4520	----	----	80.10B/----	80.10B/24.60A	----	48.00 + 25.10	.2600	----	----	----	----	1 UNCH
4525	----	----	82.00B/----	82.00B/25.30A	----	49.10 + 25.60	.2656	----	----	----	----	2 UNCH
4530	55.70	55.70	84.10B/55.70	84.10B/25.70A	----	50.30 NEW	.2715	----	----	1	----	1 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG2 PUT		GOLD OPTIONS										
APR26												
4535	----	----	85.80B/----	85.80B/26.30A	----	51.50 + 26.80	.2775	----	----	----	----	1 UNCH
4540	----	----	88.80B/----	88.80B/26.90A	----	52.70 + 27.30	.2834	----	----	----	----	8 UNCH
4545	----	----	91.00B/----	91.00B/27.60A	----	53.90 + 27.90	.2895	----	----	----	----	7 UNCH
4550	----	----	93.00B/----	93.00B/28.30A	----	55.20 + 28.50	.2958	----	----	23	----	73 + 11
4555	----	----	95.00B/----	95.00B/28.90A	----	56.50 + 29.10	.3021	----	----	----	----	10 UNCH
4560	----	----	97.10B/----	97.10B/29.50A	----	57.80 + 29.70	.3085	----	----	----	----	3 UNCH
4570	----	----	101.70B/----	101.70B/31.30A	----	60.60 + 31.00	.3217	----	----	----	----	4 UNCH
4575	87.50	87.50	104.70B/87.50	104.70B/32.10A	----	62.00 + 31.70	.3284	----	----	15	----	16 - 10
4590	----	----	110.50B/----	110.50B/34.20A	----	66.50 + 33.70	.3492	----	----	----	----	3 UNCH
4595	----	----	111.00B/----	111.00B/35.30A	----	68.10 + 34.50	.3564	----	----	----	----	2 UNCH
4600	55.00	55.00	115.70B/55.00	115.70B/35.90A	----	69.70 + 35.20	.3636	----	----	112	50	256 + 82
4610	75.30	75.30	118.10B/75.30	118.10B/37.70A	----	73.00 + 36.60	.3783	----	----	1	----	3 + 1
4620	----	----	124.90B/----	124.90B/39.70A	----	76.50 + 38.20	.3934	----	----	1	----	11 UNCH
4625	109.30	109.30	128.70B/105.50	128.70B/40.60A	----	78.30 + 39.00	.4011	----	----	24	----	26 - 6
4630	108.00	108.00	127.90B/76.90	127.90B/41.60A	----	80.10 NEW	.4088	----	----	192	----	183 + 183
4645	----	----	134.40B/----	134.40B/44.60A	----	85.80 + 42.20	.4326	----	----	----	----	2 UNCH
4650	80.00	80.00	141.40B/75.00	141.40B/45.80A	----	87.80 + 43.10	.4406	----	----	40	----	135 + 10
4660	----	----	142.90B/----	142.90B/48.00A	----	91.90 + 44.80	.4569	----	----	----	----	0 UNCH
4670	----	----	148.80B/----	148.80B/50.30A	----	96.20 + 46.70	.4735	----	----	----	----	1 UNCH
4675	----	----	155.90B/----	155.90B/51.30A	----	98.40 + 47.60	.4818	----	----	1	----	29 - 1
4700	75.00	75.00	172.00B/75.00	172.00B/57.90A	----	110.00 + 52.30	.5242	----	----	34	----	85 - 3
4705	106.00	106.00	172.30B/106.00	172.30B/59.40A	----	112.50 NEW	.5328	----	----	2	----	1 + 1
4720	65.00	65.00	182.60B/63.90A	182.60B/63.90A	----	120.20 + 56.30	.5586	----	----	4	----	7 + 3
4725	----	----	185.90B/65.40A	185.90B/65.40A	----	122.80 + 57.30	.5673	----	----	----	----	1 UNCH
4745	----	----	200.60B/71.90A	200.60B/71.90A	----	133.80 NEW	.6016	----	----	2	----	2 + 2
4750	104.00	104.00	204.40B/73.80A	204.40B/73.80A	----	136.70 + 62.50	.6101	----	----	23	----	19 + 12
4760	100.00	100.00	211.80B/77.50A	211.80B/77.50A	----	142.60 NEW	.6271	----	----	2	----	1 + 1
4780	----	----	228.20B/85.60A	228.20B/85.60A	----	154.90 + 69.00	.6607	----	----	----	----	20 UNCH
4785	----	----	231.50B/----	231.50B/88.00A	----	158.10 + 70.20	.6689	----	----	1	----	48 UNCH
4790	----	----	235.40B/----	235.40B/90.10A	----	161.40 + 71.30	.6771	----	----	----	----	23 UNCH
4795	----	----	239.30B/92.00A	239.30B/92.00A	----	164.70 + 72.40	.6852	----	----	----	----	30 UNCH
4800	142.00	142.00	243.30B/94.40A	243.30B/94.40A	----	168.00 + 73.50	.6930	----	----	4	----	9 UNCH
4805	----	----	247.50B/96.30A	247.50B/96.30A	----	171.40 + 74.70	.7011	----	----	----	----	7 UNCH
4810	----	----	251.40B/98.50A	251.40B/98.50A	----	174.80 + 75.70	.7088	----	----	----	----	1 UNCH
4815	103.00	103.00	255.50B/101.10A	255.50B/101.10A	----	178.20 NEW	.7166	----	----	2	----	0 UNCH
4825	----	----	263.90B/105.60A	263.90B/105.60A	----	185.30 + 79.10	.7317	----	----	----	----	6 UNCH
4840	----	----	276.50B/112.90A	276.50B/112.90A	----	196.20 + 82.40	.7536	----	----	----	----	1 UNCH
4850	----	----	285.70B/118.00A	285.70B/118.00A	----	203.70 + 84.60	.7675	----	----	----	----	3 UNCH
4875	----	----	307.40B/131.60A	307.40B/131.60A	----	223.00 + 89.90	.8005	----	----	----	----	4 UNCH
4900	----	----	329.90B/----	329.90B/153.70A	----	243.20 + 95.00	.8296	----	----	1	----	17 + 1
4910	----	----	338.70B/----	338.70B/162.50A	----	251.50 + 97.00	.8405	----	----	----	----	1 UNCH
4925	----	----	352.40B/----	352.40B/171.30A	----	264.20 + 99.80	.8556	----	----	----	----	5 UNCH
4935	----	----	361.30B/----	361.30B/178.40A	----	272.80 + 01.70	.8651	----	----	----	----	1 UNCH
4945	----	----	370.80B/----	370.80B/184.70A	----	281.50 + 03.40	.8740	----	----	----	----	3 UNCH
4950	----	----	375.40B/----	375.40B/187.90A	----	285.90 + 04.30	.8787	----	----	----	----	2 UNCH
4955	----	----	379.80B/----	379.80B/191.50A	----	290.30 + 05.10	.8824	----	----	----	----	2 UNCH
4975	----	----	398.50B/----	398.50B/205.30A	----	308.10 + 08.30	.8980	----	----	----	----	2 UNCH
4995	----	----	417.80B/----	417.80B/220.60A	----	326.30 + 11.30	.9113	----	----	----	----	1 UNCH
5000	----	----	423.10B/----	423.10B/223.80A	----	330.90 + 12.00	.9143	----	----	----	----	103 UNCH
5015	----	----	436.70B/----	436.70B/235.60A	----	344.70 + 13.90	.9227	----	----	----	----	2 UNCH
5020	----	----	441.50B/----	441.50B/239.90A	----	349.40 + 14.60	.9256	----	----	----	----	8 UNCH
5025	----	----	446.90B/----	446.90B/244.20A	----	354.10 + 15.20	.9280	----	----	----	----	2 UNCH
5050	----	----	470.10B/----	470.10B/263.90A	----	377.60 + 18.00	.9397	----	----	----	----	4 UNCH
5065	----	----	484.60B/----	484.60B/276.50A	----	391.80 + 19.50	.9454	----	----	----	----	20 UNCH
5070	----	----	490.20B/----	490.20B/281.00A	----	396.60 + 20.00	.9476	----	----	----	----	4 UNCH
5075	----	----	494.20B/----	494.20B/285.60A	----	401.30 + 20.40	.9493	----	----	----	----	1 UNCH
5100	----	----	519.30B/----	519.30B/306.40A	----	425.40 + 22.50	.9573	----	----	----	----	12 UNCH
5120	----	----	538.90B/----	538.90B/323.80A	----	444.70 + 23.90	.9630	----	----	----	----	3 UNCH
5125	----	----	543.50B/----	543.50B/328.30A	----	449.50 + 24.20	.9639	----	----	----	----	3 UNCH
5130	----	----	548.40B/----	548.40B/332.70A	----	454.40 + 24.50	.9654	----	----	----	----	4 UNCH
5200	----	----	616.30B/----	616.30B/397.60A	----	522.80 + 27.70	.9780	----	----	----	----	20 UNCH
5230	----	----	637.00B/----	637.00B/426.10A	----	552.30 + 28.60	.9820	----	----	----	----	2 UNCH
5235	----	----	641.60B/----	641.60B/431.00A	----	557.20 + 28.70	.9828	----	----	----	----	2 UNCH
5260	----	----	666.80B/----	666.80B/454.80A	----	581.90 + 29.30	.9853	----	----	----	----	31 UNCH
5360	----	----	766.30B/----	766.30B/550.90A	----	681.20 + 31.10	.9913	----	----	----	----	1 UNCH
5400	----	----	785.30B/----	785.30B/599.20A	----	721.10 + 31.60	.9923	----	----	----	----	1 UNCH
TOTAL										1974	550	5721 + 1480

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG2 CALL		GOLD OPTIONS										
APR26												
4000	----	----	----/594.30A	815.00B/594.30A	----	684.20 - 31.20	.9761	----	----	----	----	1 UNCH
4150	----	----	----/452.10A	667.00B/452.10A	----	538.60 - 28.70	.9523	----	----	----	----	1 UNCH
4200	----	----	----/406.00A	618.00B/406.00A	----	490.60 - 27.70	.9406	----	----	----	----	3 UNCH
4350	----	----	----/276.10A	472.10B/276.10A	----	351.40 - 21.80	.8799	----	----	----	----	2 UNCH
4375	----	----	----/255.90A	448.20B/255.90A	----	329.10 - 20.30	.8649	----	----	----	----	3 UNCH
4400	329.00	329.00	329.00/237.50A	424.50B/237.50A	----	307.10 - 18.70	.8482	----	----	72	----	72 + 66
4415	----	----	----/226.00A	410.40B/226.00A	----	294.10 - 17.60	.8376	----	----	----	----	5 UNCH
4450	----	----	----/200.50A	377.40B/200.50A	----	264.20 - 15.00	.8094	----	----	----	----	2 UNCH
4475	----	----	----/182.90A	355.00B/182.90A	----	243.50 - 12.70	.7868	----	----	----	----	20 UNCH
4480	----	----	----/179.30A	349.90B/179.30A	----	239.40 - 12.30	.7817	----	----	----	----	16 UNCH
4500	----	----	----/165.90A	331.80B/165.90A	----	223.30 - 10.30	.7617	----	----	51	----	189 + 1
4505	----	----	----/163.00A	327.50B/163.00A	----	219.30 - 09.90	.7562	----	----	----	----	1 UNCH
4510	----	----	----/158.00A	323.00B/158.00A	----	215.40 - 09.30	.7509	----	----	----	----	1 UNCH
4525	----	----	----/148.60A	309.30B/148.60A	----	203.70 - 07.70	.7341	----	----	----	----	1 UNCH
4530	----	----	----/145.30A	304.90B/145.30A	----	199.90 - 07.10	.7282	----	----	----	----	100 UNCH
4535	----	----	----/142.50A	300.70B/142.50A	----	196.10 - 06.50	.7223	----	----	----	----	1 UNCH
4540	----	----	----/139.60A	296.20B/139.60A	----	192.30 - 06.00	.7163	----	----	----	----	2 UNCH
4545	----	----	----/136.10A	292.00B/136.10A	----	188.50 - 05.40	.7102	----	----	----	----	6 UNCH
4550	----	----	----/133.10A	287.70B/133.10A	----	184.80 - 04.80	.7039	----	----	----	----	106 UNCH
4555	----	----	----/130.80A	283.30B/130.80A	----	181.10 - 04.20	.6976	----	----	----	----	10 UNCH
4560	----	----	----/127.90A	279.10B/127.90A	----	177.50 - 03.50	.6912	----	----	----	----	9 UNCH
4570	----	----	----/121.80A	270.50B/121.80A	----	170.20 - 02.30	.6780	----	----	----	----	4 UNCH
4575	----	----	----/119.20A	266.20B/119.20A	----	166.70 - 01.60	.6713	----	----	----	----	1 UNCH
4580	185.00	185.00	198.00/116.30A	262.00B/116.30A	----	163.10 - 01.00	.6644	----	----	104	----	136 + 71
4600	185.00	185.00	185.00/106.50A	245.30B/106.50A	----	149.40 - 98.10	.6361	----	----	60	----	393 + 2
4610	----	----	----/101.70A	236.50B/101.70A	----	142.70 - 96.60	.6214	----	----	----	----	3 UNCH
4625	----	----	----/94.40A	224.70B/94.40A	----	132.90 - 94.30	.5986	----	----	----	----	5 UNCH
4630	145.60	145.60	145.60/91.90A	220.60B/91.90A	----	129.80 NEW	.5909	----	----	175	----	174 + 174
4635	101.30	101.30	101.50/88.90A	216.80B/88.90A	----	126.70 - 92.60	.5830	----	----	20	----	22 + 13
4640	102.80	102.80	102.80/86.90A	212.80B/86.90A	----	123.60 - 91.80	.5751	----	----	7	----	30 UNCH
4650	109.20	109.20	109.20/82.40A	204.90B/82.40A	----	117.50 - 90.20	.5591	----	----	9	----	110 + 2
4655	91.00	91.00	91.00/80.40A	201.00B/80.40A	----	114.50 - 89.30	.5509	----	----	5	----	1 - 5
4660	----	----	----/78.80A	196.90B/78.80A	----	111.60 - 88.40	.5428	----	----	----	----	4 UNCH
4665	94.30	94.30	94.30/76.30A	193.00B/76.30A	----	108.70 - 87.60	.5345	----	----	8	----	14 - 1
4670	----	----	----/74.70A	189.30B/74.70A	----	105.90 - 86.60	.5262	----	----	----	----	1 UNCH
4675	----	----	----/73.00A	186.00B/73.00A	----	103.10 - 85.70	.5179	----	----	----	----	2 UNCH
4680	----	----	----/70.20A	182.20B/70.20A	----	100.30 - 84.80	.5095	----	----	----	----	11 UNCH
4685	----	----	----/69.00A	178.20B/69.00A	----	97.60 - 83.90	.5010	----	----	----	----	1 UNCH
4695	100.90	100.90	100.90/65.60A	170.80B/65.60A	----	92.30 - 82.00	.4840	----	----	1	----	3 + 1
4700	96.00	96.00	99.00/62.20A	167.60B/62.20A	----	89.80 - 81.00	.4755	----	----	18	----	304 + 1
4705	99.80	99.80	99.80/61.60A	163.60B/61.60A	----	87.20 NEW	.4669	----	----	1	----	1 + 1
4710	----	----	----/59.20A	159.40B/59.20A	----	84.70 - 79.10	.4583	----	----	4	----	13 - 3
4715	----	----	----/57.60A	157.50B/57.60A	----	82.30 - 78.00	.4497	----	----	----	----	3 UNCH
4720	59.50	59.50	88.00/55.80A	154.00B/55.80A	----	79.90 - 77.00	.4411	----	----	6	----	11 + 3
4725	57.70	57.70	78.00/54.60A	150.60B/54.60A	----	77.50 - 76.00	.4324	----	----	2	----	6 + 1
4735	----	----	----/51.60A	143.70B/51.60A	----	73.00 - 73.90	.4153	----	----	----	----	3 UNCH
4740	----	----	----/50.80A	140.40B/50.80A	----	70.80 - 72.80	.4067	----	----	1	----	1 UNCH
4745	68.60	68.60	68.60/48.50A	137.10B/48.50A	----	68.60 - 71.80	.3981	----	----	7	----	7 + 2
4750	76.50	76.50	76.50/47.50A	134.10B/47.50A	----	66.50 - 70.70	.3896	----	----	20	----	33 + 12
4760	68.20	68.20	68.20/44.60A	130.00B/44.60A	----	62.40 - 68.60	.3726	----	----	2	----	17 + 1
4765	----	----	129.40B/43.40A	129.40B/43.40A	----	60.40 - 67.50	.3641	----	----	1	----	0 - 1
4775	----	----	124.20B/40.80A	124.20B/40.80A	----	56.50 - 65.40	.3472	----	----	----	----	4 UNCH
4780	62.90	62.90	#123.20B/39.60A	123.20B/39.60A	----	54.70 - 64.20	.3390	----	----	10	----	22 + 10
4785	----	----	#120.40B/38.20A	120.40B/38.20A	----	52.90 - 63.10	.3308	----	----	----	----	12 UNCH
4790	----	----	#117.50B/37.20A	117.50B/37.20A	----	51.10 - 62.10	.3226	----	----	----	----	1 UNCH
4800	71.00	71.00	111.70B/34.30A	111.70B/34.30A	----	47.80 - 59.80	.3067	----	----	48	50	174 - 36
4805	----	----	#108.90B/33.50A	108.90B/33.50A	----	46.10 - 58.70	.2986	----	----	----	----	1 UNCH
4810	44.00	44.00	#106.10B/32.20A	106.10B/32.20A	----	44.60 - 57.60	.2910	----	----	6	----	6 + 3
4815	----	----	#103.40B/31.10A	103.40B/31.10A	----	43.00 - 56.50	.2831	----	----	----	----	1 UNCH
4820	47.90	47.90	#100.70B/30.10A	100.70B/30.10A	----	41.60 NEW	.2757	----	----	4	----	4 + 4
4825	36.30	36.30	98.10B/29.20A	98.10B/29.20A	----	40.10 - 54.30	.2680	----	----	36	----	30 + 27
4830	----	----	95.50B/28.40A	95.50B/28.40A	----	38.70 - 53.10	.2606	----	----	1	----	4 - 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG2 CALL		GOLD OPTIONS										
APR26												
4835	36.00	36.00	93.20B/27.10A	93.20B/27.10A	----	37.30 - 52.10	.2532	----	----	50	----	53 + 49
4840	----	----	90.70B/*26.30A	90.70B/*26.30A	----	36.00 - 51.00	.2461	----	----	4	----	5 + 4
4850	48.50	48.50	85.70B/*24.50A	85.70B/*24.50A	----	33.50 - 48.70	.2322	----	----	32	----	81 + 8
4855	----	----	82.80B/*23.70A	82.80B/*23.70A	----	32.30 - 47.70	.2254	----	----	----	----	4 UNCH
4860	----	----	80.70B/*22.90A	80.70B/*22.90A	----	31.10 - 46.60	.2186	----	----	4	----	1 - 3
4865	----	----	78.50B/*22.10A	78.50B/*22.10A	----	30.00 - 45.50	.2122	----	----	----	----	2 UNCH
4870	----	----	76.30B/*21.30A	76.30B/*21.30A	----	28.90 - 44.50	.2057	----	----	----	----	1 UNCH
4875	33.00	33.00	74.10B/*20.70A	74.10B/*20.70A	----	27.80 - 43.50	.1993	----	----	50	----	55 + 30
4880	29.00	29.00	72.20B/*19.90A	72.20B/*19.90A	----	26.80 - 42.40	.1932	----	----	1	----	2 + 1
4885	----	----	69.90B/*19.20A	69.90B/*19.20A	----	25.80 - 41.40	.1871	----	----	----	----	4 UNCH
4890	----	----	67.80B/*18.60A	67.80B/*18.60A	----	24.90 - 40.30	.1814	----	----	----	----	3 UNCH
4895	18.50	18.50	65.80B/*17.90A	65.80B/*17.90A	----	23.90 - 39.40	.1754	----	----	2	----	3 UNCH
4900	24.70	24.70	63.70B/*17.30A	63.70B/*17.30A	----	23.10 - 38.30	.1701	----	----	6	----	153 + 4
4905	21.00	21.00	61.70B/*16.70A	61.70B/*16.70A	----	22.20 - 37.30	.1645	----	----	1	----	2 UNCH
4910	----	----	59.90B/*16.30A	59.90B/*16.30A	----	21.40 - 36.30	.1592	----	----	4	----	6 - 1
4915	----	----	58.00B/*15.80A	58.00B/*15.80A	----	20.60 - 35.40	.1540	----	----	----	----	1 UNCH
4920	16.80	16.80	56.10B/*15.20A	56.10B/*15.20A	----	19.80 - 34.40	.1488	----	----	6	----	3 + 1
4925	----	----	54.30B/*14.60A	54.30B/*14.60A	----	19.10 - 33.50	.1441	----	----	----	----	3 UNCH
4930	----	----	52.70B/*14.20A	52.70B/*14.20A	----	18.30 - 32.60	.1389	----	----	----	----	10 UNCH
4935	----	----	50.70B/*13.70A	50.70B/*13.70A	----	17.70 - 31.60	.1347	----	----	----	----	1 UNCH
4940	----	----	49.10B/*13.30A	49.10B/*13.30A	----	17.00 NEW	.1300	----	----	1	----	1 + 1
4945	18.30	18.30	47.70B/*12.80A	47.70B/*12.80A	----	16.40 - 29.90	.1257	----	----	3	----	18 UNCH
4950	20.50	20.50	46.20B/*12.40A	46.20B/*12.40A	----	15.70 - 29.10	.1211	----	----	16	----	82 + 9
4955	----	----	44.70B/*11.90A	44.70B/*11.90A	----	15.20 - 28.20	.1174	----	----	----	----	1 UNCH
4960	----	----	42.90B/*11.50A	42.90B/*11.50A	----	14.60 - 27.40	.1132	----	----	1	----	1 UNCH
4965	----	----	41.60B/*11.20A	41.60B/*11.20A	----	14.00 NEW	.1090	----	----	7	----	7 + 7
4970	11.00	11.00	40.20B/*10.80A	40.20B/*10.80A	----	13.50 - 25.80	.1054	----	----	5	----	8 + 5
4975	----	----	38.70B/*10.50A	38.70B/*10.50A	----	13.00 - 25.00	.1018	----	----	1	----	5 + 1
4980	13.20	13.20	37.40B/*10.20A	37.40B/*10.20A	----	12.50 NEW	.0982	----	----	9	----	9 + 9
4985	----	----	36.20B/*9.70A	36.20B/*9.70A	----	12.10 - 23.50	.0951	----	----	----	----	1 UNCH
4990	----	----	34.90B/*9.50A	34.90B/*9.50A	----	11.60 - 22.80	.0915	----	----	----	----	67 UNCH
4995	----	----	33.80B/*9.20A	33.80B/*9.20A	----	11.20 - 22.10	.0885	----	----	12	----	14 + 12
5000	29.80	29.80	32.60B/*8.70A	32.60B/*8.70A	----	10.80 - 21.40	.0855	----	----	80	----	339 + 56
5005	11.00	11.00	31.40B/*8.40A	31.40B/*8.40A	----	10.40 - 20.70	.0825	----	----	1	----	3 + 1
5010	11.50	11.50	30.30B/*8.20A	30.30B/*8.20A	----	10.00 NEW	.0795	----	----	1	----	1 + 1
5015	11.20	11.20	11.20/*7.90A	28.90B/*7.90A	----	9.70 - 19.30	.0771	----	----	1	----	28 + 1
5020	10.80	10.80	11.80/*7.80A	28.10B/*7.80A	----	9.30 - 18.80	.0741	----	----	17	----	17 + 16
5025	----	----	----/*7.40A	27.10B/*7.40A	----	9.00 - 18.10	.0717	----	----	----	----	3 UNCH
5030	----	----	----/*7.20A	26.00B/*7.20A	----	8.70 - 17.50	.0694	----	----	6	----	21 + 5
5040	10.20	10.20	10.20/*6.70A	24.20B/*6.70A	----	8.10 - 16.40	.0647	----	----	1	----	20 + 1
5045	9.70	9.70	9.70/*6.50A	23.20B/*6.50A	----	7.80 - 15.80	.0624	----	----	1	----	5 UNCH
5050	7.40	7.40	8.90/*6.30A	22.50B/*6.30A	----	7.50 - 15.30	.0601	----	----	44	----	66 - 19
5055	----	----	----/*6.10A	21.70B/*6.10A	----	7.20 - 14.90	.0578	----	----	----	----	1 UNCH
5060	----	----	----/*6.00A	20.90B/*6.00A	----	7.00 - 14.30	.0561	----	----	----	----	4 UNCH
5090	----	----	----/*5.00A	16.80B/*5.00A	----	5.70 - 11.60	.0456	----	----	----	----	10 UNCH
5095	6.30	6.30	6.30/*4.80A	16.40B/*4.80A	----	5.50 NEW	.0440	----	----	2	----	2 + 2
5100	6.40	6.40	6.40/*4.70	15.90B/*4.70	----	5.30 - 10.90	.0424	----	----	6	----	42 + 2
5115	5.00	5.00	5.00/*4.30A	14.30B/*4.30A	----	4.80 NEW	.0384	----	----	23	----	23 + 23
5120	----	----	----/*4.10A	13.80B/*4.10A	----	4.60 - 9.50	.0368	----	----	----	----	3 UNCH
5135	----	----	----/*3.80A	12.30B/*3.80A	----	4.20 - 8.60	.0335	----	----	----	----	2 UNCH
5145	3.80	3.80	4.20/*3.60A	11.50B/*3.60A	----	3.90 NEW	.0311	----	----	6	----	4 + 4
5150	5.10	5.10	5.10/*3.50A	11.10B/*3.50A	----	3.80 - 7.80	.0302	----	----	26	----	48 + 25
5160	----	----	----/*3.30A	10.40B/*3.30A	----	3.60 - 7.20	.0285	----	----	----	----	1 UNCH
5170	3.20	3.20	3.20/*3.10A	9.70B/*3.10A	----	3.40 - 6.80	.0268	----	----	4	----	9 + 4
5175	4.30	4.30	4.30/*3.00A	9.50B/*3.00A	----	3.20 NEW	.0253	----	----	15	----	14 + 14
5185	2.90	2.90	2.90/*2.90	8.90B/*2.90	----	3.00 - 6.20	.0237	----	----	3	----	4 + 3
5190	3.20	3.20	3.20/*2.80A	8.50B/*2.80A	----	2.90 NEW	.0228	----	----	1	----	1 + 1
5200	3.50	3.50	3.50/*2.70A	8.10B/*2.70A	----	2.80 - 5.60	.0219	----	----	6	----	70 + 2
5205	----	----	----/*2.60A	7.70B/*2.60A	----	2.70 - 5.50	.0211	----	----	----	----	11 UNCH
5210	4.20	4.20	4.20/*2.50A	7.40B/*2.50A	----	2.60 - 5.30	.0203	----	----	1	----	4 + 1
5215	----	----	----/*2.40A	7.20B/*2.40A	----	2.50 - 5.20	.0195	----	----	----	----	1 UNCH
5220	----	----	----/*2.40A	6.80B/*2.40A	----	2.40 - 5.10	.0187	----	----	----	----	13 UNCH
5225	3.70	3.70	3.70/*2.30A	6.20B/*2.30A	----	2.30 NEW	.0179	----	----	9	----	6 + 6
5230	----	----	----/*2.20A	6.00B/*2.20A	----	2.30 - 4.80	.0178	----	----	----	----	11 UNCH
5245	3.40	3.40	3.40/*2.10A	5.20B/*2.10A	----	2.10 NEW	.0162	----	----	2	----	2 + 2
5250	----	----	----/*2.00A	5.20B/*2.00A	----	2.00 - 4.30	.0154	----	----	14	----	50 + 14
5255	----	----	----/*1.90A	5.20B/*1.90A	----	1.90 - 4.20	.0147	----	----	----	----	5 UNCH
5260	3.30	3.30	3.30/*1.90A	4.90B/*1.90A	----	1.90 NEW	.0146	----	----	2	----	1 + 1
5265	2.10	2.10	2.30/*1.80A	4.80B/*1.80A	----	1.80 - 4.00	.0138	----	----	2	----	3 + 1
5270	----	----	----/*1.80A	4.60B/*1.80A	----	1.80 - 3.90	.0137	----	----	----	----	1 UNCH
5280	----	----	----/*1.70A	4.30B/*1.70A	----	1.70 - 3.70	.0129	----	----	----	----	2 UNCH
5285	2.10	2.10	2.10/*1.60A	4.10B/*1.60A	----	1.70 NEW	.0128	----	----	4	----	4 + 4
5290	----	----	----/*1.60A	4.00B/*1.60A	----	1.70 - 3.40	.0127	----	----	----	----	2 UNCH
5300	----	----	----/*1.60A	3.80B/*1.60A	----	1.60 - 3.30	.0119	----	----	----	----	17 UNCH
5305	----	----	----/*1.50A	3.60B/*1.50A	----	1.60 - 3.20	.0119	----	----	----	----	1 UNCH
5315	1.80	1.80	1.80/*1.40A	3.40B/*1.40A	----	1.50 NEW	.0111	----	----	1	----	1 + 1
5330	----	----	----/*1.30A	3.20B/*1.30A	----	1.40 - 2.80	.0102	----	----	----	----	1 UNCH
5340	----	----	----/*1.30A	3.10B/*1.30A	----	1.30 - 2.70	.0095	----	----	----	----	2 UNCH
5350	1.30	1.30	1.30/*1.20A	2.80B/*1.20A	----	1.30 - 2.50	.0094	----	----	20	----	19 + 11
5375	1.30	1.30	1.30/*1.10A	2.50B/*1.10A	----	1.20 NEW	.0085	----	----	4	----	4 + 4
5395	----	----	----/*1.10A	2.20B/*1.10A	----	1.10 - 1.90	.0077	----	----	----	----	9 UNCH
5400	1.10	1.10	1.10/*1.10	2.10B/*1.10	----	1.10 - 1.90	.0076	----	----	10	----	160 + 10
5410	----	----	----/*1.10A	2.00B/*1.10A	----	1.10 - 1.70	.0076	----	----	----	----	1 UNCH
5415	----	----	----/*1.00A	1.90B/*1.00A	----	1.10 - 1.70	.0075	----	----	----	----	1 UNCH
5420	----	----	----/*1.00A	1.90B/*1.00A	----	1.00 - 1.70	.0069	----	----	----	----	1 UNCH
5450	----	----	----/*0.90A	1.50B/*0.90A	----	0.90 - 1.50	.0061	----	----	----	----	3 UNCH
5460	----	----	----/*0.80A	1.50B/*0.80A	----	0.80 - 1.50	.0054	----	----	----	----	1 UNCH
5475	----	----	----/*0.80A	1.40B/*0.80A	----	0.80 - 1.40	.0053	----	----	----	----	1 UNCH
5500	----	----	----/*0.70A	1.20B/*0.70A	----	0.70 - 1.30	.0046	----	----	----	----	49 UNCH
5525	1.00	1.00	1.00/*0.60A	1.00/*0.60A	----	0.60 NEW	.0039	----	----	15	----	15 + 15
5575	0.50	0.50	0.70B/*0.50	0.70B/*0.50	----	0.60 - 1.00	.0037	----	----	3	----	4 + 3
5600	----	----	----/*0.50A	0.70B/*0.50A	----	0.60 - 0.90	.0036	----	----	192	----	207 + 188
5625	----	----	----/*0.50A	0.60B/*0.50A	----	0.60 NEW	.0036	----	----	2	----	2 + 2
5675	0.50	0.50	0.50/*0.30A	0.50/*0.30A	----	0.60 - 0.60	.0034	----	----	4	----	4 + 4
5700	0.60	0.60	0.60/*0.30A	0.60/*0.30A	----	0.60 NEW	.0033	----	----	42	----	37 + 37
5750	----	----	----/*0.40A	0.20B/*0.40A	----	0.50 - 0.40	.0027	----	----	1	----	256 + 1
5800	----	----	----/*0.30A	0.10B/*0.30A	----	0.40 - 0.30	.0021	----	----	154	----	284 + 29
6300	----	----	----	----/*0.40A	----	0.10 UNCH	.0000	----	----	----	----	6 UNCH
6500	----	----	----	0.10B/*0.40A	----	0.10 UNCH	.0000	----	----	----	----	12 UNCH
TOTAL										1620	50	4686 + 961

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG1 PUT		GOLD OPTIONS										
MAY26												
4150	----	----	#45.70B/----	45.70B/*28.20A	----	43.50 + 20.70	.1398	----	----	1	----	2 UNCH
4250	54.20	54.20	#62.80B/54.00	62.80B/36.90A	----	58.40 NEW	.1828	----	----	4	----	4 + 4
4300	----	----	#73.40B/----	73.40B/42.40A	----	67.00 + 32.30	.2073	----	----	1	----	1 UNCH
4325	82.00	82.00	#82.00/82.00	82.00/45.50A	----	71.10 + 33.80	.2197	----	----	2	----	2 UNCH
4350	----	----	85.70B/----	85.70B/48.90A	----	75.10 + 34.70	.2324	----	----	----	----	5 UNCH
4450	----	----	116.50B/----	116.50B/65.40A	----	96.50 + 39.40	.2935	----	----	1	----	0 - 1
4485	----	----	128.40B/----	128.40B/73.40A	----	107.00 + 42.40	.3191	----	----	----	----	1 UNCH
4500	113.00	113.00	135.50B/113.00	135.50B/75.70A	----	111.80 + 43.80	.3304	----	----	2	----	2 UNCH
4535	----	----	149.10B/----	149.10B/84.80A	----	123.80 + 47.10	.3578	----	----	----	----	1 UNCH
4610	----	----	#178.90B/----	178.90B/105.30A	----	152.00 + 54.00	.4196	----	----	----	----	10 UNCH
4675	----	----	#191.30B/----	191.30B/125.20A	----	180.20 + 60.30	.4763	----	----	----	----	1 UNCH
4715	----	----	#211.50B/----	211.50B/141.00A	----	199.70 + 64.80	.5120	----	----	----	----	1 UNCH
TOTAL										11		30 + 3

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG1 CALL		GOLD OPTIONS										
MAY26												
4625	----	----	----/175.40A	207.50B/175.40A	----	212.80 - 77.60	.5667	----	----	----	----	1 UNCH
4715	----	----	----/139.20A	203.30B/139.20A	----	164.50 - 68.20	.4872	----	----	----	----	1 UNCH
4800	----	----	----/107.20A	179.30B/107.20A	----	126.80 - 57.30	.4114	----	----	----	----	1 UNCH
4950	70.00	70.00	70.00/*65.00	111.00B/*65.00	----	76.60 - 37.50	.2870	----	----	20	----	21 - 6
5000	----	----	----/*58.40A	92.90B/*58.40A	----	63.60 - 32.60	.2497	----	----	----	----	1 UNCH
5050	----	----	----/*50.00A	77.20B/*50.00A	----	52.40 - 27.90	.2151	----	----	----	----	1 UNCH
TOTAL										20		26 - 6

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
1000	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	----	----	----	45	----	2046 UNCH
1500	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	761 UNCH
1600	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	40 UNCH
1700	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
1800	----	----	----	----/0.40A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
1900	----	----	----	----/0.40A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
2000	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0002	----	----	----	----	149 UNCH
2175	----	----	0.30B/----	0.30B/0.40A	----	0.30 + 0.10	.0007	----	----	----	----	25 UNCH
2200	----	----	----	0.20B/0.40A	----	0.30 + 0.10	.0007	----	----	----	----	129 UNCH
2225	----	----	----	0.20B/0.40A	----	0.30 + 0.10	.0007	----	----	----	----	271 UNCH
2250	----	----	----	0.20B/0.50A	----	0.30 + 0.10	.0007	----	----	----	----	8 UNCH
2275	----	----	----	0.20B/0.50A	----	0.30 UNCH	.0007	----	----	----	----	1 UNCH
2300	----	----	----	0.20B/0.50A	----	0.40 + 0.10	.0009	----	----	----	----	155 UNCH
2325	----	----	----	0.30B/0.50A	----	0.40 + 0.10	.0009	----	----	----	----	7 UNCH
2350	----	----	----	0.30B/0.50A	----	0.40 + 0.10	.0010	----	----	----	----	122 UNCH
2400	----	----	----	0.30B/0.60A	----	0.40 + 0.10	.0010	----	----	----	----	3 UNCH
2420	----	----	----	0.30B/0.60A	----	0.50 + 0.20	.0012	----	----	----	----	16 UNCH
2450	----	----	----	0.40B/0.60A	----	0.50 + 0.10	.0012	----	----	----	----	15 UNCH
2485	----	----	----	0.40B/0.70A	----	0.50 + 0.10	.0013	----	----	----	----	20 UNCH
2495	----	----	----	0.40B/0.70A	----	0.50 + 0.10	.0013	----	----	----	----	75 UNCH
2500	0.40	0.40	0.70B/0.40	0.70B/0.40	----	0.60 + 0.20	.0015	----	----	20	----	63 + 10
2505	----	----	----	0.40B/0.70A	----	0.60 + 0.20	.0015	----	----	----	----	5 UNCH
2520	----	----	----	0.40B/0.70A	----	0.60 + 0.20	.0015	----	----	----	----	2 UNCH
2525	----	----	----	0.40B/0.70A	----	0.60 + 0.20	.0015	----	----	----	----	102 UNCH
2540	----	----	0.50B/----	0.50B/0.70A	----	0.60 + 0.20	.0016	----	----	----	----	5 UNCH
2550	----	----	0.50B/----	0.50B/0.70A	----	0.60 + 0.20	.0016	----	----	----	----	1 UNCH
2560	----	----	----	0.50B/0.80A	----	0.60 + 0.10	.0016	----	----	----	----	6 UNCH
2580	----	----	----	0.50B/0.80A	----	0.70 + 0.20	.0018	----	----	----	----	35 UNCH
2590	----	----	----	0.50B/0.80A	----	0.70 + 0.20	.0018	----	----	----	----	1 UNCH
2600	----	----	0.60B/----	0.60B/0.80A	----	0.70 + 0.20	.0018	----	----	----	----	33 UNCH
2615	----	----	0.60B/----	0.60B/0.80A	----	0.70 + 0.20	.0019	----	----	----	----	1 UNCH
2620	----	----	0.60B/----	0.60B/0.90A	----	0.70 + 0.20	.0019	----	----	----	----	1 UNCH
2650	----	----	0.70B/----	0.70B/0.90A	----	0.70 + 0.20	.0019	----	----	1	----	4 + 1
2660	----	----	0.70B/----	0.70B/0.90A	----	0.80 + 0.30	.0021	----	----	----	----	1 UNCH
2685	----	----	0.70B/----	0.70B/1.00A	----	0.80 + 0.20	.0022	----	----	----	----	1 UNCH
2700	----	----	0.80B/----	0.80B/1.00A	----	0.80 + 0.20	.0022	----	----	----	----	33 UNCH
2705	----	----	0.80B/----	0.80B/1.00A	----	0.80 + 0.20	.0022	----	----	----	----	1 UNCH
2715	----	----	0.80B/----	0.80B/1.00A	----	0.80 + 0.20	.0022	----	----	----	----	2 UNCH
2730	----	----	0.80B/----	0.80B/1.10A	----	0.90 + 0.30	.0025	----	----	----	----	2 UNCH
2750	----	----	0.90B/----	0.90B/1.10A	----	0.90 + 0.30	.0025	----	----	----	----	1 UNCH
2755	----	----	0.90B/----	0.90B/1.10A	----	0.90 + 0.20	.0025	----	----	----	----	6 UNCH
2770	----	----	0.90B/----	0.90B/1.20A	----	0.90 + 0.20	.0026	----	----	----	----	4 UNCH
2785	----	----	0.90B/----	0.90B/1.20A	----	1.00 + 0.30	.0028	----	----	----	----	20 UNCH
2790	----	----	1.00B/----	1.00B/1.20A	----	1.00 + 0.30	.0028	----	----	----	----	5 UNCH
2800	----	----	1.00B/----	1.00B/1.20A	----	1.00 + 0.30	.0028	----	----	----	----	81 UNCH
2815	----	----	1.10B/----	1.10B/1.30A	----	1.00 + 0.20	.0029	----	----	----	----	35 UNCH
2820	----	----	1.10B/----	1.10B/1.30A	----	1.00 + 0.20	.0029	----	----	----	----	73 UNCH
2845	----	----	1.10B/----	1.10B/1.30A	----	1.10 + 0.30	.0032	----	----	----	----	5 UNCH
2870	----	----	1.20B/----	1.20B/1.40A	----	1.20 + 0.30	.0035	----	----	----	----	22 UNCH
2895	----	----	1.30B/----	1.30B/1.40A	----	1.20 + 0.30	.0035	----	----	----	----	39 UNCH
2900	----	----	1.30B/----	1.30B/1.40A	----	1.20 + 0.30	.0035	----	----	----	----	348 UNCH
2905	----	----	1.30B/----	1.30B/1.40A	----	1.20 + 0.30	.0036	----	----	----	----	4 UNCH
2910	----	----	1.40B/----	1.40B/1.40A	----	1.20 + 0.30	.0036	----	----	----	----	20 UNCH
2930	----	----	1.40B/----	1.40B/1.50A	----	1.30 + 0.30	.0039	----	----	----	----	28 UNCH
2940	----	----	1.50B/----	1.50B/1.50A	----	1.30 + 0.30	.0039	----	----	----	----	8 UNCH
2950	----	----	1.50B/----	1.50B/1.50A	----	1.30 + 0.30	.0039	----	----	----	----	299 UNCH
2980	----	----	1.60B/----	1.60B/1.60A	----	1.40 + 0.30	.0043	----	----	----	----	1 UNCH
2995	----	----	1.70B/----	1.70B/1.60A	----	1.50 + 0.40	.0046	----	----	----	----	4 UNCH
3000	----	----	1.70B/----	1.70B/1.70A	----	1.50 + 0.30	.0046	----	----	----	----	141 UNCH
3005	----	----	1.70B/----	1.70B/1.70A	----	1.50 + 0.30	.0046	----	----	----	----	1 UNCH
3010	----	----	1.70B/----	1.70B/1.70A	----	1.50 + 0.30	.0046	----	----	----	----	1 UNCH
3020	----	----	1.70B/----	1.70B/1.70A	----	1.50 + 0.30	.0046	----	----	----	----	1 UNCH
3040	----	----	1.80B/----	1.80B/1.80A	----	1.60 + 0.30	.0050	----	----	----	----	52 UNCH
3045	----	----	1.80B/----	1.80B/1.80A	----	1.60 + 0.30	.0050	----	----	----	----	2 UNCH
3050	----	----	1.80B/----	1.80B/1.80A	----	1.60 + 0.30	.0050	----	----	----	----	18 UNCH
3055	----	----	1.90B/----	1.90B/1.80A	----	1.70 + 0.40	.0053	----	----	----	----	5 UNCH
3065	----	----	1.90B/----	1.90B/1.80A	----	1.70 + 0.40	.0053	----	----	----	----	5 UNCH
3070	----	----	1.90B/----	1.90B/1.90A	----	1.70 + 0.40	.0053	----	----	----	----	1 UNCH
3075	----	----	2.00B/----	2.00B/1.90A	----	1.70 + 0.40	.0053	----	----	----	----	66 UNCH
3080	----	----	2.00B/----	2.00B/1.90A	----	1.70 + 0.30	.0054	----	----	----	----	1 UNCH
3090	----	----	2.00B/----	2.00B/1.90A	----	1.80 + 0.40	.0057	----	----	----	----	5 UNCH
3095	----	----	2.00B/----	2.00B/1.90A	----	1.80 + 0.40	.0057	----	----	----	----	3 UNCH
3100	----	----	2.10B/----	2.10B/2.00A	----	1.80 + 0.40	.0057	----	----	----	----	306 UNCH
3105	----	----	2.10B/----	2.10B/2.00A	----	1.80 + 0.40	.0057	----	----	----	----	5 UNCH
3115	----	----	2.10B/----	2.10B/2.00A	----	1.90 + 0.40	.0060	----	----	----	----	5 UNCH
3120	----	----	2.20B/----	2.20B/2.00A	----	1.90 + 0.40	.0060	----	----	----	----	41 UNCH
3125	----	----	2.20B/----	2.20B/2.00A	----	1.90 + 0.40	.0061	----	----	----	----	1 UNCH
3130	----	----	2.20B/----	2.20B/2.10A	----	1.90 + 0.40	.0061	----	----	----	----	8 UNCH
3135	----	----	2.20B/----	2.20B/2.10A	----	2.00 + 0.50	.0064	----	----	----	----	2 UNCH
3140	----	----	2.30B/----	2.30B/2.10A	----	2.00 + 0.50	.0064	----	----	----	----	3 UNCH
3150	----	----	2.30B/----	2.30B/2.10A	----	2.00 + 0.40	.0064	----	----	----	----	10 UNCH
3155	----	----	2.30B/----	2.30B/2.20A	----	2.00 + 0.40	.0065	----	----	----	----	74 UNCH
3160	----	----	2.40B/----	2.40B/2.20A	----	2.10 + 0.50	.0067	----	----	----	----	15 UNCH
3170	----	----	2.40B/----	2.40B/2.20A	----	2.10 + 0.50	.0068	----	----	----	----	5 UNCH
3175	----	----	2.40B/----	2.40B/2.20A	----	2.10 + 0.50	.0068	----	----	----	----	10 UNCH
3185	----	----	2.50B/----	2.50B/2.30A	----	2.20 + 0.50	.0071	----	----	----	----	18 UNCH
3200	----	----	2.60B/----	2.60B/2.30A	----	2.20 + 0.50	.0072	----	----	----	----	253 UNCH
3205	----	----	2.60B/----	2.60B/2.40A	----	2.30 + 0.60	.0075	----	----	----	----	10 UNCH
3210	----	----	2.70B/----	2.70B/2.40A	----	2.30 + 0.60	.0075	----	----	----	----	10 UNCH
3220	----	----	2.70B/----	2.70B/2.40A	----	2.30 + 0.50	.0076	----	----	----	----	8 UNCH
3225	3.00	3.00	3.00/3.00	3.00/2.40A	----	2.40 + 0.60	.0079	----	----	7	----	12 + 7
3235	----	----	2.80B/----	2.80B/2.50A	----	2.40 + 0.60	.0079	----	----	----	----	5 UNCH
3245	----	----	2.90B/----	2.90B/2.50A	----	2.50 + 0.60	.0083	----	----	----	----	5 UNCH
3250	----	----	3.00B/----	3.00B/2.50A	----	2.50 + 0.60	.0083	----	----	----	----	81 UNCH
3255	----	----	3.00B/----	3.00B/2.50A	----	2.50 + 0.60	.0083	----	----	----	----	8 UNCH
3260	3.30	3.30	3.30/3.30	3.30/2.50A	----	2.50 + 0.60	.0084	----	----	19	----	21 + 13
3265	----	----	3.10B/----	3.10B/2.50A	----	2.60 + 0.70	.0087	----	----	----	----	16 UNCH
3270	----	----	3.10B/----	3.10B/2.60A	----	2.60 + 0.70	.0087	----	----	----	----	2 UNCH
3275	----	----	3.10B/----	3.10B/2.60A	----	2.60 + 0.60	.0087	----	----	----	----	22 UNCH
3280	----	----	3.20B/----	3.20B/2.60A	----	2.70 + 0.70	.0090	----	----	----	----	1 UNCH
3290	3.30	3.30	3.30/3.30	3.30/2.70A	----	2.70 + 0.70	.0091	----	----	40	----	40 + 40
3295	----	----	3.30B/----	3.30B/2.70A	----	2.70 + 0.70	.0091	----	----	----	----	1 UNCH
3300	3.20	3.20	3.70/2.70A	3.70/2.70A	----	2.80 + 0.80	.0094	----	----	4	----	596 UNCH
3305	----	----	3.60B/----	3.60B/2.70A	----	2.80 + 0.70	.0095	----	----	----	----	60 UNCH
3310	----	----	3.40B/----	3.40B/2.80A	----	2.80 + 0.70	.0095	----	----	----	----	1 UNCH
3315	----	----	3.50B/----	3.50B/2.80A	----	2.90 + 0.80	.0098	----	----	----	----	3 UNCH
3320	----	----	3.50B/----	3.50B/2.80A	----	2.90 + 0.80	.0099	----	----	----	----	1 UNCH
3325	----	----	3.50B/----	3.50B/2.80A	----	2.90 + 0.80	.0099	----	----	----	----	10 UNCH
3330	----	----	3.80B/----	3.80B/2.90A	----	3.00 + 0.80	.0102	----	----	----	----	2 UNCH
3335	----	----	3.60B/----	3.60B/2.90A	----	3.00 + 0.80	.0102	----	----	----	----	20 UNCH
3340	----	----	3.70B/----	3.70B/2.90A	----	3.00 + 0.80	.0103	----	----	----	----	1 UNCH
3345	----	----	3.70B/----	3.70B/3.00A	----	3.10 + 0.90	.0106	----	----	----	----	1 UNCH
3350	----	----	4.00B/----	4.00B/3.00A	----	3.10 + 0.90	.0106	----	----	10	----	53 - 1
3360	----	----	3.90B/----	3.90B/3.10A	----	3.20 + 0.90	.0110	----	----	----	----	4 UNCH
3370	----	----	4.00B/----	4.00B/3.10A	----	3.20 + 0.90	.0111	----	----	64	----	76 + 63
3375	----	----	4.00B/----	4.00B/3.10A	----	3.30 + 1.00	.0114	----	----	----	----	54 UNCH
3380	----	----	4.10B/----	4.10B/3.20A	----	3.30 + 1.00	.0114	----	----	----	----	5 UNCH
3385	3.60	3.60	4.10B/3.60	4.10B/3.20A	----	3.40 + 1.00	.0118	----	----	7	----	12 + 7
3390	----	----	4.20B/----	4.20B/3.20A	----	3.40 + 1.00	.0118	----	----	----	----	5 UNCH
3395	----	----	4.20B/----	4.20B/3.30A	----	3.40 + 1.00	.0118	----	----	----	----	35 UNCH
3400	3.50	3.50	4.30B/3.50	4.30B/3.30A	----	3.50 + 1.10	.0122	----	----	11	----	192 - 9
3405	----	----	4.30B/----	4.30B/3.30A	----	3.50 + 1.00	.0122	----	----	----	----	5 UNCH
3415	----	----	4.40B/----	4.40B/3.40A	----	3.60 + 1.10	.0126	----	----	----	----	118 UNCH
3420	----	----	4.50B/----	4.50B/3.40A	----	3.60 + 1.10	.0126	----	----	----	----	1 UNCH
3425	----	----	4.60B/----	4.60B/3.50A	----	3.70 + 1.20	.0130	----	----	----	----	11 UNCH
3430	4.10	4.10	4.60B/4.10	4.60B/3.40A	----	3.70 + 1.10	.0130	----	----	3	----	21 + 3
3435	----	----	4.70B/----	4.70B/3.60A	----	3.80 + 1.20	.0133	----	----	----	----	101 UNCH
3440	----	----	4.80B/----	4.80B/3.60A	----	3.80 + 1.20	.0134	----	----	----	----	1 UNCH
3445	----	----	4.80B/----	4.80B/3.60A	----	3.90 + 1.30	.0137	----	----	----	----	33 UNCH
3450	----	----	5.10B/----	5.10B/3.70A	----	3.90 + 1.20	.0138	----	----	----	----	59 UNCH
3455	----	----	4.90B/----	4.90B/3.70A	----	4.00 + 1.30	.0141	----	----	----	----	44 UNCH
3460	----	----	5.00B/----	5.00B/3.60A	----	4.00 + 1.30	.0142	----	----	----	----	148 UNCH
3465	----	----	5.10B/----	5.10B/3.80A	----	4.10 + 1.40	.0145	----	----	----	----	17 UNCH
3470	----	----	5.20B/----	5.20B/3.80A	----	4.10 + 1.30	.0146	----	----	----	----	76 UNCH
3475	----	----	5.20B/----	5.20B/3.90A	----	4.20 + 1.40	.0149	----	----	----	----	94 UNCH
3480	----	----	5.30B/----	5.30B/3.80A	----	4.20 + 1.40	.0150	----	----	----	----	84 UNCH
3485	----	----	5.40B/----	5.40B/3.90A	----	4.30 + 1.50	.0153	----	----	----	----	61 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
3490	----	----	5.40B/----	5.40B/4.00A	----	4.30 + 1.40	.0154	----	----	----	----	52 UNCH
3495	----	----	5.50B/----	5.50B/4.00A	----	4.40 + 1.50	.0157	----	----	----	----	54 UNCH
3500	4.80	4.80	6.30/3.70	6.30/3.70	----	4.40 + 1.50	.0158	----	----	28	----	1435 + 17
3505	----	----	5.90B/----	5.90B/4.10A	----	4.50 + 1.60	.0161	----	----	----	----	14 UNCH
3510	----	----	5.70B/----	5.70B/4.10A	----	4.50 + 1.50	.0162	----	----	----	----	35 UNCH
3515	----	----	5.80B/----	5.80B/4.10A	----	4.60 + 1.60	.0165	----	----	----	----	82 UNCH
3520	----	----	6.10B/----	6.10B/4.20A	----	4.70 + 1.70	.0169	----	----	----	----	8 UNCH
3525	5.30	5.30	6.00B/5.30	6.00B/4.10A	----	4.70 + 1.60	.0169	----	----	1	----	119 UNCH
3530	----	----	6.10B/----	6.10B/4.20A	----	4.80 + 1.70	.0173	----	----	----	----	102 UNCH
3535	----	----	6.20B/----	6.20B/4.30A	----	4.80 + 1.70	.0173	----	----	----	----	160 UNCH
3540	----	----	6.20B/----	6.20B/4.30A	----	4.90 + 1.80	.0177	----	----	----	----	10 UNCH
3545	6.20	6.20	6.60B/6.20	6.60B/4.40A	----	5.00 + 1.80	.0181	----	----	1	----	66 UNCH
3550	----	----	6.70B/----	6.70B/4.40A	----	5.00 + 1.80	.0181	----	----	----	----	340 UNCH
3555	----	----	6.50B/----	6.50B/4.40A	----	5.10 + 1.90	.0185	----	----	----	----	45 UNCH
3560	----	----	6.60B/----	6.60B/4.50A	----	5.20 + 1.90	.0188	----	----	----	----	8 UNCH
3565	----	----	6.70B/----	6.70B/4.50A	----	5.20 + 1.90	.0189	----	----	----	----	7 UNCH
3570	----	----	6.80B/----	6.80B/4.60A	----	5.30 + 2.00	.0193	----	----	----	----	11 UNCH
3575	----	----	6.90B/----	6.90B/4.50A	----	5.40 + 2.00	.0196	----	----	----	----	95 UNCH
3580	----	----	7.00B/----	7.00B/4.60A	----	5.40 + 2.00	.0197	----	----	1	----	12 UNCH
3585	----	----	7.10B/----	7.10B/4.60A	----	5.50 + 2.10	.0201	----	----	----	----	9 UNCH
3590	----	----	7.20B/----	7.20B/4.70A	----	5.60 + 2.10	.0204	----	----	----	----	33 UNCH
3595	----	----	7.30B/----	7.30B/4.80A	----	5.60 + 2.10	.0205	----	----	----	----	39 UNCH
3600	6.30	6.30	7.70B/6.30	7.70B/4.80A	----	5.70 + 2.20	.0209	----	----	25	----	1003 + 25
3605	----	----	7.60B/----	7.60B/4.70A	----	5.80 + 2.20	.0213	----	----	----	----	56 UNCH
3610	----	----	7.70B/----	7.70B/4.90A	----	5.90 + 2.30	.0216	----	----	----	----	23 UNCH
3615	----	----	7.80B/----	7.80B/4.90A	----	5.90 + 2.20	.0217	----	----	----	----	120 UNCH
3620	----	----	7.90B/----	7.90B/4.90A	----	6.00 + 2.30	.0221	----	----	----	----	128 UNCH
3625	----	----	8.00B/----	8.00B/5.00A	----	6.10 + 2.40	.0225	----	----	----	----	45 UNCH
3630	----	----	8.10B/----	8.10B/5.10A	----	6.20 + 2.40	.0229	----	----	----	----	13 UNCH
3635	----	----	8.30B/----	8.30B/5.10A	----	6.30 + 2.50	.0232	----	----	----	----	26 UNCH
3640	----	----	8.40B/----	8.40B/5.20A	----	6.40 + 2.50	.0236	----	----	----	----	42 UNCH
3645	----	----	8.50B/----	8.50B/5.20A	----	6.40 + 2.50	.0237	----	----	----	----	15 UNCH
3650	5.20	5.20	8.90B/5.20	8.90B/5.20	----	6.50 + 2.60	.0241	----	----	17	----	419 + 3
3655	----	----	9.00B/----	9.00B/5.10A	----	6.60 + 2.60	.0245	----	----	----	----	24 UNCH
3660	----	----	9.20B/----	9.20B/5.30A	----	6.70 + 2.70	.0249	----	----	----	----	47 UNCH
3665	----	----	9.40B/----	9.40B/5.30A	----	6.80 + 2.70	.0253	----	----	----	----	35 UNCH
3670	----	----	9.50B/----	9.50B/5.30A	----	6.90 + 2.80	.0256	----	----	----	----	35 UNCH
3675	9.80	9.80	9.80/9.80	9.80/5.40A	----	7.00 + 2.80	.0260	----	----	7	----	70 + 2
3680	8.00	8.00	9.70B/7.60	9.70B/5.40A	----	7.10 + 2.90	.0264	----	----	27	----	119 + 25
3685	----	----	9.90B/----	9.90B/5.50A	----	7.20 + 2.90	.0268	----	----	----	----	25 UNCH
3690	7.20	7.20	10.00B/7.20	10.00B/5.50A	----	7.30 + 3.00	.0272	----	----	4	----	23 - 2
3695	----	----	10.20B/----	10.20B/5.60A	----	7.40 + 3.00	.0276	----	----	----	----	73 UNCH
3700	8.00	8.00	10.30B/6.70	10.30B/5.70A	----	7.50 + 3.10	.0280	----	----	397	----	1126 + 143
3705	8.10	8.10	10.50B/7.60	10.50B/5.70A	----	7.60 + 3.10	.0284	----	----	11	----	40 + 1
3710	8.20	8.20	10.80B/7.70	10.80B/5.80A	----	7.70 + 3.20	.0288	----	----	13	----	27 - 8
3715	7.80	7.80	10.90B/7.80	10.90B/5.80A	----	7.80 + 3.20	.0292	----	----	5	----	28 - 5
3720	----	----	11.00B/----	11.00B/5.90A	----	7.90 + 3.30	.0297	----	----	----	----	35 UNCH
3725	----	----	11.20B/----	11.20B/6.00A	----	8.10 + 3.40	.0303	----	----	----	----	37 UNCH
3730	8.60	8.60	11.50/8.60	11.50/6.00A	----	8.20 + 3.50	.0308	----	----	37	----	61 - 5
3735	8.90	8.90	11.50B/8.90	11.50B/6.10A	----	8.30 + 3.50	.0312	----	----	17	----	38 + 17
3740	10.50	10.50	11.70B/10.50	11.70B/6.20A	----	8.40 + 3.60	.0316	----	----	1	----	13 UNCH
3745	9.00	9.00	12.00/9.00	12.00/6.20A	----	8.50 + 3.60	.0320	----	----	9	----	38 - 1
3750	9.30	9.30	12.10B/7.50	12.10B/6.30A	----	8.70 + 3.70	.0327	----	----	304	----	455 + 129
3755	----	----	12.20B/----	12.20B/6.40A	----	8.80 + 3.80	.0331	----	----	----	----	10 UNCH
3760	----	----	12.40B/----	12.40B/6.40A	----	8.90 + 3.80	.0336	----	----	----	----	49 UNCH
3765	----	----	12.60B/----	12.60B/6.50A	----	9.00 + 3.90	.0340	----	----	----	----	104 UNCH
3770	----	----	12.70B/----	12.70B/6.60A	----	9.20 + 4.00	.0347	----	----	----	----	25 UNCH
3775	13.10	13.10	13.10/13.10	13.10/6.60A	----	9.30 + 4.00	.0351	----	----	3	----	279 + 2
3780	----	----	13.10B/----	13.10B/6.70A	----	9.40 + 4.10	.0356	----	----	----	----	33 UNCH
3785	----	----	13.30B/----	13.30B/6.80A	----	9.60 + 4.20	.0363	----	----	----	----	27 UNCH
3790	----	----	13.50B/----	13.50B/6.90A	----	9.70 + 4.20	.0367	----	----	----	----	28 UNCH
3795	----	----	13.70B/----	13.70B/7.00A	----	9.90 + 4.40	.0375	----	----	----	----	25 UNCH
3800	7.60	7.60	14.00B/7.60	14.00B/7.00A	----	10.00 + 4.40	.0379	----	----	329	100	1253 - 74
3805	----	----	14.20B/----	14.20B/7.10A	----	10.20 + 4.50	.0386	----	----	----	----	75 UNCH
3810	----	----	14.40B/----	14.40B/7.20A	----	10.30 + 4.50	.0391	----	----	----	----	20 UNCH
3815	14.60	14.60	14.60/14.30	14.60/7.30A	----	10.50 + 4.70	.0398	----	----	13	----	53 + 13
3820	----	----	14.80B/----	14.80B/7.40A	----	10.60 + 4.70	.0403	----	----	----	----	788 UNCH
3825	14.70	14.70	15.10B/11.70	15.10B/7.50A	----	10.80 + 4.80	.0410	----	----	11	----	113 + 9
3830	----	----	15.30B/----	15.30B/7.60A	----	11.00 + 4.90	.0418	----	----	----	----	18 UNCH
3835	11.60	11.60	15.60B/11.30	15.60B/7.60A	----	11.10 + 4.90	.0422	----	----	7	----	31 - 1
3840	12.30	12.30	15.80B/12.30	15.80B/7.70A	----	11.30 + 5.10	.0430	----	----	7	----	51 + 5
3845	15.70	15.70	16.10B/15.70	16.10B/7.80A	----	11.50 + 5.20	.0437	----	----	6	----	36 + 6
3850	9.50	9.50	16.40B/9.50	16.40B/7.90A	----	11.70 + 5.30	.0445	----	----	397	2250	3007 + 2298
3855	12.90	12.90	16.60B/12.10	16.60B/8.00A	----	11.90 + 5.40	.0452	----	----	14	----	41 + 7
3860	12.40	12.40	16.90B/12.10	16.90B/8.10A	----	12.00 + 5.40	.0457	----	----	14	----	54 + 12
3865	----	----	17.10B/----	17.10B/8.20A	----	12.20 + 5.50	.0465	----	----	----	----	21 UNCH
3870	12.50	12.50	17.40B/12.50	17.40B/8.30A	----	12.40 + 5.60	.0472	----	----	12	----	48 + 6
3875	17.90	17.90	17.90/17.90	17.90/8.40A	----	12.60 + 5.70	.0480	----	----	4	----	35 UNCH
3880	----	----	18.00B/----	18.00B/8.50A	----	12.80 + 5.80	.0488	----	----	----	----	40 UNCH
3885	----	----	18.30B/----	18.30B/8.60A	----	13.00 + 5.90	.0495	----	----	8	----	82 + 3
3890	----	----	18.60B/----	18.60B/8.70A	----	13.20 + 6.00	.0503	----	----	----	----	12 UNCH
3895	----	----	18.90B/----	18.90B/8.80A	----	13.40 + 6.10	.0511	----	----	----	----	75 UNCH
3900	7.90	7.90	19.20B/7.80	19.20B/7.80	----	13.70 + 6.30	.0521	----	----	337	----	1909 + 132
3905	14.40	14.40	19.60B/14.00	19.60B/9.00A	----	13.90 + 6.40	.0529	----	----	7	----	24 - 3
3910	----	----	19.90B/----	19.90B/9.10A	----	14.10 + 6.50	.0537	----	----	----	----	137 UNCH
3915	----	----	20.10B/----	20.10B/9.30A	----	14.30 + 6.60	.0545	----	----	----	----	38 UNCH
3920	14.80	14.80	20.50B/14.80	20.50B/9.40A	----	14.60 + 6.80	.0556	----	----	5	----	14 + 4
3925	----	----	20.90B/----	20.90B/9.50A	----	14.80 + 6.90	.0564	----	----	----	----	63 UNCH
3930	14.50	14.50	21.20B/14.50	21.20B/9.60A	----	15.00 + 6.90	.0572	----	----	1	----	57 UNCH
3935	----	----	21.50B/----	21.50B/9.80A	----	15.30 + 7.10	.0583	----	----	----	----	16 UNCH
3940	----	----	21.90B/----	21.90B/9.90A	----	15.50 + 7.20	.0591	----	----	----	----	21 UNCH
3945	----	----	22.30B/----	22.30B/10.00A	----	15.80 + 7.40	.0602	----	----	----	----	22 UNCH
3950	----	----	22.60B/----	22.60B/10.20A	----	16.10 + 7.60	.0612	----	----	3	----	131 - 1
3955	----	----	23.00B/----	23.00B/10.30A	----	16.30 + 7.60	.0621	----	----	----	----	60 UNCH
3960	----	----	23.30B/----	23.30B/10.40A	----	16.60 + 7.80	.0632	----	----	----	----	9 UNCH
3965	----	----	23.70B/----	23.70B/10.60A	----	16.90 + 8.00	.0643	----	----	----	----	85 UNCH
3970	----	----	24.10B/----	24.10B/10.70A	----	17.20 + 8.10	.0654	----	----	1	----	37 - 1
3975	----	----	24.50B/----	24.50B/10.90A	----	17.40 + 8.20	.0662	----	----	1	----	38 UNCH
3980	13.30	13.30	24.90B/13.30	24.90B/11.00A	----	17.70 + 8.30	.0673	----	----	15	----	133 UNCH
3985	----	----	25.30B/----	25.30B/11.20A	----	18.00 + 8.50	.0684	----	----	----	----	41 UNCH
3990	----	----	25.80B/----	25.80B/11.30A	----	18.30 + 8.70	.0696	----	----	2	----	18 - 2
3995	----	----	26.20B/----	26.20B/11.10A	----	18.60 + 8.80	.0707	----	----	----	----	29 UNCH
4000	11.80	11.80	26.60B/10.70	26.60B/10.70	----	18.90 + 9.00	.0718	----	----	1006	----	3511 - 241
4005	----	----	27.10B/----	27.10B/11.40A	----	19.30 + 9.20	.0732	----	----	----	----	228 UNCH
4010	----	----	27.50B/----	27.50B/11.60A	----	19.60 + 9.30	.0743	----	----	----	----	61 UNCH
4015	----	----	27.90B/----	27.90B/11.60A	----	19.90 + 9.50	.0755	----	----	----	----	51 UNCH
4020	15.60	15.60	28.40B/15.60	28.40B/11.80A	----	20.20 + 9.60	.0766	----	----	5	----	93 UNCH
4025	28.30	28.30	28.80B/28.30	28.80B/11.90A	----	20.60 + 9.90	.0780	----	----	1	----	89 UNCH
4030	----	----	29.30B/----	29.30B/12.10A	----	20.90 + 10.00	.0792	----	----	----	----	40 UNCH
4035	----	----	29.80B/----	29.80B/12.30A	----	21.30 + 10.20	.0806	----	----	----	----	30 UNCH
4040	----	----	30.20B/----	30.20B/12.50A	----	21.60 + 10.30	.0817	----	----	10	----	63 - 6
4045	----	----	30.80B/----	30.80B/12.80A	----	22.00 + 10.60	.0832	----	----	----	----	175 UNCH
4050	----	----	31.30B/----	31.30B/12.90A	----	22.40 + 10.80	.0846	----	----	4	150	1430 - 101
4055	----	----	31.90B/----	31.90B/13.10A	----	22.80 + 11.00	.0860	----	----	1	----	144 + 1
4060	----	----	32.40B/----	32.40B/13.30A	----	23.10 + 11.10	.0872	----	----	2	----	36 UNCH
4065	----	----	32.90B/----	32.90B/13.40A	----	23.50 + 11.30	.0886	----	----	----	----	26 UNCH
4070	----	----	33.30B/----	33.30B/13.70A	----	23.90 + 11.50	.0901	----	----	1	----	134 UNCH
4075	----	----	33.90B/----	33.90B/14.00A	----	24.30 + 11.70	.0915	----	----	----	----	125 UNCH
4080	----	----	34.50B/----	34.50B/14.20A	----	24.70 + 11.90	.0930	----	----	5	----	93 - 1
4085	23.80	23.80	35.10B/23.50	35.10B/14.40A	----	25.20 + 12.20	.0947	----	----	17	----	697 - 2
4090	27.10	27.10	35.50/27.10	35.50/14.60A	----	25.60 + 12.40	.0961	----	----	102	----	219 + 98
4095	23.50	23.50	36.20B/22.00	36.20B/14.90A	----	26.00 + 12.60	.0976	----	----	3	----	157 - 2
4100	19.00	19.00	36.80B/19.00	36.80B/15.00A	----	26.50 + 12.80	.0993	----	----	315	----	1019 - 16
4105	28.00	28.00	37.30B/28.00	37.30B/15.40A	----	26.90 + 13.00	.1008	----	----	10	----	208 UNCH
4110	30.50	30.50	38.00B/30.40	38.00B/15.60A	----	27.40 + 13.30	.1025	----	----	12	----	66 + 11
4115	----	----	38.60B/----	38.60B/15.80A	----	27.80 + 13.40	.1040	----	----	----	----	55 UNCH
4120	29.50	29.50	39.20B/29.50	39.20B/16.00A	----	28.30 + 13.70	.1058	----	----	5	----	127 - 2
4125	----	----	39.90B/----	39.90B/16.10A	----	28.80 + 14.00	.1075	----	----	9	----	207 - 7
4130	27.20	27.20	40.60B/27.20	40.60B/16.50A	----	29.30 + 14.20	.1093	----	----	10	----	841 UNCH
4135	35.10	35.10	41.20B/35.10	41.20B/16.70A	----	29.70 + 14.30	.1108	----	----	15	----	79 - 15
4140	----	----	41.80B/----	41.80B/17.00A	----	30.20 + 14.60	.1125	----	----	----	----	27 UNCH
4145	----	----	42.40B/----	42.40B/17.30A	----	30.80 + 14.90	.1145	----	----	----	----	127 UNCH
4150	41.80	41.80	43.30B/28.00	43.30B/17.40A	----	31.30 + 15.10	.1163	----	----	39	----	569 - 16
4155	----	----	43.90B/----	43.90B/17.80A	----	31.80 + 15.40	.1181	----	----	2	----	44 + 2
4160	33.70	33.70	44.50B/33.70	44.50B/18.10A	----	32.30 + 15.60	.1199	----	----	10	----	29 + 5
4165	----	----	45.30B/----	45.30B/18.40A	----	32.90 + 15.90	.1219	----	----	----	----	68 UNCH
4170	45.20	45.20	45.90B/45.20	45.90B/18.60A	----	33.40 + 16.10	.1237	----	----	1	----	75 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
4175	42.50	42.50	46.60B/42.50	46.60B/19.00A	----	34.00 + 16.40	.1257	----	----	2	----	193 - 1
4180	----	----	47.50B/----	47.50B/19.50A	----	34.50 + 16.60	.1275	----	----	1	----	289 UNCH
4185	34.30	34.30	48.30B/34.20	48.30B/19.60A	----	35.10 + 16.90	.1296	----	----	4	----	357 + 2
4190	----	----	49.00B/----	49.00B/19.90A	----	35.70 + 17.20	.1316	----	----	----	----	85 UNCH
4195	32.00	32.00	49.90B/32.00	49.90B/20.30A	----	36.30 + 17.40	.1337	----	----	5	----	112 + 3
4200	28.50	28.50	50.70B/28.50	50.70B/20.60A	----	36.90 + 17.70	.1358	----	----	302	150	2160 + 61
4205	39.40	39.40	51.50B/39.40	51.50B/20.90A	----	37.50 + 18.00	.1378	----	----	10	----	200 - 10
4210	27.00	27.00	52.20B/27.00	52.20B/21.20A	----	38.20 + 18.30	.1401	----	----	1	----	78 + 1
4215	----	----	53.00B/----	53.00B/21.80A	----	38.80 + 18.60	.1422	----	----	----	----	203 UNCH
4220	----	----	53.90B/----	53.90B/21.90A	----	39.40 + 18.80	.1443	----	----	----	----	22 UNCH
4225	----	----	54.70B/----	54.70B/22.30A	----	40.10 + 19.20	.1466	----	----	3	----	233 - 2
4230	----	----	55.70B/----	55.70B/22.70A	----	40.80 + 19.50	.1489	----	----	----	----	144 UNCH
4235	----	----	56.50B/----	56.50B/23.00A	----	41.40 + 19.70	.1510	----	----	----	----	53 UNCH
4240	----	----	57.50B/----	57.50B/23.60A	----	42.10 + 20.00	.1534	----	----	6	----	163 + 6
4245	----	----	58.40B/----	58.40B/23.80A	----	42.80 + 20.30	.1557	----	----	----	----	56 UNCH
4250	26.00	26.00	60.00/24.20A	60.00/24.20A	----	43.50 + 20.60	.1581	----	----	238	----	935 - 10
4255	----	----	60.20B/----	60.20B/24.50A	----	44.30 + 21.00	.1606	----	----	1	----	41 UNCH
4260	57.40	57.40	61.20B/57.40	61.20B/25.00A	----	45.00 + 21.30	.1630	----	----	3	----	111 + 3
4265	----	----	62.10B/----	62.10B/25.60A	----	45.70 + 21.60	.1654	----	----	----	----	83 UNCH
4270	46.20	46.20	63.20B/46.20	63.20B/25.90A	----	46.50 + 21.90	.1679	----	----	1	----	109 - 1
4275	----	----	64.20B/----	64.20B/26.40A	----	47.30 + 22.30	.1705	----	----	17	----	140 - 5
4280	56.60	56.60	65.20B/52.00	65.20B/26.70A	----	48.00 + 22.50	.1729	----	----	31	----	128 - 12
4285	48.70	48.70	66.20B/46.60	66.20B/27.30A	----	48.80 + 22.90	.1755	----	----	446	----	450 + 420
4290	----	----	67.20B/----	67.20B/27.80A	----	49.60 + 23.20	.1781	----	----	2	----	118 UNCH
4295	----	----	68.20B/----	68.20B/28.20A	----	50.40 + 23.50	.1807	----	----	----	----	34 UNCH
4300	47.00	47.00	69.40B/40.00	69.40B/28.70A	----	51.30 + 23.90	.1835	----	----	464	----	2031 - 34
4305	----	----	70.40B/----	70.40B/29.20A	----	52.10 + 24.20	.1862	----	----	----	----	48 UNCH
4310	52.50	52.50	71.50B/52.50	71.50B/29.70A	----	53.00 + 24.60	.1890	----	----	1	----	53 UNCH
4315	72.20	72.20	72.70B/72.20	72.70B/30.40A	----	53.80 + 24.90	.1917	----	----	1	----	19 UNCH
4320	----	----	73.80B/----	73.80B/30.70A	----	54.70 + 25.30	.1945	----	----	----	----	68 UNCH
4325	74.00	74.00	75.90/74.00	75.90/31.20A	----	55.60 + 25.70	.1974	----	----	7	----	156 - 3
4330	61.70	61.70	76.10B/61.70	76.10B/31.90A	----	56.50 + 26.00	.2002	----	----	7	----	276 - 2
4335	51.00	51.00	77.20B/51.00	77.20B/32.50A	----	57.40 + 26.40	.2031	----	----	3	----	40 UNCH
4340	----	----	78.40B/----	78.40B/32.80A	----	58.40 + 26.80	.2062	----	----	----	----	142 UNCH
4345	----	----	79.80B/----	79.80B/33.40A	----	59.30 + 27.10	.2091	----	----	----	----	336 UNCH
4350	51.40	51.40	81.00B/47.50	81.00B/34.00A	----	60.30 + 27.50	.2121	----	----	180	150	1038 + 68
4355	60.70	60.70	82.10B/60.70	82.10B/34.70A	----	61.30 + 27.90	.2152	----	----	14	----	78 - 13
4360	49.50	49.50	83.70B/49.50	83.70B/35.30A	----	62.30 + 28.30	.2183	----	----	29	----	363 - 8
4365	----	----	84.70B/----	84.70B/35.90A	----	63.30 + 28.70	.2214	----	----	----	----	39 UNCH
4370	----	----	86.20B/----	86.20B/36.50A	----	64.30 + 29.10	.2245	----	----	----	----	202 UNCH
4375	71.90	71.90	87.50B/61.60	87.50B/37.10A	----	65.30 + 29.50	.2277	----	----	21	----	112 + 6
4380	----	----	89.00B/----	89.00B/37.70A	----	66.40 + 29.90	.2309	----	----	15	----	97 + 15
4385	----	----	90.50B/----	90.50B/38.20A	----	67.50 + 30.30	.2342	----	----	----	----	400 UNCH
4390	----	----	92.00B/----	92.00B/39.10A	----	68.50 + 30.70	.2374	----	----	----	----	88 UNCH
4395	78.30	78.30	93.30B/69.30	93.30B/39.80A	----	69.60 + 31.10	.2407	----	----	29	----	49 + 25
4400	44.00	44.00	95.80B/40.00	95.80B/40.00	----	70.70 + 31.50	.2441	----	----	378	----	2806 + 137
4405	----	----	96.40B/----	96.40B/40.70A	----	71.90 + 32.00	.2475	----	----	----	----	24 UNCH
4410	63.60	63.60	98.10B/63.60	98.10B/41.80A	----	73.00 + 32.30	.2509	----	----	34	----	113 + 15
4415	----	----	99.60B/----	99.60B/42.50A	----	74.20 + 32.80	.2544	----	----	2	----	169 + 2
4420	66.40	66.40	101.20B/66.40	101.20B/43.20A	----	75.40 + 33.30	.2579	----	----	8	----	110 - 1
4425	95.70	95.70	102.90B/77.60	102.90B/44.00A	----	76.60 + 33.70	.2614	----	----	29	----	577 + 19
4430	90.60	90.60	104.40B/90.60	104.40B/45.00A	----	77.80 + 34.10	.2650	----	----	1	----	100 + 1
4435	76.40	76.40	105.90B/76.10	105.90B/45.60A	----	79.00 + 34.50	.2685	----	----	408	----	268 - 183
4440	70.00	70.00	107.50B/70.00	107.50B/46.60A	----	80.30 + 35.00	.2722	----	----	9	----	295 - 4
4445	71.90	71.90	109.60B/71.90	109.60B/47.40A	----	81.50 + 35.40	.2758	----	----	5	----	120 UNCH
4450	71.60	71.60	111.20B/71.00	111.20B/48.20A	----	82.80 + 35.90	.2795	----	----	72	----	641 - 19
4455	98.10	98.10	113.10B/73.70	113.10B/48.90A	----	84.10 + 36.30	.2833	----	----	12	----	266 + 5
4460	104.00	104.00	114.80B/75.50	114.80B/49.90A	----	85.50 + 36.90	.2871	----	----	22	----	57 + 2
4465	76.10	76.10	116.50B/76.10	116.50B/50.60A	----	86.80 + 37.30	.2909	----	----	6	----	38 + 1
4470	75.00	75.00	118.40B/75.00	118.40B/51.60A	----	88.20 + 37.80	.2948	----	----	22	----	85 + 9
4475	74.10	74.10	120.60B/72.60	120.60B/52.70A	----	89.50 + 38.20	.2986	----	----	17	----	968 - 6
4480	79.80	79.80	122.00B/79.80	122.00B/53.20A	----	90.90 + 38.70	.3025	----	----	10	----	175 + 1
4485	81.80	81.80	123.90B/81.80	123.90B/54.10A	----	92.40 + 39.30	.3065	----	----	6	----	44 + 1
4490	82.40	82.40	125.80B/82.40	125.80B/55.30A	----	93.80 + 39.70	.3104	----	----	21	----	242 + 19
4495	----	----	127.70B/----	127.70B/56.20A	----	95.30 + 40.30	.3145	----	----	----	----	25 UNCH
4500	75.50	75.50	131.00/75.50	131.00/57.20A	----	96.70 + 40.70	.3184	----	----	650	60	2428 + 120
4505	----	----	131.70B/----	131.70B/58.20A	----	98.20 + 41.20	.3225	----	----	----	----	32 UNCH
4510	----	----	133.80B/----	133.80B/58.90A	----	99.80 + 41.80	.3267	----	----	3	----	101 UNCH
4515	----	----	135.70B/----	135.70B/60.00A	----	101.30 + 42.30	.3308	----	----	1	----	57 UNCH
4520	88.00	88.00	137.80B/88.00	137.80B/60.80A	----	102.90 + 42.80	.3350	----	----	12	----	168 + 1
4525	----	----	140.00B/----	140.00B/61.70A	----	104.40 + 43.30	.3391	----	----	20	750	780 + 684
4530	----	----	141.90B/----	141.90B/63.20A	----	106.00 + 43.80	.3434	----	----	----	----	46 UNCH
4535	----	----	144.20B/----	144.20B/64.10A	----	107.70 + 44.40	.3477	----	----	----	----	218 UNCH
4540	134.00	134.00	146.20B/106.00	146.20B/65.30A	----	109.30 + 44.90	.3519	----	----	12	----	47 + 2
4545	----	----	148.40B/----	148.40B/66.50A	----	111.00 + 45.40	.3563	----	----	----	----	88 UNCH
4550	93.00	93.00	150.90B/93.00	150.90B/67.60A	----	112.70 + 46.00	.3606	----	----	103	----	682 + 26
4555	----	----	152.60B/----	152.60B/68.80A	----	114.40 + 46.50	.3650	----	----	----	----	15 UNCH
4560	----	----	155.10B/----	155.10B/70.10A	----	116.10 + 47.00	.3694	----	----	1	----	92 + 1
4565	----	----	157.40B/----	157.40B/71.20A	----	117.90 + 47.60	.3739	----	----	----	----	134 UNCH
4570	99.00	99.00	159.70B/99.00	159.70B/72.40A	----	119.70 + 48.20	.3784	----	----	1	----	180 + 1
4575	100.00	100.00	162.10B/100.00	162.10B/73.70A	----	121.50 + 48.70	.3829	----	----	9	----	53 - 3
4580	110.80	110.80	164.30B/110.80	164.30B/74.70A	----	123.30 + 49.30	.3874	----	----	31	----	125 + 6
4585	150.80	150.80	166.70B/134.50	166.70B/76.10A	----	125.10 + 49.80	.3919	----	----	17	----	19 + 1
4590	----	----	169.20B/----	169.20B/77.40A	----	127.00 + 50.40	.3965	----	----	4	----	95 UNCH
4595	166.30	166.30	171.50B/166.30	171.50B/78.60A	----	128.90 + 51.00	.4011	----	----	1	----	62 + 1
4600	83.70	83.70	174.60B/80.00A	174.60B/80.00A	----	130.80 + 51.50	.4057	----	----	319	----	2440 + 157
4605	161.70	161.70	176.60B/161.70	176.60B/81.30A	----	132.80 + 52.10	.4104	----	----	1	----	77 UNCH
4610	116.00	116.00	179.00B/114.50	179.00B/82.60A	----	134.80 + 52.80	.4151	----	----	57	----	155 - 2
4615	117.00	117.00	181.50B/117.00	181.50B/84.00A	----	136.80 + 53.40	.4198	----	----	1	----	104 UNCH
4620	167.40	167.40	184.10B/167.40	184.10B/85.40A	----	138.80 + 53.90	.4245	----	----	128	----	208 + 66
4625	169.60	169.60	187.00B/169.60	187.00B/86.90A	----	140.80 + 54.50	.4292	----	----	2	----	293 UNCH
4630	178.00	178.00	189.40B/178.00	189.40B/88.20A	----	142.90 + 55.10	.4340	----	----	1	----	39 + 1
4635	----	----	192.10B/----	192.10B/89.80A	----	145.00 + 55.70	.4388	----	----	1	----	515 UNCH
4640	178.20	178.20	194.70B/146.60	194.70B/91.20A	----	147.10 + 56.30	.4436	----	----	10	----	148 + 7
4645	181.60	181.60	197.40B/153.40	197.40B/92.70A	----	149.30 + 56.90	.4484	----	----	3	----	58 + 2
4650	118.50	118.50	200.50B/118.50	200.50B/94.30A	----	151.40 + 57.50	.4533	----	----	489	----	1281 + 208
4655	----	----	202.00B/----	202.00B/95.80A	----	153.60 + 58.10	.4581	----	----	----	----	32 UNCH
4660	158.30	158.30	204.70B/158.20	204.70B/97.30A	----	155.90 + 58.80	.4630	----	----	13	----	203 - 1
4665	----	----	207.40B/----	207.40B/98.90A	----	158.10 + 59.40	.4679	----	----	----	----	55 UNCH
4670	123.40	123.40	211.20B/123.40	211.20B/100.60A	----	160.40 + 60.00	.4728	----	----	76	----	155 + 16
4675	145.40	145.40	214.30B/145.40	214.30B/102.30A	----	162.70 + 60.60	.4777	----	----	3	----	350 + 2
4680	175.80	175.80	215.90B/175.80	215.90B/104.00A	----	165.00 + 61.20	.4827	----	----	1	----	206 - 1
4685	----	----	219.10B/----	219.10B/105.60A	----	167.40 + 61.90	.4876	----	----	25	----	167 UNCH
4690	----	----	222.20B/----	222.20B/107.30A	----	169.80 + 62.60	.4926	----	----	----	----	221 UNCH
4695	148.00	148.00	225.60B/148.00	225.60B/109.00A	----	172.20 + 63.20	.4975	----	----	1	----	82 + 1
4700	150.20	150.20	230.30B/150.20	230.30B/110.80A	----	174.60 + 63.80	.5025	----	----	102	----	1914 + 22
4705	152.50	152.50	231.80B/152.50	231.80B/112.60A	----	177.10 + 64.50	.5075	----	----	1	----	34 UNCH
4710	----	----	234.80B/114.40A	234.80B/114.40A	----	179.60 + 65.10	.5125	----	----	2	----	198 - 2
4715	----	----	237.10B/116.20A	237.10B/116.20A	----	182.10 + 65.70	.5175	----	----	----	----	75 UNCH
4720	159.10	159.10	240.70B/117.90A	240.70B/117.90A	----	184.70 + 66.40	.5225	----	----	20	----	558 + 9
4725	----	----	243.80B/119.80A	243.80B/119.80A	----	187.20 + 67.00	.5275	----	----	----	----	69 UNCH
4730	164.30	164.30	246.30B/121.70A	246.30B/121.70A	----	189.80 + 67.70	.5325	----	----	23	----	123 + 18
4735	----	----	250.30B/123.70A	250.30B/123.70A	----	192.50 + 68.40	.5374	----	----	----	----	23 UNCH
4740	169.20	169.20	252.60B/125.60A	252.60B/125.60A	----	195.10 + 69.00	.5425	----	----	68	----	111 + 47
4745	----	----	255.60B/127.60A	255.60B/127.60A	----	197.80 + 69.70	.5475	----	----	----	----	37 UNCH
4750	174.10	174.10	260.00B/129.60A	260.00B/129.60A	----	200.50 + 70.30	.5525	----	----	11	----	427 - 1
4755	149.30	149.30	262.30B/131.70A	262.30B/131.70A	----	203.20 + 70.90	.5574	----	----	1	----	144 UNCH
4760	----	----	265.60B/133.80A	265.60B/133.80A	----	206.00 + 71.60	.5624	----	----	2	----	93 - 2
4765	160.20	160.20	268.90B/135.90A	268.90B/135.90A	----	208.80 + 72.30	.5674	----	----	1	----	63 UNCH
4770	----	----	272.60B/138.00A	272.60B/138.00A	----	211.60 + 72.90	.5724	----	----	----	----	68 UNCH
4775	165.10	165.10	275.80B/140.10A	275.80B/140.10A	----	214.40 + 73.50	.5773	----	----	3	----	254 + 1
4780	----	----	279.20B/142.30A	279.20B/142.30A	----	217.30 + 74.20	.5823	----	----	1	----	109 UNCH
4785	225.10	225.10	282.60B/144.40A	282.60B/144.40A	----	220.20 + 74.90	.5873	----	----	2	----	89 UNCH
4790	----	----	286.20B/146.70A	286.20B/146.70A	----	223.10 + 75.50	.5922	----	----	----	----	365 UNCH
4795	----	----	289.30B/148.90A	289.30B/148.90A	----	226.10 + 76.20	.5972	----	----	----	----	38 UNCH
4800	266.60	266.60	294.90B/151.10A	294.90B/151.10A	----	229.10 + 76.90	.6021	----	----	85	----	1652 + 44
4805	----	----	297.00B/153.40A	297.00B/153.40A	----	232.10 + 77.60	.6070	----	----	----	----	53 UNCH
4810	----	----	300.40B/155.70A	300.40B/155.70A	----	235.10 + 78.20	.6118	----	----	1	----	263 + 1
4815	----	----	304.10B/158.10A	304.10B/158.10A	----	238.20 + 78.90	.6167	----	----	----	----	23 UNCH
4820	----	----	307.10B/160.50A	307.10B/160.50A	----	241.30 + 79.60	.6216	----	----	----	----	259 UNCH
4825	----	----	311.00B/162.80A	311.00B/162.80A	----	244.40 + 80.20	.6264	----	----	----	----	196 UNCH
4830	----	----	314.70B/165.20A	314.70B/165.20A	----	247.50 + 80.80	.6313	----	----	----	----	67 UNCH
4835	----	----	318.30B/167.70A	318.30B/167.70A	----	250.70 + 81.50	.6361	----	----	----	----	135 UNCH
4840	----	----	322.00B/170.20A	322.00B/170.20A	----	253.90 + 82.20	.6408	----	----	----	----	56 UNCH
4845	----	----	325.80B/172.80A	325.80B/172.80A	----	257.10 + 82.80	.6456	----	----	----	----	39 UNCH
4850	----	----	329.70B/175.40A	329.70B/175.40A	----	260.30 + 83.40	.6503	----	----	8	----	1061 UNCH
4855	----	----	333.50B/177.90A	333.50B/177.90A	----	263.60 + 84.10	.6550	----	----	----	----	35 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
4860	----	----	337.00B/180.40A	337.00B/180.40A	----	266.90 + 84.70	.6597	----	----	----	----	38 UNCH
4865	----	----	340.80B/183.00A	340.80B/183.00A	----	270.20 + 85.40	.6644	----	----	----	----	26 UNCH
4870	----	----	343.50B/185.70A	343.50B/185.70A	----	273.50 + 86.00	.6691	----	----	----	----	234 UNCH
4875	----	----	347.30B/188.40A	347.30B/188.40A	----	276.90 + 86.60	.6737	----	----	1	----	150 UNCH
4880	----	----	351.40B/191.10A	351.40B/191.10A	----	280.30 + 87.30	.6783	----	----	----	----	90 UNCH
4885	----	----	355.30B/193.80A	355.30B/193.80A	----	283.70 + 87.90	.6827	----	----	----	----	21 UNCH
4890	----	----	359.10B/196.10A	359.10B/196.10A	----	287.20 + 88.60	.6873	----	----	----	----	66 UNCH
4895	----	----	363.00B/199.50A	363.00B/199.50A	----	290.60 + 89.10	.6918	----	----	----	----	96 UNCH
4900	----	----	366.80B/202.30A	366.80B/202.30A	----	294.10 + 89.80	.6963	----	----	3	----	1068 - 2
4905	----	----	370.80B/205.00A	370.80B/205.00A	----	297.70 + 90.50	.7008	----	----	----	----	54 UNCH
4910	----	----	374.90B/207.40A	374.90B/207.40A	----	301.20 + 91.00	.7051	----	----	----	----	90 UNCH
4915	----	----	379.00B/210.30A	379.00B/210.30A	----	304.80 + 91.70	.7094	----	----	----	----	29 UNCH
4920	----	----	383.00B/213.70A	383.00B/213.70A	----	308.40 + 92.30	.7137	----	----	----	----	150 UNCH
4925	----	----	387.10B/216.70A	387.10B/216.70A	----	312.00 + 92.90	.7181	----	----	----	----	47 UNCH
4930	----	----	391.10B/220.30A	391.10B/220.30A	----	315.60 + 93.50	.7224	----	----	----	----	52 UNCH
4935	----	----	395.20B/223.30A	395.20B/223.30A	----	319.30 + 94.10	.7266	----	----	----	----	54 UNCH
4940	----	----	399.30B/----	399.30B/229.00A	----	323.00 + 94.70	.7308	----	----	----	----	15 UNCH
4945	----	----	403.40B/----	403.40B/234.50A	----	326.70 + 95.30	.7350	----	----	----	----	48 UNCH
4950	----	----	407.60B/----	407.60B/240.00A	----	330.40 + 95.90	.7390	----	----	----	----	754 UNCH
4955	----	----	411.70B/----	411.70B/243.10A	----	334.10 + 96.40	.7431	----	----	----	----	86 UNCH
4960	----	----	415.90B/----	415.90B/246.30A	----	337.90 + 97.00	.7471	----	----	----	----	132 UNCH
4965	----	----	420.00B/----	420.00B/249.30A	----	341.70 + 97.60	.7512	----	----	----	----	25 UNCH
4970	----	----	425.10B/----	425.10B/252.70A	----	345.50 + 98.10	.7552	----	----	----	----	4 UNCH
4975	----	----	429.20B/----	429.20B/255.70A	----	349.40 + 98.70	.7590	----	----	----	----	89 UNCH
4980	----	----	433.40B/----	433.40B/259.30A	----	353.20 + 99.30	.7630	----	----	----	----	56 UNCH
4985	----	----	436.90B/----	436.90B/262.50A	----	357.10 + 99.80	.7668	----	----	----	----	124 UNCH
4990	----	----	441.90B/----	441.90B/265.60A	----	361.00 + 00.40	.7706	----	----	----	----	36 UNCH
4995	----	----	445.40B/----	445.40B/268.90A	----	364.90 + 00.90	.7742	----	----	----	----	222 UNCH
5000	330.00	330.00	449.70B/330.00	449.70B/272.00A	----	368.90 + 01.50	.7780	----	----	2	----	1128 + 1
5005	----	----	454.00B/----	454.00B/275.90A	----	372.80 + 02.00	.7817	----	----	----	----	43 UNCH
5010	----	----	459.10B/----	459.10B/279.30A	----	376.80 + 02.50	.7853	----	----	----	----	14 UNCH
5015	----	----	463.40B/----	463.40B/282.70A	----	380.80 + 03.00	.7889	----	----	----	----	23 UNCH
5020	----	----	467.00B/----	467.00B/285.90A	----	384.80 + 03.50	.7925	----	----	----	----	23 UNCH
5025	----	----	472.10B/----	472.10B/289.50A	----	388.90 + 04.10	.7958	----	----	----	----	154 UNCH
5030	----	----	475.70B/----	475.70B/293.10A	----	392.90 + 04.60	.7994	----	----	----	----	24 UNCH
5035	----	----	480.10B/----	480.10B/296.80A	----	397.00 + 05.10	.8028	----	----	----	----	13 UNCH
5040	----	----	484.50B/----	484.50B/300.10A	----	401.10 + 05.60	.8062	----	----	----	----	135 UNCH
5045	----	----	488.90B/----	488.90B/303.70A	----	405.20 + 06.10	.8093	----	----	----	----	28 UNCH
5050	----	----	494.00B/----	494.00B/305.80A	----	409.30 + 06.50	.8127	----	----	----	----	438 UNCH
5055	----	----	497.80B/----	497.80B/310.70A	----	413.50 + 07.10	.8158	----	----	----	----	107 UNCH
5060	----	----	502.80B/----	502.80B/314.50A	----	417.70 + 07.60	.8192	----	----	----	----	84 UNCH
5065	----	----	507.50B/----	507.50B/318.20A	----	421.80 + 08.00	.8223	----	----	----	----	54 UNCH
5070	----	----	511.20B/----	511.20B/321.80A	----	426.00 + 08.40	.8254	----	----	----	----	175 UNCH
5075	----	----	516.10B/----	516.10B/325.50A	----	430.20 + 08.90	.8286	----	----	----	----	47 UNCH
5080	----	----	520.60B/----	520.60B/327.90A	----	434.50 + 09.40	.8314	----	----	----	----	85 UNCH
5085	----	----	525.10B/----	525.10B/333.00A	----	438.70 + 09.80	.8345	----	----	----	----	116 UNCH
5090	----	----	529.60B/----	529.60B/335.00A	----	443.00 + 10.30	.8374	----	----	----	----	23 UNCH
5095	----	----	534.10B/----	534.10B/338.80A	----	447.30 + 10.70	.8402	----	----	----	----	17 UNCH
5100	----	----	539.10B/----	539.10B/343.00A	----	451.50 + 11.00	.8431	----	----	1	----	391 UNCH
5105	----	----	543.50B/----	543.50B/346.10A	----	455.80 + 11.50	.8459	----	----	----	----	58 UNCH
5110	----	----	548.00B/----	548.00B/350.30A	----	460.20 + 11.90	.8488	----	----	----	----	286 UNCH
5115	----	----	552.30B/----	552.30B/354.10A	----	464.50 + 12.30	.8513	----	----	----	----	24 UNCH
5120	----	----	556.60B/----	556.60B/358.00A	----	468.80 + 12.70	.8542	----	----	----	----	18 UNCH
5125	----	----	561.80B/----	561.80B/362.30A	----	473.20 + 13.10	.8567	----	----	----	----	89 UNCH
5130	----	----	566.20B/----	566.20B/366.30A	----	477.60 + 13.50	.8593	----	----	----	----	120 UNCH
5135	----	----	570.80B/----	570.80B/370.20A	----	482.00 + 13.90	.8618	----	----	----	----	95 UNCH
5140	----	----	575.20B/----	575.20B/374.20A	----	486.40 + 14.30	.8643	----	----	----	----	23 UNCH
5145	----	----	579.60B/----	579.60B/378.30A	----	490.80 + 14.60	.8669	----	----	----	----	44 UNCH
5150	----	----	584.30B/----	584.30B/382.30A	----	495.20 + 14.90	.8694	----	----	2	----	372 - 2
5155	----	----	588.40B/----	588.40B/386.50A	----	499.70 + 15.40	.8717	----	----	----	----	9 UNCH
5160	----	----	593.00B/----	593.00B/390.60A	----	504.10 + 15.70	.8742	----	----	----	----	31 UNCH
5165	----	----	598.00B/----	598.00B/394.50A	----	508.60 + 16.00	.8764	----	----	----	----	47 UNCH
5170	----	----	603.00B/----	603.00B/398.70A	----	513.00 + 16.30	.8786	----	----	----	----	155 UNCH
5175	----	----	607.40B/----	607.40B/403.00A	----	517.50 + 16.60	.8809	----	----	----	----	30 UNCH
5180	----	----	612.50B/----	612.50B/407.00A	----	522.00 + 17.00	.8831	----	----	----	----	76 UNCH
5185	----	----	616.90B/----	616.90B/411.20A	----	526.50 + 17.30	.8853	----	----	----	----	2 UNCH
5190	----	----	621.50B/----	621.50B/415.40A	----	531.10 + 17.70	.8875	----	----	----	----	10 UNCH
5195	----	----	626.40B/----	626.40B/419.70A	----	535.60 + 17.90	.8894	----	----	----	----	25 UNCH
5200	----	----	630.90B/----	630.90B/424.10A	----	540.10 + 18.20	.8916	----	----	1	----	425 UNCH
5205	----	----	635.50B/----	635.50B/428.30A	----	544.70 + 18.50	.8935	----	----	----	----	19 UNCH
5210	----	----	640.20B/----	640.20B/432.70A	----	549.30 + 18.90	.8954	----	----	----	----	9 UNCH
5215	----	----	645.10B/----	645.10B/437.00A	----	553.80 + 19.10	.8976	----	----	----	----	6 UNCH
5220	----	----	649.90B/----	649.90B/441.30A	----	558.40 + 19.40	.8994	----	----	----	----	9 UNCH
5225	----	----	654.80B/----	654.80B/445.40A	----	563.00 + 19.70	.9013	----	----	----	----	59 UNCH
5230	----	----	659.00B/----	659.00B/449.70A	----	567.60 + 19.90	.9031	----	----	----	----	10 UNCH
5235	----	----	664.00B/----	664.00B/454.00A	----	572.20 + 20.20	.9047	----	----	----	----	71 UNCH
5240	----	----	669.00B/----	669.00B/458.30A	----	576.80 + 20.40	.9065	----	----	----	----	43 UNCH
5245	----	----	673.20B/----	673.20B/463.10A	----	581.50 + 20.70	.9084	----	----	----	----	15 UNCH
5250	----	----	678.40B/----	678.40B/467.10A	----	586.10 + 20.90	.9099	----	----	----	----	431 UNCH
5255	----	----	683.00B/----	683.00B/471.40A	----	590.80 + 21.20	.9117	----	----	----	----	4 UNCH
5260	----	----	687.60B/----	687.60B/475.80A	----	595.40 + 21.40	.9132	----	----	----	----	11 UNCH
5265	----	----	692.50B/----	692.50B/480.20A	----	600.10 + 21.70	.9147	----	----	----	----	7 UNCH
5270	----	----	697.00B/----	697.00B/484.70A	----	604.70 + 21.80	.9165	----	----	----	----	30 UNCH
5275	----	----	701.80B/----	701.80B/489.10A	----	609.40 + 22.10	.9180	----	----	----	----	206 UNCH
5280	----	----	706.70B/----	706.70B/493.50A	----	614.10 + 22.30	.9195	----	----	----	----	33 UNCH
5290	----	----	716.20B/----	716.20B/502.40A	----	623.50 + 22.70	.9224	----	----	----	----	2 UNCH
5295	----	----	721.00B/----	721.00B/506.90A	----	628.20 + 22.90	.9235	----	----	----	----	5 UNCH
5300	672.20	672.20	725.80B/672.20	725.80B/511.40A	----	632.90 + 23.10	.9250	----	----	1	----	108 - 1
5305	----	----	730.60B/----	730.60B/515.90A	----	637.70 + 23.40	.9265	----	----	----	----	40 UNCH
5310	----	----	735.40B/----	735.40B/520.40A	----	642.40 + 23.60	.9279	----	----	----	----	32 UNCH
5315	----	----	740.20B/----	740.20B/525.00A	----	647.10 + 23.70	.9290	----	----	----	----	1 UNCH
5320	----	----	745.10B/----	745.10B/529.50A	----	651.90 + 23.90	.9304	----	----	----	----	26 UNCH
5325	----	----	749.90B/----	749.90B/534.10A	----	656.60 + 24.10	.9315	----	----	----	----	51 UNCH
5330	----	----	754.60B/----	754.60B/538.60A	----	661.40 + 24.30	.9326	----	----	----	----	27 UNCH
5335	----	----	759.60B/----	759.60B/543.20A	----	666.10 + 24.40	.9340	----	----	----	----	1 UNCH
5340	----	----	764.40B/----	764.40B/547.80A	----	670.90 + 24.60	.9351	----	----	----	----	14 UNCH
5350	----	----	773.80B/----	773.80B/556.90A	----	680.50 + 25.00	.9372	----	----	----	----	43 UNCH
5360	----	----	783.70B/----	783.70B/566.20A	----	690.00 + 25.20	.9397	----	----	----	----	11 UNCH
5365	----	----	788.60B/----	788.60B/570.80A	----	694.80 + 25.40	.9407	----	----	----	----	11 UNCH
5370	----	----	793.60B/----	793.60B/575.40A	----	699.60 + 25.50	.9418	----	----	----	----	32 UNCH
5375	----	----	798.30B/----	798.30B/580.30A	----	704.40 + 25.70	.9428	----	----	----	----	32 UNCH
5380	----	----	803.10B/----	803.10B/584.70A	----	709.20 + 25.80	.9435	----	----	----	----	4 UNCH
5385	----	----	808.00B/----	808.00B/589.40A	----	714.10 + 26.10	.9445	----	----	----	----	15 UNCH
5390	----	----	812.80B/----	812.80B/594.10A	----	718.90 + 26.20	.9455	----	----	----	----	1 UNCH
5400	----	----	822.60B/----	822.60B/603.40A	----	728.50 + 26.40	.9472	----	----	----	----	96 UNCH
5410	----	----	832.30B/----	832.30B/613.00A	----	738.20 + 26.70	.9492	----	----	----	----	55 UNCH
5420	----	----	841.90B/----	841.90B/622.20A	----	747.90 + 26.90	.9509	----	----	----	----	7 UNCH
5425	----	----	846.90B/----	846.90B/626.90A	----	752.70 + 27.00	.9515	----	----	----	----	32 UNCH
5435	----	----	856.70B/----	856.70B/636.40A	----	762.40 + 27.20	.9531	----	----	----	----	2 UNCH
5445	----	----	866.30B/----	866.30B/646.00A	----	772.10 + 27.40	.9547	----	----	----	----	1 UNCH
5450	----	----	871.30B/----	871.30B/650.80A	----	777.00 + 27.60	.9553	----	----	----	----	20 UNCH
5475	----	----	895.80B/----	895.80B/674.60A	----	801.30 + 28.00	.9590	----	----	----	----	1 UNCH
5490	----	----	910.50B/----	910.50B/688.90A	----	816.00 + 28.40	.9608	----	----	----	----	3 UNCH
5500	----	----	920.10B/----	920.10B/698.40A	----	825.80 + 28.50	.9619	----	----	----	----	34 UNCH
5515	----	----	934.70B/----	934.70B/712.80A	----	840.40 + 28.70	.9636	----	----	----	----	10 UNCH
5520	----	----	939.70B/----	939.70B/718.10A	----	845.30 + 28.80	.9642	----	----	----	----	1 UNCH
5530	----	----	949.80B/----	949.80B/727.40A	----	855.20 + 29.00	.9653	----	----	----	----	10 UNCH
5535	----	----	954.40B/----	954.40B/732.10A	----	860.10 + 29.10	.9658	----	----	----	----	10 UNCH
5540	----	----	959.40B/----	959.40B/737.00A	----	865.00 + 29.20	.9664	----	----	----	----	5 UNCH
5550	----	----	969.20B/----	969.20B/746.60A	----	874.80 + 29.30	.9675	----	----	----	----	5 UNCH
5565	----	----	974.70B/----	974.70B/761.50A	----	889.50 + 29.40	.9687	----	----	----	----	10 UNCH
5575	----	----	984.50B/----	984.50B/771.00A	----	899.40 + 29.60	.9698	----	----	----	----	12 UNCH
5590	----	----	999.30B/----	999.30B/785.60A	----	914.10 + 29.70	.9710	----	----	----	----	25 UNCH
5600	----	----	1,009.20B/----	1009.20B/795.50A	----	924.00 + 29.90	.9716	----	----	----	----	11 UNCH
5625	----	----	1,033.70B/----	1033.70B/819.70A	----	948.70 + 30.20	.9734	----	----	----	----	2 UNCH
5640	----	----	1,048.60B/----	1048.60B/834.30A	----	963.50 + 30.30	.9745	----	----	----	----	1 UNCH
5890	----	----	1,283.60B/----	1283.60B/1181.50A	----	1211.50 + 31.80	.9863	----	----	----	----	4 UNCH
5910	----	----	----	----	----	1231.40 + 31.90	.9869	----	----	----	----	1 UNCH
5960	----	----	----	----	----	1281.10 + 32.00	.9882	----	----	----	----	1 UNCH
5980	----	----	----	----	----	1301.10 + 32.10	.9888	----	----	----	----	1 UNCH
6000	----	----	----	----	----	1321.00 + 32.10	.9893	----	----	----	----	2 UNCH
6025	----	----	1,417.80B/----	1417.80B/1315.90A	----	1345.90 + 32.20	.9899	----	----	----	----	3 UNCH
6100	----	----	1,492.40B/----	1492.40B/1390.70A	----	1420.70 + 32.40	.9912	----	----	----	----	7 UNCH
TOTAL										9162	3,610	86493 + 4535
JUN26												
1325	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG PUT COMEX GOLD OPTIONS
JUN26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
1375	----	----	----	----/0.30A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
1400	----	----	----	----/0.30A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
1425	----	----	----	----/0.30A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
1475	----	----	----	----/0.40A	----	0.20 + 0.10	.0003	----	----	----	----	11 UNCH
1500	----	----	----	----/0.40A	----	0.20 + 0.10	.0003	----	----	----	----	3 UNCH
1525	----	----	----	----/0.40A	----	0.20 + 0.10	.0003	----	----	----	----	8 UNCH
1575	----	----	----	----/0.40A	----	0.30 + 0.20	.0005	----	----	----	----	1 UNCH
1580	----	----	----	----/0.40A	----	0.30 + 0.20	.0005	----	----	----	----	1 UNCH
1590	----	----	----	----/0.40A	----	0.40 + 0.30	.0007	----	----	----	----	175 UNCH
1600	----	----	----	----/0.40A	----	0.40 + 0.30	.0007	----	----	----	----	18 UNCH
1610	----	----	----	----/0.40A	----	0.40 + 0.30	.0007	----	----	----	----	1 UNCH
1615	----	----	----	----/0.40A	----	0.40 + 0.30	.0007	----	----	----	----	1 UNCH
1620	----	----	----	----/0.40A	----	0.40 + 0.30	.0007	----	----	----	----	31 UNCH
1625	----	----	----	----/0.40A	----	0.40 + 0.30	.0007	----	----	----	----	1 UNCH
1650	----	----	----	----/0.40A	----	0.50 + 0.40	.0009	----	----	----	----	2 UNCH
1670	----	----	----	----/0.50A	----	0.60 + 0.50	.0010	----	----	----	----	10 UNCH
1675	----	----	----	0.10B/0.50A	----	0.60 + 0.50	.0010	----	----	----	----	10 UNCH
1685	----	----	----	0.10B/0.50A	----	0.60 + 0.50	.0010	----	----	----	----	5 UNCH
1690	----	----	----	0.10B/0.50A	----	0.70 + 0.60	.0012	----	----	----	----	1 UNCH
1695	----	----	----	0.10B/0.50A	----	0.70 + 0.50	.0012	----	----	----	----	1 UNCH
1700	----	----	----	0.10B/0.50A	----	0.70 + 0.50	.0012	----	----	----	----	2 UNCH
1725	----	----	----	0.20B/0.50A	----	0.80 + 0.60	.0014	----	----	----	----	1 UNCH
1735	----	----	----	0.20B/0.50A	----	0.80 + 0.60	.0014	----	----	----	----	1 UNCH
1740	----	----	----	0.20B/0.50A	----	0.90 + 0.70	.0015	----	----	----	----	1 UNCH
1745	----	----	----	0.20B/0.50A	----	0.90 + 0.70	.0015	----	----	----	----	1 UNCH
1750	----	----	----	0.20B/0.50A	----	0.90 + 0.70	.0015	----	----	----	----	4 UNCH
1755	----	----	----	0.20B/0.50A	----	1.00 + 0.80	.0017	----	----	----	----	1 UNCH
1775	----	----	----	0.20B/0.50A	----	1.00 + 0.70	.0017	----	----	----	----	1 UNCH
1780	----	----	----	0.20B/0.50A	----	1.10 + 0.80	.0018	----	----	----	----	2 UNCH
1785	----	----	----	0.20B/0.50A	----	1.10 + 0.80	.0018	----	----	----	----	2 UNCH
1795	----	----	----	0.30B/0.50A	----	1.10 + 0.80	.0018	----	----	----	----	11 UNCH
1800	----	----	----	0.30B/0.60A	----	1.10 + 0.80	.0019	----	----	----	----	6 UNCH
1815	----	----	----	0.30B/0.60A	----	1.20 + 0.90	.0020	----	----	----	----	1 UNCH
1820	----	----	----	0.30B/0.60A	----	1.20 + 0.90	.0020	----	----	----	----	2 UNCH
1855	----	----	0.40B/----	0.40B/0.60A	----	1.30 + 1.00	.0022	----	----	----	----	1 UNCH
1875	----	----	0.40B/----	0.40B/0.60A	----	1.30 + 1.00	.0022	----	----	----	----	3 UNCH
1900	----	----	----	0.40B/0.70A	----	1.40 + 1.00	.0024	----	----	----	----	3 UNCH
1905	----	----	----	0.40B/0.70A	----	1.40 + 1.00	.0024	----	----	----	----	7 UNCH
1915	----	----	----	0.40B/0.70A	----	1.50 + 1.10	.0026	----	----	----	----	10 UNCH
1920	----	----	0.50B/----	0.50B/0.70A	----	1.50 + 1.10	.0026	----	----	----	----	2 UNCH
1950	----	----	0.50B/----	0.50B/0.70A	----	1.60 + 1.20	.0028	----	----	----	----	1 UNCH
1955	----	----	0.50B/----	0.50B/0.70A	----	1.60 + 1.20	.0028	----	----	----	----	2 UNCH
1965	0.90	0.90	0.90/0.90	0.90/0.70A	----	1.60 + 1.20	.0028	----	----	5	----	10 UNCH
2000	----	----	0.60B/----	0.60B/0.80A	----	1.70 + 1.20	.0030	----	----	----	----	603 UNCH
2005	----	----	0.60B/----	0.60B/0.80A	----	1.70 + 1.20	.0030	----	----	----	----	1 UNCH
2010	----	----	0.60B/----	0.60B/0.80A	----	1.70 + 1.20	.0030	----	----	----	----	1 UNCH
2015	----	----	0.60B/----	0.60B/0.80A	----	1.70 + 1.20	.0030	----	----	----	----	7 UNCH
2020	----	----	0.60B/----	0.60B/0.80A	----	1.70 + 1.20	.0030	----	----	----	----	1 UNCH
2025	----	----	0.60B/----	0.60B/0.80A	----	1.70 + 1.20	.0030	----	----	----	----	10 UNCH
2030	----	----	0.60B/----	0.60B/0.80A	----	1.70 + 1.20	.0030	----	----	----	----	13 UNCH
2050	----	----	0.70B/----	0.70B/0.90A	----	1.80 + 1.30	.0032	----	----	----	----	20 UNCH
2085	----	----	0.70B/----	0.70B/0.90A	----	1.80 + 1.20	.0033	----	----	----	----	15 UNCH
2100	----	----	0.80B/----	0.80B/0.90A	----	1.80 + 1.20	.0033	----	----	----	----	90 UNCH
2105	----	----	0.80B/----	0.80B/0.90A	----	1.80 + 1.20	.0033	----	----	----	----	1 UNCH
2170	----	----	0.90B/----	0.90B/1.10A	----	2.00 + 1.30	.0038	----	----	----	----	5 UNCH
2180	----	----	1.00B/----	1.00B/1.10A	----	2.00 + 1.30	.0038	----	----	----	----	6 UNCH
2195	----	----	1.00B/----	1.00B/1.10A	----	2.00 + 1.30	.0038	----	----	----	----	5 UNCH
2200	----	----	1.00B/----	1.00B/1.10A	----	2.00 + 1.30	.0038	----	----	----	----	9 UNCH
2205	----	----	1.00B/----	1.00B/1.10A	----	2.00 + 1.20	.0038	----	----	----	----	7 UNCH
2220	----	----	1.10B/----	1.10B/1.20A	----	2.10 + 1.30	.0040	----	----	----	----	1 UNCH
2230	----	----	1.10B/----	1.10B/1.20A	----	2.10 + 1.30	.0041	----	----	----	----	25 UNCH
2235	----	----	1.10B/----	1.10B/1.20A	----	2.10 + 1.30	.0041	----	----	----	----	21 UNCH
2240	----	----	1.10B/----	1.10B/1.20A	----	2.10 + 1.30	.0041	----	----	----	----	6 UNCH
2250	----	----	1.10B/----	1.10B/1.20A	----	2.10 + 1.30	.0041	----	----	----	----	5 UNCH
2300	1.50	1.50	1.50/1.50	1.50/1.30A	----	2.20 + 1.30	.0044	----	----	8	----	13 + 2
2315	----	----	1.30B/----	1.30B/1.40A	----	2.20 + 1.30	.0044	----	----	----	----	40 UNCH
2330	1.60	1.60	1.60/1.60	1.60/1.40A	----	2.30 + 1.30	.0046	----	----	9	----	9 + 8
2350	----	----	1.40B/----	1.40B/1.40A	----	2.30 + 1.30	.0047	----	----	----	----	1 UNCH
2380	1.70	1.70	1.70/1.70	1.70/1.50A	----	2.40 + 1.30	.0049	----	----	8	----	9 + 8
2385	----	----	1.50B/----	1.50B/1.50A	----	2.40 + 1.30	.0049	----	----	----	----	1 UNCH
2390	----	----	1.50B/----	1.50B/1.50A	----	2.40 + 1.30	.0050	----	----	----	----	1 UNCH
2395	----	----	1.50B/----	1.50B/1.60A	----	2.40 + 1.30	.0050	----	----	----	----	1 UNCH
2400	----	----	1.60B/----	1.60B/1.60A	----	2.40 + 1.30	.0050	----	----	----	----	72 UNCH
2405	----	----	1.60B/----	1.60B/1.60A	----	2.40 + 1.30	.0050	----	----	----	----	1 UNCH
2410	----	----	1.60B/----	1.60B/1.60A	----	2.40 + 1.20	.0050	----	----	----	----	6 UNCH
2415	----	----	1.60B/----	1.60B/1.60A	----	2.40 + 1.20	.0050	----	----	----	----	1 UNCH
2420	----	----	1.60B/----	1.60B/1.60A	----	2.50 + 1.30	.0052	----	----	----	----	5 UNCH
2425	----	----	1.60B/----	1.60B/1.60A	----	2.50 + 1.30	.0052	----	----	----	----	2 UNCH
2430	----	----	1.70B/----	1.70B/1.70A	----	2.50 + 1.30	.0052	----	----	----	----	1 UNCH
2445	----	----	1.70B/----	1.70B/1.70A	----	2.50 + 1.20	.0053	----	----	----	----	5 UNCH
2450	----	----	1.80B/----	1.80B/1.70A	----	2.50 + 1.20	.0053	----	----	----	----	2 UNCH
2460	----	----	1.80B/----	1.80B/1.70A	----	2.60 + 1.30	.0055	----	----	----	----	1 UNCH
2465	----	----	1.80B/----	1.80B/1.80A	----	2.60 + 1.30	.0055	----	----	----	----	7 UNCH
2475	----	----	1.80B/----	1.80B/1.80A	----	2.60 + 1.20	.0056	----	----	----	----	1 UNCH
2495	----	----	1.90B/----	1.90B/1.90A	----	2.60 + 1.20	.0056	----	----	----	----	1 UNCH
2500	2.00	2.00	2.00/2.00	2.00/1.50A	----	2.70 + 1.30	.0058	----	----	1	----	1819 UNCH
2535	----	----	2.10B/----	2.10B/2.00A	----	2.70 + 1.10	.0059	----	----	----	----	5 UNCH
2540	----	----	2.10B/----	2.10B/2.00A	----	2.80 + 1.20	.0061	----	----	----	----	5 UNCH
2550	----	----	2.10B/----	2.10B/2.00A	----	2.80 + 1.20	.0062	----	----	----	----	50 UNCH
2565	----	----	2.20B/----	2.20B/2.10A	----	2.80 + 1.10	.0062	----	----	----	----	5 UNCH
2580	----	----	2.20B/----	2.20B/2.10A	----	2.90 + 1.20	.0065	----	----	----	----	5 UNCH
2590	----	----	2.30B/----	2.30B/2.20A	----	2.90 + 1.20	.0065	----	----	----	----	8 UNCH
2600	----	----	2.30B/----	2.30B/2.20A	----	2.90 + 1.10	.0065	----	----	----	----	157 UNCH
2650	----	----	2.60B/----	2.60B/2.40A	----	3.10 + 1.20	.0071	----	----	----	----	1 UNCH
2700	1.80	1.80	3.00/1.80	3.00/1.80	----	3.20 + 1.20	.0075	----	----	62	----	428 - 5
2730	----	----	3.00B/----	3.00B/2.70A	----	3.30 + 1.20	.0078	----	----	----	----	5 UNCH
2750	----	----	3.10B/----	3.10B/2.80A	----	3.40 + 1.20	.0081	----	----	----	----	1 UNCH
2800	----	----	3.40B/----	3.40B/3.00A	----	3.60 + 1.30	.0087	----	----	----	----	749 UNCH
2805	----	----	3.40B/----	3.40B/3.10A	----	3.60 + 1.20	.0088	----	----	----	----	223 UNCH
2810	----	----	3.40B/----	3.40B/3.10A	----	3.60 + 1.20	.0088	----	----	----	----	39 UNCH
2825	----	----	3.50B/----	3.50B/3.20A	----	3.70 + 1.30	.0091	----	----	----	----	48 UNCH
2830	----	----	3.60B/----	3.60B/3.20A	----	3.70 + 1.30	.0091	----	----	----	----	25 UNCH
2850	----	----	3.70B/----	3.70B/3.30A	----	3.80 + 1.30	.0094	----	----	----	----	22 UNCH
2875	----	----	3.90B/----	3.90B/3.40A	----	3.90 + 1.30	.0097	----	----	----	----	7 UNCH
2900	----	----	4.10B/----	4.10B/3.60A	----	4.00 + 1.20	.0101	----	----	----	----	154 UNCH
2905	----	----	4.10B/----	4.10B/3.60A	----	4.10 + 1.30	.0103	----	----	----	----	5 UNCH
2915	----	----	4.20B/----	4.20B/3.70A	----	4.10 + 1.30	.0104	----	----	----	----	1 UNCH
2930	----	----	4.30B/----	4.30B/3.70A	----	4.20 + 1.30	.0107	----	----	----	----	1 UNCH
2935	----	----	4.40B/----	4.40B/3.80A	----	4.20 + 1.30	.0107	----	----	----	----	3 UNCH
2950	----	----	4.50B/----	4.50B/3.90A	----	4.30 + 1.30	.0110	----	----	----	----	24 UNCH
2970	----	----	4.70B/----	4.70B/4.00A	----	4.40 + 1.30	.0114	----	----	----	----	1 UNCH
2975	----	----	4.70B/----	4.70B/4.00A	----	4.50 + 1.30	.0116	----	----	----	----	9 UNCH
2990	----	----	4.90B/----	4.90B/4.20A	----	4.60 + 1.40	.0119	----	----	----	----	5 UNCH
2995	----	----	5.00B/----	5.00B/4.20A	----	4.60 + 1.30	.0120	----	----	----	----	6 UNCH
3000	4.50	4.50	5.00B/4.50	5.00B/4.20A	----	4.60 + 1.30	.0120	----	----	3	----	1578 + 2
3005	----	----	5.10B/----	5.10B/4.30A	----	4.70 + 1.40	.0122	----	----	----	----	10 UNCH
3010	----	----	5.10B/----	5.10B/4.30A	----	4.70 + 1.30	.0123	----	----	----	----	8 UNCH
3015	----	----	5.20B/----	5.20B/4.30A	----	4.70 + 1.30	.0123	----	----	----	----	215 UNCH
3020	----	----	5.20B/----	5.20B/4.30A	----	4.80 + 1.40	.0126	----	----	----	----	35 UNCH
3035	----	----	5.40B/----	5.40B/4.40A	----	4.90 + 1.40	.0129	----	----	----	----	1 UNCH
3050	----	----	5.50B/----	5.50B/4.50A	----	5.00 + 1.40	.0132	----	----	----	----	389 UNCH
3065	----	----	5.60B/----	5.60B/4.70A	----	5.10 + 1.40	.0136	----	----	----	----	7 UNCH
3070	----	----	5.70B/----	5.70B/4.70A	----	5.20 + 1.50	.0138	----	----	----	----	6 UNCH
3075	----	----	5.70B/----	5.70B/4.70A	----	5.20 + 1.50	.0138	----	----	----	----	10 UNCH
3080	----	----	5.80B/----	5.80B/4.80A	----	5.30 + 1.50	.0141	----	----	----	----	8 UNCH
3095	----	----	6.00B/----	6.00B/4.90A	----	5.40 + 1.50	.0144	----	----	----	----	41 UNCH
3100	----	----	6.10B/----	6.10B/4.90A	----	5.50 + 1.60	.0147	----	----	4	----	365 UNCH
3105	----	----	6.20B/----	6.20B/5.00A	----	5.50 + 1.60	.0147	----	----	2	----	13 + 2
3110	----	----	6.20B/----	6.20B/5.00A	----	5.60 + 1.60	.0150	----	----	----	----	10 UNCH
3120	----	----	6.40B/----	6.40B/5.10A	----	5.70 + 1.70	.0153	----	----	----	----	6 UNCH
3125	----	----	6.40B/----	6.40B/5.10A	----	5.70 + 1.60	.0153	----	----	----	----	10 UNCH
3130	----	----	6.50B/----	6.50B/5.20A	----	5.80 + 1.70	.0156	----	----	----	----	26 UNCH
3140	----	----	6.60B/----	6.60B/5.30A	----	5.90 + 1.70	.0159	----	----	----	----	5 UNCH
3150	----	----	6.80B/----	6.80B/5.40A	----	6.00 + 1.80	.0162	----	----	----	----	142 UNCH
3155	----	----	6.90B/----	6.90B/5.40A	----	6.10 + 1.80	.0165	----	----	----	----	16 UNCH
3160	----	----	6.90B/----	6.90B/5.50A	----	6.10 + 1.80	.0165	----	----	----	----	5 UNCH
3170	----	----	7.10B/----	7.10B/5.60A	----	6.30 + 1.90	.0171	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
3175	----	----	7.20B/----	7.20B/5.60A	----	6.30 + 1.90	.0171	----	----	----	----	12 UNCH
3180	----	----	7.20B/----	7.20B/5.70A	----	6.40 + 1.90	.0174	----	----	----	----	5 UNCH
3185	----	----	7.30B/----	7.30B/5.70A	----	6.50 + 2.00	.0176	----	----	----	----	6 UNCH
3190	----	----	7.40B/----	7.40B/5.80A	----	6.50 + 2.00	.0177	----	----	----	----	18 UNCH
3195	6.80	6.80	7.50B/6.80	7.50B/5.80A	----	6.60 NEW	.0180	----	----	12	----	12 + 12
3200	----	----	7.70B/----	7.70B/5.90A	----	6.70 + 2.10	.0182	----	----	----	----	287 UNCH
3205	----	----	7.60B/----	7.60B/5.90A	----	6.70 + 2.10	.0183	----	----	----	----	42 UNCH
3210	----	----	7.70B/----	7.70B/6.00A	----	6.80 + 2.10	.0186	----	----	----	----	15 UNCH
3215	----	----	7.80B/----	7.80B/6.00A	----	6.90 + 2.20	.0188	----	----	----	----	22 UNCH
3220	----	----	8.00B/----	8.00B/6.10A	----	6.90 + 2.10	.0189	----	----	----	----	7 UNCH
3225	----	----	8.00B/----	8.00B/6.10A	----	7.00 + 2.20	.0192	----	----	----	----	41 UNCH
3235	----	----	8.20B/----	8.20B/6.20A	----	7.20 + 2.30	.0197	----	----	----	----	24 UNCH
3250	----	----	8.50B/----	8.50B/6.40A	----	7.40 + 2.40	.0203	----	----	----	----	148 UNCH
3255	----	----	8.60B/----	8.60B/6.40A	----	7.50 + 2.50	.0206	----	----	----	----	110 UNCH
3260	----	----	8.70B/----	8.70B/6.50A	----	7.50 + 2.40	.0207	----	----	----	----	1 UNCH
3265	----	----	8.70B/----	8.70B/6.50A	----	7.60 + 2.50	.0209	----	----	----	----	20 UNCH
3270	----	----	8.90B/----	8.90B/6.60A	----	7.70 + 2.50	.0212	----	----	----	----	7 UNCH
3280	----	----	9.00B/----	9.00B/6.50A	----	7.90 + 2.60	.0218	----	----	----	----	13 UNCH
3290	----	----	9.30B/----	9.30B/6.80A	----	8.10 + 2.70	.0223	----	----	----	----	37 UNCH
3300	5.80	5.80	9.50B/5.80	9.50B/5.80	----	8.20 + 2.70	.0227	----	----	5	----	372 - 1
3305	----	----	9.60B/----	9.60B/6.90A	----	8.30 + 2.80	.0230	----	----	----	----	1 UNCH
3310	----	----	9.70B/----	9.70B/6.90A	----	8.40 + 2.80	.0233	----	----	----	----	7 UNCH
3320	----	----	9.90B/----	9.90B/6.90A	----	8.60 + 2.90	.0238	----	----	----	----	4 UNCH
3325	----	----	10.10B/----	10.10B/7.20A	----	8.70 + 3.00	.0241	----	----	1	----	47 + 1
3335	----	----	10.30B/----	10.30B/7.20A	----	8.90 + 3.10	.0247	----	----	----	----	46 UNCH
3340	----	----	10.50B/----	10.50B/7.40A	----	9.00 + 3.10	.0250	----	----	----	----	22 UNCH
3345	----	----	10.50B/----	10.50B/7.40A	----	9.10 + 3.20	.0253	----	----	----	----	12 UNCH
3350	----	----	10.60B/----	10.60B/7.50A	----	9.20 + 3.20	.0256	----	----	----	----	407 UNCH
3355	----	----	10.80B/----	10.80B/7.60A	----	9.30 + 3.30	.0259	----	----	----	----	1 UNCH
3360	----	----	10.90B/----	10.90B/7.60A	----	9.40 + 3.30	.0262	----	----	----	----	8 UNCH
3365	----	----	11.20B/----	11.20B/7.70A	----	9.50 + 3.40	.0265	----	----	----	----	29 UNCH
3370	----	----	11.20B/----	11.20B/7.60A	----	9.60 + 3.40	.0268	----	----	----	----	26 UNCH
3375	----	----	11.30B/----	11.30B/7.80A	----	9.70 + 3.40	.0271	----	----	----	----	98 UNCH
3380	----	----	11.40B/----	11.40B/7.90A	----	9.80 + 3.50	.0274	----	----	----	----	46 UNCH
3385	----	----	11.60B/----	11.60B/7.90A	----	9.90 + 3.50	.0277	----	----	----	----	6 UNCH
3390	----	----	11.70B/----	11.70B/8.00A	----	10.10 + 3.70	.0282	----	----	----	----	40 UNCH
3395	----	----	11.90B/----	11.90B/8.00A	----	10.20 + 3.70	.0285	----	----	----	----	1 UNCH
3400	12.20	12.20	12.20/11.20	12.20/8.10A	----	10.30 + 3.70	.0288	----	----	5	----	733 + 1
3405	----	----	12.20B/----	12.20B/8.20A	----	10.40 + 3.80	.0291	----	----	----	----	66 UNCH
3410	----	----	12.30B/----	12.30B/8.30A	----	10.50 + 3.80	.0294	----	----	----	----	7 UNCH
3415	----	----	12.50B/----	12.50B/8.40A	----	10.60 + 3.80	.0297	----	----	1	----	2 + 1
3420	----	----	12.60B/----	12.60B/8.40A	----	10.80 + 4.00	.0302	----	----	----	----	18 UNCH
3425	----	----	12.80B/----	12.80B/8.50A	----	10.90 + 4.00	.0305	----	----	----	----	25 UNCH
3430	----	----	12.90B/----	12.90B/8.60A	----	11.00 + 4.00	.0308	----	----	----	----	4 UNCH
3435	----	----	13.10B/----	13.10B/8.70A	----	11.10 + 4.10	.0312	----	----	----	----	20 UNCH
3440	----	----	13.20B/----	13.20B/8.80A	----	11.30 NEW	.0317	----	----	1	----	1 + 1
3450	----	----	13.60B/----	13.60B/9.00A	----	11.50 + 4.20	.0323	----	----	----	----	426 UNCH
3455	----	----	13.70B/----	13.70B/9.00A	----	11.60 + 4.30	.0326	----	----	----	----	51 UNCH
3460	----	----	13.90B/----	13.90B/9.10A	----	11.80 + 4.40	.0332	----	----	----	----	50 UNCH
3465	----	----	14.10B/----	14.10B/9.20A	----	11.90 + 4.40	.0335	----	----	----	----	89 UNCH
3470	----	----	14.30B/----	14.30B/9.10A	----	12.10 + 4.50	.0340	----	----	----	----	28 UNCH
3475	----	----	14.40B/----	14.40B/9.30A	----	12.20 + 4.60	.0343	----	----	----	----	241 UNCH
3480	----	----	14.60B/----	14.60B/9.40A	----	12.30 + 4.60	.0347	----	----	----	----	171 UNCH
3485	----	----	14.90B/----	14.90B/9.50A	----	12.50 + 4.70	.0352	----	----	----	----	2 UNCH
3490	----	----	15.10B/----	15.10B/9.60A	----	12.60 + 4.70	.0355	----	----	----	----	21 UNCH
3495	----	----	15.20B/----	15.20B/9.70A	----	12.80 + 4.80	.0360	----	----	----	----	1 UNCH
3500	11.50	11.50	15.40B/11.50	15.40B/9.80A	----	12.90 + 4.80	.0364	----	----	139	----	1688 + 91
3505	----	----	15.50B/----	15.50B/9.90A	----	13.10 + 4.90	.0369	----	----	----	----	65 UNCH
3510	----	----	15.80B/----	15.80B/10.00A	----	13.20 + 5.00	.0373	----	----	----	----	61 UNCH
3515	----	----	15.90B/----	15.90B/10.10A	----	13.40 + 5.10	.0378	----	----	----	----	16 UNCH
3520	----	----	16.20B/----	16.20B/10.00A	----	13.50 + 5.10	.0381	----	----	----	----	248 UNCH
3525	----	----	16.40B/----	16.40B/10.30A	----	13.70 + 5.20	.0387	----	----	----	----	301 UNCH
3530	----	----	16.60B/----	16.60B/10.40A	----	13.90 + 5.30	.0392	----	----	----	----	5 UNCH
3535	----	----	16.80B/----	16.80B/10.50A	----	14.00 + 5.30	.0396	----	----	----	----	100 UNCH
3540	----	----	17.00B/----	17.00B/10.50A	----	14.20 + 5.40	.0401	----	----	----	----	5 UNCH
3545	----	----	17.20B/----	17.20B/10.60A	----	14.40 + 5.50	.0406	----	----	1	----	20 UNCH
3550	----	----	17.40B/----	17.40B/10.70A	----	14.50 + 5.50	.0410	----	----	9	----	418 + 6
3555	----	----	17.80B/----	17.80B/10.90A	----	14.70 + 5.60	.0416	----	----	----	----	2 UNCH
3560	15.00	15.00	17.90B/15.00	17.90B/11.00A	----	14.90 + 5.70	.0421	----	----	1	----	86 UNCH
3565	15.10	15.10	18.10B/15.10	18.10B/11.00A	----	15.10 + 5.80	.0427	----	----	1	----	41 UNCH
3570	----	----	18.40B/----	18.40B/11.20A	----	15.20 + 5.80	.0430	----	----	----	----	60 UNCH
3575	----	----	18.60B/----	18.60B/11.30A	----	15.40 + 5.90	.0436	----	----	----	----	43 UNCH
3580	----	----	18.80B/----	18.80B/11.50A	----	15.60 + 6.00	.0441	----	----	----	----	77 UNCH
3585	----	----	19.10B/----	19.10B/11.60A	----	15.80 + 6.10	.0447	----	----	----	----	2 UNCH
3590	----	----	19.30B/----	19.30B/11.70A	----	16.00 + 6.10	.0453	----	----	----	----	1 UNCH
3595	----	----	19.60B/----	19.60B/11.80A	----	16.20 + 6.20	.0458	----	----	----	----	23 UNCH
3600	13.80	13.80	20.20/13.80	20.20/12.00A	----	16.40 + 6.30	.0464	----	----	15	----	1658 + 2
3610	----	----	20.30B/----	20.30B/12.20A	----	16.80 + 6.50	.0475	----	----	----	----	5 UNCH
3615	----	----	20.60B/----	20.60B/12.30A	----	17.00 + 6.60	.0481	----	----	----	----	37 UNCH
3620	----	----	20.80B/----	20.80B/12.50A	----	17.20 + 6.60	.0487	----	----	----	----	12 UNCH
3625	21.00	21.00	21.20B/17.70	21.20B/12.60A	----	17.40 + 6.70	.0492	----	----	34	----	68 + 1
3630	----	----	21.40B/----	21.40B/12.70A	----	17.70 + 6.90	.0500	----	----	----	----	86 UNCH
3635	----	----	21.70B/----	21.70B/12.80A	----	17.90 + 7.00	.0506	----	----	----	----	107 UNCH
3640	----	----	22.00B/----	22.00B/13.00A	----	18.10 + 7.00	.0512	----	----	----	----	25 UNCH
3645	----	----	22.30B/----	22.30B/13.00A	----	18.30 + 7.10	.0518	----	----	----	----	8 UNCH
3650	20.00	20.00	22.50B/20.00	22.50B/13.10A	----	18.60 + 7.30	.0525	----	----	28	----	521 + 15
3655	21.10	21.10	23.00B/21.10	23.00B/13.20A	----	18.80 NEW	.0531	----	----	2	----	2 + 2
3660	----	----	23.30B/----	23.30B/13.40A	----	19.00 + 7.40	.0537	----	----	----	----	1 UNCH
3665	20.00	20.00	23.60B/20.00	23.60B/13.50A	----	19.30 + 7.60	.0545	----	----	2	----	14 UNCH
3670	----	----	23.90B/----	23.90B/13.70A	----	19.50 + 7.60	.0551	----	----	----	----	31 UNCH
3675	22.20	22.20	24.30B/22.20	24.30B/13.90A	----	19.80 + 7.80	.0559	----	----	1	50	45 - 10
3680	23.00	23.00	24.60B/23.00	24.60B/14.00A	----	20.00 + 7.80	.0565	----	----	1	----	18 + 1
3685	----	----	24.90B/----	24.90B/14.10A	----	20.30 + 8.00	.0573	----	----	----	----	51 UNCH
3690	23.60	23.60	25.30B/23.60	25.30B/14.30A	----	20.50 + 8.00	.0579	----	----	1	----	7 + 1
3695	----	----	25.60B/----	25.60B/14.50A	----	20.80 + 8.20	.0587	----	----	----	----	19 UNCH
3700	22.00	22.00	25.90B/22.00	25.90B/14.70A	----	21.10 + 8.30	.0595	----	----	88	----	838 + 51
3705	20.20	20.20	26.20B/20.20	26.20B/14.80A	----	21.30 + 8.40	.0601	----	----	1	----	120 + 1
3710	----	----	26.50B/----	26.50B/15.00A	----	21.60 + 8.50	.0609	----	----	----	----	79 UNCH
3715	----	----	26.90B/----	26.90B/15.20A	----	21.90 + 8.60	.0617	----	----	1	----	46 + 1
3720	----	----	27.30B/----	27.30B/15.30A	----	22.20 + 8.80	.0625	----	----	----	----	1 UNCH
3725	----	----	27.60B/----	27.60B/15.50A	----	22.50 + 8.90	.0633	----	----	----	----	90 UNCH
3730	----	----	28.00B/----	28.00B/15.70A	----	22.70 + 8.90	.0639	----	----	----	----	19 UNCH
3740	----	----	28.80B/----	28.80B/16.00A	----	23.30 + 9.20	.0656	----	----	----	----	67 UNCH
3745	26.60	26.60	29.20B/26.60	29.20B/16.10A	----	23.60 + 9.30	.0664	----	----	2	----	19 + 1
3750	23.40	23.40	29.50B/23.40	29.50B/16.20A	----	24.00 + 9.50	.0674	----	----	3	----	1291 - 1
3755	----	----	29.90B/----	29.90B/16.30A	----	24.30 + 9.70	.0682	----	----	----	----	2 UNCH
3760	----	----	30.30B/----	30.30B/16.50A	----	24.60 + 9.80	.0690	----	----	11	----	24 + 9
3765	----	----	30.70B/----	30.70B/16.70A	----	24.90 + 9.90	.0699	----	----	2	----	48 + 2
3770	----	----	31.20B/----	31.20B/17.10A	----	25.20 + 10.00	.0707	----	----	----	----	10 UNCH
3775	29.80	29.80	31.60B/23.50	31.60B/17.10A	----	25.60 + 10.20	.0717	----	----	3	----	40 + 1
3780	29.30	29.30	32.00B/29.30	32.00B/17.60A	----	25.90 + 10.30	.0725	----	----	2	----	14 + 2
3785	----	----	32.40B/----	32.40B/17.50A	----	26.20 + 10.40	.0734	----	----	----	----	6 UNCH
3790	----	----	32.90B/----	32.90B/17.70A	----	26.60 + 10.60	.0744	----	----	2	----	257 + 2
3795	----	----	33.30B/----	33.30B/18.20A	----	26.90 + 10.70	.0752	----	----	----	----	55 UNCH
3800	17.70	17.70	33.70B/17.70	33.70B/17.70	----	27.30 + 10.90	.0763	----	----	126	----	1257 - 81
3805	----	----	34.20B/----	34.20B/18.40A	----	27.60 + 11.00	.0771	----	----	----	----	67 UNCH
3810	----	----	34.60B/----	34.60B/18.90A	----	28.00 + 11.20	.0781	----	----	----	----	16 UNCH
3815	----	----	35.10B/----	35.10B/18.80A	----	28.30 + 11.30	.0790	----	----	----	----	38 UNCH
3820	----	----	35.60B/----	35.60B/19.40A	----	28.70 + 11.40	.0800	----	----	----	----	11 UNCH
3825	----	----	36.00B/----	36.00B/19.50A	----	29.10 + 11.60	.0811	----	----	----	----	41 UNCH
3830	----	----	36.50B/----	36.50B/19.50A	----	29.50 + 11.80	.0821	----	----	----	----	184 UNCH
3835	----	----	37.00B/----	37.00B/20.10A	----	29.90 + 12.00	.0832	----	----	----	----	55 UNCH
3840	----	----	37.50B/----	37.50B/20.00A	----	30.20 + 12.00	.0840	----	----	----	----	3 UNCH
3850	----	----	38.50B/----	38.50B/20.50A	----	31.00 + 12.40	.0861	----	----	----	----	686 UNCH
3855	----	----	39.00B/----	39.00B/21.10A	----	31.40 + 12.50	.0872	----	----	----	----	71 UNCH
3860	36.60	36.60	39.50B/36.60	39.50B/21.10A	----	31.80 + 12.70	.0883	----	----	12	----	29 + 10
3865	----	----	40.00B/----	40.00B/21.40A	----	32.30 + 12.90	.0895	----	----	----	----	16 UNCH
3870	----	----	40.50B/----	40.50B/21.50A	----	32.70 + 13.10	.0906	----	----	----	----	15 UNCH
3875	----	----	41.10B/----	41.10B/22.10A	----	33.10 + 13.20	.0916	----	----	----	----	163 UNCH
3880	----	----	41.60B/----	41.60B/22.10A	----	33.50 + 13.30	.0927	----	----	----	----	14 UNCH
3885	----	----	42.10B/----	42.10B/22.20A	----	34.00 + 13.60	.0939	----	----	----	----	12 UNCH
3890	----	----	42.70B/----	42.70B/22.30A	----	34.40 + 13.70	.0950	----	----	----	----	43 UNCH
3895	----	----	43.30B/----	43.30B/22.60A	----	34.80 + 13.80	.0961	----	----	----	----	15 UNCH
3900	34.10	34.10	43.90B/34.10	43.90B/22.90A	----	35.30 + 14.10	.0974	----	----	24	----	596 + 17
3905	----	----	44.50B/----	44.50B/23.20A	----	35.70 + 14.20	.0984	----	----	6	----	44 + 6
3910	----	----	45.00B/----	45.00B/23.50A	----	36.20 + 14.40	.0997	----	----	----	----	8 UNCH
3915	----	----	45.60B/----	45.60B/23.80A	----	36.70 + 14.60	.1010	----	----	----	----	9 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
3920	----	----	46.20B/----	46.20B/24.10A	----	37.10 + 14.70	.1021	----	----	----	----	38 UNCH
3925	----	----	46.80B/----	46.80B/24.40A	----	37.60 + 14.90	.1033	----	----	2	----	50 + 2
3930	----	----	47.30B/----	47.30B/24.70A	----	38.10 + 15.10	.1046	----	----	----	----	24 UNCH
3935	----	----	47.90B/----	47.90B/25.00A	----	38.60 + 15.30	.1059	----	----	----	----	18 UNCH
3940	41.20	41.20	48.50B/41.20	48.50B/25.30A	----	39.10 + 15.50	.1072	----	----	1	----	105 + 1
3945	----	----	49.20B/----	49.20B/25.70A	----	39.60 + 15.70	.1084	----	----	----	----	5 UNCH
3950	40.10	40.10	49.80B/40.10	49.80B/26.00A	----	40.10 + 15.90	.1097	----	----	161	----	306 + 68
3955	----	----	50.40B/----	50.40B/26.20A	----	40.60 + 16.00	.1110	----	----	----	----	6 UNCH
3960	----	----	51.10B/----	51.10B/26.60A	----	41.10 + 16.20	.1123	----	----	----	----	32 UNCH
3965	----	----	51.70B/----	51.70B/27.00A	----	41.60 + 16.40	.1136	----	----	----	----	13 UNCH
3970	----	----	52.40B/----	52.40B/27.30A	----	42.20 + 16.60	.1151	----	----	4	----	67 + 3
3975	----	----	53.10B/----	53.10B/27.70A	----	42.70 + 16.80	.1164	----	----	1	----	337 UNCH
3980	----	----	53.80B/----	53.80B/28.00A	----	43.30 + 17.00	.1179	----	----	----	----	32 UNCH
3985	----	----	54.40B/----	54.40B/28.40A	----	43.80 + 17.20	.1192	----	----	----	----	27 UNCH
3990	46.90	46.90	55.20B/46.90	55.20B/28.80A	----	44.40 + 17.40	.1206	----	----	8	----	24 + 7
3995	----	----	55.80B/----	55.80B/29.10A	----	44.90 + 17.60	.1220	----	----	----	----	150 UNCH
4000	29.30	29.30	56.60B/29.30	56.60B/29.30	----	45.50 + 17.80	.1235	----	----	78	----	3615 - 34
4005	49.00	49.00	57.40B/46.50	57.40B/29.90A	----	46.10 + 18.00	.1249	----	----	14	----	29 + 10
4010	38.00	38.00	58.10B/38.00	58.10B/30.30A	----	46.70 + 18.20	.1264	----	----	3	----	45 + 1
4015	----	----	58.80B/----	58.80B/30.70A	----	47.30 + 18.50	.1279	----	----	----	----	5 UNCH
4020	52.40	52.40	59.60B/46.90	59.60B/31.10A	----	47.90 + 18.70	.1294	----	----	21	----	85 - 14
4025	----	----	60.30B/----	60.30B/31.50A	----	48.50 + 18.90	.1309	----	----	----	----	205 UNCH
4030	----	----	61.10B/----	61.10B/31.90A	----	49.10 + 19.10	.1324	----	----	----	----	8 UNCH
4035	----	----	61.90B/----	61.90B/32.30A	----	49.70 + 19.30	.1339	----	----	----	----	46 UNCH
4040	----	----	62.60B/----	62.60B/32.70A	----	50.30 + 19.50	.1355	----	----	----	----	72 UNCH
4045	----	----	63.30B/----	63.30B/33.10A	----	51.00 + 19.70	.1371	----	----	----	----	1 UNCH
4050	53.90	53.90	64.30B/53.90	64.30B/33.60A	----	51.60 + 19.90	.1387	----	----	13	----	1252 - 11
4055	----	----	65.10B/----	65.10B/34.10A	----	52.30 + 20.20	.1403	----	----	----	----	9 UNCH
4060	58.00	58.00	65.70B/58.00	65.70B/34.50A	----	52.90 + 20.30	.1419	----	----	1	----	87 UNCH
4065	----	----	66.60B/----	66.60B/34.90A	----	53.60 + 20.60	.1435	----	----	----	----	119 UNCH
4070	----	----	67.50B/----	67.50B/35.40A	----	54.30 + 20.80	.1452	----	----	----	----	61 UNCH
4075	----	----	68.40B/----	68.40B/35.80A	----	55.00 + 21.10	.1469	----	----	----	----	249 UNCH
4080	----	----	69.30B/----	69.30B/36.30A	----	55.60 + 21.20	.1485	----	----	1	----	98 + 1
4085	----	----	70.20B/----	70.20B/36.80A	----	56.40 + 21.60	.1503	----	----	----	----	22 UNCH
4090	----	----	71.00B/----	71.00B/37.20A	----	57.10 + 21.80	.1520	----	----	1	----	113 UNCH
4095	----	----	71.80B/----	71.80B/37.70A	----	57.80 + 22.00	.1537	----	----	----	----	46 UNCH
4100	46.00	46.00	73.00B/46.00	73.00B/38.20A	----	58.50 + 22.20	.1555	----	----	50	----	1325 - 4
4105	----	----	73.70B/----	73.70B/38.80A	----	59.30 + 22.50	.1573	----	----	2	----	97 + 2
4110	----	----	74.60B/----	74.60B/39.30A	----	60.00 + 22.70	.1590	----	----	2	----	143 UNCH
4115	----	----	75.60B/----	75.60B/39.90A	----	60.80 + 23.00	.1609	----	----	----	----	456 UNCH
4120	----	----	76.50B/----	76.50B/40.40A	----	61.50 + 23.20	.1626	----	----	----	----	29 UNCH
4125	----	----	77.50B/----	77.50B/40.90A	----	62.30 + 23.40	.1645	----	----	----	----	368 UNCH
4130	76.50	76.50	78.30B/76.50	78.30B/41.30A	----	63.10 + 23.70	.1664	----	----	2	----	19 - 2
4135	68.30	68.30	79.30B/68.30	79.30B/41.90A	----	63.90 + 24.00	.1683	----	----	1	----	23 UNCH
4140	----	----	80.30B/----	80.30B/42.50A	----	64.70 + 24.20	.1702	----	----	1	----	15 UNCH
4145	----	----	81.20B/----	81.20B/43.10A	----	65.50 + 24.50	.1721	----	----	1	----	212 UNCH
4150	----	----	82.30B/----	82.30B/43.60A	----	66.30 + 24.70	.1740	----	----	51	----	478 - 5
4155	----	----	83.30B/----	83.30B/44.10A	----	67.20 + 25.00	.1760	----	----	1	----	21 + 1
4160	----	----	84.30B/----	84.30B/44.70A	----	68.00 + 25.30	.1779	----	----	----	----	61 UNCH
4165	----	----	85.30B/----	85.30B/45.20A	----	68.90 + 25.60	.1799	----	----	----	----	27 UNCH
4170	73.20	73.20	86.40B/73.20	86.40B/45.90A	----	69.70 + 25.80	.1819	----	----	3	----	47 + 2
4175	77.40	77.40	87.50B/73.30	87.50B/46.50A	----	70.60 + 26.10	.1839	----	----	12	----	907 + 6
4180	----	----	88.50B/----	88.50B/47.10A	----	71.50 + 26.40	.1860	----	----	2	----	116 + 2
4185	60.70	60.70	89.60B/60.70	89.60B/47.50A	----	72.40 + 26.60	.1880	----	----	1	----	15 + 1
4190	61.50	61.50	90.80B/61.50	90.80B/48.20A	----	73.30 + 26.90	.1901	----	----	21	----	44 + 21
4195	----	----	91.90B/----	91.90B/48.90A	----	74.20 + 27.20	.1922	----	----	----	----	33 UNCH
4200	52.00	52.00	93.00B/49.60A	93.00B/49.60A	----	75.10 + 27.40	.1943	----	----	131	----	2842 + 54
4205	----	----	94.10B/----	94.10B/50.30A	----	76.10 + 27.80	.1965	----	----	----	----	58 UNCH
4210	92.40	92.40	95.30B/92.40	95.30B/51.00A	----	77.00 + 28.00	.1985	----	----	6	----	388 + 2
4215	----	----	96.40B/----	96.40B/51.60A	----	78.00 + 28.30	.2008	----	----	1	----	10 + 1
4220	----	----	97.50B/----	97.50B/52.30A	----	79.00 + 28.70	.2030	----	----	1	----	192 UNCH
4225	----	----	98.80B/----	98.80B/53.00A	----	79.90 + 28.90	.2051	----	----	----	----	255 UNCH
4230	----	----	99.90B/----	99.90B/53.60A	----	80.90 + 29.20	.2073	----	----	1	----	58 + 1
4235	----	----	101.10B/----	101.10B/54.40A	----	82.00 + 29.60	.2096	----	----	----	----	47 UNCH
4240	95.10	95.10	102.40B/95.10	102.40B/54.90A	----	83.00 + 29.80	.2119	----	----	10	----	53 UNCH
4245	----	----	103.60B/----	103.60B/55.80A	----	84.00 + 30.10	.2141	----	----	2	----	37 UNCH
4250	97.20	97.20	105.00B/84.30	105.00B/56.60A	----	85.00 + 30.40	.2164	----	----	21	----	699 - 5
4255	----	----	106.00B/----	106.00B/57.10A	----	86.10 + 30.70	.2187	----	----	----	----	10 UNCH
4260	----	----	107.30B/----	107.30B/58.10A	----	87.20 + 31.10	.2211	----	----	----	----	20 UNCH
4265	----	----	108.60B/----	108.60B/58.90A	----	88.30 + 31.40	.2235	----	----	----	----	35 UNCH
4270	----	----	109.90B/----	109.90B/59.60A	----	89.30 + 31.60	.2258	----	----	----	----	49 UNCH
4275	----	----	111.20B/----	111.20B/60.40A	----	90.50 + 32.00	.2283	----	----	1	----	110 + 1
4280	----	----	112.50B/----	112.50B/61.00A	----	91.60 + 32.30	.2306	----	----	----	----	76 UNCH
4285	79.00	79.00	113.90B/79.00	113.90B/61.70A	----	92.70 + 32.60	.2330	----	----	1	----	13 UNCH
4290	----	----	115.10B/----	115.10B/62.80A	----	93.80 + 32.90	.2354	----	----	----	----	70 UNCH
4295	----	----	116.60B/----	116.60B/63.60A	----	95.00 + 33.30	.2380	----	----	----	----	22 UNCH
4300	65.00	65.00	118.20B/64.40A	118.20B/64.40A	----	96.20 + 33.60	.2405	----	----	69	----	2485 + 13
4305	97.80	97.80	119.30B/97.80	119.30B/65.10A	----	97.40 + 34.00	.2430	----	----	2	----	73 + 1
4310	----	----	120.80B/----	120.80B/66.20A	----	98.60 + 34.30	.2455	----	----	----	----	53 UNCH
4315	----	----	122.20B/----	122.20B/66.60A	----	99.80 + 34.60	.2480	----	----	1	----	43 UNCH
4320	----	----	123.60B/----	123.60B/67.90A	----	101.00 + 35.00	.2506	----	----	----	----	81 UNCH
4325	----	----	125.00B/----	125.00B/68.80A	----	102.20 + 35.30	.2531	----	----	----	----	58 UNCH
4330	----	----	126.40B/----	126.40B/69.70A	----	103.50 + 35.70	.2558	----	----	1	----	221 + 1
4335	----	----	128.10B/----	128.10B/70.60A	----	104.70 + 35.90	.2583	----	----	----	----	38 UNCH
4340	----	----	129.50B/----	129.50B/71.50A	----	106.00 + 36.30	.2610	----	----	----	----	114 UNCH
4345	----	----	131.00B/----	131.00B/72.50A	----	107.30 + 36.70	.2636	----	----	----	----	46 UNCH
4350	----	----	133.20B/----	133.20B/73.50A	----	108.60 + 37.00	.2663	----	----	13	----	532 - 13
4355	----	----	134.00B/----	134.00B/74.40A	----	109.90 + 37.30	.2690	----	----	----	----	79 UNCH
4360	----	----	135.70B/----	135.70B/75.40A	----	111.30 + 37.80	.2717	----	----	3	----	87 + 3
4365	----	----	137.40B/----	137.40B/76.30A	----	112.60 + 38.10	.2744	----	----	----	----	66 UNCH
4370	----	----	139.00B/----	139.00B/77.10A	----	114.00 + 38.50	.2772	----	----	----	----	19 UNCH
4375	----	----	140.90B/----	140.90B/78.10A	----	115.40 + 38.90	.2799	----	----	----	----	452 UNCH
4380	----	----	142.50B/----	142.50B/79.30A	----	116.80 + 39.20	.2827	----	----	200	----	419 - 17
4385	----	----	144.00B/----	144.00B/80.40A	----	118.20 + 39.60	.2855	----	----	----	----	22 UNCH
4390	----	----	145.60B/----	145.60B/81.40A	----	119.60 + 39.90	.2883	----	----	----	----	57 UNCH
4395	----	----	147.20B/----	147.20B/82.40A	----	121.00 + 40.30	.2911	----	----	----	----	70 UNCH
4400	145.00	145.00	149.90B/122.40	149.90B/83.40A	----	122.50 + 40.70	.2940	----	----	107	----	4212 + 2
4405	----	----	151.10B/----	151.10B/84.50A	----	124.00 + 41.10	.2968	----	----	----	----	130 UNCH
4410	151.30	151.30	153.00B/151.30	153.00B/85.60A	----	125.40 + 41.40	.2997	----	----	1	----	90 + 1
4415	----	----	154.80B/----	154.80B/86.80A	----	126.90 + 41.80	.3026	----	----	----	----	85 UNCH
4420	----	----	156.60B/----	156.60B/87.80A	----	128.40 + 42.10	.3055	----	----	----	----	28 UNCH
4425	----	----	158.30B/----	158.30B/89.00A	----	130.00 + 42.60	.3084	----	----	2	----	65 + 1
4430	----	----	160.20B/----	160.20B/90.00A	----	131.50 + 42.90	.3114	----	----	----	----	97 UNCH
4435	----	----	162.10B/----	162.10B/91.00A	----	133.10 + 43.40	.3143	----	----	----	----	71 UNCH
4440	135.00	135.00	164.10B/135.00	164.10B/92.50A	----	134.70 + 43.80	.3173	----	----	1	----	33 UNCH
4445	----	----	166.20B/----	166.20B/93.40A	----	136.30 + 44.20	.3203	----	----	5	----	45 - 4
4450	122.80	122.80	168.40B/122.80	168.40B/94.90A	----	137.90 + 44.60	.3233	----	----	129	----	863 - 21
4455	138.20	138.20	169.80B/137.40	169.80B/95.90A	----	139.50 + 45.00	.3263	----	----	6	----	63 - 5
4460	----	----	172.00B/----	172.00B/97.20A	----	141.10 + 45.30	.3294	----	----	----	----	34 UNCH
4465	----	----	174.00B/----	174.00B/98.50A	----	142.80 + 45.80	.3324	----	----	----	----	26 UNCH
4470	----	----	176.00B/----	176.00B/100.40A	----	144.50 + 46.20	.3355	----	----	----	----	29 UNCH
4475	145.00	145.00	178.10B/144.00	178.10B/101.70A	----	146.20 + 46.60	.3386	----	----	6	----	152 - 5
4480	159.70	159.70	180.00B/159.70	180.00B/102.80A	----	147.90 + 47.00	.3417	----	----	1	50	104 + 20
4485	148.40	148.40	182.20B/148.40	182.20B/104.30A	----	149.60 + 47.40	.3448	----	----	7	----	25 - 2
4490	----	----	184.30B/----	184.30B/105.60A	----	151.30 + 47.80	.3479	----	----	----	----	81 UNCH
4495	----	----	186.40B/----	186.40B/106.80A	----	153.10 + 48.20	.3511	----	----	2	----	82 + 2
4500	180.00	180.00	189.00B/149.10	189.00B/108.10A	----	154.90 + 48.70	.3542	----	----	160	----	2410 - 17
4505	----	----	190.60B/----	190.60B/109.60A	----	156.70 + 49.10	.3574	----	----	----	----	28 UNCH
4510	----	----	192.80B/----	192.80B/110.90A	----	158.50 + 49.50	.3606	----	----	----	----	17 UNCH
4515	----	----	195.00B/----	195.00B/112.30A	----	160.30 + 49.90	.3638	----	----	----	----	243 UNCH
4520	----	----	197.40B/----	197.40B/113.80A	----	162.10 + 50.30	.3670	----	----	1	----	158 - 1
4525	----	----	199.30B/----	199.30B/115.10A	----	164.00 + 50.70	.3702	----	----	----	----	132 UNCH
4530	----	----	201.60B/----	201.60B/116.50A	----	165.90 + 51.20	.3735	----	----	1	----	11 UNCH
4535	----	----	204.30B/----	204.30B/118.00A	----	167.80 + 51.60	.3767	----	----	1	----	25 UNCH
4540	----	----	206.60B/----	206.60B/119.50A	----	169.70 + 52.00	.3800	----	----	10	----	157 UNCH
4545	170.40	170.40	208.70B/170.40	208.70B/121.10A	----	171.60 + 52.40	.3832	----	----	5	----	78 - 5
4550	----	----	211.70B/----	211.70B/122.60A	----	173.60 + 52.90	.3865	----	----	20	----	598 + 4
4555	----	----	213.20B/----	213.20B/123.90A	----	175.50 + 53.30	.3898	----	----	----	----	56 UNCH
4560	----	----	215.60B/----	215.60B/125.50A	----	177.50 + 53.80	.3931	----	----	----	----	28 UNCH
4565	----	----	218.20B/----	218.20B/126.80A	----	179.50 + 54.20	.3964	----	----	----	----	199 UNCH
4570	180.20	180.20	220.90B/180.20	220.90B/127.80A	----	181.50 + 54.60	.3998	----	----	5	----	71 - 2
4575	----	----	223.00B/----	223.00B/129.90A	----	183.60 + 55.10	.4031	----	----	----	----	167 UNCH
4580	203.00	203.00	225.50B/203.00	225.50B/131.40A	----	185.60 + 55.50	.4065	----	----	1	----	209 UNCH
4585	----	----	228.10B/----	228.10B/132.90A	----	187.70 + 56.00	.4098	----	----	----	----	27 UNCH
4590	----	----	230.70B/----	230.70B/134.90A	----	189.80 + 56.40	.4132	----	----	----	----	79 UNCH
4595	----	----	233.00B/----	233.00B/136.50A	----	191.90 + 56.90	.4166	----	----	----	----	19 UNCH
4600	143.20	143.20	236.50B/137.90	236.50B/137.90	----	194.00 + 57.30	.4200	----	----	119	----	1631 - 4

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
4605	182.10	182.10	238.40B/182.10	238.40B/139.80A	----	196.20 + 57.80	.4234	----	----	2	----	12 UNCH
4610	----	----	240.80B/----	240.80B/141.50A	----	198.30 + 58.20	.4268	----	----	----	----	10 UNCH
4615	----	----	243.10B/----	243.10B/142.90A	----	200.50 + 58.70	.4302	----	----	----	----	51 UNCH
4620	----	----	246.00B/----	246.00B/144.70A	----	202.70 + 59.10	.4336	----	----	----	----	186 UNCH
4625	203.80	203.80	248.90B/203.80	248.90B/146.50A	----	204.90 + 59.60	.4370	----	----	30	----	185 + 7
4630	----	----	251.00B/----	251.00B/148.20A	----	207.20 + 60.10	.4405	----	----	----	----	119 UNCH
4635	211.70	211.70	253.60B/211.70	253.60B/149.70A	----	209.40 + 60.50	.4439	----	----	11	----	25 + 9
4640	212.10	212.10	256.60B/212.10	256.60B/152.00A	----	211.70 + 61.00	.4474	----	----	28	----	45 + 8
4645	216.30	216.30	259.20B/216.30	259.20B/153.80A	----	214.00 + 61.40	.4508	----	----	6	----	37 + 5
4650	191.50	191.50	262.20B/191.50	262.20B/155.60A	----	216.30 + 61.90	.4543	----	----	9	----	1147 + 2
4655	----	----	264.70B/----	264.70B/157.40A	----	218.70 + 62.40	.4577	----	----	----	----	48 UNCH
4660	----	----	267.50B/----	267.50B/159.10A	----	221.00 + 62.80	.4612	----	----	----	----	105 UNCH
4665	214.40	214.40	269.80B/214.40	269.80B/161.20A	----	223.40 + 63.30	.4647	----	----	3	----	14 + 1
4670	224.30	224.30	272.90B/224.30	272.90B/163.00A	----	225.80 + 63.80	.4682	----	----	7	----	158 + 5
4675	----	----	275.80B/----	275.80B/165.00A	----	228.20 + 64.20	.4717	----	----	4	----	301 + 1
4680	----	----	278.70B/----	278.70B/167.00A	----	230.60 + 64.70	.4752	----	----	1	----	54 UNCH
4685	224.20	224.20	280.70B/224.20	280.70B/168.90A	----	233.10 + 65.20	.4786	----	----	5	----	15 + 5
4690	----	----	283.40B/----	283.40B/170.60A	----	235.60 + 65.70	.4821	----	----	----	----	13 UNCH
4695	212.70	212.70	286.30B/212.70	286.30B/172.60A	----	238.00 + 66.10	.4856	----	----	1	----	31 UNCH
4700	215.40	215.40	289.10B/215.40	289.10B/174.90A	----	240.60 + 66.60	.4891	----	----	129	----	1370 + 35
4705	234.20	234.20	292.10B/234.20	292.10B/176.60A	----	243.10 + 67.10	.4926	----	----	1	----	92 - 1
4710	228.50	228.50	295.10B/228.50	295.10B/178.80A	----	245.60 + 67.50	.4961	----	----	4	----	21 + 4
4715	222.60	222.60	298.00B/222.60	298.00B/180.80A	----	248.20 + 68.00	.4996	----	----	1	----	37 - 1
4720	----	----	301.00B/----	301.00B/183.00A	----	250.80 + 68.50	.5031	----	----	----	----	101 UNCH
4725	227.50	227.50	303.90B/227.50	303.90B/185.10A	----	253.40 + 69.00	.5066	----	----	3	----	19 + 2
4730	----	----	307.10B/----	307.10B/187.10A	----	256.00 + 69.40	.5101	----	----	----	----	61 UNCH
4735	232.40	232.40	309.40B/232.40	309.40B/189.40A	----	258.70 + 69.90	.5136	----	----	14	----	56 + 4
4740	252.30	252.30	312.50B/252.30	312.50B/191.30A	----	261.30 + 70.30	.5171	----	----	1	----	86 UNCH
4745	240.60	240.60	312.10B/240.60	312.10B/193.60A	----	264.00 + 70.80	.5206	----	----	1	----	2 UNCH
4750	----	----	319.70B/----	319.70B/195.80A	----	266.70 + 71.30	.5241	----	----	----	----	787 UNCH
4755	----	----	322.60B/----	322.60B/197.90A	----	269.50 + 71.80	.5276	----	----	----	----	19 UNCH
4760	----	----	325.70B/----	325.70B/200.20A	----	272.20 + 72.30	.5310	----	----	----	----	57 UNCH
4765	247.80	247.80	328.80B/247.80	328.80B/202.40A	----	275.00 + 72.80	.5345	----	----	1	----	44 UNCH
4770	----	----	332.00B/----	332.00B/204.90A	----	277.80 + 73.30	.5380	----	----	----	----	49 UNCH
4775	256.50	256.50	335.20B/256.50	335.20B/207.20A	----	280.60 + 73.70	.5415	----	----	1	----	109 UNCH
4780	----	----	328.10B/----	328.10B/209.50A	----	283.40 + 74.20	.5449	----	----	----	----	10 UNCH
4785	268.40	268.40	341.50B/268.40	341.50B/211.70A	----	286.30 + 74.70	.5484	----	----	8	----	48 + 1
4790	----	----	344.90B/----	344.90B/214.20A	----	289.10 + 75.10	.5519	----	----	----	----	44 UNCH
4795	----	----	337.50B/----	337.50B/216.40A	----	292.00 + 75.60	.5553	----	----	----	----	13 UNCH
4800	220.00	220.00	346.80B/220.00	346.80B/218.90A	----	294.90 + 76.10	.5588	----	----	221	----	2225 + 67
4805	----	----	344.50B/221.20A	344.50B/221.20A	----	297.90 + 76.60	.5622	----	----	6	----	84 UNCH
4810	----	----	346.80B/223.70A	346.80B/223.70A	----	300.80 + 77.00	.5656	----	----	----	----	9 UNCH
4815	----	----	350.10B/226.10A	350.10B/226.10A	----	303.80 + 77.50	.5691	----	----	----	----	71 UNCH
4820	----	----	353.40B/228.60A	353.40B/228.60A	----	306.80 + 78.00	.5725	----	----	----	----	19 UNCH
4825	----	----	357.00B/231.10A	357.00B/231.10A	----	309.80 + 78.50	.5759	----	----	----	----	164 UNCH
4830	----	----	362.10B/233.60A	362.10B/233.60A	----	312.80 + 78.90	.5793	----	----	----	----	136 UNCH
4835	----	----	365.40B/236.00A	365.40B/236.00A	----	315.90 + 79.40	.5826	----	----	----	----	29 UNCH
4840	----	----	369.20B/238.60A	369.20B/238.60A	----	318.90 + 79.80	.5860	----	----	----	----	18 UNCH
4845	----	----	372.40B/241.20A	372.40B/241.20A	----	322.00 + 80.30	.5894	----	----	----	----	10 UNCH
4850	----	----	379.00B/243.80A	379.00B/243.80A	----	325.10 + 80.80	.5928	----	----	5	----	533 - 3
4855	----	----	379.30B/246.50A	379.30B/246.50A	----	328.30 + 81.30	.5961	----	----	----	----	359 UNCH
4860	----	----	382.80B/249.20A	382.80B/249.20A	----	331.40 + 81.70	.5994	----	----	----	----	44 UNCH
4865	----	----	386.30B/251.80A	386.30B/251.80A	----	334.60 + 82.20	.6028	----	----	----	----	17 UNCH
4870	----	----	390.00B/254.30A	390.00B/254.30A	----	337.70 + 82.60	.6061	----	----	----	----	42 UNCH
4875	----	----	391.10B/257.10A	391.10B/257.10A	----	340.90 + 83.10	.6094	----	----	----	----	74 UNCH
4880	----	----	394.90B/259.70A	394.90B/259.70A	----	344.20 + 83.60	.6127	----	----	----	----	3 UNCH
4885	----	----	398.50B/262.50A	398.50B/262.50A	----	347.40 + 84.00	.6160	----	----	----	----	6 UNCH
4890	----	----	400.90B/265.20A	400.90B/265.20A	----	350.60 + 84.40	.6192	----	----	----	----	46 UNCH
4895	----	----	405.20B/268.00A	405.20B/268.00A	----	353.90 + 84.90	.6225	----	----	----	----	211 UNCH
4900	391.00	391.00	414.40B/270.70A	414.40B/270.70A	----	357.20 + 85.40	.6257	----	----	12	----	1803 UNCH
4905	----	----	413.20B/273.40A	413.20B/273.40A	----	360.50 + 85.80	.6290	----	----	----	----	10 UNCH
4910	----	----	416.50B/276.30A	416.50B/276.30A	----	363.80 + 86.20	.6322	----	----	----	----	57 UNCH
4915	----	----	419.10B/279.20A	419.10B/279.20A	----	367.10 + 86.70	.6354	----	----	----	----	37 UNCH
4920	----	----	424.10B/282.00A	424.10B/282.00A	----	370.50 + 87.10	.6387	----	----	----	----	91 UNCH
4925	----	----	427.80B/284.90A	427.80B/284.90A	----	373.90 + 87.60	.6418	----	----	----	----	73 UNCH
4930	----	----	431.80B/287.70A	431.80B/287.70A	----	377.20 + 88.00	.6450	----	----	----	----	199 UNCH
4940	----	----	437.90B/293.60A	437.90B/293.60A	----	384.00 + 88.80	.6513	----	----	----	----	64 UNCH
4945	----	----	441.80B/296.10A	441.80B/296.10A	----	387.50 + 89.30	.6545	----	----	----	----	2 UNCH
4950	----	----	447.50B/299.60A	447.50B/299.60A	----	390.90 + 89.70	.6575	----	----	----	----	287 UNCH
4955	----	----	449.30B/302.60A	449.30B/302.60A	----	394.40 + 90.20	.6606	----	----	----	----	31 UNCH
4960	----	----	453.10B/305.40A	453.10B/305.40A	----	397.80 + 90.50	.6637	----	----	----	----	23 UNCH
4965	----	----	458.00B/308.50A	458.00B/308.50A	----	401.30 + 90.90	.6668	----	----	----	----	24 UNCH
4970	----	----	461.90B/311.50A	461.90B/311.50A	----	404.80 + 91.30	.6699	----	----	----	----	44 UNCH
4975	----	----	465.80B/315.20A	465.80B/315.20A	----	408.30 + 91.70	.6730	----	----	----	----	153 UNCH
4980	----	----	469.60B/318.40A	469.60B/318.40A	----	411.90 + 92.20	.6760	----	----	----	----	28 UNCH
4985	----	----	472.40B/321.30A	472.40B/321.30A	----	415.40 + 92.60	.6791	----	----	----	----	9 UNCH
4990	----	----	477.90B/324.50A	477.90B/324.50A	----	419.00 + 93.00	.6821	----	----	----	----	292 UNCH
4995	----	----	481.30B/327.50A	481.30B/327.50A	----	422.50 + 93.30	.6851	----	----	----	----	11 UNCH
5000	----	----	489.40B/330.80A	489.40B/330.80A	----	426.10 + 93.70	.6881	----	----	----	----	1892 UNCH
5005	----	----	489.60B/333.80A	489.60B/333.80A	----	429.70 + 94.10	.6910	----	----	----	----	304 UNCH
5010	----	----	492.10B/337.00A	492.10B/337.00A	----	433.30 + 94.50	.6940	----	----	----	----	11 UNCH
5015	----	----	497.20B/340.20A	497.20B/340.20A	----	436.90 + 94.90	.6969	----	----	----	----	49 UNCH
5020	----	----	501.20B/343.40A	501.20B/343.40A	----	440.60 + 95.30	.6999	----	----	----	----	31 UNCH
5025	----	----	505.20B/346.80A	505.20B/346.80A	----	444.20 + 95.60	.7028	----	----	----	----	55 UNCH
5030	----	----	508.20B/349.90A	508.20B/349.90A	----	447.90 + 96.00	.7057	----	----	----	----	68 UNCH
5035	----	----	512.20B/353.30A	512.20B/353.30A	----	451.60 + 96.40	.7085	----	----	----	----	13 UNCH
5040	----	----	516.50B/356.60A	516.50B/356.60A	----	455.40 + 96.90	.7113	----	----	----	----	18 UNCH
5045	----	----	520.30B/359.90A	520.30B/359.90A	----	459.10 + 97.20	.7141	----	----	----	----	6 UNCH
5050	----	----	529.10B/363.20A	529.10B/363.20A	----	462.90 + 97.70	.7169	----	----	----	----	804 UNCH
5055	----	----	528.40B/366.40A	528.40B/366.40A	----	466.70 + 98.10	.7196	----	----	----	----	63 UNCH
5060	----	----	532.50B/369.80A	532.50B/369.80A	----	470.50 + 98.50	.7224	----	----	----	----	64 UNCH
5065	----	----	536.60B/373.40A	536.60B/373.40A	----	474.30 + 98.80	.7250	----	----	----	----	9 UNCH
5070	----	----	540.70B/376.60A	540.70B/376.60A	----	478.20 + 99.30	.7278	----	----	----	----	52 UNCH
5075	----	----	544.80B/380.00A	544.80B/380.00A	----	482.00 + 99.60	.7304	----	----	----	----	27 UNCH
5080	----	----	549.00B/383.40A	549.00B/383.40A	----	485.90 + 00.10	.7331	----	----	----	----	29 UNCH
5085	----	----	553.10B/386.80A	553.10B/386.80A	----	489.80 + 00.50	.7357	----	----	----	----	123 UNCH
5090	----	----	557.30B/390.30A	557.30B/390.30A	----	493.70 + 00.90	.7382	----	----	----	----	109 UNCH
5095	----	----	561.50B/393.70A	561.50B/393.70A	----	497.60 + 01.20	.7408	----	----	10	----	111 UNCH
5100	----	----	567.00B/397.20A	567.00B/397.20A	----	501.60 + 01.70	.7434	----	----	----	----	457 UNCH
5105	----	----	569.80B/400.70A	569.80B/400.70A	----	505.50 + 02.00	.7459	----	----	----	----	38 UNCH
5110	----	----	574.00B/404.20A	574.00B/404.20A	----	509.40 + 02.30	.7484	----	----	----	----	74 UNCH
5115	----	----	578.30B/407.80A	578.30B/407.80A	----	513.40 + 02.70	.7510	----	----	----	----	14 UNCH
5120	----	----	582.50B/411.40A	582.50B/411.40A	----	517.40 + 03.10	.7535	----	----	----	----	25 UNCH
5125	----	----	587.00B/414.90A	587.00B/414.90A	----	521.30 + 03.40	.7560	----	----	----	----	192 UNCH
5130	----	----	590.90B/418.50A	590.90B/418.50A	----	525.30 + 03.80	.7584	----	----	----	----	26 UNCH
5135	----	----	595.20B/422.10A	595.20B/422.10A	----	529.30 + 04.10	.7609	----	----	----	----	37 UNCH
5140	----	----	599.40B/425.80A	599.40B/425.80A	----	533.30 + 04.40	.7633	----	----	----	----	14 UNCH
5145	----	----	603.70B/429.40A	603.70B/429.40A	----	537.30 + 04.70	.7657	----	----	----	----	39 UNCH
5150	----	----	608.00B/433.10A	608.00B/433.10A	----	541.40 + 05.10	.7680	----	----	----	----	390 UNCH
5155	----	----	612.20B/436.70A	612.20B/436.70A	----	545.40 + 05.40	.7705	----	----	----	----	38 UNCH
5160	----	----	616.50B/440.30A	616.50B/440.30A	----	549.50 + 05.80	.7728	----	----	----	----	70 UNCH
5165	----	----	620.90B/444.10A	620.90B/444.10A	----	553.50 + 06.00	.7752	----	----	----	----	47 UNCH
5170	----	----	628.70B/447.80A	628.70B/447.80A	----	557.60 + 06.40	.7775	----	----	----	----	504 UNCH
5175	----	----	629.50B/451.10A	629.50B/451.10A	----	561.70 + 06.70	.7798	----	----	----	----	15 UNCH
5180	----	----	633.70B/455.30A	633.70B/455.30A	----	565.80 + 07.00	.7821	----	----	----	----	19 UNCH
5185	----	----	638.20B/458.60A	638.20B/458.60A	----	569.90 + 07.30	.7844	----	----	----	----	22 UNCH
5190	----	----	642.40B/462.80A	642.40B/462.80A	----	574.00 + 07.60	.7866	----	----	----	----	5 UNCH
5195	----	----	646.80B/466.60A	646.80B/466.60A	----	578.20 + 08.00	.7889	----	----	----	----	8 UNCH
5200	----	----	654.50B/470.40A	654.50B/470.40A	----	582.30 + 08.20	.7910	----	----	----	----	612 UNCH
5205	----	----	655.90B/473.80A	655.90B/473.80A	----	586.50 + 08.60	.7932	----	----	----	----	36 UNCH
5210	----	----	660.20B/478.00A	660.20B/478.00A	----	590.70 + 08.90	.7953	----	----	----	----	68 UNCH
5215	----	----	664.30B/481.50A	664.30B/481.50A	----	594.90 + 09.20	.7974	----	----	----	----	42 UNCH
5220	----	----	668.70B/485.30A	668.70B/485.30A	----	599.10 + 09.50	.7996	----	----	----	----	188 UNCH
5225	----	----	673.80B/489.20A	673.80B/489.20A	----	603.30 + 09.80	.8015	----	----	----	----	200 UNCH
5230	----	----	677.50B/493.10A	677.50B/493.10A	----	607.50 + 10.10	.8037	----	----	----	----	7 UNCH
5235	----	----	682.60B/497.00A	682.60B/497.00A	----	611.80 + 10.50	.8056	----	----	----	----	160 UNCH
5245	----	----	691.70B/504.80A	691.70B/504.80A	----	620.30 + 11.10	.8097	----	----	----	----	9 UNCH
5250	----	----	695.90B/508.70A	695.90B/508.70A	----	624.50 + 11.30	.8117	----	----	----	----	332 UNCH
5255	----	----	700.30B/512.70A	700.30B/512.70A	----	628.80 + 11.60	.8136	----	----	----	----	9 UNCH
5260	----	----	704.80B/516.60A	704.80B/516.60A	----	633.10 + 11.90	.8156	----	----	----	----	11 UNCH
5265	----	----	709.30B/520.60A	709.30B/520.60A	----	637.40 + 12.20	.8175	----	----	----	----	5 UNCH
5270	----	----	713.70B/524.60A	713.70B/524.60A	----	641.70 + 12.50	.8195	----	----	----	----	24 UNCH
5275	----	----	718.20B/528.80A	718.20B/528.80A	----	646.00 + 12.80	.8214	----	----	----	----	170 UNCH
5280	----	----	722.70B/532.60A	722.70B/532.60A	----	650.30 + 13.00	.8232	----	----	----	----	67 UNCH
5285	----	----	727.20B/536.60A	727.20B/536.60A	----	654.70 + 13.40	.8251	----	----	----	----	27 UNCH
5290	----	----	731.10B/540.50A	731.10B/540.50A	----	659.00 + 13.60	.8269	----	----	----	----	2 UNCH
5300	----	----	740.70B/548.70A	740.70B/548.70A	----	667.70 + 14.10	.8305	----	----	----	----	161 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
5305	----	----	744.20B/552.80A	744.20B/552.80A	----	672.00 + 14.30	.8323	----	----	----	----	104 UNCH
5320	----	----	757.70B/565.20A	757.70B/565.20A	----	685.10 + 15.00	.8377	----	----	----	----	108 UNCH
5325	----	----	762.20B/569.30A	762.20B/569.30A	----	689.50 + 15.20	.8394	----	----	----	----	1 UNCH
5335	----	----	771.70B/577.60A	771.70B/577.60A	----	698.30 + 15.70	.8427	----	----	----	----	5 UNCH
5340	----	----	776.30B/581.70A	776.30B/581.70A	----	702.70 + 15.90	.8444	----	----	----	----	52 UNCH
5345	----	----	780.70B/585.90A	780.70B/585.90A	----	707.20 + 16.20	.8462	----	----	----	----	1 UNCH
5350	----	----	785.40B/590.10A	785.40B/590.10A	----	711.60 + 16.40	.8477	----	----	----	----	108 UNCH
5365	----	----	798.80B/602.80A	798.80B/602.80A	----	724.90 + 17.00	.8527	----	----	----	----	4 UNCH
5370	----	----	803.40B/606.90A	803.40B/606.90A	----	729.40 + 17.20	.8542	----	----	----	----	37 UNCH
5375	----	----	807.80B/611.30A	807.80B/611.30A	----	733.80 + 17.30	.8557	----	----	----	----	1 UNCH
5380	----	----	812.40B/615.40A	812.40B/615.40A	----	738.30 + 17.60	.8572	----	----	----	----	2 UNCH
5385	----	----	817.10B/619.80A	817.10B/619.80A	----	742.80 + 17.80	.8588	----	----	----	----	10 UNCH
5390	----	----	821.90B/623.90A	821.90B/623.90A	----	747.30 + 18.00	.8603	----	----	----	----	2 UNCH
5395	----	----	826.70B/628.20A	826.70B/628.20A	----	751.80 + 18.20	.8618	----	----	----	----	156 UNCH
5400	----	----	831.90B/632.50A	831.90B/632.50A	----	756.30 + 18.40	.8633	----	----	----	----	444 UNCH
5420	----	----	848.50B/649.60A	848.50B/649.60A	----	774.40 + 19.10	.8689	----	----	----	----	10 UNCH
5425	----	----	853.00B/653.90A	853.00B/653.90A	----	779.00 + 19.30	.8702	----	----	----	----	1 UNCH
5430	----	----	858.80B/658.40A	858.80B/658.40A	----	783.50 + 19.50	.8717	----	----	----	----	31 UNCH
5435	----	----	862.40B/662.60A	862.40B/662.60A	----	788.10 + 19.70	.8730	----	----	----	----	10 UNCH
5440	----	----	868.10B/667.10A	868.10B/667.10A	----	792.60 + 19.80	.8742	----	----	----	----	20 UNCH
5470	----	----	896.30B/693.40A	896.30B/693.40A	----	820.20 + 20.90	.8819	----	----	----	----	1 UNCH
5490	----	----	914.90B/711.10A	914.90B/711.10A	----	838.70 + 21.60	.8867	----	----	----	----	166 UNCH
5500	----	----	924.30B/720.00A	924.30B/720.00A	----	847.90 + 21.80	.8890	----	----	----	----	52 UNCH
5525	----	----	946.70B/742.50A	946.70B/742.50A	----	871.20 + 22.60	.8943	----	----	----	----	2 UNCH
5575	----	----	994.10B/787.80A	994.10B/787.80A	----	918.20 + 24.10	.9042	----	----	----	----	2 UNCH
5590	----	----	1,008.40B/801.5	1008.40B/801.50A	----	932.30 + 24.40	.9069	----	----	----	----	77 UNCH
5595	----	----	1,014.40B/806.1	1014.40B/806.10A	----	937.00 + 24.50	.9079	----	----	----	----	1 UNCH
5600	----	----	1,019.10B/810.7	1019.10B/810.70A	----	941.80 + 24.70	.9089	----	----	----	----	8 UNCH
5640	----	----	1,057.20B/847.7	1057.20B/847.70A	----	979.60 + 25.40	.9157	----	----	----	----	9 UNCH
5800	----	----	1,211.30B/998.4	1211.30B/998.40A	----	1133.00 + 27.80	.9380	----	----	----	----	6 UNCH
6000	----	----	1,405.20B/1,191	1405.20B/1191.20A	----	1327.70 + 29.50	.9569	----	----	----	----	4 UNCH
6100	----	----	1,503.40B/1,288	1503.40B/1288.80A	----	1425.80 + 30.00	.9637	----	----	----	----	3 UNCH
6675	----	----	----	----	----	1996.50 + 32.80	.9820	----	----	----	----	2 UNCH
10000	----	----	----	----	----	5320.30 + 33.40	1.0000	----	----	----	----	0 UNCH
TOTAL										2683	100	81390 + 377
JUL26												
2275	2.70	2.70	#2.90/2.60	#2.90/1.90A	----	2.00 + 0.60	.0040	----	----	32	----	20 - 15
2300	----	----	2.10B/----	2.10B/2.00A	----	2.20 + 0.70	.0044	----	----	6	----	96 UNCH
2400	----	----	2.50B/----	2.50B/2.30A	----	2.70 + 0.80	.0055	----	----	----	----	2 UNCH
2500	----	----	3.00B/----	3.00B/2.80A	----	3.10 + 0.90	.0065	----	----	3	----	192 UNCH
2575	----	----	3.40B/----	3.40B/3.10A	----	3.40 + 0.90	.0073	----	----	----	----	1 UNCH
2600	----	----	3.60B/----	3.60B/3.20A	----	3.60 + 1.00	.0078	----	----	----	----	12 UNCH
2620	----	----	3.70B/----	3.70B/3.40A	----	3.60 + 1.00	.0078	----	----	----	----	1 UNCH
2650	----	----	3.90B/----	3.90B/3.50A	----	3.80 + 1.00	.0083	----	----	----	----	52 UNCH
2670	----	----	4.00B/----	4.00B/3.60A	----	3.90 + 1.10	.0086	----	----	----	----	10 UNCH
2675	----	----	4.10B/----	4.10B/3.70A	----	3.90 + 1.00	.0086	----	----	----	----	10 UNCH
2680	----	----	4.10B/----	4.10B/3.70A	----	3.90 + 1.00	.0087	----	----	----	----	10 UNCH
2700	----	----	4.30B/----	4.30B/3.80A	----	4.10 + 1.10	.0091	----	----	----	----	3 UNCH
2730	----	----	4.50B/----	4.50B/4.00A	----	4.20 + 1.10	.0094	----	----	----	----	1 UNCH
2750	----	----	4.70B/----	4.70B/4.10A	----	4.40 + 1.10	.0099	----	----	----	----	19 UNCH
2785	----	----	5.00B/----	5.00B/4.40A	----	4.60 + 1.10	.0105	----	----	----	----	2 UNCH
2800	----	----	5.20B/----	5.20B/4.50A	----	4.70 + 1.20	.0107	----	----	----	----	5 UNCH
2850	----	----	5.70B/----	5.70B/4.90A	----	5.10 + 1.20	.0118	----	----	----	----	1 UNCH
2860	----	----	5.80B/----	5.80B/5.00A	----	5.10 + 1.20	.0119	----	----	1	----	5 + 1
2890	----	----	6.20B/----	6.20B/5.30A	----	5.40 + 1.20	.0126	----	----	----	----	60 UNCH
2895	----	----	6.30B/----	6.30B/5.30A	----	5.40 + 1.20	.0127	----	----	----	----	18 UNCH
2900	----	----	6.40B/----	6.40B/5.40A	----	5.50 + 1.30	.0129	----	----	----	----	6 UNCH
2905	----	----	6.40B/----	6.40B/5.40A	----	5.50 + 1.20	.0129	----	----	----	----	19 UNCH
2920	----	----	6.60B/----	6.60B/5.60A	----	5.70 NEW	.0134	----	----	1	----	1 + 1
2950	----	----	7.00B/----	7.00B/5.80A	----	6.00 + 1.30	.0142	----	----	----	----	32 UNCH
2995	----	----	7.70B/----	7.70B/6.40A	----	6.50 + 1.40	.0155	----	----	----	----	16 UNCH
3000	8.00	8.00	8.00/8.00	8.00/6.40A	----	6.50 + 1.40	.0155	----	----	1	----	58 + 1
3015	----	----	8.00B/----	8.00B/6.60A	----	6.70 + 1.40	.0160	----	----	----	----	5 UNCH
3025	----	----	8.20B/----	8.20B/6.70A	----	6.90 + 1.50	.0165	----	----	----	----	1 UNCH
3035	----	----	8.40B/----	8.40B/6.90A	----	7.00 + 1.50	.0168	----	----	----	----	5 UNCH
3100	----	----	9.70B/----	9.70B/7.80A	----	8.00 + 1.80	.0193	----	----	----	----	43 UNCH
3105	----	----	9.70B/----	9.70B/7.80A	----	8.10 + 1.90	.0196	----	----	----	----	1 UNCH
3125	----	----	10.20B/----	10.20B/8.20A	----	8.40 + 1.90	.0204	----	----	----	----	44 UNCH
3140	----	----	10.50B/----	10.50B/8.40A	----	8.70 + 2.00	.0211	----	----	----	----	1 UNCH
3150	----	----	10.80B/----	10.80B/8.60A	----	8.90 + 2.10	.0216	----	----	----	----	12 UNCH
3155	----	----	10.90B/----	10.90B/8.60A	----	9.00 + 2.10	.0218	----	----	----	----	1 UNCH
3200	10.40	10.40	12.10B/10.40	12.10B/9.40A	----	10.00 + 2.50	.0243	----	----	1	----	112 + 1
3210	----	----	12.30B/----	12.30B/9.60A	----	10.30 + 2.70	.0250	----	----	----	----	1 UNCH
3220	----	----	12.60B/----	12.60B/9.80A	----	10.50 + 2.70	.0255	----	----	----	----	1 UNCH
3225	11.40	11.40	12.70B/11.40	12.70B/9.90A	----	10.70 + 2.90	.0259	----	----	31	----	70 UNCH
3250	----	----	13.50B/----	13.50B/10.40A	----	11.30 + 3.10	.0274	----	----	----	----	65 UNCH
3275	----	----	14.20B/----	14.20B/11.00A	----	12.00 + 3.40	.0291	----	----	----	----	10 UNCH
3290	----	----	14.70B/----	14.70B/11.30A	----	12.50 + 3.60	.0302	----	----	----	----	10 UNCH
3300	----	----	15.10B/----	15.10B/11.40A	----	12.80 + 3.70	.0309	----	----	----	----	55 UNCH
3320	----	----	15.80B/----	15.80B/11.90A	----	13.50 + 4.10	.0326	----	----	----	----	1 UNCH
3325	----	----	16.00B/----	16.00B/12.00A	----	13.60 + 4.10	.0328	----	----	----	----	147 UNCH
3335	----	----	16.30B/----	16.30B/12.30A	----	14.00 + 4.30	.0337	----	----	----	----	86 UNCH
3340	----	----	16.50B/----	16.50B/12.40A	----	14.20 + 4.40	.0342	----	----	----	----	1 UNCH
3350	----	----	17.00B/----	17.00B/12.50A	----	14.50 + 4.50	.0349	----	----	14	----	28 + 6
3355	----	----	17.10B/----	17.10B/12.70A	----	14.70 + 4.60	.0354	----	----	----	----	69 UNCH
3360	----	----	17.30B/----	17.30B/12.90A	----	14.90 + 4.70	.0358	----	----	----	----	3 UNCH
3370	----	----	17.70B/----	17.70B/13.10A	----	15.20 + 4.80	.0366	----	----	----	----	9 UNCH
3380	----	----	18.10B/----	18.10B/13.30A	----	15.60 + 5.00	.0375	----	----	----	----	2 UNCH
3385	----	----	18.30B/----	18.30B/13.30A	----	15.80 + 5.00	.0380	----	----	----	----	4 UNCH
3390	----	----	18.50B/----	18.50B/13.60A	----	16.00 + 5.10	.0384	----	----	----	----	1 UNCH
3395	----	----	18.70B/----	18.70B/13.60A	----	16.20 + 5.20	.0389	----	----	----	----	31 UNCH
3400	18.70	18.70	19.00B/18.60	19.00B/13.80A	----	16.40 + 5.30	.0394	----	----	3	----	47 UNCH
3410	----	----	19.40B/----	19.40B/14.10A	----	16.80 + 5.50	.0403	----	----	----	----	5 UNCH
3425	----	----	20.10B/----	20.10B/14.50A	----	17.40 + 5.70	.0417	----	----	----	----	56 UNCH
3435	----	----	20.50B/----	20.50B/14.80A	----	17.80 + 5.90	.0426	----	----	----	----	5 UNCH
3445	----	----	21.00B/----	21.00B/15.10A	----	18.30 + 6.10	.0437	----	----	----	----	1 UNCH
3450	----	----	21.30B/----	21.30B/15.20A	----	18.50 + 6.20	.0442	----	----	----	----	140 UNCH
3455	----	----	21.50B/----	21.50B/15.40A	----	18.70 + 6.20	.0447	----	----	----	----	10 UNCH
3460	----	----	21.80B/----	21.80B/15.60A	----	18.90 + 6.30	.0452	----	----	----	----	10 UNCH
3465	----	----	22.00B/----	22.00B/15.70A	----	19.10 + 6.40	.0457	----	----	----	----	142 UNCH
3475	----	----	22.50B/----	22.50B/16.00A	----	19.60 + 6.60	.0468	----	----	1	----	133 + 1
3480	----	----	22.80B/----	22.80B/16.10A	----	19.80 + 6.60	.0473	----	----	----	----	36 UNCH
3495	----	----	23.80B/----	23.80B/16.70A	----	20.50 + 6.90	.0489	----	----	----	----	5 UNCH
3500	17.90	17.90	24.10B/17.90	24.10B/16.80A	----	20.80 + 7.00	.0496	----	----	16	----	576 + 3
3505	----	----	24.40B/----	24.40B/16.90A	----	21.00 + 7.10	.0501	----	----	3	----	9 + 3
3510	----	----	24.70B/----	24.70B/17.20A	----	21.30 + 7.20	.0507	----	----	----	----	5 UNCH
3515	----	----	24.80B/----	24.80B/17.40A	----	21.50 + 7.30	.0512	----	----	----	----	6 UNCH
3525	----	----	25.50B/----	25.50B/17.70A	----	22.00 + 7.50	.0524	----	----	----	----	3 UNCH
3530	----	----	25.80B/----	25.80B/17.90A	----	22.30 + 7.60	.0530	----	----	----	----	168 UNCH
3535	----	----	26.00B/----	26.00B/18.10A	----	22.50 + 7.60	.0535	----	----	----	----	31 UNCH
3545	----	----	26.70B/----	26.70B/18.50A	----	23.10 + 7.90	.0549	----	----	6	----	256 - 6
3550	----	----	27.10B/----	27.10B/18.60A	----	23.30 + 7.90	.0554	----	----	----	----	149 UNCH
3580	----	----	29.00B/----	29.00B/19.80A	----	25.00 + 8.50	.0592	----	----	----	----	5 UNCH
3590	----	----	29.80B/----	29.80B/20.10A	----	25.60 + 8.70	.0606	----	----	----	----	16 UNCH
3600	----	----	30.50B/----	30.50B/20.10A	----	26.20 + 9.00	.0619	----	----	7	----	52 - 3
3605	----	----	30.90B/----	30.90B/20.80A	----	26.50 + 9.10	.0626	----	----	----	----	5 UNCH
3620	----	----	32.00B/----	32.00B/21.50A	----	27.40 + 9.30	.0647	----	----	----	----	12 UNCH
3625	----	----	32.40B/----	32.40B/21.70A	----	27.70 + 9.40	.0654	----	----	----	----	11 UNCH
3630	----	----	32.60B/----	32.60B/21.90A	----	28.00 + 9.50	.0661	----	----	----	----	3 UNCH
3635	----	----	33.20B/----	33.20B/21.20A	----	28.30 + 9.60	.0668	----	----	----	----	3 UNCH
3640	----	----	33.50B/----	33.50B/22.40A	----	28.70 + 9.80	.0676	----	----	----	----	5 UNCH
3645	----	----	33.90B/----	33.90B/22.60A	----	29.00 + 9.90	.0683	----	----	----	----	1 UNCH
3650	----	----	34.00B/----	34.00B/22.70A	----	29.30 + 9.90	.0690	----	----	----	----	98 UNCH
3655	----	----	34.30B/----	34.30B/22.00A	----	29.70 + 10.10	.0699	----	----	----	----	6 UNCH
3660	----	----	34.70B/----	34.70B/22.00A	----	30.00 + 10.20	.0706	----	----	----	----	22 UNCH
3665	----	----	35.10B/----	35.10B/22.30A	----	30.40 + 10.30	.0714	----	----	----	----	2 UNCH
3670	----	----	35.50B/----	35.50B/22.40A	----	30.70 + 10.40	.0721	----	----	----	----	110 UNCH
3675	----	----	36.00B/----	36.00B/22.70A	----	31.10 + 10.60	.0730	----	----	----	----	3 UNCH
3680	----	----	36.40B/----	36.40B/22.90A	----	31.40 + 10.60	.0737	----	----	----	----	5 UNCH
3685	----	----	36.80B/----	36.80B/23.20A	----	31.80 + 10.80	.0746	----	----	----	----	10 UNCH
3690	----	----	37.30B/----	37.30B/23.40A	----	32.10 + 10.80	.0753	----	----	----	----	50 UNCH
3695	----	----	37.70B/----	37.70B/23.70A	----	32.50 + 11.00	.0762	----	----	1	----	142 + 1
3700	31.00	31.00	38.20B/31.00	38.20B/23.90A	----	32.90 + 11.10	.0770	----	----	5	----	419 - 2
3705	----	----	38.60B/----	38.60B/24.20A	----	33.30 + 11.30	.0779	----	----	----	----	20 UNCH
3715	----	----	39.50B/----	39.50B/24.80A	----	34.00 + 11.50	.0795	----	----	----	----	30 UNCH
3720	----	----	40.00B/----	40.00B/25.00A	----	34.40 + 11.60	.0804	----	----	----	----	18 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
3725	----	----	40.40B/----	40.40B/25.30A	----	34.80 + 11.70	.0813	----	----	----	----	5 UNCH
3730	----	----	40.90B/----	40.90B/25.60A	----	35.20 + 11.90	.0821	----	----	----	----	3 UNCH
3735	----	----	41.40B/----	41.40B/25.90A	----	35.70 + 12.10	.0832	----	----	----	----	30 UNCH
3740	----	----	41.80B/----	41.80B/26.10A	----	36.10 + 12.20	.0841	----	----	----	----	20 UNCH
3750	----	----	42.90B/----	42.90B/26.30A	----	36.90 + 12.40	.0858	----	----	----	----	549 UNCH
3760	----	----	43.80B/----	43.80B/26.80A	----	37.80 + 12.70	.0878	----	----	----	----	2 UNCH
3765	----	----	44.30B/----	44.30B/27.50A	----	38.20 + 12.90	.0887	----	----	----	----	32 UNCH
3770	----	----	44.90B/----	44.90B/27.40A	----	38.70 + 13.10	.0897	----	----	----	----	120 UNCH
3775	----	----	45.40B/----	45.40B/27.70A	----	39.10 + 13.20	.0906	----	----	----	----	61 UNCH
3780	----	----	45.90B/----	45.90B/28.20A	----	39.60 + 13.30	.0916	----	----	----	----	1 UNCH
3785	----	----	46.50B/----	46.50B/28.30A	----	40.00 + 13.40	.0926	----	----	----	----	5 UNCH
3790	----	----	47.00B/----	47.00B/28.60A	----	40.50 + 13.60	.0936	----	----	----	----	40 UNCH
3795	----	----	47.50B/----	47.50B/29.00A	----	41.00 + 13.80	.0946	----	----	----	----	36 UNCH
3800	----	----	48.20B/----	48.20B/29.30A	----	41.40 + 13.90	.0956	----	----	3	----	685 - 2
3810	----	----	49.20B/----	49.20B/30.00A	----	42.40 + 14.20	.0977	----	----	----	----	16 UNCH
3815	----	----	49.80B/----	49.80B/30.50A	----	42.90 + 14.40	.0987	----	----	----	----	14 UNCH
3820	42.30	42.30	50.40B/42.30	50.40B/30.70A	----	43.40 + 14.60	.0998	----	----	3	----	6 + 1
3825	----	----	51.00B/----	51.00B/31.00A	----	43.90 + 14.70	.1009	----	----	----	----	9 UNCH
3830	----	----	51.60B/----	51.60B/31.40A	----	44.40 + 14.90	.1019	----	----	----	----	24 UNCH
3835	----	----	52.20B/----	52.20B/31.80A	----	44.90 + 15.00	.1030	----	----	----	----	1 UNCH
3840	----	----	52.80B/----	52.80B/32.10A	----	45.40 + 15.20	.1041	----	----	----	----	32 UNCH
3845	----	----	53.40B/----	53.40B/32.50A	----	46.00 + 15.40	.1053	----	----	----	----	13 UNCH
3850	----	----	54.10B/----	54.10B/32.70A	----	46.50 + 15.50	.1063	----	----	----	----	206 UNCH
3860	----	----	55.30B/----	55.30B/33.60A	----	47.60 + 15.90	.1086	----	----	----	----	27 UNCH
3875	----	----	57.30B/----	57.30B/34.80A	----	49.20 + 16.40	.1120	----	----	----	----	108 UNCH
3880	----	----	58.10B/----	58.10B/35.20A	----	49.80 + 16.60	.1132	----	----	----	----	13 UNCH
3885	----	----	59.00B/----	59.00B/35.60A	----	50.40 + 16.80	.1145	----	----	----	----	5 UNCH
3890	----	----	59.20B/----	59.20B/36.00A	----	51.00 + 17.00	.1157	----	----	----	----	4 UNCH
3895	----	----	60.10B/----	60.10B/36.40A	----	51.50 + 17.10	.1168	----	----	----	----	1 UNCH
3900	----	----	60.70B/----	60.70B/36.60A	----	52.10 + 17.30	.1180	----	----	5	55	279 - 52
3905	----	----	61.30B/----	61.30B/37.30A	----	52.70 + 17.50	.1193	----	----	----	----	10 UNCH
3910	----	----	62.30B/----	62.30B/37.60A	----	53.30 + 17.60	.1205	----	----	----	----	54 UNCH
3920	----	----	63.70B/----	63.70B/38.60A	----	54.60 + 18.10	.1231	----	----	----	----	1 UNCH
3925	----	----	64.60B/----	64.60B/38.90A	----	55.20 + 18.30	.1244	----	----	----	----	48 UNCH
3930	----	----	65.20B/----	65.20B/39.50A	----	55.80 + 18.40	.1256	----	----	----	----	34 UNCH
3935	----	----	65.80B/----	65.80B/40.00A	----	56.40 + 18.60	.1269	----	----	----	----	7 UNCH
3940	----	----	66.50B/----	66.50B/40.40A	----	57.10 + 18.80	.1282	----	----	----	----	20 UNCH
3945	----	----	67.20B/----	67.20B/41.00A	----	57.70 + 19.00	.1295	----	----	----	----	20 UNCH
3950	----	----	67.90B/----	67.90B/41.40A	----	58.40 + 19.20	.1309	----	----	1	----	604 UNCH
3955	----	----	68.70B/----	68.70B/41.90A	----	59.00 + 19.40	.1321	----	----	----	----	25 UNCH
3960	----	----	69.50B/----	69.50B/42.40A	----	59.70 + 19.60	.1335	----	----	----	----	16 UNCH
3965	----	----	70.20B/----	70.20B/42.90A	----	60.40 + 19.80	.1349	----	----	----	----	5 UNCH
3970	----	----	70.90B/----	70.90B/43.40A	----	61.10 + 20.00	.1363	----	----	1	----	2 + 1
3975	----	----	71.80B/----	71.80B/43.80A	----	61.70 + 20.10	.1376	----	----	----	----	21 UNCH
3980	----	----	72.50B/----	72.50B/44.10A	----	62.40 + 20.40	.1390	----	----	----	----	3 UNCH
3985	----	----	73.20B/----	73.20B/44.60A	----	63.10 + 20.60	.1404	----	----	----	----	136 UNCH
3990	----	----	74.20B/----	74.20B/45.20A	----	63.80 + 20.80	.1418	----	----	----	----	40 UNCH
3995	----	----	75.00B/----	75.00B/45.60A	----	64.50 + 20.90	.1432	----	----	----	----	13 UNCH
4000	----	----	75.90B/----	75.90B/46.20A	----	65.30 + 21.20	.1447	----	----	119	----	663 - 13
4005	63.30	63.30	76.70B/63.30	76.70B/46.70A	----	66.00 + 21.40	.1461	----	----	19	----	85 + 1
4010	----	----	77.70B/----	77.70B/47.30A	----	66.70 + 21.60	.1476	----	----	----	----	3 UNCH
4015	----	----	78.40B/----	78.40B/47.70A	----	67.50 + 21.90	.1491	----	----	----	----	34 UNCH
4020	----	----	79.30B/----	79.30B/48.40A	----	68.20 + 22.00	.1505	----	----	----	----	90 UNCH
4025	----	----	80.20B/----	80.20B/48.90A	----	69.00 + 22.30	.1521	----	----	----	----	17 UNCH
4030	----	----	81.00B/----	81.00B/49.40A	----	69.70 + 22.40	.1535	----	----	----	----	32 UNCH
4035	----	----	81.90B/----	81.90B/50.00A	----	70.50 + 22.70	.1550	----	----	----	----	2 UNCH
4040	----	----	82.90B/----	82.90B/50.60A	----	71.30 + 22.90	.1566	----	----	----	----	1 UNCH
4045	----	----	83.80B/----	83.80B/51.20A	----	72.10 + 23.10	.1581	----	----	----	----	20 UNCH
4050	----	----	84.80B/----	84.80B/51.80A	----	72.90 + 23.40	.1597	----	----	----	----	46 UNCH
4055	----	----	85.50B/----	85.50B/52.30A	----	73.70 + 23.60	.1613	----	----	----	----	31 UNCH
4065	----	----	87.60B/----	87.60B/53.50A	----	75.30 + 24.00	.1644	----	----	----	----	3 UNCH
4070	----	----	88.50B/----	88.50B/54.10A	----	76.10 + 24.20	.1660	----	----	----	----	12 UNCH
4075	----	----	89.50B/----	89.50B/55.10A	----	76.90 + 24.40	.1675	----	----	----	----	7 UNCH
4080	----	----	90.50B/----	90.50B/55.60A	----	77.80 + 24.70	.1692	----	----	----	----	5 UNCH
4095	----	----	93.50B/----	93.50B/57.40A	----	80.40 + 25.40	.1742	----	----	----	----	1 UNCH
4100	----	----	94.60B/----	94.60B/58.20A	----	81.20 + 25.50	.1758	----	----	2	----	316 - 2
4105	----	----	95.50B/----	95.50B/58.70A	----	82.10 + 25.80	.1775	----	----	----	----	9 UNCH
4110	----	----	96.60B/----	96.60B/59.10A	----	83.00 + 26.00	.1792	----	----	----	----	11 UNCH
4115	----	----	97.50B/----	97.50B/59.70A	----	83.90 + 26.30	.1809	----	----	----	----	5 UNCH
4120	----	----	98.80B/----	98.80B/60.40A	----	84.80 + 26.50	.1826	----	----	----	----	6 UNCH
4125	----	----	99.80B/----	99.80B/61.00A	----	85.70 + 26.70	.1843	----	----	----	----	72 UNCH
4130	----	----	100.90B/----	100.90B/61.60A	----	86.60 + 26.90	.1860	----	----	----	----	65 UNCH
4140	----	----	103.00B/----	103.00B/63.20A	----	88.50 + 27.40	.1896	----	----	----	----	4 UNCH
4145	89.00	89.00	104.20B/89.00	104.20B/64.00A	----	89.50 + 27.70	.1914	----	----	35	----	242 - 16
4150	----	----	105.40B/----	105.40B/64.90A	----	90.40 + 27.90	.1931	----	----	----	----	132 UNCH
4155	----	----	106.40B/----	106.40B/65.40A	----	91.40 + 28.10	.1949	----	----	1	----	5 UNCH
4160	----	----	107.20B/----	107.20B/66.10A	----	92.40 + 28.40	.1968	----	----	----	----	4 UNCH
4165	----	----	108.70B/----	108.70B/67.00A	----	93.40 + 28.70	.1986	----	----	----	----	51 UNCH
4170	----	----	109.90B/----	109.90B/67.70A	----	94.40 + 28.90	.2005	----	----	----	----	1 UNCH
4175	----	----	111.20B/----	111.20B/68.40A	----	95.40 + 29.20	.2023	----	----	1	----	41 + 1
4190	----	----	114.70B/----	114.70B/70.30A	----	98.50 + 29.90	.2080	----	----	----	----	129 UNCH
4195	----	----	115.90B/----	115.90B/71.50A	----	99.50 + 30.10	.2098	----	----	----	----	65 UNCH
4200	----	----	117.30B/----	117.30B/72.90A	----	100.60 + 30.40	.2118	----	----	3	----	385 UNCH
4205	----	----	118.40B/----	118.40B/73.20A	----	101.60 + 30.60	.2137	----	----	----	----	4 UNCH
4210	----	----	119.60B/----	119.60B/74.40A	----	102.70 + 30.90	.2156	----	----	----	----	67 UNCH
4215	----	----	120.90B/----	120.90B/74.90A	----	103.80 + 31.20	.2176	----	----	----	----	33 UNCH
4220	----	----	122.10B/----	122.10B/76.10A	----	104.90 + 31.40	.2196	----	----	----	----	75 UNCH
4225	----	----	123.20B/----	123.20B/76.50A	----	106.00 + 31.70	.2215	----	----	----	----	33 UNCH
4230	----	----	124.80B/----	124.80B/77.50A	----	107.10 + 31.90	.2235	----	----	----	----	8 UNCH
4235	108.30	108.30	126.10B/108.30	126.10B/78.20A	----	108.20 + 32.20	.2255	----	----	1	----	42 UNCH
4240	----	----	127.40B/----	127.40B/79.70A	----	109.40 + 32.50	.2276	----	----	----	----	33 UNCH
4245	----	----	128.80B/----	128.80B/79.50A	----	110.50 + 32.70	.2296	----	----	----	----	1 UNCH
4250	104.00	104.00	130.20B/104.00	130.20B/81.00A	----	111.70 + 33.00	.2316	----	----	103	----	826 + 17
4255	----	----	131.50B/----	131.50B/81.80A	----	112.90 + 33.30	.2337	----	----	----	----	2 UNCH
4260	----	----	133.00B/----	133.00B/82.70A	----	114.00 + 33.50	.2357	----	----	----	----	4 UNCH
4265	----	----	134.30B/----	134.30B/83.80A	----	115.20 + 33.80	.2378	----	----	----	----	12 UNCH
4270	----	----	135.20B/----	135.20B/84.60A	----	116.40 + 34.00	.2399	----	----	1	----	1 - 1
4275	----	----	137.30B/----	137.30B/86.30A	----	117.70 + 34.40	.2421	----	----	1	----	73 - 1
4280	----	----	138.50B/----	138.50B/86.40A	----	118.90 + 34.60	.2442	----	----	----	----	38 UNCH
4285	----	----	140.00B/----	140.00B/88.00A	----	120.10 + 34.90	.2463	----	----	----	----	101 UNCH
4290	----	----	141.40B/----	141.40B/88.60A	----	121.40 + 35.20	.2485	----	----	----	----	33 UNCH
4295	----	----	143.10B/----	143.10B/89.90A	----	122.70 + 35.50	.2507	----	----	----	----	20 UNCH
4300	142.10	142.10	144.50B/142.00	144.50B/90.90A	----	123.90 + 35.70	.2528	----	----	28	----	2193 UNCH
4305	124.70	124.70	145.60B/124.70	145.60B/91.90A	----	125.20 + 36.00	.2550	----	----	5	----	6 + 4
4310	----	----	148.00B/----	148.00B/92.40A	----	126.50 + 36.30	.2572	----	----	----	----	4 UNCH
4315	----	----	148.60B/----	148.60B/94.00A	----	127.80 + 36.60	.2594	----	----	----	----	24 UNCH
4320	----	----	150.40B/----	150.40B/95.00A	----	129.20 + 36.90	.2617	----	----	----	----	1 UNCH
4325	----	----	152.50B/----	152.50B/95.60A	----	130.50 + 37.20	.2639	----	----	----	----	71 UNCH
4330	----	----	153.50B/----	153.50B/96.70A	----	131.90 + 37.50	.2662	----	----	----	----	1 UNCH
4335	----	----	155.90B/----	155.90B/97.70A	----	133.20 + 37.70	.2684	----	----	----	----	111 UNCH
4340	----	----	156.90B/----	156.90B/99.10A	----	134.60 + 38.10	.2707	----	----	----	----	114 UNCH
4345	----	----	158.20B/----	158.20B/100.20A	----	136.00 + 38.40	.2730	----	----	----	----	2 UNCH
4350	157.70	157.70	160.90B/153.70	160.90B/101.40A	----	137.40 + 38.70	.2753	----	----	5	----	303 - 1
4355	----	----	162.50B/----	162.50B/102.50A	----	138.80 + 39.00	.2776	----	----	----	----	123 UNCH
4360	----	----	163.10B/----	163.10B/103.70A	----	140.30 + 39.30	.2800	----	----	----	----	104 UNCH
4365	----	----	164.60B/----	164.60B/104.70A	----	141.70 + 39.60	.2823	----	----	----	----	1 UNCH
4370	----	----	166.60B/----	166.60B/105.40A	----	143.20 + 40.00	.2847	----	----	----	----	140 UNCH
4375	----	----	169.00B/----	169.00B/106.80A	----	144.60 + 40.20	.2870	----	----	----	----	27 UNCH
4380	----	----	169.70B/----	169.70B/108.00A	----	146.10 + 40.50	.2894	----	----	----	----	2 UNCH
4385	----	----	171.90B/----	171.90B/109.00A	----	147.60 + 40.90	.2918	----	----	----	----	52 UNCH
4390	----	----	173.10B/----	173.10B/110.40A	----	149.10 + 41.20	.2942	----	----	----	----	2 UNCH
4395	----	----	175.90B/----	175.90B/111.40A	----	150.70 + 41.60	.2966	----	----	----	----	13 UNCH
4400	150.90	150.90	178.20B/150.90	178.20B/112.60A	----	152.20 + 41.80	.2990	----	----	205	----	2609 + 200
4405	----	----	178.30B/----	178.30B/114.20A	----	153.80 + 42.20	.3015	----	----	----	----	1 UNCH
4410	----	----	181.00B/----	181.00B/115.60A	----	155.40 + 42.60	.3039	----	----	----	----	14 UNCH
4415	----	----	183.60B/----	183.60B/116.60A	----	156.90 + 42.80	.3064	----	----	----	----	4 UNCH
4420	----	----	184.90B/----	184.90B/118.10A	----	158.60 + 43.30	.3089	----	----	----	----	15 UNCH
4425	----	----	185.30B/----	185.30B/119.30A	----	160.20 + 43.60	.3113	----	----	----	----	36 UNCH
4430	----	----	188.40B/----	188.40B/120.30A	----	161.80 + 43.90	.3138	----	----	----	----	156 UNCH
4435	----	----	189.20B/----	189.20B/121.70A	----	163.50 + 44.30	.3164	----	----	----	----	1 UNCH
4440	156.60	156.60	192.80B/155.80	192.80B/123.20A	----	165.10 + 44.60	.3188	----	----	32	----	33 + 30
4445	----	----	194.60B/----	194.60B/124.30A	----	166.80 + 45.00	.3214	----	----	1	----	151 - 1
4450	----	----	196.30B/----	196.30B/125.90A	----	168.50 + 45.30	.3239	----	----	----	----	575 UNCH
4455	----	----	198.20B/----	198.20B/127.30A	----	170.20 + 45.70	.3265	----	----	----	----	18 UNCH
4460	----	----	200.90B/----	200.90B/128.00A	----	171.90 + 46.00	.3290	----	----	----	----	93 UNCH
4465	----	----	202.00B/----	202.00B/129.50A	----	173.60 + 46.30	.3316	----	----	----	----	14 UNCH
4470	195.90	195.90	202.10B/195.90	202.10B/131.50A	----	175.40 NEW	.3342	----	----	10	----	10 + 10

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
4475	----	----	205.90B/----	205.90B/132.70A	----	177.20 + 47.10	.3368	----	----	----	----	27 UNCH
4480	----	----	207.70B/----	207.70B/134.20A	----	178.90 + 47.40	.3393	----	----	----	----	136 UNCH
4485	----	----	210.20B/----	210.20B/135.60A	----	180.70 + 47.80	.3420	----	----	----	----	50 UNCH
4490	----	----	212.60B/----	212.60B/137.00A	----	182.50 + 48.20	.3446	----	----	----	----	16 UNCH
4495	----	----	212.20B/----	212.20B/138.20A	----	184.30 + 48.50	.3472	----	----	----	----	2 UNCH
4500	176.70	176.70	217.30B/176.70	217.30B/139.40A	----	186.20 + 49.00	.3498	----	----	83	105	435 + 55
4505	----	----	218.70B/----	218.70B/141.20A	----	188.00 + 49.30	.3525	----	----	----	----	5 UNCH
4510	----	----	221.30B/----	221.30B/142.20A	----	189.90 + 49.70	.3551	----	----	----	----	7 UNCH
4515	----	----	222.50B/----	222.50B/144.60A	----	191.70 + 50.00	.3578	----	----	----	----	3 UNCH
4520	----	----	225.70B/----	225.70B/146.10A	----	193.60 + 50.40	.3604	----	----	----	----	4 UNCH
4525	----	----	226.80B/----	226.80B/147.40A	----	195.50 + 50.70	.3631	----	----	----	----	74 UNCH
4535	----	----	228.90B/----	228.90B/150.20A	----	199.40 + 51.50	.3685	----	----	----	----	1 UNCH
4540	----	----	232.30B/----	232.30B/151.90A	----	201.30 + 51.90	.3712	----	----	----	----	89 UNCH
4545	----	----	236.50B/----	236.50B/153.40A	----	203.30 + 52.30	.3739	----	----	----	----	20 UNCH
4550	201.70	201.70	238.50B/201.70	238.50B/155.20A	----	205.20 + 52.60	.3766	----	----	10	----	63 - 10
4555	204.90	204.90	240.60B/204.90	240.60B/157.10A	----	207.20 + 53.00	.3793	----	----	11	----	15 + 8
4560	----	----	243.30B/----	243.30B/158.30A	----	209.20 + 53.30	.3820	----	----	----	----	17 UNCH
4565	----	----	245.40B/----	245.40B/160.70A	----	211.20 + 53.70	.3848	----	----	----	----	104 UNCH
4570	----	----	247.80B/----	247.80B/162.30A	----	213.30 + 54.10	.3875	----	----	----	----	8 UNCH
4575	----	----	250.30B/----	250.30B/163.40A	----	215.30 + 54.40	.3903	----	----	----	----	11 UNCH
4580	----	----	249.10B/----	249.10B/165.60A	----	217.40 + 54.90	.3930	----	----	----	----	2 UNCH
4585	----	----	254.60B/----	254.60B/167.00A	----	219.50 + 55.30	.3958	----	----	----	----	4 UNCH
4590	----	----	256.90B/----	256.90B/168.20A	----	221.50 + 55.50	.3985	----	----	----	----	5 UNCH
4595	249.60	249.60	259.30B/249.60	259.30B/170.30A	----	223.70 + 56.00	.4013	----	----	11	----	33 + 5
4600	255.50	255.50	263.10B/215.80	263.10B/171.80A	----	225.80 + 56.40	.4041	----	----	254	----	1131 + 59
4605	----	----	260.60B/----	260.60B/174.10A	----	227.90 + 56.70	.4069	----	----	----	----	1 UNCH
4610	----	----	266.50B/----	266.50B/175.20A	----	230.10 + 57.10	.4097	----	----	----	----	143 UNCH
4615	254.00	254.00	265.60B/254.00	265.60B/177.40A	----	232.30 + 57.50	.4125	----	----	10	----	12 + 10
4620	231.00	231.00	270.30B/231.00	270.30B/179.10A	----	234.50 + 57.90	.4153	----	----	10	----	45 + 3
4625	----	----	275.10B/----	275.10B/180.60A	----	236.70 + 58.30	.4181	----	----	----	----	25 UNCH
4635	----	----	277.40B/----	277.40B/184.90A	----	241.10 + 59.00	.4237	----	----	----	----	127 UNCH
4640	----	----	282.00B/----	282.00B/186.40A	----	243.40 + 59.40	.4265	----	----	----	----	51 UNCH
4645	----	----	285.00B/----	285.00B/187.80A	----	245.70 + 59.90	.4293	----	----	----	----	10 UNCH
4650	----	----	287.40B/----	287.40B/190.20A	----	247.90 + 60.20	.4322	----	----	101	----	115 + 3
4655	----	----	285.40B/----	285.40B/192.50A	----	250.20 + 60.60	.4350	----	----	----	----	2 UNCH
4660	----	----	292.90B/----	292.90B/194.30A	----	252.60 + 61.00	.4378	----	----	----	----	58 UNCH
4665	----	----	295.30B/----	295.30B/195.80A	----	254.90 + 61.40	.4407	----	----	----	----	20 UNCH
4670	----	----	296.40B/----	296.40B/197.90A	----	257.30 + 61.80	.4435	----	----	----	----	100 UNCH
4675	----	----	300.20B/----	300.20B/199.30A	----	259.60 + 62.10	.4464	----	----	----	----	69 UNCH
4680	----	----	302.20B/----	302.20B/202.20A	----	262.00 + 62.50	.4492	----	----	----	----	8 UNCH
4685	----	----	305.40B/----	305.40B/203.60A	----	264.40 + 62.90	.4521	----	----	1	----	6 UNCH
4695	----	----	310.30B/----	310.30B/207.40A	----	269.30 + 63.80	.4578	----	----	----	----	162 UNCH
4700	268.30	268.30	314.50B/265.00	314.50B/210.00A	----	271.70 + 64.10	.4606	----	----	69	----	414 - 15
4705	----	----	316.10B/----	316.10B/212.00A	----	274.20 + 64.50	.4635	----	----	----	----	6 UNCH
4710	----	----	319.20B/----	319.20B/214.30A	----	276.70 + 64.90	.4664	----	----	----	----	120 UNCH
4715	----	----	316.90B/----	316.90B/215.80A	----	279.20 + 65.30	.4692	----	----	----	----	1 UNCH
4720	----	----	324.70B/----	324.70B/218.70A	----	281.70 + 65.70	.4721	----	----	----	----	9 UNCH
4725	----	----	327.30B/----	327.30B/220.40A	----	284.20 + 66.10	.4749	----	----	----	----	205 UNCH
4730	----	----	330.40B/----	330.40B/223.40A	----	286.80 + 66.50	.4778	----	----	2	----	291 + 2
4735	----	----	333.60B/----	333.60B/224.80A	----	289.30 + 66.90	.4807	----	----	----	----	11 UNCH
4740	----	----	335.90B/----	335.90B/227.10A	----	291.90 + 67.30	.4835	----	----	----	----	163 UNCH
4745	----	----	338.80B/----	338.80B/229.10A	----	294.50 + 67.70	.4864	----	----	----	----	115 UNCH
4750	292.20	292.20	339.40B/292.20	339.40B/231.80A	----	297.10 + 68.10	.4892	----	----	10	----	381 UNCH
4755	312.10	312.10	342.30B/312.10	342.30B/235.30A	----	299.80 + 68.50	.4921	----	----	3	----	9 + 3
4760	----	----	342.70B/----	342.70B/237.60A	----	302.40 + 68.90	.4950	----	----	----	----	28 UNCH
4765	----	----	344.50B/----	344.50B/239.80A	----	305.10 + 69.30	.4978	----	----	----	----	30 UNCH
4770	----	----	347.50B/----	347.50B/242.00A	----	307.70 + 69.60	.5007	----	----	----	----	1 UNCH
4775	----	----	350.50B/----	350.50B/243.00A	----	310.40 + 70.00	.5035	----	----	----	----	43 UNCH
4780	----	----	353.50B/----	353.50B/245.50A	----	313.20 + 70.50	.5064	----	----	----	----	30 UNCH
4785	----	----	356.00B/----	356.00B/249.30A	----	315.90 + 70.90	.5092	----	----	----	----	15 UNCH
4790	----	----	358.90B/----	358.90B/251.60A	----	318.60 + 71.20	.5121	----	----	----	----	1 UNCH
4795	----	----	362.00B/----	362.00B/254.10A	----	321.40 + 71.70	.5149	----	----	----	----	7 UNCH
4800	----	----	369.70B/----	369.70B/256.30A	----	324.20 + 72.10	.5177	----	----	----	----	1278 UNCH
4805	----	----	368.30B/----	368.30B/258.70A	----	327.00 + 72.50	.5206	----	----	----	----	1 UNCH
4810	----	----	370.90B/----	370.90B/260.80A	----	329.80 + 72.90	.5234	----	----	----	----	6 UNCH
4815	----	----	374.40B/----	374.40B/263.50A	----	332.60 + 73.30	.5262	----	----	----	----	1 UNCH
4820	275.00	275.00	377.10B/265.90A	377.10B/265.90A	----	335.40 + 73.60	.5291	----	----	10	----	102 + 1
4825	----	----	380.10B/----	380.10B/267.90A	----	338.30 + 74.00	.5319	----	----	----	----	1 UNCH
4840	----	----	389.50B/----	389.50B/274.50A	----	346.90 + 75.20	.5403	----	----	----	----	8 UNCH
4845	----	----	392.80B/----	392.80B/277.20A	----	349.90 + 75.60	.5431	----	----	----	----	69 UNCH
4850	----	----	395.70B/----	395.70B/279.70A	----	352.80 + 76.00	.5459	----	----	----	----	214 UNCH
4860	----	----	401.90B/----	401.90B/286.10A	----	358.70 + 76.80	.5515	----	----	----	----	1 UNCH
4865	----	----	405.10B/----	405.10B/287.50A	----	361.70 + 77.20	.5543	----	----	----	----	2 UNCH
4870	----	----	410.70B/----	410.70B/291.00A	----	364.70 + 77.60	.5571	----	----	----	----	318 UNCH
4875	----	----	411.40B/----	411.40B/292.90A	----	367.70 + 77.90	.5599	----	----	----	----	70 UNCH
4880	----	----	415.20B/----	415.20B/295.50A	----	370.70 + 78.30	.5626	----	----	----	----	11 UNCH
4890	----	----	421.70B/----	421.70B/300.80A	----	376.80 + 79.10	.5681	----	----	----	----	3 UNCH
4895	----	----	424.90B/----	424.90B/304.50A	----	379.90 + 79.50	.5709	----	----	----	----	61 UNCH
4900	390.00	390.00	430.80B/390.00	430.80B/305.70A	----	383.00 + 79.90	.5736	----	----	1	----	262 + 1
4905	----	----	431.10B/----	431.10B/310.80A	----	386.10 + 80.30	.5764	----	----	----	----	5 UNCH
4910	----	----	434.70B/----	434.70B/313.70A	----	389.20 + 80.60	.5791	----	----	----	----	2 UNCH
4915	----	----	437.80B/----	437.80B/317.80A	----	392.30 + 81.00	.5818	----	----	----	----	6 UNCH
4920	----	----	441.50B/----	441.50B/321.40A	----	395.50 + 81.40	.5845	----	----	----	----	22 UNCH
4925	----	----	444.70B/----	444.70B/323.50A	----	398.60 + 81.70	.5872	----	----	----	----	11 UNCH
4930	----	----	451.40B/----	451.40B/325.90A	----	401.80 + 82.10	.5899	----	----	----	----	272 UNCH
4935	----	----	451.60B/----	451.60B/329.10A	----	405.00 + 82.50	.5926	----	----	----	----	4 UNCH
4940	----	----	455.10B/----	455.10B/331.60A	----	408.20 + 82.90	.5953	----	----	----	----	11 UNCH
4950	----	----	462.00B/----	462.00B/337.20A	----	414.70 + 83.70	.6006	----	----	----	----	106 UNCH
4975	----	----	478.70B/----	478.70B/355.50A	----	431.10 + 85.50	.6138	----	----	----	----	2 UNCH
4980	----	----	483.20B/----	483.20B/357.30A	----	434.40 + 85.90	.6164	----	----	----	----	6 UNCH
4985	----	----	486.80B/----	486.80B/361.40A	----	437.70 + 86.20	.6190	----	----	----	----	104 UNCH
4990	----	----	489.20B/----	489.20B/364.40A	----	441.10 + 86.60	.6216	----	----	----	----	2 UNCH
4995	----	----	494.00B/----	494.00B/367.40A	----	444.40 + 86.90	.6242	----	----	----	----	8 UNCH
5000	484.00	484.00	504.20B/484.00	504.20B/369.50A	----	447.80 + 87.30	.6268	----	----	1	----	553 UNCH
5005	----	----	501.20B/----	501.20B/378.40A	----	451.20 + 87.70	.6294	----	----	----	----	12 UNCH
5010	----	----	504.80B/----	504.80B/381.50A	----	454.60 + 88.00	.6319	----	----	----	----	9 UNCH
5015	----	----	508.50B/----	508.50B/379.20A	----	458.00 + 88.30	.6345	----	----	----	----	20 UNCH
5020	----	----	512.10B/----	512.10B/382.60A	----	461.50 + 88.80	.6370	----	----	----	----	5 UNCH
5025	----	----	515.80B/----	515.80B/385.30A	----	464.90 + 89.10	.6395	----	----	----	----	150 UNCH
5030	----	----	519.50B/----	519.50B/388.80A	----	468.40 + 89.50	.6421	----	----	----	----	8 UNCH
5035	----	----	523.20B/----	523.20B/391.40A	----	471.90 + 89.80	.6445	----	----	----	----	37 UNCH
5045	----	----	530.60B/----	530.60B/398.20A	----	478.90 + 90.60	.6495	----	----	----	----	5 UNCH
5050	----	----	534.30B/----	534.30B/401.30A	----	482.40 + 90.90	.6520	----	----	----	----	79 UNCH
5055	----	----	538.10B/----	538.10B/404.50A	----	485.90 + 91.20	.6545	----	----	----	----	3 UNCH
5065	----	----	545.60B/----	545.60B/410.90A	----	493.00 + 91.90	.6593	----	----	----	----	10 UNCH
5075	----	----	553.10B/----	553.10B/416.60A	----	500.10 + 92.50	.6642	----	----	----	----	6 UNCH
5080	----	----	#555.30B/----	555.30B/425.70A	----	503.70 + 92.90	.6666	----	----	----	----	2 UNCH
5085	----	----	560.90B/----	560.90B/423.80A	----	507.30 + 93.20	.6690	----	----	----	----	21 UNCH
5090	----	----	564.60B/----	564.60B/427.20A	----	510.90 + 93.50	.6714	----	----	----	----	6 UNCH
5095	----	----	568.50B/----	568.50B/430.40A	----	514.60 + 93.90	.6738	----	----	----	----	42 UNCH
5100	----	----	572.20B/----	572.20B/431.80A	----	518.20 + 94.20	.6761	----	----	----	----	106 UNCH
5105	----	----	576.20B/----	576.20B/436.10A	----	521.90 + 94.60	.6785	----	----	----	----	22 UNCH
5110	----	----	580.00B/----	580.00B/438.30A	----	525.50 + 94.90	.6808	----	----	----	----	16 UNCH
5115	----	----	583.90B/----	583.90B/442.80A	----	529.20 + 95.20	.6832	----	----	----	----	37 UNCH
5120	----	----	587.80B/----	587.80B/446.30A	----	532.90 + 95.60	.6855	----	----	----	----	14 UNCH
5125	----	----	591.70B/----	591.70B/449.30A	----	536.60 + 95.90	.6877	----	----	----	----	37 UNCH
5130	----	----	595.60B/----	595.60B/453.00A	----	540.30 + 96.20	.6901	----	----	----	----	23 UNCH
5135	----	----	599.50B/----	599.50B/454.10A	----	544.10 + 96.60	.6923	----	----	----	----	9 UNCH
5140	----	----	603.40B/----	603.40B/455.50A	----	547.80 + 96.90	.6946	----	----	----	----	19 UNCH
5145	----	----	571.30B/----	571.30B/523.60A	----	551.50 + 97.10	.6969	----	----	----	----	2 UNCH
5150	----	----	611.30B/----	611.30B/527.20A	----	555.30 + 97.50	.6991	----	----	----	----	233 UNCH
5155	----	----	615.20B/----	615.20B/530.90A	----	559.10 + 97.80	.7014	----	----	----	----	42 UNCH
5160	----	----	619.20B/----	619.20B/535.30A	----	562.90 + 98.20	.7036	----	----	----	----	42 UNCH
5170	----	----	627.10B/----	627.10B/542.60A	----	570.50 + 98.80	.7080	----	----	----	----	51 UNCH
5175	----	----	631.10B/----	631.10B/546.30A	----	574.30 + 99.10	.7101	----	----	----	----	61 UNCH
5180	----	----	635.10B/----	635.10B/549.90A	----	578.10 + 99.30	.7123	----	----	----	----	10 UNCH
5185	----	----	639.10B/----	639.10B/553.90A	----	582.00 + 99.70	.7144	----	----	----	----	103 UNCH
5190	----	----	643.10B/----	643.10B/556.80A	----	585.80 + 99.90	.7166	----	----	----	----	19 UNCH
5200	----	----	651.10B/----	651.10B/564.30A	----	593.60 + 00.60	.7208	----	----	----	----	64 UNCH
5225	----	----	671.40B/----	671.40B/603.80A	----	613.10 + 02.00	.7313	----	----	----	----	42 UNCH
5230	----	----	----	446.40B/800.90A	----	617.00 + 02.30	.7333	----	----	----	----	2 UNCH
5235	----	----	679.50B/----	679.50B/611.60A	----	621.00 + 02.60	.7353	----	----	----	----	23 UNCH
5245	----	----	----	453.90B/814.40A	----	628.90 + 03.20	.7393	----	----	----	----	2 UNCH
5250	----	----	691.80B/----	691.80B/623.40A	----	632.90 + 03.50	.7413	----	----	----	----	14 UNCH
5255	----	----	696.00B/----	696.00B/627.30A	----	636.90 + 03.80	.7434	----	----	----	----	14 UNCH
5285	----	----	----	487.60B/815.90A	----	661.00 + 05.40	.7550	----	----	----	----	2 UNCH
5290	----	----	725.00B/----	725.00B/655.20A	----	665.10 + 05.70	.7569	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 17

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
5295	----	----	----	494.20B/858.50A	----	669.10 + 05.90	.7587	----	----	----	----	2 UNCH
5300	----	----	733.40B/----	733.40B/663.20A	----	673.20 + 06.20	.7606	----	----	----	----	67 UNCH
5315	----	----	746.00B/----	746.00B/675.40A	----	685.50 + 07.00	.7662	----	----	----	----	10 UNCH
5325	----	----	----	521.10B/881.00A	----	693.70 + 07.40	.7698	----	----	----	----	1 UNCH
5350	----	----	775.70B/----	775.70B/704.00A	----	714.40 + 08.60	.7786	----	----	----	----	8 UNCH
5375	----	----	797.20B/----	797.20B/724.80A	----	735.40 + 09.90	.7871	----	----	----	----	7 UNCH
5390	----	----	810.10B/----	810.10B/737.30A	----	748.00 + 10.50	.7921	----	----	----	----	5 UNCH
5400	----	----	826.50B/----	826.50B/739.70A	----	756.50 + 11.00	.7954	----	----	----	----	602 UNCH
5410	----	----	----	596.20B/924.30A	----	765.00 + 11.40	.7986	----	----	----	----	1 UNCH
5440	----	----	----	623.60B/958.70A	----	790.70 + 12.70	.8079	----	----	----	----	1 UNCH
5475	----	----	884.70B/----	884.70B/809.80A	----	821.10 + 14.20	.8182	----	----	----	----	6 UNCH
5500	----	----	906.80B/----	906.80B/831.60A	----	842.90 + 15.10	.8254	----	----	----	----	3 UNCH
5505	----	----	----	683.60B/1019.60A	----	847.30 + 15.30	.8266	----	----	----	----	1 UNCH
5510	----	----	----	688.20B/1023.60A	----	851.70 + 15.50	.8280	----	----	----	----	1 UNCH
6100	----	----	----	----	----	1401.00 + 27.90	.9291	----	----	----	----	2 UNCH
6125	----	----	----	----	----	1425.10 + 28.20	.9315	----	----	----	----	2 UNCH
TOTAL										1304	160	29508 + 293
AUG26												
2300	3.50	3.50	3.70/3.40	3.70/3.40	----	2.90 + 0.70	.0056	----	----	25	----	30 - 1
2325	----	----	----	2.50B/3.80A	----	3.40 + 0.80	.0064	----	----	----	----	1 UNCH
2350	----	----	----	2.50B/3.90A	----	3.50 + 0.90	.0066	----	----	----	----	2 UNCH
2375	----	----	2.70B/----	2.70B/4.20A	----	3.50 + 0.90	.0067	----	----	----	----	7 UNCH
2400	----	----	----	2.80B/4.30A	----	3.70 + 0.90	.0071	----	----	----	----	5 UNCH
2425	----	----	3.00B/----	3.00B/4.40A	----	3.80 + 1.00	.0074	----	----	----	----	1 UNCH
2475	----	----	#3.30B/----	3.30B/4.60A	----	4.20 + 1.10	.0082	----	----	----	----	5 UNCH
2500	----	----	#3.50B/----	3.50B/4.90A	----	4.30 + 1.10	.0085	----	----	----	----	2 UNCH
2570	----	----	4.00B/----	4.00B/5.30A	----	4.90 + 1.20	.0098	----	----	----	----	9 UNCH
2580	----	----	4.00B/----	4.00B/5.40A	----	5.00 + 1.30	.0100	----	----	----	----	1 UNCH
2590	----	----	4.10B/----	4.10B/5.50A	----	5.00 + 1.30	.0100	----	----	----	----	2 UNCH
2600	----	----	4.30B/----	4.30B/5.50A	----	5.00 + 1.30	.0101	----	----	----	----	2 UNCH
2615	----	----	4.30B/----	4.30B/5.70A	----	5.20 + 1.30	.0105	----	----	----	----	1 UNCH
2625	----	----	#4.50B/----	4.50B/5.80A	----	5.30 + 1.40	.0107	----	----	----	----	2 UNCH
2640	----	----	4.70B/----	4.70B/5.90A	----	5.50 + 1.40	.0111	----	----	----	----	1 UNCH
2685	----	----	5.00B/----	5.00B/6.40A	----	5.80 + 1.50	.0119	----	----	----	----	1 UNCH
2690	----	----	5.10B/----	5.10B/6.30A	----	5.80 + 1.50	.0119	----	----	----	----	1 UNCH
2730	----	----	5.60B/----	5.60B/6.70A	----	6.30 + 1.70	.0130	----	----	----	----	1 UNCH
2745	----	----	5.80B/----	5.80B/7.10A	----	6.40 + 1.70	.0133	----	----	----	----	1 UNCH
2750	----	----	5.90B/----	5.90B/7.00A	----	6.50 + 1.70	.0135	----	----	----	----	4 UNCH
2800	----	----	6.40B/----	6.40B/7.80A	----	7.10 + 1.90	.0148	----	----	----	----	30 UNCH
2860	----	----	7.40B/----	7.40B/8.40A	----	7.90 + 2.00	.0166	----	----	----	----	1 UNCH
2950	----	----	8.90B/----	8.90B/9.90A	----	9.40 + 2.50	.0199	----	----	----	----	8 UNCH
3000	----	----	10.20B/----	10.20B/10.90A	----	10.40 + 2.90	.0221	----	----	----	----	262 UNCH
3005	8.20	8.20	10.10B/8.20	10.10B/8.20	----	10.50 + 2.90	.0223	----	----	5	----	5 + 5
3010	----	----	10.20B/----	10.20B/11.10A	----	10.60 + 2.90	.0226	----	----	1	----	1 UNCH
3015	----	----	10.80B/----	10.80B/11.20A	----	10.70 + 3.00	.0228	----	----	----	----	1 UNCH
3025	----	----	10.70B/----	10.70B/11.40A	----	11.00 + 3.10	.0234	----	----	----	----	5 UNCH
3040	8.90	8.90	11.10B/8.90	11.10B/8.90	----	11.30 NEW	.0241	----	----	1	----	1 + 1
3065	----	----	11.60B/----	11.60B/12.30A	----	11.90 + 3.50	.0254	----	----	----	----	1 UNCH
3090	----	----	12.40B/----	12.40B/12.80A	----	12.60 + 3.80	.0268	----	----	----	----	1 UNCH
3095	----	----	12.40B/----	12.40B/13.00A	----	12.70 + 3.80	.0271	----	----	----	----	1 UNCH
3100	----	----	13.10B/----	13.10B/13.10A	----	12.80 + 3.80	.0273	----	----	----	----	137 UNCH
3110	----	----	13.20B/----	13.20B/13.40A	----	13.10 + 3.90	.0279	----	----	----	----	15 UNCH
3120	----	----	13.40B/----	13.40B/13.60A	----	13.40 + 4.10	.0286	----	----	----	----	30 UNCH
3130	----	----	13.70B/----	13.70B/14.00A	----	13.70 + 4.20	.0292	----	----	----	----	5 UNCH
3150	----	----	14.70B/----	14.70B/14.40A	----	14.30 + 4.40	.0305	----	----	----	----	10 UNCH
3155	----	----	14.80B/----	14.80B/14.70A	----	14.40 + 4.40	.0307	----	----	----	----	3 UNCH
3160	----	----	14.30B/----	14.30B/14.90A	----	14.60 + 4.50	.0311	----	----	----	----	1 UNCH
3170	----	----	15.10B/----	15.10B/15.10A	----	14.90 + 4.60	.0317	----	----	----	----	1 UNCH
3180	----	----	15.30B/----	15.30B/15.30A	----	15.20 + 4.70	.0324	----	----	----	----	25 UNCH
3185	----	----	15.20B/----	15.20B/15.70A	----	15.40 + 4.80	.0328	----	----	----	----	1 UNCH
3190	----	----	15.60B/----	15.60B/15.60A	----	15.60 + 4.90	.0332	----	----	----	----	20 UNCH
3195	----	----	15.60B/----	15.60B/15.70A	----	15.70 + 4.90	.0335	----	----	----	----	1 UNCH
3200	----	----	15.70B/----	15.70B/16.20A	----	15.90 + 5.00	.0339	----	----	----	----	406 UNCH
3250	----	----	18.10B/----	18.10B/17.90A	----	17.70 + 5.70	.0376	----	----	----	----	405 UNCH
3260	----	----	19.40B/----	19.40B/18.00A	----	18.10 + 5.80	.0385	----	----	----	----	30 UNCH
3300	----	----	20.30B/----	20.30B/19.60A	----	19.70 + 6.30	.0418	----	----	----	----	157 UNCH
3350	----	----	22.90B/----	22.90B/21.60A	----	21.90 + 7.00	.0464	----	----	----	----	334 UNCH
3370	----	----	23.70B/----	23.70B/22.60A	----	22.90 + 7.40	.0484	----	----	----	----	1 UNCH
3375	----	----	24.00B/----	24.00B/22.90A	----	23.20 + 7.50	.0490	----	----	----	----	15 UNCH
3380	----	----	24.30B/----	24.30B/23.20A	----	23.40 + 7.60	.0494	----	----	----	----	1 UNCH
3390	----	----	24.60B/----	24.60B/23.70A	----	23.90 + 7.70	.0505	----	----	----	----	1 UNCH
3400	26.50	26.50	27.00B/24.20A	27.00B/24.20A	----	24.40 + 7.80	.0515	----	----	1	----	23 UNCH
3405	----	----	27.10B/----	27.10B/24.30A	----	24.70 + 8.00	.0521	----	----	----	----	4 UNCH
3450	----	----	30.10B/----	30.10B/25.70A	----	27.20 + 8.70	.0572	----	----	----	----	1 UNCH
3465	----	----	31.00B/----	31.00B/26.00A	----	28.10 + 9.00	.0590	----	----	----	----	6 UNCH
3470	----	----	31.40B/----	31.40B/26.10A	----	28.40 + 9.10	.0596	----	----	----	----	1 UNCH
3495	----	----	33.20B/----	33.20B/26.70A	----	30.00 + 9.60	.0628	----	----	1	----	1 UNCH
3500	30.70	30.70	33.80B/30.70	33.80B/26.80A	----	30.30 + 9.70	.0634	----	----	1	----	526 + 1
3510	----	----	34.30B/----	34.30B/27.10A	----	30.90 + 9.80	.0646	----	----	----	----	50 UNCH
3520	----	----	35.40B/----	35.40B/27.30A	----	31.60 + 10.00	.0660	----	----	----	----	210 UNCH
3525	----	----	35.70B/----	35.70B/27.50A	----	32.00 + 10.20	.0667	----	----	----	----	60 UNCH
3545	----	----	37.10B/----	37.10B/28.40A	----	33.40 + 10.60	.0695	----	----	----	----	9 UNCH
3550	----	----	37.50B/----	37.50B/28.60A	----	33.70 + 10.60	.0701	----	----	----	----	115 UNCH
3570	----	----	39.10B/----	39.10B/29.50A	----	35.20 + 11.10	.0731	----	----	----	----	32 UNCH
3575	----	----	39.40B/----	39.40B/29.80A	----	35.60 + 11.20	.0738	----	----	----	----	20 UNCH
3585	----	----	40.50B/----	40.50B/30.30A	----	36.40 + 11.50	.0754	----	----	----	----	50 UNCH
3600	----	----	41.80B/----	41.80B/31.00A	----	37.50 + 11.70	.0776	----	----	----	----	687 UNCH
3610	----	----	42.80B/----	42.80B/31.60A	----	38.40 + 12.00	.0792	----	----	----	----	1 UNCH
3630	----	----	44.80B/----	44.80B/32.80A	----	40.00 + 12.40	.0824	----	----	----	----	8 UNCH
3645	----	----	46.30B/----	46.30B/34.00A	----	41.30 + 12.80	.0849	----	----	----	----	22 UNCH
3650	43.60	43.60	46.80B/43.60	46.80B/34.60A	----	41.80 + 13.00	.0858	----	----	1	----	27 UNCH
3655	39.10	39.10	48.00B/39.10	48.00B/31.80A	----	42.20 + 13.00	.0866	----	----	29	----	55 + 29
3660	----	----	48.50B/----	48.50B/32.00A	----	42.70 + 13.20	.0875	----	----	----	----	9 UNCH
3665	----	----	49.00B/----	49.00B/32.40A	----	43.20 + 13.40	.0884	----	----	----	----	1 UNCH
3675	----	----	50.10B/----	50.10B/33.20A	----	44.10 + 13.60	.0902	----	----	----	----	24 UNCH
3690	----	----	51.80B/----	51.80B/34.10A	----	45.50 + 14.00	.0928	----	----	----	----	10 UNCH
3700	----	----	52.90B/----	52.90B/34.80A	----	46.50 + 14.30	.0947	----	----	----	----	221 UNCH
3705	----	----	53.40B/----	53.40B/35.20A	----	47.00 + 14.40	.0956	----	----	----	----	20 UNCH
3715	----	----	54.70B/----	54.70B/36.10A	----	48.00 + 14.70	.0975	----	----	----	----	30 UNCH
3725	----	----	55.90B/----	55.90B/36.80A	----	49.10 + 15.00	.0995	----	----	----	----	4 UNCH
3730	----	----	56.50B/----	56.50B/37.20A	----	49.60 + 15.10	.1005	----	----	----	----	10 UNCH
3750	----	----	58.90B/----	58.90B/38.70A	----	51.70 + 15.70	.1044	----	----	----	----	68 UNCH
3765	----	----	60.80B/----	60.80B/40.10A	----	53.40 + 16.20	.1075	----	----	----	----	100 UNCH
3770	----	----	61.50B/----	61.50B/40.50A	----	54.00 + 16.30	.1086	----	----	----	----	4 UNCH
3775	----	----	62.10B/----	62.10B/40.90A	----	54.60 + 16.50	.1096	----	----	----	----	12 UNCH
3795	----	----	65.10B/----	65.10B/42.70A	----	56.90 + 17.10	.1139	----	----	----	----	80 UNCH
3800	----	----	65.70B/----	65.70B/43.10A	----	57.50 + 17.30	.1150	----	----	----	----	317 UNCH
3805	----	----	66.40B/----	66.40B/43.60A	----	58.10 + 17.40	.1161	----	----	----	----	4 UNCH
3810	----	----	67.20B/----	67.20B/44.10A	----	58.80 + 17.70	.1173	----	----	----	----	50 UNCH
3815	----	----	67.90B/----	67.90B/44.50A	----	59.40 + 17.80	.1184	----	----	----	----	150 UNCH
3820	----	----	68.60B/----	68.60B/45.00A	----	60.00 + 18.00	.1195	----	----	----	----	52 UNCH
3825	----	----	69.30B/----	69.30B/45.50A	----	60.60 + 18.10	.1206	----	----	----	----	51 UNCH
3835	----	----	70.80B/----	70.80B/46.50A	----	61.90 + 18.40	.1229	----	----	----	----	10 UNCH
3850	----	----	73.10B/----	73.10B/48.00A	----	63.90 + 19.00	.1264	----	----	----	----	130 UNCH
3855	----	----	73.90B/----	73.90B/48.50A	----	64.60 + 19.20	.1276	----	----	----	----	3 UNCH
3875	----	----	76.90B/----	76.90B/50.40A	----	67.40 + 20.00	.1325	----	----	----	----	10 UNCH
3880	----	----	77.70B/----	77.70B/51.20A	----	68.10 + 20.10	.1338	----	----	----	----	297 UNCH
3890	----	----	79.30B/----	79.30B/52.10A	----	69.50 + 20.50	.1362	----	----	----	----	73 UNCH
3900	79.10	79.10	80.90B/79.10	80.90B/53.20A	----	71.00 + 20.90	.1388	----	----	2	300	307 + 217
3910	----	----	82.50B/----	82.50B/54.40A	----	72.40 + 21.20	.1413	----	----	----	----	1 UNCH
3925	----	----	85.20B/----	85.20B/56.10A	----	74.70 + 21.80	.1453	----	----	----	----	10 UNCH
3930	----	----	86.20B/----	86.20B/56.80A	----	75.50 + 22.00	.1466	----	----	----	----	38 UNCH
3950	----	----	89.60B/----	89.60B/59.10A	----	78.70 + 22.90	.1520	----	----	----	----	246 UNCH
3965	----	----	92.30B/----	92.30B/61.10A	----	81.10 + 23.40	.1562	----	----	----	----	14 UNCH
3975	----	----	93.90B/----	93.90B/62.30A	----	82.80 + 23.90	.1590	----	----	----	----	267 UNCH
3980	83.20	83.20	95.00B/83.20	95.00B/63.00A	----	83.70 + 24.10	.1605	----	----	77	----	46 - 37
3985	----	----	95.80B/----	95.80B/63.70A	----	84.50 + 24.30	.1619	----	----	----	----	1 UNCH
3990	----	----	97.20B/----	97.20B/64.40A	----	85.40 + 24.50	.1633	----	----	----	----	44 UNCH
3995	----	----	97.90B/----	97.90B/65.10A	----	86.30 + 24.80	.1648	----	----	----	----	4 UNCH
4000	94.70	94.70	98.60B/94.70	98.60B/65.70A	----	87.10 + 24.90	.1662	----	----	12	----	1496 + 2
4005	----	----	100.10B/----	100.10B/66.30A	----	88.00 + 25.20	.1677	----	----	----	----	3 UNCH
4010	----	----	100.70B/----	100.70B/67.00A	----	88.90 + 25.40	.1692	----	----	----	----	78 UNCH
4025	----	----	103.90B/----	103.90B/69.00A	----	91.70 + 26.10	.1737	----	----	----	----	90 UNCH
4030	----	----	105.10B/----	105.10B/69.40A	----	92.60 + 26.30	.1752	----	----	----	----	50 UNCH
4040	----	----	106.90B/----	106.90B/70.50A	----	94.50 + 26.80	.1783	----	----	----	----	15 UNCH
4045	----	----	108.00B/----	108.00B/72.20A	----	95.40 + 26.90	.1798	----	----	----	----	30 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
4050	----	----	109.30B/----	109.30B/72.90A	----	96.40 + 27.20	.1814	----	----	----	----	302 UNCH
4075	----	----	114.50B/----	114.50B/76.10A	----	101.30 + 28.30	.1893	----	----	----	----	5 UNCH
4095	----	----	119.30B/----	119.30B/79.30A	----	105.40 + 29.30	.1959	----	----	----	----	4 UNCH
4100	----	----	120.30B/----	120.30B/79.50A	----	106.50 + 29.60	.1976	----	----	2	----	81 + 1
4110	----	----	122.80B/----	122.80B/81.70A	----	108.60 + 30.00	.2009	----	----	----	----	1 UNCH
4120	----	----	125.00B/----	125.00B/83.50A	----	110.70 + 30.50	.2042	----	----	----	----	1 UNCH
4130	----	----	127.80B/----	127.80B/85.30A	----	112.90 + 31.00	.2076	----	----	----	----	5 UNCH
4135	----	----	129.30B/----	129.30B/86.00A	----	114.00 + 31.20	.2094	----	----	----	----	20 UNCH
4140	----	----	130.00B/----	130.00B/86.80A	----	115.10 + 31.40	.2111	----	----	----	----	1 UNCH
4145	----	----	131.30B/----	131.30B/87.80A	----	116.30 + 31.80	.2129	----	----	----	----	20 UNCH
4150	----	----	132.60B/----	132.60B/88.40A	----	117.40 + 32.00	.2146	----	----	1	----	329 + 1
4160	118.80	118.80	135.20B/118.80	135.20B/90.40A	----	119.70 + 32.50	.2181	----	----	1	----	49 + 1
4165	----	----	136.80B/----	136.80B/91.40A	----	120.90 + 32.80	.2199	----	----	----	----	100 UNCH
4170	----	----	137.80B/----	137.80B/92.30A	----	122.00 + 32.90	.2217	----	----	----	----	77 UNCH
4175	----	----	139.30B/----	139.30B/93.00A	----	123.20 + 33.20	.2235	----	----	----	----	25 UNCH
4180	----	----	140.40B/----	140.40B/94.00A	----	124.40 + 33.50	.2253	----	----	----	----	91 UNCH
4185	----	----	141.80B/----	141.80B/95.10A	----	125.60 + 33.70	.2271	----	----	----	----	40 UNCH
4190	----	----	143.00B/----	143.00B/96.10A	----	126.80 + 34.00	.2290	----	----	----	----	140 UNCH
4195	----	----	144.50B/----	144.50B/97.10A	----	128.00 + 34.20	.2308	----	----	----	----	143 UNCH
4200	----	----	146.00B/----	146.00B/97.80A	----	129.30 + 34.50	.2327	----	----	----	----	176 UNCH
4205	----	----	147.40B/----	147.40B/99.20A	----	130.50 + 34.80	.2345	----	----	----	----	13 UNCH
4215	----	----	150.20B/----	150.20B/100.90A	----	133.00 + 35.30	.2382	----	----	----	----	1 UNCH
4220	----	----	151.40B/----	151.40B/101.90A	----	134.30 + 35.60	.2401	----	----	----	----	9 UNCH
4225	----	----	153.00B/----	153.00B/102.90A	----	135.50 + 35.70	.2420	----	----	----	----	1 UNCH
4230	----	----	154.50B/----	154.50B/104.10A	----	136.80 + 36.00	.2439	----	----	----	----	10 UNCH
4245	----	----	158.90B/----	158.90B/107.10A	----	140.70 + 36.80	.2496	----	----	----	----	32 UNCH
4250	138.00	138.00	160.20B/138.00	160.20B/108.10A	----	142.10 + 37.10	.2516	----	----	100	35	203 + 46
4255	----	----	161.80B/----	161.80B/109.30A	----	143.40 + 37.30	.2536	----	----	----	----	2 UNCH
4260	----	----	163.30B/----	163.30B/110.40A	----	144.70 + 37.60	.2555	----	----	----	----	8 UNCH
4285	----	----	171.40B/----	171.40B/116.20A	----	151.60 + 38.90	.2654	----	----	----	----	170 UNCH
4290	----	----	172.80B/----	172.80B/117.00A	----	153.00 + 39.10	.2674	----	----	----	----	2 UNCH
4295	----	----	174.10B/----	174.10B/118.00A	----	154.40 + 39.40	.2694	----	----	----	----	2 UNCH
4300	----	----	175.90B/----	175.90B/119.80A	----	155.90 + 39.70	.2715	----	----	1	----	428 + 1
4305	----	----	177.40B/----	177.40B/120.60A	----	157.30 + 40.00	.2735	----	----	----	----	100 UNCH
4310	----	----	179.30B/----	179.30B/122.10A	----	158.70 + 40.20	.2755	----	----	----	----	1 UNCH
4320	----	----	182.40B/----	182.40B/124.00A	----	161.70 + 40.80	.2797	----	----	----	----	5 UNCH
4325	----	----	184.00B/----	184.00B/125.60A	----	163.20 + 41.10	.2818	----	----	----	----	275 UNCH
4330	----	----	186.10B/----	186.10B/126.50A	----	164.60 + 41.20	.2838	----	----	----	----	101 UNCH
4340	----	----	189.00B/----	189.00B/129.10A	----	167.70 + 41.90	.2880	----	----	----	----	1 UNCH
4350	----	----	192.90B/----	192.90B/131.30A	----	170.70 + 42.30	.2922	----	----	----	----	632 UNCH
4355	----	----	194.40B/----	194.40B/132.70A	----	172.30 + 42.70	.2944	----	----	----	----	2 UNCH
4360	----	----	196.20B/----	196.20B/133.10A	----	173.80 + 42.90	.2965	----	----	----	----	50 UNCH
4365	----	----	198.10B/----	198.10B/135.40A	----	175.40 + 43.20	.2986	----	----	----	----	100 UNCH
4380	----	----	203.40B/----	203.40B/139.50A	----	180.20 + 44.00	.3051	----	----	----	----	1 UNCH
4390	----	----	207.40B/----	207.40B/141.90A	----	183.50 + 44.60	.3095	----	----	----	----	6 UNCH
4395	----	----	209.00B/----	209.00B/141.90A	----	185.10 + 44.90	.3117	----	----	----	----	1 UNCH
4400	----	----	211.20B/----	211.20B/145.20A	----	186.80 + 45.20	.3139	----	----	----	----	814 UNCH
4410	----	----	214.40B/----	214.40B/147.70A	----	190.10 + 45.70	.3183	----	----	----	----	1 UNCH
4420	----	----	219.00B/----	219.00B/150.30A	----	193.60 + 46.40	.3228	----	----	----	----	2 UNCH
4425	----	----	220.40B/----	220.40B/150.80A	----	195.30 + 46.60	.3250	----	----	----	----	3 UNCH
4440	----	----	226.30B/----	226.30B/156.40A	----	200.60 + 47.60	.3318	----	----	----	----	37 UNCH
4450	----	----	230.30B/----	230.30B/159.50A	----	204.20 + 48.20	.3364	----	----	----	----	322 UNCH
4455	----	----	232.10B/----	232.10B/160.70A	----	206.00 + 48.50	.3387	----	----	----	----	1 UNCH
4460	----	----	234.10B/----	234.10B/162.30A	----	207.80 + 48.80	.3409	----	----	----	----	4 UNCH
4465	----	----	236.80B/----	236.80B/163.80A	----	209.70 + 49.20	.3433	----	----	----	----	10 UNCH
4470	209.80	209.80	238.50B/209.80	238.50B/165.50A	----	211.50 + 49.50	.3456	----	----	2	----	14 + 2
4475	----	----	240.80B/----	240.80B/166.60A	----	213.40 + 49.80	.3479	----	----	----	----	15 UNCH
4480	----	----	242.40B/----	242.40B/168.80A	----	215.30 + 50.20	.3502	----	----	----	----	7 UNCH
4485	----	----	244.70B/----	244.70B/170.20A	----	217.20 + 50.50	.3525	----	----	----	----	9 UNCH
4490	----	----	246.90B/----	246.90B/171.80A	----	219.10 + 50.80	.3549	----	----	----	----	3 UNCH
4500	221.20	221.20	251.00B/221.20	251.00B/174.50A	----	223.00 + 51.50	.3596	----	----	17	----	1090 + 1
4505	----	----	253.20B/----	253.20B/176.60A	----	225.00 + 51.90	.3619	----	----	----	----	3 UNCH
4535	----	----	266.30B/----	266.30B/186.50A	----	237.10 + 54.10	.3762	----	----	----	----	10 UNCH
4545	----	----	270.90B/----	270.90B/190.00A	----	241.30 + 54.90	.3810	----	----	----	----	21 UNCH
4550	----	----	273.30B/----	273.30B/191.30A	----	243.40 + 55.30	.3834	----	----	----	----	2 UNCH
4560	----	----	277.60B/----	277.60B/195.30A	----	247.60 + 56.00	.3882	----	----	----	----	3 UNCH
4570	----	----	282.40B/----	282.40B/198.80A	----	252.00 + 56.80	.3931	----	----	----	----	2 UNCH
4575	----	----	284.90B/----	284.90B/200.60A	----	254.10 + 57.10	.3955	----	----	----	----	1 UNCH
4580	----	----	287.10B/----	287.10B/202.50A	----	256.30 + 57.50	.3979	----	----	----	----	150 UNCH
4585	----	----	289.60B/----	289.60B/204.00A	----	258.50 + 57.90	.4004	----	----	----	----	2 UNCH
4590	----	----	291.60B/----	291.60B/205.80A	----	260.70 + 58.30	.4028	----	----	----	----	6 UNCH
4600	----	----	296.30B/----	296.30B/210.10A	----	265.20 + 59.10	.4077	----	----	2	----	354 + 2
4605	257.90	257.90	299.20B/257.90	299.20B/211.20A	----	267.50 NEW	.4102	----	----	2	----	2 + 2
4620	----	----	306.50B/----	306.50B/217.40A	----	274.40 + 60.70	.4175	----	----	----	----	3 UNCH
4625	----	----	308.90B/----	308.90B/219.50A	----	276.70 + 61.10	.4200	----	----	----	----	100 UNCH
4640	300.00	300.00	318.00/300.00	318.00/225.10A	----	283.70 + 62.20	.4274	----	----	7	----	100 - 1
4645	----	----	319.10B/----	319.10B/227.00A	----	286.10 + 62.60	.4298	----	----	----	----	127 UNCH
4650	----	----	321.50B/----	321.50B/229.10A	----	288.50 + 63.00	.4323	----	----	----	----	298 UNCH
4665	----	----	329.30B/----	329.30B/235.20A	----	295.70 + 64.10	.4397	----	----	----	----	1 UNCH
4680	----	----	337.10B/----	337.10B/241.50A	----	303.10 + 65.30	.4471	----	----	----	----	5 UNCH
4700	245.80	245.80	346.80B/245.80	346.80B/245.80	----	313.10 + 66.80	.4571	----	----	2	----	447 UNCH
4705	----	----	349.70B/----	349.70B/252.30A	----	315.70 + 67.20	.4595	----	----	----	----	50 UNCH
4710	----	----	352.30B/----	352.30B/254.90A	----	318.20 + 67.50	.4620	----	----	----	----	3 UNCH
4715	----	----	354.70B/----	354.70B/256.50A	----	320.80 + 68.00	.4645	----	----	----	----	1 UNCH
4725	----	----	360.20B/----	360.20B/261.50A	----	325.90 + 68.60	.4695	----	----	----	----	30 UNCH
4730	----	----	363.00B/----	363.00B/263.10A	----	328.50 + 69.00	.4719	----	----	----	----	1 UNCH
4740	----	----	368.50B/----	368.50B/268.40A	----	333.70 + 69.60	.4769	----	----	----	----	15 UNCH
4745	327.50	327.50	371.50B/327.50	371.50B/270.70A	----	336.40 NEW	.4794	----	----	3	----	3 + 3
4750	352.00	352.00	374.70B/352.00	374.70B/274.60A	----	339.00 + 70.30	.4818	----	----	2	150	175 + 150
4760	----	----	379.90B/----	379.90B/279.20A	----	344.30 + 71.00	.4868	----	----	----	----	1 UNCH
4775	----	----	388.60B/----	388.60B/286.00A	----	352.40 + 72.00	.4942	----	----	----	----	57 UNCH
4785	----	----	394.50B/----	394.50B/291.00A	----	357.80 + 72.50	.4991	----	----	----	----	2 UNCH
4795	----	----	400.80B/----	400.80B/295.80A	----	363.30 + 73.20	.5040	----	----	----	----	2 UNCH
4800	----	----	403.30B/----	403.30B/298.20A	----	366.10 + 73.50	.5065	----	----	----	----	657 UNCH
4805	----	----	406.80B/----	406.80B/300.40A	----	368.80 + 73.70	.5090	----	----	----	----	1 UNCH
4850	----	----	433.80B/----	433.80B/322.70A	----	394.30 NEW	.5310	----	----	3	----	3 + 3
4855	----	----	436.80B/----	436.80B/324.30A	----	397.20 + 76.50	.5334	----	----	----	----	10 UNCH
4875	----	----	449.30B/----	449.30B/335.70A	----	409.00 + 77.60	.5431	----	----	----	----	76 UNCH
4900	----	----	465.50B/----	465.50B/349.30A	----	424.00 + 79.10	.5551	----	----	----	----	348 UNCH
4905	----	----	468.80B/----	468.80B/352.10A	----	427.00 + 79.30	.5575	----	----	----	----	17 UNCH
4925	----	----	481.90B/----	481.90B/369.60A	----	439.40 + 80.70	.5670	----	----	----	----	50 UNCH
4950	----	----	498.50B/----	498.50B/384.80A	----	455.10 + 82.30	.5787	----	----	----	----	31 UNCH
4955	----	----	501.90B/----	501.90B/387.30A	----	458.30 + 82.60	.5810	----	----	----	----	1 UNCH
4980	----	----	519.00B/----	519.00B/402.30A	----	474.50 + 84.40	.5926	----	----	----	----	1 UNCH
5000	484.40	484.40	532.70B/484.40	532.70B/414.00A	----	487.80 + 85.90	.6016	----	----	1	----	318 UNCH
5010	----	----	539.60B/----	539.60B/420.20A	----	494.40 + 86.50	.6061	----	----	----	----	1 UNCH
5025	----	----	550.10B/----	550.10B/429.30A	----	504.60 + 87.70	.6128	----	----	----	----	25 UNCH
5030	----	----	553.80B/----	553.80B/432.30A	----	508.00 + 88.00	.6150	----	----	----	----	1 UNCH
5045	----	----	564.50B/----	564.50B/441.60A	----	518.20 + 89.00	.6216	----	----	----	----	31 UNCH
5050	----	----	568.00B/----	568.00B/444.70A	----	521.70 + 89.40	.6237	----	----	----	----	351 UNCH
5070	----	----	582.60B/----	582.60B/457.30A	----	535.60 + 90.80	.6324	----	----	----	----	17 UNCH
5080	----	----	590.20B/----	590.20B/463.70A	----	542.60 + 91.50	.6367	----	----	----	----	3 UNCH
5100	----	----	604.50B/----	604.50B/476.20A	----	556.80 + 92.90	.6451	----	----	----	----	81 UNCH
5120	----	----	#619.80B/----	619.80B/489.70A	----	571.10 + 94.10	.6534	----	----	----	----	2 UNCH
5180	----	----	#665.00B/----	665.00B/530.20A	----	615.10 + 97.70	.6775	----	----	----	----	1 UNCH
5195	----	----	#676.60B/----	676.60B/538.50A	----	626.40 + 98.60	.6834	----	----	----	----	2 UNCH
5200	----	----	680.30B/----	680.30B/539.10A	----	630.10 + 98.80	.6854	----	----	----	----	112 UNCH
5265	----	----	731.40B/----	731.40B/651.40A	----	679.80 + 02.10	.7096	----	----	----	----	1 UNCH
5300	----	----	759.80B/----	759.80B/677.40A	----	707.20 + 03.80	.7221	----	----	----	----	3 UNCH
5355	----	----	804.80B/----	804.80B/721.00A	----	751.10 + 06.30	.7407	----	----	----	----	1 UNCH
5400	----	----	842.30B/----	842.30B/757.00A	----	787.70 + 08.20	.7551	----	----	----	----	76 UNCH
5425	----	----	863.40B/----	863.40B/776.40A	----	808.30 + 09.20	.7628	----	----	----	----	0 UNCH
5460	----	----	893.60B/----	893.60B/805.70A	----	837.50 + 10.60	.7732	----	----	----	----	1 UNCH
5500	----	----	927.90B/----	927.90B/838.10A	----	871.20 + 12.10	.7846	----	----	----	----	3 UNCH
5530	----	----	938.70B/----	938.70B/863.30A	----	896.70 + 13.10	.7927	----	----	----	----	1 UNCH
5575	----	----	947.10B/----	947.10B/902.20A	----	935.50 + 14.60	.8045	----	----	----	----	2 UNCH
TOTAL										302	485	18686 + 429
SEP26												
2350	----	----	#4.00B/----	#4.00B/5.60A	----	3.80 + 1.20	.0070	----	----	----	----	52 UNCH
2375	----	----	----	1.90B/5.80A	----	4.00 + 1.30	.0074	----	----	----	----	1 UNCH
2400	----	----	----	2.10B/6.00A	----	4.20 + 1.30	.0078	----	----	----	----	1 UNCH
2500	----	----	----	2.70B/6.90A	----	5.20 + 1.60	.0097	----	----	----	----	4 UNCH
2600	----	----	----	3.60B/8.10A	----	6.40 + 2.10	.0120	----	----	----	----	2 UNCH
3000	----	----	10.60B/----	10.60B/15.90A	----	13.60 + 4.30	.0264	----	----	----	----	2 UNCH
3145	----	----	15.70B/----	15.70B/20.60A	----	18.10 + 5.40	.0351	----	----	----	----	15 UNCH
3150	----	----	15.90B/----	15.90B/20.80A	----	18.30 + 5.40	.0355	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
SEP26												
3200	----	----	18.10B/----	18.10B/22.70A	----	20.20 + 5.90	.0392	----	----	----	----	1 UNCH
3270	----	----	21.70B/----	21.70B/25.70A	----	23.20 + 6.60	.0449	----	----	----	----	15 UNCH
3300	----	----	23.50B/----	23.50B/27.20A	----	24.60 + 7.00	.0476	----	----	----	----	1 UNCH
3475	----	----	38.20B/----	38.20B/35.00A	----	34.90 + 9.50	.0666	----	----	----	----	2 UNCH
3480	----	----	38.60B/----	38.60B/35.40A	----	35.20 + 9.60	.0672	----	----	----	----	780 UNCH
3500	----	----	40.50B/----	40.50B/36.90A	----	36.70 + 10.00	.0699	----	----	----	----	19 UNCH
3525	----	----	40.80B/----	40.80B/38.70A	----	38.60 + 10.50	.0733	----	----	----	----	2 UNCH
3565	----	----	44.70B/----	44.70B/37.60A	----	41.90 + 11.30	.0791	----	----	----	----	1 UNCH
3610	----	----	49.50B/----	49.50B/40.90A	----	46.00 + 12.50	.0862	----	----	----	----	1 UNCH
3625	----	----	51.40B/----	51.40B/42.10A	----	47.40 + 12.80	.0887	----	----	----	----	1 UNCH
3650	----	----	54.60B/----	54.60B/44.20A	----	49.90 + 13.50	.0929	----	----	----	----	66 UNCH
3700	----	----	60.90B/----	60.90B/48.60A	----	55.40 + 15.00	.1021	----	----	142	----	144 + 142
3720	----	----	63.50B/----	63.50B/50.50A	----	57.80 + 15.70	.1061	----	----	----	----	50 UNCH
3755	----	----	68.50B/----	68.50B/54.00A	----	62.20 + 16.90	.1132	----	----	----	----	90 UNCH
3800	----	----	75.50B/----	75.50B/58.70A	----	68.20 + 18.50	.1228	----	----	----	----	1 UNCH
3850	----	----	83.30B/----	83.30B/64.60A	----	75.50 + 20.40	.1343	----	----	----	----	20 UNCH
3880	----	----	88.50B/----	88.50B/68.30A	----	80.20 + 21.60	.1415	----	----	----	----	26 UNCH
3900	----	----	91.90B/----	91.90B/70.90A	----	83.50 + 22.40	.1465	----	----	----	----	211 UNCH
3910	----	----	93.80B/----	93.80B/72.20A	----	85.10 + 22.80	.1490	----	----	----	----	2 UNCH
3930	----	----	97.60B/----	97.60B/74.90A	----	88.50 + 23.60	.1542	----	----	----	----	2 UNCH
3945	----	----	100.30B/----	100.30B/77.00A	----	91.20 + 24.30	.1582	----	----	----	----	230 UNCH
3950	----	----	101.50B/----	101.50B/77.80A	----	92.00 + 24.40	.1594	----	----	----	----	324 UNCH
4000	----	----	111.60B/----	111.60B/85.30A	----	101.30 + 26.50	.1731	----	----	----	----	715 UNCH
4005	----	----	112.50B/----	112.50B/86.10A	----	102.30 + 26.70	.1746	----	----	----	----	1 UNCH
4030	----	----	118.10B/----	118.10B/90.10A	----	107.20 + 27.80	.1817	----	----	----	----	1 UNCH
4050	----	----	122.60B/----	122.60B/93.40A	----	111.30 + 28.70	.1876	----	----	1	----	35 + 1
4080	----	----	129.70B/----	129.70B/98.00A	----	117.70 + 30.00	.1967	----	----	----	----	4 UNCH
4085	----	----	130.90B/----	130.90B/97.90A	----	118.80 + 30.20	.1982	----	----	----	----	76 UNCH
4100	----	----	134.50B/----	134.50B/97.40A	----	122.10 + 30.90	.2029	----	----	1	----	21 + 1
4130	----	----	142.00B/----	142.00B/106.80A	----	129.10 + 32.40	.2125	----	----	----	----	20 UNCH
4135	----	----	143.40B/----	143.40B/108.20A	----	130.20 + 32.60	.2141	----	----	----	----	3 UNCH
4150	----	----	147.40B/----	147.40B/106.40A	----	133.90 + 33.40	.2190	----	----	----	----	3 UNCH
4185	----	----	156.80B/----	156.80B/122.60A	----	142.60 + 35.20	.2307	----	----	----	----	76 UNCH
4200	----	----	161.00B/----	161.00B/121.40A	----	146.50 + 36.00	.2359	----	----	----	----	106 UNCH
4220	----	----	166.90B/----	166.90B/126.30A	----	151.90 + 37.10	.2429	----	----	----	----	113 UNCH
4225	----	----	168.40B/----	168.40B/122.90A	----	153.20 + 37.30	.2446	----	----	----	----	3 UNCH
4230	----	----	169.80B/----	169.80B/128.50A	----	154.60 + 37.60	.2464	----	----	----	----	1 UNCH
4240	----	----	172.90B/----	172.90B/126.30A	----	157.40 + 38.20	.2500	----	----	----	----	56 UNCH
4250	----	----	175.90B/----	175.90B/128.60A	----	160.20 + 38.80	.2536	----	----	----	----	62 UNCH
4300	----	----	191.70B/----	191.70B/144.20A	----	174.90 + 41.70	.2720	----	----	----	----	84 UNCH
4320	----	----	198.40B/----	198.40B/149.70A	----	181.10 + 42.90	.2796	----	----	----	----	152 UNCH
4350	----	----	208.80B/----	208.80B/157.90A	----	190.70 + 44.80	.2911	----	----	----	----	20 UNCH
4365	----	----	214.20B/----	214.20B/162.40A	----	195.60 + 45.70	.2970	----	----	----	----	5 UNCH
4390	----	----	223.20B/----	223.20B/169.00A	----	204.10 + 47.30	.3069	----	----	----	----	15 UNCH
4400	----	----	226.90B/----	226.90B/171.50A	----	207.50 + 47.90	.3108	----	----	----	----	36 UNCH
4410	----	----	230.80B/----	230.80B/174.70A	----	211.10 + 48.60	.3149	----	----	----	----	7 UNCH
4420	----	----	234.50B/----	234.50B/177.80A	----	214.60 + 49.20	.3189	----	----	----	----	1 UNCH
4430	224.10	224.10	238.50B/224.10	238.50B/180.30A	----	218.20 + 49.90	.3230	----	----	2	----	2 UNCH
4440	----	----	242.30B/----	242.30B/184.40A	----	221.90 + 50.60	.3271	----	----	----	----	7 UNCH
4450	----	----	246.40B/----	246.40B/187.00A	----	225.60 + 51.20	.3312	----	----	----	----	430 UNCH
4475	----	----	256.60B/----	256.60B/195.20A	----	235.00 + 52.90	.3415	----	----	----	----	3 UNCH
4500	----	----	267.10B/----	267.10B/203.80A	----	244.80 + 54.60	.3520	----	----	----	----	457 UNCH
4550	----	----	288.70B/----	288.70B/220.70A	----	265.10 + 57.90	.3733	----	----	----	----	350 UNCH
4560	----	----	293.30B/----	293.30B/224.20A	----	269.40 + 58.60	.3776	----	----	----	----	7 UNCH
4580	----	----	302.50B/----	302.50B/231.20A	----	278.00 + 60.00	.3862	----	----	----	----	1 UNCH
4600	----	----	312.00B/----	312.00B/239.60A	----	286.70 + 61.20	.3949	----	----	----	----	2 UNCH
4620	----	----	321.60B/----	321.60B/246.50A	----	295.70 + 62.60	.4037	----	----	----	----	500 UNCH
4650	----	----	336.40B/----	336.40B/259.40A	----	309.50 + 64.50	.4168	----	----	1	----	3 UNCH
4700	----	----	361.90B/----	361.90B/280.20A	----	333.60 + 67.80	.4389	----	----	71	----	75 + 67
4725	----	----	375.80B/----	375.80B/291.20A	----	346.00 + 69.30	.4500	----	----	----	----	1 UNCH
4730	----	----	377.90B/----	377.90B/292.80A	----	348.60 + 69.70	.4522	----	----	----	----	5 UNCH
4750	----	----	389.20B/----	389.20B/302.40A	----	358.80 + 70.90	.4611	----	----	----	----	150 UNCH
4760	----	----	395.00B/----	395.00B/307.00A	----	364.00 + 71.50	.4655	----	----	----	----	100 UNCH
4775	----	----	403.10B/----	403.10B/314.00A	----	371.90 + 72.40	.4721	----	----	----	----	18 UNCH
4800	----	----	417.70B/----	417.70B/325.80A	----	385.30 + 73.90	.4832	----	----	----	----	27 UNCH
4825	----	----	431.90B/----	431.90B/338.00A	----	399.00 + 75.40	.4941	----	----	----	----	2 UNCH
4835	----	----	437.70B/----	437.70B/343.00A	----	404.50 + 75.90	.4985	----	----	----	----	30 UNCH
4900	----	----	477.50B/----	477.50B/376.60A	----	441.80 + 79.50	.5268	----	----	----	----	3 UNCH
4930	----	----	496.40B/----	496.40B/392.60A	----	459.80 + 81.20	.5396	----	----	----	----	20 UNCH
4950	----	----	509.30B/----	509.30B/403.60A	----	472.00 + 82.30	.5481	----	----	----	----	1 UNCH
4975	----	----	525.60B/----	525.60B/417.40A	----	487.60 + 83.80	.5585	----	----	----	----	210 UNCH
5000	----	----	542.60B/----	542.60B/431.80A	----	503.50 + 85.40	.5689	----	----	----	----	10 UNCH
5005	----	----	545.90B/----	545.90B/434.70A	----	506.70 + 85.70	.5710	----	----	----	----	3 UNCH
5020	----	----	556.00B/----	556.00B/443.40A	----	516.40 + 86.60	.5771	----	----	----	----	3 UNCH
5100	----	----	611.40B/----	611.40B/491.90A	----	569.90 + 91.70	.6089	----	----	----	----	28 UNCH
5105	----	----	614.50B/----	614.50B/495.00A	----	573.30 + 91.90	.6109	----	----	----	----	2 UNCH
5200	----	----	683.90B/----	683.90B/556.40A	----	639.80 + 96.30	.6469	----	----	----	----	47 UNCH
5230	----	----	#706.80B/----	706.80B/577.80A	----	661.60 + 97.80	.6578	----	----	----	----	400 UNCH
5300	----	----	759.90B/----	759.90B/684.30A	----	713.80 + 01.20	.6820	----	----	----	----	300 UNCH
5400	----	----	773.40B/----	773.40B/760.00A	----	791.50 + 06.10	.7140	----	----	----	----	100 UNCH
5420	----	----	771.20B/----	771.20B/775.60A	----	807.40 + 07.00	.7201	----	----	----	----	80 UNCH
5450	----	----	----	638.60B/1030.00A	----	831.40 + 08.20	.7290	----	----	----	----	1 UNCH
5500	----	----	----	681.70B/1068.20A	----	871.90 + 10.00	.7433	----	----	----	----	3 UNCH
6000	----	----	----	1132.90B/1475.60A	----	1308.10 + 24.30	.8494	----	----	----	----	2 UNCH
TOTAL										218		7067 + 211
OCT26												
2700	----	----	----	5.00B/12.40A	----	9.50 + 2.90	.0171	----	----	----	----	1 UNCH
2800	----	----	----	6.80B/14.60A	----	11.30 + 3.50	.0206	----	----	----	----	3 UNCH
3100	----	----	16.00B/----	16.00B/24.60A	----	21.00 + 6.50	.0378	----	----	----	----	1 UNCH
3200	----	----	21.10B/----	21.10B/29.10A	----	25.90 + 8.10	.0462	----	----	----	----	414 UNCH
3240	----	----	23.50B/----	23.50B/31.40A	----	28.10 + 8.80	.0500	----	----	----	----	5 UNCH
3300	----	----	31.50B/----	31.50B/34.70A	----	31.80 + 9.90	.0561	----	----	----	----	415 UNCH
3340	----	----	34.30B/----	34.30B/37.20A	----	34.50 + 10.70	.0606	----	----	----	----	9 UNCH
3360	----	----	35.60B/----	35.60B/36.70A	----	35.90 + 11.10	.0629	----	----	----	----	1 UNCH
3380	----	----	37.40B/----	37.40B/36.90A	----	37.30 + 11.40	.0653	----	----	----	----	1 UNCH
3390	----	----	38.10B/----	38.10B/37.20A	----	38.10 + 11.70	.0665	----	----	----	----	4 UNCH
3400	----	----	38.90B/----	38.90B/37.70A	----	38.80 + 11.80	.0677	----	----	----	----	150 UNCH
3480	----	----	45.10B/----	45.10B/42.40A	----	45.10 + 13.20	.0781	----	----	----	----	12 UNCH
3500	----	----	45.30B/----	45.30B/41.10A	----	46.80 + 13.60	.0809	----	----	----	----	10 UNCH
3520	----	----	47.90B/----	47.90B/42.70A	----	48.60 + 14.00	.0838	----	----	----	----	12 UNCH
3550	----	----	51.00B/----	51.00B/45.30A	----	51.40 + 14.50	.0883	----	----	----	----	25 UNCH
3600	----	----	57.30B/----	57.30B/49.80A	----	56.60 + 15.70	.0964	----	----	----	----	177 UNCH
3615	----	----	59.10B/----	59.10B/51.10A	----	58.20 + 16.00	.0989	----	----	----	----	1 UNCH
3700	----	----	71.60B/----	71.60B/59.80A	----	68.90 + 18.50	.1149	----	----	----	----	210 UNCH
3750	----	----	79.90B/----	79.90B/65.40A	----	75.80 + 20.00	.1250	----	----	----	----	19 UNCH
3785	----	----	85.80B/----	85.80B/69.70A	----	81.00 + 21.20	.1326	----	----	----	----	1 UNCH
3800	----	----	88.40B/----	88.40B/71.60A	----	83.30 + 21.80	.1359	----	----	----	----	19 UNCH
3805	----	----	89.00B/----	89.00B/72.20A	----	84.00 + 21.80	.1369	----	----	----	----	1 UNCH
3865	----	----	99.70B/----	99.70B/80.30A	----	93.50 + 23.80	.1506	----	----	----	----	2 UNCH
3875	----	----	101.60B/----	101.60B/81.80A	----	95.10 + 24.00	.1529	----	----	----	----	12 UNCH
3885	----	----	103.50B/----	103.50B/83.20A	----	96.80 + 24.40	.1553	----	----	----	----	5 UNCH
3890	----	----	104.50B/----	104.50B/84.00A	----	97.60 + 24.50	.1564	----	----	----	----	2 UNCH
3895	----	----	105.50B/----	105.50B/84.70A	----	98.50 + 24.70	.1577	----	----	----	----	2 UNCH
3900	----	----	106.40B/----	106.40B/85.50A	----	99.30 + 24.80	.1589	----	----	----	----	22 UNCH
3920	----	----	110.50B/----	110.50B/88.50A	----	102.80 + 25.50	.1638	----	----	----	----	28 UNCH
3940	----	----	114.60B/----	114.60B/91.60A	----	106.40 + 26.10	.1688	----	----	----	----	65 UNCH
3950	----	----	116.70B/----	116.70B/93.30A	----	108.20 + 26.40	.1714	----	----	----	----	2 UNCH
3975	----	----	122.20B/----	122.20B/97.40A	----	112.90 + 27.20	.1779	----	----	----	----	5 UNCH
4000	----	----	127.90B/----	127.90B/101.70A	----	117.80 + 28.10	.1846	----	----	----	----	406 UNCH
4050	----	----	139.80B/----	139.80B/110.80A	----	128.30 + 29.90	.1986	----	----	1	----	5 UNCH
4070	----	----	144.90B/----	144.90B/114.70A	----	132.80 + 30.70	.2045	----	----	----	----	24 UNCH
4075	----	----	146.10B/----	146.10B/115.70A	----	134.00 + 30.90	.2060	----	----	1	----	0 - 1
4100	----	----	152.70B/----	152.70B/120.70A	----	139.80 + 31.90	.2135	----	----	----	----	314 UNCH
4130	----	----	160.80B/----	160.80B/126.90A	----	147.10 + 33.10	.2227	----	----	----	----	1 UNCH
4150	----	----	166.60B/----	166.60B/131.30A	----	152.20 + 33.90	.2291	----	----	----	----	5 UNCH
4200	----	----	181.30B/----	181.30B/142.70A	----	165.60 + 36.20	.2454	----	----	----	----	121 UNCH
4220	----	----	187.30B/----	187.30B/147.50A	----	171.20 + 37.00	.2521	----	----	----	----	5 UNCH
4235	----	----	192.20B/----	192.20B/151.20A	----	175.50 + 37.70	.2572	----	----	----	----	1 UNCH
4250	----	----	197.00B/----	197.00B/155.00A	----	179.90 + 38.40	.2624	----	----	----	15	72 + 15
4265	----	----	201.90B/----	201.90B/158.80A	----	184.30 + 39.00	.2676	----	----	----	----	200 UNCH
4270	----	----	203.80B/----	203.80B/160.10A	----	185.80 + 39.20	.2693	----	----	----	----	226 UNCH
4300	----	----	213.80B/----	213.80B/168.10A	----	195.10 + 40.60	.2800	----	----	----	----	476 UNCH
4355	----	----	233.60B/----	233.60B/183.60A	----	212.90 + 43.10	.2999	----	----	----	----	11 UNCH
4375	----	----	240.80B/----	240.80B/189.60A	----	219.70 + 44.00	.3074	----	----	----	----	10 UNCH
4400	----	----	250.70B/----	250.70B/197.20A	----	228.40 + 45.10	.3168	----	----	----	----	301 UNCH
4430	----	----	262.50B/----	262.50B/206.80A	----	239.20 + 46.50	.3283	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 20

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
OCT26												
4450	----	----	270.50B/----	270.50B/213.30A	----	246.60 + 47.50	.3360	----	----	----	----	26 UNCH
4500	----	----	291.70B/----	291.70B/230.40A	----	266.20 + 50.20	.3557	----	----	----	----	56 UNCH
4600	----	----	337.60B/----	337.60B/268.00A	----	309.90 + 56.90	.3963	----	----	----	----	350 UNCH
4610	----	----	342.20B/----	342.20B/271.90A	----	314.60 + 57.70	.4004	----	----	----	----	5 UNCH
4675	----	----	375.00B/----	375.00B/299.00A	----	346.70 + 63.10	.4271	----	----	----	----	1 UNCH
4700	----	----	388.10B/----	388.10B/310.00A	----	359.70 + 65.30	.4374	----	----	----	----	64 UNCH
4750	----	----	415.10B/----	415.10B/332.70A	----	386.60 + 69.60	.4578	----	----	----	----	173 UNCH
4800	----	----	443.30B/----	443.30B/356.60A	----	414.50 + 73.70	.4781	----	----	----	----	126 UNCH
4845	----	----	469.90B/----	469.90B/379.00A	----	440.20 + 77.00	.4961	----	----	----	----	17 UNCH
4850	----	----	472.90B/----	472.90B/381.60A	----	443.10 + 77.30	.4981	----	----	----	----	55 UNCH
4875	----	----	487.80B/----	487.80B/394.50A	----	457.60 + 78.80	.5080	----	----	----	----	1 UNCH
4900	----	----	503.40B/----	503.40B/407.80A	----	472.40 + 80.40	.5179	----	----	----	----	110 UNCH
4910	----	----	509.60B/----	509.60B/413.10A	----	478.40 + 81.00	.5219	----	----	----	----	1 UNCH
4920	----	----	515.60B/----	515.60B/418.60A	----	484.40 + 81.50	.5258	----	----	----	----	1 UNCH
4925	----	----	519.10B/----	519.10B/421.20A	----	487.40 + 81.80	.5277	----	----	----	----	25 UNCH
4980	----	----	554.50B/----	554.50B/451.90A	----	521.20 + 84.70	.5491	----	----	----	----	1 UNCH
5000	----	----	567.60B/----	567.60B/463.30A	----	533.70 + 85.70	.5567	----	----	----	----	47 UNCH
5010	----	----	574.30B/----	574.30B/469.30A	----	540.10 + 86.30	.5606	----	----	----	----	1 UNCH
5050	----	----	600.70B/----	600.70B/493.00A	----	565.80 + 88.20	.5756	----	----	----	----	25 UNCH
5200	----	----	707.70B/----	707.70B/587.80A	----	668.40 + 96.00	.6291	----	----	----	----	100 UNCH
5230	----	----	729.30B/----	729.30B/607.70A	----	690.00 + 97.50	.6392	----	----	----	----	2 UNCH
5250	----	----	744.30B/----	744.30B/621.30A	----	704.50 + 98.50	.6458	----	----	----	----	75 UNCH
5300	----	----	782.30B/----	782.30B/655.90A	----	741.50 + 00.90	.6619	----	----	----	----	6 UNCH
5425	----	----	#843.60B/----	843.60B/806.40A	----	836.60 + 05.90	.7000	----	----	----	----	1 UNCH
5455	----	----	#850.20B/----	850.20B/829.60A	----	859.80 + 06.70	.7088	----	----	----	----	40 UNCH
5600	----	----	----	767.00B/1193.30A	----	975.10 + 09.80	.7488	----	----	----	----	1 UNCH
5700	----	----	----	854.20B/1271.80A	----	1059.30 + 12.80	.7719	----	----	----	----	1 UNCH
TOTAL										2	15	5128 + 14
NOV26												
2750	----	----	----	5.30B/17.60A	----	13.70 + 5.40	.0226	----	----	----	----	1 UNCH
2800	----	----	----	6.40B/19.00A	----	15.10 + 5.90	.0249	----	----	----	----	8 UNCH
2900	----	----	----	9.10B/22.20A	----	18.20 + 6.80	.0300	----	----	----	----	1 UNCH
3000	----	----	----	12.40B/26.20A	----	21.80 + 7.60	.0359	----	----	----	----	95 UNCH
3120	----	----	----	17.70B/31.90A	----	27.10 + 8.90	.0446	----	----	----	----	10 UNCH
3180	----	----	20.80B/----	20.80B/35.20A	----	30.20 + 9.70	.0495	----	----	----	----	10 UNCH
3200	----	----	22.00B/----	22.00B/36.40A	----	31.30 + 9.90	.0513	----	----	----	----	93 UNCH
3215	----	----	23.00B/----	23.00B/37.30A	----	32.10 + 10.10	.0526	----	----	----	----	1 UNCH
3220	----	----	23.40B/----	23.40B/37.60A	----	32.40 + 10.10	.0531	----	----	----	----	1 UNCH
3225	----	----	23.70B/----	23.70B/37.90A	----	32.70 + 10.20	.0535	----	----	----	----	1 UNCH
3235	----	----	24.40B/----	24.40B/38.50A	----	33.30 + 10.40	.0545	----	----	----	----	2 UNCH
3250	----	----	31.30B/----	31.30B/39.50A	----	34.20 + 10.50	.0559	----	----	----	----	18 UNCH
3255	----	----	31.70B/----	31.70B/39.80A	----	34.50 + 10.60	.0564	----	----	----	----	18 UNCH
3300	33.00	33.00	35.60B/33.00	35.60B/33.00	----	37.50 + 11.30	.0611	----	----	1	----	19 + 1
3310	----	----	36.50B/----	36.50B/42.90A	----	38.20 + 11.50	.0621	----	----	----	----	1 UNCH
3320	----	----	37.30B/----	37.30B/40.80A	----	38.90 + 11.70	.0632	----	----	----	----	16 UNCH
3350	----	----	40.10B/----	40.10B/41.40A	----	41.00 + 12.10	.0665	----	----	----	----	180 UNCH
3455	----	----	48.90B/----	48.90B/47.90A	----	49.70 + 14.00	.0797	----	----	----	----	1 UNCH
3475	----	----	51.00B/----	51.00B/49.60A	----	51.60 + 14.50	.0825	----	----	----	----	1 UNCH
3500	----	----	53.70B/----	53.70B/51.80A	----	54.00 NEW	.0860	----	----	----	650	650 + 650
3535	----	----	57.70B/----	57.70B/55.10A	----	57.70 + 15.90	.0913	----	----	----	----	1 UNCH
3690	----	----	78.50B/----	78.50B/71.90A	----	76.70 + 20.00	.1180	----	----	----	----	1 UNCH
3725	----	----	84.00B/----	84.00B/76.40A	----	81.70 + 21.10	.1248	----	----	----	----	1 UNCH
3740	----	----	86.40B/----	86.40B/78.30A	----	84.00 + 21.60	.1278	----	----	----	----	20 UNCH
3750	----	----	88.10B/----	88.10B/79.70A	----	85.50 + 21.90	.1298	----	----	----	----	150 UNCH
3780	----	----	93.50B/----	93.50B/83.80A	----	90.20 + 22.80	.1361	----	----	----	----	1 UNCH
3800	----	----	96.80B/----	96.80B/86.70A	----	93.50 + 23.50	.1404	----	----	----	----	25 UNCH
3820	----	----	100.40B/----	100.40B/89.60A	----	96.90 + 24.30	.1448	----	----	----	----	20 UNCH
3875	----	----	110.90B/----	110.90B/98.20A	----	106.80 + 26.30	.1574	----	----	----	----	24 UNCH
4000	143.20	143.20	143.20/141.30	143.20/120.50A	----	132.50 + 31.40	.1888	----	----	2	----	2 + 1
4100	----	----	164.20B/----	164.20B/141.00A	----	156.50 + 36.00	.2166	----	----	----	----	1 UNCH
4160	----	----	181.30B/----	181.30B/154.60A	----	172.50 + 38.90	.2343	----	----	----	----	1 UNCH
4170	----	----	184.30B/----	184.30B/157.00A	----	175.20 + 39.30	.2374	----	----	----	----	1 UNCH
4200	----	----	193.60B/----	193.60B/164.40A	----	183.80 + 40.90	.2466	----	----	----	----	4 UNCH
4205	----	----	195.10B/----	195.10B/165.60A	----	185.20 + 41.10	.2482	----	----	----	----	1 UNCH
4215	----	----	198.30B/----	198.30B/168.10A	----	188.10 + 41.50	.2513	----	----	----	----	5 UNCH
4275	----	----	217.60B/----	217.60B/184.00A	----	206.50 + 44.70	.2705	----	----	----	----	3 UNCH
4320	----	----	233.30B/----	233.30B/196.70A	----	221.10 + 47.00	.2854	----	----	----	----	43 UNCH
4350	----	----	244.50B/----	244.50B/205.60A	----	231.30 + 48.70	.2955	----	----	----	----	3 UNCH
4400	----	----	263.40B/----	263.40B/221.20A	----	249.10 + 51.40	.3127	----	----	----	----	3 UNCH
4425	----	----	273.30B/----	273.30B/229.30A	----	258.40 + 52.90	.3214	----	----	----	----	72 UNCH
4500	----	----	304.50B/----	304.50B/255.10A	----	287.70 + 57.10	.3482	----	----	----	----	40 UNCH
4580	----	----	340.50B/----	340.50B/285.20A	----	321.60 + 61.70	.3775	----	----	----	----	10 UNCH
4640	----	----	367.70B/----	367.70B/302.20A	----	348.90 + 65.30	.3998	----	----	----	----	90 UNCH
4725	----	----	412.30B/----	412.30B/346.30A	----	390.30 + 70.40	.4317	----	----	----	----	2 UNCH
4840	----	----	476.00B/----	476.00B/401.00A	----	451.40 + 77.20	.4748	----	----	----	----	2 UNCH
4900	----	----	511.60B/----	511.60B/431.80A	----	485.60 + 80.70	.4968	----	----	----	----	2 UNCH
4915	----	----	520.70B/----	520.70B/439.80A	----	494.50 + 81.60	.5023	----	----	----	----	3 UNCH
4950	----	----	540.60B/----	540.60B/450.60A	----	515.40 + 83.60	.5149	----	----	----	----	11 UNCH
4960	----	----	548.40B/----	548.40B/464.10A	----	521.50 + 84.20	.5185	----	----	----	----	2 UNCH
5000	----	----	573.70B/----	573.70B/486.40A	----	546.20 + 86.50	.5327	----	----	----	----	253 UNCH
5055	----	----	609.50B/----	609.50B/518.10A	----	581.10 + 89.50	.5518	----	----	----	----	8 UNCH
5200	----	----	707.40B/----	707.40B/607.50A	----	677.90 + 96.50	.6002	----	----	----	----	81 UNCH
5395	----	----	852.00B/----	852.00B/739.60A	----	817.10 + 03.70	.6603	----	----	----	----	6 UNCH
5400	----	----	855.70B/----	855.70B/743.10A	----	820.80 + 03.80	.6617	----	----	----	----	6 UNCH
5760	----	----	----	870.40B/1347.10A	----	1106.50 + 14.60	.7525	----	----	----	----	1 UNCH
5975	----	----	----	1061.30B/1521.00A	----	1291.20 + 20.20	.7937	----	----	----	----	1 UNCH
6000	----	----	----	1083.20B/1541.70A	----	1313.20 + 20.80	.7980	----	----	----	----	1 UNCH
TOTAL										3	650	2028 + 652
DEC26												
1350	----	----	----	----/1.20A	----	0.30 UNCH	.0005	----	----	----	----	16 UNCH
1500	----	----	----	0.10B/2.50A	----	0.80 UNCH	.0012	----	----	----	----	1 UNCH
1600	----	----	----	0.10B/3.40A	----	1.20 UNCH	.0018	----	----	----	----	190 UNCH
1700	----	----	----	0.10B/4.40A	----	1.60 UNCH	.0024	----	----	----	----	200 UNCH
1845	----	----	----	0.10B/24.10A	----	2.40 UNCH	.0037	----	----	----	----	36 UNCH
1900	----	----	----	0.10B/24.60A	----	2.70 + 0.10	.0041	----	----	----	----	4 UNCH
2000	----	----	----	0.20B/10.10A	----	3.20 UNCH	.0050	----	----	----	----	2 UNCH
2400	----	----	----	0.30B/13.00A	----	5.60 + 0.20	.0096	----	----	----	----	1 UNCH
2490	----	----	----	6.00B/14.60A	----	6.20 + 0.20	.0109	----	----	----	----	1 UNCH
2750	----	----	----	5.20B/21.50A	----	12.00 + 2.10	.0206	----	----	----	----	1 UNCH
2800	----	----	----	6.50B/16.00A	----	13.50 + 2.50	.0230	----	----	----	----	8 UNCH
2900	----	----	----	9.60B/27.20A	----	17.00 + 3.40	.0286	----	----	----	----	19 UNCH
2925	----	----	----	10.40B/28.30A	----	18.00 + 3.70	.0302	----	----	----	----	300 UNCH
2975	----	----	----	12.40B/30.60A	----	20.10 + 4.30	.0335	----	----	----	----	400 UNCH
3000	----	----	----	13.50B/25.00A	----	21.30 + 4.60	.0354	----	----	----	----	1363 UNCH
3160	----	----	----	21.90B/40.70A	----	29.90 + 6.20	.0486	----	----	----	----	2 UNCH
3175	----	----	----	22.80B/41.40A	----	30.90 + 6.40	.0501	----	----	----	----	1 UNCH
3190	----	----	----	24.00B/42.50A	----	31.80 + 6.50	.0515	----	----	----	----	5 UNCH
3250	----	----	35.20B/----	35.20B/44.20A	----	36.00 + 7.40	.0577	----	----	----	----	15 UNCH
3300	----	----	39.50B/----	39.50B/42.80A	----	39.80 + 8.10	.0633	----	----	----	----	6 UNCH
3400	----	----	47.80B/----	47.80B/47.50A	----	48.50 + 9.80	.0759	----	----	----	220	1130 + 177
3425	----	----	50.40B/----	50.40B/49.60A	----	50.90 + 10.20	.0793	----	----	----	----	350 UNCH
3450	----	----	53.30B/----	53.30B/51.90A	----	53.40 + 10.70	.0828	----	----	----	----	201 UNCH
3460	----	----	54.40B/----	54.40B/52.80A	----	54.50 + 11.00	.0843	----	----	----	----	20 UNCH
3475	----	----	56.20B/----	56.20B/54.20A	----	56.00 + 11.20	.0864	----	----	----	----	152 UNCH
3500	----	----	59.20B/----	59.20B/56.70A	----	58.80 + 11.80	.0902	----	----	----	----	1456 UNCH
3550	----	----	65.40B/----	65.40B/61.90A	----	64.60 + 12.90	.0982	----	----	----	----	18 UNCH
3565	----	----	67.50B/----	67.50B/63.60A	----	66.40 + 13.20	.1006	----	----	----	----	2 UNCH
3590	----	----	70.90B/----	70.90B/66.40A	----	69.60 + 13.90	.1049	----	----	----	----	1 UNCH
3600	----	----	72.30B/----	72.30B/67.60A	----	70.90 + 14.10	.1066	----	----	----	----	353 UNCH
3610	----	----	73.80B/----	73.80B/68.70A	----	72.20 + 14.30	.1084	----	----	----	----	3 UNCH
3650	----	----	79.90B/----	79.90B/73.60A	----	77.70 + 15.40	.1156	----	----	----	----	201 UNCH
3660	----	----	81.40B/----	81.40B/74.90A	----	79.20 + 15.70	.1175	----	----	----	----	5 UNCH
3670	----	----	82.90B/----	82.90B/76.10A	----	80.60 + 16.00	.1194	----	----	----	----	1 UNCH
3690	----	----	86.60B/----	86.60B/78.80A	----	83.60 + 16.60	.1232	----	----	----	----	1 UNCH
3700	----	----	88.50B/----	88.50B/80.20A	----	85.10 + 16.80	.1252	----	----	----	----	29 UNCH
3710	----	----	90.20B/----	90.20B/81.50A	----	86.70 + 17.20	.1272	----	----	----	----	37 UNCH
3720	----	----	92.20B/----	92.20B/82.90A	----	88.20 + 17.40	.1291	----	----	----	----	1 UNCH
3725	----	----	93.40B/----	93.40B/83.60A	----	89.00 + 17.60	.1302	----	----	----	----	6 UNCH
3750	----	----	98.50B/----	98.50B/87.20A	----	93.10 + 18.40	.1353	----	----	----	----	166 UNCH
3760	----	----	99.90B/----	99.90B/88.60A	----	94.80 + 18.70	.1374	----	----	----	----	184 UNCH
3780	----	----	103.20B/----	103.20B/91.60A	----	98.20 + 19.30	.1417	----	----	----	----	1 UNCH
3800	----	----	106.90B/----	106.90B/94.60A	----	101.70 + 20.00	.1460	----	----	----	----	77 UNCH
3810	----	----	108.90B/----	108.90B/96.20A	----	103.60 + 20.40	.1483	----	----	----	----	56 UNCH
3850	----	----	117.00B/----	117.00B/102.60A	----	111.10 + 21.80	.1573	----	----	----	----	24 UNCH
3880	----	----	123.30B/----	123.30B/107.70A	----	117.00 + 22.90	.1644	----	----	----	----	1 UNCH
3900	----	----	127.90B/----	127.90B/111.20A	----	121.10 + 23.70	.1692	----	----	----	----	805 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 21

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
DEC26												
3925	----	----	133.30B/----	133.30B/115.70A	----	126.40 + 24.70	.1753	----	----	----	----	209 UNCH
3930	----	----	134.60B/----	134.60B/116.60A	----	127.40 + 24.80	.1765	----	----	----	----	2 UNCH
3950	----	----	139.30B/----	139.30B/120.40A	----	131.80 + 25.60	.1816	----	----	----	----	27 UNCH
3980	136.90	136.90	146.30B/136.90	146.30B/126.20A	----	138.70 + 26.90	.1894	----	----	2	----	129 UNCH
4000	150.00	150.00	160.00/142.00	160.00/130.20A	----	143.40 + 27.70	.1946	----	----	20	----	1699 - 19
4025	----	----	158.00B/----	158.00B/135.40A	----	149.50 + 28.90	.2014	----	----	----	----	220 UNCH
4070	----	----	169.90B/----	169.90B/145.10A	----	161.00 + 30.90	.2138	----	----	----	----	5 UNCH
4090	----	----	175.40B/----	175.40B/149.70A	----	166.30 + 31.80	.2194	----	----	----	----	1 UNCH
4100	----	----	178.30B/----	178.30B/152.00A	----	169.00 + 32.30	.2223	----	----	----	----	381 UNCH
4130	----	----	187.10B/----	187.10B/159.10A	----	177.40 + 33.70	.2310	----	----	----	----	2 UNCH
4160	----	----	196.00B/----	196.00B/166.40A	----	186.10 + 35.20	.2399	----	----	----	----	252 UNCH
4170	----	----	199.20B/----	199.20B/169.00A	----	189.00 + 35.70	.2429	----	----	----	----	2 UNCH
4175	----	----	200.80B/----	200.80B/170.20A	----	190.50 + 35.90	.2444	----	----	----	----	60 UNCH
4200	----	----	208.80B/----	208.80B/176.70A	----	198.10 + 37.20	.2520	----	----	----	----	684 UNCH
4215	----	----	213.40B/----	213.40B/180.70A	----	202.80 + 38.00	.2567	----	----	----	----	14 UNCH
4250	----	----	225.20B/----	225.20B/190.30A	----	214.10 + 39.90	.2676	----	----	----	----	202 UNCH
4300	247.20	247.20	250.00/247.20	250.00/204.70A	----	231.00 + 42.60	.2836	----	----	2	----	1406 UNCH
4320	----	----	249.90B/----	249.90B/210.70A	----	238.00 + 43.70	.2901	----	----	----	----	100 UNCH
4325	----	----	251.70B/----	251.70B/212.20A	----	239.80 + 44.00	.2917	----	----	----	----	300 UNCH
4340	----	----	257.50B/----	257.50B/216.90A	----	245.20 + 44.80	.2967	----	----	----	----	79 UNCH
4350	----	----	261.20B/----	261.20B/220.00A	----	248.80 + 45.30	.2999	----	----	----	----	101 UNCH
4375	----	----	270.70B/----	270.70B/227.90A	----	258.10 + 46.80	.3083	----	----	----	----	2 UNCH
4385	----	----	274.70B/----	274.70B/231.20A	----	261.90 + 47.30	.3116	----	----	----	----	75 UNCH
4390	----	----	276.70B/----	276.70B/232.80A	----	263.80 + 47.60	.3133	----	----	----	----	14 UNCH
4400	----	----	280.70B/----	280.70B/236.10A	----	267.70 + 48.30	.3166	----	----	----	----	86 UNCH
4425	----	----	290.70B/----	290.70B/244.60A	----	277.50 + 49.70	.3251	----	----	----	----	9 UNCH
4435	----	----	294.80B/----	294.80B/248.00A	----	281.40 + 50.20	.3285	----	----	----	----	14 UNCH
4450	----	----	301.20B/----	301.20B/253.20A	----	287.50 + 51.20	.3336	----	----	----	----	60 UNCH
4475	----	----	311.80B/----	311.80B/262.10A	----	297.80 + 52.70	.3422	----	----	----	----	8 UNCH
4500	----	----	322.70B/----	322.70B/271.20A	----	308.30 + 54.10	.3509	----	----	----	----	516 UNCH
4510	----	----	327.00B/----	327.00B/274.90A	----	312.60 + 54.70	.3543	----	----	----	----	2 UNCH
4515	----	----	329.30B/----	329.30B/276.80A	----	314.80 + 55.10	.3561	----	----	----	----	242 UNCH
4520	----	----	331.50B/----	331.50B/278.70A	----	316.90 + 55.30	.3578	----	----	----	----	25 UNCH
4530	----	----	336.10B/----	336.10B/282.50A	----	321.30 + 55.90	.3613	----	----	----	----	20 UNCH
4535	----	----	338.40B/----	338.40B/284.40A	----	323.50 + 56.20	.3630	----	----	----	----	102 UNCH
4540	----	----	340.60B/----	340.60B/286.30A	----	325.70 + 56.50	.3648	----	----	----	----	1 UNCH
4550	----	----	345.20B/----	345.20B/290.20A	----	330.20 + 57.20	.3683	----	----	----	----	5 UNCH
4580	----	----	359.10B/----	359.10B/302.00A	----	343.80 + 59.00	.3788	----	----	----	----	50 UNCH
4585	----	----	361.50B/----	361.50B/304.00A	----	346.10 + 59.30	.3806	----	----	----	----	325 UNCH
4600	----	----	368.80B/----	368.80B/310.10A	----	353.00 + 60.20	.3859	----	----	----	----	418 UNCH
4620	----	----	378.40B/----	378.40B/318.30A	----	362.40 + 61.40	.3929	----	----	----	----	50 UNCH
4625	----	----	380.80B/----	380.80B/320.40A	----	364.80 + 61.70	.3947	----	----	----	----	22 UNCH
4640	----	----	388.10B/----	388.10B/326.80A	----	372.00 + 62.70	.4000	----	----	----	----	100 UNCH
4650	----	----	393.20B/----	393.20B/331.00A	----	376.90 + 63.30	.4036	----	----	----	----	111 UNCH
4680	----	----	408.30B/----	408.30B/344.00A	----	391.70 + 65.20	.4142	----	----	----	----	60 UNCH
4700	----	----	418.70B/----	418.70B/352.80A	----	401.70 + 66.40	.4213	----	----	----	----	522 UNCH
4750	442.00	442.00	445.30B/419.00	445.30B/375.70A	----	427.50 + 69.40	.4390	----	----	4	----	12 + 4
4790	----	----	466.90B/----	466.90B/394.60A	----	448.90 + 71.90	.4532	----	----	----	----	60 UNCH
4800	----	----	472.50B/----	472.50B/399.50A	----	454.30 + 72.50	.4567	----	----	----	----	152 UNCH
4810	----	----	478.00B/----	478.00B/404.40A	----	459.80 + 73.10	.4602	----	----	----	----	56 UNCH
4815	----	----	480.90B/----	480.90B/406.90A	----	462.50 + 73.30	.4620	----	----	----	----	10 UNCH
4820	----	----	483.80B/----	483.80B/409.30A	----	465.30 + 73.70	.4637	----	----	----	----	20 UNCH
4825	----	----	486.60B/----	486.60B/411.80A	----	468.10 + 74.00	.4655	----	----	----	----	100 UNCH
4850	----	----	500.80B/----	500.80B/424.30A	----	482.10 + 75.50	.4742	----	----	----	----	9 UNCH
4900	----	----	530.60B/----	530.60B/450.10A	----	510.80 + 78.50	.4915	----	----	----	----	11 UNCH
4925	----	----	545.70B/----	545.70B/463.40A	----	525.40 + 79.80	.5000	----	----	----	----	1 UNCH
4950	----	----	561.00B/----	561.00B/476.80A	----	540.30 + 81.20	.5085	----	----	----	----	1 UNCH
4975	----	----	580.70B/----	580.70B/499.40A	----	555.50 + 82.70	.5170	----	----	----	----	43 UNCH
4980	----	----	579.70B/----	579.70B/493.40A	----	558.50 + 82.90	.5187	----	----	----	----	12 UNCH
4995	----	----	589.20B/----	589.20B/501.80A	----	567.70 + 83.80	.5237	----	----	----	----	32 UNCH
5000	----	----	592.30B/----	592.30B/504.60A	----	570.80 + 84.00	.5253	----	----	----	----	392 UNCH
5020	----	----	605.10B/----	605.10B/516.00A	----	583.30 + 85.20	.5320	----	----	----	----	8 UNCH
5025	----	----	608.30B/----	608.30B/518.90A	----	586.40 + 85.40	.5337	----	----	----	----	15 UNCH
5035	----	----	614.80B/----	614.80B/524.60A	----	592.70 + 86.00	.5369	----	----	----	----	8 UNCH
5050	----	----	624.50B/----	624.50B/533.30A	----	602.20 + 86.80	.5419	----	----	----	----	201 UNCH
5070	----	----	637.90B/----	637.90B/545.00A	----	615.00 + 87.90	.5484	----	----	----	----	1 UNCH
5075	----	----	641.20B/----	641.20B/548.00A	----	618.20 + 88.10	.5500	----	----	----	----	100 UNCH
5095	----	----	654.20B/----	654.20B/559.90A	----	631.10 + 89.10	.5565	----	----	----	----	6 UNCH
5100	----	----	657.60B/----	657.60B/562.90A	----	634.40 + 89.40	.5581	----	----	----	----	6 UNCH
5195	----	----	723.20B/----	723.20B/621.60A	----	697.70 + 93.90	.5879	----	----	----	----	5 UNCH
5200	----	----	726.20B/----	726.20B/624.80A	----	701.10 + 94.10	.5895	----	----	----	----	38 UNCH
5250	----	----	762.20B/----	762.20B/657.10A	----	735.70 + 96.40	.6046	----	----	----	----	126 UNCH
5290	----	----	791.10B/----	791.10B/683.50A	----	763.80 + 98.00	.6165	----	----	----	----	1 UNCH
5295	----	----	794.80B/----	794.80B/686.90A	----	767.40 + 98.30	.6179	----	----	----	----	1 UNCH
5360	----	----	843.00B/----	843.00B/731.10A	----	814.20 + 00.80	.6366	----	----	----	----	100 UNCH
5370	----	----	850.50B/----	850.50B/737.70A	----	821.50 + 01.20	.6394	----	----	----	----	20 UNCH
5375	----	----	854.30B/----	854.30B/741.40A	----	825.20 + 01.40	.6408	----	----	----	----	34 UNCH
5400	----	----	873.20B/----	873.20B/758.90A	----	843.60 + 02.30	.6477	----	----	----	----	102 UNCH
5460	----	----	919.30B/----	919.30B/802.80A	----	888.40 + 04.30	.6640	----	----	----	----	200 UNCH
5465	----	----	#922.90B/----	922.90B/864.60A	----	892.20 + 04.50	.6653	----	----	----	----	50 UNCH
5480	----	----	#934.90B/----	934.90B/875.80A	----	903.50 + 04.90	.6692	----	----	----	----	50 UNCH
5500	----	----	950.40B/----	950.40B/890.80A	----	918.80 + 05.60	.6744	----	----	----	----	31 UNCH
5525	----	----	#970.30B/----	970.30B/909.80A	----	938.00 + 06.30	.6808	----	----	----	----	80 UNCH
5600	----	----	996.70B/----	996.70B/967.60A	----	996.40 + 08.40	.6994	----	----	----	----	252 UNCH
5900	----	----	----	985.70B/1502.10A	----	1242.20 + 15.70	.7641	----	----	----	----	125 UNCH
6000	----	----	----	1074.60B/1583.40A	----	1327.90 + 18.10	.7823	----	----	----	----	40 UNCH
6500	----	----	----	1534.40B/2012.60A	----	1776.70 + 26.40	.8522	----	----	----	----	4 UNCH
TOTAL										28	220	19081 + 162
JAN27												
2800	----	----	7.70B/----	7.70B/20.00A	----	11.40 + 3.90	.0201	----	----	----	----	10 UNCH
3000	----	----	15.60B/----	15.60B/35.40A	----	22.10 + 6.80	.0357	----	----	----	----	3 UNCH
3520	----	----	70.10B/----	70.10B/70.00A	----	71.80 + 17.80	.0999	----	----	----	----	1 UNCH
3800	----	----	116.90B/----	116.90B/109.10A	----	116.20 + 26.90	.1516	----	----	----	----	1 UNCH
3825	----	----	122.20B/----	122.20B/113.40A	----	121.10 + 27.80	.1570	----	----	----	----	1 UNCH
3900	----	----	138.60B/----	138.60B/127.30A	----	136.50 + 30.60	.1737	----	----	----	----	1 UNCH
3980	----	----	157.80B/----	157.80B/143.40A	----	154.50 + 33.50	.1927	----	----	----	----	1 UNCH
4000	----	----	163.00B/----	163.00B/147.90A	----	159.20 + 34.20	.1976	----	----	----	----	1 UNCH
4350	----	----	275.00B/----	275.00B/241.40A	----	261.60 + 46.60	.2949	----	----	----	----	1 UNCH
4400	----	----	294.40B/----	294.40B/257.90A	----	280.00 + 49.10	.3104	----	----	----	----	1 UNCH
4585	----	----	374.90B/----	374.90B/326.30A	----	356.70 + 59.80	.3701	----	----	----	----	1 UNCH
4600	----	----	381.90B/----	381.90B/332.40A	----	363.60 + 60.80	.3751	----	----	----	----	3 UNCH
4630	----	----	396.40B/----	396.40B/344.80A	----	377.50 + 62.70	.3850	----	----	----	----	1 UNCH
4650	385.00	385.00	406.00B/385.00	406.00B/353.30A	----	387.00 NEW	.3917	----	----	2	----	0 UNCH
4660	----	----	411.00B/----	411.00B/357.50A	----	391.80 + 64.60	.3950	----	----	----	----	4 UNCH
4665	----	----	413.50B/----	413.50B/359.70A	----	394.20 + 64.90	.3967	----	----	----	----	4 UNCH
4760	----	----	462.40B/----	462.40B/402.30A	----	442.00 + 70.90	.4283	----	----	----	----	100 UNCH
4800	----	----	484.20B/----	484.20B/421.30A	----	463.10 + 73.40	.4417	----	----	----	----	6 UNCH
4820	----	----	495.00B/----	495.00B/431.00A	----	473.90 + 74.60	.4483	----	----	----	----	6 UNCH
4860	----	----	517.60B/----	517.60B/450.80A	----	495.80 + 76.80	.4615	----	----	----	----	1 UNCH
4990	----	----	594.60B/----	594.60B/519.20A	----	571.20 + 83.80	.5035	----	----	----	----	1 UNCH
4995	----	----	597.70B/----	597.70B/522.00A	----	574.20 + 84.00	.5051	----	----	----	----	1 UNCH
5000	----	----	600.80B/----	600.80B/524.70A	----	577.20 + 84.30	.5067	----	----	----	----	3 UNCH
5050	----	----	632.40B/----	632.40B/552.70A	----	607.90 + 86.70	.5223	----	----	----	----	100 UNCH
5085	----	----	654.90B/----	654.90B/573.00A	----	629.90 + 88.30	.5332	----	----	----	----	2 UNCH
5150	----	----	697.70B/----	697.70B/611.50A	----	671.70 + 91.20	.5529	----	----	----	----	2 UNCH
5235	----	----	755.40B/----	755.40B/664.10A	----	728.30 + 94.70	.5780	----	----	----	----	2 UNCH
TOTAL										2		258 0
FEB27												
4000	----	----	#172.20B/----	#172.20B/155.50A	----	175.70 + 39.90	.2047	----	----	----	----	1 UNCH
4600	----	----	#396.10B/----	#396.10B/344.30A	----	389.50 + 67.70	.3760	----	----	----	----	17 UNCH
4650	----	----	#420.30B/----	#420.30B/365.50A	----	412.90 + 70.10	.3917	----	----	----	----	1 UNCH
4655	----	----	#422.90B/----	#422.90B/367.60A	----	415.30 + 70.30	.3933	----	----	----	----	1 UNCH
4660	----	----	#425.30B/----	#425.30B/369.80A	----	417.70 + 70.60	.3949	----	----	----	----	435 UNCH
4665	----	----	#427.90B/----	#427.90B/372.00A	----	420.10 + 70.80	.3965	----	----	----	----	3 UNCH
5000	----	----	#615.30B/----	#615.30B/537.50A	----	598.90 + 82.20	.5015	----	----	----	----	10 UNCH
5005	----	----	#618.40B/----	#618.40B/540.30A	----	601.90 + 82.30	.5030	----	----	----	----	2 UNCH
5100	----	----	#678.50B/----	#678.50B/594.30A	----	658.70 + 83.80	.5319	----	----	----	----	2 UNCH
5150	----	----	#711.20B/----	#711.20B/624.00A	----	689.70 + 84.20	.5468	----	----	----	----	1 UNCH
5175	----	----	#727.90B/----	#727.90B/639.00A	----	705.50 + 84.30	.5541	----	----	----	----	125 UNCH
5200	----	----	#744.80B/----	#744.80B/654.50A	----	721.50 + 84.40	.5614	----	----	----	----	1 UNCH
5355	----	----	#838.80B/----	#838.80B/753.70A	----	825.30 + 83.60	.6050	----	----	----	----	1 UNCH
5520	----	----	----	#818.30B/867.30A	----	943.90 + 80.70	.6479	----	----	----	----	300 UNCH
5530	----	----	----	#825.40B/874.30A	----	951.30 + 80.50	.6503	----	----	----	----	100 UNCH
5550	----	----	----	#840.20B/888.80A	----	966.30 + 80.20	.6552	----	----	----	----	65 UNCH
5565	----	----	----/896.70A	841.10B/896.70A	----	977.50 + 79.80	.6588	----	----	----	----	50 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 22

FINAL

OG PUT — COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
TOTAL												1115 0
DEC27												
3700	----	----	----	----	----	37.00 + 8.30	.0688	----	----	----	----	100 UNCH
3715	----	----	----	----	----	38.60 + 8.60	.0713	----	----	----	----	150 UNCH
3820	----	----	----	----	----	52.00 + 11.00	.0910	----	----	----	----	50 UNCH
4130	----	----	----	----	----	120.60 + 21.10	.1716	----	----	----	----	168 UNCH
4500	----	----	----	----	----	271.90 + 36.50	.2916	----	----	----	----	270 UNCH
4630	----	----	----	----	----	339.10 + 41.90	.3328	----	----	----	----	284 UNCH
4860	----	----	----	----	----	473.30 + 50.80	.4016	----	----	----	----	100 UNCH
5000	----	----	----	----	----	564.30 + 55.80	.4401	----	----	----	----	50 UNCH
5650	----	----	----	----	----	1032.30 + 75.00	.5825	----	----	----	----	200 UNCH
5880	----	----	----	----	----	1203.90 + 81.10	.6252	----	----	----	----	200 UNCH
TOTAL												1572 0
JAN28												
5000	----	----	----	----	----	540.70 + 54.60	.4313	----	----	----	----	1 UNCH
5100	----	----	----	----	----	584.60 + 58.30	.4605	----	----	----	----	1 UNCH
TOTAL												2 0

OG CALL — COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26												
3400	----	----	----	----	----	1281.60 - 32.30	.9877	----	----	----	----	1 UNCH
3500	----	----	----	----	----	1182.50 - 31.90	.9841	----	----	----	----	1 UNCH
3600	----	----	----/1,000.20A	1125.10B/1000.20A	----	1083.80 - 31.20	.9788	----	----	----	----	10 UNCH
3675	----	----	----/919.50A	1139.80B/919.50A	----	1010.10 - 30.50	.9736	----	----	----	----	8 UNCH
3685	----	----	----/908.10A	1130.00B/908.10A	----	1000.30 - 30.40	.9728	----	----	----	----	8 UNCH
3700	----	----	----/893.30A	1115.20B/893.30A	----	985.60 - 30.30	.9716	----	----	----	----	31 UNCH
3720	----	----	----/874.00A	1094.50B/874.00A	----	966.10 - 30.00	.9700	----	----	----	----	6 UNCH
3725	----	----	----/869.10A	1090.40B/869.10A	----	961.20 - 30.00	.9693	----	----	----	----	8 UNCH
3735	----	----	----/859.60A	1080.10B/859.60A	----	951.50 - 29.80	.9685	----	----	----	----	15 UNCH
3750	----	----	----/844.70A	1065.80B/844.70A	----	936.80 - 29.70	.9669	----	----	----	----	56 UNCH
3800	----	----	----/796.80A	1016.70B/796.80A	----	888.20 - 28.90	.9617	----	----	----	----	44 UNCH
3820	----	----	----/777.90A	996.50B/777.90A	----	868.90 - 28.60	.9593	----	----	----	----	4 UNCH
3840	----	----	----/758.50A	977.40B/758.50A	----	849.60 - 28.20	.9566	----	----	----	----	20 UNCH
3855	----	----	----/745.00A	962.20B/745.00A	----	835.10 - 28.00	.9543	----	----	----	----	2 UNCH
3875	----	----	----/725.30A	943.20B/725.30A	----	815.90 - 27.50	.9515	----	----	----	----	41 UNCH
3890	----	----	----/711.00A	928.40B/711.00A	----	801.50 - 27.20	.9492	----	----	----	----	1 UNCH
3895	----	----	----/706.40A	923.70B/706.40A	----	796.80 - 27.10	.9484	----	----	----	----	9 UNCH
3900	----	----	----/701.70A	918.60B/701.70A	----	792.00 - 27.00	.9474	----	----	----	----	112 UNCH
3950	----	----	----/654.70A	870.10B/654.70A	----	744.40 - 25.80	.9383	----	----	----	----	223 UNCH
3960	----	----	----/646.50A	860.40B/646.50A	----	735.00 - 25.40	.9363	----	----	3	----	15 - 1
3975	----	----	----/631.70A	845.70B/631.70A	----	720.80 - 25.10	.9333	----	----	----	----	13 UNCH
3980	----	----	----/627.10A	840.90B/627.10A	----	716.10 - 24.90	.9322	----	----	----	----	97 UNCH
3995	----	----	----/613.30A	826.50B/613.30A	----	702.10 - 24.40	.9288	----	----	----	----	62 UNCH
4000	----	----	821.70B/609.00A	821.70B/609.00A	----	697.40 - 24.20	.9277	----	----	----	----	143 UNCH
4005	----	----	----/604.90A	816.70B/604.90A	----	692.70 - 24.10	.9263	----	----	----	----	30 UNCH
4015	----	----	----/595.00A	807.10B/595.00A	----	683.40 - 23.70	.9240	----	----	----	----	5 UNCH
4020	----	----	----/591.30A	802.10B/591.30A	----	678.70 - 23.60	.9229	----	----	----	----	15 UNCH
4025	----	----	797.60B/586.20A	797.60B/586.20A	----	674.10 - 23.30	.9215	----	----	----	----	2 UNCH
4050	----	----	773.40B/563.40A	773.40B/563.40A	----	650.90 - 22.40	.9149	----	----	----	----	176 UNCH
4070	----	----	754.40B/546.40A	754.40B/546.40A	----	632.50 - 21.60	.9094	----	----	----	----	25 UNCH
4075	----	----	749.50B/541.30A	749.50B/541.30A	----	627.90 - 21.40	.9079	----	----	----	----	22 UNCH
4090	----	----	735.40B/528.90A	735.40B/528.90A	----	614.20 - 20.80	.9033	----	----	----	----	1 UNCH
4100	----	----	725.90B/519.20A	725.90B/519.20A	----	605.00 - 20.40	.9001	----	----	----	----	48 UNCH
4105	----	----	720.80B/514.80A	720.80B/514.80A	----	600.50 - 20.20	.8986	----	----	----	----	10 UNCH
4115	----	----	711.60B/506.10A	711.60B/506.10A	----	591.40 - 19.70	.8954	----	----	----	----	4 UNCH
4120	----	----	706.90B/502.50A	706.90B/502.50A	----	586.90 - 19.50	.8936	----	----	----	----	372 UNCH
4125	----	----	702.10B/498.20A	702.10B/498.20A	----	582.40 - 19.20	.8919	----	----	----	----	1 UNCH
4130	----	----	697.50B/493.10A	697.50B/493.10A	----	577.90 - 19.00	.8902	----	----	----	----	11 UNCH
4135	----	----	692.70B/488.80A	692.70B/488.80A	----	573.40 - 18.80	.8886	----	----	----	----	3 UNCH
4145	----	----	683.20B/481.10A	683.20B/481.10A	----	564.40 - 18.30	.8849	----	----	----	----	1 UNCH
4150	----	----	678.60B/476.70A	678.60B/476.70A	----	559.90 - 18.10	.8831	----	----	----	----	255 UNCH
4155	----	----	673.90B/472.50A	673.90B/472.50A	----	555.50 - 17.80	.8813	----	----	----	----	1 UNCH
4165	----	----	664.50B/464.10A	664.50B/464.10A	----	546.60 - 17.30	.8775	----	----	----	----	3 UNCH
4170	----	----	659.80B/459.90A	659.80B/459.90A	----	542.10 - 17.10	.8757	----	----	----	----	24 UNCH
4175	----	----	655.10B/455.70A	655.10B/455.70A	----	537.70 - 16.80	.8737	----	----	----	----	3 UNCH
4180	----	----	650.40B/451.50A	650.40B/451.50A	----	533.30 - 16.50	.8718	----	----	----	----	123 UNCH
4185	----	----	645.80B/447.30A	645.80B/447.30A	----	528.80 - 16.30	.8698	----	----	----	----	3 UNCH
4190	----	----	641.10B/443.30A	641.10B/443.30A	----	524.40 - 16.00	.8678	----	----	----	----	18 UNCH
4200	----	----	631.80B/434.70A	631.80B/434.70A	----	515.70 - 15.40	.8636	----	----	----	----	822 UNCH
4205	----	----	627.20B/430.80A	627.20B/430.80A	----	511.30 - 15.10	.8616	----	----	----	----	4 UNCH
4210	----	----	622.50B/426.60A	622.50B/426.60A	----	506.90 - 14.90	.8593	----	----	----	----	23 UNCH
4220	----	----	613.30B/418.40A	613.30B/418.40A	----	498.20 - 14.30	.8551	----	----	----	----	7 UNCH
4240	----	----	594.90B/402.10A	594.90B/402.10A	----	480.90 - 13.20	.8460	----	----	----	----	21 UNCH
4245	----	----	590.30B/398.40A	590.30B/398.40A	----	476.70 - 12.80	.8437	----	----	----	----	2 UNCH
4250	----	----	585.70B/394.10A	585.70B/394.10A	----	472.40 - 12.50	.8413	----	----	----	----	277 UNCH
4255	----	----	581.20B/390.20A	581.20B/390.20A	----	468.10 - 12.20	.8388	----	----	----	----	103 UNCH
4260	----	----	576.60B/386.30A	576.60B/386.30A	----	463.80 - 11.90	.8364	----	----	----	----	8 UNCH
4265	----	----	572.00B/382.30A	572.00B/382.30A	----	459.60 - 11.50	.8340	----	----	----	----	13 UNCH
4270	----	----	567.40B/378.30A	567.40B/378.30A	----	455.40 - 11.20	.8314	----	----	----	----	29 UNCH
4275	----	----	562.90B/374.40A	562.90B/374.40A	----	451.10 - 10.90	.8289	----	----	----	----	14 UNCH
4280	----	----	558.40B/370.50A	558.40B/370.50A	----	446.90 - 10.60	.8264	----	----	----	----	1 UNCH
4285	----	----	553.90B/366.80A	553.90B/366.80A	----	442.70 - 10.30	.8238	----	----	----	----	4 UNCH
4290	----	----	549.30B/363.00A	549.30B/363.00A	----	438.50 - 09.90	.8212	----	----	----	----	44 UNCH
4295	----	----	544.80B/359.00A	544.80B/359.00A	----	434.40 - 09.50	.8186	----	----	----	----	2 UNCH
4300	----	----	540.40B/355.20A	540.40B/355.20A	----	430.20 - 09.20	.8158	----	----	----	----	1123 UNCH
4305	----	----	535.90B/351.50A	535.90B/351.50A	----	426.10 - 08.80	.8132	----	----	----	----	2 UNCH
4315	----	----	526.90B/343.90A	526.90B/343.90A	----	417.80 - 08.20	.8077	----	----	----	----	3 UNCH
4325	----	----	517.90B/336.40A	517.90B/336.40A	----	409.60 - 07.40	.8020	----	----	----	----	560 UNCH
4330	----	----	513.10B/332.70A	513.10B/332.70A	----	405.50 - 07.10	.7991	----	----	----	----	26 UNCH
4335	----	----	509.10B/329.10A	509.10B/329.10A	----	401.40 - 06.80	.7962	----	----	----	----	2 UNCH
4340	----	----	504.70B/325.30A	504.70B/325.30A	----	397.40 - 06.30	.7932	----	----	----	----	4 UNCH
4345	----	----	500.30B/321.80A	500.30B/321.80A	----	393.30 - 06.00	.7903	----	----	----	----	2 UNCH
4350	----	----	495.90B/318.00A	495.90B/318.00A	----	389.30 - 05.60	.7872	----	----	----	----	251 UNCH
4355	----	----	491.50B/314.50A	491.50B/314.50A	----	385.30 - 05.20	.7841	----	----	----	----	40 UNCH
4360	----	----	487.10B/310.80A	487.10B/310.80A	----	381.30 - 04.80	.7810	----	----	----	----	349 UNCH
4365	----	----	482.80B/307.20A	482.80B/307.20A	----	377.30 - 04.50	.7779	----	----	----	----	5 UNCH
4370	----	----	478.40B/303.70A	478.40B/303.70A	----	373.30 - 04.10	.7748	----	----	----	----	75 UNCH
4375	----	----	474.00B/300.10A	474.00B/300.10A	----	369.40 - 03.60	.7717	----	----	----	----	34 UNCH
4380	----	----	469.60B/296.60A	469.60B/296.60A	----	365.50 - 03.20	.7684	----	----	----	----	12 UNCH
4385	----	----	465.30B/293.10A	465.30B/293.10A	----	361.50 - 02.90	.7651	----	----	----	----	4 UNCH
4390	----	----	461.10B/289.60A	461.10B/289.60A	----	357.60 - 02.50	.7619	----	----	----	----	10 UNCH
4395	----	----	456.80B/286.20A	456.80B/286.20A	----	353.70 - 02.00	.7586	----	----	----	----	5 UNCH
4400	375.00	375.00	452.40B/282.90A	452.40B/282.90A	----	349.90 - 01.60	.7553	----	----	2	----	1635 - 2
4405	----	----	448.10B/279.10A	448.10B/279.10A	----	346.00 - 01.20	.7518	----	----	----	----	16 UNCH
4410	----	----	444.00B/275.70A	444.00B/275.70A	----	342.20 - 00.70	.7484	----	----	----	----	44 UNCH
4415	----	----	439.70B/272.00A	439.70B/272.00A	----	338.30 - 00.40	.7449	----	----	----	----	35 UNCH
4420	----	----	435.50B/268.60A	435.50B/268.60A	----	334.50 - 99.90	.7414	----	----	----	----	50 UNCH
4425	----	----	----/265.50A	430.10B/265.50A	----	330.70 - 99.50	.7379	----	----	----	----	67 UNCH
4430	----	----	426.80B/262.20A	426.80B/262.20A	----	327.00 - 99.00	.7343	----	----	----	----	16 UNCH
4435	----	----	422.90B/259.00A	422.90B/259.00A	----	323.20 - 98.60	.7308	----	----	----	----	6 UNCH
4440	----	----	418.70B/256.30A	418.70B/256.30A	----	319.50 - 98.10	.7271	----	----	----	----	62 UNCH
4445	----	----	414.30B/252.50A	414.30B/252.50A	----	315.80 - 97.60	.7235	----	----	----	----	7 UNCH
4450	----	----	410.30B/248.90A	410.30B/248.90A	----	312.00 - 97.20	.7198	----	----	50	----	270 + 50
4455	----	----	405.30B/246.60A	405.30B/246.60A	----	308.40 - 96.70	.7160	----	----	----	----	43 UNCH
4460	----	----	401.10B/243.40A	401.10B/243.40A	----	304.70 - 96.30	.7122	----	----	----	----	27 UNCH
4465	----	----	397.00B/240.20A	397.00B/240.20A	----	301.00 - 95.80	.7084	----	----	----	----	20 UNCH
4470	----	----	392.90B/236.20A	392.90B/236.20A	----	297.40 - 95.30	.7046	----	----	1	----	54 + 1
4475	----	----	388.80B/234.00A	388.80B/234.00A	----	293.80 - 94.80	.7008	----	----	----	----	38 UNCH
4480	----	----	384.70B/230.90A	384.70B/230.90A	----	290.20 - 94.40	.6968	----	----	----	----	119 UNCH
4485	----	----	380.70B/226.30A	380.70B/226.30A	----	286.60 - 93.90	.6928	----	----	----	----	23 UNCH
4490	----	----	376.70B/223.50A	376.70B/223.50A	----	283.10 - 93.40	.6889	----	----	----	----	19 UNCH
4495	----	----	372.60B/220.30A	372.60B/220.30A	----	279.60 - 92.80	.6848	----	----	----	----	16 UNCH
4500	----	----	368.70B/217.20A	368.70B/217.20A	----	276.10 - 92.30	.6809	----	----	12	----	1274 UNCH
4505	----	----	364.60B/214.40A	364.60B/214.40A	----	272.60 - 91.80	.6768	----	----	----	----	29 UNCH
4510	----	----	360.70B/211.40A	360.70B/211.40A	----	269.10 - 91.40	.6726	----	----	----	----	46 UNCH
4515	----	----	356.70B/208.60A	356.70B/208.60A	----	265.60 - 90.90	.6685	----	----	----	----	17 UNCH
4520	----	----	352.80B/205.50A	352.80B/205.50A	----	262.20 - 90.40	.6643	----	----	----	----	20 UNCH
4525	----	----	348.90B/202.60A	348.90B/202.60A	----	258.80 - 89.80	.6602	----	----	----	----	27 UNCH
4530	244.80	244.80	345.00B/199.70A	345.00B/199.70A	----	255.40 - 89.30	.6559	----	----	10	----	37 - 10
4535	----	----	341.20B/196.70A	341.20B/196.70A	----	252.10 - 88.70	.6516	----	----	----	----	30 UNCH
4540	238.30	238.30	337.20B/194.00A	337.20B/194.00A	----	248.70 - 88.20	.6474	----	----	12	----	20 + 7
4545	----	----	333.30B/191.10A	333.30B/191.10A	----	245.40 - 87.70	.6430	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG CALL — COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26												
4550	----	----	329.60B/188.10A	329.60B/188.10A	----	242.10 - 87.20	.6387	----	----	100	----	364 + 64
4555	----	----	325.80B/185.60A	325.80B/185.60A	----	238.80 - 86.60	.6343	----	----	----	----	31 UNCH
4560	----	----	322.00B/182.90A	322.00B/182.90A	----	235.60 - 86.00	.6299	----	----	----	----	34 UNCH
4565	----	----	318.20B/180.10A	318.20B/180.10A	----	232.30 - 85.60	.6254	----	----	----	----	47 UNCH
4570	----	----	314.70B/177.30A	314.70B/177.30A	----	229.10 - 85.00	.6209	----	----	----	----	202 UNCH
4575	----	----	310.90B/174.80A	310.90B/174.80A	----	225.90 - 84.40	.6164	----	----	----	----	70 UNCH
4580	----	----	306.90B/172.20A	306.90B/172.20A	----	222.80 - 83.80	.6119	----	----	----	----	6 UNCH
4585	----	----	303.30B/170.10A	303.30B/170.10A	----	219.60 - 83.30	.6074	----	----	----	----	101 UNCH
4590	----	----	299.60B/167.10A	299.60B/167.10A	----	216.50 - 82.70	.6028	----	----	----	----	135 UNCH
4595	----	----	295.90B/164.50A	295.90B/164.50A	----	213.40 - 82.20	.5982	----	----	----	----	31 UNCH
4600	190.00	190.00	292.40B/161.90A	292.40B/161.90A	----	210.40 - 81.50	.5936	----	----	149	----	2894 - 35
4605	----	----	288.70B/159.50A	288.70B/159.50A	----	207.30 - 81.00	.5889	----	----	----	----	302 UNCH
4610	232.00	232.00	285.00B/157.30A	285.00B/157.30A	----	204.30 - 80.40	.5842	----	----	1	----	84 + 1
4615	156.20	156.20	281.50B/154.70A	281.50B/154.70A	----	201.30 - 79.80	.5795	----	----	1	----	20 + 1
4620	159.70	159.70	277.90B/152.10A	277.90B/152.10A	----	198.40 - 79.20	.5748	----	----	1	----	22 + 1
4625	151.30	151.30	274.30B/150.20A	274.30B/150.20A	----	195.40 - 78.60	.5700	----	----	117	----	118 + 90
4630	154.70	154.70	270.80B/147.80A	270.80B/147.80A	----	192.50 - 78.00	.5653	----	----	1	----	40 UNCH
4635	195.30	195.30	267.50B/145.30A	267.50B/145.30A	----	189.60 - 77.40	.5605	----	----	8	----	229 - 1
4640	186.10	186.10	263.60B/143.20A	263.60B/143.20A	----	186.70 - 76.80	.5557	----	----	14	----	43 - 3
4645	147.40	147.40	260.40B/140.60A	260.40B/140.60A	----	183.90 - 76.20	.5508	----	----	2	----	6 UNCH
4650	149.30	149.30	256.90B/138.40A	256.90B/138.40A	----	181.10 - 75.60	.5460	----	----	263	----	612 + 119
4655	142.50	142.50	253.40B/136.50A	253.40B/136.50A	----	178.30 - 75.00	.5411	----	----	201	----	223 + 193
4660	----	----	250.30B/134.10A	250.30B/134.10A	----	175.50 - 74.40	.5363	----	----	----	----	123 UNCH
4665	----	----	246.90B/132.00A	246.90B/132.00A	----	172.80 - 73.70	.5314	----	----	----	----	26 UNCH
4670	137.00	137.00	243.50B/129.70A	243.50B/129.70A	----	170.10 - 73.10	.5265	----	----	61	----	83 + 54
4675	----	----	----/127.60A	239.90B/127.60A	----	167.40 - 72.50	.5215	----	----	1	----	79 UNCH
4680	131.20	131.20	236.90B/125.60A	236.90B/125.60A	----	164.70 - 71.90	.5166	----	----	1	----	142 UNCH
4685	166.40	166.40	233.60B/123.50A	233.60B/123.50A	----	162.10 - 71.20	.5117	----	----	18	----	161 + 1
4690	128.00	128.00	230.30B/121.50A	230.30B/121.50A	----	159.50 - 70.60	.5067	----	----	16	----	49 + 8
4695	----	----	227.20B/119.30A	227.20B/119.30A	----	156.90 - 70.00	.5018	----	----	----	----	51 UNCH
4700	175.00	175.00	223.80B/116.70A	223.80B/116.70A	----	154.40 - 69.30	.4968	----	----	196	----	2348 + 14
4705	155.50	155.50	221.00B/115.20A	221.00B/115.20A	----	151.90 - 68.60	.4918	----	----	12	----	311 + 12
4710	125.00	125.00	217.50B/113.40A	217.50B/113.40A	----	149.40 - 68.00	.4868	----	----	19	----	218 - 1
4715	163.60	163.60	214.40B/111.60A	214.40B/111.60A	----	146.90 - 67.40	.4818	----	----	7	----	60 UNCH
4720	131.00	131.00	211.60B/108.60A	211.60B/108.60A	----	144.40 - 66.80	.4768	----	----	142	----	112 + 11
4725	163.70	163.70	209.30B/106.80A	209.30B/106.80A	----	142.00 - 66.10	.4718	----	----	5	----	142 + 1
4730	161.10	161.10	206.00B/105.10A	206.00B/105.10A	----	139.60 - 65.50	.4668	----	----	3	----	44 + 1
4735	158.50	158.50	206.60B/103.10A	206.60B/103.10A	----	137.30 - 64.70	.4619	----	----	2	----	31 UNCH
4740	107.70	107.70	203.60B/101.00	203.60B/101.00	----	134.90 - 64.20	.4568	----	----	23	----	139 + 3
4745	----	----	203.00B/99.60A	203.00B/99.60A	----	132.60 - 63.50	.4518	----	----	2	----	25 UNCH
4750	151.00	151.00	200.00B/97.20A	200.00B/97.20A	----	130.30 - 62.90	.4468	----	----	164	75	1456 + 48
4755	130.00	130.00	198.00B/96.10A	198.00B/96.10A	----	128.10 - 62.10	.4419	----	----	17	----	46 + 17
4760	----	----	195.20B/94.50A	195.20B/94.50A	----	125.90 - 61.50	.4369	----	----	----	----	73 UNCH
4765	159.50	159.50	192.30B/93.40A	192.30B/93.40A	----	123.70 - 60.80	.4319	----	----	26	----	76 + 20
4770	----	----	189.30B/91.70A	189.30B/91.70A	----	121.50 - 60.20	.4269	----	----	2	----	74 UNCH
4775	139.00	139.00	186.40B/89.70A	186.40B/89.70A	----	119.40 - 59.50	.4220	----	----	1	----	187 UNCH
4780	----	----	183.60B/88.20A	183.60B/88.20A	----	117.20 - 58.90	.4170	----	----	----	----	34 UNCH
4785	----	----	180.80B/86.50A	180.80B/86.50A	----	115.10 - 58.20	.4120	----	----	----	----	9 UNCH
4790	155.40	155.40	178.00B/85.00A	178.00B/85.00A	----	113.10 - 57.50	.4071	----	----	1	----	122 UNCH
4795	115.70	115.70	175.40B/83.40A	175.40B/83.40A	----	111.00 - 56.90	.4021	----	----	1	----	13 UNCH
4800	150.40	150.40	172.60B/81.20A	172.60B/81.20A	----	109.00 - 56.30	.3972	----	----	222	----	2206 + 75
4805	----	----	169.90B/80.40A	169.90B/80.40A	----	107.00 - 55.60	.3923	----	----	----	----	18 UNCH
4810	121.00	121.00	167.20B/78.40A	167.20B/78.40A	----	105.10 - 54.90	.3875	----	----	13	----	589 - 7
4815	133.70	133.70	164.60B/77.60A	164.60B/77.60A	----	103.20 - 54.20	.3826	----	----	1	----	18 + 1
4820	131.40	131.40	162.00B/76.20A	162.00B/76.20A	----	101.20 - 53.60	.3777	----	----	3	----	133 + 2
4825	----	----	159.40B/74.90A	159.40B/74.90A	----	99.40 - 52.90	.3729	----	----	----	----	143 UNCH
4830	----	----	156.80B/73.50A	156.80B/73.50A	----	97.50 - 52.30	.3680	----	----	----	----	76 UNCH
4835	----	----	154.20B/72.10A	154.20B/72.10A	----	95.70 - 51.60	.3633	----	----	----	----	8 UNCH
4840	132.20	132.20	151.70B/70.80A	151.70B/70.80A	----	93.90 - 51.00	.3585	----	----	1	----	22 UNCH
4845	100.00	100.00	149.20B/69.40A	149.20B/69.40A	----	92.10 - 50.40	.3537	----	----	1	----	19 + 1
4850	145.00	145.00	149.30/67.20A	149.30/67.20A	----	90.40 - 49.70	.3490	----	----	32	----	770 + 7
4855	----	----	144.30B/66.70A	144.30B/66.70A	----	88.70 - 49.00	.3443	----	----	----	----	15 UNCH
4860	----	----	141.90B/65.50A	141.90B/65.50A	----	87.00 - 48.40	.3396	----	----	----	----	19 UNCH
4865	72.00	72.00	139.50B/64.20A	139.50B/64.20A	----	85.30 - 47.70	.3349	----	----	7	----	57 - 1
4870	82.70	82.70	137.20B/63.00A	137.20B/63.00A	----	83.60 - 47.20	.3302	----	----	27	----	42 - 7
4875	122.50	122.50	134.80B/61.80A	134.80B/61.80A	----	82.00 - 46.50	.3256	----	----	95	----	177 - 4
4880	72.80	72.80	132.50B/60.70A	132.50B/60.70A	----	80.40 - 45.90	.3210	----	----	1	----	52 UNCH
4885	----	----	130.10B/59.50A	130.10B/59.50A	----	78.90 - 45.20	.3166	----	----	1	----	60 - 1
4890	----	----	127.80B/58.50A	127.80B/58.50A	----	77.30 - 44.60	.3120	----	----	----	----	17 UNCH
4895	----	----	125.60B/57.40A	125.60B/57.40A	----	75.80 - 44.00	.3075	----	----	1	----	72 UNCH
4900	112.30	112.30	123.40B/55.60A	123.40B/55.60A	----	74.30 - 43.30	.3030	----	----	536	----	1737 + 95
4905	68.60	68.60	120.90B/55.10A	120.90B/55.10A	----	72.80 - 42.70	.2986	----	----	4	----	41 + 4
4910	----	----	118.70B/54.10A	118.70B/54.10A	----	71.40 - 42.10	.2942	----	----	----	----	87 UNCH
4915	76.40	76.40	116.60B/53.10A	116.60B/53.10A	----	70.00 - 41.40	.2899	----	----	1	----	68 UNCH
4920	----	----	114.60B/52.00A	114.60B/52.00A	----	68.60 - 40.80	.2856	----	----	----	----	60 UNCH
4925	----	----	112.40B/50.70A	112.40B/50.70A	----	67.20 - 40.30	.2812	----	----	----	----	311 UNCH
4930	71.30	71.30	110.50B/50.00A	110.50B/50.00A	----	65.80 - 39.70	.2769	----	----	6	----	189 UNCH
4935	53.00	53.00	108.40B/49.00A	108.40B/49.00A	----	64.50 - 39.10	.2727	----	----	8	----	52 + 3
4940	52.40	52.40	106.50B/48.00A	106.50B/48.00A	----	63.20 - 38.50	.2686	----	----	1	----	25 - 1
4945	----	----	104.60B/47.30A	104.60B/47.30A	----	61.90 - 37.90	.2644	----	----	----	----	33 UNCH
4950	75.00	75.00	102.70B/45.70A	102.70B/45.70A	----	60.70 - 37.20	.2604	----	----	130	----	884 + 96
4955	----	----	100.80B/45.50A	100.80B/45.50A	----	59.40 - 36.70	.2562	----	----	----	----	8 UNCH
4960	----	----	98.90B/44.60A	98.90B/44.60A	----	58.20 - 36.10	.2522	----	----	----	----	34 UNCH
4965	----	----	97.00B/43.80A	97.00B/43.80A	----	57.00 - 35.60	.2482	----	----	----	----	64 UNCH
4970	55.80	55.80	95.20B/42.90A	95.20B/42.90A	----	55.80 - 35.00	.2442	----	----	3	----	32 + 3
4975	----	----	93.40B/41.80A	93.40B/41.80A	----	54.70 - 34.40	.2404	----	----	----	----	285 UNCH
4980	49.70	49.70	91.60B/41.20A	91.60B/41.20A	----	53.50 - 33.90	.2363	----	----	17	----	246 + 9
4985	58.40	58.40	89.90B/40.40A	89.90B/40.40A	----	52.40 - 33.40	.2325	----	----	1	----	149 + 1
4990	----	----	88.20B/39.50A	88.20B/39.50A	----	51.30 - 32.80	.2287	----	----	4	----	42 UNCH
4995	----	----	86.60B/38.70A	86.60B/38.70A	----	50.30 - 32.20	.2251	----	----	----	----	309 UNCH
5000	79.90	79.90	85.00B/37.70A	85.00B/37.70A	----	49.20 - 31.70	.2213	----	----	783	----	4583 - 41
5005	54.10	54.10	83.20B/37.00A	83.20B/37.00A	----	48.20 - 31.10	.2177	----	----	3	----	25 + 1
5010	45.60	45.60	81.80B/36.20A	81.80B/36.20A	----	47.20 - 30.60	.2141	----	----	113	----	178 + 73
5015	----	----	80.00B/35.50A	80.00B/35.50A	----	46.20 - 30.10	.2105	----	----	2	----	47 - 2
5020	49.00	49.00	78.40B/34.70A	78.40B/34.70A	----	45.20 - 29.60	.2069	----	----	9	----	45 + 7
5025	42.90	42.90	76.80B/33.90A	76.80B/33.90A	----	44.30 - 29.00	.2035	----	----	27	----	200 + 1
5030	----	----	75.40B/33.40A	75.40B/33.40A	----	43.30 - 28.60	.1999	----	----	126	----	260 + 89
5035	36.40	36.40	73.90B/32.60A	73.90B/32.60A	----	42.40 - 28.10	.1965	----	----	11	----	19 + 3
5040	45.00	45.00	72.30B/31.80A	72.30B/31.80A	----	41.50 - 27.60	.1932	----	----	5	----	150 + 5
5045	37.60	37.60	71.00B/31.10A	71.00B/31.10A	----	40.70 - 27.00	.1900	----	----	507	----	2014 + 502
5050	52.10	52.10	69.50B/30.40A	69.50B/30.40A	----	39.80 - 26.60	.1867	----	----	554	----	2835 + 415
5055	----	----	68.10B/29.80A	68.10B/29.80A	----	39.00 - 26.10	.1835	----	----	3	----	107 UNCH
5060	----	----	66.70B/29.10A	66.70B/29.10A	----	38.10 - 25.70	.1802	----	----	----	----	89 UNCH
5065	----	----	65.40B/28.50A	65.40B/28.50A	----	37.30 - 25.20	.1771	----	----	----	----	18 UNCH
5070	35.20	35.20	64.20B/27.00	64.20B/27.00	----	36.50 - 24.70	.1739	----	----	63	----	55 + 8
5075	----	----	62.90B/27.20A	62.90B/27.20A	----	35.70 - 24.30	.1708	----	----	----	----	51 UNCH
5080	----	----	61.60B/26.60A	61.60B/26.60A	----	35.00 - 23.80	.1680	----	----	----	----	145 UNCH
5085	29.90	29.90	60.30B/26.00A	60.30B/26.00A	----	34.20 - 23.40	.1648	----	----	12	----	314 - 1
5090	34.70	34.70	59.00B/25.40A	59.00B/25.40A	----	33.50 - 22.90	.1620	----	----	3	----	215 UNCH
5095	----	----	57.90B/24.90A	57.90B/24.90A	----	32.80 - 22.50	.1592	----	----	----	----	17 UNCH
5100	45.50	45.50	56.60B/24.30A	56.60B/24.30A	----	32.10 - 22.10	.1563	----	----	431	----	1976 + 12
5105	----	----	55.30B/23.80A	55.30B/23.80A	----	31.40 - 21.70	.1535	----	----	----	----	9 UNCH
5110	31.70	31.70	54.30B/23.30A	54.30B/23.30A	----	30.70 - 21.30	.1506	----	----	2	----	413 - 1
5115	30.80	30.80	53.10B/22.70A	53.10B/22.70A	----	30.10 - 20.80	.1481	----	----	1	----	114 UNCH
5120	27.90	27.90	52.00B/22.30A	52.00B/22.30A	----	29.40 - 20.50	.1452	----	----	1	----	20 UNCH
5125	31.70	31.70	51.00B/21.80A	51.00B/21.80A	----	28.80 - 20.10	.1427	----	----	12	----	371 + 2
5130	23.00	23.00	49.90B/21.30A	49.90B/21.30A	----	28.20 - 19.70	.1401	----	----	12	----	88 UNCH
5135	----	----	48.90B/20.80A	48.90B/20.80A	----	27.60 - 19.30	.1376	----	----	----	----	193 UNCH
5140	----	----	47.80B/20.30A	47.80B/20.30A	----	27.00 - 18.90	.1351	----	----	----	----	118 UNCH
5145	----	----	46.70B/19.90A	46.70B/19.90A	----	26.40 - 18.60	.1325	----	----	----	----	43 UNCH
5150	20.40	20.40	45.60B/19.40A	45.60B/19.40A	----	25.80 - 18.30	.1300	----	----	109	----	916 - 39
5155	20.00	20.00	44.90B/*18.90A	44.90B/*18.90A	----	25.30 - 17.90	.1278	----	----	6	----	73 + 1
5160	----	----	43.90B/*18.50A	43.90B/*18.50A	----	24.70 - 17.60	.1252	----	----	----	----	289 UNCH
5165	----	----	43.00B/*18.10A	43.00B/*18.10A	----	24.20 - 17.20	.1230	----	----	----	----	47 UNCH
5170	25.90	25.90	42.00B/*17.70A	42.00B/*17.70A	----	23.70 - 16.90	.1208	----	----	10	----	187 + 9
5175	24.90	24.90	41.10B/17.30A	41.10B/17.30A	----	23.20 - 16.50	.1186	----	----	4	----	248 UNCH
5180	19.50	19.50	40.30B/*16.80A	40.30B/*16.80A	----	22.70 - 16.20	.1163	----	----	3	----	29 + 3
5185	----	----	39.30B/*16.40A	39.30B/*16.40A	----	22.20 - 15.90	.1141	----	----	5	----	24 + 1
5190	----	----	38.50B/*16.10A	38.50B/*16.10A	----	21.70 - 15.60	.1119	----	----	----	----	346 UNCH
5195	----	----	37.60B/*15.70A	37.60B/*15.70A	----	21.30 - 15.30	.1100	----	----	----	----	21 UNCH
5200	27.00	27.00	36.80B/*15.50A	36.80B/15.50A	----	20.80 - 15.00	.1078	----	----	1267	----	2947 - 87
5205	18.50	18.50	36.00B/*15.10A	36.00B/*15.10A	----	20.40 - 14.70	.1060	----	----	6	----	27 + 6
5210	20.80	20.80	35.20B/*14.70A	35.20B/*14.70A	----	20.00 - 14.40	.1041	----	----	13	----	47 + 11
5215	17.80	17.80	34.50B/*14.40A	34.50B/*14.40A	----	19.50 - 14.20	.1019	----	----	6	----	48 + 6
5220	20.80	20.80	33.70B/*14.10A	33.70B/*14.10A	----	19.10 - 13.90	.1000	----	----	5	----	264 + 2
5225	16.60	16.60	33.20B/*13.90A	33.20B/*13.90A	----	18.70 - 13.60	.0982	----	----	5	----	176 + 5
5230	----	----	32.60B/*13.50A	32.60B/*13.50A	----	18.30 - 13.30	.0963	----	----	----	----	32 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
5235	----	----	31.90B/*13.20A	31.90B/*13.20A	----	18.00 - 13.00	.0948	----	----	----	----	67 UNCH
5240	----	----	31.20B/*12.90A	31.20B/*12.90A	----	17.60 - 12.80	.0930	----	----	----	----	94 UNCH
5245	----	----	30.50B/*12.60A	30.50B/*12.60A	----	17.20 - 12.60	.0911	----	----	----	----	51 UNCH
5250	30.50	30.50	30.50/*12.30A	30.50/*12.30A	----	16.90 - 12.30	.0896	----	----	136	----	2039 + 20
5255	----	----	29.10B/*12.10A	29.10B/*12.10A	----	16.50 - 12.10	.0878	----	----	----	----	7 UNCH
5260	----	----	28.70B/*11.80A	28.70B/*11.80A	----	16.20 - 11.80	.0863	----	----	----	----	94 UNCH
5265	----	----	28.10B/*11.70A	28.10B/*11.70A	----	15.90 - 11.50	.0848	----	----	----	----	55 UNCH
5270	----	----	27.40B/*11.30A	27.40B/*11.30A	----	15.50 - 11.40	.0830	----	----	----	----	92 UNCH
5275	16.70	16.70	26.80B/*11.00A	26.80B/*11.00A	----	15.20 - 11.20	.0815	----	----	1	----	198 UNCH
5280	----	----	26.40B/*10.80A	26.40B/*10.80A	----	14.90 - 10.90	.0800	----	----	----	----	287 UNCH
5285	----	----	25.80B/*10.60A	25.80B/*10.60A	----	14.60 - 10.70	.0785	----	----	----	----	29 UNCH
5290	14.70	14.70	25.10B/*10.30A	25.10B/*10.30A	----	14.30 - 10.50	.0771	----	----	1	----	65 + 1
5295	14.00	14.00	25.00B/*10.10A	25.00B/*10.10A	----	14.10 - 10.20	.0760	----	----	6	----	68 - 2
5300	14.80	14.80	24.10B/*9.90A	24.10B/*9.90A	----	13.80 - 10.10	.0745	----	----	88	----	2664 + 30
5305	----	----	23.70B/*9.70A	23.70B/*9.70A	----	13.50 - 9.90	.0731	----	----	----	----	43 UNCH
5310	----	----	23.30B/*9.50A	23.30B/*9.50A	----	13.20 - 9.70	.0716	----	----	----	----	33 UNCH
5315	----	----	22.80B/*9.30A	22.80B/*9.30A	----	13.00 - 9.50	.0705	----	----	----	----	29 UNCH
5320	----	----	22.40B/*9.10A	22.40B/*9.10A	----	12.70 - 9.40	.0691	----	----	----	----	527 UNCH
5325	10.00	10.00	22.10B/*8.90A	22.10B/*8.90A	----	12.50 - 9.10	.0680	----	----	2	----	115 - 2
5330	----	----	21.70B/*8.80A	21.70B/*8.80A	----	12.30 - 8.90	.0670	----	----	----	----	44 UNCH
5335	13.50	13.50	21.40B/*8.60A	21.40B/*8.60A	----	12.00 - 8.80	.0655	----	----	3	----	243 + 3
5340	----	----	20.90B/*8.50A	20.90B/*8.50A	----	11.80 - 8.60	.0645	----	----	----	----	131 UNCH
5345	----	----	20.60B/*8.40A	20.60B/*8.40A	----	11.60 - 8.40	.0634	----	----	----	----	47 UNCH
5350	13.00	13.00	20.20B/*8.20A	20.20B/*8.20A	----	11.40 - 8.30	.0624	----	----	90	----	791 + 23
5355	----	----	19.80B/*7.90A	19.80B/*7.90A	----	11.10 - 8.20	.0609	----	----	----	----	25 UNCH
5360	----	----	19.40B/*7.90A	19.40B/*7.90A	----	10.90 - 8.00	.0599	----	----	----	----	105 UNCH
5365	----	----	18.90B/*7.70A	18.90B/*7.70A	----	10.70 - 7.90	.0588	----	----	----	----	33 UNCH
5370	11.60	11.60	18.70B/*7.60A	18.70B/*7.60A	----	10.50 - 7.70	.0578	----	----	4	----	127 + 4
5375	----	----	18.40B/*7.50A	18.40B/*7.50A	----	10.30 - 7.60	.0568	----	----	2	----	402 UNCH
5380	10.50	10.50	18.00B/*7.30A	18.00B/*7.30A	----	10.20 - 7.40	.0561	----	----	1	----	75 UNCH
5385	10.60	10.60	17.60B/*7.20A	17.60B/*7.20A	----	10.00 - 7.30	.0551	----	----	1	----	116 UNCH
5390	10.00	10.00	17.40B/*7.00	17.40B/*7.00	----	9.80 - 7.10	.0541	----	----	8	----	100 UNCH
5395	10.00	10.00	17.10B/*6.90A	17.10B/*6.90A	----	9.60 - 7.00	.0530	----	----	6	----	39 + 3
5400	10.10	10.10	16.70B/*6.80A	16.70B/*6.80A	----	9.50 - 6.80	.0524	----	----	103	100	2458 + 96
5405	6.60	6.60	16.40B/*6.60	16.40B/*6.60	----	9.30 - 6.80	.0514	----	----	13	----	60 + 13
5410	9.70	9.70	16.10B/*6.50A	16.10B/*6.50A	----	9.10 - 6.70	.0504	----	----	1	----	159 + 1
5415	9.40	9.40	15.80B/*6.50A	15.80B/*6.50A	----	9.00 - 6.50	.0498	----	----	7	----	38 - 1
5420	9.10	9.10	15.50B/*6.30A	15.50B/*6.30A	----	8.80 - 6.40	.0488	----	----	8	----	143 + 2
5425	7.00	7.00	15.20B/*6.20A	15.20B/*6.20A	----	8.70 - 6.20	.0482	----	----	8	----	107 - 1
5430	----	----	15.00B/*6.10A	15.00B/*6.10A	----	8.50 - 6.20	.0472	----	----	----	----	28 UNCH
5435	10.00	10.00	14.70B/*6.00A	14.70B/*6.00A	----	8.40 - 6.00	.0466	----	----	9	----	12 + 2
5440	----	----	14.40B/*5.90A	14.40B/*5.90A	----	8.20 - 6.00	.0456	----	----	----	----	56 UNCH
5445	----	----	14.20B/*5.80A	14.20B/*5.80A	----	8.10 - 5.80	.0450	----	----	----	----	113 UNCH
5450	9.40	9.40	13.90B/*5.70A	13.90B/*5.70A	----	8.00 - 5.70	.0444	----	----	67	----	641 + 39
5455	----	----	13.70B/*5.60A	13.70B/*5.60A	----	7.80 - 5.70	.0434	----	----	----	----	153 UNCH
5460	----	----	13.40B/*5.60A	13.40B/*5.60A	----	7.70 - 5.60	.0428	----	----	----	----	35 UNCH
5465	----	----	13.20B/*5.40A	13.20B/*5.40A	----	7.60 - 5.40	.0422	----	----	----	----	41 UNCH
5470	8.10	8.10	13.00B/*5.30A	13.00B/*5.30A	----	7.50 - 5.30	.0416	----	----	1	----	253 - 1
5475	----	----	----/*5.30A	12.40B/*5.30A	----	7.30 - 5.30	.0406	----	----	----	----	35 UNCH
5480	----	----	----/*5.20A	12.20B/*5.20A	----	7.20 - 5.20	.0401	----	----	----	----	28 UNCH
5485	----	----	----/*5.20A	12.00B/*5.20A	----	7.10 - 5.10	.0395	----	----	----	----	40 UNCH
5490	----	----	----/*5.00A	11.80B/*5.00A	----	7.00 - 5.00	.0389	----	----	----	----	35 UNCH
5495	----	----	----/*5.00A	11.60B/*5.00A	----	6.90 - 4.90	.0384	----	----	5	----	51 - 2
5500	11.50	11.50	12.00B/*4.90A	12.00B/*4.90A	----	6.80 - 4.80	.0378	----	----	915	----	4642 - 312
5505	----	----	----/*4.80A	11.20B/*4.80A	----	6.70 - 4.70	.0372	----	----	----	----	91 UNCH
5510	----	----	----/*4.80A	11.00B/*4.80A	----	6.60 - 4.60	.0367	----	----	----	----	46 UNCH
5515	----	----	----/*4.70A	10.70B/*4.70A	----	6.50 - 4.60	.0361	----	----	----	----	13 UNCH
5520	----	----	----/*4.60A	10.60B/*4.60A	----	6.40 - 4.50	.0356	----	----	----	----	235 UNCH
5525	----	----	11.50B/*4.60A	11.50B/*4.60A	----	6.30 - 4.40	.0350	----	----	----	----	83 UNCH
5530	----	----	----/*4.50A	10.20B/*4.50A	----	6.20 - 4.40	.0345	----	----	----	----	62 UNCH
5535	----	----	----/*4.50A	10.10B/*4.50A	----	6.10 - 4.30	.0339	----	----	----	----	14 UNCH
5540	7.10	7.10	7.10/*4.40A	9.90B/*4.40A	----	6.00 - 4.20	.0334	----	----	2	----	27 - 1
5545	----	----	----/*4.40A	9.80B/*4.40A	----	5.90 - 4.20	.0328	----	----	----	----	6 UNCH
5550	6.90	6.90	10.50B/*4.30A	10.50B/*4.30A	----	5.80 - 4.10	.0323	----	----	16	----	860 - 1
5555	----	----	----/*4.30A	9.50B/*4.30A	----	5.80 - 4.00	.0322	----	----	----	----	19 UNCH
5560	----	----	----/*4.20A	9.30B/*4.20A	----	5.70 - 3.90	.0316	----	----	5	----	28 - 2
5565	----	----	----/*4.20A	9.20B/*4.20A	----	5.60 - 3.90	.0311	----	----	----	----	46 UNCH
5570	----	----	----/*4.10A	9.10B/*4.10A	----	5.50 - 3.90	.0305	----	----	----	----	558 UNCH
5575	----	----	9.90B/*4.10A	9.90B/*4.10A	----	5.40 - 3.80	.0300	----	----	----	----	239 UNCH
5580	----	----	----/*4.00A	8.80B/*4.00A	----	5.40 - 3.70	.0299	----	----	----	----	137 UNCH
5585	----	----	----/*4.00A	8.70B/*4.00A	----	5.30 - 3.70	.0294	----	----	----	----	20 UNCH
5590	----	----	----/*3.90A	8.60B/*3.90A	----	5.20 - 3.60	.0288	----	----	----	----	93 UNCH
5595	----	----	----/*3.90A	8.40B/*3.90A	----	5.20 - 3.50	.0287	----	----	----	----	17 UNCH
5600	9.00	9.00	9.70B/*3.90A	9.70B/*3.90A	----	5.10 - 3.50	.0282	----	----	161	----	2990 + 13
5610	5.10	5.10	5.10/*3.80A	8.10B/*3.80A	----	5.00 - 3.30	.0276	----	----	400	----	461 + 347
5620	----	----	----/*3.70A	7.80B/*3.70A	----	4.80 - 3.30	.0265	----	----	----	----	137 UNCH
5625	----	----	8.50B/*3.70A	8.50B/*3.70A	----	4.80 - 3.20	.0265	----	----	1	----	267 - 1
5630	7.20	7.20	7.20/*3.60A	7.60B/*3.60A	----	4.70 - 3.20	.0259	----	----	30	----	148 + 28
5640	----	----	----/*3.60A	7.40B/*3.60A	----	4.60 - 3.10	.0253	----	----	----	----	553 UNCH
5650	----	----	----/*3.50A	7.10B/*3.50A	----	4.50 - 3.00	.0247	----	----	10	----	719 UNCH
5660	----	----	----/*3.40A	7.00B/*3.40A	----	4.40 - 2.90	.0241	----	----	----	----	262 UNCH
5670	----	----	----/*3.40A	6.70B/*3.40A	----	4.20 - 2.90	.0231	----	----	----	----	41 UNCH
5675	----	----	----/*3.40A	6.70B/*3.40A	----	4.20 - 2.80	.0230	----	----	----	----	5 UNCH
5680	----	----	----/*3.30A	6.60B/*3.30A	----	4.10 - 2.80	.0225	----	----	----	----	94 UNCH
5690	4.70	4.70	4.70/*3.30A	6.30B/*3.30A	----	4.00 - 2.70	.0220	----	----	2	----	178 - 2
5700	6.90	6.90	6.90/*3.20A	6.90/*3.20A	----	4.00 - 2.60	.0218	----	----	14	----	1882 - 1
5710	----	----	----/*3.20A	6.10B/*3.20A	----	3.90 - 2.50	.0212	----	----	----	----	49 UNCH
5720	----	----	----/*3.10A	5.90B/*3.10A	----	3.80 - 2.40	.0207	----	----	----	----	35 UNCH
5725	----	----	----/*3.10A	5.80B/*3.10A	----	3.70 - 2.50	.0202	----	----	----	----	432 UNCH
5730	----	----	----/*3.10A	5.70B/*3.10A	----	3.70 - 2.40	.0201	----	----	----	----	113 UNCH
5740	----	----	----/*3.00A	5.50B/*3.00A	----	3.60 - 2.40	.0196	----	----	1	----	55 - 1
5750	----	----	----/*3.00A	5.40B/*3.00A	----	3.50 - 2.30	.0190	----	----	1	----	321 UNCH
5760	----	----	----/*2.90A	5.20B/*2.90A	----	3.40 - 2.30	.0185	----	----	----	----	63 UNCH
5770	----	----	----/*2.90A	5.10B/*2.90A	----	3.40 - 2.20	.0184	----	----	2	----	16 UNCH
5775	----	----	----/*2.90A	5.10B/*2.90A	----	3.30 - 2.20	.0179	----	----	----	----	69 UNCH
5780	----	----	----/*2.80A	5.00B/*2.80A	----	3.30 - 2.10	.0178	----	----	----	----	22 UNCH
5790	----	----	----/*2.80A	4.80B/*2.80A	----	3.20 - 2.10	.0173	----	----	----	----	41 UNCH
5800	3.50	3.50	3.50/*2.80A	4.70B/*2.80A	----	3.10 - 2.10	.0167	----	----	12	----	1111 UNCH
5810	----	----	----/*2.70A	4.60B/*2.70A	----	3.10 - 2.00	.0166	----	----	----	----	36 UNCH
5820	----	----	----/*2.70A	4.60B/*2.70A	----	3.00 - 2.00	.0161	----	----	1	----	48 UNCH
5825	----	----	----/*2.70A	4.60B/*2.70A	----	3.00 - 1.90	.0161	----	----	----	----	113 UNCH
5830	----	----	----/*2.70A	4.50B/*2.70A	----	2.90 - 2.00	.0156	----	----	----	----	139 UNCH
5840	----	----	----/*2.60A	4.40B/*2.60A	----	2.90 - 1.90	.0155	----	----	----	----	86 UNCH
5850	4.50	4.50	4.70/*2.60A	4.70/*2.60A	----	2.80 - 1.90	.0150	----	----	4	----	324 - 4
5860	----	----	----/*2.50A	4.20B/*2.50A	----	2.80 - 1.80	.0149	----	----	----	----	68 UNCH
5870	----	----	----/*2.50A	4.00B/*2.50A	----	2.70 - 1.80	.0144	----	----	----	----	17 UNCH
5875	----	----	----/*2.50A	4.00B/*2.50A	----	2.70 - 1.80	.0143	----	----	----	----	29 UNCH
5880	----	----	----/*2.50A	3.90B/*2.50A	----	2.60 - 1.80	.0139	----	----	----	----	25 UNCH
5890	----	----	----/*2.40A	3.80B/*2.40A	----	2.60 - 1.80	.0138	----	----	----	----	23 UNCH
5900	3.10	3.10	3.60/*2.40A	3.70B/*2.40A	----	2.50 - 1.80	.0133	----	----	51	----	822 - 34
5910	----	----	----/*2.40A	3.70B/*2.40A	----	2.50 - 1.70	.0132	----	----	----	----	61 UNCH
5920	----	----	----/*2.30A	3.70B/*2.30A	----	2.40 - 1.70	.0127	----	----	----	----	64 UNCH
5930	----	----	----/*2.30A	3.60B/*2.30A	----	2.40 - 1.60	.0126	----	----	----	----	133 UNCH
5940	----	----	----/*2.30A	3.60B/*2.30A	----	2.30 - 1.70	.0121	----	----	----	----	50 UNCH
5950	----	----	----/*2.30A	3.50B/*2.30A	----	2.30 - 1.60	.0121	----	----	----	----	431 UNCH
5960	----	----	----/*2.20A	3.50B/*2.20A	----	2.30 - 1.50	.0120	----	----	----	----	45 UNCH
5970	----	----	----/*2.20A	3.40B/*2.20A	----	2.20 - 1.60	.0115	----	----	----	----	35 UNCH
5980	----	----	----/*2.20A	3.30B/*2.20A	----	2.20 - 1.50	.0115	----	----	----	----	118 UNCH
5990	----	----	----/*2.10A	3.30B/*2.10A	----	2.10 - 1.50	.0110	----	----	----	----	59 UNCH
6000	3.00	3.00	3.30/*2.10A	3.30/*2.10A	----	2.10 - 1.50	.0109	----	----	15	----	3385 - 2
6025	----	----	----/*2.10A	3.20B/*2.10A	----	2.00 - 1.40	.0103	----	----	----	----	94 UNCH
6050	3.10	3.10	3.10/*2.00A	3.10/*2.00A	----	1.90 - 1.40	.0098	----	----	7	----	103 - 2
6075	----	----	----/*2.00A	3.00B/*2.00A	----	1.90 - 1.20	.0097	----	----	----	----	23 UNCH
6100	----	----	----/*1.90A	2.90B/*1.90A	----	1.80 - 1.20	.0091	----	----	----	----	606 UNCH
6125	----	----	----/*1.80A	2.80B/*1.80A	----	1.70 - 1.20	.0086	----	----	----	----	48 UNCH
6150	----	----	----/*1.80A	2.70B/*1.80A	----	1.70 - 1.10	.0085	----	----	----	----	132 UNCH
6175	----	----	----/*1.70A	2.60B/*1.70A	----	1.60 - 1.10	.0080	----	----	----	----	131 UNCH
6200	1.30	1.30	1.30/*1.30	2.50B/*1.30	----	1.60 - 1.00	.0079	----	----	4	----	374 + 1
6225	----	----	----/*1.60A	2.40B/*1.60A	----	1.50 - 1.00	.0074	----	----	----	----	138 UNCH
6250	----	----	----/*1.60A	2.40B/*1.60A	----	1.50 - 1.00	.0073	----	----	----	----	261 UNCH
6275	----	----	----/1.50A	2.30B/1.50A	----	1.40 - 1.00	.0068	----	----	----	----	34 UNCH
6300	----	----	----/*1.50A	2.20B/*1.50A	----	1.40 - 0.90	.0068	----	----	----	----	253 UNCH
6325	----	----	----/*1.40A	2.10B/*1.40A	----	1.40 - 0.90	.0067	----	----	----	----	148 UNCH
6350	----	----	----/*1.40A	2.00B/*1.40A	----	1.30 - 0.90	.0062	----	----	1	----	204 - 1
6375	----	----	----/*1.30A	2.00B/*1.30A	----	1.30 - 0.90	.0062	----	----	----	----	24 UNCH
6400	----	----	----/1.30A	1.90B/1.30A	----	1.30 - 0.80	.0061	----	----	----	----	347 UNCH
6425	----	----	----/*1.50A	1.40B/*1.50A	----	1.20 - 0.90	.0056	----	----	----	----	42 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 25

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
6450	----	----	----/*1.40A	1.40B/*1.40A	----	1.20 - 0.80	.0056	----	----	----	----	76 UNCH
6475	----	----	----/*1.30A	1.30B/*1.30A	----	1.20 - 0.80	.0055	----	----	----	----	69 UNCH
6500	1.40	1.40	1.40/*1.30	1.40/*1.30	----	1.20 - 0.80	.0055	----	----	4	----	1061 + 4
6525	----	----	----/*1.20A	1.20B/*1.20A	----	1.10 - 0.80	.0050	----	----	----	----	20 UNCH
6550	----	----	----/*1.30A	1.30B/*1.30A	----	1.10 - 0.80	.0050	----	----	----	----	75 UNCH
6575	----	----	----/*1.30A	1.40B/*1.30A	----	1.10 - 0.70	.0049	----	----	----	----	10 UNCH
6600	----	----	----/*1.30A	1.10B/*1.30A	----	1.00 - 0.80	.0045	----	----	----	----	72 UNCH
6625	----	----	----/*1.10A	1.00B/*1.10A	----	1.00 - 0.80	.0045	----	----	----	----	38 UNCH
6650	----	----	----/*1.20A	1.10B/*1.20A	----	1.00 - 0.70	.0044	----	----	----	----	57 UNCH
6675	----	----	----/*1.10A	1.00B/*1.10A	----	1.00 - 0.70	.0044	----	----	----	----	29 UNCH
6700	----	----	----/*1.20A	1.10B/*1.20A	----	1.00 - 0.60	.0044	----	----	----	----	375 UNCH
6725	----	----	----/1.20A	0.90B/1.20A	----	0.90 - 0.70	.0039	----	----	----	----	101 UNCH
6750	1.30	1.30	1.30/1.10A	1.30/1.10A	----	0.90 - 0.70	.0039	----	----	3	----	64 UNCH
6775	1.20	1.20	1.20/*1.10A	1.20/*1.10A	----	0.90 - 0.60	.0039	----	----	2	----	7 - 1
6800	----	----	----/*1.10A	0.80B/*1.10A	----	0.90 - 0.60	.0039	----	----	----	----	614 UNCH
6825	----	----	----/*1.10A	0.80B/*1.10A	----	0.90 - 0.50	.0038	----	----	----	----	8 UNCH
6850	----	----	----/*1.10A	0.70B/*1.10A	----	0.80 - 0.60	.0034	----	----	----	----	32 UNCH
6875	----	----	----/*1.00A	0.70B/*1.00A	----	0.80 - 0.60	.0034	----	----	----	----	13 UNCH
6900	----	----	----/1.00A	0.70B/1.00A	----	0.80 - 0.50	.0034	----	----	----	----	553 UNCH
6925	----	----	----/*1.00A	0.70B/*1.00A	----	0.80 - 0.50	.0033	----	----	----	----	1 UNCH
6950	----	----	----/*1.00A	0.60B/*1.00A	----	0.80 - 0.50	.0033	----	----	----	----	33 UNCH
6975	----	----	----/*1.00A	0.60B/*1.00A	----	0.70 - 0.50	.0029	----	----	----	----	7 UNCH
7000	----	----	----/1.00A	0.60B/1.00A	----	0.70 - 0.50	.0029	----	----	----	----	822 UNCH
7025	----	----	----/*0.90A	0.60B/*0.90A	----	0.70 - 0.40	.0029	----	----	----	----	402 UNCH
7050	----	----	----/*0.90A	0.60B/*0.90A	----	0.70 - 0.40	.0029	----	----	----	----	33 UNCH
7075	----	----	----/0.90A	0.50B/0.90A	----	0.70 - 0.40	.0028	----	----	----	----	86 UNCH
7100	----	----	----/0.90A	0.50B/0.90A	----	0.70 - 0.40	.0028	----	----	----	----	106 UNCH
7125	----	----	----/*0.90A	0.50B/*0.90A	----	0.60 - 0.40	.0024	----	----	----	----	14 UNCH
7150	----	----	----/0.80A	0.50B/0.80A	----	0.60 - 0.40	.0024	----	----	1	----	26 + 1
7175	----	----	----/*0.80A	0.50B/*0.80A	----	0.60 - 0.40	.0024	----	----	----	----	37 UNCH
7200	----	----	----/*0.80A	0.50B/*0.80A	----	0.60 - 0.30	.0024	----	----	----	----	97 UNCH
7225	----	----	----/*0.80A	0.40B/*0.80A	----	0.60 - 0.30	.0024	----	----	----	----	6 UNCH
7250	----	----	----/0.80A	0.40B/0.80A	----	0.60 - 0.30	.0024	----	----	----	----	42 UNCH
7275	----	----	----/*0.80A	0.40B/*0.80A	----	0.60 - 0.30	.0024	----	----	----	----	15 UNCH
7300	----	----	----	0.40B/*0.80A	----	0.60 - 0.20	.0023	----	----	----	----	10 UNCH
7325	----	----	----	0.40B/*0.80A	----	0.50 - 0.30	.0020	----	----	----	----	1 UNCH
7350	----	----	----/*0.70A	0.40B/*0.70A	----	0.50 - 0.30	.0020	----	----	----	----	1 UNCH
7375	----	----	----/*0.70A	0.40B/*0.70A	----	0.50 - 0.30	.0019	----	----	----	----	10 UNCH
7400	----	----	----	0.30B/*0.70A	----	0.50 - 0.20	.0019	----	----	----	----	16 UNCH
7450	----	----	----/*0.60A	0.40B/*0.60A	----	0.50 - 0.20	.0019	----	----	----	----	20 UNCH
7475	----	----	----/*0.60A	0.30B/*0.60A	----	0.50 - 0.20	.0019	----	----	----	----	11 UNCH
7500	----	----	----/*0.30A	0.30B/*0.30A	----	0.50 - 0.20	.0019	----	----	----	----	351 UNCH
7525	----	----	----	0.30B/*0.70A	----	0.50 - 0.20	.0019	----	----	----	----	42 UNCH
7575	----	----	----	0.30B/*0.60A	----	0.50 - 0.10	.0019	----	----	----	----	6 UNCH
7600	----	----	----	0.30B/0.60A	----	0.50 - 0.10	.0018	----	----	----	----	89 UNCH
7625	----	----	----	0.20B/*0.60A	----	0.40 - 0.20	.0015	----	----	----	----	2 UNCH
7650	----	----	----	0.20B/*0.60A	----	0.40 - 0.20	.0015	----	----	----	----	2 UNCH
7675	----	----	----	0.20B/*0.60A	----	0.40 - 0.20	.0015	----	----	----	----	36 UNCH
7700	----	----	----	0.20B/*0.60A	----	0.40 - 0.20	.0015	----	----	----	----	77 UNCH
7725	----	----	----	0.20B/*0.60A	----	0.40 - 0.20	.0015	----	----	----	----	1 UNCH
7750	----	----	----	0.20B/*0.60A	----	0.40 - 0.20	.0015	----	----	----	----	20 UNCH
7775	----	----	----	0.10B/*0.70A	----	0.40 - 0.20	.0015	----	----	----	----	5 UNCH
7800	----	----	----	0.10B/*0.70A	----	0.40 - 0.20	.0014	----	----	----	----	23 UNCH
7825	----	----	----	0.10B/*0.70A	----	0.40 - 0.10	.0014	----	----	----	----	6 UNCH
7850	----	----	----	0.10B/0.70A	----	0.40 - 0.10	.0014	----	----	----	----	6 UNCH
7875	----	----	----	0.10B/0.70A	----	0.40 - 0.10	.0014	----	----	----	----	5 UNCH
7900	----	----	----	0.10B/0.70A	----	0.40 - 0.10	.0014	----	----	----	----	5 UNCH
7950	----	----	----	0.10B/0.70A	----	0.40 - 0.10	.0014	----	----	----	----	39 UNCH
7975	----	----	----	0.10B/0.60A	----	0.40 - 0.10	.0014	----	----	----	----	5 UNCH
8000	----	----	----	0.10B/0.60A	----	0.30 - 0.20	.0011	----	----	----	----	997 UNCH
8100	----	----	----	0.10B/0.60A	----	0.30 - 0.20	.0010	----	----	----	----	54 UNCH
8200	----	----	----	0.10B/0.50A	----	0.30 - 0.10	.0010	----	----	----	----	980 UNCH
8300	----	----	----	0.30B/0.50A	----	0.30 - 0.10	.0010	----	----	----	----	27 UNCH
8400	----	----	----	----/0.50A	----	0.30 - 0.10	.0010	----	----	----	----	1 UNCH
8500	----	----	----	----/*0.40A	----	0.30 - 0.10	.0010	----	----	----	----	59 UNCH
8600	----	----	----	----/*0.40A	----	0.20 - 0.10	.0006	----	----	----	----	1 UNCH
8700	----	----	----	----/*0.40A	----	0.20 - 0.10	.0006	----	----	----	----	13 UNCH
8800	----	----	----	----/*0.40A	----	0.20 - 0.10	.0006	----	----	----	----	1 UNCH
8900	----	----	----	----/*0.40A	----	0.20 - 0.10	.0006	----	----	----	----	14 UNCH
9000	----	----	----	----/0.40A	----	0.20 - 0.10	.0006	----	----	----	----	311 UNCH
9100	----	----	----	----/*0.30A	----	0.20 - 0.10	.0006	----	----	----	----	2 UNCH
9300	----	----	----	----/*0.30A	----	0.20 UNCH	.0006	----	----	----	----	2 UNCH
9400	----	----	----	----/*0.30A	----	0.20 UNCH	.0006	----	----	----	----	1 UNCH
9500	----	----	----	----/*0.20A	----	0.20 UNCH	.0006	----	----	----	----	53 UNCH
9600	----	----	----	----/*0.20A	----	0.20 UNCH	.0006	----	----	----	----	7 UNCH
9800	----	----	----	----/*0.20A	----	0.10 - 0.10	.0002	----	----	----	----	5 UNCH
9900	----	----	----	----/*0.20A	----	0.10 - 0.10	.0002	----	----	----	----	31 UNCH
10000	----	----	----/*0.10A	0.10B/*0.10A	----	0.10 - 0.10	.0001	----	----	1	----	757 UNCH
15000	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	----	----	----	5	----	133 + 5
TOTAL										9145	175	100421+ 2193
JUN26												
1995	----	----	----/2,712.90A	2694.50B/2712.90A	----	2684.70 - 33.40	.9981	----	----	75	----	0 UNCH
2000	----	----	----/2,605.00A	2709.90B/2605.00A	----	2679.70 - 33.40	.9981	----	----	945	----	412 UNCH
2005	----	----	----/2,702.90A	2684.50B/2702.90A	----	2674.70 - 33.40	.9981	----	----	75	----	0 UNCH
2750	----	----	----	----	----	1929.90 - 33.20	.9923	----	----	----	----	0 UNCH
2800	----	----	----/1,802.30A	1913.50B/1802.30A	----	1880.00 - 33.10	.9916	----	----	----	----	500 UNCH
3000	----	----	----/1,602.20A	1714.10B/1602.20A	----	1680.80 - 32.50	.9881	----	----	----	----	613 UNCH
3100	----	----	----	----	----	1581.50 - 32.20	.9853	----	----	----	----	0 UNCH
3200	----	----	----/1,410.30A	1510.60B/1410.30A	----	1482.60 - 31.60	.9816	----	----	----	----	42 UNCH
3300	----	----	----/1,311.90A	1411.90B/1311.90A	----	1384.10 - 30.90	.9770	----	----	----	----	4 UNCH
3310	----	----	----/1,318.20A	1401.50B/1318.20A	----	1374.30 - 30.70	.9764	----	----	----	----	1 UNCH
3400	----	----	----/1,205.80A	1410.40B/1205.80A	----	1286.20 - 29.80	.9707	----	----	----	----	893 UNCH
3500	----	----	----/1,110.50A	1312.60B/1110.50A	----	1188.90 - 28.60	.9630	----	----	----	----	58 UNCH
3525	----	----	----/1,086.30A	1288.30B/1086.30A	----	1164.70 - 28.20	.9607	----	----	----	----	1 UNCH
3550	----	----	----/1,062.00A	1263.80B/1062.00A	----	1140.50 - 27.90	.9583	----	----	----	----	1 UNCH
3580	----	----	1,245.90B/1,033	1245.90B/1033.40A	----	1111.70 - 27.30	.9552	----	----	----	----	18 UNCH
3585	----	----	1,241.00B/1,028	1241.00B/1028.70A	----	1106.80 - 27.30	.9546	----	----	----	----	100 UNCH
3600	----	----	1,226.40B/1,014	1226.40B/1014.10A	----	1092.50 - 27.00	.9529	----	----	----	----	214 UNCH
3635	----	----	1,192.40B/981.1	1192.40B/981.10A	----	1059.00 - 26.40	.9486	----	----	----	----	60 UNCH
3650	----	----	1,177.90B/966.7	1177.90B/966.70A	----	1044.70 - 26.10	.9467	----	----	----	----	143 UNCH
3665	----	----	1,163.30B/952.4	1163.30B/952.40A	----	1030.40 - 25.80	.9447	----	----	----	----	3 UNCH
3700	----	----	1,129.50B/919.6	1129.50B/919.60A	----	997.30 - 25.00	.9397	----	----	----	----	395 UNCH
3715	----	----	1,115.00B/905.6	1115.00B/905.60A	----	983.10 - 24.60	.9374	----	----	----	----	25 UNCH
3725	----	----	1,105.40B/896.2	1105.40B/896.20A	----	973.70 - 24.40	.9358	----	----	----	----	212 UNCH
3750	----	----	1,081.40B/872.0	1081.40B/872.00A	----	950.30 - 23.70	.9317	----	----	----	----	1112 UNCH
3755	----	----	1,076.60B/868.6	1076.60B/868.60A	----	945.60 - 23.60	.9309	----	----	----	----	15 UNCH
3785	----	----	1,047.90B/841.0	1047.90B/841.00A	----	917.60 - 22.80	.9257	----	----	----	----	170 UNCH
3790	----	----	1,043.10B/836.3	1043.10B/836.30A	----	913.00 - 22.60	.9247	----	----	----	----	1 UNCH
3800	----	----	1,033.60B/826.0	1033.60B/826.00A	----	903.70 - 22.30	.9228	----	----	----	----	545 UNCH
3835	----	----	1,000.20B/795.4	1000.20B/795.40A	----	871.40 - 21.20	.9158	----	----	----	----	1 UNCH
3840	----	----	995.50B/790.70A	995.50B/790.70A	----	866.80 - 21.00	.9150	----	----	----	----	21 UNCH
3850	----	----	986.00B/781.70A	986.00B/781.70A	----	857.60 - 20.70	.9129	----	----	----	----	322 UNCH
3875	----	----	962.40B/760.00A	962.40B/760.00A	----	834.70 - 19.90	.9073	----	----	----	----	60 UNCH
3895	----	----	943.50B/741.80A	943.50B/741.80A	----	816.50 - 19.20	.9028	----	----	----	----	1 UNCH
3900	----	----	938.80B/737.20A	938.80B/737.20A	----	812.00 - 19.00	.9016	----	----	----	----	364 UNCH
3925	----	----	915.40B/716.00A	915.40B/716.00A	----	789.40 - 18.10	.8956	----	----	----	----	4 UNCH
3950	----	----	892.00B/694.00A	892.00B/694.00A	----	766.90 - 17.20	.8892	----	----	----	----	14 UNCH
3975	----	----	868.90B/672.70A	868.90B/672.70A	----	744.60 - 16.20	.8825	----	----	----	----	106 UNCH
3990	----	----	855.00B/659.40A	855.00B/659.40A	----	731.30 - 15.60	.8782	----	----	----	----	1 UNCH
3995	----	----	850.40B/655.00A	850.40B/655.00A	----	726.90 - 15.40	.8769	----	----	----	----	5 UNCH
4000	----	----	845.80B/649.00A	845.80B/649.00A	----	722.50 - 15.20	.8754	----	----	2	----	862 + 1
4005	----	----	841.20B/647.10A	841.20B/647.10A	----	718.10 - 15.00	.8739	----	----	----	----	10 UNCH
4010	----	----	836.60B/643.00A	836.60B/643.00A	----	713.70 - 14.80	.8724	----	----	----	----	1 UNCH
4020	----	----	827.40B/634.60A	827.40B/634.60A	----	704.90 - 14.40	.8694	----	----	----	----	2 UNCH
4025	----	----	822.80B/630.30A	822.80B/630.30A	----	700.50 - 14.20	.8679	----	----	----	----	51 UNCH
4040	----	----	808.90B/617.60A	808.90B/617.60A	----	687.40 - 13.50	.8634	----	----	----	----	1 UNCH
4050	----	----	799.80B/609.50A	799.80B/609.50A	----	678.80 - 13.00	.8602	----	----	----	----	185 UNCH
4060	----	----	790.80B/601.20A	790.80B/601.20A	----	670.10 - 12.60	.8570	----	----	----	----	25 UNCH
4070	----	----	781.80B/593.00A	781.80B/593.00A	----	661.50 - 12.10	.8536	----	----	----	----	10 UNCH
4075	----	----	777.20B/588.90A	777.20B/588.90A	----	657.20 - 11.90	.8519	----	----	----	----	64 UNCH
4090	----	----	763.80B/576.40A	763.80B/576.40A	----	644.30 - 11.30	.8468	----	----	----	----	34 UNCH
4100	----	----	754.70B/565.20A	754.70B/565.20A	----	635.80 - 10.80	.8433	----	----	----	----	682 UNCH
4105	----	----	750.40B/564.00A	750.40B/564.00A	----	631.60 - 10.50	.8415	----	----	----	----	50 UNCH
4110	----	----	745.70B/560.70A	745.70B/560.70A	----	627.40 - 10.20	.8398	----	----	----	----	2 UNCH
4115	----	----	741.30B/556.50A	741.30B/556.50A	----	623.10 - 10.00	.8379	----	----	----	----	5 UNCH
4125	----	----	732.50B/548.50A	732.50B/548.50A	----	614.70 - 09.50	.8343	----	----	----	----	95 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
4135	----	----	723.60B/540.20A	723.60B/540.20A	----	606.30 - 09.00	.8305	----	----	----	----	16 UNCH
4150	----	----	710.20B/528.40A	710.20B/528.40A	----	593.80 - 08.20	.8248	----	----	----	----	263 UNCH
4170	----	----	692.60B/512.90A	692.60B/512.90A	----	577.30 - 07.10	.8169	----	----	----	----	51 UNCH
4175	----	----	688.30B/509.00A	688.30B/509.00A	----	573.20 - 06.80	.8148	----	----	----	----	61 UNCH
4195	----	----	671.00B/493.90A	671.00B/493.90A	----	556.90 - 05.70	.8066	----	----	----	----	1 UNCH
4200	----	----	666.70B/485.90A	666.70B/485.90A	----	552.80 - 05.50	.8045	----	----	----	----	2079 UNCH
4210	----	----	657.90B/478.30A	657.90B/478.30A	----	544.70 - 04.90	.8002	----	----	----	----	1582 UNCH
4220	----	----	649.30B/474.90A	649.30B/474.90A	----	536.70 - 04.30	.7958	----	----	----	----	84 UNCH
4225	----	----	645.00B/471.20A	645.00B/471.20A	----	532.70 - 04.00	.7936	----	----	----	----	15 UNCH
4235	----	----	636.40B/463.80A	636.40B/463.80A	----	524.80 - 03.30	.7891	----	----	----	----	6 UNCH
4240	----	----	632.40B/460.10A	632.40B/460.10A	----	520.80 - 03.10	.7868	----	----	----	----	53 UNCH
4245	----	----	628.10B/455.80A	628.10B/455.80A	----	516.90 - 02.70	.7846	----	----	----	----	263 UNCH
4250	----	----	623.90B/448.10A	623.90B/448.10A	----	512.90 - 02.50	.7823	----	----	----	----	922 UNCH
4255	----	----	619.60B/449.20A	619.60B/449.20A	----	509.00 - 02.10	.7800	----	----	----	----	6 UNCH
4260	----	----	615.30B/445.70A	615.30B/445.70A	----	505.10 - 01.80	.7776	----	----	----	----	1 UNCH
4265	----	----	611.20B/441.90A	611.20B/441.90A	----	501.20 - 01.50	.7752	----	----	----	----	87 UNCH
4270	----	----	607.00B/438.40A	607.00B/438.40A	----	497.30 - 01.20	.7729	----	----	----	----	11 UNCH
4280	----	----	598.60B/431.40A	598.60B/431.40A	----	489.60 - 00.50	.7681	----	----	----	----	1 UNCH
4285	----	----	594.50B/427.90A	594.50B/427.90A	----	485.70 - 00.30	.7657	----	----	----	----	1 UNCH
4300	----	----	581.80B/411.90A	581.80B/411.90A	----	474.20 - 99.30	.7582	----	----	----	----	2116 UNCH
4305	----	----	577.90B/413.90A	577.90B/413.90A	----	470.50 - 98.90	.7557	----	----	----	----	1 UNCH
4310	----	----	573.70B/410.20A	573.70B/410.20A	----	466.70 - 98.60	.7532	----	----	----	----	23 UNCH
4315	----	----	569.70B/407.00A	569.70B/407.00A	----	462.90 - 98.20	.7507	----	----	----	----	1 UNCH
4320	----	----	565.60B/403.00A	565.60B/403.00A	----	459.10 - 97.90	.7481	----	----	----	----	62 UNCH
4325	----	----	561.50B/400.00A	561.50B/400.00A	----	455.40 - 97.60	.7456	----	----	----	----	72 UNCH
4335	----	----	553.30B/393.10A	553.30B/393.10A	----	448.00 - 96.80	.7404	----	----	----	----	13 UNCH
4340	----	----	549.10B/389.80A	549.10B/389.80A	----	444.30 - 96.50	.7377	----	----	----	----	17 UNCH
4345	----	----	545.00B/386.70A	545.00B/386.70A	----	440.60 - 96.10	.7351	----	----	----	----	2 UNCH
4350	----	----	541.00B/377.10A	541.00B/377.10A	----	436.90 - 95.80	.7324	----	----	----	----	1451 UNCH
4355	----	----	537.10B/379.80A	537.10B/379.80A	----	433.20 - 95.50	.7297	----	----	----	----	129 UNCH
4360	----	----	533.10B/374.70A	533.10B/374.70A	----	429.60 - 95.10	.7270	----	----	----	----	42 UNCH
4365	----	----	529.00B/373.20A	529.00B/373.20A	----	426.00 - 94.70	.7243	----	----	----	----	4 UNCH
4370	----	----	525.00B/370.00A	525.00B/370.00A	----	422.30 - 94.40	.7215	----	----	----	----	3 UNCH
4375	----	----	521.20B/366.60A	521.20B/366.60A	----	418.70 - 94.10	.7187	----	----	----	----	106 UNCH
4380	----	----	517.10B/356.20A	517.10B/356.20A	----	415.20 - 93.60	.7160	----	----	----	----	341 UNCH
4385	----	----	513.20B/360.00A	513.20B/360.00A	----	411.60 - 93.30	.7132	----	----	----	----	3 UNCH
4390	----	----	509.10B/347.60A	509.10B/347.60A	----	408.00 - 92.90	.7104	----	----	----	----	16 UNCH
4395	----	----	505.40B/353.40A	505.40B/353.40A	----	404.50 - 92.50	.7076	----	----	----	----	10 UNCH
4400	----	----	501.50B/340.40A	501.50B/340.40A	----	401.00 - 92.10	.7047	----	----	----	----	1460 UNCH
4410	----	----	493.50B/334.70A	493.50B/334.70A	----	394.00 - 91.40	.6990	----	----	----	----	39 UNCH
4415	----	----	489.70B/331.60A	489.70B/331.60A	----	390.50 - 91.00	.6961	----	----	----	----	176 UNCH
4420	----	----	486.00B/337.10A	486.00B/337.10A	----	387.00 - 90.60	.6932	----	----	----	----	3 UNCH
4425	----	----	482.20B/325.00A	482.20B/325.00A	----	383.60 - 90.20	.6902	----	----	----	----	274 UNCH
4430	----	----	478.30B/322.50A	478.30B/322.50A	----	380.10 - 89.90	.6873	----	----	----	----	19 UNCH
4435	----	----	474.50B/318.80A	474.50B/318.80A	----	376.70 - 89.50	.6843	----	----	----	----	20 UNCH
4440	----	----	470.50B/316.10A	470.50B/316.10A	----	373.30 - 89.10	.6813	----	----	----	----	19 UNCH
4445	----	----	466.70B/320.50A	466.70B/320.50A	----	369.90 - 88.70	.6783	----	----	----	----	5 UNCH
4450	349.60	349.60	463.10B/309.50A	463.10B/309.50A	----	366.60 - 88.20	.6753	----	----	3	----	497 UNCH
4455	----	----	459.30B/314.10A	459.30B/314.10A	----	363.20 - 87.90	.6723	----	----	----	----	6 UNCH
4460	----	----	455.60B/303.70A	455.60B/303.70A	----	359.90 - 87.40	.6693	----	----	----	----	20 UNCH
4465	----	----	451.80B/301.20A	451.80B/301.20A	----	356.60 - 87.00	.6662	----	----	----	----	18 UNCH
4470	----	----	448.10B/294.80A	448.10B/294.80A	----	353.20 - 86.70	.6631	----	----	----	----	24 UNCH
4475	----	----	444.40B/291.60A	444.40B/291.60A	----	350.00 - 86.20	.6600	----	----	----	----	22 UNCH
4480	----	----	440.70B/288.60A	440.70B/288.60A	----	346.70 - 85.80	.6569	----	----	----	----	59 UNCH
4485	----	----	436.80B/286.40A	436.80B/286.40A	----	343.40 - 85.50	.6538	----	----	----	----	6 UNCH
4490	----	----	433.20B/282.80A	433.20B/282.80A	----	340.20 - 85.00	.6507	----	----	----	----	51 UNCH
4495	----	----	429.70B/280.70A	429.70B/280.70A	----	337.00 - 84.60	.6476	----	----	----	----	6 UNCH
4500	309.00	309.00	426.10B/277.90A	426.10B/277.90A	----	333.80 - 84.20	.6444	----	----	112	----	4412 - 91
4505	----	----	422.40B/274.50A	422.40B/274.50A	----	330.60 - 83.80	.6412	----	----	----	----	49 UNCH
4510	----	----	418.80B/271.70A	418.80B/271.70A	----	327.40 - 83.40	.6380	----	----	----	----	1475 UNCH
4515	----	----	415.30B/269.00A	415.30B/269.00A	----	324.30 - 82.90	.6348	----	----	----	----	93 UNCH
4520	----	----	411.70B/266.20A	411.70B/266.20A	----	321.10 - 82.50	.6316	----	----	----	----	51 UNCH
4525	----	----	408.10B/263.90A	408.10B/263.90A	----	318.00 - 82.10	.6284	----	----	----	----	232 UNCH
4530	----	----	404.60B/260.60A	404.60B/260.60A	----	314.90 - 81.70	.6252	----	----	2	----	13 UNCH
4535	----	----	401.10B/258.60A	401.10B/258.60A	----	311.80 - 81.20	.6219	----	----	----	----	12 UNCH
4540	----	----	397.60B/255.20A	397.60B/255.20A	----	308.80 - 80.70	.6187	----	----	----	----	78 UNCH
4545	----	----	394.10B/252.60A	394.10B/252.60A	----	305.70 - 80.40	.6154	----	----	----	----	32 UNCH
4550	----	----	390.60B/250.60A	390.60B/250.60A	----	302.70 - 79.90	.6121	----	----	----	----	219 UNCH
4555	----	----	387.10B/248.20A	387.10B/248.20A	----	299.70 - 79.50	.6088	----	----	----	----	9 UNCH
4560	----	----	383.70B/245.20A	383.70B/245.20A	----	296.70 - 79.00	.6055	----	----	----	----	160 UNCH
4565	----	----	380.20B/243.00A	380.20B/243.00A	----	293.70 - 78.60	.6022	----	----	----	----	104 UNCH
4570	----	----	376.80B/240.30A	376.80B/240.30A	----	290.70 - 78.20	.5988	----	----	----	----	35 UNCH
4575	----	----	373.40B/237.90A	373.40B/237.90A	----	287.80 - 77.70	.5955	----	----	----	----	65 UNCH
4580	----	----	370.00B/235.10A	370.00B/235.10A	----	284.90 - 77.20	.5922	----	----	6	----	8 + 3
4585	----	----	366.60B/232.60A	366.60B/232.60A	----	282.00 - 76.80	.5888	----	----	----	----	15 UNCH
4590	----	----	363.30B/230.20A	363.30B/230.20A	----	279.10 - 76.40	.5854	----	----	----	----	79 UNCH
4595	----	----	359.90B/227.90A	359.90B/227.90A	----	276.20 - 75.90	.5820	----	----	----	----	13 UNCH
4600	250.30	250.30	356.60B/224.50A	356.60B/224.50A	----	273.40 - 75.40	.5787	----	----	51	----	5228 - 7
4605	279.00	279.00	353.40B/222.80A	353.40B/222.80A	----	270.50 - 75.10	.5753	----	----	4	----	152 - 1
4610	----	----	350.10B/220.70A	350.10B/220.70A	----	267.70 - 74.60	.5719	----	----	----	----	2 UNCH
4615	----	----	346.80B/218.00A	346.80B/218.00A	----	264.90 - 74.10	.5684	----	----	----	----	3 UNCH
4620	223.80	223.80	343.50B/215.50A	343.50B/215.50A	----	262.20 - 73.60	.5650	----	----	2	----	16 + 1
4625	----	----	340.40B/213.30A	340.40B/213.30A	----	259.40 - 73.20	.5616	----	----	5	----	196 + 3
4630	----	----	337.20B/211.00A	337.20B/211.00A	----	256.70 - 72.70	.5582	----	----	3	----	56 UNCH
4635	----	----	333.90B/208.70A	333.90B/208.70A	----	253.90 - 72.30	.5547	----	----	----	----	6 UNCH
4640	315.00	315.00	330.80B/206.10A	330.80B/206.10A	----	251.20 - 71.90	.5513	----	----	4	----	19 - 1
4645	----	----	327.50B/204.00A	327.50B/204.00A	----	248.60 - 71.30	.5478	----	----	6	----	15 + 6
4650	248.50	248.50	324.50B/200.90A	324.50B/200.90A	----	245.90 - 70.90	.5443	----	----	36	----	1012 - 3
4655	----	----	321.20B/199.50A	321.20B/199.50A	----	243.30 - 70.40	.5409	----	----	----	----	28 UNCH
4660	----	----	317.40B/197.30A	317.40B/197.30A	----	240.60 - 70.00	.5374	----	----	20	----	25 + 18
4665	----	----	315.10B/195.00A	315.10B/195.00A	----	238.00 - 69.50	.5339	----	----	----	----	1 UNCH
4670	----	----	312.20B/192.80A	312.20B/192.80A	----	235.40 - 69.10	.5304	----	----	----	----	151 UNCH
4675	----	----	309.10B/190.20A	309.10B/190.20A	----	232.90 - 68.50	.5270	----	----	3	----	478 + 2
4680	----	----	306.10B/188.50A	306.10B/188.50A	----	230.30 - 68.10	.5235	----	----	----	----	224 UNCH
4685	----	----	303.10B/186.30A	303.10B/186.30A	----	227.80 - 67.60	.5200	----	----	----	----	32 UNCH
4690	----	----	300.10B/184.20A	300.10B/184.20A	----	225.30 - 67.10	.5165	----	----	----	----	19 UNCH
4695	229.60	229.60	297.10B/182.20A	297.10B/182.20A	----	222.80 - 66.70	.5130	----	----	1	----	19 - 1
4700	248.90	248.90	294.20B/179.20A	294.20B/179.20A	----	220.30 - 66.20	.5095	----	----	147	----	3338 UNCH
4705	----	----	291.10B/178.00A	291.10B/178.00A	----	217.90 - 65.70	.5060	----	----	----	----	3 UNCH
4710	----	----	288.20B/175.90A	288.20B/175.90A	----	215.50 - 65.20	.5025	----	----	1	----	14 + 1
4715	214.30	214.30	285.30B/173.90A	285.30B/173.90A	----	213.10 - 64.70	.4990	----	----	5	----	11 + 3
4720	----	----	282.50B/172.00A	282.50B/172.00A	----	210.70 - 64.30	.4955	----	----	----	----	220 UNCH
4725	225.90	225.90	277.50B/169.40A	277.50B/169.40A	----	208.30 - 63.80	.4920	----	----	9	----	293 + 1
4730	213.70	213.70	277.40B/168.00A	277.40B/168.00A	----	206.00 - 63.30	.4885	----	----	1	----	4 - 1
4735	223.70	223.70	274.60B/166.10A	274.60B/166.10A	----	203.60 - 62.90	.4850	----	----	4	----	89 + 2
4740	----	----	271.80B/164.10A	271.80B/164.10A	----	201.30 - 62.40	.4815	----	----	28	----	33 + 24
4745	----	----	269.00B/162.10A	269.00B/162.10A	----	199.00 - 62.00	.4780	----	----	----	----	12 UNCH
4750	----	----	266.20B/159.30A	266.20B/159.30A	----	196.80 - 61.40	.4745	----	----	4	200	1618 + 103
4755	214.30	214.30	263.50B/158.30A	263.50B/158.30A	----	194.50 - 61.00	.4710	----	----	1	----	102 + 1
4760	----	----	260.70B/156.50A	260.70B/156.50A	----	192.30 - 60.50	.4676	----	----	----	----	54 UNCH
4765	----	----	258.00B/154.70A	258.00B/154.70A	----	190.10 - 60.00	.4641	----	----	1	----	36 UNCH
4770	----	----	255.30B/152.80A	255.30B/152.80A	----	187.90 - 59.50	.4606	----	----	1	----	39 UNCH
4775	----	----	252.60B/150.50A	252.60B/150.50A	----	185.70 - 59.10	.4571	----	----	----	----	252 UNCH
4780	----	----	250.00B/149.30A	250.00B/149.30A	----	183.60 - 58.60	.4537	----	----	----	----	95 UNCH
4785	----	----	246.60B/147.40A	246.60B/147.40A	----	181.40 - 58.20	.4502	----	----	----	----	24 UNCH
4790	----	----	244.70B/145.80A	244.70B/145.80A	----	179.30 - 57.70	.4467	----	----	----	----	24 UNCH
4795	----	----	242.10B/144.00A	242.10B/144.00A	----	177.20 - 57.20	.4433	----	----	----	----	30 UNCH
4800	193.90	193.90	239.50B/141.30A	239.50B/141.30A	----	175.20 - 56.70	.4399	----	----	153	----	2741 + 34
4805	----	----	236.20B/140.50A	236.20B/140.50A	----	173.10 - 56.30	.4364	----	----	1	----	7 + 1
4810	234.00	234.00	234.00/138.90A	234.00/138.90A	----	171.10 - 55.80	.4330	----	----	3	----	22 - 2
4815	185.00	185.00	231.60B/137.30A	231.60B/137.30A	----	169.10 - 55.30	.4296	----	----	6	----	43 UNCH
4820	184.50	184.50	229.10B/135.50A	229.10B/135.50A	----	167.10 - 54.80	.4262	----	----	3	----	38 UNCH
4825	182.40	182.40	226.60B/134.00A	226.60B/134.00A	----	165.10 - 54.40	.4227	----	----	1	----	92 UNCH
4830	156.00	156.00	224.10B/132.40A	224.10B/132.40A	----	163.20 - 53.90	.4194	----	----	21	----	123 + 21
4835	----	----	221.70B/132.30A	221.70B/132.30A	----	161.30 - 53.40	.4160	----	----	----	----	2 UNCH
4840	----	----	218.60B/129.20A	218.60B/129.20A	----	159.40 - 52.90	.4126	----	----	1	----	37 UNCH
4845	----	----	216.80B/127.70A	216.80B/127.70A	----	157.50 - 52.40	.4093	----	----	----	----	11 UNCH
4850	155.90	155.90	214.40B/125.20A	214.40B/125.20A	----	155.60 - 52.00	.4059	----	----	333	----	737 + 189
4855	----	----	211.50B/124.60A	211.50B/124.60A	----	153.70 - 51.60	.4025	----	----	----	----	142 UNCH
4860	----	----	209.70B/123.10A	209.70B/123.10A	----	151.90 - 51.10	.3992	----	----	----	----	47 UNCH
4865	----	----	206.70B/121.60A	206.70B/121.60A	----	150.10 - 50.60	.3959	----	----	----	----	22 UNCH
4870	----	----	205.00B/120.20A	205.00B/120.20A	----	148.30 - 50.20	.3926	----	----	----	----	10 UNCH
4875	----	----	202.20B/118.70A	202.20B/118.70A	----	146.50 - 49.70	.3892	----	----	----	----	120 UNCH
4880	----	----	199.90B/117.20A	199.90B/117.20A	----	144.70 - 49.30	.3859	----	----	----	----	32 UNCH
4885	----	----	197.60B/115.70A	197.60B/115.70A	----	143.00 - 48.80	.3827	----	----	----	----	246 UNCH
4890	120.00	120.00	195.50B/114.30A	195.50B/114.30A	----	141.30 - 48.30	.3794	----	----	32	----	92 - 1
4895	----	----	193.30B/112.90A	193.30B/112.90A	----	139.60 - 47.90	.3762	----	----	2	----	194 - 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
4900	187.10	187.10	193.80/111.00A	193.80/111.00A	----	137.90 - 47.40	.3729	----	----	489	----	3355 + 61
4905	----	----	189.00B/110.30A	189.00B/110.30A	----	136.20 - 47.00	.3697	----	----	----	----	8 UNCH
4910	----	----	187.20B/109.00A	187.20B/109.00A	----	134.50 - 46.60	.3664	----	----	1	----	26 + 1
4915	----	----	184.60B/107.50A	184.60B/107.50A	----	132.90 - 46.10	.3632	----	----	----	----	40 UNCH
4920	----	----	182.90B/106.20A	182.90B/106.20A	----	131.20 - 45.70	.3600	----	----	----	----	108 UNCH
4925	----	----	180.40B/104.90A	180.40B/104.90A	----	129.60 - 45.30	.3568	----	----	----	----	38 UNCH
4930	----	----	178.20B/103.80A	178.20B/103.80A	----	128.00 - 44.90	.3536	----	----	----	----	176 UNCH
4935	----	----	176.20B/102.40A	176.20B/102.40A	----	126.50 - 44.30	.3506	----	----	----	----	6 UNCH
4940	132.00	132.00	174.10B/101.10A	174.10B/101.10A	----	124.90 - 44.00	.3474	----	----	14	----	103 + 1
4945	----	----	172.20B/100.00A	172.20B/100.00A	----	123.30 - 43.60	.3442	----	----	----	----	192 UNCH
4950	130.00	130.00	170.20B/98.00A	170.20B/98.00A	----	121.80 - 43.10	.3411	----	----	10	----	718 + 1
4955	----	----	168.20B/97.60A	168.20B/97.60A	----	120.30 - 42.70	.3380	----	----	----	----	33 UNCH
4960	118.40	118.40	166.20B/96.40A	166.20B/96.40A	----	118.80 - 42.30	.3349	----	----	4	----	187 - 1
4965	----	----	164.10B/95.20A	164.10B/95.20A	----	117.30 - 41.90	.3319	----	----	----	----	37 UNCH
4970	123.40	123.40	162.20B/94.00A	162.20B/94.00A	----	115.80 - 41.50	.3288	----	----	5	----	49 + 5
4975	----	----	160.10B/92.90A	160.10B/92.90A	----	114.30 - 41.10	.3257	----	----	----	----	246 UNCH
4980	----	----	158.50B/91.70A	158.50B/91.70A	----	112.90 - 40.60	.3227	----	----	----	----	74 UNCH
4985	----	----	156.50B/90.60A	156.50B/90.60A	----	111.40 - 40.30	.3196	----	----	----	----	114 UNCH
4990	116.00	116.00	154.70B/88.80A	154.70B/88.80A	----	110.00 - 39.90	.3166	----	----	105	----	1243 + 101
4995	----	----	152.70B/88.30A	152.70B/88.30A	----	108.60 - 39.50	.3136	----	----	----	----	41 UNCH
5000	138.00	138.00	151.00B/86.60A	151.00B/86.60A	----	107.20 - 39.10	.3106	----	----	1307	150	7035 + 126
5005	----	----	149.10B/85.80A	149.10B/85.80A	----	105.80 - 38.70	.3076	----	----	----	----	303 UNCH
5010	----	----	147.30B/85.10A	147.30B/85.10A	----	104.40 - 38.40	.3046	----	----	1	----	88 - 1
5015	----	----	145.50B/84.20A	145.50B/84.20A	----	103.10 - 37.90	.3018	----	----	----	----	67 UNCH
5020	110.00	110.00	143.70B/82.70A	143.70B/82.70A	----	101.70 - 37.60	.2988	----	----	4	----	459 - 2
5025	----	----	142.00B/82.00A	142.00B/82.00A	----	100.40 - 37.20	.2959	----	----	----	----	44 UNCH
5030	107.40	107.40	140.30B/81.10A	140.30B/81.10A	----	99.10 - 36.80	.2930	----	----	4	----	114 + 3
5035	85.60	85.60	138.50B/80.10A	138.50B/80.10A	----	97.90 - 36.40	.2902	----	----	7	----	23 + 1
5040	104.50	104.50	136.80B/79.10A	136.80B/79.10A	----	96.60 - 36.00	.2873	----	----	2	----	47 - 2
5045	----	----	135.40B/78.10A	135.40B/78.10A	----	95.40 - 35.60	.2846	----	----	----	----	17 UNCH
5050	94.50	94.50	133.70B/77.30A	133.70B/77.30A	----	94.20 - 35.20	.2818	----	----	55	----	1045 + 46
5055	----	----	131.90B/76.20A	131.90B/76.20A	----	93.00 - 34.80	.2791	----	----	----	----	3 UNCH
5060	----	----	130.20B/75.30A	130.20B/75.30A	----	91.80 - 34.40	.2763	----	----	----	----	84 UNCH
5065	80.50	80.50	128.60B/74.50A	128.60B/74.50A	----	90.70 - 34.00	.2737	----	----	21	----	28 + 19
5070	----	----	127.10B/73.60A	127.10B/73.60A	----	89.50 - 33.60	.2709	----	----	----	----	75 UNCH
5075	88.10	88.10	125.50B/72.10A	125.50B/72.10A	----	88.40 - 33.20	.2683	----	----	10	----	706 - 6
5080	----	----	124.00B/71.70A	124.00B/71.70A	----	87.30 - 32.80	.2657	----	----	----	----	154 UNCH
5085	----	----	122.30B/70.90A	122.30B/70.90A	----	86.20 - 32.40	.2630	----	----	----	----	129 UNCH
5090	----	----	120.80B/69.90A	120.80B/69.90A	----	85.20 - 32.00	.2605	----	----	----	----	46 UNCH
5095	----	----	119.20B/69.20A	119.20B/69.20A	----	84.10 - 31.60	.2579	----	----	----	----	57 UNCH
5100	91.20	91.20	117.70B/67.60A	117.70B/67.60A	----	83.00 - 31.30	.2553	----	----	145	----	4184 - 42
5105	----	----	116.30B/67.60A	116.30B/67.60A	----	82.00 - 30.90	.2528	----	----	----	----	37 UNCH
5110	----	----	114.80B/66.60A	114.80B/66.60A	----	81.00 - 30.50	.2503	----	----	----	----	104 UNCH
5115	----	----	113.40B/65.90A	113.40B/65.90A	----	79.90 - 30.20	.2477	----	----	----	----	65 UNCH
5120	----	----	112.10B/65.10A	112.10B/65.10A	----	78.90 - 29.80	.2452	----	----	----	----	53 UNCH
5125	----	----	110.70B/64.30A	110.70B/64.30A	----	77.90 - 29.50	.2428	----	----	----	----	211 UNCH
5130	75.40	75.40	109.30B/63.60A	109.30B/63.60A	----	76.90 - 29.10	.2403	----	----	1	----	42 - 1
5135	75.40	75.40	107.90B/62.80A	107.90B/62.80A	----	75.90 - 28.80	.2378	----	----	4	----	43 - 3
5140	73.60	73.60	106.40B/62.00A	106.40B/62.00A	----	75.00 - 28.40	.2355	----	----	1	----	30 - 1
5145	----	----	105.20B/61.30A	105.20B/61.30A	----	74.00 - 28.10	.2330	----	----	----	----	9 UNCH
5150	85.00	85.00	103.80B/59.80A	103.80B/59.80A	----	73.10 - 27.70	.2307	----	----	77	----	1573 - 28
5155	76.60	76.60	102.40B/59.90A	102.40B/59.90A	----	72.10 - 27.50	.2282	----	----	3	----	21 UNCH
5160	63.10	63.10	101.20B/59.00A	101.20B/59.00A	----	71.20 - 27.10	.2259	----	----	10	----	96 + 7
5165	69.80	69.80	99.90B/58.40A	99.90B/58.40A	----	70.30 - 26.80	.2236	----	----	5	----	112 + 1
5170	68.30	68.30	98.60B/57.80A	98.60B/57.80A	----	69.40 - 26.50	.2213	----	----	1	----	45 UNCH
5175	----	----	97.30B/57.00A	97.30B/57.00A	----	68.50 - 26.20	.2190	----	----	----	----	42 UNCH
5180	59.10	59.10	96.10B/56.30A	96.10B/56.30A	----	67.60 - 25.90	.2167	----	----	10	----	51 + 10
5185	58.50	58.50	94.90B/55.60A	94.90B/55.60A	----	66.70 - 25.60	.2144	----	----	30	----	83 + 12
5190	62.70	62.70	93.70B/55.00A	93.70B/55.00A	----	65.90 - 25.20	.2122	----	----	5	----	25 UNCH
5195	----	----	92.60B/54.40A	92.60B/54.40A	----	65.00 - 25.00	.2099	----	----	----	----	18 UNCH
5200	86.40	86.40	91.40B/53.10A	91.40B/53.10A	----	64.20 - 24.60	.2078	----	----	565	----	6770 - 106
5205	----	----	90.10B/53.10A	90.10B/53.10A	----	63.40 - 24.30	.2056	----	----	----	----	15 UNCH
5210	----	----	88.90B/51.80A	88.90B/51.80A	----	62.60 - 24.00	.2035	----	----	1	----	3045 UNCH
5215	66.20	66.20	87.80B/51.90A	87.80B/51.90A	----	61.80 - 23.70	.2014	----	----	16	----	56 + 6
5220	60.50	60.50	86.60B/51.20A	86.60B/51.20A	----	61.00 - 23.40	.1992	----	----	6	----	147 - 2
5225	----	----	85.50B/50.40A	85.50B/50.40A	----	60.30 - 23.00	.1973	----	----	----	----	281 UNCH
5230	----	----	84.40B/50.30A	84.40B/50.30A	----	59.50 - 22.80	.1951	----	----	----	----	105 UNCH
5235	----	----	83.30B/49.60A	83.30B/49.60A	----	58.80 - 22.40	.1932	----	----	1	----	143 UNCH
5240	----	----	82.20B/49.00A	82.20B/49.00A	----	58.00 - 22.20	.1910	----	----	----	----	58 UNCH
5245	56.80	56.80	81.00B/48.30A	81.00B/48.30A	----	57.30 - 21.90	.1891	----	----	4	----	15 - 2
5250	----	----	80.10B/47.70A	80.10B/47.70A	----	56.60 - 21.60	.1871	----	----	205	----	3546 + 23
5255	----	----	79.00B/47.20A	79.00B/47.20A	----	55.90 - 21.30	.1852	----	----	----	----	69 UNCH
5260	54.60	54.60	77.80B/46.60A	77.80B/46.60A	----	55.20 - 21.00	.1833	----	----	4	----	365 - 3
5265	----	----	77.00B/46.00A	77.00B/46.00A	----	54.50 - 20.70	.1813	----	----	----	----	28 UNCH
5270	53.30	53.30	75.90B/45.30A	75.90B/45.30A	----	53.80 - 20.50	.1794	----	----	5	----	44 - 2
5275	52.80	52.80	75.00B/44.80A	75.00B/44.80A	----	53.10 - 20.20	.1774	----	----	1	----	28 - 1
5280	51.80	51.80	74.00B/44.20A	74.00B/44.20A	----	52.50 - 19.90	.1757	----	----	26	----	91 + 19
5285	----	----	73.00B/43.70A	73.00B/43.70A	----	51.80 - 19.70	.1737	----	----	----	----	168 UNCH
5290	----	----	72.20B/43.20A	72.20B/43.20A	----	51.20 - 19.40	.1720	----	----	----	----	35 UNCH
5295	45.40	45.40	71.30B/42.70A	71.30B/42.70A	----	50.50 - 19.20	.1701	----	----	3	----	86 + 3
5300	53.00	53.00	70.30B/41.70A	70.30B/41.70A	----	49.90 - 18.90	.1683	----	----	304	----	4830 + 37
5305	----	----	69.10B/41.50A	69.10B/41.50A	----	49.30 - 18.60	.1666	----	----	----	----	449 UNCH
5310	----	----	68.30B/40.90A	68.30B/40.90A	----	48.60 - 18.50	.1646	----	----	4	----	107 + 4
5315	----	----	67.70B/40.40A	67.70B/40.40A	----	48.00 - 18.20	.1629	----	----	----	----	64 UNCH
5320	46.70	46.70	66.60B/39.90A	66.60B/39.90A	----	47.40 - 18.00	.1612	----	----	5	----	124 - 3
5325	46.20	46.20	65.70B/39.40A	65.70B/39.40A	----	46.80 - 17.80	.1594	----	----	24	----	56 - 9
5330	----	----	65.00B/38.90A	65.00B/38.90A	----	46.20 - 17.50	.1577	----	----	----	----	50 UNCH
5335	45.00	45.00	64.10B/38.50A	64.10B/38.50A	----	45.70 - 17.20	.1562	----	----	4	----	5 + 3
5340	----	----	63.50B/37.90A	63.50B/37.90A	----	45.10 - 17.10	.1544	----	----	----	----	66 UNCH
5345	----	----	62.60B/37.50A	62.60B/37.50A	----	44.50 - 16.90	.1527	----	----	----	----	12 UNCH
5350	45.60	45.60	61.90B/36.90A	61.90B/36.90A	----	44.00 - 16.60	.1512	----	----	65	----	1265 + 11
5355	----	----	61.00B/36.50A	61.00B/36.50A	----	43.40 - 16.40	.1495	----	----	----	----	12 UNCH
5360	----	----	60.20B/36.10A	60.20B/36.10A	----	42.90 - 16.20	.1479	----	----	----	----	48 UNCH
5365	----	----	59.50B/35.80A	59.50B/35.80A	----	42.30 - 16.10	.1462	----	----	----	----	6 UNCH
5370	----	----	58.90B/35.20A	58.90B/35.20A	----	41.80 - 15.80	.1447	----	----	----	----	65 UNCH
5375	39.50	39.50	58.00B/34.70A	58.00B/34.70A	----	41.30 - 15.60	.1432	----	----	31	----	42 - 12
5380	----	----	57.40B/34.30A	57.40B/34.30A	----	40.80 - 15.40	.1417	----	----	----	----	93 UNCH
5385	----	----	56.50B/33.90A	56.50B/33.90A	----	40.30 - 15.20	.1402	----	----	----	----	4 UNCH
5390	----	----	55.80B/33.50A	55.80B/33.50A	----	39.80 - 15.00	.1387	----	----	4	----	57 UNCH
5395	39.10	39.10	55.30B/33.10A	55.30B/33.10A	----	39.30 - 14.90	.1371	----	----	13	----	36 - 4
5400	42.00	42.00	54.40B/32.60A	54.40B/32.60A	----	38.80 - 14.70	.1356	----	----	194	----	5185 + 84
5405	----	----	53.90B/32.30A	53.90B/32.30A	----	38.40 - 14.40	.1344	----	----	----	----	73 UNCH
5410	40.30	40.30	53.10B/31.90A	53.10B/31.90A	----	37.90 - 14.30	.1329	----	----	12	----	27 + 12
5415	39.40	39.40	52.60B/31.60A	52.60B/31.60A	----	37.50 - 14.00	.1316	----	----	3	----	14 - 1
5420	36.80	36.80	51.60B/31.10A	51.60B/31.10A	----	37.00 - 13.90	.1301	----	----	14	----	40 - 1
5425	35.40	35.40	51.40B/30.80A	51.40B/30.80A	----	36.60 - 13.70	.1288	----	----	11	----	125 UNCH
5430	36.10	36.10	50.30B/30.30A	50.30B/30.30A	----	36.10 - 13.60	.1273	----	----	14	----	64 - 13
5435	----	----	50.00B/30.00A	50.00B/30.00A	----	35.70 - 13.40	.1260	----	----	----	----	12 UNCH
5440	36.90	36.90	49.40B/29.70A	49.40B/29.70A	----	35.30 - 13.20	.1247	----	----	22	----	95 + 9
5445	31.20	31.20	48.60B/29.30A	48.60B/29.30A	----	34.90 - 13.00	.1235	----	----	4	----	29 + 2
5450	35.00	35.00	48.30B/29.00A	48.30B/29.00A	----	34.50 - 12.80	.1222	----	----	88	----	1601 - 14
5455	----	----	47.50B/28.60A	47.50B/28.60A	----	34.10 - 12.60	.1209	----	----	----	----	1 UNCH
5460	31.40	31.40	47.00B/28.20A	47.00B/28.20A	----	33.70 - 12.50	.1197	----	----	13	----	102 + 11
5465	31.30	31.30	46.20B/28.00A	46.20B/28.00A	----	33.30 - 12.30	.1184	----	----	6	----	34 + 4
5470	32.60	32.60	45.90B/27.60A	45.90B/27.60A	----	32.90 - 12.20	.1171	----	----	14	----	27 - 3
5475	----	----	45.30B/27.30A	45.30B/27.30A	----	32.50 - 12.00	.1159	----	----	----	----	59 UNCH
5480	----	----	44.80B/27.00A	44.80B/27.00A	----	32.20 - 11.80	.1148	----	----	----	----	38 UNCH
5485	----	----	44.30B/26.60A	44.30B/26.60A	----	31.80 - 11.70	.1136	----	----	----	----	9 UNCH
5490	----	----	43.70B/26.30A	43.70B/26.30A	----	31.40 - 11.50	.1123	----	----	----	----	172 UNCH
5495	30.60	30.60	43.20B/26.00A	43.20B/26.00A	----	31.10 - 11.30	.1113	----	----	3	----	59 + 2
5500	34.90	34.90	42.60B/25.70A	42.60B/25.70A	----	30.70 - 11.20	.1100	----	----	864	----	6205 + 23
5505	----	----	42.20B/25.40A	42.20B/25.40A	----	30.40 - 11.00	.1090	----	----	----	----	11 UNCH
5510	----	----	41.70B/25.10A	41.70B/25.10A	----	30.10 - 10.80	.1080	----	----	----	----	185 UNCH
5515	29.60	29.60	40.90B/24.80A	40.90B/24.80A	----	29.70 - 10.80	.1068	----	----	2	----	40 + 2
5520	29.20	29.20	40.50B/24.60A	40.50B/24.60A	----	29.40 - 10.60	.1057	----	----	12	----	21 - 6
5525	29.30	29.30	40.00B/24.30A	40.00B/24.30A	----	29.10 - 10.40	.1047	----	----	14	----	158 - 5
5530	----	----	39.70B/24.00A	39.70B/24.00A	----	28.80 - 10.30	.1037	----	----	----	----	39 UNCH
5535	----	----	39.20B/23.70A	39.20B/23.70A	----	28.50 - 10.10	.1027	----	----	----	----	7 UNCH
5540	----	----	38.60B/23.50A	38.60B/23.50A	----	28.20 - 10.00	.1017	----	----	----	----	260 UNCH
5545	----	----	38.10B/23.20A	38.10B/23.20A	----	27.90 - 9.80	.1007	----	----	----	----	17 UNCH
5550	----	----	37.90B/23.00A	37.90B/23.00A	----	27.60 - 9.70	.0997	----	----	----	----	770 UNCH
5555	----	----	37.30B/22.70A	37.30B/22.70A	----	27.30 - 9.60	.0987	----	----	----	----	1 UNCH
5560	----	----	37.00B/22.40A	37.00B/22.40A	----	27.00 - 9.40	.0977	----	----	----	----	32 UNCH
5570	26.20	26.20	36.40B/22.00A	36.40B/22.00A	----	26.40 - 9.20	.0957	----	----	13	----	19 - 2
5575	----	----	35.80B/21.80A	35.80B/21.80A	----	26.20 - 9.00	.0950	----	----	----	----	19 UNCH
5580	----	----	35.30B/21.40A	35.30B/21.40A	----	25.90 - 8.90	.0940	----	----	----	----	11 UNCH
5585	----	----	34.90B/21.30A	34.90B/21.30A	----	25.60 - 8.80	.0930	----	----	----	----	11 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
5590	----	----	34.50B/21.10A	34.50B/21.10A	----	25.40 - 8.60	.0922	----	----	----	----	94 UNCH
5595	----	----	34.20B/20.90A	34.20B/20.90A	----	25.10 - 8.50	.0913	----	----	----	----	30 UNCH
5600	22.00	22.00	33.80B/20.60A	33.80B/20.60A	----	24.80 - 8.50	.0903	----	----	97	----	2496 - 24
5610	----	----	33.10B/20.20A	33.10B/20.20A	----	24.30 - 8.20	.0886	----	----	----	----	69 UNCH
5620	24.30	24.30	32.30B/19.70A	32.30B/19.70A	----	23.80 - 8.00	.0868	----	----	21	----	48 - 1
5625	----	----	32.10B/19.50A	32.10B/19.50A	----	23.50 - 8.00	.0859	----	----	----	----	402 UNCH
5630	----	----	31.60B/19.30A	31.60B/19.30A	----	23.30 - 7.80	.0851	----	----	----	----	203 UNCH
5640	21.40	21.40	30.90B/19.00A	30.90B/19.00A	----	22.80 - 7.60	.0834	----	----	7	----	77 + 7
5650	----	----	30.30B/18.70A	30.30B/18.70A	----	22.30 - 7.50	.0818	----	----	----	----	709 UNCH
5660	----	----	29.60B/18.20A	29.60B/18.20A	----	21.80 - 7.40	.0801	----	----	----	----	41 UNCH
5665	----	----	29.30B/18.00A	29.30B/18.00A	----	21.60 - 7.20	.0794	----	----	----	----	3 UNCH
5670	----	----	28.90B/17.90A	28.90B/17.90A	----	21.30 - 7.20	.0784	----	----	----	----	121 UNCH
5675	----	----	28.70B/17.80A	28.70B/17.80A	----	21.10 - 7.10	.0777	----	----	----	----	21 UNCH
5680	----	----	28.30B/17.60A	28.30B/17.60A	----	20.90 - 7.00	.0770	----	----	----	----	52 UNCH
5690	----	----	27.60B/17.30A	27.60B/17.30A	----	20.40 - 6.90	.0753	----	----	----	----	147 UNCH
5700	----	----	27.20B/16.90A	27.20B/16.90A	----	20.00 - 6.80	.0739	----	----	17	225	1608 - 229
5710	----	----	26.50B/16.50A	26.50B/16.50A	----	19.60 - 6.60	.0725	----	----	----	----	40 UNCH
5720	----	----	26.00B/16.20A	26.00B/16.20A	----	19.20 - 6.50	.0711	----	----	----	----	17 UNCH
5725	----	----	25.80B/16.10A	25.80B/16.10A	----	19.00 - 6.40	.0704	----	----	15	----	16 + 14
5730	----	----	25.50B/16.00A	25.50B/16.00A	----	18.80 - 6.40	.0697	----	----	----	----	59 UNCH
5740	18.30	18.30	24.90B/15.80A	24.90B/15.80A	----	18.50 - 6.20	.0686	----	----	1	----	51 UNCH
5750	18.30	18.30	24.50B/15.50A	24.50B/15.50A	----	18.10 - 6.10	.0672	----	----	10	----	1679 + 7
5760	----	----	23.90B/15.20A	23.90B/15.20A	----	17.80 - 5.90	.0661	----	----	----	----	12 UNCH
5770	----	----	23.40B/14.90A	23.40B/14.90A	----	17.50 - 5.70	.0650	----	----	----	----	30 UNCH
5775	----	----	23.20B/14.80A	23.20B/14.80A	----	17.30 - 5.70	.0643	----	----	78	----	177 - 18
5780	----	----	22.90B/14.70A	22.90B/14.70A	----	17.10 - 5.70	.0636	----	----	----	----	219 UNCH
5790	----	----	22.50B/14.40A	22.50B/14.40A	----	16.80 - 5.50	.0625	----	----	----	----	11 UNCH
5800	----	----	22.20B/14.20A	22.20B/14.20A	----	16.50 - 5.40	.0614	----	----	8	----	3046 + 8
5810	16.10	16.10	21.60B/13.90A	21.60B/13.90A	----	16.20 - 5.30	.0603	----	----	12	----	251 - 7
5820	16.70	16.70	16.70/13.70A	21.10B/13.70A	----	15.80 - 5.30	.0590	----	----	9	----	27 + 9
5825	----	----	----/13.60A	20.90B/13.60A	----	15.70 - 5.20	.0585	----	----	3	----	14 - 3
5830	----	----	----/13.40A	20.70B/13.40A	----	15.50 - 5.20	.0579	----	----	----	----	14 UNCH
5840	----	----	----/13.20A	20.30B/13.20A	----	15.20 - 5.10	.0568	----	----	----	----	22 UNCH
5850	15.40	15.40	15.40/13.00A	19.90B/13.00A	----	14.90 - 5.00	.0557	----	----	2	----	433 + 2
5860	----	----	----/12.80A	18.80B/12.80A	----	14.60 - 4.90	.0547	----	----	----	----	20 UNCH
5870	----	----	----/12.60A	18.40B/12.60A	----	14.30 - 4.90	.0536	----	----	----	----	32 UNCH
5875	----	----	----/*12.50A	18.40B/*12.50A	----	14.20 - 4.80	.0532	----	----	----	----	191 UNCH
5880	----	----	----/12.40A	18.20B/12.40A	----	14.10 - 4.70	.0528	----	----	----	----	17 UNCH
5890	----	----	----/12.20A	17.80B/12.20A	----	13.80 - 4.70	.0518	----	----	----	----	127 UNCH
5900	15.60	15.60	15.60/12.00A	17.30B/12.00A	----	13.60 - 4.50	.0510	----	----	11	----	1382 + 9
5910	----	----	----/11.80A	17.10B/11.80A	----	13.40 - 4.40	.0502	----	----	----	----	10 UNCH
5920	----	----	----/11.70A	16.80B/11.70A	----	13.20 - 4.30	.0494	----	----	----	----	38 UNCH
5930	----	----	----/11.50A	16.40B/11.50A	----	13.00 - 4.20	.0486	----	----	----	----	58 UNCH
5940	----	----	----/11.30A	16.10B/11.30A	----	12.80 - 4.10	.0479	----	----	----	----	3 UNCH
5950	----	----	----/11.10A	15.80B/11.10A	----	12.70 - 3.90	.0474	----	----	----	----	165 UNCH
5960	12.40	12.40	12.80/10.90A	15.50B/10.90A	----	12.40 - 3.90	.0464	----	----	12	----	28 UNCH
5970	12.50	12.50	12.50/10.70A	15.30B/10.70A	----	12.20 - 3.90	.0456	----	----	2	----	35 + 1
5980	----	----	----/10.50A	15.00B/10.50A	----	12.00 - 3.80	.0449	----	----	----	----	6 UNCH
5990	----	----	----/10.30A	14.80B/10.30A	----	11.70 - 3.80	.0438	----	----	----	----	4 UNCH
6000	14.20	14.20	14.20/10.20A	14.70B/10.20A	----	11.40 - 3.90	.0428	----	----	348	----	7313 - 46
6010	----	----	----/10.00A	14.10B/10.00A	----	11.20 - 3.80	.0421	----	----	----	----	9 UNCH
6020	----	----	----/9.90A	13.90B/9.90A	----	11.00 - 3.80	.0414	----	----	----	----	23 UNCH
6030	10.90	10.90	11.60/9.70A	13.70B/9.70A	----	10.70 - 3.80	.0403	----	----	12	----	22 - 4
6040	----	----	----/9.60A	13.40B/9.60A	----	10.50 - 3.80	.0396	----	----	----	----	26 UNCH
6050	----	----	----/9.40A	13.20B/9.40A	----	10.30 - 3.80	.0389	----	----	----	----	276 UNCH
6060	----	----	----/9.30A	13.00B/9.30A	----	10.20 - 3.60	.0384	----	----	----	----	31 UNCH
6070	----	----	----/9.20A	12.80B/9.20A	----	10.00 - 3.60	.0377	----	----	----	----	34 UNCH
6080	----	----	----/9.00A	12.60B/9.00A	----	9.80 - 3.60	.0370	----	----	----	----	9 UNCH
6090	10.40	10.40	10.40/8.90A	12.40B/8.90A	----	9.70 - 3.50	.0366	----	----	8	----	25 + 8
6100	9.10	9.10	9.10/8.80A	12.10B/8.80A	----	9.60 - 3.40	.0361	----	----	3	----	2403 UNCH
6110	----	----	----/8.60A	11.90B/8.60A	----	9.50 - 3.30	.0357	----	----	----	----	65 UNCH
6120	11.00	11.00	11.00/8.50A	11.70B/8.50A	----	9.40 - 3.20	.0353	----	----	1	----	11 UNCH
6125	10.00	10.00	10.00/*8.50A	11.60B/*8.50A	----	9.40 - 3.10	.0352	----	----	7	----	16 + 7
6130	----	----	----/8.40A	11.50B/8.40A	----	9.30 - 3.10	.0348	----	----	----	----	10 UNCH
6140	----	----	----/8.30A	11.40B/8.30A	----	9.20 - 3.00	.0344	----	----	----	----	8 UNCH
6150	9.10	9.10	9.20/8.20A	11.20B/8.20A	----	9.10 - 2.90	.0340	----	----	11	----	505 - 6
6160	----	----	----/8.00A	11.00B/8.00A	----	9.00 - 2.90	.0336	----	----	----	----	130 UNCH
6170	----	----	----/7.90A	10.80B/7.90A	----	8.80 - 2.90	.0329	----	----	----	----	17 UNCH
6180	----	----	----/7.80A	10.60B/7.80A	----	8.70 - 2.80	.0325	----	----	----	----	75 UNCH
6190	----	----	----/7.80A	10.50B/7.80A	----	8.60 - 2.70	.0321	----	----	----	----	2 UNCH
6200	11.00	11.00	11.00/7.60A	11.00/7.60A	----	8.40 - 2.80	.0314	----	----	173	----	4044 + 64
6210	----	----	----/7.50A	10.10B/7.50A	----	8.30 - 2.70	.0310	----	----	----	----	53 UNCH
6220	----	----	----/7.40A	10.00B/7.40A	----	8.10 - 2.80	.0303	----	----	----	----	7 UNCH
6230	8.00	8.00	8.60/7.30A	9.80B/7.30A	----	8.00 - 2.70	.0299	----	----	12	----	60 - 3
6240	----	----	----/7.20A	9.70B/7.20A	----	7.80 - 2.70	.0292	----	----	----	----	21 UNCH
6250	8.20	8.20	8.20/7.10A	9.50B/7.10A	----	7.70 - 2.70	.0288	----	----	2	----	1306 + 2
6260	----	----	----/7.10A	9.40B/7.10A	----	7.60 - 2.70	.0284	----	----	----	----	8 UNCH
6270	----	----	----/7.00A	9.20B/7.00A	----	7.50 - 2.60	.0280	----	----	----	----	146 UNCH
6280	----	----	----/*6.90A	9.10B/6.90A	----	7.40 - 2.60	.0276	----	----	----	----	12 UNCH
6290	----	----	----/6.80A	9.00B/6.80A	----	7.30 - 2.50	.0272	----	----	----	----	19 UNCH
6300	7.00	7.00	7.80/6.70A	8.80B/6.70A	----	7.20 - 2.50	.0269	----	----	39	----	2503 - 30
6310	----	----	----/6.60A	8.70B/6.60A	----	7.10 - 2.50	.0265	----	----	----	----	2 UNCH
6320	----	----	----/6.50A	8.60B/6.50A	----	7.00 - 2.40	.0261	----	----	----	----	24 UNCH
6330	7.50	7.50	7.50/6.50A	8.40B/6.50A	----	7.00 - 2.30	.0260	----	----	12	----	25 UNCH
6340	6.90	6.90	7.60/*6.40A	8.30B/6.40A	----	6.90 - 2.30	.0256	----	----	11	----	27 - 6
6350	7.50	7.50	7.50/6.40A	8.20B/6.40A	----	6.80 - 2.30	.0252	----	----	12	----	16 - 4
6360	----	----	----/6.20A	8.00B/6.20A	----	6.80 - 2.10	.0251	----	----	----	----	2 UNCH
6370	----	----	----/6.20A	7.90B/6.20A	----	6.70 - 2.10	.0248	----	----	----	----	4 UNCH
6380	----	----	----/*6.10A	7.80B/6.10A	----	6.60 - 2.10	.0244	----	----	----	----	9 UNCH
6390	----	----	----/*6.00A	7.70B/6.00A	----	6.60 - 2.00	.0243	----	----	----	----	1 UNCH
6400	7.30	7.30	7.30/5.90A	7.60B/5.90A	----	6.50 - 2.00	.0239	----	----	4	----	417 + 4
6410	----	----	----/6.10A	7.30B/6.10A	----	6.50 - 1.90	.0239	----	----	----	----	8 UNCH
6420	----	----	----/*6.10A	7.20B/6.10A	----	6.40 - 1.90	.0235	----	----	----	----	3 UNCH
6430	----	----	----/6.00A	7.10B/6.00A	----	6.40 - 1.80	.0234	----	----	----	----	30 UNCH
6440	----	----	----/*6.00A	7.00B/6.00A	----	6.40 - 1.70	.0233	----	----	----	----	2 UNCH
6450	6.20	6.20	6.60/*5.90A	6.90B/5.90A	----	6.30 - 1.70	.0230	----	----	12	----	53 - 5
6460	6.50	6.50	6.80/5.80A	6.80/5.80A	----	6.30 - 1.60	.0229	----	----	23	----	18 - 10
6470	----	----	----/*5.80A	6.70B/5.80A	----	6.20 - 1.60	.0225	----	----	----	----	9 UNCH
6480	6.00	6.00	6.90/*5.70A	6.90/5.70A	----	6.20 - 1.50	.0225	----	----	12	----	14 - 7
6490	----	----	----/*5.70A	6.90B/5.70A	----	6.10 - 1.50	.0221	----	----	----	----	22 UNCH
6500	----	----	----/5.70A	6.40B/5.70A	----	6.10 - 1.40	.0220	----	----	35	----	1066 + 5
6525	5.70	5.70	6.10/*5.40A	6.20B/5.40A	----	6.00 - 1.30	.0216	----	----	12	----	13 - 5
6550	6.00	6.00	6.00/*5.30A	6.10B/5.30A	----	5.90 - 1.10	.0211	----	----	1	----	210 + 1
6575	----	----	----/*5.20A	5.90B/5.20A	----	5.80 - 1.00	.0207	----	----	----	----	7 UNCH
6600	5.40	5.40	5.40/5.10A	5.70B/5.10A	----	5.70 - 0.90	.0202	----	----	11	----	851 UNCH
6625	5.20	5.20	7.60/*4.90A	7.60/4.90A	----	5.50 - 0.90	.0195	----	----	13	----	101 - 10
6650	4.40	4.40	4.40/*4.40	5.40B/4.40	----	5.40 - 0.90	.0191	----	----	2	----	36 - 2
6675	5.00	5.00	5.10/*4.70A	5.30B/4.70A	----	5.30 - 0.80	.0187	----	----	22	----	34 UNCH
6700	5.00	5.00	5.10B/4.60A	5.10B/4.60A	----	5.20 - 0.70	.0182	----	----	2	----	1207 UNCH
6725	----	----	----/*4.50A	5.00B/4.50A	----	5.10 - 0.70	.0178	----	----	----	----	111 UNCH
6750	4.40	4.40	4.40/*4.40	4.90B/4.40	----	5.00 - 0.60	.0174	----	----	3	----	135 + 1
6775	5.00	5.00	5.00/*4.30A	5.00/4.30A	----	4.90 - 0.60	.0170	----	----	1	----	5 + 1
6800	4.50	4.50	8.20/4.10A	8.20/4.10A	----	4.70 - 0.60	.0164	----	----	13	----	242 - 4
6825	----	----	----/*4.10A	4.50B/4.10A	----	4.60 - 0.60	.0160	----	----	----	----	10 UNCH
6850	----	----	----/*4.00A	4.40B/4.00A	----	4.50 - 0.60	.0156	----	----	1	----	27 + 1
6875	----	----	----/*3.90A	4.30B/3.90A	----	4.40 - 0.50	.0152	----	----	2	----	3 + 2
6900	----	----	----/3.80A	4.20B/3.80A	----	4.30 - 0.50	.0148	----	----	----	----	157 UNCH
6925	----	----	----/*3.70A	4.10B/3.70A	----	4.20 - 0.50	.0144	----	----	----	----	51 UNCH
6950	----	----	----/*3.70A	4.00B/3.70A	----	4.10 - 0.50	.0141	----	----	----	----	27 UNCH
6975	----	----	----/*3.60A	3.90B/3.60A	----	4.00 - 0.50	.0137	----	----	----	----	17 UNCH
7000	----	----	----/3.50A	3.80B/3.50A	----	3.90 - 0.50	.0133	----	----	----	----	1802 UNCH
7025	3.60	3.60	3.60/*3.40A	3.70B/3.40A	----	3.80 - 0.50	.0130	----	----	2	----	32 + 1
7050	----	----	----/*3.40A	3.60B/3.40A	----	3.70 - 0.50	.0126	----	----	----	----	5 UNCH
7075	----	----	----/*3.30A	3.50B/3.30A	----	3.60 - 0.50	.0123	----	----	----	----	8 UNCH
7100	----	----	----/*3.20A	3.50B/3.20A	----	3.50 - 0.50	.0119	----	----	----	----	147 UNCH
7125	----	----	----/*3.10A	3.40B/3.10A	----	3.40 - 0.50	.0116	----	----	----	----	52 UNCH
7150	----	----	----/*3.10A	3.30B/3.10A	----	3.30 - 0.60	.0112	----	----	----	----	59 UNCH
7200	----	----	----/*3.00A	3.20B/3.00A	----	3.20 - 0.50	.0108	----	----	----	----	129 UNCH
7250	----	----	----/*2.90A	3.00B/2.90A	----	3.00 - 0.60	.0101	----	----	----	----	91 UNCH
7275	----	----	----/*2.90A	3.00B/2.90A	----	2.90 - 0.60	.0098	----	----	----	----	1 UNCH
7300	----	----	----/*2.80A	2.90B/2.80A	----	2.90 - 0.50	.0097	----	----	----	----	150 UNCH
7325	----	----	----/*2.80A	2.80B/2.80A	----	2.80 - 0.60	.0094	----	----	----	----	14 UNCH
7350	----	----	----/*2.70A	2.80B/2.70A	----	2.70 - 0.60	.0091	----	----	----	----	3 UNCH
7375	2.70	2.70	2.70/*2.70	2.70/2.70	----	2.70 - 0.50	.0090	----	----	9	----	20 + 9
7400	----	----	----/*2.60A	2.70B/2.60A	----	2.60 - 0.60	.0087	----	----	----	----	46 UNCH
7425	----	----	----/*2.60A	2.60B/2.60A	----	2.60 - 0.50	.0087	----	----	----	----	20 UNCH
7450	----	----	----/*2.60A	2.60B/2.60A	----	2.50 - 0.60	.0083	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
7475	----	----	----/*2.50A	2.50B/2.50A	----	2.50 - 0.50	.0083	----	----	----	----	8 UNCH
7500	2.40	2.40	2.40/2.40	2.40/2.40	----	2.40 - 0.60	.0080	----	----	2	----	1351 + 2
7525	----	----	----/*2.50A	2.40B/2.50A	----	2.40 - 0.50	.0079	----	----	----	----	20 UNCH
7575	----	----	----/*2.40A	2.30B/2.40A	----	2.30 - 0.50	.0076	----	----	----	----	8 UNCH
7600	----	----	----/*2.30A	2.30B/2.30A	----	2.20 - 0.60	.0073	----	----	----	----	46 UNCH
7700	----	----	----/*2.20A	2.10B/2.20A	----	2.10 - 0.50	.0068	----	----	----	----	45 UNCH
7750	----	----	----/2.20A	2.00B/2.20A	----	2.00 - 0.50	.0065	----	----	----	----	12 UNCH
7800	2.00	2.00	2.00/*2.00	2.00/2.00	----	2.00 - 0.40	.0064	----	----	1	----	39 UNCH
7875	----	----	----/2.00A	1.80B/2.00A	----	1.90 - 0.40	.0061	----	----	----	----	31 UNCH
7900	----	----	----/2.00A	1.80B/2.00A	----	1.90 - 0.40	.0061	----	----	----	----	2 UNCH
7950	----	----	----/1.90A	1.70B/1.90A	----	1.80 - 0.40	.0057	----	----	----	----	2 UNCH
8000	----	----	----/1.80A	1.60B/1.80A	----	1.80 - 0.40	.0057	----	----	----	----	978 UNCH
8100	----	----	----/*1.80A	1.60B/1.80A	----	1.70 - 0.30	.0053	----	----	----	----	3 UNCH
8200	----	----	----/1.70A	1.50B/1.70A	----	1.70 - 0.20	.0052	----	----	----	----	89 UNCH
8300	----	----	----/1.70A	1.40B/1.70A	----	1.60 - 0.20	.0049	----	----	----	----	64 UNCH
8500	----	----	----/1.50A	1.20B/1.50A	----	1.50 - 0.20	.0045	----	----	----	----	140 UNCH
8600	1.30	1.30	1.30/*1.30	1.30/1.30	----	1.50 - 0.10	.0044	----	----	1	----	51 + 1
8800	----	----	----/1.40A	1.00B/1.40A	----	1.40 - 0.10	.0040	----	----	----	----	32 UNCH
8900	----	----	----/*1.30A	0.90B/1.30A	----	1.40 UNCH	.0040	----	----	----	----	15 UNCH
9000	1.20	1.20	1.20/1.20	1.40B/1.20	----	1.40 UNCH	.0039	----	----	1	----	230 + 1
9100	----	----	----/1.20A	0.80B/1.20A	----	1.30 UNCH	.0036	----	----	----	----	1 UNCH
9200	----	----	----/1.20A	0.80B/1.20A	----	1.30 UNCH	.0036	----	----	----	----	51 UNCH
9300	----	----	----/1.10A	0.70B/1.10A	----	1.30 + 0.10	.0036	----	----	----	----	3 UNCH
9400	----	----	----/1.10A	0.70B/1.10A	----	1.20 UNCH	.0033	----	----	----	----	25 UNCH
9500	----	----	----	0.90B/1.10A	----	1.20 + 0.10	.0032	----	----	----	----	25 UNCH
9600	----	----	----	0.60B/1.00A	----	1.20 + 0.20	.0032	----	----	----	----	26 UNCH
9700	----	----	----	0.60B/1.00A	----	1.10 + 0.10	.0029	----	----	----	----	20 UNCH
9800	----	----	----	0.50B/1.00A	----	1.10 + 0.20	.0029	----	----	----	----	17 UNCH
9900	----	----	----	0.50B/0.90A	----	1.10 + 0.20	.0029	----	----	----	----	24 UNCH
10000	----	----	0.90B/----	0.90B/0.90A	----	1.00 + 0.20	.0026	----	----	----	----	263 UNCH
10100	----	----	----	0.40B/0.90A	----	1.00 + 0.20	.0026	----	----	----	----	2 UNCH
10300	----	----	----	0.40B/0.80A	----	0.90 + 0.20	.0023	----	----	----	----	3 UNCH
10400	----	----	----	0.40B/0.80A	----	0.90 + 0.20	.0023	----	----	----	----	2 UNCH
10500	----	----	----	0.30B/0.80A	----	0.80 + 0.10	.0020	----	----	----	----	1 UNCH
10700	----	----	----	0.30B/0.80A	----	0.80 + 0.20	.0020	----	----	----	----	4 UNCH
11000	----	----	----	0.20B/0.70A	----	0.70 + 0.10	.0017	----	----	----	----	71 UNCH
11300	----	----	----	0.20B/0.70A	----	0.60 + 0.10	.0015	----	----	----	----	11 UNCH
11500	----	----	----	0.20B/0.60A	----	0.60 + 0.10	.0015	----	----	----	----	1 UNCH
11600	----	----	----	0.20B/0.60A	----	0.60 + 0.10	.0014	----	----	----	----	5 UNCH
11700	----	----	----	0.20B/0.60A	----	0.60 + 0.10	.0014	----	----	----	----	15 UNCH
11900	----	----	----	0.20B/0.60A	----	0.60 + 0.20	.0014	----	----	----	----	1 UNCH
12000	----	----	----	0.20B/0.60A	----	0.50 + 0.10	.0012	----	----	----	----	350 UNCH
TOTAL										8179	575	154471+ 422
JUL26												
3500	----	----	----	----	----	1230.40 - 27.20	.9494	----	----	----	----	1 UNCH
3600	----	----	----/1,063.90A	1146.70B/1063.90A	----	1135.90 - 25.20	.9369	----	----	----	----	24 UNCH
3650	----	----	----/1,017.70A	1100.00B/1017.70A	----	1089.20 - 24.10	.9297	----	----	----	----	10 UNCH
3670	----	----	----/999.40A	1081.40B/999.40A	----	1070.70 - 23.50	.9265	----	----	----	----	3 UNCH
3700	----	----	----/972.20A	1053.70B/972.20A	----	1042.90 - 22.80	.9216	----	----	----	----	111 UNCH
3735	----	----	----	716.40B/1191.70A	----	1010.80 - 21.90	.9154	----	----	----	----	1 UNCH
3775	----	----	----/905.00A	985.00B/905.00A	----	974.40 - 20.70	.9079	----	----	----	----	4 UNCH
3800	----	----	----/874.80A	968.60B/874.80A	----	951.80 - 19.90	.9029	----	----	----	----	2045 UNCH
3825	----	----	----/861.10A	939.90B/861.10A	----	929.40 - 19.00	.8976	----	----	----	----	5 UNCH
3850	----	----	----/839.50A	917.50B/839.50A	----	907.10 - 18.20	.8921	----	----	----	----	66 UNCH
3860	----	----	----	713.70B/1057.00A	----	898.20 - 17.80	.8898	----	----	----	----	1 UNCH
3865	----	----	----/826.60A	904.20B/826.60A	----	893.80 - 17.60	.8887	----	----	----	----	7 UNCH
3875	----	----	----/818.00A	895.30B/818.00A	----	884.90 - 17.30	.8864	----	----	----	----	25 UNCH
3900	----	----	----/796.70A	873.10B/796.70A	----	862.90 - 16.40	.8804	----	----	----	----	18 UNCH
3925	----	----	----/775.70A	851.20B/775.70A	----	841.10 - 15.40	.8740	----	----	----	----	35 UNCH
3950	----	----	----/746.90A	835.40B/746.90A	----	819.40 - 14.40	.8675	----	----	----	----	820 UNCH
3960	----	----	----	655.30B/972.10A	----	810.80 - 14.00	.8648	----	----	----	----	1 UNCH
4000	750.80	750.80	786.20B/713.10A	786.20B/713.10A	----	776.50 - 12.40	.8536	----	----	2	----	16 - 1
4020	----	----	----	601.00B/925.10A	----	759.60 - 11.50	.8477	----	----	----	----	1 UNCH
4030	----	----	----	592.10B/917.30A	----	751.10 - 11.10	.8448	----	----	----	----	2 UNCH
4040	----	----	----	583.10B/909.60A	----	742.70 - 10.70	.8417	----	----	----	----	1 UNCH
4075	----	----	----/652.30A	723.70B/652.30A	----	713.60 - 09.10	.8307	----	----	----	----	6 UNCH
4095	----	----	----/636.40A	707.20B/636.40A	----	697.10 - 08.20	.8240	----	----	----	----	4 UNCH
4100	----	----	----/632.40A	703.00B/632.40A	----	693.00 - 07.90	.8224	----	----	----	----	194 UNCH
4105	----	----	----	525.60B/860.20A	----	688.90 - 07.70	.8207	----	----	----	----	1 UNCH
4110	----	----	----/624.60A	694.80B/624.60A	----	684.80 - 07.50	.8190	----	----	----	----	3 UNCH
4145	----	----	----/597.30A	666.30B/597.30A	----	656.50 - 05.80	.8068	----	----	----	----	28 UNCH
4150	----	----	----/593.50A	662.30B/593.50A	----	652.50 - 05.50	.8050	----	----	----	----	37 UNCH
4155	----	----	----	482.40B/823.10A	----	648.50 - 05.30	.8032	----	----	----	----	1 UNCH
4160	----	----	----	478.10B/819.50A	----	644.50 - 05.00	.8014	----	----	----	----	1 UNCH
4190	----	----	----	450.90B/797.70A	----	620.70 - 03.60	.7902	----	----	----	----	1 UNCH
4200	----	----	----/555.60A	622.40B/555.60A	----	612.90 - 03.00	.7863	----	----	----	----	8 UNCH
4215	----	----	----/544.40A	610.60B/544.40A	----	601.20 - 02.30	.7805	----	----	----	----	25 UNCH
4220	----	----	----	429.30B/776.20A	----	597.30 - 02.00	.7785	----	----	----	----	1 UNCH
4225	----	----	----	422.60B/772.70A	----	593.50 - 01.70	.7766	----	----	----	----	2 UNCH
4235	----	----	----	418.70B/765.60A	----	585.80 - 01.20	.7726	----	----	----	----	1 UNCH
4240	----	----	----/526.10A	591.20B/526.10A	----	581.90 - 01.00	.7705	----	----	----	----	39 UNCH
4245	----	----	----	406.10B/758.60A	----	578.10 - 00.70	.7685	----	----	----	----	1 UNCH
4250	----	----	----/515.40A	585.50B/515.40A	----	574.30 - 00.40	.7664	----	----	----	----	316 UNCH
4255	----	----	----	393.10B/751.60A	----	570.50 - 00.20	.7644	----	----	----	----	1 UNCH
4265	----	----	----	393.80B/744.60A	----	562.90 - 99.70	.7602	----	----	----	----	2 UNCH
4270	----	----	----/504.50A	568.20B/504.50A	----	559.20 - 99.30	.7581	----	----	----	----	38 UNCH
4275	----	----	----/501.00A	564.50B/501.00A	----	555.40 - 99.10	.7560	----	----	----	----	76 UNCH
4280	----	----	----/497.50A	560.70B/497.50A	----	551.70 - 98.80	.7539	----	----	----	----	3 UNCH
4300	----	----	----/483.40A	545.70B/483.40A	----	536.80 - 97.70	.7453	----	----	----	----	63 UNCH
4315	----	----	----/473.00A	534.60B/473.00A	----	525.80 - 96.80	.7386	----	----	----	----	21 UNCH
4325	----	----	----/466.20A	527.20B/466.20A	----	518.60 - 96.20	.7341	----	----	----	----	22 UNCH
4335	----	----	----/468.80A	478.20B/468.80A	----	511.40 - 95.50	.7296	----	----	----	----	1 UNCH
4350	----	----	----/449.30A	509.10B/449.30A	----	500.60 - 94.70	.7227	----	----	----	----	10 UNCH
4360	----	----	----/442.60A	501.90B/442.60A	----	493.50 - 94.10	.7181	----	----	----	----	53 UNCH
4365	----	----	----/439.30A	498.30B/439.30A	----	490.00 - 93.80	.7157	----	----	----	----	45 UNCH
4370	----	----	----/436.00A	494.70B/436.00A	----	486.50 - 93.40	.7134	----	----	----	----	20 UNCH
4375	----	----	----/432.70A	491.20B/432.70A	----	483.00 - 93.10	.7110	----	----	----	----	5 UNCH
4400	----	----	----/407.90A	479.80B/407.90A	----	465.80 - 91.40	.6990	----	----	----	----	2267 UNCH
4410	----	----	----/407.20A	477.50B/407.20A	----	459.00 - 90.80	.6941	----	----	----	----	4 UNCH
4415	----	----	----/403.30A	479.40B/403.30A	----	455.60 - 90.40	.6916	----	----	----	----	39 UNCH
4420	----	----	----/400.00A	478.10B/400.00A	----	452.20 - 90.10	.6891	----	----	----	----	5 UNCH
4425	----	----	----/397.00A	477.40B/397.00A	----	448.90 - 89.70	.6866	----	----	----	----	16 UNCH
4430	----	----	----/395.20A	474.60B/395.20A	----	445.50 - 89.50	.6842	----	----	----	----	1 UNCH
4445	----	----	----/384.60A	464.60B/384.60A	----	435.60 - 88.40	.6766	----	----	----	----	30 UNCH
4450	----	----	----/381.00A	461.30B/381.00A	----	432.30 - 88.10	.6741	----	----	----	----	255 UNCH
4455	----	----	----/380.40A	458.70B/380.40A	----	429.10 - 87.60	.6715	----	----	----	----	2 UNCH
4460	----	----	----/377.40A	454.60B/377.40A	----	425.80 - 87.30	.6690	----	----	----	----	2 UNCH
4475	----	----	----/368.20A	444.60B/368.20A	----	416.20 - 86.20	.6612	----	----	----	----	2 UNCH
4480	----	----	----/363.70A	442.00B/363.70A	----	413.00 - 85.80	.6586	----	----	----	----	25 UNCH
4490	----	----	----/357.10A	435.40B/357.10A	----	406.60 - 85.20	.6534	----	----	----	----	9 UNCH
4500	----	----	----/346.10A	428.10B/346.10A	----	400.30 - 84.40	.6481	----	----	----	----	968 UNCH
4505	----	----	----/348.00A	425.00B/348.00A	----	397.20 - 84.00	.6455	----	----	----	----	2 UNCH
4510	----	----	----/342.00A	422.40B/342.00A	----	394.10 - 83.70	.6428	----	----	----	----	45 UNCH
4515	----	----	----/338.70A	418.40B/338.70A	----	391.00 - 83.30	.6402	----	----	----	----	200 UNCH
4520	----	----	----/336.70A	415.40B/336.70A	----	387.90 - 83.00	.6375	----	----	----	----	188 UNCH
4525	----	----	----/335.20A	412.80B/335.20A	----	384.90 - 82.50	.6349	----	----	----	----	129 UNCH
4530	----	----	----/331.50A	409.00B/331.50A	----	381.80 - 82.20	.6322	----	----	----	----	5 UNCH
4535	----	----	----/329.00A	406.40B/329.00A	----	378.80 - 81.80	.6295	----	----	----	----	14 UNCH
4540	----	----	----/326.70A	403.30B/326.70A	----	375.70 - 81.50	.6268	----	----	----	----	53 UNCH
4550	----	----	----/319.60A	396.40B/319.60A	----	369.70 - 80.70	.6214	----	----	----	----	10 UNCH
4560	----	----	----/318.10A	390.90B/318.10A	----	363.80 - 80.00	.6159	----	----	----	----	2 UNCH
4565	----	----	----/314.40A	387.80B/314.40A	----	360.80 - 79.60	.6132	----	----	----	----	1 UNCH
4570	----	----	----/313.50A	384.70B/313.50A	----	357.90 - 79.20	.6104	----	----	----	----	2 UNCH
4575	361.00	361.00	361.00/307.90A	381.10B/307.90A	----	355.00 - 78.80	.6077	----	----	1	----	128 UNCH
4600	----	----	----/294.80A	366.20B/294.80A	----	340.60 - 77.00	.5939	----	----	17	----	345 - 6
4605	----	----	----/290.20A	363.80B/290.20A	----	337.80 - 76.60	.5911	----	----	----	----	10 UNCH
4610	----	----	----/288.90A	360.80B/288.90A	----	335.00 - 76.20	.5883	----	----	----	----	6 UNCH
4635	----	----	----/277.40A	365.90B/277.40A	----	321.20 - 74.20	.5742	----	----	----	----	86 UNCH
4640	----	----	----/273.80A	373.60B/273.80A	----	318.50 - 73.80	.5714	----	----	----	----	242 UNCH
4645	----	----	----/272.70A	373.20B/272.70A	----	315.80 - 73.50	.5686	----	----	----	----	14 UNCH
4650	----	----	----/270.80A	373.20B/270.80A	----	313.10 - 73.10	.5658	----	----	----	----	259 UNCH
4655	----	----	----/265.60A	371.80B/265.60A	----	310.40 - 72.70	.5629	----	----	----	----	18 UNCH
4660	307.00	307.00	307.00/264.70A	373.30B/264.70A	----	307.80 - 72.30	.5601	----	----	10	----	20 + 10
4665	----	----	----/264.20A	372.80B/264.20A	----	305.20 - 71.90	.5573	----	----	----	----	268 UNCH
4670	311.70	311.70	311.70/259.20A	367.90B/259.20A	----	302.60 - 71.50	.5544	----	----	4	50	105 + 43
4675	----	----	----/257.90A	365.90B/257.90A	----	300.00 - 71.10	.5516	----	----	----	----	129 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG CALL — COMEX GOLD OPTIONS

JUL26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4680	----	----	----/256.20A	363.10B/256.20A	----	297.40 - 70.70	.5487	----	----	----	----	10 UNCH
4685	----	----	----/253.90A	359.00B/253.90A	----	294.80 - 70.40	.5459	----	----	1	----	11 + 1
4695	----	----	----/249.20A	353.30B/249.20A	----	289.70 - 69.60	.5402	----	----	----	----	22 UNCH
4700	295.00	295.00	295.00/245.40A	350.50B/245.40A	----	287.20 - 69.20	.5373	----	----	121	----	589 + 38
4710	----	----	----/242.70A	345.60B/242.70A	----	282.20 - 68.40	.5316	----	----	1	----	101 + 1
4725	----	----	----/234.60A	341.20B/234.60A	----	274.90 - 67.20	.5230	----	----	----	----	51 UNCH
4730	----	----	----/235.90A	338.50B/235.90A	----	272.50 - 66.80	.5201	----	----	2	----	3 + 2
4745	----	----	----/226.50A	330.20B/226.50A	----	265.30 - 65.60	.5116	----	----	----	----	177 UNCH
4750	----	----	----/225.10A	327.50B/225.10A	----	263.00 - 65.20	.5087	----	----	----	----	1066 UNCH
4755	----	----	----/223.90A	324.80B/223.90A	----	260.60 - 64.80	.5058	----	----	----	----	12 UNCH
4760	----	----	----/219.70A	322.10B/219.70A	----	258.30 - 64.40	.5030	----	----	----	----	47 UNCH
4770	----	----	----/216.60A	316.80B/216.60A	----	253.70 - 63.60	.4973	----	----	----	----	68 UNCH
4775	----	----	----/215.80A	314.10B/215.80A	----	251.40 - 63.30	.4944	----	----	----	----	150 UNCH
4780	253.00	253.00	255.50/212.00A	311.50B/212.00A	----	249.20 - 62.80	.4916	----	----	6	----	32 + 2
4785	----	----	----/211.90A	308.90B/211.90A	----	246.90 - 62.50	.4887	----	----	----	----	11 UNCH
4790	----	----	----/214.10A	306.30B/214.10A	----	244.70 - 62.10	.4859	----	----	----	----	1 UNCH
4800	220.00	220.00	240.30/206.30A	301.10B/206.30A	----	240.30 - 61.30	.4802	----	----	4	----	1697 UNCH
4805	258.00	258.00	299.90B/207.90A	299.90B/207.90A	----	238.10 - 60.90	.4774	----	----	1	----	1 + 1
4810	----	----	----/205.80A	296.00B/205.80A	----	236.00 - 60.50	.4745	----	----	----	----	2 UNCH
4820	300.00	300.00	300.00/198.80A	300.00/198.80A	----	231.70 - 59.70	.4689	----	----	20	----	10 + 10
4825	----	----	----/196.30A	288.50B/196.30A	----	229.60 - 59.30	.4661	----	----	----	----	41 UNCH
4830	----	----	----/195.60A	286.00B/195.60A	----	227.50 - 58.90	.4632	----	----	----	----	3 UNCH
4835	----	----	----/193.20A	283.50B/193.20A	----	225.40 - 58.50	.4604	----	----	----	----	6 UNCH
4840	----	----	----/191.90A	281.00B/191.90A	----	223.40 - 58.10	.4576	----	----	----	----	1 UNCH
4845	----	----	----/189.10A	278.60B/189.10A	----	221.30 - 57.70	.4548	----	----	----	----	59 UNCH
4850	213.30	213.30	213.30/188.20A	276.20B/188.20A	----	219.30 - 57.30	.4520	----	----	3	----	331 + 3
4855	----	----	----/189.20A	273.80B/189.20A	----	217.30 - 56.90	.4493	----	----	----	----	1 UNCH
4860	----	----	272.90B/183.50A	272.90B/183.50A	----	215.30 - 56.50	.4465	----	----	----	----	10 UNCH
4870	----	----	----/181.60A	266.70B/181.60A	----	211.30 - 55.80	.4409	----	----	----	----	60 UNCH
4875	----	----	----/179.60A	264.40B/179.60A	----	209.30 - 55.40	.4381	----	----	----	----	12 UNCH
4880	----	----	----/176.90A	262.10B/176.90A	----	207.40 - 55.00	.4354	----	----	----	----	12 UNCH
4885	----	----	261.00B/175.40A	261.00B/175.40A	----	205.50 - 54.60	.4326	----	----	----	----	2 UNCH
4890	----	----	----/176.00A	257.50B/176.00A	----	203.60 - 54.20	.4299	----	----	----	----	2 UNCH
4900	----	----	----/171.10A	253.00B/171.10A	----	199.80 - 53.50	.4244	----	----	38	----	528 - 19
4905	----	----	252.80B/173.60A	252.80B/173.60A	----	197.90 - 53.10	.4216	----	----	----	----	2 UNCH
4910	----	----	250.90B/170.50A	250.90B/170.50A	----	196.10 - 52.70	.4189	----	----	----	----	2 UNCH
4915	----	----	248.90B/165.70A	248.90B/165.70A	----	194.20 - 52.40	.4162	----	----	----	----	3 UNCH
4920	----	----	246.30B/165.00A	246.30B/165.00A	----	192.40 - 52.00	.4135	----	----	----	----	6 UNCH
4925	----	----	245.40B/163.30A	245.40B/163.30A	----	190.60 - 51.60	.4108	----	----	----	----	4 UNCH
4930	----	----	241.90B/161.70A	241.90B/161.70A	----	188.80 - 51.20	.4080	----	----	----	----	3 UNCH
4940	----	----	237.80B/158.80A	237.80B/158.80A	----	185.30 - 50.40	.4027	----	----	----	----	163 UNCH
4950	----	----	233.40B/154.90A	233.40B/154.90A	----	181.80 - 49.70	.3973	----	----	3	----	111 UNCH
4955	----	----	231.40B/154.00A	231.40B/154.00A	----	180.10 - 49.30	.3947	----	----	----	----	72 UNCH
4960	----	----	229.60B/154.90A	229.60B/154.90A	----	178.40 - 49.00	.3921	----	----	----	----	1 UNCH
4965	----	----	228.20B/151.40A	228.20B/151.40A	----	176.70 - 48.60	.3894	----	----	----	----	150 UNCH
4970	183.30	183.30	225.70B/149.40A	225.70B/149.40A	----	175.00 - 48.30	.3868	----	----	10	----	8 - 5
4975	----	----	223.40B/148.70A	223.40B/148.70A	----	173.40 - 47.80	.3842	----	----	----	----	42 UNCH
4980	----	----	221.50B/147.40A	221.50B/147.40A	----	171.70 - 47.50	.3815	----	----	----	----	3 UNCH
4985	----	----	220.00B/145.20A	220.00B/145.20A	----	170.10 - 47.10	.3790	----	----	----	----	27 UNCH
4990	----	----	218.10B/144.40A	218.10B/144.40A	----	168.50 - 46.70	.3764	----	----	----	----	13 UNCH
4995	----	----	215.90B/142.60A	215.90B/142.60A	----	166.90 - 46.40	.3738	----	----	----	----	20 UNCH
5000	174.50	174.50	214.00B/140.90A	214.00B/140.90A	----	165.30 - 46.00	.3712	----	----	64	140	1821 + 184
5005	----	----	211.30B/140.60A	211.30B/140.60A	----	163.70 - 45.70	.3686	----	----	----	----	12 UNCH
5010	----	----	209.50B/138.10A	209.50B/138.10A	----	162.20 - 45.30	.3661	----	----	----	----	12 UNCH
5015	----	----	207.40B/138.50A	207.40B/138.50A	----	160.60 - 45.00	.3635	----	----	----	----	1 UNCH
5020	----	----	205.70B/136.40A	205.70B/136.40A	----	159.10 - 44.60	.3610	----	----	----	----	7 UNCH
5025	148.50	148.50	204.10B/134.80A	204.10B/134.80A	----	157.60 - 44.20	.3585	----	----	10	----	31 + 10
5030	----	----	201.90B/133.60A	201.90B/133.60A	----	156.00 - 43.90	.3559	----	----	----	----	31 UNCH
5035	----	----	200.00B/132.40A	200.00B/132.40A	----	154.60 - 43.50	.3535	----	----	----	----	54 UNCH
5040	----	----	198.70B/133.30A	198.70B/133.30A	----	153.10 - 43.20	.3510	----	----	----	----	2 UNCH
5045	----	----	196.40B/133.10A	196.40B/133.10A	----	151.60 - 42.80	.3485	----	----	----	----	2 UNCH
5050	----	----	194.60B/128.80A	194.60B/128.80A	----	150.20 - 42.40	.3461	----	----	4	----	19 - 1
5055	----	----	193.60B/127.90A	193.60B/127.90A	----	148.70 - 42.20	.3435	----	----	----	----	8 UNCH
5060	----	----	192.60B/126.70A	192.60B/126.70A	----	147.30 - 41.80	.3411	----	----	----	----	4 UNCH
5065	----	----	190.90B/125.20A	190.90B/125.20A	----	145.90 - 41.40	.3387	----	----	----	----	25 UNCH
5070	136.20	136.20	189.30B/126.70A	189.30B/126.70A	----	144.50 - 41.10	.3363	----	----	20	----	21 + 20
5075	----	----	187.20B/122.70A	187.20B/122.70A	----	143.10 - 40.80	.3338	----	----	----	----	14 UNCH
5080	----	----	185.80B/121.50A	185.80B/121.50A	----	141.70 - 40.40	.3314	----	----	----	----	65 UNCH
5085	----	----	183.80B/121.80A	183.80B/121.80A	----	140.30 - 40.10	.3290	----	----	----	----	2 UNCH
5090	----	----	182.30B/124.80A	182.30B/124.80A	----	139.00 - 39.80	.3267	----	----	----	----	1 UNCH
5095	----	----	180.50B/118.20A	180.50B/118.20A	----	137.60 - 39.50	.3242	----	----	----	----	45 UNCH
5100	149.80	149.80	178.90B/116.70A	178.90B/116.70A	----	136.30 - 39.10	.3219	----	----	11	----	547 + 1
5105	----	----	177.20B/116.50A	177.20B/116.50A	----	135.00 - 38.80	.3196	----	----	----	----	61 UNCH
5110	----	----	175.60B/115.50A	175.60B/115.50A	----	133.70 - 38.50	.3172	----	----	----	----	3 UNCH
5115	139.00	139.00	173.90B/114.10A	173.90B/114.10A	----	132.40 - 38.10	.3149	----	----	15	----	26 - 9
5120	----	----	172.20B/113.20A	172.20B/113.20A	----	131.10 - 37.80	.3126	----	----	----	----	6 UNCH
5125	----	----	170.60B/111.90A	170.60B/111.90A	----	129.90 - 37.40	.3103	----	----	----	----	214 UNCH
5130	----	----	169.00B/110.80A	169.00B/110.80A	----	128.60 - 37.20	.3080	----	----	----	----	12 UNCH
5135	----	----	167.50B/109.60A	167.50B/109.60A	----	127.40 - 36.80	.3057	----	----	----	----	161 UNCH
5140	----	----	165.80B/108.60A	165.80B/108.60A	----	126.10 - 36.60	.3034	----	----	----	----	43 UNCH
5145	----	----	164.30B/108.00A	164.30B/108.00A	----	124.90 - 36.20	.3012	----	----	----	----	16 UNCH
5150	117.30	117.30	162.80B/106.50A	162.80B/106.50A	----	123.70 - 35.90	.2989	----	----	4	----	701 UNCH
5155	----	----	161.10B/106.30A	161.10B/106.30A	----	122.50 - 35.60	.2967	----	----	----	----	1 UNCH
5160	----	----	159.70B/104.90A	159.70B/104.90A	----	121.30 - 35.30	.2945	----	----	----	----	9 UNCH
5165	----	----	158.20B/105.70A	158.20B/105.70A	----	120.20 - 34.90	.2924	----	----	----	----	2 UNCH
5170	----	----	156.70B/102.60A	156.70B/102.60A	----	119.00 - 34.70	.2901	----	----	----	----	7 UNCH
5175	----	----	155.10B/101.90A	155.10B/101.90A	----	117.90 - 34.30	.2880	----	----	----	----	50 UNCH
5180	----	----	153.70B/101.00A	153.70B/101.00A	----	116.70 - 34.10	.2858	----	----	----	----	13 UNCH
5185	109.30	109.30	151.80B/100.30A	151.80B/100.30A	----	115.60 - 33.70	.2836	----	----	1	----	33 + 1
5190	----	----	150.80B/100.50A	150.80B/100.50A	----	114.50 - 33.40	.2815	----	----	----	----	2 UNCH
5195	----	----	149.30B/98.00A	149.30B/98.00A	----	113.40 - 33.10	.2794	----	----	----	----	7 UNCH
5200	----	----	147.50B/96.60A	147.50B/96.60A	----	112.30 - 32.80	.2773	----	----	42	----	1198 + 33
5205	----	----	146.50B/95.70A	146.50B/95.70A	----	111.20 - 32.50	.2752	----	----	----	----	7 UNCH
5210	----	----	145.10B/94.80A	145.10B/94.80A	----	110.10 - 32.30	.2730	----	----	----	----	12 UNCH
5215	----	----	143.30B/94.70A	143.30B/94.70A	----	109.00 - 32.00	.2709	----	----	----	----	9 UNCH
5220	----	----	142.20B/93.60A	142.20B/93.60A	----	108.00 - 31.70	.2689	----	----	----	----	18 UNCH
5225	----	----	140.90B/93.30A	140.90B/93.30A	----	106.90 - 31.40	.2668	----	----	----	----	2 UNCH
5230	----	----	139.60B/91.90A	139.60B/91.90A	----	105.90 - 31.10	.2648	----	----	----	----	9 UNCH
5240	----	----	136.70B/91.80A	136.70B/91.80A	----	103.90 - 30.50	.2608	----	----	----	----	1 UNCH
5245	----	----	135.60B/88.70A	135.60B/88.70A	----	102.90 - 30.20	.2588	----	----	1	----	61 UNCH
5250	97.80	97.80	134.30B/88.50A	134.30B/88.50A	----	101.90 - 30.00	.2568	----	----	8	----	362 - 1
5255	----	----	133.00B/87.30A	133.00B/87.30A	----	100.90 - 29.70	.2548	----	----	----	----	13 UNCH
5260	----	----	131.70B/86.90A	131.70B/86.90A	----	99.90 - 29.40	.2528	----	----	----	----	150 UNCH
5265	----	----	130.20B/85.90A	130.20B/85.90A	----	99.00 - 29.10	.2509	----	----	----	----	3 UNCH
5270	----	----	129.00B/85.30A	129.00B/85.30A	----	98.00 - 28.90	.2489	----	----	----	----	10 UNCH
5275	----	----	127.90B/84.60A	127.90B/84.60A	----	97.10 - 28.60	.2470	----	----	----	----	16 UNCH
5280	----	----	126.70B/83.90A	126.70B/83.90A	----	96.10 - 28.40	.2450	----	----	----	----	4 UNCH
5285	----	----	125.50B/83.10A	125.50B/83.10A	----	95.20 - 28.10	.2432	----	----	----	----	13 UNCH
5290	----	----	124.30B/82.00A	124.30B/82.00A	----	94.30 - 27.80	.2413	----	----	----	----	33 UNCH
5295	----	----	123.10B/83.20A	123.10B/83.20A	----	93.40 - 27.50	.2394	----	----	----	----	1 UNCH
5300	98.50	98.50	122.00B/80.00A	122.00B/80.00A	----	92.50 - 27.30	.2376	----	----	15	----	795 - 2
5305	----	----	120.70B/79.60A	120.70B/79.60A	----	91.60 - 27.00	.2357	----	----	----	----	29 UNCH
5310	----	----	119.60B/78.90A	119.60B/78.90A	----	90.70 - 26.80	.2338	----	----	----	----	3 UNCH
5315	----	----	118.40B/78.00A	118.40B/78.00A	----	89.80 - 26.60	.2320	----	----	----	----	13 UNCH
5320	----	----	117.10B/77.30A	117.10B/77.30A	----	89.00 - 26.30	.2302	----	----	----	----	7 UNCH
5325	----	----	116.10B/76.80A	116.10B/76.80A	----	88.10 - 26.00	.2284	----	----	----	----	156 UNCH
5330	----	----	115.00B/75.90A	115.00B/75.90A	----	87.30 - 25.80	.2266	----	----	----	----	4 UNCH
5345	----	----	111.80B/73.80A	111.80B/73.80A	----	84.80 - 25.00	.2213	----	----	----	----	8 UNCH
5350	----	----	110.70B/73.20A	110.70B/73.20A	----	84.00 - 24.80	.2196	----	----	----	----	517 UNCH
5355	----	----	109.50B/72.70A	109.50B/72.70A	----	83.20 - 24.50	.2179	----	----	----	----	4 UNCH
5360	----	----	108.60B/72.10A	108.60B/72.10A	----	82.40 - 24.30	.2162	----	----	----	----	333 UNCH
5365	----	----	107.50B/71.40A	107.50B/71.40A	----	81.60 - 24.10	.2144	----	----	----	----	13 UNCH
5370	----	----	106.50B/71.20A	106.50B/71.20A	----	80.80 - 23.90	.2127	----	----	----	----	10 UNCH
5375	----	----	105.60B/70.10A	105.60B/70.10A	----	80.10 - 23.60	.2111	----	----	----	----	3 UNCH
5380	----	----	104.60B/69.70A	104.60B/69.70A	----	79.30 - 23.40	.2094	----	----	----	----	5 UNCH
5385	----	----	103.60B/68.90A	103.60B/68.90A	----	78.60 - 23.10	.2078	----	----	----	----	16 UNCH
5390	----	----	102.40B/68.60A	102.40B/68.60A	----	77.80 - 22.90	.2061	----	----	----	----	11 UNCH
5395	79.80	79.80	101.50B/67.70A	101.50B/67.70A	----	77.10 - 22.70	.2045	----	----	3	----	18 UNCH
5400	----	----	100.50B/67.10A	100.50B/67.10A	----	76.30 - 22.50	.2028	----	----	73	----	4312 + 12
5405	----	----	99.60B/66.70A	99.60B/66.70A	----	75.60 - 22.30	.2013	----	----	----	----	7 UNCH
5410	72.50	72.50	98.70B/66.10A	98.70B/66.10A	----	74.90 - 22.00	.1997	----	----	10	----	16 - 10
5415	----	----	97.70B/65.60A	97.70B/65.60A	----	74.20 - 21.80	.1981	----	----	----	----	17 UNCH
5420	----	----	96.70B/65.10A	96.70B/65.10A	----	73.50 - 21.60	.1966	----	----	----	----	10 UNCH
5425	----	----	95.80B/64.20A	95.80B/64.20A	----	72.80 - 21.40	.1950	----	----	1	----	8 + 1
5430	----	----	94.80B/63.90A	94.80B/63.90A	----	72.10 - 21.20	.1934	----	----	----	----	5 UNCH
5435	----	----	93.90B/64.70A	93.90B/64.70A	----	71.40 - 21.00	.1919	----	----	----	----	2 UNCH
5440	79.00	79.00	93.00B/64.10A	93.00B/64.10A	----	70.80 - 20.70	.1904	----	----	1	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
5445	----	----	92.10B/62.00A	92.10B/62.00A	----	70.10 - 20.60	.1889	----	----	----	----	8 UNCH
5450	----	----	91.10B/61.30A	91.10B/61.30A	----	69.40 - 20.40	.1873	----	----	----	----	1186 UNCH
5455	----	----	90.20B/61.30A	90.20B/61.30A	----	68.80 - 20.10	.1859	----	----	----	----	11 UNCH
5460	----	----	89.30B/60.60A	89.30B/60.60A	----	68.20 - 19.90	.1845	----	----	----	----	13 UNCH
5465	----	----	88.50B/60.10A	88.50B/60.10A	----	67.50 - 19.80	.1829	----	----	----	----	16 UNCH
5470	----	----	87.70B/60.70A	87.70B/60.70A	----	66.90 - 19.50	.1815	----	----	----	----	17 UNCH
5475	----	----	86.90B/60.00A	86.90B/60.00A	----	66.30 - 19.30	.1801	----	----	----	----	206 UNCH
5480	----	----	86.10B/59.50A	86.10B/59.50A	----	65.60 - 19.20	.1786	----	----	----	----	5 UNCH
5485	72.00	72.00	85.20B/57.30A	85.20B/57.30A	----	65.00 - 19.00	.1772	----	----	1	----	2 - 1
5490	----	----	84.30B/58.60A	84.30B/58.60A	----	64.40 - 18.80	.1758	----	----	----	----	17 UNCH
5495	----	----	83.70B/58.10A	83.70B/58.10A	----	63.80 - 18.60	.1744	----	----	----	----	1 UNCH
5500	56.00	56.00	82.90B/56.00	82.90B/56.00	----	63.20 - 18.50	.1730	----	----	217	----	3259 + 149
5505	----	----	81.90B/56.90A	81.90B/56.90A	----	62.70 - 18.20	.1717	----	----	----	----	3 UNCH
5510	----	----	81.30B/55.60A	81.30B/55.60A	----	62.10 - 18.00	.1704	----	----	----	----	2 UNCH
5515	----	----	80.50B/55.90A	80.50B/55.90A	----	61.50 - 17.90	.1690	----	----	----	----	10 UNCH
5520	----	----	79.70B/55.40A	79.70B/55.40A	----	60.90 - 17.70	.1676	----	----	----	----	11 UNCH
5525	61.80	61.80	79.00B/55.00A	79.00B/55.00A	----	60.40 - 17.50	.1663	----	----	3	----	3 + 3
5530	----	----	78.20B/54.50A	78.20B/54.50A	----	59.80 - 17.40	.1649	----	----	----	----	25 UNCH
5535	----	----	77.40B/53.90A	77.40B/53.90A	----	59.30 - 17.10	.1637	----	----	----	----	1 UNCH
5540	----	----	76.80B/53.50A	76.80B/53.50A	----	58.70 - 17.00	.1623	----	----	----	----	16 UNCH
5545	----	----	76.00B/52.90A	76.00B/52.90A	----	58.20 - 16.80	.1611	----	----	----	----	8 UNCH
5550	----	----	75.30B/52.40A	75.30B/52.40A	----	57.70 - 16.60	.1599	----	----	----	----	204 UNCH
5555	----	----	74.70B/52.10A	74.70B/52.10A	----	57.10 - 16.50	.1585	----	----	----	----	23 UNCH
5560	----	----	74.00B/50.50A	74.00B/50.50A	----	56.60 - 16.30	.1573	----	----	----	----	21 UNCH
5565	----	----	73.20B/51.00A	73.20B/51.00A	----	56.10 - 16.20	.1561	----	----	----	----	1 UNCH
5570	----	----	72.60B/50.70A	72.60B/50.70A	----	55.60 - 16.00	.1548	----	----	----	----	2 UNCH
5575	57.00	57.00	71.80B/49.00A	71.80B/49.00A	----	55.10 - 15.80	.1536	----	----	17	----	29 + 15
5580	----	----	71.10B/49.90A	71.10B/49.90A	----	54.60 - 15.70	.1524	----	----	----	----	2 UNCH
5585	----	----	70.50B/49.20A	70.50B/49.20A	----	54.10 - 15.50	.1512	----	----	----	----	19 UNCH
5590	----	----	69.80B/48.90A	69.80B/48.90A	----	53.60 - 15.40	.1500	----	----	----	----	1 UNCH
5595	----	----	69.20B/48.30A	69.20B/48.30A	----	53.10 - 15.20	.1488	----	----	----	----	19 UNCH
5600	52.40	52.40	68.50B/47.40A	68.50B/47.40A	----	52.70 - 15.00	.1477	----	----	65	----	2601 + 63
5605	----	----	67.90B/47.70A	67.90B/47.70A	----	52.20 - 14.90	.1465	----	----	----	----	26 UNCH
5610	----	----	67.40B/47.30A	67.40B/47.30A	----	51.70 - 14.80	.1453	----	----	----	----	1 UNCH
5615	47.00	47.00	66.70B/46.80A	66.70B/46.80A	----	51.30 - 14.60	.1443	----	----	1	----	0 - 1
5625	----	----	65.40B/45.80A	65.40B/45.80A	----	50.40 - 14.30	.1420	----	----	----	----	10 UNCH
5630	----	----	64.80B/45.50A	64.80B/45.50A	----	49.90 - 14.20	.1408	----	----	----	----	5 UNCH
5635	----	----	64.20B/45.10A	64.20B/45.10A	----	49.50 - 14.00	.1398	----	----	----	----	8 UNCH
5640	----	----	63.60B/44.80A	63.60B/44.80A	----	49.00 - 13.90	.1386	----	----	----	----	4 UNCH
5650	51.40	51.40	62.50B/43.90A	62.50B/43.90A	----	48.20 - 13.60	.1365	----	----	72	----	313 UNCH
5660	----	----	61.50B/43.30A	61.50B/43.30A	----	47.30 - 13.40	.1343	----	----	----	----	1 UNCH
5670	----	----	60.20B/42.50A	60.20B/42.50A	----	46.50 - 13.10	.1323	----	----	----	----	11 UNCH
5675	----	----	59.60B/42.10A	59.60B/42.10A	----	46.10 - 13.00	.1313	----	----	----	----	6 UNCH
5680	----	----	59.10B/41.80A	59.10B/41.80A	----	45.70 - 12.80	.1303	----	----	----	----	6 UNCH
5690	44.00	44.00	58.20B/41.10A	58.20B/41.10A	----	44.90 - 12.60	.1282	----	----	10	----	11 + 9
5700	----	----	57.10B/40.40A	57.10B/40.40A	----	44.10 - 12.40	.1262	----	----	41	----	899 UNCH
5710	----	----	56.10B/39.70A	56.10B/39.70A	----	43.40 - 12.10	.1244	----	----	----	----	2 UNCH
5720	----	----	55.00B/39.30A	55.00B/39.30A	----	42.60 - 11.90	.1223	----	----	----	----	280 UNCH
5725	45.10	45.10	54.50B/39.00A	54.50B/39.00A	----	42.30 - 11.70	.1215	----	----	17	----	57 + 6
5730	----	----	54.00B/38.70A	54.00B/38.70A	----	41.90 - 11.70	.1205	----	----	----	----	7 UNCH
5740	----	----	53.20B/37.80A	53.20B/37.80A	----	41.20 - 11.40	.1187	----	----	----	----	3 UNCH
5750	43.20	43.20	52.20B/37.40A	52.20B/37.40A	----	40.50 - 11.20	.1169	----	----	6	----	1715 UNCH
5760	41.60	41.60	51.20B/36.60A	51.20B/36.60A	----	39.80 - 11.00	.1150	----	----	2	----	168 UNCH
5770	----	----	50.30B/36.20A	50.30B/36.20A	----	39.10 - 10.90	.1132	----	----	----	----	4 UNCH
5775	----	----	49.90B/35.90A	49.90B/35.90A	----	38.80 - 10.70	.1124	----	----	----	----	214 UNCH
5780	----	----	49.40B/35.60A	49.40B/35.60A	----	38.50 - 10.60	.1116	----	----	----	----	2 UNCH
5790	----	----	48.60B/34.90A	48.60B/34.90A	----	37.80 - 10.50	.1098	----	----	----	----	10 UNCH
5800	----	----	47.80B/34.50A	47.80B/34.50A	----	37.20 - 10.30	.1082	----	----	101	----	933 + 22
5810	----	----	46.90B/33.80A	46.90B/33.80A	----	36.60 - 10.10	.1066	----	----	----	----	7 UNCH
5820	----	----	46.10B/33.20A	46.10B/33.20A	----	36.00 - 9.90	.1050	----	----	----	----	376 UNCH
5825	----	----	45.70B/33.00A	45.70B/33.00A	----	35.70 - 9.80	.1042	----	----	----	----	15 UNCH
5830	----	----	45.30B/32.70A	45.30B/32.70A	----	35.40 - 9.70	.1034	----	----	----	----	1 UNCH
5840	----	----	44.50B/32.20A	44.50B/32.20A	----	34.80 - 9.60	.1018	----	----	----	----	102 UNCH
5850	----	----	43.70B/31.70A	43.70B/31.70A	----	34.30 - 9.30	.1004	----	----	----	----	110 UNCH
5860	31.90	31.90	43.00B/31.20A	43.00B/31.20A	----	33.70 - 9.20	.0988	----	----	1	----	68 UNCH
5870	----	----	42.30B/30.70A	42.30B/30.70A	----	33.20 - 9.00	.0974	----	----	----	----	10 UNCH
5875	----	----	----/30.50A	41.90B/30.50A	----	32.90 - 9.00	.0967	----	----	----	----	22 UNCH
5880	----	----	41.60B/30.30A	41.60B/30.30A	----	32.70 - 8.80	.0961	----	----	----	----	11 UNCH
5890	----	----	----/29.80A	40.80B/29.80A	----	32.20 - 8.70	.0947	----	----	----	----	6 UNCH
5900	----	----	----/29.30A	40.10B/29.30A	----	31.60 - 8.60	.0931	----	----	50	----	488 - 50
5910	----	----	----/28.90A	39.40B/28.90A	----	31.10 - 8.50	.0917	----	----	----	----	6 UNCH
5920	----	----	----/28.50A	38.80B/28.50A	----	30.70 - 8.20	.0906	----	----	----	----	25 UNCH
5925	----	----	----/28.30A	38.50B/28.30A	----	30.40 - 8.20	.0898	----	----	----	----	6 UNCH
5940	----	----	----/27.70A	37.50B/27.70A	----	29.70 - 8.00	.0879	----	----	----	----	2 UNCH
5950	----	----	----/27.20A	36.90B/27.20A	----	29.30 - 7.80	.0867	----	----	----	----	3 UNCH
5960	27.00	27.00	27.00/26.90A	36.30B/26.90A	----	28.80 - 7.70	.0854	----	----	2	----	15 UNCH
5970	----	----	----/26.50A	35.70B/26.50A	----	28.40 - 7.60	.0842	----	----	1	----	55 + 1
5980	----	----	----/26.10A	35.10B/26.10A	----	27.90 - 7.50	.0829	----	----	----	----	3 UNCH
5990	----	----	----/25.70A	34.50B/25.70A	----	27.50 - 7.30	.0817	----	----	----	----	70 UNCH
6000	27.00	27.00	27.70/25.30A	34.00B/25.30A	----	27.10 - 7.20	.0806	----	----	18	140	2410 - 1
6025	----	----	----/24.50A	32.60B/24.50A	----	26.10 - 6.90	.0778	----	----	----	----	14 UNCH
6050	----	----	----/23.60A	31.40B/23.60A	----	25.20 - 6.60	.0752	----	----	----	----	43 UNCH
6075	----	----	----/22.80A	30.20B/22.80A	----	24.20 - 6.40	.0724	----	----	----	----	73 UNCH
6100	----	----	----/22.10A	29.10B/22.10A	----	23.40 - 6.00	.0701	----	----	2	----	253 UNCH
6125	----	----	----/21.40A	28.00B/21.40A	----	22.60 - 5.80	.0678	----	----	----	----	62 UNCH
6150	----	----	----/20.70A	26.90B/20.70A	----	21.80 - 5.60	.0655	----	----	----	----	854 UNCH
6175	----	----	----/20.00A	25.50B/20.00A	----	21.10 - 5.30	.0634	----	----	----	----	38 UNCH
6200	----	----	----/19.40A	24.60B/19.40A	----	20.40 - 5.10	.0614	----	----	3	----	542 + 3
6225	----	----	----/18.80A	23.70B/18.80A	----	19.70 - 4.90	.0593	----	----	----	----	19 UNCH
6250	----	----	----/18.20A	22.90B/18.20A	----	19.00 - 4.80	.0573	----	----	----	----	2014 UNCH
6275	----	----	----/17.70A	22.00B/17.70A	----	18.40 - 4.60	.0555	----	----	----	----	2 UNCH
6300	----	----	----/17.20A	20.90B/17.20A	----	17.90 - 4.40	.0540	----	----	1	----	325 UNCH
6325	----	----	----/16.70A	20.10B/16.70A	----	17.30 - 4.30	.0522	----	----	----	----	32 UNCH
6350	----	----	----/16.20A	19.70B/16.20A	----	16.80 - 4.10	.0507	----	----	----	----	32 UNCH
6375	----	----	----/15.70A	19.00B/15.70A	----	16.30 - 4.00	.0492	----	----	----	----	37 UNCH
6400	----	----	----/15.30A	18.30B/15.30A	----	15.80 - 3.90	.0477	----	----	----	----	192 UNCH
6425	----	----	----/14.90A	17.40B/14.90A	----	15.30 - 3.80	.0462	----	----	----	----	15 UNCH
6450	----	----	----/14.40A	17.20B/14.40A	----	14.90 - 3.70	.0450	----	----	----	----	49 UNCH
6475	----	----	----/14.10A	16.30B/14.10A	----	14.50 - 3.50	.0437	----	----	----	----	14 UNCH
6500	13.10	13.10	13.10/13.10	15.90B/13.10	----	14.10 - 3.40	.0425	----	----	8	----	1647 UNCH
6525	----	----	----/13.40A	15.30B/13.40A	----	13.70 - 3.30	.0413	----	----	----	----	132 UNCH
6575	----	----	----/12.70A	14.40B/12.70A	----	13.00 - 3.10	.0391	----	----	----	----	4 UNCH
6600	----	----	----/12.40A	14.10B/12.40A	----	12.60 - 3.10	.0379	----	----	----	----	29 UNCH
6650	----	----	----/11.80A	13.30B/11.80A	----	12.00 - 2.90	.0361	----	----	----	----	16 UNCH
6675	----	----	----/11.50A	13.10B/11.50A	----	11.70 - 2.80	.0351	----	----	----	----	1 UNCH
6700	----	----	----/11.20A	12.50B/11.20A	----	11.40 - 2.80	.0342	----	----	----	----	127 UNCH
6800	----	----	----/10.20A	11.30B/10.20A	----	10.30 - 2.50	.0308	----	----	----	----	199 UNCH
6825	----	----	----/10.00A	10.90B/10.00A	----	10.00 - 2.50	.0299	----	----	----	----	19 UNCH
6850	----	----	----/9.80A	10.70B/9.80A	----	9.80 - 2.40	.0293	----	----	----	----	201 UNCH
6875	----	----	----/9.60A	10.40B/9.60A	----	9.60 - 2.30	.0286	----	----	----	----	22 UNCH
6900	----	----	----/9.40A	10.20B/9.40A	----	9.40 - 2.30	.0280	----	----	----	----	19 UNCH
6925	----	----	----/9.20A	9.90B/9.20A	----	9.10 - 2.30	.0271	----	----	----	----	1 UNCH
6950	----	----	----/9.00A	9.70B/9.00A	----	8.90 - 2.30	.0265	----	----	----	----	22 UNCH
6975	----	----	----/8.80A	9.60B/8.80A	----	8.70 - 2.20	.0259	----	----	----	----	10 UNCH
7000	----	----	----/8.60A	9.30B/8.60A	----	8.50 - 2.20	.0253	----	----	----	----	790 UNCH
7050	----	----	----/8.30A	8.90B/8.30A	----	8.20 - 2.00	.0243	----	----	----	----	17 UNCH
7075	----	----	----/8.10A	8.70B/8.10A	----	8.00 - 2.00	.0237	----	----	----	----	13 UNCH
7100	----	----	----/7.90A	8.60B/7.90A	----	7.80 - 2.00	.0231	----	----	2	----	23 + 2
7125	----	----	----/7.80A	8.40B/7.80A	----	7.70 - 1.90	.0227	----	----	----	----	1 UNCH
7150	----	----	----/7.60A	8.20B/7.60A	----	7.50 - 1.90	.0221	----	----	----	----	18 UNCH
7175	----	----	----/7.50A	8.00B/7.50A	----	7.40 - 1.80	.0218	----	----	----	----	1 UNCH
7200	----	----	----/7.30A	7.90B/7.30A	----	7.20 - 1.80	.0212	----	----	----	----	3 UNCH
7225	----	----	----/7.20A	7.70B/7.20A	----	7.10 - 1.70	.0208	----	----	----	----	17 UNCH
7250	----	----	----/7.10A	7.60B/7.10A	----	6.90 - 1.80	.0203	----	----	----	----	2 UNCH
7275	----	----	----/7.00A	7.40B/7.00A	----	6.80 - 1.70	.0199	----	----	----	----	14 UNCH
7300	----	----	----/6.80A	7.30B/6.80A	----	6.70 - 1.60	.0196	----	----	1	----	7 UNCH
7350	----	----	----/6.60A	7.00B/6.60A	----	6.40 - 1.60	.0187	----	----	----	----	6 UNCH
7400	----	----	----/6.40A	6.80B/6.40A	----	6.20 - 1.50	.0180	----	----	----	----	1 UNCH
7425	----	----	----/6.30A	6.60B/6.30A	----	6.10 - 1.50	.0177	----	----	----	----	19 UNCH
7450	----	----	----/6.10A	6.50B/6.10A	----	6.00 - 1.40	.0174	----	----	----	----	16 UNCH
7475	----	----	----/6.00A	6.40B/6.00A	----	5.90 - 1.40	.0171	----	----	----	----	9 UNCH
7500	----	----	----/5.90A	6.30B/5.90A	----	5.80 - 1.40	.0167	----	----	----	----	290 UNCH
7525	----	----	----/5.90A	6.20B/5.90A	----	5.70 - 1.30	.0164	----	----	----	----	33 UNCH
7550	----	----	----/5.80A	6.10B/5.80A	----	5.60 - 1.30	.0161	----	----	----	----	50 UNCH
7575	----	----	----/5.70A	6.00B/5.70A	----	5.50 - 1.30	.0158	----	----	----	----	1 UNCH
7600	----	----	----/5.60A	5.90B/5.60A	----	5.40 - 1.30	.0155	----	----	----	----	10 UNCH
7625	----	----	----/5.50A	5.80B/5.50A	----	5.30 - 1.30	.0152	----	----	----	----	12 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 32

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
7700	----	----	----/5.20A	5.50B/5.20A	----	5.00 - 1.20	.0143	----	----	----	----	11 UNCH
7725	----	----	----/5.10A	5.40B/5.10A	----	4.90 - 1.20	.0140	----	----	----	----	11 UNCH
7750	----	----	----/5.10A	5.30B/5.10A	----	4.90 - 1.10	.0139	----	----	----	----	2 UNCH
7775	----	----	----/5.00A	5.20B/5.00A	----	4.80 - 1.10	.0136	----	----	----	----	5 UNCH
7800	----	----	----/4.90A	5.10B/4.90A	----	4.70 - 1.10	.0134	----	----	----	----	5 UNCH
7825	----	----	----/4.80A	5.00B/4.80A	----	4.60 - 1.10	.0131	----	----	----	----	10 UNCH
7875	----	----	----/4.70A	4.90B/4.70A	----	4.50 - 1.00	.0127	----	----	----	----	140 UNCH
7900	----	----	----/4.60A	4.80B/4.60A	----	4.40 - 1.10	.0124	----	----	----	----	1 UNCH
8000	----	----	----/4.40A	4.50B/4.40A	----	4.20 - 0.90	.0118	----	----	----	----	591 UNCH
8300	----	----	----/3.70A	3.70B/3.70A	----	3.50 - 0.80	.0097	----	----	----	----	4 UNCH
8500	----	----	----/3.40A	3.30B/3.40A	----	3.20 - 0.60	.0087	----	----	----	----	6 UNCH
8600	----	----	----/3.20A	3.10B/3.20A	----	3.10 - 0.50	.0084	----	----	----	----	1 UNCH
8800	----	----	----/2.90A	2.80B/2.90A	----	2.80 - 0.50	.0075	----	----	----	----	7 UNCH
9000	----	----	----/2.70A	2.50B/2.70A	----	2.60 - 0.40	.0068	----	----	----	----	223 UNCH
9200	----	----	----/2.40A	2.30B/2.40A	----	2.30 - 0.50	.0060	----	----	----	----	11 UNCH
9300	----	----	----/*2.30A	2.20B/2.30A	----	2.30 - 0.40	.0060	----	----	----	----	4 UNCH
9400	----	----	----/*2.20A	2.10B/2.20A	----	2.20 - 0.30	.0057	----	----	----	----	141 UNCH
9500	----	----	----/2.20A	2.00B/2.20A	----	2.10 - 0.30	.0054	----	----	----	----	66 UNCH
9900	----	----	----/*1.90A	1.60B/1.90A	----	1.80 - 0.30	.0045	----	----	----	----	5 UNCH
10000	----	----	----/1.80A	1.60B/1.80A	----	1.80 - 0.20	.0045	----	----	----	----	174 UNCH
10100	----	----	----/*1.70A	1.50B/1.70A	----	1.70 - 0.20	.0042	----	----	----	----	12 UNCH
11000	----	----	----	1.00B/1.30A	----	1.30 UNCH	.0031	----	----	----	----	86 UNCH
11200	----	----	----	0.90B/1.20A	----	1.10 UNCH	.0026	----	----	----	----	13 UNCH
11500	----	----	----	0.80B/1.10A	----	0.90 UNCH	.0022	----	----	----	----	47 UNCH
11600	----	----	----	0.80B/1.10A	----	0.90 UNCH	.0021	----	----	----	----	50 UNCH
12000	----	----	----	0.60B/1.00A	----	0.80 + 0.10	.0019	----	----	----	----	216 UNCH
TOTAL										1169	330	54731+ 539
AUG26												
3400	----	----	----	----	----	1331.50 - 26.50	.9472	----	----	----	----	1 UNCH
3500	----	----	----	----	----	1237.50 - 24.50	.9351	----	----	----	----	46 UNCH
3505	----	----	----	----	----	1232.90 - 24.30	.9345	----	----	----	----	4 UNCH
3520	----	----	----	----	----	1218.90 - 24.10	.9325	----	----	----	----	65 UNCH
3550	----	----	----	----	----	1191.10 - 23.40	.9282	----	----	----	----	310 UNCH
3600	----	----	----	----	----	1145.10 - 22.20	.9207	----	----	----	----	1045 UNCH
3610	----	----	----	----	----	1135.90 - 22.00	.9190	----	----	----	----	6 UNCH
3650	----	----	----	833.10B/1283.20A	----	1099.50 - 20.90	.9124	----	----	----	----	4 UNCH
3660	----	----	----	834.50B/1274.40A	----	1090.50 - 20.60	.9106	----	----	----	----	2 UNCH
3685	----	----	----	836.80B/1227.20A	----	1067.90 - 19.90	.9062	----	----	----	----	1 UNCH
3700	----	----	----	831.90B/1214.10A	----	1054.40 - 19.50	.9034	----	----	----	----	40 UNCH
3715	----	----	----	854.70B/1201.00A	----	1041.00 - 19.10	.9005	----	----	----	----	30 UNCH
3720	----	----	----	850.20B/1196.70A	----	1036.60 - 18.80	.8996	----	----	----	----	1 UNCH
3735	----	----	----	836.90B/1183.60A	----	1023.20 - 18.40	.8966	----	----	----	----	1 UNCH
3750	----	----	----	823.30B/1170.70A	----	1009.90 - 18.00	.8936	----	----	----	----	8 UNCH
3775	----	----	----	801.10B/1149.10A	----	987.90 - 17.10	.8883	----	----	----	----	4 UNCH
3780	----	----	----	796.50B/1144.90A	----	983.50 - 16.90	.8873	----	----	----	----	10 UNCH
3790	----	----	----	787.60B/1136.30A	----	974.70 - 16.60	.8851	----	----	----	----	67 UNCH
3800	----	----	----	778.90B/1127.80A	----	966.00 - 16.20	.8829	----	----	----	----	303 UNCH
3820	----	----	----	763.60B/1110.80A	----	948.50 - 15.60	.8784	----	----	----	----	3 UNCH
3840	----	----	----	774.00B/1093.90A	----	931.20 - 14.90	.8738	----	----	----	----	1 UNCH
3850	----	----	----	764.90B/1085.50A	----	922.60 - 14.50	.8714	----	----	----	----	12 UNCH
3885	----	----	----	733.40B/1056.50A	----	892.70 - 13.20	.8628	----	----	----	----	2 UNCH
3890	----	----	----	728.90B/1052.60A	----	888.40 - 13.00	.8615	----	----	----	----	2 UNCH
3900	----	----	----	719.90B/1044.70A	----	880.00 - 12.50	.8589	----	----	----	----	146 UNCH
3920	----	----	----	702.10B/1029.10A	----	863.10 - 11.80	.8537	----	----	----	----	1 UNCH
3925	----	----	----	697.70B/1025.20A	----	858.90 - 11.60	.8525	----	----	----	----	10 UNCH
3950	----	----	----	675.60B/1005.90A	----	838.00 - 10.50	.8456	----	----	----	----	106 UNCH
3955	----	----	----	671.20B/1002.00A	----	833.80 - 10.40	.8443	----	----	----	----	7 UNCH
3975	----	----	----	653.60B/986.50A	----	817.30 - 09.50	.8387	----	----	----	----	200 UNCH
3995	----	----	----	636.20B/971.50A	----	800.90 - 08.60	.8328	----	----	----	----	30 UNCH
4000	----	----	----	631.90B/967.70A	----	796.80 - 08.40	.8314	----	----	----	----	714 UNCH
4005	----	----	----	627.50B/964.00A	----	792.70 - 08.20	.8299	----	----	----	----	1 UNCH
4015	----	----	----/732.40A	728.40B/732.40A	----	784.60 - 07.70	.8269	----	----	----	----	12 UNCH
4025	----	----	----/724.20A	730.10B/724.20A	----	776.50 - 07.20	.8239	----	----	----	----	174 UNCH
4045	----	----	----/709.40A	728.40B/709.40A	----	760.40 - 06.30	.8178	----	----	----	----	30 UNCH
4050	----	----	----/704.90A	729.40B/704.90A	----	756.40 - 06.10	.8162	----	----	----	----	100 UNCH
4055	----	----	----/701.50A	729.80B/701.50A	----	752.40 - 05.80	.8146	----	----	----	----	100 UNCH
4075	----	----	----/686.20A	732.40B/686.20A	----	736.50 - 04.90	.8082	----	----	----	----	3 UNCH
4080	----	----	----/681.90A	733.10B/681.90A	----	732.60 - 04.60	.8066	----	----	----	----	1 UNCH
4100	----	----	----/667.40A	733.50B/667.40A	----	716.80 - 03.70	.8000	----	----	----	----	73 UNCH
4110	----	----	----/660.00A	733.90B/660.00A	----	709.00 - 03.20	.7966	----	----	----	----	19 UNCH
4135	----	----	----/641.20A	721.50B/641.20A	----	689.70 - 01.90	.7881	----	----	----	----	20 UNCH
4140	----	----	----/637.70A	718.30B/637.70A	----	685.80 - 01.70	.7864	----	----	----	----	1 UNCH
4150	----	----	----/629.80A	709.50B/629.80A	----	678.20 - 01.20	.7829	----	----	----	----	40 UNCH
4165	----	----	----/618.90A	698.10B/618.90A	----	666.70 - 00.50	.7775	----	----	----	----	1 UNCH
4195	----	----	----/597.40A	674.80B/597.40A	----	644.10 - 98.90	.7666	----	----	----	----	3 UNCH
4200	----	----	----/594.40A	671.30B/594.40A	----	640.40 - 98.60	.7647	----	----	----	----	75 UNCH
4215	----	----	----/583.70A	660.60B/583.70A	----	629.30 - 97.80	.7592	----	----	----	----	1 UNCH
4220	----	----	----/580.20A	656.80B/580.20A	----	625.60 - 97.60	.7573	----	----	----	----	16 UNCH
4225	----	----	----/576.60A	653.10B/576.60A	----	621.90 - 97.30	.7554	----	----	----	----	102 UNCH
4235	----	----	----/569.70A	645.60B/569.70A	----	614.50 - 96.90	.7516	----	----	----	----	1 UNCH
4250	----	----	----/559.60A	634.40B/559.60A	----	603.60 - 96.00	.7457	----	----	----	----	71 UNCH
4265	----	----	----/548.80A	622.80B/548.80A	----	592.80 - 95.20	.7399	----	----	----	----	77 UNCH
4285	----	----	----/535.80A	608.80B/535.80A	----	578.40 - 94.20	.7319	----	----	----	----	8 UNCH
4300	----	----	----/525.70A	598.00B/525.70A	----	567.80 - 93.40	.7258	----	----	----	----	42 UNCH
4320	----	----	----/512.70A	583.70B/512.70A	----	553.80 - 92.30	.7176	----	----	----	----	2 UNCH
4325	----	----	----/509.40A	580.10B/509.40A	----	550.30 - 92.10	.7156	----	----	----	----	6 UNCH
4330	----	----	----/506.10A	576.60B/506.10A	----	546.80 - 91.80	.7135	----	----	----	----	201 UNCH
4350	----	----	----/493.20A	562.60B/493.20A	----	533.10 - 90.70	.7051	----	----	----	----	774 UNCH
4360	----	----	----/486.80A	555.60B/486.80A	----	526.30 - 90.10	.7008	----	----	----	----	1 UNCH
4375	----	----	----/476.90A	545.30B/476.90A	----	516.20 - 89.30	.6943	----	----	----	----	3 UNCH
4385	----	----	----/471.10A	537.70B/471.10A	----	509.50 - 88.70	.6900	----	----	----	----	100 UNCH
4390	----	----	----/456.10A	535.10B/456.10A	----	506.20 - 88.40	.6878	----	----	----	----	1 UNCH
4400	----	----	----/450.60A	527.60B/450.60A	----	499.60 - 87.90	.6834	----	----	----	----	325 UNCH
4420	----	----	----/438.70A	515.00B/438.70A	----	486.50 - 86.70	.6745	----	----	----	----	50 UNCH
4425	----	----	----/435.70A	511.60B/435.70A	----	483.30 - 86.40	.6722	----	----	----	----	5 UNCH
4440	----	----	----/426.80A	501.80B/426.80A	----	473.70 - 85.50	.6655	----	----	----	----	1 UNCH
4450	----	----	----/420.80A	495.30B/420.80A	----	467.40 - 84.80	.6609	----	----	----	----	6 UNCH
4455	----	----	----/418.00A	491.40B/418.00A	----	464.20 - 84.60	.6586	----	----	----	----	2 UNCH
4460	----	----	----/415.10A	488.10B/415.10A	----	461.10 - 84.20	.6563	----	----	----	----	5 UNCH
4465	----	----	----/412.10A	485.60B/412.10A	----	458.00 - 83.90	.6540	----	----	----	----	9 UNCH
4470	----	----	----/409.30A	481.80B/409.30A	----	454.90 - 83.50	.6517	----	----	----	----	7 UNCH
4475	----	----	----/406.60A	478.60B/406.60A	----	451.80 - 83.20	.6494	----	----	----	----	29 UNCH
4485	----	----	----/400.90A	472.30B/400.90A	----	445.70 - 82.50	.6447	----	----	----	----	5 UNCH
4490	----	----	----/397.90A	469.70B/397.90A	----	442.70 - 82.20	.6424	----	----	----	----	1 UNCH
4500	423.00	423.00	463.00B/392.40A	463.00B/392.40A	----	436.70 - 81.40	.6377	----	----	2	----	846 + 1
4535	----	----	----/373.40A	442.00B/373.40A	----	416.10 - 78.90	.6210	----	----	----	----	10 UNCH
4540	----	----	----/370.80A	438.50B/370.80A	----	413.20 - 78.50	.6186	----	----	----	----	5 UNCH
4545	----	----	----/368.10A	435.30B/368.10A	----	410.30 - 78.20	.6162	----	----	----	----	1 UNCH
4550	----	----	----/365.50A	432.30B/365.50A	----	407.50 - 77.80	.6138	----	----	----	----	22 UNCH
4555	----	----	----/362.60A	429.40B/362.60A	----	404.70 - 77.30	.6114	----	----	----	----	1 UNCH
4560	----	----	----/359.90A	427.10B/359.90A	----	401.80 - 77.00	.6090	----	----	----	----	5 UNCH
4565	----	----	----/357.40A	424.10B/357.40A	----	399.00 - 76.60	.6066	----	----	----	----	1 UNCH
4575	----	----	----/352.30A	417.60B/352.30A	----	393.50 - 75.80	.6017	----	----	----	----	41 UNCH
4580	----	----	----/350.00A	415.40B/350.00A	----	390.70 - 75.40	.5993	----	----	----	----	200 UNCH
4585	----	----	----/347.50A	412.50B/347.50A	----	388.00 - 75.00	.5968	----	----	----	----	2 UNCH
4590	----	----	----/344.70A	408.90B/344.70A	----	385.20 - 74.70	.5944	----	----	----	----	16 UNCH
4595	----	----	----/342.20A	421.90B/342.20A	----	382.50 - 74.30	.5920	----	----	----	----	2 UNCH
4600	----	----	----/339.90A	421.80B/339.90A	----	379.80 - 73.90	.5895	----	----	----	----	101 UNCH
4605	----	----	----/337.50A	421.90B/337.50A	----	377.10 - 73.50	.5871	----	----	----	----	1 UNCH
4620	----	----	----/330.20A	422.90B/330.20A	----	369.10 - 72.30	.5797	----	----	----	----	4 UNCH
4640	----	----	----/320.40A	422.50B/320.40A	----	358.70 - 70.70	.5699	----	----	----	----	1 UNCH
4650	----	----	----/313.20A	416.30B/313.20A	----	353.50 - 70.00	.5649	----	----	----	----	145 UNCH
4660	----	----	----/311.00A	412.20B/311.00A	----	348.40 - 69.20	.5600	----	----	----	----	2 UNCH
4670	----	----	----/306.60A	404.70B/306.60A	----	343.40 - 68.40	.5550	----	----	----	----	3 UNCH
4675	----	----	----/304.40A	401.80B/304.40A	----	340.90 - 68.00	.5525	----	----	----	----	36 UNCH
4700	307.50	307.50	307.50/293.00A	388.00B/293.00A	----	328.60 - 66.10	.5402	----	----	5	----	1619 + 1
4705	----	----	----/290.70A	385.20B/290.70A	----	326.20 - 65.80	.5377	----	----	----	----	20 UNCH
4710	----	----	----/287.80A	383.10B/287.80A	----	323.70 - 65.50	.5352	----	----	----	----	17 UNCH
4720	----	----	----/283.70A	377.60B/283.70A	----	319.00 - 64.70	.5302	----	----	----	----	23 UNCH
4730	----	----	----/279.50A	371.70B/279.50A	----	314.20 - 64.00	.5253	----	----	----	----	3 UNCH
4750	290.00	290.00	290.00/271.00A	361.00B/271.00A	----	304.90 - 62.70	.5154	----	----	2	150	161 + 149
4760	----	----	----/267.20A	355.80B/267.20A	----	300.30 - 62.00	.5104	----	----	----	----	10 UNCH
4770	----	----	----/262.90A	350.30B/262.90A	----	295.80 - 61.30	.5055	----	----	----	----	14 UNCH
4775	----	----	----/260.90A	347.70B/260.90A	----	293.50 - 61.10	.5030	----	----	----	----	10 UNCH
4780	----	----	----/259.10A	345.60B/259.10A	----	291.30 - 60.70	.5006	----	----	----	----	2 UNCH
4795	----	----	----/253.00A	341.80B/253.00A	----	284.60 - 59.80	.4932	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
4800	----	----	----/251.70A	339.10B/251.70A	----	282.40 - 59.60	.4907	----	----	1	----	1635 + 1
4810	----	----	----/247.60A	332.20B/247.60A	----	278.10 - 58.90	.4858	----	----	----	----	1 UNCH
4815	----	----	336.50B/245.70A	336.50B/245.70A	----	275.90 - 58.70	.4833	----	----	----	----	3 UNCH
4820	----	----	333.10B/243.60A	333.10B/243.60A	----	273.80 - 58.40	.4809	----	----	----	----	21 UNCH
4825	----	----	----/242.00A	324.40B/242.00A	----	271.60 - 58.20	.4784	----	----	2	----	5 + 1
4830	----	----	----/239.80A	321.80B/239.80A	----	269.50 - 57.90	.4760	----	----	----	----	4 UNCH
4850	----	----	----/232.70A	312.40B/232.70A	----	261.10 - 56.80	.4662	----	----	33	----	34 + 30
4860	----	----	----/229.20A	306.50B/229.20A	----	257.00 - 56.30	.4614	----	----	----	----	22 UNCH
4870	236.70	236.70	236.70/225.60A	301.70B/225.60A	----	253.00 - 55.70	.4565	----	----	11	----	11 + 11
4875	----	----	----/224.00A	301.60B/224.00A	----	251.00 - 55.40	.4541	----	----	----	----	79 UNCH
4880	----	----	----/222.10A	297.20B/222.10A	----	249.00 - 55.10	.4517	----	----	----	----	1 UNCH
4895	227.50	227.50	227.50/217.00A	290.50B/217.00A	----	243.10 NEW	.4445	----	----	11	----	11 + 11
4900	220.00	220.00	296.10B/215.40A	296.10B/215.40A	----	241.20 - 54.00	.4421	----	----	52	----	485 + 3
4905	----	----	----/214.10A	288.20B/214.10A	----	239.30 - 53.70	.4397	----	----	----	----	9 UNCH
4925	----	----	286.20B/207.30A	286.20B/207.30A	----	231.80 - 52.40	.4302	----	----	----	----	123 UNCH
4940	----	----	280.00B/202.90A	280.00B/202.90A	----	226.40 - 51.40	.4232	----	----	----	----	1 UNCH
4950	----	----	276.90B/199.50A	276.90B/199.50A	----	222.80 - 50.80	.4185	----	----	30	----	64 + 14
4955	204.30	204.30	274.90B/198.20A	274.90B/198.20A	----	221.10 - 50.40	.4162	----	----	21	----	22 + 21
4975	----	----	265.40B/197.60A	265.40B/197.60A	----	214.20 - 49.00	.4070	----	----	----	----	2 UNCH
4995	----	----	257.60B/186.40A	257.60B/186.40A	----	207.50 - 47.60	.3979	----	----	----	----	3 UNCH
5000	204.20	204.20	255.30B/185.00A	255.30B/185.00A	----	205.90 - 47.20	.3957	----	----	14	----	1302 - 8
5005	----	----	253.50B/183.70A	253.50B/183.70A	----	204.30 - 46.80	.3934	----	----	----	----	4 UNCH
5015	----	----	249.60B/180.60A	249.60B/180.60A	----	201.10 - 46.10	.3889	----	----	----	----	3 UNCH
5030	----	----	243.80B/176.60A	243.80B/176.60A	----	196.40 - 45.00	.3823	----	----	----	----	2 UNCH
5045	----	----	238.20B/172.80A	238.20B/172.80A	----	191.80 - 43.90	.3757	----	----	----	----	1 UNCH
5050	----	----	236.40B/171.20A	236.40B/171.20A	----	190.30 - 43.60	.3736	----	----	----	----	9 UNCH
5075	----	----	227.40B/164.80A	227.40B/164.80A	----	182.90 - 41.90	.3628	----	----	----	----	200 UNCH
5100	223.00	223.00	223.00/158.60A	223.00/158.60A	----	175.80 - 40.20	.3522	----	----	1	----	1617 + 1
5105	----	----	218.70B/157.40A	218.70B/157.40A	----	174.40 - 39.90	.3501	----	----	----	----	2 UNCH
5110	----	----	216.50B/156.20A	216.50B/156.20A	----	173.00 - 39.60	.3480	----	----	----	----	4 UNCH
5115	183.00	183.00	215.10B/155.40A	215.10B/155.40A	----	171.70 NEW	.3460	----	----	4	----	4 + 4
5125	----	----	211.90B/152.80A	211.90B/152.80A	----	168.90 - 38.60	.3418	----	----	----	----	20 UNCH
5130	----	----	210.20B/154.30A	210.20B/154.30A	----	167.60 - 38.30	.3398	----	----	----	----	1 UNCH
5145	----	----	204.60B/148.00A	204.60B/148.00A	----	163.70 - 37.30	.3338	----	----	----	----	2 UNCH
5150	----	----	203.70B/147.20A	203.70B/147.20A	----	162.40 - 37.10	.3317	----	----	50	----	69 + 50
5155	169.60	169.60	201.70B/146.10A	201.70B/146.10A	----	161.10 NEW	.3297	----	----	4	----	4 + 4
5160	145.40	145.40	199.90B/145.00A	199.90B/145.00A	----	159.80 - 36.50	.3277	----	----	6	----	6 + 1
5200	136.80	136.80	188.10B/136.50A	188.10B/136.50A	----	149.90 - 34.30	.3120	----	----	333	----	3398 + 68
5205	----	----	186.70B/135.60A	186.70B/135.60A	----	148.70 - 34.10	.3101	----	----	----	----	1 UNCH
5210	134.20	134.20	185.10B/134.20	185.10B/134.20	----	147.60 NEW	.3083	----	----	6	----	6 + 6
5215	132.90	132.90	183.80B/132.90	183.80B/132.90	----	146.40 - 33.50	.3063	----	----	6	----	13 + 6
5220	131.90	131.90	182.20B/131.90	182.20B/131.90	----	145.20 NEW	.3044	----	----	26	----	26 + 26
5225	130.20	130.20	180.90B/130.20	180.90B/130.20	----	144.10 NEW	.3026	----	----	44	----	40 + 40
5230	----	----	179.30B/131.00A	179.30B/131.00A	----	142.90 - 32.80	.3007	----	----	----	----	2 UNCH
5250	125.70	125.70	173.70B/125.70	173.70B/125.70	----	138.50 - 31.70	.2933	----	----	6	----	439 + 6
5255	----	----	172.00B/125.50A	172.00B/125.50A	----	137.40 - 31.40	.2915	----	----	----	----	3 UNCH
5260	127.10	127.10	170.80B/124.90A	170.80B/124.90A	----	136.30 NEW	.2897	----	----	24	----	24 + 24
5265	123.00	123.00	169.30B/123.00	169.30B/123.00	----	135.20 - 31.00	.2879	----	----	6	----	6 + 5
5270	121.80	121.80	168.20B/118.40A	168.20B/118.40A	----	134.10 NEW	.2860	----	----	18	----	18 + 18
5275	----	----	166.90B/117.50A	166.90B/117.50A	----	133.00 - 30.60	.2842	----	----	----	----	1 UNCH
5285	----	----	164.20B/115.80A	164.20B/115.80A	----	130.90 - 30.10	.2807	----	----	----	----	2 UNCH
5300	----	----	159.80B/113.20A	159.80B/113.20A	----	127.80 - 29.40	.2754	----	----	----	----	536 UNCH
5320	----	----	155.30B/109.90A	155.30B/109.90A	----	123.80 - 28.50	.2685	----	----	----	----	4 UNCH
5325	----	----	154.10B/109.00A	154.10B/109.00A	----	122.90 - 28.20	.2669	----	----	----	----	11 UNCH
5330	----	----	152.90B/108.20A	152.90B/108.20A	----	121.90 - 28.00	.2651	----	----	----	----	6 UNCH
5350	120.00	120.00	147.90B/105.00A	147.90B/105.00A	----	118.10 - 27.10	.2585	----	----	1	----	4 + 1
5355	----	----	146.90B/104.20A	146.90B/104.20A	----	117.10 - 27.00	.2568	----	----	----	----	1 UNCH
5370	----	----	143.30B/102.00A	143.30B/102.00A	----	114.40 - 26.30	.2519	----	----	----	----	2 UNCH
5375	----	----	142.40B/101.20A	142.40B/101.20A	----	113.50 - 26.10	.2503	----	----	----	----	4 UNCH
5400	----	----	136.70B/97.60A	136.70B/97.60A	----	109.10 - 25.00	.2424	----	----	----	----	3756 UNCH
5410	----	----	134.40B/96.20A	134.40B/96.20A	----	107.40 - 24.60	.2393	----	----	----	----	2 UNCH
5420	----	----	132.40B/94.80A	132.40B/94.80A	----	105.70 - 24.30	.2362	----	----	----	----	5 UNCH
5445	----	----	127.10B/91.40A	127.10B/91.40A	----	101.60 - 23.30	.2287	----	----	----	----	3 UNCH
5450	105.60	105.60	126.20B/90.70A	126.20B/90.70A	----	100.80 - 23.10	.2272	----	----	7	----	6 + 4
5460	----	----	124.00B/89.50A	124.00B/89.50A	----	99.30 - 22.70	.2244	----	----	----	----	3 UNCH
5470	----	----	122.00B/88.20A	122.00B/88.20A	----	97.70 - 22.40	.2214	----	----	----	----	1 UNCH
5480	----	----	120.00B/86.90A	120.00B/86.90A	----	96.20 - 22.00	.2186	----	----	----	----	10 UNCH
5485	----	----	119.40B/86.30A	119.40B/86.30A	----	95.50 - 21.80	.2172	----	----	----	----	1 UNCH
5490	----	----	118.40B/85.70A	118.40B/85.70A	----	94.70 - 21.60	.2158	----	----	----	----	2 UNCH
5495	----	----	117.30B/85.10A	117.30B/85.10A	----	94.00 - 21.40	.2144	----	----	----	----	2 UNCH
5500	99.00	99.00	116.60B/84.50A	116.60B/84.50A	----	93.30 - 21.20	.2131	----	----	5	----	641 UNCH
5505	96.40	96.40	115.40B/83.90A	115.40B/83.90A	----	92.60 NEW	.2117	----	----	2	----	2 + 2
5515	----	----	113.70B/82.70A	113.70B/82.70A	----	91.10 - 20.80	.2089	----	----	----	----	2 UNCH
5525	----	----	111.90B/81.50A	111.90B/81.50A	----	89.70 - 20.40	.2062	----	----	24	----	25 + 24
5535	----	----	110.20B/80.40A	110.20B/80.40A	----	88.40 - 20.00	.2036	----	----	----	----	3 UNCH
5545	----	----	108.60B/79.30A	108.60B/79.30A	----	87.00 - 19.70	.2009	----	----	----	----	2 UNCH
5550	----	----	107.80B/78.70A	107.80B/78.70A	----	86.40 - 19.50	.1997	----	----	----	----	2 UNCH
5565	----	----	105.10B/77.10A	105.10B/77.10A	----	84.40 - 19.00	.1958	----	----	----	----	2 UNCH
5575	----	----	103.60B/76.00A	103.60B/76.00A	----	83.10 - 18.70	.1933	----	----	----	----	3 UNCH
5580	----	----	102.60B/75.50A	102.60B/75.50A	----	82.50 - 18.50	.1921	----	----	----	----	17 UNCH
5595	82.90	82.90	100.20B/73.90A	100.20B/73.90A	----	80.60 - 18.10	.1883	----	----	1	----	3 + 1
5600	----	----	99.50B/73.40A	99.50B/73.40A	----	80.00 - 17.90	.1871	----	----	----	----	1767 UNCH
5615	----	----	97.10B/71.90A	97.10B/71.90A	----	78.20 - 17.50	.1835	----	----	----	----	1 UNCH
5635	----	----	94.20B/69.90A	94.20B/69.90A	----	75.90 - 16.90	.1789	----	----	----	----	2 UNCH
5640	----	----	93.50B/69.60A	93.50B/69.60A	----	75.30 - 16.70	.1777	----	----	----	----	3 UNCH
5650	76.30	76.30	92.10B/68.40A	92.10B/68.40A	----	74.20 - 16.40	.1754	----	----	1	----	89 + 1
5660	----	----	90.50B/67.40A	90.50B/67.40A	----	73.10 - 16.20	.1732	----	----	----	----	10 UNCH
5670	74.60	74.60	89.20B/66.40A	89.20B/66.40A	----	72.00 NEW	.1709	----	----	10	----	10 + 10
5675	----	----	88.40B/65.90A	88.40B/65.90A	----	71.50 - 15.70	.1699	----	----	----	----	3 UNCH
5690	71.50	71.50	86.40B/64.50A	86.40B/64.50A	----	69.90 NEW	.1666	----	----	13	----	13 + 13
5700	68.10	68.10	85.10B/63.60A	85.10B/63.60A	----	68.90 - 15.10	.1645	----	----	2	----	2138 UNCH
5720	----	----	82.70B/61.80A	82.70B/61.80A	----	66.90 - 14.60	.1603	----	----	----	----	10 UNCH
5725	----	----	82.00B/61.30A	82.00B/61.30A	----	66.40 - 14.40	.1593	----	----	----	----	1 UNCH
5730	----	----	81.30B/60.90A	81.30B/60.90A	----	66.00 - 14.20	.1584	----	----	----	----	12 UNCH
5750	----	----	79.00B/59.20A	79.00B/59.20A	----	64.10 - 13.80	.1544	----	----	----	300	300 + 295
5800	76.00	76.00	76.00/54.90A	76.00/54.90A	----	59.60 - 12.70	.1448	----	----	3	----	899 UNCH
5825	----	----	70.40B/53.10A	70.40B/53.10A	----	57.50 - 12.20	.1403	----	----	----	----	14 UNCH
5850	----	----	67.90B/51.30A	67.90B/51.30A	----	55.50 - 11.70	.1359	----	----	----	----	165 UNCH
5875	----	----	65.40B/49.60A	65.40B/49.60A	----	53.60 - 11.20	.1317	----	----	----	----	7 UNCH
5900	----	----	63.10B/47.90A	63.10B/47.90A	----	51.80 - 10.80	.1277	----	----	2	----	1821 UNCH
5950	----	----	58.60B/44.80A	58.60B/44.80A	----	48.40 - 9.90	.1201	----	----	----	----	1 UNCH
6000	41.20	41.20	54.70B/41.20	54.70B/41.20	----	45.30 - 9.20	.1130	----	----	3	----	1099 UNCH
6100	40.40	40.40	40.40/37.00A	47.70B/37.00A	----	39.70 - 8.00	.1001	----	----	3	----	329 UNCH
6200	----	----	----/33.40A	41.70B/33.40A	----	35.10 - 6.90	.0892	----	----	----	----	1327 UNCH
6300	----	----	----/29.90A	36.80B/29.90A	----	31.20 - 6.00	.0798	----	----	----	----	64 UNCH
6400	29.20	29.20	29.30/24.90	32.50B/24.90	----	27.90 - 5.30	.0716	----	----	9	----	31 + 5
6500	23.00	23.00	25.30/23.00	25.30/23.00	----	25.00 - 4.70	.0644	----	----	3	----	707 + 2
6600	21.50	21.50	21.50/21.50	22.40B/21.50	----	22.60 - 4.10	.0583	----	----	3	----	132 + 3
6700	----	----	----/21.00A	19.80B/21.00A	----	20.50 - 3.70	.0529	----	----	----	----	254 UNCH
6800	----	----	----/19.40A	18.40B/19.40A	----	18.60 - 3.40	.0481	----	----	----	----	49 UNCH
6900	----	----	----/17.80A	16.70B/17.80A	----	17.00 - 3.10	.0439	----	----	----	----	1 UNCH
7000	----	----	----/16.30A	15.40B/16.30A	----	15.60 - 2.90	.0402	----	----	1	----	475 UNCH
7500	----	----	----/11.80A	10.40B/11.80A	----	10.80 - 1.90	.0274	----	----	----	----	737 UNCH
8000	----	----	----/8.90A	7.70B/8.90A	----	8.10 - 1.30	.0201	----	----	1	----	92 + 1
8500	----	----	----/7.00A	5.90B/7.00A	----	6.40 - 0.90	.0154	----	----	----	----	73 UNCH
9000	----	----	----/5.80A	4.60B/5.80A	----	5.20 - 0.70	.0122	----	----	----	----	8 UNCH
9500	----	----	----	3.70B/4.90A	----	4.20 - 0.60	.0097	----	----	----	----	68 UNCH
10000	----	----	----	3.10B/4.20A	----	3.40 - 0.70	.0078	----	----	----	----	98 UNCH
TOTAL										812	450	36648 + 856
SEP26												
3875	----	----	----	777.10B/1117.20A	----	945.20 - 12.20	.8570	----	----	----	----	1 UNCH
3995	----	----	----	673.40B/1025.90A	----	847.10 - 07.00	.8254	----	----	----	----	10 UNCH
4085	----	----	----	596.00B/959.90A	----	776.30 - 03.00	.7987	----	----	----	----	37 UNCH
4130	----	----	----	557.10B/927.90A	----	742.00 - 00.80	.7844	----	----	----	----	10 UNCH
4185	----	----	----	510.70B/889.60A	----	701.10 - 97.90	.7661	----	----	----	----	37 UNCH
4200	----	----	----	498.00B/879.20A	----	690.10 - 97.20	.7610	----	----	----	----	1 UNCH
4220	----	----	----	481.40B/865.60A	----	675.70 - 96.00	.7539	----	----	----	----	162 UNCH
4290	----	----	----/583.80A	582.50B/583.80A	----	626.30 - 92.00	.7285	----	----	----	----	6 UNCH
4295	----	----	----/580.00A	582.70B/580.00A	----	622.90 - 91.70	.7266	----	----	----	----	50 UNCH
4300	----	----	----/577.20A	581.80B/577.20A	----	619.50 - 91.30	.7248	----	----	----	----	13 UNCH
4320	----	----	----/564.30A	582.40B/564.30A	----	605.90 - 90.10	.7172	----	----	----	----	162 UNCH
4375	----	----	----/529.30A	586.50B/529.30A	----	569.30 - 86.70	.6958	----	----	----	----	1 UNCH
4390	----	----	----/520.30A	584.30B/520.30A	----	559.60 - 85.70	.6898	----	----	----	----	200 UNCH
4425	----	----	----/487.70A	561.80B/487.70A	----	537.30 - 83.40	.6757	----	----	----	----	1 UNCH
4495	----	----	----/447.60A	518.00B/447.60A	----	494.40 - 78.80	.6467	----	----	----	----	18 UNCH
4500	----	----	----/444.70A	514.90B/444.70A	----	491.40 - 78.50	.6446	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
SEP26												
4505	----	----	----/441.80A	511.80B/441.80A	----	488.50 - 78.10	.6425	----	----	----	----	2 UNCH
4510	----	----	----/439.30A	508.80B/439.30A	----	485.50 - 77.80	.6404	----	----	----	----	2 UNCH
4515	----	----	----/436.50A	505.70B/436.50A	----	482.60 - 77.40	.6383	----	----	----	----	2 UNCH
4545	----	----	----/420.30A	487.60B/420.30A	----	465.20 - 75.40	.6255	----	----	----	----	16 UNCH
4550	----	----	----/417.70A	484.60B/417.70A	----	462.40 - 75.00	.6233	----	----	----	----	222 UNCH
4560	----	----	----/412.30A	478.70B/412.30A	----	456.70 - 74.40	.6190	----	----	----	----	2 UNCH
4565	----	----	----/409.80A	475.10B/409.80A	----	453.90 - 74.00	.6169	----	----	----	----	2 UNCH
4570	----	----	----/407.00A	472.90B/407.00A	----	451.10 - 73.70	.6147	----	----	----	----	2 UNCH
4575	----	----	----/404.60A	469.20B/404.60A	----	448.30 - 73.30	.6125	----	----	----	----	2 UNCH
4580	----	----	----/401.70A	466.60B/401.70A	----	445.50 - 73.00	.6104	----	----	----	----	2 UNCH
4585	----	----	----/399.70A	464.10B/399.70A	----	442.70 - 72.70	.6082	----	----	----	----	2 UNCH
4590	----	----	----/396.80A	461.30B/396.80A	----	440.00 - 72.30	.6060	----	----	----	----	2 UNCH
4600	----	----	----/391.80A	455.10B/391.80A	----	434.50 - 71.70	.6017	----	----	----	----	53 UNCH
4650	----	----	----/367.30A	460.00B/367.30A	----	407.80 - 68.40	.5798	----	----	----	----	1 UNCH
4675	----	----	----/355.50A	453.70B/355.50A	----	395.00 - 66.70	.5687	----	----	----	----	1 UNCH
4680	----	----	----/353.10A	450.90B/353.10A	----	392.40 - 66.40	.5665	----	----	----	----	1 UNCH
4700	----	----	----/344.10A	440.30B/344.10A	----	382.40 - 65.10	.5577	----	----	----	----	117 UNCH
4705	----	----	----/341.90A	436.90B/341.90A	----	379.90 - 64.80	.5555	----	----	----	----	10 UNCH
4710	370.20	370.20	370.20/339.80A	434.70B/339.80A	----	377.50 - 64.50	.5533	----	----	1	----	1 UNCH
4720	----	----	----/335.10A	429.30B/335.10A	----	372.60 - 63.80	.5488	----	----	----	----	45 UNCH
4725	----	----	----/332.90A	427.20B/332.90A	----	370.20 - 63.50	.5466	----	----	----	----	2 UNCH
4730	----	----	----/330.60A	423.70B/330.60A	----	367.80 - 63.20	.5444	----	----	----	----	5 UNCH
4750	----	----	----/322.00A	413.80B/322.00A	----	358.20 - 62.00	.5355	----	----	----	----	60 UNCH
4775	----	----	----/311.50A	400.40B/311.50A	----	346.60 - 60.40	.5245	----	----	----	----	9 UNCH
4780	----	----	----/309.20A	398.10B/309.20A	----	344.30 - 60.20	.5223	----	----	----	----	7 UNCH
4800	----	----	----/301.40A	387.20B/301.40A	----	335.20 - 59.00	.5134	----	----	----	----	682 UNCH
4840	298.00	298.00	298.00/285.60A	367.90B/285.60A	----	317.70 - 56.70	.4959	----	----	2	----	2 UNCH
4850	----	----	----/282.00A	363.20B/282.00A	----	313.40 - 56.20	.4915	----	----	----	----	20 UNCH
4875	----	----	----/272.00A	351.10B/272.00A	----	303.00 - 54.80	.4806	----	----	----	----	30 UNCH
4900	----	----	----/263.00A	338.00B/263.00A	----	292.90 - 53.40	.4698	----	----	----	----	260 UNCH
4925	----	----	----/254.70A	326.80B/254.70A	----	283.10 - 52.00	.4591	----	----	----	----	1 UNCH
4975	----	----	----/238.10A	305.30B/238.10A	----	264.50 - 49.10	.4381	----	----	----	----	234 UNCH
5000	----	----	----/230.50A	294.90B/230.50A	----	255.60 - 47.60	.4277	----	----	62	----	587 - 43
5005	----	----	----/228.40A	292.70B/228.40A	----	253.90 - 47.20	.4257	----	----	----	----	1 UNCH
5050	----	----	----/215.50A	275.20B/215.50A	----	238.90 - 44.30	.4075	----	----	----	----	1 UNCH
5075	----	----	----/208.50A	265.40B/208.50A	----	230.90 - 42.70	.3975	----	----	----	----	1 UNCH
5100	----	----	----/201.20A	256.50B/201.20A	----	223.10 - 41.30	.3877	----	----	----	----	241 UNCH
5150	----	----	----/188.20A	239.10B/188.20A	----	208.10 - 38.90	.3685	----	----	----	----	3 UNCH
5200	----	----	----/176.20A	223.50B/176.20A	----	194.00 - 36.70	.3498	----	----	----	----	373 UNCH
5230	----	----	----/169.90A	213.80B/169.90A	----	186.10 - 35.30	.3390	----	----	----	----	400 UNCH
5235	----	----	----/168.60A	212.20B/168.60A	----	184.80 - 35.10	.3372	----	----	----	----	1 UNCH
5250	----	----	----/165.00A	207.00B/165.00A	----	181.00 - 34.40	.3319	----	----	----	----	10 UNCH
5300	----	----	----/155.00A	192.70B/155.00A	----	169.10 - 31.80	.3148	----	----	----	220	593 - 172
5335	----	----	----/148.10A	183.30B/148.10A	----	161.20 - 30.10	.3033	----	----	----	----	1 UNCH
5350	----	----	----/145.40A	179.40B/145.40A	----	158.00 - 29.40	.2985	----	----	----	----	1 UNCH
5375	----	----	----/140.70A	174.00B/140.70A	----	152.70 - 28.30	.2906	----	----	----	----	2 UNCH
5400	----	----	----/136.10A	167.00B/136.10A	----	147.70 - 27.10	.2829	----	----	----	----	430 UNCH
5420	----	----	----/132.80A	162.30B/132.80A	----	143.80 - 26.20	.2769	----	----	----	----	80 UNCH
5450	----	----	----/128.40A	158.80B/128.40A	----	138.10 - 25.00	.2680	----	----	----	----	3 UNCH
5460	----	----	----/126.60A	153.10B/126.60A	----	136.20 - 24.60	.2650	----	----	----	----	1 UNCH
5475	----	----	----/124.00A	149.40B/124.00A	----	133.50 - 24.10	.2608	----	----	----	----	2 UNCH
5500	----	----	----/120.10A	144.80B/120.10A	----	129.10 - 23.20	.2537	----	----	----	----	1249 UNCH
5505	----	----	----/119.30A	143.50B/119.30A	----	128.20 - 23.00	.2523	----	----	----	----	3 UNCH
5520	----	----	----/117.00A	140.60B/117.00A	----	125.60 - 22.60	.2481	----	----	----	----	1 UNCH
5525	----	----	----/116.20A	138.90B/116.20A	----	124.80 - 22.40	.2468	----	----	----	----	2 UNCH
5600	----	----	----/105.30A	124.90B/105.30A	----	112.90 - 20.10	.2272	----	----	----	----	559 UNCH
5625	----	----	----/102.00A	121.20B/102.00A	----	109.30 - 19.20	.2211	----	----	----	----	2 UNCH
5650	----	----	----/98.70A	116.40B/98.70A	----	105.80 - 18.40	.2152	----	----	----	----	559 UNCH
5700	96.10	96.10	96.10/88.20	108.30B/88.20	----	99.30 - 16.70	.2038	----	----	5	----	1052 + 1
5750	----	----	----/87.00A	100.10B/87.00A	----	93.40 - 14.90	.1933	----	----	----	----	237 UNCH
5800	----	----	----/81.80A	93.90B/81.80A	----	87.90 - 13.40	.1833	----	----	2	----	827 + 1
5850	----	----	----/76.90A	87.20B/76.90A	----	82.70 - 12.20	.1737	----	----	----	----	582 UNCH
5900	----	----	----/71.90A	81.60B/71.90A	----	77.90 - 11.10	.1648	----	----	----	----	503 UNCH
5950	----	----	----/68.10A	76.40B/68.10A	----	73.40 - 10.10	.1563	----	----	----	----	49 UNCH
6000	----	----	----/64.60A	70.40B/64.60A	----	69.20 - 9.20	.1483	----	----	101	----	1058 + 12
6100	----	----	----/58.30A	61.30B/58.30A	----	61.20 - 7.80	.1331	----	----	----	----	363 UNCH
6200	----	----	----/51.10A	53.80B/51.10A	----	54.10 - 7.10	.1193	----	----	----	----	226 UNCH
6300	----	----	----/46.20A	48.60B/46.20A	----	47.90 - 6.70	.1070	----	----	124	----	159 + 54
6400	----	----	----/42.50A	43.60B/42.50A	----	42.70 - 6.20	.0964	----	----	----	----	220 UNCH
6500	----	----	----/38.50A	39.00B/38.50A	----	38.50 - 5.50	.0874	----	----	----	----	344 UNCH
6600	----	----	----/37.10A	35.10B/37.10A	----	35.10 - 4.50	.0799	----	----	----	----	45 UNCH
6650	----	----	----/35.80A	33.40B/35.80A	----	33.60 - 4.00	.0766	----	----	----	----	5 UNCH
6750	----	----	----/33.30A	28.50B/33.30A	----	30.40 - 3.40	.0697	----	----	----	----	11 UNCH
6775	----	----	----/32.70A	27.70B/32.70A	----	29.60 - 3.20	.0679	----	----	----	----	1 UNCH
6800	----	----	----	27.00B/32.00A	----	28.80 - 3.10	.0663	----	----	----	----	127 UNCH
7000	----	----	----	#22.20B/*28.10A	----	23.70 NEW	----	----	----	100	----	100 + 100
TOTAL										397	220	13528 - 47
OCT26												
3600	----	----	----	950.50B/1375.30A	----	1193.80 - 18.20	.9009	----	----	----	----	12 UNCH
4300	----	----	----/602.60A	621.70B/602.60A	----	638.80 - 92.20	.7162	----	----	----	----	102 UNCH
4400	----	----	----/528.30A	600.80B/528.30A	----	573.30 - 87.60	.6793	----	----	----	----	8 UNCH
4405	----	----	----/525.60A	597.50B/525.60A	----	570.10 - 87.40	.6774	----	----	----	----	2 UNCH
4480	480.80	480.80	550.60B/480.80	550.60B/480.80	----	524.20 - 83.60	.6482	----	----	1	----	1 UNCH
4500	----	----	----/472.20A	538.50B/472.20A	----	512.40 - 82.50	.6403	----	----	----	----	4 UNCH
4515	----	----	----/464.20A	529.50B/464.20A	----	503.80 - 81.50	.6343	----	----	----	----	1 UNCH
4550	----	----	----/445.70A	508.70B/445.70A	----	484.10 - 79.30	.6202	----	----	----	----	1 UNCH
4580	----	----	----/430.50A	491.90B/430.50A	----	467.80 - 77.30	.6079	----	----	----	----	70 UNCH
4600	----	----	----/420.30A	480.70B/420.30A	----	457.30 - 75.80	.5997	----	----	----	----	134 UNCH
4610	----	----	----/415.30A	475.20B/415.30A	----	452.20 - 75.00	.5956	----	----	----	----	5 UNCH
4620	----	----	----/410.70A	486.60B/410.70A	----	447.10 - 74.20	.5915	----	----	----	----	1 UNCH
4630	----	----	----/405.60A	492.00B/405.60A	----	442.10 - 73.30	.5874	----	----	----	----	3 UNCH
4650	----	----	----/396.30A	492.50B/396.30A	----	432.20 - 71.70	.5792	----	----	----	----	1 UNCH
4670	----	----	----/387.10A	481.30B/387.10A	----	422.60 - 69.90	.5709	----	----	----	----	1 UNCH
4675	----	----	----/384.90A	478.80B/384.90A	----	420.20 - 69.50	.5689	----	----	----	----	1 UNCH
4690	----	----	----/378.10A	470.50B/378.10A	----	413.10 - 68.30	.5627	----	----	----	----	1 UNCH
4700	----	----	----/373.50A	465.00B/373.50A	----	408.50 - 67.40	.5586	----	----	----	----	5 UNCH
4710	----	----	----/369.00A	459.60B/369.00A	----	403.90 - 66.50	.5545	----	----	----	----	1 UNCH
4715	----	----	----/366.70A	456.40B/366.70A	----	401.60 - 66.10	.5524	----	----	----	----	2 UNCH
4750	----	----	----/351.80A	438.30B/351.80A	----	386.00 - 63.00	.5381	----	----	----	----	1 UNCH
4800	----	----	----/330.40A	412.70B/330.40A	----	364.50 - 59.00	.5179	----	----	----	----	14 UNCH
4845	----	----	----/313.30A	390.70B/313.30A	----	345.80 - 55.70	.4999	----	----	----	----	1 UNCH
4850	----	----	----/311.40A	388.30B/311.40A	----	343.80 - 55.30	.4979	----	----	----	----	54 UNCH
4865	----	----	----/305.30A	381.90B/305.30A	----	337.70 - 54.40	.4919	----	----	----	----	2 UNCH
4880	----	----	----/299.80A	374.00B/299.80A	----	331.70 - 53.40	.4860	----	----	----	----	1 UNCH
4900	----	----	----/292.70A	365.10B/292.70A	----	323.80 - 52.30	.4781	----	----	----	50	1238 + 50
4910	321.70	321.70	321.70/289.50A	360.60B/289.50A	----	319.90 - 51.70	.4741	----	----	1	----	1 UNCH
4925	----	----	----/283.90A	353.90B/283.90A	----	314.10 - 50.90	.4683	----	----	----	----	18 UNCH
4950	----	----	----/276.00A	343.60B/276.00A	----	304.60 - 49.50	.4585	----	----	----	----	7 UNCH
5000	----	----	----/259.50A	322.10B/259.50A	----	286.40 - 46.90	.4393	----	----	1	50	1478 + 50
5025	----	----	----/251.70A	311.80B/251.70A	----	277.60 - 45.70	.4298	----	----	----	----	2 UNCH
5050	----	----	----/244.20A	302.30B/244.20A	----	269.10 - 44.40	.4204	----	----	----	----	57 UNCH
5075	----	----	----/236.90A	292.50B/236.90A	----	260.90 - 43.10	.4112	----	----	----	----	1 UNCH
5080	----	----	----/235.20A	291.60B/235.20A	----	259.20 - 43.00	.4094	----	----	----	----	3 UNCH
5085	----	----	----/234.10A	288.90B/234.10A	----	257.60 - 42.70	.4075	----	----	----	----	3 UNCH
5100	236.20	236.20	242.20/229.00A	283.90B/229.00A	----	252.90 - 41.90	.4021	----	----	200	----	612 + 197
5125	----	----	----/222.70A	274.60B/222.70A	----	245.10 - 40.70	.3931	----	----	----	----	1 UNCH
5160	----	----	----/213.80A	262.70B/213.80A	----	234.70 - 38.90	.3807	----	----	----	----	1 UNCH
5200	----	----	----/203.80A	249.10B/203.80A	----	223.50 - 36.80	.3670	----	----	----	----	447 UNCH
5250	----	----	----/191.80A	233.40B/191.80A	----	210.30 - 34.20	.3504	----	----	----	----	522 UNCH
5255	----	----	----/190.70A	231.90B/190.70A	----	209.00 - 34.00	.3488	----	----	----	----	2 UNCH
5300	----	----	----/180.80A	218.70B/180.80A	----	197.80 - 31.90	.3343	----	----	1	----	252 UNCH
5325	----	----	----/175.60A	211.40B/175.60A	----	191.90 - 30.70	.3265	----	----	----	----	1 UNCH
5400	----	----	----/161.00A	192.00B/161.00A	----	174.80 - 27.80	.3037	----	----	----	----	168 UNCH
5435	----	----	----/154.70A	183.50B/154.70A	----	167.20 - 26.70	.2934	----	----	----	----	226 UNCH
5450	----	----	----/152.00A	179.60B/152.00A	----	163.90 - 26.40	.2890	----	----	----	----	66 UNCH
5455	----	----	----/151.20A	178.40B/151.20A	----	162.90 - 26.20	.2876	----	----	----	----	175 UNCH
5475	----	----	----/147.80A	173.80B/147.80A	----	158.70 - 25.70	.2818	----	----	----	----	1 UNCH
5500	135.00	135.00	137.80/135.00	168.10B/135.00	----	153.50 - 25.30	.2746	----	----	2	----	422 - 1
5545	----	----	----/136.80A	158.30B/136.80A	----	144.60 - 24.40	.2621	----	----	----	----	5 UNCH
5550	----	----	----/135.90A	157.40B/135.90A	----	143.70 - 24.30	.2608	----	----	----	----	100 UNCH
5590	----	----	----/130.00A	149.20B/130.00A	----	136.40 - 23.50	.2503	----	----	----	----	4 UNCH
5600	----	----	----/128.90A	147.40B/128.90A	----	134.70 - 23.30	.2477	----	----	----	----	110 UNCH
5610	----	----	----/127.20A	145.50B/127.20A	----	133.00 - 23.00	.2452	----	----	----	----	1 UNCH
5615	----	----	----/126.50A	144.70B/126.50A	----	132.20 - 22.90	.2440	----	----	----	----	5 UNCH
5650	----	----	----/122.10A	138.00B/122.10A	----	126.80 - 21.90	.2357	----	----	----	----	201 UNCH
5655	----	----	----/121.30A	137.00B/121.30A	----	126.00 - 21.80	.2345	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 35

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
OCT26												
5660	----	----	----/120.70A	136.10B/120.70A	----	125.30 - 21.60	.2334	----	----	----	----	1 UNCH
5700	----	----	----/115.50A	129.30B/115.50A	----	120.00 - 20.20	.2248	----	----	----	----	20 UNCH
5710	----	----	----/114.00A	127.40B/114.00A	----	118.70 - 19.80	.2227	----	----	----	----	5 UNCH
5720	----	----	----/112.10A	125.80B/112.10A	----	117.50 - 19.40	.2207	----	----	----	----	75 UNCH
5750	----	----	----/108.40A	120.90B/108.40A	----	113.90 - 18.30	.2147	----	----	----	----	1 UNCH
5775	----	----	----/105.30A	117.20B/105.30A	----	111.00 - 17.40	.2098	----	----	----	----	50 UNCH
5800	----	----	----/102.40A	113.40B/102.40A	----	108.10 - 16.50	.2050	----	----	1	----	413 - 1
5875	----	----	----/94.40A	102.90B/94.40A	----	99.70 - 14.20	.1910	----	----	----	----	1 UNCH
5900	----	----	----/91.80A	99.60B/91.80A	----	97.00 - 13.50	.1865	----	----	----	----	34 UNCH
6000	----	----	----/82.60A	87.70B/82.60A	----	87.00 - 11.10	.1695	----	----	----	----	3067 UNCH
6100	----	----	----/74.50A	77.20B/74.50A	----	78.30 - 9.10	.1543	----	----	----	----	66 UNCH
6200	----	----	----/68.10A	69.20B/68.10A	----	70.70 - 7.50	.1408	----	----	----	----	38 UNCH
6300	----	----	----/61.90A	61.60B/61.90A	----	64.00 - 6.30	.1286	----	----	----	----	632 UNCH
6400	----	----	----/55.10A	54.90B/55.10A	----	58.00 - 5.50	.1175	----	----	----	----	1911 UNCH
6500	53.00	53.00	53.00/50.70A	53.00/50.70A	----	52.70 - 4.90	.1076	----	----	1	----	6940 UNCH
6800	----	----	----/41.30A	38.80B/41.30A	----	39.80 - 4.30	.0829	----	----	----	----	1385 UNCH
6900	----	----	----/39.60A	35.50B/39.60A	----	36.80 - 3.90	.0768	----	----	----	----	1 UNCH
7000	----	----	----	29.50B/38.30A	----	34.20 - 3.50	.0714	----	----	----	----	2263 UNCH
8000	----	----	----	13.80B/23.10A	----	19.10 - 1.40	.0391	----	----	----	----	211 UNCH
8500	----	----	----	10.40B/*19.30A	----	15.50 - 1.00	.0311	----	----	----	----	200 UNCH
9000	----	----	----	8.10B/16.60A	----	13.10 - 0.80	.0257	----	----	----	----	69 UNCH
9500	----	----	----	6.50B/*14.60A	----	11.10 - 0.60	.0214	----	----	----	----	10 UNCH
TOTAL										208	100	23954 + 295
NOV26												
4000	----	----	----	680.20B/1126.70A	----	905.70 - 02.00	.8071	----	----	----	----	1 UNCH
4100	----	----	----	595.30B/1056.80A	----	830.90 - 97.40	.7792	----	----	----	----	1 UNCH
4275	----	----	----/670.00A	662.00B/670.00A	----	708.10 - 88.50	.7250	----	----	----	----	38 UNCH
4300	----	----	----/654.50A	661.90B/654.50A	----	691.50 - 87.20	.7168	----	----	----	----	1 UNCH
4375	----	----	----/608.20A	663.10B/608.20A	----	643.10 - 83.10	.6914	----	----	----	----	38 UNCH
4400	----	----	----/592.90A	647.00B/592.90A	----	627.50 - 81.60	.6827	----	----	----	----	20 UNCH
4440	----	----	----/566.00A	621.70B/566.00A	----	603.00 - 79.40	.6687	----	----	----	----	1 UNCH
4500	----	----	----/533.00A	585.10B/533.00A	----	567.60 - 75.90	.6471	----	----	----	----	25 UNCH
4600	----	----	----/480.60A	529.30B/480.60A	----	511.90 - 70.00	.6104	----	----	----	----	1 UNCH
4750	----	----	----/399.80A	486.40B/399.80A	----	436.60 - 61.20	.5541	----	----	----	----	1 UNCH
4775	----	----	----/399.50A	481.00B/399.50A	----	425.10 - 59.60	.5447	----	----	----	----	30 UNCH
4800	----	----	----/389.00A	467.00B/389.00A	----	413.80 - 58.10	.5354	----	----	----	----	2 UNCH
4850	----	----	----/368.90A	442.20B/368.90A	----	392.10 - 55.20	.5168	----	----	----	----	25 UNCH
4900	----	----	----/349.30A	418.40B/349.30A	----	371.50 - 52.20	.4985	----	----	----	450	451 + 450
4915	----	----	----/343.30A	411.90B/343.30A	----	365.50 - 51.40	.4930	----	----	----	----	1 UNCH
4925	----	----	----/339.70A	407.10B/339.70A	----	361.60 - 50.80	.4894	----	----	----	----	1 UNCH
4950	----	----	----/330.70A	396.20B/330.70A	----	352.00 - 49.30	.4804	----	----	----	----	150 UNCH
5000	----	----	----/313.40A	374.60B/313.40A	----	333.50 - 46.50	.4626	----	----	----	----	29 UNCH
5080	----	----	----/287.00A	342.10B/287.00A	----	305.80 - 42.30	.4350	----	----	----	----	4 UNCH
5085	----	----	----/285.40A	339.90B/285.40A	----	304.20 - 42.00	.4333	----	----	----	----	4 UNCH
5175	----	----	----/258.40A	306.90B/258.40A	----	275.70 - 37.60	.4034	----	----	----	----	2 UNCH
5200	----	----	----/251.30A	297.90B/251.30A	----	268.20 - 36.50	.3953	----	----	----	----	26 UNCH
5250	----	----	----/237.90A	281.50B/237.90A	----	253.60 - 34.50	.3793	----	----	----	----	9 UNCH
5300	----	----	----/225.20A	265.70B/225.20A	----	239.70 - 32.60	.3638	----	----	----	----	27 UNCH
5370	----	----	----/208.60A	244.80B/208.60A	----	221.30 - 30.30	.3426	----	----	----	----	5 UNCH
5400	----	----	----/202.00A	236.30B/202.00A	----	213.90 - 29.30	.3339	----	----	----	----	17 UNCH
5450	----	----	----/191.30A	223.20B/191.30A	----	202.10 - 27.70	.3197	----	----	----	----	925 UNCH
5500	----	----	----/181.20A	210.60B/181.20A	----	191.00 - 26.20	.3060	----	----	----	----	79 UNCH
5550	----	----	----/171.70A	198.70B/171.70A	----	180.60 - 24.70	.2928	----	----	----	----	1 UNCH
5600	----	----	----/162.80A	187.50B/162.80A	----	170.90 - 23.30	.2802	----	----	----	----	43 UNCH
5700	----	----	----/146.60A	167.10B/146.60A	----	153.50 - 20.40	.2567	----	----	----	----	35 UNCH
5710	----	----	----/143.60A	159.80B/143.60A	----	151.80 - 20.20	.2544	----	----	----	----	1 UNCH
5800	----	----	----/132.40A	148.80B/132.40A	----	138.30 - 17.70	.2353	----	----	----	----	25 UNCH
5825	----	----	----/129.10A	144.60B/129.10A	----	134.80 - 17.10	.2303	----	----	----	----	2 UNCH
5900	----	----	----/119.70A	132.90B/119.70A	----	125.00 - 15.20	.2160	----	----	----	----	1 UNCH
5925	----	----	----/116.80A	128.90B/116.80A	----	122.00 - 14.50	.2115	----	----	----	----	4 UNCH
5975	106.60	106.60	106.60/106.60	122.10B/106.60	----	116.20 NEW	.2027	----	----	1	----	1 + 1
6000	----	----	----/108.60A	118.70B/108.60A	----	113.40 - 12.80	.1985	----	----	----	----	217 UNCH
6100	----	----	----/98.70A	106.00B/98.70A	----	103.30 - 10.50	.1827	----	----	----	----	1 UNCH
6200	----	----	----/90.00A	95.20B/90.00A	----	94.20 - 8.60	.1683	----	----	----	----	3 UNCH
6400	----	----	----/76.80A	77.00B/76.80A	----	79.10 - 5.30	.1436	----	----	----	----	13 UNCH
6500	----	----	----/71.70A	69.60B/71.70A	----	72.80 - 4.00	.1330	----	----	----	650	1161 + 650
8000	----	----	----	17.90B/32.80A	----	25.20 - 0.90	.0482	----	----	----	----	11 UNCH
9000	----	----	----	10.00B/24.00A	----	16.20 - 0.20	.0304	----	----	----	----	3 UNCH
20000	----	----	----	----/*1.50A	----	0.60 UNCH	.0011	----	----	----	----	137 UNCH
TOTAL										1	1,100	3573 + 1101
DEC26												
3550	----	----	----	1033.20B/1507.00A	----	1281.90 - 21.30	.8984	----	----	----	----	2 UNCH
3570	----	----	----	1015.90B/1490.10A	----	1264.50 - 20.80	.8951	----	----	----	----	1 UNCH
3600	----	----	----	989.70B/1464.90A	----	1238.60 - 19.90	.8898	----	----	----	----	1 UNCH
3800	----	----	----	837.90B/1304.90A	----	1071.20 - 13.60	.8498	----	----	----	----	4 UNCH
3900	----	----	----	754.70B/1231.70A	----	991.60 - 09.80	.8264	----	----	----	----	2 UNCH
4060	----	----	----	619.70B/1119.60A	----	871.00 - 02.70	.7843	----	----	----	----	100 UNCH
4100	----	----	----	586.60B/1092.60A	----	842.20 - 00.80	.7729	----	----	----	----	48 UNCH
4160	----	----	----	538.30B/1053.00A	----	800.10 - 97.80	.7552	----	----	----	----	100 UNCH
4175	----	----	----	526.40B/1043.20A	----	789.80 - 97.00	.7507	----	----	----	----	37 UNCH
4200	----	----	----	506.80B/1027.10A	----	772.70 - 95.80	.7430	----	----	----	----	150 UNCH
4250	----	----	----/706.80A	690.00B/706.80A	----	739.40 - 93.20	.7274	----	----	----	----	293 UNCH
4255	----	----	----/703.60A	690.30B/703.60A	----	736.20 - 92.80	.7258	----	----	----	----	50 UNCH
4285	702.20	702.20	#702.20/685.10A	702.20/685.10A	----	716.70 NEW	.7162	----	----	1	----	1 + 1
4300	----	----	----/675.50A	694.90B/675.50A	----	707.10 - 90.40	.7113	----	----	----	----	436 UNCH
4315	----	----	----/666.30A	699.70B/666.30A	----	697.60 - 89.50	.7065	----	----	----	----	1 UNCH
4320	----	----	----/663.20A	700.90B/663.20A	----	694.40 - 89.30	.7048	----	----	----	----	100 UNCH
4350	----	----	----/645.10A	696.20B/645.10A	----	675.70 - 87.60	.6950	----	----	----	----	206 UNCH
4375	----	----	----/630.10A	680.20B/630.10A	----	660.40 - 86.10	.6866	----	----	----	----	61 UNCH
4400	----	----	----/615.50A	664.50B/615.50A	----	645.40 - 84.60	.6782	----	----	----	----	2 UNCH
4425	----	----	----/586.50A	648.90B/586.50A	----	630.60 - 83.10	.6697	----	----	----	----	8 UNCH
4450	----	----	----/573.00A	633.70B/573.00A	----	616.00 - 81.70	.6612	----	----	----	----	87 UNCH
4465	----	----	----/564.80A	624.60B/564.80A	----	607.40 - 80.80	.6560	----	----	----	----	93 UNCH
4490	----	----	----/551.30A	610.00B/551.30A	----	593.30 - 79.20	.6474	----	----	----	----	7 UNCH
4500	----	----	----/545.80A	604.10B/545.80A	----	587.70 - 78.60	.6439	----	----	----	----	757 UNCH
4525	----	----	----/532.70A	589.30B/532.70A	----	573.90 - 77.10	.6352	----	----	----	----	5 UNCH
4540	----	----	----/525.00A	580.90B/525.00A	----	565.70 - 76.20	.6300	----	----	----	----	9 UNCH
4550	----	----	----/531.10A	575.00B/531.10A	----	560.30 - 75.60	.6265	----	----	----	----	1 UNCH
4565	----	----	----/512.20A	566.90B/512.20A	----	552.30 - 74.70	.6212	----	----	----	----	93 UNCH
4580	----	----	----/504.50A	558.30B/504.50A	----	544.40 - 73.80	.6159	----	----	----	----	150 UNCH
4585	----	----	----/502.20A	556.20B/502.20A	----	541.80 - 73.50	.6141	----	----	----	----	325 UNCH
4590	522.00	522.00	553.50B/499.60A	553.50B/499.60A	----	539.20 - 73.10	.6124	----	----	1	----	15 + 1
4600	----	----	----/494.50A	548.10B/494.50A	----	534.00 - 72.50	.6089	----	----	----	----	105 UNCH
4615	----	----	----/487.30A	539.20B/487.30A	----	526.30 - 71.60	.6036	----	----	----	----	41 UNCH
4625	----	----	----/482.60A	534.40B/482.60A	----	521.20 - 71.00	.6000	----	----	----	----	72 UNCH
4640	----	----	----/475.40A	544.90B/475.40A	----	513.70 - 70.00	.5947	----	----	----	----	100 UNCH
4650	----	----	----/470.70A	549.70B/470.70A	----	508.70 - 69.40	.5912	----	----	64	----	302 + 64
4700	----	----	----/447.60A	536.00B/447.60A	----	484.40 - 66.30	.5734	----	----	----	----	97 UNCH
4720	485.00	485.00	485.00/438.80A	524.60B/438.80A	----	474.90 NEW	.5663	----	----	1	----	1 + 1
4750	----	----	----/425.60A	509.60B/425.60A	----	461.10 - 63.20	.5557	----	----	64	----	211 + 64
4780	----	----	----/412.80A	493.50B/412.80A	----	447.50 - 61.50	.5450	----	----	----	----	2 UNCH
4800	----	----	----/404.50A	483.50B/404.50A	----	438.70 - 60.20	.5380	----	----	----	----	146 UNCH
4810	----	----	----/400.40A	479.50B/400.40A	----	434.30 - 59.70	.5345	----	----	----	----	56 UNCH
4820	----	----	----/396.30A	473.30B/396.30A	----	430.00 - 59.00	.5310	----	----	----	----	49 UNCH
4825	----	----	----/394.40A	470.90B/394.40A	----	427.90 - 58.70	.5292	----	----	----	----	100 UNCH
4850	----	----	----/384.40A	459.10B/384.40A	----	417.30 - 57.20	.5205	----	----	----	----	291 UNCH
4875	----	----	----/374.80A	447.30B/374.80A	----	406.90 - 55.80	.5119	----	----	----	----	1 UNCH
4880	----	----	----/372.10A	444.70B/372.10A	----	404.90 - 55.50	.5101	----	----	----	----	1 UNCH
4900	----	----	----/364.50A	435.50B/364.50A	----	396.80 - 54.30	.5032	----	----	----	----	48 UNCH
4925	----	----	----/356.10A	424.50B/356.10A	----	386.90 - 52.90	.4947	----	----	----	----	1 UNCH
4975	----	----	----/348.20A	409.20B/348.20A	----	367.80 - 50.00	.4778	----	----	----	----	50 UNCH
5000	327.60	327.60	327.60/327.60	391.90B/327.60	----	358.60 - 48.60	.4694	----	----	1	----	2119 - 1
5025	----	----	----/321.40A	381.30B/321.40A	----	349.50 - 47.40	.4611	----	----	----	----	32 UNCH
5050	----	----	----/312.70A	371.50B/312.70A	----	340.70 - 46.00	.4529	----	----	----	----	100 UNCH
5070	----	----	----/306.30A	363.50B/306.30A	----	333.80 - 45.00	.4464	----	----	----	----	13 UNCH
5075	----	----	----/305.10A	361.60B/305.10A	----	332.10 - 44.70	.4448	----	----	----	----	30 UNCH
5090	----	----	----/300.70A	355.80B/300.70A	----	327.10 - 43.90	.4399	----	----	----	----	13 UNCH
5100	----	----	----/297.40A	351.70B/297.40A	----	323.80 - 43.40	.4367	----	----	64	----	131 + 64
5150	----	----	----/282.90A	333.30B/282.90A	----	307.60 - 40.90	.4209	----	----	----	----	1 UNCH
5175	----	----	----/275.60A	324.40B/275.60A	----	299.80 - 39.70	.4131	----	----	----	----	100 UNCH
5195	----	----	----/269.70A	316.80B/269.70A	----	293.70 - 38.80	.4069	----	----	----	----	5 UNCH
5200	----	----	----/268.30A	315.60B/268.30A	----	292.20 - 38.60	.4054	----	----	64	----	851 + 64
5250	----	----	----/255.40A	298.80B/255.40A	----	277.50 - 36.40	.3903	----	----	----	----	158 UNCH
5275	----	----	----/249.30A	290.50B/249.30A	----	270.40 - 35.40	.3828	----	----	----	----	20 UNCH
5300	----	----	----/242.70A	282.80B/242.70A	----	263.60 - 34.30	.3756	----	----	----	----	340 UNCH
5350	----	----	----/230.80A	268.00B/230.80A	----	250.30 - 32.50	.3612	----	----	----	----	457 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 36

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
DEC26												
5360	----	----	----/228.60A	264.50B/228.60A	----	247.70 - 32.10	.3584	----	----	----	----	100 UNCH
5370	----	----	----/226.80A	261.80B/226.80A	----	245.20 - 31.70	.3556	----	----	----	----	20 UNCH
5400	----	----	----/219.70A	253.20B/219.70A	----	237.70 - 30.70	.3473	----	----	524	----	1050 + 335
5460	----	----	----/207.60A	237.00B/207.60A	----	223.40 - 28.70	.3311	----	----	----	----	200 UNCH
5465	----	----	----/206.20A	235.70B/206.20A	----	222.30 - 28.50	.3298	----	----	----	----	50 UNCH
5480	----	----	----/203.20A	231.50B/203.20A	----	218.90 - 28.10	.3259	----	----	----	----	50 UNCH
5500	215.00	215.00	215.00/199.30A	226.70B/199.30A	----	214.40 - 27.50	.3207	----	----	1	----	1643 - 1
5525	----	----	----/194.60A	220.50B/194.60A	----	209.00 - 26.70	.3144	----	----	----	----	80 UNCH
5550	----	----	----/190.10A	214.40B/190.10A	----	203.70 - 26.00	.3081	----	----	----	----	1 UNCH
5600	----	----	----/181.30A	203.00B/181.30A	----	193.50 - 24.70	.2959	----	----	524	----	1352 + 46
5650	----	----	----/172.80A	192.00B/172.80A	----	183.90 - 23.40	.2841	----	----	----	----	5 UNCH
5660	----	----	----/171.20A	189.80B/171.20A	----	182.00 - 23.20	.2817	----	----	----	----	1 UNCH
5675	----	----	----/168.90A	186.40B/168.90A	----	179.30 - 22.70	.2784	----	----	----	----	8 UNCH
5680	----	----	----/168.40A	185.80B/168.40A	----	178.40 - 22.60	.2772	----	----	----	----	1 UNCH
5685	----	----	----/167.30A	184.60B/167.30A	----	177.50 - 22.50	.2761	----	----	----	----	18 UNCH
5690	----	----	----/169.80A	189.70B/169.80A	----	176.60 - 22.40	.2750	----	----	----	----	7 UNCH
5700	----	----	----/165.00A	181.60B/165.00A	----	174.80 - 22.20	.2727	----	----	----	----	285 UNCH
5705	----	----	----/164.20A	180.70B/164.20A	----	173.90 - 22.10	.2716	----	----	----	----	5 UNCH
5710	----	----	----/163.80A	179.70B/163.80A	----	173.00 - 22.00	.2705	----	----	----	----	5 UNCH
5750	----	----	----/157.60A	172.00B/157.60A	----	166.20 - 21.00	.2618	----	----	----	----	576 UNCH
5770	----	----	----/154.90A	168.20B/154.90A	----	162.90 - 20.50	.2576	----	----	----	----	5 UNCH
5775	----	----	----/154.20A	167.30B/154.20A	----	162.10 - 20.40	.2565	----	----	----	----	2 UNCH
5800	----	----	----/150.80A	162.60B/150.80A	----	158.10 - 19.80	.2513	----	----	----	----	220 UNCH
5810	----	----	----/149.30A	161.00B/149.30A	----	156.50 - 19.70	.2492	----	----	----	----	56 UNCH
5825	----	----	----/147.20A	158.40B/147.20A	----	154.20 - 19.30	.2462	----	----	----	----	4 UNCH
5875	----	----	----/140.40A	149.90B/140.40A	----	146.80 - 18.20	.2364	----	----	----	----	9 UNCH
5900	138.40	138.40	138.40/137.30A	145.90B/137.30A	----	143.30 - 17.60	.2316	----	----	2	275	1310 + 275
5950	----	----	----/131.00A	138.10B/131.00A	----	136.50 - 16.50	.2224	----	----	----	----	25 UNCH
6000	----	----	----/125.20A	130.90B/125.20A	----	130.20 - 15.30	.2136	----	----	----	275	5923 + 275
6100	----	----	----/114.60A	117.50B/114.60A	----	118.60 - 13.20	.1972	----	----	----	----	40 UNCH
6150	----	----	----/109.70A	111.40B/109.70A	----	113.30 - 12.20	.1896	----	----	----	----	1 UNCH
6200	----	----	----/105.10A	105.70B/105.10A	----	108.40 - 11.20	.1823	----	----	----	----	3345 UNCH
6300	----	----	----/96.60A	95.20B/96.60A	----	99.30 - 9.60	.1687	----	----	----	----	1046 UNCH
6400	----	----	----/89.00A	85.90B/89.00A	----	91.20 - 8.30	.1564	----	----	----	----	448 UNCH
6500	----	----	----/82.30A	78.70B/82.30A	----	83.80 - 7.50	.1450	----	----	----	----	4250 UNCH
6750	----	----	----/67.30A	63.10B/67.30A	----	68.40 - 7.20	.1205	----	----	----	----	100 UNCH
6775	----	----	----/66.10A	61.80B/66.10A	----	67.00 - 7.30	.1183	----	----	----	----	163 UNCH
6800	----	----	----/65.00A	60.60B/65.00A	----	65.70 - 7.30	.1162	----	----	----	----	1664 UNCH
6900	----	----	----/61.00A	58.00B/61.00A	----	60.80 - 7.40	.1082	----	----	----	----	2 UNCH
7000	----	----	----/57.80A	53.50B/57.80A	----	56.40 - 7.40	.1009	----	----	1	----	3995 + 1
7175	----	----	----/*51.70A	46.90B/*51.70A	----	49.70 - 6.90	.0896	----	----	----	----	125 UNCH
7250	----	----	----/49.50A	44.20B/49.50A	----	47.20 - 6.60	.0853	----	----	----	----	107 UNCH
7500	----	----	----	35.70B/46.10A	----	40.10 - 5.10	.0729	----	----	1	----	107 + 1
8000	----	----	----	21.50B/41.00A	----	30.60 - 1.90	.0556	----	----	----	----	624 UNCH
8125	----	----	----	19.70B/39.20A	----	28.90 - 1.30	.0524	----	----	----	----	801 UNCH
8500	----	----	----	15.50B/34.80A	----	24.90 - 0.10	.0447	----	----	----	----	170 UNCH
8725	----	----	----	13.60B/*32.60A	----	23.10 + 0.30	.0411	----	----	----	----	250 UNCH
9000	----	----	----	16.10B/21.70A	----	21.40 + 0.60	.0376	----	----	----	----	102 UNCH
9500	----	----	----	9.10B/21.00A	----	19.30 + 1.10	.0331	----	----	----	----	280 UNCH
9900	----	----	----	7.50B/25.10A	----	18.20 + 1.40	.0305	----	----	----	----	4 UNCH
10000	16.00	16.00	16.00/16.00	16.00/16.00	----	18.00 + 1.50	.0299	----	----	68	----	7485 + 1
11000	----	----	----	4.60B/21.00A	----	16.70 + 2.70	.0262	----	----	----	----	379 UNCH
13000	----	----	----	1.80B/16.20A	----	15.40 + 5.20	.0219	----	----	----	----	366 UNCH
15000	6.50	6.50	10.40/6.50	10.40/6.50	----	12.20 + 5.10	.0167	----	----	79	----	18025 + 29
17000	----	----	----	0.50B/10.90A	----	6.80 + 2.20	.0096	----	----	----	----	20 UNCH
19000	----	----	----	0.30B/9.30A	----	2.70 - 0.20	.0042	----	----	----	----	7 UNCH
20000	2.00	2.00	2.10/2.00	2.10/2.00	----	1.60 - 0.70	.0026	----	----	7	----	18406 + 7
24000	1.50	1.50	1.70/*1.40A	1.70/*1.40A	----	1.10 - 0.40	.0017	----	----	25	----	31 + 25
TOTAL										1492	550	84543 + 1252
JAN27												
4190	----	----	----	500.40B/1133.50A	----	827.90 - 93.10	.7467	----	----	----	----	1 UNCH
4290	718.80	718.80	727.40B/718.80	727.40B/718.80	----	761.00 - 89.20	.7176	----	----	1	----	1 UNCH
4300	----	----	----/719.40A	729.70B/719.40A	----	754.50 - 88.80	.7146	----	----	----	----	1 UNCH
4400	----	----	----/660.10A	708.80B/660.10A	----	692.00 - 83.90	.6838	----	----	----	----	1 UNCH
4650	----	----	----/527.00A	569.80B/527.00A	----	553.60 - 69.00	.6024	----	----	----	----	1 UNCH
4750	----	----	----/480.30A	561.10B/480.30A	----	505.20 - 62.70	.5690	----	----	----	----	6 UNCH
4760	----	----	----/475.80A	555.90B/475.80A	----	500.60 - 62.00	.5657	----	----	----	----	100 UNCH
4800	----	----	----/458.30A	535.40B/458.30A	----	482.50 - 59.60	.5524	----	----	----	----	1 UNCH
4850	----	----	----/437.20A	510.90B/437.20A	----	460.70 - 56.60	.5358	----	----	----	----	1 UNCH
4875	----	----	----/427.00A	498.60B/427.00A	----	450.10 - 55.20	.5276	----	----	----	----	4 UNCH
4900	----	----	----/417.10A	487.10B/417.10A	----	439.70 - 53.80	.5195	----	----	1	----	9 - 1
5000	----	----	----/379.60A	442.10B/379.60A	----	400.40 - 48.70	.4874	----	----	----	----	27 UNCH
5050	----	----	----/361.90A	420.80B/361.90A	----	382.10 - 46.20	.4717	----	----	----	----	100 UNCH
5100	----	----	----/345.10A	400.60B/345.10A	----	364.50 - 44.00	.4563	----	----	----	----	1 UNCH
5250	----	----	----/299.30A	345.10B/299.30A	----	316.40 - 37.70	.4119	----	----	----	----	7 UNCH
5300	----	----	----/285.60A	328.20B/285.60A	----	301.80 - 35.70	.3977	----	----	----	----	1 UNCH
5400	----	----	----/260.00A	296.90B/260.00A	----	274.60 - 31.90	.3705	----	----	----	----	2 UNCH
5500	----	----	----/236.90A	268.50B/236.90A	----	249.90 - 28.40	.3447	----	----	1	----	24 - 1
5550	----	----	----/226.30A	255.30B/226.30A	----	238.50 - 26.70	.3324	----	----	----	----	1 UNCH
5820	----	----	----/177.30A	195.10B/177.30A	----	186.10 - 19.00	.2726	----	----	----	----	6 UNCH
5850	----	----	----/172.70A	189.20B/172.70A	----	181.10 - 18.30	.2666	----	----	----	----	3 UNCH
5900	----	----	----/165.40A	180.10B/165.40A	----	173.20 - 17.10	.2569	----	----	----	----	5 UNCH
6000	----	----	----/151.60A	163.30B/151.60A	----	158.40 - 15.10	.2386	----	----	----	----	204 UNCH
6025	----	----	----/148.60A	159.50B/148.60A	----	154.90 - 14.60	.2342	----	----	----	----	1 UNCH
6300	----	----	----/118.70A	122.70B/118.70A	----	121.70 - 10.20	.1909	----	----	----	----	2 UNCH
20000	3.00	3.00	3.00/*3.00	3.00/*3.00	----	4.00 - 1.60	.0057	----	----	3	----	44 + 3
TOTAL										6		554 + 1
FEB27												
5000	----	----	----/*394.20A	439.50B/*394.20A	----	422.50 - 50.50	.4920	----	----	----	----	1 UNCH
5100	----	----	----/*360.50A	#399.00B/*360.50A	----	384.20 - 49.00	.4616	----	----	----	----	1 UNCH
5175	----	----	----/*336.80A	#370.70B/*336.80A	----	357.60 - 48.40	.4394	----	----	----	----	125 UNCH
5300	----	----	----/*301.40A	#327.70B/*301.40A	----	317.20 - 48.60	.4037	----	----	----	----	50 UNCH
5375	----	----	----/*282.20A	304.10B/*282.20A	----	295.30 - 49.60	.3833	----	----	----	----	1 UNCH
5520	----	----	----/*248.60A	#263.10B/*248.60A	----	257.60 - 52.40	.3460	----	----	----	----	300 UNCH
5530	----	----	----/*246.50A	#260.50B/*246.50A	----	255.30 - 52.50	.3436	----	----	----	----	100 UNCH
5550	----	----	----/*242.40A	#255.30B/*242.40A	----	250.60 - 52.90	.3388	----	----	----	----	65 UNCH
5600	----	----	----/*232.30A	#242.80B/*232.30A	----	239.30 - 53.80	.3269	----	----	----	----	1 UNCH
6000	----	----	----/*167.40A	166.70B/*167.40A	----	168.20 - 50.90	.2458	----	----	----	----	5 UNCH
6025	----	----	----/*171.00A	#168.10B/*171.00A	----	164.70 - 49.70	.2415	----	----	----	----	4 UNCH
6300	----	----	----/*132.60A	128.40B/*132.60A	----	131.40 - 30.50	.1991	----	----	----	----	1 UNCH
6500	----	----	----/*114.70A	109.10B/*114.70A	----	111.60 - 12.90	.1730	----	----	----	----	110 UNCH
6900	----	----	#80.50B/----	80.50B/*88.30A	----	80.00 + 18.00	.1296	----	----	----	----	800 UNCH
7000	----	----	75.00B/----	75.00B/83.20A	----	74.10 + 24.00	.1211	----	----	----	----	833 UNCH
7100	----	----	#70.00B/----	#70.00B/*78.50A	----	69.10 + 23.50	.1135	----	----	----	----	8 UNCH
7900	----	----	#43.10B/----	#43.10B/*54.20A	----	41.20 + 18.30	.0700	----	----	----	----	500 UNCH
8000	----	----	#40.80B/----	#40.80B/*51.90A	----	38.60 + 17.40	.0659	----	----	----	----	500 UNCH
TOTAL												3405 0
APR27												
5600	----	----	----	----	----	240.90 - 48.00	.3310	----	----	----	----	300 UNCH
TOTAL												300 0
JUN27												
9500	----	----	----	----	----	45.70 - 9.60	.0630	----	----	----	----	1 UNCH
TOTAL												1 0
DEC27												
4860	----	----	----	----	----	602.10 - 81.50	.5862	----	----	----	----	100 UNCH
5000	----	----	----	----	----	558.30 - 76.50	.5475	----	----	----	----	50 UNCH
5650	----	----	----	----	----	399.70 - 57.60	.4059	----	----	----	----	200 UNCH
5700	----	----	----	----	----	387.80 - 56.30	.3962	----	----	----	----	150 UNCH
5800	----	----	----	----	----	365.20 - 53.80	.3776	----	----	----	----	200 UNCH
5880	----	----	----	----	----	348.90 - 51.90	.3636	----	----	----	----	50 UNCH
6300	----	----	----	----	----	286.30 - 43.60	.3037	----	----	----	----	18 UNCH
7500	----	----	----	----	----	225.50 - 32.00	.2216	----	----	----	100	170 - 100
7800	----	----	----	----	----	220.20 - 30.50	.2110	----	----	----	----	284 UNCH
10000	----	----	----	----	----	160.50 - 21.10	.1444	----	----	----	----	109 UNCH
10500	----	----	----	----	----	143.80 - 19.10	.1302	----	----	----	----	10 UNCH
TOTAL											100	1341 - 100

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MMG MON		MICRO GOLD WEEKLY MONDAY OPTION WEE										

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 37

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MMG MON		MICRO GOLD WEEKLY MONDAY OPTION WEE										
APR26												
4700	39.80	39.80	#39.80/*39.80	#39.80/*39.80	----	47.20 NEW	.4420	----	----	1	----	1 + 1
TOTAL										1		1+ 1

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK2										
APR26												
3500	1.00	1.00	1.00/*1.00	1.00/*1.00	----	0.30 + 0.10	.0010	----	----	1	----	6 - 1
3700	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
3700	----	----	4.00B/----	4.00B/4.00A	----	3.60 + 1.60	.0147	----	----	----	----	1 UNCH
3700	----	----	1.10B/----	1.10B/1.60A	----	0.70 + 0.20	.0027	----	----	----	----	2 UNCH
3750	----	----	4.80B/----	4.80B/4.30A	----	4.00 + 1.80	.0168	----	----	----	----	2 UNCH
3750	----	----	1.50B/----	1.50B/1.80A	----	0.90 + 0.30	.0036	----	----	----	----	2 UNCH
3800	----	----	5.90B/----	5.90B/4.80A	----	4.60 + 2.10	.0197	----	----	----	----	3 UNCH
3800	----	----	1.90B/----	1.90B/2.00A	----	1.20 + 0.40	.0050	----	----	----	----	1 UNCH
3850	----	----	2.20B/----	2.20B/*1.90A	----	1.50 + 0.60	.0065	----	----	----	----	2 UNCH
3900	1.10	1.10	2.80B/*1.10	2.80B/*1.10	----	2.00 + 0.80	.0089	----	----	2	----	6 + 2
3900	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
3950	----	----	3.30B/----	3.30B/2.40A	----	2.30 + 0.90	.0107	----	----	----	----	2 UNCH
4000	13.70	13.70	13.70/8.20A	13.70/8.20A	----	8.60 + 4.20	.0397	----	----	40	----	43 + 39
4000	----	----	4.20B/----	4.20B/2.80A	----	2.80 + 1.10	.0136	----	----	----	----	102 UNCH
4025	----	----	4.60B/----	4.60B/3.00A	----	3.10 + 1.20	.0154	----	----	----	----	2 UNCH
4050	----	----	14.90B/----	14.90B/9.60A	----	10.40 + 5.20	.0484	----	----	----	----	12 UNCH
4050	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4050	----	----	5.10B/----	5.10B/3.30A	----	3.40 + 1.40	.0173	----	----	----	----	2 UNCH
4075	----	----	5.80B/----	5.80B/3.60A	----	3.80 + 1.60	.0197	----	----	----	----	0 UNCH
4100	4.00	4.00	6.50B/4.00	6.50B/3.90A	----	4.20 + 1.70	.0222	----	----	1	----	4 + 1
4100	----	----	17.10B/----	17.10B/10.80A	----	12.50 + 6.30	.0588	----	----	----	----	12 UNCH
4125	----	----	19.70B/----	19.70B/11.70A	----	13.80 + 7.10	.0650	----	----	----	----	2 UNCH
4150	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4150	----	----	21.90B/----	21.90B/12.40A	----	15.30 + 7.90	.0721	----	----	----	----	0 UNCH
4150	6.50	6.50	8.40B/4.70A	8.40B/4.70A	----	5.20 + 2.20	.0286	----	----	1	----	9 + 1
4175	----	----	9.30B/----	9.30B/5.30A	----	5.80 + 2.50	.0326	----	----	----	----	18 UNCH
4200	----	----	40.00B/----	40.00B/19.80A	----	29.90 + 14.40	.1199	----	----	----	----	1 UNCH
4200	----	----	26.70B/----	26.70B/13.90A	----	18.70 + 9.80	.0882	----	----	1	----	1 UNCH
4200	----	----	10.50B/----	10.50B/5.70A	----	6.50 + 2.90	.0372	----	----	----	----	18 UNCH
4200	----	----	----/431.40A	525.00B/431.40A	----	497.90 - 23.50	.9115	----	----	----	----	1 UNCH
4220	----	----	11.60B/----	11.60B/6.00A	----	7.10 + 3.20	.0412	----	----	----	----	1 UNCH
4235	----	----	12.20B/----	12.20B/6.40A	----	7.60 NEW	.0446	----	----	2	----	1 + 1
4240	8.00	8.00	12.60B/8.00	12.60B/6.50A	----	7.80 NEW	.0459	----	----	2	----	2 + 2
4245	----	----	31.70B/----	31.70B/16.50A	----	22.40 + 11.70	.1055	----	----	----	----	2 UNCH
4250	----	----	47.80B/----	47.80B/23.20A	----	35.30 + 16.80	.1408	----	----	----	----	1 UNCH
4250	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4250	6.90	6.90	13.40B/6.90	13.40B/6.60A	----	8.20 + 3.80	.0486	----	----	3	----	8 + 1
4270	----	----	14.60B/----	14.60B/6.90A	----	9.00 NEW	.0541	----	----	1	----	1 + 1
4275	----	----	15.00B/----	15.00B/7.10A	----	9.20 + 4.30	.0555	----	----	----	----	1 UNCH
4280	----	----	15.50B/----	15.50B/7.20A	----	9.50 + 4.50	.0574	----	----	----	----	1 UNCH
4290	8.00	8.00	16.20B/8.00	16.20B/7.50A	----	9.90 + 4.70	.0603	----	----	1	----	2 + 1
4300	----	----	39.60B/----	39.60B/17.50A	----	28.00 + 14.70	.1312	----	----	2	----	4 + 2
4300	8.70	8.70	17.20B/8.70	17.20B/7.80A	----	10.40 + 5.00	.0637	----	----	2	----	4 + 2
4300	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4320	----	----	18.90B/----	18.90B/8.40A	----	11.50 + 5.60	.0713	----	----	----	----	1 UNCH
4325	----	----	43.80B/----	43.80B/19.40A	----	31.00 NEW	.1447	----	----	1	----	1 + 1
4325	----	----	19.50B/----	19.50B/8.50A	----	11.80 + 5.80	.0734	----	----	----	----	0 UNCH
4340	----	----	46.40B/----	46.40B/20.00A	----	32.90 + 17.10	.1533	----	----	----	----	1 UNCH
4350	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4350	39.00	39.00	48.20B/39.00	48.20B/21.50A	----	34.30 + 17.80	.1594	----	----	2	----	4 + 2
4350	----	----	22.00B/----	22.00B/9.30A	----	13.40 + 6.70	.0844	----	----	----	----	2 UNCH
4350	----	----	----	----	----	463.10 UNCH	----	----	----	----	----	0 UNCH
4355	13.00	13.00	22.60B/13.00	22.60B/9.50A	----	13.80 NEW	.0871	----	----	2	----	2 + 2
4355	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4360	----	----	23.30B/----	23.30B/9.70A	----	14.10 + 7.10	.0893	----	----	----	----	1 UNCH
4365	17.00	17.00	23.90B/17.00	23.90B/9.90A	----	14.50 NEW	.0920	----	----	10	----	10 + 10
4365	----	----	----	----	----	448.10 UNCH	----	----	----	----	----	0 UNCH
4375	----	----	25.20B/----	25.20B/10.30A	----	15.30 + 7.80	.0975	----	----	----	----	2 UNCH
4390	----	----	27.60B/----	27.60B/10.80A	----	16.50 + 8.40	.1059	----	----	----	----	1 UNCH
4395	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4400	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4400	----	----	58.60B/----	58.60B/25.20A	----	41.80 + 21.40	.1923	----	----	----	----	1 UNCH
4400	----	----	29.10B/----	29.10B/10.90A	----	17.40 + 8.90	.1121	----	----	----	----	1 UNCH
4400	----	----	----	----	----	413.10 UNCH	----	----	----	----	----	0 UNCH
4405	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4410	----	----	----	----	----	403.10 UNCH	----	----	----	----	----	0 UNCH
4410	17.10	17.10	31.20B/17.10	31.20B/11.10A	----	18.30 + 9.40	.1185	----	----	10	----	15 + 10
4415	----	----	----/218.10A	406.60B/218.10A	----	283.40 - 23.60	.8778	----	----	----	----	9 UNCH
4415	----	----	----	----	----	398.10 UNCH	----	----	----	----	----	0 UNCH
4415	----	----	31.80B/----	31.80B/11.20A	----	18.80 + 9.70	.1219	----	----	----	----	4 UNCH
4420	62.10	62.10	63.20B/62.10	63.20B/27.40A	----	45.30 NEW	.2072	----	----	5	----	5 + 5
4420	----	----	----/213.80A	401.40B/213.80A	----	278.90 - 23.30	.8744	----	----	----	----	5 UNCH
4420	----	----	----	----	----	393.10 UNCH	----	----	----	----	----	0 UNCH
4425	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4425	----	----	33.90B/----	33.90B/11.70A	----	19.90 + 10.40	.1293	----	----	2	----	4 + 1
4430	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4435	60.00	60.00	66.90B/60.00	66.90B/28.90A	----	48.10 + 24.40	.2190	----	----	1	----	2 - 1
4435	----	----	----	----	----	378.10 UNCH	----	----	----	----	----	0 UNCH
4440	----	----	68.20B/----	68.20B/29.30A	----	49.00 + 24.70	.2229	----	----	----	----	1 UNCH
4440	----	----	----	----	----	373.10 UNCH	----	----	----	----	----	0 UNCH
4450	21.30	21.30	39.60B/21.30	39.60B/13.00A	----	22.70 + 11.90	.1488	----	----	2	----	7 + 2
4450	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4450	----	----	----	----	----	363.10 UNCH	----	----	----	----	----	0 UNCH
4455	----	----	----	----	----	358.10 UNCH	----	----	----	----	----	0 UNCH
4455	----	----	39.90B/----	39.90B/13.20A	----	23.40 + 12.30	.1533	----	----	----	----	1 UNCH
4455	63.50	63.50	72.10B/63.50	72.10B/31.70A	----	52.00 NEW	.2354	----	----	16	----	16 + 16
4465	----	----	----/239.00A	379.00B/239.00A	----	287.90 - 00.90	.7242	----	----	----	----	5 UNCH
4470	----	----	----	----	----	343.10 UNCH	----	----	----	----	----	0 UNCH
4475	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4475	----	----	----	----	----	338.10 UNCH	----	----	----	----	----	0 UNCH
4475	----	----	46.40B/----	46.40B/14.40A	----	26.00 + 13.70	.1713	----	----	1	----	3 + 1
4480	----	----	----	----	----	333.10 UNCH	----	----	----	----	----	0 UNCH
4480	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4485	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4490	----	----	----	----	----	323.10 UNCH	----	----	----	----	----	0 UNCH
4490	61.10	61.10	82.30B/61.10	82.30B/35.70A	----	59.70 NEW	.2666	----	----	21	----	21 + 21
4495	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4495	----	----	----	----	----	318.10 UNCH	----	----	----	----	----	0 UNCH
4500	----	----	----/156.70A	325.40B/156.70A	----	209.50 - 17.40	.8025	----	----	2	----	2 UNCH
4500	----	----	----	----	----	313.10 UNCH	----	----	----	----	----	0 UNCH
4500	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4500	----	----	85.40B/----	85.40B/37.20A	----	62.10 + 30.50	.2762	----	----	4	----	5 + 4
4500	----	----	----/194.30A	333.70B/194.30A	----	241.50 - 02.80	.7234	----	----	----	----	2 UNCH
4500	29.00	29.00	54.10B/29.00	54.10B/16.20A	----	29.90 + 15.90	.1972	----	----	2	----	6 UNCH
4505	----	----	87.10B/----	87.10B/37.90A	----	63.30 + 31.00	.2810	----	----	----	----	1 UNCH
4505	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4505	----	----	----	----	----	308.10 UNCH	----	----	----	----	----	0 UNCH
4510	28.00	28.00	57.30B/28.00	57.30B/17.00A	----	31.60 NEW	.2085	----	----	18	----	18 + 18
4510	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4515	----	----	90.30B/----	90.30B/39.50A	----	65.80 NEW	.2908	----	----	16	----	16 + 16
4515	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4520	----	----	----	----	----	293.10 UNCH	----	----	----	----	----	0 UNCH
4525	46.80	46.80	61.40B/28.80	61.40B/18.80A	----	34.40 + 18.40	.2266	----	----	32	----	112 + 6
4525	----	----	----	----	----	288.10 UNCH	----	----	----	----	----	0 UNCH
4525	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4525	----	----	----/138.60A	302.50B/138.60A	----	189.00 - 14.90	.7731	----	----	----	----	50 UNCH
4530	----	----	----/134.90A	297.90B/134.90A	----	185.00 - 14.40	.7667	----	----	2	----	2 UNCH
4530	----	----	----/174.60A	307.80B/174.60A	----	219.30 - 99.50	.6934	----	----	----	----	1 UNCH
4530	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4535	----	----	65.10B/----	65.10B/19.50A	----	36.40 NEW	.2395	----	----	20	----	20 + 20
4540	----	----	67.00B/----	67.00B/19.60A	----	37.40 + 20.00	.2460	----	----	----	----	10 UNCH
4540	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4540	----	----	----	----	----	273.10 UNCH	----	----	----	----	----	0 UNCH
4545	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4545	----	----	----	----	----	268.10 UNCH	----	----	----	----	----	0 UNCH
4550	----	----	----/186.10A	309.90B/186.10A	----	227.80 - 91.80	.6490	----	----	----	----	1 UNCH
4550	----	----	71.40B/----	71.40B/20.80A	----	39.60 + 21.20	.2598	----	----	30	----	310 + 13

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 38

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED APR26		GOLD WEEKLY WEDNESDAY OPTION WEEK3										
4550	----	----	104.80B/----	104.80B/45.20A	----	75.40 + 36.00	.3274	----	----	----	----	1 UNCH
4550	----	----	----	----	----	263.10 UNCH	----	----	----	----	----	0 UNCH
4550	----	----	----/122.90A	280.00B/122.90A	----	169.20 - 12.10	.7400	----	----	----	----	150 UNCH
4550	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4555	----	----	----	----	----	258.10 UNCH	----	----	----	----	----	0 UNCH
4555	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4560	----	----	----	----	----	253.10 UNCH	----	----	----	----	----	0 UNCH
4560	----	----	75.40B/----	75.40B/21.10A	----	41.90 NEW	.2741	----	----	21	----	20 + 20
4560	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4565	----	----	110.00B/----	110.00B/47.50A	----	79.90 + 37.80	.3440	----	----	----	----	1 UNCH
4565	42.00	42.00	77.40B/42.00	77.40B/22.50A	----	43.10 + 23.10	.2815	----	----	1	----	6 + 1
4565	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4570	----	----	----	----	----	243.10 UNCH	----	----	----	----	----	0 UNCH
4570	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4570	----	----	----/111.10A	261.80B/111.10A	----	154.00 - 09.50	.7107	----	----	----	----	2 UNCH
4575	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4575	----	----	81.80B/----	81.80B/22.80A	----	45.60 NEW	.2968	----	----	1	----	1 + 1
4575	----	----	----	----	----	238.10 UNCH	----	----	----	----	----	0 UNCH
4580	----	----	83.80B/----	83.80B/24.70A	----	46.90 + 25.10	.3047	----	----	27	----	29 + 27
4580	----	----	----	----	----	233.10 UNCH	----	----	----	----	----	0 UNCH
4580	----	----	----/105.80A	252.80B/105.80A	----	146.60 - 08.20	.6951	----	----	----	----	2 UNCH
4585	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4590	----	----	----	----	----	223.10 UNCH	----	----	----	----	----	0 UNCH
4590	----	----	88.40B/----	88.40B/25.50A	----	49.70 + 26.60	.3211	----	----	----	----	1 UNCH
4595	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4595	----	----	----	----	----	218.10 UNCH	----	----	----	----	----	0 UNCH
4600	81.30	81.30	123.40B/81.30	123.40B/54.10A	----	91.50 NEW	.3849	----	----	1	----	1 + 1
4600	----	----	----/129.40A	253.20B/129.40A	----	171.10 - 90.80	.6147	----	----	----	----	1 UNCH
4600	----	----	----	----	----	213.10 UNCH	----	----	----	----	----	0 UNCH
4600	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4600	----	----	----/93.10A	233.60B/93.10A	----	132.20 - 05.30	.6618	----	----	----	----	1 UNCH
4600	75.00	75.00	93.20B/49.60	93.20B/25.90A	----	52.60 + 28.10	.3379	----	----	6	----	10 + 5
4605	----	----	----/130.50A	247.00B/130.50A	----	167.90 - 90.10	.6086	----	----	----	----	1 UNCH
4605	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4605	----	----	----	----	----	208.10 UNCH	----	----	----	----	----	0 UNCH
4610	----	----	----	----	----	203.10 UNCH	----	----	----	----	----	0 UNCH
4610	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4615	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4615	----	----	----	----	----	198.10 UNCH	----	----	----	----	----	0 UNCH
4620	86.50	86.50	86.60/85.70A	216.20B/85.70A	----	118.60 NEW	.6263	----	----	42	----	42 + 42
4620	----	----	103.70B/----	103.70B/29.00A	----	58.90 + 31.40	.3735	----	----	----	----	2 UNCH
4620	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4620	----	----	----	----	----	193.10 UNCH	----	----	----	----	----	0 UNCH
4620	146.80	146.80	146.80/122.80A	236.90B/122.80A	----	158.40 NEW	.5901	----	----	1	----	1 + 1
4625	----	----	----/81.50A	212.00B/81.50A	----	115.20 - 01.20	.6170	----	----	----	----	1 UNCH
4625	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4625	----	----	----	----	----	188.10 UNCH	----	----	----	----	----	0 UNCH
4630	----	----	----	----	----	183.10 UNCH	----	----	----	----	----	0 UNCH
4630	----	----	109.00B/----	109.00B/32.60A	----	62.30 + 33.10	.3921	----	----	----	----	80 UNCH
4630	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4635	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4635	----	----	----/78.30A	203.40B/78.30A	----	108.80 - 99.30	.5981	----	----	----	----	5 UNCH
4635	----	----	----	----	----	178.10 UNCH	----	----	----	----	----	0 UNCH
4640	----	----	----	----	----	173.10 UNCH	----	----	----	----	----	0 UNCH
4640	----	----	----/76.00A	199.10B/76.00A	----	105.60 - 98.40	.5885	----	----	----	----	2 UNCH
4640	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4640	----	----	111.90B/----	111.90B/33.70A	----	65.90 NEW	.4113	----	----	1	----	1 + 1
4645	73.10	73.10	73.10/73.10	195.10B/73.10	----	102.50 NEW	.5787	----	----	2	----	2 + 2
4645	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4645	----	----	----	----	----	168.10 UNCH	----	----	----	----	----	0 UNCH
4650	----	----	----	----	----	163.10 UNCH	----	----	----	----	----	0 UNCH
4650	----	----	----/70.80A	190.90B/70.80A	----	99.40 - 96.50	.5688	----	----	----	----	16 UNCH
4650	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4650	----	----	----/105.50A	212.90B/105.50A	----	140.30 - 83.50	.5518	----	----	----	----	1 UNCH
4655	----	----	----	----	----	158.10 UNCH	----	----	----	----	----	0 UNCH
4655	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4655	----	----	----/68.70A	186.80B/68.70A	----	96.40 NEW	.5588	----	----	2	----	1 + 1
4660	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4660	----	----	----	----	----	153.10 UNCH	----	----	----	----	----	0 UNCH
4660	----	----	----/66.50A	179.70B/66.50A	----	93.40 NEW	.5487	----	----	2	----	1 + 1
4660	89.90	89.90	123.70B/89.90	123.70B/37.80A	----	73.80 NEW	.4511	----	----	18	----	18 + 18
4665	128.60	128.60	155.30B/128.60	155.30B/70.30A	----	117.00 NEW	.4675	----	----	21	----	21 + 21
4665	----	----	126.70B/----	126.70B/39.10A	----	75.80 + 39.80	.4613	----	----	----	----	6 UNCH
4665	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4665	113.40	113.40	113.40/101.80A	202.30B/101.80A	----	131.70 NEW	.5321	----	----	11	----	11 + 11
4665	----	----	----	----	----	148.10 UNCH	----	----	----	----	----	0 UNCH
4670	----	----	----/62.20A	170.40B/62.20A	----	87.70 NEW	.5282	----	----	56	----	56 + 56
4670	----	----	----	----	----	143.10 UNCH	----	----	----	----	----	0 UNCH
4670	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4670	----	----	157.70B/----	157.70B/71.30A	----	119.20 + 52.80	.4741	----	----	----	----	1 UNCH
4670	----	----	129.90B/----	129.90B/39.10A	----	78.00 + 40.90	.4716	----	----	1	----	12 + 1
4675	----	----	132.80B/----	132.80B/41.40A	----	80.20 + 42.00	.4819	----	----	----	----	101 UNCH
4675	88.70	88.70	88.70/60.30A	167.00B/60.30A	----	84.90 - 91.40	.5178	----	----	9	----	25 + 9
4675	----	----	----	----	----	138.10 UNCH	----	----	----	----	----	0 UNCH
4675	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4680	----	----	----/58.20A	162.50B/58.20A	----	82.10 NEW	.5074	----	----	4	----	4 + 4
4680	----	----	----	----	----	133.10 UNCH	----	----	----	----	----	0 UNCH
4680	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4685	----	----	----	----	----	128.10 UNCH	----	----	----	----	----	0 UNCH
4685	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4690	----	----	----	----	----	123.10 UNCH	----	----	----	----	----	0 UNCH
4690	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4695	----	----	146.00B/----	146.00B/43.80A	----	89.50 NEW	.5240	----	----	75	----	75 + 75
4695	----	----	171.60B/----	171.60B/80.10A	----	130.80 + 57.00	.5077	----	----	----	----	1 UNCH
4695	----	----	----/52.20A	150.90B/52.20A	----	74.20 NEW	.4757	----	----	75	----	75 + 75
4695	----	----	----	----	----	118.10 UNCH	----	----	----	----	----	0 UNCH
4695	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4700	90.00	90.00	149.40B/90.00	149.40B/46.90A	----	91.90 + 47.50	.5347	----	----	3	----	5 + 2
4700	90.00	90.00	90.00/50.40A	148.20B/50.40A	----	71.60 - 85.80	.4651	----	----	1	----	3 UNCH
4700	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4700	----	----	----	----	----	113.10 UNCH	----	----	----	----	----	0 UNCH
4700	126.70	126.70	126.70/87.60A	177.50B/87.60A	----	112.90 - 75.40	.4851	----	----	4	----	5 + 3
4700	----	----	174.50B/----	174.50B/81.00A	----	133.20 NEW	.5145	----	----	2	----	2 + 2
4705	----	----	----/85.50A	174.10B/85.50A	----	110.40 - 74.50	.4783	----	----	----	----	1 UNCH
4705	----	----	----	----	----	108.10 UNCH	----	----	----	----	----	0 UNCH
4705	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4710	----	----	----	----	----	103.10 UNCH	----	----	----	----	----	0 UNCH
4710	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4710	----	----	----/46.70A	139.10B/46.70A	----	66.70 NEW	.4437	----	----	15	----	15 + 15
4710	98.10	98.10	98.10/83.70A	170.80B/83.70A	----	107.90 NEW	.4715	----	----	5	----	5 + 5
4715	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4715	66.50	66.50	71.20/45.20A	135.10B/45.20A	----	64.40 - 82.10	.4331	----	----	2	----	51 + 1
4715	----	----	----	----	----	98.10 UNCH	----	----	----	----	----	0 UNCH
4720	----	----	----	----	----	93.10 UNCH	----	----	----	----	----	0 UNCH
4720	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4725	----	----	----/78.10A	161.20B/78.10A	----	100.60 - 71.00	.4511	----	----	----	----	1 UNCH
4725	----	----	----	----	----	88.10 UNCH	----	----	----	----	----	0 UNCH
4725	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4725	97.40	97.40	168.00B/97.40	168.00B/53.20A	----	105.10 NEW	.5880	----	----	8	----	8 + 8
4730	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4730	47.00	47.00	47.00/40.30A	124.90B/40.30A	----	57.60 - 78.40	.4011	----	----	1	----	5 + 1
4730	----	----	----	----	----	83.10 UNCH	----	----	----	----	----	0 UNCH
4735	----	----	213.30B/----	213.30B/118.20A	----	178.70 + 67.00	.5444	----	----	----	----	1 UNCH
4735	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4735	----	----	----/38.70A	120.80B/38.70A	----	55.50 - 77.10	.3906	----	----	----	----	4 UNCH
4735	----	----	----	----	----	78.10 UNCH	----	----	----	----	----	0 UNCH
4740	----	----	----	----	----	73.10 UNCH	----	----	----	----	----	0 UNCH
4740	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4745	----	----	----	----	----	68.10 UNCH	----	----	----	----	----	0 UNCH
4745	----	----	----/35.80A	115.80B/35.80A	----	51.40 - 74.50	.3696	----	----	----	----	1 UNCH
4745	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4750	109.00	109.00	187.30B/109.00	187.30B/62.50A	----	119.60 + 60.10	.6407	----	----	1	----	4 + 1
4750	54.30	54.30	60.00/34.40A	112.50B/34.40A	----	49.40 - 73.20	.3591	----	----	28	----	29 + 26
4750	----	----	----	----	----	63.10 UNCH	----	----	----	----	----	0 UNCH
4750	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4750	----	----	----/92.90A	171.20B/92.90A	----	116.70 - 63.90	.4386	----	----	----	----	1 UNCH
4750	----	----	----/69.90A	146.00B/69.90A	----	89.20 - 66.50	.4170	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 39

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GWW WED APR26		GOLD WEEKLY WEDNESDAY OPTION WEEK1												
4755	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4755	----	----	----	----	----	58.10	UNCH	----	----	----	----	----	0	UNCH
4755	----	----	----/33.50A	108.20B/33.50A	----	47.50	- 71.80	.3488	----	----	----	----	1	UNCH
4760	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4760	30.60	30.60	30.60/*30.60	105.30B/*30.60	----	45.60	NEW	.3385	----	----	1	----	1 +	1
4760	----	----	----/66.80A	140.60B/66.80A	----	84.90	- 64.70	.4034	----	----	1	----	33 +	1
4760	----	----	----	----	----	53.10	UNCH	----	----	----	----	----	0	UNCH
4765	----	----	----/88.10A	162.70B/88.10A	----	110.20	- 61.60	.4223	----	----	----	----	3	UNCH
4765	----	----	----	----	----	48.10	UNCH	----	----	----	----	----	0	UNCH
4765	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4770	----	----	203.10B/----	203.10B/69.40A	----	132.30	+ 65.50	.6813	----	----	2	----	2	UNCH
4770	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4770	----	----	----	----	----	43.10	UNCH	----	----	----	----	----	0	UNCH
4770	----	----	----/63.70A	133.80B/63.70A	----	80.70	- 62.90	.3898	----	----	----	----	3	UNCH
4775	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4775	----	----	----/*28.60A	104.40B/*28.60A	----	40.40	- 66.40	.3085	----	----	----	----	1	UNCH
4775	----	----	----	----	----	38.10	UNCH	----	----	----	----	----	0	UNCH
4775	----	----	207.60B/----	207.60B/71.50A	----	135.60	+ 66.80	.6913	----	----	----	----	1	UNCH
4780	----	----	----/60.90A	128.20B/60.90A	----	76.70	NEW	.3764	----	----	1	----	1 +	1
4780	----	----	----	----	----	33.10	UNCH	----	----	----	----	----	0	UNCH
4780	----	----	----/27.40A	102.90B/27.40A	----	38.80	- 65.00	.2989	----	----	----	----	1	UNCH
4780	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4785	----	----	----	----	----	28.10	UNCH	----	----	----	----	----	0	UNCH
4785	----	----	102.50B/*26.30A	102.50B/*26.30A	----	37.20	- 63.70	.2892	----	----	----	----	5	UNCH
4785	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4790	----	----	99.50B/*25.40A	99.50B/*25.40A	----	35.70	- 62.30	.2798	----	----	----	----	1	UNCH
4790	----	----	----	----	----	23.10	UNCH	----	----	----	----	----	0	UNCH
4790	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4795	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4795	----	----	----	----	----	18.10	UNCH	----	----	----	----	----	0	UNCH
4800	30.00	30.00	93.40B/*23.20A	93.40B/*23.20A	----	32.80	- 59.50	.2614	----	----	23	----	28 +	23
4800	150.40	150.40	228.90B/150.40	228.90B/81.10A	----	153.00	+ 73.80	.7384	----	----	2	----	12 +	1
4800	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4800	----	----	----	----	----	13.10	UNCH	----	----	----	----	----	0	UNCH
4800	----	----	----/55.00A	120.80B/55.00A	----	69.10	- 57.30	.3499	----	----	----	----	5	UNCH
4805	----	----	----	----	----	8.10	UNCH	----	----	----	----	----	0	UNCH
4805	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4810	149.50	149.50	237.50B/149.50	237.50B/85.60A	----	160.30	NEW	.7561	----	----	2	----	1 +	1
4810	----	----	----	----	----	3.10	UNCH	----	----	----	----	----	0	UNCH
4810	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4810	----	----	87.40B/*21.20A	87.40B/*21.20A	----	30.10	- 56.80	.2436	----	----	4	----	5 +	4
4815	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4815	----	----	----	----	----	1.90	UNCH	----	----	----	----	----	0	UNCH
4815	----	----	84.40B/*20.40A	84.40B/*20.40A	----	28.80	- 55.40	.2350	----	----	----	----	10	UNCH
4820	----	----	246.30B/----	246.30B/90.10A	----	167.80	NEW	.7731	----	----	2	----	2 +	2
4820	45.00	45.00	81.70B/*19.50A	81.70B/*19.50A	----	27.60	- 54.00	.2267	----	----	1	----	26 +	1
4820	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4820	----	----	----	----	----	6.90	UNCH	----	----	----	----	----	0	UNCH
4820	49.90	49.90	49.90/49.50A	113.80B/49.50A	----	62.10	NEW	.3240	----	----	5	----	5 +	5
4825	40.00	40.00	40.00/*18.60A	79.00B/*18.60A	----	26.40	- 52.70	.2184	----	----	35	----	35 +	30
4825	----	----	250.70B/----	250.70B/92.40A	----	171.70	+ 80.70	.7814	----	----	----	----	1	UNCH
4825	----	----	----	----	----	11.90	UNCH	----	----	----	----	----	0	UNCH
4825	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4825	65.50	65.50	65.60/48.20A	111.90B/48.20A	----	60.40	NEW	.3176	----	----	12	----	12 +	12
4830	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4830	----	----	----	----	----	16.90	UNCH	----	----	----	----	----	0	UNCH
4835	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4840	----	----	72.00B/*16.60A	72.00B/*16.60A	----	23.20	NEW	.1953	----	----	20	----	20 +	20
4840	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4840	----	----	----	----	----	26.90	UNCH	----	----	----	----	----	0	UNCH
4845	----	----	----/*15.90A	69.50B/*15.90A	----	22.20	- 47.30	.1879	----	----	----	----	1	UNCH
4845	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4845	----	----	----/43.30A	100.70B/43.30A	----	54.00	- 49.20	.2925	----	----	----	----	4	UNCH
4845	88.80	88.80	#88.80/*65.10A	125.70B/*65.10A	----	80.60	NEW	.3387	----	----	18	----	18 +	18
4850	----	----	272.80B/----	272.80B/104.90A	----	191.50	+ 87.40	.8187	----	----	----	----	1	UNCH
4850	25.10	25.10	25.10/*15.20A	67.20B/*15.20A	----	21.30	- 45.90	.1810	----	----	9	----	197 +	6
4850	----	----	----	----	----	36.90	UNCH	----	----	----	----	----	0	UNCH
4850	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4850	46.00	46.00	46.90/40.00	99.20B/40.00	----	52.50	- 48.30	.2864	----	----	7	----	51 +	6
4855	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4855	----	----	----	----	----	41.90	UNCH	----	----	----	----	----	0	UNCH
4855	----	----	273.80B/----	273.80B/147.30A	----	226.20	+ 85.90	.7191	----	----	----	----	1	UNCH
4860	20.00	20.00	20.00/*14.20A	62.50B/*14.20A	----	19.50	- 43.30	.1674	----	----	10	----	10 +	10
4865	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4865	----	----	----/*13.60A	60.60B/*13.60A	----	18.60	NEW	.1606	----	----	20	----	20 +	20
4870	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4875	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4875	----	----	----/*12.60A	55.00B/*12.60A	----	17.10	- 39.50	.1486	----	----	2	----	4 +	2
4875	----	----	----/36.70A	87.40B/36.70A	----	45.50	- 43.90	.2568	----	----	----	----	1	UNCH
4880	----	----	----/*12.10A	54.00B/*12.10A	----	16.30	- 38.40	.1423	----	----	----	----	3	UNCH
4880	----	----	----	----	----	66.90	UNCH	----	----	----	----	----	0	UNCH
4880	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4885	----	----	----/*11.60A	51.50B/*11.60A	----	15.60	- 37.20	.1367	----	----	----	----	10	UNCH
4885	----	----	----/34.80A	82.20B/34.80A	----	42.90	NEW	.2454	----	----	10	----	10 +	10
4890	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4900	16.10	16.10	16.10/*10.20A	46.10B/*10.20A	----	13.70	- 33.70	.1210	----	----	27	----	53 +	21
4900	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4900	----	----	----	----	----	86.90	UNCH	----	----	----	----	----	0	UNCH
4900	----	----	----/32.00A	76.50B/32.00A	----	39.20	- 39.70	.2288	----	----	4	----	17 +	4
4900	----	----	320.30B/----	320.30B/146.00A	----	233.90	+ 99.70	.8788	----	----	----	----	2	UNCH
4905	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4905	----	----	----/*9.60A	43.80B/*9.60A	----	13.10	- 32.60	.1160	----	----	----	----	1	UNCH
4910	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4910	----	----	----	----	----	96.90	UNCH	----	----	----	----	----	0	UNCH
4910	----	----	----/*9.40A	43.20B/*9.40A	----	12.60	- 31.50	.1116	----	----	4	----	4	UNCH
4910	----	----	----/30.20A	71.00B/30.20A	----	36.90	NEW	.2181	----	----	10	----	10 +	10
4915	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4920	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4925	----	----	----/*8.50A	38.30B/*8.50A	----	11.10	- 28.30	.0987	----	----	----	----	51	UNCH
4925	----	----	344.00B/----	344.00B/158.20A	----	256.20	+ 05.00	.9011	----	----	----	----	1	UNCH
4925	----	----	----/27.80A	66.60B/27.80A	----	33.60	- 35.90	.2025	----	----	----	----	1	UNCH
4930	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4930	----	----	----/*8.10A	35.90B/*8.10A	----	10.60	- 27.40	.0944	----	----	----	----	1	UNCH
4935	10.90	10.90	10.90/*7.80A	34.60B/*7.80A	----	10.20	NEW	.0908	----	----	4	----	4 +	4
4940	10.60	10.60	10.60/*7.50A	33.00B/*7.50A	----	9.70	- 25.50	.0867	----	----	1	----	1	UNCH
4940	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4950	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4950	10.90	10.90	10.90/*7.00A	31.40B/*7.00A	----	8.90	- 23.70	.0796	----	----	2	----	4 +	2
4950	----	----	----	----	----	136.90	UNCH	----	----	----	----	----	0	UNCH
4955	----	----	372.70B/----	372.70B/180.30A	----	283.70	+ 10.50	.9230	----	----	----	----	1	UNCH
4955	----	----	----/*6.70A	28.90B/*6.70A	----	8.60	- 22.80	.0767	----	----	----	----	1	UNCH
4955	----	----	----/23.00A	55.80B/23.00A	----	27.90	- 31.40	.1739	----	----	----	----	1	UNCH
4965	----	----	----/*6.30A	26.50B/*6.30A	----	7.90	- 21.10	.0705	----	----	----	----	1	UNCH
4975	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4980	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4980	----	----	----/*5.60A	23.20B/*5.60A	----	7.00	NEW	.0623	----	----	1	----	1 +	1
4990	----	----	----/*5.40A	21.20B/*5.40A	----	6.40	- 17.50	.0570	----	----	89	----	514 -	88
4990	----	----	406.40B/----	406.40B/207.90A	----	316.60	+ 15.90	.9428	----	----	----	----	1	UNCH
4995	----	----	----/*5.00A	20.00B/*5.00A	----	6.20	- 16.70	.0550	----	----	89	----	513 -	88
4995	49.20	49.20	#49.20/*49.20	#61.40B/*36.00A	----	42.80	NEW	.2071	----	----	14	----	14 +	14
5000	303.70	303.70	415.90B/303.70	415.90B/215.60A	----	326.10	+ 17.30	.9474	----	----	1	----	2 +	1
5000	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
5000	----	----	----	----	----	186.90	UNCH	----	----	----	----	----	0	UNCH
5000	----	----	----/*18.50A	42.50B/*18.50A	----	21.40	- 24.90	.1384	----	----	----	----	8	UNCH
5000	----	----	----/*33.90A	64.70B/*33.90A	----	41.80	- 31.20	.2032	----	----	----	----	1	UNCH
5000	----	----	----/*4.90A	20.40B/*4.90A	----	5.90	- 16.20	.0524	----	----	1	----	106	UNCH
5005	----	----	420.80B/----	420.80B/219.60A	----	330.80	NEW	.9493	----	----	1	----	1 +	1
5010	----	----	425.70B/----	425.70B/223.60A	----	335.60	+ 18.40	.9512	----	----	----	----	1	UNCH
5010	42.30	42.30	42.30/*17.60A	42.30/*17.60A	----	20.30	NEW	.1319	----	----	8	----	4 +	4
5015	----	----	----/*4.50A	17.20B/*4.50A	----	5.20	- 14.40	.0460	----	----	1	----	1	UNCH
5015	----	----	----/*17.10A	37.80B/*17.10A	----	19.70	- 22.90	.1285	----	----	----	----	1	UNCH
5025	----	----	----/*4.30A	15.20B/*4.30A	----	4.90	- 13.20	.0430	----	----	----	----	1	UNCH
5025	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
5025	----	----	----	----	----	211.90	UNCH	----	----	----	----	----	0	UNCH
5025	----	----	----/*16.10A	36.40B/*16.10A	----	18.70	- 21.50	.1225	----	----	----	----	2	UNCH
5030	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
5030	----	----	----	----	----	216.90	UNCH	----	----	----	----	----	0	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWW WED APR26 — GOLD WEEKLY WEDNESDAY OPTION WEEK3

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
5040	15.80	15.80	15.80/*15.10A	31.80B/*15.10A	----	17.30 - 19.60	.1139	----	----	21	----	40 + 21
5045	----	----	----	----	----	231.90 UNCH	----	----	----	----	----	0 UNCH
5050	----	----	----/*3.70A	13.10B/*3.70A	----	4.00 - 10.90	.0348	----	----	----	----	9 UNCH
5050	----	----	----	----	----	236.90 UNCH	----	----	----	----	----	0 UNCH
5050	----	----	----/*14.40A	30.20B/*14.40A	----	16.40 - 18.40	.1084	----	----	----	----	5 UNCH
5060	----	----	----/*3.50A	11.40B/*3.50A	----	3.70 NEW	.0320	----	----	4	----	4 + 4
5065	----	----	----	----	----	251.90 UNCH	----	----	----	----	----	0 UNCH
5065	----	----	----/*3.40A	10.80B/*3.40A	----	3.60 - 9.60	.0310	----	----	----	----	1 UNCH
5070	----	----	----/*3.30A	10.50B/*3.30A	----	3.50 - 9.20	.0300	----	----	1	----	4 UNCH
5070	----	----	----	----	----	256.90 UNCH	----	----	----	----	----	0 UNCH
5075	----	----	----/*3.20A	9.40B/*3.20A	----	3.40 - 8.80	.0290	----	----	----	----	20 UNCH
5095	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
5100	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
5100	2.80	2.80	2.80/*2.80	7.50B/*2.80	----	2.90 - 7.20	.0243	----	----	1	----	1 UNCH
5100	----	----	----/*11.30A	21.40B/*11.30A	----	12.70 - 13.60	.0851	----	----	----	----	2 UNCH
5100	----	----	514.30B/----	514.30B/298.20A	----	423.00 + 26.10	.9755	----	----	----	----	30 UNCH
5120	----	----	----/*2.60A	6.40B/*2.60A	----	2.50 - 6.20	.0207	----	----	----	----	4 UNCH
5120	----	----	----	----	----	306.90 UNCH	----	----	----	----	----	0 UNCH
5155	2.30	2.30	2.30/*2.20A	4.80B/*2.20A	----	2.10 NEW	.0168	----	----	1	----	1 + 1
5175	----	----	----	----	----	361.90 UNCH	----	----	----	----	----	0 UNCH
5175	----	----	----/*7.80A	12.00B/*7.80A	----	8.50 - 8.90	.0581	----	----	----	----	1 UNCH
5185	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
5200	----	----	----/*1.90A	2.90B/*1.90A	----	1.70 - 3.30	.0130	----	----	----	----	2 UNCH
5200	----	----	----/*7.40A	10.00B/*7.40A	----	7.40 - 7.80	.0509	----	----	----	----	2 UNCH
5225	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
5225	----	----	----	----	----	411.90 UNCH	----	----	----	----	----	0 UNCH
5230	----	----	----/*1.80A	2.10B/*1.80A	----	1.50 - 2.60	.0111	----	----	----	----	1 UNCH
5245	----	----	----/*1.70A	1.80B/*1.70A	----	1.40 - 2.40	.0102	----	----	----	----	20 UNCH
5250	----	----	----/*1.60A	1.70B/*1.60A	----	1.40 - 2.30	.0102	----	----	----	----	5 UNCH
5285	----	----	----/*1.60A	1.00B/*1.60A	----	1.10 - 1.90	.0078	----	----	----	----	2 UNCH
5290	----	----	----/*1.60A	0.80B/*1.60A	----	1.10 - 1.80	.0077	----	----	----	----	1 UNCH
5300	----	----	----/*1.60A	0.70B/*1.60A	----	1.00 - 1.80	.0070	----	----	2	----	4 - 2
5305	----	----	----/*1.50A	0.60B/*1.50A	----	1.00 - 1.70	.0070	----	----	----	----	1 UNCH
5350	----	----	----/*1.30A	0.50B/*1.30A	----	0.80 - 1.30	.0053	----	----	----	----	1 UNCH
5500	----	----	----/*1.00A	----/*1.00A	----	0.40 - 0.70	.0023	----	----	----	----	2 UNCH
TOTAL										1179		3927 + 720

GWT TUE APR26 — GOLD WEEKLY TUESDAY OPTION Week1

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3300	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH
3500	----	----	----	0.80B/2.60A	----	1.80 + 0.90	.0068	----	----	----	----	1 UNCH
3800	1.40	1.40	1.40/1.40	1.40/1.40	----	0.90 + 0.50	.0034	----	----	5	----	7 + 5
3850	----	----	1.50B/----	1.50B/1.60A	----	1.20 + 0.70	.0048	----	----	----	----	2 UNCH
3900	1.80	1.80	2.00/*1.70A	2.00/1.70A	----	1.50 + 0.90	.0063	----	----	6	----	53 + 5
3950	1.50	1.50	2.20B/*1.50	2.20B/*1.50	----	1.70 + 0.80	.0075	----	----	1	----	1 - 1
4000	----	----	9.20B/----	9.20B/7.20A	----	7.50 + 3.70	.0355	----	----	----	----	2 UNCH
4000	2.50	2.50	3.00/2.10A	3.00/2.10A	----	1.90 + 0.60	.0089	----	----	15	----	11 + 10
4075	----	----	3.90B/----	3.90B/2.60A	----	2.60 + 0.70	.0132	----	----	----	----	1 UNCH
4100	14.10	14.10	15.90B/14.10	15.90B/9.90A	----	11.00 NEW	.0533	----	----	13	----	13 + 13
4100	3.00	3.00	4.40B/3.00	4.40B/2.80A	----	2.90 + 0.80	.0152	----	----	4	----	19 + 1
4125	----	----	4.90B/----	4.90B/3.20A	----	3.20 + 0.90	.0172	----	----	----	----	2 UNCH
4150	5.20	5.20	5.60B/3.40A	5.60B/3.40A	----	3.60 NEW	.0198	----	----	1	----	1 + 1
4175	5.00	5.00	6.40B/3.80A	6.40B/3.80A	----	4.00 + 1.30	.0227	----	----	1	----	5 + 1
4175	----	----	21.40B/----	21.40B/12.10A	----	14.60 + 7.10	.0719	----	----	----	----	48 UNCH
4200	3.70	3.70	7.20B/3.70	7.20B/3.70	----	4.50 + 1.60	.0262	----	----	2	----	2 UNCH
4200	----	----	23.80B/----	23.80B/12.50A	----	16.00 + 7.70	.0792	----	----	----	----	1 UNCH
4225	----	----	8.20B/----	8.20B/4.50A	----	5.00 + 1.80	.0299	----	----	----	----	5 UNCH
4230	----	----	8.60B/----	8.60B/4.60A	----	5.10 NEW	.0307	----	----	1	----	1 + 1
4240	----	----	9.00B/----	9.00B/4.80A	----	5.40 + 2.10	.0328	----	----	----	----	23 UNCH
4250	----	----	29.00B/----	29.00B/14.80A	----	19.50 + 9.40	.0971	----	----	----	----	61 UNCH
4250	----	----	45.60B/----	45.60B/21.40A	----	33.80 + 16.70	.1373	----	----	----	----	25 UNCH
4250	9.00	9.00	10.40/5.00A	10.40/5.00A	----	5.70 + 2.30	.0349	----	----	52	----	51 + 11
4280	----	----	11.00B/----	11.00B/5.80A	----	6.50 + 2.70	.0411	----	----	----	----	50 UNCH
4300	12.50	12.50	12.70B/5.50	12.70B/5.50	----	7.20 + 3.20	.0465	----	----	2	----	82 + 1
4300	----	----	35.80B/----	35.80B/15.20A	----	23.90 + 11.50	.1192	----	----	----	----	126 UNCH
4305	----	----	36.20B/----	36.20B/15.60A	----	24.40 + 11.80	.1217	----	----	----	----	5 UNCH
4310	----	----	13.40B/----	13.40B/6.40A	----	7.60 + 3.40	.0495	----	----	----	----	104 UNCH
4325	----	----	14.50B/----	14.50B/6.70A	----	8.20 + 3.80	.0542	----	----	1	----	28 + 1
4330	----	----	14.80B/----	14.80B/6.90A	----	8.40 + 3.90	.0558	----	----	----	----	50 UNCH
4340	8.00	8.00	15.80B/8.00	15.80B/7.00A	----	8.80 NEW	.0591	----	----	1	----	1 + 1
4350	----	----	16.70B/----	16.70B/7.30A	----	9.30 + 4.40	.0630	----	----	1	----	7 + 1
4360	----	----	17.70B/----	17.70B/7.50A	----	9.80 + 4.70	.0670	----	----	----	----	6 UNCH
4360	----	----	64.70B/----	64.70B/32.40A	----	49.80 + 24.10	.1970	----	----	----	----	2 UNCH
4365	----	----	18.30B/----	18.30B/7.70A	----	10.10 + 4.90	.0693	----	----	----	----	5 UNCH
4375	----	----	19.70B/----	19.70B/8.00A	----	10.70 NEW	.0740	----	----	----	200	200 + 200
4380	----	----	20.30B/----	20.30B/8.10A	----	11.00 + 5.50	.0763	----	----	----	----	1 UNCH
4385	11.10	11.10	21.40B/11.10	21.40B/8.30A	----	11.30 NEW	.0788	----	----	1	----	1 + 1
4390	----	----	21.80B/----	21.80B/8.40A	----	11.60 + 5.80	.0812	----	----	----	----	2 UNCH
4400	----	----	#427.20B/230.00	427.20B/230.00A	----	291.80 - 27.20	.9130	----	----	----	----	3 UNCH
4400	----	----	----/260.90A	419.70B/260.90A	----	315.70 - 15.50	.8207	----	----	----	----	1 UNCH
4400	10.50	10.50	23.90B/10.50	23.90B/8.70A	----	12.30 + 6.20	.0868	----	----	13	----	96 + 6
4400	25.00	25.00	53.70B/25.00	53.70B/23.00A	----	36.20 + 17.70	.1789	----	----	3	----	19 UNCH
4405	18.90	18.90	24.20B/18.90	24.20B/8.90A	----	12.60 + 6.40	.0893	----	----	20	----	20 UNCH
4410	25.30	25.30	25.30/25.30	25.30/9.00A	----	13.00 + 6.60	.0924	----	----	1	----	4 - 1
4410	----	----	#417.30B/222.00	#417.30B/222.00A	----	282.60 - 26.70	.9074	----	----	----	----	9 UNCH
4415	----	----	#412.50B/218.10	#412.50B/218.10A	----	278.00 - 26.40	.9042	----	----	----	----	14 UNCH
4420	20.00	20.00	26.80B/20.00	26.80B/9.50A	----	13.80 + 7.10	.0988	----	----	10	----	10 - 10
4440	----	----	31.40B/----	31.40B/10.30A	----	15.50 + 8.10	.1124	----	----	----	----	8 UNCH
4445	----	----	32.50B/----	32.50B/10.40A	----	15.90 + 8.30	.1159	----	----	----	----	1 UNCH
4450	19.00	19.00	33.00B/19.00	33.00B/10.20A	----	16.40 + 8.60	.1198	----	----	115	----	108 + 97
4450	62.00	62.00	65.50B/62.00	65.50B/28.30A	----	44.80 + 21.90	.2183	----	----	2	----	8 UNCH
4460	27.00	27.00	35.90B/27.00	35.90B/10.80A	----	17.40 NEW	.1279	----	----	2	----	2 + 2
4470	----	----	38.40B/----	38.40B/11.20A	----	18.50 + 9.80	.1367	----	----	----	----	5 UNCH
4475	----	----	----/234.30A	#372.50B/234.30A	----	278.60 - 98.70	.7186	----	----	----	----	5 UNCH
4475	47.00	47.00	72.20B/47.00	72.20B/30.00A	----	49.90 NEW	.2408	----	----	2	----	2 + 2
4475	----	----	39.60B/----	39.60B/11.40A	----	19.10 + 10.10	.1414	----	----	----	----	1 UNCH
4475	236.00	236.00	#355.00B/172.00	#355.00B/172.00A	----	223.70 - 23.20	.8584	----	----	4	----	1 - 3
4480	----	----	40.90B/----	40.90B/11.70A	----	19.70 + 10.50	.1461	----	----	----	----	0 UNCH
4485	24.40	24.40	42.10B/24.40	42.10B/12.00A	----	20.40 + 10.90	.1514	----	----	29	----	29 + 29
4485	----	----	75.20B/----	75.20B/31.60A	----	52.10 + 25.50	.2503	----	----	----	----	10 UNCH
4490	----	----	43.60B/----	43.60B/12.30A	----	21.00 NEW	.1563	----	----	50	----	50 + 50
4495	----	----	44.90B/----	44.90B/12.60A	----	21.70 + 11.70	.1616	----	----	----	----	3 UNCH
4495	----	----	#335.80B/157.20	#335.80B/157.20A	----	206.30 - 21.70	.8382	----	----	----	----	14 UNCH
4500	36.40	36.40	46.50B/36.40	46.50B/12.90A	----	22.40 + 12.10	.1671	----	----	13	----	16 + 2
4500	50.00	50.00	80.70B/50.00	80.70B/33.30A	----	55.50 + 27.10	.2649	----	----	6	----	150 + 6
4500	----	----	#331.00B/153.90	331.00B/153.90A	----	202.00 - 21.30	.8327	----	----	----	----	19 UNCH
4500	----	----	----/188.90A	330.00B/188.90A	----	235.00 - 06.20	.7347	----	----	----	----	1 UNCH
4510	----	----	49.40B/----	49.40B/13.50A	----	23.80 NEW	.1782	----	----	28	----	28 + 28
4515	38.40	38.40	51.00B/38.40	51.00B/13.90A	----	24.60 NEW	.1843	----	----	6	----	6 + 6
4515	----	----	#317.10B/142.40	#317.10B/142.40A	----	189.20 - 20.00	.8155	----	----	----	----	11 UNCH
4520	20.00	20.00	52.60B/20.00	52.60B/14.30A	----	25.40 + 13.80	.1905	----	----	1	----	1 UNCH
4525	22.90	22.90	54.30B/22.80	54.30B/14.60A	----	26.20 + 14.20	.1967	----	----	30	117	133 + 127
4530	26.80	26.80	56.00B/26.80	56.00B/15.00A	----	27.10 + 14.70	.2034	----	----	1	----	2 + 1
4530	----	----	#303.00B/122.70	#303.00B/122.70A	----	176.70 - 18.60	.7964	----	----	----	----	6 UNCH
4535	----	----	57.70B/----	57.70B/15.30A	----	28.00 + 15.30	.2102	----	----	----	----	5 UNCH
4540	27.40	27.40	59.50B/27.40	59.50B/15.70A	----	28.90 + 15.80	.2171	----	----	10	----	18 + 5
4540	----	----	94.40B/----	94.40B/39.70A	----	65.80 + 31.80	.3074	----	----	----	----	5 UNCH
4540	----	----	119.60B/----	119.60B/58.50A	----	92.60 + 41.70	.3387	----	----	----	----	1 UNCH
4545	----	----	96.40B/----	96.40B/40.60A	----	67.20 + 32.50	.3131	----	----	----	----	1 UNCH
4545	----	----	#289.10B/114.30	#289.10B/114.30A	----	164.50 - 17.00	.7758	----	----	----	----	0 UNCH
4550	----	----	----/157.20A	287.40B/157.20A	----	198.20 - 00.10	.6808	----	----	----	----	2 UNCH
4550	----	----	125.30B/----	125.30B/59.70A	----	95.80 + 42.90	.3482	----	----	----	----	3 UNCH
4550	----	----	#284.40B/111.20	284.40B/111.20A	----	160.50 - 16.40	.7684	----	----	----	----	2 UNCH
4550	16.00	16.00	63.40B/16.00	63.40B/16.00	----	30.80 + 16.80	.2314	----	----	6	----	17 + 4
4550	64.00	64.00	100.30B/64.00	100.30B/40.60A	----	68.70 + 33.20	.3189	----	----	46	----	48 + 46
4555	----	----	#279.80B/108.30	#279.80B/108.30A	----	156.50 - 15.90	.7605	----	----	----	----	5 UNCH
4560	----	----	67.20B/----	67.20B/17.50A	----	32.90 + 18.00	.2468	----	----	2	----	2 + 1
4565	----	----	104.80B/----	104.80B/43.90A	----	73.20 + 35.20	.3364	----	----	----	----	1 UNCH
4570	----	----	#266.10B/99.50A	#266.10B/99.50A	----	144.80 - 14.00	.7368	----	----	----	----	15 UNCH
4570	85.50	85.50	107.20B/85.50	107.20B/44.50A	----	74.70 NEW	.3423	----	----	6	----	6 + 6
4575	----	----	73.50B/----	73.50B/18.90A	----	36.30 + 19.90	.2715	----	----	24	80	105 + 104
4575	71.10	71.10	111.20B/71.10	111.20B/45.00A	----	76.30 + 36.50	.3484	----	----	2	----	18 + 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWT TUE		GOLD WEEKLY TUESDAY OPTION Week1										
APR26												
4575	----	----	#261.50B/96.70A	261.50B/96.70A	----	141.00 - 13.30	.7283	----	----	3	----	3 + 2
4580	----	----	75.70B/----	75.70B/19.50A	----	37.50 NEW	.2801	----	----	3	----	3 + 3
4585	----	----	78.00B/----	78.00B/20.20A	----	38.80 + 21.40	.2890	----	----	----	----	2 UNCH
4590	75.80	75.80	113.30B/75.80	113.30B/48.50A	----	81.30 NEW	.3670	----	----	14	----	14 + 14
4590	----	----	----/130.90A	254.60B/130.90A	----	170.90 - 94.60	.6326	----	----	----	----	1 UNCH
4590	94.10	94.10	#248.00B/88.80A	#248.00B/88.80A	----	129.80 NEW	.7017	----	----	2	----	1 + 1
4595	----	----	82.60B/----	82.60B/20.60A	----	41.40 + 22.80	.3073	----	----	----	----	2 UNCH
4600	----	----	#239.00B/84.10A	239.00B/84.10A	----	122.50 - 09.70	.6830	----	----	5	----	59 + 5
4600	----	----	----/125.00A	248.40B/125.00A	----	164.40 - 93.10	.6199	----	----	----	----	1 UNCH
4600	95.00	95.00	117.50B/95.00	117.50B/49.40A	----	84.80 + 40.10	.3797	----	----	2	----	16 UNCH
4600	42.70	42.70	85.40B/33.50	85.40B/21.30A	----	42.80 + 23.60	.3168	----	----	27	----	133 + 14
4605	----	----	144.90B/----	144.90B/72.40A	----	115.10 + 49.80	.4034	----	----	----	----	1 UNCH
4605	----	----	#234.70B/81.20A	#234.70B/81.20A	----	118.90 - 09.00	.6731	----	----	1	----	2 + 1
4605	----	----	----/124.70A	243.10B/124.70A	----	161.20 - 92.40	.6136	----	----	----	----	8 UNCH
4610	----	----	----/149.70A	#265.30B/149.70A	----	186.60 - 82.70	.5908	----	----	----	----	1 UNCH
4610	37.60	37.60	90.30B/37.60	90.30B/23.00A	----	45.70 + 25.20	.3364	----	----	33	----	11 - 12
4610	----	----	122.00B/----	122.00B/52.80A	----	88.40 + 41.60	.3926	----	----	----	----	5 UNCH
4610	----	----	#230.30B/79.20A	#230.30B/79.20A	----	115.40 - 08.10	.6634	----	----	----	----	1 UNCH
4620	80.70	80.70	#220.40B/74.20A	#220.40B/74.20A	----	108.50 NEW	.6428	----	----	2	----	0 UNCH
4620	----	----	----/117.20A	231.00B/117.20A	----	151.70 - 90.20	.5939	----	----	----	----	9 UNCH
4625	----	----	#217.20B/71.70A	217.20B/71.70A	----	105.20 - 05.50	.6324	----	----	----	----	5 UNCH
4630	----	----	100.20B/----	100.20B/25.20A	----	52.20 + 28.80	.3781	----	----	----	----	1 UNCH
4635	54.70	54.70	99.50B/46.80	99.50B/27.30A	----	53.90 + 29.70	.3890	----	----	25	----	12 - 11
4635	----	----	----/110.00A	220.80B/110.00A	----	142.60 - 87.80	.5739	----	----	----	----	12 UNCH
4640	----	----	100.00B/----	100.00B/27.50A	----	55.70 + 30.70	.4000	----	----	----	----	2 UNCH
4640	----	----	#203.10B/64.20A	#203.10B/64.20A	----	95.40 - 02.60	.5998	----	----	----	----	11 UNCH
4645	167.60	167.60	167.60/132.90A	#239.90B/132.90A	----	165.80 - 78.00	.5533	----	----	1	----	0 - 1
4645	----	----	99.60B/----	99.60B/28.10A	----	57.50 + 31.60	.4112	----	----	----	----	1 UNCH
4650	58.90	58.90	101.60B/56.80	101.60B/29.30A	----	59.40 + 32.70	.4226	----	----	9	----	15 + 4
4650	63.30	63.30	#194.50B/59.60A	194.50B/59.60A	----	89.10 - 00.60	.5772	----	----	52	----	37 - 21
4650	96.80	96.80	141.50B/96.80	141.50B/61.50A	----	104.10 NEW	.4462	----	----	2	----	2 + 2
4660	----	----	#186.30B/55.10A	#186.30B/55.10A	----	83.10 - 98.50	.5540	----	----	----	----	54 UNCH
4660	----	----	107.10B/----	107.10B/31.30A	----	63.40 + 34.80	.4458	----	----	----	----	9 UNCH
4665	----	----	#182.00B/53.10A	#182.00B/53.10A	----	80.20 - 97.40	.5422	----	----	----	----	20 UNCH
4665	----	----	----/96.30A	197.50B/96.30A	----	125.30 - 82.90	.5325	----	----	----	----	27 UNCH
4670	127.40	127.40	127.40/94.30A	193.50B/94.30A	----	122.50 NEW	.5255	----	----	2	----	2 + 2
4670	----	----	#178.00B/51.00A	#178.00B/51.00A	----	77.30 - 96.30	.5303	----	----	----	----	1 UNCH
4670	----	----	114.30B/----	114.30B/32.80A	----	67.60 NEW	.4695	----	----	5	----	5 + 5
4675	----	----	#173.90B/49.00A	173.90B/49.00A	----	74.50 - 95.10	.5183	----	----	----	----	50 UNCH
4675	----	----	----/91.80A	190.30B/91.80A	----	119.80 - 81.20	.5185	----	----	----	----	17 UNCH
4680	----	----	----/89.90A	186.70B/89.90A	----	117.10 - 80.40	.5114	----	----	----	----	9 UNCH
4680	71.60	71.60	#169.90B/47.10A	#169.90B/47.10A	----	71.80 - 93.90	.5062	----	----	35	----	73 + 22
4680	61.00	61.00	120.40B/61.00	120.40B/35.00A	----	72.10 NEW	.4936	----	----	25	----	25 + 25
4690	----	----	----/113.50A	#208.30B/113.50A	----	141.10 - 71.70	.5034	----	----	----	----	3 UNCH
4695	68.00	68.00	#158.60B/41.80A	#158.60B/41.80A	----	63.90 NEW	.4695	----	----	1	----	1 + 1
4695	----	----	----/84.20A	175.80B/84.20A	----	109.20 - 77.80	.4901	----	----	----	----	6 UNCH
4700	41.00	41.00	154.70B/40.10A	154.70B/40.10A	----	61.40 - 88.90	.4571	----	----	142	----	75 + 22
4700	137.60	137.60	137.60/71.40	137.60/40.00A	----	81.70 + 44.40	.5427	----	----	23	----	36 + 15
4700	86.00	86.00	86.00/82.20A	172.40B/82.20A	----	106.70 - 76.80	.4829	----	----	1	----	16 - 6
4700	80.00	80.00	177.80B/80.00	177.80B/75.60A	----	126.90 + 56.30	.5167	----	----	1	----	4 + 1
4705	----	----	138.00B/----	138.00B/40.60A	----	84.30 + 45.80	.5550	----	----	1	----	9 + 1
4705	----	----	#150.80B/38.30A	#150.80B/38.30A	----	59.00 - 87.60	.4448	----	----	1	----	3 + 1
4710	61.30	61.30	#146.90B/36.90A	#146.90B/36.90A	----	56.60 NEW	.4324	----	----	4	----	2 + 2
4715	----	----	177.70B/----	177.70B/80.80A	----	134.50 + 59.10	.5383	----	----	----	----	12 UNCH
4720	----	----	#139.60B/33.90A	#139.60B/33.90A	----	52.10 NEW	.4078	----	----	62	----	62 + 62
4725	58.60	58.60	135.90B/*32.50A	135.90B/*32.50A	----	49.90 - 82.10	.3955	----	----	2	----	22 + 1
4730	----	----	----/71.70A	153.60B/71.70A	----	92.10 - 71.40	.4397	----	----	----	----	24 UNCH
4735	41.10	41.10	#128.70B/*29.80	128.70B/*29.80A	----	45.80 NEW	.3713	----	----	2	----	1 + 1
4740	34.10	34.10	125.10B/*28.50A	125.10B/*28.50A	----	43.80 - 77.80	.3592	----	----	17	----	3 + 1
4745	41.00	41.00	121.60B/*27.20A	121.60B/*27.20A	----	41.90 NEW	.3474	----	----	1	----	1 + 1
4750	52.50	52.50	118.10B/*25.90A	118.10B/*25.90A	----	40.00 - 74.90	.3354	----	----	5	----	5 + 1
4750	----	----	174.90B/----	174.90B/54.40A	----	110.30 + 58.50	.6643	----	----	2	----	2 + 1
4750	----	----	----/65.00A	140.30B/65.00A	----	83.20 - 67.60	.4110	----	----	----	----	3 UNCH
4755	37.40	37.40	114.60B/*24.80A	114.60B/*24.80A	----	38.20 - 73.40	.3238	----	----	2	----	7 + 2
4760	110.00	110.00	#110.00/*96.10	#187.10B/*96.10	----	130.80 NEW	.4398	----	----	2	----	0 UNCH
4760	35.70	35.70	109.70B/*23.80A	109.70B/*23.80A	----	36.50 - 71.90	.3124	----	----	1	----	2 + 1
4770	38.10	38.10	103.50B/*21.80A	103.50B/*21.80A	----	33.20 NEW	.2898	----	----	1	----	1 + 1
4775	27.60	27.60	100.30B/*20.70A	100.30B/*20.70A	----	31.70 - 67.30	.2790	----	----	44	----	41 + 40
4780	----	----	97.20B/*19.90A	97.20B/*19.90A	----	30.20 - 65.80	.2683	----	----	----	----	11 UNCH
4790	----	----	93.20B/*18.10A	93.20B/*18.10A	----	27.40 - 62.70	.2475	----	----	----	----	2 UNCH
4795	----	----	213.50B/----	213.50B/70.40A	----	141.40 + 72.30	.7623	----	----	----	----	50 UNCH
4800	50.00	50.00	87.50B/*16.40A	87.50B/*16.40A	----	24.90 - 59.50	.2280	----	----	39	----	31 + 14
4800	----	----	217.60B/----	217.60B/73.40A	----	145.10 + 73.80	.7718	----	----	----	----	50 UNCH
4800	90.00	90.00	90.00/49.90A	114.70B/49.90A	----	63.30 - 58.00	.3402	----	----	7	----	19 + 5
4805	28.60	28.60	84.60B/*15.80A	84.60B/*15.80A	----	23.70 NEW	.2185	----	----	25	----	25 + 25
4805	----	----	222.70B/----	222.70B/75.30A	----	148.90 + 75.30	.7813	----	----	----	----	1 UNCH
4810	----	----	227.00B/----	227.00B/77.00A	----	152.80 + 76.90	.7907	----	----	----	----	2 UNCH
4815	----	----	----/45.90A	110.70B/45.90A	----	58.10 - 55.00	.3198	----	----	----	----	13 UNCH
4815	----	----	79.00B/*14.40A	79.00B/*14.40A	----	21.40 - 54.90	.2001	----	----	----	----	6 UNCH
4815	----	----	232.90B/----	232.90B/79.70A	----	156.70 + 78.50	.7997	----	----	----	----	1 UNCH
4820	25.50	25.50	76.30B/*13.70A	76.30B/*13.70A	----	20.40 - 53.40	.1916	----	----	42	----	88 + 36
4825	----	----	241.80B/----	241.80B/83.80A	----	164.60 + 81.50	.8166	----	----	----	----	356 UNCH
4825	----	----	----/67.90A	#132.40B/67.90A	----	81.90 - 51.80	.3521	----	----	----	----	3 UNCH
4825	45.00	45.00	73.70B/*13.10A	73.70B/*13.10A	----	19.40 - 51.80	.1832	----	----	178	----	261 + 92
4830	20.20	20.20	71.30B/*12.70A	71.30B/*12.70A	----	18.40 - 50.40	.1749	----	----	1	----	103 + 1
4835	----	----	----/40.90A	100.50B/40.90A	----	51.70 - 51.10	.2933	----	----	----	----	1 UNCH
4835	17.10	17.10	68.60B/*12.20A	68.60B/*12.20A	----	17.50 - 48.90	.1671	----	----	110	----	130 + 55
4840	----	----	66.30B/*11.70A	66.30B/*11.70A	----	16.70 - 47.30	.1598	----	----	----	----	4 UNCH
4850	----	----	----/61.30A	#119.60B/61.30A	----	73.30 - 48.20	.3253	----	----	----	----	2 UNCH
4850	----	----	263.60B/----	263.60B/96.60A	----	185.30 + 88.90	.8542	----	----	----	----	1 UNCH
4850	12.00	12.00	61.60B/*10.70A	61.60B/*10.70A	----	15.10 - 44.40	.1456	----	----	20	----	46 - 1
4855	----	----	59.30B/*10.00A	59.30B/*10.00A	----	14.30 - 43.10	.1385	----	----	----	----	70 UNCH
4860	----	----	56.30B/*9.70A	56.30B/*9.70A	----	13.60 - 41.70	.1321	----	----	3	----	4 + 2
4860	52.60	52.60	52.60/35.40A	88.10B/35.40A	----	44.50 - 46.30	.2617	----	----	7	----	11 + 7
4865	----	----	54.70B/*9.20A	54.70B/*9.20A	----	13.00 - 40.20	.1263	----	----	----	----	1 UNCH
4875	----	----	49.90B/*8.50A	49.90B/*8.50A	----	11.80 - 37.50	.1150	----	----	4	----	4 UNCH
4880	----	----	48.10B/*8.20A	48.10B/*8.20A	----	11.20 - 36.20	.1094	----	----	----	----	3 UNCH
4880	----	----	----/31.60A	79.10B/31.60A	----	39.30 NEW	.2377	----	----	4	----	4 + 4
4890	----	----	44.60B/*7.60A	44.60B/*7.60A	----	10.20 - 33.60	.0996	----	----	----	----	3 UNCH
4895	----	----	42.50B/*7.20A	42.50B/*7.20A	----	9.70 - 32.40	.0948	----	----	----	----	3 UNCH
4900	22.50	22.50	40.80B/*7.00A	40.80B/*7.00A	----	9.20 - 31.30	.0900	----	----	103	----	467 + 3
4900	210.20	210.20	311.80B/210.20	311.80B/127.50A	----	229.40 + 02.10	.9098	----	----	1	----	17 + 1
4900	----	----	----/28.10A	71.00B/28.10A	----	34.80 NEW	.2155	----	----	5	----	5 + 5
4915	----	----	35.90B/*6.20A	35.90B/*6.20A	----	8.00 - 27.80	.0780	----	----	----	----	23 UNCH
4915	----	----	----/25.80A	64.70B/25.80A	----	31.70 - 36.40	.1997	----	----	----	----	20 UNCH
4925	----	----	----/*5.90A	32.70B/*5.90A	----	7.30 - 25.70	.0710	----	----	1	----	139 UNCH
4925	----	----	353.80B/----	353.80B/213.90A	----	296.70 + 95.40	.7484	----	----	----	----	1 UNCH
4935	----	----	----/*5.40A	29.70B/*5.40A	----	6.70 - 23.60	.0648	----	----	----	----	1 UNCH
4935	----	----	----/*22.30A	56.80B/*22.30A	----	28.00 - 33.10	.1801	----	----	----	----	1 UNCH
4940	----	----	----/*5.20A	27.80B/*5.20A	----	6.40 - 22.70	.0617	----	----	----	----	23 UNCH
4950	----	----	360.50B/161.00A	360.50B/161.00A	----	276.10 + 12.60	.9433	----	----	----	----	1 UNCH
4950	----	----	----/*4.80A	25.30B/*4.80A	----	5.90 NEW	.0565	----	----	1	----	1 + 1
4950	----	----	----/*20.60A	52.50B/*20.60A	----	25.50 - 30.80	.1664	----	----	----	----	16 UNCH
4955	14.30	14.30	14.30/*4.70	24.10B/*4.70	----	5.60 - 20.00	.0536	----	----	3	----	2 + 1
4960	4.10	4.10	4.10/*4.10	23.00B/*4.10	----	5.40 - 19.10	.0514	----	----	2	----	101 + 1
4965	4.40	4.40	4.40/*4.40	21.50B/*4.40	----	5.20 - 18.30	.0493	----	----	2	----	22 + 2
4970	----	----	----/*18.70A	45.20B/*18.70A	----	22.50 - 27.90	.1495	----	----	----	----	20 UNCH
4975	----	----	395.10B/----	395.10B/246.70A	----	335.20 + 01.70	.7926	----	----	----	----	1 UNCH
4975	3.90	3.90	3.90/*3.90	19.50B/*3.90	----	4.80 NEW	.0451	----	----	3	----	3 + 3
4975	----	----	----/*18.20A	45.40B/*18.20A	----	21.80 - 27.20	.1454	----	----	4	----	16 - 4
4980	3.80	3.80	3.80/*3.80	18.50B/*3.80	----	4.60 NEW	.0431	----	----	1	----	1 + 1
4980	----	----	----/*17.80A	42.20B/*17.80A	----	21.10 - 26.60	.1414	----	----	----	----	20 UNCH
4985	----	----	----/*3.70A	17.60B/*3.70A	----	4.40 - 15.40	.0411	----	----	----	----	1 UNCH
4985	----	----	----/*17.40A	40.60B/*17.40A	----	20.50 - 25.80	.1378	----	----	----	----	305 UNCH
4990	----	----	----/*16.90A	39.40B/*16.90A	----	19.80 - 25.30	.1338	----	----	----	----	5 UNCH
4995	----	----	----/*3.60A	15.80B/*3.60A	----	4.10 - 14.00	.0379	----	----	----	----	2 UNCH
4995	----	----	----/*16.20A	38.00B/*16.20A	----	19.20 - 24.60	.1302	----	----	----	----	11 UNCH
5000	305.30	305.30	408.90B/200.50A	408.90B/200.50A	----	324.10 + 19.90	.9639	----	----	1	----	8 + 1
5000	----	----	----/*3.40A	15.10B/*3.40A	----	3.90 - 13.50	.0360	----	----	2	----	70 + 1
5000	21.00	21.00	21.00/*15.90A	38.00B/*15.90A	----	18.60 - 24.00	.1266	----	----	6	----	30 + 4
5005	----	----	----/*3.40A	14.50B/*3.40A	----	3.80 - 12.80	.0348	----	----	----	----	6 UNCH
5010	----	----	418.90B/207.60A	418.90B/207.60A	----	333.80 + 21.10	.9669	----	----	1	----	1 UNCH
5025	----	----	----/*3.00A	12.30B/*3.00A	----	3.30 - 10.70	.0296	----	----	1	----	101 + 1
5035	----	----	----/*2.80A	10.60B/*2.80A	----	3.10 NEW	.0275	----	----	1	----	1 + 1
5050	----	----	----/*2.60A	8.80B/*2.60A	----	2.80 - 8.50	.0244	----	----	----	----	22 - 4
5065	----	----	473.40B/255.10A	473.40B/255.10A	----	387.70 + 25.90	.9784	----	----	----	----	1 UNCH
5080	----	----	----/*2.20A	6.20B/*2.20A	----	2.30 - 6.50	.0194	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 42

FINAL

GWT TUE — GOLD WEEKLY TUESDAY OPTION Week1

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
5085	----	----	494.20B/273.10A	494.20B/273.10A	----	407.40 + 27.10	.9807	----	----	----	----	1 UNCH
5090	----	----	497.80B/277.70A	497.80B/277.70A	----	412.30 + 27.40	.9816	----	----	----	----	21 UNCH
5100	2.00	2.00	2.00/*2.00	5.10B/*2.00	----	2.10 - 5.50	.0172	----	----	1	----	5 UNCH
5100	----	----	----/*9.70A	18.00B/*9.70A	----	10.20 NEW	.0727	----	----	5	----	5 + 5
5120	----	----	----/*1.90A	4.20B/*1.90A	----	1.90 - 4.60	.0152	----	----	----	----	2 UNCH
5120	----	----	528.30B/305.60A	528.30B/305.60A	----	442.00 + 28.70	.9847	----	----	----	----	35 UNCH
5140	----	----	548.30B/324.60A	548.30B/324.60A	----	461.90 + 29.50	.9866	----	----	----	----	1 UNCH
5150	1.40	1.40	1.40/*1.30	3.10B/*1.30	----	1.70 - 3.60	.0130	----	----	17	----	18 + 17
5160	----	----	----/*1.70A	2.80B/*1.70A	----	1.60 - 3.30	.0121	----	----	----	----	121 UNCH
5185	----	----	----/*1.70A	2.00B/*1.70A	----	1.50 - 2.70	.0109	----	----	----	----	40 UNCH
5190	----	----	----/*1.70A	1.90B/*1.70A	----	1.50 - 2.60	.0109	----	----	----	----	1 UNCH
5200	1.00	1.00	1.00/*1.00	1.60B/*1.00	----	1.40 NEW	.0100	----	----	5	----	5 + 5
5210	----	----	----/*1.50A	1.40B/*1.50A	----	1.40 - 2.20	.0099	----	----	----	----	1 UNCH
5225	1.30	1.30	1.30/*1.30	1.30/*1.30	----	1.30 NEW	.0090	----	----	150	----	150 + 150
5250	----	----	----/*1.40A	0.60B/*1.40A	----	1.20 - 1.70	.0081	----	----	----	----	7 UNCH
5260	----	----	----/*1.30A	0.40B/*1.30A	----	1.10 - 1.60	.0073	----	----	----	----	20 UNCH
5285	----	----	----/*1.20A	0.30B/*1.20A	----	1.00 - 1.40	.0065	----	----	----	----	2 UNCH
5300	----	----	----/*1.20A	0.30B/*1.20A	----	0.90 - 1.30	.0057	----	----	----	----	2 UNCH
5300	----	----	----/*4.70A	3.40B/*4.70A	----	3.40 - 4.40	.0246	----	----	----	----	12 - 6
5305	2.20	2.20	2.20/*0.90A	2.20/*0.90A	----	0.90 - 1.20	.0057	----	----	1	----	2 + 1
5335	----	----	----/*1.10A	0.20B/*1.10A	----	0.80 - 1.00	.0049	----	----	----	----	1 UNCH
5350	----	----	----/*1.00A	0.10B/*1.00A	----	0.70 - 1.00	.0042	----	----	----	----	2 UNCH
5400	----	----	----/*0.70A	----/*0.70A	----	0.50 - 0.70	.0029	----	----	----	----	2 UNCH
TOTAL										1859	397	6300 + 1396

GWR THU — GOLD WEEKLY THURSDAY OPTION Week1

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
3500	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 34
3500	----	----	----/1.00A	0.50B/1.00A	----	1.10 - 0.20	.0036	----	----	----	----	1 UNCH
3550	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
3600	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 24
3650	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 33
3700	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 14
3700	----	----	----	1.00B/2.20A	----	1.40 - 0.20	.0055	----	----	----	----	1 UNCH
3750	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	2	----	0 - 5
3800	0.10	0.10	0.10/0.10	0.10/0.10	----	0.00 - 0.10	----	----	----	1	----	0 - 7
3800	----	----	2.60B/----	2.60B/*2.30A	----	1.70 NEW	.0073	----	----	2	----	2 + 2
3850	0.10	0.10	0.10/0.10	0.10/0.10	----	0.00 - 0.10	----	----	----	1	----	0 - 28
3900	0.10	0.10	0.10/0.10	0.10/0.10	----	0.00 - 0.10	----	----	----	1	----	0 - 44
3900	----	----	3.70B/----	3.70B/2.80A	----	2.30 UNCH	.0107	----	----	1	----	2 + 1
3950	0.10	0.10	0.10/0.10	0.10/0.10	----	0.00 - 0.10	----	----	----	1	----	0 - 94
3950	----	----	4.50B/----	4.50B/3.40A	----	2.60 UNCH	.0127	----	----	----	----	1 UNCH
4000	4.00	4.00	5.50B/3.80A	5.50B/3.80A	----	3.20 + 0.20	.0161	----	----	2	----	3 UNCH
4000	0.10	0.10	0.10/0.10	0.10/0.10	----	0.00 - 0.20	----	----	----	2	----	0 - 396
4000	----	----	#821.70B/609.50	#821.70B/609.50A	----	679.70 - 33.50	----	----	----	----	----	0 - 1
4025	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 31
4050	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 55
4050	----	----	17.00B/----	17.00B/10.40A	----	12.60 + 6.40	.0558	----	----	----	----	2 UNCH
4075	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 19
4100	----	----	8.20B/----	8.20B/5.60A	----	5.20 + 1.50	.0276	----	----	----	----	1 UNCH
4100	----	----	20.60B/----	20.60B/11.90A	----	15.00 + 7.60	.0669	----	----	----	----	1 UNCH
4100	0.30	0.30	0.40/*0.10	0.40/*0.10	----	0.00 - 0.30	----	----	----	9	----	0 - 53
4125	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.30	----	----	----	1	----	0 - 6
4150	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 83
4150	----	----	10.50B/----	10.50B/6.60A	----	6.70 + 2.50	.0364	----	----	----	----	1 UNCH
4175	2.60	2.60	2.60/*0.10	2.60/*0.10	----	0.00 - 0.50	----	----	----	9	----	0 - 34
4200	1.00	1.00	1.00/*0.10	1.00/*0.10	----	0.00 - 0.60	----	----	----	11	----	0 - 252
4200	----	----	13.30B/----	13.30B/8.10A	----	8.50 + 3.70	.0472	----	----	----	----	101 UNCH
4215	0.50	0.50	2.80/*0.10A	2.80/*0.10A	----	0.00 - 0.60	----	----	----	9	----	0 - 5
4220	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 UNCH
4225	----	----	14.70B/----	14.70B/8.60A	----	9.70 + 4.50	.0543	----	----	----	----	5 UNCH
4225	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 4
4230	----	----	33.00B/----	33.00B/17.20A	----	24.20 + 12.50	.1086	----	----	----	----	3 UNCH
4235	----	----	34.00B/----	34.00B/16.60A	----	24.60 + 12.70	.1105	----	----	----	----	1 UNCH
4235	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 12
4240	----	----	----/*0.10A	0.20B/*0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 14
4245	----	----	----/*0.10A	0.20B/*0.10A	----	0.00 - 0.80	----	----	----	----	----	0 - 17
4250	9.70	9.70	16.90B/9.70	16.90B/9.70	----	10.90 + 5.30	.0617	----	----	50	----	51 + 50
4250	----	----	#572.00B/359.90	#572.00B/359.90A	----	429.70 - 34.20	----	----	----	----	----	0 - 1
4250	0.50	0.50	1.50/*0.10A	1.50/*0.10A	----	0.00 - 0.80	----	----	----	7	----	0 - 228
4250	----	----	35.60B/----	35.60B/16.60A	----	26.00 + 13.40	.1167	----	----	----	----	4 UNCH
4255	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 0.80	----	----	----	----	----	0 - 2
4260	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 0.90	----	----	----	----	----	0 - 2
4265	----	----	----/*0.10A	0.20B/*0.10A	----	0.00 - 0.90	----	----	----	----	----	0 - 10
4270	----	----	----/*0.10A	0.20B/*0.10A	----	0.00 - 0.90	----	----	----	----	----	0 - 1
4270	----	----	18.80B/----	18.80B/10.00A	----	12.10 + 6.10	.0689	----	----	----	----	9 UNCH
4275	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 1.00	----	----	----	----	----	0 - 20
4280	----	----	----/*0.10A	0.20B/*0.10A	----	0.00 - 1.00	----	----	----	----	----	0 - 8
4280	----	----	#542.10B/315.60	#542.10B/315.60A	----	399.70 - 34.30	----	----	----	----	----	0 - 1
4285	----	----	----/*0.10A	0.20B/*0.10A	----	0.00 - 1.00	----	----	----	----	----	0 - 13
4285	----	----	40.80B/----	40.80B/19.00A	----	29.70 + 15.30	.1329	----	----	----	----	1 UNCH
4290	----	----	----/*0.10A	0.40B/*0.10A	----	0.00 - 1.00	----	----	----	----	----	0 - 3
4295	----	----	----/*0.10A	0.20B/*0.10A	----	0.00 - 1.10	----	----	----	----	----	0 - 26
4300	----	----	43.40B/----	43.40B/19.60A	----	31.40 + 16.20	.1404	----	----	----	----	2 UNCH
4300	----	----	22.00B/----	22.00B/10.80A	----	14.00 + 7.30	.0805	----	----	16	----	28 + 16
4300	0.30	0.30	1.30/*0.10	1.30/*0.10	----	0.00 - 1.10	----	----	----	24	----	0 - 60
4305	----	----	----/*0.10A	0.30B/*0.10A	----	0.00 - 1.10	----	----	----	----	----	0 - 20
4310	----	----	23.10B/----	23.10B/11.70A	----	14.70 NEW	.0848	----	----	1	----	1 + 1
4310	----	----	----/*0.10A	0.30B/*0.10A	----	0.00 - 1.10	----	----	----	----	----	0 - 11
4315	----	----	----/*0.10A	0.40B/*0.10A	----	0.00 - 1.20	----	----	----	----	----	0 - 4
4320	----	----	23.80B/----	23.80B/12.20A	----	15.40 NEW	.0891	----	----	1	----	1 + 1
4320	----	----	----/*0.10A	0.40B/*0.10A	----	0.00 - 1.20	----	----	----	----	----	0 - 11
4325	----	----	47.50B/----	47.50B/21.70A	----	34.50 + 17.70	.1538	----	----	----	----	150 UNCH
4325	----	----	----/*0.10A	0.40B/*0.10A	----	0.00 - 1.20	----	----	----	----	----	0 - 77
4330	----	----	25.00B/----	25.00B/12.50A	----	16.20 + 8.60	.0940	----	----	----	----	10 UNCH
4330	----	----	#491.80B/266.00	#491.80B/266.00A	----	349.70 - 34.60	----	----	----	----	----	0 - 1
4330	----	----	----/*0.10A	0.50B/*0.10A	----	0.00 - 1.20	----	----	----	----	----	0 - 9
4335	----	----	25.50B/----	25.50B/12.70A	----	16.60 + 8.90	.0964	----	----	----	----	5 UNCH
4335	----	----	----/*0.10A	0.50B/*0.10A	----	0.00 - 1.20	----	----	----	----	----	0 - 25
4340	----	----	----/*0.10A	0.50B/*0.10A	----	0.00 - 1.30	----	----	----	----	----	0 - 7
4345	1.40	1.40	3.20/*0.10A	3.20/*0.10A	----	0.00 - 1.30	----	----	----	5	----	0 - 19
4350	0.80	0.80	0.90B/*0.10	0.90B/*0.10	----	0.00 - 1.30	----	----	----	7	----	0 - 29
4350	----	----	27.50B/----	27.50B/13.00A	----	17.90 + 9.70	.1043	----	----	1	----	25 - 1
4350	38.20	38.20	52.50B/37.10	52.50B/23.90A	----	37.90 + 19.30	.1683	----	----	6	----	4 + 3
4350	----	----	#472.40B/247.00	#472.40B/247.00A	----	329.70 - 34.70	----	----	----	----	----	0 - 4
4355	----	----	28.30B/----	28.30B/13.70A	----	18.30 NEW	.1069	----	----	1	----	1 + 1
4355	----	----	----/*0.10A	0.60B/*0.10A	----	0.00 - 1.30	----	----	----	----	----	0 - 5
4360	1.30	1.30	1.30/*0.10A	1.30/*0.10A	----	0.00 - 1.30	----	----	----	5	----	0 - 16
4360	----	----	28.90B/----	28.90B/13.90A	----	18.80 + 10.20	.1098	----	----	----	----	1 UNCH
4365	----	----	----/*0.10A	0.70B/*0.10A	----	0.00 - 1.40	----	----	----	----	----	0 - 2
4370	----	----	----/*0.10A	0.70B/*0.10A	----	0.00 - 1.40	----	----	----	----	----	0 - 8
4375	----	----	31.20B/----	31.20B/13.30A	----	20.20 NEW	.1185	----	----	1	----	1 + 1
4375	----	----	----/*0.10A	0.80B/*0.10A	----	0.00 - 1.40	----	----	----	----	----	0 - 15
4380	----	----	----/*0.10A	0.80B/*0.10A	----	0.00 - 1.40	----	----	----	----	----	0 - 16
4385	----	----	----/*0.10A	0.80B/*0.10A	----	0.00 - 1.40	----	----	----	5	----	0 - 24
4390	----	----	----/*0.10A	0.90B/*0.10A	----	0.00 - 1.50	----	----	----	----	----	0 - 2
4395	----	----	34.40B/----	34.40B/14.10A	----	22.20 NEW	.1309	----	----	1	----	1 + 1
4395	----	----	----/*0.10A	0.90B/*0.10A	----	0.00 - 1.50	----	----	----	----	----	0 - 1
4400	----	----	79.30B/----	79.30B/41.10A	----	63.70 NEW	.2338	----	----	1	----	1 + 1
4400	----	----	63.10B/----	63.10B/28.00A	----	45.90 + 23.20	.2014	----	----	----	----	8 UNCH
4400	30.00	30.00	35.20B/30.00	35.20B/14.10A	----	22.80 + 12.40	.1344	----	----	2	----	4 + 2
4400	----	----	#422.60B/199.20	422.60B/199.20A	----	279.70 - 34.90	----	----	----	----	----	0 - 8
4400	2.00	2.00	2.00/*0.10	2.00/*0.10	----	0.00 - 1.50	----	----	----	31	----	0 - 147
4405	----	----	----/*0.10A	1.00B/*0.10A	----	0.00 - 1.50	----	----	----	----	----	0 - 1
4410	----	----	81.40B/----	81.40B/43.10A	----	65.80 NEW	.2407	----	----	2	----	2 + 2
4410	----	----	#412.20B/189.80	#412.20B/189.80A	----	269.70 - 34.90	----	----	----	----	----	0 - 4
4410	1.40	1.40	1.40/*0.10A	1.40/*0.10A	----	0.00 - 1.60	----	----	----	1	----	0 - 1
4410	----	----	65.70B/----	65.70B/29.60A	----	47.70 + 24.00	.2086	----	----	----	----	4 UNCH
4410	----	----	37.10B/----	37.10B/14.70A	----	23.90 + 13.00	.1412	----	----	----	----	4 UNCH
4415	1.40	1.40	1.40/*0.10A	1.40/*0.10A	----	0.00 - 1.60	----	----	----	1	----	0 - 18
4415	----	----	----/264.00A	416.30B/264.00A	----	313.00 - 08.80	.7873	----	----	----	----	5 UNCH
4415	----	----	----/237.20A	#402.70B/237.20A	----	289.10 - 19.90	.8549	----	----	----	----	8 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU		GOLD WEEKLY THURSDAY OPTION Week1										
APR26												
4415	----	----	#407.20B/184.80	#407.20B/184.80A	----	264.70 - 35.00	----	----	----	----	----	0 - 10
4415	----	----	38.10B/----	38.10B/15.20A	----	24.50 + 13.40	.1448	----	----	----	----	9 UNCH
4420	----	----	----/233.20A	#398.40B/233.20A	----	284.70 - 19.60	.8512	----	----	----	----	5 UNCH
4420	----	----	#402.70B/180.20	#402.70B/180.20A	----	259.70 - 35.00	----	----	----	----	----	0 - 4
4420	----	----	----/260.80A	411.80B/260.80A	----	308.90 - 08.40	.7836	----	----	----	----	5 UNCH
4420	1.40	1.40	2.30B/*0.10A	2.30B/*0.10A	----	0.00 - 1.60	----	----	----	1	----	0 - 12
4425	----	----	#397.30B/175.60	#397.30B/175.60A	----	254.70 - 35.00	----	----	----	----	----	0 - 1
4425	1.80	1.80	2.20/*0.10A	2.20/*0.10A	----	0.00 - 1.60	----	----	----	5	----	0 - 7
4430	1.30	1.30	1.40/*0.10A	1.40/*0.10A	----	0.00 - 1.70	----	----	----	2	----	0 - 6
4435	----	----	#387.30B/166.90	#387.30B/166.90A	----	244.70 - 35.10	----	----	----	----	----	0 - 1
4440	----	----	----/217.50A	#379.60B/217.50A	----	267.30 - 18.20	.8355	----	----	----	----	1 UNCH
4440	----	----	----/*0.10A	1.20B/*0.10A	----	0.00 - 1.70	----	----	----	----	----	0 - 19
4450	1.80	1.80	5.10/*0.10	5.10/*0.10	----	0.00 - 1.80	----	----	----	16	----	0 - 37
4450	37.40	37.40	45.90B/37.40	45.90B/17.60A	----	29.10 + 15.80	.1726	----	----	3	----	6 + 3
4450	----	----	#372.50B/153.50	#372.50B/153.50A	----	229.70 - 35.10	----	----	----	1	----	0 - 78
4455	----	----	----/*0.10A	1.50B/*0.10A	----	0.00 - 1.80	----	----	----	----	----	0 - 2
4460	----	----	78.60B/----	78.60B/35.60A	----	57.70 + 28.60	.2482	----	----	----	----	4 UNCH
4460	2.00	2.00	2.00/*0.10A	2.00/*0.10A	----	0.00 - 1.80	----	----	----	1	----	0 - 25
4460	----	----	#363.00B/144.50	#363.00B/144.50A	----	219.70 - 35.20	----	----	----	----	----	0 - 17
4465	3.70	3.70	4.20/*0.10A	4.20/*0.10A	----	0.00 - 1.90	----	----	----	2	----	0 - 21
4465	----	----	48.80B/----	48.80B/18.60A	----	31.30 + 17.00	.1859	----	----	----	----	1 UNCH
4465	----	----	#357.60B/140.00	#357.60B/140.00A	----	214.70 - 35.20	----	----	----	----	----	0 - 5
4465	----	----	80.10B/----	80.10B/35.80A	----	58.80 + 29.10	.2524	----	----	----	----	3 UNCH
4470	30.20	30.20	49.90B/30.20	49.90B/19.10A	----	32.10 NEW	.1906	----	----	1	----	1 + 1
4470	----	----	#353.10B/135.80	#353.10B/135.80A	----	209.70 - 35.30	----	----	----	----	----	0 - 47
4470	2.00	2.00	2.80B/*0.30A	2.80B/*0.30A	----	0.00 - 1.90	----	----	----	2	----	0 - 13
4470	----	----	----/194.70A	#351.60B/194.70A	----	241.70 - 15.90	.8092	----	----	----	----	5 UNCH
4470	----	----	100.40B/----	100.40B/52.20A	----	80.40 NEW	.2860	----	----	2	----	2 + 2
4475	1.60	1.60	3.80B/*0.10A	3.80B/*0.10A	----	0.00 - 1.90	----	----	----	12	----	0 - 38
4475	----	----	#347.70B/131.60	#347.70B/131.60A	----	204.70 - 35.30	----	----	----	----	----	0 - 18
4475	----	----	83.00B/----	83.00B/37.20A	----	61.00 + 30.00	.2610	----	----	----	----	1 UNCH
4480	----	----	84.50B/----	84.50B/37.90A	----	62.20 + 30.60	.2655	----	----	----	----	1 UNCH
4480	----	----	3.20B/*0.20A	3.20B/*0.20A	----	0.00 - 1.90	----	----	----	4	----	0 - 30
4480	----	----	#343.20B/127.40	#343.20B/127.40A	----	199.70 - 35.30	----	----	----	----	----	0 - 9
4480	----	----	104.00B/----	104.00B/53.90A	----	83.10 NEW	.2940	----	----	4	----	4 + 4
4485	2.80	2.80	3.20B/*0.20A	3.20B/*0.20A	----	0.00 - 2.00	----	----	----	44	----	0 - 43
4485	----	----	#337.80B/123.30	#337.80B/123.30A	----	194.70 - 35.40	----	----	----	----	----	0 - 1
4490	2.30	2.30	3.70B/*0.20	3.70B/*0.20	----	0.00 - 2.00	----	----	----	6	----	0 - 8
4490	----	----	#333.30B/119.30	#333.30B/119.30A	----	189.70 - 35.40	----	----	----	----	----	0 - 13
4495	----	----	4.10B/*0.20A	4.10B/*0.20A	----	0.00 - 2.10	----	----	----	----	----	0 - 2
4495	----	----	#328.30B/114.90	#328.30B/114.90A	----	184.70 - 35.40	----	----	----	----	----	0 - 19
4495	----	----	----/175.90A	#328.20B/175.90A	----	220.90 NEW	.7841	----	----	2	----	2 + 2
4500	----	----	----/172.50A	#323.70B/172.50A	----	216.90 - 13.20	.7788	----	----	2	----	11 + 2
4500	37.30	37.30	60.50B/37.30	60.50B/21.80A	----	37.30 + 20.10	.2209	----	----	35	----	20 + 20
4500	2.50	2.50	14.60/*0.10	14.60/*0.10	----	0.00 - 2.10	----	----	----	132	----	0 - 321
4500	----	----	113.00B/----	113.00B/56.70A	----	88.80 NEW	.3107	----	----	1	----	1 + 1
4500	120.60	120.60	#323.40B/111.40	323.40B/111.40A	----	179.70 - 35.50	----	----	----	1	----	0 - 20
4510	----	----	115.50B/----	115.50B/59.50A	----	91.70 NEW	.3192	----	----	2	----	2 + 2
4510	----	----	#313.50B/103.90	#313.50B/103.90A	----	169.70 - 35.50	----	----	----	----	----	0 - 1
4510	2.90	2.90	7.00B/*0.20A	7.00B/*0.20A	----	0.00 - 2.20	----	----	----	1	----	0 - 1
4515	----	----	#308.10B/99.40A	#308.10B/99.40A	----	164.70 - 35.60	----	----	----	----	----	0 - 2
4515	----	----	7.60B/*0.20A	7.60B/*0.20A	----	0.00 - 2.20	----	----	----	----	----	0 - 40
4520	----	----	8.80B/*0.20A	8.80B/*0.20A	----	0.00 - 2.30	----	----	----	3	----	0 - 77
4520	----	----	#303.60B/94.80A	#303.60B/94.80A	----	159.70 - 35.60	----	----	----	----	----	0 - 5
4525	----	----	#298.70B/90.20A	#298.70B/90.20A	----	154.70 - 35.70	----	----	----	----	----	0 - 81
4525	6.50	6.50	9.80B/*0.20A	9.80B/*0.20A	----	0.00 - 2.30	----	----	----	14	----	0 - 130
4525	----	----	100.50B/----	100.50B/44.40A	----	73.70 + 35.40	.3081	----	----	----	----	50 UNCH
4530	----	----	#293.70B/85.80A	#293.70B/85.80A	----	149.70 - 35.70	----	----	----	----	----	0 - 4
4530	6.00	6.00	10.70B/*0.20A	10.70B/*0.20A	----	0.00 - 2.30	----	----	----	7	----	0 - 110
4530	58.50	58.50	101.40B/58.50	101.40B/45.40A	----	75.10 + 36.00	.3131	----	----	3	----	2 - 1
4535	3.60	3.60	11.80B/*0.20	11.80B/*0.20	----	0.00 - 2.40	----	----	----	2	----	0 - 1
4535	----	----	72.00B/----	72.00B/25.90A	----	44.50 NEW	.2616	----	----	1	----	1 + 1
4535	----	----	#288.80B/81.40A	#288.80B/81.40A	----	144.70 - 35.80	----	----	----	----	----	0 - 2
4540	----	----	73.90B/----	73.90B/26.40A	----	45.60 NEW	.2678	----	----	1	----	1 + 1
4540	----	----	----/145.10A	#288.20B/145.10A	----	185.20 - 09.10	.7319	----	----	----	----	1 UNCH
4540	----	----	#283.90B/77.00A	#283.90B/77.00A	----	139.70 - 35.80	----	----	----	----	----	0 - 25
4540	3.00	3.00	12.90B/*0.20A	12.90B/*0.20A	----	0.00 - 2.40	----	----	----	6	----	0 - 7
4545	----	----	14.90B/*0.20A	14.90B/*0.20A	----	0.00 - 2.50	----	----	----	5	----	0 - 1
4550	----	----	----/137.60A	278.90B/137.60A	----	177.60 - 07.90	.7189	----	----	----	----	2 UNCH
4550	----	----	----/173.50A	300.00B/173.50A	----	210.50 - 94.90	.6658	----	----	----	----	1 UNCH
4550	46.00	46.00	78.30B/46.00	78.30B/27.60A	----	48.00 + 25.50	.2809	----	----	1	----	9 + 1
4550	183.50	183.50	#274.00B/68.60A	274.00B/68.60A	----	129.70 - 35.90	----	----	----	4	----	0 - 42
4550	1.90	1.90	20.00/*0.20A	20.00/*0.20A	----	0.00 - 2.60	----	----	----	306	----	0 - 53
4555	6.50	6.50	17.40B/*0.20A	17.40B/*0.20A	----	0.00 - 2.60	----	----	----	9	----	0 - 1
4555	----	----	#269.10B/64.50A	#269.10B/64.50A	----	124.70 - 36.00	----	----	----	----	----	0 - 52
4555	60.00	60.00	79.90B/60.00	79.90B/28.40A	----	49.20 NEW	.2875	----	----	3	----	3 + 3
4560	50.00	50.00	82.00B/45.00	82.00B/29.20A	----	50.50 NEW	.2943	----	----	3	----	2 + 2
4560	----	----	#264.20B/57.20A	#264.20B/57.20A	----	119.70 - 36.10	----	----	----	----	----	0 - 7
4560	16.00	16.00	18.90B/*0.20A	18.90B/*0.20A	----	0.00 - 2.70	----	----	----	23	----	0 - 2
4565	----	----	84.40B/----	84.40B/29.80A	----	51.80 + 27.30	.3013	----	----	1	----	1 + 1
4565	----	----	#259.30B/54.20A	#259.30B/54.20A	----	114.70 - 36.10	----	----	----	----	----	0 - 7
4565	10.00	10.00	21.00B/*0.20A	21.00B/*0.20A	----	0.00 - 2.80	----	----	----	3	----	0 - 2
4570	7.20	7.20	28.70/*0.10	28.70/*0.10	----	0.00 - 2.80	----	----	----	48	----	0 - 5
4575	60.00	60.00	#249.40B/48.90A	249.40B/48.90A	----	104.70 - 36.30	----	----	----	4	----	0 - 53
4575	27.00	27.00	27.00/*0.20A	27.00/*0.20A	----	0.00 - 2.90	----	----	----	28	----	0 - 75
4575	----	----	89.50B/----	89.50B/31.20A	----	54.50 NEW	.3155	----	----	1	----	1 + 1
4580	----	----	90.80B/----	90.80B/31.40A	----	56.00 + 29.40	.3230	----	----	----	----	1 UNCH
4580	5.30	5.30	27.90B/*0.20A	27.90B/*0.20A	----	0.00 - 3.00	----	----	----	44	----	0 - 105
4580	61.90	61.90	#244.50B/*43.40	#244.50B/*43.40	----	99.70 - 36.40	----	----	----	2	----	0 - 6
4585	7.20	7.20	29.50B/*0.20A	29.50B/*0.20A	----	0.00 - 3.10	----	----	----	13	----	0 - 8
4585	----	----	91.30B/----	91.30B/32.20A	----	57.40 + 30.10	.3303	----	----	----	----	2 UNCH
4590	36.00	36.00	36.00/*0.10	36.00/*0.10	----	0.00 - 3.20	----	----	----	54	----	0 - 152
4590	35.00	35.00	#234.70B/*35.00	#234.70B/*35.00	----	89.70 - 36.60	----	----	----	1	----	0 - 2
4590	----	----	124.70B/----	124.70B/56.80A	----	94.00 + 43.50	.3776	----	----	----	----	1 UNCH
4595	----	----	91.70B/----	91.70B/33.90A	----	60.50 + 31.60	.3456	----	----	----	----	2 UNCH
4595	----	----	#229.80B/*35.10	#229.80B/*35.10A	----	84.70 - 36.70	----	----	----	----	----	0 - 4
4595	26.20	26.20	35.10B/*0.10	35.10B/*0.10	----	0.00 - 3.30	----	----	----	61	----	0 - 7
4600	142.00	142.00	151.00/101.50A	235.90B/101.50A	----	141.70 - 01.00	.6464	----	----	9	----	25 + 9
4600	4.80	4.80	42.30/*0.10	42.30/*0.10	----	0.00 - 3.40	----	----	----	418	----	0 - 259
4600	----	----	129.00B/----	129.00B/59.10A	----	97.50 + 44.80	.3891	----	----	----	----	1 UNCH
4600	----	----	93.90B/----	93.90B/34.90A	----	62.00 + 32.30	.3533	----	----	----	----	2 UNCH
4600	102.00	102.00	#225.00B/*29.00	225.00B/*29.00	----	79.70 - 36.80	----	----	----	438	----	0 - 492
4605	73.00	73.00	#220.10B/*29.40	#220.10B/*29.40A	----	74.70 - 36.90	----	----	----	27	----	0 - 38
4605	6.00	6.00	39.60B/*0.20A	39.60B/*0.20A	----	0.00 NEW	----	----	----	58	----	0 UNCH
4610	24.10	24.10	#215.20B/*24.10	#215.20B/*24.10	----	69.70 - 37.00	----	----	----	3	----	0 - 7
4610	25.00	25.00	38.80B/*0.20A	38.80B/*0.20A	----	0.00 - 3.60	----	----	----	6	----	0 - 39
4615	35.00	35.00	38.50B/*0.20A	38.50B/*0.20A	----	0.00 - 3.70	----	----	----	66	----	0 - 3
4615	24.40	24.40	#210.30B/*21.10	#210.30B/*21.10	----	64.70 - 37.10	----	----	----	10	----	0 - 11
4620	----	----	----/94.30A	#219.70B/94.30A	----	128.40 - 97.70	.6141	----	----	----	----	3 UNCH
4620	4.60	4.60	40.10/*0.20	40.10/*0.20	----	0.00 - 3.90	----	----	----	58	----	0 - 1
4620	37.10	37.10	#205.40B/*21.40	#205.40B/*21.40A	----	59.70 - 37.30	----	----	----	112	----	0 - 11
4625	8.00	8.00	40.50B/*0.20A	40.50B/*0.20A	----	0.00 - 4.00	----	----	----	75	----	0 - 52
4625	135.00	135.00	135.00/89.20A	215.30B/89.20A	----	125.20 - 96.90	.6057	----	----	1	----	2 + 1
4625	47.40	47.40	#200.60B/*17.50	200.60B/*17.50	----	54.70 - 37.40	----	----	----	25	----	0 - 46
4630	90.00	90.00	107.90B/90.00	107.90B/39.80A	----	72.30 NEW	.4024	----	----	2	----	1 + 1
4630	33.00	33.00	#195.80B/*14.10	#195.80B/*14.10	----	49.70 NEW	----	----	----	14	----	0 UNCH
4630	5.10	5.10	43.60B/*0.20	43.60B/*0.20	----	0.00 - 4.20	----	----	----	52	----	0 - 7
4635	----	----	----/86.00A	#207.60B/86.00A	----	118.80 - 95.20	.5888	----	----	----	----	15 UNCH
4635	25.50	25.50	#190.90B/*15.00	#190.90B/*15.00A	----	44.70 NEW	----	----	----	2	----	0 UNCH
4635	23.30	23.30	48.20B/*0.20A	48.20B/*0.20A	----	0.00 - 4.40	----	----	----	10	----	0 - 46
4640	75.50	75.50	113.00B/75.50	113.00B/41.90A	----	76.10 NEW	.4196	----	----	1	----	1 + 1
4640	105.00	105.00	#186.10B/*13.30	#186.10B/*13.30A	----	39.70 - 37.90	----	----	----	53	----	0 - 45
4640	23.50	23.50	52.30B/*0.10	52.30B/*0.10	----	0.00 - 4.60	----	----	----	209	----	0 - 253
4645	30.10	30.10	#181.30B/*11.70	#181.30B/*11.70A	----	34.70 - 38.10	----	----	----	13	----	0 - 1
4645	117.00	117.00	119.00/82.70A	#199.60B/82.70A	----	112.70 NEW	.5715	----	----	3	----	3 + 3
4645	3.50	3.50	56.40B/*0.10	56.40B/*0.10	----	0.00 NEW	----	----	----	10	----	0 UNCH
4650	6.00	6.00	65.70B/*0.10A	65.70B/*0.10A	----	0.00 - 5.00	----	----	----	220	----	0 - 566
4650	95.00	95.00	#176.50B/*10.00	176.50B/*10.00	----	29.70 - 38.40	----	----	----	497	----	0 - 156
4650	----	----	----/78.60A	197.50B/78.60A	----	109.70 - 92.50	.5627	----	----	1	----	2 + 1
4650	----	----	118.30B/----	118.30B/44.10A	----	80.00 + 40.80	.4370	----	----	30	----	71 + 30
4655	32.20	32.20	64.70B/*0.40A	64.70B/*0.40A	----	0.00 - 5.20	----	----	----	13	----	0 - 7
4655	11.00	11.00	#171.50B/*9.00	#171.50B/*9.00	----	24.70 - 38.60	----	----	----	167	----	0 - 11
4655	80.00	80.00	120.00/78.10A	#191.70B/78.10A	----	106.70 NEW	.5539	----	----	2	----	1 + 1
4660	15.90	15.90	82.90/*0.20	82.90/*0.20	----	0.00 - 5.50	----	----	----	54	----	0 - 5
4660	85.00	85.00	#166.90B/*7.50A	#166.90B/*7.50A	----	19.70 - 38.90	----	----	----	88	----	0 - 16
4665	----	----	74.10B/*0.60A	74.10B/*0.60A	----	0.00 - 5.70	----	----	----	2	----	0 - 3
4665	30.40	30.40	#162.10B/*7.10A	#162.10B/*7.10A	----	14.70 - 39.10	----	----	----	546	----	0 - 3

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU		GOLD WEEKLY THURSDAY OPTION Week2										
APR26												
4665	82.20	82.20	82.20/73.70A	#183.90B/73.70A	----	100.90 - 89.60	.5359	----	----	1	----	6 + 1
4670	35.00	35.00	#157.60B/*6.20A	#157.60B/*6.20A	----	9.70 - 39.40	----	----	----	20	----	0 - 5
4670	30.00	30.00	81.00B/*0.20	81.00B/*0.20	----	0.00 - 6.00	----	----	----	63	----	0 - 12
4675	22.50	22.50	86.30B/*0.30	86.30B/*0.30	----	0.00 - 6.40	----	----	----	73	----	0 - 64
4675	----	----	166.00B/----	166.00B/78.00A	----	127.80 NEW	.4804	----	----	1	----	1 + 1
4675	----	----	132.00B/----	132.00B/49.40A	----	90.50 + 45.60	.4820	----	----	2	----	101 UNCH
4675	59.00	59.00	#152.70B/*5.50A	152.70B/*5.50A	----	4.70 - 39.70	----	----	----	68	----	0 - 49
4680	----	----	134.40B/----	134.40B/50.90A	----	92.80 NEW	.4912	----	----	2	----	1 + 1
4680	51.50	51.50	#148.00B/*2.50	#148.00B/*2.50	----	0.00 - 39.80	----	----	----	50	----	0 - 17
4680	96.10	96.10	96.10/67.20A	#172.10B/67.20A	----	92.50 NEW	.5086	----	----	6	----	6 + 6
4680	28.00	28.00	100.00/*0.20	100.00/*0.20	----	0.30 - 6.40	----	----	----	35	----	0 - 6
4685	28.40	28.40	95.40B/*1.50A	95.40B/*1.50A	----	5.30 - 1.80	----	----	----	43	----	0 - 1
4685	96.00	96.00	96.00/65.20A	#170.50B/65.20A	----	89.80 NEW	.4993	----	----	7	----	7 + 7
4685	93.00	93.00	137.40B/93.00	137.40B/52.90A	----	95.10 NEW	.5004	----	----	1	----	1 + 1
4685	125.00	125.00	#143.20B/*2.80A	#143.20B/*2.80A	----	0.00 - 35.20	----	----	----	692	----	0 - 6
4690	13.80	13.80	97.40B/*1.60	97.40B/*1.60	----	10.30 + 2.80	----	----	----	60	----	0 - 19
4690	8.10	8.10	#138.60B/*1.40A	#138.60B/*1.40A	----	0.00 - 30.60	----	----	----	16	----	0 - 8
4690	95.10	95.10	95.10/63.20A	165.00B/63.20A	----	87.10 - 84.60	.4901	----	----	8	----	8 + 5
4695	30.00	30.00	#134.20B/*1.50	#134.20B/*1.50	----	0.00 NEW	----	----	----	57	----	0 UNCH
4695	10.20	10.20	102.60B/*5.00A	102.60B/*5.00A	----	15.30 + 7.40	----	----	----	8	----	0 - 1
4700	11.00	11.00	108.60B/*7.70	108.60B/*7.70	----	20.30 + 11.90	----	----	----	383	----	0 - 237
4700	----	----	----/59.30A	157.70B/59.30A	----	81.90 - 82.60	.4714	----	----	----	----	1 UNCH
4700	----	----	146.60B/----	146.60B/55.90A	----	102.20 + 50.80	.5284	----	----	2	----	3 - 1
4700	65.00	65.00	129.30B/*0.10	129.30B/*0.10	----	0.00 - 21.50	----	----	----	530	----	0 - 152
4700	----	----	180.10B/----	180.10B/86.00A	----	139.40 + 59.20	.5124	----	----	----	----	1 UNCH
4700	----	----	----/92.90A	187.10B/92.90A	----	119.20 - 73.90	.4872	----	----	----	----	6 UNCH
4705	8.90	8.90	#124.80B/*0.60A	124.80B/*0.60A	----	0.00 - 17.00	----	----	----	18	----	0 - 6
4705	35.00	35.00	112.30B/13.30	112.30B/10.70A	----	25.30 + 16.40	----	----	----	13	----	0 - 49
4710	19.00	19.00	116.80B/11.30	116.80B/11.20A	----	30.30 + 20.80	----	----	----	16	----	0 - 7
4710	9.00	9.00	#120.50B/*0.50A	120.50B/*0.50A	----	0.00 - 12.50	----	----	----	56	----	0 - 14
4715	34.10	34.10	122.00B/13.40	122.00B/11.80A	----	35.30 NEW	----	----	----	14	----	0 UNCH
4715	----	----	188.80B/----	188.80B/91.30A	----	146.90 NEW	.5318	----	----	1	----	1 + 1
4715	6.00	6.00	#116.00B/*0.50A	116.00B/*0.50A	----	0.00 NEW	----	----	----	21	----	0 UNCH
4715	----	----	----/54.10A	146.70B/54.10A	----	74.50 - 79.30	.4432	----	----	----	----	5 UNCH
4720	11.60	11.60	127.00B/11.60	127.00B/11.60	----	40.30 + 29.60	----	----	----	88	----	0 - 28
4720	46.80	46.80	#111.20B/*0.10	111.20B/*0.10	----	0.00 - 03.80	----	----	----	142	----	0 - 16
4725	31.10	31.10	105.80B/*0.30A	105.80B/*0.30A	----	0.00 - 99.50	----	----	----	172	----	0 - 26
4725	12.50	12.50	132.20B/12.50	132.20B/12.50	----	45.30 + 33.90	----	----	----	53	----	0 - 148
4725	----	----	----/50.70A	140.10B/50.70A	----	69.80 - 77.10	.4243	----	----	----	----	1 UNCH
4730	20.00	20.00	136.70B/20.00	136.70B/14.00A	----	50.30 + 38.10	----	----	----	22	----	0 - 6
4730	45.10	45.10	#101.40B/*0.30A	101.40B/*0.30A	----	0.00 - 95.30	----	----	----	93	----	0 - 24
4735	6.00	6.00	97.20B/*0.10	97.20B/*0.10	----	0.00 - 91.10	----	----	----	71	----	0 - 1
4735	25.00	25.00	141.80B/25.00	141.80B/14.70A	----	55.30 + 42.30	----	----	----	4	----	0 - 5
4735	----	----	----/47.40A	132.90B/47.40A	----	65.30 - 74.80	.4055	----	----	----	----	11 UNCH
4740	26.60	26.60	93.00B/*0.40A	93.00B/*0.40A	----	0.00 - 87.00	----	----	----	35	----	0 - 17
4740	117.00	117.00	147.20B/45.00	147.20B/15.50A	----	60.30 + 46.40	----	----	----	7	----	0 - 20
4745	4.00	4.00	88.90B/*0.30A	88.90B/*0.30A	----	0.00 - 82.90	----	----	----	16	----	0 - 13
4745	36.50	36.50	152.20B/36.50	152.20B/16.50A	----	65.30 + 50.50	----	----	----	23	----	0 - 15
4750	----	----	179.40B/----	179.40B/71.30A	----	129.20 + 62.00	.6223	----	----	----	----	1 UNCH
4750	43.30	43.30	43.30/42.60A	123.40B/42.60A	----	58.90 - 71.30	.3774	----	----	2	----	4 - 1
4750	30.00	30.00	85.00B/*0.10	85.00B/*0.10	----	0.00 - 79.00	----	----	----	461	----	0 - 202
4750	30.00	30.00	157.20B/30.00	157.20B/17.40A	----	70.30 + 54.40	----	----	----	50	----	0 - 124
4750	----	----	----/75.30A	156.00B/75.30A	----	95.10 - 66.00	.4223	----	----	----	----	1 UNCH
4755	11.10	11.10	81.20B/*0.20A	81.20B/*0.20A	----	0.00 - 75.10	----	----	----	6	----	0 - 13
4755	----	----	213.80B/----	213.80B/105.70A	----	168.10 NEW	.5838	----	----	1	----	1 + 1
4755	18.00	18.00	161.90B/18.00	161.90B/18.00	----	75.30 + 58.30	----	----	----	4	----	0 - 21
4760	65.50	65.50	166.90B/65.50	166.90B/19.80A	----	80.30 + 62.10	----	----	----	4	----	0 - 8
4760	2.50	2.50	77.10B/*0.10	77.10B/*0.10	----	0.00 - 71.20	----	----	----	21	----	0 - 44
4765	45.00	45.00	73.50B/*0.20	73.50B/*0.20	----	0.00 - 67.50	----	----	----	28	----	0 - 3
4765	31.90	31.90	172.20B/31.90	172.20B/21.20A	----	85.30 + 65.90	----	----	----	2	----	0 - 17
4765	----	----	191.30B/----	191.30B/77.30A	----	138.20 + 65.50	.6499	----	----	----	----	1 UNCH
4770	79.00	79.00	176.80B/79.00	176.80B/22.30A	----	90.30 + 69.50	----	----	----	5	----	0 - 15
4770	5.00	5.00	69.30B/*0.20A	69.30B/*0.20A	----	0.00 - 63.90	----	----	----	31	----	0 - 8
4775	31.00	31.00	182.00B/23.90A	182.00B/23.90A	----	95.30 + 73.10	----	----	----	24	----	0 - 12
4775	13.00	13.00	66.40B/*0.10	66.40B/*0.10	----	0.00 - 60.30	----	----	----	56	----	0 - 61
4775	----	----	197.70B/----	197.70B/80.10A	----	144.60 + 68.00	.6680	----	----	----	----	2 UNCH
4775	----	----	227.10B/----	227.10B/112.80A	----	179.60 NEW	.6096	----	----	1	----	1 + 1
4775	----	----	----/67.70A	141.20B/67.70A	----	84.40 - 61.90	.3899	----	----	----	----	6 UNCH
4780	49.00	49.00	49.00/34.60A	105.80B/34.60A	----	47.60 NEW	.3230	----	----	4	----	4 + 4
4780	28.50	28.50	187.00B/26.60A	187.00B/26.60A	----	100.30 + 76.50	----	----	----	44	----	0 - 54
4780	14.00	14.00	62.20B/*0.10	62.20B/*0.10	----	0.00 - 56.90	----	----	----	11	----	0 - 7
4785	9.00	9.00	59.10B/*0.20A	59.10B/*0.20A	----	0.00 - 53.60	----	----	----	22	----	0 - 4
4785	91.00	91.00	192.30B/87.00	192.30B/29.00A	----	105.30 + 79.80	----	----	----	65	----	0 - 72
4790	30.00	30.00	197.30B/30.00	197.30B/30.00	----	110.30 NEW	----	----	----	2	----	0 UNCH
4790	38.00	38.00	55.80B/*0.10A	55.80B/*0.10A	----	0.00 - 50.30	----	----	----	34	----	0 - 41
4795	5.00	5.00	51.80B/*0.20A	51.80B/*0.20A	----	0.00 - 47.20	----	----	----	6	----	0 - 28
4795	50.00	50.00	201.80B/50.00	201.80B/32.20A	----	115.30 + 86.20	----	----	----	1	----	0 - 9
4800	39.00	39.00	48.10B/*0.20A	48.10B/*0.20A	----	0.00 - 44.20	----	----	----	119	----	0 - 325
4800	110.00	110.00	207.00B/109.30	207.00B/34.30A	----	120.30 + 89.20	----	----	----	22	----	0 - 110
4800	40.00	40.00	41.90/29.90A	93.90B/29.90A	----	41.00 - 59.20	.2883	----	----	13	----	213 + 13
4800	----	----	217.90B/----	217.90B/90.50A	----	161.20 + 74.10	.7115	----	----	1	----	11 - 1
4800	----	----	----/60.10A	127.20B/60.10A	----	74.50 - 57.70	.3580	----	----	----	----	2 UNCH
4805	----	----	45.70B/*0.20A	45.70B/*0.20A	----	0.00 - 41.30	----	----	----	1	----	0 - 17
4805	183.10	183.10	212.00B/183.10	212.00B/36.20A	----	125.30 + 92.10	----	----	----	1	----	0 - 5
4805	----	----	248.00B/----	248.00B/127.00A	----	197.80 + 76.40	.6479	----	----	----	----	1 UNCH
4810	6.10	6.10	44.00B/*0.20A	44.00B/*0.20A	----	0.00 - 38.60	----	----	----	12	----	0 - 52
4810	37.10	37.10	217.10B/37.10	217.10B/37.10	----	130.30 + 94.80	----	----	----	25	----	0 - 30
4815	----	----	----/55.80A	121.70B/55.80A	----	69.00 - 55.20	.3392	----	----	----	----	1 UNCH
4815	----	----	222.00B/----	222.00B/40.20A	----	135.30 + 97.50	----	----	----	----	----	0 - 3
4815	38.10	38.10	41.10B/*0.20A	41.10B/*0.20A	----	0.00 - 35.90	----	----	----	8	----	0 - 22
4820	40.00	40.00	227.90B/40.00	227.90B/40.00	----	140.30 + 00.00	----	----	----	5	----	0 - 23
4820	35.50	35.50	42.00/*0.20	42.00/*0.20	----	0.00 - 33.40	----	----	----	17	----	0 - 48
4825	35.10	35.10	36.50B/*0.20A	36.50B/*0.20A	----	0.00 - 31.00	----	----	----	33	----	0 - 161
4825	----	----	232.00B/----	232.00B/44.80A	----	145.30 + 02.40	----	----	----	6	----	0 - 326
4825	33.20	33.20	33.20/*25.00A	84.80B/*25.00A	----	34.00 NEW	.2481	----	----	14	----	14 + 14
4830	32.00	32.00	33.50B/*0.20A	33.50B/*0.20A	----	0.00 - 28.70	----	----	----	15	----	0 - 3
4830	220.00	220.00	237.10B/133.40	237.10B/47.70A	----	150.30 + 04.70	----	----	----	31	----	0 - 22
4835	12.60	12.60	30.90B/*0.20A	30.90B/*0.20A	----	0.00 - 26.50	----	----	----	2	----	0 - 53
4835	191.00	191.00	242.50B/190.00	242.50B/50.20A	----	155.30 + 06.90	----	----	----	21	----	0 - 23
4840	29.00	29.00	29.70B/*0.20A	29.70B/*0.20A	----	0.00 - 24.50	----	----	----	23	----	0 - 10
4845	----	----	25.70B/*0.20A	25.70B/*0.20A	----	0.00 - 22.60	----	----	----	----	----	0 - 2
4845	----	----	252.10B/----	252.10B/55.70A	----	165.30 + 10.80	----	----	----	----	----	0 - 1
4850	20.00	20.00	23.90B/*0.10A	23.90B/*0.10A	----	0.00 - 20.80	----	----	----	35	----	0 - 580
4850	50.50	50.50	257.40B/50.50	257.40B/50.50	----	170.30 + 12.60	----	----	----	25	----	0 - 26
4850	----	----	260.30B/----	260.30B/122.90A	----	198.30 + 86.50	.7881	----	----	----	----	1 UNCH
4850	29.00	29.00	29.00/*20.70A	72.10B/*20.70A	----	28.10 NEW	.2117	----	----	4	----	4 + 4
4850	----	----	----/46.60A	104.50B/46.60A	----	57.30 - 49.20	.2966	----	----	----	----	1 UNCH
4855	----	----	----/*20.00A	69.20B/*20.00A	----	27.00 - 45.60	.2047	----	----	----	----	4 UNCH
4855	3.00	3.00	22.10B/*0.20A	22.10B/*0.20A	----	0.00 - 19.10	----	----	----	2	----	0 - 15
4860	0.50	0.50	20.10B/*0.20A	20.10B/*0.20A	----	0.00 - 17.50	----	----	----	1	----	0 - 7
4860	----	----	----/*18.80A	66.70B/*18.80A	----	26.00 - 44.40	.1981	----	----	----	----	1 UNCH
4865	----	----	272.10B/----	272.10B/68.00A	----	185.30 + 17.30	----	----	----	----	----	0 - 1
4865	19.00	19.00	19.00/*0.20A	19.00/*0.20A	----	0.00 - 16.10	----	----	----	4	----	0 - 18
4870	5.20	5.20	16.90B/*0.20A	16.90B/*0.20A	----	0.00 - 14.70	----	----	----	6	----	0 - 18
4870	155.00	155.00	276.90B/155.00	276.90B/71.60A	----	190.30 + 18.70	----	----	----	1	----	0 - 1
4875	----	----	282.10B/----	282.10B/75.70A	----	195.30 + 20.00	----	----	----	1	----	0 - 1
4875	12.00	12.00	14.40B/*0.10	14.40B/*0.10	----	0.00 - 13.40	----	----	----	73	----	0 - 46
4875	----	----	282.10B/----	282.10B/137.00A	----	218.40 + 92.50	.8204	----	----	----	----	2 UNCH
4880	17.80	17.80	17.80/*0.20A	17.80/*0.20A	----	0.00 - 12.30	----	----	----	41	----	0 - 53
4885	0.90	0.90	11.90B/*0.20A	11.90B/*0.20A	----	0.00 - 11.20	----	----	----	1	----	0 - 11
4890	----	----	10.50B/*0.20A	10.50B/*0.20A	----	0.00 - 10.20	----	----	----	----	----	0 - 2
4890	----	----	294.70B/----	294.70B/147.00A	----	230.80 + 95.80	.8377	----	----	----	----	10 UNCH
4895	2.00	2.00	9.80B/*0.20A	9.80B/*0.20A	----	0.00 - 9.30	----	----	----	1	----	0 - 3
4895	----	----	299.20B/----	299.20B/150.20A	----	235.10 NEW	.8433	----	----	1	----	1 + 1
4900	5.70	5.70	10.10/*0.10	10.10/*0.10	----	0.00 - 8.50	----	----	----	129	----	0 - 368
4900	----	----	307.90B/93.30A	307.90B/93.30A	----	220.30 + 24.90	----	----	----	1	----	0 - 2
4900	----	----	303.80B/----	303.80B/153.50A	----	239.30 + 98.00	.8489	----	----	1	----	2 + 1
4900	----	----	322.30B/----	322.30B/182.70A	----	263.50 + 92.50	.7593	----	----	----	----	1 UNCH
4900	18.70	18.70	18.70/*14.50A	50.70B/*14.50A	----	19.10 - 35.40	.1509	----	----	31	----	32 + 27
4900	----	----	----/35.90A	81.80B/35.90A	----	43.40 - 40.90	.2403	----	----	----	----	201 UNCH
4905	----	----	313.10B/97.10A	313.10B/97.10A	----	225.30 + 25.60	----	----	----	----	----	0 - 5
4905	----	----	----/35.00A	77.50B/35.00A	----	42.20 - 40.00	.2351	----	----	----	----	1 UNCH
4905	----	----	----/*0.10A	7.30B/*0.10A	----	0.00 - 7.80	----	----	----	----	----	0 - 12
4910	----	----	----/*0.10A	6.50B/*0.10A	----	0.00 - 7.10	----	----	----	----	----	0 - 6
4910	----	----	----/34.20A	75.90B/34.20A	----	41.00 - 39.20	.2298	----	----	----	----	1 UNCH
4910	----	----	317.30B/101.30A	317.30B/101.30A	----	230.30 + 26.30	----	----	----	----	----	0 - 1
4915	----	----	----/*0.10A	5.70B/*0.10A	----	0.00 - 6.50	----	----	----	----	----	0 - 28

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWR THU — GOLD WEEKLY THURSDAY OPTION Week1

APR26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4915	----	----	322.30B/105.50A	322.30B/105.50A	----	235.30 + 27.00	----	----	----	----	----	0 - 1
4920	2.00	2.00	2.00/*0.10A	5.00B/*0.10A	----	0.00 - 5.90	----	----	----	1	----	0 - 1
4920	----	----	327.00B/109.50A	327.00B/109.50A	----	240.30 + 27.50	----	----	----	----	----	0 - 5
4925	----	----	332.00B/112.90A	332.00B/112.90A	----	245.30 + 28.00	----	----	----	1	----	0 - 1
4925	----	----	----/*0.10A	4.50B/*0.10A	----	0.00 - 5.40	----	----	----	2	----	0 - 4
4925	----	----	----/31.50A	71.00B/31.50A	----	37.70 - 36.80	.2149	----	----	----	----	1 UNCH
4930	----	----	----/*11.60A	39.20B/*11.60A	----	15.30 NEW	.1227	----	----	1	----	1 + 1
4930	----	----	----/*0.10A	4.10B/*0.10A	----	0.00 - 4.90	----	----	----	----	----	0 - 1
4935	----	----	----/*0.10A	3.60B/*0.10A	----	0.00 - 4.50	----	----	----	----	----	0 - 1
4940	0.90	0.90	0.90/*0.10A	3.10B/*0.10A	----	0.00 - 4.10	----	----	----	14	----	0 - 15
4940	----	----	347.50B/125.60A	347.50B/125.60A	----	260.30 + 29.30	----	----	----	----	----	0 - 2
4940	----	----	----/*10.90A	35.40B/*10.90A	----	14.20 - 27.30	.1143	----	----	4	----	31 UNCH
4950	0.70	0.70	0.70/*0.10A	2.30B/*0.10A	----	0.00 - 3.50	----	----	----	12	----	0 - 51
4950	----	----	358.00B/134.20A	358.00B/134.20A	----	270.30 + 30.00	----	----	----	----	----	0 - 2
4950	12.00	12.00	12.00/*10.20A	34.00B/*10.20A	----	13.20 NEW	.1066	----	----	2	----	2 + 2
4950	38.80	38.80	38.80/27.60A	62.80B/27.60A	----	32.70 NEW	.1915	----	----	6	----	3 + 3
4955	----	----	----/*0.10A	2.10B/*0.10A	----	0.00 - 3.20	----	----	----	----	----	0 - 10
4955	----	----	362.50B/138.70A	362.50B/138.70A	----	275.30 + 30.20	----	----	----	----	----	0 - 32
4960	----	----	----/*0.10A	1.90B/*0.10A	----	0.00 - 2.90	----	----	----	----	----	0 - 13
4960	----	----	----/*9.60A	30.80B/*9.60A	----	12.30 - 23.80	.0995	----	----	1	----	1 UNCH
4965	----	----	----/*0.10A	1.30B/*0.10A	----	0.00 - 2.70	----	----	----	----	----	0 - 1
4965	----	----	----/*9.30A	29.70B/*9.30A	----	11.80 - 23.00	.0957	----	----	----	----	1 UNCH
4965	----	----	362.40B/----	362.40B/199.70A	----	297.00 + 10.40	.9040	----	----	----	----	1 UNCH
4970	----	----	----/*0.10A	1.20B/*0.10A	----	0.00 - 2.50	----	----	----	1	----	0 - 1
4970	----	----	377.70B/152.40A	377.70B/152.40A	----	290.30 + 30.90	----	----	----	1	----	0 - 1
4975	----	----	----/*0.10A	1.00B/*0.10A	----	0.00 - 2.30	----	----	----	2	----	0 - 21
4975	----	----	----/23.60A	54.00B/23.60A	----	28.50 - 29.10	.1706	----	----	----	----	1 UNCH
4985	----	----	376.10B/166.50A	376.10B/166.50A	----	305.30 + 31.40	----	----	----	----	----	0 - 1
4985	----	----	----/*8.70A	25.30B/*8.70A	----	10.30 NEW	.0836	----	----	1	----	1 + 1
4990	----	----	381.10B/171.30A	381.10B/171.30A	----	310.30 + 31.60	----	----	----	----	----	0 - 5
4990	----	----	----/*8.10A	23.70B/*8.10A	----	9.90 - 19.20	.0805	----	----	1	----	1 - 1
4990	----	----	385.90B/----	385.90B/219.30A	----	320.00 + 14.10	.9193	----	----	----	----	1 UNCH
4995	----	----	----/*0.10A	----/*0.10A	----	0.00 - 1.70	----	----	----	----	----	0 - 1
4995	----	----	----/*7.80A	23.00B/*7.80A	----	9.60 NEW	.0779	----	----	1	----	1 + 1
5000	----	----	391.00B/180.80A	391.00B/180.80A	----	320.30 + 31.80	----	----	----	2	----	0 - 277
5000	3.00	3.00	3.00/*0.10	3.00/*0.10	----	0.00 - 1.60	----	----	----	10	----	0 - 43
5000	----	----	----/*7.80A	22.30B/*7.80A	----	9.30 - 17.70	.0754	----	----	7	----	206 + 5
5000	----	----	----/21.00A	47.00B/21.00A	----	24.80 - 25.70	.1514	----	----	----	----	60 UNCH
5000	----	----	409.00B/----	409.00B/251.20A	----	344.70 + 07.60	.8482	----	----	----	----	1 UNCH
5005	----	----	----/*0.10A	----/*0.10A	----	0.00 - 1.50	----	----	----	----	----	0 - 4
5010	----	----	----/*0.10A	----/*0.10A	----	0.00 - 1.40	----	----	----	----	----	0 - 4
5010	----	----	----/*7.20A	19.00B/*7.20A	----	8.70 - 16.40	.0705	----	----	----	----	2 UNCH
5010	----	----	----/*20.10A	43.50B/*20.10A	----	23.50 - 24.30	.1445	----	----	----	----	1 UNCH
5020	----	----	----/*0.10A	----/*0.10A	----	0.00 - 1.30	----	----	----	----	----	0 - 7
5020	----	----	411.00B/200.20A	411.00B/200.20A	----	340.30 + 32.20	----	----	----	----	----	0 - 1
5020	----	----	----/*19.20A	41.00B/*19.20A	----	22.20 - 23.10	.1375	----	----	----	----	2 UNCH
5025	0.30	0.30	0.30/*0.10A	0.30/*0.10A	----	0.00 - 1.20	----	----	----	1	----	0 - 64
5030	----	----	----/*0.10A	----/*0.10A	----	0.00 - 1.10	----	----	----	----	----	0 - 2
5030	----	----	421.00B/209.90A	421.00B/209.90A	----	350.30 + 32.30	----	----	----	----	----	0 - 6
5030	----	----	----/*18.30A	38.90B/*18.30A	----	21.10 NEW	.1313	----	----	1	----	1 + 1
5035	----	----	----/*0.10A	----/*0.10A	----	0.00 - 1.10	----	----	----	----	----	0 UNCH
5040	----	----	----/*0.10A	----/*0.10A	----	0.00 - 1.00	----	----	----	----	----	0 - 11
5045	----	----	435.90B/225.00A	435.90B/225.00A	----	365.30 + 32.50	----	----	----	----	----	0 - 2
5050	----	----	440.80B/229.30A	440.80B/229.30A	----	370.30 + 32.50	----	----	----	----	----	0 - 1
5050	0.30	0.30	0.30/*0.10A	0.30/*0.10A	----	0.00 - 0.90	----	----	----	2	----	0 - 7
5050	----	----	----/*5.70A	13.90B/*5.70A	----	6.70 - 12.10	.0539	----	----	1	----	2 UNCH
5050	----	----	----/*16.30A	34.50B/*16.30A	----	18.90 - 19.60	.1191	----	----	----	----	70 UNCH
5060	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.80	----	----	----	----	----	0 - 10
5065	----	----	----/*5.20A	11.80B/*5.20A	----	6.10 - 10.80	.0488	----	----	----	----	1 UNCH
5065	----	----	----/*15.40A	31.60B/*15.40A	----	17.50 - 18.00	.1110	----	----	----	----	1 UNCH
5070	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 17
5075	0.30	0.30	0.30/*0.10A	0.30/*0.10A	----	0.00 NEW	----	----	----	1	----	0 UNCH
5080	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 1
5080	----	----	470.80B/259.40A	470.80B/259.40A	----	400.30 + 32.80	----	----	----	----	----	0 - 2
5085	----	----	----/*4.90A	9.60B/*4.90A	----	5.40 - 9.20	.0429	----	----	----	----	1 UNCH
5095	----	----	----/*4.60A	8.60B/*4.60A	----	5.10 - 8.60	.0403	----	----	----	----	1 UNCH
5100	0.30	0.30	0.30/*0.10A	0.30/*0.10A	----	0.00 - 0.40	----	----	----	2	----	0 - 15
5100	----	----	491.00B/278.90A	491.00B/278.90A	----	420.30 + 33.00	----	----	----	----	----	0 - 21
5100	----	----	----/*12.90A	25.50B/*12.90A	----	14.60 - 14.80	.0939	----	----	----	----	1 UNCH
5105	----	----	496.00B/283.80A	496.00B/283.80A	----	425.30 + 33.00	----	----	----	----	----	0 - 4
5110	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 5
5110	----	----	501.00B/289.20A	501.00B/289.20A	----	430.30 + 33.10	----	----	----	----	----	0 - 1
5115	----	----	----/*4.00A	7.20B/*4.00A	----	4.50 - 7.40	.0353	----	----	----	----	1 UNCH
5120	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 13
5130	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 15
5145	----	----	----/*3.50A	6.80B/*3.50A	----	3.80 NEW	.0294	----	----	2	----	2 + 2
5150	0.20	0.20	0.20/*0.10A	0.20/*0.10A	----	0.00 - 0.20	----	----	----	3	----	0 UNCH
5150	----	----	----/*10.30A	19.00B/*10.30A	----	11.40 - 11.00	.0743	----	----	----	----	1 UNCH
5155	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 6
5155	----	----	----/*3.40A	6.50B/*3.40A	----	3.60 - 5.60	.0277	----	----	----	----	4 UNCH
5160	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5160	----	----	550.90B/338.60A	550.90B/338.60A	----	480.30 + 33.30	----	----	----	----	----	0 UNCH
5165	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
5175	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
5180	----	----	----/*9.70A	15.90B/*9.70A	----	9.90 - 9.20	.0648	----	----	----	----	1 UNCH
5190	----	----	580.90B/368.50A	580.90B/368.50A	----	510.30 + 33.30	----	----	----	----	----	0 - 2
5190	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
5200	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 29
5200	----	----	----/*2.60A	2.10B/*2.60A	----	2.90 - 4.10	.0217	----	----	----	----	10 UNCH
5200	----	----	----/*8.30A	14.10B/*8.30A	----	9.00 - 8.30	.0591	----	----	----	----	1 UNCH
5210	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5210	----	----	600.90B/388.90A	600.90B/388.90A	----	530.30 + 33.30	----	----	----	----	----	0 - 2
5215	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	2	----	0 - 2
5215	----	----	----/*2.50A	1.90B/*2.50A	----	2.70 - 3.80	.0200	----	----	----	----	1 UNCH
5220	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 13
5235	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
5250	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5270	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5300	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
5300	5.50	5.50	5.50/*5.50	7.10B/*5.50	----	5.80 - 4.80	.0381	----	----	1	----	1 UNCH
5305	----	----	----/*5.90A	8.20B/*5.90A	----	5.70 - 4.60	.0374	----	----	----	----	2 UNCH
5320	----	----	----/*5.70A	7.50B/*5.70A	----	5.40 - 4.20	.0353	----	----	----	----	1 UNCH
5330	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
5340	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
5350	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
5360	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5400	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
5400	----	----	----/*1.30A	0.30B/*1.30A	----	1.20 - 1.60	.0078	----	----	----	----	250 UNCH
5410	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
5425	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
5430	----	----	820.70B/608.30A	820.70B/608.30A	----	750.30 + 33.30	----	----	----	----	----	0 UNCH
5435	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5440	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5450	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
5500	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 8
5540	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5600	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5650	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5750	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
TOTAL										9140		2103 - 10811

GMW MON — GOLD WEEKLY MONDAY OPTION WEEK1

APR26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3500	0.20	0.20	0.20/*0.10	0.20/*0.10	----	0.10 - 0.10	.0000	----	----	6	----	15 - 1
3500	1.10	1.10	1.10/*1.10	1.10/*1.10	----	2.00 + 0.70	.0073	----	----	1	----	3 + 1
3600	0.40	0.40	0.40/*0.20A	0.40/*0.20A	----	0.10 - 0.20	.0001	----	----	1	----	2 + 1
3650	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.10 NEW	.0002	----	----	5	----	5 + 5
3700	0.20	0.20	0.50B/*0.20	0.50B/*0.20	----	0.20 - 0.20	.0005	----	----	6	----	8 + 6
3750	----	----	3.50B/----	3.50B/3.30A	----	3.00 + 1.20	.0129	----	----	----	----	1 UNCH
3750	0.20	0.20	0.60B/*0.10A	0.60B/*0.10A	----	0.20 NEW	.0006	----	----	5	----	5 + 5
3800	0.50	0.50	0.80B/*0.10	0.80B/*0.10	----	0.30 - 0.20	.0009	----	----	46	----	81 + 27
3850	0.80	0.80	1.00B/*0.20	1.00B/*0.20	----	0.40 - 0.30	.0014	----	----	25	----	26 + 25

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 46

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK2										
APR26												
3900	----	----	6.10B/----	6.10B/4.80A	----	4.60 + 2.00	.0214	----	----	----	----	1 UNCH
3900	0.50	0.50	1.60B/*0.50	1.60B/*0.50	----	0.50 - 0.30	.0018	----	----	30	----	35 + 24
3950	----	----	7.00B/----	7.00B/5.40A	----	5.40 + 2.40	.0257	----	----	----	----	3 UNCH
3950	1.50	1.50	1.80B/*0.50	1.80B/*0.50	----	0.70 - 0.40	.0028	----	----	29	----	33 + 3
4000	0.70	0.70	2.10B/*0.30	2.10B/*0.30	----	0.90 - 0.40	.0038	----	----	55	----	295 + 16
4000	----	----	8.70B/----	8.70B/6.30A	----	6.40 + 3.00	.0311	----	----	----	----	21 UNCH
4025	----	----	2.20B/*0.50A	2.20B/*0.50A	----	1.00 NEW	.0044	----	----	2	----	1 + 1
4050	----	----	20.40B/----	20.40B/12.30A	----	15.20 + 7.70	.0647	----	----	----	----	12 UNCH
4050	1.10	1.10	2.40B/*0.30	2.40B/*0.30	----	1.10 - 0.30	.0051	----	----	5	----	41 + 1
4050	----	----	11.10B/----	11.10B/7.10A	----	7.60 + 3.60	.0377	----	----	----	----	1 UNCH
4075	1.20	1.20	2.60B/*1.00A	2.60B/*1.00A	----	1.30 NEW	.0062	----	----	1	----	1 + 1
4100	----	----	24.90B/----	24.90B/13.50A	----	18.20 + 9.20	.0774	----	----	----	----	10 UNCH
4100	----	----	13.60B/----	13.60B/8.50A	----	9.20 + 4.50	.0464	----	----	----	----	2 UNCH
4100	1.50	1.50	3.00/*0.70A	3.00/*0.70A	----	1.50 UNCH	.0074	----	----	32	----	61 + 4
4125	----	----	3.20B/*0.80A	3.20B/*0.80A	----	1.60 + 0.10	.0082	----	----	----	----	35 UNCH
4150	1.40	1.40	3.60B/*1.00	3.60B/*1.00	----	1.90 + 0.30	.0101	----	----	34	----	57 + 29
4175	----	----	18.50B/----	18.50B/11.00A	----	12.50 + 6.30	.0641	----	----	----	----	0 UNCH
4175	3.90	3.90	4.00B/*1.50	4.00B/*1.50	----	2.10 NEW	.0116	----	----	10	----	9 + 9
4200	----	----	#617.60B/393.30	#617.60B/393.30A	----	481.90 - 32.90	.9861	----	----	----	----	1 UNCH
4200	2.00	2.00	5.00/*1.20	5.00/*1.20	----	2.40 + 0.50	.0138	----	----	64	----	340 + 8
4200	----	----	20.30B/----	20.30B/11.70A	----	13.90 + 7.10	.0716	----	----	----	----	4 UNCH
4210	----	----	4.80B/*1.80A	4.80B/*1.80A	----	2.50 + 0.60	.0146	----	----	----	----	1 UNCH
4220	----	----	5.00B/*1.80A	5.00B/*1.80A	----	2.60 + 0.60	.0154	----	----	----	----	1 UNCH
4225	3.10	3.10	5.10B/*1.80A	5.10B/*1.80A	----	2.70 + 0.70	.0161	----	----	1	----	23 + 1
4230	----	----	23.40B/----	23.40B/12.50A	----	15.90 + 8.30	.0820	----	----	1	----	0 - 1
4240	----	----	5.60B/*2.10A	5.60B/*2.10A	----	2.90 + 0.70	.0177	----	----	----	----	3 UNCH
4250	----	----	----/388.30A	480.00B/388.30A	----	446.70 - 24.10	.9099	----	----	----	----	1 UNCH
4250	2.60	2.60	5.90B/*2.20	5.90B/*2.20	----	3.00 + 0.80	.0186	----	----	5	----	13 + 2
4250	----	----	25.60B/----	25.60B/13.00A	----	17.40 + 9.20	.0897	----	----	----	----	100 UNCH
4250	----	----	567.00B/345.30A	567.00B/345.30A	----	432.60 - 32.50	.9812	----	----	50	----	34 - 16
4265	----	----	6.40B/*2.30A	6.40B/*2.30A	----	3.30 + 0.90	.0209	----	----	----	----	2 UNCH
4270	5.60	5.60	6.60B/2.50A	6.60B/2.50A	----	3.30 NEW	.0212	----	----	8	----	8 + 8
4275	5.70	5.70	6.80B/*2.50A	6.80B/*2.50A	----	3.40 + 0.90	.0220	----	----	17	----	26 + 16
4280	5.80	5.80	7.00B/2.60A	7.00B/2.60A	----	3.50 NEW	.0228	----	----	3	----	3 + 3
4285	----	----	532.60B/312.40A	532.60B/312.40A	----	398.20 - 32.30	.9763	----	----	----	----	2 UNCH
4290	2.40	2.40	7.40B/*2.20	7.40B/*2.20	----	3.70 + 1.00	.0244	----	----	78	----	78 + 78
4300	5.40	5.40	8.00/*2.60A	8.00/*2.60A	----	3.90 + 1.10	.0262	----	----	89	----	212 + 62
4310	----	----	32.70B/----	32.70B/14.60A	----	22.80 + 12.30	.1172	----	----	----	----	10 UNCH
4310	----	----	8.40B/----	8.40B/3.00A	----	4.10 + 1.20	.0280	----	----	----	----	11 UNCH
4315	----	----	33.80B/----	33.80B/14.60A	----	23.30 + 12.60	.1198	----	----	----	----	5 UNCH
4320	----	----	8.90B/----	8.90B/3.30A	----	4.40 + 1.40	.0304	----	----	----	----	1 UNCH
4325	----	----	9.20B/----	9.20B/3.30A	----	4.50 NEW	.0313	----	----	2	----	1 + 1
4330	----	----	9.60B/----	9.60B/3.30A	----	4.60 + 1.50	.0323	----	----	----	----	2 UNCH
4335	----	----	9.90B/----	9.90B/3.40A	----	4.70 + 1.50	.0333	----	----	----	----	10 UNCH
4340	4.20	4.20	10.20B/4.20	10.20B/3.50A	----	4.90 NEW	.0349	----	----	1	----	1 + 1
4345	4.50	4.50	10.50B/4.50	10.50B/3.60A	----	5.00 NEW	.0360	----	----	3	----	3 + 3
4350	31.20	31.20	39.10B/31.20	39.10B/16.60A	----	27.30 NEW	.1397	----	----	5	----	5 + 5
4350	8.60	8.60	10.80B/5.10	10.80B/3.70A	----	5.10 + 1.70	.0370	----	----	15	----	29 + 14
4350	47.00	47.00	60.30B/39.00	60.30B/28.50A	----	45.10 + 22.10	.1848	----	----	14	----	4 + 2
4350	----	----	468.20B/253.40A	468.20B/253.40A	----	334.70 - 31.70	.9628	----	----	----	----	1 UNCH
4355	11.10	11.10	11.10/11.10	11.10/3.80A	----	5.30 NEW	.0387	----	----	8	----	8 + 8
4360	5.00	5.00	11.50B/5.00	11.50B/4.10A	----	5.50 + 1.90	.0404	----	----	3	----	9 + 3
4370	----	----	12.30B/----	12.30B/4.10A	----	5.80 + 2.00	.0433	----	----	----	----	2 UNCH
4375	----	----	12.70B/----	12.70B/4.40A	----	6.00 + 2.20	.0451	----	----	----	----	1 UNCH
4380	----	----	13.10B/----	13.10B/4.40A	----	6.10 + 2.20	.0463	----	----	1	----	6 + 1
4385	----	----	13.50B/----	13.50B/4.50A	----	6.30 + 2.30	.0482	----	----	1	----	4 UNCH
4390	----	----	14.10B/----	14.10B/4.60A	----	6.50 + 2.40	.0500	----	----	----	----	2 UNCH
4390	----	----	67.50B/----	67.50B/32.50A	----	52.10 + 25.30	.2109	----	----	----	----	2 UNCH
4400	----	----	71.70B/----	71.70B/33.40A	----	54.00 + 26.10	.2178	----	----	----	----	150 UNCH
4400	3.00	3.00	15.40/*3.00	15.40/*3.00	----	7.00 + 2.70	.0545	----	----	115	----	148 + 30
4400	44.00	44.00	48.50B/43.50	48.50B/20.10A	----	34.00 + 18.40	.1726	----	----	2	----	22 UNCH
4400	----	----	419.70B/209.80A	419.70B/209.80A	----	286.60 - 30.70	.9453	----	----	----	----	52 UNCH
4410	----	----	16.80B/----	16.80B/5.30A	----	7.40 + 2.90	.0586	----	----	----	----	4 UNCH
4410	----	----	409.20B/200.90A	409.20B/200.90A	----	277.00 - 30.50	.9413	----	----	----	----	4 UNCH
4415	----	----	17.60B/----	17.60B/5.50A	----	7.70 + 3.10	.0613	----	----	1	----	5 UNCH
4415	----	----	----/251.10A	409.30B/251.10A	----	300.80 - 13.60	.8159	----	----	----	----	10 UNCH
4420	----	----	18.80B/----	18.80B/5.80A	----	7.90 + 3.20	.0634	----	----	----	----	5 UNCH
4420	----	----	399.40B/194.00A	399.40B/194.00A	----	267.50 - 30.20	.9364	----	----	----	----	4 UNCH
4425	----	----	19.10B/----	19.10B/5.90A	----	8.20 + 3.30	.0662	----	----	4	----	4 + 3
4430	8.10	8.10	19.30B/8.10	19.30B/6.20A	----	8.40 NEW	.0684	----	----	1	----	1 + 1
4435	----	----	20.30B/----	20.30B/6.40A	----	8.70 NEW	.0713	----	----	1	----	1 + 1
4440	----	----	----/232.60A	385.90B/232.60A	----	279.90 - 11.60	.7959	----	----	----	----	1 UNCH
4440	19.90	19.90	21.30B/13.80	21.30B/6.80A	----	9.00 + 3.80	.0742	----	----	20	----	33 UNCH
4440	----	----	57.40B/----	57.40B/24.20A	----	40.50 + 21.70	.2037	----	----	----	----	1 UNCH
4440	----	----	379.20B/178.00A	379.20B/178.00A	----	248.60 - 29.60	.9256	----	----	----	----	10 UNCH
4445	19.50	19.50	22.00B/19.50	22.00B/6.90A	----	9.30 + 3.90	.0772	----	----	5	----	25 UNCH
4450	60.00	60.00	60.00/60.00	60.00/24.50A	----	42.20 + 22.50	.2120	----	----	2	----	5 + 2
4450	----	----	369.80B/170.10A	369.80B/170.10A	----	239.30 - 29.20	.9190	----	----	----	----	1 UNCH
4450	14.40	14.40	22.00B/7.90	22.00B/7.10A	----	9.70 + 4.20	.0808	----	----	128	----	139 + 123
4455	14.20	14.20	24.20B/14.20	24.20B/7.40A	----	10.00 + 4.30	.0839	----	----	5	----	9 + 5
4460	----	----	359.50B/162.60A	359.50B/162.60A	----	230.00 - 28.80	.9121	----	----	----	----	3 UNCH
4460	11.40	11.40	24.60B/11.40	24.60B/7.60A	----	10.40 + 4.60	.0877	----	----	1	----	3 + 1
4465	----	----	26.20B/----	26.20B/7.70A	----	10.70 + 4.70	.0909	----	----	----	----	15 UNCH
4470	----	----	64.90B/----	64.90B/27.10A	----	46.00 + 24.30	.2297	----	----	----	----	2 UNCH
4475	12.30	12.30	27.30B/12.00	27.30B/8.30A	----	11.50 + 5.20	.0988	----	----	12	----	15 + 11
4480	----	----	29.50B/----	29.50B/8.50A	----	11.90 + 5.40	.1029	----	----	----	----	5 UNCH
4480	50.00	50.00	67.70B/50.00	67.70B/28.30A	----	48.00 NEW	.2390	----	----	1	----	1 + 1
4485	12.90	12.90	30.30B/12.90	30.30B/8.70A	----	12.40 + 5.70	.1076	----	----	1	----	11 + 1
4490	----	----	71.30B/----	71.30B/28.90A	----	50.10 + 26.30	.2486	----	----	----	----	16 UNCH
4495	----	----	98.00B/----	98.00B/46.60A	----	75.70 + 35.30	.2933	----	----	----	----	0 UNCH
4495	27.00	27.00	33.10B/9.20	33.10B/9.20	----	13.30 + 6.20	.1167	----	----	2	----	4 + 2
4500	----	----	----/189.40A	332.10B/189.40A	----	231.80 - 06.00	.7413	----	----	----	----	300 UNCH
4500	----	----	75.70B/----	75.70B/30.70A	----	52.20 + 27.20	.2584	----	----	----	----	17 UNCH
4500	9.00	9.00	40.00/9.00	40.00/9.00	----	13.80 + 6.50	.1217	----	----	170	----	203 + 6
4500	----	----	100.90B/----	100.90B/47.30A	----	77.00 + 35.80	.2976	----	----	----	----	0 UNCH
4500	192.00	192.00	321.10B/132.80A	321.10B/132.80A	----	193.50 - 26.70	.8782	----	----	1	----	7 + 1
4505	----	----	36.50B/----	36.50B/9.70A	----	14.30 + 6.80	.1267	----	----	----	----	9 UNCH
4510	----	----	37.10B/----	37.10B/9.90A	----	14.90 NEW	.1324	----	----	10	----	10 + 10
4515	32.00	32.00	38.50B/15.00	38.50B/10.10A	----	15.50 + 7.60	.1383	----	----	4	----	4 + 4
4515	----	----	80.00B/----	80.00B/32.20A	----	55.60 + 28.70	.2738	----	----	----	----	16 UNCH
4515	----	----	306.90B/122.50A	306.90B/122.50A	----	180.10 - 25.80	.8616	----	----	----	----	1 UNCH
4520	17.80	17.80	40.60B/17.80	40.60B/10.50A	----	16.10 + 7.90	.1442	----	----	7	----	7 + 5
4520	180.00	180.00	301.90B/119.10A	301.90B/119.10A	----	175.70 - 25.40	.8556	----	----	4	----	10 - 2
4525	25.00	25.00	41.60B/25.00	41.60B/10.70A	----	16.70 + 8.30	.1502	----	----	5	----	6 + 5
4530	27.50	27.50	43.00B/27.50	43.00B/10.90A	----	17.40 + 8.70	.1569	----	----	1	----	2 + 1
4535	----	----	44.70B/----	44.70B/11.20A	----	18.00 + 9.10	.1632	----	----	31	----	21 + 16
4535	----	----	----/166.40A	301.60B/166.40A	----	205.10 - 02.40	.7042	----	----	----	----	4 UNCH
4540	----	----	46.50B/----	46.50B/11.50A	----	18.80 + 9.60	.1706	----	----	22	----	26 - 1
4545	----	----	48.30B/----	48.30B/11.90A	----	19.50 + 10.00	.1776	----	----	2	----	4 + 2
4550	100.00	100.00	274.20B/97.80A	274.20B/97.80A	----	149.90 - 22.90	.8146	----	----	6	----	51 + 2
4550	----	----	----/157.10A	288.80B/157.10A	----	194.00 - 00.70	.6870	----	----	----	----	1 UNCH
4550	62.70	62.70	94.60B/62.70	94.60B/37.50A	----	64.50 NEW	.3127	----	----	4	----	2 + 2
4550	11.00	11.00	50.80B/11.00	50.80B/11.00	----	20.30 + 10.50	.1853	----	----	68	----	46 + 10
4555	17.30	17.30	52.70B/17.30	52.70B/12.40A	----	21.10 + 10.90	.1931	----	----	3	----	15 + 1
4555	----	----	269.20B/94.90A	269.20B/94.90A	----	145.80 - 22.30	.8068	----	----	----	----	11 UNCH
4560	18.60	18.60	54.60B/18.60	54.60B/12.80A	----	22.00 + 11.50	.2015	----	----	1	----	20 UNCH
4565	----	----	56.10B/----	56.10B/13.10A	----	22.90 + 12.10	.2100	----	----	30	----	30 + 8
4570	27.20	27.20	58.40B/20.00	58.40B/13.50A	----	23.80 + 12.60	.2187	----	----	4	----	3 + 1
4570	----	----	----/164.10A	291.90B/164.10A	----	207.70 - 89.30	.6348	----	----	----	----	1 UNCH
4570	110.00	110.00	255.00B/86.20A	255.00B/86.20A	----	133.40 NEW	.7811	----	----	5	----	2 + 2
4575	----	----	250.60B/83.20A	250.60B/83.20A	----	129.40 NEW	.7719	----	----	1	----	1 + 1
4575	101.00	101.00	105.50B/101.00	105.50B/41.00A	----	71.60 NEW	.3428	----	----	1	----	1 + 1
4575	----	----	----/131.60A	267.90B/131.60A	----	176.20 - 97.70	.6569	----	----	----	----	5 UNCH
4575	23.30	23.30	60.50B/18.50	60.50B/13.80A	----	24.80 + 13.20	.2280	----	----	10	----	37 + 5
4580	----	----	245.70B/81.20A	245.70B/81.20A	----	125.40 - 19.60	.7624	----	----	----	----	6 UNCH
4580	20.00	20.00	62.90B/20.00	62.90B/14.20A	----	25.80 + 13.80	.2374	----	----	4	----	6 + 3
4585	----	----	107.50B/----	107.50B/42.80A	----	74.60 + 36.80	.3553	----	----	----	----	4 UNCH
4585	----	----	241.30B/77.80A	241.30B/77.80A	----	121.50 - 18.90	.7528	----	----	----	----	2 UNCH
4585	----	----	64.90B/----	64.90B/14.70A	----	26.80 + 14.40	.2470	----	----	43	----	40 + 39
4590	----	----	67.60B/----	67.60B/15.10A	----	27.90 + 15.10	.2571	----	----	4	----	31 + 3
4590	----	----	236.40B/74.70A	236.40B/74.70A	----	117.60 - 18.20	.7427	----	----	1	----	40 + 1
4595	----	----	231.70B/73.00A	231.70B/73.00A	----	113.80 - 17.50	.7320	----	----	3	----	41 + 3
4595	54.00	54.00	69.90B/23.00	69.90B/15.50A	----	29.10 + 15.80	.2678	----	----	7	----	77 + 6
4600	35.00	35.00	72.30B/23.00	72.30B/16.00A	----	30.30 + 16.60	.2787	----	----	415	----	234 - 75
4600	----	----	----/147.20A	269.10B/147.20A	----	188.40 - 85.40	.6035	----	----	----	----	10 UNCH
4600	----	----	139.00B/----	139.00B/67.40A	----	108.80 + 47.80	.3960	----	----	----	----	1 UNCH
4600	85.50	85.50	115.00/85.50	115.00/45.40A	----	79.40 NEW	.3748	----	----	5	----	4 + 4

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK1										
APR26												
4600	127.60	127.60	227.40B/70.20A	227.40B/70.20A	----	110.00 - 16.70	.7211	----	----	112	----	79 - 61
4605	----	----	222.80B/67.80A	222.80B/67.80A	----	106.20 - 16.00	.7098	----	----	----	----	6 UNCH
4605	32.50	32.50	74.90B/32.50	74.90B/16.50A	----	31.60 + 17.40	.2900	----	----	15	----	68 + 1
4610	100.10	100.10	217.90B/66.00A	217.90B/66.00A	----	102.60 - 15.10	.6983	----	----	45	----	81 + 31
4610	----	----	115.40B/----	115.40B/48.20A	----	82.80 + 40.10	.3882	----	----	----	----	14 UNCH
4610	----	----	77.40B/----	77.40B/17.00A	----	32.90 + 18.20	.3016	----	----	39	----	98 + 38
4615	46.20	46.20	80.00B/26.00	80.00B/17.50A	----	34.20 NEW	.3133	----	----	6	----	4 + 4
4615	69.50	69.50	213.60B/63.70A	213.60B/63.70A	----	98.90 - 14.40	.6865	----	----	2	----	22 UNCH
4620	----	----	209.10B/61.10A	209.10B/61.10A	----	95.30 - 13.50	.6741	----	----	2	----	7 + 2
4620	34.90	34.90	82.70B/27.40	82.70B/18.10A	----	35.70 + 19.90	.3257	----	----	48	----	31 + 30
4620	----	----	119.90B/----	119.90B/49.50A	----	86.30 NEW	.4018	----	----	1	----	1 + 1
4625	----	----	204.50B/58.60A	204.50B/58.60A	----	91.80 - 12.60	.6617	----	----	----	----	41 UNCH
4625	45.30	45.30	83.30B/31.20	83.30B/18.60A	----	37.10 + 20.70	.3381	----	----	7	----	5 + 3
4630	68.60	68.60	68.60/56.10A	200.00B/56.10A	----	88.40 NEW	.6487	----	----	2	----	2 + 2
4630	52.00	52.00	86.20B/36.50	86.20B/19.10A	----	38.70 NEW	.3511	----	----	6	----	6 + 6
4635	----	----	----/104.20A	219.80B/104.20A	----	136.50 - 89.50	.5768	----	----	----	----	9 UNCH
4635	39.00	39.00	89.00B/36.50	89.00B/19.80A	----	40.30 + 22.70	.3644	----	----	13	----	11 + 10
4635	----	----	----/53.60A	195.60B/53.60A	----	85.00 - 10.70	.6354	----	----	----	----	5 UNCH
4640	55.00	55.00	92.30B/38.20	92.30B/20.50A	----	42.00 + 23.70	.3779	----	----	9	----	5 + 4
4640	----	----	191.40B/51.30A	191.40B/51.30A	----	81.60 - 09.70	.6219	----	----	2	----	22 + 1
4645	54.90	54.90	54.90/48.90A	187.00B/48.90A	----	78.40 - 08.60	.6081	----	----	8	----	11 + 1
4645	85.00	85.00	95.70B/41.50	95.70B/21.20A	----	43.70 + 24.70	.3917	----	----	5	----	4 + 3
4650	----	----	134.90B/----	134.90B/56.30A	----	97.60 + 45.90	.4444	----	----	----	----	70 UNCH
4650	40.00	40.00	98.70B/37.00	98.70B/21.80A	----	45.50 + 25.80	.4058	----	----	63	----	61 + 28
4650	----	----	----/96.30A	208.30B/96.30A	----	127.30 - 87.30	.5552	----	----	----	----	1 UNCH
4650	53.00	53.00	74.50/46.70A	182.50B/46.70A	----	75.20 - 07.50	.5940	----	----	7	----	58 + 3
4655	43.00	43.00	101.90B/43.00	101.90B/22.80A	----	47.40 NEW	.4202	----	----	2	----	2 + 2
4655	65.50	65.50	65.50/44.60A	178.40B/44.60A	----	72.10 - 06.40	.5796	----	----	3	----	3 + 2
4660	----	----	----/93.10A	201.10B/93.10A	----	121.40 - 85.80	.5406	----	----	----	----	2 UNCH
4660	65.00	65.00	65.00/42.50A	174.00B/42.50A	----	69.00 - 05.30	.5650	----	----	1	----	5 + 1
4660	----	----	105.20B/----	105.20B/23.50A	----	49.30 + 28.10	.4348	----	----	1	----	2 + 1
4665	50.10	50.10	108.50B/48.70	108.50B/24.30A	----	51.30 + 29.20	.4496	----	----	22	----	23 + 22
4665	64.40	64.40	76.20/40.50A	169.70B/40.50A	----	66.00 NEW	.5502	----	----	13	----	11 + 11
4670	66.00	66.00	71.40/38.70A	165.40B/38.70A	----	63.10 - 02.90	.5351	----	----	2	----	2 + 1
4670	67.70	67.70	112.10B/43.90	112.10B/25.20A	----	53.40 + 30.50	.4647	----	----	7	----	10 + 5
4675	58.30	58.30	116.20B/40.40	116.20B/25.70A	----	55.50 + 31.70	.4799	----	----	12	----	48 + 4
4675	63.60	63.60	63.60/36.80A	161.50B/36.80A	----	60.20 NEW	.5199	----	----	3	----	3 + 3
4680	55.10	55.10	119.30B/50.00	119.30B/26.70A	----	57.80 + 33.10	.4953	----	----	28	----	25 + 22
4680	----	----	----/*35.10A	157.00B/*35.10A	----	57.50 NEW	.5045	----	----	1	----	1 + 1
4685	50.10	50.10	123.40B/50.10	123.40B/27.30A	----	60.10 + 34.40	.5108	----	----	46	----	53 + 41
4685	95.10	95.10	95.10/*33.40A	153.00B/*33.40A	----	54.80 NEW	.4890	----	----	39	----	33 + 33
4690	46.20	46.20	61.90/*31.80A	149.30B/*31.80A	----	52.20 - 97.50	.4733	----	----	31	----	27 + 22
4690	35.00	35.00	126.50B/35.00	126.50B/28.30A	----	62.50 + 35.80	.5265	----	----	9	----	6 + 5
4695	56.60	56.60	56.60/*30.10A	145.20B/*30.10A	----	49.70 - 96.10	.4577	----	----	1	----	15 UNCH
4695	50.50	50.50	130.90B/50.20	130.90B/29.20A	----	65.00 NEW	.5421	----	----	16	----	12 + 12
4700	----	----	----/76.30A	173.00B/76.30A	----	99.30 - 79.20	.4801	----	----	----	----	1 UNCH
4700	35.00	35.00	63.00/*28.60A	140.60B/*28.60A	----	47.20 - 94.70	.4419	----	----	183	----	158 + 76
4700	33.60	33.60	134.40B/33.60	134.40B/30.10A	----	67.50 + 38.70	.5579	----	----	49	----	54 + 23
4700	110.00	110.00	162.50B/110.00	162.50B/70.20A	----	119.60 NEW	.5196	----	----	2	----	2 + 2
4700	----	----	----/103.70A	197.50B/103.70A	----	131.00 - 71.60	.4908	----	----	----	----	51 UNCH
4705	126.00	126.00	137.00B/*27.10A	137.00B/*27.10A	----	44.80 - 93.20	.4261	----	----	5	----	18 + 2
4705	55.20	55.20	138.30B/55.20	138.30B/31.20A	----	70.10 NEW	.5737	----	----	10	----	10 + 10
4710	----	----	142.00B/----	142.00B/32.20A	----	72.80 + 41.70	.5892	----	----	----	----	2 UNCH
4710	27.00	27.00	48.50/*25.70A	133.00B/*25.70A	----	42.60 NEW	.4106	----	----	37	----	19 + 19
4715	58.00	58.00	58.00/*24.30A	129.10B/*24.30A	----	40.40 - 90.00	.3949	----	----	2	----	5 + 1
4715	54.10	54.10	146.20B/54.10	146.20B/33.50A	----	75.60 NEW	.6049	----	----	6	----	2 + 2
4720	27.30	27.30	50.00/*23.20A	123.10B/*23.20A	----	38.20 - 88.50	.3792	----	----	2	----	2 + 1
4720	108.70	108.70	108.70/70.10A	158.50B/70.10A	----	89.30 - 75.60	.4491	----	----	10	----	19 + 10
4720	----	----	150.20B/----	150.20B/34.50A	----	78.50 + 44.90	.6206	----	----	----	----	5 UNCH
4725	121.80	121.80	154.30B/121.80	154.30B/35.60A	----	81.50 + 46.60	.6359	----	----	2	----	13 + 2
4725	42.50	42.50	42.50/*21.70A	119.60B/*21.70A	----	36.20 - 86.80	.3639	----	----	47	78	104 + 100
4730	112.00	112.00	117.80B/*20.50A	117.80B/*20.50A	----	34.20 - 85.20	.3486	----	----	22	----	25 + 19
4730	----	----	158.20B/----	158.20B/37.00A	----	84.50 NEW	.6512	----	----	3	----	3 + 3
4730	----	----	181.10B/----	181.10B/79.40A	----	134.70 + 59.40	.5661	----	----	----	----	2 UNCH
4735	30.00	30.00	36.00/*19.40A	112.10B/*19.40A	----	32.40 - 83.40	.3338	----	----	4	----	5 + 4
4740	44.00	44.00	49.20/*18.40A	107.90B/*18.40A	----	30.60 - 81.70	.3190	----	----	24	----	39 + 19
4745	22.00	22.00	36.00/*17.40A	104.60B/*17.40A	----	28.80 NEW	.3042	----	----	18	----	15 + 15
4750	175.00	175.00	194.40B/175.00	194.40B/86.20A	----	145.70 + 63.20	.5973	----	----	1	----	1 - 1
4750	28.30	28.30	32.10/*16.50A	101.00B/*16.50A	----	27.20 - 78.20	.2901	----	----	85	----	128 + 50
4750	60.00	60.00	177.00B/60.00	177.00B/42.30A	----	97.50 + 55.20	.7097	----	----	8	----	50 + 1
4750	----	----	----/85.50A	166.20B/85.50A	----	106.70 - 64.20	.4318	----	----	----	----	12 UNCH
4755	----	----	----/*15.60A	97.40B/*15.60A	----	25.60 NEW	.2761	----	----	3	----	1 + 1
4760	36.00	36.00	36.00/*14.70A	94.00B/*14.70A	----	24.20 - 74.50	.2629	----	----	69	----	59 + 9
4760	----	----	185.70B/----	185.70B/45.70A	----	104.40 + 58.80	.7369	----	----	----	----	75 UNCH
4765	20.40	20.40	25.60/*13.90A	90.60B/*13.90A	----	22.80 - 72.60	.2498	----	----	2	----	8 UNCH
4765	----	----	190.10B/----	190.10B/47.50A	----	108.00 + 60.60	.7500	----	----	----	----	3 UNCH
4770	----	----	194.10B/49.00A	194.10B/49.00A	----	111.70 + 62.50	.7631	----	----	----	----	2 UNCH
4770	40.90	40.90	40.90/*13.20A	87.20B/*13.20A	----	21.40 - 70.80	.2367	----	----	2	----	216 + 2
4775	20.00	20.00	32.00/*12.40A	84.00B/*12.40A	----	20.20 - 68.90	.2248	----	----	21	----	32 + 6
4780	21.00	21.00	21.00/*11.80A	82.90B/*11.80A	----	19.00 - 67.00	.2128	----	----	17	----	20 + 15
4780	----	----	----/49.90A	121.90B/49.90A	----	63.20 - 64.10	.3564	----	----	----	----	1 UNCH
4785	----	----	----/75.80A	146.40B/75.80A	----	91.40 - 59.00	.3903	----	----	----	----	24 UNCH
4785	----	----	----/48.40A	118.50B/48.40A	----	61.30 - 63.10	.3488	----	----	----	----	1 UNCH
4785	23.30	23.30	23.30/*11.10A	82.80B/*11.10A	----	17.80 - 65.20	.2010	----	----	3	----	9 UNCH
4785	----	----	207.90B/54.20A	207.90B/54.20A	----	123.10 NEW	.7988	----	----	2	----	2 + 2
4785	----	----	242.90B/----	242.90B/129.00A	----	196.50 + 74.10	.6091	----	----	----	----	24 UNCH
4790	----	----	212.10B/----	212.10B/57.10A	----	127.00 NEW	.8094	----	----	3	----	3 + 3
4790	27.10	27.10	81.60B/*10.50A	81.60B/*10.50A	----	16.80 - 63.20	.1904	----	----	47	----	29 + 23
4795	19.30	19.30	79.90B/*9.90A	79.90B/*9.90A	----	15.80 - 61.40	.1799	----	----	6	----	17 UNCH
4795	----	----	226.90B/----	226.90B/105.20A	----	172.80 + 72.10	.6659	----	----	----	----	4 UNCH
4795	----	----	----/45.70A	113.00B/45.70A	----	57.60 - 61.20	.3337	----	----	----	----	10 UNCH
4800	----	----	230.70B/----	230.70B/106.00A	----	176.10 + 73.20	.6732	----	----	----	----	1 UNCH
4800	36.00	36.00	76.90B/*9.30A	76.90B/*9.30A	----	14.80 - 59.50	.1694	----	----	247	----	134 + 87
4800	----	----	----/44.30A	110.20B/44.30A	----	55.90 - 60.10	.3265	----	----	1	----	5 + 1
4800	128.30	128.30	221.70B/128.30	221.70B/61.50A	----	135.10 + 73.90	.8304	----	----	1	----	7 + 1
4805	----	----	----/43.00A	108.10B/43.00A	----	54.10 - 59.10	.3190	----	----	----	----	1 UNCH
4805	65.30	65.30	74.00B/*8.80A	74.00B/*8.80A	----	13.90 NEW	.1597	----	----	4	----	3 + 3
4805	----	----	226.10B/63.00A	226.10B/63.00A	----	139.20 + 75.70	.8401	----	----	----	----	9 UNCH
4810	----	----	238.40B/----	238.40B/111.60A	----	182.60 + 75.20	.6878	----	----	----	----	4 UNCH
4810	----	----	230.70B/----	230.70B/65.90A	----	143.40 + 77.70	.8490	----	----	1	----	1 - 1
4810	13.50	13.50	71.00B/*8.40A	71.00B/*8.40A	----	13.10 - 55.70	.1508	----	----	2	----	2 UNCH
4815	12.70	12.70	68.40B/*7.90A	68.40B/*7.90A	----	12.30 - 53.90	.1420	----	----	39	----	54 + 38
4820	----	----	----/39.30A	102.30B/39.30A	----	49.20 - 56.00	.2974	----	----	----	----	4 UNCH
4820	25.00	25.00	65.70B/*7.50A	65.70B/*7.50A	----	11.60 - 52.00	.1339	----	----	16	----	117 + 14
4825	55.70	55.70	55.70/38.20A	100.00B/38.20A	----	47.70 NEW	.2904	----	----	4	----	2 + 2
4825	29.30	29.30	62.90B/*7.00A	62.90B/*7.00A	----	10.90 - 50.20	.1260	----	----	46	----	79 + 29
4830	----	----	249.90B/75.40A	249.90B/75.40A	----	160.60 NEW	.8809	----	----	2	----	2 + 2
4830	6.90	6.90	60.60B/*6.70A	60.60B/*6.70A	----	10.30 - 48.40	.1189	----	----	21	----	79 + 1
4835	10.80	10.80	58.10B/*6.30A	58.10B/*6.30A	----	9.70 - 46.60	.1119	----	----	2	----	15 UNCH
4840	10.20	10.20	55.50B/*6.00A	55.50B/*6.00A	----	9.20 - 44.80	.1058	----	----	4	----	13 + 2
4840	----	----	----/34.80A	91.80B/34.80A	----	43.30 - 51.70	.2698	----	----	----	----	4 UNCH
4840	----	----	261.60B/----	261.60B/132.80A	----	203.40 + 81.50	.7298	----	----	----	----	1 UNCH
4845	10.40	10.40	53.20B/*5.80A	53.20B/*5.80A	----	8.60 NEW	.0990	----	----	5	----	5 + 5
4850	----	----	----/32.80A	87.70B/32.80A	----	40.50 - 49.70	.2564	----	----	1	----	0 - 1
4850	20.20	20.20	50.90B/*5.40A	50.90B/*5.40A	----	8.20 - 41.40	.0939	----	----	43	----	139 + 26
4850	----	----	268.80B/85.90A	268.80B/85.90A	----	178.40 + 92.00	.9059	----	----	----	----	24 UNCH
4850	----	----	270.50B/----	270.50B/138.30A	----	210.60 + 83.50	.7433	----	----	----	----	4 UNCH
4855	5.00	5.00	48.80B/*5.00	48.80B/*5.00	----	7.70 NEW	.0881	----	----	1	----	1 + 1
4855	----	----	274.60B/----	274.60B/141.10A	----	214.30 + 84.60	.7498	----	----	----	----	1 UNCH
4860	----	----	----/30.80A	82.00B/30.80A	----	37.90 NEW	.2434	----	----	4	----	4 + 4
4860	9.30	9.30	46.60B/*4.80A	46.60B/*4.80A	----	7.30 - 38.10	.0832	----	----	7	----	13 - 1
4865	6.50	6.50	44.20B/*4.60A	44.20B/*4.60A	----	6.90 - 36.50	.0783	----	----	1	----	1 UNCH
4870	----	----	287.60B/*97.40A	287.60B/97.40A	----	196.70 NEW	.9263	----	----	1	----	1 + 1
4875	----	----	40.40B/*4.20A	40.40B/*4.20A	----	6.20 - 33.50	.0697	----	----	6	----	13 + 5
4880	----	----	----/27.20A	72.70B/27.20A	----	33.20 - 43.50	.2189	----	----	----	----	2 UNCH
4880	----	----	38.50B/*3.90A	38.50B/*3.90A	----	5.80 - 32.10	.0651	----	----	3	----	213 UNCH
4885	----	----	36.70B/*3.80A	36.70B/*3.80A	----	5.50 - 30.70	.0614	----	----	----	----	15 UNCH
4885	----	----	----/26.40A	70.70B/26.40A	----	32.10 - 42.50	.2130	----	----	----	----	18 UNCH
4885	----	----	299.10B/----	299.10B/158.70A	----	237.20 + 90.80	.7866	----	----	----	----	1 UNCH
4890	5.60	5.60	34.90B/*3.60A	34.90B/*3.60A	----	5.30 NEW	.0586	----	----	1	----	1 + 1
4895	----	----	33.20B/*3.40A	33.20B/*3.40A	----	5.00 - 27.90	.0551	----	----	----	----	1 UNCH
4900	214.70	214.70	316.50B/214.70	316.50B/125.30A	----	225.00 + 06.70	.9483	----	----	1	----	15 + 1
4900	30.00	30.00	30.00/24.10A	65.40B/24.10A	----	29.00 - 39.60	.1960	----	----	1	----	6 - 1
4900	----	----	312.80B/----	312.80B/168.00A	----	249.10 + 93.70	.8036	----	----	----	----	1 UNCH
4900	15.00	15.00	31.60B/*3.20A	31.60B/*3.20A	----	4.70 - 26.70	.0515	----	----	21	----	66 + 3
4905	----	----	321.40B/----	321.40B/127.40A	----	229.70 + 07.90	.9509	----	----	----	----	14 UNCH
4905	4.80	4.80	30.00B/*3.20A	30.00B/*3.20A	----	4.50 - 25.40	.0490	----	----	3	----	2 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK2										
APR26												
4905	----	----	316.30B/----	316.30B/171.20A	----	253.10 + 94.70	.8092	----	----	----	----	1 UNCH
4910	----	----	----/*21.90A	59.80B/*21.90A	----	27.10 - 37.60	.1853	----	----	----	----	16 UNCH
4915	----	----	----/*2.80A	27.20B/*2.80A	----	4.10 NEW	.0439	----	----	1	----	1 + 1
4920	2.40	2.40	2.40/*2.40	25.80B/*2.40	----	3.90 - 22.00	.0415	----	----	1	----	4 + 1
4925	8.10	8.10	8.10/*2.60A	24.40B/*2.60A	----	3.70 - 21.00	.0391	----	----	4	----	39 UNCH
4930	----	----	----/*2.50A	23.10B/*2.50A	----	3.50 - 20.00	.0368	----	----	2	----	11 + 1
4935	----	----	----/*2.40A	21.90B/*2.40A	----	3.40 - 18.90	.0354	----	----	1	----	40 UNCH
4940	3.50	3.50	3.50/*2.30A	20.80B/*2.30A	----	3.20 - 18.10	.0331	----	----	5	----	7 + 1
4940	----	----	----/*18.70A	49.40B/*18.70A	----	22.10 - 32.20	.1558	----	----	----	----	1 UNCH
4950	----	----	365.10B/----	365.10B/158.00A	----	273.20 + 17.10	.9703	----	----	----	----	3 UNCH
4950	----	----	----/*17.60A	46.80B/*17.60A	----	20.70 - 30.40	.1471	----	----	----	----	2 UNCH
4950	3.40	3.40	3.40/*2.10A	18.60B/*2.10A	----	2.90 - 16.40	.0295	----	----	16	----	117 - 1
4955	2.90	2.90	2.90/*2.00A	17.50B/*2.00A	----	2.80 NEW	.0283	----	----	1	----	1 + 1
4960	----	----	----/*16.70A	43.30B/*16.70A	----	19.30 - 28.80	.1384	----	----	4	----	4 UNCH
4960	----	----	----/*1.90A	16.60B/*1.90A	----	2.70 - 14.80	.0270	----	----	----	----	1 UNCH
4965	2.30	2.30	2.30/*1.80A	15.70B/*1.80A	----	2.60 - 14.00	.0257	----	----	3	----	9 - 1
4970	----	----	----/*1.80A	14.80B/*1.80A	----	2.50 - 13.30	.0245	----	----	1	----	4 + 1
4970	----	----	384.90B/----	384.90B/174.30A	----	292.70 NEW	.9753	----	----	1	----	1 + 1
4975	41.70	41.70	41.70/31.80A	62.90B/31.80A	----	38.70 - 32.90	.2022	----	----	1	----	4 + 1
4975	----	----	----/*15.30A	39.50B/*15.30A	----	17.50 - 26.40	.1268	----	----	----	----	0 UNCH
4975	4.30	4.30	4.30/*1.70A	14.00B/*1.70A	----	2.40 - 12.70	.0233	----	----	9	----	10 + 9
4980	----	----	----/*14.90A	37.60B/*14.90A	----	16.90 - 25.70	.1230	----	----	----	----	0 UNCH
4980	----	----	----/*1.70A	13.20B/*1.70A	----	2.30 - 12.10	.0222	----	----	----	----	4 UNCH
4985	----	----	----/*1.70A	12.40B/*1.70A	----	2.20 NEW	.0210	----	----	2	----	1 + 1
4990	----	----	404.80B/----	404.80B/190.80A	----	312.30 + 22.40	.9799	----	----	----	----	1 UNCH
5000	----	----	----/*13.10A	32.90B/*13.10A	----	14.90 - 22.80	.1095	----	----	----	----	4 UNCH
5000	2.60	2.60	3.30/*1.30A	10.30B/*1.30A	----	1.90 - 9.90	.0177	----	----	47	----	59 + 16
5000	----	----	414.70B/----	414.70B/199.40A	----	322.10 + 23.40	.9821	----	----	----	----	277 UNCH
5005	----	----	----/*1.30A	10.00B/*1.30A	----	1.90 - 9.40	.0175	----	----	----	----	1 UNCH
5010	----	----	----/*12.20A	30.50B/*12.20A	----	13.90 - 21.50	.1029	----	----	----	----	2 UNCH
5010	4.60	4.60	4.60/*1.30A	9.50B/*1.30A	----	1.80 - 9.00	.0165	----	----	2	----	4 + 2
5015	----	----	430.30B/----	430.30B/212.40A	----	336.90 + 24.80	.9844	----	----	----	----	1 UNCH
5025	1.00	1.00	1.00/*1.00	8.10B/*1.00	----	1.60 - 7.80	.0143	----	----	2	----	3 + 2
5025	----	----	----/*11.70A	27.40B/*11.70A	----	12.70 - 19.60	.0945	----	----	----	----	1 UNCH
5030	----	----	445.10B/----	445.10B/225.70A	----	351.70 + 26.00	.9866	----	----	----	----	9 UNCH
5030	----	----	----/*1.10A	7.50B/*1.10A	----	1.50 - 7.40	.0133	----	----	----	----	102 UNCH
5035	----	----	----/*1.10A	7.20B/*1.10A	----	1.50 NEW	.0131	----	----	1	----	1 + 1
5040	----	----	454.40B/234.60A	454.40B/234.60A	----	361.60 + 26.60	.9877	----	----	----	----	1 UNCH
5045	0.80	0.80	0.80/*0.80	6.40B/*0.80	----	1.40 NEW	.0120	----	----	1	----	1 + 1
5045	----	----	460.00B/239.10A	460.00B/239.10A	----	366.60 + 27.00	.9879	----	----	----	----	1 UNCH
5050	1.70	1.70	2.00/*0.50	6.10B/*0.50	----	1.30 - 6.20	.0111	----	----	17	----	20 + 16
5055	----	----	----/*9.90A	22.10B/*9.90A	----	10.50 - 16.30	.0790	----	----	----	----	1 UNCH
5055	----	----	----/*0.90A	5.70B/*0.90A	----	1.30 - 5.80	.0110	----	----	----	----	1 UNCH
5060	1.30	1.30	1.30/*0.90A	5.40B/*0.90A	----	1.20 NEW	.0101	----	----	9	----	9 + 9
5060	----	----	474.90B/252.80A	474.90B/252.80A	----	381.40 + 27.80	.9898	----	----	----	----	48 UNCH
5075	----	----	----/*9.30A	19.20B/*9.30A	----	9.30 - 14.40	.0703	----	----	----	----	1 UNCH
5080	----	----	----/*0.80A	4.40B/*0.80A	----	1.00 - 4.70	.0081	----	----	4	----	4 + 2
5095	1.70	1.70	1.70/*0.80	3.10B/*0.80	----	0.90 NEW	.0071	----	----	12	----	9 + 9
5095	----	----	509.70B/284.60A	509.70B/284.60A	----	416.10 + 29.30	.9928	----	----	----	----	85 UNCH
5100	----	----	514.70B/290.00A	514.70B/290.00A	----	421.00 + 29.40	.9929	----	----	----	----	2 UNCH
5100	0.90	0.90	1.00/*0.40A	2.70B/*0.40A	----	0.90 - 3.90	.0070	----	----	2	----	5 + 1
5100	22.20	22.20	#22.20/*22.20	#32.70B/*20.40A	----	20.20 NEW	.1174	----	----	1	----	1 + 1
5125	0.10	0.10	0.10/*0.10	1.90B/*0.10	----	0.70 NEW	.0052	----	----	1	----	1 + 1
5130	0.20	0.20	0.20/*0.10	1.90B/*0.10	----	0.70 - 3.10	.0052	----	----	4	----	4 + 3
5140	----	----	----/*0.70A	1.80B/*0.70A	----	0.60 - 2.90	.0044	----	----	----	----	1 UNCH
5145	0.20	0.20	0.20/*0.20	1.70B/*0.20	----	0.60 NEW	.0043	----	----	2	----	2 + 2
5150	0.20	0.20	0.30/*0.10	1.70B/*0.10	----	0.60 - 2.70	.0043	----	----	49	----	47 + 46
5155	0.10	0.10	0.20/*0.10	1.50B/*0.10	----	0.50 - 2.60	.0035	----	----	10	----	38 UNCH
5180	----	----	#566.60B/----	566.60B/391.50A	----	500.60 + 31.20	.9973	----	----	----	----	1 UNCH
5180	0.10	0.10	0.10/*0.10	1.10B/*0.10	----	0.40 NEW	.0027	----	----	3	----	3 + 3
5200	0.20	0.20	0.50/*0.20	0.50/*0.20	----	0.40 - 1.90	.0026	----	----	11	----	11 + 11
5205	----	----	----/*0.40A	0.30B/*0.40A	----	0.40 - 1.80	.0026	----	----	----	----	1 UNCH
5220	4.00	4.00	4.00/*4.00	7.50B/*4.00	----	4.30 - 5.80	.0321	----	----	1	----	2 + 1
5240	----	----	----/*0.30A	0.10B/*0.30A	----	0.30 - 1.40	.0018	----	----	----	----	10 UNCH
5250	----	----	----/*3.90A	5.50B/*3.90A	----	3.70 - 4.90	.0275	----	----	----	----	12 UNCH
5250	----	----	----/*0.30A	0.10B/*0.30A	----	0.30 - 1.30	.0018	----	----	----	----	1 UNCH
5275	----	----	#661.10B/----	#661.10B/485.40A	----	595.40 + 32.40	.9990	----	----	----	----	2 UNCH
5285	----	----	----/*0.20A	0.10B/*0.20A	----	0.20 - 1.00	.0011	----	----	2	----	2 UNCH
5295	----	----	----/*0.20A	0.10B/*0.20A	----	0.20 - 0.90	.0011	----	----	----	----	100 UNCH
5300	----	----	----/*0.20A	0.10B/*0.20A	----	0.20 - 0.90	.0011	----	----	----	----	1 UNCH
5305	----	----	----/*0.20A	0.10B/*0.20A	----	0.20 - 0.80	.0011	----	----	----	----	1 UNCH
5345	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.60	.0002	----	----	----	----	20 UNCH
5350	----	----	----/*3.70A	1.00B/*3.70A	----	2.40 - 2.80	.0172	----	----	----	----	2 UNCH
5350	1.00	1.00	1.00/*0.20A	1.00/*0.20A	----	0.10 - 0.60	.0002	----	----	1	----	3 + 1
5370	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.50	.0001	----	----	----	----	10 UNCH
5380	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.50	.0001	----	----	----	----	1 UNCH
5395	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.40	.0001	----	----	----	----	10 UNCH
5400	----	----	----/*3.20A	0.70B/*3.20A	----	1.90 - 2.00	.0135	----	----	----	----	1 UNCH
5400	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.40	.0001	----	----	----	----	1 UNCH
5600	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5600	----	----	#986.30B/----	#986.30B/808.20A	----	920.30 + 33.40	1.0000	----	----	----	----	1 UNCH
5675	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
TOTAL										3882	78	8425 + 1683
MAY26												
4250	----	----	#66.80B/----	#66.80B/37.30A	----	52.20 NEW	.1737	----	----	1	----	1 + 1
4300	----	----	#77.70B/----	#77.70B/43.10A	----	60.90 + 23.20	.1992	----	----	----	----	2 UNCH
4350	----	----	#89.80B/----	#89.80B/50.00A	----	70.70 + 26.40	.2273	----	----	1	----	2 + 1
4475	----	----	#127.50B/----	#127.50B/72.10A	----	101.70 + 35.80	.3100	----	----	----	----	1 UNCH
4500	138.10	138.10	#138.10/138.10	#138.10/77.70A	----	109.40 + 38.10	.3289	----	----	1	----	1 - 1
4650	170.00	170.00	170.00/*165.10A	266.80B/*165.10A	----	196.60 NEW	.5450	----	----	1	----	1 + 1
4700	----	----	----/*144.10A	236.10B/*144.10A	----	170.70 NEW	.5004	----	----	1	----	1 + 1
4705	----	----	----/*141.40A	231.90B/*141.40A	----	168.20 NEW	.4959	----	----	1	----	1 + 1
4720	----	----	----/*135.40A	222.80B/*135.40A	----	161.10 - 71.00	.4824	----	----	----	----	1 UNCH
4950	----	----	----/*68.40A	110.80B/*68.40A	----	80.50 - 38.60	.2930	----	----	----	----	1 UNCH
TOTAL										6		12 + 4

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
FMG OPT		MICRO GOLD WEEKLY FRI OPTION WEEK3										
APR26												
4250	----	----	----	----	----	28.20 + 14.50	.1228	----	----	----	----	1 UNCH
TOTAL												1 0

SILVER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU		SILVER WEEKLY THURSDAY OPTION Week3										
APR26												
5000	----	----	0.075B/----	0.075B/0.265A	----	0.093 + 0.031	.0149	----	----	----	----	1 UNCH
5300	----	----	----	----/*0.105A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
5600	----	----	----	0.067B/*0.175A	----	0.136 + 0.011	.0234	----	----	----	----	1 UNCH
5700	----	----	----	----/*0.106A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
6000	----	----	0.239B/----	0.239B/0.315A	----	0.223 + 0.034	.0439	----	----	----	----	1 UNCH
6000	----	----	----	----/0.054A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
6000	----	----	0.729B/----	0.729B/0.621A	----	0.582 + 0.214	.0914	----	----	----	----	1 UNCH
6200	----	----	----	----/*0.020A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
6300	0.210	0.210	0.210/*0.133A	0.210/0.133A	----	0.000 - 0.002	----	----	----	2	----	0 - 2
6425	----	----	0.729B/----	0.729B/0.567A	----	0.442 NEW	.0966	----	----	1	----	1 + 1
6500	0.238	0.238	0.238/0.110A	0.238/0.110A	----	0.000 - 0.006	----	----	----	5	----	0 - 13
6500	----	----	1.781B/----	1.781B/1.234A	----	1.227 + 0.462	.1874	----	----	----	----	1 UNCH
6500	----	----	0.913B/----	0.913B/0.605A	----	0.507 NEW	.1121	----	----	1	----	1 + 1
6550	----	----	0.996B/----	0.996B/0.681A	----	0.558 NEW	.1240	----	----	1	----	1 + 1
6600	----	----	----	0.001B/0.165A	----	0.000 - 0.010	----	----	----	----	----	0 - 4
6645	----	----	----	0.001B/0.159A	----	0.000 - 0.014	----	----	----	----	----	0 - 1
6650	----	----	----	0.001B/0.160A	----	0.000 - 0.014	----	----	----	----	----	0 - 1
6675	----	----	----	0.001B/0.159A	----	0.000 - 0.016	----	----	----	----	----	0 - 1
6700	0.200	0.200	0.245/*0.018A	0.245/*0.018A	----	0.000 - 0.019	----	----	----	2	----	0 - 4
6800	----	----	----/4.624A	4.022B/4.624A	----	5.840 - 2.870	.7949	----	----	----	----	50 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU		SILVER WEEKLY THURSDAY OPTION Week1										
APR26												
6800	0.275	0.275	0.275/*0.001	0.275/*0.001	----	0.000 -	0.034	----	----	----	3	----	0 - 3
6850	0.437	0.437	0.437/0.159A	0.437/0.159A	----	0.000 -	0.046	----	----	----	1	----	0 - 3
6900	0.400	0.400	0.460B/0.160A	0.460B/0.160A	----	0.000	NEW	----	----	----	3	----	0 UNCH
6900	----	----	----/2.223A	3.350B/2.223A	----	3.924 -	3.216	----	----	----	----	----	0 - 1
6955	----	----	0.622B/----	0.622B/0.166A	----	0.000 -	0.086	----	----	----	----	----	0 - 35
6975	0.871	0.871	0.871/0.169A	0.871/0.169A	----	0.000 -	0.093	----	----	----	1	----	0 - 1
6985	----	----	0.735B/----	0.735B/0.170A	----	0.000 -	0.096	----	----	----	----	----	0 - 5
6995	----	----	0.753B/----	0.753B/0.172A	----	0.000 -	0.100	----	----	----	----	----	0 - 2
7000	----	----	----/*1.003A	2.350B/*1.003A	----	2.924 -	3.256	----	----	----	----	----	0 - 2
7000	----	----	----/4.960A	4.774B/4.960A	----	6.363 -	1.962	.6300	----	----	----	----	1 UNCH
7000	0.550	0.550	0.990/*0.150	0.990/*0.150	----	0.000 -	0.102	----	----	----	7	----	0 - 28
7000	----	----	2.639B/----	2.639B/1.406A	----	1.389 +	0.466	.3003	----	----	----	----	1 UNCH
7010	----	----	----/*0.948A	0.856B/*0.948A	----	2.824 -	3.260	----	----	----	----	----	0 - 4
7020	----	----	----/*0.909A	0.762B/*0.909A	----	2.724 -	3.264	----	----	----	----	----	0 - 1
7025	----	----	2.712B/----	2.712B/1.509A	----	1.463 +	0.495	.3142	----	----	----	----	1 UNCH
7030	----	----	----/*0.870A	0.824B/*0.870A	----	2.624 -	3.268	----	----	----	----	----	0 - 4
7045	----	----	----/*0.804A	0.780B/*0.804A	----	2.474 -	3.275	----	----	----	----	----	0 - 4
7050	0.690	0.690	1.250/*0.690	1.250/*0.690	----	2.424	NEW	----	----	----	2	----	0 UNCH
7060	0.212	0.212	0.770B/*0.006	0.770B/*0.006	----	0.000	NEW	----	----	----	3	----	0 UNCH
7075	0.450	0.450	0.900/*0.450	0.900/*0.450	----	2.174	NEW	----	----	----	2	----	0 UNCH
7080	0.700	0.700	0.754B/0.239A	0.754B/0.239A	----	0.000	NEW	----	----	----	2	----	0 UNCH
7100	0.850	0.850	1.150/0.280	1.150/0.280	----	0.000 -	0.150	----	----	----	8	----	0 - 2
7100	0.710	0.710	0.786B/*0.435	0.786B/*0.435	----	1.924 -	3.304	----	----	----	4	----	0 - 2
7120	----	----	----/*0.566A	0.701B/*0.566A	----	1.724 -	3.316	----	----	----	----	----	0 - 1
7150	0.440	0.440	0.440/*0.440	0.555B/*0.440	----	1.424	NEW	----	----	----	1	----	0 UNCH
7150	0.302	0.302	1.700/0.302	1.700/0.302	----	0.000 -	0.182	----	----	----	2	----	0 - 10
7170	----	----	1.352B/----	1.352B/0.398A	----	0.000 -	0.196	----	----	----	----	----	0 - 2
7175	----	----	----/*0.450A	0.687B/*0.450A	----	1.174 -	3.354	----	----	----	----	----	0 - 1
7200	0.400	0.400	2.200/0.400	2.200/0.400	----	0.000 -	0.220	----	----	----	3	----	0 - 15
7200	0.594	0.594	0.594/*0.200	0.724B/*0.200	----	0.924 -	3.374	----	----	----	3	----	0 - 2
7250	----	----	----/*0.319A	0.566B/*0.319A	----	0.424 -	3.420	----	----	----	----	----	0 - 1
7250	----	----	1.677B/----	1.677B/0.614A	----	0.000 -	0.266	----	----	----	----	----	0 - 21
7260	----	----	----/*0.299A	0.502B/*0.299A	----	0.324 -	3.430	----	----	----	----	----	0 - 1
7265	1.000	1.000	1.000/*0.292A	1.000/*0.292A	----	0.274	NEW	----	----	----	2	----	0 UNCH
7275	0.400	0.400	1.629B/0.400	1.629B/0.400	----	0.000	NEW	----	----	----	5	----	0 UNCH
7300	1.500	1.500	3.200/0.310	3.200/0.310	----	0.076 -	0.245	----	----	----	5	----	0 - 8
7300	1.000	1.000	1.000/*0.193A	1.000/*0.193A	----	0.000 -	3.399	----	----	----	11	----	0 - 4
7350	0.250	0.250	0.250/*0.168A	0.250/*0.168A	----	0.000 -	2.965	----	----	----	1	----	0 - 1
7350	----	----	1.846B/----	1.846B/0.865A	----	0.576 +	0.189	----	----	----	----	----	0 - 1
7400	0.001	0.001	0.001/*0.001	0.063B/*0.001	----	0.000 -	2.544	----	----	----	2	----	0 - 5
7400	----	----	0.505B/----	0.505B/0.800A	----	1.076 +	0.610	----	----	----	----	----	0 - 4
7400	----	----	----/*1.455A	2.058B/*1.455A	----	1.980 -	2.053	.4422	----	----	----	----	2 UNCH
7415	----	----	#0.554B/----	0.554B/1.070A	----	1.226 +	0.733	----	----	----	----	----	0 - 1
7440	0.500	0.500	#0.500/*0.140A	0.577B/*0.140A	----	0.000	NEW	----	----	----	1	----	0 UNCH
7450	----	----	----/*0.138A	0.564B/*0.138A	----	0.000 -	2.140	----	----	----	----	----	0 UNCH
7470	----	----	----	0.546B/1.285A	----	1.776 +	1.170	----	----	----	----	----	0 - 5
7475	----	----	----/*1.304A	1.966B/*1.304A	----	1.668	NEW	.3915	----	----	1	----	1 + 1
7475	----	----	----/*0.136A	0.538B/*0.136A	----	0.000 -	1.946	----	----	----	----	----	0 - 1
7500	0.100	0.100	0.100/*0.005	0.757B/*0.005	----	0.000 -	1.758	----	----	----	8	----	0 - 19
7500	----	----	----	0.620B/1.403A	----	2.076 +	1.396	----	----	----	----	----	0 - 6
7550	----	----	1.155B/----	1.155B/1.763A	----	2.576 +	1.747	----	----	----	----	----	0 - 2
7550	----	----	----/*0.133A	0.688B/*0.133A	----	0.000 -	1.407	----	----	----	----	----	0 - 3
7580	----	----	1.255B/----	1.255B/1.871A	----	2.876 +	1.939	----	----	----	----	----	0 - 5
7600	----	----	----/1.972A	3.067B/1.972A	----	2.479 -	1.466	.3935	----	----	----	----	2 UNCH
7600	----	----	1.525B/----	1.525B/4.237A	----	3.076 +	2.059	----	----	----	----	----	0 - 2
7600	0.840	0.840	0.840/*0.133A	0.840/*0.133A	----	0.000 -	1.095	----	----	----	5	----	0 - 2
7650	1.515	1.515	1.515/*1.515	1.515/*1.515	----	3.576	NEW	----	----	----	1	----	0 UNCH
7650	----	----	----/*0.139A	0.310B/*0.139A	----	0.000 -	0.827	----	----	----	----	----	0 - 6
7675	----	----	----/*0.138A	0.217B/*0.138A	----	0.000 -	0.713	----	----	----	----	----	0 - 11
7700	----	----	----	----	----	4.076 +	2.543	----	----	----	----	----	0 - 1
7700	0.500	0.500	0.500/*0.040	0.500/*0.040	----	0.000 -	0.611	----	----	----	2	----	0 - 3
7725	----	----	----/*0.849A	1.569B/*0.849A	----	0.905 -	1.364	.2417	----	----	----	----	25 UNCH
7750	----	----	----/*0.152A	0.400B/*0.152A	----	0.000 -	0.446	----	----	----	----	----	0 - 10
7775	0.375	0.375	0.375/*0.005	0.375/*0.005	----	0.000 -	0.381	----	----	----	2	----	0 - 1
7800	0.310	0.310	0.310/*0.005	0.310/*0.005	----	0.000 -	0.326	----	----	----	3	----	0 - 3
7800	----	----	----/*0.720A	1.318B/*0.720A	----	0.748 -	1.208	.2052	----	----	----	----	3 UNCH
7900	0.556	0.556	0.556/*0.556	0.975B/*0.556	----	0.580	NEW	.1636	----	----	1	----	1 + 1
7975	----	----	----	0.001B/*0.164A	----	0.000 -	0.125	----	----	----	----	----	0 - 7
8000	----	----	----/*0.513A	0.692B/*0.513A	----	0.453 -	0.833	.1300	----	----	1	----	5 + 1
8000	0.030	0.030	0.030/*0.030	0.030/*0.030	----	0.000 -	0.112	----	----	----	1	----	0 - 10
8000	----	----	----	----	----	7.076 +	3.043	----	----	----	----	----	0 - 5
8200	0.041	0.041	0.041/*0.041	0.041/*0.041	----	0.000 -	0.030	----	----	----	1	----	0 - 1
8250	----	----	----	----/26.873A	----	10.513 +	2.483	.8184	----	----	----	----	4 UNCH
8275	----	----	----	----/27.241A	----	10.728 +	2.507	.8242	----	----	----	----	4 UNCH
8500	----	----	----	----/0.111A	----	0.000 -	0.003	----	----	----	----	----	0 - 1
8600	----	----	----/*0.245A	0.044B/*0.245A	----	0.146 -	0.202	.0393	----	----	----	----	1 UNCH
8625	----	----	----	----/0.106A	----	0.000 -	0.001	----	----	----	----	----	0 - 6
8700	----	----	----	----/*0.106A	----	0.000 -	0.001	----	----	----	----	----	0 - 1
8750	----	----	----	----	----	14.576 +	3.154	----	----	----	----	----	0 - 20
8775	----	----	----	----	----	14.826 +	3.154	----	----	----	----	----	0 - 10
8800	----	----	----	----/0.106A	----	0.000 -	0.001	----	----	----	----	----	0 - 1
TOTAL											110	0	109 - 349
SMW MON		SILVER WEEKLY MONDAY OPTION WEEK1											
APR26													
4400	----	----	----	----/0.192A	----	0.003 -	0.003	.0002	----	----	----	----	1 UNCH
5500	----	----	----	0.001B/*0.121A	----	0.021 -	0.008	.0032	----	----	----	----	5 UNCH
5800	----	----	----	0.002B/0.126A	----	0.040 -	0.006	.0073	----	----	----	----	1 UNCH
6000	0.150	0.150	0.150/*0.100	0.150/*0.100	----	0.064 -	0.002	.0130	----	----	12	----	20 + 12
6100	----	----	----	0.030B/0.163A	----	0.082 +	0.001	.0175	----	----	----	----	1 UNCH
6125	0.180	0.180	#0.180/*0.165A	0.180/0.165A	----	0.088	NEW	.0190	----	----	1	----	1 + 1
6200	0.200	0.200	0.200/*0.180A	0.200/0.180A	----	0.098	NEW	.0223	----	----	1	----	1 + 1
6400	0.170	0.170	0.248B/*0.140	0.248B/*0.140	----	0.136	NEW	.0353	----	----	9	----	9 + 9
6450	0.294	0.294	0.308B/0.218A	0.308B/0.218A	----	0.149	NEW	.0400	----	----	1	----	1 + 1
6500	0.220	0.220	0.370B/*0.143	0.370B/*0.143	----	0.164	NEW	.0455	----	----	20	----	12 + 12
6550	0.351	0.351	0.445B/0.258A	0.445B/0.258A	----	0.181 +	0.053	.0519	----	----	2	----	5 + 2
6600	0.630	0.630	0.630/*0.210	0.630/*0.210	----	0.201 +	0.064	.0596	----	----	11	----	11 + 10
6700	----	----	1.966B/----	1.966B/1.194A	----	1.317	NEW	.2228	----	----	1	----	1 + 1
6700	0.730	0.730	0.730/0.298A	0.730/0.298A	----	0.252 +	0.089	.0794	----	----	5	----	6 + 5
6725	----	----	0.791B/----	0.791B/0.388A	----	0.268 +	0.096	.0857	----	----	----	----	4 UNCH
6750	0.335	0.335	0.834B/0.335	0.834B/0.335	----	0.285	NEW	.0924	----	----	1	----	1 + 1
6795	----	----	0.967B/----	0.967B/0.464A	----	0.320 +	0.120	.1062	----	----	----	----	3 UNCH
6800	0.325	0.325	1.261/0.280	1.261/0.280	----	0.325	NEW	.1081	----	----	6	----	3 + 3
6815	----	----	1.022B/----	1.022B/0.480A	----	0.338 +	0.128	.1132	----	----	----	----	4 UNCH
6825	----	----	1.050B/----	1.050B/0.488A	----	0.347 +	0.132	.1168	----	----	----	----	8 UNCH
6845	----	----	1.065B/----	1.065B/0.510A	----	0.367 +	0.142	.1246	----	----	----	----	4 UNCH
6850	0.420	0.420	1.062B/0.420	1.062B/0.420	----	0.372	NEW	.1266	----	----	3	----	3 + 3
6860	----	----	1.094B/----	1.094B/0.530A	----	0.382 +	0.148	.1306	----	----	1	----	4 + 1
6870	----	----	1.136B/----	1.136B/0.550A	----	0.393 +	0.153	.1349	----	----	----	----	4 UNCH
6900	----	----	----/2.970A	2.352B/2.970A	----	4.351 -	2.984	.8512	----	----	----	----	1 UNCH
6900	0.470	0.470	1.282B/0.450	1.282B/0.450	----	0.428 +	0.168	.1487	----	----	5	----	5 + 1
6900	----	----	2.748B/----	2.748B/1.565A	----	1.815	NEW	.2963	----	----	1	----	1 + 1
6910	----	----	1.289B/----	1.289B/0.600A	----	0.441 +	0.174	.1537	----	----	----	----	4 UNCH
6915	----	----	1.302B/----	1.302B/0.622A	----	0.447 +	0.176	.1561	----	----	----	----	4 UNCH
6920	----	----	1.322B/----	1.322B/0.628A	----	0.454 +	0.179	.1587	----	----	----	----	4 UNCH
6925	----	----	1.343B/----	1.343B/0.600A	----	0.460 +	0.181	.1612	----	----	----	----	4 UNCH
6935	----	----	1.385B/----	1.385B/0.612A	----	0.474 +	0.187	.1666	----	----	----	----	4 UNCH
6945	0.748	0.748	1.427B/0.748	1.427B/0.636A	----	0.489	NEW	.1722	----	----	1	----	1 + 1
6950	0.550	0.550	1.449B/0.550	1.449B/0.550	----	0.496 +	0.197	.1750	----	----	1	----	21 + 1
6960	----	----	1.492B/----	1.492B/0.696A	----	0.511 +	0.203	.1808	----	----	----	----	4 UNCH
6990	----	----	1.621B/----	1.621B/0.748A	----	0.561 +	0.226	.1996	----	----	----	----	11 UNCH
6995	----	----	1.636B/----	1.636B/0.771A	----	0.569 +	0.229	.2028	----	----	----	----	4 UNCH
7000	2.000	2.000	3.000B/2.000	3.000B/2.000	----	3.501 -	2.919	.7938	----	----	2	----	9 + 1
7000	1.808	1.808	1.808/0.550A	1.808/0.550A	----	0.578 +	0.233	.2061	----	----	28	----	57 + 21
7050	----	----	----/3.365A	3.280B/3.365A	----	4.722 -	2.173	.6389	----	----	----	----	1 UNCH
7050	1.500	1.500	1.683B/1.500	1.683B/0.884A	----	0.678 +	0.279	.2427	----	----	1	----	1 UNCH
7080	----	----	2.028B/----	2.028B/0.916A	----	0.748 +	0.312	.2673	----	----	----	----	2 UNCH
7100	2.000	2.000	2.500/*1.517A	2.500/*1.517A	----	2.722 -	2.816	.7151	----	----	2	----	2 + 1
7100	----	----	2.099B/----	2.099B/0.914A	----	0.799 +	0.336	.2848	----	----	----	----	1 UNCH
7125	2.500	2.500	2.500/2.500	2.500/0.996A	----	0.868	NEW	.3080	----	----	1	----	1 + 1
7150	1.018	1.018	2.360B/1.018	2.360B/1.018	----	0.944	NEW	.3325	----	----	1	----	1 + 1
7150	2.400	2.400	2.400/*1.378A	2.400/*1.378A	----	2.367 -	2.745	.6674	----	----	1	----	1 UNCH
7200	----	----	----/2.673A	2.937B/2.673A	----	3.819 -	1.971	.5677	----	----	1	----	1 + 1
7200	1.500	1.500	1.800/*1.159A	1.800/*1.159A	----	2.040 -	2.655	.6149	----	----	13	----	9 + 5
7230	----	----	#2.570B/----	2.570B/1.255A	----	1.235 +	0.561	.4184	----	----	----	----	4 UNCH
7240	----	----	----/*1.012A	1.470B/*1.012A	----	1.801 -	2.569	.5701	----	----	----	----	4 UNCH
7250	----	----	2.654B/----	2.654B/1.312A	----	1.320	NEW	.4413	----	----	1	----	1 + 1
7255	1.250	1.250	#2.646B/1.250	2.646B/1.250	----	1.342	NEW	.4470	----	----	15	----	15 + 15

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SMW MON		SILVER WEEKLY MONDAY OPTION WEEK1										
APR26												
7300	1.000	1.000	1.500/*0.750	1.500/*0.750	----	1.478 -	2.420 .5003	----	----	21	----	18 + 16
7350	1.090	1.090	1.140/*0.722A	1.140/*0.722A	----	1.244	NEW .4417	----	----	2	----	2 + 2
7375	1.095	1.095	1.095/*0.655A	1.095/*0.655A	----	1.139	NEW .4130	----	----	1	----	1 + 1
7400	1.000	1.000	1.000/*0.602A	1.095B/*0.602A	----	1.041 -	2.118 .3848	----	----	22	----	22 + 21
7400	----	----	1.908B/----	1.908B/1.755A	----	2.117 +	1.035 .6151	----	----	----	----	2 UNCH
7400	----	----	----/1.970A	2.772B/1.970A	----	2.806 -	1.672 .4677	----	----	----	----	1 UNCH
7415	----	----	1.844B/----	1.844B/1.804A	----	2.212 +	1.085 .6316	----	----	----	----	12 UNCH
7460	----	----	1.883B/----	1.883B/1.983A	----	2.511 +	1.238 .6791	----	----	----	----	1 UNCH
7500	0.680	0.680	0.680/*0.435A	1.536B/*0.435A	----	0.720 -	1.773 .2817	----	----	11	----	9 + 5
7525	----	----	----/*0.399A	1.441B/*0.399A	----	0.656 -	1.683 .2590	----	----	----	----	4 UNCH
7550	0.415	0.415	0.415/*0.355A	1.417B/*0.355A	----	0.597 -	1.594 .2376	----	----	2	----	3 UNCH
7575	0.520	0.520	0.520/*0.333A	1.414B/*0.333A	----	0.544	NEW .2177	----	----	1	----	1 + 1
7600	----	----	----/1.452A	2.630B/1.452A	----	2.010 -	1.361 .3700	----	----	----	----	2 UNCH
7600	----	----	----/*0.336A	1.370B/*0.336A	----	0.495 -	1.417 .1990	----	----	1	----	6 UNCH
7625	0.380	0.380	0.380/*0.298A	1.236B/*0.298A	----	0.451 -	1.330 .1817	----	----	3	----	6 + 3
7700	0.290	0.290	0.290/*0.264A	0.925B/*0.264A	----	0.342 -	1.083 .1376	----	----	3	----	4 + 3
7750	----	----	----/*0.246A	0.703B/*0.246A	----	0.285 -	0.934 .1139	----	----	----	----	3 UNCH
7800	----	----	----/*1.083A	1.823B/*1.083A	----	1.413 -	1.061 .2822	----	----	----	----	0 UNCH
7800	0.230	0.230	0.230/*0.230	0.568B/*0.230	----	0.239 -	0.797 .0944	----	----	1	----	0 - 1
7825	----	----	----/*0.258A	0.460B/*0.258A	----	0.219 -	0.735 .0859	----	----	----	----	1 UNCH
7900	----	----	----/*0.160A	0.311B/*0.160A	----	0.170 -	0.571 .0650	----	----	2	----	3 UNCH
8000	0.086	0.086	0.086/*0.086	0.121B/*0.086	----	0.122 -	0.407 .0448	----	----	1	----	5 + 1
8075	----	----	5.531B/----	5.531B/8.562A	----	7.913 +	2.829 .9677	----	----	----	----	3 UNCH
8200	0.098	0.098	0.098/*0.098	0.098/*0.098	----	0.057	NEW .0192	----	----	1	----	1 + 1
8325	----	----	----/*0.153A	0.003B/*0.153A	----	0.039 -	0.165 .0123	----	----	----	----	10 UNCH
8700	----	----	----	0.001B/*0.116A	----	0.019 -	0.084 .0047	----	----	----	----	2 UNCH
8800	0.041	0.041	0.041/*0.041	0.041/*0.041	----	0.016	NEW .0038	----	----	1	----	1 + 1
8975	----	----	----	----/0.123A	----	0.012 -	0.057 .0026	----	----	----	----	1 UNCH
9000	----	----	----	----/0.125A	----	0.012 -	0.055 .0025	----	----	----	----	136 UNCH
TOTAL										221	0	551 + 167
SO CALL		COMEX SILVER OPTIONS										
MAY26												
3750	----	----	----/32.547A	35.211B/32.547A	----	35.452 -	3.148 .9922	----	----	----	----	1 UNCH
3875	----	----	----/31.188A	34.089B/31.188A	----	34.215 -	3.146 .9906	----	----	----	----	50 UNCH
3900	----	----	----/31.067A	33.740B/31.067A	----	33.968 -	3.145 .9901	----	----	----	----	1 UNCH
4000	----	----	----/29.957A	32.844B/29.957A	----	32.981 -	3.143 .9886	----	----	----	----	53 UNCH
4100	----	----	----/28.975A	31.853B/28.975A	----	31.993 -	3.139 .9871	----	----	----	----	50 UNCH
4200	----	----	----/27.995A	30.865B/27.995A	----	31.005 -	3.135 .9854	----	----	----	----	116 UNCH
4400	----	----	----/26.093A	28.884B/26.093A	----	29.035 -	3.124 .9816	----	----	----	----	43 UNCH
4450	----	----	----/25.686A	28.192B/25.686A	----	28.544 -	3.120 .9805	----	----	----	----	2 UNCH
4500	----	----	----/25.062A	27.905B/25.062A	----	28.052 -	3.117 .9793	----	----	----	----	120 UNCH
4550	----	----	----/24.718A	27.289B/24.718A	----	27.562 -	3.113 .9781	----	----	----	----	1 UNCH
4600	----	----	----/24.156A	26.914B/24.156A	----	27.072 -	3.109 .9768	----	----	----	----	43 UNCH
4650	----	----	----/23.615A	26.430B/23.615A	----	26.582 -	3.106 .9754	----	----	----	----	77 UNCH
4675	----	----	----/23.501A	26.179B/23.501A	----	26.338 -	3.103 .9746	----	----	----	----	15 UNCH
4700	----	----	----/23.274A	25.738B/23.274A	----	26.094 -	3.100 .9739	----	----	----	----	2 UNCH
4725	----	----	----/23.034A	25.602B/23.034A	----	25.849 -	3.099 .9731	----	----	----	----	2 UNCH
4750	----	----	----/22.791A	25.445B/22.791A	----	25.605 -	3.097 .9723	----	----	----	----	7 UNCH
4800	----	----	----/22.305A	24.957B/22.305A	----	25.118 -	3.091 .9706	----	----	----	----	7 UNCH
4825	----	----	----/22.067A	24.714B/22.067A	----	24.875 -	3.088 .9698	----	----	----	----	22 UNCH
4850	----	----	----/21.830A	24.470B/21.830A	----	24.631 -	3.086 .9689	----	----	----	----	10 UNCH
4900	----	----	----/21.356A	23.984B/21.356A	----	24.146 -	3.080 .9670	----	----	----	----	14 UNCH
4925	----	----	----/21.120A	23.741B/21.120A	----	23.903 -	3.078 .9660	----	----	----	----	12 UNCH
4950	----	----	----/20.895A	23.297B/20.895A	----	23.661 -	3.075 .9649	----	----	----	----	4 UNCH
5000	----	----	----/20.291A	23.026B/20.291A	----	23.177 -	3.069 .9627	----	----	----	----	99 UNCH
5025	----	----	----/20.189A	22.586B/20.189A	----	22.936 -	3.065 .9616	----	----	----	----	3 UNCH
5050	----	----	----/19.939A	22.534B/19.939A	----	22.695 -	3.062 .9604	----	----	----	----	6 UNCH
5075	----	----	----/19.702A	22.293B/19.702A	----	22.454 -	3.059 .9592	----	----	----	----	6 UNCH
5100	----	----	----/19.472A	22.052B/19.472A	----	22.214 -	3.055 .9580	----	----	----	----	9 UNCH
5125	----	----	----/19.255A	21.619B/19.255A	----	21.974 -	3.051 .9566	----	----	----	----	1 UNCH
5150	----	----	----/19.009A	21.567B/19.009A	----	21.734 -	3.048 .9553	----	----	----	----	15 UNCH
5200	----	----	----/18.546A	21.087B/18.546A	----	21.255 -	3.040 .9526	----	----	----	----	11 UNCH
5225	----	----	----/18.330A	20.659B/18.330A	----	21.017 -	3.036 .9510	----	----	----	----	1 UNCH
5250	----	----	----/18.086A	20.609B/18.086A	----	20.778 -	3.032 .9495	----	----	----	----	21 UNCH
5275	----	----	----/17.854A	20.371B/17.854A	----	20.541 -	3.027 .9479	----	----	----	----	6 UNCH
5300	----	----	----/17.498A	20.142B/17.498A	----	20.303 -	3.023 .9463	----	----	----	----	126 UNCH
5325	----	----	----/17.345A	19.895B/17.345A	----	20.066 -	3.019 .9446	----	----	----	----	29 UNCH
5350	----	----	----/17.118A	19.658B/17.118A	----	19.830 -	3.014 .9428	----	----	----	----	25 UNCH
5400	----	----	----/16.590A	19.185B/16.590A	----	19.358 -	3.004 .9391	----	----	----	----	146 UNCH
5425	----	----	----/16.491A	18.949B/16.491A	----	19.123 -	2.999 .9373	----	----	----	----	12 UNCH
5450	----	----	----/16.144A	18.716B/16.144A	----	18.888 -	2.995 .9353	----	----	----	----	50 UNCH
5475	----	----	----/16.059A	18.325B/16.059A	----	18.654 -	2.989 .9332	----	----	----	----	2 UNCH
5500	----	----	----/15.701A	18.250B/15.701A	----	18.421 -	2.983 .9311	----	----	----	----	185 UNCH
5525	----	----	----/15.546A	18.013B/15.546A	----	18.188 -	2.978 .9289	----	----	----	----	35 UNCH
5550	----	----	----/15.383A	17.780B/15.383A	----	17.956 -	2.972 .9266	----	----	----	----	8 UNCH
5600	----	----	----/14.834A	17.317B/14.834A	----	17.493 -	2.960 .9219	----	----	----	----	110 UNCH
5625	----	----	----/14.745A	17.088B/14.745A	----	17.263 -	2.953 .9194	----	----	----	----	8 UNCH
5650	----	----	----/14.458A	16.856B/14.458A	----	17.033 -	2.947 .9168	----	----	----	----	31 UNCH
5675	----	----	----/14.317A	16.627B/14.317A	----	16.804 -	2.941 .9142	----	----	----	----	6 UNCH
5700	----	----	----/14.078A	17.084B/14.078A	----	16.576 -	2.934 .9115	----	----	----	----	9 UNCH
5750	----	----	----/13.657A	17.814B/13.657A	----	16.122 -	2.919 .9058	----	----	----	----	16 UNCH
5775	----	----	----/13.475A	17.867B/13.475A	----	15.896 -	2.912 .9028	----	----	----	----	1 UNCH
5800	----	----	----/13.276A	17.805B/13.276A	----	15.671 -	2.904 .8998	----	----	----	----	1 UNCH
5825	----	----	----/13.050A	15.272B/13.050A	----	15.447 -	2.896 .8966	----	----	----	----	11 UNCH
5850	----	----	----/12.854A	14.912B/12.854A	----	15.224 -	2.887 .8934	----	----	----	----	2 UNCH
5900	----	----	----/12.309A	14.608B/12.309A	----	14.780 -	2.870 .8866	----	----	----	----	124 UNCH
5925	----	----	----/12.241A	14.245B/12.241A	----	14.559 -	2.862 .8830	----	----	----	----	1 UNCH
5950	----	----	----/11.999A	14.171B/11.999A	----	14.340 -	2.852 .8794	----	----	----	----	16 UNCH
6000	----	----	----/11.507A	13.737B/11.507A	----	13.904 -	2.833 .8719	----	----	----	----	253 UNCH
6050	----	----	----/11.328A	13.152B/11.328A	----	13.473 -	2.812 .8639	----	----	----	----	2 UNCH
6075	----	----	----/10.920A	13.095B/10.920A	----	13.259 -	2.802 .8597	----	----	----	----	122 UNCH
6100	----	----	----/10.815A	12.884B/10.815A	----	13.046 -	2.791 .8555	----	----	----	----	9 UNCH
6125	----	----	----/10.746A	12.523B/10.746A	----	12.834 -	2.780 .8511	----	----	----	----	1 UNCH
6150	----	----	----/10.555A	12.313B/10.555A	----	12.624 -	2.768 .8466	----	----	----	----	3 UNCH
6175	----	----	----/10.366A	12.104B/10.366A	----	12.414 -	2.757 .8420	----	----	----	----	1 UNCH
6200	----	----	----/9.967A	12.053B/9.967A	----	12.207 -	2.744 .8373	----	----	----	----	59 UNCH
6225	----	----	----/9.781A	11.849B/9.781A	----	12.000 -	2.732 .8325	----	----	----	----	69 UNCH
6250	----	----	----/9.809A	11.490B/9.809A	----	11.795 -	2.719 .8276	----	----	----	----	3 UNCH
6275	----	----	----/9.627A	11.295B/9.627A	----	11.591 -	2.706 .8225	----	----	----	----	4 UNCH
6300	----	----	----/9.328A	11.246B/9.328A	----	11.389 -	2.692 .8174	----	----	----	----	24 UNCH
6325	----	----	----/9.268A	10.889B/9.268A	----	11.188 -	2.678 .8121	----	----	----	----	3 UNCH
6350	----	----	----/8.968A	10.849B/8.968A	----	10.989 -	2.664 .8067	----	----	----	----	7 UNCH
6375	----	----	----/8.761A	10.653B/8.761A	----	10.791 -	2.649 .8012	----	----	----	----	48 UNCH
6400	----	----	----/8.555A	10.458B/8.555A	----	10.595 -	2.634 .7955	----	----	----	----	62 UNCH
6425	----	----	----/8.442A	10.265B/8.442A	----	10.400 -	2.619 .7898	----	----	----	----	6 UNCH
6450	----	----	----/8.412A	9.782B/8.412A	----	10.207 -	2.603 .7840	----	----	----	----	4 UNCH
6475	----	----	----/8.096A	9.885B/8.096A	----	10.016 -	2.586 .7779	----	----	----	----	6 UNCH
6500	8.750	8.750	9.693B/7.882A	9.693B/7.882A	----	9.826 -	2.570 .7719	----	----	6	----	176 UNCH
6525	----	----	----/7.758A	9.512B/7.758A	----	9.638 -	2.553 .7657	----	----	----	----	28 UNCH
6550	----	----	----/7.601A	9.328B/7.601A	----	9.452 -	2.536 .7594	----	----	----	----	8 UNCH
6575	----	----	----/7.589A	8.845B/7.589A	----	9.268 -	2.517 .7529	----	----	----	----	3 UNCH
6600	----	----	----/7.284A	8.963B/7.284A	----	9.085 -	2.499 .7464	----	----	1	----	9 - 1
6625	----	----	----/7.127A	8.785B/7.127A	----	8.904 -	2.481 .7398	----	----	----	----	7 UNCH
6650	----	----	----/6.974A	8.608B/6.974A	----	8.726 -	2.461 .7330	----	----	----	----	6 UNCH
6675	----	----	----/6.967A	8.128B/6.967A	----	8.549 -	2.441 .7262	----	----	----	----	1 UNCH
6700	----	----	----/6.642A	8.258B/6.642A	----	8.374 -	2.421 .7192	----	----	1	----	172 - 1
6750	----	----	----/6.375A	9.428B/6.375A	----	8.030 -	2.380 .7050	----	----	1	----	13 UNCH
6800	----	----	----/6.046A	7.585B/6.046A	----	7.694 -	2.337 .6904	----	----	----	----	56 UNCH
6825	----	----	----/5.919A	7.422B/5.919A	----	7.529 -	2.314 .6830	----	----	----	----	107 UNCH
6850	----	----	----/5.856A	6.993B/5.856A	----	7.367 -	2.291 .6755	----	----	----	----	1 UNCH
6875	----	----	----/5.729A	6.834B/5.729A	----	7.206 -	2.268 .6679	----	----	----	----	1 UNCH
6900	----	----	----/5.501A	6.941B/5.501A	----	7.048 -	2.244 .6602	----	----	----	----	195 UNCH
6925	----	----	----/5.390A	6.783B/5.390A	----	6.892 -	2.220 .6524	----	----	----	----	12 UNCH
6950	----	----	----/5.265A	6.380B/5.265A	----	6.738 -	2.196 .6446	----	----	1	----	5 UNCH
7000	5.800	5.800	6.332B/4.908	6.332B/4.908	----	6.436 -	2.146 .6288	----	----	12	----	465 - 2
7025	----	----	----/4.904A	6.182B/4.904A	----	6.289 -	2.121 .6208	----	----	----	----	11 UNCH
7050	----	----	----/4.772A	6.038B/4.772A	----	6.144 -	2.095 .6127	----	----	----	----	27 UNCH
7075	----	----	----/4.608A	5.898B/4.608A	----	6.001 -	2.069 .6046	----	----	----	----	7 UNCH
7100	4.800	4.800	5.798B/4.335A	5.798B/4.335A	----	5.861 -	2.042 .5964	----	----	6	----	63 - 1
7125	4.635	4.635	5.624B/4.359A	5.624B/4.359A	----	5.723 -	2.015 .5882	----	----	9	----	4 UNCH
7150	----	----	----/4.256A	5.504B/4.256A	----	5.587 -	1.988 .5800	----	----	5	----	2 UNCH
7175	----	----	----/4.150A	5.368B/4.150A	----	5.454 -	1.960 .5717	----	----	19	----	19 + 15
7200	5.047	5.047	5.248B/3.906A	5.248B/3.906A	----	5.323 -	1.932 .5634	----	----	24	----	49 + 16
7225	4.990	4.990	4.990/3.942A	5.225B/3.942A	----	5.194 -	1.904 .5551	----	----	5	----	8 + 5
7250	4.097	4.097	4.097/3.812A	5.317B/3.812A	----	5.067 -	1.876 .5467	----	----	6	----	56 + 5
7275	----	----	----/3.746A	5.394B/3.746A	----	4.943 -	1.848 .5384	----	----	2	----	3 + 1
7300	4.700	4.700	4.700/3.555	5.557B/3.555	----	4.822 -	1.818 .5301	----	----	15	----	135 + 10

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

SO CALL — COMEX SILVER OPTIONS

MAY26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
7325	----	----	----/3.558A	5.544B/3.558A	----	4.702 -	1.790 .5217	----	----	----	----	1 UNCH
7350	3.799	3.799	3.799/3.452A	5.747B/3.452A	----	4.585 -	1.761 .5134	----	----	6	----	37 UNCH
7375	----	----	----/3.347A	5.772B/3.347A	----	4.471 -	1.731 .5051	----	----	----	----	86 UNCH
7400	3.897	3.897	3.897/3.230	5.662B/3.230	----	4.358 -	1.702 .4967	----	----	21	----	27 + 4
7425	----	----	----/3.207A	5.418B/3.207A	----	4.248 -	1.673 .4885	----	----	----	----	6 UNCH
7450	----	----	----/3.121A	5.162B/3.121A	----	4.141 -	1.642 .4802	----	----	----	----	12 UNCH
7475	3.421	3.421	3.421/3.045A	5.026B/3.045A	----	4.035 -	1.613 .4720	----	----	1	----	6 - 1
7500	3.950	3.950	4.000/2.933A	4.947B/2.933A	----	3.932 -	1.584 .4638	----	----	76	----	470 + 19
7525	3.709	3.709	3.710/2.885A	4.774B/2.885A	----	3.831 -	1.554 .4557	----	----	6	----	14 - 2
7530	----	----	----/2.869A	4.749B/2.869A	----	3.811 -	1.548 .4540	----	----	----	----	5 UNCH
7535	----	----	----/2.852A	4.731B/2.852A	----	3.791 -	1.543 .4524	----	----	----	----	2 UNCH
7540	----	----	----/2.835A	4.698B/2.835A	----	3.771 -	1.537 .4508	----	----	----	----	1 UNCH
7545	----	----	----/2.820A	4.684B/2.820A	----	3.752 -	1.530 .4492	----	----	----	----	2 UNCH
7550	----	----	----/2.805A	4.657B/2.805A	----	3.732 -	1.525 .4476	----	----	1	----	11 UNCH
7555	----	----	----/2.791A	4.621B/2.791A	----	3.713 -	1.519 .4460	----	----	----	----	2 UNCH
7565	----	----	----/2.760A	4.566B/2.760A	----	3.674 -	1.507 .4427	----	----	----	----	1 UNCH
7570	----	----	----/2.744A	4.891B/2.744A	----	3.655 -	1.501 .4411	----	----	----	----	1 UNCH
7575	----	----	----/2.728A	4.867B/2.728A	----	3.636 -	1.495 .4395	----	----	----	----	6 UNCH
7585	----	----	----/2.698A	4.819B/2.698A	----	3.598 -	1.483 .4363	----	----	----	----	2 UNCH
7590	3.024	3.024	3.024/2.760A	4.795B/2.760A	----	3.579 -	1.477 .4347	----	----	1	----	1 + 1
7595	----	----	----/2.669A	4.771B/2.669A	----	3.560 -	1.472 .4331	----	----	----	----	2 UNCH
7600	4.600	4.600	4.600/2.625A	4.747B/2.625A	----	3.541 -	1.466 .4315	----	----	11	----	82 + 1
7605	3.007	3.007	3.007/2.640A	4.723B/2.640A	----	3.523 -	1.460 .4300	----	----	1	----	2 + 1
7610	----	----	----/2.681A	4.700B/2.681A	----	3.504 -	1.454 .4284	----	----	----	----	0 UNCH
7615	----	----	----/2.612A	4.676B/2.612A	----	3.486 -	1.448 .4268	----	----	----	----	2 UNCH
7620	----	----	----/2.598A	4.653B/2.598A	----	3.467 -	1.443 .4252	----	----	----	----	2 UNCH
7625	----	----	----/2.583A	4.629B/2.583A	----	3.449 -	1.437 .4236	----	----	----	----	7 UNCH
7630	----	----	----/2.568A	4.606B/2.568A	----	3.431 -	1.431 .4220	----	----	----	----	1 UNCH
7635	----	----	----/2.555A	4.583B/2.555A	----	3.413 -	1.425 .4205	----	----	----	----	2 UNCH
7640	----	----	----/2.547A	4.560B/2.547A	----	3.395 -	1.419 .4189	----	----	----	----	3 UNCH
7645	----	----	----/2.526A	4.537B/2.526A	----	3.377 -	1.413 .4173	----	----	----	----	10 UNCH
7650	----	----	----/2.511A	4.514B/2.511A	----	3.359 -	1.408 .4157	----	----	1	----	21 UNCH
7655	----	----	----/2.498A	4.491B/2.498A	----	3.341 -	1.402 .4142	----	----	----	----	2 UNCH
7660	----	----	----/2.483A	4.468B/2.483A	----	3.324 -	1.396 .4126	----	----	----	----	1 UNCH
7665	----	----	----/2.471A	4.445B/2.471A	----	3.306 -	1.390 .4111	----	----	----	----	10 UNCH
7675	----	----	----/2.443A	4.400B/2.443A	----	3.271 -	1.379 .4079	----	----	----	----	1 UNCH
7680	----	----	----/2.430A	4.377B/2.430A	----	3.254 -	1.373 .4064	----	----	----	----	1 UNCH
7685	----	----	----/2.416A	4.355B/2.416A	----	3.236 -	1.368 .4048	----	----	----	----	1 UNCH
7690	----	----	----/2.403A	4.333B/2.403A	----	3.219 -	1.362 .4033	----	----	----	----	1 UNCH
7700	2.487	2.487	2.487/2.352A	4.289B/2.352A	----	3.185 -	1.350 .4002	----	----	1	----	201 - 1
7710	----	----	----/2.351A	4.244B/2.351A	----	3.151 -	1.339 .3971	----	----	----	----	1 UNCH
7725	2.839	2.839	2.839/2.312A	4.179B/2.312A	----	3.101 -	1.322 .3925	----	----	1	----	2 + 1
7735	----	----	----/2.285A	4.135B/2.285A	----	3.068 -	1.310 .3895	----	----	----	----	1 UNCH
7750	2.763	2.763	2.763/2.249A	4.071B/2.249A	----	3.019 -	1.293 .3850	----	----	1	----	6 UNCH
7760	----	----	----/2.224A	4.029B/2.224A	----	2.987 -	1.282 .3820	----	----	----	----	1 UNCH
7770	----	----	----/2.200A	3.987B/2.200A	----	2.955 -	1.271 .3790	----	----	----	----	1 UNCH
7775	----	----	----/2.187A	3.966B/2.187A	----	2.940 -	1.265 .3775	----	----	----	----	3 UNCH
7785	----	----	----/2.163A	3.924B/2.163A	----	2.908 -	1.254 .3745	----	----	----	----	1 UNCH
7800	3.290	3.290	3.290/2.103A	3.863B/2.103A	----	2.862 -	1.237 .3701	----	----	7	----	80 UNCH
7805	----	----	----/2.115A	3.842B/2.115A	----	2.846 -	1.232 .3686	----	----	----	----	6 UNCH
7810	----	----	----/2.105A	3.822B/2.105A	----	2.831 -	1.226 .3671	----	----	----	----	1 UNCH
7815	----	----	----/2.092A	3.802B/2.092A	----	2.816 -	1.221 .3657	----	----	----	----	2 UNCH
7825	----	----	----/2.070A	3.762B/2.070A	----	2.786 -	1.210 .3627	----	----	----	----	1 UNCH
7845	----	----	----/2.025A	3.683B/2.025A	----	2.726 -	1.188 .3569	----	----	----	----	1 UNCH
7850	----	----	----/1.998A	3.663B/1.998A	----	2.712 -	1.182 .3555	----	----	4	----	33 + 4
7855	----	----	----/2.003A	3.643B/2.003A	----	2.697 -	1.177 .3540	----	----	----	----	8 UNCH
7870	2.421	2.421	2.421/1.988A	3.585B/1.988A	----	2.654	NEW .3498	----	----	1	----	1 + 1
7875	2.200	2.200	2.200/1.943A	3.566B/1.943A	----	2.639 -	1.156 .3483	----	----	1	----	43 - 1
7900	1.999	1.999	1.999/1.890A	3.471B/1.890A	----	2.569 -	1.130 .3413	----	----	5	----	30 - 5
7925	----	----	----/1.853A	3.378B/1.853A	----	2.501 -	1.103 .3343	----	----	----	----	5 UNCH
7930	----	----	----/1.843A	3.360B/1.843A	----	2.487 -	1.098 .3329	----	----	----	----	1 UNCH
7940	----	----	----/1.823A	3.324B/1.823A	----	2.460 -	1.088 .3301	----	----	----	----	2 UNCH
7945	----	----	----/1.813A	3.306B/1.813A	----	2.447 -	1.083 .3288	----	----	----	----	1 UNCH
7950	----	----	----/1.803A	3.400B/1.803A	----	2.434 -	1.077 .3274	----	----	----	----	17 UNCH
7980	----	----	----/1.744A	3.181B/1.744A	----	2.356 -	1.047 .3193	----	----	----	----	3 UNCH
7985	----	----	----/1.737A	3.164B/1.737A	----	2.343 -	1.043 .3180	----	----	----	----	4 UNCH
7990	----	----	----/1.726A	3.146B/1.726A	----	2.331 -	1.037 .3167	----	----	----	----	4 UNCH
7995	----	----	----/1.716A	3.129B/1.716A	----	2.318 -	1.032 .3153	----	----	----	----	19 UNCH
8000	3.300	3.300	3.300/1.650	3.300/1.650	----	2.306 -	1.027 .3140	----	----	170	----	1480 + 61
8005	2.096	2.096	2.096/1.698A	3.095B/1.698A	----	2.293 -	1.022 .3127	----	----	1	----	24 + 1
8010	2.133	2.133	2.133/1.675A	3.078B/1.675A	----	2.281 -	1.017 .3114	----	----	1	----	33 + 1
8015	2.092	2.092	2.092/1.679A	3.061B/1.679A	----	2.268 -	1.013 .3100	----	----	2	----	24 + 2
8020	2.106	2.106	2.106/1.670A	3.045B/1.670A	----	2.256 -	1.008 .3087	----	----	1	----	14 + 1
8025	2.099	2.099	2.099/1.661A	3.028B/1.661A	----	2.244 -	1.003 .3074	----	----	1	----	14 + 1
8030	2.080	2.080	2.080/1.654A	3.012B/1.654A	----	2.232 -	0.998 .3061	----	----	1	----	4 + 1
8035	2.060	2.060	2.060/1.643A	2.995B/1.643A	----	2.220 -	0.993 .3048	----	----	1	----	2 + 1
8040	2.048	2.048	2.048/1.634A	2.979B/1.634A	----	2.208 -	0.988 .3035	----	----	1	----	2 + 1
8045	2.058	2.058	2.058/1.642A	2.963B/1.642A	----	2.196	NEW .3022	----	----	1	----	1 + 1
8050	2.035	2.035	2.035/1.618A	2.947B/1.618A	----	2.184 -	0.978 .3009	----	----	8	----	13 + 4
8055	2.029	2.029	2.029/1.688A	2.930B/1.688A	----	2.172	NEW .2996	----	----	1	----	1 + 1
8060	2.009	2.009	2.009/1.618A	2.914B/1.618A	----	2.160	NEW .2984	----	----	1	----	1 + 1
8065	2.003	2.003	2.003/1.592A	2.898B/1.592A	----	2.149 -	0.964 .2971	----	----	1	----	5 UNCH
8070	1.883	1.883	1.883/1.582A	2.883B/1.582A	----	2.137 -	0.959 .2958	----	----	1	----	2 + 1
8075	1.983	1.983	1.983/1.575A	2.867B/1.575A	----	2.126 -	0.954 .2946	----	----	1	----	6 + 1
8080	1.932	1.932	1.932/1.565A	2.851B/1.565A	----	2.114 -	0.949 .2933	----	----	1	----	2 + 1
8085	1.925	1.925	1.925/1.571A	2.835B/1.571A	----	2.103	NEW .2921	----	----	1	----	1 + 1
8090	1.956	1.956	1.956/1.552A	2.820B/1.552A	----	2.091 -	0.940 .2908	----	----	1	----	21 + 1
8095	1.936	1.936	1.936/1.540A	2.804B/1.540A	----	2.080 -	0.935 .2895	----	----	1	----	16 + 1
8100	1.570	1.570	1.915/1.506A	2.789B/1.506A	----	2.069 -	0.930 .2883	----	----	4	----	240 + 2
8105	1.830	1.830	1.881/1.525A	2.774B/1.525A	----	2.058 -	0.925 .2871	----	----	7	----	1 - 5
8110	1.917	1.917	1.917/1.516A	2.758B/1.516A	----	2.046 -	0.921 .2858	----	----	1	----	3 + 1
8115	1.897	1.897	1.897/1.507A	2.743B/1.507A	----	2.035 -	0.916 .2846	----	----	1	----	3 + 1
8125	1.840	1.840	1.840/1.492A	2.713B/1.492A	----	2.014 -	0.906 .2822	----	----	1	----	3 UNCH
8150	1.746	1.746	1.746/1.454A	2.639B/1.454A	----	1.960 -	0.883 .2761	----	----	6	----	12 UNCH
8175	----	----	----/1.415A	2.567B/1.415A	----	1.907 -	0.861 .2701	----	----	----	----	15 UNCH
8200	1.565	1.565	1.565/1.353A	2.525B/1.353A	----	1.857 -	0.837 .2643	----	----	1	----	80 UNCH
8210	----	----	----/1.363A	2.470B/1.363A	----	1.837 -	0.829 .2620	----	----	----	----	4 UNCH
8225	----	----	----/1.341A	2.459B/1.341A	----	1.807 -	0.816 .2585	----	----	----	----	4 UNCH
8230	----	----	----/1.335A	2.445B/1.335A	----	1.798 -	0.811 .2575	----	----	----	----	1 UNCH
8235	----	----	----/1.328A	2.430B/1.328A	----	1.788 -	0.807 .2563	----	----	----	----	1 UNCH
8240	----	----	----/1.321A	2.417B/1.321A	----	1.778 -	0.803 .2552	----	----	----	----	1 UNCH
8250	----	----	----/1.284A	2.387B/1.284A	----	1.759 -	0.794 .2529	----	----	8	----	96 + 2
8255	----	----	----/1.302A	2.376B/1.302A	----	1.750 -	0.790 .2518	----	----	----	----	3 UNCH
8265	----	----	----/1.288A	2.350B/1.288A	----	1.731 -	0.781 .2496	----	----	----	----	1 UNCH
8270	----	----	----/1.281A	2.336B/1.281A	----	1.722 -	0.777 .2485	----	----	----	----	6 UNCH
8275	----	----	----/1.274A	2.326B/1.274A	----	1.713 -	0.772 .2474	----	----	----	----	5 UNCH
8280	----	----	----/1.268A	2.311B/1.268A	----	1.703 -	0.769 .2463	----	----	----	----	2 UNCH
8290	----	----	----/1.255A	2.284B/1.255A	----	1.685 -	0.761 .2441	----	----	----	----	10 UNCH
8300	----	----	----/1.224A	2.262B/1.224A	----	1.667 -	0.752 .2420	----	----	4	----	121 - 1
8310	----	----	----/1.229A	2.236B/1.229A	----	1.649 -	0.744 .2398	----	----	----	----	2 UNCH
8325	1.403	1.403	1.403/1.211A	2.199B/1.211A	----	1.623 -	0.732 .2367	----	----	1	----	4 UNCH
8340	----	----	----/1.179A	2.140B/1.179A	----	1.597 -	0.720 .2335	----	----	----	----	29 UNCH
8345	----	----	----/1.186A	2.149B/1.186A	----	1.589 -	0.715 .2325	----	----	----	----	16 UNCH
8350	----	----	----/1.167A	2.133B/1.167A	----	1.580 -	0.712 .2314	----	----	----	----	26 UNCH
8360	----	----	----/1.168A	2.113B/1.168A	----	1.564 -	0.703 .2294	----	----	----	----	1 UNCH
8370	----	----	----/1.156A	2.090B/1.156A	----	1.547 -	0.696 .2274	----	----	----	----	1 UNCH
8375	1.480	1.480	1.480/1.152A	2.078B/1.152A	----	1.539 -	0.692 .2264	----	----	1	----	4 UNCH
8400	----	----	----/1.110A	2.025B/1.110A	----	1.498 -	0.673 .2213	----	----	4	----	35 + 4
8420	----	----	----/1.100A	1.975B/1.100A	----	1.467 -	0.658 .2174	----	----	----	----	3 UNCH
8425	----	----	----/1.086A	1.949B/1.086A	----	1.459 -	0.654 .2164	----	----	----	----	6 UNCH
8435	----	----	----/1.073A	1.931B/1.073A	----	1.444 -	0.647 .2145	----	----	----	----	1 UNCH
8440	----	----	----/1.069A	1.917B/1.069A	----	1.436 -	0.643 .2136	----	----	----	----	1 UNCH
8450	----	----	----/1.064A	1.904B/1.064A	----	1.421 -	0.636 .2117	----	----	8	----	145 + 5
8460	----	----	----/1.048A	1.885B/1.048A	----	1.406 -	0.629 .2098	----	----	----	----	1 UNCH
8465	----	----	----/1.043A	1.873B/1.043A	----	1.399 -	0.625 .2089	----	----	----	----	1 UNCH
8475	----	----	----/1.034A	1.857B/1.034A	----	1.384 -	0.618 .2070	----	----	----	----	1 UNCH
8485	----	----	----/1.028A	1.835B/1.028A	----	1.370 -	0.611 .2052	----	----	----	----	1 UNCH
8490	----	----	----/1.023A	1.827B/1.023A	----	1.363 -	0.607 .2042	----	----	----	----	2 UNCH
8500	1.975	1.975	2.025/1.000	2.025/1.000	----	1.348 -	0.601 .2024	----	----	103	----	736 - 4
8505	----	----	----/1.003A	1.785B/1.003A	----	1.341 -	0.598 .2015	----	----	----	----	4 UNCH
8510	----	----	----/0.998A	1.783B/0.998A	----	1.334 -	0.594 .2006	----	----	----	----	2 UNCH
8515	----	----	----/0.994A	1.765B/0.994A	----	1.327 -	0.591 .1997	----	----	----	----	1 UNCH
8525	----	----	----/0.985A	1.751B/0.985A	----	1.314 -	0.583 .1979	----	----	----	----	23 UNCH
8535	----	----	----/0.980A	1.736B/0.980A	----	1.300 -	0.577 .1961	----	----	----	----	1 UNCH
8540	----	----	----/0.970A	1.726B/0.970A	----	1.293 -	0.574 .1952	----	----	----	----	6 UNCH
8545	1.222	1.222	1.222/0.967A	1.715B/0.967A	----	1.287 -	0.570 .1944	----	----	1	----	2 - 1
8550	----	----	----/0.963A	1.699B/0.963A	----	1.280 -	0.567 .1935	----	----	2	----	10 + 2
8565	----	----	----/0.950A	1.678B/0.950A	----	1.260 -	0.557 .1909	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
8570	----	----	----/0.942A	1.661B/0.942A	----	1.254 - 0.553	.1901	----	----	----	----	4 UNCH
8575	----	----	----/0.939A	1.659B/0.939A	----	1.247 - 0.551	.1892	----	----	----	----	34 UNCH
8590	----	----	----/0.927A	1.631B/0.927A	----	1.228 - 0.541	.1867	----	----	----	----	1 UNCH
8600	----	----	----/*0.918A	1.622B/*0.918A	----	1.215 - 0.535	.1850	----	----	4	----	251 UNCH
8605	1.055	1.055	1.055/0.914A	1.603B/0.914A	----	1.209 - 0.532	.1842	----	----	1	----	4 + 1
8615	----	----	----/0.907A	1.580B/0.907A	----	1.197 - 0.525	.1826	----	----	----	----	1 UNCH
8620	1.052	1.052	1.052/*0.902A	1.579B/*0.902A	----	1.191 - 0.522	.1818	----	----	3	----	5 + 3
8625	1.033	1.033	1.047/*0.896A	1.569B/*0.896A	----	1.185 NEW	.1810	----	----	2	----	2 + 2
8630	1.028	1.028	1.041/*0.890A	1.561B/*0.890A	----	1.179 NEW	.1802	----	----	2	----	2 + 2
8635	1.023	1.023	1.023/*0.888A	1.545B/*0.888A	----	1.173 NEW	.1794	----	----	1	----	1 + 1
8640	----	----	----/*0.884A	1.544B/*0.884A	----	1.167 - 0.510	.1786	----	----	----	----	1 UNCH
8650	----	----	----/0.875A	1.525B/0.875A	----	1.155 - 0.504	.1770	----	----	3	----	11 UNCH
8660	----	----	----/*0.865A	1.503B/*0.865A	----	1.143 - 0.498	.1754	----	----	----	----	2 UNCH
8670	----	----	----/*0.860A	1.486B/*0.860A	----	1.131 - 0.493	.1738	----	----	----	----	1 UNCH
8675	----	----	----/*0.854A	1.478B/*0.854A	----	1.126 - 0.489	.1730	----	----	----	----	1 UNCH
8695	----	----	----/*0.837A	1.450B/*0.837A	----	1.103 - 0.478	.1700	----	----	----	----	2 UNCH
8700	----	----	----/0.834A	1.445B/0.834A	----	1.098 - 0.475	.1692	----	----	----	----	75 UNCH
8705	----	----	----/*0.830A	1.436B/*0.830A	----	1.092 - 0.473	.1684	----	----	----	----	17 UNCH
8725	----	----	----/*0.816A	1.404B/*0.816A	----	1.070 - 0.462	.1655	----	----	----	----	1 UNCH
8750	0.927	0.927	0.927/*0.799A	1.360B/*0.799A	----	1.044 - 0.448	.1619	----	----	1	----	42 UNCH
8775	----	----	----/*0.779A	1.323B/*0.779A	----	1.018 - 0.435	.1583	----	----	----	----	26 UNCH
8800	----	----	----/*0.765A	1.287B/*0.765A	----	0.993 - 0.422	.1548	----	----	2	----	630 + 2
8850	----	----	----/*0.730A	1.224B/*0.730A	----	0.946 - 0.397	.1482	----	----	----	----	3 UNCH
8875	----	----	----/*0.715A	1.191B/*0.715A	----	0.923 - 0.386	.1449	----	----	----	----	3 UNCH
8900	----	----	----/*0.700A	1.167B/*0.700A	----	0.901 - 0.375	.1418	----	----	----	----	116 UNCH
8925	----	----	----/*0.686A	1.128B/*0.686A	----	0.880 - 0.363	.1387	----	----	----	----	4 UNCH
8950	----	----	----/*0.672A	1.099B/*0.672A	----	0.859 - 0.353	.1357	----	----	----	----	59 UNCH
8975	0.771	0.771	0.771/*0.657A	1.071B/*0.657A	----	0.839 - 0.342	.1328	----	----	1	----	23 - 1
9000	1.110	1.110	1.110/0.600	1.110/0.600	----	0.820 - 0.332	.1300	----	----	172	----	1226 - 3
9025	0.752	0.752	0.752/*0.632A	1.018B/*0.632A	----	0.801 - 0.322	.1273	----	----	20	----	24 + 18
9050	----	----	----/0.619A	0.992B/0.619A	----	0.783 - 0.312	.1246	----	----	----	----	17 UNCH
9075	----	----	----/0.607A	0.967B/0.607A	----	0.765 - 0.304	.1219	----	----	----	----	6 UNCH
9100	0.708	0.708	0.708/0.595A	0.944B/0.595A	----	0.748 - 0.295	.1194	----	----	2	----	78 UNCH
9125	----	----	----/0.583A	0.920B/0.583A	----	0.731 - 0.286	.1169	----	----	----	----	5 UNCH
9150	0.590	0.590	0.702/0.572A	0.897B/0.572A	----	0.715 - 0.278	.1145	----	----	2	----	28 UNCH
9175	----	----	----/0.562A	0.875B/0.562A	----	0.699 - 0.270	.1121	----	----	----	----	8 UNCH
9200	0.626	0.626	0.626/0.553A	0.853B/0.553A	----	0.684 - 0.262	.1098	----	----	6	----	166 UNCH
9225	----	----	----/*0.541A	0.826B/*0.541A	----	0.670 - 0.254	.1076	----	----	----	----	15 UNCH
9250	0.595	0.595	0.595/0.532A	0.663B/0.532A	----	0.655 - 0.247	.1054	----	----	3	----	70 + 1
9275	0.590	0.590	0.590/0.524A	0.786B/0.524A	----	0.642 - 0.239	.1033	----	----	3	----	29 UNCH
9300	0.573	0.573	0.573/0.513A	0.766B/0.513A	----	0.628 - 0.233	.1012	----	----	3	----	197 + 1
9325	0.563	0.563	0.563/*0.497A	0.748B/*0.497A	----	0.615 - 0.227	.0992	----	----	2	----	7 + 2
9350	0.554	0.554	0.554/*0.495A	0.687B/*0.495A	----	0.603 - 0.220	.0973	----	----	3	----	31 + 1
9375	0.537	0.537	0.545/*0.488A	0.676B/*0.488A	----	0.591 - 0.213	.0954	----	----	4	----	13 + 1
9400	0.530	0.530	0.530/*0.478A	0.618B/*0.478A	----	0.579 - 0.208	.0935	----	----	3	----	40 UNCH
9425	0.523	0.523	0.523/0.466A	0.654B/0.466A	----	0.567 - 0.202	.0917	----	----	6	----	9 + 1
9450	0.510	0.510	0.510/0.473A	0.627B/0.473A	----	0.556 - 0.197	.0899	----	----	3	----	19 + 3
9475	0.500	0.500	0.500/0.463A	0.612B/0.463A	----	0.545 - 0.192	.0882	----	----	3	----	5 + 2
9500	0.451	0.451	0.520/0.451	0.570B/0.451	----	0.535 - 0.186	.0866	----	----	28	----	853 + 2
9525	----	----	----/0.460A	0.583B/0.460A	----	0.525 - 0.181	.0850	----	----	----	----	23 UNCH
9550	0.502	0.502	0.502/0.451A	0.579B/0.451A	----	0.515 - 0.176	.0834	----	----	8	----	30 - 2
9575	----	----	----/0.445A	0.587B/0.445A	----	0.506 - 0.171	.0819	----	----	----	----	4 UNCH
9600	0.450	0.450	0.450/0.439A	0.531B/0.439A	----	0.496 - 0.167	.0803	----	----	5	----	130 + 5
9625	----	----	----/0.434A	0.546B/0.434A	----	0.487 - 0.162	.0789	----	----	----	----	6 UNCH
9650	----	----	----/0.425A	0.549B/0.425A	----	0.478 - 0.158	.0774	----	----	----	----	14 UNCH
9675	----	----	----/0.419A	0.537B/0.419A	----	0.470 - 0.154	.0761	----	----	----	----	13 UNCH
9700	0.426	0.426	0.426/0.406A	0.472B/0.406A	----	0.462 - 0.149	.0748	----	----	2	----	17 UNCH
9725	----	----	----/0.408A	0.498B/0.408A	----	0.454 - 0.145	.0735	----	----	----	----	9 UNCH
9750	----	----	----/0.402A	0.487B/0.402A	----	0.446 - 0.141	.0722	----	----	----	----	78 UNCH
9775	----	----	----/0.394A	0.482B/0.394A	----	0.438 - 0.138	.0709	----	----	----	----	2 UNCH
9800	0.375	0.375	0.375/0.375	0.426B/0.375	----	0.430 - 0.135	.0696	----	----	1	----	100 - 1
9825	----	----	----/0.383A	0.472B/0.383A	----	0.423 - 0.131	.0684	----	----	----	----	5 UNCH
9850	----	----	----/0.374A	0.463B/0.374A	----	0.416 - 0.127	.0673	----	----	----	----	20 UNCH
9875	----	----	----/0.367A	0.454B/0.367A	----	0.409 - 0.123	.0661	----	----	----	----	11 UNCH
9900	----	----	----/*0.363A	0.392B/*0.363A	----	0.402 - 0.120	.0650	----	----	3	----	245 - 1
9925	----	----	----/*0.357A	0.423B/*0.357A	----	0.396 - 0.116	.0640	----	----	----	----	2 UNCH
9950	----	----	----/*0.353A	0.427B/*0.353A	----	0.389 - 0.114	.0628	----	----	----	----	26 UNCH
9975	----	----	----/0.351A	0.408B/0.351A	----	0.383 - 0.110	.0618	----	----	----	----	2 UNCH
10000	0.330	0.330	0.356/0.316	0.409B/0.316	----	0.377 - 0.107	.0608	----	----	13	----	1065 UNCH
10025	----	----	----/*0.345A	0.393B/*0.345A	----	0.371 - 0.104	.0598	----	----	----	----	2 UNCH
10050	----	----	----/*0.336A	0.339B/*0.336A	----	0.365 - 0.102	.0588	----	----	----	----	22 UNCH
10075	----	----	----/*0.333A	0.336B/*0.333A	----	0.359 - 0.099	.0579	----	----	----	----	4 UNCH
10100	0.498	0.498	0.498/*0.333A	0.498/*0.333A	----	0.354 - 0.096	.0570	----	----	22	----	67 - 11
10125	----	----	----/*0.331A	0.323B/*0.331A	----	0.349 - 0.093	.0561	----	----	----	----	1 UNCH
10150	----	----	----/*0.327A	0.320B/*0.327A	----	0.343 - 0.091	.0552	----	----	----	----	1 UNCH
10175	----	----	----/*0.321A	0.311B/*0.321A	----	0.338 - 0.089	.0543	----	----	----	----	1 UNCH
10200	----	----	----/*0.321A	0.300B/*0.321A	----	0.333 - 0.087	.0535	----	----	2	----	34 UNCH
10225	----	----	----/*0.317A	0.303B/*0.317A	----	0.328 - 0.085	.0526	----	----	----	----	1 UNCH
10250	----	----	----/*0.317A	0.294B/*0.317A	----	0.323 - 0.083	.0518	----	----	----	----	5 UNCH
10275	----	----	----/0.322A	0.293B/0.322A	----	0.319 - 0.080	.0511	----	----	----	----	4 UNCH
10300	----	----	----/0.323A	0.289B/0.323A	----	0.314 - 0.078	.0503	----	----	----	----	209 UNCH
10305	----	----	----/*0.323A	0.290B/*0.323A	----	0.313 - 0.078	.0501	----	----	----	----	2 UNCH
10325	----	----	----/*0.322A	0.285B/*0.322A	----	0.310 - 0.076	.0496	----	----	----	----	1 UNCH
10350	----	----	----/*0.315A	0.275B/*0.315A	----	0.305 - 0.075	.0488	----	----	----	----	3 UNCH
10375	----	----	----/*0.310A	0.279B/*0.310A	----	0.301 - 0.073	.0481	----	----	----	----	1 UNCH
10400	----	----	----/*0.309A	0.272B/*0.309A	----	0.297 - 0.071	.0474	----	----	----	----	27 UNCH
10425	----	----	----/*0.307A	0.244B/*0.307A	----	0.293 - 0.069	.0467	----	----	----	----	19 UNCH
10450	----	----	----/*0.302A	0.255B/*0.302A	----	0.289 - 0.068	.0460	----	----	----	----	4 UNCH
10480	----	----	----/*0.297A	0.235B/*0.297A	----	0.284 - 0.066	.0452	----	----	----	----	2 UNCH
10485	----	----	----/*0.297A	0.234B/0.297A	----	0.283 - 0.066	.0451	----	----	----	----	2 UNCH
10490	----	----	----/*0.298A	0.234B/*0.298A	----	0.283 - 0.065	.0450	----	----	----	----	1 UNCH
10500	0.255	0.255	0.255/0.255	0.255/0.255	----	0.281 - 0.065	.0447	----	----	3	----	323 - 1
10515	----	----	----/*0.295A	0.230B/*0.295A	----	0.279 - 0.064	.0443	----	----	----	----	7 UNCH
10520	----	----	----/*0.292A	0.228B/*0.292A	----	0.278 - 0.064	.0442	----	----	----	----	2 UNCH
10550	----	----	----/*0.290A	0.224B/*0.290A	----	0.274 - 0.062	.0435	----	----	----	----	2 UNCH
10555	----	----	----/*0.287A	0.225B/*0.287A	----	0.273 - 0.062	.0433	----	----	----	----	1 UNCH
10560	0.250	0.250	0.280/0.240	0.280/0.240	----	0.272 - 0.062	.0432	----	----	5	----	16 + 5
10570	----	----	----/*0.289A	0.221B/*0.289A	----	0.271 - 0.061	.0430	----	----	----	----	1 UNCH
10575	----	----	----/*0.288A	0.222B/*0.288A	----	0.270 - 0.061	.0428	----	----	----	----	1 UNCH
10580	----	----	----/*0.284A	0.220B/*0.284A	----	0.270 - 0.060	.0428	----	----	----	----	1 UNCH
10595	----	----	----/*0.286A	0.218B/*0.286A	----	0.268 - 0.059	.0425	----	----	----	----	2 UNCH
10600	----	----	----/*0.284A	0.218B/*0.284A	----	0.267 - 0.059	.0423	----	----	----	----	23 UNCH
10605	----	----	----/*0.280A	0.217B/*0.280A	----	0.266 - 0.059	.0421	----	----	----	----	5 UNCH
10610	----	----	----/*0.283A	0.217B/*0.283A	----	0.265 - 0.059	.0420	----	----	----	----	1 UNCH
10615	----	----	----/*0.283A	0.217B/*0.283A	----	0.265 - 0.058	.0420	----	----	----	----	1 UNCH
10625	----	----	----/*0.278A	0.217B/*0.278A	----	0.263 - 0.059	.0416	----	----	----	----	1 UNCH
10630	----	----	----/*0.281A	0.215B/*0.281A	----	0.263 - 0.058	.0416	----	----	----	----	1 UNCH
10650	----	----	----/*0.276A	0.212B/*0.276A	----	0.260 - 0.057	.0411	----	----	----	----	1 UNCH
10655	----	----	----/*0.273A	0.212B/*0.273A	----	0.259 - 0.057	.0410	----	----	----	----	1 UNCH
10670	----	----	----/*0.271A	0.210B/*0.271A	----	0.257 - 0.057	.0406	----	----	----	----	1 UNCH
10675	----	----	----/*0.276A	0.209B/*0.276A	----	0.257 - 0.056	.0406	----	----	----	----	3 UNCH
10680	----	----	----/*0.270A	0.210B/*0.270A	----	0.256 - 0.056	.0404	----	----	----	----	7 UNCH
10685	----	----	----/*0.271A	0.208B/*0.271A	----	0.256 - 0.055	.0404	----	----	----	----	1 UNCH
10690	----	----	----/*0.272A	0.210B/*0.272A	----	0.255 - 0.055	.0403	----	----	----	----	1 UNCH
10700	----	----	----/*0.273A	0.207B/*0.273A	----	0.254 - 0.054	.0401	----	----	----	----	119 UNCH
10720	----	----	----/*0.267A	0.204B/*0.267A	----	0.251 - 0.054	.0396	----	----	----	----	1 UNCH
10725	----	----	----/*0.267A	0.203B/*0.267A	----	0.251 - 0.053	.0396	----	----	----	----	3 UNCH
10750	----	----	----/*0.268A	0.200B/*0.268A	----	0.247 - 0.053	.0389	----	----	----	----	1 UNCH
10755	----	----	----/*0.267A	0.200B/*0.267A	----	0.247 - 0.052	.0389	----	----	----	----	1 UNCH
10760	----	----	----/*0.264A	0.198B/*0.264A	----	0.246 - 0.053	.0387	----	----	----	----	10 UNCH
10765	----	----	----/*0.266A	0.199B/*0.266A	----	0.246 - 0.052	.0387	----	----	----	----	10 UNCH
10770	----	----	----/*0.262A	0.198B/*0.262A	----	0.245 - 0.052	.0386	----	----	----	----	1 UNCH
10800	----	----	----/0.257A	0.194B/0.257A	----	0.242 - 0.050	.0380	----	----	----	----	21 UNCH
10825	----	----	----/*0.260A	0.191B/*0.260A	----	0.239 - 0.049	.0375	----	----	----	----	1 UNCH
10835	----	----	----/*0.255A	0.191B/*0.255A	----	0.238 - 0.049	.0373	----	----	----	----	1 UNCH
10850	----	----	----/*0.258A	0.188B/*0.258A	----	0.236 - 0.049	.0370	----	----	----	----	12 UNCH
10855	----	----	----/*0.253A	0.188B/*0.253A	----	0.235 - 0.049	.0369	----	----	----	----	3 UNCH
10875	----	----	----/*0.255A	0.186B/*0.255A	----	0.233 - 0.048	.0365	----	----	----	----	2 UNCH
10900	----	----	----/*0.252A	0.183B/*0.252A	----	0.230 - 0.048	.0360	----	----	----	----	40 UNCH
10925	----	----	----/*0.248A	0.181B/*0.248A	----	0.228 - 0.046	.0356	----	----	----	----	5 UNCH
10950	----	----	----/*0.245A	0.178B/*0.245A	----	0.225 - 0.046	.0351	----	----	----	----	2 UNCH
10975	----	----	----/*0.241A	0.176B/*0.241A	----	0.223 - 0.044	.0348	----	----	----	----	9 UNCH
11000	0.223	0.223	0.223/0.217	0.223/0.217	----	0.220 - 0.044	.0343	----	----	2	----	698 + 1
11025	----	----	----/*0.242A	0.173B/*0.242A	----	0.218 - 0.043	.0339	----	----	----	----	5 UNCH
11050	----	----	----/*0.239A	0.170B/*0.239A	----	0.215 - 0.043	.0334	----	----	----	----	2 UNCH
11075	----	----	----/*0.237A	0.168B/*0.237A	----	0.213 - 0.042	.0331	----	----	----	----	1 UNCH
11100	----	----	----/0.235A	0.165B/0.235A	----	0.211 - 0.041	.0327	----	----	----	----	59 UNCH
11125	----	----	----/*0.233A	0.163B/*0.233A	----	0.208 - 0.041	.0322	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 53

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
11150	----	----	----/*0.231A	0.162B/*0.231A	----	0.206 - 0.040	.0319	----	----	----	----	2 UNCH
11200	----	----	----/*0.226A	0.190B/*0.226A	----	0.202 - 0.039	.0312	----	----	----	----	262 UNCH
11225	----	----	----/*0.220A	0.156B/*0.220A	----	0.199 - 0.039	.0307	----	----	----	----	40 UNCH
11240	----	----	----/*0.223A	0.156B/*0.223A	----	0.198 - 0.038	.0305	----	----	----	----	2 UNCH
11245	----	----	----/*0.218A	0.153B/*0.218A	----	0.198 - 0.038	.0305	----	----	----	----	2 UNCH
11250	----	----	----/*0.221A	0.153B/*0.221A	----	0.197 - 0.038	.0304	----	----	----	----	22 UNCH
11255	----	----	----/*0.218A	0.152B/*0.218A	----	0.197 - 0.038	.0303	----	----	----	----	1 UNCH
11260	----	----	----/*0.221A	0.152B/*0.221A	----	0.197 - 0.037	.0303	----	----	----	----	1 UNCH
11265	----	----	----/*0.221A	0.152B/*0.221A	----	0.196 - 0.038	.0302	----	----	----	----	1 UNCH
11275	----	----	----/*0.219A	0.153B/*0.219A	----	0.195 - 0.038	.0300	----	----	----	----	1 UNCH
11290	----	----	----/*0.219A	0.151B/*0.219A	----	0.194 - 0.037	.0298	----	----	----	----	1 UNCH
11300	----	----	----/*0.218A	0.150B/*0.218A	----	0.193 - 0.037	.0297	----	----	----	----	93 UNCH
11305	----	----	----/*0.214A	0.151B/*0.214A	----	0.193 - 0.037	.0296	----	----	----	----	1 UNCH
11315	----	----	----/*0.216A	0.148B/*0.216A	----	0.192 - 0.037	.0295	----	----	----	----	1 UNCH
11325	----	----	----/*0.217A	0.148B/*0.217A	----	0.191 - 0.037	.0293	----	----	----	----	8 UNCH
11335	----	----	----/*0.215A	0.147B/*0.215A	----	0.191 - 0.036	.0293	----	----	----	----	2 UNCH
11345	----	----	----/*0.214A	0.148B/*0.214A	----	0.190 - 0.036	.0291	----	----	----	----	1 UNCH
11350	----	----	----/*0.214A	0.147B/*0.214A	----	0.189 - 0.037	.0290	----	----	----	----	4 UNCH
11365	----	----	----/*0.215A	0.144B/*0.215A	----	0.188 - 0.036	.0288	----	----	----	----	1 UNCH
11370	----	----	----/*0.214A	0.144B/*0.214A	----	0.188 - 0.036	.0288	----	----	----	----	2 UNCH
11380	----	----	----/*0.213A	0.143B/*0.213A	----	0.187 - 0.036	.0286	----	----	----	----	3 UNCH
11385	----	----	----/*0.211A	0.143B/*0.211A	----	0.187 - 0.035	.0286	----	----	----	----	1 UNCH
11400	----	----	----/*0.211A	0.143B/*0.211A	----	0.186 - 0.035	.0284	----	----	----	----	10 UNCH
11450	----	----	----/*0.209A	0.139B/*0.209A	----	0.182 - 0.034	.0278	----	----	----	----	41 UNCH
11455	----	----	----/*0.209A	0.140B/*0.209A	----	0.182 - 0.034	.0277	----	----	----	----	1 UNCH
11465	----	----	----/*0.208A	0.138B/*0.208A	----	0.181 - 0.034	.0276	----	----	----	----	1 UNCH
11475	----	----	----/*0.206A	0.138B/*0.206A	----	0.180 - 0.034	.0274	----	----	----	----	1 UNCH
11480	----	----	----/*0.207A	0.136B/*0.207A	----	0.180 - 0.034	.0274	----	----	----	----	1 UNCH
11485	----	----	----/*0.207A	0.136B/*0.207A	----	0.179 - 0.034	.0273	----	----	----	----	2 UNCH
11500	----	----	----/0.180A	0.175B/0.180A	----	0.178 - 0.034	.0271	----	----	----	----	251 UNCH
11505	----	----	----/0.205A	0.150B/0.205A	----	0.178 - 0.034	.0271	----	----	----	----	2 UNCH
11515	----	----	----/*0.204A	0.135B/*0.204A	----	0.177 - 0.034	.0269	----	----	----	----	2 UNCH
11525	----	----	----/*0.199A	0.135B/*0.199A	----	0.177 - 0.033	.0269	----	----	----	----	7 UNCH
11530	----	----	----/*0.198A	0.134B/*0.198A	----	0.176 - 0.033	.0268	----	----	----	----	10 UNCH
11540	----	----	----/*0.202A	0.133B/*0.202A	----	0.176 - 0.033	.0267	----	----	----	----	10 UNCH
11550	----	----	----/*0.201A	0.134B/*0.201A	----	0.175 - 0.033	.0266	----	----	----	----	22 UNCH
11570	----	----	----/*0.201A	0.132B/*0.201A	----	0.173 - 0.033	.0263	----	----	----	----	1 UNCH
11575	----	----	----/*0.200A	0.131B/*0.200A	----	0.173 - 0.033	.0262	----	----	----	----	1 UNCH
11595	----	----	----/*0.200A	0.130B/*0.200A	----	0.172 - 0.032	.0261	----	----	----	----	1 UNCH
11600	----	----	----/*0.198A	0.130B/*0.198A	----	0.171 - 0.033	.0259	----	----	----	----	43 UNCH
11615	----	----	----/*0.199A	0.128B/*0.199A	----	0.170 - 0.032	.0257	----	----	----	----	1 UNCH
11625	----	----	----/*0.198A	0.129B/*0.198A	----	0.170 - 0.032	.0257	----	----	----	----	2 UNCH
11630	----	----	----/*0.198A	0.128B/*0.198A	----	0.170 - 0.031	.0257	----	----	----	----	1 UNCH
11640	----	----	----/*0.198A	0.127B/*0.198A	----	0.169 - 0.032	.0255	----	----	----	----	1 UNCH
11650	----	----	----/*0.197A	0.127B/*0.197A	----	0.168 - 0.032	.0254	----	----	----	----	2 UNCH
11665	----	----	----/*0.197A	0.126B/*0.197A	----	0.167 - 0.032	.0252	----	----	----	----	1 UNCH
11685	----	----	----/*0.196A	0.125B/*0.196A	----	0.166 - 0.031	.0250	----	----	----	----	1 UNCH
11690	----	----	----/*0.196A	0.124B/*0.196A	----	0.166 - 0.031	.0250	----	----	----	----	1 UNCH
11700	----	----	----/*0.195A	0.124B/*0.195A	----	0.165 - 0.031	.0249	----	----	----	----	85 UNCH
11705	----	----	----/*0.194A	0.123B/*0.194A	----	0.165 - 0.031	.0249	----	----	----	----	1 UNCH
11725	----	----	----/*0.191A	0.122B/*0.191A	----	0.164 - 0.030	.0247	----	----	----	----	6 UNCH
11730	----	----	----/*0.193A	0.122B/*0.193A	----	0.163 - 0.031	.0245	----	----	----	----	1 UNCH
11750	----	----	----/*0.191A	0.128B/*0.191A	----	0.162 - 0.030	.0244	----	----	----	----	5 UNCH
11775	----	----	----	0.120B/*0.191A	----	0.160 - 0.031	.0241	----	----	----	----	2 UNCH
11800	----	----	----/*0.188A	0.119B/*0.188A	----	0.159 - 0.030	.0239	----	----	----	----	64 UNCH
11825	----	----	----	0.122B/*0.187A	----	0.158 - 0.029	.0237	----	----	----	----	2 UNCH
11850	----	----	----/*0.180A	0.117B/*0.180A	----	0.156 - 0.029	.0234	----	----	----	----	3 UNCH
11900	----	----	----/*0.177A	0.114B/*0.177A	----	0.153 - 0.029	.0229	----	----	----	----	86 UNCH
11925	----	----	----/*0.177A	0.113B/*0.177A	----	0.152 - 0.028	.0227	----	----	----	----	2 UNCH
11950	----	----	----/*0.178A	0.114B/*0.178A	----	0.151 - 0.028	.0225	----	----	----	----	5 UNCH
11975	----	----	----/*0.175A	0.110B/*0.175A	----	0.149 - 0.028	.0222	----	----	----	----	4 UNCH
12000	----	----	----/0.171A	0.109B/0.171A	----	0.148 - 0.028	.0220	----	----	----	----	843 UNCH
12025	----	----	----	0.108B/*0.174A	----	0.147 - 0.027	.0218	----	----	----	----	1 UNCH
12050	----	----	----	0.107B/*0.173A	----	0.145 - 0.028	.0215	----	----	----	----	1 UNCH
12075	----	----	----/*0.170A	0.106B/*0.170A	----	0.144 - 0.027	.0213	----	----	----	----	1 UNCH
12100	----	----	----	0.107B/*0.174A	----	0.143 - 0.027	.0212	----	----	----	----	17 UNCH
12125	----	----	----	0.104B/*0.172A	----	0.142 - 0.026	.0210	----	----	----	----	1 UNCH
12150	----	----	----	0.102B/0.167A	----	0.140 - 0.027	.0207	----	----	----	----	13 UNCH
12175	----	----	----	0.102B/*0.169A	----	0.139 - 0.027	.0205	----	----	----	----	1 UNCH
12200	----	----	----/*0.162A	0.101B/*0.162A	----	0.138 - 0.026	.0203	----	----	----	----	4 UNCH
12225	----	----	----	0.100B/*0.168A	----	0.137 - 0.026	.0202	----	----	----	----	2 UNCH
12250	----	----	----	0.098B/*0.166A	----	0.136 - 0.026	.0200	----	----	----	----	3 UNCH
12300	----	----	----	0.095B/0.163A	----	0.133 - 0.026	.0195	----	----	----	----	118 UNCH
12350	----	----	----	0.093B/*0.162A	----	0.131 - 0.026	.0192	----	----	----	----	2 UNCH
12375	----	----	----	0.092B/*0.164A	----	0.130 - 0.025	.0190	----	----	----	----	1 UNCH
12400	----	----	----	0.091B/*0.160A	----	0.129 - 0.025	.0188	----	----	----	----	12 UNCH
12450	----	----	----	0.089B/*0.161A	----	0.127 - 0.025	.0185	----	----	----	----	5 UNCH
12500	0.152	0.152	0.152/0.152	0.152/0.152	----	0.125 - 0.024	.0182	----	----	2	----	331 UNCH
12525	----	----	----	0.085B/*0.159A	----	0.124 - 0.024	.0180	----	----	----	----	2 UNCH
12550	----	----	----	0.084B/*0.158A	----	0.123 - 0.024	.0178	----	----	----	----	3 UNCH
12600	----	----	----	0.083B/0.155A	----	0.121 - 0.024	.0175	----	----	----	----	30 UNCH
12650	----	----	----	0.081B/*0.154A	----	0.119 - 0.024	.0172	----	----	----	----	3 UNCH
12675	----	----	----	0.079B/0.207A	----	0.118 - 0.024	.0170	----	----	----	----	3 UNCH
12700	----	----	----	0.022B/0.207A	----	0.117 - 0.024	.0169	----	----	----	----	5 UNCH
12725	----	----	----	0.021B/0.204A	----	0.116 - 0.024	.0167	----	----	----	----	1 UNCH
12775	----	----	----	0.018B/0.202A	----	0.114 - 0.024	.0164	----	----	----	----	2 UNCH
12800	----	----	----	0.076B/0.201A	----	0.113 - 0.024	.0162	----	----	----	----	30 UNCH
12900	----	----	----	0.070B/0.196A	----	0.110 - 0.023	.0157	----	----	----	----	73 UNCH
13000	0.098	0.098	0.101/*0.098	0.101/*0.098	----	0.107 - 0.023	.0152	----	----	8	----	266 + 4
13100	----	----	----	0.010B/0.189A	----	0.103 - 0.023	.0146	----	----	----	----	3 UNCH
13200	----	----	----	0.010B/*0.132A	----	0.100 - 0.023	.0141	----	----	----	----	44 UNCH
13300	----	----	----	0.010B/0.182A	----	0.097 - 0.023	.0137	----	----	----	----	3 UNCH
13400	----	----	----	0.010B/0.180A	----	0.095 - 0.022	.0133	----	----	----	----	3 UNCH
13500	----	----	----	0.010B/0.179A	----	0.092 - 0.022	.0128	----	----	----	----	64 UNCH
13600	----	----	----	0.010B/*0.118A	----	0.089 - 0.022	.0124	----	----	----	----	19 UNCH
13700	----	----	----	0.010B/0.174A	----	0.087 - 0.022	.0120	----	----	----	----	76 UNCH
13800	----	----	----	0.010B/0.171A	----	0.084 - 0.023	.0116	----	----	----	----	39 UNCH
13900	----	----	----	0.010B/*0.122A	----	0.082 - 0.022	.0113	----	----	----	----	4 UNCH
14000	----	----	----	0.010B/0.165A	----	0.080 - 0.022	.0110	----	----	----	----	400 UNCH
14100	----	----	----	0.010B/0.117A	----	0.078 - 0.022	.0106	----	----	----	----	27 UNCH
14200	----	----	----	0.010B/0.159A	----	0.076 - 0.022	.0103	----	----	----	----	41 UNCH
14300	----	----	----	0.010B/0.155A	----	0.074 - 0.022	.0100	----	----	----	----	6 UNCH
14400	----	----	----	0.010B/0.153A	----	0.072 - 0.022	.0097	----	----	----	----	13 UNCH
14500	----	----	----	0.010B/0.149A	----	0.070 - 0.022	.0094	----	----	----	----	117 UNCH
14600	----	----	----	0.010B/0.147A	----	0.068 - 0.023	.0091	----	----	----	----	55 UNCH
14700	----	----	----	0.009B/0.145A	----	0.067 - 0.022	.0089	----	----	----	----	9 UNCH
14800	----	----	----	0.016B/*0.136A	----	0.065 - 0.022	.0087	----	----	----	----	61 UNCH
14900	----	----	----	0.015B/*0.125A	----	0.063 - 0.023	.0084	----	----	----	----	3 UNCH
15000	----	----	----/*0.058A	0.028B/*0.058A	----	0.062 - 0.022	.0082	----	----	----	----	449 UNCH
15100	----	----	----	0.007B/0.141A	----	0.060 - 0.023	.0079	----	----	----	----	9 UNCH
15200	----	----	----	0.026B/0.138A	----	0.059 - 0.023	.0078	----	----	----	----	54 UNCH
15300	----	----	----	0.003B/0.137A	----	0.058 - 0.022	.0076	----	----	----	----	11 UNCH
15500	----	----	----	0.001B/0.122A	----	0.055 - 0.023	.0072	----	----	----	----	115 UNCH
15600	----	----	----	0.001B/*0.134A	----	0.054 - 0.023	.0070	----	----	----	----	1 UNCH
15700	----	----	----	0.001B/*0.132A	----	0.053 - 0.023	.0069	----	----	----	----	19 UNCH
15800	----	----	----	0.011B/*0.129A	----	0.051 - 0.024	.0066	----	----	----	----	14 UNCH
15900	----	----	----	0.001B/*0.127A	----	0.050 - 0.024	.0064	----	----	----	----	14 UNCH
16000	----	----	----	0.005B/0.125A	----	0.049 - 0.024	.0063	----	----	----	----	721 UNCH
16100	----	----	----	0.001B/*0.123A	----	0.048 - 0.024	.0061	----	----	----	----	6 UNCH
16200	----	----	----	0.001B/*0.121A	----	0.047 - 0.024	.0060	----	----	----	----	1 UNCH
16300	----	----	----	0.001B/*0.120A	----	0.046 - 0.024	.0059	----	----	----	----	1 UNCH
16400	----	----	----	0.001B/*0.118A	----	0.045 - 0.024	.0057	----	----	----	----	2 UNCH
16500	----	----	----	0.001B/*0.116A	----	0.044 - 0.024	.0056	----	----	----	----	56 UNCH
16600	----	----	----	0.001B/*0.115A	----	0.043 - 0.025	.0054	----	----	----	----	3 UNCH
16700	----	----	----	0.001B/*0.113A	----	0.042 - 0.025	.0053	----	----	----	----	5 UNCH
16800	----	----	----	0.001B/*0.112A	----	0.041 - 0.025	.0052	----	----	----	----	6 UNCH
16900	----	----	----	0.001B/*0.110A	----	0.041 - 0.024	.0051	----	----	----	----	67 UNCH
17000	----	----	----	0.001B/*0.109A	----	0.040 - 0.025	.0050	----	----	----	----	67 UNCH
17100	----	----	----	0.001B/*0.108A	----	0.039 - 0.025	.0049	----	----	----	----	8 UNCH
17200	----	----	----	0.001B/*0.107A	----	0.038 - 0.025	.0047	----	----	----	----	6 UNCH
17300	----	----	----	0.005B/*0.106A	----	0.037 - 0.026	.0046	----	----	----	----	5 UNCH
17400	----	----	----	0.001B/*0.105A	----	0.037 - 0.025	.0046	----	----	----	----	6 UNCH
17500	----	----	----/0.055A	0.001B/0.055A	----	0.036 - 0.026	.0044	----	----	----	----	96 UNCH
17600	----	----	----	0.001B/0.078A	----	0.035 - 0.026	.0043	----	----	2	----	7 - 1
17700	----	----	----	0.001B/*0.102A	----	0.035 - 0.026	.0043	----	----	----	----	9 UNCH
17800	----	----	----	0.001B/*0.101A	----	0.034 - 0.026	.0042	----	----	----	----	8 UNCH
17900	----	----	----	0.001B/*0.097A	----	0.033 - 0.027	.0040	----	----	----	----	3 UNCH
18000	----	----	----/*0.049A	0.001B/*0.049A	----	0.033 - 0.026	.0040	----	----	----	----	54 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
18100	----	----	----	0.001B/*0.099A	----	0.032 - 0.027	.0039	----	----	----	----	1 UNCH
18200	----	----	----	----/*0.098A	----	0.032 - 0.026	.0039	----	----	----	----	11 UNCH
18300	----	----	----	----/*0.097A	----	0.031 - 0.027	.0037	----	----	----	----	5 UNCH
18400	----	----	----	----/*0.097A	----	0.031 - 0.027	.0037	----	----	----	----	2 UNCH
18500	----	----	----	----/0.096A	----	0.030 - 0.027	.0036	----	----	----	----	11 UNCH
18700	----	----	----	----/*0.095A	----	0.029 - 0.028	.0035	----	----	----	----	8 UNCH
18800	----	----	----	----/*0.094A	----	0.029 - 0.027	.0035	----	----	----	----	6 UNCH
18900	----	----	----	----/*0.093A	----	0.028 - 0.028	.0033	----	----	----	----	3 UNCH
19000	----	----	----	----/*0.092A	----	0.028 - 0.028	.0033	----	----	----	----	51 UNCH
19100	----	----	----	----/*0.092A	----	0.027 - 0.028	.0032	----	----	----	----	74 UNCH
19200	----	----	----	----/*0.092A	----	0.027 - 0.028	.0032	----	----	----	----	130 UNCH
19300	----	----	----	----/*0.091A	----	0.027 - 0.028	.0032	----	----	----	----	6 UNCH
19400	----	----	----	----/*0.090A	----	0.026 - 0.029	.0031	----	----	----	----	66 UNCH
19500	----	----	----	----/*0.086A	----	0.026 - 0.029	.0030	----	----	----	----	96 UNCH
19700	----	----	----	----/0.104A	----	0.025 - 0.029	.0029	----	----	----	----	2 UNCH
19800	----	----	----	----/0.120A	----	0.025 - 0.029	.0029	----	----	----	----	10 UNCH
19900	----	----	----	----/0.120A	----	0.025 - 0.029	.0029	----	----	----	----	11 UNCH
20000	----	----	----/0.039A	0.010B/0.039A	----	0.024 - 0.030	.0028	----	----	----	----	392 UNCH
21000	----	----	----	----/0.100A	----	0.020 - 0.024	.0023	----	----	----	----	15 UNCH
22000	----	----	----	----/0.132A	----	0.015 - 0.020	.0017	----	----	----	----	10 UNCH
23000	----	----	----	----/0.140A	----	0.011 - 0.015	.0012	----	----	----	----	6 UNCH
24000	----	----	----	0.004B/0.020A	----	0.008 - 0.012	.0009	----	----	----	----	4 UNCH
25000	----	----	----/0.013A	0.004B/0.013A	----	0.006 - 0.008	.0007	----	----	----	----	91 UNCH
TOTAL										970	0	23321 + 195
JUN26												
4300	----	----	----/27.710A	30.590B/27.710A	----	30.718 - 3.089	.9683	----	----	----	----	20 UNCH
4850	----	----	----/22.658A	25.297B/22.658A	----	25.487 - 3.040	.9433	----	----	----	----	7 UNCH
4900	----	----	----/22.209A	24.836B/22.209A	----	25.019 - 3.038	.9403	----	----	----	----	9 UNCH
5000	----	----	----/21.212A	23.998B/21.212A	----	24.089 - 3.033	.9339	----	----	----	----	350 UNCH
5025	----	----	----/21.098A	23.669B/21.098A	----	23.857 - 3.030	.9322	----	----	----	----	6 UNCH
5050	----	----	----/20.879A	23.429B/20.879A	----	23.626 - 3.027	.9305	----	----	----	----	1 UNCH
5200	----	----	----/19.467A	22.155B/19.467A	----	22.251 - 3.004	.9193	----	----	----	----	77 UNCH
5225	----	----	----/19.369A	21.817B/19.369A	----	22.023 - 3.000	.9172	----	----	----	----	4 UNCH
5275	----	----	----/18.940A	21.378B/18.940A	----	21.571 - 2.991	.9130	----	----	----	----	7 UNCH
5300	----	----	----/18.745A	21.136B/18.745A	----	21.345 - 2.987	.9109	----	----	----	----	3 UNCH
5325	----	----	----/18.524A	20.912B/18.524A	----	21.121 - 2.981	.9086	----	----	----	----	5 UNCH
5350	----	----	----/18.328A	20.711B/18.328A	----	20.897 - 2.976	.9063	----	----	----	----	7 UNCH
5400	----	----	----/17.906A	20.237B/17.906A	----	20.451 - 2.966	.9016	----	----	----	----	2 UNCH
5425	----	----	----/17.709A	20.048B/17.709A	----	20.229 - 2.960	.8991	----	----	----	----	9 UNCH
5500	----	----	----/16.972A	21.498B/16.972A	----	19.569 - 2.942	.8914	----	----	----	----	341 UNCH
5525	----	----	----/16.900A	21.540B/16.900A	----	19.351 - 2.936	.8888	----	----	----	----	2 UNCH
5600	----	----	----/16.295A	18.538B/16.295A	----	18.702 - 2.915	.8804	----	----	----	----	7 UNCH
5625	----	----	----/16.098A	18.326B/16.098A	----	18.488 - 2.908	.8774	----	----	----	----	11 UNCH
5675	----	----	----/15.664A	17.831B/15.664A	----	18.062 - 2.893	.8713	----	----	----	----	1 UNCH
5700	----	----	----/15.383A	17.749B/15.383A	----	17.851 - 2.885	.8682	----	----	----	----	56 UNCH
5725	----	----	----/15.315A	17.489B/15.315A	----	17.641 - 2.877	.8650	----	----	----	----	10 UNCH
5750	----	----	----/15.118A	17.281B/15.118A	----	17.432 - 2.869	.8617	----	----	----	----	13 UNCH
5775	----	----	----/14.922A	16.982B/14.922A	----	17.224 - 2.860	.8584	----	----	----	----	1 UNCH
5800	----	----	----/14.702A	16.773B/14.702A	----	17.017 - 2.852	.8550	----	----	----	----	2 UNCH
5825	----	----	----/14.517A	16.567B/14.517A	----	16.812 - 2.842	.8515	----	----	----	----	1 UNCH
5850	----	----	----/14.361A	16.466B/14.361A	----	16.608 - 2.833	.8480	----	----	----	----	9 UNCH
5900	----	----	----/14.023A	15.956B/14.023A	----	16.203 - 2.813	.8407	----	----	----	----	4 UNCH
5925	----	----	----/13.779A	15.867B/13.779A	----	16.002 - 2.804	.8370	----	----	----	----	17 UNCH
6000	----	----	----/13.137A	15.289B/13.137A	----	15.408 - 2.772	.8254	----	----	----	----	401 UNCH
6025	----	----	----/13.089A	15.084B/13.089A	----	15.213 - 2.760	.8215	----	----	----	----	7 UNCH
6050	----	----	----/12.884A	14.772B/12.884A	----	15.019 - 2.749	.8174	----	----	----	----	4 UNCH
6075	----	----	----/12.671A	14.699B/12.671A	----	14.826 - 2.737	.8133	----	----	----	----	30 UNCH
6100	----	----	----/12.543A	14.509B/12.543A	----	14.634 - 2.726	.8091	----	----	----	----	16 UNCH
6200	----	----	----/11.757A	13.763B/11.757A	----	13.883 - 2.675	.7918	----	----	----	----	101 UNCH
6225	----	----	----/11.700A	13.428B/11.700A	----	13.698 - 2.662	.7873	----	----	----	----	1 UNCH
6250	----	----	----/11.537A	13.242B/11.537A	----	13.515 - 2.649	.7828	----	----	----	----	4 UNCH
6300	----	----	----/11.216A	12.876B/11.216A	----	13.154 - 2.620	.7736	----	----	----	----	4 UNCH
6400	----	----	----/10.476A	12.336B/10.476A	----	12.448 - 2.562	.7545	----	----	----	----	110 UNCH
6425	----	----	----/10.398A	12.167B/10.398A	----	12.275 - 2.547	.7496	----	----	----	----	25 UNCH
6450	----	----	----/10.271A	11.996B/10.271A	----	12.104 - 2.531	.7446	----	----	----	----	6 UNCH
6475	----	----	----/10.189A	11.637B/10.189A	----	11.934 - 2.515	.7396	----	----	----	----	5 UNCH
6500	----	----	----/9.970A	11.649B/9.970A	----	11.766 - 2.499	.7346	----	----	----	----	11 UNCH
6625	----	----	----/9.248A	10.846B/9.248A	----	10.950 - 2.414	.7087	----	----	----	----	10 UNCH
6650	----	----	----/9.196A	10.483B/9.196A	----	10.791 - 2.397	.7034	----	----	----	----	1 UNCH
6700	----	----	----/8.930A	10.170B/8.930A	----	10.479 - 2.361	.6928	----	----	----	----	1 UNCH
6725	----	----	----/8.801A	10.014B/8.801A	----	10.326 - 2.343	.6874	----	----	----	----	1 UNCH
6750	----	----	----/8.674A	9.860B/8.674A	----	10.174 - 2.324	.6819	----	----	----	----	3 UNCH
6800	----	----	----/8.307A	9.772B/8.307A	----	9.875 - 2.287	.6710	----	----	----	----	6 UNCH
6850	----	----	----/8.140A	9.272B/8.140A	----	9.583 - 2.248	.6600	----	----	----	----	5 UNCH
6900	----	----	----/7.804A	9.195B/7.804A	----	9.297 - 2.210	.6488	----	----	----	----	16 UNCH
6925	----	----	----/7.672A	9.055B/7.672A	----	9.157 - 2.190	.6432	----	----	----	----	9 UNCH
6975	----	----	----/7.435A	8.779B/7.435A	----	8.881 - 2.150	.6320	----	----	----	----	7 UNCH
7000	----	----	----/7.264A	8.645B/7.264A	----	8.746 - 2.130	.6264	----	----	----	----	124 UNCH
7025	----	----	----/7.207A	8.432B/7.207A	----	8.612 - 2.110	.6207	----	----	----	----	1 UNCH
7050	----	----	----/7.077A	8.253B/7.077A	----	8.480 - 2.089	.6150	----	----	----	----	1 UNCH
7100	7.218	7.218	8.400/6.669	8.400/6.669	----	8.222 - 2.047	.6037	----	----	130	----	98 + 44
7250	----	----	----/6.089A	8.085B/6.089A	----	7.486 - 1.921	.5695	----	----	----	----	32 UNCH
7275	6.522	6.522	6.522/5.993A	8.110B/5.993A	----	7.369 - 1.900	.5639	----	----	1	----	2 + 1
7300	----	----	----/5.910A	8.221B/5.910A	----	7.253 - 1.880	.5582	----	----	----	----	3 UNCH
7375	5.630	5.630	5.630/5.630	7.788B/5.630	----	6.917 - 1.816	.5412	----	----	1	----	4 + 1
7400	----	----	----/5.535A	7.730B/5.535A	----	6.808 - 1.795	.5356	----	----	----	----	4 UNCH
7425	----	----	----/5.448A	7.934B/5.448A	----	6.701 - 1.773	.5300	----	----	----	----	11 UNCH
7450	5.825	5.825	5.825/5.367A	7.404B/5.367A	----	6.596 - 1.751	.5244	----	----	1	----	2 UNCH
7475	5.285	5.285	5.285/5.285	7.280B/5.285	----	6.492 - 1.730	.5189	----	----	1	----	2 + 1
7500	5.652	5.652	5.652/5.226A	7.524B/5.226A	----	6.389 - 1.709	.5133	----	----	2	125	229 + 96
7525	5.566	5.566	5.566/5.191A	7.035B/5.191A	----	6.288 - 1.688	.5078	----	----	2	----	7 + 2
7550	5.486	5.486	5.486/5.084A	7.290B/5.084A	----	6.189 - 1.666	.5023	----	----	3	----	24 - 2
7575	----	----	----/5.024A	6.797B/5.024A	----	6.091 - 1.645	.4969	----	----	----	----	1 UNCH
7600	----	----	----/4.964A	7.033B/4.964A	----	5.995 - 1.624	.4914	----	----	3	----	16 UNCH
7675	----	----	----/4.725A	6.347B/4.725A	----	5.715 - 1.562	.4753	----	----	----	----	2 UNCH
7700	----	----	----/4.611A	6.408B/4.611A	----	5.624 - 1.541	.4700	----	----	4	----	112 + 4
7725	----	----	----/4.577A	6.129B/4.577A	----	5.535 - 1.521	.4647	----	----	----	----	6 UNCH
7750	----	----	----/4.503A	6.023B/4.503A	----	5.448 - 1.500	.4594	----	----	1	----	10 - 1
7775	----	----	----/4.438A	5.913B/4.438A	----	5.362 - 1.480	.4542	----	----	----	----	1 UNCH
7800	----	----	----/4.366A	5.881B/4.366A	----	5.277 - 1.460	.4490	----	----	----	----	14 UNCH
7825	----	----	----/4.295A	5.707B/4.295A	----	5.194 - 1.439	.4439	----	----	----	----	1 UNCH
7850	----	----	----/4.229A	5.608B/4.229A	----	5.112 - 1.420	.4388	----	----	----	----	1 UNCH
7900	----	----	----/4.067A	5.582B/4.067A	----	4.953 - 1.380	.4287	----	----	----	----	66 UNCH
7925	----	----	----/4.037A	5.317B/4.037A	----	4.875 - 1.360	.4237	----	----	----	----	1 UNCH
7950	----	----	----/3.977A	5.222B/3.977A	----	4.799 - 1.341	.4188	----	----	----	----	2 UNCH
7975	----	----	----/3.913A	5.131B/3.913A	----	4.724 - 1.321	.4139	----	----	----	----	2 UNCH
8000	4.500	4.500	4.500/3.812A	5.210B/3.812A	----	4.650 - 1.302	.4090	----	----	3	----	185 + 1
8025	----	----	----/3.795A	4.950B/3.795A	----	4.577 - 1.284	.4042	----	----	----	----	3 UNCH
8050	----	----	----/3.710A	4.970B/3.710A	----	4.506 - 1.265	.3994	----	----	----	----	57 UNCH
8075	----	----	----/3.678A	4.777B/3.678A	----	4.436 - 1.246	.3947	----	----	----	----	2 UNCH
8100	----	----	----/3.624A	4.766B/3.624A	----	4.367 - 1.228	.3900	----	----	----	----	9 UNCH
8125	----	----	----/3.569A	4.609B/3.569A	----	4.299 - 1.211	.3853	----	----	----	----	2 UNCH
8150	----	----	----/3.514A	4.531B/3.514A	----	4.233 - 1.192	.3808	----	----	----	----	10 UNCH
8175	----	----	----/3.462A	4.446B/3.462A	----	4.167 - 1.175	.3762	----	----	----	----	1 UNCH
8200	----	----	----/3.410A	4.440B/3.410A	----	4.103 - 1.157	.3717	----	----	----	----	3 UNCH
8225	----	----	----/3.360A	4.290B/3.360A	----	4.040 - 1.140	.3672	----	----	----	----	3 UNCH
8250	----	----	----/3.308A	4.218B/3.308A	----	3.978 - 1.123	.3628	----	----	----	----	15 UNCH
8275	----	----	----/3.260A	4.139B/3.260A	----	3.918 - 1.105	.3585	----	----	----	----	19 UNCH
8300	----	----	----/3.174A	4.236B/3.174A	----	3.858 - 1.089	.3542	----	----	3	----	88 + 3
8350	----	----	----/3.117A	3.930B/3.117A	----	3.742 - 1.056	.3457	----	----	----	----	8 UNCH
8375	3.315	3.315	3.315/3.072A	3.861B/3.072A	----	3.685 - 1.040	.3415	----	----	1	----	5 + 1
8400	----	----	----/3.027A	3.858B/3.027A	----	3.629 - 1.025	.3374	----	----	----	----	7 UNCH
8425	----	----	----/2.949A	3.725B/2.949A	----	3.575 - 1.008	.3333	----	----	----	----	51 UNCH
8450	3.167	3.167	3.167/2.938A	3.661B/2.938A	----	3.521 - 0.993	.3292	----	----	1	----	19 + 1
8475	----	----	----/2.897A	3.595B/2.897A	----	3.469 - 0.977	.3253	----	----	----	----	6 UNCH
8500	3.100	3.100	3.100/2.821A	3.687B/2.821A	----	3.417 - 0.963	.3213	----	----	58	----	315 + 7
8550	----	----	----/2.774A	3.456B/2.774A	----	3.316 - 0.933	.3136	----	----	----	----	4 UNCH
8575	----	----	----/2.734A	3.409B/2.734A	----	3.267 - 0.919	.3098	----	----	----	----	4 UNCH
8600	----	----	----/2.695A	3.397B/2.695A	----	3.219 - 0.905	.3060	----	----	----	----	9 UNCH
8625	----	----	----/2.656A	3.311B/2.656A	----	3.172 - 0.891	.3023	----	----	----	----	4 UNCH
8650	2.794	2.794	2.794/2.621A	3.307B/2.621A	----	3.126 - 0.876	.2987	----	----	1	----	2 + 1
8675	2.756	2.756	2.756/2.578A	3.725B/2.578A	----	3.080 - 0.863	.2951	----	----	1	----	5 UNCH
8700	----	----	----/2.530A	3.681B/2.530A	----	3.035 - 0.850	.2915	----	----	----	----	28 UNCH
8725	----	----	----/2.510A	3.616B/2.510A	----	2.992 - 0.836	.2880	----	----	----	----	3 UNCH
8750	----	----	----/2.477A	3.562B/2.477A	----	2.948 - 0.824	.2845	----	----	----	----	12 UNCH
8775	2.612	2.612	2.612/2.443A	3.508B/2.443A	----	2.906 - 0.811	.2810	----	----	1	----	0 - 1
8800	2.421	2.421	2.421/2.376A	3.467B/2.376A	----	2.864 - 0.799	.2776	----	----	74	----	90 + 66

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUN26												
8825	----	----	----/2.375A	3.405B/2.375A	----	2.824 -	0.785 .2743	----	----	----	----	2 UNCH
8850	2.510	2.510	2.510/2.341A	3.355B/2.341A	----	2.783 -	0.774 .2710	----	----	1	----	12 + 1
8875	----	----	----/2.313A	3.305B/2.313A	----	2.744 -	0.762 .2677	----	----	----	----	2 UNCH
8900	2.532	2.532	2.532/2.279A	3.261B/2.279A	----	2.705 -	0.750 .2645	----	----	4	----	16 + 4
8950	----	----	----/2.215A	3.158B/2.215A	----	2.630 -	0.727 .2582	----	----	----	----	2 UNCH
8975	----	----	----/2.182A	3.135B/2.182A	----	2.593 -	0.716 .2551	----	----	----	----	4 UNCH
9000	2.400	2.400	2.400/2.100	3.083B/2.100	----	2.557 -	0.705 .2521	----	----	41	250	694 + 187
9025	----	----	----/2.126A	3.024B/2.126A	----	2.522 -	0.694 .2491	----	----	----	----	2 UNCH
9050	----	----	----/2.103A	2.968B/2.103A	----	2.487 -	0.683 .2461	----	----	----	----	12 UNCH
9100	----	----	----/2.018A	2.912B/2.018A	----	2.419 -	0.663 .2403	----	----	----	----	326 UNCH
9125	----	----	----/2.011A	2.851B/2.011A	----	2.386 -	0.653 .2374	----	----	----	----	2 UNCH
9150	----	----	----/1.965A	2.820B/1.965A	----	2.354 -	0.642 .2346	----	----	----	----	100 UNCH
9175	----	----	----/1.960A	2.730B/1.960A	----	2.322 -	0.633 .2318	----	----	----	----	1 UNCH
9200	----	----	----/1.908A	2.636B/1.908A	----	2.291 -	0.623 .2291	----	----	1	----	98 + 1
9225	2.033	2.033	2.033/1.909A	2.692B/1.909A	----	2.260 -	0.614 .2264	----	----	1	----	6 + 1
9250	2.005	2.005	2.005/1.886A	2.640B/1.886A	----	2.230 -	0.604 .2237	----	----	1	----	6 + 1
9275	----	----	----/1.863A	2.616B/1.863A	----	2.200 -	0.595 .2211	----	----	----	----	7 UNCH
9300	----	----	----/1.825A	2.599B/1.825A	----	2.171 -	0.586 .2185	----	----	----	----	31 UNCH
9325	----	----	----/1.811A	2.543B/1.811A	----	2.142 -	0.578 .2159	----	----	----	----	2 UNCH
9350	----	----	----/1.791A	2.501B/1.791A	----	2.114 -	0.569 .2134	----	----	----	----	17 UNCH
9375	----	----	----/1.768A	2.472B/1.768A	----	2.086 -	0.561 .2109	----	----	----	----	17 UNCH
9400	----	----	----/1.745A	2.434B/1.745A	----	2.058 -	0.553 .2084	----	----	----	----	21 UNCH
9425	----	----	----/1.724A	2.402B/1.724A	----	2.032 -	0.544 .2061	----	----	----	----	22 UNCH
9450	----	----	----/1.700A	2.367B/1.700A	----	2.005 -	0.537 .2036	----	----	----	----	4 UNCH
9475	----	----	----/1.676A	2.336B/1.676A	----	1.979 -	0.529 .2013	----	----	----	----	17 UNCH
9500	----	----	----/1.631A	2.324B/1.631A	----	1.953 -	0.522 .1989	----	----	1	----	228 + 1
9525	----	----	----/1.636A	2.272B/1.636A	----	1.928 -	0.514 .1966	----	----	----	----	1 UNCH
9550	----	----	----/1.614A	2.237B/1.614A	----	1.903 -	0.507 .1944	----	----	----	----	1 UNCH
9575	----	----	----/1.596A	2.211B/1.596A	----	1.879	NEW .1921	----	----	1	----	1 + 1
9600	1.802	1.802	1.802/1.579A	2.180B/1.579A	----	1.855 -	0.492 .1899	----	----	2	----	17 + 1
9625	----	----	----/1.557A	2.150B/1.557A	----	1.831 -	0.486 .1877	----	----	----	----	4 UNCH
9650	----	----	----/1.537A	2.119B/1.537A	----	1.808 -	0.479 .1856	----	----	1	----	1 UNCH
9675	----	----	----/1.538A	2.094B/1.538A	----	1.785 -	0.472 .1835	----	----	----	----	2 UNCH
9700	----	----	----/1.504A	2.067B/1.504A	----	1.763 -	0.465 .1814	----	----	----	----	36 UNCH
9750	----	----	----/1.468A	2.006B/1.468A	----	1.719 -	0.452 .1773	----	----	----	----	28 UNCH
9800	----	----	----/1.431A	1.956B/1.431A	----	1.676 -	0.441 .1733	----	----	1	----	5 + 1
9850	----	----	----/1.397A	1.901B/1.397A	----	1.635 -	0.428 .1694	----	----	----	----	2 UNCH
9875	----	----	----/1.395A	1.880B/1.395A	----	1.614 -	0.423 .1675	----	----	----	----	10 UNCH
9900	----	----	----/1.378A	1.865B/1.378A	----	1.594 -	0.418 .1656	----	----	----	----	28 UNCH
9925	----	----	----/1.349A	1.831B/1.349A	----	1.575 -	0.412 .1637	----	----	----	----	1 UNCH
9950	----	----	----/1.336A	1.804B/1.336A	----	1.555 -	0.407 .1619	----	----	----	----	2 UNCH
9975	----	----	----/1.315A	1.783B/1.315A	----	1.536 -	0.402 .1601	----	----	----	----	4 UNCH
10000	1.975	1.975	1.975/1.317A	1.975/1.317A	----	1.517 -	0.397 .1583	----	----	24	50	599 - 54
10025	----	----	----/1.287A	1.737B/1.287A	----	1.499 -	0.391 .1565	----	----	----	----	5 UNCH
10050	----	----	----/1.267A	1.714B/1.267A	----	1.480 -	0.387 .1547	----	----	----	----	3 UNCH
10075	----	----	----/1.254A	1.693B/1.254A	----	1.462 -	0.382 .1530	----	----	----	----	9 UNCH
10100	----	----	----/1.241A	1.673B/1.241A	----	1.444 -	0.377 .1513	----	----	----	----	19 UNCH
10125	----	----	----/1.240A	1.649B/1.240A	----	1.427 -	0.372 .1496	----	----	----	----	1 UNCH
10175	----	----	----/1.197A	1.341B/1.197A	----	1.392 -	0.363 .1463	----	----	----	----	1 UNCH
10200	----	----	----/1.184A	1.325B/1.184A	----	1.375 -	0.359 .1446	----	----	----	----	9 UNCH
10225	----	----	----/1.175A	1.310B/1.175A	----	1.359 -	0.354 .1431	----	----	----	----	1 UNCH
10300	----	----	----/1.132A	1.257B/1.132A	----	1.310 -	0.342 .1383	----	----	----	----	7 UNCH
10375	----	----	----/1.096A	1.221B/1.096A	----	1.265 -	0.329 .1339	----	----	----	----	2 UNCH
10400	----	----	----/1.084A	1.446B/1.084A	----	1.250 -	0.325 .1324	----	----	----	----	4 UNCH
10425	----	----	----/1.073A	1.420B/1.073A	----	1.235 -	0.321 .1310	----	----	----	----	1 UNCH
10450	----	----	----/1.058A	1.180B/1.058A	----	1.221 -	0.317 .1296	----	----	----	----	3 UNCH
10475	----	----	----/1.046A	1.386B/1.046A	----	1.207 -	0.312 .1282	----	----	----	----	2 UNCH
10500	----	----	----/1.033A	1.383B/1.033A	----	1.193 -	0.308 .1268	----	----	----	----	330 UNCH
10525	----	----	----/1.024A	1.355B/1.024A	----	1.180 -	0.304 .1255	----	----	----	----	12 UNCH
10550	----	----	----/1.013A	1.126B/1.013A	----	1.167 -	0.299 .1242	----	----	----	----	1 UNCH
10600	----	----	----/0.990A	1.319B/0.990A	----	1.141 -	0.291 .1216	----	----	----	----	45 UNCH
10625	----	----	----/0.981A	1.290B/0.981A	----	1.128 -	0.287 .1203	----	----	----	----	1 UNCH
10650	----	----	----/0.969A	1.084B/0.969A	----	1.116 -	0.283 .1191	----	----	----	----	3 UNCH
10675	----	----	----/0.956A	1.247B/0.956A	----	1.104 -	0.279 .1178	----	----	----	----	3 UNCH
10700	----	----	----/*0.950A	1.238B/*0.950A	----	1.091 -	0.276 .1166	----	----	----	----	9 UNCH
10750	----	----	----/*0.923A	1.040B/*0.923A	----	1.067 -	0.269 .1141	----	----	----	----	4 UNCH
10800	----	----	----/*0.905A	1.167B/*0.905A	----	1.044 -	0.262 .1118	----	----	----	----	2 UNCH
10850	----	----	----/*0.886A	1.168B/*0.886A	----	1.021 -	0.255 .1095	----	----	----	----	12 UNCH
10875	----	----	----/*0.881A	0.978B/*0.881A	----	1.010 -	0.252 .1084	----	----	----	----	6 UNCH
10900	----	----	----/*0.870A	1.113B/*0.870A	----	0.999 -	0.249 .1073	----	----	----	----	20 UNCH
10925	----	----	----/*0.858A	1.131B/*0.858A	----	0.988 -	0.246 .1061	----	----	----	----	1 UNCH
10950	----	----	----/*0.852A	1.117B/*0.852A	----	0.977 -	0.244 .1050	----	----	----	----	1 UNCH
11000	----	----	----/0.836A	0.945B/0.836A	----	0.956 -	0.238 .1029	----	----	----	----	493 UNCH
11025	----	----	----/0.826A	1.075B/0.826A	----	0.945 -	0.236 .1018	----	----	----	----	1 UNCH
11050	----	----	----/0.822A	1.068B/0.822A	----	0.935 -	0.233 .1008	----	----	----	----	4 UNCH
11075	----	----	----/0.815A	0.899B/0.815A	----	0.925 -	0.230 .0997	----	----	----	----	5 UNCH
11100	----	----	----/*0.803A	0.898B/0.803A	----	0.915 -	0.228 .0987	----	----	----	----	1 UNCH
11125	----	----	----/0.799A	1.032B/0.799A	----	0.905 -	0.226 .0977	----	----	----	----	5 UNCH
11175	----	----	----/0.780A	0.964B/0.780A	----	0.886 -	0.220 .0957	----	----	----	----	2 UNCH
11200	----	----	----/*0.774A	0.908B/*0.774A	----	0.876 -	0.219 .0947	----	----	----	----	2 UNCH
11225	----	----	----/0.769A	0.989B/0.769A	----	0.867 -	0.216 .0938	----	----	----	----	3 UNCH
11300	----	----	----/0.743A	0.951B/0.743A	----	0.839 -	0.210 .0909	----	----	----	----	2 UNCH
11325	----	----	----/0.739A	0.942B/0.739A	----	0.830 -	0.209 .0900	----	----	----	----	6 UNCH
11350	----	----	----/0.733A	0.932B/0.733A	----	0.821 -	0.207 .0891	----	----	----	----	3 UNCH
11375	----	----	----/0.723A	0.922B/0.723A	----	0.813 -	0.204 .0883	----	----	----	----	1 UNCH
11400	----	----	----/0.722A	0.902B/0.722A	----	0.804 -	0.203 .0873	----	----	----	----	164 UNCH
11425	----	----	----/0.713A	0.900B/0.713A	----	0.796 -	0.200 .0865	----	----	----	----	12 UNCH
11450	----	----	----/*0.708A	0.890B/*0.708A	----	0.787 -	0.199 .0856	----	----	----	----	13 UNCH
11475	----	----	----/0.698A	0.880B/0.698A	----	0.779 -	0.197 .0847	----	----	----	----	2 UNCH
11500	----	----	----/0.695A	0.804B/0.695A	----	0.771 -	0.195 .0839	----	----	----	----	172 UNCH
11525	----	----	----/0.688A	0.860B/0.688A	----	0.763 -	0.194 .0831	----	----	----	----	4 UNCH
11550	----	----	----/*0.683A	0.854B/*0.683A	----	0.755 -	0.192 .0823	----	----	----	----	1 UNCH
11625	----	----	----/0.664A	0.824B/0.664A	----	0.732 -	0.187 .0799	----	----	----	----	1 UNCH
11675	----	----	----/0.653A	0.798B/0.653A	----	0.717 -	0.184 .0783	----	----	----	----	2 UNCH
11700	----	----	----/*0.648A	0.801B/*0.648A	----	0.710 -	0.182 .0776	----	----	----	----	7 UNCH
11725	----	----	----/0.642A	0.701B/0.642A	----	0.703 -	0.181 .0768	----	----	----	----	2 UNCH
11750	----	----	----/0.638A	0.772B/0.638A	----	0.696 -	0.179 .0761	----	----	----	----	21 UNCH
11775	----	----	----/0.632A	0.689B/0.632A	----	0.689 -	0.178 .0753	----	----	----	----	2 UNCH
11800	----	----	----/0.630A	0.745B/0.630A	----	0.682 -	0.176 .0746	----	----	----	----	4 UNCH
11850	----	----	----/*0.621A	0.745B/*0.621A	----	0.668 -	0.174 .0732	----	----	----	----	5 UNCH
11900	----	----	----/0.622A	0.654B/0.622A	----	0.655 -	0.171 .0718	----	----	----	----	2 UNCH
11925	----	----	----/0.625A	0.728B/0.625A	----	0.649 -	0.170 .0711	----	----	----	----	8 UNCH
11950	----	----	----/*0.633A	0.722B/0.633A	----	0.643 -	0.168 .0705	----	----	----	----	3 UNCH
12000	0.703	0.703	0.703/0.600	0.703/0.600	----	0.631 -	0.165 .0692	----	----	10	----	463 + 4
12025	----	----	----/0.606A	0.645B/0.606A	----	0.625 -	0.164 .0686	----	----	----	----	11 UNCH
12125	----	----	----/0.591A	0.609B/0.591A	----	0.602 -	0.158 .0661	----	----	----	----	1 UNCH
12200	----	----	----/*0.584A	0.586B/0.584A	----	0.585 -	0.155 .0643	----	----	----	----	13 UNCH
12225	----	----	----/0.578A	0.648B/0.578A	----	0.580 -	0.153 .0637	----	----	----	----	7 UNCH
12275	----	----	----/0.562A	0.610B/0.562A	----	0.570 -	0.150 .0627	----	----	----	----	1 UNCH
12325	----	----	----/0.555A	0.589B/0.555A	----	0.560 -	0.148 .0616	----	----	----	----	3 UNCH
12350	----	----	----/*0.553A	0.555B/*0.553A	----	0.555 -	0.147 .0610	----	----	----	----	5 UNCH
12400	----	----	----/*0.553A	0.525B/*0.553A	----	0.545 -	0.145 .0599	----	----	----	----	23 UNCH
12425	----	----	----/0.552A	0.521B/0.552A	----	0.541 -	0.143 .0595	----	----	----	----	1 UNCH
12450	----	----	----/*0.548A	0.595B/*0.548A	----	0.536 -	0.142 .0590	----	----	----	----	9 UNCH
12475	----	----	----/0.543A	0.578B/0.543A	----	0.532 -	0.140 .0585	----	----	----	----	1 UNCH
12500	----	----	----/*0.539A	0.513B/0.539A	----	0.527 -	0.139 .0580	----	----	----	----	99 UNCH
12525	----	----	----/0.535A	0.503B/0.535A	----	0.523 -	0.138 .0575	----	----	----	----	37 UNCH
12550	----	----	----/*0.531A	0.563B/*0.531A	----	0.518 -	0.137 .0570	----	----	----	----	6 UNCH
12575	----	----	----/0.525A	0.531B/0.525A	----	0.514 -	0.136 .0565	----	----	----	----	2 UNCH
12600	----	----	----/*0.514A	0.554B/*0.514A	----	0.510 -	0.134 .0561	----	----	----	----	5 UNCH
12650	----	----	----/*0.515A	0.484B/*0.515A	----	0.502 -	0.132 .0552	----	----	----	----	2 UNCH
12675	----	----	----/*0.526A	0.442B/*0.526A	----	0.498 -	0.130 .0548	----	----	----	----	2 UNCH
12700	----	----	----/*0.540A	0.459B/*0.540A	----	0.494 -	0.129 .0543	----	----	----	----	11 UNCH
12725	----	----	----/*0.522A	0.456B/*0.522A	----	0.490 -	0.128 .0539	----	----	----	----	2 UNCH
12750	----	----	----/*0.520A	0.453B/*0.520A	----	0.486 -	0.127 .0534	----	----	----	----	2 UNCH
12775	----	----	----/*0.516A	0.448B/*0.516A	----	0.482 -	0.126 .0530	----	----	----	----	7 UNCH
12800	----	----	----/*0.514A	0.445B/*0.514A	----	0.479 -	0.124 .0526	----	----	----	----	34 UNCH
12900	----	----	----/*0.526A	0.404B/*0.526A	----	0.464 -	0.121 .0510	----	----	----	----	6 UNCH
13000	----	----	----/0.537A	0.385B/0.537A	----	0.451 -	0.116 .0495	----	----	----	----	273 UNCH
13100	----	----	----/*0.522A	0.364B/0.522A	----	0.438 -	0.112 .0481	----	----	----	----	4 UNCH
13200	----	----	----/*0.510A	0.353B/0.510A	----	0.426 -	0.107 .0467	----	----	----	----	3 UNCH
13300	----	----	----/*0.500A	0.342B/0.500A	----	0.414 -	0.104 .0453	----	----	----	----	3 UNCH
13400	----	----	----/*0.489A	0.328B/0.489A	----	0.403 -	0.100 .0441	----	----	----	----	5 UNCH
13500	----	----	----/0.480A	0.318B/0.480A	----	0.393 -	0.096 .0429	----	----	----	----	23 UNCH
13600	----	----	----/*0.469A	0.308B/0.469A	----	0.384 -	0.092 .0419	----	----	----	----	7 UNCH
13700	----	----	----/*0.460A	0.294B/0.460A	----	0.374 -	0.089 .0407	----	----	----	----	5 UNCH
13800	----	----	----	0.284B/0.451A	----	0.366 -	0.085 .0398	----	----	----	----	1 UNCH
13900	----	----	----	0.276B/0.441A	----	0.358 -	0.081 .0388	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUN26												
14000	----	----	----	0.268B/0.439A	----	0.350 - 0.078	.0379	----	----	----	----	292 UNCH
14200	----	----	----	0.252B/0.423A	----	0.335 - 0.072	.0362	----	----	----	----	60 UNCH
14300	----	----	----	0.240B/0.410A	----	0.329 - 0.069	.0354	----	----	----	----	1 UNCH
14400	----	----	----	0.234B/0.411A	----	0.322 - 0.067	.0346	----	----	----	----	65 UNCH
14500	----	----	----	0.226B/0.398A	----	0.316 - 0.064	.0339	----	----	----	----	31 UNCH
14600	----	----	----	0.219B/0.392A	----	0.311 - 0.060	.0333	----	----	----	----	6 UNCH
14700	----	----	----	0.213B/0.386A	----	0.305 - 0.058	.0326	----	----	----	----	11 UNCH
14800	----	----	----	0.207B/0.380A	----	0.300 - 0.056	.0320	----	----	----	----	10 UNCH
14900	----	----	----	0.201B/0.375A	----	0.295 - 0.053	.0313	----	----	----	----	6 UNCH
15000	----	----	----	0.195B/0.376A	----	0.290 - 0.051	.0307	----	----	----	----	155 UNCH
15300	----	----	----	0.177B/0.357A	----	0.269 - 0.047	.0285	----	----	----	----	2 UNCH
15400	----	----	----	0.172B/0.352A	----	0.262 - 0.046	.0277	----	----	----	----	1 UNCH
15500	----	----	----	0.167B/0.348A	----	0.256 - 0.044	.0271	----	----	----	----	7 UNCH
15600	----	----	----	0.161B/0.344A	----	0.250 - 0.043	.0264	----	----	----	----	1 UNCH
15700	----	----	----	0.156B/0.340A	----	0.244 - 0.042	.0258	----	----	----	----	1 UNCH
15800	----	----	----	0.152B/0.335A	----	0.238 - 0.041	.0252	----	----	----	----	6 UNCH
15900	----	----	----	0.147B/0.330A	----	0.233 - 0.039	.0246	----	----	----	----	8 UNCH
16000	0.250	0.250	0.250/0.210	0.250/0.210	----	0.227 - 0.039	.0240	----	----	2	----	202 UNCH
16200	----	----	----	0.136B/0.316A	----	0.217 - 0.037	.0229	----	----	----	----	36 UNCH
16400	----	----	----	0.129B/0.307A	----	0.207 - 0.035	.0218	----	----	----	----	1 UNCH
16500	----	----	----	0.124B/0.307A	----	0.203 - 0.034	.0214	----	----	----	----	30 UNCH
16600	----	----	----	0.120B/0.307A	----	0.198 - 0.033	.0209	----	----	----	----	2 UNCH
16700	----	----	----	0.119B/0.304A	----	0.194 - 0.032	.0204	----	----	----	----	6 UNCH
16800	----	----	----	0.115B/0.296A	----	0.190 - 0.031	.0200	----	----	----	----	3 UNCH
17000	----	----	----	0.108B/0.291A	----	0.182 - 0.030	.0191	----	----	----	----	21 UNCH
17100	----	----	----	0.105B/0.286A	----	0.178 - 0.029	.0187	----	----	----	----	5 UNCH
17200	----	----	----	0.102B/0.285A	----	0.174 - 0.029	.0183	----	----	----	----	5 UNCH
17300	----	----	----	0.099B/0.282A	----	0.171 - 0.027	.0179	----	----	----	----	11 UNCH
17400	----	----	----	0.095B/0.281A	----	0.167 - 0.027	.0175	----	----	----	----	3 UNCH
17500	----	----	----	0.092B/0.284A	----	0.164 - 0.026	.0172	----	----	----	----	63 UNCH
17700	----	----	----	0.088B/0.272A	----	0.157 - 0.025	.0164	----	----	----	----	3 UNCH
17800	----	----	----	0.085B/0.270A	----	0.154 - 0.025	.0161	----	----	----	----	3 UNCH
18000	----	----	----	0.081B/0.267A	----	0.148 - 0.023	.0155	----	----	----	----	44 UNCH
18100	----	----	----	0.078B/0.262A	----	0.145 - 0.023	.0152	----	----	----	----	2 UNCH
18300	----	----	----	0.071B/0.259A	----	0.140 - 0.021	.0146	----	----	----	----	1 UNCH
18900	----	----	----	0.060B/0.250A	----	0.125 - 0.019	.0130	----	----	----	----	1 UNCH
19000	----	----	----	0.059B/0.248A	----	0.122 - 0.019	.0127	----	----	----	----	229 UNCH
19500	----	----	----	0.049B/0.241A	----	0.112 - 0.017	.0116	----	----	----	----	126 UNCH
19600	----	----	----	0.047B/0.238A	----	0.110 - 0.016	.0114	----	----	----	----	2 UNCH
19900	----	----	----	0.037B/0.236A	----	0.104 - 0.016	.0108	----	----	----	----	28 UNCH
20000	----	----	----	0.040B/0.150A	----	0.102 - 0.016	.0105	----	----	----	----	236 UNCH
21000	----	----	----	0.018B/0.222A	----	0.087 - 0.012	.0089	----	----	----	----	20 UNCH
23000	----	----	----	0.001B/0.261A	----	0.065 - 0.009	.0066	----	----	----	----	14 UNCH
25000	----	----	----	0.001B/0.214A	----	0.051 - 0.007	.0051	----	----	2	----	298 UNCH
27000	----	----	----	0.001B/*0.234A	----	0.036 - 0.004	.0036	----	----	----	----	3 UNCH
30000	----	----	----	0.001B/0.120A	----	0.022 - 0.003	.0022	----	----	----	----	31 UNCH
32000	----	----	----	0.001B/0.203A	----	0.016 - 0.002	.0016	----	----	----	----	1 UNCH
35000	----	----	----	----/0.035A	----	0.012 - 0.001	.0012	----	----	6	----	21 + 6
TOTAL										391	425	10571 + 380
JUL26												
2700	----	----	----/43.316A	46.440B/43.316A	----	46.489 - 3.170	.9909	----	----	----	----	1 UNCH
3900	----	----	----/31.680A	34.503B/31.680A	----	34.684 - 3.136	.9711	----	----	----	----	1 UNCH
4000	----	----	----/30.733A	33.534B/30.733A	----	33.719 - 3.132	.9681	----	----	----	----	1 UNCH
4200	----	----	----/28.857A	31.584B/28.857A	----	31.803 - 3.122	.9610	----	----	----	----	2 UNCH
4500	----	----	----/26.069A	28.816B/26.069A	----	28.978 - 3.093	.9472	----	----	----	----	28 UNCH
4600	----	----	----/25.119A	27.937B/25.119A	----	28.051 - 3.080	.9416	----	----	----	----	114 UNCH
4700	----	----	----/24.324A	26.879B/24.324A	----	27.133 - 3.065	.9355	----	----	----	----	1 UNCH
4750	----	----	----/23.885A	26.419B/23.885A	----	26.678 - 3.056	.9322	----	----	----	----	1 UNCH
4825	----	----	----/23.231A	25.735B/23.231A	----	25.999 - 3.043	.9269	----	----	----	----	3 UNCH
4900	----	----	----/22.587A	25.049B/22.587A	----	25.327 - 3.028	.9214	----	----	----	----	1 UNCH
4925	----	----	----/22.387A	24.804B/22.387A	----	25.104 - 3.023	.9195	----	----	----	----	16 UNCH
5000	----	----	----/21.647A	24.299B/21.647A	----	24.439 - 3.009	.9135	----	----	----	----	307 UNCH
5025	----	----	----/21.534A	23.912B/21.534A	----	24.219 - 3.003	.9114	----	----	----	----	4 UNCH
5050	----	----	----/21.326A	23.689B/21.326A	----	23.999 - 2.998	.9092	----	----	----	----	2 UNCH
5100	----	----	----/20.802A	23.417B/20.802A	----	23.562 - 2.988	.9049	----	----	----	----	130 UNCH
5150	----	----	----/20.506A	22.848B/20.506A	----	23.129 - 2.977	.9003	----	----	----	----	6 UNCH
5200	----	----	----/20.039A	22.476B/20.039A	----	22.698 - 2.966	.8956	----	----	----	----	40 UNCH
5225	----	----	----/19.897A	22.190B/19.897A	----	22.484 - 2.961	.8932	----	----	----	----	9 UNCH
5250	----	----	----/19.696A	21.972B/19.696A	----	22.271 - 2.955	.8907	----	----	----	----	2 UNCH
5275	----	----	----/19.509A	21.755B/19.509A	----	22.058 - 2.950	.8882	----	----	----	----	1 UNCH
5300	----	----	----/19.292A	21.551B/19.292A	----	21.847 - 2.943	.8857	----	----	----	----	7 UNCH
5350	----	----	----/18.789A	21.260B/18.789A	----	21.426 - 2.932	.8804	----	----	----	----	155 UNCH
5375	----	----	----/18.701A	20.882B/18.701A	----	21.217 - 2.927	.8777	----	----	----	----	1 UNCH
5400	----	----	----/18.503A	20.670B/18.503A	----	21.009 - 2.921	.8750	----	----	----	----	21 UNCH
5425	----	----	----/18.242A	20.535B/18.242A	----	20.802 - 2.915	.8723	----	----	----	----	42 UNCH
5450	----	----	----/18.108A	20.271B/18.108A	----	20.596 - 2.909	.8694	----	----	----	----	1 UNCH
5500	----	----	----/17.605A	20.002B/17.605A	----	20.187 - 2.896	.8637	----	----	----	----	492 UNCH
5550	----	----	----/17.459A	19.431B/17.459A	----	19.781 - 2.884	.8577	----	----	----	----	3 UNCH
5600	----	----	----/16.842A	19.188B/16.842A	----	19.380 - 2.871	.8516	----	----	----	----	102 UNCH
5650	----	----	----/16.547A	18.690B/16.547A	----	18.982 - 2.859	.8453	----	----	----	----	43 UNCH
5675	----	----	----/16.357A	18.491B/16.357A	----	18.785 - 2.852	.8421	----	----	----	----	25 UNCH
5700	----	----	----/16.175A	18.292B/16.175A	----	18.589 - 2.846	.8389	----	----	----	----	26 UNCH
5750	----	----	----/15.763A	18.006B/15.763A	----	18.200 - 2.833	.8322	----	----	----	----	158 UNCH
5775	----	----	----/15.812A	17.613B/15.812A	----	18.008 - 2.826	.8289	----	----	----	----	1 UNCH
5800	----	----	----/15.634A	17.420B/15.634A	----	17.816 - 2.819	.8254	----	----	----	----	16 UNCH
5900	----	----	----/14.918A	16.657B/14.918A	----	17.061 - 2.792	.8113	----	----	----	----	10 UNCH
5925	----	----	----/14.766A	16.468B/14.766A	----	16.876 - 2.784	.8077	----	----	----	----	10 UNCH
5950	----	----	----/14.596A	16.283B/14.596A	----	16.691 - 2.777	.8040	----	----	----	----	6 UNCH
5975	----	----	----/14.412A	16.097B/14.412A	----	16.508 - 2.770	.8003	----	----	----	----	20 UNCH
6000	----	----	----/14.021A	16.117B/14.021A	----	16.326 - 2.762	.7965	----	----	----	----	550 UNCH
6050	----	----	----/13.707A	15.755B/13.707A	----	15.966 - 2.747	.7889	----	----	----	----	58 UNCH
6075	----	----	----/13.773A	15.367B/13.773A	----	15.787 - 2.740	.7850	----	----	----	----	1 UNCH
6100	----	----	----/13.609A	15.186B/13.609A	----	15.610 - 2.732	.7811	----	----	----	----	10 UNCH
6200	----	----	----/12.766A	14.699B/12.766A	----	14.915 - 2.700	.7651	----	----	----	----	99 UNCH
6250	----	----	----/12.685A	14.144B/12.685A	----	14.575 - 2.684	.7569	----	----	----	----	1 UNCH
6300	----	----	----/12.388A	13.800B/12.388A	----	14.241 - 2.666	.7486	----	----	----	----	3 UNCH
6350	----	----	----/12.094A	13.467B/12.094A	----	13.912 - 2.649	.7401	----	----	----	----	2 UNCH
6450	----	----	----/11.556A	12.818B/11.556A	----	13.271 - 2.612	.7229	----	----	----	----	1 UNCH
6500	----	----	----/11.090A	12.718B/11.090A	----	12.959 - 2.592	.7141	----	----	----	----	195 UNCH
6600	----	----	----/10.575A	12.104B/10.575A	----	12.352 - 2.551	.6962	----	----	----	----	51 UNCH
6650	----	----	----/10.342A	11.809B/10.342A	----	12.057 - 2.530	.6872	----	----	----	----	100 UNCH
6750	----	----	----/10.036A	11.035B/10.036A	----	11.484 - 2.485	.6689	----	----	----	----	24 UNCH
6800	----	----	----/9.653A	10.954B/9.653A	----	11.206 - 2.462	.6597	----	----	----	----	250 UNCH
6825	----	----	----/9.689A	10.627B/9.689A	----	11.069 - 2.450	.6550	----	----	----	----	6 UNCH
6850	----	----	----/9.525A	10.471B/9.525A	----	10.934 - 2.438	.6504	----	----	----	----	1 UNCH
6875	----	----	----/9.471A	10.355B/9.471A	----	10.800 - 2.426	.6458	----	----	----	----	16 UNCH
6900	----	----	----/9.176A	10.406B/9.176A	----	10.667 - 2.414	.6411	----	----	----	----	97 UNCH
6950	----	----	----/9.125A	9.938B/9.125A	----	10.407 - 2.388	.6318	----	----	----	----	1 UNCH
7000	9.053	9.053	9.886B/8.742A	9.886B/8.742A	----	10.152 - 2.363	.6224	----	----	1	----	161 UNCH
7025	----	----	----/8.631A	9.761B/8.631A	----	10.026 - 2.351	.6177	----	----	----	----	125 UNCH
7050	----	----	----/8.748A	9.426B/8.748A	----	9.902 - 2.337	.6131	----	----	----	----	1 UNCH
7100	----	----	----/8.551A	9.240B/8.551A	----	9.659 - 2.310	.6037	----	----	----	----	5 UNCH
7200	----	----	----/8.104A	8.721B/8.104A	----	9.188 - 2.256	.5850	----	----	----	----	11 UNCH
7225	----	----	----/8.061A	8.610B/8.061A	----	9.074 - 2.242	.5804	----	----	----	----	1 UNCH
7250	----	----	----/7.792A	8.979B/7.792A	----	8.961 - 2.228	.5757	----	----	----	----	160 UNCH
7300	----	----	----/7.823A	8.556B/7.823A	----	8.740 - 2.199	.5664	----	----	----	----	5 UNCH
7350	----	----	----/7.630A	8.065B/7.630A	----	8.524 - 2.170	.5572	----	----	----	----	1 UNCH
7400	----	----	----/7.479A	7.862B/7.479A	----	8.313 - 2.141	.5480	----	----	----	----	22 UNCH
7450	----	----	----/7.287A	7.651B/7.287A	----	8.108 - 2.111	.5389	----	----	----	----	12 UNCH
7500	----	----	----/6.961A	8.631B/6.961A	----	7.908 - 2.081	.5299	----	----	1	----	320 + 1
7550	----	----	----/7.358A	7.170B/7.358A	----	7.713 NEW	.5209	----	----	6	----	6 + 6
7600	6.500	6.500	7.079B/6.500	7.079B/6.500	----	7.523 - 2.021	.5120	----	----	1	----	19 - 1
7700	----	----	----/6.510A	6.718B/6.510A	----	7.157 - 1.961	.4945	----	----	----	----	19 UNCH
7800	----	----	----/6.260A	6.384B/6.260A	----	6.811 - 1.900	.4773	----	----	----	----	15 UNCH
7900	----	----	----/5.987A	6.066B/5.987A	----	6.484 - 1.838	.4606	----	----	----	----	9 UNCH
7975	----	----	----/5.791A	5.824B/5.791A	----	6.250 - 1.792	.4483	----	----	----	----	5 UNCH
8000	5.299	5.299	5.700/5.299	6.595B/5.299	----	6.174 - 1.777	.4442	----	----	19	----	494 - 18
8025	----	----	----/5.683A	5.692B/5.683A	----	6.100 - 1.761	.4403	----	----	----	----	8 UNCH
8100	----	----	----/5.475A	5.468B/5.475A	----	5.882 - 1.715	.4284	----	----	----	----	21 UNCH
8200	----	----	----/5.286A	5.208B/5.286A	----	5.605 - 1.655	.4130	----	----	----	----	2 UNCH
8250	----	----	----/5.081A	5.148B/5.081A	----	5.473 - 1.625	.4055	----	----	----	----	45 UNCH
8300	----	----	----/4.855A	5.623B/4.855A	----	5.344 - 1.595	.3981	----	----	----	----	215 UNCH
8350	----	----	----/4.975A	4.818B/4.975A	----	5.219 - 1.566	.3909	----	----	----	----	2 UNCH
8375	----	----	----/4.920A	4.756B/4.920A	----	5.158 - 1.551	.3873	----	----	----	----	1 UNCH
8400	----	----	----/4.818A	4.698B/4.818A	----	5.098 - 1.536	.3837	----	----	----	----	3 UNCH
8500	----	----	----/4.514A	5.061B/4.514A	----	4.866 - 1.478	.3699	----	----	----	----	684 UNCH
8550	----	----	----/4.413A	4.827B/4.413A	----	4.755 - 1.450	.3631	----	----	----	----	329 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUL26												
8600	----	----	----/4.478A	4.246B/4.478A	----	4.647 - 1.422	.3565	----	----	----	----	6 UNCH
8650	----	----	----/4.413A	4.147B/4.413A	----	4.542 - 1.395	.3500	----	----	----	----	1 UNCH
8700	----	----	----/4.175A	4.243B/4.175A	----	4.440 - 1.368	.3436	----	----	----	----	63 UNCH
8750	----	----	----/4.254A	3.957B/4.254A	----	4.341 - 1.341	.3373	----	----	----	----	8 UNCH
8800	----	----	----/4.185A	3.866B/4.185A	----	4.245 - 1.315	.3312	----	----	----	----	12 UNCH
8900	----	----	----/3.875A	3.840B/3.875A	----	4.061 - 1.263	.3193	----	----	----	----	103 UNCH
9000	----	----	----/3.719A	3.884B/3.719A	----	3.888 - 1.213	.3079	----	----	1	----	215 UNCH
9100	----	----	----/3.744A	3.359B/3.744A	----	3.724 - 1.166	.2969	----	----	1	----	10 + 1
9200	----	----	----/3.453A	3.342B/3.453A	----	3.569 - 1.120	.2864	----	----	----	----	75 UNCH
9250	----	----	----/3.543A	3.136B/3.543A	----	3.495 - 1.098	.2813	----	----	----	----	7 UNCH
9300	----	----	----/3.315A	3.343B/3.315A	----	3.423 - 1.076	.2763	----	----	----	----	255 UNCH
9350	----	----	----/3.411A	2.998B/3.411A	----	3.353 - 1.055	.2714	----	----	----	----	7 UNCH
9400	----	----	----/3.268A	2.965B/3.268A	----	3.285 - 1.034	.2667	----	----	----	----	25 UNCH
9450	----	----	----/3.231A	2.893B/3.231A	----	3.219 - 1.014	.2620	----	----	----	----	33 UNCH
9500	----	----	----/3.097A	3.018B/3.097A	----	3.154 - 0.995	.2574	----	----	----	----	597 UNCH
9600	----	----	----/2.971A	2.802B/2.971A	----	3.030 - 0.958	.2485	----	----	----	----	51 UNCH
9700	----	----	----/3.027A	2.561B/3.027A	----	2.913 - 0.921	.2401	----	----	----	----	4 UNCH
9725	----	----	----/3.007A	2.534B/3.007A	----	2.885 - 0.912	.2380	----	----	----	----	1 UNCH
9775	----	----	----/2.811A	2.594B/2.811A	----	2.829 - 0.896	.2339	----	----	----	----	50 UNCH
9800	----	----	----/2.771A	2.591B/2.771A	----	2.801 - 0.888	.2319	----	----	----	----	109 UNCH
9900	----	----	----/2.683A	2.463B/2.683A	----	2.696 - 0.856	.2241	----	----	----	----	70 UNCH
10000	2.900	2.900	2.980/2.540	2.980/2.540	----	2.595 - 0.826	.2166	----	----	103	----	1517 + 47
10100	----	----	----/2.648A	2.153B/2.648A	----	2.498 - 0.798	.2094	----	----	----	----	1 UNCH
10125	----	----	----/2.647A	2.131B/2.647A	----	2.475 - 0.791	.2076	----	----	----	----	1 UNCH
10200	----	----	----/2.426A	2.207B/2.426A	----	2.407 - 0.771	.2025	----	----	----	----	81 UNCH
10250	----	----	----/2.534A	2.025B/2.534A	----	2.363 - 0.758	.1991	----	----	----	----	20 UNCH
10375	----	----	----/2.432A	1.925B/2.432A	----	2.256 - 0.728	.1910	----	----	----	----	18 UNCH
10400	----	----	----/2.422A	1.902B/2.422A	----	2.236 - 0.721	.1895	----	----	----	----	1 UNCH
10475	----	----	----/2.292A	1.882B/2.292A	----	2.176 - 0.704	.1848	----	----	----	----	25 UNCH
10500	----	----	----/2.209A	1.938B/2.209A	----	2.156 - 0.699	.1833	----	----	----	----	599 UNCH
10600	----	----	----/2.284A	1.758B/2.284A	----	2.080 - 0.678	.1774	----	----	----	----	1 UNCH
10800	----	----	----/2.104A	1.643B/2.104A	----	1.938 - 0.638	.1663	----	----	----	----	28 UNCH
11000	----	----	----/2.030A	1.556B/2.030A	----	1.808 - 0.603	.1560	----	----	----	----	1046 UNCH
11100	----	----	----/1.975A	1.441B/1.975A	----	1.748 - 0.586	.1512	----	----	----	----	23 UNCH
11200	----	----	----/1.923A	1.386B/1.923A	----	1.690 - 0.571	.1466	----	----	----	----	8 UNCH
11225	----	----	----/1.915A	1.373B/1.915A	----	1.676 - 0.567	.1455	----	----	----	----	3 UNCH
11300	----	----	----/1.877A	1.331B/1.877A	----	1.634 - 0.557	.1421	----	----	----	----	62 UNCH
11400	----	----	----/1.830A	1.269B/1.830A	----	1.581 - 0.543	.1378	----	----	----	----	19 UNCH
11500	----	----	----/1.592A	1.216B/1.592A	----	1.530 - 0.529	.1337	----	----	----	----	129 UNCH
11600	----	----	----/1.560A	1.168B/1.560A	----	1.482 - 0.516	.1297	----	----	----	----	1 UNCH
11625	----	----	----/1.552A	1.155B/1.552A	----	1.470 - 0.513	.1287	----	----	----	----	2 UNCH
11650	----	----	----/1.553A	1.142B/1.553A	----	1.458 - 0.510	.1278	----	----	----	----	24 UNCH
11675	----	----	----/1.561A	1.130B/1.561A	----	1.447 - 0.507	.1268	----	----	----	----	22 UNCH
11700	----	----	----/1.545A	1.117B/1.545A	----	1.435 - 0.504	.1259	----	----	----	----	22 UNCH
11725	----	----	----/1.558A	1.105B/1.558A	----	1.424 - 0.501	.1250	----	----	----	----	22 UNCH
11750	----	----	----/1.554A	1.093B/1.554A	----	1.413 - 0.498	.1240	----	----	----	----	22 UNCH
11775	----	----	----/1.543A	1.081B/1.543A	----	1.401 - 0.496	.1231	----	----	----	----	22 UNCH
11800	----	----	----/1.541A	1.069B/1.541A	----	1.390 - 0.493	.1222	----	----	----	----	1 UNCH
11900	----	----	----/1.613A	1.024B/1.613A	----	1.348 - 0.480	.1187	----	----	----	----	1 UNCH
11950	----	----	----/1.593A	1.001B/1.593A	----	1.327 - 0.475	.1169	----	----	----	----	1 UNCH
12000	----	----	----/1.434A	0.980B/1.434A	----	1.307 - 0.470	.1153	----	----	----	----	549 UNCH
12200	----	----	----/1.391A	0.901B/1.391A	----	1.230 - 0.449	.1088	----	----	1	----	1 UNCH
12225	----	----	----/1.394A	0.891B/1.394A	----	1.221 - 0.446	.1081	----	----	----	----	16 UNCH
12250	----	----	----/1.394A	0.880B/1.394A	----	1.211 - 0.445	.1073	----	----	1	----	6 + 1
12300	----	----	----/1.239A	0.971B/1.239A	----	1.194 - 0.439	.1058	----	----	----	----	8 UNCH
12375	----	----	----/1.224A	0.990B/1.224A	----	1.167 - 0.432	.1036	----	----	----	----	1 UNCH
12425	----	----	----/1.208A	0.991B/1.208A	----	1.150 - 0.428	.1021	----	----	----	----	1 UNCH
12450	----	----	----/1.201A	0.992B/1.201A	----	1.142 - 0.425	.1014	----	----	----	----	1 UNCH
12475	----	----	----/1.195A	0.997B/1.195A	----	1.134 - 0.422	.1008	----	----	----	----	3 UNCH
12500	----	----	----/1.187A	0.996B/1.187A	----	1.126 - 0.420	.1001	----	----	----	----	143 UNCH
12600	----	----	----/1.159A	1.004B/1.159A	----	1.094 - 0.411	.0974	----	----	----	----	6 UNCH
12725	----	----	----/1.126A	1.009B/1.126A	----	1.056 - 0.399	.0941	----	----	----	----	1 UNCH
12800	----	----	----/1.107A	0.981B/1.107A	----	1.034 - 0.393	.0922	----	----	----	----	1 UNCH
13000	----	----	----/1.058A	0.922B/1.058A	----	0.978 - 0.376	.0874	----	----	----	----	699 UNCH
14000	----	----	----/0.858A	0.690B/0.858A	----	0.758 - 0.299	.0682	----	----	----	----	799 UNCH
14700	----	----	----/0.753A	0.577B/0.753A	----	0.645 - 0.255	.0582	----	----	----	----	1 UNCH
15000	----	----	----/0.716A	0.531B/0.716A	----	0.604 - 0.238	.0545	----	----	2	----	671 UNCH
16000	0.525	0.525	0.525/0.520A	0.525/0.520A	----	0.493 - 0.190	.0445	----	----	3	----	767 + 2
17000	----	----	----/0.535A	0.338B/0.535A	----	0.410 - 0.153	.0369	----	----	----	----	23 UNCH
18000	----	----	----	0.273B/0.471A	----	0.345 - 0.126	.0310	----	----	----	----	253 UNCH
19000	----	----	----	0.230B/0.415A	----	0.293 - 0.107	.0263	----	----	----	----	78 UNCH
20000	----	----	----/0.285A	0.268B/0.285A	----	0.251 - 0.095	.0225	----	----	----	----	1210 UNCH
21000	----	----	----	0.160B/0.351A	----	0.215 - 0.089	.0193	----	----	----	----	427 UNCH
24000	----	----	----	0.163B/0.289A	----	0.145 - 0.080	.0129	----	----	----	----	125 UNCH
25000	----	----	----/0.150A	0.150B/0.150A	----	0.133 - 0.076	.0118	----	----	----	----	345 UNCH
27000	----	----	----	0.047B/0.249A	----	0.124 - 0.037	.0106	----	----	----	----	4 UNCH
30000	0.090	0.090	0.090/*0.090	0.090/*0.090	----	0.111 - 0.006	.0092	----	----	2	----	23 UNCH
32000	----	----	----	0.001B/0.622A	----	0.090 - 0.008	.0075	----	----	----	----	4 UNCH
35000	0.063	0.063	0.063/*0.055	0.067B/*0.055	----	0.055 - 0.025	.0047	----	----	4	----	78 + 3
TOTAL										146	0	17644 + 42
AUG26												
5000	----	----	----	7.389B/37.829A	----	25.281 - 3.030	.9015	----	----	----	----	2 UNCH
5400	----	----	----	2.790B/34.341A	----	21.951 - 2.953	.8630	----	----	----	----	2 UNCH
5500	----	----	----	7.000B/33.394A	----	21.158 - 2.926	.8519	----	----	----	----	1 UNCH
6300	----	----	----/14.580A	12.884B/14.580A	----	15.504 - 2.591	.7429	----	----	----	----	5 UNCH
6450	----	----	----/13.738A	12.988B/13.738A	----	14.594 - 2.505	.7195	----	----	----	----	1 UNCH
6500	----	----	----/13.468A	13.101B/13.468A	----	14.302 - 2.475	.7116	----	----	----	----	2 UNCH
6600	----	----	----/12.960A	12.878B/12.960A	----	13.735 - 2.412	.6957	----	----	----	----	4 UNCH
6800	----	----	----/11.281A	11.937B/11.281A	----	12.666 - 2.281	.6633	----	----	----	----	7 UNCH
6875	----	----	----/11.371A	11.562B/11.371A	----	12.287 - 2.231	.6512	----	----	----	----	5 UNCH
7000	----	----	----/11.062A	11.011B/11.062A	----	11.684 - 2.144	.6309	----	----	----	----	3 UNCH
7025	----	----	----/10.982A	10.848B/10.982A	----	11.567 - 2.127	.6269	----	----	----	----	5 UNCH
7050	----	----	----/10.872A	10.774B/10.872A	----	11.452 - 2.109	.6229	----	----	----	----	2 UNCH
7100	----	----	----/10.669A	10.637B/10.669A	----	11.225 - 2.074	.6148	----	----	----	----	2 UNCH
7350	9.611	9.611	9.611/9.611	9.611/9.611	----	10.166 - 1.898	.5751	----	----	4	----	0 - 4
7400	----	----	----/9.523A	9.239B/9.523A	----	9.968 - 1.864	.5673	----	----	----	----	8 UNCH
7425	9.388	9.388	9.388/9.388	9.388/9.388	----	9.871 - 1.847	.5635	----	----	4	----	14 UNCH
7475	----	----	----/9.257A	8.953B/9.257A	----	9.681 - 1.812	.5558	----	----	----	----	6 UNCH
7500	----	----	----/9.172A	8.869B/9.172A	----	9.587 - 1.795	.5520	----	----	----	----	2 UNCH
7550	----	----	----/9.005A	8.685B/9.005A	----	9.404 - 1.760	.5444	----	----	----	----	4 UNCH
7625	----	----	----/8.760A	8.417B/8.760A	----	9.136 - 1.709	.5332	----	----	----	----	15 UNCH
7700	----	----	----/8.524A	8.161B/8.524A	----	8.878 - 1.658	.5222	----	----	----	----	1 UNCH
7800	----	----	----/8.223A	7.832B/8.223A	----	8.547 - 1.592	.5078	----	----	----	----	1 UNCH
7900	----	----	----/7.936A	7.517B/7.936A	----	8.232 - 1.527	.4937	----	----	----	----	1 UNCH
8000	----	----	----/7.661A	7.221B/7.661A	----	7.931 - 1.463	.4800	----	----	----	----	12 UNCH
8300	----	----	----/6.911A	6.408B/6.911A	----	7.103 - 1.285	.4408	----	----	----	----	1 UNCH
8450	----	----	----/6.574A	6.022B/6.574A	----	6.727 - 1.203	.4224	----	----	----	----	1 UNCH
8500	----	----	----/6.482A	5.907B/6.482A	----	6.608 - 1.176	.4164	----	----	----	----	12 UNCH
8900	----	----	----/5.676A	5.093B/5.676A	----	5.736 - 0.983	.3716	----	----	----	----	7 UNCH
9000	----	----	----/5.503A	4.917B/5.503A	----	5.541 - 0.939	.3612	----	----	----	----	20 UNCH
9100	----	----	----/5.334A	4.751B/5.334A	----	5.353 - 0.898	.3511	----	----	----	----	84 UNCH
9400	----	----	----/4.873A	4.287B/4.873A	----	4.837 - 0.784	.3227	----	----	----	----	102 UNCH
10000	----	----	----/4.119A	3.523B/4.119A	----	3.979 - 0.605	.2734	----	----	----	----	33 UNCH
10200	----	----	----/3.886A	3.188B/3.886A	----	3.738 - 0.557	.2590	----	----	----	----	3 UNCH
10400	----	----	----/3.681A	2.979B/3.681A	----	3.515 - 0.514	.2455	----	----	----	----	2 UNCH
10500	----	----	----/3.586A	2.880B/3.586A	----	3.410 - 0.495	.2390	----	----	----	----	7 UNCH
11100	----	----	----/3.075A	2.361B/3.075A	----	2.860 - 0.400	.2045	----	----	----	----	1 UNCH
11200	----	----	----/2.999A	2.294B/2.999A	----	2.780 - 0.388	.1994	----	----	----	----	1 UNCH
11300	----	----	----/2.926A	2.219B/2.926A	----	2.703 - 0.376	.1944	----	----	----	----	10 UNCH
11500	----	----	----/2.789A	2.089B/2.789A	----	2.558 - 0.354	.1850	----	----	----	----	9 UNCH
11850	----	----	----/2.568A	1.879B/2.568A	----	2.328 - 0.323	.1698	----	----	----	----	1 UNCH
12000	----	----	----/2.505A	1.788B/2.505A	----	2.238 - 0.312	.1638	----	----	----	----	2 UNCH
12500	----	----	----	1.540B/2.292A	----	1.972 - 0.281	.1458	----	----	----	----	1 UNCH
13000	----	----	----/1.977A	1.378B/1.977A	----	1.748 - 0.259	.1303	----	----	----	----	53 UNCH
14000	----	----	----/1.423A	1.129B/1.423A	----	1.397 - 0.232	.1055	----	----	----	----	6 UNCH
15000	----	----	----/1.143A	1.010B/1.143A	----	1.140 - 0.214	.0869	----	----	----	----	36 UNCH
16000	----	----	----/0.963A	0.816B/0.963A	----	0.948 - 0.197	.0727	----	----	----	----	1 UNCH
17000	----	----	----/0.886A	0.672B/0.886A	----	0.802 - 0.176	.0617	----	----	----	----	2 UNCH
18000	----	----	----/0.787A	0.557B/0.787A	----	0.688 - 0.153	.0530	----	----	----	----	1 UNCH
19000	----	----	----/0.700A	0.468B/0.700A	----	0.597 - 0.131	.0461	----	----	----	----	2 UNCH
20000	----	----	----/0.628A	0.397B/0.628A	----	0.524 - 0.110	.0404	----	----	----	----	217 UNCH
25000	----	----	----	0.195B/0.417A	----	0.307 - 0.045	.0235	----	----	----	----	2 UNCH
30000	----	----	----	0.098B/0.322A	----	0.208 - 0.027	.0157	----	----	----	----	13 UNCH
35000	----	----	----	0.041B/0.269A	----	0.141 - 0.018	.0106	----	----	----	----	2 UNCH
TOTAL										8	0	737 - 4
SEP26												

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
SEP26												
5100	----	----	----	0.049B/43.601A	----	24.774 - 2.939	.8804	----	----	----	----	1 UNCH
5900	----	----	----	----/36.346A	----	18.781 - 2.664	.7894	----	----	----	----	2 UNCH
6000	----	----	----	----/35.404A	----	18.117 - 2.620	.7760	----	----	----	----	7 UNCH
6700	----	----	----/13.400A	13.094B/13.400A	----	14.037 - 2.274	.6757	----	----	----	----	1 UNCH
7000	12.500	12.500	12.500/12.077A	12.500/12.077A	----	12.592 - 2.108	.6314	----	----	1	----	119 + 1
7125	----	----	----/11.577A	11.249B/11.577A	----	12.042 - 2.036	.6131	----	----	----	----	75 UNCH
7500	----	----	----/10.234A	9.780B/10.234A	----	10.557 - 1.816	.5599	----	----	----	----	1 UNCH
7700	----	----	----/9.600A	9.092B/9.600A	----	9.859 - 1.699	.5329	----	----	----	----	1 UNCH
8000	----	----	----/8.747A	8.168B/8.747A	----	8.921 - 1.527	.4945	----	----	----	----	105 UNCH
8200	----	----	----/8.257A	7.594B/8.257A	----	8.358 - 1.421	.4704	----	----	----	----	20 UNCH
8500	----	----	----/7.568A	6.859B/7.568A	----	7.597 - 1.274	.4365	----	----	----	----	100 UNCH
8675	----	----	----/7.180A	6.468B/7.180A	----	7.194 - 1.197	.4179	----	----	----	----	5 UNCH
8700	----	----	----/7.130A	6.414B/7.130A	----	7.138 - 1.187	.4153	----	----	----	----	100 UNCH
9000	----	----	----/6.566A	5.816B/6.566A	----	6.516 - 1.070	.3856	----	----	----	----	65 UNCH
9500	----	----	----/5.758A	4.963B/5.758A	----	5.631 - 0.911	.3415	----	----	----	----	2 UNCH
9750	----	----	----/5.407A	4.599B/5.407A	----	5.249 - 0.847	.3217	----	----	----	----	23 UNCH
9800	----	----	----/5.340A	4.528B/5.340A	----	5.177 - 0.835	.3180	----	----	----	----	9 UNCH
9900	----	----	----/5.211A	4.393B/5.211A	----	5.037 - 0.812	.3106	----	----	4	----	32 + 4
10000	----	----	----/5.085A	4.262B/5.085A	----	4.902 - 0.791	.3034	----	----	24	----	173 + 24
10500	----	----	----/4.532A	3.676B/4.532A	----	4.298 - 0.702	.2705	----	----	----	----	50 UNCH
10800	----	----	----/4.224A	3.347B/4.224A	----	3.984 - 0.661	.2530	----	----	----	----	2 UNCH
11000	----	----	----/4.041A	3.162B/4.041A	----	3.793 - 0.637	.2422	----	----	----	----	58 UNCH
12000	----	----	----/3.279A	2.425B/3.279A	----	3.002 - 0.554	.1962	----	----	----	----	47 UNCH
12500	----	----	----/2.977A	2.122B/2.977A	----	2.688 - 0.527	.1774	----	----	----	----	92 UNCH
13000	----	----	----/2.727A	1.877B/2.727A	----	2.416 - 0.504	.1609	----	----	----	----	2 UNCH
14000	----	----	----/2.364A	1.452B/2.364A	----	1.970 - 0.470	.1333	----	----	----	----	41 UNCH
15000	----	----	----/1.837A	1.088B/1.837A	----	1.627 - 0.442	.1116	----	----	----	----	131 UNCH
16000	----	----	----/1.427A	1.217B/1.427A	----	1.360 - 0.416	.0944	----	----	----	----	18 UNCH
17000	----	----	----/1.245A	1.003B/1.245A	----	1.151 - 0.387	.0806	----	----	----	----	27 UNCH
18000	----	----	----/1.100A	0.851B/1.100A	----	0.988 - 0.355	.0696	----	----	----	----	2 UNCH
19000	----	----	----/0.989A	0.720B/0.989A	----	0.859 - 0.320	.0608	----	----	----	----	14 UNCH
20000	----	----	----/0.790A	0.621B/0.790A	----	0.756 - 0.285	.0537	----	----	----	----	308 UNCH
21000	----	----	----/0.804A	0.535B/0.804A	----	0.673 - 0.250	.0479	----	----	----	----	1 UNCH
23000	0.580	0.580	0.580/0.580	0.580/0.580	----	0.549 - 0.185	.0390	----	----	1	----	32 + 1
25000	----	----	----/*0.579A	0.320B/0.579A	----	0.464 - 0.126	.0328	----	----	----	----	14 UNCH
30000	----	----	----	0.241B/0.437A	----	0.346 - 0.018	.0239	----	----	----	----	19 UNCH
35000	----	----	----	0.100B/0.357A	----	0.208 - 0.008	.0148	----	----	----	----	27 UNCH
TOTAL										30	0	1726 + 30
OCT26												
3800	----	----	----	----	----	37.095 - 3.164	.9623	----	----	----	----	1 UNCH
7000	----	----	----/13.037A	12.938B/13.037A	----	14.169 - 2.061	.6428	----	----	----	----	2 UNCH
7100	----	----	----/12.939A	12.500B/12.939A	----	13.704 - 2.009	.6297	----	----	----	----	1 UNCH
7500	----	----	----/11.483A	10.924B/11.483A	----	11.992 - 1.807	.5778	----	----	----	----	1 UNCH
7650	----	----	----/10.994A	10.394B/10.994A	----	11.411 - 1.733	.5589	----	----	----	----	1 UNCH
7875	----	----	----/10.332A	9.634B/10.332A	----	10.598 - 1.627	.5312	----	----	----	----	2 UNCH
7975	----	----	----/10.050A	9.330B/10.050A	----	10.259 - 1.581	.5192	----	----	----	----	0 UNCH
8000	----	----	----/9.965A	9.256B/9.965A	----	10.176 - 1.570	.5163	----	----	----	----	4 UNCH
8075	----	----	----/9.763A	9.047B/9.763A	----	9.933 - 1.537	.5075	----	----	----	----	1 UNCH
8500	----	----	----/8.741A	7.927B/8.741A	----	8.693 - 1.360	.4601	----	----	----	----	1 UNCH
8700	----	----	----/8.290A	7.464B/8.290A	----	8.183 - 1.286	.4393	----	----	----	----	4 UNCH
9000	----	----	----/7.697A	6.836B/7.697A	----	7.498 - 1.184	.4102	----	----	----	----	1 UNCH
9100	----	----	----/7.513A	6.641B/7.513A	----	7.289 - 1.153	.4010	----	----	----	----	73 UNCH
10000	----	----	----/6.140A	5.176B/6.140A	----	5.769 - 0.923	.3298	----	----	----	----	96 UNCH
11000	----	----	----/4.963A	3.963B/4.963A	----	4.623 - 0.754	.2707	----	----	----	----	3 UNCH
12000	----	----	----/4.104A	3.106B/4.104A	----	3.799 - 0.634	.2260	----	----	----	----	65 UNCH
13000	----	----	----/3.471A	2.483B/3.471A	----	3.146 - 0.538	.1901	----	----	----	----	145 UNCH
14000	----	----	----/2.944A	1.989B/2.944A	----	2.618 - 0.458	.1607	----	----	----	----	2 UNCH
15000	----	----	----	1.597B/2.614A	----	2.193 - 0.391	.1367	----	----	----	----	178 UNCH
16000	----	----	----	1.263B/2.326A	----	1.854 - 0.337	.1171	----	----	----	----	1 UNCH
18000	----	----	----/1.467A	1.196B/1.467A	----	1.373 - 0.251	.0885	----	----	----	----	290 UNCH
20000	----	----	----/1.193A	0.891B/1.193A	----	1.066 - 0.196	.0694	----	----	----	----	225 UNCH
TOTAL											0	1097 0
NOV26												
6500	----	----	----/16.355A	15.775B/16.355A	----	17.304 - 2.247	.7058	----	----	----	----	1 UNCH
7000	----	----	----/14.156A	13.555B/14.156A	----	14.830 - 1.999	.6439	----	----	----	----	14 UNCH
7100	----	----	----/13.762A	13.131B/13.762A	----	14.380 - 1.950	.6315	----	----	----	----	14 UNCH
7500	----	----	----/12.338A	11.561B/12.338A	----	12.726 - 1.761	.5828	----	----	----	----	1 UNCH
7900	----	----	----/11.120A	10.253B/11.120A	----	11.295 - 1.589	.5366	----	----	----	----	10 UNCH
8000	----	----	----/10.859A	9.955B/10.859A	----	10.971 - 1.549	.5256	----	----	----	----	10 UNCH
10000	----	----	----/6.996A	5.852B/6.996A	----	6.663 - 1.030	.3524	----	----	----	----	26 UNCH
12000	----	----	----/4.862A	3.676B/4.862A	----	4.470 - 0.733	.2480	----	----	----	----	24 UNCH
12500	----	----	----/*4.514A	3.316B/4.514A	----	4.084 - 0.673	.2287	----	----	----	----	10 UNCH
14000	----	----	----/3.611A	2.462B/3.611A	----	3.167 - 0.526	.1815	----	----	----	----	1 UNCH
15000	----	----	----/3.142A	2.029B/3.142A	----	2.706 - 0.451	.1572	----	----	----	----	5 UNCH
16000	----	----	----	1.664B/2.846A	----	2.330 - 0.393	.1369	----	----	----	----	2 UNCH
17000	----	----	----	1.365B/2.592A	----	2.022 - 0.350	.1201	----	----	----	----	1 UNCH
20000	----	----	----/1.526A	1.191B/1.526A	----	1.377 - 0.270	.0839	----	----	----	----	31 UNCH
TOTAL											0	150 0
DEC26												
3875	----	----	----	----	----	36.628 - 3.124	.9464	----	----	----	----	1 UNCH
5250	----	----	----	----/*58.158A	----	25.350 - 2.796	.8448	----	----	----	----	50 UNCH
5500	----	----	----	----/55.969A	----	23.560 - 2.715	.8198	----	----	----	----	1 UNCH
6500	----	----	----/16.960A	15.511B/16.960A	----	17.435 - 2.377	.7052	----	----	----	----	564 UNCH
6900	----	----	----/15.216A	14.470B/15.216A	----	15.490 - 2.248	.6564	----	----	----	----	1 UNCH
6950	----	----	----/15.015A	14.253B/15.015A	----	15.266 - 2.232	.6503	----	----	----	----	200 UNCH
7000	----	----	----/14.403A	14.040B/14.403A	----	15.046 - 2.216	.6443	----	----	----	----	120 UNCH
7025	----	----	----/14.340A	13.935B/14.340A	----	14.938 - 2.207	.6412	----	----	----	----	1 UNCH
7075	----	----	----/14.476A	13.727B/14.476A	----	14.725 - 2.190	.6352	----	----	----	----	5 UNCH
7100	----	----	----/14.434A	13.588B/14.434A	----	14.620 - 2.181	.6322	----	----	----	----	15 UNCH
7375	----	----	----/13.448A	12.527B/13.448A	----	13.525 - 2.080	.5996	----	----	----	----	4 UNCH
7500	----	----	----/13.058A	12.079B/13.058A	----	13.065 - 2.030	.5851	----	----	----	----	18 UNCH
7575	----	----	----/12.794A	11.821B/12.794A	----	12.799 - 1.999	.5766	----	----	----	----	1 UNCH
7750	----	----	----/12.261A	11.246B/12.261A	----	12.208 - 1.927	.5573	----	----	----	----	2 UNCH
7800	----	----	----/12.115A	11.088B/12.115A	----	12.047 - 1.905	.5519	----	----	----	----	1 UNCH
7925	----	----	----/11.762A	10.708B/11.762A	----	11.658 - 1.850	.5386	----	----	----	----	2 UNCH
8000	----	----	----/11.556A	10.488B/11.556A	----	11.433 - 1.817	.5307	----	----	----	----	127 UNCH
8100	----	----	----/11.294A	10.205B/11.294A	----	11.144 - 1.773	.5205	----	----	----	----	1 UNCH
8200	----	----	----/11.039A	9.932B/11.039A	----	10.866 - 1.728	.5105	----	----	----	----	25 UNCH
8400	----	----	----/10.557A	9.416B/10.557A	----	10.342 - 1.638	.4912	----	----	----	----	50 UNCH
8500	----	----	----/10.328A	9.172B/10.328A	----	10.095 - 1.594	.4819	----	----	----	----	150 UNCH
8550	----	----	----/10.217A	9.053B/10.217A	----	9.975 - 1.572	.4773	----	----	----	----	1 UNCH
8800	----	----	----/9.720A	8.491B/9.720A	----	9.409 - 1.462	.4553	----	----	----	----	5 UNCH
8900	----	----	----/9.488A	8.279B/9.488A	----	9.198 - 1.418	.4469	----	----	----	----	2 UNCH
8950	----	----	----/9.415A	8.176B/9.415A	----	9.095 - 1.397	.4428	----	----	----	----	1 UNCH
9000	8.673	8.673	8.673/8.673	8.673/8.673	----	8.994 - 1.376	.4387	----	----	1	----	184 + 1
9050	----	----	----/9.200A	7.976B/9.200A	----	8.894 - 1.356	.4347	----	----	----	----	100 UNCH
9300	----	----	----/8.785A	7.502B/8.785A	----	8.424 - 1.256	.4153	----	----	----	----	1 UNCH
9500	----	----	----/8.416A	7.151B/8.416A	----	8.076 - 1.181	.4007	----	----	----	----	3 UNCH
9700	----	----	----/8.135A	6.822B/8.135A	----	7.749 - 1.113	.3868	----	----	----	----	1 UNCH
9800	----	----	----/7.950A	6.664B/7.950A	----	7.594 - 1.079	.3801	----	----	----	----	17 UNCH
9900	----	----	----/7.804A	6.512B/7.804A	----	7.442 - 1.049	.3736	----	----	----	----	3 UNCH
10000	6.950	6.950	6.950/6.929A	6.950/6.929A	----	7.295 - 1.020	.3672	----	----	23	----	773 UNCH
10025	----	----	----/7.627A	6.328B/7.627A	----	7.259 - 1.013	.3656	----	----	----	----	3 UNCH
10500	----	----	----/7.008A	5.688B/7.008A	----	6.614 - 0.902	.3372	----	----	----	----	2 UNCH
10600	----	----	----/6.887A	5.565B/6.887A	----	6.488 - 0.883	.3316	----	----	----	----	1 UNCH
11000	----	----	----/6.471A	5.102B/6.471A	----	6.015 - 0.818	.3104	----	----	----	----	91 UNCH
11350	----	----	----/6.080A	4.737B/6.080A	----	5.638 - 0.776	.2933	----	----	----	----	5 UNCH
11800	----	----	----/*5.662A	4.314B/5.662A	----	5.197 - 0.736	.2730	----	----	----	----	25 UNCH
12000	----	----	----/4.749A	4.141B/4.749A	----	5.016 - 0.722	.2646	----	----	----	----	438 UNCH
12200	----	----	----/*5.327A	3.976B/5.327A	----	4.844 - 0.709	.2565	----	----	----	----	1 UNCH
12500	----	----	----/*5.096A	3.744B/5.096A	----	4.600 - 0.692	.2450	----	----	----	----	43 UNCH
13000	----	----	----/4.743A	3.391B/4.743A	----	4.230 - 0.668	.2273	----	----	----	----	338 UNCH
14000	----	----	----/4.167A	2.796B/4.167A	----	3.610 - 0.616	.1970	----	----	----	----	56 UNCH
14200	----	----	----/*4.060A	2.692B/4.060A	----	3.502 - 0.605	.1917	----	----	----	----	1 UNCH
15000	----	----	----/3.674A	2.293B/3.674A	----	3.114 - 0.561	.1722	----	----	----	----	1821 UNCH
16000	----	----	----	1.918B/3.279A	----	2.712 - 0.506	.1516	----	----	----	----	1608 UNCH
17000	----	----	----	1.605B/3.000A	----	2.382 - 0.451	.1344	----	----	----	----	50 UNCH
18000	----	----	----	1.338B/2.768A	----	2.107 - 0.400	.1199	----	----	----	----	7 UNCH
19000	----	----	----	1.114B/2.559A	----	1.876 - 0.354	.1075	----	----	----	----	1 UNCH
20000	----	----	----/1.823A	1.392B/1.823A	----	1.680 - 0.314	.0969	----	----	----	----	262 UNCH
21000	----	----	----/1.671A	1.287B/1.671A	----	1.513 - 0.280	.0878	----	----	----	----	4 UNCH
23000	----	----	----/1.431A	1.019B/1.431A	----	1.246 - 0.228	.0730	----	----	----	----	4 UNCH
25000	----	----	----	0.828B/1.243A	----	1.046 - 0.191	.0617	----	----	----	----	231 UNCH
30000	----	----	----	0.519B/0.924A	----	0.741 - 0.136	.0440	----	----	----	----	105 UNCH
40000	----	----	----	0.341B/0.617A	----	0.482 - 0.086	.0282	----	----	----	----	23 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
TOTAL										24	0	7550 + 1
JAN27												
7550	----	----	----	12.824B/16.052A	----	13.856 - 2.157	.5916	----	----	----	----	1 UNCH
7650	----	----	----	2.028B/18.000A	----	13.512 - 2.137	.5810	----	----	----	----	6 UNCH
10000	----	----	----	0.096B/18.450A	----	8.038 - 1.456	.3847	----	----	----	----	1 UNCH
11000	----	----	----	0.074B/16.684A	----	6.655 - 1.254	.3274	----	----	----	----	1 UNCH
13000	----	----	----	0.001B/14.100A	----	4.873 - 1.431	.2471	----	----	----	----	1 UNCH
14000	----	----	----	2.000B/13.139A	----	4.489 - 1.332	.2251	----	----	----	----	1 UNCH
14500	----	----	----	0.001B/12.716A	----	4.343 - 1.291	.2162	----	----	----	----	400 UNCH
15000	----	----	----	0.001B/12.329A	----	4.221 - 1.256	.2085	----	----	----	----	400 UNCH
TOTAL											0	811 0
FEB27												
9000	----	----	----	0.105B/22.176A	----	10.665 - 1.461	.4685	----	----	----	----	1 UNCH
30000	----	----	----	0.001B/8.714A	----	0.634 - 1.064	.0389	----	----	----	----	1 UNCH
TOTAL											0	2 0
MAR27												
9200	----	----	----	0.111B/23.100A	----	11.041 - 1.863	.4660	----	----	----	----	25 UNCH
TOTAL											0	25 0
JUL27												
2000	----	----	----	----	----	56.617 - 3.281	.9953	----	----	----	----	1 UNCH
10000	----	----	----	----	----	12.874 - 1.575	.4694	----	----	----	----	1 UNCH
10300	----	----	----	----	----	12.453 - 1.531	.4555	----	----	----	----	1 UNCH
TOTAL											0	3 0
DEC27												
4000	----	----	----	----	----	39.852 - 2.950	.9065	----	----	----	----	1 UNCH
20000	----	----	----	----	----	8.926 - 0.992	.2934	----	----	----	----	25 UNCH
TOTAL											0	26 0
SO PUT		COMEX SILVER OPTIONS										
MAY26												
2075	----	----	----	----/0.024A	----	0.003 UNCH	.0002	----	----	----	----	31 UNCH
2100	----	----	----	----/0.060A	----	0.003 UNCH	.0003	----	----	----	----	1 UNCH
2150	----	----	----	----/0.061A	----	0.003 UNCH	.0003	----	----	----	----	1 UNCH
2175	----	----	----	0.002B/0.028A	----	0.003 - 0.001	.0003	----	----	----	----	1 UNCH
2650	----	----	----	----/0.072A	----	0.010 UNCH	.0010	----	----	----	----	2 UNCH
2700	----	----	----	0.004B/0.074A	----	0.011 UNCH	.0011	----	----	----	----	50 UNCH
2800	----	----	----	----/0.078A	----	0.013 UNCH	.0013	----	----	----	----	12 UNCH
2850	----	----	----	----/0.081A	----	0.014 UNCH	.0015	----	----	----	----	3 UNCH
2875	----	----	----	----/0.082A	----	0.015 UNCH	.0016	----	----	----	----	1 UNCH
2950	----	----	----	----/0.087A	----	0.017 UNCH	.0018	----	----	----	----	1 UNCH
3000	----	----	----/*0.005A	----/*0.005A	----	0.018 UNCH	.0019	----	----	----	----	19 UNCH
3075	----	----	----	0.001B/0.096A	----	0.021 UNCH	.0022	----	----	----	----	16 UNCH
3100	----	----	----	0.001B/0.098A	----	0.022 UNCH	.0024	----	----	----	----	5 UNCH
3125	----	----	----	0.001B/0.100A	----	0.023 UNCH	.0025	----	----	----	----	14 UNCH
3175	----	----	----	0.001B/0.105A	----	0.026 + 0.001	.0028	----	----	----	----	14 UNCH
3200	----	----	----	0.001B/0.107A	----	0.027 UNCH	.0029	----	----	----	----	13 UNCH
3225	----	----	----	0.001B/0.109A	----	0.028 UNCH	.0030	----	----	----	----	10 UNCH
3275	----	----	----	0.001B/0.114A	----	0.031 + 0.001	.0034	----	----	----	----	54 UNCH
3300	----	----	----	0.001B/0.116A	----	0.032 UNCH	.0035	----	----	----	----	79 UNCH
3325	----	----	----	0.001B/0.119A	----	0.034 + 0.001	.0037	----	----	----	----	2 UNCH
3350	----	----	----	0.001B/0.122A	----	0.036 + 0.001	.0039	----	----	----	----	14 UNCH
3375	----	----	----	0.001B/0.124A	----	0.037 + 0.001	.0040	----	----	----	----	12 UNCH
3400	----	----	----	0.001B/0.127A	----	0.039 + 0.001	.0042	----	----	----	----	39 UNCH
3450	----	----	----	0.001B/0.134A	----	0.042 + 0.001	.0046	----	----	----	----	5 UNCH
3475	----	----	----	0.001B/0.137A	----	0.044 + 0.002	.0048	----	----	----	----	13 UNCH
3500	0.049	0.049	0.050/*0.049	0.050/*0.049	----	0.046 + 0.002	.0050	----	----	2	----	59 + 1
3550	----	----	----	0.001B/0.147A	----	0.050 + 0.002	.0055	----	----	----	----	1 UNCH
3575	----	----	----	0.001B/0.149A	----	0.052 + 0.002	.0057	----	----	----	----	28 UNCH
3600	----	----	----	0.003B/0.152A	----	0.054 + 0.002	.0060	----	----	----	----	6 UNCH
3625	----	----	----	0.008B/0.155A	----	0.056 + 0.002	.0062	----	----	----	----	12 UNCH
3675	----	----	----	0.005B/0.100A	----	0.061 + 0.003	.0068	----	----	----	----	105 UNCH
3700	----	----	----	0.008B/0.165A	----	0.064 + 0.004	.0071	----	----	----	----	264 UNCH
3750	----	----	----	0.007B/0.169A	----	0.069 + 0.004	.0077	----	----	----	----	10 UNCH
3775	----	----	----	0.004B/0.171A	----	0.072 + 0.005	.0080	----	----	----	----	10 UNCH
3800	----	----	----	0.006B/0.173A	----	0.074 + 0.004	.0083	----	----	----	----	356 UNCH
3850	----	----	----	0.006B/0.178A	----	0.080 + 0.005	.0090	----	----	----	----	1 UNCH
3900	----	----	----	0.023B/0.115A	----	0.087 + 0.007	.0098	----	----	----	----	52 UNCH
3925	----	----	----	0.027B/0.168A	----	0.090 + 0.007	.0101	----	----	----	----	9 UNCH
3950	----	----	----	0.020B/0.185A	----	0.093 + 0.007	.0105	----	----	----	----	11 UNCH
3975	----	----	----	0.021B/0.189A	----	0.097 + 0.008	.0109	----	----	----	----	5 UNCH
4000	0.090	0.090	0.121/0.090	0.121/0.090	----	0.100 + 0.008	.0113	----	----	5	----	305 UNCH
4025	----	----	----	0.027B/0.194A	----	0.103 + 0.009	.0117	----	----	----	----	3 UNCH
4050	----	----	----	0.036B/0.197A	----	0.106 + 0.010	.0120	----	----	----	----	21 UNCH
4075	----	----	----	0.040B/0.199A	----	0.109 + 0.011	.0124	----	----	----	----	15 UNCH
4100	----	----	----	0.043B/0.200A	----	0.112 + 0.012	.0128	----	----	----	----	190 UNCH
4125	----	----	----	0.048B/0.204A	----	0.115 + 0.013	.0132	----	----	----	----	10 UNCH
4150	----	----	----	0.052B/0.207A	----	0.118 + 0.014	.0136	----	----	----	----	9 UNCH
4175	----	----	----	0.057B/0.210A	----	0.121 + 0.015	.0140	----	----	----	----	1 UNCH
4200	----	----	----	0.060B/0.213A	----	0.125 + 0.016	.0145	----	----	----	----	101 UNCH
4225	----	----	----	0.065B/0.216A	----	0.128 + 0.017	.0149	----	----	----	----	20 UNCH
4250	----	----	----	0.070B/0.220A	----	0.132 + 0.019	.0154	----	----	----	----	10 UNCH
4275	----	----	----	0.075B/0.223A	----	0.135 + 0.020	.0158	----	----	----	----	7 UNCH
4300	----	----	----	0.085B/0.223A	----	0.139 + 0.022	.0163	----	----	----	----	267 UNCH
4325	----	----	----	0.087B/0.230A	----	0.142 + 0.022	.0167	----	----	----	----	1 UNCH
4350	----	----	----	0.092B/0.230A	----	0.146 + 0.024	.0172	----	----	----	----	27 UNCH
4375	----	----	----	0.094B/0.235A	----	0.150 + 0.025	.0177	----	----	----	----	12 UNCH
4400	----	----	----	0.099B/0.240A	----	0.154 + 0.027	.0183	----	----	----	----	314 UNCH
4425	----	----	----	0.104B/0.241A	----	0.158 + 0.029	.0188	----	----	----	----	14 UNCH
4450	----	----	----	0.110B/0.247A	----	0.162 + 0.030	.0194	----	----	----	----	7 UNCH
4475	----	----	----	0.117B/0.254A	----	0.167 + 0.032	.0200	----	----	----	----	81 UNCH
4500	0.200	0.200	0.219/0.185	0.219/0.185	----	0.171 + 0.034	.0205	----	----	3	----	787 UNCH
4525	----	----	----	0.130B/0.260A	----	0.176 + 0.036	.0212	----	----	----	----	19 UNCH
4550	----	----	----	0.137B/0.265A	----	0.180 + 0.037	.0218	----	----	----	----	4 UNCH
4575	----	----	----	0.145B/0.266A	----	0.185 + 0.039	.0224	----	----	----	----	11 UNCH
4600	----	----	0.154B/----	0.154B/0.271A	----	0.190 + 0.041	.0231	----	----	----	----	15 UNCH
4625	----	----	0.161B/----	0.161B/0.278A	----	0.195 + 0.043	.0238	----	----	----	----	66 UNCH
4650	----	----	0.170B/----	0.170B/0.282A	----	0.200 + 0.045	.0245	----	----	----	----	10 UNCH
4675	0.242	0.242	0.242/0.242	0.242/0.242	----	0.206 + 0.048	.0253	----	----	3	----	17 UNCH
4700	----	----	0.188B/----	0.188B/0.291A	----	0.211 + 0.050	.0260	----	----	----	----	116 UNCH
4725	----	----	0.196B/----	0.196B/0.297A	----	0.217 + 0.052	.0268	----	----	----	----	11 UNCH
4750	----	----	0.204B/----	0.204B/0.306A	----	0.223 + 0.055	.0276	----	----	----	----	18 UNCH
4775	----	----	0.214B/----	0.214B/0.312A	----	0.229 + 0.057	.0284	----	----	----	----	4 UNCH
4800	0.311	0.311	0.311/0.252A	0.311/0.252A	----	0.235 + 0.059	.0292	----	----	3	----	317 UNCH
4825	0.276	0.276	0.276/0.257A	0.276/0.257A	----	0.241 + 0.061	.0301	----	----	3	----	3 UNCH
4850	----	----	0.260B/----	0.260B/0.268A	----	0.248 + 0.064	.0310	----	----	----	----	78 UNCH
4875	----	----	0.273B/----	0.273B/0.275A	----	0.255 + 0.067	.0320	----	----	----	----	1 UNCH
4900	----	----	0.286B/----	0.286B/0.277A	----	0.262 + 0.070	.0329	----	----	1	----	163 UNCH
4925	----	----	0.326B/----	0.326B/0.288A	----	0.269 + 0.072	.0339	----	----	----	----	9 UNCH
4950	----	----	0.333B/----	0.333B/0.295A	----	0.277 + 0.076	.0349	----	----	----	----	12 UNCH
4975	----	----	0.349B/----	0.349B/0.301A	----	0.285 + 0.079	.0360	----	----	----	----	52 UNCH
5000	0.280	0.280	0.368B/0.240	0.368B/0.240	----	0.293 + 0.082	.0371	----	----	62	----	900 + 15
5025	----	----	0.383B/----	0.383B/0.316A	----	0.301 + 0.085	.0382	----	----	----	----	1 UNCH
5050	----	----	0.392B/----	0.392B/0.325A	----	0.310 + 0.088	.0394	----	----	----	----	24 UNCH
5075	----	----	0.411B/----	0.411B/0.334A	----	0.319 + 0.092	.0407	----	----	----	----	7 UNCH
5100	----	----	0.429B/----	0.429B/0.343A	----	0.328 + 0.095	.0419	----	----	10	----	164 + 3
5125	0.355	0.355	0.446B/0.352A	0.446B/0.352A	----	0.338 + 0.099	.0432	----	----	2	----	52 + 2
5150	----	----	0.458B/----	0.458B/0.362A	----	0.348 + 0.102	.0446	----	----	----	----	50 UNCH
5175	----	----	0.483B/----	0.483B/0.371A	----	0.358 + 0.106	.0459	----	----	----	----	2 UNCH
5200	0.490	0.490	0.497B/0.340	0.497B/0.340	----	0.368 + 0.109	.0473	----	----	8	44	170 + 1
5225	----	----	0.513B/----	0.513B/0.384A	----	0.380 + 0.114	.0489	----	----	----	----	5 UNCH
5250	----	----	0.537B/----	0.537B/0.388A	----	0.391 + 0.118	.0504	----	----	----	----	29 UNCH
5275	----	----	0.561B/----	0.561B/0.393A	----	0.403 + 0.122	.0520	----	----	----	----	8 UNCH
5300	----	----	0.587B/----	0.587B/0.400A	----	0.415 + 0.126	.0536	----	----	----	----	171 UNCH
5325	----	----	0.612B/----	0.612B/0.410A	----	0.428 + 0.131	.0553	----	----	----	----	23 UNCH
5350	----	----	0.631B/----	0.631B/0.423A	----	0.441 + 0.135	.0570	----	----	----	----	28 UNCH
5375	----	----	0.651B/----	0.651B/0.434A	----	0.455 + 0.140	.0589	----	----	----	----	13 UNCH
5400	----	----	0.692B/----	0.692B/0.447A	----	0.469 + 0.145	.0607	----	----	3	----	100 + 1
5425	----	----	0.716B/----	0.716B/0.462A	----	0.483 + 0.149	.0626	----	----	----	----	14 UNCH
5450	0.690	0.690	0.741B/0.475A	0.741B/0.475A	----	0.498 + 0.154	.0646	----	----	3	----	12 + 3
5475	----	----	0.767B/----	0.767B/0.490A	----	0.514 + 0.160	.0667	----	----	----	----	13 UNCH
5500	0.720	0.720	0.794B/0.505A	0.794B/0.505A	----	0.530 + 0.165	.0688	----	----	9	25	588 + 4
5525	----	----	0.822B/----	0.822B/0.521A	----	0.547 + 0.171	.0710	----	----	----	----	37 UNCH
5550	----	----	0.851B/----	0.851B/0.539A	----	0.565 + 0.177	.0733	----	----	----	----	33 UNCH
5575	----	----	0.881B/----	0.881B/0.555A	----	0.583 + 0.183	.0756	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO PUT		COMEX SILVER OPTIONS												
MAY26														
5600	0.669	0.669	0.912B/0.574A	0.912B/0.574A	----	0.601	+	0.188 .0779	----	----	2	----	70 +	2
5625	----	----	0.943B/----	0.943B/0.593A	----	0.621	+	0.195 .0805	----	----	----	----	6	UNCH
5650	----	----	0.976B/----	0.976B/0.612A	----	0.641	+	0.202 .0830	----	----	----	----	40	UNCH
5675	----	----	1.010B/----	1.010B/0.631A	----	0.661	+	0.208 .0856	----	----	----	----	48	UNCH
5700	0.751	0.751	1.060B/0.653A	1.060B/0.653A	----	0.683	+	0.215 .0884	----	----	8	----	131 +	4
5725	----	----	1.081B/----	1.081B/0.674A	----	0.705	+	0.222 .0912	----	----	----	----	27	UNCH
5750	----	----	1.118B/----	1.118B/0.698A	----	0.728	+	0.229 .0941	----	----	----	----	111	UNCH
5775	----	----	1.156B/----	1.156B/0.721A	----	0.752	+	0.237 .0970	----	----	----	----	14	UNCH
5800	----	----	1.198B/----	1.198B/0.645A	----	0.776	+	0.244 .1001	----	----	1	----	368	UNCH
5825	----	----	1.237B/----	1.237B/0.656A	----	0.802	+	0.253 .1033	----	----	----	----	55	UNCH
5850	----	----	1.279B/----	1.279B/0.676A	----	0.828	+	0.260 .1065	----	----	----	----	7	UNCH
5875	----	----	1.323B/----	1.323B/0.696A	----	0.855	+	0.269 .1098	----	----	----	----	4	UNCH
5900	----	----	1.376B/----	1.376B/0.718A	----	0.883	+	0.277 .1132	----	----	2	----	119	UNCH
5925	----	----	1.414B/----	1.414B/0.740A	----	0.913	+	0.287 .1168	----	----	----	----	13	UNCH
5950	----	----	1.462B/----	1.462B/0.759A	----	0.943	+	0.296 .1204	----	----	----	----	14	UNCH
5975	1.017	1.017	1.511B/1.017	1.511B/0.784A	----	0.974	+	0.305 .1242	----	----	1	----	23 +	1
6000	1.175	1.175	1.576B/0.980	1.576B/0.808A	----	1.006	+	0.315 .1280	----	----	73	----	1025 +	16
6025	----	----	1.612B/----	1.612B/0.835A	----	1.039	+	0.324 .1319	----	----	----	----	24	UNCH
6050	1.200	1.200	1.679B/1.200	1.679B/0.861A	----	1.074	+	0.335 .1360	----	----	4	----	318 -	2
6075	1.625	1.625	1.735B/1.625	1.735B/0.888A	----	1.109	+	0.345 .1401	----	----	1	----	165 -	1
6100	----	----	1.793B/----	1.793B/0.917A	----	1.146	+	0.357 .1444	----	----	2	----	146	UNCH
6125	----	----	1.836B/----	1.836B/0.946A	----	1.184	+	0.368 .1488	----	----	----	----	7	UNCH
6150	----	----	1.904B/----	1.904B/0.975A	----	1.223	+	0.379 .1532	----	----	----	----	33	UNCH
6175	1.380	1.380	1.957B/1.380	1.957B/1.006A	----	1.263	+	0.391 .1578	----	----	1	----	13	UNCH
6200	2.000	2.000	2.031B/1.250	2.031B/1.039A	----	1.305	+	0.403 .1625	----	----	2	----	61	UNCH
6225	----	----	2.095B/----	2.095B/1.072A	----	1.348	+	0.416 .1674	----	----	----	----	32	UNCH
6250	2.030	2.030	2.162B/2.030	2.162B/1.104A	----	1.392	+	0.428 .1723	----	----	1	----	93 +	1
6275	----	----	2.218B/----	2.218B/1.134A	----	1.438	+	0.441 .1773	----	----	----	----	13	UNCH
6300	1.920	1.920	2.301B/1.549	2.301B/1.168A	----	1.485	+	0.455 .1825	----	----	5	----	182 -	1
6325	----	----	2.374B/----	2.374B/1.203A	----	1.534	+	0.469 .1878	----	----	----	----	126	UNCH
6350	----	----	2.446B/----	2.446B/1.250A	----	1.584	+	0.483 .1932	----	----	----	----	80	UNCH
6375	----	----	2.519B/----	2.519B/1.283A	----	1.636	+	0.498 .1987	----	----	----	----	31	UNCH
6400	1.763	1.763	2.600B/1.740	2.600B/1.317A	----	1.689	+	0.513 .2043	----	----	5	----	76 +	1
6425	----	----	2.667B/----	2.667B/1.401A	----	1.744	+	0.528 .2101	----	----	----	----	10	UNCH
6450	----	----	2.757B/----	2.757B/1.407A	----	1.800	+	0.544 .2159	----	----	----	----	41	UNCH
6475	----	----	2.833B/----	2.833B/1.454A	----	1.859	+	0.561 .2219	----	----	----	----	8	UNCH
6500	1.700	1.700	2.950/1.700	2.950/1.496A	----	1.918	+	0.576 .2279	----	----	56	25	813 +	22
6525	2.750	2.750	3.006B/2.180	3.006B/1.549A	----	1.980	+	0.594 .2342	----	----	6	----	17 -	1
6550	----	----	3.108B/----	3.108B/1.594A	----	2.043	+	0.611 .2405	----	----	----	----	170	UNCH
6575	----	----	3.199B/----	3.199B/1.641A	----	2.109	+	0.630 .2469	----	----	55	----	60 -	10
6600	2.506	2.506	3.293B/2.332	3.293B/1.690A	----	2.176	+	0.648 .2535	----	----	43	----	433 +	9
6625	----	----	3.375B/----	3.375B/1.746A	----	2.244	+	0.666 .2601	----	----	----	----	7	UNCH
6650	2.596	2.596	3.489B/2.573	3.489B/1.801A	----	2.315	+	0.686 .2668	----	----	8	----	93 +	3
6675	2.941	2.941	3.588B/2.941	3.588B/1.856A	----	2.388	+	0.706 .2737	----	----	1	----	65	UNCH
6700	2.817	2.817	3.698B/2.817	3.698B/1.908A	----	2.462	+	0.725 .2806	----	----	7	----	429 +	7
6725	----	----	3.778B/----	3.778B/1.972A	----	2.539	+	0.746 .2877	----	----	----	----	7	UNCH
6750	----	----	3.906B/----	3.906B/2.031A	----	2.617	+	0.767 .2948	----	----	6	----	64 +	4
6775	----	----	3.992B/----	3.992B/2.092A	----	2.698	+	0.789 .3021	----	----	----	----	14	UNCH
6800	3.159	3.159	4.131B/3.159	4.131B/2.154A	----	2.780	+	0.810 .3094	----	----	17	----	87 +	10
6825	----	----	4.215B/----	4.215B/2.217A	----	2.865	+	0.833 .3169	----	----	----	----	13	UNCH
6850	----	----	4.330B/----	4.330B/2.286A	----	2.952	+	0.856 .3244	----	----	----	----	12	UNCH
6875	----	----	4.448B/----	4.448B/2.353A	----	3.041	+	0.879 .3320	----	----	----	----	7	UNCH
6900	3.676	3.676	4.592B/3.130	4.592B/2.425A	----	3.132	+	0.902 .3397	----	----	23	----	409 +	9
6925	3.536	3.536	4.704B/3.536	4.704B/2.497A	----	3.225	+	0.926 .3474	----	----	1	----	163 -	1
6950	----	----	4.811B/----	4.811B/2.573A	----	3.321	+	0.951 .3552	----	----	----	----	17	UNCH
6975	----	----	4.937B/----	4.937B/2.656A	----	3.419	+	0.976 .3631	----	----	----	----	14	UNCH
7000	4.096	4.096	5.086B/3.558	5.086B/2.738A	----	3.518	+	1.000 .3711	----	----	45	----	842 -	10
7025	4.852	4.852	5.195B/4.041	5.195B/2.813A	----	3.621	+	1.027 .3791	----	----	4	----	9 -	1
7050	----	----	5.330B/----	5.330B/2.886A	----	3.725	+	1.052 .3872	----	----	----	----	45	UNCH
7075	5.022	5.022	5.463B/4.366	5.463B/2.967A	----	3.832	+	1.079 .3953	----	----	4	----	10 +	1
7100	4.315	4.315	5.600B/4.093	5.600B/3.055A	----	3.941	+	1.105 .4034	----	----	20	----	64 +	1
7125	----	----	5.739B/----	5.739B/3.143A	----	4.052	+	1.132 .4116	----	----	----	----	11	UNCH
7150	4.533	4.533	5.880B/4.452	5.880B/3.233A	----	4.166	+	1.159 .4199	----	----	18	----	28 +	1
7175	----	----	6.024B/----	6.024B/3.324A	----	4.282	+	1.187 .4282	----	----	19	----	30 +	17
7200	5.000	5.000	6.170B/4.694	6.170B/3.756A	----	4.401	+	1.215 .4365	----	----	23	100	318 +	3
7225	----	----	6.317B/----	6.317B/3.898A	----	4.521	+	1.243 .4448	----	----	----	----	18	UNCH
7250	4.950	4.950	6.467B/4.950	6.467B/3.989A	----	4.644	+	1.271 .4531	----	----	10	----	66 +	10
7275	4.789	4.789	6.619B/4.789	6.619B/4.103A	----	4.770	+	1.300 .4614	----	----	1	----	7 +	1
7300	----	----	6.774B/----	6.774B/4.155A	----	4.898	+	1.329 .4698	----	----	2	----	40	UNCH
7325	----	----	6.930B/----	6.930B/4.309A	----	5.028	+	1.358 .4781	----	----	----	----	14	UNCH
7350	----	----	7.088B/----	7.088B/4.408A	----	5.160	+	1.386 .4865	----	----	----	----	30	UNCH
7375	----	----	7.248B/----	7.248B/4.529A	----	5.295	+	1.416 .4948	----	----	----	----	8	UNCH
7400	5.820	5.820	7.410B/5.400	7.410B/4.583A	----	5.432	+	1.445 .5031	----	----	10	----	40 +	8
7425	----	----	7.575B/----	7.575B/4.750A	----	5.572	+	1.475 .5114	----	----	----	----	14	UNCH
7450	----	----	7.740B/----	7.740B/4.856A	----	5.713	+	1.504 .5196	----	----	----	----	7	UNCH
7475	----	----	7.767B/----	7.767B/4.991A	----	5.857	+	1.534 .5279	----	----	----	----	8	UNCH
7500	6.501	6.501	8.009B/6.501	8.009B/5.051A	----	6.003	+	1.563 .5360	----	----	1	----	403 -	1
7525	----	----	8.169B/----	8.169B/5.231A	----	6.152	+	1.593 .5442	----	----	----	----	33	UNCH
7530	----	----	8.187B/----	8.187B/5.249A	----	6.182	+	1.599 .5458	----	----	----	----	7	UNCH
7535	----	----	8.216B/----	8.216B/5.281A	----	6.212	+	1.605 .5474	----	----	----	----	6	UNCH
7540	----	----	8.255B/----	8.255B/5.299A	----	6.242	+	1.611 .5490	----	----	----	----	6	UNCH
7545	----	----	8.172B/----	8.172B/5.331A	----	6.272	+	1.616 .5506	----	----	----	----	2	UNCH
7550	----	----	8.336B/----	8.336B/5.338A	----	6.303	+	1.623 .5523	----	----	----	----	17	UNCH
7555	----	----	8.242B/----	8.242B/5.374A	----	6.333	+	1.628 .5539	----	----	----	----	1	UNCH
7560	----	----	8.177B/----	8.177B/5.399A	----	6.364	+	1.635 .5555	----	----	----	----	2	UNCH
7565	----	----	8.341B/----	8.341B/5.424A	----	6.394	+	1.640 .5571	----	----	----	----	1	UNCH
7570	----	----	8.376B/----	8.376B/5.448A	----	6.425	+	1.646 .5587	----	----	----	----	3	UNCH
7575	----	----	8.437B/----	8.437B/5.481A	----	6.456	+	1.652 .5603	----	----	----	----	2	UNCH
7580	----	----	8.531B/----	8.531B/5.502A	----	6.486	+	1.657 .5619	----	----	----	----	25	UNCH
7585	----	----	8.566B/----	8.566B/5.527A	----	6.517	+	1.663 .5635	----	----	----	----	6	UNCH
7590	----	----	8.475B/----	8.475B/5.553A	----	6.548	+	1.669 .5651	----	----	----	----	1	UNCH
7595	----	----	8.511B/----	8.511B/5.579A	----	6.580	+	1.676 .5667	----	----	----	----	1	UNCH
7600	7.000	7.000	8.702B/7.000	8.702B/5.553A	----	6.611	+	1.682 .5683	----	----	1	----	53 +	1
7605	----	----	8.583B/----	8.583B/5.631A	----	6.642	+	1.687 .5699	----	----	----	----	3	UNCH
7610	----	----	8.619B/----	8.619B/5.657A	----	6.673	+	1.693 .5715	----	----	----	----	1	UNCH
7620	----	----	8.813B/----	8.813B/5.710A	----	6.736	+	1.704 .5747	----	----	----	----	31	UNCH
7625	----	----	8.727B/----	8.727B/5.737A	----	6.768	+	1.711 .5762	----	----	----	----	3	UNCH
7630	----	----	8.763B/----	8.763B/5.763A	----	6.800	+	1.717 .5778	----	----	----	----	1	UNCH
7635	----	----	8.921B/----	8.921B/5.789A	----	6.831	+	1.722 .5794	----	----	----	----	36	UNCH
7645	----	----	8.871B/----	8.871B/5.870A	----	6.895	+	1.734 .5825	----	----	----	----	2	UNCH
7650	----	----	9.044B/----	9.044B/5.858A	----	6.927	+	1.739 .5841	----	----	----	----	7	UNCH
7655	----	----	8.944B/----	8.944B/5.894A	----	6.959	+	1.745 .5857	----	----	----	----	1	UNCH
7660	----	----	8.981B/----	8.981B/5.923A	----	6.992	+	1.752 .5872	----	----	----	----	1	UNCH
7665	----	----	9.018B/----	9.018B/5.950A	----	7.024	+	1.757 .5888	----	----	----	----	3	UNCH
7670	----	----	9.055B/----	9.055B/5.985A	----	7.056	+	1.763 .5904	----	----	----	----	1	UNCH
7675	----	----	9.092B/----	9.092B/6.011A	----	7.089	+	1.769 .5919	----	----	----	----	3	UNCH
7685	----	----	9.280B/----	9.280B/6.059A	----	7.154	+	1.780 .5950	----	----	----	----	10	UNCH
7700	----	----	9.428B/----	9.428B/6.086A	----	7.252	+	1.797 .5996	----	----	----	----	272	UNCH
7710	----	----	9.352B/----	9.352B/6.229A	----	7.318	+	1.809 .6027	----	----	----	----	2	UNCH
7715	----	----	9.389B/----	9.389B/6.232A	----	7.352	+	1.815 .6042	----	----	----	----	1	UNCH
7720	----	----	9.425B/----	9.425B/6.260A	----	7.385	+	1.821 .6058	----	----	----	----	2	UNCH
7725	----	----	9.464B/----	9.464B/6.289A	----	7.418	+	1.826 .6073	----	----	----	----	2	UNCH
7730	----	----	9.502B/----	9.502B/6.317A	----	7.451	+	1.831 .6088	----	----	----	----	1	UNCH
7735	----	----	9.540B/----	9.540B/6.345A	----	7.485	+	1.838 .6103	----	----	----	----	1	UNCH
7745	----	----	9.615B/----	9.615B/6.402A	----	7.552	+	1.849 .6133	----	----	----	----	3	UNCH
7750	----	----	9.800B/----	9.800B/6.410A	----	7.586	+	1.855 .6149	----	----	----	----	61	UNCH
7755	----	----	9.691B/----	9.691B/6.449A	----	7.619	+	1.860 .6164	----	----	----	----	4	UNCH
7760	----	----	9.729B/----	9.729B/6.481A	----	7.653	+	1.865 .6179	----	----	----	----	4	UNCH
7770	----	----	9.805B/----	9.805B/6.548A	----	7.721	+	1.877 .6209	----	----	----	----	1	UNCH
7775	----	----	9.855B/----	9.855B/6.577A	----	7.755	+	1.882 .6224	----	----	----	----	2	UNCH
7780	----	----	9.882B/----	9.882B/6.605A	----	7.789	+	1.888 .6239	----	----	----	----	1	UNCH
7785	----	----	9.920B/----	9.920B/6.637A	----	7.824	+	1.894 .6254	----	----	----	----	1	UNCH
7790	----	----	9.958B/----	9.958B/6.663A	----	7.858	+	1.899 .6268	----	----	----	----	2	UNCH
7800	----	----	10.144B/----	10.144B/6.657A	----	7.927	+	1.910 .6298	----	----	----	----	24	UNCH
7805	----	----	10.074B/----	10.074B/6.766A	----	7.961	+	1.915 .6313	----	----	----	----	1	UNCH
7815	----	----	10.150B/----	10.150B/6.801A	----	8.031	+	1.927 .6342	----	----	----	----	1	UNCH
7825	----	----	10.231B/----	10.231B/7.180A	----	8.100	+	1.937 .6371	----	----	----	----	1	UNCH
7830	----	----	10.361B/----	10.361B/7.210A	----	8.135	+	1.943 .6386	----	----	----	----	11	UNCH
7840	----	----	10.348B/----	10.348B/7.270A	----	8.205	+	1.954 .6415	----	----	----	----	2	UNCH
7850	----	----	10.546B/----	10.546B/7.323A	----	8.276	+	1.965 .6444	----	----	----	----	44	UNCH
7865	----	----	10.546B/----	10.546B/7.415A	----	8.382	+	1.981 .6487	----	----	----	----	1	UNCH
7875	----	----	10.707B/----	10.707B/7.397A	----	8.453	+	1.992 .6515	----	----	----	----	7	UNCH
7880	----	----	10.664B/----	10.664B/7.507A	----	8.489	+	1.997 .6530	----	----	----	----	1	UNCH
7885	----	----	10.704B/----	10.704B/7.538A	----	8.525	+	2.003 .6544	----	----	----	----	1	UNCH
7890	----	----	10.742B/----	10.742B/7.569A	----	8.560	+	2.007 .6558	----	----	----	----	1	UNCH
7895	----	----	10.783B/----	10.783B/7.600A	----	8.596	+	2.013 .6572	----	----	----	----	1	UNCH
7900	----	----	10.939B/----	10.939B/7.484A	----	8.632	+	2.018 .6586	----	----	----	----	33	UNCH
7910	----	----	10.902B/----	10.902B/7.692A	----	8.705	+	2.029 .6614	----	----	----	----	3	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
7915	----	----	10.941B/----	10.941B/7.721A	----	8.741 + 2.034	.6628	----	----	----	----	1 UNCH
7925	----	----	11.022B/----	11.022B/7.571A	----	8.813 + 2.044	.6655	----	----	----	----	1 UNCH
7930	----	----	11.063B/----	11.063B/7.559A	----	8.850 + 2.050	.6669	----	----	----	----	1 UNCH
7935	----	----	11.103B/----	11.103B/7.576A	----	8.886 + 2.055	.6683	----	----	----	----	2 UNCH
7940	----	----	11.143B/----	11.143B/7.599A	----	8.923 + 2.060	.6697	----	----	----	----	3 UNCH
7950	----	----	11.294B/----	11.294B/7.638A	----	8.996 + 2.070	.6724	----	----	----	----	24 UNCH
7955	----	----	11.263B/----	11.263B/7.706A	----	9.033 + 2.076	.6738	----	----	----	----	1 UNCH
7965	----	----	11.413B/----	11.413B/7.757A	----	9.107 + 2.086	.6765	----	----	----	----	6 UNCH
7970	----	----	11.384B/----	11.384B/7.782A	----	9.144 + 2.091	.6778	----	----	----	----	3 UNCH
7975	----	----	11.413B/----	11.413B/7.808A	----	9.181 + 2.096	.6792	----	----	----	----	1 UNCH
7980	----	----	11.451B/----	11.451B/7.836A	----	9.218 + 2.101	.6805	----	----	----	----	1 UNCH
7985	----	----	11.506B/----	11.506B/7.864A	----	9.255 + 2.106	.6819	----	----	----	----	1 UNCH
7990	----	----	11.535B/----	11.535B/7.893A	----	9.292 + 2.111	.6832	----	----	----	----	2 UNCH
8000	7.690	7.690	11.776B/7.690	11.776B/7.690	----	9.367 + 2.121	.6858	----	----	3	----	480 UNCH
8005	----	----	11.657B/----	11.657B/7.970A	----	9.404 + 2.125	.6872	----	----	----	----	2 UNCH
8010	----	----	11.699B/----	11.699B/8.003A	----	9.442 + 2.131	.6885	----	----	----	----	2 UNCH
8025	----	----	11.894B/----	11.894B/8.185A	----	9.555 + 2.146	.6924	----	----	----	----	7 UNCH
8030	----	----	11.861B/----	11.861B/9.492A	----	9.592 + 2.150	.6937	----	----	----	----	1 UNCH
8035	----	----	11.902B/----	11.902B/8.782A	----	9.630 + 2.155	.6950	----	----	----	----	1 UNCH
8040	----	----	11.943B/----	11.943B/8.815A	----	9.668 + 2.160	.6963	----	----	----	----	1 UNCH
8050	----	----	12.026B/----	12.026B/10.095A	----	9.744 + 2.169	.6989	----	----	----	----	4 UNCH
8065	----	----	12.151B/----	12.151B/10.204A	----	9.859 + 2.184	.7027	----	----	----	----	1 UNCH
8070	----	----	12.193B/----	12.193B/10.246A	----	9.897 + 2.189	.7040	----	----	----	----	2 UNCH
8075	----	----	12.235B/----	12.235B/10.280A	----	9.935 + 2.194	.7053	----	----	----	----	4 UNCH
8080	----	----	12.278B/----	12.278B/10.318A	----	9.974 + 2.199	.7065	----	----	----	----	3 UNCH
8085	----	----	12.384B/----	12.384B/10.029A	----	10.012 + 2.203	.7078	----	----	----	----	7 UNCH
8090	----	----	12.425B/----	12.425B/10.030A	----	10.051 + 2.209	.7091	----	----	----	----	20 UNCH
8095	----	----	12.402B/----	12.402B/10.433A	----	10.089 + 2.213	.7103	----	----	----	----	2 UNCH
8100	----	----	12.553B/----	12.553B/10.109A	----	10.128 + 2.218	.7115	----	----	----	----	33 UNCH
8105	----	----	12.486B/----	12.486B/10.513A	----	10.167 + 2.223	.7128	----	----	----	----	1 UNCH
8110	----	----	12.528B/----	12.528B/10.513A	----	10.205 + 2.227	.7140	----	----	----	----	1 UNCH
8125	----	----	12.654B/----	12.654B/10.668A	----	10.322 + 2.241	.7177	----	----	----	----	1 UNCH
8150	----	----	12.866B/----	12.866B/10.860A	----	10.518 + 2.265	.7237	----	----	----	----	4 UNCH
8175	----	----	13.080B/----	13.080B/11.060A	----	10.715 + 2.288	.7297	----	----	----	----	2 UNCH
8195	----	----	13.251B/----	13.251B/11.218A	----	10.874 + 2.306	.7344	----	----	----	----	2 UNCH
8200	----	----	13.395B/----	13.395B/10.904A	----	10.914 + 2.310	.7355	----	----	----	----	37 UNCH
8205	----	----	13.337B/----	13.337B/11.298A	----	10.954 + 2.315	.7367	----	----	----	----	1 UNCH
8210	----	----	13.380B/----	13.380B/11.334A	----	10.994 + 2.320	.7378	----	----	----	----	1 UNCH
8215	----	----	13.424B/----	13.424B/11.339A	----	11.034 + 2.324	.7390	----	----	----	----	1 UNCH
8225	----	----	13.509B/----	13.509B/11.458A	----	11.114 + 2.332	.7413	----	----	----	----	5 UNCH
8230	----	----	13.553B/----	13.553B/11.494A	----	11.154 + 2.337	.7424	----	----	----	----	1 UNCH
8240	----	----	13.639B/----	13.639B/11.580A	----	11.235 + 2.346	.7447	----	----	----	----	2 UNCH
8250	----	----	13.869B/----	13.869B/11.310A	----	11.315 + 2.354	.7469	----	----	----	----	73 UNCH
8255	----	----	13.758B/----	13.758B/11.697A	----	11.356 + 2.359	.7480	----	----	----	----	3 UNCH
8265	----	----	13.845B/----	13.845B/11.782A	----	11.437 + 2.367	.7503	----	----	----	----	1 UNCH
8270	----	----	13.888B/----	13.888B/11.819A	----	11.478 + 2.372	.7513	----	----	----	----	1 UNCH
8275	----	----	13.932B/----	13.932B/11.863A	----	11.518 + 2.375	.7524	----	----	----	----	1 UNCH
8280	----	----	13.986B/----	13.986B/11.833A	----	11.559 + 2.380	.7536	----	----	----	----	3 UNCH
8285	----	----	14.019B/----	14.019B/11.944A	----	11.600 + 2.384	.7546	----	----	----	----	1 UNCH
8290	----	----	14.063B/----	14.063B/11.985A	----	11.641 + 2.388	.7557	----	----	----	----	2 UNCH
8295	----	----	14.106B/----	14.106B/12.023A	----	11.682 + 2.393	.7568	----	----	----	----	1 UNCH
8300	----	----	14.312B/----	14.312B/11.722A	----	11.722 + 2.396	.7579	----	----	----	----	64 UNCH
8305	----	----	14.194B/----	14.194B/12.108A	----	11.763 + 2.400	.7590	----	----	----	----	1 UNCH
8315	----	----	14.281B/----	14.281B/12.189A	----	11.846 + 2.409	.7610	----	----	----	----	1 UNCH
8320	----	----	14.323B/----	14.323B/12.194A	----	11.887 + 2.413	.7621	----	----	----	----	2 UNCH
8325	----	----	14.377B/----	14.377B/12.274A	----	11.928 + 2.417	.7632	----	----	----	----	1 UNCH
8330	----	----	14.412B/----	14.412B/12.276A	----	11.969 + 2.421	.7642	----	----	----	----	1 UNCH
8335	----	----	14.456B/----	14.456B/12.293A	----	12.010 + 2.424	.7653	----	----	----	----	1 UNCH
8340	----	----	14.566B/----	14.566B/12.055A	----	12.052 + 2.429	.7663	----	----	----	----	19 UNCH
8350	----	----	14.656B/----	14.656B/12.138A	----	12.135 + 2.437	.7684	----	----	----	----	19 UNCH
8355	----	----	14.632B/----	14.632B/12.484A	----	12.176 + 2.441	.7694	----	----	----	----	3 UNCH
8360	----	----	14.676B/----	14.676B/12.501A	----	12.218 + 2.445	.7704	----	----	----	----	4 UNCH
8375	----	----	14.877B/----	14.877B/12.349A	----	12.343 + 2.457	.7735	----	----	----	----	8 UNCH
8385	----	----	14.897B/----	14.897B/12.710A	----	12.426 + 2.464	.7755	----	----	----	----	1 UNCH
8395	----	----	14.986B/----	14.986B/12.791A	----	12.510 + 2.472	.7775	----	----	----	----	2 UNCH
8400	----	----	15.141B/----	15.141B/12.562A	----	12.552 + 2.476	.7785	----	----	3	----	33 + 1
8405	----	----	15.075B/----	15.075B/12.903A	----	12.594 + 2.480	.7794	----	----	----	----	2 UNCH
8410	----	----	15.119B/----	15.119B/12.920A	----	12.636 + 2.483	.7804	----	----	----	----	3 UNCH
8415	----	----	15.164B/----	15.164B/12.988A	----	12.678 + 2.487	.7814	----	----	----	----	3 UNCH
8420	----	----	15.208B/----	15.208B/13.030A	----	12.720 + 2.491	.7824	----	----	----	----	2 UNCH
8425	----	----	15.252B/----	15.252B/13.072A	----	12.762 + 2.494	.7834	----	----	----	----	5 UNCH
8430	----	----	15.297B/----	15.297B/13.114A	----	12.804 + 2.498	.7843	----	----	----	----	1 UNCH
8450	----	----	15.588B/----	15.588B/12.989A	----	12.974 + 2.513	.7882	----	----	----	----	30 UNCH
8460	----	----	15.565B/----	15.565B/13.369A	----	13.059 + 2.520	.7901	----	----	----	----	1 UNCH
8475	----	----	15.700B/----	15.700B/13.498A	----	13.186 + 2.530	.7929	----	----	----	----	5 UNCH
8480	----	----	15.745B/----	15.745B/13.540A	----	13.229 + 2.534	.7938	----	----	----	----	1 UNCH
8490	----	----	15.835B/----	15.835B/13.626A	----	13.314 + 2.541	.7956	----	----	----	----	1 UNCH
8495	----	----	15.880B/----	15.880B/13.669A	----	13.357 + 2.545	.7965	----	----	----	----	1 UNCH
8500	----	----	16.087B/----	16.087B/13.419A	----	13.400 + 2.548	.7975	----	----	3	----	374 + 1
8515	----	----	16.060B/----	16.060B/13.813A	----	13.529 + 2.559	.8002	----	----	----	----	1 UNCH
8535	----	----	16.239B/----	16.239B/14.014A	----	13.701 + 2.572	.8037	----	----	----	----	2 UNCH
8545	----	----	16.329B/----	16.329B/14.101A	----	13.787 + 2.578	.8054	----	----	----	----	1 UNCH
8550	----	----	16.375B/----	16.375B/14.144A	----	13.831 + 2.583	.8063	----	----	----	----	3 UNCH
8555	----	----	16.420B/----	16.420B/14.188A	----	13.874 + 2.586	.8072	----	----	----	----	1 UNCH
8560	----	----	16.465B/----	16.465B/14.265A	----	13.917 + 2.588	.8080	----	----	----	----	1 UNCH
8565	----	----	16.510B/----	16.510B/14.275A	----	13.960 + 2.591	.8089	----	----	----	----	1 UNCH
8570	----	----	16.556B/----	16.556B/14.290A	----	14.004 + 2.595	.8097	----	----	----	----	1 UNCH
8575	----	----	16.601B/----	16.601B/14.393A	----	14.047 + 2.598	.8106	----	----	----	----	3 UNCH
8580	----	----	16.647B/----	16.647B/14.377A	----	14.091 + 2.602	.8114	----	----	----	----	1 UNCH
8585	----	----	16.695B/----	16.695B/14.449A	----	14.134 + 2.604	.8123	----	----	----	----	1 UNCH
8590	----	----	16.738B/----	16.738B/14.493A	----	14.178 + 2.608	.8131	----	----	----	----	4 UNCH
8600	----	----	16.993B/----	16.993B/14.295A	----	14.265 + 2.614	.8148	----	----	----	----	85 UNCH
8605	----	----	16.879B/----	16.879B/14.596A	----	14.309 + 2.618	.8157	----	----	----	----	3 UNCH
8620	----	----	17.014B/----	17.014B/14.756A	----	14.440 + 2.627	.8181	----	----	----	----	1 UNCH
8630	----	----	17.104B/----	17.104B/14.835A	----	14.528 + 2.633	.8197	----	----	----	----	1 UNCH
8640	----	----	17.198B/----	17.198B/14.923A	----	14.616 + 2.639	.8213	----	----	----	----	2 UNCH
8645	----	----	17.244B/----	17.244B/14.947A	----	14.659 + 2.641	.8221	----	----	----	----	1 UNCH
8650	----	----	17.290B/----	17.290B/15.020A	----	14.703 + 2.644	.8229	----	----	----	----	5 UNCH
8655	----	----	17.336B/----	17.336B/15.065A	----	14.748 + 2.648	.8237	----	----	----	----	3 UNCH
8665	----	----	17.427B/----	17.427B/15.124A	----	14.836 + 2.654	.8253	----	----	----	----	1 UNCH
8670	----	----	17.474B/----	17.474B/15.197A	----	14.880 + 2.657	.8261	----	----	----	----	1 UNCH
8675	----	----	17.565B/----	17.565B/14.962A	----	14.924 + 2.659	.8268	----	----	----	----	9 UNCH
8685	----	----	17.613B/----	17.613B/15.303A	----	15.013 + 2.666	.8284	----	----	----	----	1 UNCH
8695	----	----	17.705B/----	17.705B/15.392A	----	15.101 + 2.671	.8299	----	----	----	----	1 UNCH
8700	----	----	17.849B/----	17.849B/15.186A	----	15.145 + 2.673	.8306	----	----	----	----	32 UNCH
8705	----	----	17.857B/----	17.857B/15.230A	----	15.190 + 2.677	.8314	----	----	----	----	10 UNCH
8725	----	----	17.983B/----	17.983B/15.687A	----	15.368 + 2.688	.8344	----	----	----	----	2 UNCH
8750	----	----	18.215B/----	18.215B/15.881A	----	15.591 + 2.701	.8380	----	----	----	----	1 UNCH
8775	----	----	18.506B/----	18.506B/15.861A	----	15.815 + 2.715	.8416	----	----	----	----	9 UNCH
8800	----	----	18.817B/----	18.817B/16.086A	----	16.039 + 2.727	.8451	----	----	1	----	219 - 1
8825	----	----	18.914B/----	18.914B/16.558A	----	16.265 + 2.740	.8484	----	----	----	----	3 UNCH
8850	----	----	19.194B/----	19.194B/16.542A	----	16.491 + 2.752	.8517	----	----	----	----	13 UNCH
8875	----	----	19.430B/----	19.430B/16.771A	----	16.718 + 2.764	.8549	----	----	----	----	8 UNCH
8900	----	----	19.659B/----	19.659B/17.001A	----	16.946 + 2.776	.8581	----	----	----	----	8 UNCH
8925	----	----	19.902B/----	19.902B/17.232A	----	17.174 + 2.786	.8611	----	----	----	----	6 UNCH
8950	----	----	20.089B/----	20.089B/17.695A	----	17.403 + 2.797	.8641	----	----	----	----	3 UNCH
8975	----	----	20.373B/----	20.373B/17.694A	----	17.632 + 2.807	.8670	----	----	----	----	9 UNCH
9000	----	----	20.710B/----	20.710B/17.926A	----	17.863 + 2.818	.8698	----	----	----	----	168 UNCH
9025	----	----	20.848B/----	20.848B/18.159A	----	18.093 + 2.827	.8726	----	----	----	----	11 UNCH
9050	----	----	21.034B/----	21.034B/18.644A	----	18.325 + 2.837	.8753	----	----	----	----	2 UNCH
9075	----	----	21.272B/----	21.272B/18.865A	----	18.557 + 2.847	.8779	----	----	----	----	4 UNCH
9100	----	----	21.510B/----	21.510B/19.097A	----	18.789 + 2.855	.8804	----	----	----	----	4 UNCH
9150	----	----	22.037B/----	22.037B/19.327A	----	19.256 + 2.873	.8854	----	----	----	----	7 UNCH
9175	----	----	22.280B/----	22.280B/19.564A	----	19.490 + 2.881	.8878	----	----	----	----	19 UNCH
9200	----	----	22.512B/----	22.512B/19.800A	----	19.724 + 2.888	.8901	----	----	----	----	7 UNCH
9225	----	----	22.748B/----	22.748B/20.036A	----	19.959 + 2.896	.8922	----	----	----	----	7 UNCH
9250	----	----	22.944B/----	22.944B/20.498A	----	20.194 + 2.903	.8945	----	----	----	----	2 UNCH
9275	----	----	23.184B/----	23.184B/20.733A	----	20.430 + 2.910	.8965	----	----	----	----	1 UNCH
9300	----	----	23.467B/----	23.467B/20.746A	----	20.667 + 2.918	.8987	----	----	----	----	6 UNCH
9375	----	----	24.188B/----	24.188B/21.462A	----	21.378 + 2.937	.9044	----	----	----	----	10 UNCH
9400	----	----	24.428B/----	24.428B/21.703A	----	21.616 + 2.943	.9063	----	----	----	----	6 UNCH
9450	----	----	24.873B/----	24.873B/22.421A	----	22.092 + 2.954	.9099	----	----	----	----	3 UNCH
9475	----	----	25.115B/----	25.115B/22.659A	----	22.331 + 2.960	.9117	----	----	----	----	4 UNCH
9500	----	----	25.492B/----	25.492B/22.664A	----	22.571 + 2.966	.9133	----	----	----	----	110 UNCH
9525	----	----	25.599B/----	25.599B/23.137A	----	22.810 + 2.970	.9149	----	----	----	----	1 UNCH
9550	----	----	25.841B/----	25.841B/23.376A	----	23.050 + 2.975	.9165	----	----	----	----	3 UNCH
9575	----	----	26.085B/----	26.085B/23.616A	----	23.290 + 2.980	.9179	----	----	----	----	1 UNCH
9600	----	----	26.417B/----	26.417B/23.621A	----	23.530 + 2.984	.9195	----	----	----	----	26 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
9650	----	----	26.841B/----	26.841B/24.105A	----	24.012 + 2.993	.9224	----	----	----	----	11 UNCH
9675	----	----	27.057B/----	27.057B/24.578A	----	24.253 + 2.997	.9237	----	----	----	----	2 UNCH
9700	----	----	27.436B/----	27.436B/24.592A	----	24.494 + 3.001	.9251	----	----	----	----	182 UNCH
9725	----	----	27.545B/----	27.545B/25.060A	----	24.736 + 3.006	.9264	----	----	----	----	1 UNCH
9750	----	----	27.788B/----	27.788B/25.314A	----	24.978 + 3.010	.9277	----	----	----	----	3 UNCH
9775	----	----	28.032B/----	28.032B/25.558A	----	25.220 + 3.014	.9290	----	----	----	----	3 UNCH
9800	----	----	28.304B/----	28.304B/25.559A	----	25.462 + 3.017	.9303	----	----	----	----	7 UNCH
9825	----	----	28.520B/----	28.520B/26.041A	----	25.704 + 3.021	.9314	----	----	----	----	2 UNCH
9850	----	----	28.900B/----	28.900B/26.045A	----	25.947 + 3.025	.9326	----	----	----	----	179 UNCH
9900	----	----	29.298B/----	29.298B/26.538A	----	26.433 + 3.032	.9349	----	----	----	----	8 UNCH
10000	29.800	29.800	30.369B/29.800	30.369B/27.278A	----	27.406 + 3.044	.9390	----	----	1	----	133 - 1
10050	----	----	30.724B/----	30.724B/27.508A	----	27.894 + 3.051	.9410	----	----	----	----	2 UNCH
10100	----	----	31.215B/----	31.215B/28.718A	----	28.382 + 3.056	.9429	----	----	----	----	2 UNCH
10225	----	----	32.444B/----	32.444B/29.941A	----	29.605 + 3.068	.9472	----	----	----	----	2 UNCH
10250	----	----	32.690B/----	32.690B/30.186A	----	29.850 + 3.070	.9480	----	----	----	----	4 UNCH
10300	----	----	33.183B/----	33.183B/30.682A	----	30.340 + 3.074	.9496	----	----	----	----	4 UNCH
10325	----	----	33.430B/----	33.430B/30.922A	----	30.585 + 3.076	.9503	----	----	----	----	1 UNCH
10350	----	----	33.675B/----	33.675B/31.168A	----	30.831 + 3.078	.9511	----	----	----	----	1 UNCH
10400	----	----	34.169B/----	34.169B/31.658A	----	31.322 + 3.082	.9525	----	----	----	----	2 UNCH
10450	----	----	34.662B/----	34.662B/32.149A	----	31.813 + 3.085	.9538	----	----	----	----	2 UNCH
10475	----	----	34.909B/----	34.909B/32.405A	----	32.059 + 3.086	.9545	----	----	----	----	1 UNCH
10500	----	----	35.179B/----	35.179B/32.422A	----	32.305 + 3.088	.9552	----	----	----	----	10 UNCH
10505	----	----	35.206B/----	35.206B/32.689A	----	32.354 + 3.088	.9553	----	----	----	----	1 UNCH
10510	----	----	35.255B/----	35.255B/32.739A	----	32.404 + 3.089	.9554	----	----	----	----	1 UNCH
10545	----	----	35.601B/----	35.601B/33.083A	----	32.748 + 3.090	.9562	----	----	----	----	1 UNCH
10550	----	----	35.673B/----	35.673B/32.912A	----	32.797 + 3.090	.9564	----	----	----	----	22 UNCH
10585	----	----	35.996B/----	35.996B/33.476A	----	33.142 + 3.093	.9572	----	----	----	----	1 UNCH
10590	----	----	36.045B/----	36.045B/33.526A	----	33.191 + 3.093	.9574	----	----	----	----	1 UNCH
10595	----	----	36.095B/----	36.095B/33.575A	----	33.241 + 3.094	.9574	----	----	----	----	3 UNCH
10600	----	----	36.144B/----	36.144B/33.624A	----	33.290 + 3.094	.9576	----	----	----	----	5 UNCH
10670	----	----	36.835B/----	36.835B/34.314A	----	33.980 + 3.097	.9592	----	----	----	----	3 UNCH
10675	----	----	36.885B/----	36.885B/34.364A	----	34.029 + 3.097	.9593	----	----	----	----	1 UNCH
10700	----	----	37.157B/----	37.157B/34.398A	----	34.276 + 3.099	.9598	----	----	----	----	9 UNCH
10800	----	----	38.121B/----	38.121B/35.595A	----	35.263 + 3.103	.9619	----	----	----	----	1 UNCH
10820	----	----	38.319B/----	38.319B/35.792A	----	35.460 + 3.103	.9623	----	----	----	----	1 UNCH
10825	----	----	38.369B/----	38.369B/35.844A	----	35.510 + 3.104	.9624	----	----	----	----	1 UNCH
10835	----	----	38.468B/----	38.468B/35.832A	----	35.609 + 3.104	.9625	----	----	----	----	2 UNCH
10845	----	----	38.567B/----	38.567B/35.931A	----	35.707 + 3.104	.9628	----	----	----	----	1 UNCH
10875	----	----	38.863B/----	38.863B/36.335A	----	36.004 + 3.106	.9634	----	----	----	----	2 UNCH
10900	----	----	39.111B/----	39.111B/36.582A	----	36.251 + 3.106	.9639	----	----	----	----	1 UNCH
10950	----	----	39.606B/----	39.606B/36.981A	----	36.745 + 3.108	.9647	----	----	----	----	1 UNCH
10975	----	----	39.854B/----	39.854B/37.323A	----	36.992 + 3.108	.9651	----	----	----	----	3 UNCH
11000	----	----	40.247B/----	40.247B/37.360A	----	37.240 + 3.110	.9656	----	----	----	----	60 UNCH
11025	----	----	40.365B/----	40.365B/37.817A	----	37.487 + 3.110	.9660	----	----	----	----	1 UNCH
11075	----	----	40.845B/----	40.845B/38.311A	----	37.982 + 3.112	.9668	----	----	----	----	1 UNCH
11100	----	----	41.093B/----	41.093B/38.442A	----	38.229 + 3.112	.9672	----	----	----	----	1 UNCH
11125	----	----	41.340B/----	41.340B/38.809A	----	38.477 + 3.113	.9677	----	----	----	----	1 UNCH
11175	----	----	41.837B/----	41.837B/39.301A	----	38.972 + 3.114	.9684	----	----	----	----	1 UNCH
11200	----	----	42.084B/----	42.084B/39.548A	----	39.220 + 3.115	.9687	----	----	----	----	4 UNCH
11225	----	----	42.332B/----	42.332B/39.681A	----	39.468 + 3.116	.9692	----	----	----	----	3 UNCH
11250	----	----	42.580B/----	42.580B/40.044A	----	39.715 + 3.116	.9695	----	----	----	----	1 UNCH
11500	----	----	45.207B/----	45.207B/42.309A	----	42.195 + 3.121	.9728	----	----	----	----	78 UNCH
11550	----	----	45.557B/----	45.557B/43.016A	----	42.691 + 3.122	.9733	----	----	----	----	1 UNCH
11650	----	----	46.550B/----	46.550B/43.895A	----	43.684 + 3.123	.9745	----	----	----	----	1 UNCH
11800	----	----	48.061B/----	48.061B/45.413A	----	45.174 + 3.125	.9760	----	----	----	----	1 UNCH
11875	----	----	48.788B/----	48.788B/46.129A	----	45.919 + 3.126	.9767	----	----	----	----	1 UNCH
12250	----	----	52.522B/----	52.522B/49.847A	----	49.648 + 3.129	.9799	----	----	----	----	3 UNCH
12300	----	----	53.020B/----	53.020B/50.343A	----	50.146 + 3.130	.9804	----	----	----	----	1 UNCH
12500	----	----	55.035B/----	55.035B/52.271A	----	52.137 + 3.132	.9817	----	----	----	----	20 UNCH
12700	----	----	57.008B/----	57.008B/54.329A	----	54.129 + 3.133	.9830	----	----	----	----	1 UNCH
13000	----	----	60.001B/----	60.001B/57.330A	----	57.118 + 3.134	.9847	----	----	----	----	1 UNCH
TOTAL										617	194	19132 + 134
JUN26												
2100	----	----	----	----/0.080A	----	0.007 + 0.003	.0006	----	----	----	----	1 UNCH
2500	----	----	0.034B/----	0.034B/0.087A	----	0.028 + 0.011	.0025	----	----	----	----	141 UNCH
2650	----	----	----	0.001B/0.146A	----	0.037 + 0.012	.0033	----	----	----	----	1 UNCH
3000	----	----	----	0.001B/0.075A	----	0.066 + 0.006	.0059	----	----	----	----	245 UNCH
3075	----	----	----	0.007B/0.215A	----	0.074 + 0.008	.0067	----	----	----	----	4 UNCH
3100	----	----	----	0.008B/0.215A	----	0.076 + 0.008	.0069	----	----	----	----	3 UNCH
3150	----	----	----	0.016B/0.213A	----	0.082 + 0.010	.0074	----	----	----	----	8 UNCH
3200	----	----	----	0.023B/0.221A	----	0.088 + 0.012	.0080	----	----	----	----	4 UNCH
3325	----	----	----	0.046B/0.220A	----	0.105 + 0.017	.0095	----	----	----	----	2 UNCH
3350	----	----	----	0.049B/0.223A	----	0.108 + 0.017	.0098	----	----	----	----	1 UNCH
3400	----	----	----	0.057B/0.155A	----	0.116 + 0.020	.0106	----	----	----	----	12 UNCH
3500	----	----	0.140B/----	0.140B/0.242A	----	0.132 + 0.025	.0121	----	----	----	----	100 UNCH
3550	----	----	----	0.087B/0.248A	----	0.141 + 0.029	.0129	----	----	----	----	5 UNCH
3575	----	----	----	0.093B/0.251A	----	0.145 + 0.030	.0133	----	----	----	----	22 UNCH
3600	----	----	----	0.098B/0.254A	----	0.150 + 0.031	.0138	----	----	----	----	4 UNCH
3650	----	----	----	0.109B/0.260A	----	0.159 + 0.034	.0146	----	----	----	----	22 UNCH
3675	----	----	----	0.112B/0.264A	----	0.164 + 0.036	.0151	----	----	----	----	2 UNCH
3700	----	----	----	0.118B/0.267A	----	0.169 + 0.037	.0156	----	----	----	----	6 UNCH
3800	----	----	0.155B/----	0.155B/0.280A	----	0.191 + 0.045	.0177	----	----	----	----	14 UNCH
3850	----	----	----	0.154B/0.298A	----	0.202 + 0.048	.0187	----	----	----	----	2 UNCH
3900	----	----	0.167B/----	0.167B/0.312A	----	0.214 + 0.052	.0199	----	----	----	----	5 UNCH
3925	----	----	0.201B/----	0.201B/0.250A	----	0.221 + 0.055	.0205	----	----	----	----	3 UNCH
4000	----	----	0.220B/----	0.220B/0.335A	----	0.240 + 0.060	.0224	----	----	----	----	53 UNCH
4075	----	----	0.231B/----	0.231B/0.360A	----	0.261 + 0.067	.0244	----	----	----	----	1 UNCH
4100	----	----	0.237B/----	0.237B/0.367A	----	0.269 + 0.069	.0251	----	----	----	----	2 UNCH
4125	----	----	0.246B/----	0.246B/0.374A	----	0.276 + 0.071	.0258	----	----	----	----	5 UNCH
4150	----	----	0.255B/----	0.255B/0.380A	----	0.284 + 0.074	.0266	----	----	----	----	4 UNCH
4200	----	----	0.275B/----	0.275B/0.391A	----	0.300 + 0.078	.0281	----	----	----	----	26 UNCH
4225	----	----	0.283B/----	0.283B/0.399A	----	0.309 + 0.081	.0290	----	----	----	----	7 UNCH
4250	----	----	0.297B/----	0.297B/0.407A	----	0.317 + 0.083	.0298	----	----	----	----	5 UNCH
4275	----	----	0.307B/----	0.307B/0.415A	----	0.326 + 0.085	.0306	----	----	----	----	13 UNCH
4300	----	----	0.316B/----	0.316B/0.425A	----	0.335 + 0.088	.0315	----	----	----	----	5 UNCH
4350	----	----	0.339B/----	0.339B/0.443A	----	0.353 + 0.092	.0332	----	----	----	----	2 UNCH
4375	----	----	0.350B/----	0.350B/0.450A	----	0.363 + 0.095	.0342	----	----	----	----	1 UNCH
4400	----	----	0.362B/----	0.362B/0.460A	----	0.373 + 0.097	.0351	----	----	----	----	8 UNCH
4425	----	----	0.376B/----	0.376B/0.472A	----	0.383 + 0.099	.0361	----	----	----	----	1 UNCH
4500	----	----	0.416B/----	0.416B/0.477A	----	0.414 + 0.105	.0391	----	----	----	----	166 UNCH
4550	----	----	0.444B/----	0.444B/0.520A	----	0.437 + 0.110	.0413	----	----	----	----	2 UNCH
4600	----	----	0.475B/----	0.475B/0.544A	----	0.460 + 0.114	.0435	----	----	----	----	7 UNCH
4625	----	----	0.491B/----	0.491B/0.556A	----	0.472 + 0.116	.0447	----	----	----	----	12 UNCH
4650	----	----	0.510B/----	0.510B/0.569A	----	0.485 + 0.118	.0459	----	----	----	----	1 UNCH
4700	----	----	0.546B/----	0.546B/0.581A	----	0.511 + 0.122	.0484	----	----	3	----	3 + 3
4725	----	----	0.562B/----	0.562B/0.610A	----	0.524 + 0.123	.0496	----	----	----	----	10 UNCH
4750	----	----	0.581B/----	0.581B/0.623A	----	0.538 + 0.125	.0510	----	----	----	----	2 UNCH
4800	0.570	0.570	0.645B/0.570	0.645B/0.570	----	0.566 + 0.128	.0537	----	----	1	----	23 UNCH
4850	----	----	0.681B/----	0.681B/0.616A	----	0.596 + 0.130	.0565	----	----	----	----	3 UNCH
4875	----	----	0.702B/----	0.702B/0.645A	----	0.612 + 0.132	.0580	----	----	----	----	15 UNCH
4900	----	----	0.729B/----	0.729B/0.653A	----	0.628 + 0.133	.0595	----	----	2	----	177 + 1
5000	0.850	0.850	0.877B/0.650	0.877B/0.650	----	0.695 + 0.137	.0659	----	----	3	44	1001 UNCH
5025	----	----	0.903B/----	0.903B/0.731A	----	0.713 + 0.140	.0676	----	----	----	----	8 UNCH
5075	0.830	0.830	0.961B/0.770A	0.961B/0.770A	----	0.750 + 0.146	.0710	----	----	1	----	2 + 1
5100	----	----	0.986B/----	0.986B/0.791A	----	0.770 + 0.150	.0729	----	----	----	----	29 UNCH
5125	----	----	1.018B/----	1.018B/0.809A	----	0.790 + 0.153	.0747	----	----	----	----	1 UNCH
5150	----	----	1.049B/----	1.049B/0.814A	----	0.810 + 0.157	.0766	----	----	----	----	16 UNCH
5175	----	----	1.080B/----	1.080B/0.836A	----	0.831 + 0.161	.0786	----	----	----	----	12 UNCH
5250	----	----	1.172B/----	1.172B/0.899A	----	0.897 + 0.173	.0846	----	----	----	----	13 UNCH
5275	----	----	1.210B/----	1.210B/0.923A	----	0.921 + 0.178	.0868	----	----	----	----	23 UNCH
5300	----	----	1.251B/----	1.251B/0.950A	----	0.944 + 0.182	.0889	----	----	----	----	14 UNCH
5325	----	----	1.282B/----	1.282B/0.976A	----	0.969 + 0.187	.0912	----	----	----	----	10 UNCH
5350	----	----	1.322B/----	1.322B/1.002A	----	0.994 + 0.191	.0934	----	----	1	----	8 + 1
5375	----	----	1.358B/----	1.358B/1.029A	----	1.020 + 0.196	.0958	----	----	----	----	10 UNCH
5400	----	----	1.404B/----	1.404B/1.058A	----	1.047 + 0.202	.0982	----	----	1	----	13 + 1
5425	----	----	1.439B/----	1.439B/1.087A	----	1.075 + 0.208	.1006	----	----	----	----	4 UNCH
5450	----	----	1.484B/----	1.484B/1.112A	----	1.103 + 0.213	.1031	----	----	----	----	2 UNCH
5475	----	----	1.529B/----	1.529B/1.145A	----	1.132 + 0.219	.1057	----	----	----	----	13 UNCH
5500	1.459	1.459	1.573B/1.091	1.573B/1.091	----	1.163 + 0.226	.1083	----	----	15	----	277 - 3
5525	----	----	1.616B/----	1.616B/1.211A	----	1.194 + 0.232	.1110	----	----	----	----	16 UNCH
5550	----	----	1.667B/----	1.667B/1.245A	----	1.225 + 0.238	.1137	----	----	----	----	10 UNCH
5600	----	----	1.761B/----	1.761B/1.150A	----	1.292 + 0.252	.1194	----	----	----	----	18 UNCH
5625	----	----	1.806B/----	1.806B/1.176A	----	1.327 + 0.259	.1224	----	----	----	----	2 UNCH
5650	----	----	1.882B/----	1.882B/1.204A	----	1.363 + 0.266	.1254	----	----	----	----	51 UNCH
5675	----	----	1.908B/----	1.908B/1.236A	----	1.400 + 0.274	.1285	----	----	----	----	21 UNCH
5700	----	----	1.988B/----	1.988B/1.279A	----	1.438 + 0.282	.1316	----	----	----	----	223 UNCH
5750	----	----	2.095B/----	2.095B/1.343A	----	1.517 + 0.298	.1380	----	----	----	----	227 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS											
JUN26													
5775	1.770	1.770	2.136B/1.770	2.136B/1.382A	----	1.559	+ 0.307	.1414	----	----	4	----	9 + 4
5800	----	----	2.215B/----	2.215B/1.412A	----	1.601	+ 0.315	.1448	----	----	2	----	85 + 2
5825	----	----	2.250B/----	2.250B/1.447A	----	1.645	+ 0.325	.1483	----	----	----	----	9 UNCH
5850	----	----	2.308B/----	2.308B/1.485A	----	1.690	+ 0.334	.1518	----	----	3	----	6 + 1
5875	----	----	2.376B/----	2.376B/1.523A	----	1.736	+ 0.343	.1554	----	----	----	----	12 UNCH
5900	----	----	2.451B/----	2.451B/1.564A	----	1.783	+ 0.353	.1590	----	----	----	----	40 UNCH
5925	----	----	2.499B/----	2.499B/1.602A	----	1.831	+ 0.362	.1628	----	----	----	----	11 UNCH
5950	----	----	2.568B/----	2.568B/1.649A	----	1.881	+ 0.373	.1666	----	----	3	----	7 + 3
5975	----	----	2.638B/----	2.638B/1.687A	----	1.932	+ 0.383	.1704	----	----	----	----	2 UNCH
6000	2.200	2.200	2.735B/2.200	2.735B/1.700A	----	1.985	+ 0.395	.1744	----	----	20	----	733 + 6
6025	----	----	2.789B/----	2.789B/1.883A	----	2.038	+ 0.405	.1783	----	----	----	----	31 UNCH
6050	----	----	2.878B/----	2.878B/1.818A	----	2.093	+ 0.417	.1824	----	----	1	----	144 UNCH
6075	----	----	2.937B/----	2.937B/1.865A	----	2.149	+ 0.428	.1865	----	----	----	----	31 UNCH
6100	----	----	3.021B/----	3.021B/1.909A	----	2.207	+ 0.440	.1907	----	----	6	----	75 + 5
6125	----	----	3.073B/----	3.073B/1.961A	----	2.266	+ 0.452	.1949	----	----	----	----	3 UNCH
6150	----	----	3.151B/----	3.151B/2.010A	----	2.327	+ 0.465	.1992	----	----	----	----	5 UNCH
6175	----	----	3.229B/----	3.229B/2.061A	----	2.388	+ 0.477	.2036	----	----	----	----	24 UNCH
6200	----	----	3.336B/----	3.336B/2.106A	----	2.451	+ 0.490	.2080	----	----	----	----	153 UNCH
6225	----	----	3.392B/----	3.392B/2.167A	----	2.516	+ 0.503	.2124	----	----	----	----	2 UNCH
6250	----	----	3.505B/----	3.505B/2.219A	----	2.582	+ 0.517	.2170	----	----	----	----	89 UNCH
6275	----	----	3.562B/----	3.562B/2.276A	----	2.650	+ 0.531	.2216	----	----	----	----	2 UNCH
6300	3.489	3.489	3.677B/3.489	3.677B/2.323A	----	2.718	+ 0.544	.2262	----	----	1	----	115 UNCH
6325	----	----	3.739B/----	3.739B/2.391A	----	2.789	+ 0.559	.2309	----	----	----	----	6 UNCH
6350	----	----	3.845B/----	3.845B/2.451A	----	2.861	+ 0.574	.2357	----	----	----	----	27 UNCH
6375	----	----	3.949B/----	3.949B/2.512A	----	2.934	+ 0.588	.2405	----	----	----	----	101 UNCH
6400	3.919	3.919	4.044B/3.919	4.044B/2.564A	----	3.009	+ 0.604	.2453	----	----	2	----	75 UNCH
6425	----	----	4.128B/----	4.128B/2.637A	----	3.085	+ 0.619	.2502	----	----	----	----	45 UNCH
6450	----	----	4.207B/----	4.207B/2.705A	----	3.163	+ 0.634	.2552	----	----	----	----	9 UNCH
6475	----	----	4.305B/----	4.305B/2.769A	----	3.242	+ 0.650	.2601	----	----	----	----	2 UNCH
6500	3.929	3.929	4.434B/3.929	4.434B/2.833A	----	3.323	+ 0.666	.2652	----	----	2	----	193 - 1
6525	----	----	4.526B/----	4.526B/2.904A	----	3.406	+ 0.683	.2703	----	----	----	----	35 UNCH
6550	----	----	4.612B/----	4.612B/2.977A	----	3.490	+ 0.700	.2754	----	----	----	----	6 UNCH
6575	----	----	4.717B/----	4.717B/3.047A	----	3.575	+ 0.716	.2806	----	----	----	----	2 UNCH
6600	4.704	4.704	4.860B/4.704	4.860B/3.117A	----	3.662	+ 0.733	.2858	----	----	2	----	148 + 2
6625	----	----	4.934B/----	4.934B/3.197A	----	3.751	+ 0.750	.2910	----	----	----	----	9 UNCH
6650	----	----	5.043B/----	5.043B/3.267A	----	3.842	+ 0.768	.2963	----	----	----	----	11 UNCH
6675	----	----	5.155B/----	5.155B/3.348A	----	3.934	+ 0.786	.3017	----	----	----	----	4 UNCH
6700	----	----	5.297B/----	5.297B/3.425A	----	4.028	+ 0.804	.3070	----	----	----	----	52 UNCH
6725	----	----	5.395B/----	5.395B/3.508A	----	4.123	+ 0.822	.3124	----	----	----	----	26 UNCH
6750	----	----	5.485B/----	5.485B/3.593A	----	4.220	+ 0.840	.3178	----	----	----	----	20 UNCH
6775	----	----	5.621B/----	5.621B/3.697A	----	4.319	+ 0.859	.3233	----	----	----	----	2 UNCH
6800	----	----	5.741B/----	5.741B/3.762A	----	4.419	+ 0.878	.3288	----	----	1	----	20 + 1
6825	----	----	5.855B/----	5.855B/3.992A	----	4.521	+ 0.897	.3343	----	----	----	----	2 UNCH
6850	----	----	5.979B/----	5.979B/3.939A	----	4.624	+ 0.916	.3398	----	----	----	----	16 UNCH
6875	----	----	6.111B/----	6.111B/4.165A	----	4.730	+ 0.936	.3454	----	----	----	----	1 UNCH
6900	----	----	6.273B/----	6.273B/4.115A	----	4.837	+ 0.955	.3509	----	----	----	----	87 UNCH
6925	----	----	6.366B/----	6.366B/4.284A	----	4.945	+ 0.975	.3565	----	----	----	----	9 UNCH
6950	----	----	6.496B/----	6.496B/4.391A	----	5.056	+ 0.995	.3622	----	----	----	----	5 UNCH
6975	----	----	6.628B/----	6.628B/4.487A	----	5.168	+ 1.015	.3678	----	----	----	----	6 UNCH
7000	----	----	6.792B/----	6.792B/4.526A	----	5.281	+ 1.035	.3734	----	----	1	----	497 + 1
7025	----	----	6.891B/----	6.891B/4.660A	----	5.397	+ 1.056	.3791	----	----	1	----	4 UNCH
7050	----	----	7.032B/----	7.032B/4.726A	----	5.514	+ 1.076	.3847	----	----	----	----	20 UNCH
7075	----	----	7.188B/----	7.188B/4.901A	----	5.632	+ 1.096	.3904	----	----	----	----	41 UNCH
7100	----	----	7.310B/----	7.310B/4.986A	----	5.753	+ 1.117	.3961	----	----	3	----	18 UNCH
7125	----	----	7.450B/----	7.450B/5.083A	----	5.875	+ 1.138	.4018	----	----	----	----	3 UNCH
7150	7.433	7.433	7.593B/6.878	7.593B/5.249A	----	5.998	+ 1.158	.4075	----	----	26	----	27 + 25
7175	7.578	7.578	7.751B/7.578	7.751B/5.871A	----	6.124	+ 1.180	.4132	----	----	1	----	36 + 1
7200	7.716	7.716	7.918B/7.716	7.918B/5.788A	----	6.251	+ 1.201	.4189	----	----	1	----	230 + 1
7225	----	----	8.033B/----	8.033B/6.133A	----	6.379	+ 1.221	.4245	----	----	----	----	6 UNCH
7250	----	----	8.168B/----	8.168B/6.234A	----	6.510	+ 1.243	.4302	----	----	----	----	11 UNCH
7275	----	----	8.282B/----	8.282B/6.364A	----	6.642	+ 1.264	.4359	----	----	----	----	3 UNCH
7300	7.737	7.737	8.448B/7.737	8.448B/6.242A	----	6.775	+ 1.285	.4416	----	----	1	----	65 + 1
7325	----	----	8.601B/----	8.601B/6.601A	----	6.911	+ 1.307	.4472	----	----	----	----	1 UNCH
7350	----	----	8.749B/----	8.749B/6.719A	----	7.048	+ 1.328	.4529	----	----	----	----	2 UNCH
7375	----	----	8.914B/----	8.914B/6.829A	----	7.186	+ 1.349	.4585	----	----	----	----	2 UNCH
7400	----	----	9.060B/----	9.060B/6.896A	----	7.326	+ 1.370	.4642	----	----	----	----	48 UNCH
7425	----	----	9.232B/----	9.232B/7.077A	----	7.468	+ 1.392	.4697	----	----	----	----	2 UNCH
7450	----	----	9.374B/----	9.374B/7.204A	----	7.611	+ 1.413	.4753	----	----	----	----	2 UNCH
7475	8.197	8.197	9.529B/8.197	9.529B/7.332A	----	7.756	+ 1.435	.4809	----	----	2	----	4 UNCH
7500	8.665	8.665	9.715B/8.665	9.715B/7.225A	----	7.902	+ 1.455	.4864	----	----	9	----	343 + 8
7550	----	----	10.046B/----	10.046B/7.730A	----	8.200	+ 1.498	.4974	----	----	----	----	7 UNCH
7575	----	----	10.225B/----	10.225B/7.828A	----	8.351	+ 1.519	.5029	----	----	----	----	9 UNCH
7600	----	----	10.388B/----	10.388B/7.753A	----	8.504	+ 1.541	.5083	----	----	1	----	79 + 1
7625	----	----	10.540B/----	10.540B/8.101A	----	8.658	+ 1.562	.5138	----	----	----	----	3 UNCH
7650	----	----	10.734B/----	10.734B/8.280A	----	8.813	+ 1.582	.5191	----	----	----	----	3 UNCH
7675	----	----	10.915B/----	10.915B/8.379A	----	8.970	+ 1.603	.5245	----	----	----	----	1 UNCH
7700	----	----	11.075B/----	11.075B/8.402A	----	9.129	+ 1.624	.5298	----	----	----	----	19 UNCH
7725	----	----	11.264B/----	11.264B/8.663A	----	9.289	+ 1.645	.5351	----	----	----	----	1 UNCH
7750	----	----	11.440B/----	11.440B/8.756A	----	9.450	+ 1.665	.5403	----	----	----	----	2 UNCH
7775	----	----	11.614B/----	11.614B/8.954A	----	9.613	+ 1.685	.5456	----	----	----	----	25 UNCH
7800	----	----	11.714B/----	11.714B/9.037A	----	9.778	+ 1.706	.5507	----	----	----	----	4 UNCH
7850	----	----	12.144B/----	12.144B/9.411A	----	10.110	+ 1.746	.5610	----	----	----	----	8 UNCH
7875	----	----	12.323B/----	12.323B/9.514A	----	10.279	+ 1.766	.5661	----	----	----	----	19 UNCH
7900	----	----	12.515B/----	12.515B/9.484A	----	10.449	+ 1.786	.5711	----	----	1	----	108 + 1
7925	----	----	12.693B/----	12.693B/9.810A	----	10.620	+ 1.805	.5761	----	----	----	----	10 UNCH
7950	----	----	12.883B/----	12.883B/9.965A	----	10.792	+ 1.824	.5810	----	----	----	----	21 UNCH
8000	----	----	13.284B/----	13.284B/10.513A	----	11.141	+ 1.863	.5908	----	----	----	----	145 UNCH
8025	----	----	13.281B/----	13.281B/11.086A	----	11.318	+ 1.882	.5956	----	----	----	----	1 UNCH
8050	----	----	13.473B/----	13.473B/11.144A	----	11.495	+ 1.900	.6004	----	----	----	----	1 UNCH
8075	----	----	13.665B/----	13.665B/11.413A	----	11.674	+ 1.919	.6051	----	----	----	----	1 UNCH
8100	----	----	13.859B/----	13.859B/11.335A	----	11.854	+ 1.937	.6098	----	----	----	----	2 UNCH
8125	----	----	14.053B/----	14.053B/11.666A	----	12.035	+ 1.955	.6144	----	----	----	----	2 UNCH
8150	----	----	14.247B/----	14.247B/11.655A	----	12.218	+ 1.974	.6190	----	----	----	----	4 UNCH
8175	----	----	14.598B/----	14.598B/11.684A	----	12.401	+ 1.991	.6236	----	----	----	----	42 UNCH
8200	----	----	14.794B/----	14.794B/11.718A	----	12.586	+ 2.008	.6281	----	----	----	----	14 UNCH
8225	----	----	14.990B/----	14.990B/11.825A	----	12.772	+ 2.026	.6325	----	----	----	----	6 UNCH
8250	----	----	15.190B/----	15.190B/11.937A	----	12.959	+ 2.043	.6369	----	----	----	----	15 UNCH
8275	----	----	15.386B/----	15.386B/12.092A	----	13.147	+ 2.060	.6413	----	----	----	----	23 UNCH
8300	----	----	15.467B/----	15.467B/12.189A	----	13.337	+ 2.077	.6456	----	----	----	----	5 UNCH
8350	----	----	15.987B/----	15.987B/12.519A	----	13.718	+ 2.110	.6541	----	----	----	----	17 UNCH
8400	----	----	16.284B/----	16.284B/12.814A	----	14.104	+ 2.142	.6624	----	----	----	----	3 UNCH
8425	----	----	16.654B/----	16.654B/12.979A	----	14.298	+ 2.157	.6665	----	----	----	----	63 UNCH
8450	----	----	16.794B/----	16.794B/13.143A	----	14.494	+ 2.174	.6705	----	----	----	----	18 UNCH
8475	----	----	16.906B/----	16.906B/13.313A	----	14.690	+ 2.189	.6745	----	----	----	----	2 UNCH
8500	----	----	17.293B/----	17.293B/13.508A	----	14.887	+ 2.203	.6784	----	----	----	----	60 UNCH
8525	----	----	17.329B/----	17.329B/13.918A	----	15.086	+ 2.219	.6823	----	----	----	----	1 UNCH
8550	----	----	17.541B/----	17.541B/15.586A	----	15.285	+ 2.234	.6862	----	----	----	----	1 UNCH
8575	----	----	17.751B/----	17.751B/15.783A	----	15.485	+ 2.248	.6900	----	----	----	----	1 UNCH
8600	15.543	15.543	17.960B/15.543	17.960B/15.543	----	15.686	+ 2.263	.6937	----	----	2	----	3 + 2
8625	----	----	18.251B/----	18.251B/15.915A	----	15.887	+ 2.276	.6974	----	----	----	----	11 UNCH
8675	----	----	18.602B/----	18.602B/16.584A	----	16.294	+ 2.304	.7047	----	----	----	----	2 UNCH
8700	----	----	18.882B/----	18.882B/16.537A	----	16.498	+ 2.317	.7083	----	----	----	----	14 UNCH
8750	----	----	19.324B/----	19.324B/16.950A	----	16.909	+ 2.344	.7153	----	----	----	----	26 UNCH
8775	----	----	19.468B/----	19.468B/17.397A	----	17.115	+ 2.356	.7187	----	----	----	----	1 UNCH
8800	----	----	19.741B/----	19.741B/17.366A	----	17.323	+ 2.369	.7221	----	----	----	----	14 UNCH
8825	----	----	19.953B/----	19.953B/17.574A	----	17.531	+ 2.381	.7254	----	----	----	----	15 UNCH
8850	----	----	20.173B/----	20.173B/17.784A	----	17.740	+ 2.394	.7288	----	----	----	----	6 UNCH
8925	----	----	20.779B/----	20.779B/18.645A	----	18.371	+ 2.429	.7384	----	----	----	----	4 UNCH
8975	----	----	21.220B/----	21.220B/19.034A	----	18.795	+ 2.452	.7447	----	----	----	----	2 UNCH
9000	----	----	21.566B/----	21.566B/19.057A	----	19.008	+ 2.463	.7477	----	----	----	----	93 UNCH
9050	----	----	21.885B/----	21.885B/19.674A	----	19.436	+ 2.485	.7537	----	----	----	----	3 UNCH
9075	----	----	22.076B/----	22.076B/19.887A	----	19.651	+ 2.496	.7566	----	----	----	----	2 UNCH
9100	----	----	22.364B/----	22.364B/19.919A	----	19.866	+ 2.505	.7595	----	----	----	----	6 UNCH
9125	----	----	22.554B/----	22.554B/20.318A	----	20.082	+ 2.516	.7624	----	----	----	----	1 UNCH
9150	----	----	22.778B/----	22.778B/20.543A	----	20.299	+ 2.526	.7652	----	----	----	----	1 UNCH
9175	----	----	23.002B/----	23.002B/20.747A	----	20.516	+ 2.535	.7679	----	----	----	----	1 UNCH
9200	----	----	23.348B/----	23.348B/20.790A	----	20.734	+ 2.545	.7707	----	----	----	----	80 UNCH
9325	----	----	24.356B/----	24.356B/22.074A	----	21.830	+ 2.590	.7838	----	----	----	----	1 UNCH
9450	----	----	25.517B/----	25.517B/23.003A	----	22.939	+ 2.632	.7961	----	----	----	----	6 UNCH
9500	----	----	26.048B/----	26.048B/23.452A	----	23.386	+ 2.648	.8009	----	----	----	----	138 UNCH
9525	----	----	26.152B/----	26.152B/23.836A	----	23.610	+ 2.656	.8031	----	----	----	----	1 UNCH
9550	----	----	26.382B/----	26.382B/24.061A	----	23.834	+ 2.663	.8054	----	----	----	----	1 UNCH
9575	----	----	26.612B/----	26.612B/24.285A	----	24.059	+ 2.670	.8076	----	----	----	----	1 UNCH
9725	----	----	28.031B/----	28.031B/25.659A	----	25.415	+ 2.711	.8204	----	----	----	----	1 UNCH
9825	----	----	28.960B/----	28.960B/26.551A	----	26.326	+ 2.735	.8285	----	----	----	----	1 UNCH
9850	----	----	29.194B/----	29.194B/26.780A	----	26.555	+ 2.741	.8304	----	----	----	----	1 UNCH
9900	----	----	29.653B/----	29.653B/27.090A	----	27.013	+ 2.753	.8342	----	----	----	----	17 UNCH
9925	----	----	29.866B/----	29.866B/27.486A	----	27.243	+ 2.759	.8360	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO PUT		COMEX SILVER OPTIONS												
JUN26														
9950	----	----	30.099B/----	30.099B/27.716A	----	27.472	+ 2.763	.8379	----	----	----	----	1	UNCH
10000	----	----	30.690B/----	30.690B/28.007A	----	27.933	+ 2.775	.8415	----	----	----	----	97	UNCH
10025	----	----	30.808B/----	30.808B/28.385A	----	28.163	+ 2.779	.8433	----	----	----	----	2	UNCH
10075	----	----	31.279B/----	31.279B/28.868A	----	28.625	+ 2.789	.8468	----	----	----	----	1	UNCH
10100	----	----	31.550B/----	31.550B/28.943A	----	28.857	+ 2.794	.8485	----	----	----	----	6	UNCH
10125	----	----	31.749B/----	31.749B/29.311A	----	29.088	+ 2.799	.8502	----	----	----	----	1	UNCH
10150	----	----	32.021B/----	32.021B/29.407A	----	29.320	+ 2.803	.8519	----	----	----	----	8	UNCH
10175	----	----	32.213B/----	32.213B/29.775A	----	29.552	+ 2.808	.8535	----	----	----	----	2	UNCH
10200	----	----	32.580B/----	32.580B/29.859A	----	29.785	+ 2.813	.8552	----	----	----	----	117	UNCH
10225	----	----	32.701B/----	32.701B/30.256A	----	30.017	+ 2.817	.8567	----	----	----	----	1	UNCH
10325	----	----	33.651B/----	33.651B/31.182A	----	30.950	+ 2.834	.8629	----	----	----	----	1	UNCH
10350	----	----	33.889B/----	33.889B/31.416A	----	31.184	+ 2.838	.8644	----	----	----	----	1	UNCH
10375	----	----	34.116B/----	34.116B/31.648A	----	31.419	+ 2.843	.8659	----	----	----	----	1	UNCH
10400	----	----	34.357B/----	34.357B/31.880A	----	31.653	+ 2.847	.8674	----	----	----	----	1	UNCH
10500	----	----	35.359B/----	35.359B/32.684A	----	32.594	+ 2.864	.8730	----	----	----	----	9	UNCH
10600	----	----	36.289B/----	36.289B/33.763A	----	33.539	+ 2.882	.8782	----	----	----	----	5	UNCH
10825	----	----	38.481B/----	38.481B/35.771A	----	35.674	+ 2.915	.8891	----	----	----	----	6	UNCH
10850	----	----	38.679B/----	38.679B/36.116A	----	35.912	+ 2.918	.8903	----	----	----	----	4	UNCH
10875	----	----	38.934B/----	38.934B/36.354A	----	36.150	+ 2.921	.8914	----	----	----	----	2	UNCH
10950	----	----	39.657B/----	39.657B/37.074A	----	36.866	+ 2.931	.8948	----	----	----	----	3	UNCH
11000	----	----	40.143B/----	40.143B/37.544A	----	37.343	+ 2.936	.8969	----	----	----	----	2	UNCH
11325	----	----	43.302B/----	43.302B/40.639A	----	40.460	+ 2.967	.9098	----	----	----	----	1	UNCH
11500	----	----	45.034B/----	45.034B/42.275A	----	42.147	+ 2.981	.9159	----	----	----	----	10	UNCH
11525	----	----	45.258B/----	45.258B/42.569A	----	42.388	+ 2.982	.9167	----	----	----	----	1	UNCH
11675	----	----	46.713B/----	46.713B/44.021A	----	43.840	+ 2.993	.9215	----	----	----	----	1	UNCH
11700	----	----	46.960B/----	46.960B/44.263A	----	44.082	+ 2.994	.9223	----	----	----	----	1	UNCH
12000	----	----	50.008B/----	50.008B/47.055A	----	46.997	+ 3.013	.9306	----	----	----	----	50	UNCH
12025	----	----	50.150B/----	50.150B/46.476A	----	47.241	+ 3.015	.9313	----	----	----	----	1	UNCH
13000	----	----	59.749B/----	59.749B/56.992A	----	56.803	+ 3.066	.9503	----	----	----	----	5	UNCH
TOTAL											123	44	8598 +	68
JUL26														
2000	----	----	----	0.028B/0.073A	----	0.056	+ 0.028	.0037	----	----	----	----	6	UNCH
2400	----	----	----	0.001B/0.186A	----	0.093	+ 0.037	.0063	----	----	----	----	10	UNCH
2650	----	----	----	0.001B/0.235A	----	0.121	+ 0.041	.0085	----	----	----	----	6	UNCH
3000	----	----	----	0.059B/0.237A	----	0.165	+ 0.040	.0121	----	----	----	----	4	UNCH
3350	----	----	----	0.135B/0.297A	----	0.221	+ 0.038	.0170	----	----	----	----	1	UNCH
3400	----	----	----	0.150B/0.308A	----	0.231	+ 0.038	.0178	----	----	----	----	55	UNCH
3475	----	----	----	0.187B/0.322A	----	0.245	+ 0.036	.0191	----	----	----	----	5	UNCH
3500	----	----	----	0.189B/0.328A	----	0.251	+ 0.037	.0196	----	----	----	----	3	UNCH
3600	----	----	----	0.208B/0.355A	----	0.273	+ 0.036	.0215	----	----	----	----	12	UNCH
3700	----	----	----	0.242B/0.380A	----	0.297	+ 0.035	.0237	----	----	----	----	92	UNCH
3800	----	----	----	0.281B/0.412A	----	0.325	+ 0.036	.0261	----	----	----	----	25	UNCH
3825	----	----	----	0.291B/0.421A	----	0.332	+ 0.036	.0267	----	----	----	----	8	UNCH
3850	----	----	----	0.300B/0.430A	----	0.339	+ 0.036	.0273	----	----	----	----	3	UNCH
3900	----	----	0.320B/----	0.320B/0.346A	----	0.355	+ 0.037	.0287	----	----	----	----	11	UNCH
3950	0.394	0.394	0.394/0.394	0.394/0.394	----	0.372	+ 0.038	.0302	----	----	1	----	1	UNCH
4000	0.346	0.346	0.365B/0.346	0.365B/0.346	----	0.390	+ 0.039	.0317	----	----	3	----	70 +	3
4075	----	----	0.404B/----	0.404B/0.513A	----	0.419	+ 0.042	.0341	----	----	----	----	16	UNCH
4100	----	----	0.417B/----	0.417B/0.524A	----	0.429	+ 0.042	.0350	----	----	----	----	6	UNCH
4175	----	----	0.461B/----	0.461B/0.560A	----	0.462	+ 0.046	.0377	----	----	----	----	9	UNCH
4200	----	----	0.477B/----	0.477B/0.572A	----	0.474	+ 0.048	.0387	----	----	----	----	27	UNCH
4225	----	----	0.492B/----	0.492B/0.580A	----	0.486	+ 0.050	.0397	----	----	----	----	1	UNCH
4250	----	----	0.509B/----	0.509B/0.594A	----	0.498	+ 0.051	.0407	----	----	----	----	21	UNCH
4300	----	----	0.542B/----	0.542B/0.621A	----	0.524	+ 0.055	.0428	----	----	----	----	96	UNCH
4325	----	----	0.560B/----	0.560B/0.636A	----	0.538	+ 0.057	.0440	----	----	----	----	17	UNCH
4375	----	----	0.596B/----	0.596B/0.665A	----	0.566	+ 0.061	.0462	----	----	----	----	32	UNCH
4400	----	----	0.615B/----	0.615B/0.681A	----	0.581	+ 0.064	.0474	----	----	----	----	28	UNCH
4450	----	----	0.658B/----	0.658B/0.714A	----	0.612	+ 0.069	.0499	----	----	----	----	4	UNCH
4475	----	----	0.679B/----	0.679B/0.731A	----	0.628	+ 0.072	.0512	----	----	----	----	16	UNCH
4500	----	----	0.700B/----	0.700B/0.748A	----	0.645	+ 0.075	.0525	----	----	----	----	303	UNCH
4575	----	----	0.767B/----	0.767B/0.798A	----	0.697	+ 0.083	.0566	----	----	----	----	75	UNCH
4600	----	----	0.791B/----	0.791B/0.816A	----	0.716	+ 0.087	.0581	----	----	----	----	101	UNCH
4650	----	----	0.842B/----	0.842B/0.856A	----	0.755	+ 0.094	.0611	----	----	----	----	40	UNCH
4675	----	----	0.874B/----	0.874B/0.876A	----	0.775	+ 0.098	.0627	----	----	----	----	12	UNCH
4700	----	----	0.901B/----	0.901B/0.897A	----	0.796	+ 0.102	.0643	----	----	1	----	152	UNCH
4725	----	----	0.928B/----	0.928B/0.919A	----	0.817	+ 0.106	.0659	----	----	----	----	3	UNCH
4750	----	----	0.957B/----	0.957B/0.941A	----	0.839	+ 0.110	.0675	----	----	----	----	54	UNCH
4775	----	----	0.986B/----	0.986B/0.964A	----	0.862	+ 0.114	.0693	----	----	----	----	8	UNCH
4800	----	----	1.016B/----	1.016B/0.981A	----	0.885	+ 0.119	.0710	----	----	----	----	15	UNCH
4825	----	----	1.048B/----	1.048B/1.005A	----	0.909	+ 0.123	.0728	----	----	----	----	26	UNCH
4850	----	----	1.056B/----	1.056B/1.029A	----	0.933	+ 0.127	.0746	----	----	----	----	2	UNCH
4875	----	----	1.065B/----	1.065B/1.054A	----	0.958	+ 0.132	.0764	----	----	----	----	23	UNCH
4900	----	----	1.070B/----	1.070B/1.078A	----	0.983	+ 0.136	.0783	----	----	----	----	172	UNCH
5000	----	----	1.073B/----	1.073B/1.186A	----	1.092	+ 0.155	.0863	----	----	6	----	838 +	5
5025	----	----	1.104B/----	1.104B/1.210A	----	1.121	+ 0.160	.0884	----	----	----	----	1	UNCH
5050	----	----	1.139B/----	1.139B/1.239A	----	1.151	+ 0.166	.0905	----	----	----	----	16	UNCH
5075	----	----	1.175B/----	1.175B/1.266A	----	1.181	+ 0.171	.0927	----	----	----	----	11	UNCH
5100	----	----	1.212B/----	1.212B/1.298A	----	1.212	+ 0.176	.0949	----	----	1	----	176 +	1
5150	----	----	1.288B/----	1.288B/1.562A	----	1.277	+ 0.187	.0994	----	----	----	----	5	UNCH
5175	----	----	1.327B/----	1.327B/1.596A	----	1.310	+ 0.192	.1018	----	----	----	----	5	UNCH
5200	----	----	1.367B/----	1.367B/1.631A	----	1.344	+ 0.197	.1041	----	----	----	----	86	UNCH
5225	----	----	1.409B/----	1.409B/1.667A	----	1.379	+ 0.203	.1066	----	----	----	----	9	UNCH
5250	----	----	1.451B/----	1.451B/1.703A	----	1.415	+ 0.208	.1090	----	----	----	----	250	UNCH
5275	----	----	1.494B/----	1.494B/1.741A	----	1.451	+ 0.213	.1115	----	----	----	----	2	UNCH
5300	----	----	1.542B/----	1.542B/1.779A	----	1.488	+ 0.218	.1141	----	----	----	----	125	UNCH
5325	----	----	1.585B/----	1.585B/1.819A	----	1.527	+ 0.225	.1167	----	----	----	----	11	UNCH
5350	----	----	1.637B/----	1.637B/1.859A	----	1.566	+ 0.230	.1193	----	----	----	----	26	UNCH
5375	----	----	1.679B/----	1.679B/1.900A	----	1.606	+ 0.236	.1220	----	----	----	----	17	UNCH
5400	----	----	1.729B/----	1.729B/1.943A	----	1.646	+ 0.241	.1247	----	----	----	----	75	UNCH
5425	----	----	1.781B/----	1.781B/1.986A	----	1.688	+ 0.247	.1275	----	----	----	----	49	UNCH
5450	----	----	1.841B/----	1.841B/2.030A	----	1.731	+ 0.253	.1303	----	----	----	----	38	UNCH
5475	----	----	1.852B/----	1.852B/2.075A	----	1.775	+ 0.260	.1332	----	----	----	----	53	UNCH
5500	----	----	1.885B/----	1.885B/1.960A	----	1.819	+ 0.265	.1360	----	----	----	----	887	UNCH
5525	----	----	2.124B/----	2.124B/2.110A	----	1.865	+ 0.271	.1390	----	----	----	----	72	UNCH
5550	----	----	2.055B/----	2.055B/2.114A	----	1.911	+ 0.277	.1420	----	----	----	----	13	UNCH
5575	----	----	2.114B/----	2.114B/2.139A	----	1.959	+ 0.284	.1450	----	----	----	----	3	UNCH
5600	----	----	2.171B/----	2.171B/2.127A	----	2.007	+ 0.289	.1481	----	----	----	----	13	UNCH
5625	----	----	2.229B/----	2.229B/2.145A	----	2.057	+ 0.296	.1512	----	----	----	----	3	UNCH
5650	----	----	2.359B/----	2.359B/2.190A	----	2.107	+ 0.302	.1544	----	----	----	----	29	UNCH
5675	----	----	2.421B/----	2.421B/2.469A	----	2.159	+ 0.308	.1576	----	----	----	----	45	UNCH
5700	----	----	2.548B/----	2.548B/2.511A	----	2.212	+ 0.315	.1608	----	----	----	----	297	UNCH
5725	----	----	2.490B/----	2.490B/2.565A	----	2.265	+ 0.321	.1641	----	----	----	----	3	UNCH
5750	----	----	2.680B/----	2.680B/2.296A	----	2.320	+ 0.328	.1675	----	----	----	----	52	UNCH
5775	----	----	2.618B/----	2.618B/2.735A	----	2.376	+ 0.334	.1708	----	----	----	----	2	UNCH
5800	----	----	2.687B/----	2.687B/2.793A	----	2.433	+ 0.341	.1743	----	----	----	----	21	UNCH
5825	----	----	2.765B/----	2.765B/2.853A	----	2.491	+ 0.347	.1777	----	----	----	----	2	UNCH
5850	----	----	2.962B/----	2.962B/2.729A	----	2.551	+ 0.355	.1813	----	----	----	----	114	UNCH
5875	----	----	2.903B/----	2.903B/2.976A	----	2.611	+ 0.361	.1848	----	----	----	----	3	UNCH
5900	----	----	2.978B/----	2.978B/3.038A	----	2.673	+ 0.368	.1884	----	----	----	----	6	UNCH
5950	----	----	3.132B/----	3.132B/3.170A	----	2.800	+ 0.383	.1957	----	----	----	----	2	UNCH
5975	----	----	3.208B/----	3.208B/3.237A	----	2.865	+ 0.390	.1994	----	----	----	----	1	UNCH
6000	----	----	3.424B/----	3.424B/3.100A	----	2.932	+ 0.397	.2032	----	----	----	----	587	UNCH
6100	----	----	3.820B/----	3.820B/3.443A	----	3.210	+ 0.427	.2186	----	----	----	----	285	UNCH
6200	----	----	3.980B/----	3.980B/3.902A	----	3.509	+ 0.459	.2346	----	----	----	----	9	UNCH
6250	----	----	4.168B/----	4.168B/4.066A	----	3.666	+ 0.475	.2428	----	----	----	----	13	UNCH
6275	----	----	4.260B/----	4.260B/4.106A	----	3.747	+ 0.484	.2469	----	----	----	----	1	UNCH
6300	----	----	4.429B/----	4.429B/4.142A	----	3.829	+ 0.492	.2511	----	----	----	----	31	UNCH
6325	----	----	4.467B/----	4.467B/4.277A	----	3.913	+ 0.502	.2553	----	----	----	----	20	UNCH
6375	----	----	4.665B/----	4.665B/4.452A	----	4.083	+ 0.519	.2638	----	----	----	----	1	UNCH
6400	----	----	4.983B/----	4.983B/4.422A	----	4.171	+ 0.528	.2682	----	----	----	----	55	UNCH
6500	5.500	5.500	5.500/4.600	5.500/4.600	----	4.535	+ 0.566	.2856	----	----	57	----	731 +	48
6550	----	----	5.671B/----	5.671B/4.994A	----	4.725	+ 0.586	.2945	----	----	----	----	50	UNCH
6600	----	----	5.664B/----	5.664B/5.327A	----	4.921	+ 0.607	.3035	----	----	----	----	1	UNCH
6650	----	----	6.142B/----	6.142B/5.319A	----	5.123	+ 0.628	.3125	----	----	----	----	100	UNCH
6700	----	----	6.376B/----	6.376B/5.529A	----	5.330	+ 0.650	.3216	----	----	----	----	81	UNCH
6750	----	----	6.423B/----	6.423B/5.969A	----	5.543	+ 0.672	.3308	----	----	----	----	24	UNCH
6800	----	----	6.883B/----	6.883B/5.963A	----	5.762	+ 0.695	.3400	----	----	----	----	257	UNCH
6900	----	----	7.213B/----	7.213B/6.657A	----	6.217	+ 0.744	.3586	----	----	----	----	8	UNCH
7000	----	----	7.993B/----	7.993B/6.815A	----	6.695	+ 0.795	.3773	----	----	----	----	517	UNCH
7025	----	----	8.115B/----	8.115B/7.032A	----	6.818	+ 0.808	.3820	----	----	----	----	125	UNCH
7125	----	----	8.519B/----	8.519B/7.786A	----	7.324	+ 0.861	.4007	----	----	----	----	8	UNCH
7150	----	----	8.619B/----	8.619B/7.916A	----	7.454	+ 0.874	.4053	----	----	----	----	1	UNCH
7200	----	----	9.090B/----	9.090B/7.999A	----	7.718	+ 0.902	.4147	----	----	----	----	39	UNCH
7250	----	----	9.466B/----	9.466B/8.127A	----	7.988	+ 0.930	.4240	----	----	----	----	169	UNCH
7300	----	----	9.721B/----	9.721B/8.495A	----	8.263	+ 0.958	.4333	----	----	----	----	25	UNCH
7325	----	----	9.760B/----	9.760B/8.514A	----	8.403	+ 0.973	.4379	----	----	----	----	1	UNCH
7375	----	----	10.262B/----	10.262B/8.695A	----	8.686	+ 1.002	.4471	----	----	----	----	148	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUL26												
7400	9.920	9.920	10.349B/9.123A	10.349B/9.123A	----	8.830 + 1.017	.4517	----	----	4	----	21 - 4
7450	----	----	10.562B/----	10.562B/9.627A	----	9.121 + 1.046	.4608	----	----	----	----	1 UNCH
7500	10.530	10.530	10.995B/9.716A	10.995B/9.716A	----	9.418 + 1.076	.4698	----	----	1	----	37 - 1
7525	----	----	11.065B/----	11.065B/10.084A	----	9.568 + 1.091	.4743	----	----	----	----	2 UNCH
7550	9.950	9.950	11.183B/9.950	11.183B/9.950	----	9.719 + 1.106	.4788	----	----	13	----	7 + 6
7600	----	----	11.558B/----	11.558B/10.556A	----	10.026 + 1.137	.4877	----	----	----	----	4 UNCH
7625	----	----	11.758B/----	11.758B/10.710A	----	10.181 + 1.152	.4921	----	----	----	----	1 UNCH
7700	----	----	12.264B/----	12.264B/11.188A	----	10.654 + 1.197	.5052	----	----	----	----	1 UNCH
7800	----	----	13.002B/----	13.002B/11.814A	----	11.301 + 1.258	.5224	----	----	----	----	2 UNCH
7850	----	----	13.351B/----	13.351B/12.135A	----	11.632 + 1.289	.5308	----	----	----	----	1 UNCH
7900	----	----	13.725B/----	13.725B/12.494A	----	11.967 + 1.320	.5391	----	----	----	----	8 UNCH
7975	----	----	14.268B/----	14.268B/12.857A	----	12.479 + 1.367	.5514	----	----	----	----	5 UNCH
8000	----	----	14.712B/----	14.712B/12.276A	----	12.651 + 1.382	.5555	----	----	----	----	291 UNCH
8100	----	----	15.346B/----	15.346B/13.683A	----	13.352 + 1.443	.5713	----	----	----	----	25 UNCH
8125	----	----	15.382B/----	15.382B/13.912A	----	13.530 + 1.459	.5752	----	----	----	----	4 UNCH
8250	----	----	16.429B/----	16.429B/14.775A	----	14.434 + 1.535	.5942	----	----	----	----	46 UNCH
8300	----	----	17.012B/----	17.012B/14.967A	----	14.802 + 1.564	.6016	----	----	----	----	120 UNCH
8375	----	----	17.341B/----	17.341B/15.761A	----	15.361 + 1.608	.6124	----	----	----	----	1 UNCH
8400	----	----	17.543B/----	17.543B/15.959A	----	15.549 + 1.623	.6160	----	----	----	----	7 UNCH
8500	18.642	18.642	18.642/16.637A	18.642/16.637A	----	16.311 + 1.681	.6298	----	----	2	----	53 UNCH
8600	----	----	19.424B/----	19.424B/17.416A	----	17.086 + 1.738	.6432	----	----	----	----	56 UNCH
8700	----	----	19.977B/----	19.977B/18.088A	----	17.873 + 1.793	.6561	----	----	----	----	4 UNCH
9000	----	----	22.812B/----	22.812B/20.643A	----	20.302 + 1.947	.6918	----	----	----	----	308 UNCH
9200	----	----	24.297B/----	24.297B/22.469A	----	21.972 + 2.042	.7133	----	----	----	----	11 UNCH
9400	----	----	#25.983B/----	#25.983B/24.169A	----	23.676 + 2.128	.7330	----	----	----	----	1 UNCH
9450	----	----	26.441B/----	26.441B/24.601A	----	24.107 + 2.148	.7377	----	----	----	----	12 UNCH
9500	----	----	27.175B/----	27.175B/24.813A	----	24.540 + 2.168	.7423	----	----	----	----	218 UNCH
9600	----	----	28.062B/----	28.062B/25.681A	----	25.411 + 2.207	.7512	----	----	----	----	50 UNCH
9900	----	----	30.450B/----	30.450B/28.539A	----	28.059 + 2.308	.7756	----	----	----	----	6 UNCH
9950	----	----	30.957B/----	30.957B/28.984A	----	28.506 + 2.324	.7794	----	----	----	----	5 UNCH
10000	----	----	31.669B/----	31.669B/29.212A	----	28.953 + 2.339	.7831	----	----	----	----	205 UNCH
10275	----	----	33.878B/----	33.878B/31.912A	----	31.436 + 2.415	.8022	----	----	----	----	7 UNCH
10500	----	----	35.961B/----	35.961B/33.962A	----	33.490 + 2.468	.8164	----	----	----	----	3 UNCH
10600	----	----	36.890B/----	36.890B/34.879A	----	34.409 + 2.490	.8223	----	----	----	----	9 UNCH
11000	----	----	40.926B/----	40.926B/38.376A	----	38.119 + 2.567	.8437	----	----	----	----	217 UNCH
11300	----	----	43.519B/----	43.519B/41.416A	----	40.933 + 2.616	.8577	----	----	----	----	10 UNCH
11500	----	----	45.431B/----	45.431B/43.292A	----	42.821 + 2.644	.8661	----	----	----	----	1 UNCH
12000	----	----	#50.359B/----	#50.359B/47.929A	----	47.579 + 2.707	.8845	----	----	----	----	15 UNCH
13000	----	----	#60.059B/----	#60.059B/57.511A	----	57.221 + 2.808	.9123	----	----	----	----	2 UNCH
TOTAL										89	0	9996 + 58
AUG26												
3300	----	----	0.195B/----	0.195B/0.378A	----	0.242 + 0.051	.0177	----	----	----	----	2 UNCH
3900	----	----	0.460B/----	0.460B/0.594A	----	0.495 + 0.080	.0355	----	----	----	----	2 UNCH
4175	----	----	0.652B/----	0.652B/0.756A	----	0.652 + 0.091	.0466	----	----	----	----	1 UNCH
4300	----	----	0.759B/----	0.759B/0.840A	----	0.736 + 0.096	.0524	----	----	----	----	1 UNCH
4350	----	----	0.805B/----	0.805B/0.878A	----	0.773 + 0.099	.0550	----	----	----	----	1 UNCH
4375	----	----	0.830B/----	0.830B/0.899A	----	0.791 + 0.100	.0562	----	----	----	----	160 UNCH
4500	----	----	0.966B/----	0.966B/0.956A	----	0.892 + 0.107	.0631	----	----	----	----	2 UNCH
4600	----	----	1.086B/----	1.086B/1.025A	----	0.980 + 0.113	.0691	----	----	----	----	2 UNCH
4700	----	----	1.192B/----	1.192B/1.144A	----	1.077 + 0.121	.0756	----	----	----	----	1 UNCH
4800	----	----	1.181B/----	1.181B/1.257A	----	1.184 + 0.130	.0826	----	----	----	----	15 UNCH
5000	----	----	1.351B/----	1.351B/1.846A	----	1.429 + 0.153	.0982	----	----	----	----	14 UNCH
5275	----	----	1.933B/----	1.933B/2.337A	----	1.849 + 0.200	.1235	----	----	----	----	1 UNCH
5300	----	----	1.977B/----	1.977B/2.368A	----	1.893 + 0.206	.1261	----	----	----	----	1 UNCH
5500	----	----	2.431B/----	2.431B/2.506A	----	2.277 + 0.254	.1478	----	----	----	----	26 UNCH
5675	----	----	2.894B/----	2.894B/3.126A	----	2.670 + 0.308	.1688	----	----	----	----	9 UNCH
5800	----	----	3.262B/----	3.262B/3.450A	----	2.985 + 0.352	.1848	----	----	----	----	4 UNCH
5850	----	----	3.419B/----	3.419B/3.585A	----	3.120 + 0.372	.1915	----	----	----	----	2 UNCH
5875	----	----	3.506B/----	3.506B/3.673A	----	3.189 + 0.382	.1949	----	----	----	----	12 UNCH
5900	3.610	3.610	3.610/3.605	3.610/3.605	----	3.259 + 0.392	.1983	----	----	8	----	8 - 8
5950	3.662	3.662	3.747B/3.662	3.747B/3.662	----	3.404 + 0.413	.2052	----	----	8	----	16 - 4
6000	----	----	3.919B/----	3.919B/4.051A	----	3.554 + 0.436	.2123	----	----	----	----	139 UNCH
6050	----	----	4.096B/----	4.096B/4.222A	----	3.709 + 0.459	.2194	----	----	----	----	8 UNCH
6100	----	----	4.275B/----	4.275B/4.384A	----	3.869 + 0.482	.2267	----	----	----	----	9 UNCH
6300	----	----	5.057B/----	5.057B/5.202A	----	4.563 + 0.586	.2567	----	----	----	----	1 UNCH
6500	----	----	5.948B/----	5.948B/6.006A	----	5.344 + 0.701	.2880	----	----	----	----	129 UNCH
6600	----	----	6.421B/----	6.421B/6.438A	----	5.768 + 0.763	.3040	----	----	----	----	13 UNCH
6725	----	----	7.038B/----	7.038B/7.006A	----	6.329 + 0.844	.3241	----	----	----	----	7 UNCH
6825	----	----	7.551B/----	7.551B/7.502A	----	6.802 + 0.911	.3403	----	----	----	----	7 UNCH
7000	----	----	8.502B/----	8.502B/8.363A	----	7.682 + 1.030	.3687	----	----	----	----	1 UNCH
7050	----	----	8.784B/----	8.784B/8.622A	----	7.945 + 1.065	.3768	----	----	----	----	1 UNCH
7100	----	----	9.064B/----	9.064B/8.885A	----	8.214 + 1.100	.3848	----	----	----	----	2 UNCH
7350	----	----	10.578B/----	10.578B/10.279A	----	9.632 + 1.276	.4245	----	----	----	----	6 UNCH
7500	----	----	11.536B/----	11.536B/11.172A	----	10.541 + 1.381	.4476	----	----	----	----	1 UNCH
7550	----	----	11.865B/----	11.865B/11.479A	----	10.852 + 1.415	.4552	----	----	----	----	5 UNCH
7700	----	----	12.863B/----	12.863B/12.426A	----	11.813 + 1.517	.4774	----	----	----	----	25 UNCH
8000	----	----	14.956B/----	14.956B/14.427A	----	13.839 + 1.712	.5196	----	----	----	----	20 UNCH
8150	----	----	16.049B/----	16.049B/15.474A	----	14.899 + 1.804	.5396	----	----	----	----	10 UNCH
8200	----	----	16.456B/----	16.456B/15.833A	----	15.258 + 1.834	.5461	----	----	----	----	10 UNCH
8250	----	----	16.834B/----	16.834B/16.196A	----	15.620 + 1.862	.5525	----	----	----	----	5 UNCH
8500	----	----	18.741B/----	18.741B/18.054A	----	17.473 + 2.001	.5832	----	----	----	----	20 UNCH
9000	----	----	22.747B/----	22.747B/21.959A	----	21.364 + 2.240	.6384	----	----	----	----	29 UNCH
9300	----	----	25.221B/----	25.221B/24.660A	----	23.800 + 2.359	.6677	----	----	----	----	1 UNCH
9500	----	----	#26.406B/----	26.406B/26.341A	----	25.461 + 2.429	.6858	----	----	----	----	30 UNCH
10000	----	----	----	14.873B/40.860A	----	29.724 + 2.577	.7263	----	----	----	----	6 UNCH
10175	----	----	----	16.208B/42.267A	----	31.248 + 2.619	.7389	----	----	----	----	15 UNCH
TOTAL										16	0	780 - 12
SEP26												
2500	----	----	----	0.028B/0.292A	----	0.079 + 0.003	.0058	----	----	----	----	60 UNCH
3000	----	----	----	0.149B/0.379A	----	0.181 + 0.010	.0130	----	----	----	----	22 UNCH
3500	----	----	0.343B/----	0.343B/0.544A	----	0.365 + 0.025	.0253	----	----	----	----	74 UNCH
4000	----	----	0.671B/----	0.671B/0.814A	----	0.677 + 0.054	.0450	----	----	----	----	46 UNCH
4500	----	----	1.229B/----	1.229B/1.252A	----	1.124 + 0.115	.0722	----	----	----	----	12 UNCH
5000	----	----	1.692B/----	1.692B/2.312A	----	1.790 + 0.214	.1101	----	----	----	----	232 UNCH
5100	----	----	1.928B/----	1.928B/2.469A	----	1.959 + 0.239	.1192	----	----	----	----	1 UNCH
5500	----	----	2.904B/----	2.904B/3.338A	----	2.791 + 0.359	.1608	----	----	----	----	228 UNCH
5600	----	----	3.195B/----	3.195B/3.587A	----	3.040 + 0.392	.1725	----	----	----	----	1 UNCH
5700	----	----	3.497B/----	3.497B/3.885A	----	3.309 + 0.430	.1846	----	----	----	----	2 UNCH
5800	----	----	3.829B/----	3.829B/4.183A	----	3.595 + 0.468	.1972	----	----	----	----	7 UNCH
5900	----	----	4.173B/----	4.173B/4.512A	----	3.901 NEW	.2102	----	----	55	----	50 + 50
6000	----	----	4.540B/----	4.540B/4.858A	----	4.227 + 0.551	.2235	----	----	----	----	128 UNCH
6050	----	----	4.732B/----	4.732B/5.038A	----	4.397 + 0.573	.2303	----	----	----	----	15 UNCH
6300	----	----	5.759B/----	5.759B/6.013A	----	5.325 + 0.690	.2654	----	----	----	----	3 UNCH
6400	----	----	6.209B/----	6.209B/6.437A	----	5.732 + 0.739	.2798	----	----	----	----	1 UNCH
6425	----	----	6.332B/----	6.332B/6.548A	----	5.837 + 0.752	.2835	----	----	----	----	1 UNCH
6500	----	----	6.716B/----	6.716B/6.878A	----	6.159 + 0.789	.2944	----	----	----	----	55 UNCH
6900	----	----	8.751B/----	8.751B/8.817A	----	8.071 + 1.004	.3534	----	----	----	----	1 UNCH
7000	----	----	9.316B/----	9.316B/9.353A	----	8.598 + 1.061	.3682	----	----	----	----	15 UNCH
7025	----	----	9.459B/----	9.459B/9.489A	----	8.733 + 1.075	.3718	----	----	----	----	1 UNCH
7100	----	----	9.897B/----	9.897B/9.880A	----	9.145 + 1.119	.3828	----	----	----	----	16 UNCH
7125	----	----	10.084B/----	10.084B/10.020A	----	9.284 + 1.132	.3864	----	----	----	----	25 UNCH
7175	----	----	10.382B/----	10.382B/10.306A	----	9.566 + 1.161	.3937	----	----	----	----	20 UNCH
7200	----	----	10.533B/----	10.533B/10.449A	----	9.709 + 1.176	.3973	----	----	----	----	50 UNCH
7400	11.200	11.200	11.789B/11.200	11.789B/11.200	----	10.892 NEW	.4258	----	----	20	----	20 + 20
7500	----	----	12.394B/----	12.394B/12.244A	----	11.508 + 1.352	.4397	----	----	----	----	3 UNCH
7550	----	----	12.766B/----	12.766B/12.556A	----	11.823 + 1.383	.4465	----	----	----	----	2 UNCH
7700	----	----	13.778B/----	13.778B/13.513A	----	12.789 + 1.471	.4667	----	----	----	----	1 UNCH
7800	----	----	14.475B/----	14.475B/14.171A	----	13.451 + 1.528	.4797	----	----	----	----	4 UNCH
7900	----	----	15.175B/----	15.175B/14.843A	----	14.128 + 1.586	.4925	----	----	----	----	1 UNCH
8000	----	----	15.893B/----	15.893B/15.529A	----	14.818 + 1.642	.5050	----	----	----	----	40 UNCH
8100	----	----	16.623B/----	16.623B/16.229A	----	15.520 + 1.697	.5172	----	----	----	----	1 UNCH
8200	----	----	17.360B/----	17.360B/16.941A	----	16.234 + 1.750	.5291	----	----	----	----	1 UNCH
8500	----	----	19.630B/----	19.630B/19.146A	----	18.440 + 1.896	.5631	----	----	----	----	225 UNCH
8700	----	----	21.176B/----	21.176B/20.659A	----	19.961 + 1.985	.5843	----	----	----	----	100 UNCH
9000	----	----	23.580B/----	23.580B/23.008A	----	22.308 + 2.103	.6139	----	----	----	----	74 UNCH
9300	----	----	26.097B/----	26.097B/25.444A	----	24.726 + 2.204	.6412	----	----	----	----	1 UNCH
9400	----	----	26.932B/----	26.932B/26.252A	----	25.546 + 2.234	.6498	----	----	----	----	1 UNCH
10150	----	----	#30.695B/----	30.695B/32.865A	----	31.890 + 2.416	.7066	----	----	----	----	1 UNCH
10300	----	----	----	18.648B/44.688A	----	33.193 + 2.443	.7165	----	----	----	----	1 UNCH
TOTAL										75	0	1542 + 70
OCT26												
2675	----	----	----	0.083B/0.358A	----	0.142 + 0.012	.0095	----	----	----	----	8 UNCH
3250	----	----	#0.287B/----	#0.287B/0.499A	----	0.298 + 0.027	.0198	----	----	----	----	1 UNCH
4000	----	----	0.783B/----	0.783B/0.949A	----	0.730 + 0.074	.0462	----	----	----	----	3 UNCH
4500	----	----	1.338B/----	1.338B/1.451A	----	1.292 + 0.132	.0764	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
OCT26												
5000	----	----	----	1.905B/2.500A	----	2.197 + 0.256	.1186	----	----	----	----	6 UNCH
5050	----	----	----	2.029B/2.690A	----	2.305 + 0.271	.1233	----	----	----	----	1 UNCH
5150	----	----	2.274B/----	2.274B/2.890A	----	2.532 + 0.302	.1330	----	----	----	----	5 UNCH
6500	----	----	7.045B/----	7.045B/7.364A	----	7.034 + 0.874	.2912	----	----	----	----	6 UNCH
7000	----	----	9.677B/----	9.677B/9.853A	----	9.412 + 1.128	.3566	----	----	----	----	85 UNCH
7225	----	----	11.005B/----	11.005B/11.115A	----	10.608 + 1.243	.3861	----	----	----	----	87 UNCH
7500	----	----	12.731B/----	12.731B/12.744A	----	12.171 + 1.381	.4217	----	----	----	----	1 UNCH
7950	----	----	15.785B/----	15.785B/15.688A	----	14.963 + 1.596	.4772	----	----	----	----	10 UNCH
8200	----	----	17.590B/----	17.590B/17.420A	----	16.634 + 1.707	.5064	----	----	----	----	6 UNCH
8375	----	----	18.890B/----	18.890B/18.708A	----	17.851 + 1.780	.5259	----	----	----	----	1 UNCH
9100	----	----	24.607B/----	24.607B/24.195A	----	23.267 + 2.039	.5985	----	----	----	----	1 UNCH
10000	----	----	32.131B/----	32.131B/31.815A	----	30.643 + 2.273	.6697	----	----	----	----	40 UNCH
TOTAL											0	265 0
NOV26												
4500	----	----	1.376B/----	1.376B/1.694A	----	1.522 + 0.161	.0835	----	----	----	----	2 UNCH
4550	----	----	----	1.393B/1.773A	----	1.608 + 0.173	.0873	----	----	----	----	1 UNCH
4800	----	----	----	1.690B/2.641A	----	2.081 + 0.237	.1080	----	----	----	----	1 UNCH
5000	2.500	2.500	#2.500/2.500	2.500/2.500	----	2.519 NEW	.1261	----	----	3	----	3 + 3
5200	----	----	2.712B/----	2.712B/3.443A	----	3.011 + 0.365	.1454	----	----	----	----	1 UNCH
5950	----	----	5.159B/----	5.159B/5.748A	----	5.368 + 0.673	.2273	----	----	----	----	1 UNCH
6700	----	----	8.633B/----	8.633B/9.071A	----	8.566 + 1.034	.3183	----	----	----	----	50 UNCH
7000	----	----	10.295B/----	10.295B/10.656A	----	10.083 + 1.182	.3555	----	----	----	----	40 UNCH
7025	----	----	10.441B/----	10.441B/10.794A	----	10.216 + 1.195	.3586	----	----	----	----	6 UNCH
7500	----	----	13.422B/----	13.422B/13.612A	----	12.904 + 1.420	.4166	----	----	----	----	3 UNCH
7700	----	----	14.719B/----	14.719B/14.898A	----	14.132 + 1.509	.4400	----	----	----	----	50 UNCH
8500	----	----	20.488B/----	20.488B/20.489A	----	19.569 + 1.810	.5258	----	----	----	----	60 UNCH
9000	----	----	24.396B/----	24.396B/24.316A	----	23.344 + 1.951	.5718	----	----	----	----	5 UNCH
9050	----	----	24.792B/----	24.792B/24.709A	----	23.734 + 1.963	.5760	----	----	----	----	3 UNCH
10000	----	----	32.681B/----	32.681B/32.448A	----	31.484 + 2.159	.6470	----	----	----	----	1 UNCH
11000	----	----	39.032B/----	39.032B/41.245A	----	40.110 + 2.327	.7054	----	----	----	----	1 UNCH
TOTAL										3	0	228 + 3
DEC26												
1500	----	----	----	0.001B/0.150A	----	0.032 + 0.001	.0019	----	----	----	----	180 UNCH
2000	----	----	----	0.001B/0.500A	----	0.096 + 0.005	.0055	----	----	----	----	10 UNCH
2500	----	----	----	0.058B/0.461A	----	0.173 + 0.011	.0104	----	----	----	----	32 UNCH
3000	----	----	----	#0.249B/0.643A	----	0.304 + 0.023	.0185	----	----	----	----	93 UNCH
3100	----	----	----	0.298B/0.682A	----	0.338 + 0.025	.0206	----	----	----	----	1 UNCH
3150	----	----	----	#0.326B/0.659A	----	0.367 + 0.028	.0222	----	----	----	----	1 UNCH
3500	----	----	----	#0.550B/0.925A	----	0.621 + 0.050	.0353	----	----	----	----	45 UNCH
3850	----	----	----	#0.873B/1.230A	----	0.957 + 0.084	.0518	----	----	----	----	1 UNCH
3900	----	----	0.934B/----	0.934B/1.281A	----	1.011 + 0.091	.0544	----	----	----	----	1 UNCH
3925	----	----	#0.962B/----	#0.962B/1.307A	----	1.038 + 0.094	.0557	----	----	----	----	1 UNCH
4000	----	----	1.049B/----	1.049B/1.390A	----	1.124 + 0.105	.0598	----	----	----	----	74 UNCH
4500	----	----	----	1.260B/2.473A	----	1.823 + 0.196	.0915	----	----	----	----	32 UNCH
4600	----	----	----	1.462B/2.639A	----	1.992 + 0.218	.0989	----	----	----	----	4 UNCH
4800	----	----	----	1.917B/3.011A	----	2.363 + 0.266	.1145	----	----	----	----	241 UNCH
5000	----	----	----	2.442B/3.000A	----	2.780 + 0.319	.1315	----	----	----	----	357 UNCH
5250	----	----	3.117B/----	3.117B/3.730A	----	3.373 + 0.392	.1546	----	----	----	----	50 UNCH
5300	----	----	3.262B/----	3.262B/4.211A	----	3.502 + 0.407	.1594	----	----	----	----	250 UNCH
5400	----	----	3.561B/----	3.561B/4.475A	----	3.770 + 0.439	.1693	----	----	----	----	100 UNCH
5500	----	----	3.874B/----	3.874B/4.784A	----	4.052 + 0.470	.1795	----	----	----	----	86 UNCH
5600	----	----	4.217B/----	4.217B/5.101A	----	4.349 + 0.502	.1900	----	----	----	----	4 UNCH
5800	----	----	4.946B/----	4.946B/5.788A	----	4.991 + 0.569	.2118	----	----	----	----	1 UNCH
5950	----	----	5.540B/----	5.540B/6.348A	----	5.515 + 0.619	.2287	----	----	----	----	5 UNCH
6000	----	----	5.747B/----	5.747B/6.543A	----	5.699 + 0.637	.2345	----	----	----	----	147 UNCH
6200	----	----	6.623B/----	6.623B/7.367A	----	6.476 + 0.704	.2579	----	----	----	----	13 UNCH
6300	----	----	7.084B/----	7.084B/7.804A	----	6.892 + 0.737	.2699	----	----	----	----	25 UNCH
6500	----	----	8.056B/----	8.056B/8.730A	----	7.779 + 0.801	.2941	----	----	----	----	626 UNCH
6650	----	----	8.825B/----	8.825B/8.956A	----	8.492 + 0.848	.3124	----	----	----	----	5 UNCH
6725	----	----	9.233B/----	9.233B/9.851A	----	8.863 + 0.872	.3216	----	----	----	----	4 UNCH
6750	----	----	9.369B/----	9.369B/9.980A	----	8.989 + 0.879	.3246	----	----	----	----	6 UNCH
6800	----	----	9.645B/----	9.645B/10.243A	----	9.245 + 0.896	.3308	----	----	----	----	52 UNCH
6850	----	----	9.917B/----	9.917B/10.509A	----	9.504 + 0.911	.3368	----	----	----	----	65 UNCH
6900	----	----	10.200B/----	10.200B/10.779A	----	9.768 + 0.928	.3429	----	----	----	----	1 UNCH
6950	----	----	10.494B/----	10.494B/11.053A	----	10.036 + 0.944	.3490	----	----	----	----	101 UNCH
7000	----	----	10.785B/----	10.785B/11.331A	----	10.308 + 0.961	.3551	----	----	----	----	179 UNCH
7050	----	----	11.073B/----	11.073B/11.613A	----	10.584 + 0.977	.3611	----	----	----	----	1 UNCH
7075	----	----	11.222B/----	11.222B/11.756A	----	10.724 + 0.986	.3641	----	----	----	----	20 UNCH
7100	----	----	11.371B/----	11.371B/11.899A	----	10.865 + 0.995	.3671	----	----	----	----	2 UNCH
7200	----	----	11.988B/----	11.988B/12.482A	----	11.437 + 1.031	.3791	----	----	----	----	14 UNCH
7500	----	----	13.895B/----	13.895B/13.488A	----	13.243 + 1.146	.4142	----	----	----	----	25 UNCH
7550	----	----	14.224B/----	14.224B/14.633A	----	13.556 + 1.166	.4199	----	----	----	----	1 UNCH
7800	----	----	15.916B/----	15.916B/16.269A	----	15.175 + 1.271	.4475	----	----	----	----	20 UNCH
7850	----	----	16.263B/----	16.263B/16.606A	----	15.508 + 1.293	.4528	----	----	----	----	10 UNCH
7875	----	----	16.433B/----	16.433B/16.775A	----	15.676 + 1.304	.4555	----	----	----	----	4 UNCH
7900	----	----	16.613B/----	16.613B/16.944A	----	15.845 + 1.315	.4581	----	----	----	----	19 UNCH
8000	----	----	17.321B/----	17.321B/17.633A	----	16.527 + 1.359	.4686	----	----	----	----	50 UNCH
8100	----	----	18.039B/----	18.039B/18.331A	----	17.221 + 1.403	.4788	----	----	----	----	1 UNCH
8200	----	----	18.762B/----	18.762B/18.575A	----	17.927 + 1.448	.4888	----	----	----	----	35 UNCH
8350	----	----	19.874B/----	19.874B/20.123A	----	19.005 + 1.516	.5034	----	----	----	----	9 UNCH
8400	----	----	20.250B/----	20.250B/20.239A	----	19.370 + 1.539	.5081	----	----	----	----	50 UNCH
8500	----	----	21.004B/----	21.004B/20.969A	----	20.107 + 1.584	.5174	----	----	----	----	150 UNCH
8600	----	----	21.766B/----	21.766B/21.937A	----	20.853 + 1.628	.5265	----	----	----	----	2 UNCH
8800	----	----	23.316B/----	23.316B/23.455A	----	22.373 + 1.717	.5440	----	----	----	----	10 UNCH
8900	----	----	24.101B/----	24.101B/24.227A	----	23.145 + 1.760	.5524	----	----	----	----	30 UNCH
9000	----	----	24.900B/----	24.900B/25.006A	----	23.925 + 1.803	.5606	----	----	----	----	3 UNCH
9050	----	----	25.293B/----	25.293B/25.398A	----	24.318 + 1.824	.5647	----	----	----	----	100 UNCH
9500	----	----	28.968B/----	28.968B/28.997A	----	27.929 + 2.000	.5986	----	----	----	----	2 UNCH
9850	----	----	31.857B/----	31.857B/31.878A	----	30.818 + 2.119	.6225	----	----	----	----	8 UNCH
9950	----	----	32.709B/----	32.709B/32.712A	----	31.654 + 2.149	.6290	----	----	----	----	1 UNCH
10025	----	----	33.338B/----	33.338B/33.340A	----	32.284 + 2.171	.6338	----	----	----	----	3 UNCH
10125	----	----	34.196B/----	34.196B/34.182A	----	33.127 + 2.198	.6400	----	----	----	----	1 UNCH
10700	----	----	39.169B/----	39.169B/39.920A	----	38.044 + 2.323	.6732	----	----	----	----	5 UNCH
10800	----	----	40.034B/----	40.034B/38.997A	----	38.911 + 2.341	.6786	----	----	----	----	2 UNCH
11000	----	----	41.793B/----	41.793B/42.525A	----	40.653 + 2.372	.6890	----	----	----	----	2 UNCH
11500	----	----	----	27.690B/59.498A	----	45.058 + 2.432	.7131	----	----	----	----	1 UNCH
12000	----	----	----	5.035B/77.744A	----	49.527 + 2.476	.7348	----	----	----	----	1 UNCH
12100	----	----	----	11.576B/78.801A	----	50.428 + 2.483	.7389	----	----	----	----	1 UNCH
12300	----	----	----	12.979B/80.933A	----	52.236 + 2.497	.7469	----	----	----	----	1 UNCH
15000	----	----	----	36.191B/108.297A	----	77.329 + 2.666	.8273	----	----	----	----	1 UNCH
19000	----	----	----	77.890B/144.794A	----	115.900 + 2.924	.8921	----	----	----	----	1 UNCH
TOTAL											0	3379 0
JAN27												
3800	----	----	----	0.001B/7.803A	----	0.741 + 0.162	.0429	----	----	----	----	1 UNCH
7125	----	----	----	1.000B/22.150A	----	11.212 + 0.948	.3603	----	----	----	----	1 UNCH
8600	----	----	----	9.858B/32.754A	----	21.007 + 1.299	.5100	----	----	----	----	1 UNCH
TOTAL											0	3 0
DEC27												
7175	----	----	----	----	----	16.891 + 0.962	.3227	----	----	----	----	25 UNCH
TOTAL											0	25 0
SO1 CALL		SILVER OPTIONS										
MAY26												
7300	4.605	4.605	4.866B/*4.605	4.866B/*4.605	----	6.459 - 1.131	.5540	----	----	1	----	0 - 1
TOTAL										1	0	0 - 1
SO2 CALL		SILVER OPTIONS										
APR26												
6200	----	----	----	----/29.408A	----	11.293 - 3.016	.9254	----	----	----	----	1 UNCH
6800	4.167	4.167	4.352B/4.167	4.352B/4.167	----	6.093 - 2.699	.7706	----	----	1	----	2 UNCH
7000	----	----	----/3.278A	4.004B/3.278A	----	4.610 - 2.491	.6814	----	----	----	----	1 UNCH
7010	----	----	----/*3.284A	3.940B/*3.284A	----	4.542 - 2.477	.6764	----	----	----	----	0 UNCH
7050	----	----	----/3.087A	3.712B/3.087A	----	4.272 - 2.426	.6558	----	----	----	----	2 UNCH
7110	----	----	----/*2.787A	3.590B/*2.787A	----	3.886 - 2.341	.6235	----	----	----	----	1 UNCH
7150	----	----	----/2.625A	3.291B/2.625A	----	3.641 - 2.281	.6012	----	----	----	----	0 UNCH
7200	----	----	----/2.363A	2.988B/2.363A	----	3.349 - 2.201	.5726	----	----	----	----	2 UNCH
7300	----	----	----/2.046A	2.590B/2.046A	----	2.812 - 2.030	.5139	----	----	----	----	1 UNCH
7350	2.291	2.291	2.414B/1.874A	2.414B/1.874A	----	2.568 NEW	.4841	----	----	4	----	4 + 4
7400	----	----	----/1.648A	2.549B/1.648A	----	2.340 - 1.846	.4545	----	----	----	----	102 UNCH
7450	1.750	1.750	2.150/*1.493A	2.308B/*1.493A	----	2.129 - 1.749	.4252	----	----	4	----	2 + 1
7475	1.634	1.634	1.634/*1.380A	2.265B/*1.380A	----	2.029 - 1.701	.4108	----	----	3	----	3 + 2
7500	1.600	1.600	1.600/*1.350A	2.290B/*1.350A	----	1.932 - 1.653	.3964	----	----	1	----	11 - 1
7550	----	----	----/*1.217A	2.345B/*1.217A	----	1.751 - 1.556	.3684	----	----	----	----	2 UNCH
7600	----	----	----/*1.106A	2.415B/*1.106A	----	1.585 - 1.459	.3413	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 67

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO2 CALL		SILVER OPTIONS										
APR26												
7675	----	----	----/*0.928A	2.070B/*0.928A	----	1.361 -	1.316 .3026	----	----	----	----	1 UNCH
7700	0.950	0.950	0.950/*0.849A	2.004B/*0.849A	----	1.293 -	1.269 .2903	----	----	1	----	10 UNCH
7775	----	----	----/*0.748A	1.638B/*0.748A	----	1.108 -	1.132 .2556	----	----	----	----	1 UNCH
7800	1.000	1.000	1.000/*0.732A	1.587B/*0.732A	----	1.052 -	1.089 .2446	----	----	1	----	21 + 1
7900	0.720	0.720	0.720/*0.595A	1.229B/*0.595A	----	0.854 -	0.923 .2044	----	----	1	----	3 + 1
8000	0.600	0.600	0.600/*0.490A	0.928B/*0.490A	----	0.693 -	0.776 .1697	----	----	2	----	26 UNCH
8100	----	----	----/*0.411A	0.678B/*0.411A	----	0.563 -	0.647 .1403	----	----	----	----	22 UNCH
8150	----	----	----/*0.405A	0.525B/*0.405A	----	0.507 -	0.591 .1273	----	----	----	----	1 UNCH
8250	----	----	----/*0.355A	0.344B/*0.355A	----	0.414 -	0.489 .1049	----	----	----	----	7 UNCH
8400	----	----	----/*0.298A	0.220B/*0.298A	----	0.306 -	0.369 .0783	----	----	----	----	5 UNCH
8500	0.205	0.205	0.230/*0.200	0.230/*0.200	----	0.252 -	0.305 .0645	----	----	7	----	27 + 2
8625	----	----	----/*0.282A	0.082B/*0.282A	----	0.198 -	0.241 .0506	----	----	----	----	2 UNCH
8800	----	----	----/*0.251A	0.054B/*0.251A	----	0.136 -	0.168 .0348	----	----	----	----	6 UNCH
9000	0.100	0.100	0.101B/*0.100	0.101B/*0.100	----	0.080 -	0.106 .0208	----	----	5	----	16 + 5
9125	----	----	----	0.006B/*0.215A	----	0.056 -	0.079 .0146	----	----	----	----	2 UNCH
9200	----	----	----	0.006B/0.210A	----	0.046 -	0.065 .0120	----	----	----	----	7 UNCH
9500	----	----	----	0.004B/*0.197A	----	0.019 -	0.030 .0049	----	----	----	----	2 UNCH
9700	----	----	----	0.004B/0.187A	----	0.010 -	0.017 .0025	----	----	----	----	4 UNCH
TOTAL										30	0	300 + 15
SO2 PUT		SILVER OPTIONS										
APR26												
5500	0.100	0.100	0.100/*0.100	0.100/*0.100	----	0.139 +	0.027 .0233	----	----	4	----	10 UNCH
5800	----	----	0.286B/----	0.286B/0.305A	----	0.197 +	0.057 .0362	----	----	----	----	2 UNCH
6000	0.200	0.200	0.500/0.200	0.500/0.200	----	0.265 +	0.089 .0510	----	----	34	----	43 + 31
6100	----	----	0.499B/----	0.499B/0.344A	----	0.313 +	0.109 .0613	----	----	----	----	10 UNCH
6200	----	----	0.629B/----	0.629B/0.365A	----	0.376 +	0.136 .0745	----	----	----	----	1 UNCH
6250	----	----	0.711B/----	0.711B/0.399A	----	0.413 +	0.150 .0821	----	----	----	----	2 UNCH
6300	----	----	0.785B/----	0.785B/0.456A	----	0.455 +	0.167 .0907	----	----	----	----	1 UNCH
6400	0.650	0.650	0.976B/0.538A	0.976B/0.538A	----	0.552 +	0.205 .1102	----	----	1	----	10 - 1
6450	----	----	1.082B/----	1.082B/0.598A	----	0.609 +	0.228 .1215	----	----	----	----	2 UNCH
6500	0.800	0.800	1.248/0.650	1.248/0.650	----	0.671 +	0.252 .1337	----	----	9	----	11 + 9
6600	1.448	1.448	1.459B/0.805A	1.459B/0.805A	----	0.811 +	0.307 .1611	----	----	2	----	24 UNCH
6650	----	----	1.607B/----	1.607B/0.895A	----	0.890 +	0.338 .1763	----	----	----	----	3 UNCH
6750	1.095	1.095	1.893B/1.085A	1.893B/1.085A	----	1.070	NEW .2104	----	----	3	----	3 + 3
6800	----	----	2.086B/----	2.086B/1.192A	----	1.172 +	0.452 .2293	----	----	----	----	2 UNCH
6870	1.940	1.940	2.336B/1.940	2.336B/1.371A	----	1.332	NEW .2580	----	----	3	----	3 + 3
7000	2.820	2.820	2.940B/1.931	2.940B/1.612A	----	1.688	NEW .3185	----	----	8	----	8 + 8
7025	----	----	3.022B/----	3.022B/1.713A	----	1.767 +	0.692 .3311	----	----	----	----	1 UNCH
7050	----	----	3.157B/----	3.157B/1.773A	----	1.850 +	0.726 .3441	----	----	----	----	1 UNCH
7110	3.300	3.300	#3.413B/3.300	3.413B/1.936A	----	2.063	NEW .3764	----	----	2	----	2 + 2
7150	----	----	3.757B/----	3.757B/2.050A	----	2.218 +	0.870 .3987	----	----	----	----	2 UNCH
7175	----	----	3.759B/----	3.759B/2.124A	----	2.320 +	0.910 .4129	----	----	----	----	1 UNCH
7180	----	----	#3.716B/----	#3.716B/2.139A	----	2.340 +	0.917 .4157	----	----	----	----	1 UNCH
7195	2.655	2.655	#3.765B/2.655	#3.765B/2.185A	----	2.404	NEW .4244	----	----	1	----	1 + 1
7325	----	----	4.499B/----	4.499B/2.627A	----	3.014 +	1.167 .5009	----	----	----	----	1 UNCH
7400	----	----	5.044B/----	5.044B/2.859A	----	3.416 +	1.307 .5454	----	----	----	----	1 UNCH
7500	----	----	5.277B/----	5.277B/3.289A	----	4.007 +	1.499 .6035	----	----	----	----	1 UNCH
7600	----	----	4.670B/----	4.670B/3.763A	----	4.659 +	1.693 .6586	----	----	----	----	1 UNCH
TOTAL										67	0	148 + 56
SO3 CALL		SILVER OPTIONS										
APR26												
7000	----	----	----/4.306A	4.962B/4.306A	----	5.603 -	2.216 .6444	----	----	----	----	7 UNCH
7100	----	----	----/3.822A	4.705B/3.822A	----	4.992 -	2.093 .6052	----	----	----	----	1 UNCH
7500	----	----	----/2.354A	3.941B/2.354A	----	2.998 -	1.550 .4397	----	----	----	----	14 UNCH
7575	----	----	----/2.200A	3.495B/2.200A	----	2.704	NEW .4092	----	----	2	----	2 + 2
7600	----	----	----/2.075A	3.421B/2.075A	----	2.612 -	1.412 .3993	----	----	----	----	3 UNCH
7975	----	----	----/*1.378A	1.823B/*1.378A	----	1.516 -	0.942 .2642	----	----	----	----	2 UNCH
8000	----	----	----/1.306A	1.789B/1.306A	----	1.461 -	0.914 .2564	----	----	----	----	1 UNCH
8500	0.690	0.690	0.690/*0.690	0.690/*0.690	----	0.691 -	0.494 .1355	----	----	6	----	11 + 6
TOTAL										8	0	41 + 8
SO3 PUT		SILVER OPTIONS										
APR26												
4000	----	----	----	0.002B/*0.179A	----	0.014	UNCH .0020	----	----	----	----	20 UNCH
5500	----	----	0.318B/----	0.318B/0.399A	----	0.340 +	0.078 .0496	----	----	----	----	1 UNCH
6000	----	----	0.824B/----	0.824B/0.669A	----	0.661 +	0.199 .0991	----	----	----	----	3 UNCH
6400	----	----	1.635B/----	1.635B/1.172A	----	1.153 +	0.389 .1705	----	----	----	----	5 UNCH
6500	1.500	1.500	1.913B/1.500	1.913B/1.310A	----	1.329 +	0.457 .1946	----	----	2	----	4 + 2
6825	----	----	3.039B/----	3.039B/1.973A	----	2.105 +	0.739 .2917	----	----	----	----	20 UNCH
7000	----	----	3.890B/----	3.890B/2.386A	----	2.683 +	0.934 .3555	----	----	----	----	8 UNCH
7300	----	----	5.580B/----	5.580B/3.392A	----	3.980 +	1.322 .4769	----	----	----	----	10 UNCH
7500	----	----	6.634B/----	6.634B/4.244A	----	5.071 +	1.599 .5602	----	----	----	----	1 UNCH
7550	5.555	5.555	6.962B/5.555	6.962B/4.531A	----	5.372 +	1.669 .5806	----	----	1	----	0 - 1
7625	----	----	7.402B/----	7.402B/4.905A	----	5.843 +	1.772 .6105	----	----	----	----	1 UNCH
TOTAL										3	0	73 + 1
SO4 CALL		SILVER OPTIONS										
APR26												
7800	----	----	----/*2.150A	3.264B/*2.150A	----	2.741 -	1.238 .3645	----	----	----	----	8 UNCH
8200	----	----	----/*1.613A	1.912B/*1.613A	----	1.786 -	0.919 .2590	----	----	----	----	1 UNCH
8225	----	----	----/*1.594A	1.791B/*1.594A	----	1.754 -	0.903 .2543	----	----	----	----	2 UNCH
TOTAL											0	11 0
SO4 PUT		SILVER OPTIONS										
APR26												
6050	0.730	0.730	1.420B/0.730	1.420B/0.730	----	1.136 +	0.450 .1394	----	----	8	----	7 - 2
6125	----	----	#1.439B/----	1.439B/1.136A	----	1.244 +	0.490 .1519	----	----	----	----	2 UNCH
6400	----	----	2.192B/----	2.192B/1.587A	----	1.741 +	0.655 .2063	----	----	----	----	1 UNCH
7300	----	----	5.441B/----	5.441B/4.126A	----	4.838 +	1.420 .4703	----	----	----	----	1 UNCH
TOTAL										8	0	11 - 2
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
APR26												
6000	----	----	----	----	----	16.078	UNCH ----	----	----	----	----	0 UNCH
6000	----	----	----/13.149A	10.445B/13.149A	----	13.077 -	3.097 .9672	----	----	----	----	1 UNCH
6500	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
6600	0.350	0.350	0.951B/*0.350	0.951B/*0.340A	----	0.497	NEW .1191	----	----	1	----	1 + 1
6700	----	----	1.221B/----	1.221B/0.672A	----	0.624 +	0.257 .1501	----	----	----	----	1 UNCH
6800	0.725	0.725	1.554B/0.725	1.554B/0.725	----	0.784 +	0.320 .1881	----	----	10	----	10 + 9
6800	----	----	#3.409B/----	3.409B/2.221A	----	2.567 +	0.912 .3030	----	----	----	----	3 UNCH
6800	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
6900	----	----	1.934B/----	1.934B/1.033A	----	0.985 +	0.400 .2339	----	----	----	----	1 UNCH
6950	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7000	----	----	----	----	----	6.078	UNCH ----	----	----	----	----	0 UNCH
7000	----	----	2.380B/----	2.380B/1.208A	----	1.233 +	0.499 .2877	----	----	----	----	1 UNCH
7025	----	----	----	----	----	5.828	UNCH ----	----	----	----	----	0 UNCH
7030	----	----	----	----	----	5.778	UNCH ----	----	----	----	----	0 UNCH
7100	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7100	----	----	----	----	----	5.078	UNCH ----	----	----	----	----	0 UNCH
7150	----	----	----	----	----	4.578	UNCH ----	----	----	----	----	0 UNCH
7190	1.815	1.815	2.247B/*1.815	2.247B/*1.815	----	2.882	NEW .5895	----	----	3	----	3 + 3
7200	----	----	----	----	----	4.078	UNCH ----	----	----	----	----	0 UNCH
7200	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7200	3.180	3.180	3.873B/3.180	3.873B/2.704A	----	3.084	NEW .4335	----	----	1	----	1 + 1
7250	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7250	2.100	2.100	2.100/1.688A	2.100/1.688A	----	2.529	NEW .5461	----	----	1	----	1 + 1
7255	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7260	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7300	----	----	----	----	----	3.078	UNCH ----	----	----	----	----	0 UNCH
7300	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7325	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7350	----	----	----	----	----	2.578	UNCH ----	----	----	----	----	0 UNCH
7350	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7360	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7400	2.400	2.400	4.179B/2.400	4.179B/2.345A	----	2.837	NEW .5672	----	----	5	----	5 + 5
7400	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7400	----	----	----	----	----	2.078	UNCH ----	----	----	----	----	0 UNCH
7400	1.800	1.800	1.900/*1.206A	1.921B/*1.206A	----	1.762	NEW .4327	----	----	9	----	1 + 1
7405	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7450	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7450	----	----	----	----	----	1.578	UNCH ----	----	----	----	----	0 UNCH
7475	----	----	----	----	----	1.328	UNCH ----	----	----	----	----	0 UNCH
7475	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7480	----	----	----	----	----	1.278	UNCH ----	----	----	----	----	0 UNCH
7500	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7500	----	----	----	----	----	1.078	UNCH ----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
APR26												
7525	----	----	----	----	----	0.828	UNCH	----	----	----	----	0 UNCH
7525	----	----	----/*0.976A	1.972B/*0.976A	----	1.257 -	1.752	.3392	----	----	----	0 UNCH
7550	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
7550	----	----	----	----	----	0.578	UNCH	----	----	----	----	0 UNCH
7600	----	----	----	----	----	0.078	UNCH	----	----	----	----	0 UNCH
7600	----	----	----/*0.811A	2.002B/*0.811A	----	1.013	NEW	.2869	----	----	2 ----	2 + 2
7625	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
7650	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
7650	0.855	0.855	0.855/*0.772A	1.711B/*0.772A	----	0.873	NEW	.2545	----	----	10 ----	10 + 10
7700	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
7750	----	----	----/*0.633A	1.277B/*0.633A	----	0.644	NEW	.1967	----	----	20 ----	20 + 20
7800	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
7800	----	----	----/1.378A	2.178B/1.378A	----	1.592 -	1.235	.2977	----	----	----	0 UNCH
7850	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
8000	----	----	----/*0.413A	0.540B/*0.413A	----	0.309 -	0.723	.0991	----	----	----	1 UNCH
8100	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
8500	----	----	----/*0.208A	0.040B/*0.208A	----	0.126 -	0.193	.0355	----	----	----	5 UNCH
8725	----	----	----/*0.185A	0.004B/*0.185A	----	0.106 -	0.094	.0272	----	----	----	1 UNCH
8800	----	----	----	----/35.883A	----	15.154 +	3.078	.9781	----	----	----	1 UNCH
8800	----	----	----	----	----	11.922	UNCH	----	----	----	----	0 UNCH
TOTAL										62	0	69 + 53
TWS TUE		SILVER WEEKLY TUESDAY OPTION Week1										
APR26												
4200	----	----	0.007B/----	0.007B/0.181A	----	0.004 -	0.002	.0003	----	----	----	---- 1 UNCH
6100	----	----	0.162B/----	0.162B/0.222A	----	0.124	NEW	.0273	----	----	1	---- 1 + 1
6500	0.416	0.416	0.548B/0.416	0.548B/0.386A	----	0.292	NEW	.0741	----	----	1	---- 1 + 1
6600	----	----	0.718B/----	0.718B/0.461A	----	0.366 +	0.122	.0956	----	----	----	---- 1 UNCH
6700	----	----	0.963B/----	0.963B/0.549A	----	0.463 +	0.165	.1236	----	----	----	---- 1 UNCH
6800	0.900	0.900	1.239B/0.900	1.239B/0.653A	----	0.589	NEW	.1595	----	----	1	---- 1 + 1
6850	----	----	1.387B/----	1.387B/0.843A	----	0.666	NEW	.1811	----	----	1	---- 1 + 1
7000	----	----	----/2.437A	2.919B/2.437A	----	3.891 -	2.752	.7381	----	----	1	---- 0 - 1
7000	1.200	1.200	2.065B/1.200	2.065B/1.031A	----	0.968	NEW	.2618	----	----	1	---- 1 + 1
7055	2.715	2.715	2.760B/*2.184A	2.760B/*2.184A	----	3.484	NEW	.7020	----	----	5	---- 5 + 5
7070	2.521	2.521	2.521/2.521	2.521/1.205A	----	1.153	NEW	.3083	----	----	3	---- 3 + 3
7100	----	----	----/1.942A	2.511B/1.942A	----	3.166 -	2.621	.6700	----	----	----	---- 1 UNCH
7200	1.393	1.393	1.904B/*1.393	1.904B/*1.393	----	2.515	NEW	.5916	----	----	2	---- 2 + 2
7215	----	----	----/*1.551A	1.797B/*1.551A	----	2.424 -	2.428	.5791	----	----	----	---- 2 UNCH
7250	----	----	3.178B/----	3.178B/1.643A	----	1.797 +	0.793	.4506	----	----	----	---- 10 UNCH
7300	1.077	1.077	1.679B/*1.077	1.679B/*1.077	----	1.948	NEW	.5057	----	----	3	---- 2 + 2
7320	----	----	----/*1.204A	1.545B/*1.204A	----	1.845 -	2.211	.4880	----	----	----	---- 2 UNCH
7400	----	----	#3.750B/----	3.750B/3.299A	----	4.052 +	1.454	.5282	----	----	----	---- 2 UNCH
7400	0.829	0.829	0.829/*0.805	1.351B/*0.805	----	1.471	NEW	.4172	----	----	6	---- 6 + 6
7475	----	----	----/2.005A	2.578B/2.005A	----	2.654 -	1.584	.4364	----	----	----	---- 2 UNCH
7500	0.788	0.788	1.045/*0.781A	1.639B/*0.781A	----	1.087 -	1.765	.3319	----	----	4	---- 5 + 4
7500	2.400	2.400	2.400/1.895A	2.657B/1.895A	----	2.553	NEW	.4247	----	----	2	---- 1 + 1
7600	----	----	----/1.642A	2.766B/1.642A	----	2.179 -	1.395	.3792	----	----	----	---- 7 UNCH
7700	0.349	0.349	0.349/*0.349	1.253B/*0.349	----	0.568 -	1.231	.1911	----	----	2	---- 16 - 2
7800	0.260	0.260	0.260/*0.260	0.871B/*0.260	----	0.410 -	0.985	.1408	----	----	2	---- 42 UNCH
7800	----	----	----/*1.248A	1.979B/*1.248A	----	1.569 -	1.106	.2953	----	----	----	---- 1 UNCH
7900	----	----	----/*0.310A	0.565B/*0.310A	----	0.301 -	0.768	.1035	----	----	----	---- 1 UNCH
8000	----	----	----/*0.959A	1.284B/*0.959A	----	1.118 -	0.847	.2242	----	----	----	---- 4 UNCH
8000	----	----	----/*0.293A	0.328B/*0.293A	----	0.228 -	0.587	.0773	----	----	----	---- 2 UNCH
8050	----	----	----/*0.281A	0.189B/*0.281A	----	0.201 -	0.510	.0673	----	----	----	---- 1 UNCH
8400	----	----	----/*0.188A	0.006B/*0.188A	----	0.114 -	0.175	.0328	----	----	----	---- 1 UNCH
8800	0.049	0.049	#0.049/*0.049	0.049/*0.049	----	0.077	NEW	.0186	----	----	1	---- 1 + 1
9500	----	----	----	----/*0.122A	----	0.010 -	0.002	.0020	----	----	----	---- 1 UNCH
TOTAL										36	0	128 + 26

COPPER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HMW MON		COPPER WEEKLY MONDAY OPTION WEEK1										
APR26												
515	----	----	----	----/0.0085A	----	0.0010 -	0.0010	.0068	----	----	----	---- 1 UNCH
525	----	----	----	----/*0.0090A	----	0.0020 -	0.0010	.0166	----	----	----	---- 10 UNCH
530	----	----	#0.3805B/0.3155	0.3805B/0.3155A	----	0.3105 -	0.0580	.8450	----	----	----	---- 9 UNCH
535	----	----	----	0.0030B/*0.0110	----	0.0045 -	0.0010	.0450	----	----	----	---- 1 UNCH
537	----	----	----	0.0030B/*0.0115	----	0.0055 -	0.0005	.0566	----	----	----	---- 1 UNCH
540	----	----	----	0.0050B/0.0135A	----	0.0070 -	0.0005	.0760	----	----	----	882 899 + 869
542	----	----	----	0.0080B/*0.0140	----	0.0085	UNCH	.0947	----	----	----	---- 10 UNCH
545	0.0200	0.0200	0.0220/*0.0145A	0.0220/*0.0145A	----	0.0110 +	0.0005	.1285	----	----	2	---- 12 + 2
545	----	----	0.2210B/0.1240A	0.2210B/0.1240A	----	0.1445 -	0.0625	.8713	----	----	----	---- 4 UNCH
550	0.0155	0.0155	0.0300B/*0.0125	0.0300B/*0.0125	----	0.0195 +	0.0040	.2280	----	----	2	---- 2 - 1
555	0.0505	0.0505	0.0550B/*0.0220	0.0550B/*0.0220	----	0.0340 +	0.0095	.3762	----	----	1	---- 5 + 1
555	0.0725	0.0725	0.1250B/0.0560A	0.1250B/0.0560A	----	0.0675 -	0.0535	.6236	----	----	2	---- 3 + 2
560	0.0600	0.0600	0.0705B/*0.0305	0.0705B/*0.0305	----	0.0570 +	0.0180	.5566	----	----	5	---- 9 + 3
560	0.0395	0.0395	0.0825B/*0.0370	0.0825B/*0.0370	----	0.0405 -	0.0450	.4432	----	----	12	---- 13 + 12
560	0.0850	0.0850	#0.1390B/0.0850	0.1390B/0.0850	----	0.0970	NEW	.4827	----	----	5	---- 5 + 5
565	0.0275	0.0275	0.0480B/*0.0200	0.0480B/*0.0200	----	0.0220 -	0.0350	.2719	----	----	15	---- 13 + 10
566	0.0175	0.0175	0.0420B/*0.0175	0.0420B/*0.0175	----	0.0195	NEW	.2436	----	----	10	---- 10 + 10
567	0.0160	0.0160	0.0365B/*0.0160	0.0365B/*0.0160	----	0.0170	NEW	.2157	----	----	10	---- 10 + 10
569	----	----	----/*0.0185A	0.0265B/*0.0185	----	0.0125 -	0.0270	.1641	----	----	1	---- 1 UNCH
570	0.0085	0.0085	0.0225B/*0.0085	0.0225B/*0.0085	----	0.0110 -	0.0250	.1444	----	----	35	---- 48 + 23
575	0.0150	0.0150	0.0150/*0.0120A	0.0150/*0.0120A	----	0.0050 -	0.0170	.0664	----	----	10	---- 20 + 10
580	----	----	----/0.0090A	0.0010B/0.0090A	----	0.0025 -	0.0115	.0311	----	----	----	---- 11 UNCH
587	----	----	0.2825B/0.2070A	0.2825B/0.2070A	----	0.2875 +	0.0565	.9890	----	----	----	---- 4 UNCH
606	0.0070	0.0070	0.0070/*0.0070	0.0070/*0.0070	----	0.0075 -	0.0050	.0528	----	----	1	---- 0 - 1
645	----	----	----	----/*0.0065A	----	0.0005	UNCH	----	----	----	----	---- 2 UNCH
TOTAL									882	111		1103 + 955
HWR THU		COPPER WEEKLY THURSDAY OPT Week1										
APR26												
485	----	----	----	----/*0.0085A	----	0.0000 -	0.0005	----	----	----	----	---- 0 - 1
500	0.0140	0.0140	0.0140/*0.0140	0.0140/*0.0140	----	0.0110	NEW	.0547	----	----	3	---- 3 + 3
500	----	----	----	----/0.0085A	----	0.0000 -	0.0005	----	----	----	----	---- 0 - 2
508	----	----	0.0270B/----	0.0270B/*0.0300	----	0.0265 +	0.0005	.1101	----	----	----	---- 20 UNCH
510	----	----	0.0285B/----	0.0285B/*0.0315	----	0.0285 +	0.0010	.1179	----	----	----	---- 10 UNCH
510	----	----	----	----/*0.0090A	----	0.0000 -	0.0005	----	----	----	----	---- 0 - 1
520	----	----	0.0450B/----	0.0450B/*0.0400	----	0.0405 +	0.0035	.1639	----	----	----	---- 70 UNCH
520	----	----	----	----/0.0090A	----	0.0000 -	0.0005	----	----	----	----	---- 0 - 1
525	----	----	----	----/*0.0085A	----	0.0000 -	0.0005	----	----	----	----	---- 0 - 46
526	----	----	----	----/*0.0085A	----	0.0000 -	0.0005	----	----	----	----	---- 0 - 10
528	----	----	----	----/*0.0085A	----	0.0000 -	0.0005	----	----	----	----	---- 0 - 10
529	----	----	----	----/*0.0085A	----	0.0000 -	0.0005	----	----	----	----	---- 0 - 1
530	----	----	0.0480B/----	0.0480B/*0.0355	----	0.0395 +	0.0050	.1881	----	----	----	---- 2 UNCH
530	----	----	----	----/0.0090A	----	0.0000 -	0.0005	----	----	----	----	---- 0 - 10
535	----	----	----	----/*0.0090A	----	0.0000 -	0.0005	----	----	----	----	---- 0 - 61
537	----	----	----/0.1630A	0.2485B/0.1630A	----	0.2135 -	0.0635	----	----	----	----	---- 0 - 2
539	----	----	----/0.1430A	0.2290B/0.1430A	----	0.1935 -	0.0635	----	----	----	----	---- 0 - 1
540	0.0035	0.0035	0.0035/*0.0010	0.0035/*0.0010	----	0.0000	NEW	----	----	----	3	---- 0 UNCH
542	0.0020	0.0020	0.0020/*0.0020	0.0020/*0.0020	----	0.0000 -	0.0005	----	----	----	1	---- 0 - 30
548	0.0020	0.0020	0.0020/*0.0020	0.0020/*0.0020	----	0.0000 -	0.0020	----	----	----	1	---- 0 - 1
548	----	----	----/0.0620A	0.1400B/0.0620A	----	0.1035 -	0.0650	----	----	----	2	---- 0 - 1
549	0.0025	0.0025	0.0025/*0.0025	0.0025/*0.0025	----	0.0000 -	0.0025	----	----	----	2	---- 0 - 2
550	0.0030	0.0030	0.0030/*0.0030	0.0030/*0.0030	----	0.0000 -	0.0030	----	----	----	1	---- 0 - 27
550	0.0800	0.0800	0.0800/*0.0490A	0.1210B/*0.0490	----	0.0835 -	0.0660	----	----	----	1	---- 0 - 1
552	----	----	0.0780B/----	0.0780B/*0.0445	----	0.0610 +	0.0170	.3734	----	----	----	---- 4 UNCH
552	----	----	0.0055B/----	0.0055B/0.0095A	----	0.0000 -	0.0045	----	----	----	----	---- 0 - 1
553	----	----	----/*0.0320A	0.0925B/*0.0320	----	0.0535 -	0.0680	----	----	----	----	---- 0 - 1
554	0.0180	0.0180	0.0180/*0.0055	0.0180/*0.0055	----	0.0000 -	0.0060	----	----	----	4	---- 0 - 1
555	0.0150	0.0150	0.0350/*0.0095	0.0350/*0.0095	----	0.0000 -	0.0075	----	----	----	3	---- 0 - 5
556	----	----	#0.1850B/0.1265	0.1850B/0.1265A	----	0.1400 -	0.0420	.5410	----	----	----	---- 1 UNCH
556	----	----	0.0340B/----	0.0340B/*0.0095	----	0.0000 -	0.0085	----	----	----	----	---- 0 - 1
558	0.0205	0.0205	0.0520B/*0.0105	0.0520B/*0.0105	----	0.0000	NEW	----	----	----	1	---- 0 UNCH
559	----	----	0.0615B/----	0.0615B/0.0155A	----	0.0065 -	0.0080	----	----	----	----	---- 0 - 4
559	0.0045	0.0045	0.0045/*0.0045	0.0405B/*0.0045	----	0.0000	NEW	----	----	----	1	---- 0 UNCH
560	0.0455	0.0455	0.0710B/*0.0185	0.0710B/*0.0185	----	0.0165 -	0.0005	----	----	----	2	---- 0 - 12
560	0.0175	0.0175	0.0175/*0.0095A	0.0335B/*0.0095	----	0.0000 -	0.0635	----	----	----	9	---- 0 - 22
561	0.0095	0.0095	0.0095/*0.0080A	0.0270B/*0.0080	----	0.0000	NEW	----	----	----	15	---- 0 UNCH
562	0.0400	0.0400	0.0900B/*0.0280	0.0900B/*0.0280	----	0.0365	NEW	----	----	----	1	---- 0 UNCH
562	0.0085	0.0085	0.0085/*0.0070A	0.0210B/*0.0070	----	0.0000	NEW	----	----	----	15	---- 0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HWR THU		COPPER WEEKLY THURSDAY OPT Week1										
APR26												
565	0.0040	0.0040	0.0040/*0.0030	0.0070B/*0.0030	----	0.0000 - 0.0340	----	----	----	20	----	0 - 7
566	----	----	----/*0.0090A	0.0030B/*0.0090	----	0.0000 - 0.0295	----	----	----	----	----	0 - 2
568	----	----	0.1495B/----	0.1495B/0.0770A	----	0.0965 + 0.0410	----	----	----	----	----	0 - 2
568	----	----	----/*0.0090A	0.0010B/*0.0090	----	0.0000 - 0.0220	----	----	----	----	----	0 - 10
570	0.0020	0.0020	0.0020/*0.0020	0.0020/*0.0020	----	0.0000 - 0.0165	----	----	----	1	----	0 - 11
571	----	----	----/0.0715A	0.1000B/0.0715A	----	0.0740 - 0.0295	.3508	----	----	----	----	1 UNCH
575	----	----	----/*0.0020A	0.0010B/*0.0020	----	0.0000 - 0.0070	----	----	----	----	----	0 - 23
584	----	----	----	----/*0.0085A	----	0.0000 - 0.0010	----	----	----	----	----	0 - 1
585	----	----	----	----/*0.0090A	----	0.0000 - 0.0010	----	----	----	----	----	0 - 1
590	----	----	----/0.0340A	0.0355B/0.0340A	----	0.0295 - 0.0155	.1666	----	----	----	----	2 UNCH
590	----	----	0.3700B/----	0.3700B/0.2840A	----	0.3165 + 0.0625	----	----	----	----	----	0 - 15
591	----	----	----	----/*0.0090A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
600	0.0040	0.0040	0.0040/*0.0040	0.0040/*0.0040	----	0.0045 - 0.0050	.0362	----	----	1	----	0 - 1
620	----	----	----	0.0045B/*0.0135	----	0.0080 - 0.0045	.0480	----	----	----	----	4 UNCH
635	----	----	----	----/0.0105A	----	0.0005 - 0.0005	.0020	----	----	----	----	1 UNCH
650	----	----	----	----/*0.0100A	----	0.0015 - 0.0015	.0096	----	----	----	----	2 UNCH
TOTAL										87		120 - 326
HWT TUE		COPPER WEEKLY TUESDAY OPTION Week1										
APR26												
505	0.0035	0.0035	0.0035/*0.0035	0.0035/*0.0035	----	0.0010 NEW	.0064	----	----	1	----	1 + 1
527	----	----	----	0.0015B/0.0140A	----	0.0060 UNCH	.0476	----	----	----	----	1 UNCH
535	----	----	----	0.0070B/0.0155A	----	0.0095 + 0.0005	.0833	----	----	----	----	14 UNCH
540	----	----	0.0145B/----	0.0145B/0.0170A	----	0.0135 + 0.0020	.1236	----	----	----	----	10 UNCH
542	----	----	0.0190B/----	0.0190B/0.0175A	----	0.0160 + 0.0025	.1470	----	----	----	----	10 UNCH
544	----	----	0.0245B/----	0.0245B/0.0190A	----	0.0190 + 0.0035	.1744	----	----	----	----	10 UNCH
545	----	----	0.0275B/----	0.0275B/0.0195A	----	0.0210 + 0.0045	.1911	----	----	----	----	10 UNCH
555	----	----	----/0.0700A	0.0920B/0.0700A	----	0.0825 - 0.0495	.5950	----	----	----	----	1 UNCH
565	----	----	----/0.0795A	0.1165B/0.0795A	----	0.0820 - 0.0345	.4119	----	----	----	----	1 UNCH
580	0.0150	0.0150	0.0150/*0.0125A	0.0150/*0.0125A	----	0.0070 NEW	.0747	----	----	10	----	10 + 10
585	----	----	----/0.0335A	0.0360B/0.0335A	----	0.0285 - 0.0150	.1768	----	----	----	----	1 UNCH
TOTAL										11		69 + 11
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
APR26												
520	----	----	----	0.0030B/*0.0125	----	0.0075 UNCH	.0503	----	----	----	----	2 UNCH
531	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
535	----	----	0.0170B/----	0.0170B/0.0180	----	0.0160 + 0.0020	.1206	----	----	----	----	1 UNCH
548	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
549	----	----	0.1370B/*0.0915	0.1370B/*0.0915	----	0.1105 + 0.0170	.3880	----	----	----	----	1 UNCH
550	----	----	----	----	----	0.1465 UNCH	----	----	----	----	----	0 UNCH
550	----	----	0.0585B/*0.0315	0.0585B/*0.0315	----	0.0450 + 0.0125	.3202	----	----	----	----	7 UNCH
551	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
554	----	----	----	----	----	0.1065 UNCH	----	----	----	----	----	0 UNCH
554	----	----	0.1250B/----	0.1250B/*0.0805	----	0.1010 + 0.0215	.4305	----	----	----	----	1 UNCH
555	----	----	----	----	----	0.0965 UNCH	----	----	----	----	----	0 UNCH
558	----	----	----	----	----	0.0665 UNCH	----	----	----	----	----	0 UNCH
558	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
562	----	----	----	----	----	0.0265 UNCH	----	----	----	----	----	0 UNCH
563	----	----	----	----	----	0.0165 UNCH	----	----	----	----	----	0 UNCH
564	----	----	----	----	----	0.0065 UNCH	----	----	----	----	----	0 UNCH
564	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
565	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
565	----	----	----	----	----	0.0035 UNCH	----	----	----	----	----	0 UNCH
566	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
566	----	----	----	----	----	0.0135 UNCH	----	----	----	----	----	0 UNCH
570	----	----	----	----	----	0.0535 UNCH	.0000	----	----	----	----	0 UNCH
575	----	----	----	----	----	0.1035 UNCH	----	----	----	----	----	0 UNCH
576	----	----	----	----	----	0.1135 UNCH	----	----	----	----	----	0 UNCH
580	----	----	----/0.0680A	0.0870B/0.0680A	----	0.0690 - 0.0240	.2933	----	----	----	----	1 UNCH
585	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
585	----	----	----	----	----	0.2035 UNCH	----	----	----	----	----	0 UNCH
586	----	----	----	----	----	0.2135 UNCH	----	----	----	----	----	0 UNCH
588	----	----	----/0.0330A	0.0345B/0.0330A	----	0.0280 - 0.0140	.1667	----	----	----	----	1 UNCH
597	----	----	----	----	----	0.3235 UNCH	----	----	----	----	----	0 UNCH
600	----	----	----/*0.0215A	0.0150B/0.0215A	----	0.0150 - 0.0085	.0947	----	----	----	----	1 UNCH
604	----	----	----	----	----	0.3935 UNCH	----	----	----	----	----	0 UNCH
620	----	----	----	----/0.0080A	----	0.0005 - 0.0010	.0017	----	----	----	----	1 UNCH
TOTAL												16
MAY26												
465	----	----	0.0150B/----	0.0150B/*0.0220	----	0.0130 + 0.0035	.0432	----	----	----	----	2 UNCH
475	----	----	0.0200B/----	0.0200B/*0.0260	----	0.0190 + 0.0050	.0609	----	----	----	----	2 UNCH
485	----	----	0.0275B/----	0.0275B/0.0315A	----	0.0265 + 0.0065	.0825	----	----	----	----	1 UNCH
500	----	----	0.0425B/----	0.0425B/0.0410A	----	0.0410 + 0.0070	.1232	----	----	----	----	1 UNCH
510	----	----	0.0570B/----	0.0570B/0.0510A	----	0.0535 + 0.0060	.1576	----	----	4	----	8 + 4
520	----	----	0.0755B/----	0.0755B/0.0635A	----	0.0685 + 0.0080	.1983	----	----	----	----	1 UNCH
530	----	----	0.0990B/----	0.0990B/0.0805A	----	0.0880 + 0.0110	.2482	----	----	4	----	4 + 4
540	----	----	0.1300B/----	0.1300B/0.1025A	----	0.1145 + 0.0150	.3089	----	----	----	----	10 UNCH
550	----	----	0.3345B/0.2685A	0.3345B/0.2685A	----	0.2845 - 0.0435	.6206	----	----	----	----	3 UNCH
550	----	----	0.1685B/----	0.1685B/0.1310A	----	0.1490 + 0.0200	.3784	----	----	----	----	28 UNCH
555	----	----	0.1905B/----	0.1905B/0.1470A	----	0.1690 + 0.0220	.4154	----	----	----	----	16 UNCH
556	----	----	0.1945B/----	0.1945B/0.1505A	----	0.1735 + 0.0230	.4230	----	----	----	----	1 UNCH
560	----	----	0.2140B/0.1660A	0.2140B/0.1660A	----	0.1910 + 0.0245	.4535	----	----	----	----	1 UNCH
561	----	----	0.2190B/0.1690A	0.2190B/0.1690A	----	0.1955 + 0.0245	.4612	----	----	----	----	1 UNCH
562	----	----	0.2235B/0.1735A	0.2235B/0.1735A	----	0.2005 + 0.0255	.4689	----	----	----	----	20 UNCH
565	----	----	0.2400B/0.1860A	0.2400B/0.1860A	----	0.2150 + 0.0265	.4922	----	----	----	----	1 UNCH
568	----	----	0.2230B/0.1785A	0.2230B/0.1785A	----	0.1870 - 0.0350	.4836	----	----	----	----	1 UNCH
575	----	----	0.2990B/0.2325A	0.2990B/0.2325A	----	0.2700 + 0.0315	.5693	----	----	----	----	1 UNCH
579	----	----	----/0.1355A	0.1680B/0.1355A	----	0.1405 - 0.0295	.3995	----	----	----	----	1 UNCH
584	----	----	0.3465B/----	0.3465B/0.2950A	----	0.3260 + 0.0365	.6364	----	----	----	----	24 UNCH
585	----	----	0.3660B/0.2870A	0.3660B/0.2870A	----	0.3325 + 0.0370	.6432	----	----	----	----	1 UNCH
590	----	----	----/0.1020A	0.1225B/0.1020A	----	0.1035 NEW	.3207	----	----	4	----	4 + 4
590	----	----	0.4025B/0.3175A	0.4025B/0.3175A	----	0.3670 + 0.0395	.6784	----	----	----	----	17 UNCH
600	----	----	----/0.0775A	0.0900B/0.0775A	----	0.0775 - 0.0190	.2571	----	----	----	----	1 UNCH
600	----	----	0.4650B/0.3835A	0.4650B/0.3835A	----	0.4405 + 0.0445	.7420	----	----	----	----	1 UNCH
607	----	----	----/0.0645A	0.0720B/0.0645A	----	0.0630 - 0.0160	.2181	----	----	----	----	1 UNCH
610	----	----	----/0.0595A	0.0650B/0.0595A	----	0.0575 - 0.0145	.2026	----	----	4	----	4 + 4
617	----	----	----/0.0510A	0.0505B/0.0510A	----	0.0465 - 0.0125	.1700	----	----	----	----	1 UNCH
624	----	----	----/*0.0425A	0.0400B/0.0425A	----	0.0375 - 0.0105	.1417	----	----	----	----	16 UNCH
645	----	----	0.7915B/0.7635A	0.7915B/0.7635A	----	0.8325 + 0.0575	.9180	----	----	----	----	6 UNCH
660	----	----	----	0.0110B/*0.0190	----	0.0135 - 0.0040	.0562	----	----	----	----	1 UNCH
675	----	----	----	0.0065B/*0.0150	----	0.0085 - 0.0025	.0367	----	----	----	----	2 UNCH
695	----	----	----	0.0025B/*0.0125	----	0.0045 - 0.0015	.0203	----	----	----	----	20 UNCH
710	----	----	----	----/*0.0130A	----	0.0030 - 0.0010	.0137	----	----	----	----	2 UNCH
TOTAL										16		204 + 16
JUN26												
579	----	----	0.3955B/0.3345A	0.3955B/0.3345A	----	0.3690 + 0.0320	.5604	----	----	----	----	1 UNCH
610	----	----	----/0.1200A	0.1330B/0.1200A	----	0.1175 - 0.0200	.2823	----	----	----	----	7 UNCH
630	----	----	----/0.0830A	0.0860B/0.0830A	----	0.0780 - 0.0145	.2039	----	----	----	----	8 UNCH
650	----	----	----/*0.0590A	0.0545B/0.0590A	----	0.0520 - 0.0100	.1450	----	----	----	----	6 UNCH
660	----	----	----	0.0430B/0.0505A	----	0.0425 - 0.0080	.1218	----	----	----	----	7 UNCH
TOTAL												29
JUL26												
600	----	----	----/0.2095A	0.2380B/0.2095A	----	0.2120 - 0.0275	.3869	----	----	----	----	12 UNCH
TOTAL												12
HX CALL		COMEX COPPER OPTIONS										
MAY26												
490	----	----	----/0.7155A	0.7555B/0.7155A	----	0.7035 - 0.0630	.9219	----	----	----	----	1 UNCH
500	----	----	0.7085B/0.6235A	0.7085B/0.6235A	----	0.6095 - 0.0620	.8982	----	----	----	----	3 UNCH
505	----	----	0.6340B/0.5790A	0.6340B/0.5790A	----	0.5635 - 0.0615	.8829	----	----	----	----	3 UNCH
525	----	----	0.4610B/0.3530A	0.4610B/0.3530A	----	0.3910 - 0.0560	.7900	----	----	----	----	14 UNCH
530	----	----	0.4195B/0.3200A	0.4195B/0.3200A	----	0.3515 - 0.0540	.7576	----	----	----	----	276 UNCH
531	----	----	#0.4045B/0.3665	#0.4045B/0.3665	----	0.3440 - 0.0530	.7504	----	----	----	----	1 UNCH
532	----	----	#0.3970B/0.3590	#0.3970B/0.3590	----	0.3365 - 0.0525	.7432	----	----	----	----	1 UNCH
533	----	----	#0.3895B/0.3520	#0.3895B/0.3520	----	0.3290 - 0.0520	.7359	----	----	----	----	3 UNCH
534	----	----	#0.3815B/0.3450	#0.3815B/0.3450	----	0.3215 - 0.0515	.7287	----	----	----	----	4 UNCH
535	----	----	0.3740B/0.2890A	0.3740B/0.2890A	----	0.3140 - 0.0510	.7213	----	----	----	----	1 UNCH
536	----	----	#0.3675B/0.2885	#0.3675B/0.2885	----	0.3070 - 0.0505	.7134	----	----	----	----	2 UNCH
537	----	----	#0.3600B/0.2830	#0.3600B/0.2830	----	0.3000 - 0.0495	.7059	----	----	----	----	1 UNCH
539	0.2965	0.2965	#0.3460B/0.2695	#0.3460B/0.2695	----	0.2855 - 0.0485	.6898	----	----	3	----	2 - 1
540	----	----	0.3385B/0.2535A	0.3385B/0.2535A	----	0.2790 - 0.0475	.6817	----	----	----	----	44 UNCH
541	0.2755	0.2755	#0.3315B/0.2500	#0.3315B/0.2500	----	0.2720 - 0.0475	.6731	----	----	9	----	9 - 1
542	----	----	#0.3250B/0.2450	#0.3250B/0.2450	----	0.2655 - 0.0465	.6649	----	----	----	----	15 UNCH
543	----	----	#0.3185B/0.2365	#0.3185B/0.2365	----	0.2585 - 0.0460	.6562	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

HX CALL COMEX COPPER OPTIONS
MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
544	----	----	#0.3115B/0.2240	#0.3115B/0.2240	----	0.2520 - 0.0455	.6476	----	----	----	----	3 UNCH
545	0.2490	0.2490	0.3045B/0.2195A	0.3045B/0.2195A	----	0.2455 - 0.0450	.6388	----	----	6	----	16 - 3
546	----	----	#0.2985B/0.2140	#0.2985B/0.2140	----	0.2395 - 0.0440	.6301	----	----	----	----	7 UNCH
547	----	----	#0.2945B/0.2090	#0.2945B/0.2090	----	0.2330 - 0.0435	.6213	----	----	----	----	1 UNCH
548	----	----	#0.2900B/0.2010	#0.2900B/0.2010	----	0.2270 - 0.0430	.6121	----	----	----	----	34 UNCH
549	----	----	#0.2840B/0.1950	#0.2840B/0.1950	----	0.2205 - 0.0425	.6030	----	----	----	----	6 UNCH
550	----	----	0.2810B/0.1870A	0.2810B/0.1870A	----	0.2145 - 0.0420	.5938	----	----	3	----	526 - 3
551	0.2090	0.2090	0.2715B/0.1845A	0.2715B/0.1845A	----	0.2090 - 0.0410	.5845	----	----	3	----	16 - 2
552	----	----	0.2655B/0.1795A	0.2655B/0.1795A	----	0.2030 - 0.0410	.5753	----	----	----	----	21 UNCH
553	----	----	0.2595B/0.1745A	0.2595B/0.1745A	----	0.1975 - 0.0400	.5658	----	----	----	----	21 UNCH
554	----	----	0.2535B/0.1700A	0.2535B/0.1700A	----	0.1915 - 0.0400	.5564	----	----	----	----	7 UNCH
555	----	----	0.2475B/0.1645A	0.2475B/0.1645A	----	0.1860 - 0.0395	.5469	----	----	4	----	90 + 3
556	----	----	0.2465B/0.1600A	0.2465B/0.1600A	----	0.1810 - 0.0385	.5373	----	----	----	----	26 UNCH
557	----	----	0.2365B/0.1550A	0.2365B/0.1550A	----	0.1755 - 0.0380	.5277	----	----	----	----	17 UNCH
558	----	----	0.2305B/0.1510A	0.2305B/0.1510A	----	0.1705 - 0.0375	.5181	----	----	----	----	10 UNCH
559	0.1695	0.1695	0.2255B/0.1460A	0.2255B/0.1460A	----	0.1650 - 0.0375	.5084	----	----	12	----	17 + 10
560	0.1495	0.1495	0.2305B/0.1410A	0.2305B/0.1410A	----	0.1605 - 0.0365	.4988	----	----	40	----	885 + 9
561	0.1640	0.1640	0.2145B/0.1375A	0.2145B/0.1375A	----	0.1555 - 0.0360	.4891	----	----	1	----	14 UNCH
562	0.1590	0.1590	0.2095B/0.1335A	0.2095B/0.1335A	----	0.1505 - 0.0355	.4794	----	----	2	----	11 + 2
563	0.1545	0.1545	0.2045B/0.1300A	0.2045B/0.1300A	----	0.1460 - 0.0345	.4698	----	----	9	----	16 + 9
564	0.1415	0.1415	0.1995B/0.1255A	0.1995B/0.1255A	----	0.1415 - 0.0340	.4602	----	----	17	----	23 + 13
565	0.1450	0.1450	0.1940B/0.1220A	0.1940B/0.1220A	----	0.1370 - 0.0335	.4506	----	----	65	----	201 + 32
566	0.1405	0.1405	0.1895B/0.1185A	0.1895B/0.1185A	----	0.1325 - 0.0330	.4409	----	----	6	----	14 + 6
567	0.1365	0.1365	0.1845B/0.1150A	0.1845B/0.1150A	----	0.1285 - 0.0320	.4315	----	----	2	----	8 + 2
568	0.1315	0.1315	0.1890B/0.1115A	0.1890B/0.1115A	----	0.1245 - 0.0315	.4221	----	----	59	----	59 + 57
569	0.1275	0.1275	0.1930B/0.1080A	0.1930B/0.1080A	----	0.1205 - 0.0305	.4127	----	----	4	----	108 - 1
570	0.1250	0.1250	0.1980B/0.1035A	0.1980B/0.1035A	----	0.1165 - 0.0300	.4033	----	----	39	----	1020 - 1
571	0.1195	0.1195	0.1830B/0.1010A	0.1830B/0.1010A	----	0.1125 - 0.0295	.3938	----	----	25	----	31 + 23
572	----	----	0.1795B/0.0980A	0.1795B/0.0980A	----	0.1090 - 0.0285	.3848	----	----	----	----	14 UNCH
573	----	----	0.1750B/0.0945A	0.1750B/0.0945A	----	0.1055 - 0.0275	.3757	----	----	----	----	36 UNCH
574	----	----	0.1700B/0.0915A	0.1700B/0.0915A	----	0.1020 - 0.0270	.3667	----	----	----	----	14 UNCH
575	----	----	0.1755B/0.0880A	0.1755B/0.0880A	----	0.0985 - 0.0260	.3577	----	----	----	----	612 UNCH
576	----	----	0.1625B/0.0855A	0.1625B/0.0855A	----	0.0950 - 0.0255	.3486	----	----	----	----	13 UNCH
577	----	----	0.1410B/0.0830A	0.1410B/0.0830A	----	0.0920 - 0.0245	.3402	----	----	----	----	2 UNCH
578	----	----	0.1540B/0.0800A	0.1540B/0.0800A	----	0.0885 - 0.0245	.3311	----	----	----	----	8 UNCH
579	----	----	0.1505B/0.0780A	0.1505B/0.0780A	----	0.0855 - 0.0235	.3226	----	----	----	----	8 UNCH
580	0.0800	0.0800	0.1550B/0.0745A	0.1550B/0.0745A	----	0.0825 - 0.0230	.3141	----	----	36	----	564 + 8
581	----	----	0.1300B/0.0730A	0.1300B/0.0730A	----	0.0800 - 0.0220	.3063	----	----	----	----	4 UNCH
582	----	----	0.1385B/0.0705A	0.1385B/0.0705A	----	0.0770 - 0.0215	.2979	----	----	----	----	5 UNCH
583	0.0780	0.0780	0.1355B/0.0675A	0.1355B/0.0675A	----	0.0740 - 0.0210	.2894	----	----	10	----	50 - 4
584	----	----	0.1315B/0.0660A	0.1315B/0.0660A	----	0.0715 - 0.0205	.2816	----	----	----	----	45 UNCH
585	0.0675	0.0675	0.1360B/0.0630A	0.1360B/0.0630A	----	0.0690 - 0.0200	.2739	----	----	10	----	492 + 3
586	----	----	0.1245B/0.0615A	0.1245B/0.0615A	----	0.0665 - 0.0195	.2662	----	----	----	----	8 UNCH
587	----	----	0.1215B/0.0590A	0.1215B/0.0590A	----	0.0640 - 0.0190	.2585	----	----	----	----	5 UNCH
588	----	----	0.1070B/0.0575A	0.1070B/0.0575A	----	0.0620 - 0.0180	.2516	----	----	----	----	3 UNCH
589	----	----	0.1150B/0.0560A	0.1150B/0.0560A	----	0.0595 - 0.0180	.2439	----	----	----	----	12 UNCH
590	0.0555	0.0555	0.1190B/0.0535A	0.1190B/0.0535A	----	0.0575 - 0.0170	.2371	----	----	116	----	1566 + 6
591	----	----	0.1080B/0.0520A	0.1080B/0.0520A	----	0.0550 - 0.0170	.2294	----	----	25	----	140 + 25
592	----	----	0.0960B/0.0505A	0.0960B/0.0505A	----	0.0530 - 0.0165	.2226	----	----	----	----	2 UNCH
593	----	----	0.1025B/0.0485A	0.1025B/0.0485A	----	0.0510 - 0.0160	.2159	----	----	----	----	16 UNCH
594	----	----	0.0875B/0.0470A	0.0875B/0.0470A	----	0.0495 - 0.0155	.2101	----	----	----	----	4 UNCH
595	0.0465	0.0465	0.1035B/0.0445A	0.1035B/0.0445A	----	0.0475 - 0.0150	.2034	----	----	6	----	310 + 6
597	----	----	0.0810B/0.0425A	0.0810B/0.0425A	----	0.0440 - 0.0140	.1910	----	----	----	----	1 UNCH
598	----	----	0.0770B/0.0410A	0.0770B/0.0410A	----	0.0420 - 0.0140	.1843	----	----	----	----	2 UNCH
599	----	----	0.0735B/0.0395A	0.0735B/0.0395A	----	0.0405 - 0.0135	.1787	----	----	----	----	3 UNCH
600	0.0390	0.0390	0.0900B/0.0360	0.0900B/0.0360	----	0.0390 - 0.0130	.1731	----	----	87	----	1475 - 17
601	0.0400	0.0400	0.0740B/0.0365A	0.0740B/0.0365A	----	0.0375 - 0.0130	.1675	----	----	1	----	3 + 1
602	----	----	0.0720B/0.0350A	0.0720B/0.0350A	----	0.0360 - 0.0125	.1619	----	----	----	----	4 UNCH
603	----	----	0.0700B/0.0345A	0.0700B/0.0345A	----	0.0345 - 0.0120	.1564	----	----	6	----	8 + 5
604	0.0745	0.0745	0.0745/0.0330A	0.0745/0.0330A	----	0.0330 - 0.0120	.1508	----	----	9	----	44 + 8
605	----	----	0.0775B/0.0315A	0.0775B/0.0315A	----	0.0320 - 0.0115	.1465	----	----	----	----	181 UNCH
606	----	----	0.0650B/0.0305A	0.0650B/0.0305A	----	0.0305 - 0.0115	.1410	----	----	----	----	4 UNCH
607	----	----	0.0685B/0.0295A	0.0685B/0.0295A	----	0.0295 - 0.0110	.1368	----	----	----	----	5 UNCH
608	----	----	0.0570B/0.0285A	0.0570B/0.0285A	----	0.0280 - 0.0110	.1312	----	----	----	----	2 UNCH
609	0.0270	0.0270	0.0565B/0.0270	0.0565B/0.0270	----	0.0270 - 0.0105	.1270	----	----	3	----	3 + 1
610	0.0270	0.0270	0.0690B/0.0265A	0.0690B/0.0265A	----	0.0260 - 0.0100	.1229	----	----	13	----	1455 - 9
611	0.0250	0.0250	0.0605B/0.0250	0.0605B/0.0250	----	0.0250 - 0.0095	.1187	----	----	6	----	10 + 5
612	0.0245	0.0245	0.0590B/0.0240A	0.0590B/0.0240A	----	0.0240 - 0.0095	.1146	----	----	6	----	16 + 5
613	0.0235	0.0235	0.0575B/0.0230A	0.0575B/0.0230A	----	0.0230 - 0.0090	.1105	----	----	8	----	24 + 7
614	0.0225	0.0225	0.0555B/0.0225	0.0555B/0.0225	----	0.0220 - 0.0090	.1064	----	----	8	----	23 + 8
615	0.0220	0.0220	0.0600B/0.0215A	0.0600B/0.0215A	----	0.0215 - 0.0085	.1038	----	----	13	----	453 - 2
616	0.0210	0.0210	0.0530B/0.0210	0.0530B/0.0210	----	0.0205 - 0.0080	.0997	----	----	7	----	29 + 3
617	0.0205	0.0205	0.0510B/0.0200	0.0510B/0.0200	----	0.0200 - 0.0075	.0972	----	----	6	----	45 + 5
618	0.0195	0.0195	0.0500B/0.0195	0.0500B/0.0195	----	0.0190 - 0.0075	.0931	----	----	19	----	36 + 12
619	0.0190	0.0190	0.0485B/0.0185A	0.0485B/0.0185A	----	0.0185 - 0.0070	.0906	----	----	5	----	44 + 5
620	0.0195	0.0195	0.0520B/0.0180A	0.0520B/0.0180A	----	0.0175 - 0.0070	.0866	----	----	61	----	1107 + 49
621	0.0190	0.0190	0.0455B/0.0175A	0.0455B/0.0175A	----	0.0170 - 0.0065	.0841	----	----	3	----	23 + 2
622	0.0190	0.0190	0.0445B/0.0170A	0.0445B/0.0170A	----	0.0165 - 0.0065	.0817	----	----	1	----	33 + 1
623	----	----	0.0435B/0.0165A	0.0435B/0.0165A	----	0.0155 - 0.0065	.0777	----	----	----	----	58 UNCH
624	0.0330	0.0330	0.0415B/0.0155A	0.0415B/0.0155A	----	0.0150 - 0.0065	.0753	----	----	1	----	19 + 1
625	----	----	0.0345B/0.0150A	0.0345B/0.0150A	----	0.0145 - 0.0060	.0729	----	----	----	----	1228 UNCH
626	----	----	0.0330B/0.0145A	0.0330B/0.0145A	----	0.0140 - 0.0060	.0705	----	----	4	----	21 UNCH
627	----	----	0.0325B/0.0140A	0.0325B/0.0140A	----	0.0135 - 0.0055	.0682	----	----	----	----	29 UNCH
628	----	----	0.0330B/0.0135A	0.0330B/0.0135A	----	0.0130 - 0.0055	.0658	----	----	----	----	193 UNCH
629	----	----	0.0330B/*0.0130	0.0330B/*0.0130	----	0.0125 - 0.0055	.0635	----	----	----	----	98 UNCH
630	0.0185	0.0185	0.0315B/*0.0125	0.0315B/*0.0125	----	0.0120 - 0.0050	.0612	----	----	28	----	543 + 25
631	----	----	0.0325B/*0.0120	0.0325B/*0.0120	----	0.0115 - 0.0050	.0589	----	----	----	----	6 UNCH
633	0.0165	0.0165	0.0315B/*0.0110	0.0315B/*0.0110	----	0.0105 - 0.0050	.0543	----	----	25	----	24 + 17
634	----	----	0.0305B/*0.0110	0.0305B/*0.0110	----	0.0105 - 0.0045	.0538	----	----	----	----	3 UNCH
635	----	----	0.0305B/*0.0105	0.0305B/*0.0105	----	0.0100 - 0.0045	.0516	----	----	----	----	207 UNCH
636	----	----	0.0290B/*0.0105	0.0290B/*0.0105	----	0.0095 - 0.0045	.0493	----	----	----	----	7 UNCH
637	----	----	0.0285B/*0.0100	0.0285B/*0.0100	----	0.0095 - 0.0040	.0489	----	----	----	----	3 UNCH
638	0.0100	0.0100	0.0280B/*0.0095	0.0280B/*0.0095	----	0.0090 NEW	.0466	----	----	3	----	3 + 3
639	----	----	0.0270B/*0.0095	0.0270B/*0.0095	----	0.0085 - 0.0045	.0444	----	----	----	----	1 UNCH
640	----	----	0.0265B/*0.0090	0.0265B/*0.0090	----	0.0085 - 0.0040	.0440	----	----	----	----	1194 UNCH
641	0.0100	0.0100	0.0260B/*0.0090	0.0260B/*0.0090	----	0.0080 - 0.0040	.0418	----	----	6	----	9 + 6
642	0.0120	0.0120	0.0255B/*0.0085	0.0255B/*0.0085	----	0.0080 - 0.0040	.0415	----	----	3	----	4 + 1
643	0.0075	0.0075	0.0250B/*0.0075	0.0250B/*0.0075	----	0.0075 - 0.0040	.0392	----	----	6	----	9 UNCH
644	----	----	0.0245B/*0.0080	0.0245B/*0.0080	----	0.0075 - 0.0035	.0389	----	----	----	----	1 UNCH
645	----	----	0.0235B/*0.0080	0.0235B/*0.0080	----	0.0070 - 0.0035	.0367	----	----	----	----	85 UNCH
646	----	----	0.0230B/*0.0075	0.0230B/*0.0075	----	0.0070 - 0.0035	.0364	----	----	----	----	1 UNCH
650	----	----	0.0205B/*0.0070	0.0205B/*0.0070	----	0.0060 - 0.0035	.0315	----	----	15	----	3293 UNCH
655	0.0060	0.0060	0.0185B/*0.0055	0.0185B/*0.0055	----	0.0050 - 0.0030	.0265	----	----	10	----	70 UNCH
660	----	----	0.0165B/0.0055A	0.0165B/0.0055A	----	0.0045 - 0.0025	.0236	----	----	3	----	148 UNCH
665	----	----	0.0150B/0.0050A	0.0150B/0.0050A	----	0.0040 - 0.0020	.0208	----	----	----	----	14 UNCH
670	----	----	0.0135B/*0.0045	0.0135B/*0.0045	----	0.0035 - 0.0020	.0181	----	----	----	----	525 UNCH
675	----	----	0.0120B/0.0045A	0.0120B/0.0045A	----	0.0035 - 0.0015	.0176	----	----	----	----	126 UNCH
680	0.0050	0.0050	0.0105B/0.0040A	0.0105B/0.0040A	----	0.0030 - 0.0015	.0151	----	----	22	----	1102 + 11
685	----	----	0.0095B/*0.0030	0.0095B/*0.0030	----	0.0030 - 0.0010	.0147	----	----	----	----	12 UNCH
690	0.0040	0.0040	0.0065B/0.0035A	0.0065B/0.0035A	----	0.0025 - 0.0015	.0123	----	----	5	----	178 UNCH
695	0.0035	0.0035	0.0035/0.0030A	0.0035/0.0030A	----	0.0025 - 0.0010	.0120	----	----	2	----	26 + 1
700	0.0035	0.0035	0.0070B/0.0025A	0.0070B/0.0025A	----	0.0025 - 0.0010	.0117	----	----	6	----	536 - 3
705	----	----	----/0.0025A	----/0.0025A	----	0.0025 - 0.0010	.0115	----	----	----	----	2 UNCH
710	----	----	----/0.0025A	----/0.0025A	----	0.0025 - 0.0010	.0112	----	----	----	----	59 UNCH
715	----	----	----/0.0025A	----/0.0025A	----	0.0025 - 0.0010	.0109	----	----	----	----	16 UNCH
720	----	----	----/0.0025A	----/0.0025A	----	0.0025 - 0.0010	.0107	----	----	----	----	13 UNCH
725	----	----	----/0.0020A	----/0.0020A	----	0.0025 - 0.0010	.0105	----	----	----	----	93 UNCH
730	----	----	----/0.0020A	----/0.0020A	----	0.0025 - 0.0010	.0103	----	----	----	----	15 UNCH
735	----	----	----	----/0.0065A	----	0.0025 - 0.0010	.0101	----	----	----	----	5 UNCH
740	----	----	----	----/0.0060A	----	0.0025 - 0.0010	.0099	----	----	----	----	92 UNCH
745	----	----	----	----/0.0060A	----	0.0020 - 0.0010	.0081	----	----	----	----	34 UNCH
750	----	----	----	0.0015B/0.0060A	----	0.0020 - 0.0010	.0079	----	----	----	----	489 UNCH
755	----	----	----/0.0020A	----/0.0020A	----	0.0020 - 0.0010	.0078	----	----	----	----	2 UNCH
760	----	----	----/0.0020A	0.0010B/0.0020A	----	0.0020 - 0.0010	.0076	----	----	----	----	78 UNCH
765	----	----	----	----/0.0055A	----	0.0015 - 0.0010	.0059	----	----	----	----	2 UNCH
770	----	----	----	----/0.0055A	----	0.0015 - 0.0010	.0058	----	----	----	----	3 UNCH
775	----	----	----	----/0.0055A	----	0.0015 - 0.0010	.0057	----	----	----	----	47 UNCH
780	----	----	----	----/*0.0050A	----	0.0015 - 0.0010	.0056	----	----	----	----	8 UNCH
785	----	----	----	----/0.0050A	----	0.0015 - 0.0010	.0055	----	----	----	----	3 UNCH
790	----	----	----	----/0.0050A	----	0.0015 - 0.0010	.0055	----	----	----	----	3 UNCH
795	----	----	----	----/0.0050A	----	0.0015 - 0.0010	.0054	----	----	----	----	5 UNCH
800	----	----	----	----/0.0050A	----	0.0015 - 0.0010	.0053	----	----	----	----	4120 UNCH
810	----	----	----	----/0.0045A	----	0.0015 - 0.0010	.0052	----	----	----	----	4040 UNCH
820	----	----	----	----/0.0040A	----	0.0015 - 0.0010	.0050	----	----	----	----	28 UNCH
825	----	----	----	----/0.0040A	----	0.0015 - 0.0005	.0050	----	----	----	----	91 UNCH
835	----	----	----	----/0.0035A	----	0.0015 - 0.0005	.0048	----	----	----	----	1 UNCH
840	----	----	----	----/0.0035A	----	0.0010 - 0.0010	.0034	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 71

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
MAY26												
850	----	----	----	----/0.0035A	----	0.0010 - 0.0010	.0033	----	----	----	----	62 UNCH
855	----	----	----	----/0.0035A	----	0.0010 - 0.0005	.0033	----	----	----	----	30 UNCH
860	----	----	----	----/0.0030A	----	0.0010 - 0.0005	.0032	----	----	----	----	4 UNCH
865	----	----	----	----/0.0030A	----	0.0010 - 0.0005	.0032	----	----	----	----	3 UNCH
870	----	----	----	----/0.0030A	----	0.0010 - 0.0005	.0031	----	----	----	----	4 UNCH
875	----	----	----	----/0.0030A	----	0.0010 - 0.0005	.0031	----	----	----	----	1 UNCH
880	----	----	----	----/0.0030A	----	0.0010 - 0.0005	.0031	----	----	----	----	12 UNCH
890	----	----	----	----/0.0030A	----	0.0010 - 0.0005	.0030	----	----	----	----	1 UNCH
900	----	----	----	----/0.0025A	----	0.0010 UNCH	.0030	----	----	----	----	73 UNCH
915	----	----	----	----/0.0025A	----	0.0005 - 0.0005	.0013	----	----	----	----	1 UNCH
920	----	----	----	----/0.0025A	----	0.0005 - 0.0005	.0011	----	----	----	----	4 UNCH
925	----	----	----	----/0.0025A	----	0.0005 - 0.0005	.0010	----	----	----	----	10 UNCH
930	----	----	----	----/0.0025A	----	0.0005 UNCH	.0009	----	----	----	----	1 UNCH
935	----	----	----	----/0.0025A	----	0.0005 UNCH	.0008	----	----	----	----	1 UNCH
940	----	----	----	----/0.0025A	----	0.0005 UNCH	.0007	----	----	----	----	4 UNCH
945	----	----	----	----/0.0025A	----	0.0005 UNCH	.0006	----	----	----	----	10 UNCH
950	----	----	----	----/0.0025A	----	0.0005 UNCH	.0005	----	----	----	----	40 UNCH
TOTAL										913		31845 + 349
JUN26												
500	----	----	#0.7685B/0.7320	#0.7685B/0.7320	----	0.7055 - 0.0565	.8336	----	----	----	----	4 UNCH
525	----	----	0.5665B/0.4780A	0.5665B/0.4780A	----	0.5075 - 0.0485	.7354	----	----	----	----	1 UNCH
535	----	----	0.4965B/0.4070A	0.4965B/0.4070A	----	0.4365 - 0.0435	.6862	----	----	----	----	2 UNCH
540	----	----	0.5040B/0.3715A	0.5040B/0.3715A	----	0.4035 - 0.0405	.6598	----	----	----	----	22 UNCH
545	----	----	0.4315B/0.3500A	0.4315B/0.3500A	----	0.3715 - 0.0390	.6323	----	----	----	----	2 UNCH
549	----	----	#0.4070B/0.3200	#0.4070B/0.3200	----	0.3475 - 0.0375	.6096	----	----	----	----	1 UNCH
550	----	----	0.4015B/0.3125A	0.4015B/0.3125A	----	0.3415 - 0.0370	.6039	----	----	----	----	3 UNCH
555	----	----	0.3720B/0.2855A	0.3720B/0.2855A	----	0.3125 - 0.0365	.5747	----	----	----	----	1 UNCH
556	0.2800	0.2800	#0.3665B/0.2800	#0.3665B/0.2800	----	0.3070 NEW	.5688	----	----	1	----	1 + 1
557	----	----	#0.4010B/0.2755	#0.4010B/0.2755	----	0.3015 - 0.0360	.5629	----	----	----	----	62 UNCH
559	----	----	#0.3495B/0.2655	#0.3495B/0.2655	----	0.2905 - 0.0355	.5510	----	----	----	----	4 UNCH
560	----	----	0.3850B/0.2615A	0.3850B/0.2615A	----	0.2855 - 0.0350	.5450	----	----	----	----	108 UNCH
565	----	----	0.3180B/0.2385A	0.3180B/0.2385A	----	0.2600 - 0.0330	.5149	----	----	----	----	2 UNCH
568	----	----	0.3030B/0.2240A	0.3030B/0.2240A	----	0.2460 NEW	.4969	----	----	3	----	3 + 3
569	----	----	0.2980B/0.2200A	0.2980B/0.2200A	----	0.2415 - 0.0305	.4909	----	----	----	----	2 UNCH
570	0.2355	0.2355	0.3320B/0.2155A	0.3320B/0.2155A	----	0.2365 - 0.0305	.4848	----	----	2	----	15 - 2
574	----	----	0.2740B/0.1995A	0.2740B/0.1995A	----	0.2190 - 0.0285	.4609	----	----	----	----	3 UNCH
575	----	----	0.3270B/0.1940A	0.3270B/0.1940A	----	0.2150 - 0.0280	.4551	----	----	----	----	149 UNCH
579	----	----	0.2515B/0.1810A	0.2515B/0.1810A	----	0.1985 - 0.0260	.4315	----	----	----	----	2 UNCH
580	----	----	0.2970B/0.1770A	0.2970B/0.1770A	----	0.1950 - 0.0255	.4258	----	----	----	----	72 UNCH
585	----	----	0.2755B/0.1600A	0.2755B/0.1600A	----	0.1760 - 0.0235	.3969	----	----	----	----	26 UNCH
587	----	----	0.2185B/0.1535A	0.2185B/0.1535A	----	0.1690 - 0.0225	.3857	----	----	----	----	2 UNCH
588	----	----	0.2145B/0.1500A	0.2145B/0.1500A	----	0.1655 - 0.0225	.3800	----	----	----	----	2 UNCH
590	----	----	0.2560B/0.1440A	0.2560B/0.1440A	----	0.1585 - 0.0220	.3688	----	----	----	----	19 UNCH
591	----	----	0.2525B/0.1410A	0.2525B/0.1410A	----	0.1555 - 0.0215	.3635	----	----	----	----	10 UNCH
595	----	----	0.2390B/0.1305A	0.2390B/0.1305A	----	0.1430 - 0.0200	.3419	----	----	----	----	5 UNCH
600	0.1630	0.1630	0.2260B/0.1155A	0.2260B/0.1155A	----	0.1285 - 0.0185	.3160	----	----	20	----	314 + 6
604	----	----	0.1590B/0.1075A	0.1590B/0.1075A	----	0.1180 - 0.0170	.2962	----	----	----	----	2 UNCH
605	----	----	0.1560B/0.1055A	0.1560B/0.1055A	----	0.1150 - 0.0175	.2909	----	----	----	----	3 UNCH
607	----	----	0.1990B/0.1015A	0.1990B/0.1015A	----	0.1105 - 0.0165	.2817	----	----	----	----	20 UNCH
609	0.1380	0.1380	0.1930B/0.0970A	0.1930B/0.0970A	----	0.1055 NEW	.2721	----	----	7	----	7 + 7
610	0.1305	0.1305	0.1945B/0.0935A	0.1945B/0.0935A	----	0.1035 - 0.0155	.2678	----	----	9	----	527 UNCH
612	0.1305	0.1305	0.1850B/0.0910A	0.1850B/0.0910A	----	0.0990 NEW	.2587	----	----	14	----	14 + 14
613	----	----	0.1330B/0.0895A	0.1330B/0.0895A	----	0.0965 - 0.0150	.2539	----	----	----	----	2 UNCH
615	----	----	0.1770B/0.0850A	0.1770B/0.0850A	----	0.0925 - 0.0140	.2454	----	----	----	----	15 UNCH
616	----	----	0.1740B/0.0835A	0.1740B/0.0835A	----	0.0905 - 0.0140	.2412	----	----	6	----	9 + 6
617	----	----	0.1230B/0.0820A	0.1230B/0.0820A	----	0.0885 - 0.0135	.2370	----	----	----	----	1 UNCH
620	----	----	0.1630B/0.0765A	0.1630B/0.0765A	----	0.0830 - 0.0125	.2250	----	----	4	----	48 - 1
622	----	----	0.1110B/0.0730A	0.1110B/0.0730A	----	0.0790 - 0.0125	.2165	----	----	----	----	3 UNCH
625	0.0960	0.0960	0.1530B/0.0685A	0.1530B/0.0685A	----	0.0740 - 0.0115	.2052	----	----	3	----	155 + 2
627	----	----	0.1480B/0.0655A	0.1480B/0.0655A	----	0.0710 - 0.0110	.1982	----	----	----	----	11 UNCH
629	----	----	0.0955B/0.0630A	0.0955B/0.0630A	----	0.0675 - 0.0110	.1905	----	----	----	----	2 UNCH
630	0.0635	0.0635	0.1440B/0.0605	0.1440B/0.0605	----	0.0660 - 0.0105	.1870	----	----	6	----	531 + 6
635	----	----	0.1320B/0.0550A	0.1320B/0.0550A	----	0.0590 - 0.0095	.1703	----	----	----	----	13 UNCH
640	----	----	0.1250B/0.0500A	0.1250B/0.0500A	----	0.0525 - 0.0090	.1546	----	----	4	----	58 UNCH
645	----	----	0.1160B/0.0445A	0.1160B/0.0445A	----	0.0470 - 0.0085	.1406	----	----	----	----	10 UNCH
650	0.1105	0.1105	0.1105/0.0395A	0.1105/0.0395A	----	0.0420 - 0.0080	.1277	----	----	6	----	482 UNCH
655	0.0360	0.0360	0.0960B/0.0355A	0.0960B/0.0355A	----	0.0370 - 0.0080	.1148	----	----	1	----	7 UNCH
660	0.0320	0.0320	0.0930B/*0.0320	0.0930B/*0.0320	----	0.0330 - 0.0075	.1039	----	----	2	----	268 + 2
665	----	----	0.0790B/*0.0290	0.0790B/*0.0290	----	0.0295 - 0.0070	.0941	----	----	----	----	18 UNCH
670	----	----	0.0710B/*0.0260	0.0710B/*0.0260	----	0.0265 - 0.0065	.0855	----	----	----	----	6 UNCH
675	----	----	0.0385B/*0.0240	0.0385B/*0.0240	----	0.0240 - 0.0060	.0780	----	----	----	----	33 UNCH
680	----	----	0.0345B/*0.0215	0.0345B/*0.0215	----	0.0215 - 0.0060	.0706	----	----	----	----	303 UNCH
690	----	----	0.0285B/*0.0185	0.0285B/*0.0185	----	0.0175 - 0.0055	.0584	----	----	----	----	21 UNCH
695	----	----	0.0265B/*0.0170	0.0265B/*0.0170	----	0.0160 - 0.0050	.0536	----	----	----	----	1 UNCH
700	----	----	0.0230B/*0.0155	0.0230B/*0.0155	----	0.0150 - 0.0045	.0501	----	----	3	----	316 + 3
705	----	----	0.0220B/*0.0145	0.0220B/*0.0145	----	0.0135 - 0.0045	.0454	----	----	----	----	1 UNCH
715	----	----	0.0175B/*0.0120	0.0175B/*0.0120	----	0.0115 - 0.0040	.0388	----	----	1	----	7 + 1
720	----	----	0.0160B/*0.0110	0.0160B/*0.0110	----	0.0110 - 0.0035	.0368	----	----	----	----	5 UNCH
725	----	----	0.0145B/*0.0105	0.0145B/*0.0105	----	0.0100 - 0.0035	.0336	----	----	----	----	71 UNCH
740	----	----	----/*0.0090A	0.0085B/*0.0090	----	0.0085 - 0.0025	.0282	----	----	----	----	1 UNCH
745	----	----	----/*0.0085A	0.0080B/*0.0085	----	0.0080 - 0.0025	.0264	----	----	----	----	1501 UNCH
750	----	----	----/*0.0080A	0.0070B/*0.0080	----	0.0075 - 0.0025	.0247	----	----	----	----	158 UNCH
755	----	----	----/0.0075A	0.0070B/0.0075A	----	0.0070 - 0.0025	.0231	----	----	----	----	1 UNCH
765	----	----	----/0.0070A	0.0065B/0.0070A	----	0.0065 - 0.0020	.0211	----	----	----	----	1503 UNCH
770	----	----	----/*0.0065A	0.0060B/*0.0065	----	0.0060 - 0.0020	.0195	----	----	----	----	3 UNCH
780	----	----	----/*0.0070A	0.0050B/0.0070A	----	0.0055 - 0.0020	.0177	----	----	----	----	1 UNCH
795	----	----	----	----/0.0075A	----	0.0050 - 0.0015	.0158	----	----	----	----	33 UNCH
800	0.0040	0.0040	0.0040/*0.0040	0.0040/*0.0040	----	0.0050 - 0.0015	.0156	----	----	2	----	6 - 2
825	----	----	----	----/*0.0060A	----	0.0035 - 0.0015	.0110	----	----	----	----	1 UNCH
840	----	----	----	----/0.0050A	----	0.0030 - 0.0010	.0093	----	----	----	----	6 UNCH
850	----	----	----	----/0.0045A	----	0.0025 - 0.0010	.0079	----	----	----	----	5 UNCH
880	----	----	----	----/*0.0035A	----	0.0020 - 0.0005	.0061	----	----	----	----	2 UNCH
900	----	----	----	----/0.0035A	----	0.0015 - 0.0005	.0046	----	----	----	----	9 UNCH
910	----	----	----	----/*0.0030A	----	0.0015 - 0.0005	.0045	----	----	----	----	11 UNCH
950	----	----	----	----/*0.0030A	----	0.0005 - 0.0005	.0016	----	----	----	----	1 UNCH
975	----	----	----	----/*0.0025A	----	0.0005 UNCH	.0010	----	----	----	----	1 UNCH
TOTAL										94		7050 + 46
JUL26												
500	----	----	----	----	----	0.7440 - 0.0520	.7968	----	----	----	----	2 UNCH
520	----	----	0.6525B/0.5665A	0.6525B/0.5665A	----	0.5950 - 0.0450	.7250	----	----	----	----	1 UNCH
525	----	----	0.6155B/0.5335A	0.6155B/0.5335A	----	0.5600 - 0.0430	.7049	----	----	----	----	1 UNCH
530	----	----	0.5825B/0.4950A	0.5825B/0.4950A	----	0.5260 - 0.0415	.6842	----	----	----	----	6 UNCH
540	----	----	0.5180B/0.4345A	0.5180B/0.4345A	----	0.4605 - 0.0395	.6407	----	----	----	----	16 UNCH
545	----	----	0.4790B/0.4095A	0.4790B/0.4095A	----	0.4295 - 0.0385	.6179	----	----	----	----	1 UNCH
550	----	----	0.4485B/0.3825A	0.4485B/0.3825A	----	0.4005 - 0.0370	.5944	----	----	----	----	2 UNCH
555	----	----	0.4515B/0.3485A	0.4515B/0.3485A	----	0.3730 - 0.0350	.5705	----	----	----	----	146 UNCH
560	----	----	0.3910B/0.3285A	0.3910B/0.3285A	----	0.3470 - 0.0335	.5464	----	----	1	----	1 UNCH
570	----	----	0.3725B/0.2755A	0.3725B/0.2755A	----	0.2995 - 0.0300	.4979	----	----	----	----	157 UNCH
574	----	----	#0.3315B/0.2625	#0.3315B/0.2625	----	0.2825 - 0.0285	.4788	----	----	----	----	5 UNCH
575	----	----	0.3265B/0.2585A	0.3265B/0.2585A	----	0.2780 - 0.0285	.4739	----	----	----	----	17 UNCH
580	----	----	0.3385B/0.2350A	0.3385B/0.2350A	----	0.2575 - 0.0275	.4502	----	----	5	----	187 - 1
585	0.2475	0.2475	0.3185B/0.2160A	0.3185B/0.2160A	----	0.2385 - 0.0260	.4270	----	----	1	----	302 + 1
590	----	----	0.2950B/0.2040A	0.2950B/0.2040A	----	0.2205 - 0.0245	.4042	----	----	30	----	62 + 30
595	----	----	0.2750B/0.1890A	0.2750B/0.1890A	----	0.2035 - 0.0230	.3818	----	----	----	----	30 UNCH
600	0.1760	0.1760	0.2600B/0.1710A	0.2600B/0.1710A	----	0.1880 - 0.0210	.3603	----	----	6	----	191 + 4
605	----	----	0.2390B/0.1620A	0.2390B/0.1620A	----	0.1730 - 0.0195	.3392	----	----	----	----	14 UNCH
610	----	----	0.2225B/0.1495A	0.2225B/0.1495A	----	0.1595 - 0.0170	.3191	----	----	----	----	5 UNCH
615	----	----	0.2070B/0.1375A	0.2070B/0.1375A	----	0.1465 - 0.0155	.2994	----	----	----	----	101 UNCH
620	0.1220	0.1220	0.1935B/0.1220	0.1935B/0.1220	----	0.1345 - 0.0140	.2805	----	----	2	----	56 UNCH
625	0.1135	0.1135	0.1860B/0.1110	0.1860B/0.1110	----	0.1240 - 0.0120	.2630	----	----	18	----	356 + 8
630	----	----	0.1670B/0.1080A	0.1670B/0.1080A	----	0.1140 - 0.0110	.2461	----	----	----	----	5 UNCH
635	----	----	0.1555B/0.0990A	0.1555B/0.0990A	----	0.1045 - 0.0100	.2297	----	----	----	----	11 UNCH
640	0.0925	0.0925	0.1500B/0.0875A	0.1500B/0.0875A	----	0.0960 - 0.0090	.2145	----	----	4	----	762 + 2
645	----	----	0.1405B/0.0805A	0.1405B/0.0805A	----	0.0885 - 0.0080	.2005	----	----	----	----	308 UNCH
650	----	----	0.1305B/0.0745A	0.1305B/0.0745A	----	0.0810 - 0.0080	.1866	----	----	1	----	288 + 1
660	----	----	0.1125B/0.0665A	0.1125B/0.0665A	----	0.0690 - 0.0065	.1627	----	----	----	----	250 UNCH
665	----	----	----/0.0620A	0.0660B/0.0620A	----	0.0635 - 0.0060	.1516	----	----	----	----	1 UNCH
670	----	----	0.0925B/0.0565A	0.0925B/0.0565A	----	0.0585 - 0.0060	.1413	----	----	----	----	22 UNCH
675	----	----	0.0905B/0.0520A	0.0905B/0.0520A	----	0.0540 - 0.0055	.1318	----	----	----	----	437 UNCH
680	----	----	----/*0.0480A	0.0500B/*0.0480	----	0.0495 - 0.0060	.1223	----	----	----	----	4 UNCH
685	----	----	----/*0.0450A	0.0455B/*0.0450	----	0.0460 - 0.0055	.1145	----	----	----	----	2 UNCH
690	----	----	----/*0.0420A	0.0420B/*0.0420	----	0.0425 - 0.0050	.1067	----	----	----	----	245 UNCH
695	----	----	----/*0.0385A	0.0390B/*0.0385	----	0.0390 - 0.0055	.0990	----	----	----	----	40 UNCH
700	----	----	----/0.0365A	0.0355B/0.0365A	----	0.0360 - 0.0050	.0922	----	----	26	----	132 - 7
725	----	----	----/*0.0260A	0.0240B/*0.0260	----	0.0250 - 0.0035	.0659	----	----	----	----	1523 UNCH
730	----	----	----/*0.0250A	0.0225B/*0.0250	----	0.0235 - 0.0030	.0621	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 72

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
JUL26												
750	----	----	----	0.0145B/0.0215A	----	0.0185 - 0.0025	.0492	----	----	1	----	184 + 1
775	----	----	----	0.0100B/0.0170A	----	0.0140 - 0.0020	.0373	----	----	----	----	24 UNCH
800	----	----	----	0.0065B/*0.0140	----	0.0105 - 0.0015	.0282	----	----	25	----	69 + 11
850	----	----	----	0.0015B/*0.0085	----	0.0065 - 0.0010	.0174	----	----	----	----	3 UNCH
875	----	----	----	0.0005B/*0.0065	----	0.0050 - 0.0010	.0134	----	----	----	----	2 UNCH
900	----	----	----	----/*0.0050A	----	0.0045 - 0.0005	.0118	----	----	----	----	271 UNCH
950	----	----	----	----/*0.0035A	----	0.0030 UNCH	.0078	----	----	----	----	56 UNCH
975	----	----	----	----/*0.0035A	----	0.0020 - 0.0005	.0054	----	----	----	----	2 UNCH
1000	----	----	----	----/*0.0030A	----	0.0020 UNCH	.0052	----	----	----	----	4 UNCH
TOTAL										120		6307 + 50
AUG26												
500	----	----	----	----	----	0.8245 - 0.0550	.7878	----	----	----	----	2 UNCH
550	----	----	0.5355B/0.4735A	0.5355B/0.4735A	----	0.4905 - 0.0410	.6117	----	----	----	----	3 UNCH
575	----	----	0.3990B/0.3515A	0.3990B/0.3515A	----	0.3635 - 0.0340	.5103	----	----	----	----	1 UNCH
580	----	----	0.3745B/0.3300A	0.3745B/0.3300A	----	0.3410 - 0.0330	.4900	----	----	----	----	252 UNCH
585	----	----	----/0.3095A	0.3515B/0.3095A	----	0.3200 - 0.0315	.4699	----	----	----	----	11 UNCH
590	----	----	----/0.2900A	0.3295B/0.2900A	----	0.2995 - 0.0305	.4498	----	----	----	----	16 UNCH
600	----	----	----/0.2540A	0.2885B/0.2540A	----	0.2620 - 0.0280	.4107	----	----	----	----	4 UNCH
620	----	----	----/0.1950A	0.2175B/0.1950A	----	0.1985 - 0.0240	.3370	----	----	----	----	6 UNCH
625	----	----	----/0.1820A	0.2025B/0.1820A	----	0.1845 - 0.0235	.3195	----	----	----	----	86 UNCH
640	----	----	----/0.1495A	0.1625B/0.1495A	----	0.1490 - 0.0210	.2716	----	----	----	----	165 UNCH
650	----	----	----/0.1305A	0.1395B/0.1305A	----	0.1295 - 0.0190	.2431	----	----	----	----	4 UNCH
675	----	----	----/0.0955A	0.0975B/0.0955A	----	0.0925 - 0.0140	.1840	----	----	----	----	168 UNCH
680	----	----	----/0.0905A	0.0905B/0.0905A	----	0.0870 - 0.0130	.1744	----	----	----	----	1 UNCH
690	----	----	----/*0.0835A	0.0700B/0.0835A	----	0.0765 - 0.0115	.1561	----	----	----	----	3 UNCH
700	----	----	----/*0.0745A	0.0605B/0.0745A	----	0.0670 - 0.0105	.1392	----	----	----	----	4 UNCH
725	----	----	----	0.0415B/*0.0580	----	0.0475 - 0.0100	.1034	----	----	----	----	86 UNCH
730	----	----	----/*0.0520A	0.0430B/0.0520A	----	0.0445 - 0.0095	.0975	----	----	----	----	1 UNCH
750	----	----	----/*0.0420A	0.0320B/*0.0420	----	0.0345 - 0.0080	.0776	----	----	----	----	66 UNCH
800	----	----	----	0.0145B/0.0270A	----	0.0175 - 0.0050	.0421	----	----	----	----	6 UNCH
850	----	----	----	0.0070B/*0.0205	----	0.0090 - 0.0030	.0228	----	----	----	----	1 UNCH
900	----	----	----	0.0030B/*0.0160	----	0.0065 - 0.0020	.0161	----	----	----	----	57 UNCH
950	----	----	----	0.0005B/0.0165A	----	0.0040 - 0.0015	.0101	----	----	----	----	2 UNCH
975	----	----	----	----/*0.0155A	----	0.0030 - 0.0015	.0077	----	----	----	----	4 UNCH
TOTAL												949
SEP26												
495	----	----	----	----	----	0.8900 - 0.0510	.7857	----	----	----	----	2 UNCH
500	----	----	----	----	----	0.8530 - 0.0490	.7718	----	----	----	----	5 UNCH
535	----	----	----/0.6120A	0.6520B/0.6120A	----	0.6185 - 0.0375	.6609	----	----	----	----	1 UNCH
565	----	----	0.4915B/0.4405A	0.4915B/0.4405A	----	0.4545 - 0.0360	.5532	----	----	----	----	1 UNCH
575	----	----	----/0.3950A	0.4410B/0.3950A	----	0.4065 - 0.0365	.5164	----	----	----	----	100 UNCH
595	----	----	----/0.3155A	0.3510B/0.3155A	----	0.3210 - 0.0350	.4436	----	----	----	----	2 UNCH
600	----	----	----/0.2975A	0.3305B/0.2975A	----	0.3020 - 0.0345	.4258	----	----	----	----	287 UNCH
610	----	----	----/0.2645A	0.2925B/0.2645A	----	0.2665 - 0.0330	.3909	----	----	----	----	31 UNCH
615	----	----	----/0.2495A	0.2750B/0.2495A	----	0.2505 - 0.0315	.3741	----	----	----	----	9 UNCH
620	----	----	----/0.2350A	0.2580B/0.2350A	----	0.2355 - 0.0300	.3578	----	----	----	----	35 UNCH
625	----	----	----/0.2215A	0.2420B/0.2215A	----	0.2210 - 0.0290	.3417	----	----	----	----	142 UNCH
630	----	----	----/0.2090A	0.2270B/0.2090A	----	0.2080 - 0.0275	.3265	----	----	----	----	2 UNCH
650	0.1500	0.1500	0.1800B/0.1500	0.1800B/0.1500	----	0.1625 - 0.0225	.2701	----	----	73	----	224 + 43
655	----	----	----/0.1565A	0.1640B/0.1565A	----	0.1530 - 0.0215	.2574	----	----	----	----	4 UNCH
670	----	----	----/0.1330A	0.1350B/0.1330A	----	0.1280 - 0.0185	.2226	----	----	----	----	1 UNCH
690	----	----	----/0.1075A	0.1045B/0.1075A	----	0.1010 - 0.0155	.1828	----	----	----	----	11 UNCH
700	----	----	----/0.0975A	0.0920B/0.0975A	----	0.0900 - 0.0145	.1656	----	----	----	----	55 UNCH
750	----	----	----	0.0490B/0.0615A	----	0.0525 - 0.0085	.1027	----	----	----	----	10 UNCH
800	----	----	----	0.0255B/0.0425A	----	0.0325 - 0.0055	.0658	----	----	----	----	12 UNCH
875	----	----	----	0.0080B/0.0290A	----	0.0170 - 0.0030	.0355	----	----	----	----	1 UNCH
975	----	----	----	0.0005B/*0.0205	----	0.0080 - 0.0015	.0170	----	----	----	----	1 UNCH
TOTAL										73		936 + 43
OCT26												
650	----	----	----/0.2320A	0.2390B/0.2320A	----	0.2235 - 0.0285	.3188	----	----	----	----	100 UNCH
700	----	----	----	0.1200B/0.1520A	----	0.1315 - 0.0195	.2090	----	----	----	----	145 UNCH
775	----	----	----	0.0450B/*0.0820	----	0.0630 - 0.0120	.1105	----	----	----	----	71 UNCH
800	----	----	----	0.0440B/0.0660A	----	0.0505 - 0.0095	.0904	----	----	----	----	1 UNCH
850	----	----	----	0.0245B/*0.0495	----	0.0330 - 0.0070	.0610	----	----	----	----	30 UNCH
875	----	----	----	0.0180B/0.0440A	----	0.0285 - 0.0060	.0526	----	----	----	----	2 UNCH
900	----	----	----	0.0125B/0.0395A	----	0.0245 - 0.0055	.0452	----	----	----	----	3 UNCH
975	----	----	----	0.0025B/*0.0310	----	0.0130 - 0.0030	.0252	----	----	----	----	4 UNCH
TOTAL												356
NOV26												
535	----	----	----/0.7375A	0.7850B/0.7375A	----	0.7430 - 0.0465	.6714	----	----	----	----	1 UNCH
545	----	----	----/0.6820A	0.7245B/0.6820A	----	0.6860 - 0.0440	.6420	----	----	----	----	1 UNCH
580	----	----	----/0.5130A	0.5400B/0.5130A	----	0.5110 - 0.0380	.5365	----	----	----	----	2 UNCH
585	----	----	----/0.4920A	0.5170B/0.4920A	----	0.4895 - 0.0370	.5215	----	----	----	----	1 UNCH
595	----	----	----/0.4515A	0.4725B/0.4515A	----	0.4475 - 0.0360	.4918	----	----	----	----	2 UNCH
600	----	----	----/0.4325A	0.4515B/0.4325A	----	0.4280 - 0.0350	.4772	----	----	----	----	2 UNCH
610	----	----	----/0.3960A	0.4115B/0.3960A	----	0.3905 - 0.0335	.4483	----	----	----	----	14 UNCH
640	----	----	----/0.3030A	0.3075B/0.3030A	----	0.2935 - 0.0290	.3664	----	----	----	----	1 UNCH
670	----	----	----/0.2320A	0.2265B/0.2320A	----	0.2190 - 0.0245	.2943	----	----	----	----	14 UNCH
675	----	----	----/0.2220A	0.2150B/0.2220A	----	0.2090 - 0.0230	.2837	----	----	----	----	1 UNCH
750	----	----	----	0.1005B/0.1220A	----	0.1070 - 0.0125	.1625	----	----	----	----	1 UNCH
850	----	----	----	0.0360B/*0.0665	----	0.0470 - 0.0060	.0782	----	----	----	----	1 UNCH
900	----	----	----	0.0200B/*0.0535	----	0.0320 - 0.0045	.0550	----	----	----	----	1 UNCH
975	----	----	----	0.0065B/*0.0415	----	0.0180 - 0.0025	.0324	----	----	----	----	1 UNCH
TOTAL												43
DEC26												
520	----	----	----/0.8580A	0.9050B/0.8580A	----	0.8630 - 0.0490	.7072	----	----	----	----	1 UNCH
525	----	----	----/0.8280A	0.8730B/0.8280A	----	0.8320 - 0.0480	.6940	----	----	----	----	123 UNCH
535	----	----	----/0.7705A	0.8110B/0.7705A	----	0.7725 - 0.0460	.6669	----	----	----	----	1 UNCH
550	----	----	----/0.6905A	0.7240B/0.6905A	----	0.6895 - 0.0435	.6251	----	----	----	----	2 UNCH
555	----	----	----/0.6655A	0.6970B/0.6655A	----	0.6635 - 0.0425	.6110	----	----	----	----	1 UNCH
565	----	----	----/0.6170A	0.6445B/0.6170A	----	0.6135 - 0.0410	.5825	----	----	----	----	45 UNCH
575	----	----	----/0.5720A	0.5950B/0.5720A	----	0.5665 - 0.0395	.5540	----	----	----	----	123 UNCH
585	----	----	----/0.5295A	0.5485B/0.5295A	----	0.5220 - 0.0390	.5257	----	----	----	----	1 UNCH
590	----	----	----/0.5090A	0.5265B/0.5090A	----	0.5010 - 0.0380	.5117	----	----	----	----	200 UNCH
595	----	----	----/0.4895A	0.5050B/0.4895A	----	0.4805 - 0.0375	.4978	----	----	----	----	163 UNCH
600	----	----	----/0.4705A	0.4845B/0.4705A	----	0.4605 - 0.0370	.4839	----	----	----	----	551 UNCH
610	----	----	----/0.4340A	0.4445B/0.4340A	----	0.4225 - 0.0365	.4566	----	----	----	----	356 UNCH
620	----	----	----/0.4005A	0.4070B/0.4005A	----	0.3875 - 0.0350	.4301	----	----	----	----	408 UNCH
625	----	----	----/0.3845A	0.3895B/0.3845A	----	0.3710 - 0.0345	.4171	----	----	----	----	13 UNCH
630	----	----	----/0.3690A	0.3725B/0.3690A	----	0.3550 - 0.0335	.4043	----	----	----	----	456 UNCH
640	----	----	----/0.3400A	0.3400B/0.3400A	----	0.3255 - 0.0315	.3796	----	----	----	----	29 UNCH
650	----	----	----/0.3135A	0.3100B/0.3135A	----	0.2980 - 0.0300	.3558	----	----	----	----	371 UNCH
660	----	----	----/0.2890A	0.2825B/0.2890A	----	0.2730 - 0.0280	.3331	----	----	----	----	300 UNCH
670	----	----	----/0.2665A	0.2575B/0.2665A	----	0.2500 - 0.0265	.3114	----	----	----	----	4 UNCH
675	----	----	----/0.2560A	0.2455B/0.2560A	----	0.2390 - 0.0260	.3009	----	----	----	----	17 UNCH
700	----	----	----/0.2115A	0.1940B/0.2115A	----	0.1930 - 0.0220	.2538	----	----	----	----	843 UNCH
705	----	----	----/*0.2040A	0.1855B/0.2040A	----	0.1850 - 0.0215	.2452	----	----	----	----	2 UNCH
725	----	----	----	0.1545B/0.1765A	----	0.1570 - 0.0185	.2140	----	----	----	----	5 UNCH
730	----	----	----	0.1475B/0.1705A	----	0.1510 - 0.0180	.2070	----	----	----	----	2 UNCH
750	----	----	----	0.1230B/0.1490A	----	0.1290 - 0.0155	.1810	----	----	----	----	24 UNCH
800	----	----	----	0.0790B/0.1095A	----	0.0895 - 0.0110	.1310	----	----	----	----	104 UNCH
850	----	----	----	0.0500B/0.0845A	----	0.0640 - 0.0085	.0964	----	----	----	----	4 UNCH
900	----	----	----	0.0310B/0.0680A	----	0.0475 - 0.0065	.0728	----	----	----	----	200 UNCH
925	----	----	----	0.0240B/*0.0620	----	0.0425 - 0.0060	.0650	----	----	----	----	6 UNCH
950	----	----	----	0.0300B/0.0570A	----	0.0385 - 0.0055	.0587	----	----	----	----	78 UNCH
975	----	----	----	0.0130B/0.0525A	----	0.0355 - 0.0050	.0537	----	----	----	----	13 UNCH
TOTAL												4446
JAN27												
500	----	----	----	----	----	1.0730 - 0.0480	.7657	----	----	----	----	1 UNCH
900	----	----	----	----	----	0.0895 - 0.0080	.1127	----	----	----	----	1 UNCH
TOTAL												2
MAR27												
680	----	----	----	----	----	0.4110 - 0.0245	.3757	----	----	----	----	30 UNCH
950	----	----	----	----	----	0.2060 - 0.0120	.1805	----	----	----	----	3 UNCH
TOTAL												33
HX PUT		COMEX COPPER OPTIONS										
MAY26												
125	----	----	----	----/0.0080A	----	0.0005 UNCH	----	----	----	----	----	10 UNCH
300	----	----	----	----/0.0025A	----	0.0005 UNCH	.0001	----	----	----	----	22 UNCH
330	----	----	----	----/0.0025A	----	0.0005 UNCH	.0007	----	----	----	----	1 UNCH
340	----	----	----	----/0.0030A	----	0.0005 - 0.0005	.0014	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
MAY26												
350	----	----	----	----/0.0030A	----	0.0010 - 0.0005	.0027	----	----	----	----	6 UNCH
360	----	----	----	----/*0.0030A	----	0.0015 - 0.0005	.0040	----	----	----	----	35 UNCH
370	----	----	----	----/0.0040A	----	0.0020 - 0.0005	.0054	----	----	----	----	1 UNCH
375	----	----	----	----/0.0045A	----	0.0020 - 0.0010	.0055	----	----	----	----	1 UNCH
390	----	----	----	----/0.0060A	----	0.0035 - 0.0005	.0096	----	----	----	----	2 UNCH
395	----	----	----	----/0.0065A	----	0.0035 - 0.0010	.0099	----	----	----	----	6 UNCH
400	----	----	----	0.0010B/0.0070A	----	0.0040 - 0.0010	.0113	----	----	----	----	124 UNCH
405	----	----	----	----/0.0075A	----	0.0045 - 0.0005	.0129	----	----	----	----	125 UNCH
410	----	----	----	----/0.0085A	----	0.0045 - 0.0010	.0133	----	----	----	----	23 UNCH
415	----	----	----	0.0005B/0.0090A	----	0.0045 - 0.0010	.0137	----	----	----	----	6 UNCH
420	----	----	----	0.0010B/0.0060A	----	0.0050 - 0.0010	.0154	----	----	----	----	60 UNCH
425	----	----	----	0.0060B/0.0105A	----	0.0055 - 0.0010	.0172	----	----	----	----	56 UNCH
430	0.0055	0.0055	0.0060/*0.0055	0.0060/*0.0055	----	0.0060 - 0.0015	.0191	----	----	6	----	21 UNCH
435	0.0070	0.0070	0.0085B/*0.0060	0.0085B/*0.0060	----	0.0070 - 0.0010	.0222	----	----	10	----	8 - 5
440	----	----	0.0095B/*0.0075	0.0095B/*0.0075	----	0.0075 - 0.0010	.0243	----	----	----	----	135 UNCH
445	----	----	0.0105B/*0.0080	0.0105B/*0.0080	----	0.0080 - 0.0015	.0265	----	----	40	----	52 + 40
450	0.0140	0.0140	0.0140/0.0090A	0.0140/0.0090A	----	0.0090 - 0.0015	.0301	----	----	1	----	863 - 1
455	----	----	0.0130B/0.0095A	0.0130B/0.0095A	----	0.0100 - 0.0010	.0339	----	----	----	----	24 UNCH
460	----	----	0.0145B/0.0105A	0.0145B/0.0105A	----	0.0110 - 0.0010	.0378	----	----	----	----	593 UNCH
465	----	----	0.0160B/0.0120A	0.0160B/0.0120A	----	0.0120 - 0.0015	.0420	----	----	----	----	35 UNCH
470	----	----	0.0180B/0.0130A	0.0180B/0.0130A	----	0.0135 - 0.0010	.0477	----	----	----	----	61 UNCH
475	----	----	0.0200B/0.0145A	0.0200B/0.0145A	----	0.0150 - 0.0010	.0537	----	----	321	----	521 + 172
480	0.0170	0.0170	0.0225B/0.0155	0.0225B/0.0155	----	0.0170 - 0.0005	.0613	----	----	5	----	1269 + 144
485	0.0250	0.0250	0.0250/0.0185A	0.0250/0.0185A	----	0.0190 UNCH	.0694	----	----	9	----	90 UNCH
490	----	----	0.0285B/0.0205A	0.0285B/0.0205A	----	0.0210 UNCH	.0779	----	----	----	----	288 UNCH
495	----	----	0.0325B/0.0230A	0.0325B/0.0230A	----	0.0240 + 0.0005	.0894	----	----	----	----	96 UNCH
500	0.0260	0.0260	0.0370B/0.0260	0.0370B/0.0260	----	0.0270 + 0.0005	.1016	----	----	508	20	1798 - 362
505	0.0325	0.0325	0.0420B/0.0285A	0.0420B/0.0285A	----	0.0310 + 0.0015	.1169	----	----	17	----	190 + 4
510	0.0435	0.0435	0.0490B/0.0320A	0.0490B/0.0320A	----	0.0360 + 0.0025	.1352	----	----	7	----	366 - 6
514	0.0545	0.0545	0.0550B/*0.0350	0.0550B/*0.0350	----	0.0405 + 0.0030	.1516	----	----	5	----	27 + 5
515	0.0415	0.0415	0.0570B/0.0360A	0.0570B/0.0360A	----	0.0420 + 0.0035	.1566	----	----	5	----	135 + 1
516	0.0580	0.0580	0.0580/*0.0370A	0.0580/*0.0370A	----	0.0435 + 0.0040	.1615	----	----	3	----	63 + 3
517	0.0445	0.0445	0.0600B/*0.0380	0.0600B/*0.0380	----	0.0445 + 0.0040	.1656	----	----	10	----	86 + 10
518	0.0615	0.0615	0.0625B/*0.0390	0.0625B/*0.0390	----	0.0460 + 0.0045	.1707	----	----	10	----	96 + 10
519	0.0470	0.0470	0.0645B/*0.0420	0.0645B/*0.0420	----	0.0475 + 0.0045	.1758	----	----	7	----	71 + 7
520	0.0575	0.0575	0.0670B/0.0430A	0.0670B/0.0430A	----	0.0490 + 0.0050	.1809	----	----	30	----	1158 + 19
521	0.0500	0.0500	0.0680B/0.0460A	0.0680B/0.0460A	----	0.0510 + 0.0055	.1870	----	----	8	----	40 + 8
522	----	----	0.0700B/*0.0460	0.0700B/*0.0460	----	0.0525 + 0.0055	.1922	----	----	----	----	39 UNCH
523	----	----	0.0725B/*0.0475	0.0725B/*0.0475	----	0.0545 + 0.0060	.1983	----	----	----	----	21 UNCH
524	----	----	0.0745B/0.0490A	0.0745B/0.0490A	----	0.0560 + 0.0065	.2037	----	----	----	----	19 UNCH
525	0.0795	0.0795	0.0795/0.0455	0.0795/0.0455	----	0.0580 + 0.0070	.2099	----	----	206	----	265 - 49
526	----	----	0.0800B/0.0520A	0.0800B/0.0520A	----	0.0600 + 0.0070	.2161	----	----	----	----	15 UNCH
527	----	----	0.0825B/0.0540A	0.0825B/0.0540A	----	0.0620 + 0.0075	.2224	----	----	----	----	12 UNCH
528	----	----	0.0850B/*0.0550	0.0850B/*0.0550	----	0.0640 + 0.0080	.2287	----	----	----	----	11 UNCH
530	0.0815	0.0815	0.0920B/0.0565A	0.0920B/0.0565A	----	0.0685 + 0.0090	.2423	----	----	10	----	566 - 4
531	----	----	0.0930B/0.0610A	0.0930B/0.0610A	----	0.0710 + 0.0095	.2495	----	----	----	----	3 UNCH
532	----	----	0.0960B/----	0.0960B/0.0630A	----	0.0735 + 0.0105	.2567	----	----	----	----	6 UNCH
533	----	----	0.0995B/----	0.0995B/0.0655A	----	0.0760 + 0.0110	.2639	----	----	----	----	1 UNCH
535	----	----	0.1070B/0.0680A	0.1070B/0.0680A	----	0.0810 + 0.0115	.2785	----	----	----	----	203 UNCH
536	----	----	0.1090B/----	0.1090B/0.0720A	----	0.0840 + 0.0125	.2865	----	----	----	----	1 UNCH
537	----	----	0.1130B/----	0.1130B/0.0745A	----	0.0865 + 0.0130	.2939	----	----	----	----	3 UNCH
539	0.0950	0.0950	0.1200B/0.0790A	0.1200B/0.0790A	----	0.0925 + 0.0140	.3100	----	----	3	----	4 UNCH
540	0.1095	0.1095	0.1255B/0.0790A	0.1255B/0.0790A	----	0.0955 + 0.0145	.3182	----	----	48	----	374 + 11
541	0.1140	0.1140	0.1275B/0.0845A	0.1275B/0.0845A	----	0.0990 + 0.0155	.3267	----	----	9	----	9 - 1
542	----	----	0.1310B/----	0.1310B/0.0870A	----	0.1020 + 0.0160	.3349	----	----	----	----	7 UNCH
544	----	----	0.1385B/----	0.1385B/0.0925A	----	0.1090 + 0.0175	.3523	----	----	----	----	1 UNCH
545	0.1275	0.1275	0.1445B/0.0935A	0.1445B/0.0935A	----	0.1125 + 0.0180	.3610	----	----	4	----	165 - 3
546	0.1170	0.1170	0.1485B/0.0980A	0.1485B/0.0980A	----	0.1160 + 0.0185	.3698	----	----	3	----	11 UNCH
547	0.1375	0.1375	0.1520B/0.1005A	0.1520B/0.1005A	----	0.1195 + 0.0190	.3786	----	----	3	----	7 + 3
548	----	----	0.1570B/----	0.1570B/0.1035A	----	0.1235 + 0.0200	.3877	----	----	----	----	115 UNCH
549	----	----	0.1615B/0.1065A	0.1615B/0.1065A	----	0.1275 + 0.0205	.3969	----	----	----	----	13 UNCH
550	0.1470	0.1470	0.1685B/0.1090A	0.1685B/0.1090A	----	0.1315 + 0.0210	.4061	----	----	40	----	1811 + 3
551	0.1405	0.1405	0.1705B/0.1130A	0.1705B/0.1130A	----	0.1355 + 0.0215	.4153	----	----	3	----	35 - 2
552	----	----	0.1765B/0.1165A	0.1765B/0.1165A	----	0.1395 + 0.0220	.4246	----	----	----	----	19 UNCH
553	----	----	0.1805B/0.1195A	0.1805B/0.1195A	----	0.1440 + 0.0225	.4340	----	----	----	----	21 UNCH
554	----	----	0.1860B/0.1230A	0.1860B/0.1230A	----	0.1480 + 0.0230	.4434	----	----	----	----	20 UNCH
555	----	----	0.1910B/0.1265A	0.1910B/0.1265A	----	0.1525 + 0.0235	.4530	----	----	2	----	124 + 1
556	0.1540	0.1540	0.1955B/0.1305A	0.1955B/0.1305A	----	0.1575 + 0.0245	.4625	----	----	1	----	15 + 1
557	0.1585	0.1585	0.2010B/0.1340A	0.2010B/0.1340A	----	0.1620 + 0.0245	.4721	----	----	2	----	15 + 2
558	0.1625	0.1625	0.2045B/0.1380A	0.2045B/0.1380A	----	0.1670 + 0.0255	.4817	----	----	32	----	107 + 30
559	0.1850	0.1850	0.2080B/0.1425A	0.2080B/0.1425A	----	0.1715 + 0.0255	.4914	----	----	6	----	13 + 1
560	0.2000	0.2000	0.2155B/0.1455A	0.2155B/0.1455A	----	0.1765 + 0.0260	.5010	----	----	22	----	443 - 1
561	----	----	0.2190B/0.1500A	0.2190B/0.1500A	----	0.1820 + 0.0270	.5107	----	----	----	----	6 UNCH
562	----	----	0.2250B/0.1540A	0.2250B/0.1540A	----	0.1870 + 0.0275	.5204	----	----	1	----	20 UNCH
563	----	----	0.2310B/0.1585A	0.2310B/0.1585A	----	0.1925 + 0.0280	.5300	----	----	1	----	7 + 1
564	----	----	0.2365B/0.1630A	0.2365B/0.1630A	----	0.1980 + 0.0290	.5396	----	----	----	----	5 UNCH
565	----	----	0.2410B/0.1675A	0.2410B/0.1675A	----	0.2035 + 0.0295	.5493	----	----	----	----	221 UNCH
566	----	----	0.2440B/0.1720A	0.2440B/0.1720A	----	0.2090 + 0.0300	.5589	----	----	----	----	5 UNCH
567	----	----	0.2455B/0.1770A	0.2455B/0.1770A	----	0.2150 + 0.0310	.5684	----	----	----	----	2 UNCH
568	----	----	0.2585B/0.1815A	0.2585B/0.1815A	----	0.2205 + 0.0315	.5778	----	----	----	----	8 UNCH
569	0.2205	0.2205	0.2630B/0.1865A	0.2630B/0.1865A	----	0.2265 + 0.0320	.5872	----	----	20	----	27 + 20
570	----	----	0.2750B/0.1915A	0.2750B/0.1915A	----	0.2325 + 0.0325	.5966	----	----	----	----	577 UNCH
571	----	----	0.2665B/0.1960A	0.2665B/0.1960A	----	0.2390 + 0.0340	.6060	----	----	----	----	5 UNCH
572	----	----	0.2655B/0.2020A	0.2655B/0.2020A	----	0.2450 + 0.0340	.6151	----	----	----	----	5 UNCH
573	----	----	0.2620B/0.2075A	0.2620B/0.2075A	----	0.2515 + 0.0350	.6241	----	----	----	----	4 UNCH
575	----	----	0.3105B/0.2185A	0.3105B/0.2185A	----	0.2645 + 0.0365	.6422	----	----	----	----	290 UNCH
576	----	----	0.2785B/----	0.2785B/0.2345A	----	0.2710 + 0.0370	.6512	----	----	----	----	3 UNCH
577	----	----	0.2855B/----	0.2855B/0.2400A	----	0.2780 + 0.0380	.6597	----	----	----	----	3 UNCH
578	----	----	0.3065B/0.2450A	0.3065B/0.2450A	----	0.2850 + 0.0390	.6688	----	----	----	----	25 UNCH
579	----	----	0.3135B/0.2515A	0.3135B/0.2515A	----	0.2915 + 0.0390	.6772	----	----	----	----	5 UNCH
580	----	----	0.3455B/0.2475A	0.3455B/0.2475A	----	0.2985 + 0.0400	.6857	----	----	----	----	283 UNCH
581	----	----	0.3280B/----	0.3280B/0.2675A	----	0.3060 + 0.0410	.6935	----	----	----	----	20 UNCH
582	----	----	0.3355B/----	0.3355B/0.2740A	----	0.3130 + 0.0415	.7020	----	----	----	----	7 UNCH
583	----	----	0.3295B/----	0.3295B/0.2870A	----	0.3200 + 0.0415	.7105	----	----	----	----	1 UNCH
584	----	----	0.3505B/----	0.3505B/0.2930A	----	0.3275 + 0.0425	.7182	----	----	----	----	5 UNCH
585	----	----	0.3800B/0.2795A	0.3800B/0.2795A	----	0.3350 + 0.0430	.7259	----	----	----	----	189 UNCH
586	----	----	0.3520B/----	0.3520B/0.3100A	----	0.3425 + 0.0435	.7337	----	----	----	----	3 UNCH
587	----	----	0.3600B/----	0.3600B/0.3170A	----	0.3500 + 0.0440	.7414	----	----	----	----	3 UNCH
588	----	----	0.3675B/----	0.3675B/0.3235A	----	0.3575 + 0.0445	.7482	----	----	----	----	2 UNCH
589	----	----	0.3755B/----	0.3755B/0.3260A	----	0.3655 + 0.0450	.7559	----	----	----	----	2 UNCH
590	----	----	0.4120B/0.3135A	0.4120B/0.3135A	----	0.3730 + 0.0455	.7627	----	----	----	----	144 UNCH
591	----	----	0.3915B/----	0.3915B/0.3400A	----	0.3810 + 0.0460	.7704	----	----	----	----	1 UNCH
592	----	----	0.4135B/----	0.4135B/0.3470A	----	0.3890 + 0.0465	.7772	----	----	----	----	50 UNCH
594	----	----	0.4160B/----	0.4160B/0.3615A	----	0.4050 + 0.0475	.7897	----	----	----	----	1 UNCH
595	----	----	0.4375B/----	0.4375B/0.3665A	----	0.4130 + 0.0475	.7964	----	----	----	----	32 UNCH
597	----	----	0.4410B/----	0.4410B/0.3830A	----	0.4295 + 0.0485	.8088	----	----	----	----	1 UNCH
598	----	----	0.4495B/----	0.4495B/0.3955A	----	0.4380 + 0.0490	.8156	----	----	----	----	1 UNCH
600	----	----	0.5075B/0.3980A	0.5075B/0.3980A	----	0.4545 + 0.0495	.8268	----	----	----	----	505 UNCH
602	----	----	0.4835B/----	0.4835B/0.4215A	----	0.4715 + 0.0505	.8379	----	----	----	----	1 UNCH
603	----	----	0.4925B/----	0.4925B/0.4300A	----	0.4800 + 0.0505	.8435	----	----	----	----	1 UNCH
604	----	----	0.5015B/----	0.5015B/0.4450A	----	0.4885 + 0.0510	.8490	----	----	----	----	2 UNCH
605	----	----	0.5220B/0.4455A	0.5220B/0.4455A	----	0.4975 + 0.0515	.8533	----	----	----	----	37 UNCH
610	----	----	0.5670B/0.4820A	0.5670B/0.4820A	----	0.5415 + 0.0530	.8770	----	----	----	----	42 UNCH
615	----	----	0.6010B/----	0.6010B/0.5350A	----	0.5870 + 0.0550	.8960	----	----	----	----	1 UNCH
619	----	----	0.6385B/----	0.6385B/0.5705A	----	0.6235 + 0.0555	.9092	----	----	----	----	1 UNCH
620	----	----	0.6480B/0.5735A	0.6480B/0.5735A	----	0.6330 + 0.0560	.9133	----	----	----	----	3 UNCH
645	----	----	----/0.7880A	0.7775B/0.7880A	----	0.8720 + 0.0590	.9632	----	----	----	----	1 UNCH
TOTAL									20	1418		15621+ 62
JUN26												
355	----	----	----	0.0010B/*0.0065	----	0.0050 - 0.0005	.0107	----	----	----	----	10 UNCH
370	----	----	----	0.0025B/*0.0085	----	0.0065 - 0.0010	.0142	----	----	----	----	1 UNCH
400	----	----	----	0.0105B/0.0120A	----	0.0110 - 0.0005	.0250	----	----	----	----	2 UNCH
405	----	----	----/*0.0120A	0.0115B/*0.0120	----	0.0115 NEW	.0266	----	----	1	----	1 + 1
410	0.0130	0.0130	0.0130/*0.0130	0.0130/0.0130	----	0.0125 - 0.0010	.0291	----	----	1	----	2 + 1
420	----	----	----/*0.0150A	0.0150B/0.0150A	----	0.0145 - 0.0010	.0344	----	----	----	----	3 UNCH
430	----	----	----/*0.0170A	0.0180B/0.0170A	----	0.0170 - 0.0010	.0410	----	----	----	----	3 UNCH
435	----	----	0.0200B/*0.0185	0.0200B/0.0185A	----	0.0185 - 0.0010	.0449	----	----	----	----	2 UNCH
440	----	----	0.0235B/0.0205A	0.0235B/0.0205A	----	0.0205 - 0.0010	.0497	----	----	----	----	7 UNCH
445	----	----	0.0250B/0.0225A	0.0250B/0.0225A	----	0.0225 - 0.0010	.0548	----	----	----	----	12 UNCH
450	0.0290	0.0290	0.0295/0.0240	0.0295/0.0240	----	0.0250 - 0.0010	.0608	----	----	3	----	471 - 1
455	----	----	0.0310B/0.0275A	0.0310B/0.0275A	----	0.0275 - 0.0010	.0670	----	----	----	----	73 UNCH
460	0.0370	0.0370	0.0370/0.0300A	0.0370/0.0300A	----	0.0305 - 0.0005	.0741	----	----	5	----	90 UNCH
465	----	----	0.0385B/----	0.0385B/0.0335A	----	0.0340 + 0.0005	.0823	----	----	----	----	921 UNCH
470	----	----	0.0430B/----	0.0430B/0.0370A	----	0.0380 + 0.0010	.0915	----	----	1	----	670 UNCH
475	----	----	0.0475B/----	0.0475B/0.0405A	----	0.0420 + 0.0015	.1009	----	----	----	----	164 UNCH
480	0.0535	0.0535	0.0535/0.0445A	0.0535/0.0445A	----	0.0470 + 0.0030	.1120	----	----	5	----	1235 - 3

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000
FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
JUN26												
485	0.0555	0.0555	0.0590B/0.0495A	0.0590B/0.0495A	----	0.0520 + 0.0035	.1234	----	----	2	----	7 - 1
490	----	----	0.0880B/0.0530A	0.0880B/0.0530A	----	0.0580 + 0.0045	.1365	----	----	1	----	63 - 1
495	----	----	0.0970B/----	0.0970B/0.0590A	----	0.0645 + 0.0055	.1506	----	----	----	----	35 UNCH
500	0.0825	0.0825	0.1100B/0.0685A	0.1100B/0.0685A	----	0.0720 + 0.0065	.1662	----	----	3	----	572 + 3
505	0.0775	0.0775	0.1210B/0.0715A	0.1210B/0.0715A	----	0.0800 + 0.0075	.1828	----	----	1	----	514 UNCH
510	----	----	0.1300B/0.0800A	0.1300B/0.0800A	----	0.0890 + 0.0085	.2009	----	----	1	----	169 UNCH
515	----	----	0.1410B/----	0.1410B/0.0905A	----	0.0990 + 0.0100	.2204	----	----	----	----	27 UNCH
520	0.1435	0.1435	0.1560B/0.0980A	0.1560B/0.0980A	----	0.1105 + 0.0120	.2418	----	----	4	----	146 UNCH
523	----	----	0.1350B/----	0.1350B/0.1060A	----	0.1180 + 0.0135	.2553	----	----	----	----	3 UNCH
525	----	----	0.1695B/----	0.1695B/0.1090A	----	0.1230 + 0.0145	.2643	----	----	----	----	2304 UNCH
529	----	----	0.1780B/----	0.1780B/0.1200A	----	0.1340 + 0.0165	.2834	----	----	----	----	5 UNCH
530	----	----	0.1810B/----	0.1810B/0.1215A	----	0.1365 + 0.0165	.2881	----	----	----	----	129 UNCH
535	----	----	0.1950B/----	0.1950B/0.1355A	----	0.1520 + 0.0200	.3136	----	----	----	----	21 UNCH
540	----	----	0.2095B/----	0.2095B/0.1515A	----	0.1685 + 0.0225	.3400	----	----	----	----	45 UNCH
542	----	----	0.1995B/----	0.1995B/0.1575A	----	0.1755 + 0.0235	.3509	----	----	----	----	1 UNCH
543	----	----	0.2190B/----	0.2190B/0.1605A	----	0.1790 + 0.0235	.3563	----	----	----	----	10 UNCH
545	----	----	0.2265B/----	0.2265B/0.1660A	----	0.1865 + 0.0245	.3675	----	----	----	----	68 UNCH
550	0.1960	0.1960	0.2460B/0.1815A	0.2460B/0.1815A	----	0.2060 + 0.0260	.3959	----	----	10	----	127 - 5
551	----	----	0.2500B/----	0.2500B/0.1875A	----	0.2100 + 0.0260	.4017	----	----	----	----	90 UNCH
555	----	----	0.2650B/----	0.2650B/0.2010A	----	0.2270 + 0.0270	.4251	----	----	----	----	11 UNCH
557	----	----	0.2725B/----	0.2725B/*0.2100	----	0.2360 + 0.0275	.4369	----	----	----	----	50 UNCH
559	----	----	0.2755B/----	0.2755B/*0.2180	----	0.2450 + 0.0280	.4488	----	----	----	----	2 UNCH
560	----	----	0.2805B/----	0.2805B/0.2220A	----	0.2495 + 0.0285	.4548	----	----	----	----	3 UNCH
561	----	----	0.2850B/----	0.2850B/0.2260A	----	0.2545 + 0.0290	.4608	----	----	----	----	1 UNCH
565	----	----	0.3100B/0.2425A	0.3100B/0.2425A	----	0.2740 + 0.0305	.4849	----	----	----	----	162 UNCH
570	0.3210	0.3210	0.3320B/0.2670A	0.3320B/0.2670A	----	0.3005 + 0.0330	.5149	----	----	1	----	7 + 1
575	----	----	0.3620B/0.2915A	0.3620B/0.2915A	----	0.3285 + 0.0355	.5447	----	----	----	----	61 UNCH
580	----	----	0.3915B/0.3180A	0.3915B/0.3180A	----	0.3580 + 0.0375	.5740	----	----	----	----	15 UNCH
585	----	----	0.4210B/0.3460A	0.4210B/0.3460A	----	0.3890 + 0.0395	.6029	----	----	----	----	1 UNCH
590	----	----	0.4510B/0.3750A	0.4510B/0.3750A	----	0.4215 + 0.0415	.6310	----	----	----	----	2 UNCH
600	----	----	0.5285B/0.4375A	0.5285B/0.4375A	----	0.4910 + 0.0450	.6838	----	----	----	----	15 UNCH
602	----	----	0.5010B/----	0.5010B/0.4780A	----	0.5055 + 0.0455	.6940	----	----	----	----	1 UNCH
605	----	----	0.5665B/0.4725A	0.5665B/0.4725A	----	0.5275 + 0.0465	.7089	----	----	----	----	48 UNCH
610	----	----	0.6030B/0.5075A	0.6030B/0.5075A	----	0.5655 + 0.0480	.7320	----	----	----	----	20 UNCH
615	----	----	0.6340B/0.5440A	0.6340B/0.5440A	----	0.6045 + 0.0495	.7543	----	----	----	----	31 UNCH
620	----	----	0.6760B/----	0.6760B/0.6040A	----	0.6445 + 0.0505	.7748	----	----	----	----	9 UNCH
630	----	----	0.7620B/----	0.7620B/0.6825A	----	0.7275 + 0.0530	.8128	----	----	----	----	9 UNCH
645	----	----	0.8570B/----	0.8570B/0.8095A	----	0.8575 + 0.0545	.8591	----	----	----	----	1 UNCH
650	----	----	0.9020B/----	0.9020B/0.8530A	----	0.9025 + 0.0555	.8721	----	----	----	----	3 UNCH
655	----	----	0.9475B/----	0.9475B/0.8975A	----	0.9475 + 0.0555	.8850	----	----	----	----	1 UNCH
700	----	----	----	1.2595B/2.0685A	----	1.3745 + 0.0590	.9498	----	----	----	----	1 UNCH
TOTAL										39		8457 - 5
JUL26												
350	----	----	----	0.0040B/0.0145A	----	0.0085 + 0.0005	.0159	----	----	----	----	5 UNCH
380	----	----	----	0.0110B/0.0185A	----	0.0135 + 0.0010	.0262	----	----	----	----	2 UNCH
390	----	----	----	0.0125B/0.0200A	----	0.0155 + 0.0005	.0305	----	----	----	----	6 UNCH
395	----	----	----	0.0140B/0.0215A	----	0.0170 + 0.0010	.0335	----	----	----	----	1 UNCH
400	0.0210	0.0210	0.0210/0.0195	0.0210/0.0195	----	0.0185 + 0.0010	.0365	----	----	2	----	509 UNCH
415	----	----	----	0.0215B/0.0265A	----	0.0235 + 0.0010	.0469	----	----	----	----	52 UNCH
420	----	----	----	0.0235B/0.0285A	----	0.0260 + 0.0015	.0517	----	----	----	----	4 UNCH
425	----	----	----	0.0255B/0.0300A	----	0.0280 + 0.0015	.0559	----	----	----	----	50 UNCH
430	----	----	----	0.0285B/0.0325A	----	0.0305 + 0.0015	.0609	----	----	----	----	8 UNCH
435	0.0365	0.0365	0.0365/0.0345A	0.0365/0.0345A	----	0.0335 + 0.0015	.0667	----	----	3	----	5 + 1
440	0.0395	0.0395	0.0395/0.0380A	0.0395/0.0380A	----	0.0365 + 0.0020	.0727	----	----	2	----	3 + 2
445	0.0420	0.0420	0.0420/0.0415A	0.0420/0.0415A	----	0.0395 + 0.0015	.0788	----	----	2	----	3 + 2
450	----	----	0.0460B/----	0.0460B/0.0450A	----	0.0435 + 0.0020	.0863	----	----	----	----	1924 UNCH
455	----	----	0.0505B/----	0.0505B/0.0495A	----	0.0475 + 0.0025	.0940	----	----	----	----	6 UNCH
460	----	----	0.0555B/----	0.0555B/0.0540A	----	0.0520 + 0.0025	.1025	----	----	----	----	1 UNCH
470	----	----	0.0680B/----	0.0680B/0.0645A	----	0.0625 + 0.0035	.1218	----	----	----	----	3 UNCH
475	----	----	0.0750B/----	0.0750B/0.0705A	----	0.0690 + 0.0045	.1331	----	----	----	360	510 + 333
480	----	----	0.0835B/----	0.0835B/0.0765A	----	0.0760 + 0.0055	.1452	----	----	----	----	68 UNCH
490	0.1050	0.1050	0.1085B/0.0905	0.1085B/0.0905	----	0.0925 + 0.0080	.1723	----	----	23	----	541 + 23
495	----	----	0.1150B/----	0.1150B/0.0995A	----	0.1015 + 0.0095	.1869	----	----	----	----	96 UNCH
500	0.1080	0.1080	0.1295B/0.1065A	0.1295B/0.1065A	----	0.1120 + 0.0110	.2029	----	----	1	----	2870 - 1
505	----	----	0.1315B/----	0.1315B/0.1170A	----	0.1230 + 0.0130	.2195	----	----	----	----	2 UNCH
510	----	----	0.1495B/----	0.1495B/0.1275A	----	0.1350 + 0.0145	.2371	----	----	----	----	31 UNCH
520	----	----	0.1810B/----	0.1810B/0.1490A	----	0.1615 + 0.0180	.2747	----	----	----	----	620 UNCH
525	0.2000	0.2000	0.2000/0.2000	0.2000/0.1635A	----	0.1765 + 0.0200	.2948	----	----	2	----	756 + 1
530	----	----	0.2145B/----	0.2145B/0.1755A	----	0.1920 + 0.0215	.3155	----	----	----	----	3215 UNCH
534	----	----	0.2210B/----	0.2210B/0.1895A	----	0.2050 + 0.0220	.3325	----	----	----	----	1 UNCH
535	----	----	0.2250B/----	0.2250B/0.1930A	----	0.2085 + 0.0225	.3369	----	----	----	----	1 UNCH
539	----	----	0.2410B/----	0.2410B/0.2060A	----	0.2225 + 0.0235	.3545	----	----	----	----	1 UNCH
540	0.2275	0.2275	0.2525B/0.2075A	0.2525B/0.2075A	----	0.2260 + 0.0235	.3590	----	----	2	----	450 + 2
550	0.2850	0.2850	0.2965B/0.2455A	0.2965B/0.2455A	----	0.2655 + 0.0265	.4053	----	----	49	360	462 + 295
555	----	----	0.3180B/----	0.3180B/0.2665A	----	0.2875 + 0.0280	.4291	----	----	----	----	30 UNCH
560	----	----	0.3430B/----	0.3430B/0.2875A	----	0.3115 + 0.0300	.4533	----	----	----	----	42 UNCH
565	----	----	0.3670B/----	0.3670B/0.3105A	----	0.3365 + 0.0315	.4776	----	----	----	----	7 UNCH
570	----	----	0.3945B/----	0.3945B/0.3345A	----	0.3635 + 0.0335	.5018	----	----	----	----	30 UNCH
574	----	----	0.4155B/----	0.4155B/*0.3545	----	0.3855 + 0.0340	.5209	----	----	----	----	5 UNCH
580	----	----	0.4530B/0.3845A	0.4530B/0.3845A	----	0.4205 + 0.0355	.5495	----	----	----	----	1735 UNCH
585	----	----	0.4825B/0.4135A	0.4825B/0.4135A	----	0.4510 + 0.0370	.5727	----	----	----	----	21 UNCH
590	----	----	0.5135B/0.4420A	0.5135B/0.4420A	----	0.4825 + 0.0380	.5955	----	----	----	----	21 UNCH
595	----	----	0.5425B/0.4720A	0.5425B/0.4720A	----	0.5155 + 0.0400	.6179	----	----	----	----	1 UNCH
600	----	----	0.5820B/0.5030A	0.5820B/0.5030A	----	0.5495 + 0.0420	.6394	----	----	----	----	10 UNCH
610	----	----	0.6560B/0.5595A	0.6560B/0.5595A	----	0.6205 + 0.0460	.6806	----	----	----	----	47 UNCH
615	----	----	0.6940B/0.6035A	0.6940B/0.6035A	----	0.6570 + 0.0475	.7004	----	----	----	----	10 UNCH
700	----	----	----	----	----	1.3930 + 0.0585	.9076	----	----	----	----	1 UNCH
705	----	----	----	----	----	1.4400 + 0.0585	.9135	----	----	----	----	1 UNCH
TOTAL									720	86		14167 + 658
AUG26												
405	----	----	----	0.0215B/0.0330A	----	0.0265 - 0.0010	.0467	----	----	----	----	3 UNCH
420	----	----	----	0.0305B/0.0395A	----	0.0330 - 0.0020	.0587	----	----	----	----	1 UNCH
440	----	----	----	0.0480B/0.0520A	----	0.0475 - 0.0015	.0827	----	----	----	----	7 UNCH
450	----	----	0.0590B/----	0.0590B/0.0605A	----	0.0575 - 0.0005	.0983	----	----	----	----	4 UNCH
480	----	----	0.1025B/----	0.1025B/0.0985A	----	0.0990 + 0.0035	.1589	----	----	----	----	4 UNCH
500	----	----	0.1440B/----	0.1440B/0.1340A	----	0.1385 + 0.0075	.2118	----	----	----	----	3 UNCH
510	----	----	0.1690B/----	0.1690B/0.1560A	----	0.1630 + 0.0100	.2424	----	----	----	----	1 UNCH
520	----	----	0.1980B/----	0.1980B/0.1820A	----	0.1910 + 0.0125	.2755	----	----	----	----	300 UNCH
530	----	----	0.2310B/----	0.2310B/0.2105A	----	0.2230 + 0.0155	.3110	----	----	----	----	1 UNCH
580	----	----	0.4690B/0.4175A	0.4690B/0.4175A	----	0.4480 + 0.0295	.5097	----	----	----	----	250 UNCH
585	----	----	0.4990B/0.4440A	0.4990B/0.4440A	----	0.4765 + 0.0310	.5298	----	----	----	----	5 UNCH
590	----	----	0.5295B/0.4715A	0.5295B/0.4715A	----	0.5055 + 0.0320	.5498	----	----	----	----	14 UNCH
TOTAL												593
SEP26												
400	----	----	----	0.0225B/0.0380A	----	0.0315 + 0.0010	.0510	----	----	----	----	1 UNCH
450	----	----	----	0.0695B/0.0765A	----	0.0735 + 0.0020	.1127	----	----	----	----	578 UNCH
470	----	----	0.1030B/----	0.1030B/0.1045A	----	0.1045 + 0.0040	.1526	----	----	----	----	3 UNCH
475	----	----	0.1125B/----	0.1125B/0.1130A	----	0.1135 + 0.0050	.1637	----	----	----	----	70 UNCH
480	----	----	0.1225B/----	0.1225B/0.1220A	----	0.1230 + 0.0065	.1754	----	----	----	----	7 UNCH
490	----	----	0.1400B/----	0.1400B/0.1530A	----	0.1445 + 0.0100	.2006	----	----	----	----	9 UNCH
500	----	----	0.1645B/----	0.1645B/0.1755A	----	0.1685 + 0.0135	.2278	----	----	----	----	377 UNCH
520	----	----	0.2240B/----	0.2240B/0.2290A	----	0.2265 + 0.0215	.2884	----	----	----	----	3 UNCH
540	----	----	0.3095B/----	0.3095B/0.2835A	----	0.3000 + 0.0255	.3562	----	----	----	----	1 UNCH
550	----	----	0.3545B/----	0.3545B/0.3230A	----	0.3425 + 0.0260	.3917	----	----	----	----	20 UNCH
575	----	----	0.4830B/0.4375A	0.4830B/0.4375A	----	0.4640 + 0.0260	.4831	----	----	----	----	102 UNCH
590	----	----	0.5715B/0.5170A	0.5715B/0.5170A	----	0.5470 + 0.0270	.5379	----	----	----	----	2 UNCH
600	----	----	0.6345B/0.5740A	0.6345B/0.5740A	----	0.6065 + 0.0280	.5737	----	----	----	----	9 UNCH
610	----	----	0.7010B/0.6350A	0.7010B/0.6350A	----	0.6700 + 0.0295	.6086	----	----	----	----	6 UNCH
615	----	----	0.7355B/0.6665A	0.7355B/0.6665A	----	0.7035 + 0.0310	.6254	----	----	----	----	1 UNCH
625	----	----	0.8075B/0.7325A	0.8075B/0.7325A	----	0.7730 + 0.0330	.6578	----	----	----	----	147 UNCH
695	----	----	----	----	----	1.3415 + 0.0480	.8254	----	----	----	----	2 UNCH
TOTAL												1338
OCT26												
375	----	----	----	0.0115B/0.0385A	----	0.0255 - 0.0005	.0376	----	----	----	----	2 UNCH
400	----	----	----	0.0245B/0.0485A	----	0.0380 + 0.0005	.0554	----	----	----	----	1 UNCH
450	----	----	----	0.0770B/0.0925A	----	0.0840 + 0.0015	.1157	----	----	----	----	1 UNCH
470	----	----	----	0.1115B/0.1225A	----	0.1155 + 0.0025	.1525	----	----	----	----	1 UNCH
500	----	----	----	0.1635B/0.1995A	----	0.1825 + 0.0085	.2224	----	----	----	----	110 UNCH
TOTAL												115
NOV26												
400	----	----	----	0.0295B/0.0610A	----	0.0450 - 0.0020	.0617	----	----	----	----	10 UNCH
475	----	----	----	0.1410B/0.1590A	----	0.1485 + 0.0035	.1757	----	----	----	----	2 UNCH
735	----	----	----	----	----	1.6790 + 0.0485	.8181	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 75

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
TOTAL												14
DEC26												
385	----	----	----	0.0240B/0.0625A	----	0.0430 - 0.0015	.0557	----	----	----	----	1 UNCH
400	0.0600	0.0600	0.0600/0.0600	0.0600/0.0600	----	0.0540 - 0.0015	.0690	----	----	1	----	17 + 1
420	----	----	----	0.0585B/0.0920A	----	0.0740 - 0.0005	.0917	----	----	----	----	2 UNCH
455	----	----	----	0.1150B/0.1425A	----	0.1270 + 0.0025	.1462	----	----	----	----	1 UNCH
475	----	----	----	0.1585B/0.1830A	----	0.1690 + 0.0050	.1853	----	----	----	----	77 UNCH
490	----	----	----	0.1970B/0.2190A	----	0.2070 + 0.0075	.2183	----	----	----	----	5 UNCH
500	----	----	0.2265B/----	0.2265B/0.2460A	----	0.2350 + 0.0090	.2416	----	----	----	----	62 UNCH
550	----	----	0.4220B/----	0.4220B/0.4245A	----	0.4220 + 0.0185	.3742	----	----	----	----	2 UNCH
560	----	----	0.4710B/----	0.4710B/0.4695A	----	0.4690 + 0.0200	.4026	----	----	----	----	300 UNCH
570	----	----	0.5230B/----	0.5230B/0.5175A	----	0.5190 + 0.0215	.4310	----	----	----	----	1 UNCH
580	0.5600	0.5600	0.5775B/0.5600	0.5775B/0.5600	----	0.5715 + 0.0230	.4595	----	----	20	----	22 + 20
600	----	----	0.6950B/----	0.6950B/0.6775A	----	0.6845 + 0.0245	.5154	----	----	----	----	26 UNCH
630	----	----	0.8900B/----	0.8900B/0.8595A	----	0.8745 + 0.0285	.5950	----	----	----	----	18 UNCH
TOTAL										21		534 + 21
JAN27												
400	----	----	----	----	----	0.0535 + 0.0035	.0664	----	----	----	----	8 UNCH
TOTAL												8
FEB27												
400	----	----	----	----	----	0.0610 + 0.0040	.0718	----	----	----	----	2 UNCH
TOTAL												2
MAR27												
275	----	----	----	----	----	0.0170 + 0.0010	.0175	----	----	----	----	1 UNCH
TOTAL												1
HXE CALL		COPPER OPTIONS										
APR26												
548	----	----	----/0.1370A	0.1520B/0.1370A	----	0.1610 NEW	.6746	----	----	2	----	2 + 2
555	----	----	0.1640B/0.1015A	0.1640B/0.1015A	----	0.1170 - 0.0405	.5649	----	----	----	----	1 UNCH
558	0.2180	0.2180	#0.2180/0.1525A	#0.2180/0.1525A	----	0.1640 NEW	.5174	----	----	11	----	11 + 11
560	----	----	0.1300B/0.0810A	0.1300B/0.0810A	----	0.0900 - 0.0370	.4797	----	----	----	----	3 UNCH
567	----	----	----/0.0555A	0.0880B/0.0555A	----	0.0595 - 0.0310	.3599	----	----	----	----	5 UNCH
570	0.0540	0.0540	0.0730B/0.0510A	0.0730B/0.0510A	----	0.0490 - 0.0280	.3112	----	----	2	----	3 + 2
574	----	----	----/0.0680A	0.0930B/0.0680A	----	0.0710 - 0.0270	.3268	----	----	----	----	1 UNCH
575	----	----	----/0.0415A	0.0535B/0.0415A	----	0.0350 - 0.0230	.2380	----	----	----	----	4 UNCH
580	----	----	----/0.0325A	0.0345B/0.0325A	----	0.0255 - 0.0175	.1801	----	----	----	----	1 UNCH
580	----	----	----/0.0550A	0.0695B/0.0550A	----	0.0540 - 0.0225	.2647	----	----	----	----	5 UNCH
580	----	----	----/0.0765A	0.0980B/0.0765A	----	0.0775 - 0.0220	.3066	----	----	----	----	2 UNCH
589	----	----	----/0.0215A	0.0155B/0.0215A	----	0.0145 - 0.0100	.1061	----	----	----	----	2 UNCH
590	0.0380	0.0380	0.0410B/0.0375A	0.0410B/0.0375A	----	0.0335 - 0.0165	.1790	----	----	5	----	10 + 5
595	0.0305	0.0305	0.0310B/0.0305	0.0310B/0.0305	----	0.0270 NEW	.1475	----	----	5	----	5 + 5
610	----	----	----	0.0015B/0.0120A	----	0.0040 - 0.0025	.0291	----	----	----	----	100 UNCH
630	----	----	----	----/0.0115A	----	0.0010 - 0.0010	.0070	----	----	----	----	2 UNCH
640	----	----	----	0.0010B/*0.0110	----	0.0045 - 0.0025	.0258	----	----	----	----	3 UNCH
670	----	----	----	----/0.0110A	----	0.0015 - 0.0005	.0084	----	----	----	----	3 UNCH
TOTAL										25		163 + 25
HXE PUT		COPPER OPTIONS										
APR26												
470	----	----	----	----/*0.0110A	----	0.0005 UNCH	.0016	----	----	----	----	2 UNCH
490	----	----	----	0.0085B/0.0155A	----	0.0085 - 0.0010	.0405	----	----	----	----	2 UNCH
505	----	----	----	0.0030B/0.0130A	----	0.0050 - 0.0010	.0301	----	----	----	----	0 UNCH
510	----	----	0.0215B/----	0.0215B/*0.0230	----	0.0200 - 0.0005	.0936	----	----	----	----	25 UNCH
515	----	----	----	0.0070B/*0.0155	----	0.0100 NEW	.0597	----	----	115	----	115 + 115
520	----	----	----	0.0115B/*0.0165	----	0.0125 UNCH	.0763	----	----	----	----	31 UNCH
526	----	----	0.0170B/----	0.0170B/*0.0190	----	0.0170 + 0.0015	.1049	----	----	----	----	1 UNCH
530	0.0205	0.0205	0.0230B/*0.0205	0.0230B/*0.0205	----	0.0215 NEW	.1316	----	----	1	----	1 + 1
535	0.0250	0.0250	0.0320B/*0.0240	0.0320B/*0.0240	----	0.0280 + 0.0060	.1706	----	----	1	----	8 + 1
540	----	----	0.0470B/----	0.0470B/*0.0295	----	0.0370 + 0.0100	.2209	----	----	117	----	115 + 113
545	0.0460	0.0460	0.0615B/*0.0370	0.0615B/*0.0370	----	0.0490 + 0.0140	.2826	----	----	3	----	1 - 1
550	----	----	0.0815B/----	0.0815B/*0.0480	----	0.0645 + 0.0185	.3548	----	----	----	----	4 UNCH
551	----	----	0.0855B/----	0.0855B/*0.0505	----	0.0680 + 0.0190	.3703	----	----	----	----	0 UNCH
555	----	----	0.1045B/----	0.1045B/*0.0615	----	0.0835 + 0.0225	.4348	----	----	----	----	1 UNCH
558	----	----	0.1205B/*0.0710	0.1205B/*0.0710	----	0.0970 NEW	.4855	----	----	2	----	2 + 2
570	----	----	0.2040B/0.1200A	0.2040B/0.1200A	----	0.1655 + 0.0350	.6885	----	----	----	----	1 UNCH
TOTAL										239		309 + 231

ALUMINIUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST

PLATINUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO CALL		NYMEX PALLADIUM OPTIONS										
MAY26												
1575	----	----	----/27.30A	30.20B/27.30A	----	37.90 + 2.80	.3556	----	----	----	----	5 UNCH
1585	----	----	----/25.90A	27.50B/25.90A	----	35.00 + 2.30	.3339	----	----	----	----	1 UNCH
1600	----	----	----/24.10A	23.80B/24.10A	----	31.10 + 1.70	.3033	----	----	----	----	31 UNCH
1800	6.00	6.00	7.50/*6.00	7.50/*6.00	----	7.90 - 0.20	.0838	----	----	4	----	4 UNCH
1900	----	----	----	----/*11.50A	----	4.30 UNCH	.0454	----	----	----	----	20 UNCH
1925	----	----	----	----/*11.20A	----	3.60 - 0.10	.0382	----	----	----	----	10 UNCH
1950	----	----	----	----/*10.90A	----	3.10 UNCH	.0328	----	----	----	----	40 UNCH
2475	----	----	----	----/8.30A	----	0.20 - 0.10	.0019	----	----	----	----	100 UNCH
TOTAL										4		211 0
JUN26												
1400	----	----	162.40B/130.50A	162.40B/130.50A	----	169.20 + 9.00	.6891	----	----	----	----	75 UNCH
1440	----	----	----/112.60A	122.60B/112.60A	----	145.90 + 7.50	.6332	----	----	----	----	1 UNCH
1460	----	----	----/104.50A	124.00B/104.50A	----	135.20 + 6.80	.6046	----	----	----	----	25 UNCH
1500	----	----	----/89.60A	108.60B/89.60A	----	115.80 + 5.80	.5473	----	----	----	----	110 UNCH
1525	----	----	----/81.40A	97.70B/81.40A	----	104.90 + 5.30	.5121	----	----	----	----	5 UNCH
1550	----	----	----/73.90A	87.60B/73.90A	----	94.90 + 4.80	.4777	----	----	----	----	11 UNCH
1575	----	----	----/67.10A	78.30B/67.10A	----	85.70 + 4.40	.4443	----	----	----	----	15 UNCH
1600	----	----	----/61.10A	69.80B/61.10A	----	77.30 + 3.90	.4121	----	----	----	----	20 UNCH
1655	----	----	----/50.40A	53.70B/50.40A	----	61.30 + 2.80	.3461	----	----	----	----	1 UNCH
1700	----	----	----/43.70A	43.10B/43.70A	----	50.60 + 1.70	.2979	----	----	----	----	25 UNCH
1750	----	----	----/37.90A	34.00B/37.90A	----	40.90 + 0.50	.2508	----	----	----	----	10 UNCH
1800	----	----	----/33.40A	27.00B/33.40A	----	33.10 - 0.70	.2104	----	----	----	----	110 UNCH
1850	----	----	----	21.60B/29.90A	----	27.00 - 1.70	.1765	----	----	----	----	2 UNCH
1900	----	----	----	17.40B/*27.10A	----	22.10 - 2.60	.1481	----	----	----	----	64 UNCH
1925	----	----	----	15.60B/*26.00A	----	20.10 - 2.90	.1360	----	----	----	----	40 UNCH
1950	----	----	----	14.10B/*24.90A	----	18.30 - 3.20	.1249	----	----	----	----	10 UNCH
2000	----	----	----	11.20B/*23.10A	----	15.30 - 3.70	.1059	----	----	----	----	106 UNCH
2100	----	----	----	7.00B/*20.30A	----	11.00 - 3.20	.0775	----	----	----	----	52 UNCH
2200	----	----	----	4.00B/*18.30A	----	8.10 - 2.70	.0577	----	----	----	----	7 UNCH
2300	----	----	----	1.90B/*16.80A	----	6.30 - 2.20	.0448	----	----	----	----	30 UNCH
2400	----	----	----	0.20B/*15.50A	----	5.00 - 1.90	.0354	----	----	----	----	7 UNCH
2500	----	----	----	----/*14.50A	----	3.70 - 1.60	.0265	----	----	----	----	25 UNCH
2700	----	----	----	----/*13.00A	----	2.20 - 1.10	.0159	----	----	----	----	50 UNCH
3000	----	----	----	----/11.60A	----	1.00 - 0.70	.0074	----	----	----	----	30 UNCH
3500	----	----	----	----/10.20A	----	0.30 - 0.30	.0022	----	----	----	----	25 UNCH
TOTAL												856 0
SEP26												
1400	----	----	----/209.00A	233.20B/209.00A	----	242.00 + 7.70	.6733	----	----	----	----	75 UNCH
1575	----	----	----/*145.80A	156.10B/145.80A	----	166.50 + 4.90	.5223	----	----	----	----	25 UNCH
1700	----	----	----/113.90A	116.70B/113.90A	----	128.20 + 4.20	.4288	----	----	----	----	5 UNCH
1900	----	----	----/80.50A	74.00B/80.50A	----	85.70 + 2.20	.3101	----	----	----	----	5 UNCH
2100	----	----	----	49.30B/61.40A	----	59.50 + 0.80	.2266	----	----	----	----	25 UNCH
2400	----	----	----	36.00B/45.20A	----	38.10 - 0.90	.1501	----	----	----	----	20 UNCH
2550	----	----	----	23.20B/39.90A	----	32.00 - 1.10	.1264	----	----	----	----	50 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 76

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
PAO CALL		NYMEX PALLADIUM OPTIONS											
TOTAL												205	0
DEC26													
2000	----	----	----	----	----	166.70 + 5.10	.3948	----	----	----	----	1	UNCH
3000	----	----	----	----	----	104.40 + 2.90	.2368	----	----	----	----	1	UNCH
TOTAL												2	0
PAO PUT		NYMEX PALLADIUM OPTIONS											
MAY26													
1250	----	----	----	----/*11.50A	----	3.30 + 0.70	.0393	----	----	----	----	40	UNCH
1300	----	----	----	2.10B/*13.80A	----	6.70 + 1.10	.0762	----	----	----	----	1	UNCH
1400	----	----	29.50B/----	29.50B/26.30A	----	22.10 - 0.50	.2193	----	----	----	----	22	UNCH
1450	----	----	56.80B/----	56.80B/40.90A	----	37.40 - 3.20	.3320	----	----	----	----	2	UNCH
1500	----	----	91.30B/63.30A	91.30B/63.30A	----	59.80 - 5.90	.4604	----	----	----	----	2	UNCH
1550	----	----	131.40B/92.00A	131.40B/92.00A	----	88.70 - 9.00	.5864	----	----	----	----	100	UNCH
1675	----	----	245.10B/186.70A	245.10B/186.70A	----	184.90 - 13.60	.8169	----	----	----	----	100	UNCH
1820	----	----	----	----	----	319.40 - 13.10	.9242	----	----	----	----	25	UNCH
TOTAL												292	0
JUN26													
1200	----	----	----	10.90B/21.90A	----	15.80 + 1.80	.1012	----	----	----	----	15	UNCH
1250	----	----	----	20.90B/28.20A	----	23.00 + 1.50	.1401	----	----	----	----	1	UNCH
1300	----	----	35.20B/----	35.20B/37.70A	----	32.60 + 0.30	.1879	----	----	----	----	75	UNCH
1335	----	----	48.10B/----	48.10B/46.80A	----	41.30 - 1.00	.2272	----	----	----	----	1	UNCH
1400	----	----	77.90B/----	77.90B/68.90A	----	62.30 - 4.10	.3106	----	----	----	----	185	UNCH
1440	----	----	99.70B/----	99.70B/86.00A	----	78.70 - 5.70	.3666	----	----	----	----	4	UNCH
1450	----	----	105.50B/----	105.50B/90.60A	----	83.30 - 6.00	.3809	----	----	----	----	76	UNCH
1460	----	----	111.40B/----	111.40B/95.40A	----	88.00 - 6.30	.3952	----	----	----	----	25	UNCH
1750	----	----	337.00B/287.30A	337.00B/287.30A	----	282.50 - 12.70	.7490	----	----	----	----	1	UNCH
1900	----	----	476.80B/418.60A	476.80B/418.60A	----	413.30 - 15.70	.8517	----	----	----	----	50	UNCH
TOTAL												433	0
SEP26													
1465	----	----	164.80B/----	164.80B/*159.90	----	146.00 - 7.40	.3840	----	----	----	----	150	UNCH
1575	----	----	236.70B/----	236.70B/*224.30	----	211.10 - 8.70	.4773	----	----	----	----	25	UNCH
1650	----	----	290.90B/----	290.90B/*273.50	----	261.10 - 9.10	.5351	----	----	----	----	50	UNCH
1925	----	----	517.60B/*482.50	517.60B/*482.50	----	472.90 - 11.60	.7016	----	----	----	----	75	UNCH
TOTAL												300	0
PAW OOF		PALLADIUM WEEKLY FRIDAY OPTION Week											
APR26													
1500	----	----	----/35.40A	48.60B/35.40A	----	54.60 + 2.50	.5404	----	----	----	----	2	UNCH
1600	----	----	----/28.00A	28.40B/28.00A	----	33.20 - 0.90	.3119	----	----	----	----	1	UNCH
1630	10.20	10.20	10.20/*10.20	10.20/*10.20	----	14.60 NEW	.1870	----	----	7	----	7 +	7
TOTAL										7		10 +	7
PLW OOF		PLATINUM WEEKLY FRIDAY OPTION Week4											
APR26													
1755	----	----	42.20B/----	42.20B/*30.30A	----	29.60 + 4.20	.1741	----	----	----	----	27	UNCH
1765	----	----	31.30B/----	31.30B/22.50A	----	21.40 + 3.90	.1505	----	----	----	----	27	UNCH
1790	----	----	39.00B/----	39.00B/*26.50A	----	25.50 + 3.80	.1763	----	----	----	----	27	UNCH
1840	----	----	58.00B/----	58.00B/*36.60A	----	36.10 + 3.90	.2384	----	----	----	----	27	UNCH
1940	----	----	75.50B/----	75.50B/44.70A	----	46.50 + 2.50	.3755	----	----	----	----	35	UNCH
1955	----	----	----/38.50A	68.80B/38.50A	----	80.40 - 4.40	.5877	----	----	----	----	10	UNCH
1975	----	----	76.40B/33.10A	76.40B/33.10A	----	69.10 - 4.70	.5367	----	----	----	----	4	UNCH
2050	----	----	----/*19.90A	38.70B/*19.90A	----	36.50 - 4.80	.3443	----	----	----	----	20	UNCH
2065	30.20	30.20	33.00B/*18.20A	33.00B/*18.20A	----	31.80 NEW	.3093	----	----	25	----	25 +	25
2090	----	----	----	----	----	132.10 + 2.40	.7431	----	----	----	----	18	UNCH
2095	18.40	18.40	23.40B/*15.70A	23.40B/*15.70A	----	24.30 NEW	.2473	----	----	25	----	25 +	25
2100	----	----	----/*15.30A	22.10B/*15.30A	----	23.20 - 3.90	.2377	----	----	----	----	12	UNCH
2120	----	----	----/35.10A	54.90B/35.10A	----	52.90 - 4.50	.3252	----	----	----	----	27	UNCH
2125	20.00	20.00	20.00/*13.70A	20.00/*13.70A	----	18.70 NEW	.1960	----	----	1	----	1 +	1
2150	----	----	280.80B/184.70A	280.80B/184.70A	----	196.90 + 2.90	.7602	----	----	----	----	12	UNCH
2155	----	----	----	----	----	201.00 + 3.00	.7667	----	----	----	----	12	UNCH
2160	----	----	----	----	----	205.10 + 3.10	.7729	----	----	----	----	12	UNCH
2160	----	----	----/20.20A	27.10B/20.20A	----	28.50 - 3.40	.2270	----	----	----	----	12	UNCH
2345	----	----	----	----/*7.70A	----	3.30 - 1.10	.0347	----	----	----	----	1	UNCH
TOTAL										51		334 +	51
MAY26													
1700	36.00	36.00	#37.10B/*28.70A	37.10B/*28.70A	----	26.70 NEW	.1463	----	----	3	----	3 +	3
TOTAL										3		3 +	3
PO CALL		PLATINUM OPTIONS											
MAY26													
1750	----	----	263.40B/160.70A	263.40B/160.70A	----	246.90 - 3.40	.8870	----	----	----	----	19	UNCH
1800	----	----	219.30B/125.50A	219.30B/125.50A	----	204.20 - 3.20	.8347	----	----	----	----	18	UNCH
1850	----	----	177.30B/95.50A	177.30B/95.50A	----	164.80 - 2.40	.7663	----	----	----	----	2	UNCH
1875	----	----	157.50B/82.60A	157.50B/82.60A	----	146.60 - 2.10	.7260	----	----	----	----	0	UNCH
1950	----	----	105.00B/51.60A	105.00B/51.60A	----	99.30 - 1.40	.5863	----	----	----	----	3	UNCH
2000	----	----	76.60B/37.50A	76.60B/37.50A	----	74.10 - 1.00	.4861	----	----	----	----	285	UNCH
2025	----	----	64.20B/32.10A	64.20B/32.10A	----	63.20 - 0.80	.4363	----	----	----	----	50	UNCH
2040	38.60	38.60	57.40B/29.40A	57.40B/29.40A	----	57.30 - 0.70	.4071	----	----	14	----	64 +	14
2045	----	----	----/28.50A	55.20B/28.50A	----	55.40 - 0.70	.3974	----	----	----	----	50	UNCH
2050	----	----	----/27.70A	53.10B/27.70A	----	53.60 - 0.60	.3880	----	----	----	----	111	UNCH
2055	----	----	----/26.90A	51.00B/26.90A	----	51.80 - 0.60	.3785	----	----	----	----	57	UNCH
2060	----	----	----/26.20A	49.00B/26.20A	----	50.10 - 0.60	.3692	----	----	----	----	7	UNCH
2065	----	----	----/25.50A	47.00B/25.50A	----	48.40 - 0.60	.3599	----	----	----	----	14	UNCH
2070	----	----	----/24.80A	45.10B/24.80A	----	46.80 - 0.50	.3509	----	----	----	----	14	UNCH
2075	----	----	----/24.10A	43.20B/24.10A	----	45.20 - 0.50	.3419	----	----	----	----	21	UNCH
2080	----	----	----/23.50A	41.40B/23.50A	----	43.60 - 0.60	.3328	----	----	----	----	20	UNCH
2085	37.70	37.70	39.70B/22.80A	39.70B/22.80A	----	42.10 NEW	.3240	----	----	14	----	14 +	14
2090	36.50	36.50	38.00B/22.30A	38.00B/22.30A	----	40.70 - 0.50	.3155	----	----	14	----	21 +	14
2095	----	----	----/21.70A	36.40B/21.70A	----	39.30 - 0.50	.3071	----	----	----	----	7	UNCH
2100	----	----	----/21.10A	34.80B/21.10A	----	37.90 - 0.50	.2986	----	----	----	----	232	UNCH
2105	----	----	----/20.60A	33.30B/20.60A	----	36.60 - 0.50	.2904	----	----	----	----	7	UNCH
2110	----	----	----/20.10A	31.90B/20.10A	----	35.40 - 0.50	.2826	----	----	----	----	37	UNCH
2115	----	----	----/19.70A	30.50B/19.70A	----	34.10 - 0.60	.2745	----	----	----	----	22	UNCH
2120	----	----	----/19.20A	29.10B/19.20A	----	33.00 - 0.50	.2671	----	----	----	----	14	UNCH
2125	----	----	----/18.80A	27.90B/18.80A	----	31.80 - 0.60	.2593	----	----	----	----	14	UNCH
2130	----	----	----/18.40A	26.60B/18.40A	----	30.70 - 0.60	.2519	----	----	----	----	107	UNCH
2135	----	----	----/18.00A	25.40B/18.00A	----	29.70 - 0.50	.2449	----	----	----	----	7	UNCH
2140	----	----	----/17.60A	24.30B/17.60A	----	28.70 - 0.50	.2380	----	----	----	----	7	UNCH
2145	----	----	----/17.20A	23.20B/17.20A	----	27.70 - 0.50	.2310	----	----	----	----	7	UNCH
2150	----	----	----/16.90A	22.20B/16.90A	----	26.80 - 0.50	.2245	----	----	----	----	119	UNCH
2155	----	----	----/16.50A	21.20B/16.50A	----	25.90 - 0.50	.2181	----	----	----	----	7	UNCH
2160	----	----	----/16.20A	20.30B/16.20A	----	25.00 - 0.50	.2116	----	----	----	----	13	UNCH
2170	----	----	----/*15.60A	18.50B/*15.60A	----	23.40 - 0.50	.1997	----	----	----	----	75	UNCH
2175	----	----	----/*15.30A	17.70B/*15.30A	----	22.60 - 0.50	.1938	----	----	----	----	13	UNCH
2200	----	----	----/*14.00A	14.10B/*14.00A	----	19.20 - 0.40	.1674	----	----	----	----	206	UNCH
2215	----	----	----/*13.30A	12.30B/*13.30A	----	17.50 - 0.30	.1536	----	----	----	----	20	UNCH
2220	----	----	----/*13.10A	11.80B/*13.10A	----	16.90 - 0.40	.1489	----	----	----	----	21	UNCH
2245	----	----	----/*12.20A	9.40B/*12.20A	----	14.60 - 0.20	.1294	----	----	----	----	10	UNCH
2250	----	----	----/*12.00A	9.00B/*12.00A	----	14.10 - 0.30	.1254	----	----	----	----	29	UNCH
2260	----	----	----/*11.70A	8.20B/*11.70A	----	13.40 - 0.20	.1191	----	----	----	----	10	UNCH
2265	----	----	----/*11.50A	7.80B/*11.50A	----	13.00 - 0.20	.1157	----	----	----	----	10	UNCH
2270	----	----	----/*11.40A	7.40B/*11.40A	----	12.60 - 0.20	.1124	----	----	----	----	183	UNCH
2275	----	----	----/*11.20A	7.00B/*11.20A	----	12.30 - 0.10	.1096	----	----	----	----	10	UNCH
2280	----	----	----/*11.10A	6.70B/*11.10A	----	11.90 - 0.20	.1063	----	----	----	----	10	UNCH
2285	----	----	----/*11.00A	6.40B/*11.00A	----	11.60 - 0.20	.1036	----	----	----	----	10	UNCH
2300	----	----	----/*10.60A	5.50B/*10.60A	----	10.70 - 0.10	.0956	----	----	----	----	14	UNCH
2315	----	----	----	4.60B/*10.20A	----	9.90 - 0.10	.0884	----	----	----	----	10	UNCH
2320	----	----	----	4.40B/*10.10A	----	9.70 UNCH	.0864	----	----	----	----	4	UNCH
2330	----	----	----	3.90B/*9.90A	----	9.20 UNCH	.0819	----	----	----	----	10	UNCH
2350	----	----	----	3.00B/*9.60A	----	8.30 UNCH	.0738	----	----	----	----	1	UNCH
2360	----	----	----	2.70B/*9.40A	----	7.90 UNCH	.0702	----	----	----	----	10	UNCH
2390	----	----	----	1.60B/*8.80A	----	6.50 UNCH	.0583	----	----	----	----	21	UNCH
2400	----	----	----	2.00B/*8.70A	----	6.10 + 0.10	.0548	----	----	----	----	5	UNCH
2450	----	----	----	0.10B/*8.00A	----	4.30 + 0.10	.0393	----	----	----	----	160	UNCH
2500	2.00	2.00	2.00/*2.00	2.00/*2.00	----	3.10 + 0.10	.0286	----	----	1	----	170	UNCH
2700	----	----	----	----/*6.20A	----	1.00 UNCH	.0090	----	----	----	----	110	UNCH
2730	----	----	----	----/*6.10A	----	0.80 UNCH	.0073	----	----	----	----	1	UNCH
2750	----	----	----	----/*6.00A	----	0.70 UNCH	.0063	----	----	----	----	2	UNCH
2800	----	----	----	----/*5.90A	----	0.50 UNCH	.0045	----	----	----	----	1	UNCH
2880	----	----	----	----/5.70A	----	0.30 UNCH	.0027	----	----	----	----	1	UNCH
3000	----	----	----	----/*5.40A	----	0.10 UNCH	.0009	----	----	----	----	2	UNCH
3050	----	----	----	----/*5.30A	----	0.10 UNCH	.0005	----	----	----	----	2	UNCH
3150	----	----	----	----/5.20A	----	0.10 UNCH	.0002	----	----	----	----	121	UNCH
TOTAL										43		2622 +	42

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 77

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PO CALL		PLATINUM OPTIONS										
JUN26												
1900	----	----	203.20B/141.00A	203.20B/141.00A	----	195.70 - 1.50	.6248	----	----	----	----	1 UNCH
2000	----	----	150.00B/102.90A	150.00B/102.90A	----	145.60 - 1.90	.5206	----	----	----	----	20 UNCH
2100	----	----	----/75.00A	107.70B/75.00A	----	106.20 - 1.90	.4199	----	----	----	----	1 UNCH
2200	----	----	----/54.90A	75.70B/54.90A	----	76.30 - 2.50	.3293	----	----	----	----	200 UNCH
2225	66.30	66.30	69.10B/50.90A	69.10B/50.90A	----	70.10 NEW	.3087	----	----	30	----	30 + 30
2300	----	----	----/40.80A	52.60B/40.80A	----	54.40 - 2.30	.2528	----	----	----	----	317 UNCH
2500	----	----	----/24.60A	25.40B/24.60A	----	27.90 - 2.20	.1445	----	----	----	----	100 UNCH
2650	----	----	----/18.40A	14.60B/18.40A	----	17.50 - 1.00	.0953	----	----	----	----	17 UNCH
TOTAL										30		686 + 30
JUL26												
1500	----	----	520.70B/415.50A	520.70B/415.50A	----	505.40 - 2.80	.9016	----	----	----	----	50 UNCH
1680	----	----	----	----	----	362.40 - 1.70	.7951	----	----	----	----	50 UNCH
1700	----	----	359.60B/276.50A	359.60B/276.50A	----	348.10 - 1.90	.7808	----	----	----	----	1 UNCH
1800	----	----	291.60B/219.50A	291.60B/219.50A	----	281.40 - 3.50	.7029	----	----	----	----	113 UNCH
1850	----	----	260.60B/194.10A	260.60B/194.10A	----	251.40 - 4.00	.6611	----	----	----	----	2 UNCH
1950	----	----	204.90B/150.40A	204.90B/150.40A	----	198.40 - 3.60	.5746	----	----	----	----	1 UNCH
2000	----	----	180.30B/132.30A	180.30B/132.30A	----	175.30 - 3.10	.5311	----	----	----	----	110 UNCH
2100	----	----	----/102.80A	138.10B/102.80A	----	135.90 - 2.40	.4470	----	----	----	----	348 UNCH
2150	----	----	----/90.70A	120.50B/90.70A	----	119.30 - 2.30	.4074	----	----	----	----	12 UNCH
2200	116.00	116.00	116.00/80.30A	116.00/80.30A	----	104.60 - 2.40	.3699	----	----	2	----	404 + 2
2300	----	----	----/63.30A	79.50B/63.30A	----	80.30 - 2.80	.3023	----	----	----	----	163 UNCH
2375	----	----	----/53.40A	64.60B/53.40A	----	66.00 - 2.90	.2585	----	----	----	----	50 UNCH
2400	----	----	----/50.50A	60.30B/50.50A	----	61.80 - 3.00	.2451	----	----	----	----	766 UNCH
2500	----	----	----/40.80A	45.90B/40.80A	----	47.90 - 2.90	.1982	----	----	----	----	321 UNCH
2600	----	----	----/33.70A	35.10B/33.70A	----	37.40 - 2.80	.1603	----	----	----	----	411 UNCH
2700	----	----	----/28.40A	27.00B/28.40A	----	29.50 - 2.40	.1301	----	----	----	----	13 UNCH
2755	----	----	----/26.10A	23.30B/26.10A	----	26.10 - 1.70	.1165	----	----	----	----	1 UNCH
2800	21.00	21.00	21.00/*21.00	21.00/*21.00	----	23.60 - 1.30	.1063	----	----	1	----	149 UNCH
2850	----	----	----	18.10B/22.70A	----	21.20 - 0.90	.0964	----	----	----	----	158 UNCH
2900	----	----	----	18.00B/21.30A	----	19.10 - 0.50	.0875	----	----	----	----	133 UNCH
3000	----	----	----	12.10B/18.90A	----	15.70 + 0.20	.0728	----	----	----	----	683 UNCH
3100	----	----	----	9.20B/17.00A	----	13.00 + 0.70	.0609	----	----	----	----	101 UNCH
3200	----	----	----	2.90B/20.00A	----	10.70 + 0.60	.0507	----	----	----	----	14 UNCH
3300	----	----	----	1.10B/18.70A	----	8.90 + 0.50	.0426	----	----	----	----	31 UNCH
3400	----	----	----	----/17.70A	----	7.60 + 0.50	.0365	----	----	----	----	32 UNCH
3500	----	----	----	----/16.90A	----	6.50 + 0.40	.0313	----	----	----	----	274 UNCH
3600	----	----	----	----/16.20A	----	5.70 + 0.40	.0274	----	----	----	----	300 UNCH
3800	----	----	----	0.50B/10.90A	----	4.50 + 0.30	.0215	----	----	----	----	12 UNCH
3900	----	----	----	----/10.50A	----	4.10 + 0.30	.0194	----	----	----	----	8 UNCH
4000	----	----	----	----/10.20A	----	3.70 + 0.20	.0175	----	----	----	----	221 UNCH
TOTAL										3		4932 + 2
OCT26												
1720	----	----	----	----	----	403.10 - 3.40	.7352	----	----	----	----	1 UNCH
1800	----	----	364.20B/298.00A	364.20B/298.00A	----	356.90 - 4.20	.6874	----	----	----	----	1 UNCH
2000	----	----	----/215.90A	264.90B/215.90A	----	261.10 - 4.20	.5655	----	----	----	----	3 UNCH
2200	----	----	----/158.90A	191.30B/158.90A	----	190.90 - 3.00	.4534	----	----	----	----	130 UNCH
2400	----	----	----/120.10A	139.70B/120.10A	----	141.30 - 3.10	.3596	----	----	----	----	100 UNCH
2500	----	----	----/105.40A	120.20B/105.40A	----	122.40 - 3.30	.3202	----	----	----	----	175 UNCH
2600	----	----	----/93.10A	103.90B/93.10A	----	106.60 - 3.30	.2855	----	----	----	----	10 UNCH
2700	----	----	----/82.60A	90.20B/82.60A	----	93.30 - 3.20	.2549	----	----	----	----	100 UNCH
2800	----	----	----/73.80A	78.60B/73.80A	----	82.00 - 3.40	.2281	----	----	----	----	30 UNCH
2900	----	----	----/66.30A	68.90B/66.30A	----	72.40 - 3.70	.2046	----	----	----	----	10 UNCH
3000	----	----	----/59.90A	60.50B/59.90A	----	64.40 - 3.80	.1842	----	----	----	----	21 UNCH
3200	----	----	----/49.80A	47.40B/49.80A	----	51.60 - 3.80	.1507	----	----	----	----	10 UNCH
3500	----	----	----/39.40A	33.30B/39.40A	----	38.50 - 3.00	.1146	----	----	----	----	10 UNCH
TOTAL												601 0
JAN27												
2360	----	----	----	----	----	204.00 + 2.30	.4238	----	----	----	----	100 UNCH
TOTAL												100 0
PO PUT		PLATINUM OPTIONS										
MAY26												
1700	----	----	10.80B/----	10.80B/11.90A	----	9.00 + 2.70	.0751	----	----	----	----	1 UNCH
1725	----	----	15.10B/----	15.10B/13.80A	----	11.20 + 2.90	.0923	----	----	----	----	13 UNCH
1745	----	----	19.20B/----	19.20B/15.60A	----	13.40 + 3.10	.1089	----	----	----	----	15 UNCH
1750	----	----	20.30B/----	20.30B/16.10A	----	13.90 + 3.00	.1128	----	----	----	----	76 UNCH
1780	----	----	28.10B/----	28.10B/*19.70A	----	18.00 + 3.20	.1426	----	----	----	----	1 UNCH
1785	----	----	29.60B/----	29.60B/*20.30A	----	18.70 + 3.10	.1477	----	----	----	----	1 UNCH
1800	----	----	34.30B/----	34.30B/22.60A	----	21.20 + 3.30	.1651	----	----	----	----	108 UNCH
1820	----	----	41.40B/----	41.40B/*26.10A	----	25.00 + 3.60	.1906	----	----	----	----	100 UNCH
1825	----	----	43.30B/----	43.30B/27.00A	----	26.00 + 3.60	.1973	----	----	----	----	14 UNCH
1850	----	----	53.80B/----	53.80B/32.00A	----	31.70 + 4.00	.2335	----	----	----	----	63 UNCH
1855	----	----	56.00B/----	56.00B/*33.10A	----	33.00 + 4.10	.2414	----	----	----	----	15 UNCH
1860	----	----	58.40B/----	58.40B/*34.10A	----	34.30 + 4.20	.2492	----	----	----	----	100 UNCH
1875	50.00	50.00	65.70B/37.50A	65.70B/37.50A	----	38.50 + 4.40	.2739	----	----	1	----	122 + 1
1890	----	----	73.50B/----	73.50B/41.30A	----	43.20 + 4.70	.3000	----	----	----	----	22 UNCH
1895	----	----	76.20B/----	76.20B/42.70A	----	44.80 + 4.70	.3088	----	----	----	----	29 UNCH
1900	----	----	79.00B/----	79.00B/44.10A	----	46.50 + 4.70	.3179	----	----	----	----	131 UNCH
1905	----	----	81.90B/----	81.90B/45.50A	----	48.20 + 4.80	.3270	----	----	----	----	46 UNCH
1910	----	----	84.80B/----	84.80B/47.00A	----	50.00 + 4.80	.3362	----	----	----	----	46 UNCH
1915	----	----	87.20B/----	87.20B/48.60A	----	51.90 + 4.90	.3457	----	----	----	----	67 UNCH
1920	----	----	86.80B/----	86.80B/50.20A	----	53.80 + 5.00	.3552	----	----	----	----	49 UNCH
1925	----	----	93.80B/----	93.80B/51.80A	----	55.70 + 5.00	.3647	----	----	----	----	20 UNCH
1930	----	----	87.10B/----	87.10B/53.50A	----	57.70 + 5.00	.3743	----	----	----	----	20 UNCH
1935	----	----	87.30B/----	87.30B/55.30A	----	59.80 + 5.10	.3841	----	----	----	----	20 UNCH
1945	----	----	92.60B/----	92.60B/58.90A	----	64.00 + 5.20	.4036	----	----	----	----	30 UNCH
1950	60.00	60.00	110.00B/60.00	110.00B/60.00	----	66.20 + 5.20	.4135	----	----	3	----	83 + 3
1970	----	----	91.00B/69.00A	91.00B/69.00A	----	75.50 + 5.30	.4535	----	----	----	----	9 UNCH
1990	----	----	94.00B/77.90A	94.00B/77.90A	----	85.50 + 5.40	.4937	----	----	----	----	10 UNCH
2000	----	----	146.30B/82.60A	146.30B/82.60A	----	90.80 + 5.50	.5138	----	----	----	----	335 UNCH
2030	----	----	----/97.90A	93.00B/97.90A	----	107.90 + 5.70	.5734	----	----	----	----	75 UNCH
2050	----	----	187.20B/109.00A	187.20B/109.00A	----	120.30 + 5.80	.6119	----	----	----	----	200 UNCH
2100	----	----	231.20B/140.30A	231.20B/140.30A	----	154.60 + 6.00	.7013	----	----	----	----	70 UNCH
2155	----	----	----	----	----	197.50 + 6.00	.7818	----	----	----	----	13 UNCH
2160	----	----	----	----	----	201.60 + 6.00	.7883	----	----	----	----	38 UNCH
2175	----	----	300.60B/197.20A	300.60B/197.20A	----	214.20 + 6.00	.8061	----	----	----	----	10 UNCH
2195	----	----	----	----	----	231.40 + 6.10	.8277	----	----	----	----	23 UNCH
2200	----	----	324.30B/218.20A	324.30B/218.20A	----	235.80 + 6.10	.8325	----	----	----	----	10 UNCH
2215	----	----	----	----	----	249.00 + 6.10	.8463	----	----	----	----	60 UNCH
2450	----	----	568.70B/452.80A	568.70B/452.80A	----	470.60 + 6.50	.9605	----	----	----	----	50 UNCH
2500	----	----	618.40B/501.80A	618.40B/501.80A	----	519.40 + 6.50	.9713	----	----	----	----	100 UNCH
TOTAL										4		2195 + 4
JUN26												
1825	----	----	110.00B/----	110.00B/81.90A	----	83.00 + 4.60	.2998	----	----	----	----	25 UNCH
1850	----	----	122.10B/----	122.10B/90.60A	----	92.30 + 4.80	.3243	----	----	----	----	1 UNCH
1900	----	----	148.30B/----	148.30B/109.90A	----	112.90 + 5.00	.3750	----	----	----	----	200 UNCH
2100	----	----	282.20B/213.90A	282.20B/213.90A	----	222.50 + 4.50	.5799	----	----	----	----	100 UNCH
TOTAL												326 0
JUL26												
1400	----	----	----	11.80B/17.80A	----	13.40 + 1.40	.0581	----	----	----	----	150 UNCH
1500	----	----	26.40B/----	26.40B/26.80A	----	24.80 + 3.70	.0982	----	----	----	----	153 UNCH
1550	----	----	37.10B/----	37.10B/33.60A	----	32.60 + 4.80	.1234	----	----	----	----	200 UNCH
1600	54.00	54.00	54.00/42.40A	54.00/42.40A	----	42.00 + 5.20	.1519	----	----	1	----	382 + 1
1650	----	----	66.40B/----	66.40B/53.80A	----	53.30 + 5.10	.1840	----	----	----	----	1 UNCH
1680	----	----	77.00B/----	77.00B/61.90A	----	61.00 + 4.80	.2046	----	----	----	----	50 UNCH
1700	----	----	84.40B/----	84.40B/67.70A	----	66.50 + 4.50	.2190	----	----	----	----	261 UNCH
1710	----	----	88.30B/----	88.30B/70.60A	----	69.40 + 4.30	.2263	----	----	----	----	1 UNCH
1750	----	----	104.30B/----	104.30B/82.80A	----	81.80 + 3.70	.2567	----	----	----	----	50 UNCH
1800	----	----	126.20B/----	126.20B/99.90A	----	99.30 + 2.90	.2968	----	----	----	----	218 UNCH
1900	----	----	176.80B/----	176.80B/140.00A	----	141.00 + 2.50	.3816	----	----	----	----	1 UNCH
2100	----	----	307.80B/245.60A	307.80B/245.60A	----	252.00 + 4.10	.5527	----	----	----	----	225 UNCH
2165	----	----	----	----	----	295.40 + 4.20	.6038	----	----	----	----	20 UNCH
2350	----	----	511.60B/424.40A	511.60B/424.40A	----	435.10 + 3.60	.7274	----	----	----	----	5 UNCH
2400	----	----	555.80B/465.00A	555.80B/465.00A	----	476.30 + 3.60	.7546	----	----	----	----	300 UNCH
4000	----	----	2,116.00B/1,999	2,116.00B/1,999	----	2016.80 + 6.50	.9825	----	----	----	----	10 UNCH
TOTAL										1		2027 + 1
OCT26												
1300	----	----	----	21.70B/31.50A	----	22.80 - 1.20	.0684	----	----	----	----	4 UNCH
1500	----	----	62.00B/----	62.00B/61.60A	----	57.70 + 3.70	.1466	----	----	----	----	80 UNCH
1600	----	----	94.60B/----	94.60B/87.70A	----	84.20 + 4.40	.1968	----	----	----	----	17 UNCH
1720	----	----	144.00B/----	144.00B/128.20A	----	124.90 + 3.60	.2643	----	----	----	----	2 UNCH
1800	----	----	182.20B/----	182.20B/160.70A	----	157.80 + 2.90	.3121	----	----	----	----	20 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
PO PUT		PLATINUM OPTIONS											
OCT26													
2000	----	----	297.00B/----	297.00B/259.70A	----	259.50 + 2.80	.4340	----	----	----	----	1	UNCH
2100	----	----	364.60B/----	364.60B/318.70A	----	320.30 + 3.50	.4920	----	----	----	----	100	UNCH
2400	----	----	597.60B/529.40A	597.60B/529.40A	----	535.00 + 4.00	.6399	----	----	----	----	200	UNCH
2500	----	----	682.30B/608.40A	682.30B/608.40A	----	615.00 + 3.90	.6793	----	----	----	----	1	UNCH
TOTAL												425	0
JAN27													
1500	----	----	----	----	----	74.30 + 4.80	.1610	----	----	----	----	40	UNCH
1800	----	----	----	----	----	186.60 + 6.70	.3135	----	----	----	----	1	UNCH
TOTAL												41	0

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 79

FINAL

OPTIONS EOO'S AND BLOCKS

PRODUCT		STRIKE PRICE	EOO VOLUME	BLOCK VOLUME
OG CALL		COMEX GOLD OPTIONS		
MAY26	CALL			
OG		4750	0	75
OG		5400	0	100
TOTALS			0	175
JUN26	CALL			
OG		4750	0	200
OG		5000	0	150
OG		5700	0	225
TOTALS			0	575
JUL26	CALL			
OG		4670	0	50
OG		5000	0	140
OG		6000	0	140
TOTALS			0	330
AUG26	CALL			
OG		4750	0	150
OG		5750	0	300
TOTALS			0	450
SEP26	CALL			
OG		5300	0	220
TOTALS			0	220
OCT26	CALL			
OG		4900	0	50
OG		5000	0	50
TOTALS			0	100
NOV26	CALL			
OG		4900	0	450
OG		6500	0	650
TOTALS			0	1100
DEC26	CALL			
OG		5900	0	275
OG		6000	0	275
TOTALS			0	550
DEC27	CALL			
OG		7500	0	100
TOTALS			0	100
OG PUT		COMEX GOLD OPTIONS		
MAY26	PUT			
OG		3800	0	100
OG		3850	0	2250
OG		4050	0	150
OG		4200	0	150
OG		4350	0	150
OG		4500	0	60
OG		4525	0	750
TOTALS			0	3610
JUN26	PUT			
OG		3675	0	50
OG		4480	0	50
TOTALS			0	100
JUL26	PUT			
OG		3900	0	55
OG		4500	0	105
TOTALS			0	160
AUG26	PUT			
OG		3900	0	300
OG		4250	0	35
OG		4750	0	150
TOTALS			0	485
OCT26	PUT			
OG		4250	0	15
TOTALS			0	15
NOV26	PUT			
OG		3500	0	650
TOTALS			0	650
DEC26	PUT			
OG		3400	0	220
TOTALS			0	220
SO CALL		COMEX SILVER OPTIONS		
JUN26	CALL			
SO		7500	0	125
SO		9000	0	250
SO		10000	0	50
TOTALS			0	425
SO PUT		COMEX SILVER OPTIONS		
MAY26	PUT			
SO		5200	0	44
SO		5500	0	25
SO		6500	0	25
SO		7200	0	100
TOTALS			0	194
JUN26	PUT			
SO		5000	0	44
TOTALS			0	44
HX PUT		COMEX COPPER OPTIONS		
MAY26	PUT			
HX		500	0	20
TOTALS			0	20
JUL26	PUT			
HX		475	0	360
HX		550	0	360
TOTALS			0	720
OG2 PUT		GOLD OPTIONS		
APR26	PUT			
OG2		4200	0	500
OG2		4600	0	50
TOTALS			0	550
OG2 CALL		GOLD OPTIONS		
APR26	CALL			
OG2		4800	0	50
TOTALS			0	50
HMW MON		COPPER WEEKLY MONDAY OPTION WEEK1		
APR26	PUT			
H1M		540	0	882

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

TOTALS		0	882

GMW MON GOLD WEEKLY MONDAY OPTION WEEK1

APR26 CALL			
G1M	4725	0	78
TOTALS		0	78

GWT TUE GOLD WEEKLY TUESDAY OPTION Week1

APR26 PUT			
G1T	4375	0	200
G1T	4525	0	117
G1T	4575	0	80
TOTALS		0	397

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.