# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX ( OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

**PRICE INDICATOR KEY**

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY'S SETTLEMENT PRICE.

## METAL FUTURES CONTRACTS LAST TRADE DATES

| EXPIRATION: | APR26 | MAY26 | MAY26 | MAY26 | JUN26 | JUL26 | AUG26 | SEP26 | OCT26 | NOV26 | DEC26 | JAN27 | FEB27 | MAR27 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COO OPT | 04/30 | 05/29 | | | 06/30 | 07/31 | 08/28 | 09/30 | 10/30 | 11/30 | 12/31 | 01/29 | 02/26 | 03/31 |
| ECG10 OP | | | 05/04 | 05/05 | | | | | | | | | | |
| ECG11 OP | | | 05/04 | 05/05 | | | | | | | | | | |
| ECG13 OP | | | 05/04 | 05/05 | | | | | | | | | | |
| ECG15 OP | | | 05/04 | 05/05 | | | | | | | | | | |
| ECG16 OP | | | 05/04 | 05/05 | | | | | | | | | | |
| ECGC OOF | | | 05/04 | 05/05 | | | | | | | | | | |
| ECHG OOF | | | 05/04 | 05/05 | | | | | | | | | | |
| ECSI OOF | | | 05/04 | 05/05 | | | | | | | | | | |
| EHO OPT | 04/30 | 05/29 | | | 06/30 | 07/31 | 08/28 | 09/30 | | | | | | |
| FMG OPT | | 05/08 | | | | | | | | | | | | |
| FSO OPT | 04/30 | 05/29 | | | 06/30 | | | | | | | | | |
| GMW MON | | 05/18 | | | 06/01 | | | | | | | | | |
| GWR THU | | 05/28 | | | | | | | | | | | | |
| GWT TUE | | 05/19 | | | 06/02 | | | | | | | | | |
| GWW WED | | 05/27 | | | | | | | | | | | | |
| HMW MON | | 05/18 | | | 06/01 | | | | | | | | | |
| HRO OPT | | 05/26 | | | 06/23 | 07/28 | 08/25 | 09/29 | 10/27 | 11/24 | 12/29 | | | |
| HWR THU | | 05/21 | | | | | | | | | | | | |
| HWT TUE | | 05/19 | | | 06/02 | | | | | | | | | |
| HWW WED | | 05/27 | | | 06/03 | 07/01 | 08/05 | | | | | | | |
| HX CALL | | | | | 05/26 | 06/25 | 07/28 | 08/26 | 09/24 | 10/27 | 11/24 | 12/28 | 01/26 | 02/23 |
| HX PUT | | | | | 05/26 | 06/25 | 07/28 | 08/26 | 09/24 | 10/27 | 11/24 | 12/28 | 01/26 | 02/23 |
| HXE CALL | | 05/29 | | | | | | | | | | | | |
| HXE PUT | | 05/29 | | | | | | | | | | | | |
| LHO OPT | 04/30 | 05/29 | | | 06/30 | 07/31 | 08/31 | 09/30 | 10/30 | 11/30 | 12/31 | 01/29 | 02/26 | 03/31 |
| MMG MON | | 05/04 | | | 06/01 | | | | | | | | | |
| OG CALL | | | | | 05/26 | 06/25 | 07/28 | 08/26 | 09/24 | 10/27 | 11/24 | 12/28 | 01/26 | 02/23 |
| OG PUT | | | | | 05/26 | 06/25 | 07/28 | 08/26 | 09/24 | 10/27 | 11/24 | 12/28 | 01/26 | 02/23 |
| OG2 CALL | | 05/08 | | | | | | | | | | | | |
| OG2 PUT | | 05/08 | | | | | | | | | | | | |
| OG3 CALL | | 05/15 | | | | | | | | | | | | |
| OG3 PUT | | 05/15 | | | | | | | | | | | | |
| OG4 CALL | | 05/22 | | | | | | | | | | | | |
| OG4 PUT | | 05/22 | | | | | | | | | | | | |
| OG5 CALL | | 05/29 | | | | | | | | | | | | |
| OG5 PUT | | 05/29 | | | | | | | | | | | | |
| OMG OPT | | | | | 05/26 | 06/25 | 07/28 | | | | | | | |
| PAO CALL | | | | | 05/20 | 06/17 | 07/15 | 08/19 | | | 11/18 | | | |
| PAO PUT | | | | | 05/20 | 06/17 | | 08/19 | | | 11/18 | | | |
| PLW OOF | | 05/15 | | | | | | | | | | | | |
| PO CALL | | | | | 05/20 | 06/17 | 07/15 | | 09/16 | | | 12/16 | | |
| PO PUT | | | | | 05/20 | 06/17 | | | 09/16 | | | 12/16 | | |
| RWS THU | | 05/28 | | | | | | | | | | | | |
| SMW MON | | 05/18 | | | 06/01 | | | | | | | | | |
| SO CALL | | | | | 05/26 | 06/25 | 07/28 | 08/26 | 09/24 | 10/27 | 11/24 | 12/28 | 01/26 | 02/23 |
| SO PUT | | | | | 05/26 | 06/25 | 07/28 | 08/26 | 09/24 | 10/27 | 11/24 | 12/28 | 01/26 | 02/23 |
| SO2 CALL | | 05/08 | | | | | | | | | | | | |
| SO2 PUT | | 05/08 | | | | | | | | | | | | |
| SO3 CALL | | 05/15 | | | | | | | | | | | | |
| SO3 PUT | | 05/15 | | | | | | | | | | | | |
| SO4 CALL | | 05/22 | | | | | | | | | | | | |
| SO4 PUT | | 05/22 | | | | | | | | | | | | |
| SO5 PUT | | 05/29 | | | | | | | | | | | | |
| SWW WED | | 05/20 | | | | | | | | | | | | |
| TWS TUE | | 05/19 | | | | | | | | | | | | |
| WMG WED | | 05/06 | | | | | | | | | | | | |

## GOLD OPTIONS ON FUTURES

| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WMG WED | | MICRO GOLD WEEKLY WED OPTION WEEK1 | | | | | | | | | | |
| MAY26 | | | | | | | | | | | | |
| 4585 | ---- | ---- | ---- | ---- | ---- | 30.30 - 37.50 | .6695 | ---- | ---- | ---- | ---- | 0 UNCH |
| TOTAL | | | | | | | | | | | | 0 0 |

| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OMG OPT | | MICRO GOLD OPTIONS | | | | | | | | | | |
| JUN26 | | | | | | | | | | | | |
| 2500 | ---- | ---- | ---- | ---- | ---- | 0.20 UNCH | ---- | ---- | ---- | ---- | ---- | 2 UNCH |
| 3950 | ---- | ---- | ---- | ---- | ---- | 4.30 - 1.70 | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 4200 | ---- | ---- | ---- | ---- | ---- | 12.40 - 5.70 | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 4260 | ---- | ---- | ---- | ---- | ---- | 17.20 - 7.70 | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 4300 | ---- | ---- | ---- | ---- | ---- | 21.60 - 9.40 | ---- | ---- | ---- | ---- | ---- | 4 UNCH |
| 4500 | ---- | ---- | ---- | ---- | ---- | 68.70 - 20.70 | ---- | ---- | ---- | ---- | ---- | 5 UNCH |
| 4600 | ---- | ---- | ---- | ---- | ---- | 114.90 - 26.90 | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 4625 | ---- | ---- | ---- | ---- | ---- | 129.30 - 28.30 | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 4645 | ---- | ---- | ---- | ---- | ---- | 141.60 - 29.30 | ---- | ---- | ---- | ---- | ---- | 6 UNCH |
| 4700 | ---- | ---- | ---- | ----/*50.00A | ---- | 47.60 + 3.50 | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 4720 | ---- | ---- | ---- | ---- | ---- | 193.60 - 32.40 | ---- | ---- | ---- | ---- | ---- | 2 UNCH |
| 4800 | ---- | ---- | ---- | ---- | ---- | 26.60 + 0.90 | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 4900 | 16.00 | 16.00 | 16.00/*16.00 | 16.00/*16.00 | ---- | 15.00 - 0.30 | ---- | ---- | ---- | 1 | ---- | 2 UNCH |
| 5100 | ---- | ---- | ---- | ---- | ---- | 5.90 - 0.40 | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 5400 | ---- | ---- | ---- | ---- | ---- | 2.60 + 0.10 | ---- | ---- | ---- | ---- | ---- | 2 UNCH |
| 5875 | ---- | ---- | ---- | ---- | ---- | 1.10 - 0.10 | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| TOTAL | | | | | | | | | | 1 | | 32 0 |
| JUL26 | | | | | | | | | | | | |
| 3400 | ---- | ---- | ---- | ---- | ---- | 1204.50 + 34.40 | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 3460 | ---- | ---- | ---- | ---- | ---- | 1145.00 + 34.30 | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 3950 | ---- | ---- | ---- | ---- | ---- | 15.80 - 3.40 | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 4050 | ---- | ---- | ---- | ---- | ---- | 22.20 - 4.70 | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4200 | ---- | ---- | ---- | ---- | ---- | 38.10 - 7.70 | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 4300 | ---- | ---- | ---- | ---- | ---- | 54.90 - 10.50 | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 4500 | ---- | ---- | ---- | 13.10B/---- | ---- | 112.40 - 17.70 | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 4600 | ---- | ---- | ---- | ---- | ---- | 156.30 - 21.90 | ---- | ---- | ---- | ---- | ---- | 2 UNCH |
| 4700 | ---- | ---- | ---- | ---- | ---- | 114.80 + 8.70 | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 5000 | 43.00 | 43.00 | #43.00/43.00 | 43.00/43.00 | ---- | 40.10 + 1.50 | ---- | ---- | ---- | 1 | ---- | 2 + 1 |
| 5200 | ---- | ---- | ---- | 19.00B/---- | ---- | 20.70 UNCH | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| TOTAL | | | | | | | | | | 1 | | 12 + 1 |
| AUG26 | | | | | | | | | | | | |
| 4400 | ---- | ---- | ---- | ---- | ---- | 115.90 - 14.50 | ---- | ---- | ---- | ---- | ---- | 5 UNCH |
| TOTAL | | | | | | | | | | | | 5 0 |

| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OG5 PUT | | GOLD OPTIONS | | | | | | | | | | |
| MAY26 | | | | | | | | | | | | |
| 4000 | 5.60 | 5.60 | #5.60/*5.60 | 6.20B/*5.60 | ---- | 6.50 NEW | .0379 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4100 | 11.00 | 11.00 | 11.00/*8.70A | 11.00/*8.70A | ---- | 9.30 - 3.50 | .0562 | ---- | ---- | 1 | ---- | 1 UNCH |
| 4250 | 17.50 | 17.50 | #17.50/*17.00A | 21.60B/*17.00A | ---- | 17.90 - 6.90 | .1094 | ---- | ---- | 1 | ---- | 2 + 1 |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



OG5 PUT — GOLD OPTIONS — MAY26

| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4275 | 19.30 | 19.30 | #19.30/*19.20A | 24.80B/*19.20A | ---- | 20.30 NEW | .1233 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4300 | ---- | ---- | ----/*21.80A | 28.30B/*21.80A | ---- | 23.10 - 8.50 | .1390 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4350 | ---- | ---- | ----/*28.30A | 37.10B/*28.30A | ---- | 30.00 NEW | .1763 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4450 | 55.00 | 55.00 | 55.00/*45.00 | 63.60B/*45.00 | ---- | 51.10 - 15.80 | .2773 | ---- | ---- | 43 | ---- | 28 + 24 |
| 4550 | ---- | ---- | ----/*78.20A | 103.70B/78.20A | ---- | 84.70 NEW | .4098 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4575 | ---- | ---- | ----/*88.20A | 110.00B/88.20A | ---- | 95.40 NEW | .4463 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4600 | ---- | ---- | ----/*98.90A | 123.00B/98.90A | ---- | 107.20 NEW | .4835 | ---- | ---- | 1 | ---- | 1 + 1 |
| TOTAL | | | | | | | | | | 51 | | 38 + 31 |

OG5 CALL — GOLD OPTIONS — MAY26

| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4625 | ---- | ---- | 108.30B/---- | 108.30B/91.90A | ---- | 98.10 + 7.90 | .4785 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4650 | ---- | ---- | #96.50B/---- | 96.50B/82.10A | ---- | 87.00 + 6.60 | .4414 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4700 | ---- | ---- | 75.30B/---- | 75.30B/65.10A | ---- | 67.70 + 4.40 | .3698 | ---- | ---- | ---- | ---- | 0 UNCH |
| 4900 | 25.00 | 25.00 | #25.40B/*22.60A | 25.40B/*22.60A | ---- | 23.60 NEW | .1569 | ---- | ---- | 3 | ---- | 3 + 3 |
| 4925 | ---- | ---- | #22.30B/*19.80A | 22.30B/*19.80A | ---- | 20.80 NEW | .1400 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4950 | 17.60 | 17.60 | #19.50B/*17.50A | 19.50B/*17.50A | ---- | 18.30 NEW | .1247 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4975 | ---- | ---- | #17.50B/*15.40A | 17.50B/*15.40A | ---- | 16.20 NEW | .1114 | ---- | ---- | 1 | ---- | 1 + 1 |
| 5000 | 13.40 | 13.40 | #15.40B/*13.40 | 15.40B/*13.40 | ---- | 14.40 NEW | .0997 | ---- | ---- | 93 | ---- | 93 + 93 |
| 5050 | 11.10 | 11.10 | #11.10/*10.40 | 11.80B/*10.40 | ---- | 11.40 NEW | .0798 | ---- | ---- | 3 | ---- | 3 + 3 |
| 5075 | 9.30 | 9.30 | #9.30/*9.30 | 10.40B/*9.30 | ---- | 10.20 NEW | .0717 | ---- | ---- | 1 | ---- | 1 + 1 |
| 5100 | 8.20 | 8.20 | #8.20/*8.20 | 9.20B/*8.20 | ---- | 9.20 NEW | .0647 | ---- | ---- | 1 | ---- | 1 + 1 |
| 5125 | 7.40 | 7.40 | #7.40/*7.40 | 8.30B/*7.40 | ---- | 8.30 NEW | .0583 | ---- | ---- | 1 | ---- | 1 + 1 |
| 5400 | 3.70 | 3.70 | #3.70/*3.50A | #3.70/*3.50A | ---- | 3.40 NEW | .0227 | ---- | ---- | 1 | ---- | 1 + 1 |
| TOTAL | | | | | | | | | | 106 | | 108 + 106 |

OG4 PUT — GOLD OPTIONS — MAY26

| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3500 | 1.00 | 1.00 | 1.00/*1.00 | 1.00/*1.00 | ---- | 1.30 - 0.30 | .0061 | ---- | ---- | 1 | ---- | 17 + 1 |
| 3800 | ---- | ---- | ----/*2.60A | 2.40B/*2.60A | ---- | 2.50 - 0.90 | .0144 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3900 | ---- | ---- | ----/3.10A | 3.10B/3.10A | ---- | 3.20 - 1.40 | .0198 | ---- | ---- | ---- | ---- | 10 UNCH |
| 4000 | ---- | ---- | ----/*4.20A | 4.20B/*4.20A | ---- | 4.30 - 2.10 | .0285 | ---- | ---- | ---- | ---- | 10 UNCH |
| 4100 | ---- | ---- | ----/*5.90A | 7.40B/*5.90A | ---- | 6.30 - 3.20 | .0440 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4125 | ---- | ---- | ----/*6.60A | 9.60B/*6.60A | ---- | 7.00 - 3.70 | .0495 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4150 | ---- | ---- | ----/*7.30A | 9.70B/*7.30A | ---- | 7.90 - 4.10 | .0563 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4200 | 9.30 | 9.30 | 9.30/*9.30 | 13.00B/*9.30 | ---- | 10.20 - 5.30 | .0734 | ---- | ---- | 1 | ---- | 10 UNCH |
| 4250 | 12.50 | 12.50 | 12.50/12.30A | 17.40B/12.30A | ---- | 13.50 - 6.90 | .0971 | ---- | ---- | 1 | ---- | 4 + 1 |
| 4275 | ---- | ---- | ----/14.00A | 20.30B/14.00A | ---- | 15.60 - 7.90 | .1118 | ---- | ---- | ---- | ---- | 25 UNCH |
| 4300 | ---- | ---- | ----/16.30A | 23.70B/16.30A | ---- | 18.20 - 9.00 | .1292 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4325 | ---- | ---- | ----/18.90A | 27.80B/18.90A | ---- | 21.20 - 10.20 | .1490 | ---- | ---- | ---- | ---- | 10 UNCH |
| 4375 | ---- | ---- | ----/25.70A | 38.60B/25.70A | ---- | 29.10 - 13.00 | .1978 | ---- | ---- | ---- | ---- | 32 UNCH |
| 4400 | ---- | ---- | ----/30.00A | 45.20B/30.00A | ---- | 34.10 - 14.40 | .2268 | ---- | ---- | ---- | ---- | 11 UNCH |
| 4425 | ---- | ---- | ----/35.10A | 52.40B/35.10A | ---- | 39.80 - 16.10 | .2586 | ---- | ---- | ---- | ---- | 11 UNCH |
| 4450 | 44.30 | 44.30 | 44.30/40.90A | 60.60B/40.90A | ---- | 46.50 - 17.70 | .2937 | ---- | ---- | 4 | ---- | 34 + 4 |
| 4500 | ---- | ---- | ----/55.30A | 80.70B/55.30A | ---- | 62.70 - 21.10 | .3715 | ---- | ---- | ---- | ---- | 11 UNCH |
| 4525 | ---- | ---- | ----/64.00A | 92.60B/64.00A | ---- | 72.50 - 22.70 | .4137 | ---- | ---- | ---- | ---- | 15 UNCH |
| 4550 | ---- | ---- | ----/73.80A | 98.70B/73.80A | ---- | 83.40 - 24.30 | .4572 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4600 | 105.60 | 105.60 | 105.60/96.70A | 126.90B/96.70A | ---- | 108.80 - 27.40 | .5458 | ---- | ---- | 52 | ---- | 53 + 50 |
| 4625 | ---- | ---- | ----/110.20A | 142.60B/110.20A | ---- | 123.30 - 28.80 | .5893 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4650 | ---- | ---- | ----/124.60A | 159.40B/124.60A | ---- | 138.90 - 30.10 | .6316 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4775 | ---- | ---- | ----/212.20A | 261.50B/212.20A | ---- | 232.30 - 34.70 | .8041 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4850 | ---- | ---- | ----/274.70A | 323.00B/274.70A | ---- | 297.40 - 35.70 | .8709 | ---- | ---- | ---- | ---- | 1 UNCH |
| TOTAL | | | | | | | | | | 59 | | 272 + 56 |

OG4 CALL — GOLD OPTIONS — MAY26

| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4500 | ---- | ---- | 148.80B/---- | 148.80B/120.70A | ---- | 131.10 + 14.10 | .6280 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4525 | ---- | ---- | 132.50B/---- | 132.50B/107.10A | ---- | 115.90 + 12.40 | .5858 | ---- | ---- | ---- | ---- | 15 UNCH |
| 4575 | ---- | ---- | 103.30B/---- | 103.30B/83.30A | ---- | 89.00 + 9.20 | .4980 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4600 | 84.00 | 84.00 | 90.40B/84.00 | 90.40B/73.10A | ---- | 77.30 + 7.70 | .4537 | ---- | ---- | 55 | ---- | 55 + 52 |
| 4625 | ---- | ---- | 78.80B/---- | 78.80B/64.00A | ---- | 66.90 + 6.40 | .4102 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4650 | ---- | ---- | 68.10B/---- | 68.10B/55.30A | ---- | 57.50 + 5.00 | .3679 | ---- | ---- | ---- | ---- | 9 UNCH |
| 4700 | ---- | ---- | 50.40B/---- | 50.40B/40.40A | ---- | 42.10 + 2.70 | .2901 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4750 | ---- | ---- | 36.60B/29.10A | 36.60B/29.10A | ---- | 30.60 + 1.00 | .2237 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4775 | ---- | ---- | 31.20B/24.70A | 31.20B/24.70A | ---- | 26.10 + 0.40 | .1954 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4800 | ---- | ---- | 26.40B/21.10A | 26.40B/21.10A | ---- | 22.20 - 0.10 | .1699 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4850 | ---- | ---- | 19.10B/*15.40A | 19.10B/*15.40A | ---- | 16.30 - 0.50 | .1286 | ---- | ---- | ---- | ---- | 6 UNCH |
| 4900 | 14.00 | 14.00 | 14.00/*11.30A | 14.00/*11.30A | ---- | 12.00 - 0.80 | .0968 | ---- | ---- | 4 | ---- | 5 + 4 |
| 4925 | ---- | ---- | 11.90B/*9.80A | 11.90B/*9.80A | ---- | 10.40 - 0.80 | .0844 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4950 | 10.30 | 10.30 | 10.40B/*8.50A | 10.40B/*8.50A | ---- | 9.00 NEW | .0734 | ---- | ---- | 6 | ---- | 6 + 6 |
| 4975 | ---- | ---- | 8.90B/*7.50A | 8.90B/*7.50A | ---- | 7.80 - 0.90 | .0639 | ---- | ---- | ---- | ---- | 11 UNCH |
| 5000 | ---- | ---- | ----/*6.60A | 7.70B/*6.60A | ---- | 6.90 - 0.80 | .0564 | ---- | ---- | ---- | ---- | 61 UNCH |
| 5025 | ---- | ---- | ----/*5.80A | 6.80B/*5.80A | ---- | 6.10 - 0.80 | .0498 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5075 | ---- | ---- | ----/*4.70A | 5.20B/*4.70A | ---- | 4.90 - 0.60 | .0395 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5500 | ---- | ---- | 1.40B/---- | 1.40B/*1.60A | ---- | 1.20 - 0.10 | .0083 | ---- | ---- | ---- | ---- | 10 UNCH |
| TOTAL | | | | | | | | | | 65 | | 197 + 62 |

OG3 PUT — GOLD OPTIONS — MAY26

| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3500 | ---- | ---- | ---- | 0.30B/0.90A | ---- | 0.60 - 0.10 | .0027 | ---- | ---- | ---- | ---- | 8 UNCH |
| 3700 | ---- | ---- | ----/*1.00A | 0.80B/*1.00A | ---- | 0.80 - 0.30 | .0043 | ---- | ---- | ---- | ---- | 2 UNCH |
| 3750 | ---- | ---- | ----/*1.10A | 0.90B/*1.10A | ---- | 0.90 - 0.40 | .0051 | ---- | ---- | ---- | ---- | 6 UNCH |
| 3800 | ---- | ---- | ----/*1.10A | 1.00B/*1.10A | ---- | 1.10 - 0.40 | .0065 | ---- | ---- | ---- | ---- | 56 UNCH |
| 3900 | 1.40 | 1.40 | 1.40/*1.40 | 1.50B/*1.40 | ---- | 1.30 - 0.70 | .0085 | ---- | ---- | 23 | ---- | 29 + 23 |
| 4000 | 1.90 | 1.90 | 2.00/*1.80A | 2.40B/*1.80A | ---- | 1.80 - 1.10 | .0130 | ---- | ---- | 37 | ---- | 53 + 37 |
| 4100 | 3.00 | 3.00 | 3.10/*2.60A | 4.00B/*2.60A | ---- | 2.70 - 1.90 | .0215 | ---- | ---- | 23 | ---- | 21 - 4 |
| 4150 | ---- | ---- | ----/*3.20A | 5.40B/*3.20A | ---- | 3.40 - 2.60 | .0283 | ---- | ---- | 4 | ---- | 5 UNCH |
| 4200 | ---- | ---- | ----/4.10A | 7.60B/4.10A | ---- | 4.50 - 3.60 | .0389 | ---- | ---- | 29 | ---- | 135 + 17 |
| 4225 | ---- | ---- | ----/*4.70A | 9.00B/*4.70A | ---- | 5.20 - 4.20 | .0458 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4250 | ---- | ---- | ----/*5.50A | 10.80B/*5.50A | ---- | 6.10 - 5.00 | .0544 | ---- | ---- | ---- | ---- | 7 UNCH |
| 4275 | ---- | ---- | ----/*6.40A | 13.00B/*6.40A | ---- | 7.20 - 6.00 | .0650 | ---- | ---- | 1 | ---- | 46 + 1 |
| 4300 | 7.60 | 7.60 | 7.60/7.60 | 15.50B/7.60 | ---- | 8.70 - 7.00 | .0787 | ---- | ---- | 6 | ---- | 318 + 2 |
| 4325 | 10.70 | 10.70 | 10.70/*9.10A | 18.70B/*9.10A | ---- | 10.40 - 8.30 | .0946 | ---- | ---- | 4 | ---- | 22 UNCH |
| 4350 | 12.40 | 12.40 | 22.50B/*10.80A | 22.50B/*10.80A | ---- | 12.70 - 9.70 | .1150 | ---- | ---- | 7 | ---- | 38 + 6 |
| 4375 | 14.10 | 14.10 | 27.20B/13.10A | 27.20B/13.10A | ---- | 15.40 - 11.50 | .1388 | ---- | ---- | 32 | ---- | 53 + 25 |
| 4400 | 16.60 | 16.60 | 32.70B/15.90A | 32.70B/15.90A | ---- | 18.90 - 13.30 | .1679 | ---- | ---- | 27 | ---- | 63 + 5 |
| 4425 | ---- | ---- | 39.20B/19.50A | 39.20B/19.50A | ---- | 23.20 - 15.30 | .2023 | ---- | ---- | 21 | ---- | 22 - 2 |
| 4450 | 24.50 | 24.50 | 46.70B/24.00A | 46.70B/24.00A | ---- | 28.40 - 17.60 | .2418 | ---- | ---- | 4 | ---- | 38 UNCH |
| 4475 | 31.00 | 31.00 | 55.60B/29.40A | 55.60B/29.40A | ---- | 34.80 - 19.80 | .2871 | ---- | ---- | 18 | ---- | 38 + 9 |
| 4500 | 43.00 | 43.00 | 66.30B/35.90A | 66.30B/35.90A | ---- | 42.40 - 22.10 | .3372 | ---- | ---- | 4 | ---- | 98 + 1 |
| 4525 | ---- | ---- | 77.10B/43.40A | 77.10B/43.40A | ---- | 51.30 - 24.40 | .3914 | ---- | ---- | 5 | ---- | 17 + 2 |
| 4550 | ---- | ---- | 90.60B/52.40A | 90.60B/52.40A | ---- | 61.70 - 26.60 | .4488 | ---- | ---- | 25 | ---- | 68 - 1 |
| 4575 | ---- | ---- | 104.90B/62.80A | 104.90B/62.80A | ---- | 73.60 - 28.70 | .5079 | ---- | ---- | 2 | ---- | 31 UNCH |
| 4600 | ---- | ---- | 120.70B/74.60A | 120.70B/74.60A | ---- | 87.00 - 30.60 | .5672 | ---- | ---- | 25 | ---- | 82 - 1 |
| 4625 | ---- | ---- | 137.80B/88.00A | 137.80B/88.00A | ---- | 101.90 - 32.30 | .6248 | ---- | ---- | ---- | ---- | 53 UNCH |
| 4650 | ---- | ---- | 155.90B/102.80A | 155.90B/102.80A | ---- | 118.40 - 33.60 | .6796 | ---- | ---- | ---- | ---- | 109 UNCH |
| 4675 | ---- | ---- | 175.00B/118.90A | 175.00B/118.90A | ---- | 136.20 - 34.60 | .7297 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4700 | ---- | ---- | 195.80B/136.30A | 195.80B/136.30A | ---- | 155.30 - 35.40 | .7747 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4725 | ---- | ---- | 216.90B/155.70A | 216.90B/155.70A | ---- | 175.60 - 35.80 | .8135 | ---- | ---- | ---- | ---- | 7 UNCH |
| 4750 | ---- | ---- | 238.70B/175.10A | 238.70B/175.10A | ---- | 196.70 - 36.20 | .8467 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4775 | ---- | ---- | 261.10B/196.10A | 261.10B/196.10A | ---- | 218.70 - 36.30 | .8744 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4800 | ---- | ---- | 284.00B/217.80A | 284.00B/217.80A | ---- | 241.30 - 36.30 | .8974 | ---- | ---- | ---- | ---- | 13 UNCH |
| 5025 | ---- | ---- | ---- | ---- | ---- | 458.30 - 35.50 | .9788 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5100 | ---- | ---- | ---- | ---- | ---- | 532.70 - 35.40 | .9855 | ---- | ---- | ---- | ---- | 3 UNCH |
| TOTAL | | | | | | | | | | 297 | | 1452 + 120 |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



OG3 CALL — GOLD OPTIONS — MAY26

| GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 4250 ---- | ---- | 350.50B/287.00A | 350.50B/287.00A | ---- | 324.40 + 30.20 | .9453 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4400 ---- | ---- | 211.30B/160.00A | 211.30B/160.00A | ---- | 187.30 + 21.90 | .8317 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4450 ---- | ---- | 168.90B/124.60A | 168.90B/124.60A | ---- | 146.80 + 17.60 | .7578 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4550 ---- | ---- | 97.50B/67.80A | 97.50B/67.80A | ---- | 80.20 + 8.60 | .5508 | ---- | ---- | 50 | ---- | 42 - 24 |
| 4575 ---- | ---- | 82.70B/57.30A | 82.70B/57.30A | ---- | 67.10 NEW | .4917 | ---- | ---- | 2 | ---- | 2 + 2 |
| 4600 54.70 | 54.70 | 69.60B/47.70A | 69.60B/47.70A | ---- | 55.50 + 4.60 | .4325 | ---- | ---- | 25 | ---- | 131 + 13 |
| 4625 ---- | ---- | 57.80B/39.60A | 57.80B/39.60A | ---- | 45.50 + 2.90 | .3748 | ---- | ---- | ---- | ---- | 33 UNCH |
| 4650 34.00 | 34.00 | 47.80B/32.60A | 47.80B/32.60A | ---- | 36.90 + 1.50 | .3201 | ---- | ---- | 399 | ---- | 164 - 115 |
| 4675 33.90 | 33.90 | 39.00B/26.20A | 39.00B/26.20A | ---- | 29.80 + 0.50 | .2700 | ---- | ---- | 6 | ---- | 12 + 6 |
| 4700 24.00 | 24.00 | 31.80B/21.50A | 31.80B/21.50A | ---- | 23.90 - 0.30 | .2250 | ---- | ---- | 71 | ---- | 671 + 17 |
| 4725 19.00 | 19.00 | 25.60B/17.40A | 25.60B/17.40A | ---- | 19.20 - 0.70 | .1862 | ---- | ---- | 18 | ---- | 24 + 16 |
| 4750 ---- | ---- | 20.70B/*14.20A | 20.70B/*14.20A | ---- | 15.40 - 1.00 | .1530 | ---- | ---- | 8 | ---- | 70 - 1 |
| 4775 14.10 | 14.10 | 16.60B/*11.50A | 16.60B/*11.50A | ---- | 12.40 - 1.10 | .1253 | ---- | ---- | 32 | ---- | 105 + 10 |
| 4800 10.60 | 10.60 | 13.30B/*9.20A | 13.30B/*9.20A | ---- | 10.00 - 1.10 | .1023 | ---- | ---- | 24 | ---- | 677 + 7 |
| 4825 9.20 | 9.20 | 10.70B/*7.50A | 10.70B/*7.50A | ---- | 8.10 - 1.10 | .0835 | ---- | ---- | 8 | ---- | 29 + 6 |
| 4850 8.80 | 8.80 | 8.80/*6.10A | 8.80/*6.10A | ---- | 6.60 - 1.00 | .0683 | ---- | ---- | 2 | ---- | 158 + 2 |
| 4875 6.10 | 6.10 | 7.00B/*5.00A | 7.00B/*5.00A | ---- | 5.40 - 1.00 | .0559 | ---- | ---- | 2 | ---- | 94 + 2 |
| 4900 5.00 | 5.00 | 5.70B/*4.20A | 5.70B/*4.20A | ---- | 4.50 - 0.80 | .0463 | ---- | ---- | 10 | ---- | 1135 + 10 |
| 4925 ---- | ---- | 4.70B/*3.50A | 4.70B/*3.50A | ---- | 3.80 - 0.70 | .0387 | ---- | ---- | ---- | ---- | 34 UNCH |
| 4950 4.00 | 4.00 | 4.00/*3.00A | 4.00/*3.00A | ---- | 3.30 - 0.50 | .0331 | ---- | ---- | 26 | ---- | 119 - 7 |
| 4975 ---- | ---- | ----/*2.60A | 3.30B/*2.60A | ---- | 2.80 - 0.50 | .0278 | ---- | ---- | ---- | ---- | 7 UNCH |
| 5000 ---- | ---- | ----/*2.20A | 2.80B/*2.20A | ---- | 2.40 - 0.40 | .0235 | ---- | ---- | 22 | ---- | 66 - 20 |
| 5025 ---- | ---- | ----/*2.10A | 2.40B/*2.10A | ---- | 2.20 - 0.30 | .0210 | ---- | ---- | ---- | ---- | 5 UNCH |
| 5050 ---- | ---- | ----/*1.90A | 2.10B/*1.90A | ---- | 1.90 - 0.30 | .0179 | ---- | ---- | 1 | ---- | 9 UNCH |
| 5075 ---- | ---- | ----/*1.70A | 1.80B/*1.70A | ---- | 1.70 - 0.30 | .0157 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5100 1.40 | 1.40 | 1.40/*1.40 | 1.60B/*1.40 | ---- | 1.60 - 0.20 | .0144 | ---- | ---- | 2 | ---- | 11 - 1 |
| 5125 ---- | ---- | ----/*1.40A | 1.50B/*1.40A | ---- | 1.40 - 0.20 | .0124 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5150 ---- | ---- | ----/*1.30A | 1.30B/*1.30A | ---- | 1.30 - 0.20 | .0113 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5200 ---- | ---- | ----/*1.20A | 1.10B/*1.20A | ---- | 1.20 - 0.10 | .0099 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5225 ---- | ---- | ----/*1.10A | 1.00B/*1.10A | ---- | 1.10 - 0.10 | .0089 | ---- | ---- | ---- | ---- | 4 UNCH |
| 5300 ---- | ---- | ---- | 0.80B/*1.00A | ---- | 0.90 - 0.10 | .0069 | ---- | ---- | ---- | ---- | 7 UNCH |
| 5400 ---- | ---- | ---- | 0.60B/*0.90A | ---- | 0.60 - 0.10 | .0043 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5500 ---- | ---- | ---- | 0.40B/1.00A | ---- | 0.50 UNCH | .0034 | ---- | ---- | ---- | ---- | 1 UNCH |
| TOTAL | | | | | | | | | 708 | | 3628 - 77 |

OG2 PUT — GOLD OPTIONS — MAY26

| GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 3750 ---- | ---- | ---- | ----/0.40A | ---- | 0.10 - 0.10 | .0000 | ---- | ---- | ---- | ---- | 15 UNCH |
| 3800 ---- | ---- | ---- | ----/*0.40A | ---- | 0.10 - 0.20 | .0000 | ---- | ---- | ---- | ---- | 18 UNCH |
| 3900 0.30 | 0.30 | 0.30/*0.30 | 0.30/*0.30 | ---- | 0.10 - 0.30 | .0002 | ---- | ---- | 19 | ---- | 100 UNCH |
| 4000 ---- | ---- | ----/*0.40A | 0.50B/*0.40A | ---- | 0.20 - 0.50 | .0007 | ---- | ---- | ---- | ---- | 58 UNCH |
| 4100 ---- | ---- | ----/*0.60A | 0.80B/*0.60A | ---- | 0.50 - 0.80 | .0024 | ---- | ---- | ---- | ---- | 32 UNCH |
| 4125 0.70 | 0.70 | 0.70/*0.70 | 1.00B/*0.70 | ---- | 0.50 - 1.00 | .0026 | ---- | ---- | 1 | ---- | 3 UNCH |
| 4150 ---- | ---- | ----/*0.70A | 1.20B/*0.70A | ---- | 0.60 - 1.10 | .0033 | ---- | ---- | ---- | ---- | 23 UNCH |
| 4175 ---- | ---- | ----/*0.80A | 1.40B/*0.80A | ---- | 0.70 - 1.30 | .0042 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4200 1.00 | 1.00 | 1.00/*0.90A | 1.70B/*0.90A | ---- | 0.90 - 1.40 | .0058 | ---- | ---- | 3 | ---- | 21 + 1 |
| 4225 ---- | ---- | ----/1.00A | 2.10B/1.00A | ---- | 1.10 - 1.60 | .0076 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4250 ---- | ---- | ----/*1.10A | 3.10B/*1.10A | ---- | 1.20 - 2.10 | .0089 | ---- | ---- | 24 | ---- | 41 + 5 |
| 4275 ---- | ---- | ----/*1.30A | 3.30B/*1.30A | ---- | 1.30 - 2.70 | .0104 | ---- | ---- | 2 | ---- | 4 - 1 |
| 4290 1.30 | 1.30 | #1.30/*1.30 | 3.80B/*1.30 | ---- | 1.40 NEW | .0118 | ---- | ---- | 25 | ---- | 25 + 25 |
| 4300 4.00 | 4.00 | 4.00/*1.30 | 4.30B/*1.30 | ---- | 1.50 - 3.50 | .0131 | ---- | ---- | 26 | ---- | 87 - 1 |
| 4310 ---- | ---- | ----/*1.60A | 4.60B/*1.60A | ---- | 1.70 NEW | .0153 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4320 ---- | ---- | ----/*1.70A | 5.20B/*1.70A | ---- | 1.80 - 4.20 | .0167 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4325 ---- | ---- | ----/*1.70A | 5.50B/*1.70A | ---- | 1.90 - 4.40 | .0179 | ---- | ---- | ---- | ---- | 14 UNCH |
| 4340 2.80 | 2.80 | #2.90/*1.90 | 6.50B/*1.90 | ---- | 2.10 NEW | .0209 | ---- | ---- | 22 | ---- | 1 + 1 |
| 4345 ---- | ---- | ----/*2.00A | 6.80B/*2.00A | ---- | 2.20 - 5.50 | .0222 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4350 7.80 | 7.80 | 7.80/*2.00 | 7.80/*2.00 | ---- | 2.30 - 5.70 | .0236 | ---- | ---- | 9 | ---- | 260 UNCH |
| 4355 ---- | ---- | ----/*2.20A | 7.60B/*2.20A | ---- | 2.40 - 6.10 | .0250 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4360 ---- | ---- | ----/*2.30A | 8.00B/*2.30A | ---- | 2.50 - 6.40 | .0265 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4365 5.10 | 5.10 | 5.10/*2.40A | 8.40B/*2.40A | ---- | 2.70 - 6.70 | .0290 | ---- | ---- | 5 | ---- | 5 + 1 |
| 4370 ---- | ---- | ----/*2.60A | 8.90B/*2.60A | ---- | 2.80 NEW | .0306 | ---- | ---- | 2 | ---- | 2 + 2 |
| 4375 2.80 | 2.80 | 2.80/*2.70 | 9.40B/*2.70 | ---- | 2.90 - 7.50 | .0323 | ---- | ---- | 16 | ---- | 131 - 1 |
| 4390 ---- | ---- | ----/*3.20A | 11.20B/*3.20A | ---- | 3.50 - 8.60 | .0407 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4395 ---- | ---- | ----/*3.40A | 11.90B/*3.40A | ---- | 3.70 - 9.10 | .0437 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4400 12.50 | 12.50 | 12.50/*3.30 | 12.50/*3.30 | ---- | 3.90 - 9.60 | .0468 | ---- | ---- | 38 | ---- | 397 + 1 |
| 4405 ---- | ---- | ----/*3.70A | 13.30B/*3.70A | ---- | 4.20 - 10.00 | .0509 | ---- | ---- | 28 | ---- | 31 + 28 |
| 4410 9.70 | 9.70 | 9.70/*3.90A | 14.00B/*3.90A | ---- | 4.40 - 10.50 | .0542 | ---- | ---- | 4 | ---- | 3 + 2 |
| 4415 ---- | ---- | ----/*4.20A | 14.90B/*4.20A | ---- | 4.70 - 11.10 | .0587 | ---- | ---- | 10 | ---- | 6 + 5 |
| 4420 ---- | ---- | ----/*4.40A | 15.80B/*4.40A | ---- | 5.00 - 11.60 | .0632 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4425 5.60 | 5.60 | 5.60/*4.70A | 16.60B/*4.70A | ---- | 5.40 - 12.10 | .0690 | ---- | ---- | 6 | ---- | 45 + 6 |
| 4430 6.20 | 6.20 | 6.20/*5.00A | 17.70B/*5.00A | ---- | 5.80 - 12.70 | .0748 | ---- | ---- | 14 | ---- | 18 + 12 |
| 4435 14.70 | 14.70 | 14.70/*5.30A | 18.80B/*5.30A | ---- | 6.20 - 13.30 | .0809 | ---- | ---- | 5 | ---- | 8 + 4 |
| 4440 10.60 | 10.60 | 10.60/*5.70A | 19.70B/*5.70A | ---- | 6.70 - 13.80 | .0880 | ---- | ---- | 11 | ---- | 23 + 5 |
| 4445 7.20 | 7.20 | 7.20/*6.00A | 21.00B/*6.00A | ---- | 7.20 - 14.40 | .0954 | ---- | ---- | 16 | ---- | 12 + 10 |
| 4450 9.50 | 9.50 | 9.50/*6.40A | 22.20B/*6.40A | ---- | 7.70 - 15.10 | .1030 | ---- | ---- | 85 | ---- | 175 + 43 |
| 4455 14.00 | 14.00 | 14.00/*6.80A | 23.40B/*6.80A | ---- | 8.30 - 15.70 | .1117 | ---- | ---- | 4 | ---- | 6 + 4 |
| 4460 8.70 | 8.70 | #8.70/*7.30A | 24.80B/*7.30A | ---- | 9.00 - 16.30 | .1216 | ---- | ---- | 2 | ---- | 2 + 1 |
| 4465 8.10 | 8.10 | #8.80/*7.80A | 26.20B/*7.80A | ---- | 9.70 NEW | .1317 | ---- | ---- | 40 | ---- | 31 + 31 |
| 4470 8.70 | 8.70 | 8.90/*8.30A | 27.60B/*8.30A | ---- | 10.40 - 17.60 | .1420 | ---- | ---- | 7 | ---- | 26 + 3 |
| 4475 16.10 | 16.10 | 16.10/*8.90A | 29.10B/*8.90A | ---- | 11.30 - 18.20 | .1542 | ---- | ---- | 39 | ---- | 130 + 21 |
| 4480 11.70 | 11.70 | 11.70/*9.50A | 30.70B/*9.50A | ---- | 12.10 - 19.00 | .1659 | ---- | ---- | 1 | ---- | 6 - 1 |
| 4490 ---- | ---- | ----/*10.90A | 34.30B/*10.90A | ---- | 14.10 - 20.30 | .1932 | ---- | ---- | ---- | ---- | 22 UNCH |
| 4495 14.30 | 14.30 | 14.30/*11.70A | 36.00B/*11.70A | ---- | 15.10 - 21.00 | .2072 | ---- | ---- | 2 | ---- | 2 + 1 |
| 4500 24.00 | 24.00 | 24.00/12.60A | 37.90B/12.60A | ---- | 16.30 - 21.70 | .2229 | ---- | ---- | 47 | ---- | 258 + 13 |
| 4505 ---- | ---- | ----/*13.40A | 39.80B/*13.40A | ---- | 17.50 NEW | .2389 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4510 ---- | ---- | 42.10B/*14.40A | 42.10B/14.40A | ---- | 18.80 - 23.10 | .2557 | ---- | ---- | 28 | ---- | 21 + 19 |
| 4515 ---- | ---- | 44.10B/*15.50A | 44.10B/15.50A | ---- | 20.20 - 23.70 | .2734 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4520 ---- | ---- | 46.50B/*16.50A | 46.50B/16.50A | ---- | 21.60 - 24.50 | .2913 | ---- | ---- | ---- | ---- | 24 UNCH |
| 4525 19.90 | 19.90 | 48.70B/17.60A | 48.70B/17.60A | ---- | 23.10 - 25.20 | .3100 | ---- | ---- | 17 | ---- | 173 + 5 |
| 4530 20.50 | 20.50 | 51.20B/*18.80A | 51.20B/18.80A | ---- | 24.80 - 25.80 | .3299 | ---- | ---- | 1 | ---- | 2 UNCH |
| 4550 60.00 | 60.00 | 61.80B/24.40A | 61.80B/24.40A | ---- | 32.10 - 28.60 | .4132 | ---- | ---- | 63 | ---- | 122 + 3 |
| 4555 ---- | ---- | #65.20B/*26.00A | 65.20B/26.00A | ---- | 34.10 - 29.40 | .4351 | ---- | ---- | 1 | ---- | 2 + 1 |
| 4560 ---- | ---- | #68.00B/*27.80A | 68.00B/27.80A | ---- | 36.30 - 30.00 | .4575 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4565 38.70 | 38.70 | #71.20B/*29.50A | 71.20B/29.50A | ---- | 38.50 NEW | .4801 | ---- | ---- | 2 | ---- | 2 + 2 |
| 4570 ---- | ---- | #74.30B/*31.40A | 74.30B/31.40A | ---- | 40.90 - 31.20 | .5030 | ---- | ---- | 2 | ---- | 8 + 1 |
| 4575 36.70 | 36.70 | 77.60B/33.30A | 77.60B/33.30A | ---- | 43.30 - 31.90 | .5260 | ---- | ---- | 78 | ---- | 367 + 20 |
| 4580 ---- | ---- | #80.80B/*35.50A | 80.80B/35.50A | ---- | 45.90 - 32.40 | .5490 | ---- | ---- | 2 | ---- | 2 UNCH |
| 4585 39.00 | 39.00 | 84.40B/*37.50A | 84.40B/37.50A | ---- | 48.60 - 33.00 | .5719 | ---- | ---- | 5 | ---- | 6 + 5 |
| 4590 43.00 | 43.00 | #87.60B/*39.90A | 87.60B/39.90A | ---- | 51.40 - 33.50 | .5947 | ---- | ---- | 4 | ---- | 4 + 3 |
| 4595 ---- | ---- | #91.40B/*42.10A | 91.40B/42.10A | ---- | 54.30 - 33.90 | .6172 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4600 54.60 | 54.60 | 94.80B/44.60A | 94.80B/44.60A | ---- | 57.30 - 34.40 | .6395 | ---- | ---- | 55 | ---- | 325 - 20 |
| 4625 ---- | ---- | 114.50B/58.40A | 114.50B/58.40A | ---- | 74.00 - 36.00 | .7420 | ---- | ---- | ---- | ---- | 33 UNCH |
| 4630 ---- | ---- | #118.40B/*61.40 | 118.40B/61.40A | ---- | 77.70 - 36.20 | .7599 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4640 ---- | ---- | 126.70B/68.10A | 126.70B/68.10A | ---- | 85.20 - 36.70 | .7937 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4645 ---- | ---- | #130.90B/*71.80 | 130.90B/71.80A | ---- | 89.10 - 36.80 | .8095 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4650 ---- | ---- | 134.80B/74.70A | 134.80B/74.70A | ---- | 93.10 - 36.90 | .8242 | ---- | ---- | ---- | ---- | 119 UNCH |
| 4675 ---- | ---- | 157.00B/93.30A | 157.00B/93.30A | ---- | 114.20 - 37.20 | .8851 | ---- | ---- | ---- | ---- | 9 UNCH |
| 4700 ---- | ---- | 180.10B/113.80A | 180.10B/113.80A | ---- | 136.60 - 37.20 | .9254 | ---- | ---- | 1 | ---- | 21 + 1 |
| 4725 ---- | ---- | 203.50B/136.00A | 203.50B/136.00A | ---- | 160.00 - 36.90 | .9512 | ---- | ---- | 1 | ---- | 14 UNCH |
| 4750 ---- | ---- | 227.50B/158.90A | 227.50B/158.90A | ---- | 184.00 - 36.50 | .9672 | ---- | ---- | 1 | ---- | 15 UNCH |
| 4775 ---- | ---- | 251.80B/182.70A | 251.80B/182.70A | ---- | 208.30 - 36.20 | .9778 | ---- | ---- | ---- | ---- | 10 UNCH |
| 4800 ---- | ---- | ----/206.50A | 252.70B/206.50A | ---- | 232.90 - 35.90 | .9849 | ---- | ---- | 1 | ---- | 18 + 1 |
| 4825 ---- | ---- | ----/231.40A | 276.90B/231.40A | ---- | 257.60 - 35.70 | .9890 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4850 ---- | ---- | ----/255.90A | 301.90B/255.90A | ---- | 282.40 - 35.60 | .9917 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4875 ---- | ---- | ----/280.80A | 326.40B/280.80A | ---- | 307.20 - 35.50 | .9932 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4900 ---- | ---- | ----/305.40A | 351.50B/305.40A | ---- | 332.10 - 35.40 | .9945 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4925 ---- | ---- | ----/330.50A | 376.10B/330.50A | ---- | 357.00 - 35.40 | .9956 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4975 ---- | ---- | ----/380.30A | 425.90B/380.30A | ---- | 406.90 - 35.30 | .9968 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5000 ---- | ---- | ----/405.20A | 451.10B/405.20A | ---- | 431.80 - 35.30 | .9976 | ---- | ---- | ---- | ---- | 1 UNCH |
| TOTAL | | | | | | | | | 777 | | 3377 + 264 |

OG2 CALL — GOLD OPTIONS — MAY26

| GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 4200 ---- | ---- | 396.10B/---- | 396.10B/351.50A | ---- | 369.30 + 33.80 | .9941 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4300 ---- | ---- | 296.70B/230.30A | 296.70B/230.30A | ---- | 270.00 + 31.80 | .9868 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4350 ---- | ---- | 247.60B/183.40A | 247.60B/183.40A | ---- | 220.80 + 29.50 | .9763 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4385 210.00 | 210.00 | #213.20B/152.10 | 213.20B/152.10A | ---- | 186.70 + 26.90 | .9620 | ---- | ---- | 2 | ---- | 4 UNCH |
| 4400 ---- | ---- | 198.80B/139.50A | 198.80B/139.50A | ---- | 172.40 + 25.70 | .9531 | ---- | ---- | ---- | ---- | 33 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



OG2 CALL — GOLD OPTIONS
MAY26

| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4450 | ---- | ---- | 151.60B/99.20A | 151.60B/99.20A | ---- | 126.20 + 20.20 | .8968 | ---- | ---- | ---- | ---- | 7 UNCH |
| 4475 | ---- | ---- | 129.30B/81.60A | 129.30B/81.60A | ---- | 104.70 + 16.90 | .8456 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4500 | ---- | ---- | 108.00B/65.90A | 108.00B/65.90A | ---- | 84.80 + 13.60 | .7769 | ---- | ---- | 54 | ---- | 32 - 20 |
| 4515 | ---- | ---- | #95.60B/57.30A | 95.60B/57.30A | ---- | 73.60 + 11.40 | .7265 | ---- | ---- | ---- | ---- | 10 UNCH |
| 4520 | ---- | ---- | #91.50B/54.30A | 91.50B/54.30A | ---- | 70.10 + 10.70 | .7085 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4525 | 52.60 | 52.60 | 87.60B/51.90A | 87.60B/51.90A | ---- | 66.60 NEW | .6898 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4530 | ---- | ---- | #84.10B/49.00A | 84.10B/49.00A | ---- | 63.30 + 9.40 | .6700 | ---- | ---- | ---- | ---- | 6 UNCH |
| 4535 | ---- | ---- | #80.10B/46.90A | 80.10B/46.90A | ---- | 60.00 + 8.70 | .6499 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4550 | 53.50 | 53.50 | 69.90B/39.80A | 69.90B/39.80A | ---- | 50.60 + 6.60 | .5866 | ---- | ---- | 35 | ---- | 55 + 24 |
| 4560 | ---- | ---- | #63.30B/*35.50A | 63.30B/35.50A | ---- | 44.80 + 5.20 | .5423 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4565 | ---- | ---- | #60.00B/*33.70A | 60.00B/33.70A | ---- | 42.00 NEW | .5197 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4570 | 40.00 | 40.00 | #56.90B/*31.70A | 56.90B/31.70A | ---- | 39.40 + 3.90 | .4969 | ---- | ---- | 15 | ---- | 19 + 12 |
| 4575 | 51.10 | 51.10 | 54.00B/29.60A | 54.00B/29.60A | ---- | 36.80 + 3.30 | .4738 | ---- | ---- | 28 | ---- | 462 + 12 |
| 4580 | 42.60 | 42.60 | #50.90B/27.70A | 50.90B/27.70A | ---- | 34.40 + 2.70 | .4508 | ---- | ---- | 15 | ---- | 27 + 8 |
| 4585 | ---- | ---- | #48.00B/*26.10A | 48.00B/26.10A | ---- | 32.10 NEW | .4279 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4590 | 37.90 | 37.90 | #45.20B/*24.30A | 45.20B/24.30A | ---- | 29.90 NEW | .4051 | ---- | ---- | 17 | ---- | 16 + 16 |
| 4595 | 37.10 | 37.10 | #42.50B/*23.10A | 42.50B/23.10A | ---- | 27.80 + 1.20 | .3826 | ---- | ---- | 21 | ---- | 22 + 19 |
| 4600 | 22.00 | 22.00 | 40.10B/21.50A | 40.10B/21.50A | ---- | 25.80 + 0.80 | .3604 | ---- | ---- | 71 | ---- | 163 + 42 |
| 4605 | 35.20 | 35.20 | #37.60B/20.20A | 37.60B/20.20A | ---- | 24.00 + 0.50 | .3389 | ---- | ---- | 15 | ---- | 15 + 12 |
| 4610 | ---- | ---- | 35.10B/18.90A | 35.10B/18.90A | ---- | 22.20 + 0.10 | .3176 | ---- | ---- | 11 | ---- | 6 + 5 |
| 4620 | 19.80 | 19.80 | #30.80B/16.60A | 30.80B/16.60A | ---- | 19.00 - 0.60 | .2772 | ---- | ---- | 11 | ---- | 7 + 4 |
| 4625 | 15.10 | 15.10 | 28.70B/*15.10 | 28.70B/*15.10 | ---- | 17.50 - 0.90 | .2578 | ---- | ---- | 51 | ---- | 74 + 13 |
| 4630 | 19.00 | 19.00 | #26.80B/*14.10A | 26.80B/*14.10A | ---- | 16.20 NEW | .2399 | ---- | ---- | 7 | ---- | 7 + 7 |
| 4635 | ---- | ---- | #25.00B/*12.90A | 25.00B/*12.90A | ---- | 14.90 - 1.30 | .2222 | ---- | ---- | 5 | ---- | 5 + 4 |
| 4640 | ---- | ---- | #23.30B/*11.90A | 23.30B/*11.90A | ---- | 13.80 - 1.40 | .2061 | ---- | ---- | 21 | ---- | 12 + 8 |
| 4645 | ---- | ---- | #21.60B/*10.90A | 21.60B/*10.90A | ---- | 12.70 - 1.60 | .1904 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4650 | 11.50 | 11.50 | 20.10B/*10.00A | 20.10B/*10.00A | ---- | 11.70 - 1.70 | .1756 | ---- | ---- | 107 | ---- | 208 + 50 |
| 4655 | 11.30 | 11.30 | #18.70B/*9.20A | 18.70B/*9.20A | ---- | 10.70 - 1.90 | .1611 | ---- | ---- | 3 | ---- | 3 + 2 |
| 4660 | 12.00 | 12.00 | #17.20B/*8.50A | 17.20B/*8.50A | ---- | 9.90 NEW | .1487 | ---- | ---- | 6 | ---- | 6 + 6 |
| 4665 | 10.00 | 10.00 | 16.00B/*7.80A | 16.00B/*7.80A | ---- | 9.10 - 2.00 | .1365 | ---- | ---- | 2 | ---- | 4 + 1 |
| 4670 | ---- | ---- | 14.90B/*7.10A | 14.90B/*7.10A | ---- | 8.40 - 2.00 | .1255 | ---- | ---- | 4 | ---- | 63 - 4 |
| 4675 | 10.00 | 10.00 | 13.70B/*6.50A | 13.70B/*6.50A | ---- | 7.70 - 2.10 | .1147 | ---- | ---- | 15 | ---- | 48 + 10 |
| 4680 | ---- | ---- | 12.70B/*5.90A | 12.70B/*5.90A | ---- | 7.10 - 2.10 | .1052 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4685 | 8.30 | 8.30 | #11.80B/*5.40A | 11.80B/*5.40A | ---- | 6.60 - 2.00 | .0969 | ---- | ---- | 2 | ---- | 3 + 2 |
| 4690 | ---- | ---- | #10.90B/*5.00A | 10.90B/*5.00A | ---- | 6.10 - 2.00 | .0889 | ---- | ---- | ---- | ---- | 0 UNCH |
| 4695 | ---- | ---- | 10.10B/*4.70A | 10.10B/*4.70A | ---- | 5.60 - 2.00 | .0810 | ---- | ---- | 1 | ---- | 24 + 1 |
| 4700 | 7.10 | 7.10 | 9.30B/*4.20A | 9.30B/*4.20A | ---- | 5.20 - 1.90 | .0745 | ---- | ---- | 18 | ---- | 156 - 1 |
| 4705 | 5.10 | 5.10 | #8.60B/*4.00A | 8.60B/*4.00A | ---- | 4.80 NEW | .0681 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4710 | ---- | ---- | 7.90B/*3.70A | 7.90B/*3.70A | ---- | 4.40 - 1.90 | .0619 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4715 | 4.60 | 4.60 | #7.40B/*3.40A | 7.40B/*3.40A | ---- | 4.10 - 1.80 | .0570 | ---- | ---- | 2 | ---- | 2 + 1 |
| 4725 | 5.60 | 5.60 | 6.20B/*2.90A | 6.20B/*2.90A | ---- | 3.60 - 1.60 | .0486 | ---- | ---- | 4 | ---- | 48 + 3 |
| 4730 | ---- | ---- | #5.70B/*2.70A | 5.70B/*2.70A | ---- | 3.30 NEW | .0441 | ---- | ---- | 36 | ---- | 36 + 36 |
| 4735 | ---- | ---- | 5.30B/*2.50A | 5.30B/*2.50A | ---- | 3.10 - 1.50 | .0408 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4740 | ---- | ---- | #4.90B/*2.30A | 4.90B/*2.30A | ---- | 2.90 NEW | .0376 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4750 | 3.30 | 3.30 | 4.20B/*2.00A | 4.20B/*2.00A | ---- | 2.60 - 1.20 | .0327 | ---- | ---- | 146 | ---- | 429 + 120 |
| 4755 | ---- | ---- | #3.90B/*1.90A | 3.90B/*1.90A | ---- | 2.40 - 1.20 | .0298 | ---- | ---- | 1 | ---- | 2 + 1 |
| 4760 | 3.20 | 3.20 | 3.60B/*1.80A | 3.60B/*1.80A | ---- | 2.30 - 1.10 | .0280 | ---- | ---- | 1 | ---- | 4 + 1 |
| 4770 | 3.00 | 3.00 | #3.10B/*1.60A | 3.10B/*1.60A | ---- | 2.00 NEW | .0236 | ---- | ---- | 6 | ---- | 4 + 4 |
| 4775 | ---- | ---- | ----/*1.50A | 2.90B/*1.50A | ---- | 1.90 - 1.00 | .0221 | ---- | ---- | 1 | ---- | 62 - 1 |
| 4780 | 2.60 | 2.60 | 2.60/*1.50A | 2.60/*1.50A | ---- | 1.80 - 0.90 | .0206 | ---- | ---- | 1 | ---- | 4 + 1 |
| 4790 | ---- | ---- | ----/*1.30A | 2.30B/*1.30A | ---- | 1.60 - 0.80 | .0177 | ---- | ---- | ---- | ---- | 10 UNCH |
| 4795 | ---- | ---- | ----/*1.30A | 2.10B/*1.30A | ---- | 1.50 - 0.80 | .0164 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4800 | 2.00 | 2.00 | 2.10/*1.20 | 2.10/*1.20 | ---- | 1.40 - 0.80 | .0150 | ---- | ---- | 25 | ---- | 244 - 5 |
| 4805 | 1.80 | 1.80 | #1.80/*1.20A | 1.90B/*1.20A | ---- | 1.40 NEW | .0147 | ---- | ---- | 2 | ---- | 2 + 2 |
| 4825 | 1.20 | 1.20 | 1.20/*1.00A | 1.40B/*1.00A | ---- | 1.10 - 0.60 | .0109 | ---- | ---- | 7 | ---- | 51 + 2 |
| 4830 | 1.50 | 1.50 | 1.50/*1.00A | 1.50/*1.00A | ---- | 1.10 - 0.50 | .0107 | ---- | ---- | 2 | ---- | 3 + 2 |
| 4840 | 1.30 | 1.30 | #1.30/*0.90A | 1.30/*0.90A | ---- | 1.00 - 0.50 | .0094 | ---- | ---- | 1 | ---- | 2 + 1 |
| 4845 | 1.30 | 1.30 | #1.30/*0.90A | 1.30/*0.90A | ---- | 1.00 NEW | .0092 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4850 | 1.10 | 1.10 | 1.10/*0.90A | 1.10/*0.90A | ---- | 0.90 - 0.50 | .0082 | ---- | ---- | 2 | ---- | 105 + 1 |
| 4855 | 1.20 | 1.20 | #1.20/*0.80A | 1.20/*0.80A | ---- | 0.90 NEW | .0080 | ---- | ---- | 2 | ---- | 2 + 2 |
| 4875 | ---- | ---- | ----/*0.80A | 1.00B/*0.80A | ---- | 0.80 - 0.30 | .0067 | ---- | ---- | ---- | ---- | 259 UNCH |
| 4895 | ---- | ---- | ----/*0.70A | 0.80B/*0.70A | ---- | 0.70 - 0.30 | .0055 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4900 | 0.90 | 0.90 | 0.90/*0.70 | 0.90/*0.70 | ---- | 0.70 - 0.20 | .0054 | ---- | ---- | 5 | ---- | 227 - 1 |
| 4905 | ---- | ---- | ----/*0.70A | 0.80B/*0.70A | ---- | 0.60 - 0.30 | .0046 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4910 | ---- | ---- | ----/*0.70A | 0.80B/*0.70A | ---- | 0.60 - 0.30 | .0045 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4925 | ---- | ---- | ----/*0.60A | 0.70B/*0.60A | ---- | 0.60 - 0.20 | .0043 | ---- | ---- | 1 | ---- | 35 UNCH |
| 4935 | 0.80 | 0.80 | #0.80/*0.60A | 0.80/*0.60A | ---- | 0.50 NEW | .0035 | ---- | ---- | 122 | ---- | 122 + 122 |
| 4940 | 0.70 | 0.70 | #0.70/*0.60A | 0.70/*0.60A | ---- | 0.50 NEW | .0034 | ---- | ---- | 52 | ---- | 52 + 52 |
| 4945 | 0.60 | 0.60 | #0.80/*0.60 | 0.80/*0.60 | ---- | 0.50 NEW | .0034 | ---- | ---- | 76 | ---- | 76 + 76 |
| 4950 | ---- | ---- | ----/*0.60A | 0.60B/*0.60A | ---- | 0.50 - 0.20 | .0033 | ---- | ---- | 15 | ---- | 100 - 9 |
| 4960 | ---- | ---- | ---- | 0.60B/*0.60A | ---- | 0.50 - 0.10 | .0033 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4975 | ---- | ---- | ----/*0.50A | 0.50B/*0.50A | ---- | 0.50 - 0.10 | .0031 | ---- | ---- | ---- | ---- | 11 UNCH |
| 4985 | ---- | ---- | ----/*0.50A | 0.50B/*0.50A | ---- | 0.40 - 0.20 | .0024 | ---- | ---- | ---- | ---- | 6 UNCH |
| 5000 | ---- | ---- | ---- | 0.50B/*0.50A | ---- | 0.40 - 0.10 | .0023 | ---- | ---- | ---- | ---- | 346 UNCH |
| 5005 | ---- | ---- | ---- | 0.50B/*0.50A | ---- | 0.40 - 0.10 | .0023 | ---- | ---- | ---- | ---- | 42 UNCH |
| 5025 | ---- | ---- | ----/*0.40A | 0.40B/*0.40A | ---- | 0.40 - 0.10 | .0022 | ---- | ---- | ---- | ---- | 51 UNCH |
| 5050 | ---- | ---- | ---- | 0.40B/*0.40A | ---- | 0.30 - 0.10 | .0015 | ---- | ---- | ---- | ---- | 66 UNCH |
| 5075 | ---- | ---- | ---- | 0.30B/*0.40A | ---- | 0.20 - 0.10 | .0009 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5100 | ---- | ---- | ---- | 0.30B/*0.30A | ---- | 0.20 - 0.10 | .0009 | ---- | ---- | ---- | ---- | 15 UNCH |
| 5125 | ---- | ---- | 0.30B/---- | 0.30B/0.40A | ---- | 0.20 UNCH | .0008 | ---- | ---- | ---- | ---- | 9 UNCH |
| 5150 | ---- | ---- | ---- | 0.10B/*0.30A | ---- | 0.10 - 0.10 | .0004 | ---- | ---- | ---- | ---- | 13 UNCH |
| 5200 | 0.10 | 0.10 | 0.10/*0.10 | 0.10/*0.10 | ---- | 0.10 - 0.10 | .0001 | ---- | ---- | 3 | ---- | 18 - 3 |
| 5225 | ---- | ---- | ---- | ----/0.30A | ---- | 0.10 UNCH | .0000 | ---- | ---- | ---- | ---- | 10 UNCH |
| 5250 | ---- | ---- | ---- | ----/*0.30A | ---- | 0.10 UNCH | .0000 | ---- | ---- | ---- | ---- | 5 UNCH |
| 5275 | ---- | ---- | ---- | ----/*0.30A | ---- | 0.10 UNCH | .0000 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5300 | 0.10 | 0.10 | 0.10/*0.10 | 0.10/*0.10 | ---- | 0.10 UNCH | .0000 | ---- | ---- | 2 | ---- | 8 UNCH |
| 5350 | ---- | ---- | ---- | ----/*0.30A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 10 UNCH |
| 6000 | ---- | ---- | ---- | ----/0.30A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 2 UNCH |
| TOTAL | | | | | | | | | | 1058 | | 4028 + 647 |

OG PUT — COMEX GOLD OPTIONS
JUN26

| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1325 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 10 UNCH |
| 1375 | ---- | ---- | ---- | ----/0.20A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 1400 | ---- | ---- | ---- | ----/0.20A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 1425 | ---- | ---- | ---- | ----/0.20A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 1475 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 11 UNCH |
| 1500 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 3 UNCH |
| 1525 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 8 UNCH |
| 1575 | ---- | ---- | ---- | ----/0.20A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 1580 | ---- | ---- | ---- | ----/0.20A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 1590 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 175 UNCH |
| 1600 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 18 UNCH |
| 1610 | ---- | ---- | ---- | ----/0.20A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 1615 | ---- | ---- | ---- | ----/0.20A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 1620 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 31 UNCH |
| 1625 | ---- | ---- | ---- | ----/0.20A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 1650 | ---- | ---- | ---- | ----/0.20A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 2 UNCH |
| 1670 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 10 UNCH |
| 1675 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 10 UNCH |
| 1685 | ---- | ---- | ---- | ----/0.20A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 5 UNCH |
| 1690 | ---- | ---- | ---- | ----/0.20A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 1695 | ---- | ---- | ---- | ----/0.20A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 1700 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 2 UNCH |
| 1725 | ---- | ---- | ---- | ----/0.20A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 1735 | ---- | ---- | ---- | ----/0.20A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 1740 | ---- | ---- | ---- | ----/0.20A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 1745 | ---- | ---- | ---- | ----/0.20A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 1750 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 3 UNCH |
| 1755 | ---- | ---- | ---- | ----/0.20A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 1775 | ---- | ---- | ---- | ----/0.20A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 1780 | ---- | ---- | ---- | ----/0.20A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 2 UNCH |
| 1785 | ---- | ---- | ---- | ----/0.20A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 2 UNCH |
| 1795 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 11 UNCH |
| 1800 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 6 UNCH |
| 1815 | ---- | ---- | ---- | ----/0.20A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 1820 | ---- | ---- | ---- | ----/0.20A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 2 UNCH |
| 1855 | ---- | ---- | ---- | ----/0.20A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 1875 | ---- | ---- | ---- | ----/0.20A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 3 UNCH |
| 1900 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 3 UNCH |
| 1905 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 7 UNCH |
| 1915 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 10 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OG PUT | | COMEX GOLD OPTIONS | | | | | | | | | | |
| JUN26 | | | | | | | | | | | | |
| 1920 | ---- | ---- | ---- | ----/0.20A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 2 UNCH |
| 1950 | ---- | ---- | ---- | ----/0.20A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 1955 | ---- | ---- | ---- | ----/0.20A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 2 UNCH |
| 1965 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 10 UNCH |
| 1975 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 85 UNCH |
| 2000 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 607 UNCH |
| 2005 | ---- | ---- | ---- | ----/0.20A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 2010 | ---- | ---- | ---- | ----/0.20A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 2015 | ---- | ---- | ---- | ----/0.20A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 7 UNCH |
| 2020 | ---- | ---- | ---- | ----/0.20A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 2025 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 40 UNCH |
| 2030 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 13 UNCH |
| 2050 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 20 UNCH |
| 2085 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | .0000 | ---- | ---- | ---- | ---- | 15 UNCH |
| 2100 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | .0000 | ---- | ---- | ---- | ---- | 91 UNCH |
| 2105 | ---- | ---- | ---- | ----/0.20A | ---- | 0.10 UNCH | .0000 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2110 | ---- | ---- | ---- | ----/0.20A | ---- | 0.10 UNCH | .0000 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2130 | ---- | ---- | ---- | ----/0.20A | ---- | 0.10 UNCH | .0000 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2170 | ---- | ---- | ---- | ----/*0.10A | ---- | 0.10 UNCH | .0000 | ---- | ---- | ---- | ---- | 5 UNCH |
| 2180 | ---- | ---- | ---- | ----/*0.10A | ---- | 0.10 UNCH | .0000 | ---- | ---- | ---- | ---- | 6 UNCH |
| 2195 | ---- | ---- | ---- | ----/*0.10A | ---- | 0.10 UNCH | .0000 | ---- | ---- | ---- | ---- | 5 UNCH |
| 2200 | ---- | ---- | ---- | ----/*0.10A | ---- | 0.10 UNCH | .0000 | ---- | ---- | ---- | ---- | 9 UNCH |
| 2205 | ---- | ---- | ---- | ----/*0.10A | ---- | 0.10 UNCH | .0000 | ---- | ---- | ---- | ---- | 7 UNCH |
| 2220 | ---- | ---- | ---- | ----/*0.20A | ---- | 0.10 UNCH | .0000 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2230 | ---- | ---- | ---- | ----/*0.10A | ---- | 0.10 UNCH | .0000 | ---- | ---- | ---- | ---- | 25 UNCH |
| 2235 | ---- | ---- | ---- | ----/*0.10A | ---- | 0.10 UNCH | .0000 | ---- | ---- | ---- | ---- | 21 UNCH |
| 2240 | ---- | ---- | ---- | ----/*0.10A | ---- | 0.10 UNCH | .0000 | ---- | ---- | ---- | ---- | 6 UNCH |
| 2250 | ---- | ---- | ---- | ----/*0.10A | ---- | 0.10 UNCH | .0000 | ---- | ---- | ---- | ---- | 5 UNCH |
| 2300 | ---- | ---- | ---- | 0.10B/*0.10A | ---- | 0.10 UNCH | .0000 | ---- | ---- | ---- | ---- | 13 UNCH |
| 2315 | ---- | ---- | ---- | 0.10B/*0.10A | ---- | 0.10 UNCH | .0000 | ---- | ---- | ---- | ---- | 40 UNCH |
| 2330 | ---- | ---- | ---- | 0.10B/*0.10A | ---- | 0.10 UNCH | .0000 | ---- | ---- | ---- | ---- | 9 UNCH |
| 2350 | ---- | ---- | ---- | 0.10B/*0.10A | ---- | 0.10 UNCH | .0001 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2380 | ---- | ---- | ---- | 0.10B/*0.10A | ---- | 0.10 UNCH | .0001 | ---- | ---- | ---- | ---- | 14 UNCH |
| 2385 | ---- | ---- | ---- | 0.10B/*0.20A | ---- | 0.10 UNCH | .0001 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2390 | ---- | ---- | ---- | 0.10B/*0.20A | ---- | 0.10 UNCH | .0001 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2395 | ---- | ---- | ---- | 0.10B/*0.20A | ---- | 0.10 UNCH | .0001 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2400 | ---- | ---- | ---- | 0.10B/0.20A | ---- | 0.10 UNCH | .0001 | ---- | ---- | ---- | ---- | 72 UNCH |
| 2405 | ---- | ---- | ---- | 0.10B/*0.20A | ---- | 0.10 UNCH | .0001 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2410 | ---- | ---- | ---- | 0.10B/*0.20A | ---- | 0.10 UNCH | .0001 | ---- | ---- | ---- | ---- | 6 UNCH |
| 2415 | ---- | ---- | ---- | 0.10B/*0.20A | ---- | 0.10 UNCH | .0001 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2420 | ---- | ---- | ---- | 0.10B/*0.20A | ---- | 0.10 UNCH | .0001 | ---- | ---- | ---- | ---- | 5 UNCH |
| 2425 | ---- | ---- | ---- | 0.10B/0.20A | ---- | 0.10 UNCH | .0002 | ---- | ---- | ---- | ---- | 23 UNCH |
| 2430 | ---- | ---- | ---- | 0.10B/*0.20A | ---- | 0.10 UNCH | .0002 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2445 | ---- | ---- | ---- | 0.10B/*0.20A | ---- | 0.10 - 0.10 | .0002 | ---- | ---- | ---- | ---- | 5 UNCH |
| 2450 | ---- | ---- | ---- | 0.10B/0.20A | ---- | 0.10 - 0.10 | .0002 | ---- | ---- | ---- | ---- | 51 UNCH |
| 2460 | ---- | ---- | ---- | 0.10B/0.30A | ---- | 0.10 - 0.10 | .0002 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2465 | ---- | ---- | ---- | 0.10B/0.30A | ---- | 0.10 - 0.10 | .0002 | ---- | ---- | ---- | ---- | 7 UNCH |
| 2475 | ---- | ---- | ---- | ----/0.30A | ---- | 0.10 - 0.10 | .0003 | ---- | ---- | ---- | ---- | 3 UNCH |
| 2495 | ---- | ---- | ---- | 0.10B/0.30A | ---- | 0.20 UNCH | .0006 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2500 | ---- | ---- | ---- | 0.10B/0.20A | ---- | 0.20 UNCH | .0006 | ---- | ---- | ---- | ---- | 1928 UNCH |
| 2510 | ---- | ---- | ---- | ----/0.30A | ---- | 0.20 UNCH | .0006 | ---- | ---- | ---- | ---- | 2 UNCH |
| 2525 | ---- | ---- | ---- | ----/0.30A | ---- | 0.20 UNCH | .0006 | ---- | ---- | ---- | ---- | 25 UNCH |
| 2535 | ---- | ---- | ---- | ----/0.30A | ---- | 0.20 UNCH | .0006 | ---- | ---- | ---- | ---- | 5 UNCH |
| 2540 | ---- | ---- | ---- | 0.10B/0.30A | ---- | 0.20 - 0.10 | .0006 | ---- | ---- | ---- | ---- | 5 UNCH |
| 2550 | ---- | ---- | ---- | 0.10B/0.30A | ---- | 0.20 - 0.10 | .0006 | ---- | ---- | ---- | ---- | 50 UNCH |
| 2565 | ---- | ---- | ---- | 0.10B/0.30A | ---- | 0.20 - 0.10 | .0006 | ---- | ---- | ---- | ---- | 5 UNCH |
| 2580 | ---- | ---- | ---- | 0.10B/0.30A | ---- | 0.20 - 0.10 | .0006 | ---- | ---- | ---- | ---- | 5 UNCH |
| 2590 | ---- | ---- | ---- | 0.10B/0.30A | ---- | 0.20 - 0.10 | .0006 | ---- | ---- | ---- | ---- | 13 UNCH |
| 2600 | ---- | ---- | ---- | 0.10B/0.30A | ---- | 0.20 - 0.10 | .0006 | ---- | ---- | ---- | ---- | 189 UNCH |
| 2645 | ---- | ---- | ---- | 0.10B/0.30A | ---- | 0.30 UNCH | .0009 | ---- | ---- | ---- | ---- | 10 UNCH |
| 2650 | ---- | ---- | ----/*0.30A | 0.10B/*0.30A | ---- | 0.30 - 0.10 | .0009 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2685 | ---- | ---- | ----/*0.30A | 0.20B/*0.30A | ---- | 0.30 - 0.10 | .0009 | ---- | ---- | ---- | ---- | 26 UNCH |
| 2695 | ---- | ---- | ----/*0.30A | 0.20B/*0.30A | ---- | 0.30 - 0.10 | .0009 | ---- | ---- | ---- | ---- | 2 UNCH |
| 2700 | ---- | ---- | ----/0.30A | 0.20B/0.30A | ---- | 0.30 - 0.10 | .0009 | ---- | ---- | ---- | ---- | 427 UNCH |
| 2730 | ---- | ---- | ---- | 0.20B/0.40A | ---- | 0.30 - 0.10 | .0010 | ---- | ---- | ---- | ---- | 35 UNCH |
| 2750 | ---- | ---- | ----/*0.40A | 0.20B/*0.40A | ---- | 0.30 - 0.20 | .0010 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2800 | ---- | ---- | ----/0.40A | 0.30B/0.40A | ---- | 0.40 - 0.10 | .0013 | ---- | ---- | ---- | ---- | 718 UNCH |
| 2805 | ---- | ---- | ----/*0.40A | 0.30B/*0.40A | ---- | 0.40 - 0.10 | .0013 | ---- | ---- | ---- | ---- | 223 UNCH |
| 2810 | ---- | ---- | ----/*0.40A | 0.30B/*0.40A | ---- | 0.40 - 0.10 | .0013 | ---- | ---- | ---- | ---- | 18 UNCH |
| 2825 | ---- | ---- | ----/*0.40A | 0.30B/*0.40A | ---- | 0.40 - 0.20 | .0013 | ---- | ---- | ---- | ---- | 56 UNCH |
| 2830 | ---- | ---- | ----/*0.40A | 0.30B/*0.40A | ---- | 0.40 - 0.20 | .0013 | ---- | ---- | ---- | ---- | 25 UNCH |
| 2850 | ---- | ---- | ----/*0.40A | 0.30B/*0.40A | ---- | 0.40 - 0.20 | .0014 | ---- | ---- | ---- | ---- | 22 UNCH |
| 2865 | ---- | ---- | ----/*0.40A | 0.30B/*0.40A | ---- | 0.40 - 0.20 | .0014 | ---- | ---- | ---- | ---- | 2 UNCH |
| 2875 | ---- | ---- | ----/*0.50A | 0.40B/*0.50A | ---- | 0.40 - 0.20 | .0014 | ---- | ---- | ---- | ---- | 7 UNCH |
| 2900 | ---- | ---- | ----/*0.50A | 0.40B/*0.50A | ---- | 0.40 - 0.30 | .0014 | ---- | ---- | ---- | ---- | 157 UNCH |
| 2905 | ---- | ---- | ----/*0.50A | 0.40B/*0.50A | ---- | 0.40 - 0.30 | .0014 | ---- | ---- | ---- | ---- | 5 UNCH |
| 2915 | ---- | ---- | ----/*0.50A | 0.40B/*0.50A | ---- | 0.40 - 0.30 | .0014 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2930 | ---- | ---- | ----/*0.50A | 0.40B/*0.50A | ---- | 0.50 - 0.20 | .0018 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2935 | ---- | ---- | ----/*0.50A | 0.40B/*0.50A | ---- | 0.50 - 0.20 | .0018 | ---- | ---- | ---- | ---- | 3 UNCH |
| 2950 | ---- | ---- | ----/*0.50A | 0.50B/*0.50A | ---- | 0.50 - 0.20 | .0018 | ---- | ---- | ---- | ---- | 24 UNCH |
| 2955 | ---- | ---- | ----/*0.50A | 0.50B/*0.50A | ---- | 0.50 - 0.20 | .0018 | ---- | ---- | ---- | ---- | 8 UNCH |
| 2970 | ---- | ---- | ----/*0.50A | 0.50B/*0.50A | ---- | 0.50 - 0.30 | .0018 | ---- | ---- | ---- | ---- | 2 UNCH |
| 2975 | ---- | ---- | ----/*0.50A | 0.50B/*0.50A | ---- | 0.50 - 0.30 | .0018 | ---- | ---- | ---- | ---- | 10 UNCH |
| 2990 | ---- | ---- | ----/*0.60A | 0.50B/*0.60A | ---- | 0.50 - 0.30 | .0018 | ---- | ---- | ---- | ---- | 5 UNCH |
| 2995 | ---- | ---- | ----/*0.60A | 0.50B/*0.60A | ---- | 0.50 - 0.30 | .0019 | ---- | ---- | ---- | ---- | 6 UNCH |
| 3000 | ---- | ---- | ----/0.60A | 0.50B/0.60A | ---- | 0.50 - 0.30 | .0019 | ---- | ---- | ---- | ---- | 1722 UNCH |
| 3005 | ---- | ---- | ----/*0.60A | 0.50B/*0.60A | ---- | 0.50 - 0.30 | .0019 | ---- | ---- | ---- | ---- | 30 UNCH |
| 3010 | ---- | ---- | ----/*0.60A | 0.50B/*0.60A | ---- | 0.50 - 0.30 | .0019 | ---- | ---- | ---- | ---- | 8 UNCH |
| 3015 | ---- | ---- | ----/*0.60A | 0.50B/*0.60A | ---- | 0.50 - 0.30 | .0019 | ---- | ---- | ---- | ---- | 216 UNCH |
| 3020 | ---- | ---- | ----/*0.60A | 0.60B/*0.60A | ---- | 0.50 - 0.30 | .0019 | ---- | ---- | ---- | ---- | 35 UNCH |
| 3035 | ---- | ---- | ----/*0.60A | 0.60B/*0.60A | ---- | 0.50 - 0.40 | .0019 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3045 | ---- | ---- | ----/*0.60A | 0.60B/*0.60A | ---- | 0.50 - 0.40 | .0019 | ---- | ---- | ---- | ---- | 56 UNCH |
| 3050 | ---- | ---- | ----/*0.60A | 0.60B/*0.60A | ---- | 0.60 - 0.30 | .0023 | ---- | ---- | ---- | ---- | 389 UNCH |
| 3065 | ---- | ---- | ----/*0.60A | 0.60B/*0.60A | ---- | 0.60 - 0.30 | .0023 | ---- | ---- | ---- | ---- | 7 UNCH |
| 3070 | ---- | ---- | ----/*0.60A | 0.60B/*0.60A | ---- | 0.60 - 0.30 | .0023 | ---- | ---- | ---- | ---- | 7 UNCH |
| 3075 | ---- | ---- | ----/*0.60A | 0.60B/*0.60A | ---- | 0.60 - 0.30 | .0023 | ---- | ---- | ---- | ---- | 10 UNCH |
| 3080 | ---- | ---- | ----/*0.60A | 0.60B/*0.60A | ---- | 0.60 - 0.30 | .0023 | ---- | ---- | ---- | ---- | 8 UNCH |
| 3085 | ---- | ---- | ----/*0.70A | 0.60B/*0.70A | ---- | 0.60 - 0.30 | .0023 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3095 | ---- | ---- | ----/*0.70A | 0.70B/*0.70A | ---- | 0.60 - 0.30 | .0023 | ---- | ---- | ---- | ---- | 42 UNCH |
| 3100 | ---- | ---- | ----/*0.70A | 0.70B/*0.70A | ---- | 0.60 - 0.40 | .0024 | ---- | ---- | 5 | ---- | 381 UNCH |
| 3105 | ---- | ---- | ----/*0.70A | 0.70B/*0.70A | ---- | 0.60 - 0.40 | .0024 | ---- | ---- | ---- | ---- | 13 UNCH |
| 3110 | ---- | ---- | ----/*0.70A | 0.70B/*0.70A | ---- | 0.60 - 0.40 | .0024 | ---- | ---- | ---- | ---- | 11 UNCH |
| 3120 | ---- | ---- | ----/*0.70A | 0.70B/*0.70A | ---- | 0.70 - 0.30 | .0027 | ---- | ---- | ---- | ---- | 13 UNCH |
| 3125 | ---- | ---- | ----/*0.70A | 0.70B/*0.70A | ---- | 0.70 - 0.30 | .0027 | ---- | ---- | ---- | ---- | 13 UNCH |
| 3130 | ---- | ---- | ----/*0.70A | 0.70B/*0.70A | ---- | 0.70 - 0.30 | .0028 | ---- | ---- | ---- | ---- | 26 UNCH |
| 3140 | ---- | ---- | ----/*0.70A | 0.80B/*0.70A | ---- | 0.70 - 0.30 | .0028 | ---- | ---- | ---- | ---- | 5 UNCH |
| 3150 | ---- | ---- | ----/*0.80A | 0.80B/*0.80A | ---- | 0.70 - 0.30 | .0028 | ---- | ---- | ---- | ---- | 147 UNCH |
| 3155 | ---- | ---- | ----/*0.80A | 0.80B/*0.80A | ---- | 0.70 - 0.40 | .0028 | ---- | ---- | ---- | ---- | 16 UNCH |
| 3160 | ---- | ---- | ----/*0.80A | 0.80B/*0.80A | ---- | 0.70 - 0.40 | .0028 | ---- | ---- | ---- | ---- | 16 UNCH |
| 3170 | ---- | ---- | ----/*0.80A | 0.80B/*0.80A | ---- | 0.80 - 0.30 | .0032 | ---- | ---- | ---- | ---- | 6 UNCH |
| 3175 | ---- | ---- | ----/*0.80A | 0.80B/*0.80A | ---- | 0.80 - 0.30 | .0032 | ---- | ---- | ---- | ---- | 13 UNCH |
| 3180 | ---- | ---- | ----/*0.80A | 0.80B/*0.80A | ---- | 0.80 - 0.30 | .0032 | ---- | ---- | ---- | ---- | 5 UNCH |
| 3185 | ---- | ---- | ----/*0.80A | 0.90B/*0.80A | ---- | 0.80 - 0.30 | .0032 | ---- | ---- | ---- | ---- | 6 UNCH |
| 3190 | ---- | ---- | ----/*0.80A | 0.90B/*0.80A | ---- | 0.80 - 0.30 | .0032 | ---- | ---- | ---- | ---- | 18 UNCH |
| 3195 | ---- | ---- | ----/*0.80A | 0.90B/*0.80A | ---- | 0.80 - 0.30 | .0032 | ---- | ---- | ---- | ---- | 12 UNCH |
| 3200 | ---- | ---- | ----/*0.80A | 0.90B/*0.80A | ---- | 0.80 - 0.30 | .0033 | ---- | ---- | ---- | ---- | 1172 UNCH |
| 3205 | ---- | ---- | ----/*0.90A | 0.90B/*0.90A | ---- | 0.80 - 0.30 | .0033 | ---- | ---- | ---- | ---- | 42 UNCH |
| 3210 | ---- | ---- | ----/*0.90A | 0.90B/*0.90A | ---- | 0.80 - 0.40 | .0033 | ---- | ---- | ---- | ---- | 25 UNCH |
| 3215 | ---- | ---- | ----/*0.90A | 0.90B/*0.90A | ---- | 0.90 - 0.30 | .0037 | ---- | ---- | ---- | ---- | 22 UNCH |
| 3220 | ---- | ---- | ----/*0.90A | 0.90B/*0.90A | ---- | 0.90 - 0.30 | .0037 | ---- | ---- | ---- | ---- | 37 UNCH |
| 3225 | ---- | ---- | ----/*0.90A | 0.90B/*0.90A | ---- | 0.90 - 0.30 | .0037 | ---- | ---- | ---- | ---- | 75 UNCH |
| 3230 | ---- | ---- | ----/*0.90A | 0.90B/*0.90A | ---- | 0.90 - 0.30 | .0037 | ---- | ---- | ---- | ---- | 7 UNCH |
| 3235 | ---- | ---- | ----/*0.90A | 1.00B/*0.90A | ---- | 0.90 - 0.30 | .0037 | ---- | ---- | ---- | ---- | 25 UNCH |
| 3240 | 1.00 | 1.00 | 1.00/*0.90A | 1.00/*0.90A | ---- | 0.90 NEW | .0037 | ---- | ---- | 1 | ---- | 1 + 1 |
| 3250 | ---- | ---- | ----/*0.90A | 1.00B/*0.90A | ---- | 0.90 - 0.30 | .0038 | ---- | ---- | ---- | ---- | 148 UNCH |
| 3255 | ---- | ---- | ----/*0.90A | 1.00B/*0.90A | ---- | 1.00 - 0.30 | .0041 | ---- | ---- | 1 | ---- | 124 UNCH |
| 3260 | ---- | ---- | ----/*1.00A | 1.00B/*1.00A | ---- | 1.00 - 0.30 | .0041 | ---- | ---- | ---- | ---- | 45 UNCH |
| 3265 | ---- | ---- | ----/*1.00A | 1.00B/*1.00A | ---- | 1.00 - 0.30 | .0042 | ---- | ---- | ---- | ---- | 30 UNCH |
| 3270 | ---- | ---- | ----/*1.00A | 1.00B/*1.00A | ---- | 1.00 - 0.30 | .0042 | ---- | ---- | ---- | ---- | 7 UNCH |
| 3275 | ---- | ---- | ----/*1.00A | 1.00B/*1.00A | ---- | 1.00 - 0.30 | .0042 | ---- | ---- | ---- | ---- | 10 UNCH |
| 3280 | ---- | ---- | ----/*1.00A | 1.10B/*1.00A | ---- | 1.00 - 0.30 | .0042 | ---- | ---- | ---- | ---- | 13 UNCH |
| 3290 | ---- | ---- | ----/*1.00A | 1.10B/*1.00A | ---- | 1.00 - 0.30 | .0042 | ---- | ---- | ---- | ---- | 37 UNCH |
| 3295 | ---- | ---- | ----/*1.00A | 1.10B/*1.00A | ---- | 1.10 - 0.30 | .0046 | ---- | ---- | ---- | ---- | 2 UNCH |
| 3300 | ---- | ---- | ----/*1.00A | 1.10B/*1.00A | ---- | 1.10 - 0.30 | .0046 | ---- | ---- | ---- | ---- | 410 UNCH |
| 3305 | ---- | ---- | ----/*1.00A | 1.10B/*1.00A | ---- | 1.10 - 0.30 | .0047 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3310 | ---- | ---- | ----/*1.00A | 1.10B/*1.00A | ---- | 1.10 - 0.30 | .0047 | ---- | ---- | ---- | ---- | 7 UNCH |
| 3315 | ---- | ---- | ----/*1.10A | 1.20B/*1.10A | ---- | 1.10 - 0.30 | .0047 | ---- | ---- | ---- | ---- | 7 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OG PUT | | COMEX GOLD OPTIONS | | | | | | | | | | |
| JUN26 | | | | | | | | | | | | |
| 3320 | ---- | ---- | ----/*1.00A | 1.20B/*1.00A | ---- | 1.10 - 0.30 | .0047 | ---- | ---- | ---- | ---- | 4 UNCH |
| 3325 | ---- | ---- | ----/*1.10A | 1.20B/*1.10A | ---- | 1.10 - 0.30 | .0047 | ---- | ---- | ---- | ---- | 47 UNCH |
| 3335 | ---- | ---- | ----/*1.10A | 1.20B/*1.10A | ---- | 1.20 - 0.30 | .0051 | ---- | ---- | ---- | ---- | 46 UNCH |
| 3340 | ---- | ---- | ----/*1.10A | 1.20B/*1.10A | ---- | 1.20 - 0.30 | .0052 | ---- | ---- | ---- | ---- | 22 UNCH |
| 3345 | ---- | ---- | ----/*1.10A | 1.20B/*1.10A | ---- | 1.20 - 0.30 | .0052 | ---- | ---- | ---- | ---- | 12 UNCH |
| 3350 | ---- | ---- | ----/*1.10A | 1.20B/*1.10A | ---- | 1.20 - 0.30 | .0052 | ---- | ---- | ---- | ---- | 432 UNCH |
| 3355 | ---- | ---- | ----/*1.20A | 1.30B/*1.20A | ---- | 1.20 - 0.30 | .0052 | ---- | ---- | ---- | ---- | 17 UNCH |
| 3360 | ---- | ---- | ----/*1.20A | 1.30B/*1.20A | ---- | 1.20 - 0.30 | .0053 | ---- | ---- | ---- | ---- | 7 UNCH |
| 3365 | ---- | ---- | ----/*1.20A | 1.30B/*1.20A | ---- | 1.20 - 0.30 | .0053 | ---- | ---- | ---- | ---- | 31 UNCH |
| 3370 | ---- | ---- | ----/*1.20A | 1.30B/*1.20A | ---- | 1.20 - 0.40 | .0053 | ---- | ---- | ---- | ---- | 26 UNCH |
| 3375 | ---- | ---- | ----/*1.20A | 1.30B/*1.20A | ---- | 1.20 - 0.40 | .0053 | ---- | ---- | ---- | ---- | 98 UNCH |
| 3380 | ---- | ---- | ----/*1.20A | 1.30B/*1.20A | ---- | 1.30 - 0.30 | .0057 | ---- | ---- | ---- | ---- | 46 UNCH |
| 3385 | ---- | ---- | ----/*1.20A | 1.30B/*1.20A | ---- | 1.30 - 0.30 | .0057 | ---- | ---- | ---- | ---- | 6 UNCH |
| 3390 | ---- | ---- | ----/*1.20A | 1.40B/*1.20A | ---- | 1.30 - 0.30 | .0058 | ---- | ---- | ---- | ---- | 59 UNCH |
| 3395 | ---- | ---- | ----/*1.20A | 1.40B/*1.20A | ---- | 1.30 - 0.30 | .0058 | ---- | ---- | ---- | ---- | 2 UNCH |
| 3400 | ---- | ---- | ----/*1.20A | 1.40B/*1.20A | ---- | 1.30 - 0.40 | .0058 | ---- | ---- | 12 | ---- | 721 UNCH |
| 3405 | ---- | ---- | ----/*1.30A | 1.40B/*1.30A | ---- | 1.30 - 0.40 | .0058 | ---- | ---- | ---- | ---- | 66 UNCH |
| 3410 | ---- | ---- | ----/*1.30A | 1.40B/*1.30A | ---- | 1.30 - 0.40 | .0059 | ---- | ---- | ---- | ---- | 7 UNCH |
| 3415 | ---- | ---- | ----/*1.30A | 1.40B/*1.30A | ---- | 1.30 - 0.40 | .0059 | ---- | ---- | ---- | ---- | 3 UNCH |
| 3420 | ---- | ---- | ----/*1.30A | 1.40B/*1.30A | ---- | 1.30 - 0.40 | .0059 | ---- | ---- | ---- | ---- | 18 UNCH |
| 3425 | ---- | ---- | ----/*1.30A | 1.50B/*1.30A | ---- | 1.30 - 0.40 | .0059 | ---- | ---- | ---- | ---- | 25 UNCH |
| 3430 | ---- | ---- | ----/*1.30A | 1.50B/*1.30A | ---- | 1.40 - 0.40 | .0063 | ---- | ---- | ---- | ---- | 10 UNCH |
| 3435 | ---- | ---- | ----/*1.30A | 1.50B/*1.30A | ---- | 1.40 - 0.40 | .0064 | ---- | ---- | ---- | ---- | 20 UNCH |
| 3450 | ---- | ---- | ----/*1.40A | 1.60B/*1.40A | ---- | 1.40 - 0.40 | .0065 | ---- | ---- | ---- | ---- | 386 UNCH |
| 3455 | ---- | ---- | ----/*1.40A | 1.60B/*1.40A | ---- | 1.40 - 0.50 | .0065 | ---- | ---- | ---- | ---- | 51 UNCH |
| 3460 | ---- | ---- | ----/*1.40A | 1.60B/*1.40A | ---- | 1.40 - 0.50 | .0065 | ---- | ---- | ---- | ---- | 227 UNCH |
| 3465 | ---- | ---- | ----/*1.40A | 1.60B/*1.40A | ---- | 1.40 - 0.50 | .0065 | ---- | ---- | ---- | ---- | 89 UNCH |
| 3470 | ---- | ---- | ----/*1.40A | 1.60B/*1.40A | ---- | 1.40 - 0.50 | .0066 | ---- | ---- | ---- | ---- | 28 UNCH |
| 3475 | ---- | ---- | ----/*1.50A | 1.60B/*1.50A | ---- | 1.40 - 0.50 | .0066 | ---- | ---- | ---- | ---- | 106 UNCH |
| 3480 | ---- | ---- | ----/*1.50A | 1.70B/*1.50A | ---- | 1.40 - 0.60 | .0066 | ---- | ---- | ---- | ---- | 171 UNCH |
| 3485 | ---- | ---- | ----/*1.50A | 1.70B/*1.50A | ---- | 1.50 - 0.50 | .0071 | ---- | ---- | ---- | ---- | 3 UNCH |
| 3490 | ---- | ---- | ----/*1.50A | 1.70B/*1.50A | ---- | 1.50 - 0.50 | .0071 | ---- | ---- | ---- | ---- | 21 UNCH |
| 3500 | 1.50 | 1.50 | 1.50/*1.50 | 1.80B/*1.50 | ---- | 1.50 - 0.50 | .0072 | ---- | ---- | 6 | ---- | 1819 - 6 |
| 3505 | ---- | ---- | ----/*1.50A | 1.80B/*1.50A | ---- | 1.50 - 0.60 | .0072 | ---- | ---- | ---- | ---- | 65 UNCH |
| 3510 | ---- | ---- | ----/*1.60A | 1.80B/*1.60A | ---- | 1.50 - 0.60 | .0072 | ---- | ---- | ---- | ---- | 86 UNCH |
| 3515 | ---- | ---- | ----/*1.60A | 1.80B/*1.60A | ---- | 1.50 - 0.60 | .0073 | ---- | ---- | ---- | ---- | 16 UNCH |
| 3520 | ---- | ---- | ----/*1.60A | 1.80B/*1.60A | ---- | 1.50 - 0.60 | .0073 | ---- | ---- | ---- | ---- | 138 UNCH |
| 3525 | ---- | ---- | ----/*1.60A | 1.80B/*1.60A | ---- | 1.60 - 0.50 | .0077 | ---- | ---- | ---- | ---- | 301 UNCH |
| 3530 | ---- | ---- | ----/*1.60A | 1.80B/*1.60A | ---- | 1.60 - 0.60 | .0078 | ---- | ---- | ---- | ---- | 7 UNCH |
| 3535 | ---- | ---- | ----/*1.60A | 1.90B/*1.60A | ---- | 1.60 - 0.60 | .0078 | ---- | ---- | ---- | ---- | 100 UNCH |
| 3540 | ---- | ---- | ----/*1.60A | 1.90B/*1.60A | ---- | 1.60 - 0.60 | .0078 | ---- | ---- | ---- | ---- | 5 UNCH |
| 3545 | ---- | ---- | ----/*1.70A | 1.90B/*1.70A | ---- | 1.60 - 0.60 | .0079 | ---- | ---- | ---- | ---- | 22 UNCH |
| 3550 | ---- | ---- | ----/*1.70A | 1.90B/*1.70A | ---- | 1.70 - 0.50 | .0083 | ---- | ---- | ---- | ---- | 417 UNCH |
| 3555 | ---- | ---- | ----/*1.70A | 1.90B/*1.70A | ---- | 1.70 - 0.60 | .0084 | ---- | ---- | ---- | ---- | 2 UNCH |
| 3560 | ---- | ---- | ----/*1.70A | 2.00B/*1.70A | ---- | 1.70 - 0.60 | .0084 | ---- | ---- | ---- | ---- | 89 UNCH |
| 3565 | ---- | ---- | ----/*1.70A | 2.00B/*1.70A | ---- | 1.70 - 0.60 | .0084 | ---- | ---- | ---- | ---- | 41 UNCH |
| 3570 | ---- | ---- | ----/*1.80A | 2.10B/*1.80A | ---- | 1.70 - 0.60 | .0085 | ---- | ---- | ---- | ---- | 60 UNCH |
| 3575 | ---- | ---- | ----/*1.80A | 2.00B/*1.80A | ---- | 1.80 - 0.60 | .0089 | ---- | ---- | ---- | ---- | 41 UNCH |
| 3580 | ---- | ---- | ----/*1.80A | 2.00B/*1.80A | ---- | 1.80 - 0.60 | .0090 | ---- | ---- | ---- | ---- | 76 UNCH |
| 3585 | ---- | ---- | ----/*1.80A | 2.10B/*1.80A | ---- | 1.80 - 0.60 | .0090 | ---- | ---- | ---- | ---- | 2 UNCH |
| 3590 | ---- | ---- | ----/*1.80A | 2.10B/*1.80A | ---- | 1.80 - 0.60 | .0091 | ---- | ---- | ---- | ---- | 3 UNCH |
| 3595 | ---- | ---- | ----/*1.80A | 2.10B/*1.80A | ---- | 1.90 - 0.50 | .0095 | ---- | ---- | ---- | ---- | 23 UNCH |
| 3600 | 1.70 | 1.70 | 1.70/*1.60 | 2.10B/*1.60 | ---- | 1.90 - 0.60 | .0096 | ---- | ---- | 152 | ---- | 1892 + 23 |
| 3610 | ---- | ---- | ----/*1.90A | 2.20B/*1.90A | ---- | 1.90 - 0.60 | .0097 | ---- | ---- | ---- | ---- | 4 UNCH |
| 3615 | ---- | ---- | ----/*1.90A | 2.20B/*1.90A | ---- | 2.00 - 0.50 | .0101 | ---- | ---- | ---- | ---- | 37 UNCH |
| 3620 | ---- | ---- | ----/*1.90A | 2.20B/*1.90A | ---- | 2.00 - 0.60 | .0102 | ---- | ---- | ---- | ---- | 11 UNCH |
| 3625 | ---- | ---- | ----/*2.00A | 2.20B/*2.00A | ---- | 2.00 - 0.60 | .0102 | ---- | ---- | ---- | ---- | 67 UNCH |
| 3630 | ---- | ---- | ----/*2.00A | 2.30B/*2.00A | ---- | 2.00 - 0.60 | .0103 | ---- | ---- | ---- | ---- | 87 UNCH |
| 3635 | ---- | ---- | ----/*2.00A | 2.30B/*2.00A | ---- | 2.10 - 0.50 | .0107 | ---- | ---- | ---- | ---- | 108 UNCH |
| 3640 | ---- | ---- | ----/*2.00A | 2.30B/*2.00A | ---- | 2.10 - 0.60 | .0108 | ---- | ---- | ---- | ---- | 24 UNCH |
| 3645 | 2.00 | 2.00 | 2.00/*2.00 | 2.40B/*2.00 | ---- | 2.10 - 0.60 | .0108 | ---- | ---- | 1 | ---- | 14 + 1 |
| 3650 | ---- | ---- | ----/*2.10A | 2.40B/*2.10A | ---- | 2.20 - 0.50 | .0113 | ---- | ---- | 2 | ---- | 733 - 2 |
| 3655 | ---- | ---- | ----/*2.10A | 2.40B/*2.10A | ---- | 2.20 - 0.50 | .0114 | ---- | ---- | ---- | ---- | 9 UNCH |
| 3660 | ---- | ---- | ----/*2.00A | 2.40B/*2.00A | ---- | 2.20 - 0.60 | .0114 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3665 | 2.00 | 2.00 | 2.00/*2.00 | 2.50B/*2.00 | ---- | 2.20 - 0.60 | .0115 | ---- | ---- | 24 | ---- | 39 + 24 |
| 3670 | ---- | ---- | ----/*2.10A | 2.50B/*2.10A | ---- | 2.30 - 0.50 | .0120 | ---- | ---- | ---- | ---- | 31 UNCH |
| 3675 | ---- | ---- | ----/*2.20A | 2.50B/*2.20A | ---- | 2.30 - 0.60 | .0120 | ---- | ---- | ---- | ---- | 46 UNCH |
| 3680 | ---- | ---- | ----/*2.20A | 2.60B/*2.20A | ---- | 2.30 - 0.60 | .0121 | ---- | ---- | ---- | ---- | 18 UNCH |
| 3685 | ---- | ---- | ----/*2.20A | 2.60B/*2.20A | ---- | 2.30 - 0.60 | .0122 | ---- | ---- | ---- | ---- | 48 UNCH |
| 3690 | ---- | ---- | ----/*2.20A | 2.60B/*2.20A | ---- | 2.40 - 0.50 | .0127 | ---- | ---- | ---- | ---- | 11 UNCH |
| 3695 | ---- | ---- | ----/*2.30A | 2.70B/*2.30A | ---- | 2.40 - 0.60 | .0127 | ---- | ---- | ---- | ---- | 19 UNCH |
| 3700 | 2.40 | 2.40 | 2.40/*2.20 | 2.70B/*2.20 | ---- | 2.40 - 0.60 | .0128 | ---- | ---- | 88 | ---- | 822 + 19 |
| 3705 | ---- | ---- | ----/*2.30A | 2.70B/*2.30A | ---- | 2.40 - 0.60 | .0129 | ---- | ---- | ---- | ---- | 126 UNCH |
| 3710 | 2.30 | 2.30 | 2.30/*2.30 | 2.70B/*2.30 | ---- | 2.50 - 0.60 | .0134 | ---- | ---- | 1 | ---- | 80 + 1 |
| 3715 | ---- | ---- | ----/*2.40A | 2.80B/*2.40A | ---- | 2.50 - 0.60 | .0134 | ---- | ---- | ---- | ---- | 46 UNCH |
| 3720 | ---- | ---- | ----/*2.40A | 2.90B/*2.40A | ---- | 2.50 - 0.60 | .0135 | ---- | ---- | ---- | ---- | 4 UNCH |
| 3725 | ---- | ---- | ----/*2.40A | 2.80B/*2.40A | ---- | 2.50 - 0.70 | .0136 | ---- | ---- | 35 | ---- | 121 + 30 |
| 3730 | ---- | ---- | ----/*2.40A | 2.90B/*2.40A | ---- | 2.60 - 0.60 | .0141 | ---- | ---- | ---- | ---- | 18 UNCH |
| 3740 | ---- | ---- | ----/*2.50A | 3.00B/*2.50A | ---- | 2.60 - 0.70 | .0142 | ---- | ---- | ---- | ---- | 66 UNCH |
| 3745 | ---- | ---- | ----/*2.50A | 3.00B/*2.50A | ---- | 2.60 - 0.70 | .0143 | ---- | ---- | ---- | ---- | 20 UNCH |
| 3750 | ---- | ---- | ----/*2.50A | 3.00B/*2.50A | ---- | 2.70 - 0.70 | .0148 | ---- | ---- | 4 | ---- | 1308 - 2 |
| 3755 | ---- | ---- | ----/*2.60A | 3.10B/*2.60A | ---- | 2.70 - 0.70 | .0149 | ---- | ---- | ---- | ---- | 14 UNCH |
| 3760 | ---- | ---- | ----/*2.60A | 3.10B/*2.60A | ---- | 2.70 - 0.80 | .0150 | ---- | ---- | ---- | ---- | 23 UNCH |
| 3765 | ---- | ---- | ----/*2.60A | 3.20B/*2.60A | ---- | 2.80 - 0.70 | .0155 | ---- | ---- | ---- | ---- | 49 UNCH |
| 3770 | ---- | ---- | ----/*2.60A | 3.30B/*2.60A | ---- | 2.80 - 0.70 | .0156 | ---- | ---- | ---- | ---- | 13 UNCH |
| 3775 | ---- | ---- | ----/*2.70A | 3.30B/*2.70A | ---- | 2.80 - 0.80 | .0157 | ---- | ---- | ---- | ---- | 39 UNCH |
| 3780 | ---- | ---- | ----/*2.70A | 3.30B/*2.70A | ---- | 2.80 - 0.80 | .0158 | ---- | ---- | ---- | ---- | 15 UNCH |
| 3785 | ---- | ---- | ----/*2.70A | 3.40B/*2.70A | ---- | 2.90 - 0.80 | .0163 | ---- | ---- | ---- | ---- | 7 UNCH |
| 3790 | ---- | ---- | ----/*2.70A | 3.40B/*2.70A | ---- | 2.90 - 0.80 | .0164 | ---- | ---- | ---- | ---- | 259 UNCH |
| 3795 | ---- | ---- | ----/*2.80A | 3.50B/*2.80A | ---- | 2.90 - 0.90 | .0165 | ---- | ---- | ---- | ---- | 83 UNCH |
| 3800 | 2.80 | 2.80 | 2.80/*2.80 | 3.50B/*2.80 | ---- | 3.00 - 0.80 | .0170 | ---- | ---- | 29 | ---- | 2775 + 5 |
| 3805 | ---- | ---- | ----/*2.80A | 3.60B/*2.80A | ---- | 3.00 - 0.90 | .0171 | ---- | ---- | ---- | ---- | 71 UNCH |
| 3810 | ---- | ---- | ----/*2.90A | 3.60B/*2.90A | ---- | 3.00 - 0.90 | .0172 | ---- | ---- | ---- | ---- | 44 UNCH |
| 3815 | ---- | ---- | ----/*2.90A | 3.70B/*2.90A | ---- | 3.10 - 0.90 | .0178 | ---- | ---- | ---- | ---- | 38 UNCH |
| 3820 | ---- | ---- | ----/*2.90A | 3.70B/*2.90A | ---- | 3.10 - 0.90 | .0179 | ---- | ---- | ---- | ---- | 18 UNCH |
| 3825 | ---- | ---- | ----/*3.00A | 3.80B/*3.00A | ---- | 3.10 - 1.00 | .0180 | ---- | ---- | ---- | ---- | 40 UNCH |
| 3830 | ---- | ---- | ----/*3.00A | 3.80B/*3.00A | ---- | 3.20 - 0.90 | .0186 | ---- | ---- | ---- | ---- | 186 UNCH |
| 3835 | ---- | ---- | ----/*3.00A | 3.90B/*3.00A | ---- | 3.20 - 1.00 | .0187 | ---- | ---- | ---- | ---- | 55 UNCH |
| 3840 | ---- | ---- | ----/*3.10A | 4.00B/*3.10A | ---- | 3.20 - 1.10 | .0188 | ---- | ---- | ---- | ---- | 4 UNCH |
| 3845 | ---- | ---- | ----/*3.10A | 4.00B/*3.10A | ---- | 3.30 - 1.00 | .0194 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3850 | ---- | ---- | ----/*3.20A | 4.10B/*3.20A | ---- | 3.30 - 1.10 | .0195 | ---- | ---- | ---- | ---- | 696 UNCH |
| 3855 | ---- | ---- | ----/*3.20A | 4.10B/*3.20A | ---- | 3.30 - 1.10 | .0196 | ---- | ---- | ---- | ---- | 73 UNCH |
| 3860 | ---- | ---- | ----/*3.20A | 4.20B/*3.20A | ---- | 3.40 - 1.10 | .0202 | ---- | ---- | ---- | ---- | 29 UNCH |
| 3865 | 3.40 | 3.40 | 3.40/*3.30A | 4.30B/*3.30A | ---- | 3.40 - 1.20 | .0203 | ---- | ---- | 2 | ---- | 19 UNCH |
| 3870 | ---- | ---- | ----/*3.30A | 4.40B/*3.30A | ---- | 3.50 - 1.10 | .0209 | ---- | ---- | ---- | ---- | 16 UNCH |
| 3875 | 3.40 | 3.40 | 3.40/*3.40 | 4.40B/*3.40 | ---- | 3.50 - 1.20 | .0210 | ---- | ---- | 2 | ---- | 163 UNCH |
| 3880 | 3.40 | 3.40 | 3.40/*3.40 | 4.50B/*3.40 | ---- | 3.50 - 1.30 | .0212 | ---- | ---- | 15 | ---- | 26 + 10 |
| 3885 | ---- | ---- | ----/*3.50A | 4.60B/*3.50A | ---- | 3.60 - 1.30 | .0218 | ---- | ---- | ---- | ---- | 13 UNCH |
| 3890 | ---- | ---- | ----/*3.50A | 4.60B/*3.50A | ---- | 3.60 - 1.30 | .0219 | ---- | ---- | ---- | ---- | 49 UNCH |
| 3895 | ---- | ---- | ----/*3.50A | 4.70B/*3.50A | ---- | 3.70 - 1.30 | .0225 | ---- | ---- | ---- | ---- | 16 UNCH |
| 3900 | 3.90 | 3.90 | 3.90/*3.50 | 4.80B/*3.50 | ---- | 3.70 - 1.40 | .0226 | ---- | ---- | 4 | ---- | 1134 - 2 |
| 3905 | ---- | ---- | ----/*3.60A | 4.90B/*3.60A | ---- | 3.80 - 1.40 | .0233 | ---- | ---- | ---- | ---- | 45 UNCH |
| 3910 | ---- | ---- | ----/*3.70A | 5.00B/*3.70A | ---- | 3.80 - 1.50 | .0234 | ---- | ---- | ---- | ---- | 10 UNCH |
| 3915 | ---- | ---- | ----/*3.70A | 5.10B/*3.70A | ---- | 3.90 - 1.40 | .0240 | ---- | ---- | ---- | ---- | 24 UNCH |
| 3920 | ---- | ---- | ----/*3.80A | 5.20B/*3.80A | ---- | 3.90 - 1.50 | .0242 | ---- | ---- | ---- | ---- | 33 UNCH |
| 3925 | 4.00 | 4.00 | 4.00/*3.80A | 5.30B/*3.80A | ---- | 4.00 - 1.50 | .0248 | ---- | ---- | 2 | ---- | 60 + 2 |
| 3930 | ---- | ---- | ----/*3.90A | 5.30B/*3.90A | ---- | 4.10 - 1.50 | .0255 | ---- | ---- | ---- | ---- | 21 UNCH |
| 3935 | 4.10 | 4.10 | 4.10/*4.00A | 5.40B/*4.00A | ---- | 4.10 - 1.60 | .0256 | ---- | ---- | 1 | ---- | 27 - 1 |
| 3940 | ---- | ---- | ----/*4.00A | 5.50B/*4.00A | ---- | 4.20 - 1.60 | .0263 | ---- | ---- | ---- | ---- | 101 UNCH |
| 3945 | ---- | ---- | ----/*4.10A | 5.60B/*4.10A | ---- | 4.30 - 1.60 | .0269 | ---- | ---- | ---- | ---- | 18 UNCH |
| 3950 | 4.70 | 4.70 | 4.70/*4.10A | 5.80B/*4.10A | ---- | 4.30 - 1.70 | .0271 | ---- | ---- | 1 | ---- | 316 + 1 |
| 3955 | ---- | ---- | ----/*4.20A | 5.90B/*4.20A | ---- | 4.40 - 1.70 | .0278 | ---- | ---- | ---- | ---- | 13 UNCH |
| 3960 | ---- | ---- | ----/*4.30A | 6.00B/*4.30A | ---- | 4.50 - 1.70 | .0284 | ---- | ---- | ---- | ---- | 39 UNCH |
| 3965 | ---- | ---- | ----/*4.30A | 6.10B/*4.30A | ---- | 4.50 - 1.80 | .0286 | ---- | ---- | ---- | ---- | 23 UNCH |
| 3970 | ---- | ---- | ----/*4.40A | 6.20B/*4.40A | ---- | 4.60 - 1.90 | .0293 | ---- | ---- | ---- | ---- | 70 UNCH |
| 3975 | ---- | ---- | ----/*4.50A | 6.40B/*4.50A | ---- | 4.70 - 1.90 | .0300 | ---- | ---- | ---- | ---- | 358 UNCH |
| 3980 | ---- | ---- | ----/*4.50A | 6.50B/*4.50A | ---- | 4.80 - 1.90 | .0307 | ---- | ---- | ---- | ---- | 104 UNCH |
| 3985 | ---- | ---- | ----/*4.60A | 6.60B/*4.60A | ---- | 4.80 - 2.00 | .0309 | ---- | ---- | ---- | ---- | 57 UNCH |
| 3990 | ---- | ---- | ----/*4.70A | 6.80B/*4.70A | ---- | 4.90 - 2.10 | .0316 | ---- | ---- | ---- | ---- | 64 UNCH |
| 3995 | ---- | ---- | ----/*4.80A | 6.90B/*4.80A | ---- | 5.00 - 2.10 | .0323 | ---- | ---- | ---- | ---- | 175 UNCH |
| 4000 | 5.50 | 5.50 | 5.50/*4.70 | 7.10B/*4.70 | ---- | 5.10 - 2.10 | .0330 | ---- | ---- | 182 | ---- | 4274 + 41 |
| 4005 | 5.40 | 5.40 | 5.40/*4.90A | 7.20B/*4.90A | ---- | 5.20 - 2.20 | .0337 | ---- | ---- | 5 | ---- | 66 - 3 |
| 4010 | ---- | ---- | ----/*5.00A | 7.40B/*5.00A | ---- | 5.30 - 2.20 | .0344 | ---- | ---- | ---- | ---- | 63 UNCH |
| 4015 | ---- | ---- | ----/*5.10A | 7.60B/*5.10A | ---- | 5.40 - 2.30 | .0352 | ---- | ---- | ---- | ---- | 64 UNCH |
| 4020 | ---- | ---- | ----/*5.20A | 7.70B/*5.20A | ---- | 5.50 - 2.30 | .0359 | ---- | ---- | ---- | ---- | 118 UNCH |
| 4025 | 5.70 | 5.70 | 5.70/*5.30A | 7.90B/*5.30A | ---- | 5.60 - 2.40 | .0366 | ---- | ---- | 90 | ---- | 314 - 25 |
| 4030 | ---- | ---- | 8.20B/*5.30A | 8.20B/*5.30A | ---- | 5.70 - 2.40 | .0374 | ---- | ---- | ---- | ---- | 48 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OG PUT | | COMEX GOLD OPTIONS | | | | | | | | | | |
| JUN26 | | | | | | | | | | | | |
| 4035 | ---- | ---- | 8.40B/*5.40A | 8.40B/*5.40A | ---- | 5.80 - 2.50 | .0381 | ---- | ---- | ---- | ---- | 56 UNCH |
| 4040 | ---- | ---- | 8.60B/*5.50A | 8.60B/*5.50A | ---- | 5.90 - 2.60 | .0389 | ---- | ---- | ---- | ---- | 91 UNCH |
| 4045 | ---- | ---- | 8.80B/*5.60A | 8.80B/*5.60A | ---- | 6.10 - 2.60 | .0402 | ---- | ---- | ---- | ---- | 39 UNCH |
| 4050 | 6.40 | 6.40 | 8.90B/*5.70A | 8.90B/*5.70A | ---- | 6.20 - 2.60 | .0409 | ---- | ---- | 55 | ---- | 1223 + 47 |
| 4055 | ---- | ---- | 9.20B/*5.80A | 9.20B/*5.80A | ---- | 6.30 - 2.70 | .0417 | ---- | ---- | ---- | ---- | 40 UNCH |
| 4060 | ---- | ---- | 9.40B/*6.00A | 9.40B/*6.00A | ---- | 6.40 - 2.80 | .0425 | ---- | ---- | ---- | ---- | 97 UNCH |
| 4065 | ---- | ---- | 9.50B/*6.10A | 9.50B/*6.10A | ---- | 6.60 - 2.80 | .0438 | ---- | ---- | ---- | ---- | 140 UNCH |
| 4070 | ---- | ---- | 9.70B/*6.20A | 9.70B/*6.20A | ---- | 6.70 - 2.90 | .0446 | ---- | ---- | ---- | ---- | 70 UNCH |
| 4075 | ---- | ---- | 10.00B/*6.30A | 10.00B/*6.30A | ---- | 6.90 - 2.90 | .0459 | ---- | ---- | ---- | ---- | 273 UNCH |
| 4080 | 6.40 | 6.40 | 10.30B/*6.40 | 10.30B/*6.40 | ---- | 7.00 - 3.10 | .0468 | ---- | ---- | 8 | ---- | 150 + 5 |
| 4085 | 6.70 | 6.70 | 10.50B/*6.60A | 10.50B/*6.60A | ---- | 7.20 - 3.10 | .0481 | ---- | ---- | 51 | ---- | 270 + 36 |
| 4090 | ---- | ---- | 10.80B/*6.70A | 10.80B/*6.70A | ---- | 7.30 - 3.20 | .0489 | ---- | ---- | ---- | ---- | 114 UNCH |
| 4095 | 6.90 | 6.90 | 11.00B/*6.80 | 11.00B/*6.80 | ---- | 7.50 - 3.30 | .0503 | ---- | ---- | 2009 | ---- | 2087 + 2009 |
| 4100 | 11.80 | 11.80 | 11.80/*6.90A | 11.80/*6.90A | ---- | 7.60 - 3.40 | .0511 | ---- | ---- | 136 | ---- | 2502 + 7 |
| 4105 | 7.50 | 7.50 | 11.60B/*7.10A | 11.60B/*7.10A | ---- | 7.80 - 3.50 | .0525 | ---- | ---- | 2001 | ---- | 2069 + 1960 |
| 4110 | ---- | ---- | 11.70B/*7.30A | 11.70B/*7.30A | ---- | 8.00 - 3.50 | .0539 | ---- | ---- | ---- | ---- | 160 UNCH |
| 4115 | ---- | ---- | 11.90B/*7.40A | 11.90B/*7.40A | ---- | 8.20 - 3.60 | .0552 | ---- | ---- | 1 | ---- | 472 UNCH |
| 4120 | ---- | ---- | 12.40B/*7.60A | 12.40B/*7.60A | ---- | 8.40 - 3.70 | .0566 | ---- | ---- | ---- | ---- | 86 UNCH |
| 4125 | 8.60 | 8.60 | 12.60B/*7.80A | 12.60B/*7.80A | ---- | 8.60 - 3.80 | .0580 | ---- | ---- | 13 | ---- | 396 + 7 |
| 4130 | ---- | ---- | 13.00B/*7.90A | 13.00B/*7.90A | ---- | 8.80 - 3.90 | .0594 | ---- | ---- | ---- | ---- | 52 UNCH |
| 4135 | 8.70 | 8.70 | 13.30B/8.10A | 13.30B/8.10A | ---- | 9.00 - 4.00 | .0609 | ---- | ---- | 1 | ---- | 49 - 1 |
| 4140 | ---- | ---- | 13.60B/*8.30A | 13.60B/*8.30A | ---- | 9.20 - 4.10 | .0623 | ---- | ---- | 6 | ---- | 48 - 1 |
| 4145 | ---- | ---- | 13.90B/*8.50A | 13.90B/*8.50A | ---- | 9.40 - 4.30 | .0638 | ---- | ---- | 2 | ---- | 267 UNCH |
| 4150 | 10.30 | 10.30 | 14.30B/*8.70A | 14.30B/*8.70A | ---- | 9.70 - 4.30 | .0657 | ---- | ---- | 7 | ---- | 624 - 5 |
| 4155 | ---- | ---- | 14.70B/8.90A | 14.70B/8.90A | ---- | 9.90 - 4.50 | .0672 | ---- | ---- | ---- | ---- | 43 UNCH |
| 4160 | 13.00 | 13.00 | 15.00B/9.10A | 15.00B/9.10A | ---- | 10.10 - 4.60 | .0687 | ---- | ---- | 1 | ---- | 224 + 1 |
| 4165 | ---- | ---- | 15.50B/9.30A | 15.50B/9.30A | ---- | 10.40 - 4.70 | .0706 | ---- | ---- | ---- | ---- | 30 UNCH |
| 4170 | ---- | ---- | 15.80B/9.50A | 15.80B/9.50A | ---- | 10.70 - 4.80 | .0726 | ---- | ---- | ---- | ---- | 56 UNCH |
| 4175 | 11.20 | 11.20 | 16.30B/9.80A | 16.30B/9.80A | ---- | 10.90 - 5.00 | .0742 | ---- | ---- | 15 | ---- | 935 + 1 |
| 4180 | 15.00 | 15.00 | 16.70B/10.00A | 16.70B/10.00A | ---- | 11.20 - 5.10 | .0762 | ---- | ---- | 4 | ---- | 124 + 1 |
| 4185 | 10.20 | 10.20 | 17.20B/10.20 | 17.20B/10.20 | ---- | 11.50 - 5.20 | .0782 | ---- | ---- | 16 | ---- | 27 - 1 |
| 4190 | 10.70 | 10.70 | 17.70B/10.50A | 17.70B/10.50A | ---- | 11.80 - 5.40 | .0802 | ---- | ---- | 1 | ---- | 30 UNCH |
| 4195 | ---- | ---- | 18.20B/10.80A | 18.20B/10.80A | ---- | 12.10 - 5.50 | .0823 | ---- | ---- | ---- | ---- | 40 UNCH |
| 4200 | 15.80 | 15.80 | 18.70B/11.00 | 18.70B/11.00 | ---- | 12.40 - 5.70 | .0844 | ---- | ---- | 127 | ---- | 3650 + 61 |
| 4205 | ---- | ---- | 19.10B/11.30A | 19.10B/11.30A | ---- | 12.80 - 5.80 | .0869 | ---- | ---- | 3 | ---- | 68 UNCH |
| 4210 | ---- | ---- | 19.60B/11.60A | 19.60B/11.60A | ---- | 13.10 - 6.00 | .0890 | ---- | ---- | ---- | ---- | 465 UNCH |
| 4215 | 12.50 | 12.50 | 20.10B/11.90A | 20.10B/11.90A | ---- | 13.40 - 6.20 | .0911 | ---- | ---- | 2 | ---- | 36 UNCH |
| 4220 | ---- | ---- | 20.70B/12.20A | 20.70B/12.20A | ---- | 13.80 - 6.30 | .0937 | ---- | ---- | ---- | ---- | 201 UNCH |
| 4225 | 13.20 | 13.20 | 21.30B/12.60A | 21.30B/12.60A | ---- | 14.20 - 6.40 | .0963 | ---- | ---- | 21 | ---- | 482 + 13 |
| 4230 | ---- | ---- | 21.90B/12.90A | 21.90B/12.90A | ---- | 14.60 - 6.60 | .0989 | ---- | ---- | ---- | ---- | 73 UNCH |
| 4235 | ---- | ---- | 22.50B/13.20A | 22.50B/13.20A | ---- | 15.00 - 6.80 | .1015 | ---- | ---- | ---- | ---- | 66 UNCH |
| 4240 | 14.20 | 14.20 | 23.10B/13.60A | 23.10B/13.60A | ---- | 15.40 - 6.90 | .1042 | ---- | ---- | 2 | ---- | 57 + 2 |
| 4245 | 14.60 | 14.60 | 23.80B/14.00A | 23.80B/14.00A | ---- | 15.80 - 7.20 | .1069 | ---- | ---- | 3 | ---- | 89 UNCH |
| 4250 | 17.00 | 17.00 | 24.40B/14.30A | 24.40B/14.30A | ---- | 16.30 - 7.30 | .1100 | ---- | ---- | 129 | ---- | 1499 - 46 |
| 4255 | 19.70 | 19.70 | 25.10B/14.70A | 25.10B/14.70A | ---- | 16.70 - 7.50 | .1127 | ---- | ---- | 200 | ---- | 270 + 186 |
| 4260 | 16.10 | 16.10 | 25.80B/15.20A | 25.80B/15.20A | ---- | 17.20 - 7.70 | .1158 | ---- | ---- | 2 | ---- | 110 UNCH |
| 4265 | 19.40 | 19.40 | 26.60B/15.60A | 26.60B/15.60A | ---- | 17.70 - 7.90 | .1190 | ---- | ---- | 51 | ---- | 82 + 34 |
| 4270 | ---- | ---- | 27.30B/16.00A | 27.30B/16.00A | ---- | 18.20 - 8.10 | .1222 | ---- | ---- | ---- | ---- | 50 UNCH |
| 4275 | 17.70 | 17.70 | 28.10B/16.50A | 28.10B/16.50A | ---- | 18.70 - 8.30 | .1254 | ---- | ---- | 27 | ---- | 153 - 24 |
| 4280 | 21.00 | 21.00 | 28.90B/17.00A | 28.90B/17.00A | ---- | 19.30 - 8.50 | .1290 | ---- | ---- | 2 | ---- | 80 + 1 |
| 4285 | ---- | ---- | 29.70B/17.40A | 29.70B/17.40A | ---- | 19.80 - 8.70 | .1323 | ---- | ---- | ---- | ---- | 50 UNCH |
| 4290 | ---- | ---- | 30.50B/17.90A | 30.50B/17.90A | ---- | 20.40 - 8.90 | .1359 | ---- | ---- | 23 | ---- | 119 + 3 |
| 4295 | 22.00 | 22.00 | 31.40B/18.40A | 31.40B/18.40A | ---- | 21.00 - 9.10 | .1396 | ---- | ---- | 5 | ---- | 116 - 2 |
| 4300 | 31.90 | 31.90 | 32.30B/19.00A | 32.30B/19.00A | ---- | 21.60 - 9.40 | .1433 | ---- | ---- | 506 | ---- | 3638 + 23 |
| 4305 | 21.00 | 21.00 | 33.20B/19.50A | 33.20B/19.50A | ---- | 22.20 - 9.60 | .1471 | ---- | ---- | 4 | ---- | 101 - 3 |
| 4310 | 21.40 | 21.40 | 34.00B/20.10A | 34.00B/20.10A | ---- | 22.90 - 9.80 | .1512 | ---- | ---- | 1 | ---- | 62 + 1 |
| 4315 | ---- | ---- | 34.90B/20.70A | 34.90B/20.70A | ---- | 23.60 - 10.00 | .1553 | ---- | ---- | 9 | ---- | 52 - 4 |
| 4320 | 26.00 | 26.00 | 35.80B/21.30A | 35.80B/21.30A | ---- | 24.20 - 10.30 | .1591 | ---- | ---- | 9 | ---- | 85 + 1 |
| 4325 | 24.80 | 24.80 | 36.50B/21.90A | 36.50B/21.90A | ---- | 25.00 - 10.50 | .1637 | ---- | ---- | 14 | ---- | 171 + 13 |
| 4330 | 23.50 | 23.50 | 37.90B/22.60A | 37.90B/22.60A | ---- | 25.70 - 10.80 | .1679 | ---- | ---- | 4 | ---- | 569 UNCH |
| 4335 | 29.70 | 29.70 | 39.00B/23.20A | 39.00B/23.20A | ---- | 26.50 - 11.00 | .1725 | ---- | ---- | 1 | ---- | 76 UNCH |
| 4340 | ---- | ---- | 40.10B/23.90A | 40.10B/23.90A | ---- | 27.30 - 11.20 | .1771 | ---- | ---- | 3 | ---- | 108 + 1 |
| 4345 | 25.10 | 25.10 | 41.20B/24.60A | 41.20B/24.60A | ---- | 28.10 - 11.50 | .1817 | ---- | ---- | 11 | ---- | 67 + 1 |
| 4350 | 25.80 | 25.80 | 42.30B/25.40A | 42.30B/25.40A | ---- | 28.90 - 11.80 | .1864 | ---- | ---- | 14 | ---- | 1060 UNCH |
| 4355 | 33.40 | 33.40 | 43.40B/26.10A | 43.40B/26.10A | ---- | 29.80 - 12.00 | .1914 | ---- | ---- | 3 | ---- | 81 + 1 |
| 4360 | 34.40 | 34.40 | 44.60B/26.90A | 44.60B/26.90A | ---- | 30.70 - 12.30 | .1964 | ---- | ---- | 14 | ---- | 131 - 1 |
| 4365 | ---- | ---- | 45.90B/27.70A | 45.90B/27.70A | ---- | 31.60 - 12.60 | .2015 | ---- | ---- | ---- | ---- | 72 UNCH |
| 4370 | 33.30 | 33.30 | 47.20B/28.50A | 47.20B/28.50A | ---- | 32.50 - 12.90 | .2066 | ---- | ---- | 1 | ---- | 47 + 1 |
| 4375 | 37.40 | 37.40 | 48.50B/29.40A | 48.50B/29.40A | ---- | 33.50 - 13.10 | .2120 | ---- | ---- | 17 | ---- | 521 UNCH |
| 4380 | 35.00 | 35.00 | 49.80B/30.20A | 49.80B/30.20A | ---- | 34.50 - 13.40 | .2174 | ---- | ---- | 9 | ---- | 498 UNCH |
| 4385 | 40.70 | 40.70 | 51.20B/31.10A | 51.20B/31.10A | ---- | 35.50 - 13.70 | .2229 | ---- | ---- | 2 | ---- | 142 + 2 |
| 4390 | 33.30 | 33.30 | 52.60B/32.10A | 52.60B/32.10A | ---- | 36.60 - 14.00 | .2286 | ---- | ---- | 9 | ---- | 102 - 4 |
| 4395 | ---- | ---- | 53.90B/33.00A | 53.90B/33.00A | ---- | 37.70 - 14.30 | .2344 | ---- | ---- | ---- | ---- | 102 UNCH |
| 4400 | 47.30 | 47.30 | 55.50B/34.00A | 55.50B/34.00A | ---- | 38.80 - 14.60 | .2402 | ---- | ---- | 155 | ---- | 2568 - 42 |
| 4405 | ---- | ---- | 57.00B/35.00A | 57.00B/35.00A | ---- | 40.00 - 14.80 | .2463 | ---- | ---- | ---- | ---- | 130 UNCH |
| 4410 | 38.80 | 38.80 | 58.40B/36.10A | 58.40B/36.10A | ---- | 41.10 - 15.20 | .2522 | ---- | ---- | 13 | ---- | 435 + 13 |
| 4415 | ---- | ---- | 60.20B/37.10A | 60.20B/37.10A | ---- | 42.40 - 15.40 | .2586 | ---- | ---- | ---- | ---- | 113 UNCH |
| 4420 | 39.70 | 39.70 | 61.60B/38.20A | 61.60B/38.20A | ---- | 43.60 - 15.80 | .2648 | ---- | ---- | 17 | ---- | 101 - 15 |
| 4425 | 54.80 | 54.80 | 63.20B/39.30A | 63.20B/39.30A | ---- | 44.90 - 16.10 | .2712 | ---- | ---- | 47 | ---- | 624 + 39 |
| 4430 | ---- | ---- | 65.10B/40.50A | 65.10B/40.50A | ---- | 46.20 - 16.40 | .2777 | ---- | ---- | ---- | ---- | 107 UNCH |
| 4435 | 45.60 | 45.60 | 66.60B/41.70A | 66.60B/41.70A | ---- | 47.60 - 16.70 | .2844 | ---- | ---- | 3 | ---- | 104 + 1 |
| 4440 | 64.30 | 64.30 | 68.40B/42.90A | 68.40B/42.90A | ---- | 49.00 - 17.00 | .2911 | ---- | ---- | 14 | ---- | 72 + 3 |
| 4445 | ---- | ---- | 69.50B/44.20A | 69.50B/44.20A | ---- | 50.40 - 17.30 | .2978 | ---- | ---- | 1 | ---- | 74 - 1 |
| 4450 | 56.80 | 56.80 | 72.20B/45.50A | 72.20B/45.50A | ---- | 51.90 - 17.60 | .3048 | ---- | ---- | 123 | ---- | 3883 - 27 |
| 4455 | ---- | ---- | 73.80B/46.80A | 73.80B/46.80A | ---- | 53.40 - 17.90 | .3118 | ---- | ---- | ---- | ---- | 117 UNCH |
| 4460 | 49.30 | 49.30 | 76.00B/48.20A | 76.00B/48.20A | ---- | 54.90 - 18.30 | .3188 | ---- | ---- | 4 | ---- | 306 + 4 |
| 4465 | 51.50 | 51.50 | 77.00B/49.60A | 77.00B/49.60A | ---- | 56.50 - 18.60 | .3260 | ---- | ---- | 55 | ---- | 2477 - 15 |
| 4470 | ---- | ---- | 79.10B/51.00A | 79.10B/51.00A | ---- | 58.20 - 18.80 | .3334 | ---- | ---- | 6 | ---- | 138 UNCH |
| 4475 | 61.50 | 61.50 | 81.70B/52.50A | 81.70B/52.50A | ---- | 59.80 - 19.20 | .3407 | ---- | ---- | 5 | ---- | 190 - 1 |
| 4480 | 60.40 | 60.40 | 83.10B/54.00A | 83.10B/54.00A | ---- | 61.50 - 19.50 | .3481 | ---- | ---- | 2 | ---- | 148 + 1 |
| 4485 | 63.70 | 63.70 | 85.80B/55.60A | 85.80B/55.60A | ---- | 63.20 - 19.80 | .3555 | ---- | ---- | 6 | ---- | 109 UNCH |
| 4490 | 76.50 | 76.50 | 88.30B/57.20A | 88.30B/57.20A | ---- | 65.00 - 20.10 | .3631 | ---- | ---- | 1 | ---- | 255 + 1 |
| 4495 | 87.50 | 87.50 | 90.50B/58.80A | 90.50B/58.80A | ---- | 66.80 - 20.40 | .3708 | ---- | ---- | 2 | ---- | 215 - 1 |
| 4500 | 81.50 | 81.50 | 92.00B/60.40A | 92.00B/60.40A | ---- | 68.70 - 20.70 | .3785 | ---- | ---- | 436 | ---- | 5104 - 40 |
| 4505 | ---- | ---- | 94.10B/62.10A | 94.10B/62.10A | ---- | 70.60 - 21.00 | .3863 | ---- | ---- | ---- | ---- | 306 UNCH |
| 4510 | 65.50 | 65.50 | 96.50B/63.80A | 96.50B/63.80A | ---- | 72.50 - 21.40 | .3941 | ---- | ---- | 2 | ---- | 90 - 1 |
| 4515 | 72.60 | 72.60 | 98.90B/65.60A | 98.90B/65.60A | ---- | 74.50 - 21.70 | .4020 | ---- | ---- | 6 | ---- | 566 - 1 |
| 4520 | 82.60 | 82.60 | 101.40B/67.40A | 101.40B/67.40A | ---- | 76.50 - 22.00 | .4100 | ---- | ---- | 55 | ---- | 196 + 15 |
| 4525 | 93.20 | 93.20 | 103.90B/69.20A | 103.90B/69.20A | ---- | 78.60 - 22.30 | .4180 | ---- | ---- | 30 | ---- | 256 + 4 |
| 4530 | 90.50 | 90.50 | 107.10B/71.10A | 107.10B/71.10A | ---- | 80.70 - 22.60 | .4261 | ---- | ---- | 59 | ---- | 374 + 53 |
| 4535 | 82.80 | 82.80 | 108.50B/73.00 | 108.50B/73.00 | ---- | 82.90 - 22.90 | .4342 | ---- | ---- | 54 | ---- | 188 + 6 |
| 4540 | ---- | ---- | 111.60B/75.00A | 111.60B/75.00A | ---- | 85.10 - 23.20 | .4423 | ---- | ---- | 1 | ---- | 284 UNCH |
| 4545 | ---- | ---- | 113.80B/77.00A | 113.80B/77.00A | ---- | 87.30 - 23.50 | .4505 | ---- | ---- | ---- | ---- | 115 UNCH |
| 4550 | 100.00 | 100.00 | 117.50B/79.10A | 117.50B/79.10A | ---- | 89.60 - 23.80 | .4587 | ---- | ---- | 57 | 100 | 1203 - 113 |
| 4555 | ---- | ---- | 119.20B/81.20A | 119.20B/81.20A | ---- | 91.90 - 24.10 | .4669 | ---- | ---- | ---- | ---- | 90 UNCH |
| 4560 | 88.60 | 88.60 | 121.90B/83.60A | 121.90B/83.60A | ---- | 94.30 - 24.40 | .4751 | ---- | ---- | 3 | ---- | 146 UNCH |
| 4565 | 106.40 | 106.40 | 125.20B/85.80A | 125.20B/85.80A | ---- | 96.70 - 24.70 | .4834 | ---- | ---- | 14 | ---- | 235 - 5 |
| 4570 | ---- | ---- | 127.90B/88.00A | 127.90B/88.00A | ---- | 99.20 - 25.00 | .4917 | ---- | ---- | ---- | ---- | 180 UNCH |
| 4575 | ---- | ---- | 130.80B/90.30A | 130.80B/90.30A | ---- | 101.70 - 25.30 | .4999 | ---- | ---- | 30 | ---- | 321 + 15 |
| 4580 | 98.00 | 98.00 | 133.70B/92.70A | 133.70B/92.70A | ---- | 104.30 - 25.60 | .5082 | ---- | ---- | 3 | ---- | 238 + 3 |
| 4585 | 100.50 | 100.50 | 136.80B/95.00A | 136.80B/95.00A | ---- | 106.90 - 25.90 | .5165 | ---- | ---- | 35 | ---- | 216 + 10 |
| 4590 | ---- | ---- | 140.70B/97.50A | 140.70B/97.50A | ---- | 109.50 - 26.20 | .5248 | ---- | ---- | 1 | ---- | 182 UNCH |
| 4595 | 105.60 | 105.60 | 143.60B/99.90A | 143.60B/99.90A | ---- | 112.20 - 26.50 | .5330 | ---- | ---- | 5 | ---- | 83 + 2 |
| 4600 | 117.30 | 117.30 | 146.70B/102.30A | 146.70B/102.30A | ---- | 114.90 - 26.90 | .5412 | ---- | ---- | 30 | ---- | 2491 - 11 |
| 4605 | ---- | ---- | 149.90B/105.00A | 149.90B/105.00A | ---- | 117.70 - 27.10 | .5494 | ---- | ---- | 1 | ---- | 118 - 1 |
| 4610 | ---- | ---- | 153.00B/107.50A | 153.00B/107.50A | ---- | 120.60 - 27.40 | .5576 | ---- | ---- | ---- | ---- | 233 UNCH |
| 4615 | ---- | ---- | 156.20B/110.20A | 156.20B/110.20A | ---- | 123.40 - 27.70 | .5658 | ---- | ---- | ---- | ---- | 59 UNCH |
| 4620 | ---- | ---- | 159.50B/112.80A | 159.50B/112.80A | ---- | 126.40 - 27.90 | .5739 | ---- | ---- | ---- | ---- | 201 UNCH |
| 4625 | ---- | ---- | 163.00B/115.50A | 163.00B/115.50A | ---- | 129.30 - 28.30 | .5819 | ---- | ---- | 20 | ---- | 856 + 20 |
| 4630 | ---- | ---- | 166.10B/118.30A | 166.10B/118.30A | ---- | 132.30 - 28.50 | .5900 | ---- | ---- | 1 | ---- | 198 - 1 |
| 4635 | ---- | ---- | 169.60B/121.10A | 169.60B/121.10A | ---- | 135.40 - 28.70 | .5979 | ---- | ---- | ---- | ---- | 107 UNCH |
| 4640 | ---- | ---- | 172.80B/124.00A | 172.80B/124.00A | ---- | 138.50 - 29.00 | .6058 | ---- | ---- | ---- | ---- | 84 UNCH |
| 4645 | ---- | ---- | 176.30B/126.90A | 176.30B/126.90A | ---- | 141.60 - 29.30 | .6136 | ---- | ---- | 1 | ---- | 98 UNCH |
| 4650 | ---- | ---- | 179.70B/129.60A | 179.70B/129.60A | ---- | 144.80 - 29.50 | .6215 | ---- | ---- | 6 | ---- | 1831 + 6 |
| 4655 | 134.90 | 134.90 | 183.20B/132.80A | 183.20B/132.80A | ---- | 148.00 - 29.80 | .6291 | ---- | ---- | 1 | ---- | 108 UNCH |
| 4660 | ---- | ---- | 186.70B/135.80A | 186.70B/135.80A | ---- | 151.30 - 30.00 | .6367 | ---- | ---- | ---- | ---- | 110 UNCH |
| 4665 | ---- | ---- | 190.30B/138.90A | 190.30B/138.90A | ---- | 154.60 - 30.20 | .6443 | ---- | ---- | ---- | ---- | 30 UNCH |
| 4670 | ---- | ---- | 194.00B/141.90A | 194.00B/141.90A | ---- | 158.00 - 30.40 | .6519 | ---- | ---- | ---- | ---- | 259 UNCH |
| 4675 | ---- | ---- | 197.60B/145.00A | 197.60B/145.00A | ---- | 161.30 - 30.70 | .6593 | ---- | ---- | ---- | ---- | 403 UNCH |
| 4680 | ---- | ---- | 201.30B/148.10A | 201.30B/148.10A | ---- | 164.80 - 30.80 | .6665 | ---- | ---- | ---- | ---- | 120 UNCH |
| 4685 | ---- | ---- | 205.10B/151.50A | 205.10B/151.50A | ---- | 168.30 - 31.00 | .6737 | ---- | ---- | ---- | ---- | 65 UNCH |
| 4690 | ---- | ---- | 208.80B/154.60A | 208.80B/154.60A | ---- | 171.80 - 31.20 | .6809 | ---- | ---- | 1 | ---- | 216 - 1 |
| 4695 | ---- | ---- | 212.50B/157.90A | 212.50B/157.90A | ---- | 175.30 - 31.50 | .6880 | ---- | ---- | ---- | ---- | 81 UNCH |
| 4700 | ---- | ---- | 216.30B/161.40A | 216.30B/161.40A | ---- | 178.90 - 31.60 | .6950 | ---- | ---- | 2 | ---- | 1922 UNCH |
| 4705 | ---- | ---- | 220.20B/164.90A | 220.20B/164.90A | ---- | 182.50 - 31.80 | .7017 | ---- | ---- | ---- | ---- | 96 UNCH |
| 4710 | ---- | ---- | 224.00B/168.30A | 224.00B/168.30A | ---- | 186.20 - 32.00 | .7086 | ---- | ---- | ---- | ---- | 51 UNCH |
| 4715 | ---- | ---- | 227.90B/171.70A | 227.90B/171.70A | ---- | 189.90 - 32.20 | .7150 | ---- | ---- | ---- | ---- | 61 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OG PUT | | COMEX GOLD OPTIONS | | | | | | | | | | |
| JUN26 | | | | | | | | | | | | |
| 4720 | ---- | ---- | 231.80B/175.30A | 231.80B/175.30A | ---- | 193.60 - 32.40 | .7216 | ---- | ---- | 1 | ---- | 161 UNCH |
| 4725 | ---- | ---- | 235.80B/178.80A | 235.80B/178.80A | ---- | 197.40 - 32.50 | .7280 | ---- | ---- | 1 | ---- | 146 UNCH |
| 4730 | ---- | ---- | 239.80B/181.90A | 239.80B/181.90A | ---- | 201.20 - 32.60 | .7344 | ---- | ---- | ---- | ---- | 89 UNCH |
| 4735 | ---- | ---- | 243.80B/186.10A | 243.80B/186.10A | ---- | 205.10 - 32.70 | .7407 | ---- | ---- | ---- | ---- | 218 UNCH |
| 4740 | ---- | ---- | 248.20B/189.70A | 248.20B/189.70A | ---- | 208.90 - 32.90 | .7468 | ---- | ---- | 1 | ---- | 89 - 1 |
| 4745 | ---- | ---- | 251.90B/193.40A | 251.90B/193.40A | ---- | 212.80 - 33.10 | .7528 | ---- | ---- | ---- | ---- | 31 UNCH |
| 4750 | 215.50 | 215.50 | 256.00B/197.30A | 256.00B/197.30A | ---- | 216.80 - 33.20 | .7585 | ---- | ---- | 1 | ---- | 927 UNCH |
| 4755 | ---- | ---- | 260.20B/200.90A | 260.20B/200.90A | ---- | 220.70 - 33.30 | .7642 | ---- | ---- | 1 | ---- | 24 - 1 |
| 4760 | ---- | ---- | 264.20B/204.70A | 264.20B/204.70A | ---- | 224.70 - 33.50 | .7698 | ---- | ---- | ---- | ---- | 97 UNCH |
| 4765 | ---- | ---- | 268.80B/208.50A | 268.80B/208.50A | ---- | 228.80 - 33.50 | .7755 | ---- | ---- | ---- | ---- | 67 UNCH |
| 4770 | ---- | ---- | 273.00B/212.40A | 273.00B/212.40A | ---- | 232.80 - 33.70 | .7808 | ---- | ---- | ---- | ---- | 97 UNCH |
| 4775 | ---- | ---- | 277.30B/216.20A | 277.30B/216.20A | ---- | 236.90 - 33.80 | .7861 | ---- | ---- | ---- | ---- | 191 UNCH |
| 4780 | ---- | ---- | 281.20B/220.30A | 281.20B/220.30A | ---- | 241.00 - 33.90 | .7913 | ---- | ---- | ---- | ---- | 91 UNCH |
| 4785 | ---- | ---- | 285.80B/224.00A | 285.80B/224.00A | ---- | 245.10 - 34.00 | .7966 | ---- | ---- | 1 | ---- | 94 UNCH |
| 4790 | ---- | ---- | 289.50B/228.10A | 289.50B/228.10A | ---- | 249.30 - 34.10 | .8015 | ---- | ---- | ---- | ---- | 91 UNCH |
| 4795 | ---- | ---- | 293.90B/232.20A | 293.90B/232.20A | ---- | 253.50 - 34.10 | .8063 | ---- | ---- | 1 | ---- | 53 UNCH |
| 4800 | ---- | ---- | 298.60B/236.30A | 298.60B/236.30A | ---- | 257.70 - 34.20 | .8112 | ---- | ---- | 2 | ---- | 2832 UNCH |
| 4805 | ---- | ---- | 302.90B/240.10A | 302.90B/240.10A | ---- | 261.90 - 34.30 | .8160 | ---- | ---- | ---- | ---- | 82 UNCH |
| 4810 | ---- | ---- | 307.30B/244.30A | 307.30B/244.30A | ---- | 266.20 - 34.40 | .8204 | ---- | ---- | 1 | ---- | 46 UNCH |
| 4815 | ---- | ---- | 311.70B/248.70A | 311.70B/248.70A | ---- | 270.40 - 34.50 | .8252 | ---- | ---- | ---- | ---- | 120 UNCH |
| 4820 | ---- | ---- | 315.70B/252.60A | 315.70B/252.60A | ---- | 274.70 - 34.60 | .8296 | ---- | ---- | ---- | ---- | 36 UNCH |
| 4825 | ---- | ---- | 320.50B/256.70A | 320.50B/256.70A | ---- | 279.00 - 34.70 | .8336 | ---- | ---- | ---- | ---- | 204 UNCH |
| 4830 | ---- | ---- | 324.90B/260.90A | 324.90B/260.90A | ---- | 283.40 - 34.70 | .8380 | ---- | ---- | ---- | ---- | 123 UNCH |
| 4835 | ---- | ---- | 329.00B/265.10A | 329.00B/265.10A | ---- | 287.70 - 34.80 | .8419 | ---- | ---- | ---- | ---- | 32 UNCH |
| 4840 | ---- | ---- | 333.70B/269.20A | 333.70B/269.20A | ---- | 292.10 - 34.80 | .8462 | ---- | ---- | ---- | ---- | 36 UNCH |
| 4845 | ---- | ---- | 338.10B/273.70A | 338.10B/273.70A | ---- | 296.50 - 34.90 | .8501 | ---- | ---- | ---- | ---- | 15 UNCH |
| 4850 | ---- | ---- | 342.80B/277.90A | 342.80B/277.90A | ---- | 300.90 - 35.00 | .8540 | ---- | ---- | ---- | ---- | 583 UNCH |
| 4855 | ---- | ---- | 347.20B/282.50A | 347.20B/282.50A | ---- | 305.30 - 35.00 | .8575 | ---- | ---- | ---- | ---- | 305 UNCH |
| 4860 | ---- | ---- | 351.70B/286.40A | 351.70B/286.40A | ---- | 309.70 - 35.10 | .8613 | ---- | ---- | ---- | ---- | 91 UNCH |
| 4865 | ---- | ---- | 356.20B/291.10A | 356.20B/291.10A | ---- | 314.20 - 35.10 | .8647 | ---- | ---- | ---- | ---- | 50 UNCH |
| 4870 | ---- | ---- | 360.70B/295.40A | 360.70B/295.40A | ---- | 318.70 - 35.20 | .8681 | ---- | ---- | ---- | ---- | 44 UNCH |
| 4875 | ---- | ---- | 365.40B/299.50A | 365.40B/299.50A | ---- | 323.20 - 35.20 | .8715 | ---- | ---- | ---- | ---- | 71 UNCH |
| 4880 | ---- | ---- | 369.90B/303.90A | 369.90B/303.90A | ---- | 327.70 - 35.30 | .8748 | ---- | ---- | ---- | ---- | 8 UNCH |
| 4885 | ---- | ---- | 374.50B/308.40A | 374.50B/308.40A | ---- | 332.30 - 35.20 | .8777 | ---- | ---- | ---- | ---- | 7 UNCH |
| 4890 | ---- | ---- | 379.10B/312.80A | 379.10B/312.80A | ---- | 336.80 - 35.30 | .8811 | ---- | ---- | ---- | ---- | 48 UNCH |
| 4895 | ---- | ---- | 383.70B/317.50A | 383.70B/317.50A | ---- | 341.40 - 35.30 | .8839 | ---- | ---- | ---- | ---- | 228 UNCH |
| 4900 | 333.50 | 333.50 | 388.30B/321.40A | 388.30B/321.40A | ---- | 346.00 - 35.30 | .8867 | ---- | ---- | 2 | ---- | 1684 UNCH |
| 4905 | ---- | ---- | 393.10B/326.70A | 393.10B/326.70A | ---- | 350.50 - 35.50 | .8896 | ---- | ---- | ---- | ---- | 11 UNCH |
| 4910 | ---- | ---- | 397.60B/331.00A | 397.60B/331.00A | ---- | 355.20 - 35.40 | .8924 | ---- | ---- | ---- | ---- | 59 UNCH |
| 4915 | ---- | ---- | 402.30B/335.50A | 402.30B/335.50A | ---- | 359.80 - 35.40 | .8951 | ---- | ---- | ---- | ---- | 37 UNCH |
| 4920 | ---- | ---- | 406.90B/340.10A | 406.90B/340.10A | ---- | 364.40 - 35.50 | .8974 | ---- | ---- | ---- | ---- | 92 UNCH |
| 4925 | ---- | ---- | 411.60B/344.40A | 411.60B/344.40A | ---- | 369.00 - 35.50 | .9002 | ---- | ---- | ---- | ---- | 74 UNCH |
| 4930 | ---- | ---- | 416.30B/349.20A | 416.30B/349.20A | ---- | 373.70 - 35.50 | .9024 | ---- | ---- | 2 | ---- | 199 UNCH |
| 4940 | ---- | ---- | 425.70B/358.90A | 425.70B/358.90A | ---- | 383.00 - 35.50 | .9074 | ---- | ---- | ---- | ---- | 64 UNCH |
| 4945 | ---- | ---- | 430.40B/362.80A | 430.40B/362.80A | ---- | 387.70 - 35.50 | .9096 | ---- | ---- | ---- | ---- | 13 UNCH |
| 4950 | ---- | ---- | 435.10B/367.50A | 435.10B/367.50A | ---- | 392.40 - 35.50 | .9118 | ---- | ---- | ---- | ---- | 291 UNCH |
| 4955 | ---- | ---- | 439.90B/372.30A | 439.90B/372.30A | ---- | 397.10 - 35.60 | .9140 | ---- | ---- | ---- | ---- | 31 UNCH |
| 4960 | ---- | ---- | 444.60B/376.70A | 444.60B/376.70A | ---- | 401.80 - 35.60 | .9162 | ---- | ---- | ---- | ---- | 23 UNCH |
| 4965 | ---- | ---- | 449.30B/381.60A | 449.30B/381.60A | ---- | 406.50 - 35.60 | .9178 | ---- | ---- | ---- | ---- | 29 UNCH |
| 4970 | ---- | ---- | 454.00B/386.80A | 454.00B/386.80A | ---- | 411.30 - 35.50 | .9200 | ---- | ---- | ---- | ---- | 44 UNCH |
| 4975 | ---- | ---- | 458.80B/391.20A | 458.80B/391.20A | ---- | 416.00 - 35.60 | .9216 | ---- | ---- | ---- | ---- | 156 UNCH |
| 4980 | ---- | ---- | 463.70B/395.90A | 463.70B/395.90A | ---- | 420.80 - 35.50 | .9237 | ---- | ---- | ---- | ---- | 28 UNCH |
| 4985 | ---- | ---- | 468.40B/400.60A | 468.40B/400.60A | ---- | 425.50 - 35.60 | .9253 | ---- | ---- | ---- | ---- | 10 UNCH |
| 4990 | ---- | ---- | 473.20B/404.70A | 473.20B/404.70A | ---- | 430.30 - 35.60 | .9274 | ---- | ---- | ---- | ---- | 293 UNCH |
| 4995 | ---- | ---- | 477.90B/410.00A | 477.90B/410.00A | ---- | 435.10 - 35.50 | .9290 | ---- | ---- | ---- | ---- | 12 UNCH |
| 5000 | ---- | ---- | 482.70B/414.60A | 482.70B/414.60A | ---- | 439.80 - 35.60 | .9306 | ---- | ---- | 11 | ---- | 1848 + 10 |
| 5005 | ---- | ---- | 487.50B/419.00A | 487.50B/419.00A | ---- | 444.60 - 35.60 | .9321 | ---- | ---- | ---- | ---- | 302 UNCH |
| 5010 | ---- | ---- | 492.30B/424.20A | 492.30B/424.20A | ---- | 449.40 - 35.60 | .9336 | ---- | ---- | ---- | ---- | 13 UNCH |
| 5015 | ---- | ---- | 497.10B/429.30A | 497.10B/429.30A | ---- | 454.20 - 35.60 | .9352 | ---- | ---- | ---- | ---- | 49 UNCH |
| 5020 | ---- | ---- | 502.00B/433.80A | 502.00B/433.80A | ---- | 459.00 - 35.60 | .9367 | ---- | ---- | ---- | ---- | 31 UNCH |
| 5025 | ---- | ---- | 506.80B/438.50A | 506.80B/438.50A | ---- | 463.80 - 35.60 | .9382 | ---- | ---- | ---- | ---- | 53 UNCH |
| 5030 | ---- | ---- | 511.60B/443.30A | 511.60B/443.30A | ---- | 468.70 - 35.50 | .9397 | ---- | ---- | ---- | ---- | 66 UNCH |
| 5035 | ---- | ---- | 516.40B/448.40A | 516.40B/448.40A | ---- | 473.50 - 35.50 | .9406 | ---- | ---- | ---- | ---- | 13 UNCH |
| 5040 | ---- | ---- | 521.30B/453.10A | 521.30B/453.10A | ---- | 478.30 - 35.60 | .9421 | ---- | ---- | ---- | ---- | 18 UNCH |
| 5045 | ---- | ---- | 526.20B/457.70A | 526.20B/457.70A | ---- | 483.10 - 35.60 | .9431 | ---- | ---- | ---- | ---- | 5 UNCH |
| 5050 | ---- | ---- | 531.00B/462.40A | 531.00B/462.40A | ---- | 488.00 - 35.50 | .9445 | ---- | ---- | ---- | ---- | 803 UNCH |
| 5055 | ---- | ---- | 535.90B/467.60A | 535.90B/467.60A | ---- | 492.80 - 35.60 | .9454 | ---- | ---- | ---- | ---- | 63 UNCH |
| 5060 | ---- | ---- | 540.70B/471.80A | 540.70B/471.80A | ---- | 497.70 - 35.50 | .9469 | ---- | ---- | ---- | ---- | 64 UNCH |
| 5065 | ---- | ---- | 545.50B/477.20A | 545.50B/477.20A | ---- | 502.50 - 35.60 | .9478 | ---- | ---- | ---- | ---- | 17 UNCH |
| 5070 | ---- | ---- | 550.50B/481.80A | 550.50B/481.80A | ---- | 507.40 - 35.50 | .9492 | ---- | ---- | ---- | ---- | 52 UNCH |
| 5075 | ---- | ---- | 555.20B/486.50A | 555.20B/486.50A | ---- | 512.30 - 35.50 | .9501 | ---- | ---- | ---- | ---- | 29 UNCH |
| 5080 | ---- | ---- | 560.10B/491.00A | 560.10B/491.00A | ---- | 517.10 - 35.50 | .9510 | ---- | ---- | ---- | ---- | 31 UNCH |
| 5085 | ---- | ---- | 565.00B/496.40A | 565.00B/496.40A | ---- | 522.00 - 35.50 | .9524 | ---- | ---- | ---- | ---- | 123 UNCH |
| 5090 | ---- | ---- | 569.90B/500.70A | 569.90B/500.70A | ---- | 526.90 - 35.50 | .9532 | ---- | ---- | ---- | ---- | 111 UNCH |
| 5095 | ---- | ---- | 574.80B/505.70A | 574.80B/505.70A | ---- | 531.80 - 35.40 | .9541 | ---- | ---- | ---- | ---- | 108 UNCH |
| 5100 | ---- | ---- | 579.70B/510.80A | 579.70B/510.80A | ---- | 536.60 - 35.50 | .9549 | ---- | ---- | ---- | ---- | 459 UNCH |
| 5105 | ---- | ---- | 584.50B/516.00A | 584.50B/516.00A | ---- | 541.50 - 35.50 | .9557 | ---- | ---- | ---- | ---- | 38 UNCH |
| 5110 | ---- | ---- | 589.40B/520.30A | 589.40B/520.30A | ---- | 546.40 - 35.50 | .9566 | ---- | ---- | ---- | ---- | 74 UNCH |
| 5115 | ---- | ---- | 594.30B/525.50A | 594.30B/525.50A | ---- | 551.30 - 35.50 | .9574 | ---- | ---- | ---- | ---- | 14 UNCH |
| 5120 | ---- | ---- | 599.20B/529.90A | 599.20B/529.90A | ---- | 556.20 - 35.40 | .9582 | ---- | ---- | ---- | ---- | 25 UNCH |
| 5125 | ---- | ---- | 604.10B/535.40A | 604.10B/535.40A | ---- | 561.10 - 35.40 | .9590 | ---- | ---- | ---- | ---- | 192 UNCH |
| 5130 | ---- | ---- | 609.00B/540.40A | 609.00B/540.40A | ---- | 566.00 - 35.40 | .9598 | ---- | ---- | ---- | ---- | 26 UNCH |
| 5135 | ---- | ---- | 614.00B/544.90A | 614.00B/544.90A | ---- | 570.90 - 35.40 | .9606 | ---- | ---- | ---- | ---- | 37 UNCH |
| 5140 | ---- | ---- | 618.80B/554.00A | 618.80B/554.00A | ---- | 575.80 - 35.40 | .9614 | ---- | ---- | ---- | ---- | 14 UNCH |
| 5145 | ---- | ---- | ----/559.60A | 581.20B/559.60A | ---- | 580.70 - 35.40 | .9622 | ---- | ---- | ---- | ---- | 39 UNCH |
| 5150 | ---- | ---- | ----/563.00A | 586.70B/563.00A | ---- | 585.60 - 35.40 | .9630 | ---- | ---- | ---- | ---- | 389 UNCH |
| 5155 | ---- | ---- | ----/569.40A | 591.10B/569.40A | ---- | 590.50 - 35.40 | .9632 | ---- | ---- | ---- | ---- | 38 UNCH |
| 5160 | ---- | ---- | ----/574.30A | 596.00B/574.30A | ---- | 595.50 - 35.30 | .9639 | ---- | ---- | ---- | ---- | 70 UNCH |
| 5165 | ---- | ---- | ----/579.20A | 600.90B/579.20A | ---- | 600.40 - 35.30 | .9647 | ---- | ---- | ---- | ---- | 47 UNCH |
| 5170 | ---- | ---- | ----/582.20A | 608.10B/582.20A | ---- | 605.30 - 35.30 | .9655 | ---- | ---- | ---- | ---- | 505 UNCH |
| 5175 | ---- | ---- | ----/589.00A | 610.80B/589.00A | ---- | 610.20 - 35.40 | .9662 | ---- | ---- | ---- | ---- | 15 UNCH |
| 5180 | ---- | ---- | ----/593.90A | 615.70B/593.90A | ---- | 615.10 - 35.40 | .9664 | ---- | ---- | ---- | ---- | 19 UNCH |
| 5185 | ---- | ---- | ----/598.80A | 620.60B/598.80A | ---- | 620.10 - 35.30 | .9672 | ---- | ---- | ---- | ---- | 22 UNCH |
| 5190 | ---- | ---- | ----/603.80A | 625.60B/603.80A | ---- | 625.00 - 35.30 | .9679 | ---- | ---- | 2 | ---- | 7 + 2 |
| 5195 | ---- | ---- | ----/608.70A | 630.50B/608.70A | ---- | 629.90 - 35.30 | .9681 | ---- | ---- | ---- | ---- | 8 UNCH |
| 5200 | ---- | ---- | ----/611.70A | 637.70B/611.70A | ---- | 634.90 - 35.30 | .9688 | ---- | ---- | 2 | ---- | 578 - 2 |
| 5205 | ---- | ---- | ----/618.50A | 640.40B/618.50A | ---- | 639.80 - 35.30 | .9695 | ---- | ---- | ---- | ---- | 36 UNCH |
| 5210 | ---- | ---- | ----/623.40A | 645.30B/623.40A | ---- | 644.70 - 35.30 | .9697 | ---- | ---- | ---- | ---- | 68 UNCH |
| 5215 | ---- | ---- | ----/628.40A | 650.30B/628.40A | ---- | 649.70 - 35.20 | .9704 | ---- | ---- | ---- | ---- | 42 UNCH |
| 5220 | ---- | ---- | ----/633.30A | 655.20B/633.30A | ---- | 654.60 - 35.30 | .9712 | ---- | ---- | ---- | ---- | 188 UNCH |
| 5225 | ---- | ---- | ----/638.20A | 660.20B/638.20A | ---- | 659.50 - 35.30 | .9713 | ---- | ---- | ---- | ---- | 200 UNCH |
| 5230 | ---- | ---- | ----/643.20A | 665.10B/643.20A | ---- | 664.50 - 35.20 | .9720 | ---- | ---- | ---- | ---- | 7 UNCH |
| 5235 | ---- | ---- | ----/648.10A | 670.10B/648.10A | ---- | 669.40 - 35.30 | .9722 | ---- | ---- | ---- | ---- | 160 UNCH |
| 5245 | ---- | ---- | ----/658.00A | 680.00B/658.00A | ---- | 679.30 - 35.20 | .9730 | ---- | ---- | ---- | ---- | 9 UNCH |
| 5250 | ---- | ---- | ----/661.40A | 685.50B/661.40A | ---- | 684.20 - 35.30 | .9737 | ---- | ---- | ---- | ---- | 375 UNCH |
| 5255 | ---- | ---- | ----/667.90A | 689.90B/667.90A | ---- | 689.20 - 35.20 | .9738 | ---- | ---- | ---- | ---- | 9 UNCH |
| 5260 | ---- | ---- | ----/672.80A | 694.80B/672.80A | ---- | 694.10 - 35.30 | .9745 | ---- | ---- | ---- | ---- | 11 UNCH |
| 5265 | ---- | ---- | ----/677.80A | 699.80B/677.80A | ---- | 699.10 - 35.20 | .9747 | ---- | ---- | ---- | ---- | 5 UNCH |
| 5270 | ---- | ---- | ----/682.70A | 704.70B/682.70A | ---- | 704.00 - 35.30 | .9754 | ---- | ---- | ---- | ---- | 24 UNCH |
| 5275 | ---- | ---- | ----/687.70A | 709.70B/687.70A | ---- | 709.00 - 35.20 | .9755 | ---- | ---- | ---- | ---- | 170 UNCH |
| 5280 | ---- | ---- | ----/692.60A | 714.70B/692.60A | ---- | 713.90 - 35.30 | .9762 | ---- | ---- | ---- | ---- | 67 UNCH |
| 5285 | ---- | ---- | ----/697.60A | 719.60B/697.60A | ---- | 718.90 - 35.20 | .9763 | ---- | ---- | ---- | ---- | 27 UNCH |
| 5290 | ---- | ---- | ---- | ---- | ---- | 723.80 - 35.30 | .9770 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5300 | 716.00 | 716.00 | 740.00/710.50A | 740.00/710.50A | ---- | 733.80 - 35.20 | .9772 | ---- | ---- | 42 | ---- | 566 + 3 |
| 5305 | ---- | ---- | ----/717.40A | 739.50B/717.40A | ---- | 738.70 - 35.20 | .9779 | ---- | ---- | ---- | ---- | 103 UNCH |
| 5320 | ---- | ---- | ----/732.20A | 754.40B/732.20A | ---- | 753.60 - 35.20 | .9787 | ---- | ---- | ---- | ---- | 108 UNCH |
| 5325 | ---- | ---- | ---- | ---- | ---- | 758.60 - 35.10 | .9788 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5335 | ---- | ---- | ----/747.10A | 769.30B/747.10A | ---- | 768.50 - 35.20 | .9796 | ---- | ---- | ---- | ---- | 5 UNCH |
| 5340 | ---- | ---- | ----/752.10A | 774.20B/752.10A | ---- | 773.50 - 35.10 | .9797 | ---- | ---- | ---- | ---- | 52 UNCH |
| 5345 | ---- | ---- | ---- | ---- | ---- | 778.40 - 35.20 | .9798 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5350 | ---- | ---- | ----/762.00A | 784.20B/762.00A | ---- | 783.40 - 35.10 | .9799 | ---- | ---- | ---- | ---- | 109 UNCH |
| 5365 | ---- | ---- | ----/776.90A | 799.10B/776.90A | ---- | 798.30 - 35.10 | .9807 | ---- | ---- | ---- | ---- | 4 UNCH |
| 5370 | ---- | ---- | ----/781.80A | 804.00B/781.80A | ---- | 803.30 - 35.10 | .9808 | ---- | ---- | ---- | ---- | 37 UNCH |
| 5375 | ---- | ---- | ---- | ---- | ---- | 808.30 - 35.10 | .9814 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5380 | ---- | ---- | ---- | ---- | ---- | 813.30 - 35.00 | .9815 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5385 | ---- | ---- | ----/796.80A | 819.00B/796.80A | ---- | 818.20 - 35.10 | .9816 | ---- | ---- | ---- | ---- | 10 UNCH |
| 5390 | ---- | ---- | ---- | ---- | ---- | 823.20 - 35.10 | .9816 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5395 | ---- | ---- | ----/806.70A | 828.90B/806.70A | ---- | 828.20 - 35.00 | .9817 | ---- | ---- | ---- | ---- | 156 UNCH |
| 5400 | ---- | ---- | ----/809.80A | 834.50B/809.80A | ---- | 833.20 - 35.00 | .9823 | ---- | ---- | ---- | ---- | 446 UNCH |
| 5420 | ---- | ---- | ----/831.50A | 853.80B/831.50A | ---- | 853.10 - 35.00 | .9832 | ---- | ---- | ---- | ---- | 10 UNCH |
| 5425 | ---- | ---- | ---- | ---- | ---- | 858.00 - 35.10 | .9833 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5430 | ---- | ---- | ----/841.50A | 863.70B/841.50A | ---- | 863.00 - 35.10 | .9833 | ---- | ---- | ---- | ---- | 30 UNCH |
| 5435 | ---- | ---- | ----/846.50A | 868.70B/846.50A | ---- | 868.00 - 35.00 | .9834 | ---- | ---- | ---- | ---- | 10 UNCH |
| 5440 | ---- | ---- | ----/851.40A | 873.70B/851.40A | ---- | 873.00 - 35.00 | .9840 | ---- | ---- | ---- | ---- | 20 UNCH |
| 5470 | ---- | ---- | ---- | ---- | ---- | 902.80 - 35.10 | .9849 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5490 | ---- | ---- | ----/901.20A | 923.40B/901.20A | ---- | 922.70 - 35.10 | .9857 | ---- | ---- | ---- | ---- | 166 UNCH |
| 5500 | ---- | ---- | ----/911.20A | 933.40B/911.20A | ---- | 932.60 - 35.10 | .9864 | ---- | ---- | ---- | ---- | 52 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OG PUT | | COMEX GOLD OPTIONS | | | | | | | | | | |
| JUN26 | | | | | | | | | | | | |
| 5525 | ---- | ---- | ---- | ---- | ---- | 957.50 - 35.10 | .9872 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5575 | ---- | ---- | ---- | ---- | ---- | 1007.30 - 35.20 | .9887 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5590 | ---- | ---- | ----/1,000.80A | 1023.10B/1000.80A | ---- | 1022.30 - 35.10 | .9888 | ---- | ---- | ---- | ---- | 77 UNCH |
| 5595 | ---- | ---- | ---- | ---- | ---- | 1027.30 - 35.10 | .9889 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5600 | ---- | ---- | ----/1,010.80A | 1033.00B/1010.80A | ---- | 1032.20 - 35.20 | .9895 | ---- | ---- | ---- | ---- | 9 UNCH |
| 5640 | ---- | ---- | ----/1,050.70A | 1072.90B/1050.70A | ---- | 1072.10 - 35.20 | .9903 | ---- | ---- | ---- | ---- | 9 UNCH |
| 5800 | ---- | ---- | ----/1,210.40A | 1232.50B/1210.40A | ---- | 1231.80 - 35.20 | .9928 | ---- | ---- | ---- | ---- | 6 UNCH |
| TOTAL | | | | | | | | | | 7599 | 100 | 116517+ 4374 |
| JUL26 | | | | | | | | | | | | |
| 2275 | ---- | ---- | ---- | 0.30B/0.60A | ---- | 0.50 - 0.10 | .0013 | ---- | ---- | ---- | ---- | 23 UNCH |
| 2300 | ---- | ---- | ---- | 0.40B/0.60A | ---- | 0.50 - 0.10 | .0013 | ---- | ---- | ---- | ---- | 97 UNCH |
| 2400 | ---- | ---- | ----/*0.70A | 0.50B/0.70A | ---- | 0.70 - 0.10 | .0018 | ---- | ---- | ---- | ---- | 2 UNCH |
| 2500 | ---- | ---- | ----/0.80A | 0.70B/0.80A | ---- | 0.90 - 0.10 | .0024 | ---- | ---- | ---- | ---- | 194 UNCH |
| 2575 | ---- | ---- | ----/1.00A | 0.80B/1.00A | ---- | 1.00 - 0.10 | .0028 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2600 | ---- | ---- | ----/1.00A | 0.90B/1.00A | ---- | 1.10 - 0.10 | .0031 | ---- | ---- | ---- | ---- | 12 UNCH |
| 2620 | ---- | ---- | ----/*1.10A | 1.00B/1.10A | ---- | 1.10 - 0.10 | .0031 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2650 | ---- | ---- | ----/*1.10A | 1.00B/1.10A | ---- | 1.20 - 0.10 | .0034 | ---- | ---- | ---- | ---- | 51 UNCH |
| 2670 | ---- | ---- | ----/*1.20A | 1.10B/1.20A | ---- | 1.20 - 0.10 | .0034 | ---- | ---- | ---- | ---- | 10 UNCH |
| 2675 | ---- | ---- | ----/*1.20A | 1.10B/1.20A | ---- | 1.20 - 0.10 | .0035 | ---- | ---- | ---- | ---- | 10 UNCH |
| 2680 | ---- | ---- | ----/*1.20A | 1.10B/1.20A | ---- | 1.20 - 0.20 | .0035 | ---- | ---- | ---- | ---- | 10 UNCH |
| 2700 | ---- | ---- | ----/1.20A | 1.10B/1.20A | ---- | 1.30 - 0.10 | .0037 | ---- | ---- | ---- | ---- | 7 UNCH |
| 2705 | ---- | ---- | ----/*1.20A | 1.20B/1.20A | ---- | 1.30 - 0.10 | .0038 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2710 | ---- | ---- | ----/*1.30A | 1.20B/1.30A | ---- | 1.30 - 0.10 | .0038 | ---- | ---- | ---- | ---- | 7 UNCH |
| 2730 | ---- | ---- | ----/*1.30A | 1.20B/1.30A | ---- | 1.30 - 0.20 | .0038 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2750 | ---- | ---- | ----/1.40A | 1.30B/1.40A | ---- | 1.40 - 0.10 | .0041 | ---- | ---- | ---- | ---- | 20 UNCH |
| 2785 | ---- | ---- | ----/1.40A | 1.40B/1.40A | ---- | 1.50 - 0.10 | .0045 | ---- | ---- | ---- | ---- | 2 UNCH |
| 2800 | ---- | ---- | ----/1.50A | 1.40B/1.50A | ---- | 1.50 - 0.20 | .0045 | ---- | ---- | ---- | ---- | 9 UNCH |
| 2850 | ---- | ---- | ----/1.60A | 1.60B/1.60A | ---- | 1.60 - 0.20 | .0049 | ---- | ---- | ---- | ---- | 3 UNCH |
| 2860 | ---- | ---- | ----/1.70A | 1.60B/1.70A | ---- | 1.70 - 0.20 | .0052 | ---- | ---- | ---- | ---- | 6 UNCH |
| 2890 | ---- | ---- | ----/1.70A | 1.70B/1.70A | ---- | 1.70 - 0.30 | .0053 | ---- | ---- | ---- | ---- | 60 UNCH |
| 2895 | ---- | ---- | ----/*1.80A | 1.70B/1.80A | ---- | 1.80 - 0.20 | .0056 | ---- | ---- | ---- | ---- | 18 UNCH |
| 2900 | ---- | ---- | ----/1.80A | 1.80B/1.80A | ---- | 1.80 - 0.20 | .0056 | ---- | ---- | ---- | ---- | 18 UNCH |
| 2905 | ---- | ---- | ----/1.80A | 1.80B/1.80A | ---- | 1.80 - 0.20 | .0056 | ---- | ---- | ---- | ---- | 19 UNCH |
| 2920 | ---- | ---- | ----/1.80A | 1.80B/1.80A | ---- | 1.80 - 0.30 | .0056 | ---- | ---- | ---- | ---- | 3 UNCH |
| 2950 | ---- | ---- | ----/1.90A | 1.90B/1.90A | ---- | 1.90 - 0.30 | .0060 | ---- | ---- | ---- | ---- | 52 UNCH |
| 2985 | ---- | ---- | ----/2.10A | 2.10B/2.10A | ---- | 2.00 - 0.30 | .0064 | ---- | ---- | ---- | ---- | 21 UNCH |
| 2995 | ---- | ---- | ----/2.10A | 2.10B/2.10A | ---- | 2.00 - 0.40 | .0065 | ---- | ---- | ---- | ---- | 16 UNCH |
| 3000 | 1.90 | 1.90 | 1.90/1.90 | 2.20B/1.90 | ---- | 2.10 - 0.30 | .0068 | ---- | ---- | 1 | ---- | 66 UNCH |
| 3010 | ---- | ---- | ----/2.20A | 2.20B/2.20A | ---- | 2.10 - 0.30 | .0068 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3015 | ---- | ---- | ----/2.20A | 2.20B/2.20A | ---- | 2.10 - 0.40 | .0068 | ---- | ---- | ---- | ---- | 5 UNCH |
| 3025 | ---- | ---- | ----/2.20A | 2.20B/2.20A | ---- | 2.10 - 0.40 | .0069 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3035 | ---- | ---- | ----/2.30A | 2.30B/2.30A | ---- | 2.20 - 0.40 | .0072 | ---- | ---- | ---- | ---- | 5 UNCH |
| 3050 | ---- | ---- | ----/2.30A | 2.40B/2.30A | ---- | 2.20 - 0.40 | .0073 | ---- | ---- | ---- | ---- | 2 UNCH |
| 3100 | ---- | ---- | ----/2.50A | 2.60B/2.50A | ---- | 2.40 - 0.50 | .0081 | ---- | ---- | ---- | ---- | 44 UNCH |
| 3105 | ---- | ---- | ----/2.50A | 2.60B/2.50A | ---- | 2.40 - 0.50 | .0081 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3125 | ---- | ---- | ----/2.60A | 2.70B/2.60A | ---- | 2.50 - 0.50 | .0085 | ---- | ---- | ---- | ---- | 42 UNCH |
| 3140 | ---- | ---- | ----/2.70A | 2.80B/2.70A | ---- | 2.60 - 0.50 | .0088 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3150 | ---- | ---- | ----/2.70A | 2.80B/2.70A | ---- | 2.60 - 0.50 | .0089 | ---- | ---- | ---- | ---- | 12 UNCH |
| 3155 | ---- | ---- | ----/*2.70A | 2.90B/2.70A | ---- | 2.60 - 0.60 | .0089 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3170 | ---- | ---- | ----/2.80A | 2.90B/2.80A | ---- | 2.70 - 0.50 | .0093 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3185 | ---- | ---- | ----/2.90A | 3.00B/2.90A | ---- | 2.80 - 0.50 | .0097 | ---- | ---- | ---- | ---- | 20 UNCH |
| 3200 | 2.90 | 2.90 | 2.90/2.90 | 3.10B/2.90 | ---- | 2.80 - 0.60 | .0098 | ---- | ---- | 25 | ---- | 261 + 20 |
| 3210 | ---- | ---- | ----/3.00A | 3.20B/3.00A | ---- | 2.90 - 0.60 | .0101 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3220 | ---- | ---- | ----/3.10A | 3.20B/3.10A | ---- | 2.90 - 0.60 | .0102 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3225 | ---- | ---- | ----/3.10A | 3.20B/3.10A | ---- | 3.00 - 0.60 | .0105 | ---- | ---- | ---- | ---- | 70 UNCH |
| 3250 | ---- | ---- | ----/3.20A | 3.40B/3.20A | ---- | 3.10 - 0.60 | .0110 | ---- | ---- | ---- | ---- | 62 UNCH |
| 3275 | ---- | ---- | ----/3.30A | 3.60B/3.30A | ---- | 3.20 - 0.70 | .0115 | ---- | ---- | ---- | ---- | 10 UNCH |
| 3280 | ---- | ---- | ----/3.40A | 3.60B/3.40A | ---- | 3.30 - 0.60 | .0118 | ---- | ---- | ---- | ---- | 24 UNCH |
| 3285 | ---- | ---- | ----/3.40A | 3.70B/3.40A | ---- | 3.30 - 0.60 | .0119 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3290 | ---- | ---- | ----/3.40A | 3.70B/3.40A | ---- | 3.30 - 0.70 | .0119 | ---- | ---- | ---- | ---- | 13 UNCH |
| 3300 | 3.50 | 3.50 | 3.50/3.50 | 3.80B/3.50 | ---- | 3.40 - 0.60 | .0123 | ---- | ---- | 12 | ---- | 82 + 11 |
| 3320 | ---- | ---- | ----/3.60A | 3.90B/3.60A | ---- | 3.50 - 0.70 | .0128 | ---- | ---- | ---- | ---- | 27 UNCH |
| 3325 | ---- | ---- | ----/3.60A | 4.00B/3.60A | ---- | 3.50 - 0.70 | .0128 | ---- | ---- | ---- | ---- | 147 UNCH |
| 3335 | ---- | ---- | ----/3.70A | 4.00B/3.70A | ---- | 3.60 - 0.70 | .0132 | ---- | ---- | ---- | ---- | 87 UNCH |
| 3340 | ---- | ---- | ----/3.70A | 4.10B/3.70A | ---- | 3.60 - 0.70 | .0132 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3350 | ---- | ---- | ----/3.80A | 4.20B/3.80A | ---- | 3.70 - 0.70 | .0136 | ---- | ---- | ---- | ---- | 25 UNCH |
| 3355 | ---- | ---- | ----/3.80A | 4.20B/3.80A | ---- | 3.70 - 0.70 | .0137 | ---- | ---- | ---- | ---- | 69 UNCH |
| 3360 | ---- | ---- | ----/3.80A | 4.20B/3.80A | ---- | 3.80 - 0.70 | .0140 | ---- | ---- | ---- | ---- | 5 UNCH |
| 3370 | ---- | ---- | ----/3.90A | 4.30B/3.90A | ---- | 3.80 - 0.80 | .0141 | ---- | ---- | ---- | ---- | 9 UNCH |
| 3380 | ---- | ---- | ----/4.00A | 4.40B/4.00A | ---- | 3.90 - 0.80 | .0145 | ---- | ---- | ---- | ---- | 2 UNCH |
| 3385 | ---- | ---- | ----/4.00A | 4.40B/4.00A | ---- | 3.90 - 0.80 | .0146 | ---- | ---- | ---- | ---- | 4 UNCH |
| 3390 | ---- | ---- | ----/4.00A | 4.50B/4.00A | ---- | 4.00 - 0.70 | .0149 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3395 | 4.00 | 4.00 | 4.00/4.00 | 4.50B/4.00 | ---- | 4.00 - 0.80 | .0150 | ---- | ---- | 1 | ---- | 32 + 1 |
| 3400 | 4.10 | 4.10 | 4.10/4.10 | 4.60B/4.10 | ---- | 4.10 - 0.70 | .0153 | ---- | ---- | 1 | ---- | 55 UNCH |
| 3405 | 4.10 | 4.10 | 4.10/4.10 | 4.60B/4.10 | ---- | 4.10 NEW | .0154 | ---- | ---- | 1 | ---- | 1 + 1 |
| 3410 | ---- | ---- | ----/4.20A | 4.70B/4.20A | ---- | 4.10 - 0.80 | .0155 | ---- | ---- | ---- | ---- | 5 UNCH |
| 3415 | 4.20 | 4.20 | 4.20/4.20 | 4.70B/4.20 | ---- | 4.20 NEW | .0158 | ---- | ---- | 1 | ---- | 1 + 1 |
| 3425 | ---- | ---- | ----/4.30A | 4.80B/4.30A | ---- | 4.30 - 0.80 | .0162 | ---- | ---- | 8 | ---- | 57 + 1 |
| 3435 | ---- | ---- | ----/4.30A | 4.90B/4.30A | ---- | 4.30 - 0.80 | .0164 | ---- | ---- | ---- | ---- | 5 UNCH |
| 3445 | 4.40 | 4.40 | 4.40/4.40 | 5.00B/4.40 | ---- | 4.40 - 0.80 | .0168 | ---- | ---- | 1 | ---- | 2 + 1 |
| 3450 | ---- | ---- | ----/4.50A | 5.10B/4.50A | ---- | 4.50 - 0.80 | .0172 | ---- | ---- | ---- | ---- | 133 UNCH |
| 3455 | ---- | ---- | ----/4.50A | 5.10B/4.50A | ---- | 4.50 - 0.80 | .0172 | ---- | ---- | ---- | ---- | 10 UNCH |
| 3460 | ---- | ---- | ----/4.50A | 5.20B/4.50A | ---- | 4.60 - 0.80 | .0176 | ---- | ---- | ---- | ---- | 10 UNCH |
| 3465 | ---- | ---- | ----/4.60A | 5.20B/4.60A | ---- | 4.60 - 0.90 | .0177 | ---- | ---- | ---- | ---- | 142 UNCH |
| 3475 | ---- | ---- | ----/4.70A | 5.30B/4.70A | ---- | 4.70 - 0.90 | .0181 | ---- | ---- | ---- | ---- | 140 UNCH |
| 3480 | ---- | ---- | ----/4.70A | 5.40B/4.70A | ---- | 4.70 - 0.90 | .0182 | ---- | ---- | ---- | ---- | 36 UNCH |
| 3495 | ---- | ---- | ----/4.80A | 5.50B/4.80A | ---- | 4.90 - 0.90 | .0190 | ---- | ---- | ---- | ---- | 5 UNCH |
| 3500 | 4.60 | 4.60 | 4.60/4.60 | 5.60B/4.60 | ---- | 4.90 - 0.90 | .0191 | ---- | ---- | 1 | ---- | 652 - 1 |
| 3505 | ---- | ---- | ----/4.90A | 5.70B/4.90A | ---- | 5.00 - 0.90 | .0194 | ---- | ---- | ---- | ---- | 9 UNCH |
| 3510 | ---- | ---- | ----/5.00A | 5.70B/5.00A | ---- | 5.00 - 1.00 | .0195 | ---- | ---- | ---- | ---- | 5 UNCH |
| 3515 | ---- | ---- | ----/5.00A | 5.80B/5.00A | ---- | 5.10 - 0.90 | .0199 | ---- | ---- | ---- | ---- | 8 UNCH |
| 3520 | ---- | ---- | ----/5.10A | 5.90B/5.10A | ---- | 5.20 - 0.90 | .0203 | ---- | ---- | ---- | ---- | 5 UNCH |
| 3525 | ---- | ---- | ----/5.10A | 5.90B/5.10A | ---- | 5.20 - 0.90 | .0204 | ---- | ---- | ---- | ---- | 3 UNCH |
| 3530 | ---- | ---- | ----/5.20A | 6.00B/5.20A | ---- | 5.30 - 0.90 | .0207 | ---- | ---- | ---- | ---- | 168 UNCH |
| 3535 | ---- | ---- | ----/5.20A | 6.10B/5.20A | ---- | 5.30 - 1.00 | .0208 | ---- | ---- | ---- | ---- | 31 UNCH |
| 3545 | ---- | ---- | ----/5.30A | 6.20B/5.30A | ---- | 5.40 - 1.00 | .0213 | ---- | ---- | ---- | ---- | 256 UNCH |
| 3550 | ---- | ---- | ----/5.40A | 6.30B/5.40A | ---- | 5.50 - 1.00 | .0217 | ---- | ---- | ---- | ---- | 167 UNCH |
| 3555 | ---- | ---- | ----/5.40A | 6.40B/5.40A | ---- | 5.60 - 0.90 | .0221 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3565 | ---- | ---- | ----/5.50A | 6.50B/5.50A | ---- | 5.70 - 1.00 | .0226 | ---- | ---- | ---- | ---- | 2 UNCH |
| 3575 | ---- | ---- | ----/5.70A | 6.70B/5.70A | ---- | 5.80 - 1.00 | .0231 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3580 | ---- | ---- | ----/5.70A | 6.70B/5.70A | ---- | 5.90 - 1.00 | .0235 | ---- | ---- | ---- | ---- | 5 UNCH |
| 3585 | ---- | ---- | ----/5.80A | 6.80B/5.80A | ---- | 5.90 - 1.10 | .0236 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3590 | ---- | ---- | ----/5.90A | 6.90B/5.90A | ---- | 6.00 - 1.10 | .0240 | ---- | ---- | ---- | ---- | 16 UNCH |
| 3600 | ---- | ---- | ----/6.00A | 7.10B/6.00A | ---- | 6.10 - 1.10 | .0245 | ---- | ---- | ---- | ---- | 150 UNCH |
| 3605 | ---- | ---- | ----/6.00A | 7.10B/6.00A | ---- | 6.20 - 1.10 | .0249 | ---- | ---- | ---- | ---- | 6 UNCH |
| 3610 | ---- | ---- | ----/6.10A | 7.20B/6.10A | ---- | 6.30 - 1.10 | .0253 | ---- | ---- | 1 | ---- | 1 UNCH |
| 3615 | ---- | ---- | ----/6.20A | 7.30B/6.20A | ---- | 6.40 - 1.10 | .0257 | ---- | ---- | ---- | ---- | 2 UNCH |
| 3620 | ---- | ---- | ----/6.30A | 7.40B/6.30A | ---- | 6.40 - 1.20 | .0258 | ---- | ---- | ---- | ---- | 12 UNCH |
| 3625 | ---- | ---- | ----/6.30A | 7.50B/6.30A | ---- | 6.50 - 1.10 | .0262 | ---- | ---- | ---- | ---- | 11 UNCH |
| 3630 | ---- | ---- | ----/6.40A | 7.60B/6.40A | ---- | 6.60 - 1.10 | .0267 | ---- | ---- | ---- | ---- | 10 UNCH |
| 3635 | ---- | ---- | ----/6.50A | 7.70B/6.50A | ---- | 6.70 - 1.10 | .0271 | ---- | ---- | ---- | ---- | 3 UNCH |
| 3640 | ---- | ---- | ----/6.50A | 7.80B/6.50A | ---- | 6.70 - 1.20 | .0272 | ---- | ---- | ---- | ---- | 6 UNCH |
| 3645 | ---- | ---- | ----/6.60A | 7.80B/6.60A | ---- | 6.80 - 1.20 | .0276 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3650 | ---- | ---- | ----/6.70A | 8.00B/6.70A | ---- | 6.90 - 1.20 | .0280 | ---- | ---- | ---- | ---- | 99 UNCH |
| 3655 | ---- | ---- | ----/6.80A | 8.00B/6.80A | ---- | 7.00 - 1.20 | .0285 | ---- | ---- | ---- | ---- | 6 UNCH |
| 3660 | ---- | ---- | ----/6.80A | 8.10B/6.80A | ---- | 7.10 - 1.20 | .0289 | ---- | ---- | ---- | ---- | 22 UNCH |
| 3665 | ---- | ---- | ----/6.90A | 8.30B/6.90A | ---- | 7.20 - 1.20 | .0293 | ---- | ---- | ---- | ---- | 2 UNCH |
| 3670 | ---- | ---- | ----/7.00A | 8.40B/7.00A | ---- | 7.20 - 1.30 | .0295 | ---- | ---- | ---- | ---- | 111 UNCH |
| 3675 | ---- | ---- | ----/7.10A | 8.50B/7.10A | ---- | 7.30 - 1.30 | .0299 | ---- | ---- | ---- | ---- | 4 UNCH |
| 3680 | ---- | ---- | ----/7.20A | 8.60B/7.20A | ---- | 7.40 - 1.30 | .0303 | ---- | ---- | ---- | ---- | 5 UNCH |
| 3685 | ---- | ---- | ----/7.20A | 8.70B/7.20A | ---- | 7.50 - 1.30 | .0308 | ---- | ---- | ---- | ---- | 12 UNCH |
| 3690 | ---- | ---- | ----/7.30A | 8.80B/7.30A | ---- | 7.60 - 1.40 | .0312 | ---- | ---- | ---- | ---- | 50 UNCH |
| 3695 | 7.40 | 7.40 | 7.40/7.40 | 8.90B/7.40 | ---- | 7.70 - 1.40 | .0317 | ---- | ---- | 2 | ---- | 142 + 1 |
| 3700 | 7.80 | 7.80 | 7.80/7.50A | 9.10B/7.50A | ---- | 7.80 - 1.40 | .0321 | ---- | ---- | 16 | ---- | 450 UNCH |
| 3705 | ---- | ---- | ----/7.60A | 9.20B/7.60A | ---- | 7.90 - 1.40 | .0326 | ---- | ---- | ---- | ---- | 20 UNCH |
| 3715 | ---- | ---- | ----/7.80A | 9.40B/7.80A | ---- | 8.10 - 1.40 | .0335 | ---- | ---- | ---- | ---- | 30 UNCH |
| 3720 | ---- | ---- | ----/7.90A | 9.50B/7.90A | ---- | 8.20 - 1.50 | .0339 | ---- | ---- | ---- | ---- | 18 UNCH |
| 3725 | ---- | ---- | ----/8.00A | 9.70B/8.00A | ---- | 8.30 - 1.50 | .0344 | ---- | ---- | 2 | ---- | 7 + 1 |
| 3730 | ---- | ---- | ----/8.10A | 9.80B/8.10A | ---- | 8.40 - 1.50 | .0349 | ---- | ---- | ---- | ---- | 3 UNCH |
| 3735 | ---- | ---- | ----/8.20A | 9.90B/8.20A | ---- | 8.50 - 1.60 | .0353 | ---- | ---- | ---- | ---- | 30 UNCH |
| 3740 | ---- | ---- | ----/8.30A | 10.10B/8.30A | ---- | 8.60 - 1.60 | .0358 | ---- | ---- | ---- | ---- | 20 UNCH |
| 3750 | 8.40 | 8.40 | 8.40/8.40 | 10.30B/8.40 | ---- | 8.90 - 1.60 | .0370 | ---- | ---- | 9 | ---- | 538 UNCH |
| 3760 | ---- | ---- | ----/8.70A | 10.60B/8.70A | ---- | 9.10 - 1.70 | .0380 | ---- | ---- | ---- | ---- | 3 UNCH |
| 3765 | ---- | ---- | ----/8.80A | 10.80B/8.80A | ---- | 9.20 - 1.70 | .0385 | ---- | ---- | ---- | ---- | 32 UNCH |
| 3770 | ---- | ---- | ----/8.90A | 10.90B/8.90A | ---- | 9.30 - 1.80 | .0390 | ---- | ---- | ---- | ---- | 120 UNCH |
| 3775 | ---- | ---- | ----/9.00A | 11.10B/9.00A | ---- | 9.50 - 1.70 | .0397 | ---- | ---- | ---- | ---- | 61 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OG PUT | | COMEX GOLD OPTIONS | | | | | | | | | | |
| JUL26 | | | | | | | | | | | | |
| 3780 | ---- | ---- | ----/9.10A | 11.20B/9.10A | ---- | 9.60 - 1.80 | .0402 | ---- | ---- | ---- | ---- | 11 UNCH |
| 3785 | ---- | ---- | ----/9.20A | 11.50B/9.20A | ---- | 9.70 - 1.90 | .0407 | ---- | ---- | ---- | ---- | 6 UNCH |
| 3790 | ---- | ---- | ----/9.30A | 11.70B/9.30A | ---- | 9.90 - 1.80 | .0415 | ---- | ---- | ---- | ---- | 40 UNCH |
| 3795 | ---- | ---- | ----/9.50A | 11.80B/9.50A | ---- | 10.00 - 1.90 | .0420 | ---- | ---- | ---- | ---- | 36 UNCH |
| 3800 | ---- | ---- | ----/9.60A | 12.00B/9.60A | ---- | 10.10 - 2.00 | .0425 | ---- | ---- | 3 | ---- | 622 UNCH |
| 3810 | ---- | ---- | ----/9.90A | 12.40B/9.90A | ---- | 10.40 - 2.00 | .0439 | ---- | ---- | ---- | ---- | 16 UNCH |
| 3815 | ---- | ---- | ----/10.00A | 12.60B/10.00A | ---- | 10.60 - 2.00 | .0447 | ---- | ---- | ---- | ---- | 14 UNCH |
| 3820 | ---- | ---- | ----/10.10A | 12.80B/10.10A | ---- | 10.70 - 2.10 | .0452 | ---- | ---- | ---- | ---- | 10 UNCH |
| 3825 | ---- | ---- | ----/10.30A | 13.00B/10.30A | ---- | 10.90 - 2.10 | .0460 | ---- | ---- | ---- | ---- | 11 UNCH |
| 3830 | ---- | ---- | ----/10.40A | 13.20B/10.40A | ---- | 11.00 - 2.20 | .0465 | ---- | ---- | ---- | ---- | 24 UNCH |
| 3835 | ---- | ---- | 13.50B/10.60A | 13.50B/10.60A | ---- | 11.20 - 2.20 | .0474 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3840 | ---- | ---- | 13.70B/10.70A | 13.70B/10.70A | ---- | 11.30 - 2.30 | .0479 | ---- | ---- | ---- | ---- | 33 UNCH |
| 3845 | ---- | ---- | 13.90B/10.90A | 13.90B/10.90A | ---- | 11.50 - 2.30 | .0487 | ---- | ---- | ---- | ---- | 12 UNCH |
| 3850 | ---- | ---- | 14.20B/11.00A | 14.20B/11.00A | ---- | 11.70 - 2.30 | .0496 | ---- | ---- | ---- | ---- | 214 UNCH |
| 3860 | ---- | ---- | 14.60B/11.30A | 14.60B/11.30A | ---- | 12.00 - 2.40 | .0510 | ---- | ---- | 1 | ---- | 42 UNCH |
| 3865 | ---- | ---- | 14.90B/11.50A | 14.90B/11.50A | ---- | 12.20 - 2.40 | .0518 | ---- | ---- | ---- | ---- | 78 UNCH |
| 3870 | ---- | ---- | 15.20B/11.70A | 15.20B/11.70A | ---- | 12.40 - 2.50 | .0527 | ---- | ---- | 1 | ---- | 3 UNCH |
| 3875 | 12.20 | 12.20 | 15.50B/11.80A | 15.50B/11.80A | ---- | 12.60 - 2.50 | .0535 | ---- | ---- | 1 | ---- | 113 + 1 |
| 3880 | ---- | ---- | 15.50B/12.00A | 15.50B/12.00A | ---- | 12.70 - 2.60 | .0541 | ---- | ---- | ---- | ---- | 14 UNCH |
| 3885 | ---- | ---- | 15.90B/12.20A | 15.90B/12.20A | ---- | 12.90 - 2.70 | .0550 | ---- | ---- | ---- | ---- | 37 UNCH |
| 3890 | ---- | ---- | 16.00B/12.40A | 16.00B/12.40A | ---- | 13.10 - 2.70 | .0558 | ---- | ---- | ---- | ---- | 4 UNCH |
| 3895 | ---- | ---- | 16.30B/12.60A | 16.30B/12.60A | ---- | 13.30 - 2.80 | .0567 | ---- | ---- | ---- | ---- | 2 UNCH |
| 3900 | ---- | ---- | 16.60B/12.70A | 16.60B/12.70A | ---- | 13.50 - 2.80 | .0576 | ---- | ---- | 5 | ---- | 294 UNCH |
| 3905 | ---- | ---- | 16.80B/12.90A | 16.80B/12.90A | ---- | 13.80 - 2.80 | .0588 | ---- | ---- | ---- | ---- | 12 UNCH |
| 3910 | ---- | ---- | 17.10B/13.10A | 17.10B/13.10A | ---- | 14.00 - 2.90 | .0596 | ---- | ---- | 2 | ---- | 54 UNCH |
| 3920 | ---- | ---- | 17.90B/13.50A | 17.90B/13.50A | ---- | 14.40 - 3.00 | .0614 | ---- | ---- | ---- | ---- | 13 UNCH |
| 3925 | ---- | ---- | 18.20B/13.70A | 18.20B/13.70A | ---- | 14.60 - 3.10 | .0623 | ---- | ---- | ---- | ---- | 57 UNCH |
| 3930 | ---- | ---- | 18.50B/13.90A | 18.50B/13.90A | ---- | 14.90 - 3.10 | .0635 | ---- | ---- | ---- | ---- | 25 UNCH |
| 3935 | ---- | ---- | 18.80B/14.20A | 18.80B/14.20A | ---- | 15.10 - 3.20 | .0645 | ---- | ---- | ---- | ---- | 17 UNCH |
| 3940 | ---- | ---- | 19.10B/14.40A | 19.10B/14.40A | ---- | 15.30 - 3.30 | .0654 | ---- | ---- | ---- | ---- | 25 UNCH |
| 3945 | ---- | ---- | 19.50B/14.60A | 19.50B/14.60A | ---- | 15.60 - 3.30 | .0666 | ---- | ---- | ---- | ---- | 23 UNCH |
| 3950 | ---- | ---- | 19.70B/14.80A | 19.70B/14.80A | ---- | 15.80 - 3.40 | .0675 | ---- | ---- | 4 | ---- | 608 + 2 |
| 3955 | ---- | ---- | 20.00B/15.10A | 20.00B/15.10A | ---- | 16.10 - 3.40 | .0687 | ---- | ---- | ---- | ---- | 56 UNCH |
| 3960 | ---- | ---- | 20.20B/15.30A | 20.20B/15.30A | ---- | 16.40 - 3.50 | .0700 | ---- | ---- | ---- | ---- | 23 UNCH |
| 3965 | ---- | ---- | 20.70B/15.50A | 20.70B/15.50A | ---- | 16.60 - 3.60 | .0709 | ---- | ---- | ---- | ---- | 94 UNCH |
| 3970 | ---- | ---- | 21.00B/15.80A | 21.00B/15.80A | ---- | 16.90 - 3.60 | .0721 | ---- | ---- | 2 | ---- | 9 + 2 |
| 3975 | ---- | ---- | 21.60B/16.10A | 21.60B/16.10A | ---- | 17.20 - 3.70 | .0734 | ---- | ---- | ---- | ---- | 26 UNCH |
| 3980 | ---- | ---- | 22.00B/16.30A | 22.00B/16.30A | ---- | 17.50 - 3.70 | .0746 | ---- | ---- | ---- | ---- | 235 UNCH |
| 3985 | ---- | ---- | 22.30B/16.60A | 22.30B/16.60A | ---- | 17.80 - 3.80 | .0759 | ---- | ---- | ---- | ---- | 136 UNCH |
| 3990 | ---- | ---- | 22.50B/16.90A | 22.50B/16.90A | ---- | 18.10 - 3.80 | .0771 | ---- | ---- | ---- | ---- | 41 UNCH |
| 3995 | ---- | ---- | 22.90B/17.10A | 22.90B/17.10A | ---- | 18.40 - 3.90 | .0784 | ---- | ---- | ---- | ---- | 20 UNCH |
| 4000 | 21.20 | 21.20 | 23.40B/17.40A | 23.40B/17.40A | ---- | 18.70 - 4.00 | .0797 | ---- | ---- | 206 | ---- | 1655 - 188 |
| 4005 | ---- | ---- | 23.60B/17.70A | 23.60B/17.70A | ---- | 19.00 - 4.10 | .0809 | ---- | ---- | ---- | ---- | 155 UNCH |
| 4010 | ---- | ---- | 24.30B/18.00A | 24.30B/18.00A | ---- | 19.30 - 4.20 | .0822 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4015 | ---- | ---- | 24.80B/18.30A | 24.80B/18.30A | ---- | 19.60 - 4.30 | .0835 | ---- | ---- | ---- | ---- | 62 UNCH |
| 4020 | ---- | ---- | 25.00B/18.60A | 25.00B/18.60A | ---- | 20.00 - 4.30 | .0851 | ---- | ---- | 1 | ---- | 112 UNCH |
| 4025 | ---- | ---- | 25.50B/18.90A | 25.50B/18.90A | ---- | 20.30 - 4.40 | .0864 | ---- | ---- | ---- | ---- | 21 UNCH |
| 4030 | ---- | ---- | 26.00B/19.20A | 26.00B/19.20A | ---- | 20.70 - 4.40 | .0880 | ---- | ---- | ---- | ---- | 50 UNCH |
| 4035 | ---- | ---- | 26.40B/19.60A | 26.40B/19.60A | ---- | 21.00 - 4.60 | .0893 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4040 | ---- | ---- | 27.00B/19.90A | 27.00B/19.90A | ---- | 21.40 - 4.60 | .0909 | ---- | ---- | ---- | ---- | 8 UNCH |
| 4045 | ---- | ---- | 27.40B/20.20A | 27.40B/20.20A | ---- | 21.80 - 4.70 | .0925 | ---- | ---- | ---- | ---- | 22 UNCH |
| 4050 | 22.00 | 22.00 | 27.90B/20.60A | 27.90B/20.60A | ---- | 22.20 - 4.70 | .0941 | ---- | ---- | 1 | ---- | 257 UNCH |
| 4055 | ---- | ---- | 28.40B/20.90A | 28.40B/20.90A | ---- | 22.60 - 4.80 | .0957 | ---- | ---- | ---- | ---- | 32 UNCH |
| 4060 | ---- | ---- | 28.90B/21.30A | 28.90B/21.30A | ---- | 23.00 - 4.90 | .0973 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4065 | ---- | ---- | 29.40B/21.70A | 29.40B/21.70A | ---- | 23.40 - 5.00 | .0989 | ---- | ---- | ---- | ---- | 130 UNCH |
| 4070 | ---- | ---- | 29.70B/22.00A | 29.70B/22.00A | ---- | 23.80 - 5.10 | .1005 | ---- | ---- | ---- | ---- | 12 UNCH |
| 4075 | ---- | ---- | 30.40B/22.40A | 30.40B/22.40A | ---- | 24.20 - 5.20 | .1022 | ---- | ---- | ---- | ---- | 15 UNCH |
| 4080 | ---- | ---- | 31.00B/22.80A | 31.00B/22.80A | ---- | 24.60 - 5.30 | .1038 | ---- | ---- | 1 | ---- | 10 + 1 |
| 4085 | ---- | ---- | 31.60B/23.20A | 31.60B/23.20A | ---- | 25.10 - 5.30 | .1057 | ---- | ---- | ---- | ---- | 14 UNCH |
| 4090 | ---- | ---- | 32.10B/23.60A | 32.10B/23.60A | ---- | 25.50 - 5.50 | .1074 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4095 | ---- | ---- | 32.70B/24.00A | 32.70B/24.00A | ---- | 26.00 - 5.50 | .1093 | ---- | ---- | ---- | ---- | 15 UNCH |
| 4100 | 29.10 | 29.10 | 33.20B/24.40A | 33.20B/24.40A | ---- | 26.40 - 5.70 | .1110 | ---- | ---- | 15 | ---- | 1240 + 4 |
| 4105 | 26.80 | 26.80 | 33.90B/24.90A | 33.90B/24.90A | ---- | 26.90 - 5.80 | .1129 | ---- | ---- | 3 | ---- | 14 UNCH |
| 4110 | ---- | ---- | 34.50B/25.30A | 34.50B/25.30A | ---- | 27.40 - 5.80 | .1149 | ---- | ---- | 1 | ---- | 16 - 1 |
| 4115 | 30.10 | 30.10 | 35.10B/25.80A | 35.10B/25.80A | ---- | 27.90 - 5.90 | .1168 | ---- | ---- | 6 | ---- | 6 - 5 |
| 4120 | ---- | ---- | 35.70B/26.20A | 35.70B/26.20A | ---- | 28.40 - 6.00 | .1188 | ---- | ---- | ---- | ---- | 84 UNCH |
| 4125 | ---- | ---- | 36.20B/26.70A | 36.20B/26.70A | ---- | 28.90 - 6.20 | .1208 | ---- | ---- | ---- | ---- | 84 UNCH |
| 4130 | ---- | ---- | 37.00B/27.20A | 37.00B/27.20A | ---- | 29.50 - 6.20 | .1230 | ---- | ---- | ---- | ---- | 69 UNCH |
| 4135 | ---- | ---- | 37.70B/27.70A | 37.70B/27.70A | ---- | 30.00 - 6.30 | .1250 | ---- | ---- | 2 | ---- | 42 + 2 |
| 4140 | ---- | ---- | 38.40B/28.20A | 38.40B/28.20A | ---- | 30.50 - 6.50 | .1270 | ---- | ---- | ---- | ---- | 37 UNCH |
| 4145 | ---- | ---- | 39.20B/28.70A | 39.20B/28.70A | ---- | 31.10 - 6.50 | .1292 | ---- | ---- | ---- | ---- | 234 UNCH |
| 4150 | ---- | ---- | 39.60B/29.20A | 39.60B/29.20A | ---- | 31.70 - 6.60 | .1314 | ---- | ---- | ---- | ---- | 162 UNCH |
| 4155 | ---- | ---- | 40.60B/29.70A | 40.60B/29.70A | ---- | 32.30 - 6.70 | .1337 | ---- | ---- | 2 | ---- | 8 + 2 |
| 4160 | ---- | ---- | 41.30B/30.30A | 41.30B/30.30A | ---- | 32.90 - 6.80 | .1360 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4165 | 32.30 | 32.30 | 42.00B/30.80A | 42.00B/30.80A | ---- | 33.50 - 6.90 | .1382 | ---- | ---- | 10 | ---- | 91 + 9 |
| 4170 | ---- | ---- | 42.80B/31.40A | 42.80B/31.40A | ---- | 34.10 - 7.10 | .1405 | ---- | ---- | 1 | ---- | 5 + 1 |
| 4175 | ---- | ---- | 43.30B/32.00A | 43.30B/32.00A | ---- | 34.70 - 7.20 | .1428 | ---- | ---- | 2 | ---- | 48 UNCH |
| 4180 | ---- | ---- | 44.10B/32.60A | 44.10B/32.60A | ---- | 35.40 - 7.20 | .1453 | ---- | ---- | 1 | ---- | 19 UNCH |
| 4185 | ---- | ---- | 45.10B/33.20A | 45.10B/33.20A | ---- | 36.00 - 7.40 | .1476 | ---- | ---- | 2 | ---- | 14 + 1 |
| 4190 | ---- | ---- | 45.90B/33.80A | 45.90B/33.80A | ---- | 36.70 - 7.50 | .1502 | ---- | ---- | ---- | ---- | 130 UNCH |
| 4195 | ---- | ---- | 46.70B/34.40A | 46.70B/34.40A | ---- | 37.40 - 7.60 | .1527 | ---- | ---- | ---- | ---- | 66 UNCH |
| 4200 | ---- | ---- | 47.60B/35.00A | 47.60B/35.00A | ---- | 38.10 - 7.70 | .1553 | ---- | ---- | 123 | ---- | 638 - 27 |
| 4205 | ---- | ---- | 48.50B/35.70A | 48.50B/35.70A | ---- | 38.80 - 7.80 | .1578 | ---- | ---- | ---- | ---- | 22 UNCH |
| 4210 | ---- | ---- | 49.20B/36.40A | 49.20B/36.40A | ---- | 39.50 - 8.00 | .1604 | ---- | ---- | ---- | ---- | 68 UNCH |
| 4215 | ---- | ---- | 50.10B/37.00A | 50.10B/37.00A | ---- | 40.20 - 8.10 | .1630 | ---- | ---- | 4 | ---- | 42 + 1 |
| 4220 | ---- | ---- | 51.10B/37.70A | 51.10B/37.70A | ---- | 41.00 - 8.20 | .1658 | ---- | ---- | 2 | ---- | 196 + 2 |
| 4225 | ---- | ---- | 52.00B/38.40A | 52.00B/38.40A | ---- | 41.70 - 8.40 | .1684 | ---- | ---- | 1 | ---- | 53 - 1 |
| 4230 | ---- | ---- | 53.00B/39.10A | 53.00B/39.10A | ---- | 42.50 - 8.50 | .1712 | ---- | ---- | 1 | ---- | 17 + 1 |
| 4235 | ---- | ---- | 53.90B/39.80A | 53.90B/39.80A | ---- | 43.30 - 8.60 | .1741 | ---- | ---- | 9 | ---- | 47 + 4 |
| 4240 | ---- | ---- | 54.80B/40.60A | 54.80B/40.60A | ---- | 44.10 - 8.80 | .1769 | ---- | ---- | ---- | ---- | 97 UNCH |
| 4245 | ---- | ---- | 55.80B/41.30A | 55.80B/41.30A | ---- | 44.90 - 8.90 | .1798 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4250 | 49.20 | 49.20 | 56.80B/42.10A | 56.80B/42.10A | ---- | 45.70 - 9.10 | .1826 | ---- | ---- | 9 | ---- | 1248 - 4 |
| 4255 | ---- | ---- | 57.80B/42.90A | 57.80B/42.90A | ---- | 46.60 - 9.20 | .1857 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4260 | ---- | ---- | 58.90B/43.70A | 58.90B/43.70A | ---- | 47.40 - 9.40 | .1886 | ---- | ---- | 15 | ---- | 28 + 4 |
| 4265 | ---- | ---- | 59.90B/44.50A | 59.90B/44.50A | ---- | 48.30 - 9.50 | .1917 | ---- | ---- | 11 | ---- | 22 + 6 |
| 4270 | ---- | ---- | 61.00B/45.30A | 61.00B/45.30A | ---- | 49.20 - 9.60 | .1948 | ---- | ---- | ---- | ---- | 8 UNCH |
| 4275 | ---- | ---- | 62.10B/46.20A | 62.10B/46.20A | ---- | 50.10 - 9.80 | .1979 | ---- | ---- | 5 | ---- | 141 + 3 |
| 4280 | 48.50 | 48.50 | 63.20B/47.00A | 63.20B/47.00A | ---- | 51.10 - 9.80 | .2012 | ---- | ---- | 186 | ---- | 187 + 137 |
| 4285 | 48.80 | 48.80 | 64.40B/47.90A | 64.40B/47.90A | ---- | 52.00 - 10.00 | .2043 | ---- | ---- | 1 | ---- | 102 + 1 |
| 4290 | ---- | ---- | 65.50B/48.80A | 65.50B/48.80A | ---- | 53.00 - 10.10 | .2076 | ---- | ---- | 1 | ---- | 37 + 1 |
| 4295 | ---- | ---- | 66.70B/49.70A | 66.70B/49.70A | ---- | 53.90 - 10.40 | .2108 | ---- | ---- | 2 | ---- | 24 + 2 |
| 4300 | 59.60 | 59.60 | 67.90B/50.60 | 67.90B/50.60 | ---- | 54.90 - 10.50 | .2141 | ---- | ---- | 121 | ---- | 1083 + 67 |
| 4305 | ---- | ---- | 69.10B/51.60A | 69.10B/51.60A | ---- | 55.90 - 10.70 | .2174 | ---- | ---- | ---- | ---- | 9 UNCH |
| 4310 | ---- | ---- | 70.30B/52.50A | 70.30B/52.50A | ---- | 57.00 - 10.80 | .2210 | ---- | ---- | ---- | ---- | 31 UNCH |
| 4315 | ---- | ---- | 71.70B/53.50A | 71.70B/53.50A | ---- | 58.00 - 11.00 | .2243 | ---- | ---- | ---- | ---- | 59 UNCH |
| 4320 | ---- | ---- | 72.90B/54.50A | 72.90B/54.50A | ---- | 59.10 - 11.10 | .2279 | ---- | ---- | ---- | ---- | 9 UNCH |
| 4325 | ---- | ---- | 74.20B/55.50A | 74.20B/55.50A | ---- | 60.20 - 11.30 | .2315 | ---- | ---- | 2 | ---- | 159 + 2 |
| 4330 | ---- | ---- | 75.50B/56.50A | 75.50B/56.50A | ---- | 61.30 - 11.40 | .2350 | ---- | ---- | ---- | ---- | 25 UNCH |
| 4335 | ---- | ---- | 76.80B/57.60A | 76.80B/57.60A | ---- | 62.40 - 11.60 | .2386 | ---- | ---- | ---- | ---- | 111 UNCH |
| 4340 | ---- | ---- | 78.30B/58.60A | 78.30B/58.60A | ---- | 63.60 - 11.70 | .2423 | ---- | ---- | 2 | ---- | 118 + 2 |
| 4345 | ---- | ---- | 79.60B/59.70A | 79.60B/59.70A | ---- | 64.70 - 12.00 | .2459 | ---- | ---- | ---- | ---- | 14 UNCH |
| 4350 | ---- | ---- | 81.00B/60.70A | 81.00B/60.70A | ---- | 65.90 - 12.10 | .2497 | ---- | ---- | 3 | ---- | 470 + 1 |
| 4355 | ---- | ---- | 82.40B/61.90A | 82.40B/61.90A | ---- | 67.10 - 12.30 | .2535 | ---- | ---- | ---- | ---- | 124 UNCH |
| 4360 | ---- | ---- | 83.90B/63.10A | 83.90B/63.10A | ---- | 68.40 - 12.40 | .2574 | ---- | ---- | 2 | ---- | 105 UNCH |
| 4365 | ---- | ---- | 85.40B/64.20A | 85.40B/64.20A | ---- | 69.60 - 12.60 | .2612 | ---- | ---- | ---- | ---- | 36 UNCH |
| 4370 | ---- | ---- | 86.80B/65.40A | 86.80B/65.40A | ---- | 70.90 - 12.80 | .2652 | ---- | ---- | 1 | ---- | 139 UNCH |
| 4375 | ---- | ---- | 88.30B/66.60A | 88.30B/66.60A | ---- | 72.20 - 12.90 | .2691 | ---- | ---- | 1 | ---- | 25 - 1 |
| 4380 | ---- | ---- | 89.80B/67.80A | 89.80B/67.80A | ---- | 73.50 - 13.10 | .2731 | ---- | ---- | 1 | ---- | 6 UNCH |
| 4385 | ---- | ---- | 91.60B/69.00A | 91.60B/69.00A | ---- | 74.80 - 13.40 | .2771 | ---- | ---- | ---- | ---- | 66 UNCH |
| 4390 | 81.10 | 81.10 | 93.00B/70.30A | 93.00B/70.30A | ---- | 76.20 - 13.50 | .2812 | ---- | ---- | 26 | ---- | 39 + 26 |
| 4395 | ---- | ---- | 94.60B/71.60A | 94.60B/71.60A | ---- | 77.60 - 13.70 | .2853 | ---- | ---- | ---- | ---- | 27 UNCH |
| 4400 | ---- | ---- | 96.30B/72.80A | 96.30B/72.80A | ---- | 79.00 - 13.90 | .2895 | ---- | ---- | 79 | ---- | 1083 + 22 |
| 4405 | ---- | ---- | 97.90B/74.20A | 97.90B/74.20A | ---- | 80.40 - 14.10 | .2936 | ---- | ---- | 2 | ---- | 28 + 2 |
| 4410 | ---- | ---- | 99.60B/75.60A | 99.60B/75.60A | ---- | 81.90 - 14.20 | .2979 | ---- | ---- | 1 | ---- | 18 + 1 |
| 4415 | ---- | ---- | 101.30B/76.90A | 101.30B/76.90A | ---- | 83.40 - 14.40 | .3022 | ---- | ---- | ---- | ---- | 11 UNCH |
| 4420 | ---- | ---- | 103.20B/78.30A | 103.20B/78.30A | ---- | 84.90 - 14.60 | .3065 | ---- | ---- | 2 | ---- | 101 UNCH |
| 4425 | ---- | ---- | 104.70B/79.70A | 104.70B/79.70A | ---- | 86.40 - 14.80 | .3108 | ---- | ---- | ---- | ---- | 38 UNCH |
| 4430 | ---- | ---- | 106.50B/81.10A | 106.50B/81.10A | ---- | 88.00 - 14.90 | .3152 | ---- | ---- | ---- | ---- | 168 UNCH |
| 4435 | ---- | ---- | 108.40B/82.60A | 108.40B/82.60A | ---- | 89.50 - 15.20 | .3195 | ---- | ---- | ---- | ---- | 8 UNCH |
| 4440 | ---- | ---- | 110.10B/84.10A | 110.10B/84.10A | ---- | 91.20 - 15.30 | .3240 | ---- | ---- | 2 | ---- | 65 + 2 |
| 4445 | ---- | ---- | 112.00B/85.60A | 112.00B/85.60A | ---- | 92.80 - 15.50 | .3285 | ---- | ---- | ---- | ---- | 152 UNCH |
| 4450 | 94.60 | 94.60 | 113.90B/87.10A | 113.90B/87.10A | ---- | 94.40 - 15.80 | .3329 | ---- | ---- | 8 | ---- | 977 - 4 |
| 4455 | ---- | ---- | 116.00B/88.70A | 116.00B/88.70A | ---- | 96.10 - 15.90 | .3375 | ---- | ---- | ---- | ---- | 19 UNCH |
| 4460 | ---- | ---- | 117.80B/90.20A | 117.80B/90.20A | ---- | 97.80 - 16.10 | .3421 | ---- | ---- | ---- | ---- | 235 UNCH |
| 4465 | ---- | ---- | 119.70B/91.90A | 119.70B/91.90A | ---- | 99.60 - 16.30 | .3467 | ---- | ---- | ---- | ---- | 29 UNCH |
| 4470 | ---- | ---- | 121.80B/93.50A | 121.80B/93.50A | ---- | 101.30 - 16.50 | .3513 | ---- | ---- | ---- | ---- | 68 UNCH |
| 4475 | ---- | ---- | 123.70B/95.10A | 123.70B/95.10A | ---- | 103.10 - 16.70 | .3560 | ---- | ---- | ---- | ---- | 37 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OG PUT | | COMEX GOLD OPTIONS | | | | | | | | | | |
| JUL26 | | | | | | | | | | | | |
| 4480 | ---- | ---- | 125.70B/96.80A | 125.70B/96.80A | ---- | 104.90 - 16.90 | .3607 | ---- | ---- | ---- | ---- | 142 UNCH |
| 4485 | ---- | ---- | 127.70B/98.50A | 127.70B/98.50A | ---- | 106.70 - 17.10 | .3653 | ---- | ---- | 1 | ---- | 51 UNCH |
| 4490 | ---- | ---- | 129.90B/100.20A | 129.90B/100.20A | ---- | 108.60 - 17.30 | .3701 | ---- | ---- | 6 | ---- | 46 + 3 |
| 4495 | ---- | ---- | 132.00B/102.00A | 132.00B/102.00A | ---- | 110.50 - 17.50 | .3749 | ---- | ---- | 1 | ---- | 84 + 1 |
| 4500 | ---- | ---- | 133.70B/103.80A | 133.70B/103.80A | ---- | 112.40 - 17.70 | .3797 | ---- | ---- | 20 | ---- | 1218 + 2 |
| 4505 | ---- | ---- | 136.30B/105.60A | 136.30B/105.60A | ---- | 114.30 - 17.90 | .3845 | ---- | ---- | ---- | ---- | 13 UNCH |
| 4510 | ---- | ---- | 138.30B/107.40A | 138.30B/107.40A | ---- | 116.30 - 18.10 | .3893 | ---- | ---- | ---- | ---- | 8 UNCH |
| 4515 | ---- | ---- | 140.00B/109.30A | 140.00B/109.30A | ---- | 118.30 - 18.30 | .3942 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4520 | ---- | ---- | 142.40B/111.20A | 142.40B/111.20A | ---- | 120.30 - 18.50 | .3991 | ---- | ---- | 2 | ---- | 13 UNCH |
| 4525 | ---- | ---- | 144.70B/113.10A | 144.70B/113.10A | ---- | 122.30 - 18.80 | .4039 | ---- | ---- | ---- | ---- | 209 UNCH |
| 4530 | ---- | ---- | 147.10B/115.00A | 147.10B/115.00A | ---- | 124.40 - 18.90 | .4089 | ---- | ---- | ---- | ---- | 15 UNCH |
| 4535 | ---- | ---- | 149.80B/117.00A | 149.80B/117.00A | ---- | 126.50 - 19.10 | .4138 | ---- | ---- | ---- | ---- | 9 UNCH |
| 4540 | ---- | ---- | 151.90B/118.90A | 151.90B/118.90A | ---- | 128.60 - 19.40 | .4188 | ---- | ---- | ---- | ---- | 91 UNCH |
| 4545 | ---- | ---- | 154.20B/120.90A | 154.20B/120.90A | ---- | 130.80 - 19.50 | .4237 | ---- | ---- | ---- | ---- | 20 UNCH |
| 4550 | 155.50 | 155.50 | 157.40B/122.90A | 157.40B/122.90A | ---- | 133.00 - 19.70 | .4287 | ---- | ---- | 2 | 100 | 422 + 99 |
| 4555 | ---- | ---- | 159.40B/125.00A | 159.40B/125.00A | ---- | 135.20 - 19.90 | .4337 | ---- | ---- | ---- | ---- | 23 UNCH |
| 4560 | ---- | ---- | 161.60B/127.10A | 161.60B/127.10A | ---- | 137.40 - 20.20 | .4387 | ---- | ---- | ---- | ---- | 70 UNCH |
| 4565 | ---- | ---- | 164.70B/129.20A | 164.70B/129.20A | ---- | 139.70 - 20.40 | .4438 | ---- | ---- | 1 | ---- | 106 UNCH |
| 4570 | ---- | ---- | 166.90B/131.40A | 166.90B/131.40A | ---- | 141.90 - 20.70 | .4488 | ---- | ---- | ---- | ---- | 16 UNCH |
| 4575 | ---- | ---- | 169.80B/133.50A | 169.80B/133.50A | ---- | 144.30 - 20.80 | .4539 | ---- | ---- | 4 | ---- | 25 + 3 |
| 4580 | ---- | ---- | 172.20B/135.90A | 172.20B/135.90A | ---- | 146.60 - 21.00 | .4589 | ---- | ---- | ---- | ---- | 11 UNCH |
| 4585 | ---- | ---- | 174.90B/138.00A | 174.90B/138.00A | ---- | 149.00 - 21.20 | .4640 | ---- | ---- | 3 | ---- | 16 + 3 |
| 4590 | ---- | ---- | 176.00B/140.20A | 176.00B/140.20A | ---- | 151.40 - 21.40 | .4691 | ---- | ---- | ---- | ---- | 18 UNCH |
| 4595 | ---- | ---- | 180.20B/142.60A | 180.20B/142.60A | ---- | 153.80 - 21.70 | .4741 | ---- | ---- | ---- | ---- | 50 UNCH |
| 4600 | 154.20 | 154.20 | 181.20B/144.80A | 181.20B/144.80A | ---- | 156.30 - 21.90 | .4792 | ---- | ---- | 168 | ---- | 1272 - 13 |
| 4605 | ---- | ---- | 183.90B/147.20A | 183.90B/147.20A | ---- | 158.70 - 22.20 | .4843 | ---- | ---- | ---- | ---- | 8 UNCH |
| 4610 | ---- | ---- | 186.70B/149.60A | 186.70B/149.60A | ---- | 161.20 - 22.40 | .4894 | ---- | ---- | 1 | ---- | 138 UNCH |
| 4615 | ---- | ---- | 191.20B/151.90A | 191.20B/151.90A | ---- | 163.80 - 22.60 | .4945 | ---- | ---- | ---- | ---- | 24 UNCH |
| 4620 | ---- | ---- | 192.30B/154.40A | 192.30B/154.40A | ---- | 166.40 - 22.70 | .4996 | ---- | ---- | ---- | ---- | 48 UNCH |
| 4625 | ---- | ---- | 195.00B/156.80A | 195.00B/156.80A | ---- | 168.90 - 23.10 | .5047 | ---- | ---- | 1 | ---- | 189 + 1 |
| 4630 | ---- | ---- | 199.80B/159.30A | 199.80B/159.30A | ---- | 171.60 - 23.20 | .5098 | ---- | ---- | ---- | ---- | 14 UNCH |
| 4635 | ---- | ---- | 200.90B/161.90A | 200.90B/161.90A | ---- | 174.20 - 23.50 | .5148 | ---- | ---- | ---- | ---- | 126 UNCH |
| 4640 | ---- | ---- | 204.00B/164.40A | 204.00B/164.40A | ---- | 176.90 - 23.70 | .5199 | ---- | ---- | ---- | ---- | 155 UNCH |
| 4645 | ---- | ---- | 208.50B/166.90A | 208.50B/166.90A | ---- | 179.60 - 23.90 | .5250 | ---- | ---- | ---- | ---- | 24 UNCH |
| 4650 | ---- | ---- | 208.20B/169.40A | 208.20B/169.40A | ---- | 182.30 - 24.20 | .5301 | ---- | ---- | 1 | ---- | 362 + 1 |
| 4655 | ---- | ---- | 213.10B/172.30A | 213.10B/172.30A | ---- | 185.10 - 24.30 | .5351 | ---- | ---- | ---- | ---- | 12 UNCH |
| 4660 | ---- | ---- | 217.80B/175.00A | 217.80B/175.00A | ---- | 187.90 - 24.50 | .5402 | ---- | ---- | ---- | ---- | 62 UNCH |
| 4665 | ---- | ---- | 220.20B/177.70A | 220.20B/177.70A | ---- | 190.70 - 24.80 | .5452 | ---- | ---- | 1 | ---- | 24 + 1 |
| 4670 | ---- | ---- | 223.30B/180.40A | 223.30B/180.40A | ---- | 193.60 - 24.90 | .5502 | ---- | ---- | ---- | ---- | 101 UNCH |
| 4675 | ---- | ---- | 226.30B/183.20A | 226.30B/183.20A | ---- | 196.50 - 25.10 | .5552 | ---- | ---- | ---- | ---- | 155 UNCH |
| 4680 | ---- | ---- | 227.00B/185.90A | 227.00B/185.90A | ---- | 199.40 - 25.30 | .5602 | ---- | ---- | ---- | ---- | 131 UNCH |
| 4685 | ---- | ---- | ----/188.70A | 225.60B/188.70A | ---- | 202.30 - 25.60 | .5652 | ---- | ---- | ---- | ---- | 8 UNCH |
| 4690 | ---- | ---- | ----/191.60A | 225.70B/191.60A | ---- | 205.30 - 25.70 | .5702 | ---- | ---- | ---- | ---- | 15 UNCH |
| 4695 | ---- | ---- | ----/194.30A | 229.00B/194.30A | ---- | 208.30 - 25.90 | .5750 | ---- | ---- | ---- | ---- | 189 UNCH |
| 4700 | ---- | ---- | ----/196.80A | 232.20B/196.80A | ---- | 211.30 - 26.10 | .5800 | ---- | ---- | 40 | ---- | 724 - 10 |
| 4705 | ---- | ---- | ----/200.20A | 235.30B/200.20A | ---- | 214.30 - 26.40 | .5849 | ---- | ---- | ---- | ---- | 9 UNCH |
| 4710 | ---- | ---- | ----/203.20A | 238.60B/203.20A | ---- | 217.40 - 26.60 | .5898 | ---- | ---- | ---- | ---- | 126 UNCH |
| 4715 | ---- | ---- | ----/206.10A | 245.00B/206.10A | ---- | 220.50 - 26.70 | .5946 | ---- | ---- | ---- | ---- | 121 UNCH |
| 4720 | ---- | ---- | ----/209.00A | 245.20B/209.00A | ---- | 223.70 - 26.90 | .5994 | ---- | ---- | ---- | ---- | 53 UNCH |
| 4725 | ---- | ---- | ----/212.10A | 248.50B/212.10A | ---- | 226.80 - 27.10 | .6043 | ---- | ---- | ---- | ---- | 206 UNCH |
| 4730 | ---- | ---- | ----/215.20A | 251.80B/215.20A | ---- | 230.00 - 27.30 | .6090 | ---- | ---- | ---- | ---- | 67 UNCH |
| 4735 | ---- | ---- | ----/218.30A | 255.20B/218.30A | ---- | 233.20 - 27.50 | .6138 | ---- | ---- | ---- | ---- | 17 UNCH |
| 4740 | ---- | ---- | ----/221.40A | 258.60B/221.40A | ---- | 236.50 - 27.60 | .6185 | ---- | ---- | ---- | ---- | 115 UNCH |
| 4745 | ---- | ---- | ----/224.50A | 262.00B/224.50A | ---- | 239.80 - 27.70 | .6233 | ---- | ---- | ---- | ---- | 121 UNCH |
| 4750 | ---- | ---- | ----/227.60A | 265.50B/227.60A | ---- | 243.10 - 27.90 | .6279 | ---- | ---- | 1 | ---- | 437 - 1 |
| 4755 | ---- | ---- | ----/230.80A | 268.80B/230.80A | ---- | 246.40 - 28.00 | .6325 | ---- | ---- | ---- | ---- | 12 UNCH |
| 4760 | ---- | ---- | ----/234.00A | 272.40B/234.00A | ---- | 249.70 - 28.30 | .6371 | ---- | ---- | ---- | ---- | 79 UNCH |
| 4765 | ---- | ---- | ----/237.90A | 275.90B/237.90A | ---- | 253.10 - 28.40 | .6417 | ---- | ---- | 4 | ---- | 306 + 3 |
| 4770 | ---- | ---- | ----/241.10A | 279.30B/241.10A | ---- | 256.50 - 28.50 | .6463 | ---- | ---- | ---- | ---- | 10 UNCH |
| 4775 | ---- | ---- | ----/244.20A | 283.00B/244.20A | ---- | 259.90 - 28.70 | .6508 | ---- | ---- | ---- | ---- | 46 UNCH |
| 4780 | ---- | ---- | ----/247.50A | 286.50B/247.50A | ---- | 263.40 - 28.80 | .6553 | ---- | ---- | ---- | ---- | 39 UNCH |
| 4785 | ---- | ---- | ----/251.00A | 290.20B/251.00A | ---- | 266.80 - 29.00 | .6597 | ---- | ---- | ---- | ---- | 115 UNCH |
| 4790 | ---- | ---- | ----/254.40A | 293.70B/254.40A | ---- | 270.30 - 29.20 | .6641 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4795 | ---- | ---- | ----/257.50A | 297.50B/257.50A | ---- | 273.90 - 29.20 | .6686 | ---- | ---- | ---- | ---- | 77 UNCH |
| 4800 | 263.10 | 263.10 | 263.10B/261.20A | 301.10B/261.20A | ---- | 277.40 - 29.40 | .6729 | ---- | ---- | 1 | ---- | 1231 UNCH |
| 4805 | 299.00 | 299.00 | 299.00/264.80A | 304.70B/264.80A | ---- | 281.00 - 29.50 | .6772 | ---- | ---- | 1 | ---- | 5 + 1 |
| 4810 | ---- | ---- | ----/268.30A | 308.40B/268.30A | ---- | 284.50 - 29.80 | .6815 | ---- | ---- | ---- | ---- | 8 UNCH |
| 4815 | ---- | ---- | ----/271.40A | 312.20B/271.40A | ---- | 288.20 - 29.80 | .6857 | ---- | ---- | ---- | ---- | 27 UNCH |
| 4820 | ---- | ---- | ----/274.90A | 316.00B/274.90A | ---- | 291.80 - 30.00 | .6899 | ---- | ---- | ---- | ---- | 205 UNCH |
| 4825 | ---- | ---- | ----/278.50A | 319.80B/278.50A | ---- | 295.40 - 30.20 | .6941 | ---- | ---- | ---- | ---- | 33 UNCH |
| 4830 | ---- | ---- | ----/282.40A | 323.50B/282.40A | ---- | 299.10 - 30.30 | .6983 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4835 | ---- | ---- | ----/285.60A | 327.30B/285.60A | ---- | 302.80 - 30.40 | .7022 | ---- | ---- | ---- | ---- | 21 UNCH |
| 4840 | ---- | ---- | ----/289.30A | 331.00B/289.30A | ---- | 306.50 - 30.50 | .7064 | ---- | ---- | ---- | ---- | 9 UNCH |
| 4845 | ---- | ---- | ----/292.80A | 335.00B/292.80A | ---- | 310.30 - 30.60 | .7103 | ---- | ---- | 30 | ---- | 101 + 22 |
| 4850 | ---- | ---- | ----/296.60A | 338.90B/296.60A | ---- | 314.00 - 30.80 | .7144 | ---- | ---- | ---- | ---- | 298 UNCH |
| 4855 | ---- | ---- | ----/300.40A | 342.70B/300.40A | ---- | 317.80 - 30.90 | .7183 | ---- | ---- | ---- | ---- | 8 UNCH |
| 4860 | ---- | ---- | ----/304.10A | 346.60B/304.10A | ---- | 321.60 - 31.00 | .7221 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4865 | ---- | ---- | ----/307.40A | 350.50B/307.40A | ---- | 325.40 - 31.20 | .7260 | ---- | ---- | ---- | ---- | 27 UNCH |
| 4870 | ---- | ---- | ----/311.30A | 354.50B/311.30A | ---- | 329.30 - 31.20 | .7298 | ---- | ---- | ---- | ---- | 319 UNCH |
| 4875 | ---- | ---- | ----/315.30A | 358.40B/315.30A | ---- | 333.10 - 31.40 | .7337 | ---- | ---- | ---- | ---- | 71 UNCH |
| 4880 | ---- | ---- | ----/319.10A | 362.40B/319.10A | ---- | 337.00 - 31.50 | .7375 | ---- | ---- | ---- | ---- | 51 UNCH |
| 4885 | ---- | ---- | ----/325.70A | 369.80B/325.70A | ---- | 340.90 - 31.60 | .7410 | ---- | ---- | ---- | ---- | 12 UNCH |
| 4890 | ---- | ---- | ----/328.70A | 370.40B/328.70A | ---- | 344.80 - 31.70 | .7447 | ---- | ---- | ---- | ---- | 9 UNCH |
| 4895 | ---- | ---- | ----/330.40A | 374.40B/330.40A | ---- | 348.80 - 31.70 | .7485 | ---- | ---- | ---- | ---- | 48 UNCH |
| 4900 | ---- | ---- | ----/334.10A | 378.50B/334.10A | ---- | 352.70 - 31.90 | .7520 | ---- | ---- | ---- | ---- | 243 UNCH |
| 4905 | ---- | ---- | ----/338.10A | 382.50B/338.10A | ---- | 356.70 - 32.00 | .7555 | ---- | ---- | ---- | ---- | 54 UNCH |
| 4910 | ---- | ---- | ----/345.00A | 386.60B/345.00A | ---- | 360.70 - 32.00 | .7590 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4915 | ---- | ---- | ----/345.70A | 390.60B/345.70A | ---- | 364.70 - 32.10 | .7623 | ---- | ---- | ---- | ---- | 118 UNCH |
| 4920 | ---- | ---- | ----/349.60A | 398.30B/349.60A | ---- | 368.70 - 32.30 | .7659 | ---- | ---- | ---- | ---- | 22 UNCH |
| 4925 | ---- | ---- | ----/356.00A | 398.90B/356.00A | ---- | 372.80 - 32.30 | .7691 | ---- | ---- | ---- | ---- | 11 UNCH |
| 4930 | ---- | ---- | ----/360.00A | 403.10B/360.00A | ---- | 376.80 - 32.40 | .7726 | ---- | ---- | ---- | ---- | 52 UNCH |
| 4935 | ---- | ---- | ----/363.90A | 407.20B/363.90A | ---- | 380.90 - 32.50 | .7759 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4940 | ---- | ---- | ----/368.00A | 411.40B/368.00A | ---- | 385.00 - 32.60 | .7790 | ---- | ---- | ---- | ---- | 11 UNCH |
| 4950 | ---- | ---- | ----/376.10A | 419.80B/376.10A | ---- | 393.30 - 32.70 | .7855 | ---- | ---- | ---- | ---- | 106 UNCH |
| 4975 | ---- | ---- | ----/397.40A | 441.00B/397.40A | ---- | 414.20 - 33.00 | .8007 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4980 | ---- | ---- | ----/400.70A | 445.20B/400.70A | ---- | 418.40 - 33.10 | .8035 | ---- | ---- | ---- | ---- | 6 UNCH |
| 4985 | ---- | ---- | ----/404.90A | 449.60B/404.90A | ---- | 422.60 - 33.20 | .8065 | ---- | ---- | ---- | ---- | 104 UNCH |
| 4990 | ---- | ---- | ----/409.90A | 453.80B/409.90A | ---- | 426.90 - 33.20 | .8092 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4995 | ---- | ---- | ----/413.30A | 458.20B/413.30A | ---- | 431.20 - 33.30 | .8120 | ---- | ---- | ---- | ---- | 12 UNCH |
| 5000 | ---- | ---- | ----/416.50A | 462.60B/416.50A | ---- | 435.50 - 33.30 | .8148 | ---- | ---- | ---- | ---- | 545 UNCH |
| 5005 | ---- | ---- | ----/421.70A | 466.90B/421.70A | ---- | 439.80 - 33.40 | .8175 | ---- | ---- | ---- | ---- | 12 UNCH |
| 5010 | ---- | ---- | ----/426.80A | 474.90B/426.80A | ---- | 444.10 - 33.40 | .8202 | ---- | ---- | ---- | ---- | 9 UNCH |
| 5015 | ---- | ---- | ----/430.20A | 475.60B/430.20A | ---- | 448.40 - 33.50 | .8227 | ---- | ---- | ---- | ---- | 20 UNCH |
| 5020 | ---- | ---- | ----/434.40A | 480.00B/434.40A | ---- | 452.70 - 33.60 | .8255 | ---- | ---- | ---- | ---- | 5 UNCH |
| 5025 | ---- | ---- | ----/439.30A | 488.00B/439.30A | ---- | 457.10 - 33.60 | .8279 | ---- | ---- | ---- | ---- | 150 UNCH |
| 5030 | ---- | ---- | ----/443.00A | 488.80B/443.00A | ---- | 461.40 - 33.70 | .8304 | ---- | ---- | ---- | ---- | 8 UNCH |
| 5035 | ---- | ---- | ----/447.30A | 493.20B/447.30A | ---- | 465.80 - 33.70 | .8329 | ---- | ---- | ---- | ---- | 37 UNCH |
| 5040 | ---- | ---- | ----/451.60A | 497.70B/451.60A | ---- | 470.20 - 33.80 | .8353 | ---- | ---- | ---- | ---- | 10 UNCH |
| 5045 | ---- | ---- | ----/455.90A | 502.10B/455.90A | ---- | 474.60 - 33.80 | .8377 | ---- | ---- | ---- | ---- | 5 UNCH |
| 5050 | ---- | ---- | ----/461.10A | 510.20B/461.10A | ---- | 479.00 - 33.90 | .8402 | ---- | ---- | ---- | ---- | 78 UNCH |
| 5055 | ---- | ---- | ----/464.60A | 511.00B/464.60A | ---- | 483.40 - 33.90 | .8424 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5065 | ---- | ---- | ----/474.20A | 523.60B/474.20A | ---- | 492.30 - 34.00 | .8469 | ---- | ---- | ---- | ---- | 11 UNCH |
| 5075 | ---- | ---- | ----/482.20A | 528.90B/482.20A | ---- | 501.20 - 34.10 | .8515 | ---- | ---- | ---- | ---- | 6 UNCH |
| 5080 | ---- | ---- | ----/487.50A | 533.50B/487.50A | ---- | 505.70 - 34.10 | .8536 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5085 | ---- | ---- | ----/491.00A | 538.00B/491.00A | ---- | 510.20 - 34.10 | .8557 | ---- | ---- | ---- | ---- | 21 UNCH |
| 5090 | ---- | ---- | ----/495.40A | 542.50B/495.40A | ---- | 514.60 - 34.20 | .8579 | ---- | ---- | ---- | ---- | 6 UNCH |
| 5095 | ---- | ---- | ----/499.90A | 547.00B/499.90A | ---- | 519.10 - 34.20 | .8600 | ---- | ---- | ---- | ---- | 42 UNCH |
| 5100 | ---- | ---- | ----/504.30A | 551.60B/504.30A | ---- | 523.70 - 34.20 | .8621 | ---- | ---- | ---- | ---- | 106 UNCH |
| 5105 | ---- | ---- | ----/508.80A | 556.10B/508.80A | ---- | 528.20 - 34.20 | .8642 | ---- | ---- | ---- | ---- | 22 UNCH |
| 5110 | ---- | ---- | ----/513.30A | 560.70B/513.30A | ---- | 532.70 - 34.30 | .8660 | ---- | ---- | ---- | ---- | 16 UNCH |
| 5115 | ---- | ---- | ----/517.80A | 565.20B/517.80A | ---- | 537.20 - 34.40 | .8681 | ---- | ---- | ---- | ---- | 37 UNCH |
| 5120 | 552.80 | 552.80 | 552.80/523.00A | 573.50B/523.00A | ---- | 541.80 - 34.30 | .8699 | ---- | ---- | 1 | ---- | 13 - 1 |
| 5125 | ---- | ---- | ----/526.80A | 574.40B/526.80A | ---- | 546.30 - 34.40 | .8720 | ---- | ---- | ---- | ---- | 37 UNCH |
| 5130 | ---- | ---- | ----/531.30A | 579.00B/531.30A | ---- | 550.90 - 34.40 | .8738 | ---- | ---- | ---- | ---- | 23 UNCH |
| 5135 | ---- | ---- | ----/536.60A | 587.30B/536.60A | ---- | 555.40 - 34.50 | .8756 | ---- | ---- | ---- | ---- | 9 UNCH |
| 5140 | ---- | ---- | ----/540.30A | 588.20B/540.30A | ---- | 560.00 - 34.50 | .8774 | ---- | ---- | ---- | ---- | 19 UNCH |
| 5145 | ---- | ---- | ----/544.90A | 592.80B/544.90A | ---- | 564.60 - 34.50 | .8791 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5150 | ---- | ---- | ----/549.50A | 597.50B/549.50A | ---- | 569.20 - 34.50 | .8809 | ---- | ---- | ---- | ---- | 233 UNCH |
| 5155 | ---- | ---- | ----/554.70A | 605.80B/554.70A | ---- | 573.80 - 34.60 | .8827 | ---- | ---- | ---- | ---- | 42 UNCH |
| 5160 | ---- | ---- | ----/559.30A | 610.40B/559.30A | ---- | 578.40 - 34.60 | .8844 | ---- | ---- | ---- | ---- | 42 UNCH |
| 5170 | ---- | ---- | ----/567.80A | 616.00B/567.80A | ---- | 587.60 - 34.70 | .8876 | ---- | ---- | ---- | ---- | 51 UNCH |
| 5175 | ---- | ---- | ----/572.50A | 620.70B/572.50A | ---- | 592.30 - 34.70 | .8894 | ---- | ---- | ---- | ---- | 61 UNCH |
| 5180 | ---- | ---- | ----/577.00A | 625.30B/577.00A | ---- | 596.90 - 34.70 | .8908 | ---- | ---- | ---- | ---- | 10 UNCH |
| 5185 | ---- | ---- | ----/582.20A | 633.70B/582.20A | ---- | 601.50 - 34.80 | .8925 | ---- | ---- | ---- | ---- | 103 UNCH |
| 5190 | ---- | ---- | ----/586.20A | 634.70B/586.20A | ---- | 606.20 - 34.70 | .8940 | ---- | ---- | ---- | ---- | 19 UNCH |
| 5200 | ---- | ---- | ----/595.50A | 644.10B/595.50A | ---- | 615.50 - 34.80 | .8971 | ---- | ---- | ---- | ---- | 56 UNCH |
| 5225 | ---- | ---- | ----/618.70A | 667.80B/618.70A | ---- | 638.90 - 34.90 | .9041 | ---- | ---- | ---- | ---- | 42 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OG PUT | | COMEX GOLD OPTIONS | | | | | | | | | | |
| JUL26 | | | | | | | | | | | | |
| 5230 | ---- | ---- | ----/624.10A | 672.30B/624.10A | ---- | 643.60 - 34.90 | .9055 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5235 | ---- | ---- | ----/628.00A | 680.90B/628.00A | ---- | 648.30 - 34.90 | .9068 | ---- | ---- | ---- | ---- | 23 UNCH |
| 5245 | ---- | ---- | ----/638.20A | 683.50B/638.20A | ---- | 657.70 - 35.00 | .9093 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5250 | ---- | ---- | ----/642.10A | 683.80B/642.10A | ---- | 662.40 - 35.00 | .9106 | ---- | ---- | ---- | ---- | 14 UNCH |
| 5255 | ---- | ---- | ----/647.40A | 688.80B/647.40A | ---- | 667.20 - 35.00 | .9120 | ---- | ---- | ---- | ---- | 14 UNCH |
| 5285 | ---- | ---- | ----/678.20A | 684.60B/678.20A | ---- | 695.60 - 35.10 | .9188 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5290 | ---- | ---- | ----/679.70A | 699.80B/679.70A | ---- | 700.40 - 35.10 | .9201 | ---- | ---- | ---- | ---- | 4 UNCH |
| 5295 | ---- | ---- | ----/685.60A | 683.80B/685.60A | ---- | 705.20 - 35.10 | .9211 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5300 | ---- | ---- | ----/689.90A | 709.30B/689.90A | ---- | 709.90 - 35.10 | .9221 | ---- | ---- | ---- | ---- | 68 UNCH |
| 5315 | ---- | ---- | ----/704.20A | 723.70B/704.20A | ---- | 724.30 - 35.10 | .9251 | ---- | ---- | ---- | ---- | 10 UNCH |
| 5325 | ---- | ---- | ---- | ---- | ---- | 733.90 - 35.10 | .9271 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5350 | ---- | ---- | ----/737.70A | 757.30B/737.70A | ---- | 757.90 - 35.10 | .9319 | ---- | ---- | ---- | ---- | 8 UNCH |
| 5375 | ---- | ---- | ----/761.70A | 781.40B/761.70A | ---- | 782.00 - 35.20 | .9360 | ---- | ---- | ---- | ---- | 8 UNCH |
| 5390 | ---- | ---- | ----/776.10A | 795.90B/776.10A | ---- | 796.50 - 35.20 | .9385 | ---- | ---- | ---- | ---- | 5 UNCH |
| 5400 | ---- | ---- | ----/783.70A | 807.10B/783.70A | ---- | 806.20 - 35.20 | .9400 | ---- | ---- | ---- | ---- | 602 UNCH |
| 5410 | ---- | ---- | ---- | ---- | ---- | 815.90 - 35.20 | .9415 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5440 | ---- | ---- | ---- | ---- | ---- | 845.00 - 35.20 | .9456 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5475 | ---- | ---- | ----/858.50A | 878.60B/858.50A | ---- | 879.20 - 35.10 | .9498 | ---- | ---- | ---- | ---- | 7 UNCH |
| 5500 | ---- | ---- | ----/882.90A | 903.00B/882.90A | ---- | 903.60 - 35.10 | .9525 | ---- | ---- | ---- | ---- | 4 UNCH |
| 5505 | ---- | ---- | ---- | ---- | ---- | 908.50 - 35.10 | .9530 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5510 | ---- | ---- | ---- | ---- | ---- | 913.40 - 35.10 | .9535 | ---- | ---- | ---- | ---- | 1 UNCH |
| 6100 | ---- | ---- | ---- | ---- | ---- | 1497.80 - 34.90 | .9834 | ---- | ---- | ---- | ---- | 2 UNCH |
| 6125 | ---- | ---- | ---- | ---- | ---- | 1522.70 - 34.90 | .9836 | ---- | ---- | ---- | ---- | 2 UNCH |
| TOTAL | | | | | | | | | | 1268 | 100 | 36827 + 233 |
| AUG26 | | | | | | | | | | | | |
| 2300 | ---- | ---- | ---- | 0.90B/1.30A | ---- | 1.30 + 0.10 | .0030 | ---- | ---- | ---- | ---- | 38 UNCH |
| 2325 | ---- | ---- | ---- | 0.90B/1.40A | ---- | 1.30 UNCH | .0031 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2350 | ---- | ---- | ---- | 1.00B/1.40A | ---- | 1.40 + 0.10 | .0033 | ---- | ---- | ---- | ---- | 2 UNCH |
| 2375 | ---- | ---- | ---- | 1.00B/1.50A | ---- | 1.40 UNCH | .0034 | ---- | ---- | 2 | ---- | 7 UNCH |
| 2400 | ---- | ---- | ---- | 1.10B/1.50A | ---- | 1.50 UNCH | .0036 | ---- | ---- | ---- | ---- | 5 UNCH |
| 2425 | ---- | ---- | ---- | 1.10B/1.60A | ---- | 1.50 UNCH | .0037 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2475 | ---- | ---- | ---- | 1.30B/1.70A | ---- | 1.60 - 0.10 | .0040 | ---- | ---- | ---- | ---- | 5 UNCH |
| 2500 | ---- | ---- | ---- | 1.40B/1.80A | ---- | 1.70 - 0.10 | .0042 | ---- | ---- | 2 | ---- | 107 UNCH |
| 2570 | ---- | ---- | ---- | 1.60B/2.00A | ---- | 1.90 - 0.10 | .0048 | ---- | ---- | ---- | ---- | 9 UNCH |
| 2580 | ---- | ---- | ---- | 1.60B/2.00A | ---- | 1.90 - 0.10 | .0049 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2590 | ---- | ---- | ----/2.00A | 1.60B/2.00A | ---- | 1.90 - 0.20 | .0049 | ---- | ---- | ---- | ---- | 2 UNCH |
| 2600 | ---- | ---- | ----/2.00A | 1.70B/2.00A | ---- | 1.90 - 0.20 | .0049 | ---- | ---- | ---- | ---- | 6 UNCH |
| 2615 | ---- | ---- | ---- | 1.70B/2.10A | ---- | 2.00 - 0.10 | .0052 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2625 | ---- | ---- | ----/2.10A | 1.70B/2.10A | ---- | 2.00 - 0.20 | .0052 | ---- | ---- | ---- | ---- | 2 UNCH |
| 2640 | ---- | ---- | ----/*2.10A | 1.80B/2.10A | ---- | 2.00 - 0.20 | .0053 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2665 | ---- | ---- | ----/2.20A | 1.90B/2.20A | ---- | 2.10 - 0.20 | .0056 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2685 | ---- | ---- | ----/*2.20A | 1.90B/2.20A | ---- | 2.20 - 0.20 | .0059 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2690 | ---- | ---- | ----/2.30A | 1.90B/2.30A | ---- | 2.20 - 0.20 | .0059 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2730 | ---- | ---- | ----/*2.40A | 2.10B/2.40A | ---- | 2.30 - 0.30 | .0062 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2745 | ---- | ---- | ----/2.50A | 2.10B/2.50A | ---- | 2.30 - 0.30 | .0063 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2750 | ---- | ---- | ----/2.50A | 2.10B/2.50A | ---- | 2.30 - 0.40 | .0063 | ---- | ---- | ---- | ---- | 4 UNCH |
| 2800 | ---- | ---- | ----/2.70A | 2.40B/2.70A | ---- | 2.50 - 0.40 | .0070 | ---- | ---- | ---- | ---- | 36 UNCH |
| 2860 | ---- | ---- | ----/2.90A | 2.60B/2.90A | ---- | 2.70 - 0.50 | .0077 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2900 | ---- | ---- | ----/3.10A | 2.80B/3.10A | ---- | 2.90 - 0.50 | .0084 | ---- | ---- | ---- | ---- | 2 UNCH |
| 2950 | ---- | ---- | ----/3.40A | 3.30B/3.40A | ---- | 3.20 - 0.50 | .0093 | ---- | ---- | ---- | ---- | 8 UNCH |
| 2980 | 3.50 | 3.50 | 3.50/3.50 | 3.50/3.50 | ---- | 3.40 NEW | .0100 | ---- | ---- | 1 | ---- | 1 + 1 |
| 3000 | ---- | ---- | ----/3.60A | 3.60B/3.60A | ---- | 3.60 - 0.40 | .0106 | ---- | ---- | ---- | ---- | 269 UNCH |
| 3005 | ---- | ---- | ----/3.70A | 3.70B/3.70A | ---- | 3.60 - 0.40 | .0106 | ---- | ---- | ---- | ---- | 5 UNCH |
| 3010 | ---- | ---- | ----/3.70A | 3.70B/3.70A | ---- | 3.60 - 0.40 | .0106 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3015 | ---- | ---- | ----/3.70A | 3.70B/3.70A | ---- | 3.70 - 0.40 | .0109 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3025 | ---- | ---- | ----/3.80A | 3.80B/3.80A | ---- | 3.80 - 0.30 | .0112 | ---- | ---- | ---- | ---- | 5 UNCH |
| 3040 | ---- | ---- | ----/3.90A | 3.90B/3.90A | ---- | 3.90 - 0.30 | .0116 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3065 | ---- | ---- | ----/4.00A | 4.00B/4.00A | ---- | 4.10 - 0.30 | .0122 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3090 | ---- | ---- | ----/4.20A | 4.20B/4.20A | ---- | 4.20 - 0.40 | .0127 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3095 | ---- | ---- | ----/4.20A | 4.20B/4.20A | ---- | 4.30 - 0.30 | .0129 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3100 | 4.10 | 4.10 | 4.30/4.10 | 4.30/4.10 | ---- | 4.30 - 0.40 | .0130 | ---- | ---- | 50 | ---- | 214 + 50 |
| 3110 | ---- | ---- | ----/4.30A | 4.40B/4.30A | ---- | 4.40 - 0.30 | .0133 | ---- | ---- | ---- | ---- | 15 UNCH |
| 3115 | 4.40 | 4.40 | 4.40/4.40 | 4.40/4.40 | ---- | 4.40 NEW | .0133 | ---- | ---- | 1 | ---- | 1 + 1 |
| 3120 | ---- | ---- | ----/4.40A | 4.40B/4.40A | ---- | 4.40 - 0.40 | .0134 | ---- | ---- | ---- | ---- | 29 UNCH |
| 3130 | ---- | ---- | ----/4.50A | 4.50B/4.50A | ---- | 4.50 - 0.40 | .0137 | ---- | ---- | ---- | ---- | 5 UNCH |
| 3145 | ---- | ---- | ----/4.60A | 4.60B/4.60A | ---- | 4.60 - 0.40 | .0141 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3150 | ---- | ---- | ----/4.60A | 4.70B/4.60A | ---- | 4.60 - 0.50 | .0141 | ---- | ---- | ---- | ---- | 10 UNCH |
| 3155 | ---- | ---- | ----/4.70A | 4.70B/4.70A | ---- | 4.60 - 0.50 | .0142 | ---- | ---- | ---- | ---- | 3 UNCH |
| 3160 | ---- | ---- | ----/4.70A | 4.70B/4.70A | ---- | 4.60 - 0.60 | .0142 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3165 | ---- | ---- | ----/4.70A | 4.80B/4.70A | ---- | 4.70 - 0.50 | .0145 | ---- | ---- | ---- | ---- | 141 UNCH |
| 3170 | ---- | ---- | ----/4.80A | 4.80B/4.80A | ---- | 4.70 - 0.50 | .0146 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3175 | 4.90 | 4.90 | 4.90/4.80A | 4.90/4.80A | ---- | 4.70 NEW | .0146 | ---- | ---- | 1 | ---- | 1 + 1 |
| 3180 | ---- | ---- | ----/4.90A | 4.90B/4.90A | ---- | 4.80 - 0.50 | .0149 | ---- | ---- | ---- | ---- | 25 UNCH |
| 3185 | ---- | ---- | ----/4.90A | 4.90B/4.90A | ---- | 4.80 - 0.60 | .0150 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3190 | ---- | ---- | ----/4.90A | 5.00B/4.90A | ---- | 4.80 - 0.70 | .0150 | ---- | ---- | ---- | ---- | 881 UNCH |
| 3195 | ---- | ---- | ----/5.00A | 5.00B/5.00A | ---- | 4.90 - 0.60 | .0153 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3200 | ---- | ---- | ----/5.00A | 5.10B/5.00A | ---- | 4.90 - 0.70 | .0154 | ---- | ---- | ---- | ---- | 406 UNCH |
| 3250 | ---- | ---- | ----/5.50A | 5.50B/5.50A | ---- | 5.40 - 0.80 | .0172 | ---- | ---- | ---- | ---- | 405 UNCH |
| 3260 | ---- | ---- | ----/5.60A | 5.60B/5.60A | ---- | 5.50 - 0.80 | .0175 | ---- | ---- | ---- | ---- | 30 UNCH |
| 3295 | ---- | ---- | ----/6.00A | 6.00B/6.00A | ---- | 5.90 - 0.90 | .0189 | ---- | ---- | ---- | ---- | 2 UNCH |
| 3300 | ---- | ---- | ----/6.00A | 6.10B/6.00A | ---- | 6.00 - 0.90 | .0193 | ---- | ---- | ---- | ---- | 165 UNCH |
| 3330 | ---- | ---- | ----/6.40A | 6.50B/6.40A | ---- | 6.40 - 1.00 | .0207 | ---- | ---- | ---- | ---- | 2 UNCH |
| 3350 | ---- | ---- | ----/6.70A | 6.90B/6.70A | ---- | 6.60 - 1.10 | .0215 | ---- | ---- | ---- | ---- | 375 UNCH |
| 3370 | ---- | ---- | ----/6.90A | 7.10B/6.90A | ---- | 6.90 - 1.10 | .0225 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3375 | ---- | ---- | ----/7.00A | 7.20B/7.00A | ---- | 7.00 - 1.10 | .0228 | ---- | ---- | ---- | ---- | 15 UNCH |
| 3380 | ---- | ---- | ----/7.10A | 7.30B/7.10A | ---- | 7.10 - 1.10 | .0232 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3390 | ---- | ---- | ----/7.20A | 7.50B/7.20A | ---- | 7.30 - 1.10 | .0238 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3400 | ---- | ---- | ----/7.30A | 7.70B/7.30A | ---- | 7.40 - 1.20 | .0242 | ---- | ---- | ---- | ---- | 33 UNCH |
| 3405 | ---- | ---- | ----/7.40A | 7.70B/7.40A | ---- | 7.50 - 1.20 | .0246 | ---- | ---- | ---- | ---- | 4 UNCH |
| 3410 | ---- | ---- | ----/7.50A | 7.80B/7.50A | ---- | 7.60 - 1.20 | .0249 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3450 | ---- | ---- | ----/8.20A | 8.70B/8.20A | ---- | 8.30 - 1.30 | .0274 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3460 | 8.50 | 8.50 | 8.50/8.30A | 8.80B/8.30A | ---- | 8.50 NEW | .0281 | ---- | ---- | 1 | ---- | 1 + 1 |
| 3465 | ---- | ---- | ----/8.40A | 8.90B/8.40A | ---- | 8.60 - 1.30 | .0285 | ---- | ---- | ---- | ---- | 6 UNCH |
| 3470 | ---- | ---- | ----/8.50A | 9.00B/8.50A | ---- | 8.70 - 1.40 | .0288 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3495 | ---- | ---- | ----/9.10A | 9.60B/9.10A | ---- | 9.20 - 1.40 | .0306 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3500 | ---- | ---- | ----/9.20A | 9.80B/9.20A | ---- | 9.30 - 1.50 | .0310 | ---- | ---- | ---- | ---- | 817 UNCH |
| 3505 | ---- | ---- | ----/9.30A | 9.90B/9.30A | ---- | 9.50 - 1.40 | .0316 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3510 | ---- | ---- | ----/9.40A | 10.00B/9.40A | ---- | 9.60 - 1.40 | .0319 | ---- | ---- | ---- | ---- | 50 UNCH |
| 3520 | ---- | ---- | ----/9.60A | 10.20B/9.60A | ---- | 9.80 - 1.50 | .0327 | ---- | ---- | ---- | ---- | 210 UNCH |
| 3525 | ---- | ---- | ----/9.70A | 10.40B/9.70A | ---- | 9.90 - 1.50 | .0330 | ---- | ---- | ---- | ---- | 60 UNCH |
| 3535 | 10.10 | 10.10 | 10.10/9.90A | 10.60B/9.90A | ---- | 10.20 NEW | .0340 | ---- | ---- | 1 | ---- | 1 + 1 |
| 3545 | ---- | ---- | ----/10.10A | 10.90B/10.10A | ---- | 10.40 - 1.60 | .0348 | ---- | ---- | ---- | ---- | 9 UNCH |
| 3550 | ---- | ---- | ----/10.30A | 11.10B/10.30A | ---- | 10.50 - 1.60 | .0351 | ---- | ---- | ---- | ---- | 118 UNCH |
| 3560 | 10.70 | 10.70 | 10.70/10.50A | 11.30B/10.50A | ---- | 10.80 NEW | .0361 | ---- | ---- | 1 | ---- | 1 + 1 |
| 3570 | ---- | ---- | ----/10.80A | 11.60B/10.80A | ---- | 11.10 - 1.60 | .0372 | ---- | ---- | ---- | ---- | 32 UNCH |
| 3575 | ---- | ---- | ----/10.90A | 11.80B/10.90A | ---- | 11.20 - 1.60 | .0375 | ---- | ---- | ---- | ---- | 20 UNCH |
| 3585 | ---- | ---- | ----/11.10A | 12.10B/11.10A | ---- | 11.50 - 1.60 | .0386 | ---- | ---- | ---- | ---- | 50 UNCH |
| 3600 | ---- | ---- | ----/11.50A | 12.60B/11.50A | ---- | 11.90 - 1.70 | .0400 | ---- | ---- | ---- | ---- | 681 UNCH |
| 3610 | ---- | ---- | ----/11.80A | 12.90B/11.80A | ---- | 12.20 - 1.80 | .0410 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3630 | ---- | ---- | ----/12.40A | 13.60B/12.40A | ---- | 12.90 - 1.80 | .0434 | ---- | ---- | ---- | ---- | 8 UNCH |
| 3645 | ---- | ---- | ----/12.90A | 14.20B/12.90A | ---- | 13.40 - 1.80 | .0451 | ---- | ---- | ---- | ---- | 22 UNCH |
| 3650 | ---- | ---- | ----/13.00A | 14.40B/13.00A | ---- | 13.50 - 1.90 | .0455 | ---- | ---- | ---- | ---- | 42 UNCH |
| 3655 | ---- | ---- | ----/13.20A | 14.50B/13.20A | ---- | 13.70 - 1.90 | .0462 | ---- | ---- | ---- | ---- | 55 UNCH |
| 3660 | ---- | ---- | ----/13.40A | 14.70B/13.40A | ---- | 13.90 - 1.90 | .0469 | ---- | ---- | ---- | ---- | 9 UNCH |
| 3665 | ---- | ---- | ----/13.60A | 14.90B/13.60A | ---- | 14.10 - 1.90 | .0475 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3675 | ---- | ---- | ----/13.90A | 15.40B/13.90A | ---- | 14.50 - 1.90 | .0489 | ---- | ---- | ---- | ---- | 24 UNCH |
| 3690 | ---- | ---- | ----/14.40A | 16.00B/14.40A | ---- | 15.00 - 2.10 | .0507 | ---- | ---- | ---- | ---- | 12 UNCH |
| 3700 | ---- | ---- | ----/14.80A | 16.50B/14.80A | ---- | 15.40 - 2.10 | .0520 | ---- | ---- | ---- | ---- | 249 UNCH |
| 3705 | ---- | ---- | ----/15.00A | 16.70B/15.00A | ---- | 15.60 - 2.20 | .0527 | ---- | ---- | ---- | ---- | 20 UNCH |
| 3715 | ---- | ---- | ----/15.40A | 17.10B/15.40A | ---- | 16.10 - 2.20 | .0543 | ---- | ---- | ---- | ---- | 30 UNCH |
| 3725 | ---- | ---- | ----/15.80A | 17.60B/15.80A | ---- | 16.50 - 2.20 | .0557 | ---- | ---- | ---- | ---- | 4 UNCH |
| 3730 | ---- | ---- | ----/16.00A | 17.90B/16.00A | ---- | 16.70 - 2.30 | .0564 | ---- | ---- | ---- | ---- | 10 UNCH |
| 3740 | ---- | ---- | ----/16.40A | 18.40B/16.40A | ---- | 17.20 - 2.30 | .0580 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3750 | ---- | ---- | ----/16.80A | 19.00B/16.80A | ---- | 17.60 - 2.40 | .0595 | ---- | ---- | ---- | ---- | 84 UNCH |
| 3765 | ---- | ---- | 21.60B/17.50A | 21.60B/17.50A | ---- | 18.40 - 2.50 | .0621 | ---- | ---- | ---- | ---- | 100 UNCH |
| 3770 | ---- | ---- | 21.90B/17.70A | 21.90B/17.70A | ---- | 18.60 - 2.60 | .0628 | ---- | ---- | ---- | ---- | 4 UNCH |
| 3775 | ---- | ---- | 22.20B/17.90A | 22.20B/17.90A | ---- | 18.90 - 2.60 | .0637 | ---- | ---- | ---- | ---- | 12 UNCH |
| 3790 | 19.80 | 19.80 | 23.00B/18.70A | 23.00B/18.70A | ---- | 19.70 - 2.70 | .0664 | ---- | ---- | 5 | ---- | 8 + 5 |
| 3795 | ---- | ---- | 23.50B/18.90A | 23.50B/18.90A | ---- | 20.00 - 2.70 | .0674 | ---- | ---- | ---- | ---- | 82 UNCH |
| 3800 | ---- | ---- | 23.90B/19.20A | 23.90B/19.20A | ---- | 20.20 - 2.80 | .0681 | ---- | ---- | ---- | ---- | 338 UNCH |
| 3805 | ---- | ---- | 24.20B/19.50A | 24.20B/19.50A | ---- | 20.50 - 2.80 | .0691 | ---- | ---- | ---- | ---- | 4 UNCH |
| 3810 | ---- | ---- | 24.40B/19.80A | 24.40B/19.80A | ---- | 20.80 - 2.80 | .0701 | ---- | ---- | ---- | ---- | 50 UNCH |
| 3815 | 20.00 | 20.00 | 24.80B/19.80 | 24.80B/19.80 | ---- | 21.10 - 2.90 | .0710 | ---- | ---- | 4 | ---- | 150 UNCH |
| 3820 | ---- | ---- | 25.20B/20.30A | 25.20B/20.30A | ---- | 21.40 - 2.90 | .0720 | ---- | ---- | ---- | ---- | 52 UNCH |
| 3825 | ---- | ---- | 25.60B/20.60A | 25.60B/20.60A | ---- | 21.70 - 3.00 | .0730 | ---- | ---- | ---- | ---- | 51 UNCH |
| 3835 | ---- | ---- | 26.30B/21.20A | 26.30B/21.20A | ---- | 22.30 - 3.10 | .0750 | ---- | ---- | ---- | ---- | 10 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OG PUT | | COMEX GOLD OPTIONS | | | | | | | | | | |
| AUG26 | | | | | | | | | | | | |
| 3845 | ---- | ---- | 27.10B/21.80A | 27.10B/21.80A | ---- | 22.90 - 3.20 | .0770 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3850 | 24.40 | 24.40 | 27.50B/22.10A | 27.50B/22.10A | ---- | 23.30 - 3.20 | .0782 | ---- | ---- | 5 | ---- | 117 + 5 |
| 3855 | ---- | ---- | 27.90B/22.40A | 27.90B/22.40A | ---- | 23.60 - 3.20 | .0792 | ---- | ---- | ---- | ---- | 5 UNCH |
| 3875 | ---- | ---- | 29.60B/23.70A | 29.60B/23.70A | ---- | 25.00 - 3.40 | .0837 | ---- | ---- | ---- | ---- | 10 UNCH |
| 3880 | ---- | ---- | 29.90B/24.10A | 29.90B/24.10A | ---- | 25.30 - 3.50 | .0847 | ---- | ---- | ---- | ---- | 300 UNCH |
| 3885 | ---- | ---- | 30.50B/24.40A | 30.50B/24.40A | ---- | 25.70 - 3.60 | .0860 | ---- | ---- | ---- | ---- | 10 UNCH |
| 3890 | ---- | ---- | 30.90B/24.80A | 30.90B/24.80A | ---- | 26.10 - 3.60 | .0872 | ---- | ---- | ---- | ---- | 73 UNCH |
| 3900 | 31.00 | 31.00 | 31.80B/25.40A | 31.80B/25.40A | ---- | 26.80 - 3.70 | .0895 | ---- | ---- | 2 | ---- | 658 + 1 |
| 3910 | ---- | ---- | 32.80B/26.20A | 32.80B/26.20A | ---- | 27.60 - 3.80 | .0921 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3920 | ---- | ---- | 33.60B/26.90A | 33.60B/26.90A | ---- | 28.40 - 4.00 | .0946 | ---- | ---- | ---- | ---- | 12 UNCH |
| 3925 | ---- | ---- | 34.20B/27.30A | 34.20B/27.30A | ---- | 28.80 - 4.00 | .0959 | ---- | ---- | ---- | ---- | 10 UNCH |
| 3930 | ---- | ---- | 34.70B/27.70A | 34.70B/27.70A | ---- | 29.20 - 4.10 | .0972 | ---- | ---- | ---- | ---- | 49 UNCH |
| 3935 | ---- | ---- | 35.20B/28.10A | 35.20B/28.10A | ---- | 29.70 - 4.10 | .0986 | ---- | ---- | ---- | ---- | 11 UNCH |
| 3940 | ---- | ---- | 35.50B/28.50A | 35.50B/28.50A | ---- | 30.10 - 4.20 | .0999 | ---- | ---- | ---- | ---- | 2 UNCH |
| 3950 | ---- | ---- | 36.80B/29.40A | 36.80B/29.40A | ---- | 31.00 - 4.30 | .1027 | ---- | ---- | ---- | ---- | 248 UNCH |
| 3955 | ---- | ---- | 37.20B/29.80A | 37.20B/29.80A | ---- | 31.40 - 4.50 | .1040 | ---- | ---- | ---- | ---- | 10 UNCH |
| 3960 | ---- | ---- | 37.90B/30.20A | 37.90B/30.20A | ---- | 31.90 - 4.50 | .1055 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3965 | ---- | ---- | 38.30B/30.60A | 38.30B/30.60A | ---- | 32.40 - 4.50 | .1071 | ---- | ---- | ---- | ---- | 25 UNCH |
| 3970 | ---- | ---- | 39.00B/31.10A | 39.00B/31.10A | ---- | 32.90 - 4.60 | .1086 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3975 | ---- | ---- | 39.50B/31.60A | 39.50B/31.60A | ---- | 33.30 - 4.70 | .1099 | ---- | ---- | ---- | ---- | 267 UNCH |
| 3980 | ---- | ---- | 40.10B/32.00A | 40.10B/32.00A | ---- | 33.80 - 4.80 | .1114 | ---- | ---- | 2 | ---- | 2246 + 1 |
| 3985 | ---- | ---- | 40.70B/32.50A | 40.70B/32.50A | ---- | 34.30 - 4.90 | .1130 | ---- | ---- | ---- | ---- | 2 UNCH |
| 3990 | ---- | ---- | 41.20B/33.00A | 41.20B/33.00A | ---- | 34.80 - 4.90 | .1145 | ---- | ---- | 1 | ---- | 45 + 1 |
| 3995 | ---- | ---- | 41.80B/33.40A | 41.80B/33.40A | ---- | 35.30 - 5.00 | .1161 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4000 | 39.40 | 39.40 | 42.40B/33.90A | 42.40B/33.90A | ---- | 35.90 - 5.00 | .1178 | ---- | ---- | 12 | 15 | 1576 + 12 |
| 4005 | ---- | ---- | 43.20B/34.40A | 43.20B/34.40A | ---- | 36.40 - 5.10 | .1193 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4010 | ---- | ---- | 43.70B/34.90A | 43.70B/34.90A | ---- | 36.90 - 5.30 | .1209 | ---- | ---- | ---- | ---- | 78 UNCH |
| 4020 | ---- | ---- | 45.10B/35.90A | 45.10B/35.90A | ---- | 38.00 - 5.40 | .1242 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4025 | ---- | ---- | 45.80B/36.50A | 45.80B/36.50A | ---- | 38.60 - 5.50 | .1260 | ---- | ---- | ---- | ---- | 101 UNCH |
| 4030 | ---- | ---- | 46.50B/37.00A | 46.50B/37.00A | ---- | 39.20 - 5.50 | .1277 | ---- | ---- | ---- | ---- | 50 UNCH |
| 4035 | ---- | ---- | 47.20B/37.60A | 47.20B/37.60A | ---- | 39.80 - 5.60 | .1295 | ---- | ---- | ---- | ---- | 19 UNCH |
| 4040 | ---- | ---- | 47.80B/38.10A | 47.80B/38.10A | ---- | 40.40 - 5.70 | .1313 | ---- | ---- | ---- | ---- | 25 UNCH |
| 4045 | ---- | ---- | 48.50B/38.70A | 48.50B/38.70A | ---- | 41.00 - 5.80 | .1331 | ---- | ---- | ---- | ---- | 30 UNCH |
| 4050 | ---- | ---- | 49.30B/39.30A | 49.30B/39.30A | ---- | 41.60 - 5.90 | .1349 | ---- | ---- | ---- | ---- | 312 UNCH |
| 4065 | ---- | ---- | 51.50B/41.10A | 51.50B/41.10A | ---- | 43.50 - 6.10 | .1404 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4070 | ---- | ---- | 52.10B/41.60A | 52.10B/41.60A | ---- | 44.10 - 6.30 | .1422 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4075 | ---- | ---- | 53.10B/42.20A | 53.10B/42.20A | ---- | 44.80 - 6.30 | .1442 | ---- | ---- | ---- | ---- | 11 UNCH |
| 4080 | ---- | ---- | 53.80B/42.90A | 53.80B/42.90A | ---- | 45.40 - 6.50 | .1461 | ---- | ---- | ---- | ---- | 6 UNCH |
| 4085 | ---- | ---- | 54.70B/43.50A | 54.70B/43.50A | ---- | 46.10 - 6.60 | .1480 | ---- | ---- | ---- | ---- | 29 UNCH |
| 4090 | ---- | ---- | 55.40B/44.10A | 55.40B/44.10A | ---- | 46.80 - 6.60 | .1501 | ---- | ---- | ---- | ---- | 201 UNCH |
| 4095 | ---- | ---- | 56.20B/44.80A | 56.20B/44.80A | ---- | 47.50 - 6.70 | .1521 | ---- | ---- | ---- | ---- | 14 UNCH |
| 4100 | ---- | ---- | 57.10B/45.50A | 57.10B/45.50A | ---- | 48.20 - 6.80 | .1541 | ---- | ---- | 1 | ---- | 337 - 1 |
| 4105 | ---- | ---- | 57.80B/46.10A | 57.80B/46.10A | ---- | 48.90 - 7.00 | .1561 | ---- | ---- | ---- | ---- | 15 UNCH |
| 4110 | ---- | ---- | 58.70B/46.90A | 58.70B/46.90A | ---- | 49.70 - 7.00 | .1583 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4115 | ---- | ---- | 59.60B/47.50A | 59.60B/47.50A | ---- | 50.40 - 7.10 | .1603 | ---- | ---- | ---- | ---- | 16 UNCH |
| 4120 | ---- | ---- | 60.40B/48.20A | 60.40B/48.20A | ---- | 51.20 - 7.20 | .1625 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4125 | ---- | ---- | 61.40B/49.00A | 61.40B/49.00A | ---- | 51.90 - 7.40 | .1646 | ---- | ---- | 1 | ---- | 5 UNCH |
| 4130 | ---- | ---- | 62.20B/49.70A | 62.20B/49.70A | ---- | 52.70 - 7.50 | .1668 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4135 | ---- | ---- | 63.10B/50.40A | 63.10B/50.40A | ---- | 53.50 - 7.60 | .1690 | ---- | ---- | ---- | ---- | 57 UNCH |
| 4140 | ---- | ---- | 64.20B/51.20A | 64.20B/51.20A | ---- | 54.30 - 7.70 | .1713 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4145 | ---- | ---- | 65.10B/52.00A | 65.10B/52.00A | ---- | 55.10 - 7.80 | .1735 | ---- | ---- | ---- | ---- | 27 UNCH |
| 4150 | ---- | ---- | 66.00B/52.70A | 66.00B/52.70A | ---- | 55.90 - 7.90 | .1757 | ---- | ---- | ---- | ---- | 361 UNCH |
| 4155 | ---- | ---- | 66.90B/53.50A | 66.90B/53.50A | ---- | 56.80 - 8.00 | .1781 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4160 | ---- | ---- | 68.00B/54.30A | 68.00B/54.30A | ---- | 57.60 - 8.10 | .1804 | ---- | ---- | ---- | ---- | 66 UNCH |
| 4165 | ---- | ---- | 69.00B/55.10A | 69.00B/55.10A | ---- | 58.50 - 8.20 | .1828 | ---- | ---- | ---- | ---- | 102 UNCH |
| 4170 | ---- | ---- | 69.90B/55.90A | 69.90B/55.90A | ---- | 59.40 - 8.30 | .1852 | ---- | ---- | ---- | ---- | 80 UNCH |
| 4175 | 61.50 | 61.50 | 70.90B/56.70A | 70.90B/56.70A | ---- | 60.20 - 8.50 | .1875 | ---- | ---- | 3 | ---- | 33 UNCH |
| 4180 | ---- | ---- | 72.10B/57.60A | 72.10B/57.60A | ---- | 61.10 - 8.60 | .1899 | ---- | ---- | ---- | ---- | 114 UNCH |
| 4185 | ---- | ---- | 73.00B/58.50A | 73.00B/58.50A | ---- | 62.10 - 8.60 | .1925 | ---- | ---- | 1 | ---- | 50 UNCH |
| 4190 | ---- | ---- | 74.10B/59.30A | 74.10B/59.30A | ---- | 63.00 - 8.80 | .1950 | ---- | ---- | ---- | ---- | 140 UNCH |
| 4195 | ---- | ---- | 75.30B/60.30A | 75.30B/60.30A | ---- | 63.90 - 9.00 | .1974 | ---- | ---- | ---- | ---- | 218 UNCH |
| 4200 | ---- | ---- | 76.30B/61.00A | 76.30B/61.00A | ---- | 64.90 - 9.00 | .2000 | ---- | ---- | 7 | ---- | 222 UNCH |
| 4205 | ---- | ---- | 77.50B/62.00A | 77.50B/62.00A | ---- | 65.80 - 9.20 | .2025 | ---- | ---- | ---- | ---- | 350 UNCH |
| 4210 | ---- | ---- | 78.50B/62.90A | 78.50B/62.90A | ---- | 66.80 - 9.30 | .2051 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4215 | ---- | ---- | 79.60B/63.80A | 79.60B/63.80A | ---- | 67.80 - 9.40 | .2077 | ---- | ---- | ---- | ---- | 17 UNCH |
| 4220 | ---- | ---- | 80.90B/64.70A | 80.90B/64.70A | ---- | 68.80 - 9.60 | .2103 | ---- | ---- | ---- | ---- | 12 UNCH |
| 4225 | 71.60 | 71.60 | 82.10B/65.70A | 82.10B/65.70A | ---- | 69.90 - 9.60 | .2131 | ---- | ---- | 3 | ---- | 17 + 3 |
| 4230 | ---- | ---- | 83.20B/66.70A | 83.20B/66.70A | ---- | 70.90 - 9.80 | .2157 | ---- | ---- | ---- | ---- | 11 UNCH |
| 4235 | ---- | ---- | 84.30B/67.70A | 84.30B/67.70A | ---- | 71.90 - 10.00 | .2184 | ---- | ---- | ---- | ---- | 8 UNCH |
| 4240 | ---- | ---- | 85.70B/68.70A | 85.70B/68.70A | ---- | 73.00 - 10.10 | .2212 | ---- | ---- | ---- | ---- | 37 UNCH |
| 4245 | ---- | ---- | 86.90B/69.70A | 86.90B/69.70A | ---- | 74.10 - 10.20 | .2239 | ---- | ---- | ---- | ---- | 55 UNCH |
| 4250 | ---- | ---- | 88.10B/70.70A | 88.10B/70.70A | ---- | 75.20 - 10.30 | .2267 | ---- | ---- | 19 | 350 | 776 + 333 |
| 4255 | 75.10 | 75.10 | 89.40B/71.70A | 89.40B/71.70A | ---- | 76.30 - 10.40 | .2295 | ---- | ---- | 3 | ---- | 888 + 3 |
| 4260 | ---- | ---- | 90.60B/72.80A | 90.60B/72.80A | ---- | 77.40 - 10.60 | .2323 | ---- | ---- | ---- | ---- | 9 UNCH |
| 4270 | ---- | ---- | 93.40B/75.00A | 93.40B/75.00A | ---- | 79.70 - 10.90 | .2381 | ---- | ---- | ---- | ---- | 15 UNCH |
| 4275 | ---- | ---- | 94.60B/76.10A | 94.60B/76.10A | ---- | 80.90 - 11.00 | .2411 | ---- | ---- | ---- | ---- | 23 UNCH |
| 4280 | ---- | ---- | 95.90B/77.20A | 95.90B/77.20A | ---- | 82.10 - 11.10 | .2440 | ---- | ---- | ---- | ---- | 67 UNCH |
| 4285 | 95.40 | 95.40 | 97.40B/78.40A | 97.40B/78.40A | ---- | 83.30 - 11.20 | .2470 | ---- | ---- | 1 | ---- | 171 UNCH |
| 4290 | ---- | ---- | 98.70B/79.50A | 98.70B/79.50A | ---- | 84.50 - 11.40 | .2499 | ---- | ---- | ---- | ---- | 61 UNCH |
| 4295 | ---- | ---- | 100.10B/80.70A | 100.10B/80.70A | ---- | 85.80 - 11.50 | .2530 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4300 | 87.20 | 87.20 | 101.60B/81.80A | 101.60B/81.80A | ---- | 87.00 - 11.60 | .2560 | ---- | ---- | 79 | 15 | 921 + 64 |
| 4305 | 88.50 | 88.50 | 103.00B/83.00A | 103.00B/83.00A | ---- | 88.30 - 11.80 | .2591 | ---- | ---- | 3 | ---- | 504 + 3 |
| 4310 | ---- | ---- | 104.40B/84.40A | 104.40B/84.40A | ---- | 89.60 - 11.90 | .2622 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4315 | ---- | ---- | 106.10B/85.60A | 106.10B/85.60A | ---- | 90.90 - 12.00 | .2653 | ---- | ---- | ---- | ---- | 8 UNCH |
| 4320 | ---- | ---- | 107.50B/86.90A | 107.50B/86.90A | ---- | 92.20 - 12.20 | .2684 | ---- | ---- | ---- | ---- | 21 UNCH |
| 4325 | ---- | ---- | 109.00B/88.00A | 109.00B/88.00A | ---- | 93.60 - 12.30 | .2717 | ---- | ---- | ---- | ---- | 310 UNCH |
| 4330 | ---- | ---- | 110.60B/89.30A | 110.60B/89.30A | ---- | 94.90 - 12.50 | .2748 | ---- | ---- | ---- | ---- | 104 UNCH |
| 4335 | ---- | ---- | 112.10B/90.60A | 112.10B/90.60A | ---- | 96.30 - 12.60 | .2780 | ---- | ---- | ---- | ---- | 10 UNCH |
| 4340 | ---- | ---- | 113.60B/92.00A | 113.60B/92.00A | ---- | 97.70 - 12.70 | .2813 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4345 | ---- | ---- | 115.20B/93.40A | 115.20B/93.40A | ---- | 99.10 - 12.90 | .2845 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4350 | ---- | ---- | 116.80B/94.50A | 116.80B/94.50A | ---- | 100.50 - 13.10 | .2878 | ---- | ---- | 1 | ---- | 880 UNCH |
| 4355 | ---- | ---- | 118.50B/96.00A | 118.50B/96.00A | ---- | 102.00 - 13.10 | .2911 | ---- | ---- | ---- | ---- | 103 UNCH |
| 4360 | ---- | ---- | 120.20B/97.40A | 120.20B/97.40A | ---- | 103.50 - 13.30 | .2945 | ---- | ---- | ---- | ---- | 72 UNCH |
| 4365 | ---- | ---- | 121.80B/98.80A | 121.80B/98.80A | ---- | 104.90 - 13.50 | .2978 | ---- | ---- | ---- | ---- | 115 UNCH |
| 4375 | ---- | ---- | 125.30B/101.80A | 125.30B/101.80A | ---- | 108.00 - 13.70 | .3046 | ---- | ---- | ---- | ---- | 8 UNCH |
| 4380 | ---- | ---- | 127.00B/103.50A | 127.00B/103.50A | ---- | 109.50 - 13.90 | .3080 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4385 | ---- | ---- | 128.70B/104.70A | 128.70B/104.70A | ---- | 111.10 - 14.00 | .3115 | ---- | ---- | ---- | ---- | 8 UNCH |
| 4390 | ---- | ---- | 130.40B/106.00A | 130.40B/106.00A | ---- | 112.70 - 14.10 | .3150 | ---- | ---- | ---- | ---- | 16 UNCH |
| 4395 | ---- | ---- | 132.30B/108.00A | 132.30B/108.00A | ---- | 114.30 - 14.30 | .3184 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4400 | ---- | ---- | 134.10B/108.90A | 134.10B/108.90A | ---- | 115.90 - 14.50 | .3219 | ---- | ---- | ---- | ---- | 1298 UNCH |
| 4405 | 117.40 | 117.40 | 135.90B/110.70A | 135.90B/110.70A | ---- | 117.50 - 14.70 | .3254 | ---- | ---- | 12 | ---- | 54 - 8 |
| 4410 | ---- | ---- | 137.70B/112.20A | 137.70B/112.20A | ---- | 119.20 - 14.80 | .3290 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4415 | ---- | ---- | 139.60B/113.80A | 139.60B/113.80A | ---- | 120.90 - 14.90 | .3326 | ---- | ---- | ---- | ---- | 146 UNCH |
| 4420 | ---- | ---- | 141.50B/115.40A | 141.50B/115.40A | ---- | 122.60 - 15.10 | .3362 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4425 | ---- | ---- | 143.30B/117.00A | 143.30B/117.00A | ---- | 124.30 - 15.20 | .3398 | ---- | ---- | ---- | ---- | 8 UNCH |
| 4430 | ---- | ---- | 145.30B/118.70A | 145.30B/118.70A | ---- | 126.00 - 15.40 | .3434 | ---- | ---- | ---- | ---- | 38 UNCH |
| 4435 | ---- | ---- | 147.30B/120.30A | 147.30B/120.30A | ---- | 127.80 - 15.60 | .3471 | ---- | ---- | ---- | ---- | 6 UNCH |
| 4440 | ---- | ---- | 149.30B/122.00A | 149.30B/122.00A | ---- | 129.60 - 15.70 | .3507 | ---- | ---- | ---- | ---- | 53 UNCH |
| 4445 | ---- | ---- | 151.30B/124.20A | 151.30B/124.20A | ---- | 131.40 - 15.90 | .3544 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4450 | ---- | ---- | 153.30B/125.50A | 153.30B/125.50A | ---- | 133.20 - 16.00 | .3581 | ---- | ---- | ---- | ---- | 374 UNCH |
| 4455 | ---- | ---- | 155.40B/127.40A | 155.40B/127.40A | ---- | 135.00 - 16.20 | .3618 | ---- | ---- | ---- | ---- | 240 UNCH |
| 4460 | 136.70 | 136.70 | 157.40B/128.90A | 157.40B/128.90A | ---- | 136.90 - 16.40 | .3655 | ---- | ---- | 2 | ---- | 6 + 2 |
| 4465 | ---- | ---- | 159.50B/130.80A | 159.50B/130.80A | ---- | 138.80 - 16.50 | .3693 | ---- | ---- | ---- | ---- | 18 UNCH |
| 4470 | ---- | ---- | 161.60B/132.50A | 161.60B/132.50A | ---- | 140.70 - 16.70 | .3731 | ---- | ---- | ---- | ---- | 112 UNCH |
| 4475 | ---- | ---- | 162.80B/134.50A | 162.80B/134.50A | ---- | 142.60 - 16.90 | .3768 | ---- | ---- | ---- | ---- | 34 UNCH |
| 4480 | 140.10 | 140.10 | 164.90B/136.40A | 164.90B/136.40A | ---- | 144.60 - 17.00 | .3807 | ---- | ---- | 12 | ---- | 140 - 1 |
| 4485 | ---- | ---- | 167.90B/138.00A | 167.90B/138.00A | ---- | 146.60 - 17.20 | .3845 | ---- | ---- | ---- | ---- | 12 UNCH |
| 4490 | ---- | ---- | 169.80B/139.90A | 169.80B/139.90A | ---- | 148.50 - 17.40 | .3883 | ---- | ---- | ---- | ---- | 6 UNCH |
| 4495 | ---- | ---- | 172.10B/141.90A | 172.10B/141.90A | ---- | 150.60 - 17.50 | .3921 | ---- | ---- | ---- | ---- | 29 UNCH |
| 4500 | ---- | ---- | 173.90B/143.60A | 173.90B/143.60A | ---- | 152.60 - 17.70 | .3960 | ---- | ---- | 113 | ---- | 1561 + 81 |
| 4505 | ---- | ---- | 176.20B/145.80A | 176.20B/145.80A | ---- | 154.70 - 17.80 | .3999 | ---- | ---- | 25 | ---- | 40 + 22 |
| 4510 | ---- | ---- | 178.10B/147.70A | 178.10B/147.70A | ---- | 156.70 - 18.10 | .4037 | ---- | ---- | ---- | ---- | 48 UNCH |
| 4515 | ---- | ---- | 181.40B/149.90A | 181.40B/149.90A | ---- | 158.90 - 18.20 | .4076 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4520 | ---- | ---- | 182.80B/151.70A | 182.80B/151.70A | ---- | 161.00 - 18.40 | .4115 | ---- | ---- | 1 | ---- | 21 + 1 |
| 4525 | ---- | ---- | 185.20B/153.80A | 185.20B/153.80A | ---- | 163.10 - 18.60 | .4154 | ---- | ---- | ---- | ---- | 7 UNCH |
| 4530 | 167.00 | 167.00 | 188.60B/156.40A | 188.60B/156.40A | ---- | 165.30 - 18.70 | .4193 | ---- | ---- | 2 | ---- | 4 + 2 |
| 4535 | ---- | ---- | 189.90B/157.90A | 189.90B/157.90A | ---- | 167.50 - 18.90 | .4233 | ---- | ---- | 1 | ---- | 11 + 1 |
| 4540 | ---- | ---- | 192.30B/160.00A | 192.30B/160.00A | ---- | 169.70 - 19.10 | .4272 | ---- | ---- | ---- | ---- | 38 UNCH |
| 4545 | ---- | ---- | 194.60B/162.30A | 194.60B/162.30A | ---- | 171.90 - 19.30 | .4311 | ---- | ---- | ---- | ---- | 21 UNCH |
| 4550 | ---- | ---- | 197.20B/164.20A | 197.20B/164.20A | ---- | 174.20 - 19.50 | .4351 | ---- | ---- | 2 | ---- | 36 + 2 |
| 4555 | ---- | ---- | 199.70B/166.50A | 199.70B/166.50A | ---- | 176.50 - 19.60 | .4391 | ---- | ---- | ---- | ---- | 114 UNCH |
| 4560 | ---- | ---- | 202.20B/168.80A | 202.20B/168.80A | ---- | 178.80 - 19.80 | .4430 | ---- | ---- | ---- | ---- | 31 UNCH |
| 4565 | ---- | ---- | 204.90B/171.50A | 204.90B/171.50A | ---- | 181.10 - 20.00 | .4470 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4570 | ---- | ---- | 208.10B/173.00A | 208.10B/173.00A | ---- | 183.50 - 20.10 | .4510 | ---- | ---- | 3 | ---- | 62 UNCH |
| 4575 | ---- | ---- | 210.10B/175.30A | 210.10B/175.30A | ---- | 185.90 - 20.30 | .4550 | ---- | ---- | ---- | ---- | 58 UNCH |
| 4580 | ---- | ---- | 213.50B/177.90A | 213.50B/177.90A | ---- | 188.30 - 20.50 | .4590 | ---- | ---- | ---- | ---- | 175 UNCH |
| 4585 | ---- | ---- | 216.10B/179.90A | 216.10B/179.90A | ---- | 190.70 - 20.70 | .4630 | ---- | ---- | ---- | ---- | 4 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OG PUT | | COMEX GOLD OPTIONS | | | | | | | | | | |
| AUG26 | | | | | | | | | | | | |
| 4590 | ---- | ---- | 218.70B/182.30A | 218.70B/182.30A | ---- | 193.10 - 20.90 | .4670 | ---- | ---- | ---- | ---- | 30 UNCH |
| 4595 | 195.50 | 195.50 | 219.80B/184.60A | 219.80B/184.60A | ---- | 195.60 - 21.00 | .4710 | ---- | ---- | 4 | ---- | 152 + 2 |
| 4600 | 197.70 | 197.70 | 223.90B/186.90A | 223.90B/186.90A | ---- | 198.10 - 21.20 | .4750 | ---- | ---- | 32 | ---- | 543 + 15 |
| 4605 | ---- | ---- | 226.60B/189.30A | 226.60B/189.30A | ---- | 200.60 - 21.40 | .4790 | ---- | ---- | 30 | ---- | 85 + 27 |
| 4610 | ---- | ---- | 229.30B/191.80A | 229.30B/191.80A | ---- | 203.10 - 21.60 | .4830 | ---- | ---- | ---- | ---- | 9 UNCH |
| 4615 | ---- | ---- | 232.00B/194.90A | 232.00B/194.90A | ---- | 205.70 - 21.70 | .4870 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4620 | ---- | ---- | 234.80B/196.70A | 234.80B/196.70A | ---- | 208.30 - 21.90 | .4910 | ---- | ---- | ---- | ---- | 14 UNCH |
| 4625 | ---- | ---- | 237.60B/199.20A | 237.60B/199.20A | ---- | 210.90 - 22.00 | .4950 | ---- | ---- | ---- | ---- | 206 UNCH |
| 4630 | ---- | ---- | 240.40B/201.60A | 240.40B/201.60A | ---- | 213.50 - 22.20 | .4990 | ---- | ---- | ---- | ---- | 7 UNCH |
| 4635 | ---- | ---- | 242.70B/204.20A | 242.70B/204.20A | ---- | 216.20 - 22.40 | .5029 | ---- | ---- | ---- | ---- | 100 UNCH |
| 4640 | ---- | ---- | 246.10B/206.70A | 246.10B/206.70A | ---- | 218.90 - 22.50 | .5069 | ---- | ---- | 7 | ---- | 324 + 7 |
| 4645 | ---- | ---- | 249.00B/209.60A | 249.00B/209.60A | ---- | 221.60 - 22.70 | .5109 | ---- | ---- | ---- | ---- | 131 UNCH |
| 4650 | ---- | ---- | 251.90B/211.90A | 251.90B/211.90A | ---- | 224.30 - 22.90 | .5149 | ---- | ---- | 7 | ---- | 396 + 7 |
| 4660 | ---- | ---- | 257.20B/217.40A | 257.20B/217.40A | ---- | 229.80 - 23.20 | .5228 | ---- | ---- | ---- | ---- | 27 UNCH |
| 4665 | ---- | ---- | 260.30B/220.00A | 260.30B/220.00A | ---- | 232.60 - 23.40 | .5268 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4670 | ---- | ---- | 260.80B/223.30A | 260.80B/223.30A | ---- | 235.40 - 23.50 | .5307 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4675 | ---- | ---- | 265.40B/226.00A | 265.40B/226.00A | ---- | 238.20 - 23.70 | .5347 | ---- | ---- | ---- | ---- | 13 UNCH |
| 4680 | ---- | ---- | 269.60B/228.80A | 269.60B/228.80A | ---- | 241.10 - 23.80 | .5386 | ---- | ---- | ---- | ---- | 11 UNCH |
| 4685 | ---- | ---- | 271.40B/231.30A | 271.40B/231.30A | ---- | 244.00 - 24.00 | .5425 | ---- | ---- | ---- | ---- | 223 UNCH |
| 4690 | ---- | ---- | 273.00B/234.20A | 273.00B/234.20A | ---- | 246.90 - 24.10 | .5465 | ---- | ---- | ---- | ---- | 9 UNCH |
| 4695 | ---- | ---- | ----/237.60A | 272.90B/237.60A | ---- | 249.80 - 24.30 | .5504 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4700 | ---- | ---- | 279.80B/239.40A | 279.80B/239.40A | ---- | 252.70 - 24.50 | .5542 | ---- | ---- | ---- | ---- | 987 UNCH |
| 4705 | 254.80 | 254.80 | 283.00B/242.60A | 283.00B/242.60A | ---- | 255.70 - 24.70 | .5581 | ---- | ---- | 1 | ---- | 59 UNCH |
| 4710 | ---- | ---- | ----/245.70A | 277.60B/245.70A | ---- | 258.70 - 24.80 | .5620 | ---- | ---- | ---- | ---- | 7 UNCH |
| 4715 | ---- | ---- | ----/248.80A | 280.70B/248.80A | ---- | 261.70 - 25.00 | .5659 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4720 | ---- | ---- | ----/251.40A | 283.60B/251.40A | ---- | 264.70 - 25.10 | .5697 | ---- | ---- | ---- | ---- | 10 UNCH |
| 4725 | ---- | ---- | ----/254.10A | 287.00B/254.10A | ---- | 267.80 - 25.20 | .5735 | ---- | ---- | ---- | ---- | 38 UNCH |
| 4730 | ---- | ---- | ----/257.20A | 290.10B/257.20A | ---- | 270.90 - 25.40 | .5774 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4735 | ---- | ---- | ----/260.30A | 293.40B/260.30A | ---- | 274.00 - 25.50 | .5812 | ---- | ---- | ---- | ---- | 59 UNCH |
| 4740 | ---- | ---- | ----/263.40A | 296.60B/263.40A | ---- | 277.10 - 25.70 | .5850 | ---- | ---- | ---- | ---- | 47 UNCH |
| 4745 | ---- | ---- | ----/266.30A | 299.90B/266.30A | ---- | 280.20 - 25.90 | .5887 | ---- | ---- | ---- | ---- | 24 UNCH |
| 4750 | ---- | ---- | ----/269.40A | 303.20B/269.40A | ---- | 283.40 - 26.00 | .5925 | ---- | ---- | ---- | ---- | 166 UNCH |
| 4755 | ---- | ---- | ----/272.40A | 306.50B/272.40A | ---- | 286.60 - 26.10 | .5962 | ---- | ---- | ---- | ---- | 20 UNCH |
| 4760 | ---- | ---- | ----/275.40A | 312.20B/275.40A | ---- | 289.80 - 26.20 | .6000 | ---- | ---- | ---- | ---- | 9 UNCH |
| 4770 | ---- | ---- | ----/281.50A | 313.30B/281.50A | ---- | 296.20 - 26.60 | .6074 | ---- | ---- | ---- | ---- | 250 UNCH |
| 4775 | ---- | ---- | ----/284.80A | 313.90B/284.80A | ---- | 299.50 - 26.70 | .6111 | ---- | ---- | ---- | ---- | 89 UNCH |
| 4780 | ---- | ---- | ----/288.10A | 318.00B/288.10A | ---- | 302.80 - 26.80 | .6148 | ---- | ---- | ---- | ---- | 19 UNCH |
| 4785 | ---- | ---- | ----/291.10A | 315.20B/291.10A | ---- | 306.10 - 26.90 | .6184 | ---- | ---- | ---- | ---- | 18 UNCH |
| 4790 | ---- | ---- | ----/294.30A | 315.60B/294.30A | ---- | 309.40 - 27.10 | .6221 | ---- | ---- | ---- | ---- | 53 UNCH |
| 4795 | ---- | ---- | ----/297.90A | 316.40B/297.90A | ---- | 312.80 - 27.20 | .6256 | ---- | ---- | ---- | ---- | 101 UNCH |
| 4800 | ---- | ---- | ----/301.10A | 318.60B/301.10A | ---- | 316.10 - 27.40 | .6292 | ---- | ---- | ---- | ---- | 836 UNCH |
| 4805 | ---- | ---- | ----/304.60A | 320.90B/304.60A | ---- | 319.50 - 27.50 | .6328 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4810 | ---- | ---- | ----/307.80A | 324.40B/307.80A | ---- | 322.90 - 27.60 | .6363 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4815 | ---- | ---- | ----/311.30A | 327.80B/311.30A | ---- | 326.30 - 27.80 | .6399 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4820 | ---- | ---- | ----/314.40A | 331.20B/314.40A | ---- | 329.80 - 27.80 | .6434 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4825 | ---- | ---- | ----/317.40A | 335.80B/317.40A | ---- | 333.30 - 27.90 | .6468 | ---- | ---- | ---- | ---- | 30 UNCH |
| 4835 | ---- | ---- | ----/324.60A | 342.70B/324.60A | ---- | 340.20 - 28.20 | .6537 | ---- | ---- | ---- | ---- | 36 UNCH |
| 4840 | ---- | ---- | ----/328.30A | 345.30B/328.30A | ---- | 343.80 - 28.20 | .6572 | ---- | ---- | ---- | ---- | 15 UNCH |
| 4850 | ---- | ---- | ----/334.90A | 352.30B/334.90A | ---- | 350.90 - 28.50 | .6639 | ---- | ---- | ---- | ---- | 154 UNCH |
| 4855 | ---- | ---- | ----/338.60A | 356.00B/338.60A | ---- | 354.40 - 28.60 | .6673 | ---- | ---- | ---- | ---- | 11 UNCH |
| 4860 | ---- | ---- | ----/342.10A | 359.60B/342.10A | ---- | 358.00 - 28.70 | .6706 | ---- | ---- | ---- | ---- | 9 UNCH |
| 4865 | ---- | ---- | ----/345.50A | 363.20B/345.50A | ---- | 361.70 - 28.70 | .6739 | ---- | ---- | ---- | ---- | 12 UNCH |
| 4870 | ---- | ---- | ----/349.00A | 366.70B/349.00A | ---- | 365.30 - 28.90 | .6772 | ---- | ---- | ---- | ---- | 28 UNCH |
| 4875 | ---- | ---- | ----/352.70A | 370.50B/352.70A | ---- | 368.90 - 29.00 | .6804 | ---- | ---- | ---- | ---- | 82 UNCH |
| 4880 | ---- | ---- | ----/356.10A | 374.00B/356.10A | ---- | 372.60 - 29.10 | .6837 | ---- | ---- | ---- | ---- | 125 UNCH |
| 4885 | ---- | ---- | ----/359.90A | 377.70B/359.90A | ---- | 376.30 - 29.20 | .6869 | ---- | ---- | ---- | ---- | 8 UNCH |
| 4890 | ---- | ---- | ----/363.30A | 381.50B/363.30A | ---- | 380.00 - 29.30 | .6900 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4900 | ---- | ---- | ----/370.50A | 388.90B/370.50A | ---- | 387.50 - 29.40 | .6963 | ---- | ---- | ---- | ---- | 375 UNCH |
| 4905 | ---- | ---- | ----/374.20A | 392.70B/374.20A | ---- | 391.20 - 29.60 | .6995 | ---- | ---- | ---- | ---- | 29 UNCH |
| 4910 | ---- | ---- | ----/377.80A | 396.50B/377.80A | ---- | 395.00 - 29.60 | .7026 | ---- | ---- | ---- | ---- | 22 UNCH |
| 4920 | ---- | ---- | ----/385.20A | 402.00B/385.20A | ---- | 402.60 - 29.80 | .7087 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4925 | ---- | ---- | ----/388.90A | 405.80B/388.90A | ---- | 406.40 - 29.90 | .7118 | ---- | ---- | ---- | ---- | 53 UNCH |
| 4930 | ---- | ---- | ----/392.70A | 402.80B/392.70A | ---- | 410.20 - 30.00 | .7147 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4950 | ---- | ---- | ----/410.90A | 425.00B/410.90A | ---- | 425.70 - 30.40 | .7264 | ---- | ---- | ---- | ---- | 31 UNCH |
| 4955 | ---- | ---- | ---- | 294.10B/562.00A | ---- | 429.60 - 30.40 | .7293 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4980 | ---- | ---- | ---- | 313.70B/581.90A | ---- | 449.40 - 30.80 | .7433 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5000 | ---- | ---- | ----/448.90A | 464.80B/448.90A | ---- | 465.40 - 31.20 | .7540 | ---- | ---- | ---- | ---- | 326 UNCH |
| 5010 | ---- | ---- | ---- | 337.50B/606.20A | ---- | 473.50 - 31.30 | .7591 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5025 | ---- | ---- | ----/469.40A | 485.00B/469.40A | ---- | 485.80 - 31.40 | .7668 | ---- | ---- | ---- | ---- | 25 UNCH |
| 5030 | ---- | ---- | ---- | 353.90B/622.50A | ---- | 489.90 - 31.50 | .7692 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5040 | ---- | ---- | ----/481.50A | 497.40B/481.50A | ---- | 498.20 - 31.60 | .7742 | ---- | ---- | ---- | ---- | 4 UNCH |
| 5045 | ---- | ---- | ----/485.60A | 501.50B/485.60A | ---- | 502.30 - 31.70 | .7766 | ---- | ---- | ---- | ---- | 31 UNCH |
| 5050 | ---- | ---- | ----/489.20A | 505.90B/489.20A | ---- | 506.50 - 31.70 | .7791 | ---- | ---- | ---- | ---- | 351 UNCH |
| 5070 | ---- | ---- | ----/506.20A | 522.40B/506.20A | ---- | 523.20 - 32.00 | .7884 | ---- | ---- | ---- | ---- | 17 UNCH |
| 5080 | ---- | ---- | ----/514.50A | 530.80B/514.50A | ---- | 531.70 - 32.00 | .7929 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5100 | ---- | ---- | ----/531.30A | 547.80B/531.30A | ---- | 548.70 - 32.30 | .8017 | ---- | ---- | ---- | ---- | 82 UNCH |
| 5120 | ---- | ---- | ---- | 430.50B/698.00A | ---- | 565.90 - 32.40 | .8101 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5180 | ---- | ---- | ---- | 484.00B/749.90A | ---- | 618.30 - 33.00 | .8333 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5195 | ---- | ---- | ---- | 497.60B/763.00A | ---- | 631.60 - 33.10 | .8386 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5200 | ---- | ---- | ----/617.70A | 635.00B/617.70A | ---- | 636.10 - 33.10 | .8403 | ---- | ---- | ---- | ---- | 112 UNCH |
| 5265 | ---- | ---- | ---- | 560.70B/825.90A | ---- | 694.60 - 33.60 | .8610 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5300 | ---- | ---- | ----/708.00A | 725.10B/708.00A | ---- | 726.60 - 33.80 | .8708 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5355 | ---- | ---- | ---- | 643.10B/909.60A | ---- | 777.50 - 34.00 | .8846 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5400 | ---- | ---- | ----/800.40A | 818.00B/800.40A | ---- | 819.60 - 34.20 | .8945 | ---- | ---- | ---- | ---- | 76 UNCH |
| 5460 | ---- | ---- | ---- | 739.10B/1008.90A | ---- | 876.30 - 34.30 | .9063 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5500 | ---- | ---- | ----/894.70A | 912.40B/894.70A | ---- | 914.30 - 34.50 | .9132 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5530 | ---- | ---- | ---- | ---- | ---- | 943.00 - 34.50 | .9178 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5575 | ---- | ---- | ---- | ---- | ---- | 986.20 - 34.60 | .9244 | ---- | ---- | ---- | ---- | 2 UNCH |
| TOTAL | | | | | | | | | | 467 | 380 | 32824 + 646 |
| SEP26 | | | | | | | | | | | | |
| 2000 | ---- | ---- | ---- | 0.50B/1.30A | ---- | 0.90 - 0.20 | .0019 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2350 | ---- | ---- | ---- | 1.20B/2.20A | ---- | 2.10 UNCH | .0046 | ---- | ---- | ---- | ---- | 36 UNCH |
| 2375 | ---- | ---- | ---- | 1.30B/2.30A | ---- | 2.20 UNCH | .0048 | ---- | ---- | ---- | ---- | 4 UNCH |
| 2400 | ---- | ---- | ---- | 1.40B/2.40A | ---- | 2.30 UNCH | .0051 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2500 | ---- | ---- | ---- | 1.70B/2.60A | ---- | 2.70 + 0.10 | .0061 | ---- | ---- | ---- | ---- | 4 UNCH |
| 2600 | ---- | ---- | ---- | 2.10B/3.00A | ---- | 3.10 + 0.10 | .0072 | ---- | ---- | ---- | ---- | 2 UNCH |
| 3000 | ---- | ---- | ----/5.30A | 4.40B/5.30A | ---- | 4.90 - 0.50 | .0132 | ---- | ---- | ---- | ---- | 2 UNCH |
| 3145 | ---- | ---- | ----/6.80A | 5.90B/6.80A | ---- | 6.20 - 0.80 | .0174 | ---- | ---- | ---- | ---- | 15 UNCH |
| 3150 | ---- | ---- | ----/6.90A | 6.00B/6.90A | ---- | 6.30 - 0.80 | .0177 | ---- | ---- | ---- | ---- | 2 UNCH |
| 3200 | ---- | ---- | ----/7.50A | 6.60B/7.50A | ---- | 6.90 - 0.90 | .0196 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3270 | ---- | ---- | ----/8.20A | 7.80B/8.20A | ---- | 8.00 - 1.10 | .0229 | ---- | ---- | ---- | ---- | 15 UNCH |
| 3300 | ---- | ---- | ----/8.80A | 8.30B/8.80A | ---- | 8.50 - 1.20 | .0245 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3400 | ---- | ---- | ----/10.90A | 10.50B/10.90A | ---- | 10.70 - 1.50 | .0310 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3475 | ---- | ---- | ----/12.80A | 12.50B/12.80A | ---- | 12.80 - 1.70 | .0372 | ---- | ---- | ---- | ---- | 2 UNCH |
| 3480 | ---- | ---- | ----/13.00A | 12.70B/13.00A | ---- | 13.00 - 1.70 | .0378 | ---- | ---- | ---- | ---- | 780 UNCH |
| 3500 | ---- | ---- | ----/13.60A | 13.30B/13.60A | ---- | 13.60 - 1.80 | .0396 | ---- | ---- | ---- | ---- | 26 UNCH |
| 3525 | ---- | ---- | ----/14.40A | 14.10B/14.40A | ---- | 14.50 - 1.90 | .0422 | ---- | ---- | ---- | ---- | 2 UNCH |
| 3550 | ---- | ---- | ----/15.30A | 15.00B/15.30A | ---- | 15.40 - 2.00 | .0448 | ---- | ---- | ---- | ---- | 5 UNCH |
| 3565 | ---- | ---- | ----/15.90A | 15.50B/15.90A | ---- | 16.00 - 2.10 | .0465 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3590 | ---- | ---- | ----/16.80A | 16.50B/16.80A | ---- | 17.00 - 2.20 | .0494 | ---- | ---- | ---- | ---- | 2 UNCH |
| 3600 | ---- | ---- | ----/17.20A | 17.10B/17.20A | ---- | 17.50 - 2.20 | .0508 | ---- | ---- | ---- | ---- | 37 UNCH |
| 3610 | ---- | ---- | ----/17.60A | 17.40B/17.60A | ---- | 17.90 - 2.30 | .0520 | ---- | ---- | ---- | ---- | 7 UNCH |
| 3625 | ---- | ---- | ----/18.30A | 18.10B/18.30A | ---- | 18.60 - 2.40 | .0540 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3650 | ---- | ---- | ----/19.40A | 19.50B/19.40A | ---- | 19.80 - 2.60 | .0574 | ---- | ---- | ---- | ---- | 66 UNCH |
| 3690 | ---- | ---- | ----/21.40A | 21.60B/21.40A | ---- | 21.90 - 2.80 | .0633 | ---- | ---- | ---- | ---- | 60 UNCH |
| 3700 | ---- | ---- | ----/21.90A | 23.60B/21.90A | ---- | 22.50 - 2.90 | .0650 | ---- | ---- | ---- | ---- | 151 UNCH |
| 3720 | ---- | ---- | ----/23.00A | 24.40B/23.00A | ---- | 23.70 - 3.00 | .0683 | ---- | ---- | ---- | ---- | 50 UNCH |
| 3750 | ---- | ---- | ----/24.80A | 26.70B/24.80A | ---- | 25.60 - 3.20 | .0735 | ---- | ---- | ---- | ---- | 120 UNCH |
| 3755 | ---- | ---- | ----/25.10A | 27.10B/25.10A | ---- | 25.90 - 3.30 | .0744 | ---- | ---- | ---- | ---- | 310 UNCH |
| 3775 | ---- | ---- | ----/26.40A | 28.60B/26.40A | ---- | 27.20 - 3.50 | .0780 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3800 | ---- | ---- | ----/28.10A | 29.30B/28.10A | ---- | 29.10 - 3.70 | .0831 | ---- | ---- | ---- | ---- | 41 UNCH |
| 3825 | ---- | ---- | ----/29.90A | 32.00B/29.90A | ---- | 31.00 - 4.00 | .0883 | ---- | ---- | ---- | ---- | 12 UNCH |
| 3850 | ---- | ---- | ----/31.90A | 34.70B/31.90A | ---- | 33.10 - 4.20 | .0939 | ---- | ---- | ---- | ---- | 20 UNCH |
| 3880 | ---- | ---- | ----/34.40A | 37.50B/34.40A | ---- | 35.70 - 4.60 | .1009 | ---- | ---- | ---- | ---- | 26 UNCH |
| 3900 | ---- | ---- | ----/36.20A | 39.20B/36.20A | ---- | 37.60 - 4.80 | .1059 | ---- | ---- | ---- | ---- | 211 UNCH |
| 3910 | ---- | ---- | ----/37.20A | 40.50B/37.20A | ---- | 38.60 - 4.90 | .1085 | ---- | ---- | ---- | ---- | 2 UNCH |
| 3915 | ---- | ---- | ----/37.70A | 40.40B/37.70A | ---- | 39.10 - 5.00 | .1098 | ---- | ---- | ---- | ---- | 4 UNCH |
| 3920 | ---- | ---- | ----/38.10A | 42.60B/38.10A | ---- | 39.60 - 5.10 | .1111 | ---- | ---- | ---- | ---- | 14 UNCH |
| 3930 | ---- | ---- | ----/39.20A | 43.30B/39.20A | ---- | 40.70 - 5.10 | .1139 | ---- | ---- | ---- | ---- | 2 UNCH |
| 3945 | ---- | ---- | ----/40.70A | 45.30B/40.70A | ---- | 42.30 - 5.40 | .1181 | ---- | ---- | ---- | ---- | 380 UNCH |
| 3950 | ---- | ---- | ----/41.20A | 45.50B/41.20A | ---- | 42.80 - 5.50 | .1194 | ---- | ---- | ---- | ---- | 324 UNCH |
| 3980 | ---- | ---- | ----/44.50A | 48.80B/44.50A | ---- | 46.30 - 5.90 | .1283 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4000 | 51.00 | 51.00 | 51.00/46.90A | 53.00B/46.90A | ---- | 48.80 - 6.10 | .1345 | ---- | ---- | 10 | 90 | 1025 + 100 |
| 4005 | ---- | ---- | ----/47.50A | 53.60B/47.50A | ---- | 49.40 - 6.20 | .1361 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4020 | ---- | ---- | ----/49.30A | 55.80B/49.30A | ---- | 51.40 - 6.40 | .1410 | ---- | ---- | ---- | ---- | 14 UNCH |
| 4030 | ---- | ---- | ----/50.60A | 57.20B/50.60A | ---- | 52.70 - 6.70 | .1443 | ---- | ---- | ---- | ---- | 3 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS

**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

64
Side 15

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OG PUT | | COMEX GOLD OPTIONS | | | | | | | | | | |
| SEP26 | | | | | | | | | | | | |
| 4050 | ---- | ---- | ----/53.30A | 60.70B/53.30A | ---- | 55.50 - 7.00 | .1511 | ---- | ---- | ---- | ---- | 47 UNCH |
| 4065 | ---- | ---- | ----/55.40A | 62.70B/55.40A | ---- | 57.70 - 7.30 | .1565 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4070 | ---- | ---- | ----/56.20A | 63.60B/56.20A | ---- | 58.50 - 7.30 | .1584 | ---- | ---- | ---- | ---- | 10 UNCH |
| 4080 | ---- | ---- | ----/57.70A | 65.30B/57.70A | ---- | 60.00 - 7.50 | .1620 | ---- | ---- | ---- | ---- | 6 UNCH |
| 4085 | ---- | ---- | ----/58.40A | 66.30B/58.40A | ---- | 60.80 - 7.60 | .1639 | ---- | ---- | ---- | ---- | 76 UNCH |
| 4090 | ---- | ---- | ----/59.10A | 67.10B/59.10A | ---- | 61.60 - 7.70 | .1658 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4100 | ---- | ---- | ----/60.70A | 69.00B/60.70A | ---- | 63.20 - 7.90 | .1696 | ---- | ---- | ---- | ---- | 22 UNCH |
| 4115 | ---- | ---- | ----/63.10A | 72.10B/63.10A | ---- | 65.80 - 8.10 | .1756 | ---- | ---- | ---- | ---- | 28 UNCH |
| 4130 | ---- | ---- | ----/65.60A | 74.90B/65.60A | ---- | 68.40 - 8.40 | .1817 | ---- | ---- | ---- | ---- | 20 UNCH |
| 4135 | ---- | ---- | ----/66.40A | 75.70B/66.40A | ---- | 69.30 - 8.50 | .1837 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4150 | ---- | ---- | ----/69.00A | 78.90B/69.00A | ---- | 72.00 - 8.90 | .1900 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4185 | ---- | ---- | ----/75.50A | 86.60B/75.50A | ---- | 78.90 - 9.50 | .2054 | ---- | ---- | ---- | ---- | 76 UNCH |
| 4200 | 90.00 | 90.00 | 90.00/78.50A | 90.00/78.50A | ---- | 82.00 - 9.90 | .2122 | ---- | ---- | 1 | ---- | 218 UNCH |
| 4220 | ---- | ---- | ----/82.60A | 94.50B/82.60A | ---- | 86.40 - 10.30 | .2217 | ---- | ---- | ---- | ---- | 113 UNCH |
| 4225 | ---- | ---- | ----/83.90A | 96.10B/83.90A | ---- | 87.50 - 10.40 | .2241 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4230 | ---- | ---- | ----/84.80A | 97.30B/84.80A | ---- | 88.60 - 10.50 | .2265 | ---- | ---- | ---- | ---- | 29 UNCH |
| 4240 | ---- | ---- | ----/87.00A | 99.40B/87.00A | ---- | 90.90 - 10.80 | .2314 | ---- | ---- | ---- | ---- | 129 UNCH |
| 4250 | ---- | ---- | ----/89.20A | 102.20B/89.20A | ---- | 93.30 - 11.00 | .2364 | ---- | ---- | ---- | ---- | 126 UNCH |
| 4275 | ---- | ---- | ----/95.00A | 109.00B/95.00A | ---- | 99.50 - 11.50 | .2492 | ---- | ---- | ---- | ---- | 30 UNCH |
| 4290 | ---- | ---- | ----/98.90A | 113.00B/98.90A | ---- | 103.30 - 11.90 | .2571 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4300 | ---- | ---- | ----/101.20A | 115.90B/101.20A | ---- | 106.00 - 12.10 | .2625 | ---- | ---- | ---- | ---- | 99 UNCH |
| 4320 | 107.20 | 107.20 | 107.80/106.40A | 122.80B/106.40A | ---- | 111.50 - 12.60 | .2734 | ---- | ---- | 15 | ---- | 158 + 6 |
| 4325 | ---- | ---- | ----/107.70A | 123.80B/107.70A | ---- | 112.90 - 12.80 | .2761 | ---- | ---- | ---- | ---- | 6 UNCH |
| 4345 | ---- | ---- | ----/113.20A | 130.50B/113.20A | ---- | 118.70 - 13.30 | .2874 | ---- | ---- | ---- | ---- | 16 UNCH |
| 4350 | ---- | ---- | ----/114.70A | 131.70B/114.70A | ---- | 120.20 - 13.40 | .2902 | ---- | ---- | ---- | ---- | 21 UNCH |
| 4360 | ---- | ---- | ----/117.60A | 135.30B/117.60A | ---- | 123.30 - 13.60 | .2960 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4365 | 119.90 | 119.90 | 119.90/119.00A | 137.70B/119.00A | ---- | 124.80 - 13.70 | .2989 | ---- | ---- | 1 | ---- | 6 + 1 |
| 4375 | ---- | ---- | ----/121.90A | 140.30B/121.90A | ---- | 127.90 - 14.00 | .3048 | ---- | ---- | ---- | ---- | 55 UNCH |
| 4380 | ---- | ---- | ----/123.40A | 142.40B/123.40A | ---- | 129.50 - 14.20 | .3077 | ---- | ---- | ---- | ---- | 95 UNCH |
| 4390 | ---- | ---- | ----/126.50A | 145.60B/126.50A | ---- | 132.80 - 14.30 | .3137 | ---- | ---- | ---- | ---- | 40 UNCH |
| 4395 | ---- | ---- | ----/127.00A | 147.20B/127.00A | ---- | 134.40 - 14.50 | .3167 | ---- | ---- | ---- | ---- | 41 UNCH |
| 4400 | ---- | ---- | ----/129.50A | 149.10B/129.50A | ---- | 136.10 - 14.60 | .3197 | ---- | ---- | ---- | ---- | 260 UNCH |
| 4405 | ---- | ---- | ----/131.30A | 150.90B/131.30A | ---- | 137.70 - 14.80 | .3227 | ---- | ---- | ---- | ---- | 40 UNCH |
| 4410 | ---- | ---- | ----/132.80A | 153.70B/132.80A | ---- | 139.40 - 14.90 | .3257 | ---- | ---- | ---- | ---- | 6 UNCH |
| 4420 | ---- | ---- | ----/136.40A | 156.30B/136.40A | ---- | 142.90 - 15.10 | .3319 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4430 | ---- | ---- | ----/139.50A | 160.70B/139.50A | ---- | 146.40 - 15.40 | .3381 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4440 | ---- | ---- | ----/142.80A | 164.40B/142.80A | ---- | 150.00 - 15.70 | .3443 | ---- | ---- | ---- | ---- | 7 UNCH |
| 4445 | ---- | ---- | ----/144.70A | 166.40B/144.70A | ---- | 151.80 - 15.80 | .3474 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4450 | 154.90 | 154.90 | 154.90/146.10A | 168.30B/146.10A | ---- | 153.60 - 16.00 | .3506 | ---- | ---- | 25 | ---- | 445 + 15 |
| 4470 | ---- | ---- | ----/153.50A | 176.30B/153.50A | ---- | 161.10 - 16.50 | .3632 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4475 | ---- | ---- | ----/155.20A | 178.30B/155.20A | ---- | 163.10 - 16.60 | .3665 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4485 | ---- | ---- | ----/159.00A | 182.50B/159.00A | ---- | 167.00 - 16.80 | .3729 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4490 | ---- | ---- | ----/160.80A | 184.90B/160.80A | ---- | 168.90 - 17.10 | .3761 | ---- | ---- | ---- | ---- | 50 UNCH |
| 4495 | ---- | ---- | 188.40B/163.00A | 188.40B/163.00A | ---- | 170.90 - 17.20 | .3794 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4500 | 166.40 | 166.40 | 190.80B/164.50A | 190.80B/164.50A | ---- | 172.90 - 17.30 | .3826 | ---- | ---- | 14 | 75 | 501 + 47 |
| 4515 | ---- | ---- | 197.50B/170.40A | 197.50B/170.40A | ---- | 179.10 - 17.70 | .3925 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4520 | ---- | ---- | 200.90B/172.60A | 200.90B/172.60A | ---- | 181.20 - 17.80 | .3957 | ---- | ---- | ---- | ---- | 91 UNCH |
| 4530 | ---- | ---- | 205.50B/176.80A | 205.50B/176.80A | ---- | 185.40 - 18.10 | .4023 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4550 | 200.10 | 200.10 | 213.40B/184.50A | 213.40B/184.50A | ---- | 194.10 - 18.60 | .4156 | ---- | ---- | 1 | ---- | 352 + 1 |
| 4560 | ---- | ---- | ----/188.90A | 217.50B/188.90A | ---- | 198.60 - 18.90 | .4223 | ---- | ---- | ---- | ---- | 6 UNCH |
| 4565 | ---- | ---- | 220.60B/191.40A | 220.60B/191.40A | ---- | 200.80 NEW | .4257 | ---- | ---- | 75 | ---- | 75 + 75 |
| 4570 | ---- | ---- | 222.90B/193.80A | 222.90B/193.80A | ---- | 203.10 - 19.20 | .4290 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4575 | ---- | ---- | 226.60B/195.50A | 226.60B/195.50A | ---- | 205.40 - 19.30 | .4324 | ---- | ---- | ---- | ---- | 10 UNCH |
| 4580 | ---- | ---- | ----/198.20A | 226.90B/198.20A | ---- | 207.70 - 19.40 | .4358 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4585 | ---- | ---- | 230.30B/199.90A | 230.30B/199.90A | ---- | 210.00 - 19.60 | .4391 | ---- | ---- | ---- | ---- | 7 UNCH |
| 4595 | ---- | ---- | ----/205.00A | 234.40B/205.00A | ---- | 214.80 - 19.80 | .4459 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4600 | ---- | ---- | 239.20B/206.80A | 239.20B/206.80A | ---- | 217.10 - 20.00 | .4493 | ---- | ---- | 1 | ---- | 55 + 1 |
| 4605 | ---- | ---- | 240.40B/209.60A | 240.40B/209.60A | ---- | 219.50 - 20.20 | .4527 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4615 | ---- | ---- | 245.70B/214.30A | 245.70B/214.30A | ---- | 224.40 - 20.40 | .4594 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4620 | ---- | ---- | 250.70B/216.00A | 250.70B/216.00A | ---- | 226.90 - 20.50 | .4628 | ---- | ---- | ---- | 100 | 408 - 100 |
| 4625 | ---- | ---- | 251.90B/219.00A | 251.90B/219.00A | ---- | 229.40 - 20.60 | .4662 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4630 | ---- | ---- | 253.90B/221.40A | 253.90B/221.40A | ---- | 231.90 - 20.80 | .4696 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4645 | ---- | ---- | ----/228.80A | 258.90B/228.80A | ---- | 239.50 - 21.20 | .4798 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4650 | ---- | ---- | ----/231.40A | 261.70B/231.40A | ---- | 242.10 - 21.30 | .4832 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4655 | ---- | ---- | ----/233.30A | 264.80B/233.30A | ---- | 244.70 - 21.40 | .4866 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4700 | ---- | ---- | ----/256.80A | 289.00B/256.80A | ---- | 269.00 - 22.50 | .5170 | ---- | ---- | ---- | ---- | 76 UNCH |
| 4705 | ---- | ---- | ----/260.00A | 292.10B/260.00A | ---- | 271.80 - 22.70 | .5203 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4710 | ---- | ---- | ----/262.70A | 295.00B/262.70A | ---- | 274.60 - 22.80 | .5237 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4725 | ---- | ---- | ----/271.00A | 303.50B/271.00A | ---- | 283.20 - 23.10 | .5337 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4730 | ---- | ---- | ----/273.20A | 306.90B/273.20A | ---- | 286.10 - 23.20 | .5370 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4740 | ---- | ---- | ----/279.50A | 313.50B/279.50A | ---- | 291.90 - 23.50 | .5436 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4750 | ---- | ---- | ----/284.40A | 319.40B/284.40A | ---- | 297.80 - 23.80 | .5502 | ---- | ---- | ---- | ---- | 151 UNCH |
| 4760 | ---- | ---- | ----/290.30A | 325.30B/290.30A | ---- | 303.80 - 24.00 | .5567 | ---- | ---- | ---- | ---- | 100 UNCH |
| 4775 | ---- | ---- | ----/299.00A | 334.80B/299.00A | ---- | 313.00 - 24.30 | .5664 | ---- | ---- | ---- | ---- | 18 UNCH |
| 4780 | 302.40 | 302.40 | 302.40/302.00A | 333.00B/302.00A | ---- | 316.10 - 24.40 | .5697 | ---- | ---- | 1 | ---- | 3 UNCH |
| 4800 | ---- | ---- | ----/314.30A | 345.90B/314.30A | ---- | 328.60 - 24.90 | .5825 | ---- | ---- | ---- | ---- | 471 UNCH |
| 4825 | ---- | ---- | ----/330.50A | 362.40B/330.50A | ---- | 344.70 - 25.40 | .5982 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4830 | ---- | ---- | ----/333.60A | 371.50B/333.60A | ---- | 348.00 - 25.50 | .6013 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4835 | ---- | ---- | ----/336.00A | 368.30B/336.00A | ---- | 351.30 - 25.60 | .6044 | ---- | ---- | ---- | ---- | 30 UNCH |
| 4855 | ---- | ---- | ----/349.30A | 374.90B/349.30A | ---- | 364.60 - 26.00 | .6166 | ---- | ---- | ---- | ---- | 14 UNCH |
| 4875 | ---- | ---- | ----/362.80A | 379.00B/362.80A | ---- | 378.10 - 26.50 | .6287 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4885 | ---- | ---- | ----/369.60A | 385.80B/369.60A | ---- | 385.00 - 26.70 | .6346 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4895 | ---- | ---- | ----/376.30A | 392.80B/376.30A | ---- | 391.90 - 26.90 | .6404 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4900 | ---- | ---- | ----/379.80A | 396.30B/379.80A | ---- | 395.40 - 27.00 | .6434 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4915 | ---- | ---- | ----/390.00A | 406.80B/390.00A | ---- | 406.00 - 27.30 | .6520 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4930 | ---- | ---- | ----/400.30A | 417.70B/400.30A | ---- | 416.70 - 27.60 | .6605 | ---- | ---- | ---- | ---- | 20 UNCH |
| 4950 | ---- | ---- | ----/414.60A | 432.00B/414.60A | ---- | 431.10 - 28.10 | .6717 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4975 | ---- | ---- | ----/432.60A | 450.60B/432.60A | ---- | 449.50 - 28.60 | .6853 | ---- | ---- | ---- | ---- | 210 UNCH |
| 5000 | ---- | ---- | ----/450.80A | 469.40B/450.80A | ---- | 468.30 - 29.10 | .6984 | ---- | ---- | ---- | ---- | 10 UNCH |
| 5005 | ---- | ---- | ----/454.40A | 473.20B/454.40A | ---- | 472.00 - 29.20 | .7009 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5020 | ---- | ---- | ----/465.60A | 482.60B/465.60A | ---- | 483.50 - 29.50 | .7086 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5060 | ---- | ---- | ----/498.10A | 513.70B/498.10A | ---- | 514.70 - 30.10 | .7281 | ---- | ---- | ---- | ---- | 4 UNCH |
| 5100 | ---- | ---- | ----/529.90A | 545.70B/529.90A | ---- | 546.60 - 30.70 | .7464 | ---- | ---- | ---- | ---- | 28 UNCH |
| 5105 | ---- | ---- | ---- | 411.30B/686.00A | ---- | 550.60 - 30.80 | .7486 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5150 | ---- | ---- | ---- | 448.00B/723.00A | ---- | 587.60 - 31.20 | .7676 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5200 | ---- | ---- | ----/611.10A | 628.40B/611.10A | ---- | 629.50 - 31.80 | .7871 | ---- | ---- | ---- | ---- | 45 UNCH |
| 5230 | ---- | ---- | ----/635.70A | 654.00B/635.70A | ---- | 655.20 - 31.90 | .7980 | ---- | ---- | ---- | ---- | 400 UNCH |
| 5300 | ---- | ---- | ----/696.00A | 714.90B/696.00A | ---- | 716.10 - 32.50 | .8214 | ---- | ---- | ---- | ---- | 300 UNCH |
| 5400 | ---- | ---- | ----/785.40A | 803.60B/785.40A | ---- | 805.40 - 33.20 | .8495 | ---- | ---- | ---- | ---- | 100 UNCH |
| 5420 | ---- | ---- | ----/803.40A | 821.70B/803.40A | ---- | 823.60 - 33.30 | .8545 | ---- | ---- | ---- | ---- | 80 UNCH |
| 5450 | ---- | ---- | ---- | 712.90B/985.60A | ---- | 851.00 - 33.40 | .8618 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5500 | ---- | ---- | ----/876.90A | 894.80B/876.90A | ---- | 897.00 - 33.70 | .8728 | ---- | ---- | ---- | ---- | 3 UNCH |
| 6000 | ---- | ---- | ---- | ---- | ---- | 1375.10 - 34.40 | .9383 | ---- | ---- | ---- | ---- | 2 UNCH |
| TOTAL | | | | | | | | | | 144 | 265 | 9722 + 146 |
| OCT26 | | | | | | | | | | | | |
| 2700 | ---- | ---- | 2.40B/---- | 2.40B/4.30A | ---- | 3.00 + 1.00 | .0075 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2800 | ---- | ---- | 3.00B/---- | 3.00B/4.90A | ---- | 4.00 + 1.40 | .0100 | ---- | ---- | ---- | ---- | 3 UNCH |
| 2900 | ---- | ---- | 3.90B/---- | 3.90B/6.00A | ---- | 4.90 + 1.10 | .0125 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3100 | ---- | ---- | ---- | 6.30B/8.60A | ---- | 7.60 - 0.10 | .0197 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3155 | ---- | ---- | ---- | 7.30B/9.60A | ---- | 8.50 - 0.70 | .0222 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3200 | ---- | ---- | ----/10.50A | 8.10B/10.50A | ---- | 9.40 - 1.20 | .0246 | ---- | ---- | ---- | ---- | 414 UNCH |
| 3240 | ---- | ---- | ----/11.40A | 8.90B/11.40A | ---- | 10.30 - 1.60 | .0270 | ---- | ---- | ---- | ---- | 5 UNCH |
| 3300 | ---- | ---- | ----/12.80A | 10.50B/12.80A | ---- | 11.80 - 2.40 | .0310 | ---- | ---- | ---- | ---- | 415 UNCH |
| 3340 | ---- | ---- | ----/13.90A | 11.40B/13.90A | ---- | 12.90 - 2.90 | .0339 | ---- | ---- | ---- | ---- | 9 UNCH |
| 3360 | ---- | ---- | ----/14.50A | 12.10B/14.50A | ---- | 13.50 - 3.20 | .0355 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3380 | ---- | ---- | ----/15.10A | 12.60B/15.10A | ---- | 14.10 - 3.50 | .0371 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3390 | ---- | ---- | ----/15.40A | 13.00B/15.40A | ---- | 14.50 - 3.60 | .0381 | ---- | ---- | ---- | ---- | 4 UNCH |
| 3400 | ---- | ---- | ----/15.80A | 13.30B/15.80A | ---- | 14.80 - 3.80 | .0390 | ---- | ---- | ---- | ---- | 150 UNCH |
| 3480 | ---- | ---- | ----/18.70A | 16.70B/18.70A | ---- | 17.90 - 4.80 | .0470 | ---- | ---- | ---- | ---- | 12 UNCH |
| 3500 | ---- | ---- | ----/19.50A | 17.60B/19.50A | ---- | 18.80 - 5.00 | .0493 | ---- | ---- | ---- | ---- | 10 UNCH |
| 3520 | ---- | ---- | ----/20.40A | 18.50B/20.40A | ---- | 19.70 - 5.30 | .0516 | ---- | ---- | ---- | ---- | 12 UNCH |
| 3550 | ---- | ---- | ----/21.80A | 20.00B/21.80A | ---- | 21.20 - 5.60 | .0554 | ---- | ---- | ---- | ---- | 25 UNCH |
| 3600 | ---- | ---- | ----/24.40A | 22.70B/24.40A | ---- | 24.00 - 6.00 | .0624 | ---- | ---- | ---- | ---- | 178 UNCH |
| 3615 | ---- | ---- | ----/25.30A | 23.60B/25.30A | ---- | 24.90 - 6.10 | .0647 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3700 | ---- | ---- | ----/30.30A | 30.40B/30.30A | ---- | 30.70 - 6.40 | .0789 | ---- | ---- | ---- | ---- | 135 UNCH |
| 3715 | ---- | ---- | ----/31.40A | 31.90B/31.40A | ---- | 31.80 - 6.50 | .0816 | ---- | ---- | ---- | ---- | 196 UNCH |
| 3750 | ---- | ---- | ----/34.20A | 34.40B/34.20A | ---- | 34.70 - 6.40 | .0885 | ---- | ---- | ---- | ---- | 19 UNCH |
| 3770 | ---- | ---- | ----/35.90A | 36.10B/35.90A | ---- | 36.50 - 6.20 | .0927 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3785 | ---- | ---- | ----/37.20A | 37.30B/37.20A | ---- | 37.90 - 6.10 | .0960 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3800 | ---- | ---- | ----/38.90A | 39.10B/38.90A | ---- | 39.40 - 5.90 | .0994 | ---- | ---- | ---- | ---- | 19 UNCH |
| 3805 | ---- | ---- | ----/39.30A | 39.10B/39.30A | ---- | 39.80 - 5.90 | .1004 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3820 | ---- | ---- | ----/40.60A | 42.10B/40.60A | ---- | 41.40 - 5.70 | .1040 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3865 | ---- | ---- | ----/45.20A | 47.30B/45.20A | ---- | 46.20 - 5.80 | .1150 | ---- | ---- | ---- | ---- | 2 UNCH |
| 3870 | ---- | ---- | ----/45.80A | 46.00B/45.80A | ---- | 46.70 - 5.90 | .1162 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3875 | ---- | ---- | ----/46.30A | 47.00B/46.30A | ---- | 47.30 - 6.00 | .1176 | ---- | ---- | ---- | ---- | 12 UNCH |
| 3885 | ---- | ---- | ----/47.40A | 47.80B/47.40A | ---- | 48.40 - 6.20 | .1201 | ---- | ---- | ---- | ---- | 5 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OG PUT | | COMEX GOLD OPTIONS | | | | | | | | | | |
| OCT26 | | | | | | | | | | | | |
| 3890 | ---- | ---- | ----/47.90A | 48.40B/47.90A | ---- | 49.00 - 6.20 | .1215 | ---- | ---- | ---- | ---- | 2 UNCH |
| 3895 | ---- | ---- | ----/48.50A | 49.00B/48.50A | ---- | 49.60 - 6.30 | .1228 | ---- | ---- | ---- | ---- | 2 UNCH |
| 3900 | 54.10 | 54.10 | 54.10/49.10A | 54.10/49.10A | ---- | 50.20 - 6.40 | .1242 | ---- | ---- | 2 | ---- | 23 + 1 |
| 3920 | ---- | ---- | ----/51.50A | 52.40B/51.50A | ---- | 52.70 - 6.70 | .1297 | ---- | ---- | ---- | ---- | 28 UNCH |
| 3930 | ---- | ---- | ----/52.70A | 53.60B/52.70A | ---- | 54.00 - 6.80 | .1326 | ---- | ---- | ---- | ---- | 2 UNCH |
| 3940 | ---- | ---- | ----/53.90A | 57.30B/53.90A | ---- | 55.30 - 6.90 | .1355 | ---- | ---- | ---- | ---- | 65 UNCH |
| 3950 | ---- | ---- | ----/55.20A | 56.40B/55.20A | ---- | 56.70 - 7.00 | .1385 | ---- | ---- | ---- | ---- | 2 UNCH |
| 3975 | ---- | ---- | ----/58.60A | 60.10B/58.60A | ---- | 60.20 - 7.20 | .1461 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4000 | 68.70 | 68.70 | 68.70/62.00A | 68.70/62.00A | ---- | 64.00 - 7.50 | .1542 | ---- | ---- | 7 | ---- | 394 UNCH |
| 4030 | ---- | ---- | ----/66.80A | 69.00B/66.80A | ---- | 68.80 - 8.00 | .1643 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4035 | ---- | ---- | ----/67.60A | 69.80B/67.60A | ---- | 69.60 - 8.10 | .1660 | ---- | ---- | 1 | ---- | 0 - 1 |
| 4050 | ---- | ---- | ----/69.40A | 72.60B/69.40A | ---- | 72.20 - 8.30 | .1714 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4070 | ---- | ---- | ----/72.70A | 76.40B/72.70A | ---- | 75.80 - 8.50 | .1787 | ---- | ---- | ---- | ---- | 24 UNCH |
| 4100 | ---- | ---- | ----/77.90A | 82.40B/77.90A | ---- | 81.30 - 9.00 | .1899 | ---- | ---- | 2 | ---- | 466 + 2 |
| 4130 | ---- | ---- | ----/84.40A | 88.80B/84.40A | ---- | 87.30 - 9.30 | .2018 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4135 | ---- | ---- | ----/85.40A | 89.90B/85.40A | ---- | 88.30 - 9.40 | .2038 | ---- | ---- | 1 | ---- | 0 - 1 |
| 4150 | ---- | ---- | ----/87.80A | 93.30B/87.80A | ---- | 91.50 - 9.60 | .2100 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4180 | ---- | ---- | ----/95.00A | 100.50B/95.00A | ---- | 98.10 - 10.20 | .2227 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4200 | ---- | ---- | ----/98.40A | 105.50B/98.40A | ---- | 102.80 - 10.60 | .2316 | ---- | ---- | ---- | ---- | 353 UNCH |
| 4220 | ---- | ---- | ----/103.20A | 110.70B/103.20A | ---- | 107.70 - 11.00 | .2406 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4235 | ---- | ---- | ----/107.90A | 114.80B/107.90A | ---- | 111.40 - 11.50 | .2475 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4250 | ---- | ---- | ----/110.60A | 118.90B/110.60A | ---- | 115.40 - 11.70 | .2546 | ---- | ---- | ---- | ---- | 72 UNCH |
| 4265 | ---- | ---- | ----/114.40A | 123.20B/114.40A | ---- | 119.40 - 12.10 | .2618 | ---- | ---- | ---- | ---- | 200 UNCH |
| 4270 | ---- | ---- | ----/115.70A | 124.70B/115.70A | ---- | 120.80 - 12.20 | .2642 | ---- | ---- | ---- | ---- | 226 UNCH |
| 4280 | ---- | ---- | ----/118.40A | 127.70B/118.40A | ---- | 123.50 - 12.50 | .2691 | ---- | ---- | ---- | ---- | 196 UNCH |
| 4300 | ---- | ---- | ----/124.10A | 133.80B/124.10A | ---- | 129.30 - 12.90 | .2791 | ---- | ---- | 5 | ---- | 476 UNCH |
| 4330 | ---- | ---- | ----/133.70A | 143.40B/133.70A | ---- | 138.30 - 13.40 | .2944 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4350 | ---- | ---- | ----/138.60A | 150.10B/138.60A | ---- | 144.60 - 13.70 | .3048 | ---- | ---- | ---- | ---- | 210 UNCH |
| 4355 | ---- | ---- | ----/139.00A | 151.80B/139.00A | ---- | 146.20 - 13.80 | .3075 | ---- | ---- | ---- | ---- | 11 UNCH |
| 4375 | ---- | ---- | ----/146.50A | 158.80B/146.50A | ---- | 152.80 - 14.10 | .3182 | ---- | ---- | ---- | ---- | 10 UNCH |
| 4400 | ---- | ---- | ----/154.80A | 167.90B/154.80A | ---- | 161.40 - 14.50 | .3318 | ---- | ---- | ---- | ---- | 389 UNCH |
| 4430 | ---- | ---- | ----/165.20A | 183.10B/165.20A | ---- | 172.30 - 15.10 | .3486 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4450 | ---- | ---- | ----/172.40A | 187.40B/172.40A | ---- | 179.90 - 15.60 | .3599 | ---- | ---- | ---- | ---- | 26 UNCH |
| 4475 | ---- | ---- | ----/183.10A | 197.80B/183.10A | ---- | 189.80 - 16.30 | .3743 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4500 | ---- | ---- | ----/192.00A | 208.50B/192.00A | ---- | 200.00 - 17.10 | .3889 | ---- | ---- | ---- | ---- | 91 UNCH |
| 4550 | ---- | ---- | ----/213.90A | 231.40B/213.90A | ---- | 221.80 NEW | .4185 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4560 | ---- | ---- | ----/218.30A | 236.20B/218.30A | ---- | 226.40 NEW | .4245 | ---- | ---- | 100 | ---- | 78 + 78 |
| 4600 | ---- | ---- | ----/235.80A | 255.90B/235.80A | ---- | 245.20 - 20.20 | .4486 | ---- | ---- | ---- | ---- | 329 UNCH |
| 4610 | ---- | ---- | ----/239.90A | 261.10B/239.90A | ---- | 250.10 - 20.50 | .4546 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4625 | ---- | ---- | ----/247.80A | 268.90B/247.80A | ---- | 257.50 - 21.00 | .4637 | ---- | ---- | ---- | ---- | 40 UNCH |
| 4630 | ---- | ---- | ----/250.90A | 271.50B/250.90A | ---- | 260.00 - 21.10 | .4667 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4635 | ---- | ---- | ----/253.40A | 274.20B/253.40A | ---- | 262.60 - 21.20 | .4697 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4640 | ---- | ---- | ----/255.20A | 276.80B/255.20A | ---- | 265.10 - 21.40 | .4728 | ---- | ---- | ---- | ---- | 13 UNCH |
| 4650 | ---- | ---- | ----/259.60A | 282.20B/259.60A | ---- | 270.20 - 21.70 | .4788 | ---- | ---- | 1 | ---- | 133 UNCH |
| 4675 | ---- | ---- | ----/273.70A | 296.00B/273.70A | ---- | 283.40 - 22.30 | .4939 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4680 | ---- | ---- | ----/276.30A | 298.80B/276.30A | ---- | 286.10 - 22.40 | .4969 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4700 | ---- | ---- | ----/285.90A | 310.20B/285.90A | ---- | 297.00 - 22.90 | .5089 | ---- | ---- | ---- | ---- | 84 UNCH |
| 4715 | ---- | ---- | ----/295.10A | 319.00B/295.10A | ---- | 305.40 NEW | .5179 | ---- | ---- | 3 | ---- | 3 + 3 |
| 4750 | ---- | ---- | ----/314.20A | 339.90B/314.20A | ---- | 325.60 - 23.90 | .5386 | ---- | ---- | ---- | ---- | 174 UNCH |
| 4775 | ---- | ---- | ----/329.10A | 355.30B/329.10A | ---- | 340.60 - 24.30 | .5531 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4780 | ---- | ---- | ----/332.00A | 358.50B/332.00A | ---- | 343.60 - 24.50 | .5560 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4800 | ---- | ---- | ----/343.30A | 371.20B/343.30A | ---- | 356.10 - 24.70 | .5675 | ---- | ---- | ---- | ---- | 100 UNCH |
| 4845 | ---- | ---- | ----/371.00A | 400.60B/371.00A | ---- | 385.10 - 25.30 | .5926 | ---- | ---- | ---- | ---- | 17 UNCH |
| 4850 | ---- | ---- | ----/374.40A | 404.00B/374.40A | ---- | 388.40 - 25.40 | .5953 | ---- | ---- | ---- | ---- | 80 UNCH |
| 4875 | ---- | ---- | ----/390.90A | 417.50B/390.90A | ---- | 404.90 - 26.10 | .6090 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4900 | ---- | ---- | ----/407.50A | 422.10B/407.50A | ---- | 421.70 - 26.80 | .6225 | ---- | ---- | ---- | ---- | 131 UNCH |
| 4910 | ---- | ---- | ----/414.30A | 428.70B/414.30A | ---- | 428.50 - 27.10 | .6278 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4920 | ---- | ---- | ----/421.00A | 435.60B/421.00A | ---- | 435.40 - 27.30 | .6330 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4925 | ---- | ---- | ----/424.50A | 439.10B/424.50A | ---- | 438.80 - 27.50 | .6356 | ---- | ---- | ---- | ---- | 25 UNCH |
| 4935 | ---- | ---- | ----/430.90A | 446.10B/430.90A | ---- | 445.80 - 27.60 | .6408 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4965 | ---- | ---- | ----/452.00A | 467.60B/452.00A | ---- | 467.20 - 27.90 | .6560 | ---- | ---- | ---- | ---- | 13 UNCH |
| 4980 | ---- | ---- | ----/462.70A | 478.30B/462.70A | ---- | 478.00 - 28.10 | .6634 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5000 | ---- | ---- | ----/476.90A | 493.10B/476.90A | ---- | 492.70 - 28.20 | .6731 | ---- | ---- | ---- | ---- | 47 UNCH |
| 5010 | ---- | ---- | ----/484.20A | 500.40B/484.20A | ---- | 500.10 - 28.40 | .6778 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5050 | ---- | ---- | ----/513.50A | 530.50B/513.50A | ---- | 530.30 - 28.80 | .6962 | ---- | ---- | ---- | ---- | 25 UNCH |
| 5150 | ---- | ---- | ---- | 465.70B/746.50A | ---- | 608.80 - 30.30 | .7386 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5200 | ---- | ---- | ----/632.80A | 647.50B/632.80A | ---- | 649.60 - 31.00 | .7576 | ---- | ---- | ---- | ---- | 100 UNCH |
| 5230 | ---- | ---- | ---- | 531.00B/812.50A | ---- | 674.50 - 31.30 | .7684 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5250 | ---- | ---- | ----/673.30A | 689.40B/673.30A | ---- | 691.30 - 31.50 | .7753 | ---- | ---- | ---- | ---- | 75 UNCH |
| 5300 | ---- | ---- | ----/716.30A | 731.70B/716.30A | ---- | 733.70 - 32.00 | .7917 | ---- | ---- | ---- | ---- | 6 UNCH |
| 5425 | ---- | ---- | ---- | 700.20B/980.60A | ---- | 843.10 - 32.60 | .8273 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5455 | ---- | ---- | ----/851.50A | 867.40B/851.50A | ---- | 869.90 - 32.80 | .8348 | ---- | ---- | ---- | ---- | 40 UNCH |
| 5495 | ---- | ---- | ---- | 763.90B/1043.20A | ---- | 906.00 - 32.80 | .8441 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5500 | ---- | ---- | ---- | 768.50B/1047.70A | ---- | 910.50 - 32.90 | .8453 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5600 | ---- | ---- | ---- | 859.50B/1139.80A | ---- | 1002.10 - 33.20 | .8659 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5700 | ---- | ---- | ---- | 952.10B/1233.70A | ---- | 1095.20 - 33.80 | .8831 | ---- | ---- | ---- | ---- | 1 UNCH |
| TOTAL | | | | | | | | | | 123 | | 6480 + 83 |
| NOV26 | | | | | | | | | | | | |
| 2750 | ---- | ---- | ----/*6.00A | 3.40B/6.00A | ---- | 4.50 - 8.60 | .0105 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2800 | ---- | ---- | ----/*7.40A | 2.80B/7.40A | ---- | 5.10 - 9.50 | .0119 | ---- | ---- | ---- | ---- | 8 UNCH |
| 2900 | ---- | ---- | ----/*7.70A | 4.90B/7.70A | ---- | 6.30 - 9.20 | .0148 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3000 | ---- | ---- | ----/9.10A | 6.20B/9.10A | ---- | 7.80 - 8.70 | .0185 | ---- | ---- | ---- | ---- | 95 UNCH |
| 3120 | ---- | ---- | ----/11.30A | 8.40B/11.30A | ---- | 10.00 - 7.80 | .0239 | ---- | ---- | ---- | ---- | 10 UNCH |
| 3180 | ---- | ---- | ----/12.60A | 9.80B/12.60A | ---- | 11.40 - 7.30 | .0273 | ---- | ---- | ---- | ---- | 10 UNCH |
| 3200 | ---- | ---- | ----/13.10A | 10.40B/13.10A | ---- | 11.90 - 7.20 | .0285 | ---- | ---- | ---- | ---- | 93 UNCH |
| 3215 | ---- | ---- | ----/13.40A | 10.70B/13.40A | ---- | 12.30 - 7.00 | .0295 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3220 | ---- | ---- | ----/13.50A | 10.80B/13.50A | ---- | 12.40 - 7.00 | .0298 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3225 | ---- | ---- | ----/13.60A | 11.10B/13.60A | ---- | 12.50 - 7.00 | .0300 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3235 | ---- | ---- | ----/13.90A | 11.20B/13.90A | ---- | 12.80 - 6.90 | .0307 | ---- | ---- | ---- | ---- | 2 UNCH |
| 3250 | ---- | ---- | ----/14.40A | 11.70B/14.40A | ---- | 13.30 - 6.70 | .0319 | ---- | ---- | ---- | ---- | 18 UNCH |
| 3255 | ---- | ---- | ----/14.50A | 11.90B/14.50A | ---- | 13.40 - 6.70 | .0322 | ---- | ---- | ---- | ---- | 18 UNCH |
| 3300 | ---- | ---- | ----/15.70A | 13.30B/15.70A | ---- | 14.80 - 6.40 | .0355 | ---- | ---- | ---- | ---- | 20 UNCH |
| 3310 | ---- | ---- | ----/16.10A | 13.70B/16.10A | ---- | 15.20 - 6.30 | .0364 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3320 | ---- | ---- | ----/16.40A | 14.10B/16.40A | ---- | 15.50 - 6.20 | .0372 | ---- | ---- | ---- | ---- | 16 UNCH |
| 3350 | ---- | ---- | ----/17.60A | 15.10B/17.60A | ---- | 16.60 - 6.00 | .0398 | ---- | ---- | ---- | ---- | 180 UNCH |
| 3455 | ---- | ---- | ----/22.40A | 19.80B/22.40A | ---- | 21.30 - 5.30 | .0506 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3475 | ---- | ---- | ----/23.40A | 20.90B/23.40A | ---- | 22.30 - 5.20 | .0529 | ---- | ---- | ---- | ---- | 2 UNCH |
| 3500 | ---- | ---- | ----/24.70A | 22.20B/24.70A | ---- | 23.70 - 5.10 | .0560 | ---- | ---- | ---- | ---- | 665 UNCH |
| 3535 | ---- | ---- | ----/26.50A | 24.30B/26.50A | ---- | 25.80 - 4.90 | .0607 | ---- | ---- | ---- | ---- | 3 UNCH |
| 3605 | ---- | ---- | ----/31.00A | 30.20B/31.00A | ---- | 30.50 - 4.80 | .0710 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3690 | ---- | ---- | ----/37.40A | 37.30B/37.40A | ---- | 37.40 - 4.80 | .0858 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3725 | ---- | ---- | ----/40.50A | 40.70B/40.50A | ---- | 40.70 - 4.80 | .0926 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3740 | ---- | ---- | ----/42.10A | 41.00B/42.10A | ---- | 42.10 - 4.90 | .0956 | ---- | ---- | ---- | ---- | 21 UNCH |
| 3750 | ---- | ---- | ----/43.00A | 43.30B/43.00A | ---- | 43.10 - 5.00 | .0977 | ---- | ---- | ---- | ---- | 150 UNCH |
| 3780 | ---- | ---- | ----/45.90A | 46.50B/45.90A | ---- | 46.30 - 5.00 | .1042 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3800 | ---- | ---- | ----/48.00A | 48.80B/48.00A | ---- | 48.50 - 5.20 | .1087 | ---- | ---- | ---- | ---- | 29 UNCH |
| 3820 | ---- | ---- | ----/50.10A | 51.20B/50.10A | ---- | 50.80 - 5.30 | .1133 | ---- | ---- | ---- | ---- | 22 UNCH |
| 3875 | ---- | ---- | ----/56.60A | 58.50B/56.60A | ---- | 57.60 - 5.70 | .1268 | ---- | ---- | ---- | ---- | 24 UNCH |
| 3900 | ---- | ---- | ----/59.80A | 60.20B/59.80A | ---- | 61.00 - 5.90 | .1335 | ---- | ---- | ---- | ---- | 2 UNCH |
| 3920 | ---- | ---- | ----/62.40A | 65.00B/62.40A | ---- | 63.80 - 6.10 | .1389 | ---- | ---- | ---- | ---- | 2 UNCH |
| 3925 | ---- | ---- | ----/63.00A | 65.80B/63.00A | ---- | 64.50 - 6.20 | .1403 | ---- | ---- | ---- | ---- | 2 UNCH |
| 3980 | ---- | ---- | ----/71.00A | 72.10B/71.00A | ---- | 72.90 - 6.90 | .1563 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4000 | ---- | ---- | ----/74.30A | 75.90B/74.30A | ---- | 76.20 - 7.10 | .1624 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4025 | ---- | ---- | ----/78.40A | 80.20B/78.40A | ---- | 80.50 - 7.50 | .1704 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4100 | ---- | ---- | ----/92.50A | 94.70B/92.50A | ---- | 94.90 - 8.60 | .1962 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4160 | ---- | ---- | ----/105.00A | 112.30B/105.00A | ---- | 108.00 - 9.50 | .2187 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4170 | ---- | ---- | ----/107.20A | 114.70B/107.20A | ---- | 110.30 - 9.70 | .2226 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4180 | ---- | ---- | ----/109.60A | 117.30B/109.60A | ---- | 112.70 - 9.90 | .2266 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4200 | ---- | ---- | ----/114.20A | 122.50B/114.20A | ---- | 117.60 - 10.20 | .2347 | ---- | ---- | ---- | ---- | 6 UNCH |
| 4205 | ---- | ---- | ----/115.40A | 123.80B/115.40A | ---- | 118.80 - 10.30 | .2367 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4215 | ---- | ---- | ----/118.00A | 126.50B/118.00A | ---- | 121.40 - 10.40 | .2409 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4250 | ---- | ---- | ----/126.80A | 132.40B/126.80A | ---- | 130.60 - 11.10 | .2557 | ---- | ---- | ---- | ---- | 370 UNCH |
| 4275 | ---- | ---- | ----/133.50A | 143.70B/133.50A | ---- | 137.60 - 11.60 | .2666 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4305 | ---- | ---- | ----/142.00A | 153.00B/142.00A | ---- | 146.40 - 12.10 | .2801 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4320 | ---- | ---- | ----/146.30A | 157.90B/146.30A | ---- | 151.00 - 12.40 | .2870 | ---- | ---- | ---- | ---- | 43 UNCH |
| 4330 | ---- | ---- | ----/149.30A | 157.10B/149.30A | ---- | 154.10 - 12.60 | .2916 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4350 | ---- | ---- | ----/155.60A | 167.90B/155.60A | ---- | 160.50 - 12.90 | .3010 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4390 | ---- | ---- | ----/168.40A | 177.90B/168.40A | ---- | 173.90 - 13.80 | .3203 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4395 | ---- | ---- | ----/170.10A | 183.90B/170.10A | ---- | 175.60 - 13.90 | .3227 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4400 | ---- | ---- | ----/171.70A | 185.70B/171.70A | ---- | 177.40 - 13.90 | .3252 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4425 | ---- | ---- | ----/180.50A | 195.20B/180.50A | ---- | 186.30 - 14.50 | .3376 | ---- | ---- | ---- | ---- | 72 UNCH |
| 4430 | ---- | ---- | ----/182.10A | 197.10B/182.10A | ---- | 188.10 - 14.70 | .3401 | ---- | ---- | ---- | ---- | 10 UNCH |
| 4450 | ---- | ---- | ----/189.30A | 200.70B/189.30A | ---- | 195.60 - 15.10 | .3502 | ---- | ---- | ---- | ---- | 39 UNCH |
| 4485 | ---- | ---- | ----/202.50A | 219.40B/202.50A | ---- | 209.30 - 15.80 | .3681 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4490 | ---- | ---- | ----/204.50A | 221.50B/204.50A | ---- | 211.30 - 15.90 | .3707 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4500 | ---- | ---- | ----/208.40A | 225.80B/208.40A | ---- | 215.30 - 16.20 | .3759 | ---- | ---- | ---- | ---- | 45 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OG PUT | | COMEX GOLD OPTIONS | | | | | | | | | | |
| NOV26 | | | | | | | | | | | | |
| 4510 | 215.80 | 215.80 | 215.80/212.50A | 230.10B/212.50A | ---- | 219.40 - 16.50 | .3811 | ---- | ---- | 1 | ---- | 11 UNCH |
| 4535 | ---- | ---- | ----/222.60A | 236.70B/222.60A | ---- | 230.00 - 17.00 | .3942 | ---- | ---- | ---- | ---- | 10 UNCH |
| 4540 | ---- | ---- | ----/224.80A | 239.00B/224.80A | ---- | 232.10 - 17.20 | .3969 | ---- | ---- | ---- | ---- | 6 UNCH |
| 4580 | ---- | ---- | ----/241.90A | 262.20B/241.90A | ---- | 249.90 - 18.10 | .4182 | ---- | ---- | ---- | ---- | 10 UNCH |
| 4640 | ---- | ---- | ----/269.60A | 292.10B/269.60A | ---- | 278.40 - 19.50 | .4505 | ---- | ---- | ---- | ---- | 90 UNCH |
| 4650 | ---- | ---- | ----/274.50A | 297.30B/274.50A | ---- | 283.30 - 19.90 | .4559 | ---- | ---- | ---- | ---- | 50 UNCH |
| 4700 | ---- | ---- | ----/299.60A | 324.20B/299.60A | ---- | 309.20 - 20.90 | .4829 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4710 | ---- | ---- | ----/304.80A | 329.80B/304.80A | ---- | 314.60 - 21.10 | .4883 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4725 | ---- | ---- | ----/312.70A | 338.20B/312.70A | ---- | 322.80 - 21.40 | .4963 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4755 | ---- | ---- | ----/328.90A | 355.50B/328.90A | ---- | 339.60 - 22.00 | .5123 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4800 | ---- | ---- | ----/354.30A | 377.50B/354.30A | ---- | 365.90 - 22.90 | .5359 | ---- | ---- | ---- | ---- | 7 UNCH |
| 4840 | ---- | ---- | ----/377.90A | 407.50B/377.90A | ---- | 390.10 - 23.80 | .5565 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4845 | ---- | ---- | ----/380.90A | 405.60B/380.90A | ---- | 393.20 - 23.90 | .5591 | ---- | ---- | ---- | ---- | 10 UNCH |
| 4850 | ---- | ---- | ----/383.90A | 408.80B/383.90A | ---- | 396.30 - 24.10 | .5617 | ---- | ---- | ---- | ---- | 6 UNCH |
| 4900 | ---- | ---- | ----/415.00A | 446.60B/415.00A | ---- | 428.10 - 25.10 | .5868 | ---- | ---- | ---- | ---- | 12 UNCH |
| 4915 | ---- | ---- | ----/424.50A | 451.50B/424.50A | ---- | 437.90 - 25.40 | .5941 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4935 | ---- | ---- | ----/437.50A | 470.90B/437.50A | ---- | 451.20 - 25.70 | .6038 | ---- | ---- | ---- | ---- | 25 UNCH |
| 4950 | ---- | ---- | ----/447.40A | 472.60B/447.40A | ---- | 461.30 - 25.90 | .6110 | ---- | ---- | ---- | ---- | 11 UNCH |
| 4960 | ---- | ---- | ----/454.00A | 474.80B/454.00A | ---- | 468.10 - 26.10 | .6157 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5000 | ---- | ---- | ----/481.10A | 495.30B/481.10A | ---- | 495.80 - 26.80 | .6343 | ---- | ---- | ---- | ---- | 256 UNCH |
| 5020 | ---- | ---- | ----/495.00A | 509.40B/495.00A | ---- | 510.00 - 27.00 | .6434 | ---- | ---- | ---- | ---- | 30 UNCH |
| 5055 | ---- | ---- | ----/519.70A | 534.70B/519.70A | ---- | 535.20 - 27.60 | .6588 | ---- | ---- | ---- | ---- | 8 UNCH |
| 5200 | ---- | ---- | ----/627.60A | 630.10B/627.60A | ---- | 645.50 - 29.50 | .7171 | ---- | ---- | ---- | ---- | 81 UNCH |
| 5395 | ---- | ---- | ---- | 645.60B/960.10A | ---- | 805.80 - 31.30 | .7813 | ---- | ---- | ---- | ---- | 6 UNCH |
| 5400 | ---- | ---- | ---- | 649.80B/964.40A | ---- | 810.10 - 31.30 | .7827 | ---- | ---- | ---- | ---- | 6 UNCH |
| 5760 | ---- | ---- | ---- | 971.80B/1285.40A | ---- | 1131.70 - 33.30 | .8619 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5975 | ---- | ---- | ---- | 1171.60B/1488.90A | ---- | 1333.30 - 34.00 | .8922 | ---- | ---- | ---- | ---- | 1 UNCH |
| 6000 | ---- | ---- | ---- | 1195.30B/1512.90A | ---- | 1357.10 - 34.00 | .8950 | ---- | ---- | ---- | ---- | 1 UNCH |
| TOTAL | | | | | | | | | | 1 | | 2674 0 |
| DEC26 | | | | | | | | | | | | |
| 1350 | ---- | ---- | ---- | ----/1.00A | ---- | 0.10 - 0.20 | .0001 | ---- | ---- | ---- | ---- | 16 UNCH |
| 1375 | ---- | ---- | ---- | ----/1.40A | ---- | 0.10 - 0.20 | .0001 | ---- | ---- | ---- | ---- | 1 UNCH |
| 1500 | ---- | ---- | ---- | ----/1.70A | ---- | 0.20 - 0.30 | .0004 | ---- | ---- | ---- | ---- | 1 UNCH |
| 1600 | ---- | ---- | ---- | 0.20B/1.70A | ---- | 0.30 - 0.50 | .0006 | ---- | ---- | ---- | ---- | 190 UNCH |
| 1700 | ---- | ---- | ---- | 0.20B/2.30A | ---- | 0.50 - 0.70 | .0009 | ---- | ---- | ---- | ---- | 200 UNCH |
| 1845 | ---- | ---- | ---- | 0.20B/3.70A | ---- | 0.90 - 1.10 | .0017 | ---- | ---- | ---- | ---- | 50 UNCH |
| 1900 | ---- | ---- | ---- | #0.60B/3.30A | ---- | 1.00 - 1.40 | .0019 | ---- | ---- | ---- | ---- | 4 UNCH |
| 2000 | ---- | ---- | ---- | 0.30B/4.60A | ---- | 1.40 - 1.70 | .0027 | ---- | ---- | ---- | ---- | 2 UNCH |
| 2400 | ---- | ---- | ----/4.20A | 2.10B/4.20A | ---- | 3.10 - 3.30 | .0064 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2490 | ---- | ---- | ----/4.80A | 2.60B/4.80A | ---- | 3.60 - 3.20 | .0076 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2750 | ---- | ---- | ----/7.20A | 4.50B/7.20A | ---- | 5.70 - 2.00 | .0126 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2800 | ---- | ---- | ----/7.80A | 4.90B/7.80A | ---- | 6.30 - 1.70 | .0140 | ---- | ---- | ---- | ---- | 18 UNCH |
| 2900 | ---- | ---- | ----/9.40A | 6.20B/9.40A | ---- | 7.70 - 2.10 | .0172 | ---- | ---- | ---- | ---- | 19 UNCH |
| 2925 | ---- | ---- | ----/9.80A | 6.70B/9.80A | ---- | 8.20 - 2.20 | .0183 | ---- | ---- | ---- | ---- | 300 UNCH |
| 2975 | ---- | ---- | ----/10.80A | 7.50B/10.80A | ---- | 9.10 - 2.40 | .0204 | ---- | ---- | ---- | ---- | 400 UNCH |
| 3000 | ---- | ---- | ----/11.30A | 8.00B/11.30A | ---- | 9.60 - 2.50 | .0215 | ---- | ---- | ---- | ---- | 1356 UNCH |
| 3160 | ---- | ---- | ----/15.50A | 12.00B/15.50A | ---- | 13.80 - 2.80 | .0309 | ---- | ---- | ---- | ---- | 2 UNCH |
| 3175 | ---- | ---- | ----/15.90A | 12.40B/15.90A | ---- | 14.30 - 2.80 | .0319 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3190 | ---- | ---- | ----/16.40A | 12.80B/16.40A | ---- | 14.80 - 2.80 | .0330 | ---- | ---- | ---- | ---- | 5 UNCH |
| 3250 | ---- | ---- | ----/18.40A | 15.20B/18.40A | ---- | 17.10 - 2.80 | .0379 | ---- | ---- | ---- | ---- | 15 UNCH |
| 3300 | ---- | ---- | ----/20.30A | 17.20B/20.30A | ---- | 19.20 - 2.80 | .0424 | ---- | ---- | ---- | ---- | 7 UNCH |
| 3400 | ---- | ---- | ----/24.90A | 22.00B/24.90A | ---- | 24.20 - 2.90 | .0529 | ---- | ---- | ---- | ---- | 1250 UNCH |
| 3425 | ---- | ---- | ----/26.20A | 23.40B/26.20A | ---- | 25.60 - 3.00 | .0558 | ---- | ---- | ---- | ---- | 350 UNCH |
| 3450 | 30.10 | 30.10 | 30.10/27.60A | 30.10/27.60A | ---- | 27.10 - 3.00 | .0589 | ---- | ---- | 102 | ---- | 201 UNCH |
| 3460 | ---- | ---- | ----/28.20A | 25.80B/28.20A | ---- | 27.70 - 3.00 | .0602 | ---- | ---- | ---- | ---- | 20 UNCH |
| 3475 | ---- | ---- | ----/29.10A | 27.20B/29.10A | ---- | 28.70 - 3.00 | .0622 | ---- | ---- | ---- | ---- | 152 UNCH |
| 3500 | ---- | ---- | ----/30.70A | 29.00B/30.70A | ---- | 30.30 - 3.20 | .0655 | ---- | ---- | ---- | ---- | 1467 UNCH |
| 3550 | ---- | ---- | ----/34.10A | 33.10B/34.10A | ---- | 33.90 - 3.40 | .0728 | ---- | ---- | ---- | ---- | 18 UNCH |
| 3565 | ---- | ---- | ----/35.30A | 34.20B/35.30A | ---- | 35.00 - 3.50 | .0750 | ---- | ---- | ---- | ---- | 2 UNCH |
| 3590 | ---- | ---- | ----/37.10A | 36.20B/37.10A | ---- | 37.00 - 3.60 | .0790 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3600 | ---- | ---- | ----/38.00A | 37.00B/38.00A | ---- | 37.80 - 3.70 | .0806 | ---- | ---- | 25 | ---- | 416 + 10 |
| 3610 | ---- | ---- | ----/38.80A | 37.90B/38.80A | ---- | 38.60 - 3.80 | .0822 | ---- | ---- | ---- | ---- | 3 UNCH |
| 3650 | ---- | ---- | ----/42.40A | 41.60B/42.40A | ---- | 42.20 - 4.10 | .0892 | ---- | ---- | ---- | ---- | 201 UNCH |
| 3660 | ---- | ---- | ----/43.40A | 42.60B/43.40A | ---- | 43.10 - 4.20 | .0910 | ---- | ---- | ---- | ---- | 5 UNCH |
| 3670 | ---- | ---- | ----/44.30A | 43.60B/44.30A | ---- | 44.00 - 4.40 | .0928 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3690 | ---- | ---- | ----/46.40A | 45.70B/46.40A | ---- | 46.00 - 4.50 | .0967 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3700 | 52.90 | 52.90 | 52.90/47.40A | 52.90/47.40A | ---- | 47.00 - 4.60 | .0986 | ---- | ---- | 2 | ---- | 279 UNCH |
| 3710 | ---- | ---- | ----/48.50A | 47.90B/48.50A | ---- | 48.10 - 4.60 | .1007 | ---- | ---- | ---- | ---- | 37 UNCH |
| 3720 | ---- | ---- | ----/49.50A | 49.00B/49.50A | ---- | 49.20 - 4.70 | .1027 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3725 | ---- | ---- | ----/50.00A | 49.60B/50.00A | ---- | 49.70 - 4.80 | .1037 | ---- | ---- | ---- | ---- | 6 UNCH |
| 3750 | ---- | ---- | ----/52.80A | 51.80B/52.80A | ---- | 52.50 - 5.00 | .1090 | ---- | ---- | ---- | ---- | 166 UNCH |
| 3760 | ---- | ---- | ----/53.90A | 53.80B/53.90A | ---- | 53.70 - 5.00 | .1112 | ---- | ---- | ---- | ---- | 184 UNCH |
| 3780 | ---- | ---- | ----/56.20A | 56.40B/56.20A | ---- | 56.10 - 5.20 | .1157 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3800 | ---- | ---- | ----/58.30A | 59.00B/58.30A | ---- | 58.60 - 5.40 | .1203 | ---- | ---- | 140 | ---- | 150 + 76 |
| 3810 | ---- | ---- | ----/59.50A | 60.40B/59.50A | ---- | 59.80 - 5.60 | .1226 | ---- | ---- | ---- | ---- | 56 UNCH |
| 3850 | ---- | ---- | ----/64.60A | 66.10B/64.60A | ---- | 65.30 - 5.90 | .1325 | ---- | ---- | ---- | ---- | 24 UNCH |
| 3880 | ---- | ---- | ----/68.60A | 70.70B/68.60A | ---- | 69.60 - 6.30 | .1402 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3900 | ---- | ---- | ----/71.50A | 73.90B/71.50A | ---- | 72.70 - 6.40 | .1456 | ---- | ---- | ---- | ---- | 1207 UNCH |
| 3920 | ---- | ---- | ----/74.40A | 77.30B/74.40A | ---- | 75.90 - 6.60 | .1512 | ---- | ---- | ---- | ---- | 50 UNCH |
| 3925 | ---- | ---- | ----/75.10A | 78.10B/75.10A | ---- | 76.70 - 6.70 | .1526 | ---- | ---- | ---- | ---- | 252 UNCH |
| 3930 | ---- | ---- | ----/75.90A | 79.00B/75.90A | ---- | 77.50 - 6.80 | .1540 | ---- | ---- | ---- | ---- | 2 UNCH |
| 3950 | ---- | ---- | ----/79.30A | 82.60B/79.30A | ---- | 80.90 - 7.00 | .1598 | ---- | ---- | ---- | ---- | 27 UNCH |
| 3965 | ---- | ---- | ----/81.50A | 85.30B/81.50A | ---- | 83.50 - 7.20 | .1643 | ---- | ---- | ---- | ---- | 50 UNCH |
| 3975 | ---- | ---- | ----/83.10A | 87.20B/83.10A | ---- | 85.30 - 7.30 | .1673 | ---- | ---- | ---- | ---- | 192 UNCH |
| 3980 | ---- | ---- | ----/84.00A | 88.10B/84.00A | ---- | 86.20 - 7.40 | .1688 | ---- | ---- | ---- | ---- | 149 UNCH |
| 4000 | ---- | ---- | ----/87.40A | 89.90B/87.40A | ---- | 89.90 - 7.60 | .1750 | ---- | ---- | ---- | ---- | 1961 UNCH |
| 4025 | ---- | ---- | ----/92.20A | 94.70B/92.20A | ---- | 94.70 - 8.00 | .1830 | ---- | ---- | ---- | ---- | 220 UNCH |
| 4050 | ---- | ---- | ----/96.90A | 99.70B/96.90A | ---- | 99.70 - 8.40 | .1912 | ---- | ---- | ---- | ---- | 202 UNCH |
| 4070 | ---- | ---- | ----/100.80A | 103.90B/100.80A | ---- | 103.90 - 8.70 | .1980 | ---- | ---- | ---- | ---- | 7 UNCH |
| 4090 | ---- | ---- | ----/105.60A | 111.50B/105.60A | ---- | 108.30 - 9.00 | .2050 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4100 | ---- | ---- | ----/107.10A | 113.80B/107.10A | ---- | 110.50 - 9.10 | .2085 | ---- | ---- | ---- | ---- | 385 UNCH |
| 4130 | ---- | ---- | ----/114.50A | 121.10B/114.50A | ---- | 117.40 - 9.70 | .2193 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4150 | ---- | ---- | ----/118.50A | 126.30B/118.50A | ---- | 122.30 - 9.90 | .2267 | ---- | ---- | ---- | ---- | 21 UNCH |
| 4160 | ---- | ---- | ----/121.00A | 128.90B/121.00A | ---- | 124.70 - 10.20 | .2305 | ---- | ---- | ---- | ---- | 252 UNCH |
| 4170 | ---- | ---- | ----/124.10A | 131.50B/124.10A | ---- | 127.30 - 10.30 | .2343 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4175 | ---- | ---- | ----/124.60A | 132.90B/124.60A | ---- | 128.50 - 10.50 | .2362 | ---- | ---- | ---- | ---- | 60 UNCH |
| 4200 | ---- | ---- | ----/130.90A | 139.80B/130.90A | ---- | 135.10 - 10.80 | .2460 | ---- | ---- | ---- | 350 | 887 + 194 |
| 4215 | ---- | ---- | ----/134.60A | 144.10B/134.60A | ---- | 139.20 - 11.10 | .2520 | ---- | ---- | ---- | ---- | 14 UNCH |
| 4250 | ---- | ---- | ----/144.30A | 154.50B/144.30A | ---- | 149.00 - 11.80 | .2662 | ---- | ---- | ---- | ---- | 344 UNCH |
| 4300 | ---- | ---- | ----/159.00A | 170.40B/159.00A | ---- | 164.20 - 12.60 | .2874 | ---- | ---- | ---- | ---- | 2342 UNCH |
| 4320 | ---- | ---- | ----/165.50A | 177.10B/165.50A | ---- | 170.50 - 13.10 | .2961 | ---- | ---- | ---- | ---- | 100 UNCH |
| 4325 | ---- | ---- | ----/166.80A | 178.80B/166.80A | ---- | 172.20 - 13.10 | .2983 | ---- | ---- | ---- | ---- | 300 UNCH |
| 4340 | 171.50 | 171.50 | 171.50/171.50 | 184.00B/171.50 | ---- | 177.10 - 13.50 | .3049 | ---- | ---- | 3 | ---- | 82 + 3 |
| 4350 | ---- | ---- | ----/175.00A | 187.50B/175.00A | ---- | 180.50 - 13.60 | .3094 | ---- | ---- | ---- | ---- | 151 UNCH |
| 4365 | ---- | ---- | ----/180.00A | 192.90B/180.00A | ---- | 185.70 - 13.80 | .3162 | ---- | ---- | ---- | ---- | 390 UNCH |
| 4375 | ---- | ---- | ----/183.60A | 196.60B/183.60A | ---- | 189.20 - 14.00 | .3207 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4385 | ---- | ---- | ----/186.60A | 200.30B/186.60A | ---- | 192.70 - 14.20 | .3253 | ---- | ---- | ---- | ---- | 75 UNCH |
| 4390 | ---- | ---- | ----/188.30A | 202.20B/188.30A | ---- | 194.50 - 14.30 | .3275 | ---- | ---- | ---- | ---- | 30 UNCH |
| 4400 | ---- | ---- | ----/191.90A | 206.00B/191.90A | ---- | 198.20 - 14.40 | .3322 | ---- | ---- | ---- | ---- | 280 UNCH |
| 4425 | ---- | ---- | ----/200.90A | 215.70B/200.90A | ---- | 207.50 - 14.90 | .3438 | ---- | ---- | ---- | ---- | 9 UNCH |
| 4430 | ---- | ---- | ----/202.80A | 213.00B/202.80A | ---- | 209.40 - 15.00 | .3462 | ---- | ---- | ---- | ---- | 10 UNCH |
| 4435 | ---- | ---- | ----/204.50A | 219.70B/204.50A | ---- | 211.30 - 15.10 | .3485 | ---- | ---- | ---- | ---- | 14 UNCH |
| 4450 | ---- | ---- | ----/210.00A | 225.80B/210.00A | ---- | 217.10 - 15.40 | .3556 | ---- | ---- | ---- | ---- | 260 UNCH |
| 4475 | ---- | ---- | ----/219.90A | 236.30B/219.90A | ---- | 227.10 - 15.80 | .3676 | ---- | ---- | ---- | ---- | 8 UNCH |
| 4500 | ---- | ---- | ----/229.90A | 242.20B/229.90A | ---- | 237.50 - 16.10 | .3797 | ---- | ---- | ---- | ---- | 1195 UNCH |
| 4510 | ---- | ---- | ----/234.20A | 251.50B/234.20A | ---- | 241.70 - 16.30 | .3845 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4515 | ---- | ---- | ----/236.00A | 253.70B/236.00A | ---- | 243.90 - 16.30 | .3870 | ---- | ---- | ---- | ---- | 242 UNCH |
| 4520 | ---- | ---- | ----/238.20A | 255.90B/238.20A | ---- | 246.00 - 16.50 | .3894 | ---- | ---- | ---- | ---- | 25 UNCH |
| 4525 | ---- | ---- | ----/240.50A | 258.20B/240.50A | ---- | 248.20 - 16.50 | .3919 | ---- | ---- | ---- | ---- | 200 UNCH |
| 4530 | ---- | ---- | ----/242.20A | 255.50B/242.20A | ---- | 250.40 - 16.60 | .3943 | ---- | ---- | ---- | ---- | 20 UNCH |
| 4535 | ---- | ---- | ----/244.40A | 262.70B/244.40A | ---- | 252.60 - 16.60 | .3968 | ---- | ---- | ---- | ---- | 102 UNCH |
| 4540 | ---- | ---- | ----/246.80A | 265.00B/246.80A | ---- | 254.80 - 16.70 | .3992 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4550 | ---- | ---- | ----/251.00A | 269.70B/251.00A | ---- | 259.30 - 16.80 | .4041 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4555 | ---- | ---- | ----/253.20A | 272.00B/253.20A | ---- | 261.50 - 16.90 | .4066 | ---- | ---- | ---- | ---- | 50 UNCH |
| 4580 | ---- | ---- | ----/264.10A | 284.00B/264.10A | ---- | 273.00 - 17.20 | .4190 | ---- | ---- | ---- | ---- | 50 UNCH |
| 4585 | ---- | ---- | ----/266.30A | 286.40B/266.30A | ---- | 275.30 - 17.40 | .4215 | ---- | ---- | ---- | ---- | 325 UNCH |
| 4600 | ---- | ---- | ----/273.10A | 293.70B/273.10A | ---- | 282.40 - 17.60 | .4289 | ---- | ---- | ---- | ---- | 523 UNCH |
| 4620 | ---- | ---- | ----/282.60A | 303.70B/282.60A | ---- | 292.10 - 17.90 | .4389 | ---- | ---- | ---- | ---- | 50 UNCH |
| 4625 | ---- | ---- | ----/285.00A | 306.30B/285.00A | ---- | 294.50 - 18.00 | .4414 | ---- | ---- | ---- | ---- | 24 UNCH |
| 4640 | ---- | ---- | ----/292.30A | 314.00B/292.30A | ---- | 301.90 - 18.30 | .4489 | ---- | ---- | ---- | ---- | 100 UNCH |
| 4650 | ---- | ---- | ----/297.00A | 319.20B/297.00A | ---- | 306.90 - 18.60 | .4539 | ---- | ---- | ---- | ---- | 113 UNCH |
| 4680 | ---- | ---- | ----/312.10A | 335.20B/312.10A | ---- | 322.10 - 19.50 | .4689 | ---- | ---- | ---- | ---- | 60 UNCH |
| 4700 | ---- | ---- | ----/322.00A | 346.10B/322.00A | ---- | 332.60 - 20.10 | .4789 | ---- | ---- | ---- | ---- | 510 UNCH |
| 4725 | ---- | ---- | ----/335.50A | 354.80B/335.50A | ---- | 346.10 - 20.80 | .4913 | ---- | ---- | ---- | ---- | 110 UNCH |
| 4750 | ---- | ---- | ----/349.00A | 374.40B/349.00A | ---- | 360.00 - 21.50 | .5036 | ---- | ---- | ---- | ---- | 63 UNCH |
| 4790 | ---- | ---- | ----/371.40A | 398.10B/371.40A | ---- | 383.20 - 22.20 | .5231 | ---- | ---- | ---- | ---- | 60 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OG PUT | | COMEX GOLD OPTIONS | | | | | | | | | | |
| DEC26 | | | | | | | | | | | | |
| 4800 | 375.60 | 375.60 | 375.60/375.60 | 404.10B/375.60 | ---- | 389.10 - 22.40 | .5279 | ---- | ---- | 1 | ---- | 304 + 1 |
| 4810 | ---- | ---- | ----/382.80A | 410.20B/382.80A | ---- | 395.10 - 22.50 | .5328 | ---- | ---- | ---- | ---- | 56 UNCH |
| 4815 | ---- | ---- | ----/385.90A | 413.30B/385.90A | ---- | 398.10 - 22.60 | .5351 | ---- | ---- | ---- | ---- | 10 UNCH |
| 4820 | ---- | ---- | ----/388.80A | 416.30B/388.80A | ---- | 401.10 - 22.70 | .5375 | ---- | ---- | ---- | ---- | 20 UNCH |
| 4825 | ---- | ---- | ----/391.70A | 419.50B/391.70A | ---- | 404.10 - 22.80 | .5399 | ---- | ---- | ---- | ---- | 112 UNCH |
| 4835 | ---- | ---- | ----/397.60A | 425.70B/397.60A | ---- | 410.10 - 23.10 | .5447 | ---- | ---- | ---- | ---- | 125 UNCH |
| 4850 | ---- | ---- | ----/406.60A | 429.60B/406.60A | ---- | 419.30 - 23.40 | .5518 | ---- | ---- | ---- | ---- | 13 UNCH |
| 4875 | ---- | ---- | ----/421.80A | 451.20B/421.80A | ---- | 434.80 - 23.90 | .5636 | ---- | ---- | ---- | ---- | 7 UNCH |
| 4880 | ---- | ---- | ----/424.90A | 448.80B/424.90A | ---- | 438.00 - 24.00 | .5659 | ---- | ---- | ---- | ---- | 11 UNCH |
| 4900 | ---- | ---- | ----/437.40A | 467.50B/437.40A | ---- | 450.70 - 24.40 | .5752 | ---- | ---- | ---- | ---- | 110 UNCH |
| 4925 | ---- | ---- | ----/453.20A | 484.10B/453.20A | ---- | 466.90 - 24.90 | .5866 | ---- | ---- | ---- | ---- | 237 UNCH |
| 4950 | ---- | ---- | ----/469.50A | 495.40B/469.50A | ---- | 483.50 - 25.30 | .5978 | ---- | ---- | ---- | ---- | 24 UNCH |
| 4975 | ---- | ---- | ----/486.00A | 514.90B/486.00A | ---- | 500.30 - 25.80 | .6088 | ---- | ---- | ---- | ---- | 43 UNCH |
| 4980 | ---- | ---- | ----/489.30A | 510.10B/489.30A | ---- | 503.70 - 25.90 | .6110 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4995 | ---- | ---- | ----/499.40A | 518.40B/499.40A | ---- | 514.10 - 26.00 | .6175 | ---- | ---- | ---- | ---- | 32 UNCH |
| 5000 | ---- | ---- | ----/502.80A | 519.30B/502.80A | ---- | 517.50 - 26.20 | .6197 | ---- | ---- | ---- | ---- | 445 UNCH |
| 5020 | ---- | ---- | ----/516.60A | 530.40B/516.60A | ---- | 531.50 - 26.40 | .6282 | ---- | ---- | ---- | ---- | 8 UNCH |
| 5025 | ---- | ---- | ----/519.90A | 533.90B/519.90A | ---- | 535.00 - 26.50 | .6303 | ---- | ---- | ---- | ---- | 210 UNCH |
| 5035 | ---- | ---- | ----/527.00A | 540.90B/527.00A | ---- | 542.10 - 26.60 | .6345 | ---- | ---- | ---- | ---- | 8 UNCH |
| 5050 | ---- | ---- | ----/537.50A | 551.60B/537.50A | ---- | 552.80 - 26.80 | .6407 | ---- | ---- | ---- | ---- | 201 UNCH |
| 5070 | ---- | ---- | ----/551.70A | 566.00B/551.70A | ---- | 567.20 - 27.10 | .6488 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5075 | ---- | ---- | ----/555.10A | 569.60B/555.10A | ---- | 570.80 - 27.20 | .6508 | ---- | ---- | ---- | ---- | 100 UNCH |
| 5095 | ---- | ---- | ----/569.40A | 584.20B/569.40A | ---- | 585.40 - 27.50 | .6588 | ---- | ---- | ---- | ---- | 6 UNCH |
| 5100 | ---- | ---- | ----/572.90A | 587.90B/572.90A | ---- | 589.10 - 27.50 | .6607 | ---- | ---- | ---- | ---- | 6 UNCH |
| 5195 | ---- | ---- | ----/643.40A | 659.60B/643.40A | ---- | 660.90 - 28.50 | .6964 | ---- | ---- | ---- | ---- | 5 UNCH |
| 5200 | ---- | ---- | ----/647.20A | 663.40B/647.20A | ---- | 664.80 - 28.50 | .6983 | ---- | ---- | ---- | ---- | 38 UNCH |
| 5250 | ---- | ---- | ----/685.50A | 698.40B/685.50A | ---- | 703.90 - 29.10 | .7155 | ---- | ---- | ---- | ---- | 126 UNCH |
| 5290 | ---- | ---- | ---- | 562.40B/903.10A | ---- | 735.90 - 29.40 | .7288 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5295 | ---- | ---- | ---- | 566.40B/907.10A | ---- | 739.90 - 29.50 | .7304 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5360 | ---- | ---- | ----/777.30A | 786.90B/777.30A | ---- | 792.90 - 30.20 | .7507 | ---- | ---- | ---- | ---- | 100 UNCH |
| 5370 | ---- | ---- | ----/785.60A | 795.10B/785.60A | ---- | 801.10 - 30.30 | .7536 | ---- | ---- | ---- | ---- | 20 UNCH |
| 5375 | ---- | ---- | ----/789.70A | 799.30B/789.70A | ---- | 805.30 - 30.30 | .7551 | ---- | ---- | ---- | ---- | 34 UNCH |
| 5400 | ---- | ---- | ----/810.50A | 820.00B/810.50A | ---- | 826.10 - 30.60 | .7623 | ---- | ---- | ---- | ---- | 102 UNCH |
| 5415 | ---- | ---- | ----/823.10A | 832.50B/823.10A | ---- | 838.60 - 30.80 | .7666 | ---- | ---- | ---- | ---- | 4 UNCH |
| 5460 | ---- | ---- | ----/861.00A | 870.40B/861.00A | ---- | 876.70 - 31.10 | .7788 | ---- | ---- | ---- | ---- | 200 UNCH |
| 5465 | ---- | ---- | ----/865.30A | 874.60B/865.30A | ---- | 881.00 - 31.10 | .7801 | ---- | ---- | ---- | ---- | 50 UNCH |
| 5480 | ---- | ---- | ----/878.10A | 887.30B/878.10A | ---- | 893.80 - 31.30 | .7840 | ---- | ---- | ---- | ---- | 50 UNCH |
| 5500 | ---- | ---- | ----/895.20A | 904.40B/895.20A | ---- | 911.00 - 31.40 | .7891 | ---- | ---- | ---- | ---- | 31 UNCH |
| 5525 | ---- | ---- | ----/917.20A | 925.90B/917.20A | ---- | 932.70 - 31.50 | .7951 | ---- | ---- | ---- | ---- | 80 UNCH |
| 5600 | ---- | ---- | ----/981.30A | 992.70B/981.30A | ---- | 998.60 - 31.80 | .8121 | ---- | ---- | ---- | ---- | 252 UNCH |
| 5900 | ---- | ---- | ----/1,256.00A | 1260.90B/1256.00A | ---- | 1271.50 - 33.30 | .8652 | ---- | ---- | ---- | ---- | 125 UNCH |
| 6000 | ---- | ---- | ----/1,350.30A | 1353.40B/1350.30A | ---- | 1364.90 - 33.80 | .8787 | ---- | ---- | ---- | ---- | 40 UNCH |
| 6500 | ---- | ---- | ----/1,835.50A | 1827.30B/1835.50A | ---- | 1844.70 - 34.00 | .9232 | ---- | ---- | ---- | ---- | 4 UNCH |
| TOTAL | | | | | | | | | | 273 | 350 | 25109 + 284 |
| JAN27 | | | | | | | | | | | | |
| 2700 | 6.80 | 6.80 | 6.80/6.50 | 6.80/6.50 | ---- | 7.70 - 2.30 | .0150 | ---- | ---- | 4 | ---- | 8 + 4 |
| 2800 | ---- | ---- | ----/*10.30A | 4.60B/*10.30A | ---- | 9.00 - 2.60 | .0179 | ---- | ---- | ---- | ---- | 10 UNCH |
| 3000 | ---- | ---- | ----/15.20A | 9.70B/15.20A | ---- | 13.70 - 3.80 | .0272 | ---- | ---- | ---- | ---- | 7 UNCH |
| 3500 | ---- | ---- | ----/*36.80A | 33.70B/36.80A | ---- | 35.40 - 4.90 | .0704 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3520 | ---- | ---- | ----/38.00A | 35.00B/38.00A | ---- | 36.90 - 4.80 | .0732 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3680 | ---- | ---- | ----/53.10A | 50.00B/53.10A | ---- | 51.50 - 4.40 | .0997 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3800 | ---- | ---- | ----/67.00A | 66.00B/67.00A | ---- | 66.20 - 5.00 | .1248 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3825 | ---- | ---- | ----/70.10A | 68.70B/70.10A | ---- | 69.70 - 5.20 | .1306 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3900 | ---- | ---- | ----/81.30A | 81.90B/81.30A | ---- | 81.40 - 6.10 | .1495 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3980 | ---- | ---- | ----/95.00A | 93.80B/95.00A | ---- | 95.60 - 7.30 | .1717 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4000 | ---- | ---- | ----/98.70A | 97.60B/98.70A | ---- | 99.50 - 7.60 | .1776 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4070 | ---- | ---- | ----/112.80A | 116.10B/112.80A | ---- | 113.90 - 8.80 | .1992 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4100 | ---- | ---- | ----/119.30A | 118.80B/119.30A | ---- | 120.60 - 9.30 | .2090 | ---- | ---- | ---- | ---- | 8 UNCH |
| 4200 | ---- | ---- | ----/143.70A | 145.00B/143.70A | ---- | 145.40 - 11.00 | .2439 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4350 | ---- | ---- | ----/187.90A | 192.30B/187.90A | ---- | 190.60 - 13.60 | .3024 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4400 | ---- | ---- | ----/205.10A | 210.50B/205.10A | ---- | 208.20 - 14.30 | .3235 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4500 | ---- | ---- | ----/242.30A | 250.50B/242.30A | ---- | 247.00 - 16.00 | .3671 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4585 | ---- | ---- | ----/278.00A | 288.50B/278.00A | ---- | 284.00 - 17.50 | .4056 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4600 | ---- | ---- | ----/284.70A | 295.70B/284.70A | ---- | 291.00 - 17.70 | .4124 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4630 | ---- | ---- | ----/298.50A | 310.20B/298.50A | ---- | 305.20 - 18.20 | .4262 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4660 | ---- | ---- | ----/312.60A | 325.30B/312.60A | ---- | 319.90 - 18.80 | .4400 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4665 | ---- | ---- | ----/315.10A | 327.80B/315.10A | ---- | 322.40 - 18.80 | .4423 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4710 | ---- | ---- | ----/337.40A | 351.40B/337.40A | ---- | 345.30 - 19.80 | .4631 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4760 | ---- | ---- | ----/363.50A | 378.80B/363.50A | ---- | 372.10 - 20.70 | .4860 | ---- | ---- | ---- | ---- | 100 UNCH |
| 4800 | ---- | ---- | ----/385.40A | 401.70B/385.40A | ---- | 394.40 - 21.50 | .5042 | ---- | ---- | ---- | ---- | 6 UNCH |
| 4820 | ---- | ---- | ----/396.60A | 413.40B/396.60A | ---- | 405.80 - 22.00 | .5132 | ---- | ---- | ---- | ---- | 6 UNCH |
| 4860 | ---- | ---- | ----/419.70A | 437.50B/419.70A | ---- | 429.30 - 22.80 | .5311 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4960 | ---- | ---- | ----/480.60A | 501.10B/480.60A | ---- | 491.40 - 24.80 | .5744 | ---- | ---- | ---- | ---- | 42 UNCH |
| 4980 | ---- | ---- | ----/493.40A | 520.60B/493.40A | ---- | 504.50 - 25.10 | .5827 | ---- | ---- | ---- | ---- | 10 UNCH |
| 4990 | ---- | ---- | ----/499.80A | 521.00B/499.80A | ---- | 511.00 - 25.30 | .5869 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4995 | ---- | ---- | ----/503.10A | 524.40B/503.10A | ---- | 514.30 - 25.40 | .5890 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5000 | ---- | ---- | ----/506.30A | 527.80B/506.30A | ---- | 517.70 - 25.40 | .5910 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5050 | ---- | ---- | ----/539.50A | 553.80B/539.50A | ---- | 551.50 - 26.20 | .6113 | ---- | ---- | ---- | ---- | 100 UNCH |
| 5085 | ---- | ---- | ----/563.30A | 572.00B/563.30A | ---- | 575.80 - 26.70 | .6250 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5150 | ---- | ---- | ----/609.20A | 618.70B/609.20A | ---- | 622.40 - 27.40 | .6496 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5235 | ---- | ---- | ----/671.20A | 682.00B/671.20A | ---- | 685.80 - 28.20 | .6797 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5245 | ---- | ---- | ----/678.70A | 689.60B/678.70A | ---- | 693.40 - 28.30 | .6830 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5300 | ---- | ---- | ----/720.40A | 732.10B/720.40A | ---- | 736.00 - 28.70 | .7011 | ---- | ---- | ---- | ---- | 44 UNCH |
| TOTAL | | | | | | | | | | 4 | | 389 + 4 |
| FEB27 | | | | | | | | | | | | |
| 4000 | ---- | ---- | ----/111.30A | 112.20B/111.30A | ---- | 111.90 - 8.00 | .1866 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4070 | ---- | ---- | ----/126.50A | 128.50B/126.50A | ---- | 127.10 - 9.20 | .2078 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4200 | ---- | ---- | ----/159.40A | 163.70B/159.40A | ---- | 160.00 - 11.80 | .2513 | ---- | ---- | ---- | ---- | 50 UNCH |
| 4300 | ---- | ---- | ----/189.30A | 195.50B/189.30A | ---- | 189.90 - 14.20 | .2882 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4500 | ---- | ---- | ----/260.90A | 267.00B/260.90A | ---- | 264.00 - 18.10 | .3696 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4600 | ---- | ---- | ----/304.40A | 318.60B/304.40A | ---- | 309.10 - 18.80 | .4127 | ---- | ---- | ---- | ---- | 17 UNCH |
| 4650 | ---- | ---- | ----/327.80A | 343.40B/327.80A | ---- | 333.80 - 18.70 | .4345 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4655 | ---- | ---- | ----/330.40A | 345.90B/330.40A | ---- | 336.40 - 18.70 | .4367 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4660 | ---- | ---- | ----/332.80A | 348.50B/332.80A | ---- | 339.00 - 18.60 | .4389 | ---- | ---- | ---- | ---- | 435 UNCH |
| 4665 | ---- | ---- | ----/335.10A | 351.10B/335.10A | ---- | 341.60 - 18.60 | .4410 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4750 | ---- | ---- | ----/379.30A | 390.30B/379.30A | ---- | 386.80 - 18.80 | .4779 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4755 | ---- | ---- | ----/383.40A | 399.50B/383.40A | ---- | 389.50 - 18.90 | .4801 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4775 | ---- | ---- | ----/394.20A | 410.70B/394.20A | ---- | 400.40 - 19.40 | .4887 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4785 | ---- | ---- | ----/399.60A | 416.40B/399.60A | ---- | 405.90 - 19.70 | .4930 | ---- | ---- | ---- | ---- | 100 UNCH |
| 4800 | ---- | ---- | ----/407.90A | 425.10B/407.90A | ---- | 414.30 - 20.00 | .4994 | ---- | ---- | ---- | ---- | 125 UNCH |
| 4805 | ---- | ---- | ----/410.40A | 428.00B/410.40A | ---- | 417.10 - 20.20 | .5015 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4835 | ---- | ---- | ----/427.80A | 445.70B/427.80A | ---- | 434.20 - 21.00 | .5143 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4840 | ---- | ---- | ----/430.70A | 448.70B/430.70A | ---- | 437.10 - 21.10 | .5164 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4845 | ---- | ---- | ----/433.60A | 451.70B/433.60A | ---- | 440.00 - 21.20 | .5185 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4850 | ---- | ---- | ----/436.50A | 454.70B/436.50A | ---- | 443.00 - 21.20 | .5206 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4855 | ---- | ---- | ----/439.40A | 457.80B/439.40A | ---- | 445.90 - 21.40 | .5227 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4900 | ---- | ---- | ----/466.10A | 485.50B/466.10A | ---- | 473.10 - 22.00 | .5414 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4905 | ---- | ---- | ----/469.10A | 488.70B/469.10A | ---- | 476.20 - 22.10 | .5434 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4950 | ---- | ---- | ----/495.40A | 510.90B/495.40A | ---- | 504.60 - 22.50 | .5617 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4955 | ---- | ---- | ----/498.50A | 514.10B/498.50A | ---- | 507.80 - 22.60 | .5636 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5000 | ---- | ---- | ----/528.40A | 550.50B/528.40A | ---- | 537.20 - 23.10 | .5814 | ---- | ---- | ---- | ---- | 10 UNCH |
| 5005 | ---- | ---- | ----/531.70A | 553.90B/531.70A | ---- | 540.50 - 23.10 | .5833 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5050 | ---- | ---- | ----/561.40A | 584.60B/561.40A | ---- | 570.90 - 23.60 | .6005 | ---- | ---- | ---- | ---- | 4 UNCH |
| 5055 | ---- | ---- | ----/563.40A | 584.20B/563.40A | ---- | 574.30 - 23.70 | .6024 | ---- | ---- | ---- | ---- | 4 UNCH |
| 5100 | ---- | ---- | ----/595.60A | 600.40B/595.60A | ---- | 605.50 - 24.30 | .6191 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5120 | ---- | ---- | ----/609.50A | 610.90B/609.50A | ---- | 619.70 - 24.40 | .6263 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5150 | ---- | ---- | ----/630.50A | 632.40B/630.50A | ---- | 641.20 - 24.80 | .6369 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5175 | ---- | ---- | ----/648.30A | 650.50B/648.30A | ---- | 659.40 - 25.10 | .6456 | ---- | ---- | ---- | ---- | 125 UNCH |
| 5200 | ---- | ---- | ----/666.50A | 668.90B/666.50A | ---- | 677.70 - 25.40 | .6541 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5355 | ---- | ---- | ----/783.20A | 787.30B/783.20A | ---- | 796.20 - 27.10 | .7031 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5520 | ---- | ---- | ---- | 692.60B/1156.40A | ---- | 929.70 - 28.60 | .7482 | ---- | ---- | ---- | ---- | 300 UNCH |
| 5530 | ---- | ---- | ---- | 700.80B/1164.90A | ---- | 938.00 - 28.70 | .7507 | ---- | ---- | ---- | ---- | 100 UNCH |
| 5550 | ---- | ---- | ---- | 717.50B/1181.60A | ---- | 954.70 - 28.80 | .7556 | ---- | ---- | ---- | ---- | 65 UNCH |
| 5565 | ---- | ---- | ---- | 730.20B/1194.30A | ---- | 967.30 - 28.90 | .7592 | ---- | ---- | ---- | ---- | 50 UNCH |
| TOTAL | | | | | | | | | | | | 1426 0 |
| MAR27 | | | | | | | | | | | | |
| 4660 | ---- | ---- | ----/339.30A | 350.40B/339.30A | ---- | 342.90 - 15.70 | .4237 | ---- | ---- | ---- | ---- | 24 UNCH |
| 4810 | ---- | ---- | ----/417.70A | 430.40B/417.70A | ---- | 421.60 - 16.90 | .4852 | ---- | ---- | ---- | ---- | 21 UNCH |
| 4900 | ---- | ---- | ----/468.50A | 483.40B/468.50A | ---- | 473.70 - 17.60 | .5211 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4905 | ---- | ---- | ----/471.50A | 486.40B/471.50A | ---- | 476.70 - 17.70 | .5231 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5000 | ---- | ---- | ----/529.20A | 546.40B/529.20A | ---- | 535.80 - 18.30 | .5596 | ---- | ---- | ---- | ---- | 75 UNCH |
| TOTAL | | | | | | | | | | | | 124 0 |
| APR27 | | | | | | | | | | | | |
| 4300 | ---- | ---- | ---- | 71.90B/332.70A | ---- | 259.50 - 16.10 | .3002 | ---- | ---- | ---- | ---- | 150 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



OG PUT — COMEX GOLD OPTIONS

| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| APR27 | | | | | | | | | | | | | |
| 4900 | ---- | ---- | ---- | 182.30B/793.10A | ---- | 535.70 - 17.80 | .5053 | ---- | ---- | ---- | ---- | 2 | UNCH |
| 4905 | ---- | ---- | ---- | 183.60B/787.60A | ---- | 538.50 - 17.90 | .5070 | ---- | ---- | ---- | ---- | 2 | UNCH |
| 5000 | ---- | ---- | ---- | 216.00B/868.80A | ---- | 593.50 - 19.50 | .5397 | ---- | ---- | ---- | ---- | 100 | UNCH |
| 5060 | ---- | ---- | ---- | 240.70B/936.20A | ---- | 635.70 - 20.10 | .5579 | ---- | ---- | ---- | ---- | 25 | UNCH |
| TOTAL | | | | | | | | | | | | 279 | 0 |
| JUN27 | | | | | | | | | | | | | |
| 4900 | ---- | ---- | ---- | ---- | ---- | 562.60 - 17.70 | .4837 | ---- | ---- | ---- | ---- | 1 | UNCH |
| 4905 | ---- | ---- | ---- | ---- | ---- | 565.50 - 17.70 | .4853 | ---- | ---- | ---- | ---- | 1 | UNCH |
| TOTAL | | | | | | | | | | | | 2 | 0 |
| DEC27 | | | | | | | | | | | | | |
| 3700 | ---- | ---- | ---- | ---- | ---- | 174.20 - 6.30 | .1626 | ---- | ---- | ---- | ---- | 100 | UNCH |
| 3715 | ---- | ---- | ---- | ---- | ---- | 177.60 - 6.30 | .1652 | ---- | ---- | ---- | ---- | 150 | UNCH |
| 3820 | ---- | ---- | ---- | ---- | ---- | 201.90 - 7.10 | .1843 | ---- | ---- | ---- | ---- | 50 | UNCH |
| 4130 | ---- | ---- | ---- | ---- | ---- | 285.80 - 9.40 | .2472 | ---- | ---- | ---- | ---- | 168 | UNCH |
| 4500 | ---- | ---- | ---- | ---- | ---- | 418.20 - 12.50 | .3348 | ---- | ---- | ---- | ---- | 270 | UNCH |
| 4630 | ---- | ---- | ---- | ---- | ---- | 475.70 - 13.70 | .3680 | ---- | ---- | ---- | ---- | 284 | UNCH |
| 4860 | ---- | ---- | ---- | ---- | ---- | 591.70 - 15.70 | .4277 | ---- | ---- | ---- | ---- | 100 | UNCH |
| 5000 | ---- | ---- | ---- | ---- | ---- | 669.80 - 17.00 | .4632 | ---- | ---- | ---- | ---- | 50 | UNCH |
| 5650 | ---- | ---- | ---- | ---- | ---- | 1088.60 - 22.40 | .6134 | ---- | ---- | ---- | ---- | 200 | UNCH |
| 5880 | ---- | ---- | ---- | ---- | ---- | 1257.30 - 24.10 | .6591 | ---- | ---- | ---- | ---- | 200 | UNCH |
| TOTAL | | | | | | | | | | | | 1572 | 0 |
| JAN28 | | | | | | | | | | | | | |
| 5000 | ---- | ---- | ---- | ---- | ---- | 671.90 - 16.60 | .4516 | ---- | ---- | ---- | ---- | 1 | UNCH |
| 5100 | ---- | ---- | ---- | ---- | ---- | 729.20 - 17.50 | .4757 | ---- | ---- | ---- | ---- | 1 | UNCH |
| TOTAL | | | | | | | | | | | | 2 | 0 |

OG CALL — COMEX GOLD OPTIONS

| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| JUN26 | | | | | | | | | | | | | |
| 1995 | ---- | ---- | ---- | ---- | ---- | 2573.50 + 35.20 | 1.0000 | ---- | ---- | ---- | ---- | 0 | UNCH |
| 2000 | ---- | ---- | 2,590.50B/---- | 2590.50B/2567.30A | ---- | 2568.50 + 35.20 | 1.0000 | 1600 | ---- | 1600 | ---- | 422 | UNCH |
| 2005 | ---- | ---- | ---- | ---- | ---- | 2563.50 + 35.20 | 1.0000 | ---- | ---- | ---- | ---- | 0 | UNCH |
| 2800 | ---- | ---- | 1,791.70B/---- | 1791.70B/1766.30A | ---- | 1768.50 + 35.20 | .9994 | 739 | ---- | 800 | ---- | 500 | UNCH |
| 3000 | ---- | ---- | 1,591.30B/---- | 1591.30B/1565.90A | ---- | 1568.50 + 35.20 | .9987 | 300 | ---- | 300 | ---- | 400 | UNCH |
| 3400 | ---- | ---- | 1,192.40B/---- | 1192.40B/1165.70A | ---- | 1168.80 + 34.90 | .9943 | ---- | ---- | ---- | ---- | 766 | UNCH |
| 3500 | ---- | ---- | 1,090.10B/---- | 1090.10B/1067.70A | ---- | 1069.00 + 34.80 | .9929 | ---- | ---- | ---- | ---- | 57 | UNCH |
| 3525 | ---- | ---- | ---- | ---- | ---- | 1044.10 + 34.70 | .9923 | ---- | ---- | ---- | ---- | 1 | UNCH |
| 3550 | ---- | ---- | ---- | ---- | ---- | 1019.20 + 34.70 | .9917 | ---- | ---- | ---- | ---- | 1 | UNCH |
| 3580 | ---- | ---- | 1,010.40B/---- | 1010.40B/987.90A | ---- | 989.30 + 34.70 | .9910 | ---- | ---- | ---- | ---- | 18 | UNCH |
| 3585 | ---- | ---- | 1,005.40B/---- | 1005.40B/982.90A | ---- | 984.30 + 34.70 | .9910 | ---- | ---- | ---- | ---- | 100 | UNCH |
| 3600 | ---- | ---- | 990.50B/---- | 990.50B/968.00A | ---- | 969.40 + 34.70 | .9904 | ---- | ---- | ---- | ---- | 214 | UNCH |
| 3635 | ---- | ---- | 955.60B/---- | 955.60B/933.10A | ---- | 934.60 + 34.70 | .9892 | ---- | ---- | ---- | ---- | 60 | UNCH |
| 3650 | ---- | ---- | 940.70B/---- | 940.70B/918.10A | ---- | 919.70 + 34.70 | .9886 | ---- | ---- | ---- | ---- | 143 | UNCH |
| 3665 | ---- | ---- | 925.80B/---- | 925.80B/903.20A | ---- | 904.70 + 34.70 | .9884 | ---- | ---- | ---- | ---- | 3 | UNCH |
| 3700 | ---- | ---- | 892.50B/---- | 892.50B/867.80A | ---- | 869.90 + 34.60 | .9871 | ---- | ---- | ---- | ---- | 389 | UNCH |
| 3715 | ---- | ---- | 876.10B/---- | 876.10B/853.40A | ---- | 855.00 + 34.60 | .9865 | ---- | ---- | ---- | ---- | 25 | UNCH |
| 3725 | ---- | ---- | 866.10B/---- | 866.10B/843.50A | ---- | 845.10 + 34.60 | .9863 | ---- | ---- | ---- | ---- | 212 | UNCH |
| 3750 | ---- | ---- | 843.80B/---- | 843.80B/817.00A | ---- | 820.20 + 34.50 | .9850 | ---- | ---- | ---- | ---- | 1109 | UNCH |
| 3755 | ---- | ---- | 836.30B/---- | 836.30B/813.70A | ---- | 815.20 + 34.50 | .9849 | ---- | ---- | ---- | ---- | 15 | UNCH |
| 3785 | ---- | ---- | 806.50B/---- | 806.50B/783.90A | ---- | 785.40 + 34.40 | .9835 | ---- | ---- | ---- | ---- | 170 | UNCH |
| 3790 | ---- | ---- | ---- | ---- | ---- | 780.50 + 34.50 | .9834 | ---- | ---- | ---- | ---- | 1 | UNCH |
| 3800 | ---- | ---- | 794.10B/---- | 794.10B/767.40A | ---- | 770.50 + 34.40 | .9828 | ---- | ---- | ---- | ---- | 545 | UNCH |
| 3835 | ---- | ---- | ---- | ---- | ---- | 735.80 + 34.30 | .9811 | ---- | ---- | ---- | ---- | 1 | UNCH |
| 3840 | ---- | ---- | 751.90B/---- | 751.90B/729.30A | ---- | 730.80 + 34.20 | .9810 | ---- | ---- | ---- | ---- | 21 | UNCH |
| 3850 | ---- | ---- | 743.50B/---- | 743.50B/718.80A | ---- | 720.90 + 34.20 | .9803 | ---- | ---- | ---- | ---- | 322 | UNCH |
| 3875 | ---- | ---- | 717.20B/---- | 717.20B/694.60A | ---- | 696.10 + 34.00 | .9787 | ---- | ---- | ---- | ---- | 60 | UNCH |
| 3895 | ---- | ---- | ---- | ---- | ---- | 676.30 + 33.90 | .9773 | ---- | ---- | ---- | ---- | 1 | UNCH |
| 3900 | ---- | ---- | 694.00B/---- | 694.00B/669.20A | ---- | 671.40 + 33.90 | .9771 | ---- | ---- | ---- | ---- | 363 | UNCH |
| 3925 | ---- | ---- | 671.10B/---- | 671.10B/645.10A | ---- | 646.70 + 33.80 | .9749 | ---- | ---- | ---- | ---- | 4 | UNCH |
| 3950 | ---- | ---- | 647.90B/581.00A | 647.90B/581.00A | ---- | 622.00 + 33.60 | .9726 | ---- | ---- | ---- | ---- | 14 | UNCH |
| 3975 | ---- | ---- | 623.60B/556.60A | 623.60B/556.60A | ---- | 597.40 + 33.40 | .9697 | ---- | ---- | ---- | ---- | 106 | UNCH |
| 3990 | ---- | ---- | 609.30B/542.00A | 609.30B/542.00A | ---- | 582.60 + 33.20 | .9681 | ---- | ---- | ---- | ---- | 1 | UNCH |
| 3995 | ---- | ---- | 603.80B/537.20A | 603.80B/537.20A | ---- | 577.70 + 33.10 | .9674 | ---- | ---- | ---- | ---- | 5 | UNCH |
| 4000 | ---- | ---- | 599.10B/532.20A | 599.10B/532.20A | ---- | 572.80 + 33.10 | .9667 | ---- | ---- | 10 | ---- | 870 + | 10 |
| 4005 | ---- | ---- | 593.90B/527.50A | 593.90B/527.50A | ---- | 567.90 + 33.10 | .9660 | ---- | ---- | ---- | ---- | 10 | UNCH |
| 4010 | ---- | ---- | 588.90B/522.60A | 588.90B/522.60A | ---- | 563.00 + 33.00 | .9652 | ---- | ---- | ---- | ---- | 1 | UNCH |
| 4020 | ---- | ---- | 579.80B/513.00A | 579.80B/513.00A | ---- | 553.20 + 32.90 | .9638 | ---- | ---- | ---- | ---- | 2 | UNCH |
| 4025 | ---- | ---- | 574.10B/508.00A | 574.10B/508.00A | ---- | 548.30 + 32.80 | .9630 | ---- | ---- | ---- | ---- | 51 | UNCH |
| 4030 | ---- | ---- | 569.20B/503.30A | 569.20B/503.30A | ---- | 543.40 + 32.80 | .9623 | ---- | ---- | ---- | ---- | 1 | UNCH |
| 4040 | ---- | ---- | 559.40B/493.60A | 559.40B/493.60A | ---- | 533.70 + 32.70 | .9607 | ---- | ---- | ---- | ---- | 1 | UNCH |
| 4050 | ---- | ---- | 549.70B/484.00A | 549.70B/484.00A | ---- | 523.90 + 32.50 | .9587 | ---- | ---- | ---- | ---- | 185 | UNCH |
| 4060 | ---- | ---- | 540.20B/474.50A | 540.20B/474.50A | ---- | 514.20 + 32.40 | .9571 | ---- | ---- | ---- | ---- | 25 | UNCH |
| 4070 | ---- | ---- | 530.10B/465.00A | 530.10B/465.00A | ---- | 504.50 + 32.30 | .9550 | ---- | ---- | ---- | ---- | 10 | UNCH |
| 4075 | ---- | ---- | 525.20B/460.20A | 525.20B/460.20A | ---- | 499.60 + 32.20 | .9537 | ---- | ---- | ---- | ---- | 64 | UNCH |
| 4090 | ---- | ---- | 510.90B/446.00A | 510.90B/446.00A | ---- | 485.10 + 32.00 | .9507 | ---- | ---- | ---- | ---- | 34 | UNCH |
| 4100 | ---- | ---- | 501.10B/436.50A | 501.10B/436.50A | ---- | 475.40 + 31.80 | .9484 | ---- | ---- | ---- | ---- | 682 | UNCH |
| 4105 | ---- | ---- | 496.90B/431.80A | 496.90B/431.80A | ---- | 470.60 + 31.70 | .9471 | ---- | ---- | ---- | ---- | 50 | UNCH |
| 4110 | ---- | ---- | 492.00B/427.10A | 492.00B/427.10A | ---- | 465.80 + 31.70 | .9457 | ---- | ---- | ---- | ---- | 2 | UNCH |
| 4115 | ---- | ---- | 486.50B/422.40A | 486.50B/422.40A | ---- | 461.00 + 31.60 | .9443 | ---- | ---- | ---- | ---- | 5 | UNCH |
| 4125 | ---- | ---- | 477.10B/413.10A | 477.10B/413.10A | ---- | 451.40 + 31.40 | .9415 | ---- | ---- | ---- | ---- | 95 | UNCH |
| 4135 | ---- | ---- | 467.30B/403.70A | 467.30B/403.70A | ---- | 441.80 + 31.20 | .9387 | ---- | ---- | ---- | ---- | 16 | UNCH |
| 4150 | ---- | ---- | 452.80B/389.70A | 452.80B/389.70A | ---- | 427.50 + 30.80 | .9339 | ---- | ---- | ---- | ---- | 263 | UNCH |
| 4155 | ---- | ---- | 448.20B/385.20A | 448.20B/385.20A | ---- | 422.70 + 30.70 | .9324 | ---- | ---- | ---- | ---- | 5 | UNCH |
| 4170 | ---- | ---- | 433.70B/371.40A | 433.70B/371.40A | ---- | 408.50 + 30.30 | .9269 | ---- | ---- | ---- | ---- | 51 | UNCH |
| 4175 | ---- | ---- | 428.90B/366.90A | 428.90B/366.90A | ---- | 403.80 + 30.20 | .9254 | ---- | ---- | ---- | ---- | 61 | UNCH |
| 4195 | ---- | ---- | 410.00B/349.20A | 410.00B/349.20A | ---- | 385.00 + 29.70 | .9172 | ---- | ---- | ---- | ---- | 1 | UNCH |
| 4200 | ---- | ---- | 405.40B/344.30A | 405.40B/344.30A | ---- | 380.30 + 29.50 | .9152 | ---- | ---- | ---- | ---- | 2058 | UNCH |
| 4210 | 391.50 | 391.50 | 396.00B/335.40A | 396.00B/335.40A | ---- | 371.00 + 29.20 | .9105 | ---- | ---- | 2 | ---- | 1552 | UNCH |
| 4220 | ---- | ---- | 387.20B/326.60A | 387.20B/326.60A | ---- | 361.70 + 28.90 | .9058 | ---- | ---- | ---- | ---- | 84 | UNCH |
| 4225 | ---- | ---- | 382.10B/322.20A | 382.10B/322.20A | ---- | 357.10 + 28.70 | .9032 | ---- | ---- | ---- | ---- | 15 | UNCH |
| 4235 | ---- | ---- | 372.60B/313.40A | 372.60B/313.40A | ---- | 347.90 + 28.40 | .8980 | ---- | ---- | ---- | ---- | 6 | UNCH |
| 4240 | ---- | ---- | 368.00B/308.90A | 368.00B/308.90A | ---- | 343.40 + 28.30 | .8953 | ---- | ---- | ---- | ---- | 53 | UNCH |
| 4245 | ---- | ---- | 363.60B/304.70A | 363.60B/304.70A | ---- | 338.80 + 28.10 | .8926 | ---- | ---- | ---- | ---- | 263 | UNCH |
| 4250 | ---- | ---- | 358.90B/300.40A | 358.90B/300.40A | ---- | 334.20 + 27.80 | .8895 | ---- | ---- | ---- | ---- | 922 | UNCH |
| 4255 | ---- | ---- | 354.30B/296.10A | 354.30B/296.10A | ---- | 329.70 + 27.70 | .8868 | ---- | ---- | ---- | ---- | 6 | UNCH |
| 4260 | ---- | ---- | 349.60B/291.90A | 349.60B/291.90A | ---- | 325.20 + 27.50 | .8836 | ---- | ---- | ---- | ---- | 1 | UNCH |
| 4265 | ---- | ---- | 345.50B/287.40A | 345.50B/287.40A | ---- | 320.70 + 27.30 | .8805 | ---- | ---- | ---- | ---- | 87 | UNCH |
| 4270 | ---- | ---- | 340.70B/283.70A | 340.70B/283.70A | ---- | 316.20 + 27.10 | .8773 | ---- | ---- | ---- | ---- | 11 | UNCH |
| 4280 | ---- | ---- | 331.60B/274.90A | 331.60B/274.90A | ---- | 307.30 + 26.70 | .8705 | ---- | ---- | ---- | ---- | 1 | UNCH |
| 4285 | ---- | ---- | 327.50B/271.00A | 327.50B/271.00A | ---- | 302.80 + 26.40 | .8672 | ---- | ---- | ---- | ---- | 1 | UNCH |
| 4300 | ---- | ---- | 314.00B/258.30A | 314.00B/258.30A | ---- | 289.60 + 25.80 | .8561 | ---- | ---- | ---- | ---- | 2124 | UNCH |
| 4305 | ---- | ---- | 309.10B/254.30A | 309.10B/254.30A | ---- | 285.30 + 25.60 | .8524 | ---- | ---- | ---- | ---- | 1 | UNCH |
| 4310 | ---- | ---- | 305.00B/250.60A | 305.00B/250.60A | ---- | 280.90 + 25.30 | .8483 | ---- | ---- | ---- | ---- | 23 | UNCH |
| 4315 | ---- | ---- | 300.50B/246.20A | 300.50B/246.20A | ---- | 276.60 + 25.10 | .8441 | ---- | ---- | ---- | ---- | 1 | UNCH |
| 4320 | ---- | ---- | 296.20B/242.20A | 296.20B/242.20A | ---- | 272.30 + 24.80 | .8403 | ---- | ---- | ---- | ---- | 62 | UNCH |
| 4325 | ---- | ---- | 292.00B/238.20A | 292.00B/238.20A | ---- | 268.00 + 24.60 | .8358 | ---- | ---- | ---- | ---- | 73 | UNCH |
| 4335 | ---- | ---- | 283.40B/230.70A | 283.40B/230.70A | ---- | 259.60 + 24.20 | .8270 | ---- | ---- | ---- | ---- | 13 | UNCH |
| 4340 | ---- | ---- | 279.10B/226.70A | 279.10B/226.70A | ---- | 255.40 + 23.90 | .8223 | ---- | ---- | ---- | ---- | 17 | UNCH |
| 4345 | ---- | ---- | 274.20B/222.90A | 274.20B/222.90A | ---- | 251.20 + 23.60 | .8177 | ---- | ---- | ---- | ---- | 2 | UNCH |
| 4350 | ---- | ---- | 270.60B/218.70A | 270.60B/218.70A | ---- | 247.00 + 23.30 | .8130 | ---- | ---- | ---- | ---- | 1457 | UNCH |
| 4355 | ---- | ---- | 265.80B/215.30A | 265.80B/215.30A | ---- | 242.90 + 23.10 | .8080 | ---- | ---- | ---- | ---- | 129 | UNCH |
| 4360 | ---- | ---- | 261.60B/211.40A | 261.60B/211.40A | ---- | 238.80 + 22.80 | .8030 | ---- | ---- | ---- | ---- | 42 | UNCH |
| 4365 | ---- | ---- | 257.30B/207.80A | 257.30B/207.80A | ---- | 234.70 + 22.50 | .7979 | ---- | ---- | ---- | ---- | 4 | UNCH |
| 4370 | ---- | ---- | 253.30B/204.10A | 253.30B/204.10A | ---- | 230.70 + 22.30 | .7928 | ---- | ---- | ---- | ---- | 3 | UNCH |
| 4375 | 226.90 | 226.90 | 249.10B/200.30A | 249.10B/200.30A | ---- | 226.70 + 22.00 | .7874 | ---- | ---- | 1 | ---- | 106 | UNCH |
| 4380 | 220.90 | 220.90 | 245.50B/196.60A | 245.50B/196.60A | ---- | 222.70 + 21.80 | .7820 | ---- | ---- | 1 | ---- | 341 | UNCH |
| 4385 | ---- | ---- | 240.80B/193.00A | 240.80B/193.00A | ---- | 218.70 + 21.40 | .7765 | ---- | ---- | ---- | ---- | 3 | UNCH |
| 4390 | ---- | ---- | 236.90B/189.40A | 236.90B/189.40A | ---- | 214.80 + 21.20 | .7708 | ---- | ---- | ---- | ---- | 16 | UNCH |
| 4395 | ---- | ---- | 232.90B/186.00A | 232.90B/186.00A | ---- | 210.90 + 20.90 | .7650 | ---- | ---- | ---- | ---- | 10 | UNCH |
| 4400 | ---- | ---- | 229.40B/182.30A | 229.40B/182.30A | ---- | 207.00 + 20.60 | .7592 | ---- | ---- | ---- | ---- | 1458 | UNCH |
| 4410 | ---- | ---- | 221.20B/175.30A | 221.20B/175.30A | ---- | 199.40 + 20.00 | .7472 | ---- | ---- | ---- | ---- | 39 | UNCH |
| 4415 | ---- | ---- | 217.20B/171.90A | 217.20B/171.90A | ---- | 195.60 + 19.70 | .7408 | ---- | ---- | ---- | ---- | 176 | UNCH |
| 4420 | ---- | ---- | 213.00B/168.50A | 213.00B/168.50A | ---- | 191.90 + 19.40 | .7346 | ---- | ---- | ---- | ---- | 3 | UNCH |
| 4425 | ---- | ---- | 209.60B/165.20A | 209.60B/165.20A | ---- | 188.20 + 19.10 | .7282 | ---- | ---- | ---- | ---- | 274 | UNCH |
| 4430 | ---- | ---- | 205.70B/161.90A | 205.70B/161.90A | ---- | 184.50 + 18.80 | .7217 | ---- | ---- | ---- | ---- | 24 | UNCH |
| 4435 | ---- | ---- | 201.90B/158.50A | 201.90B/158.50A | ---- | 180.90 + 18.50 | .7150 | ---- | ---- | ---- | ---- | 21 | UNCH |
| 4440 | ---- | ---- | 198.20B/155.30A | 198.20B/155.30A | ---- | 177.30 + 18.20 | .7083 | ---- | ---- | ---- | ---- | 20 | UNCH |
| 4445 | ---- | ---- | 194.00B/152.20A | 194.00B/152.20A | ---- | 173.70 + 17.90 | .7016 | ---- | ---- | ---- | ---- | 5 | UNCH |
| 4450 | ---- | ---- | 190.60B/149.10A | 190.60B/149.10A | ---- | 170.20 + 17.60 | .6946 | ---- | ---- | ---- | ---- | 497 | UNCH |
| 4455 | ---- | ---- | 187.20B/146.00A | 187.20B/146.00A | ---- | 166.70 + 17.20 | .6876 | ---- | ---- | ---- | ---- | 6 | UNCH |
| 4460 | ---- | ---- | 183.60B/142.80A | 183.60B/142.80A | ---- | 163.30 + 17.00 | .6806 | ---- | ---- | ---- | ---- | 20 | UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OG CALL | | COMEX GOLD OPTIONS | | | | | | | | | | |
| JUN26 | | | | | | | | | | | | |
| 4465 | ---- | ---- | 179.90B/139.70A | 179.90B/139.70A | ---- | 159.80 + 16.60 | .6734 | ---- | ---- | ---- | ---- | 28 UNCH |
| 4470 | ---- | ---- | 176.30B/136.40A | 176.30B/136.40A | ---- | 156.50 + 16.30 | .6660 | ---- | ---- | ---- | ---- | 24 UNCH |
| 4475 | ---- | ---- | 172.70B/133.40A | 172.70B/133.40A | ---- | 153.10 + 15.90 | .6587 | ---- | ---- | ---- | ---- | 22 UNCH |
| 4480 | ---- | ---- | 169.20B/130.50A | 169.20B/130.50A | ---- | 149.80 + 15.60 | .6513 | ---- | ---- | ---- | ---- | 59 UNCH |
| 4485 | ---- | ---- | 165.50B/127.60A | 165.50B/127.60A | ---- | 146.60 + 15.40 | .6439 | ---- | ---- | ---- | ---- | 11 UNCH |
| 4490 | ---- | ---- | 162.40B/124.60A | 162.40B/124.60A | ---- | 143.40 + 15.10 | .6363 | ---- | ---- | ---- | ---- | 81 UNCH |
| 4495 | 152.50 | 152.50 | 159.20B/121.80A | 159.20B/121.80A | ---- | 140.20 + 14.70 | .6286 | ---- | ---- | 6 | ---- | 12 + 6 |
| 4500 | ---- | ---- | 155.90B/119.10A | 155.90B/119.10A | ---- | 137.10 + 14.50 | .6209 | ---- | ---- | ---- | ---- | 4505 UNCH |
| 4505 | ---- | ---- | 152.50B/116.40A | 152.50B/116.40A | ---- | 134.00 + 14.10 | .6131 | ---- | ---- | ---- | ---- | 53 UNCH |
| 4510 | ---- | ---- | 149.30B/113.60A | 149.30B/113.60A | ---- | 130.90 + 13.80 | .6053 | ---- | ---- | ---- | ---- | 1475 UNCH |
| 4515 | ---- | ---- | 145.80B/111.00A | 145.80B/111.00A | ---- | 127.90 + 13.50 | .5974 | ---- | ---- | 4 | ---- | 99 + 4 |
| 4520 | ---- | ---- | 142.70B/108.40A | 142.70B/108.40A | ---- | 125.00 + 13.20 | .5894 | ---- | ---- | ---- | ---- | 92 UNCH |
| 4525 | ---- | ---- | 139.80B/105.80A | 139.80B/105.80A | ---- | 122.00 + 12.80 | .5814 | ---- | ---- | ---- | ---- | 426 UNCH |
| 4530 | ---- | ---- | 136.60B/103.40A | 136.60B/103.40A | ---- | 119.20 + 12.60 | .5733 | ---- | ---- | 3 | ---- | 124 + 2 |
| 4535 | ---- | ---- | 133.40B/100.90A | 133.40B/100.90A | ---- | 116.30 + 12.20 | .5652 | ---- | ---- | ---- | ---- | 104 UNCH |
| 4540 | 105.50 | 105.50 | 130.40B/98.50A | 130.40B/98.50A | ---- | 113.50 + 11.90 | .5571 | ---- | ---- | 11 | ---- | 114 - 5 |
| 4545 | 107.30 | 107.30 | 127.30B/96.10A | 127.30B/96.10A | ---- | 110.80 + 11.70 | .5489 | ---- | ---- | 2 | ---- | 33 + 1 |
| 4550 | 101.20 | 101.20 | 124.60B/93.70A | 124.60B/93.70A | ---- | 108.10 + 11.40 | .5407 | ---- | ---- | 97 | ---- | 345 UNCH |
| 4555 | 101.00 | 101.00 | 121.70B/91.50A | 121.70B/91.50A | ---- | 105.40 + 11.00 | .5325 | ---- | ---- | 7 | ---- | 29 + 4 |
| 4560 | 104.00 | 104.00 | 118.90B/89.30A | 118.90B/89.30A | ---- | 102.80 + 10.70 | .5243 | ---- | ---- | 5 | ---- | 174 UNCH |
| 4565 | 99.50 | 99.50 | 116.10B/87.00A | 116.10B/87.00A | ---- | 100.20 + 10.40 | .5160 | ---- | ---- | 7 | ---- | 108 + 2 |
| 4570 | 94.80 | 94.80 | 113.30B/84.80A | 113.30B/84.80A | ---- | 97.70 + 10.10 | .5077 | ---- | ---- | 12 | ---- | 71 - 3 |
| 4575 | 87.50 | 87.50 | 110.60B/82.80A | 110.60B/82.80A | ---- | 95.20 + 9.80 | .4995 | ---- | ---- | 51 | ---- | 88 + 1 |
| 4580 | 85.50 | 85.50 | 107.90B/80.60A | 107.90B/80.60A | ---- | 92.80 + 9.50 | .4912 | ---- | ---- | 9 | ---- | 43 - 2 |
| 4585 | 91.00 | 91.00 | 105.20B/78.50A | 105.20B/78.50A | ---- | 90.40 + 9.20 | .4829 | ---- | ---- | 31 | ---- | 186 + 1 |
| 4590 | ---- | ---- | 102.70B/76.60A | 102.70B/76.60A | ---- | 88.00 + 8.80 | .4746 | ---- | ---- | 10 | ---- | 233 UNCH |
| 4595 | ---- | ---- | 100.10B/74.70A | 100.10B/74.70A | ---- | 85.80 + 8.60 | .4664 | ---- | ---- | 3 | ---- | 40 + 1 |
| 4600 | 73.00 | 73.00 | 97.80B/72.70A | 97.80B/72.70A | ---- | 83.50 + 8.30 | .4582 | ---- | ---- | 236 | ---- | 5737 + 138 |
| 4605 | 87.60 | 87.60 | 95.10B/70.70A | 95.10B/70.70A | ---- | 81.30 + 8.00 | .4500 | ---- | ---- | 1 | ---- | 156 + 1 |
| 4610 | 74.10 | 74.10 | 92.70B/69.00A | 92.70B/69.00A | ---- | 79.10 + 7.70 | .4418 | ---- | ---- | 44 | ---- | 122 - 20 |
| 4615 | ---- | ---- | 90.40B/67.20A | 90.40B/67.20A | ---- | 77.00 + 7.40 | .4336 | ---- | ---- | ---- | ---- | 53 UNCH |
| 4620 | 86.00 | 86.00 | 88.10B/65.40A | 88.10B/65.40A | ---- | 74.90 + 7.10 | .4255 | ---- | ---- | 16 | ---- | 71 - 2 |
| 4625 | 82.70 | 82.70 | 86.50/63.70A | 86.50/63.70A | ---- | 72.90 + 6.90 | .4175 | ---- | ---- | 103 | ---- | 250 - 40 |
| 4630 | ---- | ---- | 83.50B/62.00A | 83.50B/62.00A | ---- | 70.90 + 6.60 | .4094 | ---- | ---- | 1 | ---- | 30 UNCH |
| 4635 | ---- | ---- | 81.40B/60.50A | 81.40B/60.50A | ---- | 69.00 + 6.40 | .4015 | ---- | ---- | ---- | ---- | 105 UNCH |
| 4640 | ---- | ---- | 79.20B/58.90A | 79.20B/58.90A | ---- | 67.10 + 6.10 | .3936 | ---- | ---- | ---- | ---- | 39 UNCH |
| 4645 | ---- | ---- | 77.20B/57.30A | 77.20B/57.30A | ---- | 65.30 + 5.90 | .3858 | ---- | ---- | ---- | ---- | 14 UNCH |
| 4650 | 62.30 | 62.30 | 75.20B/55.70A | 75.20B/55.70A | ---- | 63.40 + 5.60 | .3779 | ---- | ---- | 29 | 250 | 2125 + 267 |
| 4655 | ---- | ---- | 73.10B/54.30A | 73.10B/54.30A | ---- | 61.70 + 5.40 | .3703 | ---- | ---- | ---- | ---- | 53 UNCH |
| 4660 | ---- | ---- | 71.10B/52.80A | 71.10B/52.80A | ---- | 60.00 + 5.20 | .3627 | ---- | ---- | ---- | ---- | 90 UNCH |
| 4665 | 65.90 | 65.90 | 69.00B/51.40A | 69.00B/51.40A | ---- | 58.30 + 4.90 | .3551 | ---- | ---- | 137 | ---- | 79 - 65 |
| 4670 | ---- | ---- | 67.20B/50.00A | 67.20B/50.00A | ---- | 56.60 + 4.70 | .3475 | ---- | ---- | ---- | ---- | 170 UNCH |
| 4675 | 63.00 | 63.00 | 65.50B/48.70A | 65.50B/48.70A | ---- | 55.00 + 4.40 | .3401 | ---- | ---- | 3 | ---- | 520 UNCH |
| 4680 | ---- | ---- | 63.60B/47.30A | 63.60B/47.30A | ---- | 53.50 + 4.30 | .3329 | ---- | ---- | ---- | ---- | 223 UNCH |
| 4685 | ---- | ---- | 61.80B/46.00A | 61.80B/46.00A | ---- | 52.00 + 4.10 | .3257 | ---- | ---- | 5 | ---- | 56 UNCH |
| 4690 | 57.40 | 57.40 | 60.40/44.80A | 60.40/44.80A | ---- | 50.50 + 3.90 | .3185 | ---- | ---- | 11 | ---- | 60 - 2 |
| 4695 | ---- | ---- | 58.40B/43.60A | 58.40B/43.60A | ---- | 49.00 + 3.60 | .3114 | ---- | ---- | ---- | ---- | 67 UNCH |
| 4700 | 44.70 | 44.70 | 56.80/42.30A | 56.80/42.30A | ---- | 47.60 + 3.50 | .3044 | ---- | ---- | 205 | ---- | 3883 + 20 |
| 4705 | ---- | ---- | 55.20B/41.20A | 55.20B/41.20A | ---- | 46.30 + 3.30 | .2977 | ---- | ---- | ---- | ---- | 40 UNCH |
| 4710 | 45.50 | 45.50 | 53.60B/40.20A | 53.60B/40.20A | ---- | 44.90 + 3.10 | .2908 | ---- | ---- | 4 | ---- | 38 + 3 |
| 4715 | 44.20 | 44.20 | 52.10B/39.00A | 52.10B/39.00A | ---- | 43.70 + 3.00 | .2844 | ---- | ---- | 2 | ---- | 30 UNCH |
| 4720 | 49.00 | 49.00 | 51.00/38.00A | 51.00/38.00A | ---- | 42.40 + 2.80 | .2778 | ---- | ---- | 18 | ---- | 331 - 2 |
| 4725 | 40.80 | 40.80 | 49.20B/36.90A | 49.20B/36.90A | ---- | 41.20 + 2.70 | .2714 | ---- | ---- | 29 | ---- | 370 - 1 |
| 4730 | 47.10 | 47.10 | 47.80B/35.90A | 47.80B/35.90A | ---- | 40.00 + 2.50 | .2650 | ---- | ---- | 7 | ---- | 55 - 1 |
| 4735 | ---- | ---- | 46.50B/35.10A | 46.50B/35.10A | ---- | 38.80 + 2.30 | .2587 | ---- | ---- | 1 | ---- | 256 + 1 |
| 4740 | 41.50 | 41.50 | 45.10B/34.10A | 45.10B/34.10A | ---- | 37.70 + 2.20 | .2527 | ---- | ---- | 1 | ---- | 42 - 1 |
| 4745 | 36.60 | 36.60 | 43.80B/33.10A | 43.80B/33.10A | ---- | 36.60 + 2.00 | .2466 | ---- | ---- | 2 | ---- | 78 + 1 |
| 4750 | 36.50 | 36.50 | 42.50B/32.20A | 42.50B/32.20A | ---- | 35.60 + 2.00 | .2409 | ---- | ---- | 61 | ---- | 2406 - 6 |
| 4755 | ---- | ---- | 41.30B/31.30A | 41.30B/31.30A | ---- | 34.60 + 1.90 | .2352 | ---- | ---- | 1 | ---- | 114 UNCH |
| 4760 | ---- | ---- | 40.00B/30.60A | 40.00B/30.60A | ---- | 33.60 + 1.70 | .2296 | ---- | ---- | 1 | ---- | 66 UNCH |
| 4765 | ---- | ---- | 38.90B/29.70A | 38.90B/29.70A | ---- | 32.60 + 1.60 | .2239 | ---- | ---- | ---- | ---- | 77 UNCH |
| 4770 | 36.90 | 36.90 | 37.80B/28.90A | 37.80B/28.90A | ---- | 31.70 + 1.50 | .2186 | ---- | ---- | 5 | ---- | 93 + 3 |
| 4775 | 36.10 | 36.10 | 36.70B/28.20A | 36.70B/28.20A | ---- | 30.80 + 1.40 | .2133 | ---- | ---- | 1 | ---- | 302 + 1 |
| 4780 | 34.00 | 34.00 | 35.60B/27.40A | 35.60B/27.40A | ---- | 29.90 + 1.30 | .2081 | ---- | ---- | 88 | ---- | 159 - 8 |
| 4785 | 27.40 | 27.40 | 34.60B/26.60 | 34.60B/26.60 | ---- | 29.00 + 1.10 | .2028 | ---- | ---- | 4 | ---- | 48 + 1 |
| 4790 | 32.00 | 32.00 | 33.60B/25.90A | 33.60B/25.90A | ---- | 28.20 + 1.10 | .1980 | ---- | ---- | 34 | ---- | 96 - 7 |
| 4795 | ---- | ---- | 32.60B/25.20A | 32.60B/25.20A | ---- | 27.40 + 1.00 | .1931 | ---- | ---- | 13 | ---- | 72 - 1 |
| 4800 | 26.00 | 26.00 | 31.70B/24.50 | 31.70B/24.50 | ---- | 26.60 + 0.90 | .1883 | ---- | ---- | 301 | 325 | 7438 + 278 |
| 4805 | ---- | ---- | 30.80B/23.80A | 30.80B/23.80A | ---- | 25.80 + 0.80 | .1834 | ---- | ---- | ---- | ---- | 41 UNCH |
| 4810 | ---- | ---- | 29.90B/23.10A | 29.90B/23.10A | ---- | 25.10 + 0.70 | .1790 | ---- | ---- | ---- | ---- | 50 UNCH |
| 4815 | 24.80 | 24.80 | 29.10B/22.40A | 29.10B/22.40A | ---- | 24.30 + 0.60 | .1742 | ---- | ---- | 3 | ---- | 92 + 2 |
| 4820 | 27.00 | 27.00 | 28.20B/21.70A | 28.20B/21.70A | ---- | 23.60 + 0.50 | .1698 | ---- | ---- | 4 | ---- | 216 + 3 |
| 4825 | 23.30 | 23.30 | 27.40B/21.10A | 27.40B/21.10A | ---- | 23.00 + 0.50 | .1659 | ---- | ---- | 27 | ---- | 718 + 20 |
| 4830 | 22.20 | 22.20 | 26.60B/20.50A | 26.60B/20.50A | ---- | 22.30 + 0.40 | .1615 | ---- | ---- | 41 | ---- | 326 + 36 |
| 4835 | ---- | ---- | 25.80B/19.90A | 25.80B/19.90A | ---- | 21.70 + 0.40 | .1576 | ---- | ---- | ---- | ---- | 19 UNCH |
| 4840 | 23.80 | 23.80 | 25.10B/19.30A | 25.10B/19.30A | ---- | 21.00 + 0.20 | .1532 | ---- | ---- | 1 | ---- | 108 + 1 |
| 4845 | 23.80 | 23.80 | 24.30B/18.70A | 24.30B/18.70A | ---- | 20.40 + 0.20 | .1493 | ---- | ---- | 2 | ---- | 42 UNCH |
| 4850 | 18.50 | 18.50 | 23.60B/18.20A | 23.60B/18.20A | ---- | 19.80 + 0.10 | .1455 | ---- | ---- | 93 | ---- | 1959 - 25 |
| 4855 | ---- | ---- | 22.90B/17.60A | 22.90B/17.60A | ---- | 19.30 + 0.10 | .1420 | ---- | ---- | ---- | ---- | 559 UNCH |
| 4860 | 21.60 | 21.60 | 22.30B/17.10A | 22.30B/17.10A | ---- | 18.70 UNCH | .1382 | ---- | ---- | 3 | ---- | 67 + 2 |
| 4865 | 19.90 | 19.90 | 21.70B/16.70A | 21.70B/16.70A | ---- | 18.20 UNCH | .1348 | ---- | ---- | 1 | ---- | 74 + 1 |
| 4870 | 16.00 | 16.00 | 21.10B/*16.00 | 21.10B/*16.00 | ---- | 17.70 - 0.10 | .1314 | ---- | ---- | 1 | ---- | 49 UNCH |
| 4875 | 18.80 | 18.80 | 20.50B/15.80A | 20.50B/15.80A | ---- | 17.20 - 0.10 | .1280 | ---- | ---- | 43 | ---- | 372 - 8 |
| 4880 | 18.10 | 18.10 | 19.90B/*15.30A | 19.90B/*15.30A | ---- | 16.70 - 0.20 | .1246 | ---- | ---- | 3 | ---- | 93 UNCH |
| 4885 | 16.40 | 16.40 | 19.30B/*14.90A | 19.30B/*14.90A | ---- | 16.30 - 0.20 | .1218 | ---- | ---- | 112 | ---- | 294 + 84 |
| 4890 | 17.10 | 17.10 | 18.80B/*14.50A | 18.80B/*14.50A | ---- | 15.80 - 0.20 | .1184 | ---- | ---- | 94 | ---- | 388 + 42 |
| 4895 | 16.60 | 16.60 | 18.20B/*14.10A | 18.20B/*14.10A | ---- | 15.40 - 0.20 | .1156 | ---- | ---- | 3 | ---- | 264 UNCH |
| 4900 | 15.00 | 15.00 | 17.70B/13.40 | 17.70B/13.40 | ---- | 15.00 - 0.30 | .1128 | ---- | ---- | 576 | ---- | 6996 - 150 |
| 4905 | 16.20 | 16.20 | 17.30B/*13.30A | 17.30B/*13.30A | ---- | 14.60 - 0.30 | .1100 | ---- | ---- | 1 | ---- | 54 + 1 |
| 4910 | 15.50 | 15.50 | 16.70B/*13.00A | 16.70B/*13.00A | ---- | 14.20 - 0.30 | .1072 | ---- | ---- | 7 | ---- | 63 - 1 |
| 4915 | ---- | ---- | 16.30B/*12.70A | 16.30B/*12.70A | ---- | 13.80 - 0.40 | .1044 | ---- | ---- | ---- | ---- | 304 UNCH |
| 4920 | 14.90 | 14.90 | 15.80B/*12.30A | 15.80B/*12.30A | ---- | 13.50 - 0.30 | .1021 | ---- | ---- | 1 | ---- | 132 UNCH |
| 4925 | 14.40 | 14.40 | 15.40B/*12.00A | 15.40B/*12.00A | ---- | 13.10 - 0.40 | .0993 | ---- | ---- | 27 | ---- | 248 + 20 |
| 4930 | 13.90 | 13.90 | 15.00B/*11.70A | 15.00B/*11.70A | ---- | 12.80 - 0.40 | .0971 | ---- | ---- | 3 | ---- | 233 + 2 |
| 4935 | 13.30 | 13.30 | 14.60B/*11.30A | 14.60B/*11.30A | ---- | 12.50 - 0.30 | .0948 | ---- | ---- | 9 | ---- | 92 - 5 |
| 4940 | ---- | ---- | 14.20B/*11.00A | 14.20B/*11.00A | ---- | 12.10 - 0.40 | .0921 | ---- | ---- | ---- | 675 | 796 + 675 |
| 4945 | ---- | ---- | 13.80B/*10.80A | 13.80B/*10.80A | ---- | 11.80 - 0.40 | .0899 | ---- | ---- | 1 | ---- | 366 + 1 |
| 4950 | 12.10 | 12.10 | 13.50B/*10.50A | 13.50B/*10.50A | ---- | 11.50 - 0.40 | .0877 | ---- | ---- | 216 | ---- | 1635 - 149 |
| 4955 | ---- | ---- | 13.10B/*10.20A | 13.10B/*10.20A | ---- | 11.20 - 0.50 | .0855 | ---- | ---- | 1 | ---- | 109 UNCH |
| 4960 | ---- | ---- | 12.80B/*10.00A | 12.80B/*10.00A | ---- | 10.90 - 0.50 | .0834 | ---- | ---- | ---- | ---- | 452 UNCH |
| 4965 | ---- | ---- | 12.40B/*9.70A | 12.40B/*9.70A | ---- | 10.70 - 0.40 | .0817 | ---- | ---- | 1 | ---- | 144 UNCH |
| 4970 | 9.90 | 9.90 | 12.10/*9.40A | 12.10/*9.40A | ---- | 10.40 - 0.50 | .0796 | ---- | ---- | 6 | ---- | 199 - 1 |
| 4975 | 9.80 | 9.80 | 11.80B/*9.20A | 11.80B/*9.20A | ---- | 10.20 - 0.40 | .0780 | ---- | ---- | 2 | ---- | 361 - 1 |
| 4980 | ---- | ---- | 11.50B/*9.00A | 11.50B/*9.00A | ---- | 9.90 - 0.50 | .0758 | ---- | ---- | ---- | ---- | 225 UNCH |
| 4985 | ---- | ---- | 11.20B/*8.80A | 11.20B/*8.80A | ---- | 9.70 - 0.40 | .0742 | ---- | ---- | 1 | ---- | 178 + 1 |
| 4990 | 10.60 | 10.60 | 10.90B/*8.60A | 10.90B/*8.60A | ---- | 9.40 - 0.50 | .0721 | ---- | ---- | 302 | ---- | 820 - 151 |
| 4995 | ---- | ---- | 10.60B/*8.40A | 10.60B/*8.40A | ---- | 9.20 - 0.50 | .0706 | ---- | ---- | ---- | ---- | 148 UNCH |
| 5000 | 9.00 | 9.00 | 10.50/8.10 | 10.50/8.10 | ---- | 9.00 - 0.50 | .0690 | ---- | ---- | 976 | ---- | 9965 + 543 |
| 5005 | 9.80 | 9.80 | 10.10B/*8.00A | 10.10B/*8.00A | ---- | 8.80 - 0.40 | .0675 | ---- | ---- | 5 | ---- | 351 - 1 |
| 5010 | ---- | ---- | 9.90B/*7.80A | 9.90B/*7.80A | ---- | 8.60 - 0.40 | .0659 | ---- | ---- | ---- | ---- | 212 UNCH |
| 5015 | ---- | ---- | 9.60B/*7.60A | 9.60B/*7.60A | ---- | 8.40 - 0.50 | .0644 | ---- | ---- | ---- | ---- | 132 UNCH |
| 5020 | 8.60 | 8.60 | 9.40B/*7.40A | 9.40B/*7.40A | ---- | 8.20 - 0.50 | .0629 | ---- | ---- | 6 | ---- | 471 UNCH |
| 5025 | 8.90 | 8.90 | 9.20B/*7.30A | 9.20B/*7.30A | ---- | 8.00 - 0.50 | .0614 | ---- | ---- | 43 | ---- | 155 + 32 |
| 5030 | ---- | ---- | 9.00B/*7.10A | 9.00B/*7.10A | ---- | 7.80 - 0.50 | .0599 | ---- | ---- | ---- | ---- | 146 UNCH |
| 5035 | 8.50 | 8.50 | 8.80B/*6.90A | 8.80B/*6.90A | ---- | 7.70 - 0.40 | .0590 | ---- | ---- | 2 | ---- | 71 + 1 |
| 5040 | 8.30 | 8.30 | 8.60B/*6.80A | 8.60B/*6.80A | ---- | 7.50 - 0.50 | .0575 | ---- | ---- | 3 | ---- | 236 UNCH |
| 5045 | 8.00 | 8.00 | 8.30B/*6.60A | 8.30B/*6.60A | ---- | 7.40 - 0.40 | .0566 | ---- | ---- | 10 | ---- | 180 - 1 |
| 5050 | 8.00 | 8.00 | 8.10B/*6.50A | 8.10B/*6.50A | ---- | 7.20 - 0.40 | .0551 | ---- | ---- | 42 | ---- | 1478 + 4 |
| 5055 | 7.70 | 7.70 | 8.00B/*6.40A | 8.00B/*6.40A | ---- | 7.10 - 0.40 | .0542 | ---- | ---- | 1 | ---- | 65 UNCH |
| 5060 | 7.60 | 7.60 | 7.80B/*6.20A | 7.80B/*6.20A | ---- | 6.90 - 0.40 | .0527 | ---- | ---- | 15 | ---- | 103 - 15 |
| 5065 | ---- | ---- | 7.70B/*6.10A | 7.70B/*6.10A | ---- | 6.80 - 0.40 | .0519 | ---- | ---- | 9 | ---- | 33 - 9 |
| 5070 | 7.00 | 7.00 | 7.50B/*6.00A | 7.50B/*6.00A | ---- | 6.60 - 0.40 | .0504 | ---- | ---- | 1 | ---- | 106 UNCH |
| 5075 | 7.00 | 7.00 | 7.30B/*5.90A | 7.30B/*5.90A | ---- | 6.50 - 0.40 | .0496 | ---- | ---- | 69 | ---- | 751 + 1 |
| 5080 | 6.10 | 6.10 | 7.20B/*5.70A | 7.20B/*5.70A | ---- | 6.40 - 0.40 | .0487 | ---- | ---- | 1 | ---- | 438 UNCH |
| 5085 | 6.30 | 6.30 | 7.00B/*5.70A | 7.00B/*5.70A | ---- | 6.20 - 0.40 | .0473 | ---- | ---- | 1 | ---- | 220 UNCH |
| 5090 | 6.90 | 6.90 | 6.90/*5.50A | 6.90/*5.50A | ---- | 6.10 - 0.40 | .0464 | ---- | ---- | 1 | ---- | 89 UNCH |
| 5095 | ---- | ---- | 6.70B/*5.40A | 6.70B/*5.40A | ---- | 6.00 - 0.40 | .0456 | ---- | ---- | ---- | ---- | 101 UNCH |
| 5100 | 6.50 | 6.50 | 6.60B/*5.30A | 6.60B/*5.30A | ---- | 5.90 - 0.40 | .0448 | ---- | ---- | 660 | ---- | 6891 + 226 |
| 5105 | ---- | ---- | 6.40B/*5.20A | 6.40B/*5.20A | ---- | 5.80 - 0.40 | .0439 | ---- | ---- | ---- | ---- | 52 UNCH |
| 5110 | ---- | ---- | 6.30B/*5.10A | 6.30B/*5.10A | ---- | 5.70 - 0.30 | .0431 | ---- | ---- | ---- | ---- | 119 UNCH |
| 5115 | ---- | ---- | 6.20B/*5.00A | 6.20B/*5.00A | ---- | 5.60 - 0.30 | .0423 | ---- | ---- | ---- | ---- | 181 UNCH |
| 5120 | ---- | ---- | 6.10B/*4.90A | 6.10B/*4.90A | ---- | 5.50 - 0.30 | .0415 | ---- | ---- | 30 | ---- | 158 - 22 |
| 5125 | 5.90 | 5.90 | 5.90/*4.90A | 5.90/*4.90A | ---- | 5.40 - 0.30 | .0407 | ---- | ---- | 18 | ---- | 320 UNCH |
| 5130 | ---- | ---- | 5.80B/*4.80A | 5.80B/*4.80A | ---- | 5.30 - 0.30 | .0399 | ---- | ---- | ---- | ---- | 67 UNCH |
| 5135 | ---- | ---- | 5.70B/*4.70A | 5.70B/*4.70A | ---- | 5.20 - 0.30 | .0391 | ---- | ---- | ---- | ---- | 79 UNCH |
| 5140 | ---- | ---- | 5.60B/*4.60A | 5.60B/*4.60A | ---- | 5.10 - 0.30 | .0383 | ---- | ---- | ---- | ---- | 144 UNCH |
| 5145 | ---- | ---- | 5.50B/*4.60A | 5.50B/*4.60A | ---- | 5.00 - 0.30 | .0375 | ---- | ---- | ---- | ---- | 29 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OG CALL | | COMEX GOLD OPTIONS | | | | | | | | | | |
| JUN26 | | | | | | | | | | | | |
| 5150 | 5.60 | 5.60 | 5.60/*4.50 | 5.60/*4.50 | ---- | 4.90 - 0.30 | .0368 | ---- | ---- | 54 | ---- | 2286 - 29 |
| 5155 | ---- | ---- | 5.30B/*4.40A | 5.30B/*4.40A | ---- | 4.90 - 0.20 | .0365 | ---- | ---- | ---- | ---- | 38 UNCH |
| 5160 | ---- | ---- | 5.20B/*4.30A | 5.20B/*4.30A | ---- | 4.80 - 0.20 | .0358 | ---- | ---- | ---- | ---- | 113 UNCH |
| 5165 | ---- | ---- | 5.10B/*4.30A | 5.10B/*4.30A | ---- | 4.70 - 0.20 | .0350 | ---- | ---- | 1 | ---- | 149 - 1 |
| 5170 | ---- | ---- | 5.00B/*4.20A | 5.00B/*4.20A | ---- | 4.60 - 0.20 | .0343 | ---- | ---- | ---- | ---- | 363 UNCH |
| 5175 | 5.00 | 5.00 | 5.00/*4.10A | 5.00/*4.10A | ---- | 4.50 - 0.30 | .0335 | ---- | ---- | 21 | ---- | 72 - 2 |
| 5180 | ---- | ---- | 4.90B/*4.10A | 4.90B/*4.10A | ---- | 4.50 - 0.20 | .0333 | ---- | ---- | ---- | ---- | 65 UNCH |
| 5185 | ---- | ---- | 4.80B/*4.00A | 4.80B/*4.00A | ---- | 4.40 - 0.20 | .0326 | ---- | ---- | ---- | ---- | 115 UNCH |
| 5190 | ---- | ---- | 4.70B/*3.90A | 4.70B/*3.90A | ---- | 4.30 - 0.20 | .0318 | ---- | ---- | ---- | ---- | 490 UNCH |
| 5195 | ---- | ---- | 4.70B/*3.90A | 4.70B/*3.90A | ---- | 4.30 - 0.20 | .0317 | ---- | ---- | ---- | ---- | 524 UNCH |
| 5200 | 4.60 | 4.60 | 4.70/*3.80 | 4.70/*3.80 | ---- | 4.20 - 0.20 | .0309 | ---- | ---- | 336 | ---- | 6137 - 47 |
| 5205 | 4.30 | 4.30 | 4.50B/*3.60 | 4.50B/*3.60 | ---- | 4.10 - 0.20 | .0302 | ---- | ---- | 2 | ---- | 75 UNCH |
| 5210 | ---- | ---- | 4.40B/*3.70A | 4.40B/*3.70A | ---- | 4.10 - 0.10 | .0301 | ---- | ---- | ---- | ---- | 3073 UNCH |
| 5215 | ---- | ---- | 4.40B/*3.60A | 4.40B/*3.60A | ---- | 4.00 - 0.20 | .0293 | ---- | ---- | ---- | ---- | 81 UNCH |
| 5220 | 3.30 | 3.30 | 4.30B/*3.30 | 4.30B/*3.30 | ---- | 3.90 - 0.20 | .0286 | ---- | ---- | 1 | ---- | 203 - 1 |
| 5225 | 4.30 | 4.30 | 4.30/*3.50A | 4.30/*3.50A | ---- | 3.90 - 0.10 | .0285 | ---- | ---- | 10 | ---- | 822 - 10 |
| 5230 | ---- | ---- | 4.20B/*3.50A | 4.20B/*3.50A | ---- | 3.80 - 0.20 | .0278 | ---- | ---- | ---- | ---- | 123 UNCH |
| 5235 | ---- | ---- | 4.10B/*3.40A | 4.10B/*3.40A | ---- | 3.80 - 0.10 | .0276 | ---- | ---- | ---- | ---- | 155 UNCH |
| 5240 | ---- | ---- | 4.10B/*3.40A | 4.10B/*3.40A | ---- | 3.70 - 0.20 | .0269 | ---- | ---- | ---- | ---- | 65 UNCH |
| 5245 | ---- | ---- | 4.00B/*3.40A | 4.00B/*3.40A | ---- | 3.70 - 0.10 | .0268 | ---- | ---- | ---- | ---- | 23 UNCH |
| 5250 | 3.90 | 3.90 | 4.00/*3.30A | 4.00/*3.30A | ---- | 3.60 - 0.10 | .0261 | ---- | ---- | 28 | ---- | 4253 - 9 |
| 5255 | 3.60 | 3.60 | 3.90B/*3.30 | 3.90B/*3.30 | ---- | 3.60 - 0.10 | .0260 | ---- | ---- | 16 | ---- | 240 + 15 |
| 5260 | ---- | ---- | 3.80B/*3.20A | 3.80B/*3.20A | ---- | 3.50 - 0.10 | .0253 | ---- | ---- | ---- | ---- | 374 UNCH |
| 5265 | ---- | ---- | 3.70B/*3.20A | 3.70B/*3.20A | ---- | 3.50 - 0.10 | .0251 | ---- | ---- | ---- | ---- | 49 UNCH |
| 5270 | ---- | ---- | 3.70B/*3.10A | 3.70B/*3.10A | ---- | 3.40 - 0.10 | .0245 | ---- | ---- | ---- | ---- | 48 UNCH |
| 5275 | ---- | ---- | 3.60B/*3.10A | 3.60B/*3.10A | ---- | 3.40 - 0.10 | .0243 | ---- | ---- | ---- | ---- | 126 UNCH |
| 5280 | ---- | ---- | 3.60B/*3.10A | 3.60B/*3.10A | ---- | 3.30 - 0.10 | .0237 | ---- | ---- | ---- | ---- | 98 UNCH |
| 5285 | ---- | ---- | 3.50B/*3.00A | 3.50B/*3.00A | ---- | 3.30 - 0.10 | .0236 | ---- | ---- | ---- | ---- | 167 UNCH |
| 5290 | ---- | ---- | 3.50B/*3.00A | 3.50B/*3.00A | ---- | 3.20 - 0.10 | .0229 | ---- | ---- | ---- | ---- | 35 UNCH |
| 5295 | ---- | ---- | 3.50B/*2.90A | 3.50B/*2.90A | ---- | 3.20 - 0.10 | .0228 | ---- | ---- | ---- | ---- | 93 UNCH |
| 5300 | ---- | ---- | 3.40B/*2.90A | 3.40B/*2.90A | ---- | 3.20 UNCH | .0227 | ---- | ---- | 140 | ---- | 4739 - 23 |
| 5305 | 2.80 | 2.80 | 3.40B/*2.80 | 3.40B/*2.80 | ---- | 3.10 - 0.10 | .0220 | ---- | ---- | 12 | ---- | 303 - 1 |
| 5310 | ---- | ---- | 3.30B/*2.80A | 3.30B/*2.80A | ---- | 3.10 - 0.10 | .0219 | ---- | ---- | ---- | ---- | 125 UNCH |
| 5315 | ---- | ---- | 3.30B/*2.80A | 3.30B/*2.80A | ---- | 3.10 UNCH | .0218 | ---- | ---- | ---- | ---- | 82 UNCH |
| 5320 | ---- | ---- | 3.20B/*2.80A | 3.20B/*2.80A | ---- | 3.00 - 0.10 | .0211 | ---- | ---- | ---- | ---- | 140 UNCH |
| 5325 | ---- | ---- | 3.20B/*2.80A | 3.20B/*2.80A | ---- | 3.00 UNCH | .0210 | ---- | ---- | ---- | ---- | 213 UNCH |
| 5330 | ---- | ---- | 3.20B/*2.70A | 3.20B/*2.70A | ---- | 3.00 UNCH | .0210 | ---- | ---- | ---- | ---- | 84 UNCH |
| 5335 | ---- | ---- | 3.10B/*2.70A | 3.10B/*2.70A | ---- | 2.90 - 0.10 | .0203 | ---- | ---- | ---- | ---- | 26 UNCH |
| 5340 | ---- | ---- | 3.10B/*2.70A | 3.10B/*2.70A | ---- | 2.90 UNCH | .0202 | ---- | ---- | ---- | ---- | 70 UNCH |
| 5345 | ---- | ---- | 3.00B/*2.60A | 3.00B/*2.60A | ---- | 2.90 UNCH | .0201 | ---- | ---- | ---- | ---- | 24 UNCH |
| 5350 | 3.10 | 3.10 | 3.10/2.60A | 3.10/2.60A | ---- | 2.90 UNCH | .0200 | ---- | ---- | 23 | ---- | 1932 - 6 |
| 5355 | ---- | ---- | 2.90B/*2.60A | 2.90B/*2.60A | ---- | 2.80 UNCH | .0194 | ---- | ---- | ---- | ---- | 21 UNCH |
| 5360 | ---- | ---- | 2.90B/*2.60A | 2.90B/*2.60A | ---- | 2.80 UNCH | .0193 | ---- | ---- | ---- | ---- | 65 UNCH |
| 5365 | ---- | ---- | 2.90B/*2.50A | 2.90B/*2.50A | ---- | 2.80 UNCH | .0192 | ---- | ---- | ---- | ---- | 12 UNCH |
| 5370 | ---- | ---- | 2.80B/*2.50A | 2.80B/*2.50A | ---- | 2.80 + 0.10 | .0191 | ---- | ---- | 3 | ---- | 75 - 2 |
| 5375 | ---- | ---- | 2.80B/*2.50A | 2.80B/*2.50A | ---- | 2.70 UNCH | .0185 | ---- | ---- | ---- | ---- | 269 UNCH |
| 5380 | ---- | ---- | 2.80B/*2.40A | 2.80B/*2.40A | ---- | 2.70 UNCH | .0184 | ---- | ---- | ---- | ---- | 98 UNCH |
| 5385 | ---- | ---- | 2.70B/*2.40A | 2.70B/*2.40A | ---- | 2.70 + 0.10 | .0184 | ---- | ---- | ---- | ---- | 10 UNCH |
| 5390 | ---- | ---- | 2.70B/*2.40A | 2.70B/*2.40A | ---- | 2.70 + 0.10 | .0183 | ---- | ---- | ---- | ---- | 121 UNCH |
| 5395 | ---- | ---- | 2.70B/*2.40A | 2.70B/*2.40A | ---- | 2.70 + 0.10 | .0182 | ---- | ---- | ---- | ---- | 47 UNCH |
| 5400 | 2.60 | 2.60 | 2.70B/2.30A | 2.70B/2.30A | ---- | 2.60 + 0.10 | .0176 | ---- | ---- | 223 | ---- | 5316 - 119 |
| 5405 | ---- | ---- | 2.70B/*2.30A | 2.70B/*2.30A | ---- | 2.60 + 0.10 | .0175 | ---- | ---- | ---- | ---- | 87 UNCH |
| 5410 | ---- | ---- | 2.60B/2.30A | 2.60B/2.30A | ---- | 2.60 + 0.10 | .0174 | ---- | ---- | ---- | ---- | 31 UNCH |
| 5415 | ---- | ---- | 2.60B/2.30A | 2.60B/2.30A | ---- | 2.60 + 0.10 | .0174 | ---- | ---- | ---- | ---- | 12 UNCH |
| 5420 | ---- | ---- | 2.50B/*2.20A | 2.50B/*2.20A | ---- | 2.50 + 0.10 | .0168 | ---- | ---- | ---- | ---- | 43 UNCH |
| 5425 | ---- | ---- | 2.50B/*2.20A | 2.50B/*2.20A | ---- | 2.50 + 0.10 | .0167 | ---- | ---- | 5 | ---- | 125 UNCH |
| 5430 | ---- | ---- | 2.50B/*2.20A | 2.50B/*2.20A | ---- | 2.50 + 0.10 | .0166 | ---- | ---- | ---- | ---- | 103 UNCH |
| 5435 | ---- | ---- | 2.50B/*2.20A | 2.50B/*2.20A | ---- | 2.50 + 0.10 | .0166 | ---- | ---- | ---- | ---- | 19 UNCH |
| 5440 | ---- | ---- | 2.40B/2.20A | 2.40B/2.20A | ---- | 2.40 + 0.10 | .0160 | ---- | ---- | ---- | ---- | 98 UNCH |
| 5445 | ---- | ---- | 2.40B/*2.10A | 2.40B/*2.10A | ---- | 2.40 + 0.10 | .0159 | ---- | ---- | ---- | ---- | 40 UNCH |
| 5450 | ---- | ---- | 2.40B/*2.10A | 2.40B/*2.10A | ---- | 2.40 + 0.10 | .0158 | ---- | ---- | 11 | ---- | 1535 + 7 |
| 5455 | ---- | ---- | 2.40B/*2.10A | 2.40B/*2.10A | ---- | 2.40 + 0.10 | .0158 | ---- | ---- | ---- | ---- | 181 UNCH |
| 5460 | ---- | ---- | 2.30B/2.10A | 2.30B/2.10A | ---- | 2.30 + 0.10 | .0152 | ---- | ---- | 1 | ---- | 130 UNCH |
| 5465 | ---- | ---- | 2.30B/2.10A | 2.30B/2.10A | ---- | 2.30 + 0.10 | .0151 | ---- | ---- | ---- | ---- | 40 UNCH |
| 5470 | ---- | ---- | 2.30B/*2.00A | 2.30B/*2.00A | ---- | 2.30 + 0.10 | .0151 | ---- | ---- | ---- | ---- | 36 UNCH |
| 5475 | ---- | ---- | 2.30B/*2.00A | 2.30B/*2.00A | ---- | 2.20 UNCH | .0145 | ---- | ---- | ---- | ---- | 79 UNCH |
| 5480 | ---- | ---- | ----/*2.00A | 2.20B/*2.00A | ---- | 2.20 UNCH | .0144 | ---- | ---- | ---- | ---- | 47 UNCH |
| 5485 | ---- | ---- | 2.20B/2.00A | 2.20B/2.00A | ---- | 2.20 + 0.10 | .0144 | ---- | ---- | ---- | ---- | 9 UNCH |
| 5490 | ---- | ---- | 2.20B/2.00A | 2.20B/2.00A | ---- | 2.20 + 0.10 | .0143 | ---- | ---- | ---- | ---- | 188 UNCH |
| 5495 | ---- | ---- | ----/*1.90A | 2.10B/*1.90A | ---- | 2.10 UNCH | .0137 | ---- | ---- | ---- | ---- | 75 UNCH |
| 5500 | 2.20 | 2.20 | 2.20/1.90 | 2.20/1.90 | ---- | 2.10 UNCH | .0137 | ---- | ---- | 127 | 60 | 7023 - 56 |
| 5505 | ---- | ---- | ----/*1.90A | 2.10B/*1.90A | ---- | 2.10 UNCH | .0136 | ---- | ---- | ---- | ---- | 15 UNCH |
| 5510 | ---- | ---- | 2.10B/1.90A | 2.10B/1.90A | ---- | 2.10 + 0.10 | .0136 | ---- | ---- | ---- | ---- | 185 UNCH |
| 5515 | ---- | ---- | 2.10B/1.90A | 2.10B/1.90A | ---- | 2.00 UNCH | .0130 | ---- | ---- | ---- | ---- | 38 UNCH |
| 5520 | ---- | ---- | 2.10B/---- | 2.10B/2.00A | ---- | 2.00 UNCH | .0129 | ---- | ---- | ---- | ---- | 26 UNCH |
| 5525 | ---- | ---- | 2.10B/---- | 2.10B/2.00A | ---- | 2.00 UNCH | .0129 | ---- | ---- | ---- | ---- | 166 UNCH |
| 5530 | ---- | ---- | ----/*1.80A | 2.00B/*1.80A | ---- | 2.00 UNCH | .0128 | ---- | ---- | ---- | ---- | 39 UNCH |
| 5535 | ---- | ---- | ----/1.90A | 2.00B/1.90A | ---- | 2.00 UNCH | .0128 | ---- | ---- | ---- | ---- | 8 UNCH |
| 5540 | ---- | ---- | 2.00B/---- | 2.00B/1.90A | ---- | 1.90 UNCH | .0122 | ---- | ---- | ---- | ---- | 292 UNCH |
| 5545 | ---- | ---- | 2.00B/---- | 2.00B/1.90A | ---- | 1.90 UNCH | .0122 | ---- | ---- | ---- | ---- | 19 UNCH |
| 5550 | 2.00 | 2.00 | 2.00/1.80 | 2.00/1.80 | ---- | 1.90 UNCH | .0121 | ---- | ---- | 3 | ---- | 812 + 3 |
| 5555 | ---- | ---- | 2.00B/---- | 2.00B/1.90A | ---- | 1.90 UNCH | .0121 | ---- | ---- | ---- | ---- | 4 UNCH |
| 5560 | ---- | ---- | ----/*1.70A | 1.90B/*1.70A | ---- | 1.90 UNCH | .0121 | ---- | ---- | ---- | ---- | 52 UNCH |
| 5565 | ---- | ---- | ----/*1.70A | 1.90B/*1.70A | ---- | 1.80 - 0.10 | .0115 | ---- | ---- | ---- | ---- | 14 UNCH |
| 5570 | ---- | ---- | 1.90B/---- | 1.90B/1.80A | ---- | 1.80 UNCH | .0114 | ---- | ---- | ---- | ---- | 28 UNCH |
| 5575 | 1.70 | 1.70 | 1.90B/1.70 | 1.90B/1.70 | ---- | 1.80 UNCH | .0114 | ---- | ---- | 1 | ---- | 60 UNCH |
| 5580 | ---- | ---- | 1.90B/---- | 1.90B/1.80A | ---- | 1.80 UNCH | .0114 | ---- | ---- | ---- | ---- | 13 UNCH |
| 5585 | ---- | ---- | ---- | 1.80B/1.80A | ---- | 1.80 UNCH | .0113 | ---- | ---- | ---- | ---- | 11 UNCH |
| 5590 | ---- | ---- | ---- | 1.80B/1.80A | ---- | 1.80 UNCH | .0113 | ---- | ---- | ---- | ---- | 94 UNCH |
| 5595 | ---- | ---- | ---- | 1.80B/1.80A | ---- | 1.80 UNCH | .0112 | ---- | ---- | ---- | ---- | 39 UNCH |
| 5600 | ---- | ---- | ---- | 1.80B/1.80A | ---- | 1.70 - 0.10 | .0107 | ---- | ---- | 2 | ---- | 2432 UNCH |
| 5610 | ---- | ---- | 1.80B/1.60A | 1.80B/1.60A | ---- | 1.70 UNCH | .0106 | ---- | ---- | ---- | ---- | 73 UNCH |
| 5620 | ---- | ---- | ---- | 1.70B/1.70A | ---- | 1.70 UNCH | .0105 | ---- | ---- | ---- | ---- | 59 UNCH |
| 5625 | ---- | ---- | ----/*1.60A | 1.70B/1.60A | ---- | 1.70 UNCH | .0105 | ---- | ---- | ---- | ---- | 405 UNCH |
| 5630 | ---- | ---- | ----/*1.60A | 1.70B/1.60A | ---- | 1.70 UNCH | .0105 | ---- | ---- | ---- | ---- | 231 UNCH |
| 5640 | ---- | ---- | 1.70B/---- | 1.70B/1.60A | ---- | 1.60 UNCH | .0099 | ---- | ---- | ---- | ---- | 79 UNCH |
| 5650 | 1.90 | 1.90 | 1.90/1.60A | 1.90/1.60A | ---- | 1.60 UNCH | .0098 | ---- | ---- | 1 | ---- | 735 - 1 |
| 5660 | 1.70 | 1.70 | 1.70/1.60A | 1.70/1.60A | ---- | 1.60 UNCH | .0098 | ---- | ---- | 1 | ---- | 42 UNCH |
| 5665 | ---- | ---- | ---- | 1.60B/1.60A | ---- | 1.60 UNCH | .0097 | ---- | ---- | ---- | ---- | 6 UNCH |
| 5670 | ---- | ---- | ----/*1.50A | 1.60B/1.50A | ---- | 1.60 UNCH | .0097 | ---- | ---- | ---- | ---- | 119 UNCH |
| 5675 | 1.70 | 1.70 | 1.70/1.60A | 1.70/1.60A | ---- | 1.60 UNCH | .0097 | ---- | ---- | 1 | ---- | 22 UNCH |
| 5680 | ---- | ---- | 1.60B/---- | 1.60B/1.50A | ---- | 1.60 + 0.10 | .0096 | ---- | ---- | ---- | ---- | 47 UNCH |
| 5690 | ---- | ---- | ---- | 1.50B/1.50A | ---- | 1.50 UNCH | .0091 | ---- | ---- | ---- | ---- | 170 UNCH |
| 5700 | ---- | ---- | 1.60B/---- | 1.60B/1.50A | ---- | 1.50 UNCH | .0090 | ---- | ---- | 1 | 60 | 1897 - 60 |
| 5710 | ---- | ---- | ----/*1.40A | 1.50B/1.40A | ---- | 1.50 UNCH | .0090 | ---- | ---- | ---- | ---- | 41 UNCH |
| 5720 | ---- | ---- | ---- | 1.50B/1.50A | ---- | 1.50 UNCH | .0089 | ---- | ---- | ---- | ---- | 18 UNCH |
| 5725 | ---- | ---- | 1.50B/---- | 1.50B/1.50A | ---- | 1.50 + 0.10 | .0089 | ---- | ---- | ---- | ---- | 36 UNCH |
| 5730 | ---- | ---- | 1.50B/---- | 1.50B/1.50A | ---- | 1.50 + 0.10 | .0089 | ---- | ---- | ---- | ---- | 59 UNCH |
| 5740 | ---- | ---- | ----/*1.30A | 1.40B/*1.30A | ---- | 1.40 UNCH | .0083 | ---- | ---- | ---- | ---- | 61 UNCH |
| 5750 | ---- | ---- | 1.50B/---- | 1.50B/1.40A | ---- | 1.40 UNCH | .0083 | ---- | ---- | ---- | ---- | 1679 UNCH |
| 5760 | ---- | ---- | ----/*1.30A | 1.40B/*1.30A | ---- | 1.40 UNCH | .0082 | ---- | ---- | ---- | ---- | 18 UNCH |
| 5770 | ---- | ---- | ---- | 1.30B/1.40A | ---- | 1.40 + 0.10 | .0082 | ---- | ---- | ---- | ---- | 32 UNCH |
| 5775 | ---- | ---- | ---- | 1.30B/1.40A | ---- | 1.40 + 0.10 | .0081 | ---- | ---- | ---- | ---- | 167 UNCH |
| 5780 | ---- | ---- | ---- | 1.30B/1.40A | ---- | 1.30 UNCH | .0076 | ---- | ---- | ---- | ---- | 219 UNCH |
| 5790 | ---- | ---- | ---- | 1.30B/1.30A | ---- | 1.30 UNCH | .0076 | ---- | ---- | ---- | ---- | 11 UNCH |
| 5800 | ---- | ---- | ----/*1.20A | 1.30B/*1.20A | ---- | 1.30 UNCH | .0075 | ---- | ---- | ---- | ---- | 3139 UNCH |
| 5810 | ---- | ---- | ---- | 1.30B/1.30A | ---- | 1.30 UNCH | .0075 | ---- | ---- | ---- | ---- | 260 UNCH |
| 5820 | ---- | ---- | ----/*1.10A | 1.20B/*1.10A | ---- | 1.30 UNCH | .0074 | ---- | ---- | ---- | ---- | 35 UNCH |
| 5825 | ---- | ---- | ---- | 1.30B/1.30A | ---- | 1.20 - 0.10 | .0069 | ---- | ---- | ---- | ---- | 37 UNCH |
| 5830 | ---- | ---- | ---- | 1.20B/1.30A | ---- | 1.20 UNCH | .0069 | ---- | ---- | ---- | ---- | 17 UNCH |
| 5840 | ---- | ---- | ----/*1.10A | 1.20B/*1.10A | ---- | 1.20 UNCH | .0069 | ---- | ---- | ---- | ---- | 22 UNCH |
| 5850 | ---- | ---- | ----/*1.10A | 1.20B/*1.10A | ---- | 1.20 UNCH | .0068 | ---- | ---- | ---- | ---- | 456 UNCH |
| 5860 | ---- | ---- | ---- | 1.20B/*1.20A | ---- | 1.20 UNCH | .0068 | ---- | ---- | ---- | ---- | 24 UNCH |
| 5870 | ---- | ---- | ----/*1.10A | 1.10B/*1.10A | ---- | 1.20 UNCH | .0068 | ---- | ---- | ---- | ---- | 32 UNCH |
| 5875 | ---- | ---- | ----/*1.10A | 1.10B/*1.10A | ---- | 1.10 - 0.10 | .0063 | ---- | ---- | ---- | ---- | 196 UNCH |
| 5880 | ---- | ---- | ----/*1.10A | 1.10B/*1.10A | ---- | 1.10 - 0.10 | .0063 | ---- | ---- | ---- | ---- | 17 UNCH |
| 5890 | ---- | ---- | ---- | 1.20B/1.20A | ---- | 1.10 - 0.10 | .0062 | ---- | ---- | ---- | ---- | 139 UNCH |
| 5900 | ---- | ---- | 1.20B/1.00A | 1.20B/1.00A | ---- | 1.10 UNCH | .0062 | ---- | ---- | ---- | ---- | 1374 UNCH |
| 5910 | ---- | ---- | ---- | 1.10B/*1.10A | ---- | 1.10 UNCH | .0062 | ---- | ---- | ---- | ---- | 12 UNCH |
| 5920 | ---- | ---- | ---- | 1.10B/*1.10A | ---- | 1.10 UNCH | .0061 | ---- | ---- | ---- | ---- | 40 UNCH |
| 5930 | ---- | ---- | ---- | 1.00B/*1.10A | ---- | 1.00 - 0.10 | .0056 | ---- | ---- | ---- | ---- | 57 UNCH |
| 5940 | ---- | ---- | ----/*1.00A | 1.00B/*1.00A | ---- | 1.00 - 0.10 | .0056 | ---- | ---- | ---- | ---- | 7 UNCH |
| 5950 | ---- | ---- | ---- | 1.00B/1.10A | ---- | 1.00 - 0.10 | .0056 | ---- | ---- | ---- | ---- | 170 UNCH |
| 5960 | ---- | ---- | ---- | 1.00B/*1.00A | ---- | 1.00 UNCH | .0055 | ---- | ---- | ---- | ---- | 46 UNCH |
| 5970 | ---- | ---- | ----/*0.90A | 1.00B/*0.90A | ---- | 1.00 UNCH | .0055 | ---- | ---- | ---- | ---- | 34 UNCH |
| 5980 | ---- | ---- | ----/*0.90A | 1.00B/*0.90A | ---- | 1.00 UNCH | .0055 | ---- | ---- | ---- | ---- | 22 UNCH |
| 5990 | ---- | ---- | ---- | 1.00B/*1.00A | ---- | 0.90 - 0.10 | .0050 | ---- | ---- | ---- | ---- | 13 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OG CALL | | COMEX GOLD OPTIONS | | | | | | | | | | |
| JUN26 | | | | | | | | | | | | |
| 6000 | 1.00 | 1.00 | 1.20/0.80 | 1.20/0.80 | ---- | 0.90 - 0.10 | .0049 | ---- | ---- | 126 | ---- | 5655 - 3 |
| 6010 | ---- | ---- | ---- | 0.90B/*0.90A | ---- | 0.90 UNCH | .0049 | ---- | ---- | ---- | ---- | 10 UNCH |
| 6020 | 0.80 | 0.80 | 0.80/*0.80 | 0.90B/*0.80 | ---- | 0.90 UNCH | .0049 | ---- | ---- | 1 | ---- | 23 UNCH |
| 6030 | ---- | ---- | ----/*0.80A | 0.90B/*0.80A | ---- | 0.90 UNCH | .0049 | ---- | ---- | ---- | ---- | 31 UNCH |
| 6040 | 0.80 | 0.80 | 0.80/*0.80 | 0.90B/*0.80 | ---- | 0.90 UNCH | .0048 | ---- | ---- | 1 | ---- | 24 UNCH |
| 6050 | ---- | ---- | ----/*0.80A | 0.90B/*0.80A | ---- | 0.80 - 0.10 | .0044 | ---- | ---- | ---- | ---- | 278 UNCH |
| 6060 | ---- | ---- | ----/*0.80A | 0.80B/*0.80A | ---- | 0.80 - 0.10 | .0043 | ---- | ---- | ---- | ---- | 32 UNCH |
| 6070 | ---- | ---- | ----/*0.80A | 0.80B/*0.80A | ---- | 0.80 - 0.10 | .0043 | ---- | ---- | ---- | ---- | 34 UNCH |
| 6080 | ---- | ---- | ---- | 0.80B/*0.90A | ---- | 0.80 - 0.10 | .0043 | ---- | ---- | ---- | ---- | 10 UNCH |
| 6090 | ---- | ---- | ---- | 0.80B/0.80A | ---- | 0.80 UNCH | .0043 | ---- | ---- | ---- | ---- | 26 UNCH |
| 6100 | ---- | ---- | ---- | 0.80B/0.90A | ---- | 0.80 UNCH | .0043 | ---- | ---- | ---- | ---- | 2410 UNCH |
| 6110 | ---- | ---- | ---- | 0.80B/0.90A | ---- | 0.80 UNCH | .0042 | ---- | ---- | ---- | ---- | 65 UNCH |
| 6120 | ---- | ---- | ---- | 0.80B/0.90A | ---- | 0.70 - 0.10 | .0038 | ---- | ---- | ---- | ---- | 11 UNCH |
| 6125 | ---- | ---- | ---- | 0.70B/*0.80A | ---- | 0.70 - 0.10 | .0037 | ---- | ---- | ---- | ---- | 16 UNCH |
| 6130 | ---- | ---- | ---- | 0.70B/0.90A | ---- | 0.70 - 0.10 | .0037 | ---- | ---- | ---- | ---- | 10 UNCH |
| 6140 | ---- | ---- | ---- | 0.70B/*0.80A | ---- | 0.70 - 0.10 | .0037 | ---- | ---- | ---- | ---- | 7 UNCH |
| 6150 | ---- | ---- | ---- | 0.80B/0.80A | ---- | 0.70 - 0.10 | .0037 | ---- | ---- | ---- | ---- | 509 UNCH |
| 6160 | ---- | ---- | ---- | 0.70B/*0.80A | ---- | 0.70 - 0.10 | .0037 | ---- | ---- | ---- | ---- | 138 UNCH |
| 6170 | ---- | ---- | ----/*0.70A | 0.70B/*0.70A | ---- | 0.70 - 0.10 | .0037 | ---- | ---- | ---- | ---- | 17 UNCH |
| 6180 | ---- | ---- | ----/*0.70A | 0.70B/*0.70A | ---- | 0.70 - 0.10 | .0037 | ---- | ---- | ---- | ---- | 75 UNCH |
| 6190 | ---- | ---- | ---- | 0.70B/*0.80A | ---- | 0.60 - 0.20 | .0032 | ---- | ---- | ---- | ---- | 2 UNCH |
| 6200 | ---- | ---- | ---- | 0.70B/*0.80A | ---- | 0.60 - 0.20 | .0032 | ---- | ---- | ---- | ---- | 4274 UNCH |
| 6210 | ---- | ---- | ---- | 0.70B/*0.80A | ---- | 0.60 - 0.20 | .0032 | ---- | ---- | ---- | ---- | 53 UNCH |
| 6220 | ---- | ---- | ---- | 0.70B/*0.80A | ---- | 0.60 - 0.20 | .0031 | ---- | ---- | ---- | ---- | 7 UNCH |
| 6230 | ---- | ---- | ---- | 0.70B/*0.80A | ---- | 0.60 - 0.10 | .0031 | ---- | ---- | ---- | ---- | 67 UNCH |
| 6240 | ---- | ---- | ---- | 0.60B/*0.70A | ---- | 0.60 - 0.10 | .0031 | ---- | ---- | ---- | ---- | 21 UNCH |
| 6250 | ---- | ---- | ---- | 0.60B/*0.70A | ---- | 0.60 - 0.10 | .0031 | ---- | ---- | ---- | ---- | 1322 UNCH |
| 6260 | ---- | ---- | ---- | 0.60B/*0.70A | ---- | 0.60 - 0.10 | .0031 | ---- | ---- | ---- | ---- | 8 UNCH |
| 6270 | ---- | ---- | ---- | 0.70B/0.70A | ---- | 0.60 - 0.10 | .0031 | ---- | ---- | ---- | ---- | 148 UNCH |
| 6280 | ---- | ---- | ---- | 0.60B/*0.70A | ---- | 0.50 - 0.20 | .0026 | ---- | ---- | ---- | ---- | 12 UNCH |
| 6290 | ---- | ---- | ----/*0.60A | 0.60B/*0.60A | ---- | 0.50 - 0.20 | .0026 | ---- | ---- | ---- | ---- | 19 UNCH |
| 6300 | ---- | ---- | ----/*0.60A | 0.60B/*0.60A | ---- | 0.50 - 0.20 | .0026 | ---- | ---- | ---- | ---- | 2450 UNCH |
| 6310 | ---- | ---- | ----/*0.60A | 0.60B/*0.60A | ---- | 0.50 - 0.20 | .0026 | ---- | ---- | ---- | ---- | 2 UNCH |
| 6320 | ---- | ---- | ----/*0.60A | 0.60B/*0.60A | ---- | 0.50 - 0.20 | .0026 | ---- | ---- | ---- | ---- | 24 UNCH |
| 6330 | ---- | ---- | ---- | 0.60B/0.70A | ---- | 0.50 - 0.20 | .0025 | ---- | ---- | ---- | ---- | 32 UNCH |
| 6340 | ---- | ---- | ---- | 0.60B/*0.70A | ---- | 0.50 - 0.10 | .0025 | ---- | ---- | ---- | ---- | 36 UNCH |
| 6350 | ---- | ---- | ---- | 0.50B/*0.60A | ---- | 0.50 - 0.10 | .0025 | ---- | ---- | ---- | ---- | 17 UNCH |
| 6360 | ---- | ---- | ---- | 0.50B/*0.60A | ---- | 0.50 - 0.10 | .0025 | ---- | ---- | ---- | ---- | 2 UNCH |
| 6370 | ---- | ---- | ---- | 0.50B/*0.60A | ---- | 0.50 - 0.10 | .0025 | ---- | ---- | ---- | ---- | 6 UNCH |
| 6380 | ---- | ---- | ---- | 0.50B/*0.60A | ---- | 0.50 - 0.10 | .0025 | ---- | ---- | ---- | ---- | 8 UNCH |
| 6390 | ---- | ---- | ---- | 0.50B/*0.60A | ---- | 0.50 - 0.10 | .0025 | ---- | ---- | ---- | ---- | 1 UNCH |
| 6400 | ---- | ---- | ---- | 0.50B/*0.60A | ---- | 0.50 - 0.10 | .0025 | ---- | ---- | ---- | ---- | 481 UNCH |
| 6410 | ---- | ---- | ---- | 0.50B/*0.60A | ---- | 0.50 - 0.10 | .0025 | ---- | ---- | ---- | ---- | 8 UNCH |
| 6420 | ---- | ---- | ---- | 0.50B/*0.60A | ---- | 0.40 - 0.20 | .0020 | ---- | ---- | ---- | ---- | 3 UNCH |
| 6430 | ---- | ---- | ----/*0.50A | 0.50B/*0.50A | ---- | 0.40 - 0.20 | .0020 | ---- | ---- | ---- | ---- | 35 UNCH |
| 6440 | ---- | ---- | ---- | 0.50B/*0.60A | ---- | 0.40 - 0.20 | .0020 | ---- | ---- | ---- | ---- | 2 UNCH |
| 6450 | ---- | ---- | ---- | 0.40B/*0.60A | ---- | 0.40 - 0.10 | .0020 | ---- | ---- | ---- | ---- | 64 UNCH |
| 6460 | ---- | ---- | ---- | 0.40B/*0.50A | ---- | 0.40 - 0.10 | .0020 | ---- | ---- | ---- | ---- | 36 UNCH |
| 6470 | ---- | ---- | ---- | 0.40B/*0.60A | ---- | 0.40 - 0.10 | .0020 | ---- | ---- | ---- | ---- | 9 UNCH |
| 6480 | ---- | ---- | ---- | 0.40B/*0.50A | ---- | 0.40 - 0.10 | .0020 | ---- | ---- | ---- | ---- | 21 UNCH |
| 6490 | ---- | ---- | ---- | 0.40B/*0.50A | ---- | 0.40 - 0.10 | .0020 | ---- | ---- | ---- | ---- | 17 UNCH |
| 6500 | ---- | ---- | ---- | 0.40B/*0.50A | ---- | 0.40 - 0.10 | .0020 | ---- | ---- | ---- | ---- | 1105 UNCH |
| 6525 | ---- | ---- | ---- | 0.40B/*0.50A | ---- | 0.40 - 0.10 | .0019 | ---- | ---- | ---- | ---- | 21 UNCH |
| 6550 | ---- | ---- | ---- | 0.40B/*0.50A | ---- | 0.40 - 0.10 | .0019 | ---- | ---- | ---- | ---- | 209 UNCH |
| 6575 | ---- | ---- | ---- | 0.40B/*0.50A | ---- | 0.40 UNCH | .0019 | ---- | ---- | ---- | ---- | 7 UNCH |
| 6600 | ---- | ---- | ---- | 0.30B/*0.40A | ---- | 0.40 UNCH | .0019 | ---- | ---- | 2 | ---- | 878 - 1 |
| 6625 | ---- | ---- | ---- | 0.30B/*0.40A | ---- | 0.30 - 0.10 | .0014 | ---- | ---- | ---- | ---- | 105 UNCH |
| 6650 | ---- | ---- | ---- | 0.30B/*0.40A | ---- | 0.30 - 0.10 | .0014 | ---- | ---- | ---- | ---- | 40 UNCH |
| 6675 | ---- | ---- | ---- | 0.30B/*0.40A | ---- | 0.30 - 0.10 | .0014 | ---- | ---- | ---- | ---- | 48 UNCH |
| 6700 | 0.30 | 0.30 | 0.30/*0.30 | 0.30/*0.30 | ---- | 0.30 - 0.10 | .0014 | ---- | ---- | 17 | ---- | 1346 UNCH |
| 6725 | ---- | ---- | ---- | 0.30B/*0.40A | ---- | 0.30 - 0.10 | .0014 | ---- | ---- | ---- | ---- | 107 UNCH |
| 6750 | ---- | ---- | ---- | 0.20B/*0.40A | ---- | 0.30 - 0.10 | .0014 | ---- | ---- | ---- | ---- | 134 UNCH |
| 6775 | ---- | ---- | ---- | 0.20B/*0.40A | ---- | 0.30 UNCH | .0014 | ---- | ---- | ---- | ---- | 13 UNCH |
| 6800 | ---- | ---- | ---- | 0.20B/*0.40A | ---- | 0.30 UNCH | .0014 | ---- | ---- | ---- | ---- | 239 UNCH |
| 6825 | ---- | ---- | ---- | 0.20B/*0.30A | ---- | 0.30 UNCH | .0013 | ---- | ---- | ---- | ---- | 10 UNCH |
| 6850 | ---- | ---- | ---- | 0.20B/*0.30A | ---- | 0.30 UNCH | .0013 | ---- | ---- | ---- | ---- | 31 UNCH |
| 6875 | ---- | ---- | ---- | 0.20B/*0.30A | ---- | 0.30 UNCH | .0013 | ---- | ---- | ---- | ---- | 3 UNCH |
| 6900 | ---- | ---- | ---- | 0.20B/*0.30A | ---- | 0.30 UNCH | .0013 | ---- | ---- | ---- | ---- | 157 UNCH |
| 6925 | ---- | ---- | ---- | 0.20B/*0.30A | ---- | 0.30 UNCH | .0013 | ---- | ---- | ---- | ---- | 51 UNCH |
| 6950 | ---- | ---- | ---- | 0.20B/*0.30A | ---- | 0.20 - 0.10 | .0009 | ---- | ---- | ---- | ---- | 27 UNCH |
| 6975 | ---- | ---- | ---- | 0.10B/*0.30A | ---- | 0.20 - 0.10 | .0009 | ---- | ---- | ---- | ---- | 21 UNCH |
| 7000 | ---- | ---- | ---- | 0.20B/0.30A | ---- | 0.20 - 0.10 | .0009 | ---- | ---- | ---- | ---- | 1838 UNCH |
| 7025 | ---- | ---- | ---- | 0.10B/0.30A | ---- | 0.20 - 0.10 | .0009 | ---- | ---- | ---- | ---- | 53 UNCH |
| 7050 | ---- | ---- | ---- | 0.10B/0.30A | ---- | 0.20 - 0.10 | .0009 | ---- | ---- | ---- | ---- | 120 UNCH |
| 7075 | ---- | ---- | ---- | 0.10B/0.30A | ---- | 0.20 - 0.10 | .0009 | ---- | ---- | ---- | ---- | 30 UNCH |
| 7100 | ---- | ---- | ---- | 0.10B/0.30A | ---- | 0.20 - 0.10 | .0008 | ---- | ---- | ---- | ---- | 145 UNCH |
| 7125 | ---- | ---- | ---- | 0.10B/0.30A | ---- | 0.20 - 0.10 | .0008 | ---- | ---- | ---- | ---- | 52 UNCH |
| 7150 | ---- | ---- | ---- | 0.10B/0.30A | ---- | 0.20 UNCH | .0008 | ---- | ---- | ---- | ---- | 59 UNCH |
| 7175 | ---- | ---- | ---- | 0.10B/0.30A | ---- | 0.20 UNCH | .0008 | ---- | ---- | ---- | ---- | 3 UNCH |
| 7200 | ---- | ---- | ---- | 0.10B/0.30A | ---- | 0.20 UNCH | .0008 | ---- | ---- | ---- | ---- | 134 UNCH |
| 7225 | ---- | ---- | ---- | 0.10B/0.30A | ---- | 0.20 UNCH | .0008 | ---- | ---- | ---- | ---- | 2 UNCH |
| 7250 | ---- | ---- | ---- | 0.10B/0.30A | ---- | 0.20 UNCH | .0008 | ---- | ---- | ---- | ---- | 91 UNCH |
| 7275 | ---- | ---- | ---- | 0.10B/0.30A | ---- | 0.20 UNCH | .0008 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7300 | ---- | ---- | ---- | ----/0.30A | ---- | 0.20 UNCH | .0008 | ---- | ---- | ---- | ---- | 150 UNCH |
| 7325 | ---- | ---- | ---- | ----/0.30A | ---- | 0.20 UNCH | .0008 | ---- | ---- | ---- | ---- | 14 UNCH |
| 7350 | ---- | ---- | ---- | ----/0.30A | ---- | 0.20 UNCH | .0008 | ---- | ---- | ---- | ---- | 3 UNCH |
| 7375 | ---- | ---- | ---- | ----/0.30A | ---- | 0.20 UNCH | .0008 | ---- | ---- | ---- | ---- | 20 UNCH |
| 7400 | ---- | ---- | ---- | ----/0.30A | ---- | 0.20 UNCH | .0008 | ---- | ---- | ---- | ---- | 47 UNCH |
| 7425 | ---- | ---- | ---- | ----/0.30A | ---- | 0.10 - 0.10 | .0004 | ---- | ---- | ---- | ---- | 20 UNCH |
| 7450 | ---- | ---- | ---- | ----/0.30A | ---- | 0.10 - 0.10 | .0004 | ---- | ---- | ---- | ---- | 5 UNCH |
| 7475 | ---- | ---- | ---- | ----/0.30A | ---- | 0.10 - 0.10 | .0003 | ---- | ---- | ---- | ---- | 8 UNCH |
| 7500 | ---- | ---- | ---- | ----/0.20A | ---- | 0.10 - 0.10 | .0003 | ---- | ---- | ---- | ---- | 1355 UNCH |
| 7525 | ---- | ---- | ---- | ----/*0.20A | ---- | 0.10 - 0.10 | .0003 | ---- | ---- | ---- | ---- | 22 UNCH |
| 7575 | ---- | ---- | ---- | ----/0.30A | ---- | 0.10 - 0.10 | .0002 | ---- | ---- | ---- | ---- | 8 UNCH |
| 7600 | ---- | ---- | ----/0.10A | ----/0.10A | ---- | 0.10 - 0.10 | .0002 | ---- | ---- | ---- | ---- | 78 UNCH |
| 7700 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | .0001 | ---- | ---- | ---- | ---- | 50 UNCH |
| 7750 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | .0001 | ---- | ---- | ---- | ---- | 12 UNCH |
| 7800 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | .0001 | ---- | ---- | ---- | ---- | 39 UNCH |
| 7825 | ---- | ---- | ---- | ----/0.20A | ---- | 0.10 UNCH | .0001 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7875 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | .0000 | ---- | ---- | ---- | ---- | 31 UNCH |
| 7900 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | .0000 | ---- | ---- | ---- | ---- | 2 UNCH |
| 7950 | ---- | ---- | ---- | ----/0.20A | ---- | 0.10 UNCH | .0000 | ---- | ---- | ---- | ---- | 2 UNCH |
| 8000 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | .0000 | ---- | ---- | ---- | ---- | 967 UNCH |
| 8100 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | .0000 | ---- | ---- | ---- | ---- | 4 UNCH |
| 8200 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | .0000 | ---- | ---- | ---- | ---- | 88 UNCH |
| 8300 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | .0000 | ---- | ---- | ---- | ---- | 64 UNCH |
| 8500 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | .0000 | ---- | ---- | 3 | ---- | 146 UNCH |
| 8600 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | .0000 | ---- | ---- | ---- | ---- | 52 UNCH |
| 8800 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 32 UNCH |
| 8900 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 15 UNCH |
| 9000 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 387 UNCH |
| 9100 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 11 UNCH |
| 9200 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 51 UNCH |
| 9300 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 11 UNCH |
| 9400 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 25 UNCH |
| 9500 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 23 UNCH |
| 9600 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 27 UNCH |
| 9700 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 20 UNCH |
| 9800 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 17 UNCH |
| 9900 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 27 UNCH |
| 10000 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 363 UNCH |
| 10100 | ---- | ---- | ---- | ----/0.20A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 2 UNCH |
| 10300 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 3 UNCH |
| 10400 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 2 UNCH |
| 10500 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 10700 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 4 UNCH |
| 11000 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 72 UNCH |
| 11300 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 12 UNCH |
| 11500 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 11600 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 5 UNCH |
| 11700 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 15 UNCH |
| 11900 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 2 UNCH |
| 12000 | ---- | ---- | ---- | ----/0.10A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 406 UNCH |
| TOTAL | | | | | | | | | | 8988 | 1,370 | 189006 + 1393 |
| JUL26 | | | | | | | | | | | | |
| 3200 | ---- | ---- | 1,423.80B/---- | 1423.80B/1403.50A | ---- | 1403.50 + 34.70 | .9906 | 1 | ---- | ---- | ---- | 9 - 1 |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OG CALL | | COMEX GOLD OPTIONS | | | | | | | | | | |
| JUL26 | | | | | | | | | | | | |
| 3300 | ---- | ---- | 1,324.20B/---- | 1324.20B/1303.70A | ---- | 1303.90 + 34.50 | .9879 | ---- | ---- | 9 | ---- | 130 + 9 |
| 3350 | ---- | ---- | 1,274.00B/---- | 1274.00B/1265.90A | ---- | 1254.20 + 34.50 | .9865 | ---- | ---- | ---- | ---- | 51 UNCH |
| 3500 | ---- | ---- | ---- | ---- | ---- | 1105.40 + 34.30 | .9808 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3600 | ---- | ---- | 1,026.40B/---- | 1026.40B/1018.00A | ---- | 1006.60 + 34.00 | .9752 | ---- | ---- | ---- | ---- | 24 UNCH |
| 3650 | ---- | ---- | 977.60B/---- | 977.60B/956.50A | ---- | 957.40 + 33.90 | .9716 | ---- | ---- | ---- | ---- | 10 UNCH |
| 3670 | ---- | ---- | 957.90B/---- | 957.90B/936.90A | ---- | 937.70 + 33.80 | .9701 | ---- | ---- | ---- | ---- | 3 UNCH |
| 3700 | ---- | ---- | 928.50B/---- | 928.50B/907.40A | ---- | 908.30 + 33.70 | .9674 | ---- | ---- | ---- | ---- | 119 UNCH |
| 3735 | ---- | ---- | ---- | ---- | ---- | 874.00 + 33.50 | .9642 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3775 | ---- | ---- | 855.10B/---- | 855.10B/834.10A | ---- | 835.00 + 33.20 | .9597 | ---- | ---- | ---- | ---- | 4 UNCH |
| 3800 | ---- | ---- | 832.90B/---- | 832.90B/808.20A | ---- | 810.70 + 33.10 | .9568 | ---- | ---- | ---- | ---- | 2050 UNCH |
| 3825 | ---- | ---- | 806.50B/---- | 806.50B/785.60A | ---- | 786.50 + 32.90 | .9533 | ---- | ---- | ---- | ---- | 3 UNCH |
| 3850 | ---- | ---- | 782.30B/---- | 782.30B/761.40A | ---- | 762.30 + 32.60 | .9497 | ---- | ---- | ---- | ---- | 65 UNCH |
| 3860 | ---- | ---- | ---- | ---- | ---- | 752.70 + 32.60 | .9483 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3865 | ---- | ---- | 767.80B/---- | 767.80B/747.00A | ---- | 747.90 + 32.60 | .9475 | ---- | ---- | ---- | ---- | 7 UNCH |
| 3875 | ---- | ---- | 758.20B/---- | 758.20B/737.40A | ---- | 738.30 + 32.50 | .9457 | ---- | ---- | ---- | ---- | 25 UNCH |
| 3900 | ---- | ---- | 734.10B/---- | 734.10B/713.40A | ---- | 714.30 + 32.20 | .9416 | ---- | ---- | ---- | ---- | 18 UNCH |
| 3925 | ---- | ---- | 710.20B/---- | 710.20B/660.50A | ---- | 690.40 + 31.90 | .9368 | ---- | ---- | ---- | ---- | 35 UNCH |
| 3950 | ---- | ---- | 689.10B/---- | 689.10B/637.10A | ---- | 666.70 + 31.60 | .9316 | ---- | ---- | ---- | ---- | 820 UNCH |
| 3960 | ---- | ---- | 642.30B/---- | 642.30B/627.80A | ---- | 657.20 + 31.40 | .9292 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4000 | ---- | ---- | 639.20B/---- | 639.20B/592.40A | ---- | 619.60 + 30.90 | .9194 | ---- | ---- | ---- | ---- | 15 UNCH |
| 4020 | ---- | ---- | 621.70B/---- | 621.70B/572.70A | ---- | 601.00 + 30.60 | .9140 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4030 | ---- | ---- | 614.00B/---- | 614.00B/567.20A | ---- | 591.70 + 30.50 | .9111 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4040 | ---- | ---- | 603.00B/---- | 603.00B/554.60A | ---- | 582.50 + 30.40 | .9082 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4075 | ---- | ---- | 571.10B/---- | 571.10B/523.00A | ---- | 550.40 + 29.80 | .8968 | ---- | ---- | ---- | ---- | 6 UNCH |
| 4095 | ---- | ---- | 552.80B/---- | 552.80B/505.30A | ---- | 532.20 + 29.40 | .8896 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4100 | ---- | ---- | 548.20B/---- | 548.20B/500.90A | ---- | 527.70 + 29.30 | .8880 | ---- | ---- | ---- | ---- | 194 UNCH |
| 4105 | ---- | ---- | 543.60B/---- | 543.60B/496.50A | ---- | 523.20 + 29.20 | .8860 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4110 | ---- | ---- | 539.10B/---- | 539.10B/492.10A | ---- | 518.70 + 29.10 | .8841 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4145 | ---- | ---- | 507.50B/---- | 507.50B/461.70A | ---- | 487.50 + 28.40 | .8697 | ---- | ---- | ---- | ---- | 28 UNCH |
| 4150 | ---- | ---- | 503.10B/---- | 503.10B/457.40A | ---- | 483.10 + 28.30 | .8675 | ---- | ---- | ---- | ---- | 37 UNCH |
| 4155 | ---- | ---- | 498.50B/---- | 498.50B/453.10A | ---- | 478.70 + 28.20 | .8652 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4160 | ---- | ---- | 494.10B/---- | 494.10B/448.80A | ---- | 474.30 + 28.10 | .8629 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4190 | ---- | ---- | 467.60B/---- | 467.60B/423.50A | ---- | 448.20 + 27.40 | .8487 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4200 | ---- | ---- | 459.00B/---- | 459.00B/415.10A | ---- | 439.60 + 27.20 | .8436 | ---- | ---- | ---- | ---- | 7 UNCH |
| 4215 | ---- | ---- | 446.00B/---- | 446.00B/402.80A | ---- | 426.80 + 26.80 | .8358 | ---- | ---- | ---- | ---- | 25 UNCH |
| 4220 | ---- | ---- | 441.60B/---- | 441.60B/398.70A | ---- | 422.60 + 26.70 | .8330 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4225 | ---- | ---- | 437.30B/---- | 437.30B/394.60A | ---- | 418.30 + 26.50 | .8304 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4235 | ---- | ---- | 428.80B/---- | 428.80B/386.50A | ---- | 409.90 + 26.20 | .8248 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4240 | ---- | ---- | 424.40B/---- | 424.40B/382.50A | ---- | 405.80 + 26.20 | .8219 | ---- | ---- | ---- | ---- | 39 UNCH |
| 4245 | ---- | ---- | 421.80B/---- | 421.80B/381.90A | ---- | 401.60 + 26.00 | .8191 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4250 | ---- | ---- | 416.40B/---- | 416.40B/374.40A | ---- | 397.40 + 25.80 | .8162 | ---- | ---- | ---- | ---- | 318 UNCH |
| 4255 | ---- | ---- | 413.40B/---- | 413.40B/373.90A | ---- | 393.30 + 25.70 | .8131 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4265 | ---- | ---- | 403.50B/---- | 403.50B/362.50A | ---- | 385.10 + 25.50 | .8072 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4270 | ---- | ---- | 399.00B/---- | 399.00B/358.60A | ---- | 381.00 + 25.30 | .8041 | ---- | ---- | ---- | ---- | 38 UNCH |
| 4275 | ---- | ---- | 395.30B/---- | 395.30B/354.60A | ---- | 376.90 + 25.10 | .8009 | ---- | ---- | ---- | ---- | 76 UNCH |
| 4280 | ---- | ---- | 391.20B/---- | 391.20B/350.80A | ---- | 372.90 + 25.00 | .7976 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4300 | ---- | ---- | 376.30B/---- | 376.30B/336.90A | ---- | 356.80 + 24.40 | .7847 | ---- | ---- | ---- | ---- | 63 UNCH |
| 4315 | ---- | ---- | 362.70B/---- | 362.70B/323.90A | ---- | 345.00 + 24.00 | .7744 | ---- | ---- | ---- | ---- | 21 UNCH |
| 4325 | ---- | ---- | 355.90B/---- | 355.90B/319.80A | ---- | 337.20 + 23.60 | .7673 | ---- | ---- | ---- | ---- | 22 UNCH |
| 4335 | ---- | ---- | 346.80B/---- | 346.80B/309.30A | ---- | 329.40 + 23.20 | .7602 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4350 | ---- | ---- | 338.80B/---- | 338.80B/298.20A | ---- | 318.00 + 22.80 | .7490 | ---- | ---- | ---- | ---- | 17 UNCH |
| 4360 | ---- | ---- | 331.60B/---- | 331.60B/291.00A | ---- | 310.50 + 22.50 | .7413 | ---- | ---- | ---- | ---- | 53 UNCH |
| 4365 | ---- | ---- | 327.70B/---- | 327.70B/287.50A | ---- | 306.70 + 22.20 | .7375 | ---- | ---- | ---- | ---- | 45 UNCH |
| 4370 | ---- | ---- | 323.90B/---- | 323.90B/283.90A | ---- | 303.00 + 22.10 | .7336 | ---- | ---- | ---- | ---- | 20 UNCH |
| 4375 | ---- | ---- | 317.50B/---- | 317.50B/283.90A | ---- | 299.40 + 22.00 | .7296 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4400 | ---- | ---- | 301.90B/---- | 301.90B/263.30A | ---- | 281.30 + 21.00 | .7093 | ---- | ---- | ---- | ---- | 2274 UNCH |
| 4410 | ---- | ---- | 290.40B/---- | 290.40B/256.80A | ---- | 274.20 + 20.60 | .7009 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4415 | ---- | ---- | 290.40B/---- | 290.40B/253.30A | ---- | 270.70 + 20.50 | .6966 | ---- | ---- | ---- | ---- | 39 UNCH |
| 4420 | ---- | ---- | 283.00B/---- | 283.00B/250.20A | ---- | 267.20 + 20.20 | .6923 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4425 | ---- | ---- | 283.40B/---- | 283.40B/246.80A | ---- | 263.80 + 20.10 | .6880 | ---- | ---- | ---- | ---- | 16 UNCH |
| 4430 | ---- | ---- | 277.70B/---- | 277.70B/243.80A | ---- | 260.40 + 19.90 | .6835 | ---- | ---- | 1 | ---- | 2 + 1 |
| 4445 | ---- | ---- | 269.50B/---- | 269.50B/234.00A | ---- | 250.20 + 19.30 | .6702 | ---- | ---- | ---- | ---- | 30 UNCH |
| 4450 | ---- | ---- | 266.30B/---- | 266.30B/230.90A | ---- | 246.90 + 19.10 | .6658 | ---- | ---- | ---- | ---- | 256 UNCH |
| 4455 | ---- | ---- | 261.60B/---- | 261.60B/228.00A | ---- | 243.60 + 18.90 | .6612 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4460 | ---- | ---- | 258.20B/---- | 258.20B/224.90A | ---- | 240.30 + 18.70 | .6566 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4475 | ---- | ---- | 248.10B/212.10A | 248.10B/212.10A | ---- | 230.70 + 18.20 | .6427 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4480 | ---- | ---- | 245.70B/---- | 245.70B/210.10A | ---- | 227.50 + 18.00 | .6380 | ---- | ---- | ---- | ---- | 36 UNCH |
| 4485 | ---- | ---- | 241.50B/206.20A | 241.50B/206.20A | ---- | 224.40 + 17.80 | .6334 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4490 | ---- | ---- | 239.30B/---- | 239.30B/204.40A | ---- | 221.20 + 17.50 | .6286 | ---- | ---- | ---- | ---- | 20 UNCH |
| 4500 | ---- | ---- | 233.00B/---- | 233.00B/198.70A | ---- | 215.10 + 17.20 | .6190 | ---- | ---- | 10 | ---- | 970 - 10 |
| 4505 | ---- | ---- | 229.50B/194.40A | 229.50B/194.40A | ---- | 212.00 + 16.90 | .6142 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4510 | ---- | ---- | 226.50B/---- | 226.50B/192.90A | ---- | 209.00 + 16.70 | .6094 | ---- | ---- | ---- | ---- | 75 UNCH |
| 4515 | ---- | ---- | 223.20B/189.40A | 223.20B/189.40A | ---- | 206.00 + 16.50 | .6045 | ---- | ---- | ---- | ---- | 210 UNCH |
| 4520 | ---- | ---- | 220.10B/---- | 220.10B/187.00A | ---- | 203.10 + 16.40 | .5996 | ---- | ---- | ---- | ---- | 188 UNCH |
| 4525 | ---- | ---- | 217.20B/---- | 217.20B/184.10A | ---- | 200.10 + 16.10 | .5948 | ---- | ---- | ---- | ---- | 129 UNCH |
| 4530 | ---- | ---- | 213.90B/---- | 213.90B/182.30A | ---- | 197.20 + 15.90 | .5898 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4535 | ---- | ---- | 211.10B/---- | 211.10B/178.80A | ---- | 194.30 + 15.70 | .5849 | ---- | ---- | ---- | ---- | 19 UNCH |
| 4540 | ---- | ---- | 208.00B/---- | 208.00B/176.10A | ---- | 191.50 + 15.50 | .5799 | ---- | ---- | ---- | ---- | 56 UNCH |
| 4550 | 201.00 | 201.00 | 202.00B/201.00 | 202.00B/170.70A | ---- | 185.80 + 15.10 | .5700 | ---- | ---- | 3 | ---- | 10 - 3 |
| 4555 | ---- | ---- | 199.10B/---- | 199.10B/169.30A | ---- | 183.10 + 14.90 | .5650 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4560 | ---- | ---- | 196.40B/---- | 196.40B/167.00A | ---- | 180.30 + 14.70 | .5599 | ---- | ---- | ---- | ---- | 51 UNCH |
| 4565 | 188.40 | 188.40 | 193.30B/188.40 | 193.30B/164.20A | ---- | 177.60 + 14.50 | .5549 | ---- | ---- | 30 | ---- | 24 + 23 |
| 4570 | ---- | ---- | 190.60B/---- | 190.60B/161.90A | ---- | 174.90 + 14.20 | .5499 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4575 | ---- | ---- | 187.80B/---- | 187.80B/158.90A | ---- | 172.20 + 14.00 | .5448 | ---- | ---- | ---- | ---- | 125 UNCH |
| 4580 | ---- | ---- | 185.00B/---- | 185.00B/156.00A | ---- | 169.60 + 13.80 | .5398 | ---- | ---- | ---- | ---- | 11 UNCH |
| 4585 | ---- | ---- | 182.30B/153.30A | 182.30B/153.30A | ---- | 167.00 + 13.60 | .5347 | ---- | ---- | 3 | ---- | 9 + 3 |
| 4590 | ---- | ---- | 179.50B/---- | 179.50B/151.40A | ---- | 164.40 + 13.40 | .5296 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4595 | 163.70 | 163.70 | 176.90B/163.70 | 176.90B/149.00A | ---- | 161.90 NEW | .5245 | ---- | ---- | 2 | ---- | 2 + 2 |
| 4600 | 156.90 | 156.90 | 174.40B/146.30A | 174.40B/146.30A | ---- | 159.30 + 12.90 | .5195 | ---- | ---- | 132 | ---- | 397 + 17 |
| 4605 | ---- | ---- | 171.60B/144.00A | 171.60B/144.00A | ---- | 156.80 + 12.70 | .5144 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4610 | ---- | ---- | 169.00B/141.80A | 169.00B/141.80A | ---- | 154.40 + 12.50 | .5093 | ---- | ---- | ---- | ---- | 13 UNCH |
| 4615 | ---- | ---- | 166.50B/139.40A | 166.50B/139.40A | ---- | 151.90 + 12.20 | .5042 | ---- | ---- | ---- | ---- | 11 UNCH |
| 4620 | ---- | ---- | 164.00B/137.30A | 164.00B/137.30A | ---- | 149.50 + 12.00 | .4991 | ---- | ---- | ---- | ---- | 35 UNCH |
| 4625 | ---- | ---- | 161.40B/135.10A | 161.40B/135.10A | ---- | 147.10 + 11.80 | .4940 | ---- | ---- | ---- | ---- | 103 UNCH |
| 4630 | ---- | ---- | 158.90B/133.00A | 158.90B/133.00A | ---- | 144.80 + 11.60 | .4889 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4635 | ---- | ---- | 156.50B/130.80A | 156.50B/130.80A | ---- | 142.50 + 11.40 | .4838 | ---- | ---- | ---- | ---- | 91 UNCH |
| 4640 | 136.50 | 136.50 | 154.00B/128.70A | 154.00B/128.70A | ---- | 140.20 + 11.20 | .4788 | ---- | ---- | 6 | ---- | 231 - 6 |
| 4645 | ---- | ---- | 151.60B/126.70A | 151.60B/126.70A | ---- | 137.90 + 11.00 | .4737 | ---- | ---- | ---- | ---- | 19 UNCH |
| 4650 | ---- | ---- | 149.40B/124.60A | 149.40B/124.60A | ---- | 135.60 + 10.70 | .4686 | ---- | ---- | 1 | ---- | 966 + 1 |
| 4655 | ---- | ---- | 146.80B/122.60A | 146.80B/122.60A | ---- | 133.40 + 10.50 | .4636 | ---- | ---- | ---- | ---- | 18 UNCH |
| 4660 | ---- | ---- | 144.80B/120.80A | 144.80B/120.80A | ---- | 131.20 + 10.30 | .4585 | ---- | ---- | ---- | ---- | 52 UNCH |
| 4665 | ---- | ---- | 142.60B/---- | 142.60B/119.10A | ---- | 129.10 + 10.10 | .4535 | ---- | ---- | ---- | ---- | 269 UNCH |
| 4670 | 126.60 | 126.60 | 140.10B/116.90A | 140.10B/116.90A | ---- | 127.00 + 9.90 | .4485 | ---- | ---- | 2 | ---- | 106 UNCH |
| 4675 | ---- | ---- | 138.00B/---- | 138.00B/115.60A | ---- | 124.90 + 9.70 | .4435 | ---- | ---- | 6 | ---- | 134 + 4 |
| 4680 | 123.40 | 123.40 | 135.60B/123.40 | 135.60B/113.60A | ---- | 122.80 + 9.50 | .4385 | ---- | ---- | 14 | ---- | 140 - 3 |
| 4685 | ---- | ---- | 133.80B/---- | 133.80B/111.60A | ---- | 120.80 + 9.30 | .4335 | ---- | ---- | ---- | ---- | 11 UNCH |
| 4690 | ---- | ---- | 131.30B/---- | 131.30B/109.80A | ---- | 118.70 + 9.00 | .4285 | ---- | ---- | 1 | ---- | 2 + 1 |
| 4695 | ---- | ---- | 129.30B/---- | 129.30B/108.00A | ---- | 116.80 + 8.90 | .4236 | ---- | ---- | ---- | ---- | 33 UNCH |
| 4700 | ---- | ---- | 127.40B/---- | 127.40B/106.40A | ---- | 114.80 + 8.70 | .4187 | ---- | ---- | 65 | ---- | 724 - 45 |
| 4705 | ---- | ---- | 125.30B/---- | 125.30B/104.50A | ---- | 112.90 + 8.50 | .4138 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4710 | ---- | ---- | 122.90B/102.60A | 122.90B/102.60A | ---- | 111.00 + 8.30 | .4089 | ---- | ---- | ---- | ---- | 117 UNCH |
| 4715 | 118.00 | 118.00 | 121.20B/118.00 | 121.20B/101.30A | ---- | 109.10 + 8.10 | .4041 | ---- | ---- | 1 | ---- | 3 + 1 |
| 4720 | ---- | ---- | 119.20B/---- | 119.20B/99.60A | ---- | 107.30 + 8.00 | .3993 | ---- | ---- | ---- | ---- | 14 UNCH |
| 4725 | ---- | ---- | 117.10B/---- | 117.10B/98.80A | ---- | 105.40 + 7.70 | .3944 | ---- | ---- | 1 | ---- | 56 UNCH |
| 4730 | ---- | ---- | 115.30B/---- | 115.30B/97.30A | ---- | 103.70 + 7.70 | .3897 | ---- | ---- | ---- | ---- | 7 UNCH |
| 4740 | ---- | ---- | 111.60B/---- | 111.60B/95.50A | ---- | 100.20 + 7.30 | .3802 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4745 | ---- | ---- | 109.70B/---- | 109.70B/93.00A | ---- | 98.40 + 7.10 | .3754 | ---- | ---- | ---- | ---- | 177 UNCH |
| 4750 | 97.10 | 97.10 | 107.90B/96.90 | 107.90B/91.70A | ---- | 96.80 + 7.00 | .3708 | ---- | ---- | 5 | ---- | 1644 - 1 |
| 4755 | ---- | ---- | 105.80B/---- | 105.80B/90.10A | ---- | 95.10 + 6.80 | .3662 | ---- | ---- | ---- | ---- | 19 UNCH |
| 4760 | ---- | ---- | 104.00B/---- | 104.00B/88.50A | ---- | 93.50 + 6.60 | .3616 | ---- | ---- | ---- | ---- | 47 UNCH |
| 4765 | ---- | ---- | 102.50B/---- | 102.50B/87.00A | ---- | 91.90 + 6.50 | .3570 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4770 | ---- | ---- | 100.80B/---- | 100.80B/85.30A | ---- | 90.30 + 6.30 | .3525 | ---- | ---- | ---- | ---- | 72 UNCH |
| 4775 | ---- | ---- | 98.70B/---- | 98.70B/84.00A | ---- | 88.70 + 6.10 | .3479 | ---- | ---- | ---- | ---- | 155 UNCH |
| 4780 | ---- | ---- | 97.20B/---- | 97.20B/82.50A | ---- | 87.20 + 6.00 | .3434 | ---- | ---- | ---- | ---- | 32 UNCH |
| 4785 | ---- | ---- | 95.50B/---- | 95.50B/81.50A | ---- | 85.70 + 5.90 | .3390 | ---- | ---- | ---- | ---- | 13 UNCH |
| 4790 | ---- | ---- | 93.80B/---- | 93.80B/79.80A | ---- | 84.20 + 5.70 | .3346 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4795 | ---- | ---- | 92.40B/---- | 92.40B/78.60A | ---- | 82.70 + 5.50 | .3301 | ---- | ---- | ---- | ---- | 89 UNCH |
| 4800 | 81.30 | 81.30 | 90.70B/81.30 | 90.70B/77.40A | ---- | 81.30 + 5.40 | .3259 | ---- | ---- | 333 | ---- | 1826 - 138 |
| 4805 | 80.40 | 80.40 | 89.10B/77.80 | 89.10B/76.00A | ---- | 79.90 + 5.30 | .3216 | ---- | ---- | 4 | ---- | 45 + 2 |
| 4810 | ---- | ---- | 87.60B/---- | 87.60B/75.00A | ---- | 78.50 + 5.10 | .3173 | ---- | ---- | ---- | ---- | 34 UNCH |
| 4815 | ---- | ---- | 86.10B/---- | 86.10B/73.30A | ---- | 77.10 + 5.00 | .3130 | ---- | ---- | ---- | ---- | 10 UNCH |
| 4820 | ---- | ---- | 84.60B/---- | 84.60B/72.30A | ---- | 75.80 + 4.90 | .3089 | ---- | ---- | 27 | ---- | 61 + 24 |
| 4825 | 74.40 | 74.40 | 83.20B/74.40 | 83.20B/70.80A | ---- | 74.40 + 4.70 | .3046 | ---- | ---- | 7 | ---- | 660 + 3 |
| 4830 | ---- | ---- | 81.80B/---- | 81.80B/69.70A | ---- | 73.10 + 4.50 | .3005 | ---- | ---- | ---- | ---- | 12 UNCH |
| 4835 | ---- | ---- | 80.30B/---- | 80.30B/68.70A | ---- | 71.90 + 4.50 | .2965 | ---- | ---- | ---- | ---- | 18 UNCH |
| 4840 | ---- | ---- | 78.90B/---- | 78.90B/67.40A | ---- | 70.60 + 4.30 | .2924 | ---- | ---- | ---- | ---- | 185 UNCH |
| 4845 | ---- | ---- | 77.60B/---- | 77.60B/66.20A | ---- | 69.40 + 4.20 | .2884 | ---- | ---- | ---- | ---- | 71 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OG CALL | | COMEX GOLD OPTIONS | | | | | | | | | | |
| JUL26 | | | | | | | | | | | | |
| 4850 | 68.40 | 68.40 | 76.30B/68.10 | 76.30B/65.30A | ---- | 68.10 + 4.00 | .2843 | ---- | ---- | 183 | ---- | 513 + 57 |
| 4855 | ---- | ---- | 75.00B/---- | 75.00B/64.20A | ---- | 66.90 + 3.90 | .2804 | ---- | ---- | ---- | ---- | 7 UNCH |
| 4860 | ---- | ---- | 73.70B/---- | 73.70B/63.00A | ---- | 65.80 + 3.90 | .2766 | ---- | ---- | 4 | ---- | 18 + 4 |
| 4865 | ---- | ---- | 72.40B/---- | 72.40B/62.00A | ---- | 64.60 + 3.70 | .2727 | ---- | ---- | ---- | ---- | 32 UNCH |
| 4870 | ---- | ---- | 71.10B/---- | 71.10B/60.90A | ---- | 63.50 + 3.70 | .2690 | ---- | ---- | ---- | ---- | 62 UNCH |
| 4875 | ---- | ---- | 70.00B/---- | 70.00B/59.90A | ---- | 62.30 + 3.50 | .2651 | ---- | ---- | ---- | ---- | 16 UNCH |
| 4880 | ---- | ---- | 68.70B/---- | 68.70B/58.80A | ---- | 61.20 + 3.40 | .2613 | ---- | ---- | ---- | ---- | 83 UNCH |
| 4885 | ---- | ---- | 67.60B/---- | 67.60B/58.30A | ---- | 60.20 + 3.30 | .2578 | ---- | ---- | ---- | ---- | 25 UNCH |
| 4890 | ---- | ---- | 66.30B/---- | 66.30B/57.30A | ---- | 59.10 + 3.20 | .2540 | ---- | ---- | ---- | ---- | 54 UNCH |
| 4895 | ---- | ---- | 65.20B/---- | 65.20B/55.90A | ---- | 58.00 + 3.00 | .2503 | ---- | ---- | ---- | ---- | 51 UNCH |
| 4900 | ---- | ---- | 64.20B/---- | 64.20B/55.00A | ---- | 57.00 + 3.00 | .2468 | ---- | ---- | 78 | ---- | 1117 + 7 |
| 4905 | ---- | ---- | 62.90B/---- | 62.90B/54.10A | ---- | 56.00 + 2.90 | .2433 | ---- | ---- | ---- | ---- | 8 UNCH |
| 4910 | ---- | ---- | 61.80B/---- | 61.80B/53.20A | ---- | 55.00 + 2.80 | .2398 | ---- | ---- | ---- | ---- | 146 UNCH |
| 4915 | ---- | ---- | 60.80B/---- | 60.80B/52.30A | ---- | 54.10 + 2.70 | .2365 | ---- | ---- | ---- | ---- | 36 UNCH |
| 4920 | ---- | ---- | 59.80B/---- | 59.80B/51.40A | ---- | 53.10 + 2.60 | .2329 | ---- | ---- | ---- | ---- | 13 UNCH |
| 4925 | ---- | ---- | 58.70B/---- | 58.70B/50.40A | ---- | 52.20 + 2.60 | .2297 | ---- | ---- | 2 | ---- | 38 UNCH |
| 4930 | ---- | ---- | 57.60B/---- | 57.60B/49.50A | ---- | 51.20 + 2.40 | .2262 | ---- | ---- | ---- | ---- | 65 UNCH |
| 4935 | ---- | ---- | 56.70B/---- | 56.70B/48.50A | ---- | 50.30 + 2.30 | .2229 | ---- | ---- | ---- | ---- | 618 UNCH |
| 4940 | 49.90 | 49.90 | 55.70B/47.70A | 55.70B/47.70A | ---- | 49.50 + 2.30 | .2198 | ---- | ---- | 3 | ---- | 285 + 3 |
| 4945 | ---- | ---- | 54.70B/---- | 54.70B/47.00A | ---- | 48.60 + 2.20 | .2165 | ---- | ---- | ---- | ---- | 11 UNCH |
| 4950 | 45.80 | 45.80 | 53.80B/45.80 | 53.80B/45.80 | ---- | 47.70 + 2.10 | .2133 | ---- | ---- | 3 | ---- | 290 + 2 |
| 4955 | 51.80 | 51.80 | 52.80B/45.10A | 52.80B/45.10A | ---- | 46.90 + 2.00 | .2102 | ---- | ---- | 3 | ---- | 105 - 3 |
| 4960 | ---- | ---- | 51.90B/---- | 51.90B/44.30A | ---- | 46.10 + 2.00 | .2072 | ---- | ---- | ---- | ---- | 22 UNCH |
| 4965 | ---- | ---- | 51.00B/---- | 51.00B/43.60A | ---- | 45.30 + 1.90 | .2042 | ---- | ---- | ---- | ---- | 173 UNCH |
| 4970 | ---- | ---- | 50.10B/---- | 50.10B/42.80A | ---- | 44.50 + 1.80 | .2012 | ---- | ---- | ---- | ---- | 78 UNCH |
| 4975 | 48.40 | 48.40 | 49.40B/42.00A | 49.40B/42.00A | ---- | 43.70 + 1.80 | .1981 | ---- | ---- | 12 | ---- | 44 UNCH |
| 4980 | ---- | ---- | 48.40B/---- | 48.40B/41.30A | ---- | 43.00 + 1.70 | .1954 | ---- | ---- | 20 | ---- | 38 + 20 |
| 4985 | ---- | ---- | 47.60B/---- | 47.60B/40.60A | ---- | 42.20 + 1.60 | .1924 | ---- | ---- | 2 | ---- | 31 + 2 |
| 4990 | ---- | ---- | 46.80B/---- | 46.80B/39.90A | ---- | 41.50 + 1.60 | .1896 | ---- | ---- | 2 | ---- | 34 + 2 |
| 4995 | ---- | ---- | 45.90B/39.20A | 45.90B/39.20A | ---- | 40.80 + 1.50 | .1869 | ---- | ---- | ---- | ---- | 43 UNCH |
| 5000 | 43.00 | 43.00 | 45.20B/38.50A | 45.20B/38.50A | ---- | 40.10 + 1.50 | .1841 | ---- | ---- | 732 | ---- | 2922 - 93 |
| 5005 | ---- | ---- | 44.40B/37.80A | 44.40B/37.80A | ---- | 39.40 + 1.40 | .1814 | ---- | ---- | ---- | ---- | 19 UNCH |
| 5010 | ---- | ---- | 43.60B/37.10A | 43.60B/37.10A | ---- | 38.70 + 1.30 | .1786 | ---- | ---- | ---- | ---- | 36 UNCH |
| 5015 | ---- | ---- | 42.90B/36.50A | 42.90B/36.50A | ---- | 38.10 + 1.30 | .1761 | ---- | ---- | ---- | ---- | 33 UNCH |
| 5020 | ---- | ---- | 42.10B/35.90A | 42.10B/35.90A | ---- | 37.40 + 1.20 | .1734 | ---- | ---- | ---- | ---- | 10 UNCH |
| 5025 | ---- | ---- | 41.40B/35.20A | 41.40B/35.20A | ---- | 36.80 + 1.20 | .1710 | ---- | ---- | 1 | ---- | 38 UNCH |
| 5030 | ---- | ---- | 40.70B/34.60A | 40.70B/34.60A | ---- | 36.20 + 1.20 | .1685 | ---- | ---- | ---- | ---- | 42 UNCH |
| 5035 | ---- | ---- | 40.00B/34.00A | 40.00B/34.00A | ---- | 35.60 + 1.20 | .1660 | ---- | ---- | 4 | ---- | 60 + 4 |
| 5040 | ---- | ---- | 39.30B/33.50A | 39.30B/33.50A | ---- | 35.00 + 1.10 | .1636 | ---- | ---- | ---- | ---- | 15 UNCH |
| 5045 | ---- | ---- | 38.70B/32.90A | 38.70B/32.90A | ---- | 34.40 + 1.10 | .1612 | ---- | ---- | ---- | ---- | 9 UNCH |
| 5050 | 32.00 | 32.00 | 38.00B/32.00 | 38.00B/32.00 | ---- | 33.80 + 1.00 | .1587 | ---- | ---- | 1 | ---- | 208 - 1 |
| 5055 | ---- | ---- | 37.40B/32.00A | 37.40B/32.00A | ---- | 33.30 + 1.00 | .1566 | ---- | ---- | 1 | ---- | 18 + 1 |
| 5060 | ---- | ---- | 36.80B/31.20A | 36.80B/31.20A | ---- | 32.70 + 0.90 | .1541 | ---- | ---- | ---- | ---- | 29 UNCH |
| 5065 | ---- | ---- | 36.10B/30.70A | 36.10B/30.70A | ---- | 32.20 + 0.90 | .1520 | ---- | ---- | 1 | ---- | 215 + 1 |
| 5070 | ---- | ---- | 35.50B/30.20A | 35.50B/30.20A | ---- | 31.60 + 0.80 | .1496 | ---- | ---- | 8 | ---- | 30 + 4 |
| 5075 | ---- | ---- | 34.90B/29.70A | 34.90B/29.70A | ---- | 31.10 + 0.80 | .1475 | ---- | ---- | ---- | ---- | 135 UNCH |
| 5080 | ---- | ---- | 34.30B/29.20A | 34.30B/29.20A | ---- | 30.60 + 0.80 | .1453 | ---- | ---- | ---- | ---- | 89 UNCH |
| 5085 | ---- | ---- | 33.80B/28.70A | 33.80B/28.70A | ---- | 30.10 + 0.80 | .1432 | ---- | ---- | ---- | ---- | 45 UNCH |
| 5090 | ---- | ---- | 33.20B/28.20A | 33.20B/28.20A | ---- | 29.60 + 0.70 | .1411 | ---- | ---- | ---- | ---- | 10 UNCH |
| 5095 | ---- | ---- | 32.70B/27.70A | 32.70B/27.70A | ---- | 29.10 + 0.70 | .1390 | ---- | ---- | ---- | ---- | 53 UNCH |
| 5100 | ---- | ---- | 32.10B/27.30A | 32.10B/27.30A | ---- | 28.60 + 0.60 | .1369 | ---- | ---- | 12 | ---- | 1009 + 5 |
| 5105 | ---- | ---- | 31.60B/26.80A | 31.60B/26.80A | ---- | 28.10 + 0.50 | .1348 | ---- | ---- | ---- | ---- | 72 UNCH |
| 5110 | ---- | ---- | 31.10B/26.40A | 31.10B/26.40A | ---- | 27.70 + 0.60 | .1330 | ---- | ---- | ---- | ---- | 19 UNCH |
| 5115 | ---- | ---- | 30.60B/25.90A | 30.60B/25.90A | ---- | 27.20 + 0.50 | .1309 | ---- | ---- | 5 | ---- | 30 + 1 |
| 5120 | ---- | ---- | 30.10B/25.50A | 30.10B/25.50A | ---- | 26.80 + 0.50 | .1291 | ---- | ---- | ---- | ---- | 39 UNCH |
| 5125 | ---- | ---- | 29.60B/25.10A | 29.60B/25.10A | ---- | 26.30 + 0.40 | .1270 | ---- | ---- | ---- | ---- | 238 UNCH |
| 5130 | ---- | ---- | 29.10B/24.70A | 29.10B/24.70A | ---- | 25.90 + 0.40 | .1252 | ---- | ---- | ---- | ---- | 36 UNCH |
| 5135 | ---- | ---- | 28.60B/24.30A | 28.60B/24.30A | ---- | 25.50 + 0.40 | .1234 | ---- | ---- | ---- | ---- | 177 UNCH |
| 5140 | ---- | ---- | 28.20B/23.90A | 28.20B/23.90A | ---- | 25.10 + 0.40 | .1217 | ---- | ---- | ---- | ---- | 54 UNCH |
| 5145 | ---- | ---- | 27.70B/23.50A | 27.70B/23.50A | ---- | 24.70 + 0.30 | .1199 | ---- | ---- | ---- | ---- | 66 UNCH |
| 5150 | ---- | ---- | 27.20B/23.10A | 27.20B/23.10A | ---- | 24.30 + 0.30 | .1181 | ---- | ---- | ---- | ---- | 991 UNCH |
| 5155 | ---- | ---- | 26.70B/22.70A | 26.70B/22.70A | ---- | 23.90 + 0.30 | .1164 | ---- | ---- | ---- | ---- | 16 UNCH |
| 5160 | ---- | ---- | 26.40B/22.40A | 26.40B/22.40A | ---- | 23.50 + 0.20 | .1146 | ---- | ---- | ---- | ---- | 12 UNCH |
| 5165 | ---- | ---- | 26.00B/22.00A | 26.00B/22.00A | ---- | 23.10 + 0.20 | .1129 | ---- | ---- | ---- | ---- | 14 UNCH |
| 5170 | 24.30 | 24.30 | 25.50B/21.70A | 25.50B/21.70A | ---- | 22.80 + 0.20 | .1114 | ---- | ---- | 3 | ---- | 10 + 3 |
| 5175 | ---- | ---- | 25.10B/21.30A | 25.10B/21.30A | ---- | 22.40 + 0.10 | .1097 | ---- | ---- | ---- | ---- | 58 UNCH |
| 5180 | 22.80 | 22.80 | 25.00/21.00A | 25.00/21.00A | ---- | 22.10 + 0.20 | .1083 | ---- | ---- | 2 | ---- | 33 + 1 |
| 5185 | ---- | ---- | 24.30B/20.70A | 24.30B/20.70A | ---- | 21.70 + 0.10 | .1065 | ---- | ---- | ---- | ---- | 118 UNCH |
| 5190 | ---- | ---- | 23.90B/20.30A | 23.90B/20.30A | ---- | 21.40 + 0.10 | .1051 | ---- | ---- | ---- | ---- | 5 UNCH |
| 5195 | ---- | ---- | 23.60B/20.00A | 23.60B/20.00A | ---- | 21.10 + 0.10 | .1037 | ---- | ---- | ---- | ---- | 36 UNCH |
| 5200 | ---- | ---- | 23.20B/19.70A | 23.20B/19.70A | ---- | 20.70 UNCH | .1020 | ---- | ---- | 4 | ---- | 1847 - 1 |
| 5205 | ---- | ---- | 22.80B/19.50A | 22.80B/19.50A | ---- | 20.40 UNCH | .1006 | ---- | ---- | ---- | ---- | 45 UNCH |
| 5210 | ---- | ---- | 22.40B/19.20A | 22.40B/19.20A | ---- | 20.10 UNCH | .0992 | ---- | ---- | ---- | ---- | 57 UNCH |
| 5215 | ---- | ---- | 22.10B/18.80A | 22.10B/18.80A | ---- | 19.80 UNCH | .0978 | ---- | ---- | ---- | ---- | 46 UNCH |
| 5220 | ---- | ---- | 21.70B/18.60A | 21.70B/18.60A | ---- | 19.50 UNCH | .0964 | ---- | ---- | ---- | ---- | 21 UNCH |
| 5225 | ---- | ---- | 21.40B/18.20A | 21.40B/18.20A | ---- | 19.20 - 0.10 | .0950 | ---- | ---- | ---- | ---- | 105 UNCH |
| 5230 | ---- | ---- | 21.10B/18.00A | 21.10B/18.00A | ---- | 18.90 - 0.10 | .0937 | ---- | ---- | ---- | ---- | 85 UNCH |
| 5235 | ---- | ---- | 20.80B/17.70A | 20.80B/17.70A | ---- | 18.60 - 0.10 | .0923 | ---- | ---- | ---- | ---- | 4 UNCH |
| 5240 | ---- | ---- | 20.50B/17.50A | 20.50B/17.50A | ---- | 18.30 - 0.20 | .0909 | ---- | ---- | ---- | ---- | 120 UNCH |
| 5245 | ---- | ---- | 20.10B/17.20A | 20.10B/17.20A | ---- | 18.10 - 0.10 | .0899 | ---- | ---- | ---- | ---- | 61 UNCH |
| 5250 | ---- | ---- | 19.80B/16.90A | 19.80B/16.90A | ---- | 17.80 - 0.10 | .0885 | ---- | ---- | ---- | ---- | 704 UNCH |
| 5255 | ---- | ---- | 19.50B/16.70A | 19.50B/16.70A | ---- | 17.50 - 0.20 | .0872 | ---- | ---- | ---- | ---- | 14 UNCH |
| 5260 | ---- | ---- | 19.20B/16.40A | 19.20B/16.40A | ---- | 17.30 - 0.20 | .0861 | ---- | ---- | ---- | ---- | 150 UNCH |
| 5265 | ---- | ---- | 18.90B/16.20A | 18.90B/16.20A | ---- | 17.00 - 0.20 | .0848 | ---- | ---- | ---- | ---- | 4 UNCH |
| 5270 | ---- | ---- | 18.70B/15.90A | 18.70B/15.90A | ---- | 16.80 - 0.20 | .0838 | ---- | ---- | 2 | ---- | 19 UNCH |
| 5275 | 16.30 | 16.30 | 18.40B/15.70A | 18.40B/15.70A | ---- | 16.50 - 0.30 | .0824 | ---- | ---- | 1 | ---- | 30 UNCH |
| 5280 | ---- | ---- | 18.10B/15.50A | 18.10B/15.50A | ---- | 16.30 - 0.20 | .0814 | ---- | ---- | ---- | ---- | 5 UNCH |
| 5285 | ---- | ---- | 17.80B/15.30A | 17.80B/15.30A | ---- | 16.10 - 0.20 | .0804 | ---- | ---- | ---- | ---- | 19 UNCH |
| 5290 | ---- | ---- | 17.60B/15.10A | 17.60B/15.10A | ---- | 15.80 - 0.30 | .0791 | ---- | ---- | ---- | ---- | 43 UNCH |
| 5295 | ---- | ---- | 17.30B/14.90A | 17.30B/14.90A | ---- | 15.60 - 0.30 | .0781 | ---- | ---- | ---- | ---- | 79 UNCH |
| 5300 | 16.00 | 16.00 | 17.10B/14.70A | 17.10B/14.70A | ---- | 15.40 - 0.30 | .0771 | ---- | ---- | 1 | ---- | 1364 - 1 |
| 5305 | 15.10 | 15.10 | 16.80B/14.40A | 16.80B/14.40A | ---- | 15.20 - 0.30 | .0761 | ---- | ---- | 1 | ---- | 65 - 1 |
| 5310 | ---- | ---- | 16.60B/14.20A | 16.60B/14.20A | ---- | 15.00 - 0.30 | .0751 | ---- | ---- | ---- | ---- | 19 UNCH |
| 5315 | ---- | ---- | 16.30B/14.00A | 16.30B/14.00A | ---- | 14.80 - 0.30 | .0742 | ---- | ---- | ---- | ---- | 28 UNCH |
| 5320 | ---- | ---- | 16.10B/13.80A | 16.10B/13.80A | ---- | 14.60 - 0.30 | .0732 | ---- | ---- | ---- | ---- | 57 UNCH |
| 5325 | ---- | ---- | 15.90B/13.70A | 15.90B/13.70A | ---- | 14.40 - 0.30 | .0722 | ---- | ---- | ---- | ---- | 181 UNCH |
| 5330 | ---- | ---- | 15.60B/13.50A | 15.60B/13.50A | ---- | 14.20 - 0.30 | .0712 | ---- | ---- | ---- | ---- | 13 UNCH |
| 5335 | ---- | ---- | 15.40B/13.30A | 15.40B/13.30A | ---- | 14.00 - 0.30 | .0703 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5340 | ---- | ---- | 15.20B/13.20A | 15.20B/13.20A | ---- | 13.80 - 0.30 | .0693 | ---- | ---- | ---- | ---- | 30 UNCH |
| 5345 | ---- | ---- | 15.00B/12.90A | 15.00B/12.90A | ---- | 13.60 - 0.30 | .0684 | ---- | ---- | ---- | ---- | 42 UNCH |
| 5350 | ---- | ---- | 14.80B/12.80A | 14.80B/12.80A | ---- | 13.40 - 0.40 | .0674 | ---- | ---- | ---- | ---- | 684 UNCH |
| 5355 | ---- | ---- | 14.60B/12.70A | 14.60B/12.70A | ---- | 13.30 - 0.30 | .0668 | ---- | ---- | ---- | ---- | 108 UNCH |
| 5360 | ---- | ---- | 14.40B/12.40A | 14.40B/12.40A | ---- | 13.10 - 0.30 | .0658 | ---- | ---- | ---- | ---- | 328 UNCH |
| 5365 | 13.20 | 13.20 | 14.20B/12.30A | 14.20B/12.30A | ---- | 12.90 - 0.30 | .0649 | ---- | ---- | 6 | ---- | 147 UNCH |
| 5370 | ---- | ---- | 14.00B/12.20A | 14.00B/12.20A | ---- | 12.80 - 0.30 | .0643 | ---- | ---- | ---- | ---- | 25 UNCH |
| 5375 | ---- | ---- | 13.80B/12.00A | 13.80B/12.00A | ---- | 12.60 - 0.30 | .0634 | ---- | ---- | ---- | ---- | 22 UNCH |
| 5380 | ---- | ---- | 13.60B/11.90A | 13.60B/11.90A | ---- | 12.40 - 0.40 | .0624 | ---- | ---- | ---- | ---- | 8 UNCH |
| 5385 | 11.60 | 11.60 | 13.40B/11.60 | 13.40B/11.60 | ---- | 12.30 - 0.30 | .0618 | ---- | ---- | 1 | ---- | 17 + 1 |
| 5390 | ---- | ---- | 13.20B/11.60A | 13.20B/11.60A | ---- | 12.10 - 0.40 | .0609 | ---- | ---- | ---- | ---- | 13 UNCH |
| 5395 | ---- | ---- | 13.10B/11.40A | 13.10B/11.40A | ---- | 12.00 - 0.30 | .0603 | ---- | ---- | ---- | ---- | 24 UNCH |
| 5400 | ---- | ---- | 12.90B/11.30A | 12.90B/11.30A | ---- | 11.80 - 0.40 | .0594 | ---- | ---- | ---- | ---- | 3016 UNCH |
| 5405 | ---- | ---- | 12.70B/11.20A | 12.70B/11.20A | ---- | 11.70 - 0.30 | .0588 | ---- | ---- | ---- | ---- | 13 UNCH |
| 5410 | ---- | ---- | 12.60B/11.00A | 12.60B/11.00A | ---- | 11.50 - 0.40 | .0579 | ---- | ---- | ---- | ---- | 24 UNCH |
| 5415 | ---- | ---- | 12.40B/10.90A | 12.40B/10.90A | ---- | 11.40 - 0.30 | .0573 | ---- | ---- | ---- | ---- | 16 UNCH |
| 5420 | ---- | ---- | 12.20B/10.70A | 12.20B/10.70A | ---- | 11.30 - 0.30 | .0568 | ---- | ---- | ---- | ---- | 29 UNCH |
| 5425 | ---- | ---- | 12.10B/10.60A | 12.10B/10.60A | ---- | 11.10 - 0.40 | .0559 | ---- | ---- | ---- | ---- | 27 UNCH |
| 5430 | ---- | ---- | 11.90B/10.50A | 11.90B/10.50A | ---- | 11.00 - 0.30 | .0553 | ---- | ---- | ---- | ---- | 11 UNCH |
| 5435 | ---- | ---- | 11.80B/10.40A | 11.80B/10.40A | ---- | 10.90 - 0.30 | .0548 | ---- | ---- | ---- | ---- | 7 UNCH |
| 5440 | ---- | ---- | 11.60B/10.20A | 11.60B/10.20A | ---- | 10.70 - 0.40 | .0538 | ---- | ---- | ---- | ---- | 17 UNCH |
| 5445 | ---- | ---- | 11.50B/10.10A | 11.50B/10.10A | ---- | 10.60 - 0.30 | .0533 | ---- | ---- | ---- | ---- | 24 UNCH |
| 5450 | ---- | ---- | 11.30B/10.00A | 11.30B/10.00A | ---- | 10.50 - 0.30 | .0528 | ---- | ---- | ---- | ---- | 1159 UNCH |
| 5455 | ---- | ---- | 11.20B/9.90A | 11.20B/9.90A | ---- | 10.40 - 0.30 | .0522 | ---- | ---- | ---- | ---- | 36 UNCH |
| 5460 | ---- | ---- | 11.00B/9.80A | 11.00B/9.80A | ---- | 10.30 - 0.30 | .0517 | ---- | ---- | ---- | ---- | 24 UNCH |
| 5465 | ---- | ---- | 10.90B/9.70A | 10.90B/9.70A | ---- | 10.20 - 0.30 | .0511 | ---- | ---- | ---- | ---- | 18 UNCH |
| 5470 | ---- | ---- | 10.80B/9.50A | 10.80B/9.50A | ---- | 10.00 - 0.30 | .0502 | ---- | ---- | 1 | ---- | 28 UNCH |
| 5475 | ---- | ---- | 10.60B/9.40A | 10.60B/9.40A | ---- | 9.90 - 0.30 | .0497 | ---- | ---- | ---- | ---- | 206 UNCH |
| 5480 | ---- | ---- | 10.50B/9.30A | 10.50B/9.30A | ---- | 9.80 - 0.30 | .0492 | ---- | ---- | ---- | ---- | 5 UNCH |
| 5485 | ---- | ---- | 10.40B/9.20A | 10.40B/9.20A | ---- | 9.70 - 0.30 | .0486 | ---- | ---- | ---- | ---- | 9 UNCH |
| 5490 | ---- | ---- | 10.30B/9.10A | 10.30B/9.10A | ---- | 9.60 - 0.30 | .0481 | ---- | ---- | ---- | ---- | 20 UNCH |
| 5495 | ---- | ---- | 10.10B/9.10A | 10.10B/9.10A | ---- | 9.50 - 0.30 | .0476 | ---- | ---- | ---- | ---- | 4 UNCH |
| 5500 | ---- | ---- | 10.00B/9.00A | 10.00B/9.00A | ---- | 9.40 - 0.30 | .0471 | ---- | ---- | 260 | ---- | 2298 + 131 |
| 5505 | ---- | ---- | 9.90B/8.90A | 9.90B/8.90A | ---- | 9.30 - 0.30 | .0466 | ---- | ---- | ---- | ---- | 6 UNCH |
| 5510 | ---- | ---- | 9.80B/8.80A | 9.80B/8.80A | ---- | 9.20 - 0.30 | .0460 | ---- | ---- | ---- | ---- | 13 UNCH |
| 5515 | ---- | ---- | 9.70B/8.70A | 9.70B/8.70A | ---- | 9.10 - 0.30 | .0455 | ---- | ---- | ---- | ---- | 17 UNCH |
| 5520 | ---- | ---- | 9.60B/8.60A | 9.60B/8.60A | ---- | 9.00 - 0.30 | .0450 | ---- | ---- | ---- | ---- | 12 UNCH |
| 5525 | ---- | ---- | 9.50B/8.50A | 9.50B/8.50A | ---- | 8.90 - 0.30 | .0445 | ---- | ---- | ---- | ---- | 91 UNCH |
| 5530 | 9.30 | 9.30 | 9.40B/8.50A | 9.40B/8.50A | ---- | 8.80 - 0.30 | .0440 | ---- | ---- | 2 | ---- | 29 + 2 |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OG CALL | | COMEX GOLD OPTIONS | | | | | | | | | | |
| JUL26 | | | | | | | | | | | | |
| 5535 | ---- | ---- | 9.30B/8.40A | 9.30B/8.40A | ---- | 8.70 - 0.30 | .0435 | ---- | ---- | ---- | ---- | 12 UNCH |
| 5540 | ---- | ---- | 9.20B/8.30A | 9.20B/8.30A | ---- | 8.60 - 0.30 | .0430 | ---- | ---- | ---- | ---- | 16 UNCH |
| 5545 | ---- | ---- | 9.10B/8.20A | 9.10B/8.20A | ---- | 8.60 - 0.20 | .0428 | ---- | ---- | ---- | ---- | 17 UNCH |
| 5550 | ---- | ---- | 9.00B/8.10A | 9.00B/8.10A | ---- | 8.50 - 0.20 | .0423 | ---- | ---- | ---- | ---- | 202 UNCH |
| 5555 | ---- | ---- | 8.90B/8.00A | 8.90B/8.00A | ---- | 8.40 - 0.20 | .0418 | ---- | ---- | ---- | ---- | 34 UNCH |
| 5560 | ---- | ---- | 8.80B/8.00A | 8.80B/8.00A | ---- | 8.30 - 0.20 | .0413 | ---- | ---- | ---- | ---- | 23 UNCH |
| 5565 | ---- | ---- | 8.70B/7.90A | 8.70B/7.90A | ---- | 8.20 - 0.30 | .0408 | ---- | ---- | ---- | ---- | 12 UNCH |
| 5570 | ---- | ---- | 8.60B/7.80A | 8.60B/7.80A | ---- | 8.10 - 0.30 | .0403 | ---- | ---- | ---- | ---- | 4 UNCH |
| 5575 | ---- | ---- | 8.50B/7.70A | 8.50B/7.70A | ---- | 8.10 - 0.20 | .0402 | ---- | ---- | ---- | ---- | 31 UNCH |
| 5580 | ---- | ---- | 8.40B/7.70A | 8.40B/7.70A | ---- | 8.00 - 0.20 | .0397 | ---- | ---- | ---- | ---- | 7 UNCH |
| 5585 | ---- | ---- | 8.40B/7.60A | 8.40B/7.60A | ---- | 7.90 - 0.20 | .0392 | ---- | ---- | ---- | ---- | 19 UNCH |
| 5590 | ---- | ---- | 8.30B/7.50A | 8.30B/7.50A | ---- | 7.80 - 0.30 | .0387 | ---- | ---- | ---- | ---- | 5 UNCH |
| 5595 | ---- | ---- | 8.20B/7.40A | 8.20B/7.40A | ---- | 7.80 - 0.20 | .0386 | ---- | ---- | ---- | ---- | 19 UNCH |
| 5600 | ---- | ---- | 8.10B/7.40A | 8.10B/7.40A | ---- | 7.70 - 0.20 | .0381 | ---- | ---- | 2 | ---- | 2096 UNCH |
| 5605 | ---- | ---- | 8.00B/7.30A | 8.00B/7.30A | ---- | 7.60 - 0.20 | .0377 | ---- | ---- | ---- | ---- | 32 UNCH |
| 5610 | 7.80 | 7.80 | 8.00B/7.20A | 8.00B/7.20A | ---- | 7.60 - 0.20 | .0375 | ---- | ---- | 5 | ---- | 10 + 5 |
| 5620 | ---- | ---- | 7.80B/7.10A | 7.80B/7.10A | ---- | 7.40 - 0.20 | .0366 | ---- | ---- | ---- | ---- | 5 UNCH |
| 5625 | ---- | ---- | 7.70B/7.00A | 7.70B/7.00A | ---- | 7.30 - 0.20 | .0361 | ---- | ---- | ---- | ---- | 9 UNCH |
| 5630 | ---- | ---- | 7.70B/7.00A | 7.70B/7.00A | ---- | 7.30 - 0.20 | .0360 | ---- | ---- | ---- | ---- | 5 UNCH |
| 5635 | ---- | ---- | 7.60B/6.90A | 7.60B/6.90A | ---- | 7.20 - 0.20 | .0355 | ---- | ---- | ---- | ---- | 12 UNCH |
| 5640 | ---- | ---- | 7.50B/6.90A | 7.50B/6.90A | ---- | 7.20 - 0.10 | .0354 | ---- | ---- | ---- | ---- | 8 UNCH |
| 5650 | ---- | ---- | 7.40B/6.70A | 7.40B/6.70A | ---- | 7.00 - 0.20 | .0345 | ---- | ---- | ---- | ---- | 394 UNCH |
| 5660 | ---- | ---- | 7.20B/6.60A | 7.20B/6.60A | ---- | 6.90 - 0.20 | .0339 | ---- | ---- | ---- | ---- | 7 UNCH |
| 5670 | ---- | ---- | 7.10B/6.50A | 7.10B/6.50A | ---- | 6.80 - 0.10 | .0333 | ---- | ---- | ---- | ---- | 11 UNCH |
| 5675 | ---- | ---- | 7.00B/6.50A | 7.00B/6.50A | ---- | 6.70 - 0.20 | .0329 | ---- | ---- | ---- | ---- | 7 UNCH |
| 5680 | ---- | ---- | 7.00B/6.40A | 7.00B/6.40A | ---- | 6.70 - 0.10 | .0328 | ---- | ---- | ---- | ---- | 6 UNCH |
| 5690 | ---- | ---- | 6.80B/6.30A | 6.80B/6.30A | ---- | 6.60 - 0.10 | .0322 | ---- | ---- | ---- | ---- | 21 UNCH |
| 5700 | ---- | ---- | 6.70B/6.20A | 6.70B/6.20A | ---- | 6.40 - 0.20 | .0313 | ---- | ---- | 1 | ---- | 959 UNCH |
| 5710 | ---- | ---- | 6.60B/6.10A | 6.60B/6.10A | ---- | 6.30 - 0.20 | .0308 | ---- | ---- | ---- | ---- | 22 UNCH |
| 5720 | ---- | ---- | 6.50B/6.00A | 6.50B/6.00A | ---- | 6.20 - 0.20 | .0302 | ---- | ---- | ---- | ---- | 17 UNCH |
| 5725 | ---- | ---- | 6.40B/6.00A | 6.40B/6.00A | ---- | 6.20 - 0.10 | .0301 | ---- | ---- | ---- | ---- | 57 UNCH |
| 5730 | ---- | ---- | 6.40B/5.90A | 6.40B/5.90A | ---- | 6.10 - 0.20 | .0297 | ---- | ---- | ---- | ---- | 9 UNCH |
| 5740 | ---- | ---- | 6.30B/5.80A | 6.30B/5.80A | ---- | 6.00 - 0.20 | .0291 | ---- | ---- | ---- | ---- | 9 UNCH |
| 5750 | ---- | ---- | 6.20B/5.70A | 6.20B/5.70A | ---- | 5.90 - 0.20 | .0286 | ---- | ---- | ---- | ---- | 989 UNCH |
| 5760 | ---- | ---- | 6.10B/5.70A | 6.10B/5.70A | ---- | 5.80 - 0.20 | .0281 | ---- | ---- | ---- | ---- | 168 UNCH |
| 5770 | ---- | ---- | 6.00B/5.60A | 6.00B/5.60A | ---- | 5.80 - 0.10 | .0279 | ---- | ---- | ---- | ---- | 4 UNCH |
| 5775 | ---- | ---- | 5.90B/5.50A | 5.90B/5.50A | ---- | 5.70 - 0.10 | .0275 | ---- | ---- | ---- | ---- | 215 UNCH |
| 5780 | 5.80 | 5.80 | 5.90B/5.50A | 5.90B/5.50A | ---- | 5.70 - 0.10 | .0274 | ---- | ---- | 1 | ---- | 2 UNCH |
| 5790 | ---- | ---- | 5.80B/5.40A | 5.80B/5.40A | ---- | 5.60 - 0.10 | .0269 | ---- | ---- | ---- | ---- | 9 UNCH |
| 5800 | ---- | ---- | 5.70B/5.30A | 5.70B/5.30A | ---- | 5.50 - 0.10 | .0264 | ---- | ---- | ---- | ---- | 830 UNCH |
| 5810 | ---- | ---- | 5.60B/5.30A | 5.60B/5.30A | ---- | 5.40 - 0.10 | .0259 | ---- | ---- | ---- | ---- | 11 UNCH |
| 5820 | ---- | ---- | 5.60B/5.20A | 5.60B/5.20A | ---- | 5.30 - 0.20 | .0254 | ---- | ---- | ---- | ---- | 207 UNCH |
| 5825 | ---- | ---- | 5.50B/5.20A | 5.50B/5.20A | ---- | 5.30 - 0.10 | .0253 | ---- | ---- | ---- | ---- | 19 UNCH |
| 5830 | ---- | ---- | ----/*5.10A | 5.40B/5.10A | ---- | 5.20 - 0.20 | .0249 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5840 | ---- | ---- | ----/5.10A | 5.30B/5.10A | ---- | 5.20 - 0.10 | .0248 | ---- | ---- | ---- | ---- | 102 UNCH |
| 5850 | ---- | ---- | 5.30B/5.00A | 5.30B/5.00A | ---- | 5.10 - 0.10 | .0243 | ---- | ---- | ---- | ---- | 109 UNCH |
| 5860 | 5.30 | 5.30 | 5.30/4.90A | 5.30/4.90A | ---- | 5.00 - 0.10 | .0238 | ---- | ---- | 2 | ---- | 107 + 2 |
| 5870 | ---- | ---- | ----/4.90A | 5.10B/4.90A | ---- | 4.90 - 0.20 | .0233 | ---- | ---- | ---- | ---- | 15 UNCH |
| 5875 | ---- | ---- | ----/*4.80A | 5.00B/4.80A | ---- | 4.90 - 0.10 | .0233 | ---- | ---- | ---- | ---- | 22 UNCH |
| 5880 | ---- | ---- | ----/4.80A | 5.00B/4.80A | ---- | 4.90 - 0.10 | .0232 | ---- | ---- | ---- | ---- | 11 UNCH |
| 5890 | ---- | ---- | ----/4.80A | 4.90B/4.80A | ---- | 4.80 - 0.10 | .0227 | ---- | ---- | ---- | ---- | 9 UNCH |
| 5900 | ---- | ---- | ----/4.70A | 4.90B/4.70A | ---- | 4.70 - 0.20 | .0222 | ---- | ---- | 1 | ---- | 429 UNCH |
| 5910 | ---- | ---- | ----/*4.60A | 4.80B/4.60A | ---- | 4.70 - 0.10 | .0221 | ---- | ---- | ---- | ---- | 6 UNCH |
| 5920 | ---- | ---- | ----/4.60A | 4.70B/4.60A | ---- | 4.60 - 0.10 | .0217 | ---- | ---- | 8 | ---- | 19 - 6 |
| 5925 | ---- | ---- | ----/4.60A | 4.70B/4.60A | ---- | 4.60 - 0.10 | .0216 | ---- | ---- | ---- | ---- | 6 UNCH |
| 5940 | ---- | ---- | ----/*4.40A | 4.60B/4.40A | ---- | 4.50 - 0.10 | .0211 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5950 | ---- | ---- | ----/*4.10A | 4.60B/*4.10A | ---- | 4.40 - 0.20 | .0206 | ---- | ---- | ---- | ---- | 46 UNCH |
| 5960 | ---- | ---- | ----/4.40A | 4.50B/4.40A | ---- | 4.40 - 0.10 | .0205 | ---- | ---- | ---- | ---- | 15 UNCH |
| 5970 | ---- | ---- | 4.50B/4.30A | 4.50B/4.30A | ---- | 4.30 - 0.10 | .0201 | ---- | ---- | ---- | ---- | 55 UNCH |
| 5980 | ---- | ---- | ----/4.30A | 4.40B/4.30A | ---- | 4.30 - 0.10 | .0200 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5990 | ---- | ---- | ---- | 4.30B/4.30A | ---- | 4.20 - 0.10 | .0195 | ---- | ---- | ---- | ---- | 70 UNCH |
| 6000 | 4.30 | 4.30 | 4.30/4.20A | 4.30/4.20A | ---- | 4.20 - 0.10 | .0194 | ---- | ---- | 10 | ---- | 2178 - 9 |
| 6025 | ---- | ---- | 4.20B/---- | 4.20B/4.10A | ---- | 4.10 UNCH | .0188 | ---- | ---- | ---- | ---- | 30 UNCH |
| 6050 | ---- | ---- | ---- | 4.00B/4.00A | ---- | 4.00 UNCH | .0183 | ---- | ---- | ---- | ---- | 40 UNCH |
| 6075 | ---- | ---- | ---- | 3.90B/3.90A | ---- | 3.90 UNCH | .0177 | ---- | ---- | ---- | ---- | 90 UNCH |
| 6100 | ---- | ---- | ---- | 3.80B/3.80A | ---- | 3.80 UNCH | .0172 | ---- | ---- | ---- | ---- | 295 UNCH |
| 6125 | ---- | ---- | ---- | 3.70B/3.80A | ---- | 3.80 + 0.10 | .0170 | ---- | ---- | 8 | ---- | 59 UNCH |
| 6150 | 3.80 | 3.80 | 3.80/3.80 | 3.80/3.70A | ---- | 3.70 + 0.10 | .0165 | ---- | ---- | 6 | ---- | 881 UNCH |
| 6175 | ---- | ---- | ---- | 3.50B/3.60A | ---- | 3.60 + 0.10 | .0160 | ---- | ---- | ---- | ---- | 37 UNCH |
| 6200 | ---- | ---- | ---- | 3.40B/3.50A | ---- | 3.50 + 0.10 | .0154 | ---- | ---- | ---- | ---- | 550 UNCH |
| 6225 | ---- | ---- | 3.40B/---- | 3.40B/3.40A | ---- | 3.40 + 0.10 | .0149 | ---- | ---- | ---- | ---- | 22 UNCH |
| 6250 | ---- | ---- | 3.30B/---- | 3.30B/3.40A | ---- | 3.40 + 0.20 | .0148 | ---- | ---- | ---- | ---- | 394 UNCH |
| 6275 | ---- | ---- | ---- | 3.20B/3.30A | ---- | 3.30 + 0.10 | .0143 | ---- | ---- | ---- | ---- | 3 UNCH |
| 6300 | ---- | ---- | ---- | 3.10B/3.30A | ---- | 3.20 + 0.10 | .0138 | ---- | ---- | ---- | ---- | 336 UNCH |
| 6325 | ---- | ---- | 3.10B/---- | 3.10B/3.20A | ---- | 3.10 + 0.10 | .0134 | ---- | ---- | 5 | ---- | 29 - 5 |
| 6350 | ---- | ---- | ---- | 3.00B/3.10A | ---- | 3.10 + 0.10 | .0132 | ---- | ---- | ---- | ---- | 26 UNCH |
| 6375 | ---- | ---- | ---- | 2.90B/3.10A | ---- | 3.00 + 0.10 | .0128 | ---- | ---- | ---- | ---- | 37 UNCH |
| 6400 | ---- | ---- | 2.90B/---- | 2.90B/3.00A | ---- | 2.90 + 0.10 | .0123 | ---- | ---- | 16 | ---- | 171 - 12 |
| 6425 | ---- | ---- | ---- | 2.80B/2.90A | ---- | 2.90 + 0.10 | .0122 | ---- | ---- | 5 | ---- | 17 UNCH |
| 6450 | ---- | ---- | 2.80B/---- | 2.80B/2.90A | ---- | 2.80 + 0.10 | .0118 | ---- | ---- | ---- | ---- | 48 UNCH |
| 6475 | ---- | ---- | ---- | 2.70B/2.80A | ---- | 2.70 UNCH | .0113 | ---- | ---- | ---- | ---- | 14 UNCH |
| 6500 | ---- | ---- | ---- | 2.60B/2.80A | ---- | 2.70 + 0.10 | .0112 | ---- | ---- | ---- | ---- | 650 UNCH |
| 6525 | ---- | ---- | ---- | 2.60B/2.70A | ---- | 2.60 UNCH | .0108 | ---- | ---- | ---- | ---- | 132 UNCH |
| 6550 | ---- | ---- | ---- | 2.50B/2.60A | ---- | 2.60 + 0.10 | .0107 | ---- | ---- | ---- | ---- | 1 UNCH |
| 6575 | ---- | ---- | ---- | 2.50B/2.60A | ---- | 2.50 UNCH | .0103 | ---- | ---- | ---- | ---- | 4 UNCH |
| 6600 | ---- | ---- | ---- | 2.40B/2.60A | ---- | 2.40 UNCH | .0099 | ---- | ---- | ---- | ---- | 27 UNCH |
| 6650 | ---- | ---- | ---- | 2.30B/2.50A | ---- | 2.30 - 0.10 | .0094 | ---- | ---- | ---- | ---- | 16 UNCH |
| 6675 | ---- | ---- | ---- | 2.30B/2.50A | ---- | 2.30 UNCH | .0093 | ---- | ---- | ---- | ---- | 1 UNCH |
| 6700 | ---- | ---- | ---- | 2.20B/2.40A | ---- | 2.30 UNCH | .0092 | ---- | ---- | ---- | ---- | 127 UNCH |
| 6775 | ---- | ---- | ---- | 2.10B/2.30A | ---- | 2.10 - 0.10 | .0084 | ---- | ---- | 1 | ---- | 1 UNCH |
| 6800 | ---- | ---- | ---- | 2.10B/2.30A | ---- | 2.10 UNCH | .0083 | ---- | ---- | ---- | ---- | 201 UNCH |
| 6825 | ---- | ---- | ---- | 2.00B/2.20A | ---- | 2.00 - 0.10 | .0079 | ---- | ---- | ---- | ---- | 19 UNCH |
| 6850 | ---- | ---- | ---- | 2.00B/2.20A | ---- | 2.00 - 0.10 | .0079 | ---- | ---- | ---- | ---- | 201 UNCH |
| 6875 | ---- | ---- | ---- | 2.00B/2.10A | ---- | 2.00 UNCH | .0078 | ---- | ---- | ---- | ---- | 22 UNCH |
| 6900 | ---- | ---- | ---- | 2.00B/2.10A | ---- | 1.90 - 0.10 | .0075 | ---- | ---- | ---- | ---- | 19 UNCH |
| 6925 | ---- | ---- | ---- | 1.90B/2.10A | ---- | 1.90 UNCH | .0074 | ---- | ---- | ---- | ---- | 1 UNCH |
| 6950 | ---- | ---- | ---- | 1.90B/2.00A | ---- | 1.90 UNCH | .0074 | ---- | ---- | ---- | ---- | 22 UNCH |
| 6975 | ---- | ---- | ---- | 1.90B/2.00A | ---- | 1.80 - 0.10 | .0070 | ---- | ---- | ---- | ---- | 10 UNCH |
| 7000 | ---- | ---- | ---- | 1.80B/2.00A | ---- | 1.80 UNCH | .0069 | ---- | ---- | 1 | ---- | 1119 - 1 |
| 7050 | ---- | ---- | ---- | 1.80B/1.90A | ---- | 1.70 - 0.10 | .0065 | ---- | ---- | ---- | ---- | 18 UNCH |
| 7075 | ---- | ---- | ---- | 1.70B/1.90A | ---- | 1.70 - 0.10 | .0065 | ---- | ---- | ---- | ---- | 13 UNCH |
| 7100 | ---- | ---- | ---- | 1.70B/1.80A | ---- | 1.70 UNCH | .0064 | ---- | ---- | ---- | ---- | 28 UNCH |
| 7125 | ---- | ---- | ---- | 1.70B/1.80A | ---- | 1.70 UNCH | .0064 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7150 | ---- | ---- | ---- | 1.60B/1.80A | ---- | 1.60 - 0.10 | .0061 | ---- | ---- | ---- | ---- | 19 UNCH |
| 7175 | ---- | ---- | ---- | 1.60B/1.70A | ---- | 1.60 UNCH | .0060 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7200 | ---- | ---- | ---- | 1.60B/1.70A | ---- | 1.60 UNCH | .0060 | ---- | ---- | ---- | ---- | 3 UNCH |
| 7225 | ---- | ---- | ---- | 1.60B/1.70A | ---- | 1.50 - 0.10 | .0056 | ---- | ---- | ---- | ---- | 22 UNCH |
| 7250 | ---- | ---- | ---- | 1.50B/1.70A | ---- | 1.50 - 0.10 | .0056 | ---- | ---- | ---- | ---- | 23 UNCH |
| 7275 | ---- | ---- | ---- | 1.50B/1.60A | ---- | 1.50 UNCH | .0056 | ---- | ---- | ---- | ---- | 14 UNCH |
| 7300 | ---- | ---- | ---- | 1.50B/1.60A | ---- | 1.50 UNCH | .0055 | ---- | ---- | ---- | ---- | 50 UNCH |
| 7350 | ---- | ---- | ---- | 1.40B/1.60A | ---- | 1.40 - 0.10 | .0052 | ---- | ---- | ---- | ---- | 8 UNCH |
| 7400 | ---- | ---- | ---- | 1.40B/1.50A | ---- | 1.40 UNCH | .0051 | ---- | ---- | ---- | ---- | 2 UNCH |
| 7425 | ---- | ---- | ---- | 1.40B/1.50A | ---- | 1.40 UNCH | .0051 | ---- | ---- | ---- | ---- | 19 UNCH |
| 7450 | ---- | ---- | ---- | 1.30B/1.50A | ---- | 1.30 - 0.10 | .0047 | ---- | ---- | ---- | ---- | 28 UNCH |
| 7475 | ---- | ---- | ---- | 1.30B/*1.40A | ---- | 1.30 - 0.10 | .0047 | ---- | ---- | ---- | ---- | 9 UNCH |
| 7500 | ---- | ---- | ---- | 1.40B/1.40A | ---- | 1.30 - 0.10 | .0047 | ---- | ---- | ---- | ---- | 300 UNCH |
| 7525 | ---- | ---- | ---- | 1.30B/1.40A | ---- | 1.30 UNCH | .0047 | ---- | ---- | ---- | ---- | 33 UNCH |
| 7550 | ---- | ---- | ---- | 1.20B/1.40A | ---- | 1.20 - 0.10 | .0043 | ---- | ---- | ---- | ---- | 50 UNCH |
| 7575 | ---- | ---- | ---- | 1.20B/*1.30A | ---- | 1.20 - 0.10 | .0043 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7600 | ---- | ---- | ---- | 1.20B/1.30A | ---- | 1.20 - 0.10 | .0043 | ---- | ---- | ---- | ---- | 10 UNCH |
| 7625 | ---- | ---- | ---- | 1.20B/1.30A | ---- | 1.20 - 0.10 | .0043 | ---- | ---- | ---- | ---- | 12 UNCH |
| 7700 | ---- | ---- | ---- | 1.10B/1.30A | ---- | 1.10 - 0.10 | .0039 | ---- | ---- | ---- | ---- | 11 UNCH |
| 7725 | ---- | ---- | ---- | 1.10B/1.30A | ---- | 1.10 - 0.10 | .0039 | ---- | ---- | ---- | ---- | 11 UNCH |
| 7750 | ---- | ---- | ---- | 1.10B/1.30A | ---- | 1.10 - 0.10 | .0039 | ---- | ---- | ---- | ---- | 6 UNCH |
| 7775 | ---- | ---- | ---- | 1.10B/1.30A | ---- | 1.10 - 0.10 | .0038 | ---- | ---- | ---- | ---- | 6 UNCH |
| 7800 | ---- | ---- | ---- | 1.00B/1.30A | ---- | 1.00 - 0.20 | .0035 | ---- | ---- | ---- | ---- | 5 UNCH |
| 7825 | ---- | ---- | ---- | 1.00B/1.30A | ---- | 1.00 - 0.10 | .0035 | ---- | ---- | ---- | ---- | 13 UNCH |
| 7875 | ---- | ---- | ---- | 1.00B/1.20A | ---- | 1.00 - 0.10 | .0035 | ---- | ---- | ---- | ---- | 151 UNCH |
| 7900 | ---- | ---- | ---- | 1.00B/1.20A | ---- | 1.00 - 0.10 | .0035 | ---- | ---- | ---- | ---- | 1 UNCH |
| 8000 | ---- | ---- | ---- | 0.90B/1.10A | ---- | 0.90 - 0.10 | .0031 | ---- | ---- | ---- | ---- | 750 UNCH |
| 8100 | ---- | ---- | ---- | 0.80B/1.10A | ---- | 0.90 UNCH | .0030 | ---- | ---- | ---- | ---- | 7 UNCH |
| 8300 | ---- | ---- | ---- | 0.70B/1.00A | ---- | 0.80 UNCH | .0027 | ---- | ---- | ---- | ---- | 4 UNCH |
| 8500 | ---- | ---- | ---- | 0.60B/0.90A | ---- | 0.70 UNCH | .0023 | ---- | ---- | ---- | ---- | 30 UNCH |
| 8600 | ---- | ---- | ---- | 0.60B/*0.80A | ---- | 0.70 UNCH | .0023 | ---- | ---- | ---- | ---- | 1 UNCH |
| 8700 | ---- | ---- | ---- | 0.50B/0.80A | ---- | 0.70 + 0.10 | .0022 | ---- | ---- | ---- | ---- | 24 UNCH |
| 8800 | ---- | ---- | ---- | 0.50B/0.80A | ---- | 0.70 + 0.10 | .0022 | ---- | ---- | ---- | ---- | 7 UNCH |
| 9000 | ---- | ---- | ---- | 0.40B/0.70A | ---- | 0.70 + 0.20 | .0021 | ---- | ---- | ---- | ---- | 241 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OG CALL | | COMEX GOLD OPTIONS | | | | | | | | | | |
| JUL26 | | | | | | | | | | | | |
| 9200 | ---- | ---- | ---- | 0.40B/*0.60A | ---- | 0.60 + 0.10 | .0018 | ---- | ---- | ---- | ---- | 11 UNCH |
| 9300 | ---- | ---- | ---- | 0.30B/0.60A | ---- | 0.60 + 0.10 | .0018 | ---- | ---- | ---- | ---- | 4 UNCH |
| 9400 | ---- | ---- | ---- | 0.30B/0.60A | ---- | 0.60 + 0.10 | .0018 | ---- | ---- | ---- | ---- | 141 UNCH |
| 9500 | ---- | ---- | ---- | 0.30B/*0.50A | ---- | 0.60 + 0.20 | .0017 | ---- | ---- | ---- | ---- | 66 UNCH |
| 9900 | ---- | ---- | ---- | 0.20B/0.50A | ---- | 0.60 + 0.20 | .0017 | ---- | ---- | ---- | ---- | 5 UNCH |
| 10000 | 0.50 | 0.50 | 0.50/0.40A | 0.50/0.40A | ---- | 0.60 + 0.30 | .0017 | ---- | ---- | 2 | ---- | 173 UNCH |
| 10100 | ---- | ---- | ---- | 0.20B/*0.40A | ---- | 0.60 + 0.30 | .0016 | ---- | ---- | ---- | ---- | 12 UNCH |
| 11000 | ---- | ---- | ---- | ----/0.30A | ---- | 0.30 + 0.10 | .0008 | ---- | ---- | ---- | ---- | 103 UNCH |
| 11200 | ---- | ---- | ---- | ----/0.30A | ---- | 0.30 + 0.10 | .0008 | ---- | ---- | ---- | ---- | 13 UNCH |
| 11500 | ---- | ---- | ---- | ----/0.30A | ---- | 0.30 + 0.20 | .0008 | ---- | ---- | ---- | ---- | 47 UNCH |
| 11600 | ---- | ---- | ---- | ----/0.30A | ---- | 0.20 + 0.10 | .0005 | ---- | ---- | ---- | ---- | 50 UNCH |
| 12000 | ---- | ---- | ---- | ----/0.20A | ---- | 0.10 UNCH | .0002 | ---- | ---- | ---- | ---- | 217 UNCH |
| TOTAL | | | | | | | | | | 2098 | | 60838 + 9 |
| AUG26 | | | | | | | | | | | | |
| 3100 | ---- | ---- | ---- | ---- | ---- | 1503.50 + 34.90 | .9876 | 52 | ---- | 53 | ---- | 1 + 1 |
| 3200 | ---- | ---- | 1,422.10B/---- | 1422.10B/1416.70A | ---- | 1403.90 + 34.60 | .9850 | ---- | ---- | 53 | ---- | 78 + 53 |
| 3400 | ---- | ---- | ---- | ---- | ---- | 1206.00 + 34.00 | .9755 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3500 | ---- | ---- | 1,127.00B/---- | 1127.00B/1108.10A | ---- | 1107.90 + 33.70 | .9686 | ---- | ---- | ---- | ---- | 46 UNCH |
| 3505 | ---- | ---- | 1,122.10B/---- | 1122.10B/1103.20A | ---- | 1103.00 + 33.70 | .9679 | ---- | ---- | ---- | ---- | 4 UNCH |
| 3520 | ---- | ---- | 1,107.40B/---- | 1107.40B/1088.50A | ---- | 1088.30 + 33.60 | .9668 | ---- | ---- | ---- | ---- | 65 UNCH |
| 3550 | ---- | ---- | 1,079.40B/---- | 1079.40B/1058.30A | ---- | 1059.10 + 33.60 | .9642 | ---- | ---- | ---- | ---- | 310 UNCH |
| 3600 | ---- | ---- | 1,032.00B/---- | 1032.00B/1008.20A | ---- | 1010.50 + 33.40 | .9593 | ---- | ---- | ---- | ---- | 1045 UNCH |
| 3610 | ---- | ---- | 1,019.90B/---- | 1019.90B/1000.80A | ---- | 1000.80 + 33.30 | .9582 | ---- | ---- | ---- | ---- | 6 UNCH |
| 3650 | ---- | ---- | 981.20B/---- | 981.20B/962.10A | ---- | 962.10 + 33.10 | .9536 | ---- | ---- | ---- | ---- | 4 UNCH |
| 3660 | ---- | ---- | ---- | ---- | ---- | 952.50 + 33.10 | .9522 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3685 | ---- | ---- | ---- | ---- | ---- | 928.50 + 33.00 | .9491 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3700 | ---- | ---- | 933.20B/---- | 933.20B/913.90A | ---- | 914.10 + 32.90 | .9470 | ---- | ---- | ---- | ---- | 40 UNCH |
| 3715 | ---- | ---- | 918.80B/---- | 918.80B/899.60A | ---- | 899.80 + 32.80 | .9447 | ---- | ---- | ---- | ---- | 30 UNCH |
| 3720 | ---- | ---- | ---- | ---- | ---- | 895.00 + 32.80 | .9440 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3735 | ---- | ---- | ---- | ---- | ---- | 880.70 + 32.70 | .9418 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3750 | ---- | ---- | 885.40B/---- | 885.40B/866.10A | ---- | 866.40 + 32.60 | .9394 | ---- | ---- | ---- | ---- | 8 UNCH |
| 3775 | ---- | ---- | 861.70B/---- | 861.70B/842.40A | ---- | 842.70 + 32.40 | .9351 | ---- | ---- | ---- | ---- | 4 UNCH |
| 3780 | ---- | ---- | 857.00B/---- | 857.00B/837.60A | ---- | 838.00 + 32.40 | .9344 | ---- | ---- | ---- | ---- | 10 UNCH |
| 3790 | ---- | ---- | 847.50B/---- | 847.50B/828.20A | ---- | 828.50 + 32.20 | .9324 | ---- | ---- | ---- | ---- | 67 UNCH |
| 3800 | ---- | ---- | 839.20B/---- | 839.20B/817.90A | ---- | 819.10 + 32.20 | .9307 | ---- | ---- | ---- | ---- | 303 UNCH |
| 3820 | ---- | ---- | 819.20B/---- | 819.20B/799.90A | ---- | 800.30 + 32.00 | .9267 | ---- | ---- | ---- | ---- | 3 UNCH |
| 3840 | ---- | ---- | ---- | ---- | ---- | 781.60 + 31.80 | .9227 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3850 | ---- | ---- | 791.10B/---- | 791.10B/771.80A | ---- | 772.30 + 31.80 | .9205 | ---- | ---- | ---- | ---- | 12 UNCH |
| 3885 | ---- | ---- | ---- | 564.70B/894.10A | ---- | 739.80 + 31.30 | .9126 | ---- | ---- | ---- | ---- | 2 UNCH |
| 3890 | ---- | ---- | ---- | 585.40B/869.90A | ---- | 735.20 + 31.30 | .9114 | ---- | ---- | ---- | ---- | 2 UNCH |
| 3900 | ---- | ---- | 744.70B/---- | 744.70B/725.50A | ---- | 726.00 + 31.20 | .9091 | ---- | ---- | ---- | ---- | 146 UNCH |
| 3920 | ---- | ---- | ---- | 576.10B/842.20A | ---- | 707.70 + 31.00 | .9040 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3925 | ---- | ---- | 722.30B/---- | 722.30B/702.50A | ---- | 703.10 + 30.90 | .9027 | ---- | ---- | ---- | ---- | 10 UNCH |
| 3950 | ---- | ---- | 699.20B/---- | 699.20B/679.70A | ---- | 680.40 + 30.60 | .8958 | ---- | ---- | ---- | ---- | 106 UNCH |
| 3955 | ---- | ---- | 694.50B/---- | 694.50B/675.20A | ---- | 675.80 + 30.50 | .8944 | ---- | ---- | ---- | ---- | 7 UNCH |
| 3975 | ---- | ---- | 676.80B/---- | 676.80B/657.20A | ---- | 657.80 + 30.20 | .8885 | ---- | ---- | ---- | ---- | 200 UNCH |
| 3995 | ---- | ---- | 658.40B/---- | 658.40B/639.20A | ---- | 639.90 + 29.90 | .8824 | ---- | ---- | ---- | ---- | 30 UNCH |
| 4000 | ---- | ---- | 655.90B/---- | 655.90B/632.40A | ---- | 635.50 + 29.90 | .8806 | ---- | ---- | ---- | ---- | 723 UNCH |
| 4005 | ---- | ---- | ---- | 499.70B/764.50A | ---- | 631.00 + 29.70 | .8791 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4015 | ---- | ---- | 641.00B/---- | 641.00B/621.50A | ---- | 622.10 + 29.60 | .8757 | ---- | ---- | ---- | ---- | 12 UNCH |
| 4025 | ---- | ---- | 631.80B/---- | 631.80B/612.60A | ---- | 613.30 + 29.40 | .8724 | ---- | ---- | ---- | ---- | 174 UNCH |
| 4045 | ---- | ---- | 614.10B/---- | 614.10B/595.10A | ---- | 595.70 + 29.00 | .8653 | ---- | ---- | ---- | ---- | 30 UNCH |
| 4050 | ---- | ---- | 609.70B/---- | 609.70B/590.70A | ---- | 591.40 + 29.00 | .8635 | ---- | ---- | ---- | ---- | 100 UNCH |
| 4055 | ---- | ---- | 605.40B/---- | 605.40B/586.30A | ---- | 587.00 + 28.90 | .8617 | ---- | ---- | ---- | ---- | 100 UNCH |
| 4075 | ---- | ---- | 587.90B/---- | 587.90B/569.10A | ---- | 569.70 + 28.50 | .8541 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4080 | ---- | ---- | ---- | 434.60B/697.80A | ---- | 565.40 + 28.40 | .8522 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4100 | ---- | ---- | 566.80B/---- | 566.80B/547.60A | ---- | 548.30 + 28.10 | .8442 | ---- | ---- | ---- | ---- | 73 UNCH |
| 4110 | ---- | ---- | 558.20B/---- | 558.20B/539.10A | ---- | 539.80 + 27.90 | .8400 | ---- | ---- | ---- | ---- | 19 UNCH |
| 4135 | ---- | ---- | 536.90B/---- | 536.90B/518.10A | ---- | 518.70 + 27.30 | .8292 | ---- | ---- | ---- | ---- | 20 UNCH |
| 4140 | ---- | ---- | ---- | 382.90B/647.60A | ---- | 514.50 + 27.10 | .8270 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4150 | ---- | ---- | 524.50B/---- | 524.50B/505.60A | ---- | 506.20 + 26.90 | .8225 | ---- | ---- | ---- | ---- | 40 UNCH |
| 4165 | ---- | ---- | ---- | 361.70B/627.20A | ---- | 493.90 + 26.70 | .8154 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4195 | ---- | ---- | 487.00B/---- | 487.00B/468.80A | ---- | 469.50 + 25.90 | .8007 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4200 | ---- | ---- | 483.30B/---- | 483.30B/464.80A | ---- | 465.50 + 25.80 | .7981 | ---- | ---- | ---- | ---- | 75 UNCH |
| 4215 | ---- | ---- | ---- | 320.80B/587.10A | ---- | 453.50 + 25.40 | .7904 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4220 | ---- | ---- | 467.00B/---- | 467.00B/448.80A | ---- | 449.50 + 25.30 | .7878 | ---- | ---- | ---- | ---- | 16 UNCH |
| 4225 | ---- | ---- | 463.00B/---- | 463.00B/444.90A | ---- | 445.60 + 25.20 | .7850 | ---- | ---- | ---- | ---- | 102 UNCH |
| 4235 | ---- | ---- | ---- | 305.00B/571.40A | ---- | 437.70 + 24.90 | .7797 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4250 | ---- | ---- | 443.30B/---- | 443.30B/425.40A | ---- | 426.00 + 24.50 | .7714 | ---- | ---- | ---- | ---- | 71 UNCH |
| 4265 | ---- | ---- | 431.60B/---- | 431.60B/413.80A | ---- | 414.50 + 24.10 | .7628 | ---- | ---- | ---- | ---- | 77 UNCH |
| 4285 | ---- | ---- | 416.20B/---- | 416.20B/398.70A | ---- | 399.40 + 23.60 | .7511 | ---- | ---- | ---- | ---- | 8 UNCH |
| 4300 | ---- | ---- | 404.90B/---- | 404.90B/387.50A | ---- | 388.20 + 23.20 | .7421 | ---- | ---- | ---- | ---- | 42 UNCH |
| 4320 | ---- | ---- | ---- | 240.80B/506.80A | ---- | 373.50 + 22.60 | .7296 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4325 | ---- | ---- | 386.30B/---- | 386.30B/369.20A | ---- | 369.90 + 22.50 | .7264 | ---- | ---- | ---- | ---- | 6 UNCH |
| 4330 | ---- | ---- | 382.60B/---- | 382.60B/365.60A | ---- | 366.30 + 22.40 | .7232 | ---- | ---- | ---- | ---- | 201 UNCH |
| 4350 | ---- | ---- | 369.80B/---- | 369.80B/348.60A | ---- | 352.00 + 21.80 | .7102 | ---- | ---- | ---- | ---- | 774 UNCH |
| 4360 | ---- | ---- | 348.20B/---- | 348.20B/342.70A | ---- | 345.00 + 21.50 | .7035 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4375 | ---- | ---- | 350.40B/---- | 350.40B/332.20A | ---- | 334.60 + 21.10 | .6934 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4385 | ---- | ---- | 347.30B/---- | 347.30B/323.90A | ---- | 327.80 + 20.80 | .6865 | ---- | ---- | ---- | ---- | 100 UNCH |
| 4390 | ---- | ---- | 342.60B/---- | 342.60B/322.10A | ---- | 324.40 + 20.60 | .6830 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4400 | ---- | ---- | 336.90B/---- | 336.90B/313.90A | ---- | 317.70 + 20.40 | .6760 | ---- | ---- | ---- | ---- | 326 UNCH |
| 4420 | ---- | ---- | 323.30B/---- | 323.30B/288.80A | ---- | 304.50 + 19.70 | .6618 | ---- | ---- | ---- | ---- | 50 UNCH |
| 4425 | ---- | ---- | 319.00B/---- | 319.00B/286.00A | ---- | 301.20 + 19.50 | .6582 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4440 | ---- | ---- | 309.00B/---- | 309.00B/276.90A | ---- | 291.60 + 19.10 | .6472 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4450 | ---- | ---- | 302.40B/---- | 302.40B/269.10A | ---- | 285.30 + 18.70 | .6399 | ---- | ---- | ---- | ---- | 6 UNCH |
| 4455 | ---- | ---- | 299.20B/---- | 299.20B/264.50A | ---- | 282.20 + 18.60 | .6362 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4460 | ---- | ---- | 296.10B/---- | 296.10B/260.70A | ---- | 279.10 + 18.40 | .6324 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4465 | ---- | ---- | 292.90B/257.00A | 292.90B/257.00A | ---- | 276.00 + 18.30 | .6287 | ---- | ---- | ---- | ---- | 9 UNCH |
| 4470 | ---- | ---- | 289.70B/254.60A | 289.70B/254.60A | ---- | 272.90 + 18.10 | .6249 | ---- | ---- | ---- | ---- | 7 UNCH |
| 4475 | ---- | ---- | 287.60B/251.00A | 287.60B/251.00A | ---- | 269.90 + 17.90 | .6211 | ---- | ---- | ---- | ---- | 29 UNCH |
| 4485 | ---- | ---- | 280.40B/245.40A | 280.40B/245.40A | ---- | 263.90 + 17.60 | .6135 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4490 | ---- | ---- | 277.20B/243.30A | 277.20B/243.30A | ---- | 260.90 + 17.40 | .6097 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4500 | ---- | ---- | 272.20B/236.60A | 272.20B/236.60A | ---- | 255.00 + 17.00 | .6020 | ---- | ---- | 3 | ---- | 807 UNCH |
| 4525 | ---- | ---- | 256.80B/223.90A | 256.80B/223.90A | ---- | 240.70 + 16.20 | .5825 | ---- | ---- | ---- | ---- | 10 UNCH |
| 4535 | ---- | ---- | 251.40B/218.40A | 251.40B/218.40A | ---- | 235.10 + 15.80 | .5747 | ---- | ---- | ---- | ---- | 10 UNCH |
| 4540 | ---- | ---- | 248.40B/215.90A | 248.40B/215.90A | ---- | 232.40 + 15.70 | .5707 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4545 | ---- | ---- | 245.20B/213.40A | 245.20B/213.40A | ---- | 229.70 + 15.50 | .5668 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4550 | ---- | ---- | 243.00B/210.80A | 243.00B/210.80A | ---- | 227.00 + 15.40 | .5628 | ---- | ---- | ---- | ---- | 22 UNCH |
| 4555 | ---- | ---- | 239.90B/208.50A | 239.90B/208.50A | ---- | 224.30 + 15.20 | .5589 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4560 | ---- | ---- | 237.50B/205.60A | 237.50B/205.60A | ---- | 221.60 + 15.00 | .5549 | ---- | ---- | ---- | ---- | 153 UNCH |
| 4565 | ---- | ---- | 234.60B/204.00A | 234.60B/204.00A | ---- | 219.00 + 14.80 | .5509 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4570 | ---- | ---- | 231.80B/200.70A | 231.80B/200.70A | ---- | 216.40 + 14.70 | .5469 | ---- | ---- | 3 | ---- | 4 + 3 |
| 4575 | ---- | ---- | 229.30B/199.00A | 229.30B/199.00A | ---- | 213.80 + 14.50 | .5430 | ---- | ---- | ---- | ---- | 41 UNCH |
| 4580 | ---- | ---- | 226.50B/---- | 226.50B/196.90A | ---- | 211.20 + 14.30 | .5390 | ---- | ---- | ---- | ---- | 209 UNCH |
| 4585 | ---- | ---- | 223.70B/194.50A | 223.70B/194.50A | ---- | 208.70 + 14.10 | .5350 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4590 | ---- | ---- | 221.20B/---- | 221.20B/192.30A | ---- | 206.10 + 13.90 | .5310 | ---- | ---- | ---- | ---- | 66 UNCH |
| 4595 | 214.00 | 214.00 | 218.70B/188.90A | 218.70B/188.90A | ---- | 203.60 + 13.70 | .5270 | ---- | ---- | 2 | ---- | 10 + 1 |
| 4600 | 202.00 | 202.00 | 216.30B/186.80A | 216.30B/186.80A | ---- | 201.20 + 13.60 | .5230 | ---- | ---- | 22 | ---- | 305 + 21 |
| 4605 | ---- | ---- | 213.70B/183.90A | 213.70B/183.90A | ---- | 198.70 + 13.40 | .5190 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4615 | ---- | ---- | 208.50B/179.40A | 208.50B/179.40A | ---- | 193.90 + 13.10 | .5110 | ---- | ---- | ---- | ---- | 7 UNCH |
| 4620 | ---- | ---- | 206.00B/177.70A | 206.00B/177.70A | ---- | 191.50 + 12.90 | .5070 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4625 | ---- | ---- | 203.50B/175.40A | 203.50B/175.40A | ---- | 189.10 + 12.70 | .5030 | ---- | ---- | ---- | ---- | 13 UNCH |
| 4630 | ---- | ---- | 201.00B/173.20A | 201.00B/173.20A | ---- | 186.80 + 12.50 | .4990 | ---- | ---- | 7 | ---- | 24 + 7 |
| 4640 | ---- | ---- | 196.20B/168.70A | 196.20B/168.70A | ---- | 182.20 + 12.20 | .4910 | ---- | ---- | 7 | ---- | 18 + 7 |
| 4650 | ---- | ---- | 191.60B/164.50A | 191.60B/164.50A | ---- | 177.70 + 11.90 | .4830 | ---- | ---- | 4 | ---- | 277 UNCH |
| 4655 | ---- | ---- | 189.60B/163.00A | 189.60B/163.00A | ---- | 175.50 + 11.70 | .4791 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4660 | ---- | ---- | 187.00B/160.80A | 187.00B/160.80A | ---- | 173.30 + 11.60 | .4751 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4665 | ---- | ---- | 185.00B/158.50A | 185.00B/158.50A | ---- | 171.10 + 11.40 | .4712 | ---- | ---- | ---- | ---- | 16 UNCH |
| 4670 | ---- | ---- | 182.60B/156.90A | 182.60B/156.90A | ---- | 168.90 + 11.20 | .4672 | ---- | ---- | 30 | ---- | 50 + 18 |
| 4675 | ---- | ---- | 180.50B/154.90A | 180.50B/154.90A | ---- | 166.80 + 11.10 | .4633 | ---- | ---- | 5 | ---- | 39 + 3 |
| 4680 | ---- | ---- | 178.10B/152.90A | 178.10B/152.90A | ---- | 164.70 + 10.90 | .4593 | ---- | ---- | ---- | ---- | 10 UNCH |
| 4685 | ---- | ---- | 175.90B/150.70A | 175.90B/150.70A | ---- | 162.60 + 10.70 | .4554 | ---- | ---- | ---- | ---- | 200 UNCH |
| 4690 | 158.90 | 158.90 | 173.60B/149.10A | 173.60B/149.10A | ---- | 160.50 + 10.50 | .4515 | ---- | ---- | 1 | ---- | 8 UNCH |
| 4695 | ---- | ---- | 171.70B/147.50A | 171.70B/147.50A | ---- | 158.50 + 10.40 | .4476 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4700 | ---- | ---- | 169.60B/145.70A | 169.60B/145.70A | ---- | 156.50 + 10.30 | .4437 | ---- | ---- | ---- | ---- | 2210 UNCH |
| 4705 | ---- | ---- | 167.30B/143.40A | 167.30B/143.40A | ---- | 154.50 + 10.10 | .4398 | ---- | ---- | ---- | ---- | 22 UNCH |
| 4710 | ---- | ---- | 165.20B/141.90A | 165.20B/141.90A | ---- | 152.50 + 10.00 | .4359 | ---- | ---- | ---- | ---- | 22 UNCH |
| 4715 | ---- | ---- | 163.20B/140.30A | 163.20B/140.30A | ---- | 150.50 + 9.80 | .4321 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4720 | 148.30 | 148.30 | 161.00B/137.90A | 161.00B/137.90A | ---- | 148.60 + 9.60 | .4282 | ---- | ---- | 2 | ---- | 60 UNCH |
| 4725 | 148.00 | 148.00 | 159.20B/136.20A | 159.20B/136.20A | ---- | 146.70 + 9.50 | .4244 | ---- | ---- | 2 | ---- | 30 UNCH |
| 4730 | ---- | ---- | 157.00B/135.00A | 157.00B/135.00A | ---- | 144.80 + 9.40 | .4206 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4735 | ---- | ---- | 155.00B/133.10A | 155.00B/133.10A | ---- | 142.90 + 9.20 | .4168 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4745 | ---- | ---- | 151.20B/129.70A | 151.20B/129.70A | ---- | 139.30 + 9.00 | .4092 | ---- | ---- | ---- | ---- | 52 UNCH |
| 4750 | ---- | ---- | 149.30B/128.10A | 149.30B/128.10A | ---- | 137.50 + 8.80 | .4055 | ---- | ---- | ---- | ---- | 297 UNCH |
| 4755 | ---- | ---- | 147.40B/126.40A | 147.40B/126.40A | ---- | 135.70 + 8.70 | .4017 | ---- | ---- | 25 | ---- | 56 + 25 |
| 4760 | ---- | ---- | 145.50B/125.00A | 145.50B/125.00A | ---- | 133.90 + 8.50 | .3980 | ---- | ---- | ---- | ---- | 31 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OG CALL | | COMEX GOLD OPTIONS | | | | | | | | | | |
| AUG26 | | | | | | | | | | | | |
| 4765 | ---- | ---- | 143.70B/123.10A | 143.70B/123.10A | ---- | 132.20 + 8.40 | .3943 | ---- | ---- | ---- | ---- | 6 UNCH |
| 4770 | ---- | ---- | 142.00B/121.60A | 142.00B/121.60A | ---- | 130.40 + 8.20 | .3905 | ---- | ---- | ---- | ---- | 250 UNCH |
| 4775 | ---- | ---- | 140.10B/120.10A | 140.10B/120.10A | ---- | 128.70 + 8.00 | .3869 | ---- | ---- | ---- | ---- | 21 UNCH |
| 4780 | ---- | ---- | 138.30B/118.60A | 138.30B/118.60A | ---- | 127.00 + 7.90 | .3832 | ---- | ---- | ---- | ---- | 13 UNCH |
| 4785 | ---- | ---- | 136.50B/117.10A | 136.50B/117.10A | ---- | 125.40 + 7.80 | .3796 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4790 | ---- | ---- | 134.70B/115.60A | 134.70B/115.60A | ---- | 123.70 + 7.60 | .3759 | ---- | ---- | ---- | ---- | 27 UNCH |
| 4795 | 124.40 | 124.40 | 133.00B/114.10A | 133.00B/114.10A | ---- | 122.10 + 7.50 | .3723 | ---- | ---- | 6 | ---- | 103 - 3 |
| 4800 | ---- | ---- | 131.30B/112.50A | 131.30B/112.50A | ---- | 120.50 + 7.40 | .3688 | ---- | ---- | 1 | ---- | 1895 UNCH |
| 4805 | ---- | ---- | 129.70B/111.10A | 129.70B/111.10A | ---- | 118.90 + 7.30 | .3652 | ---- | ---- | ---- | ---- | 14 UNCH |
| 4810 | ---- | ---- | 128.00B/109.60A | 128.00B/109.60A | ---- | 117.40 + 7.20 | .3617 | ---- | ---- | ---- | ---- | 24 UNCH |
| 4815 | ---- | ---- | 126.30B/108.10A | 126.30B/108.10A | ---- | 115.80 + 7.00 | .3581 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4820 | ---- | ---- | 124.70B/107.00A | 124.70B/107.00A | ---- | 114.30 + 6.90 | .3546 | ---- | ---- | ---- | ---- | 22 UNCH |
| 4825 | ---- | ---- | 123.00B/105.40A | 123.00B/105.40A | ---- | 112.80 + 6.80 | .3512 | ---- | ---- | ---- | ---- | 83 UNCH |
| 4830 | 112.10 | 112.10 | 121.40B/104.10A | 121.40B/104.10A | ---- | 111.30 + 6.70 | .3477 | ---- | ---- | 2 | ---- | 24 + 2 |
| 4835 | ---- | ---- | 119.80B/102.90A | 119.80B/102.90A | ---- | 109.90 + 6.60 | .3443 | ---- | ---- | ---- | ---- | 38 UNCH |
| 4840 | ---- | ---- | 118.30B/101.30A | 118.30B/101.30A | ---- | 108.40 + 6.50 | .3408 | ---- | ---- | ---- | ---- | 25 UNCH |
| 4845 | 111.20 | 111.20 | 116.90B/100.10A | 116.90B/100.10A | ---- | 107.00 NEW | .3375 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4850 | ---- | ---- | 115.30B/99.00A | 115.30B/99.00A | ---- | 105.60 + 6.30 | .3341 | ---- | ---- | ---- | ---- | 189 UNCH |
| 4860 | ---- | ---- | 112.10B/96.30A | 112.10B/96.30A | ---- | 102.80 + 6.10 | .3274 | ---- | ---- | 6 | ---- | 29 - 1 |
| 4865 | ---- | ---- | 110.80B/95.00A | 110.80B/95.00A | ---- | 101.50 + 6.00 | .3242 | ---- | ---- | ---- | ---- | 11 UNCH |
| 4870 | ---- | ---- | 109.50B/93.80A | 109.50B/93.80A | ---- | 100.10 + 5.90 | .3208 | ---- | ---- | ---- | ---- | 23 UNCH |
| 4875 | ---- | ---- | 107.80B/92.70A | 107.80B/92.70A | ---- | 98.80 + 5.80 | .3176 | ---- | ---- | ---- | ---- | 147 UNCH |
| 4880 | ---- | ---- | 106.60B/91.40A | 106.60B/91.40A | ---- | 97.50 + 5.70 | .3144 | ---- | ---- | ---- | ---- | 142 UNCH |
| 4885 | ---- | ---- | 105.00B/90.20A | 105.00B/90.20A | ---- | 96.20 + 5.60 | .3111 | ---- | ---- | ---- | ---- | 21 UNCH |
| 4890 | ---- | ---- | 103.90B/89.10A | 103.90B/89.10A | ---- | 95.00 + 5.50 | .3080 | ---- | ---- | ---- | ---- | 8 UNCH |
| 4895 | ---- | ---- | 102.30B/87.90A | 102.30B/87.90A | ---- | 93.70 + 5.40 | .3048 | ---- | ---- | ---- | ---- | 37 UNCH |
| 4900 | ---- | ---- | 101.30B/86.70A | 101.30B/86.70A | ---- | 92.50 + 5.30 | .3017 | ---- | ---- | 2 | ---- | 594 + 2 |
| 4905 | ---- | ---- | 99.70B/85.70A | 99.70B/85.70A | ---- | 91.20 + 5.20 | .2985 | ---- | ---- | ---- | ---- | 14 UNCH |
| 4910 | ---- | ---- | 98.40B/84.60A | 98.40B/84.60A | ---- | 90.00 + 5.10 | .2954 | ---- | ---- | ---- | ---- | 7 UNCH |
| 4920 | ---- | ---- | 96.10B/82.40A | 96.10B/82.40A | ---- | 87.70 + 4.90 | .2894 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4925 | ---- | ---- | 94.60B/81.40A | 94.60B/81.40A | ---- | 86.50 + 4.80 | .2863 | ---- | ---- | ---- | ---- | 125 UNCH |
| 4930 | ---- | ---- | 93.60B/80.30A | 93.60B/80.30A | ---- | 85.40 + 4.70 | .2834 | ---- | ---- | ---- | ---- | 25 UNCH |
| 4935 | ---- | ---- | 92.10B/79.30A | 92.10B/79.30A | ---- | 84.30 + 4.70 | .2804 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4940 | ---- | ---- | 90.90B/78.30A | 90.90B/78.30A | ---- | 83.20 + 4.60 | .2775 | ---- | ---- | ---- | ---- | 26 UNCH |
| 4945 | ---- | ---- | 89.70B/77.30A | 89.70B/77.30A | ---- | 82.10 + 4.50 | .2746 | ---- | ---- | ---- | ---- | 23 UNCH |
| 4950 | ---- | ---- | 88.70B/76.20A | 88.70B/76.20A | ---- | 81.00 + 4.40 | .2717 | ---- | ---- | 1 | ---- | 217 - 1 |
| 4955 | ---- | ---- | 87.40B/75.30A | 87.40B/75.30A | ---- | 79.90 + 4.30 | .2688 | ---- | ---- | ---- | ---- | 22 UNCH |
| 4960 | ---- | ---- | 86.50B/74.40A | 86.50B/74.40A | ---- | 78.90 + 4.20 | .2660 | ---- | ---- | ---- | ---- | 29 UNCH |
| 4965 | ---- | ---- | 85.40B/73.40A | 85.40B/73.40A | ---- | 77.90 + 4.20 | .2632 | ---- | ---- | ---- | ---- | 22 UNCH |
| 4975 | ---- | ---- | 83.20B/71.70A | 83.20B/71.70A | ---- | 75.80 + 4.00 | .2576 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4980 | ---- | ---- | 82.10B/70.70A | 82.10B/70.70A | ---- | 74.80 + 3.90 | .2548 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4985 | ---- | ---- | 80.80B/69.80A | 80.80B/69.80A | ---- | 73.90 + 3.90 | .2522 | ---- | ---- | ---- | ---- | 14 UNCH |
| 4990 | ---- | ---- | 80.00B/68.90A | 80.00B/68.90A | ---- | 72.90 + 3.80 | .2495 | ---- | ---- | ---- | ---- | 8 UNCH |
| 4995 | ---- | ---- | 78.80B/68.00A | 78.80B/68.00A | ---- | 71.90 + 3.60 | .2467 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5000 | 77.50 | 77.50 | 78.00B/67.20A | 78.00B/67.20A | ---- | 71.00 + 3.60 | .2442 | ---- | ---- | 269 | 350 | 1851 + 289 |
| 5005 | ---- | ---- | 76.90B/66.20A | 76.90B/66.20A | ---- | 70.10 + 3.60 | .2416 | ---- | ---- | ---- | ---- | 10 UNCH |
| 5015 | ---- | ---- | 74.80B/64.50A | 74.80B/64.50A | ---- | 68.30 + 3.40 | .2364 | ---- | ---- | ---- | ---- | 6 UNCH |
| 5020 | ---- | ---- | 74.00B/63.80A | 74.00B/63.80A | ---- | 67.40 + 3.40 | .2339 | ---- | ---- | ---- | ---- | 30 UNCH |
| 5025 | ---- | ---- | 73.00B/63.00A | 73.00B/63.00A | ---- | 66.50 + 3.30 | .2313 | ---- | ---- | ---- | ---- | 230 UNCH |
| 5030 | ---- | ---- | 71.80B/62.20A | 71.80B/62.20A | ---- | 65.70 + 3.30 | .2289 | ---- | ---- | 16 | ---- | 193 UNCH |
| 5035 | ---- | ---- | 71.10B/61.50A | 71.10B/61.50A | ---- | 64.80 + 3.20 | .2264 | ---- | ---- | ---- | ---- | 11 UNCH |
| 5040 | ---- | ---- | 70.20B/60.70A | 70.20B/60.70A | ---- | 64.00 + 3.20 | .2240 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5045 | ---- | ---- | 69.20B/59.90A | 69.20B/59.90A | ---- | 63.20 + 3.10 | .2216 | ---- | ---- | ---- | ---- | 22 UNCH |
| 5050 | ---- | ---- | 68.40B/59.20A | 68.40B/59.20A | ---- | 62.30 + 3.00 | .2191 | ---- | ---- | 2 | ---- | 275 - 1 |
| 5055 | ---- | ---- | 67.50B/58.40A | 67.50B/58.40A | ---- | 61.50 + 2.90 | .2167 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5060 | ---- | ---- | 66.70B/57.70A | 66.70B/57.70A | ---- | 60.70 + 2.90 | .2144 | ---- | ---- | ---- | ---- | 11 UNCH |
| 5065 | ---- | ---- | 65.60B/57.00A | 65.60B/57.00A | ---- | 60.00 + 2.90 | .2122 | ---- | ---- | ---- | ---- | 43 UNCH |
| 5070 | ---- | ---- | 65.00B/56.30A | 65.00B/56.30A | ---- | 59.20 + 2.80 | .2098 | ---- | ---- | ---- | ---- | 7 UNCH |
| 5075 | ---- | ---- | 64.20B/55.60A | 64.20B/55.60A | ---- | 58.40 + 2.70 | .2075 | ---- | ---- | ---- | ---- | 204 UNCH |
| 5080 | ---- | ---- | 63.30B/54.90A | 63.30B/54.90A | ---- | 57.70 + 2.70 | .2053 | ---- | ---- | ---- | ---- | 21 UNCH |
| 5085 | ---- | ---- | 62.50B/54.20A | 62.50B/54.20A | ---- | 57.00 + 2.70 | .2032 | ---- | ---- | ---- | ---- | 103 UNCH |
| 5090 | ---- | ---- | 61.70B/---- | 61.70B/53.60A | ---- | 56.20 + 2.60 | .2008 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5095 | ---- | ---- | 60.90B/52.90A | 60.90B/52.90A | ---- | 55.50 + 2.50 | .1987 | ---- | ---- | ---- | ---- | 4 UNCH |
| 5100 | ---- | ---- | 60.20B/---- | 60.20B/52.30A | ---- | 54.80 + 2.50 | .1965 | ---- | ---- | ---- | ---- | 1364 UNCH |
| 5105 | ---- | ---- | 59.30B/51.60A | 59.30B/51.60A | ---- | 54.10 + 2.40 | .1944 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5110 | ---- | ---- | 58.60B/50.90A | 58.60B/50.90A | ---- | 53.40 + 2.40 | .1922 | ---- | ---- | ---- | ---- | 7 UNCH |
| 5115 | ---- | ---- | 57.90B/---- | 57.90B/50.40A | ---- | 52.80 + 2.40 | .1903 | ---- | ---- | ---- | ---- | 8 UNCH |
| 5120 | ---- | ---- | 57.20B/49.70A | 57.20B/49.70A | ---- | 52.10 + 2.30 | .1882 | ---- | ---- | ---- | ---- | 53 UNCH |
| 5125 | ---- | ---- | 56.50B/---- | 56.50B/49.20A | ---- | 51.40 + 2.20 | .1860 | ---- | ---- | ---- | ---- | 24 UNCH |
| 5130 | ---- | ---- | 55.60B/48.50A | 55.60B/48.50A | ---- | 50.80 + 2.20 | .1841 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5135 | ---- | ---- | 55.00B/47.90A | 55.00B/47.90A | ---- | 50.20 + 2.20 | .1822 | ---- | ---- | ---- | ---- | 4 UNCH |
| 5140 | ---- | ---- | 54.40B/47.30A | 54.40B/47.30A | ---- | 49.50 + 2.10 | .1801 | ---- | ---- | ---- | ---- | 12 UNCH |
| 5145 | ---- | ---- | 53.70B/---- | 53.70B/46.90A | ---- | 48.90 + 2.10 | .1781 | ---- | ---- | ---- | ---- | 12 UNCH |
| 5150 | ---- | ---- | 53.00B/46.20A | 53.00B/46.20A | ---- | 48.30 + 2.00 | .1762 | ---- | ---- | ---- | ---- | 95 UNCH |
| 5155 | ---- | ---- | 52.40B/---- | 52.40B/45.70A | ---- | 47.70 + 2.00 | .1743 | ---- | ---- | ---- | ---- | 18 UNCH |
| 5160 | ---- | ---- | 51.70B/---- | 51.70B/45.20A | ---- | 47.10 + 1.90 | .1724 | ---- | ---- | ---- | ---- | 14 UNCH |
| 5165 | ---- | ---- | 51.10B/---- | 51.10B/44.70A | ---- | 46.50 + 1.90 | .1705 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5170 | ---- | ---- | 50.40B/---- | 50.40B/44.10A | ---- | 46.00 + 1.90 | .1688 | ---- | ---- | ---- | ---- | 6 UNCH |
| 5175 | 48.70 | 48.70 | 49.80B/48.70 | 49.80B/43.60A | ---- | 45.40 + 1.80 | .1669 | ---- | ---- | 7 | ---- | 325 UNCH |
| 5185 | ---- | ---- | 48.60B/---- | 48.60B/42.60A | ---- | 44.30 + 1.80 | .1634 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5190 | ---- | ---- | 48.00B/---- | 48.00B/42.10A | ---- | 43.80 + 1.80 | .1617 | ---- | ---- | ---- | ---- | 6 UNCH |
| 5195 | ---- | ---- | 47.40B/---- | 47.40B/41.60A | ---- | 43.20 + 1.70 | .1598 | ---- | ---- | ---- | ---- | 12 UNCH |
| 5200 | ---- | ---- | 46.80B/---- | 46.80B/41.10A | ---- | 42.70 + 1.60 | .1581 | ---- | ---- | ---- | ---- | 2759 UNCH |
| 5205 | ---- | ---- | 46.10B/40.50A | 46.10B/40.50A | ---- | 42.20 + 1.60 | .1565 | ---- | ---- | ---- | ---- | 6 UNCH |
| 5210 | ---- | ---- | 45.70B/---- | 45.70B/40.20A | ---- | 41.70 + 1.60 | .1548 | ---- | ---- | ---- | ---- | 8 UNCH |
| 5215 | ---- | ---- | 45.10B/---- | 45.10B/39.70A | ---- | 41.20 + 1.60 | .1532 | ---- | ---- | ---- | ---- | 14 UNCH |
| 5220 | ---- | ---- | 44.60B/---- | 44.60B/39.30A | ---- | 40.70 + 1.50 | .1515 | ---- | ---- | ---- | ---- | 29 UNCH |
| 5225 | ---- | ---- | 44.00B/---- | 44.00B/38.80A | ---- | 40.20 + 1.50 | .1499 | ---- | ---- | ---- | ---- | 46 UNCH |
| 5230 | ---- | ---- | 43.50B/---- | 43.50B/38.40A | ---- | 39.70 + 1.40 | .1482 | ---- | ---- | ---- | ---- | 10 UNCH |
| 5235 | ---- | ---- | 43.00B/---- | 43.00B/37.90A | ---- | 39.20 + 1.40 | .1466 | ---- | ---- | ---- | ---- | 20 UNCH |
| 5240 | ---- | ---- | 42.40B/---- | 42.40B/37.50A | ---- | 38.80 + 1.40 | .1451 | ---- | ---- | ---- | ---- | 16 UNCH |
| 5245 | ---- | ---- | 41.90B/---- | 41.90B/37.10A | ---- | 38.30 + 1.30 | .1435 | ---- | ---- | ---- | ---- | 12 UNCH |
| 5250 | ---- | ---- | 41.40B/---- | 41.40B/36.70A | ---- | 37.90 + 1.30 | .1421 | ---- | ---- | 50 | ---- | 662 + 50 |
| 5255 | ---- | ---- | 40.90B/---- | 40.90B/36.30A | ---- | 37.40 + 1.20 | .1405 | ---- | ---- | ---- | ---- | 888 UNCH |
| 5260 | ---- | ---- | 40.40B/---- | 40.40B/35.80A | ---- | 37.00 + 1.30 | .1391 | ---- | ---- | ---- | ---- | 24 UNCH |
| 5265 | ---- | ---- | 39.90B/---- | 39.90B/35.50A | ---- | 36.50 + 1.20 | .1374 | ---- | ---- | ---- | ---- | 11 UNCH |
| 5270 | ---- | ---- | 39.40B/---- | 39.40B/35.10A | ---- | 36.10 + 1.20 | .1360 | ---- | ---- | 50 | ---- | 118 + 50 |
| 5275 | ---- | ---- | 39.00B/---- | 39.00B/34.70A | ---- | 35.70 + 1.10 | .1347 | ---- | ---- | ---- | ---- | 21 UNCH |
| 5280 | ---- | ---- | 38.50B/---- | 38.50B/34.20A | ---- | 35.30 + 1.10 | .1333 | ---- | ---- | ---- | ---- | 207 UNCH |
| 5285 | ---- | ---- | 38.00B/---- | 38.00B/33.80A | ---- | 34.90 + 1.10 | .1319 | ---- | ---- | ---- | ---- | 32 UNCH |
| 5290 | ---- | ---- | 37.60B/---- | 37.60B/33.40A | ---- | 34.50 + 1.10 | .1305 | ---- | ---- | ---- | ---- | 16 UNCH |
| 5295 | ---- | ---- | 37.10B/33.00A | 37.10B/33.00A | ---- | 34.10 + 1.00 | .1291 | ---- | ---- | ---- | ---- | 6 UNCH |
| 5300 | ---- | ---- | 36.70B/---- | 36.70B/32.70A | ---- | 33.70 + 1.00 | .1277 | ---- | ---- | ---- | ---- | 906 UNCH |
| 5305 | ---- | ---- | 36.30B/---- | 36.30B/32.40A | ---- | 33.30 + 1.00 | .1264 | ---- | ---- | ---- | ---- | 11 UNCH |
| 5310 | ---- | ---- | 35.90B/31.90A | 35.90B/31.90A | ---- | 32.90 + 0.90 | .1250 | ---- | ---- | ---- | ---- | 105 UNCH |
| 5320 | ---- | ---- | 35.10B/31.20A | 35.10B/31.20A | ---- | 32.20 + 0.90 | .1225 | ---- | ---- | ---- | ---- | 17 UNCH |
| 5325 | ---- | ---- | 34.70B/30.80A | 34.70B/30.80A | ---- | 31.80 + 0.80 | .1212 | ---- | ---- | ---- | ---- | 23 UNCH |
| 5330 | ---- | ---- | 34.20B/30.50A | 34.20B/30.50A | ---- | 31.50 + 0.90 | .1200 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5335 | ---- | ---- | 33.90B/30.10A | 33.90B/30.10A | ---- | 31.10 + 0.80 | .1187 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5345 | ---- | ---- | 33.10B/29.50A | 33.10B/29.50A | ---- | 30.50 + 0.80 | .1165 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5350 | 29.30 | 29.30 | 32.80B/29.30 | 32.80B/29.30 | ---- | 30.10 + 0.80 | .1151 | ---- | ---- | 40 | ---- | 8001 UNCH |
| 5355 | ---- | ---- | 32.30B/28.90A | 32.30B/28.90A | ---- | 29.80 + 0.80 | .1140 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5360 | ---- | ---- | 32.00B/28.40A | 32.00B/28.40A | ---- | 29.50 + 0.80 | .1129 | ---- | ---- | ---- | ---- | 110 UNCH |
| 5365 | ---- | ---- | 31.60B/28.20A | 31.60B/28.20A | ---- | 29.20 + 0.80 | .1118 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5370 | 27.90 | 27.90 | 31.30B/27.60 | 31.30B/27.60 | ---- | 28.90 + 0.80 | .1107 | ---- | ---- | 25 | ---- | 8005 + 3 |
| 5375 | ---- | ---- | 30.90B/27.60A | 30.90B/27.60A | ---- | 28.50 + 0.70 | .1094 | ---- | ---- | ---- | ---- | 16 UNCH |
| 5380 | ---- | ---- | 30.60B/27.30A | 30.60B/27.30A | ---- | 28.20 + 0.60 | .1083 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5400 | ---- | ---- | 29.30B/26.20A | 29.30B/26.20A | ---- | 27.10 + 0.60 | .1042 | ---- | ---- | 2 | ---- | 2115 - 2 |
| 5405 | ---- | ---- | 28.90B/25.90A | 28.90B/25.90A | ---- | 26.80 + 0.60 | .1031 | ---- | ---- | ---- | ---- | 7 UNCH |
| 5410 | 26.60 | 26.60 | 28.60B/25.50A | 28.60B/25.50A | ---- | 26.50 + 0.60 | .1021 | ---- | ---- | 10 | ---- | 16 + 10 |
| 5420 | ---- | ---- | 27.90B/25.00A | 27.90B/25.00A | ---- | 26.00 + 0.60 | .1002 | ---- | ---- | ---- | ---- | 8 UNCH |
| 5425 | ---- | ---- | 27.70B/24.70A | 27.70B/24.70A | ---- | 25.70 + 0.50 | .0991 | ---- | ---- | ---- | ---- | 15 UNCH |
| 5430 | ---- | ---- | 27.30B/24.40A | 27.30B/24.40A | ---- | 25.40 + 0.50 | .0981 | ---- | ---- | ---- | ---- | 4 UNCH |
| 5435 | ---- | ---- | 27.00B/24.30A | 27.00B/24.30A | ---- | 25.20 + 0.50 | .0973 | ---- | ---- | ---- | ---- | 20 UNCH |
| 5440 | ---- | ---- | 26.80B/23.90A | 26.80B/23.90A | ---- | 24.90 + 0.50 | .0962 | ---- | ---- | ---- | ---- | 106 UNCH |
| 5445 | ---- | ---- | 26.50B/23.70A | 26.50B/23.70A | ---- | 24.70 + 0.50 | .0954 | ---- | ---- | ---- | ---- | 10 UNCH |
| 5450 | ---- | ---- | 26.20B/23.40A | 26.20B/23.40A | ---- | 24.40 + 0.50 | .0943 | ---- | ---- | ---- | ---- | 126 UNCH |
| 5455 | ---- | ---- | 25.90B/23.20A | 25.90B/23.20A | ---- | 24.20 + 0.50 | .0935 | ---- | ---- | ---- | ---- | 10 UNCH |
| 5460 | ---- | ---- | 25.70B/22.90A | 25.70B/22.90A | ---- | 23.90 + 0.40 | .0925 | ---- | ---- | ---- | ---- | 15 UNCH |
| 5465 | ---- | ---- | 25.40B/22.70A | 25.40B/22.70A | ---- | 23.70 + 0.40 | .0917 | ---- | ---- | ---- | ---- | 29 UNCH |
| 5470 | ---- | ---- | 25.10B/22.50A | 25.10B/22.50A | ---- | 23.50 + 0.50 | .0909 | ---- | ---- | ---- | ---- | 4 UNCH |
| 5475 | ---- | ---- | 24.90B/22.30A | 24.90B/22.30A | ---- | 23.20 + 0.40 | .0899 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5480 | ---- | ---- | 24.60B/22.00A | 24.60B/22.00A | ---- | 23.00 + 0.40 | .0891 | ---- | ---- | ---- | ---- | 14 UNCH |
| 5485 | ---- | ---- | 24.40B/21.80A | 24.40B/21.80A | ---- | 22.80 + 0.40 | .0883 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5490 | ---- | ---- | 24.10B/21.70A | 24.10B/21.70A | ---- | 22.60 + 0.40 | .0875 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5495 | ---- | ---- | 23.90B/21.60A | 23.90B/21.60A | ---- | 22.30 + 0.30 | .0865 | ---- | ---- | ---- | ---- | 4 UNCH |
| 5500 | ---- | ---- | 23.60B/21.40A | 23.60B/21.40A | ---- | 22.10 + 0.30 | .0857 | ---- | ---- | 250 | ---- | 1403 + 167 |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OG CALL | | COMEX GOLD OPTIONS | | | | | | | | | | |
| AUG26 | | | | | | | | | | | | |
| 5505 | ---- | ---- | 23.40B/21.20A | 23.40B/21.20A | ---- | 21.90 + 0.30 | .0850 | ---- | ---- | ---- | ---- | 9 UNCH |
| 5510 | ---- | ---- | 23.20B/21.10A | 23.20B/21.10A | ---- | 21.70 + 0.30 | .0842 | ---- | ---- | ---- | ---- | 8 UNCH |
| 5515 | ---- | ---- | 22.90B/20.80A | 22.90B/20.80A | ---- | 21.50 + 0.30 | .0834 | ---- | ---- | ---- | ---- | 12 UNCH |
| 5520 | ---- | ---- | 22.70B/20.60A | 22.70B/20.60A | ---- | 21.30 + 0.30 | .0827 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5525 | ---- | ---- | 22.50B/20.40A | 22.50B/20.40A | ---- | 21.10 + 0.30 | .0819 | ---- | ---- | ---- | ---- | 2229 UNCH |
| 5530 | ---- | ---- | 22.30B/20.20A | 22.30B/20.20A | ---- | 20.90 + 0.30 | .0812 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5535 | ---- | ---- | 22.00B/20.00A | 22.00B/20.00A | ---- | 20.70 + 0.30 | .0804 | ---- | ---- | ---- | ---- | 12 UNCH |
| 5540 | ---- | ---- | 21.80B/19.80A | 21.80B/19.80A | ---- | 20.50 + 0.30 | .0796 | ---- | ---- | ---- | ---- | 9 UNCH |
| 5545 | ---- | ---- | 21.60B/19.60A | 21.60B/19.60A | ---- | 20.30 + 0.30 | .0789 | ---- | ---- | ---- | ---- | 11 UNCH |
| 5550 | ---- | ---- | 21.40B/19.40A | 21.40B/19.40A | ---- | 20.10 + 0.20 | .0781 | ---- | ---- | 1 | ---- | 127 UNCH |
| 5555 | ---- | ---- | 21.20B/19.30A | 21.20B/19.30A | ---- | 19.90 + 0.20 | .0774 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5560 | ---- | ---- | 21.00B/19.10A | 21.00B/19.10A | ---- | 19.80 + 0.30 | .0769 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5565 | ---- | ---- | 20.80B/18.90A | 20.80B/18.90A | ---- | 19.60 + 0.30 | .0762 | ---- | ---- | ---- | ---- | 14 UNCH |
| 5570 | ---- | ---- | 20.60B/18.50A | 20.60B/18.50A | ---- | 19.40 + 0.20 | .0754 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5575 | ---- | ---- | 20.40B/18.50A | 20.40B/18.50A | ---- | 19.20 + 0.20 | .0747 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5580 | ---- | ---- | 20.20B/18.40A | 20.20B/18.40A | ---- | 19.10 + 0.30 | .0742 | ---- | ---- | ---- | ---- | 17 UNCH |
| 5590 | ---- | ---- | 19.80B/18.10A | 19.80B/18.10A | ---- | 18.70 + 0.20 | .0727 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5595 | ---- | ---- | 19.60B/17.80A | 19.60B/17.80A | ---- | 18.50 + 0.10 | .0720 | ---- | ---- | ---- | ---- | 29 UNCH |
| 5600 | 17.70 | 17.70 | 19.40B/17.70 | 19.40B/17.70 | ---- | 18.40 + 0.20 | .0715 | ---- | ---- | 1 | ---- | 1125 + 1 |
| 5605 | ---- | ---- | 19.30B/17.60A | 19.30B/17.60A | ---- | 18.20 + 0.20 | .0708 | ---- | ---- | ---- | ---- | 7 UNCH |
| 5610 | ---- | ---- | 19.10B/17.40A | 19.10B/17.40A | ---- | 18.10 + 0.20 | .0703 | ---- | ---- | ---- | ---- | 11 UNCH |
| 5615 | ---- | ---- | 18.90B/17.30A | 18.90B/17.30A | ---- | 17.90 + 0.20 | .0696 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5620 | ---- | ---- | 18.70B/17.10A | 18.70B/17.10A | ---- | 17.70 + 0.10 | .0689 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5635 | 16.50 | 16.50 | 18.20B/16.50 | 18.20B/16.50 | ---- | 17.30 + 0.10 | .0673 | ---- | ---- | 2 | ---- | 2 UNCH |
| 5640 | ---- | ---- | 18.00B/16.50A | 18.00B/16.50A | ---- | 17.10 + 0.10 | .0666 | ---- | ---- | ---- | ---- | 4 UNCH |
| 5650 | ---- | ---- | 17.80B/16.10A | 17.80B/16.10A | ---- | 16.80 + 0.10 | .0654 | ---- | ---- | ---- | ---- | 600 UNCH |
| 5660 | ---- | ---- | 17.40B/15.90A | 17.40B/15.90A | ---- | 16.60 + 0.10 | .0645 | ---- | ---- | ---- | ---- | 27 UNCH |
| 5670 | ---- | ---- | 17.10B/15.70A | 17.10B/15.70A | ---- | 16.30 + 0.10 | .0634 | ---- | ---- | ---- | ---- | 10 UNCH |
| 5675 | ---- | ---- | 17.00B/15.60A | 17.00B/15.60A | ---- | 16.20 + 0.10 | .0629 | ---- | ---- | ---- | ---- | 4 UNCH |
| 5680 | ---- | ---- | 16.80B/15.40A | 16.80B/15.40A | ---- | 16.00 + 0.10 | .0622 | ---- | ---- | ---- | ---- | 4 UNCH |
| 5690 | ---- | ---- | 16.50B/15.20A | 16.50B/15.20A | ---- | 15.80 + 0.10 | .0614 | ---- | ---- | ---- | ---- | 16 UNCH |
| 5700 | ---- | ---- | 16.30B/14.90A | 16.30B/14.90A | ---- | 15.50 UNCH | .0602 | ---- | ---- | ---- | ---- | 1674 UNCH |
| 5710 | ---- | ---- | 16.00B/14.70A | 16.00B/14.70A | ---- | 15.30 + 0.10 | .0594 | ---- | ---- | ---- | ---- | 7 UNCH |
| 5720 | ---- | ---- | 15.70B/14.50A | 15.70B/14.50A | ---- | 15.00 UNCH | .0583 | ---- | ---- | ---- | ---- | 13 UNCH |
| 5725 | ---- | ---- | 15.60B/14.40A | 15.60B/14.40A | ---- | 14.90 UNCH | .0578 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5730 | 14.00 | 14.00 | 15.50B/14.00 | 15.50B/14.00 | ---- | 14.80 UNCH | .0574 | ---- | ---- | 2 | ---- | 15 UNCH |
| 5750 | ---- | ---- | 15.00B/13.80A | 15.00B/13.80A | ---- | 14.30 UNCH | .0555 | ---- | ---- | ---- | ---- | 300 UNCH |
| 5775 | ---- | ---- | 14.40B/13.20A | 14.40B/13.20A | ---- | 13.80 UNCH | .0534 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5800 | 12.80 | 12.80 | 13.90B/12.70A | 13.90B/12.70A | ---- | 13.30 UNCH | .0514 | ---- | ---- | 1 | ---- | 1016 + 1 |
| 5825 | ---- | ---- | 13.40B/12.20A | 13.40B/12.20A | ---- | 12.80 - 0.10 | .0494 | ---- | ---- | ---- | ---- | 120 UNCH |
| 5850 | ---- | ---- | 12.90B/11.80A | 12.90B/11.80A | ---- | 12.40 UNCH | .0478 | ---- | ---- | ---- | ---- | 165 UNCH |
| 5875 | ---- | ---- | 12.40B/11.40A | 12.40B/11.40A | ---- | 12.00 UNCH | .0461 | ---- | ---- | ---- | ---- | 26 UNCH |
| 5900 | ---- | ---- | 12.00B/11.00A | 12.00B/11.00A | ---- | 11.60 - 0.10 | .0445 | ---- | ---- | ---- | ---- | 1496 UNCH |
| 5925 | ---- | ---- | 11.60B/10.70A | 11.60B/10.70A | ---- | 11.20 - 0.10 | .0429 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5950 | ---- | ---- | 11.30B/10.40A | 11.30B/10.40A | ---- | 10.90 - 0.10 | .0416 | ---- | ---- | ---- | ---- | 2 UNCH |
| 6000 | ---- | ---- | 10.60B/9.90A | 10.60B/9.90A | ---- | 10.30 - 0.10 | .0390 | ---- | ---- | 15 | ---- | 1724 + 1 |
| 6100 | 8.90 | 8.90 | 9.50B/8.80A | 9.50B/8.80A | ---- | 9.20 - 0.10 | .0345 | ---- | ---- | 2 | ---- | 373 UNCH |
| 6200 | ---- | ---- | 8.60B/8.00A | 8.60B/8.00A | ---- | 8.40 UNCH | .0310 | ---- | ---- | ---- | ---- | 1435 UNCH |
| 6250 | 7.60 | 7.60 | 8.30B/7.60 | 8.30B/7.60 | ---- | 8.00 NEW | .0293 | ---- | ---- | 1 | ---- | 1 + 1 |
| 6300 | ---- | ---- | 7.90B/*7.30A | 7.90B/7.30A | ---- | 7.70 UNCH | .0280 | ---- | ---- | 2 | ---- | 84 UNCH |
| 6400 | 6.80 | 6.80 | 7.20B/6.80 | 7.20B/6.80 | ---- | 7.20 + 0.10 | .0257 | ---- | ---- | 1 | ---- | 54 + 1 |
| 6500 | 6.20 | 6.20 | 6.20/6.20 | 6.60B/6.20 | ---- | 6.70 + 0.10 | .0235 | ---- | ---- | 17 | ---- | 802 + 4 |
| 6600 | 5.70 | 5.70 | 6.20B/*5.70 | 6.20B/5.70 | ---- | 6.30 + 0.20 | .0218 | ---- | ---- | 2 | ---- | 152 + 2 |
| 6700 | ---- | ---- | 5.80B/*5.40A | 5.80B/5.40A | ---- | 5.90 + 0.20 | .0201 | ---- | ---- | ---- | ---- | 253 UNCH |
| 6800 | ---- | ---- | ----/5.10A | 5.40B/5.10A | ---- | 5.60 + 0.20 | .0188 | ---- | ---- | ---- | ---- | 50 UNCH |
| 6900 | 4.90 | 4.90 | 5.20B/4.90 | 5.20B/4.90 | ---- | 5.30 + 0.20 | .0175 | ---- | ---- | 1 | ---- | 17 + 1 |
| 7000 | 4.60 | 4.60 | 4.90B/4.60 | 4.90B/4.60 | ---- | 5.10 + 0.30 | .0166 | ---- | ---- | 1 | ---- | 633 + 1 |
| 7500 | ---- | ---- | ----/3.70A | 3.80B/3.70A | ---- | 4.00 + 0.20 | .0122 | ---- | ---- | ---- | ---- | 737 UNCH |
| 8000 | ---- | ---- | ---- | 3.00B/3.30A | ---- | 3.10 UNCH | .0091 | ---- | ---- | ---- | ---- | 166 UNCH |
| 8500 | ---- | ---- | ---- | 2.50B/2.70A | ---- | 2.50 UNCH | .0070 | ---- | ---- | ---- | ---- | 84 UNCH |
| 9000 | ---- | ---- | ---- | 2.00B/2.20A | ---- | 2.00 - 0.10 | .0055 | ---- | ---- | ---- | ---- | 17 UNCH |
| 9500 | 1.80 | 1.80 | 1.80/1.80 | 1.80/1.80 | ---- | 1.60 - 0.20 | .0043 | ---- | ---- | 1 | ---- | 71 UNCH |
| 10000 | ---- | ---- | ---- | 1.40B/1.70A | ---- | 1.30 - 0.20 | .0034 | ---- | ---- | ---- | ---- | 101 UNCH |
| TOTAL | | | | | | | | | | 1009 | 350 | 62098 + 718 |
| SEP26 | | | | | | | | | | | | |
| 3875 | ---- | ---- | ---- | 655.30B/928.00A | ---- | 790.40 + 30.40 | .8983 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3995 | ---- | ---- | 703.60B/---- | 703.60B/683.30A | ---- | 683.90 + 28.80 | .8650 | ---- | ---- | ---- | ---- | 10 UNCH |
| 4085 | ---- | ---- | 626.20B/---- | 626.20B/606.70A | ---- | 607.10 + 27.20 | .8338 | ---- | ---- | ---- | ---- | 37 UNCH |
| 4130 | ---- | ---- | 588.70B/---- | 588.70B/569.60A | ---- | 570.00 + 26.40 | .8160 | ---- | ---- | ---- | ---- | 10 UNCH |
| 4185 | ---- | ---- | 544.10B/---- | 544.10B/525.50A | ---- | 525.90 + 25.20 | .7922 | ---- | ---- | ---- | ---- | 37 UNCH |
| 4200 | ---- | ---- | ---- | 378.50B/651.10A | ---- | 514.10 + 24.90 | .7853 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4220 | ---- | ---- | 516.60B/---- | 516.60B/498.30A | ---- | 498.60 + 24.40 | .7758 | ---- | ---- | ---- | ---- | 162 UNCH |
| 4290 | ---- | ---- | 463.40B/---- | 463.40B/445.70A | ---- | 446.10 + 22.80 | .7404 | ---- | ---- | ---- | ---- | 6 UNCH |
| 4295 | ---- | ---- | 459.70B/---- | 459.70B/442.10A | ---- | 442.50 + 22.70 | .7377 | ---- | ---- | ---- | ---- | 50 UNCH |
| 4300 | ---- | ---- | 456.00B/---- | 456.00B/438.50A | ---- | 438.90 + 22.60 | .7350 | ---- | ---- | ---- | ---- | 13 UNCH |
| 4320 | ---- | ---- | 441.40B/---- | 441.40B/424.10A | ---- | 424.50 + 22.10 | .7241 | ---- | ---- | ---- | ---- | 162 UNCH |
| 4375 | ---- | ---- | 404.70B/---- | 404.70B/384.30A | ---- | 386.40 + 20.70 | .6926 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4390 | ---- | ---- | 394.40B/---- | 394.40B/374.10A | ---- | 376.40 + 20.40 | .6837 | ---- | ---- | ---- | ---- | 202 UNCH |
| 4425 | ---- | ---- | 371.00B/---- | 371.00B/351.40A | ---- | 353.50 + 19.40 | .6624 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4495 | ---- | ---- | 327.20B/---- | 327.20B/295.00A | ---- | 310.40 + 17.50 | .6180 | ---- | ---- | ---- | ---- | 18 UNCH |
| 4500 | ---- | ---- | 323.90B/289.80A | 323.90B/289.80A | ---- | 307.50 + 17.40 | .6147 | ---- | ---- | ---- | ---- | 8 UNCH |
| 4505 | ---- | ---- | 320.90B/---- | 320.90B/288.80A | ---- | 304.50 + 17.20 | .6114 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4510 | ---- | ---- | 317.90B/---- | 317.90B/285.90A | ---- | 301.60 + 17.10 | .6082 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4515 | ---- | ---- | 314.90B/---- | 314.90B/282.70A | ---- | 298.80 + 17.10 | .6049 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4520 | ---- | ---- | 311.90B/---- | 311.90B/279.10A | ---- | 295.90 + 16.90 | .6016 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4545 | ---- | ---- | 298.00B/265.50A | 298.00B/265.50A | ---- | 281.80 + 16.20 | .5850 | ---- | ---- | ---- | ---- | 16 UNCH |
| 4550 | ---- | ---- | 295.10B/262.80A | 295.10B/262.80A | ---- | 279.10 + 16.10 | .5817 | ---- | ---- | ---- | ---- | 225 UNCH |
| 4560 | ---- | ---- | 289.10B/---- | 289.10B/258.20A | ---- | 273.60 + 15.80 | .5750 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4565 | ---- | ---- | 286.40B/---- | 286.40B/257.20A | ---- | 270.90 + 15.70 | .5716 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4570 | ---- | ---- | 283.50B/---- | 283.50B/253.50A | ---- | 268.20 + 15.50 | .5683 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4575 | ---- | ---- | 280.90B/---- | 280.90B/252.00A | ---- | 265.60 + 15.40 | .5649 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4580 | ---- | ---- | 278.00B/---- | 278.00B/249.40A | ---- | 262.90 + 15.20 | .5615 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4585 | ---- | ---- | 275.40B/---- | 275.40B/246.70A | ---- | 260.30 + 15.10 | .5582 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4590 | ---- | ---- | 272.70B/---- | 272.70B/242.90A | ---- | 257.70 + 15.00 | .5548 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4600 | ---- | ---- | 267.60B/---- | 267.60B/238.20A | ---- | 252.50 + 14.70 | .5480 | ---- | ---- | 1 | ---- | 55 + 1 |
| 4605 | ---- | ---- | 265.00B/---- | 265.00B/236.90A | ---- | 250.00 + 14.60 | .5446 | ---- | ---- | ---- | ---- | 10 UNCH |
| 4620 | ---- | ---- | 256.90B/---- | 256.90B/229.80A | ---- | 242.40 + 14.10 | .5345 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4640 | ---- | ---- | 246.80B/218.60A | 246.80B/218.60A | ---- | 232.70 + 13.70 | .5209 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4650 | ---- | ---- | 241.90B/214.40A | 241.90B/214.40A | ---- | 227.90 + 13.40 | .5141 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4675 | ---- | ---- | 230.20B/---- | 230.20B/203.70A | ---- | 216.30 + 12.70 | .4972 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4680 | ---- | ---- | 227.50B/---- | 227.50B/201.60A | ---- | 214.10 + 12.70 | .4938 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4700 | ---- | ---- | 218.40B/---- | 218.40B/193.50A | ---- | 205.20 + 12.10 | .4803 | ---- | ---- | ---- | ---- | 169 UNCH |
| 4705 | ---- | ---- | 216.30B/---- | 216.30B/191.30A | ---- | 203.10 + 12.00 | .4770 | ---- | ---- | ---- | ---- | 10 UNCH |
| 4710 | ---- | ---- | 213.90B/---- | 213.90B/189.10A | ---- | 200.90 + 11.80 | .4736 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4720 | ---- | ---- | 209.50B/---- | 209.50B/185.50A | ---- | 196.70 + 11.60 | .4670 | ---- | ---- | ---- | ---- | 45 UNCH |
| 4725 | ---- | ---- | 207.40B/182.90A | 207.40B/182.90A | ---- | 194.60 + 11.50 | .4636 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4730 | ---- | ---- | 205.30B/---- | 205.30B/181.20A | ---- | 192.60 + 11.40 | .4604 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4740 | ---- | ---- | 200.90B/177.30A | 200.90B/177.30A | ---- | 188.50 + 11.10 | .4537 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4745 | ---- | ---- | 198.80B/---- | 198.80B/175.60A | ---- | 186.50 + 11.00 | .4504 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4750 | ---- | ---- | 196.80B/---- | 196.80B/173.70A | ---- | 184.50 + 10.90 | .4471 | ---- | ---- | ---- | ---- | 43 UNCH |
| 4770 | ---- | ---- | 188.60B/---- | 188.60B/166.60A | ---- | 176.80 + 10.50 | .4341 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4775 | ---- | ---- | 186.70B/---- | 186.70B/164.80A | ---- | 174.90 + 10.40 | .4309 | ---- | ---- | ---- | ---- | 184 UNCH |
| 4780 | ---- | ---- | 184.80B/---- | 184.80B/163.00A | ---- | 173.00 + 10.20 | .4276 | ---- | ---- | ---- | ---- | 7 UNCH |
| 4785 | ---- | ---- | 182.70B/---- | 182.70B/161.20A | ---- | 171.20 + 10.20 | .4244 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4795 | ---- | ---- | 178.90B/---- | 178.90B/157.80A | ---- | 167.50 + 9.90 | .4180 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4800 | ---- | ---- | 177.10B/---- | 177.10B/156.00A | ---- | 165.70 + 9.80 | .4148 | ---- | ---- | 1 | 325 | 1402 + 326 |
| 4835 | ---- | ---- | 164.20B/---- | 164.20B/144.80A | ---- | 153.70 + 9.10 | .3930 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4840 | ---- | ---- | 162.60B/---- | 162.60B/143.20A | ---- | 152.00 + 9.00 | .3899 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4850 | ---- | ---- | 159.10B/---- | 159.10B/140.10A | ---- | 148.80 + 8.80 | .3838 | ---- | ---- | ---- | ---- | 22 UNCH |
| 4860 | ---- | ---- | 155.60B/---- | 155.60B/137.10A | ---- | 145.60 + 8.60 | .3777 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4875 | ---- | ---- | 150.70B/---- | 150.70B/132.70A | ---- | 140.90 + 8.30 | .3687 | ---- | ---- | ---- | ---- | 30 UNCH |
| 4880 | ---- | ---- | 149.10B/---- | 149.10B/131.40A | ---- | 139.40 + 8.20 | .3658 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4885 | ---- | ---- | 147.40B/---- | 147.40B/130.00A | ---- | 137.80 + 8.00 | .3628 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4900 | ---- | ---- | 142.80B/---- | 142.80B/126.00A | ---- | 133.40 + 7.70 | .3540 | ---- | ---- | ---- | ---- | 310 UNCH |
| 4920 | ---- | ---- | 136.80B/---- | 136.80B/120.70A | ---- | 127.70 + 7.30 | .3425 | ---- | ---- | ---- | ---- | 30 UNCH |
| 4925 | ---- | ---- | 135.30B/---- | 135.30B/119.50A | ---- | 126.30 + 7.20 | .3397 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4930 | ---- | ---- | 133.80B/---- | 133.80B/118.20A | ---- | 124.90 + 7.10 | .3369 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4935 | ---- | ---- | 132.20B/---- | 132.20B/117.10A | ---- | 123.50 + 6.90 | .3340 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4950 | ---- | ---- | 128.10B/---- | 128.10B/113.50A | ---- | 119.50 + 6.60 | .3257 | ---- | ---- | ---- | ---- | 292 UNCH |
| 4965 | ---- | ---- | 123.90B/---- | 123.90B/110.00A | ---- | 115.60 + 6.30 | .3175 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4975 | ---- | ---- | 121.30B/---- | 121.30B/107.70A | ---- | 113.10 + 6.10 | .3122 | ---- | ---- | ---- | ---- | 315 UNCH |
| 5000 | 107.40 | 107.40 | 114.90B/107.40 | 114.90B/102.30A | ---- | 107.00 + 5.60 | .2990 | ---- | ---- | 3 | ---- | 482 + 1 |
| 5005 | ---- | ---- | 113.50B/---- | 113.50B/101.20A | ---- | 105.90 + 5.50 | .2965 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5010 | ---- | ---- | 112.40B/---- | 112.40B/100.20A | ---- | 104.70 + 5.40 | .2939 | ---- | ---- | ---- | ---- | 10 UNCH |
| 5050 | ---- | ---- | 103.20B/---- | 103.20B/92.20A | ---- | 95.90 + 4.70 | .2742 | ---- | ---- | ---- | ---- | 300 UNCH |
| 5075 | ---- | ---- | 97.60B/---- | 97.60B/87.50A | ---- | 90.90 + 4.40 | .2625 | ---- | ---- | ---- | ---- | 1 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OG CALL | | COMEX GOLD OPTIONS | | | | | | | | | | |
| SEP26 | | | | | | | | | | | | |
| 5100 | ---- | ---- | 92.60B/---- | 92.60B/83.10A | ---- | 86.10 + 4.00 | .2512 | ---- | ---- | ---- | ---- | 312 UNCH |
| 5110 | ---- | ---- | 90.50B/---- | 90.50B/81.30A | ---- | 84.30 + 3.90 | .2468 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5150 | ---- | ---- | 83.10B/---- | 83.10B/74.80A | ---- | 77.50 + 3.50 | .2301 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5155 | ---- | ---- | 82.20B/---- | 82.20B/74.00A | ---- | 76.60 + 3.40 | .2279 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5175 | ---- | ---- | 78.70B/---- | 78.70B/71.20A | ---- | 73.50 + 3.20 | .2201 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5200 | ---- | ---- | 74.90B/---- | 74.90B/67.70A | ---- | 69.80 + 3.00 | .2106 | ---- | ---- | ---- | ---- | 473 UNCH |
| 5230 | ---- | ---- | 70.40B/---- | 70.40B/63.60A | ---- | 65.60 + 2.70 | .1997 | ---- | ---- | ---- | ---- | 402 UNCH |
| 5235 | ---- | ---- | 69.40B/---- | 69.40B/62.80A | ---- | 64.90 + 2.70 | .1979 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5245 | ---- | ---- | 68.10B/---- | 68.10B/61.50A | ---- | 63.60 + 2.60 | .1945 | ---- | ---- | ---- | ---- | 20 UNCH |
| 5250 | ---- | ---- | 67.60B/---- | 67.60B/60.90A | ---- | 63.00 + 2.60 | .1928 | ---- | ---- | ---- | ---- | 275 UNCH |
| 5300 | 56.30 | 56.30 | 61.20B/56.30 | 61.20B/54.90A | ---- | 56.90 + 2.10 | .1765 | ---- | ---- | 14 | ---- | 1209 + 5 |
| 5315 | ---- | ---- | 58.90B/---- | 58.90B/53.20A | ---- | 55.30 + 2.10 | .1721 | ---- | ---- | ---- | ---- | 5 UNCH |
| 5330 | ---- | ---- | 57.10B/---- | 57.10B/51.70A | ---- | 53.70 + 2.00 | .1676 | ---- | ---- | ---- | ---- | 20 UNCH |
| 5335 | ---- | ---- | 56.40B/---- | 56.40B/51.20A | ---- | 53.10 + 1.90 | .1660 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5350 | ---- | ---- | 54.90B/---- | 54.90B/50.10A | ---- | 51.60 + 1.80 | .1618 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5365 | ---- | ---- | 53.10B/---- | 53.10B/49.10A | ---- | 50.10 + 1.70 | .1576 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5370 | ---- | ---- | 52.60B/---- | 52.60B/48.60A | ---- | 49.70 + 1.70 | .1564 | ---- | ---- | ---- | ---- | 15 UNCH |
| 5375 | ---- | ---- | 52.10B/---- | 52.10B/48.10A | ---- | 49.20 + 1.70 | .1550 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5400 | ---- | ---- | 49.60B/---- | 49.60B/46.00A | ---- | 46.90 + 1.50 | .1485 | ---- | ---- | ---- | ---- | 492 UNCH |
| 5420 | ---- | ---- | 47.70B/---- | 47.70B/44.30A | ---- | 45.20 + 1.50 | .1436 | ---- | ---- | ---- | ---- | 83 UNCH |
| 5425 | ---- | ---- | 47.40B/---- | 47.40B/43.90A | ---- | 44.70 + 1.30 | .1422 | ---- | ---- | ---- | ---- | 50 UNCH |
| 5450 | ---- | ---- | 45.10B/---- | 45.10B/41.90A | ---- | 42.70 + 1.30 | .1364 | ---- | ---- | ---- | ---- | 7 UNCH |
| 5460 | ---- | ---- | 44.20B/---- | 44.20B/41.20A | ---- | 42.00 + 1.30 | .1342 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5475 | ---- | ---- | 43.10B/---- | 43.10B/40.10A | ---- | 40.80 + 1.20 | .1308 | ---- | ---- | ---- | ---- | 26 UNCH |
| 5500 | ---- | ---- | 40.90B/---- | 40.90B/38.30A | ---- | 39.00 + 1.10 | .1254 | ---- | ---- | ---- | ---- | 1429 UNCH |
| 5505 | ---- | ---- | 40.50B/---- | 40.50B/38.00A | ---- | 38.70 + 1.10 | .1245 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5520 | ---- | ---- | 39.40B/---- | 39.40B/37.10A | ---- | 37.70 + 1.10 | .1215 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5525 | ---- | ---- | 39.00B/---- | 39.00B/36.70A | ---- | 37.40 + 1.10 | .1205 | ---- | ---- | ---- | ---- | 6 UNCH |
| 5540 | ---- | ---- | 38.00B/---- | 38.00B/35.70A | ---- | 36.40 + 1.00 | .1176 | ---- | ---- | ---- | ---- | 15 UNCH |
| 5595 | ---- | ---- | 34.40B/---- | 34.40B/32.50A | ---- | 33.10 + 0.80 | .1075 | ---- | ---- | ---- | ---- | 4 UNCH |
| 5600 | ---- | ---- | 34.10B/---- | 34.10B/32.30A | ---- | 32.80 + 0.80 | .1066 | ---- | ---- | 26 | ---- | 547 - 3 |
| 5605 | ---- | ---- | 33.80B/---- | 33.80B/32.00A | ---- | 32.60 + 0.80 | .1059 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5625 | ---- | ---- | 32.70B/---- | 32.70B/31.00A | ---- | 31.50 + 0.70 | .1026 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5650 | ---- | ---- | 31.40B/---- | 31.40B/29.80A | ---- | 30.20 + 0.60 | .0986 | ---- | ---- | ---- | ---- | 414 UNCH |
| 5665 | ---- | ---- | 30.70B/---- | 30.70B/29.10A | ---- | 29.50 + 0.60 | .0963 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5675 | ---- | ---- | 30.20B/---- | 30.20B/28.60A | ---- | 29.00 + 0.60 | .0948 | ---- | ---- | ---- | ---- | 8 UNCH |
| 5700 | ---- | ---- | 29.00B/---- | 29.00B/27.50A | ---- | 27.90 + 0.60 | .0913 | ---- | ---- | ---- | ---- | 1060 UNCH |
| 5730 | ---- | ---- | 27.60B/---- | 27.60B/26.30A | ---- | 26.70 + 0.60 | .0874 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5750 | ---- | ---- | 26.80B/---- | 26.80B/25.60A | ---- | 25.90 + 0.60 | .0849 | ---- | ---- | ---- | ---- | 173 UNCH |
| 5760 | ---- | ---- | 26.40B/---- | 26.40B/25.20A | ---- | 25.50 + 0.50 | .0836 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5775 | ---- | ---- | 25.90B/---- | 25.90B/24.60A | ---- | 24.90 + 0.50 | .0817 | ---- | ---- | ---- | ---- | 162 UNCH |
| 5800 | ---- | ---- | 24.80B/---- | 24.80B/23.80A | ---- | 24.10 + 0.60 | .0790 | ---- | ---- | ---- | ---- | 536 UNCH |
| 5850 | ---- | ---- | 23.00B/---- | 23.00B/22.30A | ---- | 22.60 + 0.60 | .0740 | ---- | ---- | ---- | ---- | 439 UNCH |
| 5900 | ---- | ---- | 21.40B/---- | 21.40B/20.90A | ---- | 21.20 + 0.60 | .0693 | ---- | ---- | 13 | ---- | 598 - 5 |
| 5950 | ---- | ---- | 20.20B/---- | 20.20B/19.60A | ---- | 19.90 + 0.50 | .0649 | ---- | ---- | ---- | ---- | 51 UNCH |
| 6000 | ---- | ---- | 18.90B/---- | 18.90B/18.50A | ---- | 18.80 + 0.40 | .0611 | ---- | ---- | ---- | ---- | 1128 UNCH |
| 6100 | ---- | ---- | 16.90B/---- | 16.90B/16.60A | ---- | 16.80 + 0.20 | .0543 | ---- | ---- | ---- | ---- | 185 UNCH |
| 6200 | 15.70 | 15.70 | 15.70/15.10A | 15.70/15.10A | ---- | 15.10 UNCH | .0485 | ---- | ---- | 1 | ---- | 234 - 1 |
| 6300 | ---- | ---- | ----/13.80A | 13.90B/13.80A | ---- | 13.80 - 0.10 | .0439 | ---- | ---- | ---- | ---- | 159 UNCH |
| 6400 | ---- | ---- | ---- | 12.80B/12.80A | ---- | 12.80 UNCH | .0402 | ---- | ---- | ---- | ---- | 225 UNCH |
| 6500 | ---- | ---- | ---- | 11.90B/11.90A | ---- | 11.90 UNCH | .0369 | ---- | ---- | ---- | ---- | 541 UNCH |
| 6600 | ---- | ---- | ---- | 11.10B/11.20A | ---- | 11.20 + 0.10 | .0343 | ---- | ---- | ---- | ---- | 25 UNCH |
| 6650 | 10.80 | 10.80 | 10.80/10.80 | 10.80/10.80 | ---- | 10.90 + 0.10 | .0331 | ---- | ---- | 2 | ---- | 9 - 2 |
| 6750 | ---- | ---- | ---- | 10.20B/10.40A | ---- | 10.20 UNCH | .0306 | ---- | ---- | ---- | ---- | 11 UNCH |
| 6775 | ---- | ---- | ---- | 10.00B/10.30A | ---- | 10.10 + 0.10 | .0302 | ---- | ---- | ---- | ---- | 1 UNCH |
| 6800 | ---- | ---- | ---- | 9.90B/10.20A | ---- | 10.00 + 0.10 | .0298 | ---- | ---- | ---- | ---- | 127 UNCH |
| 7000 | ---- | ---- | ---- | 8.70B/9.40A | ---- | 9.00 + 0.10 | .0262 | ---- | ---- | ---- | ---- | 100 UNCH |
| 8000 | ---- | ---- | ---- | 5.80B/6.30A | ---- | 6.30 + 0.10 | .0163 | ---- | ---- | ---- | ---- | 86 UNCH |
| TOTAL | | | | | | | | | | 61 | 325 | 16434 + 322 |
| OCT26 | | | | | | | | | | | | |
| 3600 | ---- | ---- | 1,069.90B/---- | 1069.90B/1053.20A | ---- | 1051.50 + 29.10 | .9359 | ---- | ---- | ---- | ---- | 12 UNCH |
| 4300 | ---- | ---- | 477.80B/---- | 477.80B/461.40A | ---- | 461.50 + 21.80 | .7178 | ---- | ---- | ---- | ---- | 102 UNCH |
| 4400 | ---- | ---- | 411.60B/---- | 411.60B/393.30A | ---- | 394.60 + 20.10 | .6649 | ---- | ---- | ---- | ---- | 8 UNCH |
| 4405 | ---- | ---- | 408.40B/---- | 408.40B/390.30A | ---- | 391.50 + 20.10 | .6621 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4480 | ---- | ---- | 361.60B/---- | 361.60B/333.50A | ---- | 345.80 + 18.20 | .6195 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4500 | ---- | ---- | 349.90B/---- | 349.90B/322.50A | ---- | 334.30 + 17.60 | .6078 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4515 | ---- | ---- | 341.20B/---- | 341.20B/314.40A | ---- | 325.80 + 17.10 | .5990 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4550 | ---- | ---- | 321.30B/---- | 321.30B/296.10A | ---- | 306.60 + 16.00 | .5782 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4580 | ---- | ---- | 305.30B/---- | 305.30B/281.10A | ---- | 290.80 + 15.00 | .5602 | ---- | ---- | ---- | ---- | 70 UNCH |
| 4600 | ---- | ---- | 294.90B/---- | 294.90B/271.40A | ---- | 280.50 + 14.40 | .5481 | ---- | ---- | ---- | ---- | 134 UNCH |
| 4610 | ---- | ---- | 289.70B/---- | 289.70B/266.70A | ---- | 275.50 + 14.10 | .5421 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4620 | ---- | ---- | 284.40B/---- | 284.40B/262.00A | ---- | 270.60 + 13.80 | .5360 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4630 | ---- | ---- | 279.70B/---- | 279.70B/257.40A | ---- | 265.70 + 13.50 | .5299 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4650 | ---- | ---- | 269.90B/---- | 269.90B/248.40A | ---- | 256.10 + 13.00 | .5179 | ---- | ---- | ---- | ---- | 84 UNCH |
| 4670 | ---- | ---- | 260.10B/---- | 260.10B/239.70A | ---- | 246.80 + 12.40 | .5058 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4675 | ---- | ---- | 257.70B/---- | 257.70B/237.60A | ---- | 244.50 + 12.30 | .5028 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4690 | ---- | ---- | 250.80B/---- | 250.80B/231.30A | ---- | 237.80 + 12.00 | .4938 | ---- | ---- | 3 | ---- | 4 + 3 |
| 4700 | ---- | ---- | 246.60B/---- | 246.60B/227.20A | ---- | 233.40 + 11.70 | .4878 | ---- | ---- | ---- | ---- | 157 UNCH |
| 4710 | ---- | ---- | 241.80B/---- | 241.80B/223.10A | ---- | 229.10 + 11.50 | .4818 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4715 | ---- | ---- | 239.70B/---- | 239.70B/221.10A | ---- | 226.90 + 11.40 | .4788 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4750 | ---- | ---- | 224.80B/---- | 224.80B/207.50A | ---- | 212.50 + 10.70 | .4581 | ---- | ---- | ---- | ---- | 35 UNCH |
| 4755 | ---- | ---- | 222.60B/---- | 222.60B/205.70A | ---- | 210.50 + 10.60 | .4552 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4800 | ---- | ---- | 204.90B/---- | 204.90B/189.50A | ---- | 193.50 + 9.90 | .4292 | ---- | ---- | ---- | ---- | 475 UNCH |
| 4845 | ---- | ---- | 188.20B/---- | 188.20B/174.50A | ---- | 178.00 + 9.30 | .4041 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4850 | ---- | ---- | 186.50B/---- | 186.50B/172.90A | ---- | 176.40 + 9.20 | .4014 | ---- | ---- | ---- | ---- | 53 UNCH |
| 4865 | ---- | ---- | 181.20B/---- | 181.20B/168.30A | ---- | 171.40 + 8.80 | .3932 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4880 | ---- | ---- | 176.20B/---- | 176.20B/163.70A | ---- | 166.50 + 8.30 | .3850 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4900 | ---- | ---- | 169.70B/---- | 169.70B/158.20A | ---- | 160.20 + 7.80 | .3743 | ---- | ---- | ---- | ---- | 1319 UNCH |
| 4905 | ---- | ---- | 168.10B/---- | 168.10B/156.40A | ---- | 158.60 + 7.60 | .3716 | ---- | ---- | ---- | ---- | 20 UNCH |
| 4910 | ---- | ---- | 166.40B/---- | 166.40B/155.00A | ---- | 157.10 + 7.50 | .3690 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4925 | ---- | ---- | 161.70B/---- | 161.70B/150.70A | ---- | 152.60 + 7.20 | .3611 | ---- | ---- | ---- | ---- | 18 UNCH |
| 4935 | ---- | ---- | 158.80B/---- | 158.80B/147.90A | ---- | 149.70 + 7.10 | .3560 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4945 | ---- | ---- | 155.80B/---- | 155.80B/145.00A | ---- | 146.80 + 6.90 | .3508 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4950 | ---- | ---- | 154.20B/---- | 154.20B/143.70A | ---- | 145.40 + 6.80 | .3483 | ---- | ---- | ---- | 850 | 868 + 850 |
| 5000 | ---- | ---- | 140.40B/---- | 140.40B/130.40A | ---- | 132.20 + 6.40 | .3238 | ---- | ---- | ---- | ---- | 1339 UNCH |
| 5025 | ---- | ---- | 133.70B/---- | 133.70B/125.20A | ---- | 126.10 + 6.20 | .3121 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5050 | ---- | ---- | 127.60B/---- | 127.60B/118.60A | ---- | 120.30 + 5.90 | .3007 | ---- | ---- | ---- | ---- | 59 UNCH |
| 5075 | ---- | ---- | 121.60B/---- | 121.60B/113.10A | ---- | 114.70 + 5.40 | .2895 | ---- | ---- | ---- | ---- | 4 UNCH |
| 5080 | ---- | ---- | 120.50B/---- | 120.50B/111.90A | ---- | 113.70 + 5.40 | .2875 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5085 | ---- | ---- | 119.20B/---- | 119.20B/111.00A | ---- | 112.60 + 5.30 | .2853 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5100 | ---- | ---- | 116.20B/---- | 116.20B/107.60A | ---- | 109.50 + 5.10 | .2789 | ---- | ---- | ---- | ---- | 804 UNCH |
| 5125 | ---- | ---- | 110.50B/---- | 110.50B/103.70A | ---- | 104.50 + 4.80 | .2685 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5150 | ---- | ---- | 105.50B/---- | 105.50B/98.00A | ---- | 99.70 + 4.30 | .2585 | ---- | ---- | ---- | ---- | 36 UNCH |
| 5160 | ---- | ---- | 103.50B/---- | 103.50B/96.70A | ---- | 97.90 + 4.20 | .2546 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5170 | ---- | ---- | 101.60B/---- | 101.60B/94.40A | ---- | 96.10 + 4.10 | .2507 | ---- | ---- | ---- | ---- | 5 UNCH |
| 5200 | 90.20 | 90.20 | 96.10B/89.10A | 96.10B/89.10A | ---- | 90.90 + 3.70 | .2395 | ---- | ---- | 3 | ---- | 1038 UNCH |
| 5250 | ---- | ---- | 87.70B/---- | 87.70B/81.30A | ---- | 83.00 + 3.10 | .2218 | ---- | ---- | ---- | ---- | 523 UNCH |
| 5255 | ---- | ---- | 86.50B/---- | 86.50B/81.60A | ---- | 82.30 + 3.10 | .2202 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5300 | ---- | ---- | 80.20B/---- | 80.20B/74.30A | ---- | 75.90 + 2.70 | .2055 | ---- | ---- | ---- | ---- | 988 UNCH |
| 5325 | ---- | ---- | 76.60B/---- | 76.60B/71.40A | ---- | 72.60 + 2.50 | .1978 | ---- | ---- | ---- | ---- | 9 UNCH |
| 5350 | ---- | ---- | 73.10B/---- | 73.10B/68.30A | ---- | 69.50 + 2.30 | .1905 | ---- | ---- | ---- | ---- | 4 UNCH |
| 5365 | ---- | ---- | 70.80B/---- | 70.80B/67.00A | ---- | 67.80 + 2.30 | .1863 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5400 | 68.00 | 68.00 | 68.00/62.50A | 68.00/62.50A | ---- | 63.80 + 2.10 | .1767 | ---- | ---- | 17 | ---- | 598 UNCH |
| 5410 | ---- | ---- | 65.40B/---- | 65.40B/62.20A | ---- | 62.80 + 2.10 | .1741 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5435 | ---- | ---- | 63.10B/---- | 63.10B/59.20A | ---- | 60.20 + 2.00 | .1677 | ---- | ---- | ---- | ---- | 226 UNCH |
| 5450 | ---- | ---- | 61.00B/---- | 61.00B/58.20A | ---- | 58.70 + 1.90 | .1640 | ---- | ---- | ---- | ---- | 66 UNCH |
| 5455 | ---- | ---- | 60.50B/---- | 60.50B/57.70A | ---- | 58.20 + 1.90 | .1628 | ---- | ---- | ---- | ---- | 175 UNCH |
| 5475 | ---- | ---- | 58.50B/---- | 58.50B/55.80A | ---- | 56.40 + 1.90 | .1582 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5500 | ---- | ---- | 56.10B/---- | 56.10B/53.60A | ---- | 54.10 + 1.80 | .1524 | ---- | ---- | ---- | ---- | 2005 UNCH |
| 5520 | ---- | ---- | 54.30B/---- | 54.30B/51.70A | ---- | 52.40 + 1.70 | .1480 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5545 | ---- | ---- | 52.10B/---- | 52.10B/49.80A | ---- | 50.40 + 1.70 | .1428 | ---- | ---- | ---- | ---- | 5 UNCH |
| 5550 | ---- | ---- | 51.80B/---- | 51.80B/49.50A | ---- | 50.00 + 1.70 | .1418 | ---- | ---- | ---- | ---- | 280 UNCH |
| 5590 | ---- | ---- | 48.40B/---- | 48.40B/46.60A | ---- | 47.10 + 1.60 | .1341 | ---- | ---- | ---- | ---- | 4 UNCH |
| 5600 | ---- | ---- | 47.60B/---- | 47.60B/45.80A | ---- | 46.30 + 1.50 | .1320 | ---- | ---- | ---- | ---- | 256 UNCH |
| 5610 | ---- | ---- | 46.90B/---- | 46.90B/45.20A | ---- | 45.60 + 1.40 | .1302 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5615 | ---- | ---- | 46.50B/---- | 46.50B/45.00A | ---- | 45.30 + 1.40 | .1293 | ---- | ---- | ---- | ---- | 5 UNCH |
| 5650 | ---- | ---- | 44.00B/---- | 44.00B/42.80A | ---- | 43.00 + 1.20 | .1232 | ---- | ---- | ---- | ---- | 401 UNCH |
| 5655 | ---- | ---- | 43.70B/---- | 43.70B/42.30A | ---- | 42.70 + 1.20 | .1224 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5660 | ---- | ---- | 43.30B/---- | 43.30B/42.20A | ---- | 42.40 + 1.20 | .1215 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5675 | ---- | ---- | 42.40B/---- | 42.40B/41.10A | ---- | 41.50 + 1.10 | .1191 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5700 | ---- | ---- | 40.90B/---- | 40.90B/39.80A | ---- | 40.00 + 0.90 | .1151 | ---- | ---- | ---- | ---- | 170 UNCH |
| 5710 | ---- | ---- | 40.30B/---- | 40.30B/39.30A | ---- | 39.40 + 0.80 | .1134 | ---- | ---- | ---- | ---- | 5 UNCH |
| 5720 | ---- | ---- | 39.70B/---- | 39.70B/38.50A | ---- | 38.80 + 0.60 | .1118 | ---- | ---- | ---- | ---- | 75 UNCH |
| 5750 | ---- | ---- | 38.00B/---- | 38.00B/36.90A | ---- | 37.20 + 0.40 | .1074 | ---- | ---- | ---- | 850 | 851 + 850 |
| 5775 | ---- | ---- | 36.90B/---- | 36.90B/35.70A | ---- | 36.00 + 0.40 | .1041 | ---- | ---- | ---- | ---- | 50 UNCH |
| 5800 | ---- | ---- | 35.80B/---- | 35.80B/34.60A | ---- | 34.80 + 0.30 | .1007 | ---- | ---- | ---- | ---- | 411 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OG CALL | | COMEX GOLD OPTIONS | | | | | | | | | | |
| OCT26 | | | | | | | | | | | | |
| 5825 | ---- | ---- | 34.50B/---- | 34.50B/33.50A | ---- | 33.70 + 0.40 | .0976 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5875 | ---- | ---- | 32.20B/---- | 32.20B/31.40A | ---- | 31.60 + 0.50 | .0916 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5900 | ---- | ---- | 31.20B/---- | 31.20B/30.40A | ---- | 30.70 + 0.60 | .0890 | ---- | ---- | ---- | ---- | 274 UNCH |
| 5925 | ---- | ---- | 30.20B/---- | 30.20B/29.60A | ---- | 29.80 + 0.70 | .0864 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5950 | ---- | ---- | 29.30B/---- | 29.30B/29.30A | ---- | 28.90 + 0.70 | .0838 | ---- | ---- | ---- | ---- | 1 UNCH |
| 6000 | ---- | ---- | 27.10B/---- | 27.10B/27.80A | ---- | 27.30 + 0.80 | .0791 | ---- | ---- | ---- | ---- | 2039 UNCH |
| 6100 | ---- | ---- | 24.20B/---- | 24.20B/25.10A | ---- | 24.40 + 0.60 | .0706 | ---- | ---- | ---- | ---- | 66 UNCH |
| 6200 | ---- | ---- | ---- | 21.60B/22.70A | ---- | 22.00 + 0.40 | .0635 | ---- | ---- | ---- | ---- | 38 UNCH |
| 6300 | ---- | ---- | ---- | 19.70B/20.90A | ---- | 20.10 + 0.20 | .0576 | ---- | ---- | ---- | ---- | 756 UNCH |
| 6400 | ---- | ---- | ---- | 18.00B/19.70A | ---- | 18.50 + 0.10 | .0526 | ---- | ---- | ---- | ---- | 1910 UNCH |
| 6500 | ---- | ---- | ---- | 16.70B/18.60A | ---- | 17.20 UNCH | .0485 | ---- | ---- | ---- | ---- | 4030 UNCH |
| 6800 | ---- | ---- | ---- | 13.30B/*15.60A | ---- | 14.50 + 0.10 | .0395 | ---- | ---- | ---- | ---- | 1385 UNCH |
| 6900 | ---- | ---- | ---- | 12.60B/*14.50A | ---- | 13.80 + 0.10 | .0371 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7000 | ---- | ---- | ---- | 12.00B/14.00A | ---- | 13.20 + 0.10 | .0351 | ---- | ---- | ---- | ---- | 1584 UNCH |
| 8000 | ---- | ---- | ---- | 8.60B/10.20A | ---- | 9.50 + 0.10 | .0226 | ---- | ---- | ---- | ---- | 212 UNCH |
| 8500 | ---- | ---- | ---- | 7.60B/*9.60A | ---- | 8.50 + 0.10 | .0193 | ---- | ---- | ---- | ---- | 208 UNCH |
| 9000 | ---- | ---- | ---- | 6.70B/8.60A | ---- | 7.60 UNCH | .0166 | ---- | ---- | ---- | ---- | 69 UNCH |
| 9500 | ---- | ---- | ---- | 6.00B/*7.80A | ---- | 6.90 UNCH | .0146 | ---- | ---- | ---- | ---- | 10 UNCH |
| 13000 | ---- | ---- | ---- | 2.50B/4.10A | ---- | 3.10 + 0.10 | .0058 | ---- | ---- | ---- | ---- | 25 UNCH |
| TOTAL | | | | | | | | | | 23 | 1,700 | 26424 + 1703 |
| NOV26 | | | | | | | | | | | | |
| 4000 | ---- | ---- | ---- | 584.80B/892.80A | ---- | 738.50 + 27.60 | .8342 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4100 | ---- | ---- | ---- | 503.40B/813.40A | ---- | 658.10 + 26.10 | .8003 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4275 | ---- | ---- | ---- | 372.70B/683.20A | ---- | 527.80 + 23.10 | .7296 | ---- | ---- | ---- | ---- | 38 UNCH |
| 4300 | ---- | ---- | ---- | 355.50B/665.60A | ---- | 510.40 + 22.60 | .7183 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4375 | ---- | ---- | 476.50B/---- | 476.50B/458.50A | ---- | 460.10 + 21.10 | .6831 | ---- | ---- | ---- | ---- | 38 UNCH |
| 4400 | ---- | ---- | 460.20B/---- | 460.20B/442.50A | ---- | 444.00 + 20.60 | .6709 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4440 | ---- | ---- | 434.70B/---- | 434.70B/405.20A | ---- | 419.00 + 19.70 | .6509 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4500 | ---- | ---- | 398.40B/---- | 398.40B/376.80A | ---- | 383.20 + 18.30 | .6201 | ---- | ---- | ---- | ---- | 28 UNCH |
| 4575 | ---- | ---- | 355.60B/---- | 355.60B/337.00A | ---- | 341.50 + 16.60 | .5805 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4595 | ---- | ---- | 344.90B/---- | 344.90B/326.90A | ---- | 330.90 + 16.10 | .5698 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4600 | ---- | ---- | 342.30B/---- | 342.30B/319.50A | ---- | 328.30 + 15.90 | .5671 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4700 | ---- | ---- | 292.40B/---- | 292.40B/278.10A | ---- | 279.70 + 13.60 | .5131 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4750 | ---- | ---- | 269.80B/---- | 269.80B/256.90A | ---- | 257.90 + 12.60 | .4864 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4775 | ---- | ---- | 259.00B/---- | 259.00B/242.70A | ---- | 247.60 + 12.10 | .4732 | ---- | ---- | ---- | ---- | 31 UNCH |
| 4800 | ---- | ---- | 248.70B/---- | 248.70B/236.70A | ---- | 237.60 + 11.60 | .4601 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4850 | ---- | ---- | 229.10B/---- | 229.10B/217.60A | ---- | 218.70 + 10.50 | .4344 | ---- | ---- | ---- | ---- | 25 UNCH |
| 4900 | ---- | ---- | 210.90B/---- | 210.90B/200.20A | ---- | 201.10 + 9.40 | .4093 | ---- | ---- | ---- | ---- | 451 UNCH |
| 4915 | ---- | ---- | 205.70B/---- | 205.70B/193.90A | ---- | 196.20 + 9.20 | .4020 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4925 | ---- | ---- | 202.30B/---- | 202.30B/192.10A | ---- | 192.90 + 9.00 | .3971 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4935 | ---- | ---- | 199.00B/---- | 199.00B/187.80A | ---- | 189.70 + 8.90 | .3923 | ---- | ---- | ---- | ---- | 25 UNCH |
| 4950 | ---- | ---- | 194.00B/---- | 194.00B/184.20A | ---- | 185.00 + 8.70 | .3851 | ---- | ---- | ---- | ---- | 150 UNCH |
| 4970 | ---- | ---- | 187.70B/---- | 187.70B/178.10A | ---- | 178.90 + 8.30 | .3757 | ---- | ---- | ---- | ---- | 10 UNCH |
| 5000 | ---- | ---- | 178.50B/---- | 178.50B/169.50A | ---- | 170.10 + 7.80 | .3618 | ---- | ---- | ---- | ---- | 84 UNCH |
| 5020 | ---- | ---- | 172.60B/---- | 172.60B/163.70A | ---- | 164.50 + 7.50 | .3528 | ---- | ---- | ---- | ---- | 30 UNCH |
| 5060 | ---- | ---- | 161.40B/---- | 161.40B/153.00A | ---- | 153.90 + 6.90 | .3352 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5080 | ---- | ---- | 156.10B/---- | 156.10B/148.00A | ---- | 148.90 + 6.70 | .3268 | ---- | ---- | ---- | ---- | 4 UNCH |
| 5085 | ---- | ---- | 154.80B/---- | 154.80B/146.80A | ---- | 147.60 + 6.50 | .3246 | ---- | ---- | ---- | ---- | 4 UNCH |
| 5175 | ---- | ---- | 133.20B/---- | 133.20B/126.60A | ---- | 127.20 + 5.40 | .2886 | ---- | ---- | ---- | ---- | 12 UNCH |
| 5180 | ---- | ---- | 132.10B/---- | 132.10B/125.50A | ---- | 126.20 + 5.40 | .2867 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5185 | ---- | ---- | 130.90B/---- | 130.90B/124.30A | ---- | 125.10 + 5.20 | .2848 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5200 | ---- | ---- | 127.80B/---- | 127.80B/121.50A | ---- | 122.10 + 5.10 | .2792 | ---- | ---- | ---- | ---- | 31 UNCH |
| 5230 | ---- | ---- | 121.60B/---- | 121.60B/115.60A | ---- | 116.30 + 4.80 | .2684 | ---- | ---- | ---- | ---- | 5 UNCH |
| 5250 | ---- | ---- | 117.50B/---- | 117.50B/112.10A | ---- | 112.60 + 4.60 | .2614 | ---- | ---- | ---- | ---- | 9 UNCH |
| 5300 | ---- | ---- | 108.40B/---- | 108.40B/103.40A | ---- | 103.90 + 4.20 | .2445 | ---- | ---- | ---- | ---- | 395 UNCH |
| 5330 | ---- | ---- | 103.20B/---- | 103.20B/98.30A | ---- | 99.00 + 3.80 | .2349 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5370 | ---- | ---- | 96.80B/---- | 96.80B/92.30A | ---- | 93.00 + 3.60 | .2228 | ---- | ---- | ---- | ---- | 5 UNCH |
| 5400 | ---- | ---- | 92.30B/---- | 92.30B/88.20A | ---- | 88.70 + 3.30 | .2140 | ---- | ---- | ---- | ---- | 17 UNCH |
| 5420 | ---- | ---- | 89.40B/---- | 89.40B/85.60A | ---- | 86.10 + 3.20 | .2085 | ---- | ---- | ---- | ---- | 14 UNCH |
| 5450 | ---- | ---- | 85.30B/---- | 85.30B/81.80A | ---- | 82.20 + 3.00 | .2004 | ---- | ---- | ---- | ---- | 925 UNCH |
| 5460 | ---- | ---- | 84.00B/---- | 84.00B/80.50A | ---- | 81.00 + 2.90 | .1978 | ---- | ---- | ---- | ---- | 10 UNCH |
| 5500 | ---- | ---- | 79.00B/---- | 79.00B/75.80A | ---- | 76.30 + 2.70 | .1877 | ---- | ---- | ---- | ---- | 82 UNCH |
| 5550 | ---- | ---- | 73.10B/---- | 73.10B/70.40A | ---- | 70.90 + 2.30 | .1759 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5600 | ---- | ---- | 68.00B/---- | 68.00B/65.50A | ---- | 66.10 + 2.10 | .1652 | ---- | ---- | ---- | ---- | 44 UNCH |
| 5680 | ---- | ---- | 60.60B/---- | 60.60B/58.50A | ---- | 59.20 + 1.70 | .1494 | ---- | ---- | ---- | ---- | 39 UNCH |
| 5690 | ---- | ---- | 59.80B/---- | 59.80B/57.60A | ---- | 58.40 + 1.60 | .1476 | ---- | ---- | ---- | ---- | 10 UNCH |
| 5700 | ---- | ---- | 58.90B/---- | 58.90B/57.10A | ---- | 57.70 + 1.60 | .1459 | ---- | ---- | ---- | ---- | 45 UNCH |
| 5710 | ---- | ---- | 58.30B/---- | 58.30B/56.50A | ---- | 56.90 + 1.60 | .1440 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5800 | ---- | ---- | 51.50B/---- | 51.50B/50.20A | ---- | 50.70 + 1.20 | .1293 | ---- | ---- | ---- | ---- | 80 UNCH |
| 5825 | ---- | ---- | 49.90B/---- | 49.90B/49.00A | ---- | 49.20 + 1.20 | .1256 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5900 | ---- | ---- | 45.50B/---- | 45.50B/45.00A | ---- | 44.90 + 0.90 | .1152 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5925 | ---- | ---- | 44.20B/---- | 44.20B/43.40A | ---- | 43.70 + 0.90 | .1121 | ---- | ---- | ---- | ---- | 4 UNCH |
| 5975 | ---- | ---- | 41.70B/---- | 41.70B/40.90A | ---- | 41.20 + 0.70 | .1060 | ---- | ---- | ---- | ---- | 3 UNCH |
| 6000 | ---- | ---- | 40.50B/---- | 40.50B/39.90A | ---- | 40.10 + 0.70 | .1032 | ---- | ---- | ---- | ---- | 236 UNCH |
| 6100 | ---- | ---- | 36.30B/---- | 36.30B/35.90A | ---- | 36.00 + 0.60 | .0928 | ---- | ---- | ---- | ---- | 1 UNCH |
| 6200 | ---- | ---- | 32.80B/---- | 32.80B/33.30A | ---- | 32.50 + 0.50 | .0838 | ---- | ---- | ---- | ---- | 1 UNCH |
| 6400 | ---- | ---- | ---- | 26.70B/28.10A | ---- | 27.00 + 0.30 | .0694 | ---- | ---- | ---- | ---- | 13 UNCH |
| 6500 | ---- | ---- | ---- | 24.60B/26.30A | ---- | 24.80 + 0.20 | .0635 | ---- | ---- | ---- | ---- | 1164 UNCH |
| 8000 | ---- | ---- | ---- | 12.30B/15.80A | ---- | 12.10 - 1.70 | .0275 | ---- | ---- | ---- | ---- | 11 UNCH |
| 9000 | ---- | ---- | ---- | 10.10B/13.00A | ---- | 10.60 - 1.40 | .0217 | ---- | ---- | ---- | ---- | 8 UNCH |
| 20000 | ---- | ---- | 2.00B/---- | 2.00B/4.00A | ---- | 1.60 - 0.30 | .0026 | ---- | ---- | ---- | ---- | 140 UNCH |
| TOTAL | | | | | | | | | | | | 4256 0 |
| DEC26 | | | | | | | | | | | | |
| 3550 | ---- | ---- | ---- | ---- | ---- | 1141.70 + 31.50 | .9249 | ---- | ---- | ---- | ---- | 2 UNCH |
| 3570 | ---- | ---- | ---- | ---- | ---- | 1123.30 + 31.40 | .9218 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3600 | ---- | ---- | ---- | ---- | ---- | 1095.80 + 31.10 | .9168 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3800 | ---- | ---- | 933.90B/---- | 933.90B/921.20A | ---- | 917.80 + 29.40 | .8764 | ---- | ---- | ---- | ---- | 4 UNCH |
| 3900 | ---- | ---- | ---- | 667.90B/998.70A | ---- | 832.80 + 28.30 | .8508 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4060 | ---- | ---- | 719.20B/---- | 719.20B/705.40A | ---- | 703.50 + 26.00 | .8014 | ---- | ---- | ---- | ---- | 100 UNCH |
| 4100 | ---- | ---- | 688.30B/---- | 688.30B/674.40A | ---- | 672.70 + 25.40 | .7875 | ---- | ---- | ---- | ---- | 48 UNCH |
| 4160 | ---- | ---- | 643.10B/---- | 643.10B/629.30A | ---- | 627.70 + 24.40 | .7653 | ---- | ---- | ---- | ---- | 100 UNCH |
| 4175 | ---- | ---- | 632.10B/---- | 632.10B/618.20A | ---- | 616.70 + 24.20 | .7596 | ---- | ---- | ---- | ---- | 37 UNCH |
| 4200 | ---- | ---- | 613.90B/---- | 613.90B/600.00A | ---- | 598.50 + 23.70 | .7498 | ---- | ---- | ---- | ---- | 150 UNCH |
| 4250 | ---- | ---- | 579.40B/---- | 579.40B/563.30A | ---- | 563.10 + 22.70 | .7295 | ---- | ---- | ---- | ---- | 293 UNCH |
| 4255 | ---- | ---- | 574.80B/---- | 574.80B/560.90A | ---- | 559.70 + 22.70 | .7274 | ---- | ---- | ---- | ---- | 50 UNCH |
| 4300 | ---- | ---- | 544.90B/---- | 544.90B/527.20A | ---- | 528.90 + 21.80 | .7082 | ---- | ---- | ---- | ---- | 436 UNCH |
| 4315 | ---- | ---- | 530.30B/---- | 530.30B/517.20A | ---- | 518.90 + 21.60 | .7017 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4320 | ---- | ---- | 530.80B/---- | 530.80B/513.90A | ---- | 515.60 + 21.50 | .6995 | ---- | ---- | ---- | ---- | 100 UNCH |
| 4350 | ---- | ---- | 512.10B/---- | 512.10B/494.30A | ---- | 496.00 + 20.90 | .6862 | ---- | ---- | ---- | ---- | 206 UNCH |
| 4375 | ---- | ---- | 495.90B/---- | 495.90B/478.30A | ---- | 480.00 + 20.50 | .6748 | ---- | ---- | ---- | ---- | 61 UNCH |
| 4400 | ---- | ---- | 479.80B/---- | 479.80B/462.70A | ---- | 464.30 + 20.00 | .6633 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4425 | ---- | ---- | 464.20B/---- | 464.20B/447.30A | ---- | 449.00 + 19.60 | .6516 | ---- | ---- | ---- | ---- | 8 UNCH |
| 4450 | ---- | ---- | 448.90B/---- | 448.90B/422.30A | ---- | 434.00 + 19.10 | .6398 | ---- | ---- | ---- | ---- | 87 UNCH |
| 4465 | ---- | ---- | 440.00B/---- | 440.00B/419.40A | ---- | 425.20 + 18.90 | .6327 | ---- | ---- | ---- | ---- | 93 UNCH |
| 4490 | ---- | ---- | 425.20B/---- | 425.20B/405.50A | ---- | 410.80 + 18.60 | .6206 | ---- | ---- | ---- | ---- | 7 UNCH |
| 4500 | ---- | ---- | 420.30B/---- | 420.30B/394.50A | ---- | 405.10 + 18.40 | .6158 | ---- | ---- | ---- | ---- | 757 UNCH |
| 4525 | ---- | ---- | 405.70B/---- | 405.70B/386.60A | ---- | 391.20 + 18.00 | .6036 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4540 | ---- | ---- | 397.30B/---- | 397.30B/378.70A | ---- | 383.00 + 17.80 | .5962 | ---- | ---- | ---- | ---- | 9 UNCH |
| 4550 | ---- | ---- | 391.80B/---- | 391.80B/373.50A | ---- | 377.60 + 17.70 | .5913 | ---- | ---- | ---- | ---- | 11 UNCH |
| 4565 | ---- | ---- | 383.50B/---- | 383.50B/365.90A | ---- | 369.60 + 17.40 | .5838 | ---- | ---- | ---- | ---- | 93 UNCH |
| 4580 | ---- | ---- | 375.60B/---- | 375.60B/358.30A | ---- | 361.80 + 17.30 | .5764 | ---- | ---- | ---- | ---- | 150 UNCH |
| 4585 | ---- | ---- | 373.00B/---- | 373.00B/350.40A | ---- | 359.20 + 17.20 | .5739 | ---- | ---- | ---- | ---- | 325 UNCH |
| 4590 | ---- | ---- | 370.20B/---- | 370.20B/347.90A | ---- | 356.60 + 17.10 | .5714 | ---- | ---- | ---- | ---- | 16 UNCH |
| 4600 | ---- | ---- | 365.10B/---- | 365.10B/348.40A | ---- | 351.50 + 16.90 | .5664 | ---- | ---- | ---- | ---- | 159 UNCH |
| 4615 | ---- | ---- | 357.40B/---- | 357.40B/341.20A | ---- | 343.90 + 16.70 | .5590 | ---- | ---- | ---- | ---- | 41 UNCH |
| 4625 | ---- | ---- | 352.20B/---- | 352.20B/336.30A | ---- | 338.90 + 16.40 | .5540 | ---- | ---- | ---- | ---- | 71 UNCH |
| 4640 | ---- | ---- | 344.70B/---- | 344.70B/329.00A | ---- | 331.60 + 16.20 | .5465 | ---- | ---- | ---- | ---- | 100 UNCH |
| 4650 | ---- | ---- | 339.80B/---- | 339.80B/324.20A | ---- | 326.70 + 15.90 | .5415 | ---- | ---- | ---- | ---- | 302 UNCH |
| 4675 | ---- | ---- | 327.60B/---- | 327.60B/308.20A | ---- | 314.70 + 15.10 | .5289 | ---- | ---- | ---- | ---- | 33 UNCH |
| 4680 | ---- | ---- | 324.60B/---- | 324.60B/311.20A | ---- | 312.40 + 15.00 | .5264 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4700 | ---- | ---- | 315.90B/---- | 315.90B/297.20A | ---- | 303.10 + 14.30 | .5165 | ---- | ---- | ---- | ---- | 95 UNCH |
| 4725 | ---- | ---- | 304.40B/---- | 304.40B/290.40A | ---- | 292.00 + 13.70 | .5041 | ---- | ---- | ---- | ---- | 110 UNCH |
| 4730 | ---- | ---- | 301.60B/---- | 301.60B/289.00A | ---- | 289.80 + 13.50 | .5016 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4750 | ---- | ---- | 293.20B/---- | 293.20B/279.20A | ---- | 281.30 + 13.00 | .4917 | ---- | ---- | ---- | 10 | 239 + 10 |
| 4775 | ---- | ---- | 282.00B/---- | 282.00B/270.00A | ---- | 271.10 + 12.60 | .4796 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4780 | ---- | ---- | 279.90B/---- | 279.90B/268.10A | ---- | 269.10 + 12.50 | .4771 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4790 | ---- | ---- | 275.80B/---- | 275.80B/264.10A | ---- | 265.10 + 12.30 | .4723 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4795 | ---- | ---- | 274.40B/---- | 274.40B/260.80A | ---- | 263.10 + 12.20 | .4699 | ---- | ---- | ---- | ---- | 6 UNCH |
| 4800 | ---- | ---- | 272.40B/---- | 272.40B/257.00A | ---- | 261.10 + 12.10 | .4675 | ---- | ---- | ---- | ---- | 375 UNCH |
| 4810 | ---- | ---- | 268.30B/---- | 268.30B/255.00A | ---- | 257.20 + 11.90 | .4626 | ---- | ---- | ---- | ---- | 56 UNCH |
| 4820 | ---- | ---- | 264.20B/---- | 264.20B/251.30A | ---- | 253.40 + 11.70 | .4579 | ---- | ---- | ---- | ---- | 49 UNCH |
| 4825 | ---- | ---- | 262.30B/---- | 262.30B/249.30A | ---- | 251.50 + 11.70 | .4555 | ---- | ---- | ---- | ---- | 104 UNCH |
| 4835 | ---- | ---- | 258.40B/---- | 258.40B/245.40A | ---- | 247.70 + 11.50 | .4507 | ---- | ---- | ---- | ---- | 125 UNCH |
| 4850 | ---- | ---- | 252.60B/---- | 252.60B/238.80A | ---- | 242.10 + 11.20 | .4436 | ---- | ---- | ---- | ---- | 296 UNCH |
| 4875 | ---- | ---- | 242.70B/---- | 242.70B/232.30A | ---- | 233.00 + 10.70 | .4319 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4880 | ---- | ---- | 241.50B/---- | 241.50B/228.60A | ---- | 231.20 + 10.50 | .4295 | ---- | ---- | ---- | ---- | 4 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OG CALL | | COMEX GOLD OPTIONS | | | | | | | | | | |
| DEC26 | | | | | | | | | | | | |
| 4900 | ---- | ---- | 234.20B/---- | 234.20B/222.00A | ---- | 224.20 + 10.10 | .4203 | ---- | ---- | ---- | ---- | 356 UNCH |
| 4925 | ---- | ---- | 225.40B/---- | 225.40B/213.80A | ---- | 215.70 + 9.60 | .4089 | ---- | ---- | ---- | ---- | 238 UNCH |
| 4950 | ---- | ---- | 217.00B/---- | 217.00B/205.60A | ---- | 207.60 + 9.10 | .3976 | ---- | ---- | ---- | ---- | 103 UNCH |
| 4975 | ---- | ---- | 208.90B/---- | 208.90B/197.90A | ---- | 199.90 + 8.80 | .3867 | ---- | ---- | ---- | ---- | 50 UNCH |
| 5000 | 198.30 | 198.30 | 201.50B/190.30A | 201.50B/190.30A | ---- | 192.40 + 8.30 | .3759 | ---- | ---- | 216 | 90 | 2412 + 70 |
| 5005 | ---- | ---- | 199.60B/---- | 199.60B/189.50A | ---- | 190.90 + 8.20 | .3737 | ---- | ---- | ---- | ---- | 4 UNCH |
| 5025 | ---- | ---- | 193.60B/---- | 193.60B/183.40A | ---- | 185.20 + 8.00 | .3653 | ---- | ---- | ---- | ---- | 218 UNCH |
| 5050 | ---- | ---- | 186.30B/---- | 186.30B/176.70A | ---- | 178.30 + 7.60 | .3549 | ---- | ---- | ---- | ---- | 101 UNCH |
| 5070 | ---- | ---- | 180.80B/---- | 180.80B/171.20A | ---- | 173.00 + 7.40 | .3468 | ---- | ---- | ---- | ---- | 13 UNCH |
| 5075 | ---- | ---- | 179.40B/---- | 179.40B/169.60A | ---- | 171.70 + 7.30 | .3448 | ---- | ---- | ---- | ---- | 30 UNCH |
| 5090 | ---- | ---- | 175.40B/---- | 175.40B/165.80A | ---- | 167.90 + 7.20 | .3389 | ---- | ---- | ---- | ---- | 17 UNCH |
| 5100 | ---- | ---- | 172.90B/---- | 172.90B/163.40A | ---- | 165.40 + 7.10 | .3349 | ---- | ---- | ---- | ---- | 349 UNCH |
| 5125 | ---- | ---- | 166.10B/---- | 166.10B/157.40A | ---- | 159.20 + 6.70 | .3252 | ---- | ---- | ---- | ---- | 70 UNCH |
| 5150 | ---- | ---- | 159.60B/---- | 159.60B/153.00A | ---- | 153.40 + 6.50 | .3158 | ---- | ---- | ---- | 10 | 11 + 10 |
| 5155 | ---- | ---- | 158.70B/---- | 158.70B/150.20A | ---- | 152.20 + 6.40 | .3139 | ---- | ---- | ---- | ---- | 4 UNCH |
| 5170 | ---- | ---- | 155.40B/---- | 155.40B/146.80A | ---- | 148.90 + 6.30 | .3084 | ---- | ---- | ---- | ---- | 4 UNCH |
| 5175 | ---- | ---- | 154.10B/---- | 154.10B/145.70A | ---- | 147.80 + 6.30 | .3066 | ---- | ---- | ---- | ---- | 101 UNCH |
| 5195 | ---- | ---- | 149.50B/---- | 149.50B/141.40A | ---- | 143.40 + 6.00 | .2994 | ---- | ---- | ---- | ---- | 5 UNCH |
| 5200 | ---- | ---- | 148.60B/---- | 148.60B/140.20A | ---- | 142.30 + 5.90 | .2975 | ---- | ---- | ---- | ---- | 1329 UNCH |
| 5220 | ---- | ---- | 143.90B/---- | 143.90B/136.20A | ---- | 138.20 + 5.80 | .2906 | ---- | ---- | ---- | ---- | 6 UNCH |
| 5245 | ---- | ---- | 138.70B/---- | 138.70B/131.20A | ---- | 133.10 + 5.50 | .2820 | ---- | ---- | ---- | ---- | 10 UNCH |
| 5250 | 136.40 | 136.40 | 137.80B/130.20A | 137.80B/130.20A | ---- | 132.20 + 5.50 | .2803 | ---- | ---- | 2 | ---- | 342 UNCH |
| 5255 | ---- | ---- | 136.10B/---- | 136.10B/130.60A | ---- | 131.20 + 5.50 | .2786 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5265 | ---- | ---- | 134.60B/---- | 134.60B/127.40A | ---- | 129.30 + 5.40 | .2753 | ---- | ---- | ---- | ---- | 5 UNCH |
| 5275 | ---- | ---- | 132.50B/---- | 132.50B/125.50A | ---- | 127.40 + 5.30 | .2720 | ---- | ---- | ---- | ---- | 20 UNCH |
| 5300 | ---- | ---- | 127.70B/---- | 127.70B/121.00A | ---- | 122.80 + 5.00 | .2640 | ---- | ---- | 250 | 350 | 740 + 400 |
| 5350 | ---- | ---- | 118.50B/---- | 118.50B/112.60A | ---- | 114.10 + 4.50 | .2485 | ---- | ---- | ---- | ---- | 460 UNCH |
| 5360 | ---- | ---- | 116.80B/---- | 116.80B/111.10A | ---- | 112.40 + 4.40 | .2454 | ---- | ---- | ---- | ---- | 100 UNCH |
| 5370 | ---- | ---- | 115.20B/---- | 115.20B/109.50A | ---- | 110.80 + 4.30 | .2425 | ---- | ---- | ---- | ---- | 36 UNCH |
| 5400 | ---- | ---- | 110.50B/---- | 110.50B/104.80A | ---- | 106.10 + 4.00 | .2338 | ---- | ---- | ---- | 10 | 479 + 10 |
| 5460 | ---- | ---- | 101.40B/---- | 101.40B/96.30A | ---- | 97.40 + 3.50 | .2175 | ---- | ---- | ---- | ---- | 203 UNCH |
| 5465 | ---- | ---- | 100.70B/---- | 100.70B/95.60A | ---- | 96.70 + 3.40 | .2162 | ---- | ---- | ---- | ---- | 53 UNCH |
| 5480 | ---- | ---- | 98.60B/---- | 98.60B/93.60A | ---- | 94.70 + 3.30 | .2123 | ---- | ---- | ---- | ---- | 50 UNCH |
| 5500 | 95.20 | 95.20 | 97.40/90.90A | 97.40/90.90A | ---- | 92.10 + 3.20 | .2073 | ---- | ---- | 76 | ---- | 2607 - 21 |
| 5505 | ---- | ---- | 95.10B/---- | 95.10B/90.50A | ---- | 91.50 + 3.20 | .2061 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5525 | ---- | ---- | 92.60B/---- | 92.60B/88.00A | ---- | 89.10 + 3.20 | .2013 | ---- | ---- | ---- | ---- | 80 UNCH |
| 5550 | ---- | ---- | 89.50B/---- | 89.50B/85.20A | ---- | 86.10 + 3.00 | .1954 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5570 | ---- | ---- | 87.00B/---- | 87.00B/82.90A | ---- | 83.90 + 3.00 | .1910 | ---- | ---- | ---- | ---- | 195 UNCH |
| 5600 | ---- | ---- | 83.70B/---- | 83.70B/79.50A | ---- | 80.70 + 2.90 | .1845 | ---- | ---- | 375 | ---- | 2205 - 347 |
| 5650 | ---- | ---- | 78.30B/---- | 78.30B/74.50A | ---- | 75.80 + 2.80 | .1743 | ---- | ---- | ---- | ---- | 250 UNCH |
| 5660 | ---- | ---- | 76.60B/---- | 76.60B/74.20A | ---- | 74.80 + 2.70 | .1723 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5675 | ---- | ---- | 75.80B/---- | 75.80B/72.30A | ---- | 73.40 + 2.60 | .1694 | ---- | ---- | ---- | ---- | 14 UNCH |
| 5680 | ---- | ---- | 74.50B/---- | 74.50B/72.50A | ---- | 73.00 + 2.70 | .1685 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5685 | ---- | ---- | 74.60B/---- | 74.60B/71.40A | ---- | 72.50 + 2.60 | .1675 | ---- | ---- | ---- | ---- | 18 UNCH |
| 5690 | ---- | ---- | 74.30B/---- | 74.30B/71.00A | ---- | 72.10 + 2.60 | .1666 | ---- | ---- | ---- | ---- | 12 UNCH |
| 5700 | ---- | ---- | 72.80B/---- | 72.80B/70.70A | ---- | 71.20 + 2.60 | .1647 | ---- | ---- | ---- | ---- | 375 UNCH |
| 5705 | ---- | ---- | 72.50B/---- | 72.50B/70.20A | ---- | 70.80 + 2.60 | .1638 | ---- | ---- | ---- | ---- | 5 UNCH |
| 5710 | ---- | ---- | 72.00B/---- | 72.00B/69.80A | ---- | 70.30 + 2.50 | .1628 | ---- | ---- | ---- | ---- | 5 UNCH |
| 5750 | ---- | ---- | 68.10B/---- | 68.10B/66.50A | ---- | 67.00 + 2.30 | .1558 | ---- | ---- | ---- | ---- | 313 UNCH |
| 5770 | ---- | ---- | 66.90B/---- | 66.90B/65.00A | ---- | 65.40 + 2.20 | .1524 | ---- | ---- | ---- | ---- | 8 UNCH |
| 5775 | ---- | ---- | 66.20B/---- | 66.20B/64.60A | ---- | 65.00 + 2.20 | .1515 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5800 | ---- | ---- | 64.50B/---- | 64.50B/62.60A | ---- | 63.10 + 2.00 | .1474 | ---- | ---- | ---- | ---- | 2055 UNCH |
| 5810 | ---- | ---- | 63.70B/---- | 63.70B/62.10A | ---- | 62.30 + 1.90 | .1457 | ---- | ---- | ---- | ---- | 56 UNCH |
| 5825 | ---- | ---- | 62.10B/---- | 62.10B/60.80A | ---- | 61.20 + 1.80 | .1434 | ---- | ---- | ---- | ---- | 4 UNCH |
| 5850 | ---- | ---- | 60.70B/---- | 60.70B/59.00A | ---- | 59.40 + 1.70 | .1395 | ---- | ---- | ---- | ---- | 51 UNCH |
| 5875 | ---- | ---- | 59.00B/---- | 59.00B/57.70A | ---- | 57.70 + 1.50 | .1357 | ---- | ---- | ---- | ---- | 9 UNCH |
| 5900 | ---- | ---- | 57.30B/---- | 57.30B/55.70A | ---- | 56.10 + 1.40 | .1322 | ---- | ---- | ---- | ---- | 1417 UNCH |
| 5950 | ---- | ---- | 54.20B/---- | 54.20B/53.10A | ---- | 53.00 + 1.10 | .1253 | ---- | ---- | ---- | ---- | 29 UNCH |
| 6000 | 52.00 | 52.00 | 52.00/50.40A | 52.00/50.40A | ---- | 50.20 + 0.90 | .1190 | ---- | ---- | 810 | ---- | 5340 - 123 |
| 6100 | ---- | ---- | 46.30B/---- | 46.30B/45.50A | ---- | 45.20 + 0.60 | .1076 | ---- | ---- | ---- | ---- | 132 UNCH |
| 6150 | ---- | ---- | 44.10B/---- | 44.10B/43.40A | ---- | 43.10 + 0.70 | .1026 | ---- | ---- | ---- | ---- | 12 UNCH |
| 6200 | ---- | ---- | 42.10B/---- | 42.10B/41.40A | ---- | 41.10 + 0.60 | .0979 | ---- | ---- | ---- | ---- | 3203 UNCH |
| 6250 | ---- | ---- | 40.20B/---- | 40.20B/39.60A | ---- | 39.20 + 0.60 | .0935 | ---- | ---- | ---- | ---- | 29 UNCH |
| 6300 | ---- | ---- | 38.30B/---- | 38.30B/38.00A | ---- | 37.60 + 0.70 | .0895 | ---- | ---- | ---- | ---- | 1049 UNCH |
| 6400 | ---- | ---- | 34.50B/---- | 34.50B/35.80A | ---- | 34.60 + 0.70 | .0822 | ---- | ---- | 250 | ---- | 683 - 20 |
| 6500 | ---- | ---- | ---- | 30.80B/33.20A | ---- | 32.20 + 0.90 | .0762 | ---- | ---- | 250 | ---- | 5444 + 250 |
| 6750 | ---- | ---- | ---- | 25.70B/*28.30A | ---- | 27.70 + 1.10 | .0644 | ---- | ---- | ---- | ---- | 104 UNCH |
| 6775 | ---- | ---- | ---- | 25.30B/*28.00A | ---- | 27.40 + 1.20 | .0635 | ---- | ---- | ---- | ---- | 163 UNCH |
| 6800 | ---- | ---- | ---- | 24.90B/*27.60A | ---- | 27.10 + 1.30 | .0626 | ---- | ---- | ---- | ---- | 1819 UNCH |
| 6900 | ---- | ---- | ---- | 22.80B/26.20A | ---- | 25.80 + 1.30 | .0591 | ---- | ---- | ---- | ---- | 13 UNCH |
| 7000 | 24.30 | 24.30 | 24.50/24.10 | 24.50/24.10 | ---- | 24.70 + 1.30 | .0560 | ---- | ---- | 7 | ---- | 4215 + 3 |
| 7130 | ---- | ---- | ---- | 20.60B/*23.80A | ---- | 23.40 + 1.30 | .0524 | ---- | ---- | ---- | ---- | 200 UNCH |
| 7175 | ---- | ---- | ---- | 20.10B/*23.10A | ---- | 23.00 + 1.30 | .0513 | ---- | ---- | ---- | ---- | 125 UNCH |
| 7250 | ---- | ---- | ---- | 19.70B/23.20A | ---- | 22.30 + 1.20 | .0495 | ---- | ---- | ---- | ---- | 108 UNCH |
| 7500 | ---- | ---- | ---- | 17.90B/21.10A | ---- | 20.40 + 1.20 | .0442 | ---- | ---- | ---- | ---- | 114 UNCH |
| 8000 | ---- | ---- | ---- | 15.80B/18.80A | ---- | 17.50 + 0.80 | .0364 | ---- | ---- | 1 | ---- | 799 - 1 |
| 8125 | ---- | ---- | ---- | 15.40B/18.80A | ---- | 16.90 + 0.70 | .0348 | ---- | ---- | ---- | ---- | 801 UNCH |
| 8500 | ---- | ---- | ---- | 14.40B/17.20A | ---- | 15.60 + 0.60 | .0312 | ---- | ---- | ---- | ---- | 170 UNCH |
| 8630 | ---- | ---- | ---- | 14.30B/17.40A | ---- | 15.20 + 0.50 | .0301 | ---- | ---- | ---- | ---- | 400 UNCH |
| 8725 | ---- | ---- | ---- | 13.80B/*16.70A | ---- | 15.00 + 0.50 | .0294 | ---- | ---- | ---- | ---- | 250 UNCH |
| 8775 | ---- | ---- | ---- | 13.80B/16.80A | ---- | 14.90 + 0.50 | .0291 | ---- | ---- | ---- | ---- | 25 UNCH |
| 9000 | ---- | ---- | 15.00B/---- | 15.00B/15.90A | ---- | 14.50 + 0.50 | .0278 | ---- | ---- | ---- | ---- | 238 UNCH |
| 9500 | ---- | ---- | ---- | 12.40B/15.50A | ---- | 14.20 + 0.80 | .0260 | ---- | ---- | ---- | ---- | 294 UNCH |
| 9900 | ---- | ---- | ---- | 11.80B/15.20A | ---- | 14.10 + 1.00 | .0249 | ---- | ---- | ---- | ---- | 17 UNCH |
| 10000 | 13.10 | 13.10 | 13.70/13.10 | 13.70/13.10 | ---- | 14.00 + 1.00 | .0245 | ---- | ---- | 53 | ---- | 8718 + 53 |
| 11000 | ---- | ---- | ---- | 10.10B/13.50A | ---- | 12.70 + 0.50 | .0211 | ---- | ---- | ---- | ---- | 397 UNCH |
| 13000 | ---- | ---- | ---- | 8.00B/10.50A | ---- | 9.10 - 1.00 | .0143 | ---- | ---- | ---- | ---- | 407 UNCH |
| 15000 | 7.50 | 7.50 | 7.50/7.00 | 7.50/7.00 | ---- | 7.30 - 0.40 | .0110 | ---- | ---- | 246 | ---- | 22042 + 214 |
| 17000 | ---- | ---- | ---- | 4.50B/6.30A | ---- | 5.40 - 0.20 | .0080 | ---- | ---- | ---- | ---- | 26 UNCH |
| 19000 | ---- | ---- | ---- | 3.00B/4.60A | ---- | 3.70 - 0.20 | .0055 | ---- | ---- | ---- | ---- | 7 UNCH |
| 20000 | 3.10 | 3.10 | 3.10/3.10 | 3.10/3.10 | ---- | 3.10 - 0.20 | .0046 | ---- | ---- | 37 | ---- | 23991 + 36 |
| 21000 | 2.50 | 2.50 | 2.50/2.50 | 2.50/2.50 | ---- | 2.70 + 0.10 | .0040 | ---- | ---- | 4 | ---- | 31 + 1 |
| 24000 | ---- | ---- | ----/2.00A | 0.30B/2.00A | ---- | 2.30 + 0.10 | .0033 | ---- | ---- | ---- | ---- | 31 UNCH |
| TOTAL | | | | | | | | | | 2577 | 470 | 104365 + 545 |
| JAN27 | | | | | | | | | | | | |
| 4190 | ---- | ---- | ---- | 464.50B/839.70A | ---- | 650.10 + 23.80 | .7549 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4290 | ---- | ---- | ---- | 395.00B/770.20A | ---- | 580.10 + 22.00 | .7168 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4300 | ---- | ---- | ---- | 388.30B/763.40A | ---- | 573.40 + 21.90 | .7128 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4400 | ---- | ---- | 521.40B/---- | 521.40B/509.40A | ---- | 508.70 + 20.10 | .6714 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4500 | ---- | ---- | 460.60B/---- | 460.60B/439.80A | ---- | 449.20 + 18.50 | .6276 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4600 | ---- | ---- | 404.80B/---- | 404.80B/387.30A | ---- | 394.90 + 16.80 | .5823 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4650 | ---- | ---- | 379.00B/---- | 379.00B/363.00A | ---- | 369.70 + 15.90 | .5592 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4710 | ---- | ---- | 349.70B/---- | 349.70B/335.50A | ---- | 341.10 + 14.80 | .5315 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4750 | ---- | ---- | 331.40B/---- | 331.40B/318.30A | ---- | 323.10 + 14.00 | .5132 | ---- | ---- | ---- | ---- | 8 UNCH |
| 4760 | ---- | ---- | 326.90B/---- | 326.90B/314.10A | ---- | 318.70 + 13.80 | .5086 | ---- | ---- | ---- | ---- | 100 UNCH |
| 4800 | ---- | ---- | 309.40B/---- | 309.40B/297.80A | ---- | 301.70 + 13.00 | .4905 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4850 | ---- | ---- | 290.60B/---- | 290.60B/278.60A | ---- | 281.50 + 11.90 | .4681 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4875 | ---- | ---- | 280.70B/---- | 280.70B/269.40A | ---- | 271.90 + 11.40 | .4571 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4900 | ---- | ---- | 270.50B/---- | 270.50B/260.50A | ---- | 262.60 + 11.00 | .4461 | ---- | ---- | ---- | ---- | 10 UNCH |
| 5000 | ---- | ---- | 235.30B/---- | 235.30B/227.80A | ---- | 228.30 + 9.10 | .4038 | ---- | ---- | ---- | ---- | 28 UNCH |
| 5050 | ---- | ---- | 218.70B/---- | 218.70B/212.70A | ---- | 212.90 + 8.30 | .3836 | ---- | ---- | ---- | ---- | 100 UNCH |
| 5100 | ---- | ---- | 204.00B/---- | 204.00B/198.20A | ---- | 198.60 + 7.60 | .3641 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5130 | ---- | ---- | 195.50B/---- | 195.50B/190.10A | ---- | 190.60 + 7.40 | .3528 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5195 | ---- | ---- | 178.60B/---- | 178.60B/173.90A | ---- | 174.40 + 6.80 | .3293 | ---- | ---- | ---- | ---- | 5 UNCH |
| 5250 | ---- | ---- | 165.40B/---- | 165.40B/161.50A | ---- | 161.80 + 6.30 | .3104 | ---- | ---- | ---- | ---- | 7 UNCH |
| 5300 | ---- | ---- | 154.20B/---- | 154.20B/150.60A | ---- | 151.30 + 5.90 | .2941 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5400 | ---- | ---- | 135.20B/---- | 135.20B/132.00A | ---- | 132.40 + 5.10 | .2638 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5450 | ---- | ---- | 126.40B/---- | 126.40B/123.60A | ---- | 124.00 + 4.80 | .2498 | ---- | ---- | ---- | ---- | 6 UNCH |
| 5500 | ---- | ---- | 117.60B/---- | 117.60B/116.10A | ---- | 116.20 + 4.40 | .2366 | ---- | ---- | ---- | ---- | 58 UNCH |
| 5550 | ---- | ---- | 110.40B/---- | 110.40B/108.90A | ---- | 109.00 + 4.10 | .2241 | ---- | ---- | ---- | ---- | 4 UNCH |
| 5820 | ---- | ---- | 79.40B/---- | 79.40B/79.20A | ---- | 79.00 + 2.90 | .1687 | ---- | ---- | ---- | ---- | 6 UNCH |
| 5850 | ---- | ---- | 76.30B/---- | 76.30B/76.60A | ---- | 76.40 + 2.80 | .1636 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5900 | ---- | ---- | 72.90B/---- | 72.90B/72.60A | ---- | 72.40 + 2.70 | .1557 | ---- | ---- | ---- | ---- | 5 UNCH |
| 6000 | ---- | ---- | 64.20B/---- | 64.20B/65.10A | ---- | 65.10 + 2.50 | .1411 | ---- | ---- | ---- | ---- | 256 UNCH |
| 6025 | ---- | ---- | 62.80B/---- | 62.80B/64.70A | ---- | 63.50 + 2.50 | .1378 | ---- | ---- | ---- | ---- | 1 UNCH |
| 6300 | ---- | ---- | 48.40B/---- | 48.40B/49.50A | ---- | 48.30 + 2.00 | .1065 | ---- | ---- | ---- | ---- | 2 UNCH |
| 20000 | 3.50 | 3.50 | 3.50/*2.40 | 3.50/*2.40 | ---- | 5.80 + 0.20 | .0078 | ---- | ---- | 111 | ---- | 127 + 69 |
| TOTAL | | | | | | | | | | 111 | | 750 + 69 |
| FEB27 | | | | | | | | | | | | |
| 4650 | ---- | ---- | 399.00B/---- | 399.00B/388.90A | ---- | 388.50 + 15.70 | .5596 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4700 | ---- | ---- | 371.80B/---- | 371.80B/359.60A | ---- | 365.60 + 16.10 | .5378 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4785 | ---- | ---- | 333.20B/---- | 333.20B/323.50A | ---- | 328.10 + 14.80 | .5011 | ---- | ---- | ---- | ---- | 100 UNCH |
| 5000 | ---- | ---- | 253.20B/---- | 253.20B/247.10A | ---- | 248.40 + 11.40 | .4129 | ---- | ---- | ---- | ---- | 12 UNCH |
| 5100 | ---- | ---- | 222.40B/---- | 222.40B/220.00A | ---- | 218.50 + 10.30 | .3753 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5175 | ---- | ---- | 201.10B/---- | 201.10B/199.00A | ---- | 198.60 + 9.40 | .3488 | ---- | ---- | ---- | ---- | 125 UNCH |
| 5200 | ---- | ---- | 195.40B/---- | 195.40B/193.20A | ---- | 192.40 + 9.10 | .3403 | ---- | ---- | ---- | ---- | 3 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OG CALL | | COMEX GOLD OPTIONS | | | | | | | | | | |
| FEB27 | | | | | | | | | | | | |
| 5250 | ---- | ---- | 182.60B/---- | 182.60B/181.30A | ---- | 180.70 + 8.60 | .3239 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5300 | ---- | ---- | 171.40B/---- | 171.40B/170.30A | ---- | 169.70 + 8.10 | .3082 | ---- | ---- | ---- | ---- | 50 UNCH |
| 5375 | ---- | ---- | 155.70B/---- | 155.70B/155.30A | ---- | 154.60 + 7.40 | .2859 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5400 | ---- | ---- | 150.90B/---- | 150.90B/150.60A | ---- | 149.90 + 7.10 | .2787 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5500 | ---- | ---- | 133.30B/---- | 133.30B/132.00A | ---- | 132.60 + 6.20 | .2519 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5520 | ---- | ---- | 128.80B/---- | 128.80B/130.00A | ---- | 129.50 + 6.10 | .2469 | ---- | ---- | ---- | ---- | 300 UNCH |
| 5530 | ---- | ---- | 127.20B/---- | 127.20B/128.70A | ---- | 127.90 + 6.00 | .2444 | ---- | ---- | ---- | ---- | 100 UNCH |
| 5550 | ---- | ---- | 125.40B/---- | 125.40B/125.80A | ---- | 124.90 + 5.90 | .2396 | ---- | ---- | ---- | ---- | 82 UNCH |
| 5600 | ---- | ---- | 118.30B/---- | 118.30B/117.20A | ---- | 117.70 + 5.50 | .2278 | ---- | ---- | ---- | ---- | 8 UNCH |
| 6000 | ---- | ---- | 76.30B/---- | 76.30B/76.80A | ---- | 76.00 + 3.10 | .1547 | ---- | ---- | ---- | ---- | 1290 UNCH |
| 6025 | ---- | ---- | 74.40B/---- | 74.40B/75.80A | ---- | 74.20 + 3.00 | .1512 | ---- | ---- | ---- | ---- | 4 UNCH |
| 6100 | ---- | ---- | 69.70B/---- | 69.70B/72.30A | ---- | 69.00 + 2.50 | .1414 | ---- | ---- | ---- | ---- | 4 UNCH |
| 6300 | ---- | ---- | 58.00B/---- | 58.00B/61.00A | ---- | 57.80 + 1.70 | .1193 | ---- | ---- | ---- | ---- | 1 UNCH |
| 6500 | ---- | ---- | 49.10B/---- | 49.10B/50.30A | ---- | 48.90 + 1.20 | .1015 | ---- | ---- | ---- | ---- | 1220 UNCH |
| 6900 | ---- | ---- | ---- | 29.80B/*43.70A | ---- | 35.60 + 1.30 | .0745 | ---- | ---- | ---- | ---- | 532 UNCH |
| 7000 | ---- | ---- | 33.30B/---- | 33.30B/*37.90A | ---- | 33.30 + 1.40 | .0697 | ---- | ---- | 51 | ---- | 385 UNCH |
| 7100 | ---- | ---- | ---- | 26.30B/*39.60A | ---- | 31.30 + 1.40 | .0653 | ---- | ---- | ---- | ---- | 9 UNCH |
| 7900 | ---- | ---- | ---- | 17.90B/*32.60A | ---- | 24.20 + 2.10 | .0472 | ---- | ---- | ---- | ---- | 500 UNCH |
| 8000 | ---- | ---- | ---- | 17.20B/*33.00A | ---- | 23.80 + 2.10 | .0460 | ---- | ---- | 51 | ---- | 551 + 51 |
| TOTAL | | | | | | | | | | 102 | | 5287 + 51 |
| MAR27 | | | | | | | | | | | | |
| 4210 | 701.70 | 701.70 | 701.70/*701.70 | 701.70/*701.70 | ---- | 690.20 + 25.40 | .7428 | ---- | ---- | 1 | ---- | 0 - 1 |
| 4995 | ---- | ---- | 288.90B/---- | 288.90B/280.40A | ---- | 282.70 + 16.00 | .4359 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5000 | ---- | ---- | 287.00B/---- | 287.00B/278.80A | ---- | 281.00 + 16.00 | .4341 | ---- | ---- | ---- | ---- | 75 UNCH |
| 5010 | ---- | ---- | 283.50B/---- | 283.50B/275.60A | ---- | 277.70 + 16.00 | .4303 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5500 | ---- | ---- | 155.60B/---- | 155.60B/157.90A | ---- | 156.10 + 12.50 | .2752 | ---- | ---- | ---- | ---- | 67 UNCH |
| 5600 | ---- | ---- | 138.90B/---- | 138.90B/142.10A | ---- | 139.70 + 11.60 | .2508 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5650 | ---- | ---- | 131.30B/---- | 131.30B/135.20A | ---- | 132.20 + 11.10 | .2394 | ---- | ---- | ---- | ---- | 19 UNCH |
| 5790 | ---- | ---- | 109.40B/---- | 109.40B/114.50A | ---- | 113.90 + 9.60 | .2106 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5850 | ---- | ---- | 105.90B/---- | 105.90B/110.10A | ---- | 107.00 + 8.90 | .1994 | ---- | ---- | ---- | ---- | 4 UNCH |
| 5900 | ---- | ---- | 100.50B/---- | 100.50B/104.30A | ---- | 101.70 + 8.30 | .1906 | ---- | ---- | ---- | ---- | 3 UNCH |
| 6000 | ---- | ---- | 90.80B/---- | 90.80B/95.20A | ---- | 92.10 + 7.30 | .1745 | ---- | ---- | ---- | ---- | 2 UNCH |
| 6500 | ---- | ---- | 59.30B/---- | 59.30B/61.40A | ---- | 58.90 + 2.70 | .1153 | ---- | ---- | ---- | ---- | 1 UNCH |
| TOTAL | | | | | | | | | | 1 | | 176 - 1 |
| APR27 | | | | | | | | | | | | |
| 5000 | ---- | ---- | ---- | 153.90B/*467.10A | ---- | 339.20 + 14.80 | .4534 | ---- | ---- | ---- | ---- | 100 UNCH |
| 5060 | ---- | ---- | ---- | #135.80B/*449.40A | ---- | 322.70 + 14.20 | .4352 | ---- | ---- | ---- | ---- | 25 UNCH |
| 5600 | ---- | ---- | ---- | 31.30B/308.60A | ---- | 191.20 + 9.30 | .2896 | ---- | ---- | ---- | ---- | 300 UNCH |
| 6000 | ---- | ---- | ----/*105.00A | ----/*105.00A | ---- | 133.40 + 6.70 | .2137 | ---- | ---- | ---- | ---- | 151 UNCH |
| TOTAL | | | | | | | | | | | | 576 0 |
| JUN27 | | | | | | | | | | | | |
| 7000 | ---- | ---- | ---- | ---- | ---- | 64.00 + 3.40 | .1093 | ---- | ---- | ---- | ---- | 3 UNCH |
| 9000 | ---- | ---- | 26.00B/---- | 26.00B/---- | ---- | 20.80 + 1.10 | .0369 | ---- | ---- | ---- | ---- | 1 UNCH |
| 10000 | ---- | ---- | ---- | 15.00B/---- | ---- | 16.00 + 0.90 | .0274 | ---- | ---- | ---- | ---- | 3 UNCH |
| TOTAL | | | | | | | | | | | | 7 0 |
| DEC27 | | | | | | | | | | | | |
| 4860 | ---- | ---- | ---- | ---- | ---- | 612.10 + 18.50 | .5606 | ---- | ---- | ---- | ---- | 100 UNCH |
| 5000 | ---- | ---- | ---- | ---- | ---- | 555.30 + 17.20 | .5251 | ---- | ---- | ---- | ---- | 50 UNCH |
| 5650 | ---- | ---- | ---- | ---- | ---- | 346.70 + 12.30 | .3758 | ---- | ---- | ---- | ---- | 200 UNCH |
| 5700 | ---- | ---- | ---- | ---- | ---- | 334.10 + 11.90 | .3656 | ---- | ---- | ---- | ---- | 150 UNCH |
| 5800 | ---- | ---- | ---- | ---- | ---- | 310.40 + 11.30 | .3459 | ---- | ---- | ---- | ---- | 200 UNCH |
| 5880 | ---- | ---- | ---- | ---- | ---- | 292.60 + 10.80 | .3306 | ---- | ---- | ---- | ---- | 125 UNCH |
| 6300 | ---- | ---- | ---- | ---- | ---- | 215.20 + 8.40 | .2599 | ---- | ---- | ---- | ---- | 18 UNCH |
| 7500 | ---- | ---- | ---- | ---- | ---- | 96.20 + 4.20 | .1317 | ---- | ---- | ---- | ---- | 170 UNCH |
| 7800 | ---- | ---- | ---- | ---- | ---- | 80.70 + 3.60 | .1126 | ---- | ---- | ---- | ---- | 284 UNCH |
| 10000 | ---- | ---- | 35.00B/---- | 35.00B/---- | ---- | 33.50 + 1.50 | .0480 | ---- | ---- | ---- | ---- | 101 UNCH |
| 10500 | ---- | ---- | ---- | ---- | ---- | 30.10 + 1.40 | .0426 | ---- | ---- | ---- | ---- | 10 UNCH |
| TOTAL | | | | | | | | | | | | 1408 0 |
| DEC28 | | | | | | | | | | | | |
| 5750 | ---- | ---- | ---- | ---- | ---- | 559.10 + 14.40 | .4462 | ---- | ---- | ---- | ---- | 100 UNCH |
| TOTAL | | | | | | | | | | | | 100 0 |

| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| MMG MON | | MICRO GOLD WEEKLY MONDAY OPTION WEE | | | | | | | | | | |
| MAY26 | | | | | | | | | | | | |
| 4600 | ---- | ---- | ---- | ---- | ---- | 66.70 UNCH | 1.0000 | ---- | ---- | ---- | ---- | 0 UNCH |
| TOTAL | | | | | | | | | | | | 0 0 |
| JUN26 | | | | | | | | | | | | |
| 4400 | ---- | ---- | ---- | ----/68.00A | ---- | 41.90 - 12.70 | .2293 | ---- | ---- | ---- | ---- | 1 UNCH |
| TOTAL | | | | | | | | | | | | 1 0 |

| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| GWW WED | | GOLD WEEKLY WEDNESDAY OPTION WEEK2 | | | | | | | | | | |
| MAY26 | | | | | | | | | | | | |
| 3500 | ---- | ---- | ---- | ----/1.00A | ---- | 0.20 - 0.20 | .0009 | ---- | ---- | ---- | ---- | 16 UNCH |
| 3800 | 3.30 | 3.30 | 3.30/*3.30 | 3.30/*3.30 | ---- | 3.00 - 0.90 | .0165 | ---- | ---- | 1 | ---- | 5 + 1 |
| 3800 | ---- | ---- | ---- | 0.60B/*1.00A | ---- | 0.60 - 0.40 | .0035 | ---- | ---- | ---- | ---- | 5 UNCH |
| 3900 | ---- | ---- | ----/*2.50A | 2.30B/*2.50A | ---- | 2.20 - 1.20 | .0144 | ---- | ---- | ---- | ---- | 3 UNCH |
| 3900 | ---- | ---- | ---- | ----/0.30A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 30 UNCH |
| 4000 | ---- | ---- | ---- | ----/0.30A | ---- | 0.10 - 0.10 | ---- | ---- | ---- | ---- | ---- | 40 UNCH |
| 4000 | ---- | ---- | ----/*1.30A | 1.40B/*1.30A | ---- | 1.20 - 0.80 | .0087 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4100 | ---- | ---- | ----/*4.60A | 5.00B/*4.60A | ---- | 4.80 - 2.60 | .0357 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4100 | ---- | ---- | ----/*0.20A | ----/*0.20A | ---- | 0.10 - 0.20 | ---- | ---- | ---- | 2 | ---- | 22 UNCH |
| 4100 | ---- | ---- | ----/*1.70A | 2.50B/*1.70A | ---- | 1.70 NEW | .0139 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4160 | 0.20 | 0.20 | #0.20/*0.20 | 0.20/*0.20 | ---- | 0.10 NEW | ---- | ---- | ---- | 1 | ---- | 1 + 1 |
| 4175 | ---- | ---- | ----/*6.50A | 8.60B/*6.50A | ---- | 6.90 NEW | .0531 | ---- | ---- | 3 | ---- | 3 + 3 |
| 4180 | 0.20 | 0.20 | #0.20/*0.20 | 0.20/*0.20 | ---- | 0.10 NEW | ---- | ---- | ---- | 1 | ---- | 1 + 1 |
| 4200 | 0.20 | 0.20 | 0.40/*0.20 | 0.40/*0.20 | ---- | 0.10 - 0.50 | ---- | ---- | ---- | 5 | ---- | 7 UNCH |
| 4200 | ---- | ---- | ----/*7.30A | 10.20B/*7.30A | ---- | 7.80 - 4.60 | .0607 | ---- | ---- | ---- | ---- | 51 UNCH |
| 4200 | ---- | ---- | ----/*2.60A | 4.90B/*2.60A | ---- | 2.80 - 2.90 | .0258 | ---- | ---- | 4 | ---- | 2 - 2 |
| 4210 | ---- | ---- | ----/*0.30A | 0.20B/*0.30A | ---- | 0.10 - 0.50 | ---- | ---- | ---- | ---- | ---- | 2 UNCH |
| 4220 | 0.20 | 0.20 | 0.20/*0.20 | 0.20/*0.20 | ---- | 0.10 NEW | ---- | ---- | ---- | 5 | ---- | 5 + 5 |
| 4225 | ---- | ---- | ----/*8.30A | 11.90B/*8.30A | ---- | 9.00 NEW | .0704 | ---- | ---- | 3 | ---- | 3 + 3 |
| 4250 | ---- | ---- | ----/*0.20A | 0.40B/*0.20A | ---- | 0.10 - 0.80 | ---- | ---- | ---- | ---- | ---- | 5 UNCH |
| 4250 | ---- | ---- | ----/*9.60A | 13.90B/*9.60A | ---- | 10.40 - 6.20 | .0816 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4250 | ---- | ---- | ----/*3.50A | 7.20B/*3.50A | ---- | 3.90 - 4.10 | .0376 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4265 | 0.20 | 0.20 | 0.20/*0.20 | 0.50B/*0.20 | ---- | 0.10 NEW | ---- | ---- | ---- | 1 | ---- | 1 + 1 |
| 4275 | ---- | ---- | ----/17.00A | 21.30B/17.00A | ---- | 16.70 - 7.70 | .1097 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4275 | ---- | ---- | ----/*0.20A | 0.60B/*0.20A | ---- | 0.10 - 1.00 | ---- | ---- | ---- | ---- | ---- | 4 UNCH |
| 4295 | ---- | ---- | ----/*0.20A | 0.80B/*0.20A | ---- | 0.10 NEW | .0000 | ---- | ---- | 2 | ---- | 2 + 2 |
| 4300 | ---- | ---- | ----/*12.90A | 19.30B/*12.90A | ---- | 14.20 - 8.40 | .1111 | ---- | ---- | ---- | ---- | 11 UNCH |
| 4300 | ---- | ---- | ----/*4.90A | 10.90B/*4.90A | ---- | 5.50 - 6.10 | .0555 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4300 | ---- | ---- | ----/*0.20A | 0.80B/*0.20A | ---- | 0.10 - 1.40 | .0000 | ---- | ---- | ---- | ---- | 24 UNCH |
| 4310 | ---- | ---- | ----/*0.20A | 1.00B/*0.20A | ---- | 0.10 - 1.60 | .0000 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4315 | ---- | ---- | ----/*0.20A | 1.00B/*0.20A | ---- | 0.10 - 1.70 | .0000 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4325 | ---- | ---- | ----/*5.90A | 13.50B/*5.90A | ---- | 6.80 - 7.20 | .0693 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4325 | 16.60 | 16.60 | 16.60/15.10A | 22.90B/15.10A | ---- | 16.80 - 9.80 | .1302 | ---- | ---- | 10 | ---- | 14 + 10 |
| 4325 | ---- | ---- | ----/21.60A | 28.10B/21.60A | ---- | 22.50 - 9.10 | .1438 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4325 | 0.20 | 0.20 | 0.20/*0.20 | 1.30B/*0.20 | ---- | 0.20 - 1.80 | .0002 | ---- | ---- | 6 | ---- | 11 + 6 |
| 4330 | 1.70 | 1.70 | 1.70/*0.20A | 1.70/*0.20A | ---- | 0.20 - 1.90 | .0002 | ---- | ---- | 3 | ---- | 8 + 2 |
| 4335 | 1.80 | 1.80 | 1.80/*0.20A | 1.80/*0.20A | ---- | 0.20 - 2.10 | .0002 | ---- | ---- | 3 | ---- | 6 + 3 |
| 4340 | 1.90 | 1.90 | 1.90/*0.20A | 1.90/*0.20A | ---- | 0.20 NEW | .0002 | ---- | ---- | 2 | ---- | 2 + 2 |
| 4345 | 0.20 | 0.20 | 0.20/*0.20 | 1.70B/*0.20 | ---- | 0.20 - 2.40 | .0002 | ---- | ---- | 6 | ---- | 7 + 6 |
| 4350 | 1.20 | 1.20 | 1.20/*0.20A | 1.90B/*0.20A | ---- | 0.30 - 2.50 | .0004 | ---- | ---- | 3 | ---- | 12 + 3 |
| 4350 | ---- | ---- | ----/17.70A | 27.40B/17.70A | ---- | 20.00 - 11.20 | .1529 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4350 | 11.00 | 11.00 | 11.00/*7.20A | 16.60B/*7.20A | ---- | 8.40 - 8.70 | .0864 | ---- | ---- | 1 | ---- | 40 UNCH |
| 4365 | ---- | ---- | ----/*0.40A | 2.50B/*0.40A | ---- | 0.40 - 3.00 | .0007 | ---- | ---- | 1 | ---- | 3 + 1 |
| 4375 | 0.40 | 0.40 | 0.40/*0.40 | 2.90B/*0.40 | ---- | 0.50 - 3.40 | .0011 | ---- | ---- | 5 | ---- | 5 - 1 |
| 4375 | 23.20 | 23.20 | 23.20/20.90A | 32.50B/20.90A | ---- | 23.80 NEW | .1788 | ---- | ---- | 11 | ---- | 10 + 10 |
| 4375 | ---- | ---- | ----/*8.90A | 20.50B/*8.90A | ---- | 10.40 - 10.40 | .1076 | ---- | ---- | ---- | ---- | 13 UNCH |
| 4375 | ---- | ---- | ----/28.20A | 37.70B/28.20A | ---- | 30.40 - 10.90 | .1870 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4380 | 1.50 | 1.50 | 1.50/*0.30 | 3.10B/*0.30 | ---- | 0.50 - 3.70 | .0011 | ---- | ---- | 6 | ---- | 4 + 3 |
| 4385 | 1.00 | 1.00 | 1.00/*0.40 | 3.30B/*0.40 | ---- | 0.50 - 4.00 | .0012 | ---- | ---- | 6 | ---- | 7 + 6 |
| 4400 | ---- | ---- | ----/24.70A | 38.80B/24.70A | ---- | 28.30 - 14.40 | .2083 | ---- | ---- | ---- | ---- | 17 UNCH |
| 4400 | 2.20 | 2.20 | 2.20/*0.40 | 4.60B/*0.40 | ---- | 0.60 - 5.00 | .0017 | ---- | ---- | 23 | ---- | 175 + 17 |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| GWW WED MAY26 | | GOLD WEEKLY WEDNESDAY OPTION WEEK2 | | | | | | | | | | |
| 4400 | ---- | ---- | ----/11.10A | 25.40B/11.10A | ---- | 13.10 - 12.30 | .1349 | ---- | ---- | ---- | ---- | 6 UNCH |
| 4405 | 0.40 | 0.40 | 0.40/*0.40 | 4.70B/*0.40 | ---- | 0.60 - 5.40 | .0018 | ---- | ---- | 1 | ---- | 2 + 1 |
| 4410 | 0.60 | 0.60 | 0.60/*0.60 | 5.10B/*0.60 | ---- | 0.70 - 5.70 | .0024 | ---- | ---- | 1 | ---- | 5 + 1 |
| 4415 | 0.70 | 0.70 | 0.70/*0.60A | 5.60B/*0.60A | ---- | 0.70 - 6.20 | .0025 | ---- | ---- | 1 | ---- | 8 + 1 |
| 4420 | 4.60 | 4.60 | 4.60/*0.70A | 6.10B/*0.70A | ---- | 0.80 - 6.60 | .0031 | ---- | ---- | 2 | ---- | 9 + 2 |
| 4425 | 0.70 | 0.70 | 0.80/*0.70 | 6.70B/*0.70 | ---- | 0.80 - 7.20 | .0033 | ---- | ---- | 3 | ---- | 29 + 1 |
| 4425 | ---- | ---- | ----/29.20A | 45.90B/29.20A | ---- | 33.60 NEW | .2414 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4425 | ---- | ---- | 31.20B/13.90A | 31.20B/13.90A | ---- | 16.50 - 14.60 | .1683 | ---- | ---- | 1 | ---- | 3 + 1 |
| 4430 | 2.50 | 2.50 | 2.50/*0.80A | 7.20B/*0.80A | ---- | 0.90 NEW | .0041 | ---- | ---- | 2 | ---- | 2 + 2 |
| 4435 | ---- | ---- | ----/*0.80A | 7.90B/*0.80A | ---- | 0.90 - 8.40 | .0043 | ---- | ---- | 1 | ---- | 1 UNCH |
| 4440 | 2.20 | 2.20 | 2.20/*0.90A | 8.50B/*0.90A | ---- | 1.00 - 9.00 | .0052 | ---- | ---- | 4 | ---- | 5 + 3 |
| 4445 | ---- | ---- | ----/*1.00A | 9.30B/*1.00A | ---- | 1.10 NEW | .0062 | ---- | ---- | 3 | ---- | 3 + 3 |
| 4450 | 6.50 | 6.50 | 6.50/*1.10 | 10.10B/*1.10 | ---- | 1.20 - 10.40 | .0073 | ---- | ---- | 50 | ---- | 61 + 35 |
| 4450 | 105.00 | 105.00 | 146.40B/87.20A | 146.40B/87.20A | ---- | 119.70 + 24.90 | .9926 | ---- | ---- | 1 | ---- | 1 UNCH |
| 4450 | ---- | ---- | ----/42.60A | 57.60B/42.60A | ---- | 46.90 - 14.50 | .2688 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4450 | ---- | ---- | 38.10B/17.60A | 38.10B/17.60A | ---- | 20.90 NEW | .2091 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4455 | ---- | ---- | 141.50B/82.80A | 141.50B/82.80A | ---- | 114.80 + 24.10 | .9904 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4455 | ---- | ---- | ----/*1.20A | 11.00B/*1.20A | ---- | 1.40 NEW | .0095 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4460 | 12.90 | 12.90 | 12.90/*1.30A | 12.90/*1.30A | ---- | 1.50 - 11.90 | .0109 | ---- | ---- | 6 | ---- | 5 + 4 |
| 4465 | ---- | ---- | ----/*1.40A | 13.10B/*1.40A | ---- | 1.70 - 12.70 | .0135 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4470 | 3.90 | 3.90 | 3.90/*1.50A | 14.20B/*1.50A | ---- | 1.80 - 13.70 | .0154 | ---- | ---- | 1 | ---- | 3 + 1 |
| 4475 | 7.00 | 7.00 | 7.00/*1.70A | 15.40B/*1.70A | ---- | 2.10 - 14.50 | .0197 | ---- | ---- | 4 | ---- | 33 + 1 |
| 4475 | ---- | ---- | 46.40B/22.10A | 46.40B/22.10A | ---- | 26.50 - 19.40 | .2577 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4480 | 2.00 | 2.00 | 2.00/*1.90A | 16.60B/*1.90A | ---- | 2.30 - 15.50 | .0233 | ---- | ---- | 2 | ---- | 3 UNCH |
| 4485 | 5.40 | 5.40 | 5.40/*2.10A | 18.00B/*2.10A | ---- | 2.60 - 16.60 | .0286 | ---- | ---- | 5 | ---- | 7 + 1 |
| 4490 | 10.00 | 10.00 | 10.00/*2.30A | 19.40B/*2.30A | ---- | 3.00 - 17.50 | .0358 | ---- | ---- | 6 | ---- | 24 + 6 |
| 4495 | 3.40 | 3.40 | 3.40/*2.60A | 21.10B/*2.60A | ---- | 3.40 - 18.60 | .0439 | ---- | ---- | 4 | ---- | 7 + 4 |
| 4500 | 18.50 | 18.50 | 18.50/*2.70 | 22.70B/*2.70 | ---- | 3.80 - 19.80 | .0528 | ---- | ---- | 70 | ---- | 46 + 25 |
| 4500 | ---- | ---- | ----/48.20A | 72.90B/48.20A | ---- | 55.50 - 21.80 | .3618 | ---- | ---- | ---- | ---- | 7 UNCH |
| 4500 | ---- | ---- | 179.20B/---- | 179.20B/154.10A | ---- | 164.40 NEW | .6654 | ---- | ---- | 50 | ---- | 50 + 50 |
| 4505 | 8.40 | 8.40 | 8.40/*3.20A | 24.50B/*3.20A | ---- | 4.30 NEW | .0642 | ---- | ---- | 6 | ---- | 6 + 6 |
| 4510 | ---- | ---- | 89.00B/44.60A | 89.00B/44.60A | ---- | 63.40 + 13.00 | .9216 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4510 | 6.90 | 6.90 | 6.90/*3.60A | 26.50B/*3.60A | ---- | 4.90 - 22.20 | .0783 | ---- | ---- | 56 | ---- | 48 + 47 |
| 4515 | 19.90 | 19.90 | 19.90/*3.90 | 28.60B/*3.90 | ---- | 5.60 - 23.40 | .0954 | ---- | ---- | 7 | ---- | 25 + 4 |
| 4520 | 15.00 | 15.00 | 16.00/*4.50A | 30.50B/*4.50A | ---- | 6.40 - 24.60 | .1156 | ---- | ---- | 33 | ---- | 25 + 24 |
| 4525 | ---- | ---- | 75.70B/35.60A | 75.70B/35.60A | ---- | 50.80 + 9.40 | .8608 | ---- | ---- | ---- | ---- | 11 UNCH |
| 4525 | 7.00 | 7.00 | 7.10/*5.00A | 32.90B/*5.00A | ---- | 7.30 - 25.80 | .1391 | ---- | ---- | 19 | ---- | 52 + 18 |
| 4530 | 7.30 | 7.30 | 35.40B/*5.70A | 35.40B/*5.70A | ---- | 8.30 - 27.00 | .1661 | ---- | ---- | 49 | ---- | 56 + 48 |
| 4530 | ---- | ---- | 71.30B/33.40A | 71.30B/33.40A | ---- | 46.80 + 8.20 | .8338 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4535 | ---- | ---- | 67.00B/31.10A | 67.00B/31.10A | ---- | 43.00 + 7.00 | .8020 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4535 | 8.50 | 8.50 | 37.90B/*6.40A | 37.90B/*6.40A | ---- | 9.50 - 28.20 | .1979 | ---- | ---- | 16 | ---- | 18 + 14 |
| 4540 | 40.70 | 40.70 | 62.80B/28.60A | 62.80B/28.60A | ---- | 39.30 NEW | .7668 | ---- | ---- | 2 | ---- | 2 + 2 |
| 4540 | 14.00 | 14.00 | 40.60B/*7.20A | 40.60B/*7.20A | ---- | 10.80 - 29.40 | .2331 | ---- | ---- | 18 | ---- | 19 + 9 |
| 4545 | 30.00 | 30.00 | 43.50B/*8.10A | 43.50B/*8.10A | ---- | 12.20 - 30.60 | .2717 | ---- | ---- | 5 | ---- | 5 + 4 |
| 4545 | 38.00 | 38.00 | 58.80B/26.50A | 58.80B/26.50A | ---- | 35.70 + 4.60 | .7282 | ---- | ---- | 5 | ---- | 66 + 4 |
| 4550 | 51.40 | 51.40 | 54.70B/24.30A | 54.70B/24.30A | ---- | 32.30 + 3.50 | .6853 | ---- | ---- | 11 | ---- | 10 + 4 |
| 4550 | 23.00 | 23.00 | 46.40B/*9.10A | 46.40B/*9.10A | ---- | 13.80 - 31.70 | .3146 | ---- | ---- | 208 | ---- | 123 - 1 |
| 4555 | 25.50 | 25.50 | 49.50B/*10.30A | 49.50B/*10.30A | ---- | 15.60 - 32.70 | .3611 | ---- | ---- | 11 | ---- | 8 + 6 |
| 4555 | 27.00 | 27.00 | 50.80B/22.30A | 50.80B/22.30A | ---- | 29.10 + 2.50 | .6388 | ---- | ---- | 9 | ---- | 63 UNCH |
| 4560 | 44.60 | 44.60 | 46.90B/20.30A | 46.90B/20.30A | ---- | 26.10 + 1.50 | .5895 | ---- | ---- | 12 | ---- | 8 + 3 |
| 4560 | 12.20 | 12.20 | 52.70B/*11.60A | 52.70B/*11.60A | ---- | 17.60 - 33.70 | .4104 | ---- | ---- | 83 | ---- | 77 + 74 |
| 4565 | 24.00 | 24.00 | 55.90B/*13.00A | 55.90B/*13.00A | ---- | 19.70 NEW | .4615 | ---- | ---- | 15 | ---- | 8 + 8 |
| 4565 | 23.00 | 23.00 | 43.20B/18.70A | 43.20B/18.70A | ---- | 23.20 NEW | .5383 | ---- | ---- | 35 | ---- | 17 + 17 |
| 4570 | 29.10 | 29.10 | 59.50B/14.50A | 59.50B/14.50A | ---- | 22.10 - 35.50 | .5141 | ---- | ---- | 77 | ---- | 50 + 48 |
| 4570 | 22.00 | 22.00 | 39.80B/17.10A | 39.80B/17.10A | ---- | 20.60 - 0.30 | .4858 | ---- | ---- | 25 | ---- | 60 + 12 |
| 4575 | 15.60 | 15.60 | 36.90B/15.10A | 36.90B/15.10A | ---- | 18.10 - 1.10 | .4329 | ---- | ---- | 29 | ---- | 20 + 12 |
| 4575 | 27.80 | 27.80 | 63.40B/16.10A | 63.40B/16.10A | ---- | 24.60 - 36.30 | .5670 | ---- | ---- | 56 | ---- | 24 + 12 |
| 4575 | ---- | ---- | ----/76.80A | 108.50B/76.80A | ---- | 87.90 - 27.20 | .5034 | ---- | ---- | ---- | ---- | 10 UNCH |
| 4575 | 55.00 | 55.00 | 73.30B/48.20A | 73.30B/48.20A | ---- | 57.20 NEW | .4879 | ---- | ---- | 3 | ---- | 1 + 1 |
| 4575 | ---- | ---- | 95.60B/53.40A | 95.60B/53.40A | ---- | 63.70 - 29.30 | .5118 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4580 | 14.30 | 14.30 | 34.00B/*12.90A | 34.00B/*12.90A | ---- | 15.90 - 1.70 | .3810 | ---- | ---- | 32 | ---- | 29 + 21 |
| 4580 | 25.60 | 25.60 | 67.10B/17.90A | 67.10B/17.90A | ---- | 27.40 - 36.90 | .6188 | ---- | ---- | 34 | ---- | 32 + 29 |
| 4585 | 18.00 | 18.00 | 30.60B/*11.10A | 30.60B/*11.10A | ---- | 13.80 - 2.30 | .3304 | ---- | ---- | 108 | ---- | 94 + 86 |
| 4585 | 25.60 | 25.60 | 70.50B/19.70 | 70.50B/19.70 | ---- | 30.30 - 37.50 | .6695 | ---- | ---- | 19 | ---- | 12 + 10 |
| 4590 | 23.80 | 23.80 | 74.80B/22.20A | 74.80B/22.20A | ---- | 33.50 - 37.90 | .7166 | ---- | ---- | 36 | ---- | 27 + 23 |
| 4590 | 15.10 | 15.10 | 27.60B/*9.60A | 27.60B/*9.60A | ---- | 12.00 - 2.70 | .2833 | ---- | ---- | 35 | ---- | 38 + 35 |
| 4595 | 25.50 | 25.50 | 78.80B/24.40A | 78.80B/24.40A | ---- | 36.90 - 38.20 | .7599 | ---- | ---- | 8 | ---- | 10 + 4 |
| 4595 | 11.10 | 11.10 | 24.90B/*8.10A | 24.90B/*8.10A | ---- | 10.40 - 3.10 | .2400 | ---- | ---- | 26 | ---- | 10 + 6 |
| 4600 | 9.50 | 9.50 | 22.50B/*6.80A | 22.50B/*6.80A | ---- | 8.90 - 3.40 | .1998 | ---- | ---- | 114 | ---- | 116 + 60 |
| 4600 | ---- | ---- | ----/88.60A | 119.40B/88.60A | ---- | 101.20 - 28.80 | .5518 | ---- | ---- | ---- | ---- | 10 UNCH |
| 4600 | 32.80 | 32.80 | 82.90B/26.90A | 82.90B/26.90A | ---- | 40.40 - 38.60 | .8001 | ---- | ---- | 4 | ---- | 55 + 1 |
| 4600 | ---- | ---- | 82.60B/---- | 82.60B/65.70A | ---- | 69.80 + 6.40 | .4477 | ---- | ---- | ---- | ---- | 7 UNCH |
| 4600 | ---- | ---- | 60.00B/39.10A | 60.00B/39.10A | ---- | 45.90 + 3.90 | .4185 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4605 | ---- | ---- | 20.00B/*5.80A | 20.00B/*5.80A | ---- | 7.60 - 3.60 | .1643 | ---- | ---- | ---- | ---- | 7 UNCH |
| 4605 | ---- | ---- | 87.00B/29.50A | 87.00B/29.50A | ---- | 44.10 - 38.80 | .8356 | ---- | ---- | ---- | ---- | 28 UNCH |
| 4610 | 7.80 | 7.80 | 17.80B/*4.90A | 17.80B/*4.90A | ---- | 6.50 - 3.70 | .1339 | ---- | ---- | 30 | ---- | 24 + 21 |
| 4610 | ---- | ---- | 91.30B/32.30A | 91.30B/32.30A | ---- | 48.00 - 38.90 | .8660 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4615 | 10.00 | 10.00 | 15.80B/*4.10A | 15.80B/*4.10A | ---- | 5.60 - 3.70 | .1089 | ---- | ---- | 16 | ---- | 12 + 9 |
| 4615 | 40.20 | 40.20 | 95.60B/35.30A | 95.60B/35.30A | ---- | 52.10 - 38.80 | .8910 | ---- | ---- | 7 | ---- | 8 + 5 |
| 4620 | 11.00 | 11.00 | 14.00B/*3.40A | 14.00B/*3.40A | ---- | 4.70 - 3.70 | .0860 | ---- | ---- | 25 | ---- | 24 + 21 |
| 4620 | 78.50 | 78.50 | 100.00B/38.60A | 100.00B/38.60A | ---- | 56.20 NEW | .9139 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4625 | 9.00 | 9.00 | 12.30B/*2.80 | 12.30B/*2.80 | ---- | 4.10 - 3.50 | .0697 | ---- | ---- | 64 | ---- | 56 + 43 |
| 4625 | 93.30 | 93.30 | 104.50B/42.00A | 104.50B/42.00A | ---- | 60.50 - 38.80 | .9302 | ---- | ---- | 3 | ---- | 5 UNCH |
| 4625 | ---- | ---- | ----/101.80A | 139.60B/101.80A | ---- | 115.90 - 30.10 | .5993 | ---- | ---- | ---- | ---- | 112 UNCH |
| 4630 | ---- | ---- | 109.00B/45.80A | 109.00B/45.80A | ---- | 65.00 - 38.60 | .9447 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4630 | 8.30 | 8.30 | 10.80B/*2.60A | 10.80B/*2.60A | ---- | 3.50 NEW | .0551 | ---- | ---- | 5 | ---- | 5 + 5 |
| 4635 | 4.20 | 4.20 | 9.50B/*2.10 | 9.50B/*2.10 | ---- | 3.00 - 3.30 | .0436 | ---- | ---- | 56 | ---- | 52 + 51 |
| 4635 | ---- | ---- | 113.50B/49.20A | 113.50B/49.20A | ---- | 69.50 - 38.50 | .9563 | ---- | ---- | 2 | ---- | 2 - 1 |
| 4640 | ---- | ---- | 118.10B/53.00A | 118.10B/53.00A | ---- | 74.10 - 38.30 | .9652 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4640 | 4.00 | 4.00 | 8.20B/*1.80A | 8.20B/*1.80A | ---- | 2.60 - 3.10 | .0347 | ---- | ---- | 31 | ---- | 35 + 17 |
| 4645 | 5.10 | 5.10 | 7.20B/*1.60A | 7.20B/*1.60A | ---- | 2.20 - 2.90 | .0267 | ---- | ---- | 4 | ---- | 8 + 3 |
| 4650 | ---- | ---- | 127.40B/60.80A | 127.40B/60.80A | ---- | 83.40 - 37.90 | .9789 | ---- | ---- | 1 | ---- | 33 - 1 |
| 4650 | ---- | ---- | ----/116.40A | 152.50B/116.40A | ---- | 131.80 - 31.30 | .6450 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4650 | 3.90 | 3.90 | 6.30B/*1.40A | 6.30B/*1.40A | ---- | 1.90 - 2.80 | .0210 | ---- | ---- | 130 | ---- | 165 - 73 |
| 4650 | ---- | ---- | 60.30B/---- | 60.30B/47.60A | ---- | 50.40 + 3.80 | .3545 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4650 | 26.00 | 26.00 | 38.70B/25.20A | 38.70B/25.20A | ---- | 28.50 + 1.00 | .2903 | ---- | ---- | 8 | ---- | 204 + 4 |
| 4655 | 3.50 | 3.50 | 5.40B/*1.10 | 5.40B/*1.10 | ---- | 1.70 - 2.50 | .0172 | ---- | ---- | 10 | ---- | 157 + 6 |
| 4655 | ---- | ---- | 132.10B/64.90A | 132.10B/64.90A | ---- | 88.20 - 37.70 | .9827 | ---- | ---- | ---- | ---- | 153 UNCH |
| 4660 | 3.20 | 3.20 | 4.70B/*1.10A | 4.70B/*1.10A | ---- | 1.50 - 2.30 | .0138 | ---- | ---- | 5 | ---- | 8 + 5 |
| 4665 | 4.00 | 4.00 | 4.10B/*0.80 | 4.10B/*0.80 | ---- | 1.30 - 2.10 | .0109 | ---- | ---- | 14 | ---- | 19 + 7 |
| 4665 | ---- | ---- | 141.70B/73.70A | 141.70B/73.70A | ---- | 97.80 - 37.30 | .9890 | ---- | ---- | 6 | ---- | 7 + 6 |
| 4670 | 2.30 | 2.30 | 3.50B/*0.70 | 3.50B/*0.70 | ---- | 1.10 - 2.00 | .0082 | ---- | ---- | 9 | ---- | 25 - 1 |
| 4670 | ---- | ---- | 146.50B/78.30A | 146.50B/78.30A | ---- | 102.60 - 37.20 | .9917 | ---- | ---- | ---- | ---- | 13 UNCH |
| 4675 | 2.70 | 2.70 | 3.10B/*0.80A | 3.10B/*0.80A | ---- | 1.00 - 1.80 | .0068 | ---- | ---- | 5 | ---- | 12 UNCH |
| 4675 | ---- | ---- | 51.20B/---- | 51.20B/40.00A | ---- | 42.50 + 2.80 | .3114 | ---- | ---- | ---- | ---- | 25 UNCH |
| 4675 | ---- | ---- | 168.60B/110.60A | 168.60B/110.60A | ---- | 128.60 NEW | .7639 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4675 | ---- | ---- | 30.50B/19.70A | 30.50B/19.70A | ---- | 22.20 + 0.10 | .2358 | ---- | ---- | 2 | ---- | 3 + 2 |
| 4680 | ---- | ---- | 156.20B/87.40A | 156.20B/87.40A | ---- | 112.30 - 36.90 | .9943 | ---- | ---- | 1 | ---- | 6 + 1 |
| 4680 | 2.00 | 2.00 | 2.70B/*0.70A | 2.70B/*0.70A | ---- | 0.90 - 1.70 | .0056 | ---- | ---- | 13 | ---- | 13 + 11 |
| 4685 | 1.70 | 1.70 | 2.30B/*0.60A | 2.30B/*0.60A | ---- | 0.70 - 1.60 | .0038 | ---- | ---- | 1 | ---- | 1 UNCH |
| 4690 | ---- | ---- | ----/*0.40A | 2.10B/*0.40A | ---- | 0.60 - 1.50 | .0029 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4695 | ---- | ---- | ----/*0.50A | 1.80B/*0.50A | ---- | 0.60 - 1.30 | .0027 | ---- | ---- | ---- | ---- | 8 UNCH |
| 4700 | ---- | ---- | 175.80B/106.10A | 175.80B/106.10A | ---- | 132.00 - 36.40 | .9979 | ---- | ---- | ---- | ---- | 73 UNCH |
| 4700 | 1.00 | 1.00 | 1.50B/*0.30A | 1.50B/*0.30A | ---- | 0.50 - 1.20 | .0020 | ---- | ---- | 19 | ---- | 53 + 8 |
| 4700 | ---- | ---- | 43.10B/33.70A | 43.10B/33.70A | ---- | 35.70 + 1.90 | .2714 | ---- | ---- | 1 | ---- | 8 + 1 |
| 4700 | 16.90 | 16.90 | 23.80B/15.50A | 23.80B/15.50A | ---- | 17.10 - 0.60 | .1883 | ---- | ---- | 6 | ---- | 7 + 5 |
| 4700 | ---- | ---- | 189.60B/128.60A | 189.60B/128.60A | ---- | 148.50 - 35.80 | .8114 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4705 | 1.10 | 1.10 | 1.10/*0.40 | 1.40B/*0.40 | ---- | 0.40 - 1.20 | .0014 | ---- | ---- | 3 | ---- | 5 + 2 |
| 4705 | ---- | ---- | 180.70B/111.00A | 180.70B/111.00A | ---- | 136.90 - 36.30 | .9986 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4710 | 0.30 | 0.30 | 0.30/*0.20 | 1.20B/*0.20 | ---- | 0.40 - 1.00 | .0013 | ---- | ---- | 5 | ---- | 10 + 2 |
| 4715 | ---- | ---- | ----/*0.20A | 1.00B/*0.20A | ---- | 0.30 - 1.00 | .0008 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4720 | ---- | ---- | ----/*0.20A | 0.90B/*0.20A | ---- | 0.30 - 0.90 | .0008 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4725 | ---- | ---- | 200.40B/130.50A | 200.40B/130.50A | ---- | 156.70 - 36.10 | .9992 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4725 | ---- | ---- | ----/*0.30A | 0.80B/*0.30A | ---- | 0.30 - 0.80 | .0007 | ---- | ---- | ---- | ---- | 7 UNCH |
| 4725 | ---- | ---- | 36.10B/28.10A | 36.10B/28.10A | ---- | 29.90 + 1.10 | .2349 | ---- | ---- | 1 | ---- | 2 + 1 |
| 4725 | ---- | ---- | 18.40B/*11.90A | 18.40B/*11.90A | ---- | 13.20 NEW | .1491 | ---- | ---- | 2 | ---- | 2 + 2 |
| 4730 | ---- | ---- | ----/*0.30A | 0.70B/*0.30A | ---- | 0.20 - 0.80 | .0004 | ---- | ---- | 1 | ---- | 2 UNCH |
| 4735 | 0.30 | 0.30 | 0.30/*0.30 | 0.60B/*0.30 | ---- | 0.20 - 0.70 | .0003 | ---- | ---- | 1 | ---- | 2 + 1 |
| 4740 | ---- | ---- | 215.30B/145.30A | 215.30B/145.30A | ---- | 171.70 - 35.80 | .9996 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4740 | ---- | ---- | ----/*0.30A | 0.60B/*0.30A | ---- | 0.20 - 0.60 | .0003 | ---- | ---- | 1 | ---- | 2 + 1 |
| 4745 | ---- | ---- | ----/*0.30A | 0.50B/*0.30A | ---- | 0.20 - 0.60 | .0003 | ---- | ---- | ---- | ---- | 11 UNCH |
| 4750 | ---- | ---- | 30.30B/23.50A | 30.30B/23.50A | ---- | 25.00 + 0.50 | .2022 | ---- | ---- | 1 | ---- | 3 UNCH |
| 4750 | ---- | ---- | ----/155.00A | 202.40B/155.00A | ---- | 181.70 - 35.70 | .9997 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4750 | 0.60 | 0.60 | 0.60/*0.10 | 0.60/*0.10 | ---- | 0.20 - 0.50 | .0003 | ---- | ---- | 7 | ---- | 144 + 6 |
| 4750 | ---- | ---- | 234.00B/168.90A | 234.00B/168.90A | ---- | 191.50 - 36.40 | .8833 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4750 | ---- | ---- | 14.30B/*9.10A | 14.30B/*9.10A | ---- | 10.10 - 1.30 | .1165 | ---- | ---- | 1 | ---- | 11 + 1 |
| 4750 | ---- | ---- | 52.90B/---- | 52.90B/46.60A | ---- | 47.00 + 2.30 | .2922 | ---- | ---- | ---- | ---- | 4 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



GWW WED — GOLD WEEKLY WEDNESDAY OPTION WEEK1

| MAY26 | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4755 | 0.30 | 0.30 | 0.30/*0.20 | 0.40B/*0.20 | ---- | 0.20 - 0.50 | .0003 | ---- | ---- | 9 | ---- | 8 + 7 |
| 4760 | ---- | ---- | ----/*0.20A | 0.30B/*0.20A | ---- | 0.20 - 0.40 | .0003 | ---- | ---- | 2 | ---- | 2 UNCH |
| 4760 | ---- | ---- | ----/165.00A | 212.20B/165.00A | ---- | 191.60 - 35.70 | .9997 | ---- | ---- | ---- | ---- | 10 UNCH |
| 4765 | ---- | ---- | ----/*0.20A | 0.30B/*0.20A | ---- | 0.10 - 0.50 | .0001 | ---- | ---- | ---- | ---- | 7 UNCH |
| 4765 | ---- | ---- | ----/169.90A | 217.10B/169.90A | ---- | 196.60 - 35.70 | .9999 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4770 | ---- | ---- | ----/*0.20A | 0.30B/*0.20A | ---- | 0.10 - 0.50 | .0000 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4770 | ---- | ---- | ----/175.00A | 222.10B/175.00A | ---- | 201.60 - 35.60 | 1.0000 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4775 | ---- | ---- | ----/*0.20A | 0.30B/*0.20A | ---- | 0.10 - 0.40 | .0000 | ---- | ---- | ---- | ---- | 7 UNCH |
| 4775 | ---- | ---- | 25.20B/19.60A | 25.20B/19.60A | ---- | 20.90 + 0.10 | .1733 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4775 | 7.20 | 7.20 | 11.10B/*7.00A | 11.10B/*7.00A | ---- | 7.80 - 1.30 | .0909 | ---- | ---- | 2 | ---- | 4 + 1 |
| 4780 | ---- | ---- | ----/185.00A | 232.10B/185.00A | ---- | 211.60 - 35.60 | 1.0000 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4780 | ---- | ---- | ----/*0.20A | 0.30B/*0.20A | ---- | 0.10 - 0.40 | .0000 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4785 | 0.30 | 0.30 | 0.30/*0.20A | 0.30/*0.20A | ---- | 0.10 NEW | .0000 | ---- | ---- | 25 | ---- | 25 + 25 |
| 4790 | ---- | ---- | ----/194.80A | 242.00B/194.80A | ---- | 221.60 - 35.50 | 1.0000 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4795 | ---- | ---- | ----/*0.20A | 0.30B/*0.20A | ---- | 0.10 - 0.30 | .0000 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4795 | ---- | ---- | ----/199.90A | 247.00B/199.90A | ---- | 226.60 - 35.50 | 1.0000 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4800 | ---- | ---- | ----/204.80A | 252.20B/204.80A | ---- | 231.60 - 35.50 | 1.0000 | 1 | ---- | ---- | ---- | 0 - 1 |
| 4800 | ---- | ---- | 21.00B/*16.50A | 21.00B/*16.50A | ---- | 17.40 NEW | .1476 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4800 | ---- | ---- | 39.60B/---- | 39.60B/*34.40A | ---- | 35.80 + 1.70 | .2337 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4800 | 0.20 | 0.20 | 0.20/*0.10 | 0.20/*0.10 | ---- | 0.10 - 0.30 | .0000 | ---- | ---- | 14 | ---- | 151 + 2 |
| 4800 | ---- | ---- | 8.60B/*5.50A | 8.60B/*5.50A | ---- | 6.10 - 1.30 | .0713 | ---- | ---- | ---- | ---- | 68 UNCH |
| 4805 | ---- | ---- | ----/*0.20A | 0.30B/*0.20A | ---- | 0.10 - 0.30 | ---- | ---- | ---- | ---- | ---- | 2 UNCH |
| 4810 | ---- | ---- | ----/*0.20A | 0.30B/*0.20A | ---- | 0.10 - 0.30 | ---- | ---- | ---- | ---- | ---- | 6 UNCH |
| 4810 | ---- | ---- | ----/214.90A | 262.00B/214.90A | ---- | 241.60 - 35.50 | 1.0000 | 1 | ---- | ---- | ---- | 0 - 1 |
| 4815 | 0.30 | 0.30 | 0.30/*0.20A | 0.30/*0.20A | ---- | 0.10 - 0.30 | ---- | ---- | ---- | 1 | ---- | 5 UNCH |
| 4815 | ---- | ---- | ----/219.80A | 266.90B/219.80A | ---- | 246.60 - 35.50 | 1.0000 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4820 | 0.30 | 0.30 | 0.30/*0.20A | 0.30/*0.20A | ---- | 0.10 - 0.30 | ---- | ---- | ---- | 5 | ---- | 39 + 5 |
| 4825 | 0.80 | 0.80 | 0.80/*0.20A | 0.80/*0.20A | ---- | 0.10 - 0.30 | ---- | ---- | ---- | 7 | ---- | 52 UNCH |
| 4825 | 15.50 | 15.50 | 17.50B/*13.70A | 17.50B/*13.70A | ---- | 14.60 NEW | .1259 | ---- | ---- | 21 | ---- | 21 + 21 |
| 4825 | ---- | ---- | 6.70B/*4.30A | 6.70B/*4.30A | ---- | 4.80 - 1.20 | .0559 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4830 | 0.30 | 0.30 | 0.30/*0.10 | 0.30/*0.10 | ---- | 0.10 - 0.30 | ---- | ---- | ---- | 9 | ---- | 11 + 9 |
| 4835 | ---- | ---- | ----/*0.20A | 0.30B/*0.20A | ---- | 0.10 - 0.30 | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 4840 | ---- | ---- | ----/*0.10A | 0.30B/*0.10A | ---- | 0.10 - 0.30 | ---- | ---- | ---- | ---- | ---- | 24 UNCH |
| 4845 | ---- | ---- | ----/*0.20A | 0.30B/*0.20A | ---- | 0.10 - 0.30 | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 4850 | ---- | ---- | ----/*0.10A | 0.30B/*0.10A | ---- | 0.10 - 0.20 | ---- | ---- | ---- | ---- | ---- | 53 UNCH |
| 4850 | ---- | ---- | ----/254.70A | 302.00B/254.70A | ---- | 281.60 - 35.40 | 1.0000 | ---- | ---- | ---- | ---- | 9 UNCH |
| 4850 | ---- | ---- | 5.20B/*3.50A | 5.20B/*3.50A | ---- | 3.80 - 1.10 | .0440 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4865 | ---- | ---- | ----/*0.20A | 0.30B/*0.20A | ---- | 0.10 - 0.20 | ---- | ---- | ---- | ---- | ---- | 6 UNCH |
| 4875 | ---- | ---- | ----/*0.20A | 0.30B/*0.20A | ---- | 0.10 - 0.20 | ---- | ---- | ---- | ---- | ---- | 2 UNCH |
| 4900 | 0.40 | 0.40 | 0.40/*0.10A | 0.40/*0.10A | ---- | 0.10 - 0.10 | ---- | ---- | ---- | 3 | ---- | 9 UNCH |
| 4900 | 10.00 | 10.00 | 10.30B/*8.40A | 10.30B/*8.40A | ---- | 8.80 - 0.80 | .0782 | ---- | ---- | 3 | ---- | 11 + 3 |
| 4900 | 20.00 | 20.00 | 22.50B/*19.60A | 22.50B/*19.60A | ---- | 21.00 + 0.60 | .1465 | ---- | ---- | 4 | ---- | 6 + 1 |
| 4900 | ---- | ---- | ----/*2.40A | 3.30B/*2.40A | ---- | 2.50 - 0.90 | .0281 | ---- | ---- | ---- | ---- | 8 UNCH |
| 4925 | ---- | ---- | 19.30B/*17.40A | 19.30B/*17.40A | ---- | 18.40 + 0.20 | .1299 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4925 | ---- | ---- | ---- | 0.10B/*0.30A | ---- | 0.10 - 0.10 | ---- | ---- | ---- | ---- | ---- | 81 UNCH |
| 4925 | ---- | ---- | ----/*2.00A | 2.60B/*2.00A | ---- | 2.10 - 0.80 | .0231 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4950 | 2.30 | 2.30 | 2.30/*1.70A | 2.30/*1.70A | ---- | 1.80 - 0.60 | .0193 | ---- | ---- | 2 | ---- | 9 + 2 |
| 4950 | ---- | ---- | ---- | ----/*0.20A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 5 UNCH |
| 4950 | ---- | ---- | 16.60B/*15.80A | 16.60B/*15.80A | ---- | 16.00 NEW | .1146 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4955 | ---- | ---- | ---- | ----/*0.30A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 4960 | ---- | ---- | ---- | ----/*0.30A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 4975 | 6.60 | 6.60 | 6.60/*5.40A | 6.60/*5.40A | ---- | 5.60 NEW | .0499 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4975 | ---- | ---- | ----/*1.50A | 1.80B/*1.50A | ---- | 1.50 - 0.60 | .0158 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4980 | ---- | ---- | ---- | ----/*0.20A | ---- | 0.10 UNCH | ---- | ---- | ---- | 2 | ---- | 2 UNCH |
| 4995 | ---- | ---- | ----/399.70A | 446.70B/399.70A | ---- | 426.60 - 35.20 | 1.0000 | ---- | ---- | ---- | ---- | 0 UNCH |
| 5000 | ---- | ---- | ---- | ----/*0.30A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 2 UNCH |
| 5000 | ---- | ---- | 12.90B/*12.40A | 12.90B/*12.40A | ---- | 12.20 - 0.50 | .0892 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5000 | 5.70 | 5.70 | 5.70/*4.70A | 5.70/*4.70A | ---- | 4.80 - 0.70 | .0428 | ---- | ---- | 1 | ---- | 8 + 1 |
| 5000 | ---- | ---- | ----/*1.40A | 1.50B/*1.40A | ---- | 1.30 - 0.50 | .0134 | ---- | ---- | 1 | ---- | 6 UNCH |
| 5015 | ---- | ---- | ---- | ----/*0.20A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 5020 | ---- | ---- | ----/424.70A | 471.70B/424.70A | ---- | 451.60 - 35.20 | 1.0000 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5025 | ---- | ---- | ---- | ----/*0.20A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 5025 | ---- | ---- | ---- | ---- | ---- | 457.50 - 35.50 | .9880 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5025 | 5.00 | 5.00 | 5.00/*4.20A | 5.00/*4.20A | ---- | 4.30 NEW | .0379 | ---- | ---- | 1 | ---- | 1 + 1 |
| 5025 | ---- | ---- | ----/*1.20A | 1.30B/*1.20A | ---- | 1.20 - 0.30 | .0119 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5050 | ---- | ---- | ---- | ----/*0.20A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 2 UNCH |
| 5050 | ---- | ---- | ----/*1.10A | 1.10B/*1.10A | ---- | 1.10 - 0.20 | .0106 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5075 | ---- | ---- | ---- | ----/*0.20A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 2 UNCH |
| 5075 | ---- | ---- | ----/*3.40A | 3.70B/*3.40A | ---- | 3.40 - 0.40 | .0295 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5075 | ---- | ---- | ----/*1.00A | 1.00B/*1.00A | ---- | 1.00 - 0.20 | .0094 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5100 | ---- | ---- | ----/*3.10A | 3.30B/*3.10A | ---- | 3.00 - 0.40 | .0259 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5100 | ---- | ---- | ---- | 0.90B/*1.00A | ---- | 1.00 UNCH | .0090 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5100 | ---- | ---- | ---- | ---- | ---- | 534.00 - 35.60 | .9739 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5100 | ---- | ---- | ---- | ---- | ---- | 532.20 - 35.20 | .9909 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5125 | ---- | ---- | ---- | ----/*0.20A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 5125 | 6.90 | 6.90 | #7.20/*6.90 | 7.20/*6.90 | ---- | 6.30 NEW | .0477 | ---- | ---- | 11 | ---- | 11 + 11 |
| 5150 | ---- | ---- | ---- | ----/*0.20A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 5175 | ---- | ---- | ---- | ----/*0.20A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 2 UNCH |
| 5200 | ---- | ---- | ---- | ----/*0.20A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 5200 | 0.50 | 0.50 | 0.60B/*0.50 | 0.60B/*0.50 | ---- | 0.80 NEW | .0064 | ---- | ---- | 1 | ---- | 1 + 1 |
| 5225 | ---- | ---- | ---- | ----/*0.20A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 5250 | ---- | ---- | ---- | ----/*0.20A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 4 UNCH |
| 5250 | ---- | ---- | ---- | 0.50B/*0.80A | ---- | 0.60 + 0.10 | .0047 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5300 | ---- | ---- | ---- | 1.60B/1.80A | ---- | 1.60 - 0.10 | .0124 | ---- | ---- | ---- | ---- | 40 UNCH |
| TOTAL | | | | | | | | | | 2168 | | 4578 + 1144 |

GWT TUE — GOLD WEEKLY TUESDAY OPTION Week3

| MAY26 | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3800 | ---- | ---- | ----/1.80A | 1.50B/1.80A | ---- | 1.50 - 0.90 | .0092 | ---- | ---- | ---- | ---- | 10 UNCH |
| 3800 | ---- | ---- | ---- | ----/0.20A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 2 |
| 4000 | ---- | ---- | ----/*1.00A | 1.00B/*1.00A | ---- | 0.90 - 0.70 | .0064 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4100 | ---- | ---- | ----/*1.30A | 1.80B/*1.30A | ---- | 1.30 - 1.30 | .0106 | ---- | ---- | 1 | ---- | 1 UNCH |
| 4100 | ---- | ---- | ----/*4.00A | 4.20B/*4.00A | ---- | 4.00 - 2.40 | .0309 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4100 | ---- | ---- | ---- | ----/0.20A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 2 |
| 4120 | ---- | ---- | ---- | ----/0.20A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 1 |
| 4150 | ---- | ---- | ----/*4.90A | 7.40B/*4.90A | ---- | 5.10 - 3.20 | .0405 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4150 | 2.70 | 2.70 | 2.70/*1.60A | 2.70/*1.60A | ---- | 1.60 NEW | .0140 | ---- | ---- | 19 | ---- | 2 + 2 |
| 4175 | ---- | ---- | ----/*1.70A | 3.10B/*1.70A | ---- | 1.80 - 2.10 | .0164 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4180 | ---- | ---- | ---- | ----/0.20A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 1 |
| 4200 | ---- | ---- | ---- | ----/0.20A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 30 |
| 4200 | 2.00 | 2.00 | 2.00/*2.00 | 3.70B/*2.00 | ---- | 2.00 - 2.60 | .0189 | ---- | ---- | 2 | ---- | 4 + 2 |
| 4200 | ---- | ---- | ----/*6.30A | 8.60B/*6.30A | ---- | 6.70 - 4.20 | .0543 | ---- | ---- | 4 | ---- | 7 + 4 |
| 4220 | ---- | ---- | ---- | ----/0.20A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 5 |
| 4225 | ---- | ---- | ----/*2.30A | 4.60B/*2.30A | ---- | 2.40 - 3.00 | .0234 | ---- | ---- | 1 | ---- | 2 + 1 |
| 4225 | ---- | ---- | ---- | ----/0.20A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 1 |
| 4235 | ---- | ---- | ---- | ----/0.20A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 3 |
| 4250 | ---- | ---- | ----/*2.60A | 5.60B/*2.60A | ---- | 2.80 - 3.70 | .0282 | ---- | ---- | ---- | ---- | 29 UNCH |
| 4250 | ---- | ---- | ---- | ----/0.20A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 15 |
| 4250 | ---- | ---- | ----/*8.30A | 12.10B/*8.30A | ---- | 9.00 - 5.90 | .0738 | ---- | ---- | ---- | ---- | 10 UNCH |
| 4275 | ---- | ---- | ----/*3.10A | 7.10B/*3.10A | ---- | 3.30 - 4.50 | .0343 | ---- | ---- | ---- | ---- | 10 UNCH |
| 4280 | ---- | ---- | ---- | ----/*0.20A | ---- | 0.00 - 0.20 | ---- | ---- | ---- | ---- | ---- | 0 - 1 |
| 4280 | ---- | ---- | 315.40B/245.50A | 315.40B/245.50A | ---- | 288.50 + 35.00 | ---- | 1 | ---- | ---- | ---- | 0 - 1 |
| 4290 | ---- | ---- | ---- | ----/*0.20A | ---- | 0.00 - 0.20 | ---- | ---- | ---- | ---- | ---- | 0 - 5 |
| 4295 | ---- | ---- | ---- | ----/0.20A | ---- | 0.00 - 0.20 | ---- | ---- | ---- | ---- | ---- | 0 - 2 |
| 4300 | ---- | ---- | ----/*3.70A | 8.80B/*3.70A | ---- | 4.10 - 5.40 | .0435 | ---- | ---- | ---- | ---- | 35 UNCH |
| 4300 | ---- | ---- | ----/*0.10A | ----/*0.10A | ---- | 0.00 - 0.30 | ---- | ---- | ---- | ---- | ---- | 0 - 54 |
| 4300 | 11.60 | 11.60 | 11.60/*11.20A | 17.20B/*11.20A | ---- | 12.40 - 8.20 | .1018 | ---- | ---- | 1 | ---- | 12 + 1 |
| 4315 | ---- | ---- | ----/*0.20A | ----/*0.20A | ---- | 0.00 - 0.40 | ---- | ---- | ---- | ---- | ---- | 0 - 3 |
| 4320 | ---- | ---- | ----/*0.10A | ----/*0.10A | ---- | 0.00 - 0.40 | ---- | ---- | ---- | ---- | ---- | 0 - 18 |
| 4325 | ---- | ---- | ----/*0.20A | ----/*0.20A | ---- | 0.00 - 0.40 | ---- | ---- | ---- | ---- | ---- | 0 - 4 |
| 4325 | 14.40 | 14.40 | 14.40/13.20A | 20.40B/13.20A | ---- | 14.70 NEW | .1201 | ---- | ---- | 10 | ---- | 10 + 10 |
| 4325 | ---- | ---- | ----/*4.50A | 11.00B/*4.50A | ---- | 5.00 - 6.60 | .0544 | ---- | ---- | ---- | ---- | 10 UNCH |
| 4330 | ---- | ---- | ----/*0.20A | ----/*0.20A | ---- | 0.00 - 0.50 | ---- | ---- | ---- | ---- | ---- | 0 - 2 |
| 4335 | ---- | ---- | ----/*0.20A | ----/*0.20A | ---- | 0.00 - 0.50 | ---- | ---- | ---- | ---- | ---- | 0 - 2 |
| 4345 | ---- | ---- | ----/*0.20A | ----/*0.20A | ---- | 0.00 - 0.70 | ---- | ---- | ---- | ---- | ---- | 0 - 1 |
| 4350 | 0.10 | 0.10 | 0.10/*0.10 | 0.20B/*0.10 | ---- | 0.00 - 0.70 | ---- | ---- | ---- | 1 | ---- | 0 - 125 |
| 4350 | ---- | ---- | ----/*5.50A | 13.80B/*5.50A | ---- | 6.30 - 8.00 | .0696 | ---- | ---- | ---- | ---- | 33 UNCH |
| 4355 | ---- | ---- | ----/*0.10A | 0.40B/*0.10A | ---- | 0.00 - 0.80 | ---- | ---- | ---- | ---- | ---- | 0 - 5 |
| 4360 | ---- | ---- | ----/*0.10A | 0.40B/*0.10A | ---- | 0.00 - 0.90 | ---- | ---- | ---- | ---- | ---- | 0 - 3 |
| 4365 | ---- | ---- | ----/*0.10A | 0.50B/*0.10A | ---- | 0.00 - 1.00 | ---- | ---- | ---- | ---- | ---- | 0 - 2 |
| 4370 | ---- | ---- | ----/*0.10A | 0.50B/*0.10A | ---- | 0.00 - 1.10 | ---- | ---- | ---- | ---- | ---- | 0 - 1 |
| 4375 | ---- | ---- | ----/18.60A | 29.50B/18.60A | ---- | 21.10 - 12.80 | .1678 | ---- | ---- | ---- | ---- | 10 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| GWT TUE MAY26 | | GOLD WEEKLY TUESDAY OPTION Week2 | | | | | | | | | | |
| 4375 | ---- | ---- | ----/*6.90A | 17.30B/*6.90A | ---- | 8.00 - 9.60 | .0893 | ---- | ---- | ---- | ---- | 16 UNCH |
| 4375 | ---- | ---- | ----/*0.10A | 0.60B/*0.10A | ---- | 0.00 - 1.20 | ---- | ---- | ---- | ---- | ---- | 0 - 19 |
| 4380 | 0.10 | 0.10 | 0.10/*0.10 | 0.80B/*0.10 | ---- | 0.00 - 1.40 | ---- | ---- | ---- | 3 | ---- | 0 - 4 |
| 4385 | ---- | ---- | ----/*0.10A | 0.80B/*0.10A | ---- | 0.00 - 1.50 | ---- | ---- | ---- | ---- | ---- | 0 - 11 |
| 4390 | ---- | ---- | ----/*0.10A | 1.00B/*0.10A | ---- | 0.00 - 1.70 | ---- | ---- | ---- | ---- | ---- | 0 - 3 |
| 4395 | ---- | ---- | ----/*0.10A | 1.10B/*0.10A | ---- | 0.00 - 1.90 | ---- | ---- | ---- | ---- | ---- | 0 - 7 |
| 4400 | 1.70 | 1.70 | 1.70/*0.10 | 1.70/*0.10 | ---- | 0.00 - 2.10 | ---- | ---- | ---- | 18 | ---- | 0 - 47 |
| 4400 | 10.10 | 10.10 | 10.10/*8.70A | 21.70B/*8.70A | ---- | 10.20 - 11.70 | .1145 | ---- | ---- | 32 | ---- | 51 + 30 |
| 4400 | 24.00 | 24.00 | 24.00/22.10A | 35.40B/22.10A | ---- | 25.30 NEW | .1973 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4405 | ---- | ---- | ----/*0.10A | 1.50B/*0.10A | ---- | 0.00 - 2.30 | ---- | ---- | ---- | ---- | ---- | 0 - 5 |
| 4410 | ---- | ---- | ----/*0.10A | 1.70B/*0.10A | ---- | 0.00 - 2.50 | ---- | ---- | ---- | ---- | ---- | 0 - 6 |
| 4415 | 0.10 | 0.10 | 0.10/*0.10 | 2.00B/*0.10 | ---- | 0.00 - 2.80 | ---- | ---- | ---- | 3 | ---- | 0 - 5 |
| 4420 | 2.00 | 2.00 | 2.00/*0.10A | 2.30B/*0.10A | ---- | 0.00 - 3.10 | ---- | ---- | ---- | 1 | ---- | 0 - 5 |
| 4425 | ---- | ---- | ----/*0.10A | 2.50B/*0.10A | ---- | 0.00 - 3.50 | ---- | ---- | ---- | ---- | ---- | 0 - 72 |
| 4425 | 29.80 | 29.80 | 29.80/26.30A | 42.50B/26.30A | ---- | 30.30 - 16.50 | .2308 | ---- | ---- | 10 | ---- | 12 + 10 |
| 4425 | 11.50 | 11.50 | 27.30B/11.10A | 27.30B/11.10A | ---- | 13.20 - 13.90 | .1472 | ---- | ---- | 1 | ---- | 4 UNCH |
| 4430 | 2.50 | 2.50 | 2.50/*0.10A | 2.80B/*0.10A | ---- | 0.00 - 3.80 | ---- | ---- | ---- | 4 | ---- | 0 - 4 |
| 4435 | ---- | ---- | ----/*0.10A | 3.10B/*0.10A | ---- | 0.00 - 4.20 | ---- | ---- | ---- | 1 | ---- | 0 - 9 |
| 4440 | 4.50 | 4.50 | 4.50/*0.10 | 4.50/*0.10 | ---- | 0.00 - 4.70 | ---- | ---- | ---- | 4 | ---- | 0 - 9 |
| 4445 | ---- | ---- | ----/*0.10A | 3.90B/*0.10A | ---- | 0.00 - 5.20 | ---- | ---- | ---- | ---- | ---- | 0 - 5 |
| 4450 | 3.30 | 3.30 | 3.30/*0.10 | 4.40B/*0.10 | ---- | 0.00 - 5.70 | ---- | ---- | ---- | 5 | ---- | 0 - 151 |
| 4450 | 20.20 | 20.20 | 33.80B/14.20 | 33.80B/14.20 | ---- | 17.00 - 16.50 | .1875 | ---- | ---- | 12 | ---- | 32 + 11 |
| 4450 | ---- | ---- | ----/31.40A | 50.10B/31.40A | ---- | 36.30 - 18.50 | .2687 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4455 | ---- | ---- | ----/*0.10A | 5.00B/*0.10A | ---- | 0.00 - 6.30 | ---- | ---- | ---- | ---- | ---- | 0 - 76 |
| 4460 | 6.20 | 6.20 | 6.20/*0.10A | 6.20/*0.10A | ---- | 0.00 - 6.90 | ---- | ---- | ---- | 6 | ---- | 0 - 63 |
| 4465 | 3.60 | 3.60 | 3.60/*0.10A | 6.30B/*0.10A | ---- | 0.00 - 7.60 | ---- | ---- | ---- | 2 | ---- | 0 - 62 |
| 4470 | ---- | ---- | ----/*0.10A | 7.10B/*0.10A | ---- | 0.00 - 8.40 | ---- | ---- | ---- | 3 | ---- | 0 - 53 |
| 4475 | 1.60 | 1.60 | 1.60/*0.10A | 8.00B/*0.10A | ---- | 0.00 - 9.20 | ---- | ---- | ---- | 8 | ---- | 0 - 92 |
| 4475 | 29.20 | 29.20 | 41.80B/18.40A | 41.80B/18.40A | ---- | 22.10 - 19.20 | .2377 | ---- | ---- | 31 | ---- | 152 UNCH |
| 4480 | 89.20 | 89.20 | 115.50B/56.20A | 115.50B/56.20A | ---- | 88.50 + 25.10 | ---- | 1 | ---- | 3 | ---- | 0 - 3 |
| 4480 | 8.00 | 8.00 | 8.00/*0.10A | 9.00B/*0.10A | ---- | 0.00 - 10.10 | ---- | ---- | ---- | 6 | ---- | 0 - 7 |
| 4485 | 5.00 | 5.00 | 5.20/*0.10A | 10.10B/*0.10A | ---- | 0.00 - 11.10 | ---- | ---- | ---- | 11 | ---- | 0 - 5 |
| 4490 | 81.80 | 81.80 | 105.50B/48.50A | 105.50B/48.50A | ---- | 78.50 + 22.90 | ---- | 1 | ---- | 1 | ---- | 0 - 1 |
| 4490 | 6.30 | 6.30 | 6.30/*0.10A | 11.30B/*0.10A | ---- | 0.00 - 12.30 | ---- | ---- | ---- | 8 | ---- | 0 - 6 |
| 4495 | ---- | ---- | 100.50B/44.80A | 100.50B/44.80A | ---- | 73.50 + 21.70 | ---- | 1 | ---- | ---- | ---- | 0 - 1 |
| 4495 | 0.50 | 0.50 | 0.50/*0.10A | 12.60B/*0.10A | ---- | 0.00 - 13.50 | ---- | ---- | ---- | 4 | ---- | 0 - 14 |
| 4500 | 13.00 | 13.00 | 15.80/*0.10 | 15.80/*0.10 | ---- | 0.00 - 14.80 | ---- | ---- | ---- | 202 | ---- | 0 - 296 |
| 4500 | 34.00 | 34.00 | 95.60B/*34.00 | 95.60B/*34.00 | ---- | 68.50 + 20.40 | ---- | 7 | ---- | 2 | ---- | 0 - 6 |
| 4500 | ---- | ---- | 118.40B/79.60A | 118.40B/79.60A | ---- | 96.90 NEW | .7032 | ---- | ---- | 4 | ---- | 4 + 4 |
| 4500 | ---- | ---- | 51.50B/23.70A | 51.50B/23.70A | ---- | 28.50 - 22.10 | .2966 | ---- | ---- | ---- | ---- | 25 UNCH |
| 4500 | 52.20 | 52.20 | 52.20/44.50A | 69.50B/44.50A | ---- | 51.50 - 22.50 | .3555 | ---- | ---- | 2 | ---- | 2 + 1 |
| 4505 | 1.20 | 1.20 | 1.20/*0.10 | 15.60B/*0.10 | ---- | 0.00 - 16.20 | ---- | ---- | ---- | 29 | ---- | 0 - 11 |
| 4510 | 15.00 | 15.00 | 15.00/*0.10A | 17.10B/*0.10A | ---- | 0.00 - 17.80 | ---- | ---- | ---- | 12 | ---- | 0 - 24 |
| 4510 | 61.20 | 61.20 | 85.60B/35.60A | 85.60B/35.60A | ---- | 58.50 + 17.40 | ---- | 2 | ---- | 5 | ---- | 0 - 5 |
| 4515 | 8.60 | 8.60 | 12.00/*0.10 | 19.10B/*0.10 | ---- | 0.00 - 19.50 | ---- | ---- | ---- | 18 | ---- | 0 - 12 |
| 4515 | 52.70 | 52.70 | 80.60B/32.10A | 80.60B/32.10A | ---- | 53.50 + 15.70 | ---- | 3 | ---- | 1 | ---- | 0 - 3 |
| 4520 | 18.30 | 18.30 | 18.30/*0.10 | 21.30B/*0.10 | ---- | 0.00 - 21.30 | ---- | ---- | ---- | 13 | ---- | 0 - 27 |
| 4520 | ---- | ---- | 75.60B/29.00A | 75.60B/29.00A | ---- | 48.50 + 13.90 | ---- | 3 | ---- | 1 | ---- | 0 - 3 |
| 4525 | 25.50 | 25.50 | 70.70B/25.50 | 70.70B/25.50 | ---- | 43.50 + 11.90 | ---- | 8 | ---- | 8 | ---- | 0 - 6 |
| 4525 | 23.30 | 23.30 | 23.50B/*0.10 | 23.50B/*0.10 | ---- | 0.00 - 23.30 | ---- | ---- | ---- | 40 | ---- | 0 - 67 |
| 4525 | ---- | ---- | 62.60B/30.20A | 62.60B/30.20A | ---- | 36.50 - 25.00 | .3637 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4530 | 24.80 | 24.80 | 25.80B/*0.10A | 25.80B/*0.10A | ---- | 0.00 - 25.50 | ---- | ---- | ---- | 18 | ---- | 0 - 22 |
| 4530 | 25.00 | 25.00 | 65.70B/*21.50 | 65.70B/*21.50 | ---- | 38.50 + 9.70 | ---- | 13 | ---- | 6 | ---- | 0 - 7 |
| 4535 | 26.00 | 26.00 | 60.80B/20.90A | 60.80B/20.90A | ---- | 33.50 + 7.40 | ---- | 21 | ---- | 5 | ---- | 0 - 21 |
| 4535 | 9.80 | 9.80 | 28.40B/*0.10 | 28.40B/*0.10 | ---- | 0.00 - 27.80 | ---- | ---- | ---- | 13 | ---- | 0 - 14 |
| 4540 | 25.00 | 25.00 | 55.80B/18.70A | 55.80B/18.70A | ---- | 28.50 + 5.00 | ---- | 10 | ---- | 14 | ---- | 0 - 13 |
| 4540 | 17.50 | 17.50 | 30.90B/*0.20A | 30.90B/*0.20A | ---- | 0.00 - 30.20 | ---- | ---- | ---- | 24 | ---- | 0 - 41 |
| 4545 | 10.70 | 10.70 | 33.60B/*0.20A | 33.60B/*0.20A | ---- | 0.00 - 32.80 | ---- | ---- | ---- | 16 | ---- | 0 - 10 |
| 4545 | 15.60 | 15.60 | 50.90B/*15.60 | 50.90B/*15.60 | ---- | 23.50 + 2.40 | ---- | 28 | ---- | 17 | ---- | 0 - 23 |
| 4550 | 15.00 | 15.00 | 46.00B/14.60A | 46.00B/14.60A | ---- | 18.50 - 0.40 | ---- | 54 | ---- | 23 | ---- | 0 - 55 |
| 4550 | 22.30 | 22.30 | 36.70B/*0.10A | 36.70B/*0.10A | ---- | 0.00 - 35.60 | ---- | ---- | ---- | 46 | ---- | 0 - 119 |
| 4550 | ---- | ---- | 75.50B/38.30A | 75.50B/38.30A | ---- | 46.40 - 27.60 | .4374 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4550 | ---- | ---- | 105.70B/---- | 105.70B/82.50A | ---- | 90.10 + 8.90 | .5460 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4555 | 14.50 | 14.50 | 41.30B/*10.50A | 41.30B/*10.50A | ---- | 13.50 - 3.40 | ---- | 13 | ---- | 8 | ---- | 0 - 11 |
| 4555 | 15.00 | 15.00 | 40.00B/*0.10 | 40.00B/*0.10 | ---- | 0.00 - 38.60 | ---- | ---- | ---- | 13 | ---- | 0 - 4 |
| 4560 | 19.90 | 19.90 | 43.90B/*0.10A | 43.90B/*0.10A | ---- | 0.00 - 41.70 | ---- | ---- | ---- | 53 | ---- | 0 - 46 |
| 4560 | 10.00 | 10.00 | 36.60B/*6.20A | 36.60B/*6.20A | ---- | 8.50 - 6.50 | ---- | 10 | ---- | 25 | ---- | 0 - 6 |
| 4565 | 17.20 | 17.20 | 47.30B/*0.10A | 47.30B/*0.10A | ---- | 0.00 - 45.00 | ---- | ---- | ---- | 36 | ---- | 0 - 18 |
| 4565 | 8.00 | 8.00 | 31.90B/*2.30A | 31.90B/*2.30A | ---- | 3.50 - 9.80 | ---- | 20 | ---- | 25 | ---- | 0 - 15 |
| 4570 | 5.00 | 5.00 | 51.20B/*0.50 | 51.20B/*0.50 | ---- | 1.50 - 46.90 | ---- | 25 | ---- | 133 | ---- | 0 - 32 |
| 4570 | 7.00 | 7.00 | 28.00/*0.20 | 28.00/*0.20 | ---- | 0.00 - 11.70 | ---- | ---- | ---- | 75 | ---- | 0 - 32 |
| 4575 | 10.70 | 10.70 | 55.10B/*1.50A | 55.10B/*1.50A | ---- | 6.50 - 45.50 | ---- | 28 | ---- | 63 | ---- | 0 - 19 |
| 4575 | 5.60 | 5.60 | 23.70B/*0.10 | 23.70B/*0.10 | ---- | 0.00 - 10.30 | ---- | ---- | ---- | 70 | ---- | 0 - 58 |
| 4575 | 53.20 | 53.20 | 68.00B/43.50A | 68.00B/43.50A | ---- | 51.60 + 5.00 | .4853 | ---- | ---- | 1 | ---- | 1 UNCH |
| 4575 | 53.50 | 53.50 | 90.70B/48.20A | 90.70B/48.20A | ---- | 58.10 - 30.20 | .5144 | ---- | ---- | 5 | ---- | 12 + 4 |
| 4575 | ---- | ---- | ----/72.70A | 100.60B/72.70A | ---- | 83.70 - 28.00 | .5046 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4580 | 19.10 | 19.10 | 59.30B/*2.30A | 59.30B/*2.30A | ---- | 11.50 - 44.20 | ---- | 43 | ---- | 60 | ---- | 0 - 20 |
| 4580 | 6.30 | 6.30 | 20.00B/*0.10A | 20.00B/*0.10A | ---- | 0.00 - 9.00 | ---- | ---- | ---- | 73 | ---- | 0 - 28 |
| 4585 | 5.80 | 5.80 | 16.90B/*0.20A | 16.90B/*0.20A | ---- | 0.00 - 7.90 | ---- | ---- | ---- | 91 | ---- | 0 - 23 |
| 4585 | 11.40 | 11.40 | 64.00B/*3.70A | 64.00B/*3.70A | ---- | 16.50 - 43.10 | ---- | 17 | ---- | 21 | ---- | 0 - 3 |
| 4590 | 27.30 | 27.30 | 68.40B/*5.10 | 68.40B/*5.10 | ---- | 21.50 - 42.10 | ---- | 56 | ---- | 61 | ---- | 0 - 22 |
| 4590 | 5.00 | 5.00 | 13.80B/*0.20 | 13.80B/*0.20 | ---- | 0.00 - 6.90 | ---- | ---- | ---- | 105 | ---- | 0 - 39 |
| 4595 | 37.10 | 37.10 | 72.90B/*7.30 | 72.90B/*7.30 | ---- | 26.50 - 41.20 | ---- | 14 | ---- | 24 | ---- | 0 - 3 |
| 4595 | 5.10 | 5.10 | 11.10B/*0.20 | 11.10B/*0.20 | ---- | 0.00 - 6.00 | ---- | ---- | ---- | 38 | ---- | 0 - 85 |
| 4600 | 36.30 | 36.30 | 77.40B/*10.50A | 77.40B/*10.50A | ---- | 31.50 - 40.40 | ---- | 160 | ---- | 21 | ---- | 0 - 160 |
| 4600 | ---- | ---- | 54.60B/34.60A | 54.60B/34.60A | ---- | 40.40 + 2.90 | .4083 | ---- | ---- | ---- | ---- | 12 UNCH |
| 4600 | 3.50 | 3.50 | 8.80B/*0.10 | 8.80B/*0.10 | ---- | 0.00 - 5.20 | ---- | ---- | ---- | 181 | ---- | 0 - 91 |
| 4600 | 63.80 | 63.80 | 78.60B/63.80 | 78.60B/61.80A | ---- | 65.70 NEW | .4440 | ---- | ---- | 110 | ---- | 110 + 110 |
| 4600 | ---- | ---- | 107.20B/59.70A | 107.20B/59.70A | ---- | 71.90 - 32.20 | .5914 | ---- | ---- | 10 | ---- | 16 + 3 |
| 4605 | 5.30 | 5.30 | 6.80B/*0.10A | 6.80B/*0.10A | ---- | 0.00 - 4.50 | ---- | ---- | ---- | 10 | ---- | 0 - 50 |
| 4605 | 29.30 | 29.30 | 81.90B/*14.00A | 81.90B/*14.00A | ---- | 36.50 - 39.70 | ---- | 2 | ---- | 2 | ---- | 0 - 1 |
| 4610 | 3.40 | 3.40 | 5.20B/*0.10 | 5.20B/*0.10 | ---- | 0.00 - 3.90 | ---- | ---- | ---- | 46 | ---- | 0 - 38 |
| 4610 | ---- | ---- | 86.60B/17.70A | 86.60B/17.70A | ---- | 41.50 - 39.10 | ---- | 10 | ---- | ---- | ---- | 0 - 10 |
| 4615 | 3.20 | 3.20 | 4.00/*0.20A | 4.00/*0.20A | ---- | 0.00 - 3.40 | ---- | ---- | ---- | 14 | ---- | 0 - 17 |
| 4615 | ---- | ---- | 91.50B/21.90A | 91.50B/21.90A | ---- | 46.50 - 38.60 | ---- | 2 | ---- | ---- | ---- | 0 - 2 |
| 4620 | ---- | ---- | 96.10B/26.10A | 96.10B/26.10A | ---- | 51.50 - 38.10 | ---- | 1 | ---- | ---- | ---- | 0 - 1 |
| 4620 | 2.10 | 2.10 | 3.00B/*0.10A | 3.00B/*0.10A | ---- | 0.00 - 2.90 | ---- | ---- | ---- | 24 | ---- | 0 - 19 |
| 4625 | ---- | ---- | 101.00B/30.60A | 101.00B/30.60A | ---- | 56.50 - 37.80 | ---- | 5 | ---- | 6 | ---- | 0 - 10 |
| 4625 | 2.00 | 2.00 | 2.10B/*0.10A | 2.10B/*0.10A | ---- | 0.00 - 2.60 | ---- | ---- | ---- | 79 | ---- | 0 - 100 |
| 4625 | ---- | ---- | 43.10B/27.40A | 43.10B/27.40A | ---- | 31.20 + 1.30 | .3353 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4625 | ---- | ---- | 125.00B/73.20A | 125.00B/73.20A | ---- | 87.60 - 33.90 | .6644 | ---- | ---- | ---- | ---- | 10 UNCH |
| 4625 | ---- | ---- | ----/98.00A | 131.60B/98.00A | ---- | 111.90 - 30.90 | .6056 | ---- | ---- | ---- | ---- | 20 UNCH |
| 4630 | ---- | ---- | 105.80B/35.60A | 105.80B/35.60A | ---- | 61.50 - 37.40 | ---- | 1 | ---- | ---- | ---- | 0 - 1 |
| 4630 | 1.70 | 1.70 | 1.70/*0.20A | 1.70/*0.20A | ---- | 0.00 - 2.20 | ---- | ---- | ---- | 20 | ---- | 0 - 19 |
| 4635 | ---- | ---- | 110.70B/40.30A | 110.70B/40.30A | ---- | 66.50 - 37.20 | ---- | 4 | ---- | ---- | ---- | 0 - 4 |
| 4635 | 1.00 | 1.00 | 1.20B/*0.20 | 1.20B/*0.20 | ---- | 0.00 - 2.00 | ---- | ---- | ---- | 17 | ---- | 0 - 42 |
| 4640 | ---- | ---- | 115.60B/45.10A | 115.60B/45.10A | ---- | 71.50 - 36.90 | ---- | 3 | ---- | ---- | ---- | 0 - 3 |
| 4640 | 0.80 | 0.80 | 0.80/*0.20A | 1.00B/*0.20A | ---- | 0.00 - 1.70 | ---- | ---- | ---- | 13 | ---- | 0 - 9 |
| 4645 | ---- | ---- | 120.50B/49.90A | 120.50B/49.90A | ---- | 76.50 - 36.70 | ---- | 6 | ---- | ---- | ---- | 0 - 6 |
| 4645 | 1.10 | 1.10 | 1.10/*0.20A | 1.10/*0.20A | ---- | 0.00 - 1.50 | ---- | ---- | ---- | 4 | ---- | 0 - 18 |
| 4650 | 1.00 | 1.00 | 1.00/*0.10A | 1.00/*0.10A | ---- | 0.00 - 1.30 | ---- | ---- | ---- | 25 | ---- | 0 - 97 |
| 4650 | ---- | ---- | 125.40B/54.70A | 125.40B/54.70A | ---- | 81.50 - 36.50 | ---- | 51 | ---- | ---- | ---- | 0 - 51 |
| 4650 | 26.80 | 26.80 | 33.50B/21.30A | 33.50B/21.30A | ---- | 23.70 UNCH | .2687 | ---- | ---- | 67 | ---- | 74 + 65 |
| 4650 | ---- | ---- | 144.30B/88.50A | 144.30B/88.50A | ---- | 105.20 - 35.10 | .7310 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4650 | ---- | ---- | ----/112.50A | 148.90B/112.50A | ---- | 127.90 - 32.20 | .6534 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4650 | ---- | ---- | 56.50B/---- | 56.50B/44.10A | ---- | 46.50 + 3.00 | .3461 | ---- | ---- | ---- | ---- | 10 UNCH |
| 4655 | 1.00 | 1.00 | 1.00/*0.10A | 1.00/*0.10A | ---- | 0.00 - 1.20 | ---- | ---- | ---- | 4 | ---- | 0 - 16 |
| 4655 | ---- | ---- | 130.30B/59.80A | 130.30B/59.80A | ---- | 86.50 - 36.40 | ---- | 10 | ---- | ---- | ---- | 0 - 10 |
| 4660 | 0.70 | 0.70 | 0.70/*0.20A | 0.70/*0.20A | ---- | 0.00 - 1.10 | ---- | ---- | ---- | 6 | ---- | 0 - 18 |
| 4660 | ---- | ---- | 135.30B/64.80A | 135.30B/64.80A | ---- | 91.50 - 36.30 | ---- | 1 | ---- | ---- | ---- | 0 - 1 |
| 4665 | 0.50 | 0.50 | 0.50/*0.10 | 0.50/*0.10 | ---- | 0.00 - 1.00 | ---- | ---- | ---- | 4 | ---- | 0 - 12 |
| 4670 | ---- | ---- | ----/*0.10A | 0.50B/*0.10A | ---- | 0.00 - 0.90 | ---- | ---- | ---- | ---- | ---- | 0 - 10 |
| 4670 | ---- | ---- | 145.20B/74.70A | 145.20B/74.70A | ---- | 101.50 - 36.10 | ---- | 1 | ---- | ---- | ---- | 0 - 1 |
| 4675 | ---- | ---- | 150.10B/79.40A | 150.10B/79.40A | ---- | 106.50 - 36.00 | ---- | 34 | ---- | 6 | ---- | 0 - 40 |
| 4675 | 0.10 | 0.10 | 0.10/*0.10 | 0.10/*0.10 | ---- | 0.00 - 0.80 | ---- | ---- | ---- | 25 | ---- | 0 - 70 |
| 4675 | ---- | ---- | 25.70B/16.20A | 25.70B/16.20A | ---- | 17.90 - 0.80 | .2113 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4680 | ---- | ---- | 155.10B/84.60A | 155.10B/84.60A | ---- | 111.50 - 35.90 | ---- | ---- | ---- | 1 | ---- | 0 - 1 |
| 4680 | 0.20 | 0.20 | 0.30/*0.20 | 0.30/*0.20 | ---- | 0.00 - 0.70 | ---- | ---- | ---- | 2 | ---- | 0 - 7 |
| 4685 | ---- | ---- | ----/*0.10A | ----/*0.10A | ---- | 0.00 - 0.60 | ---- | ---- | ---- | ---- | ---- | 0 - 7 |
| 4690 | ---- | ---- | ----/*0.20A | ----/*0.20A | ---- | 0.00 - 0.60 | ---- | ---- | ---- | ---- | ---- | 0 - 7 |
| 4690 | ---- | ---- | 165.10B/94.60A | 165.10B/94.60A | ---- | 121.50 - 35.80 | ---- | 10 | ---- | ---- | ---- | 0 - 10 |
| 4695 | ---- | ---- | ----/*0.20A | ----/*0.20A | ---- | 0.00 - 0.50 | ---- | ---- | ---- | ---- | ---- | 0 - 8 |
| 4700 | ---- | ---- | 175.00B/104.50A | 175.00B/104.50A | ---- | 131.50 - 35.60 | ---- | 36 | ---- | 1 | ---- | 0 - 37 |
| 4700 | 0.20 | 0.20 | 0.20/*0.20 | 0.20/*0.20 | ---- | 0.00 - 0.40 | ---- | ---- | ---- | 1 | ---- | 0 - 37 |
| 4700 | ---- | ---- | 19.50B/*12.00A | 19.50B/*12.00A | ---- | 13.40 - 1.30 | .1632 | ---- | ---- | ---- | ---- | 13 UNCH |
| 4700 | 40.00 | 40.00 | 40.00/30.60A | 40.00/30.60A | ---- | 32.20 + 1.10 | .2598 | ---- | ---- | 1 | ---- | 2 + 1 |
| 4700 | 133.50 | 133.50 | 186.70B/124.10A | 186.70B/124.10A | ---- | 144.80 - 36.50 | .8365 | ---- | ---- | 1 | ---- | 4 + 1 |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|
| GWT TUE | GOLD WEEKLY TUESDAY OPTION Week1 | | | | | | | | | | |
| MAY26 | | | | | | | | | | | |
| 4705 0.10 | 0.10 | 0.10/*0.10 | 0.10/*0.10 | ---- | 0.00 - 0.40 | ---- | ---- | ---- | 1 | ---- | 0 - 3 |
| 4705 ---- | ---- | 180.00B/109.60A | 180.00B/109.60A | ---- | 136.50 - 35.50 | ---- | 1 | ---- | ---- | ---- | 0 - 1 |
| 4710 ---- | ---- | 185.00B/114.60A | 185.00B/114.60A | ---- | 141.50 - 35.50 | ---- | 1 | ---- | 1 | ---- | 0 - 1 |
| 4710 ---- | ---- | ----/*0.20A | ----/*0.20A | ---- | 0.00 - 0.30 | ---- | ---- | ---- | ---- | ---- | 0 - 16 |
| 4715 ---- | ---- | 189.90B/119.60A | 189.90B/119.60A | ---- | 146.50 - 35.40 | ---- | 10 | ---- | ---- | ---- | 0 - 10 |
| 4715 ---- | ---- | ----/*0.20A | ----/*0.20A | ---- | 0.00 - 0.30 | ---- | ---- | ---- | ---- | ---- | 0 - 3 |
| 4720 133.50 | 133.50 | 194.90B/124.60A | 194.90B/124.60A | ---- | 151.50 - 35.40 | ---- | 10 | ---- | 1 | ---- | 0 - 10 |
| 4720 ---- | ---- | ----/*0.10A | ----/*0.10A | ---- | 0.00 - 0.20 | ---- | ---- | ---- | ---- | ---- | 0 - 6 |
| 4725 ---- | ---- | ---- | ----/*0.20A | ---- | 0.00 - 0.20 | ---- | ---- | ---- | ---- | ---- | 0 - 9 |
| 4725 ---- | ---- | 14.70B/*8.90A | 14.70B/*8.90A | ---- | 10.00 - 1.50 | .1245 | ---- | ---- | 4 | ---- | 4 - 3 |
| 4725 ---- | ---- | 199.90B/129.60A | 199.90B/129.60A | ---- | 156.50 - 35.40 | ---- | 1 | ---- | 1 | ---- | 0 - 1 |
| 4725 ---- | ---- | 209.00B/144.80A | 209.00B/144.80A | ---- | 166.40 NEW | .8753 | ---- | ---- | 2 | ---- | 2 + 2 |
| 4725 ---- | ---- | ----/163.70A | 211.50B/163.70A | ---- | 183.00 - 34.70 | .7770 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4725 ---- | ---- | 32.80B/25.30A | 32.80B/25.30A | ---- | 26.70 + 0.40 | .2226 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4730 ---- | ---- | ---- | ----/*0.10A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 11 |
| 4730 ---- | ---- | 204.70B/134.60A | 204.70B/134.60A | ---- | 161.50 - 35.30 | ---- | 2 | ---- | 2 | ---- | 0 - 1 |
| 4735 ---- | ---- | ---- | ----/0.20A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 2 |
| 4740 ---- | ---- | ---- | ----/0.20A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 4 |
| 4745 ---- | ---- | ---- | ----/0.20A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 5 |
| 4750 200.00 | 200.00 | 224.90B/154.50A | 224.90B/154.50A | ---- | 181.50 - 35.30 | ---- | 2 | ---- | 2 | ---- | 0 - 2 |
| 4750 ---- | ---- | 232.00B/165.90A | 232.00B/165.90A | ---- | 188.90 - 36.70 | .9054 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4750 9.00 | 9.00 | 11.10B/*6.70A | 11.10B/*6.70A | ---- | 7.50 - 1.50 | .0944 | ---- | ---- | 7 | ---- | 47 + 7 |
| 4750 ---- | ---- | 27.10B/20.80A | 27.10B/20.80A | ---- | 22.00 - 0.20 | .1891 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4750 ---- | ---- | ---- | ----/0.20A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 81 |
| 4755 ---- | ---- | ---- | ----/0.20A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 5 |
| 4760 ---- | ---- | ---- | ----/0.20A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 8 |
| 4765 ---- | ---- | 239.90B/169.60A | 239.90B/169.60A | ---- | 196.50 - 35.30 | ---- | 30 | ---- | ---- | ---- | 0 - 30 |
| 4765 ---- | ---- | ---- | ----/0.20A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 80 |
| 4770 ---- | ---- | ---- | ----/0.20A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 81 |
| 4775 ---- | ---- | ---- | ----/0.20A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 18 |
| 4775 7.90 | 7.90 | 8.30B/*5.00A | 8.30B/*5.00A | ---- | 5.70 - 1.40 | .0718 | ---- | ---- | 2 | ---- | 5 + 1 |
| 4775 17.70 | 17.70 | 22.40B/*17.20A | 22.40B/*17.20A | ---- | 18.10 - 0.60 | .1597 | ---- | ---- | 10 | ---- | 11 + 10 |
| 4780 ---- | ---- | ---- | ----/*0.10A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 3 |
| 4785 ---- | ---- | ---- | ----/*0.10A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 2 |
| 4795 ---- | ---- | ---- | ----/*0.10A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 41 |
| 4800 ---- | ---- | 274.80B/204.50A | 274.80B/204.50A | ---- | 231.50 - 35.30 | ---- | 20 | ---- | 2 | ---- | 0 - 21 |
| 4800 ---- | ---- | ---- | ----/*0.10A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 87 |
| 4800 14.80 | 14.80 | 18.50B/*14.20A | 18.50B/*14.20A | ---- | 15.00 - 0.90 | .1349 | ---- | ---- | 10 | ---- | 19 + 7 |
| 4800 ---- | ---- | 6.30B/*3.90A | 6.30B/*3.90A | ---- | 4.40 - 1.20 | .0549 | ---- | ---- | 30 | ---- | 30 + 30 |
| 4800 223.90 | 223.90 | 279.10B/211.30A | 279.10B/211.30A | ---- | 235.70 NEW | .9448 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4805 224.20 | 224.20 | 279.80B/209.60A | 279.80B/209.60A | ---- | 236.50 - 35.30 | ---- | 1 | ---- | 1 | ---- | 0 - 1 |
| 4805 ---- | ---- | ---- | ----/*0.10A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 2 |
| 4810 ---- | ---- | ---- | ----/*0.10A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 3 |
| 4815 ---- | ---- | ---- | ----/*0.10A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 51 |
| 4820 ---- | ---- | 294.80B/224.60A | 294.80B/224.60A | ---- | 251.50 - 35.30 | ---- | 30 | ---- | ---- | ---- | 0 - 30 |
| 4820 ---- | ---- | ---- | ----/*0.10A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 35 |
| 4825 ---- | ---- | ---- | ----/*0.10A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 8 |
| 4825 ---- | ---- | 303.10B/234.50A | 303.10B/234.50A | ---- | 259.70 - 36.30 | .9578 | ---- | ---- | 1 | ---- | 1 UNCH |
| 4825 12.00 | 12.00 | 15.30B/*11.90A | 15.30B/*11.90A | ---- | 12.40 NEW | .1135 | ---- | ---- | 10 | ---- | 10 + 10 |
| 4825 ---- | ---- | 4.80B/*3.00A | 4.80B/*3.00A | ---- | 3.40 - 1.10 | .0420 | ---- | ---- | ---- | ---- | 50 UNCH |
| 4825 ---- | ---- | 299.80B/229.80A | 299.80B/229.80A | ---- | 256.50 - 35.30 | ---- | 1 | ---- | 1 | ---- | 0 - 1 |
| 4830 ---- | ---- | ---- | ----/*0.10A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 4 |
| 4835 ---- | ---- | ---- | ----/*0.10A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 21 |
| 4845 ---- | ---- | ---- | ----/*0.10A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 2 |
| 4850 ---- | ---- | ---- | ----/0.10A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 10 |
| 4850 3.70 | 3.70 | 3.70/*2.40A | 3.70/*2.40A | ---- | 2.70 - 0.90 | .0327 | ---- | ---- | 2 | ---- | 13 + 2 |
| 4850 ---- | ---- | 327.20B/258.40A | 327.20B/258.40A | ---- | 284.00 - 36.20 | .9671 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4850 ---- | ---- | 12.60B/*9.90A | 12.60B/*9.90A | ---- | 10.30 - 1.10 | .0955 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4855 ---- | ---- | ---- | ----/*0.10A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 2 |
| 4865 ---- | ---- | ---- | ----/*0.10A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 2 |
| 4875 ---- | ---- | ---- | ----/*0.10A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 7 |
| 4875 10.00 | 10.00 | 10.40B/*8.40A | 10.40B/*8.40A | ---- | 8.60 - 1.20 | .0804 | ---- | ---- | 3 | ---- | 4 + 3 |
| 4875 2.90 | 2.90 | 3.00/*2.00A | 3.00/*2.00A | ---- | 2.20 - 0.80 | .0260 | ---- | ---- | 19 | ---- | 32 + 18 |
| 4900 ---- | ---- | ---- | ----/0.10A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 34 |
| 4900 ---- | ---- | 374.80B/304.50A | 374.80B/304.50A | ---- | 331.50 - 35.30 | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4900 ---- | ---- | ----/*1.60A | 2.20B/*1.60A | ---- | 1.80 - 0.70 | .0207 | ---- | ---- | ---- | ---- | 9 UNCH |
| 4900 ---- | ---- | 8.70B/*7.10A | 8.70B/*7.10A | ---- | 7.20 - 1.20 | .0678 | ---- | ---- | ---- | ---- | 9 UNCH |
| 4905 ---- | ---- | ---- | ----/*0.10A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 9 |
| 4925 ---- | ---- | ---- | ----/*0.10A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 1 |
| 4925 6.20 | 6.20 | 6.20/*6.00A | 7.20B/*6.00A | ---- | 6.20 - 1.00 | .0582 | ---- | ---- | 1 | ---- | 2 + 1 |
| 4925 ---- | ---- | ----/*1.40A | 1.70B/*1.40A | ---- | 1.50 - 0.60 | .0168 | ---- | ---- | ---- | ---- | 7 UNCH |
| 4935 ---- | ---- | ---- | ----/*0.10A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 10 |
| 4950 ---- | ---- | ---- | ----/*0.10A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 9 |
| 4950 1.30 | 1.30 | 1.40B/*1.20A | 1.40B/*1.20A | ---- | 1.30 - 0.50 | .0141 | ---- | ---- | 1 | ---- | 6 + 1 |
| 4950 ---- | ---- | ---- | 248.40B/515.80A | ---- | 382.60 - 35.60 | .9858 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4965 ---- | ---- | ---- | ----/*0.10A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 2 |
| 4970 ---- | ---- | ---- | ----/*0.10A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 1 |
| 4975 ---- | ---- | ----/*1.10A | 1.20B/*1.10A | ---- | 1.10 - 0.40 | .0116 | ---- | ---- | ---- | ---- | 9 UNCH |
| 4975 4.70 | 4.70 | 4.70/*4.50A | 5.10B/*4.50A | ---- | 4.60 NEW | .0429 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4980 ---- | ---- | ---- | ----/*0.10A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 2 |
| 4990 ---- | ---- | ---- | ----/*0.10A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 1 |
| 5000 ---- | ---- | ---- | ----/*0.10A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 39 |
| 5000 ---- | ---- | ---- | 300.20B/563.50A | ---- | 432.30 NEW | .9907 | ---- | ---- | 1 | ---- | 1 + 1 |
| 5000 ---- | ---- | ----/*1.00A | 1.00B/*1.00A | ---- | 0.90 - 0.40 | .0093 | ---- | ---- | 3 | ---- | 4 + 3 |
| 5000 ---- | ---- | 474.80B/404.50A | 474.80B/404.50A | ---- | 431.50 - 35.30 | ---- | 1 | ---- | 1 | ---- | 0 - 1 |
| 5020 ---- | ---- | ---- | ----/*0.10A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 1 |
| 5020 ---- | ---- | 494.80B/424.60A | 494.80B/424.60A | ---- | 451.50 - 35.30 | ---- | 1 | ---- | ---- | ---- | 0 - 1 |
| 5025 ---- | ---- | ----/*0.90A | 0.90B/*0.90A | ---- | 0.80 - 0.30 | .0080 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5025 ---- | ---- | ---- | 325.90B/587.40A | ---- | 457.10 - 35.40 | .9920 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5050 ---- | ---- | ---- | ----/*0.10A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 4 |
| 5075 ---- | ---- | ---- | ----/*0.10A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 4 |
| 5075 ---- | ---- | ----/*2.90A | 2.90B/*2.90A | ---- | 2.80 - 0.40 | .0251 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5100 ---- | ---- | ---- | ----/*0.10A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 1 |
| 5100 ---- | ---- | ---- | ---- | ---- | 533.50 - 35.50 | .9776 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5100 ---- | ---- | ----/*2.60A | 2.60B/*2.60A | ---- | 2.50 - 0.40 | .0222 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5100 ---- | ---- | ---- | 402.50B/660.20A | ---- | 531.80 - 35.30 | .9954 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5125 ---- | ---- | ---- | 0.50B/*0.70A | ---- | 0.40 - 0.20 | .0036 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5150 ---- | ---- | ---- | ----/*0.10A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 1 |
| 5175 ---- | ---- | ---- | 0.40B/*0.70A | ---- | 0.30 - 0.10 | .0025 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5200 ---- | ---- | 674.80B/604.50A | 674.80B/604.50A | ---- | 631.50 - 35.30 | ---- | 1 | ---- | 1 | ---- | 0 - 1 |
| 5200 ---- | ---- | ---- | ----/*0.10A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 1 |
| 5200 ---- | ---- | ---- | ---- | ---- | 632.70 NEW | .9856 | ---- | ---- | 1 | ---- | 1 + 1 |
| 5200 ---- | ---- | ---- | 0.40B/0.80A | ---- | 0.30 - 0.10 | .0025 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5225 ---- | ---- | ---- | ----/*0.10A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 1 |
| 5325 ---- | ---- | ---- | ----/*0.10A | ---- | 0.00 - 0.10 | ---- | ---- | ---- | ---- | ---- | 0 - 2 |
| 5400 ---- | ---- | ---- | 1.00B/*1.40A | ---- | 1.10 - 0.10 | .0081 | ---- | ---- | ---- | ---- | 2 UNCH |
| TOTAL | | | | | | | | | 2540 | | 1096 - 3814 |
| JUN26 | | | | | | | | | | | |
| 3250 ---- | ---- | ---- | 0.80B/2.00A | ---- | 1.00 - 0.20 | .0042 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4100 ---- | ---- | ----/*11.00A | 12.00B/*11.00A | ---- | 10.90 - 4.60 | .0630 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4200 ---- | ---- | ----/16.20A | 19.60B/16.20A | ---- | 16.70 - 6.10 | .0967 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4300 28.70 | 28.70 | 28.70/25.60A | 32.60B/25.60A | ---- | 26.80 - 8.10 | .1512 | ---- | ---- | 1 | ---- | 2 UNCH |
| 4400 ---- | ---- | ----/41.90A | 53.90B/41.90A | ---- | 44.30 - 13.30 | .2345 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4425 ---- | ---- | ----/46.90A | 61.00B/46.90A | ---- | 50.20 - 14.90 | .2602 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4450 ---- | ---- | ----/52.80A | 69.20B/52.80A | ---- | 56.80 NEW | .2877 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4575 ---- | ---- | 141.10B/---- | 141.10B/120.80A | ---- | 130.40 + 12.70 | .5511 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4575 94.60 | 94.60 | 94.60/94.40A | 120.00B/94.40A | ---- | 102.40 NEW | .4481 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4600 ---- | ---- | ----/106.00A | 133.10B/106.00A | ---- | 114.30 - 23.50 | .4829 | ---- | ---- | 1 | ---- | 2 + 1 |
| 4600 110.00 | 110.00 | 128.70B/110.00 | 128.70B/109.50A | ---- | 117.40 + 11.40 | .5163 | ---- | ---- | 1 | ---- | 3 + 1 |
| 4675 ---- | ---- | 92.20B/---- | 92.20B/79.60A | ---- | 84.10 + 7.40 | .4128 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4800 ---- | ---- | 49.90B/---- | 49.90B/44.80A | ---- | 45.80 + 2.20 | .2612 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4850 ---- | ---- | 38.70B/---- | 38.70B/35.10A | ---- | 35.50 + 0.90 | .2124 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4900 ---- | ---- | 29.90B/*27.00A | 29.90B/*27.00A | ---- | 27.50 + 0.10 | .1712 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5000 ---- | ---- | 18.60B/---- | 18.60B/18.10A | ---- | 16.80 - 0.70 | .1105 | ---- | ---- | ---- | ---- | 2 UNCH |
| TOTAL | | | | | | | | | 5 | | 27 + 4 |

| GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|
| GWR THU | GOLD WEEKLY THURSDAY OPTION Week3 | | | | | | | | | | |
| MAY26 | | | | | | | | | | | |
| 3500 ---- | ---- | ---- | 0.90B/1.40A | ---- | 1.40 + 0.10 | .0065 | ---- | ---- | ---- | ---- | 40 UNCH |
| 3750 ---- | ---- | ---- | ----/*0.30A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 2 UNCH |
| 3900 ---- | ---- | ---- | ----/*0.30A | ---- | 0.10 - 0.20 | ---- | ---- | ---- | ---- | ---- | 25 UNCH |
| 3900 ---- | ---- | ----/*1.30A | 1.20B/*1.30A | ---- | 1.20 - 0.60 | .0077 | ---- | ---- | ---- | ---- | 3 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



GWR THU GOLD WEEKLY THURSDAY OPTION Week1

| MAY26 | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4000 | ---- | ---- | ----/*0.20A | 0.10B/*0.20A | ---- | 0.10 - 0.50 | .0000 | ---- | ---- | ---- | ---- | 7 UNCH |
| 4000 | ---- | ---- | ----/*1.60A | 1.90B/*1.60A | ---- | 1.60 - 0.90 | .0115 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4075 | 0.20 | 0.20 | #0.20/*0.20 | #0.20/*0.20 | ---- | 0.10 NEW | .0001 | ---- | ---- | 2 | ---- | 2 + 2 |
| 4095 | 0.20 | 0.20 | #0.20/*0.20 | #0.30B/*0.20 | ---- | 0.20 NEW | .0004 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4100 | ---- | ---- | ----/*2.10A | 3.20B/*2.10A | ---- | 2.20 - 1.70 | .0178 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4100 | 0.20 | 0.20 | 0.20/*0.20 | 0.30B/*0.20 | ---- | 0.20 - 0.70 | .0004 | ---- | ---- | 5 | ---- | 6 + 5 |
| 4110 | 0.20 | 0.20 | #0.20/*0.20 | #0.30B/*0.20 | ---- | 0.20 NEW | .0005 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4125 | 0.20 | 0.20 | 0.20/*0.20 | 0.40B/*0.20 | ---- | 0.20 - 0.80 | .0005 | ---- | ---- | 1 | ---- | 2 + 1 |
| 4130 | 0.20 | 0.20 | #0.20/*0.20 | #0.30B/*0.20 | ---- | 0.20 NEW | .0005 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4150 | ---- | ---- | ----/*2.60A | 4.30B/*2.60A | ---- | 2.70 - 2.30 | .0231 | ---- | ---- | 1 | ---- | 4 UNCH |
| 4150 | ---- | ---- | ----/*0.50A | 0.50B/*0.50A | ---- | 0.20 - 0.90 | .0005 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4200 | ---- | ---- | ----/*0.50A | 0.80B/*0.50A | ---- | 0.30 - 1.20 | .0010 | ---- | ---- | ---- | ---- | 106 UNCH |
| 4200 | ---- | ---- | ----/*12.20A | 15.30B/*12.20A | ---- | 12.70 - 5.70 | .0809 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4200 | ---- | ---- | ----/*3.30A | 6.10B/*3.30A | ---- | 3.60 NEW | .0322 | ---- | ---- | 8 | ---- | 0 UNCH |
| 4250 | 6.00 | 6.00 | 6.00/*4.40A | 8.90B/*4.40A | ---- | 4.90 NEW | .0457 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4250 | ---- | ---- | ----/*0.70A | 1.30B/*0.70A | ---- | 0.50 - 1.50 | .0022 | ---- | ---- | ---- | ---- | 6 UNCH |
| 4275 | ---- | ---- | ----/*5.20A | 10.70B/*5.20A | ---- | 5.90 - 5.40 | .0556 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4275 | ---- | ---- | ----/*12.50A | 18.50B/*12.50A | ---- | 13.90 - 7.50 | .1039 | ---- | ---- | ---- | ---- | 20 UNCH |
| 4275 | ---- | ---- | ----/*0.80A | 1.70B/*0.80A | ---- | 0.70 - 1.80 | .0036 | ---- | ---- | ---- | ---- | 7 UNCH |
| 4300 | ---- | ---- | ----/*6.20A | 13.10B/*6.20A | ---- | 7.10 - 6.40 | .0677 | ---- | ---- | ---- | ---- | 17 UNCH |
| 4300 | ---- | ---- | #344.70B/---- | 344.70B/306.00A | ---- | 323.90 + 26.40 | .8663 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4300 | 1.00 | 1.00 | 1.00/*0.90A | 2.30B/*0.90A | ---- | 0.80 - 2.30 | .0047 | ---- | ---- | 1 | ---- | 9 + 1 |
| 4315 | ---- | ---- | ----/*0.90A | 2.70B/*0.90A | ---- | 0.90 - 2.70 | .0057 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4325 | ---- | ---- | ----/*1.00A | 3.10B/*1.00A | ---- | 0.90 - 3.00 | .0059 | ---- | ---- | ---- | ---- | 7 UNCH |
| 4325 | ---- | ---- | ----/*7.40A | 15.80B/*7.40A | ---- | 8.60 - 7.70 | .0826 | ---- | ---- | ---- | ---- | 23 UNCH |
| 4325 | 18.70 | 18.70 | 18.70/16.80A | 25.40B/16.80A | ---- | 19.00 NEW | .1400 | ---- | ---- | 10 | ---- | 10 + 10 |
| 4330 | ---- | ---- | ----/*1.00A | 3.30B/*1.00A | ---- | 1.00 - 3.10 | .0068 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4340 | ---- | ---- | ----/*1.10A | 3.70B/*1.10A | ---- | 1.00 - 3.60 | .0071 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4345 | 1.20 | 1.20 | 1.20/*1.10A | 3.90B/*1.10A | ---- | 1.10 NEW | .0081 | ---- | ---- | 3 | ---- | 3 + 3 |
| 4350 | 2.10 | 2.10 | 2.10/*1.00 | 4.20B/*1.00 | ---- | 1.10 - 4.00 | .0083 | ---- | ---- | 17 | ---- | 219 + 14 |
| 4350 | 13.00 | 13.00 | 13.00/*9.00A | 19.30B/*9.00A | ---- | 10.50 NEW | .1012 | ---- | ---- | 2 | ---- | 2 + 2 |
| 4350 | ---- | ---- | ----/19.80A | 30.00B/19.80A | ---- | 22.30 - 11.60 | .1623 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4355 | 1.20 | 1.20 | 1.30/*1.20 | 4.40B/*1.20 | ---- | 1.20 - 4.20 | .0093 | ---- | ---- | 28 | ---- | 28 + 27 |
| 4360 | 1.20 | 1.20 | 1.20/*1.20 | 4.70B/*1.20 | ---- | 1.20 - 4.50 | .0096 | ---- | ---- | 1 | ---- | 2 + 1 |
| 4370 | 1.30 | 1.30 | 1.30/*1.30 | 5.40B/*1.30 | ---- | 1.40 - 5.00 | .0118 | ---- | ---- | 1 | ---- | 3 UNCH |
| 4375 | 12.20 | 12.20 | 12.50/11.00A | 23.60B/11.00A | ---- | 13.00 - 10.80 | .1247 | ---- | ---- | 3 | ---- | 53 + 3 |
| 4375 | 1.60 | 1.60 | 1.60/*1.40A | 5.90B/*1.40A | ---- | 1.40 - 5.40 | .0122 | ---- | ---- | 1 | ---- | 31 - 1 |
| 4380 | 1.50 | 1.50 | 1.50/*1.50 | 6.20B/*1.50 | ---- | 1.50 - 5.70 | .0134 | ---- | ---- | 1 | ---- | 1 UNCH |
| 4385 | ---- | ---- | ----/*1.50A | 6.60B/*1.50A | ---- | 1.60 - 6.00 | .0147 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4390 | ---- | ---- | ----/*1.60A | 7.10B/*1.60A | ---- | 1.70 - 6.40 | .0161 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4395 | ---- | ---- | ----/*1.70A | 7.60B/*1.70A | ---- | 1.80 - 6.80 | .0176 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4400 | ---- | ---- | ----/13.50A | 28.70B/13.50A | ---- | 16.00 - 12.70 | .1525 | ---- | ---- | ---- | ---- | 105 UNCH |
| 4400 | 1.60 | 1.60 | 1.60/*1.60 | 8.00B/*1.60 | ---- | 1.90 - 7.20 | .0191 | ---- | ---- | 5 | ---- | 51 UNCH |
| 4405 | 1.60 | 1.60 | 1.60/*1.60 | 8.70B/*1.60 | ---- | 2.00 - 7.70 | .0207 | ---- | ---- | 4 | ---- | 4 + 3 |
| 4410 | 5.60 | 5.60 | 5.60/*2.00A | 9.30B/*2.00A | ---- | 2.10 - 8.20 | .0224 | ---- | ---- | 10 | ---- | 11 + 10 |
| 4415 | 5.50 | 5.50 | 5.50/*2.10 | 9.90B/*2.10 | ---- | 2.20 - 8.80 | .0242 | ---- | ---- | 21 | ---- | 61 + 20 |
| 4420 | ---- | ---- | ----/*2.20A | 10.60B/*2.20A | ---- | 2.40 - 9.20 | .0271 | ---- | ---- | 1 | ---- | 16 - 1 |
| 4425 | ---- | ---- | ----/*2.40A | 11.30B/*2.40A | ---- | 2.50 - 9.90 | .0291 | ---- | ---- | ---- | ---- | 15 UNCH |
| 4430 | ---- | ---- | ----/*2.60A | 12.10B/*2.60A | ---- | 2.70 - 10.50 | .0324 | ---- | ---- | ---- | ---- | 12 UNCH |
| 4435 | ---- | ---- | ----/*2.70A | 13.00B/*2.70A | ---- | 2.90 - 11.10 | .0358 | ---- | ---- | 1 | ---- | 1 - 1 |
| 4440 | 3.10 | 3.10 | 3.10/*2.90A | 13.90B/*2.90A | ---- | 3.10 - 11.80 | .0394 | ---- | ---- | 1 | ---- | 3 UNCH |
| 4445 | ---- | ---- | ----/*3.10A | 14.90B/*3.10A | ---- | 3.40 - 12.40 | .0444 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4450 | ---- | ---- | 42.30B/20.70A | 42.30B/20.70A | ---- | 24.70 - 17.10 | .2269 | ---- | ---- | 1 | ---- | 107 + 1 |
| 4450 | ---- | ---- | ----/37.60A | 57.20B/37.60A | ---- | 43.00 - 18.20 | .2859 | ---- | ---- | ---- | ---- | 20 UNCH |
| 4450 | 3.30 | 3.30 | 4.20/*3.30 | 15.90B/*3.30 | ---- | 3.70 - 13.10 | .0496 | ---- | ---- | 6 | ---- | 19 + 3 |
| 4455 | 6.80 | 6.80 | 7.20/*3.50A | 16.90B/*3.50A | ---- | 4.00 - 13.90 | .0550 | ---- | ---- | 3 | ---- | 5 + 2 |
| 4460 | 4.40 | 4.40 | 4.40/*3.80A | 18.10B/*3.80A | ---- | 4.30 - 14.70 | .0608 | ---- | ---- | 7 | ---- | 7 - 1 |
| 4465 | 7.80 | 7.80 | 7.80/*4.10A | 19.40B/*4.10A | ---- | 4.80 NEW | .0693 | ---- | ---- | 2 | ---- | 2 + 2 |
| 4470 | 6.70 | 6.70 | 6.70/*4.40A | 20.60B/*4.40A | ---- | 5.20 - 16.30 | .0769 | ---- | ---- | 4 | ---- | 3 UNCH |
| 4475 | ---- | ---- | 50.70B/25.70A | 50.70B/25.70A | ---- | 30.60 - 19.50 | .2734 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4475 | 5.60 | 5.60 | 5.60/*4.70A | 22.00B/*4.70A | ---- | 5.70 - 17.10 | .0861 | ---- | ---- | 2 | ---- | 28 + 1 |
| 4480 | 7.90 | 7.90 | 7.90/*5.10A | 23.50B/*5.10A | ---- | 6.30 NEW | .0970 | ---- | ---- | 6 | ---- | 4 + 4 |
| 4485 | 6.30 | 6.30 | 6.40/*5.30 | 25.00B/*5.30 | ---- | 7.00 NEW | .1094 | ---- | ---- | 4 | ---- | 4 + 4 |
| 4490 | 7.00 | 7.00 | 8.00/*6.00A | 26.70B/*6.00A | ---- | 7.70 NEW | .1222 | ---- | ---- | 7 | ---- | 7 + 7 |
| 4490 | ---- | ---- | #111.60B/64.00A | 111.60B/64.00A | ---- | 86.10 + 15.50 | .8776 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4495 | 8.60 | 8.60 | 8.60/*6.50A | 28.30B/*6.50A | ---- | 8.40 - 20.60 | .1357 | ---- | ---- | 1 | ---- | 2 + 1 |
| 4500 | 44.90 | 44.90 | 60.90B/31.80A | 60.90B/31.80A | ---- | 37.80 - 22.00 | .3261 | ---- | ---- | 2 | ---- | 16 + 1 |
| 4500 | 11.00 | 11.00 | 11.00/*7.10A | 30.20B/*7.10A | ---- | 9.30 - 21.40 | .1518 | ---- | ---- | 86 | ---- | 191 + 26 |
| 4500 | ---- | ---- | 102.70B/58.00A | 102.70B/58.00A | ---- | 77.80 + 13.80 | .8481 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4505 | ---- | ---- | ----/*7.70A | 32.10B/*7.70A | ---- | 10.20 - 22.30 | .1685 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4510 | ---- | ---- | ----/*8.40A | 34.00B/*8.40A | ---- | 11.30 - 23.10 | .1877 | ---- | ---- | ---- | ---- | 51 UNCH |
| 4515 | ---- | ---- | #89.60B/49.10A | 89.60B/49.10A | ---- | 65.90 + 11.20 | .7924 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4515 | ---- | ---- | ----/*9.20A | 36.20B/*9.20A | ---- | 12.40 - 24.00 | .2074 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4520 | 13.90 | 13.90 | 14.00/*10.00A | 38.50B/*10.00A | ---- | 13.60 - 24.90 | .2287 | ---- | ---- | 2 | ---- | 4 + 2 |
| 4525 | 47.40 | 47.40 | 72.30B/39.10A | 72.30B/39.10A | ---- | 46.50 - 24.40 | .3841 | ---- | ---- | 2 | ---- | 5 + 2 |
| 4525 | 10.60 | 10.60 | 40.80B/*10.60 | 40.80B/*10.60 | ---- | 14.90 - 25.80 | .2514 | ---- | ---- | 2 | ---- | 7 UNCH |
| 4530 | ---- | ---- | 43.20B/*11.90A | 43.20B/*11.90A | ---- | 16.30 - 26.70 | .2754 | ---- | ---- | 1 | ---- | 2 UNCH |
| 4535 | ---- | ---- | 45.70B/*13.00A | 45.70B/13.00A | ---- | 17.80 - 27.60 | .3007 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4540 | ---- | ---- | 48.30B/*14.10A | 48.30B/14.10A | ---- | 19.40 - 28.50 | .3272 | ---- | ---- | 1 | ---- | 3 UNCH |
| 4545 | 44.80 | 44.80 | #65.50B/34.20A | 65.50B/34.20A | ---- | 44.70 NEW | .6445 | ---- | ---- | 2 | ---- | 2 + 2 |
| 4545 | 20.40 | 20.40 | 51.00B/*15.40A | 51.00B/15.40A | ---- | 21.20 NEW | .3553 | ---- | ---- | 3 | ---- | 3 + 3 |
| 4550 | ---- | ---- | ----/69.80A | 94.90B/69.80A | ---- | 79.30 - 25.40 | .4561 | ---- | ---- | ---- | ---- | 6 UNCH |
| 4550 | 53.80 | 53.80 | 85.00B/47.80A | 85.00B/47.80A | ---- | 56.70 - 26.70 | .4458 | ---- | ---- | 2 | ---- | 12 + 2 |
| 4550 | 38.40 | 38.40 | 61.90B/31.90A | 61.90B/31.90A | ---- | 41.50 + 5.10 | .6159 | ---- | ---- | 2 | ---- | 6 UNCH |
| 4550 | ---- | ---- | 54.10B/16.70A | 54.10B/16.70A | ---- | 23.00 - 30.10 | .3839 | ---- | ---- | 6 | ---- | 71 + 2 |
| 4560 | ---- | ---- | 60.20B/*19.70A | 60.20B/19.70A | ---- | 27.10 - 31.70 | .4442 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4565 | ---- | ---- | 63.40B/*21.20A | 63.40B/21.20A | ---- | 29.30 - 32.40 | .4752 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4570 | ---- | ---- | #48.60B/24.10A | 48.60B/24.10A | ---- | 30.20 + 2.10 | .4932 | ---- | ---- | 2 | ---- | 1 UNCH |
| 4570 | 41.20 | 41.20 | 66.50B/*22.90A | 66.50B/22.90A | ---- | 31.70 - 33.10 | .5066 | ---- | ---- | 5 | ---- | 5 + 4 |
| 4575 | 74.30 | 74.30 | 78.00B/52.60A | 78.00B/52.60A | ---- | 62.10 + 6.30 | .4899 | ---- | ---- | 1 | ---- | 9 + 1 |
| 4575 | 58.70 | 58.70 | 100.10B/58.10A | 100.10B/58.10A | ---- | 68.60 - 28.80 | .5098 | ---- | ---- | 1 | ---- | 11 + 1 |
| 4575 | ---- | ---- | ----/80.70A | 108.40B/80.70A | ---- | 91.40 - 27.00 | .5025 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4575 | 35.00 | 35.00 | 70.00B/24.80A | 70.00B/24.80A | ---- | 34.20 - 33.80 | .5382 | ---- | ---- | 18 | ---- | 11 - 3 |
| 4575 | ---- | ---- | 45.40B/22.50A | 45.40B/22.50A | ---- | 27.70 + 1.40 | .4617 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4580 | 35.10 | 35.10 | 73.40B/*26.80A | 73.40B/26.80A | ---- | 36.80 NEW | .5698 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4580 | 19.00 | 19.00 | #42.30B/*19.00 | 42.30B/*19.00 | ---- | 25.30 NEW | .4300 | ---- | ---- | 10 | ---- | 10 + 10 |
| 4585 | ---- | ---- | #39.40B/19.30A | 39.40B/19.30A | ---- | 23.10 NEW | .3988 | ---- | ---- | 2 | ---- | 1 + 1 |
| 4590 | 35.00 | 35.00 | #36.60B/17.90A | 36.60B/17.90A | ---- | 21.00 - 0.30 | .3680 | ---- | ---- | 1 | ---- | 3 + 1 |
| 4595 | 21.40 | 21.40 | #33.90B/16.60A | 33.90B/16.60A | ---- | 19.10 - 0.70 | .3382 | ---- | ---- | 3 | ---- | 3 + 2 |
| 4600 | 63.10 | 63.10 | 64.80B/43.40A | 64.80B/43.40A | ---- | 50.70 + 4.40 | .4260 | ---- | ---- | 4 | ---- | 13 + 3 |
| 4600 | 94.40 | 94.40 | 116.00B/69.90A | 116.00B/69.90A | ---- | 82.20 - 30.70 | .5736 | ---- | ---- | 1 | ---- | 157 + 1 |
| 4600 | ---- | ---- | 86.40B/---- | 86.40B/69.50A | ---- | 73.30 + 6.60 | .4506 | ---- | ---- | ---- | ---- | 150 UNCH |
| 4600 | 22.70 | 22.70 | 31.40B/15.00A | 31.40B/15.00A | ---- | 17.30 - 1.10 | .3092 | ---- | ---- | 7 | ---- | 33 + 3 |
| 4600 | 40.20 | 40.20 | 88.10B/35.90A | 88.10B/35.90A | ---- | 48.80 - 36.30 | .6906 | ---- | ---- | 48 | ---- | 33 + 21 |
| 4605 | ---- | ---- | #28.90B/13.50A | 28.90B/13.50A | ---- | 15.60 NEW | .2812 | ---- | ---- | 4 | ---- | 4 + 4 |
| 4610 | ---- | ---- | 26.70B/*12.10A | 26.70B/*12.10A | ---- | 14.10 - 1.80 | .2549 | ---- | ---- | 1 | ---- | 89 - 1 |
| 4610 | ---- | ---- | 96.50B/*41.30A | 96.50B/41.30A | ---- | 55.60 - 36.90 | .7450 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4615 | ---- | ---- | #24.40B/*10.90A | 24.40B/*10.90A | ---- | 12.70 - 2.00 | .2300 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4620 | 15.40 | 15.40 | 22.40B/*9.80A | 22.40B/*9.80A | ---- | 11.40 - 2.20 | .2064 | ---- | ---- | 6 | ---- | 8 + 6 |
| 4620 | 50.50 | 50.50 | 104.20B/47.10A | 104.20B/47.10A | ---- | 62.90 - 37.40 | .7935 | ---- | ---- | 3 | ---- | 4 + 3 |
| 4625 | ---- | ---- | 133.70B/83.30A | 133.70B/83.30A | ---- | 97.40 - 32.30 | .6355 | ---- | ---- | 1 | ---- | 6 + 1 |
| 4625 | 9.70 | 9.70 | 20.50B/*8.80A | 20.50B/*8.80A | ---- | 10.30 - 2.30 | .1853 | ---- | ---- | 12 | ---- | 16 + 8 |
| 4625 | ---- | ---- | 108.90B/50.20A | 108.90B/50.20A | ---- | 66.70 - 37.60 | .8146 | ---- | ---- | 1 | ---- | 51 UNCH |
| 4630 | 12.00 | 12.00 | 18.70B/*7.80A | 18.70B/*7.80A | ---- | 9.20 - 2.50 | .1648 | ---- | ---- | 1 | ---- | 2 + 1 |
| 4635 | ---- | ---- | 117.40B/56.90A | 117.40B/56.90A | ---- | 74.70 NEW | .8528 | ---- | ---- | 2 | ---- | 2 + 2 |
| 4635 | ---- | ---- | 17.10B/*7.00A | 17.10B/*7.00A | ---- | 8.30 - 2.50 | .1470 | ---- | ---- | 4 | ---- | 5 + 4 |
| 4640 | ---- | ---- | 15.60B/*6.30A | 15.60B/*6.30A | ---- | 7.40 - 2.60 | .1299 | ---- | ---- | 2 | ---- | 30 UNCH |
| 4645 | ---- | ---- | 126.20B/64.20A | 126.20B/64.20A | ---- | 83.10 - 37.80 | .8855 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4645 | ---- | ---- | 14.10B/*5.60A | 14.10B/*5.60A | ---- | 6.60 NEW | .1144 | ---- | ---- | 4 | ---- | 1 + 1 |
| 4650 | ---- | ---- | 43.30B/28.90A | 43.30B/28.90A | ---- | 32.70 + 1.50 | .3063 | ---- | ---- | 2 | ---- | 6 + 1 |
| 4650 | ---- | ---- | 152.30B/98.20A | 152.30B/98.20A | ---- | 114.20 - 33.60 | .6934 | ---- | ---- | ---- | ---- | 54 UNCH |
| 4650 | ---- | ---- | 64.10B/---- | 64.10B/51.20A | ---- | 53.70 + 4.00 | .3611 | ---- | ---- | ---- | ---- | 15 UNCH |
| 4650 | ---- | ---- | 130.80B/67.80A | 130.80B/67.80A | ---- | 87.40 - 37.80 | .8992 | ---- | ---- | ---- | ---- | 12 UNCH |
| 4650 | 9.50 | 9.50 | 12.80B/*5.00A | 12.80B/*5.00A | ---- | 5.90 - 2.60 | .1007 | ---- | ---- | 20 | ---- | 24 + 12 |
| 4655 | ---- | ---- | 11.60B/*4.50A | 11.60B/*4.50A | ---- | 5.30 - 2.60 | .0888 | ---- | ---- | ---- | ---- | 52 UNCH |
| 4660 | ---- | ---- | 139.80B/75.40A | 139.80B/75.40A | ---- | 96.30 - 37.60 | .9212 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4660 | ---- | ---- | 10.50B/*4.00A | 10.50B/*4.00A | ---- | 4.80 - 2.50 | .0787 | ---- | ---- | ---- | ---- | 6 UNCH |
| 4665 | ---- | ---- | 9.50B/*3.60A | 9.50B/*3.60A | ---- | 4.30 - 2.40 | .0690 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4670 | 7.80 | 7.80 | 8.60B/*3.20A | 8.60B/*3.20A | ---- | 3.90 - 2.30 | .0610 | ---- | ---- | 52 | ---- | 66 + 35 |
| 4670 | ---- | ---- | 149.00B/83.50A | 149.00B/83.50A | ---- | 105.30 - 37.60 | .9388 | ---- | ---- | ---- | ---- | 100 UNCH |
| 4675 | 24.90 | 24.90 | 34.90B/22.90A | 34.90B/22.90A | ---- | 26.00 + 0.50 | .2541 | ---- | ---- | 175 | ---- | 171 + 171 |
| 4675 | 6.80 | 6.80 | 7.90B/*2.90A | 7.90B/*2.90A | ---- | 3.50 - 2.20 | .0534 | ---- | ---- | 177 | ---- | 99 - 72 |
| 4685 | 4.60 | 4.60 | 6.40B/*2.40A | 6.40B/*2.40A | ---- | 2.80 NEW | .0406 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4690 | ---- | ---- | 5.70B/*2.20A | 5.70B/*2.20A | ---- | 2.50 - 2.00 | .0352 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4695 | ---- | ---- | 172.60B/104.80A | 172.60B/104.80A | ---- | 128.80 - 37.10 | .9685 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4695 | ---- | ---- | 5.20B/*2.00A | 5.20B/*2.00A | ---- | 2.30 - 1.90 | .0314 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4700 | ---- | ---- | 192.20B/132.90A | 192.20B/132.90A | ---- | 151.90 - 35.40 | .7918 | ---- | ---- | ---- | ---- | 4 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



GWR THU MAY26 — GOLD WEEKLY THURSDAY OPTION Week2

| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4700 | 20.10 | 20.10 | 27.80B/18.40A | 27.80B/18.40A | ---- | 20.50 - 0.30 | .2079 | ---- | ---- | 3 | ---- | 60 + 1 |
| 4700 | ---- | ---- | 177.40B/109.20A | 177.40B/109.20A | ---- | 133.60 - 37.00 | .9721 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4700 | 4.40 | 4.40 | 4.70B/*1.80A | 4.70B/*1.80A | ---- | 2.10 - 1.80 | .0278 | ---- | ---- | 3 | 100 | 216 - 28 |
| 4705 | 3.50 | 3.50 | 4.20B/*1.70A | 4.20B/*1.70A | ---- | 1.90 - 1.70 | .0244 | ---- | ---- | 1 | ---- | 31 + 1 |
| 4705 | ---- | ---- | 182.20B/114.20A | 182.20B/114.20A | ---- | 138.40 NEW | .9755 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4710 | ---- | ---- | 187.00B/118.60A | 187.00B/118.60A | ---- | 143.20 - 36.80 | .9787 | ---- | ---- | 1 | ---- | 1 UNCH |
| 4710 | 3.30 | 3.30 | 3.80B/*1.50A | 3.80B/*1.50A | ---- | 1.70 - 1.70 | .0211 | ---- | ---- | 3 | ---- | 52 UNCH |
| 4715 | 2.90 | 2.90 | 3.50B/*1.30 | 3.50B/*1.30 | ---- | 1.60 - 1.50 | .0193 | ---- | ---- | 5 | ---- | 5 + 4 |
| 4720 | 2.70 | 2.70 | 3.20B/*1.30A | 3.20B/*1.30A | ---- | 1.50 - 1.40 | .0175 | ---- | ---- | 1 | ---- | 4 + 1 |
| 4720 | ---- | ---- | 196.70B/128.10A | 196.70B/128.10A | ---- | 152.90 - 36.70 | .9824 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4725 | ---- | ---- | 214.10B/152.10A | 214.10B/152.10A | ---- | 172.50 NEW | .8308 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4725 | ---- | ---- | 22.10B/14.90A | 22.10B/14.90A | ---- | 16.20 - 0.70 | .1689 | ---- | ---- | 2 | ---- | 5 + 1 |
| 4725 | 2.50 | 2.50 | 2.90B/*1.20A | 2.90B/*1.20A | ---- | 1.30 - 1.40 | .0146 | ---- | ---- | 1 | ---- | 53 + 1 |
| 4725 | ---- | ---- | 201.60B/132.70A | 201.60B/132.70A | ---- | 157.80 - 36.60 | .9852 | ---- | ---- | 1 | ---- | 6 - 1 |
| 4730 | 2.20 | 2.20 | 2.60B/*1.10A | 2.60B/*1.10A | ---- | 1.20 - 1.30 | .0131 | ---- | ---- | 3 | ---- | 9 + 3 |
| 4735 | 0.90 | 0.90 | 0.90/*0.90 | 2.30B/*0.90 | ---- | 1.20 - 1.20 | .0127 | ---- | ---- | 2 | ---- | 1 UNCH |
| 4740 | ---- | ---- | 216.20B/147.00A | 216.20B/147.00A | ---- | 172.50 - 36.40 | .9887 | ---- | ---- | ---- | ---- | 12 UNCH |
| 4740 | ---- | ---- | ----/*1.00A | 2.10B/*1.00A | ---- | 1.10 - 1.10 | .0112 | ---- | ---- | 1 | ---- | 3 UNCH |
| 4745 | ---- | ---- | 221.20B/151.30A | 221.20B/151.30A | ---- | 177.50 - 36.20 | .9900 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4745 | ---- | ---- | ----/*0.90A | 1.90B/*0.90A | ---- | 1.00 - 1.10 | .0099 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4750 | 1.50 | 1.50 | 1.50/*0.90 | 1.80B/*0.90 | ---- | 0.90 - 1.10 | .0086 | ---- | ---- | 7 | ---- | 261 + 2 |
| 4750 | ---- | ---- | 226.10B/156.60A | 226.10B/156.60A | ---- | 182.40 - 36.20 | .9913 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4755 | ---- | ---- | ----/*0.80A | 1.60B/*0.80A | ---- | 0.90 - 0.90 | .0083 | ---- | ---- | ---- | ---- | 26 UNCH |
| 4760 | ---- | ---- | ----/*0.80A | 1.40B/*0.80A | ---- | 0.80 - 0.90 | .0072 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4765 | ---- | ---- | ----/*0.70A | 1.30B/*0.70A | ---- | 0.80 - 0.80 | .0070 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4765 | ---- | ---- | 240.90B/171.10A | 240.90B/171.10A | ---- | 197.20 - 36.10 | .9929 | ---- | ---- | ---- | ---- | 50 UNCH |
| 4770 | ---- | ---- | 245.80B/176.00A | 245.80B/176.00A | ---- | 202.20 - 36.00 | .9940 | ---- | ---- | ---- | ---- | 11 UNCH |
| 4770 | ---- | ---- | ----/*0.70A | 1.20B/*0.70A | ---- | 0.70 - 0.90 | .0059 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4775 | 10.30 | 10.30 | 13.90B/*9.20A | 13.90B/*9.20A | ---- | 10.10 NEW | .1092 | ---- | ---- | 11 | ---- | 11 + 11 |
| 4775 | ---- | ---- | 250.80B/180.90A | 250.80B/180.90A | ---- | 207.20 - 35.90 | .9942 | ---- | ---- | ---- | ---- | 51 UNCH |
| 4775 | 1.00 | 1.00 | 1.00/*0.60A | 1.10B/*0.60A | ---- | 0.70 - 0.80 | .0057 | ---- | ---- | 3 | ---- | 158 + 1 |
| 4780 | ---- | ---- | ----/*0.60A | 1.00B/*0.60A | ---- | 0.70 - 0.70 | .0056 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4785 | ---- | ---- | ----/*0.60A | 0.90B/*0.60A | ---- | 0.60 - 0.70 | .0046 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4790 | ---- | ---- | ----/*0.60A | 0.90B/*0.60A | ---- | 0.60 - 0.70 | .0045 | ---- | ---- | ---- | ---- | 8 UNCH |
| 4795 | ---- | ---- | ----/*0.50A | 0.80B/*0.50A | ---- | 0.60 - 0.60 | .0044 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4800 | 10.00 | 10.00 | 11.00B/*7.30A | 11.00B/*7.30A | ---- | 8.00 - 1.20 | .0873 | ---- | ---- | 4 | ---- | 19 + 4 |
| 4800 | 22.20 | 22.20 | 23.60B/18.80A | 23.60B/18.80A | ---- | 19.90 NEW | .1597 | ---- | ---- | 57 | ---- | 57 + 57 |
| 4800 | ---- | ---- | ----/205.50A | 252.60B/205.50A | ---- | 232.00 - 35.80 | .9965 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4800 | 1.00 | 1.00 | 1.00/*0.60A | 1.00/*0.60A | ---- | 0.50 - 0.70 | .0035 | ---- | ---- | 1 | ---- | 90 UNCH |
| 4805 | 0.60 | 0.60 | 0.60/*0.50A | 0.70B/*0.50A | ---- | 0.50 - 0.60 | .0034 | ---- | ---- | 1 | ---- | 3 + 1 |
| 4810 | ---- | ---- | ----/*0.50A | 0.60B/*0.50A | ---- | 0.50 - 0.60 | .0033 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4815 | ---- | ---- | ----/220.50A | 267.30B/220.50A | ---- | 246.90 - 35.70 | .9967 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4820 | ---- | ---- | ----/*0.50A | 0.50B/*0.50A | ---- | 0.50 - 0.50 | .0032 | ---- | ---- | ---- | ---- | 8 UNCH |
| 4825 | ---- | ---- | 8.70B/*5.80A | 8.70B/*5.80A | ---- | 6.40 - 1.10 | .0701 | ---- | ---- | ---- | ---- | 12 UNCH |
| 4825 | 20.00 | 20.00 | 20.00/*15.90A | 20.00/*15.90A | ---- | 16.80 - 0.50 | .1373 | ---- | ---- | 12 | ---- | 15 + 12 |
| 4825 | ---- | ---- | ----/*0.50A | 0.50B/*0.50A | ---- | 0.50 - 0.40 | .0031 | ---- | ---- | ---- | ---- | 51 UNCH |
| 4825 | ---- | ---- | ----/230.30A | 277.20B/230.30A | ---- | 256.90 - 35.70 | .9968 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4830 | ---- | ---- | ----/*0.50A | 0.50B/*0.50A | ---- | 0.40 - 0.50 | .0023 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4830 | ---- | ---- | ----/235.30A | 282.20B/235.30A | ---- | 261.90 - 35.60 | .9976 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4840 | ---- | ---- | ----/*0.50A | 0.40B/*0.50A | ---- | 0.40 - 0.40 | .0022 | ---- | ---- | ---- | ---- | 7 UNCH |
| 4845 | ---- | ---- | ----/250.20A | 297.10B/250.20A | ---- | 276.90 - 35.50 | .9977 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4845 | ---- | ---- | ----/*0.50A | 0.40B/*0.50A | ---- | 0.40 - 0.40 | .0022 | ---- | ---- | ---- | ---- | 17 UNCH |
| 4850 | ---- | ---- | 7.00B/*4.70A | 7.00B/*4.70A | ---- | 5.20 - 1.00 | .0567 | ---- | ---- | 1 | ---- | 7 + 1 |
| 4850 | ---- | ---- | ----/*0.50A | 0.40B/*0.50A | ---- | 0.40 - 0.30 | .0022 | ---- | ---- | 1 | ---- | 206 - 1 |
| 4850 | ---- | ---- | ----/255.10A | 302.30B/255.10A | ---- | 281.80 - 35.60 | .9978 | ---- | ---- | ---- | ---- | 9 UNCH |
| 4855 | ---- | ---- | ----/*0.50A | 0.40B/*0.50A | ---- | 0.30 - 0.40 | .0015 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4860 | ---- | ---- | ----/*0.50A | 0.30B/*0.50A | ---- | 0.30 - 0.40 | .0015 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4865 | ---- | ---- | ----/*0.50A | 0.30B/*0.50A | ---- | 0.30 - 0.30 | .0014 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4870 | 0.20 | 0.20 | 0.20/*0.20 | 0.30B/*0.20 | ---- | 0.30 - 0.30 | .0014 | ---- | ---- | 2 | ---- | 3 + 1 |
| 4875 | ---- | ---- | 5.60B/*3.90A | 5.60B/*3.90A | ---- | 4.20 - 1.00 | .0456 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4875 | 12.50 | 12.50 | 14.20B/*11.50A | 14.20B/*11.50A | ---- | 12.20 NEW | .1021 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4875 | ---- | ---- | ----/*0.40A | 0.30B/*0.40A | ---- | 0.30 - 0.30 | .0014 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4880 | ---- | ---- | ----/*0.20A | 0.30B/*0.20A | ---- | 0.20 - 0.40 | .0008 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4885 | ---- | ---- | ---- | 0.30B/*0.50A | ---- | 0.20 - 0.30 | .0008 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4890 | ---- | ---- | ----/*0.20A | 0.30B/*0.20A | ---- | 0.20 - 0.30 | .0008 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4890 | ---- | ---- | ----/295.10A | 341.90B/295.10A | ---- | 321.70 - 35.40 | .9992 | 1 | ---- | ---- | ---- | 0 - 1 |
| 4895 | ---- | ---- | ---- | 0.20B/*0.50A | ---- | 0.20 - 0.30 | .0008 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4900 | 12.00 | 12.00 | 12.00/*9.90A | 12.00/*9.90A | ---- | 10.40 - 0.90 | .0879 | ---- | ---- | 3 | ---- | 28 + 3 |
| 4900 | ---- | ---- | 4.50B/*3.20A | 4.50B/*3.20A | ---- | 3.50 - 0.80 | .0376 | ---- | ---- | ---- | ---- | 0 UNCH |
| 4900 | 22.00 | 22.00 | #25.10B/*21.20A | 25.10B/*21.20A | ---- | 22.30 NEW | .1518 | ---- | ---- | 3 | ---- | 3 + 3 |
| 4900 | 0.20 | 0.20 | 0.20/*0.20 | 0.20/*0.20 | ---- | 0.20 - 0.30 | .0008 | ---- | ---- | 3 | ---- | 7 UNCH |
| 4905 | ---- | ---- | ----/310.00A | 356.90B/310.00A | ---- | 336.60 - 35.50 | .9992 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4910 | 0.20 | 0.20 | 0.20/*0.20 | 0.20/*0.20 | ---- | 0.20 NEW | .0007 | ---- | ---- | 2 | ---- | 2 + 2 |
| 4925 | ---- | ---- | ----/*2.70A | 3.70B/*2.70A | ---- | 2.90 - 0.80 | .0308 | ---- | ---- | ---- | ---- | 14 UNCH |
| 4925 | 9.20 | 9.20 | 10.30B/*8.60A | 10.30B/*8.60A | ---- | 9.00 NEW | .0763 | ---- | ---- | 18 | ---- | 18 + 18 |
| 4925 | ---- | ---- | ----/*0.20A | 0.20B/*0.20A | ---- | 0.10 - 0.30 | .0002 | ---- | ---- | ---- | ---- | 50 UNCH |
| 4930 | 0.20 | 0.20 | 0.20/*0.20 | 0.20/*0.20 | ---- | 0.10 NEW | .0002 | ---- | ---- | 2 | ---- | 2 + 2 |
| 4935 | 0.20 | 0.20 | 0.20/*0.20 | 0.20/*0.20 | ---- | 0.10 NEW | .0001 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4940 | 0.20 | 0.20 | 0.20/*0.20 | 0.20/*0.20 | ---- | 0.10 NEW | .0001 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4955 | ---- | ---- | ---- | 0.10B/*0.30A | ---- | 0.10 - 0.20 | .0000 | ---- | ---- | ---- | ---- | 9 UNCH |
| 4970 | ---- | ---- | ---- | 0.10B/*0.30A | ---- | 0.10 - 0.10 | .0000 | ---- | ---- | ---- | ---- | 18 UNCH |
| 4975 | ---- | ---- | ----/*2.00A | 2.50B/*2.00A | ---- | 2.10 - 0.60 | .0216 | ---- | ---- | ---- | ---- | 0 UNCH |
| 4985 | ---- | ---- | ---- | ----/*0.30A | ---- | 0.10 - 0.10 | .0000 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4990 | ---- | ---- | ---- | ----/*0.30A | ---- | 0.10 - 0.10 | .0000 | ---- | ---- | ---- | ---- | 25 UNCH |
| 5000 | ---- | ---- | ----/*1.80A | 2.10B/*1.80A | ---- | 1.80 - 0.50 | .0181 | ---- | ---- | ---- | ---- | 150 UNCH |
| 5000 | 6.50 | 6.50 | 6.50/*5.70A | 6.50/*5.70A | ---- | 5.80 - 0.90 | .0495 | ---- | ---- | 15 | ---- | 18 + 15 |
| 5000 | ---- | ---- | ---- | ----/*0.30A | ---- | 0.10 - 0.10 | .0000 | ---- | ---- | ---- | ---- | 10 UNCH |
| 5005 | ---- | ---- | ---- | ----/0.30A | ---- | 0.10 - 0.10 | .0000 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5010 | ---- | ---- | ---- | ----/*0.20A | ---- | 0.10 UNCH | .0000 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5015 | ---- | ---- | ---- | ----/*0.30A | ---- | 0.10 UNCH | .0000 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5025 | ---- | ---- | ----/*1.60A | 1.80B/*1.60A | ---- | 1.60 - 0.50 | .0158 | ---- | ---- | ---- | ---- | 10 UNCH |
| 5025 | ---- | ---- | ---- | ---- | ---- | 457.90 - 35.50 | .9841 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5025 | 6.10 | 6.10 | 6.10/*5.00A | 6.10/*5.00A | ---- | 5.10 - 0.70 | .0434 | ---- | ---- | 1 | ---- | 2 + 1 |
| 5025 | ---- | ---- | ---- | ----/*0.20A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 5050 | 1.60 | 1.60 | 1.60/*1.50A | 1.60/*1.50A | ---- | 1.50 - 0.30 | .0143 | ---- | ---- | 1 | ---- | 5 + 1 |
| 5050 | ---- | ---- | ----/*4.50A | 4.90B/*4.50A | ---- | 4.50 - 0.60 | .0381 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5075 | ---- | ---- | ----/*4.10A | 4.30B/*4.10A | ---- | 4.00 - 0.40 | .0337 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5100 | ---- | ---- | ----/*3.70A | 3.90B/*3.70A | ---- | 3.60 - 0.30 | .0301 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5100 | ---- | ---- | ---- | ---- | ---- | 532.40 - 35.40 | .9889 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5125 | ---- | ---- | 3.60B/---- | 3.60B/*3.40A | ---- | 3.30 - 0.10 | .0272 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5125 | ---- | ---- | ---- | ----/0.30A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 5150 | ---- | ---- | ----/*1.10A | 1.00B/*1.10A | ---- | 1.00 - 0.20 | .0087 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5175 | ---- | ---- | ---- | ---- | ---- | 607.10 - 35.40 | .9915 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5200 | ---- | ---- | ---- | ----/*0.30A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 5250 | ---- | ---- | ---- | ----/0.30A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 5275 | ---- | ---- | ---- | ----/0.30A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 3 UNCH |
| 5350 | ---- | ---- | ---- | ----/0.30A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 5400 | 0.70 | 0.70 | 0.70/*0.30A | 0.70/0.30A | ---- | 0.10 UNCH | ---- | ---- | ---- | 1 | ---- | 1 UNCH |
| 5400 | ---- | ---- | 1.50B/---- | 1.50B/1.70A | ---- | 1.40 + 0.30 | .0102 | ---- | ---- | ---- | ---- | 40 UNCH |
| TOTAL | | | | | | | | | | 1039 | 100 | 4875 + 511 |

GMW MON MAY26 — GOLD WEEKLY MONDAY OPTION WEEK2

| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3700 | ---- | ---- | ---- | ----/0.90A | ---- | 0.10 - 0.20 | .0004 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3900 | ---- | ---- | ----/*0.80A | 0.40B/*0.80A | ---- | 0.50 - 0.40 | .0029 | ---- | ---- | ---- | ---- | 60 UNCH |
| 4000 | 1.00 | 1.00 | 1.00/*0.80A | 1.00/*0.80A | ---- | 0.70 - 0.60 | .0047 | ---- | ---- | 1 | ---- | 5 + 1 |
| 4000 | 2.20 | 2.20 | 2.20/*2.00 | 2.30B/*2.00 | ---- | 2.30 - 1.20 | .0168 | ---- | ---- | 4 | ---- | 4 - 2 |
| 4100 | ---- | ---- | ----/*1.00A | 1.30B/*1.00A | ---- | 0.90 - 1.00 | .0072 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4100 | ---- | ---- | ----/*3.40A | 3.60B/*3.40A | ---- | 3.40 - 2.10 | .0270 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4125 | ---- | ---- | ----/*1.10A | 1.60B/*1.10A | ---- | 1.00 - 1.20 | .0083 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4150 | 2.00 | 2.00 | 2.00/*1.20A | 2.00/*1.20A | ---- | 1.10 NEW | .0096 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4175 | ---- | ---- | ----/*1.30A | 2.30B/*1.30A | ---- | 1.20 - 1.70 | .0109 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4200 | ---- | ---- | ----/*5.40A | 7.30B/*5.40A | ---- | 5.70 - 3.90 | .0480 | ---- | ---- | 8 | ---- | 2 UNCH |
| 4200 | 1.50 | 1.50 | 1.50/*1.50 | 2.70B/*1.50 | ---- | 1.40 - 2.00 | .0133 | ---- | ---- | 4 | ---- | 13 + 4 |
| 4250 | ---- | ---- | ----/*1.90A | 4.10B/*1.90A | ---- | 1.90 - 3.00 | .0196 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4265 | ---- | ---- | ---- | ---- | ---- | 268.30 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4275 | 2.40 | 2.40 | 2.40/*2.20A | 5.20B/*2.20A | ---- | 2.20 - 3.70 | .0238 | ---- | ---- | 2 | ---- | 5 + 2 |
| 4300 | 3.20 | 3.20 | 3.40/*2.60A | 6.60B/*2.60A | ---- | 2.70 - 4.50 | .0302 | ---- | ---- | 50 | ---- | 59 + 45 |
| 4300 | ---- | ---- | ----/*9.70A | 14.90B/*9.70A | ---- | 10.70 - 7.70 | .0924 | ---- | ---- | ---- | ---- | 27 UNCH |
| 4325 | ---- | ---- | ----/*11.40A | 18.00B/*11.40A | ---- | 12.70 - 9.10 | .1095 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4325 | ---- | ---- | ----/*3.10A | 8.30B/*3.10A | ---- | 3.30 - 5.70 | .0384 | ---- | ---- | ---- | ---- | 17 UNCH |
| 4350 | ---- | ---- | ----/*3.90A | 10.60B/*3.90A | ---- | 4.20 - 7.00 | .0503 | ---- | ---- | ---- | ---- | 17 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| GMW MON MAY26 | | GOLD WEEKLY MONDAY OPTION WEEK3 | | | | | | | | | | |
| 4350 | ---- | ---- | ----/13.60A | 21.80B/13.60A | ---- | 15.30 - 10.50 | .1308 | ---- | ---- | ---- | ---- | 21 UNCH |
| 4360 | 6.20 | 6.20 | #6.20/*4.20A | #11.70B/*4.20A | ---- | 4.60 NEW | .0558 | ---- | ---- | 6 | ---- | 6 + 6 |
| 4375 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4375 | ---- | ---- | ----/16.20A | 26.50B/16.20A | ---- | 18.50 - 12.10 | .1560 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4375 | 5.50 | 5.50 | 5.50/*4.80A | 13.60B/*4.80A | ---- | 5.40 - 8.80 | .0663 | ---- | ---- | 2 | ---- | 47 + 2 |
| 4400 | ---- | ---- | ----/19.50A | 32.00B/19.50A | ---- | 22.40 - 13.80 | .1855 | ---- | ---- | ---- | ---- | 22 UNCH |
| 4400 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4400 | 6.90 | 6.90 | 7.60/*6.10A | 17.50B/*6.10A | ---- | 7.00 - 10.90 | .0878 | ---- | ---- | 39 | ---- | 29 + 9 |
| 4420 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4425 | ---- | ---- | ----/23.40A | 38.70B/23.40A | ---- | 27.10 - 15.60 | .2195 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4425 | 8.70 | 8.70 | 9.80/*7.90A | 22.50B/*7.90A | ---- | 9.30 - 13.40 | .1175 | ---- | ---- | 9 | ---- | 37 - 3 |
| 4430 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4440 | 14.60 | 14.60 | #14.60/*9.40A | #25.80B/*9.40A | ---- | 11.20 NEW | .1407 | ---- | ---- | 4 | ---- | 4 + 4 |
| 4440 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4450 | 16.50 | 16.50 | 16.70/10.40A | 28.50B/10.40A | ---- | 12.60 - 16.10 | .1578 | ---- | ---- | 107 | ---- | 169 - 6 |
| 4450 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4450 | ---- | ---- | ----/28.20A | 45.80B/28.20A | ---- | 32.70 - 17.60 | .2579 | ---- | ---- | 2 | ---- | 5 + 2 |
| 4455 | 11.50 | 11.50 | #11.50/*11.50 | #29.80B/*11.10A | ---- | 13.40 NEW | .1673 | ---- | ---- | 2 | ---- | 2 + 2 |
| 4460 | 12.10 | 12.10 | #12.10/*11.90 | #31.20B/*11.80A | ---- | 14.20 NEW | .1769 | ---- | ---- | 11 | ---- | 10 + 10 |
| 4460 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4465 | 18.90 | 18.90 | #18.90/*12.50A | #32.80B/*12.50A | ---- | 15.10 NEW | .1873 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4465 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4470 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4470 | ---- | ---- | ---- | #34.40B/*13.20A | ---- | 16.00 NEW | .1978 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4475 | 20.10 | 20.10 | 20.10/13.80A | 36.10B/13.80A | ---- | 17.00 - 19.10 | .2091 | ---- | ---- | 7 | ---- | 24 + 1 |
| 4475 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4475 | ---- | ---- | ----/34.00A | 54.50B/34.00A | ---- | 39.40 - 19.70 | .3010 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4480 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4485 | ---- | ---- | 39.60B/15.60A | 39.60B/15.60A | ---- | 19.20 - 20.20 | .2332 | ---- | ---- | 6 | ---- | 19 + 6 |
| 4485 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4490 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4490 | 23.00 | 23.00 | 41.40B/16.50A | 41.40B/16.50A | ---- | 20.40 - 20.80 | .2460 | ---- | ---- | 6 | ---- | 9 + 6 |
| 4495 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4495 | ---- | ---- | 43.40B/17.50A | 43.40B/17.50A | ---- | 21.60 - 21.50 | .2589 | ---- | ---- | 1 | ---- | 0 - 1 |
| 4500 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4500 | 30.30 | 30.30 | 45.40B/18.60A | 45.40B/18.60A | ---- | 22.90 - 22.10 | .2725 | ---- | ---- | 35 | ---- | 66 + 22 |
| 4500 | ---- | ---- | ----/40.80A | 64.90B/40.80A | ---- | 47.20 - 21.90 | .3479 | ---- | ---- | ---- | ---- | 9 UNCH |
| 4500 | ---- | ---- | 113.30B/73.40A | 113.30B/73.40A | ---- | 91.40 + 13.10 | .7272 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4505 | 27.60 | 27.60 | 47.70B/19.70A | 47.70B/19.70A | ---- | 24.30 - 22.70 | .2867 | ---- | ---- | 1 | ---- | 2 + 1 |
| 4505 | ---- | ---- | ---- | ---- | ---- | 28.30 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4505 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4510 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4510 | ---- | ---- | ---- | ---- | ---- | 23.30 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4515 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4515 | 28.40 | 28.40 | 51.80B/22.00A | 51.80B/22.00A | ---- | 27.20 - 24.00 | .3158 | ---- | ---- | 3 | ---- | 10 + 1 |
| 4520 | ---- | ---- | ---- | ---- | ---- | 13.30 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4520 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4520 | ---- | ---- | 98.20B/62.20A | 98.20B/62.20A | ---- | 77.30 + 10.70 | .6686 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4520 | 31.60 | 31.60 | 54.10B/23.30A | 54.10B/23.30A | ---- | 28.80 - 24.50 | .3311 | ---- | ---- | 3 | ---- | 4 + 2 |
| 4525 | ---- | ---- | ---- | ---- | ---- | 8.30 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4525 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4525 | ---- | ---- | ----/48.70A | 76.90B/48.70A | ---- | 56.40 - 23.90 | .3986 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4525 | 31.50 | 31.50 | 56.90B/24.60A | 56.90B/24.60A | ---- | 30.50 - 25.10 | .3469 | ---- | ---- | 25 | ---- | 27 + 23 |
| 4530 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4530 | ---- | ---- | ---- | ---- | ---- | 3.30 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4530 | 42.90 | 42.90 | 59.00B/26.00A | 59.00B/26.00A | ---- | 32.20 - 25.80 | .3628 | ---- | ---- | 2 | ---- | 9 + 2 |
| 4535 | ---- | ---- | 87.20B/54.50A | 87.20B/54.50A | ---- | 67.50 + 8.80 | .6206 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4535 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4535 | ---- | ---- | ---- | ---- | ---- | 1.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4535 | 44.90 | 44.90 | 61.50B/27.50A | 61.50B/27.50A | ---- | 34.00 - 26.40 | .3791 | ---- | ---- | 1 | ---- | 3 + 1 |
| 4540 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4540 | ---- | ---- | ---- | ---- | ---- | 6.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4540 | 33.00 | 33.00 | 64.10B/28.90A | 64.10B/28.90A | ---- | 35.90 - 27.00 | .3958 | ---- | ---- | 2 | ---- | 3 + 2 |
| 4545 | ---- | ---- | ---- | ---- | ---- | 11.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4545 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4550 | ---- | ---- | 77.20B/47.60A | 77.20B/47.60A | ---- | 58.40 + 7.00 | .5699 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4550 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4550 | ---- | ---- | ---- | ---- | ---- | 16.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4550 | 51.30 | 51.30 | 69.90B/32.20A | 69.90B/32.20A | ---- | 39.90 - 28.20 | .4299 | ---- | ---- | 3 | ---- | 7 + 3 |
| 4550 | ---- | ---- | ----/57.90A | 86.70B/57.90A | ---- | 66.90 - 26.00 | .4516 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4555 | ---- | ---- | ---- | ---- | ---- | 21.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4555 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4555 | 70.70 | 70.70 | 73.70B/45.30A | 73.70B/45.30A | ---- | 55.60 + 6.50 | .5524 | ---- | ---- | 1 | ---- | 0 - 1 |
| 4555 | ---- | ---- | 72.20B/34.00A | 72.20B/34.00A | ---- | 42.10 - 28.70 | .4473 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4560 | ---- | ---- | ---- | ---- | ---- | 26.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4560 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4560 | 54.60 | 54.60 | 75.80B/35.90A | 75.80B/35.90A | ---- | 44.30 NEW | .4648 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4565 | ---- | ---- | ---- | ---- | ---- | 31.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4565 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4565 | 54.80 | 54.80 | 67.80B/41.10A | 67.80B/41.10A | ---- | 50.10 NEW | .5172 | ---- | ---- | 2 | ---- | 2 + 2 |
| 4565 | 55.00 | 55.00 | 78.60B/37.80A | 78.60B/37.80A | ---- | 46.60 - 29.80 | .4825 | ---- | ---- | 1 | ---- | 3 + 1 |
| 4570 | ---- | ---- | ---- | ---- | ---- | 36.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4570 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4570 | 52.20 | 52.20 | 64.70B/39.20A | 64.70B/39.20A | ---- | 47.50 NEW | .4994 | ---- | ---- | 89 | ---- | 89 + 89 |
| 4570 | 52.20 | 52.20 | 81.70B/39.60A | 81.70B/39.60A | ---- | 49.00 - 30.30 | .5003 | ---- | ---- | 2 | ---- | 5 + 2 |
| 4575 | 48.60 | 48.60 | 61.60B/37.40A | 61.60B/37.40A | ---- | 45.00 NEW | .4816 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4575 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4575 | ---- | ---- | ---- | ---- | ---- | 41.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4575 | ---- | ---- | ----/68.40A | 96.50B/68.40A | ---- | 78.80 - 28.00 | .5060 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4575 | 44.80 | 44.80 | 84.90B/41.70A | 84.90B/41.70A | ---- | 51.50 - 30.80 | .5182 | ---- | ---- | 1 | ---- | 3 + 1 |
| 4580 | ---- | ---- | 88.10B/43.80A | 88.10B/43.80A | ---- | 54.10 - 31.30 | .5360 | ---- | ---- | ---- | ---- | 7 UNCH |
| 4580 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4580 | ---- | ---- | ---- | ---- | ---- | 46.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4580 | 45.50 | 45.50 | 58.80B/35.50A | 58.80B/35.50A | ---- | 42.60 NEW | .4637 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4585 | 43.20 | 43.20 | 56.00B/33.70A | 56.00B/33.70A | ---- | 40.30 NEW | .4459 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4585 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4585 | ---- | ---- | ---- | ---- | ---- | 51.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4585 | ---- | ---- | 91.30B/46.00A | 91.30B/46.00A | ---- | 56.80 - 31.80 | .5538 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4590 | ---- | ---- | ---- | ---- | ---- | 56.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4590 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4590 | 49.00 | 49.00 | 94.70B/48.30A | 94.70B/48.30A | ---- | 59.50 - 32.30 | .5715 | ---- | ---- | 1 | ---- | 3 + 1 |
| 4590 | ---- | ---- | 53.20B/32.10A | 53.20B/32.10A | ---- | 38.10 NEW | .4283 | ---- | ---- | 7 | ---- | 7 + 7 |
| 4595 | ---- | ---- | ---- | ---- | ---- | 61.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4595 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4595 | ---- | ---- | 50.70B/30.40A | 50.70B/30.40A | ---- | 35.90 + 2.50 | .4106 | ---- | ---- | 15 | ---- | 22 + 15 |
| 4595 | ---- | ---- | 98.10B/50.70A | 98.10B/50.70A | ---- | 62.40 - 32.70 | .5892 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4600 | 68.60 | 68.60 | 74.10B/68.50 | 74.10B/57.60A | ---- | 60.80 NEW | .4391 | ---- | ---- | 50 | ---- | 50 + 50 |
| 4600 | ---- | ---- | ----/80.40A | 111.50B/80.40A | ---- | 92.30 - 29.80 | .5605 | ---- | ---- | ---- | ---- | 31 UNCH |
| 4600 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4600 | ---- | ---- | ---- | ---- | ---- | 66.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4600 | 40.50 | 40.50 | 48.10B/28.90A | 48.10B/28.90A | ---- | 33.90 + 2.10 | .3933 | ---- | ---- | 13 | ---- | 74 + 7 |
| 4600 | 83.00 | 83.00 | 101.60B/53.20A | 101.60B/53.20A | ---- | 65.40 - 33.00 | .6065 | ---- | ---- | 1 | ---- | 44 + 1 |
| 4605 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4605 | ---- | ---- | ---- | ---- | ---- | 71.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4605 | ---- | ---- | 45.70B/27.40A | 45.70B/27.40A | ---- | 31.90 + 1.70 | .3760 | ---- | ---- | 1 | ---- | 0 - 1 |
| 4610 | 36.40 | 36.40 | 43.30B/26.00A | 43.30B/26.00A | ---- | 30.10 + 1.40 | .3592 | ---- | ---- | 2 | ---- | 1 UNCH |
| 4610 | ---- | ---- | ---- | ---- | ---- | 76.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4610 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4615 | ---- | ---- | 112.30B/61.10A | 112.30B/61.10A | ---- | 74.80 - 34.10 | .6572 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4615 | ---- | ---- | ---- | ---- | ---- | 81.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4615 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4620 | ---- | ---- | 116.10B/63.90A | 116.10B/63.90A | ---- | 78.10 - 34.40 | .6735 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4620 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4620 | ---- | ---- | ---- | ---- | ---- | 86.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4620 | 32.60 | 32.60 | 38.80B/23.40A | 38.80B/23.40A | ---- | 26.60 + 0.70 | .3263 | ---- | ---- | 10 | ---- | 7 + 5 |
| 4625 | ---- | ---- | 119.90B/66.80A | 119.90B/66.80A | ---- | 81.50 - 34.70 | .6894 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4625 | ---- | ---- | ---- | ---- | ---- | 91.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4625 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4625 | ---- | ---- | 36.70B/22.10A | 36.70B/22.10A | ---- | 25.00 + 0.40 | .3104 | ---- | ---- | 3 | ---- | 16 UNCH |
| 4630 | ---- | ---- | 34.60B/20.90A | 34.60B/20.90A | ---- | 23.50 + 0.20 | .2950 | ---- | ---- | 1 | ---- | 2 - 1 |
| 4630 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4630 | ---- | ---- | ---- | ---- | ---- | 96.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4635 | ---- | ---- | 127.70B/72.80A | 127.70B/72.80A | ---- | 88.50 NEW | .7200 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4635 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4635 | ---- | ---- | ---- | ---- | ---- | 101.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4640 | ---- | ---- | 31.00B/18.70A | 31.00B/18.70A | ---- | 20.60 NEW | .2650 | ---- | ---- | 66 | ---- | 66 + 66 |
| 4640 | ---- | ---- | ---- | ---- | ---- | 106.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| GMW MON | | GOLD WEEKLY MONDAY OPTION WEEK1 | | | | | | | | | | |
| MAY26 | | | | | | | | | | | | |
| 4640 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4645 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4645 | ---- | ---- | ---- | ---- | ---- | 111.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4645 | ---- | ---- | 29.20B/17.50A | 29.20B/17.50A | ---- | 19.40 - 0.50 | .2513 | ---- | ---- | 1 | ---- | 2 + 1 |
| 4650 | ---- | ---- | 52.30B/---- | 52.30B/39.70A | ---- | 42.10 + 2.40 | .3356 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4650 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4650 | ---- | ---- | ---- | ---- | ---- | 116.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4650 | ---- | ---- | 27.50B/16.30A | 27.50B/16.30A | ---- | 18.10 - 0.80 | .2373 | ---- | ---- | 2 | ---- | 33 UNCH |
| 4655 | ---- | ---- | 25.90B/15.20A | 25.90B/15.20A | ---- | 17.00 - 0.90 | .2244 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4655 | ---- | ---- | 144.30B/85.80A | 144.30B/85.80A | ---- | 103.40 - 36.10 | .7753 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4655 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4655 | ---- | ---- | ---- | ---- | ---- | 121.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4660 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4660 | ---- | ---- | 148.50B/89.30A | 148.50B/89.30A | ---- | 107.40 - 36.20 | .7880 | ---- | ---- | 1 | ---- | 3 + 1 |
| 4660 | ---- | ---- | ---- | ---- | ---- | 126.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4660 | ---- | ---- | 24.40B/*14.20A | 24.40B/*14.20A | ---- | 15.90 NEW | .2117 | ---- | ---- | 5 | ---- | 5 + 5 |
| 4665 | ---- | ---- | 152.70B/92.60A | 152.70B/92.60A | ---- | 111.30 NEW | .8000 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4665 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4665 | ---- | ---- | ---- | ---- | ---- | 131.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4670 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4670 | 13.50 | 13.50 | 21.50B/*12.40A | 21.50B/*12.40A | ---- | 13.90 - 1.30 | .1879 | ---- | ---- | 6 | ---- | 10 + 6 |
| 4670 | ---- | ---- | ---- | ---- | ---- | 136.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4675 | ---- | ---- | 20.20B/*11.60A | 20.20B/*11.60A | ---- | 13.00 NEW | .1769 | ---- | ---- | 3 | ---- | 1 + 1 |
| 4675 | ---- | ---- | ----/124.40A | 168.30B/124.40A | ---- | 141.20 - 33.80 | .7106 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4675 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4675 | ---- | ---- | ---- | ---- | ---- | 141.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4680 | ---- | ---- | ---- | ---- | ---- | 146.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4680 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4680 | ---- | ---- | 18.90B/*10.70A | 18.90B/*10.70A | ---- | 12.20 - 1.40 | .1667 | ---- | ---- | ---- | ---- | 10 UNCH |
| 4685 | ---- | ---- | ---- | ---- | ---- | 151.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4685 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4685 | 13.00 | 13.00 | 17.70B/*10.10A | 17.70B/*10.10A | ---- | 11.40 - 1.50 | .1566 | ---- | ---- | 3 | ---- | 2 + 1 |
| 4690 | ---- | ---- | 16.60B/*9.40A | 16.60B/*9.40A | ---- | 10.70 - 1.50 | .1475 | ---- | ---- | 4 | ---- | 5 UNCH |
| 4690 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4690 | ---- | ---- | 174.40B/111.80A | 174.40B/111.80A | ---- | 132.10 - 36.70 | .8523 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4690 | ---- | ---- | ---- | ---- | ---- | 156.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4695 | 11.70 | 11.70 | 15.50B/*8.80A | 15.50B/*8.80A | ---- | 10.00 - 1.60 | .1384 | ---- | ---- | 1 | ---- | 1 UNCH |
| 4695 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4695 | ---- | ---- | 178.90B/115.70A | 178.90B/115.70A | ---- | 136.40 - 36.80 | .8614 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4700 | 11.10 | 11.10 | 14.60B/*8.20A | 14.60B/*8.20A | ---- | 9.30 - 1.70 | .1294 | ---- | ---- | 2 | ---- | 5 + 2 |
| 4700 | ---- | ---- | 183.40B/119.70A | 183.40B/119.70A | ---- | 140.80 - 36.80 | .8703 | ---- | ---- | 1 | ---- | 10 + 1 |
| 4700 | ---- | ---- | ---- | ---- | ---- | 166.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4700 | ---- | ---- | 35.70B/26.80A | 35.70B/26.80A | ---- | 28.60 + 0.50 | .2465 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4700 | ---- | ---- | ----/141.70A | 183.20B/141.70A | ---- | 159.90 - 34.70 | .7531 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4700 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4705 | ---- | ---- | ---- | ---- | ---- | 171.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4710 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4710 | ---- | ---- | ---- | ---- | ---- | 176.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4710 | ---- | ---- | 12.90B/*7.10A | 12.90B/*7.10A | ---- | 8.20 - 1.60 | .1144 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4715 | ---- | ---- | ---- | ---- | ---- | 181.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4720 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4720 | 7.00 | 7.00 | 11.30B/*6.20A | 11.30B/*6.20A | ---- | 7.20 - 1.60 | .1007 | ---- | ---- | 1 | ---- | 1 UNCH |
| 4725 | ---- | ---- | 206.20B/139.80A | 206.20B/139.80A | ---- | 163.10 - 36.80 | .9058 | ---- | ---- | 2 | ---- | 3 + 2 |
| 4725 | ---- | ---- | 29.30B/21.80A | 29.30B/21.80A | ---- | 23.40 - 0.20 | .2084 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4725 | ---- | ---- | ---- | ---- | ---- | 191.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4725 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4730 | ---- | ---- | ---- | ---- | ---- | 196.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4730 | ---- | ---- | 9.90B/*5.40A | 9.90B/*5.40A | ---- | 6.30 - 1.60 | .0883 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4730 | ---- | ---- | 210.80B/144.50A | 210.80B/144.50A | ---- | 167.70 - 36.80 | .9115 | ---- | ---- | ---- | ---- | 20 UNCH |
| 4735 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4740 | ---- | ---- | ---- | ---- | ---- | 206.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4740 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4740 | ---- | ---- | 8.70B/*4.80A | 8.70B/*4.80A | ---- | 5.50 - 1.60 | .0772 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4740 | ---- | ---- | 220.20B/153.10A | 220.20B/153.10A | ---- | 177.00 - 36.70 | .9226 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4745 | ---- | ---- | 8.10B/*4.50A | 8.10B/*4.50A | ---- | 5.20 - 1.50 | .0727 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4745 | ---- | ---- | ---- | ---- | ---- | 211.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4750 | ---- | ---- | 229.50B/162.30A | 229.50B/162.30A | ---- | 186.30 - 36.70 | .9315 | ---- | ---- | 1 | ---- | 5 UNCH |
| 4750 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4750 | ---- | ---- | ---- | ---- | ---- | 216.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4750 | 22.50 | 22.50 | 23.90B/*17.70A | 23.90B/*17.70A | ---- | 19.10 - 0.70 | .1750 | ---- | ---- | 29 | ---- | 30 + 28 |
| 4750 | ---- | ---- | ----/179.60A | 229.80B/179.60A | ---- | 200.40 - 35.80 | .8246 | ---- | ---- | 1 | ---- | 2 UNCH |
| 4750 | 6.50 | 6.50 | 7.60B/*4.00 | 7.60B/*4.00 | ---- | 4.90 - 1.50 | .0683 | ---- | ---- | 6 | ---- | 29 + 1 |
| 4755 | ---- | ---- | ---- | ---- | ---- | 221.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4760 | 5.30 | 5.30 | 6.70B/*3.70A | 6.70B/*3.70A | ---- | 4.30 - 1.40 | .0598 | ---- | ---- | 19 | ---- | 19 + 17 |
| 4760 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4760 | ---- | ---- | ---- | ---- | ---- | 226.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4765 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4765 | ---- | ---- | ---- | ---- | ---- | 231.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4765 | ---- | ---- | 6.30B/*3.50A | 6.30B/*3.50A | ---- | 4.10 - 1.30 | .0567 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4770 | ---- | ---- | 5.90B/*3.30A | 5.90B/*3.30A | ---- | 3.80 - 1.40 | .0526 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4775 | ---- | ---- | 19.50B/*14.50A | 19.50B/*14.50A | ---- | 15.60 - 1.00 | .1463 | ---- | ---- | 1 | ---- | 2 + 1 |
| 4775 | ---- | ---- | ----/200.10A | 251.80B/200.10A | ---- | 221.90 - 36.10 | .8533 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4775 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4775 | ---- | ---- | ---- | ---- | ---- | 241.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4775 | ---- | ---- | 5.50B/*3.10A | 5.50B/*3.10A | ---- | 3.60 - 1.30 | .0496 | ---- | ---- | ---- | ---- | 6 UNCH |
| 4780 | ---- | ---- | 5.20B/*3.00A | 5.20B/*3.00A | ---- | 3.40 - 1.20 | .0466 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4785 | ---- | ---- | 4.80B/*2.80A | 4.80B/*2.80A | ---- | 3.20 - 1.20 | .0437 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4790 | ---- | ---- | ---- | ---- | ---- | 256.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4790 | ---- | ---- | 4.50B/*2.70A | 4.50B/*2.70A | ---- | 3.00 - 1.20 | .0409 | ---- | ---- | 1 | ---- | 2 + 1 |
| 4795 | ---- | ---- | ---- | ---- | ---- | 261.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4800 | ---- | ---- | 15.90B/*11.90A | 15.90B/*11.90A | ---- | 12.70 - 1.20 | .1216 | ---- | ---- | ---- | ---- | 13 UNCH |
| 4800 | ---- | ---- | ---- | ---- | ---- | 266.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4800 | ---- | ---- | ----/221.70A | 274.30B/221.70A | ---- | 244.00 - 36.30 | .8781 | ---- | ---- | 1 | ---- | 1 UNCH |
| 4800 | 2.40 | 2.40 | 4.00B/*2.40 | 4.00B/*2.40 | ---- | 2.70 - 1.10 | .0364 | ---- | ---- | 19 | ---- | 113 + 3 |
| 4800 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4800 | ---- | ---- | 277.50B/209.00A | 277.50B/209.00A | ---- | 234.10 - 36.20 | .9634 | ---- | ---- | 1 | ---- | 8 + 1 |
| 4810 | 3.60 | 3.60 | 3.60/*2.20A | 3.60/*2.20A | ---- | 2.40 - 1.00 | .0321 | ---- | ---- | 2 | ---- | 3 + 2 |
| 4815 | ---- | ---- | ----/*2.10A | 3.30B/*2.10A | ---- | 2.30 - 1.00 | .0305 | ---- | ---- | ---- | ---- | 6 UNCH |
| 4820 | ---- | ---- | ----/*2.00A | 3.10B/*2.00A | ---- | 2.20 - 0.90 | .0290 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4820 | ---- | ---- | 296.80B/228.20A | 296.80B/228.20A | ---- | 253.60 - 36.10 | .9709 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4825 | 10.20 | 10.20 | 13.00B/*9.80A | 13.00B/*9.80A | ---- | 10.40 - 1.30 | .1010 | ---- | ---- | 10 | ---- | 12 + 10 |
| 4825 | ---- | ---- | ---- | ---- | ---- | 291.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4825 | 2.90 | 2.90 | 2.90/*1.90A | 2.90/*1.90A | ---- | 2.10 - 0.90 | .0275 | ---- | ---- | 1 | ---- | 6 + 1 |
| 4830 | 2.70 | 2.70 | 2.70/*1.80A | 2.70/*1.80A | ---- | 2.00 NEW | .0260 | ---- | ---- | 1 | ---- | 1 + 1 |
| 4835 | ---- | ---- | ---- | ---- | ---- | 301.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4835 | ---- | ---- | 311.70B/242.70A | 311.70B/242.70A | ---- | 268.30 - 35.90 | .9753 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4850 | ---- | ---- | ----/*1.50A | 2.20B/*1.50A | ---- | 1.70 - 0.70 | .0214 | ---- | ---- | 2 | ---- | 10 UNCH |
| 4850 | ---- | ---- | ----/265.90A | 320.50B/265.90A | ---- | 289.80 - 36.40 | .9154 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4850 | 10.00 | 10.00 | 10.50B/*8.20A | 10.50B/*8.20A | ---- | 8.60 - 1.30 | .0843 | ---- | ---- | 3 | ---- | 4 + 3 |
| 4855 | 9.00 | 9.00 | 10.10B/*7.90A | 10.10B/*7.90A | ---- | 8.20 - 1.30 | .0807 | ---- | ---- | 1 | ---- | 3 + 1 |
| 4855 | ---- | ---- | ----/*1.50A | 2.00B/*1.50A | ---- | 1.60 - 0.70 | .0201 | ---- | ---- | ---- | ---- | 12 UNCH |
| 4860 | ---- | ---- | ----/*1.40A | 1.90B/*1.40A | ---- | 1.50 - 0.70 | .0187 | ---- | ---- | ---- | ---- | 7 UNCH |
| 4865 | ---- | ---- | ----/*1.40A | 1.80B/*1.40A | ---- | 1.50 - 0.60 | .0185 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4870 | ---- | ---- | ---- | 172.10B/425.60A | ---- | 302.80 - 35.70 | .9827 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4875 | ---- | ---- | ----/*1.30A | 1.60B/*1.30A | ---- | 1.30 - 0.60 | .0159 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4875 | ---- | ---- | ----/289.00A | 342.10B/289.00A | ---- | 313.30 - 36.40 | .9296 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4875 | ---- | ---- | 8.60B/*6.90A | 8.60B/*6.90A | ---- | 7.10 - 1.20 | .0701 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4880 | ---- | ---- | ----/*1.20A | 1.50B/*1.20A | ---- | 1.30 - 0.50 | .0157 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4895 | ---- | ---- | ----/*1.10A | 1.30B/*1.10A | ---- | 1.10 - 0.50 | .0131 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4900 | ---- | ---- | ----/*1.10A | 1.30B/*1.10A | ---- | 1.10 - 0.50 | .0129 | ---- | ---- | ---- | ---- | 19 UNCH |
| 4900 | ---- | ---- | ---- | 202.10B/456.20A | ---- | 332.50 - 35.60 | .9870 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4900 | ---- | ---- | ----/312.50A | 341.00B/312.50A | ---- | 337.10 - 36.30 | .9412 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4915 | ---- | ---- | ----/*1.00A | 1.10B/*1.00A | ---- | 1.00 - 0.40 | .0114 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4925 | ---- | ---- | ---- | ---- | ---- | 391.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 4925 | ---- | ---- | ----/*1.00A | 1.10B/*1.00A | ---- | 0.90 - 0.40 | .0102 | ---- | ---- | ---- | ---- | 11 UNCH |
| 4930 | ---- | ---- | ----/*0.90A | 1.00B/*0.90A | ---- | 0.90 - 0.40 | .0101 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4950 | ---- | ---- | ----/*0.90A | 0.90B/*0.90A | ---- | 0.80 - 0.30 | .0087 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4950 | 4.00 | 4.00 | 4.90B/*4.00 | 4.90B/*4.00 | ---- | 4.30 - 0.90 | .0422 | ---- | ---- | 4 | ---- | 7 - 2 |
| 4955 | ---- | ---- | ----/*0.90A | 0.80B/*0.90A | ---- | 0.80 - 0.30 | .0086 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4960 | ---- | ---- | ----/*0.80A | 0.80B/*0.80A | ---- | 0.80 - 0.20 | .0085 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4970 | ---- | ---- | ----/*0.80A | 0.80B/*0.80A | ---- | 0.70 - 0.30 | .0073 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4990 | ---- | ---- | ----/*0.70A | 0.70B/*0.70A | ---- | 0.60 - 0.30 | .0061 | ---- | ---- | ---- | ---- | 7 UNCH |
| 4995 | ---- | ---- | ---- | 301.20B/550.80A | ---- | 427.00 - 35.30 | .9939 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5000 | ---- | ---- | ---- | 306.30B/555.80A | ---- | 432.00 - 35.30 | .9940 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5000 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 5000 | ---- | ---- | ---- | ---- | ---- | 466.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 5000 | ---- | ---- | ----/*0.70A | 0.60B/*0.70A | ---- | 0.60 - 0.20 | .0060 | ---- | ---- | ---- | ---- | 9 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| GMW MON | | GOLD WEEKLY MONDAY OPTION WEEK3 | | | | | | | | | | |
| MAY26 | | | | | | | | | | | | |
| 5000 | ---- | ---- | ----/*3.20A | 3.60B/*3.20A | ---- | 3.20 - 0.80 | .0309 | ---- | ---- | ---- | ---- | 4 UNCH |
| 5020 | ---- | ---- | ---- | 326.90B/575.80A | ---- | 451.90 - 35.30 | .9942 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5020 | ---- | ---- | ---- | ---- | ---- | 486.70 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 5025 | ---- | ---- | ---- | 332.00B/580.90A | ---- | 456.90 - 35.30 | .9942 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5025 | ---- | ---- | ---- | 0.60B/*0.70A | ---- | 0.60 - 0.10 | .0057 | ---- | ---- | ---- | ---- | 4 UNCH |
| 5050 | ---- | ---- | ----/*2.60A | 2.60B/*2.60A | ---- | 2.50 - 0.60 | .0236 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5075 | ---- | ---- | ---- | 0.40B/*0.70A | ---- | 0.40 - 0.10 | .0036 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5100 | ---- | ---- | ---- | 408.50B/654.30A | ---- | 531.70 - 35.30 | .9966 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5100 | ---- | ---- | ---- | ---- | ---- | 0.00 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 5100 | ---- | ---- | ---- | ---- | ---- | 533.10 - 35.60 | .9808 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5100 | ---- | ---- | ----/*2.20A | 2.10B/*2.20A | ---- | 2.10 - 0.40 | .0191 | ---- | ---- | ---- | ---- | 4 UNCH |
| 5100 | ---- | ---- | ---- | 0.40B/*0.60A | ---- | 0.40 - 0.10 | .0034 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5125 | ---- | ---- | ---- | 0.30B/0.80A | ---- | 0.30 - 0.10 | .0025 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5125 | ---- | ---- | ----/*2.00A | 1.80B/*2.00A | ---- | 1.90 - 0.30 | .0170 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5150 | ---- | ---- | ----/*1.90A | 1.60B/*1.90A | ---- | 1.70 - 0.30 | .0150 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5150 | ---- | ---- | ---- | 0.20B/0.80A | ---- | 0.20 - 0.10 | .0016 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5200 | ---- | ---- | ---- | ----/0.70A | ---- | 0.20 - 0.10 | .0015 | ---- | ---- | ---- | ---- | 90 UNCH |
| 5200 | ---- | ---- | ----/*1.60A | 1.40B/*1.60A | ---- | 1.50 - 0.20 | .0127 | ---- | ---- | 1 | ---- | 3 - 1 |
| 5200 | ---- | ---- | ---- | ---- | ---- | 632.50 - 35.40 | .9872 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5225 | ---- | ---- | ---- | ----/0.70A | ---- | 0.10 - 0.10 | .0007 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5250 | ---- | ---- | ---- | ----/0.70A | ---- | 0.10 - 0.10 | .0005 | ---- | ---- | ---- | ---- | 5 UNCH |
| 5275 | ---- | ---- | ---- | ----/0.70A | ---- | 0.10 - 0.10 | .0003 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5300 | ---- | ---- | ---- | 1.00B/*1.40A | ---- | 1.20 - 0.10 | .0094 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5500 | ---- | ---- | ---- | 0.50B/*1.10A | ---- | 0.50 - 0.10 | .0037 | ---- | ---- | ---- | ---- | 1 UNCH |
| TOTAL | | | | | | | | | | 757 | | 1941 + 485 |
| JUN26 | | | | | | | | | | | | |
| 3500 | ---- | ---- | ---- | 1.40B/3.10A | ---- | 2.10 + 0.30 | .0094 | ---- | ---- | ---- | ---- | 40 UNCH |
| 3750 | ---- | ---- | ---- | 2.70B/*4.10A | ---- | 3.40 - 0.30 | .0176 | ---- | ---- | ---- | ---- | 4 UNCH |
| 3800 | ---- | ---- | ---- | 3.10B/*4.50A | ---- | 3.80 - 0.50 | .0202 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3900 | ---- | ---- | ----/*5.50A | 4.20B/*5.50A | ---- | 5.00 - 1.10 | .0278 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4000 | ---- | ---- | ----/*7.10A | 5.90B/*7.10A | ---- | 6.80 - 2.20 | .0395 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4100 | ---- | ---- | ----/*10.00A | 10.90B/*10.00A | ---- | 9.90 - 3.80 | .0590 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4150 | ---- | ---- | ----/*12.20A | 14.00B/*12.20A | ---- | 12.30 - 4.70 | .0735 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4200 | ---- | ---- | ----/15.00A | 18.30B/15.00A | ---- | 15.40 - 6.00 | .0919 | ---- | ---- | ---- | ---- | 6 UNCH |
| 4250 | ---- | ---- | ----/18.90A | 23.20B/18.90A | ---- | 19.60 - 7.50 | .1158 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4275 | ---- | ---- | ----/21.30A | 26.30B/21.30A | ---- | 22.20 - 8.30 | .1301 | ---- | ---- | 1 | ---- | 1 UNCH |
| 4300 | ---- | ---- | ----/23.80A | 30.20B/23.80A | ---- | 25.10 - 9.20 | .1459 | ---- | ---- | 1 | ---- | 8 + 1 |
| 4325 | ---- | ---- | ----/27.10A | 34.50B/27.10A | ---- | 28.50 - 10.10 | .1637 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4350 | ---- | ---- | ----/30.60A | 39.50B/30.60A | ---- | 32.30 - 11.10 | .1832 | ---- | ---- | ---- | ---- | 10 UNCH |
| 4375 | ---- | ---- | ----/34.70A | 45.10B/34.70A | ---- | 36.80 - 11.90 | .2051 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4400 | ---- | ---- | ----/39.20A | 51.40B/39.20A | ---- | 41.90 - 12.70 | .2291 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4450 | ---- | ---- | ----/50.30A | 66.00B/50.30A | ---- | 54.40 - 14.60 | .2836 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4475 | ---- | ---- | ----/56.90A | 74.50B/56.90A | ---- | 61.80 - 15.80 | .3136 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4500 | ---- | ---- | 186.00B/---- | 186.00B/159.30A | ---- | 172.80 + 17.70 | .6542 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4500 | ---- | ---- | ----/64.20A | 84.20B/64.20A | ---- | 69.90 - 17.20 | .3451 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4525 | ---- | ---- | 169.30B/---- | 169.30B/144.60A | ---- | 156.90 + 16.30 | .6211 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4525 | ---- | ---- | ----/72.50A | 94.50B/72.50A | ---- | 78.90 - 18.70 | .3781 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4550 | ---- | ---- | ----/81.60A | 106.00B/81.60A | ---- | 88.70 - 20.50 | .4123 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4575 | ---- | ---- | 138.20B/---- | 138.20B/118.00A | ---- | 127.40 + 12.60 | .5519 | ---- | ---- | ---- | ---- | 0 UNCH |
| 4575 | ---- | ---- | ----/91.50A | 113.70B/91.50A | ---- | 99.40 - 22.30 | .4474 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4600 | ---- | ---- | 124.10B/---- | 124.10B/106.20A | ---- | 114.00 + 10.60 | .5161 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4600 | ---- | ---- | ----/102.60A | 126.70B/102.60A | ---- | 110.90 - 24.30 | .4832 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4625 | ---- | ---- | 111.50B/---- | 111.50B/95.30A | ---- | 101.50 + 8.60 | .4799 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4625 | ---- | ---- | ----/114.60A | 140.60B/114.60A | ---- | 123.40 - 26.20 | .5193 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4650 | ---- | ---- | ----/129.10A | 159.20B/129.10A | ---- | 136.90 - 28.00 | .5554 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4650 | ---- | ---- | 99.70B/---- | 99.70B/85.40A | ---- | 90.10 + 6.90 | .4439 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4675 | ---- | ---- | 88.50B/---- | 88.50B/76.30A | ---- | 79.90 + 5.50 | .4085 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4700 | ---- | ---- | ----/156.50A | 188.10B/156.50A | ---- | 167.40 - 30.60 | .6250 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4700 | ---- | ---- | 78.50B/---- | 78.50B/68.20A | ---- | 70.70 + 4.30 | .3742 | ---- | ---- | ---- | ---- | 15 UNCH |
| 4725 | ---- | ---- | 69.10B/---- | 69.10B/60.90A | ---- | 62.60 + 3.50 | .3416 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4750 | ---- | ---- | ----/189.20A | 224.00B/189.20A | ---- | 202.00 - 32.00 | .6883 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4750 | ---- | ---- | 61.50B/---- | 61.50B/54.90A | ---- | 55.50 + 3.00 | .3110 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4775 | ---- | ---- | 53.30B/---- | 53.30B/48.60A | ---- | 49.10 + 2.40 | .2822 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4800 | ---- | ---- | ----/225.30A | 262.90B/225.30A | ---- | 239.90 - 32.90 | .7438 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4800 | ---- | ---- | 46.30B/---- | 46.30B/43.00A | ---- | 43.50 + 2.00 | .2555 | ---- | ---- | ---- | ---- | 15 UNCH |
| 4825 | ---- | ---- | 41.00B/---- | 41.00B/38.00A | ---- | 38.40 + 1.60 | .2305 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4850 | ---- | ---- | 35.90B/---- | 35.90B/33.60A | ---- | 33.90 + 1.10 | .2076 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4875 | ---- | ---- | 31.40B/*29.00A | 31.40B/*29.00A | ---- | 30.00 + 0.80 | .1868 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4900 | ---- | ---- | ----/305.90A | 347.50B/305.90A | ---- | 322.70 - 34.50 | .8320 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4900 | ---- | ---- | 27.30B/---- | 27.30B/26.30A | ---- | 26.40 + 0.40 | .1674 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4925 | ---- | ---- | 24.30B/---- | 24.30B/*23.40A | ---- | 23.30 + 0.10 | .1500 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4950 | ---- | ---- | 21.40B/---- | 21.40B/*20.90A | ---- | 20.60 - 0.10 | .1344 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4975 | ---- | ---- | 18.80B/*18.10A | 18.80B/*18.10A | ---- | 18.20 - 0.40 | .1202 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5000 | ---- | ---- | ---- | 16.30B/*16.70A | ---- | 16.10 - 0.60 | .1075 | ---- | ---- | ---- | ---- | 5 UNCH |
| 5025 | ---- | ---- | ---- | 14.50B/*15.10A | ---- | 14.30 - 0.70 | .0963 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5050 | ---- | ---- | ----/*13.10A | 12.70B/*13.10A | ---- | 12.70 - 0.70 | .0862 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5100 | ---- | ---- | ---- | 9.10B/*11.50A | ---- | 10.10 - 0.80 | .0694 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5125 | ---- | ---- | ---- | 7.90B/*10.60A | ---- | 9.10 - 0.80 | .0627 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5150 | ---- | ---- | ---- | 6.90B/*9.70A | ---- | 8.20 - 0.80 | .0566 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5175 | ---- | ---- | ---- | 6.10B/*9.00A | ---- | 7.50 - 0.70 | .0516 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5200 | ---- | ---- | ---- | 5.40B/*8.30A | ---- | 6.80 - 0.70 | .0468 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5225 | ---- | ---- | ---- | 4.80B/*7.70A | ---- | 6.20 - 0.70 | .0426 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5275 | ---- | ---- | ---- | 3.80B/*6.60A | ---- | 5.30 - 0.70 | .0361 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5400 | ---- | ---- | ---- | 2.30B/*4.90A | ---- | 3.80 - 0.50 | .0250 | ---- | ---- | ---- | ---- | 9 UNCH |
| 5700 | ---- | ---- | ---- | 0.70B/3.00A | ---- | 2.30 - 0.40 | .0135 | ---- | ---- | ---- | ---- | 10 UNCH |
| 5750 | ---- | ---- | ---- | 0.70B/*2.80A | ---- | 2.20 - 0.30 | .0126 | ---- | ---- | 2 | ---- | 11 + 2 |
| 6000 | ---- | ---- | ---- | #0.40B/*2.10A | ---- | 1.80 - 0.30 | .0094 | ---- | ---- | 2 | ---- | 11 + 2 |
| TOTAL | | | | | | | | | | 6 | | 235 + 5 |

| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| FMG OPT | | MICRO GOLD WEEKLY FRI OPTION WEEK2 | | | | | | | | | | |
| MAY26 | | | | | | | | | | | | |
| 4450 | ---- | ---- | ---- | ---- | ---- | 7.70 - 15.10 | .1030 | ---- | ---- | ---- | ---- | 3 UNCH |
| TOTAL | | | | | | | | | | | | 3 0 |

SILVER OPTIONS ON FUTURES

| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| RWS THU | | SILVER WEEKLY THURSDAY OPTION Week1 | | | | | | | | | | |
| MAY26 | | | | | | | | | | | | |
| 6800 | ---- | ---- | ----/*0.135A | 0.061B/*0.135A | ---- | 0.049 - 0.163 | .0145 | ---- | ---- | ---- | ---- | 1 UNCH |
| 6900 | 0.650 | 0.650 | 0.650/0.648A | 0.650/0.648A | ---- | 0.647 NEW | .1835 | ---- | ---- | 2 | ---- | 2 + 2 |
| 7000 | ---- | ---- | ----/0.226A | 0.236B/0.226A | ---- | 0.153 - 0.278 | .0637 | ---- | ---- | 3 | ---- | 5 + 3 |
| 7100 | ---- | ---- | ----/1.661A | 1.782B/1.661A | ---- | 1.643 - 0.304 | .3324 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7100 | 0.330 | 0.330 | 0.330/0.324A | 0.418B/0.324A | ---- | 0.272 - 0.348 | .1267 | ---- | ---- | 2 | ---- | 3 + 2 |
| 7150 | 0.365 | 0.365 | 0.365/*0.365 | 0.528B/*0.365 | ---- | 0.360 NEW | .1740 | ---- | ---- | 2 | ---- | 2 + 2 |
| 7200 | ---- | ---- | ----/0.479A | 0.729B/0.479A | ---- | 0.475 - 0.413 | .2340 | ---- | ---- | ---- | ---- | 20 UNCH |
| 7200 | ---- | ---- | ----/2.016A | 2.217B/2.016A | ---- | 2.041 - 0.320 | .3891 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7250 | ---- | ---- | ----/0.606A | 0.891B/0.606A | ---- | 0.619 NEW | .3061 | ---- | ---- | 3 | ---- | 3 + 3 |
| 7270 | 0.750 | 0.750 | 0.750/*0.657A | 0.976B/0.657A | ---- | 0.687 NEW | .3382 | ---- | ---- | 20 | ---- | 20 + 20 |
| 7300 | ---- | ---- | ----/2.900A | 3.143B/2.900A | ---- | 3.028 - 0.362 | .4494 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7425 | 1.000 | 1.000 | 1.600/1.000 | 1.600/1.000 | ---- | 1.423 NEW | .6160 | ---- | ---- | 2 | ---- | 1 + 1 |
| 7450 | ---- | ---- | ----/*0.668A | 0.925B/*0.668A | ---- | 0.660 NEW | .3407 | ---- | ---- | 3 | ---- | 3 + 3 |
| 7500 | 0.395 | 0.395 | 0.395/*0.395 | 0.706B/*0.395 | ---- | 0.498 NEW | .2612 | ---- | ---- | 8 | ---- | 6 + 6 |
| 7600 | ---- | ---- | ----/*0.330A | 0.374B/*0.330A | ---- | 0.275 - 0.311 | .1401 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7640 | ---- | ---- | ---- | ---- | ---- | 3.036 - 0.339 | .8930 | ---- | ---- | ---- | ---- | 7 UNCH |
| 7650 | 1.388 | 1.388 | 1.388/*1.098A | 1.388/*1.098A | ---- | 1.016 - 0.281 | .2976 | ---- | ---- | 1 | ---- | 1 - 1 |
| 7650 | ---- | ---- | ----/*0.275A | 0.248B/*0.275A | ---- | 0.205 - 0.272 | .0999 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7660 | ---- | ---- | ---- | ---- | ---- | 3.212 - 0.323 | .9068 | ---- | ---- | ---- | ---- | 7 UNCH |
| 7700 | 0.275 | 0.275 | 0.275/*0.155 | 0.275/*0.155 | ---- | 0.155 - 0.233 | .0711 | ---- | ---- | 7 | ---- | 17 + 7 |
| 7850 | ---- | ---- | ----/*0.125A | 0.028B/*0.125A | ---- | 0.081 - 0.126 | .0293 | ---- | ---- | ---- | ---- | 3 UNCH |
| 8000 | ---- | ---- | ---- | ---- | ---- | 6.474 NEW | .9843 | ---- | ---- | 2 | ---- | 2 + 2 |
| 8000 | 0.065 | 0.065 | 0.065/*0.065 | 0.065/*0.065 | ---- | 0.055 - 0.055 | .0156 | ---- | ---- | 1 | ---- | 1 + 1 |
| 8100 | ---- | ---- | ----/*1.204A | 1.151B/*1.204A | ---- | 1.114 - 0.176 | .2241 | ---- | ---- | ---- | ---- | 1 UNCH |
| 8150 | ---- | ---- | ----/*0.786A | 0.623B/*0.786A | ---- | 0.680 - 0.177 | .1661 | ---- | ---- | ---- | ---- | 1 UNCH |
| 8200 | ---- | ---- | ----/*1.055A | 0.971B/*1.055A | ---- | 0.962 - 0.154 | .1973 | ---- | ---- | ---- | ---- | 1 UNCH |
| 8250 | ---- | ---- | ----/*0.671A | 0.496B/*0.671A | ---- | 0.569 - 0.158 | .1412 | ---- | ---- | ---- | ---- | 1 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| RWS THU | | SILVER WEEKLY THURSDAY OPTION Week3 | | | | | | | | | | | | |
| TOTAL | | | | | | | | | | | 56 | 0 | 113 + | 51 |
| SMW MON | | SILVER WEEKLY MONDAY OPTION WEEK2 | | | | | | | | | | | | |
| MAY26 | | | | | | | | | | | | | | |
| 5500 | ---- | ---- | ---- | ----/0.116A | ---- | 0.005 | - | 0.013 .0010 | ---- | ---- | ---- | ---- | 17 | UNCH |
| 6000 | ---- | ---- | ---- | ----/55.394A | ---- | 13.601 | + | 0.016 .9934 | ---- | ---- | ---- | ---- | 1 | UNCH |
| 6300 | ---- | ---- | ---- | 0.003B/0.121A | ---- | 0.046 | - | 0.068 .0143 | ---- | ---- | ---- | ---- | 1 | UNCH |
| 6800 | ---- | ---- | ----/*0.220A | 0.233B/*0.220A | ---- | 0.200 | - | 0.174 .0772 | ---- | ---- | ---- | ---- | 9 | UNCH |
| 6900 | ---- | ---- | ----/0.323A | 0.362B/0.323A | ---- | 0.297 | - | 0.208 .1148 | ---- | ---- | ---- | ---- | 1 | UNCH |
| 7000 | 0.500 | 0.500 | 0.500/0.442A | 0.519B/0.442A | ---- | 0.450 | - | 0.241 .1696 | ---- | ---- | 2 | ---- | 37 + | 2 |
| 7100 | ---- | ---- | ---- | ---- | ---- | 2.522 | | UNCH ---- | ---- | ---- | ---- | ---- | 0 | UNCH |
| 7150 | ---- | ---- | ---- | ---- | ---- | 0.000 | | UNCH ---- | ---- | ---- | ---- | ---- | 0 | UNCH |
| 7200 | ---- | ---- | ---- | ---- | ---- | 0.000 | | UNCH ---- | ---- | ---- | ---- | ---- | 0 | UNCH |
| 7200 | ---- | ---- | ---- | ---- | ---- | 1.522 | | UNCH ---- | ---- | ---- | ---- | ---- | 0 | UNCH |
| 7200 | ---- | ---- | ---- | 1.942B/2.935A | ---- | 2.534 | - | 0.262 .6719 | ---- | ---- | ---- | ---- | 1 | UNCH |
| 7230 | ---- | ---- | ---- | ---- | ---- | 0.000 | | UNCH ---- | ---- | ---- | ---- | ---- | 0 | UNCH |
| 7250 | ---- | ---- | ---- | ---- | ---- | 0.000 | | UNCH ---- | ---- | ---- | ---- | ---- | 0 | UNCH |
| 7290 | ---- | ---- | ---- | ---- | ---- | 0.622 | | UNCH ---- | ---- | ---- | ---- | ---- | 0 | UNCH |
| 7300 | ---- | ---- | ---- | ---- | ---- | 0.000 | | UNCH ---- | ---- | ---- | ---- | ---- | 0 | UNCH |
| 7300 | ---- | ---- | ---- | ---- | ---- | 0.522 | | UNCH ---- | ---- | ---- | ---- | ---- | 0 | UNCH |
| 7320 | ---- | ---- | ---- | ---- | ---- | 0.000 | | UNCH ---- | ---- | ---- | ---- | ---- | 0 | UNCH |
| 7325 | ---- | ---- | ---- | ---- | ---- | 0.272 | | UNCH ---- | ---- | ---- | ---- | ---- | 0 | UNCH |
| 7330 | ---- | ---- | ---- | ---- | ---- | 0.222 | | UNCH ---- | ---- | ---- | ---- | ---- | 0 | UNCH |
| 7330 | ---- | ---- | ---- | ---- | ---- | 0.000 | | UNCH ---- | ---- | ---- | ---- | ---- | 0 | UNCH |
| 7350 | ---- | ---- | ---- | ---- | ---- | 0.022 | | UNCH ---- | ---- | ---- | ---- | ---- | 0 | UNCH |
| 7350 | ---- | ---- | ---- | ---- | ---- | 0.000 | | UNCH ---- | ---- | ---- | ---- | ---- | 0 | UNCH |
| 7350 | ---- | ---- | ----/2.260A | 2.548B/2.260A | ---- | 2.363 | | NEW .4786 | ---- | ---- | 1 | ---- | 1 + | 1 |
| 7360 | ---- | ---- | ---- | ---- | ---- | 0.000 | | UNCH ---- | ---- | ---- | ---- | ---- | 0 | UNCH |
| 7370 | ---- | ---- | ---- | ---- | ---- | 0.000 | | UNCH ---- | ---- | ---- | ---- | ---- | 0 | UNCH |
| 7375 | ---- | ---- | ---- | ---- | ---- | 0.228 | | UNCH ---- | ---- | ---- | ---- | ---- | 0 | UNCH |
| 7400 | ---- | ---- | ---- | ---- | ---- | 0.000 | | UNCH ---- | ---- | ---- | ---- | ---- | 0 | UNCH |
| 7400 | ---- | ---- | ---- | ---- | ---- | 0.478 | | UNCH ---- | ---- | ---- | ---- | ---- | 0 | UNCH |
| 7400 | ---- | ---- | ----/1.602A | 1.720B/1.602A | ---- | 1.814 | - | 0.386 .5350 | ---- | ---- | ---- | ---- | 6 | UNCH |
| 7400 | ---- | ---- | ----/*1.381A | 1.621B/*1.381A | ---- | 1.395 | - | 0.328 .4649 | ---- | ---- | ---- | ---- | 6 | UNCH |
| 7410 | ---- | ---- | ---- | ---- | ---- | 0.578 | | UNCH ---- | ---- | ---- | ---- | ---- | 0 | UNCH |
| 7425 | ---- | ---- | ---- | ---- | ---- | 0.728 | | UNCH ---- | ---- | ---- | ---- | ---- | 0 | UNCH |
| 7425 | ---- | ---- | ---- | ---- | ---- | 0.000 | | UNCH ---- | ---- | ---- | ---- | ---- | 0 | UNCH |
| 7450 | ---- | ---- | ---- | ---- | ---- | 0.978 | | UNCH ---- | ---- | ---- | ---- | ---- | 0 | UNCH |
| 7450 | ---- | ---- | ---- | ---- | ---- | 0.000 | | UNCH ---- | ---- | ---- | ---- | ---- | 0 | UNCH |
| 7500 | ---- | ---- | ---- | ---- | ---- | 0.000 | | UNCH ---- | ---- | ---- | ---- | ---- | 0 | UNCH |
| 7500 | ---- | ---- | ----/2.291A | 1.940B/2.291A | ---- | 2.398 | - | 0.396 .6404 | ---- | ---- | 1 | ---- | 1 | UNCH |
| 7500 | ---- | ---- | ----/*0.987A | 1.283B/*0.987A | ---- | 0.980 | | NEW .3595 | ---- | ---- | 2 | ---- | 2 + | 2 |
| 7500 | ---- | ---- | ---- | ---- | ---- | 1.478 | | UNCH ---- | ---- | ---- | ---- | ---- | 0 | UNCH |
| 7520 | ---- | ---- | ---- | ---- | ---- | 1.678 | | UNCH ---- | ---- | ---- | ---- | ---- | 0 | UNCH |
| 7525 | ---- | ---- | ---- | ---- | ---- | 0.000 | | UNCH ---- | ---- | ---- | ---- | ---- | 0 | UNCH |
| 7530 | ---- | ---- | ---- | ---- | ---- | 0.000 | | UNCH ---- | ---- | ---- | ---- | ---- | 0 | UNCH |
| 7550 | ---- | ---- | ---- | ---- | ---- | 1.978 | | UNCH ---- | ---- | ---- | ---- | ---- | 0 | UNCH |
| 7550 | ---- | ---- | ---- | ---- | ---- | 0.000 | | UNCH ---- | ---- | ---- | ---- | ---- | 0 | UNCH |
| 7570 | ---- | ---- | ---- | ---- | ---- | 0.000 | | UNCH ---- | ---- | ---- | ---- | ---- | 0 | UNCH |
| 7575 | ---- | ---- | ---- | ---- | ---- | 0.000 | | UNCH ---- | ---- | ---- | ---- | ---- | 0 | UNCH |
| 7600 | ---- | ---- | ---- | ---- | ---- | 0.000 | | UNCH ---- | ---- | ---- | ---- | ---- | 0 | UNCH |
| 7600 | ---- | ---- | ---- | ---- | ---- | 2.478 | | UNCH ---- | ---- | ---- | ---- | ---- | 0 | UNCH |
| 7625 | ---- | ---- | ---- | 1.934B/3.770A | ---- | 3.267 | - | 0.380 .7576 | ---- | ---- | ---- | ---- | 1 | UNCH |
| 7650 | ---- | ---- | ----/*0.610A | 0.685B/*0.610A | ---- | 0.540 | | NEW .2219 | ---- | ---- | 4 | ---- | 4 + | 4 |
| 7650 | ---- | ---- | ---- | ---- | ---- | 2.978 | | UNCH ---- | ---- | ---- | ---- | ---- | 0 | UNCH |
| 7650 | ---- | ---- | ---- | ---- | ---- | 0.000 | | UNCH ---- | ---- | ---- | ---- | ---- | 0 | UNCH |
| 7660 | ---- | ---- | ---- | ---- | ---- | 0.000 | | UNCH ---- | ---- | ---- | ---- | ---- | 0 | UNCH |
| 7675 | ---- | ---- | ---- | ---- | ---- | 0.000 | | UNCH ---- | ---- | ---- | ---- | ---- | 0 | UNCH |
| 7700 | ---- | ---- | ---- | ---- | ---- | 3.478 | | UNCH ---- | ---- | ---- | ---- | ---- | 0 | UNCH |
| 7700 | ---- | ---- | ---- | ---- | ---- | 0.000 | | UNCH ---- | ---- | ---- | ---- | ---- | 0 | UNCH |
| 7700 | ---- | ---- | ----/*0.501A | 0.568B/*0.501A | ---- | 0.436 | - | 0.297 .1844 | ---- | ---- | 10 | ---- | 11 + | 10 |
| 7750 | ---- | ---- | ----/*0.455A | 0.452B/*0.455A | ---- | 0.355 | - | 0.276 .1528 | ---- | ---- | ---- | ---- | 2 | UNCH |
| 7750 | ---- | ---- | ---- | ---- | ---- | 3.978 | | UNCH ---- | ---- | ---- | ---- | ---- | 0 | UNCH |
| 7750 | ---- | ---- | ---- | ---- | ---- | 0.000 | | UNCH ---- | ---- | ---- | ---- | ---- | 0 | UNCH |
| 7800 | 0.380 | 0.380 | 0.380/*0.364A | 0.380/*0.364A | ---- | 0.289 | - | 0.253 .1260 | ---- | ---- | 1 | ---- | 5 + | 1 |
| 7900 | ---- | ---- | ---- | ----/26.247A | ---- | 5.606 | - | 0.267 .9162 | ---- | ---- | ---- | ---- | 4 | UNCH |
| 7900 | ---- | ---- | ----/*0.258A | 0.234B/*0.258A | ---- | 0.189 | - | 0.210 .0837 | ---- | ---- | ---- | ---- | 4 | UNCH |
| 7975 | ---- | ---- | ---- | ---- | ---- | 6.228 | | UNCH ---- | ---- | ---- | ---- | ---- | 0 | UNCH |
| 8000 | 0.230 | 0.230 | 0.230/*0.204A | 0.230/*0.204A | ---- | 0.124 | - | 0.169 .0549 | ---- | ---- | 2 | ---- | 50 | UNCH |
| 8000 | ---- | ---- | ---- | ---- | ---- | 6.478 | | UNCH ---- | ---- | ---- | ---- | ---- | 0 | UNCH |
| 8500 | ---- | ---- | ---- | 0.004B/*0.117A | ---- | 0.017 | - | 0.052 .0066 | ---- | ---- | ---- | ---- | 50 | UNCH |
| TOTAL | | | | | | | | | | | 23 | 0 | 214 + | 20 |
| JUN26 | | | | | | | | | | | | | | |
| 7050 | ---- | ---- | ----/2.125A | 2.140B/2.125A | ---- | 2.142 | - | 0.275 .3371 | ---- | ---- | ---- | ---- | 1 | UNCH |
| 7950 | ---- | ---- | ---- | 0.675B/13.575A | ---- | 7.481 | - | 0.285 .7142 | ---- | ---- | ---- | ---- | 1 | UNCH |
| 8000 | ---- | ---- | ---- | 0.925B/14.000A | ---- | 7.876 | - | 0.279 .7299 | ---- | ---- | ---- | ---- | 1 | UNCH |
| 8600 | ---- | ---- | ----/0.766A | 0.623B/0.766A | ---- | 0.677 | - | 0.137 .1356 | ---- | ---- | ---- | ---- | 1 | UNCH |
| 10250 | ---- | ---- | ---- | 0.070B/0.230A | ---- | 0.139 | - | 0.026 .0279 | ---- | ---- | ---- | ---- | 2 | UNCH |
| TOTAL | | | | | | | | | | | | 0 | 6 | 0 |
| SO CALL | | COMEX SILVER OPTIONS | | | | | | | | | | | | |
| JUN26 | | | | | | | | | | | | | | |
| 4300 | ---- | ---- | 31.404B/30.442A | 31.404B/30.442A | ---- | 30.591 | + | 0.067 .9946 | ---- | ---- | ---- | ---- | 20 | UNCH |
| 4850 | ---- | ---- | 25.910B/24.940A | 25.910B/24.940A | ---- | 25.101 | + | 0.065 .9918 | ---- | ---- | ---- | ---- | 7 | UNCH |
| 4900 | ---- | ---- | 25.409B/24.455A | 25.409B/24.455A | ---- | 24.602 | + | 0.064 .9917 | ---- | ---- | ---- | ---- | 9 | UNCH |
| 5000 | 23.542 | 23.542 | 24.479B/23.358A | 24.479B/23.358A | ---- | 23.603 | + | 0.061 .9911 | ---- | ---- | 4 | ---- | 367 | UNCH |
| 5025 | ---- | ---- | 24.164B/23.203A | 24.164B/23.203A | ---- | 23.354 | + | 0.061 .9910 | ---- | ---- | ---- | ---- | 6 | UNCH |
| 5050 | ---- | ---- | 23.845B/22.993A | 23.845B/22.993A | ---- | 23.104 | + | 0.061 .9908 | ---- | ---- | ---- | ---- | 1 | UNCH |
| 5200 | ---- | ---- | 22.470B/21.366A | 22.470B/21.366A | ---- | 21.607 | + | 0.056 .9898 | ---- | ---- | ---- | ---- | 79 | UNCH |
| 5225 | ---- | ---- | 22.149B/21.253A | 22.149B/21.253A | ---- | 21.358 | + | 0.056 .9895 | ---- | ---- | ---- | ---- | 4 | UNCH |
| 5275 | ---- | ---- | 21.675B/20.713A | 21.675B/20.713A | ---- | 20.859 | + | 0.053 .9890 | ---- | ---- | ---- | ---- | 7 | UNCH |
| 5300 | ---- | ---- | 21.403B/20.508A | 21.403B/20.508A | ---- | 20.610 | + | 0.051 .9887 | ---- | ---- | ---- | ---- | 3 | UNCH |
| 5325 | ---- | ---- | 21.155B/20.260A | 21.155B/20.260A | ---- | 20.361 | + | 0.050 .9884 | ---- | ---- | ---- | ---- | 5 | UNCH |
| 5350 | ---- | ---- | 20.930B/19.970A | 20.930B/19.970A | ---- | 20.112 | + | 0.048 .9881 | ---- | ---- | ---- | ---- | 7 | UNCH |
| 5400 | ---- | ---- | 20.410B/19.517A | 20.410B/19.517A | ---- | 19.615 | + | 0.045 .9875 | ---- | ---- | ---- | ---- | 2 | UNCH |
| 5425 | ---- | ---- | 20.185B/19.226A | 20.185B/19.226A | ---- | 19.366 | + | 0.042 .9871 | ---- | ---- | ---- | ---- | 9 | UNCH |
| 5500 | ---- | ---- | 19.492B/18.409A | 19.492B/18.409A | ---- | 18.621 | + | 0.036 .9857 | ---- | ---- | ---- | ---- | 344 | UNCH |
| 5525 | ---- | ---- | 19.123B/18.240A | 19.123B/18.240A | ---- | 18.374 | + | 0.034 .9851 | ---- | ---- | ---- | ---- | 2 | UNCH |
| 5600 | ---- | ---- | 18.427B/17.499A | 18.427B/17.499A | ---- | 17.632 | + | 0.028 .9831 | ---- | ---- | ---- | ---- | 7 | UNCH |
| 5625 | ---- | ---- | 18.179B/17.253A | 18.179B/17.253A | ---- | 17.385 | + | 0.025 .9821 | ---- | ---- | ---- | ---- | 11 | UNCH |
| 5675 | ---- | ---- | 17.641B/16.776A | 17.641B/16.776A | ---- | 16.893 | + | 0.022 .9803 | ---- | ---- | ---- | ---- | 3 | UNCH |
| 5700 | ---- | ---- | 17.516B/16.430A | 17.516B/16.430A | ---- | 16.648 | + | 0.021 .9791 | ---- | ---- | ---- | ---- | 56 | UNCH |
| 5725 | ---- | ---- | 17.195B/16.271A | 17.195B/16.271A | ---- | 16.403 | + | 0.020 .9780 | ---- | ---- | ---- | ---- | 10 | UNCH |
| 5750 | ---- | ---- | 16.949B/16.027A | 16.949B/16.027A | ---- | 16.158 | + | 0.019 .9766 | ---- | ---- | ---- | ---- | 13 | UNCH |
| 5775 | ---- | ---- | 16.658B/15.784A | 16.658B/15.784A | ---- | 15.915 | + | 0.019 .9752 | ---- | ---- | ---- | ---- | 1 | UNCH |
| 5800 | ---- | ---- | 16.413B/15.540A | 16.413B/15.540A | ---- | 15.672 | + | 0.020 .9736 | ---- | ---- | ---- | ---- | 2 | UNCH |
| 5825 | ---- | ---- | 16.169B/15.297A | 16.169B/15.297A | ---- | 15.430 | + | 0.021 .9718 | ---- | ---- | ---- | ---- | 1 | UNCH |
| 5850 | ---- | ---- | 16.003B/15.052A | 16.003B/15.052A | ---- | 15.189 | + | 0.024 .9698 | ---- | ---- | ---- | ---- | 9 | UNCH |
| 5900 | ---- | ---- | 15.437B/14.569A | 15.437B/14.569A | ---- | 14.707 | + | 0.027 .9658 | ---- | ---- | ---- | ---- | 4 | UNCH |
| 5925 | ---- | ---- | 15.272B/14.329A | 15.272B/14.329A | ---- | 14.467 | + | 0.029 .9636 | ---- | ---- | ---- | ---- | 17 | UNCH |
| 6000 | ---- | ---- | 14.586B/13.509A | 14.586B/13.509A | ---- | 13.745 | + | 0.026 .9572 | ---- | ---- | ---- | ---- | 401 | UNCH |
| 6025 | ---- | ---- | 14.294B/13.366A | 14.294B/13.366A | ---- | 13.505 | + | 0.023 .9551 | ---- | ---- | ---- | ---- | 7 | UNCH |
| 6050 | ---- | ---- | 13.983B/13.127A | 13.983B/13.127A | ---- | 13.264 | + | 0.019 .9529 | ---- | ---- | ---- | ---- | 4 | UNCH |
| 6075 | ---- | ---- | 13.851B/12.824A | 13.851B/12.824A | ---- | 13.023 | + | 0.014 .9507 | ---- | ---- | ---- | ---- | 30 | UNCH |
| 6100 | ---- | ---- | 13.572B/12.649A | 13.572B/12.649A | ---- | 12.783 | + | 0.008 .9485 | ---- | ---- | ---- | ---- | 16 | UNCH |
| 6200 | ---- | ---- | 12.689B/11.619A | 12.689B/11.619A | ---- | 11.827 | - | 0.016 .9380 | ---- | ---- | ---- | ---- | 101 | UNCH |
| 6225 | ---- | ---- | 12.315B/11.462A | 12.315B/11.462A | ---- | 11.592 | - | 0.020 .9346 | ---- | ---- | ---- | ---- | 1 | UNCH |
| 6250 | ---- | ---- | 12.079B/11.229A | 12.079B/11.229A | ---- | 11.358 | - | 0.024 .9310 | ---- | ---- | ---- | ---- | 4 | UNCH |
| 6300 | ---- | ---- | 11.610B/10.767A | 11.610B/10.767A | ---- | 10.896 | - | 0.030 .9230 | ---- | ---- | ---- | ---- | 4 | UNCH |
| 6400 | ---- | ---- | 10.820B/9.770A | 10.820B/9.770A | ---- | 9.982 | - | 0.044 .9046 | ---- | ---- | ---- | ---- | 110 | UNCH |
| 6425 | ---- | ---- | 10.561B/9.578A | 10.561B/9.578A | ---- | 9.757 | - | 0.047 .8994 | ---- | ---- | ---- | ---- | 25 | UNCH |
| 6450 | ---- | ---- | 10.227B/9.411A | 10.227B/9.411A | ---- | 9.533 | - | 0.052 .8941 | ---- | ---- | ---- | ---- | 5 | UNCH |
| 6475 | ---- | ---- | 10.067B/9.191A | 10.067B/9.191A | ---- | 9.311 | - | 0.056 .8883 | ---- | ---- | ---- | ---- | 7 | UNCH |
| 6500 | ---- | ---- | 9.847B/8.972A | 9.847B/8.972A | ---- | 9.091 | - | 0.061 .8823 | ---- | ---- | ---- | ---- | 13 | UNCH |
| 6625 | ---- | ---- | 8.754B/7.884A | 8.754B/7.884A | ---- | 8.020 | - | 0.094 .8480 | ---- | ---- | ---- | ---- | 10 | UNCH |
| 6700 | ---- | ---- | 8.042B/7.273A | 8.042B/7.273A | ---- | 7.397 | - | 0.115 .8245 | ---- | ---- | ---- | ---- | 1 | UNCH |
| 6725 | ---- | ---- | 7.834B/7.073A | 7.834B/7.073A | ---- | 7.194 | - | 0.122 .8160 | ---- | ---- | ---- | ---- | 1 | UNCH |
| 6750 | ---- | ---- | 7.629B/6.880A | 7.629B/6.880A | ---- | 6.994 | - | 0.128 .8071 | ---- | ---- | ---- | ---- | 3 | UNCH |
| 6800 | ---- | ---- | 7.326B/6.508A | 7.326B/6.508A | ---- | 6.604 | - | 0.138 .7885 | ---- | ---- | ---- | ---- | 9 | UNCH |
| 6850 | ---- | ---- | 6.833B/6.118A | 6.833B/6.118A | ---- | 6.226 | - | 0.147 .7684 | ---- | ---- | ---- | ---- | 5 | UNCH |
| 6900 | ---- | ---- | 6.547B/5.760A | 6.547B/5.760A | ---- | 5.861 | - | 0.154 .7473 | ---- | ---- | ---- | ---- | 17 | UNCH |
| 6925 | ---- | ---- | 6.390B/5.579A | 6.390B/5.579A | ---- | 5.683 | - | 0.158 .7363 | ---- | ---- | ---- | ---- | 9 | UNCH |
| 6975 | ---- | ---- | 6.027B/5.238A | 6.027B/5.238A | ---- | 5.337 | - | 0.164 .7136 | ---- | ---- | ---- | ---- | 7 | UNCH |
| 7000 | ---- | ---- | 5.839B/5.010A | 5.839B/5.010A | ---- | 5.169 | - | 0.167 .7019 | ---- | ---- | ---- | ---- | 127 | UNCH |
| 7025 | ---- | ---- | 5.544B/4.979A | 5.544B/4.979A | ---- | 5.004 | - | 0.171 .6901 | ---- | ---- | ---- | ---- | 1 | UNCH |
| 7050 | 4.800 | 4.800 | 5.436B/4.754A | 5.436B/4.754A | ---- | 4.843 | - | 0.173 .6781 | ---- | ---- | 2 | ---- | 2 | UNCH |
| 7075 | ---- | ---- | 5.225B/4.646A | 5.225B/4.646A | ---- | 4.684 | - | 0.177 .6659 | ---- | ---- | ---- | ---- | 4 | UNCH |
| 7100 | ---- | ---- | 5.182B/4.399A | 5.182B/4.399A | ---- | 4.529 | - | 0.179 .6535 | ---- | ---- | ---- | ---- | 95 | UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SO CALL | | COMEX SILVER OPTIONS | | | | | | | | | | |
| JUN26 | | | | | | | | | | | | |
| 7150 | ---- | ---- | 4.737B/4.112A | 4.737B/4.112A | ---- | 4.229 - 0.185 | .6284 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7200 | ---- | ---- | 4.568B/3.764A | 4.568B/3.764A | ---- | 3.942 - 0.191 | .6028 | ---- | ---- | ---- | ---- | 6 UNCH |
| 7225 | ---- | ---- | 4.281B/3.612A | 4.281B/3.612A | ---- | 3.803 - 0.194 | .5899 | ---- | ---- | ---- | ---- | 4 UNCH |
| 7250 | ---- | ---- | 4.279B/3.475A | 4.279B/3.475A | ---- | 3.668 - 0.197 | .5770 | ---- | ---- | ---- | ---- | 30 UNCH |
| 7275 | ---- | ---- | 4.040B/3.349A | 4.040B/3.349A | ---- | 3.536 - 0.200 | .5640 | ---- | ---- | ---- | ---- | 2 UNCH |
| 7300 | 4.000 | 4.000 | 4.000/3.224A | 4.000/3.224A | ---- | 3.408 - 0.202 | .5509 | ---- | ---- | 2 | ---- | 23 UNCH |
| 7325 | ---- | ---- | 3.858B/3.103A | 3.858B/3.103A | ---- | 3.283 - 0.204 | .5379 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7350 | ---- | ---- | 3.724B/2.986A | 3.724B/2.986A | ---- | 3.162 - 0.205 | .5249 | ---- | ---- | ---- | ---- | 23 UNCH |
| 7375 | ---- | ---- | 3.593B/2.867A | 3.593B/2.867A | ---- | 3.044 - 0.207 | .5119 | ---- | ---- | ---- | ---- | 6 UNCH |
| 7400 | 3.209 | 3.209 | 3.475B/2.754A | 3.475B/2.754A | ---- | 2.929 - 0.209 | .4989 | ---- | ---- | 3 | ---- | 47 UNCH |
| 7425 | ---- | ---- | 3.350B/2.645A | 3.350B/2.645A | ---- | 2.818 - 0.210 | .4860 | ---- | ---- | 4 | ---- | 31 - 4 |
| 7450 | ---- | ---- | 3.220B/2.537A | 3.220B/2.537A | ---- | 2.710 - 0.210 | .4732 | ---- | ---- | ---- | ---- | 15 UNCH |
| 7475 | ---- | ---- | 3.105B/2.441A | 3.105B/2.441A | ---- | 2.605 - 0.211 | .4605 | ---- | ---- | ---- | ---- | 3 UNCH |
| 7500 | 2.470 | 2.470 | 3.009B/2.333A | 3.009B/2.333A | ---- | 2.503 - 0.212 | .4478 | ---- | ---- | 23 | ---- | 265 - 3 |
| 7525 | 2.817 | 2.817 | 2.880B/2.249A | 2.880B/2.249A | ---- | 2.405 - 0.212 | .4353 | ---- | ---- | 2 | ---- | 13 + 2 |
| 7550 | 2.680 | 2.680 | 2.780B/2.154A | 2.780B/2.154A | ---- | 2.310 - 0.212 | .4229 | ---- | ---- | 1 | ---- | 36 - 1 |
| 7575 | ---- | ---- | 2.668B/2.071A | 2.668B/2.071A | ---- | 2.218 - 0.212 | .4107 | ---- | ---- | ---- | ---- | 2 UNCH |
| 7600 | 2.374 | 2.374 | 2.580B/1.976A | 2.580B/1.976A | ---- | 2.129 - 0.212 | .3986 | ---- | ---- | 2 | ---- | 76 UNCH |
| 7650 | 2.150 | 2.150 | 2.375B/1.823A | 2.375B/1.823A | ---- | 1.961 - 0.209 | .3750 | ---- | ---- | 5 | ---- | 8 UNCH |
| 7675 | ---- | ---- | 2.277B/1.751A | 2.277B/1.751A | ---- | 1.881 - 0.208 | .3634 | ---- | ---- | ---- | ---- | 9 UNCH |
| 7700 | 1.953 | 1.953 | 2.205B/1.669A | 2.205B/1.669A | ---- | 1.804 - 0.207 | .3521 | ---- | ---- | 1 | ---- | 136 + 1 |
| 7725 | ---- | ---- | 2.099B/1.604A | 2.099B/1.604A | ---- | 1.730 - 0.206 | .3410 | ---- | ---- | ---- | ---- | 9 UNCH |
| 7750 | ---- | ---- | 2.033B/1.535A | 2.033B/1.535A | ---- | 1.659 - 0.204 | .3301 | ---- | ---- | ---- | ---- | 70 UNCH |
| 7775 | ---- | ---- | 1.936B/1.473A | 1.936B/1.473A | ---- | 1.590 - 0.202 | .3194 | ---- | ---- | ---- | ---- | 4 UNCH |
| 7800 | 1.702 | 1.702 | 1.872B/1.412A | 1.872B/1.412A | ---- | 1.524 - 0.200 | .3089 | ---- | ---- | 10 | ---- | 219 + 6 |
| 7825 | ---- | ---- | 1.781B/1.354A | 1.781B/1.354A | ---- | 1.461 - 0.198 | .2987 | ---- | ---- | 7 | ---- | 9 + 7 |
| 7850 | 1.450 | 1.450 | 1.721B/1.298A | 1.721B/1.298A | ---- | 1.400 - 0.196 | .2887 | ---- | ---- | 1 | ---- | 2 UNCH |
| 7875 | ---- | ---- | 1.644B/1.244A | 1.644B/1.244A | ---- | 1.342 - 0.193 | .2790 | ---- | ---- | ---- | ---- | 2 UNCH |
| 7900 | 1.466 | 1.466 | 1.586B/1.194A | 1.586B/1.194A | ---- | 1.286 - 0.190 | .2695 | ---- | ---- | 13 | ---- | 104 + 2 |
| 7925 | 1.329 | 1.329 | 1.510B/1.145A | 1.510B/1.145A | ---- | 1.232 - 0.188 | .2603 | ---- | ---- | 2 | ---- | 14 + 2 |
| 7950 | 1.263 | 1.263 | 1.452B/1.097A | 1.452B/1.097A | ---- | 1.180 - 0.186 | .2512 | ---- | ---- | 20 | ---- | 29 + 15 |
| 7975 | 1.226 | 1.226 | 1.392B/1.054A | 1.392B/1.054A | ---- | 1.131 - 0.183 | .2425 | ---- | ---- | 18 | ---- | 28 + 18 |
| 8000 | 1.240 | 1.240 | 1.343B/1.007A | 1.343B/1.007A | ---- | 1.084 - 0.180 | .2341 | ---- | ---- | 19 | ---- | 724 UNCH |
| 8025 | 1.074 | 1.074 | 1.280B/0.968A | 1.280B/0.968A | ---- | 1.039 - 0.176 | .2259 | ---- | ---- | 1 | ---- | 7 + 1 |
| 8050 | ---- | ---- | 1.227B/0.926A | 1.227B/0.926A | ---- | 0.996 - 0.173 | .2179 | ---- | ---- | 10 | ---- | 29 + 10 |
| 8075 | ---- | ---- | 1.174B/0.892A | 1.174B/0.892A | ---- | 0.954 - 0.171 | .2101 | ---- | ---- | ---- | ---- | 2 UNCH |
| 8100 | 1.000 | 1.000 | 1.136B/0.856A | 1.136B/0.856A | ---- | 0.915 - 0.167 | .2027 | ---- | ---- | 2 | ---- | 61 UNCH |
| 8125 | ---- | ---- | 1.083B/0.816A | 1.083B/0.816A | ---- | 0.877 - 0.165 | .1954 | ---- | ---- | ---- | ---- | 4 UNCH |
| 8150 | ---- | ---- | 1.043B/0.787A | 1.043B/0.787A | ---- | 0.841 - 0.162 | .1884 | ---- | ---- | ---- | ---- | 57 UNCH |
| 8175 | ---- | ---- | 0.994B/0.758A | 0.994B/0.758A | ---- | 0.807 - 0.158 | .1817 | ---- | ---- | 1 | ---- | 3 UNCH |
| 8200 | 0.799 | 0.799 | 1.000/*0.723A | 1.000/*0.723A | ---- | 0.774 - 0.155 | .1752 | ---- | ---- | 33 | ---- | 193 + 1 |
| 8225 | ---- | ---- | 0.919B/0.696A | 0.919B/0.696A | ---- | 0.743 - 0.152 | .1690 | ---- | ---- | 1 | ---- | 60 UNCH |
| 8250 | 0.777 | 0.777 | 0.881B/*0.672A | 0.881B/*0.672A | ---- | 0.714 - 0.148 | .1630 | ---- | ---- | 6 | ---- | 36 + 5 |
| 8275 | 0.730 | 0.730 | 0.846B/0.643A | 0.846B/0.643A | ---- | 0.685 - 0.146 | .1571 | ---- | ---- | 2 | ---- | 35 + 2 |
| 8300 | ---- | ---- | 0.814B/*0.616A | 0.814B/*0.616A | ---- | 0.658 - 0.143 | .1515 | ---- | ---- | 7 | ---- | 107 - 7 |
| 8325 | ---- | ---- | 0.783B/0.596A | 0.783B/0.596A | ---- | 0.633 - 0.139 | .1462 | ---- | ---- | ---- | ---- | 8 UNCH |
| 8350 | ---- | ---- | 0.753B/*0.574A | 0.753B/*0.574A | ---- | 0.608 - 0.136 | .1410 | ---- | ---- | 5 | ---- | 36 + 5 |
| 8375 | ---- | ---- | 0.722B/*0.551A | 0.722B/*0.551A | ---- | 0.585 - 0.133 | .1361 | ---- | ---- | ---- | ---- | 8 UNCH |
| 8400 | ---- | ---- | 0.696B/0.530A | 0.696B/0.530A | ---- | 0.563 - 0.130 | .1313 | ---- | ---- | 1 | ---- | 363 + 1 |
| 8425 | ---- | ---- | ----/*0.510A | 0.669B/*0.510A | ---- | 0.542 - 0.127 | .1268 | ---- | ---- | ---- | ---- | 58 UNCH |
| 8450 | ---- | ---- | ----/*0.491A | 0.645B/*0.491A | ---- | 0.522 - 0.124 | .1224 | ---- | ---- | ---- | ---- | 21 UNCH |
| 8475 | ---- | ---- | ----/*0.475A | 0.620B/*0.475A | ---- | 0.503 - 0.121 | .1182 | ---- | ---- | ---- | ---- | 6 UNCH |
| 8500 | 0.540 | 0.540 | 0.597B/*0.456A | 0.597B/*0.456A | ---- | 0.484 - 0.119 | .1140 | ---- | ---- | 23 | ---- | 649 + 3 |
| 8525 | ---- | ---- | ----/*0.442A | 0.575B/*0.442A | ---- | 0.467 - 0.116 | .1102 | ---- | ---- | ---- | ---- | 18 UNCH |
| 8550 | ---- | ---- | ----/*0.425A | 0.552B/*0.425A | ---- | 0.451 - 0.113 | .1065 | ---- | ---- | ---- | ---- | 21 UNCH |
| 8575 | ---- | ---- | ----/*0.411A | 0.532B/*0.411A | ---- | 0.435 - 0.111 | .1029 | ---- | ---- | ---- | ---- | 7 UNCH |
| 8600 | ---- | ---- | ----/*0.397A | 0.512B/*0.397A | ---- | 0.420 - 0.108 | .0995 | ---- | ---- | 1 | ---- | 124 UNCH |
| 8625 | 0.491 | 0.491 | 0.491/*0.384A | 0.494B/*0.384A | ---- | 0.406 - 0.106 | .0963 | ---- | ---- | 10 | ---- | 17 + 8 |
| 8650 | ---- | ---- | ----/*0.370A | 0.476B/*0.370A | ---- | 0.393 - 0.103 | .0932 | ---- | ---- | ---- | ---- | 18 UNCH |
| 8675 | ---- | ---- | ----/*0.358A | 0.459B/*0.358A | ---- | 0.380 - 0.100 | .0902 | ---- | ---- | ---- | ---- | 58 UNCH |
| 8700 | 0.420 | 0.420 | 0.441B/*0.346A | 0.441B/*0.346A | ---- | 0.367 - 0.099 | .0872 | ---- | ---- | 2 | ---- | 81 + 1 |
| 8725 | ---- | ---- | ----/*0.335A | 0.428B/*0.335A | ---- | 0.356 - 0.095 | .0846 | ---- | ---- | ---- | ---- | 11 UNCH |
| 8750 | 0.418 | 0.418 | 0.418/*0.324A | 0.418/*0.324A | ---- | 0.345 - 0.093 | .0820 | ---- | ---- | 7 | ---- | 37 + 7 |
| 8775 | ---- | ---- | ----/*0.313A | 0.399B/*0.313A | ---- | 0.334 - 0.091 | .0794 | ---- | ---- | ---- | ---- | 16 UNCH |
| 8800 | 0.364 | 0.364 | 0.382B/*0.303A | 0.382B/*0.303A | ---- | 0.324 - 0.088 | .0770 | ---- | ---- | 2 | ---- | 96 - 1 |
| 8825 | ---- | ---- | ----/*0.294A | 0.369B/*0.294A | ---- | 0.314 - 0.086 | .0746 | ---- | ---- | ---- | ---- | 12 UNCH |
| 8850 | ---- | ---- | ----/*0.285A | 0.358B/*0.285A | ---- | 0.304 - 0.084 | .0722 | ---- | ---- | ---- | ---- | 49 UNCH |
| 8875 | 0.351 | 0.351 | 0.351/*0.282A | 0.351/*0.282A | ---- | 0.295 - 0.082 | .0701 | ---- | ---- | 11 | ---- | 29 + 11 |
| 8900 | ---- | ---- | ----/0.280A | 0.331B/0.280A | ---- | 0.287 - 0.079 | .0681 | ---- | ---- | ---- | ---- | 106 UNCH |
| 8925 | ---- | ---- | ----/*0.273A | 0.322B/*0.273A | ---- | 0.278 - 0.078 | .0660 | ---- | ---- | ---- | ---- | 6 UNCH |
| 8950 | ---- | ---- | ----/*0.265A | 0.309B/*0.265A | ---- | 0.271 - 0.074 | .0642 | ---- | ---- | ---- | ---- | 76 UNCH |
| 8975 | ---- | ---- | ----/*0.259A | 0.293B/*0.259A | ---- | 0.263 - 0.073 | .0623 | ---- | ---- | ---- | ---- | 41 UNCH |
| 9000 | 0.275 | 0.275 | 0.295/*0.225 | 0.295/*0.225 | ---- | 0.256 - 0.070 | .0606 | ---- | ---- | 39 | ---- | 629 + 15 |
| 9025 | ---- | ---- | ----/*0.243A | 0.273B/*0.243A | ---- | 0.248 - 0.069 | .0587 | ---- | ---- | ---- | ---- | 15 UNCH |
| 9050 | ---- | ---- | ----/*0.238A | 0.266B/*0.238A | ---- | 0.242 - 0.066 | .0571 | ---- | ---- | ---- | ---- | 14 UNCH |
| 9075 | ---- | ---- | ----/*0.232A | 0.251B/*0.232A | ---- | 0.235 - 0.064 | .0555 | ---- | ---- | ---- | ---- | 10 UNCH |
| 9100 | ---- | ---- | ----/*0.200A | 0.241B/*0.200A | ---- | 0.229 - 0.062 | .0540 | ---- | ---- | 1 | ---- | 339 - 1 |
| 9125 | ---- | ---- | ----/*0.223A | 0.233B/*0.223A | ---- | 0.223 - 0.060 | .0525 | ---- | ---- | ---- | ---- | 5 UNCH |
| 9150 | ---- | ---- | ----/*0.218A | 0.227B/*0.218A | ---- | 0.217 - 0.058 | .0510 | ---- | ---- | ---- | ---- | 108 UNCH |
| 9175 | ---- | ---- | ----/*0.219A | 0.225B/*0.219A | ---- | 0.211 - 0.056 | .0496 | ---- | ---- | ---- | ---- | 1 UNCH |
| 9200 | ---- | ---- | ----/*0.186A | 0.213B/*0.186A | ---- | 0.206 - 0.054 | .0483 | ---- | ---- | 1 | ---- | 117 - 1 |
| 9225 | ---- | ---- | ----/*0.214A | 0.210B/*0.214A | ---- | 0.200 - 0.053 | .0469 | ---- | ---- | ---- | ---- | 14 UNCH |
| 9250 | ---- | ---- | ----/*0.207A | 0.204B/*0.207A | ---- | 0.195 - 0.051 | .0457 | ---- | ---- | ---- | ---- | 9 UNCH |
| 9275 | ---- | ---- | ----/*0.202A | 0.195B/*0.202A | ---- | 0.190 - 0.049 | .0444 | ---- | ---- | ---- | ---- | 7 UNCH |
| 9300 | ---- | ---- | ----/*0.176A | 0.187B/*0.176A | ---- | 0.186 - 0.046 | .0434 | ---- | ---- | ---- | ---- | 45 UNCH |
| 9325 | ---- | ---- | ----/0.218A | 0.184B/0.218A | ---- | 0.181 - 0.045 | .0422 | ---- | ---- | ---- | ---- | 4 UNCH |
| 9350 | ---- | ---- | ----/0.215A | 0.174B/0.215A | ---- | 0.177 - 0.043 | .0412 | ---- | ---- | ---- | ---- | 24 UNCH |
| 9375 | ---- | ---- | ----/0.197A | 0.169B/0.197A | ---- | 0.172 - 0.042 | .0400 | ---- | ---- | ---- | ---- | 20 UNCH |
| 9400 | ---- | ---- | ----/0.202A | 0.166B/0.202A | ---- | 0.168 - 0.041 | .0390 | ---- | ---- | ---- | ---- | 74 UNCH |
| 9425 | ---- | ---- | ----/0.188A | 0.160B/0.188A | ---- | 0.164 - 0.039 | .0380 | ---- | ---- | ---- | ---- | 32 UNCH |
| 9450 | ---- | ---- | ----/0.197A | 0.156B/0.197A | ---- | 0.161 - 0.037 | .0372 | ---- | ---- | ---- | ---- | 4 UNCH |
| 9475 | ---- | ---- | ---- | 0.149B/0.193A | ---- | 0.157 - 0.036 | .0363 | ---- | ---- | ---- | ---- | 17 UNCH |
| 9500 | 0.171 | 0.171 | 0.171/*0.165 | 0.171/*0.165 | ---- | 0.153 - 0.035 | .0353 | ---- | ---- | 2 | ---- | 1878 UNCH |
| 9525 | ---- | ---- | ---- | 0.142B/0.185A | ---- | 0.150 - 0.034 | .0345 | ---- | ---- | ---- | ---- | 2 UNCH |
| 9550 | ---- | ---- | ---- | 0.141B/0.182A | ---- | 0.146 - 0.033 | .0336 | ---- | ---- | ---- | ---- | 4 UNCH |
| 9575 | ---- | ---- | ---- | 0.136B/0.179A | ---- | 0.143 - 0.032 | .0328 | ---- | ---- | ---- | ---- | 1 UNCH |
| 9600 | 0.125 | 0.125 | 0.125/*0.125 | 0.132B/*0.125 | ---- | 0.140 - 0.031 | .0321 | ---- | ---- | 1 | ---- | 25 + 1 |
| 9625 | ---- | ---- | ---- | 0.129B/0.172A | ---- | 0.137 - 0.030 | .0313 | ---- | ---- | ---- | ---- | 9 UNCH |
| 9650 | ---- | ---- | ---- | 0.125B/0.167A | ---- | 0.134 - 0.029 | .0306 | ---- | ---- | ---- | ---- | 1 UNCH |
| 9675 | ---- | ---- | ---- | 0.103B/0.165A | ---- | 0.131 - 0.028 | .0299 | ---- | ---- | ---- | ---- | 6 UNCH |
| 9700 | ---- | ---- | ---- | 0.101B/0.164A | ---- | 0.128 - 0.028 | .0291 | ---- | ---- | ---- | ---- | 39 UNCH |
| 9725 | ---- | ---- | ---- | 0.097B/0.154A | ---- | 0.126 - 0.026 | .0286 | ---- | ---- | ---- | ---- | 1 UNCH |
| 9750 | ---- | ---- | ---- | 0.096B/0.158A | ---- | 0.123 - 0.026 | .0279 | ---- | ---- | ---- | ---- | 29 UNCH |
| 9775 | ---- | ---- | ---- | 0.092B/0.155A | ---- | 0.120 - 0.026 | .0272 | ---- | ---- | ---- | ---- | 1 UNCH |
| 9800 | ---- | ---- | ---- | 0.092B/0.153A | ---- | 0.118 - 0.025 | .0266 | ---- | ---- | ---- | ---- | 24 UNCH |
| 9825 | ---- | ---- | ---- | 0.087B/0.150A | ---- | 0.116 - 0.024 | .0261 | ---- | ---- | ---- | ---- | 1 UNCH |
| 9850 | ---- | ---- | ---- | 0.087B/0.152A | ---- | 0.113 - 0.024 | .0254 | ---- | ---- | ---- | ---- | 3 UNCH |
| 9875 | ---- | ---- | ---- | 0.082B/0.149A | ---- | 0.111 - 0.024 | .0249 | ---- | ---- | ---- | ---- | 11 UNCH |
| 9900 | ---- | ---- | ----/*0.108A | 0.092B/*0.108A | ---- | 0.109 - 0.023 | .0244 | ---- | ---- | ---- | ---- | 26 UNCH |
| 9925 | ---- | ---- | ----/*0.123A | 0.072B/*0.123A | ---- | 0.107 - 0.023 | .0239 | ---- | ---- | ---- | ---- | 2 UNCH |
| 9950 | ---- | ---- | ---- | 0.070B/0.142A | ---- | 0.105 - 0.023 | .0234 | ---- | ---- | ---- | ---- | 2 UNCH |
| 9975 | ---- | ---- | ---- | 0.067B/0.140A | ---- | 0.103 - 0.022 | .0229 | ---- | ---- | ---- | ---- | 4 UNCH |
| 10000 | 0.093 | 0.093 | 0.093/*0.093 | 0.093/*0.093 | ---- | 0.101 - 0.022 | .0224 | ---- | ---- | 4 | ---- | 2667 + 2 |
| 10025 | ---- | ---- | ---- | 0.063B/0.135A | ---- | 0.099 - 0.023 | .0220 | ---- | ---- | ---- | ---- | 4 UNCH |
| 10050 | ---- | ---- | ---- | 0.063B/0.132A | ---- | 0.097 - 0.023 | .0215 | ---- | ---- | ---- | ---- | 9 UNCH |
| 10075 | ---- | ---- | ---- | 0.059B/0.130A | ---- | 0.095 - 0.023 | .0210 | ---- | ---- | ---- | ---- | 9 UNCH |
| 10100 | ---- | ---- | ---- | 0.075B/0.119A | ---- | 0.093 - 0.023 | .0205 | ---- | ---- | 6 | ---- | 25 + 1 |
| 10125 | ---- | ---- | ---- | 0.064B/0.126A | ---- | 0.092 - 0.023 | .0202 | ---- | ---- | ---- | ---- | 1 UNCH |
| 10150 | ---- | ---- | ---- | 0.053B/0.125A | ---- | 0.090 - 0.023 | .0198 | ---- | ---- | ---- | ---- | 2 UNCH |
| 10175 | ---- | ---- | ---- | 0.061B/0.120A | ---- | 0.089 - 0.023 | .0195 | ---- | ---- | ---- | ---- | 1 UNCH |
| 10200 | ---- | ---- | ---- | 0.067B/0.118A | ---- | 0.087 - 0.024 | .0190 | ---- | ---- | ---- | ---- | 14 UNCH |
| 10225 | ---- | ---- | ---- | 0.049B/0.116A | ---- | 0.086 - 0.024 | .0188 | ---- | ---- | ---- | ---- | 1 UNCH |
| 10275 | ---- | ---- | ---- | 0.056B/0.108A | ---- | 0.083 - 0.024 | .0180 | ---- | ---- | ---- | ---- | 1 UNCH |
| 10300 | ---- | ---- | ---- | 0.054B/0.114A | ---- | 0.082 - 0.024 | .0178 | ---- | ---- | ---- | ---- | 12 UNCH |
| 10375 | ---- | ---- | ---- | 0.050B/0.109A | ---- | 0.078 - 0.025 | .0168 | ---- | ---- | ---- | ---- | 2 UNCH |
| 10400 | ---- | ---- | ---- | 0.041B/0.106A | ---- | 0.077 - 0.025 | .0165 | ---- | ---- | ---- | ---- | 26 UNCH |
| 10425 | ---- | ---- | ---- | 0.049B/*0.105A | ---- | 0.076 - 0.024 | .0163 | ---- | ---- | ---- | ---- | 1 UNCH |
| 10450 | ---- | ---- | ---- | 0.039B/*0.099A | ---- | 0.075 - 0.024 | .0160 | ---- | ---- | ---- | ---- | 3 UNCH |
| 10475 | ---- | ---- | ---- | 0.035B/*0.098A | ---- | 0.074 - 0.024 | .0158 | ---- | ---- | ---- | ---- | 2 UNCH |
| 10500 | 0.085 | 0.085 | 0.085/*0.085 | 0.085/*0.085 | ---- | 0.074 - 0.023 | .0157 | ---- | ---- | 40 | ---- | 319 - 21 |
| 10525 | ---- | ---- | ----/*0.095A | 0.039B/*0.095A | ---- | 0.073 - 0.023 | .0154 | ---- | ---- | ---- | ---- | 12 UNCH |
| 10550 | ---- | ---- | ---- | 0.043B/*0.095A | ---- | 0.072 - 0.023 | .0152 | ---- | ---- | ---- | ---- | 1 UNCH |
| 10575 | ---- | ---- | ---- | 0.042B/*0.094A | ---- | 0.072 - 0.021 | .0151 | ---- | ---- | ---- | ---- | 4 UNCH |
| 10600 | ---- | ---- | ---- | 0.070B/*0.093A | ---- | 0.071 - 0.021 | .0149 | ---- | ---- | ---- | ---- | 35 UNCH |
| 10625 | ---- | ---- | ---- | 0.039B/0.091A | ---- | 0.070 - 0.021 | .0146 | ---- | ---- | ---- | ---- | 1 UNCH |
| 10650 | ---- | ---- | ---- | 0.017B/0.100A | ---- | 0.070 - 0.019 | .0145 | ---- | ---- | ---- | ---- | 2 UNCH |
| 10675 | ---- | ---- | ----/*0.087A | 0.015B/*0.087A | ---- | 0.069 - 0.019 | .0143 | ---- | ---- | ---- | ---- | 15 UNCH |
| 10700 | ---- | ---- | ---- | 0.019B/*0.088A | ---- | 0.069 - 0.018 | .0142 | ---- | ---- | ---- | ---- | 80 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SO CALL | | COMEX SILVER OPTIONS | | | | | | | | | | |
| JUN26 | | | | | | | | | | | | |
| 10750 | ---- | ---- | ---- | 0.017B/*0.085A | ---- | 0.067 - 0.017 | .0138 | ---- | ---- | ---- | ---- | 5 UNCH |
| 10800 | 0.065 | 0.065 | 0.065/*0.065 | 0.065/*0.065 | ---- | 0.066 - 0.015 | .0135 | ---- | ---- | 1 | ---- | 3 + 1 |
| 10825 | ---- | ---- | ---- | 0.010B/0.093A | ---- | 0.066 - 0.013 | .0134 | ---- | ---- | ---- | ---- | 1 UNCH |
| 10850 | ---- | ---- | ---- | 0.009B/0.092A | ---- | 0.065 - 0.013 | .0132 | ---- | ---- | ---- | ---- | 12 UNCH |
| 10875 | ---- | ---- | ---- | 0.009B/0.091A | ---- | 0.064 - 0.013 | .0130 | ---- | ---- | ---- | ---- | 6 UNCH |
| 10900 | ---- | ---- | ---- | 0.025B/0.090A | ---- | 0.064 - 0.011 | .0129 | ---- | ---- | ---- | ---- | 22 UNCH |
| 10925 | ---- | ---- | ---- | 0.009B/0.089A | ---- | 0.063 - 0.011 | .0127 | ---- | ---- | ---- | ---- | 2 UNCH |
| 10950 | ---- | ---- | ---- | 0.009B/0.089A | ---- | 0.062 - 0.010 | .0125 | ---- | ---- | ---- | ---- | 4 UNCH |
| 11000 | 0.055 | 0.055 | 0.055/*0.055 | 0.055/*0.055 | ---- | 0.061 - 0.009 | .0122 | ---- | ---- | 2 | ---- | 419 - 1 |
| 11025 | ---- | ---- | ---- | 0.009B/0.087A | ---- | 0.061 - 0.007 | .0121 | ---- | ---- | ---- | ---- | 1 UNCH |
| 11050 | ---- | ---- | ---- | 0.009B/0.086A | ---- | 0.060 - 0.007 | .0119 | ---- | ---- | 1 | ---- | 4 - 1 |
| 11075 | ---- | ---- | ---- | 0.009B/0.085A | ---- | 0.059 - 0.007 | .0117 | ---- | ---- | ---- | ---- | 5 UNCH |
| 11100 | ---- | ---- | ---- | 0.009B/0.084A | ---- | 0.059 - 0.006 | .0117 | ---- | ---- | ---- | ---- | 3 UNCH |
| 11125 | ---- | ---- | ---- | 0.009B/*0.084A | ---- | 0.058 - 0.005 | .0115 | ---- | ---- | ---- | ---- | 5 UNCH |
| 11175 | ---- | ---- | ---- | 0.009B/*0.083A | ---- | 0.057 - 0.004 | .0112 | ---- | ---- | ---- | ---- | 3 UNCH |
| 11200 | ---- | ---- | ---- | 0.009B/*0.082A | ---- | 0.057 - 0.003 | .0111 | ---- | ---- | ---- | ---- | 8 UNCH |
| 11225 | ---- | ---- | ---- | 0.009B/*0.082A | ---- | 0.056 - 0.003 | .0109 | ---- | ---- | ---- | ---- | 3 UNCH |
| 11300 | ---- | ---- | ---- | 0.009B/*0.080A | ---- | 0.054 - 0.002 | .0105 | ---- | ---- | ---- | ---- | 2 UNCH |
| 11325 | ---- | ---- | ---- | 0.009B/*0.080A | ---- | 0.054 - 0.001 | .0104 | ---- | ---- | ---- | ---- | 6 UNCH |
| 11350 | ---- | ---- | ---- | 0.009B/*0.079A | ---- | 0.053 - 0.001 | .0102 | ---- | ---- | ---- | ---- | 3 UNCH |
| 11375 | ---- | ---- | ---- | 0.009B/*0.079A | ---- | 0.053 - 0.001 | .0102 | ---- | ---- | ---- | ---- | 2 UNCH |
| 11400 | ---- | ---- | ---- | 0.009B/*0.077A | ---- | 0.052 - 0.001 | .0100 | ---- | ---- | ---- | ---- | 163 UNCH |
| 11425 | ---- | ---- | ---- | 0.009B/*0.077A | ---- | 0.052 UNCH | .0100 | ---- | ---- | ---- | ---- | 12 UNCH |
| 11450 | ---- | ---- | ---- | 0.009B/*0.077A | ---- | 0.051 UNCH | .0098 | ---- | ---- | ---- | ---- | 13 UNCH |
| 11475 | ---- | ---- | ---- | 0.009B/*0.077A | ---- | 0.051 UNCH | .0097 | ---- | ---- | ---- | ---- | 8 UNCH |
| 11500 | 0.043 | 0.043 | 0.043/*0.043 | 0.043/*0.043 | ---- | 0.051 + 0.001 | .0097 | ---- | ---- | 1 | ---- | 262 + 1 |
| 11525 | ---- | ---- | ---- | 0.009B/*0.075A | ---- | 0.050 UNCH | .0095 | ---- | ---- | ---- | ---- | 8 UNCH |
| 11550 | ---- | ---- | ---- | 0.009B/*0.075A | ---- | 0.050 + 0.001 | .0095 | ---- | ---- | ---- | ---- | 1 UNCH |
| 11575 | ---- | ---- | ---- | 0.009B/*0.075A | ---- | 0.049 UNCH | .0093 | ---- | ---- | ---- | ---- | 4 UNCH |
| 11600 | ---- | ---- | ---- | 0.009B/*0.075A | ---- | 0.049 + 0.001 | .0092 | ---- | ---- | ---- | ---- | 1 UNCH |
| 11625 | ---- | ---- | ---- | 0.009B/*0.074A | ---- | 0.048 UNCH | .0090 | ---- | ---- | ---- | ---- | 21 UNCH |
| 11675 | ---- | ---- | ---- | 0.008B/*0.073A | ---- | 0.047 UNCH | .0088 | ---- | ---- | ---- | ---- | 2 UNCH |
| 11700 | ---- | ---- | ---- | 0.008B/*0.072A | ---- | 0.046 UNCH | .0086 | ---- | ---- | ---- | ---- | 8 UNCH |
| 11725 | ---- | ---- | ---- | 0.008B/*0.072A | ---- | 0.046 UNCH | .0086 | ---- | ---- | ---- | ---- | 2 UNCH |
| 11750 | ---- | ---- | ---- | 0.007B/*0.073A | ---- | 0.045 UNCH | .0084 | ---- | ---- | ---- | ---- | 15 UNCH |
| 11775 | ---- | ---- | ---- | 0.004B/*0.074A | ---- | 0.045 UNCH | .0084 | ---- | ---- | ---- | ---- | 2 UNCH |
| 11800 | ---- | ---- | ---- | 0.004B/*0.072A | ---- | 0.044 UNCH | .0082 | ---- | ---- | ---- | ---- | 6 UNCH |
| 11825 | ---- | ---- | ---- | 0.008B/*0.071A | ---- | 0.044 UNCH | .0082 | ---- | ---- | ---- | ---- | 9 UNCH |
| 11850 | ---- | ---- | ---- | 0.007B/*0.071A | ---- | 0.043 UNCH | .0080 | ---- | ---- | ---- | ---- | 5 UNCH |
| 11875 | ---- | ---- | ---- | 0.003B/*0.074A | ---- | 0.043 UNCH | .0080 | ---- | ---- | ---- | ---- | 1 UNCH |
| 11900 | ---- | ---- | ---- | 0.004B/*0.077A | ---- | 0.042 UNCH | .0078 | ---- | ---- | ---- | ---- | 1 UNCH |
| 11925 | ---- | ---- | ---- | 0.005B/*0.077A | ---- | 0.042 UNCH | .0077 | ---- | ---- | ---- | ---- | 8 UNCH |
| 11950 | ---- | ---- | ---- | 0.003B/*0.064A | ---- | 0.041 UNCH | .0076 | ---- | ---- | ---- | ---- | 6 UNCH |
| 11975 | ---- | ---- | ---- | 0.003B/*0.077A | ---- | 0.041 UNCH | .0075 | ---- | ---- | ---- | ---- | 1 UNCH |
| 12000 | 0.033 | 0.033 | 0.033/*0.033 | 0.033/*0.033 | ---- | 0.040 UNCH | .0074 | ---- | ---- | 2 | ---- | 369 UNCH |
| 12025 | ---- | ---- | ---- | 0.004B/*0.077A | ---- | 0.040 UNCH | .0073 | ---- | ---- | ---- | ---- | 11 UNCH |
| 12050 | ---- | ---- | ---- | 0.002B/0.078A | ---- | 0.039 UNCH | .0072 | ---- | ---- | ---- | ---- | 1 UNCH |
| 12075 | ---- | ---- | ---- | 0.001B/0.081A | ---- | 0.039 UNCH | .0071 | ---- | ---- | ---- | ---- | 1 UNCH |
| 12125 | ---- | ---- | ---- | 0.001B/0.080A | ---- | 0.038 UNCH | .0069 | ---- | ---- | ---- | ---- | 1 UNCH |
| 12200 | ---- | ---- | ---- | 0.001B/0.078A | ---- | 0.036 UNCH | .0066 | ---- | ---- | ---- | ---- | 13 UNCH |
| 12225 | ---- | ---- | ---- | 0.001B/0.078A | ---- | 0.036 UNCH | .0065 | ---- | ---- | ---- | ---- | 7 UNCH |
| 12275 | ---- | ---- | ---- | 0.001B/0.077A | ---- | 0.035 UNCH | .0063 | ---- | ---- | ---- | ---- | 1 UNCH |
| 12325 | ---- | ---- | ---- | 0.001B/0.077A | ---- | 0.034 UNCH | .0061 | ---- | ---- | ---- | ---- | 4 UNCH |
| 12350 | ---- | ---- | ---- | 0.001B/0.076A | ---- | 0.033 - 0.001 | .0060 | ---- | ---- | ---- | ---- | 5 UNCH |
| 12400 | ---- | ---- | ---- | 0.001B/0.076A | ---- | 0.033 UNCH | .0059 | ---- | ---- | ---- | ---- | 23 UNCH |
| 12425 | ---- | ---- | ---- | 0.001B/0.075A | ---- | 0.032 UNCH | .0058 | ---- | ---- | ---- | ---- | 1 UNCH |
| 12450 | ---- | ---- | ---- | 0.001B/0.075A | ---- | 0.032 UNCH | .0057 | ---- | ---- | ---- | ---- | 9 UNCH |
| 12475 | ---- | ---- | ---- | 0.001B/0.075A | ---- | 0.031 - 0.001 | .0056 | ---- | ---- | ---- | ---- | 1 UNCH |
| 12500 | ---- | ---- | ---- | 0.001B/0.074A | ---- | 0.031 UNCH | .0056 | ---- | ---- | ---- | ---- | 108 UNCH |
| 12525 | ---- | ---- | ---- | 0.001B/0.074A | ---- | 0.031 UNCH | .0055 | ---- | ---- | ---- | ---- | 37 UNCH |
| 12550 | ---- | ---- | ---- | 0.001B/0.074A | ---- | 0.030 - 0.001 | .0054 | ---- | ---- | ---- | ---- | 6 UNCH |
| 12575 | ---- | ---- | ---- | 0.001B/0.073A | ---- | 0.030 UNCH | .0054 | ---- | ---- | ---- | ---- | 2 UNCH |
| 12600 | ---- | ---- | ---- | 0.001B/0.073A | ---- | 0.030 UNCH | .0053 | ---- | ---- | ---- | ---- | 9 UNCH |
| 12650 | ---- | ---- | ---- | 0.001B/0.072A | ---- | 0.029 - 0.001 | .0052 | ---- | ---- | ---- | ---- | 2 UNCH |
| 12675 | ---- | ---- | ---- | 0.001B/0.072A | ---- | 0.029 - 0.001 | .0051 | ---- | ---- | ---- | ---- | 2 UNCH |
| 12700 | ---- | ---- | ---- | 0.001B/0.071A | ---- | 0.029 UNCH | .0051 | ---- | ---- | ---- | ---- | 11 UNCH |
| 12725 | ---- | ---- | ---- | 0.001B/0.071A | ---- | 0.029 UNCH | .0051 | ---- | ---- | ---- | ---- | 2 UNCH |
| 12750 | ---- | ---- | ---- | 0.001B/0.071A | ---- | 0.028 - 0.001 | .0049 | ---- | ---- | ---- | ---- | 2 UNCH |
| 12775 | ---- | ---- | ---- | 0.001B/0.070A | ---- | 0.028 - 0.001 | .0049 | ---- | ---- | ---- | ---- | 7 UNCH |
| 12800 | ---- | ---- | ---- | 0.001B/0.070A | ---- | 0.028 UNCH | .0049 | ---- | ---- | ---- | ---- | 34 UNCH |
| 12900 | ---- | ---- | ---- | 0.001B/0.069A | ---- | 0.027 - 0.001 | .0047 | ---- | ---- | ---- | ---- | 6 UNCH |
| 13000 | ---- | ---- | ---- | 0.001B/0.067A | ---- | 0.026 - 0.001 | .0045 | ---- | ---- | ---- | ---- | 521 UNCH |
| 13100 | ---- | ---- | ---- | 0.001B/0.066A | ---- | 0.025 - 0.001 | .0043 | ---- | ---- | ---- | ---- | 4 UNCH |
| 13200 | ---- | ---- | ---- | 0.001B/0.065A | ---- | 0.024 - 0.001 | .0041 | ---- | ---- | ---- | ---- | 3 UNCH |
| 13300 | ---- | ---- | ---- | ----/0.064A | ---- | 0.023 - 0.001 | .0039 | ---- | ---- | ---- | ---- | 3 UNCH |
| 13400 | ---- | ---- | ---- | ----/0.063A | ---- | 0.023 UNCH | .0039 | ---- | ---- | ---- | ---- | 5 UNCH |
| 13500 | 0.060 | 0.060 | 0.060/0.060 | 0.060/0.060 | ---- | 0.022 UNCH | .0037 | ---- | ---- | 1 | ---- | 26 - 1 |
| 13600 | ---- | ---- | ---- | ----/0.061A | ---- | 0.021 - 0.001 | .0035 | ---- | ---- | ---- | ---- | 7 UNCH |
| 13700 | ---- | ---- | ---- | ----/0.060A | ---- | 0.020 - 0.001 | .0033 | ---- | ---- | ---- | ---- | 5 UNCH |
| 13800 | ---- | ---- | ---- | ----/0.060A | ---- | 0.020 - 0.001 | .0033 | ---- | ---- | ---- | ---- | 1 UNCH |
| 13900 | ---- | ---- | ---- | ----/0.059A | ---- | 0.019 - 0.001 | .0031 | ---- | ---- | ---- | ---- | 3 UNCH |
| 14000 | ---- | ---- | ---- | ----/0.058A | ---- | 0.019 - 0.001 | .0031 | ---- | ---- | ---- | ---- | 292 UNCH |
| 14200 | ---- | ---- | ---- | ----/0.057A | ---- | 0.018 - 0.001 | .0029 | ---- | ---- | ---- | ---- | 60 UNCH |
| 14300 | ---- | ---- | ---- | ----/0.056A | ---- | 0.018 - 0.001 | .0029 | ---- | ---- | ---- | ---- | 1 UNCH |
| 14400 | ---- | ---- | ---- | ----/0.056A | ---- | 0.017 - 0.001 | .0027 | ---- | ---- | ---- | ---- | 65 UNCH |
| 14500 | ---- | ---- | ---- | ----/0.055A | ---- | 0.017 - 0.001 | .0027 | ---- | ---- | ---- | ---- | 31 UNCH |
| 14600 | ---- | ---- | ---- | ----/0.055A | ---- | 0.017 - 0.001 | .0027 | ---- | ---- | ---- | ---- | 7 UNCH |
| 14700 | ---- | ---- | ---- | ----/0.054A | ---- | 0.017 UNCH | .0026 | ---- | ---- | ---- | ---- | 11 UNCH |
| 14800 | ---- | ---- | ---- | ----/0.053A | ---- | 0.016 - 0.001 | .0025 | ---- | ---- | ---- | ---- | 10 UNCH |
| 14900 | ---- | ---- | ---- | ----/0.053A | ---- | 0.016 - 0.001 | .0025 | ---- | ---- | ---- | ---- | 6 UNCH |
| 15000 | 0.010 | 0.010 | 0.010/*0.010 | 0.010/*0.010 | ---- | 0.016 - 0.001 | .0024 | ---- | ---- | 5 | ---- | 146 UNCH |
| 15300 | ---- | ---- | ---- | ----/0.040A | ---- | 0.015 - 0.001 | .0023 | ---- | ---- | ---- | ---- | 2 UNCH |
| 15400 | ---- | ---- | ---- | ----/0.056A | ---- | 0.015 - 0.001 | .0022 | ---- | ---- | ---- | ---- | 1 UNCH |
| 15500 | ---- | ---- | ---- | ----/0.058A | ---- | 0.015 UNCH | .0022 | ---- | ---- | ---- | ---- | 6 UNCH |
| 15600 | ---- | ---- | ---- | ----/0.317A | ---- | 0.014 - 0.001 | .0021 | ---- | ---- | ---- | ---- | 1 UNCH |
| 15700 | ---- | ---- | ---- | ----/0.319A | ---- | 0.014 - 0.001 | .0021 | ---- | ---- | ---- | ---- | 1 UNCH |
| 15800 | ---- | ---- | ---- | ----/0.320A | ---- | 0.014 - 0.001 | .0020 | ---- | ---- | ---- | ---- | 6 UNCH |
| 15900 | ---- | ---- | ---- | ----/0.322A | ---- | 0.014 - 0.001 | .0020 | ---- | ---- | ---- | ---- | 8 UNCH |
| 16000 | ---- | ---- | ---- | 0.010B/0.324A | ---- | 0.013 - 0.001 | .0019 | ---- | ---- | ---- | ---- | 199 UNCH |
| 16200 | ---- | ---- | ---- | ----/0.327A | ---- | 0.013 - 0.001 | .0019 | ---- | ---- | ---- | ---- | 36 UNCH |
| 16400 | ---- | ---- | ---- | ----/0.329A | ---- | 0.012 - 0.001 | .0017 | ---- | ---- | ---- | ---- | 1 UNCH |
| 16500 | ---- | ---- | ---- | ----/0.331A | ---- | 0.012 - 0.001 | .0017 | ---- | ---- | ---- | ---- | 30 UNCH |
| 16600 | ---- | ---- | ---- | ----/0.332A | ---- | 0.012 - 0.001 | .0017 | ---- | ---- | ---- | ---- | 2 UNCH |
| 16700 | ---- | ---- | ---- | ----/0.333A | ---- | 0.012 - 0.001 | .0017 | ---- | ---- | ---- | ---- | 7 UNCH |
| 16800 | ---- | ---- | ---- | ----/0.334A | ---- | 0.012 - 0.001 | .0017 | ---- | ---- | ---- | ---- | 3 UNCH |
| 17000 | ---- | ---- | ---- | ----/0.337A | ---- | 0.011 - 0.001 | .0015 | ---- | ---- | ---- | ---- | 27 UNCH |
| 17100 | ---- | ---- | ---- | ----/0.338A | ---- | 0.011 - 0.001 | .0015 | ---- | ---- | ---- | ---- | 5 UNCH |
| 17200 | ---- | ---- | ---- | ----/0.339A | ---- | 0.011 - 0.001 | .0015 | ---- | ---- | ---- | ---- | 5 UNCH |
| 17300 | ---- | ---- | ---- | ----/0.340A | ---- | 0.011 UNCH | .0015 | ---- | ---- | ---- | ---- | 11 UNCH |
| 17400 | ---- | ---- | ---- | ----/0.341A | ---- | 0.010 - 0.001 | .0014 | ---- | ---- | ---- | ---- | 2 UNCH |
| 17500 | ---- | ---- | ---- | ----/0.342A | ---- | 0.010 - 0.001 | .0014 | ---- | ---- | ---- | ---- | 63 UNCH |
| 17700 | ---- | ---- | ---- | ----/0.344A | ---- | 0.010 - 0.001 | .0013 | ---- | ---- | ---- | ---- | 3 UNCH |
| 17800 | ---- | ---- | ---- | ----/0.345A | ---- | 0.010 UNCH | .0013 | ---- | ---- | ---- | ---- | 3 UNCH |
| 18000 | ---- | ---- | ---- | ----/0.347A | ---- | 0.009 - 0.001 | .0012 | ---- | ---- | ---- | ---- | 46 UNCH |
| 18100 | ---- | ---- | ---- | ----/0.348A | ---- | 0.009 - 0.001 | .0012 | ---- | ---- | ---- | ---- | 2 UNCH |
| 18300 | ---- | ---- | ---- | ----/0.350A | ---- | 0.009 - 0.001 | .0012 | ---- | ---- | ---- | ---- | 1 UNCH |
| 18900 | ---- | ---- | ---- | ----/0.354A | ---- | 0.008 UNCH | .0010 | ---- | ---- | ---- | ---- | 1 UNCH |
| 19000 | ---- | ---- | ---- | ----/0.160A | ---- | 0.007 - 0.001 | .0009 | ---- | ---- | ---- | ---- | 229 UNCH |
| 19500 | ---- | ---- | ---- | ----/0.358A | ---- | 0.007 UNCH | .0009 | ---- | ---- | ---- | ---- | 126 UNCH |
| 19600 | ---- | ---- | ---- | ----/0.359A | ---- | 0.007 UNCH | .0009 | ---- | ---- | ---- | ---- | 2 UNCH |
| 19900 | ---- | ---- | ---- | ----/0.361A | ---- | 0.006 - 0.001 | .0007 | ---- | ---- | ---- | ---- | 28 UNCH |
| 20000 | ---- | ---- | ---- | 0.004B/0.011A | ---- | 0.006 - 0.001 | .0007 | ---- | ---- | ---- | ---- | 240 UNCH |
| 21000 | ---- | ---- | ---- | ----/0.367A | ---- | 0.005 UNCH | .0006 | ---- | ---- | ---- | ---- | 20 UNCH |
| 23000 | ---- | ---- | ---- | ----/0.374A | ---- | 0.003 - 0.001 | .0003 | ---- | ---- | ---- | ---- | 14 UNCH |
| 25000 | 0.006 | 0.006 | 0.006/0.006 | 0.006/0.006 | ---- | 0.002 UNCH | .0002 | ---- | ---- | 1 | ---- | 302 UNCH |
| 27000 | ---- | ---- | ---- | ----/0.382A | ---- | 0.001 UNCH | .0001 | ---- | ---- | ---- | ---- | 3 UNCH |
| 30000 | ---- | ---- | ---- | ----/0.004A | ---- | 0.001 UNCH | .0000 | ---- | ---- | ---- | ---- | 31 UNCH |
| 32000 | ---- | ---- | ---- | ----/0.004A | ---- | 0.001 UNCH | .0000 | ---- | ---- | ---- | ---- | 1 UNCH |
| 35000 | ---- | ---- | ---- | ----/0.002A | ---- | 0.001 UNCH | ---- | ---- | ---- | ---- | ---- | 45 UNCH |
| TOTAL | | | | | | | | | | 372 | 0 | 17821 + 87 |
| JUL26 | | | | | | | | | | | | |
| 2700 | ---- | ---- | 47.293B/46.483A | 47.293B/46.483A | ---- | 46.581 + 0.059 | .9987 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3900 | ---- | ---- | 35.302B/34.484A | 35.302B/34.484A | ---- | 34.582 + 0.059 | .9935 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4000 | ---- | ---- | 34.302B/33.449A | 34.302B/33.449A | ---- | 33.583 + 0.059 | .9929 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4500 | ---- | ---- | 29.423B/28.397A | 29.423B/28.397A | ---- | 28.597 + 0.056 | .9889 | ---- | ---- | ---- | ---- | 28 UNCH |
| 4600 | ---- | ---- | 28.466B/27.372A | 28.466B/27.372A | ---- | 27.604 + 0.055 | .9875 | ---- | ---- | ---- | ---- | 124 UNCH |
| 4700 | ---- | ---- | 27.323B/26.519A | 27.323B/26.519A | ---- | 26.614 + 0.054 | .9855 | ---- | ---- | ---- | ---- | 1 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SO CALL | | COMEX SILVER OPTIONS | | | | | | | | | | |
| JUL26 | | | | | | | | | | | | |
| 4750 | ---- | ---- | 26.828B/25.984A | 26.828B/25.984A | ---- | 26.120 + 0.054 | .9844 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4825 | ---- | ---- | 26.086B/25.245A | 26.086B/25.245A | ---- | 25.380 + 0.053 | .9826 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4900 | ---- | ---- | 25.346B/24.507A | 25.346B/24.507A | ---- | 24.642 + 0.052 | .9805 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4925 | ---- | ---- | 25.155B/24.260A | 25.155B/24.260A | ---- | 24.396 + 0.051 | .9798 | ---- | ---- | ---- | ---- | 16 UNCH |
| 5000 | ---- | ---- | 24.504B/23.431A | 24.504B/23.431A | ---- | 23.661 + 0.050 | .9774 | ---- | ---- | ---- | ---- | 307 UNCH |
| 5025 | ---- | ---- | 24.116B/23.273A | 24.116B/23.273A | ---- | 23.416 + 0.050 | .9765 | ---- | ---- | ---- | ---- | 4 UNCH |
| 5050 | ---- | ---- | 23.870B/23.039A | 23.870B/23.039A | ---- | 23.172 + 0.049 | .9757 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5100 | ---- | ---- | 23.525B/22.452A | 23.525B/22.452A | ---- | 22.683 + 0.047 | .9737 | ---- | ---- | 11 | ---- | 134 + 1 |
| 5150 | ---- | ---- | 22.949B/22.066A | 22.949B/22.066A | ---- | 22.196 + 0.045 | .9717 | ---- | ---- | ---- | ---- | 6 UNCH |
| 5200 | ---- | ---- | 22.510B/21.519A | 22.510B/21.519A | ---- | 21.710 + 0.043 | .9694 | ---- | ---- | ---- | ---- | 40 UNCH |
| 5225 | ---- | ---- | 22.220B/21.340A | 22.220B/21.340A | ---- | 21.467 + 0.041 | .9683 | ---- | ---- | ---- | ---- | 9 UNCH |
| 5250 | ---- | ---- | 21.921B/21.089A | 21.921B/21.089A | ---- | 21.225 + 0.040 | .9671 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5275 | ---- | ---- | 21.678B/20.848A | 21.678B/20.848A | ---- | 20.983 + 0.038 | .9658 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5300 | ---- | ---- | 21.493B/20.617A | 21.493B/20.617A | ---- | 20.742 + 0.037 | .9645 | ---- | ---- | ---- | ---- | 7 UNCH |
| 5350 | ---- | ---- | 21.098B/20.037A | 21.098B/20.037A | ---- | 20.260 + 0.033 | .9617 | ---- | ---- | ---- | ---- | 157 UNCH |
| 5375 | ---- | ---- | 20.713B/19.890A | 20.713B/19.890A | ---- | 20.020 + 0.031 | .9603 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5400 | ---- | ---- | 20.528B/19.658A | 20.528B/19.658A | ---- | 19.780 + 0.028 | .9587 | ---- | ---- | ---- | ---- | 21 UNCH |
| 5425 | ---- | ---- | 20.292B/19.356A | 20.292B/19.356A | ---- | 19.540 + 0.025 | .9572 | ---- | ---- | ---- | ---- | 42 UNCH |
| 5450 | ---- | ---- | 19.993B/19.177A | 19.993B/19.177A | ---- | 19.301 + 0.022 | .9555 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5500 | ---- | ---- | 19.660B/18.617A | 19.660B/18.617A | ---- | 18.825 + 0.016 | .9520 | ---- | ---- | ---- | ---- | 496 UNCH |
| 5550 | ---- | ---- | 19.040B/18.241A | 19.040B/18.241A | ---- | 18.351 + 0.010 | .9481 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5600 | ---- | ---- | 18.691B/17.676A | 18.691B/17.676A | ---- | 17.880 + 0.005 | .9439 | ---- | ---- | ---- | ---- | 106 UNCH |
| 5650 | ---- | ---- | 18.148B/17.236A | 18.148B/17.236A | ---- | 17.411 - 0.001 | .9394 | ---- | ---- | ---- | ---- | 43 UNCH |
| 5675 | ---- | ---- | 17.922B/17.007A | 17.922B/17.007A | ---- | 17.179 - 0.002 | .9370 | ---- | ---- | ---- | ---- | 25 UNCH |
| 5700 | ---- | ---- | 17.688B/16.776A | 17.688B/16.776A | ---- | 16.946 - 0.005 | .9345 | ---- | ---- | ---- | ---- | 26 UNCH |
| 5750 | ---- | ---- | 17.300B/16.281A | 17.300B/16.281A | ---- | 16.485 - 0.008 | .9291 | ---- | ---- | ---- | ---- | 164 UNCH |
| 5775 | ---- | ---- | 16.934B/16.145A | 16.934B/16.145A | ---- | 16.255 - 0.010 | .9263 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5800 | ---- | ---- | 16.760B/15.918A | 16.760B/15.918A | ---- | 16.027 - 0.011 | .9234 | ---- | ---- | ---- | ---- | 16 UNCH |
| 5900 | ---- | ---- | 15.866B/15.017A | 15.866B/15.017A | ---- | 15.123 - 0.015 | .9106 | ---- | ---- | ---- | ---- | 10 UNCH |
| 5925 | ---- | ---- | 15.640B/14.793A | 15.640B/14.793A | ---- | 14.899 - 0.017 | .9071 | ---- | ---- | ---- | ---- | 10 UNCH |
| 5950 | ---- | ---- | 15.409B/14.568A | 15.409B/14.568A | ---- | 14.677 - 0.018 | .9036 | ---- | ---- | ---- | ---- | 6 UNCH |
| 5975 | ---- | ---- | 15.180B/14.348A | 15.180B/14.348A | ---- | 14.456 - 0.019 | .8999 | ---- | ---- | ---- | ---- | 20 UNCH |
| 6000 | ---- | ---- | 15.049B/14.054A | 15.049B/14.054A | ---- | 14.236 - 0.020 | .8960 | ---- | ---- | ---- | ---- | 547 UNCH |
| 6050 | ---- | ---- | 14.606B/13.604A | 14.606B/13.604A | ---- | 13.800 - 0.023 | .8881 | ---- | ---- | ---- | ---- | 58 UNCH |
| 6075 | ---- | ---- | 14.232B/13.478A | 14.232B/13.478A | ---- | 13.584 - 0.025 | .8838 | ---- | ---- | ---- | ---- | 1 UNCH |
| 6100 | ---- | ---- | 14.079B/13.265A | 14.079B/13.265A | ---- | 13.370 - 0.026 | .8796 | ---- | ---- | ---- | ---- | 10 UNCH |
| 6200 | ---- | ---- | 13.307B/12.333A | 13.307B/12.333A | ---- | 12.525 - 0.034 | .8611 | ---- | ---- | ---- | ---- | 101 UNCH |
| 6250 | ---- | ---- | 12.730B/11.995A | 12.730B/11.995A | ---- | 12.111 - 0.040 | .8511 | ---- | ---- | ---- | ---- | 1 UNCH |
| 6300 | ---- | ---- | 12.312B/11.589A | 12.312B/11.589A | ---- | 11.704 - 0.045 | .8406 | ---- | ---- | ---- | ---- | 3 UNCH |
| 6350 | ---- | ---- | 11.902B/11.190A | 11.902B/11.190A | ---- | 11.303 - 0.051 | .8297 | ---- | ---- | ---- | ---- | 2 UNCH |
| 6450 | ---- | ---- | 11.105B/10.465A | 11.105B/10.465A | ---- | 10.521 - 0.065 | .8063 | ---- | ---- | ---- | ---- | 1 UNCH |
| 6500 | ---- | ---- | 10.862B/9.965A | 10.862B/9.965A | ---- | 10.140 - 0.073 | .7940 | ---- | ---- | ---- | ---- | 191 UNCH |
| 6600 | ---- | ---- | 10.107B/9.239A | 10.107B/9.239A | ---- | 9.402 - 0.088 | .7679 | ---- | ---- | ---- | ---- | 56 UNCH |
| 6650 | ---- | ---- | 9.743B/8.890A | 9.743B/8.890A | ---- | 9.045 - 0.096 | .7543 | ---- | ---- | ---- | ---- | 102 UNCH |
| 6750 | ---- | ---- | 9.038B/8.282A | 9.038B/8.282A | ---- | 8.357 - 0.111 | .7258 | ---- | ---- | ---- | ---- | 24 UNCH |
| 6800 | ---- | ---- | 8.705B/7.897A | 8.705B/7.897A | ---- | 8.027 - 0.118 | .7109 | ---- | ---- | ---- | ---- | 250 UNCH |
| 6825 | ---- | ---- | 8.541B/7.791A | 8.541B/7.791A | ---- | 7.866 - 0.121 | .7034 | ---- | ---- | ---- | ---- | 6 UNCH |
| 6850 | ---- | ---- | 8.216B/7.690A | 8.216B/7.690A | ---- | 7.707 - 0.125 | .6958 | ---- | ---- | ---- | ---- | 1 UNCH |
| 6875 | ---- | ---- | 8.180B/7.475A | 8.180B/7.475A | ---- | 7.552 - 0.126 | .6881 | ---- | ---- | ---- | ---- | 16 UNCH |
| 6900 | ---- | ---- | 8.068B/7.279A | 8.068B/7.279A | ---- | 7.399 - 0.129 | .6803 | ---- | ---- | ---- | ---- | 99 UNCH |
| 6950 | ---- | ---- | 7.622B/7.093A | 7.622B/7.093A | ---- | 7.101 - 0.133 | .6645 | ---- | ---- | 26 | ---- | 26 + 25 |
| 7000 | ---- | ---- | 7.463B/6.704A | 7.463B/6.704A | ---- | 6.815 - 0.135 | .6486 | ---- | ---- | ---- | ---- | 153 UNCH |
| 7025 | ---- | ---- | 7.316B/6.582A | 7.316B/6.582A | ---- | 6.676 - 0.136 | .6406 | ---- | ---- | ---- | ---- | 125 UNCH |
| 7050 | ---- | ---- | 6.998B/6.535A | 6.998B/6.535A | ---- | 6.540 - 0.136 | .6326 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7100 | ---- | ---- | 6.712B/6.262A | 6.712B/6.262A | ---- | 6.273 - 0.139 | .6165 | ---- | ---- | ---- | ---- | 5 UNCH |
| 7150 | ---- | ---- | 6.616B/5.892A | 6.616B/5.892A | ---- | 6.014 - 0.144 | .6004 | ---- | ---- | ---- | ---- | 100 UNCH |
| 7200 | ---- | ---- | 6.313B/5.612A | 6.313B/5.612A | ---- | 5.761 - 0.152 | .5843 | ---- | ---- | ---- | ---- | 11 UNCH |
| 7225 | ---- | ---- | 6.059B/5.491A | 6.059B/5.491A | ---- | 5.639 - 0.155 | .5762 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7250 | ---- | ---- | 6.093B/5.362A | 6.093B/5.362A | ---- | 5.520 - 0.157 | .5682 | ---- | ---- | 3 | ---- | 171 UNCH |
| 7300 | ---- | ---- | 5.798B/5.121A | 5.798B/5.121A | ---- | 5.296 - 0.154 | .5522 | ---- | ---- | ---- | ---- | 104 UNCH |
| 7325 | 5.452 | 5.452 | 5.747B/5.011A | 5.747B/5.011A | ---- | 5.189 - 0.150 | .5443 | ---- | ---- | 3 | ---- | 113 + 1 |
| 7350 | ---- | ---- | 5.595B/4.926A | 5.595B/4.926A | ---- | 5.082 - 0.149 | .5364 | ---- | ---- | ---- | ---- | 2 UNCH |
| 7400 | 5.059 | 5.059 | 5.379B/4.706A | 5.379B/4.706A | ---- | 4.870 - 0.150 | .5207 | ---- | ---- | 4 | ---- | 28 + 2 |
| 7425 | ---- | ---- | 5.253B/4.619A | 5.253B/4.619A | ---- | 4.764 - 0.154 | .5129 | ---- | ---- | 1 | ---- | 6 + 1 |
| 7450 | ---- | ---- | 5.143B/4.496A | 5.143B/4.496A | ---- | 4.660 - 0.157 | .5052 | ---- | ---- | ---- | ---- | 14 UNCH |
| 7475 | ---- | ---- | 5.035B/4.402A | 5.035B/4.402A | ---- | 4.558 - 0.160 | .4975 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7500 | 4.250 | 4.250 | 4.959B/4.250 | 4.959B/4.250 | ---- | 4.458 - 0.163 | .4898 | ---- | ---- | 3 | ---- | 300 UNCH |
| 7525 | ---- | ---- | 4.824B/4.213A | 4.824B/4.213A | ---- | 4.361 - 0.165 | .4822 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7550 | ---- | ---- | 4.722B/4.137A | 4.722B/4.137A | ---- | 4.267 - 0.166 | .4747 | ---- | ---- | ---- | ---- | 7 UNCH |
| 7575 | ---- | ---- | 4.624B/4.032A | 4.624B/4.032A | ---- | 4.175 - 0.167 | .4673 | ---- | ---- | ---- | ---- | 20 UNCH |
| 7600 | ---- | ---- | 4.556B/3.953A | 4.556B/3.953A | ---- | 4.086 - 0.166 | .4599 | ---- | ---- | 8 | 100 | 149 + 108 |
| 7650 | ---- | ---- | 4.337B/3.779A | 4.337B/3.779A | ---- | 3.914 - 0.165 | .4454 | ---- | ---- | ---- | ---- | 3 UNCH |
| 7675 | ---- | ---- | 4.255B/3.693A | 4.255B/3.693A | ---- | 3.831 - 0.163 | .4383 | ---- | ---- | ---- | ---- | 7 UNCH |
| 7700 | ---- | ---- | 4.186B/3.607A | 4.186B/3.607A | ---- | 3.750 - 0.162 | .4312 | ---- | ---- | 8 | ---- | 136 + 8 |
| 7750 | ---- | ---- | 4.011B/3.458A | 4.011B/3.458A | ---- | 3.593 - 0.159 | .4173 | ---- | ---- | 5 | ---- | 123 + 5 |
| 7800 | ---- | ---- | 3.843B/3.313A | 3.843B/3.313A | ---- | 3.444 - 0.154 | .4038 | ---- | ---- | ---- | ---- | 55 UNCH |
| 7850 | ---- | ---- | 3.654B/3.179A | 3.654B/3.179A | ---- | 3.301 - 0.150 | .3906 | ---- | ---- | 6 | ---- | 17 + 4 |
| 7900 | ---- | ---- | 3.530B/3.039A | 3.530B/3.039A | ---- | 3.165 - 0.145 | .3778 | ---- | ---- | ---- | ---- | 64 UNCH |
| 7925 | ---- | ---- | 3.430B/2.980A | 3.430B/2.980A | ---- | 3.099 - 0.143 | .3715 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7950 | ---- | ---- | 3.376B/2.913A | 3.376B/2.913A | ---- | 3.035 - 0.140 | .3653 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7975 | ---- | ---- | 3.294B/2.857A | 3.294B/2.857A | ---- | 2.972 - 0.138 | .3592 | ---- | ---- | ---- | ---- | 4 UNCH |
| 8000 | 3.142 | 3.142 | 3.241B/2.793A | 3.241B/2.793A | ---- | 2.910 - 0.136 | .3531 | ---- | ---- | 5 | ---- | 679 + 2 |
| 8025 | ---- | ---- | 3.146B/2.733A | 3.146B/2.733A | ---- | 2.851 - 0.133 | .3472 | ---- | ---- | ---- | ---- | 6 UNCH |
| 8050 | ---- | ---- | 3.100B/2.685A | 3.100B/2.685A | ---- | 2.792 - 0.131 | .3414 | ---- | ---- | ---- | ---- | 8 UNCH |
| 8075 | ---- | ---- | 3.027B/2.623A | 3.027B/2.623A | ---- | 2.735 - 0.128 | .3356 | ---- | ---- | ---- | ---- | 8 UNCH |
| 8100 | ---- | ---- | 2.977B/2.569A | 2.977B/2.569A | ---- | 2.679 - 0.126 | .3300 | ---- | ---- | ---- | ---- | 69 UNCH |
| 8150 | ---- | ---- | 2.829B/2.463A | 2.829B/2.463A | ---- | 2.572 - 0.120 | .3189 | ---- | ---- | ---- | ---- | 3 UNCH |
| 8175 | ---- | ---- | 2.777B/2.414A | 2.777B/2.414A | ---- | 2.520 - 0.118 | .3136 | ---- | ---- | ---- | ---- | 1 UNCH |
| 8200 | 2.510 | 2.510 | 2.739B/2.365A | 2.739B/2.365A | ---- | 2.469 - 0.116 | .3082 | ---- | ---- | 20 | ---- | 159 + 2 |
| 8250 | ---- | ---- | 2.627B/2.272A | 2.627B/2.272A | ---- | 2.371 - 0.111 | .2979 | ---- | ---- | 3 | ---- | 147 UNCH |
| 8300 | ---- | ---- | 2.521B/2.181A | 2.521B/2.181A | ---- | 2.278 - 0.106 | .2879 | ---- | ---- | 7 | ---- | 357 + 3 |
| 8325 | ---- | ---- | 2.445B/2.146A | 2.445B/2.146A | ---- | 2.233 - 0.104 | .2830 | ---- | ---- | ---- | ---- | 4 UNCH |
| 8350 | 2.371 | 2.371 | 2.417B/2.095A | 2.417B/2.095A | ---- | 2.189 - 0.102 | .2782 | ---- | ---- | 13 | ---- | 15 + 13 |
| 8375 | ---- | ---- | 2.362B/2.055A | 2.362B/2.055A | ---- | 2.146 - 0.100 | .2735 | ---- | ---- | ---- | ---- | 48 UNCH |
| 8400 | 2.260 | 2.260 | 2.321B/2.020A | 2.321B/2.020A | ---- | 2.105 - 0.097 | .2690 | ---- | ---- | 12 | ---- | 21 + 11 |
| 8425 | 2.216 | 2.216 | 2.258B/1.976A | 2.258B/1.976A | ---- | 2.064 NEW | .2644 | ---- | ---- | 12 | ---- | 12 + 12 |
| 8450 | 2.173 | 2.173 | 2.211B/1.937A | 2.211B/1.937A | ---- | 2.024 - 0.093 | .2600 | ---- | ---- | 11 | ---- | 11 + 10 |
| 8500 | 2.131 | 2.131 | 2.142B/1.863A | 2.142B/1.863A | ---- | 1.947 - 0.089 | .2513 | ---- | ---- | 28 | ---- | 818 + 9 |
| 8550 | ---- | ---- | 2.058B/1.793A | 2.058B/1.793A | ---- | 1.873 - 0.086 | .2429 | ---- | ---- | ---- | ---- | 246 UNCH |
| 8600 | ---- | ---- | 1.980B/1.726A | 1.980B/1.726A | ---- | 1.803 - 0.083 | .2348 | ---- | ---- | ---- | ---- | 103 UNCH |
| 8625 | 1.901 | 1.901 | 1.933B/1.701A | 1.933B/1.701A | ---- | 1.770 NEW | .2310 | ---- | ---- | 1 | ---- | 1 + 1 |
| 8650 | 1.866 | 1.866 | 1.902B/1.662A | 1.902B/1.662A | ---- | 1.737 - 0.080 | .2271 | ---- | ---- | 8 | ---- | 18 + 6 |
| 8675 | 1.832 | 1.832 | 1.852B/1.641A | 1.852B/1.641A | ---- | 1.704 - 0.079 | .2233 | ---- | ---- | 8 | ---- | 9 + 8 |
| 8700 | 1.798 | 1.798 | 1.832B/1.602A | 1.832B/1.602A | ---- | 1.673 - 0.077 | .2196 | ---- | ---- | 1 | ---- | 115 UNCH |
| 8750 | ---- | ---- | 1.765B/1.544A | 1.765B/1.544A | ---- | 1.612 - 0.075 | .2124 | ---- | ---- | ---- | ---- | 66 UNCH |
| 8775 | ---- | ---- | 1.725B/1.522A | 1.725B/1.522A | ---- | 1.583 - 0.074 | .2089 | ---- | ---- | ---- | ---- | 1 UNCH |
| 8800 | ---- | ---- | 1.694B/1.489A | 1.694B/1.489A | ---- | 1.554 - 0.073 | .2055 | ---- | ---- | ---- | ---- | 14 UNCH |
| 8825 | 1.460 | 1.460 | 1.700/1.460 | 1.700/1.460 | ---- | 1.526 - 0.072 | .2021 | ---- | ---- | 5 | ---- | 2 - 1 |
| 8850 | ---- | ---- | 1.633B/1.436A | 1.633B/1.436A | ---- | 1.499 - 0.071 | .1988 | ---- | ---- | ---- | ---- | 1 UNCH |
| 8900 | ---- | ---- | 1.581B/1.389A | 1.581B/1.389A | ---- | 1.446 - 0.069 | .1924 | ---- | ---- | ---- | ---- | 118 UNCH |
| 8925 | ---- | ---- | 1.549B/1.362A | 1.549B/1.362A | ---- | 1.420 - 0.068 | .1893 | ---- | ---- | ---- | ---- | 7 UNCH |
| 8950 | ---- | ---- | 1.521B/1.340A | 1.521B/1.340A | ---- | 1.395 - 0.067 | .1862 | ---- | ---- | ---- | ---- | 5 UNCH |
| 9000 | 1.435 | 1.435 | 1.473B/1.291A | 1.473B/1.291A | ---- | 1.347 - 0.066 | .1803 | ---- | ---- | 45 | ---- | 938 + 22 |
| 9050 | ---- | ---- | 1.413B/1.249A | 1.413B/1.249A | ---- | 1.301 - 0.064 | .1746 | ---- | ---- | ---- | ---- | 6 UNCH |
| 9075 | ---- | ---- | 1.388B/1.232A | 1.388B/1.232A | ---- | 1.279 - 0.063 | .1718 | ---- | ---- | ---- | ---- | 1 UNCH |
| 9100 | ---- | ---- | 1.364B/1.204A | 1.364B/1.204A | ---- | 1.257 - 0.062 | .1691 | ---- | ---- | ---- | ---- | 32 UNCH |
| 9200 | ---- | ---- | 1.280B/1.126A | 1.280B/1.126A | ---- | 1.175 - 0.059 | .1587 | ---- | ---- | ---- | ---- | 83 UNCH |
| 9225 | ---- | ---- | 1.247B/1.118A | 1.247B/1.118A | ---- | 1.155 - 0.058 | .1562 | ---- | ---- | ---- | ---- | 3 UNCH |
| 9250 | ---- | ---- | 1.226B/1.089A | 1.226B/1.089A | ---- | 1.136 - 0.058 | .1538 | ---- | ---- | ---- | ---- | 8 UNCH |
| 9300 | ---- | ---- | 1.197B/1.053A | 1.197B/1.053A | ---- | 1.100 - 0.055 | .1491 | ---- | ---- | 1 | ---- | 274 - 1 |
| 9350 | ---- | ---- | 1.154B/1.032A | 1.154B/1.032A | ---- | 1.065 - 0.053 | .1446 | ---- | ---- | ---- | ---- | 9 UNCH |
| 9375 | ---- | ---- | 1.122B/1.008A | 1.122B/1.008A | ---- | 1.048 - 0.053 | .1424 | ---- | ---- | ---- | ---- | 1 UNCH |
| 9400 | ---- | ---- | 1.104B/0.998A | 1.104B/0.998A | ---- | 1.031 - 0.052 | .1402 | ---- | ---- | ---- | ---- | 22 UNCH |
| 9425 | 1.087 | 1.087 | 1.102B/0.972A | 1.102B/0.972A | ---- | 1.015 - 0.051 | .1381 | ---- | ---- | 1 | ---- | 2 + 1 |
| 9450 | ---- | ---- | 1.085B/0.970A | 1.085B/0.970A | ---- | 1.000 - 0.049 | .1361 | ---- | ---- | ---- | ---- | 33 UNCH |
| 9475 | ---- | ---- | 1.068B/0.942A | 1.068B/0.942A | ---- | 0.984 - 0.049 | .1341 | ---- | ---- | ---- | ---- | 5 UNCH |
| 9500 | ---- | ---- | 1.046B/0.936A | 1.046B/0.936A | ---- | 0.969 - 0.048 | .1321 | ---- | ---- | 21 | ---- | 790 + 19 |
| 9525 | 1.014 | 1.014 | 1.031B/0.912A | 1.031B/0.912A | ---- | 0.954 - 0.047 | .1301 | ---- | ---- | 1 | ---- | 26 + 1 |
| 9550 | 1.040 | 1.040 | 1.040/0.903A | 1.040/0.903A | ---- | 0.940 - 0.045 | .1282 | ---- | ---- | 6 | ---- | 6 UNCH |
| 9600 | ---- | ---- | 0.986B/0.876A | 0.986B/0.876A | ---- | 0.912 - 0.043 | .1245 | ---- | ---- | ---- | ---- | 107 UNCH |
| 9650 | ---- | ---- | 0.953B/0.853A | 0.953B/0.853A | ---- | 0.886 - 0.040 | .1210 | ---- | ---- | ---- | ---- | 1 UNCH |
| 9700 | ---- | ---- | 0.929B/0.821A | 0.929B/0.821A | ---- | 0.861 - 0.037 | .1177 | ---- | ---- | ---- | ---- | 10 UNCH |
| 9725 | ---- | ---- | 0.915B/0.811A | 0.915B/0.811A | ---- | 0.849 - 0.036 | .1160 | ---- | ---- | ---- | ---- | 1 UNCH |
| 9750 | ---- | ---- | 0.901B/0.799A | 0.901B/0.799A | ---- | 0.837 - 0.034 | .1144 | ---- | ---- | ---- | ---- | 98 UNCH |
| 9775 | ---- | ---- | 0.887B/0.786A | 0.887B/0.786A | ---- | 0.825 - 0.033 | .1128 | ---- | ---- | ---- | ---- | 31 UNCH |
| 9800 | 0.782 | 0.782 | 0.874B/0.778A | 0.874B/0.778A | ---- | 0.813 - 0.032 | .1112 | ---- | ---- | 5 | ---- | 128 + 1 |
| 9825 | ---- | ---- | 0.861B/0.766A | 0.861B/0.766A | ---- | 0.802 - 0.031 | .1097 | ---- | ---- | ---- | ---- | 5 UNCH |
| 9850 | ---- | ---- | 0.849B/0.752A | 0.849B/0.752A | ---- | 0.791 - 0.029 | .1082 | ---- | ---- | ---- | ---- | 38 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SO CALL | | COMEX SILVER OPTIONS | | | | | | | | | | |
| JUL26 | | | | | | | | | | | | |
| 9900 | 0.815 | 0.815 | 0.824B/0.733A | 0.824B/0.733A | ---- | 0.769 - 0.027 | .1052 | ---- | ---- | 1 | ---- | 74 UNCH |
| 9925 | ---- | ---- | 0.812B/0.722A | 0.812B/0.722A | ---- | 0.758 - 0.026 | .1038 | ---- | ---- | ---- | ---- | 15 UNCH |
| 9950 | ---- | ---- | 0.800B/0.713A | 0.800B/0.713A | ---- | 0.748 - 0.025 | .1024 | ---- | ---- | ---- | ---- | 1 UNCH |
| 9975 | 0.704 | 0.704 | 0.784B/0.704 | 0.784B/0.704 | ---- | 0.737 NEW | .1009 | ---- | ---- | 3 | ---- | 3 + 3 |
| 10000 | 0.730 | 0.730 | 0.783/0.685A | 0.783/0.685A | ---- | 0.727 - 0.023 | .0996 | ---- | ---- | 96 | ---- | 1805 + 76 |
| 10025 | ---- | ---- | 0.766B/0.686A | 0.766B/0.686A | ---- | 0.717 - 0.022 | .0982 | ---- | ---- | ---- | ---- | 1 UNCH |
| 10100 | ---- | ---- | 0.734B/0.659A | 0.734B/0.659A | ---- | 0.687 - 0.020 | .0942 | ---- | ---- | ---- | ---- | 18 UNCH |
| 10125 | ---- | ---- | 0.723B/0.650A | 0.723B/0.650A | ---- | 0.678 - 0.019 | .0930 | ---- | ---- | ---- | ---- | 5 UNCH |
| 10200 | ---- | ---- | 0.693B/0.625A | 0.693B/0.625A | ---- | 0.650 - 0.017 | .0892 | ---- | ---- | ---- | ---- | 101 UNCH |
| 10250 | ---- | ---- | 0.668B/0.609A | 0.668B/0.609A | ---- | 0.632 - 0.016 | .0868 | ---- | ---- | ---- | ---- | 20 UNCH |
| 10275 | ---- | ---- | 0.662B/0.601A | 0.662B/0.601A | ---- | 0.623 - 0.016 | .0856 | ---- | ---- | ---- | ---- | 5 UNCH |
| 10300 | ---- | ---- | 0.652B/0.593A | 0.652B/0.593A | ---- | 0.615 - 0.016 | .0845 | ---- | ---- | ---- | ---- | 1 UNCH |
| 10325 | 0.641 | 0.641 | 0.641/0.586A | 0.641/0.586A | ---- | 0.607 NEW | .0834 | ---- | ---- | 1 | ---- | 1 + 1 |
| 10375 | ---- | ---- | 0.624B/0.571A | 0.624B/0.571A | ---- | 0.591 - 0.015 | .0812 | ---- | ---- | ---- | ---- | 18 UNCH |
| 10400 | 0.606 | 0.606 | 0.620B/0.564A | 0.620B/0.564A | ---- | 0.583 - 0.015 | .0801 | ---- | ---- | 1 | ---- | 15 UNCH |
| 10425 | 0.598 | 0.598 | 0.608B/0.557A | 0.608B/0.557A | ---- | 0.575 NEW | .0790 | ---- | ---- | 1 | ---- | 1 + 1 |
| 10475 | ---- | ---- | 0.592B/0.544A | 0.592B/0.544A | ---- | 0.561 - 0.016 | .0771 | ---- | ---- | ---- | ---- | 25 UNCH |
| 10500 | ---- | ---- | 0.587B/0.536A | 0.587B/0.536A | ---- | 0.554 - 0.016 | .0761 | ---- | ---- | ---- | ---- | 608 UNCH |
| 10550 | ---- | ---- | 0.570B/0.524A | 0.570B/0.524A | ---- | 0.540 - 0.017 | .0742 | ---- | ---- | ---- | ---- | 31 UNCH |
| 10600 | 0.545 | 0.545 | 0.557B/0.509A | 0.557B/0.509A | ---- | 0.527 - 0.018 | .0724 | ---- | ---- | 1 | ---- | 3 + 1 |
| 10675 | ---- | ---- | 0.534B/0.504A | 0.534B/0.504A | ---- | 0.509 - 0.018 | .0698 | ---- | ---- | ---- | ---- | 9 UNCH |
| 10800 | ---- | ---- | 0.502B/0.471A | 0.502B/0.471A | ---- | 0.479 - 0.021 | .0657 | ---- | ---- | ---- | ---- | 35 UNCH |
| 10900 | ---- | ---- | ----/0.456A | 0.479B/0.456A | ---- | 0.457 - 0.022 | .0626 | ---- | ---- | ---- | ---- | 2 UNCH |
| 11000 | ---- | ---- | ---- | 0.456B/0.485A | ---- | 0.436 - 0.023 | .0597 | ---- | ---- | ---- | ---- | 1317 UNCH |
| 11025 | 0.440 | 0.440 | 0.440/0.440 | 0.451B/0.440 | ---- | 0.430 NEW | .0589 | ---- | ---- | 1 | ---- | 1 + 1 |
| 11100 | ---- | ---- | ---- | 0.368B/0.468A | ---- | 0.415 - 0.025 | .0568 | ---- | ---- | ---- | ---- | 10 UNCH |
| 11200 | ---- | ---- | ---- | 0.347B/0.456A | ---- | 0.395 - 0.026 | .0541 | ---- | ---- | ---- | ---- | 8 UNCH |
| 11225 | ---- | ---- | ---- | 0.343B/0.461A | ---- | 0.390 - 0.026 | .0534 | ---- | ---- | ---- | ---- | 3 UNCH |
| 11300 | 0.358 | 0.358 | 0.358/0.358 | 0.358/0.358 | ---- | 0.376 - 0.027 | .0515 | ---- | ---- | 1 | ---- | 51 + 1 |
| 11400 | ---- | ---- | ---- | 0.310B/0.419A | ---- | 0.359 - 0.027 | .0492 | ---- | ---- | ---- | ---- | 19 UNCH |
| 11425 | ---- | ---- | ---- | 0.306B/0.426A | ---- | 0.355 - 0.027 | .0486 | ---- | ---- | ---- | ---- | 10 UNCH |
| 11450 | ---- | ---- | ---- | 0.301B/0.420A | ---- | 0.351 - 0.026 | .0481 | ---- | ---- | ---- | ---- | 3 UNCH |
| 11500 | ---- | ---- | ---- | 0.291B/0.378A | ---- | 0.343 - 0.026 | .0470 | ---- | ---- | ---- | ---- | 59 UNCH |
| 11600 | ---- | ---- | ---- | 0.278B/0.393A | ---- | 0.329 - 0.025 | .0450 | ---- | ---- | ---- | ---- | 1 UNCH |
| 11625 | ---- | ---- | ---- | 0.274B/0.395A | ---- | 0.326 - 0.024 | .0445 | ---- | ---- | ---- | ---- | 2 UNCH |
| 11650 | ---- | ---- | ---- | 0.267B/0.391A | ---- | 0.322 - 0.025 | .0440 | ---- | ---- | ---- | ---- | 24 UNCH |
| 11675 | ---- | ---- | ---- | 0.263B/0.388A | ---- | 0.319 - 0.024 | .0436 | ---- | ---- | ---- | ---- | 22 UNCH |
| 11700 | ---- | ---- | ---- | 0.261B/0.378A | ---- | 0.316 - 0.023 | .0431 | ---- | ---- | ---- | ---- | 22 UNCH |
| 11725 | ---- | ---- | ---- | 0.259B/0.381A | ---- | 0.313 - 0.023 | .0427 | ---- | ---- | ---- | ---- | 22 UNCH |
| 11750 | ---- | ---- | ---- | 0.256B/0.377A | ---- | 0.310 - 0.022 | .0423 | ---- | ---- | ---- | ---- | 22 UNCH |
| 11775 | ---- | ---- | ---- | 0.248B/0.374A | ---- | 0.307 - 0.022 | .0419 | ---- | ---- | ---- | ---- | 22 UNCH |
| 11800 | ---- | ---- | ---- | 0.245B/0.363A | ---- | 0.304 - 0.021 | .0414 | ---- | ---- | ---- | ---- | 1 UNCH |
| 11900 | ---- | ---- | ---- | 0.232B/0.356A | ---- | 0.293 - 0.019 | .0398 | ---- | ---- | ---- | ---- | 1 UNCH |
| 11950 | ---- | ---- | ---- | 0.226B/0.350A | ---- | 0.288 - 0.018 | .0391 | ---- | ---- | ---- | ---- | 1 UNCH |
| 12000 | ---- | ---- | ----/0.284A | 0.241B/0.284A | ---- | 0.282 - 0.018 | .0383 | ---- | ---- | 40 | ---- | 426 + 18 |
| 12200 | ---- | ---- | ---- | 0.197B/0.319A | ---- | 0.260 - 0.016 | .0352 | ---- | ---- | ---- | ---- | 1 UNCH |
| 12225 | ---- | ---- | ---- | 0.194B/0.322A | ---- | 0.257 - 0.017 | .0348 | ---- | ---- | ---- | ---- | 16 UNCH |
| 12250 | ---- | ---- | ---- | 0.192B/0.319A | ---- | 0.255 - 0.016 | .0345 | ---- | ---- | ---- | ---- | 6 UNCH |
| 12300 | ---- | ---- | ---- | 0.187B/0.310A | ---- | 0.249 - 0.017 | .0337 | ---- | ---- | ---- | ---- | 9 UNCH |
| 12375 | ---- | ---- | ---- | 0.180B/0.306A | ---- | 0.241 - 0.017 | .0326 | ---- | ---- | ---- | ---- | 1 UNCH |
| 12425 | ---- | ---- | ---- | 0.175B/0.302A | ---- | 0.236 - 0.017 | .0320 | ---- | ---- | ---- | ---- | 1 UNCH |
| 12450 | ---- | ---- | ---- | 0.173B/0.299A | ---- | 0.234 - 0.017 | .0317 | ---- | ---- | ---- | ---- | 1 UNCH |
| 12475 | ---- | ---- | ---- | 0.171B/0.297A | ---- | 0.231 - 0.017 | .0313 | ---- | ---- | ---- | ---- | 3 UNCH |
| 12500 | ---- | ---- | ---- | 0.230B/0.291A | ---- | 0.229 - 0.017 | .0310 | ---- | ---- | ---- | ---- | 104 UNCH |
| 12600 | ---- | ---- | ---- | 0.156B/0.284A | ---- | 0.219 - 0.018 | .0296 | ---- | ---- | ---- | ---- | 6 UNCH |
| 12725 | ---- | ---- | ---- | 0.147B/0.273A | ---- | 0.207 - 0.019 | .0280 | ---- | ---- | ---- | ---- | 1 UNCH |
| 12800 | ---- | ---- | ---- | 0.143B/0.267A | ---- | 0.201 - 0.019 | .0272 | ---- | ---- | ---- | ---- | 1 UNCH |
| 13000 | ---- | ---- | ---- | 0.143B/0.252A | ---- | 0.184 - 0.021 | .0249 | ---- | ---- | ---- | ---- | 572 UNCH |
| 14000 | 0.120 | 0.120 | 0.125/*0.106 | 0.125/*0.106 | ---- | 0.129 - 0.021 | .0173 | ---- | ---- | 27 | ---- | 819 + 25 |
| 14700 | ---- | ---- | ---- | 0.043B/0.162A | ---- | 0.112 - 0.016 | .0147 | ---- | ---- | ---- | ---- | 1 UNCH |
| 15000 | ---- | ---- | ----/0.109A | 0.090B/0.109A | ---- | 0.108 - 0.013 | .0140 | ---- | ---- | ---- | ---- | 710 UNCH |
| 16000 | 0.070 | 0.070 | 0.070/*0.070 | 0.070/*0.070 | ---- | 0.100 - 0.003 | .0123 | ---- | ---- | 10 | ---- | 749 UNCH |
| 17000 | 0.050 | 0.050 | 0.050/*0.050 | 0.050/*0.050 | ---- | 0.091 + 0.003 | .0108 | ---- | ---- | 10 | ---- | 25 - 1 |
| 18000 | ---- | ---- | ----/0.069A | 0.033B/0.069A | ---- | 0.074 + 0.001 | .0087 | ---- | ---- | ---- | ---- | 256 UNCH |
| 19000 | ---- | ---- | ---- | 0.001B/0.103A | ---- | 0.056 - 0.002 | .0066 | ---- | ---- | ---- | ---- | 78 UNCH |
| 20000 | ---- | ---- | ----/*0.040A | 0.030B/*0.040A | ---- | 0.040 - 0.006 | .0048 | ---- | ---- | 2 | ---- | 1187 + 2 |
| 21000 | ---- | ---- | ---- | 0.001B/0.105A | ---- | 0.033 - 0.005 | .0039 | ---- | ---- | ---- | ---- | 427 UNCH |
| 24000 | ---- | ---- | ---- | ----/0.103A | ---- | 0.020 - 0.003 | .0023 | ---- | ---- | ---- | ---- | 130 UNCH |
| 25000 | ---- | ---- | ----/*0.020A | ----/*0.020A | ---- | 0.017 - 0.004 | .0019 | ---- | ---- | ---- | ---- | 364 UNCH |
| 27000 | ---- | ---- | ---- | ----/0.125A | ---- | 0.014 - 0.003 | .0015 | ---- | ---- | ---- | ---- | 4 UNCH |
| 30000 | ---- | ---- | ---- | ----/0.034A | ---- | 0.012 - 0.002 | .0013 | ---- | ---- | ---- | ---- | 23 UNCH |
| 32000 | ---- | ---- | ---- | ----/0.155A | ---- | 0.011 - 0.002 | .0011 | ---- | ---- | ---- | ---- | 4 UNCH |
| 35000 | 0.010 | 0.010 | 0.010/*0.010 | 0.011B/*0.010 | ---- | 0.010 - 0.002 | .0010 | ---- | ---- | 1 | ---- | 78 UNCH |
| TOTAL | | | | | | | | | | 488 | 100 | 21206 + 402 |
| AUG26 | | | | | | | | | | | | |
| 5000 | ---- | ---- | 25.072B/24.125A | 25.072B/24.125A | ---- | 24.310 + 0.029 | .9610 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5400 | ---- | ---- | 21.289B/20.401A | 21.289B/20.401A | ---- | 20.553 + 0.005 | .9335 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5500 | ---- | ---- | 20.363B/19.473A | 20.363B/19.473A | ---- | 19.639 - 0.002 | .9243 | ---- | ---- | ---- | ---- | 1 UNCH |
| 6300 | ---- | ---- | 13.554B/12.799A | 13.554B/12.799A | ---- | 12.904 - 0.068 | .8083 | ---- | ---- | ---- | ---- | 7 UNCH |
| 6450 | ---- | ---- | 12.390B/11.706A | 12.390B/11.706A | ---- | 11.810 - 0.090 | .7771 | ---- | ---- | ---- | ---- | 1 UNCH |
| 6500 | ---- | ---- | 12.053B/11.361A | 12.053B/11.361A | ---- | 11.458 - 0.097 | .7662 | ---- | ---- | ---- | ---- | 2 UNCH |
| 6600 | ---- | ---- | 11.321B/10.698A | 11.321B/10.698A | ---- | 10.774 - 0.111 | .7436 | ---- | ---- | ---- | ---- | 4 UNCH |
| 6800 | ---- | ---- | 10.088B/9.431A | 10.088B/9.431A | ---- | 9.495 - 0.132 | .6961 | ---- | ---- | ---- | ---- | 7 UNCH |
| 6875 | ---- | ---- | 9.528B/9.072A | 9.528B/9.072A | ---- | 9.049 - 0.135 | .6776 | ---- | ---- | ---- | ---- | 5 UNCH |
| 7000 | ---- | ---- | 8.776B/8.378A | 8.776B/8.378A | ---- | 8.347 - 0.137 | .6462 | ---- | ---- | ---- | ---- | 3 UNCH |
| 7025 | ---- | ---- | 8.653B/8.246A | 8.653B/8.246A | ---- | 8.213 - 0.137 | .6398 | ---- | ---- | ---- | ---- | 5 UNCH |
| 7050 | ---- | ---- | 8.581B/8.076A | 8.581B/8.076A | ---- | 8.082 - 0.135 | .6335 | ---- | ---- | ---- | ---- | 4 UNCH |
| 7100 | ---- | ---- | 8.231B/7.811A | 8.231B/7.811A | ---- | 7.826 - 0.132 | .6208 | ---- | ---- | ---- | ---- | 2 UNCH |
| 7200 | ---- | ---- | 7.801B/7.308A | 7.801B/7.308A | ---- | 7.343 - 0.121 | .5954 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7250 | ---- | ---- | 7.558B/7.094A | 7.558B/7.094A | ---- | 7.116 NEW | .5828 | ---- | ---- | 3 | ---- | 3 + 3 |
| 7300 | 6.871 | 6.871 | 7.322B/6.743A | 7.322B/6.743A | ---- | 6.898 NEW | .5703 | ---- | ---- | 1 | ---- | 1 + 1 |
| 7400 | ---- | ---- | 6.972B/6.321A | 6.972B/6.321A | ---- | 6.487 - 0.081 | .5457 | ---- | ---- | ---- | ---- | 2 UNCH |
| 7425 | ---- | ---- | 6.860B/6.221A | 6.860B/6.221A | ---- | 6.389 - 0.075 | .5397 | ---- | ---- | ---- | ---- | 14 UNCH |
| 7475 | ---- | ---- | 6.638B/6.024A | 6.638B/6.024A | ---- | 6.197 - 0.066 | .5277 | ---- | ---- | ---- | ---- | 6 UNCH |
| 7500 | ---- | ---- | 6.474B/5.924A | 6.474B/5.924A | ---- | 6.104 - 0.060 | .5218 | ---- | ---- | ---- | ---- | 34 UNCH |
| 7550 | ---- | ---- | 6.320B/5.743A | 6.320B/5.743A | ---- | 5.921 - 0.052 | .5100 | ---- | ---- | ---- | ---- | 4 UNCH |
| 7600 | ---- | ---- | 6.116B/5.564A | 6.116B/5.564A | ---- | 5.744 - 0.045 | .4985 | ---- | ---- | 25 | ---- | 28 + 25 |
| 7625 | ---- | ---- | 6.017B/5.476A | 6.017B/5.476A | ---- | 5.656 - 0.043 | .4928 | ---- | ---- | ---- | ---- | 18 UNCH |
| 7700 | ---- | ---- | 5.733B/5.221A | 5.733B/5.221A | ---- | 5.401 - 0.038 | .4759 | ---- | ---- | ---- | ---- | 7 UNCH |
| 7800 | ---- | ---- | 5.336B/4.902A | 5.336B/4.902A | ---- | 5.074 - 0.040 | .4540 | ---- | ---- | ---- | ---- | 13 UNCH |
| 7900 | ---- | ---- | 5.045B/4.608A | 5.045B/4.608A | ---- | 4.764 - 0.047 | .4327 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7950 | ---- | ---- | 4.889B/4.468A | 4.889B/4.468A | ---- | 4.616 - 0.052 | .4223 | ---- | ---- | ---- | ---- | 9 UNCH |
| 7975 | ---- | ---- | 4.825B/4.400A | 4.825B/4.400A | ---- | 4.544 - 0.054 | .4172 | ---- | ---- | ---- | ---- | 1 UNCH |
| 8000 | ---- | ---- | 4.759B/4.318A | 4.759B/4.318A | ---- | 4.473 - 0.056 | .4122 | ---- | ---- | ---- | ---- | 36 UNCH |
| 8100 | ---- | ---- | 4.453B/4.079A | 4.453B/4.079A | ---- | 4.200 - 0.067 | .3924 | ---- | ---- | ---- | ---- | 21 UNCH |
| 8200 | ---- | ---- | 4.189B/3.766A | 4.189B/3.766A | ---- | 3.948 - 0.073 | .3735 | ---- | ---- | ---- | ---- | 1 UNCH |
| 8250 | ---- | ---- | 4.044B/3.653A | 4.044B/3.653A | ---- | 3.830 - 0.075 | .3645 | ---- | ---- | ---- | ---- | 141 UNCH |
| 8300 | 3.924 | 3.924 | 3.940B/3.545A | 3.940B/3.545A | ---- | 3.717 - 0.075 | .3556 | ---- | ---- | 2 | ---- | 3 UNCH |
| 8350 | 3.811 | 3.811 | 3.811/3.441A | 3.811/3.441A | ---- | 3.608 NEW | .3470 | ---- | ---- | 1 | ---- | 1 + 1 |
| 8400 | ---- | ---- | 3.711B/3.341A | 3.711B/3.341A | ---- | 3.503 - 0.074 | .3386 | ---- | ---- | ---- | ---- | 2 UNCH |
| 8450 | ---- | ---- | 3.594B/3.245A | 3.594B/3.245A | ---- | 3.402 - 0.073 | .3304 | ---- | ---- | ---- | ---- | 2 UNCH |
| 8500 | ---- | ---- | 3.498B/3.152A | 3.498B/3.152A | ---- | 3.306 - 0.070 | .3225 | ---- | ---- | 3 | ---- | 16 + 2 |
| 8600 | 3.350 | 3.350 | 3.350/2.977A | 3.350/2.977A | ---- | 3.122 - 0.066 | .3071 | ---- | ---- | 29 | ---- | 226 + 24 |
| 8650 | ---- | ---- | 3.205B/2.895A | 3.205B/2.895A | ---- | 3.035 - 0.063 | .2998 | ---- | ---- | ---- | ---- | 1 UNCH |
| 8775 | ---- | ---- | 2.989B/2.702A | 2.989B/2.702A | ---- | 2.830 - 0.056 | .2822 | ---- | ---- | ---- | ---- | 2 UNCH |
| 8825 | 2.908 | 2.908 | 2.908/2.629A | 2.908/2.629A | ---- | 2.752 NEW | .2754 | ---- | ---- | 1 | ---- | 1 + 1 |
| 8850 | 2.868 | 2.868 | 2.868/2.594A | 2.868/2.594A | ---- | 2.714 NEW | .2721 | ---- | ---- | 1 | ---- | 1 + 1 |
| 8900 | ---- | ---- | 2.792B/2.526A | 2.792B/2.526A | ---- | 2.640 - 0.051 | .2657 | ---- | ---- | ---- | ---- | 7 UNCH |
| 8950 | ---- | ---- | 2.718B/2.460A | 2.718B/2.460A | ---- | 2.567 - 0.049 | .2593 | ---- | ---- | ---- | ---- | 6 UNCH |
| 9000 | ---- | ---- | 2.646B/2.396A | 2.646B/2.396A | ---- | 2.497 - 0.048 | .2531 | ---- | ---- | ---- | ---- | 18 UNCH |
| 9075 | 2.543 | 2.543 | 2.543/2.304A | 2.543/2.304A | ---- | 2.396 NEW | .2441 | ---- | ---- | 1 | ---- | 1 + 1 |
| 9100 | ---- | ---- | 2.523B/2.274A | 2.523B/2.274A | ---- | 2.364 - 0.045 | .2412 | ---- | ---- | ---- | ---- | 87 UNCH |
| 9200 | ---- | ---- | 2.381B/2.161A | 2.381B/2.161A | ---- | 2.240 - 0.043 | .2299 | ---- | ---- | ---- | ---- | 4 UNCH |
| 9225 | 2.135 | 2.135 | 2.350B/2.134A | 2.350B/2.134A | ---- | 2.211 NEW | .2273 | ---- | ---- | 1 | ---- | 1 + 1 |
| 9250 | ---- | ---- | 2.320B/2.107A | 2.320B/2.107A | ---- | 2.182 - 0.041 | .2246 | ---- | ---- | ---- | ---- | 10 UNCH |
| 9400 | ---- | ---- | 2.161B/1.957A | 2.161B/1.957A | ---- | 2.024 - 0.034 | .2097 | ---- | ---- | ---- | ---- | 108 UNCH |
| 9450 | ---- | ---- | 2.100B/1.910A | 2.100B/1.910A | ---- | 1.977 - 0.031 | .2051 | ---- | ---- | ---- | ---- | 19 UNCH |
| 9500 | ---- | ---- | 2.050B/1.865A | 2.050B/1.865A | ---- | 1.932 - 0.029 | .2007 | ---- | ---- | ---- | ---- | 7 UNCH |
| 9575 | ---- | ---- | 1.977B/1.800A | 1.977B/1.800A | ---- | 1.870 - 0.023 | .1945 | ---- | ---- | ---- | ---- | 1 UNCH |
| 9700 | ---- | ---- | 1.864B/1.699A | 1.864B/1.699A | ---- | 1.779 - 0.012 | .1850 | ---- | ---- | ---- | ---- | 1 UNCH |
| 10000 | 1.650 | 1.650 | 1.650/1.470 | 1.650/1.470 | ---- | 1.576 UNCH | .1642 | ---- | ---- | 11 | ---- | 172 UNCH |
| 10200 | ---- | ---- | 1.494B/1.370A | 1.494B/1.370A | ---- | 1.429 - 0.012 | .1502 | ---- | ---- | ---- | ---- | 4 UNCH |
| 10325 | ---- | ---- | 1.419B/1.298A | 1.419B/1.298A | ---- | 1.340 - 0.022 | .1418 | ---- | ---- | ---- | ---- | 1 UNCH |
| 10350 | ---- | ---- | 1.404B/1.285A | 1.404B/1.285A | ---- | 1.323 - 0.024 | .1402 | ---- | ---- | ---- | ---- | 1 UNCH |
| 10375 | ---- | ---- | 1.390B/1.271A | 1.390B/1.271A | ---- | 1.307 - 0.025 | .1386 | ---- | ---- | ---- | ---- | 1 UNCH |
| 10400 | ---- | ---- | 1.375B/1.258A | 1.375B/1.258A | ---- | 1.292 - 0.026 | .1372 | ---- | ---- | ---- | ---- | 2 UNCH |
| 10500 | ---- | ---- | 1.320B/1.208A | 1.320B/1.208A | ---- | 1.235 - 0.029 | .1315 | ---- | ---- | ---- | ---- | 7 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SO CALL | | COMEX SILVER OPTIONS | | | | | | | | | | |
| AUG26 | | | | | | | | | | | | |
| 10775 | 1.082 | 1.082 | 1.182B/1.082 | 1.182B/1.082 | ---- | 1.114 NEW | .1187 | ---- | ---- | 1 | ---- | 1 + 1 |
| 10800 | 1.072 | 1.072 | 1.170B/1.072 | 1.170B/1.072 | ---- | 1.104 - 0.020 | .1176 | ---- | ---- | 1 | ---- | 8 UNCH |
| 10825 | 1.061 | 1.061 | 1.159B/1.061 | 1.159B/1.061 | ---- | 1.095 NEW | .1166 | ---- | ---- | 1 | ---- | 1 + 1 |
| 11000 | ---- | ---- | 1.083B/0.992A | 1.083B/0.992A | ---- | 1.035 - 0.009 | .1100 | ---- | ---- | ---- | ---- | 53 UNCH |
| 11100 | ---- | ---- | 1.042B/0.955A | 1.042B/0.955A | ---- | 1.001 - 0.005 | .1063 | ---- | ---- | ---- | ---- | 20 UNCH |
| 11200 | ---- | ---- | 1.003B/0.919A | 1.003B/0.919A | ---- | 0.968 UNCH | .1028 | ---- | ---- | ---- | ---- | 1 UNCH |
| 11400 | ---- | ---- | ----/0.853A | 0.869B/0.853A | ---- | 0.901 + 0.004 | .0957 | ---- | ---- | ---- | ---- | 2 UNCH |
| 11500 | ---- | ---- | ----/0.822A | 0.836B/0.822A | ---- | 0.868 + 0.005 | .0923 | ---- | ---- | ---- | ---- | 48 UNCH |
| 11700 | ---- | ---- | ----/0.764A | 0.778B/0.764A | ---- | 0.805 + 0.007 | .0859 | ---- | ---- | ---- | ---- | 2 UNCH |
| 11850 | ---- | ---- | ----/0.724A | 0.728B/0.724A | ---- | 0.760 + 0.007 | .0813 | ---- | ---- | ---- | ---- | 1 UNCH |
| 12000 | ---- | ---- | ----/0.687A | 0.688B/0.687A | ---- | 0.718 + 0.007 | .0769 | ---- | ---- | ---- | ---- | 3 UNCH |
| 12050 | ---- | ---- | ----/0.675A | 0.676B/0.675A | ---- | 0.705 + 0.008 | .0756 | ---- | ---- | ---- | ---- | 141 UNCH |
| 12500 | 0.580 | 0.580 | 0.580/0.577A | 0.580/0.577A | ---- | 0.600 + 0.008 | .0646 | ---- | ---- | 1 | ---- | 3 + 1 |
| 12725 | ---- | ---- | 0.572B/---- | 0.572B/0.616A | ---- | 0.556 + 0.008 | .0600 | ---- | ---- | ---- | ---- | 1 UNCH |
| 12800 | ---- | ---- | 0.550B/---- | 0.550B/0.623A | ---- | 0.543 + 0.008 | .0586 | ---- | ---- | ---- | ---- | 1 UNCH |
| 13000 | 0.540 | 0.540 | 0.540/*0.500 | 0.540/0.500 | ---- | 0.509 + 0.008 | .0550 | ---- | ---- | 962 | ---- | 1773 + 899 |
| 14000 | 0.385 | 0.385 | 0.390/*0.385 | 0.390/0.385 | ---- | 0.380 + 0.006 | .0410 | ---- | ---- | 16 | ---- | 15 + 8 |
| 15000 | ---- | ---- | ---- | 0.233B/0.375A | ---- | 0.295 + 0.003 | .0317 | ---- | ---- | 1 | ---- | 37 + 1 |
| 16000 | ---- | ---- | ---- | 0.165B/0.308A | ---- | 0.234 - 0.003 | .0250 | ---- | ---- | ---- | ---- | 1 UNCH |
| 17000 | 0.180 | 0.180 | 0.190/0.180 | 0.190/0.180 | ---- | 0.187 - 0.011 | .0199 | ---- | ---- | 962 | ---- | 1769 + 871 |
| 18000 | ---- | ---- | ---- | 0.083B/0.219A | ---- | 0.150 - 0.020 | .0160 | ---- | ---- | ---- | ---- | 4 UNCH |
| 19000 | ---- | ---- | ---- | 0.056B/0.190A | ---- | 0.122 - 0.027 | .0130 | ---- | ---- | ---- | ---- | 2 UNCH |
| 20000 | ---- | ---- | ---- | 0.037B/0.166A | ---- | 0.101 - 0.033 | .0107 | ---- | ---- | ---- | ---- | 220 UNCH |
| 25000 | ---- | ---- | ---- | 0.001B/2.909A | ---- | 0.053 - 0.018 | .0054 | ---- | ---- | ---- | ---- | 3 UNCH |
| 30000 | ---- | ---- | ---- | 0.001B/2.826A | ---- | 0.032 - 0.012 | .0032 | ---- | ---- | ---- | ---- | 13 UNCH |
| 32000 | ---- | ---- | ---- | 0.001B/0.051A | ---- | 0.025 - 0.009 | .0025 | ---- | ---- | ---- | ---- | 1 UNCH |
| 35000 | ---- | ---- | ---- | ----/0.036A | ---- | 0.018 - 0.007 | .0018 | ---- | ---- | ---- | ---- | 2 UNCH |
| TOTAL | | | | | | | | | | 2024 | 0 | 5225 + 1842 |
| SEP26 | | | | | | | | | | | | |
| 5100 | ---- | ---- | ---- | 23.508B/24.073A | ---- | 23.567 + 0.036 | .9369 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5900 | ---- | ---- | ---- | 16.261B/17.321A | ---- | 16.791 + 0.159 | .8431 | ---- | ---- | ---- | ---- | 2 UNCH |
| 6000 | ---- | ---- | ---- | 15.456B/16.529A | ---- | 16.016 + 0.167 | .8278 | ---- | ---- | ---- | ---- | 7 UNCH |
| 6700 | ---- | ---- | ---- | 10.344B/11.744A | ---- | 11.036 + 0.003 | .7021 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7000 | 8.900 | 8.900 | 9.200/8.900 | 9.200/8.900 | ---- | 9.279 - 0.086 | .6385 | ---- | ---- | 2 | ---- | 121 UNCH |
| 7125 | ---- | ---- | ---- | 8.476B/9.234A | ---- | 8.644 - 0.099 | .6112 | ---- | ---- | ---- | ---- | 75 UNCH |
| 7300 | ---- | ---- | ---- | 7.733B/8.405A | ---- | 7.842 - 0.099 | .5731 | ---- | ---- | ---- | ---- | 145 UNCH |
| 7400 | ---- | ---- | ---- | 7.284B/7.990A | ---- | 7.421 - 0.098 | .5517 | ---- | ---- | ---- | ---- | 104 UNCH |
| 7500 | ---- | ---- | ---- | 6.869B/7.595A | ---- | 7.028 - 0.099 | .5307 | ---- | ---- | ---- | ---- | 4 UNCH |
| 7550 | ---- | ---- | ---- | 6.658B/7.407A | ---- | 6.842 - 0.100 | .5205 | ---- | ---- | ---- | ---- | 2 UNCH |
| 7700 | ---- | ---- | ---- | 6.098B/6.895A | ---- | 6.323 - 0.101 | .4906 | ---- | ---- | ---- | ---- | 1 UNCH |
| 8000 | ---- | ---- | ---- | 5.114B/5.992A | ---- | 5.438 - 0.104 | .4355 | ---- | ---- | ---- | ---- | 108 UNCH |
| 8200 | ---- | ---- | ---- | 4.570B/5.449A | ---- | 4.940 - 0.104 | .4023 | ---- | ---- | ---- | ---- | 24 UNCH |
| 8400 | ---- | ---- | ---- | 4.117B/4.969A | ---- | 4.500 - 0.099 | .3719 | ---- | ---- | ---- | ---- | 10 UNCH |
| 8500 | ---- | ---- | ---- | 4.045B/4.750A | ---- | 4.298 - 0.096 | .3576 | ---- | ---- | ---- | ---- | 201 UNCH |
| 8600 | ---- | ---- | ---- | 3.733B/4.545A | ---- | 4.108 - 0.091 | .3439 | ---- | ---- | ---- | ---- | 72 UNCH |
| 8675 | ---- | ---- | ---- | 3.589B/4.398A | ---- | 3.973 - 0.087 | .3341 | ---- | ---- | ---- | ---- | 5 UNCH |
| 8700 | ---- | ---- | ---- | 3.554B/4.351A | ---- | 3.929 - 0.085 | .3308 | ---- | ---- | ---- | ---- | 100 UNCH |
| 8800 | ---- | ---- | ---- | 3.377B/4.168A | ---- | 3.759 - 0.080 | .3183 | ---- | ---- | ---- | ---- | 5 UNCH |
| 9000 | ---- | ---- | ---- | 3.058B/3.833A | ---- | 3.447 - 0.068 | .2949 | ---- | ---- | ---- | ---- | 191 UNCH |
| 9100 | ---- | ---- | ---- | 2.905B/3.680A | ---- | 3.304 - 0.061 | .2840 | ---- | ---- | ---- | ---- | 12 UNCH |
| 9500 | ---- | ---- | ---- | 2.437B/3.144A | ---- | 2.803 - 0.032 | .2449 | ---- | ---- | ---- | ---- | 183 UNCH |
| 9600 | ---- | ---- | ---- | 2.329B/3.028A | ---- | 2.693 - 0.025 | .2361 | ---- | ---- | ---- | ---- | 25 UNCH |
| 9750 | ---- | ---- | ---- | 2.179B/2.867A | ---- | 2.539 - 0.014 | .2238 | ---- | ---- | ---- | ---- | 23 UNCH |
| 9800 | ---- | ---- | ---- | 2.142B/2.815A | ---- | 2.490 - 0.011 | .2198 | ---- | ---- | ---- | ---- | 132 UNCH |
| 9900 | ---- | ---- | ---- | 2.054B/2.715A | ---- | 2.395 - 0.005 | .2121 | ---- | ---- | ---- | ---- | 59 UNCH |
| 10000 | ---- | ---- | ---- | 1.965B/2.619A | ---- | 2.305 + 0.001 | .2047 | ---- | ---- | ---- | ---- | 304 UNCH |
| 10100 | ---- | ---- | ---- | 1.885B/2.532A | ---- | 2.220 + 0.008 | .1977 | ---- | ---- | ---- | ---- | 2 UNCH |
| 10200 | ---- | ---- | ---- | 1.808B/2.448A | ---- | 2.138 + 0.013 | .1910 | ---- | ---- | ---- | ---- | 1 UNCH |
| 10500 | ---- | ---- | ---- | 1.607B/2.216A | ---- | 1.915 + 0.028 | .1724 | ---- | ---- | ---- | ---- | 119 UNCH |
| 10800 | ---- | ---- | ---- | 1.410B/2.017A | ---- | 1.721 + 0.040 | .1560 | ---- | ---- | ---- | ---- | 2 UNCH |
| 11000 | ---- | ---- | ---- | 1.311B/1.915A | ---- | 1.605 + 0.045 | .1461 | ---- | ---- | ---- | ---- | 190 UNCH |
| 11300 | ---- | ---- | ---- | 1.139B/1.781A | ---- | 1.451 + 0.053 | .1328 | ---- | ---- | ---- | ---- | 60 UNCH |
| 11500 | ---- | ---- | ---- | 1.043B/1.700A | ---- | 1.359 + 0.056 | .1248 | ---- | ---- | ---- | ---- | 70 UNCH |
| 12000 | 1.200 | 1.200 | 1.200/1.200 | 1.200/1.200 | ---- | 1.163 + 0.058 | .1075 | ---- | ---- | 4 | ---- | 119 UNCH |
| 12500 | ---- | ---- | 0.968B/---- | 0.968B/1.092A | ---- | 1.006 + 0.054 | .0933 | ---- | ---- | ---- | ---- | 40 UNCH |
| 13000 | ---- | ---- | 0.836B/---- | 0.836B/0.968A | ---- | 0.879 + 0.046 | .0817 | ---- | ---- | ---- | ---- | 201 UNCH |
| 14000 | ---- | ---- | ---- | 0.628B/0.769A | ---- | 0.688 + 0.027 | .0640 | ---- | ---- | ---- | ---- | 276 UNCH |
| 15000 | ---- | ---- | ---- | 0.482B/0.635A | ---- | 0.551 + 0.013 | .0513 | ---- | ---- | ---- | ---- | 226 UNCH |
| 16000 | ---- | ---- | ---- | 0.371B/0.531A | ---- | 0.446 + 0.007 | .0415 | ---- | ---- | ---- | ---- | 18 UNCH |
| 17000 | ---- | ---- | ---- | 0.289B/0.456A | ---- | 0.367 + 0.006 | .0341 | ---- | ---- | ---- | ---- | 27 UNCH |
| 18000 | ---- | ---- | ---- | 0.229B/0.393A | ---- | 0.307 + 0.005 | .0285 | ---- | ---- | ---- | ---- | 2 UNCH |
| 19000 | ---- | ---- | ---- | 0.179B/0.343A | ---- | 0.262 + 0.005 | .0242 | ---- | ---- | ---- | ---- | 14 UNCH |
| 20000 | ---- | ---- | ---- | 0.142B/0.303A | ---- | 0.227 + 0.004 | .0209 | ---- | ---- | ---- | ---- | 307 UNCH |
| 21000 | ---- | ---- | ---- | 0.110B/0.270A | ---- | 0.200 + 0.004 | .0183 | ---- | ---- | ---- | ---- | 1 UNCH |
| 23000 | ---- | ---- | ---- | 0.069B/0.220A | ---- | 0.162 + 0.004 | .0146 | ---- | ---- | ---- | ---- | 32 UNCH |
| 25000 | 0.120 | 0.120 | 0.120/0.120 | 0.120/0.120 | ---- | 0.138 + 0.003 | .0122 | ---- | ---- | 2 | ---- | 27 + 2 |
| 30000 | ---- | ---- | ---- | 0.001B/2.970A | ---- | 0.095 + 0.002 | .0082 | ---- | ---- | ---- | ---- | 18 UNCH |
| 35000 | ---- | ---- | ---- | 0.001B/2.886A | ---- | 0.048 + 0.001 | .0042 | ---- | ---- | ---- | ---- | 27 UNCH |
| TOTAL | | | | | | | | | | 8 | 0 | 3696 + 2 |
| OCT26 | | | | | | | | | | | | |
| 3800 | 36.800 | 36.800 | #36.800/36.800 | #36.800/36.800 | ---- | 36.900 + 0.068 | .9831 | ---- | ---- | 1 | ---- | 0 - 1 |
| 7000 | ---- | ---- | ---- | 10.189B/11.159A | ---- | 10.608 - 0.066 | .6486 | ---- | ---- | ---- | ---- | 2 UNCH |
| 7100 | ---- | ---- | ---- | 9.854B/10.655A | ---- | 10.109 - 0.071 | .6293 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7500 | ---- | ---- | ---- | 7.991B/8.920A | ---- | 8.347 - 0.089 | .5535 | ---- | ---- | ---- | ---- | 2 UNCH |
| 7650 | ---- | ---- | ---- | 7.397B/8.362A | ---- | 7.778 - 0.094 | .5263 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7875 | ---- | ---- | ---- | 6.556B/7.625A | ---- | 7.010 - 0.099 | .4873 | ---- | ---- | ---- | ---- | 2 UNCH |
| 8000 | ---- | ---- | ---- | 6.184B/7.230A | ---- | 6.624 - 0.101 | .4667 | ---- | ---- | ---- | ---- | 4 UNCH |
| 8075 | ---- | ---- | ---- | 5.968B/7.007A | ---- | 6.406 - 0.101 | .4547 | ---- | ---- | ---- | ---- | 1 UNCH |
| 8500 | ---- | ---- | ---- | 4.950B/5.902A | ---- | 5.336 - 0.098 | .3925 | ---- | ---- | ---- | ---- | 1 UNCH |
| 8700 | ---- | ---- | ---- | 4.505B/5.466A | ---- | 4.917 - 0.094 | .3666 | ---- | ---- | ---- | ---- | 4 UNCH |
| 9000 | ---- | ---- | ---- | 3.943B/4.893A | ---- | 4.373 - 0.084 | .3315 | ---- | ---- | ---- | ---- | 1 UNCH |
| 9100 | ---- | ---- | ---- | 3.788B/4.721A | ---- | 4.211 - 0.080 | .3207 | ---- | ---- | ---- | ---- | 73 UNCH |
| 9500 | ---- | ---- | ---- | 3.239B/4.112A | ---- | 3.641 - 0.065 | .2818 | ---- | ---- | ---- | ---- | 120 UNCH |
| 10000 | ---- | ---- | ---- | 2.685B/3.499A | ---- | 3.067 - 0.043 | .2412 | ---- | ---- | ---- | ---- | 96 UNCH |
| 11000 | ---- | ---- | ---- | 1.876B/2.611A | ---- | 2.236 UNCH | .1800 | ---- | ---- | ---- | ---- | 3 UNCH |
| 11100 | ---- | ---- | ---- | 1.834B/2.541A | ---- | 2.170 + 0.004 | .1751 | ---- | ---- | ---- | ---- | 2 UNCH |
| 11700 | ---- | ---- | ---- | 1.497B/2.187A | ---- | 1.826 + 0.026 | .1488 | ---- | ---- | ---- | ---- | 2 UNCH |
| 12000 | ---- | ---- | ---- | 1.341B/2.056A | ---- | 1.681 + 0.036 | .1375 | ---- | ---- | ---- | ---- | 75 UNCH |
| 13000 | ---- | ---- | ---- | 1.136B/1.392A | ---- | 1.300 + 0.065 | .1075 | ---- | ---- | ---- | ---- | 145 UNCH |
| 14000 | ---- | ---- | 0.977B/---- | 0.977B/1.136A | ---- | 1.032 + 0.086 | .0859 | ---- | ---- | ---- | ---- | 2 UNCH |
| 15000 | ---- | ---- | 0.768B/---- | 0.768B/0.941A | ---- | 0.842 + 0.100 | .0702 | ---- | ---- | ---- | ---- | 178 UNCH |
| 16000 | ---- | ---- | ---- | 0.616B/0.796A | ---- | 0.721 + 0.088 | .0597 | ---- | ---- | ---- | ---- | 24 UNCH |
| 18000 | ---- | ---- | ---- | 0.406B/0.596A | ---- | 0.472 + 0.062 | .0399 | ---- | ---- | ---- | ---- | 340 UNCH |
| 20000 | ---- | ---- | ---- | 0.276B/0.466A | ---- | 0.332 + 0.047 | .0284 | ---- | ---- | ---- | ---- | 235 UNCH |
| TOTAL | | | | | | | | | | 1 | 0 | 1314 - 1 |
| NOV26 | | | | | | | | | | | | |
| 6500 | ---- | ---- | ---- | ----/36.426A | ---- | 14.001 - 0.094 | .7338 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7000 | ---- | ---- | ---- | 10.951B/12.011A | ---- | 11.253 - 0.117 | .6458 | ---- | ---- | ---- | ---- | 14 UNCH |
| 7100 | ---- | ---- | ---- | 10.491B/11.530A | ---- | 10.775 - 0.120 | .6280 | ---- | ---- | ---- | ---- | 14 UNCH |
| 7500 | ---- | ---- | ---- | 8.695B/9.831A | ---- | 9.090 - 0.121 | .5586 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7900 | ---- | ---- | ---- | 7.235B/8.434A | ---- | 7.723 - 0.115 | .4946 | ---- | ---- | ---- | ---- | 16 UNCH |
| 8000 | ---- | ---- | ---- | 6.934B/8.122A | ---- | 7.425 - 0.112 | .4797 | ---- | ---- | ---- | ---- | 10 UNCH |
| 8200 | ---- | ---- | ---- | 6.378B/7.544A | ---- | 6.873 - 0.106 | .4512 | ---- | ---- | ---- | ---- | 6 UNCH |
| 9000 | ---- | ---- | ---- | 4.644B/5.741A | ---- | 5.149 - 0.082 | .3547 | ---- | ---- | ---- | ---- | 1 UNCH |
| 9550 | ---- | ---- | ---- | 3.826B/4.845A | ---- | 4.298 - 0.066 | .3028 | ---- | ---- | ---- | ---- | 3 UNCH |
| 9800 | ---- | ---- | ---- | 3.520B/4.504A | ---- | 3.976 - 0.060 | .2825 | ---- | ---- | ---- | ---- | 3 UNCH |
| 10000 | 3.559 | 3.559 | 3.559/3.559 | 3.559/3.559 | ---- | 3.742 - 0.055 | .2674 | ---- | ---- | 6 | ---- | 20 - 6 |
| 12000 | ---- | ---- | ---- | 1.797B/2.597A | ---- | 2.187 - 0.011 | .1625 | ---- | ---- | ---- | ---- | 13 UNCH |
| 12500 | ---- | ---- | ---- | 1.568B/2.355A | ---- | 1.944 - 0.003 | .1453 | ---- | ---- | ---- | ---- | 10 UNCH |
| 13000 | ---- | ---- | ---- | 1.333B/2.168A | ---- | 1.737 + 0.003 | .1305 | ---- | ---- | ---- | ---- | 2 UNCH |
| 14000 | ---- | ---- | ---- | 1.215B/1.509A | ---- | 1.408 + 0.013 | .1067 | ---- | ---- | ---- | ---- | 3 UNCH |
| 15000 | ---- | ---- | ---- | 1.078B/1.274A | ---- | 1.161 + 0.018 | .0885 | ---- | ---- | ---- | ---- | 6 UNCH |
| 16000 | ---- | ---- | ---- | 0.882B/1.090A | ---- | 0.972 + 0.020 | .0744 | ---- | ---- | ---- | ---- | 14 UNCH |
| 17000 | ---- | ---- | ---- | 0.733B/0.944A | ---- | 0.826 + 0.020 | .0634 | ---- | ---- | ---- | ---- | 2 UNCH |
| 20000 | ---- | ---- | ---- | 0.434B/0.656A | ---- | 0.541 + 0.012 | .0416 | ---- | ---- | ---- | ---- | 32 UNCH |
| 21000 | ---- | ---- | ---- | 0.367B/0.592A | ---- | 0.478 + 0.009 | .0368 | ---- | ---- | ---- | ---- | 2 UNCH |
| TOTAL | | | | | | | | | | 6 | 0 | 173 - 6 |
| DEC26 | | | | | | | | | | | | |
| 3875 | ---- | ---- | ---- | ---- | ---- | 36.204 + 0.058 | .9728 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5250 | ---- | ---- | ---- | ----/54.331A | ---- | 23.587 - 0.002 | .8925 | ---- | ---- | ---- | ---- | 50 UNCH |
| 5500 | ---- | ---- | ---- | ----/52.123A | ---- | 21.543 - 0.011 | .8662 | ---- | ---- | ---- | ---- | 1 UNCH |
| 6500 | ---- | ---- | ---- | ----/41.273A | ---- | 14.561 - 0.058 | .7261 | ---- | ---- | ---- | ---- | 564 UNCH |
| 6900 | ---- | ---- | ---- | 11.743B/13.161A | ---- | 12.339 - 0.098 | .6607 | ---- | ---- | ---- | ---- | 1 UNCH |
| 6950 | ---- | ---- | ---- | 11.564B/12.914A | ---- | 12.086 - 0.103 | .6525 | ---- | ---- | ---- | ---- | 200 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS

**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**

64
Side 48



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SO CALL | | COMEX SILVER OPTIONS | | | | | | | | | | |
| DEC26 | | | | | | | | | | | | |
| 7000 | ---- | ---- | ---- | 11.520B/12.671A | ---- | 11.837 - 0.108 | .6442 | ---- | ---- | ---- | ---- | 120 UNCH |
| 7025 | ---- | ---- | ---- | 11.117B/12.813A | ---- | 11.715 - 0.111 | .6400 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7075 | ---- | ---- | ---- | 10.880B/12.572A | ---- | 11.475 - 0.115 | .6317 | ---- | ---- | ---- | ---- | 5 UNCH |
| 7100 | ---- | ---- | ---- | 11.034B/12.202A | ---- | 11.357 - 0.117 | .6276 | ---- | ---- | ---- | ---- | 15 UNCH |
| 7375 | ---- | ---- | ---- | 9.566B/11.234A | ---- | 10.148 - 0.138 | .5825 | ---- | ---- | ---- | ---- | 2 UNCH |
| 7500 | ---- | ---- | ---- | 9.281B/10.536A | ---- | 9.651 - 0.144 | .5624 | ---- | ---- | ---- | ---- | 18 UNCH |
| 7575 | ---- | ---- | ---- | 8.786B/10.445A | ---- | 9.367 - 0.147 | .5506 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7750 | ---- | ---- | ---- | 8.351B/9.653A | ---- | 8.747 - 0.152 | .5239 | ---- | ---- | ---- | ---- | 2 UNCH |
| 7800 | ---- | ---- | ---- | 8.178B/9.490A | ---- | 8.580 - 0.153 | .5165 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7925 | ---- | ---- | ---- | 7.597B/9.240A | ---- | 8.181 - 0.155 | .4983 | ---- | ---- | ---- | ---- | 2 UNCH |
| 8000 | ---- | ---- | ---- | 7.513B/8.878A | ---- | 7.955 - 0.155 | .4877 | ---- | ---- | ---- | ---- | 132 UNCH |
| 8100 | ---- | ---- | ---- | 7.212B/8.595A | ---- | 7.667 - 0.154 | .4739 | ---- | ---- | ---- | ---- | 1 UNCH |
| 8200 | ---- | ---- | ---- | 6.933B/8.326A | ---- | 7.394 - 0.153 | .4605 | ---- | ---- | ---- | ---- | 21 UNCH |
| 8400 | ---- | ---- | ---- | 6.393B/7.827A | ---- | 6.891 - 0.149 | .4351 | ---- | ---- | ---- | ---- | 50 UNCH |
| 8500 | ---- | ---- | ---- | 6.146B/7.596A | ---- | 6.660 - 0.145 | .4230 | ---- | ---- | ---- | ---- | 150 UNCH |
| 8550 | ---- | ---- | ---- | 6.026B/7.484A | ---- | 6.549 - 0.143 | .4171 | ---- | ---- | ---- | ---- | 25 UNCH |
| 8600 | ---- | ---- | ---- | 5.910B/7.376A | ---- | 6.440 - 0.142 | .4113 | ---- | ---- | ---- | ---- | 7 UNCH |
| 8800 | ---- | ---- | ---- | 5.470B/6.965A | ---- | 6.035 - 0.134 | .3892 | ---- | ---- | ---- | ---- | 5 UNCH |
| 8900 | ---- | ---- | ---- | 5.265B/6.774A | ---- | 5.848 - 0.129 | .3788 | ---- | ---- | ---- | ---- | 2 UNCH |
| 8950 | ---- | ---- | ---- | 5.166B/6.682A | ---- | 5.758 - 0.127 | .3737 | ---- | ---- | ---- | ---- | 1 UNCH |
| 9000 | ---- | ---- | ---- | 5.069B/6.591A | ---- | 5.671 - 0.124 | .3688 | ---- | ---- | ---- | ---- | 229 UNCH |
| 9050 | ---- | ---- | ---- | 4.974B/6.499A | ---- | 5.585 - 0.122 | .3639 | ---- | ---- | ---- | ---- | 100 UNCH |
| 9300 | ---- | ---- | ---- | 4.570B/6.055A | ---- | 5.188 - 0.109 | .3408 | ---- | ---- | ---- | ---- | 1 UNCH |
| 9500 | ---- | ---- | ---- | 4.279B/5.734A | ---- | 4.902 - 0.099 | .3238 | ---- | ---- | ---- | ---- | 10 UNCH |
| 9700 | ---- | ---- | ---- | 3.967B/5.437A | ---- | 4.640 - 0.089 | .3080 | ---- | ---- | ---- | ---- | 1 UNCH |
| 9800 | ---- | ---- | ---- | 3.842B/5.298A | ---- | 4.517 - 0.084 | .3005 | ---- | ---- | ---- | ---- | 26 UNCH |
| 9900 | ---- | ---- | ---- | 3.724B/5.163A | ---- | 4.399 - 0.079 | .2932 | ---- | ---- | ---- | ---- | 4 UNCH |
| 10000 | ---- | ---- | ---- | 3.608B/5.034A | ---- | 4.284 - 0.076 | .2862 | ---- | ---- | ---- | ---- | 803 UNCH |
| 10025 | ---- | ---- | ---- | 3.581B/5.002A | ---- | 4.256 - 0.075 | .2845 | ---- | ---- | ---- | ---- | 3 UNCH |
| 10500 | ---- | ---- | ---- | 3.099B/4.456A | ---- | 3.766 - 0.058 | .2541 | ---- | ---- | ---- | ---- | 2 UNCH |
| 10600 | ---- | ---- | ---- | 3.015B/4.352A | ---- | 3.672 - 0.055 | .2483 | ---- | ---- | ---- | ---- | 6 UNCH |
| 10800 | ---- | ---- | ---- | 2.840B/4.157A | ---- | 3.493 - 0.049 | .2371 | ---- | ---- | ---- | ---- | 5 UNCH |
| 11000 | ---- | ---- | ---- | 2.680B/3.974A | ---- | 3.325 - 0.044 | .2265 | ---- | ---- | ---- | ---- | 93 UNCH |
| 11350 | ---- | ---- | ---- | 2.429B/3.681A | ---- | 3.054 - 0.038 | .2094 | ---- | ---- | ---- | ---- | 5 UNCH |
| 11800 | ---- | ---- | ---- | 2.146B/3.351A | ---- | 2.745 - 0.032 | .1897 | ---- | ---- | ---- | ---- | 25 UNCH |
| 12000 | ---- | ---- | ---- | 2.035B/3.219A | ---- | 2.621 - 0.029 | .1817 | ---- | ---- | 8 | ---- | 488 + 8 |
| 12200 | ---- | ---- | ---- | 1.930B/3.095A | ---- | 2.504 - 0.027 | .1741 | ---- | ---- | ---- | ---- | 1 UNCH |
| 12500 | ---- | ---- | ---- | 1.786B/2.922A | ---- | 2.341 - 0.025 | .1635 | ---- | ---- | ---- | ---- | 45 UNCH |
| 13000 | ---- | ---- | ---- | 1.573B/2.685A | ---- | 2.101 - 0.020 | .1478 | ---- | ---- | 8 | ---- | 386 UNCH |
| 14000 | ---- | ---- | ---- | 1.146B/2.355A | ---- | 1.719 - 0.012 | .1222 | ---- | ---- | ---- | ---- | 56 UNCH |
| 14200 | ---- | ---- | ---- | 1.075B/2.297A | ---- | 1.655 - 0.011 | .1178 | ---- | ---- | ---- | ---- | 1 UNCH |
| 15000 | ---- | ---- | ---- | 1.249B/1.613A | ---- | 1.434 - 0.004 | .1026 | ---- | ---- | ---- | ---- | 1829 UNCH |
| 16000 | ---- | ---- | ---- | 1.080B/1.394A | ---- | 1.215 + 0.002 | .0874 | ---- | ---- | ---- | ---- | 1616 UNCH |
| 17000 | ---- | ---- | ---- | 0.897B/1.224A | ---- | 1.044 + 0.006 | .0753 | ---- | ---- | ---- | ---- | 50 UNCH |
| 18000 | ---- | ---- | ---- | 0.758B/1.086A | ---- | 0.907 + 0.009 | .0655 | ---- | ---- | ---- | ---- | 4 UNCH |
| 19000 | ---- | ---- | ---- | 0.635B/0.971A | ---- | 0.795 + 0.010 | .0575 | ---- | ---- | ---- | ---- | 1 UNCH |
| 20000 | ---- | ---- | ---- | 0.542B/0.876A | ---- | 0.703 + 0.010 | .0509 | ---- | ---- | ---- | ---- | 260 UNCH |
| 21000 | ---- | ---- | ---- | 0.458B/0.796A | ---- | 0.626 + 0.009 | .0454 | ---- | ---- | ---- | ---- | 4 UNCH |
| 22000 | ---- | ---- | ---- | 0.397B/0.728A | ---- | 0.560 + 0.007 | .0406 | ---- | ---- | ---- | ---- | 1 UNCH |
| 23000 | ---- | ---- | ---- | 0.336B/0.670A | ---- | 0.504 + 0.004 | .0366 | ---- | ---- | ---- | ---- | 4 UNCH |
| 25000 | ---- | ---- | ---- | 0.257B/0.576A | ---- | 0.414 - 0.001 | .0300 | ---- | ---- | 1 | ---- | 239 UNCH |
| 30000 | 0.260 | 0.260 | 0.260/*0.260 | 0.260/*0.260 | ---- | 0.272 - 0.008 | .0197 | ---- | ---- | 2 | ---- | 110 + 1 |
| 40000 | ---- | ---- | ---- | 0.014B/0.279A | ---- | 0.152 - 0.007 | .0109 | ---- | ---- | ---- | ---- | 23 UNCH |
| 90000 | ---- | ---- | ---- | 0.003B/0.400A | ---- | 0.052 - 0.002 | .0034 | ---- | ---- | ---- | ---- | 2 UNCH |
| TOTAL | | | | | | | | | | 19 | 0 | 7811 + 9 |
| JAN27 | | | | | | | | | | | | |
| 7550 | ---- | ---- | ---- | 10.131B/11.466A | ---- | 10.565 - 0.071 | .5711 | ---- | ---- | ---- | ---- | 2 UNCH |
| 7650 | ---- | ---- | ---- | 9.736B/11.099A | ---- | 10.188 - 0.071 | .5566 | ---- | ---- | ---- | ---- | 6 UNCH |
| 10000 | ---- | ---- | ---- | 4.295B/5.966A | ---- | 4.904 - 0.042 | .3076 | ---- | ---- | ---- | ---- | 6 UNCH |
| 11000 | ---- | ---- | ---- | 3.131B/4.887A | ---- | 3.894 - 0.029 | .2482 | ---- | ---- | ---- | ---- | 6 UNCH |
| 12500 | ---- | ---- | ---- | 1.972B/3.809A | ---- | 2.905 - 0.017 | .1873 | ---- | ---- | ---- | ---- | 1 UNCH |
| 13000 | ---- | ---- | ---- | 1.700B/3.545A | ---- | 2.644 - 0.015 | .1713 | ---- | ---- | ---- | ---- | 7 UNCH |
| 14000 | ---- | ---- | ---- | 1.258B/3.114A | ---- | 2.194 - 0.012 | .1437 | ---- | ---- | ---- | ---- | 1 UNCH |
| 14500 | ---- | ---- | ---- | 1.073B/2.938A | ---- | 2.003 - 0.012 | .1320 | ---- | ---- | ---- | ---- | 400 UNCH |
| 15000 | ---- | ---- | ---- | 0.865B/2.782A | ---- | 1.836 - 0.011 | .1216 | ---- | ---- | ---- | ---- | 400 UNCH |
| TOTAL | | | | | | | | | | | 0 | 829 0 |
| FEB27 | | | | | | | | | | | | |
| 7500 | ---- | ---- | ---- | 10.845B/12.261A | ---- | 11.321 - 0.123 | .5817 | ---- | ---- | ---- | ---- | 1 UNCH |
| 9000 | ---- | ---- | ---- | 6.468B/8.139A | ---- | 7.280 - 0.100 | .4093 | ---- | ---- | ---- | ---- | 1 UNCH |
| 30000 | ---- | ---- | ---- | 0.179B/*0.587A | ---- | 0.385 + 0.002 | .0261 | ---- | ---- | ---- | ---- | 1 UNCH |
| TOTAL | | | | | | | | | | | 0 | 3 0 |
| MAR27 | | | | | | | | | | | | |
| 8000 | ---- | ---- | ---- | 8.833B/11.831A | ---- | 10.210 - 0.164 | .5226 | ---- | ---- | ---- | ---- | 200 UNCH |
| 9000 | ---- | ---- | ---- | 6.354B/9.281A | ---- | 7.744 - 0.149 | .4186 | ---- | ---- | ---- | ---- | 35 UNCH |
| 9200 | ---- | ---- | ---- | 5.973B/8.878A | ---- | 7.363 - 0.140 | .4011 | ---- | ---- | ---- | ---- | 25 UNCH |
| 13000 | ---- | ---- | ---- | 2.246B/*4.551A | ---- | 3.365 - 0.062 | .1987 | ---- | ---- | 75 | ---- | 105 + 75 |
| 14000 | ---- | ---- | ---- | 1.792B/*3.973A | ---- | 2.838 - 0.063 | .1697 | ---- | ---- | 75 | ---- | 105 + 75 |
| 30000 | ---- | ---- | ---- | 0.253B/0.899A | ---- | 0.754 + 0.001 | .0445 | ---- | ---- | ---- | ---- | 2 UNCH |
| TOTAL | | | | | | | | | | 150 | 0 | 472 + 150 |
| MAY27 | | | | | | | | | | | | |
| 11000 | ---- | ---- | ---- | ---- | ---- | 7.237 + 0.010 | .3419 | ---- | ---- | ---- | ---- | 1 UNCH |
| TOTAL | | | | | | | | | | | 0 | 1 0 |
| JUL27 | | | | | | | | | | | | |
| 2000 | ---- | ---- | ---- | ---- | ---- | 56.713 + 0.105 | .9944 | ---- | ---- | ---- | ---- | 1 UNCH |
| 10000 | ---- | ---- | ---- | ---- | ---- | 9.913 + 0.020 | .4225 | ---- | ---- | ---- | ---- | 1 UNCH |
| 10300 | ---- | ---- | ---- | ---- | ---- | 9.467 + 0.018 | .4058 | ---- | ---- | ---- | ---- | 1 UNCH |
| TOTAL | | | | | | | | | | | 0 | 3 0 |
| DEC27 | | | | | | | | | | | | |
| 4000 | ---- | ---- | ---- | ---- | ---- | 39.515 + 0.082 | .9135 | ---- | ---- | ---- | ---- | 1 UNCH |
| 20000 | ---- | ---- | ---- | ---- | ---- | 5.981 + 0.006 | .2281 | ---- | ---- | ---- | ---- | 25 UNCH |
| TOTAL | | | | | | | | | | | 0 | 26 0 |
| SO PUT | | COMEX SILVER OPTIONS | | | | | | | | | | |
| JUN26 | | | | | | | | | | | | |
| 2100 | ---- | ---- | ---- | ----/0.009A | ---- | 0.001 UNCH | .0000 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2350 | ---- | ---- | ---- | ----/0.389A | ---- | 0.001 UNCH | .0000 | ---- | ---- | ---- | ---- | 2 UNCH |
| 2500 | ---- | ---- | ---- | 0.001B/0.388A | ---- | 0.002 UNCH | .0002 | ---- | ---- | ---- | ---- | 141 UNCH |
| 2650 | ---- | ---- | ---- | ----/0.387A | ---- | 0.002 - 0.001 | .0002 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3000 | ---- | ---- | ---- | ----/0.039A | ---- | 0.004 - 0.001 | .0005 | ---- | ---- | ---- | ---- | 246 UNCH |
| 3075 | ---- | ---- | ---- | ----/0.040A | ---- | 0.005 - 0.001 | .0006 | ---- | ---- | ---- | ---- | 4 UNCH |
| 3100 | ---- | ---- | ---- | ----/0.041A | ---- | 0.005 - 0.001 | .0006 | ---- | ---- | ---- | ---- | 3 UNCH |
| 3150 | ---- | ---- | ---- | ----/0.042A | ---- | 0.006 - 0.001 | .0007 | ---- | ---- | ---- | ---- | 9 UNCH |
| 3200 | ---- | ---- | ---- | ----/0.043A | ---- | 0.006 - 0.001 | .0007 | ---- | ---- | ---- | ---- | 4 UNCH |
| 3325 | ---- | ---- | ---- | ----/0.045A | ---- | 0.008 - 0.001 | .0010 | ---- | ---- | ---- | ---- | 2 UNCH |
| 3350 | ---- | ---- | ---- | ----/0.046A | ---- | 0.008 - 0.001 | .0010 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3375 | ---- | ---- | ---- | ----/0.046A | ---- | 0.009 UNCH | .0011 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3400 | ---- | ---- | ---- | ----/0.047A | ---- | 0.009 - 0.001 | .0011 | ---- | ---- | ---- | ---- | 17 UNCH |
| 3500 | ---- | ---- | ---- | ----/0.049A | ---- | 0.010 - 0.001 | .0013 | ---- | ---- | ---- | ---- | 100 UNCH |
| 3550 | ---- | ---- | ---- | ----/0.051A | ---- | 0.011 - 0.001 | .0014 | ---- | ---- | ---- | ---- | 5 UNCH |
| 3575 | ---- | ---- | ---- | ----/0.051A | ---- | 0.011 - 0.002 | .0015 | ---- | ---- | ---- | ---- | 22 UNCH |
| 3600 | ---- | ---- | ---- | ----/0.052A | ---- | 0.012 - 0.001 | .0016 | ---- | ---- | ---- | ---- | 6 UNCH |
| 3650 | ---- | ---- | ---- | ----/0.053A | ---- | 0.013 - 0.001 | .0017 | ---- | ---- | ---- | ---- | 22 UNCH |
| 3675 | ---- | ---- | ---- | ----/0.054A | ---- | 0.013 - 0.001 | .0018 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3700 | ---- | ---- | ---- | ----/0.054A | ---- | 0.014 - 0.001 | .0019 | ---- | ---- | ---- | ---- | 6 UNCH |
| 3725 | 0.015 | 0.015 | 0.015/*0.015 | 0.015/*0.015 | ---- | 0.014 NEW | .0019 | ---- | ---- | 15 | ---- | 15 + 15 |
| 3800 | ---- | ---- | ---- | ----/0.057A | ---- | 0.017 UNCH | .0023 | ---- | ---- | ---- | ---- | 14 UNCH |
| 3850 | ---- | ---- | ---- | ----/0.058A | ---- | 0.019 + 0.001 | .0026 | ---- | ---- | ---- | ---- | 2 UNCH |
| 3900 | ---- | ---- | ---- | ----/0.060A | ---- | 0.021 + 0.002 | .0029 | ---- | ---- | ---- | ---- | 6 UNCH |
| 3925 | ---- | ---- | ---- | ----/0.060A | ---- | 0.022 + 0.003 | .0031 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4000 | 0.020 | 0.020 | 0.020/*0.020 | 0.020/*0.020 | ---- | 0.025 + 0.004 | .0035 | ---- | ---- | 20 | ---- | 153 + 20 |
| 4075 | ---- | ---- | ---- | ----/0.065A | ---- | 0.028 + 0.007 | .0040 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4100 | ---- | ---- | ---- | 0.020B/0.065A | ---- | 0.029 + 0.008 | .0041 | ---- | ---- | ---- | ---- | 32 UNCH |
| 4125 | ---- | ---- | ---- | ----/0.066A | ---- | 0.030 + 0.009 | .0043 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4150 | ---- | ---- | ---- | ----/0.067A | ---- | 0.031 + 0.010 | .0044 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4200 | ---- | ---- | ---- | ----/0.069A | ---- | 0.033 + 0.012 | .0048 | ---- | ---- | ---- | ---- | 26 UNCH |
| 4225 | ---- | ---- | ---- | ----/0.069A | ---- | 0.034 + 0.013 | .0049 | ---- | ---- | ---- | ---- | 7 UNCH |
| 4250 | ---- | ---- | ---- | ----/0.070A | ---- | 0.034 + 0.012 | .0050 | ---- | ---- | ---- | ---- | 5 UNCH |
| 4275 | ---- | ---- | 0.025B/---- | 0.025B/0.071A | ---- | 0.035 + 0.013 | .0052 | ---- | ---- | ---- | ---- | 13 UNCH |
| 4300 | ---- | ---- | ---- | ----/0.071A | ---- | 0.036 + 0.014 | .0053 | ---- | ---- | ---- | ---- | 7 UNCH |
| 4350 | ---- | ---- | ---- | ----/0.073A | ---- | 0.037 + 0.015 | .0056 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4375 | ---- | ---- | ---- | ----/0.074A | ---- | 0.038 + 0.015 | .0058 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4400 | ---- | ---- | ---- | ----/0.075A | ---- | 0.039 + 0.016 | .0059 | ---- | ---- | ---- | ---- | 8 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SO PUT | | COMEX SILVER OPTIONS | | | | | | | | | | |
| JUN26 | | | | | | | | | | | | |
| 4425 | ---- | ---- | ---- | ----/0.076A | ---- | 0.039 + 0.016 | .0060 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4500 | ---- | ---- | ---- | 0.001B/0.079A | ---- | 0.041 + 0.016 | .0064 | ---- | ---- | ---- | ---- | 166 UNCH |
| 4550 | ---- | ---- | ---- | 0.001B/0.080A | ---- | 0.042 + 0.016 | .0067 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4600 | ---- | ---- | ---- | 0.001B/0.081A | ---- | 0.042 + 0.014 | .0068 | ---- | ---- | ---- | ---- | 7 UNCH |
| 4625 | ---- | ---- | ---- | 0.001B/0.082A | ---- | 0.043 + 0.014 | .0071 | ---- | ---- | ---- | ---- | 12 UNCH |
| 4650 | ---- | ---- | ---- | 0.001B/0.083A | ---- | 0.043 + 0.013 | .0071 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4700 | ---- | ---- | ---- | 0.001B/0.085A | ---- | 0.044 + 0.012 | .0074 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4725 | ---- | ---- | ---- | 0.001B/0.085A | ---- | 0.044 + 0.011 | .0075 | ---- | ---- | ---- | ---- | 10 UNCH |
| 4750 | ---- | ---- | ---- | 0.001B/0.086A | ---- | 0.044 + 0.010 | .0076 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4800 | ---- | ---- | ---- | 0.001B/0.088A | ---- | 0.045 + 0.008 | .0079 | ---- | ---- | ---- | ---- | 29 UNCH |
| 4850 | ---- | ---- | ---- | 0.001B/0.090A | ---- | 0.045 + 0.006 | .0081 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4875 | ---- | ---- | ---- | 0.001B/0.091A | ---- | 0.045 + 0.005 | .0081 | ---- | ---- | ---- | ---- | 15 UNCH |
| 4900 | ---- | ---- | ---- | 0.001B/0.092A | ---- | 0.045 + 0.004 | .0082 | ---- | ---- | ---- | ---- | 171 UNCH |
| 4975 | ---- | ---- | ---- | 0.001B/0.096A | ---- | 0.046 + 0.003 | .0087 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5000 | 0.032 | 0.032 | 0.032/*0.032 | 0.038B/*0.032 | ---- | 0.046 + 0.002 | .0088 | ---- | ---- | 3 | ---- | 1010 UNCH |
| 5025 | ---- | ---- | ---- | 0.002B/0.091A | ---- | 0.046 + 0.001 | .0089 | ---- | ---- | ---- | ---- | 8 UNCH |
| 5050 | ---- | ---- | ---- | 0.003B/0.087A | ---- | 0.047 + 0.001 | .0091 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5075 | ---- | ---- | ---- | 0.008B/0.082A | ---- | 0.047 UNCH | .0092 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5100 | ---- | ---- | ----/*0.042A | 0.012B/*0.042A | ---- | 0.047 - 0.001 | .0093 | ---- | ---- | ---- | ---- | 34 UNCH |
| 5125 | ---- | ---- | ---- | 0.009B/0.086A | ---- | 0.048 - 0.001 | .0096 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5150 | ---- | ---- | ---- | 0.009B/0.087A | ---- | 0.048 - 0.002 | .0097 | ---- | ---- | ---- | ---- | 16 UNCH |
| 5175 | ---- | ---- | ---- | 0.009B/0.088A | ---- | 0.049 - 0.002 | .0100 | ---- | ---- | ---- | ---- | 12 UNCH |
| 5200 | ---- | ---- | ---- | 0.009B/0.090A | ---- | 0.049 - 0.004 | .0101 | ---- | ---- | ---- | ---- | 7 UNCH |
| 5225 | ---- | ---- | ---- | 0.009B/0.090A | ---- | 0.050 - 0.005 | .0104 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5250 | ---- | ---- | ---- | 0.009B/0.092A | ---- | 0.050 - 0.007 | .0105 | ---- | ---- | ---- | ---- | 14 UNCH |
| 5275 | ---- | ---- | ---- | 0.009B/0.093A | ---- | 0.051 - 0.008 | .0108 | ---- | ---- | ---- | ---- | 17 UNCH |
| 5300 | ---- | ---- | ---- | 0.048B/0.082A | ---- | 0.052 - 0.009 | .0111 | ---- | ---- | ---- | ---- | 14 UNCH |
| 5325 | ---- | ---- | ---- | 0.011B/*0.097A | ---- | 0.053 - 0.011 | .0115 | ---- | ---- | ---- | ---- | 10 UNCH |
| 5350 | ---- | ---- | ---- | 0.012B/0.098A | ---- | 0.054 - 0.012 | .0118 | ---- | ---- | ---- | ---- | 12 UNCH |
| 5375 | ---- | ---- | ---- | 0.011B/0.101A | ---- | 0.055 - 0.014 | .0121 | ---- | ---- | ---- | ---- | 10 UNCH |
| 5400 | ---- | ---- | ---- | 0.019B/0.103A | ---- | 0.056 - 0.016 | .0124 | ---- | ---- | ---- | ---- | 24 UNCH |
| 5425 | ---- | ---- | ---- | 0.017B/0.105A | ---- | 0.057 - 0.019 | .0128 | ---- | ---- | ---- | ---- | 4 UNCH |
| 5450 | ---- | ---- | ---- | 0.019B/0.103A | ---- | 0.059 - 0.021 | .0133 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5475 | ---- | ---- | ---- | 0.022B/0.110A | ---- | 0.060 - 0.023 | .0136 | ---- | ---- | ---- | ---- | 13 UNCH |
| 5500 | ---- | ---- | ---- | 0.058B/0.099A | ---- | 0.062 - 0.026 | .0142 | ---- | ---- | ---- | ---- | 641 UNCH |
| 5525 | ---- | ---- | ---- | 0.057B/0.101A | ---- | 0.064 - 0.028 | .0147 | ---- | ---- | ---- | ---- | 16 UNCH |
| 5550 | ---- | ---- | ---- | 0.059B/0.104A | ---- | 0.067 - 0.030 | .0155 | ---- | ---- | ---- | ---- | 10 UNCH |
| 5575 | ---- | ---- | ---- | 0.058B/0.111A | ---- | 0.069 - 0.032 | .0160 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5600 | ---- | ---- | ---- | 0.061B/0.110A | ---- | 0.072 - 0.034 | .0168 | ---- | ---- | ---- | ---- | 19 UNCH |
| 5625 | ---- | ---- | ---- | 0.063B/0.116A | ---- | 0.076 - 0.036 | .0178 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5650 | ---- | ---- | ---- | 0.062B/0.122A | ---- | 0.079 - 0.038 | .0186 | ---- | ---- | ---- | ---- | 51 UNCH |
| 5675 | ---- | ---- | ----/0.118A | 0.069B/0.118A | ---- | 0.083 - 0.040 | .0195 | ---- | ---- | ---- | ---- | 21 UNCH |
| 5700 | ---- | ---- | ----/0.114A | 0.074B/0.114A | ---- | 0.088 - 0.041 | .0207 | ---- | ---- | ---- | ---- | 243 UNCH |
| 5725 | 0.101 | 0.101 | 0.101/*0.100 | 0.101/*0.100 | ---- | 0.093 - 0.042 | .0219 | ---- | ---- | 2 | ---- | 4 + 1 |
| 5750 | ---- | ---- | ----/0.123A | 0.074B/0.123A | ---- | 0.099 - 0.042 | .0233 | ---- | ---- | ---- | ---- | 226 UNCH |
| 5775 | ---- | ---- | ----/0.143A | 0.088B/0.143A | ---- | 0.105 - 0.042 | .0247 | ---- | ---- | ---- | ---- | 9 UNCH |
| 5800 | 0.115 | 0.115 | 0.115/*0.115 | 0.115/*0.115 | ---- | 0.112 - 0.041 | .0263 | ---- | ---- | 1 | ---- | 85 - 1 |
| 5825 | ---- | ---- | ----/0.153A | 0.102B/0.153A | ---- | 0.120 - 0.039 | .0281 | ---- | ---- | ---- | ---- | 9 UNCH |
| 5850 | ---- | ---- | ----/0.159A | 0.107B/0.159A | ---- | 0.129 - 0.037 | .0301 | ---- | ---- | ---- | ---- | 16 UNCH |
| 5875 | ---- | ---- | ----/0.165A | 0.113B/0.165A | ---- | 0.138 - 0.035 | .0321 | ---- | ---- | ---- | ---- | 14 UNCH |
| 5900 | 0.135 | 0.135 | 0.135/*0.135 | 0.135/*0.135 | ---- | 0.147 - 0.033 | .0341 | ---- | ---- | 1 | ---- | 44 UNCH |
| 5925 | ---- | ---- | ----/0.176A | 0.127B/0.176A | ---- | 0.157 - 0.031 | .0363 | ---- | ---- | ---- | ---- | 21 UNCH |
| 5950 | ---- | ---- | ----/0.184A | 0.134B/0.184A | ---- | 0.166 - 0.031 | .0383 | ---- | ---- | ---- | ---- | 16 UNCH |
| 5975 | ---- | ---- | ----/0.191A | 0.143B/0.191A | ---- | 0.175 - 0.032 | .0404 | ---- | ---- | ---- | ---- | 3 UNCH |
| 6000 | 0.187 | 0.187 | 0.200/0.162 | 0.200/0.162 | ---- | 0.185 - 0.033 | .0427 | ---- | ---- | 122 | ---- | 1078 + 106 |
| 6025 | ---- | ---- | ----/0.199A | 0.161B/0.199A | ---- | 0.194 - 0.037 | .0448 | ---- | ---- | ---- | ---- | 31 UNCH |
| 6050 | ---- | ---- | ----/0.209A | 0.182B/0.209A | ---- | 0.203 - 0.041 | .0470 | ---- | ---- | ---- | ---- | 142 UNCH |
| 6075 | ---- | ---- | ----/0.216A | 0.229B/0.216A | ---- | 0.212 - 0.046 | .0492 | ---- | ---- | ---- | ---- | 31 UNCH |
| 6100 | ---- | ---- | ----/0.227A | 0.241B/0.227A | ---- | 0.221 - 0.052 | .0514 | ---- | ---- | ---- | ---- | 117 UNCH |
| 6125 | ---- | ---- | ----/0.240A | 0.258B/0.240A | ---- | 0.231 - 0.058 | .0539 | ---- | ---- | ---- | ---- | 3 UNCH |
| 6150 | ---- | ---- | ----/0.253A | 0.273B/0.253A | ---- | 0.241 - 0.064 | .0563 | ---- | ---- | ---- | ---- | 15 UNCH |
| 6175 | ---- | ---- | ----/0.266A | 0.292B/0.266A | ---- | 0.252 - 0.070 | .0590 | ---- | ---- | ---- | ---- | 307 UNCH |
| 6200 | ---- | ---- | ----/0.268A | 0.314B/0.268A | ---- | 0.264 - 0.076 | .0619 | ---- | ---- | ---- | ---- | 271 UNCH |
| 6225 | ---- | ---- | ----/0.292A | 0.334B/0.292A | ---- | 0.279 - 0.080 | .0653 | ---- | ---- | ---- | ---- | 8 UNCH |
| 6250 | 0.298 | 0.298 | 0.298/0.298 | 0.357B/0.298 | ---- | 0.295 - 0.084 | .0689 | ---- | ---- | 1 | ---- | 100 + 1 |
| 6275 | 0.321 | 0.321 | 0.321/0.316A | 0.380B/0.316A | ---- | 0.313 - 0.087 | .0728 | ---- | ---- | 1 | ---- | 3 UNCH |
| 6300 | 0.330 | 0.330 | 0.330/0.322A | 0.403B/0.322A | ---- | 0.331 - 0.091 | .0768 | ---- | ---- | 3 | ---- | 155 + 1 |
| 6325 | ---- | ---- | ----/0.338A | 0.428B/0.338A | ---- | 0.351 - 0.094 | .0812 | ---- | ---- | ---- | ---- | 19 UNCH |
| 6350 | ---- | ---- | ----/0.355A | 0.456B/0.355A | ---- | 0.372 - 0.097 | .0857 | ---- | ---- | ---- | ---- | 31 UNCH |
| 6375 | ---- | ---- | ----/0.374A | 0.486B/0.374A | ---- | 0.394 - 0.100 | .0904 | ---- | ---- | ---- | ---- | 15 UNCH |
| 6400 | ---- | ---- | ----/0.396A | 0.516B/0.396A | ---- | 0.417 - 0.103 | .0953 | ---- | ---- | ---- | ---- | 188 UNCH |
| 6425 | ---- | ---- | ----/0.417A | 0.543B/0.417A | ---- | 0.442 - 0.106 | .1005 | ---- | ---- | ---- | ---- | 47 UNCH |
| 6450 | ---- | ---- | ----/0.440A | 0.577B/0.440A | ---- | 0.467 - 0.111 | .1058 | ---- | ---- | 5 | ---- | 63 + 5 |
| 6475 | ---- | ---- | 0.613B/0.464A | 0.613B/0.464A | ---- | 0.495 - 0.116 | .1115 | ---- | ---- | ---- | ---- | 89 UNCH |
| 6500 | 0.648 | 0.648 | 0.660B/0.491A | 0.660B/0.491A | ---- | 0.525 - 0.120 | .1176 | ---- | ---- | 117 | 32 | 683 + 56 |
| 6525 | ---- | ---- | 0.689B/0.518A | 0.689B/0.518A | ---- | 0.556 - 0.127 | .1238 | ---- | ---- | ---- | ---- | 38 UNCH |
| 6550 | 0.604 | 0.604 | 0.731B/0.546A | 0.731B/0.546A | ---- | 0.590 - 0.133 | .1305 | ---- | ---- | 8 | ---- | 78 + 4 |
| 6575 | ---- | ---- | 0.774B/0.576A | 0.774B/0.576A | ---- | 0.625 - 0.140 | .1373 | ---- | ---- | ---- | ---- | 8 UNCH |
| 6600 | 0.660 | 0.660 | 0.822B/0.605A | 0.822B/0.605A | ---- | 0.663 - 0.146 | .1445 | ---- | ---- | 11 | ---- | 188 + 8 |
| 6625 | ---- | ---- | 0.867B/0.641A | 0.867B/0.641A | ---- | 0.701 - 0.154 | .1518 | ---- | ---- | ---- | ---- | 22 UNCH |
| 6650 | ---- | ---- | 0.919B/0.681A | 0.919B/0.681A | ---- | 0.741 - 0.161 | .1594 | ---- | ---- | ---- | ---- | 22 UNCH |
| 6675 | ---- | ---- | 0.970B/0.720A | 0.970B/0.720A | ---- | 0.783 - 0.168 | .1673 | ---- | ---- | 1 | ---- | 26 UNCH |
| 6700 | ---- | ---- | 1.028B/0.759A | 1.028B/0.759A | ---- | 0.827 - 0.175 | .1754 | ---- | ---- | 9 | ---- | 144 + 8 |
| 6725 | ---- | ---- | 1.084B/0.805A | 1.084B/0.805A | ---- | 0.874 - 0.181 | .1839 | ---- | ---- | 1 | ---- | 39 + 1 |
| 6750 | ---- | ---- | 1.146B/0.843A | 1.146B/0.843A | ---- | 0.924 - 0.187 | .1928 | ---- | ---- | 5 | ---- | 61 + 5 |
| 6775 | ---- | ---- | 1.208B/0.898A | 1.208B/0.898A | ---- | 0.976 - 0.193 | .2019 | ---- | ---- | ---- | ---- | 8 UNCH |
| 6800 | 1.080 | 1.080 | 1.274B/0.942A | 1.274B/0.942A | ---- | 1.032 - 0.198 | .2114 | ---- | ---- | 7 | ---- | 87 - 1 |
| 6825 | ---- | ---- | 1.341B/1.005A | 1.341B/1.005A | ---- | 1.091 - 0.203 | .2212 | ---- | ---- | ---- | ---- | 2 UNCH |
| 6850 | 1.195 | 1.195 | 1.417B/1.051A | 1.417B/1.051A | ---- | 1.154 - 0.206 | .2314 | ---- | ---- | 7 | ---- | 81 + 5 |
| 6875 | ---- | ---- | 1.491B/1.117A | 1.491B/1.117A | ---- | 1.219 - 0.211 | .2419 | ---- | ---- | ---- | ---- | 3 UNCH |
| 6900 | ---- | ---- | 1.554B/1.167A | 1.554B/1.167A | ---- | 1.288 - 0.214 | .2526 | ---- | ---- | 9 | ---- | 104 UNCH |
| 6925 | ---- | ---- | 1.651B/1.238A | 1.651B/1.238A | ---- | 1.360 - 0.217 | .2636 | ---- | ---- | ---- | ---- | 13 UNCH |
| 6950 | 1.437 | 1.437 | 1.731B/1.296A | 1.731B/1.296A | ---- | 1.435 - 0.220 | .2748 | ---- | ---- | 44 | ---- | 92 + 44 |
| 6975 | ---- | ---- | 1.822B/1.374A | 1.822B/1.374A | ---- | 1.513 - 0.224 | .2862 | ---- | ---- | ---- | ---- | 10 UNCH |
| 7000 | 1.759 | 1.759 | 1.909B/1.437A | 1.909B/1.437A | ---- | 1.595 - 0.226 | .2979 | ---- | ---- | 26 | ---- | 799 + 17 |
| 7025 | ---- | ---- | 2.007B/1.517A | 2.007B/1.517A | ---- | 1.679 - 0.230 | .3098 | ---- | ---- | ---- | ---- | 20 UNCH |
| 7050 | ---- | ---- | 2.060B/1.584A | 2.060B/1.584A | ---- | 1.767 - 0.233 | .3218 | ---- | ---- | ---- | ---- | 52 UNCH |
| 7075 | 1.797 | 1.797 | 2.163B/1.667A | 2.163B/1.667A | ---- | 1.858 - 0.236 | .3340 | ---- | ---- | 5 | ---- | 47 + 4 |
| 7100 | 1.785 | 1.785 | 2.281B/1.750A | 2.281B/1.750A | ---- | 1.953 - 0.238 | .3464 | ---- | ---- | 1 | ---- | 102 + 1 |
| 7125 | 1.799 | 1.799 | 2.402B/1.799 | 2.402B/1.799 | ---- | 2.050 - 0.242 | .3589 | ---- | ---- | 1 | ---- | 11 + 1 |
| 7150 | ---- | ---- | 2.515B/1.926A | 2.515B/1.926A | ---- | 2.151 - 0.245 | .3715 | ---- | ---- | ---- | ---- | 32 UNCH |
| 7175 | 2.095 | 2.095 | 2.624B/2.016A | 2.624B/2.016A | ---- | 2.256 - 0.247 | .3842 | ---- | ---- | 1 | ---- | 68 + 1 |
| 7200 | 2.270 | 2.270 | 2.737B/2.105 | 2.737B/2.105 | ---- | 2.363 - 0.251 | .3970 | ---- | ---- | 7 | ---- | 326 + 1 |
| 7225 | 2.270 | 2.270 | 2.856B/2.220A | 2.856B/2.220A | ---- | 2.475 - 0.253 | .4099 | ---- | ---- | 3 | ---- | 13 + 3 |
| 7250 | 2.367 | 2.367 | 2.983B/2.323A | 2.983B/2.323A | ---- | 2.589 - 0.256 | .4229 | ---- | ---- | 2 | ---- | 21 - 1 |
| 7275 | ---- | ---- | 3.101B/2.425A | 3.101B/2.425A | ---- | 2.707 - 0.258 | .4359 | ---- | ---- | ---- | ---- | 10 UNCH |
| 7300 | ---- | ---- | 3.194B/2.523A | 3.194B/2.523A | ---- | 2.828 - 0.261 | .4489 | ---- | ---- | ---- | ---- | 108 UNCH |
| 7325 | ---- | ---- | 3.349B/2.647A | 3.349B/2.647A | ---- | 2.953 - 0.262 | .4619 | ---- | ---- | ---- | ---- | 18 UNCH |
| 7350 | 3.140 | 3.140 | 3.487B/2.760A | 3.487B/2.760A | ---- | 3.081 - 0.264 | .4750 | ---- | ---- | 1 | ---- | 41 - 1 |
| 7375 | ---- | ---- | 3.652B/2.880A | 3.652B/2.880A | ---- | 3.213 - 0.266 | .4880 | ---- | ---- | ---- | ---- | 33 UNCH |
| 7400 | ---- | ---- | 3.748B/2.993A | 3.748B/2.993A | ---- | 3.347 - 0.268 | .5009 | ---- | ---- | 1 | ---- | 59 - 1 |
| 7425 | ---- | ---- | 3.938B/3.123A | 3.938B/3.123A | ---- | 3.486 - 0.268 | .5138 | ---- | ---- | 4 | ---- | 37 UNCH |
| 7450 | ---- | ---- | 4.091B/3.246A | 4.091B/3.246A | ---- | 3.627 - 0.270 | .5267 | ---- | ---- | ---- | ---- | 58 UNCH |
| 7475 | ---- | ---- | 4.186B/3.388A | 4.186B/3.388A | ---- | 3.772 - 0.270 | .5394 | ---- | ---- | ---- | ---- | 18 UNCH |
| 7500 | 4.000 | 4.000 | 4.276B/3.514A | 4.276B/3.514A | ---- | 3.920 - 0.271 | .5520 | ---- | ---- | 3 | ---- | 422 - 1 |
| 7525 | 3.927 | 3.927 | 4.432B/3.692A | 4.432B/3.692A | ---- | 4.071 - 0.271 | .5646 | ---- | ---- | 1 | ---- | 6 - 1 |
| 7550 | ---- | ---- | 4.538B/3.839A | 4.538B/3.839A | ---- | 4.226 - 0.270 | .5769 | ---- | ---- | ---- | ---- | 21 UNCH |
| 7575 | 3.990 | 3.990 | 4.466B/3.970A | 4.466B/3.970A | ---- | 4.383 - 0.271 | .5892 | ---- | ---- | 1 | ---- | 5 UNCH |
| 7600 | ---- | ---- | ----/4.103A | 4.589B/4.103A | ---- | 4.544 - 0.270 | .6013 | ---- | ---- | ---- | ---- | 85 UNCH |
| 7625 | ---- | ---- | ----/4.287A | 4.653B/4.287A | ---- | 4.708 - 0.269 | .6131 | ---- | ---- | ---- | ---- | 3 UNCH |
| 7650 | ---- | ---- | ----/4.437A | 4.898B/4.437A | ---- | 4.875 - 0.268 | .6249 | ---- | ---- | ---- | ---- | 10 UNCH |
| 7675 | ---- | ---- | ----/4.578A | 4.997B/4.578A | ---- | 5.044 - 0.267 | .6364 | ---- | ---- | ---- | ---- | 2 UNCH |
| 7700 | ---- | ---- | ----/4.738A | 5.280B/4.738A | ---- | 5.217 - 0.266 | .6478 | ---- | ---- | ---- | ---- | 67 UNCH |
| 7725 | ---- | ---- | ----/5.006A | 5.418B/5.006A | ---- | 5.393 - 0.264 | .6589 | ---- | ---- | ---- | ---- | 23 UNCH |
| 7750 | ---- | ---- | ----/5.172A | 5.507B/5.172A | ---- | 5.571 - 0.262 | .6698 | ---- | ---- | ---- | ---- | 5 UNCH |
| 7775 | ---- | ---- | ----/5.292A | 5.800B/5.292A | ---- | 5.752 - 0.260 | .6805 | ---- | ---- | ---- | ---- | 30 UNCH |
| 7800 | 6.000 | 6.000 | 6.000/5.469A | 6.000/5.469A | ---- | 5.935 - 0.259 | .6910 | ---- | ---- | 1 | ---- | 42 UNCH |
| 7825 | ---- | ---- | ----/5.716A | 6.100B/5.716A | ---- | 6.122 - 0.256 | .7011 | ---- | ---- | ---- | ---- | 5 UNCH |
| 7850 | ---- | ---- | ----/5.864A | 6.343B/5.864A | ---- | 6.310 - 0.254 | .7111 | ---- | ---- | ---- | ---- | 10 UNCH |
| 7875 | ---- | ---- | ----/6.039A | 6.539B/6.039A | ---- | 6.501 - 0.252 | .7208 | ---- | ---- | ---- | ---- | 21 UNCH |
| 7900 | ---- | ---- | ----/6.140A | 6.800B/6.140A | ---- | 6.695 - 0.249 | .7303 | ---- | ---- | ---- | ---- | 120 UNCH |
| 7925 | ---- | ---- | ----/6.411A | 6.936B/6.411A | ---- | 6.891 - 0.246 | .7396 | ---- | ---- | ---- | ---- | 11 UNCH |
| 7950 | ---- | ---- | ----/6.586A | 7.139B/6.586A | ---- | 7.089 - 0.244 | .7486 | ---- | ---- | ---- | ---- | 23 UNCH |
| 7975 | ---- | ---- | ----/6.825A | 7.346B/6.825A | ---- | 7.289 - 0.241 | .7573 | ---- | ---- | ---- | ---- | 2 UNCH |
| 8000 | ---- | ---- | ----/6.894A | 7.617B/6.894A | ---- | 7.492 - 0.238 | .7658 | ---- | ---- | ---- | ---- | 180 UNCH |
| 8025 | ---- | ---- | ----/7.214A | 7.759B/7.214A | ---- | 7.696 - 0.235 | .7740 | ---- | ---- | ---- | ---- | 1 UNCH |
| 8050 | ---- | ---- | ----/7.411A | 7.970B/7.411A | ---- | 7.903 - 0.232 | .7819 | ---- | ---- | ---- | ---- | 4 UNCH |
| 8075 | ---- | ---- | ----/7.611A | 8.151B/7.611A | ---- | 8.111 - 0.229 | .7897 | ---- | ---- | ---- | ---- | 1 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SO PUT | | COMEX SILVER OPTIONS | | | | | | | | | | |
| JUN26 | | | | | | | | | | | | |
| 8100 | ---- | ---- | ----/7.757A | 8.377B/7.757A | ---- | 8.321 - 0.226 | .7972 | ---- | ---- | ---- | ---- | 7 UNCH |
| 8125 | ---- | ---- | ----/8.016A | 8.557B/8.016A | ---- | 8.533 - 0.223 | .8044 | ---- | ---- | ---- | ---- | 2 UNCH |
| 8150 | ---- | ---- | ----/8.164A | 8.829B/8.164A | ---- | 8.747 - 0.219 | .8114 | ---- | ---- | ---- | ---- | 6 UNCH |
| 8175 | ---- | ---- | ----/8.336A | 9.085B/8.336A | ---- | 8.962 - 0.216 | .8181 | ---- | ---- | ---- | ---- | 43 UNCH |
| 8200 | ---- | ---- | ----/8.584A | 9.267B/8.584A | ---- | 9.179 - 0.213 | .8247 | ---- | ---- | ---- | ---- | 24 UNCH |
| 8225 | ---- | ---- | ----/8.794A | 9.487B/8.794A | ---- | 9.398 - 0.209 | .8309 | ---- | ---- | ---- | ---- | 6 UNCH |
| 8250 | ---- | ---- | ----/8.999A | 9.710B/8.999A | ---- | 9.617 - 0.207 | .8368 | ---- | ---- | ---- | ---- | 18 UNCH |
| 8275 | ---- | ---- | ----/9.172A | 9.971B/9.172A | ---- | 9.839 - 0.203 | .8427 | ---- | ---- | ---- | ---- | 41 UNCH |
| 8300 | ---- | ---- | ----/9.427A | 10.156B/9.427A | ---- | 10.061 - 0.201 | .8483 | ---- | ---- | ---- | ---- | 8 UNCH |
| 8350 | ---- | ---- | ----/9.899A | 10.616B/9.899A | ---- | 10.510 - 0.195 | .8589 | ---- | ---- | ---- | ---- | 18 UNCH |
| 8375 | ---- | ---- | ----/10.145A | 10.825B/10.145A | ---- | 10.737 - 0.191 | .8638 | ---- | ---- | ---- | ---- | 1 UNCH |
| 8400 | ---- | ---- | ----/10.367A | 11.023B/10.367A | ---- | 10.964 - 0.189 | .8685 | ---- | ---- | ---- | ---- | 3 UNCH |
| 8425 | ---- | ---- | ----/10.441A | 11.367B/10.441A | ---- | 11.193 - 0.185 | .8731 | ---- | ---- | ---- | ---- | 63 UNCH |
| 8450 | ---- | ---- | ----/10.752A | 11.509B/10.752A | ---- | 11.423 - 0.182 | .8775 | ---- | ---- | ---- | ---- | 18 UNCH |
| 8475 | ---- | ---- | ----/11.039A | 11.747B/11.039A | ---- | 11.653 - 0.180 | .8817 | ---- | ---- | ---- | ---- | 2 UNCH |
| 8500 | ---- | ---- | ----/11.125A | 12.061B/11.125A | ---- | 11.885 - 0.176 | .8858 | ---- | ---- | ---- | ---- | 70 UNCH |
| 8525 | ---- | ---- | ----/11.444A | 12.214B/11.444A | ---- | 12.117 - 0.174 | .8897 | ---- | ---- | ---- | ---- | 1 UNCH |
| 8550 | ---- | ---- | ----/11.671A | 12.449B/11.671A | ---- | 12.350 - 0.172 | .8933 | ---- | ---- | ---- | ---- | 1 UNCH |
| 8575 | ---- | ---- | ----/11.899A | 12.684B/11.899A | ---- | 12.585 - 0.168 | .8969 | ---- | ---- | ---- | ---- | 1 UNCH |
| 8600 | ---- | ---- | ----/12.128A | 12.920B/12.128A | ---- | 12.819 - 0.166 | .9004 | ---- | ---- | ---- | ---- | 5 UNCH |
| 8625 | ---- | ---- | ----/12.332A | 13.147B/12.332A | ---- | 13.055 - 0.163 | .9036 | ---- | ---- | ---- | ---- | 10 UNCH |
| 8650 | ---- | ---- | ----/12.589A | 13.389B/12.589A | ---- | 13.291 - 0.161 | .9066 | ---- | ---- | ---- | ---- | 2 UNCH |
| 8675 | ---- | ---- | ----/12.820A | 13.627B/12.820A | ---- | 13.528 - 0.158 | .9097 | ---- | ---- | ---- | ---- | 2 UNCH |
| 8700 | ---- | ---- | ----/13.028A | 13.859B/13.028A | ---- | 13.765 - 0.156 | .9126 | ---- | ---- | ---- | ---- | 14 UNCH |
| 8750 | ---- | ---- | 14.397B/13.505A | 14.397B/13.505A | ---- | 14.242 - 0.150 | .9179 | ---- | ---- | ---- | ---- | 26 UNCH |
| 8775 | ---- | ---- | ----/13.755A | 14.534B/13.755A | ---- | 14.481 - 0.148 | .9205 | ---- | ---- | ---- | ---- | 1 UNCH |
| 8800 | ---- | ---- | ----/14.017A | 14.817B/14.017A | ---- | 14.720 - 0.146 | .9229 | ---- | ---- | ---- | ---- | 14 UNCH |
| 8825 | ---- | ---- | ----/14.253A | 15.058B/14.253A | ---- | 14.960 - 0.144 | .9253 | ---- | ---- | ---- | ---- | 15 UNCH |
| 8850 | ---- | ---- | ----/14.438A | 15.299B/14.438A | ---- | 15.200 - 0.142 | .9276 | ---- | ---- | ---- | ---- | 6 UNCH |
| 8925 | ---- | ---- | ----/15.189A | 15.999B/15.189A | ---- | 15.924 - 0.134 | .9339 | ---- | ---- | ---- | ---- | 4 UNCH |
| 8975 | ---- | ---- | ----/15.652A | 16.466B/15.652A | ---- | 16.408 - 0.129 | .9376 | ---- | ---- | ---- | ---- | 2 UNCH |
| 9000 | ---- | ---- | 16.848B/15.805A | 16.848B/15.805A | ---- | 16.650 - 0.128 | .9393 | ---- | ---- | ---- | ---- | 134 UNCH |
| 9050 | ---- | ---- | ----/16.372A | 17.196B/16.372A | ---- | 17.136 - 0.123 | .9427 | ---- | ---- | ---- | ---- | 3 UNCH |
| 9075 | ---- | ---- | ----/16.613A | 17.439B/16.613A | ---- | 17.379 - 0.121 | .9444 | ---- | ---- | ---- | ---- | 2 UNCH |
| 9100 | ---- | ---- | ----/16.884A | 17.728B/16.884A | ---- | 17.622 - 0.119 | .9459 | ---- | ---- | ---- | ---- | 6 UNCH |
| 9125 | ---- | ---- | ----/17.097A | 17.927B/17.097A | ---- | 17.866 - 0.117 | .9474 | ---- | ---- | ---- | ---- | 1 UNCH |
| 9150 | ---- | ---- | ----/17.339A | 18.172B/17.339A | ---- | 18.110 - 0.115 | .9488 | ---- | ---- | ---- | ---- | 1 UNCH |
| 9175 | ---- | ---- | ----/17.581A | 18.416B/17.581A | ---- | 18.354 - 0.113 | .9503 | ---- | ---- | ---- | ---- | 1 UNCH |
| 9200 | ---- | ---- | 18.791B/17.733A | 18.791B/17.733A | ---- | 18.598 - 0.111 | .9515 | ---- | ---- | ---- | ---- | 80 UNCH |
| 9325 | ---- | ---- | ----/19.056A | 19.895B/19.056A | ---- | 19.822 - 0.103 | .9577 | ---- | ---- | ---- | ---- | 1 UNCH |
| 9450 | ---- | ---- | 21.165B/20.280A | 21.165B/20.280A | ---- | 21.051 - 0.094 | .9627 | ---- | ---- | ---- | ---- | 6 UNCH |
| 9500 | ---- | ---- | 21.753B/20.684A | 21.753B/20.684A | ---- | 21.543 - 0.092 | .9646 | ---- | ---- | ---- | ---- | 138 UNCH |
| 9525 | ---- | ---- | ----/20.998A | 21.862B/20.998A | ---- | 21.790 - 0.090 | .9654 | ---- | ---- | ---- | ---- | 1 UNCH |
| 9550 | ---- | ---- | ----/21.244A | 22.109B/21.244A | ---- | 22.036 - 0.090 | .9663 | ---- | ---- | ---- | ---- | 1 UNCH |
| 9575 | ---- | ---- | 22.399B/21.489A | 22.399B/21.489A | ---- | 22.283 - 0.088 | .9671 | ---- | ---- | ---- | ---- | 2 UNCH |
| 9725 | ---- | ---- | 23.883B/22.958A | 23.883B/22.958A | ---- | 23.764 - 0.083 | .9713 | ---- | ---- | ---- | ---- | 1 UNCH |
| 9825 | ---- | ---- | 24.863B/23.954A | 24.863B/23.954A | ---- | 24.754 - 0.080 | .9738 | ---- | ---- | ---- | ---- | 1 UNCH |
| 9850 | ---- | ---- | ----/24.179A | 25.079B/24.179A | ---- | 25.001 - 0.081 | .9745 | ---- | ---- | ---- | ---- | 1 UNCH |
| 9900 | ---- | ---- | 25.618B/24.700A | 25.618B/24.700A | ---- | 25.496 - 0.080 | .9755 | ---- | ---- | ---- | ---- | 17 UNCH |
| 9925 | ---- | ---- | 25.880B/24.944A | 25.880B/24.944A | ---- | 25.744 - 0.080 | .9760 | ---- | ---- | ---- | ---- | 1 UNCH |
| 9950 | ---- | ---- | 26.128B/25.191A | 26.128B/25.191A | ---- | 25.992 - 0.079 | .9765 | ---- | ---- | ---- | ---- | 1 UNCH |
| 10000 | ---- | ---- | 26.706B/25.619A | 26.706B/25.619A | ---- | 26.488 - 0.079 | .9774 | ---- | ---- | ---- | ---- | 97 UNCH |
| 10025 | ---- | ---- | 26.816B/25.911A | 26.816B/25.911A | ---- | 26.736 - 0.079 | .9779 | ---- | ---- | ---- | ---- | 2 UNCH |
| 10075 | ---- | ---- | 27.312B/26.433A | 27.312B/26.433A | ---- | 27.232 - 0.079 | .9789 | ---- | ---- | ---- | ---- | 1 UNCH |
| 10100 | ---- | ---- | 27.605B/26.682A | 27.605B/26.682A | ---- | 27.480 - 0.079 | .9794 | ---- | ---- | ---- | ---- | 6 UNCH |
| 10125 | ---- | ---- | 27.810B/26.926A | 27.810B/26.926A | ---- | 27.728 - 0.080 | .9796 | ---- | ---- | ---- | ---- | 1 UNCH |
| 10150 | ---- | ---- | 28.102B/27.179A | 28.102B/27.179A | ---- | 27.977 - 0.079 | .9801 | ---- | ---- | ---- | ---- | 8 UNCH |
| 10175 | ---- | ---- | 28.308B/27.423A | 28.308B/27.423A | ---- | 28.225 - 0.079 | .9804 | ---- | ---- | ---- | ---- | 2 UNCH |
| 10200 | ---- | ---- | 28.694B/27.602A | 28.694B/27.602A | ---- | 28.473 - 0.080 | .9809 | ---- | ---- | ---- | ---- | 120 UNCH |
| 10225 | ---- | ---- | 28.805B/27.919A | 28.805B/27.919A | ---- | 28.722 - 0.080 | .9811 | ---- | ---- | ---- | ---- | 1 UNCH |
| 10325 | ---- | ---- | 29.800B/28.890A | 29.800B/28.890A | ---- | 29.716 - 0.080 | .9826 | ---- | ---- | ---- | ---- | 1 UNCH |
| 10350 | ---- | ---- | 30.049B/29.138A | 30.049B/29.138A | ---- | 29.965 - 0.080 | .9828 | ---- | ---- | ---- | ---- | 1 UNCH |
| 10375 | ---- | ---- | 30.298B/29.387A | 30.298B/29.387A | ---- | 30.214 - 0.080 | .9831 | ---- | ---- | ---- | ---- | 1 UNCH |
| 10400 | ---- | ---- | 30.547B/29.635A | 30.547B/29.635A | ---- | 30.463 - 0.080 | .9834 | ---- | ---- | ---- | ---- | 1 UNCH |
| 10500 | ---- | ---- | 31.590B/30.657A | 31.590B/30.657A | ---- | 31.459 - 0.078 | .9842 | ---- | ---- | ---- | ---- | 9 UNCH |
| 10600 | ---- | ---- | 32.541B/31.626A | 32.541B/31.626A | ---- | 32.456 - 0.076 | .9850 | ---- | ---- | ---- | ---- | 5 UNCH |
| 10825 | ---- | ---- | 34.829B/33.895A | 34.829B/33.895A | ---- | 34.700 - 0.069 | .9865 | ---- | ---- | ---- | ---- | 6 UNCH |
| 10850 | ---- | ---- | 35.035B/34.146A | 35.035B/34.146A | ---- | 34.949 - 0.069 | .9867 | ---- | ---- | ---- | ---- | 4 UNCH |
| 10875 | ---- | ---- | 35.285B/34.395A | 35.285B/34.395A | ---- | 35.198 - 0.068 | .9869 | ---- | ---- | ---- | ---- | 2 UNCH |
| 10950 | ---- | ---- | 36.034B/35.143A | 36.034B/35.143A | ---- | 35.946 - 0.066 | .9874 | ---- | ---- | ---- | ---- | 3 UNCH |
| 11000 | ---- | ---- | 36.576B/35.639A | 36.576B/35.639A | ---- | 36.445 - 0.065 | .9877 | ---- | ---- | ---- | ---- | 7 UNCH |
| 11325 | ---- | ---- | 39.778B/38.932A | 39.778B/38.932A | ---- | 39.687 - 0.059 | .9895 | ---- | ---- | ---- | ---- | 1 UNCH |
| 11500 | ---- | ---- | 41.570B/40.640A | 41.570B/40.640A | ---- | 41.434 - 0.058 | .9902 | ---- | ---- | ---- | ---- | 10 UNCH |
| 11525 | ---- | ---- | 41.777B/40.928A | 41.777B/40.928A | ---- | 41.683 - 0.058 | .9904 | ---- | ---- | ---- | ---- | 1 UNCH |
| 11675 | ---- | ---- | 43.276B/42.426A | 43.276B/42.426A | ---- | 43.181 - 0.058 | .9911 | ---- | ---- | ---- | ---- | 1 UNCH |
| 11700 | ---- | ---- | 43.526B/42.676A | 43.526B/42.676A | ---- | 43.430 - 0.058 | .9913 | ---- | ---- | ---- | ---- | 1 UNCH |
| 12000 | ---- | ---- | 46.639B/45.544A | 46.639B/45.544A | ---- | 46.425 - 0.059 | .9926 | ---- | ---- | ---- | ---- | 50 UNCH |
| 12025 | ---- | ---- | 46.775B/45.922A | 46.775B/45.922A | ---- | 46.675 - 0.058 | .9926 | ---- | ---- | ---- | ---- | 1 UNCH |
| 13000 | ---- | ---- | 56.523B/55.671A | 56.523B/55.671A | ---- | 56.419 - 0.059 | .9954 | ---- | ---- | ---- | ---- | 5 UNCH |
| TOTAL | | | | | | | | | | 451 | 32 | 12564 + 301 |
| JUL26 | | | | | | | | | | | | |
| 2000 | ---- | ---- | ---- | 0.001B/0.022A | ---- | 0.003 - 0.001 | .0003 | ---- | ---- | ---- | ---- | 6 UNCH |
| 2400 | ---- | ---- | ---- | ----/0.175A | ---- | 0.008 UNCH | .0008 | ---- | ---- | ---- | ---- | 10 UNCH |
| 2650 | ---- | ---- | ---- | ----/0.050A | ---- | 0.011 - 0.001 | .0012 | ---- | ---- | ---- | ---- | 6 UNCH |
| 3000 | ---- | ---- | ---- | ----/*0.040A | ---- | 0.018 UNCH | .0020 | ---- | ---- | ---- | ---- | 5 UNCH |
| 3025 | ---- | ---- | ---- | ----/0.057A | ---- | 0.018 - 0.001 | .0021 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3350 | ---- | ---- | ---- | 0.001B/0.066A | ---- | 0.028 UNCH | .0033 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3400 | ---- | ---- | ---- | 0.001B/0.068A | ---- | 0.029 - 0.001 | .0035 | ---- | ---- | ---- | ---- | 55 UNCH |
| 3475 | ---- | ---- | ---- | 0.001B/0.071A | ---- | 0.032 - 0.001 | .0039 | ---- | ---- | ---- | ---- | 5 UNCH |
| 3500 | ---- | ---- | ---- | 0.001B/0.072A | ---- | 0.033 - 0.001 | .0040 | ---- | ---- | ---- | ---- | 4 UNCH |
| 3600 | ---- | ---- | ---- | 0.001B/0.075A | ---- | 0.038 - 0.001 | .0047 | ---- | ---- | ---- | ---- | 12 UNCH |
| 3700 | 0.030 | 0.030 | 0.030/*0.030 | 0.030/*0.030 | ---- | 0.041 UNCH | .0052 | ---- | ---- | 3 | ---- | 94 + 3 |
| 3800 | ---- | ---- | ---- | 0.001B/0.086A | ---- | 0.045 + 0.001 | .0058 | ---- | ---- | ---- | ---- | 25 UNCH |
| 3825 | ---- | ---- | ---- | 0.001B/0.087A | ---- | 0.046 + 0.001 | .0059 | ---- | ---- | ---- | ---- | 8 UNCH |
| 3850 | ---- | ---- | ---- | 0.001B/0.089A | ---- | 0.047 + 0.001 | .0061 | ---- | ---- | ---- | ---- | 3 UNCH |
| 3900 | ---- | ---- | ---- | 0.001B/0.092A | ---- | 0.048 + 0.001 | .0063 | ---- | ---- | ---- | ---- | 11 UNCH |
| 3950 | ---- | ---- | ---- | 0.001B/0.095A | ---- | 0.050 + 0.001 | .0067 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4000 | ---- | ---- | ---- | 0.040B/0.080A | ---- | 0.052 + 0.001 | .0070 | ---- | ---- | ---- | ---- | 69 UNCH |
| 4075 | ---- | ---- | ---- | 0.001B/0.100A | ---- | 0.054 + 0.001 | .0074 | ---- | ---- | ---- | ---- | 16 UNCH |
| 4100 | ---- | ---- | ---- | 0.001B/0.102A | ---- | 0.055 + 0.001 | .0076 | ---- | ---- | ---- | ---- | 6 UNCH |
| 4175 | ---- | ---- | ---- | 0.001B/0.106A | ---- | 0.057 UNCH | .0080 | ---- | ---- | ---- | ---- | 9 UNCH |
| 4200 | ---- | ---- | ---- | 0.001B/0.107A | ---- | 0.058 - 0.001 | .0082 | ---- | ---- | ---- | ---- | 27 UNCH |
| 4225 | ---- | ---- | ---- | 0.001B/0.109A | ---- | 0.059 - 0.001 | .0084 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4250 | ---- | ---- | ---- | 0.002B/0.110A | ---- | 0.060 - 0.001 | .0086 | ---- | ---- | ---- | ---- | 21 UNCH |
| 4300 | ---- | ---- | ---- | 0.009B/0.109A | ---- | 0.061 - 0.003 | .0089 | ---- | ---- | ---- | ---- | 98 UNCH |
| 4325 | ---- | ---- | ---- | 0.009B/0.112A | ---- | 0.062 - 0.003 | .0091 | ---- | ---- | ---- | ---- | 17 UNCH |
| 4375 | ---- | ---- | ---- | 0.009B/0.115A | ---- | 0.064 - 0.004 | .0095 | ---- | ---- | ---- | ---- | 32 UNCH |
| 4400 | ---- | ---- | ---- | 0.009B/0.118A | ---- | 0.066 - 0.004 | .0098 | ---- | ---- | ---- | ---- | 29 UNCH |
| 4450 | ---- | ---- | ---- | 0.012B/0.123A | ---- | 0.068 - 0.006 | .0103 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4475 | ---- | ---- | ---- | 0.014B/0.125A | ---- | 0.070 - 0.006 | .0106 | ---- | ---- | ---- | ---- | 16 UNCH |
| 4500 | ---- | ---- | ---- | 0.016B/0.095A | ---- | 0.072 - 0.006 | .0109 | ---- | ---- | ---- | ---- | 300 UNCH |
| 4575 | ---- | ---- | ---- | 0.021B/0.134A | ---- | 0.078 - 0.007 | .0120 | ---- | ---- | ---- | ---- | 75 UNCH |
| 4600 | ---- | ---- | ---- | 0.023B/0.140A | ---- | 0.080 - 0.007 | .0123 | ---- | ---- | ---- | ---- | 101 UNCH |
| 4650 | ---- | ---- | ---- | 0.027B/0.143A | ---- | 0.086 - 0.007 | .0133 | ---- | ---- | ---- | ---- | 40 UNCH |
| 4675 | ---- | ---- | ---- | 0.029B/0.149A | ---- | 0.089 - 0.007 | .0138 | ---- | ---- | ---- | ---- | 12 UNCH |
| 4700 | ---- | ---- | ---- | 0.031B/0.153A | ---- | 0.092 - 0.008 | .0143 | ---- | ---- | ---- | ---- | 152 UNCH |
| 4725 | ---- | ---- | ---- | 0.034B/0.160A | ---- | 0.095 - 0.008 | .0148 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4750 | ---- | ---- | ---- | 0.036B/0.163A | ---- | 0.099 - 0.008 | .0154 | ---- | ---- | ---- | ---- | 54 UNCH |
| 4775 | ---- | ---- | ---- | 0.039B/0.167A | ---- | 0.102 - 0.008 | .0159 | ---- | ---- | ---- | ---- | 8 UNCH |
| 4800 | ---- | ---- | ----/*0.109A | 0.045B/*0.109A | ---- | 0.106 - 0.008 | .0166 | ---- | ---- | ---- | ---- | 15 UNCH |
| 4825 | ---- | ---- | ---- | 0.048B/0.176A | ---- | 0.110 - 0.008 | .0172 | ---- | ---- | ---- | ---- | 26 UNCH |
| 4850 | ---- | ---- | ---- | 0.052B/0.179A | ---- | 0.114 - 0.009 | .0179 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4875 | ---- | ---- | ---- | 0.055B/0.184A | ---- | 0.118 - 0.009 | .0185 | ---- | ---- | ---- | ---- | 23 UNCH |
| 4900 | ---- | ---- | ---- | 0.120B/0.190A | ---- | 0.123 - 0.009 | .0193 | ---- | ---- | ---- | ---- | 172 UNCH |
| 5000 | ---- | ---- | ---- | 0.108B/0.209A | ---- | 0.142 - 0.011 | .0224 | ---- | ---- | 1 | ---- | 894 + 1 |
| 5025 | ---- | ---- | ---- | 0.079B/0.215A | ---- | 0.148 - 0.011 | .0233 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5050 | ---- | ---- | ---- | 0.085B/0.221A | ---- | 0.153 - 0.012 | .0242 | ---- | ---- | ---- | ---- | 16 UNCH |
| 5075 | ---- | ---- | ---- | 0.095B/0.229A | ---- | 0.159 - 0.013 | .0251 | ---- | ---- | ---- | ---- | 11 UNCH |
| 5100 | ---- | ---- | ---- | 0.101B/0.235A | ---- | 0.165 - 0.014 | .0261 | ---- | ---- | 11 | ---- | 187 + 11 |
| 5150 | ---- | ---- | ---- | 0.107B/0.245A | ---- | 0.178 - 0.015 | .0282 | ---- | ---- | ---- | ---- | 5 UNCH |
| 5175 | ---- | ---- | ---- | 0.112B/0.254A | ---- | 0.185 - 0.016 | .0293 | ---- | ---- | ---- | ---- | 5 UNCH |
| 5200 | ---- | ---- | ---- | 0.128B/0.262A | ---- | 0.192 - 0.018 | .0304 | ---- | ---- | ---- | ---- | 106 UNCH |
| 5225 | ---- | ---- | ---- | 0.129B/0.271A | ---- | 0.199 - 0.019 | .0315 | ---- | ---- | ---- | ---- | 9 UNCH |
| 5250 | ---- | ---- | ---- | 0.136B/0.279A | ---- | 0.207 - 0.021 | .0328 | ---- | ---- | ---- | ---- | 225 UNCH |
| 5275 | ---- | ---- | ---- | 0.142B/0.288A | ---- | 0.215 - 0.022 | .0340 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5300 | 0.230 | 0.230 | 0.230/*0.230 | 0.230/*0.230 | ---- | 0.223 - 0.024 | .0353 | ---- | ---- | 1 | ---- | 126 UNCH |
| 5325 | ---- | ---- | ---- | 0.159B/0.306A | ---- | 0.232 - 0.026 | .0367 | ---- | ---- | ---- | ---- | 11 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| SO PUT | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | COMEX SILVER OPTIONS | | | | | | | | | | |
| JUL26 | | | | | | | | | | | | |
| 5350 | ---- | ---- | ---- | 0.170B/0.315A | ---- | 0.241 - 0.028 | .0381 | ---- | ---- | ---- | ---- | 26 UNCH |
| 5375 | ---- | ---- | ---- | 0.178B/0.325A | ---- | 0.250 - 0.031 | .0395 | ---- | ---- | ---- | ---- | 17 UNCH |
| 5400 | ---- | ---- | ---- | 0.189B/0.334A | ---- | 0.260 - 0.033 | .0411 | ---- | ---- | ---- | ---- | 75 UNCH |
| 5425 | ---- | ---- | ---- | 0.199B/0.344A | ---- | 0.270 - 0.036 | .0427 | ---- | ---- | ---- | ---- | 49 UNCH |
| 5450 | ---- | ---- | ---- | 0.209B/0.356A | ---- | 0.281 - 0.039 | .0443 | ---- | ---- | ---- | ---- | 38 UNCH |
| 5475 | ---- | ---- | ---- | 0.219B/0.368A | ---- | 0.293 - 0.041 | .0461 | ---- | ---- | ---- | ---- | 53 UNCH |
| 5500 | 0.336 | 0.336 | 0.336/0.305 | 0.336/0.305 | ---- | 0.304 - 0.045 | .0479 | ---- | ---- | 2 | ---- | 1062 + 1 |
| 5525 | ---- | ---- | ----/0.346A | 0.298B/0.346A | ---- | 0.317 - 0.047 | .0498 | ---- | ---- | ---- | ---- | 87 UNCH |
| 5550 | ---- | ---- | ----/0.358A | 0.312B/0.358A | ---- | 0.330 - 0.050 | .0518 | ---- | ---- | ---- | ---- | 18 UNCH |
| 5575 | ---- | ---- | ----/0.371A | 0.326B/0.371A | ---- | 0.343 - 0.054 | .0537 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5600 | ---- | ---- | ----/0.386A | 0.338B/0.386A | ---- | 0.358 - 0.056 | .0559 | ---- | ---- | ---- | ---- | 31 UNCH |
| 5625 | ---- | ---- | ----/0.402A | 0.398B/0.402A | ---- | 0.373 - 0.059 | .0581 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5650 | ---- | ---- | ----/0.416A | 0.417B/0.416A | ---- | 0.388 - 0.062 | .0604 | ---- | ---- | ---- | ---- | 29 UNCH |
| 5675 | ---- | ---- | ----/0.419A | 0.436B/0.419A | ---- | 0.405 - 0.063 | .0628 | ---- | ---- | ---- | ---- | 45 UNCH |
| 5700 | ---- | ---- | ----/0.437A | 0.458B/0.437A | ---- | 0.422 - 0.066 | .0653 | ---- | ---- | ---- | ---- | 302 UNCH |
| 5725 | ---- | ---- | ----/0.467A | 0.478B/0.467A | ---- | 0.441 - 0.067 | .0680 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5750 | ---- | ---- | ----/0.485A | 0.501B/0.485A | ---- | 0.460 - 0.069 | .0707 | ---- | ---- | ---- | ---- | 52 UNCH |
| 5775 | ---- | ---- | ----/0.503A | 0.523B/0.503A | ---- | 0.480 - 0.070 | .0735 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5800 | ---- | ---- | ----/0.519A | 0.549B/0.519A | ---- | 0.501 - 0.071 | .0764 | ---- | ---- | 1 | ---- | 31 + 1 |
| 5825 | ---- | ---- | ----/0.536A | 0.574B/0.536A | ---- | 0.523 - 0.073 | .0794 | ---- | ---- | ---- | ---- | 4 UNCH |
| 5850 | ---- | ---- | ----/0.552A | 0.601B/0.552A | ---- | 0.546 - 0.074 | .0826 | ---- | ---- | ---- | ---- | 114 UNCH |
| 5875 | ---- | ---- | ----/0.565A | 0.632B/0.565A | ---- | 0.570 - 0.075 | .0858 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5900 | ---- | ---- | ----/0.587A | 0.658B/0.587A | ---- | 0.595 - 0.076 | .0892 | ---- | ---- | 4 | ---- | 2 - 4 |
| 5925 | ---- | ---- | ----/0.611A | 0.690B/0.611A | ---- | 0.621 - 0.077 | .0927 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5950 | ---- | ---- | ----/0.635A | 0.719B/0.635A | ---- | 0.648 - 0.078 | .0962 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5975 | 0.665 | 0.665 | 0.665/0.661A | 0.749B/0.661A | ---- | 0.676 - 0.079 | .0999 | ---- | ---- | 9 | ---- | 9 + 9 |
| 6000 | ---- | ---- | 0.788B/0.692A | 0.788B/0.692A | ---- | 0.706 - 0.080 | .1038 | ---- | ---- | 6 | ---- | 636 + 1 |
| 6050 | ---- | ---- | 0.861B/0.750A | 0.861B/0.750A | ---- | 0.768 - 0.083 | .1117 | ---- | ---- | 6 | ---- | 16 + 6 |
| 6100 | ---- | ---- | 0.929B/0.813A | 0.929B/0.813A | ---- | 0.836 - 0.086 | .1202 | ---- | ---- | ---- | ---- | 290 UNCH |
| 6125 | ---- | ---- | 0.973B/0.848A | 0.973B/0.848A | ---- | 0.872 - 0.088 | .1247 | ---- | ---- | ---- | ---- | 2 UNCH |
| 6150 | ---- | ---- | 1.020B/0.886A | 1.020B/0.886A | ---- | 0.909 - 0.090 | .1292 | ---- | ---- | 6 | ---- | 15 + 6 |
| 6175 | ---- | ---- | 1.063B/0.924A | 1.063B/0.924A | ---- | 0.948 - 0.092 | .1339 | ---- | ---- | ---- | ---- | 2 UNCH |
| 6200 | ---- | ---- | 1.108B/0.955A | 1.108B/0.955A | ---- | 0.988 - 0.095 | .1387 | ---- | ---- | ---- | ---- | 41 UNCH |
| 6225 | ---- | ---- | 1.154B/0.993A | 1.154B/0.993A | ---- | 1.030 - 0.097 | .1437 | ---- | ---- | ---- | ---- | 1 UNCH |
| 6250 | ---- | ---- | 1.195B/1.042A | 1.195B/1.042A | ---- | 1.073 - 0.099 | .1487 | ---- | ---- | ---- | ---- | 27 UNCH |
| 6275 | ---- | ---- | 1.252B/1.083A | 1.252B/1.083A | ---- | 1.118 - 0.102 | .1539 | ---- | ---- | ---- | ---- | 1 UNCH |
| 6300 | ---- | ---- | 1.304B/1.116A | 1.304B/1.116A | ---- | 1.164 - 0.105 | .1592 | ---- | ---- | 1 | ---- | 253 UNCH |
| 6325 | ---- | ---- | 1.353B/1.170A | 1.353B/1.170A | ---- | 1.212 - 0.108 | .1646 | ---- | ---- | ---- | ---- | 20 UNCH |
| 6350 | ---- | ---- | 1.411B/1.207A | 1.411B/1.207A | ---- | 1.261 - 0.111 | .1701 | ---- | ---- | ---- | ---- | 1 UNCH |
| 6375 | ---- | ---- | 1.468B/1.255A | 1.468B/1.255A | ---- | 1.312 - 0.115 | .1757 | ---- | ---- | ---- | ---- | 7 UNCH |
| 6400 | ---- | ---- | 1.526B/1.301A | 1.526B/1.301A | ---- | 1.365 - 0.118 | .1815 | ---- | ---- | ---- | ---- | 85 UNCH |
| 6425 | ---- | ---- | 1.586B/1.358A | 1.586B/1.358A | ---- | 1.420 - 0.121 | .1875 | ---- | ---- | ---- | ---- | 1 UNCH |
| 6450 | ---- | ---- | 1.648B/1.408A | 1.648B/1.408A | ---- | 1.476 - 0.125 | .1934 | ---- | ---- | ---- | ---- | 2 UNCH |
| 6475 | ---- | ---- | 1.709B/1.465A | 1.709B/1.465A | ---- | 1.534 - 0.128 | .1996 | ---- | ---- | ---- | ---- | 2 UNCH |
| 6500 | 1.510 | 1.510 | 1.778B/1.510 | 1.778B/1.510 | ---- | 1.594 - 0.132 | .2058 | ---- | ---- | 2 | ---- | 781 + 1 |
| 6550 | ---- | ---- | 1.917B/1.635A | 1.917B/1.635A | ---- | 1.719 - 0.140 | .2186 | ---- | ---- | 1 | ---- | 52 + 1 |
| 6575 | ---- | ---- | 1.989B/1.703A | 1.989B/1.703A | ---- | 1.784 - 0.144 | .2252 | ---- | ---- | ---- | ---- | 7 UNCH |
| 6600 | 1.900 | 1.900 | 2.064B/1.764A | 2.064B/1.764A | ---- | 1.852 - 0.148 | .2319 | ---- | ---- | 3 | ---- | 35 + 2 |
| 6650 | ---- | ---- | 2.219B/1.892A | 2.219B/1.892A | ---- | 1.992 - 0.156 | .2455 | ---- | ---- | ---- | ---- | 129 UNCH |
| 6700 | ---- | ---- | 2.384B/2.033A | 2.384B/2.033A | ---- | 2.142 - 0.163 | .2596 | ---- | ---- | 2 | ---- | 36 + 1 |
| 6725 | ---- | ---- | 2.470B/2.114A | 2.470B/2.114A | ---- | 2.220 - 0.167 | .2667 | ---- | ---- | ---- | ---- | 1 UNCH |
| 6750 | ---- | ---- | 2.559B/2.180A | 2.559B/2.180A | ---- | 2.300 - 0.171 | .2740 | ---- | ---- | ---- | ---- | 31 UNCH |
| 6800 | 2.298 | 2.298 | 2.740B/2.298 | 2.740B/2.298 | ---- | 2.469 - 0.177 | .2889 | ---- | ---- | 4 | ---- | 333 + 4 |
| 6825 | ---- | ---- | 2.838B/2.428A | 2.838B/2.428A | ---- | 2.557 - 0.180 | .2964 | ---- | ---- | ---- | ---- | 2 UNCH |
| 6850 | ---- | ---- | 2.935B/2.514A | 2.935B/2.514A | ---- | 2.647 - 0.184 | .3040 | ---- | ---- | ---- | ---- | 5 UNCH |
| 6900 | 2.739 | 2.739 | 3.139B/2.675A | 3.139B/2.675A | ---- | 2.836 - 0.189 | .3195 | ---- | ---- | 4 | ---- | 119 - 1 |
| 6950 | ---- | ---- | 3.331B/2.872A | 3.331B/2.872A | ---- | 3.037 - 0.192 | .3352 | ---- | ---- | 26 | ---- | 27 + 21 |
| 6975 | ---- | ---- | 3.451B/2.968A | 3.451B/2.968A | ---- | 3.142 - 0.192 | .3432 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7000 | ---- | ---- | 3.550B/3.054A | 3.550B/3.054A | ---- | 3.249 - 0.194 | .3512 | ---- | ---- | 1 | ---- | 722 UNCH |
| 7025 | ---- | ---- | 3.662B/3.152A | 3.662B/3.152A | ---- | 3.359 - 0.195 | .3592 | ---- | ---- | ---- | ---- | 135 UNCH |
| 7050 | ---- | ---- | 3.783B/3.268A | 3.783B/3.268A | ---- | 3.472 - 0.195 | .3672 | ---- | ---- | ---- | ---- | 2 UNCH |
| 7075 | ---- | ---- | 3.907B/3.374A | 3.907B/3.374A | ---- | 3.586 - 0.197 | .3753 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7100 | ---- | ---- | 4.031B/3.480A | 4.031B/3.480A | ---- | 3.703 - 0.198 | .3833 | ---- | ---- | ---- | ---- | 23 UNCH |
| 7125 | ---- | ---- | 4.155B/3.591A | 4.155B/3.591A | ---- | 3.821 - 0.200 | .3914 | ---- | ---- | ---- | ---- | 10 UNCH |
| 7150 | ---- | ---- | 4.279B/3.680A | 4.279B/3.680A | ---- | 3.941 - 0.203 | .3994 | ---- | ---- | ---- | ---- | 103 UNCH |
| 7175 | ---- | ---- | 4.403B/3.806A | 4.403B/3.806A | ---- | 4.063 - 0.207 | .4075 | ---- | ---- | ---- | ---- | 31 UNCH |
| 7200 | 4.001 | 4.001 | 4.530B/3.918A | 4.530B/3.918A | ---- | 4.186 - 0.211 | .4155 | ---- | ---- | 1 | ---- | 94 UNCH |
| 7250 | ---- | ---- | 4.806B/4.154A | 4.806B/4.154A | ---- | 4.444 - 0.215 | .4316 | ---- | ---- | ---- | ---- | 188 UNCH |
| 7300 | ---- | ---- | 5.085B/4.410A | 5.085B/4.410A | ---- | 4.718 - 0.212 | .4476 | ---- | ---- | ---- | ---- | 39 UNCH |
| 7350 | ---- | ---- | 5.358B/4.699A | 5.358B/4.699A | ---- | 5.001 - 0.208 | .4634 | ---- | ---- | ---- | ---- | 7 UNCH |
| 7375 | 4.939 | 4.939 | 5.519B/4.790A | 5.519B/4.790A | ---- | 5.144 - 0.208 | .4712 | ---- | ---- | 64 | ---- | 114 + 1 |
| 7400 | ---- | ---- | 5.616B/4.946A | 5.616B/4.946A | ---- | 5.287 - 0.209 | .4790 | ---- | ---- | 3 | ---- | 25 + 1 |
| 7425 | ---- | ---- | 5.798B/5.013A | 5.798B/5.013A | ---- | 5.430 - 0.212 | .4868 | ---- | ---- | ---- | ---- | 8 UNCH |
| 7450 | ---- | ---- | 5.953B/5.222A | 5.953B/5.222A | ---- | 5.576 - 0.215 | .4946 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7500 | ---- | ---- | 6.263B/5.486A | 6.263B/5.486A | ---- | 5.872 - 0.221 | .5100 | ---- | ---- | 2 | ---- | 60 UNCH |
| 7525 | ---- | ---- | 6.418B/5.638A | 6.418B/5.638A | ---- | 6.023 - 0.224 | .5175 | ---- | ---- | ---- | ---- | 26 UNCH |
| 7550 | ---- | ---- | 6.573B/5.801A | 6.573B/5.801A | ---- | 6.178 - 0.225 | .5251 | ---- | ---- | ---- | ---- | 8 UNCH |
| 7600 | ---- | ---- | 6.883B/6.163A | 6.883B/6.163A | ---- | 6.495 - 0.225 | .5399 | ---- | ---- | ---- | ---- | 4 UNCH |
| 7625 | ---- | ---- | 7.060B/6.327A | 7.060B/6.327A | ---- | 6.656 - 0.225 | .5472 | ---- | ---- | ---- | ---- | 2 UNCH |
| 7650 | ---- | ---- | 7.167B/6.474A | 7.167B/6.474A | ---- | 6.820 - 0.224 | .5544 | ---- | ---- | ---- | ---- | 25 UNCH |
| 7675 | ---- | ---- | 7.254B/6.644A | 7.254B/6.644A | ---- | 6.986 - 0.223 | .5615 | ---- | ---- | ---- | ---- | 15 UNCH |
| 7700 | ---- | ---- | 7.437B/6.777A | 7.437B/6.777A | ---- | 7.154 - 0.221 | .5686 | ---- | ---- | ---- | ---- | 104 UNCH |
| 7800 | ---- | ---- | ----/7.434A | 7.945B/7.434A | ---- | 7.844 - 0.213 | .5960 | ---- | ---- | 2 | ---- | 76 + 2 |
| 7825 | ---- | ---- | ----/7.619A | 8.059B/7.619A | ---- | 8.021 - 0.211 | .6026 | ---- | ---- | ---- | ---- | 6 UNCH |
| 7850 | ---- | ---- | ----/7.788A | 8.236B/7.788A | ---- | 8.200 - 0.208 | .6092 | ---- | ---- | 2 | ---- | 8 + 2 |
| 7875 | ---- | ---- | ----/7.955A | 8.418B/7.955A | ---- | 8.380 - 0.206 | .6156 | ---- | ---- | ---- | ---- | 25 UNCH |
| 7900 | ---- | ---- | ----/8.128A | 8.599B/8.128A | ---- | 8.561 - 0.204 | .6220 | ---- | ---- | ---- | ---- | 11 UNCH |
| 7975 | ---- | ---- | ----/8.691A | 9.025B/8.691A | ---- | 9.115 - 0.197 | .6406 | ---- | ---- | ---- | ---- | 5 UNCH |
| 8000 | ---- | ---- | ----/8.844A | 9.366B/8.844A | ---- | 9.303 - 0.194 | .6466 | ---- | ---- | ---- | ---- | 286 UNCH |
| 8100 | ---- | ---- | ----/9.629A | 10.102B/9.629A | ---- | 10.068 - 0.184 | .6698 | ---- | ---- | ---- | ---- | 44 UNCH |
| 8125 | 9.784 | 9.784 | 10.297B/9.784 | 10.297B/9.784 | ---- | 10.263 - 0.181 | .6754 | ---- | ---- | 3 | ---- | 7 UNCH |
| 8150 | ---- | ---- | ----/10.058A | 10.452B/10.058A | ---- | 10.458 - 0.179 | .6808 | ---- | ---- | ---- | ---- | 1 UNCH |
| 8175 | ---- | ---- | ----/10.247A | 10.629B/10.247A | ---- | 10.656 - 0.176 | .6862 | ---- | ---- | ---- | ---- | 2 UNCH |
| 8225 | ---- | ---- | ----/10.631A | 11.007B/10.631A | ---- | 11.053 - 0.172 | .6967 | ---- | ---- | ---- | ---- | 1 UNCH |
| 8250 | ---- | ---- | ----/10.772A | 11.297B/10.772A | ---- | 11.254 - 0.169 | .7019 | ---- | ---- | ---- | ---- | 46 UNCH |
| 8300 | ---- | ---- | ----/11.148A | 11.742B/11.148A | ---- | 11.659 - 0.164 | .7119 | ---- | ---- | ---- | ---- | 126 UNCH |
| 8375 | ---- | ---- | ----/11.832A | 12.226B/11.832A | ---- | 12.275 - 0.157 | .7263 | ---- | ---- | ---- | ---- | 2 UNCH |
| 8400 | ---- | ---- | ----/11.996A | 12.512B/11.996A | ---- | 12.482 - 0.155 | .7308 | ---- | ---- | ---- | ---- | 7 UNCH |
| 8500 | ---- | ---- | ----/12.754A | 13.394B/12.754A | ---- | 13.320 - 0.148 | .7485 | ---- | ---- | ---- | ---- | 57 UNCH |
| 8600 | ---- | ---- | ----/13.551A | 14.280B/13.551A | ---- | 14.173 - 0.141 | .7650 | ---- | ---- | ---- | ---- | 56 UNCH |
| 8700 | ---- | ---- | ----/14.532A | 15.049B/14.532A | ---- | 15.039 - 0.135 | .7802 | ---- | ---- | ---- | ---- | 4 UNCH |
| 9000 | ---- | ---- | 17.835B/17.051A | 17.835B/17.051A | ---- | 17.703 - 0.123 | .8195 | ---- | ---- | ---- | ---- | 311 UNCH |
| 9200 | ---- | ---- | ----/18.903A | 19.585B/18.903A | ---- | 19.524 - 0.116 | .8411 | ---- | ---- | ---- | ---- | 11 UNCH |
| 9400 | ---- | ---- | ----/20.781A | 21.414B/20.781A | ---- | 21.375 - 0.109 | .8596 | ---- | ---- | ---- | ---- | 1 UNCH |
| 9450 | ---- | ---- | ----/21.191A | 21.881B/21.191A | ---- | 21.842 - 0.106 | .8637 | ---- | ---- | ---- | ---- | 12 UNCH |
| 9500 | ---- | ---- | 22.459B/21.601A | 22.459B/21.601A | ---- | 22.310 - 0.104 | .8677 | ---- | ---- | ---- | ---- | 219 UNCH |
| 9600 | ---- | ---- | 23.401B/22.529A | 23.401B/22.529A | ---- | 23.250 - 0.100 | .8753 | ---- | ---- | ---- | ---- | 50 UNCH |
| 9900 | ---- | ---- | ----/25.398A | 26.176B/25.398A | ---- | 26.099 - 0.084 | .8946 | ---- | ---- | ---- | ---- | 6 UNCH |
| 9950 | ---- | ---- | ----/25.929A | 26.584B/25.929A | ---- | 26.576 - 0.082 | .8974 | ---- | ---- | ---- | ---- | 5 UNCH |
| 10000 | ---- | ---- | 27.210B/26.251A | 27.210B/26.251A | ---- | 27.054 - 0.080 | .9002 | ---- | ---- | ---- | ---- | 205 UNCH |
| 10275 | ---- | ---- | ----/28.976A | 29.762B/28.976A | ---- | 29.694 - 0.073 | .9142 | ---- | ---- | ---- | ---- | 7 UNCH |
| 10500 | ---- | ---- | ----/31.201A | 31.894B/31.201A | ---- | 31.870 - 0.073 | .9237 | ---- | ---- | ---- | ---- | 3 UNCH |
| 10600 | ---- | ---- | 32.929B/32.127A | 32.929B/32.127A | ---- | 32.841 - 0.074 | .9274 | ---- | ---- | ---- | ---- | 9 UNCH |
| 10800 | ---- | ---- | ----/34.111A | 34.828B/34.111A | ---- | 34.790 - 0.077 | .9341 | ---- | ---- | ---- | ---- | 1 UNCH |
| 11000 | ---- | ---- | 36.914B/35.898A | 36.914B/35.898A | ---- | 36.743 - 0.080 | .9401 | ---- | ---- | ---- | ---- | 217 UNCH |
| 11300 | ---- | ---- | ----/38.977A | 39.759B/38.977A | ---- | 39.679 - 0.082 | .9483 | ---- | ---- | ---- | ---- | 10 UNCH |
| 11500 | ---- | ---- | ----/40.960A | 41.678B/40.960A | ---- | 41.644 - 0.081 | .9529 | ---- | ---- | ---- | ---- | 1 UNCH |
| 12000 | ---- | ---- | 46.661B/45.860A | 46.661B/45.860A | ---- | 46.578 - 0.073 | .9616 | ---- | ---- | ---- | ---- | 15 UNCH |
| 13000 | ---- | ---- | 56.581B/55.740A | 56.581B/55.740A | ---- | 56.481 - 0.072 | .9749 | ---- | ---- | ---- | ---- | 6 UNCH |
| TOTAL | | | | | | | | | | 171 | 0 | 11802 + 70 |
| AUG26 | | | | | | | | | | | | |
| 3300 | ---- | ---- | ---- | 0.001B/2.886A | ---- | 0.023 - 0.005 | .0028 | ---- | ---- | ---- | ---- | 2 UNCH |
| 3900 | ---- | ---- | ---- | 0.019B/0.148A | ---- | 0.066 - 0.012 | .0082 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4000 | ---- | ---- | ---- | 0.024B/0.159A | ---- | 0.076 - 0.014 | .0095 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4175 | ---- | ---- | ---- | 0.044B/0.184A | ---- | 0.098 - 0.017 | .0123 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4300 | ---- | ---- | ---- | 0.059B/0.203A | ---- | 0.117 - 0.020 | .0147 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4350 | ---- | ---- | ---- | 0.066B/0.212A | ---- | 0.126 - 0.021 | .0158 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4375 | ---- | ---- | ---- | 0.070B/0.218A | ---- | 0.130 - 0.022 | .0163 | ---- | ---- | ---- | ---- | 160 UNCH |
| 4400 | ---- | ---- | ---- | 0.074B/0.221A | ---- | 0.135 - 0.022 | .0170 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4500 | ---- | ---- | ---- | 0.094B/0.245A | ---- | 0.155 - 0.025 | .0195 | ---- | ---- | ---- | ---- | 2 UNCH |
| 4600 | ---- | ---- | ---- | 0.114B/0.268A | ---- | 0.178 - 0.028 | .0224 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4625 | ---- | ---- | ---- | 0.120B/0.275A | ---- | 0.184 - 0.029 | .0232 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4700 | ---- | ---- | ---- | 0.137B/0.297A | ---- | 0.205 - 0.031 | .0257 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4775 | ---- | ---- | ---- | 0.161B/0.320A | ---- | 0.227 - 0.035 | .0285 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4800 | ---- | ---- | ---- | 0.169B/0.327A | ---- | 0.236 - 0.035 | .0296 | ---- | ---- | ---- | ---- | 16 UNCH |
| 4825 | ---- | ---- | ---- | 0.176B/0.335A | ---- | 0.244 - 0.036 | .0306 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5000 | ---- | ---- | ---- | 0.241B/0.402A | ---- | 0.312 - 0.044 | .0388 | ---- | ---- | 1 | ---- | 14 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS

**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**

64
Side 52



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SO PUT | | COMEX SILVER OPTIONS | | | | | | | | | | |
| AUG26 | | | | | | | | | | | | |
| 5275 | ---- | ---- | ---- | 0.388B/0.548A | ---- | 0.461 - 0.058 | .0562 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5300 | ---- | ---- | ---- | 0.404B/0.563A | ---- | 0.477 - 0.060 | .0580 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5425 | ---- | ---- | ---- | 0.497B/0.652A | ---- | 0.570 - 0.067 | .0684 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5500 | ---- | ---- | ---- | 0.564B/0.711A | ---- | 0.634 - 0.072 | .0754 | ---- | ---- | ---- | ---- | 58 UNCH |
| 5675 | ---- | ---- | ----/0.836A | 0.743B/0.836A | ---- | 0.810 - 0.085 | .0940 | ---- | ---- | ---- | ---- | 9 UNCH |
| 5700 | ---- | ---- | ----/0.866A | 0.772B/0.866A | ---- | 0.839 - 0.086 | .0970 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5750 | ---- | ---- | ----/0.929A | 0.832B/0.929A | ---- | 0.899 - 0.090 | .1031 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5800 | ---- | ---- | ----/0.997A | 0.896B/0.997A | ---- | 0.963 - 0.094 | .1095 | ---- | ---- | ---- | ---- | 5 UNCH |
| 5850 | ---- | ---- | ----/1.068A | 0.960B/1.068A | ---- | 1.031 - 0.099 | .1163 | ---- | ---- | ---- | ---- | 2 UNCH |
| 5875 | ---- | ---- | ----/1.106A | 0.990B/1.106A | ---- | 1.067 - 0.100 | .1198 | ---- | ---- | ---- | ---- | 4 UNCH |
| 5900 | ---- | ---- | ----/1.144A | 1.016B/1.144A | ---- | 1.104 - 0.102 | .1234 | ---- | ---- | ---- | ---- | 5 UNCH |
| 5950 | ---- | ---- | ----/1.225A | 1.067B/1.225A | ---- | 1.181 - 0.106 | .1307 | ---- | ---- | ---- | ---- | 10 UNCH |
| 6000 | ---- | ---- | ----/1.312A | 1.114B/1.312A | ---- | 1.263 - 0.111 | .1384 | ---- | ---- | ---- | ---- | 177 UNCH |
| 6050 | ---- | ---- | ----/1.401A | 1.191B/1.401A | ---- | 1.350 - 0.115 | .1465 | ---- | ---- | ---- | ---- | 1 UNCH |
| 6100 | ---- | ---- | ----/1.496A | 1.276B/1.496A | ---- | 1.442 - 0.119 | .1548 | ---- | ---- | ---- | ---- | 10 UNCH |
| 6150 | ---- | ---- | ----/1.596A | 1.383B/1.596A | ---- | 1.539 - 0.123 | .1635 | ---- | ---- | ---- | ---- | 1 UNCH |
| 6200 | ---- | ---- | ----/1.700A | 1.516B/1.700A | ---- | 1.642 - 0.127 | .1725 | ---- | ---- | ---- | ---- | 1 UNCH |
| 6225 | ---- | ---- | ----/1.736A | 1.664B/1.736A | ---- | 1.695 - 0.130 | .1771 | ---- | ---- | ---- | ---- | 8 UNCH |
| 6300 | ---- | ---- | ----/1.861A | 1.840B/1.861A | ---- | 1.864 - 0.137 | .1914 | ---- | ---- | ---- | ---- | 14 UNCH |
| 6400 | ---- | ---- | ----/2.102A | 2.099B/2.102A | ---- | 2.124 - 0.151 | .2120 | ---- | ---- | ---- | ---- | 1 UNCH |
| 6425 | ---- | ---- | ----/2.167A | 2.166B/2.167A | ---- | 2.192 - 0.155 | .2173 | ---- | ---- | ---- | ---- | 6 UNCH |
| 6500 | 2.423 | 2.423 | 2.461B/2.362A | 2.461B/2.362A | ---- | 2.407 - 0.166 | .2335 | ---- | ---- | 51 | ---- | 227 - 10 |
| 6600 | ---- | ---- | ----/2.669A | 2.700B/2.669A | ---- | 2.718 - 0.179 | .2561 | ---- | ---- | ---- | ---- | 16 UNCH |
| 6650 | ---- | ---- | ----/2.830A | 2.867B/2.830A | ---- | 2.883 - 0.185 | .2677 | ---- | ---- | ---- | ---- | 9 UNCH |
| 6675 | 3.022 | 3.022 | 3.022/3.000A | 3.022/3.000A | ---- | 2.969 NEW | .2735 | ---- | ---- | 1 | ---- | 1 + 1 |
| 6700 | ---- | ---- | ----/2.995A | 3.046B/2.995A | ---- | 3.057 - 0.190 | .2795 | ---- | ---- | ---- | ---- | 3 UNCH |
| 6725 | ---- | ---- | ----/3.081A | 3.135B/3.081A | ---- | 3.146 - 0.193 | .2854 | ---- | ---- | ---- | ---- | 8 UNCH |
| 6800 | 3.486 | 3.486 | 3.486/3.350A | 3.486/3.350A | ---- | 3.426 - 0.199 | .3036 | ---- | ---- | 1 | ---- | 3 + 1 |
| 6825 | ---- | ---- | ----/3.445A | 3.522B/3.445A | ---- | 3.524 - 0.201 | .3098 | ---- | ---- | ---- | ---- | 8 UNCH |
| 6850 | 3.687 | 3.687 | 3.687/3.655A | 3.687/3.655A | ---- | 3.623 NEW | .3159 | ---- | ---- | 1 | ---- | 1 + 1 |
| 6875 | ---- | ---- | ----/3.790A | 3.640B/3.790A | ---- | 3.725 - 0.203 | .3221 | ---- | ---- | ---- | ---- | 0 UNCH |
| 6900 | ---- | ---- | ----/3.737A | 3.833B/3.737A | ---- | 3.828 - 0.205 | .3284 | ---- | ---- | ---- | ---- | 6 UNCH |
| 6950 | ---- | ---- | ----/3.941A | 4.049B/3.941A | ---- | 4.042 - 0.206 | .3409 | ---- | ---- | ---- | ---- | 24 UNCH |
| 6975 | ---- | ---- | ----/4.048A | 4.161B/4.048A | ---- | 4.153 - 0.205 | .3472 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7000 | ---- | ---- | ----/4.155A | 4.275B/4.155A | ---- | 4.265 - 0.205 | .3535 | ---- | ---- | ---- | ---- | 7 UNCH |
| 7050 | ---- | ---- | ----/4.374A | 4.511B/4.374A | ---- | 4.497 - 0.203 | .3662 | ---- | ---- | ---- | ---- | 2 UNCH |
| 7100 | ---- | ---- | ----/4.599A | 4.756B/4.599A | ---- | 4.738 - 0.199 | .3789 | ---- | ---- | ---- | ---- | 7 UNCH |
| 7150 | ---- | ---- | ----/4.839A | 5.008B/4.839A | ---- | 4.988 - 0.195 | .3916 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7200 | ---- | ---- | ----/5.083A | 5.269B/5.083A | ---- | 5.248 - 0.188 | .4043 | ---- | ---- | ---- | ---- | 2 UNCH |
| 7225 | ---- | ---- | ----/5.206A | 5.401B/5.206A | ---- | 5.382 - 0.184 | .4106 | ---- | ---- | ---- | ---- | 2 UNCH |
| 7300 | ---- | ---- | ----/5.580A | 5.846B/5.580A | ---- | 5.797 - 0.169 | .4294 | ---- | ---- | ---- | ---- | 111 UNCH |
| 7350 | ---- | ---- | ----/5.855A | 6.096B/5.855A | ---- | 6.084 - 0.159 | .4417 | ---- | ---- | ---- | ---- | 6 UNCH |
| 7400 | ---- | ---- | ----/6.127A | 6.387B/6.127A | ---- | 6.379 - 0.148 | .4540 | ---- | ---- | ---- | ---- | 4 UNCH |
| 7425 | ---- | ---- | ----/6.497A | 6.384B/6.497A | ---- | 6.529 NEW | .4600 | ---- | ---- | 10 | ---- | 10 + 10 |
| 7500 | ---- | ---- | ----/6.684A | 7.006B/6.684A | ---- | 6.989 - 0.128 | .4779 | ---- | ---- | ---- | ---- | 28 UNCH |
| 7550 | ---- | ---- | ----/6.990A | 7.300B/6.990A | ---- | 7.303 - 0.119 | .4897 | ---- | ---- | ---- | ---- | 5 UNCH |
| 7600 | ---- | ---- | ----/7.297A | 7.615B/7.297A | ---- | 7.622 - 0.113 | .5012 | ---- | ---- | ---- | ---- | 4 UNCH |
| 7700 | ---- | ---- | ----/7.906A | 8.287B/7.906A | ---- | 8.273 - 0.105 | .5238 | ---- | ---- | ---- | ---- | 40 UNCH |
| 7950 | ---- | ---- | ----/9.563A | 9.999B/9.563A | ---- | 9.972 - 0.119 | .5774 | ---- | ---- | ---- | ---- | 4 UNCH |
| 7975 | ---- | ---- | ----/9.735A | 10.179B/9.735A | ---- | 10.148 - 0.121 | .5825 | ---- | ---- | ---- | ---- | 1 UNCH |
| 8000 | 10.250 | 10.250 | 10.350/9.888A | 10.356B/9.888A | ---- | 10.325 - 0.124 | .5875 | ---- | ---- | 21 | ---- | 162 UNCH |
| 8100 | ---- | ---- | ----/10.615A | 10.881B/10.615A | ---- | 11.046 - 0.134 | .6073 | ---- | ---- | ---- | ---- | 1 UNCH |
| 8150 | ---- | ---- | ----/10.973A | 11.399B/10.973A | ---- | 11.415 - 0.137 | .6168 | ---- | ---- | ---- | ---- | 10 UNCH |
| 8200 | ---- | ---- | ----/11.412A | 11.776B/11.412A | ---- | 11.788 - 0.140 | .6262 | ---- | ---- | ---- | ---- | 10 UNCH |
| 8250 | ---- | ---- | ----/11.804A | 12.058B/11.804A | ---- | 12.167 - 0.141 | .6353 | ---- | ---- | ---- | ---- | 5 UNCH |
| 8325 | ---- | ---- | ----/12.368A | 12.644B/12.368A | ---- | 12.743 - 0.142 | .6484 | ---- | ---- | ---- | ---- | 1 UNCH |
| 8425 | ---- | ---- | ----/13.134A | 13.426B/13.134A | ---- | 13.528 - 0.140 | .6652 | ---- | ---- | ---- | ---- | 1 UNCH |
| 8475 | ---- | ---- | ----/13.521A | 13.824B/13.521A | ---- | 13.926 - 0.138 | .6733 | ---- | ---- | ---- | ---- | 1 UNCH |
| 8500 | ---- | ---- | ----/13.727A | 14.127B/13.727A | ---- | 14.127 - 0.137 | .6772 | ---- | ---- | ---- | ---- | 20 UNCH |
| 9000 | ---- | ---- | ----/17.745A | 18.317B/17.745A | ---- | 18.289 - 0.114 | .7466 | ---- | ---- | ---- | ---- | 35 UNCH |
| 9300 | ---- | ---- | ----/20.420A | 20.907B/20.420A | ---- | 20.902 - 0.105 | .7803 | ---- | ---- | ---- | ---- | 1 UNCH |
| 9500 | ---- | ---- | ----/22.113A | 22.770B/22.113A | ---- | 22.697 - 0.095 | .7990 | ---- | ---- | ---- | ---- | 30 UNCH |
| 10000 | ---- | ---- | ----/26.689A | 27.312B/26.689A | ---- | 27.317 - 0.065 | .8355 | ---- | ---- | ---- | ---- | 6 UNCH |
| 10025 | ---- | ---- | ----/26.950A | 27.524B/26.950A | ---- | 27.547 - 0.067 | .8372 | ---- | ---- | ---- | ---- | 1 UNCH |
| 10175 | ---- | ---- | ----/28.308A | 28.942B/28.308A | ---- | 28.930 - 0.075 | .8478 | ---- | ---- | ---- | ---- | 15 UNCH |
| TOTAL | | | | | | | | | | 86 | 0 | 1367 + 3 |
| SEP26 | | | | | | | | | | | | |
| 2500 | ---- | ---- | ---- | ----/2.843A | ---- | 0.007 - 0.001 | .0008 | ---- | ---- | ---- | ---- | 60 UNCH |
| 3000 | ---- | ---- | ---- | 0.001B/2.926A | ---- | 0.023 - 0.003 | .0026 | ---- | ---- | ---- | ---- | 22 UNCH |
| 3500 | ---- | ---- | ---- | 0.023B/0.168A | ---- | 0.064 - 0.006 | .0070 | ---- | ---- | ---- | ---- | 74 UNCH |
| 4000 | ---- | ---- | ---- | 0.075B/0.241A | ---- | 0.157 - 0.012 | .0165 | ---- | ---- | ---- | ---- | 44 UNCH |
| 4500 | ---- | ---- | ---- | 0.198B/0.381A | ---- | 0.283 - 0.031 | .0301 | ---- | ---- | ---- | ---- | 10 UNCH |
| 4525 | ---- | ---- | ---- | 0.206B/0.385A | ---- | 0.292 - 0.032 | .0310 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5000 | ---- | ---- | ---- | 0.440B/0.625A | ---- | 0.534 - 0.039 | .0554 | ---- | ---- | ---- | ---- | 233 UNCH |
| 5100 | ---- | ---- | ---- | 0.512B/0.697A | ---- | 0.613 - 0.034 | .0628 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5400 | ---- | ---- | ---- | 0.798B/0.964A | ---- | 0.938 + 0.002 | .0910 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5475 | ---- | ---- | ---- | 0.594B/1.345A | ---- | 1.042 + 0.015 | .0995 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5500 | ---- | ---- | ---- | 0.625B/1.374A | ---- | 1.079 + 0.020 | .1024 | ---- | ---- | ---- | ---- | 233 UNCH |
| 5600 | ---- | ---- | ---- | 0.760B/1.490A | ---- | 1.236 + 0.040 | .1147 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5700 | ---- | ---- | ---- | 0.914B/1.633A | ---- | 1.409 + 0.059 | .1279 | ---- | ---- | ---- | ---- | 7 UNCH |
| 5800 | ---- | ---- | ---- | 1.089B/1.785A | ---- | 1.599 + 0.078 | .1419 | ---- | ---- | ---- | ---- | 8 UNCH |
| 5900 | ---- | ---- | ---- | 1.283B/1.785A | ---- | 1.803 + 0.091 | .1565 | ---- | ---- | ---- | ---- | 50 UNCH |
| 6000 | ---- | ---- | ---- | 1.800B/2.146A | ---- | 2.021 + 0.099 | .1719 | ---- | ---- | 1 | ---- | 374 + 1 |
| 6050 | ---- | ---- | ---- | 1.571B/2.259A | ---- | 2.135 + 0.099 | .1798 | ---- | ---- | ---- | ---- | 15 UNCH |
| 6200 | ---- | ---- | ---- | 1.910B/2.629A | ---- | 2.495 + 0.086 | .2043 | ---- | ---- | ---- | ---- | 40 UNCH |
| 6300 | ---- | ---- | ---- | 2.172B/2.895A | ---- | 2.754 + 0.067 | .2215 | ---- | ---- | ---- | ---- | 5 UNCH |
| 6400 | ---- | ---- | ---- | 2.439B/3.208A | ---- | 3.030 + 0.041 | .2394 | ---- | ---- | ---- | ---- | 3 UNCH |
| 6425 | ---- | ---- | ---- | 2.512B/3.279A | ---- | 3.102 + 0.033 | .2440 | ---- | ---- | ---- | ---- | 3 UNCH |
| 6500 | ---- | ---- | ---- | 2.744B/3.534A | ---- | 3.325 + 0.008 | .2581 | ---- | ---- | ---- | ---- | 55 UNCH |
| 6550 | ---- | ---- | ---- | 2.906B/3.709A | ---- | 3.482 - 0.009 | .2677 | ---- | ---- | ---- | ---- | 15 UNCH |
| 6800 | ---- | ---- | ---- | 3.822B/4.666A | ---- | 4.360 - 0.100 | .3182 | ---- | ---- | ---- | ---- | 7 UNCH |
| 6900 | ---- | ---- | ---- | 4.237B/5.104A | ---- | 4.765 - 0.131 | .3395 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7000 | ---- | ---- | ---- | 4.673B/5.561A | ---- | 5.205 - 0.154 | .3611 | ---- | ---- | ---- | ---- | 16 UNCH |
| 7025 | ---- | ---- | ---- | 4.785B/5.684A | ---- | 5.321 - 0.158 | .3666 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7100 | ---- | ---- | ---- | 5.140B/6.045A | ---- | 5.684 - 0.166 | .3830 | ---- | ---- | ---- | ---- | 16 UNCH |
| 7125 | ---- | ---- | ---- | 5.261B/6.174A | ---- | 5.810 - 0.167 | .3885 | ---- | ---- | ---- | ---- | 25 UNCH |
| 7175 | ---- | ---- | ---- | 5.533B/6.426A | ---- | 6.068 - 0.168 | .3994 | ---- | ---- | ---- | ---- | 20 UNCH |
| 7200 | ---- | ---- | ---- | 5.637B/6.556A | ---- | 6.200 - 0.167 | .4049 | ---- | ---- | ---- | ---- | 51 UNCH |
| 7400 | ---- | ---- | ---- | 6.737B/7.670A | ---- | 7.313 - 0.165 | .4480 | ---- | ---- | ---- | ---- | 25 UNCH |
| 7500 | ---- | ---- | ---- | 7.339B/8.240A | ---- | 7.911 - 0.167 | .4689 | ---- | ---- | ---- | ---- | 3 UNCH |
| 7550 | ---- | ---- | ---- | 7.646B/8.537A | ---- | 8.221 - 0.167 | .4792 | ---- | ---- | ---- | ---- | 2 UNCH |
| 7700 | ---- | ---- | ---- | 8.610B/9.449A | ---- | 9.189 - 0.168 | .5090 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7800 | ---- | ---- | ---- | 9.279B/10.093A | ---- | 9.864 - 0.170 | .5281 | ---- | ---- | ---- | ---- | 4 UNCH |
| 7900 | ---- | ---- | ---- | 9.972B/10.754A | ---- | 10.561 - 0.171 | .5465 | ---- | ---- | ---- | ---- | 1 UNCH |
| 8000 | ---- | ---- | ----/11.400A | 10.688B/11.400A | ---- | 11.278 - 0.172 | .5641 | ---- | ---- | ---- | ---- | 40 UNCH |
| 8100 | ---- | ---- | ----/12.133A | 11.407B/12.133A | ---- | 12.013 - 0.171 | .5811 | ---- | ---- | ---- | ---- | 1 UNCH |
| 8200 | ---- | ---- | ----/12.850A | 12.151B/12.850A | ---- | 12.764 - 0.170 | .5973 | ---- | ---- | ---- | ---- | 1 UNCH |
| 8500 | ---- | ---- | ----/15.110A | 14.468B/15.110A | ---- | 15.097 - 0.162 | .6421 | ---- | ---- | ---- | ---- | 225 UNCH |
| 8700 | ---- | ---- | ----/16.684A | 15.997B/16.684A | ---- | 16.711 - 0.153 | .6688 | ---- | ---- | ---- | ---- | 100 UNCH |
| 9000 | ---- | ---- | ----/19.332A | 18.473B/19.332A | ---- | 19.207 - 0.134 | .7047 | ---- | ---- | ---- | ---- | 74 UNCH |
| 9300 | ---- | ---- | ---- | 20.596B/22.531A | ---- | 21.777 - 0.113 | .7361 | ---- | ---- | ---- | ---- | 1 UNCH |
| 9400 | ---- | ---- | ---- | 21.472B/23.391A | ---- | 22.648 - 0.105 | .7456 | ---- | ---- | ---- | ---- | 1 UNCH |
| 10150 | ---- | ---- | ---- | 28.206B/30.061A | ---- | 29.358 - 0.056 | .8054 | ---- | ---- | ---- | ---- | 1 UNCH |
| 10300 | ---- | ---- | ---- | 29.582B/31.429A | ---- | 30.731 - 0.047 | .8151 | ---- | ---- | ---- | ---- | 1 UNCH |
| TOTAL | | | | | | | | | | 1 | 0 | 1878 + 1 |
| OCT26 | | | | | | | | | | | | |
| 2675 | ---- | ---- | ---- | 0.001B/2.974A | ---- | 0.042 - 0.003 | .0037 | ---- | ---- | ---- | ---- | 8 UNCH |
| 3250 | ---- | ---- | ---- | 0.001B/0.500A | ---- | 0.092 - 0.007 | .0084 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4000 | ---- | ---- | ---- | 0.126B/0.319A | ---- | 0.225 - 0.016 | .0210 | ---- | ---- | ---- | ---- | 3 UNCH |
| 4500 | ---- | ---- | ---- | 0.290B/0.500A | ---- | 0.392 - 0.027 | .0367 | ---- | ---- | ---- | ---- | 3 UNCH |
| 5000 | ---- | ---- | ---- | 0.610B/0.817A | ---- | 0.702 - 0.041 | .0640 | ---- | ---- | ---- | ---- | 6 UNCH |
| 5050 | ---- | ---- | ---- | 0.646B/0.860A | ---- | 0.745 - 0.043 | .0676 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5150 | ---- | ---- | ---- | 0.744B/0.946A | ---- | 0.839 - 0.046 | .0754 | ---- | ---- | ---- | ---- | 5 UNCH |
| 6500 | ---- | ---- | ---- | 3.147B/4.046A | ---- | 3.697 - 0.110 | .2567 | ---- | ---- | ---- | ---- | 120 UNCH |
| 7000 | ---- | ---- | ---- | 5.112B/6.112A | ---- | 5.776 - 0.140 | .3510 | ---- | ---- | ---- | ---- | 85 UNCH |
| 7225 | ---- | ---- | ---- | 6.205B/7.239A | ---- | 6.912 - 0.151 | .3942 | ---- | ---- | ---- | ---- | 87 UNCH |
| 7500 | ---- | ---- | ---- | 7.710B/8.768A | ---- | 8.462 - 0.162 | .4461 | ---- | ---- | ---- | ---- | 33 UNCH |
| 7950 | ---- | ---- | ---- | 10.603B/11.624A | ---- | 11.342 - 0.173 | .5247 | ---- | ---- | ---- | ---- | 10 UNCH |
| 8200 | ---- | ---- | ---- | 12.381B/13.347A | ---- | 13.104 - 0.174 | .5642 | ---- | ---- | ---- | ---- | 6 UNCH |
| 8375 | ---- | ---- | ---- | 13.567B/14.716A | ---- | 14.396 - 0.173 | .5898 | ---- | ---- | ---- | ---- | 1 UNCH |
| 9100 | ---- | ---- | ---- | 19.269B/20.421A | ---- | 20.162 - 0.153 | .6789 | ---- | ---- | ---- | ---- | 1 UNCH |
| 10000 | ---- | ---- | ---- | 12.522B/42.575A | ---- | 27.938 - 0.115 | .7584 | ---- | ---- | ---- | ---- | 40 UNCH |
| TOTAL | | | | | | | | | | | 0 | 410 0 |
| NOV26 | | | | | | | | | | | | |
| 4500 | ---- | ---- | ---- | 0.452B/0.663A | ---- | 0.565 - 0.014 | .0467 | ---- | ---- | ---- | ---- | 2 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS

**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

64
Side 53

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SO PUT | | COMEX SILVER OPTIONS | | | | | | | | | | |
| NOV26 | | | | | | | | | | | | |
| 4550 | ---- | ---- | ---- | 0.450B/0.694A | ---- | 0.597 - 0.016 | .0492 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4800 | ---- | ---- | ---- | 0.633B/0.882A | ---- | 0.780 - 0.030 | .0634 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5000 | ---- | ---- | ---- | 0.828B/1.061A | ---- | 0.959 - 0.043 | .0770 | ---- | ---- | ---- | ---- | 12 UNCH |
| 5200 | ---- | ---- | ---- | 0.700B/1.661A | ---- | 1.177 - 0.059 | .0930 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5950 | ---- | ---- | ---- | 2.109B/2.999A | ---- | 2.524 - 0.126 | .1788 | ---- | ---- | ---- | ---- | 1 UNCH |
| 6700 | ---- | ---- | ---- | 4.483B/5.556A | ---- | 5.044 - 0.180 | .3004 | ---- | ---- | ---- | ---- | 50 UNCH |
| 7000 | ---- | ---- | ---- | 5.798B/6.925A | ---- | 6.431 - 0.191 | .3537 | ---- | ---- | ---- | ---- | 40 UNCH |
| 7025 | ---- | ---- | ---- | 5.917B/7.047A | ---- | 6.557 - 0.191 | .3581 | ---- | ---- | ---- | ---- | 6 UNCH |
| 7400 | ---- | ---- | ---- | 7.880B/9.066A | ---- | 8.606 - 0.195 | .4239 | ---- | ---- | ---- | ---- | 24 UNCH |
| 7500 | ---- | ---- | ---- | 8.456B/9.649A | ---- | 9.204 - 0.194 | .4409 | ---- | ---- | ---- | ---- | 7 UNCH |
| 7700 | ---- | ---- | ---- | 9.674B/10.880A | ---- | 10.459 - 0.191 | .4737 | ---- | ---- | ---- | ---- | 50 UNCH |
| 8500 | ---- | ---- | ---- | 15.303B/16.454A | ---- | 16.132 - 0.170 | .5876 | ---- | ---- | ---- | ---- | 60 UNCH |
| 9000 | ---- | ---- | ---- | 19.255B/20.327A | ---- | 20.076 - 0.155 | .6448 | ---- | ---- | ---- | ---- | 5 UNCH |
| 9050 | ---- | ---- | ---- | 19.664B/20.728A | ---- | 20.484 - 0.153 | .6499 | ---- | ---- | ---- | ---- | 3 UNCH |
| 10000 | ---- | ---- | ---- | 7.293B/48.832A | ---- | 28.560 - 0.126 | .7321 | ---- | ---- | ---- | ---- | 1 UNCH |
| 11000 | ---- | ---- | ---- | 16.722B/57.612A | ---- | 37.542 - 0.101 | .7933 | ---- | ---- | ---- | ---- | 1 UNCH |
| TOTAL | | | | | | | | | | | 0 | 265 0 |
| DEC26 | | | | | | | | | | | | |
| 1500 | ---- | ---- | ---- | ----/0.050A | ---- | 0.005 UNCH | .0004 | ---- | ---- | ---- | ---- | 180 UNCH |
| 2000 | ---- | ---- | ---- | 0.001B/3.413A | ---- | 0.019 - 0.002 | .0015 | ---- | ---- | ---- | ---- | 10 UNCH |
| 2500 | ---- | ---- | ---- | 0.001B/3.517A | ---- | 0.037 - 0.004 | .0031 | ---- | ---- | ---- | ---- | 32 UNCH |
| 3000 | ---- | ---- | ---- | 0.002B/0.255A | ---- | 0.074 - 0.007 | .0065 | ---- | ---- | ---- | ---- | 93 UNCH |
| 3100 | ---- | ---- | ---- | 0.011B/0.275A | ---- | 0.085 - 0.008 | .0075 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3150 | ---- | ---- | ---- | 0.017B/0.285A | ---- | 0.095 - 0.008 | .0083 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3500 | ---- | ---- | ---- | 0.071B/0.370A | ---- | 0.194 - 0.015 | .0159 | ---- | ---- | ---- | ---- | 45 UNCH |
| 3850 | ---- | ---- | ---- | 0.162B/0.492A | ---- | 0.329 - 0.024 | .0261 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3925 | ---- | ---- | ---- | 0.187B/0.524A | ---- | 0.359 - 0.026 | .0284 | ---- | ---- | ---- | ---- | 1 UNCH |
| 4000 | ---- | ---- | ---- | 0.222B/0.558A | ---- | 0.391 - 0.028 | .0309 | ---- | ---- | ---- | ---- | 75 UNCH |
| 4500 | ---- | ---- | ---- | 0.499B/0.858A | ---- | 0.674 - 0.047 | .0522 | ---- | ---- | ---- | ---- | 35 UNCH |
| 4600 | ---- | ---- | ---- | 0.574B/0.931A | ---- | 0.750 - 0.050 | .0577 | ---- | ---- | ---- | ---- | 4 UNCH |
| 4800 | ---- | ---- | ---- | 0.756B/1.113A | ---- | 0.925 - 0.058 | .0702 | ---- | ---- | ---- | ---- | 241 UNCH |
| 5000 | ---- | ---- | ---- | 0.986B/1.336A | ---- | 1.140 - 0.067 | .0849 | ---- | ---- | ---- | ---- | 358 UNCH |
| 5250 | ---- | ---- | ---- | 0.848B/2.172A | ---- | 1.481 - 0.077 | .1070 | ---- | ---- | ---- | ---- | 50 UNCH |
| 5300 | ---- | ---- | ---- | 0.933B/2.241A | ---- | 1.561 - 0.078 | .1119 | ---- | ---- | ---- | ---- | 250 UNCH |
| 5400 | ---- | ---- | ---- | 1.118B/2.401A | ---- | 1.731 - 0.082 | .1222 | ---- | ---- | ---- | ---- | 100 UNCH |
| 5500 | ---- | ---- | ---- | 1.320B/2.567A | ---- | 1.918 - 0.085 | .1333 | ---- | ---- | ---- | ---- | 229 UNCH |
| 5600 | ---- | ---- | ---- | 1.848B/2.748A | ---- | 2.122 - 0.088 | .1449 | ---- | ---- | ---- | ---- | 8 UNCH |
| 5650 | ---- | ---- | ---- | 1.655B/2.840A | ---- | 2.231 - 0.089 | .1510 | ---- | ---- | ---- | ---- | 12 UNCH |
| 5800 | ---- | ---- | ---- | 1.976B/3.197A | ---- | 2.585 - 0.094 | .1700 | ---- | ---- | ---- | ---- | 1 UNCH |
| 5950 | ---- | ---- | ---- | 2.337B/3.611A | ---- | 2.982 - 0.100 | .1904 | ---- | ---- | ---- | ---- | 5 UNCH |
| 6000 | ---- | ---- | ---- | 2.467B/3.758A | ---- | 3.125 - 0.101 | .1974 | ---- | ---- | ---- | ---- | 167 UNCH |
| 6200 | ---- | ---- | ---- | 3.038B/4.393A | ---- | 3.743 - 0.110 | .2267 | ---- | ---- | ---- | ---- | 13 UNCH |
| 6300 | ---- | ---- | ---- | 3.355B/4.742A | ---- | 4.082 - 0.116 | .2419 | ---- | ---- | ---- | ---- | 25 UNCH |
| 6500 | ---- | ---- | ----/4.800A | 4.056B/4.800A | ---- | 4.819 - 0.132 | .2733 | ---- | ---- | ---- | ---- | 701 UNCH |
| 6650 | ---- | ---- | ---- | 4.641B/6.121A | ---- | 5.425 - 0.146 | .2975 | ---- | ---- | ---- | ---- | 5 UNCH |
| 6725 | ---- | ---- | ---- | 4.950B/6.447A | ---- | 5.746 - 0.153 | .3098 | ---- | ---- | ---- | ---- | 4 UNCH |
| 6750 | ---- | ---- | ---- | 5.057B/6.561A | ---- | 5.856 - 0.156 | .3139 | ---- | ---- | ---- | ---- | 6 UNCH |
| 6800 | ---- | ---- | ---- | 5.274B/6.790A | ---- | 6.079 - 0.161 | .3221 | ---- | ---- | ---- | ---- | 79 UNCH |
| 6850 | ---- | ---- | ---- | 5.496B/7.028A | ---- | 6.307 - 0.166 | .3304 | ---- | ---- | ---- | ---- | 78 UNCH |
| 6900 | ---- | ---- | ---- | 5.725B/7.254A | ---- | 6.541 - 0.171 | .3387 | ---- | ---- | ---- | ---- | 1 UNCH |
| 6950 | ---- | ---- | ---- | 5.959B/7.507A | ---- | 6.780 - 0.176 | .3470 | ---- | ---- | ---- | ---- | 101 UNCH |
| 7000 | ---- | ---- | ---- | 6.198B/7.755A | ---- | 7.025 - 0.181 | .3553 | ---- | ---- | ---- | ---- | 229 UNCH |
| 7075 | ---- | ---- | ---- | 6.568B/8.130A | ---- | 7.402 - 0.188 | .3677 | ---- | ---- | ---- | ---- | 20 UNCH |
| 7100 | ---- | ---- | ---- | 6.702B/8.259A | ---- | 7.530 - 0.191 | .3718 | ---- | ---- | ---- | ---- | 2 UNCH |
| 7200 | ---- | ---- | ---- | 7.239B/8.799A | ---- | 8.057 - 0.199 | .3883 | ---- | ---- | ---- | ---- | 14 UNCH |
| 7250 | ---- | ---- | ---- | 7.515B/9.063A | ---- | 8.329 - 0.202 | .3966 | ---- | ---- | ---- | ---- | 48 UNCH |
| 7500 | ---- | ---- | ---- | 8.973B/10.462A | ---- | 9.765 - 0.217 | .4370 | ---- | ---- | ---- | ---- | 22 UNCH |
| 7550 | ---- | ---- | ---- | 9.279B/10.757A | ---- | 10.067 - 0.220 | .4449 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7800 | ---- | ---- | ---- | 10.878B/12.291A | ---- | 11.650 - 0.226 | .4829 | ---- | ---- | ---- | ---- | 20 UNCH |
| 7850 | ---- | ---- | ---- | 11.211B/12.625A | ---- | 11.980 - 0.227 | .4903 | ---- | ---- | ---- | ---- | 10 UNCH |
| 7875 | ---- | ---- | ---- | 11.244B/12.910A | ---- | 12.147 - 0.227 | .4939 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7900 | ---- | ---- | ---- | 11.548B/12.951A | ---- | 12.314 - 0.228 | .4975 | ---- | ---- | ---- | ---- | 19 UNCH |
| 8000 | ---- | ---- | ---- | 12.233B/13.601A | ---- | 12.996 - 0.228 | .5117 | ---- | ---- | ---- | ---- | 50 UNCH |
| 8100 | ---- | ---- | ---- | 12.934B/14.287A | ---- | 13.693 - 0.228 | .5255 | ---- | ---- | ---- | ---- | 1 UNCH |
| 8200 | ---- | ---- | ---- | 13.649B/14.982A | ---- | 14.406 - 0.226 | .5389 | ---- | ---- | ---- | ---- | 35 UNCH |
| 8350 | ---- | ---- | ---- | 14.746B/16.062A | ---- | 15.503 - 0.222 | .5581 | ---- | ---- | ---- | ---- | 9 UNCH |
| 8400 | ---- | ---- | ---- | 15.118B/16.425A | ---- | 15.875 - 0.221 | .5643 | ---- | ---- | ---- | ---- | 50 UNCH |
| 8500 | ---- | ---- | ---- | 15.871B/17.149A | ---- | 16.629 - 0.218 | .5764 | ---- | ---- | ---- | ---- | 166 UNCH |
| 8550 | ---- | ---- | ---- | 16.252B/17.521A | ---- | 17.011 - 0.217 | .5823 | ---- | ---- | ---- | ---- | 25 UNCH |
| 8600 | ---- | ---- | ---- | 16.635B/17.896A | ---- | 17.396 - 0.214 | .5881 | ---- | ---- | ---- | ---- | 2 UNCH |
| 8800 | ---- | ---- | ---- | 18.193B/19.428A | ---- | 18.963 - 0.206 | .6102 | ---- | ---- | ---- | ---- | 12 UNCH |
| 8900 | ---- | ---- | ---- | 18.986B/20.210A | ---- | 19.762 - 0.202 | .6206 | ---- | ---- | ---- | ---- | 30 UNCH |
| 9000 | ---- | ---- | ---- | 19.788B/20.998A | ---- | 20.571 - 0.197 | .6306 | ---- | ---- | ---- | ---- | 3 UNCH |
| 9050 | ---- | ---- | ---- | 20.193B/21.388A | ---- | 20.979 - 0.194 | .6355 | ---- | ---- | ---- | ---- | 100 UNCH |
| 9500 | ---- | ---- | ---- | 23.623B/25.336A | ---- | 24.737 - 0.172 | .6756 | ---- | ---- | ---- | ---- | 2 UNCH |
| 9850 | ---- | ---- | ---- | 26.592B/28.299A | ---- | 27.749 - 0.154 | .7026 | ---- | ---- | ---- | ---- | 8 UNCH |
| 9950 | ---- | ---- | ---- | 27.390B/29.177A | ---- | 28.620 - 0.150 | .7098 | ---- | ---- | ---- | ---- | 1 UNCH |
| 10025 | ---- | ---- | ---- | 27.762B/29.810A | ---- | 29.277 - 0.146 | .7150 | ---- | ---- | ---- | ---- | 3 UNCH |
| 10125 | ---- | ---- | ---- | ----/59.666A | ---- | 30.155 - 0.143 | .7217 | ---- | ---- | ---- | ---- | 1 UNCH |
| 10700 | ---- | ---- | ---- | 7.657B/63.466A | ---- | 35.275 - 0.124 | .7569 | ---- | ---- | ---- | ---- | 5 UNCH |
| 10800 | ---- | ---- | ---- | 9.209B/62.045A | ---- | 36.176 - 0.121 | .7624 | ---- | ---- | ---- | ---- | 2 UNCH |
| 11000 | ---- | ---- | ---- | 10.331B/64.952A | ---- | 37.986 - 0.117 | .7730 | ---- | ---- | ---- | ---- | 2 UNCH |
| 11500 | ---- | ---- | ---- | 16.137B/70.699A | ---- | 42.559 - 0.107 | .7970 | ---- | ---- | ---- | ---- | 1 UNCH |
| 12000 | ---- | ---- | ---- | 21.700B/72.011A | ---- | 47.188 - 0.102 | .8178 | ---- | ---- | ---- | ---- | 1 UNCH |
| 12100 | ---- | ---- | ---- | 22.611B/73.000A | ---- | 48.120 - 0.101 | .8217 | ---- | ---- | ---- | ---- | 1 UNCH |
| 12300 | ---- | ---- | ---- | 24.478B/74.981A | ---- | 49.991 - 0.098 | .8290 | ---- | ---- | ---- | ---- | 1 UNCH |
| 15000 | ---- | ---- | ---- | 51.848B/99.004A | ---- | 75.826 - 0.077 | .8970 | ---- | ---- | ---- | ---- | 1 UNCH |
| 19000 | ---- | ---- | ---- | 92.788B/136.428A | ---- | 115.189 - 0.069 | .9423 | ---- | ---- | ---- | ---- | 1 UNCH |
| TOTAL | | | | | | | | | | | 0 | 3811 0 |
| JAN27 | | | | | | | | | | | | |
| 3800 | ---- | ---- | ---- | 0.097B/0.653A | ---- | 0.264 - 0.024 | .0216 | ---- | ---- | ---- | ---- | 1 UNCH |
| 6500 | ---- | ---- | ---- | 4.242B/6.055A | ---- | 5.173 - 0.126 | .2694 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7125 | ---- | ---- | ---- | 6.704B/9.256A | ---- | 8.039 - 0.149 | .3643 | ---- | ---- | ---- | ---- | 1 UNCH |
| 8600 | ---- | ---- | ---- | 16.750B/18.149A | ---- | 17.519 - 0.145 | .5651 | ---- | ---- | ---- | ---- | 1 UNCH |
| TOTAL | | | | | | | | | | | 0 | 4 0 |
| FEB27 | | | | | | | | | | | | |
| 8150 | ---- | ---- | ---- | 13.990B/15.582A | ---- | 15.008 - 0.192 | .5006 | ---- | ---- | ---- | ---- | 10 UNCH |
| 8225 | ---- | ---- | ---- | 13.888B/16.748A | ---- | 15.542 - 0.190 | .5093 | ---- | ---- | ---- | ---- | 10 UNCH |
| 8250 | ---- | ---- | ---- | 14.695B/16.264A | ---- | 15.721 - 0.190 | .5122 | ---- | ---- | ---- | ---- | 10 UNCH |
| TOTAL | | | | | | | | | | | 0 | 30 0 |
| MAR27 | | | | | | | | | | | | |
| 6500 | ---- | ---- | ---- | 4.733B/7.406A | ---- | 6.089 - 0.150 | .2774 | ---- | ---- | ---- | ---- | 20 UNCH |
| 6825 | ---- | ---- | ---- | 6.132B/8.915A | ---- | 7.563 - 0.176 | .3222 | ---- | ---- | ---- | ---- | 2 UNCH |
| 8300 | ---- | ---- | ---- | 14.875B/17.900A | ---- | 16.559 - 0.247 | .5108 | ---- | ---- | ---- | ---- | 50 UNCH |
| TOTAL | | | | | | | | | | | 0 | 72 0 |
| APR27 | | | | | | | | | | | | |
| 4000 | ---- | ---- | ---- | ---- | ---- | 1.178 - 0.013 | .0594 | ---- | ---- | ---- | ---- | 1 UNCH |
| TOTAL | | | | | | | | | | | 0 | 1 0 |
| DEC27 | | | | | | | | | | | | |
| 7175 | ---- | ---- | ---- | ---- | ---- | 14.365 - 0.060 | .3312 | ---- | ---- | ---- | ---- | 25 UNCH |
| TOTAL | | | | | | | | | | | 0 | 25 0 |
| SO2 CALL | | SILVER OPTIONS | | | | | | | | | | |
| MAY26 | | | | | | | | | | | | |
| 7350 | ---- | ---- | 1.739B/*1.394A | 1.739B/*1.394A | ---- | 1.363 - 0.340 | .5190 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7400 | 1.130 | 1.130 | 1.130/*1.130 | 1.398B/*1.130 | ---- | 1.116 - 0.340 | .4492 | ---- | ---- | 1 | ---- | 2 + 1 |
| 7490 | 1.150 | 1.150 | #1.150/*0.686A | 1.150/*0.686A | ---- | 0.755 NEW | .3283 | ---- | ---- | 2 | ---- | 2 + 2 |
| 7500 | 1.000 | 1.000 | 1.053B/*0.674A | 1.053B/*0.674A | ---- | 0.722 - 0.316 | .3158 | ---- | ---- | 19 | ---- | 13 - 6 |
| 7600 | 0.798 | 0.798 | 0.798/*0.434A | 0.798/*0.434A | ---- | 0.450 - 0.270 | .2050 | ---- | ---- | 20 | ---- | 73 + 20 |
| 7700 | ---- | ---- | ----/*0.351A | 0.399B/*0.351A | ---- | 0.277 - 0.215 | .1258 | ---- | ---- | ---- | ---- | 13 UNCH |
| 7720 | 0.300 | 0.300 | #0.300/*0.238A | 0.428B/*0.238A | ---- | 0.251 NEW | .1135 | ---- | ---- | 2 | ---- | 2 + 2 |
| 7750 | ---- | ---- | ----/*0.273A | 0.293B/*0.273A | ---- | 0.218 - 0.188 | .0974 | ---- | ---- | ---- | ---- | 6 UNCH |
| 7800 | ---- | ---- | ----/*0.227A | 0.232B/*0.227A | ---- | 0.173 - 0.163 | .0754 | ---- | ---- | ---- | ---- | 2 UNCH |
| 7850 | ---- | ---- | ----/*0.180A | 0.169B/*0.180A | ---- | 0.139 - 0.141 | .0586 | ---- | ---- | ---- | ---- | 7 UNCH |
| 7900 | ---- | ---- | ----/*0.180A | 0.129B/*0.180A | ---- | 0.113 - 0.122 | .0459 | ---- | ---- | ---- | ---- | 4 UNCH |
| 7950 | ---- | ---- | ----/*0.161A | 0.081B/*0.161A | ---- | 0.094 - 0.105 | .0366 | ---- | ---- | ---- | ---- | 3 UNCH |
| 8000 | 0.105 | 0.105 | 0.105/*0.065 | 0.105/*0.065 | ---- | 0.079 - 0.092 | .0294 | ---- | ---- | 3 | ---- | 26 + 2 |
| 8100 | ---- | ---- | ----/*0.122A | 0.028B/*0.122A | ---- | 0.059 - 0.071 | .0199 | ---- | ---- | ---- | ---- | 2 UNCH |
| 8200 | 0.045 | 0.045 | 0.045/*0.045 | 0.045/*0.045 | ---- | 0.046 - 0.059 | .0141 | ---- | ---- | 2 | ---- | 5 UNCH |
| 8300 | ---- | ---- | ---- | 0.003B/*0.103A | ---- | 0.037 - 0.052 | .0104 | ---- | ---- | ---- | ---- | 5 UNCH |
| 8400 | ---- | ---- | ---- | 0.002B/*0.099A | ---- | 0.031 - 0.047 | .0079 | ---- | ---- | ---- | ---- | 1 UNCH |
| 8500 | ---- | ---- | ---- | 0.001B/0.096A | ---- | 0.027 - 0.045 | .0064 | ---- | ---- | ---- | ---- | 27 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SO2 CALL | | SILVER OPTIONS | | | | | | | | | | |
| MAY26 | | | | | | | | | | | | |
| 8750 | ---- | ---- | ---- | 0.010B/*0.089A | ---- | 0.023 - 0.042 | .0045 | ---- | ---- | ---- | ---- | 3 UNCH |
| 9000 | ---- | ---- | ---- | ----/0.090A | ---- | 0.012 - 0.026 | .0019 | ---- | ---- | ---- | ---- | 2 UNCH |
| 9200 | ---- | ---- | ---- | ----/0.107A | ---- | 0.006 - 0.018 | .0008 | ---- | ---- | ---- | ---- | 4 UNCH |
| 9300 | ---- | ---- | ---- | ----/0.108A | ---- | 0.005 - 0.014 | .0006 | ---- | ---- | ---- | ---- | 4 UNCH |
| 9700 | ---- | ---- | ---- | ----/0.140A | ---- | 0.002 - 0.007 | .0002 | ---- | ---- | ---- | ---- | 4 UNCH |
| 10000 | ---- | ---- | ---- | ----/0.154A | ---- | 0.001 - 0.005 | .0000 | ---- | ---- | ---- | ---- | 1 UNCH |
| TOTAL | | | | | | | | | | 49 | 0 | 212 + 21 |
| SO2 PUT | | SILVER OPTIONS | | | | | | | | | | |
| MAY26 | | | | | | | | | | | | |
| 5250 | ---- | ---- | ---- | ----/0.179A | ---- | 0.001 UNCH | ---- | ---- | ---- | ---- | ---- | 3 UNCH |
| 6000 | ---- | ---- | ---- | ----/0.097A | ---- | 0.001 - 0.007 | .0001 | ---- | ---- | ---- | ---- | 22 UNCH |
| 6100 | ---- | ---- | ---- | 0.001B/0.092A | ---- | 0.002 - 0.011 | .0003 | ---- | ---- | ---- | ---- | 5 UNCH |
| 6200 | ---- | ---- | ---- | 0.001B/*0.089A | ---- | 0.003 - 0.017 | .0005 | ---- | ---- | ---- | ---- | 1 UNCH |
| 6400 | ---- | ---- | ---- | 0.025B/0.106A | ---- | 0.011 - 0.038 | .0026 | ---- | ---- | ---- | ---- | 1 UNCH |
| 6500 | ---- | ---- | ---- | 0.030B/0.122A | ---- | 0.020 - 0.056 | .0054 | ---- | ---- | ---- | ---- | 55 UNCH |
| 6600 | ---- | ---- | ---- | 0.051B/0.135A | ---- | 0.036 - 0.080 | .0109 | ---- | ---- | ---- | ---- | 15 UNCH |
| 6700 | 0.210 | 0.210 | 0.210/0.156A | 0.210/0.156A | ---- | 0.064 - 0.112 | .0214 | ---- | ---- | 1 | ---- | 8 - 1 |
| 6750 | ---- | ---- | ----/0.179A | 0.105B/0.179A | ---- | 0.084 - 0.131 | .0293 | ---- | ---- | ---- | ---- | 1 UNCH |
| 6800 | ---- | ---- | ----/0.150A | 0.156B/0.150A | ---- | 0.111 - 0.152 | .0402 | ---- | ---- | ---- | ---- | 8 UNCH |
| 6850 | ---- | ---- | ----/*0.182A | 0.185B/*0.182A | ---- | 0.145 - 0.175 | .0542 | ---- | ---- | ---- | ---- | 1 UNCH |
| 6900 | 0.210 | 0.210 | 0.210/*0.206A | 0.256B/*0.206A | ---- | 0.189 - 0.199 | .0724 | ---- | ---- | 1 | ---- | 3 + 1 |
| 7000 | 0.350 | 0.350 | 0.350/0.230 | 0.411B/0.230 | ---- | 0.305 - 0.253 | .1214 | ---- | ---- | 4 | ---- | 18 + 4 |
| 7100 | ---- | ---- | ----/0.409A | 0.658B/0.409A | ---- | 0.471 - 0.309 | .1918 | ---- | ---- | 3 | ---- | 9 + 2 |
| 7200 | ---- | ---- | ----/0.652A | 1.003B/0.652A | ---- | 0.715 - 0.360 | .2894 | ---- | ---- | ---- | ---- | 22 UNCH |
| 7250 | ---- | ---- | ----/0.766A | 1.179B/0.766A | ---- | 0.874 - 0.379 | .3482 | ---- | ---- | ---- | ---- | 5 UNCH |
| 7280 | 0.928 | 0.928 | #0.928/*0.864A | 1.310B/0.864A | ---- | 0.983 NEW | .3863 | ---- | ---- | 1 | ---- | 1 + 1 |
| 7300 | ---- | ---- | ----/0.930A | 1.438B/0.930A | ---- | 1.062 - 0.393 | .4127 | ---- | ---- | 3 | ---- | 70 + 1 |
| 7350 | 1.250 | 1.250 | 1.250/1.154A | 1.575B/1.154A | ---- | 1.282 - 0.399 | .4809 | ---- | ---- | 2 | ---- | 3 + 1 |
| 7400 | ---- | ---- | ----/1.362A | 1.521B/1.362A | ---- | 1.535 - 0.398 | .5507 | ---- | ---- | ---- | ---- | 2 UNCH |
| 7500 | ---- | ---- | ----/1.930A | 1.727B/1.930A | ---- | 2.140 - 0.375 | .6841 | ---- | ---- | ---- | ---- | 11 UNCH |
| 7550 | ---- | ---- | ----/2.433A | 1.756B/2.433A | ---- | 2.490 - 0.354 | .7431 | ---- | ---- | ---- | ---- | 2 UNCH |
| 7600 | ---- | ---- | ----/2.915A | 1.747B/2.915A | ---- | 2.868 - 0.329 | .7949 | ---- | ---- | ---- | ---- | 56 UNCH |
| 7650 | ---- | ---- | ---- | 1.610B/3.762A | ---- | 3.271 - 0.302 | .8385 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7800 | ---- | ---- | ---- | ---- | ---- | 4.591 - 0.222 | .9245 | ---- | ---- | ---- | ---- | 2 UNCH |
| 8000 | ---- | ---- | ----/6.616A | 5.109B/6.616A | ---- | 6.497 - 0.150 | .9705 | ---- | ---- | ---- | ---- | 9 UNCH |
| TOTAL | | | | | | | | | | 15 | 0 | 334 + 9 |
| SO3 CALL | | SILVER OPTIONS | | | | | | | | | | |
| MAY26 | | | | | | | | | | | | |
| 7150 | ---- | ---- | ---- | 2.943B/3.880A | ---- | 3.404 - 0.254 | .6664 | ---- | ---- | ---- | ---- | 3 UNCH |
| 7200 | ---- | ---- | ----/3.306A | 2.960B/3.306A | ---- | 3.090 - 0.269 | .6312 | ---- | ---- | ---- | ---- | 2 UNCH |
| 7250 | ---- | ---- | ----/2.874A | 2.883B/2.874A | ---- | 2.796 - 0.282 | .5949 | ---- | ---- | ---- | ---- | 2 UNCH |
| 7400 | ---- | ---- | 2.435B/2.096A | 2.435B/2.096A | ---- | 2.032 - 0.306 | .4831 | ---- | ---- | ---- | ---- | 5 UNCH |
| 7500 | ---- | ---- | 1.941B/*1.681A | 1.941B/*1.681A | ---- | 1.621 - 0.308 | .4104 | ---- | ---- | ---- | ---- | 2 UNCH |
| 7600 | ---- | ---- | ----/*1.345A | 1.498B/*1.345A | ---- | 1.282 - 0.299 | .3427 | ---- | ---- | ---- | ---- | 13 UNCH |
| 7700 | ---- | ---- | ----/*0.935A | 1.166B/*0.935A | ---- | 1.008 - 0.281 | .2819 | ---- | ---- | ---- | ---- | 50 UNCH |
| 7800 | ---- | ---- | ----/*0.876A | 0.875B/*0.876A | ---- | 0.789 - 0.256 | .2290 | ---- | ---- | ---- | ---- | 2 UNCH |
| 7850 | ---- | ---- | ----/*0.808A | 0.743B/*0.808A | ---- | 0.697 - 0.242 | .2056 | ---- | ---- | ---- | ---- | 2 UNCH |
| 7900 | ---- | ---- | ----/*0.709A | 0.661B/*0.709A | ---- | 0.617 - 0.227 | .1844 | ---- | ---- | ---- | ---- | 3 UNCH |
| 8000 | ---- | ---- | ----/*0.570A | 0.494B/*0.570A | ---- | 0.483 - 0.197 | .1475 | ---- | ---- | ---- | ---- | 1 UNCH |
| 8100 | ---- | ---- | ----/*0.463A | 0.364B/*0.463A | ---- | 0.380 - 0.169 | .1178 | ---- | ---- | ---- | ---- | 7 UNCH |
| 8200 | ---- | ---- | ----/*0.373A | 0.269B/*0.373A | ---- | 0.302 - 0.141 | .0943 | ---- | ---- | ---- | ---- | 11 UNCH |
| 8500 | 0.120 | 0.120 | 0.120/*0.120 | 0.120/*0.120 | ---- | 0.162 - 0.082 | .0501 | ---- | ---- | 1 | ---- | 7 + 1 |
| 9000 | ---- | ---- | ---- | 0.026B/*0.154A | ---- | 0.080 - 0.039 | .0226 | ---- | ---- | ---- | ---- | 5 UNCH |
| 9100 | ---- | ---- | ---- | 0.018B/*0.148A | ---- | 0.073 - 0.036 | .0201 | ---- | ---- | ---- | ---- | 2 UNCH |
| TOTAL | | | | | | | | | | 1 | 0 | 117 + 1 |
| SO3 PUT | | SILVER OPTIONS | | | | | | | | | | |
| MAY26 | | | | | | | | | | | | |
| 6500 | ---- | ---- | ----/0.290A | 0.189B/0.290A | ---- | 0.231 - 0.094 | .0667 | ---- | ---- | ---- | ---- | 4 UNCH |
| 6600 | ---- | ---- | ----/0.366A | 0.273B/0.366A | ---- | 0.294 - 0.117 | .0858 | ---- | ---- | ---- | ---- | 16 UNCH |
| 6700 | 0.510 | 0.510 | 0.510/0.452A | 0.510/0.452A | ---- | 0.380 NEW | .1110 | ---- | ---- | 1 | ---- | 1 + 1 |
| 6750 | ---- | ---- | ----/0.524A | 0.441B/0.524A | ---- | 0.436 - 0.163 | .1267 | ---- | ---- | ---- | ---- | 1 UNCH |
| 6800 | 0.404 | 0.404 | 0.404/*0.404 | 0.545B/*0.404 | ---- | 0.500 - 0.181 | .1443 | ---- | ---- | 3 | ---- | 3 + 2 |
| 6900 | 0.750 | 0.750 | 0.750/0.728A | 0.750/0.728A | ---- | 0.663 NEW | .1868 | ---- | ---- | 2 | ---- | 2 + 2 |
| 7000 | ---- | ---- | ----/0.830A | 1.015B/0.830A | ---- | 0.879 - 0.258 | .2388 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7150 | ---- | ---- | ----/1.205A | 1.515B/1.205A | ---- | 1.325 - 0.313 | .3335 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7200 | ---- | ---- | ----/1.370A | 1.763B/1.370A | ---- | 1.511 - 0.327 | .3687 | ---- | ---- | ---- | ---- | 12 UNCH |
| 7350 | ---- | ---- | ----/2.115A | 2.462B/2.115A | ---- | 2.186 - 0.359 | .4794 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7450 | ---- | ---- | ----/2.586A | 3.036B/2.586A | ---- | 2.735 - 0.367 | .5536 | ---- | ---- | ---- | ---- | 10 UNCH |
| 7500 | ---- | ---- | ----/2.826A | 3.270B/2.826A | ---- | 3.038 - 0.367 | .5895 | ---- | ---- | ---- | ---- | 2 UNCH |
| 7700 | ---- | ---- | ----/4.474A | 3.321B/4.474A | ---- | 4.424 - 0.339 | .7180 | ---- | ---- | ---- | ---- | 45 UNCH |
| 7850 | ---- | ---- | ---- | ----/22.625A | ---- | 5.612 - 0.301 | .7943 | ---- | ---- | ---- | ---- | 2 UNCH |
| TOTAL | | | | | | | | | | 6 | 0 | 101 + 5 |
| SO4 CALL | | SILVER OPTIONS | | | | | | | | | | |
| MAY26 | | | | | | | | | | | | |
| 7500 | ---- | ---- | 2.614B/2.361A | 2.614B/2.361A | ---- | 2.323 - 0.265 | .4417 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7700 | ---- | ---- | ----/1.704A | 1.823B/1.704A | ---- | 1.656 - 0.260 | .3417 | ---- | ---- | ---- | ---- | 1 UNCH |
| 8200 | ---- | ---- | ----/*0.788A | 0.672B/*0.788A | ---- | 0.702 - 0.182 | .1646 | ---- | ---- | ---- | ---- | 1 UNCH |
| TOTAL | | | | | | | | | | | 0 | 3 0 |
| SO4 PUT | | SILVER OPTIONS | | | | | | | | | | |
| MAY26 | | | | | | | | | | | | |
| 6900 | ---- | ---- | ----/1.182A | 1.202B/1.182A | ---- | 1.138 - 0.213 | .2403 | ---- | ---- | ---- | ---- | 1 UNCH |
| TOTAL | | | | | | | | | | | 0 | 1 0 |
| SO5 PUT | | SILVER OPTIONS | | | | | | | | | | |
| MAY26 | | | | | | | | | | | | |
| 7000 | 2.000 | 2.000 | #2.100/*1.700 | #2.100/*1.700 | ---- | 1.934 NEW | .3143 | ---- | ---- | 4 | ---- | 2 + 2 |
| TOTAL | | | | | | | | | | 4 | 0 | 2 + 2 |
| SWW WED | | SILVER WEEKLY WEDNESDAY OPTION WEEK | | | | | | | | | | |
| MAY26 | | | | | | | | | | | | |
| 6000 | ---- | ---- | ---- | ----/0.164A | ---- | 0.001 UNCH | ---- | ---- | ---- | ---- | ---- | 15 UNCH |
| 6000 | ---- | ---- | ---- | 0.002B/*0.124A | ---- | 0.035 - 0.031 | .0099 | ---- | ---- | ---- | ---- | 6 UNCH |
| 6200 | 0.008 | 0.008 | 0.012B/*0.008 | 0.012B/*0.008 | ---- | 0.001 NEW | ---- | ---- | ---- | 1 | ---- | 1 + 1 |
| 6400 | 0.246 | 0.246 | 0.246/*0.246 | 0.246/*0.246 | ---- | 0.262 NEW | .0695 | ---- | ---- | 1 | ---- | 1 + 1 |
| 6500 | ---- | ---- | ----/0.211A | 0.117B/0.211A | ---- | 0.160 - 0.100 | .0498 | ---- | ---- | ---- | ---- | 8 UNCH |
| 6700 | ---- | ---- | ---- | 0.001B/*0.089A | ---- | 0.008 - 0.067 | .0003 | ---- | ---- | ---- | ---- | 1 UNCH |
| 6800 | 0.700 | 0.700 | 0.750/0.700 | 0.785B/0.700 | ---- | 0.801 NEW | .1871 | ---- | ---- | 2 | ---- | 2 + 2 |
| 6900 | 0.031 | 0.031 | 0.031/*0.026 | 0.054B/*0.026 | ---- | 0.026 - 0.157 | .0033 | ---- | ---- | 3 | ---- | 5 + 3 |
| 6950 | ---- | ---- | ----/0.108A | 0.071B/0.108A | ---- | 0.035 - 0.192 | .0058 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7000 | 0.060 | 0.060 | 0.060/*0.060 | 0.129B/*0.060 | ---- | 0.048 - 0.235 | .0104 | ---- | ---- | 2 | ---- | 7 + 2 |
| 7100 | 0.200 | 0.200 | 0.200/*0.182A | 0.265B/*0.182A | ---- | 0.098 - 0.342 | .0352 | ---- | ---- | 2 | ---- | 7 + 2 |
| 7150 | ---- | ---- | ----/*0.242A | 0.353B/*0.242A | ---- | 0.145 - 0.403 | .0654 | ---- | ---- | 1 | ---- | 3 + 1 |
| 7200 | 0.250 | 0.250 | 0.250/*0.225 | 0.538B/*0.225 | ---- | 0.215 - 0.466 | .1174 | ---- | ---- | 33 | ---- | 59 + 13 |
| 7200 | ---- | ---- | ----/1.245A | 1.512B/1.245A | ---- | 1.270 - 0.322 | .3545 | ---- | ---- | ---- | ---- | 4 UNCH |
| 7250 | 0.280 | 0.280 | 0.280/*0.280 | 0.691B/*0.280 | ---- | 0.321 NEW | .2021 | ---- | ---- | 1 | ---- | 1 + 1 |
| 7300 | 1.000 | 1.000 | 1.000/0.472A | 1.000/0.472A | ---- | 0.472 NEW | .3226 | ---- | ---- | 1 | ---- | 1 + 1 |
| 7330 | 0.450 | 0.450 | 0.450/*0.450 | 0.977B/*0.450 | ---- | 0.590 NEW | .4096 | ---- | ---- | 6 | ---- | 6 + 6 |
| 7350 | ---- | ---- | ----/0.640A | 0.947B/0.640A | ---- | 0.680 NEW | .4712 | ---- | ---- | 1 | ---- | 1 + 1 |
| 7350 | 0.600 | 0.600 | 0.600/*0.600 | 0.962B/*0.600 | ---- | 0.761 NEW | .5287 | ---- | ---- | 1 | ---- | 1 + 1 |
| 7390 | ---- | ---- | ----/0.780A | 0.871B/0.780A | ---- | 0.891 - 0.583 | .5953 | ---- | ---- | ---- | ---- | 20 UNCH |
| 7390 | 0.435 | 0.435 | #0.435/*0.427 | 0.887B/*0.427 | ---- | 0.572 NEW | .4047 | ---- | ---- | 2 | ---- | 2 + 2 |
| 7400 | 0.500 | 0.500 | 0.500/*0.500 | 0.802B/*0.500 | ---- | 0.531 - 0.521 | .3748 | ---- | ---- | 1 | ---- | 3 + 1 |
| 7400 | ---- | ---- | ----/*1.800A | 1.913B/*1.800A | ---- | 1.768 - 0.284 | .4767 | ---- | ---- | ---- | ---- | 4 UNCH |
| 7400 | ---- | ---- | ----/0.787A | 0.804B/0.787A | ---- | 0.950 - 0.580 | .6251 | ---- | ---- | ---- | ---- | 2 UNCH |
| 7400 | ---- | ---- | ----/2.022A | 2.126B/2.022A | ---- | 2.187 - 0.342 | .5232 | ---- | ---- | ---- | ---- | 22 UNCH |
| 7425 | ---- | ---- | ----/*0.465A | 0.761B/*0.465A | ---- | 0.439 NEW | .3043 | ---- | ---- | 20 | ---- | 20 + 20 |
| 7450 | ---- | ---- | ----/*0.395A | 0.679B/*0.395A | ---- | 0.360 NEW | .2412 | ---- | ---- | 35 | ---- | 35 + 35 |
| 7500 | ---- | ---- | ----/1.662A | 0.900B/1.662A | ---- | 1.659 NEW | .8570 | ---- | ---- | 1 | ---- | 1 + 1 |
| 7500 | 0.470 | 0.470 | 0.470/*0.180 | 0.470/*0.180 | ---- | 0.240 - 0.445 | .1429 | ---- | ---- | 6 | ---- | 6 + 5 |
| 7500 | ---- | ---- | 1.646B/1.392A | 1.646B/1.392A | ---- | 1.363 - 0.276 | .3937 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7600 | ---- | ---- | ----/*1.073A | 1.227B/*1.073A | ---- | 1.041 - 0.258 | .3179 | ---- | ---- | ---- | ---- | 4 UNCH |
| 7600 | ---- | ---- | ----/*0.080A | 0.198B/*0.080A | ---- | 0.105 - 0.332 | .0423 | ---- | ---- | ---- | ---- | 4 UNCH |
| 7700 | 0.150 | 0.150 | 0.150/*0.094A | 0.150/*0.094A | ---- | 0.049 NEW | .0119 | ---- | ---- | 1 | ---- | 1 + 1 |
| 7700 | ---- | ---- | ---- | ---- | ---- | 3.468 - 0.287 | .9880 | ---- | ---- | ---- | ---- | 5 UNCH |
| 7710 | ---- | ---- | ---- | ---- | ---- | 3.565 - 0.278 | .9893 | ---- | ---- | ---- | ---- | 3 UNCH |
| 7750 | ---- | ---- | ----/*0.089A | 0.007B/*0.089A | ---- | 0.035 - 0.186 | .0065 | ---- | ---- | ---- | ---- | 3 UNCH |
| 7775 | ---- | ---- | ----/*0.087A | 0.002B/*0.087A | ---- | 0.030 - 0.168 | .0049 | ---- | ---- | ---- | ---- | 0 UNCH |
| 7800 | ---- | ---- | ----/*0.625A | 0.631B/*0.625A | ---- | 0.602 - 0.204 | .1976 | ---- | ---- | ---- | ---- | 4 UNCH |
| 7800 | ---- | ---- | ----/*0.088A | 0.002B/*0.088A | ---- | 0.026 - 0.151 | .0037 | ---- | ---- | ---- | ---- | 61 UNCH |
| 7825 | ---- | ---- | ----/*0.088A | 0.001B/*0.088A | ---- | 0.022 - 0.137 | .0028 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7875 | ---- | ---- | ----/0.086A | 0.001B/0.086A | ---- | 0.017 - 0.111 | .0017 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7900 | ---- | ---- | ----/*0.085A | 0.001B/*0.085A | ---- | 0.015 - 0.100 | .0013 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7950 | ---- | ---- | ----/*0.086A | 0.001B/*0.086A | ---- | 0.012 - 0.081 | .0008 | ---- | ---- | ---- | ---- | 1 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SWW WED | | SILVER WEEKLY WEDNESDAY OPTION WEEK | | | | | | | | | | |
| MAY26 | | | | | | | | | | | | |
| 8000 | 0.011 | 0.011 | 0.011/*0.011 | 0.011/*0.011 | ---- | 0.008 - 0.065 | .0004 | ---- | ---- | 1 | ---- | 8 + 1 |
| 8175 | ---- | ---- | ---- | ----/*0.085A | ---- | 0.002 - 0.028 | .0000 | ---- | ---- | 1 | ---- | 0 - 1 |
| 8200 | ---- | ---- | ---- | ----/0.094A | ---- | 0.001 - 0.026 | .0000 | ---- | ---- | ---- | ---- | 3 UNCH |
| 8500 | ---- | ---- | ---- | ----/0.110A | ---- | 0.001 - 0.006 | ---- | ---- | ---- | ---- | ---- | 6 UNCH |
| 8700 | ---- | ---- | ---- | ----/0.141A | ---- | 0.001 - 0.002 | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 8800 | ---- | ---- | ---- | ----/36.498A | ---- | 14.489 - 0.086 | .9769 | ---- | ---- | ---- | ---- | 1 UNCH |
| 10000 | ---- | ---- | ---- | ----/0.199A | ---- | 0.001 UNCH | ---- | ---- | ---- | ---- | ---- | 5 UNCH |
| TOTAL | | | | | | | | | | 123 | 0 | 359 + 100 |
| TWS TUE | | SILVER WEEKLY TUESDAY OPTION Week1 | | | | | | | | | | |
| MAY26 | | | | | | | | | | | | |
| 6300 | ---- | ---- | ---- | ----/*0.049A | ---- | 0.000 - 0.001 | ---- | ---- | ---- | ---- | ---- | 0 - 1 |
| 6600 | ---- | ---- | ----/0.223A | 0.129B/0.223A | ---- | 0.152 - 0.114 | .0517 | ---- | ---- | ---- | ---- | 1 UNCH |
| 6700 | ---- | ---- | ---- | ----/*0.052A | ---- | 0.000 - 0.034 | ---- | ---- | ---- | ---- | ---- | 0 - 1 |
| 6725 | ---- | ---- | ---- | ----/*0.054A | ---- | 0.000 - 0.041 | ---- | ---- | ---- | ---- | ---- | 0 - 1 |
| 6750 | ---- | ---- | ---- | ----/*0.054A | ---- | 0.000 - 0.049 | ---- | ---- | ---- | ---- | ---- | 0 - 2 |
| 6800 | ---- | ---- | ----/0.053A | ----/0.053A | ---- | 0.000 - 0.063 | ---- | ---- | ---- | ---- | ---- | 0 - 1 |
| 6800 | ---- | ---- | ----/0.365A | 0.311B/0.365A | ---- | 0.276 - 0.183 | .0979 | ---- | ---- | ---- | ---- | 1 UNCH |
| 6900 | 0.032 | 0.032 | 0.032/*0.001 | 0.032/*0.001 | ---- | 0.000 - 0.094 | ---- | ---- | ---- | 5 | ---- | 0 - 1 |
| 6900 | ---- | ---- | ----/0.923A | 0.927B/0.923A | ---- | 0.965 - 0.252 | .2239 | ---- | ---- | ---- | ---- | 1 UNCH |
| 6900 | ---- | ---- | ----/*0.360A | 0.465B/*0.360A | ---- | 0.389 - 0.224 | .1373 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7000 | ---- | ---- | ----/*0.053A | 0.001B/*0.053A | ---- | 0.000 - 0.146 | ---- | ---- | ---- | ---- | ---- | 0 - 3 |
| 7090 | 0.025 | 0.025 | 0.025/*0.006 | 0.025/*0.006 | ---- | 0.000 - 0.226 | ---- | ---- | ---- | 2 | ---- | 0 - 1 |
| 7100 | 0.300 | 0.300 | 0.300/*0.053A | 0.300/*0.053A | ---- | 0.000 - 0.238 | ---- | ---- | ---- | 8 | ---- | 0 - 5 |
| 7180 | ---- | ---- | ----/*0.054A | 0.132B/*0.054A | ---- | 0.000 - 0.363 | ---- | ---- | ---- | ---- | ---- | 0 - 1 |
| 7200 | 0.100 | 0.100 | 0.100/*0.053A | 0.191B/*0.053A | ---- | 0.000 - 0.405 | ---- | ---- | ---- | 5 | ---- | 0 - 11 |
| 7290 | 0.820 | 0.820 | 0.825/*0.815A | 0.825/*0.815A | ---- | 0.681 NEW | ---- | 1 | ---- | 12 | ---- | 0 UNCH |
| 7300 | 0.050 | 0.050 | 0.050/*0.050 | 0.580B/*0.050 | ---- | 0.000 NEW | ---- | ---- | ---- | 5 | ---- | 0 UNCH |
| 7300 | 0.790 | 0.790 | 0.815/*0.770A | 0.815/*0.770A | ---- | 0.581 NEW | ---- | 1 | ---- | 14 | ---- | 0 UNCH |
| 7310 | ---- | ---- | ----/*0.830A | 0.511B/*0.830A | ---- | 0.481 - 0.678 | ---- | 1 | ---- | ---- | ---- | 0 - 1 |
| 7320 | 0.780 | 0.780 | 0.790/*0.700 | 0.790/*0.700 | ---- | 0.381 NEW | ---- | 9 | ---- | 44 | ---- | 0 UNCH |
| 7350 | ---- | ---- | ----/*0.742A | 0.442B/*0.742A | ---- | 0.081 - 0.852 | ---- | 5 | ---- | ---- | ---- | 0 - 5 |
| 7350 | ---- | ---- | ----/*0.151A | 0.481B/*0.151A | ---- | 0.000 - 0.911 | ---- | ---- | ---- | ---- | ---- | 0 - 5 |
| 7400 | 0.400 | 0.400 | 0.510/*0.040A | 0.510/*0.040A | ---- | 0.000 - 0.694 | ---- | ---- | ---- | 12 | ---- | 0 - 22 |
| 7400 | 0.500 | 0.500 | 0.500/*0.338A | 0.500/*0.338A | ---- | 0.419 - 0.753 | ---- | 2 | ---- | 3 | ---- | 0 - 2 |
| 7400 | ---- | ---- | ----/1.866A | 1.947B/1.866A | ---- | 2.003 - 0.366 | .5285 | ---- | ---- | ---- | ---- | 2 UNCH |
| 7425 | 0.404 | 0.404 | 0.404/*0.005 | 0.404/*0.005 | ---- | 0.000 NEW | ---- | ---- | ---- | 3 | ---- | 0 UNCH |
| 7450 | 0.301 | 0.301 | 0.356/*0.003 | 0.356/*0.003 | ---- | 0.000 - 0.504 | ---- | ---- | ---- | 7 | ---- | 0 - 1 |
| 7450 | ---- | ---- | ----/0.614A | 0.393B/0.614A | ---- | 0.919 - 0.563 | ---- | 2 | ---- | ---- | ---- | 0 - 2 |
| 7460 | ---- | ---- | ----/0.733A | 0.365B/0.733A | ---- | 1.019 - 0.531 | ---- | 1 | ---- | ---- | ---- | 0 - 1 |
| 7475 | 0.251 | 0.251 | 0.288/*0.052A | 0.288/*0.052A | ---- | 0.000 NEW | ---- | ---- | ---- | 4 | ---- | 0 UNCH |
| 7500 | ---- | ---- | ----/1.406A | ----/1.406A | ---- | 1.419 - 0.418 | ---- | 4 | ---- | 1 | ---- | 0 - 5 |
| 7500 | ---- | ---- | ----/*0.053A | 0.122B/*0.053A | ---- | 0.000 - 0.359 | ---- | ---- | ---- | ---- | ---- | 0 - 23 |
| 7525 | ---- | ---- | ----/*0.052A | 0.120B/*0.052A | ---- | 0.000 - 0.302 | ---- | ---- | ---- | ---- | ---- | 0 - 1 |
| 7530 | 0.005 | 0.005 | 0.005/*0.005 | 0.007B/*0.005 | ---- | 0.000 - 0.291 | ---- | ---- | ---- | 2 | ---- | 0 - 3 |
| 7550 | 1.400 | 1.400 | 2.400B/1.400 | 2.400B/1.400 | ---- | 1.919 - 0.311 | ---- | 1 | ---- | 1 | ---- | 0 - 2 |
| 7550 | ---- | ---- | ----/*0.053A | 0.002B/*0.053A | ---- | 0.000 - 0.252 | ---- | ---- | ---- | ---- | ---- | 0 - 8 |
| 7600 | 0.100 | 0.100 | 0.100/*0.010A | 0.100/*0.010A | ---- | 0.000 - 0.176 | ---- | ---- | ---- | 6 | ---- | 0 - 7 |
| 7650 | ---- | ---- | ---- | ---- | ---- | 2.919 - 0.181 | ---- | 15 | ---- | ---- | ---- | 0 - 15 |
| 7660 | ---- | ---- | ---- | ---- | ---- | 3.019 - 0.173 | ---- | 15 | ---- | ---- | ---- | 0 - 15 |
| 7680 | ---- | ---- | ----/*0.054A | 0.001B/*0.054A | ---- | 0.000 - 0.098 | ---- | ---- | ---- | ---- | ---- | 0 - 1 |
| 7700 | ---- | ---- | ---- | ---- | ---- | 3.419 - 0.144 | ---- | 75 | ---- | ---- | ---- | 0 - 75 |
| 7700 | 0.070 | 0.070 | 0.070/*0.052A | 0.070/*0.052A | ---- | 0.000 - 0.085 | ---- | ---- | ---- | 1 | ---- | 0 - 58 |
| 7700 | ---- | ---- | ----/*0.701A | 0.730B/*0.701A | ---- | 0.612 - 0.287 | .2221 | ---- | ---- | ---- | ---- | 1 UNCH |
| 7800 | 0.646 | 0.646 | 0.646/*0.520A | 0.646/*0.520A | ---- | 0.443 NEW | .1655 | ---- | ---- | 5 | ---- | 5 + 5 |
| 7800 | ---- | ---- | ----/*1.102A | 1.133B/*1.102A | ---- | 1.027 - 0.256 | .2614 | ---- | ---- | ---- | ---- | 3 UNCH |
| 7800 | ---- | ---- | ---- | ----/*0.053A | ---- | 0.000 - 0.042 | ---- | ---- | ---- | ---- | ---- | 0 - 22 |
| 7825 | ---- | ---- | ---- | ---- | ---- | 4.669 - 0.094 | ---- | 20 | ---- | ---- | ---- | 0 - 20 |
| 7850 | 0.525 | 0.525 | 0.525/*0.454A | 0.525/*0.454A | ---- | 0.378 NEW | .1424 | ---- | ---- | 6 | ---- | 6 + 6 |
| 7860 | ---- | ---- | ---- | ----/*0.052A | ---- | 0.000 - 0.028 | ---- | ---- | ---- | ---- | ---- | 0 - 8 |
| 8000 | ---- | ---- | ---- | ---- | ---- | 6.419 - 0.068 | ---- | ---- | ---- | 2 | ---- | 0 - 2 |
| 8000 | ---- | ---- | ---- | ----/0.051A | ---- | 0.000 - 0.009 | ---- | ---- | ---- | ---- | ---- | 0 - 3 |
| 8000 | 0.286 | 0.286 | 0.286/*0.286 | 0.286/*0.286 | ---- | 0.237 NEW | .0902 | ---- | ---- | 1 | ---- | 1 + 1 |
| 8010 | ---- | ---- | ---- | ----/*0.050A | ---- | 0.000 - 0.008 | ---- | ---- | ---- | ---- | ---- | 0 - 7 |
| 8050 | ---- | ---- | ---- | ----/*0.049A | ---- | 0.000 - 0.006 | ---- | ---- | ---- | ---- | ---- | 0 - 1 |
| 8200 | 0.520 | 0.520 | 0.520/*0.520 | 0.520/*0.520 | ---- | 0.442 NEW | .1240 | ---- | ---- | 1 | ---- | 1 + 1 |
| 8250 | ---- | ---- | ---- | ----/*0.049A | ---- | 0.000 - 0.001 | ---- | ---- | ---- | ---- | ---- | 0 - 1 |
| 8300 | ---- | ---- | ---- | ----/*0.050A | ---- | 0.000 - 0.001 | ---- | ---- | ---- | ---- | ---- | 0 - 1 |
| 8300 | ---- | ---- | ----/0.162A | 0.058B/0.162A | ---- | 0.104 - 0.122 | .0379 | ---- | ---- | ---- | ---- | 5 UNCH |
| 8950 | ---- | ---- | ---- | 0.002B/0.114A | ---- | 0.034 - 0.057 | .0101 | ---- | ---- | ---- | ---- | 1 UNCH |
| 9200 | ---- | ---- | ---- | 0.001B/0.107A | ---- | 0.027 - 0.047 | .0073 | ---- | ---- | ---- | ---- | 2 UNCH |
| 10500 | ---- | ---- | ---- | ----/0.121A | ---- | 0.008 - 0.019 | .0015 | ---- | ---- | ---- | ---- | 1 UNCH |
| TOTAL | | | | | | | | | | 150 | 0 | 32 - 332 |

COPPER OPTIONS ON FUTURES

| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| HMW MON | | COPPER WEEKLY MONDAY OPTION WEEK3 | | | | | | | | | | |
| MAY26 | | | | | | | | | | | | |
| 450 | ---- | ---- | ---- | ----/0.0065A | ---- | 0.0005 UNCH | .0000 | ---- | ---- | ---- | ---- | 4 UNCH |
| 490 | ---- | ---- | ---- | ----/0.0040A | ---- | 0.0005 UNCH | ---- | ---- | ---- | ---- | ---- | 14 UNCH |
| 565 | ---- | ---- | ----/*0.0080A | 0.0080B/*0.0080 | ---- | 0.0025 - 0.0150 | .0233 | ---- | ---- | ---- | ---- | 2 UNCH |
| 566 | ---- | ---- | ----/*0.0085A | 0.0090B/*0.0085 | ---- | 0.0025 - 0.0160 | .0239 | ---- | ---- | ---- | ---- | 1 UNCH |
| 570 | ---- | ---- | ----/*0.0095A | 0.0145B/*0.0095 | ---- | 0.0040 - 0.0215 | .0387 | ---- | ---- | ---- | ---- | 1 UNCH |
| 576 | ---- | ---- | ----/*0.0135A | 0.0275B/*0.0135 | ---- | 0.0085 - 0.0330 | .0802 | ---- | ---- | ---- | ---- | 1 UNCH |
| 578 | ---- | ---- | ---- | ---- | ---- | 0.0000 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 585 | ---- | ---- | ---- | ---- | ---- | 0.0035 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 585 | ---- | ---- | ----/*0.0245A | 0.0610B/*0.0245 | ---- | 0.0220 - 0.0580 | .1921 | ---- | ---- | ---- | ---- | 1 UNCH |
| 586 | ---- | ---- | ----/*0.0260A | 0.0655B/*0.0260 | ---- | 0.0245 - 0.0605 | .2101 | ---- | ---- | ---- | ---- | 1 UNCH |
| 587 | ---- | ---- | ----/*0.0280A | 0.0705B/*0.0280 | ---- | 0.0265 - 0.0640 | .2261 | ---- | ---- | ---- | ---- | 3 UNCH |
| 588 | ---- | ---- | ---- | ---- | ---- | 0.0335 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 590 | ---- | ---- | ---- | ---- | ---- | 0.0535 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 590 | ---- | ---- | ----/*0.0350A | 0.0875B/*0.0350 | ---- | 0.0345 - 0.0735 | .2830 | ---- | ---- | ---- | ---- | 1 UNCH |
| 594 | ---- | ---- | ---- | ---- | ---- | 0.0935 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 595 | ---- | ---- | ----/*0.0510A | 0.1120B/*0.0510 | ---- | 0.0515 - 0.0895 | .3916 | ---- | ---- | ---- | ---- | 1 UNCH |
| 595 | ---- | ---- | 0.0990B/---- | 0.0990B/0.0515A | ---- | 0.0945 + 0.0570 | .6082 | ---- | ---- | ---- | ---- | 1 UNCH |
| 596 | ---- | ---- | ---- | ---- | ---- | 0.1135 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 597 | ---- | ---- | ---- | ---- | ---- | 0.1235 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 598 | ---- | ---- | ---- | ---- | ---- | 0.1335 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 598 | ---- | ---- | ---- | ---- | ---- | 0.0000 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 599 | ---- | ---- | ---- | ---- | ---- | 0.1435 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 600 | ---- | ---- | ---- | ---- | ---- | 0.1535 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 600 | ---- | ---- | ---- | ---- | ---- | 0.0000 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 600 | ---- | ---- | ----/0.1090A | 0.1840B/0.1090A | ---- | 0.1135 - 0.0940 | .5015 | ---- | ---- | ---- | ---- | 1 UNCH |
| 600 | 0.0700 | 0.0700 | 0.1125B/0.0700 | 0.1125B/0.0640A | ---- | 0.1065 + 0.0525 | .4981 | ---- | ---- | 2 | ---- | 17 + 2 |
| 600 | ---- | ---- | 0.0710B/---- | 0.0710B/0.0375A | ---- | 0.0670 + 0.0420 | .4882 | ---- | ---- | ---- | ---- | 1 UNCH |
| 604 | ---- | ---- | ---- | ---- | ---- | 0.0000 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 606 | ---- | ---- | ----/0.1035A | 0.1325B/0.1035A | ---- | 0.1090 - 0.1195 | .6538 | ---- | ---- | ---- | ---- | 4 UNCH |
| 606 | ---- | ---- | 0.0435B/---- | 0.0435B/0.0255A | ---- | 0.0420 + 0.0270 | .3460 | ---- | ---- | ---- | ---- | 4 UNCH |
| 610 | ---- | ---- | ---- | ---- | ---- | 0.0000 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 610 | ---- | ---- | 0.0685B/---- | 0.0685B/0.0400A | ---- | 0.0655 + 0.0335 | .3528 | ---- | ---- | ---- | ---- | 5 UNCH |
| 611 | ---- | ---- | ---- | ---- | ---- | 0.0000 UNCH | ---- | ---- | ---- | ---- | ---- | 0 UNCH |
| 615 | ---- | ---- | ----/0.2010A | 0.2765B/0.2010A | ---- | 0.2070 - 0.1205 | .7115 | ---- | ---- | ---- | ---- | 4 UNCH |
| 615 | ---- | ---- | ----/0.1645A | 0.2870B/0.1645A | ---- | 0.1750 - 0.1345 | .8259 | ---- | ---- | ---- | ---- | 4 UNCH |
| 615 | ---- | ---- | 0.0520B/---- | 0.0520B/0.0315A | ---- | 0.0505 + 0.0265 | .2881 | ---- | ---- | ---- | ---- | 4 UNCH |
| 615 | ---- | ---- | 0.0170B/---- | 0.0170B/0.0150A | ---- | 0.0185 + 0.0120 | .1739 | ---- | ---- | ---- | ---- | 4 UNCH |
| 620 | ---- | ---- | 0.0090B/---- | 0.0090B/0.0115A | ---- | 0.0115 + 0.0075 | .1116 | ---- | ---- | ---- | ---- | 4 UNCH |
| 625 | ---- | ---- | 0.0040B/---- | 0.0040B/0.0095A | ---- | 0.0070 + 0.0045 | .0689 | ---- | ---- | ---- | ---- | 1 UNCH |
| 630 | ---- | ---- | 0.0195B/---- | 0.0195B/0.0160A | ---- | 0.0215 + 0.0100 | .1406 | ---- | ---- | ---- | ---- | 15 UNCH |
| 635 | ---- | ---- | ---- | ----/0.0065A | ---- | 0.0025 + 0.0015 | .0242 | ---- | ---- | ---- | ---- | 1 UNCH |
| TOTAL | | | | | | | | | | 2 | | 100 + 2 |
| JUN26 | | | | | | | | | | | | |
| 450 | 0.0005 | 0.0005 | 0.0005/*0.0005 | 0.0005/*0.0005 | ---- | 0.0005 UNCH | .0022 | ---- | ---- | 10 | ---- | 14 + 10 |
| 500 | ---- | ---- | ---- | 0.0015B/*0.0115 | ---- | 0.0030 - 0.0020 | .0143 | ---- | ---- | ---- | ---- | 5 UNCH |
| 630 | ---- | ---- | 0.0590B/---- | 0.0590B/0.0390A | ---- | 0.0575 + 0.0250 | .2395 | ---- | ---- | ---- | ---- | 1 UNCH |
| 640 | ---- | ---- | 0.0390B/---- | 0.0390B/0.0275A | ---- | 0.0395 + 0.0175 | .1758 | ---- | ---- | ---- | ---- | 3 UNCH |
| 665 | ---- | ---- | 0.0125B/---- | 0.0125B/0.0135A | ---- | 0.0150 + 0.0055 | .0751 | ---- | ---- | ---- | ---- | 5 UNCH |
| 675 | ---- | ---- | 0.0075B/---- | 0.0075B/0.0105A | ---- | 0.0105 + 0.0035 | .0538 | ---- | ---- | ---- | ---- | 3 UNCH |
| 725 | 0.0015 | 0.0015 | #0.0015/*0.0015 | 0.0015/*0.0015 | ---- | 0.0025 NEW | .0128 | ---- | ---- | 14 | ---- | 14 + 14 |
| TOTAL | | | | | | | | | | 24 | | 45 + 24 |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| HWR THU | | COPPER WEEKLY THURSDAY OPT Week3 | | | | | | | | | | |
| MAY26 | | | | | | | | | | | | |
| 450 | ---- | ---- | ---- | ----/0.0070A | ---- | 0.0005 UNCH | .0002 | ---- | ---- | ---- | ---- | 4 UNCH |
| 570 | ---- | ---- | ----/*0.0325A | 0.0530B/*0.0325 | ---- | 0.0300 - 0.0350 | .1625 | ---- | ---- | ---- | ---- | 1 UNCH |
| 575 | ---- | ---- | ----/*0.0065A | 0.0075B/*0.0065 | ---- | 0.0010 - 0.0220 | .0067 | ---- | ---- | ---- | ---- | 10 UNCH |
| 576 | ---- | ---- | ----/*0.0095A | 0.0095B/*0.0095 | ---- | 0.0010 - 0.0245 | .0070 | ---- | ---- | ---- | ---- | 1 UNCH |
| 578 | ---- | ---- | ----/*0.0100A | 0.0140B/*0.0100 | ---- | 0.0015 - 0.0300 | .0119 | ---- | ---- | ---- | ---- | 30 UNCH |
| 590 | 0.1145 | 0.1145 | 0.1190B/0.1145 | 0.1190B/0.0515A | ---- | 0.1080 + 0.0715 | .8312 | ---- | ---- | 1 | ---- | 4 + 1 |
| 593 | ---- | ---- | ----/*0.0250A | 0.0790B/*0.0250 | ---- | 0.0225 - 0.0875 | .2558 | ---- | ---- | ---- | ---- | 6 UNCH |
| 595 | ---- | ---- | 0.1540B/---- | 0.1540B/0.0940A | ---- | 0.1485 + 0.0655 | .5657 | ---- | ---- | ---- | ---- | 1 UNCH |
| 597 | ---- | ---- | 0.0645B/---- | 0.0645B/0.0295A | ---- | 0.0595 + 0.0425 | .5973 | ---- | ---- | ---- | ---- | 1 UNCH |
| 598 | ---- | ---- | 0.0580B/---- | 0.0580B/0.0265A | ---- | 0.0535 + 0.0385 | .5572 | ---- | ---- | ---- | ---- | 1 UNCH |
| 599 | 0.0505 | 0.0505 | 0.0505/*0.0445A | 0.0740B/*0.0445 | ---- | 0.0455 - 0.1115 | .4843 | ---- | ---- | 1 | ---- | 2 + 1 |
| 599 | 0.0475 | 0.0475 | 0.0530B/0.0475 | 0.0530B/0.0250A | ---- | 0.0485 + 0.0350 | .5156 | ---- | ---- | 2 | ---- | 1 UNCH |
| 600 | 0.1005 | 0.1005 | 0.1005/0.1005 | 0.1005/0.0535A | ---- | 0.0910 + 0.0485 | .4949 | ---- | ---- | 5 | ---- | 0 - 5 |
| 600 | 0.0285 | 0.0285 | 0.0475B/0.0285 | 0.0475B/0.0230A | ---- | 0.0435 NEW | .4741 | ---- | ---- | 1 | ---- | 1 + 1 |
| 605 | ---- | ---- | ----/0.1205A | 0.2020B/0.1205A | ---- | 0.1260 - 0.1085 | .5924 | ---- | ---- | ---- | ---- | 5 UNCH |
| 606 | ---- | ---- | 0.0205B/---- | 0.0205B/0.0160A | ---- | 0.0205 + 0.0155 | .2433 | ---- | ---- | ---- | ---- | 2 UNCH |
| 615 | 0.0070 | 0.0070 | 0.0070/*0.0070 | 0.0070/*0.0070 | ---- | 0.0050 + 0.0035 | .0521 | ---- | ---- | 10 | ---- | 30 + 10 |
| 620 | ---- | ---- | ---- | ----/*0.0080A | ---- | 0.0020 + 0.0015 | .0171 | ---- | ---- | ---- | ---- | 4 UNCH |
| 725 | ---- | ---- | ---- | ----/0.0070A | ---- | 0.0005 UNCH | .0030 | ---- | ---- | ---- | ---- | 14 UNCH |
| TOTAL | | | | | | | | | | 20 | | 118 + 8 |
| HWT TUE | | COPPER WEEKLY TUESDAY OPTION Week3 | | | | | | | | | | |
| MAY26 | | | | | | | | | | | | |
| 450 | ---- | ---- | ---- | ----/0.0065A | ---- | 0.0005 UNCH | .0000 | ---- | ---- | ---- | ---- | 4 UNCH |
| 490 | ---- | ---- | ---- | ----/0.0065A | ---- | 0.0000 - 0.0005 | ---- | ---- | ---- | ---- | ---- | 0 - 14 |
| 550 | ---- | ---- | ---- | ----/0.0065A | ---- | 0.0000 - 0.0005 | ---- | ---- | ---- | ---- | ---- | 0 - 1 |
| 565 | ---- | ---- | ---- | ----/0.0065A | ---- | 0.0000 - 0.0005 | ---- | ---- | ---- | ---- | ---- | 0 - 1 |
| 570 | ---- | ---- | ---- | ----/0.0065A | ---- | 0.0000 - 0.0020 | ---- | ---- | ---- | ---- | ---- | 0 - 1 |
| 573 | ---- | ---- | ---- | ----/*0.0065A | ---- | 0.0000 - 0.0040 | ---- | ---- | ---- | ---- | ---- | 0 - 1 |
| 575 | ---- | ---- | ---- | ----/0.0065A | ---- | 0.0000 - 0.0060 | ---- | ---- | ---- | ---- | ---- | 0 - 12 |
| 576 | ---- | ---- | ----/*0.0065A | ----/*0.0065A | ---- | 0.0000 - 0.0075 | ---- | ---- | ---- | ---- | ---- | 0 - 1 |
| 580 | ---- | ---- | ----/*0.0070A | 0.0010B/*0.0070 | ---- | 0.0000 - 0.0165 | ---- | ---- | ---- | ---- | ---- | 0 - 30 |
| 580 | 0.0160 | 0.0160 | 0.0160/*0.0160 | 0.0485B/*0.0160 | ---- | 0.0190 NEW | .1528 | ---- | ---- | 1 | ---- | 1 + 1 |
| 582 | ---- | ---- | ----/*0.0070A | 0.0045B/*0.0070 | ---- | 0.0000 - 0.0235 | ---- | ---- | ---- | ---- | ---- | 0 - 1 |
| 583 | 0.0510 | 0.0510 | 0.1785/0.0510 | 0.1785/0.0510 | ---- | 0.1630 NEW | ---- | ---- | ---- | 2 | ---- | 0 UNCH |
| 586 | 0.0020 | 0.0020 | 0.0020/*0.0020 | 0.0200B/*0.0020 | ---- | 0.0000 - 0.0425 | ---- | ---- | ---- | 1 | ---- | 0 - 2 |
| 586 | ---- | ---- | 0.1485B/---- | 0.1485B/0.0450A | ---- | 0.1330 + 0.1040 | ---- | 2 | ---- | ---- | ---- | 0 - 2 |
| 588 | ---- | ---- | 0.1285B/---- | 0.1285B/0.0355A | ---- | 0.1130 + 0.0920 | ---- | 2 | ---- | ---- | ---- | 0 - 2 |
| 590 | 0.0075 | 0.0075 | 0.0075/*0.0070A | 0.0440B/*0.0070 | ---- | 0.0000 NEW | ---- | ---- | ---- | 1 | ---- | 0 UNCH |
| 590 | 0.0235 | 0.0235 | 0.1085B/0.0235 | 0.1085B/0.0225A | ---- | 0.0930 + 0.0785 | ---- | 2 | ---- | 2 | ---- | 0 - 1 |
| 592 | ---- | ---- | 0.0890B/---- | 0.0890B/0.0210A | ---- | 0.0730 + 0.0635 | ---- | 1 | ---- | ---- | ---- | 0 - 1 |
| 594 | ---- | ---- | ----/*0.0070A | 0.0760B/*0.0070 | ---- | 0.0000 - 0.0995 | ---- | ---- | ---- | ---- | ---- | 0 - 1 |
| 595 | ---- | ---- | ----/*0.0915A | 0.1550B/0.0915A | ---- | 0.0945 - 0.0820 | .4292 | ---- | ---- | ---- | ---- | 1 UNCH |
| 595 | 0.0100 | 0.0100 | 0.0590B/*0.0100 | 0.0590B/*0.0100 | ---- | 0.0430 NEW | ---- | 30 | ---- | 30 | ---- | 0 UNCH |
| 595 | ---- | ---- | 0.1080B/---- | 0.1080B/0.0575A | ---- | 0.1025 + 0.0575 | .5975 | ---- | ---- | ---- | ---- | 3 UNCH |
| 596 | 0.0215 | 0.0215 | 0.0495B/0.0215 | 0.0495B/0.0140A | ---- | 0.0330 + 0.0290 | ---- | 12 | ---- | 13 | ---- | 0 - 2 |
| 597 | 0.0005 | 0.0005 | 0.0005/*0.0005 | 0.1030B/*0.0005 | ---- | 0.0000 - 0.1265 | ---- | ---- | ---- | 2 | ---- | 0 - 2 |
| 597 | ---- | ---- | 0.0400B/---- | 0.0400B/0.0130A | ---- | 0.0230 + 0.0200 | ---- | 1 | ---- | ---- | ---- | 0 - 1 |
| 598 | 0.0050 | 0.0050 | 0.0050/*0.0050 | 0.1120B/*0.0050 | ---- | 0.0000 NEW | ---- | ---- | ---- | 10 | ---- | 0 UNCH |
| 598 | ---- | ---- | 0.0305B/---- | 0.0305B/0.0120A | ---- | 0.0130 + 0.0110 | ---- | 1 | ---- | ---- | ---- | 0 - 1 |
| 599 | ---- | ---- | ----/*0.0085A | 0.1215B/*0.0085 | ---- | 0.0000 - 0.1450 | ---- | ---- | ---- | ---- | ---- | 0 - 1 |
| 599 | ---- | ---- | 0.0220B/---- | 0.0220B/0.0105A | ---- | 0.0030 + 0.0015 | ---- | 1 | ---- | ---- | ---- | 0 - 1 |
| 600 | 0.0085 | 0.0085 | 0.0085/*0.0080 | 0.1315B/*0.0080 | ---- | 0.0070 - 0.1475 | ---- | 30 | ---- | 30 | ---- | 0 - 1 |
| 600 | 0.0010 | 0.0010 | 0.0135B/*0.0010 | 0.0135B/*0.0010 | ---- | 0.0000 - 0.0010 | ---- | ---- | ---- | 2 | ---- | 0 - 3 |
| 601 | ---- | ---- | ----/*0.0155A | 0.1410B/*0.0155 | ---- | 0.0170 - 0.1475 | ---- | 1 | ---- | ---- | ---- | 0 - 1 |
| 608 | ---- | ---- | ---- | ----/0.0065A | ---- | 0.0000 - 0.0005 | ---- | ---- | ---- | ---- | ---- | 0 - 10 |
| 610 | ---- | ---- | ---- | ----/*0.0065A | ---- | 0.0000 - 0.0005 | ---- | ---- | ---- | ---- | ---- | 0 - 10 |
| 610 | ---- | ---- | 0.0385B/---- | 0.0385B/0.0235A | ---- | 0.0375 + 0.0215 | .2890 | ---- | ---- | ---- | ---- | 1 UNCH |
| 620 | ---- | ---- | ---- | ----/*0.0065A | ---- | 0.0000 - 0.0005 | ---- | ---- | ---- | ---- | ---- | 0 - 21 |
| 620 | ---- | ---- | 0.0150B/---- | 0.0150B/0.0135A | ---- | 0.0170 + 0.0095 | .1448 | ---- | ---- | ---- | ---- | 1 UNCH |
| 625 | ---- | ---- | ---- | ----/0.0065A | ---- | 0.0000 - 0.0005 | ---- | ---- | ---- | ---- | ---- | 0 - 1 |
| 630 | ---- | ---- | ---- | ----/0.0065A | ---- | 0.0000 - 0.0005 | ---- | ---- | ---- | ---- | ---- | 0 - 10 |
| 725 | ---- | ---- | ---- | ----/0.0070A | ---- | 0.0005 UNCH | .0029 | ---- | ---- | ---- | ---- | 4 UNCH |
| TOTAL | | | | | | | | | | 94 | | 15 - 135 |
| JUN26 | | | | | | | | | | | | |
| 450 | 0.0015 | 0.0015 | 0.0015/*0.0015 | 0.0015/*0.0015 | ---- | 0.0010 - 0.0005 | .0040 | ---- | ---- | 10 | ---- | 14 + 10 |
| 750 | ---- | ---- | ---- | ----/*0.0010A | ---- | 0.0010 UNCH | .0053 | ---- | ---- | ---- | ---- | 4 UNCH |
| TOTAL | | | | | | | | | | 10 | | 18 + 10 |
| HWW WED | | COPPER WEEKLY WEDNESDAY OPTION WEEK | | | | | | | | | | |
| MAY26 | | | | | | | | | | | | |
| 450 | ---- | ---- | ---- | ----/0.0065A | ---- | 0.0005 UNCH | .0000 | ---- | ---- | ---- | ---- | 4 UNCH |
| 455 | ---- | ---- | ---- | ----/0.0060A | ---- | 0.0005 UNCH | ---- | ---- | ---- | ---- | ---- | 21 UNCH |
| 465 | ---- | ---- | ---- | ----/0.0060A | ---- | 0.0005 UNCH | ---- | ---- | ---- | ---- | ---- | 2 UNCH |
| 475 | ---- | ---- | ---- | ----/0.0050A | ---- | 0.0005 UNCH | ---- | ---- | ---- | ---- | ---- | 2 UNCH |
| 485 | ---- | ---- | ---- | ----/0.0050A | ---- | 0.0005 UNCH | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 500 | ---- | ---- | ---- | ----/0.0050A | ---- | 0.0005 UNCH | ---- | ---- | ---- | ---- | ---- | 2 UNCH |
| 510 | ---- | ---- | ---- | ----/0.0050A | ---- | 0.0005 UNCH | ---- | ---- | ---- | ---- | ---- | 8 UNCH |
| 520 | ---- | ---- | ---- | ----/0.0050A | ---- | 0.0005 UNCH | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 530 | ---- | ---- | ---- | ----/0.0055A | ---- | 0.0005 UNCH | ---- | ---- | ---- | ---- | ---- | 4 UNCH |
| 540 | ---- | ---- | ---- | ----/0.0055A | ---- | 0.0005 UNCH | ---- | ---- | ---- | ---- | ---- | 10 UNCH |
| 550 | ---- | ---- | ---- | ----/*0.0055A | ---- | 0.0005 UNCH | ---- | ---- | ---- | ---- | ---- | 27 UNCH |
| 550 | 0.5000 | 0.5000 | 0.5085B/0.5000 | 0.5085B/0.3720A | ---- | 0.4935 + 0.1465 | .0000 | ---- | ---- | 3 | ---- | 2 - 1 |
| 555 | ---- | ---- | ---- | ----/*0.0055A | ---- | 0.0005 - 0.0005 | ---- | ---- | ---- | ---- | ---- | 16 UNCH |
| 556 | ---- | ---- | ---- | ----/*0.0055A | ---- | 0.0005 - 0.0005 | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 560 | ---- | ---- | ---- | ----/*0.0060A | ---- | 0.0005 - 0.0015 | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 562 | ---- | ---- | ---- | ----/*0.0060A | ---- | 0.0005 - 0.0025 | ---- | ---- | ---- | ---- | ---- | 20 UNCH |
| 565 | ---- | ---- | ---- | ----/0.0060A | ---- | 0.0005 - 0.0035 | ---- | ---- | ---- | ---- | ---- | 2 UNCH |
| 568 | ---- | ---- | 0.3285B/---- | 0.3285B/0.1955A | ---- | 0.3135 + 0.1410 | .0000 | ---- | ---- | ---- | ---- | 1 UNCH |
| 570 | ---- | ---- | ----/0.0065A | 0.0005B/0.0065A | ---- | 0.0005 - 0.0075 | ---- | ---- | ---- | ---- | ---- | 22 UNCH |
| 575 | ---- | ---- | ----/*0.0540A | 0.0860B/*0.0540 | ---- | 0.0530 - 0.0455 | .2344 | ---- | ---- | ---- | ---- | 5 UNCH |
| 575 | ---- | ---- | ----/*0.0070A | 0.0015B/*0.0070 | ---- | 0.0005 - 0.0140 | ---- | ---- | ---- | ---- | ---- | 11 UNCH |
| 579 | ---- | ---- | 0.2195B/---- | 0.2195B/0.1015A | ---- | 0.2035 + 0.1215 | .9999 | ---- | ---- | ---- | ---- | 1 UNCH |
| 580 | ---- | ---- | ----/*0.0080A | 0.0120B/*0.0080 | ---- | 0.0005 - 0.0285 | .0002 | ---- | ---- | ---- | ---- | 50 UNCH |
| 584 | ---- | ---- | ----/*0.0090A | 0.0260B/*0.0090 | ---- | 0.0010 - 0.0450 | .0041 | ---- | ---- | ---- | ---- | 24 UNCH |
| 585 | ---- | ---- | ----/*0.0090A | 0.0305B/*0.0090 | ---- | 0.0015 - 0.0495 | .0077 | ---- | ---- | ---- | ---- | 1 UNCH |
| 588 | 0.1000 | 0.1000 | 0.1315B/0.1000 | 0.1315B/0.0500A | ---- | 0.1165 + 0.0820 | .9714 | ---- | ---- | 1 | ---- | 1 UNCH |
| 589 | ---- | ---- | 0.1220B/---- | 0.1220B/0.0460A | ---- | 0.1070 + 0.0765 | .9634 | ---- | ---- | ---- | ---- | 2 UNCH |
| 590 | ---- | ---- | ----/*0.0075A | 0.0580B/*0.0075 | ---- | 0.0055 - 0.0750 | .0562 | ---- | ---- | ---- | ---- | 28 UNCH |
| 590 | ---- | ---- | 0.1130B/---- | 0.1130B/0.0415A | ---- | 0.0985 + 0.0715 | .9436 | ---- | ---- | ---- | ---- | 5 UNCH |
| 591 | ---- | ---- | ----/*0.0130A | 0.0645B/*0.0130 | ---- | 0.0070 - 0.0805 | .0787 | ---- | ---- | ---- | ---- | 1 UNCH |
| 593 | ---- | ---- | ----/*0.0155A | 0.0780B/*0.0155 | ---- | 0.0105 - 0.0915 | .1383 | ---- | ---- | ---- | ---- | 2 UNCH |
| 593 | 0.0220 | 0.0220 | 0.0860B/0.0220 | 0.0860B/0.0220 | ---- | 0.0735 NEW | .8616 | ---- | ---- | 2 | ---- | 2 + 2 |
| 595 | 0.0520 | 0.0520 | 0.0685B/0.0520 | 0.0685B/0.0260A | ---- | 0.0585 NEW | .7731 | ---- | ---- | 2 | ---- | 2 + 2 |
| 596 | ---- | ---- | 0.0610B/---- | 0.0610B/0.0240A | ---- | 0.0515 + 0.0395 | .7190 | ---- | ---- | ---- | ---- | 1 UNCH |
| 597 | ---- | ---- | ----/*0.0245A | 0.1110B/*0.0245 | ---- | 0.0215 - 0.1120 | .3393 | ---- | ---- | ---- | ---- | 1 UNCH |
| 598 | 0.0230 | 0.0230 | 0.0230/*0.0220 | 0.1195B/*0.0220 | ---- | 0.0255 NEW | .4063 | ---- | ---- | 30 | ---- | 30 + 30 |
| 598 | ---- | ---- | 0.0465B/---- | 0.0465B/0.0200A | ---- | 0.0385 + 0.0300 | .5936 | ---- | ---- | 1 | ---- | 2 + 1 |
| 599 | ---- | ---- | ----/*0.0315A | 0.1280B/*0.0315 | ---- | 0.0300 - 0.1210 | .4766 | ---- | ---- | ---- | ---- | 1 UNCH |
| 600 | 0.0320 | 0.0320 | 0.0320/*0.0315A | 0.1370B/*0.0315 | ---- | 0.0350 - 0.1245 | .5482 | ---- | ---- | 1 | ---- | 2 + 1 |
| 600 | 0.0300 | 0.0300 | 0.0335B/0.0300 | 0.0335B/0.0170A | ---- | 0.0280 + 0.0220 | .4517 | ---- | ---- | 5 | ---- | 8 + 5 |
| 605 | 0.0120 | 0.0120 | 0.0120/0.0100A | 0.0120/0.0100A | ---- | 0.0105 NEW | .1509 | ---- | ---- | 26 | ---- | 26 + 26 |
| 607 | ---- | ---- | 0.0065B/---- | 0.0065B/0.0110A | ---- | 0.0065 + 0.0050 | .0802 | ---- | ---- | ---- | ---- | 1 UNCH |
| 608 | ---- | ---- | 0.0050B/---- | 0.0050B/0.0085A | ---- | 0.0050 + 0.0035 | .0557 | ---- | ---- | ---- | ---- | 50 UNCH |
| 610 | ---- | ---- | ---- | 0.0010B/0.0080A | ---- | 0.0030 + 0.0020 | .0260 | ---- | ---- | ---- | ---- | 14 UNCH |
| 611 | ---- | ---- | 0.0010B/---- | 0.0010B/0.0080A | ---- | 0.0025 + 0.0020 | .0190 | ---- | ---- | ---- | ---- | 0 UNCH |
| 614 | ---- | ---- | ---- | ----/*0.0050A | ---- | 0.0010 + 0.0005 | .0045 | ---- | ---- | ---- | ---- | 10 UNCH |
| 617 | ---- | ---- | ---- | ----/*0.0065A | ---- | 0.0005 UNCH | .0004 | ---- | ---- | ---- | ---- | 1 UNCH |
| 624 | ---- | ---- | ---- | ----/*0.0060A | ---- | 0.0005 UNCH | ---- | ---- | ---- | ---- | ---- | 16 UNCH |
| 625 | ---- | ---- | ---- | ----/*0.0060A | ---- | 0.0005 UNCH | ---- | ---- | ---- | ---- | ---- | 20 UNCH |
| 635 | ---- | ---- | ---- | ----/0.0055A | ---- | 0.0005 UNCH | ---- | ---- | ---- | ---- | ---- | 50 UNCH |
| 645 | ---- | ---- | ----/0.4420A | 0.5800B/0.4420A | ---- | 0.4575 - 0.1465 | .0000 | ---- | ---- | ---- | ---- | 0 UNCH |
| 660 | ---- | ---- | ---- | ----/0.0055A | ---- | 0.0005 UNCH | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 675 | ---- | ---- | ---- | ----/0.0050A | ---- | 0.0005 UNCH | ---- | ---- | ---- | ---- | ---- | 2 UNCH |
| 695 | ---- | ---- | ---- | ----/0.0050A | ---- | 0.0005 UNCH | ---- | ---- | ---- | ---- | ---- | 20 UNCH |
| 700 | ---- | ---- | ---- | ----/0.0050A | ---- | 0.0005 UNCH | ---- | ---- | ---- | ---- | ---- | 21 UNCH |
| 710 | ---- | ---- | ---- | ----/0.0110A | ---- | 0.0005 UNCH | ---- | ---- | ---- | ---- | ---- | 2 UNCH |
| TOTAL | | | | | | | | | | 71 | | 561 + 66 |
| JUN26 | | | | | | | | | | | | |
| 465 | 0.0010 | 0.0010 | 0.0010/*0.0010 | 0.0010/*0.0010 | ---- | 0.0005 NEW | .0025 | ---- | ---- | 10 | ---- | 10 + 10 |
| 470 | ---- | ---- | ---- | ----/0.0090A | ---- | 0.0010 - 0.0005 | .0046 | ---- | ---- | ---- | ---- | 4 UNCH |
| 500 | ---- | ---- | ---- | 0.0030B/*0.0125 | ---- | 0.0045 - 0.0030 | .0198 | ---- | ---- | ---- | ---- | 1 UNCH |
| 555 | ---- | ---- | ----/*0.0360A | 0.0475B/*0.0360 | ---- | 0.0335 - 0.0240 | .1383 | ---- | ---- | ---- | ---- | 2 UNCH |
| 579 | ---- | ---- | ----/0.0845A | 0.1240B/0.0845A | ---- | 0.0840 - 0.0540 | .2976 | ---- | ---- | ---- | ---- | 1 UNCH |
| 595 | ---- | ---- | ----/0.1450A | 0.2085B/0.1450A | ---- | 0.1480 - 0.0765 | .4447 | ---- | ---- | ---- | ---- | 5 UNCH |
| 595 | ---- | ---- | 0.1985B/---- | 0.1985B/0.1350A | ---- | 0.1905 + 0.0690 | .5545 | ---- | ---- | ---- | ---- | 5 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| HWW WED | | COPPER WEEKLY WEDNESDAY OPTION WEEK | | | | | | | | | | |
| JUN26 | | | | | | | | | | | | |
| 600 | ---- | ---- | 0.1725B/---- | 0.1725B/0.1165A | ---- | 0.1665 + 0.0625 | .5069 | ---- | ---- | ---- | ---- | 1 UNCH |
| 606 | ---- | ---- | ----/0.2005A | 0.2480B/0.2005A | ---- | 0.2070 - 0.0920 | .5487 | ---- | ---- | ---- | ---- | 2 UNCH |
| 610 | ---- | ---- | 0.1280B/---- | 0.1280B/0.0860A | ---- | 0.1245 + 0.0485 | .4141 | ---- | ---- | ---- | ---- | 8 UNCH |
| 620 | ---- | ---- | 0.0935B/---- | 0.0935B/0.0635A | ---- | 0.0910 + 0.0365 | .3285 | ---- | ---- | ---- | ---- | 1 UNCH |
| 650 | ---- | ---- | 0.0315B/---- | 0.0315B/0.0260A | ---- | 0.0320 + 0.0140 | .1404 | ---- | ---- | ---- | ---- | 6 UNCH |
| 660 | ---- | ---- | 0.0210B/---- | 0.0210B/0.0200A | ---- | 0.0225 + 0.0100 | .1028 | ---- | ---- | ---- | ---- | 8 UNCH |
| 700 | ---- | ---- | ---- | 0.0030B/0.0095A | ---- | 0.0055 + 0.0025 | .0278 | ---- | ---- | ---- | ---- | 1 UNCH |
| 705 | 0.0025 | 0.0025 | 0.0025/*0.0025 | 0.0025/*0.0025 | ---- | 0.0050 NEW | .0250 | ---- | ---- | 7 | ---- | 7 + 7 |
| 725 | ---- | ---- | ---- | ----/0.0065A | ---- | 0.0025 + 0.0010 | .0129 | ---- | ---- | ---- | ---- | 14 UNCH |
| TOTAL | | | | | | | | | | 17 | | 76 + 17 |
| JUL26 | | | | | | | | | | | | |
| 460 | 0.0070 | 0.0070 | 0.0070/*0.0070 | 0.0070/*0.0070 | ---- | 0.0050 NEW | .0158 | ---- | ---- | 23 | ---- | 23 + 23 |
| 585 | ---- | ---- | ----/0.1575A | 0.1915B/0.1575A | ---- | 0.1540 - 0.0585 | .3494 | ---- | ---- | ---- | ---- | 13 UNCH |
| 585 | ---- | ---- | 0.3605B/---- | 0.3605B/0.2845A | ---- | 0.3545 + 0.0875 | .6492 | ---- | ---- | ---- | ---- | 10 UNCH |
| 600 | ---- | ---- | 0.2735B/---- | 0.2735B/0.2155A | ---- | 0.2700 + 0.0710 | .5527 | ---- | ---- | ---- | ---- | 12 UNCH |
| 605 | ---- | ---- | 0.2485B/---- | 0.2485B/0.1960A | ---- | 0.2455 + 0.0655 | .5200 | ---- | ---- | ---- | ---- | 1 UNCH |
| 611 | ---- | ---- | ----/0.2770A | 0.3405B/0.2770A | ---- | 0.2775 - 0.0865 | .5175 | ---- | ---- | ---- | ---- | 22 UNCH |
| 612 | ---- | ---- | ----/0.2825A | 0.3450B/0.2825A | ---- | 0.2830 - 0.0880 | .5238 | ---- | ---- | ---- | ---- | 5 UNCH |
| 612 | ---- | ---- | 0.2165B/---- | 0.2165B/0.1715A | ---- | 0.2145 + 0.0580 | .4747 | ---- | ---- | ---- | ---- | 5 UNCH |
| 621 | ---- | ---- | 0.1805B/---- | 0.1805B/0.1445A | ---- | 0.1795 + 0.0490 | .4186 | ---- | ---- | ---- | ---- | 1 UNCH |
| 625 | ---- | ---- | 0.1660B/---- | 0.1660B/0.1335A | ---- | 0.1660 + 0.0460 | .3949 | ---- | ---- | ---- | ---- | 22 UNCH |
| 630 | ---- | ---- | 0.1495B/---- | 0.1495B/0.1215A | ---- | 0.1500 + 0.0420 | .3661 | ---- | ---- | ---- | ---- | 5 UNCH |
| TOTAL | | | | | | | | | | 23 | | 119 + 23 |
| AUG26 | | | | | | | | | | | | |
| 599 | ---- | ---- | 0.3555B/---- | 0.3555B/0.2985A | ---- | 0.3530 NEW | .5555 | ---- | ---- | 10 | ---- | 10 + 10 |
| 630 | ---- | ---- | 0.2255B/---- | 0.2255B/0.1935A | ---- | 0.2265 + 0.0480 | .4086 | ---- | ---- | ---- | ---- | 1 UNCH |
| 640 | ---- | ---- | 0.1940B/---- | 0.1940B/0.1685A | ---- | 0.1960 + 0.0420 | .3662 | ---- | ---- | ---- | ---- | 1 UNCH |
| 650 | ---- | ---- | 0.1665B/---- | 0.1665B/0.1465A | ---- | 0.1695 + 0.0370 | .3270 | ---- | ---- | 10 | ---- | 16 + 10 |
| TOTAL | | | | | | | | | | 20 | | 28 + 20 |
| HX CALL | | COMEX COPPER OPTIONS | | | | | | | | | | |
| JUN26 | | | | | | | | | | | | |
| 500 | ---- | ---- | ---- | ----/1.0300A | ---- | 0.9960 + 0.1435 | .9824 | ---- | ---- | ---- | ---- | 3 UNCH |
| 510 | ---- | ---- | ---- | ---- | ---- | 0.8965 + 0.1430 | .9788 | ---- | ---- | ---- | ---- | 1 UNCH |
| 525 | ---- | ---- | ---- | ---- | ---- | 0.7485 + 0.1415 | .9675 | ---- | ---- | ---- | ---- | 1 UNCH |
| 535 | ---- | ---- | ---- | ---- | ---- | 0.6510 + 0.1400 | .9557 | ---- | ---- | ---- | ---- | 2 UNCH |
| 540 | ---- | ---- | 0.6050B/---- | 0.6050B/0.5125A | ---- | 0.6025 + 0.1385 | .9454 | ---- | ---- | ---- | ---- | 24 UNCH |
| 545 | ---- | ---- | 0.5010B/---- | 0.5010B/0.4660A | ---- | 0.5545 + 0.1360 | .9344 | ---- | ---- | ---- | ---- | 2 UNCH |
| 549 | ---- | ---- | 0.5035B/---- | 0.5035B/0.4300A | ---- | 0.5170 + 0.1340 | .9236 | ---- | ---- | ---- | ---- | 1 UNCH |
| 550 | ---- | ---- | 0.5100B/---- | 0.5100B/0.4210A | ---- | 0.5075 + 0.1335 | .9208 | ---- | ---- | ---- | ---- | 5 UNCH |
| 555 | ---- | ---- | 0.4670B/---- | 0.4670B/0.3780A | ---- | 0.4610 + 0.1290 | .9012 | ---- | ---- | ---- | ---- | 1 UNCH |
| 556 | ---- | ---- | 0.4580B/---- | 0.4580B/0.3695A | ---- | 0.4520 + 0.1280 | .8981 | ---- | ---- | ---- | ---- | 1 UNCH |
| 557 | ---- | ---- | 0.4495B/---- | 0.4495B/0.3615A | ---- | 0.4430 + 0.1270 | .8934 | ---- | ---- | ---- | ---- | 63 UNCH |
| 559 | ---- | ---- | 0.4310B/---- | 0.4310B/0.3450A | ---- | 0.4250 + 0.1250 | .8839 | ---- | ---- | ---- | ---- | 4 UNCH |
| 560 | ---- | ---- | 0.4225B/---- | 0.4225B/0.3370A | ---- | 0.4160 + 0.1235 | .8790 | ---- | ---- | ---- | ---- | 106 UNCH |
| 562 | ---- | ---- | 0.4040B/---- | 0.4040B/0.3215A | ---- | 0.3985 + 0.1210 | .8677 | ---- | ---- | ---- | ---- | 1 UNCH |
| 563 | ---- | ---- | 0.3955B/---- | 0.3955B/0.3140A | ---- | 0.3900 + 0.1200 | .8613 | ---- | ---- | ---- | ---- | 1 UNCH |
| 565 | ---- | ---- | 0.3780B/---- | 0.3780B/0.2760A | ---- | 0.3730 + 0.1175 | .8484 | ---- | ---- | ---- | ---- | 2 UNCH |
| 568 | ---- | ---- | 0.3525B/---- | 0.3525B/0.2770A | ---- | 0.3480 + 0.1135 | .8275 | ---- | ---- | ---- | ---- | 3 UNCH |
| 569 | ---- | ---- | 0.3440B/---- | 0.3440B/0.2695A | ---- | 0.3395 + 0.1115 | .8209 | ---- | ---- | ---- | ---- | 2 UNCH |
| 570 | ---- | ---- | 0.3365B/---- | 0.3365B/0.2410A | ---- | 0.3315 + 0.1105 | .8130 | ---- | ---- | ---- | ---- | 19 UNCH |
| 574 | ---- | ---- | 0.3035B/---- | 0.3035B/0.2360A | ---- | 0.3000 + 0.1045 | .7801 | ---- | ---- | ---- | ---- | 3 UNCH |
| 575 | ---- | ---- | 0.3040B/---- | 0.3040B/0.2085A | ---- | 0.2920 + 0.1025 | .7720 | ---- | ---- | ---- | ---- | 149 UNCH |
| 579 | ---- | ---- | 0.2650B/---- | 0.2650B/0.1800A | ---- | 0.2625 + 0.0965 | .7347 | ---- | ---- | ---- | ---- | 3 UNCH |
| 580 | ---- | ---- | 0.2700B/---- | 0.2700B/0.1740A | ---- | 0.2555 + 0.0950 | .7255 | ---- | ---- | ---- | ---- | 45 UNCH |
| 581 | ---- | ---- | 0.2505B/---- | 0.2505B/0.1670A | ---- | 0.2480 + 0.0930 | .7154 | ---- | ---- | ---- | ---- | 1 UNCH |
| 582 | 0.2325 | 0.2325 | 0.2435B/0.2315 | 0.2435B/0.1625A | ---- | 0.2410 + 0.0910 | .7053 | ---- | ---- | 16 | ---- | 11 + 2 |
| 583 | ---- | ---- | 0.2360B/---- | 0.2360B/0.1565A | ---- | 0.2345 + 0.0895 | .6952 | ---- | ---- | ---- | ---- | 2 UNCH |
| 584 | ---- | ---- | 0.2290B/---- | 0.2290B/0.1515A | ---- | 0.2275 + 0.0875 | .6845 | ---- | ---- | ---- | ---- | 3 UNCH |
| 585 | ---- | ---- | 0.2345B/---- | 0.2345B/0.1460A | ---- | 0.2210 + 0.0860 | .6737 | ---- | ---- | ---- | ---- | 13 UNCH |
| 586 | ---- | ---- | 0.2155B/---- | 0.2155B/0.1425A | ---- | 0.2145 + 0.0840 | .6635 | ---- | ---- | ---- | ---- | 1 UNCH |
| 587 | ---- | ---- | 0.2090B/---- | 0.2090B/0.1365A | ---- | 0.2080 + 0.0825 | .6522 | ---- | ---- | ---- | ---- | 3 UNCH |
| 588 | ---- | ---- | 0.2025B/---- | 0.2025B/0.1325A | ---- | 0.2020 + 0.0805 | .6414 | ---- | ---- | ---- | ---- | 4 UNCH |
| 589 | ---- | ---- | 0.1985B/---- | 0.1985B/0.1285A | ---- | 0.1955 + 0.0785 | .6301 | ---- | ---- | ---- | ---- | 1 UNCH |
| 590 | 0.1235 | 0.1235 | 0.2020B/0.1235 | 0.2020B/0.1200A | ---- | 0.1895 + 0.0765 | .6188 | ---- | ---- | 1 | ---- | 84 - 1 |
| 591 | ---- | ---- | 0.1900B/---- | 0.1900B/0.1190A | ---- | 0.1840 + 0.0750 | .6075 | ---- | ---- | ---- | ---- | 10 UNCH |
| 592 | ---- | ---- | 0.1815B/---- | 0.1815B/0.1155A | ---- | 0.1780 + 0.0730 | .5962 | ---- | ---- | ---- | ---- | 1 UNCH |
| 593 | ---- | ---- | 0.1795B/---- | 0.1795B/0.1115A | ---- | 0.1725 + 0.0715 | .5846 | ---- | ---- | ---- | ---- | 2 UNCH |
| 594 | ---- | ---- | 0.1775B/---- | 0.1775B/0.1075A | ---- | 0.1670 + 0.0700 | .5730 | ---- | ---- | ---- | ---- | 4 UNCH |
| 595 | 0.1100 | 0.1100 | 0.1730B/0.1100 | 0.1730B/0.1035A | ---- | 0.1615 + 0.0680 | .5615 | ---- | ---- | 66 | ---- | 142 - 37 |
| 596 | 0.1450 | 0.1450 | 0.1690B/0.1450 | 0.1690B/0.1000A | ---- | 0.1565 + 0.0665 | .5498 | ---- | ---- | 16 | ---- | 7 + 1 |
| 597 | ---- | ---- | 0.1620B/---- | 0.1620B/0.0955A | ---- | 0.1510 + 0.0645 | .5381 | ---- | ---- | ---- | ---- | 1 UNCH |
| 598 | ---- | ---- | 0.1570B/---- | 0.1570B/0.0920A | ---- | 0.1460 + 0.0630 | .5265 | ---- | ---- | ---- | ---- | 6 UNCH |
| 599 | ---- | ---- | 0.1515B/---- | 0.1515B/0.0890A | ---- | 0.1415 + 0.0620 | .5148 | ---- | ---- | ---- | ---- | 4 UNCH |
| 600 | 0.0930 | 0.0930 | 0.1500B/0.0930 | 0.1500B/0.0855A | ---- | 0.1365 + 0.0600 | .5032 | ---- | ---- | 37 | ---- | 475 + 31 |
| 601 | ---- | ---- | 0.1420B/---- | 0.1420B/0.0820A | ---- | 0.1320 + 0.0590 | .4916 | ---- | ---- | ---- | ---- | 1 UNCH |
| 602 | ---- | ---- | 0.1395B/---- | 0.1395B/0.0790A | ---- | 0.1275 + 0.0575 | .4801 | ---- | ---- | ---- | ---- | 4 UNCH |
| 603 | ---- | ---- | 0.1350B/---- | 0.1350B/0.0765A | ---- | 0.1230 + 0.0560 | .4686 | ---- | ---- | ---- | ---- | 10 UNCH |
| 604 | ---- | ---- | 0.1310B/---- | 0.1310B/0.0740A | ---- | 0.1185 + 0.0545 | .4571 | ---- | ---- | ---- | ---- | 15 UNCH |
| 605 | 0.0750 | 0.0750 | 0.1270B/0.0750 | 0.1270B/0.0705A | ---- | 0.1145 + 0.0535 | .4458 | ---- | ---- | 3 | ---- | 214 + 2 |
| 606 | ---- | ---- | 0.1220B/---- | 0.1220B/0.0680A | ---- | 0.1105 + 0.0520 | .4346 | ---- | ---- | ---- | ---- | 23 UNCH |
| 607 | ---- | ---- | 0.1175B/---- | 0.1175B/0.0650A | ---- | 0.1065 + 0.0510 | .4234 | ---- | ---- | 10 | ---- | 127 + 10 |
| 608 | 0.0920 | 0.0920 | 0.1135B/0.0920 | 0.1135B/0.0625A | ---- | 0.1025 + 0.0495 | .4122 | ---- | ---- | 1 | ---- | 7 UNCH |
| 609 | ---- | ---- | 0.1095B/---- | 0.1095B/0.0600A | ---- | 0.0990 + 0.0480 | .4014 | ---- | ---- | ---- | ---- | 13 UNCH |
| 610 | 0.0600 | 0.0600 | 0.1065B/0.0600 | 0.1065B/0.0575A | ---- | 0.0955 + 0.0470 | .3907 | ---- | ---- | 9 | ---- | 782 - 5 |
| 611 | ---- | ---- | 0.1015B/---- | 0.1015B/0.0550A | ---- | 0.0915 + 0.0450 | .3795 | ---- | ---- | ---- | ---- | 9 UNCH |
| 612 | ---- | ---- | 0.0975B/---- | 0.0975B/0.0530A | ---- | 0.0885 + 0.0445 | .3694 | ---- | ---- | ---- | ---- | 28 UNCH |
| 613 | ---- | ---- | 0.0945B/---- | 0.0945B/0.0505A | ---- | 0.0850 + 0.0425 | .3587 | ---- | ---- | ---- | ---- | 53 UNCH |
| 614 | ---- | ---- | 0.0905B/---- | 0.0905B/0.0485A | ---- | 0.0815 + 0.0410 | .3481 | ---- | ---- | ---- | ---- | 11 UNCH |
| 615 | 0.0870 | 0.0870 | 0.0890B/0.0870 | 0.0890B/0.0465A | ---- | 0.0785 + 0.0400 | .3381 | ---- | ---- | 1 | ---- | 868 UNCH |
| 616 | 0.0760 | 0.0760 | 0.0840B/0.0760 | 0.0840B/0.0445A | ---- | 0.0755 + 0.0385 | .3281 | ---- | ---- | 31 | ---- | 33 + 15 |
| 617 | ---- | ---- | 0.0805B/---- | 0.0805B/0.0425A | ---- | 0.0725 + 0.0370 | .3181 | ---- | ---- | ---- | ---- | 22 UNCH |
| 618 | ---- | ---- | 0.0770B/---- | 0.0770B/0.0410A | ---- | 0.0695 + 0.0355 | .3082 | ---- | ---- | ---- | ---- | 37 UNCH |
| 619 | 0.0690 | 0.0690 | 0.0745B/0.0690 | 0.0745B/0.0390A | ---- | 0.0670 + 0.0345 | .2991 | ---- | ---- | 3 | ---- | 17 UNCH |
| 620 | 0.0385 | 0.0385 | 0.0730B/0.0385 | 0.0730B/0.0375A | ---- | 0.0640 + 0.0330 | .2891 | ---- | ---- | 61 | ---- | 628 - 13 |
| 621 | 0.0635 | 0.0635 | 0.0685B/0.0635 | 0.0685B/0.0360A | ---- | 0.0615 + 0.0320 | .2801 | ---- | ---- | 8 | ---- | 17 + 8 |
| 622 | ---- | ---- | 0.0660B/---- | 0.0660B/0.0345A | ---- | 0.0590 + 0.0310 | .2710 | ---- | ---- | ---- | ---- | 20 UNCH |
| 623 | ---- | ---- | 0.0630B/---- | 0.0630B/0.0330A | ---- | 0.0565 + 0.0295 | .2620 | ---- | ---- | ---- | ---- | 31 UNCH |
| 624 | ---- | ---- | 0.0610B/---- | 0.0610B/0.0315A | ---- | 0.0540 + 0.0280 | .2530 | ---- | ---- | ---- | ---- | 11 UNCH |
| 625 | 0.0520 | 0.0520 | 0.0590B/0.0520 | 0.0590B/0.0300A | ---- | 0.0520 + 0.0275 | .2450 | ---- | ---- | 2 | ---- | 189 - 2 |
| 626 | ---- | ---- | 0.0560B/---- | 0.0560B/0.0290A | ---- | 0.0495 + 0.0260 | .2360 | ---- | ---- | ---- | ---- | 10 UNCH |
| 627 | ---- | ---- | 0.0535B/---- | 0.0535B/0.0275A | ---- | 0.0475 + 0.0250 | .2281 | ---- | ---- | ---- | ---- | 34 UNCH |
| 628 | 0.0475 | 0.0475 | 0.0515B/0.0475 | 0.0515B/0.0260A | ---- | 0.0455 + 0.0240 | .2202 | ---- | ---- | 1 | ---- | 27 + 1 |
| 629 | 0.0460 | 0.0460 | 0.0495B/0.0460 | 0.0495B/0.0255A | ---- | 0.0435 + 0.0230 | .2123 | ---- | ---- | 1 | ---- | 113 - 1 |
| 630 | ---- | ---- | 0.0475B/---- | 0.0475B/0.0245A | ---- | 0.0415 + 0.0220 | .2045 | ---- | ---- | 1 | ---- | 1615 + 1 |
| 631 | ---- | ---- | 0.0455B/---- | 0.0455B/0.0230A | ---- | 0.0400 + 0.0215 | .1978 | ---- | ---- | ---- | ---- | 145 UNCH |
| 632 | 0.0415 | 0.0415 | 0.0425B/0.0415 | 0.0425B/0.0215A | ---- | 0.0380 + 0.0205 | .1900 | ---- | ---- | 1 | ---- | 124 + 1 |
| 635 | 0.0370 | 0.0370 | 0.0380B/0.0310 | 0.0380B/0.0185A | ---- | 0.0335 + 0.0180 | .1705 | ---- | ---- | 54 | ---- | 298 - 16 |
| 639 | 0.0285 | 0.0285 | 0.0315B/0.0285 | 0.0315B/0.0155A | ---- | 0.0280 + 0.0155 | .1462 | ---- | ---- | 1 | ---- | 60 UNCH |
| 640 | ---- | ---- | 0.0300B/---- | 0.0300B/0.0145A | ---- | 0.0265 + 0.0145 | .1398 | ---- | ---- | ---- | ---- | 993 UNCH |
| 641 | 0.0285 | 0.0285 | 0.0285/0.0285 | 0.0285/0.0140A | ---- | 0.0255 + 0.0140 | .1349 | ---- | ---- | 1 | ---- | 53 + 1 |
| 644 | ---- | ---- | 0.0250B/---- | 0.0250B/0.0120A | ---- | 0.0220 + 0.0120 | .1189 | ---- | ---- | ---- | ---- | 18 UNCH |
| 645 | ---- | ---- | 0.0240B/---- | 0.0240B/0.0115A | ---- | 0.0210 + 0.0115 | .1142 | ---- | ---- | ---- | ---- | 110 UNCH |
| 646 | ---- | ---- | 0.0230B/---- | 0.0230B/0.0110A | ---- | 0.0205 + 0.0115 | .1111 | ---- | ---- | ---- | ---- | 19 UNCH |
| 650 | 0.0195 | 0.0195 | 0.0195/0.0195 | 0.0195/0.0095A | ---- | 0.0170 + 0.0095 | .0941 | ---- | ---- | 2 | ---- | 923 UNCH |
| 655 | ---- | ---- | 0.0155B/---- | 0.0155B/0.0075A | ---- | 0.0135 + 0.0080 | .0764 | ---- | ---- | ---- | ---- | 392 UNCH |
| 660 | ---- | ---- | 0.0125B/---- | 0.0125B/0.0070A | ---- | 0.0110 + 0.0065 | .0629 | ---- | ---- | 10 | ---- | 667 UNCH |
| 665 | ---- | ---- | 0.0105B/---- | 0.0105B/0.0070A | ---- | 0.0090 + 0.0055 | .0519 | ---- | ---- | 1 | ---- | 53 - 1 |
| 670 | ---- | ---- | 0.0085B/---- | 0.0085B/0.0070A | ---- | 0.0075 + 0.0045 | .0434 | ---- | ---- | 1 | ---- | 1302 - 1 |
| 675 | ---- | ---- | 0.0070B/---- | 0.0070B/0.0065A | ---- | 0.0060 + 0.0035 | .0351 | ---- | ---- | ---- | ---- | 80 UNCH |
| 680 | ---- | ---- | 0.0055B/---- | 0.0055B/0.0060A | ---- | 0.0050 + 0.0030 | .0293 | ---- | ---- | ---- | ---- | 422 UNCH |
| 685 | 0.0055 | 0.0055 | 0.0055/0.0050A | 0.0055/0.0050A | ---- | 0.0045 + 0.0025 | .0259 | ---- | ---- | 8 | ---- | 59 - 7 |
| 690 | 0.0045 | 0.0045 | 0.0045/0.0045 | 0.0045/0.0045 | ---- | 0.0040 + 0.0020 | .0227 | ---- | ---- | 7 | ---- | 124 + 1 |
| 695 | ---- | ---- | ---- | ----/0.0040A | ---- | 0.0035 + 0.0020 | .0197 | ---- | ---- | ---- | ---- | 47 UNCH |
| 700 | ---- | ---- | ---- | ----/0.0040A | ---- | 0.0030 + 0.0015 | .0168 | ---- | ---- | ---- | ---- | 694 UNCH |
| 705 | ---- | ---- | ---- | ----/0.0035A | ---- | 0.0025 + 0.0010 | .0140 | ---- | ---- | ---- | ---- | 17 UNCH |
| 710 | ---- | ---- | 0.0020B/---- | 0.0020B/0.0030A | ---- | 0.0025 + 0.0010 | .0136 | ---- | ---- | ---- | ---- | 83 UNCH |
| 715 | ---- | ---- | ---- | ----/0.0025A | ---- | 0.0025 + 0.0010 | .0131 | ---- | ---- | ---- | ---- | 12 UNCH |
| 720 | ---- | ---- | ---- | ----/0.0025A | ---- | 0.0020 + 0.0005 | .0106 | ---- | ---- | ---- | ---- | 28 UNCH |
| 725 | ---- | ---- | ---- | ----/0.0025A | ---- | 0.0020 + 0.0005 | .0103 | ---- | ---- | ---- | ---- | 84 UNCH |
| 730 | ---- | ---- | ---- | ----/0.0025A | ---- | 0.0020 + 0.0005 | .0100 | ---- | ---- | 2 | ---- | 19 UNCH |
| 735 | ---- | ---- | ---- | ----/0.0020A | ---- | 0.0020 + 0.0005 | .0098 | ---- | ---- | ---- | ---- | 40 UNCH |
| 740 | ---- | ---- | ---- | ----/0.0025A | ---- | 0.0020 + 0.0005 | .0095 | ---- | ---- | ---- | ---- | 8 UNCH |
| 745 | ---- | ---- | ---- | ----/0.0020A | ---- | 0.0020 + 0.0005 | .0093 | ---- | ---- | ---- | ---- | 1526 UNCH |
| 750 | ---- | ---- | ---- | ----/0.0030A | ---- | 0.0015 + 0.0005 | .0071 | ---- | ---- | ---- | ---- | 165 UNCH |
| 755 | ---- | ---- | ---- | ----/0.0030A | ---- | 0.0015 + 0.0005 | .0069 | ---- | ---- | ---- | ---- | 1 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| HX CALL | | COMEX COPPER OPTIONS | | | | | | | | | | |
| JUN26 | | | | | | | | | | | | |
| 765 | ---- | ---- | ---- | ----/0.0025A | ---- | 0.0010 UNCH | .0047 | ---- | ---- | ---- | ---- | 1506 UNCH |
| 770 | ---- | ---- | ---- | ----/0.0025A | ---- | 0.0010 UNCH | .0046 | ---- | ---- | ---- | ---- | 7 UNCH |
| 775 | ---- | ---- | ---- | ----/0.0025A | ---- | 0.0010 UNCH | .0045 | ---- | ---- | ---- | ---- | 1 UNCH |
| 780 | ---- | ---- | ---- | ----/0.0020A | ---- | 0.0010 + 0.0005 | .0044 | ---- | ---- | ---- | ---- | 8 UNCH |
| 795 | ---- | ---- | ---- | ----/0.0020A | ---- | 0.0005 UNCH | .0019 | ---- | ---- | ---- | ---- | 33 UNCH |
| 800 | ---- | ---- | ---- | ----/0.0020A | ---- | 0.0005 UNCH | .0015 | ---- | ---- | ---- | ---- | 7 UNCH |
| 810 | ---- | ---- | ---- | ----/0.0020A | ---- | 0.0005 UNCH | .0010 | ---- | ---- | ---- | ---- | 3 UNCH |
| 825 | ---- | ---- | ---- | ----/0.0015A | ---- | 0.0005 UNCH | .0005 | ---- | ---- | ---- | ---- | 1 UNCH |
| 840 | ---- | ---- | ---- | ----/0.0015A | ---- | 0.0005 UNCH | .0002 | ---- | ---- | ---- | ---- | 6 UNCH |
| 850 | ---- | ---- | ---- | ----/*0.0015A | ---- | 0.0005 UNCH | .0001 | ---- | ---- | ---- | ---- | 4 UNCH |
| 880 | ---- | ---- | ---- | ----/0.0020A | ---- | 0.0005 UNCH | .0000 | ---- | ---- | ---- | ---- | 2 UNCH |
| 900 | ---- | ---- | ---- | ----/0.0015A | ---- | 0.0005 UNCH | .0000 | ---- | ---- | 2 | ---- | 11 UNCH |
| 910 | ---- | ---- | ---- | ----/*0.0015A | ---- | 0.0005 UNCH | .0000 | ---- | ---- | ---- | ---- | 11 UNCH |
| 950 | ---- | ---- | ---- | ----/0.0015A | ---- | 0.0005 UNCH | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| 975 | ---- | ---- | ---- | ----/0.0020A | ---- | 0.0005 UNCH | ---- | ---- | ---- | ---- | ---- | 1 UNCH |
| TOTAL | | | | | | | | | | 358 | | 16354 - 10 |
| JUL26 | | | | | | | | | | | | |
| 500 | ---- | ---- | 1.0085B/---- | 1.0085B/1.0165A | ---- | 1.0080 + 0.1385 | .9449 | ---- | ---- | ---- | ---- | 10 UNCH |
| 520 | ---- | ---- | 0.8080B/---- | 0.8080B/0.7300A | ---- | 0.8190 + 0.1325 | .9116 | ---- | ---- | ---- | ---- | 2 UNCH |
| 525 | ---- | ---- | 0.7650B/---- | 0.7650B/0.6850A | ---- | 0.7730 + 0.1305 | .9001 | ---- | ---- | ---- | ---- | 1 UNCH |
| 530 | ---- | ---- | 0.7280B/---- | 0.7280B/0.6415A | ---- | 0.7275 + 0.1285 | .8873 | ---- | ---- | ---- | ---- | 6 UNCH |
| 540 | ---- | ---- | 0.6390B/---- | 0.6390B/0.5575A | ---- | 0.6395 + 0.1235 | .8569 | ---- | ---- | ---- | ---- | 16 UNCH |
| 545 | ---- | ---- | 0.5895B/---- | 0.5895B/0.5175A | ---- | 0.5970 + 0.1205 | .8378 | ---- | ---- | ---- | ---- | 1 UNCH |
| 550 | ---- | ---- | 0.5480B/---- | 0.5480B/0.4790A | ---- | 0.5550 + 0.1160 | .8176 | ---- | ---- | ---- | ---- | 2 UNCH |
| 555 | ---- | ---- | 0.5140B/---- | 0.5140B/0.4210A | ---- | 0.5145 + 0.1120 | .7949 | ---- | ---- | ---- | ---- | 116 UNCH |
| 560 | ---- | ---- | 0.4685B/---- | 0.4685B/0.3860A | ---- | 0.4755 + 0.1075 | .7704 | ---- | ---- | ---- | ---- | 1 UNCH |
| 570 | ---- | ---- | 0.4170B/---- | 0.4170B/0.3220A | ---- | 0.4020 + 0.0980 | .7148 | ---- | ---- | ---- | ---- | 157 UNCH |
| 574 | ---- | ---- | 0.3720B/---- | 0.3720B/0.3165A | ---- | 0.3745 + 0.0935 | .6903 | ---- | ---- | ---- | ---- | 5 UNCH |
| 575 | ---- | ---- | 0.3820B/---- | 0.3820B/0.2930A | ---- | 0.3680 + 0.0925 | .6839 | ---- | ---- | ---- | ---- | 19 UNCH |
| 580 | ---- | ---- | 0.3485B/---- | 0.3485B/0.2605A | ---- | 0.3355 + 0.0865 | .6516 | ---- | ---- | ---- | ---- | 123 UNCH |
| 585 | ---- | ---- | 0.3180B/---- | 0.3180B/0.2350A | ---- | 0.3055 + 0.0805 | .6181 | ---- | ---- | ---- | ---- | 324 UNCH |
| 590 | ---- | ---- | 0.2885B/---- | 0.2885B/0.2115A | ---- | 0.2775 + 0.0750 | .5838 | ---- | ---- | ---- | ---- | 106 UNCH |
| 591 | ---- | ---- | 0.2810B/---- | 0.2810B/0.2075A | ---- | 0.2720 + 0.0740 | .5768 | ---- | ---- | ---- | ---- | 3 UNCH |
| 593 | ---- | ---- | 0.2705B/---- | 0.2705B/0.1995A | ---- | 0.2615 + 0.0720 | .5629 | ---- | ---- | ---- | ---- | 1 UNCH |
| 594 | ---- | ---- | 0.2665B/---- | 0.2665B/0.1950A | ---- | 0.2565 + 0.0710 | .5559 | ---- | ---- | ---- | ---- | 2 UNCH |
| 595 | ---- | ---- | 0.2625B/---- | 0.2625B/0.1910A | ---- | 0.2515 + 0.0705 | .5489 | ---- | ---- | ---- | ---- | 29 UNCH |
| 597 | ---- | ---- | 0.2515B/---- | 0.2515B/0.1835A | ---- | 0.2415 + 0.0680 | .5349 | ---- | ---- | ---- | ---- | 1 UNCH |
| 598 | ---- | ---- | 0.2465B/---- | 0.2465B/0.1795A | ---- | 0.2365 + 0.0670 | .5280 | ---- | ---- | ---- | ---- | 1 UNCH |
| 599 | ---- | ---- | 0.2415B/---- | 0.2415B/0.1760A | ---- | 0.2320 + 0.0665 | .5210 | ---- | ---- | ---- | ---- | 2 UNCH |
| 600 | ---- | ---- | 0.2390B/---- | 0.2390B/0.1720A | ---- | 0.2275 + 0.0655 | .5141 | ---- | ---- | 5 | ---- | 533 - 2 |
| 602 | ---- | ---- | 0.2290B/---- | 0.2290B/0.1650A | ---- | 0.2185 + 0.0635 | .5003 | ---- | ---- | ---- | ---- | 83 UNCH |
| 603 | ---- | ---- | 0.2245B/---- | 0.2245B/0.1615A | ---- | 0.2140 + 0.0625 | .4934 | ---- | ---- | ---- | ---- | 3 UNCH |
| 605 | ---- | ---- | 0.2155B/---- | 0.2155B/0.1545A | ---- | 0.2055 + 0.0605 | .4797 | ---- | ---- | ---- | ---- | 42 UNCH |
| 610 | 0.1840 | 0.1840 | 0.1955B/0.1840 | 0.1955B/0.1385A | ---- | 0.1850 + 0.0555 | .4460 | ---- | ---- | 1 | ---- | 294 UNCH |
| 615 | 0.1670 | 0.1670 | 0.1760B/0.1670 | 0.1760B/0.1255A | ---- | 0.1665 + 0.0510 | .4134 | ---- | ---- | 37 | ---- | 1650 + 16 |
| 620 | ---- | ---- | 0.1580B/---- | 0.1580B/0.1115A | ---- | 0.1500 + 0.0465 | .3822 | ---- | ---- | 1 | ---- | 205 UNCH |
| 625 | ---- | ---- | 0.1425B/---- | 0.1425B/0.1005A | ---- | 0.1350 + 0.0425 | .3525 | ---- | ---- | 4 | ---- | 371 UNCH |
| 630 | ---- | ---- | 0.1270B/---- | 0.1270B/0.0895A | ---- | 0.1210 + 0.0385 | .3240 | ---- | ---- | ---- | ---- | 412 UNCH |
| 635 | ---- | ---- | 0.1130B/---- | 0.1130B/0.0800A | ---- | 0.1090 + 0.0350 | .2977 | ---- | ---- | ---- | ---- | 83 UNCH |
| 640 | 0.1035 | 0.1035 | 0.1035/0.0995 | 0.1035/0.0720A | ---- | 0.0975 + 0.0315 | .2724 | ---- | ---- | 6 | ---- | 1578 + 1 |
| 645 | ---- | ---- | 0.0915B/---- | 0.0915B/0.0640A | ---- | 0.0875 + 0.0285 | .2492 | ---- | ---- | ---- | ---- | 410 UNCH |
| 650 | ---- | ---- | 0.0820B/---- | 0.0820B/0.0570A | ---- | 0.0785 + 0.0255 | .2276 | ---- | ---- | ---- | ---- | 672 UNCH |
| 655 | 0.0725 | 0.0725 | 0.0730B/0.0675 | 0.0730B/0.0510A | ---- | 0.0700 + 0.0230 | .2070 | ---- | ---- | 6 | ---- | 683 UNCH |
| 660 | ---- | ---- | 0.0650B/---- | 0.0650B/0.0460A | ---- | 0.0630 + 0.0210 | .1889 | ---- | ---- | ---- | ---- | 243 UNCH |
| 665 | ---- | ---- | 0.0580B/---- | 0.0580B/0.0410A | ---- | 0.0565 + 0.0190 | .1720 | ---- | ---- | ---- | ---- | 4 UNCH |
| 670 | ---- | ---- | 0.0515B/---- | 0.0515B/0.0365A | ---- | 0.0505 + 0.0170 | .1561 | ---- | ---- | ---- | ---- | 119 UNCH |
| 675 | 0.0480 | 0.0480 | 0.0480/0.0480 | 0.0480/0.0325A | ---- | 0.0450 + 0.0150 | .1413 | ---- | ---- | 5 | ---- | 2291 + 5 |
| 680 | ---- | ---- | 0.0415B/---- | 0.0415B/0.0295A | ---- | 0.0405 + 0.0135 | .1285 | ---- | ---- | ---- | ---- | 234 UNCH |
| 685 | ---- | ---- | 0.0375B/---- | 0.0375B/0.0265A | ---- | 0.0365 + 0.0120 | .1170 | ---- | ---- | ---- | ---- | 16 UNCH |
| 690 | ---- | ---- | 0.0335B/---- | 0.0335B/0.0235A | ---- | 0.0325 + 0.0105 | .1056 | ---- | ---- | ---- | ---- | 293 UNCH |
| 695 | ---- | ---- | 0.0305B/---- | 0.0305B/0.0215A | ---- | 0.0295 + 0.0100 | .0964 | ---- | ---- | ---- | ---- | 55 UNCH |
| 700 | ---- | ---- | 0.0275B/---- | 0.0275B/0.0195A | ---- | 0.0265 + 0.0090 | .0875 | ---- | ---- | 33 | ---- | 353 - 6 |
| 705 | ---- | ---- | 0.0245B/---- | 0.0245B/0.0180A | ---- | 0.0240 + 0.0080 | .0797 | ---- | ---- | ---- | ---- | 4 UNCH |
| 710 | ---- | ---- | 0.0220B/---- | 0.0220B/0.0165A | ---- | 0.0215 + 0.0070 | .0721 | ---- | ---- | ---- | ---- | 865 UNCH |
| 715 | ---- | ---- | 0.0200B/---- | 0.0200B/0.0150A | ---- | 0.0195 + 0.0065 | .0657 | ---- | ---- | ---- | ---- | 37 UNCH |
| 720 | ---- | ---- | 0.0180B/---- | 0.0180B/0.0140A | ---- | 0.0180 + 0.0060 | .0607 | ---- | ---- | 1 | ---- | 15 + 1 |
| 725 | ---- | ---- | 0.0165B/---- | 0.0165B/0.0125A | ---- | 0.0165 + 0.0055 | .0557 | ---- | ---- | 30 | ---- | 1563 - 5 |
| 730 | 0.0150 | 0.0150 | 0.0150/0.0150 | 0.0150/0.0115A | ---- | 0.0150 + 0.0050 | .0509 | ---- | ---- | 2 | ---- | 113 + 2 |
| 750 | 0.0105 | 0.0105 | 0.0105/0.0105 | 0.0105/0.0090A | ---- | 0.0105 + 0.0035 | .0360 | ---- | ---- | 1 | ---- | 244 UNCH |
| 775 | ---- | ---- | 0.0065B/---- | 0.0065B/0.0070A | ---- | 0.0075 + 0.0030 | .0254 | ---- | ---- | ---- | ---- | 34 UNCH |
| 780 | ---- | ---- | 0.0060B/---- | 0.0060B/0.0070A | ---- | 0.0070 + 0.0025 | .0237 | ---- | ---- | ---- | ---- | 3 UNCH |
| 800 | ---- | ---- | 0.0045B/---- | 0.0045B/0.0060A | ---- | 0.0055 + 0.0020 | .0183 | ---- | ---- | ---- | ---- | 2202 UNCH |
| 825 | ---- | ---- | ---- | ----/0.0055A | ---- | 0.0040 + 0.0015 | .0132 | ---- | ---- | ---- | ---- | 4 UNCH |
| 850 | ---- | ---- | ---- | ----/0.0050A | ---- | 0.0030 + 0.0010 | .0098 | ---- | ---- | ---- | ---- | 7 UNCH |
| 875 | ---- | ---- | ---- | ----/0.0045A | ---- | 0.0025 + 0.0005 | .0079 | ---- | ---- | ---- | ---- | 2 UNCH |
| 900 | ---- | ---- | ---- | ----/0.0040A | ---- | 0.0025 + 0.0010 | .0075 | ---- | ---- | 1 | ---- | 2341 UNCH |
| 950 | ---- | ---- | ---- | ----/0.0035A | ---- | 0.0010 UNCH | .0031 | ---- | ---- | ---- | ---- | 61 UNCH |
| 975 | ---- | ---- | ---- | ----/0.0030A | ---- | 0.0010 + 0.0005 | .0030 | ---- | ---- | ---- | ---- | 2 UNCH |
| 1000 | ---- | ---- | ---- | ----/*0.0010A | ---- | 0.0005 UNCH | .0016 | ---- | ---- | ---- | ---- | 4 UNCH |
| TOTAL | | | | | | | | | | 133 | | 19056 + 12 |
| AUG26 | | | | | | | | | | | | |
| 500 | ---- | ---- | ---- | ---- | ---- | 1.0805 + 0.1340 | .9177 | ---- | ---- | ---- | ---- | 3 UNCH |
| 550 | ---- | ---- | 0.5785B/---- | 0.5785B/0.5590A | ---- | 0.6515 + 0.1120 | .7863 | ---- | ---- | ---- | ---- | 3 UNCH |
| 580 | ---- | ---- | 0.4525B/---- | 0.4525B/0.3660A | ---- | 0.4425 + 0.0905 | .6541 | ---- | ---- | ---- | ---- | 253 UNCH |
| 585 | ---- | ---- | 0.4170B/---- | 0.4170B/0.3400A | ---- | 0.4125 + 0.0865 | .6290 | ---- | ---- | ---- | ---- | 11 UNCH |
| 590 | ---- | ---- | 0.3880B/---- | 0.3880B/0.3150A | ---- | 0.3840 + 0.0820 | .6035 | ---- | ---- | ---- | ---- | 17 UNCH |
| 595 | ---- | ---- | 0.3605B/---- | 0.3605B/0.2920A | ---- | 0.3570 + 0.0775 | .5777 | ---- | ---- | ---- | ---- | 1 UNCH |
| 600 | 0.2715 | 0.2715 | 0.3380B/0.2715 | 0.3380B/0.2715 | ---- | 0.3315 + 0.0730 | .5516 | ---- | ---- | 2 | ---- | 4 UNCH |
| 610 | ---- | ---- | 0.2905B/---- | 0.2905B/0.2335A | ---- | 0.2855 + 0.0645 | .4998 | ---- | ---- | ---- | ---- | 1 UNCH |
| 620 | ---- | ---- | 0.2485B/---- | 0.2485B/0.2005A | ---- | 0.2450 + 0.0565 | .4495 | ---- | ---- | 3 | ---- | 37 + 3 |
| 625 | ---- | ---- | 0.2300B/---- | 0.2300B/0.1855A | ---- | 0.2270 + 0.0525 | .4253 | ---- | ---- | ---- | ---- | 91 UNCH |
| 630 | 0.2090 | 0.2090 | 0.2135B/0.2090 | 0.2135B/0.1715A | ---- | 0.2100 NEW | .4018 | ---- | ---- | 2 | ---- | 2 + 2 |
| 635 | ---- | ---- | 0.1970B/---- | 0.1970B/0.1590A | ---- | 0.1945 + 0.0455 | .3791 | ---- | ---- | ---- | ---- | 2 UNCH |
| 640 | ---- | ---- | 0.1830B/---- | 0.1830B/0.1475A | ---- | 0.1800 + 0.0425 | .3573 | ---- | ---- | 3 | ---- | 166 + 3 |
| 650 | ---- | ---- | 0.1565B/---- | 0.1565B/0.1265A | ---- | 0.1540 + 0.0365 | .3163 | ---- | ---- | ---- | ---- | 76 UNCH |
| 660 | ---- | ---- | 0.1330B/---- | 0.1330B/0.1085A | ---- | 0.1315 + 0.0310 | .2788 | ---- | ---- | ---- | ---- | 1 UNCH |
| 670 | ---- | ---- | 0.1130B/---- | 0.1130B/0.0930A | ---- | 0.1120 NEW | .2447 | ---- | ---- | 50 | ---- | 50 + 50 |
| 675 | 0.1050 | 0.1050 | 0.1075/0.1050 | 0.1075/0.0865A | ---- | 0.1035 + 0.0235 | .2291 | ---- | ---- | 15 | ---- | 184 + 15 |
| 680 | ---- | ---- | 0.0965B/---- | 0.0965B/0.0800A | ---- | 0.0960 + 0.0220 | .2148 | ---- | ---- | ---- | ---- | 1 UNCH |
| 690 | ---- | ---- | 0.0815B/---- | 0.0815B/0.0745A | ---- | 0.0820 + 0.0185 | .1879 | ---- | ---- | ---- | ---- | 3 UNCH |
| 700 | ---- | ---- | 0.0720B/---- | 0.0720B/0.0650A | ---- | 0.0700 + 0.0150 | .1640 | ---- | ---- | ---- | ---- | 959 UNCH |
| 710 | ---- | ---- | 0.0605B/---- | 0.0605B/0.0575A | ---- | 0.0605 + 0.0130 | .1440 | ---- | ---- | ---- | ---- | 1 UNCH |
| 720 | ---- | ---- | 0.0525B/---- | 0.0525B/0.0510A | ---- | 0.0520 + 0.0105 | .1258 | ---- | ---- | ---- | ---- | 2 UNCH |
| 725 | ---- | ---- | 0.0480B/---- | 0.0480B/0.0485A | ---- | 0.0485 + 0.0100 | .1180 | ---- | ---- | ---- | ---- | 86 UNCH |
| 730 | ---- | ---- | 0.0450B/---- | 0.0450B/0.0405A | ---- | 0.0450 + 0.0090 | .1103 | ---- | ---- | ---- | ---- | 2 UNCH |
| 750 | ---- | ---- | 0.0335B/---- | 0.0335B/0.0320A | ---- | 0.0340 + 0.0070 | .0852 | ---- | ---- | ---- | ---- | 106 UNCH |
| 775 | ---- | ---- | 0.0225B/---- | 0.0225B/0.0245A | ---- | 0.0240 + 0.0045 | .0616 | ---- | ---- | ---- | ---- | 1 UNCH |
| 800 | ---- | ---- | 0.0150B/---- | 0.0150B/0.0190A | ---- | 0.0170 + 0.0030 | .0446 | ---- | ---- | ---- | ---- | 6 UNCH |
| 850 | ---- | ---- | ---- | 0.0070B/0.0130A | ---- | 0.0090 + 0.0015 | .0242 | ---- | ---- | ---- | ---- | 1 UNCH |
| 900 | ---- | ---- | ---- | 0.0020B/0.0090A | ---- | 0.0055 + 0.0010 | .0148 | ---- | ---- | ---- | ---- | 57 UNCH |
| 950 | ---- | ---- | ---- | ----/0.0090A | ---- | 0.0030 + 0.0005 | .0082 | ---- | ---- | ---- | ---- | 2 UNCH |
| 975 | ---- | ---- | ---- | ----/*0.0035A | ---- | 0.0025 + 0.0005 | .0068 | ---- | ---- | ---- | ---- | 4 UNCH |
| TOTAL | | | | | | | | | | 75 | | 2133 + 73 |
| SEP26 | | | | | | | | | | | | |
| 495 | ---- | ---- | ---- | ---- | ---- | 1.1450 + 0.1320 | .9002 | ---- | ---- | ---- | ---- | 2 UNCH |
| 500 | ---- | ---- | 1.0450B/---- | 1.0450B/1.1375A | ---- | 1.1000 + 0.1305 | .8919 | ---- | ---- | ---- | ---- | 5 UNCH |
| 510 | ---- | ---- | ---- | ---- | ---- | 1.0120 + 0.1270 | .8720 | ---- | ---- | ---- | ---- | 2 UNCH |
| 535 | ---- | ---- | ---- | ---- | ---- | 0.8050 + 0.1155 | .8070 | ---- | ---- | ---- | ---- | 1 UNCH |
| 565 | ---- | ---- | 0.5925B/---- | 0.5925B/0.5085A | ---- | 0.5875 + 0.0960 | .7010 | ---- | ---- | ---- | ---- | 1 UNCH |
| 575 | ---- | ---- | 0.5285B/---- | 0.5285B/0.4515A | ---- | 0.5240 + 0.0885 | .6603 | ---- | ---- | ---- | ---- | 100 UNCH |
| 595 | ---- | ---- | 0.4155B/---- | 0.4155B/0.3485A | ---- | 0.4115 + 0.0730 | .5741 | ---- | ---- | ---- | ---- | 5 UNCH |
| 600 | 0.3995 | 0.3995 | 0.3995/0.3995 | 0.3995/0.3275A | ---- | 0.3870 + 0.0695 | .5521 | ---- | ---- | 3 | ---- | 232 UNCH |
| 610 | ---- | ---- | 0.3455B/---- | 0.3455B/0.2890A | ---- | 0.3410 + 0.0625 | .5083 | ---- | ---- | ---- | ---- | 31 UNCH |
| 615 | ---- | ---- | 0.3245B/---- | 0.3245B/0.2705A | ---- | 0.3205 + 0.0600 | .4869 | ---- | ---- | ---- | ---- | 9 UNCH |
| 620 | 0.3170 | 0.3170 | 0.3170/0.3170 | 0.3170/0.2545A | ---- | 0.3010 + 0.0570 | .4658 | ---- | ---- | 5 | ---- | 185 UNCH |
| 625 | ---- | ---- | 0.2870B/---- | 0.2870B/0.2390A | ---- | 0.2825 + 0.0545 | .4452 | ---- | ---- | ---- | ---- | 622 UNCH |
| 630 | ---- | ---- | 0.2670B/---- | 0.2670B/0.2245A | ---- | 0.2650 + 0.0515 | .4250 | ---- | ---- | 1 | ---- | 3 + 1 |
| 635 | ---- | ---- | 0.2505B/---- | 0.2505B/0.2105A | ---- | 0.2490 + 0.0490 | .4056 | ---- | ---- | ---- | ---- | 1 UNCH |
| 640 | ---- | ---- | 0.2350B/---- | 0.2350B/0.1975A | ---- | 0.2335 + 0.0465 | .3865 | ---- | ---- | ---- | ---- | 12 UNCH |
| 650 | ---- | ---- | 0.2070B/---- | 0.2070B/0.1750A | ---- | 0.2060 + 0.0420 | .3507 | ---- | ---- | ---- | ---- | 143 UNCH |
| 655 | ---- | ---- | 0.1935B/---- | 0.1935B/0.1645A | ---- | 0.1935 + 0.0400 | .3337 | ---- | ---- | ---- | ---- | 4 UNCH |
| 660 | ---- | ---- | 0.1810B/---- | 0.1810B/0.1540A | ---- | 0.1815 + 0.0375 | .3173 | ---- | ---- | ---- | ---- | 1 UNCH |
| 670 | ---- | ---- | 0.1590B/---- | 0.1590B/0.1365A | ---- | 0.1600 + 0.0335 | .2865 | ---- | ---- | ---- | ---- | 1 UNCH |
| 675 | ---- | ---- | 0.1515B/---- | 0.1515B/0.1285A | ---- | 0.1500 + 0.0310 | .2719 | ---- | ---- | ---- | ---- | 325 UNCH |
| 680 | ---- | ---- | 0.1420B/---- | 0.1420B/0.1205A | ---- | 0.1410 + 0.0295 | .2583 | ---- | ---- | ---- | ---- | 351 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| HX CALL | | COMEX COPPER OPTIONS | | | | | | | | | | |
| SEP26 | | | | | | | | | | | | |
| 690 | ---- | ---- | 0.1225B/---- | 0.1225B/0.1070A | ---- | 0.1240 + 0.0250 | .2322 | ---- | ---- | ---- | ---- | 12 UNCH |
| 700 | ---- | ---- | 0.1095B/---- | 0.1095B/0.0955A | ---- | 0.1095 + 0.0220 | .2089 | ---- | ---- | 40 | 600 | 1139 + 640 |
| 715 | ---- | ---- | 0.0890B/---- | 0.0890B/0.0800A | ---- | 0.0910 + 0.0175 | .1781 | ---- | ---- | ---- | ---- | 1 UNCH |
| 720 | ---- | ---- | 0.0835B/---- | 0.0835B/0.0755A | ---- | 0.0855 + 0.0160 | .1687 | ---- | ---- | ---- | ---- | 5 UNCH |
| 725 | ---- | ---- | 0.0785B/---- | 0.0785B/0.0720A | ---- | 0.0805 + 0.0150 | .1600 | ---- | ---- | ---- | ---- | 200 UNCH |
| 750 | ---- | ---- | 0.0575B/---- | 0.0575B/0.0550A | ---- | 0.0600 + 0.0100 | .1230 | ---- | ---- | ---- | ---- | 143 UNCH |
| 775 | ---- | ---- | 0.0425B/---- | 0.0425B/0.0440A | ---- | 0.0455 + 0.0075 | .0953 | ---- | ---- | ---- | ---- | 3 UNCH |
| 800 | ---- | ---- | 0.0315B/---- | 0.0315B/0.0360A | ---- | 0.0350 + 0.0055 | .0746 | ---- | ---- | 40 | ---- | 61 + 40 |
| 875 | ---- | ---- | ---- | 0.0135B/0.0215A | ---- | 0.0155 + 0.0020 | .0349 | ---- | ---- | ---- | ---- | 1 UNCH |
| 900 | ---- | ---- | ---- | 0.0100B/0.0185A | ---- | 0.0120 + 0.0015 | .0273 | ---- | ---- | ---- | ---- | 75 UNCH |
| 975 | ---- | ---- | ---- | 0.0035B/0.0130A | ---- | 0.0060 + 0.0010 | .0140 | ---- | ---- | ---- | ---- | 8 UNCH |
| TOTAL | | | | | | | | | 600 | 89 | | 3684 + 681 |
| OCT26 | | | | | | | | | | | | |
| 500 | ---- | ---- | ---- | ----/1.2000A | ---- | 1.1970 + 0.1265 | .8850 | ---- | ---- | ---- | ---- | 1 UNCH |
| 600 | ---- | ---- | 0.4880B/---- | 0.4880B/0.4225A | ---- | 0.4870 + 0.0780 | .5862 | ---- | ---- | ---- | ---- | 18 UNCH |
| 605 | ---- | ---- | 0.4655B/---- | 0.4655B/0.4005A | ---- | 0.4620 + 0.0750 | .5672 | ---- | ---- | ---- | ---- | 2 UNCH |
| 615 | ---- | ---- | 0.4180B/---- | 0.4180B/0.3590A | ---- | 0.4160 + 0.0690 | .5295 | ---- | ---- | ---- | ---- | 10 UNCH |
| 620 | ---- | ---- | 0.3965B/---- | 0.3965B/0.3410A | ---- | 0.3940 + 0.0660 | .5108 | ---- | ---- | ---- | ---- | 1 UNCH |
| 625 | 0.3955 | 0.3955 | 0.3955/0.3955 | 0.3955/0.3230A | ---- | 0.3735 + 0.0630 | .4924 | ---- | ---- | 10 | ---- | 10 + 10 |
| 630 | ---- | ---- | 0.3550B/---- | 0.3550B/0.3060A | ---- | 0.3535 + 0.0595 | .4741 | ---- | ---- | ---- | ---- | 1 UNCH |
| 650 | ---- | ---- | 0.2845B/---- | 0.2845B/0.2465A | ---- | 0.2840 + 0.0485 | .4048 | ---- | ---- | ---- | ---- | 106 UNCH |
| 675 | ---- | ---- | 0.2145B/---- | 0.2145B/0.1880A | ---- | 0.2160 + 0.0380 | .3281 | ---- | ---- | ---- | ---- | 30 UNCH |
| 700 | ---- | ---- | 0.1580B/---- | 0.1580B/0.1505A | ---- | 0.1650 + 0.0290 | .2638 | ---- | ---- | ---- | ---- | 145 UNCH |
| 750 | ---- | ---- | 0.0890B/---- | 0.0890B/0.0930A | ---- | 0.0960 + 0.0130 | .1671 | ---- | ---- | ---- | ---- | 15 UNCH |
| 775 | ---- | ---- | 0.0675B/---- | 0.0675B/0.0765A | ---- | 0.0730 + 0.0085 | .1318 | ---- | ---- | ---- | ---- | 71 UNCH |
| 800 | ---- | ---- | 0.0555B/---- | 0.0555B/0.0600A | ---- | 0.0575 + 0.0065 | .1060 | ---- | ---- | ---- | ---- | 1 UNCH |
| 850 | ---- | ---- | 0.0335B/---- | 0.0335B/0.0420A | ---- | 0.0360 + 0.0035 | .0688 | ---- | ---- | ---- | ---- | 30 UNCH |
| 875 | ---- | ---- | ---- | 0.0260B/0.0360A | ---- | 0.0290 + 0.0025 | .0561 | ---- | ---- | ---- | ---- | 2 UNCH |
| 900 | ---- | ---- | ---- | 0.0205B/0.0310A | ---- | 0.0240 + 0.0020 | .0467 | ---- | ---- | ---- | ---- | 3 UNCH |
| 975 | ---- | ---- | ---- | 0.0090B/0.0215A | ---- | 0.0145 + 0.0010 | .0283 | ---- | ---- | ---- | ---- | 7 UNCH |
| TOTAL | | | | | | | | | | 10 | | 453 + 10 |
| NOV26 | | | | | | | | | | | | |
| 535 | ---- | ---- | ---- | ---- | ---- | 0.9365 + 0.1130 | .7889 | ---- | ---- | ---- | ---- | 1 UNCH |
| 545 | ---- | ---- | 0.8415B/---- | 0.8415B/0.7835A | ---- | 0.8645 + 0.1085 | .7611 | ---- | ---- | ---- | ---- | 1 UNCH |
| 580 | ---- | ---- | 0.6380B/---- | 0.6380B/0.5765A | ---- | 0.6405 + 0.0885 | .6521 | ---- | ---- | ---- | ---- | 2 UNCH |
| 585 | ---- | ---- | 0.6095B/---- | 0.6095B/0.5510A | ---- | 0.6120 + 0.0855 | .6354 | ---- | ---- | ---- | ---- | 1 UNCH |
| 595 | ---- | ---- | 0.5555B/---- | 0.5555B/0.5025A | ---- | 0.5590 + 0.0800 | .6016 | ---- | ---- | ---- | ---- | 2 UNCH |
| 600 | ---- | ---- | 0.5300B/---- | 0.5300B/0.4800A | ---- | 0.5335 + 0.0765 | .5846 | ---- | ---- | ---- | ---- | 2 UNCH |
| 610 | ---- | ---- | 0.4850B/---- | 0.4850B/0.4375A | ---- | 0.4865 + 0.0720 | .5507 | ---- | ---- | ---- | ---- | 14 UNCH |
| 640 | ---- | ---- | 0.3625B/---- | 0.3625B/0.3300A | ---- | 0.3660 + 0.0575 | .4526 | ---- | ---- | ---- | ---- | 1 UNCH |
| 655 | ---- | ---- | 0.3120B/---- | 0.3120B/0.2865A | ---- | 0.3170 + 0.0515 | .4073 | ---- | ---- | ---- | ---- | 1 UNCH |
| 670 | ---- | ---- | 0.2680B/---- | 0.2680B/0.2490A | ---- | 0.2740 + 0.0455 | .3649 | ---- | ---- | ---- | ---- | 14 UNCH |
| 675 | ---- | ---- | 0.2545B/---- | 0.2545B/0.2380A | ---- | 0.2610 + 0.0435 | .3515 | ---- | ---- | ---- | ---- | 1 UNCH |
| 695 | ---- | ---- | 0.2075B/---- | 0.2075B/0.1980A | ---- | 0.2140 + 0.0360 | .3012 | ---- | ---- | ---- | ---- | 1 UNCH |
| 700 | ---- | ---- | 0.1970B/---- | 0.1970B/0.1890A | ---- | 0.2040 + 0.0345 | .2898 | ---- | ---- | 20 | ---- | 21 + 20 |
| 705 | ---- | ---- | 0.1875B/---- | 0.1875B/0.1805A | ---- | 0.1940 + 0.0325 | .2785 | ---- | ---- | ---- | ---- | 1 UNCH |
| 750 | ---- | ---- | 0.1185B/---- | 0.1185B/0.1220A | ---- | 0.1260 + 0.0210 | .1944 | ---- | ---- | 20 | ---- | 22 + 20 |
| 850 | ---- | ---- | 0.0450B/---- | 0.0450B/0.0595A | ---- | 0.0515 + 0.0090 | .0880 | ---- | ---- | ---- | ---- | 1 UNCH |
| 900 | ---- | ---- | 0.0285B/---- | 0.0285B/0.0420A | ---- | 0.0335 + 0.0060 | .0595 | ---- | ---- | ---- | ---- | 1 UNCH |
| 975 | ---- | ---- | ---- | 0.0140B/0.0325A | ---- | 0.0170 + 0.0030 | .0320 | ---- | ---- | ---- | ---- | 1 UNCH |
| TOTAL | | | | | | | | | | 40 | | 88 + 40 |
| DEC26 | | | | | | | | | | | | |
| 520 | ---- | ---- | ---- | ---- | ---- | 1.0720 + 0.1185 | .8134 | ---- | ---- | ---- | ---- | 1 UNCH |
| 525 | ---- | ---- | ---- | ---- | ---- | 1.0345 + 0.1165 | .8016 | ---- | ---- | ---- | ---- | 123 UNCH |
| 535 | ---- | ---- | 0.8790B/---- | 0.8790B/0.8815A | ---- | 0.9615 + 0.1125 | .7764 | ---- | ---- | ---- | ---- | 1 UNCH |
| 550 | ---- | ---- | 0.8530B/---- | 0.8530B/0.7845A | ---- | 0.8580 + 0.1050 | .7359 | ---- | ---- | ---- | ---- | 2 UNCH |
| 555 | ---- | ---- | 0.8200B/---- | 0.8200B/0.7540A | ---- | 0.8255 + 0.1030 | .7215 | ---- | ---- | ---- | ---- | 1 UNCH |
| 565 | ---- | ---- | 0.7560B/---- | 0.7560B/0.6955A | ---- | 0.7625 + 0.0975 | .6923 | ---- | ---- | ---- | ---- | 45 UNCH |
| 575 | ---- | ---- | 0.6960B/---- | 0.6960B/0.6410A | ---- | 0.7035 + 0.0920 | .6620 | ---- | ---- | ---- | ---- | 123 UNCH |
| 585 | ---- | ---- | 0.6395B/---- | 0.6395B/0.5900A | ---- | 0.6475 + 0.0865 | .6311 | ---- | ---- | ---- | ---- | 1 UNCH |
| 590 | ---- | ---- | 0.6130B/---- | 0.6130B/0.5660A | ---- | 0.6210 + 0.0835 | .6155 | ---- | ---- | ---- | ---- | 200 UNCH |
| 595 | ---- | ---- | 0.5870B/---- | 0.5870B/0.5430A | ---- | 0.5955 + 0.0810 | .5999 | ---- | ---- | ---- | ---- | 163 UNCH |
| 600 | ---- | ---- | 0.5620B/---- | 0.5620B/0.5205A | ---- | 0.5705 + 0.0780 | .5841 | ---- | ---- | ---- | ---- | 602 UNCH |
| 610 | ---- | ---- | 0.5170B/---- | 0.5170B/0.4780A | ---- | 0.5235 + 0.0730 | .5527 | ---- | ---- | ---- | ---- | 291 UNCH |
| 620 | ---- | ---- | 0.4730B/---- | 0.4730B/0.4390A | ---- | 0.4800 + 0.0680 | .5217 | ---- | ---- | ---- | ---- | 414 UNCH |
| 625 | ---- | ---- | 0.4525B/---- | 0.4525B/0.4205A | ---- | 0.4595 + 0.0655 | .5064 | ---- | ---- | ---- | ---- | 3 UNCH |
| 630 | ---- | ---- | 0.4325B/---- | 0.4325B/0.4030A | ---- | 0.4395 + 0.0630 | .4913 | ---- | ---- | ---- | ---- | 391 UNCH |
| 640 | ---- | ---- | 0.3945B/---- | 0.3945B/0.3700A | ---- | 0.4025 + 0.0590 | .4617 | ---- | ---- | ---- | ---- | 29 UNCH |
| 650 | ---- | ---- | 0.3595B/---- | 0.3595B/0.3395A | ---- | 0.3680 + 0.0545 | .4330 | ---- | ---- | ---- | ---- | 528 UNCH |
| 660 | ---- | ---- | 0.3275B/---- | 0.3275B/0.3115A | ---- | 0.3370 + 0.0510 | .4057 | ---- | ---- | ---- | ---- | 300 UNCH |
| 670 | ---- | ---- | 0.2985B/---- | 0.2985B/0.2860A | ---- | 0.3080 + 0.0475 | .3793 | ---- | ---- | ---- | ---- | 4 UNCH |
| 675 | ---- | ---- | 0.2845B/---- | 0.2845B/0.2745A | ---- | 0.2945 + 0.0455 | .3666 | ---- | ---- | ---- | ---- | 17 UNCH |
| 680 | ---- | ---- | 0.2710B/---- | 0.2710B/0.2630A | ---- | 0.2820 + 0.0445 | .3544 | ---- | ---- | ---- | ---- | 3 UNCH |
| 700 | ---- | ---- | 0.2240B/---- | 0.2240B/0.2225A | ---- | 0.2360 + 0.0380 | .3082 | ---- | ---- | ---- | ---- | 844 UNCH |
| 705 | ---- | ---- | 0.2135B/---- | 0.2135B/0.2140A | ---- | 0.2255 + 0.0360 | .2973 | ---- | ---- | ---- | ---- | 2 UNCH |
| 725 | ---- | ---- | 0.1760B/---- | 0.1760B/0.1820A | ---- | 0.1890 + 0.0300 | .2576 | ---- | ---- | ---- | ---- | 5 UNCH |
| 730 | ---- | ---- | 0.1680B/---- | 0.1680B/0.1750A | ---- | 0.1810 + 0.0290 | .2486 | ---- | ---- | ---- | ---- | 4 UNCH |
| 750 | ---- | ---- | 0.1390B/---- | 0.1390B/0.1500A | ---- | 0.1520 + 0.0235 | .2149 | ---- | ---- | ---- | ---- | 24 UNCH |
| 800 | ---- | ---- | 0.0875B/---- | 0.0875B/0.1055A | ---- | 0.1025 + 0.0160 | .1519 | ---- | ---- | ---- | ---- | 104 UNCH |
| 850 | ---- | ---- | ---- | 0.0550B/0.0780A | ---- | 0.0745 + 0.0120 | .1122 | ---- | ---- | ---- | ---- | 4 UNCH |
| 900 | ---- | ---- | 0.0500B/---- | 0.0500B/0.0600A | ---- | 0.0575 + 0.0100 | .0866 | ---- | ---- | ---- | ---- | 213 UNCH |
| 925 | ---- | ---- | ---- | 0.0270B/0.0535A | ---- | 0.0505 + 0.0085 | .0762 | ---- | ---- | ---- | ---- | 6 UNCH |
| 950 | ---- | ---- | ---- | 0.0300B/0.0485A | ---- | 0.0450 + 0.0075 | .0677 | ---- | ---- | ---- | ---- | 78 UNCH |
| 975 | ---- | ---- | ---- | 0.0160B/0.0440A | ---- | 0.0405 + 0.0065 | .0608 | ---- | ---- | ---- | ---- | 13 UNCH |
| TOTAL | | | | | | | | | | | | 4539 |
| JAN27 | | | | | | | | | | | | |
| 500 | ---- | ---- | ---- | ---- | ---- | 1.3445 + 0.1205 | .8436 | ---- | ---- | ---- | ---- | 1 UNCH |
| 900 | ---- | ---- | ---- | ---- | ---- | 0.1100 + 0.0115 | .1337 | ---- | ---- | ---- | ---- | 1 UNCH |
| TOTAL | | | | | | | | | | | | 2 |
| FEB27 | | | | | | | | | | | | |
| 620 | ---- | ---- | ---- | ---- | ---- | 0.6390 + 0.0765 | .5556 | ---- | ---- | ---- | ---- | 1 UNCH |
| 625 | ---- | ---- | ---- | ---- | ---- | 0.6175 + 0.0750 | .5431 | ---- | ---- | ---- | ---- | 1 UNCH |
| TOTAL | | | | | | | | | | | | 2 |
| MAR27 | | | | | | | | | | | | |
| 680 | ---- | ---- | ---- | ---- | ---- | 0.4605 + 0.0585 | .4260 | ---- | ---- | ---- | ---- | 30 UNCH |
| 950 | ---- | ---- | ---- | ---- | ---- | 0.0915 + 0.0145 | .1109 | ---- | ---- | ---- | ---- | 3 UNCH |
| TOTAL | | | | | | | | | | | | 33 |
| HX PUT | | COMEX COPPER OPTIONS | | | | | | | | | | |
| JUN26 | | | | | | | | | | | | |
| 330 | ---- | ---- | ---- | ----/0.0035A | ---- | 0.0005 UNCH | .0000 | ---- | ---- | ---- | ---- | 8 UNCH |
| 355 | ---- | ---- | ---- | ----/0.0035A | ---- | 0.0005 UNCH | .0001 | ---- | ---- | ---- | ---- | 10 UNCH |
| 370 | ---- | ---- | ---- | ----/0.0035A | ---- | 0.0005 UNCH | .0004 | ---- | ---- | ---- | ---- | 1 UNCH |
| 380 | ---- | ---- | ---- | ----/0.0035A | ---- | 0.0005 UNCH | .0008 | ---- | ---- | ---- | ---- | 1 UNCH |
| 400 | ---- | ---- | ---- | ----/0.0040A | ---- | 0.0010 UNCH | .0028 | ---- | ---- | ---- | ---- | 33 UNCH |
| 405 | ---- | ---- | ---- | ----/0.0040A | ---- | 0.0010 UNCH | .0029 | ---- | ---- | ---- | ---- | 1 UNCH |
| 410 | ---- | ---- | ---- | ----/0.0040A | ---- | 0.0010 - 0.0005 | .0030 | ---- | ---- | ---- | ---- | 53 UNCH |
| 420 | ---- | ---- | ---- | ----/0.0040A | ---- | 0.0010 - 0.0005 | .0031 | ---- | ---- | ---- | ---- | 9 UNCH |
| 430 | ---- | ---- | ---- | ----/0.0035A | ---- | 0.0015 UNCH | .0047 | ---- | ---- | ---- | ---- | 3 UNCH |
| 435 | ---- | ---- | ---- | ----/*0.0040A | ---- | 0.0015 - 0.0005 | .0049 | ---- | ---- | ---- | ---- | 2 UNCH |
| 440 | ---- | ---- | ---- | ----/*0.0040A | ---- | 0.0020 UNCH | .0064 | ---- | ---- | ---- | ---- | 8 UNCH |
| 445 | ---- | ---- | ---- | ----/0.0045A | ---- | 0.0020 - 0.0005 | .0066 | ---- | ---- | ---- | ---- | 8 UNCH |
| 450 | ---- | ---- | ---- | ----/*0.0045A | ---- | 0.0025 UNCH | .0082 | ---- | ---- | ---- | ---- | 450 UNCH |
| 455 | ---- | ---- | ---- | ----/*0.0045A | ---- | 0.0025 - 0.0005 | .0085 | ---- | ---- | ---- | ---- | 42 UNCH |
| 460 | ---- | ---- | ---- | ----/*0.0045A | ---- | 0.0030 - 0.0005 | .0102 | ---- | ---- | ---- | ---- | 54 UNCH |
| 465 | ---- | ---- | ---- | 0.0020B/0.0050A | ---- | 0.0030 - 0.0010 | .0105 | ---- | ---- | ---- | ---- | 881 UNCH |
| 470 | ---- | ---- | ---- | 0.0010B/*0.0050 | ---- | 0.0035 - 0.0010 | .0124 | ---- | ---- | ---- | ---- | 666 UNCH |
| 475 | ---- | ---- | ---- | ----/0.0055A | ---- | 0.0035 - 0.0015 | .0128 | ---- | ---- | ---- | ---- | 155 UNCH |
| 480 | ---- | ---- | ---- | 0.0010B/0.0055A | ---- | 0.0035 - 0.0020 | .0133 | ---- | ---- | ---- | ---- | 953 UNCH |
| 485 | ---- | ---- | ---- | ----/*0.0060A | ---- | 0.0035 - 0.0025 | .0139 | ---- | ---- | ---- | ---- | 63 UNCH |
| 490 | ---- | ---- | ----/*0.0045A | ----/*0.0045A | ---- | 0.0035 - 0.0025 | .0145 | ---- | ---- | ---- | ---- | 52 UNCH |
| 495 | ---- | ---- | ----/*0.0050A | ----/*0.0050A | ---- | 0.0040 - 0.0025 | .0168 | ---- | ---- | ---- | ---- | 35 UNCH |
| 500 | ---- | ---- | ----/*0.0055A | 0.0040B/*0.0055 | ---- | 0.0040 - 0.0030 | .0175 | ---- | ---- | ---- | ---- | 538 UNCH |
| 505 | ---- | ---- | ----/*0.0060A | 0.0060B/*0.0060 | ---- | 0.0045 - 0.0030 | .0201 | ---- | ---- | ---- | ---- | 519 UNCH |
| 510 | 0.0070 | 0.0070 | 0.0070/*0.0055A | 0.0070/*0.0055A | ---- | 0.0045 - 0.0035 | .0211 | ---- | ---- | 7 | ---- | 158 - 3 |
| 515 | ---- | ---- | ----/*0.0060A | 0.0075B/*0.0060 | ---- | 0.0050 - 0.0040 | .0240 | ---- | ---- | 4 | ---- | 37 UNCH |
| 520 | ---- | ---- | ----/*0.0065A | 0.0090B/*0.0065 | ---- | 0.0055 - 0.0045 | .0271 | ---- | ---- | ---- | ---- | 162 UNCH |
| 523 | ---- | ---- | ----/*0.0070A | 0.0095B/*0.0070 | ---- | 0.0060 - 0.0050 | .0299 | ---- | ---- | ---- | ---- | 71 UNCH |
| 524 | ---- | ---- | ----/*0.0070A | 0.0100B/*0.0070 | ---- | 0.0060 - 0.0050 | .0302 | ---- | ---- | ---- | ---- | 9 UNCH |
| 525 | ---- | ---- | ----/*0.0070A | 0.0100B/*0.0070 | ---- | 0.0065 - 0.0050 | .0324 | ---- | ---- | ---- | ---- | 2157 UNCH |
| 526 | ---- | ---- | ----/*0.0075A | 0.0105B/*0.0075 | ---- | 0.0065 - 0.0050 | .0328 | ---- | ---- | ---- | ---- | 5 UNCH |
| 527 | ---- | ---- | ----/*0.0075A | 0.0110B/*0.0075 | ---- | 0.0070 - 0.0050 | .0350 | ---- | ---- | ---- | ---- | 3 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| HX PUT | | COMEX COPPER OPTIONS | | | | | | | | | | |
| JUN26 | | | | | | | | | | | | |
| 528 | ---- | ---- | ----/*0.0075A | 0.0110B/*0.0075 | ---- | 0.0070 - 0.0055 | .0354 | ---- | ---- | ---- | ---- | 5 UNCH |
| 529 | ---- | ---- | ----/*0.0080A | 0.0115B/*0.0080 | ---- | 0.0070 - 0.0055 | .0358 | ---- | ---- | ---- | ---- | 5 UNCH |
| 530 | ---- | ---- | ----/*0.0080A | 0.0120B/*0.0080 | ---- | 0.0075 - 0.0055 | .0381 | ---- | ---- | ---- | ---- | 138 UNCH |
| 531 | ---- | ---- | ----/*0.0080A | 0.0125B/*0.0080 | ---- | 0.0075 - 0.0060 | .0385 | ---- | ---- | ---- | ---- | 4 UNCH |
| 532 | 0.0130 | 0.0130 | 0.0130/*0.0085A | 0.0130/*0.0085A | ---- | 0.0080 - 0.0060 | .0408 | ---- | ---- | 3 | ---- | 14 + 3 |
| 533 | ---- | ---- | ----/*0.0085A | 0.0130B/*0.0085 | ---- | 0.0080 - 0.0065 | .0413 | ---- | ---- | ---- | ---- | 4 UNCH |
| 534 | ---- | ---- | ----/*0.0090A | 0.0135B/*0.0090 | ---- | 0.0085 - 0.0065 | .0436 | ---- | ---- | ---- | ---- | 6 UNCH |
| 535 | ---- | ---- | ----/*0.0090A | 0.0140B/*0.0090 | ---- | 0.0085 - 0.0070 | .0442 | ---- | ---- | ---- | ---- | 90 UNCH |
| 536 | ---- | ---- | ----/*0.0095A | 0.0145B/*0.0095 | ---- | 0.0090 - 0.0070 | .0466 | ---- | ---- | ---- | ---- | 1 UNCH |
| 537 | ---- | ---- | ----/*0.0095A | 0.0155B/*0.0095 | ---- | 0.0095 - 0.0070 | .0490 | ---- | ---- | ---- | ---- | 156 UNCH |
| 538 | ---- | ---- | ----/*0.0100A | 0.0160B/*0.0100 | ---- | 0.0095 - 0.0075 | .0496 | ---- | ---- | ---- | ---- | 7 UNCH |
| 539 | 0.0110 | 0.0110 | 0.0110/*0.0100A | 0.0165B/*0.0100 | ---- | 0.0100 - 0.0075 | .0520 | ---- | ---- | 5 | ---- | 31 + 2 |
| 540 | 0.0110 | 0.0110 | 0.0115/*0.0105A | 0.0170B/*0.0105 | ---- | 0.0105 - 0.0080 | .0545 | ---- | ---- | 6 | ---- | 161 + 4 |
| 541 | ---- | ---- | ----/*0.0110A | 0.0180B/*0.0110 | ---- | 0.0110 - 0.0080 | .0570 | ---- | ---- | ---- | ---- | 18 UNCH |
| 542 | ---- | ---- | ----/*0.0110A | 0.0185B/*0.0110 | ---- | 0.0110 - 0.0090 | .0577 | ---- | ---- | ---- | ---- | 25 UNCH |
| 543 | ---- | ---- | ----/*0.0115A | 0.0195B/*0.0115 | ---- | 0.0115 - 0.0090 | .0603 | ---- | ---- | ---- | ---- | 26 UNCH |
| 544 | ---- | ---- | ----/*0.0120A | 0.0200B/*0.0120 | ---- | 0.0120 - 0.0095 | .0629 | ---- | ---- | ---- | ---- | 30 UNCH |
| 545 | ---- | ---- | ----/*0.0125A | 0.0210B/*0.0125 | ---- | 0.0125 - 0.0100 | .0655 | ---- | ---- | 1 | ---- | 97 - 1 |
| 546 | ---- | ---- | ----/*0.0125A | 0.0220B/*0.0125 | ---- | 0.0130 - 0.0105 | .0681 | ---- | ---- | ---- | ---- | 29 UNCH |
| 547 | ---- | ---- | ----/*0.0130A | 0.0230B/*0.0130 | ---- | 0.0135 - 0.0110 | .0708 | ---- | ---- | ---- | ---- | 46 UNCH |
| 548 | 0.0155 | 0.0155 | 0.0155/*0.0135A | 0.0235B/*0.0135 | ---- | 0.0140 - 0.0115 | .0735 | ---- | ---- | 9 | ---- | 52 + 2 |
| 549 | ---- | ---- | ----/*0.0140A | 0.0245B/*0.0140 | ---- | 0.0145 - 0.0125 | .0763 | ---- | ---- | ---- | ---- | 40 UNCH |
| 550 | 0.0155 | 0.0155 | 0.0155/*0.0150 | 0.0260B/*0.0150 | ---- | 0.0150 - 0.0135 | .0791 | ---- | ---- | 11 | ---- | 1256 UNCH |
| 551 | ---- | ---- | ----/*0.0155A | 0.0270B/*0.0155 | ---- | 0.0160 - 0.0135 | .0836 | ---- | ---- | ---- | ---- | 117 UNCH |
| 552 | ---- | ---- | ----/*0.0160A | 0.0285B/*0.0160 | ---- | 0.0165 - 0.0145 | .0864 | ---- | ---- | ---- | ---- | 97 UNCH |
| 553 | ---- | ---- | ----/*0.0165A | 0.0295B/*0.0165 | ---- | 0.0170 - 0.0155 | .0894 | ---- | ---- | ---- | ---- | 23 UNCH |
| 554 | ---- | ---- | ----/*0.0175A | 0.0315B/*0.0175 | ---- | 0.0180 - 0.0165 | .0940 | ---- | ---- | ---- | ---- | 27 UNCH |
| 555 | 0.0190 | 0.0190 | 0.0190/*0.0180A | 0.0330B/*0.0180 | ---- | 0.0190 - 0.0170 | .0986 | ---- | ---- | 1 | ---- | 59 + 1 |
| 556 | ---- | ---- | ----/*0.0190A | 0.0345B/*0.0190 | ---- | 0.0195 - 0.0185 | .1017 | ---- | ---- | ---- | ---- | 9 UNCH |
| 557 | ---- | ---- | ----/*0.0200A | 0.0365B/*0.0200 | ---- | 0.0205 - 0.0195 | .1064 | ---- | ---- | ---- | ---- | 65 UNCH |
| 558 | 0.0215 | 0.0215 | 0.0215/*0.0210A | 0.0385B/*0.0210 | ---- | 0.0215 - 0.0205 | .1112 | ---- | ---- | 1 | ---- | 10 + 1 |
| 559 | ---- | ---- | ----/*0.0215A | 0.0405B/*0.0215 | ---- | 0.0225 - 0.0215 | .1160 | ---- | ---- | ---- | ---- | 8 UNCH |
| 560 | ---- | ---- | ----/*0.0230A | 0.0425B/*0.0230 | ---- | 0.0235 - 0.0230 | .1209 | ---- | ---- | ---- | ---- | 431 UNCH |
| 561 | ---- | ---- | ----/*0.0240A | 0.0445B/*0.0240 | ---- | 0.0250 - 0.0240 | .1272 | ---- | ---- | ---- | ---- | 3 UNCH |
| 562 | ---- | ---- | ----/*0.0250A | 0.0465B/*0.0250 | ---- | 0.0260 - 0.0255 | .1322 | ---- | ---- | ---- | ---- | 5 UNCH |
| 563 | ---- | ---- | ----/*0.0260A | 0.0490B/*0.0260 | ---- | 0.0275 - 0.0265 | .1386 | ---- | ---- | ---- | ---- | 1 UNCH |
| 564 | ---- | ---- | ----/*0.0275A | 0.0515B/*0.0275 | ---- | 0.0290 - 0.0275 | .1450 | ---- | ---- | ---- | ---- | 3 UNCH |
| 565 | 0.0275 | 0.0275 | 0.0275/*0.0275 | 0.0540B/*0.0275 | ---- | 0.0305 - 0.0290 | .1515 | ---- | ---- | 1 | ---- | 225 - 1 |
| 566 | ---- | ---- | ----/*0.0300A | 0.0565B/*0.0300 | ---- | 0.0320 - 0.0305 | .1580 | ---- | ---- | ---- | ---- | 4 UNCH |
| 567 | ---- | ---- | ----/*0.0315A | 0.0595B/*0.0315 | ---- | 0.0335 - 0.0320 | .1645 | ---- | ---- | ---- | ---- | 12 UNCH |
| 568 | ---- | ---- | ----/*0.0330A | 0.0625B/*0.0330 | ---- | 0.0355 - 0.0330 | .1724 | ---- | ---- | ---- | ---- | 1 UNCH |
| 569 | ---- | ---- | ----/*0.0350A | 0.0650B/*0.0350 | ---- | 0.0370 - 0.0345 | .1790 | ---- | ---- | ---- | ---- | 12 UNCH |
| 570 | ---- | ---- | ----/*0.0365A | 0.0660B/*0.0365 | ---- | 0.0390 - 0.0360 | .1869 | ---- | ---- | 1 | ---- | 196 UNCH |
| 571 | ---- | ---- | ----/*0.0385A | 0.0705B/*0.0385 | ---- | 0.0410 - 0.0375 | .1948 | ---- | ---- | ---- | ---- | 32 UNCH |
| 572 | ---- | ---- | ----/*0.0405A | 0.0730B/*0.0405 | ---- | 0.0430 - 0.0390 | .2027 | ---- | ---- | ---- | ---- | 1 UNCH |
| 573 | ---- | ---- | ----/*0.0425A | 0.0760B/*0.0425 | ---- | 0.0450 - 0.0405 | .2107 | ---- | ---- | 1 | ---- | 2 UNCH |
| 574 | ---- | ---- | ----/*0.0445A | 0.0805B/*0.0445 | ---- | 0.0475 - 0.0420 | .2197 | ---- | ---- | ---- | ---- | 17 UNCH |
| 575 | ---- | ---- | ----/*0.0470A | 0.0845B/*0.0470 | ---- | 0.0495 - 0.0435 | .2278 | ---- | ---- | 1 | ---- | 128 + 1 |
| 576 | ---- | ---- | ----/*0.0490A | 0.0880B/*0.0490 | ---- | 0.0520 - 0.0450 | .2369 | ---- | ---- | ---- | ---- | 5 UNCH |
| 577 | ---- | ---- | ----/*0.0515A | 0.0920B/*0.0515 | ---- | 0.0545 - 0.0465 | .2460 | ---- | ---- | ---- | ---- | 10 UNCH |
| 578 | ---- | ---- | ----/0.0540A | 0.0960B/0.0540A | ---- | 0.0570 - 0.0485 | .2552 | ---- | ---- | ---- | ---- | 2 UNCH |
| 579 | 0.0600 | 0.0600 | 0.0605/0.0565A | 0.1010B/0.0565A | ---- | 0.0600 - 0.0495 | .2652 | ---- | ---- | 3 | ---- | 5 + 3 |
| 580 | 0.0730 | 0.0730 | 0.0730/0.0590A | 0.1045B/0.0590A | ---- | 0.0625 - 0.0515 | .2744 | ---- | ---- | 64 | ---- | 939 - 8 |
| 581 | ---- | ---- | ----/0.0620A | 0.1095B/0.0620A | ---- | 0.0655 - 0.0535 | .2844 | ---- | ---- | ---- | ---- | 27 UNCH |
| 582 | 0.0745 | 0.0745 | 0.0745/0.0645A | 0.1140B/0.0645A | ---- | 0.0685 - 0.0550 | .2945 | ---- | ---- | 16 | ---- | 13 UNCH |
| 583 | ---- | ---- | ----/0.0675A | 0.1185B/0.0675A | ---- | 0.0715 - 0.0570 | .3046 | ---- | ---- | 1 | ---- | 9 UNCH |
| 584 | ---- | ---- | ----/0.0705A | 0.1240B/0.0705A | ---- | 0.0750 - 0.0585 | .3154 | ---- | ---- | ---- | ---- | 17 UNCH |
| 585 | 0.0950 | 0.0950 | 0.0950/0.0740 | 0.1290B/0.0740 | ---- | 0.0785 - 0.0600 | .3261 | ---- | ---- | 13 | ---- | 103 UNCH |
| 586 | ---- | ---- | ----/0.0775A | 0.1325B/0.0775A | ---- | 0.0815 - 0.0625 | .3364 | ---- | ---- | ---- | ---- | 4 UNCH |
| 587 | ---- | ---- | ----/0.0805A | 0.1385B/0.0805A | ---- | 0.0855 - 0.0635 | .3477 | ---- | ---- | ---- | ---- | 13 UNCH |
| 588 | ---- | ---- | ----/0.0840A | 0.1440B/0.0840A | ---- | 0.0890 - 0.0660 | .3585 | ---- | ---- | ---- | ---- | 2 UNCH |
| 590 | 0.1110 | 0.1110 | 0.1110/0.0910A | 0.1545B/0.0910A | ---- | 0.0970 - 0.0690 | .3810 | ---- | ---- | 2 | ---- | 221 + 2 |
| 591 | ---- | ---- | ----/0.0955A | 0.1600B/0.0955A | ---- | 0.1010 - 0.0710 | .3923 | ---- | ---- | ---- | ---- | 4 UNCH |
| 592 | ---- | ---- | ----/0.0990A | 0.1660B/0.0990A | ---- | 0.1050 - 0.0730 | .4037 | ---- | ---- | ---- | ---- | 2 UNCH |
| 593 | ---- | ---- | ----/0.1035A | 0.1720B/0.1035A | ---- | 0.1095 - 0.0750 | .4152 | ---- | ---- | ---- | ---- | 34 UNCH |
| 594 | ---- | ---- | ----/0.1080A | 0.1775B/0.1080A | ---- | 0.1140 - 0.0765 | .4268 | ---- | ---- | ---- | ---- | 8 UNCH |
| 595 | ---- | ---- | ----/0.1125A | 0.1830B/0.1125A | ---- | 0.1185 - 0.0785 | .4384 | ---- | ---- | ---- | ---- | 113 UNCH |
| 596 | ---- | ---- | ----/0.1175A | 0.1905B/0.1175A | ---- | 0.1235 - 0.0795 | .4501 | ---- | ---- | ---- | ---- | 12 UNCH |
| 597 | ---- | ---- | ----/0.1210A | 0.1920B/0.1210A | ---- | 0.1280 - 0.0815 | .4617 | ---- | ---- | ---- | ---- | 156 UNCH |
| 598 | ---- | ---- | ----/0.1265A | 0.1900B/0.1265A | ---- | 0.1330 - 0.0835 | .4734 | ---- | ---- | ---- | ---- | 9 UNCH |
| 599 | ---- | ---- | ----/0.1315A | 0.1935B/0.1315A | ---- | 0.1385 - 0.0845 | .4850 | ---- | ---- | ---- | ---- | 16 UNCH |
| 600 | 0.1435 | 0.1435 | 0.1490/0.1350 | 0.2100B/0.1350 | ---- | 0.1435 - 0.0860 | .4967 | ---- | ---- | 34 | ---- | 129 + 24 |
| 601 | ---- | ---- | ----/0.1415A | 0.2070B/0.1415A | ---- | 0.1490 - 0.0875 | .5082 | ---- | ---- | ---- | ---- | 6 UNCH |
| 602 | ---- | ---- | ----/0.1465A | 0.2140B/0.1465A | ---- | 0.1545 - 0.0885 | .5198 | ---- | ---- | ---- | ---- | 15 UNCH |
| 603 | ---- | ---- | ----/0.1525A | 0.2205B/0.1525A | ---- | 0.1600 - 0.0900 | .5313 | ---- | ---- | ---- | ---- | 20 UNCH |
| 604 | ---- | ---- | ----/0.1580A | 0.2275B/0.1580A | ---- | 0.1655 - 0.0915 | .5428 | ---- | ---- | ---- | ---- | 11 UNCH |
| 605 | ---- | ---- | ----/0.1625A | 0.2450B/0.1625A | ---- | 0.1715 - 0.0930 | .5541 | ---- | ---- | ---- | ---- | 207 UNCH |
| 606 | ---- | ---- | ----/0.1690A | 0.2420B/0.1690A | ---- | 0.1775 - 0.0940 | .5653 | ---- | ---- | ---- | ---- | 14 UNCH |
| 607 | ---- | ---- | ----/0.1755A | 0.2495B/0.1755A | ---- | 0.1835 - 0.0955 | .5765 | ---- | ---- | ---- | ---- | 76 UNCH |
| 608 | ---- | ---- | ----/0.1815A | 0.2565B/0.1815A | ---- | 0.1895 - 0.0970 | .5877 | ---- | ---- | ---- | ---- | 43 UNCH |
| 609 | ---- | ---- | ----/0.1875A | 0.2640B/0.1875A | ---- | 0.1955 - 0.0985 | .5984 | ---- | ---- | ---- | ---- | 41 UNCH |
| 610 | ---- | ---- | ----/0.1935A | 0.2825B/0.1935A | ---- | 0.2020 - 0.0995 | .6092 | ---- | ---- | ---- | ---- | 57 UNCH |
| 611 | ---- | ---- | ----/0.1995A | 0.2795B/0.1995A | ---- | 0.2085 - 0.1010 | .6203 | ---- | ---- | ---- | ---- | 15 UNCH |
| 612 | ---- | ---- | ----/0.2065A | 0.2870B/0.2065A | ---- | 0.2150 - 0.1020 | .6305 | ---- | ---- | ---- | ---- | 9 UNCH |
| 613 | ---- | ---- | ----/0.2200A | 0.2950B/0.2200A | ---- | 0.2215 - 0.1040 | .6411 | ---- | ---- | ---- | ---- | 10 UNCH |
| 614 | ---- | ---- | ----/0.2265A | 0.3030B/0.2265A | ---- | 0.2285 - 0.1050 | .6518 | ---- | ---- | ---- | ---- | 8 UNCH |
| 615 | ---- | ---- | ----/0.2255A | 0.3110B/0.2255A | ---- | 0.2355 - 0.1060 | .6618 | ---- | ---- | ---- | ---- | 36 UNCH |
| 616 | ---- | ---- | ----/0.2400A | 0.3190B/0.2400A | ---- | 0.2420 - 0.1080 | .6718 | ---- | ---- | ---- | ---- | 10 UNCH |
| 617 | ---- | ---- | ----/0.2485A | 0.3270B/0.2485A | ---- | 0.2490 - 0.1090 | .6817 | ---- | ---- | ---- | ---- | 24 UNCH |
| 618 | ---- | ---- | ----/0.2600A | 0.3355B/0.2600A | ---- | 0.2565 - 0.1100 | .6917 | ---- | ---- | ---- | ---- | 10 UNCH |
| 619 | ---- | ---- | ----/0.2670A | 0.3435B/0.2670A | ---- | 0.2635 - 0.1115 | .7008 | ---- | ---- | ---- | ---- | 9 UNCH |
| 620 | 0.2860 | 0.2860 | 0.2860/0.2605A | 0.3520B/0.2605A | ---- | 0.2705 - 0.1135 | .7107 | ---- | ---- | 1 | ---- | 14 UNCH |
| 621 | ---- | ---- | ----/0.2815A | 0.3605B/0.2815A | ---- | 0.2780 - 0.1145 | .7198 | ---- | ---- | ---- | ---- | 6 UNCH |
| 622 | ---- | ---- | ----/0.2895A | 0.3690B/0.2895A | ---- | 0.2855 - 0.1155 | .7288 | ---- | ---- | ---- | ---- | 1 UNCH |
| 623 | ---- | ---- | ----/0.2970A | 0.3775B/0.2970A | ---- | 0.2930 - 0.1170 | .7378 | ---- | ---- | ---- | ---- | 4 UNCH |
| 630 | ---- | ---- | ----/0.3500A | 0.4385B/0.3500A | ---- | 0.3480 - 0.1240 | .7954 | ---- | ---- | ---- | ---- | 10 UNCH |
| 640 | ---- | ---- | ----/0.4350A | 0.5295B/0.4350A | ---- | 0.4330 - 0.1315 | .8601 | ---- | ---- | ---- | ---- | 2 UNCH |
| 645 | ---- | ---- | ----/0.4795A | 0.5765B/0.4795A | ---- | 0.4775 - 0.1345 | .8857 | ---- | ---- | ---- | ---- | 1 UNCH |
| 650 | ---- | ---- | ----/0.5245A | 0.6165B/0.5245A | ---- | 0.5230 - 0.1370 | .9058 | ---- | ---- | ---- | ---- | 3 UNCH |
| 655 | ---- | ---- | ----/0.5690A | 0.6145B/0.5690A | ---- | 0.5695 - 0.1385 | .9235 | ---- | ---- | ---- | ---- | 10 UNCH |
| 700 | ---- | ---- | ---- | ---- | ---- | 1.0090 - 0.1450 | .9831 | ---- | ---- | ---- | ---- | 1 UNCH |
| TOTAL | | | | | | | | | | 186 | | 13402 + 30 |
| JUL26 | | | | | | | | | | | | |
| 330 | ---- | ---- | ---- | ----/0.0040A | ---- | 0.0005 UNCH | .0007 | ---- | ---- | ---- | ---- | 80 UNCH |
| 350 | ---- | ---- | ---- | ----/0.0045A | ---- | 0.0010 UNCH | .0024 | ---- | ---- | ---- | ---- | 5 UNCH |
| 360 | ---- | ---- | ---- | ----/0.0025A | ---- | 0.0010 - 0.0005 | .0025 | ---- | ---- | ---- | ---- | 1 UNCH |
| 380 | ---- | ---- | ---- | ----/*0.0050A | ---- | 0.0020 - 0.0005 | .0050 | ---- | ---- | ---- | ---- | 2 UNCH |
| 390 | ---- | ---- | ---- | ----/*0.0055A | ---- | 0.0025 - 0.0010 | .0063 | ---- | ---- | ---- | ---- | 6 UNCH |
| 395 | ---- | ---- | ---- | ----/*0.0055A | ---- | 0.0030 - 0.0010 | .0075 | ---- | ---- | ---- | ---- | 1 UNCH |
| 400 | ---- | ---- | ---- | 0.0010B/0.0060A | ---- | 0.0035 - 0.0010 | .0087 | ---- | ---- | ---- | ---- | 586 UNCH |
| 405 | ---- | ---- | ---- | ----/*0.0060A | ---- | 0.0035 - 0.0015 | .0089 | ---- | ---- | ---- | ---- | 1 UNCH |
| 415 | ---- | ---- | ----/*0.0040A | ----/*0.0040A | ---- | 0.0040 - 0.0020 | .0104 | ---- | ---- | ---- | ---- | 53 UNCH |
| 420 | ---- | ---- | ----/*0.0045A | ----/*0.0045A | ---- | 0.0045 - 0.0020 | .0118 | ---- | ---- | ---- | ---- | 4 UNCH |
| 425 | ---- | ---- | ---- | 0.0010B/0.0075A | ---- | 0.0045 - 0.0025 | .0121 | ---- | ---- | ---- | ---- | 51 UNCH |
| 430 | ---- | ---- | ----/*0.0050A | 0.0005B/*0.0050 | ---- | 0.0050 - 0.0025 | .0135 | ---- | ---- | ---- | ---- | 8 UNCH |
| 435 | ---- | ---- | ---- | 0.0010B/*0.0085 | ---- | 0.0055 - 0.0025 | .0150 | ---- | ---- | ---- | ---- | 5 UNCH |
| 440 | ---- | ---- | ---- | 0.0030B/0.0090A | ---- | 0.0055 - 0.0030 | .0155 | ---- | ---- | ---- | ---- | 4 UNCH |
| 445 | ---- | ---- | ---- | 0.0060B/0.0095A | ---- | 0.0060 - 0.0030 | .0170 | ---- | ---- | ---- | ---- | 3 UNCH |
| 450 | ---- | ---- | ----/0.0090A | 0.0065B/0.0090A | ---- | 0.0065 - 0.0035 | .0187 | ---- | ---- | 2 | ---- | 1910 UNCH |
| 455 | ---- | ---- | ----/*0.0080A | 0.0060B/*0.0080 | ---- | 0.0070 - 0.0035 | .0204 | ---- | ---- | ---- | ---- | 13 UNCH |
| 460 | ---- | ---- | ----/*0.0085A | 0.0060B/*0.0085 | ---- | 0.0075 - 0.0040 | .0222 | ---- | ---- | ---- | ---- | 6 UNCH |
| 470 | ---- | ---- | ----/*0.0115A | 0.0075B/*0.0115 | ---- | 0.0090 - 0.0050 | .0271 | ---- | ---- | ---- | ---- | 2 UNCH |
| 475 | ---- | ---- | ----/*0.0125A | 0.0115B/*0.0125 | ---- | 0.0100 - 0.0050 | .0303 | ---- | ---- | ---- | ---- | 514 UNCH |
| 480 | 0.0120 | 0.0120 | 0.0120/*0.0120 | 0.0130B/*0.0120 | ---- | 0.0115 - 0.0055 | .0347 | ---- | ---- | 4 | ---- | 76 + 4 |
| 485 | ---- | ---- | ----/*0.0145A | 0.0140B/*0.0145 | ---- | 0.0125 - 0.0065 | .0382 | ---- | ---- | ---- | ---- | 1 UNCH |
| 490 | 0.0175 | 0.0175 | 0.0175/*0.0145 | 0.0175/*0.0145 | ---- | 0.0145 - 0.0065 | .0439 | ---- | ---- | 8 | ---- | 542 - 3 |
| 495 | 0.0200 | 0.0200 | 0.0200/*0.0160 | 0.0200/*0.0160 | ---- | 0.0160 - 0.0075 | .0488 | ---- | ---- | 7 | ---- | 105 + 7 |
| 500 | 0.0200 | 0.0200 | 0.0200/*0.0180 | 0.0225B/*0.0180 | ---- | 0.0180 - 0.0085 | .0549 | ---- | ---- | 23 | ---- | 2688 + 3 |
| 505 | ---- | ---- | ----/*0.0205A | 0.0255B/*0.0205 | ---- | 0.0205 - 0.0090 | .0623 | ---- | ---- | ---- | ---- | 2 UNCH |
| 510 | ---- | ---- | ----/0.0230A | 0.0290B/0.0230A | ---- | 0.0230 - 0.0105 | .0700 | ---- | ---- | 1 | ---- | 204 + 1 |
| 515 | ---- | ---- | ----/0.0255A | 0.0325B/0.0255A | ---- | 0.0260 - 0.0115 | .0789 | ---- | ---- | ---- | ---- | 2 UNCH |
| 520 | ---- | ---- | ----/0.0290A | 0.0370B/0.0290A | ---- | 0.0290 - 0.0135 | .0882 | ---- | ---- | 1 | ---- | 599 - 1 |
| 525 | ---- | ---- | ----/0.0325A | 0.0425B/0.0325A | ---- | 0.0330 - 0.0150 | .0997 | ---- | ---- | ---- | ---- | 530 UNCH |
| 530 | ---- | ---- | ----/0.0370A | 0.0480B/0.0370A | ---- | 0.0375 - 0.0170 | .1125 | ---- | ---- | 1 | ---- | 3200 UNCH |
| 533 | ---- | ---- | ----/0.0400A | 0.0525B/0.0400A | ---- | 0.0405 - 0.0185 | .1209 | ---- | ---- | ---- | ---- | 1 UNCH |
| 534 | ---- | ---- | ----/0.0410A | 0.0540B/0.0410A | ---- | 0.0415 - 0.0190 | .1238 | ---- | ---- | ---- | ---- | 2 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| HX PUT | | COMEX COPPER OPTIONS | | | | | | | | | | |
| JUL26 | | | | | | | | | | | | |
| 535 | ---- | ---- | ----/0.0420A | 0.0560B/0.0420A | ---- | 0.0425 - 0.0200 | .1267 | ---- | ---- | 2 | ---- | 4 + 1 |
| 536 | ---- | ---- | ----/0.0430A | 0.0575B/0.0430A | ---- | 0.0435 - 0.0205 | .1295 | ---- | ---- | ---- | ---- | 5 UNCH |
| 538 | ---- | ---- | ----/0.0455A | 0.0610B/0.0455A | ---- | 0.0460 - 0.0215 | .1362 | ---- | ---- | ---- | ---- | 1 UNCH |
| 539 | ---- | ---- | ----/0.0465A | 0.0625B/0.0465A | ---- | 0.0475 - 0.0220 | .1399 | ---- | ---- | ---- | ---- | 2 UNCH |
| 540 | ---- | ---- | ----/0.0480A | 0.0645B/0.0480A | ---- | 0.0485 - 0.0230 | .1429 | ---- | ---- | ---- | ---- | 873 UNCH |
| 541 | ---- | ---- | ----/0.0490A | 0.0665B/0.0490A | ---- | 0.0500 - 0.0235 | .1467 | ---- | ---- | ---- | ---- | 2 UNCH |
| 542 | ---- | ---- | ----/0.0505A | 0.0685B/0.0505A | ---- | 0.0515 - 0.0240 | .1505 | ---- | ---- | ---- | ---- | 2 UNCH |
| 543 | ---- | ---- | ----/0.0520A | 0.0705B/0.0520A | ---- | 0.0530 - 0.0245 | .1543 | ---- | ---- | ---- | ---- | 3 UNCH |
| 545 | ---- | ---- | ----/0.0545A | 0.0745B/0.0545A | ---- | 0.0560 - 0.0260 | .1619 | ---- | ---- | ---- | ---- | 4 UNCH |
| 547 | ---- | ---- | ----/0.0575A | 0.0790B/0.0575A | ---- | 0.0590 - 0.0275 | .1697 | ---- | ---- | ---- | ---- | 1 UNCH |
| 548 | ---- | ---- | ----/0.0590A | 0.0810B/0.0590A | ---- | 0.0605 - 0.0285 | .1736 | ---- | ---- | ---- | ---- | 10 UNCH |
| 549 | ---- | ---- | ----/0.0610A | 0.0835B/0.0610A | ---- | 0.0625 - 0.0285 | .1782 | ---- | ---- | ---- | ---- | 1 UNCH |
| 550 | 0.0725 | 0.0725 | 0.0725/0.0625A | 0.0860B/0.0625A | ---- | 0.0640 - 0.0300 | .1822 | ---- | ---- | 105 | ---- | 1185 + 90 |
| 552 | ---- | ---- | ----/0.0660A | 0.0910B/0.0660A | ---- | 0.0675 - 0.0315 | .1908 | ---- | ---- | ---- | ---- | 2 UNCH |
| 553 | ---- | ---- | ----/0.0680A | 0.0935B/0.0680A | ---- | 0.0695 - 0.0320 | .1955 | ---- | ---- | ---- | ---- | 1 UNCH |
| 554 | ---- | ---- | ----/0.0695A | 0.0960B/0.0695A | ---- | 0.0715 - 0.0330 | .2002 | ---- | ---- | ---- | ---- | 10 UNCH |
| 555 | ---- | ---- | ----/0.0715A | 0.0990B/0.0715A | ---- | 0.0735 - 0.0340 | .2049 | ---- | ---- | 1 | ---- | 57 + 1 |
| 556 | ---- | ---- | ----/0.0735A | 0.1020B/0.0735A | ---- | 0.0755 - 0.0350 | .2096 | ---- | ---- | ---- | ---- | 1 UNCH |
| 558 | ---- | ---- | ----/0.0780A | 0.1075B/0.0780A | ---- | 0.0795 - 0.0365 | .2192 | ---- | ---- | ---- | ---- | 2 UNCH |
| 559 | ---- | ---- | ----/0.0800A | 0.1105B/0.0800A | ---- | 0.0820 - 0.0375 | .2245 | ---- | ---- | ---- | ---- | 2 UNCH |
| 560 | 0.0955 | 0.0955 | 0.0955/0.0820A | 0.1135B/0.0820A | ---- | 0.0840 - 0.0385 | .2294 | ---- | ---- | 14 | ---- | 223 - 7 |
| 561 | ---- | ---- | ----/0.0845A | 0.1170B/0.0845A | ---- | 0.0865 - 0.0390 | .2347 | ---- | ---- | ---- | ---- | 3 UNCH |
| 562 | ---- | ---- | ----/0.0870A | 0.1205B/0.0870A | ---- | 0.0890 - 0.0400 | .2402 | ---- | ---- | ---- | ---- | 2 UNCH |
| 563 | ---- | ---- | ----/0.0890A | 0.1235B/0.0890A | ---- | 0.0915 - 0.0410 | .2456 | ---- | ---- | ---- | ---- | 12 UNCH |
| 565 | ---- | ---- | ----/0.0940A | 0.1305B/0.0940A | ---- | 0.0965 - 0.0425 | .2565 | ---- | ---- | 1 | ---- | 14 + 1 |
| 567 | ---- | ---- | ----/0.0995A | 0.1370B/0.0995A | ---- | 0.1015 - 0.0450 | .2675 | ---- | ---- | ---- | ---- | 5 UNCH |
| 568 | ---- | ---- | ----/0.1020A | 0.1415B/0.1020A | ---- | 0.1045 - 0.0455 | .2734 | ---- | ---- | ---- | ---- | 4 UNCH |
| 569 | ---- | ---- | ----/0.1050A | 0.1440B/0.1050A | ---- | 0.1070 - 0.0470 | .2790 | ---- | ---- | 1 | ---- | 4 + 1 |
| 570 | ---- | ---- | ----/0.1075A | 0.1490B/0.1075A | ---- | 0.1100 - 0.0480 | .2850 | ---- | ---- | 1 | ---- | 102 UNCH |
| 571 | ---- | ---- | ----/0.1105A | 0.1520B/0.1105A | ---- | 0.1130 - 0.0490 | .2910 | ---- | ---- | ---- | ---- | 17 UNCH |
| 572 | ---- | ---- | ----/0.1140A | 0.1560B/0.1140A | ---- | 0.1160 - 0.0500 | .2970 | ---- | ---- | 1 | ---- | 4 + 1 |
| 573 | ---- | ---- | ----/0.1170A | 0.1610B/0.1170A | ---- | 0.1195 - 0.0510 | .3034 | ---- | ---- | ---- | ---- | 1 UNCH |
| 574 | ---- | ---- | ----/0.1200A | 0.1645B/0.1200A | ---- | 0.1225 - 0.0525 | .3095 | ---- | ---- | ---- | ---- | 5 UNCH |
| 575 | ---- | ---- | ----/0.1230A | 0.1685B/0.1230A | ---- | 0.1260 - 0.0530 | .3159 | ---- | ---- | 1 | ---- | 211 UNCH |
| 576 | ---- | ---- | ----/0.1265A | 0.1725B/0.1265A | ---- | 0.1290 - 0.0550 | .3220 | ---- | ---- | ---- | ---- | 1 UNCH |
| 577 | ---- | ---- | ----/0.1295A | 0.1770B/0.1295A | ---- | 0.1325 - 0.0560 | .3285 | ---- | ---- | ---- | ---- | 3 UNCH |
| 578 | ---- | ---- | ----/0.1335A | 0.1810B/0.1335A | ---- | 0.1360 - 0.0570 | .3349 | ---- | ---- | ---- | ---- | 1 UNCH |
| 579 | ---- | ---- | ----/0.1365A | 0.1865B/0.1365A | ---- | 0.1395 - 0.0585 | .3414 | ---- | ---- | ---- | ---- | 2 UNCH |
| 580 | 0.1685 | 0.1685 | 0.1685/0.1395A | 0.1905B/0.1395A | ---- | 0.1435 - 0.0595 | .3481 | ---- | ---- | 10 | ---- | 1809 - 10 |
| 581 | ---- | ---- | ----/0.1440A | 0.1950B/0.1440A | ---- | 0.1470 - 0.0610 | .3546 | ---- | ---- | ---- | ---- | 1 UNCH |
| 582 | ---- | ---- | ----/0.1475A | 0.2000B/0.1475A | ---- | 0.1510 - 0.0620 | .3614 | ---- | ---- | ---- | ---- | 1 UNCH |
| 583 | 0.2015 | 0.2015 | 0.2015/0.1515A | 0.2050B/0.1515A | ---- | 0.1550 - 0.0630 | .3681 | ---- | ---- | 5 | ---- | 1 - 5 |
| 584 | ---- | ---- | ----/0.1555A | 0.2090B/0.1555A | ---- | 0.1590 - 0.0640 | .3749 | ---- | ---- | ---- | ---- | 1 UNCH |
| 585 | ---- | ---- | ----/0.1595A | 0.2140B/0.1595A | ---- | 0.1630 - 0.0655 | .3816 | ---- | ---- | 1 | ---- | 123 UNCH |
| 586 | ---- | ---- | ----/0.1630A | 0.2195B/0.1630A | ---- | 0.1670 - 0.0670 | .3884 | ---- | ---- | ---- | ---- | 9 UNCH |
| 587 | ---- | ---- | ----/0.1675A | 0.2250B/0.1675A | ---- | 0.1715 - 0.0675 | .3953 | ---- | ---- | ---- | ---- | 7 UNCH |
| 588 | ---- | ---- | ----/0.1715A | 0.2300B/0.1715A | ---- | 0.1760 - 0.0685 | .4023 | ---- | ---- | ---- | ---- | 2 UNCH |
| 589 | ---- | ---- | ----/0.1760A | 0.2355B/0.1760A | ---- | 0.1800 - 0.0700 | .4091 | ---- | ---- | ---- | ---- | 7 UNCH |
| 590 | ---- | ---- | ----/0.1790A | 0.2410B/0.1790A | ---- | 0.1845 - 0.0710 | .4160 | ---- | ---- | 36 | ---- | 553 + 36 |
| 592 | ---- | ---- | ----/0.1895A | 0.2525B/0.1895A | ---- | 0.1940 - 0.0730 | .4300 | ---- | ---- | ---- | ---- | 1 UNCH |
| 595 | ---- | ---- | ----/0.2035A | 0.2700B/0.2035A | ---- | 0.2085 - 0.0760 | .4509 | ---- | ---- | ---- | ---- | 117 UNCH |
| 596 | ---- | ---- | ----/0.2080A | 0.2760B/0.2080A | ---- | 0.2135 - 0.0770 | .4579 | ---- | ---- | ---- | ---- | 1 UNCH |
| 598 | ---- | ---- | ----/0.2180A | 0.2880B/0.2180A | ---- | 0.2235 - 0.0790 | .4718 | ---- | ---- | ---- | ---- | 10 UNCH |
| 599 | ---- | ---- | ----/0.2235A | 0.2940B/0.2235A | ---- | 0.2290 - 0.0795 | .4788 | ---- | ---- | ---- | ---- | 5 UNCH |
| 600 | ---- | ---- | ----/0.2270A | 0.3010B/0.2270A | ---- | 0.2345 - 0.0805 | .4857 | ---- | ---- | ---- | ---- | 198 UNCH |
| 605 | ---- | ---- | ----/0.2555A | 0.3270B/0.2555A | ---- | 0.2620 - 0.0855 | .5200 | ---- | ---- | ---- | ---- | 65 UNCH |
| 610 | ---- | ---- | ----/0.2845A | 0.3615B/0.2845A | ---- | 0.2915 - 0.0905 | .5538 | ---- | ---- | ---- | ---- | 58 UNCH |
| 615 | ---- | ---- | ----/0.3150A | 0.3975B/0.3150A | ---- | 0.3230 - 0.0950 | .5864 | ---- | ---- | ---- | ---- | 16 UNCH |
| 700 | ---- | ---- | ----/*1.0305A | 1.0920B/1.0305A | ---- | 1.0300 - 0.1375 | .9124 | ---- | ---- | ---- | ---- | 1 UNCH |
| 705 | ---- | ---- | ----/1.0780A | 1.1030B/1.0780A | ---- | 1.0775 - 0.1380 | .9201 | ---- | ---- | ---- | ---- | 1 UNCH |
| TOTAL | | | | | | | | | | 226 | | 16976 + 120 |
| AUG26 | | | | | | | | | | | | |
| 330 | ---- | ---- | ---- | ----/0.0035A | ---- | 0.0015 - 0.0005 | .0031 | ---- | ---- | ---- | ---- | 3 UNCH |
| 405 | ---- | ---- | ---- | 0.0015B/*0.0140 | ---- | 0.0075 - 0.0035 | .0159 | ---- | ---- | ---- | ---- | 3 UNCH |
| 420 | ---- | ---- | ---- | 0.0035B/*0.0160 | ---- | 0.0090 - 0.0040 | .0197 | ---- | ---- | ---- | ---- | 1 UNCH |
| 440 | ---- | ---- | ---- | 0.0065B/0.0190A | ---- | 0.0120 - 0.0050 | .0272 | ---- | ---- | ---- | ---- | 5 UNCH |
| 450 | 0.0170 | 0.0170 | 0.0170/*0.0170 | 0.0170/*0.0170 | ---- | 0.0140 - 0.0055 | .0321 | ---- | ---- | 2 | ---- | 7 + 1 |
| 460 | ---- | ---- | ----/*0.0210A | 0.0145B/0.0210A | ---- | 0.0165 - 0.0060 | .0382 | ---- | ---- | ---- | ---- | 1 UNCH |
| 465 | ---- | ---- | ----/*0.0225A | 0.0165B/0.0225A | ---- | 0.0180 - 0.0065 | .0419 | ---- | ---- | ---- | ---- | 1 UNCH |
| 475 | ---- | ---- | ----/*0.0260A | 0.0210B/0.0260A | ---- | 0.0215 - 0.0075 | .0503 | ---- | ---- | ---- | ---- | 5 UNCH |
| 480 | ---- | ---- | ----/*0.0275A | 0.0235B/0.0275A | ---- | 0.0240 - 0.0075 | .0558 | ---- | ---- | ---- | ---- | 4 UNCH |
| 500 | ---- | ---- | ----/0.0385A | 0.0390B/0.0385A | ---- | 0.0355 - 0.0115 | .0820 | ---- | ---- | ---- | ---- | 3 UNCH |
| 505 | 0.0390 | 0.0390 | 0.0390/0.0390 | 0.0440B/0.0390 | ---- | 0.0395 NEW | .0906 | ---- | ---- | 1 | ---- | 1 + 1 |
| 510 | ---- | ---- | ----/0.0460A | 0.0500B/0.0460A | ---- | 0.0440 - 0.0145 | .1001 | ---- | ---- | ---- | ---- | 1 UNCH |
| 520 | ---- | ---- | ----/0.0565A | 0.0635B/0.0565A | ---- | 0.0545 - 0.0180 | .1218 | ---- | ---- | ---- | ---- | 300 UNCH |
| 530 | ---- | ---- | ----/0.0685A | 0.0795B/0.0685A | ---- | 0.0675 - 0.0225 | .1476 | ---- | ---- | 50 | ---- | 51 + 50 |
| 540 | ---- | ---- | ----/0.0845A | 0.1005B/0.0845A | ---- | 0.0840 - 0.0275 | .1782 | ---- | ---- | ---- | ---- | 2 UNCH |
| 545 | ---- | ---- | ----/0.0930A | 0.1120B/0.0930A | ---- | 0.0935 - 0.0305 | .1952 | ---- | ---- | ---- | ---- | 1 UNCH |
| 550 | ---- | ---- | ----/0.1040A | 0.1250B/0.1040A | ---- | 0.1040 - 0.0335 | .2134 | ---- | ---- | ---- | ---- | 22 UNCH |
| 565 | ---- | ---- | ----/0.1405A | 0.1715B/0.1405A | ---- | 0.1425 - 0.0440 | .2749 | ---- | ---- | ---- | ---- | 1 UNCH |
| 570 | ---- | ---- | ----/0.1565A | 0.1910B/0.1565A | ---- | 0.1580 - 0.0475 | .2977 | ---- | ---- | ---- | ---- | 1 UNCH |
| 575 | ---- | ---- | ----/0.1730A | 0.2115B/0.1730A | ---- | 0.1750 - 0.0510 | .3213 | ---- | ---- | ---- | ---- | 1 UNCH |
| 580 | ---- | ---- | ----/0.1880A | 0.2335B/0.1880A | ---- | 0.1930 - 0.0555 | .3456 | ---- | ---- | ---- | ---- | 251 UNCH |
| 585 | ---- | ---- | ----/0.2105A | 0.2570B/0.2105A | ---- | 0.2130 - 0.0590 | .3707 | ---- | ---- | ---- | ---- | 7 UNCH |
| 590 | ---- | ---- | ----/0.2310A | 0.2820B/0.2310A | ---- | 0.2340 - 0.0635 | .3962 | ---- | ---- | ---- | ---- | 14 UNCH |
| 620 | 0.3905 | 0.3905 | 0.3905/0.3870A | 0.4605B/0.3870A | ---- | 0.3930 NEW | .5502 | ---- | ---- | 1 | ---- | 1 + 1 |
| 625 | ---- | ---- | ----/0.4180A | 0.4960B/0.4180A | ---- | 0.4245 - 0.0930 | .5744 | ---- | ---- | ---- | ---- | 5 UNCH |
| TOTAL | | | | | | | | | | 54 | | 692 + 53 |
| SEP26 | | | | | | | | | | | | |
| 400 | ---- | ---- | ---- | 0.0055B/*0.0195 | ---- | 0.0120 - 0.0035 | .0221 | ---- | ---- | ---- | ---- | 1 UNCH |
| 440 | ---- | ---- | ---- | 0.0175B/0.0275A | ---- | 0.0210 - 0.0055 | .0404 | ---- | ---- | ---- | ---- | 2 UNCH |
| 450 | ---- | ---- | ----/0.0305A | 0.0215B/0.0305A | ---- | 0.0245 - 0.0065 | .0474 | ---- | ---- | ---- | ---- | 649 UNCH |
| 470 | ---- | ---- | ----/*0.0390A | 0.0325B/0.0390A | ---- | 0.0340 - 0.0085 | .0658 | ---- | ---- | ---- | ---- | 3 UNCH |
| 475 | ---- | ---- | ----/*0.0420A | 0.0365B/0.0420A | ---- | 0.0370 - 0.0095 | .0715 | ---- | ---- | ---- | ---- | 73 UNCH |
| 480 | ---- | ---- | ----/*0.0455A | 0.0405B/0.0455A | ---- | 0.0400 - 0.0105 | .0774 | ---- | ---- | ---- | ---- | 7 UNCH |
| 485 | ---- | ---- | ----/*0.0495A | 0.0450B/0.0495A | ---- | 0.0435 - 0.0115 | .0840 | ---- | ---- | ---- | ---- | 1 UNCH |
| 490 | ---- | ---- | ----/*0.0545A | 0.0450B/0.0545A | ---- | 0.0475 - 0.0125 | .0914 | ---- | ---- | ---- | ---- | 9 UNCH |
| 500 | ---- | ---- | ----/0.0635A | 0.0565B/0.0635A | ---- | 0.0565 - 0.0155 | .1078 | ---- | ---- | ---- | ---- | 427 UNCH |
| 510 | ---- | ---- | ----/0.0750A | 0.0715B/0.0750A | ---- | 0.0680 - 0.0190 | .1276 | ---- | ---- | ---- | ---- | 2 UNCH |
| 515 | ---- | ---- | ----/*0.0815A | 0.0795B/0.0815A | ---- | 0.0750 - 0.0205 | .1391 | ---- | ---- | ---- | ---- | 1 UNCH |
| 520 | ---- | ---- | ----/0.0890A | 0.0885B/0.0890A | ---- | 0.0820 - 0.0235 | .1508 | ---- | ---- | ---- | ---- | 3 UNCH |
| 525 | ---- | ---- | ----/0.0955A | 0.0985B/0.0955A | ---- | 0.0905 - 0.0255 | .1640 | ---- | ---- | ---- | ---- | 327 UNCH |
| 530 | ---- | ---- | ----/0.1060A | 0.1090B/0.1060A | ---- | 0.0995 - 0.0280 | .1778 | ---- | ---- | ---- | ---- | 2 UNCH |
| 535 | ---- | ---- | ----/0.1135A | 0.1205B/0.1135A | ---- | 0.1095 - 0.0305 | .1927 | ---- | ---- | ---- | ---- | 350 UNCH |
| 540 | ---- | ---- | ----/0.1225A | 0.1390B/0.1225A | ---- | 0.1205 - 0.0330 | .2084 | ---- | ---- | ---- | ---- | 1 UNCH |
| 550 | ---- | ---- | ----/0.1455A | 0.1685B/0.1455A | ---- | 0.1450 - 0.0390 | .2422 | ---- | ---- | ---- | ---- | 220 UNCH |
| 560 | ---- | ---- | ----/0.1740A | 0.2025B/0.1740A | ---- | 0.1740 - 0.0460 | .2792 | ---- | ---- | ---- | ---- | 3 UNCH |
| 570 | ---- | ---- | ----/0.2065A | 0.2415B/0.2065A | ---- | 0.2070 - 0.0535 | .3187 | ---- | ---- | ---- | ---- | 3 UNCH |
| 575 | ---- | ---- | ----/0.2250A | 0.2630B/0.2250A | ---- | 0.2255 - 0.0570 | .3393 | ---- | ---- | ---- | ---- | 102 UNCH |
| 580 | ---- | ---- | ----/0.2430A | 0.2860B/0.2430A | ---- | 0.2450 - 0.0610 | .3604 | ---- | ---- | 2 | ---- | 554 + 2 |
| 585 | ---- | ---- | ----/0.2645A | 0.3115B/0.2645A | ---- | 0.2660 - 0.0645 | .3819 | ---- | ---- | ---- | ---- | 7 UNCH |
| 590 | 0.2815 | 0.2815 | 0.2815/0.2815 | 0.3370B/0.2815 | ---- | 0.2880 - 0.0685 | .4036 | ---- | ---- | 3 | ---- | 335 + 3 |
| 595 | ---- | ---- | ----/0.3100A | 0.3645B/0.3100A | ---- | 0.3115 - 0.0720 | .4256 | ---- | ---- | ---- | ---- | 5 UNCH |
| 600 | ---- | ---- | ----/0.3345A | 0.3920B/0.3345A | ---- | 0.3360 - 0.0760 | .4476 | ---- | ---- | 1 | ---- | 10 + 1 |
| 610 | ---- | ---- | ----/0.3870A | 0.4530B/0.3870A | ---- | 0.3900 - 0.0820 | .4913 | ---- | ---- | ---- | ---- | 11 UNCH |
| 615 | ---- | ---- | ----/0.4160A | 0.4840B/0.4160A | ---- | 0.4185 - 0.0855 | .5127 | ---- | ---- | ---- | ---- | 1 UNCH |
| 620 | ---- | ---- | ----/0.4455A | 0.5125B/0.4455A | ---- | 0.4485 - 0.0885 | .5338 | ---- | ---- | ---- | ---- | 1 UNCH |
| 625 | ---- | ---- | ----/0.4745A | 0.5465B/0.4745A | ---- | 0.4795 - 0.0910 | .5544 | ---- | ---- | ---- | ---- | 147 UNCH |
| 695 | ---- | ---- | ---- | ---- | ---- | 1.0085 - 0.1215 | .7794 | ---- | ---- | ---- | ---- | 2 UNCH |
| TOTAL | | | | | | | | | | 6 | | 3259 + 6 |
| OCT26 | | | | | | | | | | | | |
| 375 | ---- | ---- | ---- | 0.0040B/0.0205A | ---- | 0.0120 - 0.0030 | .0190 | ---- | ---- | ---- | ---- | 2 UNCH |
| 400 | ---- | ---- | ---- | 0.0080B/*0.0240 | ---- | 0.0160 - 0.0035 | .0262 | ---- | ---- | ---- | ---- | 1 UNCH |
| 450 | ---- | ---- | ---- | 0.0270B/0.0380A | ---- | 0.0300 - 0.0080 | .0519 | ---- | ---- | ---- | ---- | 1 UNCH |
| 470 | ---- | ---- | ----/*0.0495A | 0.0410B/0.0495A | ---- | 0.0410 - 0.0120 | .0706 | ---- | ---- | ---- | ---- | 1 UNCH |
| 475 | ---- | ---- | ----/*0.0560A | 0.0410B/0.0560A | ---- | 0.0445 - 0.0130 | .0764 | ---- | ---- | ---- | ---- | 3 UNCH |
| 500 | ---- | ---- | ----/0.0785A | 0.0700B/0.0785A | ---- | 0.0695 - 0.0190 | .1146 | ---- | ---- | ---- | ---- | 60 UNCH |
| 570 | ---- | ---- | ----/0.2325A | 0.2505B/0.2325A | ---- | 0.2255 - 0.0485 | .3028 | ---- | ---- | ---- | ---- | 4 UNCH |
| TOTAL | | | | | | | | | | | | 72 |
| NOV26 | | | | | | | | | | | | |
| 400 | ---- | ---- | ---- | 0.0090B/*0.0325 | ---- | 0.0205 - 0.0035 | .0313 | ---- | ---- | ---- | ---- | 10 UNCH |
| 475 | ---- | ---- | ---- | 0.0535B/0.0705A | ---- | 0.0590 - 0.0115 | .0903 | ---- | ---- | ---- | ---- | 2 UNCH |
| 500 | ---- | ---- | ----/*0.1010A | 0.0895B/0.1010A | ---- | 0.0895 NEW | .1309 | ---- | ---- | 10 | ---- | 10 + 10 |
| 550 | ---- | ---- | ----/0.2095A | 0.2155B/0.2095A | ---- | 0.1995 - 0.0395 | .2528 | ---- | ---- | ---- | ---- | 1 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| HX PUT | | COMEX COPPER OPTIONS | | | | | | | | | | |
| NOV26 | | | | | | | | | | | | |
| 560 | ---- | ---- | ----/0.2415A | 0.2520B/0.2415A | ---- | 0.2315 - 0.0445 | .2830 | ---- | ---- | ---- | ---- | 1 UNCH |
| 590 | ---- | ---- | ----/0.3590A | 0.3860B/0.3590A | ---- | 0.3500 - 0.0620 | .3809 | ---- | ---- | ---- | ---- | 1 UNCH |
| 735 | ---- | ---- | ---- | ---- | ---- | 1.3430 - 0.1210 | .7804 | ---- | ---- | ---- | ---- | 2 UNCH |
| TOTAL | | | | | | | | | | 10 | | 27 + 10 |
| DEC26 | | | | | | | | | | | | |
| 380 | ---- | ---- | ---- | 0.0050B/0.0350A | ---- | 0.0190 - 0.0040 | .0271 | ---- | ---- | ---- | ---- | 2 UNCH |
| 385 | ---- | ---- | ---- | 0.0060B/*0.0360 | ---- | 0.0200 - 0.0040 | .0287 | ---- | ---- | ---- | ---- | 1 UNCH |
| 395 | ---- | ---- | ---- | 0.0080B/0.0380A | ---- | 0.0225 - 0.0045 | .0326 | ---- | ---- | ---- | ---- | 1 UNCH |
| 400 | ---- | ---- | ---- | 0.0095B/0.0395A | ---- | 0.0240 - 0.0045 | .0349 | ---- | ---- | ---- | ---- | 18 UNCH |
| 420 | ---- | ---- | ---- | 0.0165B/0.0465A | ---- | 0.0310 - 0.0055 | .0456 | ---- | ---- | ---- | ---- | 2 UNCH |
| 475 | ---- | ---- | ---- | 0.0645B/0.0865A | ---- | 0.0715 - 0.0135 | .1008 | ---- | ---- | ---- | ---- | 76 UNCH |
| 480 | ---- | ---- | ---- | 0.0715B/0.0925A | ---- | 0.0775 - 0.0145 | .1082 | ---- | ---- | ---- | ---- | 16 UNCH |
| 490 | ---- | ---- | ----/*0.1060A | 0.0870B/0.1060A | ---- | 0.0910 - 0.0170 | .1246 | ---- | ---- | ---- | ---- | 5 UNCH |
| 500 | ---- | ---- | ----/0.1215A | 0.1050B/0.1215A | ---- | 0.1070 - 0.0200 | .1431 | ---- | ---- | ---- | ---- | 103 UNCH |
| 525 | ---- | ---- | ----/*0.1725A | 0.1625B/0.1725A | ---- | 0.1585 - 0.0285 | .1978 | ---- | ---- | ---- | ---- | 1 UNCH |
| 540 | ---- | ---- | ----/0.2120A | 0.2065B/0.2120A | ---- | 0.1985 - 0.0345 | .2361 | ---- | ---- | ---- | ---- | 3 UNCH |
| 550 | ---- | ---- | ----/0.2425A | 0.2405B/0.2425A | ---- | 0.2290 - 0.0395 | .2635 | ---- | ---- | ---- | ---- | 152 UNCH |
| 560 | ---- | ---- | ----/0.2760A | 0.2785B/0.2760A | ---- | 0.2635 - 0.0440 | .2924 | ---- | ---- | ---- | ---- | 300 UNCH |
| 570 | ---- | ---- | ----/0.3135A | 0.3200B/0.3135A | ---- | 0.3010 - 0.0495 | .3222 | ---- | ---- | ---- | ---- | 1 UNCH |
| 580 | ---- | ---- | ----/0.3540A | 0.3650B/0.3540A | ---- | 0.3420 - 0.0550 | .3528 | ---- | ---- | ---- | ---- | 22 UNCH |
| 600 | ---- | ---- | ----/0.4465A | 0.4670B/0.4465A | ---- | 0.4345 - 0.0665 | .4153 | ---- | ---- | ---- | ---- | 31 UNCH |
| 630 | ---- | ---- | ----/0.6100A | 0.6450B/0.6100A | ---- | 0.5990 - 0.0815 | .5082 | ---- | ---- | ---- | ---- | 18 UNCH |
| TOTAL | | | | | | | | | | | | 752 |
| JAN27 | | | | | | | | | | | | |
| 400 | ---- | ---- | ---- | ---- | ---- | 0.0240 - 0.0060 | .0337 | ---- | ---- | ---- | ---- | 8 UNCH |
| TOTAL | | | | | | | | | | | | 8 |
| FEB27 | | | | | | | | | | | | |
| 400 | ---- | ---- | ---- | ---- | ---- | 0.0305 - 0.0065 | .0397 | ---- | ---- | ---- | ---- | 2 UNCH |
| TOTAL | | | | | | | | | | | | 2 |
| MAR27 | | | | | | | | | | | | |
| 275 | ---- | ---- | ---- | ---- | ---- | 0.0155 - 0.0025 | .0146 | ---- | ---- | ---- | ---- | 1 UNCH |
| TOTAL | | | | | | | | | | | | 1 |
| HXE CALL | | COPPER OPTIONS | | | | | | | | | | |
| MAY26 | | | | | | | | | | | | |
| 580 | ---- | ---- | 0.2585B/---- | 0.2585B/0.1700A | ---- | 0.2480 + 0.0930 | .7376 | ---- | ---- | ---- | ---- | 1 UNCH |
| 595 | 0.0495 | 0.0495 | 0.0910/0.0495 | 0.0910/0.0435A | ---- | 0.0835 + 0.0535 | .6343 | ---- | ---- | 65 | ---- | 95 - 27 |
| 600 | ---- | ---- | 0.0610B/---- | 0.0610B/0.0305A | ---- | 0.0560 + 0.0370 | .4826 | ---- | ---- | ---- | ---- | 1 UNCH |
| 600 | ---- | ---- | 0.1040B/---- | 0.1040B/0.0580A | ---- | 0.0960 + 0.0485 | .4960 | ---- | ---- | ---- | ---- | 1 UNCH |
| 601 | 0.0335 | 0.0335 | #0.0555B/*0.033 | #0.0555B/0.0285 | ---- | 0.0515 NEW | .4519 | ---- | ---- | 1 | ---- | 1 + 1 |
| 605 | 0.0210 | 0.0210 | 0.0365B/0.0210 | 0.0365B/0.0210 | ---- | 0.0350 + 0.0240 | .3324 | ---- | ---- | 1 | ---- | 2 + 1 |
| 610 | ---- | ---- | 0.0195B/---- | 0.0195B/0.0165A | ---- | 0.0205 + 0.0140 | .2057 | ---- | ---- | ---- | ---- | 2 UNCH |
| 610 | ---- | ---- | 0.0600B/---- | 0.0600B/0.0350A | ---- | 0.0565 + 0.0295 | .3361 | ---- | ---- | ---- | ---- | 2 UNCH |
| 610 | 0.0920 | 0.0920 | 0.0920/0.0920 | 0.0920/0.0540A | ---- | 0.0875 NEW | .3819 | ---- | ---- | 5 | ---- | 5 + 5 |
| 610 | ---- | ---- | #0.1140B/---- | #0.1140B/0.0730 | ---- | 0.1100 + 0.0465 | .4033 | ---- | ---- | ---- | ---- | 6 UNCH |
| 615 | 0.0105 | 0.0105 | 0.0105/0.0105 | 0.0105/0.0105 | ---- | 0.0115 + 0.0080 | .1159 | ---- | ---- | 30 | ---- | 60 + 30 |
| 615 | ---- | ---- | 0.0445B/---- | 0.0445B/0.0275A | ---- | 0.0425 + 0.0220 | .2671 | ---- | ---- | ---- | ---- | 1 UNCH |
| 615 | 0.0850 | 0.0850 | #0.0960B/*0.085 | #0.0960B/0.0610 | ---- | 0.0930 NEW | .3559 | ---- | ---- | 1 | ---- | 1 + 1 |
| 620 | 0.0340 | 0.0340 | 0.0340/0.0340 | 0.0340/0.0215A | ---- | 0.0315 NEW | .2077 | ---- | ---- | 1 | ---- | 1 + 1 |
| 625 | ---- | ---- | ---- | 0.0005B/0.0075A | ---- | 0.0030 + 0.0020 | .0273 | ---- | ---- | ---- | ---- | 50 UNCH |
| 625 | 0.0250 | 0.0250 | 0.0250/0.0250 | 0.0250/0.0170A | ---- | 0.0235 + 0.0115 | .1599 | ---- | ---- | 1 | ---- | 5 UNCH |
| 635 | ---- | ---- | ---- | ----/0.0060A | ---- | 0.0005 UNCH | .0035 | ---- | ---- | ---- | ---- | 50 UNCH |
| 645 | ---- | ---- | ---- | ----/0.0060A | ---- | 0.0005 UNCH | .0003 | ---- | ---- | ---- | ---- | 50 UNCH |
| TOTAL | | | | | | | | | | 105 | | 334 + 12 |
| HXE PUT | | COPPER OPTIONS | | | | | | | | | | |
| MAY26 | | | | | | | | | | | | |
| 450 | ---- | ---- | ---- | ----/0.0065A | ---- | 0.0005 UNCH | .0002 | ---- | ---- | ---- | ---- | 4 UNCH |
| 560 | ---- | ---- | ----/*0.0070A | 0.0010B/*0.0070 | ---- | 0.0005 - 0.0080 | .0016 | ---- | ---- | ---- | ---- | 10 UNCH |
| 565 | ---- | ---- | ----/*0.0075A | 0.0040B/*0.0075 | ---- | 0.0010 - 0.0120 | .0070 | ---- | ---- | ---- | ---- | 636 UNCH |
| 570 | ---- | ---- | ----/*0.0070A | 0.0100B/*0.0070 | ---- | 0.0020 - 0.0185 | .0159 | ---- | ---- | ---- | ---- | 54 UNCH |
| 575 | ---- | ---- | ----/*0.0085A | 0.0175B/*0.0085 | ---- | 0.0035 - 0.0285 | .0313 | ---- | ---- | ---- | ---- | 32 UNCH |
| 580 | ---- | ---- | ----/*0.0100A | 0.0300B/*0.0100 | ---- | 0.0075 - 0.0410 | .0706 | ---- | ---- | ---- | ---- | 553 UNCH |
| 580 | ---- | ---- | ----/*0.0750A | 0.1155B/*0.0750 | ---- | 0.0750 - 0.0545 | .2919 | ---- | ---- | ---- | ---- | 1 UNCH |
| 590 | ---- | ---- | ----/*0.0265A | 0.0780B/*0.0265 | ---- | 0.0250 - 0.0745 | .2358 | ---- | ---- | ---- | ---- | 5 UNCH |
| 590 | ---- | ---- | ----/0.0595A | 0.1175B/0.0595A | ---- | 0.0595 - 0.0750 | .3399 | ---- | ---- | ---- | ---- | 1 UNCH |
| 595 | ---- | ---- | ----/*0.0405A | 0.0970B/*0.0405 | ---- | 0.0405 - 0.0930 | .3655 | ---- | ---- | ---- | ---- | 1 UNCH |
| 596 | 0.0490 | 0.0490 | #0.0490/*0.0440 | 0.0975B/*0.0440 | ---- | 0.0445 NEW | .3950 | ---- | ---- | 2 | ---- | 2 + 2 |
| 600 | ---- | ---- | ----/0.0605A | 0.1495B/0.0605A | ---- | 0.0630 - 0.1090 | .5173 | ---- | ---- | ---- | ---- | 1 UNCH |
| TOTAL | | | | | | | | | | 2 | | 1300 + 2 |

ALUMINIUM OPTIONS ON FUTURES

| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|

PLATINUM OPTIONS ON FUTURES

| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| PAO CALL | | NYMEX PALLADIUM OPTIONS | | | | | | | | | | |
| JUN26 | | | | | | | | | | | | |
| 1400 | ---- | ---- | 137.20B/---- | 137.20B/120.90A | ---- | 127.50 + 23.30 | .8265 | ---- | ---- | ---- | ---- | 75 UNCH |
| 1440 | ---- | ---- | ---- | ---- | ---- | 96.40 + 18.70 | .7363 | ---- | ---- | ---- | ---- | 1 UNCH |
| 1460 | ---- | ---- | ---- | ---- | ---- | 82.60 + 16.30 | .6814 | ---- | ---- | ---- | ---- | 25 UNCH |
| 1500 | ---- | ---- | 64.00B/---- | 64.00B/60.60A | ---- | 59.20 + 11.70 | .5596 | ---- | ---- | 1 | ---- | 110 UNCH |
| 1525 | ---- | ---- | 50.80B/---- | 50.80B/50.00A | ---- | 47.50 + 9.20 | .4818 | ---- | ---- | ---- | ---- | 5 UNCH |
| 1550 | ---- | ---- | 39.80B/---- | 39.80B/40.90A | ---- | 37.90 + 7.10 | .4077 | ---- | ---- | ---- | 40 | 94 + 40 |
| 1575 | ---- | ---- | 30.80B/---- | 30.80B/33.50A | ---- | 30.10 + 5.20 | .3402 | ---- | ---- | ---- | ---- | 15 UNCH |
| 1600 | ---- | ---- | 23.60B/---- | 23.60B/27.60A | ---- | 23.90 + 3.80 | .2810 | ---- | ---- | ---- | ---- | 49 UNCH |
| 1650 | ---- | ---- | ---- | 13.30B/19.20A | ---- | 15.30 + 2.00 | .1892 | ---- | ---- | ---- | ---- | 67 UNCH |
| 1700 | ---- | ---- | ---- | 7.40B/14.30A | ---- | 10.10 + 0.80 | .1277 | ---- | ---- | 1 | ---- | 32 - 1 |
| 1750 | ---- | ---- | ---- | 3.80B/11.60A | ---- | 6.80 + 0.20 | .0868 | ---- | ---- | ---- | ---- | 142 UNCH |
| 1800 | ---- | ---- | ---- | 1.50B/*9.90A | ---- | 4.70 UNCH | .0599 | ---- | ---- | 1 | ---- | 112 UNCH |
| 1850 | ---- | ---- | ---- | 0.10B/*8.80A | ---- | 3.40 - 0.20 | .0427 | ---- | ---- | ---- | ---- | 67 UNCH |
| 1900 | ---- | ---- | ---- | ----/*8.10A | ---- | 2.50 - 0.20 | .0309 | ---- | ---- | ---- | ---- | 64 UNCH |
| 1925 | ---- | ---- | ---- | ----/*7.80A | ---- | 2.10 - 0.20 | .0259 | ---- | ---- | ---- | ---- | 40 UNCH |
| 1950 | ---- | ---- | ---- | ----/*7.50A | ---- | 1.80 - 0.30 | .0220 | ---- | ---- | ---- | ---- | 10 UNCH |
| 2000 | ---- | ---- | ---- | ----/*7.10A | ---- | 1.30 - 0.30 | .0158 | ---- | ---- | ---- | ---- | 108 UNCH |
| 2100 | ---- | ---- | ---- | ----/*6.40A | ---- | 0.60 - 0.10 | .0073 | ---- | ---- | ---- | ---- | 52 UNCH |
| 2200 | ---- | ---- | ---- | ----/*5.90A | ---- | 0.30 UNCH | .0036 | ---- | ---- | ---- | ---- | 8 UNCH |
| 2300 | ---- | ---- | ---- | ----/*5.50A | ---- | 0.10 - 0.10 | .0012 | ---- | ---- | ---- | ---- | 30 UNCH |
| 2400 | ---- | ---- | ---- | ----/*5.30A | ---- | 0.10 UNCH | .0004 | ---- | ---- | ---- | ---- | 7 UNCH |
| 2500 | ---- | ---- | ---- | ----/*5.10A | ---- | 0.10 UNCH | .0001 | ---- | ---- | ---- | ---- | 25 UNCH |
| 2700 | ---- | ---- | ---- | ----/*4.90A | ---- | 0.10 UNCH | .0000 | ---- | ---- | ---- | ---- | 50 UNCH |
| 3000 | ---- | ---- | ---- | ----/*4.70A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 30 UNCH |
| 3500 | ---- | ---- | ---- | ----/4.60A | ---- | 0.10 UNCH | ---- | ---- | ---- | ---- | ---- | 25 UNCH |
| TOTAL | | | | | | | | | 40 | 3 | | 1243 + 39 |
| JUL26 | | | | | | | | | | | | |
| 1550 | ---- | ---- | 84.50B/---- | 84.50B/82.80A | ---- | 81.80 + 12.30 | .5058 | ---- | ---- | ---- | ---- | 50 UNCH |
| 1600 | ---- | ---- | 63.30B/---- | 63.30B/64.50A | ---- | 62.00 + 9.50 | .4174 | ---- | ---- | ---- | ---- | 50 UNCH |
| 1800 | ---- | ---- | ---- | 18.10B/25.70A | ---- | 20.90 + 2.50 | .1712 | ---- | ---- | ---- | ---- | 49 UNCH |
| TOTAL | | | | | | | | | | | | 149 0 |
| AUG26 | | | | | | | | | | | | |
| 1600 | ---- | ---- | 87.70B/---- | 87.70B/89.50A | ---- | 87.00 + 11.30 | .4505 | ---- | ---- | ---- | ---- | 100 UNCH |
| 1800 | ---- | ---- | 34.70B/---- | 34.70B/43.30A | ---- | 38.00 + 4.40 | .2357 | ---- | ---- | ---- | ---- | 100 UNCH |
| TOTAL | | | | | | | | | | | | 200 0 |
| SEP26 | | | | | | | | | | | | |
| 1400 | ---- | ---- | 211.80B/---- | 211.80B/205.80A | ---- | 207.90 + 20.40 | .7047 | ---- | ---- | ---- | ---- | 75 UNCH |
| 1575 | ---- | ---- | 121.70B/---- | 121.70B/124.20A | ---- | 121.70 + 13.50 | .5021 | ---- | ---- | ---- | ---- | 25 UNCH |
| 1625 | ---- | ---- | 102.50B/---- | 102.50B/106.60A | ---- | 103.20 + 11.80 | .4474 | ---- | ---- | ---- | ---- | 20 UNCH |
| 1665 | ---- | ---- | 88.80B/---- | 88.80B/94.20A | ---- | 90.20 + 10.50 | .4060 | ---- | ---- | ---- | ---- | 9 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS

**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

64
Side 63

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| PAO CALL | | NYMEX PALLADIUM OPTIONS | | | | | | | | | | |
| SEP26 | | | | | | | | | | | | |
| 1700 | ---- | ---- | 78.10B/---- | 78.10B/84.60A | ---- | 80.10 + 9.40 | .3718 | ---- | ---- | ---- | ---- | 55 UNCH |
| 1800 | ---- | ---- | 53.90B/---- | 53.90B/63.10A | ---- | 57.40 + 6.50 | .2865 | ---- | ---- | ---- | ---- | 6 UNCH |
| 1875 | ---- | ---- | 41.30B/---- | 41.30B/51.80A | ---- | 45.70 + 4.90 | .2363 | ---- | ---- | ---- | ---- | 25 UNCH |
| 1900 | ---- | ---- | ---- | 37.90B/48.80A | ---- | 42.60 + 4.40 | .2222 | ---- | ---- | ---- | ---- | 5 UNCH |
| 2000 | ---- | ---- | ---- | 27.50B/39.20A | ---- | 32.70 + 3.10 | .1749 | ---- | ---- | ---- | ---- | 25 UNCH |
| 2100 | ---- | ---- | ---- | 20.50B/32.50A | ---- | 25.40 + 2.40 | .1387 | ---- | ---- | ---- | ---- | 25 UNCH |
| 2200 | ---- | ---- | ---- | 15.40B/27.80A | ---- | 20.50 + 1.80 | .1127 | ---- | ---- | ---- | ---- | 5 UNCH |
| 2400 | ---- | ---- | ---- | 8.80B/21.80A | ---- | 14.80 + 1.20 | .0804 | ---- | ---- | ---- | ---- | 15 UNCH |
| 2550 | ---- | ---- | ---- | 5.80B/19.00A | ---- | 11.90 + 0.90 | .0641 | ---- | ---- | ---- | ---- | 50 UNCH |
| TOTAL | | | | | | | | | | | | 340 0 |
| DEC26 | | | | | | | | | | | | |
| 1800 | ---- | ---- | ---- | ---- | ---- | 112.30 NEW | .3826 | ---- | ---- | ---- | 25 | 25 + 25 |
| 2000 | ---- | ---- | ---- | ---- | ---- | 81.10 + 8.50 | .2865 | ---- | ---- | ---- | ---- | 1 UNCH |
| 3000 | ---- | ---- | ---- | ---- | ---- | 26.60 + 2.80 | .0976 | ---- | ---- | ---- | ---- | 1 UNCH |
| TOTAL | | | | | | | | | 25 | | | 27 + 25 |
| PAO PUT | | NYMEX PALLADIUM OPTIONS | | | | | | | | | | |
| JUN26 | | | | | | | | | | | | |
| 1195 | ---- | ---- | ---- | ----/5.40A | ---- | 0.40 - 0.60 | .0062 | ---- | ---- | ---- | ---- | 113 UNCH |
| 1200 | ---- | ---- | ---- | ----/5.50A | ---- | 0.50 - 0.60 | .0077 | ---- | ---- | ---- | ---- | 15 UNCH |
| 1250 | ---- | ---- | ---- | ----/*6.40A | ---- | 1.40 - 1.50 | .0206 | ---- | ---- | ---- | ---- | 1 UNCH |
| 1300 | ---- | ---- | ---- | ----/*7.90A | ---- | 3.40 - 3.00 | .0477 | ---- | ---- | ---- | ---- | 135 UNCH |
| 1325 | ---- | ---- | ---- | 2.20B/*9.20A | ---- | 5.00 - 4.00 | .0684 | ---- | ---- | ---- | ---- | 18 UNCH |
| 1335 | ---- | ---- | ----/*9.90A | 3.20B/*9.90A | ---- | 5.70 - 4.50 | .0776 | ---- | ---- | ---- | ---- | 1 UNCH |
| 1350 | ---- | ---- | ----/*11.10A | 5.10B/*11.10A | ---- | 7.00 - 5.30 | .0941 | ---- | ---- | 1 | ---- | 12 + 1 |
| 1400 | ---- | ---- | ----/*17.40A | 13.50B/17.40A | ---- | 13.90 - 8.90 | .1734 | ---- | ---- | ---- | ---- | 236 UNCH |
| 1440 | ---- | ---- | ----/25.60A | 24.60B/25.60A | ---- | 22.80 - 13.50 | .2636 | ---- | ---- | ---- | ---- | 4 UNCH |
| 1450 | ---- | ---- | ----/28.20A | 28.30B/28.20A | ---- | 25.70 - 14.70 | .2902 | ---- | ---- | ---- | ---- | 101 UNCH |
| 1460 | ---- | ---- | ----/31.10A | 32.30B/31.10A | ---- | 29.00 - 15.80 | .3184 | ---- | ---- | ---- | ---- | 100 UNCH |
| 1475 | ---- | ---- | ----/36.10A | 39.00B/36.10A | ---- | 34.50 - 17.60 | .3627 | ---- | ---- | ---- | ---- | 10 UNCH |
| 1500 | ---- | ---- | ----/46.00A | 51.90B/46.00A | ---- | 45.60 - 20.30 | .4402 | ---- | ---- | ---- | ---- | 54 UNCH |
| 1550 | ---- | ---- | ----/72.00A | 83.50B/72.00A | ---- | 74.10 - 25.20 | .5922 | ---- | ---- | ---- | ---- | 1 UNCH |
| 1750 | ---- | ---- | ----/233.20A | 256.20B/233.20A | ---- | 242.80 - 31.90 | .9131 | ---- | ---- | ---- | ---- | 1 UNCH |
| 1900 | ---- | ---- | ----/378.20A | 402.30B/378.20A | ---- | 388.40 - 32.30 | .9690 | ---- | ---- | ---- | ---- | 50 UNCH |
| TOTAL | | | | | | | | | | 1 | | 852 + 1 |
| JUL26 | | | | | | | | | | | | |
| 1285 | ---- | ---- | ---- | 9.70B/16.90A | ---- | 12.60 - 4.20 | .1027 | ---- | ---- | ---- | ---- | 9 UNCH |
| 1300 | ---- | ---- | ----/*18.50A | 11.80B/18.50A | ---- | 14.40 - 4.70 | .1156 | ---- | ---- | ---- | ---- | 125 UNCH |
| 1400 | ---- | ---- | ----/*35.70A | 32.20B/35.70A | ---- | 32.70 - 9.50 | .2324 | ---- | ---- | ---- | ---- | 20 UNCH |
| 1450 | ---- | ---- | ----/49.80A | 49.20B/49.80A | ---- | 47.90 - 13.20 | .3124 | ---- | ---- | ---- | ---- | 30 UNCH |
| TOTAL | | | | | | | | | | | | 184 0 |
| SEP26 | | | | | | | | | | | | |
| 1300 | ---- | ---- | ----/45.50A | 36.40B/45.50A | ---- | 40.50 - 6.90 | .1917 | ---- | ---- | ---- | ---- | 10 UNCH |
| 1460 | ---- | ---- | ----/99.90A | 96.00B/99.90A | ---- | 96.70 - 14.30 | .3645 | ---- | ---- | ---- | ---- | 75 UNCH |
| 1465 | ---- | ---- | ----/102.20A | 98.50B/102.20A | ---- | 99.00 - 14.50 | .3703 | ---- | ---- | ---- | ---- | 150 UNCH |
| 1550 | ---- | ---- | ----/145.60A | 145.10B/145.60A | ---- | 143.80 - 17.60 | .4694 | ---- | ---- | ---- | ---- | 100 UNCH |
| 1575 | ---- | ---- | ----/159.90A | 160.30B/159.90A | ---- | 158.40 - 18.50 | .4976 | ---- | ---- | ---- | ---- | 25 UNCH |
| 1650 | ---- | ---- | ----/206.30A | 209.40B/206.30A | ---- | 206.10 - 20.90 | .5784 | ---- | ---- | ---- | ---- | 50 UNCH |
| 1925 | ---- | ---- | ----/418.70A | 431.90B/418.70A | ---- | 424.00 - 27.90 | .7909 | ---- | ---- | ---- | ---- | 75 UNCH |
| TOTAL | | | | | | | | | | | | 485 0 |
| DEC26 | | | | | | | | | | | | |
| 1500 | ---- | ---- | ---- | ---- | ---- | 157.80 - 13.50 | .3921 | ---- | ---- | ---- | ---- | 40 UNCH |
| TOTAL | | | | | | | | | | | | 40 0 |
| PLW OOF | | PLATINUM WEEKLY FRIDAY OPTION Week3 | | | | | | | | | | |
| MAY26 | | | | | | | | | | | | |
| 1800 | ---- | ---- | ----/*8.10A | 5.20B/*8.10A | ---- | 6.40 - 2.60 | .0834 | ---- | ---- | ---- | ---- | 7 UNCH |
| 1900 | ---- | ---- | 118.40B/90.50A | 118.40B/90.50A | ---- | 97.70 + 6.20 | .7398 | ---- | ---- | ---- | ---- | 30 UNCH |
| 2000 | ---- | ---- | 53.50B/---- | 53.50B/41.10A | ---- | 42.60 + 3.10 | .4369 | ---- | ---- | ---- | ---- | 20 UNCH |
| 2025 | ---- | ---- | 23.10B/15.20A | 23.10B/15.20A | ---- | 14.60 - 0.80 | .2549 | ---- | ---- | ---- | ---- | 20 UNCH |
| 2075 | ---- | ---- | 24.60B/---- | 24.60B/20.20A | ---- | 19.30 + 0.50 | .2360 | ---- | ---- | ---- | ---- | 40 UNCH |
| TOTAL | | | | | | | | | | | | 117 0 |
| PO CALL | | PLATINUM OPTIONS | | | | | | | | | | |
| JUN26 | | | | | | | | | | | | |
| 1900 | ---- | ---- | 125.30B/98.70A | 125.30B/98.70A | ---- | 105.40 + 6.30 | .7088 | ---- | ---- | ---- | ---- | 1 UNCH |
| 1950 | ---- | ---- | 90.90B/---- | 90.90B/71.60A | ---- | 75.50 + 4.40 | .5817 | ---- | ---- | ---- | ---- | 6 UNCH |
| 2000 | ---- | ---- | 63.60B/---- | 63.60B/50.30A | ---- | 52.10 + 3.40 | .4518 | ---- | ---- | ---- | ---- | 20 UNCH |
| 2025 | ---- | ---- | 52.30B/---- | 52.30B/41.80A | ---- | 42.50 + 3.00 | .3900 | ---- | ---- | ---- | ---- | 27 UNCH |
| 2050 | ---- | ---- | 42.50B/---- | 42.50B/34.20A | ---- | 34.40 + 2.50 | .3321 | ---- | ---- | ---- | 25 | 66 - 10 |
| 2055 | ---- | ---- | 40.70B/---- | 40.70B/32.80A | ---- | 32.90 + 2.30 | .3210 | ---- | ---- | ---- | ---- | 100 UNCH |
| 2075 | ---- | ---- | 34.10B/---- | 34.10B/28.00A | ---- | 27.70 + 1.80 | .2797 | ---- | ---- | ---- | ---- | 15 UNCH |
| 2085 | ---- | ---- | 31.10B/---- | 31.10B/25.90A | ---- | 25.40 + 1.60 | .2605 | ---- | ---- | ---- | ---- | 15 UNCH |
| 2090 | ---- | ---- | 29.70B/---- | 29.70B/24.90A | ---- | 24.30 + 1.40 | .2511 | ---- | ---- | ---- | ---- | 15 UNCH |
| 2095 | ---- | ---- | 28.40B/---- | 28.40B/23.90A | ---- | 23.30 + 1.30 | .2423 | ---- | ---- | ---- | ---- | 15 UNCH |
| 2100 | ---- | ---- | 27.10B/---- | 27.10B/23.00A | ---- | 22.30 + 1.10 | .2336 | ---- | ---- | ---- | ---- | 16 UNCH |
| 2120 | ---- | ---- | 22.50B/---- | 22.50B/19.80A | ---- | 18.80 + 0.60 | .2016 | ---- | ---- | ---- | ---- | 15 UNCH |
| 2130 | ---- | ---- | 20.40B/---- | 20.40B/18.50A | ---- | 17.30 + 0.50 | .1872 | ---- | ---- | ---- | ---- | 55 UNCH |
| 2140 | ---- | ---- | 18.60B/---- | 18.60B/17.20A | ---- | 16.00 + 0.40 | .1743 | ---- | ---- | ---- | ---- | 15 UNCH |
| 2145 | ---- | ---- | 17.70B/---- | 17.70B/16.60A | ---- | 15.30 + 0.20 | .1676 | ---- | ---- | ---- | ---- | 15 UNCH |
| 2150 | ---- | ---- | 16.90B/---- | 16.90B/16.10A | ---- | 14.70 + 0.20 | .1616 | ---- | ---- | ---- | ---- | 21 UNCH |
| 2165 | ---- | ---- | 14.70B/---- | 14.70B/14.60A | ---- | 13.10 + 0.10 | .1451 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2175 | ---- | ---- | 13.40B/---- | 13.40B/13.70A | ---- | 12.10 UNCH | .1347 | ---- | ---- | ---- | ---- | 12 UNCH |
| 2180 | ---- | ---- | 12.80B/---- | 12.80B/13.30A | ---- | 11.60 - 0.10 | .1296 | ---- | ---- | ---- | ---- | 12 UNCH |
| 2185 | ---- | ---- | 12.20B/---- | 12.20B/12.90A | ---- | 11.20 - 0.10 | .1252 | ---- | ---- | ---- | ---- | 12 UNCH |
| 2190 | ---- | ---- | 11.60B/---- | 11.60B/12.60A | ---- | 10.80 - 0.10 | .1209 | ---- | ---- | ---- | ---- | 16 UNCH |
| 2195 | ---- | ---- | 11.10B/---- | 11.10B/12.20A | ---- | 10.40 - 0.10 | .1166 | ---- | ---- | ---- | ---- | 12 UNCH |
| 2200 | ---- | ---- | 10.60B/---- | 10.60B/11.90A | ---- | 10.00 - 0.10 | .1124 | ---- | ---- | ---- | ---- | 364 UNCH |
| 2205 | ---- | ---- | 10.10B/---- | 10.10B/11.60A | ---- | 9.70 - 0.10 | .1089 | ---- | ---- | ---- | ---- | 12 UNCH |
| 2210 | ---- | ---- | 9.60B/---- | 9.60B/11.30A | ---- | 9.30 - 0.20 | .1047 | ---- | ---- | ---- | ---- | 24 UNCH |
| 2220 | ---- | ---- | ---- | 8.70B/10.70A | ---- | 8.70 - 0.10 | .0979 | ---- | ---- | ---- | ---- | 6 UNCH |
| 2225 | ---- | ---- | ---- | 8.30B/10.50A | ---- | 8.40 - 0.20 | .0946 | ---- | ---- | ---- | ---- | 44 UNCH |
| 2230 | ---- | ---- | ---- | 7.90B/10.20A | ---- | 8.10 - 0.20 | .0913 | ---- | ---- | ---- | ---- | 24 UNCH |
| 2235 | ---- | ---- | ---- | 7.50B/10.00A | ---- | 7.90 - 0.10 | .0888 | ---- | ---- | ---- | ---- | 12 UNCH |
| 2240 | ---- | ---- | ---- | 7.20B/9.80A | ---- | 7.60 - 0.20 | .0856 | ---- | ---- | ---- | ---- | 27 UNCH |
| 2250 | ---- | ---- | ---- | 6.50B/9.30A | ---- | 7.10 - 0.20 | .0799 | ---- | ---- | ---- | ---- | 113 UNCH |
| 2255 | ---- | ---- | ---- | 6.20B/*9.10A | ---- | 6.90 - 0.20 | .0775 | ---- | ---- | ---- | ---- | 15 UNCH |
| 2270 | ---- | ---- | ---- | 5.40B/*8.60A | ---- | 6.30 - 0.20 | .0706 | ---- | ---- | ---- | ---- | 72 UNCH |
| 2280 | ---- | ---- | ---- | 4.80B/*8.30A | ---- | 5.90 - 0.20 | .0660 | ---- | ---- | ---- | ---- | 60 UNCH |
| 2300 | ---- | ---- | ---- | 3.90B/*7.70A | ---- | 5.30 - 0.20 | .0588 | ---- | ---- | ---- | ---- | 423 UNCH |
| 2320 | ---- | ---- | ---- | 3.20B/*7.20A | ---- | 4.80 - 0.10 | .0528 | ---- | ---- | ---- | ---- | 78 UNCH |
| 2340 | ---- | ---- | ---- | 2.60B/*6.80A | ---- | 4.30 - 0.20 | .0470 | ---- | ---- | ---- | ---- | 30 UNCH |
| 2345 | ---- | ---- | ---- | 2.40B/*6.70A | ---- | 4.20 - 0.10 | .0458 | ---- | ---- | ---- | ---- | 15 UNCH |
| 2350 | ---- | ---- | ---- | 2.30B/*6.60A | ---- | 4.00 - 0.20 | .0438 | ---- | ---- | ---- | ---- | 55 UNCH |
| 2355 | ---- | ---- | ---- | 2.10B/*6.50A | ---- | 3.90 - 0.20 | .0426 | ---- | ---- | ---- | ---- | 17 UNCH |
| 2400 | ---- | ---- | ---- | 1.10B/*5.80A | ---- | 3.00 - 0.20 | .0324 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2420 | ---- | ---- | ---- | 2.50B/*5.60A | ---- | 2.70 - 0.20 | .0290 | ---- | ---- | ---- | ---- | 4 UNCH |
| 2450 | ---- | ---- | ---- | 0.30B/*5.30A | ---- | 2.40 - 0.20 | .0253 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2500 | ---- | ---- | ---- | ----/*4.80A | ---- | 1.70 - 0.10 | .0180 | ---- | ---- | ---- | ---- | 100 UNCH |
| 2650 | ---- | ---- | ---- | ----/*4.00A | ---- | 0.50 - 0.10 | .0054 | ---- | ---- | ---- | ---- | 17 UNCH |
| 2750 | ---- | ---- | ---- | ----/3.70A | ---- | 0.20 - 0.10 | .0022 | ---- | ---- | ---- | ---- | 2 UNCH |
| TOTAL | | | | | | | | | 25 | | | 1998 - 10 |
| JUL26 | | | | | | | | | | | | |
| 1500 | ---- | ---- | 504.00B/462.80A | 504.00B/462.80A | ---- | 477.40 + 13.00 | .9735 | ---- | ---- | ---- | ---- | 50 UNCH |
| 1680 | ---- | ---- | ---- | ---- | ---- | 310.40 + 11.10 | .8907 | ---- | ---- | ---- | ---- | 50 UNCH |
| 1700 | ---- | ---- | 316.80B/281.00A | 316.80B/281.00A | ---- | 293.10 + 10.60 | .8751 | ---- | ---- | ---- | ---- | 1 UNCH |
| 1800 | ---- | ---- | 234.60B/204.70A | 234.60B/204.70A | ---- | 213.60 + 8.30 | .7729 | ---- | ---- | ---- | ---- | 118 UNCH |
| 1850 | ---- | ---- | 198.00B/172.00A | 198.00B/172.00A | ---- | 179.00 + 6.90 | .7082 | ---- | ---- | ---- | ---- | 1 UNCH |
| 1960 | 113.90 | 113.90 | 116.20B/113.90 | 116.20B/113.90 | ---- | 117.00 NEW | .5498 | ---- | ---- | 23 | ---- | 23 + 23 |
| 2000 | ---- | ---- | 111.60B/---- | 111.60B/97.10A | ---- | 99.10 + 3.50 | .4917 | ---- | ---- | ---- | ---- | 160 UNCH |
| 2050 | ---- | ---- | 90.20B/---- | 90.20B/79.00A | ---- | 79.90 + 2.90 | .4223 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2085 | ---- | ---- | 77.20B/---- | 77.20B/68.10A | ---- | 68.30 + 2.40 | .3764 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2100 | 70.00 | 70.00 | 72.20B/63.70A | 72.20B/63.70A | ---- | 63.90 + 2.30 | .3578 | ---- | ---- | 80 | ---- | 455 + 5 |
| 2150 | ---- | ---- | 57.20B/---- | 57.20B/51.10A | ---- | 50.80 + 1.60 | .2997 | ---- | ---- | ---- | ---- | 17 UNCH |
| 2170 | ---- | ---- | 52.10B/---- | 52.10B/46.80A | ---- | 46.30 + 1.30 | .2785 | ---- | ---- | ---- | ---- | 4 UNCH |
| 2200 | ---- | ---- | 45.10B/---- | 45.10B/41.10A | ---- | 40.40 + 1.10 | .2491 | ---- | ---- | ---- | 50 | 456 - 50 |
| 2250 | ---- | ---- | 35.50B/---- | 35.50B/33.30A | ---- | 32.20 + 0.60 | .2061 | ---- | ---- | ---- | ---- | 110 UNCH |
| 2300 | ---- | ---- | 28.10B/---- | 28.10B/27.40A | ---- | 25.90 + 0.30 | .1706 | ---- | ---- | ---- | ---- | 168 UNCH |
| 2350 | ---- | ---- | 22.30B/---- | 22.30B/22.90A | ---- | 21.10 UNCH | .1418 | ---- | ---- | ---- | ---- | 131 UNCH |
| 2375 | ---- | ---- | 20.00B/---- | 20.00B/21.10A | ---- | 19.20 UNCH | .1299 | ---- | ---- | ---- | ---- | 50 UNCH |
| 2400 | ---- | ---- | 17.90B/---- | 17.90B/19.60A | ---- | 17.50 - 0.10 | .1191 | ---- | ---- | ---- | ---- | 867 UNCH |
| 2450 | ---- | ---- | ---- | 14.50B/17.00A | ---- | 14.80 - 0.10 | .1012 | ---- | ---- | ---- | ---- | 50 UNCH |
| 2480 | ---- | ---- | ---- | 12.80B/15.80A | ---- | 13.50 - 0.10 | .0923 | ---- | ---- | ---- | ---- | 50 UNCH |
| 2500 | ---- | ---- | ---- | 11.90B/15.10A | ---- | 12.70 - 0.20 | .0868 | ---- | ---- | ---- | ---- | 429 UNCH |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



| | GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| PO CALL | | PLATINUM OPTIONS | | | | | | | | | | |
| JUL26 | | | | | | | | | | | | |
| 2600 | ---- | ---- | ---- | 8.20B/12.30A | ---- | 9.80 - 0.20 | .0662 | ---- | ---- | ---- | ---- | 363 UNCH |
| 2650 | ---- | ---- | ---- | 7.00B/11.30A | ---- | 8.70 - 0.20 | .0584 | ---- | ---- | ---- | ---- | 2 UNCH |
| 2700 | ---- | ---- | ---- | 5.90B/10.50A | ---- | 7.80 - 0.20 | .0519 | ---- | ---- | ---- | ---- | 114 UNCH |
| 2800 | ---- | ---- | ---- | 4.30B/*9.20A | ---- | 6.30 - 0.10 | .0413 | ---- | ---- | ---- | ---- | 348 UNCH |
| 2850 | ---- | ---- | ---- | 3.70B/*8.70A | ---- | 5.60 - 0.20 | .0366 | ---- | ---- | ---- | ---- | 91 UNCH |
| 2900 | ---- | ---- | ---- | 3.10B/*8.20A | ---- | 5.10 - 0.20 | .0331 | ---- | ---- | ---- | ---- | 190 UNCH |
| 3000 | ---- | ---- | ---- | 2.20B/*7.50A | ---- | 4.30 - 0.20 | .0274 | ---- | ---- | ---- | ---- | 583 UNCH |
| 3100 | ---- | ---- | ---- | 1.50B/*6.90A | ---- | 3.70 - 0.20 | .0231 | ---- | ---- | ---- | ---- | 159 UNCH |
| 3200 | ---- | ---- | ---- | ----/8.60A | ---- | 3.30 - 0.20 | .0201 | ---- | ---- | ---- | ---- | 18 UNCH |
| 3300 | ---- | ---- | ---- | ----/*8.20A | ---- | 3.00 - 0.10 | .0179 | ---- | ---- | ---- | ---- | 31 UNCH |
| 3400 | ---- | ---- | ---- | ----/*7.80A | ---- | 2.30 - 0.20 | .0139 | ---- | ---- | ---- | ---- | 32 UNCH |
| 3500 | ---- | ---- | ---- | ----/*7.50A | ---- | 1.90 - 0.10 | .0114 | ---- | ---- | ---- | ---- | 274 UNCH |
| 3600 | ---- | ---- | ---- | ----/*7.20A | ---- | 1.50 - 0.10 | .0091 | ---- | ---- | ---- | ---- | 300 UNCH |
| 3800 | ---- | ---- | ---- | ----/*4.70A | ---- | 1.10 - 0.10 | .0066 | ---- | ---- | ---- | ---- | 12 UNCH |
| 3900 | ---- | ---- | ---- | ----/*4.50A | ---- | 0.90 - 0.10 | .0054 | ---- | ---- | ---- | ---- | 8 UNCH |
| 4000 | ---- | ---- | ---- | ----/4.40A | ---- | 0.80 UNCH | .0047 | ---- | ---- | ---- | ---- | 221 UNCH |
| TOTAL | | | | | | | | | 50 | 103 | | 5938 - 22 |
| AUG26 | | | | | | | | | | | | |
| 2300 | ---- | ---- | 58.80B/---- | 58.80B/55.90A | ---- | 54.50 + 1.30 | .2573 | ---- | ---- | ---- | ---- | 10 UNCH |
| TOTAL | | | | | | | | | | | | 10 0 |
| OCT26 | | | | | | | | | | | | |
| 1720 | ---- | ---- | ---- | ---- | ---- | 348.60 + 8.90 | .7670 | ---- | ---- | ---- | ---- | 1 UNCH |
| 1800 | ---- | ---- | 313.40B/---- | 313.40B/291.20A | ---- | 297.20 + 7.30 | .7065 | ---- | ---- | ---- | ---- | 1 UNCH |
| 1900 | ---- | ---- | 255.40B/---- | 255.40B/238.00A | ---- | 241.80 + 6.20 | .6263 | ---- | ---- | ---- | ---- | 2 UNCH |
| 2000 | ---- | ---- | 206.80B/---- | 206.80B/194.00A | ---- | 195.90 + 5.60 | .5457 | ---- | ---- | ---- | ---- | 4 UNCH |
| 2125 | ---- | ---- | 158.20B/---- | 158.20B/150.20A | ---- | 150.90 + 5.00 | .4522 | ---- | ---- | ---- | ---- | 12 UNCH |
| 2135 | ---- | ---- | 154.80B/---- | 154.80B/147.10A | ---- | 147.80 + 5.00 | .4452 | ---- | ---- | ---- | ---- | 12 UNCH |
| 2200 | ---- | ---- | 134.50B/---- | 134.50B/129.00A | ---- | 128.80 + 4.50 | .4014 | ---- | ---- | ---- | ---- | 135 UNCH |
| 2400 | ---- | ---- | 87.40B/---- | 87.40B/86.70A | ---- | 83.90 + 3.10 | .2867 | ---- | ---- | ---- | ---- | 245 UNCH |
| 2500 | ---- | ---- | 70.50B/---- | 70.50B/71.30A | ---- | 68.40 + 2.60 | .2419 | ---- | ---- | ---- | ---- | 281 UNCH |
| 2600 | ---- | ---- | 57.10B/---- | 57.10B/59.10A | ---- | 56.10 + 1.80 | .2043 | ---- | ---- | ---- | ---- | 10 UNCH |
| 2700 | ---- | ---- | 46.50B/---- | 46.50B/49.60A | ---- | 46.40 + 1.10 | .1730 | ---- | ---- | ---- | ---- | 360 UNCH |
| 2800 | ---- | ---- | 38.10B/---- | 38.10B/42.20A | ---- | 38.40 + 0.90 | .1465 | ---- | ---- | ---- | ---- | 31 UNCH |
| 2850 | ---- | ---- | 34.70B/---- | 34.70B/39.10A | ---- | 35.00 + 0.80 | .1349 | ---- | ---- | ---- | ---- | 100 UNCH |
| 2900 | ---- | ---- | 31.60B/---- | 31.60B/36.50A | ---- | 32.00 + 0.60 | .1244 | ---- | ---- | ---- | ---- | 210 UNCH |
| 3000 | ---- | ---- | ---- | 26.40B/32.00A | ---- | 27.30 + 0.60 | .1073 | ---- | ---- | ---- | ---- | 121 UNCH |
| 3200 | ---- | ---- | ---- | 19.00B/25.70A | ---- | 20.90 + 0.40 | .0827 | ---- | ---- | ---- | ---- | 10 UNCH |
| 3500 | ---- | ---- | ---- | 12.40B/20.00A | ---- | 14.60 + 0.20 | .0581 | ---- | ---- | ---- | ---- | 10 UNCH |
| 4000 | ---- | ---- | ---- | 6.70B/14.90A | ---- | 9.30 + 0.10 | .0365 | ---- | ---- | ---- | ---- | 5 UNCH |
| TOTAL | | | | | | | | | | | | 1550 0 |
| JAN27 | | | | | | | | | | | | |
| 2360 | ---- | ---- | ---- | ---- | ---- | 149.00 + 4.60 | .3775 | ---- | ---- | ---- | ---- | 100 UNCH |
| TOTAL | | | | | | | | | | | | 100 0 |
| PO PUT | | PLATINUM OPTIONS | | | | | | | | | | |
| JUN26 | | | | | | | | | | | | |
| 1780 | ---- | ---- | ----/*9.50A | 7.20B/*9.50A | ---- | 8.30 - 2.70 | .0944 | ---- | ---- | ---- | ---- | 2 UNCH |
| 1800 | ---- | ---- | ----/*11.20A | 9.80B/*11.20A | ---- | 10.30 - 3.20 | .1155 | ---- | ---- | ---- | ---- | 3 UNCH |
| 1825 | ---- | ---- | ----/*13.90A | 13.80B/*13.90A | ---- | 13.40 - 4.10 | .1473 | ---- | ---- | ---- | ---- | 103 UNCH |
| 1850 | ---- | ---- | ----/*17.30A | 19.00B/*17.30A | ---- | 17.50 - 5.10 | .1868 | ---- | ---- | ---- | ---- | 44 UNCH |
| 1865 | ---- | ---- | ----/*19.80A | 22.80B/*19.80A | ---- | 20.60 - 5.80 | .2146 | ---- | ---- | ---- | ---- | 15 UNCH |
| 1870 | ---- | ---- | ----/*20.70A | 24.20B/*20.70A | ---- | 21.70 - 6.00 | .2243 | ---- | ---- | ---- | ---- | 15 UNCH |
| 1875 | ---- | ---- | ----/*21.70A | 25.60B/*21.70A | ---- | 23.00 - 6.20 | .2349 | ---- | ---- | ---- | ---- | 39 UNCH |
| 1880 | 25.10 | 25.10 | 25.10/*22.70A | 27.20B/*22.70A | ---- | 24.20 - 6.60 | .2451 | ---- | ---- | 50 | ---- | 73 + 39 |
| 1885 | ---- | ---- | ----/*23.80A | 28.80B/*23.80A | ---- | 25.60 - 6.80 | .2562 | ---- | ---- | ---- | ---- | 42 UNCH |
| 1890 | ---- | ---- | ----/*24.90A | 30.50B/*24.90A | ---- | 27.00 - 7.10 | .2674 | ---- | ---- | ---- | ---- | 28 UNCH |
| 1895 | ---- | ---- | ----/*26.10A | 32.30B/*26.10A | ---- | 28.60 - 7.20 | .2792 | ---- | ---- | ---- | ---- | 12 UNCH |
| 1900 | ---- | ---- | ----/*27.30A | 34.10B/*27.30A | ---- | 30.20 - 7.50 | .2910 | ---- | ---- | ---- | ---- | 403 UNCH |
| 1905 | ---- | ---- | ----/*28.60A | 36.10B/*28.60A | ---- | 31.80 - 7.80 | .3029 | ---- | ---- | ---- | ---- | 39 UNCH |
| 1910 | ---- | ---- | ----/*29.90A | 38.10B/*29.90A | ---- | 33.60 - 8.00 | .3153 | ---- | ---- | ---- | ---- | 39 UNCH |
| 1915 | ---- | ---- | ----/*31.30A | 40.20B/*31.30A | ---- | 35.40 - 8.20 | .3277 | ---- | ---- | ---- | ---- | 54 UNCH |
| 1920 | ---- | ---- | ----/*32.80A | 42.30B/*32.80A | ---- | 37.30 - 8.40 | .3403 | ---- | ---- | ---- | ---- | 44 UNCH |
| 1925 | ---- | ---- | ----/*34.30A | 44.50B/*34.30A | ---- | 39.30 - 8.60 | .3531 | ---- | ---- | ---- | ---- | 27 UNCH |
| 1930 | ---- | ---- | ----/*36.00A | 46.80B/*36.00A | ---- | 41.30 - 8.80 | .3659 | ---- | ---- | ---- | ---- | 42 UNCH |
| 1935 | ---- | ---- | ----/*37.70A | 49.20B/*37.70A | ---- | 43.40 - 9.00 | .3789 | ---- | ---- | ---- | ---- | 42 UNCH |
| 1940 | ---- | ---- | ----/39.40A | 51.60B/39.40A | ---- | 45.60 - 9.20 | .3919 | ---- | ---- | ---- | ---- | 30 UNCH |
| 1950 | ---- | ---- | ----/43.20A | 56.70B/43.20A | ---- | 50.20 - 9.50 | .4182 | ---- | ---- | ---- | ---- | 139 UNCH |
| 1955 | ---- | ---- | ----/45.20A | 59.30B/45.20A | ---- | 52.60 - 9.60 | .4313 | ---- | ---- | ---- | ---- | 30 UNCH |
| 1960 | ---- | ---- | ----/47.20A | 62.00B/47.20A | ---- | 55.00 - 9.80 | .4444 | ---- | ---- | ---- | ---- | 15 UNCH |
| 1965 | ---- | ---- | ----/49.30A | 64.70B/49.30A | ---- | 57.60 - 9.80 | .4576 | ---- | ---- | ---- | ---- | 15 UNCH |
| 1970 | ---- | ---- | ----/51.50A | 67.50B/51.50A | ---- | 60.10 - 9.90 | .4707 | ---- | ---- | ---- | ---- | 15 UNCH |
| 1975 | ---- | ---- | ----/53.80A | 70.40B/53.80A | ---- | 62.80 - 9.90 | .4837 | ---- | ---- | ---- | ---- | 15 UNCH |
| 1980 | ---- | ---- | ----/56.10A | 73.30B/56.10A | ---- | 65.40 - 10.10 | .4967 | ---- | ---- | ---- | ---- | 15 UNCH |
| 1985 | ---- | ---- | ----/58.50A | 75.00B/58.50A | ---- | 68.20 - 10.10 | .5097 | ---- | ---- | ---- | ---- | 15 UNCH |
| 1990 | ---- | ---- | ----/61.00A | 76.30B/61.00A | ---- | 71.00 - 10.20 | .5226 | ---- | ---- | ---- | ---- | 15 UNCH |
| 1995 | ---- | ---- | ----/63.50A | 76.20B/63.50A | ---- | 73.80 - 10.30 | .5353 | ---- | ---- | ---- | ---- | 15 UNCH |
| 2000 | ---- | ---- | ----/66.10A | 85.50B/66.10A | ---- | 76.70 - 10.40 | .5480 | ---- | ---- | ---- | ---- | 24 UNCH |
| 2020 | ---- | ---- | ----/76.90A | 77.90B/76.90A | ---- | 88.90 - 10.70 | .5978 | ---- | ---- | ---- | ---- | 30 UNCH |
| 2050 | ---- | ---- | ----/94.80A | 120.10B/94.80A | ---- | 109.00 - 11.30 | .6677 | ---- | ---- | ---- | ---- | 3 UNCH |
| 2100 | ---- | ---- | 159.90B/129.00A | 159.90B/129.00A | ---- | 146.90 - 12.60 | .7663 | ---- | ---- | ---- | ---- | 101 UNCH |
| 2140 | ---- | ---- | ---- | ---- | ---- | 180.40 - 13.50 | .8256 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2200 | ---- | ---- | 249.60B/211.60A | 249.60B/211.60A | ---- | 234.50 - 13.80 | .8875 | ---- | ---- | ---- | ---- | 10 UNCH |
| TOTAL | | | | | | | | | | 50 | | 1554 + 39 |
| JUL26 | | | | | | | | | | | | |
| 1400 | ---- | ---- | ---- | ----/*4.70A | ---- | 1.20 - 0.40 | .0101 | ---- | ---- | ---- | ---- | 150 UNCH |
| 1500 | ---- | ---- | ---- | 0.90B/6.40A | ---- | 3.30 - 0.80 | .0263 | ---- | ---- | ---- | ---- | 153 UNCH |
| 1550 | ---- | ---- | ---- | 2.80B/*7.90A | ---- | 5.20 - 1.20 | .0402 | ---- | ---- | ---- | ---- | 200 UNCH |
| 1600 | ---- | ---- | ---- | 6.00B/10.30A | ---- | 8.30 - 1.60 | .0611 | ---- | ---- | ---- | ---- | 404 UNCH |
| 1650 | ---- | ---- | ----/*13.90A | 10.90B/*13.90A | ---- | 12.60 - 2.30 | .0886 | ---- | ---- | ---- | ---- | 1 UNCH |
| 1680 | ---- | ---- | ----/*16.90A | 14.90B/*16.90A | ---- | 16.00 - 2.80 | .1091 | ---- | ---- | ---- | ---- | 50 UNCH |
| 1700 | ---- | ---- | ----/*19.30A | 18.10B/*19.30A | ---- | 18.70 - 3.10 | .1247 | ---- | ---- | ---- | ---- | 233 UNCH |
| 1710 | ---- | ---- | ----/*20.60A | 19.80B/*20.60A | ---- | 20.20 - 3.30 | .1332 | ---- | ---- | ---- | ---- | 1 UNCH |
| 1725 | ---- | ---- | ----/*22.70A | 22.60B/*22.70A | ---- | 22.70 - 3.60 | .1467 | ---- | ---- | ---- | ---- | 100 UNCH |
| 1750 | ---- | ---- | ----/26.80A | 27.80B/26.80A | ---- | 27.30 - 4.20 | .1710 | ---- | ---- | ---- | ---- | 50 UNCH |
| 1800 | ---- | ---- | ----/37.20A | 40.70B/37.20A | ---- | 38.90 - 5.40 | .2269 | ---- | ---- | ---- | ---- | 261 UNCH |
| 1825 | ---- | ---- | ----/43.50A | 48.50B/43.50A | ---- | 46.10 - 6.10 | .2584 | ---- | ---- | ---- | ---- | 30 UNCH |
| 1850 | ---- | ---- | ----/50.80A | 57.40B/50.80A | ---- | 54.20 - 6.80 | .2916 | ---- | ---- | ---- | ---- | 40 UNCH |
| 1900 | ---- | ---- | ----/68.10A | 78.30B/68.10A | ---- | 73.40 - 8.20 | .3621 | ---- | ---- | ---- | ---- | 81 UNCH |
| 2000 | ---- | ---- | ----/114.40A | 131.70B/114.40A | ---- | 123.70 - 10.20 | .5081 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2085 | ---- | ---- | ---- | ---- | ---- | 177.70 - 11.30 | .6234 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2100 | ---- | ---- | ----/174.50A | 198.50B/174.50A | ---- | 188.10 - 11.50 | .6420 | ---- | ---- | ---- | ---- | 225 UNCH |
| 2135 | ---- | ---- | ---- | ---- | ---- | 213.60 - 11.90 | .6835 | ---- | ---- | ---- | ---- | 190 UNCH |
| 2165 | ---- | ---- | ---- | ---- | ---- | 236.50 - 12.30 | .7161 | ---- | ---- | ---- | ---- | 20 UNCH |
| 2350 | ---- | ---- | 409.40B/372.90A | 409.40B/372.90A | ---- | 394.60 - 13.70 | .8580 | ---- | ---- | ---- | ---- | 5 UNCH |
| 2400 | ---- | ---- | 456.00B/418.20A | 456.00B/418.20A | ---- | 440.90 - 13.80 | .8807 | ---- | ---- | ---- | ---- | 300 UNCH |
| TOTAL | | | | | | | | | | | | 2496 0 |
| OCT26 | | | | | | | | | | | | |
| 1300 | ---- | ---- | ---- | 6.10B/*14.70A | ---- | 10.50 - 0.80 | .0424 | ---- | ---- | ---- | ---- | 4 UNCH |
| 1500 | ---- | ---- | ---- | 24.20B/30.70A | ---- | 27.80 - 1.80 | .1031 | ---- | ---- | ---- | ---- | 21 UNCH |
| 1600 | ---- | ---- | ----/46.40A | 42.20B/46.40A | ---- | 44.70 - 2.80 | .1538 | ---- | ---- | ---- | ---- | 19 UNCH |
| 1720 | ---- | ---- | ----/75.40A | 74.50B/75.40A | ---- | 75.70 - 4.80 | .2326 | ---- | ---- | ---- | ---- | 2 UNCH |
| 1820 | ---- | ---- | ----/109.30A | 111.90B/109.30A | ---- | 111.50 - 6.80 | .3088 | ---- | ---- | ---- | ---- | 4 UNCH |
| 1950 | ---- | ---- | ----/167.40A | 175.20B/167.40A | ---- | 172.50 - 7.90 | .4139 | ---- | ---- | ---- | ---- | 50 UNCH |
| 2000 | ---- | ---- | ----/193.90A | 203.70B/193.90A | ---- | 200.30 - 8.10 | .4539 | ---- | ---- | ---- | ---- | 1 UNCH |
| 2100 | ---- | ---- | ----/253.00A | 266.70B/253.00A | ---- | 262.30 - 8.70 | .5296 | ---- | ---- | ---- | ---- | 100 UNCH |
| 2130 | ---- | ---- | ----/272.20A | 279.40B/272.20A | ---- | 282.40 - 8.80 | .5510 | ---- | ---- | ---- | ---- | 41 UNCH |
| 2135 | ---- | ---- | ----/275.50A | 280.80B/275.50A | ---- | 285.80 - 8.80 | .5544 | ---- | ---- | ---- | ---- | 12 UNCH |
| 2140 | ---- | ---- | ----/278.80A | 282.20B/278.80A | ---- | 289.20 - 8.80 | .5579 | ---- | ---- | ---- | ---- | 12 UNCH |
| 2400 | ---- | ---- | ----/470.00A | 493.50B/470.00A | ---- | 484.40 - 10.70 | .7129 | ---- | ---- | ---- | ---- | 200 UNCH |
| 2500 | ---- | ---- | ----/552.00A | 578.00B/552.00A | ---- | 568.00 - 11.30 | .7577 | ---- | ---- | ---- | ---- | 1 UNCH |
| TOTAL | | | | | | | | | | | | 467 0 |
| JAN27 | | | | | | | | | | | | |
| 1500 | ---- | ---- | ---- | ---- | ---- | 57.20 - 2.40 | .1448 | ---- | ---- | ---- | ---- | 40 UNCH |
| 1800 | ---- | ---- | ---- | ---- | ---- | 150.50 - 4.80 | .3069 | ---- | ---- | ---- | ---- | 1 UNCH |
| TOTAL | | | | | | | | | | | | 41 0 |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

# METALS OPTIONS PRODUCTS



**2026 DAILY INFORMATION BULLETIN -** http://www.cmegroup.com/dailybulletin
*CME Group, Inc.*
*20 South Wacker Drive, Chicago, Illinois 60606-7499.*
*Customer Service: (312) 930-1000*

**PRELIMINARY**



OPTIONS EOO'S AND BLOCKS

| PRODUCT | | STRIKE PRICE | EOO VOLUME | BLOCK VOLUME |
|---|---|---|---|---|
| OG CALL | | COMEX GOLD OPTIONS | | |
| JUN26 | CALL | | | |
| OG | | 4650 | 0 | 250 |
| OG | | 4800 | 0 | 325 |
| OG | | 4940 | 0 | 675 |
| OG | | 5500 | 0 | 60 |
| OG | | 5700 | 0 | 60 |
| TOTALS | | | 0 | 1370 |
| AUG26 | CALL | | | |
| OG | | 5000 | 0 | 350 |
| TOTALS | | | 0 | 350 |
| SEP26 | CALL | | | |
| OG | | 4800 | 0 | 325 |
| TOTALS | | | 0 | 325 |
| OCT26 | CALL | | | |
| OG | | 4950 | 0 | 850 |
| OG | | 5750 | 0 | 850 |
| TOTALS | | | 0 | 1700 |
| DEC26 | CALL | | | |
| OG | | 4750 | 0 | 10 |
| OG | | 5000 | 0 | 90 |
| OG | | 5150 | 0 | 10 |
| OG | | 5300 | 0 | 350 |
| OG | | 5400 | 0 | 10 |
| TOTALS | | | 0 | 470 |
| OG PUT | | COMEX GOLD OPTIONS | | |
| JUN26 | PUT | | | |
| OG | | 4550 | 0 | 100 |
| TOTALS | | | 0 | 100 |
| JUL26 | PUT | | | |
| OG | | 4550 | 0 | 100 |
| TOTALS | | | 0 | 100 |
| AUG26 | PUT | | | |
| OG | | 4000 | 0 | 15 |
| OG | | 4250 | 0 | 350 |
| OG | | 4300 | 0 | 15 |
| TOTALS | | | 0 | 380 |
| SEP26 | PUT | | | |
| OG | | 4000 | 0 | 90 |
| OG | | 4500 | 0 | 75 |
| OG | | 4620 | 0 | 100 |
| TOTALS | | | 0 | 265 |
| DEC26 | PUT | | | |
| OG | | 4200 | 0 | 350 |
| TOTALS | | | 0 | 350 |
| SO CALL | | COMEX SILVER OPTIONS | | |
| JUL26 | CALL | | | |
| SO | | 7600 | 0 | 100 |
| TOTALS | | | 0 | 100 |
| SO PUT | | COMEX SILVER OPTIONS | | |
| JUN26 | PUT | | | |
| SO | | 6500 | 0 | 32 |
| TOTALS | | | 0 | 32 |
| HX CALL | | COMEX COPPER OPTIONS | | |
| SEP26 | CALL | | | |
| HX | | 700 | 0 | 600 |
| TOTALS | | | 0 | 600 |
| PO CALL | | PLATINUM OPTIONS | | |
| JUN26 | CALL | | | |
| PO | | 2050 | 0 | 25 |
| TOTALS | | | 0 | 25 |
| JUL26 | CALL | | | |
| PO | | 2200 | 0 | 50 |
| TOTALS | | | 0 | 50 |
| PAO CALL | | NYMEX PALLADIUM OPTIONS | | |
| JUN26 | CALL | | | |
| PAO | | 1550 | 0 | 40 |
| TOTALS | | | 0 | 40 |
| DEC26 | CALL | | | |
| PAO | | 1800 | 0 | 25 |
| TOTALS | | | 0 | 25 |
| GWR THU | | GOLD WEEKLY THURSDAY OPTION Week1 | | |
| MAY26 | CALL | | | |
| G1R | | 4700 | 0 | 100 |
| TOTALS | | | 0 | 100 |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.