METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY'S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES

EXPIRATION:	APR26	APR26	APR26	MAY26	JUN26	JUL26	AUG26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27
COO OPT	04/30			05/29	06/30	07/31	08/28	09/30	10/30	11/30	12/31	01/29	02/26	03/31
ECG10 OP		04/15	04/16											
ECG11 OP		04/15	04/16											
ECG13 OP		04/15	04/16											
ECG15 OP		04/15	04/16											
ECG16 OP		04/15	04/16											
ECGC OOF		04/15	04/16											
ECHG OOF		04/15	04/16											
ECSI OOF		04/15	04/16											
EHO OPT	04/30			05/29	06/30	07/31	08/28	09/30						
FMG OPT	04/17													
FSO OPT	04/30			05/29	06/30									
GMW MON	04/20			05/18										
GWR THU	04/30			05/07										
GWT TUE	04/28			05/05										
GWW WED	04/29			05/13										
HMW MON	04/20			05/18										
HRO OPT	04/28			05/26	06/23	07/28	08/25	09/29	10/27	11/24	12/29			
HWR THU	04/30													
HWT TUE	04/28			05/05										
HWW WED	04/29			05/06	06/03	07/01								
HX CALL				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28		02/23
HX PUT				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
HXE CALL	04/24			05/01										
HXE PUT	04/24			05/01										
LHO OPT	04/30			05/29	06/30	07/31	08/31	09/30	10/30	11/30	12/31	01/29	02/26	03/31
OG CALL				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
OG PUT				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
OG1 CALL				05/01										
OG1 PUT				05/01										
OG2 CALL				05/08										
OG2 PUT				05/08										
OG3 CALL	04/17													
OG3 PUT	04/17													
OG4 CALL	04/24													
OG4 PUT	04/24													
OMG OPT				04/27	05/26	06/25								
PAO CALL				04/15	05/20	06/17		08/19			11/18			
PAO PUT				04/15	05/20	06/17		08/19			11/18			
PAW OOF	04/24													
PLW OOF	04/24			05/01										
PO CALL				04/15	05/20	06/17			09/16			12/16		
PO PUT				04/15	05/20	06/17			09/16			12/16		
RWS THU	04/30													
SMW MON	04/20			05/11										
SO CALL				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
SO PUT				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
SO1 CALL				05/01										
SO1 PUT				05/01										
SO2 CALL				05/08										
SO3 CALL	04/17													
SO3 PUT	04/17													
SO4 CALL	04/24													
SO4 PUT	04/24													
SWW WED	04/29			05/06										
TWS TUE	04/28													

GOLD OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OMG OPT		MICRO GOLD OPTIONS											
MAY26													
3600	----	----	----	----	----	0.20 - 0.10	----	----	----	----	----	2	UNCH
3700	----	----	----	----	----	0.20 - 0.20	----	----	----	----	----	1	UNCH
3850	----	----	----	----	----	0.40 - 0.30	----	----	----	----	----	2	UNCH
3900	----	----	----	----	----	0.50 - 0.30	----	----	----	----	----	3	UNCH
4000	1.00	1.00	1.00/*1.00	1.00/*1.00	----	0.70 - 0.40	----	----	----	1	----	5 -	1
4200	----	----	----	----	----	1.50 - 0.40	----	----	----	----	----	2	UNCH
4250	----	----	----	----	----	559.70 - 15.80	----	----	----	----	----	1	UNCH
4450	----	----	----	----	----	363.10 - 16.60	----	----	----	----	----	1	UNCH
4500	----	----	----	----	----	315.20 - 17.00	----	----	----	----	----	1	UNCH
4500	----	----	----	----	----	7.10 - 1.80	----	----	----	----	----	1	UNCH
4600	----	----	----	----	----	15.00 - 3.30	----	----	----	----	----	3	UNCH
4725	----	----	----	----	----	40.30 - 4.00	----	----	----	----	----	0	UNCH
4800	----	----	----	----	----	68.90 - 3.10	----	----	----	----	----	1	UNCH
4800	----	----	----	----	----	77.20 - 18.40	----	----	----	----	----	1	UNCH
4900	----	----	----	----	----	127.30 + 1.10	----	----	----	----	----	1	UNCH
4900	----	----	----	----	----	35.70 - 14.20	----	----	----	----	----	2	UNCH
4950	----	----	----	----	----	23.10 - 11.30	----	----	----	----	----	2	UNCH
5000	----	----	----	----/41.00A	----	14.70 - 8.60	----	----	----	----	----	1	UNCH
5050	----	----	----	----	----	250.80 + 9.10	----	----	----	----	----	3	UNCH
5200	----	----	----	----	----	2.80 - 2.30	----	----	----	----	----	1	UNCH
5875	----	----	----	----	----	0.40 - 0.30	----	----	----	----	----	1	UNCH
TOTAL										1		35 -	1
JUN26													
2500	----	----	----	----	----	0.30 UNCH	----	----	----	----	----	2	UNCH
4260	----	----	----	----	----	19.70 - 2.30	----	----	----	----	----	1	UNCH
4500	----	----	----	----	----	49.60 - 3.80	----	----	----	----	----	5	UNCH
4600	----	----	----	----	----	73.20 - 3.80	----	----	----	----	----	1	UNCH
4645	----	----	----	----	----	86.60 - 3.80	----	----	----	----	----	6	UNCH
4700	----	----	----	----	----	213.80 - 18.70	----	----	----	----	----	1	UNCH
4700	107.00	107.00	#107.00/*107.00	#108.00B/*107.00	----	105.90 NEW	----	----	----	1	----	1 +	1
4900	----	----	----	----	----	112.90 - 15.50	----	----	----	----	----	2	UNCH
5100	----	----	----	----	----	53.80 - 10.90	----	----	----	----	----	1	UNCH
5400	----	----	----	----	----	17.50 - 4.90	----	----	----	----	----	2	UNCH
5875	----	----	----	----	----	5.00 - 2.00	----	----	----	----	----	1	UNCH
TOTAL										1		23 +	1
JUL26													
3400	----	----	----	----	----	1446.10 - 15.70	----	----	----	----	----	1	UNCH
3460	----	----	----	----	----	1386.60 - 15.70	----	----	----	----	----	1	UNCH
4100	----	----	----	----	----	24.10 - 2.40	----	----	----	----	----	1	UNCH
4200	----	----	----	----	----	32.20 - 3.00	----	----	----	----	----	1	UNCH
4300	----	----	----	----	----	43.40 - 3.60	----	----	----	----	----	1	UNCH
4600	----	----	----	----	----	106.20 - 4.50	----	----	----	----	----	2	UNCH
5450	----	----	----	----	----	43.40 - 7.90	----	----	----	----	----	1	UNCH
TOTAL												8	0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG4 PUT		GOLD OPTIONS											
APR26													
3800	----	----	----	----/1.10A	----	0.20 - 0.10	.0009	----	----	----	----	1	UNCH
4000	----	----	----	0.40B/*0.90A	----	0.40 - 0.20	.0023	----	----	----	----	10	UNCH
4025	----	----	----	0.40B/*0.90A	----	0.50 - 0.20	.0029	----	----	----	----	1	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG4 PUT — GOLD OPTIONS — APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4050	----	----	----	0.50B/*1.00A	----	0.50 - 0.30	.0030	----	----	----	----	4 UNCH
4100	----	----	----	0.80B/*1.00A	----	0.70 - 0.30	.0044	----	----	----	----	2 UNCH
4150	----	----	----	0.80B/*1.20A	----	0.90 - 0.30	.0059	----	----	----	----	9 UNCH
4175	----	----	----/*1.30A	0.90B/*1.30A	----	1.00 - 0.40	.0067	----	----	----	----	3 UNCH
4200	----	----	----/*1.30A	1.00B/*1.30A	----	1.20 - 0.30	.0082	----	----	----	----	5 UNCH
4210	----	----	----/*1.40A	1.00B/*1.40A	----	1.20 - 0.40	.0083	----	----	----	----	2 UNCH
4225	----	----	----/*1.40A	1.20B/*1.40A	----	1.30 - 0.40	.0091	----	----	----	----	5 UNCH
4255	----	----	----/*1.60A	1.30B/*1.60A	----	1.50 - 0.30	.0108	----	----	----	----	1 UNCH
4280	----	----	----/*1.70A	1.50B/*1.70A	----	1.60 NEW	.0119	----	----	1	----	1 + 1
4290	----	----	----/*1.70A	1.50B/*1.70A	----	1.70 - 0.40	.0127	----	----	----	----	10 UNCH
4300	----	----	----/*1.80A	1.60B/*1.80A	----	1.80 - 0.40	.0136	----	----	----	----	11 UNCH
4310	----	----	----/*1.80A	1.70B/*1.80A	----	1.90 - 0.40	.0145	----	----	----	----	8 UNCH
4315	----	----	----/*1.90A	1.70B/*1.90A	----	1.90 - 0.40	.0146	----	----	----	----	1 UNCH
4325	----	----	----/*1.90A	1.80B/*1.90A	----	2.00 - 0.40	.0156	----	----	----	----	1 UNCH
4340	----	----	----/*2.00A	2.00B/*2.00A	----	2.20 - 0.40	.0173	----	----	----	----	1 UNCH
4350	----	----	----/*2.10A	2.10B/*2.10A	----	2.30 - 0.40	.0183	----	----	----	----	14 UNCH
4365	----	----	----/*2.20A	2.30B/*2.20A	----	2.40 - 0.60	.0195	----	----	----	----	3 UNCH
4375	----	----	----/*2.30A	2.40B/*2.30A	----	2.50 - 0.60	.0206	----	----	----	----	1 UNCH
4385	----	----	----/*2.40A	2.50B/*2.40A	----	2.70 - 0.60	.0223	----	----	----	----	3 UNCH
4400	3.00	3.00	3.00/*2.50A	3.00/*2.50A	----	2.90 - 0.70	.0244	----	----	1	----	67 + 1
4420	----	----	----/*2.80A	3.20B/*2.80A	----	3.20 - 0.90	.0275	----	----	----	----	5 UNCH
4425	----	----	----/*2.90A	3.30B/*2.90A	----	3.30 - 1.00	.0285	----	----	----	----	20 UNCH
4450	----	----	----/*3.30A	3.90B/*3.30A	----	3.90 - 1.20	.0343	----	----	----	----	20 UNCH
4475	5.40	5.40	5.40/*3.70A	5.40/*3.70A	----	4.50 NEW	.0405	----	----	1	----	1 + 1
4480	----	----	----/*3.90A	4.90B/*3.90A	----	4.70 - 1.50	.0424	----	----	----	----	1 UNCH
4490	6.00	6.00	6.00/*4.10A	6.00/*4.10A	----	5.00 - 1.70	.0455	----	----	1	----	25 + 1
4500	4.90	4.90	5.70B/*4.00	5.70B/*4.00	----	5.40 - 1.80	.0494	----	----	41	----	53 + 5
4505	----	----	----/*4.50A	6.00B/*4.50A	----	5.60 - 1.80	.0513	----	----	----	----	47 UNCH
4520	----	----	----/*5.00A	6.70B/*5.00A	----	6.20 - 2.00	.0574	----	----	1	----	5 + 1
4525	----	----	----/*5.10A	7.10B/*5.10A	----	6.50 - 2.00	.0602	----	----	20	----	145 + 20
4540	----	----	----/*5.70A	8.00B/*5.70A	----	7.30 - 2.20	.0680	----	----	----	----	34 UNCH
4550	8.00	8.00	8.00/*6.10A	8.70B/*6.10A	----	7.80 - 2.50	.0732	----	----	21	----	38 + 21
4555	----	----	----/*6.30A	9.10B/*6.30A	----	8.20 - 2.40	.0768	----	----	----	----	10 UNCH
4560	----	----	----/*6.60A	9.50B/*6.60A	----	8.50 - 2.50	.0798	----	----	----	----	1 UNCH
4565	----	----	----/*6.80A	9.90B/*6.80A	----	8.90 - 2.60	.0834	----	----	----	----	2 UNCH
4570	----	----	----/*7.10A	10.30B/*7.10A	----	9.20 NEW	.0865	----	----	1	----	1 + 1
4575	11.00	11.00	11.00/*7.30A	11.00/*7.30A	----	9.60 - 2.80	.0903	----	----	5	----	41 + 4
4590	10.80	10.80	10.80/*8.20A	12.30B/*8.20A	----	10.90 - 2.90	.1025	----	----	1	----	2 + 1
4595	12.00	12.00	12.00/*8.50A	12.90B/*8.50A	----	11.40 NEW	.1070	----	----	5	----	3 + 3
4600	9.70	9.70	13.40B/*8.80A	13.40B/*8.80A	----	11.80 - 3.10	.1111	----	----	17	----	79 - 6
4615	----	----	----/*10.00A	15.30B/*10.00A	----	13.40 - 3.40	.1258	----	----	----	----	10 UNCH
4620	----	----	----/*10.40A	16.00B/*10.40A	----	14.00 - 3.40	.1312	----	----	----	----	25 UNCH
4625	----	----	----/*10.90A	16.70B/*10.90A	----	14.60 - 3.50	.1367	----	----	----	----	8 UNCH
4635	----	----	----/*11.80A	18.20B/*11.80A	----	16.00 - 3.60	.1488	----	----	----	----	1 UNCH
4640	16.30	16.30	17.10/*12.30A	19.00B/*12.30A	----	16.70 - 3.70	.1550	----	----	22	----	30 + 20
4650	----	----	----/*13.50A	20.80B/*13.50A	----	18.20 - 3.80	.1681	----	----	2	----	9 + 1
4655	19.30	19.30	19.30/*14.00A	21.70B/*14.00A	----	19.00 NEW	.1749	----	----	1	----	1 + 1
4665	----	----	----/*15.30A	23.60B/*15.30A	----	20.70 - 4.00	.1894	----	----	----	----	4 UNCH
4670	----	----	----/*16.00A	24.70B/*16.00A	----	21.60 - 4.10	.1969	----	----	----	----	2 UNCH
4675	21.50	21.50	21.50/*16.70A	25.70B/*16.70A	----	22.50 - 4.20	.2045	----	----	26	----	31 + 17
4680	----	----	----/*17.40A	26.90B/*17.40A	----	23.50 - 4.20	.2127	----	----	----	----	1 UNCH
4690	26.60	26.60	26.60/*19.00A	29.20B/*19.00A	----	25.60 - 4.30	.2296	----	----	8	----	9 + 8
4695	----	----	----/*19.80A	30.50B/*19.80A	----	26.70 - 4.40	.2384	----	----	----	----	1 UNCH
4700	22.80	22.80	31.80B/*20.00	31.80B/*20.00	----	27.90 - 4.40	.2476	----	----	22	----	56 + 1
4720	34.20	34.20	34.20/*24.60A	37.40B/*24.60A	----	33.00 NEW	.2862	----	----	7	----	7 + 7
4725	----	----	39.00B/*25.70A	39.00B/*25.70A	----	34.40 - 4.50	.2964	----	----	----	----	18 UNCH
4735	----	----	42.20B/*28.00A	42.20B/*28.00A	----	37.40 - 4.50	.3177	----	----	----	----	5 UNCH
4740	----	----	44.00B/*29.10A	44.00B/*29.10A	----	39.00 - 4.40	.3286	----	----	----	----	1 UNCH
4750	37.60	37.60	47.60B/*31.80A	47.60B/*31.80A	----	42.30 - 4.40	.3510	----	----	21	----	47 + 21
4760	----	----	51.40B/*34.60A	51.40B/*34.60A	----	45.80 - 4.30	.3741	----	----	----	----	4 UNCH
4765	----	----	53.40B/*36.10A	53.40B/*36.10A	----	47.70 - 4.20	.3860	----	----	----	----	10 UNCH
4770	----	----	55.40B/*37.60A	55.40B/*37.60A	----	49.60 - 4.20	.3979	----	----	----	----	14 UNCH
4775	40.50	40.50	57.50B/*39.20A	57.50B/*39.20A	----	51.60 - 4.10	.4101	----	----	2	----	5 + 2
4780	----	----	59.70B/*40.80A	59.70B/*40.80A	----	53.60 - 4.10	.4223	----	----	----	----	34 UNCH
4785	----	----	62.00B/*42.50A	62.00B/*42.50A	----	55.70 - 4.00	.4346	----	----	----	----	5 UNCH
4790	----	----	64.30B/*44.30A	64.30B/*44.30A	----	57.90 NEW	.4471	----	----	1	----	1 + 1
4800	55.80	55.80	69.10B/*48.00A	69.10B/*48.00A	----	62.40 - 3.60	.4723	----	----	5	----	21 - 1
4805	----	----	71.60B/*49.90A	71.60B/*49.90A	----	64.80 - 3.40	.4850	----	----	----	----	2 UNCH
4820	74.40	74.40	79.40B/55.90A	79.40B/55.90A	----	72.30 - 2.90	.5231	----	----	1	----	40 + 1
4825	----	----	82.10B/58.10A	82.10B/58.10A	----	74.90 - 2.80	.5359	----	----	----	----	16 UNCH
4830	----	----	84.60B/60.00A	84.60B/60.00A	----	77.60 - 2.60	.5486	----	----	----	----	34 UNCH
4840	----	----	90.40B/64.30A	90.40B/64.30A	----	83.10 - 2.20	.5738	----	----	----	----	13 UNCH
4850	----	----	93.10B/68.90A	93.10B/68.90A	----	89.00 - 1.70	.5989	----	----	1	----	5 + 1
4870	----	----	105.60B/78.80A	105.60B/78.80A	----	101.40 - 0.70	.6476	----	----	2	----	1 - 1
4900	----	----	126.10B/95.40A	126.10B/95.40A	----	121.80 + 1.00	.7155	----	----	1	----	4 + 1
4995	----	----	202.70B/161.60A	202.70B/161.60A	----	198.60 + 7.00	.8725	----	----	----	----	6 UNCH
5000	----	----	207.10B/165.50A	207.10B/165.50A	----	203.00 + 7.20	.8783	----	----	----	----	6 UNCH
5075	----	----	276.20B/229.20A	276.20B/229.20A	----	272.20 + 10.60	.9382	----	----	----	----	1 UNCH
TOTAL										238		1185 + 134

OG4 CALL — GOLD OPTIONS — APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4540	----	----	322.90B/272.00A	322.90B/272.00A	----	275.40 - 17.50	.9318	----	----	----	----	2 UNCH
4550	----	----	313.40B/262.70A	313.40B/262.70A	----	266.00 - 17.60	.9266	----	----	----	----	1 UNCH
4600	----	----	266.40B/217.30A	266.40B/217.30A	----	220.00 - 18.40	.8887	----	----	----	----	2 UNCH
4625	228.00	228.00	243.40B/195.50A	243.40B/195.50A	----	197.80 NEW	.8631	----	----	1	----	1 + 1
4650	219.00	219.00	221.10B/174.40A	221.10B/174.40A	----	176.40 NEW	.8317	----	----	10	----	10 + 10
4675	----	----	199.20B/154.20A	199.20B/154.20A	----	155.70 - 19.50	.7952	----	----	----	----	1 UNCH
4680	----	----	194.80B/150.30A	194.80B/150.30A	----	151.70 - 19.50	.7870	----	----	----	----	1 UNCH
4690	146.00	146.00	186.40B/142.60A	186.40B/142.60A	----	143.80 - 19.60	.7701	----	----	2	----	3 + 2
4700	----	----	178.30B/135.00A	178.30B/135.00A	----	136.10 NEW	.7521	----	----	2	----	2 + 2
4705	----	----	173.90B/131.30A	173.90B/131.30A	----	132.30 NEW	.7429	----	----	2	----	2 + 2
4710	133.00	133.00	169.80B/127.70A	169.80B/127.70A	----	128.60 NEW	.7332	----	----	2	----	2 + 2
4730	----	----	153.90B/113.50A	153.90B/113.50A	----	114.10 - 19.80	.6927	----	----	----	----	1 UNCH
4765	----	----	127.90B/87.50A	127.90B/87.50A	----	91.00 - 19.50	.6137	----	----	----	----	10 UNCH
4770	----	----	124.30B/84.70A	124.30B/84.70A	----	87.90 - 19.50	.6018	----	----	----	----	14 UNCH
4775	----	----	120.90B/81.70A	120.90B/81.70A	----	84.90 - 19.40	.5896	----	----	12	----	20 + 11
4780	----	----	117.40B/79.00A	117.40B/79.00A	----	81.90 - 19.30	.5774	----	----	----	----	1 UNCH
4785	----	----	114.00B/76.20A	114.00B/76.20A	----	79.00 - 19.20	.5651	----	----	----	----	1 UNCH
4790	----	----	110.30B/73.50A	110.30B/73.50A	----	76.20 NEW	.5526	----	----	1	----	1 + 1
4795	----	----	107.10B/70.90A	107.10B/70.90A	----	73.40 - 19.00	.5401	----	----	----	----	3 UNCH
4800	72.50	72.50	104.00B/68.30A	104.00B/68.30A	----	70.70 - 18.90	.5274	----	----	5	----	40 + 1
4810	----	----	97.90B/63.40A	97.90B/63.40A	----	65.50 NEW	.5020	----	----	79	----	79 + 79
4815	----	----	94.50B/61.00A	94.50B/61.00A	----	63.00 - 18.40	.4893	----	----	----	----	1 UNCH
4820	----	----	91.50B/58.70A	91.50B/58.70A	----	60.60 - 18.20	.4766	----	----	1	----	41 + 1
4825	----	----	89.20B/56.40A	89.20B/56.40A	----	58.20 - 18.10	.4638	----	----	----	----	16 UNCH
4830	74.00	74.00	86.10B/54.20A	86.10B/54.20A	----	55.90 - 17.90	.4511	----	----	91	----	83 + 68
4840	----	----	80.60B/50.00A	80.60B/50.00A	----	51.50 - 17.40	.4259	----	----	1	----	14 + 1
4845	----	----	77.60B/48.00A	77.60B/48.00A	----	49.40 - 17.20	.4133	----	----	----	----	4 UNCH
4850	----	----	75.20B/45.90A	75.20B/45.90A	----	47.30 - 17.00	.4008	----	----	7	----	46 + 4
4855	----	----	72.40B/44.00A	72.40B/44.00A	----	45.30 - 16.80	.3884	----	----	----	----	2 UNCH
4865	----	----	67.50B/40.50A	67.50B/40.50A	----	41.50 - 16.30	.3641	----	----	1	----	1 UNCH
4870	41.70	41.70	65.20B/38.80A	65.20B/38.80A	----	39.70 - 16.00	.3521	----	----	4	----	6 + 2
4875	----	----	62.80B/37.10A	62.80B/37.10A	----	38.00 - 15.70	.3404	----	----	----	----	13 UNCH
4880	----	----	60.60B/35.50A	60.60B/35.50A	----	36.30 - 15.40	.3287	----	----	----	----	2 UNCH
4885	----	----	58.30B/33.90A	58.30B/33.90A	----	34.70 - 15.10	.3173	----	----	----	----	5 UNCH
4890	----	----	56.00B/32.40A	56.00B/32.40A	----	33.10 - 14.90	.3059	----	----	1	----	10 + 1
4895	----	----	53.90B/30.90A	53.90B/30.90A	----	31.60 - 14.60	.2949	----	----	----	----	25 UNCH
4900	50.00	50.00	51.90B/29.30	51.90B/29.30	----	30.20 - 14.20	.2842	----	----	18	----	61 + 3
4905	----	----	49.80B/28.20A	49.80B/28.20A	----	28.80 - 13.90	.2736	----	----	----	----	2 UNCH
4920	24.10	24.10	44.10B/24.10	44.10B/24.10	----	24.90 - 13.00	.2429	----	----	4	----	23 + 4
4925	----	----	42.20B/23.40A	42.20B/23.40A	----	23.80 - 12.70	.2337	----	----	1	----	10 UNCH
4930	----	----	40.50B/22.40A	40.50B/22.40A	----	22.60 - 12.40	.2240	----	----	1	----	15 + 1
4935	21.20	21.20	38.80B/21.20	38.80B/21.20	----	21.60 - 12.00	.2152	----	----	3	----	14 + 3
4940	24.00	24.00	37.10B/20.30A	37.10B/20.30A	----	20.50 - 11.80	.2060	----	----	2	----	2 + 1
4945	----	----	35.50B/*19.40A	35.50B/*19.40A	----	19.60 - 11.40	.1979	----	----	----	----	5 UNCH
4950	19.70	19.70	34.10B/18.40A	34.10B/18.40A	----	18.60 - 11.10	.1893	----	----	212	----	282 + 161
4955	----	----	32.50B/*17.60A	32.50B/*17.60A	----	17.70 - 10.80	.1813	----	----	----	----	4 UNCH
4960	----	----	31.20B/*16.80A	31.20B/*16.80A	----	16.90 - 10.40	.1738	----	----	1	----	5 + 1
4970	----	----	28.50B/*15.20A	28.50B/*15.20A	----	15.30 NEW	.1591	----	----	1	----	1 + 1
4975	----	----	27.30B/*14.50A	27.30B/*14.50A	----	14.60 - 9.50	.1524	----	----	----	----	98 UNCH
4980	----	----	26.00B/*13.80A	26.00B/*13.80A	----	13.90 - 9.20	.1457	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG4 CALL GOLD OPTIONS
APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4985	13.00	13.00	24.90B/*13.00	24.90B/*13.00	----	13.20 NEW	.1391	----	----	3	----	3 + 3
4995	----	----	22.70B/*11.80A	22.70B/*11.80A	----	12.00 - 8.40	.1272	----	----	----	----	45 UNCH
5000	21.50	21.50	21.50/*10.80	21.50/*10.80	----	11.40 - 8.10	.1214	----	----	114	----	216 + 88
5005	----	----	20.70B/*10.70A	20.70B/*10.70A	----	10.90 - 7.80	.1162	----	----	----	----	26 UNCH
5010	----	----	19.70B/*10.20A	19.70B/*10.20A	----	10.40 - 7.50	.1111	----	----	1	----	44 + 1
5015	----	----	18.60B/*9.70A	18.60B/*9.70A	----	9.90 - 7.30	.1061	----	----	----	----	64 UNCH
5020	----	----	17.80B/*9.20A	17.80B/*9.20A	----	9.40 - 7.10	.1011	----	----	----	----	73 UNCH
5025	9.00	9.00	17.00B/*8.80A	17.00B/*8.80A	----	9.00 - 6.80	.0968	----	----	7	----	125 + 3
5030	14.00	14.00	16.30B/*8.40A	16.30B/*8.40A	----	8.60 - 6.50	.0926	----	----	3	----	85 + 1
5050	----	----	13.30B/*6.90A	13.30B/*6.90A	----	7.10 - 5.70	.0769	----	----	----	----	167 UNCH
5075	5.60	5.60	5.60/*5.40A	10.40B/*5.40A	----	5.70 - 4.70	.0616	----	----	12	----	85 - 4
5100	4.40	4.40	4.40/*4.10	8.10B/*4.10	----	4.50 - 3.90	.0486	----	----	38	----	113 + 31
5125	5.40	5.40	5.40/*3.20	6.40B/*3.20	----	3.70 - 3.20	.0395	----	----	51	----	31 + 19
5150	----	----	----/*2.90A	5.00B/*2.90A	----	3.00 - 2.70	.0317	----	----	30	----	27 + 25
5175	4.50	4.50	4.50/*2.50A	4.50/*2.50A	----	2.50 NEW	.0260	----	----	1	----	1 + 1
5200	----	----	----/*2.10A	3.00B/*2.10A	----	2.10 - 1.90	.0215	----	----	----	----	184 UNCH
5225	1.60	1.60	1.60/*1.60	2.40B/*1.60	----	1.70 - 1.70	.0172	----	----	1	----	8 + 1
5300	----	----	----/*1.00A	1.60B/*1.00A	----	1.20 - 1.00	.0112	----	----	----	----	14 UNCH
5350	1.30	1.30	1.30/*1.00A	1.30/*1.00A	----	1.00 - 0.80	.0088	----	----	1	----	7 + 1
5400	----	----	----/*0.90A	0.70B/*0.90A	----	0.90 - 0.50	.0075	----	----	----	----	5 UNCH
5450	----	----	----/*0.80A	0.60B/*0.80A	----	0.80 - 0.40	.0063	----	----	----	----	34 UNCH
TOTAL										727		2351+ 533

OG3 PUT GOLD OPTIONS
APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3200	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3350	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
3550	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	12 UNCH
3650	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
3700	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
3750	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
3800	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	44 UNCH
3850	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
3900	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	32 UNCH
3950	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	52 UNCH
4000	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	----	----	----	4	----	187 UNCH
4025	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
4050	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	47 UNCH
4075	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	28 UNCH
4100	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	27 UNCH
4125	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
4150	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
4175	----	----	----	----/*0.30A	----	0.10 UNCH	----	----	----	----	----	9 UNCH
4200	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	1	----	69 UNCH
4215	----	----	----	----/*0.30A	----	0.10 - 0.10	----	----	----	----	----	4 UNCH
4220	----	----	----	----/*0.30A	----	0.10 - 0.10	----	----	----	----	----	150 UNCH
4225	----	----	----	----/0.30A	----	0.10 - 0.10	----	----	----	----	----	2 UNCH
4250	----	----	----	----/0.30A	----	0.10 - 0.10	----	----	----	----	----	155 UNCH
4255	----	----	----	----/0.30A	----	0.10 - 0.10	----	----	----	----	----	5 UNCH
4260	----	----	----	----/0.30A	----	0.10 - 0.20	----	----	----	----	----	6 UNCH
4270	----	----	----	----/0.30A	----	0.10 - 0.20	----	----	----	----	----	1 UNCH
4275	----	----	----	----/0.30A	----	0.10 - 0.20	----	----	----	----	----	5 UNCH
4280	----	----	----	----/0.30A	----	0.10 - 0.20	----	----	----	----	----	27 UNCH
4290	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.20	----	----	----	----	----	4 UNCH
4295	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	----	----	----	----	----	3 UNCH
4300	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 - 0.20	----	----	----	10	----	39 - 3
4310	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.30	----	----	----	----	----	1 UNCH
4315	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.30	----	----	----	----	----	1 UNCH
4335	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.30	----	----	----	----	----	1 UNCH
4345	----	----	----/0.30A	----/0.30A	----	0.10 - 0.40	----	----	----	----	----	1 UNCH
4350	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.40	----	----	----	----	----	157 UNCH
4355	----	----	----/0.30A	----/0.30A	----	0.10 - 0.40	----	----	----	----	----	1 UNCH
4375	----	----	----/*0.30A	----/*0.30A	----	0.10 - 0.50	----	----	----	----	----	28 UNCH
4380	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.50	----	----	----	----	----	26 UNCH
4385	----	----	----/*0.30A	----/*0.30A	----	0.10 - 0.50	----	----	----	----	----	2 UNCH
4390	----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 0.60	----	----	----	----	----	8 UNCH
4395	----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 0.60	----	----	----	----	----	3 UNCH
4400	----	----	----/0.20A	0.10B/0.20A	----	0.10 - 0.60	----	----	----	----	----	207 UNCH
4410	----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 0.60	----	----	----	----	----	1 UNCH
4415	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.10 - 0.60	----	----	----	20	----	21 + 20
4425	----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 0.70	----	----	----	----	----	2 UNCH
4430	----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 0.70	----	----	----	----	----	3 UNCH
4435	----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 0.70	.0000	----	----	----	----	6 UNCH
4440	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 0.70	.0000	----	----	----	----	10 UNCH
4445	----	----	----/*0.20A	0.30B/*0.20A	----	0.10 NEW	.0000	----	----	6	----	6 + 6
4450	----	----	----/*0.20A	0.30B/*0.20A	----	0.10 - 0.80	.0000	----	----	----	----	166 UNCH
4455	----	----	----/*0.20A	0.30B/*0.20A	----	0.10 - 0.80	.0000	----	----	----	----	101 UNCH
4460	----	----	----/*0.20A	0.30B/*0.20A	----	0.10 - 0.80	.0000	----	----	----	----	4 UNCH
4465	----	----	----/*0.10A	0.40B/*0.10A	----	0.10 - 0.80	.0000	----	----	----	----	1 UNCH
4470	----	----	----/*0.10A	0.40B/*0.10A	----	0.10 - 0.90	.0000	----	----	----	----	5 UNCH
4475	----	----	----/*0.10A	0.40B/*0.10A	----	0.20 - 0.80	.0001	----	----	----	----	1 UNCH
4480	----	----	----/*0.10A	0.50B/*0.10A	----	0.20 - 0.80	.0001	----	----	----	----	10 UNCH
4485	----	----	----/*0.20A	0.50B/*0.20A	----	0.20 - 0.80	.0001	----	----	----	----	3 UNCH
4490	----	----	----/*0.20A	0.50B/*0.20A	----	0.20 - 0.90	.0001	----	----	----	----	4 UNCH
4495	----	----	----/*0.20A	0.60B/*0.20A	----	0.20 - 0.90	.0001	----	----	----	----	9 UNCH
4500	0.30	0.30	0.50/*0.20	0.60B/*0.20	----	0.20 - 0.90	.0001	----	----	10	----	349 + 6
4510	----	----	----/*0.20A	0.70B/*0.20A	----	0.20 - 1.00	.0001	----	----	----	----	7 UNCH
4515	0.30	0.30	0.30/*0.20A	0.70B/*0.20A	----	0.20 - 1.00	.0001	----	----	1	----	20 + 1
4520	0.60	0.60	0.80B/*0.20A	0.80B/*0.20A	----	0.30 - 0.90	.0002	----	----	3	----	23 + 2
4525	0.20	0.20	0.20/*0.20	0.80B/*0.20	----	0.30 - 1.00	.0003	----	----	1	----	11 + 1
4530	----	----	----/*0.30A	0.80B/*0.30A	----	0.30 - 1.00	.0003	----	----	----	----	12 UNCH
4535	1.00	1.00	1.00/*0.30A	1.00/*0.30A	----	0.30 - 1.10	.0003	----	----	2	----	3 UNCH
4540	0.30	0.30	0.30/*0.30	0.90B/*0.30	----	0.30 - 1.10	.0003	----	----	1	----	16 UNCH
4545	0.40	0.40	0.40/*0.30A	0.90B/*0.30A	----	0.30 - 1.20	.0003	----	----	1	----	18 UNCH
4550	1.00	1.00	1.00/*0.40A	1.00/*0.40A	----	0.40 - 1.10	.0005	----	----	2	----	302 + 1
4560	0.70	0.70	0.70/*0.40A	1.00B/*0.40A	----	0.40 - 1.20	.0005	----	----	4	----	6 + 4
4565	1.40	1.40	1.40/*0.40A	1.40/*0.40A	----	0.40 - 1.30	.0005	----	----	2	----	6 UNCH
4570	----	----	----/*0.50A	1.10B/*0.50A	----	0.50 - 1.20	.0008	----	----	1	----	11 + 1
4575	0.30	0.30	0.30/*0.30	1.10B/*0.30	----	0.50 - 1.30	.0008	----	----	4	----	60 + 1
4580	----	----	----/*0.50A	1.20B/*0.50A	----	0.50 - 1.30	.0008	----	----	----	----	1 UNCH
4585	1.20	1.20	1.20/*0.50	1.20/*0.50	----	0.60 - 1.30	.0011	----	----	17	----	97 + 3
4590	0.50	0.50	0.50/*0.50	1.20B/*0.50	----	0.60 - 1.40	.0012	----	----	9	----	21 + 6
4595	----	----	----/*0.60A	1.30B/*0.60A	----	0.70 - 1.30	.0015	----	----	----	----	101 UNCH
4600	1.60	1.60	1.60/*0.60	1.60/*0.60	----	0.70 - 1.40	.0016	----	----	40	----	332 + 16
4605	----	----	----/*0.60A	1.40B/*0.60A	----	0.70 - 1.50	.0017	----	----	----	----	110 UNCH
4610	1.00	1.00	1.00/*0.70A	1.50B/*0.70A	----	0.80 - 1.50	.0021	----	----	4	----	11 + 4
4615	0.90	0.90	0.90/*0.70A	1.60B/*0.70A	----	0.80 - 1.60	.0022	----	----	1	----	7 UNCH
4620	1.00	1.00	1.00/*0.80A	1.70B/*0.80A	----	0.90 - 1.60	.0027	----	----	3	----	5 + 1
4625	1.00	1.00	1.10/*0.80A	1.80B/*0.80A	----	0.90 - 1.70	.0028	----	----	202	----	224 + 195
4630	1.20	1.20	1.20/*0.80	1.90B/*0.80	----	1.00 - 1.70	.0033	----	----	16	----	35 + 10
4635	----	----	----/*0.80A	2.00B/*0.80A	----	1.10 - 1.70	.0039	----	----	----	----	15 UNCH
4640	1.00	1.00	1.00/*0.90A	2.20B/*0.90A	----	1.20 - 1.80	.0046	----	----	1	----	3 + 1
4645	1.20	1.20	1.20/*0.60	2.30B/*0.60	----	1.20 - 1.90	.0048	----	----	13	----	18 + 12
4650	2.00	2.00	2.00/*1.00	2.50B/*1.00	----	1.30 - 1.90	.0056	----	----	99	----	252 + 49
4655	----	----	----/*1.00A	2.60B/*1.00A	----	1.40 - 2.00	.0064	----	----	4	----	7 + 4
4660	1.30	1.30	1.30/*1.00A	2.80B/*1.00A	----	1.50 - 2.10	.0073	----	----	8	----	19 + 7
4665	----	----	----/*1.10A	3.10B/*1.10A	----	1.60 - 2.20	.0083	----	----	----	----	1 UNCH
4670	1.10	1.10	1.50/*1.10	3.30B/*1.10	----	1.70 - 2.30	.0094	----	----	3	----	6 + 1
4675	2.10	2.10	2.10/*1.20A	3.50B/*1.20A	----	1.90 - 2.30	.0113	----	----	204	----	256 + 122
4680	1.20	1.20	1.20/*1.20	3.70B/*1.20	----	2.00 - 2.50	.0127	----	----	1	----	95 + 1
4685	1.10	1.10	1.10/*1.10	4.00B/*1.10	----	2.20 - 2.60	.0149	----	----	3	----	26 + 2
4690	1.40	1.40	3.60/*1.40	4.30B/*1.40	----	2.30 - 2.80	.0166	----	----	6	----	45 + 4
4695	3.40	3.40	3.40/*1.50A	4.50B/*1.50A	----	2.50 - 2.90	.0192	----	----	12	----	28 - 3
4700	2.30	2.30	3.50/*1.40	5.00B/*1.40	----	2.70 - 3.10	.0222	----	----	168	----	245 - 19
4705	----	----	----/*1.60A	5.30B/*1.60A	----	2.90 - 3.30	.0254	----	----	4	----	101 + 1
4710	2.50	2.50	3.80/*1.70A	5.80B/*1.70A	----	3.20 - 3.40	.0300	----	----	30	----	41 + 27
4715	3.10	3.10	3.10/*1.80A	6.20B/*1.80A	----	3.40 - 3.70	.0340	----	----	1	----	4 UNCH
4720	3.00	3.00	4.60/*1.90A	6.70B/*1.90A	----	3.80 - 3.80	.0406	----	----	74	----	54 + 21
4725	4.00	4.00	5.80/*2.10A	7.30B/*2.10A	----	4.10 - 4.10	.0467	----	----	92	----	254 + 53
4730	2.80	2.80	5.20/*2.20A	7.90B/*2.20A	----	4.50 - 4.30	.0546	----	----	17	----	88 + 8

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG3 PUT		GOLD OPTIONS										
APR26												
4735	3.00	3.00	6.00/*2.40A	8.60B/*2.40A	----	4.90 - 4.60	.0634	----	----	121	----	116 + 80
4740	5.00	5.00	5.00/*2.60A	9.30B/*2.60A	----	5.40 - 4.80	.0742	----	----	12	----	52 + 2
4745	4.80	4.80	7.00/*2.80A	10.20B/*2.80A	----	5.90 - 5.10	.0861	----	----	26	----	33 - 2
4750	10.50	10.50	10.50/*2.60	11.10B/*2.60	----	6.60 - 5.30	.1019	----	----	123	----	184 + 9
4755	9.30	9.30	9.30/*3.40A	12.10B/*3.40A	----	7.30 - 5.60	.1190	----	----	13	----	113 + 3
4760	6.10	6.10	8.00/*3.60A	13.20B/*3.60A	----	8.10 - 5.80	.1390	----	----	25	----	45 + 4
4765	5.00	5.00	9.00/*4.00A	14.50B/*4.00A	----	8.90 - 6.10	.1607	----	----	22	----	16 + 10
4770	5.90	5.90	12.00/*4.50A	15.90B/*4.50A	----	9.90 - 6.30	.1868	----	----	101	----	90 + 60
4775	7.10	7.10	16.30/*5.00A	17.30B/*5.00A	----	11.10 - 6.40	.2173	----	----	38	----	88 + 32
4780	8.00	8.00	15.00/*5.60A	18.70B/*5.60A	----	12.30 - 6.50	.2499	----	----	44	----	69 + 18
4785	11.00	11.00	20.40B/*6.10A	20.40B/*6.10A	----	13.70 - 6.60	.2867	----	----	53	----	70 + 18
4790	7.00	7.00	22.30B/*6.90A	22.30B/*6.90A	----	15.30 - 6.60	.3273	----	----	12	----	12 + 4
4795	13.10	13.10	24.60B/*7.80A	24.60B/*7.80A	----	17.00 - 6.60	.3707	----	----	19	----	41 + 7
4800	17.80	17.80	27.00B/*8.70A	27.00B/*8.70A	----	19.00 - 6.40	.4173	----	----	254	----	224 - 3
4805	20.10	20.10	29.10B/*9.80A	29.10B/*9.80A	----	21.10 - 6.20	.4656	----	----	4	----	43 + 3
4810	15.80	15.80	31.80B/*11.00A	31.80B/*11.00A	----	23.40 - 6.00	.5153	----	----	108	----	98 + 63
4815	19.50	19.50	33.50B/*12.30A	33.50B/*12.30A	----	25.90 - 5.70	.5653	----	----	5	----	8 - 1
4820	21.60	21.60	36.00B/*13.80A	36.00B/*13.80A	----	28.70 - 5.20	.6144	----	----	5	----	11 + 3
4825	20.10	20.10	39.40B/*15.60A	39.40B/*15.60A	----	31.60 - 4.70	.6624	----	----	7	----	24 + 3
4830	22.00	22.00	42.40B/*17.40A	42.40B/*17.40A	----	34.70 - 4.10	.7080	----	----	20	----	28 + 17
4835	25.60	25.60	45.80B/*19.50A	45.80B/*19.50A	----	38.00 - 3.50	.7506	----	----	1	----	2 + 1
4840	24.50	24.50	49.60B/*21.80A	49.60B/*21.80A	----	41.50 - 2.80	.7892	----	----	2	----	6 + 1
4845	----	----	53.30B/*24.10A	53.30B/*24.10A	----	45.20 - 2.00	.8235	----	----	2	----	1 UNCH
4850	30.80	30.80	57.30B/*26.50A	57.30B/*26.50A	----	49.10 - 1.10	.8530	----	----	2	----	3 + 2
4855	----	----	61.30B/*28.90A	61.30B/*28.90A	----	53.00 - 0.40	.8806	----	----	----	----	5 UNCH
4860	----	----	65.20B/*31.40A	65.20B/*31.40A	----	57.20 + 0.50	.9017	----	----	----	----	1 UNCH
4865	----	----	69.50B/*34.20A	69.50B/*34.20A	----	61.40 NEW	.9210	----	----	2	----	2 + 2
4870	----	----	73.80B/*36.60A	73.80B/*36.60A	----	65.80 NEW	.9357	----	----	3	----	3 + 3
4875	----	----	78.40B/39.40A	78.40B/39.40A	----	70.20 + 3.00	.9490	----	----	1	----	4 UNCH
4880	----	----	82.60B/43.00A	82.60B/43.00A	----	74.70 NEW	.9596	----	----	1	----	1 + 1
4885	----	----	87.20B/46.50A	87.20B/46.50A	----	79.30 + 4.60	.9678	----	----	----	----	1 UNCH
4900	----	----	101.20B/56.90A	101.20B/56.90A	----	93.40 + 6.80	.9838	----	----	5	----	6 + 1
4905	----	----	105.90B/60.80A	105.90B/60.80A	----	98.20 + 7.40	.9870	----	----	----	----	1 UNCH
4915	----	----	115.60B/68.30A	115.60B/68.30A	----	107.90 + 8.60	.9913	----	----	----	----	5 UNCH
4920	----	----	120.30B/71.90A	120.30B/71.90A	----	112.80 NEW	.9926	----	----	1	----	1 + 1
4925	----	----	125.00B/76.40A	125.00B/76.40A	----	117.70 + 9.70	.9938	----	----	----	----	1 UNCH
4950	----	----	149.70B/97.90A	149.70B/97.90A	----	142.30 + 11.60	.9976	----	----	----	----	2 UNCH
4970	----	----	169.40B/116.10A	169.40B/116.10A	----	162.20 + 12.60	.9984	----	----	----	----	0 UNCH
4975	----	----	174.20B/120.70A	174.20B/120.70A	----	167.20 + 12.90	.9985	----	----	----	----	1 UNCH
4995	----	----	194.20B/139.60A	194.20B/139.60A	----	187.10 + 13.50	.9987	----	----	1	----	0 - 1
5000	----	----	199.20B/144.40A	199.20B/144.40A	----	192.10 + 13.70	.9991	----	----	----	----	1 UNCH
5050	----	----	249.00B/193.10A	249.00B/193.10A	----	242.00 + 14.50	.9996	----	----	----	----	1 UNCH
5150	----	----	346.30B/299.00A	346.30B/299.00A	----	341.80 + 14.90	.9999	----	----	----	----	1 UNCH
5180	----	----	376.20B/329.30A	376.20B/329.30A	----	371.80 + 15.00	1.0000	----	----	----	----	1 UNCH
TOTAL										2138		6497 + 907

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG3 CALL		GOLD OPTIONS										
APR26												
4300	----	----	551.60B/503.90A	551.60B/503.90A	----	508.40 - 15.50	1.0000	----	----	----	----	1 UNCH
4375	----	----	476.40B/427.00A	476.40B/427.00A	----	433.40 - 15.70	1.0000	----	----	----	----	74 UNCH
4400	----	----	451.80B/403.90A	451.80B/403.90A	----	408.40 - 15.80	1.0000	----	----	----	----	0 - 4
4415	----	----	436.50B/388.60A	436.50B/388.60A	----	393.40 - 15.90	1.0000	----	----	----	----	5 - 1
4435	----	----	416.60B/369.00A	416.60B/369.00A	----	373.40 - 16.00	1.0000	----	----	----	----	10 UNCH
4450	----	----	402.00B/354.00A	402.00B/354.00A	----	358.40 - 16.00	1.0000	----	----	----	----	0 - 1
4475	----	----	376.70B/329.10A	376.70B/329.10A	----	333.40 - 16.10	.9999	----	----	----	----	3 UNCH
4500	----	----	352.20B/304.20A	352.20B/304.20A	----	308.50 - 16.20	.9999	----	----	----	----	2 UNCH
4550	----	----	302.40B/254.40A	302.40B/254.40A	----	258.60 - 16.50	.9995	----	----	----	----	1 UNCH
4575	----	----	283.50B/226.70A	283.50B/226.70A	----	233.80 - 16.50	.9991	----	----	----	----	4 UNCH
4585	----	----	274.00B/216.90A	274.00B/216.90A	----	223.90 - 16.60	.9988	----	----	----	----	2 UNCH
4600	217.70	217.70	259.30B/202.00A	259.30B/202.00A	----	209.00 - 16.70	.9983	----	----	8	----	22 + 1
4605	226.00	226.00	254.10B/197.00A	254.10B/197.00A	----	204.00 - 16.80	.9983	----	----	5	----	8 UNCH
4610	----	----	248.70B/192.20A	248.70B/192.20A	----	199.10 - 16.80	.9978	----	----	----	----	1 UNCH
4625	----	----	233.80B/177.30A	233.80B/177.30A	----	184.20 - 17.00	.9972	----	----	----	----	3 UNCH
4640	200.50	200.50	218.90B/162.60A	218.90B/162.60A	----	169.40 - 17.10	.9953	----	----	1	----	11 UNCH
4650	----	----	209.40B/152.80A	209.40B/152.80A	----	159.60 - 17.20	.9943	----	----	1	----	9 UNCH
4655	----	----	204.40B/148.00A	204.40B/148.00A	----	154.70 - 17.30	.9935	----	----	1	----	1 UNCH
4670	----	----	189.20B/133.40A	189.20B/133.40A	----	140.00 - 17.60	.9905	----	----	----	----	4 UNCH
4675	----	----	184.70B/128.60A	184.70B/128.60A	----	135.20 - 17.60	.9886	----	----	----	----	7 UNCH
4680	----	----	180.00B/123.70A	180.00B/123.70A	----	130.30 - 17.80	.9872	----	----	----	----	30 UNCH
4685	----	----	174.40B/119.00A	174.40B/119.00A	----	125.40 - 18.00	.9850	----	----	----	----	39 UNCH
4690	----	----	169.50B/114.30A	169.50B/114.30A	----	120.60 - 18.10	.9833	----	----	1	----	31 UNCH
4695	----	----	164.60B/109.50A	164.60B/109.50A	----	115.80 - 18.20	.9806	----	----	----	----	32 UNCH
4700	----	----	159.70B/104.90A	159.70B/104.90A	----	111.00 - 18.40	.9777	----	----	2	----	69 + 1
4705	----	----	154.80B/100.30A	154.80B/100.30A	----	106.20 - 18.60	.9745	----	----	----	----	8 UNCH
4710	----	----	149.90B/95.60A	149.90B/95.60A	----	101.50 - 18.70	.9699	----	----	----	----	3 UNCH
4715	----	----	145.50B/91.00A	145.50B/91.00A	----	96.70 - 19.00	.9659	----	----	----	----	2 UNCH
4725	----	----	135.40B/82.20A	135.40B/82.20A	----	87.40 - 19.40	.9532	----	----	----	----	4 UNCH
4730	----	----	130.60B/77.80A	130.60B/77.80A	----	82.80 - 19.60	.9452	----	----	----	----	1 UNCH
4735	----	----	125.80B/73.30A	125.80B/73.30A	----	78.20 - 19.90	.9365	----	----	----	----	4 UNCH
4740	----	----	121.70B/69.20A	121.70B/69.20A	----	73.70 - 20.10	.9257	----	----	----	----	77 UNCH
4745	----	----	117.00B/64.20A	117.00B/64.20A	----	69.20 - 20.40	.9137	----	----	3	----	69 + 3
4750	66.00	66.00	112.30B/60.10A	112.30B/60.10A	----	64.90 - 20.60	.8980	----	----	2	----	103 + 1
4755	----	----	107.00B/56.40A	107.00B/56.40A	----	60.60 - 20.80	.8809	----	----	----	----	14 UNCH
4760	----	----	102.40B/52.60A	102.40B/52.60A	----	56.30 - 21.20	.8609	----	----	----	----	5 UNCH
4765	----	----	97.80B/48.50A	97.80B/48.50A	----	52.20 - 21.40	.8392	----	----	----	----	102 UNCH
4770	59.50	59.50	93.40B/45.00A	93.40B/45.00A	----	48.20 - 21.60	.8130	----	----	3	----	17 UNCH
4775	----	----	88.90B/39.90A	88.90B/39.90A	----	44.40 - 21.60	.7826	----	----	1	----	191 UNCH
4780	----	----	84.40B/36.70A	84.40B/36.70A	----	40.60 - 21.80	.7500	----	----	----	----	13 UNCH
4785	53.90	53.90	80.20B/33.60A	80.20B/33.60A	----	37.00 - 21.90	.7132	----	----	2	----	19 + 1
4790	45.40	45.40	75.90B/30.70A	75.90B/30.70A	----	33.60 - 21.90	.6725	----	----	5	----	73 - 1
4795	----	----	72.20B/28.00A	72.20B/28.00A	----	30.30 - 21.90	.6292	----	----	3	----	20 UNCH
4800	62.00	62.00	68.10B/25.40A	68.10B/25.40A	----	27.30 - 21.70	.5826	----	----	39	----	62 - 9
4805	52.00	52.00	63.70B/*23.00A	63.70B/*23.00A	----	24.40 - 21.50	.5343	----	----	2	----	26 UNCH
4810	27.70	27.70	60.30B/*20.10	60.30B/*20.10	----	21.70 - 21.30	.4846	----	----	50	100	109 - 5
4815	46.10	46.10	56.40B/*18.40A	56.40B/*18.40A	----	19.20 - 21.00	.4345	----	----	12	----	24 + 4
4820	43.20	43.20	52.60B/*16.10A	52.60B/*16.10A	----	17.00 - 20.50	.3855	----	----	66	----	50 + 7
4825	42.30	42.30	49.30B/*13.40	49.30B/*13.40	----	14.90 - 20.00	.3375	----	----	40	----	84 + 9
4830	30.20	30.20	45.80B/*12.50A	45.80B/*12.50A	----	13.00 - 19.40	.2918	----	----	27	----	25 + 12
4835	41.20	41.20	43.00B/*10.90A	43.00B/*10.90A	----	11.30 - 18.80	.2493	----	----	39	----	18 - 6
4840	23.10	23.10	40.30B/*9.40	40.30B/*9.40	----	9.80 - 18.10	.2106	----	----	47	----	62 + 10
4845	33.50	33.50	37.50B/*8.20A	37.50B/*8.20A	----	8.50 - 17.30	.1764	----	----	24	----	19 + 6
4850	25.70	25.70	35.00/*6.80	35.00/*6.80	----	7.40 - 16.50	.1469	----	----	264	70	231 + 3
4855	15.10	15.10	31.90B/*6.20A	31.90B/*6.20A	----	6.30 - 15.70	.1193	----	----	15	----	27 + 12
4860	23.70	23.70	29.40B/*5.00	29.40B/*5.00	----	5.50 - 14.80	.0982	----	----	88	----	95 + 65
4865	13.30	13.30	27.00B/*4.60A	27.00B/*4.60A	----	4.70 - 14.00	.0788	----	----	48	----	65 + 35
4870	10.00	10.00	24.70B/*3.70A	24.70B/*3.70A	----	4.10 - 13.10	.0641	----	----	18	----	118 + 6
4875	18.50	18.50	22.50B/*3.10A	22.50B/*3.10A	----	3.50 - 12.30	.0508	----	----	57	----	174 + 12
4880	10.50	10.50	20.60B/*2.60A	20.60B/*2.60A	----	3.00 - 11.50	.0403	----	----	50	----	40 + 29
4885	9.80	9.80	18.80B/*2.20	18.80B/*2.20	----	2.60 - 10.70	.0321	----	----	12	----	22 + 6
4890	2.10	2.10	17.00B/*2.10	17.00B/*2.10	----	2.30 - 9.90	.0261	----	----	5	----	48 UNCH
4895	4.90	4.90	15.50B/*1.50	15.50B/*1.50	----	2.00 - 9.20	.0208	----	----	31	----	51 + 15
4900	10.10	10.10	14.10B/*1.50	14.10B/*1.50	----	1.70 - 8.60	.0160	----	----	243	----	334 - 45
4905	----	----	12.70B/*1.50A	12.70B/*1.50A	----	1.50 - 7.90	.0129	----	----	----	----	14 UNCH
4910	11.30	11.30	11.50B/*1.10A	11.50B/*1.10A	----	1.40 - 7.20	.0112	----	----	10	----	27 + 7
4915	7.80	7.80	10.50/*1.10	10.50/*1.10	----	1.20 - 6.70	.0086	----	----	8	----	21 + 2
4920	2.80	2.80	9.50B/*1.10A	9.50B/*1.10A	----	1.10 - 6.10	.0073	----	----	10	----	69 UNCH
4925	----	----	8.60B/*1.00A	8.60B/*1.00A	----	1.00 - 5.60	.0061	----	----	4	----	27 UNCH
4930	3.50	3.50	7.80B/*0.90A	7.80B/*0.90A	----	0.90 - 5.20	.0050	----	----	15	----	60 + 10
4935	----	----	7.00B/*0.80A	7.00B/*0.80A	----	0.80 - 4.80	.0040	----	----	3	----	11 + 1
4940	1.10	1.10	6.30B/*0.80A	6.30B/*0.80A	----	0.70 - 4.40	.0032	----	----	1	----	131 UNCH
4945	5.40	5.40	5.60B/*0.70A	5.60B/*0.70A	----	0.70 - 4.00	.0030	----	----	2	----	14 + 2
4950	4.10	4.10	6.70/*0.50	6.70/*0.50	----	0.60 - 3.80	.0023	----	----	93	----	226 + 16
4955	----	----	4.60B/*0.70A	4.60B/*0.70A	----	0.60 - 3.40	.0022	----	----	4	----	52 UNCH
4960	2.30	2.30	4.10B/*0.50	4.10B/*0.50	----	0.60 - 3.10	.0021	----	----	4	----	50 + 3
4965	1.30	1.30	3.70B/*0.50A	3.70B/*0.50A	----	0.60 - 2.80	.0020	----	----	1	----	64 + 1
4970	3.20	3.20	3.40B/*0.50A	3.40B/*0.50A	----	0.50 - 2.70	.0015	----	----	9	----	13 + 4
4975	0.60	0.60	3.00B/*0.30	3.00B/*0.30	----	0.50 - 2.40	.0014	----	----	10	----	75 + 2
4980	0.60	0.60	2.90B/*0.50A	2.90B/*0.50A	----	0.50 - 2.20	.0014	----	----	2	----	16 + 2
4985	----	----	----/*0.50A	2.50B/*0.50A	----	0.50 - 2.00	.0013	----	----	----	----	8 UNCH
4990	----	----	----/*0.40A	2.40B/*0.40A	----	0.50 - 1.90	.0012	----	----	----	----	12 UNCH
4995	0.40	0.40	0.40/*0.40	2.20B/*0.40	----	0.50 - 1.70	.0012	----	----	1	----	1017 UNCH
5000	3.00	3.00	3.00/*0.20	3.00/*0.20	----	0.40 - 1.70	.0008	----	----	42	----	529 + 4

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG3 CALL — GOLD OPTIONS — APR26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
5005 1.00	1.00	1.00/*0.30	1.70B/*0.30	----	0.40 - 1.50	.0008	----	----	6	----	1019 - 5
5010 1.00	1.00	1.00/*0.30A	1.60B/*0.30A	----	0.40 - 1.40	.0008	----	----	1	----	17 + 1
5015 0.70	0.70	0.70/*0.20	1.40B/*0.20	----	0.40 - 1.30	.0007	----	----	10	----	36 + 8
5020 ----	----	----/*0.30A	1.30B/*0.30A	----	0.40 - 1.20	.0007	----	----	1	----	116 + 1
5025 0.30	0.30	0.30/*0.30	1.30B/*0.30	----	0.40 - 1.10	.0007	----	----	1	----	16 UNCH
5030 1.10	1.10	1.10/*0.30	1.10/*0.30	----	0.40 - 1.00	.0007	----	----	6	----	27 + 6
5035 ----	----	----/*0.20A	1.00B/*0.20A	----	0.40 - 1.00	.0006	----	----	----	----	12 UNCH
5040 0.20	0.20	0.20/*0.20	0.90B/*0.20	----	0.40 - 0.90	.0006	----	----	6	----	7 + 1
5045 ----	----	----/*0.30A	0.90B/*0.30A	----	0.40 - 0.80	.0006	----	----	----	----	4 UNCH
5050 0.80	0.80	0.80/*0.20	0.80/*0.20	----	0.30 - 0.90	.0004	----	----	23	----	51 + 19
5055 0.50	0.50	0.50/*0.20	0.80B/*0.20	----	0.30 - 0.80	.0003	----	----	12	----	11 + 5
5060 ----	----	----/*0.20A	0.70B/*0.20A	----	0.30 - 0.70	.0003	----	----	----	----	2 UNCH
5065 ----	----	----/*0.40A	0.70B/*0.40A	----	0.30 - 0.70	.0003	----	----	----	----	17 UNCH
5070 ----	----	----/*0.20A	0.60B/*0.20A	----	0.30 - 0.70	.0003	----	----	----	----	18 UNCH
5075 1.00	1.00	1.00/*0.20	1.00/*0.20	----	0.30 - 0.60	.0003	----	----	3	----	16 + 2
5080 ----	----	----/*0.20A	0.50B/*0.20A	----	0.30 - 0.60	.0003	----	----	1	----	27 + 1
5085 ----	----	----/*0.20A	0.50B/*0.20A	----	0.30 - 0.50	.0003	----	----	----	----	5 UNCH
5090 ----	----	----/*0.40A	0.40B/*0.40A	----	0.30 - 0.50	.0003	----	----	----	----	12 UNCH
5095 ----	----	----/*0.30A	0.40B/*0.30A	----	0.30 - 0.50	.0003	----	----	----	----	4 UNCH
5100 0.10	0.10	0.10/*0.10	0.40B/*0.10	----	0.30 - 0.40	.0003	----	----	4	----	460 - 1
5105 ----	----	----/*0.20A	0.20B/*0.20A	----	0.20 - 0.50	.0001	----	----	1	----	5 - 1
5110 ----	----	----/*0.30A	0.20B/*0.30A	----	0.20 - 0.50	.0001	----	----	1	----	3 + 1
5115 0.10	0.10	0.10/*0.10	0.20B/*0.10	----	0.20 - 0.50	.0001	----	----	1	----	3 - 1
5120 ----	----	----/*0.20A	0.20B/*0.20A	----	0.20 - 0.40	.0001	----	----	----	----	2 UNCH
5130 0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.20 - 0.40	.0001	----	----	20	----	31 + 18
5135 0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.20 - 0.40	.0001	----	----	1	----	2 UNCH
5150 0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.20 - 0.30	.0001	----	----	15	----	37 + 15
5155 ----	----	----/*0.20A	----/*0.20A	----	0.20 - 0.30	.0001	----	----	----	----	3 UNCH
5160 ----	----	----/*0.20A	----/*0.20A	----	0.20 - 0.30	.0001	----	----	----	----	5 UNCH
5170 ----	----	----/*0.30A	----/*0.30A	----	0.10 - 0.40	.0000	----	----	----	----	10 UNCH
5175 ----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.30	.0000	----	----	----	----	3 UNCH
5180 ----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.30	.0000	----	----	----	----	3 UNCH
5190 ----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.30	.0000	----	----	----	----	3 UNCH
5195 ----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.30	.0000	----	----	----	----	29 UNCH
5200 0.10	0.10	0.20/*0.10	0.20/*0.10	----	0.10 - 0.30	.0000	----	----	10	----	213 + 3
5215 ----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.30	----	----	----	----	----	1 UNCH
5220 ----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.30	----	----	----	----	----	6 UNCH
5230 ----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	----	----	----	----	----	3 UNCH
5245 ----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	----	----	----	----	----	10 UNCH
5250 ----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 0.20	----	----	----	----	----	207 UNCH
5255 ----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	----	----	----	----	----	5 UNCH
5265 ----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	1	----	5 UNCH
5270 ----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	8 UNCH
5275 ----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	5 UNCH
5280 ----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	2 UNCH
5290 ----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	38 UNCH
5295 ----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	2 UNCH
5300 ----	----	----	0.10B/*0.20A	----	0.10 - 0.10	----	----	----	----	----	86 UNCH
5325 ----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
5350 0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	----	----	----	1	----	28 UNCH
5375 ----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
5400 ----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
5425 ----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
5450 ----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5500 ----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	28 UNCH
5550 ----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
5700 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
5750 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
TOTAL									1559	170	7923 + 293

OG2 PUT — GOLD OPTIONS — MAY26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4200 ----	----	----	5.10B/*7.60A	----	6.10 - 0.70	.0359	----	----	----	----	3 UNCH
4400 ----	----	----/*14.70A	14.90B/*14.70A	----	15.50 - 2.10	.0909	----	----	----	----	4 UNCH
4500 25.00	25.00	#25.60B/*23.90A	25.60B/*23.90A	----	25.70 - 2.80	.1457	----	----	1	----	5 + 1
4550 ----	----	----/*31.00A	33.20B/*31.00A	----	33.10 - 3.10	.1829	----	----	----	----	1 UNCH
4575 ----	----	----/*35.00A	37.90B/*35.00A	----	37.60 - 3.20	.2044	----	----	----	----	1 UNCH
4650 ----	----	----/*50.70A	55.60B/*50.70A	----	54.60 NEW	.2802	----	----	1	----	1 + 1
4700 ----	----	----/*63.90A	71.00B/*63.90A	----	69.60 NEW	.3402	----	----	1	----	1 + 1
4775 ----	----	----/*90.00A	100.30B/*90.00A	----	98.90 - 2.40	.4410	----	----	----	----	2 UNCH
4975 ----	----	219.70B/200.80A	219.70B/200.80A	----	218.90 + 1.90	.7081	----	----	----	----	2 UNCH
TOTAL									3		20 + 3

OG2 CALL — GOLD OPTIONS — MAY26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4550 295.00	295.00	328.00B/*293.20	328.00B/293.20A	----	291.00 NEW	.8165	----	----	1	----	1 + 1
4775 ----	----	161.10B/*134.00	161.10B/134.00A	----	132.20 - 17.60	.5584	----	----	----	----	4 UNCH
4800 128.00	128.00	146.20B/*120.60	146.20B/120.60A	----	119.00 - 17.50	.5231	----	----	10	----	1 - 10
4900 95.30	95.30	95.90B/*76.70A	95.90B/76.70A	----	76.20 - 16.20	.3849	----	----	1	----	10 UNCH
4950 ----	----	76.00B/*60.00A	76.00B/60.00A	----	59.60 - 14.50	.3210	----	----	----	----	14 UNCH
5000 ----	----	59.40B/*46.70A	59.40B/46.70A	----	46.00 - 12.40	.2629	----	----	1	----	3 + 1
5050 ----	----	45.90B/*36.10A	45.90B/*36.10A	----	35.30 NEW	.2123	----	----	1	----	1 + 1
5100 ----	----	----/*27.80A	35.30B/*27.80A	----	27.00 - 8.60	.1695	----	----	----	----	4 UNCH
5150 ----	----	----/*21.20A	26.40B/*21.20A	----	20.70 - 7.30	.1345	----	----	----	----	4 UNCH
5200 ----	----	----/*16.70A	20.10B/*16.70A	----	15.90 - 6.20	.1063	----	----	----	----	4 UNCH
5300 ----	----	----/*10.60A	11.40B/*10.60A	----	9.30 - 4.50	.0650	----	----	----	----	2 UNCH
TOTAL									14		48 - 7

OG1 PUT — GOLD OPTIONS — MAY26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3900 ----	----	----	1.00B/*1.60A	----	0.80 - 0.20	.0047	----	----	----	----	2 UNCH
4000 1.50	1.50	1.50/*1.50	1.50/*1.50	----	1.40 - 0.20	.0084	----	----	2	----	2 UNCH
4125 ----	----	----/*2.90A	2.20B/*2.90A	----	2.60 - 0.40	.0162	----	----	----	----	2 UNCH
4150 ----	----	----/*3.10A	2.40B/*3.10A	----	2.90 - 0.40	.0183	----	----	----	----	1 UNCH
4175 ----	----	----/*3.40A	2.60B/*3.40A	----	3.10 - 0.50	.0200	----	----	----	----	1 UNCH
4200 ----	----	----/*3.70A	2.90B/*3.70A	----	3.40 - 0.60	.0222	----	----	----	----	1 UNCH
4250 ----	----	----/*4.40A	3.60B/*4.40A	----	4.20 - 0.70	.0281	----	----	----	----	5 UNCH
4300 ----	----	----/*5.40A	4.60B/*5.40A	----	5.20 - 0.90	.0355	----	----	20	----	34 + 20
4325 ----	----	----/*6.00A	5.30B/*6.00A	----	5.80 - 1.00	.0401	----	----	10	----	12 + 10
4350 6.00	6.00	6.00/*6.00	6.00/*6.00	----	6.60 - 1.10	.0459	----	----	22	----	35 + 14
4375 ----	----	----/*7.40A	6.80B/*7.40A	----	7.40 NEW	.0520	----	----	10	----	10 + 10
4400 ----	----	----/*8.30A	7.90B/*8.30A	----	8.40 - 1.40	.0593	----	----	----	----	2 UNCH
4450 9.20	9.20	10.90B/*9.20	10.90B/*9.20	----	11.10 - 1.80	.0786	----	----	7	----	150 UNCH
4485 ----	----	----/*11.50A	13.60B/*11.50A	----	13.60 - 2.10	.0960	----	----	----	----	1 UNCH
4500 ----	----	----/*12.50A	14.90B/*12.50A	----	14.90 - 2.20	.1048	----	----	2	----	13 + 1
4535 ----	----	----/*15.80A	18.70B/*15.80A	----	18.50 - 2.50	.1285	----	----	----	----	1 UNCH
4550 ----	----	----/*17.30A	20.50B/*17.30A	----	20.30 NEW	.1401	----	----	20	----	20 + 20
4600 ----	----	----/*23.50A	28.30B/*23.50A	----	27.70 - 3.10	.1856	----	----	4	----	14 + 4
4610 ----	----	----/*24.90A	30.10B/*24.90A	----	29.50 - 3.10	.1962	----	----	----	----	10 UNCH
4650 ----	----	----/*31.70A	38.70B/*31.70A	----	37.80 NEW	.2429	----	----	20	----	20 + 20
4700 ----	----	----/*42.90A	52.30B/*42.90A	----	51.20 - 3.40	.3118	----	----	3	----	14 + 2
4740 ----	----	----/*54.30A	66.00B/*54.30A	----	64.70 - 3.10	.3741	----	----	----	----	1 UNCH
4750 66.00	66.00	69.90B/*57.50A	69.90B/*57.50A	----	68.50 - 3.00	.3905	----	----	2	----	3 + 2
4830 ----	----	107.10B/*89.10A	107.10B/*89.10A	----	105.20 NEW	.5283	----	----	4	----	4 + 4
4835 ----	----	109.80B/*91.50A	109.80B/*91.50A	----	107.90 - 1.30	.5370	----	----	----	----	1 UNCH
4900 ----	----	148.40B/126.20A	148.40B/126.20A	----	146.90 + 1.00	.6469	----	----	----	----	2 UNCH
4950 ----	----	183.50B/158.10A	183.50B/158.10A	----	181.70 + 3.00	.7235	----	----	----	----	1 UNCH
5000 ----	----	222.30B/198.90A	222.30B/198.90A	----	220.10 + 5.10	.7893	----	----	----	----	1 UNCH
TOTAL									126		363 + 107

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG1 CALL — GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26												
4625	----	----	251.10B/214.60A	251.10B/214.60A	----	215.40 - 18.60	.7867	----	----	----	----	1 UNCH
4665	----	----	218.80B/184.10A	218.80B/184.10A	----	184.50 - 18.70	.7372	----	----	----	----	1 UNCH
4700	----	----	192.00B/159.10A	192.00B/159.10A	----	159.30 - 18.70	.6878	----	----	----	----	1 UNCH
4760	----	----	149.70B/120.30A	149.70B/120.30A	----	120.70 - 18.10	.5924	----	----	----	----	1 UNCH
4770	----	----	143.30B/114.50A	143.30B/114.50A	----	114.80 - 18.00	.5754	----	----	----	----	1 UNCH
4775	----	----	139.80B/111.70A	139.80B/111.70A	----	112.00 - 17.90	.5669	----	----	----	----	4 UNCH
4800	----	----	124.60B/98.30A	124.60B/98.30A	----	98.40 - 17.40	.5237	----	----	----	----	1 UNCH
4820	----	----	113.00B/88.30A	113.00B/88.30A	----	88.30 NEW	.4888	----	----	1	----	1 + 1
4825	----	----	110.10B/85.90A	110.10B/85.90A	----	85.90 - 16.80	.4800	----	----	2	----	2 UNCH
4840	----	----	101.90B/79.00A	101.90B/79.00A	----	79.00 - 16.40	.4539	----	----	----	----	10 UNCH
4850	----	----	96.80B/74.70A	96.80B/74.70A	----	74.60 - 16.10	.4366	----	----	----	----	1 UNCH
4860	----	----	91.90B/70.50A	91.90B/70.50A	----	70.40 - 15.70	.4194	----	----	----	----	1 UNCH
4875	----	----	84.80B/64.60A	84.80B/64.60A	----	64.40 - 15.20	.3939	----	----	1	----	2 + 1
4900	65.00	65.00	73.70B/55.60A	73.70B/55.60A	----	55.30 - 14.30	.3526	----	----	16	----	23 + 10
4925	----	----	63.60B/47.60A	63.60B/47.60A	----	47.20 - 13.40	.3132	----	----	----	----	20 UNCH
4945	----	----	56.30B/41.90A	56.30B/41.90A	----	41.50 NEW	.2835	----	----	1	----	1 + 1
4950	----	----	54.90B/40.50A	54.90B/40.50A	----	40.10 - 12.30	.2761	----	----	----	----	21 UNCH
4995	----	----	41.20B/30.10A	41.20B/30.10A	----	29.60 NEW	.2163	----	----	1	----	1 + 1
5000	31.40	31.40	39.50B/29.20A	39.50B/29.20A	----	28.60 - 10.30	.2103	----	----	34	----	31 + 28
5020	----	----	34.90B/25.50A	34.90B/25.50A	----	24.90 NEW	.1873	----	----	1	----	1 + 1
5050	22.70	22.70	22.70/20.90A	28.30B/20.90A	----	20.20 - 8.20	.1567	----	----	3	----	10 + 1
5100	14.50	14.50	14.50/*14.50	19.50B/*14.50	----	14.30 - 6.30	.1153	----	----	37	----	318 + 6
5125	----	----	----/*12.90A	16.10B/*12.90A	----	12.10 - 5.50	.0989	----	----	----	----	1 UNCH
5150	----	----	----/*10.90A	13.30B/*10.90A	----	10.30 - 4.70	.0851	----	----	----	----	8 UNCH
5200	----	----	----/*8.10A	9.50B/*8.10A	----	7.60 - 3.50	.0634	----	----	30	----	31 + 24
5250	----	----	----/*6.30A	6.80B/*6.30A	----	5.50 NEW	.0464	----	----	60	----	30 + 30
5275	----	----	----/*5.50A	5.20B/*5.50A	----	4.60 NEW	.0392	----	----	30	----	30 + 30
5400	----	----	----/*3.30A	2.60B/*3.30A	----	2.20 NEW	.0187	----	----	20	----	20 + 20
TOTAL										237		573+ 154

OG PUT — COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26												
1000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2046 UNCH
1500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	761 UNCH
1600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	40 UNCH
1700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1800	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1900	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	149 UNCH
2175	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	25 UNCH
2200	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	129 UNCH
2225	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	271 UNCH
2250	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
2275	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2300	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	156 UNCH
2325	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
2350	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	122 UNCH
2400	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	13 UNCH
2420	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	16 UNCH
2450	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
2485	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
2495	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	75 UNCH
2500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	74 UNCH
2505	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
2520	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
2525	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	102 UNCH
2540	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
2550	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2560	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
2580	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	35 UNCH
2590	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	114 UNCH
2615	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2620	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2650	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
2660	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2685	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	34 UNCH
2705	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2715	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
2725	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2730	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
2750	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
2755	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
2770	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
2785	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	21 UNCH
2790	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
2800	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	88 UNCH
2815	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	35 UNCH
2820	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	74 UNCH
2845	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
2850	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
2870	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	23 UNCH
2895	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	39 UNCH
2900	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	348 UNCH
2905	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
2910	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
2930	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	28 UNCH
2940	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
2950	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	302 UNCH
2980	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
2995	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
3000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	140 UNCH
3005	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3010	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3020	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3040	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	52 UNCH
3045	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3050	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	19 UNCH
3055	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
3065	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
3070	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3075	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	66 UNCH
3080	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3090	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
3095	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
3100	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	308 UNCH
3105	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
3115	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
3120	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	41 UNCH
3125	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3130	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
3135	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3140	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
3150	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
3155	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	74 UNCH
3160	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
3170	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
3175	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
3185	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	18 UNCH
3200	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	268 UNCH
3205	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
3210	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
3220	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	8 UNCH
3225	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	12 UNCH
3235	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
3245	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
3250	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	89 UNCH
3255	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	8 UNCH
3260	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	21 UNCH
3265	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	16 UNCH
3270	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
3275	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	22 UNCH
3280	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
3290	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	40 UNCH
3295	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
3300	----	----	----	0.10B/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	592 UNCH
3305	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	60 UNCH
3310	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
3315	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	3 UNCH
3320	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
3325	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH
3330	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
3335	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	20 UNCH
3340	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
3345	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
3350	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	53 UNCH
3360	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	4 UNCH
3370	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	.0000	----	----	----	----	75 UNCH
3375	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	.0000	----	----	----	----	54 UNCH
3380	----	----	----	----/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	5 UNCH
3385	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	.0000	----	----	----	----	12 UNCH
3390	----	----	----	----/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	5 UNCH
3395	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	.0000	----	----	----	----	35 UNCH
3400	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	.0000	----	----	----	----	186 UNCH
3405	----	----	----	----/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	5 UNCH
3415	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	.0000	----	----	----	----	118 UNCH
3420	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	.0000	----	----	----	----	1 UNCH
3425	----	----	----	----/*0.20A	----	0.10 - 0.10	.0001	----	----	----	----	11 UNCH
3430	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	.0001	----	----	----	----	21 UNCH
3435	----	----	----	----/*0.20A	----	0.10 - 0.10	.0001	----	----	----	----	101 UNCH
3440	----	----	----	----/*0.20A	----	0.10 - 0.10	.0001	----	----	----	----	1 UNCH
3445	----	----	----	----/*0.20A	----	0.10 - 0.10	.0001	----	----	----	----	33 UNCH
3450	----	----	----	----/*0.20A	----	0.10 - 0.10	.0001	----	----	----	----	49 UNCH
3455	----	----	----	----/*0.20A	----	0.10 - 0.10	.0001	----	----	----	----	44 UNCH
3460	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	.0001	----	----	----	----	142 UNCH
3465	----	----	----	----/*0.20A	----	0.10 - 0.10	.0001	----	----	----	----	17 UNCH
3470	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	.0001	----	----	----	----	76 UNCH
3475	----	----	----	----/*0.20A	----	0.10 - 0.10	.0001	----	----	----	----	94 UNCH
3480	----	----	----	----/*0.20A	----	0.10 - 0.10	.0001	----	----	----	----	84 UNCH
3485	----	----	----	----/*0.20A	----	0.10 - 0.10	.0002	----	----	----	----	60 UNCH
3490	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.10 - 0.10	.0002	----	----	1	----	52 UNCH
3495	----	----	----	----/*0.20A	----	0.10 - 0.10	.0002	----	----	----	----	54 UNCH
3500	----	----	----	----/*0.20A	----	0.10 - 0.10	.0002	----	----	----	----	1429 UNCH
3505	----	----	----	----/*0.20A	----	0.10 - 0.10	.0002	----	----	----	----	14 UNCH
3510	----	----	----	----/*0.20A	----	0.10 - 0.10	.0002	----	----	----	----	35 UNCH
3515	----	----	----	----/*0.20A	----	0.10 - 0.10	.0002	----	----	----	----	82 UNCH
3520	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	.0003	----	----	----	----	8 UNCH
3525	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	.0003	----	----	----	----	119 UNCH
3530	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	.0003	----	----	----	----	102 UNCH
3535	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	.0003	----	----	----	----	158 UNCH
3540	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	.0003	----	----	----	----	10 UNCH
3545	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	.0004	----	----	----	----	67 UNCH
3550	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	.0004	----	----	----	----	339 UNCH
3555	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	.0004	----	----	----	----	45 UNCH
3560	----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 0.20	.0004	----	----	----	----	9 UNCH
3565	----	----	----/*0.20A	0.10B/*0.20A	----	0.20 - 0.10	.0009	----	----	----	----	7 UNCH
3570	----	----	----/*0.20A	0.10B/*0.20A	----	0.20 - 0.10	.0009	----	----	----	----	11 UNCH
3575	----	----	----/*0.20A	0.10B/*0.20A	----	0.20 - 0.10	.0009	----	----	----	----	96 UNCH
3580	----	----	----/*0.20A	0.10B/*0.20A	----	0.20 - 0.10	.0009	----	----	----	----	9 UNCH
3585	----	----	----/*0.20A	0.10B/*0.20A	----	0.20 - 0.10	.0009	----	----	----	----	9 UNCH
3590	----	----	----/*0.20A	0.10B/*0.20A	----	0.20 - 0.10	.0009	----	----	----	----	33 UNCH
3595	----	----	----/*0.20A	0.10B/*0.20A	----	0.20 - 0.10	.0009	----	----	----	----	39 UNCH
3600	----	----	----/*0.20A	0.10B/*0.20A	----	0.20 - 0.10	.0009	----	----	----	----	982 UNCH
3605	----	----	----/*0.20A	0.10B/*0.20A	----	0.20 - 0.10	.0009	----	----	----	----	56 UNCH
3610	----	----	----/*0.20A	0.10B/*0.20A	----	0.20 - 0.10	.0009	----	----	----	----	23 UNCH
3615	----	----	----/*0.20A	0.10B/*0.20A	----	0.20 - 0.10	.0009	----	----	----	----	120 UNCH
3620	----	----	----/*0.20A	0.10B/*0.20A	----	0.20 - 0.10	.0009	----	----	----	----	128 UNCH
3625	----	----	----/*0.20A	0.10B/*0.20A	----	0.20 - 0.20	.0009	----	----	----	----	45 UNCH
3630	----	----	----/*0.20A	0.10B/*0.20A	----	0.20 - 0.20	.0009	----	----	----	----	13 UNCH
3635	----	----	----/*0.20A	0.10B/*0.20A	----	0.20 - 0.20	.0009	----	----	----	----	26 UNCH
3640	----	----	----/*0.20A	0.10B/*0.20A	----	0.20 - 0.20	.0009	----	----	----	----	42 UNCH
3645	----	----	----/*0.20A	0.10B/*0.20A	----	0.20 - 0.20	.0009	----	----	----	----	15 UNCH
3650	----	----	----/*0.20A	0.10B/*0.20A	----	0.20 - 0.20	.0009	----	----	----	----	414 UNCH
3655	----	----	----/*0.20A	0.10B/*0.20A	----	0.20 - 0.20	.0009	----	----	----	----	23 UNCH
3660	----	----	----/*0.30A	0.10B/*0.30A	----	0.20 - 0.20	.0009	----	----	----	----	47 UNCH
3665	----	----	----/*0.30A	0.10B/*0.30A	----	0.20 - 0.20	.0010	----	----	----	----	35 UNCH
3670	----	----	----/*0.30A	0.10B/*0.30A	----	0.20 - 0.20	.0010	----	----	----	----	35 UNCH
3675	----	----	----/*0.30A	0.10B/*0.30A	----	0.20 - 0.20	.0010	----	----	----	----	66 UNCH
3680	----	----	----/*0.30A	0.20B/*0.30A	----	0.20 - 0.20	.0010	----	----	----	----	118 UNCH
3685	----	----	----/*0.30A	0.10B/*0.30A	----	0.20 - 0.20	.0010	----	----	----	----	26 UNCH
3690	----	----	----/*0.30A	0.10B/*0.30A	----	0.20 - 0.20	.0010	----	----	----	----	23 UNCH
3695	----	----	----/*0.30A	0.20B/*0.30A	----	0.20 - 0.20	.0010	----	----	----	----	73 UNCH
3700	0.30	0.30	0.30/*0.30	0.40B/*0.30	----	0.20 - 0.20	.0010	----	----	1	----	1380 - 1
3705	----	----	----/*0.30A	0.10B/*0.30A	----	0.20 - 0.30	.0010	----	----	----	----	40 UNCH
3710	----	----	----/*0.30A	0.20B/*0.30A	----	0.30 - 0.20	.0015	----	----	----	----	25 UNCH
3715	----	----	----/*0.30A	0.10B/*0.30A	----	0.30 - 0.20	.0015	----	----	----	----	28 UNCH
3720	----	----	----/*0.30A	0.10B/*0.30A	----	0.30 - 0.20	.0015	----	----	----	----	35 UNCH
3725	----	----	----/*0.30A	0.10B/*0.30A	----	0.30 - 0.20	.0015	----	----	----	----	37 UNCH
3730	----	----	----/*0.30A	0.20B/*0.30A	----	0.30 - 0.20	.0015	----	----	----	----	55 UNCH
3735	----	----	----/*0.30A	0.20B/*0.30A	----	0.30 - 0.20	.0015	----	----	----	----	38 UNCH
3740	----	----	----/*0.30A	0.20B/*0.30A	----	0.30 - 0.20	.0015	----	----	----	----	13 UNCH
3745	----	----	----/*0.40A	0.20B/*0.40A	----	0.30 - 0.20	.0015	----	----	----	----	39 UNCH
3750	----	----	----/*0.30A	0.20B/*0.30A	----	0.30 - 0.20	.0015	----	----	2	----	392 UNCH
3755	----	----	----/*0.40A	0.20B/*0.40A	----	0.30 - 0.20	.0015	----	----	----	----	10 UNCH
3760	----	----	----/*0.40A	0.30B/*0.40A	----	0.30 - 0.20	.0015	----	----	----	----	49 UNCH
3765	----	----	----/*0.40A	0.20B/*0.40A	----	0.30 - 0.20	.0015	----	----	----	----	97 UNCH
3770	----	----	----/*0.40A	0.30B/*0.40A	----	0.30 - 0.20	.0016	----	----	----	----	25 UNCH
3775	----	----	----/*0.40A	0.30B/*0.40A	----	0.30 - 0.30	.0016	----	----	----	----	279 UNCH
3780	----	----	----/*0.40A	0.20B/*0.40A	----	0.30 - 0.30	.0016	----	----	----	----	33 UNCH
3785	----	----	----/*0.40A	0.20B/*0.40A	----	0.30 - 0.30	.0016	----	----	----	----	27 UNCH
3790	----	----	----/*0.40A	0.30B/*0.40A	----	0.30 - 0.30	.0016	----	----	----	----	28 UNCH
3795	----	----	----/*0.40A	0.30B/*0.40A	----	0.30 - 0.30	.0016	----	----	----	----	25 UNCH
3800	0.50	0.50	0.50/*0.40	0.50/*0.40	----	0.30 - 0.30	.0016	----	----	2	----	1483 - 2
3805	----	----	----/*0.40A	0.30B/*0.40A	----	0.30 - 0.30	.0016	----	----	----	----	74 UNCH
3810	----	----	----/*0.40A	0.30B/*0.40A	----	0.30 - 0.30	.0016	----	----	----	----	20 UNCH
3815	----	----	----/*0.40A	0.30B/*0.40A	----	0.30 - 0.30	.0016	----	----	----	----	53 UNCH
3820	----	----	----/*0.40A	0.30B/*0.40A	----	0.40 - 0.20	.0021	----	----	----	----	788 UNCH
3825	----	----	----/*0.40A	0.30B/*0.40A	----	0.40 - 0.20	.0021	----	----	----	----	113 UNCH
3830	----	----	----/*0.40A	0.30B/*0.40A	----	0.40 - 0.20	.0022	----	----	----	----	18 UNCH
3835	----	----	----/*0.40A	0.30B/*0.40A	----	0.40 - 0.30	.0022	----	----	----	----	31 UNCH
3840	----	----	----/*0.40A	0.30B/*0.40A	----	0.40 - 0.30	.0022	----	----	----	----	51 UNCH
3845	----	----	----/*0.40A	0.30B/*0.40A	----	0.40 - 0.30	.0022	----	----	----	----	36 UNCH
3850	----	----	----/*0.50A	0.50B/*0.50A	----	0.40 - 0.30	.0022	----	----	2	----	2988 - 2
3855	----	----	----/*0.50A	0.30B/*0.50A	----	0.40 - 0.30	.0022	----	----	----	----	41 UNCH
3860	0.60	0.60	0.60/*0.50A	0.60/*0.50A	----	0.40 - 0.30	.0022	----	----	15	----	50 - 3
3865	----	----	----/*0.50A	0.30B/*0.50A	----	0.40 - 0.30	.0022	----	----	----	----	21 UNCH
3870	0.50	0.50	0.50/*0.50	0.60B/*0.50	----	0.40 - 0.30	.0023	----	----	10	----	44 - 4
3875	----	----	----/*0.50A	0.40B/*0.50A	----	0.40 - 0.30	.0023	----	----	----	----	45 UNCH
3880	----	----	----/*0.50A	0.40B/*0.50A	----	0.40 - 0.40	.0023	----	----	----	----	39 UNCH
3885	----	----	----/*0.50A	0.50B/*0.50A	----	0.40 - 0.40	.0023	----	----	----	----	82 UNCH
3890	----	----	----/*0.50A	0.40B/*0.50A	----	0.40 - 0.40	.0023	----	----	----	----	12 UNCH
3895	----	----	----/*0.50A	0.40B/*0.50A	----	0.50 - 0.30	.0028	----	----	----	----	75 UNCH
3900	0.60	0.60	0.60/*0.50	0.70B/*0.50	----	0.50 - 0.30	.0028	----	----	16	----	1783 - 11
3905	----	----	----/*0.50A	0.40B/*0.50A	----	0.50 - 0.30	.0029	----	----	----	----	27 UNCH
3910	----	----	----/*0.50A	0.70B/*0.50A	----	0.50 - 0.30	.0029	----	----	----	----	135 UNCH
3915	----	----	----/*0.50A	0.70B/*0.50A	----	0.50 - 0.30	.0029	----	----	----	----	38 UNCH
3920	----	----	----/*0.50A	0.70B/*0.50A	----	0.50 - 0.40	.0029	----	----	----	----	210 UNCH
3925	----	----	----/*0.60A	0.70B/*0.60A	----	0.50 - 0.40	.0029	----	----	----	----	84 UNCH
3930	----	----	----/*0.60A	0.80B/*0.60A	----	0.50 - 0.40	.0029	----	----	----	----	61 UNCH
3935	----	----	----/*0.60A	0.80B/*0.60A	----	0.50 - 0.40	.0030	----	----	----	----	16 UNCH
3940	----	----	----/*0.60A	0.80B/*0.60A	----	0.50 - 0.40	.0030	----	----	----	----	37 UNCH
3945	----	----	----/*0.60A	0.80B/*0.60A	----	0.50 - 0.40	.0030	----	----	----	----	24 UNCH
3950	0.70	0.70	0.70/*0.60A	0.80B/*0.60A	----	0.60 - 0.30	.0035	----	----	1	----	140 UNCH
3955	----	----	----/*0.60A	0.80B/*0.60A	----	0.60 - 0.30	.0036	----	----	----	----	59 UNCH
3960	----	----	----/*0.60A	0.80B/*0.60A	----	0.60 - 0.40	.0036	----	----	----	----	14 UNCH
3965	----	----	----/*0.60A	0.80B/*0.60A	----	0.60 - 0.40	.0036	----	----	----	----	85 UNCH
3970	----	----	----/*0.60A	0.80B/*0.60A	----	0.60 - 0.40	.0036	----	----	----	----	41 UNCH
3975	----	----	----/*0.70A	0.90B/*0.70A	----	0.60 - 0.40	.0037	----	----	2	----	40 - 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
3980	----	----	----/*0.70A	0.90B/*0.70A	----	0.60 - 0.40	.0037	----	----	----	----	141 UNCH
3985	----	----	----/*0.70A	0.90B/*0.70A	----	0.60 - 0.40	.0037	----	----	----	----	51 UNCH
3990	0.70	0.70	0.70/*0.60	0.90B/*0.60	----	0.60 - 0.50	.0037	----	----	8	----	24 + 7
3995	----	----	----/*0.70A	0.90B/*0.70A	----	0.70 - 0.40	.0043	----	----	----	----	26 UNCH
4000	0.70	0.70	0.70/*0.60	0.90B/*0.60	----	0.70 - 0.40	.0043	----	----	265	----	3594 - 33
4005	----	----	----/*0.70A	0.90B/*0.70A	----	0.70 - 0.40	.0043	----	----	----	----	236 UNCH
4010	----	----	----/*0.70A	1.00B/*0.70A	----	0.70 - 0.40	.0044	----	----	----	----	61 UNCH
4015	----	----	----/*0.70A	1.00B/*0.70A	----	0.70 - 0.40	.0044	----	----	----	----	53 UNCH
4020	----	----	----/*0.70A	1.00B/*0.70A	----	0.70 - 0.40	.0044	----	----	----	----	92 UNCH
4025	----	----	----/*0.80A	1.00B/*0.80A	----	0.70 - 0.50	.0044	----	----	----	----	104 UNCH
4030	----	----	----/*0.80A	1.00B/*0.80A	----	0.80 - 0.40	.0050	----	----	----	----	36 UNCH
4035	----	----	----/*0.80A	1.00B/*0.80A	----	0.80 - 0.40	.0051	----	----	----	----	31 UNCH
4040	----	----	----/*0.80A	1.00B/*0.80A	----	0.80 - 0.40	.0051	----	----	----	----	61 UNCH
4045	----	----	----/*0.80A	1.10B/*0.80A	----	0.80 - 0.40	.0051	----	----	----	----	211 UNCH
4050	----	----	----/*0.80A	1.10B/*0.80A	----	0.80 - 0.40	.0052	----	----	1	----	1314 - 1
4055	----	----	----/*0.90A	1.10B/*0.90A	----	0.80 - 0.50	.0052	----	----	----	----	146 UNCH
4060	----	----	----/*0.90A	1.10B/*0.90A	----	0.90 - 0.40	.0058	----	----	----	----	26 UNCH
4065	----	----	----/*0.90A	1.10B/*0.90A	----	0.90 - 0.40	.0058	----	----	----	----	28 UNCH
4070	----	----	----/*0.90A	1.20B/*0.90A	----	0.90 - 0.40	.0059	----	----	----	----	106 UNCH
4075	----	----	----/*0.90A	1.20B/*0.90A	----	0.90 - 0.40	.0059	----	----	----	----	125 UNCH
4080	----	----	----/*1.00A	1.20B/*1.00A	----	0.90 - 0.50	.0059	----	----	----	----	92 UNCH
4085	----	----	----/*1.00A	1.20B/*1.00A	----	0.90 - 0.50	.0060	----	----	----	----	752 UNCH
4090	----	----	----/*1.00A	1.20B/*1.00A	----	1.00 - 0.40	.0066	----	----	----	----	218 UNCH
4095	----	----	----/*1.00A	1.20B/*1.00A	----	1.00 - 0.40	.0066	----	----	----	----	155 UNCH
4100	1.20	1.20	1.20/*0.90	1.20/*0.90	----	1.00 - 0.40	.0067	----	----	5	----	1474 - 5
4105	1.20	1.20	1.20/*1.00A	1.30B/*1.00A	----	1.00 - 0.40	.0067	----	----	1	----	208 + 1
4110	----	----	----/*1.10A	1.30B/*1.10A	----	1.00 - 0.50	.0068	----	----	----	----	67 UNCH
4115	----	----	----/*1.10A	1.30B/*1.10A	----	1.10 - 0.40	.0074	----	----	----	----	44 UNCH
4120	----	----	----/*1.10A	1.30B/*1.10A	----	1.10 - 0.40	.0074	----	----	----	----	131 UNCH
4125	----	----	----/*1.10A	1.30B/*1.10A	----	1.10 - 0.40	.0075	----	----	----	----	209 UNCH
4130	1.30	1.30	1.30/*1.10A	1.30/*1.10A	----	1.10 - 0.50	.0075	----	----	2	----	843 UNCH
4135	1.30	1.30	1.30/*1.10A	1.30/*1.10A	----	1.20 - 0.40	.0082	----	----	2	----	81 + 2
4140	----	----	----/*1.10A	1.40B/*1.10A	----	1.20 - 0.40	.0082	----	----	----	----	26 UNCH
4145	----	----	----/*1.20A	1.40B/*1.20A	----	1.20 - 0.40	.0083	----	----	----	----	100 - 32
4150	1.30	1.30	1.30/*1.10	1.50B/*1.10	----	1.20 - 0.40	.0084	----	----	8	----	509 - 3
4155	----	----	----/*1.20A	1.40B/*1.20A	----	1.30 - 0.40	.0090	----	----	1	----	43 - 1
4160	----	----	----/*1.20A	1.40B/*1.20A	----	1.30 - 0.40	.0091	----	----	----	----	31 UNCH
4165	----	----	----/*1.20A	1.40B/*1.20A	----	1.30 - 0.40	.0091	----	----	----	----	66 UNCH
4170	1.20	1.20	1.20/*1.20	1.50B/*1.20	----	1.30 - 0.50	.0092	----	----	1	----	74 UNCH
4175	----	----	----/*1.30A	1.50B/*1.30A	----	1.40 - 0.40	.0099	----	----	----	----	196 UNCH
4180	----	----	----/*1.30A	1.50B/*1.30A	----	1.40 - 0.40	.0099	----	----	----	----	289 UNCH
4185	----	----	----/*1.30A	1.50B/*1.30A	----	1.40 - 0.40	.0100	----	----	----	----	357 UNCH
4190	----	----	----/*1.30A	1.50B/*1.30A	----	1.40 - 0.50	.0101	----	----	----	----	86 UNCH
4195	----	----	----/*1.40A	1.50B/*1.40A	----	1.50 - 0.40	.0108	----	----	----	----	112 UNCH
4200	1.80	1.80	1.80/*1.40A	1.80/*1.40A	----	1.50 - 0.40	.0108	----	----	1189	----	2929 + 783
4205	----	----	----/*1.40A	1.60B/*1.40A	----	1.50 - 0.50	.0109	----	----	----	----	200 UNCH
4210	----	----	----/*1.40A	1.60B/*1.40A	----	1.60 - 0.40	.0116	----	----	----	----	87 UNCH
4215	1.40	1.40	1.40/*1.40	1.70B/*1.40	----	1.60 - 0.40	.0117	----	----	1	----	178 UNCH
4220	----	----	----/*1.50A	1.70B/*1.50A	----	1.60 - 0.50	.0118	----	----	----	----	20 UNCH
4225	----	----	----/*1.50A	1.70B/*1.50A	----	1.60 - 0.50	.0119	----	----	6	----	221 - 1
4230	----	----	----/*1.50A	1.80B/*1.50A	----	1.70 - 0.50	.0126	----	----	----	----	148 UNCH
4235	----	----	----/*1.50A	1.80B/*1.50A	----	1.70 - 0.50	.0127	----	----	----	----	59 UNCH
4240	----	----	----/*1.60A	1.80B/*1.60A	----	1.80 - 0.40	.0134	----	----	----	----	160 UNCH
4245	----	----	----/*1.60A	1.90B/*1.60A	----	1.80 - 0.50	.0135	----	----	----	----	51 UNCH
4250	----	----	----/*1.60A	1.90B/*1.60A	----	1.80 - 0.50	.0136	----	----	12	----	950 - 4
4255	----	----	----/*1.60A	2.00B/*1.60A	----	1.90 - 0.50	.0144	----	----	----	----	41 UNCH
4260	----	----	----/*1.70A	2.00B/*1.70A	----	1.90 - 0.50	.0145	----	----	----	----	105 UNCH
4265	----	----	----/*1.70A	2.00B/*1.70A	----	1.90 - 0.60	.0146	----	----	----	----	73 UNCH
4270	----	----	----/*1.70A	2.10B/*1.70A	----	2.00 - 0.50	.0153	----	----	----	----	116 UNCH
4275	2.00	2.00	2.00/*1.80A	2.10B/*1.80A	----	2.00 - 0.60	.0155	----	----	3	----	157 - 1
4280	----	----	----/*1.80A	2.20B/*1.80A	----	2.10 - 0.50	.0162	----	----	----	----	120 UNCH
4285	----	----	----/*1.90A	2.20B/*1.90A	----	2.10 - 0.60	.0164	----	----	----	----	456 UNCH
4290	----	----	----/*1.90A	2.30B/*1.90A	----	2.20 - 0.50	.0171	----	----	----	----	107 UNCH
4295	----	----	----/*2.00A	2.30B/*2.00A	----	2.20 - 0.60	.0173	----	----	----	----	36 UNCH
4300	2.20	2.20	2.20/*2.00A	2.40B/*2.00A	----	2.30 - 0.60	.0180	----	----	124	----	2058 + 12
4305	----	----	----/*2.00A	2.40B/*2.00A	----	2.30 - 0.60	.0182	----	----	----	----	47 UNCH
4310	----	----	----/*2.10A	2.50B/*2.10A	----	2.40 - 0.60	.0190	----	----	----	----	56 UNCH
4315	----	----	----/*2.10A	2.50B/*2.10A	----	2.40 - 0.70	.0192	----	----	----	----	21 UNCH
4320	----	----	----/*2.20A	2.60B/*2.20A	----	2.50 - 0.60	.0200	----	----	----	----	68 UNCH
4325	2.40	2.40	2.70B/*2.20A	2.70B/*2.20A	----	2.50 - 0.70	.0202	----	----	80	----	204 + 26
4330	----	----	----/*2.30A	2.70B/*2.30A	----	2.60 - 0.70	.0210	----	----	----	----	276 UNCH
4335	----	----	----/*2.30A	2.80B/*2.30A	----	2.70 - 0.70	.0218	----	----	----	----	40 UNCH
4340	2.40	2.40	2.40/*2.40	2.90B/*2.40	----	2.70 - 0.70	.0220	----	----	3	----	147 UNCH
4345	2.50	2.50	3.00B/*2.40A	3.00B/*2.40A	----	2.80 - 0.70	.0228	----	----	1	----	336 - 1
4350	----	----	----/*2.50A	3.00B/*2.50A	----	2.90 - 0.70	.0237	----	----	5	----	1042 - 2
4355	----	----	----/*2.50A	3.10B/*2.50A	----	2.90 - 0.80	.0239	----	----	----	----	79 UNCH
4360	----	----	----/*2.50A	3.20B/*2.50A	----	3.00 - 0.80	.0248	----	----	----	----	371 UNCH
4365	----	----	----/*2.60A	3.30B/*2.60A	----	3.10 - 0.80	.0257	----	----	----	----	39 UNCH
4370	----	----	----/*2.70A	3.40B/*2.70A	----	3.20 - 0.80	.0266	----	----	----	----	205 UNCH
4375	3.50	3.50	3.70/*2.80A	3.70/*2.80A	----	3.30 - 0.80	.0275	----	----	6	----	113 - 4
4380	3.80	3.80	3.80/*2.80A	3.80/*2.80A	----	3.40 - 0.80	.0284	----	----	5	----	81 - 5
4385	----	----	----/*2.80A	3.70B/*2.80A	----	3.40 - 1.00	.0287	----	----	----	----	394 UNCH
4390	----	----	----/*2.90A	3.80B/*2.90A	----	3.50 - 1.00	.0296	----	----	----	----	99 UNCH
4395	3.60	3.60	3.90/*3.00A	3.90/*3.00A	----	3.60 - 1.00	.0305	----	----	16	----	59 - 3
4400	4.00	4.00	4.20B/*3.00	4.20B/*3.00	----	3.80 - 0.90	.0321	----	----	1281	----	4134 + 795
4405	----	----	----/*3.20A	4.20B/*3.20A	----	3.90 - 1.00	.0331	----	----	----	----	26 UNCH
4410	4.40	4.40	4.40/*3.30A	4.40/*3.30A	----	4.00 - 1.00	.0341	----	----	17	----	111 - 6
4415	----	----	----/*3.40A	4.40B/*3.40A	----	4.10 - 1.10	.0351	----	----	----	----	121 UNCH
4420	4.80	4.80	4.80/*3.40A	4.80/*3.40A	----	4.20 - 1.10	.0361	----	----	12	----	134 - 2
4425	4.60	4.60	4.60/*3.40A	4.70B/*3.40A	----	4.40 - 1.10	.0378	----	----	97	----	616 + 37
4430	----	----	----/*3.50A	4.90B/*3.50A	----	4.50 - 1.20	.0388	----	----	----	----	88 UNCH
4435	3.50	3.50	5.00B/*3.50	5.00B/*3.50	----	4.60 - 1.20	.0399	----	----	1	----	324 UNCH
4440	----	----	----/*3.70A	5.20B/*3.70A	----	4.80 - 1.20	.0416	----	----	2	----	288 - 2
4445	----	----	----/*3.90A	5.40B/*3.90A	----	4.90 - 1.30	.0427	----	----	----	----	125 UNCH
4450	4.50	4.50	5.60B/*4.00A	5.60B/*4.00A	----	5.10 - 1.30	.0444	----	----	65	----	713 + 36
4455	5.30	5.30	5.80B/*4.10A	5.80B/*4.10A	----	5.30 - 1.30	.0462	----	----	3	----	238 + 2
4460	4.40	4.40	6.00B/*4.20A	6.00B/*4.20A	----	5.50 - 1.30	.0479	----	----	2	----	58 UNCH
4465	----	----	----/*4.30A	6.20B/*4.30A	----	5.60 - 1.50	.0491	----	----	----	----	47 UNCH
4470	----	----	----/*4.50A	6.40B/*4.50A	----	5.80 - 1.50	.0509	----	----	----	----	108 UNCH
4475	6.50	6.50	6.60B/*4.60A	6.60B/*4.60A	----	6.00 - 1.50	.0528	----	----	69	----	964 - 2
4480	6.20	6.20	6.90B/*4.80A	6.90B/*4.80A	----	6.20 - 1.60	.0546	----	----	1	----	180 - 1
4485	6.30	6.30	6.30/*4.90A	7.10B/*4.90A	----	6.40 - 1.70	.0565	----	----	10	----	46 + 3
4490	6.20	6.20	7.40B/*5.10A	7.40B/*5.10A	----	6.70 - 1.60	.0590	----	----	1	----	259 + 1
4495	----	----	----/*5.10A	7.70B/*5.10A	----	6.90 - 1.70	.0610	----	----	----	----	28 UNCH
4500	6.80	6.80	8.00B/*5.20	8.00B/*5.20	----	7.10 - 1.80	.0629	----	----	322	----	2408 - 46
4505	7.00	7.00	8.30B/*5.50A	8.30B/*5.50A	----	7.40 - 1.80	.0655	----	----	3	----	35 UNCH
4510	----	----	----/*5.70A	8.60B/*5.70A	----	7.70 - 1.90	.0682	----	----	1	----	96 UNCH
4515	7.50	7.50	8.90B/*5.90A	8.90B/*5.90A	----	7.90 - 2.00	.0702	----	----	7	----	63 + 5
4520	7.30	7.30	9.20B/*6.10A	9.20B/*6.10A	----	8.20 - 2.10	.0729	----	----	30	----	175 - 2
4525	----	----	----/*6.30A	9.60B/*6.30A	----	8.50 - 2.10	.0756	----	----	13	----	809 + 12
4530	----	----	----/*6.50A	10.00B/*6.50A	----	8.80 - 2.20	.0783	----	----	----	----	47 UNCH
4535	8.00	8.00	10.40B/*6.80A	10.40B/*6.80A	----	9.20 - 2.20	.0817	----	----	50	----	176 - 39
4540	10.50	10.50	10.80B/*7.00A	10.80B/*7.00A	----	9.50 - 2.30	.0845	----	----	4	----	43 - 1
4545	8.30	8.30	11.00/*7.20A	11.20B/*7.20A	----	9.90 - 2.40	.0879	----	----	5	----	76 - 1
4550	9.30	9.30	11.70B/*7.50A	11.70B/*7.50A	----	10.20 - 2.50	.0908	----	----	60	----	786 + 42
4555	----	----	----/*7.80A	12.10B/*7.80A	----	10.60 - 2.60	.0943	----	----	----	----	18 UNCH
4560	9.70	9.70	10.70/*8.10A	12.60B/*8.10A	----	11.00 - 2.70	.0978	----	----	6	----	95 + 2
4565	11.00	11.00	11.00/*8.40A	13.10B/*8.40A	----	11.50 - 2.70	.1020	----	----	9	----	153 + 7
4570	----	----	----/*8.70A	13.60B/*8.70A	----	11.90 - 2.80	.1056	----	----	----	----	185 - 1
4575	12.10	12.10	14.30/*9.00A	14.30/*9.00A	----	12.40 - 2.80	.1098	----	----	35	----	116 - 7
4580	----	----	----/*9.40A	14.70B/*9.40A	----	12.90 - 2.90	.1140	----	----	----	----	144 UNCH
4585	11.70	11.70	12.90/*9.80A	15.30B/*9.80A	----	13.40 - 3.00	.1183	----	----	16	----	28 + 6
4590	11.90	11.90	11.90/*10.20A	16.00B/*10.20A	----	13.90 - 3.10	.1226	----	----	2	----	98 + 2
4595	14.30	14.30	14.30/*10.60A	16.60B/*10.60A	----	14.50 - 3.10	.1275	----	----	2	----	64 + 1
4600	15.00	15.00	17.30B/*11.00A	17.30B/*11.00A	----	15.00 - 3.30	.1319	----	----	794	----	2379 - 137
4605	13.20	13.20	13.20/*11.40A	18.00B/*11.40A	----	15.70 - 3.30	.1374	----	----	1	----	78 - 1
4610	18.10	18.10	18.70B/*11.90A	18.70B/*11.90A	----	16.30 - 3.40	.1424	----	----	6	----	204 + 2
4615	13.90	13.90	19.50B/*12.40A	19.50B/*12.40A	----	17.00 - 3.40	.1479	----	----	5	----	103 - 1
4620	14.50	14.50	20.20B/*12.90A	20.20B/*12.90A	----	17.70 - 3.40	.1535	----	----	13	----	204 - 5
4625	13.50	13.50	21.10B/*13.40A	21.10B/*13.40A	----	18.40 - 3.50	.1592	----	----	105	----	335 - 17
4630	21.00	21.00	21.90B/*13.90A	21.90B/*13.90A	----	19.10 - 3.60	.1649	----	----	12	----	815 - 1
4635	----	----	----/*14.50A	22.80B/*14.50A	----	19.90 - 3.70	.1711	----	----	----	----	521 UNCH
4640	----	----	----/*15.10A	23.70B/*15.10A	----	20.80 - 3.60	.1778	----	----	----	----	144 UNCH
4645	----	----	----/*15.70A	24.60B/*15.70A	----	21.60 - 3.70	.1841	----	----	----	----	48 UNCH
4650	19.90	19.90	25.60B/*16.40A	25.60B/*16.40A	----	22.50 - 3.80	.1908	----	----	73	----	901 - 9
4655	20.00	20.00	26.60B/*17.10A	26.60B/*17.10A	----	23.40 - 3.80	.1977	----	----	20	----	241 + 14
4660	----	----	----/*17.80A	27.70B/*17.80A	----	24.40 - 3.80	.2050	----	----	----	----	199 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
4665	28.70	28.70	28.70/*18.40A	28.80B/*18.40A	----	25.40 - 3.80	.2123	----	----	1	----	88 UNCH
4670	24.90	24.90	24.90/*19.30A	29.90B/*19.30A	----	26.40 - 3.90	.2197	----	----	2	----	186 UNCH
4675	26.10	26.10	26.10/*20.10A	31.10B/*20.10A	----	27.40 - 4.00	.2271	----	----	218	----	377 - 46
4680	24.90	24.90	32.30B/*20.90A	32.30B/*20.90A	----	28.50 - 4.00	.2350	----	----	4	----	276 + 1
4685	26.40	26.40	31.50/*21.70A	33.50B/*21.70A	----	29.70 - 4.00	.2432	----	----	17	----	186 + 13
4690	28.00	28.00	34.80B/*22.60A	34.80B/*22.60A	----	30.90 - 4.00	.2515	----	----	8	----	232 + 5
4695	25.40	25.40	36.20B/*23.60A	36.20B/*23.60A	----	32.10 - 4.00	.2599	----	----	8	----	109 - 7
4700	35.80	35.80	37.60B/*24.60A	37.60B/*24.60A	----	33.40 - 4.00	.2686	----	----	552	----	2177 + 60
4705	----	----	39.00B/*25.60A	39.00B/*25.60A	----	34.70 - 4.00	.2774	----	----	8	----	45 + 4
4710	31.90	31.90	40.50B/*26.60A	40.50B/*26.60A	----	36.00 - 4.10	.2862	----	----	16	----	232 + 6
4715	34.20	34.20	42.00B/*27.70A	42.00B/*27.70A	----	37.40 - 4.00	.2954	----	----	52	----	127 + 47
4720	33.10	33.10	43.60B/*28.90A	43.60B/*28.90A	----	38.80 - 4.10	.3047	----	----	59	----	608 + 49
4725	39.80	39.80	45.20B/*30.10A	45.20B/*30.10A	----	40.30 - 4.00	.3142	----	----	4	----	86 - 3
4730	----	----	46.80B/*31.30A	46.80B/*31.30A	----	41.90 - 3.90	.3240	----	----	----	----	113 UNCH
4735	----	----	48.60B/*32.40A	48.60B/*32.40A	----	43.40 - 4.00	.3337	----	----	----	----	34 UNCH
4740	35.70	35.70	50.30B/*33.70A	50.30B/*33.70A	----	45.10 - 3.80	.3438	----	----	12	----	117 + 7
4745	41.60	41.60	52.20B/*35.10A	52.20B/*35.10A	----	46.70 - 3.90	.3538	----	----	2	----	39 UNCH
4750	40.00	40.00	54.00B/*36.50A	54.00B/*36.50A	----	48.50 - 3.80	.3643	----	----	30	----	676 - 7
4755	49.50	49.50	56.00B/37.90A	56.00B/37.90A	----	50.30 - 3.70	.3747	----	----	1	----	156 + 1
4760	46.30	46.30	57.90B/39.40A	57.90B/39.40A	----	52.10 - 3.70	.3852	----	----	7	----	137 + 2
4765	53.30	53.30	60.00B/40.90A	60.00B/40.90A	----	54.00 - 3.60	.3959	----	----	1	----	72 + 1
4770	56.70	56.70	62.10B/42.50A	62.10B/42.50A	----	56.00 - 3.50	.4068	----	----	2	----	107 UNCH
4775	----	----	64.20B/44.30A	64.20B/44.30A	----	58.00 - 3.50	.4177	----	----	----	----	423 UNCH
4780	59.40	59.40	66.40B/46.00A	66.40B/46.00A	----	60.10 - 3.40	.4288	----	----	3	----	124 + 1
4785	52.00	52.00	68.70B/47.60A	68.70B/47.60A	----	62.20 - 3.30	.4399	----	----	134	----	106 UNCH
4790	63.60	63.60	71.00B/49.50A	71.00B/49.50A	----	64.40 - 3.20	.4511	----	----	5	----	379 + 1
4795	----	----	73.30B/51.40A	73.30B/51.40A	----	66.60 - 3.20	.4623	----	----	1	----	44 UNCH
4800	60.90	60.90	75.80B/53.30A	75.80B/53.30A	----	68.90 - 3.10	.4737	----	----	749	100	1487 + 106
4805	61.80	61.80	78.30B/55.30A	78.30B/55.30A	----	71.30 - 3.00	.4850	----	----	5	----	58 - 1
4810	76.70	76.70	80.80B/57.20A	80.80B/57.20A	----	73.70 - 2.80	.4964	----	----	47	----	277 + 14
4815	75.60	75.60	83.40B/59.00A	83.40B/59.00A	----	76.20 - 2.70	.5079	----	----	8	----	54 + 7
4820	75.20	75.20	86.00B/61.00A	86.00B/61.00A	----	78.80 - 2.50	.5193	----	----	11	250	176 - 84
4825	68.60	68.60	88.80B/63.10A	88.80B/63.10A	----	81.40 - 2.30	.5307	----	----	97	----	251 - 37
4830	72.60	72.60	91.50B/65.30A	91.50B/65.30A	----	84.00 - 2.20	.5422	----	----	14	----	76 - 7
4835	----	----	94.10B/67.50A	94.10B/67.50A	----	86.70 - 2.00	.5535	----	----	1	----	160 + 1
4840	77.70	77.70	96.90B/69.70A	96.90B/69.70A	----	89.50 - 1.80	.5649	----	----	61	----	124 + 33
4845	80.40	80.40	99.90B/71.70A	99.90B/71.70A	----	92.30 - 1.60	.5762	----	----	10	----	78 + 2
4850	83.90	83.90	100.40B/74.30A	100.40B/74.30A	----	95.20 - 1.40	.5874	----	----	26	----	1095 + 3
4855	84.10	84.10	103.40B/76.70A	103.40B/76.70A	----	98.20 - 1.10	.5987	----	----	1	----	80 UNCH
4860	102.30	102.30	106.40B/79.10A	106.40B/79.10A	----	101.20 - 0.90	.6098	----	----	2	----	37 + 1
4865	----	----	109.60B/81.60A	109.60B/81.60A	----	104.20 - 0.70	.6208	----	----	----	----	85 UNCH
4870	----	----	112.70B/84.10A	112.70B/84.10A	----	107.40 - 0.40	.6318	----	----	----	----	237 UNCH
4875	----	----	116.00B/86.80A	116.00B/86.80A	----	110.50 - 0.20	.6425	----	----	----	----	284 UNCH
4880	----	----	119.20B/89.40A	119.20B/89.40A	----	113.80 + 0.10	.6531	----	----	----	----	90 UNCH
4885	----	----	122.60B/92.10A	122.60B/92.10A	----	117.10 + 0.30	.6639	----	----	----	----	23 UNCH
4890	----	----	126.00B/94.90A	126.00B/94.90A	----	120.40 + 0.60	.6741	----	----	----	----	64 UNCH
4895	----	----	129.40B/97.70A	129.40B/97.70A	----	123.80 + 0.80	.6844	----	----	----	----	96 UNCH
4900	135.00	135.00	135.00/100.60A	135.00/100.60A	----	127.30 + 1.10	.6944	----	----	11	----	1055 - 11
4905	----	----	136.40B/103.20A	136.40B/103.20A	----	130.80 + 1.40	.7043	----	----	----	----	53 UNCH
4910	----	----	140.00B/106.20A	140.00B/106.20A	----	134.40 + 1.70	.7140	----	----	----	----	89 UNCH
4915	----	----	143.60B/110.00A	143.60B/110.00A	----	138.00 + 2.00	.7236	----	----	----	----	29 UNCH
4920	----	----	147.20B/113.10A	147.20B/113.10A	----	141.60 + 2.20	.7332	----	----	----	----	149 UNCH
4925	----	----	151.10B/116.30A	151.10B/116.30A	----	145.40 + 2.50	.7421	----	----	----	----	47 UNCH
4930	----	----	154.80B/119.30A	154.80B/119.30A	----	149.10 + 2.80	.7513	----	----	----	----	53 UNCH
4935	----	----	158.70B/122.70A	158.70B/122.70A	----	152.90 + 3.00	.7597	----	----	----	----	54 UNCH
4940	----	----	162.40B/126.00A	162.40B/126.00A	----	156.80 + 3.40	.7685	----	----	----	----	14 UNCH
4945	----	----	166.30B/129.30A	166.30B/129.30A	----	160.70 + 3.70	.7769	----	----	----	----	48 UNCH
4950	----	----	170.90B/132.70A	170.90B/132.70A	----	164.60 + 3.90	.7848	----	----	----	----	753 UNCH
4955	----	----	174.30B/136.20A	174.30B/136.20A	----	168.60 + 4.20	.7927	----	----	----	----	83 UNCH
4960	----	----	178.30B/139.30A	178.30B/139.30A	----	172.70 + 4.60	.8005	----	----	----	----	132 UNCH
4965	----	----	182.50B/143.20A	182.50B/143.20A	----	176.70 + 4.80	.8079	----	----	----	----	25 UNCH
4970	----	----	186.60B/146.80A	186.60B/146.80A	----	180.80 + 5.10	.8152	----	----	----	----	4 UNCH
4975	----	----	190.60B/150.40A	190.60B/150.40A	----	185.00 + 5.40	.8225	----	----	----	----	89 UNCH
4980	----	----	194.80B/154.10A	194.80B/154.10A	----	189.20 + 5.70	.8292	----	----	----	----	56 UNCH
4985	----	----	199.00B/157.80A	199.00B/157.80A	----	193.40 + 6.00	.8359	----	----	----	----	124 UNCH
4990	----	----	203.30B/161.60A	203.30B/161.60A	----	197.60 + 6.20	.8421	----	----	----	----	34 UNCH
4995	----	----	207.60B/165.40A	207.60B/165.40A	----	201.90 + 6.50	.8482	----	----	1	----	222 UNCH
5000	----	----	212.40B/169.30A	212.40B/169.30A	----	206.20 + 6.70	.8543	----	----	----	----	1119 UNCH
5005	----	----	216.20B/173.20A	216.20B/173.20A	----	210.50 + 6.90	.8603	----	----	----	----	41 UNCH
5010	----	----	220.60B/177.00A	220.60B/177.00A	----	214.90 + 7.20	.8658	----	----	----	----	14 UNCH
5015	----	----	225.00B/181.00A	225.00B/181.00A	----	219.30 + 7.50	.8712	----	----	----	----	23 UNCH
5020	----	----	229.40B/185.00A	229.40B/185.00A	----	223.70 + 7.70	.8766	----	----	----	----	23 UNCH
5025	----	----	234.00B/189.00A	234.00B/189.00A	----	228.20 + 8.00	.8813	----	----	----	----	153 UNCH
5030	----	----	238.40B/193.10A	238.40B/193.10A	----	232.60 + 8.10	.8866	----	----	----	----	23 UNCH
5035	----	----	242.90B/196.90A	242.90B/196.90A	----	237.10 + 8.40	.8907	----	----	----	----	13 UNCH
5040	----	----	247.40B/201.40A	247.40B/201.40A	----	241.70 + 8.70	.8953	----	----	----	----	134 UNCH
5045	----	----	251.90B/205.60A	251.90B/205.60A	----	246.20 + 8.80	.8999	----	----	----	----	28 UNCH
5050	----	----	257.00B/209.80A	257.00B/209.80A	----	250.80 + 9.10	.9039	----	----	2	----	434 UNCH
5055	----	----	261.10B/214.00A	261.10B/214.00A	----	255.40 + 9.30	.9077	----	----	----	----	107 UNCH
5060	----	----	265.70B/218.10A	265.70B/218.10A	----	260.00 + 9.50	.9116	----	----	----	----	84 UNCH
5065	----	----	270.30B/222.60A	270.30B/222.60A	----	264.60 + 9.70	.9155	----	----	----	----	54 UNCH
5070	----	----	275.00B/227.00A	275.00B/227.00A	----	269.20 + 9.80	.9186	----	----	----	----	175 UNCH
5075	----	----	279.70B/231.10A	279.70B/231.10A	----	273.90 + 10.00	.9224	----	----	----	----	46 UNCH
5080	----	----	284.30B/235.50A	284.30B/235.50A	----	278.60 + 10.20	.9254	----	----	----	----	85 UNCH
5085	----	----	289.00B/240.10A	289.00B/240.10A	----	283.30 + 10.40	.9285	----	----	----	----	116 UNCH
5090	----	----	293.80B/244.30A	293.80B/244.30A	----	288.00 + 10.60	.9315	----	----	----	----	23 UNCH
5095	----	----	298.50B/248.80A	298.50B/248.80A	----	292.70 + 10.70	.9337	----	----	----	----	17 UNCH
5100	----	----	303.70B/253.20A	303.70B/253.20A	----	297.40 + 10.80	.9367	----	----	----	----	391 UNCH
5105	----	----	308.00B/257.80A	308.00B/257.80A	----	302.20 + 11.00	.9396	----	----	----	----	57 UNCH
5110	----	----	313.30B/262.60A	313.30B/262.60A	----	307.00 + 11.20	.9418	----	----	----	----	285 UNCH
5115	----	----	317.50B/266.90A	317.50B/266.90A	----	311.70 + 11.30	.9440	----	----	----	----	24 UNCH
5120	----	----	322.30B/271.40A	322.30B/271.40A	----	316.50 + 11.40	.9461	----	----	----	----	18 UNCH
5125	----	----	327.10B/276.00A	327.10B/276.00A	----	321.30 + 11.60	.9482	----	----	----	----	88 UNCH
5130	----	----	331.90B/280.70A	331.90B/280.70A	----	326.10 + 11.70	.9503	----	----	----	----	120 UNCH
5135	----	----	336.70B/285.60A	336.70B/285.60A	----	330.90 + 11.80	.9524	----	----	----	----	95 UNCH
5140	----	----	341.60B/289.80A	341.60B/289.80A	----	335.80 + 12.00	.9544	----	----	----	----	23 UNCH
5145	----	----	346.40B/294.90A	346.40B/294.90A	----	340.60 + 12.10	.9557	----	----	----	----	44 UNCH
5150	----	----	351.90B/299.10A	351.90B/299.10A	----	345.40 + 12.10	.9577	----	----	----	----	372 UNCH
5155	----	----	356.00B/303.90A	356.00B/303.90A	----	350.30 + 12.30	.9589	----	----	----	----	9 UNCH
5160	----	----	360.80B/308.50A	360.80B/308.50A	----	355.10 + 12.30	.9609	----	----	----	----	31 UNCH
5165	----	----	365.80B/313.70A	365.80B/313.70A	----	360.00 + 12.50	.9621	----	----	----	----	47 UNCH
5170	----	----	370.60B/318.00A	370.60B/318.00A	----	364.90 + 12.60	.9633	----	----	----	----	155 UNCH
5175	----	----	375.50B/322.70A	375.50B/322.70A	----	369.70 + 12.60	.9652	----	----	----	----	30 UNCH
5180	----	----	380.30B/327.40A	380.30B/327.40A	----	374.60 + 12.70	.9663	----	----	----	----	76 UNCH
5185	----	----	385.20B/332.80A	385.20B/332.80A	----	379.50 + 12.80	.9675	----	----	----	----	2 UNCH
5190	----	----	390.10B/337.20A	390.10B/337.20A	----	384.40 + 12.90	.9686	----	----	----	----	10 UNCH
5195	----	----	395.00B/341.80A	395.00B/341.80A	----	389.30 + 12.90	.9697	----	----	----	----	25 UNCH
5200	----	----	400.70B/346.60A	400.70B/346.60A	----	394.20 + 13.00	.9708	----	----	----	----	424 UNCH
5205	----	----	404.80B/351.50A	404.80B/351.50A	----	399.10 + 13.10	.9719	----	----	----	----	19 UNCH
5210	----	----	409.80B/356.30A	409.80B/356.30A	----	404.00 + 13.10	.9729	----	----	----	----	9 UNCH
5215	----	----	414.70B/361.20A	414.70B/361.20A	----	409.00 + 13.30	.9732	----	----	----	----	5 UNCH
5220	----	----	419.60B/366.00A	419.60B/366.00A	----	413.90 + 13.30	.9742	----	----	----	----	9 UNCH
5225	----	----	424.50B/370.80A	424.50B/370.80A	----	418.80 + 13.40	.9753	----	----	----	----	59 UNCH
5230	----	----	429.50B/375.70A	429.50B/375.70A	----	423.70 + 13.40	.9763	----	----	----	----	10 UNCH
5235	----	----	434.40B/380.50A	434.40B/380.50A	----	428.70 + 13.50	.9765	----	----	----	----	71 UNCH
5240	----	----	439.30B/385.30A	439.30B/385.30A	----	433.60 + 13.50	.9775	----	----	----	----	43 UNCH
5245	----	----	444.20B/390.20A	444.20B/390.20A	----	438.50 + 13.60	.9777	----	----	----	----	15 UNCH
5250	----	----	449.90B/395.50A	449.90B/395.50A	----	443.50 + 13.70	.9787	----	----	----	----	423 UNCH
5255	----	----	454.10B/404.70A	454.10B/404.70A	----	448.40 + 13.70	.9789	----	----	----	----	4 UNCH
5260	----	----	459.10B/411.70A	459.10B/411.70A	----	453.40 + 13.80	.9799	----	----	----	----	11 UNCH
5265	----	----	464.00B/416.00A	464.00B/416.00A	----	458.30 + 13.80	.9800	----	----	----	----	7 UNCH
5270	----	----	469.00B/421.50A	469.00B/421.50A	----	463.30 + 13.90	.9810	----	----	----	----	30 UNCH
5275	----	----	474.10B/426.40A	474.10B/426.40A	----	468.20 + 13.80	.9812	----	----	----	----	206 UNCH
5280	----	----	478.90B/431.30A	478.90B/431.30A	----	473.20 + 13.90	.9821	----	----	----	----	33 UNCH
5290	----	----	488.80B/441.20A	488.80B/441.20A	----	483.10 + 14.00	.9832	----	----	----	----	2 UNCH
5295	----	----	493.80B/446.10A	493.80B/446.10A	----	488.10 + 14.10	.9833	----	----	----	----	5 UNCH
5300	----	----	499.00B/450.40A	499.00B/450.40A	----	493.00 + 14.00	.9835	----	----	----	----	108 UNCH
5305	----	----	503.70B/456.00A	503.70B/456.00A	----	498.00 + 14.10	.9844	----	----	----	----	40 UNCH
5310	----	----	508.60B/460.30A	508.60B/460.30A	----	503.00 + 14.20	.9845	----	----	----	----	32 UNCH
5315	----	----	513.60B/465.80A	513.60B/465.80A	----	507.90 + 14.10	.9846	----	----	----	----	1 UNCH
5320	----	----	518.60B/470.80A	518.60B/470.80A	----	512.90 + 14.20	.9855	----	----	----	----	26 UNCH
5325	----	----	523.50B/475.10A	523.50B/475.10A	----	517.90 + 14.30	.9856	----	----	----	----	51 UNCH
5330	----	----	528.50B/480.70A	528.50B/480.70A	----	522.80 + 14.20	.9858	----	----	----	----	27 UNCH
5335	----	----	----	----	----	527.80 + 14.30	.9867	----	----	----	----	1 UNCH
5340	----	----	537.20B/503.30A	537.20B/503.30A	----	532.80 + 14.30	.9867	----	----	----	----	12 UNCH
5350	----	----	547.20B/512.70A	547.20B/512.70A	----	542.70 + 14.30	.9869	----	----	----	----	43 UNCH
5360	----	----	557.40B/522.60A	557.40B/522.60A	----	552.60 + 14.30	.9879	----	----	----	----	11 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 10

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
5365	----	----	562.00B/527.60A	562.00B/527.60A	----	557.60 + 14.40	.9880	----	----	----	----	11 UNCH
5370	----	----	567.00B/533.10A	567.00B/533.10A	----	562.60 + 14.40	.9881	----	----	----	----	32 UNCH
5375	----	----	572.00B/537.50A	572.00B/537.50A	----	567.60 + 14.40	.9889	----	----	----	----	32 UNCH
5380	----	----	577.00B/542.50A	577.00B/542.50A	----	572.50 + 14.40	.9890	----	----	----	----	4 UNCH
5385	----	----	582.00B/547.50A	582.00B/547.50A	----	577.50 + 14.40	.9891	----	----	----	----	15 UNCH
5390	----	----	----	----	----	582.50 + 14.50	.9892	----	----	----	----	1 UNCH
5395	----	----	----	----	----	587.50 + 14.50	.9900	----	----	----	----	1 UNCH
5400	----	----	598.40B/561.70A	598.40B/561.70A	----	592.50 + 14.50	.9901	----	----	----	----	96 UNCH
5410	----	----	606.90B/572.80A	606.90B/572.80A	----	602.40 + 14.50	.9902	----	----	----	----	55 UNCH
5420	----	----	616.80B/582.30A	616.80B/582.30A	----	612.40 + 14.60	.9903	----	----	----	----	7 UNCH
5425	----	----	621.80B/587.30A	621.80B/587.30A	----	617.40 + 14.60	.9912	----	----	----	----	32 UNCH
5435	----	----	----	----	----	627.30 + 14.60	.9913	----	----	----	----	2 UNCH
5445	----	----	----	----	----	637.30 + 14.60	.9914	----	----	----	----	1 UNCH
5450	----	----	646.80B/612.20A	646.80B/612.20A	----	642.30 + 14.60	.9914	----	----	----	----	20 UNCH
5475	----	----	----	----	----	667.20 + 14.70	.9924	----	----	----	----	1 UNCH
5490	----	----	686.60B/652.10A	686.60B/652.10A	----	682.20 + 14.70	.9926	----	----	----	----	3 UNCH
5500	----	----	696.60B/662.50A	696.60B/662.50A	----	692.20 + 14.80	.9934	----	----	----	----	34 UNCH
5515	----	----	711.60B/677.00A	711.60B/677.00A	----	707.10 + 14.70	.9935	----	----	----	----	10 UNCH
5520	----	----	----	----	----	712.10 + 14.80	.9935	----	----	----	----	1 UNCH
5530	----	----	726.90B/692.00A	726.90B/692.00A	----	722.10 + 14.80	.9936	----	----	----	----	10 UNCH
5535	----	----	731.90B/697.40A	731.90B/697.40A	----	727.10 + 14.80	.9937	----	----	----	----	10 UNCH
5540	----	----	736.90B/702.40A	736.90B/702.40A	----	732.10 + 14.80	.9937	----	----	----	----	5 UNCH
5550	----	----	746.50B/712.40A	746.50B/712.40A	----	742.10 + 14.90	.9938	----	----	----	----	5 UNCH
5565	----	----	761.50B/726.90A	761.50B/726.90A	----	757.00 + 14.80	.9946	----	----	----	----	10 UNCH
5575	----	----	771.90B/736.90A	771.90B/736.90A	----	767.00 + 14.90	.9946	----	----	----	----	10 - 2
5590	----	----	786.50B/751.90A	786.50B/751.90A	----	782.00 + 14.90	.9947	----	----	----	----	20 - 5
5600	----	----	796.50B/762.30A	796.50B/762.30A	----	792.00 + 14.90	.9948	----	----	----	----	12 UNCH
5625	----	----	----	----	----	817.00 + 15.00	.9949	----	----	----	----	1 - 1
5640	----	----	----	----	----	831.90 + 14.90	.9957	----	----	----	----	0 - 1
5890	----	----	1,086.10B/1,052	1086.10B/1052.20A	----	1081.70 + 15.10	.9978	----	----	----	----	2 - 2
5960	----	----	----	----	----	1151.70 + 15.20	.9980	----	----	----	----	0 UNCH
5980	----	----	----	----	----	1171.70 + 15.20	.9980	----	----	----	----	1 UNCH
6025	----	----	1,221.00B/1,187	1221.00B/1187.20A	----	1216.70 + 15.20	.9987	----	----	----	----	3 UNCH
6100	----	----	1,296.00B/1,262	1296.00B/1262.20A	----	1291.70 + 15.30	.9988	----	----	----	----	7 UNCH
TOTAL										7145	350	92105 + 1547
JUN26												
1325	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
1375	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1400	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1425	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1475	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
1500	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
1525	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
1575	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1580	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1590	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	175 UNCH
1600	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	18 UNCH
1610	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1615	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1620	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	31 UNCH
1625	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1650	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1670	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
1675	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
1685	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
1690	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1695	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1700	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1725	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1735	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1740	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1745	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1750	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
1755	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1775	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1780	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1785	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1795	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
1800	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
1815	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1820	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
1855	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1875	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	3 UNCH
1900	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	3 UNCH
1905	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	7 UNCH
1915	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH
1920	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
1950	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1955	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
1965	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH
1975	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	85 UNCH
2000	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	603 UNCH
2005	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2010	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2015	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	7 UNCH
2020	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2025	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	40 UNCH
2030	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	13 UNCH
2050	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	20 UNCH
2085	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	15 UNCH
2100	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	90 UNCH
2105	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2130	----	----	----	----/*0.20A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
2170	----	----	----	----/*0.20A	----	0.10 UNCH	.0001	----	----	----	----	5 UNCH
2180	----	----	----	----/*0.20A	----	0.10 - 0.10	.0001	----	----	----	----	6 UNCH
2195	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	5 UNCH
2200	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	9 UNCH
2205	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	7 UNCH
2220	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	1 UNCH
2230	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	25 UNCH
2235	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	21 UNCH
2240	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	6 UNCH
2250	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	5 UNCH
2300	----	----	----	----/0.30A	----	0.20 UNCH	.0005	----	----	----	----	13 UNCH
2315	----	----	----	----/0.30A	----	0.20 UNCH	.0005	----	----	----	----	40 UNCH
2330	----	----	----	----/0.30A	----	0.20 UNCH	.0005	----	----	----	----	9 UNCH
2350	----	----	----	----/0.30A	----	0.20 UNCH	.0005	----	----	----	----	1 UNCH
2380	----	----	----	----/0.30A	----	0.20 - 0.10	.0005	----	----	----	----	9 UNCH
2385	----	----	----	----/0.30A	----	0.20 - 0.10	.0005	----	----	----	----	1 UNCH
2390	----	----	----	----/0.30A	----	0.20 - 0.10	.0005	----	----	----	----	1 UNCH
2395	----	----	----	----/*0.30A	----	0.20 - 0.10	.0005	----	----	----	----	1 UNCH
2400	----	----	----	----/0.30A	----	0.20 - 0.10	.0005	----	----	----	----	72 UNCH
2405	----	----	----	----/*0.30A	----	0.20 - 0.10	.0005	----	----	----	----	1 UNCH
2410	----	----	----	----/*0.30A	----	0.20 - 0.10	.0005	----	----	----	----	6 UNCH
2415	----	----	----	----/*0.30A	----	0.20 - 0.10	.0005	----	----	----	----	1 UNCH
2420	----	----	----	----/*0.30A	----	0.20 - 0.10	.0005	----	----	----	----	5 UNCH
2425	----	----	----	----/0.30A	----	0.20 - 0.10	.0005	----	----	----	----	23 UNCH
2430	----	----	----	----/*0.30A	----	0.20 - 0.10	.0005	----	----	----	----	1 UNCH
2445	----	----	----	----/*0.30A	----	0.20 - 0.10	.0005	----	----	----	----	5 UNCH
2450	----	----	----	----/0.30A	----	0.20 - 0.10	.0005	----	----	----	----	51 UNCH
2460	----	----	----	----/*0.30A	----	0.30 UNCH	.0008	----	----	----	----	1 UNCH
2465	----	----	----	0.10B/*0.30A	----	0.30 UNCH	.0008	----	----	----	----	7 UNCH
2475	----	----	----	0.10B/0.30A	----	0.30 UNCH	.0008	----	----	----	----	3 UNCH
2495	----	----	----	0.10B/0.40A	----	0.30 UNCH	.0008	----	----	----	----	1 UNCH
2500	----	----	----	0.10B/0.30A	----	0.30 UNCH	.0008	----	----	----	----	1921 UNCH
2510	----	----	----	0.10B/0.40A	----	0.30 UNCH	.0008	----	----	----	----	2 UNCH
2525	----	----	----	0.10B/0.40A	----	0.30 - 0.10	.0008	----	----	----	----	25 UNCH
2535	----	----	----	0.10B/0.40A	----	0.30 - 0.10	.0008	----	----	----	----	5 UNCH
2540	----	----	----	0.10B/0.40A	----	0.30 - 0.10	.0008	----	----	----	----	5 UNCH
2550	----	----	----	0.10B/0.40A	----	0.30 - 0.10	.0008	----	----	----	----	50 UNCH
2565	----	----	----	0.20B/0.40A	----	0.30 - 0.10	.0009	----	----	----	----	5 UNCH
2580	----	----	----	0.20B/*0.40A	----	0.30 - 0.10	.0009	----	----	----	----	5 UNCH
2590	----	----	----	0.20B/*0.40A	----	0.30 - 0.10	.0009	----	----	----	----	8 UNCH
2600	----	----	----	0.30B/0.40A	----	0.40 UNCH	.0011	----	----	----	----	159 UNCH
2650	----	----	----	0.20B/0.50A	----	0.40 - 0.10	.0012	----	----	----	----	1 UNCH
2695	----	----	----	0.30B/*0.50A	----	0.40 - 0.10	.0012	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
2700	----	----	----	0.30B/*0.50A	----	0.50 UNCH	.0015	----	----	----	----	427 UNCH
2730	----	----	----/*0.50A	0.30B/*0.50A	----	0.50 - 0.10	.0015	----	----	----	----	5 UNCH
2750	----	----	----	0.40B/*0.60A	----	0.50 - 0.10	.0015	----	----	----	----	1 UNCH
2800	----	----	----/*0.60A	0.50B/*0.60A	----	0.60 - 0.10	.0018	----	----	----	----	751 UNCH
2805	----	----	----/*0.60A	0.50B/*0.60A	----	0.60 - 0.10	.0018	----	----	----	----	223 UNCH
2810	----	----	----/*0.60A	0.40B/*0.60A	----	0.60 - 0.10	.0018	----	----	----	----	39 UNCH
2825	----	----	----	0.50B/*0.70A	----	0.60 - 0.10	.0018	----	----	----	----	51 UNCH
2830	----	----	----	0.50B/*0.70A	----	0.60 - 0.10	.0018	----	----	----	----	25 UNCH
2850	----	----	----/*0.70A	0.50B/*0.70A	----	0.70 - 0.10	.0021	----	----	----	----	22 UNCH
2875	----	----	----/*0.70A	0.50B/*0.70A	----	0.70 - 0.10	.0022	----	----	----	----	7 UNCH
2900	----	----	----	0.60B/*0.80A	----	0.80 UNCH	.0025	----	----	----	----	155 UNCH
2905	----	----	----	0.60B/*0.80A	----	0.80 UNCH	.0025	----	----	----	----	5 UNCH
2915	----	----	----/*0.80A	0.70B/*0.80A	----	0.80 - 0.10	.0025	----	----	----	----	1 UNCH
2930	----	----	----/*0.80A	0.60B/*0.80A	----	0.80 - 0.10	.0025	----	----	----	----	1 UNCH
2935	----	----	----/*0.80A	0.60B/*0.80A	----	0.80 - 0.10	.0025	----	----	----	----	3 UNCH
2950	----	----	----/*0.80A	0.70B/*0.80A	----	0.90 UNCH	.0028	----	----	----	----	24 UNCH
2970	0.80	0.80	0.80/*0.80	0.80/*0.80	----	0.90 - 0.10	.0029	----	----	1	----	2 + 1
2975	----	----	----/*0.90A	0.70B/*0.90A	----	0.90 - 0.10	.0029	----	----	----	----	9 UNCH
2990	----	----	----/*0.90A	0.80B/*0.90A	----	0.90 - 0.10	.0029	----	----	----	----	5 UNCH
2995	----	----	----/*0.90A	0.80B/*0.90A	----	1.00 UNCH	.0032	----	----	----	----	6 UNCH
3000	----	----	----/*0.90A	0.80B/*0.90A	----	1.00 UNCH	.0032	----	----	----	----	1664 UNCH
3005	----	----	----/*0.90A	0.80B/*0.90A	----	1.00 UNCH	.0032	----	----	----	----	30 UNCH
3010	----	----	----	0.80B/*1.00A	----	1.00 UNCH	.0032	----	----	----	----	8 UNCH
3015	----	----	----/*1.00A	0.90B/*1.00A	----	1.00 - 0.10	.0032	----	----	----	----	215 UNCH
3020	----	----	----/*1.00A	0.90B/*1.00A	----	1.00 - 0.10	.0032	----	----	----	----	35 UNCH
3035	----	----	----/*1.00A	0.90B/*1.00A	----	1.10 UNCH	.0035	----	----	----	----	1 UNCH
3050	----	----	----/*1.00A	0.90B/*1.00A	----	1.10 UNCH	.0036	----	----	----	----	389 UNCH
3065	----	----	----/*1.10A	1.00B/*1.10A	----	1.10 - 0.10	.0036	----	----	----	----	7 UNCH
3070	----	----	----/*1.10A	0.90B/*1.10A	----	1.10 - 0.10	.0036	----	----	----	----	6 UNCH
3075	----	----	----/*1.10A	1.00B/*1.10A	----	1.20 UNCH	.0039	----	----	----	----	10 UNCH
3080	----	----	----/*1.10A	1.00B/*1.10A	----	1.20 UNCH	.0039	----	----	----	----	8 UNCH
3095	1.20	1.20	1.20/*1.10A	1.20/*1.10A	----	1.20 UNCH	.0039	----	----	7	----	42 + 1
3100	----	----	----/*1.10A	1.10B/*1.10A	----	1.20 - 0.10	.0040	----	----	----	----	367 UNCH
3105	----	----	----/*1.10A	1.10B/*1.10A	----	1.20 - 0.10	.0040	----	----	----	----	13 UNCH
3110	----	----	----/*1.20A	1.10B/*1.20A	----	1.20 - 0.10	.0040	----	----	----	----	10 UNCH
3120	----	----	----/*1.20A	1.10B/*1.20A	----	1.30 UNCH	.0043	----	----	----	----	13 UNCH
3125	1.30	1.30	1.30/*1.20A	1.30/*1.20A	----	1.30 UNCH	.0043	----	----	12	----	13 + 3
3130	----	----	----/*1.20A	1.20B/*1.20A	----	1.30 UNCH	.0043	----	----	----	----	26 UNCH
3140	----	----	----/*1.20A	1.20B/*1.20A	----	1.30 - 0.10	.0043	----	----	----	----	5 UNCH
3150	----	----	----/*1.30A	1.20B/*1.30A	----	1.40 UNCH	.0047	----	----	----	----	149 UNCH
3155	----	----	----/*1.30A	1.20B/*1.30A	----	1.40 UNCH	.0047	----	----	----	----	16 UNCH
3160	----	----	----/*1.30A	1.20B/*1.30A	----	1.40 UNCH	.0047	----	----	----	----	5 UNCH
3170	----	----	----/*1.30A	1.30B/*1.30A	----	1.40 UNCH	.0047	----	----	----	----	6 UNCH
3175	----	----	----/*1.40A	1.30B/*1.40A	----	1.40 - 0.10	.0047	----	----	----	----	12 UNCH
3180	----	----	----/*1.40A	1.30B/*1.40A	----	1.40 - 0.10	.0047	----	----	----	----	5 UNCH
3185	----	----	----/*1.40A	1.30B/*1.40A	----	1.50 UNCH	.0050	----	----	----	----	6 UNCH
3190	----	----	----/*1.40A	1.30B/*1.40A	----	1.50 UNCH	.0051	----	----	----	----	18 UNCH
3195	----	----	----/*1.40A	1.40B/*1.40A	----	1.50 UNCH	.0051	----	----	----	----	12 UNCH
3200	1.40	1.40	1.50/*1.40	1.50/*1.40	----	1.50 UNCH	.0051	----	----	2	----	296 - 1
3205	----	----	----/*1.40A	1.40B/*1.40A	----	1.50 UNCH	.0051	----	----	----	----	42 UNCH
3210	----	----	----/*1.50A	1.40B/*1.50A	----	1.50 - 0.10	.0051	----	----	----	----	15 UNCH
3215	----	----	----/*1.50A	1.40B/*1.50A	----	1.60 UNCH	.0054	----	----	----	----	22 UNCH
3220	----	----	----/*1.50A	1.40B/*1.50A	----	1.60 UNCH	.0054	----	----	----	----	7 UNCH
3225	----	----	----/*1.50A	1.50B/*1.50A	----	1.60 UNCH	.0055	----	----	----	----	65 UNCH
3235	----	----	----/*1.50A	1.50B/*1.50A	----	1.60 UNCH	.0055	----	----	----	----	24 UNCH
3250	----	----	----/*1.60A	1.60B/*1.60A	----	1.70 UNCH	.0058	----	----	----	----	147 UNCH
3255	----	----	----/*1.60A	1.60B/*1.60A	----	1.70 UNCH	.0059	----	----	----	----	110 UNCH
3260	----	----	----/*1.60A	1.60B/*1.60A	----	1.70 UNCH	.0059	----	----	----	----	1 UNCH
3265	----	----	----/*1.60A	1.60B/*1.60A	----	1.70 UNCH	.0059	----	----	----	----	20 UNCH
3270	----	----	----/*1.70A	1.60B/*1.70A	----	1.70 - 0.10	.0059	----	----	----	----	7 UNCH
3280	----	----	----/*1.70A	1.70B/*1.70A	----	1.80 UNCH	.0062	----	----	----	----	13 UNCH
3290	----	----	----/*1.70A	1.70B/*1.70A	----	1.80 UNCH	.0063	----	----	----	----	37 UNCH
3300	----	----	----/*1.70A	1.80B/*1.70A	----	1.80 - 0.10	.0063	----	----	1	----	370 + 1
3305	----	----	----/*1.80A	1.80B/*1.80A	----	1.90 UNCH	.0066	----	----	----	----	1 UNCH
3310	----	----	----/*1.70A	1.80B/*1.70A	----	1.90 UNCH	.0067	----	----	----	----	7 UNCH
3320	----	----	----/*1.70A	1.90B/*1.70A	----	1.90 UNCH	.0067	----	----	----	----	4 UNCH
3325	----	----	----/*1.80A	1.90B/*1.80A	----	1.90 - 0.10	.0067	----	----	----	----	47 UNCH
3335	----	----	----/*1.90A	1.90B/*1.90A	----	2.00 UNCH	.0071	----	----	----	----	46 UNCH
3340	----	----	----/*1.90A	2.00B/*1.90A	----	2.00 UNCH	.0071	----	----	----	----	22 UNCH
3345	----	----	----/*1.90A	2.00B/*1.90A	----	2.00 UNCH	.0071	----	----	----	----	12 UNCH
3350	----	----	----/*1.90A	2.00B/*1.90A	----	2.00 - 0.10	.0071	----	----	----	----	407 UNCH
3355	----	----	----/*1.90A	2.00B/*1.90A	----	2.10 UNCH	.0075	----	----	----	----	17 UNCH
3360	----	----	----/*2.00A	2.00B/*2.00A	----	2.10 UNCH	.0075	----	----	----	----	7 UNCH
3365	----	----	----/*2.00A	2.10B/*2.00A	----	2.10 UNCH	.0075	----	----	----	----	31 UNCH
3370	----	----	----/*2.00A	2.10B/*2.00A	----	2.10 UNCH	.0075	----	----	----	----	26 UNCH
3375	----	----	----/*2.00A	2.10B/*2.00A	----	2.10 - 0.10	.0076	----	----	----	----	98 UNCH
3380	----	----	----/*2.00A	2.10B/*2.00A	----	2.20 UNCH	.0079	----	----	----	----	46 UNCH
3385	----	----	----/*2.00A	2.20B/*2.00A	----	2.20 UNCH	.0079	----	----	----	----	6 UNCH
3390	----	----	----/*2.10A	2.20B/*2.10A	----	2.20 UNCH	.0079	----	----	----	----	59 UNCH
3395	----	----	----/*2.10A	2.20B/*2.10A	----	2.20 - 0.10	.0080	----	----	----	----	1 UNCH
3400	2.00	2.00	2.20B/*2.00	2.20B/*2.00	----	2.30 UNCH	.0083	----	----	1	----	730 - 1
3405	----	----	----/*2.10A	2.30B/*2.10A	----	2.30 UNCH	.0083	----	----	----	----	66 UNCH
3410	----	----	----/*2.10A	2.30B/*2.10A	----	2.30 UNCH	.0084	----	----	----	----	7 UNCH
3415	----	----	----/*2.20A	2.30B/*2.20A	----	2.30 UNCH	.0084	----	----	----	----	2 UNCH
3420	----	----	----/*2.20A	2.30B/*2.20A	----	2.30 - 0.10	.0084	----	----	----	----	18 UNCH
3425	----	----	----/*2.20A	2.40B/*2.20A	----	2.40 UNCH	.0087	----	----	----	----	25 UNCH
3430	----	----	----/*2.20A	2.40B/*2.20A	----	2.40 UNCH	.0088	----	----	2	----	10 + 2
3435	----	----	----/*2.30A	2.40B/*2.30A	----	2.40 UNCH	.0088	----	----	----	----	20 UNCH
3450	----	----	----/*2.30A	2.50B/*2.30A	----	2.50 UNCH	.0092	----	----	----	----	413 UNCH
3455	----	----	----/*2.40A	2.50B/*2.40A	----	2.50 - 0.10	.0092	----	----	----	----	51 UNCH
3460	----	----	----/*2.40A	2.60B/*2.40A	----	2.50 - 0.10	.0093	----	----	----	----	50 UNCH
3465	----	----	----/*2.40A	2.60B/*2.40A	----	2.60 UNCH	.0096	----	----	----	----	89 UNCH
3470	----	----	----/*2.40A	2.60B/*2.40A	----	2.60 UNCH	.0096	----	----	----	----	28 UNCH
3475	----	----	----/*2.50A	2.70B/*2.50A	----	2.60 - 0.10	.0097	----	----	----	----	241 UNCH
3480	----	----	----/*2.50A	2.70B/*2.50A	----	2.70 UNCH	.0100	----	----	----	----	171 UNCH
3485	----	----	----/*2.50A	2.70B/*2.50A	----	2.70 UNCH	.0100	----	----	----	----	2 UNCH
3490	----	----	----/*2.50A	2.70B/*2.50A	----	2.70 UNCH	.0101	----	----	----	----	21 UNCH
3500	----	----	----/2.60A	2.80B/2.60A	----	2.80 UNCH	.0105	----	----	----	----	1788 UNCH
3505	----	----	----/*2.60A	2.80B/*2.60A	----	2.80 UNCH	.0105	----	----	----	----	65 UNCH
3510	----	----	----/*2.60A	2.90B/*2.60A	----	2.80 - 0.10	.0105	----	----	----	----	61 UNCH
3515	----	----	----/*2.70A	2.90B/*2.70A	----	2.80 - 0.10	.0106	----	----	----	----	16 UNCH
3520	----	----	----/*2.70A	2.90B/*2.70A	----	2.90 UNCH	.0109	----	----	----	----	138 UNCH
3525	----	----	----/*2.70A	3.00B/*2.70A	----	2.90 - 0.10	.0110	----	----	----	----	301 UNCH
3530	----	----	----/*2.70A	3.00B/*2.70A	----	2.90 - 0.10	.0110	----	----	----	----	7 UNCH
3535	----	----	----/*2.80A	3.00B/*2.80A	----	3.00 UNCH	.0113	----	----	----	----	100 UNCH
3540	----	----	----/*2.80A	3.10B/*2.80A	----	3.00 - 0.10	.0114	----	----	----	----	5 UNCH
3545	----	----	----/*2.80A	3.10B/*2.80A	----	3.00 - 0.10	.0114	----	----	----	----	20 UNCH
3550	----	----	----/*2.80A	3.10B/*2.80A	----	3.10 UNCH	.0118	----	----	----	----	420 UNCH
3555	----	----	----/*2.90A	3.10B/*2.90A	----	3.10 - 0.10	.0118	----	----	----	----	2 UNCH
3560	----	----	----/*2.90A	3.20B/*2.90A	----	3.10 - 0.10	.0119	----	----	----	----	89 UNCH
3565	----	----	----/*2.90A	3.20B/*2.90A	----	3.10 - 0.10	.0119	----	----	----	----	41 UNCH
3570	----	----	----/*2.90A	3.30B/*2.90A	----	3.20 - 0.10	.0123	----	----	----	----	60 UNCH
3575	----	----	----/*3.00A	3.30B/*3.00A	----	3.20 - 0.10	.0123	----	----	----	----	40 UNCH
3580	----	----	----/*3.00A	3.30B/*3.00A	----	3.20 - 0.10	.0124	----	----	----	----	76 UNCH
3585	----	----	----/*3.00A	3.30B/*3.00A	----	3.30 - 0.10	.0127	----	----	----	----	2 UNCH
3590	----	----	----/*3.10A	3.40B/*3.10A	----	3.30 - 0.10	.0128	----	----	----	----	3 UNCH
3595	----	----	----/*3.10A	3.40B/*3.10A	----	3.30 - 0.10	.0128	----	----	----	----	23 UNCH
3600	----	----	----/*3.10A	3.50B/*3.10A	----	3.40 - 0.10	.0132	----	----	----	----	1654 UNCH
3610	----	----	----/*3.20A	3.50B/*3.20A	----	3.50 - 0.10	.0136	----	----	----	----	3 UNCH
3615	----	----	----/*3.20A	3.60B/*3.20A	----	3.50 - 0.10	.0136	----	----	----	----	37 UNCH
3620	----	----	----/*3.30A	3.60B/*3.30A	----	3.50 - 0.10	.0137	----	----	----	----	11 UNCH
3625	3.70	3.70	3.70/*3.30A	3.70/*3.30A	----	3.60 - 0.10	.0140	----	----	4	----	67 - 1
3630	----	----	----/*3.30A	3.70B/*3.30A	----	3.60 - 0.10	.0141	----	----	----	----	86 UNCH
3635	----	----	----/*3.30A	3.70B/*3.30A	----	3.60 - 0.20	.0141	----	----	----	----	107 UNCH
3640	----	----	----/*3.40A	3.80B/*3.40A	----	3.70 - 0.10	.0145	----	----	2	----	25 + 1
3645	----	----	----/*3.40A	3.80B/*3.40A	----	3.70 - 0.10	.0146	----	----	----	----	13 UNCH
3650	3.90	3.90	3.90/*3.40A	3.90/*3.40A	----	3.70 - 0.20	.0146	----	----	18	----	555 + 18
3655	----	----	----/*3.40A	3.90B/*3.40A	----	3.80 - 0.10	.0150	----	----	----	----	2 UNCH
3660	----	----	----/*3.50A	3.90B/*3.50A	----	3.80 - 0.20	.0151	----	----	----	----	1 UNCH
3665	----	----	----/*3.50A	4.00B/*3.50A	----	3.90 - 0.10	.0154	----	----	----	----	15 UNCH
3670	----	----	----/*3.50A	4.00B/*3.50A	----	3.90 - 0.20	.0155	----	----	----	----	31 UNCH
3675	----	----	----/*3.60A	4.00B/*3.60A	----	3.90 - 0.20	.0156	----	----	----	----	45 UNCH
3680	----	----	----/*3.60A	4.10B/*3.60A	----	4.00 - 0.10	.0159	----	----	----	----	18 UNCH
3685	----	----	----/*3.70A	4.10B/*3.70A	----	4.00 - 0.20	.0160	----	----	----	----	51 UNCH
3690	----	----	----/*3.70A	4.10B/*3.70A	----	4.10 - 0.10	.0164	----	----	----	----	7 UNCH
3695	----	----	----/*3.70A	4.20B/*3.70A	----	4.10 - 0.20	.0164	----	----	----	----	19 UNCH
3700	3.50	3.50	4.30B/*3.50	4.30B/*3.50	----	4.10 - 0.20	.0165	----	----	19	----	888 + 18

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
3705	----	----	----/*3.80A	4.30B/*3.80A	----	4.20 - 0.20	.0169	----	----	----	----	123 UNCH
3710	----	----	----/*3.90A	4.30B/*3.90A	----	4.20 - 0.20	.0170	----	----	----	----	79 UNCH
3715	----	----	----/*3.90A	4.40B/*3.90A	----	4.30 - 0.20	.0173	----	----	----	----	46 UNCH
3720	----	----	----/*3.90A	4.50B/*3.90A	----	4.30 - 0.20	.0174	----	----	----	----	2 UNCH
3725	----	----	----/*4.00A	4.50B/*4.00A	----	4.40 - 0.20	.0178	----	----	----	----	91 UNCH
3730	----	----	----/*4.00A	4.50B/*4.00A	----	4.40 - 0.20	.0179	----	----	----	----	18 UNCH
3740	4.70	4.70	4.70/*4.10A	4.70/*4.10A	----	4.50 - 0.30	.0183	----	----	2	----	65 - 2
3745	----	----	----/*4.10A	4.70B/*4.10A	----	4.60 - 0.20	.0187	----	----	----	----	19 UNCH
3750	----	----	----/*4.20A	4.80B/*4.20A	----	4.60 - 0.30	.0188	----	----	129	----	1299 + 13
3755	----	----	----/*4.20A	4.80B/*4.20A	----	4.60 - 0.30	.0189	----	----	----	----	3 UNCH
3760	----	----	----/*4.30A	4.80B/*4.30A	----	4.70 - 0.30	.0193	----	----	----	----	23 UNCH
3765	----	----	----/*4.30A	4.90B/*4.30A	----	4.70 - 0.30	.0194	----	----	----	----	48 UNCH
3770	----	----	----/*4.40A	5.00B/*4.40A	----	4.80 - 0.30	.0198	----	----	----	----	10 UNCH
3775	----	----	----/*4.40A	5.00B/*4.40A	----	4.90 - 0.30	.0202	----	----	----	----	40 UNCH
3780	----	----	----/*4.50A	5.10B/*4.50A	----	4.90 - 0.30	.0203	----	----	----	----	15 UNCH
3785	----	----	----/*4.50A	5.10B/*4.50A	----	5.00 - 0.30	.0207	----	----	----	----	6 UNCH
3790	----	----	----/*4.60A	5.20B/*4.60A	----	5.00 - 0.30	.0207	----	----	----	----	258 UNCH
3795	----	----	----/*4.60A	5.30B/*4.60A	----	5.10 - 0.30	.0212	----	----	----	----	55 UNCH
3800	4.90	4.90	5.30B/*4.60A	5.30B/*4.60A	----	5.10 - 0.40	.0212	----	----	103	----	1341 + 20
3805	----	----	----/*4.70A	5.30B/*4.70A	----	5.20 - 0.30	.0217	----	----	----	----	67 UNCH
3810	----	----	----/*4.70A	5.40B/*4.70A	----	5.20 - 0.40	.0218	----	----	----	----	13 UNCH
3815	----	----	----/*4.80A	5.50B/*4.80A	----	5.30 - 0.40	.0222	----	----	----	----	38 UNCH
3820	5.50	5.50	5.60B/*4.80A	5.60B/*4.80A	----	5.40 - 0.30	.0226	----	----	1	----	10 - 1
3825	----	----	----/*4.90A	5.60B/*4.90A	----	5.40 - 0.40	.0227	----	----	----	----	38 UNCH
3830	----	----	----/*5.00A	5.60B/*5.00A	----	5.50 - 0.40	.0231	----	----	----	----	185 UNCH
3835	----	----	----/*5.00A	5.70B/*5.00A	----	5.50 - 0.50	.0232	----	----	1	----	55 - 1
3840	----	----	----/*5.10A	5.80B/*5.10A	----	5.60 - 0.40	.0236	----	----	----	----	3 UNCH
3850	5.50	5.50	5.90B/*5.20	5.90B/*5.20	----	5.70 - 0.50	.0242	----	----	5	----	677 UNCH
3855	----	----	----/*5.20A	6.10B/*5.20A	----	5.80 - 0.50	.0246	----	----	----	----	72 UNCH
3860	----	----	----/*5.30A	6.10B/*5.30A	----	5.90 - 0.40	.0250	----	----	----	----	27 UNCH
3865	----	----	----/*5.40A	6.10B/*5.40A	----	5.90 - 0.50	.0251	----	----	----	----	16 UNCH
3870	----	----	----/*5.40A	6.20B/*5.40A	----	6.00 - 0.50	.0256	----	----	----	----	15 UNCH
3875	----	----	----/*5.50A	6.30B/*5.50A	----	6.10 - 0.50	.0260	----	----	----	----	163 UNCH
3880	----	----	----/*5.60A	6.40B/*5.60A	----	6.20 - 0.50	.0264	----	----	----	----	15 UNCH
3885	6.40	6.40	6.40/*5.60A	6.40/*5.60A	----	6.20 - 0.60	.0266	----	----	1	----	12 UNCH
3890	----	----	----/*5.70A	6.50B/*5.70A	----	6.30 - 0.60	.0270	----	----	----	----	43 UNCH
3895	----	----	----/*5.80A	6.60B/*5.80A	----	6.40 - 0.60	.0274	----	----	----	----	16 UNCH
3900	6.20	6.20	6.70B/*5.90A	6.70B/*5.90A	----	6.50 - 0.50	.0279	----	----	23	160	732 UNCH
3905	----	----	----/*5.90A	6.80B/*5.90A	----	6.60 - 0.50	.0283	----	----	----	----	45 UNCH
3910	----	----	----/*6.00A	6.90B/*6.00A	----	6.60 - 0.60	.0285	----	----	----	----	8 UNCH
3915	----	----	----/*6.00A	6.90B/*6.00A	----	6.70 - 0.60	.0289	----	----	----	----	29 UNCH
3920	----	----	----/*6.10A	7.00B/*6.10A	----	6.80 - 0.60	.0294	----	----	----	----	32 UNCH
3925	----	----	----/*6.20A	7.10B/*6.20A	----	6.90 - 0.60	.0298	----	----	----	----	51 UNCH
3930	----	----	----/*6.30A	7.20B/*6.30A	----	7.00 - 0.60	.0303	----	----	----	----	24 UNCH
3935	----	----	----/*6.30A	7.30B/*6.30A	----	7.10 - 0.60	.0308	----	----	----	----	27 UNCH
3940	----	----	----/*6.40A	7.40B/*6.40A	----	7.20 - 0.70	.0312	----	----	----	----	100 UNCH
3945	----	----	----/*6.50A	7.50B/*6.50A	----	7.30 - 0.70	.0317	----	----	1	----	25 UNCH
3950	7.30	7.30	7.30/*6.60A	7.50B/*6.60A	----	7.40 - 0.70	.0322	----	----	1	----	314 + 1
3955	----	----	----/*6.60A	7.60B/*6.60A	----	7.50 - 0.70	.0327	----	----	----	----	11 UNCH
3960	----	----	----/*6.70A	7.70B/*6.70A	----	7.60 - 0.70	.0331	----	----	1	----	35 + 1
3965	----	----	----/*6.80A	7.80B/*6.80A	----	7.70 - 0.70	.0336	----	----	----	----	23 UNCH
3970	----	----	----/*6.90A	7.90B/*6.90A	----	7.80 - 0.80	.0341	----	----	----	----	57 UNCH
3975	----	----	----/*7.00A	8.00B/*7.00A	----	7.90 - 0.80	.0346	----	----	1	----	337 + 1
3980	----	----	----/*7.10A	8.10B/*7.10A	----	8.00 - 0.80	.0351	----	----	1	----	31 - 1
3985	----	----	----/*7.20A	8.30B/*7.20A	----	8.10 - 0.80	.0356	----	----	----	----	27 UNCH
3990	----	----	----/*7.30A	8.40B/*7.30A	----	8.20 - 0.90	.0361	----	----	5	----	19 - 3
3995	----	----	----/*7.40A	8.50B/*7.40A	----	8.30 - 0.90	.0365	----	----	5	----	144 - 5
4000	8.30	8.30	8.70/*7.50A	8.70/*7.50A	----	8.50 - 0.80	.0374	----	----	89	100	3875 + 46
4005	8.10	8.10	8.70B/*7.60A	8.70B/*7.60A	----	8.60 - 0.90	.0379	----	----	2	----	29 UNCH
4010	8.30	8.30	8.90B/*7.70A	8.90B/*7.70A	----	8.70 - 0.90	.0384	----	----	1	----	42 UNCH
4015	----	----	----/*7.80A	9.00B/*7.80A	----	8.80 - 1.00	.0389	----	----	----	----	17 UNCH
4020	9.20	9.20	9.20/*7.90A	9.20/*7.90A	----	9.00 - 0.90	.0397	----	----	20	----	193 + 20
4025	----	----	----/*8.00A	9.20B/*8.00A	----	9.10 - 1.00	.0402	----	----	----	----	206 UNCH
4030	----	----	----/*8.10A	9.40B/*8.10A	----	9.20 - 1.00	.0408	----	----	----	----	16 UNCH
4035	----	----	----/*8.30A	9.50B/*8.30A	----	9.40 - 1.00	.0416	----	----	----	----	48 UNCH
4040	----	----	----/*8.40A	9.60B/*8.40A	----	9.50 - 1.00	.0421	----	----	----	----	76 UNCH
4045	----	----	----/*8.50A	9.80B/*8.50A	----	9.60 - 1.10	.0427	----	----	----	----	2 UNCH
4050	9.20	9.20	10.00B/*8.60	10.00B/*8.60	----	9.80 - 1.10	.0435	----	----	3	----	1202 UNCH
4055	----	----	----/*8.70A	10.10B/*8.70A	----	9.90 - 1.10	.0440	----	----	----	----	20 UNCH
4060	----	----	----/*8.90A	10.30B/*8.90A	----	10.10 - 1.10	.0449	----	----	----	----	91 UNCH
4065	----	----	----/*9.00A	10.40B/*9.00A	----	10.20 - 1.20	.0455	----	----	----	----	122 UNCH
4070	----	----	----/*9.10A	10.60B/*9.10A	----	10.40 - 1.20	.0463	----	----	----	----	61 UNCH
4075	----	----	----/*9.30A	10.80B/*9.30A	----	10.60 - 1.10	.0472	----	----	----	----	275 UNCH
4080	----	----	----/*9.40A	10.90B/*9.40A	----	10.70 - 1.20	.0477	----	----	1	----	101 - 1
4085	----	----	----/*9.60A	11.10B/*9.60A	----	10.90 - 1.20	.0486	----	----	10	----	69 + 1
4090	----	----	----/*9.70A	11.30B/*9.70A	----	11.10 - 1.20	.0495	----	----	38	----	120 + 4
4095	10.50	10.50	11.50B/*9.80A	11.50B/*9.80A	----	11.20 - 1.30	.0501	----	----	2	----	63 + 1
4100	10.70	10.70	11.80/*10.00A	11.80/*10.00A	----	11.40 - 1.30	.0510	----	----	208	----	1458 + 80
4105	11.20	11.20	11.80B/*10.20A	11.80B/*10.20A	----	11.60 - 1.30	.0519	----	----	2	----	84 UNCH
4110	----	----	----/*10.30A	12.00B/*10.30A	----	11.80 - 1.30	.0528	----	----	2	----	144 UNCH
4115	----	----	----/*10.50A	12.20B/*10.50A	----	12.00 - 1.40	.0537	----	----	----	----	457 UNCH
4120	----	----	----/*10.70A	12.40B/*10.70A	----	12.20 - 1.40	.0546	----	----	----	----	54 UNCH
4125	11.90	11.90	11.90/*10.80A	12.60B/*10.80A	----	12.40 - 1.40	.0555	----	----	3	----	370 - 3
4130	----	----	----/*11.00A	12.80B/*11.00A	----	12.60 - 1.40	.0564	----	----	----	----	22 UNCH
4135	----	----	----/*11.20A	13.00B/*11.20A	----	12.80 - 1.50	.0573	----	----	----	----	24 UNCH
4140	----	----	----/*11.40A	13.20B/*11.40A	----	13.00 - 1.50	.0583	----	----	----	----	18 UNCH
4145	----	----	----/*11.60A	13.50B/*11.60A	----	13.20 - 1.60	.0592	----	----	----	----	254 UNCH
4150	11.70	11.70	13.40/*11.70	13.70B/*11.70	----	13.40 - 1.60	.0601	----	----	2	----	533 - 1
4155	----	----	----/*12.00A	14.00B/*12.00A	----	13.70 - 1.60	.0614	----	----	----	----	23 UNCH
4160	----	----	----/*12.20A	14.20B/*12.20A	----	13.90 - 1.60	.0623	----	----	2	----	86 + 2
4165	13.20	13.20	13.20/*12.40A	14.50B/*12.40A	----	14.10 - 1.70	.0633	----	----	19	----	23 - 5
4170	----	----	----/*12.60A	14.70B/*12.60A	----	14.40 - 1.70	.0645	----	----	----	----	49 UNCH
4175	----	----	----/*12.80A	15.00B/*12.80A	----	14.60 - 1.70	.0655	----	----	----	----	923 UNCH
4180	----	----	----/*13.00A	15.20B/*13.00A	----	14.90 - 1.70	.0668	----	----	----	----	124 UNCH
4185	----	----	----/*13.20A	15.50B/*13.20A	----	15.10 - 1.80	.0677	----	----	----	----	15 UNCH
4190	----	----	----/*13.40A	15.80B/*13.40A	----	15.40 - 1.80	.0690	----	----	----	----	43 UNCH
4195	----	----	----/*13.70A	16.10B/*13.70A	----	15.60 - 1.90	.0700	----	----	----	----	38 UNCH
4200	14.80	14.80	15.80/*13.90A	16.40B/*13.90A	----	15.90 - 1.90	.0713	----	----	33	60	2618 - 40
4205	----	----	----/*14.10A	16.70B/*14.10A	----	16.20 - 1.90	.0726	----	----	----	----	59 UNCH
4210	----	----	----/*14.40A	17.00B/*14.40A	----	16.50 - 1.90	.0739	----	----	----	----	392 UNCH
4215	17.20	17.20	17.20/*14.60	17.30B/*14.60	----	16.80 - 2.00	.0752	----	----	8	----	10 - 2
4220	----	----	----/*14.90A	17.70B/*14.90A	----	17.10 - 2.00	.0765	----	----	----	----	192 UNCH
4225	----	----	----/*15.10A	18.00B/*15.10A	----	17.40 - 2.00	.0779	----	----	7	----	257 + 6
4230	----	----	----/*15.40A	18.30B/*15.40A	----	17.70 - 2.10	.0792	----	----	----	----	69 UNCH
4235	----	----	----/*15.60A	18.70B/*15.60A	----	18.00 - 2.10	.0805	----	----	----	----	48 UNCH
4240	----	----	----/*15.90A	19.00B/*15.90A	----	18.30 - 2.20	.0819	----	----	----	----	58 UNCH
4245	----	----	----/*16.20A	19.40B/*16.20A	----	18.70 - 2.20	.0835	----	----	----	----	52 UNCH
4250	----	----	----/*16.50A	19.70B/*16.50A	----	19.00 - 2.20	.0849	----	----	2	----	726 UNCH
4255	16.80	16.80	16.80/*16.80	20.10B/*16.80	----	19.30 - 2.30	.0862	----	----	1	----	12 UNCH
4260	----	----	----/*17.20A	20.50B/*17.20A	----	19.70 - 2.30	.0879	----	----	1	----	109 UNCH
4265	----	----	----/*17.40A	21.00B/*17.40A	----	20.10 - 2.30	.0895	----	----	----	----	36 UNCH
4270	20.90	20.90	20.90/*17.70A	21.40B/*17.70A	----	20.40 - 2.40	.0909	----	----	2	----	49 UNCH
4275	20.00	20.00	20.00/*18.00A	21.80B/*18.00A	----	20.80 - 2.40	.0926	----	----	16	----	119 + 10
4280	20.40	20.40	20.40/*18.40A	22.20B/*18.40A	----	21.20 - 2.50	.0943	----	----	10	----	85 + 10
4285	----	----	----/*18.70A	22.70B/*18.70A	----	21.60 - 2.50	.0960	----	----	----	----	28 UNCH
4290	----	----	----/*19.00A	23.10B/*19.00A	----	22.00 - 2.50	.0977	----	----	----	----	97 UNCH
4295	----	----	----/*19.40A	23.50B/*19.40A	----	22.40 - 2.60	.0994	----	----	1	----	32 UNCH
4300	22.30	22.30	22.30/19.80A	24.00B/19.80A	----	22.80 - 2.60	.1011	----	----	447	200	1999 - 342
4305	----	----	----/20.10A	24.40B/20.10A	----	23.30 - 2.60	.1031	----	----	----	----	76 UNCH
4310	----	----	----/20.50A	24.90B/20.50A	----	23.70 - 2.70	.1048	----	----	----	----	52 UNCH
4315	----	----	----/20.90A	25.40B/20.90A	----	24.10 - 2.80	.1066	----	----	1	----	50 + 1
4320	----	----	----/21.30A	25.90B/21.30A	----	24.60 - 2.80	.1086	----	----	----	----	85 UNCH
4325	----	----	----/21.70A	26.40B/21.70A	----	25.10 - 2.80	.1106	----	----	17	----	71 + 10
4330	----	----	----/22.20A	26.90B/22.20A	----	25.50 - 2.90	.1124	----	----	4	----	461 UNCH
4335	----	----	----/22.60A	27.50B/22.60A	----	26.00 - 2.90	.1144	----	----	----	----	54 UNCH
4340	----	----	----/23.00A	27.90B/23.00A	----	26.50 - 3.00	.1164	----	----	----	----	116 UNCH
4345	24.60	24.60	24.60/23.50A	28.50B/23.50A	----	27.10 - 2.90	.1187	----	----	8	----	48 UNCH
4350	----	----	----/23.90A	29.00B/23.90A	----	27.60 - 3.00	.1208	----	----	6	----	547 UNCH
4355	----	----	----/24.40A	29.60B/24.40A	----	28.10 - 3.00	.1229	----	----	----	----	82 UNCH
4360	----	----	----/24.90A	30.20B/24.90A	----	28.70 - 3.00	.1252	----	----	7	----	85 + 5
4365	----	----	----/25.30A	30.70B/25.30A	----	29.20 - 3.10	.1273	----	----	----	----	69 UNCH
4370	----	----	----/25.80A	31.30B/25.80A	----	29.80 - 3.10	.1296	----	----	1	----	25 + 1
4375	29.50	29.50	29.50/26.40A	31.90B/26.40A	----	30.40 - 3.10	.1320	----	----	22	----	518 + 8
4380	31.00	31.00	31.00/26.90A	32.70B/26.90A	----	31.00 - 3.20	.1344	----	----	7	----	413 + 4
4385	----	----	----/27.40A	33.20B/27.40A	----	31.60 - 3.20	.1367	----	----	----	----	132 UNCH
4390	----	----	----/28.00A	33.80B/28.00A	----	32.20 - 3.30	.1391	----	----	3	----	60 - 1
4395	32.60	32.60	32.60/28.50A	34.60B/28.50A	----	32.80 - 3.30	.1415	----	----	17	----	110 + 16

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 13

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
4400	30.30	30.30	34.50/29.00A	35.30B/29.00A	----	33.50 - 3.30	.1441	----	----	657	----	3939 - 143
4405	31.70	31.70	31.70/29.70A	35.90B/29.70A	----	34.10 - 3.40	.1466	----	----	1	----	132 - 1
4410	33.10	33.10	33.10/30.20A	36.70B/30.20A	----	34.80 - 3.40	.1492	----	----	9	----	110 + 9
4415	----	----	----/30.80A	37.40B/30.80A	----	35.50 - 3.40	.1519	----	----	7	----	94 + 5
4420	----	----	----/31.40A	38.00B/31.40A	----	36.20 - 3.50	.1545	----	----	2	----	139 UNCH
4425	----	----	----/32.00A	38.80B/32.00A	----	36.90 - 3.50	.1572	----	----	24	----	141 + 2
4430	37.60	37.60	37.60/32.70A	39.50B/32.70A	----	37.70 - 3.50	.1601	----	----	7	----	99 + 6
4435	37.70	37.70	38.20/33.30A	40.30B/33.30A	----	38.40 - 3.60	.1628	----	----	20	----	95 + 20
4440	----	----	----/33.90A	41.10B/33.90A	----	39.20 - 3.50	.1658	----	----	5	----	35 UNCH
4445	----	----	----/34.60A	41.90B/34.60A	----	39.90 - 3.60	.1685	----	----	6	----	57 + 3
4450	----	----	----/35.20A	42.70B/35.20A	----	40.70 - 3.70	.1715	----	----	10	----	1130 UNCH
4455	----	----	----/36.00A	43.50B/36.00A	----	41.50 - 3.70	.1744	----	----	----	----	69 UNCH
4460	37.60	37.60	43.20/36.60A	44.40B/36.60A	----	42.40 - 3.70	.1776	----	----	3	----	34 - 1
4465	----	----	----/37.40A	45.20B/37.40A	----	43.20 - 3.70	.1806	----	----	----	----	30 UNCH
4470	42.10	42.10	42.10/38.20A	46.10B/38.20A	----	44.10 - 3.70	.1838	----	----	4	----	69 UNCH
4475	42.90	42.90	42.90/38.90A	47.00B/38.90A	----	45.00 - 3.70	.1870	----	----	9	----	161 - 1
4480	47.30	47.30	47.30/39.70A	47.90B/39.70A	----	45.90 - 3.70	.1902	----	----	16	----	104 - 4
4485	----	----	----/40.50A	48.80B/40.50A	----	46.80 - 3.70	.1934	----	----	28	----	59 + 27
4490	----	----	----/41.30A	49.80B/41.30A	----	47.70 - 3.80	.1966	----	----	----	----	93 UNCH
4495	----	----	----/42.10A	50.70B/42.10A	----	48.60 - 3.90	.1999	----	----	1	----	83 + 1
4500	44.40	44.40	50.70/42.90A	51.70B/42.90A	----	49.60 - 3.80	.2033	----	----	649	----	3749 + 326
4505	----	----	----/43.70A	52.80B/43.70A	----	50.60 - 3.80	.2068	----	----	1	----	32 + 1
4510	----	----	----/44.60A	53.80B/44.60A	----	51.60 - 3.80	.2102	----	----	6	----	47 + 3
4515	----	----	----/45.50A	54.90B/45.50A	----	52.60 - 3.90	.2137	----	----	2	----	239 - 2
4520	----	----	----/46.50A	56.00B/46.50A	----	53.70 - 3.80	.2174	----	----	2	----	158 UNCH
4525	----	----	----/47.40A	57.10B/47.40A	----	54.70 - 3.90	.2209	----	----	2	----	153 UNCH
4530	56.70	56.70	56.70/48.20A	58.20B/48.20A	----	55.80 - 3.90	.2246	----	----	2	----	129 + 2
4535	----	----	----/49.30A	59.40B/49.30A	----	56.90 - 3.90	.2282	----	----	1	----	93 + 1
4540	----	----	----/50.20A	60.60B/50.20A	----	58.00 - 3.90	.2319	----	----	1	----	203 + 1
4545	----	----	----/51.20A	61.70B/51.20A	----	59.20 - 3.80	.2358	----	----	----	----	80 UNCH
4550	56.80	56.80	63.00B/52.20A	63.00B/52.20A	----	60.40 - 3.80	.2397	----	----	11	----	723 + 10
4555	58.80	58.80	64.20B/53.30A	64.20B/53.30A	----	61.50 - 3.90	.2434	----	----	20	----	54 + 11
4560	55.10	55.10	65.50B/54.30A	65.50B/54.30A	----	62.70 - 3.90	.2473	----	----	32	----	60 + 30
4565	----	----	----/55.40A	66.80B/55.40A	----	64.00 - 3.80	.2514	----	----	1	----	202 + 1
4570	62.30	62.30	68.10B/56.50A	68.10B/56.50A	----	65.20 - 3.90	.2553	----	----	9	----	140 + 4
4575	----	----	----/57.60A	69.40B/57.60A	----	66.50 - 3.80	.2594	----	----	----	----	172 UNCH
4580	----	----	----/58.70A	70.70B/58.70A	----	67.80 - 3.80	.2635	----	----	1	----	218 UNCH
4585	67.20	67.20	72.10B/59.90A	72.10B/59.90A	----	69.10 - 3.80	.2676	----	----	4	----	29 - 1
4590	62.60	62.60	73.50B/61.10A	73.50B/61.10A	----	70.40 - 3.90	.2717	----	----	85	----	179 + 67
4595	----	----	----/62.30A	74.90B/62.30A	----	71.80 - 3.80	.2760	----	----	----	----	30 UNCH
4600	68.00	68.00	76.40B/63.50A	76.40B/63.50A	----	73.20 - 3.80	.2802	----	----	179	100	1918 + 37
4605	74.40	74.40	74.40/64.70A	77.80B/64.70A	----	74.60 - 3.80	.2845	----	----	3	----	18 UNCH
4610	66.40	66.40	79.30B/66.00A	79.30B/66.00A	----	76.00 - 3.80	.2888	----	----	5	----	18 + 4
4615	----	----	----/67.30A	80.90B/67.30A	----	77.40 - 3.90	.2931	----	----	----	----	52 UNCH
4620	76.70	76.70	82.40B/68.70A	82.40B/68.70A	----	78.90 - 3.80	.2975	----	----	3	----	186 UNCH
4625	----	----	----/70.00A	84.00B/70.00A	----	80.40 - 3.80	.3019	----	----	9	----	252 UNCH
4630	84.20	84.20	85.60B/71.30A	85.60B/71.30A	----	81.90 - 3.80	.3064	----	----	1	----	145 - 1
4635	----	----	----/72.70A	87.20B/72.70A	----	83.50 - 3.80	.3109	----	----	----	----	25 UNCH
4640	----	----	----/74.10A	88.80B/74.10A	----	85.00 - 3.80	.3154	----	----	----	----	48 UNCH
4645	----	----	90.50B/75.60A	90.50B/75.60A	----	86.60 - 3.80	.3200	----	----	----	----	46 UNCH
4650	81.30	81.30	92.20B/76.90A	92.20B/76.90A	----	88.20 - 3.80	.3246	----	----	248	----	1321 + 122
4655	----	----	93.90B/78.50A	93.90B/78.50A	----	89.90 - 3.70	.3293	----	----	----	----	45 UNCH
4660	93.60	93.60	95.70B/80.00A	95.70B/80.00A	----	91.50 - 3.80	.3339	----	----	4	----	108 - 1
4665	----	----	97.40B/81.50A	97.40B/81.50A	----	93.20 - 3.70	.3386	----	----	----	----	17 UNCH
4670	97.10	97.10	99.20B/83.00A	99.20B/83.00A	----	95.00 - 3.60	.3434	----	----	4	----	257 UNCH
4675	----	----	101.10B/84.60A	101.10B/84.60A	----	96.70 - 3.70	.3482	----	----	200	----	411 + 134
4680	----	----	102.90B/86.20A	102.90B/86.20A	----	98.50 - 3.60	.3530	----	----	----	----	61 UNCH
4685	----	----	104.80B/87.80A	104.80B/87.80A	----	100.30 - 3.60	.3578	----	----	----	----	36 UNCH
4690	----	----	106.70B/89.40A	106.70B/89.40A	----	102.10 - 3.60	.3627	----	----	----	25	73 + 17
4695	105.90	105.90	108.60B/91.10A	108.60B/91.10A	----	104.00 - 3.50	.3676	----	----	32	----	73 + 8
4700	95.50	95.50	110.60B/92.80A	110.60B/92.80A	----	105.90 - 3.40	.3725	----	----	39	----	1536 + 19
4705	111.30	111.30	112.60B/94.50A	112.60B/94.50A	----	107.80 - 3.40	.3775	----	----	1	----	92 UNCH
4710	96.40	96.40	114.60B/96.30A	114.60B/96.30A	----	109.70 - 3.30	.3824	----	----	20	----	33 + 12
4715	----	----	116.60B/98.00A	116.60B/98.00A	----	111.70 - 3.20	.3875	----	----	----	----	41 UNCH
4720	117.30	117.30	118.70B/99.80A	118.70B/99.80A	----	113.70 - 3.20	.3925	----	----	1	----	103 - 1
4725	----	----	120.80B/101.70A	120.80B/101.70A	----	115.70 - 3.10	.3975	----	----	----	----	153 UNCH
4730	----	----	122.90B/103.50A	122.90B/103.50A	----	117.70 - 3.10	.4025	----	----	----	----	87 UNCH
4735	121.40	121.40	125.00B/105.40A	125.00B/105.40A	----	119.80 - 3.00	.4076	----	----	6	----	60 + 2
4740	----	----	127.20B/107.30A	127.20B/107.30A	----	121.90 - 3.00	.4127	----	----	----	----	85 UNCH
4745	----	----	129.40B/109.20A	129.40B/109.20A	----	124.00 - 3.00	.4178	----	----	----	----	4 UNCH
4750	116.50	116.50	131.70B/111.20A	131.70B/111.20A	----	126.20 - 2.90	.4230	----	----	42	----	914 - 1
4755	----	----	133.90B/113.20A	133.90B/113.20A	----	128.30 - 2.90	.4281	----	----	----	----	19 UNCH
4760	----	----	136.20B/115.20A	136.20B/115.20A	----	130.50 - 2.90	.4333	----	----	----	----	75 UNCH
4765	----	----	138.50B/117.20A	138.50B/117.20A	----	132.80 - 2.70	.4385	----	----	----	----	61 UNCH
4770	137.00	137.00	140.90B/119.30A	140.90B/119.30A	----	135.00 - 2.80	.4437	----	----	3	----	95 - 1
4775	140.00	140.00	143.20B/121.40A	143.20B/121.40A	----	137.30 - 2.70	.4489	----	----	10	----	193 + 4
4780	145.30	145.30	145.60B/123.50A	145.60B/123.50A	----	139.60 - 2.70	.4541	----	----	11	----	68 + 10
4785	147.50	147.50	148.10B/125.70A	148.10B/125.70A	----	142.00 - 2.60	.4593	----	----	2	----	89 UNCH
4790	----	----	150.50B/127.90A	150.50B/127.90A	----	144.40 - 2.50	.4645	----	----	2	----	68 - 1
4795	----	----	153.00B/130.10A	153.00B/130.10A	----	146.80 - 2.50	.4698	----	----	38	----	55 + 27
4800	142.20	142.20	155.50B/132.30A	155.50B/132.30A	----	149.30 - 2.30	.4750	----	----	155	----	2911 + 41
4805	151.40	151.40	158.00B/134.60A	158.00B/134.60A	----	151.80 - 2.20	.4803	----	----	1	----	85 + 1
4810	----	----	160.60B/136.90A	160.60B/136.90A	----	154.30 - 2.20	.4855	----	----	38	----	46 + 24
4815	152.00	152.00	163.20B/139.20A	163.20B/139.20A	----	156.80 - 2.10	.4907	----	----	23	----	94 + 1
4820	151.80	151.80	165.80B/141.60A	165.80B/141.60A	----	159.40 - 2.00	.4960	----	----	11	----	32 + 2
4825	147.00	147.00	168.50B/144.00A	168.50B/144.00A	----	162.00 - 1.90	.5012	----	----	75	----	201 - 18
4830	----	----	171.10B/146.40A	171.10B/146.40A	----	164.70 - 1.70	.5065	----	----	27	----	124 - 17
4835	163.20	163.20	173.90B/148.80A	173.90B/148.80A	----	167.30 - 1.70	.5117	----	----	4	----	34 + 4
4840	----	----	176.60B/151.30A	176.60B/151.30A	----	170.00 - 1.50	.5169	----	----	1	----	33 UNCH
4845	----	----	179.30B/153.80A	179.30B/153.80A	----	172.70 - 1.40	.5221	----	----	----	----	13 UNCH
4850	177.50	177.50	182.10B/156.30A	182.10B/156.30A	----	175.50 - 1.30	.5273	----	----	38	----	528 + 7
4855	162.40	162.40	184.90B/158.90A	184.90B/158.90A	----	178.20 - 1.20	.5325	----	----	26	----	383 + 24
4860	170.10	170.10	187.80B/161.50A	187.80B/161.50A	----	181.00 - 1.10	.5377	----	----	50	----	91 + 47
4865	168.10	168.10	190.60B/164.00A	190.60B/164.00A	----	183.80 - 1.00	.5429	----	----	23	----	44 + 21
4870	----	----	193.50B/166.60A	193.50B/166.60A	----	186.70 - 0.90	.5481	----	----	----	----	42 UNCH
4875	----	----	196.50B/169.20A	196.50B/169.20A	----	189.50 - 0.90	.5532	----	----	----	----	79 UNCH
4880	----	----	199.40B/171.80A	199.40B/171.80A	----	192.40 - 0.70	.5584	----	----	----	----	3 UNCH
4885	----	----	202.40B/174.40A	202.40B/174.40A	----	195.30 - 0.70	.5635	----	----	----	----	7 UNCH
4890	----	----	204.20B/177.10A	204.20B/177.10A	----	198.30 - 0.50	.5686	----	----	----	----	47 UNCH
4895	----	----	207.20B/179.80A	207.20B/179.80A	----	201.30 - 0.40	.5738	----	----	----	----	212 UNCH
4900	203.10	203.10	208.60B/182.50A	208.60B/182.50A	----	204.30 - 0.30	.5788	----	----	42	----	1789 - 32
4905	209.20	209.20	211.50B/185.20A	211.50B/185.20A	----	207.30 - 0.20	.5839	----	----	3	----	11 + 1
4910	----	----	214.60B/188.00A	214.60B/188.00A	----	210.30 - 0.20	.5889	----	----	----	----	57 UNCH
4915	215.30	215.30	217.40B/190.80A	217.40B/190.80A	----	213.40 UNCH	.5940	----	----	2	----	37 UNCH
4920	----	----	220.90B/193.60A	220.90B/193.60A	----	216.50 + 0.10	.5990	----	----	----	----	92 UNCH
4925	----	----	223.90B/196.50A	223.90B/196.50A	----	219.60 + 0.10	.6040	----	----	----	----	74 UNCH
4930	----	----	227.20B/199.20A	227.20B/199.20A	----	222.80 + 0.30	.6089	----	----	----	----	199 UNCH
4940	----	----	233.20B/205.20A	233.20B/205.20A	----	229.10 + 0.40	.6188	----	----	----	----	64 UNCH
4945	----	----	236.60B/208.30A	236.60B/208.30A	----	232.40 + 0.60	.6237	----	----	----	----	2 UNCH
4950	----	----	240.10B/211.00A	240.10B/211.00A	----	235.60 + 0.60	.6285	----	----	----	----	289 UNCH
4955	----	----	243.30B/214.20A	243.30B/214.20A	----	238.90 + 0.80	.6334	----	----	----	----	31 UNCH
4960	----	----	246.90B/217.20A	246.90B/217.20A	----	242.20 + 0.90	.6382	----	----	----	----	23 UNCH
4965	----	----	250.30B/220.10A	250.30B/220.10A	----	245.50 + 0.90	.6430	----	----	----	----	24 UNCH
4970	----	----	253.70B/223.40A	253.70B/223.40A	----	248.90 + 1.10	.6477	----	----	----	----	44 UNCH
4975	----	----	257.10B/226.40A	257.10B/226.40A	----	252.30 + 1.20	.6525	----	----	1	----	154 + 1
4980	----	----	260.30B/230.30A	260.30B/230.30A	----	255.70 + 1.30	.6572	----	----	----	----	28 UNCH
4985	----	----	263.90B/233.50A	263.90B/233.50A	----	259.10 + 1.40	.6617	----	----	----	----	9 UNCH
4990	----	----	267.50B/236.70A	267.50B/236.70A	----	262.60 + 1.60	.6663	----	----	----	----	293 UNCH
4995	----	----	270.90B/239.80A	270.90B/239.80A	----	266.00 + 1.60	.6709	----	----	----	----	11 UNCH
5000	----	----	274.10B/243.00A	274.10B/243.00A	----	269.60 + 1.80	.6755	----	----	18	----	1868 - 16
5005	----	----	278.10B/246.10A	278.10B/246.10A	----	273.10 + 1.90	.6800	----	----	----	----	302 UNCH
5010	----	----	281.50B/249.60A	281.50B/249.60A	----	276.60 + 2.00	.6845	----	----	----	----	13 UNCH
5015	----	----	285.30B/252.90A	285.30B/252.90A	----	280.20 + 2.10	.6889	----	----	----	----	49 UNCH
5020	----	----	288.30B/256.20A	288.30B/256.20A	----	283.80 + 2.20	.6933	----	----	----	----	31 UNCH
5025	----	----	292.50B/259.60A	292.50B/259.60A	----	287.50 + 2.40	.6976	----	----	----	----	53 UNCH
5030	----	----	296.20B/262.90A	296.20B/262.90A	----	291.10 + 2.50	.7020	----	----	----	----	68 UNCH
5035	----	----	299.30B/266.40A	299.30B/266.40A	----	294.80 + 2.70	.7063	----	----	----	----	13 UNCH
5040	----	----	303.60B/269.90A	303.60B/269.90A	----	298.50 + 2.80	.7105	----	----	----	----	18 UNCH
5045	----	----	307.20B/273.30A	307.20B/273.30A	----	302.20 + 2.90	.7146	----	----	----	----	5 UNCH
5050	----	----	311.20B/276.80A	311.20B/276.80A	----	305.90 + 3.00	.7189	----	----	----	----	806 UNCH
5055	----	----	314.60B/280.30A	314.60B/280.30A	----	309.70 + 3.20	.7229	----	----	----	----	63 UNCH
5060	----	----	318.70B/283.80A	318.70B/283.80A	----	313.50 + 3.30	.7270	----	----	----	----	64 UNCH
5065	----	----	322.20B/287.30A	322.20B/287.30A	----	317.30 + 3.40	.7311	----	----	----	----	17 UNCH
5070	----	----	326.30B/290.90A	326.30B/290.90A	----	321.10 + 3.50	.7350	----	----	----	----	52 UNCH
5075	----	----	330.20B/294.60A	330.20B/294.60A	----	325.00 + 3.70	.7390	----	----	----	----	28 UNCH
5080	----	----	333.80B/298.20A	333.80B/298.20A	----	328.80 + 3.80	.7429	----	----	----	----	29 UNCH
5085	----	----	337.60B/301.80A	337.60B/301.80A	----	332.70 + 3.90	.7468	----	----	----	----	123 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
5090	----	----	341.30B/305.50A	341.30B/305.50A	----	336.60 + 4.10	.7504	----	----	1	----	110 + 1
5095	----	----	345.50B/309.20A	345.50B/309.20A	----	340.60 + 4.30	.7543	----	----	----	----	127 UNCH
5100	----	----	349.20B/312.70A	349.20B/312.70A	----	344.50 + 4.30	.7579	----	----	----	----	458 UNCH
5105	----	----	353.50B/316.40A	353.50B/316.40A	----	348.50 + 4.50	.7618	----	----	----	----	38 UNCH
5110	----	----	357.70B/320.30A	357.70B/320.30A	----	352.50 + 4.70	.7654	----	----	----	----	74 UNCH
5115	----	----	361.70B/323.90A	361.70B/323.90A	----	356.50 + 4.80	.7688	----	----	----	----	14 UNCH
5120	----	----	365.10B/327.70A	365.10B/327.70A	----	360.50 + 4.90	.7725	----	----	----	----	25 UNCH
5125	----	----	369.70B/331.60A	369.70B/331.60A	----	364.50 + 5.00	.7759	----	----	----	----	192 UNCH
5130	----	----	373.30B/335.40A	373.30B/335.40A	----	368.60 + 5.10	.7795	----	----	----	----	26 UNCH
5135	----	----	377.30B/339.30A	377.30B/339.30A	----	372.70 + 5.30	.7829	----	----	----	----	37 UNCH
5140	----	----	382.00B/343.10A	382.00B/343.10A	----	376.80 + 5.40	.7863	----	----	----	----	14 UNCH
5145	----	----	385.80B/347.00A	385.80B/347.00A	----	380.90 + 5.60	.7897	----	----	----	----	39 UNCH
5150	----	----	389.60B/350.80A	389.60B/350.80A	----	385.00 + 5.70	.7929	----	----	----	----	389 UNCH
5155	----	----	394.40B/354.70A	394.40B/354.70A	----	389.10 + 5.70	.7963	----	----	----	----	38 UNCH
5160	----	----	398.60B/358.70A	398.60B/358.70A	----	393.30 + 5.90	.7994	----	----	----	----	70 UNCH
5165	----	----	402.30B/362.70A	402.30B/362.70A	----	397.50 + 6.10	.8025	----	----	----	----	47 UNCH
5170	----	----	407.30B/366.70A	407.30B/366.70A	----	401.70 + 6.20	.8057	----	----	----	----	504 UNCH
5175	----	----	410.80B/370.70A	410.80B/370.70A	----	405.90 + 6.30	.8088	----	----	----	----	15 UNCH
5180	----	----	415.00B/374.60A	415.00B/374.60A	----	410.10 + 6.40	.8117	----	----	----	----	19 UNCH
5185	----	----	419.60B/378.60A	419.60B/378.60A	----	414.30 + 6.50	.8148	----	----	----	----	22 UNCH
5190	----	----	423.90B/382.70A	423.90B/382.70A	----	418.60 + 6.70	.8177	----	----	----	----	5 UNCH
5195	----	----	427.80B/386.70A	427.80B/386.70A	----	422.90 + 6.80	.8205	----	----	----	----	8 UNCH
5200	----	----	432.90B/390.80A	432.90B/390.80A	----	427.20 + 6.90	.8234	----	----	----	----	611 UNCH
5205	----	----	436.40B/394.90A	436.40B/394.90A	----	431.50 + 7.10	.8262	----	----	----	----	36 UNCH
5210	----	----	440.40B/399.00A	440.40B/399.00A	----	435.80 + 7.20	.8291	----	----	----	----	68 UNCH
5215	----	----	444.70B/403.20A	444.70B/403.20A	----	440.10 + 7.30	.8319	----	----	----	----	42 UNCH
5220	----	----	449.30B/407.30A	449.30B/407.30A	----	444.40 + 7.30	.8345	----	----	----	----	188 UNCH
5225	----	----	453.60B/411.40A	453.60B/411.40A	----	448.80 + 7.50	.8370	----	----	----	----	200 UNCH
5230	----	----	458.40B/415.60A	458.40B/415.60A	----	453.10 + 7.60	.8398	----	----	----	----	7 UNCH
5235	----	----	462.80B/419.80A	462.80B/419.80A	----	457.50 + 7.70	.8424	----	----	----	----	160 UNCH
5245	----	----	471.50B/428.30A	471.50B/428.30A	----	466.30 + 7.90	.8475	----	----	----	----	9 UNCH
5250	----	----	476.00B/432.50A	476.00B/432.50A	----	470.70 + 8.00	.8497	----	----	----	----	333 UNCH
5255	----	----	480.00B/436.70A	480.00B/436.70A	----	475.10 + 8.10	.8522	----	----	----	----	9 UNCH
5260	----	----	484.30B/441.00A	484.30B/441.00A	----	479.60 + 8.30	.8548	----	----	----	----	11 UNCH
5265	----	----	488.90B/445.20A	488.90B/445.20A	----	484.00 + 8.30	.8570	----	----	----	----	5 UNCH
5270	----	----	493.70B/449.50A	493.70B/449.50A	----	488.50 + 8.50	.8592	----	----	----	----	24 UNCH
5275	----	----	497.70B/453.80A	497.70B/453.80A	----	492.90 + 8.50	.8617	----	----	----	----	170 UNCH
5280	----	----	502.20B/458.10A	502.20B/458.10A	----	497.40 + 8.60	.8639	----	----	----	----	67 UNCH
5285	----	----	507.10B/462.40A	507.10B/462.40A	----	501.90 + 8.70	.8661	----	----	----	----	27 UNCH
5290	----	----	511.20B/466.80A	511.20B/466.80A	----	506.40 + 8.80	.8683	----	----	----	----	2 UNCH
5300	----	----	520.00B/475.40A	520.00B/475.40A	----	515.40 + 9.00	.8724	----	----	----	----	161 UNCH
5305	----	----	525.20B/479.80A	525.20B/479.80A	----	519.90 + 9.00	.8746	----	----	----	----	104 UNCH
5320	----	----	538.20B/493.10A	538.20B/493.10A	----	533.50 + 9.30	.8805	----	----	----	----	108 UNCH
5325	----	----	542.80B/497.50A	542.80B/497.50A	----	538.10 + 9.40	.8827	----	----	----	----	1 UNCH
5335	----	----	552.50B/506.40A	552.50B/506.40A	----	547.20 + 9.50	.8864	----	----	----	----	5 UNCH
5340	----	----	557.10B/510.80A	557.10B/510.80A	----	551.80 + 9.60	.8883	----	----	----	----	52 UNCH
5345	----	----	561.60B/515.30A	561.60B/515.30A	----	556.40 + 9.60	.8901	----	----	----	----	1 UNCH
5350	----	----	565.90B/519.80A	565.90B/519.80A	----	561.00 + 9.70	.8919	----	----	----	----	109 UNCH
5365	----	----	579.70B/533.30A	579.70B/533.30A	----	574.90 + 10.00	.8971	----	----	----	----	4 UNCH
5370	----	----	584.80B/537.80A	584.80B/537.80A	----	579.50 + 10.00	.8986	----	----	----	----	37 UNCH
5375	----	----	589.30B/542.30A	589.30B/542.30A	----	584.20 + 10.10	.9004	----	----	----	----	1 UNCH
5380	----	----	594.00B/546.80A	594.00B/546.80A	----	588.80 + 10.10	.9019	----	----	----	----	2 UNCH
5385	----	----	598.70B/551.40A	598.70B/551.40A	----	593.50 + 10.20	.9037	----	----	----	----	10 UNCH
5390	----	----	602.80B/556.00A	602.80B/556.00A	----	598.20 + 10.30	.9051	----	----	----	----	2 UNCH
5395	----	----	607.70B/560.50A	607.70B/560.50A	----	602.80 + 10.30	.9066	----	----	----	----	156 UNCH
5400	----	----	612.40B/565.00A	612.40B/565.00A	----	607.50 + 10.40	.9081	----	----	----	----	442 UNCH
5420	----	----	631.50B/583.50A	631.50B/583.50A	----	626.30 + 10.70	.9139	----	----	----	----	10 UNCH
5425	----	----	636.10B/588.10A	636.10B/588.10A	----	631.00 + 10.70	.9149	----	----	----	----	1 UNCH
5430	----	----	640.80B/592.70A	640.80B/592.70A	----	635.80 + 10.90	.9164	----	----	----	----	30 UNCH
5435	----	----	645.60B/597.40A	645.60B/597.40A	----	640.50 + 10.90	.9178	----	----	----	----	10 UNCH
5440	----	----	649.90B/602.00A	649.90B/602.00A	----	645.20 + 10.90	.9189	----	----	----	----	20 UNCH
5470	----	----	678.30B/630.00A	678.30B/630.00A	----	673.70 + 11.20	.9260	----	----	----	----	1 UNCH
5490	----	----	697.40B/648.80A	697.40B/648.80A	----	692.90 + 11.50	.9305	----	----	----	----	166 UNCH
5500	----	----	707.30B/658.30A	707.30B/658.30A	----	702.50 + 11.60	.9325	----	----	----	----	52 UNCH
5525	----	----	731.20B/682.00A	731.20B/682.00A	----	726.50 + 11.80	.9372	----	----	----	----	2 UNCH
5575	----	----	779.20B/729.70A	779.20B/729.70A	----	774.80 + 12.20	.9456	----	----	----	----	2 UNCH
5590	----	----	793.80B/744.20A	793.80B/744.20A	----	789.40 + 12.30	.9478	----	----	----	----	77 UNCH
5595	----	----	798.80B/749.00A	798.80B/749.00A	----	794.20 + 12.30	.9488	----	----	----	----	1 UNCH
5600	----	----	803.50B/753.70A	803.50B/753.70A	----	799.10 + 12.30	.9494	----	----	----	----	8 UNCH
5640	----	----	842.50B/792.00A	842.50B/792.00A	----	838.10 + 12.60	.9547	----	----	----	----	9 UNCH
5800	----	----	999.60B/956.50A	999.60B/956.50A	----	995.30 + 13.30	.9693	----	----	----	----	6 UNCH
6000	----	----	1,197.60B/1,164	1197.60B/1164.20A	----	1193.50 + 13.80	.9794	----	----	----	----	4 UNCH
6100	----	----	1,297.00B/1,263	1297.00B/1263.60A	----	1293.00 + 14.10	.9829	----	----	----	----	3 UNCH
6675	----	----	----	----	----	1866.70 + 15.00	.9928	----	----	----	----	0 - 2
TOTAL										4414	645	88009 + 752
JUL26												
2275	0.40	0.40	0.40/*0.40	0.40/*0.40	----	0.40 UNCH	.0010	----	----	1	----	20 UNCH
2300	----	----	----	0.30B/*0.60A	----	0.50 + 0.10	.0012	----	----	----	----	96 UNCH
2400	----	----	----	0.40B/*0.70A	----	0.60 UNCH	.0015	----	----	----	----	2 UNCH
2500	----	----	----	0.60B/0.80A	----	0.80 + 0.10	.0020	----	----	2	----	194 + 2
2575	----	----	----	0.70B/1.00A	----	0.90 UNCH	.0023	----	----	----	----	1 UNCH
2600	----	----	----	0.70B/*1.00A	----	1.00 UNCH	.0026	----	----	----	----	12 UNCH
2620	----	----	----	0.80B/*1.10A	----	1.00 UNCH	.0026	----	----	----	----	1 UNCH
2650	----	----	----	0.90B/*1.10A	----	1.10 UNCH	.0028	----	----	1	----	51 - 1
2670	----	----	----	0.90B/*1.20A	----	1.10 UNCH	.0029	----	----	----	----	10 UNCH
2675	----	----	----	0.90B/*1.20A	----	1.10 UNCH	.0029	----	----	----	----	10 UNCH
2680	----	----	----	0.90B/*1.20A	----	1.10 UNCH	.0029	----	----	----	----	10 UNCH
2700	----	----	----	1.00B/1.20A	----	1.20 UNCH	.0032	----	----	----	----	3 UNCH
2705	----	----	----	1.00B/*1.20A	----	1.20 UNCH	.0032	----	----	----	----	1 UNCH
2710	----	----	----	1.00B/*1.30A	----	1.20 UNCH	.0032	----	----	----	----	7 UNCH
2730	----	----	----	1.00B/*1.30A	----	1.30 UNCH	.0034	----	----	----	----	1 UNCH
2750	----	----	----	1.10B/*1.30A	----	1.30 UNCH	.0035	----	----	----	----	19 UNCH
2785	----	----	----/1.40A	1.20B/1.40A	----	1.40 - 0.10	.0038	----	----	----	----	2 UNCH
2800	----	----	----/*1.30A	1.30B/*1.30A	----	1.50 UNCH	.0040	----	----	----	----	6 UNCH
2850	----	----	----/*1.60A	1.50B/*1.60A	----	1.60 - 0.10	.0044	----	----	----	----	3 UNCH
2860	----	----	----/*1.60A	1.40B/*1.60A	----	1.70 UNCH	.0046	----	----	----	----	5 UNCH
2890	----	----	----/*1.70A	1.60B/*1.70A	----	1.80 UNCH	.0049	----	----	----	----	60 UNCH
2895	----	----	----	1.60B/*1.80A	----	1.80 UNCH	.0049	----	----	----	----	18 UNCH
2900	----	----	----/*1.80A	1.60B/*1.80A	----	1.80 - 0.10	.0050	----	----	----	----	18 UNCH
2905	----	----	----/*1.80A	1.60B/*1.80A	----	1.80 - 0.10	.0050	----	----	----	----	19 UNCH
2920	----	----	----/*1.80A	1.70B/*1.80A	----	1.90 UNCH	.0052	----	----	----	----	3 UNCH
2950	----	----	----/*1.90A	1.80B/*1.90A	----	2.00 - 0.10	.0056	----	----	----	----	52 UNCH
2985	----	----	----/2.00A	1.90B/2.00A	----	2.10 - 0.10	.0059	----	----	----	----	10 UNCH
2995	----	----	----/*2.10A	2.00B/*2.10A	----	2.20 UNCH	.0062	----	----	----	----	16 UNCH
3000	1.70	1.70	2.10B/*1.70	2.10B/*1.70	----	2.20 - 0.10	.0062	----	----	3	----	58 UNCH
3015	----	----	----/*2.20A	2.10B/*2.20A	----	2.30 UNCH	.0065	----	----	----	----	5 UNCH
3025	----	----	----/*2.20A	2.20B/*2.20A	----	2.30 - 0.10	.0065	----	----	----	----	1 UNCH
3035	----	----	----/*2.20A	2.20B/*2.20A	----	2.30 - 0.10	.0066	----	----	----	----	5 UNCH
3050	----	----	----/*2.30A	2.20B/*2.30A	----	2.40 - 0.10	.0068	----	----	----	----	1 UNCH
3100	----	----	----/*2.50A	2.50B/*2.50A	----	2.70 - 0.10	.0078	----	----	----	----	43 UNCH
3105	----	----	----/*2.50A	2.50B/*2.50A	----	2.70 - 0.10	.0078	----	----	----	----	1 UNCH
3125	----	----	----/*2.60A	2.60B/*2.60A	----	2.80 - 0.10	.0081	----	----	----	----	42 UNCH
3140	----	----	----/*2.70A	2.70B/*2.70A	----	2.90 - 0.10	.0084	----	----	----	----	1 UNCH
3150	----	----	----/*2.70A	2.70B/*2.70A	----	2.90 - 0.10	.0085	----	----	----	----	12 UNCH
3155	----	----	----/*2.80A	2.80B/*2.80A	----	2.90 - 0.20	.0085	----	----	----	----	1 UNCH
3200	----	----	----/*3.00A	3.00B/*3.00A	----	3.20 - 0.10	.0095	----	----	----	----	113 UNCH
3210	----	----	----/*3.00A	3.10B/*3.00A	----	3.20 - 0.20	.0095	----	----	----	----	1 UNCH
3220	----	----	----/*3.10A	3.10B/*3.10A	----	3.30 - 0.20	.0098	----	----	----	----	1 UNCH
3225	----	----	----/*3.10A	3.10B/*3.10A	----	3.30 - 0.20	.0098	----	----	----	----	70 UNCH
3230	----	----	----/*3.10A	3.20B/*3.10A	----	3.40 - 0.10	.0101	----	----	2	----	0 - 2
3250	----	----	----/*3.20A	3.30B/*3.20A	----	3.50 - 0.10	.0105	----	----	----	----	61 UNCH
3275	----	----	----/*3.40A	3.40B/*3.40A	----	3.60 - 0.20	.0109	----	----	----	----	10 UNCH
3280	----	----	----/*3.40A	3.50B/*3.40A	----	3.70 - 0.20	.0112	----	----	----	----	10 UNCH
3290	----	----	----/*3.50A	3.50B/*3.50A	----	3.70 - 0.20	.0112	----	----	----	----	11 UNCH
3300	----	----	----/*3.60A	3.60B/*3.60A	----	3.80 - 0.20	.0116	----	----	----	----	65 UNCH
3320	----	----	----/*3.70A	3.70B/*3.70A	----	3.90 - 0.30	.0119	----	----	----	----	1 UNCH
3325	----	----	----/*3.70A	3.80B/*3.70A	----	4.00 - 0.20	.0122	----	----	----	----	147 UNCH
3335	----	----	----/*3.80A	3.90B/*3.80A	----	4.00 - 0.30	.0123	----	----	----	----	86 UNCH
3340	----	----	----/*3.90A	3.90B/3.90A	----	4.10 - 0.20	.0126	----	----	----	----	1 UNCH
3350	----	----	----/*3.90A	4.00B/*3.90A	----	4.20 - 0.20	.0129	----	----	2	----	24 UNCH
3355	----	----	----/*4.00A	4.00B/4.00A	----	4.20 - 0.20	.0130	----	----	----	----	69 UNCH
3360	----	----	----/*4.00A	4.10B/*4.00A	----	4.20 - 0.30	.0130	----	----	----	----	3 UNCH
3370	----	----	----/*4.10A	4.10B/4.10A	----	4.30 - 0.30	.0133	----	----	----	----	9 UNCH
3380	----	----	----/*4.10A	4.20B/*4.10A	----	4.40 - 0.30	.0137	----	----	----	----	2 UNCH
3385	----	----	----/*4.20A	4.30B/4.20A	----	4.40 - 0.30	.0137	----	----	----	----	4 UNCH
3390	----	----	----/*4.20A	4.30B/*4.20A	----	4.50 - 0.30	.0140	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
3395	----	----	----/*4.20A	4.30B/*4.20A	----	4.50 - 0.30	.0140	----	----	----	----	31 UNCH
3400	----	----	----/*4.30A	4.40B/*4.30A	----	4.60 - 0.20	.0143	----	----	5	----	49 UNCH
3410	----	----	----/*4.40A	4.50B/4.40A	----	4.60 - 0.30	.0144	----	----	----	----	5 UNCH
3425	----	----	----/*4.50A	4.60B/4.50A	----	4.80 - 0.30	.0151	----	----	----	----	56 UNCH
3435	----	----	----/*4.60A	4.70B/4.60A	----	4.90 - 0.30	.0154	----	----	----	----	5 UNCH
3445	----	----	----/*4.70A	4.80B/4.70A	----	5.00 - 0.30	.0157	----	----	----	----	1 UNCH
3450	----	----	----/*4.70A	4.90B/*4.70A	----	5.00 - 0.30	.0158	----	----	----	----	139 UNCH
3455	----	----	----/*4.80A	4.90B/*4.80A	----	5.10 - 0.30	.0161	----	----	----	----	10 UNCH
3460	----	----	----/*4.80A	4.90B/4.80A	----	5.10 - 0.40	.0162	----	----	----	----	10 UNCH
3465	----	----	----/*4.90A	5.00B/*4.90A	----	5.20 - 0.30	.0165	----	----	----	----	142 UNCH
3475	----	----	----/*5.00A	5.10B/*5.00A	----	5.30 - 0.30	.0168	----	----	----	----	138 UNCH
3480	----	----	----/*5.00A	5.20B/*5.00A	----	5.30 - 0.40	.0169	----	----	----	----	36 UNCH
3495	----	----	----/*5.20A	5.30B/5.20A	----	5.50 - 0.40	.0175	----	----	----	----	5 UNCH
3500	2.20	2.20	5.60/*2.20	5.60/*2.20	----	5.50 - 0.40	.0176	----	----	2	----	584 + 1
3505	----	----	----/*5.30A	5.40B/5.30A	----	5.60 - 0.40	.0179	----	----	----	----	9 UNCH
3510	----	----	----/*5.30A	5.60B/*5.30A	----	5.60 - 0.40	.0180	----	----	----	----	5 UNCH
3515	----	----	----/*5.40A	5.50B/5.40A	----	5.70 - 0.40	.0183	----	----	----	----	6 UNCH
3525	----	----	----/*5.50A	5.70B/5.50A	----	5.80 - 0.40	.0187	----	----	----	----	3 UNCH
3530	----	----	----/*5.60A	5.70B/5.60A	----	5.90 - 0.40	.0190	----	----	----	----	168 UNCH
3535	----	----	----/*5.60A	5.80B/5.60A	----	5.90 - 0.50	.0190	----	----	----	----	31 UNCH
3545	----	----	----/*5.70A	5.90B/5.70A	----	6.10 - 0.40	.0197	----	----	----	----	256 UNCH
3550	----	----	----/*5.80A	6.00B/5.80A	----	6.10 - 0.50	.0197	----	----	2	----	148 + 2
3575	----	----	----/6.10A	6.30B/6.10A	----	6.40 - 0.50	.0208	----	----	----	----	1 UNCH
3580	----	----	----/6.20A	6.40B/6.20A	----	6.50 - 0.50	.0211	----	----	----	----	5 UNCH
3590	----	----	----/6.30A	6.50B/6.30A	----	6.70 - 0.50	.0218	----	----	----	----	16 UNCH
3600	----	----	----/*6.30A	6.80B/6.30A	----	6.80 - 0.50	.0222	----	----	1	----	133 UNCH
3605	----	----	----/6.50A	6.80B/6.50A	----	6.90 - 0.50	.0225	----	----	----	----	5 UNCH
3620	----	----	----/6.70A	7.00B/6.70A	----	7.10 - 0.50	.0233	----	----	----	----	12 UNCH
3625	----	----	----/6.70A	7.10B/6.70A	----	7.20 - 0.50	.0236	----	----	----	----	11 UNCH
3630	5.70	5.70	7.20B/*5.70	7.20B/*5.70	----	7.30 - 0.50	.0239	----	----	3	----	10 + 3
3635	----	----	----/*6.80A	7.30B/6.80A	----	7.30 - 0.60	.0240	----	----	----	----	3 UNCH
3640	----	----	----/6.90A	7.40B/6.90A	----	7.40 - 0.60	.0243	----	----	----	----	6 UNCH
3645	----	----	----/7.00A	7.40B/7.00A	----	7.50 - 0.60	.0247	----	----	----	----	1 UNCH
3650	----	----	----/7.10A	7.50B/7.10A	----	7.60 - 0.60	.0250	----	----	----	----	101 UNCH
3655	----	----	----/7.10A	7.60B/7.10A	----	7.70 - 0.60	.0254	----	----	----	----	7 UNCH
3660	----	----	----/7.20A	7.70B/7.20A	----	7.80 - 0.60	.0257	----	----	----	----	22 UNCH
3665	----	----	----/7.30A	7.80B/7.30A	----	7.90 - 0.60	.0260	----	----	----	----	2 UNCH
3670	----	----	----/7.40A	7.90B/7.40A	----	7.90 - 0.70	.0261	----	----	----	----	110 UNCH
3675	----	----	----/7.50A	7.90B/7.50A	----	8.00 - 0.70	.0265	----	----	----	----	4 UNCH
3680	----	----	----/7.60A	8.00B/7.60A	----	8.10 - 0.70	.0268	----	----	----	----	5 UNCH
3685	----	----	----/7.70A	8.10B/7.70A	----	8.20 - 0.70	.0272	----	----	----	----	10 UNCH
3690	----	----	----/7.80A	8.20B/7.80A	----	8.30 - 0.70	.0275	----	----	----	----	50 UNCH
3695	----	----	----/7.90A	8.30B/7.90A	----	8.40 - 0.70	.0279	----	----	----	----	141 UNCH
3700	7.10	7.10	8.50B/*7.10	8.50B/*7.10	----	8.50 - 0.70	.0282	----	----	1	----	422 UNCH
3705	----	----	----/8.10A	8.50B/8.10A	----	8.60 - 0.70	.0286	----	----	----	----	20 UNCH
3715	----	----	----/8.20A	8.70B/8.20A	----	8.80 - 0.70	.0293	----	----	----	----	30 UNCH
3720	----	----	----/8.30A	8.80B/8.30A	----	8.90 - 0.70	.0296	----	----	----	----	18 UNCH
3725	----	----	----/8.40A	8.90B/8.40A	----	9.00 - 0.80	.0300	----	----	----	----	5 UNCH
3730	----	----	----/8.50A	9.00B/8.50A	----	9.10 - 0.80	.0303	----	----	----	----	3 UNCH
3735	----	----	----/8.60A	9.10B/8.60A	----	9.30 - 0.70	.0309	----	----	----	----	30 UNCH
3740	----	----	----/8.70A	9.20B/8.70A	----	9.40 - 0.70	.0313	----	----	----	----	20 UNCH
3750	----	----	----/8.90A	9.50B/8.90A	----	9.60 - 0.80	.0320	----	----	----	----	544 UNCH
3760	----	----	----/9.10A	9.70B/9.10A	----	9.80 - 0.80	.0328	----	----	----	----	2 UNCH
3765	----	----	----/9.20A	9.80B/9.20A	----	10.00 - 0.80	.0334	----	----	----	----	32 UNCH
3770	----	----	----/9.40A	9.90B/9.40A	----	10.10 - 0.80	.0337	----	----	----	----	120 UNCH
3775	----	----	----/9.50A	10.10B/9.50A	----	10.20 - 0.90	.0341	----	----	----	----	61 UNCH
3780	----	----	----/9.60A	10.20B/9.60A	----	10.30 - 0.90	.0345	----	----	----	----	1 UNCH
3785	----	----	----/9.70A	10.30B/9.70A	----	10.50 - 0.80	.0351	----	----	----	----	6 UNCH
3790	----	----	----/9.80A	10.50B/9.80A	----	10.60 - 0.90	.0355	----	----	----	----	40 UNCH
3795	----	----	----/9.90A	10.60B/9.90A	----	10.70 - 0.90	.0359	----	----	----	----	36 UNCH
3800	----	----	----/10.10A	10.70B/10.10A	----	10.90 - 0.90	.0365	----	----	----	----	688 UNCH
3810	----	----	----/10.30A	11.00B/10.30A	----	11.20 - 0.90	.0375	----	----	----	----	16 UNCH
3815	----	----	----/10.50A	11.10B/10.50A	----	11.30 - 0.90	.0379	----	----	----	----	14 UNCH
3820	----	----	----/10.50A	11.20B/10.50A	----	11.40 - 1.00	.0383	----	----	----	----	10 UNCH
3825	----	----	----/10.70A	11.40B/10.70A	----	11.60 - 1.00	.0389	----	----	----	----	9 UNCH
3830	----	----	----/10.80A	11.50B/10.80A	----	11.70 - 1.00	.0393	----	----	----	----	24 UNCH
3835	----	----	----/11.00A	11.70B/11.00A	----	11.90 - 1.00	.0399	----	----	----	----	1 UNCH
3840	----	----	----/11.10A	11.80B/11.10A	----	12.00 - 1.10	.0403	----	----	----	----	32 UNCH
3845	----	----	----/11.30A	12.00B/11.30A	----	12.20 - 1.00	.0410	----	----	----	----	13 UNCH
3850	----	----	----/11.40A	12.10B/11.40A	----	12.40 - 1.00	.0416	----	----	----	----	205 UNCH
3860	----	----	----/11.70A	12.40B/11.70A	----	12.70 - 1.10	.0427	----	----	----	----	29 UNCH
3875	----	----	----/12.20A	13.00B/12.20A	----	13.20 - 1.10	.0444	----	----	----	----	108 UNCH
3880	----	----	----/12.30A	13.10B/12.30A	----	13.40 - 1.10	.0450	----	----	----	----	14 UNCH
3885	----	----	----/12.50A	13.30B/12.50A	----	13.50 - 1.20	.0455	----	----	----	----	5 UNCH
3890	----	----	----/12.70A	13.40B/12.70A	----	13.70 - 1.20	.0461	----	----	----	----	4 UNCH
3895	----	----	----/12.90A	13.70B/12.90A	----	13.90 - 1.20	.0468	----	----	----	----	2 UNCH
3900	----	----	----/13.00A	13.80B/13.00A	----	14.10 - 1.20	.0474	----	----	3	----	321 UNCH
3905	----	----	----/13.20A	14.00B/13.20A	----	14.30 - 1.20	.0481	----	----	----	----	12 UNCH
3910	----	----	----/13.40A	14.50B/13.40A	----	14.40 - 1.30	.0485	----	----	----	----	55 UNCH
3920	----	----	----/13.70A	14.90B/13.70A	----	14.80 - 1.30	.0499	----	----	----	----	1 UNCH
3925	----	----	----/13.90A	15.10B/13.90A	----	15.00 - 1.40	.0506	----	----	----	----	48 UNCH
3930	----	----	----/14.10A	15.30B/14.10A	----	15.20 - 1.40	.0512	----	----	----	----	35 UNCH
3935	----	----	----/14.20A	15.60B/14.20A	----	15.40 - 1.40	.0519	----	----	----	----	7 UNCH
3940	----	----	----/14.40A	15.80B/14.40A	----	15.60 - 1.40	.0526	----	----	----	----	23 UNCH
3945	----	----	----/14.60A	16.00B/14.60A	----	15.80 - 1.50	.0533	----	----	----	----	20 UNCH
3950	----	----	----/14.80A	16.20B/14.80A	----	16.10 - 1.40	.0542	----	----	1	----	602 + 1
3955	----	----	----/15.00A	16.40B/15.00A	----	16.30 - 1.40	.0549	----	----	----	----	25 UNCH
3960	----	----	----/15.20A	16.70B/15.20A	----	16.50 - 1.50	.0556	----	----	----	----	19 UNCH
3965	----	----	----/15.40A	16.90B/15.40A	----	16.70 - 1.50	.0563	----	----	----	----	94 UNCH
3970	----	----	----/15.60A	17.10B/15.60A	----	16.90 - 1.60	.0570	----	----	----	----	6 UNCH
3975	----	----	----/15.90A	17.40B/15.90A	----	17.20 - 1.50	.0579	----	----	----	----	22 UNCH
3980	----	----	----/16.10A	17.60B/16.10A	----	17.40 - 1.60	.0586	----	----	2	----	3 - 2
3985	----	----	----/16.30A	17.90B/16.30A	----	17.60 - 1.60	.0593	----	----	----	----	136 UNCH
3990	----	----	----/16.50A	18.10B/16.50A	----	17.90 - 1.60	.0603	----	----	----	----	41 UNCH
3995	----	----	----/16.70A	18.40B/16.70A	----	18.10 - 1.70	.0610	----	----	----	----	20 UNCH
4000	----	----	----/17.00A	18.60B/17.00A	----	18.30 - 1.80	.0617	----	----	2	----	1095 - 2
4005	18.80	18.80	18.80/17.20A	18.90B/17.20A	----	18.60 - 1.70	.0626	----	----	10	----	137 + 7
4010	----	----	----/17.40A	19.10B/17.40A	----	18.90 - 1.70	.0636	----	----	----	----	3 UNCH
4015	----	----	----/17.70A	19.40B/17.70A	----	19.10 - 1.80	.0643	----	----	----	----	59 UNCH
4020	----	----	----/17.90A	19.70B/17.90A	----	19.40 - 1.80	.0653	----	----	----	----	91 UNCH
4025	----	----	----/18.20A	20.00B/18.20A	----	19.60 - 1.90	.0660	----	----	----	----	18 UNCH
4030	----	----	----/18.40A	20.20B/18.40A	----	19.90 - 1.90	.0670	----	----	----	----	50 UNCH
4035	----	----	----/18.70A	20.50B/18.70A	----	20.20 - 1.90	.0679	----	----	----	----	3 UNCH
4040	----	----	----/18.90A	20.70B/18.90A	----	20.40 - 2.00	.0687	----	----	----	----	1 UNCH
4045	----	----	----/19.20A	21.10B/19.20A	----	20.70 - 2.00	.0697	----	----	----	----	20 UNCH
4050	----	----	----/19.50A	21.40B/19.50A	----	21.00 - 2.00	.0706	----	----	----	----	49 UNCH
4055	----	----	----/19.80A	21.70B/19.80A	----	21.30 - 2.10	.0716	----	----	----	----	32 UNCH
4065	----	----	----/20.30A	22.30B/20.30A	----	21.90 - 2.10	.0736	----	----	----	----	7 UNCH
4070	----	----	----/20.60A	22.60B/20.60A	----	22.20 - 2.20	.0746	----	----	----	----	12 UNCH
4075	----	----	----/20.80A	22.90B/20.80A	----	22.50 - 2.20	.0755	----	----	----	----	13 UNCH
4080	----	----	----/21.10A	23.20B/21.10A	----	22.80 - 2.20	.0765	----	----	----	----	8 UNCH
4085	----	----	----/21.40A	23.60B/21.40A	----	23.10 - 2.30	.0775	----	----	----	----	10 UNCH
4090	----	----	----/21.70A	23.90B/21.70A	----	23.50 - 2.30	.0788	----	----	2	----	4 + 2
4095	----	----	----/22.00A	24.30B/22.00A	----	23.80 - 2.30	.0798	----	----	----	----	2 UNCH
4100	24.20	24.20	24.20/22.30A	24.60B/22.30A	----	24.10 - 2.40	.0808	----	----	5	----	842 + 2
4105	----	----	----/22.60A	25.00B/22.60A	----	24.50 - 2.40	.0820	----	----	----	----	9 UNCH
4110	----	----	----/23.00A	25.40B/23.00A	----	24.80 - 2.40	.0830	----	----	----	----	15 UNCH
4115	----	----	----/23.30A	25.70B/23.30A	----	25.20 - 2.40	.0843	----	----	----	----	5 UNCH
4120	----	----	----/23.60A	26.10B/23.60A	----	25.50 - 2.50	.0853	----	----	----	----	6 UNCH
4125	----	----	----/24.00A	26.50B/24.00A	----	25.90 - 2.50	.0865	----	----	----	----	83 UNCH
4130	----	----	----/24.40A	26.90B/24.40A	----	26.30 - 2.50	.0878	----	----	----	----	65 UNCH
4135	----	----	----/24.70A	27.20B/24.70A	----	26.70 - 2.50	.0890	----	----	----	----	7 UNCH
4140	----	----	----/25.10A	27.70B/25.10A	----	27.00 - 2.70	.0901	----	----	----	----	20 UNCH
4145	----	----	----/25.30A	28.00B/25.30A	----	27.40 - 2.70	.0913	----	----	----	----	235 UNCH
4150	----	----	----/25.70A	28.50B/25.70A	----	27.80 - 2.70	.0926	----	----	1	----	134 + 1
4155	----	----	----/26.10A	28.90B/26.10A	----	28.20 - 2.80	.0939	----	----	----	----	5 UNCH
4160	----	----	----/26.50A	29.30B/26.50A	----	28.60 - 2.80	.0951	----	----	----	----	3 UNCH
4165	----	----	----/26.90A	29.90B/26.90A	----	29.10 - 2.80	.0966	----	----	----	----	68 UNCH
4170	----	----	----/27.30A	30.30B/27.30A	----	29.50 - 2.80	.0979	----	----	----	----	1 UNCH
4175	----	----	----/27.70A	30.80B/27.70A	----	29.90 - 2.90	.0992	----	----	1	----	44 UNCH
4180	30.00	30.00	30.00/28.10A	31.20B/28.10A	----	30.30 - 3.00	.1005	----	----	3	----	4 + 3
4185	----	----	----/28.50A	31.80B/28.50A	----	30.80 - 2.90	.1020	----	----	2	----	13 UNCH
4190	----	----	----/28.90A	32.30B/28.90A	----	31.20 - 3.00	.1033	----	----	2	----	128 + 2
4195	----	----	----/29.30A	32.80B/29.30A	----	31.70 - 3.00	.1048	----	----	----	----	65 UNCH
4200	----	----	----/29.80A	33.20B/29.80A	----	32.20 - 3.00	.1063	----	----	10	----	561 - 2
4205	----	----	----/30.20A	33.70B/30.20A	----	32.70 - 3.00	.1078	----	----	----	----	6 UNCH
4210	----	----	----/30.60A	34.20B/30.60A	----	33.10 - 3.20	.1091	----	----	----	----	67 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG PUT COMEX GOLD OPTIONS
JUL26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4215	----	----	----/31.10A	34.70B/31.10A	----	33.60 - 3.20	.1106	----	----	----	----	39 UNCH
4220	----	----	----/31.60A	35.20B/31.60A	----	34.10 - 3.20	.1122	----	----	----	----	195 UNCH
4225	34.40	34.40	35.80B/32.10A	35.80B/32.10A	----	34.70 - 3.20	.1139	----	----	8	----	38 + 4
4230	----	----	----/32.60A	36.30B/32.60A	----	35.20 - 3.20	.1154	----	----	----	----	12 UNCH
4235	----	----	----/33.00A	36.90B/33.00A	----	35.70 - 3.30	.1169	----	----	----	----	42 UNCH
4240	----	----	----/33.60A	37.60B/33.60A	----	36.20 - 3.30	.1185	----	----	----	----	37 UNCH
4245	----	----	----/34.00A	38.10B/34.00A	----	36.80 - 3.30	.1202	----	----	----	----	1 UNCH
4250	----	----	----/34.50A	38.70B/34.50A	----	37.30 - 3.40	.1218	----	----	----	----	833 UNCH
4255	----	----	----/35.10A	39.30B/35.10A	----	37.90 - 3.40	.1235	----	----	----	----	2 UNCH
4260	----	----	----/35.50A	40.00B/35.50A	----	38.50 - 3.40	.1253	----	----	----	----	4 UNCH
4265	----	----	----/36.10A	40.70B/36.10A	----	39.10 - 3.40	.1270	----	----	----	----	12 UNCH
4270	----	----	----/36.70A	41.30B/36.70A	----	39.70 - 3.40	.1288	----	----	1	----	4 + 1
4275	----	----	----/37.20A	42.00B/37.20A	----	40.30 - 3.40	.1305	----	----	----	----	74 UNCH
4280	----	----	----/37.80A	42.60B/37.80A	----	40.90 - 3.50	.1323	----	----	----	----	40 UNCH
4285	----	----	----/38.30A	43.20B/38.30A	----	41.50 - 3.50	.1341	----	----	----	----	101 UNCH
4290	----	----	----/38.90A	43.90B/38.90A	----	42.10 - 3.60	.1359	----	----	----	----	33 UNCH
4295	----	----	----/39.50A	44.60B/39.50A	----	42.80 - 3.50	.1378	----	----	----	----	20 UNCH
4300	----	----	----/40.10A	45.20B/40.10A	----	43.40 - 3.60	.1396	----	----	21	----	771 + 1
4305	----	----	----/40.70A	45.90B/40.70A	----	44.10 - 3.60	.1416	----	----	----	----	9 UNCH
4310	44.20	44.20	44.20/41.30A	46.60B/41.30A	----	44.80 - 3.60	.1435	----	----	5	----	10 + 5
4315	----	----	----/42.00A	47.40B/42.00A	----	45.40 - 3.70	.1454	----	----	----	----	58 UNCH
4320	----	----	----/42.50A	48.10B/42.50A	----	46.10 - 3.70	.1473	----	----	----	----	3 UNCH
4325	----	----	----/43.20A	48.80B/43.20A	----	46.80 - 3.80	.1493	----	----	----	----	78 UNCH
4330	----	----	----/43.80A	49.50B/43.80A	----	47.60 - 3.70	.1515	----	----	----	----	23 UNCH
4335	----	----	----/44.50A	50.20B/44.50A	----	48.30 - 3.70	.1535	----	----	----	----	111 UNCH
4340	----	----	----/45.10A	51.00B/45.10A	----	49.00 - 3.80	.1555	----	----	----	----	114 UNCH
4345	----	----	----/45.80A	51.80B/45.80A	----	49.80 - 3.80	.1577	----	----	----	----	12 UNCH
4350	----	----	----/46.50A	52.60B/46.50A	----	50.50 - 3.80	.1597	----	----	152	----	423 + 118
4355	----	----	----/47.20A	53.30B/47.20A	----	51.30 - 3.80	.1619	----	----	----	----	123 UNCH
4360	----	----	----/48.00A	54.20B/48.00A	----	52.10 - 3.80	.1641	----	----	----	----	104 UNCH
4365	----	----	----/48.70A	55.00B/48.70A	----	52.90 - 3.90	.1663	----	----	----	----	28 UNCH
4370	----	----	----/49.40A	55.80B/49.40A	----	53.70 - 3.90	.1685	----	----	----	----	139 UNCH
4375	----	----	----/50.20A	56.70B/50.20A	----	54.50 - 3.90	.1707	----	----	----	----	26 UNCH
4380	----	----	----/51.00A	57.50B/51.00A	----	55.30 - 4.00	.1729	----	----	----	----	4 UNCH
4385	----	----	----/51.70A	58.40B/51.70A	----	56.20 - 3.90	.1753	----	----	----	----	52 UNCH
4390	----	----	----/52.50A	59.30B/52.50A	----	57.00 - 4.00	.1775	----	----	1	----	3 + 1
4395	----	----	----/53.30A	60.10B/53.30A	----	57.90 - 4.00	.1799	----	----	----	----	15 UNCH
4400	----	----	----/54.00A	61.10B/54.00A	----	58.80 - 4.00	.1822	----	----	----	----	1123 UNCH
4405	59.40	59.40	59.40/54.90A	62.00B/54.90A	----	59.70 - 4.00	.1846	----	----	2	----	14 + 2
4410	----	----	----/55.80A	62.90B/55.80A	----	60.60 - 4.00	.1870	----	----	----	----	14 UNCH
4415	----	----	----/56.50A	63.90B/56.50A	----	61.50 - 4.10	.1894	----	----	----	----	6 UNCH
4420	----	----	----/57.50A	64.80B/57.50A	----	62.40 - 4.10	.1919	----	----	----	----	15 UNCH
4425	----	----	----/58.30A	65.80B/58.30A	----	63.40 - 4.10	.1944	----	----	----	----	36 UNCH
4430	----	----	----/59.10A	66.70B/59.10A	----	64.30 - 4.20	.1968	----	----	----	----	157 UNCH
4435	----	----	----/60.10A	67.80B/60.10A	----	65.30 - 4.20	.1994	----	----	----	----	1 UNCH
4440	----	----	----/60.90A	68.70B/60.90A	----	66.30 - 4.20	.2020	----	----	1	----	37 + 1
4445	----	----	----/61.90A	69.80B/61.90A	----	67.30 - 4.20	.2046	----	----	----	----	152 UNCH
4450	----	----	----/62.60A	70.80B/62.60A	----	68.30 - 4.20	.2071	----	----	2	----	638 UNCH
4455	69.80	69.80	69.80/63.80A	71.90B/63.80A	----	69.30 - 4.30	.2097	----	----	2	----	19 + 2
4460	----	----	----/64.70A	72.90B/64.70A	----	70.40 - 4.20	.2125	----	----	----	----	93 UNCH
4465	----	----	----/65.70A	74.10B/65.70A	----	71.40 - 4.30	.2151	----	----	----	----	27 UNCH
4470	----	----	----/66.70A	75.10B/66.70A	----	72.50 - 4.30	.2178	----	----	----	----	10 UNCH
4475	----	----	----/67.60A	76.30B/67.60A	----	73.60 - 4.30	.2205	----	----	----	----	36 UNCH
4480	----	----	----/68.70A	77.30B/68.70A	----	74.70 - 4.30	.2233	----	----	----	----	136 UNCH
4485	----	----	----/69.70A	78.50B/69.70A	----	75.80 - 4.30	.2260	----	----	----	----	50 UNCH
4490	----	----	----/70.70A	79.70B/70.70A	----	76.90 - 4.40	.2288	----	----	1	----	41 + 1
4495	----	----	----/71.80A	80.90B/71.80A	----	78.10 - 4.40	.2317	----	----	----	----	3 UNCH
4500	82.80	82.80	82.80/72.70A	82.80/72.70A	----	79.30 - 4.30	.2346	----	----	43	----	1214 + 25
4505	----	----	----/74.00A	83.30B/74.00A	----	80.40 - 4.40	.2374	----	----	----	----	5 UNCH
4510	----	----	----/75.10A	84.40B/75.10A	----	81.60 - 4.50	.2403	----	----	----	----	7 UNCH
4515	----	----	----/76.20A	85.70B/76.20A	----	82.80 - 4.50	.2432	----	----	1	----	4 + 1
4520	----	----	----/77.30A	86.90B/77.30A	----	84.10 - 4.40	.2462	----	----	3	----	10 + 1
4525	----	----	----/78.50A	88.20B/78.50A	----	85.30 - 4.50	.2491	----	----	----	----	87 UNCH
4530	----	----	----/79.60A	89.40B/79.60A	----	86.60 - 4.50	.2522	----	----	----	----	8 UNCH
4535	88.50	88.50	88.50/80.80A	90.80B/80.80A	----	87.90 - 4.50	.2552	----	----	2	----	4 + 2
4540	----	----	----/82.00A	92.10B/82.00A	----	89.20 - 4.50	.2583	----	----	----	----	89 UNCH
4545	----	----	----/83.20A	93.40B/83.20A	----	90.50 - 4.50	.2613	----	----	----	----	20 UNCH
4550	93.10	93.10	93.10/84.50A	94.70B/84.50A	----	91.80 - 4.60	.2644	----	----	1	----	66 UNCH
4555	----	----	----/85.70A	96.10B/85.70A	----	93.20 - 4.50	.2676	----	----	----	----	16 UNCH
4560	91.10	91.10	91.10/87.00A	97.50B/87.00A	----	94.50 - 4.60	.2706	----	----	10	----	30 + 10
4565	----	----	----/88.30A	98.90B/88.30A	----	95.90 - 4.60	.2738	----	----	----	----	105 UNCH
4570	----	----	----/89.60A	100.30B/89.60A	----	97.30 - 4.60	.2770	----	----	----	----	8 UNCH
4575	----	----	----/90.90A	101.70B/90.90A	----	98.80 - 4.50	.2803	----	----	----	----	11 UNCH
4580	----	----	----/92.20A	103.20B/92.20A	----	100.20 - 4.60	.2835	----	----	----	----	5 UNCH
4585	----	----	----/93.60A	104.60B/93.60A	----	101.70 - 4.50	.2868	----	----	----	----	5 UNCH
4590	----	----	----/94.90A	106.10B/94.90A	----	103.20 - 4.50	.2901	----	----	1	----	6 + 1
4595	99.70	99.70	107.70B/96.30A	107.70B/96.30A	----	104.70 - 4.50	.2934	----	----	1	----	48 UNCH
4600	105.90	105.90	109.30B/97.50A	109.30B/97.50A	----	106.20 - 4.50	.2967	----	----	13	----	1296 + 1
4605	108.40	108.40	108.40/99.20A	110.70B/99.20A	----	107.70 - 4.50	.3000	----	----	2	----	3 + 2
4610	----	----	----/100.60A	112.30B/100.60A	----	109.30 - 4.50	.3034	----	----	2	----	131 + 2
4615	----	----	----/101.90A	113.90B/101.90A	----	110.80 - 4.50	.3067	----	----	----	----	13 UNCH
4620	----	----	----/103.50A	115.50B/103.50A	----	112.40 - 4.50	.3101	----	----	2	----	47 + 2
4625	----	----	----/104.90A	117.20B/104.90A	----	114.00 - 4.50	.3135	----	----	----	----	35 UNCH
4630	----	----	----/106.40A	118.80B/106.40A	----	115.70 - 4.40	.3170	----	----	----	----	3 UNCH
4635	----	----	----/108.00A	120.60B/108.00A	----	117.30 - 4.50	.3204	----	----	----	----	126 UNCH
4640	----	----	----/109.50A	122.20B/109.50A	----	119.00 - 4.40	.3239	----	----	----	----	51 UNCH
4645	----	----	----/111.10A	123.90B/111.10A	----	120.70 - 4.40	.3274	----	----	----	----	10 UNCH
4650	116.80	116.80	125.70B/112.60A	125.70B/112.60A	----	122.40 - 4.40	.3309	----	----	2	----	214 UNCH
4655	----	----	----/114.30A	127.50B/114.30A	----	124.10 - 4.40	.3345	----	----	----	----	2 UNCH
4660	----	----	----/115.90A	129.10B/115.90A	----	125.90 - 4.30	.3380	----	----	----	----	62 UNCH
4665	129.80	129.80	129.80/117.50A	130.90B/117.50A	----	127.60 - 4.30	.3416	----	----	3	----	22 + 2
4670	----	----	----/119.20A	132.90B/119.20A	----	129.40 - 4.30	.3452	----	----	----	----	101 UNCH
4675	----	----	----/120.90A	134.50B/120.90A	----	131.20 - 4.30	.3488	----	----	----	----	70 UNCH
4680	135.20	135.20	135.20/122.60A	136.60B/122.60A	----	133.10 - 4.20	.3524	----	----	5	----	26 + 2
4685	----	----	----/124.20A	138.20B/124.20A	----	134.90 - 4.20	.3560	----	----	----	----	7 UNCH
4690	132.40	132.40	132.40/126.00A	140.20B/126.00A	----	136.80 - 4.20	.3597	----	----	10	----	12 + 10
4695	----	----	----/127.80A	142.10B/127.80A	----	138.60 - 4.20	.3633	----	----	----	----	179 UNCH
4700	139.40	139.40	139.40/129.50A	144.30B/129.50A	----	140.50 - 4.20	.3670	----	----	1	----	746 + 1
4705	----	----	----/131.40A	146.10B/131.40A	----	142.50 - 4.10	.3707	----	----	----	----	6 UNCH
4710	----	----	----/133.20A	148.00B/133.20A	----	144.40 - 4.10	.3744	----	----	----	----	124 UNCH
4715	----	----	----/135.00A	150.00B/135.00A	----	146.40 - 4.10	.3781	----	----	----	----	4 UNCH
4720	----	----	----/136.90A	152.10B/136.90A	----	148.30 - 4.10	.3818	----	----	----	----	9 UNCH
4725	146.30	146.30	154.30B/138.70A	154.30B/138.70A	----	150.30 - 4.10	.3855	----	----	2	----	205 UNCH
4730	----	----	----/140.60A	156.20B/140.60A	----	152.30 - 4.10	.3893	----	----	----	----	58 UNCH
4735	----	----	----/142.60A	158.30B/142.60A	----	154.40 - 4.00	.3931	----	----	----	----	11 UNCH
4740	----	----	----/144.50A	160.40B/144.50A	----	156.40 - 4.10	.3968	----	----	----	----	114 UNCH
4745	----	----	----/146.50A	162.60B/146.50A	----	158.50 - 4.10	.4006	----	----	----	----	120 UNCH
4750	----	----	165.00B/148.40A	165.00B/148.40A	----	160.60 - 4.10	.4044	----	----	2	----	408 + 1
4755	163.80	163.80	167.00B/150.40A	167.00B/150.40A	----	162.70 - 4.10	.4082	----	----	3	----	12 + 3
4760	----	----	169.20B/152.50A	169.20B/152.50A	----	164.90 - 4.00	.4120	----	----	----	----	28 UNCH
4765	----	----	171.70B/154.50A	171.70B/154.50A	----	167.00 - 4.00	.4159	----	----	----	----	302 UNCH
4770	----	----	----/156.60A	173.20B/156.60A	----	169.20 - 4.00	.4197	----	----	----	----	3 UNCH
4775	----	----	175.80B/158.60A	175.80B/158.60A	----	171.50 - 3.90	.4235	----	----	2	----	44 - 1
4780	----	----	177.90B/160.80A	177.90B/160.80A	----	173.70 - 3.90	.4274	----	----	----	----	30 UNCH
4785	----	----	180.30B/162.90A	180.30B/162.90A	----	175.90 - 4.00	.4312	----	----	----	----	67 UNCH
4790	----	----	182.60B/165.00A	182.60B/165.00A	----	178.20 - 3.90	.4351	----	----	----	----	2 UNCH
4795	----	----	185.30B/167.20A	185.30B/167.20A	----	180.50 - 3.90	.4390	----	----	----	----	67 UNCH
4800	----	----	187.50B/169.30A	187.50B/169.30A	----	182.90 - 3.80	.4429	----	----	1	----	1100 + 1
4805	----	----	190.20B/171.60A	190.20B/171.60A	----	185.20 - 3.80	.4467	----	----	----	----	3 UNCH
4810	----	----	191.80B/173.80A	191.80B/173.80A	----	187.60 - 3.70	.4506	----	----	----	----	8 UNCH
4815	----	----	194.40B/176.10A	194.40B/176.10A	----	190.00 - 3.60	.4545	----	----	----	----	26 UNCH
4820	192.10	192.10	197.00B/178.40A	197.00B/178.40A	----	192.40 - 3.60	.4584	----	----	8	125	210 + 108
4825	----	----	200.30B/180.70A	200.30B/180.70A	----	194.90 - 3.50	.4623	----	----	----	----	16 UNCH
4830	----	----	202.90B/183.00A	202.90B/183.00A	----	197.40 - 3.40	.4662	----	----	----	----	2 UNCH
4835	----	----	204.60B/185.40A	204.60B/185.40A	----	199.90 - 3.30	.4701	----	----	----	----	15 UNCH
4840	----	----	208.10B/187.80A	208.10B/187.80A	----	202.40 - 3.20	.4740	----	----	1	----	9 UNCH
4845	204.90	204.90	209.80B/190.20A	209.80B/190.20A	----	205.00 - 3.00	.4779	----	----	2	----	71 + 2
4850	207.40	207.40	212.50B/192.50A	212.50B/192.50A	----	207.50 - 3.00	.4818	----	----	2	----	292 + 1
4855	----	----	216.00B/195.00A	216.00B/195.00A	----	210.10 - 2.90	.4857	----	----	----	----	2 UNCH
4860	----	----	217.80B/197.50A	217.80B/197.50A	----	212.80 - 2.70	.4896	----	----	1	----	1 UNCH
4865	----	----	221.40B/199.90A	221.40B/199.90A	----	215.40 - 2.60	.4935	----	----	----	----	2 UNCH
4870	----	----	223.20B/202.40A	223.20B/202.40A	----	218.10 - 2.50	.4974	----	----	----	----	318 UNCH
4875	----	----	227.90B/205.00A	227.90B/205.00A	----	220.70 - 2.40	.5012	----	----	----	----	70 UNCH
4880	----	----	230.70B/207.50A	230.70B/207.50A	----	223.40 - 2.30	.5051	----	----	----	----	12 UNCH
4885	211.50	211.50	231.40B/210.10A	231.40B/210.10A	----	226.10 NEW	.5090	----	----	2	----	2 + 2
4890	----	----	234.20B/212.70A	234.20B/212.70A	----	228.90 - 2.10	.5129	----	----	----	----	9 UNCH
4895	----	----	237.90B/215.30A	237.90B/215.30A	----	231.60 - 2.10	.5167	----	----	----	----	61 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
4900	----	----	239.80B/217.90A	239.80B/217.90A	----	234.40 - 2.00	.5206	----	----	----	----	263 UNCH
4905	----	----	242.60B/220.50A	242.60B/220.50A	----	237.20 - 1.90	.5244	----	----	----	----	54 UNCH
4910	----	----	245.50B/223.20A	245.50B/223.20A	----	240.00 - 1.80	.5283	----	----	----	----	2 UNCH
4915	----	----	248.40B/225.70A	248.40B/225.70A	----	242.90 - 1.70	.5321	----	----	----	----	118 UNCH
4920	----	----	252.20B/228.30A	252.20B/228.30A	----	245.70 - 1.70	.5359	----	----	----	----	22 UNCH
4925	----	----	254.20B/231.10A	254.20B/231.10A	----	248.60 - 1.60	.5398	----	----	----	----	11 UNCH
4930	----	----	257.20B/234.10A	257.20B/234.10A	----	251.50 - 1.50	.5436	----	----	----	----	52 UNCH
4935	----	----	260.10B/236.80A	260.10B/236.80A	----	254.40 - 1.40	.5474	----	----	----	----	4 UNCH
4940	----	----	263.10B/239.70A	263.10B/239.70A	----	257.30 - 1.40	.5512	----	----	----	----	11 UNCH
4950	----	----	269.10B/245.00A	269.10B/245.00A	----	263.20 - 1.30	.5587	----	----	----	----	106 UNCH
4975	----	----	284.50B/259.30A	284.50B/259.30A	----	278.40 - 0.90	.5775	----	----	----	----	2 UNCH
4980	----	----	285.10B/262.30A	285.10B/262.30A	----	281.50 - 0.90	.5811	----	----	----	----	6 UNCH
4985	----	----	288.30B/265.30A	288.30B/265.30A	----	284.60 - 0.80	.5848	----	----	----	----	104 UNCH
4990	----	----	291.40B/268.00A	291.40B/268.00A	----	287.80 - 0.70	.5885	----	----	----	----	2 UNCH
4995	----	----	294.80B/270.70A	294.80B/270.70A	----	290.90 - 0.60	.5922	----	----	----	----	12 UNCH
5000	284.20	284.20	299.20B/273.90A	299.20B/273.90A	----	294.10 - 0.50	.5958	----	----	2	----	547 - 1
5005	----	----	301.00B/276.70A	301.00B/276.70A	----	297.30 - 0.40	.5995	----	----	----	----	12 UNCH
5010	----	----	304.20B/279.60A	304.20B/279.60A	----	300.50 - 0.40	.6031	----	----	----	----	9 UNCH
5015	----	----	307.90B/283.00A	307.90B/283.00A	----	303.70 - 0.30	.6067	----	----	----	----	20 UNCH
5020	----	----	310.70B/285.70A	310.70B/285.70A	----	307.00 - 0.20	.6103	----	----	----	----	5 UNCH
5025	----	----	314.30B/288.80A	314.30B/288.80A	----	310.30 - 0.10	.6138	----	----	----	----	150 UNCH
5030	----	----	317.40B/292.10A	317.40B/292.10A	----	313.60 UNCH	.6174	----	----	----	----	8 UNCH
5035	----	----	321.00B/295.40A	321.00B/295.40A	----	316.90 + 0.10	.6210	----	----	----	----	37 UNCH
5040	----	----	324.10B/298.10A	324.10B/298.10A	----	320.20 + 0.20	.6245	----	----	----	----	10 UNCH
5045	----	----	327.40B/301.30A	327.40B/301.30A	----	323.60 + 0.30	.6280	----	----	----	----	5 UNCH
5050	----	----	331.00B/304.50A	331.00B/304.50A	----	326.90 + 0.30	.6314	----	----	----	----	79 UNCH
5055	----	----	334.20B/307.80A	334.20B/307.80A	----	330.30 + 0.40	.6349	----	----	----	----	3 UNCH
5065	----	----	341.10B/316.10A	341.10B/316.10A	----	337.20 + 0.70	.6418	----	----	----	----	11 UNCH
5075	----	----	348.10B/324.00A	348.10B/324.00A	----	344.10 + 0.90	.6486	----	----	----	----	6 UNCH
5080	----	----	351.50B/327.50A	351.50B/327.50A	----	347.60 + 1.00	.6520	----	----	----	----	2 UNCH
5085	----	----	355.10B/330.50A	355.10B/330.50A	----	351.10 + 1.10	.6553	----	----	----	----	21 UNCH
5090	----	----	358.60B/334.00A	358.60B/334.00A	----	354.60 + 1.20	.6587	----	----	----	----	6 UNCH
5095	----	----	362.20B/337.30A	362.20B/337.30A	----	358.10 + 1.30	.6620	----	----	----	----	42 UNCH
5100	----	----	365.80B/340.70A	365.80B/340.70A	----	361.70 + 1.40	.6653	----	----	----	----	106 UNCH
5105	----	----	369.30B/344.20A	369.30B/344.20A	----	365.20 + 1.40	.6685	----	----	----	----	22 UNCH
5110	----	----	372.90B/347.60A	372.90B/347.60A	----	368.80 + 1.60	.6718	----	----	----	----	16 UNCH
5115	----	----	376.60B/351.10A	376.60B/351.10A	----	372.40 + 1.70	.6751	----	----	----	----	37 UNCH
5120	----	----	380.20B/354.20A	380.20B/354.20A	----	376.00 + 1.70	.6783	----	----	----	----	14 UNCH
5125	----	----	383.80B/358.30A	383.80B/358.30A	----	379.70 + 1.90	.6815	----	----	----	----	37 UNCH
5130	----	----	387.50B/362.00A	387.50B/362.00A	----	383.30 + 2.00	.6846	----	----	----	----	23 UNCH
5135	----	----	391.20B/365.40A	391.20B/365.40A	----	387.00 + 2.10	.6878	----	----	----	----	9 UNCH
5140	----	----	394.90B/369.10A	394.90B/369.10A	----	390.70 + 2.20	.6909	----	----	----	----	19 UNCH
5145	----	----	398.50B/372.60A	398.50B/372.60A	----	394.40 + 2.30	.6940	----	----	----	----	2 UNCH
5150	----	----	402.30B/376.20A	402.30B/376.20A	----	398.10 + 2.40	.6970	----	----	----	----	233 UNCH
5155	----	----	406.10B/379.80A	406.10B/379.80A	----	401.80 + 2.40	.7002	----	----	----	----	42 UNCH
5160	----	----	409.20B/383.40A	409.20B/383.40A	----	405.60 + 2.60	.7032	----	----	----	----	42 UNCH
5170	----	----	413.90B/390.70A	413.90B/390.70A	----	413.10 + 2.70	.7092	----	----	----	----	51 UNCH
5175	----	----	416.80B/394.50A	416.80B/394.50A	----	416.90 + 2.80	.7122	----	----	----	----	61 UNCH
5180	----	----	420.60B/398.10A	420.60B/398.10A	----	420.70 + 2.90	.7152	----	----	----	----	10 UNCH
5185	----	----	424.50B/401.90A	424.50B/401.90A	----	424.50 + 3.00	.7180	----	----	----	----	103 UNCH
5190	----	----	428.30B/405.60A	428.30B/405.60A	----	428.30 + 3.10	.7210	----	----	----	----	19 UNCH
5200	----	----	436.10B/413.00A	436.10B/413.00A	----	436.10 + 3.30	.7267	----	----	----	----	57 UNCH
5225	----	----	455.60B/436.30A	455.60B/436.30A	----	455.60 + 3.70	.7408	----	----	----	----	42 UNCH
5230	----	----	----	274.30B/634.10A	----	459.50 + 3.80	.7435	----	----	----	----	2 UNCH
5235	----	----	463.60B/444.00A	463.60B/444.00A	----	463.50 + 3.90	.7462	----	----	----	----	23 UNCH
5245	----	----	----	286.70B/645.90A	----	471.50 + 4.10	.7516	----	----	----	----	2 UNCH
5250	----	----	475.60B/455.70A	475.60B/455.70A	----	475.50 + 4.20	.7542	----	----	----	----	14 UNCH
5255	----	----	479.70B/458.50A	479.70B/458.50A	----	479.50 + 4.30	.7568	----	----	----	----	14 UNCH
5285	----	----	----	320.10B/676.90A	----	503.80 + 4.80	.7720	----	----	----	----	2 UNCH
5290	----	----	508.20B/487.50A	508.20B/487.50A	----	507.90 + 4.90	.7745	----	----	----	----	4 UNCH
5295	----	----	----	328.50B/684.80A	----	512.10 + 5.00	.7768	----	----	----	----	2 UNCH
5300	----	----	516.40B/494.50A	516.40B/494.50A	----	516.20 + 5.10	.7793	----	----	----	----	67 UNCH
5315	----	----	528.90B/507.70A	528.90B/507.70A	----	528.70 + 5.40	.7864	----	----	----	----	10 UNCH
5325	----	----	----	354.60B/708.80A	----	537.00 + 5.60	.7910	----	----	----	----	1 UNCH
5350	----	----	558.40B/535.50A	558.40B/535.50A	----	558.10 + 6.00	.8020	----	----	----	----	8 UNCH
5375	----	----	579.90B/556.50A	579.90B/556.50A	----	579.50 + 6.50	.8126	----	----	----	----	7 UNCH
5390	----	----	592.60B/569.20A	592.60B/569.20A	----	592.40 + 6.70	.8187	----	----	----	----	5 UNCH
5400	----	----	605.10B/576.60A	605.10B/576.60A	----	601.10 + 6.90	.8225	----	----	----	----	602 UNCH
5410	----	----	----	430.40B/778.30A	----	609.80 + 7.00	.8265	----	----	----	----	1 UNCH
5440	----	----	----	457.90B/803.40A	----	636.20 + 7.50	.8375	----	----	----	----	1 UNCH
5475	----	----	667.40B/643.00A	667.40B/643.00A	----	667.30 + 8.00	.8496	----	----	----	----	6 UNCH
5500	----	----	689.70B/665.20A	689.70B/665.20A	----	689.70 + 8.30	.8574	----	----	----	----	3 UNCH
5505	----	----	----	517.60B/859.10A	----	694.20 + 8.30	.8591	----	----	----	----	1 UNCH
5510	----	----	----	522.10B/863.60A	----	698.70 + 8.40	.8607	----	----	----	----	1 UNCH
6100	----	----	----	----	----	1261.50 + 13.00	.9551	----	----	----	----	2 UNCH
6125	----	----	----	----	----	1286.10 + 13.10	.9568	----	----	----	----	2 UNCH
TOTAL										395	125	30470 + 331
AUG26												
2300	0.80	0.80	1.00/*0.80	1.00/*0.80	----	0.80 UNCH	.0018	----	----	2	----	35 + 1
2325	----	----	----	0.70B/*1.10A	----	0.90 UNCH	.0020	----	----	----	----	1 UNCH
2350	----	----	----	0.80B/*1.10A	----	1.00 + 0.10	.0023	----	----	----	----	2 UNCH
2375	----	----	----	0.80B/1.20A	----	1.00 UNCH	.0023	----	----	----	----	7 UNCH
2400	----	----	----	0.90B/*1.20A	----	1.10 + 0.10	.0025	----	----	----	----	5 UNCH
2425	----	----	----	0.90B/1.30A	----	1.20 + 0.10	.0027	----	----	----	----	1 UNCH
2475	----	----	----	1.10B/1.40A	----	1.30 + 0.10	.0030	----	----	----	----	5 UNCH
2500	----	----	----	1.10B/1.40A	----	1.40 + 0.10	.0032	----	----	----	----	7 UNCH
2570	----	----	----	1.30B/1.70A	----	1.70 + 0.20	.0040	----	----	----	----	9 UNCH
2580	----	----	----	1.40B/1.70A	----	1.70 + 0.10	.0040	----	----	----	----	1 UNCH
2590	----	----	----	1.40B/1.70A	----	1.70 + 0.10	.0040	----	----	----	----	2 UNCH
2600	----	----	----	1.40B/1.70A	----	1.80 + 0.20	.0042	----	----	----	----	6 UNCH
2615	----	----	----	1.50B/1.80A	----	1.80 + 0.10	.0043	----	----	----	----	1 UNCH
2625	----	----	----	1.50B/1.80A	----	1.90 + 0.20	.0045	----	----	----	----	2 UNCH
2640	----	----	----	1.60B/1.90A	----	1.90 + 0.10	.0045	----	----	----	----	1 UNCH
2665	----	----	----	1.70B/*1.90A	----	2.00 NEW	.0048	----	----	1	----	1 + 1
2685	----	----	----	1.80B/2.00A	----	2.10 + 0.10	.0050	----	----	----	----	1 UNCH
2690	----	----	----	1.80B/*2.00A	----	2.10 + 0.10	.0050	----	----	----	----	1 UNCH
2730	----	----	----	1.90B/2.20A	----	2.30 + 0.10	.0055	----	----	----	----	1 UNCH
2745	----	----	----/*2.20A	2.00B/*2.20A	----	2.40 + 0.10	.0058	----	----	----	----	1 UNCH
2750	----	----	----/*2.20A	2.00B/*2.20A	----	2.40 + 0.10	.0058	----	----	----	----	4 UNCH
2800	----	----	----/*2.40A	2.20B/*2.40A	----	2.60 UNCH	.0064	----	----	----	----	33 UNCH
2860	----	----	----/*2.70A	2.50B/2.70A	----	2.90 UNCH	.0072	----	----	----	----	1 UNCH
2950	----	----	----/*3.10A	3.30B/3.10A	----	3.30 - 0.10	.0084	----	----	----	----	8 UNCH
3000	----	----	----/3.40A	3.30B/3.40A	----	3.60 - 0.10	.0093	----	----	----	----	262 UNCH
3005	----	----	----/*3.40A	3.30B/3.40A	----	3.70 UNCH	.0095	----	----	----	----	5 UNCH
3010	----	----	----/*3.50A	3.30B/3.50A	----	3.70 - 0.10	.0095	----	----	----	----	1 UNCH
3015	----	----	----/*3.50A	3.40B/3.50A	----	3.70 - 0.10	.0095	----	----	----	----	1 UNCH
3025	----	----	----/*3.60A	3.40B/3.60A	----	3.80 - 0.10	.0098	----	----	----	----	5 UNCH
3040	----	----	----/*3.70A	3.50B/3.70A	----	3.90 - 0.10	.0101	----	----	----	----	1 UNCH
3065	----	----	----/*3.80A	3.70B/3.80A	----	4.10 - 0.10	.0107	----	----	----	----	1 UNCH
3090	----	----	----/*4.00A	3.90B/4.00A	----	4.30 - 0.10	.0112	----	----	----	----	1 UNCH
3095	----	----	----/*4.10A	4.00B/4.10A	----	4.30 - 0.10	.0113	----	----	----	----	1 UNCH
3100	----	----	----/4.10A	4.00B/4.10A	----	4.40 - 0.10	.0115	----	----	----	----	137 UNCH
3110	----	----	----/*4.20A	4.10B/4.20A	----	4.40 - 0.10	.0116	----	----	----	----	15 UNCH
3120	4.50	4.50	4.60B/*4.30A	4.60B/4.30A	----	4.50 - 0.10	.0118	----	----	7	----	29 UNCH
3130	----	----	----/*4.30A	4.30B/4.30A	----	4.60 - 0.10	.0121	----	----	----	----	5 UNCH
3150	----	----	----/*4.50A	4.50B/4.50A	----	4.80 - 0.10	.0127	----	----	----	----	10 UNCH
3155	----	----	----/*4.50A	4.50B/4.50A	----	4.80 - 0.10	.0127	----	----	----	----	3 UNCH
3160	----	----	----/*4.60A	4.50B/4.60A	----	4.90 - 0.10	.0130	----	----	----	----	1 UNCH
3165	4.70	4.70	5.20/*4.60A	5.20/4.60A	----	4.90 - 0.10	.0130	----	----	139	----	140 + 138
3170	----	----	----/*4.70A	4.60B/4.70A	----	5.00 - 0.10	.0133	----	----	----	----	1 UNCH
3180	----	----	----/*4.80A	4.70B/4.80A	----	5.10 - 0.10	.0135	----	----	----	----	25 UNCH
3185	----	----	----/*4.80A	4.80B/4.80A	----	5.10 - 0.20	.0136	----	----	----	----	1 UNCH
3190	----	----	----/*4.90A	4.80B/4.90A	----	5.10 - 0.20	.0136	----	----	----	----	881 UNCH
3195	----	----	----/*4.90A	4.90B/4.90A	----	5.20 - 0.20	.0139	----	----	----	----	1 UNCH
3200	----	----	----/*4.90A	4.90B/4.90A	----	5.20 - 0.20	.0139	----	----	----	----	406 UNCH
3250	----	----	----/*5.40A	5.40B/5.40A	----	5.80 - 0.20	.0156	----	----	----	----	405 UNCH
3260	----	----	----/*5.60A	5.70B/5.60A	----	5.90 - 0.20	.0159	----	----	----	----	30 UNCH
3300	----	----	----/*6.00A	6.00B/6.00A	----	6.40 - 0.20	.0174	----	----	----	----	162 UNCH
3350	----	----	----/6.70A	6.70B/6.70A	----	7.00 - 0.40	.0192	----	----	----	----	375 UNCH
3370	----	----	----/7.00A	7.00B/7.00A	----	7.30 - 0.40	.0200	----	----	----	----	1 UNCH
3375	----	----	----/7.00A	7.00B/7.00A	----	7.40 - 0.40	.0203	----	----	----	----	15 UNCH
3380	----	----	----/7.10A	7.10B/7.10A	----	7.50 - 0.30	.0206	----	----	----	----	1 UNCH
3390	----	----	----/7.30A	7.40B/7.30A	----	7.60 - 0.40	.0209	----	----	----	----	1 UNCH
3400	----	----	----/7.40A	7.50B/7.40A	----	7.80 - 0.40	.0215	----	----	----	----	23 UNCH
3405	----	----	----/7.50A	7.60B/7.50A	----	7.90 - 0.40	.0218	----	----	----	----	4 UNCH
3450	----	----	----/8.10A	8.40B/8.10A	----	8.60 - 0.50	.0239	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
3465	----	----	----/8.40A	8.60B/8.40A	----	8.90 - 0.50	.0247	----	----	----	----	6 UNCH
3470	----	----	----/8.50A	8.80B/8.50A	----	9.00 - 0.50	.0250	----	----	----	----	1 UNCH
3495	----	----	----/9.00A	9.30B/9.00A	----	9.50 - 0.60	.0265	----	----	----	----	1 UNCH
3500	----	----	----/9.10A	9.40B/9.10A	----	9.60 - 0.60	.0268	----	----	----	----	824 UNCH
3505	----	----	----/9.20A	9.50B/9.20A	----	9.70 - 0.60	.0270	----	----	----	----	1 UNCH
3510	----	----	----/9.30A	9.50B/9.30A	----	9.80 - 0.60	.0273	----	----	----	----	50 UNCH
3520	----	----	----/9.50A	9.80B/9.50A	----	10.00 - 0.70	.0279	----	----	----	----	210 UNCH
3525	----	----	----/9.70A	9.90B/9.70A	----	10.10 - 0.70	.0282	----	----	----	----	60 UNCH
3545	----	----	----/10.10A	10.30B/10.10A	----	10.60 - 0.70	.0296	----	----	----	----	9 UNCH
3550	----	----	----/10.20A	10.50B/10.20A	----	10.70 - 0.70	.0299	----	----	----	----	118 UNCH
3570	----	----	----/10.70A	10.90B/10.70A	----	11.20 - 0.70	.0314	----	----	----	----	32 UNCH
3575	----	----	----/10.80A	11.10B/10.80A	----	11.30 - 0.80	.0317	----	----	----	----	20 UNCH
3585	----	----	----/11.10A	11.30B/11.10A	----	11.60 - 0.70	.0325	----	----	----	----	50 UNCH
3600	----	----	----/11.40A	11.70B/11.40A	----	12.00 - 0.80	.0337	----	----	----	----	454 UNCH
3610	----	----	----/11.70A	12.00B/11.70A	----	12.20 - 0.90	.0343	----	----	----	----	1 UNCH
3630	----	----	----/12.30A	12.50B/12.30A	----	12.80 - 0.90	.0360	----	----	----	----	8 UNCH
3645	----	----	----/12.80A	12.90B/12.80A	----	13.30 - 0.90	.0374	----	----	----	----	22 UNCH
3650	----	----	----/12.90A	13.10B/12.90A	----	13.40 - 1.00	.0377	----	----	----	----	40 UNCH
3655	----	----	----/13.10A	13.20B/13.10A	----	13.60 - 0.90	.0382	----	----	----	----	55 UNCH
3660	----	----	----/13.20A	13.40B/13.20A	----	13.70 - 1.00	.0386	----	----	----	----	9 UNCH
3665	----	----	----/13.40A	13.50B/13.40A	----	13.90 - 1.00	.0391	----	----	----	----	1 UNCH
3675	----	----	----/13.70A	13.80B/13.70A	----	14.20 - 1.00	.0400	----	----	----	----	24 UNCH
3690	----	----	----/14.20A	14.30B/14.20A	----	14.70 - 1.10	.0414	----	----	----	----	13 UNCH
3700	----	----	----/14.50A	14.70B/14.50A	----	15.00 - 1.20	.0423	----	----	----	----	219 UNCH
3705	----	----	----/14.70A	14.90B/14.70A	----	15.20 - 1.20	.0429	----	----	----	----	20 UNCH
3715	----	----	----/15.10A	15.20B/15.10A	----	15.60 - 1.10	.0439	----	----	----	----	30 UNCH
3725	----	----	----/15.40A	15.60B/15.40A	----	15.90 - 1.30	.0449	----	----	----	----	4 UNCH
3730	----	----	----/15.60A	15.80B/15.60A	----	16.10 - 1.30	.0454	----	----	----	----	10 UNCH
3750	----	----	----/16.30A	16.60B/16.30A	----	16.90 - 1.30	.0477	----	----	----	----	77 UNCH
3765	----	----	----/17.00A	17.20B/17.00A	----	17.50 - 1.40	.0493	----	----	----	----	100 UNCH
3770	----	----	----/17.20A	17.40B/17.20A	----	17.70 - 1.40	.0499	----	----	----	----	4 UNCH
3775	----	----	----/17.40A	17.60B/17.40A	----	17.90 - 1.40	.0505	----	----	----	----	12 UNCH
3790	----	----	----/18.00A	18.30B/18.00A	----	18.60 - 1.50	.0524	----	----	----	----	2 UNCH
3795	18.60	18.60	18.60/18.20A	18.60/18.20A	----	18.80 - 1.50	.0530	----	----	2	----	81 UNCH
3800	19.10	19.10	19.10/18.40A	19.10/18.40A	----	19.10 - 1.50	.0537	----	----	30	----	323 UNCH
3805	----	----	----/18.70A	19.00B/18.70A	----	19.30 - 1.50	.0543	----	----	----	----	4 UNCH
3810	----	----	----/18.90A	19.20B/18.90A	----	19.50 - 1.60	.0549	----	----	----	----	50 UNCH
3815	----	----	----/19.20A	19.40B/19.20A	----	19.80 - 1.50	.0557	----	----	----	----	150 UNCH
3820	----	----	----/19.40A	19.70B/19.40A	----	20.00 - 1.60	.0563	----	----	----	----	52 UNCH
3825	----	----	----/19.60A	19.90B/19.60A	----	20.20 - 1.60	.0569	----	----	----	----	51 UNCH
3835	----	----	----/20.10A	21.00B/20.10A	----	20.70 - 1.70	.0583	----	----	----	----	10 UNCH
3850	----	----	----/20.80A	21.30B/20.80A	----	21.50 - 1.70	.0604	----	----	----	----	87 UNCH
3855	----	----	----/21.10A	21.50B/21.10A	----	21.80 - 1.70	.0612	----	----	----	----	3 UNCH
3875	----	----	----/22.10A	22.70B/22.10A	----	22.90 - 1.80	.0642	----	----	----	----	10 UNCH
3880	----	----	----/22.40A	23.00B/22.40A	----	23.20 - 1.80	.0650	----	----	----	----	299 UNCH
3890	----	----	----/22.90A	23.60B/22.90A	----	23.70 - 1.90	.0665	----	----	----	----	73 UNCH
3900	----	----	----/23.50A	24.30B/23.50A	----	24.30 - 2.00	.0681	----	----	----	----	306 UNCH
3910	----	----	----/24.10A	25.30B/24.10A	----	24.90 - 2.00	.0697	----	----	----	----	1 UNCH
3925	----	----	----/25.00A	26.30B/25.00A	----	25.90 - 2.10	.0723	----	----	----	----	10 UNCH
3930	----	----	----/25.30A	26.60B/25.30A	----	26.20 - 2.10	.0732	----	----	----	----	38 UNCH
3940	----	----	----/25.90A	27.30B/25.90A	----	26.90 - 2.10	.0750	----	----	----	----	2 UNCH
3950	----	----	----/26.50A	27.90B/26.50A	----	27.60 - 2.20	.0769	----	----	----	----	246 UNCH
3955	----	----	----/26.90A	28.40B/26.90A	----	27.90 - 2.20	.0777	----	----	----	----	10 UNCH
3960	----	----	----/27.20A	28.70B/27.20A	----	28.30 - 2.20	.0787	----	----	----	----	1 UNCH
3965	----	----	----/27.40A	29.00B/27.40A	----	28.60 - 2.30	.0796	----	----	----	----	14 UNCH
3975	----	----	----/28.10A	29.90B/28.10A	----	29.40 - 2.30	.0816	----	----	----	----	267 UNCH
3980	----	----	----/28.60A	30.10B/28.60A	----	29.70 - 2.40	.0825	----	----	----	----	45 UNCH
3985	----	----	----/28.90A	30.60B/28.90A	----	30.10 - 2.40	.0835	----	----	----	----	2 UNCH
3990	----	----	----/29.20A	30.90B/29.20A	----	30.50 - 2.40	.0845	----	----	----	----	44 UNCH
3995	----	----	----/29.60A	31.40B/29.60A	----	30.90 - 2.40	.0856	----	----	----	----	4 UNCH
4000	33.70	33.70	33.80/29.90A	33.80/29.90A	----	31.30 - 2.40	.0866	----	----	101	----	1680 - 198
4005	----	----	----/30.30A	32.20B/30.30A	----	31.70 - 2.50	.0877	----	----	----	----	3 UNCH
4010	----	----	----/30.80A	32.70B/30.80A	----	32.10 - 2.50	.0887	----	----	----	----	78 UNCH
4025	----	----	----/31.90A	33.90B/31.90A	----	33.30 - 2.60	.0919	----	----	----	----	101 UNCH
4030	----	----	----/32.30A	34.40B/32.30A	----	33.70 - 2.70	.0929	----	----	----	----	50 UNCH
4040	----	----	----/33.10A	35.30B/33.10A	----	34.60 - 2.70	.0952	----	----	----	----	15 UNCH
4045	----	----	----/33.50A	35.70B/33.50A	----	35.10 - 2.70	.0964	----	----	----	----	30 UNCH
4050	----	----	----/34.00A	36.10B/34.00A	----	35.50 - 2.80	.0975	----	----	----	----	299 UNCH
4065	----	----	----/35.40A	37.80B/35.40A	----	36.90 NEW	.1011	----	----	4	----	4 + 4
4075	----	----	----/36.20A	38.70B/36.20A	----	37.80 - 3.00	.1034	----	----	----	----	5 UNCH
4080	----	----	----/36.70A	39.40B/36.70A	----	38.30 - 3.00	.1046	----	----	----	----	6 UNCH
4085	----	----	----/37.20A	39.80B/37.20A	----	38.80 - 3.00	.1059	----	----	----	----	28 UNCH
4095	----	----	----/38.20A	40.90B/38.20A	----	39.80 - 3.10	.1084	----	----	----	----	4 UNCH
4100	----	----	----/38.60A	41.40B/38.60A	----	40.30 - 3.10	.1097	----	----	----	----	89 UNCH
4110	----	----	----/39.60A	42.40B/39.60A	----	41.40 - 3.10	.1124	----	----	----	----	1 UNCH
4115	----	----	----/40.10A	43.00B/40.10A	----	41.90 - 3.20	.1137	----	----	----	----	6 UNCH
4120	----	----	----/40.60A	43.70B/40.60A	----	42.50 - 3.20	.1151	----	----	----	----	1 UNCH
4130	----	----	----/41.70A	44.70B/41.70A	----	43.60 - 3.20	.1178	----	----	----	----	5 UNCH
4135	----	----	----/42.20A	45.40B/42.20A	----	44.10 - 3.30	.1191	----	----	----	----	54 UNCH
4140	----	----	----/42.80A	46.00B/42.80A	----	44.70 - 3.30	.1206	----	----	----	----	1 UNCH
4145	----	----	----/43.30A	46.70B/43.30A	----	45.30 - 3.30	.1220	----	----	----	----	20 UNCH
4150	----	----	----/43.80A	47.30B/43.80A	----	45.90 - 3.30	.1235	----	----	----	----	360 UNCH
4160	----	----	----/45.00A	48.50B/45.00A	----	47.10 - 3.40	.1264	----	----	----	----	64 UNCH
4165	50.60	50.60	50.60/45.60A	50.60/45.60A	----	47.70 - 3.40	.1279	----	----	1	----	101 + 1
4170	----	----	----/46.20A	50.10B/46.20A	----	48.30 - 3.50	.1293	----	----	----	----	77 UNCH
4175	----	----	----/46.80A	50.80B/46.80A	----	48.90 - 3.50	.1308	----	----	----	----	25 UNCH
4180	----	----	----/47.40A	51.50B/47.40A	----	49.60 - 3.50	.1324	----	----	----	----	91 UNCH
4185	----	----	----/48.00A	52.10B/48.00A	----	50.20 - 3.60	.1339	----	----	----	----	41 UNCH
4190	----	----	----/48.60A	52.80B/48.60A	----	50.80 - 3.70	.1354	----	----	----	----	141 UNCH
4195	----	----	----/49.20A	53.50B/49.20A	----	51.50 - 3.70	.1370	----	----	----	----	143 UNCH
4200	----	----	----/49.80A	54.20B/49.80A	----	52.20 - 3.70	.1386	----	----	----	----	221 UNCH
4205	----	----	----/50.50A	54.90B/50.50A	----	52.80 - 3.80	.1401	----	----	----	----	20 UNCH
4215	55.90	55.90	55.90/51.50	56.40B/51.50	----	54.20 - 3.80	.1434	----	----	30	----	18 + 15
4220	----	----	----/52.50A	57.10B/52.50A	----	54.90 - 3.80	.1451	----	----	----	----	9 UNCH
4225	----	----	----/53.20A	57.90B/53.20A	----	55.60 - 3.90	.1467	----	----	----	----	1 UNCH
4230	----	----	----/53.80A	58.60B/53.80A	----	56.40 - 3.80	.1485	----	----	----	----	10 UNCH
4235	----	----	----/54.60A	59.40B/54.60A	----	57.10 - 3.90	.1502	----	----	----	----	1 UNCH
4245	----	----	----/56.00A	60.90B/56.00A	----	58.60 - 3.90	.1537	----	----	----	----	32 UNCH
4250	----	----	----/56.70A	61.70B/56.70A	----	59.30 - 4.00	.1553	----	----	----	----	400 UNCH
4255	----	----	----/57.40A	62.50B/57.40A	----	60.10 - 4.00	.1571	----	----	----	----	883 UNCH
4260	----	----	----/58.20A	63.20B/58.20A	----	60.90 - 4.00	.1590	----	----	----	----	8 UNCH
4270	----	----	----/59.70A	64.90B/59.70A	----	62.50 - 4.10	.1626	----	----	----	----	3 UNCH
4275	----	----	----/60.40A	65.70B/60.40A	----	63.30 - 4.10	.1644	----	----	----	----	6 UNCH
4285	----	----	----/62.00A	67.40B/62.00A	----	64.90 - 4.20	.1681	----	----	----	----	170 UNCH
4290	----	----	----/62.80A	68.30B/62.80A	----	65.70 - 4.30	.1699	----	----	----	----	2 UNCH
4295	----	----	----/63.60A	69.20B/63.60A	----	66.60 - 4.20	.1719	----	----	----	----	2 UNCH
4300	----	----	----/64.30A	70.10B/64.30A	----	67.50 - 4.20	.1739	----	----	----	----	456 UNCH
4305	----	----	----/65.10A	70.90B/65.10A	----	68.30 - 4.30	.1757	----	----	----	----	100 UNCH
4310	----	----	----/66.00A	71.80B/66.00A	----	69.20 - 4.30	.1777	----	----	----	----	1 UNCH
4315	----	----	----/66.90A	72.70B/66.90A	----	70.10 - 4.40	.1797	----	----	----	----	8 UNCH
4320	----	----	----/67.70A	73.70B/67.70A	----	71.00 - 4.40	.1817	----	----	----	----	5 UNCH
4325	70.00	70.00	70.00/68.60A	74.70B/68.60A	----	71.90 - 4.40	.1837	----	----	3	----	277 + 2
4330	----	----	----/69.40A	75.50B/69.40A	----	72.80 - 4.50	.1857	----	----	----	----	102 UNCH
4335	----	----	----/70.30A	76.40B/70.30A	----	73.80 - 4.40	.1878	----	----	----	----	1 UNCH
4340	----	----	----/71.20A	77.50B/71.20A	----	74.70 - 4.50	.1898	----	----	----	----	2 UNCH
4350	----	----	----/72.90A	79.50B/72.90A	----	76.60 - 4.60	.1939	----	----	----	----	657 UNCH
4355	----	----	----/73.90A	80.40B/73.90A	----	77.60 - 4.60	.1961	----	----	----	----	2 UNCH
4360	----	----	----/74.80A	81.30B/74.80A	----	78.60 - 4.60	.1982	----	----	----	----	61 UNCH
4365	----	----	----/75.70A	82.40B/75.70A	----	79.60 - 4.60	.2003	----	----	----	----	100 UNCH
4380	----	----	----/78.60A	85.60B/78.60A	----	82.70 - 4.70	.2069	----	----	----	----	1 UNCH
4385	----	----	----/79.60A	86.60B/79.60A	----	83.70 - 4.70	.2091	----	----	----	----	8 UNCH
4390	----	----	----/80.60A	87.70B/80.60A	----	84.80 - 4.70	.2113	----	----	----	----	15 UNCH
4395	----	----	----/81.60A	88.70B/81.60A	----	85.90 - 4.70	.2136	----	----	----	----	2 UNCH
4400	87.90	87.90	87.90/82.60A	90.10B/82.60A	----	87.00 - 4.70	.2159	----	----	40	----	941 + 24
4410	----	----	----/84.70A	92.10B/84.70A	----	89.20 - 4.80	.2204	----	----	----	----	1 UNCH
4415	----	----	----/85.80A	93.40B/85.80A	----	90.30 - 4.80	.2227	----	----	----	----	6 UNCH
4420	----	----	----/86.90A	94.40B/86.90A	----	91.50 - 4.80	.2251	----	----	----	----	2 UNCH
4425	----	----	----/88.00A	95.60B/88.00A	----	92.60 - 4.90	.2274	----	----	----	----	3 UNCH
4435	----	----	----/90.20A	98.10B/90.20A	----	95.00 - 4.80	.2322	----	----	----	----	6 UNCH
4440	----	----	----/91.30A	99.20B/91.30A	----	96.10 - 4.90	.2346	----	----	----	----	37 UNCH
4445	----	----	----/92.40A	100.50B/92.40A	----	97.40 - 4.90	.2371	----	----	----	----	1 UNCH
4450	----	----	----/93.50A	101.90B/93.50A	----	98.60 - 4.90	.2395	----	----	----	----	327 UNCH
4455	----	----	----/94.70A	102.90B/94.70A	----	99.80 - 4.90	.2419	----	----	----	----	1 UNCH
4460	----	----	----/95.90A	104.30B/95.90A	----	101.10 - 4.90	.2444	----	----	----	----	4 UNCH
4465	----	----	----/97.10A	105.60B/97.10A	----	102.30 - 5.00	.2469	----	----	----	----	18 UNCH
4470	----	----	----/98.40A	106.80B/98.40A	----	103.60 - 5.00	.2494	----	----	----	----	118 UNCH
4475	103.80	103.80	103.80/99.60A	108.20B/99.60A	----	104.90 - 4.90	.2519	----	----	12	----	35 + 12

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
4480	104.60	104.60	104.80/100.80A	109.50B/100.80A	----	106.20 - 5.00	.2545	----	----	12	----	131 + 12
4485	----	----	----/102.00A	110.90B/102.00A	----	107.50 - 5.00	.2570	----	----	----	----	12 UNCH
4490	----	----	----/103.30A	112.20B/103.30A	----	108.80 - 5.00	.2595	----	----	----	----	3 UNCH
4495	----	----	----/104.60A	113.60B/104.60A	----	110.20 - 5.00	.2622	----	----	----	----	12 UNCH
4500	----	----	----/105.80A	115.10B/105.80A	----	111.60 - 4.90	.2648	----	----	1	----	1300 - 1
4505	----	----	----/107.20A	116.40B/107.20A	----	112.90 - 5.00	.2674	----	----	----	----	17 UNCH
4510	----	----	----/108.50A	117.80B/108.50A	----	114.30 - 5.00	.2700	----	----	----	----	31 UNCH
4515	116.60	116.60	116.60/109.70A	119.20B/109.70A	----	115.70 - 5.00	.2726	----	----	2	----	3 + 2
4525	----	----	----/112.50A	122.00B/112.50A	----	118.60 - 5.00	.2780	----	----	----	----	1 UNCH
4535	----	----	----/115.20A	125.00B/115.20A	----	121.50 - 5.00	.2834	----	----	----	----	10 UNCH
4545	----	----	----/118.00A	128.10B/118.00A	----	124.50 - 4.90	.2889	----	----	----	----	21 UNCH
4550	121.60	121.60	126.00/119.30A	129.60B/119.30A	----	126.00 - 4.90	.2917	----	----	6	----	10 + 4
4560	----	----	----/122.40A	132.70B/122.40A	----	129.10 - 4.90	.2972	----	----	----	----	3 UNCH
4565	----	----	----/123.70A	134.30B/123.70A	----	130.70 - 4.90	.3001	----	----	----	----	2 UNCH
4570	----	----	----/125.30A	135.90B/125.30A	----	132.30 - 4.80	.3029	----	----	----	----	10 UNCH
4575	134.80	134.80	134.80/126.80A	137.40B/126.80A	----	133.90 - 4.80	.3057	----	----	3	----	7 + 3
4580	----	----	----/128.30A	139.10B/128.30A	----	135.50 - 4.80	.3086	----	----	----	----	165 UNCH
4585	----	----	----/129.80A	140.70B/129.80A	----	137.20 - 4.70	.3115	----	----	----	----	4 UNCH
4590	----	----	----/131.30A	142.40B/131.30A	----	138.80 - 4.80	.3143	----	----	----	----	10 UNCH
4600	----	----	----/134.40A	145.80B/134.40A	----	142.20 - 4.70	.3201	----	----	200	----	492 + 132
4605	----	----	----/136.00A	147.50B/136.00A	----	143.90 - 4.60	.3230	----	----	----	----	3 UNCH
4610	----	----	----/137.60A	149.20B/137.60A	----	145.60 - 4.60	.3260	----	----	----	----	2 UNCH
4615	----	----	----/139.30A	150.90B/139.30A	----	147.40 - 4.60	.3289	----	----	----	----	2 UNCH
4620	----	----	----/141.00A	152.70B/141.00A	----	149.10 - 4.60	.3319	----	----	----	----	3 UNCH
4625	----	----	----/142.60A	154.40B/142.60A	----	150.90 - 4.50	.3348	----	----	2	----	102 + 2
4640	----	----	----/147.80A	160.00B/147.80A	----	156.40 - 4.40	.3438	----	----	----	----	303 UNCH
4645	151.60	151.60	151.60/149.40A	161.70B/149.40A	----	158.20 - 4.40	.3468	----	----	2	----	131 + 2
4650	----	----	----/151.10A	163.70B/151.10A	----	160.10 - 4.30	.3499	----	----	----	----	314 UNCH
4665	166.80	166.80	166.80/156.60A	169.20B/156.60A	----	165.90 - 4.10	.3590	----	----	3	----	4 + 3
4670	----	----	----/158.40A	171.20B/158.40A	----	167.80 - 4.10	.3621	----	----	----	----	1 UNCH
4675	----	----	----/160.20A	173.10B/160.20A	----	169.80 - 4.10	.3652	----	----	2	----	4 + 2
4680	----	----	----/162.00A	175.10B/162.00A	----	171.80 - 4.00	.3683	----	----	----	----	5 UNCH
4700	----	----	----/169.60A	183.30B/169.60A	----	179.90 - 3.90	.3807	----	----	----	10	479 UNCH
4705	182.70	182.70	182.70/171.50A	185.40B/171.50A	----	181.90 - 3.90	.3838	----	----	2	----	52 + 2
4710	----	----	----/173.50A	187.50B/173.50A	----	184.00 - 3.80	.3869	----	----	1	----	7 UNCH
4715	----	----	----/175.50A	189.60B/175.50A	----	186.10 - 3.80	.3901	----	----	----	----	1 UNCH
4720	----	----	----/177.50A	191.70B/177.50A	----	188.20 - 3.80	.3932	----	----	----	----	10 UNCH
4725	----	----	----/179.50A	193.80B/179.50A	----	190.40 - 3.70	.3964	----	----	----	----	30 UNCH
4730	----	----	----/181.50A	195.90B/181.50A	----	192.50 - 3.70	.3995	----	----	----	----	1 UNCH
4735	----	----	----/183.50A	198.20B/183.50A	----	194.70 - 3.60	.4027	----	----	----	----	59 UNCH
4740	----	----	200.70B/185.60A	200.70B/185.60A	----	196.80 - 3.70	.4058	----	----	22	----	37 + 22
4745	----	----	----/187.70A	202.60B/187.70A	----	199.00 - 3.60	.4090	----	----	----	----	24 UNCH
4750	202.50	202.50	202.50/189.70A	204.80B/189.70A	----	201.20 - 3.60	.4122	----	----	5	----	186 + 2
4760	----	----	----/194.00A	209.30B/194.00A	----	205.60 - 3.70	.4186	----	----	----	----	1 UNCH
4775	----	----	216.30B/200.60A	216.30B/200.60A	----	212.40 - 3.60	.4282	----	----	----	----	78 UNCH
4780	----	----	218.70B/202.80A	218.70B/202.80A	----	214.70 - 3.60	.4314	----	----	----	----	15 UNCH
4785	219.40	219.40	221.10B/205.00A	221.10B/205.00A	----	217.00 - 3.60	.4346	----	----	1	----	18 + 1
4795	----	----	225.80B/209.50A	225.80B/209.50A	----	221.60 - 3.70	.4410	----	----	----	----	2 UNCH
4800	----	----	228.30B/211.70A	228.30B/211.70A	----	224.00 - 3.60	.4442	----	----	----	----	838 UNCH
4805	----	----	230.90B/214.10A	230.90B/214.10A	----	226.40 - 3.60	.4474	----	----	----	----	2 UNCH
4810	----	----	233.30B/216.40A	233.30B/216.40A	----	228.80 - 3.60	.4507	----	----	----	----	5 UNCH
4820	----	----	238.30B/221.10A	238.30B/221.10A	----	233.70 - 3.50	.4571	----	----	----	----	4 UNCH
4825	----	----	240.80B/223.40A	240.80B/223.40A	----	236.20 - 3.40	.4604	----	----	----	----	2 UNCH
4835	----	----	245.80B/228.20A	245.80B/228.20A	----	241.30 - 3.30	.4668	----	----	----	----	36 UNCH
4840	----	----	248.30B/230.70A	248.30B/230.70A	----	243.90 - 3.10	.4701	----	----	----	----	11 UNCH
4850	----	----	253.80B/235.50A	253.80B/235.50A	----	249.10 - 2.90	.4765	----	----	20	----	101 + 20
4855	----	----	256.30B/238.00A	256.30B/238.00A	----	251.80 - 2.80	.4797	----	----	----	----	10 UNCH
4860	----	----	259.00B/240.60A	259.00B/240.60A	----	254.40 - 2.70	.4829	----	----	3	----	9 + 3
4865	----	----	265.00B/243.10A	265.00B/243.10A	----	257.10 - 2.60	.4862	----	----	----	----	2 UNCH
4870	----	----	264.30B/245.60A	264.30B/245.60A	----	259.90 - 2.30	.4894	----	----	----	----	14 UNCH
4875	----	----	270.40B/248.20A	270.40B/248.20A	----	262.60 - 2.20	.4926	----	----	----	----	77 UNCH
4885	----	----	272.70B/253.30A	272.70B/253.30A	----	268.10 - 2.00	.4990	----	----	----	----	8 UNCH
4890	----	----	278.30B/255.80A	278.30B/255.80A	----	270.90 - 1.80	.5022	----	----	----	----	3 UNCH
4900	----	----	281.30B/261.00A	281.30B/261.00A	----	276.40 - 1.70	.5085	----	----	----	----	355 UNCH
4905	271.60	271.60	283.90B/263.70A	283.90B/263.70A	----	279.20 - 1.60	.5117	----	----	4	----	29 + 4
4910	----	----	284.90B/266.30A	284.90B/266.30A	----	282.10 - 1.40	.5149	----	----	----	----	22 UNCH
4925	----	----	293.40B/274.30A	293.40B/274.30A	----	290.60 - 1.20	.5244	----	----	----	----	50 UNCH
4950	----	----	307.90B/288.40A	307.90B/288.40A	----	305.10 - 1.00	.5401	----	----	----	----	31 UNCH
4955	----	----	313.10B/291.10A	313.10B/291.10A	----	308.00 - 1.00	.5432	----	----	----	----	1 UNCH
4980	----	----	328.40B/305.10A	328.40B/305.10A	----	323.00 - 0.70	.5587	----	----	----	----	1 UNCH
5000	----	----	341.70B/316.70A	341.70B/316.70A	----	335.20 - 0.60	.5710	----	----	----	----	317 UNCH
5010	----	----	344.70B/322.50A	344.70B/322.50A	----	341.50 - 0.50	.5771	----	----	----	----	1 UNCH
5025	----	----	354.30B/331.80A	354.30B/331.80A	----	350.90 - 0.40	.5862	----	----	----	----	25 UNCH
5030	----	----	357.50B/334.70A	357.50B/334.70A	----	354.10 - 0.30	.5892	----	----	----	----	1 UNCH
5040	----	----	364.10B/340.90A	364.10B/340.90A	----	360.60 - 0.20	.5952	----	----	----	----	4 UNCH
5045	----	----	367.30B/344.00A	367.30B/344.00A	----	363.80 - 0.10	.5981	----	----	----	----	31 UNCH
5050	----	----	370.60B/347.00A	370.60B/347.00A	----	367.10 UNCH	.6011	----	----	----	----	351 UNCH
5070	----	----	384.00B/362.70A	384.00B/362.70A	----	380.30 + 0.20	.6128	----	----	----	----	17 UNCH
5080	----	----	390.70B/369.60A	390.70B/369.60A	----	387.00 + 0.40	.6185	----	----	----	----	3 UNCH
5100	----	----	404.40B/382.70A	404.40B/382.70A	----	400.60 + 0.70	.6299	----	----	----	----	82 UNCH
5120	----	----	418.30B/396.00A	418.30B/396.00A	----	414.50 + 1.00	.6411	----	----	----	----	2 UNCH
5180	----	----	461.50B/437.60A	461.50B/437.60A	----	457.40 + 1.90	.6733	----	----	----	----	1 UNCH
5195	----	----	472.50B/448.10A	472.50B/448.10A	----	468.40 + 2.10	.6811	----	----	----	----	2 UNCH
5200	----	----	476.30B/451.90A	476.30B/451.90A	----	472.10 + 2.20	.6836	----	----	----	----	112 UNCH
5265	----	----	----/500.00A	514.90B/500.00A	----	521.40 + 3.20	.7154	----	----	----	----	1 UNCH
5300	----	----	----	361.00B/726.40A	----	548.80 + 3.80	.7313	----	----	----	----	3 UNCH
5355	----	----	----	406.10B/769.30A	----	592.90 + 4.60	.7549	----	----	----	----	1 UNCH
5400	----	----	----	444.10B/805.50A	----	629.90 + 5.20	.7728	----	----	----	----	76 UNCH
5460	----	----	----	496.00B/854.40A	----	680.40 + 6.00	.7948	----	----	----	----	1 UNCH
5500	----	----	----	531.60B/887.30A	----	714.80 + 6.60	.8083	----	----	----	----	3 UNCH
5530	----	----	----	558.40B/912.50A	----	740.90 + 7.10	.8179	----	----	----	----	1 UNCH
5575	----	----	----	599.40B/950.60A	----	780.50 + 7.60	.8312	----	----	----	----	2 UNCH
TOTAL										663	10	23130 + 215
SEP26												
2350	----	----	----	0.10B/2.00A	----	1.10 - 0.10	.0024	----	----	----	----	54 UNCH
2375	----	----	----	0.10B/14.80A	----	1.20 - 0.10	.0026	----	----	----	----	3 UNCH
2400	----	----	----	0.10B/14.90A	----	1.30 - 0.10	.0029	----	----	----	----	1 UNCH
2500	----	----	----	0.10B/15.50A	----	1.60 - 0.20	.0036	----	----	----	----	4 UNCH
2600	----	----	----	1.40B/3.60A	----	2.00 - 0.20	.0046	----	----	----	----	2 UNCH
2900	----	----	----	2.50B/5.30A	----	3.90 - 0.30	.0092	----	----	----	----	1 UNCH
3000	----	----	----	3.20B/6.20A	----	4.80 - 0.30	.0114	----	----	----	----	2 UNCH
3145	----	----	----	4.80B/7.80A	----	6.40 - 0.50	.0155	----	----	----	----	15 UNCH
3150	----	----	----	4.70B/7.60A	----	6.50 - 0.50	.0157	----	----	----	----	2 UNCH
3200	----	----	----	5.40B/8.60A	----	7.20 - 0.60	.0175	----	----	----	----	1 UNCH
3270	----	----	----	6.40B/9.70A	----	8.30 - 0.70	.0203	----	----	----	----	15 UNCH
3300	----	----	----	6.90B/10.20A	----	8.80 - 0.70	.0216	----	----	----	----	1 UNCH
3475	----	----	----	10.70B/14.10A	----	12.70 - 1.10	.0315	----	----	----	----	2 UNCH
3480	----	----	----	10.90B/14.40A	----	12.80 - 1.10	.0317	----	----	----	----	780 UNCH
3500	----	----	----	11.40B/14.80A	----	13.40 - 1.10	.0332	----	----	----	----	19 UNCH
3525	----	----	----	12.30B/15.40A	----	14.10 - 1.30	.0350	----	----	----	----	2 UNCH
3565	----	----	----	13.50B/17.00A	----	15.30 - 1.50	.0381	----	----	----	----	1 UNCH
3610	----	----	----	15.20B/18.50A	----	16.90 - 1.60	.0420	----	----	----	----	1 UNCH
3625	----	----	----	15.80B/19.10A	----	17.50 - 1.60	.0435	----	----	----	----	1 UNCH
3650	----	----	----/20.10A	16.90B/20.10A	----	18.50 - 1.70	.0460	----	----	----	----	66 UNCH
3690	----	----	----/21.80A	18.60B/21.80A	----	20.20 - 1.90	.0501	----	----	----	----	60 UNCH
3700	----	----	----/22.30A	19.10B/22.30A	----	20.70 - 1.90	.0513	----	----	----	----	144 UNCH
3720	----	----	----/23.30A	20.20B/23.30A	----	21.60 - 2.10	.0536	----	----	----	----	50 UNCH
3750	----	----	----/24.70A	21.80B/24.70A	----	23.20 - 2.20	.0573	----	----	----	----	80 UNCH
3755	----	----	----/25.00A	22.00B/25.00A	----	23.40 - 2.30	.0579	----	----	----	----	310 UNCH
3800	----	----	----/27.50A	24.80B/27.50A	----	26.00 - 2.50	.0640	----	----	----	----	2 UNCH
3850	----	----	----/29.40A	28.60B/29.40A	----	29.20 - 2.70	.0715	----	----	----	----	20 UNCH
3880	----	----	----/31.30A	31.10B/31.30A	----	31.30 - 2.90	.0764	----	----	----	----	26 UNCH
3900	----	----	----/32.80A	32.40B/32.80A	----	32.80 - 3.00	.0798	----	----	----	----	211 UNCH
3910	----	----	----/33.50A	33.20B/33.50A	----	33.60 - 3.10	.0817	----	----	----	----	2 UNCH
3920	----	----	----/34.30A	34.00B/34.30A	----	34.40 - 3.10	.0835	----	----	----	----	14 UNCH
3930	----	----	----/35.10A	34.90B/35.10A	----	35.30 - 3.10	.0854	----	----	----	----	2 UNCH
3945	----	----	----/36.50A	36.10B/36.50A	----	36.50 - 3.20	.0882	----	----	----	----	380 UNCH
3950	----	----	----/36.80A	36.80B/36.80A	----	37.00 - 3.20	.0893	----	----	----	----	324 UNCH
4000	----	----	----/41.30A	41.40B/41.30A	----	41.70 - 3.40	.0996	----	----	----	----	715 UNCH
4005	----	----	----/41.80A	41.90B/41.80A	----	42.20 - 3.40	.1007	----	----	----	----	1 UNCH
4020	----	----	----/43.70A	43.50B/43.70A	----	43.70 - 3.50	.1040	----	----	----	----	14 UNCH
4030	----	----	----/44.70A	44.60B/44.70A	----	44.80 - 3.50	.1064	----	----	----	----	2 UNCH
4050	----	----	----/46.80A	47.00B/46.80A	----	46.90 - 3.70	.1110	----	----	----	----	45 UNCH
4080	----	----	----/50.00A	50.60B/50.00A	----	50.40 - 3.70	.1184	----	----	----	----	4 UNCH
4085	----	----	----/50.50A	51.30B/50.50A	----	51.00 - 3.80	.1196	----	----	----	----	76 UNCH
4100	----	----	----/52.20A	53.20B/52.20A	----	52.90 - 3.80	.1236	----	----	----	----	21 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
SEP26												
4130	----	----	----/55.80A	57.30B/55.80A	----	56.70 - 3.90	.1315	----	----	----	----	20 UNCH
4135	----	----	----/56.40A	58.00B/56.40A	----	57.40 - 3.90	.1330	----	----	----	----	3 UNCH
4150	----	----	----/58.30A	60.10B/58.30A	----	59.50 - 3.90	.1372	----	----	----	----	4 UNCH
4185	----	----	----/63.10A	65.30B/63.10A	----	64.50 - 4.10	.1474	----	----	----	----	76 UNCH
4200	----	----	----/65.20A	67.60B/65.20A	----	66.80 - 4.20	.1520	----	----	4	----	113 + 4
4220	----	----	----/68.10A	70.80B/68.10A	----	70.00 - 4.20	.1584	----	----	----	----	113 UNCH
4225	----	----	----/69.10A	71.70B/69.10A	----	70.80 - 4.20	.1600	----	----	----	----	3 UNCH
4230	----	----	----/69.90A	72.50B/69.90A	----	71.60 - 4.30	.1615	----	----	----	----	1 UNCH
4240	----	----	----/71.50A	74.20B/71.50A	----	73.30 - 4.30	.1648	----	----	----	----	56 UNCH
4250	74.60	74.60	76.00B/72.00A	76.00B/72.00A	----	75.00 - 4.30	.1682	----	----	38	----	88 + 26
4300	----	----	----/81.90A	85.30B/81.90A	----	84.10 - 4.50	.1856	----	----	4	----	89 + 4
4320	----	----	----/85.50A	89.30B/85.50A	----	88.00 - 4.60	.1929	----	----	----	----	152 UNCH
4350	----	----	----/91.50A	95.70B/91.50A	----	94.10 - 4.70	.2042	----	----	----	----	20 UNCH
4365	----	----	----/94.60A	99.00B/94.60A	----	97.40 - 4.70	.2101	----	----	----	----	5 UNCH
4390	----	----	----/100.20A	104.70B/100.20A	----	103.00 - 4.80	.2202	----	----	----	----	15 UNCH
4400	----	----	----/102.40A	107.10B/102.40A	----	105.30 - 4.80	.2243	----	----	----	----	36 UNCH
4410	----	----	----/104.70A	109.50B/104.70A	----	107.70 - 4.80	.2284	----	----	----	----	7 UNCH
4420	----	----	----/107.00A	112.00B/107.00A	----	110.10 - 4.90	.2326	----	----	----	----	1 UNCH
4430	----	----	----/109.40A	114.50B/109.40A	----	112.50 - 4.90	.2369	----	----	----	----	2 UNCH
4440	----	----	----/111.80A	117.10B/111.80A	----	115.10 - 4.90	.2412	----	----	----	----	8 UNCH
4450	----	----	----/114.30A	119.70B/114.30A	----	117.60 - 5.00	.2456	----	----	----	----	430 UNCH
4475	----	----	----/120.70A	126.40B/120.70A	----	124.30 - 5.00	.2567	----	----	----	----	3 UNCH
4490	----	----	----/124.70A	130.60B/124.70A	----	128.40 - 5.00	.2636	----	----	----	----	50 UNCH
4500	----	----	----/127.40A	133.50B/127.40A	----	131.20 - 5.10	.2682	----	----	----	----	459 UNCH
4550	----	----	----/141.70A	148.70B/141.70A	----	146.20 - 5.00	.2920	----	----	----	----	350 UNCH
4560	----	----	----/144.70A	151.80B/144.70A	----	149.40 - 5.00	.2969	----	----	----	----	7 UNCH
4580	----	----	----/150.90A	158.40B/150.90A	----	155.90 - 5.00	.3068	----	----	----	----	1 UNCH
4620	----	----	----/163.90A	172.10B/163.90A	----	169.60 - 5.00	.3272	----	----	----	----	500 UNCH
4650	----	----	----/174.30A	183.20B/174.30A	----	180.50 - 4.90	.3428	----	----	----	----	2 UNCH
4700	201.00	201.00	201.00/192.80A	202.60B/192.80A	----	199.80 - 4.80	.3694	----	----	3	----	75 UNCH
4725	----	----	----/202.60A	212.90B/202.60A	----	210.00 - 4.70	.3830	----	----	----	----	1 UNCH
4730	----	----	----/204.60A	215.00B/204.60A	----	212.10 - 4.70	.3858	----	----	----	----	5 UNCH
4740	----	----	----/208.70A	219.30B/208.70A	----	216.30 - 4.70	.3912	----	----	----	----	2 UNCH
4750	----	----	----/212.80A	223.60B/212.80A	----	220.60 - 4.60	.3967	----	----	----	----	150 UNCH
4760	----	----	----/217.00A	228.00B/217.00A	----	224.90 - 4.60	.4023	----	----	----	----	100 UNCH
4775	----	----	----/223.30A	234.70B/223.30A	----	231.50 - 4.50	.4106	----	----	----	----	18 UNCH
4780	235.00	235.00	235.00/225.60A	236.90B/225.60A	----	233.70 NEW	.4134	----	----	2	----	2 + 2
4800	----	----	----/234.30A	246.20B/234.30A	----	242.80 - 4.40	.4245	----	----	----	----	35 UNCH
4825	----	----	----/245.60A	258.10B/245.60A	----	254.60 - 4.20	.4386	----	----	----	----	2 UNCH
4835	----	----	----/250.30A	263.00B/250.30A	----	259.50 - 4.00	.4442	----	----	----	----	30 UNCH
4895	298.90	298.90	298.90/279.60A	298.90/279.60A	----	290.40 NEW	.4779	----	----	1	----	1 + 1
4900	----	----	296.30B/282.10A	296.30B/282.10A	----	293.00 - 3.10	.4807	----	----	----	----	3 UNCH
4930	----	----	312.70B/297.70A	312.70B/297.70A	----	309.60 - 2.50	.4974	----	----	----	----	20 UNCH
4950	----	----	323.80B/308.40A	323.80B/308.40A	----	320.90 - 2.20	.5085	----	----	----	----	1 UNCH
4975	----	----	338.20B/322.10A	338.20B/322.10A	----	335.40 - 1.70	.5222	----	----	----	----	210 UNCH
5000	----	----	352.80B/336.20A	352.80B/336.20A	----	350.20 - 1.30	.5357	----	----	----	----	10 UNCH
5005	----	----	355.80B/339.20A	355.80B/339.20A	----	353.20 - 1.20	.5384	----	----	----	----	3 UNCH
5020	----	----	364.90B/347.70A	364.90B/347.70A	----	362.30 - 1.00	.5465	----	----	----	----	3 UNCH
5100	----	----	415.50B/396.50A	415.50B/396.50A	----	412.70 + 0.10	.5884	----	----	----	----	28 UNCH
5105	----	----	418.80B/399.70A	418.80B/399.70A	----	416.00 + 0.20	.5910	----	----	----	----	2 UNCH
5200	----	----	483.70B/462.40A	483.70B/462.40A	----	480.40 + 0.90	.6378	----	----	----	----	47 UNCH
5230	----	----	505.20B/483.30A	505.20B/483.30A	----	501.70 + 1.20	.6518	----	----	----	----	400 UNCH
5300	----	----	556.80B/533.30A	556.80B/533.30A	----	553.10 + 2.10	.6831	----	----	----	----	300 UNCH
5400	----	----	----/608.70A	603.30B/608.70A	----	630.20 + 3.40	.7238	----	----	----	----	100 UNCH
5420	----	----	----	453.90B/826.50A	----	646.10 + 3.70	.7314	----	----	----	----	80 UNCH
5450	----	----	----	478.50B/850.20A	----	670.20 + 4.00	.7424	----	----	----	----	1 UNCH
5500	----	----	----	520.10B/890.50A	----	711.10 + 4.70	.7599	----	----	----	----	3 UNCH
6000	----	----	----	971.10B/1326.00A	----	1154.70 + 9.90	.8798	----	----	----	----	2 UNCH
TOTAL										52		7724 + 37
OCT26												
2700	----	----	----	1.60B/5.60A	----	3.30 - 0.30	.0072	----	----	----	----	1 UNCH
2800	----	----	----	2.10B/6.30A	----	4.10 - 0.30	.0090	----	----	----	----	3 UNCH
2900	----	----	----	2.80B/7.40A	----	5.10 - 0.40	.0113	----	----	----	----	1 UNCH
3100	----	----	----	5.00B/10.10A	----	7.70 - 0.50	.0173	----	----	----	----	1 UNCH
3155	----	----	----	5.90B/11.10A	----	8.60 - 0.60	.0194	----	----	----	----	1 UNCH
3200	----	----	----	6.70B/12.10A	----	9.50 - 0.70	.0215	----	----	----	----	414 UNCH
3240	----	----	----	7.40B/12.80A	----	10.30 - 0.80	.0234	----	----	----	----	5 UNCH
3300	----	----	----	8.80B/14.50A	----	11.70 - 0.90	.0266	----	----	----	----	415 UNCH
3340	----	----	----	9.70B/15.40A	----	12.80 - 1.00	.0290	----	----	----	----	9 UNCH
3360	----	----	----	10.30B/16.10A	----	13.30 - 1.10	.0302	----	----	----	----	1 UNCH
3380	----	----	----	10.80B/16.60A	----	13.90 - 1.10	.0315	----	----	----	----	1 UNCH
3390	----	----	----	11.20B/17.10A	----	14.20 - 1.20	.0322	----	----	----	----	4 UNCH
3400	----	----	----	11.40B/17.40A	----	14.50 - 1.20	.0329	----	----	----	----	150 UNCH
3480	----	----	----	14.20B/20.20A	----	17.20 - 1.50	.0390	----	----	----	----	12 UNCH
3500	----	----	----	15.00B/21.00A	----	17.90 - 1.60	.0406	----	----	----	----	10 UNCH
3520	----	----	----	15.80B/21.70A	----	18.70 - 1.70	.0424	----	----	----	----	12 UNCH
3550	----	----	----	17.20B/23.10A	----	19.90 - 1.90	.0451	----	----	----	----	25 UNCH
3600	----	----	----	19.50B/25.30A	----	22.20 - 2.10	.0501	----	----	----	----	177 UNCH
3615	----	----	----	20.40B/26.10A	----	23.00 - 2.10	.0518	----	----	----	----	1 UNCH
3700	29.50	29.50	29.50/29.50	29.50/29.50	----	27.80 - 2.60	.0621	----	----	15	----	145 - 15
3715	----	----	----	26.40B/31.70A	----	28.80 - 2.60	.0642	----	----	----	----	196 UNCH
3750	----	----	----/31.90A	29.90B/31.90A	----	31.20 - 2.80	.0692	----	----	----	----	19 UNCH
3770	----	----	----/33.20A	31.50B/33.20A	----	32.60 - 2.90	.0722	----	----	----	----	1 UNCH
3785	----	----	----/34.40A	32.70B/34.40A	----	33.70 - 3.00	.0744	----	----	----	----	1 UNCH
3800	----	----	----/35.50A	33.80B/35.50A	----	34.90 - 3.10	.0769	----	----	----	----	22 UNCH
3805	----	----	----/36.10A	34.50B/36.10A	----	35.30 - 3.10	.0777	----	----	----	----	1 UNCH
3865	----	----	----/41.10A	39.10B/41.10A	----	40.20 - 3.60	.0878	----	----	----	----	2 UNCH
3870	----	----	----/41.50A	39.90B/41.50A	----	40.60 - 3.70	.0886	----	----	----	----	1 UNCH
3875	----	----	----/41.70A	40.20B/41.70A	----	41.10 - 3.70	.0896	----	----	----	----	12 UNCH
3885	----	----	----/42.90A	41.30B/42.90A	----	42.00 - 3.80	.0914	----	----	----	----	5 UNCH
3890	----	----	----/43.10A	41.50B/43.10A	----	42.50 - 3.80	.0924	----	----	----	----	2 UNCH
3895	----	----	----/43.60A	42.10B/43.60A	----	42.90 - 3.90	.0932	----	----	----	----	2 UNCH
3900	----	----	----/44.00A	42.20B/44.00A	----	43.40 - 3.90	.0942	----	----	----	----	22 UNCH
3920	----	----	----/46.00A	44.30B/46.00A	----	45.30 - 4.10	.0981	----	----	----	----	28 UNCH
3930	----	----	----/47.30A	45.30B/47.30A	----	46.30 - 4.20	.1000	----	----	----	----	2 UNCH
3940	----	----	----/48.30A	46.50B/48.30A	----	47.30 - 4.30	.1020	----	----	----	----	65 UNCH
3950	----	----	----/49.30A	47.50B/49.30A	----	48.40 - 4.30	.1042	----	----	----	----	2 UNCH
3975	----	----	----/52.10A	50.50B/52.10A	----	51.10 - 4.50	.1095	----	----	----	----	5 UNCH
4000	----	----	----/55.00A	53.70B/55.00A	----	53.90 - 4.70	.1150	----	----	----	----	407 UNCH
4030	----	----	----/58.60A	57.70B/58.60A	----	57.60 - 4.90	.1220	----	----	----	----	2 UNCH
4035	----	----	----/59.20A	58.30B/59.20A	----	58.30 - 4.90	.1233	----	----	----	----	1 UNCH
4050	----	----	----/61.20A	60.40B/61.20A	----	60.30 - 4.90	.1270	----	----	----	----	5 UNCH
4070	----	----	----/63.70A	63.60B/63.70A	----	63.00 - 5.00	.1321	----	----	----	----	24 UNCH
4100	68.50	68.50	68.50/67.80A	68.50/67.80A	----	67.40 - 5.00	.1401	----	----	1	----	314 UNCH
4130	----	----	----/72.10A	72.80B/72.10A	----	72.00 - 5.10	.1484	----	----	----	----	1 UNCH
4135	----	----	----/72.70A	73.80B/72.70A	----	72.80 - 5.10	.1498	----	----	----	----	1 UNCH
4150	----	----	----/75.00A	76.20B/75.00A	----	75.30 - 5.10	.1542	----	----	----	----	5 UNCH
4200	84.00	84.00	84.00/83.50A	84.90B/83.50A	----	84.10 - 5.10	.1695	----	----	2	----	135 + 2
4220	----	----	----/87.10A	88.60B/87.10A	----	87.80 - 5.10	.1758	----	----	----	----	5 UNCH
4235	----	----	----/89.80A	91.50B/89.80A	----	90.80 - 5.00	.1808	----	----	----	----	1 UNCH
4250	----	----	----/92.50A	94.40B/92.50A	----	93.80 - 5.00	.1858	----	----	----	----	72 UNCH
4265	----	----	----/95.60A	97.50B/95.60A	----	96.90 - 4.90	.1909	----	----	----	----	200 UNCH
4270	----	----	----/96.60A	98.50B/96.60A	----	97.90 - 4.90	.1926	----	----	----	----	226 UNCH
4280	----	----	----/98.60A	100.70B/98.60A	----	100.00 - 4.90	.1961	----	----	----	----	196 UNCH
4300	----	----	----/102.80A	105.10B/102.80A	----	104.40 - 4.90	.2032	----	----	----	----	476 UNCH
4330	----	----	----/109.40A	112.00B/109.40A	----	111.20 - 4.80	.2141	----	----	----	----	1 UNCH
4350	111.50	111.50	116.70B/111.50	116.70B/111.50	----	115.90 - 4.80	.2215	----	----	10	----	210 + 10
4355	----	----	----/115.00A	118.00B/115.00A	----	117.10 - 4.90	.2234	----	----	----	----	11 UNCH
4375	----	----	----/119.80A	122.90B/119.80A	----	122.00 - 4.90	.2310	----	----	----	----	10 UNCH
4400	----	----	----/125.90A	129.40B/125.90A	----	128.40 - 4.90	.2408	----	----	----	----	302 UNCH
4430	----	----	----/133.60A	137.50B/133.60A	----	136.40 - 4.90	.2529	----	----	----	----	3 UNCH
4450	----	----	----/139.10A	143.40B/139.10A	----	142.00 - 4.90	.2612	----	----	----	----	26 UNCH
4500	----	----	----/153.40A	158.80B/153.40A	----	156.70 - 4.90	.2824	----	----	10	10	78 + 10
4600	----	----	----/185.50A	192.40B/185.50A	----	190.00 - 4.60	.3276	----	----	----	----	352 UNCH
4610	----	----	----/189.10A	196.30B/189.10A	----	193.60 - 4.50	.3323	----	----	----	----	5 UNCH
4675	----	----	----/213.20A	221.80B/213.20A	----	218.50 - 4.10	.3634	----	----	----	----	1 UNCH
4700	----	----	----/222.80A	232.20B/222.80A	----	228.70 - 4.00	.3756	----	----	----	----	64 UNCH
4750	----	----	254.10B/243.70A	254.10B/243.70A	----	250.20 - 3.80	.4004	----	----	----	----	173 UNCH
4775	----	----	265.60B/254.40A	265.60B/254.40A	----	261.40 - 3.80	.4130	----	----	----	----	1 UNCH
4800	266.50	266.50	277.20B/265.80A	277.20B/265.80A	----	272.90 - 3.90	.4256	----	----	101	----	211 + 85
4845	----	----	299.80B/287.00A	299.80B/287.00A	----	294.70 - 4.10	.4484	----	----	----	----	17 UNCH
4850	----	----	301.90B/289.40A	301.90B/289.40A	----	297.20 - 4.20	.4509	----	----	----	----	80 UNCH
4875	----	----	315.20B/301.70A	315.20B/301.70A	----	310.20 - 4.00	.4636	----	----	----	----	1 UNCH
4900	----	----	329.00B/314.30A	329.00B/314.30A	----	323.80 - 3.50	.4762	----	----	10	----	120 UNCH
4910	----	----	333.50B/319.50A	333.50B/319.50A	----	329.30 - 3.30	.4812	----	----	----	----	1 UNCH
4920	----	----	339.50B/324.80A	339.50B/324.80A	----	334.80 - 3.20	.4862	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 21

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
OCT26												
4925	----	----	342.20B/327.40A	342.20B/327.40A	----	337.60 - 3.20	.4887	----	----	----	----	25 UNCH
4935	----	----	347.80B/332.50A	347.80B/332.50A	----	343.10 - 3.10	.4937	----	----	----	----	5 UNCH
4980	----	----	373.20B/357.20A	373.20B/357.20A	----	368.80 - 2.70	.5160	----	----	----	----	1 UNCH
5000	----	----	385.20B/368.50A	385.20B/368.50A	----	380.50 - 2.50	.5258	----	----	----	----	47 UNCH
5010	----	----	391.30B/374.30A	391.30B/374.30A	----	386.40 - 2.50	.5307	----	----	----	----	1 UNCH
5050	----	----	415.40B/397.80A	415.40B/397.80A	----	410.80 - 2.00	.5500	----	----	----	----	25 UNCH
5150	----	----	480.50B/460.00A	480.50B/460.00A	----	475.50 - 0.40	.5962	----	----	----	----	1 UNCH
5200	----	----	514.10B/493.20A	514.10B/493.20A	----	509.60 + 0.40	.6183	----	----	----	----	100 UNCH
5230	----	----	535.40B/513.60A	535.40B/513.60A	----	530.50 + 0.70	.6311	----	----	----	----	2 UNCH
5250	----	----	550.30B/527.50A	550.30B/527.50A	----	544.70 + 1.00	.6395	----	----	----	----	75 UNCH
5300	----	----	586.50B/562.70A	586.50B/562.70A	----	580.90 + 1.60	.6600	----	----	----	----	6 UNCH
5425	----	----	676.60B/655.40A	676.60B/655.40A	----	675.40 + 2.80	.7073	----	----	----	----	1 UNCH
5455	----	----	----/678.40A	684.10B/678.40A	----	699.00 + 3.20	.7178	----	----	----	----	40 UNCH
5500	----	----	----	530.40B/926.40A	----	734.90 + 3.70	.7329	----	----	----	----	1 UNCH
5600	----	----	----	614.00B/1006.80A	----	817.00 + 4.90	.7637	----	----	----	----	1 UNCH
5700	----	----	----	700.70B/1089.70A	----	901.70 + 6.00	.7911	----	----	----	----	1 UNCH
TOTAL										149	10	5847 + 92
NOV26												
2750	----	----	----	1.80B/8.00A	----	4.70 - 0.30	.0096	----	----	----	----	1 UNCH
2800	----	----	----	2.00B/8.60A	----	5.30 - 0.30	.0108	----	----	----	----	8 UNCH
2900	----	----	----	3.00B/9.80A	----	6.60 - 0.40	.0135	----	----	----	----	1 UNCH
3000	----	----	----	4.20B/11.50A	----	8.10 - 0.50	.0167	----	----	----	----	95 UNCH
3120	----	----	----	6.20B/14.00A	----	10.40 - 0.70	.0215	----	----	----	----	10 UNCH
3180	----	----	----	7.50B/15.40A	----	11.80 - 0.70	.0244	----	----	----	----	10 UNCH
3200	----	----	----	7.90B/16.20A	----	12.30 - 0.80	.0254	----	----	----	----	93 UNCH
3215	----	----	----	8.20B/16.40A	----	12.70 - 0.80	.0262	----	----	----	----	1 UNCH
3220	----	----	----	8.40B/16.70A	----	12.80 - 0.80	.0264	----	----	----	----	1 UNCH
3225	----	----	----	8.50B/16.80A	----	12.90 - 0.90	.0267	----	----	----	----	1 UNCH
3235	----	----	----	8.80B/17.10A	----	13.20 - 0.90	.0273	----	----	----	----	2 UNCH
3250	----	----	----	9.20B/17.60A	----	13.60 - 0.90	.0281	----	----	----	----	18 UNCH
3255	----	----	----	9.30B/17.70A	----	13.80 - 0.90	.0285	----	----	----	----	18 UNCH
3300	----	----	----	10.60B/19.10A	----	15.10 - 1.00	.0312	----	----	----	----	20 UNCH
3310	----	----	----	10.90B/19.40A	----	15.40 - 1.00	.0318	----	----	----	----	1 UNCH
3320	----	----	----	11.20B/19.80A	----	15.70 - 1.10	.0324	----	----	----	----	16 UNCH
3350	----	----	----	12.20B/21.00A	----	16.70 - 1.20	.0345	----	----	----	----	180 UNCH
3455	----	----	----	16.30B/25.20A	----	20.80 - 1.50	.0427	----	----	----	----	1 UNCH
3475	----	----	----	17.20B/26.10A	----	21.70 - 1.60	.0445	----	----	----	----	2 UNCH
3500	----	----	----	18.40B/27.20A	----	22.80 - 1.80	.0467	----	----	----	----	655 UNCH
3535	----	----	----	20.20B/29.10A	----	24.60 - 1.90	.0502	----	----	----	----	1 UNCH
3690	----	----	----/36.50A	32.50B/36.50A	----	34.00 - 2.90	.0684	----	----	----	----	1 UNCH
3725	----	----	----/38.90A	35.20B/38.90A	----	36.60 - 3.10	.0732	----	----	----	----	1 UNCH
3740	----	----	----/39.60A	36.50B/39.60A	----	37.70 - 3.30	.0753	----	----	----	----	21 UNCH
3750	----	----	----/40.50A	37.10B/40.50A	----	38.50 - 3.40	.0768	----	----	----	----	150 UNCH
3780	----	----	----/42.90A	39.80B/42.90A	----	41.00 - 3.60	.0814	----	----	----	----	1 UNCH
3800	----	----	----/44.80A	41.50B/44.80A	----	42.80 - 3.70	.0847	----	----	----	----	25 UNCH
3820	----	----	----/46.60A	43.50B/46.60A	----	44.60 - 3.90	.0880	----	----	----	----	20 UNCH
3875	----	----	----/53.20A	48.50B/53.20A	----	50.10 - 4.30	.0978	----	----	----	----	24 UNCH
4000	----	----	----/67.40A	64.10B/67.40A	----	65.00 - 5.20	.1236	----	----	----	----	3 UNCH
4100	----	----	----/80.80A	80.00B/80.80A	----	79.90 - 5.80	.1480	----	----	----	----	1 UNCH
4160	----	----	----/91.10A	90.60B/91.10A	----	90.30 - 6.00	.1644	----	----	----	----	1 UNCH
4170	----	----	----/92.90A	92.50B/92.90A	----	92.20 - 5.90	.1673	----	----	----	----	1 UNCH
4200	----	----	----/98.50A	98.20B/98.50A	----	97.90 - 6.00	.1761	----	----	----	----	5 UNCH
4205	----	----	----/99.50A	99.20B/99.50A	----	98.90 - 6.00	.1776	----	----	----	----	1 UNCH
4215	----	----	----/101.40A	101.20B/101.40A	----	100.90 - 6.00	.1806	----	----	----	----	5 UNCH
4275	----	----	----/113.60A	113.90B/113.60A	----	113.70 - 6.00	.1994	----	----	----	----	3 UNCH
4320	----	----	----/123.70A	124.60B/123.70A	----	124.10 - 6.00	.2144	----	----	----	----	43 UNCH
4350	----	----	----/130.60A	131.80B/130.60A	----	131.50 - 5.90	.2247	----	----	----	----	3 UNCH
4400	----	----	----/143.20A	145.10B/143.20A	----	144.60 - 5.80	.2426	----	----	----	----	3 UNCH
4425	----	----	----/149.90A	152.10B/149.90A	----	151.60 - 5.60	.2519	----	----	----	----	72 UNCH
4500	----	----	----/171.40A	174.60B/171.40A	----	173.90 - 5.40	.2807	----	----	----	----	40 UNCH
4580	----	----	----/197.30A	201.80B/197.30A	----	200.40 - 5.00	.3132	----	----	----	----	10 UNCH
4640	----	----	----/218.60A	224.10B/218.60A	----	222.20 - 4.80	.3386	----	----	----	----	90 UNCH
4700	----	----	----/241.40A	248.00B/241.40A	----	245.90 - 4.40	.3647	----	----	----	----	2 UNCH
4725	----	----	----/251.40A	258.90B/251.40A	----	256.30 - 4.30	.3758	----	----	----	----	2 UNCH
4800	----	----	----/283.60A	292.60B/283.60A	----	289.40 - 4.10	.4095	----	----	----	----	4 UNCH
4840	----	----	----/301.90A	311.80B/301.90A	----	308.10 - 4.40	.4277	----	----	----	----	2 UNCH
4900	----	----	----/331.20A	342.00B/331.20A	----	338.10 - 4.10	.4552	----	----	----	----	2 UNCH
4915	----	----	350.10B/338.80A	350.10B/338.80A	----	346.10 - 3.80	.4620	----	----	----	----	3 UNCH
4950	----	----	369.00B/356.80A	369.00B/356.80A	----	365.40 - 3.00	.4778	----	----	----	----	11 UNCH
4960	----	----	374.30B/362.10A	374.30B/362.10A	----	371.00 - 2.80	.4823	----	----	----	----	2 UNCH
5000	----	----	396.50B/383.60A	396.50B/383.60A	----	393.80 - 2.30	.5002	----	----	----	----	254 UNCH
5055	----	----	429.30B/414.90A	429.30B/414.90A	----	426.20 - 1.90	.5244	----	----	----	----	8 UNCH
5200	----	----	520.70B/503.50A	520.70B/503.50A	----	517.60 - 0.60	.5856	----	----	----	----	81 UNCH
5395	----	----	658.40B/637.50A	658.40B/637.50A	----	654.40 + 1.50	.6601	----	----	----	----	6 UNCH
5400	----	----	662.30B/641.10A	662.30B/641.10A	----	658.10 + 1.60	.6618	----	----	----	----	6 UNCH
5760	----	----	----	720.80B/1156.20A	----	944.90 + 4.90	.7698	----	----	----	----	1 UNCH
5975	----	----	----	911.20B/1338.60A	----	1131.40 + 6.80	.8171	----	----	----	----	1 UNCH
6000	----	----	----	933.90B/1360.20A	----	1153.60 + 7.00	.8218	----	----	----	----	1 UNCH
TOTAL												2045 0
DEC26												
1350	----	----	----	----/1.10A	----	0.10 UNCH	.0001	----	----	----	----	16 UNCH
1500	----	----	----	----/2.00A	----	0.30 UNCH	.0005	----	----	----	----	1 UNCH
1600	----	----	----	----/2.70A	----	0.40 UNCH	.0007	----	----	----	----	190 UNCH
1700	----	----	----	----/3.50A	----	0.50 UNCH	.0009	----	----	----	----	200 UNCH
1845	----	----	----	0.10B/20.90A	----	0.70 - 0.10	.0013	----	----	----	----	36 UNCH
1900	----	----	----	0.10B/21.30A	----	0.90 UNCH	.0016	----	----	----	----	4 UNCH
2000	----	----	----	0.10B/21.90A	----	1.10 - 0.10	.0020	----	----	----	----	2 UNCH
2400	----	----	----	0.40B/5.80A	----	3.00 - 0.10	.0056	----	----	----	----	1 UNCH
2490	----	----	----	0.50B/6.50A	----	3.70 - 0.10	.0069	----	----	----	----	1 UNCH
2750	----	----	----	2.30B/9.30A	----	6.30 - 0.30	.0120	----	----	----	----	1 UNCH
2800	----	----	----	2.80B/10.10A	----	7.00 - 0.30	.0134	----	----	----	----	8 UNCH
2900	----	----	----	5.30B/11.80A	----	8.50 - 0.40	.0163	----	----	----	----	19 UNCH
2925	----	----	----	4.30B/12.40A	----	8.90 - 0.40	.0171	----	----	----	----	300 UNCH
2975	----	----	----	5.20B/13.50A	----	9.80 - 0.50	.0189	----	----	----	----	400 UNCH
3000	----	----	----	5.60B/14.10A	----	10.30 - 0.60	.0199	----	----	----	----	1363 UNCH
3160	----	----	----	9.20B/18.30A	----	14.10 - 0.90	.0273	----	----	----	----	2 UNCH
3175	----	----	----	9.70B/18.80A	----	14.50 - 1.00	.0281	----	----	----	----	1 UNCH
3190	----	----	----	10.20B/19.20A	----	14.90 - 1.00	.0289	----	----	----	----	5 UNCH
3250	----	----	----	11.90B/21.40A	----	16.90 - 1.10	.0327	----	----	----	----	15 UNCH
3300	----	----	----	13.80B/23.40A	----	18.70 - 1.30	.0361	----	----	----	----	7 UNCH
3400	----	----	----	18.20B/28.00A	----	22.90 - 1.80	.0440	----	----	----	----	1610 UNCH
3425	----	----	----	19.40B/29.10A	----	24.10 - 1.90	.0462	----	----	----	----	350 UNCH
3450	----	----	----	20.80B/30.50A	----	25.40 - 2.00	.0486	----	----	----	----	201 UNCH
3460	----	----	----	21.30B/31.00A	----	25.90 - 2.10	.0495	----	----	----	----	20 UNCH
3475	----	----	----	22.20B/31.90A	----	26.70 - 2.20	.0510	----	----	----	----	152 UNCH
3500	----	----	----	23.70B/33.30A	----	28.20 - 2.30	.0537	----	----	----	----	1457 UNCH
3550	----	----	----	26.90B/36.50A	----	31.20 - 2.60	.0591	----	----	----	----	18 UNCH
3565	----	----	----	27.90B/37.40A	----	32.20 - 2.70	.0608	----	----	----	----	2 UNCH
3590	----	----	----	29.70B/39.10A	----	34.00 - 2.80	.0640	----	----	----	----	1 UNCH
3600	----	----	----	31.90B/39.90A	----	34.70 - 2.90	.0652	----	----	----	----	356 UNCH
3610	----	----	----	33.80B/38.40A	----	35.40 - 3.00	.0664	----	----	----	----	3 UNCH
3650	----	----	----/40.50A	36.50B/40.50A	----	38.50 - 3.20	.0718	----	----	----	----	201 UNCH
3660	----	----	----/41.00A	37.40B/41.00A	----	39.30 - 3.30	.0732	----	----	----	----	5 UNCH
3670	----	----	----/42.10A	38.30B/42.10A	----	40.10 - 3.40	.0746	----	----	----	----	1 UNCH
3690	----	----	----/43.60A	40.20B/43.60A	----	41.80 - 3.50	.0775	----	----	----	----	1 UNCH
3700	----	----	----/44.60A	41.10B/44.60A	----	42.70 - 3.60	.0790	----	----	----	----	269 UNCH
3710	----	----	----/45.60A	41.80B/45.60A	----	43.60 - 3.60	.0805	----	----	----	----	37 UNCH
3720	----	----	----/46.40A	43.10B/46.40A	----	44.50 - 3.70	.0820	----	----	----	----	1 UNCH
3725	----	----	----/46.90A	43.20B/46.90A	----	44.90 - 3.80	.0827	----	----	----	----	6 UNCH
3750	----	----	----/48.90A	46.20B/48.90A	----	47.30 - 4.00	.0867	----	----	----	----	166 UNCH
3760	----	----	----/50.20A	47.00B/50.20A	----	48.30 - 4.00	.0884	----	----	----	----	184 UNCH
3780	----	----	----/52.10A	49.20B/52.10A	----	50.30 - 4.20	.0917	----	----	----	----	1 UNCH
3800	----	----	----/54.30A	49.90B/54.30A	----	52.40 - 4.30	.0952	----	----	----	----	73 UNCH
3810	----	----	----/55.30A	51.10B/55.30A	----	53.50 - 4.40	.0969	----	----	----	----	56 UNCH
3850	----	----	----/59.70A	55.30B/59.70A	----	58.00 - 4.70	.1042	----	----	----	----	24 UNCH
3880	----	----	----/63.20A	59.30B/63.20A	----	61.70 - 4.80	.1101	----	----	----	----	1 UNCH
3900	----	----	----/65.60A	62.00B/65.60A	----	64.20 - 5.00	.1141	----	----	----	----	1204 UNCH
3925	----	----	----/68.80A	65.50B/68.80A	----	67.50 - 5.10	.1192	----	----	----	----	205 UNCH
3930	----	----	----/69.50A	66.40B/69.50A	----	68.20 - 5.10	.1203	----	----	----	----	2 UNCH
3950	----	----	----/72.20A	69.50B/72.20A	----	70.90 - 5.30	.1245	----	----	----	----	27 UNCH
3975	----	----	----/75.60A	73.10B/75.60A	----	74.50 - 5.40	.1301	----	----	----	----	190 UNCH
3980	75.30	75.30	75.30/75.30	75.30/75.30	----	75.30 - 5.40	.1313	----	----	3	----	139 + 3
4000	----	----	----/79.20A	77.20B/79.20A	----	78.30 - 5.50	.1358	----	----	----	----	1711 UNCH
4025	----	----	----/83.00A	81.50B/83.00A	----	82.20 - 5.60	.1417	----	----	----	----	220 UNCH
4050	----	----	----/86.90A	85.90B/86.90A	----	86.40 - 5.60	.1479	----	----	----	----	200 UNCH
4070	----	----	----/90.20A	89.10B/90.20A	----	89.80 - 5.70	.1529	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
DEC26												
4090	----	----	----/93.70A	92.60B/93.70A	----	93.30 - 5.80	.1580	----	----	----	----	1 UNCH
4100	----	----	----/95.50A	94.40B/95.50A	----	95.10 - 5.80	.1606	----	----	----	----	382 UNCH
4130	----	----	----/100.90A	100.10B/100.90A	----	100.70 - 5.90	.1686	----	----	----	----	2 UNCH
4160	----	----	----/106.70A	106.10B/106.70A	----	106.60 - 5.90	.1769	----	----	----	----	252 UNCH
4170	----	----	----/108.70A	108.20B/108.70A	----	108.60 - 6.00	.1797	----	----	----	----	2 UNCH
4175	----	----	----/109.70A	109.20B/109.70A	----	109.70 - 5.90	.1812	----	----	----	----	60 UNCH
4200	----	----	----/114.70A	114.40B/114.70A	----	114.90 - 6.00	.1884	----	----	----	----	657 UNCH
4215	----	----	----/117.90A	117.60B/117.90A	----	118.20 - 5.90	.1929	----	----	----	----	14 UNCH
4250	----	----	----/125.60A	125.60B/125.60A	----	126.00 - 6.00	.2034	----	----	----	----	206 UNCH
4300	----	----	----/137.20A	137.70B/137.20A	----	138.00 - 5.90	.2192	----	----	----	----	2106 UNCH
4320	----	----	----/142.10A	142.80B/142.10A	----	143.10 - 5.90	.2257	----	----	----	----	100 UNCH
4325	----	----	----/143.40A	144.10B/143.40A	----	144.40 - 5.80	.2274	----	----	----	----	300 UNCH
4340	----	----	----/147.30A	148.10B/147.30A	----	148.30 - 5.80	.2324	----	----	----	----	79 UNCH
4350	----	----	----/149.90A	150.80B/149.90A	----	151.00 - 5.80	.2357	----	----	50	----	151 + 50
4375	----	----	----/156.50A	157.70B/156.50A	----	157.80 - 5.70	.2442	----	----	----	----	2 UNCH
4385	----	----	----/159.20A	160.90B/159.20A	----	160.60 - 5.70	.2477	----	----	----	----	75 UNCH
4390	----	----	----/160.50A	162.00B/160.50A	----	162.00 - 5.70	.2494	----	----	----	----	14 UNCH
4400	----	----	----/163.30A	164.80B/163.30A	----	164.90 - 5.60	.2530	----	----	----	----	99 UNCH
4425	----	----	----/170.50A	172.30B/170.50A	----	172.20 - 5.50	.2618	----	----	----	----	9 UNCH
4435	----	----	----/173.40A	175.50B/173.40A	----	175.20 - 5.50	.2654	----	----	----	----	14 UNCH
4450	----	----	----/177.70A	180.00B/177.70A	----	179.70 - 5.50	.2708	----	----	----	----	260 UNCH
4475	----	----	----/185.30A	187.90B/185.30A	----	187.50 - 5.40	.2800	----	----	----	----	8 UNCH
4500	----	----	----/193.20A	196.60B/193.20A	----	195.60 - 5.30	.2893	----	----	----	----	1207 UNCH
4510	----	----	----/196.40A	199.60B/196.40A	----	198.90 - 5.20	.2931	----	----	----	----	2 UNCH
4515	----	----	----/198.10A	201.10B/198.10A	----	200.60 - 5.20	.2950	----	----	----	----	242 UNCH
4520	----	----	----/199.60A	202.80B/199.60A	----	202.30 - 5.10	.2969	----	----	----	----	25 UNCH
4525	----	----	----/201.30A	204.80B/201.30A	----	204.00 NEW	.2988	----	----	210	----	200 + 200
4530	----	----	----/203.00A	206.30B/203.00A	----	205.70 - 5.10	.3007	----	----	----	----	20 UNCH
4535	----	----	----/204.70A	208.00B/204.70A	----	207.40 - 5.10	.3026	----	----	----	----	102 UNCH
4540	----	----	----/206.30A	209.80B/206.30A	----	209.10 - 5.00	.3045	----	----	----	----	1 UNCH
4550	----	----	----/209.80A	213.60B/209.80A	----	212.60 - 5.00	.3084	----	----	----	----	5 UNCH
4555	----	----	----/211.50A	215.10B/211.50A	----	214.30 - 5.00	.3103	----	----	----	----	50 UNCH
4580	----	----	----/220.20A	224.30B/220.20A	----	223.20 - 4.90	.3201	----	----	----	----	50 UNCH
4585	----	----	----/222.00A	226.10B/222.00A	----	225.10 - 4.80	.3220	----	----	----	----	325 UNCH
4600	----	----	----/227.50A	231.80B/227.50A	----	230.60 - 4.80	.3280	----	----	----	----	418 UNCH
4620	----	----	----/234.80A	239.50B/234.80A	----	238.10 - 4.70	.3359	----	----	----	----	50 UNCH
4625	----	----	----/236.80A	241.50B/236.80A	----	240.00 - 4.70	.3379	----	----	----	----	24 UNCH
4640	----	----	----/242.20A	247.30B/242.20A	----	245.80 - 4.60	.3440	----	----	----	----	100 UNCH
4650	----	----	----/246.10A	251.30B/246.10A	----	249.80 - 4.50	.3480	----	----	----	----	111 UNCH
4680	----	----	----/257.80A	263.90B/257.80A	----	261.80 - 4.40	.3603	----	----	----	----	60 UNCH
4690	----	----	----/262.10A	268.00B/262.10A	----	266.00 - 4.30	.3644	----	----	----	----	1 UNCH
4700	----	----	----/265.70A	272.60B/265.70A	----	270.10 - 4.30	.3685	----	----	----	----	522 UNCH
4750	----	----	----/286.70A	294.20B/286.70A	----	291.80 - 3.90	.3893	----	----	----	----	68 UNCH
4790	----	----	----/304.50A	312.90B/304.50A	----	310.00 - 3.70	.4061	----	----	----	----	60 UNCH
4800	----	----	----/309.10A	317.40B/309.10A	----	314.70 - 3.70	.4104	----	----	----	----	159 UNCH
4810	----	----	----/313.70A	322.20B/313.70A	----	319.50 - 3.60	.4146	----	----	----	----	56 UNCH
4815	----	----	----/315.90A	324.60B/315.90A	----	321.90 - 3.50	.4167	----	----	----	----	10 UNCH
4820	----	----	----/318.10A	327.10B/318.10A	----	324.30 - 3.50	.4188	----	----	----	----	20 UNCH
4825	----	----	----/320.60A	329.50B/320.60A	----	326.70 - 3.50	.4209	----	----	----	----	108 UNCH
4850	----	----	----/332.40A	341.80B/332.40A	----	339.00 - 3.30	.4315	----	----	----	----	10 UNCH
4880	----	----	----/347.10A	357.00B/347.10A	----	354.20 - 3.10	.4443	----	----	----	----	11 UNCH
4900	----	----	----/357.00A	367.00B/357.00A	----	364.60 - 3.00	.4528	----	----	----	----	107 UNCH
4925	----	----	380.70B/369.80A	380.70B/369.80A	----	377.90 - 2.70	.4633	----	----	----	----	137 UNCH
4950	----	----	394.20B/383.00A	394.20B/383.00A	----	391.40 - 2.60	.4738	----	----	----	----	7 UNCH
4975	----	----	408.10B/396.20A	408.10B/396.20A	----	405.30 - 2.40	.4843	----	----	----	----	43 UNCH
4980	408.00	408.00	410.90B/395.00A	410.90B/395.00A	----	408.10 - 2.40	.4864	----	----	10	----	5 - 7
4995	----	----	419.10B/407.10A	419.10B/407.10A	----	416.60 - 2.30	.4926	----	----	----	----	32 UNCH
5000	----	----	422.30B/409.90A	422.30B/409.90A	----	419.50 - 2.20	.4947	----	----	----	----	440 UNCH
5020	----	----	433.90B/420.90A	433.90B/420.90A	----	431.00 - 2.00	.5029	----	----	----	----	8 UNCH
5025	----	----	437.10B/423.70A	437.10B/423.70A	----	433.90 - 2.00	.5050	----	----	----	----	210 UNCH
5035	----	----	442.60B/429.50A	442.60B/429.50A	----	439.80 - 1.90	.5091	----	----	----	----	8 UNCH
5050	----	----	451.50B/438.00A	451.50B/438.00A	----	448.70 - 1.70	.5152	----	----	----	----	201 UNCH
5070	----	----	463.50B/449.90A	463.50B/449.90A	----	460.70 - 1.50	.5233	----	----	----	----	1 UNCH
5075	----	----	466.60B/452.50A	466.60B/452.50A	----	463.70 - 1.50	.5253	----	----	----	----	100 UNCH
5095	----	----	478.50B/464.50A	478.50B/464.50A	----	475.90 - 1.30	.5333	----	----	----	----	6 UNCH
5100	----	----	481.50B/467.50A	481.50B/467.50A	----	479.00 - 1.30	.5353	----	----	----	----	6 UNCH
5195	----	----	542.50B/525.90A	542.50B/525.90A	----	539.40 - 0.40	.5724	----	----	----	----	5 UNCH
5200	----	----	545.80B/529.30A	545.80B/529.30A	----	542.70 - 0.40	.5743	----	----	----	----	38 UNCH
5250	----	----	579.30B/561.60A	579.30B/561.60A	----	576.10 + 0.10	.5931	----	----	----	----	126 UNCH
5290	----	----	606.70B/588.40A	606.70B/588.40A	----	603.40 + 0.40	.6077	----	----	----	----	1 UNCH
5295	----	----	609.80B/591.80A	609.80B/591.80A	----	606.90 + 0.50	.6095	----	----	----	----	1 UNCH
5360	----	----	656.70B/636.80A	656.70B/636.80A	----	652.70 + 1.00	.6324	----	----	----	----	100 UNCH
5370	----	----	663.60B/643.80A	663.60B/643.80A	----	659.90 + 1.10	.6358	----	----	----	----	20 UNCH
5375	----	----	667.10B/647.30A	667.10B/647.30A	----	663.50 + 1.20	.6375	----	----	----	----	34 UNCH
5400	----	----	685.20B/665.20A	685.20B/665.20A	----	681.60 + 1.30	.6459	----	----	----	----	102 UNCH
5415	----	----	696.50B/675.70A	696.50B/675.70A	----	692.60 + 1.50	.6509	----	----	----	----	4 UNCH
5460	----	----	730.10B/708.60A	730.10B/708.60A	----	726.00 + 1.90	.6656	----	----	----	----	200 UNCH
5465	----	----	733.70B/712.40A	733.70B/712.40A	----	729.80 + 2.00	.6672	----	----	----	----	50 UNCH
5480	----	----	744.70B/723.30A	744.70B/723.30A	----	741.10 + 2.10	.6720	----	----	----	----	50 UNCH
5500	----	----	760.60B/738.20A	760.60B/738.20A	----	756.20 + 2.20	.6782	----	----	----	----	31 UNCH
5525	----	----	780.00B/757.30A	780.00B/757.30A	----	775.40 + 2.40	.6859	----	----	----	----	80 UNCH
5600	----	----	838.50B/814.90A	838.50B/814.90A	----	833.90 + 3.10	.7080	----	----	----	----	252 UNCH
5900	----	----	----	842.10B/1309.20A	----	1082.20 + 5.70	.7821	----	----	----	----	125 UNCH
6000	----	----	----	930.70B/1394.40A	----	1169.10 + 6.50	.8022	----	----	----	----	40 UNCH
6500	----	----	----	1390.50B/1845.10A	----	1624.60 + 9.70	.8752	----	----	----	----	4 UNCH
TOTAL										273		23055 + 246
JAN27												
2800	----	----	----	1.30B/14.10A	----	7.80 - 0.40	.0143	----	----	----	----	10 UNCH
3000	----	----	----	4.60B/19.00A	----	11.80 - 0.70	.0216	----	----	----	----	3 UNCH
3500	----	----	----	25.20B/40.70A	----	33.20 - 2.70	.0583	----	----	----	----	1 UNCH
3520	----	----	----	26.60B/43.10A	----	34.60 - 2.80	.0605	----	----	----	----	1 UNCH
3680	----	----	----/*51.00A	45.40B/51.00A	----	47.70 - 3.90	.0813	----	----	----	----	1 UNCH
3800	----	----	----/*64.30A	57.10B/64.30A	----	60.50 - 4.30	.1007	----	----	----	----	1 UNCH
3825	----	----	----/67.20A	60.00B/67.20A	----	63.50 - 4.40	.1051	----	----	----	----	1 UNCH
3900	----	----	----/76.70A	69.70B/76.70A	----	73.40 - 4.50	.1194	----	----	----	----	1 UNCH
3980	----	----	----/88.20A	82.00B/88.20A	----	85.30 - 4.70	.1362	----	----	----	----	1 UNCH
4000	----	----	----/91.40A	84.90B/91.40A	----	88.50 - 4.70	.1406	----	----	----	----	1 UNCH
4350	----	----	----/164.60A	160.30B/164.60A	----	162.80 - 6.00	.2348	----	----	----	----	1 UNCH
4400	----	----	----/178.20A	174.60B/178.20A	----	176.70 - 6.20	.2508	----	----	----	----	1 UNCH
4500	----	----	----/208.40A	206.00B/208.40A	----	207.30 - 6.40	.2846	----	----	----	----	2 UNCH
4585	----	----	----/237.20A	235.50B/237.20A	----	236.50 - 6.50	.3149	----	----	----	----	1 UNCH
4600	----	----	----/242.70A	241.90B/242.70A	----	242.00 - 6.40	.3204	----	----	----	----	3 UNCH
4630	----	----	----/253.80A	253.30B/253.80A	----	253.20 - 6.40	.3315	----	----	----	----	1 UNCH
4660	----	----	----/265.20A	265.20B/265.20A	----	264.80 - 6.40	.3427	----	----	----	----	4 UNCH
4665	----	----	----/267.20A	266.70B/267.20A	----	266.80 - 6.30	.3446	----	----	----	----	4 UNCH
4760	----	----	----/306.20A	307.10B/306.20A	----	306.50 - 5.80	.3811	----	----	----	----	100 UNCH
4800	----	----	----/323.70A	325.30B/323.70A	----	324.40 - 5.50	.3967	----	----	----	----	6 UNCH
4820	----	----	----/332.30A	334.90B/332.30A	----	333.70 - 5.30	.4045	----	----	----	----	6 UNCH
4860	----	----	----/351.00A	354.00B/351.00A	----	352.90 - 5.00	.4203	----	----	----	----	1 UNCH
4980	409.90	409.90	416.30B/409.90	416.30B/409.90	----	415.50 NEW	.4676	----	----	5	----	5 + 5
4990	----	----	----/416.60A	422.00B/416.60A	----	421.00 - 4.20	.4714	----	----	----	----	1 UNCH
4995	----	----	----/419.20A	424.60B/419.20A	----	423.80 - 4.20	.4734	----	----	----	----	1 UNCH
5000	----	----	----/421.90A	428.00B/421.90A	----	426.60 - 4.10	.4753	----	----	----	----	3 UNCH
5050	----	----	----/449.30A	456.00B/449.30A	----	455.20 - 3.80	.4946	----	----	----	----	100 UNCH
5085	----	----	----/468.90A	476.90B/468.90A	----	475.80 - 3.60	.5078	----	----	----	----	2 UNCH
5150	----	----	----/507.50A	515.80B/507.50A	----	515.40 - 2.90	.5321	----	----	----	----	2 UNCH
5235	----	----	----/559.90A	570.50B/559.90A	----	569.70 - 1.80	.5628	----	----	----	----	2 UNCH
5245	----	----	----/566.30A	576.40B/566.30A	----	576.20 - 1.80	.5663	----	----	----	----	2 UNCH
5300	----	----	----/601.70A	613.10B/601.70A	----	612.90 - 1.00	.5854	----	----	----	----	4 UNCH
TOTAL										5		273 + 5
FEB27												
4000	----	----	----	92.90B/101.80A	----	98.80 - 2.30	.1481	----	----	----	----	1 UNCH
4600	----	----	----/261.50A	255.40B/261.50A	----	260.70 - 4.30	.3245	----	----	----	----	17 UNCH
4650	----	----	----/280.80A	274.90B/280.80A	----	280.30 - 4.10	.3424	----	----	----	----	1 UNCH
4655	----	----	----/282.80A	276.90B/282.80A	----	282.30 - 4.10	.3441	----	----	----	----	1 UNCH
4660	----	----	----/284.80A	279.00B/284.80A	----	284.40 - 4.00	.3460	----	----	----	----	435 UNCH
4665	----	----	----/286.80A	281.00B/286.80A	----	286.40 - 4.10	.3478	----	----	----	----	3 UNCH
4775	----	----	----/333.50A	328.40B/333.50A	----	334.10 - 3.30	.3881	----	----	----	----	1 UNCH
4835	363.10	363.10	363.10/361.00A	363.10/361.00A	----	362.30 NEW	.4104	----	----	1	----	1 + 1
5000	----	----	----/444.10A	441.30B/444.10A	----	447.50 - 1.30	.4720	----	----	----	----	10 UNCH
5005	----	----	----/446.80A	444.00B/446.80A	----	450.30 - 1.20	.4738	----	----	----	----	2 UNCH
5100	----	----	----/500.00A	498.30B/500.00A	----	504.90 - 0.10	.5084	----	----	----	----	2 UNCH
5150	----	----	----/529.40A	528.20B/529.40A	----	535.20 + 0.40	.5262	----	----	----	----	1 UNCH
5175	----	----	----/544.50A	543.60B/544.50A	----	550.70 + 0.70	.5349	----	----	----	----	125 UNCH
5200	----	----	----/559.80A	559.20B/559.80A	----	566.40 + 0.90	.5436	----	----	----	----	1 UNCH
5355	----	----	----/659.80A	661.10B/659.80A	----	669.00 + 2.40	.5950	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 23

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
FEB27												
5520	----	----	----/774.60A	743.40B/774.60A	----	787.00 + 4.30	.6450	----	----	----	----	300 UNCH
5530	----	----	----/780.90A	745.80B/780.90A	----	794.40 + 4.40	.6479	----	----	----	----	100 UNCH
5550	----	----	----	467.50B/1139.60A	----	809.30 + 4.60	.6536	----	----	----	----	65 UNCH
5565	----	----	----	478.70B/1150.60A	----	820.50 + 4.70	.6578	----	----	----	----	50 UNCH
TOTAL										1		1117 + 1
MAR27												
5000	----	----	----	153.10B/*717.60A	----	473.90 + 6.30	.4544	----	----	----	----	75 UNCH
TOTAL												75 0
APR27												
4300	----	----	----	----/*345.20A	----	197.80 + 3.10	.2347	----	----	----	----	150 UNCH
5000	----	----	----	101.00B/*802.00A	----	494.10 + 6.30	.4519	----	----	----	----	100 UNCH
TOTAL												250 0
DEC27												
3700	----	----	----	----	----	145.30 + 1.70	.1333	----	----	----	----	100 UNCH
3715	----	----	----	----	----	148.10 + 1.70	.1355	----	----	----	----	150 UNCH
3820	----	----	----	----	----	168.70 + 2.00	.1517	----	----	----	----	50 UNCH
4130	----	----	----	----	----	239.90 + 2.80	.2055	----	----	----	----	168 UNCH
4500	----	----	----	----	----	354.10 + 3.90	.2825	----	----	----	----	270 UNCH
4630	----	----	----	----	----	404.60 + 4.30	.3125	----	----	----	----	284 UNCH
4860	----	----	----	----	----	507.80 + 5.10	.3675	----	----	----	----	100 UNCH
5000	----	----	----	----	----	578.10 + 5.60	.4014	----	----	----	----	50 UNCH
5650	----	----	----	----	----	960.20 + 7.90	.5514	----	----	----	----	200 UNCH
5880	----	----	----	----	----	1116.90 + 8.60	.5987	----	----	----	----	200 UNCH
TOTAL												1572 0
JAN28												
5000	----	----	----	----	----	582.70 + 5.50	.3924	----	----	----	----	1 UNCH
5100	----	----	----	----	----	634.60 + 5.80	.4159	----	----	----	----	1 UNCH
TOTAL												2 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
3400	----	----	----	----	----	1408.30 - 15.30	1.0000	----	----	----	----	1 UNCH
3500	----	----	----	----	----	1308.30 - 15.30	1.0000	----	----	----	----	1 UNCH
3600	----	----	1,237.40B/1,203	1237.40B/1203.50A	----	1208.30 - 15.30	.9995	----	----	10	----	10 UNCH
3675	----	----	1,162.50B/1,128	1162.50B/1128.50A	----	1133.30 - 15.30	.9994	----	----	8	----	0 - 8
3685	----	----	1,152.80B/1,118	1152.80B/1118.60A	----	1123.30 - 15.30	.9994	----	----	8	----	8 UNCH
3700	----	----	1,137.80B/1,103	1137.80B/1103.60A	----	1108.30 - 15.30	.9994	----	----	30	----	11 - 19
3720	----	----	1,117.50B/1,083	1117.50B/1083.60A	----	1088.30 - 15.30	.9988	----	----	----	----	6 UNCH
3725	----	----	1,112.50B/1,078	1112.50B/1078.70A	----	1083.30 - 15.40	.9988	----	----	----	----	0 - 8
3735	----	----	1,102.50B/1,068	1102.50B/1068.70A	----	1073.30 - 15.40	.9988	----	----	----	----	10 - 5
3750	----	----	1,087.60B/1,053	1087.60B/1053.70A	----	1058.30 - 15.40	.9988	----	----	----	----	0 - 56
3800	----	----	1,037.50B/1,003	1037.50B/1003.70A	----	1008.30 - 15.40	.9987	----	----	----	----	24 - 20
3820	----	----	----	----	----	988.30 - 15.50	.9981	----	----	----	----	2 UNCH
3840	----	----	997.60B/963.30A	997.60B/963.30A	----	968.30 - 15.50	.9980	----	----	----	----	20 UNCH
3855	----	----	----	----	----	953.30 - 15.50	.9980	----	----	----	----	2 UNCH
3875	----	----	962.60B/928.50A	962.60B/928.50A	----	933.40 - 15.50	.9979	----	----	----	----	40 - 1
3890	----	----	----	----	----	918.40 - 15.50	.9979	----	----	----	----	0 - 1
3895	----	----	942.70B/908.70A	942.70B/908.70A	----	913.40 - 15.50	.9973	----	----	----	----	9 UNCH
3900	----	----	939.20B/902.10A	939.20B/902.10A	----	908.40 - 15.50	.9973	----	----	----	----	110 - 2
3950	----	----	889.30B/852.20A	889.30B/852.20A	----	858.50 - 15.50	.9965	----	----	----	----	202 - 21
3960	----	----	877.80B/843.40A	877.80B/843.40A	----	848.50 - 15.60	.9965	----	----	----	----	11 UNCH
3975	----	----	862.80B/828.70A	862.80B/828.70A	----	833.50 - 15.60	.9964	----	----	----	----	13 UNCH
3980	----	----	859.30B/822.30A	859.30B/822.30A	----	828.50 - 15.60	.9964	----	----	----	----	97 UNCH
3995	----	----	842.90B/808.70A	842.90B/808.70A	----	813.60 - 15.60	.9958	----	----	----	----	62 UNCH
4000	----	----	839.40B/802.20A	839.40B/802.20A	----	808.60 - 15.60	.9957	----	----	----	----	135 - 8
4005	----	----	833.40B/798.80A	833.40B/798.80A	----	803.60 - 15.60	.9957	----	----	----	----	30 UNCH
4015	----	----	822.90B/788.50A	822.90B/788.50A	----	793.60 - 15.60	.9956	----	----	----	----	5 UNCH
4020	----	----	818.00B/783.80A	818.00B/783.80A	----	788.60 - 15.60	.9956	----	----	----	----	15 UNCH
4025	----	----	----	----	----	783.60 - 15.70	.9956	----	----	----	----	2 UNCH
4050	----	----	789.50B/752.40A	789.50B/752.40A	----	758.70 - 15.60	.9949	----	----	----	----	176 UNCH
4070	----	----	768.60B/733.60A	768.60B/733.60A	----	738.80 - 15.60	.9941	----	----	----	----	25 UNCH
4075	----	----	763.60B/729.00A	763.60B/729.00A	----	733.80 - 15.60	.9941	----	----	----	----	22 UNCH
4090	----	----	----	----	----	718.90 - 15.60	.9934	----	----	----	----	1 UNCH
4100	----	----	738.70B/704.00A	738.70B/704.00A	----	708.90 - 15.60	.9933	----	----	----	----	48 UNCH
4105	----	----	733.70B/698.80A	733.70B/698.80A	----	703.90 - 15.70	.9932	----	----	----	----	10 UNCH
4115	----	----	723.30B/689.00A	723.30B/689.00A	----	694.00 - 15.60	.9926	----	----	----	----	4 UNCH
4120	----	----	721.20B/682.10A	721.20B/682.10A	----	689.00 - 15.60	.9925	----	----	----	----	372 UNCH
4125	----	----	----	----	----	684.00 - 15.60	.9925	----	----	----	----	1 UNCH
4130	----	----	708.80B/674.10A	708.80B/674.10A	----	679.00 - 15.70	.9924	----	----	----	----	11 UNCH
4135	----	----	703.30B/669.10A	703.30B/669.10A	----	674.00 - 15.70	.9917	----	----	----	----	3 UNCH
4145	----	----	----	----	----	664.10 - 15.60	.9916	----	----	----	----	1 UNCH
4150	----	----	691.30B/652.20A	691.30B/652.20A	----	659.10 - 15.70	.9916	----	----	----	----	255 UNCH
4155	----	----	----	----	----	654.10 - 15.70	.9909	----	----	----	----	1 UNCH
4165	----	----	673.50B/639.40A	673.50B/639.40A	----	644.20 - 15.60	.9908	----	----	----	----	3 UNCH
4170	----	----	669.00B/634.40A	669.00B/634.40A	----	639.20 - 15.70	.9907	----	----	----	----	24 UNCH
4175	----	----	664.00B/629.40A	664.00B/629.40A	----	634.20 - 15.70	.9900	----	----	----	----	3 UNCH
4180	----	----	660.00B/623.00A	660.00B/623.00A	----	629.30 - 15.60	.9900	----	----	----	----	123 UNCH
4185	----	----	653.60B/619.20A	653.60B/619.20A	----	624.30 - 15.70	.9899	----	----	----	----	3 UNCH
4190	----	----	649.10B/614.40A	649.10B/614.40A	----	619.30 - 15.70	.9898	----	----	----	----	18 UNCH
4200	----	----	641.40B/602.00A	641.40B/602.00A	----	609.40 - 15.70	.9890	----	----	----	----	822 UNCH
4205	----	----	633.70B/599.50A	633.70B/599.50A	----	604.40 - 15.70	.9890	----	----	----	----	4 UNCH
4210	----	----	629.20B/594.70A	629.20B/594.70A	----	599.50 - 15.60	.9883	----	----	----	----	23 UNCH
4220	----	----	618.80B/584.60A	618.80B/584.60A	----	589.50 - 15.70	.9881	----	----	----	----	7 UNCH
4240	----	----	599.40B/564.90A	599.40B/564.90A	----	569.70 - 15.70	.9865	----	----	----	----	21 UNCH
4245	----	----	----	----	----	564.70 - 15.70	.9863	----	----	----	----	2 UNCH
4250	----	----	591.80B/552.90A	591.80B/552.90A	----	559.70 - 15.80	.9862	----	----	----	----	277 UNCH
4255	----	----	585.40B/548.20A	585.40B/548.20A	----	554.80 - 15.70	.9855	----	----	----	----	103 UNCH
4260	----	----	579.00B/544.70A	579.00B/544.70A	----	549.80 - 15.80	.9854	----	----	----	----	8 UNCH
4265	----	----	588.90B/539.20A	588.90B/539.20A	----	544.90 - 15.70	.9853	----	----	----	----	13 UNCH
4270	----	----	582.60B/534.20A	582.60B/534.20A	----	539.90 - 15.80	.9845	----	----	----	----	29 UNCH
4275	----	----	577.70B/529.30A	577.70B/529.30A	----	534.90 - 15.80	.9844	----	----	----	----	14 UNCH
4280	----	----	574.00B/524.30A	574.00B/524.30A	----	530.00 - 15.80	.9836	----	----	----	----	1 UNCH
4285	----	----	567.80B/519.40A	567.80B/519.40A	----	525.00 - 15.80	.9835	----	----	----	----	4 UNCH
4290	----	----	562.80B/514.40A	562.80B/514.40A	----	520.10 - 15.80	.9827	----	----	----	----	44 UNCH
4295	----	----	557.90B/509.50A	557.90B/509.50A	----	515.10 - 15.90	.9826	----	----	----	----	2 UNCH
4300	----	----	552.90B/503.20A	552.90B/503.20A	----	510.20 - 15.80	.9818	----	----	----	----	1117 UNCH
4305	----	----	547.90B/499.60A	547.90B/499.60A	----	505.20 - 15.90	.9816	----	----	----	----	2 UNCH
4315	----	----	540.10B/489.70A	540.10B/489.70A	----	495.40 - 15.80	.9807	----	----	----	----	3 UNCH
4325	----	----	528.10B/478.60A	528.10B/478.60A	----	485.50 - 15.90	.9797	----	----	----	----	562 UNCH
4330	----	----	523.20B/474.90A	523.20B/474.90A	----	480.50 - 16.00	.9788	----	----	----	----	26 UNCH
4335	----	----	518.20B/470.00A	518.20B/470.00A	----	475.60 - 16.00	.9780	----	----	----	----	1 UNCH
4340	----	----	513.30B/465.10A	513.30B/465.10A	----	470.70 - 15.90	.9778	----	----	----	----	4 UNCH
4345	----	----	508.40B/460.20A	508.40B/460.20A	----	465.70 - 16.00	.9769	----	----	----	----	2 UNCH
4350	----	----	503.40B/454.10A	503.40B/454.10A	----	460.80 - 16.00	.9761	----	----	----	----	250 UNCH
4355	----	----	499.20B/450.30A	499.20B/450.30A	----	455.90 - 16.00	.9759	----	----	----	----	40 UNCH
4360	----	----	493.60B/444.30A	493.60B/444.30A	----	451.00 - 16.00	.9750	----	----	----	----	349 UNCH
4365	----	----	488.60B/440.50A	488.60B/440.50A	----	446.10 - 16.00	.9741	----	----	----	----	5 UNCH
4370	----	----	490.80B/435.60A	490.80B/435.60A	----	441.10 - 16.10	.9732	----	----	----	----	75 UNCH
4375	----	----	486.00B/430.70A	486.00B/430.70A	----	436.20 - 16.10	.9723	----	----	----	----	34 UNCH
4380	----	----	480.90B/425.80A	480.90B/425.80A	----	431.30 - 16.20	.9714	----	----	----	----	12 UNCH
4385	----	----	476.00B/420.90A	476.00B/420.90A	----	426.40 - 16.20	.9711	----	----	----	----	4 UNCH
4390	----	----	471.10B/416.00A	471.10B/416.00A	----	421.50 - 16.20	.9702	----	----	----	----	10 UNCH
4395	----	----	466.20B/411.10A	466.20B/411.10A	----	416.60 - 16.20	.9692	----	----	----	----	5 UNCH
4400	----	----	461.20B/405.00A	461.20B/405.00A	----	411.70 - 16.30	.9676	----	----	----	----	1634 UNCH
4405	----	----	456.50B/401.40A	456.50B/401.40A	----	406.80 - 16.30	.9667	----	----	----	----	16 UNCH
4410	----	----	451.00B/396.50A	451.00B/396.50A	----	402.00 - 16.30	.9657	----	----	----	----	44 UNCH
4415	----	----	446.10B/391.60A	446.10B/391.60A	----	397.10 - 16.30	.9647	----	----	----	----	35 UNCH
4420	----	----	441.20B/386.80A	441.20B/386.80A	----	392.20 - 16.40	.9637	----	----	----	----	50 UNCH
4425	----	----	436.30B/381.90A	436.30B/381.90A	----	387.30 - 16.40	.9620	----	----	----	----	67 UNCH
4430	----	----	432.00B/377.10A	432.00B/377.10A	----	382.50 - 16.40	.9610	----	----	----	----	16 UNCH
4435	----	----	427.00B/372.10A	427.00B/372.10A	----	377.60 - 16.50	.9599	----	----	----	----	6 UNCH
4440	----	----	422.10B/367.40A	422.10B/367.40A	----	372.80 - 16.50	.9582	----	----	----	----	62 UNCH
4445	----	----	417.20B/362.60A	417.20B/362.60A	----	367.90 - 16.60	.9571	----	----	----	----	7 UNCH
4450	----	----	411.90B/356.60A	411.90B/356.60A	----	363.10 - 16.60	.9553	----	----	----	----	270 UNCH
4455	----	----	407.60B/352.90A	407.60B/352.90A	----	358.30 - 16.60	.9536	----	----	----	----	44 UNCH
4460	----	----	402.60B/348.10A	402.60B/348.10A	----	353.50 - 16.60	.9518	----	----	----	----	27 UNCH
4465	----	----	397.30B/343.30A	397.30B/343.30A	----	348.60 - 16.70	.9506	----	----	----	----	20 UNCH
4470	----	----	392.90B/338.40A	392.90B/338.40A	----	343.80 - 16.80	.9488	----	----	----	----	53 UNCH
4475	----	----	388.20B/333.70A	388.20B/333.70A	----	339.00 - 16.80	.9470	----	----	----	----	39 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
4480	----	----	383.20B/328.90A	383.20B/328.90A	----	334.20 - 16.90	.9451	----	----	----	----	117 UNCH
4485	----	----	378.40B/324.10A	378.40B/324.10A	----	329.50 - 16.80	.9432	----	----	----	----	23 UNCH
4490	----	----	373.70B/319.40A	373.70B/319.40A	----	324.70 - 16.90	.9407	----	----	----	----	19 UNCH
4495	----	----	368.30B/314.60A	368.30B/314.60A	----	319.90 - 17.00	.9387	----	----	----	----	16 UNCH
4500	----	----	363.50B/308.90A	363.50B/308.90A	----	315.20 - 17.00	.9368	----	----	----	----	1250 UNCH
4505	----	----	358.70B/305.20A	358.70B/305.20A	----	310.40 - 17.10	.9342	----	----	----	----	29 UNCH
4510	----	----	353.90B/300.50A	353.90B/300.50A	----	305.70 - 17.20	.9315	----	----	----	----	46 UNCH
4515	----	----	349.80B/295.80A	349.80B/295.80A	----	301.00 - 17.20	.9295	----	----	----	----	16 UNCH
4520	----	----	344.90B/291.20A	344.90B/291.20A	----	296.30 - 17.30	.9268	----	----	----	----	20 UNCH
4525	----	----	339.70B/286.50A	339.70B/286.50A	----	291.60 - 17.30	.9241	----	----	----	----	23 UNCH
4530	----	----	335.50B/281.90A	335.50B/281.90A	----	286.90 - 17.40	.9214	----	----	----	----	37 UNCH
4535	----	----	330.20B/277.20A	330.20B/277.20A	----	282.20 - 17.50	.9180	----	----	----	----	30 UNCH
4540	----	----	325.90B/272.60A	325.90B/272.60A	----	277.60 - 17.60	.9152	----	----	----	----	20 UNCH
4545	----	----	321.10B/268.10A	321.10B/268.10A	----	272.90 - 17.70	.9118	----	----	----	----	4 UNCH
4550	----	----	316.60B/262.40A	316.60B/262.40A	----	268.30 - 17.70	.9089	----	----	----	----	365 UNCH
4555	----	----	311.90B/258.90A	311.90B/258.90A	----	263.70 - 17.80	.9054	----	----	----	----	31 UNCH
4560	----	----	307.10B/254.30A	307.10B/254.30A	----	259.10 - 17.90	.9018	----	----	----	----	35 UNCH
4565	----	----	302.40B/249.90A	302.40B/249.90A	----	254.50 - 18.00	.8977	----	----	1	----	49 UNCH
4570	----	----	297.90B/245.30A	297.90B/245.30A	----	250.00 - 18.00	.8941	----	----	----	----	205 UNCH
4575	----	----	293.10B/240.90A	293.10B/240.90A	----	245.50 - 18.10	.8899	----	----	----	----	69 UNCH
4580	----	----	288.30B/236.50A	288.30B/236.50A	----	241.00 - 18.20	.8857	----	----	----	----	6 UNCH
4585	----	----	283.40B/232.00A	283.40B/232.00A	----	236.50 - 18.30	.8814	----	----	----	----	100 UNCH
4590	----	----	279.40B/227.60A	279.40B/227.60A	----	232.00 - 18.40	.8771	----	----	----	----	130 UNCH
4595	----	----	274.60B/223.30A	274.60B/223.30A	----	227.60 - 18.40	.8722	----	----	----	----	31 UNCH
4600	222.30	222.30	269.60B/217.90A	269.60B/217.90A	----	223.20 - 18.50	.8678	----	----	3	----	2679 UNCH
4605	----	----	265.50B/213.60A	265.50B/213.60A	----	218.80 - 18.50	.8623	----	----	----	----	302 UNCH
4610	----	----	260.60B/210.20A	260.60B/210.20A	----	214.40 - 18.60	.8573	----	----	----	----	76 - 1
4615	----	----	256.10B/206.00A	256.10B/206.00A	----	210.10 - 18.70	.8517	----	----	----	----	20 UNCH
4620	----	----	251.60B/201.70A	251.60B/201.70A	----	205.80 - 18.70	.8461	----	----	----	----	26 UNCH
4625	----	----	247.60B/197.60A	247.60B/197.60A	----	201.50 - 18.80	.8405	----	----	----	----	117 UNCH
4630	----	----	243.20B/193.40A	243.20B/193.40A	----	197.30 - 18.80	.8348	----	----	----	----	39 UNCH
4635	----	----	238.30B/189.30A	238.30B/189.30A	----	193.10 - 18.90	.8286	----	----	----	----	229 UNCH
4640	----	----	233.90B/185.10A	233.90B/185.10A	----	188.90 - 19.00	.8219	----	----	----	----	45 UNCH
4645	----	----	229.90B/181.10A	229.90B/181.10A	----	184.80 - 19.00	.8156	----	----	----	----	6 UNCH
4650	----	----	225.20B/175.90A	225.20B/175.90A	----	180.60 - 19.10	.8088	----	----	1	----	588 UNCH
4655	----	----	221.20B/172.90A	221.20B/172.90A	----	176.60 - 19.10	.8020	----	----	----	----	222 UNCH
4660	----	----	216.90B/169.00A	216.90B/169.00A	----	172.50 - 19.20	.7947	----	----	----	----	151 UNCH
4665	----	----	212.30B/165.00A	212.30B/165.00A	----	168.50 - 19.20	.7874	----	----	----	----	51 UNCH
4670	----	----	208.50B/161.10A	208.50B/161.10A	----	164.60 - 19.20	.7800	----	----	----	----	117 UNCH
4675	----	----	204.30B/157.30A	204.30B/157.30A	----	160.60 - 19.30	.7725	----	----	----	----	87 UNCH
4680	----	----	200.00B/153.00A	200.00B/153.00A	----	156.70 - 19.30	.7647	----	----	----	----	160 UNCH
4685	----	----	195.50B/149.70A	195.50B/149.70A	----	152.90 - 19.30	.7564	----	----	----	----	159 UNCH
4690	162.70	162.70	191.30B/146.00A	191.30B/146.00A	----	149.10 - 19.30	.7481	----	----	7	----	46 - 3
4695	----	----	187.30B/142.30A	187.30B/142.30A	----	145.30 - 19.30	.7397	----	----	----	----	55 UNCH
4700	----	----	183.70B/137.60A	183.70B/137.60A	----	141.60 - 19.30	.7310	----	----	3	----	2231 - 1
4705	143.70	143.70	179.20B/133.80A	179.20B/133.80A	----	137.90 - 19.30	.7222	----	----	6	----	313 - 6
4710	----	----	175.70B/131.50A	175.70B/131.50A	----	134.20 - 19.30	.7134	----	----	----	----	205 UNCH
4715	----	----	171.30B/128.00A	171.30B/128.00A	----	130.60 - 19.30	.7042	----	----	----	----	68 UNCH
4720	----	----	167.40B/123.30A	167.40B/123.30A	----	127.10 - 19.30	.6950	----	----	----	----	265 UNCH
4725	161.50	161.50	163.50B/121.10A	163.50B/121.10A	----	123.50 - 19.30	.6854	----	----	4	----	144 - 1
4730	----	----	160.10B/117.80A	160.10B/117.80A	----	120.10 - 19.20	.6756	----	----	----	----	60 UNCH
4735	----	----	155.90B/114.50A	155.90B/114.50A	----	116.70 - 19.20	.6659	----	----	----	----	31 UNCH
4740	----	----	152.20B/111.20A	152.20B/111.20A	----	113.30 - 19.20	.6558	----	----	----	----	160 UNCH
4745	----	----	148.50B/105.30A	148.50B/105.30A	----	110.00 - 19.10	.6458	----	----	----	----	26 UNCH
4750	120.70	120.70	144.80B/102.20A	144.80B/102.20A	----	106.70 - 19.10	.6354	----	----	1	----	1384 UNCH
4755	----	----	141.20B/99.10A	141.20B/99.10A	----	103.50 - 19.00	.6249	----	----	----	----	45 UNCH
4760	----	----	137.60B/96.00A	137.60B/96.00A	----	100.40 - 18.90	.6144	----	----	----	----	94 UNCH
4765	----	----	134.10B/93.00A	134.10B/93.00A	----	97.30 - 18.80	.6037	----	----	----	----	80 UNCH
4770	----	----	130.50B/90.10A	130.50B/90.10A	----	94.20 - 18.90	.5928	----	----	----	----	87 UNCH
4775	----	----	127.10B/87.40A	127.10B/87.40A	----	91.30 - 18.70	.5819	----	----	12	----	203 UNCH
4780	----	----	123.80B/84.50A	123.80B/84.50A	----	88.30 - 18.70	.5708	----	----	----	----	59 UNCH
4785	----	----	120.40B/81.80A	120.40B/81.80A	----	85.50 - 18.60	.5598	----	----	1	----	36 UNCH
4790	----	----	117.50B/79.20A	117.50B/79.20A	----	82.70 - 18.50	.5485	----	----	----	----	133 UNCH
4795	79.00	79.00	113.90B/76.50A	113.90B/76.50A	----	79.90 - 18.50	.5373	----	----	2	----	68 + 2
4800	93.00	93.00	110.70B/74.00A	110.70B/74.00A	----	77.20 - 18.40	.5260	----	----	164	----	2190 + 13
4805	73.80	73.80	107.50B/71.50A	107.50B/71.50A	----	74.60 - 18.20	.5146	----	----	1	----	66 UNCH
4810	73.00	73.00	104.40B/69.00A	104.40B/69.00A	----	72.00 - 18.10	.5032	----	----	8	200	774 + 193
4815	87.50	87.50	101.30B/66.50A	101.30B/66.50A	----	69.50 - 18.00	.4918	----	----	20	----	45 + 4
4820	72.10	72.10	99.20B/64.30A	99.20B/64.30A	----	67.10 - 17.80	.4804	----	----	11	----	219 + 10
4825	66.50	66.50	96.00B/62.00A	96.00B/62.00A	----	64.70 - 17.60	.4689	----	----	97	----	216 - 49
4830	61.60	61.60	93.20B/59.80A	93.20B/59.80A	----	62.30 - 17.50	.4575	----	----	1	----	90 + 1
4835	86.50	86.50	90.30B/57.60A	90.30B/57.60A	----	60.10 - 17.20	.4461	----	----	75	----	71 + 3
4840	82.00	82.00	87.50B/55.50A	87.50B/55.50A	----	57.80 - 17.10	.4347	----	----	96	----	118 + 2
4845	79.70	79.70	84.80B/53.40A	84.80B/53.40A	----	55.70 - 16.80	.4235	----	----	17	----	175 + 7
4850	72.10	72.10	82.10B/51.40A	82.10B/51.40A	----	53.60 - 16.60	.4122	----	----	43	----	1271 - 5
4855	----	----	79.60B/49.50A	79.60B/49.50A	----	51.50 - 16.50	.4009	----	----	----	----	112 UNCH
4860	78.00	78.00	78.00/47.60A	78.00/47.60A	----	49.50 - 16.20	.3898	----	----	38	----	77 - 2
4865	67.40	67.40	74.50B/45.70A	74.50B/45.70A	----	47.60 - 16.00	.3788	----	----	4	----	184 UNCH
4870	68.10	68.10	72.00B/43.90A	72.00B/43.90A	----	45.70 - 15.80	.3679	----	----	11	----	149 + 8
4875	57.80	57.80	69.60B/42.20A	69.60B/42.20A	----	43.90 - 15.50	.3571	----	----	100	----	205 - 7
4880	----	----	67.20B/40.50A	67.20B/40.50A	----	42.20 - 15.20	.3466	----	----	----	----	60 UNCH
4885	47.10	47.10	65.00B/38.90A	65.00B/38.90A	----	40.40 - 15.00	.3358	----	----	1	----	56 UNCH
4890	45.40	45.40	62.80B/37.30A	62.80B/37.30A	----	38.80 - 14.70	.3255	----	----	4	----	81 + 1
4895	36.50	36.50	60.60B/35.80A	60.60B/35.80A	----	37.20 - 14.50	.3152	----	----	2	----	72 UNCH
4900	59.00	59.00	59.00/34.30A	59.00/34.30A	----	35.70 - 14.20	.3053	----	----	354	70	2155 - 147
4905	38.80	38.80	56.30B/32.90A	56.30B/32.90A	----	34.20 - 13.90	.2953	----	----	1	----	42 - 1
4910	33.00	33.00	54.40B/31.60A	54.40B/31.60A	----	32.80 - 13.60	.2857	----	----	1	----	86 + 1
4915	----	----	52.40B/30.20A	52.40B/30.20A	----	31.40 - 13.30	.2760	----	----	3	----	69 - 1
4920	33.70	33.70	50.60B/29.00A	50.60B/29.00A	----	30.00 - 13.10	.2664	----	----	2	----	71 - 1
4925	33.30	33.30	48.60B/27.70A	48.60B/27.70A	----	28.80 - 12.80	.2576	----	----	9	----	292 + 3
4930	35.90	35.90	46.80B/26.50A	46.80B/26.50A	----	27.50 - 12.50	.2483	----	----	50	----	240 + 45
4935	----	----	45.00B/25.40A	45.00B/25.40A	----	26.40 - 12.20	.2399	----	----	----	----	67 UNCH
4940	----	----	43.40B/24.30A	43.40B/24.30A	----	25.20 - 11.90	.2311	----	----	----	----	23 UNCH
4945	----	----	41.80B/23.20A	41.80B/23.20A	----	24.10 - 11.70	.2227	----	----	----	----	84 UNCH
4950	37.70	37.70	40.20B/22.10A	40.20B/22.10A	----	23.10 - 11.30	.2148	----	----	194	----	1309 - 60
4955	----	----	38.60B/21.30A	38.60B/21.30A	----	22.10 - 11.00	.2070	----	----	4	----	15 + 4
4960	----	----	37.10B/20.30A	37.10B/20.30A	----	21.10 - 10.80	.1991	----	----	----	----	44 UNCH
4965	23.40	23.40	35.70B/19.40A	35.70B/19.40A	----	20.20 - 10.50	.1918	----	----	1	----	71 UNCH
4970	25.20	25.20	34.10B/18.60A	34.10B/18.60A	----	19.30 - 10.20	.1845	----	----	8	----	65 + 4
4975	24.90	24.90	33.00B/17.80A	33.00B/17.80A	----	18.40 - 10.00	.1772	----	----	40	----	296 - 9
4980	17.70	17.70	31.70B/17.00A	31.70B/17.00A	----	17.60 - 9.70	.1704	----	----	18	----	240 - 13
4985	23.80	23.80	30.30B/*16.20A	30.30B/*16.20A	----	16.80 - 9.40	.1637	----	----	8	----	180 - 3
4990	21.70	21.70	28.90B/*15.50A	28.90B/*15.50A	----	16.10 - 9.10	.1576	----	----	1	----	59 - 1
4995	15.60	15.60	27.90B/*14.80A	27.90B/*14.80A	----	15.40 - 8.80	.1515	----	----	1	----	138 - 1
5000	21.00	21.00	27.00B/13.90A	27.00B/13.90A	----	14.70 - 8.60	.1454	----	----	1103	----	4168 + 199
5005	----	----	25.80B/*13.40A	25.80B/*13.40A	----	14.00 - 8.30	.1393	----	----	----	----	31 UNCH
5010	----	----	24.50B/*12.80A	24.50B/*12.80A	----	13.40 - 8.10	.1339	----	----	3	----	152 - 3
5015	20.80	20.80	23.50B/*12.20A	23.50B/*12.20A	----	12.80 - 7.80	.1285	----	----	13	----	63 UNCH
5020	13.70	13.70	22.60B/*11.70A	22.60B/*11.70A	----	12.20 - 7.60	.1231	----	----	4	----	86 - 1
5025	12.20	12.20	21.60B/*11.10A	21.60B/*11.10A	----	11.70 - 7.30	.1184	----	----	86	----	283 - 5
5030	12.60	12.60	20.80B/*10.60A	20.80B/*10.60A	----	11.10 - 7.20	.1130	----	----	5	----	323 + 5
5035	----	----	19.90B/*10.10A	19.90B/*10.10A	----	10.70 - 6.80	.1090	----	----	----	----	24 UNCH
5040	11.50	11.50	19.00B/*9.50	19.00B/*9.50	----	10.20 - 6.60	.1044	----	----	9	----	158 UNCH
5045	10.90	10.90	18.30B/*9.20A	18.30B/*9.20A	----	9.70 - 6.50	.0998	----	----	1	----	940 + 1
5050	17.30	17.30	17.40B/*8.60	17.40B/*8.60	----	9.30 - 6.20	.0958	----	----	135	----	1802 + 26
5055	10.00	10.00	16.70B/*8.40A	16.70B/*8.40A	----	8.90 - 6.00	.0919	----	----	5	----	87 + 1
5060	9.60	9.60	16.00B/*8.00A	16.00B/*8.00A	----	8.50 - 5.80	.0881	----	----	5	----	95 UNCH
5065	9.20	9.20	15.20B/*7.60A	15.20B/*7.60A	----	8.10 - 5.70	.0842	----	----	1	----	26 + 1
5070	----	----	14.70B/*7.30A	14.70B/*7.30A	----	7.80 - 5.40	.0811	----	----	----	----	61 UNCH
5075	7.50	7.50	14.30B/*7.00A	14.30B/*7.00A	----	7.40 - 5.30	.0773	----	----	27	----	91 + 27
5080	7.90	7.90	13.50B/*6.70A	13.50B/*6.70A	----	7.10 - 5.10	.0743	----	----	24	----	322 + 3
5085	7.40	7.40	12.80B/*6.30A	12.80B/*6.30A	----	6.80 - 4.90	.0712	----	----	2	----	328 UNCH
5090	----	----	12.50B/*6.10A	12.50B/*6.10A	----	6.50 - 4.80	.0682	----	----	----	----	281 UNCH
5095	9.00	9.00	12.00B/*5.70A	12.00B/*5.70A	----	6.30 - 4.60	.0660	----	----	1	----	28 UNCH
5100	11.10	11.10	11.30B/*5.30	11.30B/*5.30	----	6.00 - 4.40	.0630	----	----	75	----	2442 - 5
5105	----	----	10.80B/*5.40A	10.80B/*5.40A	----	5.70 - 4.30	.0601	----	----	----	----	74 UNCH
5110	6.00	6.00	10.50B/*5.20A	10.50B/*5.20A	----	5.50 - 4.20	.0579	----	----	2	----	424 + 2
5115	5.70	5.70	9.90B/*4.90A	9.90B/*4.90A	----	5.30 - 4.00	.0558	----	----	3	----	98 - 3
5120	5.90	5.90	9.50B/*4.70A	9.50B/*4.70A	----	5.10 - 3.90	.0536	----	----	3	----	42 UNCH
5125	7.10	7.10	9.10B/*4.60A	9.10B/*4.60A	----	4.90 - 3.70	.0515	----	----	8	----	420 UNCH
5130	8.10	8.10	8.80B/*4.40A	8.80B/*4.40A	----	4.70 - 3.60	.0495	----	----	4	----	87 - 2
5135	5.20	5.20	8.40B/*4.20A	8.40B/*4.20A	----	4.50 - 3.50	.0474	----	----	3	----	180 + 1
5140	5.00	5.00	8.10B/*4.00A	8.10B/*4.00A	----	4.30 - 3.40	.0453	----	----	2	----	261 - 1
5145	7.50	7.50	7.70B/*3.90A	7.70B/*3.90A	----	4.20 - 3.30	.0441	----	----	2	----	77 UNCH
5150	6.70	6.70	7.50B/*3.80A	7.50B/*3.80A	----	4.00 - 3.20	.0421	----	----	142	----	1457 - 69
5155	4.40	4.40	7.00B/*3.70A	7.00B/*3.70A	----	3.90 - 3.00	.0409	----	----	8	----	94 + 5
5160	4.10	4.10	6.90B/*3.50A	6.90B/*3.50A	----	3.70 - 3.00	.0389	----	----	17	----	319 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
5165	----	----	6.60B/*3.40A	6.60B/*3.40A	----	3.60 - 2.90	.0377	----	----	----	----	67 UNCH
5170	3.80	3.80	6.30B/*3.20A	6.30B/*3.20A	----	3.50 - 2.70	.0365	----	----	22	----	200 + 6
5175	----	----	6.10B/*3.20A	6.10B/*3.20A	----	3.30 - 2.70	.0346	----	----	----	----	267 UNCH
5180	----	----	----/*3.10A	5.80B/*3.10A	----	3.20 - 2.60	.0334	----	----	1	----	40 - 1
5185	3.10	3.10	3.10/*3.00A	5.60B/*3.00A	----	3.10 - 2.50	.0323	----	----	3	----	38 + 3
5190	----	----	----/*2.90A	5.30B/*2.90A	----	3.00 - 2.50	.0312	----	----	----	----	345 UNCH
5195	----	----	----/*2.80A	5.20B/*2.80A	----	2.90 - 2.40	.0301	----	----	----	----	33 UNCH
5200	5.30	5.30	5.30/*2.70A	5.30/*2.70A	----	2.80 - 2.30	.0290	----	----	58	----	2738 + 1
5205	----	----	----/*2.60A	4.80B/*2.60A	----	2.70 - 2.30	.0279	----	----	----	----	29 UNCH
5210	2.60	2.60	2.70/*2.50A	4.60B/*2.50A	----	2.60 - 2.20	.0269	----	----	8	----	58 - 1
5215	----	----	----/*2.40A	4.40B/*2.40A	----	2.60 - 2.10	.0266	----	----	----	----	55 UNCH
5220	2.70	2.70	2.80/*2.40A	4.30B/*2.40A	----	2.50 - 2.00	.0256	----	----	20	----	284 + 18
5225	----	----	----/*2.30A	4.10B/*2.30A	----	2.40 - 2.00	.0246	----	----	2	----	183 UNCH
5230	----	----	----/*2.20A	4.00B/*2.20A	----	2.30 - 2.00	.0235	----	----	----	----	40 UNCH
5235	2.50	2.50	2.50/*2.10A	3.80B/*2.10A	----	2.30 - 1.80	.0233	----	----	1	----	73 UNCH
5240	----	----	----/*2.10A	3.70B/*2.10A	----	2.20 - 1.80	.0223	----	----	----	----	93 UNCH
5245	----	----	----/*2.00A	3.60B/*2.00A	----	2.20 - 1.70	.0221	----	----	----	----	58 UNCH
5250	3.50	3.50	3.50/*1.90A	3.50/*1.90A	----	2.10 - 1.70	.0211	----	----	23	----	1937 - 11
5255	----	----	----/*1.90A	3.40B/*1.90A	----	2.10 - 1.60	.0209	----	----	----	----	9 UNCH
5260	----	----	----/*1.90A	3.30B/*1.90A	----	2.00 - 1.60	.0200	----	----	----	----	120 UNCH
5265	----	----	----/*1.80A	3.10B/*1.80A	----	2.00 - 1.50	.0198	----	----	----	----	62 UNCH
5270	----	----	----/*1.80A	3.10B/*1.80A	----	1.90 - 1.50	.0188	----	----	----	----	95 UNCH
5275	----	----	----/*1.70A	3.00B/*1.70A	----	1.90 - 1.40	.0187	----	----	1	----	203 UNCH
5280	----	----	----/*1.70A	2.90B/*1.70A	----	1.80 - 1.50	.0177	----	----	----	----	288 UNCH
5285	----	----	----/*1.60A	2.80B/*1.60A	----	1.80 - 1.40	.0176	----	----	----	----	35 UNCH
5290	----	----	----/*1.60A	2.70B/*1.60A	----	1.70 - 1.40	.0167	----	----	----	----	65 UNCH
5295	----	----	----/*1.60A	2.60B/*1.60A	----	1.70 - 1.30	.0165	----	----	----	----	69 UNCH
5300	2.60	2.60	2.60/*1.50A	2.60/*1.50A	----	1.70 - 1.30	.0164	----	----	44	140	2165 + 7
5305	----	----	----/*1.50A	2.50B/*1.50A	----	1.60 - 1.30	.0155	----	----	----	----	50 UNCH
5310	----	----	----/*1.40A	2.40B/*1.40A	----	1.60 - 1.20	.0154	----	----	----	----	36 UNCH
5315	----	----	----/*1.40A	2.30B/*1.40A	----	1.60 - 1.20	.0153	----	----	----	----	35 UNCH
5320	----	----	----/*1.40A	2.30B/*1.40A	----	1.50 - 1.20	.0144	----	----	----	----	360 UNCH
5325	----	----	----/*1.30A	2.20B/*1.30A	----	1.50 - 1.10	.0142	----	----	----	----	110 UNCH
5330	2.60	2.60	2.60/*1.30A	2.60/*1.30A	----	1.50 - 1.10	.0141	----	----	1	----	42 UNCH
5335	----	----	----/*1.30A	2.10B/*1.30A	----	1.40 - 1.10	.0133	----	----	----	----	243 UNCH
5340	----	----	----/*1.30A	2.00B/*1.30A	----	1.40 - 1.10	.0132	----	----	----	----	134 UNCH
5345	----	----	----/1.20A	2.00B/1.20A	----	1.40 - 1.00	.0131	----	----	----	----	65 UNCH
5350	2.00	2.00	2.20/1.20A	2.20/1.20A	----	1.40 - 1.00	.0130	----	----	22	----	870 + 1
5355	----	----	----/*1.20A	1.90B/*1.20A	----	1.30 - 1.00	.0121	----	----	----	----	29 UNCH
5360	----	----	----/*1.10A	1.90B/*1.10A	----	1.30 - 1.00	.0120	----	----	----	----	106 UNCH
5365	----	----	----/*1.10A	1.80B/*1.10A	----	1.30 - 1.00	.0119	----	----	----	----	33 UNCH
5370	----	----	----/*1.10A	1.80B/*1.10A	----	1.30 - 0.90	.0119	----	----	----	----	127 UNCH
5375	1.60	1.60	1.60/*1.10A	1.70B/*1.10A	----	1.20 - 1.00	.0110	----	----	2	----	400 - 2
5380	----	----	----/*1.10A	1.70B/*1.10A	----	1.20 - 0.90	.0109	----	----	----	----	77 UNCH
5385	----	----	----/*1.00A	1.70B/*1.00A	----	1.20 - 0.90	.0109	----	----	----	----	117 UNCH
5390	1.00	1.00	1.00/*1.00	1.60B/*1.00	----	1.20 - 0.90	.0108	----	----	2	----	100 + 2
5395	----	----	----/*1.00A	1.60B/*1.00A	----	1.10 - 0.90	.0099	----	----	1	----	39 - 1
5400	0.90	0.90	0.90/*0.90	1.60B/*0.90	----	1.10 - 0.90	.0099	----	----	10	----	2531 - 96
5405	----	----	----/*1.00A	1.50B/*1.00A	----	1.10 - 0.90	.0098	----	----	----	----	63 UNCH
5410	----	----	----/*0.90A	1.50B/*0.90A	----	1.10 - 0.80	.0098	----	----	----	----	155 UNCH
5415	----	----	----/*0.90A	1.50B/*0.90A	----	1.10 - 0.80	.0097	----	----	----	----	35 UNCH
5420	----	----	----/*0.90A	1.40B/*0.90A	----	1.10 - 0.80	.0096	----	----	----	----	143 UNCH
5425	----	----	----/*0.90A	1.40B/*0.90A	----	1.00 - 0.80	.0088	----	----	----	----	100 UNCH
5430	----	----	----/*0.90A	1.40B/*0.90A	----	1.00 - 0.80	.0088	----	----	----	----	22 UNCH
5435	----	----	----/*0.90A	1.40B/*0.90A	----	1.00 - 0.80	.0087	----	----	----	----	15 UNCH
5440	----	----	----/*0.90A	1.40B/*0.90A	----	1.00 - 0.80	.0087	----	----	----	----	62 UNCH
5445	----	----	----/*0.90A	1.30B/*0.90A	----	1.00 - 0.70	.0086	----	----	----	----	116 UNCH
5450	----	----	----/*0.80A	1.30B/*0.80A	----	1.00 - 0.70	.0085	----	----	----	----	583 UNCH
5455	----	----	----/*0.80A	1.30B/*0.80A	----	0.90 - 0.80	.0078	----	----	----	----	153 UNCH
5460	----	----	----/*0.80A	1.20B/*0.80A	----	0.90 - 0.80	.0077	----	----	----	----	37 UNCH
5465	----	----	----/*0.80A	1.20B/*0.80A	----	0.90 - 0.70	.0077	----	----	----	----	38 UNCH
5470	----	----	----/*0.80A	1.20B/*0.80A	----	0.90 - 0.70	.0076	----	----	----	----	253 UNCH
5475	----	----	----/*0.80A	1.20B/*0.80A	----	0.90 - 0.70	.0076	----	----	----	----	35 UNCH
5480	----	----	----/*0.70A	1.20B/*0.70A	----	0.90 - 0.70	.0075	----	----	----	----	34 UNCH
5485	----	----	----/*0.80A	1.10B/*0.80A	----	0.90 - 0.60	.0075	----	----	----	----	41 UNCH
5490	----	----	----/*0.80A	1.10B/*0.80A	----	0.90 - 0.60	.0074	----	----	----	----	35 UNCH
5495	1.00	1.00	1.00/*0.80A	1.10B/*0.80A	----	0.90 - 0.60	.0074	----	----	2	----	52 + 1
5500	1.30	1.30	1.30/0.70	1.30/0.70	----	0.80 - 0.70	.0066	----	----	59	----	3984 - 13
5505	----	----	----/*0.70A	1.00B/*0.70A	----	0.80 - 0.70	.0066	----	----	----	----	92 UNCH
5510	0.70	0.70	0.70/*0.70	1.00B/*0.70	----	0.80 - 0.60	.0066	----	----	4	----	64 + 4
5515	----	----	----/*0.70A	1.00B/*0.70A	----	0.80 - 0.60	.0065	----	----	----	----	13 UNCH
5520	----	----	----/*0.70A	1.00B/*0.70A	----	0.80 - 0.60	.0065	----	----	----	----	204 UNCH
5525	0.80	0.80	0.80/*0.70A	1.00B/*0.70A	----	0.80 - 0.60	.0065	----	----	1	----	85 - 1
5530	----	----	----/*0.70A	1.00B/*0.70A	----	0.80 - 0.60	.0064	----	----	----	----	64 UNCH
5535	----	----	----/*0.70A	1.00B/*0.70A	----	0.80 - 0.60	.0064	----	----	----	----	14 UNCH
5540	----	----	----/*0.70A	0.90B/*0.70A	----	0.80 - 0.50	.0064	----	----	----	----	27 UNCH
5545	----	----	----/*0.70A	0.90B/*0.70A	----	0.80 - 0.50	.0063	----	----	----	----	6 UNCH
5550	0.70	0.70	0.70/*0.40A	0.90B/*0.40A	----	0.80 - 0.50	.0063	----	----	2	----	851 UNCH
5555	----	----	----/*0.70A	0.90B/*0.70A	----	0.70 - 0.60	.0056	----	----	----	----	19 UNCH
5560	----	----	----/*0.70A	0.90B/*0.70A	----	0.70 - 0.60	.0055	----	----	----	----	28 UNCH
5565	----	----	----/*0.70A	0.90B/*0.70A	----	0.70 - 0.60	.0055	----	----	----	----	46 UNCH
5570	----	----	----/*0.60A	0.90B/*0.60A	----	0.70 - 0.50	.0055	----	----	----	----	557 UNCH
5575	1.00	1.00	1.00/*0.60A	1.00/*0.60A	----	0.70 - 0.50	.0054	----	----	2	----	239 UNCH
5580	----	----	----/*0.60A	0.90B/*0.60A	----	0.70 - 0.50	.0054	----	----	----	----	139 UNCH
5585	----	----	----/*0.60A	0.90B/*0.60A	----	0.70 - 0.50	.0054	----	----	----	----	20 UNCH
5590	----	----	----/*0.60A	0.90B/*0.60A	----	0.70 - 0.50	.0054	----	----	----	----	93 UNCH
5595	----	----	----/*0.60A	0.80B/*0.60A	----	0.70 - 0.50	.0053	----	----	----	----	17 UNCH
5600	0.80	0.80	0.80/*0.10	0.80/*0.10	----	0.70 - 0.50	.0053	----	----	101	----	2994 - 49
5610	----	----	----/*0.60A	0.80B/*0.60A	----	0.70 - 0.40	.0053	----	----	----	----	461 UNCH
5620	0.70	0.70	0.70/*0.60A	0.80B/*0.60A	----	0.70 - 0.40	.0052	----	----	4	----	137 UNCH
5625	0.70	0.70	0.80B/*0.50A	0.80B/*0.50A	----	0.70 - 0.40	.0052	----	----	8	----	261 - 8
5630	0.70	0.70	0.80B/*0.60A	0.80B/*0.60A	----	0.70 - 0.40	.0052	----	----	4	----	151 + 4
5640	----	----	----/*0.50A	0.70B/*0.50A	----	0.60 - 0.50	.0045	----	----	----	----	552 UNCH
5650	0.70	0.70	0.70/*0.50A	0.70/*0.50A	----	0.60 - 0.50	.0044	----	----	16	----	708 UNCH
5660	----	----	----/*0.50A	0.70B/*0.50A	----	0.60 - 0.40	.0044	----	----	----	----	262 UNCH
5670	----	----	----/*0.50A	0.70B/*0.50A	----	0.60 - 0.40	.0043	----	----	----	----	41 UNCH
5675	----	----	----/*0.40A	0.70B/*0.40A	----	0.60 - 0.40	.0043	----	----	----	----	5 UNCH
5680	----	----	----/*0.50A	0.70B/*0.50A	----	0.60 - 0.40	.0043	----	----	----	----	94 UNCH
5690	----	----	----/*0.50A	0.70B/*0.50A	----	0.60 - 0.40	.0043	----	----	----	----	178 UNCH
5700	----	----	----/*0.50A	0.70B/*0.50A	----	0.60 - 0.40	.0042	----	----	8	----	1830 UNCH
5710	----	----	----/*0.50A	0.70B/*0.50A	----	0.60 - 0.30	.0042	----	----	----	----	50 UNCH
5720	----	----	----/*0.40A	0.70B/*0.40A	----	0.60 - 0.30	.0041	----	----	----	----	35 UNCH
5725	----	----	----/*0.40A	0.70B/*0.40A	----	0.60 - 0.30	.0041	----	----	----	----	431 UNCH
5730	----	----	----/*0.40A	0.70B/*0.40A	----	0.60 - 0.30	.0041	----	----	----	----	120 UNCH
5740	----	----	----/*0.40A	0.60B/*0.40A	----	0.60 - 0.30	.0041	----	----	----	----	55 UNCH
5750	----	----	----/*0.30A	0.60B/*0.30A	----	0.60 - 0.30	.0040	----	----	----	----	309 UNCH
5760	----	----	----/*0.40A	0.60B/*0.40A	----	0.50 - 0.40	.0034	----	----	----	----	63 UNCH
5770	----	----	----/*0.40A	0.60B/*0.40A	----	0.50 - 0.30	.0034	----	----	----	----	16 UNCH
5775	----	----	----/0.40A	0.60B/0.40A	----	0.50 - 0.30	.0034	----	----	----	----	70 UNCH
5780	----	----	----/*0.40A	0.60B/*0.40A	----	0.50 - 0.30	.0033	----	----	----	----	23 UNCH
5790	----	----	----/*0.40A	0.60B/*0.40A	----	0.50 - 0.30	.0033	----	----	----	----	41 UNCH
5800	----	----	----/*0.40A	0.60B/*0.40A	----	0.50 - 0.30	.0033	----	----	1	----	999 UNCH
5810	----	----	----/*0.40A	0.60B/*0.40A	----	0.50 - 0.30	.0033	----	----	----	----	37 UNCH
5820	----	----	----/*0.40A	0.60B/*0.40A	----	0.50 - 0.30	.0032	----	----	----	----	50 UNCH
5825	----	----	----/*0.30A	0.60B/*0.30A	----	0.50 - 0.30	.0032	----	----	1	----	112 UNCH
5830	0.50	0.50	0.50/*0.30A	0.50/*0.30A	----	0.50 - 0.30	.0032	----	----	1	----	138 - 1
5840	0.60	0.60	0.60/*0.30A	0.60/*0.30A	----	0.50 - 0.30	.0032	----	----	1	----	89 + 1
5850	----	----	----/*0.30A	0.50B/*0.30A	----	0.50 - 0.20	.0032	----	----	----	----	330 UNCH
5860	----	----	----/*0.30A	0.50B/*0.30A	----	0.40 - 0.30	.0026	----	----	----	----	68 UNCH
5870	----	----	----/*0.30A	0.50B/*0.30A	----	0.40 - 0.30	.0025	----	----	----	----	17 UNCH
5875	----	----	----/*0.30A	0.50B/*0.30A	----	0.40 - 0.30	.0025	----	----	----	----	123 UNCH
5880	----	----	----/*0.30A	0.50B/*0.30A	----	0.40 - 0.30	.0025	----	----	----	----	24 UNCH
5890	----	----	----/*0.30A	0.50B/*0.30A	----	0.40 - 0.30	.0025	----	----	----	----	23 UNCH
5900	----	----	----/*0.30A	0.50B/*0.30A	----	0.40 - 0.30	.0025	----	----	----	----	769 UNCH
5910	----	----	----/*0.30A	0.50B/*0.30A	----	0.40 - 0.30	.0025	----	----	----	----	61 UNCH
5920	----	----	----/*0.30A	0.50B/*0.30A	----	0.40 - 0.30	.0024	----	----	----	----	113 UNCH
5930	----	----	----/*0.30A	0.50B/*0.30A	----	0.40 - 0.20	.0024	----	----	----	----	136 UNCH
5940	----	----	----/*0.30A	0.50B/*0.30A	----	0.40 - 0.20	.0024	----	----	----	----	59 UNCH
5950	0.40	0.40	0.40/*0.30A	0.50B/*0.30A	----	0.40 - 0.20	.0024	----	----	1	----	377 UNCH
5960	----	----	----/*0.30A	0.40B/*0.30A	----	0.40 - 0.20	.0024	----	----	----	----	45 UNCH
5970	----	----	----/*0.20A	0.40B/*0.20A	----	0.40 - 0.20	.0024	----	----	----	----	35 UNCH
5980	0.20	0.20	0.20/*0.20	0.40B/*0.20	----	0.40 - 0.20	.0023	----	----	7	----	136 + 7
5990	0.20	0.20	0.20/*0.20	0.40B/*0.20	----	0.30 - 0.30	.0018	----	----	10	----	89 + 8
6000	0.20	0.20	0.50B/0.20	0.50B/0.20	----	0.30 - 0.30	.0018	----	----	12	----	3497 UNCH
6025	----	----	----/*0.20A	0.40B/*0.20A	----	0.30 - 0.20	.0017	----	----	----	----	86 UNCH
6050	----	----	----/*0.20A	0.30B/*0.20A	----	0.30 - 0.20	.0017	----	----	----	----	103 UNCH
6075	----	----	----/*0.20A	0.40B/*0.20A	----	0.30 - 0.20	.0017	----	----	----	----	23 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG CALL — COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26												
6100	----	----	----/*0.20A	0.30B/*0.20A	----	0.30 - 0.20	.0017	----	----	----	----	522 UNCH
6125	----	----	----/*0.20A	0.30B/*0.20A	----	0.30 - 0.10	.0016	----	----	----	----	48 UNCH
6150	----	----	----/*0.20A	0.30B/*0.20A	----	0.30 - 0.10	.0016	----	----	----	----	132 UNCH
6175	0.20	0.20	0.30B/*0.20	0.30B/*0.20	----	0.30 - 0.10	.0016	----	----	2	----	128 - 2
6200	----	----	----/0.20A	0.30B/0.20A	----	0.30 - 0.10	.0016	----	----	----	----	369 UNCH
6225	----	----	----/*0.20A	0.30B/*0.20A	----	0.20 - 0.20	.0011	----	----	----	----	138 UNCH
6250	----	----	----/*0.20A	0.20B/*0.20A	----	0.20 - 0.10	.0010	----	----	----	----	259 UNCH
6275	----	----	----/*0.10A	0.20B/*0.10A	----	0.20 - 0.10	.0010	----	----	----	----	34 UNCH
6300	----	----	----/*0.10A	0.20B/*0.10A	----	0.20 - 0.10	.0010	----	----	----	----	254 UNCH
6325	----	----	----/*0.10A	0.20B/*0.10A	----	0.20 - 0.10	.0010	----	----	----	----	148 UNCH
6350	----	----	----/*0.10A	0.20B/*0.10A	----	0.20 - 0.10	.0010	----	----	----	----	203 UNCH
6375	----	----	----/*0.10A	0.20B/*0.10A	----	0.20 - 0.10	.0010	----	----	----	----	24 UNCH
6400	----	----	----/*0.10A	0.20B/*0.10A	----	0.20 - 0.10	.0010	----	----	----	----	333 - 32
6425	----	----	----/*0.10A	0.20B/*0.10A	----	0.20 - 0.10	.0009	----	----	----	----	42 UNCH
6450	----	----	----/*0.10A	0.10B/*0.10A	----	0.20 - 0.10	.0009	----	----	----	----	49 UNCH
6475	----	----	----/*0.10A	0.10B/*0.10A	----	0.20 - 0.10	.0009	----	----	----	----	68 UNCH
6500	0.20	0.20	0.20/*0.10A	0.20/*0.10A	----	0.20 - 0.10	.0009	----	----	35	----	1281 + 23
6525	----	----	----/*0.10A	0.10B/*0.10A	----	0.20 UNCH	.0009	----	----	----	----	20 UNCH
6550	----	----	----/*0.10A	0.10B/*0.10A	----	0.10 - 0.10	.0004	----	----	----	----	75 UNCH
6575	----	----	----/*0.10A	0.10B/*0.10A	----	0.10 - 0.10	.0004	----	----	----	----	10 UNCH
6600	----	----	----/*0.10A	0.10B/*0.10A	----	0.10 - 0.10	.0003	----	----	----	----	71 UNCH
6625	----	----	----/*0.10A	0.10B/*0.10A	----	0.10 - 0.10	.0003	----	----	----	----	38 UNCH
6650	----	----	----/*0.10A	0.10B/*0.10A	----	0.10 - 0.10	.0002	----	----	----	----	57 UNCH
6675	----	----	----/*0.10A	0.10B/*0.10A	----	0.10 - 0.10	.0002	----	----	----	----	29 UNCH
6700	----	----	----/*0.10A	0.10B/*0.10A	----	0.10 - 0.10	.0002	----	----	----	----	381 UNCH
6725	----	----	----/*0.10A	0.10B/*0.10A	----	0.10 - 0.10	.0001	----	----	----	----	101 UNCH
6750	----	----	----	----/*0.10A	----	0.10 UNCH	.0001	----	----	----	----	64 UNCH
6775	----	----	----	----/0.20A	----	0.10 UNCH	.0001	----	----	----	----	7 UNCH
6800	----	----	----	----/*0.10A	----	0.10 UNCH	.0001	----	----	----	----	616 UNCH
6825	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	8 UNCH
6850	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	32 UNCH
6875	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	13 UNCH
6900	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	553 UNCH
6925	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
6950	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	34 UNCH
6975	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	7 UNCH
7000	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	823 UNCH
7025	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	402 UNCH
7050	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	33 UNCH
7075	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	86 UNCH
7100	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	106 UNCH
7125	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	14 UNCH
7150	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	26 UNCH
7175	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	37 UNCH
7200	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	97 UNCH
7225	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	6 UNCH
7250	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	42 UNCH
7275	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
7300	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
7325	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
7350	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
7375	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
7400	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	16 UNCH
7450	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
7475	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
7500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	350 UNCH
7525	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	42 UNCH
7575	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
7600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	89 UNCH
7625	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
7650	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
7675	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	36 UNCH
7700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	77 UNCH
7725	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
7750	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
7775	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
7800	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	23 UNCH
7825	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
7850	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
7875	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
7900	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
7950	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	39 UNCH
7975	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
8000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1098 UNCH
8100	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	54 UNCH
8200	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1081 UNCH
8300	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	37 UNCH
8400	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
8500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	74 UNCH
8600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
8700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	13 UNCH
8800	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
8900	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	14 UNCH
9000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	332 UNCH
9100	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	9 UNCH
9200	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
9300	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
9400	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
9500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	53 UNCH
9600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
9700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
9800	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
9900	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	31 UNCH
10000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	767 UNCH
15000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	133 UNCH
TOTAL										3681	410	101305 - 109
JUN26												
1995	----	----	----/2,816.60A	2816.50B/2816.60A	----	2813.30 - 15.30	1.0000	----	----	450	----	0 UNCH
2000	----	----	2,838.00B/2,802	2838.00B/2802.90A	----	2808.30 - 15.30	1.0000	----	----	1998	----	412 UNCH
2005	----	----	----/2,806.50A	2806.50B/2806.50A	----	2803.30 - 15.30	1.0000	----	----	450	----	0 UNCH
2795	----	----	----/2,023.00A	2017.30B/2023.00A	----	2013.30 - 15.30	.9997	----	----	250	----	0 UNCH
2800	----	----	2,040.20B/2,001	2040.20B/2001.00A	----	2008.30 - 15.30	.9997	----	----	1998	----	500 UNCH
2805	----	----	----/2,013.00A	2007.30B/2013.00A	----	2003.30 - 15.30	.9997	----	----	250	----	0 UNCH
2995	----	----	----/1,822.90A	1817.50B/1822.90A	----	1813.30 - 15.30	.9978	----	----	200	----	0 UNCH
3000	----	----	1,838.50B/1,802	1838.50B/1802.00A	----	1808.30 - 15.30	.9978	----	----	900	----	400 UNCH
3005	----	----	----/1,812.90A	1807.50B/1812.90A	----	1803.30 - 15.30	.9978	----	----	200	----	0 UNCH
3200	----	----	1,637.20B/1,603	1637.20B/1603.60A	----	1608.30 - 15.30	.9956	----	----	25	----	0 - 25
3400	----	----	1,440.40B/1,401	1440.40B/1401.20A	----	1408.60 - 15.30	.9920	----	----	600	----	672 - 94
3500	1303.00	1303.00	1,337.80B/1,303	1337.80B/1303.00	----	1309.00 - 15.30	.9897	----	----	1	----	57 UNCH
3525	----	----	----	----	----	1284.10 - 15.30	.9892	----	----	----	----	1 UNCH
3550	----	----	----	----	----	1259.20 - 15.30	.9883	----	----	----	----	1 UNCH
3580	----	----	1,258.20B/1,224	1258.20B/1224.30A	----	1229.40 - 15.30	.9877	----	----	----	----	18 UNCH
3585	----	----	1,253.20B/1,219	1253.20B/1219.30A	----	1224.40 - 15.40	.9873	----	----	----	----	100 UNCH
3600	----	----	1,238.30B/1,204	1238.30B/1204.50A	----	1209.50 - 15.40	.9869	----	----	----	----	214 UNCH
3635	----	----	1,203.50B/1,169	1203.50B/1169.70A	----	1174.80 - 15.30	.9858	----	----	----	----	60 UNCH
3650	----	----	1,188.60B/1,154	1188.60B/1154.70A	----	1159.90 - 15.30	.9853	----	----	----	----	143 UNCH
3665	----	----	1,173.70B/1,139	1173.70B/1139.80A	----	1145.00 - 15.40	.9845	----	----	----	----	3 UNCH
3700	----	----	1,140.00B/1,103	1140.00B/1103.60A	----	1110.30 - 15.40	.9834	----	----	----	----	392 UNCH
3715	----	----	1,124.00B/1,090	1124.00B/1090.00A	----	1095.40 - 15.40	.9825	----	----	----	----	25 UNCH
3725	----	----	1,114.10B/1,080	1114.10B/1080.40A	----	1085.50 - 15.40	.9821	----	----	----	----	212 UNCH
3750	----	----	1,092.10B/1,053	1092.10B/1053.30A	----	1060.70 - 15.50	.9810	----	----	----	----	1112 UNCH
3755	----	----	1,084.30B/1,050	1084.30B/1050.70A	----	1055.80 - 15.50	.9809	----	----	----	----	15 UNCH
3785	----	----	1,067.40B/1,020	1067.40B/1020.90A	----	1026.10 - 15.50	.9791	----	----	----	----	170 UNCH
3790	----	----	1,062.10B/1,017	1062.10B/1017.10A	----	1021.20 - 15.50	.9790	----	----	----	----	1 UNCH
3800	----	----	1,052.40B/1,003	1052.40B/1003.80A	----	1011.30 - 15.50	.9785	----	----	----	----	545 UNCH
3835	----	----	1,017.70B/973.5	1017.70B/973.50A	----	976.70 - 15.60	.9765	----	----	----	----	1 UNCH
3840	----	----	1,012.90B/966.3	1012.90B/966.30A	----	971.80 - 15.60	.9761	----	----	----	----	21 UNCH
3850	----	----	1,002.70B/955.3	1002.70B/955.30A	----	961.90 - 15.70	.9755	----	----	----	----	322 UNCH
3875	----	----	978.50B/932.10A	978.50B/932.10A	----	937.30 - 15.70	.9737	----	----	----	----	60 UNCH
3895	----	----	958.80B/913.30A	958.80B/913.30A	----	917.60 - 15.70	.9722	----	----	----	----	1 UNCH
3900	----	----	953.60B/906.10A	953.60B/906.10A	----	912.70 - 15.70	.9717	----	----	----	----	364 UNCH
3925	----	----	928.80B/882.90A	928.80B/882.90A	----	888.10 - 15.90	.9698	----	----	----	----	4 UNCH
3950	----	----	904.30B/858.40A	904.30B/858.40A	----	863.60 - 15.90	.9674	----	----	----	----	14 UNCH
3975	----	----	887.40B/834.60A	887.40B/834.60A	----	839.20 - 15.90	.9650	----	----	----	----	106 UNCH
3990	----	----	872.80B/820.00A	872.80B/820.00A	----	824.50 - 16.00	.9635	----	----	----	----	1 UNCH
3995	----	----	868.00B/815.10A	868.00B/815.10A	----	819.60 - 16.10	.9630	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 27

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
4000	----	----	863.10B/807.30A	863.10B/807.30A	----	814.80 - 16.00	.9621	----	----	----	----	862 UNCH
4005	----	----	858.20B/805.30A	858.20B/805.30A	----	809.90 - 16.10	.9616	----	----	----	----	10 UNCH
4010	----	----	853.30B/800.50A	853.30B/800.50A	----	805.00 - 16.10	.9611	----	----	----	----	1 UNCH
4020	----	----	843.60B/790.90A	843.60B/790.90A	----	795.30 - 16.10	.9598	----	----	----	----	2 UNCH
4025	----	----	838.70B/785.90A	838.70B/785.90A	----	790.40 - 16.20	.9592	----	----	----	----	51 UNCH
4040	----	----	824.70B/771.20A	824.70B/771.20A	----	775.80 - 16.30	.9573	----	----	----	----	1 UNCH
4050	----	----	814.40B/761.50A	814.40B/761.50A	----	766.10 - 16.30	.9559	----	----	----	----	185 UNCH
4060	----	----	805.20B/752.00A	805.20B/752.00A	----	756.50 - 16.30	.9545	----	----	----	----	25 UNCH
4070	----	----	795.60B/742.10A	795.60B/742.10A	----	746.80 - 16.30	.9531	----	----	----	----	10 UNCH
4075	----	----	790.20B/737.30A	790.20B/737.30A	----	741.90 - 16.40	.9522	----	----	----	----	64 UNCH
4090	----	----	775.70B/722.80A	775.70B/722.80A	----	727.50 - 16.40	.9499	----	----	----	----	34 UNCH
4100	----	----	766.10B/710.50A	766.10B/710.50A	----	717.80 - 16.50	.9484	----	----	----	----	682 UNCH
4105	----	----	761.20B/708.30A	761.20B/708.30A	----	713.00 - 16.60	.9475	----	----	----	----	50 UNCH
4110	----	----	756.40B/703.80A	756.40B/703.80A	----	708.20 - 16.60	.9466	----	----	----	----	2 UNCH
4115	----	----	751.60B/698.70A	751.60B/698.70A	----	703.40 - 16.60	.9457	----	----	----	----	5 UNCH
4125	----	----	742.00B/689.10A	742.00B/689.10A	----	693.80 - 16.70	.9439	----	----	----	----	95 UNCH
4135	----	----	732.40B/679.80A	732.40B/679.80A	----	684.30 - 16.60	.9420	----	----	----	----	16 UNCH
4150	----	----	718.00B/664.10A	718.00B/664.10A	----	669.90 - 16.80	.9392	----	----	----	----	263 UNCH
4155	----	----	713.30B/660.80A	713.30B/660.80A	----	665.20 - 16.80	.9380	----	----	----	----	5 UNCH
4170	----	----	698.90B/646.50A	698.90B/646.50A	----	650.90 - 16.90	.9348	----	----	----	----	51 UNCH
4175	----	----	694.20B/641.30A	694.20B/641.30A	----	646.10 - 17.00	.9338	----	----	----	----	61 UNCH
4195	----	----	675.20B/622.40A	675.20B/622.40A	----	627.20 - 17.10	.9293	----	----	----	----	1 UNCH
4200	625.20	625.20	670.50B/615.50A	670.50B/615.50A	----	622.50 - 17.10	.9280	----	----	8	----	2078 - 1
4210	620.70	620.70	661.00B/606.00A	661.00B/606.00A	----	613.10 - 17.10	.9253	----	----	21	----	1576 - 6
4220	----	----	651.60B/599.40A	651.60B/599.40A	----	603.70 - 17.20	.9227	----	----	----	----	84 UNCH
4225	----	----	646.90B/594.10A	646.90B/594.10A	----	599.00 - 17.30	.9214	----	----	----	----	15 UNCH
4235	----	----	637.50B/584.70A	637.50B/584.70A	----	589.70 - 17.30	.9187	----	----	----	----	6 UNCH
4240	----	----	632.80B/580.70A	632.80B/580.70A	----	585.00 - 17.40	.9174	----	----	----	----	53 UNCH
4245	----	----	628.10B/574.70A	628.10B/574.70A	----	580.30 - 17.40	.9157	----	----	----	----	263 UNCH
4250	----	----	623.40B/568.70A	623.40B/568.70A	----	575.70 - 17.40	.9144	----	----	----	----	922 UNCH
4255	----	----	618.70B/566.10A	618.70B/566.10A	----	571.00 - 17.50	.9130	----	----	----	----	6 UNCH
4260	----	----	614.10B/561.60A	614.10B/561.60A	----	566.40 - 17.50	.9113	----	----	----	----	1 UNCH
4265	----	----	609.40B/557.60A	609.40B/557.60A	----	561.80 - 17.50	.9097	----	----	----	----	87 UNCH
4270	----	----	604.80B/552.80A	604.80B/552.80A	----	557.20 - 17.50	.9083	----	----	----	----	11 UNCH
4280	----	----	595.50B/543.50A	595.50B/543.50A	----	547.90 - 17.70	.9049	----	----	----	----	1 UNCH
4285	----	----	590.80B/538.60A	590.80B/538.60A	----	543.30 - 17.70	.9032	----	----	----	----	1 UNCH
4300	----	----	577.00B/523.00A	577.00B/523.00A	----	529.60 - 17.80	.8981	----	----	----	----	2117 UNCH
4305	----	----	572.40B/520.80A	572.40B/520.80A	----	525.10 - 17.80	.8961	----	----	----	----	1 UNCH
4310	----	----	567.80B/515.70A	567.80B/515.70A	----	520.50 - 17.90	.8943	----	----	----	----	23 UNCH
4315	----	----	563.20B/511.90A	563.20B/511.90A	----	516.00 - 17.90	.8926	----	----	----	----	1 UNCH
4320	----	----	558.60B/506.60A	558.60B/506.60A	----	511.40 - 18.00	.8906	----	----	----	----	62 UNCH
4325	----	----	554.10B/502.10A	554.10B/502.10A	----	506.90 - 18.00	.8886	----	----	----	----	72 UNCH
4335	----	----	545.00B/493.90A	545.00B/493.90A	----	497.90 - 18.10	.8847	----	----	----	----	13 UNCH
4340	----	----	540.40B/488.70A	540.40B/488.70A	----	493.40 - 18.20	.8827	----	----	----	----	17 UNCH
4345	----	----	535.90B/484.80A	535.90B/484.80A	----	489.00 - 18.10	.8804	----	----	----	----	2 UNCH
4350	----	----	531.40B/478.10A	531.40B/478.10A	----	484.50 - 18.20	.8783	----	----	----	----	1451 UNCH
4355	----	----	526.90B/475.70A	526.90B/475.70A	----	480.00 - 18.30	.8762	----	----	----	----	129 UNCH
4360	----	----	522.40B/470.90A	522.40B/470.90A	----	475.60 - 18.30	.8739	----	----	----	----	42 UNCH
4365	----	----	517.90B/466.80A	517.90B/466.80A	----	471.20 - 18.30	.8718	----	----	----	----	4 UNCH
4370	----	----	513.40B/462.10A	513.40B/462.10A	----	466.70 - 18.40	.8695	----	----	----	----	3 UNCH
4375	----	----	508.90B/458.00A	508.90B/458.00A	----	462.30 - 18.40	.8671	----	----	----	----	106 UNCH
4380	----	----	504.50B/453.20A	504.50B/453.20A	----	457.90 - 18.50	.8647	----	----	----	----	341 UNCH
4385	----	----	500.00B/449.70A	500.00B/449.70A	----	453.60 - 18.40	.8624	----	----	----	----	3 UNCH
4390	----	----	495.60B/444.60A	495.60B/444.60A	----	449.20 - 18.50	.8600	----	----	----	----	16 UNCH
4395	----	----	491.10B/440.60A	491.10B/440.60A	----	444.80 - 18.60	.8576	----	----	----	----	10 UNCH
4400	----	----	486.70B/434.40A	486.70B/434.40A	----	440.50 - 18.60	.8549	----	----	----	----	1458 UNCH
4410	----	----	477.90B/427.70A	477.90B/427.70A	----	431.90 - 18.60	.8499	----	----	----	----	39 UNCH
4415	----	----	473.50B/423.40A	473.50B/423.40A	----	427.60 - 18.60	.8472	----	----	----	----	176 UNCH
4420	----	----	469.20B/419.60A	469.20B/419.60A	----	423.30 - 18.70	.8445	----	----	----	----	3 UNCH
4425	----	----	464.80B/414.50A	464.80B/414.50A	----	419.00 - 18.70	.8418	----	----	----	----	274 UNCH
4430	----	----	460.50B/410.30A	460.50B/410.30A	----	414.80 - 18.70	.8389	----	----	----	----	19 UNCH
4435	----	----	456.10B/406.10A	456.10B/406.10A	----	410.50 - 18.80	.8362	----	----	----	----	20 UNCH
4440	----	----	451.80B/402.70A	451.80B/402.70A	----	406.30 - 18.80	.8333	----	----	----	----	20 UNCH
4445	----	----	447.50B/397.70A	447.50B/397.70A	----	402.10 - 18.80	.8306	----	----	----	----	5 UNCH
4450	405.80	405.80	443.20B/393.50A	443.20B/393.50A	----	397.90 - 18.90	.8276	----	----	1	----	497 UNCH
4455	----	----	438.90B/389.30A	438.90B/389.30A	----	393.70 - 18.90	.8246	----	----	----	----	6 UNCH
4460	----	----	434.70B/385.20A	434.70B/385.20A	----	389.60 - 18.90	.8215	----	----	----	----	20 UNCH
4465	----	----	430.90B/381.90A	430.90B/381.90A	----	385.40 - 19.00	.8185	----	----	----	----	18 UNCH
4470	----	----	426.20B/377.00A	426.20B/377.00A	----	381.30 - 19.00	.8153	----	----	----	----	24 UNCH
4475	----	----	422.00B/372.90A	422.00B/372.90A	----	377.20 - 19.00	.8121	----	----	----	----	22 UNCH
4480	----	----	417.80B/368.80A	417.80B/368.80A	----	373.10 - 19.00	.8089	----	----	----	----	59 UNCH
4485	----	----	413.60B/364.80A	413.60B/364.80A	----	369.00 - 19.00	.8056	----	----	----	----	6 UNCH
4490	----	----	409.40B/360.70A	409.40B/360.70A	----	365.00 - 19.00	.8024	----	----	----	----	51 UNCH
4495	----	----	405.30B/357.50A	405.30B/357.50A	----	360.90 - 19.10	.7991	----	----	----	----	6 UNCH
4500	354.20	354.20	401.10B/351.40A	401.10B/351.40A	----	356.90 - 19.10	.7957	----	----	8	----	4375 - 1
4505	----	----	397.00B/349.10A	397.00B/349.10A	----	352.90 - 19.10	.7922	----	----	----	----	49 UNCH
4510	----	----	392.90B/343.60A	392.90B/343.60A	----	349.00 - 19.00	.7888	----	----	----	----	1475 UNCH
4515	----	----	388.80B/340.80A	388.80B/340.80A	----	345.00 - 19.10	.7853	----	----	----	----	93 UNCH
4520	----	----	384.70B/336.90A	384.70B/336.90A	----	341.00 - 19.10	.7816	----	----	----	----	51 UNCH
4525	----	----	380.60B/333.00A	380.60B/333.00A	----	337.10 - 19.10	.7781	----	----	----	----	232 UNCH
4530	----	----	376.60B/329.60A	376.60B/329.60A	----	333.20 - 19.10	.7745	----	----	----	----	13 UNCH
4535	----	----	372.60B/325.60A	372.60B/325.60A	----	329.30 - 19.10	.7708	----	----	----	----	12 UNCH
4540	----	----	368.50B/321.60A	368.50B/321.60A	----	325.50 - 19.10	.7671	----	----	----	----	78 UNCH
4545	----	----	364.60B/317.50A	364.60B/317.50A	----	321.60 - 19.10	.7632	----	----	----	----	32 UNCH
4550	----	----	360.60B/313.70A	360.60B/313.70A	----	317.80 - 19.10	.7593	----	----	----	----	219 UNCH
4555	----	----	356.60B/310.40A	356.60B/310.40A	----	314.00 - 19.10	.7556	----	----	----	----	9 UNCH
4560	----	----	352.70B/306.20A	352.70B/306.20A	----	310.20 - 19.10	.7517	----	----	----	----	159 UNCH
4565	----	----	348.80B/302.90A	348.80B/302.90A	----	306.50 - 19.10	.7476	----	----	----	----	104 UNCH
4570	----	----	345.00B/299.20A	345.00B/299.20A	----	302.70 - 19.10	.7437	----	----	----	----	35 UNCH
4575	----	----	341.10B/295.20A	341.10B/295.20A	----	299.00 - 19.10	.7396	----	----	----	----	65 UNCH
4580	----	----	337.20B/292.40A	337.20B/292.40A	----	295.30 - 19.10	.7355	----	----	----	----	8 UNCH
4585	----	----	333.30B/288.30A	333.30B/288.30A	----	291.70 - 19.00	.7314	----	----	----	----	15 UNCH
4590	----	----	329.60B/284.60A	329.60B/284.60A	----	288.00 - 19.10	.7273	----	----	----	----	79 UNCH
4595	----	----	325.70B/281.10A	325.70B/281.10A	----	284.40 - 19.00	.7230	----	----	----	----	13 UNCH
4600	301.80	301.80	321.90B/276.20A	321.90B/276.20A	----	280.80 - 19.00	.7188	----	----	3	----	5172 - 1
4605	----	----	318.30B/273.60A	318.30B/273.60A	----	277.20 - 19.10	.7145	----	----	----	----	153 UNCH
4610	----	----	314.40B/270.30A	314.40B/270.30A	----	273.60 - 19.10	.7102	----	----	----	----	2 UNCH
4615	----	----	310.70B/266.70A	310.70B/266.70A	----	270.10 - 19.00	.7059	----	----	----	----	3 UNCH
4620	----	----	307.10B/263.10A	307.10B/263.10A	----	266.60 - 19.00	.7015	----	----	----	----	20 UNCH
4625	----	----	303.50B/259.70A	303.50B/259.70A	----	263.10 - 19.00	.6970	----	----	----	----	196 UNCH
4630	----	----	299.70B/256.20A	299.70B/256.20A	----	259.60 - 19.10	.6926	----	----	----	----	55 UNCH
4635	----	----	296.00B/253.70A	296.00B/253.70A	----	256.20 - 19.00	.6880	----	----	----	----	6 UNCH
4640	----	----	292.50B/249.50A	292.50B/249.50A	----	252.80 - 19.00	.6835	----	----	----	----	21 UNCH
4645	----	----	288.80B/246.30A	288.80B/246.30A	----	249.40 - 19.00	.6790	----	----	----	----	13 UNCH
4650	----	----	285.50B/241.90A	285.50B/241.90A	----	246.00 - 19.00	.6744	----	----	1	----	1011 UNCH
4655	----	----	281.90B/239.50A	281.90B/239.50A	----	242.70 - 19.00	.6697	----	----	----	----	29 UNCH
4660	----	----	278.30B/236.30A	278.30B/236.30A	----	239.40 - 18.90	.6650	----	----	----	----	25 UNCH
4665	----	----	274.70B/233.60A	274.70B/233.60A	----	236.10 - 18.90	.6603	----	----	----	----	2 UNCH
4670	----	----	271.50B/229.80A	271.50B/229.80A	----	232.80 - 18.90	.6555	----	----	----	----	152 UNCH
4675	----	----	267.90B/225.80A	267.90B/225.80A	----	229.60 - 18.90	.6508	----	----	----	----	511 UNCH
4680	----	----	264.50B/223.50A	264.50B/223.50A	----	226.40 - 18.80	.6459	----	----	----	----	235 UNCH
4685	----	----	261.10B/220.70A	261.10B/220.70A	----	223.20 - 18.80	.6411	----	----	----	----	32 UNCH
4690	----	----	257.80B/217.20A	257.80B/217.20A	----	220.00 - 18.80	.6363	----	----	----	----	38 UNCH
4695	----	----	254.40B/214.10A	254.40B/214.10A	----	216.90 - 18.70	.6313	----	----	----	----	51 UNCH
4700	----	----	251.10B/210.40A	251.10B/210.40A	----	213.80 - 18.70	.6264	----	----	17	----	3358 + 3
4705	----	----	247.80B/205.40A	247.80B/205.40A	----	210.70 - 18.60	.6215	----	----	----	----	13 UNCH
4710	----	----	244.40B/202.50A	244.40B/202.50A	----	207.70 - 18.50	.6165	----	----	----	----	15 UNCH
4715	----	----	241.20B/199.50A	241.20B/199.50A	----	204.70 - 18.50	.6115	----	----	----	----	13 UNCH
4720	----	----	238.10B/196.70A	238.10B/196.70A	----	201.70 - 18.40	.6065	----	----	----	----	233 UNCH
4725	----	----	234.90B/193.70A	234.90B/193.70A	----	198.70 - 18.40	.6014	----	----	----	----	350 UNCH
4730	----	----	231.70B/190.80A	231.70B/190.80A	----	195.80 - 18.30	.5964	----	----	----	----	45 UNCH
4735	195.40	195.40	228.60B/188.00A	228.60B/188.00A	----	192.90 - 18.20	.5913	----	----	4	----	87 - 3
4740	----	----	225.50B/185.20A	225.50B/185.20A	----	190.00 - 18.20	.5862	----	----	----	----	41 UNCH
4745	189.70	189.70	222.60B/182.50A	222.60B/182.50A	----	187.10 - 18.20	.5811	----	----	1	----	14 + 1
4750	186.90	186.90	219.20B/179.80A	219.20B/179.80A	----	184.30 - 18.10	.5759	----	----	4	----	1811 UNCH
4755	184.10	184.10	216.20B/176.90A	216.20B/176.90A	----	181.50 - 18.10	.5708	----	----	1	----	104 + 1
4760	181.40	181.40	213.20B/174.20A	213.20B/174.20A	----	178.70 - 18.00	.5657	----	----	3	----	60 UNCH
4765	178.60	178.60	210.30B/171.60A	210.30B/171.60A	----	175.90 - 18.00	.5605	----	----	1	----	36 - 1
4770	178.00	178.00	207.20B/169.00A	207.20B/169.00A	----	173.20 - 18.00	.5553	----	----	4	----	48 UNCH
4775	----	----	204.30B/166.40A	204.30B/166.40A	----	170.50 - 17.90	.5501	----	----	----	----	208 UNCH
4780	170.60	170.60	201.30B/163.80A	201.30B/163.80A	----	167.80 - 17.90	.5449	----	----	23	----	125 + 22
4785	----	----	198.50B/161.20A	198.50B/161.20A	----	165.20 - 17.80	.5396	----	----	----	----	31 UNCH
4790	----	----	196.70B/158.70A	196.70B/158.70A	----	162.60 - 17.80	.5344	----	----	----	----	37 UNCH
4795	162.80	162.80	193.10B/156.30A	193.10B/156.30A	----	160.10 - 17.70	.5292	----	----	1	----	44 + 1
4800	189.00	189.00	190.40B/153.70A	190.40B/153.70A	----	157.60 - 17.50	.5239	----	----	87	----	3308 + 29
4805	----	----	187.60B/151.20A	187.60B/151.20A	----	155.10 - 17.50	.5187	----	----	----	----	8 UNCH
4810	155.30	155.30	185.20B/148.90A	185.20B/148.90A	----	152.60 - 17.40	.5134	----	----	34	----	76 + 14

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
4815	152.80	152.80	182.10B/146.40A	182.10B/146.40A	----	150.20 - 17.30	.5082	----	----	5	----	48 + 5
4820	155.20	155.20	179.40B/144.10A	179.40B/144.10A	----	147.80 - 17.20	.5030	----	----	13	----	63 + 7
4825	148.00	148.00	177.10B/141.80A	177.10B/141.80A	----	145.40 - 17.10	.4977	----	----	115	----	199 - 2
4830	154.50	154.50	174.10B/139.40A	174.10B/139.40A	----	143.00 - 17.00	.4925	----	----	28	----	113 - 16
4835	155.50	155.50	171.50B/137.30A	171.50B/137.30A	----	140.70 - 16.90	.4872	----	----	5	----	6 + 2
4840	140.30	140.30	168.90B/135.00A	168.90B/135.00A	----	138.40 - 16.80	.4820	----	----	5	----	42 + 3
4845	----	----	166.70B/132.80A	166.70B/132.80A	----	136.20 - 16.60	.4768	----	----	----	----	16 UNCH
4850	159.70	159.70	164.90/130.60A	164.90/130.60A	----	133.90 - 16.60	.4716	----	----	138	200	850 + 177
4855	133.40	133.40	161.30B/128.40A	161.30B/128.40A	----	131.70 - 16.50	.4664	----	----	1	----	279 + 1
4860	----	----	158.80B/126.20A	158.80B/126.20A	----	129.50 - 16.40	.4612	----	----	----	----	63 UNCH
4865	----	----	156.40B/124.20A	156.40B/124.20A	----	127.30 - 16.30	.4560	----	----	----	----	26 UNCH
4870	----	----	153.90B/122.00A	153.90B/122.00A	----	125.20 - 16.10	.4509	----	----	----	----	14 UNCH
4875	129.00	129.00	151.50B/120.00A	151.50B/120.00A	----	123.10 - 16.00	.4457	----	----	121	----	142 + 3
4880	127.80	127.80	149.20B/118.00A	149.20B/118.00A	----	121.00 - 15.90	.4406	----	----	8	----	71 + 6
4885	118.10	118.10	146.90B/116.00A	146.90B/116.00A	----	118.90 - 15.90	.4354	----	----	2	----	257 - 1
4890	----	----	144.80B/114.00A	144.80B/114.00A	----	116.90 - 15.70	.4303	----	----	3	----	294 UNCH
4895	----	----	142.30B/112.00A	142.30B/112.00A	----	114.80 - 15.70	.4252	----	----	----	----	207 UNCH
4900	138.50	138.50	140.00B/110.10A	140.00B/110.10A	----	112.90 - 15.50	.4201	----	----	315	----	3788 + 195
4905	----	----	137.80B/108.20A	137.80B/108.20A	----	110.90 - 15.50	.4150	----	----	----	----	18 UNCH
4910	----	----	135.70B/106.30A	135.70B/106.30A	----	109.00 - 15.30	.4100	----	----	----	----	25 UNCH
4915	----	----	133.40B/104.50A	133.40B/104.50A	----	107.00 - 15.30	.4049	----	----	----	----	41 UNCH
4920	----	----	131.20B/102.70A	131.20B/102.70A	----	105.20 - 15.20	.4000	----	----	----	----	112 UNCH
4925	----	----	129.10B/100.90A	129.10B/100.90A	----	103.30 - 15.10	.3950	----	----	9	----	51 + 3
4930	----	----	127.00B/99.10A	127.00B/99.10A	----	101.50 - 15.00	.3900	----	----	----	----	206 UNCH
4935	----	----	124.80B/97.40A	124.80B/97.40A	----	99.70 - 14.90	.3851	----	----	----	----	7 UNCH
4940	----	----	123.00B/95.60A	123.00B/95.60A	----	97.90 - 14.80	.3802	----	----	----	----	102 UNCH
4945	98.30	98.30	121.00B/93.90A	121.00B/93.90A	----	96.10 - 14.70	.3752	----	----	33	----	216 + 23
4950	114.70	114.70	119.00B/92.30A	119.00B/92.30A	----	94.40 - 14.60	.3704	----	----	16	----	1085 - 15
4955	----	----	116.80B/90.50A	116.80B/90.50A	----	92.70 - 14.50	.3656	----	----	----	----	33 UNCH
4960	93.40	93.40	114.80B/89.00A	114.80B/89.00A	----	91.00 - 14.40	.3608	----	----	4	----	184 - 4
4965	----	----	113.00B/87.40A	113.00B/87.40A	----	89.30 - 14.30	.3559	----	----	----	----	38 UNCH
4970	----	----	111.10B/85.80A	111.10B/85.80A	----	87.70 - 14.20	.3512	----	----	----	----	51 UNCH
4975	108.80	108.80	109.20B/84.30A	109.20B/84.30A	----	86.10 - 14.10	.3465	----	----	2	----	211 - 1
4980	----	----	107.40B/82.80A	107.40B/82.80A	----	84.50 - 14.00	.3418	----	----	----	----	86 UNCH
4985	----	----	105.70B/81.30A	105.70B/81.30A	----	83.00 - 13.80	.3372	----	----	----	----	117 UNCH
4990	----	----	103.90B/79.80A	103.90B/79.80A	----	81.50 - 13.70	.3326	----	----	1	----	893 UNCH
4995	89.70	89.70	102.00B/78.30A	102.00B/78.30A	----	80.00 - 13.60	.3281	----	----	2	----	42 + 2
5000	95.50	95.50	100.20B/76.90A	100.20B/76.90A	----	78.50 - 13.50	.3235	----	----	700	----	7447 - 230
5005	----	----	98.50B/75.50A	98.50B/75.50A	----	77.00 - 13.40	.3189	----	----	----	----	301 UNCH
5010	----	----	96.90B/74.10A	96.90B/74.10A	----	75.60 - 13.30	.3145	----	----	----	----	88 UNCH
5015	89.90	89.90	95.20B/72.80A	95.20B/72.80A	----	74.20 - 13.10	.3101	----	----	5	----	78 - 3
5020	----	----	93.50B/71.40A	93.50B/71.40A	----	72.80 - 13.00	.3057	----	----	----	----	469 UNCH
5025	79.70	79.70	91.90B/70.10A	91.90B/70.10A	----	71.50 - 12.90	.3014	----	----	5	----	71 UNCH
5030	80.20	80.20	90.30B/68.70A	90.30B/68.70A	----	70.10 - 12.80	.2970	----	----	10	----	121 + 1
5035	----	----	88.60B/67.50A	88.60B/67.50A	----	68.80 - 12.70	.2927	----	----	----	----	64 UNCH
5040	----	----	87.20B/66.30A	87.20B/66.30A	----	67.50 - 12.50	.2885	----	----	----	----	52 UNCH
5045	----	----	85.60B/65.10A	85.60B/65.10A	----	66.30 - 12.30	.2844	----	----	1	----	28 + 1
5050	65.30	65.30	84.20B/63.90A	84.20B/63.90A	----	65.00 - 12.30	.2801	----	----	114	----	1280 - 3
5055	----	----	82.70B/62.70A	82.70B/62.70A	----	63.80 - 12.10	.2761	----	----	1	----	8 + 1
5060	72.10	72.10	81.20B/61.50A	81.20B/61.50A	----	62.60 - 12.00	.2720	----	----	15	----	101 + 14
5065	----	----	79.50B/60.40A	79.50B/60.40A	----	61.40 - 11.90	.2679	----	----	----	----	37 UNCH
5070	65.40	65.40	78.40B/59.30A	78.40B/59.30A	----	60.30 - 11.70	.2640	----	----	1	----	81 UNCH
5075	----	----	77.00B/58.20A	77.00B/58.20A	----	59.10 - 11.60	.2600	----	----	2	----	723 - 2
5080	63.00	63.00	75.60B/57.10A	75.60B/57.10A	----	58.00 - 11.50	.2561	----	----	1	----	293 UNCH
5085	----	----	74.30B/56.00A	74.30B/56.00A	----	56.90 - 11.30	.2523	----	----	----	----	196 UNCH
5090	----	----	72.90B/55.00A	72.90B/55.00A	----	55.90 - 11.10	.2486	----	----	7	----	50 UNCH
5095	55.00	55.00	71.60B/53.90A	71.60B/53.90A	----	54.80 - 11.00	.2447	----	----	5	----	65 + 2
5100	61.00	61.00	70.30B/52.90A	70.30B/52.90A	----	53.80 - 10.90	.2411	----	----	37	25	4785 + 40
5105	----	----	69.10B/51.90A	69.10B/51.90A	----	52.70 - 10.80	.2372	----	----	----	----	39 UNCH
5110	----	----	67.70B/51.00A	67.70B/51.00A	----	51.70 - 10.70	.2336	----	----	1	----	106 UNCH
5115	----	----	66.60B/50.00A	66.60B/50.00A	----	50.80 - 10.50	.2302	----	----	----	----	108 UNCH
5120	----	----	65.20B/49.10A	65.20B/49.10A	----	49.80 - 10.40	.2265	----	----	2	----	59 - 1
5125	55.20	55.20	63.90B/48.10A	63.90B/48.10A	----	48.90 - 10.20	.2231	----	----	85	----	308 + 70
5130	51.70	51.70	63.00B/47.20A	63.00B/47.20A	----	47.90 - 10.20	.2195	----	----	2	----	50 + 1
5135	----	----	61.60B/46.40A	61.60B/46.40A	----	47.00 - 10.00	.2161	----	----	----	----	44 UNCH
5140	----	----	60.50B/45.50A	60.50B/45.50A	----	46.10 - 9.90	.2127	----	----	1	----	136 + 1
5145	----	----	59.50B/44.60A	59.50B/44.60A	----	45.20 - 9.80	.2093	----	----	----	----	12 UNCH
5150	44.70	44.70	58.60B/43.80A	58.60B/43.80A	----	44.40 - 9.60	.2062	----	----	163	----	2520 + 22
5155	----	----	57.50B/43.00A	57.50B/43.00A	----	43.50 - 9.50	.2028	----	----	----	----	29 UNCH
5160	----	----	56.20B/42.20A	56.20B/42.20A	----	42.70 - 9.40	.1997	----	----	1	----	101 UNCH
5165	42.50	42.50	55.20B/41.40A	55.20B/41.40A	----	41.90 - 9.30	.1965	----	----	29	----	169 + 15
5170	----	----	54.40B/40.60A	54.40B/40.60A	----	41.10 - 9.10	.1934	----	----	----	----	356 UNCH
5175	----	----	53.20B/39.90A	53.20B/39.90A	----	40.30 - 9.00	.1903	----	----	----	----	40 UNCH
5180	----	----	52.20B/39.10A	52.20B/39.10A	----	39.60 - 8.90	.1874	----	----	----	----	62 UNCH
5185	----	----	51.30B/38.40A	51.30B/38.40A	----	38.80 - 8.80	.1843	----	----	----	----	88 UNCH
5190	----	----	50.40B/37.70A	50.40B/37.70A	----	38.10 - 8.60	.1814	----	----	8	----	498 - 7
5195	----	----	49.40B/37.00A	49.40B/37.00A	----	37.40 - 8.50	.1786	----	----	----	----	493 UNCH
5200	48.50	48.50	48.90B/36.30A	48.90B/36.30A	----	36.70 - 8.40	.1757	----	----	363	160	6100 - 313
5205	----	----	47.60B/35.60A	47.60B/35.60A	----	36.00 - 8.30	.1729	----	----	----	----	20 UNCH
5210	37.90	37.90	46.70B/34.90A	46.70B/34.90A	----	35.30 - 8.20	.1700	----	----	24	----	3060 + 14
5215	40.00	40.00	45.90B/34.30A	45.90B/34.30A	----	34.60 - 8.10	.1672	----	----	14	----	75 + 10
5220	----	----	44.90B/33.70A	44.90B/33.70A	----	34.00 - 7.90	.1646	----	----	1	----	195 UNCH
5225	----	----	44.20B/33.00A	44.20B/33.00A	----	33.40 - 7.80	.1621	----	----	6	----	287 + 5
5230	----	----	43.40B/32.40A	43.40B/32.40A	----	32.70 - 7.70	.1593	----	----	----	----	106 UNCH
5235	36.00	36.00	42.60B/31.80A	42.60B/31.80A	----	32.10 - 7.60	.1567	----	----	7	----	157 + 7
5240	----	----	41.90B/31.20A	41.90B/31.20A	----	31.50 - 7.50	.1542	----	----	----	----	62 UNCH
5245	33.10	33.10	41.10B/30.70A	41.10B/30.70A	----	30.90 - 7.40	.1517	----	----	7	----	23 + 4
5250	40.10	40.10	40.50B/30.10A	40.50B/30.10A	----	30.40 - 7.20	.1494	----	----	58	----	3812 + 21
5255	31.90	31.90	39.60B/29.60A	39.60B/29.60A	----	29.80 - 7.20	.1469	----	----	1	----	71 + 1
5260	----	----	38.60B/29.00A	38.60B/29.00A	----	29.20 - 7.10	.1444	----	----	----	----	409 UNCH
5265	28.70	28.70	38.10B/28.50A	38.10B/28.50A	----	28.70 - 7.00	.1421	----	----	12	----	40 + 6
5270	----	----	37.20B/28.00A	37.20B/28.00A	----	28.20 - 6.80	.1399	----	----	1	----	52 UNCH
5275	----	----	36.70B/27.40A	36.70B/27.40A	----	27.60 - 6.80	.1374	----	----	1	----	120 UNCH
5280	29.00	29.00	36.10B/26.90A	36.10B/26.90A	----	27.10 - 6.70	.1352	----	----	13	----	98 + 7
5285	----	----	35.20B/26.40A	35.20B/26.40A	----	26.60 - 6.60	.1330	----	----	----	----	171 UNCH
5290	----	----	34.60B/25.90A	34.60B/25.90A	----	26.10 - 6.50	.1308	----	----	----	----	35 UNCH
5295	----	----	34.00B/25.50A	34.00B/25.50A	----	25.60 - 6.50	.1286	----	----	----	----	86 UNCH
5300	33.80	33.80	33.80/25.00A	33.80/25.00A	----	25.20 - 6.30	.1267	----	----	236	----	5174 - 33
5305	26.30	26.30	32.60B/24.50A	32.60B/24.50A	----	24.70 - 6.30	.1246	----	----	101	----	334 - 47
5310	24.60	24.60	32.10B/24.10A	32.10B/24.10A	----	24.20 - 6.20	.1224	----	----	4	----	122 + 3
5315	25.20	25.20	31.50B/23.70A	31.50B/23.70A	----	23.80 - 6.10	.1205	----	----	3	----	71 + 1
5320	----	----	30.90B/23.30A	30.90B/23.30A	----	23.40 - 6.00	.1187	----	----	----	----	140 UNCH
5325	----	----	30.40B/22.80A	30.40B/22.80A	----	22.90 - 6.00	.1165	----	----	4	----	161 UNCH
5330	24.00	24.00	29.80B/22.40A	29.80B/22.40A	----	22.50 - 5.90	.1146	----	----	34	----	83 + 32
5335	----	----	29.30B/22.00A	29.30B/22.00A	----	22.10 - 5.80	.1128	----	----	----	----	12 UNCH
5340	----	----	28.80B/21.60A	28.80B/21.60A	----	21.70 - 5.70	.1110	----	----	----	----	71 UNCH
5345	----	----	28.30B/21.20A	28.30B/21.20A	----	21.30 - 5.70	.1091	----	----	----	----	23 UNCH
5350	23.90	23.90	27.80B/20.70	27.80B/20.70	----	20.90 - 5.60	.1073	----	----	75	----	1926 + 30
5355	----	----	27.30B/20.50A	27.30B/20.50A	----	20.50 - 5.60	.1055	----	----	2	----	20 + 2
5360	----	----	26.80B/20.10A	26.80B/20.10A	----	20.20 - 5.40	.1040	----	----	----	----	51 UNCH
5365	----	----	26.30B/19.80A	26.30B/19.80A	----	19.80 - 5.40	.1022	----	----	6	----	13 + 6
5370	----	----	25.80B/19.40A	25.80B/19.40A	----	19.50 - 5.30	.1007	----	----	6	----	80 + 5
5375	----	----	25.40B/19.10A	25.40B/19.10A	----	19.10 - 5.30	.0989	----	----	12	----	45 + 1
5380	----	----	24.90B/18.70A	24.90B/18.70A	----	18.80 - 5.20	.0974	----	----	----	----	96 UNCH
5385	----	----	24.40B/18.40A	24.40B/18.40A	----	18.40 - 5.20	.0956	----	----	----	----	9 UNCH
5390	----	----	24.10B/18.10A	24.10B/18.10A	----	18.10 - 5.10	.0941	----	----	2	----	60 UNCH
5395	----	----	23.60B/17.80A	23.60B/17.80A	----	17.80 - 5.00	.0927	----	----	----	----	47 UNCH
5400	23.50	23.50	23.50/17.40	23.50/17.40	----	17.50 - 4.90	.0912	----	----	34	----	5875 + 7
5405	----	----	22.80B/17.20A	22.80B/17.20A	----	17.20 - 4.90	.0898	----	----	----	----	83 UNCH
5410	----	----	22.40B/16.90A	22.40B/16.90A	----	16.90 - 4.80	.0883	----	----	----	----	26 UNCH
5415	----	----	22.00B/16.60A	22.00B/16.60A	----	16.60 - 4.70	.0869	----	----	----	----	12 UNCH
5420	18.10	18.10	21.60B/16.40A	21.60B/16.40A	----	16.30 - 4.70	.0854	----	----	1	----	50 - 1
5425	----	----	21.30B/16.10A	21.30B/16.10A	----	16.10 - 4.60	.0844	----	----	1	----	123 + 1
5430	21.60	21.60	21.60/15.80A	21.60/15.80A	----	15.80 - 4.50	.0829	----	----	8	----	89 + 1
5435	15.50	15.50	20.50B/15.50	20.50B/15.50	----	15.50 - 4.50	.0815	----	----	11	----	18 + 3
5440	----	----	20.30B/15.30A	20.30B/15.30A	----	15.30 - 4.40	.0804	----	----	----	----	95 UNCH
5445	----	----	19.90B/15.00A	19.90B/15.00A	----	15.00 - 4.40	.0790	----	----	----	----	40 UNCH
5450	19.90	19.90	20.00/14.80A	20.00/14.80A	----	14.80 - 4.30	.0780	----	----	78	----	1606 - 5
5455	----	----	19.20B/14.60A	19.20B/14.60A	----	14.60 - 4.20	.0769	----	----	----	----	43 UNCH
5460	15.30	15.30	18.80B/14.30A	18.80B/14.30A	----	14.30 - 4.20	.0755	----	----	1	----	129 UNCH
5465	----	----	18.50B/14.10A	18.50B/14.10A	----	14.10 - 4.10	.0744	----	----	----	----	38 UNCH
5470	----	----	18.10B/13.90A	18.10B/13.90A	----	13.90 - 4.00	.0734	----	----	----	----	34 UNCH
5475	----	----	17.80B/13.60A	17.80B/13.60A	----	13.60 - 4.10	.0720	----	----	----	----	75 UNCH
5480	----	----	17.50B/13.40A	17.50B/13.40A	----	13.40 - 4.00	.0710	----	----	----	----	28 UNCH
5485	----	----	17.30B/13.20A	17.30B/13.20A	----	13.20 - 3.90	.0699	----	----	----	----	9 UNCH
5490	----	----	17.00B/13.00A	17.00B/13.00A	----	13.00 - 3.90	.0689	----	----	----	----	178 UNCH
5495	14.30	14.30	16.80B/12.80A	16.80B/12.80A	----	12.80 - 3.80	.0679	----	----	1	----	75 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
5500	17.40	17.40	17.40/12.60A	17.40/12.60A	----	12.60 - 3.80	.0669	----	----	2265	----	7499 - 587
5505	----	----	----/12.40A	16.20B/12.40A	----	12.40 - 3.80	.0659	----	----	1	----	12 + 1
5510	12.10	12.10	16.00B/12.10	16.00B/12.10	----	12.20 - 3.70	.0649	----	----	4	----	185 UNCH
5515	----	----	----/12.00A	15.70B/12.00A	----	12.00 - 3.70	.0638	----	----	----	----	40 UNCH
5520	----	----	----/11.80A	15.50B/11.80A	----	11.90 - 3.60	.0632	----	----	----	----	26 UNCH
5525	----	----	----/11.70A	15.20B/11.70A	----	11.70 - 3.60	.0622	----	----	----	----	169 UNCH
5530	----	----	----/11.50A	15.00B/11.50A	----	11.50 - 3.50	.0612	----	----	----	----	39 UNCH
5535	----	----	----/*11.30A	14.70B/*11.30A	----	11.30 - 3.50	.0602	----	----	----	----	8 UNCH
5540	----	----	----/*11.10A	14.50B/*11.10A	----	11.20 - 3.40	.0596	----	----	----	----	291 UNCH
5545	----	----	----/11.00A	14.30B/11.00A	----	11.00 - 3.40	.0586	----	----	----	----	19 UNCH
5550	11.00	11.00	11.00/10.90A	14.10B/10.90A	----	10.80 - 3.40	.0576	----	----	21	----	778 + 1
5555	----	----	----/*10.70A	13.90B/*10.70A	----	10.70 - 3.30	.0570	----	----	----	----	4 UNCH
5560	----	----	----/*10.60A	13.70B/*10.60A	----	10.50 - 3.40	.0560	----	----	----	----	32 UNCH
5565	----	----	----/*10.40A	13.50B/*10.40A	----	10.40 - 3.30	.0554	----	----	----	----	12 UNCH
5570	----	----	----/*10.20A	13.30B/*10.20A	----	10.20 - 3.30	.0545	----	----	----	----	28 UNCH
5575	----	----	----/*10.10A	13.10B/*10.10A	----	10.10 - 3.20	.0539	----	----	----	----	58 UNCH
5580	----	----	----/*10.00A	12.90B/*10.00A	----	9.90 - 3.20	.0529	----	----	----	----	13 UNCH
5585	9.80	9.80	9.80/*9.80	12.70B/*9.80	----	9.80 - 3.20	.0523	----	----	2	----	12 + 1
5590	9.40	9.40	9.40/*9.40	12.50B/*9.40	----	9.70 - 3.10	.0517	----	----	1	----	95 + 1
5595	----	----	----/*9.50A	12.30B/*9.50A	----	9.50 - 3.10	.0508	----	----	----	----	39 UNCH
5600	10.10	10.10	10.10/*9.40A	12.10B/*9.40A	----	9.40 - 3.10	.0502	----	----	35	----	2342 + 19
5610	----	----	----/*9.10A	11.80B/*9.10A	----	9.10 - 3.10	.0486	----	----	----	----	73 UNCH
5620	----	----	----/*8.90A	11.50B/*8.90A	----	8.90 - 3.00	.0475	----	----	----	----	60 UNCH
5625	----	----	----/*8.80A	11.30B/*8.80A	----	8.80 - 2.90	.0469	----	----	----	----	404 UNCH
5630	9.60	9.60	9.60/*8.60A	11.20B/*8.60A	----	8.70 - 2.90	.0464	----	----	16	----	218 + 11
5640	----	----	----/*8.40A	10.90B/*8.40A	----	8.40 - 2.90	.0449	----	----	6	----	84 + 6
5650	10.70	10.70	11.00/*8.10	11.00/*8.10	----	8.20 - 2.80	.0438	----	----	10	----	747 - 1
5660	7.90	7.90	7.90/*7.90	10.40B/*7.90	----	8.00 - 2.80	.0427	----	----	1	----	41 UNCH
5665	----	----	----/*7.90A	10.20B/*7.90A	----	7.90 - 2.80	.0421	----	----	----	----	5 UNCH
5670	----	----	----/*7.80A	10.10B/*7.80A	----	7.80 - 2.70	.0416	----	----	----	----	120 UNCH
5675	----	----	----/*7.70A	10.00B/*7.70A	----	7.70 - 2.70	.0410	----	----	1	----	22 - 1
5680	----	----	----/*7.60A	9.80B/*7.60A	----	7.60 - 2.70	.0405	----	----	----	----	47 UNCH
5690	----	----	----/*7.40A	9.60B/*7.40A	----	7.50 - 2.60	.0398	----	----	6	----	163 + 6
5700	10.00	10.00	10.00/*7.20A	10.00/*7.20A	----	7.30 - 2.50	.0388	----	----	29	----	1959 - 2
5710	7.40	7.40	7.40/*7.00A	9.10B/*7.00A	----	7.10 - 2.50	.0377	----	----	2	----	41 + 1
5720	----	----	----/*6.90A	8.90B/*6.90A	----	7.00 - 2.40	.0371	----	----	----	----	18 UNCH
5725	----	----	----/*6.80A	8.80B/*6.80A	----	6.90 - 2.40	.0365	----	----	1	----	36 UNCH
5730	----	----	----/*6.70A	8.70B/*6.70A	----	6.80 - 2.40	.0360	----	----	----	----	58 UNCH
5740	----	----	----/*6.70A	8.50B/*6.70A	----	6.60 - 2.40	.0350	----	----	----	----	60 UNCH
5750	----	----	----/*6.50A	8.30B/*6.50A	----	6.50 - 2.30	.0344	----	----	----	----	1680 UNCH
5760	----	----	----/*6.40A	8.10B/*6.40A	----	6.40 - 2.20	.0337	----	----	----	----	18 UNCH
5770	----	----	----/*6.20A	7.90B/*6.20A	----	6.20 - 2.30	.0327	----	----	----	----	32 UNCH
5775	6.60	6.60	6.60/*5.90	7.80B/*5.90	----	6.10 - 2.30	.0322	----	----	18	----	220 UNCH
5780	----	----	----/*6.10A	7.80B/*6.10A	----	6.10 - 2.20	.0321	----	----	----	----	219 UNCH
5790	----	----	----/*6.00A	7.60B/*6.00A	----	5.90 - 2.30	.0311	----	----	----	----	11 UNCH
5800	6.40	6.40	6.40/*5.90A	7.40B/*5.90A	----	5.80 - 2.20	.0305	----	----	108	----	3230 - 54
5810	----	----	----/*5.70A	7.30B/*5.70A	----	5.70 - 2.20	.0299	----	----	----	----	260 UNCH
5820	5.30	5.30	5.30/*5.30	7.10B/*5.30	----	5.60 - 2.10	.0293	----	----	1	----	35 + 1
5825	----	----	----/*5.60A	7.10B/*5.60A	----	5.50 - 2.10	.0288	----	----	2	----	23 UNCH
5830	----	----	----/*5.50A	7.00B/*5.50A	----	5.50 - 2.10	.0287	----	----	----	----	16 UNCH
5840	----	----	----/*5.40A	6.80B/*5.40A	----	5.40 - 2.10	.0282	----	----	----	----	22 UNCH
5850	----	----	----/*5.30A	6.70B/*5.30A	----	5.30 - 2.00	.0276	----	----	----	----	472 UNCH
5860	----	----	----/*5.20A	6.60B/*5.20A	----	5.20 - 2.00	.0270	----	----	----	----	24 UNCH
5870	----	----	----/*5.10A	6.40B/*5.10A	----	5.10 - 2.00	.0265	----	----	----	----	32 UNCH
5875	----	----	----/*5.00A	6.40B/*5.00A	----	5.00 - 2.00	.0260	----	----	----	----	196 UNCH
5880	----	----	----/*5.00A	6.30B/*5.00A	----	5.00 - 2.00	.0259	----	----	----	----	17 UNCH
5890	----	----	----/*4.90A	6.20B/*4.90A	----	4.90 - 2.00	.0254	----	----	----	----	138 UNCH
5900	----	----	----/*4.80A	6.20B/*4.80A	----	4.80 - 2.00	.0248	----	----	2	----	1380 - 2
5910	----	----	----/*4.70A	6.00B/*4.70A	----	4.70 - 1.90	.0243	----	----	----	----	12 UNCH
5920	----	----	----/*4.60A	5.90B/*4.60A	----	4.60 - 1.90	.0237	----	----	----	----	40 UNCH
5930	----	----	----/*4.60A	5.80B/*4.60A	----	4.60 - 1.80	.0236	----	----	----	----	58 UNCH
5940	----	----	----/*4.50A	5.70B/*4.50A	----	4.50 - 1.80	.0231	----	----	----	----	4 UNCH
5950	----	----	----/*4.40A	5.60B/*4.40A	----	4.40 - 1.80	.0225	----	----	----	----	169 UNCH
5960	----	----	----/*4.30A	5.50B/*4.30A	----	4.30 - 1.90	.0220	----	----	----	----	37 UNCH
5970	----	----	----/*4.20A	5.40B/*4.20A	----	4.30 - 1.80	.0219	----	----	----	----	35 UNCH
5980	5.00	5.00	5.00/*4.20A	5.30B/*4.20A	----	4.20 - 1.80	.0214	----	----	18	----	22 + 15
5990	----	----	----/*4.10A	5.20B/*4.10A	----	4.10 - 1.80	.0209	----	----	----	----	4 UNCH
6000	5.40	5.40	5.40/4.00A	5.40/4.00A	----	4.10 - 1.70	.0207	----	----	3724	----	5976 - 2536
6010	----	----	----/*4.00A	4.90B/*4.00A	----	4.00 - 1.70	.0202	----	----	----	----	10 UNCH
6020	----	----	----/*3.90A	4.80B/*3.90A	----	3.90 - 1.70	.0197	----	----	----	----	23 UNCH
6030	----	----	----/*3.90A	4.90B/*3.90A	----	3.90 - 1.60	.0196	----	----	----	----	31 UNCH
6040	----	----	----/*3.80A	4.70B/*3.80A	----	3.80 - 1.70	.0191	----	----	----	----	25 UNCH
6050	4.80	4.80	4.80/*3.70A	4.80/*3.70A	----	3.80 - 1.60	.0190	----	----	2	----	281 + 1
6060	----	----	----/*3.70A	4.50B/*3.70A	----	3.70 - 1.60	.0185	----	----	----	----	32 UNCH
6070	----	----	----/*3.60A	4.50B/*3.60A	----	3.70 - 1.50	.0184	----	----	----	----	34 UNCH
6080	----	----	----/*3.60A	4.40B/*3.60A	----	3.60 - 1.60	.0179	----	----	----	----	10 UNCH
6090	----	----	----/*3.50A	4.30B/*3.50A	----	3.60 - 1.50	.0179	----	----	----	----	25 UNCH
6100	3.40	3.40	3.40/*3.40	4.30B/*3.40	----	3.50 - 1.60	.0174	----	----	31	----	2398 + 2
6110	----	----	----/*3.40A	4.20B/*3.40A	----	3.50 - 1.50	.0173	----	----	----	----	65 UNCH
6120	----	----	----/*3.40A	4.10B/*3.40A	----	3.40 - 1.50	.0168	----	----	----	----	11 UNCH
6125	----	----	----/*3.40A	4.10B/*3.40A	----	3.40 - 1.50	.0168	----	----	----	----	16 UNCH
6130	----	----	----/*3.30A	4.10B/*3.30A	----	3.40 - 1.50	.0167	----	----	----	----	10 UNCH
6140	----	----	----/*3.30A	4.00B/*3.30A	----	3.30 - 1.50	.0162	----	----	----	----	9 UNCH
6150	----	----	----/*3.20A	4.10B/*3.20A	----	3.30 - 1.50	.0162	----	----	----	----	506 UNCH
6160	----	----	----/*3.20A	4.00B/*3.20A	----	3.20 - 1.50	.0157	----	----	2	----	138 + 2
6170	----	----	----/*3.20A	3.90B/*3.20A	----	3.20 - 1.40	.0156	----	----	----	----	17 UNCH
6180	----	----	----/*3.20A	3.90B/*3.20A	----	3.20 - 1.40	.0155	----	----	----	----	75 UNCH
6190	----	----	----/*3.10A	3.80B/*3.10A	----	3.10 - 1.40	.0151	----	----	----	----	2 UNCH
6200	----	----	----/*3.10A	3.90B/*3.10A	----	3.10 - 1.30	.0150	----	----	----	----	4308 UNCH
6210	----	----	----/*3.00A	3.80B/*3.00A	----	3.00 - 1.40	.0146	----	----	----	----	53 UNCH
6220	----	----	----/*3.00A	3.70B/*3.00A	----	3.00 - 1.30	.0145	----	----	----	----	7 UNCH
6230	----	----	----/*3.00A	3.80B/*3.00A	----	3.00 - 1.30	.0144	----	----	----	----	66 UNCH
6240	----	----	----/*2.90A	3.60B/*2.90A	----	2.90 - 1.30	.0140	----	----	----	----	21 UNCH
6250	----	----	----/*2.90A	3.60B/*2.90A	----	2.90 - 1.20	.0139	----	----	1	----	1323 - 1
6260	----	----	----/*2.90A	3.50B/*2.90A	----	2.90 - 1.20	.0138	----	----	----	----	8 UNCH
6270	----	----	----/*2.80A	3.60B/*2.80A	----	2.90 - 1.10	.0138	----	----	----	----	146 UNCH
6280	----	----	----/*2.80A	3.50B/*2.80A	----	2.80 - 1.20	.0133	----	----	----	----	12 UNCH
6290	----	----	----/*2.80A	3.40B/*2.80A	----	2.80 - 1.10	.0133	----	----	----	----	19 UNCH
6300	----	----	----/*2.70A	3.40B/*2.70A	----	2.80 - 1.10	.0132	----	----	----	----	2450 UNCH
6310	----	----	----/*2.70A	3.40B/*2.70A	----	2.70 - 1.20	.0128	----	----	----	----	2 UNCH
6320	----	----	----/*2.70A	3.30B/*2.70A	----	2.70 - 1.10	.0127	----	----	----	----	24 UNCH
6330	----	----	----/*2.70A	3.30B/*2.70A	----	2.70 - 1.10	.0127	----	----	----	----	33 UNCH
6340	----	----	----/*2.60A	3.30B/*2.60A	----	2.60 - 1.10	.0122	----	----	----	----	35 UNCH
6350	----	----	----/*2.60A	3.20B/*2.60A	----	2.60 - 1.10	.0122	----	----	----	----	17 UNCH
6360	----	----	----/*2.60A	3.20B/*2.60A	----	2.60 - 1.10	.0121	----	----	----	----	2 UNCH
6370	----	----	----/*2.60A	3.20B/*2.60A	----	2.60 - 1.00	.0121	----	----	----	----	4 UNCH
6380	----	----	----/*2.50A	3.10B/*2.50A	----	2.50 - 1.10	.0117	----	----	----	----	8 UNCH
6390	----	----	----/*2.50A	3.10B/*2.50A	----	2.50 - 1.10	.0116	----	----	----	----	1 UNCH
6400	----	----	----/*2.50A	3.10B/*2.50A	----	2.50 - 1.00	.0116	----	----	1	----	482 UNCH
6410	----	----	----/*2.50A	3.10B/*2.50A	----	2.40 - 1.10	.0111	----	----	----	----	8 UNCH
6420	----	----	----/*2.40A	3.00B/*2.40A	----	2.40 - 1.10	.0111	----	----	----	----	3 UNCH
6430	----	----	----/*2.40A	3.00B/*2.40A	----	2.40 - 1.10	.0110	----	----	----	----	30 UNCH
6440	----	----	----/*2.40A	3.00B/*2.40A	----	2.40 - 1.00	.0110	----	----	----	----	2 UNCH
6450	----	----	----/*2.40A	2.90B/*2.40A	----	2.30 - 1.10	.0106	----	----	----	----	64 UNCH
6460	----	----	----/*2.30A	2.90B/*2.30A	----	2.30 - 1.10	.0105	----	----	----	----	36 UNCH
6470	----	----	----/*2.30A	2.90B/*2.30A	----	2.30 - 1.00	.0105	----	----	----	----	9 UNCH
6480	----	----	----/*2.30A	2.80B/*2.30A	----	2.30 - 1.00	.0105	----	----	----	----	21 UNCH
6490	----	----	----/*2.30A	2.80B/*2.30A	----	2.20 - 1.10	.0100	----	----	----	----	17 UNCH
6500	----	----	----/2.30A	2.80B/2.30A	----	2.20 - 1.10	.0100	----	----	1	----	1103 + 1
6525	----	----	----/*2.20A	2.70B/*2.20A	----	2.20 - 1.00	.0099	----	----	2	----	21 UNCH
6550	----	----	----/*2.20A	2.70B/*2.20A	----	2.10 - 1.00	.0094	----	----	----	----	210 UNCH
6575	----	----	----/*2.10A	2.60B/*2.10A	----	2.10 - 0.90	.0094	----	----	----	----	7 UNCH
6600	----	----	----/*2.10A	2.60B/*2.10A	----	2.00 - 1.00	.0089	----	----	1	----	880 + 1
6625	----	----	----/*2.00A	2.50B/*2.00A	----	2.00 - 0.90	.0088	----	----	----	----	106 UNCH
6650	2.50	2.50	2.50/*2.00A	2.50/*2.00A	----	1.90 - 0.90	.0084	----	----	21	----	40 + 8
6675	----	----	----/*2.00A	2.40B/*2.00A	----	1.90 - 0.90	.0083	----	----	----	----	50 UNCH
6700	----	----	----/*1.90A	2.30B/*1.90A	----	1.90 - 0.80	.0082	----	----	----	----	1415 UNCH
6725	----	----	----/*1.90A	2.30B/*1.90A	----	1.80 - 0.90	.0078	----	----	----	----	107 UNCH
6750	----	----	----/*1.90A	2.30B/*1.90A	----	1.80 - 0.80	.0077	----	----	----	----	133 UNCH
6775	----	----	----/*1.80A	2.20B/*1.80A	----	1.70 - 0.80	.0073	----	----	----	----	13 UNCH
6800	----	----	----/*1.80A	2.20B/*1.80A	----	1.70 - 0.80	.0073	----	----	----	----	245 UNCH
6825	----	----	----/*1.80A	2.10B/*1.80A	----	1.70 - 0.70	.0072	----	----	----	----	10 UNCH
6850	----	----	----/*1.70A	2.10B/*1.70A	----	1.60 - 0.80	.0068	----	----	----	----	26 UNCH
6875	----	----	----/*1.70A	2.00B/*1.70A	----	1.60 - 0.70	.0067	----	----	----	----	3 UNCH
6900	----	----	----/*1.70A	2.00B/*1.70A	----	1.60 - 0.70	.0067	----	----	----	----	157 UNCH
6925	----	----	----/*1.60A	1.90B/*1.60A	----	1.60 - 0.60	.0066	----	----	----	----	51 UNCH
6950	----	----	----/*1.60A	1.90B/*1.60A	----	1.50 - 0.70	.0062	----	----	----	----	27 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
6975	2.00	2.00	2.00/*1.60A	2.00/*1.60A	----	1.50 - 0.60	.0062	----	----	3	----	20 + 3
7000	2.00	2.00	2.00/*1.50	2.00/*1.50	----	1.50 - 0.60	.0061	----	----	6	----	1836 UNCH
7025	----	----	----/*1.50A	1.80B/*1.50A	----	1.40 - 0.60	.0057	----	----	----	----	33 UNCH
7050	----	----	----/*1.50A	1.80B/*1.50A	----	1.40 - 0.60	.0057	----	----	----	----	5 UNCH
7075	----	----	----/*1.50A	1.70B/*1.50A	----	1.40 - 0.50	.0057	----	----	----	----	8 UNCH
7100	1.50	1.50	1.50/*1.50	1.70B/*1.50	----	1.40 - 0.50	.0056	----	----	2	----	145 - 2
7125	----	----	----/*1.40A	1.70B/*1.40A	----	1.30 - 0.60	.0052	----	----	----	----	52 UNCH
7150	----	----	----/*1.40A	1.60B/*1.40A	----	1.30 - 0.50	.0052	----	----	----	----	59 UNCH
7200	----	----	----/*1.40A	1.60B/*1.40A	----	1.30 - 0.50	.0051	----	----	3	----	132 + 3
7250	----	----	----/*1.30A	1.50B/*1.30A	----	1.20 - 0.50	.0047	----	----	----	----	91 UNCH
7275	----	----	----/*1.30A	1.50B/*1.30A	----	1.20 - 0.50	.0047	----	----	----	----	1 UNCH
7300	----	----	----/*1.30A	1.50B/*1.30A	----	1.20 - 0.40	.0047	----	----	----	----	150 UNCH
7325	----	----	----/*1.30A	1.40B/*1.30A	----	1.10 - 0.50	.0043	----	----	----	----	14 UNCH
7350	----	----	----/*1.20A	1.40B/*1.20A	----	1.10 - 0.50	.0043	----	----	----	----	3 UNCH
7375	----	----	----/*1.20A	1.40B/*1.20A	----	1.10 - 0.40	.0043	----	----	----	----	20 UNCH
7400	----	----	----/*1.20A	1.40B/*1.20A	----	1.10 - 0.40	.0042	----	----	----	----	46 UNCH
7425	----	----	----/*1.20A	1.30B/*1.20A	----	1.10 - 0.40	.0042	----	----	----	----	20 UNCH
7450	----	----	----/*1.20A	1.30B/*1.20A	----	1.00 - 0.50	.0039	----	----	----	----	5 UNCH
7475	----	----	----/*1.10A	1.30B/*1.10A	----	1.00 - 0.40	.0038	----	----	----	----	8 UNCH
7500	1.00	1.00	1.00/*1.00	1.20B/*1.00	----	1.00 - 0.40	.0038	----	----	16	----	1354 - 1
7525	----	----	----/*1.10A	1.20B/*1.10A	----	1.00 - 0.40	.0038	----	----	----	----	22 UNCH
7575	----	----	----/*1.10A	1.20B/*1.10A	----	0.90 - 0.40	.0034	----	----	----	----	8 UNCH
7600	----	----	----/*1.00A	1.20B/*1.00A	----	0.90 - 0.40	.0034	----	----	----	----	48 UNCH
7700	----	----	----/*1.00A	1.10B/*1.00A	----	0.90 - 0.30	.0033	----	----	----	----	45 UNCH
7750	----	----	----/*0.90A	1.10B/*0.90A	----	0.80 - 0.30	.0030	----	----	----	----	12 UNCH
7800	----	----	----/*0.90A	1.00B/*0.90A	----	0.80 - 0.30	.0029	----	----	----	----	39 UNCH
7825	----	----	----/*0.90A	1.00B/*0.90A	----	0.80 - 0.30	.0029	----	----	----	----	1 UNCH
7875	----	----	----/*0.90A	1.00B/*0.90A	----	0.80 - 0.20	.0029	----	----	----	----	31 UNCH
7900	----	----	----/*0.90A	0.90B/*0.90A	----	0.80 - 0.20	.0029	----	----	----	----	2 UNCH
7950	----	----	----/*0.80A	0.90B/*0.80A	----	0.70 - 0.30	.0025	----	----	----	----	2 UNCH
8000	0.60	0.60	0.60/*0.60	0.80B/*0.60	----	0.70 - 0.30	.0025	----	----	128	----	928 - 55
8100	----	----	----/*0.80A	0.80B/*0.80A	----	0.70 - 0.20	.0025	----	----	----	----	3 UNCH
8200	----	----	----/*0.70A	0.80B/*0.70A	----	0.60 - 0.20	.0021	----	----	----	----	89 UNCH
8300	----	----	----/*0.70A	0.70B/*0.70A	----	0.60 - 0.20	.0021	----	----	----	----	64 UNCH
8500	----	----	----/*0.60A	0.60B/*0.60A	----	0.50 - 0.20	.0017	----	----	----	----	144 UNCH
8600	----	----	----/*0.60A	0.60B/*0.60A	----	0.50 - 0.20	.0017	----	----	----	----	51 UNCH
8800	----	----	----	0.50B/0.60A	----	0.40 - 0.20	.0013	----	----	----	----	32 UNCH
8900	----	----	----/*0.50A	0.40B/*0.50A	----	0.40 - 0.20	.0013	----	----	----	----	15 UNCH
9000	----	----	----	0.40B/0.50A	----	0.40 - 0.10	.0013	----	----	----	----	255 UNCH
9100	----	----	----	0.40B/0.50A	----	0.40 - 0.10	.0013	----	----	----	----	11 UNCH
9200	----	----	----	0.30B/0.50A	----	0.30 - 0.20	.0010	----	----	----	----	51 UNCH
9300	----	----	----	0.30B/0.50A	----	0.30 - 0.20	.0009	----	----	----	----	3 UNCH
9400	----	----	----	0.30B/*0.40A	----	0.30 - 0.10	.0009	----	----	----	----	25 UNCH
9500	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0009	----	----	----	----	23 UNCH
9600	----	----	----	0.20B/0.40A	----	0.30 - 0.10	.0009	----	----	----	----	26 UNCH
9700	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0009	----	----	----	----	20 UNCH
9800	----	----	----	0.20B/0.40A	----	0.20 - 0.10	.0006	----	----	----	----	17 UNCH
9900	----	----	----	0.20B/0.40A	----	0.20 - 0.10	.0006	----	----	----	----	24 UNCH
10000	----	----	----	0.20B/0.40A	----	0.20 - 0.10	.0006	----	----	----	----	263 UNCH
10100	----	----	----	0.10B/0.40A	----	0.20 - 0.10	.0006	----	----	----	----	2 UNCH
10300	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0006	----	----	----	----	3 UNCH
10400	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0006	----	----	----	----	2 UNCH
10500	----	----	----	0.10B/0.30A	----	0.10 - 0.10	.0003	----	----	----	----	1 UNCH
10700	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	4 UNCH
11000	----	----	----	----/*0.20A	----	0.10 - 0.10	.0001	----	----	----	----	72 UNCH
11300	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	12 UNCH
11500	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
11600	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
11700	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	15 UNCH
11900	----	----	----	0.10B/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
12000	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	350 UNCH
TOTAL										17188	385	163767 - 3141
JUL26												
3500	----	----	----	----	----	1346.90 - 15.70	.9824	----	----	----	----	1 UNCH
3600	----	----	1,275.40B/1,247	1275.40B/1247.30A	----	1248.10 - 15.80	.9776	----	----	----	----	24 UNCH
3650	----	----	1,226.00B/1,197	1226.00B/1197.90A	----	1198.90 - 15.90	.9747	----	----	----	----	10 UNCH
3670	----	----	1,206.20B/1,178	1206.20B/1178.40A	----	1179.20 - 15.90	.9735	----	----	----	----	3 UNCH
3700	----	----	1,176.80B/1,149	1176.80B/1149.00A	----	1149.80 - 16.00	.9714	----	----	----	----	119 UNCH
3735	----	----	----	----	----	1115.50 - 16.10	.9686	----	----	----	----	1 UNCH
3775	----	----	1,103.30B/1,075	1103.30B/1075.50A	----	1076.50 - 16.10	.9653	----	----	----	----	4 UNCH
3800	----	----	1,082.00B/1,046	1082.00B/1046.70A	----	1052.10 - 16.30	.9629	----	----	1	----	2040 - 1
3825	----	----	1,054.60B/1,026	1054.60B/1026.70A	----	1027.90 - 16.30	.9604	----	----	1	----	3 UNCH
3850	----	----	1,030.30B/1,002	1030.30B/1002.90A	----	1003.70 - 16.30	.9576	----	----	----	----	65 UNCH
3860	----	----	----	----	----	994.00 - 16.40	.9566	----	----	----	----	1 UNCH
3865	----	----	1,015.80B/988.4	1015.80B/988.40A	----	989.20 - 16.40	.9562	----	----	----	----	7 UNCH
3875	----	----	1,006.10B/978.6	1006.10B/978.60A	----	979.50 - 16.50	.9548	----	----	----	----	25 UNCH
3900	----	----	982.00B/954.60A	982.00B/954.60A	----	955.40 - 16.60	.9517	----	----	----	----	18 UNCH
3925	----	----	957.90B/930.70A	957.90B/930.70A	----	931.40 - 16.70	.9486	----	----	----	----	35 UNCH
3950	----	----	936.90B/902.30A	936.90B/902.30A	----	907.50 - 16.80	.9449	----	----	----	----	820 UNCH
3960	----	----	----	----	----	898.00 - 16.80	.9435	----	----	----	----	1 UNCH
4000	----	----	886.20B/859.20A	886.20B/859.20A	----	859.90 - 17.10	.9373	----	----	----	----	16 UNCH
4020	----	----	----	----	----	841.00 - 17.10	.9337	----	----	----	----	1 UNCH
4030	----	----	----	----	----	831.50 - 17.30	.9320	----	----	----	----	2 UNCH
4040	----	----	----	----	----	822.10 - 17.30	.9302	----	----	----	----	1 UNCH
4075	----	----	815.30B/788.80A	815.30B/788.80A	----	789.30 - 17.50	.9233	----	----	----	----	6 UNCH
4095	----	----	796.60B/770.10A	796.60B/770.10A	----	770.60 - 17.70	.9191	----	----	----	----	4 UNCH
4100	----	----	791.90B/765.30A	791.90B/765.30A	----	766.00 - 17.70	.9180	----	----	----	----	194 UNCH
4105	----	----	----	----	----	761.30 - 17.70	.9168	----	----	----	----	1 UNCH
4110	----	----	782.60B/756.00A	782.60B/756.00A	----	756.70 - 17.70	.9158	----	----	----	----	3 UNCH
4145	----	----	750.20B/724.10A	750.20B/724.10A	----	724.40 - 18.00	.9074	----	----	----	----	28 UNCH
4150	----	----	745.60B/719.30A	745.60B/719.30A	----	719.80 - 18.00	.9061	----	----	----	----	37 UNCH
4155	----	----	----	480.10B/1000.20A	----	715.20 - 18.10	.9049	----	----	----	----	1 UNCH
4160	----	----	----	546.20B/886.30A	----	710.60 - 18.20	.9036	----	----	----	----	1 UNCH
4190	----	----	----	518.60B/859.20A	----	683.30 - 18.40	.8954	----	----	----	----	1 UNCH
4200	----	----	699.90B/674.20A	699.90B/674.20A	----	674.30 - 18.40	.8924	----	----	----	----	8 UNCH
4215	----	----	686.30B/660.80A	686.30B/660.80A	----	660.80 - 18.50	.8880	----	----	----	----	25 UNCH
4220	----	----	----	491.30B/832.30A	----	656.30 - 18.60	.8865	----	----	----	----	1 UNCH
4225	----	----	----	486.80B/828.00A	----	651.90 - 18.50	.8848	----	----	----	----	2 UNCH
4235	----	----	----	477.80B/819.10A	----	643.00 - 18.60	.8817	----	----	----	----	1 UNCH
4240	----	----	663.80B/638.60A	663.80B/638.60A	----	638.50 - 18.70	.8801	----	----	----	----	39 UNCH
4245	----	----	----	468.80B/810.10A	----	634.10 - 18.70	.8784	----	----	----	----	1 UNCH
4250	----	----	656.10B/627.80A	656.10B/627.80A	----	629.70 - 18.70	.8768	----	----	----	----	316 UNCH
4255	----	----	----	459.90B/801.30A	----	625.20 - 18.80	.8751	----	----	----	----	1 UNCH
4265	----	----	----	451.00B/792.50A	----	616.40 - 18.80	.8716	----	----	----	----	2 UNCH
4270	----	----	637.00B/612.30A	637.00B/612.30A	----	612.00 - 18.90	.8698	----	----	----	----	38 UNCH
4275	----	----	632.60B/607.90A	632.60B/607.90A	----	607.70 - 18.80	.8681	----	----	----	----	76 UNCH
4280	----	----	628.20B/603.60A	628.20B/603.60A	----	603.30 - 18.90	.8663	----	----	----	----	3 UNCH
4300	----	----	610.60B/586.30A	610.60B/586.30A	----	585.90 - 19.00	.8589	----	----	----	----	64 UNCH
4315	----	----	597.50B/573.50A	597.50B/573.50A	----	573.00 - 19.10	.8532	----	----	----	----	21 UNCH
4325	----	----	588.80B/565.00A	588.80B/565.00A	----	564.50 - 19.00	.8492	----	----	----	----	22 UNCH
4335	----	----	----	390.00B/733.00A	----	555.90 - 19.20	.8450	----	----	----	----	1 UNCH
4350	----	----	567.50B/543.90A	567.50B/543.90A	----	543.30 - 19.10	.8388	----	----	----	----	10 UNCH
4360	----	----	559.00B/535.50A	559.00B/535.50A	----	534.90 - 19.20	.8344	----	----	----	----	53 UNCH
4365	----	----	554.90B/531.30A	554.90B/531.30A	----	530.70 - 19.20	.8322	----	----	----	----	45 UNCH
4370	----	----	550.50B/527.20A	550.50B/527.20A	----	526.50 - 19.30	.8300	----	----	----	----	20 UNCH
4375	----	----	546.20B/523.00A	546.20B/523.00A	----	522.40 - 19.20	.8278	----	----	----	----	5 UNCH
4400	----	----	528.00B/498.40A	528.00B/498.40A	----	501.70 - 19.40	.8162	----	----	----	----	2267 UNCH
4410	----	----	517.20B/494.40A	517.20B/494.40A	----	493.60 - 19.40	.8114	----	----	----	----	4 UNCH
4415	----	----	513.10B/490.40A	513.10B/490.40A	----	489.50 - 19.50	.8090	----	----	----	----	39 UNCH
4420	----	----	509.00B/486.40A	509.00B/486.40A	----	485.50 - 19.40	.8066	----	----	----	----	5 UNCH
4425	----	----	504.90B/482.40A	504.90B/482.40A	----	481.40 - 19.50	.8040	----	----	----	----	16 UNCH
4430	----	----	----	306.70B/658.50A	----	477.40 - 19.50	.8016	----	----	----	----	1 UNCH
4445	----	----	488.60B/466.50A	488.60B/466.50A	----	465.50 - 19.50	.7939	----	----	----	----	30 UNCH
4450	----	----	485.30B/460.60A	485.30B/460.60A	----	461.50 - 19.60	.7913	----	----	----	----	255 UNCH
4455	----	----	----	285.60B/639.60A	----	457.50 - 19.60	.7887	----	----	----	----	2 UNCH
4460	----	----	----	281.50B/636.00A	----	453.60 - 19.60	.7859	----	----	----	----	2 UNCH
4475	----	----	----	269.00B/624.70A	----	441.90 - 19.70	.7778	----	----	----	----	2 UNCH
4480	----	----	459.50B/439.40A	459.50B/439.40A	----	438.00 - 19.70	.7751	----	----	----	----	25 UNCH
4490	----	----	451.60B/431.70A	451.60B/431.70A	----	430.30 - 19.80	.7696	----	----	----	----	9 UNCH
4500	----	----	447.40B/420.20A	447.40B/420.20A	----	422.70 - 19.80	.7638	----	----	----	----	969 UNCH
4505	----	----	----	244.70B/602.70A	----	418.90 - 19.80	.7610	----	----	----	----	2 UNCH
4510	----	----	436.10B/416.70A	436.10B/416.70A	----	415.10 - 19.80	.7581	----	----	----	----	45 UNCH
4515	----	----	432.30B/413.00A	432.30B/413.00A	----	411.40 - 19.80	.7552	----	----	----	----	200 UNCH
4520	----	----	428.40B/409.30A	428.40B/409.30A	----	407.60 - 19.90	.7521	----	----	----	----	188 UNCH
4525	----	----	424.60B/405.70A	424.60B/405.70A	----	403.90 - 19.80	.7492	----	----	----	----	129 UNCH
4530	----	----	420.80B/402.00A	420.80B/402.00A	----	400.20 - 19.80	.7462	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 31

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
4535	----	----	417.00B/398.30A	417.00B/398.30A	----	396.50 - 19.90	.7431	----	----	----	----	14 UNCH
4540	----	----	413.30B/394.70A	413.30B/394.70A	----	392.80 - 19.90	.7401	----	----	----	----	53 UNCH
4550	----	----	405.80B/387.50A	405.80B/387.50A	----	385.50 - 19.90	.7339	----	----	----	----	10 UNCH
4560	----	----	----	202.10B/563.40A	----	378.30 - 19.90	.7277	----	----	----	----	2 UNCH
4565	----	----	----	198.40B/559.90A	----	374.70 - 19.90	.7245	----	----	----	----	1 UNCH
4570	----	----	----	194.70B/556.40A	----	371.10 - 20.00	.7213	----	----	----	----	2 UNCH
4575	----	----	----/369.80A	387.40B/369.80A	----	367.60 - 19.90	.7180	----	----	----	----	128 UNCH
4580	----	----	----	187.40B/549.50A	----	364.00 - 20.00	.7148	----	----	----	----	1 UNCH
4600	----	----	371.60B/347.70A	371.60B/347.70A	----	350.10 - 19.90	.7017	----	----	1	----	343 - 1
4605	----	----	----/345.30A	365.90B/345.30A	----	346.70 - 19.90	.6983	----	----	----	----	10 UNCH
4610	----	----	----/341.90A	362.30B/341.90A	----	343.30 - 19.90	.6949	----	----	----	----	6 UNCH
4635	----	----	350.60B/324.50A	350.60B/324.50A	----	326.50 - 19.80	.6779	----	----	----	----	86 UNCH
4640	----	----	348.00B/321.20A	348.00B/321.20A	----	323.20 - 19.80	.6744	----	----	----	----	240 UNCH
4645	----	----	343.80B/318.80A	343.80B/318.80A	----	319.90 - 19.80	.6709	----	----	----	----	14 UNCH
4650	----	----	341.60B/314.60A	341.60B/314.60A	----	316.60 - 19.80	.6673	----	----	----	----	257 UNCH
4655	----	----	337.90B/311.50A	337.90B/311.50A	----	313.40 - 19.70	.6638	----	----	----	----	18 UNCH
4660	----	----	334.50B/308.30A	334.50B/308.30A	----	310.10 - 19.80	.6602	----	----	----	----	20 UNCH
4665	----	----	331.50B/305.00A	331.50B/305.00A	----	306.90 - 19.70	.6567	----	----	----	----	268 UNCH
4670	----	----	328.00B/301.80A	328.00B/301.80A	----	303.80 - 19.60	.6531	----	----	----	----	105 UNCH
4675	----	----	324.70B/298.80A	324.70B/298.80A	----	300.60 - 19.60	.6495	----	----	----	----	129 UNCH
4680	----	----	320.60B/296.70A	320.60B/296.70A	----	297.40 - 19.70	.6459	----	----	----	----	10 UNCH
4685	----	----	317.30B/293.60A	317.30B/293.60A	----	294.30 - 19.60	.6423	----	----	----	----	11 UNCH
4695	----	----	311.70B/286.40A	311.70B/286.40A	----	288.10 - 19.60	.6350	----	----	----	----	23 UNCH
4700	----	----	309.00B/283.10A	309.00B/283.10A	----	285.00 - 19.60	.6313	----	----	----	----	592 UNCH
4710	----	----	302.20B/277.30A	302.20B/277.30A	----	278.90 - 19.60	.6239	----	----	----	----	118 UNCH
4720	----	----	295.20B/272.30A	295.20B/272.30A	----	272.90 - 19.50	.6165	----	----	----	----	9 UNCH
4725	----	----	292.90B/268.40A	292.90B/268.40A	----	269.90 - 19.50	.6127	----	----	----	----	52 UNCH
4730	----	----	289.00B/266.20A	289.00B/266.20A	----	267.00 - 19.50	.6090	----	----	----	----	3 UNCH
4740	----	----	284.40B/260.50A	284.40B/260.50A	----	261.10 - 19.50	.6014	----	----	----	----	1 UNCH
4745	----	----	286.90B/256.50A	286.90B/256.50A	----	258.20 - 19.50	.5976	----	----	----	----	177 UNCH
4750	----	----	283.80B/253.50A	283.80B/253.50A	----	255.40 - 19.40	.5938	----	----	----	----	1066 UNCH
4755	----	----	281.50B/250.90A	281.50B/250.90A	----	252.50 - 19.50	.5900	----	----	----	----	16 UNCH
4760	----	----	278.40B/248.60A	278.40B/248.60A	----	249.70 - 19.40	.5862	----	----	----	----	47 UNCH
4770	----	----	272.10B/243.10A	272.10B/243.10A	----	244.10 - 19.40	.5786	----	----	----	----	69 UNCH
4775	----	----	269.60B/240.10A	269.60B/240.10A	----	241.40 - 19.30	.5747	----	----	----	----	150 UNCH
4780	----	----	266.30B/237.40A	266.30B/237.40A	----	238.60 - 19.40	.5709	----	----	----	----	31 UNCH
4785	----	----	267.90B/234.70A	267.90B/234.70A	----	235.90 - 19.30	.5670	----	----	----	----	12 UNCH
4790	----	----	265.00B/233.10A	265.00B/233.10A	----	233.20 - 19.30	.5631	----	----	----	----	2 UNCH
4795	----	----	262.20B/228.90A	262.20B/228.90A	----	230.60 - 19.20	.5593	----	----	----	----	87 UNCH
4800	258.00	258.00	261.20B/226.40A	261.20B/226.40A	----	227.90 - 19.20	.5554	----	----	26	----	1737 + 4
4805	----	----	256.70B/223.70A	256.70B/223.70A	----	225.30 - 19.20	.5515	----	----	----	----	2 UNCH
4810	----	----	257.90B/221.20A	257.90B/221.20A	----	222.70 - 19.10	.5476	----	----	----	----	32 UNCH
4815	----	----	254.60B/218.60A	254.60B/218.60A	----	220.10 - 19.10	.5437	----	----	----	----	1 UNCH
4820	225.00	225.00	252.40B/215.70	252.40B/215.70	----	217.60 - 19.00	.5398	----	----	11	----	23 + 11
4825	----	----	249.60B/213.60A	249.60B/213.60A	----	215.10 - 18.90	.5359	----	----	----	----	634 UNCH
4830	----	----	246.90B/211.40A	246.90B/211.40A	----	212.60 - 18.80	.5320	----	----	----	----	12 UNCH
4835	----	----	244.10B/208.70A	244.10B/208.70A	----	210.10 - 18.70	.5281	----	----	----	----	16 UNCH
4840	----	----	241.60B/206.20A	241.60B/206.20A	----	207.70 - 18.60	.5242	----	----	----	----	3 UNCH
4845	----	----	238.90B/203.80A	238.90B/203.80A	----	205.30 - 18.50	.5203	----	----	----	----	59 UNCH
4850	230.90	230.90	236.30B/201.40A	236.30B/201.40A	----	202.90 - 18.30	.5165	----	----	105	----	436 + 51
4855	----	----	232.80B/199.00A	232.80B/199.00A	----	200.50 - 18.30	.5126	----	----	----	----	7 UNCH
4860	----	----	230.30B/196.80A	230.30B/196.80A	----	198.10 - 18.20	.5087	----	----	----	----	12 UNCH
4865	----	----	228.50B/194.40A	228.50B/194.40A	----	195.80 - 18.10	.5048	----	----	----	----	6 UNCH
4870	----	----	225.10B/192.10A	225.10B/192.10A	----	193.50 - 17.90	.5009	----	----	----	----	68 UNCH
4875	----	----	222.50B/189.90A	222.50B/189.90A	----	191.20 - 17.80	.4970	----	----	1	----	14 + 1
4880	----	----	221.00B/187.40A	221.00B/187.40A	----	188.90 - 17.80	.4931	----	----	----	----	20 UNCH
4885	----	----	217.60B/184.00A	217.60B/184.00A	----	186.70 - 17.60	.4893	----	----	----	----	5 UNCH
4890	212.00	212.00	216.00/183.20A	216.00/183.20A	----	184.40 - 17.60	.4854	----	----	2	----	3 + 1
4900	207.00	207.00	210.30B/178.50A	210.30B/178.50A	----	180.00 - 17.40	.4777	----	----	26	----	662 - 20
4905	----	----	208.20B/175.20A	208.20B/175.20A	----	177.80 - 17.30	.4738	----	----	----	----	4 UNCH
4910	186.60	186.60	205.60B/174.40A	205.60B/174.40A	----	175.70 - 17.20	.4700	----	----	2	----	105 - 1
4915	175.50	175.50	203.30B/172.30A	203.30B/172.30A	----	173.50 - 17.20	.4661	----	----	4	----	36 + 4
4920	----	----	201.60B/170.20A	201.60B/170.20A	----	171.40 - 17.10	.4623	----	----	----	----	6 UNCH
4925	----	----	199.10B/168.10A	199.10B/168.10A	----	169.30 - 17.00	.4585	----	----	----	----	4 UNCH
4930	170.40	170.40	197.20B/165.90A	197.20B/165.90A	----	167.20 - 17.00	.4547	----	----	1	----	13 + 1
4935	----	----	194.50B/164.00A	194.50B/164.00A	----	165.20 - 16.90	.4509	----	----	----	----	605 UNCH
4940	----	----	192.10B/161.90A	192.10B/161.90A	----	163.10 - 16.90	.4471	----	----	----	----	173 UNCH
4945	----	----	189.90B/160.00A	189.90B/160.00A	----	161.10 - 16.80	.4433	----	----	----	----	11 UNCH
4950	----	----	188.10B/157.90A	188.10B/157.90A	----	159.10 - 16.70	.4395	----	----	2	----	109 - 1
4955	----	----	185.90B/156.10A	185.90B/156.10A	----	157.10 - 16.70	.4357	----	----	----	----	72 UNCH
4960	----	----	183.70B/154.00A	183.70B/154.00A	----	155.20 - 16.50	.4320	----	----	----	----	16 UNCH
4965	----	----	181.20B/152.10A	181.20B/152.10A	----	153.20 - 16.50	.4282	----	----	----	----	173 UNCH
4970	----	----	179.40B/150.20A	179.40B/150.20A	----	151.30 - 16.50	.4245	----	----	----	----	8 UNCH
4975	----	----	176.90B/148.40A	176.90B/148.40A	----	149.40 - 16.40	.4208	----	----	----	----	42 UNCH
4980	----	----	175.20B/146.60A	175.20B/146.60A	----	147.60 - 16.20	.4171	----	----	----	----	3 UNCH
4985	----	----	173.10B/144.90A	173.10B/144.90A	----	145.70 - 16.20	.4134	----	----	----	----	27 UNCH
4990	----	----	171.10B/142.90A	171.10B/142.90A	----	143.90 - 16.10	.4098	----	----	----	----	15 UNCH
4995	----	----	169.00B/141.30A	169.00B/141.30A	----	142.10 - 16.00	.4061	----	----	----	----	20 UNCH
5000	166.50	166.50	166.80B/139.20A	166.80B/139.20A	----	140.30 - 15.90	.4025	----	----	8	----	2728 + 3
5005	----	----	164.70B/137.50A	164.70B/137.50A	----	138.50 - 15.90	.3988	----	----	----	----	17 UNCH
5010	140.60	140.60	162.80B/135.80A	162.80B/135.80A	----	136.70 - 15.80	.3952	----	----	2	----	34 UNCH
5015	----	----	160.80B/134.20A	160.80B/134.20A	----	135.00 - 15.70	.3916	----	----	----	----	26 UNCH
5020	----	----	158.80B/132.50A	158.80B/132.50A	----	133.30 - 15.60	.3880	----	----	----	----	7 UNCH
5025	135.60	135.60	157.30B/130.70A	157.30B/130.70A	----	131.60 - 15.50	.3844	----	----	1	----	35 UNCH
5030	----	----	155.40B/129.10A	155.40B/129.10A	----	129.90 - 15.40	.3809	----	----	----	----	31 UNCH
5035	----	----	153.50B/127.40A	153.50B/127.40A	----	128.20 - 15.40	.3773	----	----	----	----	59 UNCH
5040	----	----	151.30B/125.90A	151.30B/125.90A	----	126.60 - 15.30	.3738	----	----	----	----	2 UNCH
5045	----	----	149.80B/124.30A	149.80B/124.30A	----	125.00 - 15.10	.3703	----	----	----	----	3 UNCH
5050	----	----	148.00B/122.70A	148.00B/122.70A	----	123.40 - 15.00	.3668	----	----	----	----	23 UNCH
5055	----	----	146.20B/121.00A	146.20B/121.00A	----	121.80 - 15.00	.3634	----	----	----	----	8 UNCH
5060	----	----	144.40B/119.60A	144.40B/119.60A	----	120.20 - 14.90	.3599	----	----	----	----	8 UNCH
5065	----	----	142.70B/118.00A	142.70B/118.00A	----	118.70 - 14.80	.3565	----	----	----	----	34 UNCH
5070	----	----	140.90B/116.40A	140.90B/116.40A	----	117.20 - 14.60	.3531	----	----	----	----	21 UNCH
5075	----	----	139.20B/115.00A	139.20B/115.00A	----	115.70 - 14.50	.3497	----	----	----	----	45 UNCH
5080	----	----	137.50B/113.40A	137.50B/113.40A	----	114.20 - 14.40	.3464	----	----	----	----	79 UNCH
5085	----	----	135.80B/112.10A	135.80B/112.10A	----	112.70 - 14.40	.3430	----	----	----	----	34 UNCH
5090	----	----	134.00B/110.50A	134.00B/110.50A	----	111.20 - 14.30	.3396	----	----	----	----	2 UNCH
5095	----	----	132.50B/109.20A	132.50B/109.20A	----	109.80 - 14.20	.3363	----	----	----	----	45 UNCH
5100	111.20	111.20	130.80B/107.80A	130.80B/107.80A	----	108.40 - 14.00	.3331	----	----	14	----	989 UNCH
5105	----	----	129.10B/106.40A	129.10B/106.40A	----	107.00 - 13.90	.3298	----	----	----	----	61 UNCH
5110	----	----	127.50B/105.00A	127.50B/105.00A	----	105.60 - 13.80	.3265	----	----	----	----	4 UNCH
5115	----	----	126.00B/103.60A	126.00B/103.60A	----	104.20 - 13.80	.3233	----	----	----	----	27 UNCH
5120	----	----	124.50B/102.30A	124.50B/102.30A	----	102.80 - 13.70	.3200	----	----	----	----	38 UNCH
5125	----	----	122.90B/101.00A	122.90B/101.00A	----	101.50 - 13.60	.3169	----	----	----	----	214 UNCH
5130	----	----	121.30B/99.70A	121.30B/99.70A	----	100.20 - 13.50	.3137	----	----	----	----	13 UNCH
5135	----	----	119.80B/98.40A	119.80B/98.40A	----	98.90 - 13.40	.3106	----	----	----	----	155 UNCH
5140	97.90	97.90	118.30B/97.00A	118.30B/97.00A	----	97.60 - 13.30	.3074	----	----	2	----	57 - 2
5145	----	----	116.90B/95.90A	116.90B/95.90A	----	96.30 - 13.20	.3043	----	----	----	----	49 UNCH
5150	----	----	115.30B/94.50A	115.30B/94.50A	----	95.10 - 13.00	.3013	----	----	----	----	702 UNCH
5155	----	----	114.00B/93.40A	114.00B/93.40A	----	93.80 - 13.00	.2982	----	----	----	----	4 UNCH
5160	----	----	112.60B/92.10A	112.60B/92.10A	----	92.60 - 12.90	.2952	----	----	----	----	9 UNCH
5165	----	----	111.00B/90.90A	111.00B/90.90A	----	91.40 - 12.80	.2922	----	----	----	----	4 UNCH
5170	----	----	109.60B/89.70A	109.60B/89.70A	----	90.20 - 12.70	.2892	----	----	----	----	6 UNCH
5175	----	----	108.40B/88.60A	108.40B/88.60A	----	89.00 - 12.60	.2862	----	----	----	----	55 UNCH
5180	----	----	106.90B/87.40A	106.90B/87.40A	----	87.80 - 12.50	.2832	----	----	----	----	14 UNCH
5185	----	----	105.50B/86.30A	105.50B/86.30A	----	86.70 - 12.40	.2803	----	----	----	----	118 UNCH
5190	----	----	104.20B/85.10A	104.20B/85.10A	----	85.50 - 12.40	.2773	----	----	----	----	2 UNCH
5195	85.50	85.50	102.90B/84.00A	102.90B/84.00A	----	84.40 - 12.30	.2745	----	----	1	----	39 UNCH
5200	102.00	102.00	102.00/82.80A	102.00/82.80A	----	83.30 - 12.20	.2716	----	----	32	----	1458 + 2
5205	----	----	100.30B/81.80A	100.30B/81.80A	----	82.20 - 12.10	.2688	----	----	----	----	8 UNCH
5210	99.90	99.90	99.90/80.80A	99.90/80.80A	----	81.10 - 12.00	.2659	----	----	22	----	42 + 19
5215	----	----	97.90B/79.70A	97.90B/79.70A	----	80.00 - 12.00	.2631	----	----	----	----	9 UNCH
5220	----	----	96.50B/78.70A	96.50B/78.70A	----	79.00 - 11.80	.2604	----	----	----	----	17 UNCH
5225	----	----	95.30B/77.70A	95.30B/77.70A	----	77.90 - 11.80	.2576	----	----	----	----	3 UNCH
5230	76.80	76.80	94.10B/76.50A	94.10B/76.50A	----	76.90 - 11.70	.2549	----	----	5	50	61 + 52
5240	----	----	91.70B/74.50A	91.70B/74.50A	----	74.90 - 11.50	.2495	----	----	----	----	51 UNCH
5245	----	----	90.70B/73.70A	90.70B/73.70A	----	73.90 - 11.40	.2469	----	----	----	----	61 UNCH
5250	----	----	89.40B/72.60A	89.40B/72.60A	----	72.90 - 11.30	.2442	----	----	21	----	400 + 9
5255	----	----	88.30B/71.70A	88.30B/71.70A	----	72.00 - 11.20	.2417	----	----	----	----	14 UNCH
5260	----	----	87.10B/70.80A	87.10B/70.80A	----	71.00 - 11.10	.2390	----	----	----	----	150 UNCH
5265	----	----	86.00B/69.90A	86.00B/69.90A	----	70.10 - 11.00	.2365	----	----	----	----	3 UNCH
5270	70.40	70.40	84.90B/69.00A	84.90B/69.00A	----	69.20 - 10.90	.2340	----	----	1	----	11 + 1
5275	----	----	84.00B/68.10A	84.00B/68.10A	----	68.30 - 10.80	.2315	----	----	1	----	17 + 1
5280	----	----	82.80B/67.20A	82.80B/67.20A	----	67.40 - 10.70	.2290	----	----	----	----	5 UNCH
5285	66.70	66.70	81.70B/66.30A	81.70B/66.30A	----	66.50 - 10.60	.2265	----	----	2	----	19 + 1
5290	----	----	80.70B/65.50A	80.70B/65.50A	----	65.60 - 10.60	.2240	----	----	----	----	34 UNCH
5295	----	----	79.60B/64.60A	79.60B/64.60A	----	64.80 - 10.40	.2217	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
5300	----	----	78.60B/63.80A	78.60B/63.80A	----	63.90 - 10.40	.2192	----	----	29	----	1045 + 25
5305	----	----	77.60B/62.90A	77.60B/62.90A	----	63.10 - 10.20	.2169	----	----	----	----	45 UNCH
5310	----	----	76.70B/62.10A	76.70B/62.10A	----	62.20 - 10.20	.2144	----	----	----	----	4 UNCH
5315	----	----	75.70B/61.30A	75.70B/61.30A	----	61.40 - 10.10	.2121	----	----	----	----	13 UNCH
5320	----	----	74.70B/60.50A	74.70B/60.50A	----	60.60 - 10.00	.2098	----	----	----	----	58 UNCH
5325	----	----	73.80B/59.70A	73.80B/59.70A	----	59.80 - 9.90	.2075	----	----	----	----	181 UNCH
5330	----	----	72.90B/58.90A	72.90B/58.90A	----	59.10 - 9.80	.2053	----	----	----	----	8 UNCH
5340	60.50	60.50	71.00B/57.50A	71.00B/57.50A	----	57.50 - 9.70	.2008	----	----	10	----	25 + 6
5345	----	----	70.10B/56.60A	70.10B/56.60A	----	56.80 - 9.50	.1986	----	----	----	----	17 UNCH
5350	60.50	60.50	69.30B/55.80A	69.30B/55.80A	----	56.10 - 9.40	.1965	----	----	29	----	541 + 20
5355	58.60	58.60	68.40B/55.10A	68.40B/55.10A	----	55.30 - 9.40	.1943	----	----	103	----	107 + 103
5360	----	----	67.60B/54.50A	67.60B/54.50A	----	54.60 - 9.30	.1922	----	----	----	----	332 UNCH
5365	53.20	53.20	66.70B/53.20	66.70B/53.20	----	53.90 - 9.20	.1901	----	----	9	----	147 + 9
5370	----	----	65.90B/53.00A	65.90B/53.00A	----	53.20 - 9.10	.1880	----	----	----	----	23 UNCH
5375	----	----	65.10B/52.30A	65.10B/52.30A	----	52.50 - 9.10	.1859	----	----	----	----	4 UNCH
5380	----	----	64.30B/51.80A	64.30B/51.80A	----	51.90 - 8.90	.1840	----	----	----	----	7 UNCH
5385	----	----	63.50B/51.10A	63.50B/51.10A	----	51.20 - 8.90	.1819	----	----	----	----	16 UNCH
5390	----	----	62.70B/50.50A	62.70B/50.50A	----	50.50 - 8.80	.1798	----	----	----	----	11 UNCH
5395	50.50	50.50	61.90B/49.80A	61.90B/49.80A	----	49.90 - 8.70	.1779	----	----	5	----	24 + 5
5400	----	----	61.20B/49.10A	61.20B/49.10A	----	49.30 - 8.60	.1761	----	----	1612	----	2942 - 379
5405	----	----	60.40B/48.60A	60.40B/48.60A	----	48.60 - 8.60	.1740	----	----	----	----	10 UNCH
5410	----	----	59.70B/48.10A	59.70B/48.10A	----	48.00 - 8.50	.1721	----	----	----	----	19 UNCH
5415	----	----	58.90B/47.50A	58.90B/47.50A	----	47.40 - 8.40	.1702	----	----	----	----	18 UNCH
5420	----	----	58.20B/46.90A	58.20B/46.90A	----	46.80 - 8.30	.1684	----	----	----	----	16 UNCH
5425	----	----	57.50B/46.10A	57.50B/46.10A	----	46.20 - 8.30	.1665	----	----	----	----	27 UNCH
5430	46.00	46.00	56.80B/45.60A	56.80B/45.60A	----	45.60 - 8.20	.1647	----	----	1	----	6 + 1
5435	----	----	56.10B/45.00A	56.10B/45.00A	----	45.00 - 8.20	.1628	----	----	----	----	6 UNCH
5440	----	----	55.40B/44.40A	55.40B/44.40A	----	44.50 - 8.00	.1611	----	----	----	----	7 UNCH
5445	----	----	54.70B/43.80A	54.70B/43.80A	----	43.90 - 8.00	.1593	----	----	----	----	8 UNCH
5450	----	----	54.10B/43.30A	54.10B/43.30A	----	43.40 - 7.90	.1577	----	----	----	----	1186 UNCH
5455	----	----	53.40B/42.80A	53.40B/42.80A	----	42.80 - 7.90	.1558	----	----	----	----	38 UNCH
5460	----	----	52.70B/42.30A	52.70B/42.30A	----	42.30 - 7.80	.1542	----	----	----	----	23 UNCH
5465	----	----	52.10B/41.70A	52.10B/41.70A	----	41.80 - 7.70	.1525	----	----	----	----	16 UNCH
5470	----	----	51.40B/41.10A	51.40B/41.10A	----	41.20 - 7.70	.1507	----	----	----	----	26 UNCH
5475	----	----	50.80B/40.70A	50.80B/40.70A	----	40.70 - 7.60	.1491	----	----	----	----	206 UNCH
5480	----	----	50.20B/40.10A	50.20B/40.10A	----	40.20 - 7.50	.1475	----	----	----	----	5 UNCH
5485	39.10	39.10	49.50B/39.10	49.50B/39.10	----	39.70 - 7.50	.1458	----	----	6	----	9 + 5
5490	----	----	48.90B/39.20A	48.90B/39.20A	----	39.20 - 7.40	.1442	----	----	----	----	17 UNCH
5495	44.20	44.20	48.30B/38.70A	48.30B/38.70A	----	38.80 - 7.30	.1428	----	----	1	----	4 + 1
5500	43.40	43.40	47.70B/38.20A	47.70B/38.20A	----	38.30 - 7.20	.1412	----	----	1932	----	3229 - 1035
5505	----	----	47.10B/37.90A	47.10B/37.90A	----	37.80 - 7.20	.1396	----	----	----	----	8 UNCH
5510	----	----	46.50B/37.30A	46.50B/37.30A	----	37.30 - 7.20	.1380	----	----	----	----	13 UNCH
5515	----	----	46.00B/36.80A	46.00B/36.80A	----	36.90 - 7.10	.1366	----	----	----	----	10 UNCH
5520	----	----	45.50B/36.40A	45.50B/36.40A	----	36.40 - 7.00	.1350	----	----	----	----	11 UNCH
5525	----	----	44.90B/36.00A	44.90B/36.00A	----	36.00 - 6.90	.1337	----	----	----	----	90 UNCH
5530	----	----	44.30B/35.60A	44.30B/35.60A	----	35.60 - 6.80	.1323	----	----	----	----	23 UNCH
5535	----	----	43.80B/35.30A	43.80B/35.30A	----	35.10 - 6.80	.1307	----	----	----	----	2 UNCH
5540	----	----	43.30B/34.90A	43.30B/34.90A	----	34.70 - 6.70	.1293	----	----	----	----	16 UNCH
5545	34.00	34.00	42.80B/34.00	42.80B/34.00	----	34.30 - 6.70	.1280	----	----	9	----	17 + 9
5550	----	----	42.20B/34.00A	42.20B/34.00A	----	33.90 - 6.60	.1266	----	----	1	----	211 + 1
5555	----	----	41.70B/33.60A	41.70B/33.60A	----	33.50 - 6.50	.1253	----	----	----	----	23 UNCH
5560	----	----	41.20B/33.30A	41.20B/33.30A	----	33.10 - 6.50	.1239	----	----	----	----	23 UNCH
5565	37.50	37.50	40.70B/32.80A	40.70B/32.80A	----	32.70 - 6.40	.1226	----	----	11	----	12 + 11
5570	----	----	40.30B/32.40A	40.30B/32.40A	----	32.30 - 6.40	.1212	----	----	----	----	4 UNCH
5575	----	----	39.80B/32.00A	39.80B/32.00A	----	31.90 - 6.30	.1199	----	----	----	----	29 UNCH
5580	----	----	39.30B/31.70A	39.30B/31.70A	----	31.50 - 6.30	.1185	----	----	----	----	7 UNCH
5585	----	----	38.80B/31.30A	38.80B/31.30A	----	31.20 - 6.10	.1174	----	----	----	----	19 UNCH
5590	----	----	38.40B/30.90A	38.40B/30.90A	----	30.80 - 6.10	.1161	----	----	----	----	1 UNCH
5595	----	----	37.90B/30.60A	37.90B/30.60A	----	30.40 - 6.10	.1148	----	----	----	----	19 UNCH
5600	32.30	32.30	37.50B/30.20A	37.50B/30.20A	----	30.10 - 6.00	.1137	----	----	45	----	1872 + 31
5605	34.30	34.30	37.10B/29.90A	37.10B/29.90A	----	29.70 - 6.00	.1123	----	----	3	----	32 + 3
5610	----	----	36.60B/29.60A	36.60B/29.60A	----	29.40 - 5.90	.1113	----	----	----	----	1 UNCH
5625	----	----	35.40B/28.60A	35.40B/28.60A	----	28.40 - 5.70	.1078	----	----	----	----	9 UNCH
5630	----	----	35.00B/28.20A	35.00B/28.20A	----	28.10 - 5.60	.1067	----	----	----	----	5 UNCH
5635	----	----	34.60B/27.90A	34.60B/27.90A	----	27.70 - 5.60	.1054	----	----	----	----	12 UNCH
5640	27.70	27.70	34.20B/27.60A	34.20B/27.60A	----	27.40 - 5.50	.1043	----	----	4	----	8 + 4
5650	----	----	33.40B/27.00A	33.40B/27.00A	----	26.80 - 5.40	.1022	----	----	----	----	511 UNCH
5660	----	----	32.60B/26.40A	32.60B/26.40A	----	26.20 - 5.30	.1000	----	----	----	----	6 UNCH
5670	----	----	31.90B/25.80A	31.90B/25.80A	----	25.60 - 5.20	.0979	----	----	----	----	11 UNCH
5675	----	----	31.50B/25.50A	31.50B/25.50A	----	25.40 - 5.10	.0971	----	----	----	----	6 UNCH
5680	----	----	31.20B/25.30A	31.20B/25.30A	----	25.10 - 5.10	.0961	----	----	----	----	6 UNCH
5690	24.20	24.20	30.50B/24.20	30.50B/24.20	----	24.50 - 5.00	.0940	----	----	10	----	21 + 10
5700	----	----	29.80B/24.20A	29.80B/24.20A	----	24.00 - 4.90	.0921	----	----	1	----	777 UNCH
5710	----	----	29.10B/23.70A	29.10B/23.70A	----	23.50 - 4.80	.0903	----	----	----	----	12 UNCH
5720	----	----	28.50B/23.20A	28.50B/23.20A	----	23.00 - 4.70	.0885	----	----	----	----	15 UNCH
5725	----	----	28.20B/22.90A	28.20B/22.90A	----	22.70 - 4.70	.0875	----	----	----	----	57 UNCH
5730	----	----	27.90B/22.70A	27.90B/22.70A	----	22.50 - 4.60	.0867	----	----	----	----	9 UNCH
5740	----	----	27.30B/22.30A	27.30B/22.30A	----	22.00 - 4.50	.0849	----	----	----	----	8 UNCH
5750	----	----	26.70B/21.80A	26.70B/21.80A	----	21.60 - 4.40	.0834	----	----	1	----	973 + 1
5760	----	----	26.10B/21.30A	26.10B/21.30A	----	21.10 - 4.40	.0816	----	----	----	----	168 UNCH
5770	----	----	25.60B/20.90A	25.60B/20.90A	----	20.70 - 4.20	.0801	----	----	----	----	4 UNCH
5775	----	----	25.30B/20.70A	25.30B/20.70A	----	20.50 - 4.20	.0793	----	----	----	----	215 UNCH
5780	----	----	25.00B/20.50A	25.00B/20.50A	----	20.30 - 4.10	.0785	----	----	----	----	2 UNCH
5790	----	----	24.50B/20.10A	24.50B/20.10A	----	19.80 - 4.20	.0768	----	----	----	----	10 UNCH
5800	----	----	24.00B/19.60A	24.00B/19.60A	----	19.50 - 4.00	.0756	----	----	80	----	891 - 60
5810	----	----	23.50B/19.20A	23.50B/19.20A	----	19.10 - 4.00	.0741	----	----	----	----	10 UNCH
5820	----	----	22.90B/*18.80A	22.90B/*18.80A	----	18.70 - 3.90	.0726	----	----	----	----	207 UNCH
5825	----	----	22.60B/18.60A	22.60B/18.60A	----	18.50 - 3.90	.0719	----	----	----	----	19 UNCH
5830	----	----	22.40B/18.50A	22.40B/18.50A	----	18.30 - 3.90	.0711	----	----	----	----	1 UNCH
5840	----	----	22.10B/18.10A	22.10B/18.10A	----	18.00 - 3.80	.0699	----	----	----	----	102 UNCH
5850	----	----	21.60B/17.80A	21.60B/17.80A	----	17.60 - 3.80	.0685	----	----	----	----	110 UNCH
5860	21.60	21.60	21.60/17.40A	21.60/17.40A	----	17.30 - 3.70	.0673	----	----	3	----	76 + 2
5870	----	----	----/17.20A	20.60B/17.20A	----	17.00 - 3.60	.0661	----	----	----	----	9 UNCH
5875	----	----	20.50B/17.00A	20.50B/17.00A	----	16.80 - 3.60	.0654	----	----	----	----	22 UNCH
5880	----	----	----/16.90A	20.30B/16.90A	----	16.70 - 3.60	.0650	----	----	----	----	11 UNCH
5890	16.40	16.40	16.40/16.40	19.90B/16.40	----	16.40 - 3.50	.0638	----	----	3	----	9 + 3
5900	----	----	----/16.30A	19.50B/16.30A	----	16.10 - 3.50	.0626	----	----	----	----	416 UNCH
5910	----	----	----/16.00A	18.70B/16.00A	----	15.80 - 3.40	.0615	----	----	----	----	7 UNCH
5920	----	----	----/15.70A	18.40B/15.70A	----	15.50 - 3.40	.0603	----	----	----	----	25 UNCH
5925	----	----	----/15.50A	18.10B/15.50A	----	15.30 - 3.40	.0596	----	----	----	----	6 UNCH
5940	----	----	----/15.20A	17.70B/15.20A	----	14.90 - 3.40	.0581	----	----	----	----	2 UNCH
5950	----	----	----/14.80A	17.40B/14.80A	----	14.70 - 3.30	.0572	----	----	----	----	3 UNCH
5960	----	----	----/*14.60A	17.10B/*14.60A	----	14.40 - 3.30	.0561	----	----	----	----	15 UNCH
5970	----	----	----/*14.30A	16.70B/*14.30A	----	14.20 - 3.20	.0553	----	----	----	----	55 UNCH
5980	----	----	----/14.20A	16.40B/14.20A	----	13.90 - 3.20	.0542	----	----	----	----	3 UNCH
5990	----	----	----/*13.90A	16.10B/*13.90A	----	13.70 - 3.10	.0533	----	----	----	----	70 UNCH
6000	----	----	----/13.60A	15.80B/13.60A	----	13.50 - 3.10	.0525	----	----	81	----	2585 - 16
6025	----	----	----/13.20A	14.60B/13.20A	----	12.90 - 3.00	.0502	----	----	----	----	14 UNCH
6050	----	----	----/*12.70A	14.50B/*12.70A	----	12.40 - 2.90	.0482	----	----	----	----	41 UNCH
6075	----	----	----/*12.00A	13.50B/*12.00A	----	12.00 - 2.80	.0465	----	----	----	----	90 UNCH
6100	----	----	----/*11.70A	13.00B/*11.70A	----	11.50 - 2.80	.0446	----	----	9	----	256 - 9
6125	----	----	----/*11.30A	12.50B/*11.30A	----	11.10 - 2.70	.0429	----	----	----	----	60 UNCH
6150	----	----	----/*10.90A	12.00B/*10.90A	----	10.70 - 2.60	.0413	----	----	----	----	880 UNCH
6175	----	----	----/*10.50A	11.60B/*10.50A	----	10.30 - 2.60	.0397	----	----	----	----	38 UNCH
6200	----	----	----/*10.20A	11.20B/*10.20A	----	10.00 - 2.40	.0384	----	----	----	----	536 UNCH
6225	----	----	----/*9.80A	10.90B/*9.80A	----	9.70 - 2.30	.0372	----	----	----	----	20 UNCH
6250	----	----	----/*9.50A	10.50B/*9.50A	----	9.40 - 2.30	.0359	----	----	----	----	392 UNCH
6275	----	----	----/*9.20A	10.20B/*9.20A	----	9.10 - 2.20	.0347	----	----	----	----	3 UNCH
6300	----	----	----/*8.90A	9.90B/*8.90A	----	8.80 - 2.20	.0335	----	----	----	----	335 UNCH
6325	----	----	----/*8.70A	9.60B/*8.70A	----	8.50 - 2.20	.0323	----	----	----	----	32 UNCH
6350	----	----	----/*8.40A	9.30B/*8.40A	----	8.30 - 2.10	.0314	----	----	----	----	32 UNCH
6375	----	----	----/*8.20A	9.00B/*8.20A	----	8.10 - 2.00	.0305	----	----	----	----	37 UNCH
6400	----	----	----/*7.90A	8.70B/*7.90A	----	7.80 - 2.00	.0294	----	----	----	----	187 UNCH
6425	----	----	----/*7.70A	8.40B/*7.70A	----	7.60 - 2.00	.0285	----	----	----	----	15 UNCH
6450	----	----	----/*7.50A	8.20B/*7.50A	----	7.40 - 1.90	.0277	----	----	----	----	48 UNCH
6475	----	----	----/*7.30A	8.00B/*7.30A	----	7.20 - 1.90	.0269	----	----	----	----	14 UNCH
6500	----	----	----/7.10A	7.80B/7.10A	----	7.10 - 1.80	.0264	----	----	----	----	910 UNCH
6525	----	----	----/*6.90A	7.60B/*6.90A	----	6.90 - 1.70	.0255	----	----	----	----	132 UNCH
6550	----	----	----/*6.70A	7.40B/*6.70A	----	6.70 - 1.70	.0248	----	----	----	----	1 UNCH
6575	----	----	----/*6.60A	7.20B/*6.60A	----	6.60 - 1.60	.0243	----	----	----	----	4 UNCH
6600	----	----	----/*6.40A	7.00B/*6.40A	----	6.40 - 1.70	.0235	----	----	5	----	26 - 5
6650	----	----	----/*6.10A	6.70B/*6.10A	----	6.10 - 1.60	.0222	----	----	----	----	16 UNCH
6675	----	----	----/*6.00A	6.50B/*6.00A	----	6.00 - 1.60	.0218	----	----	----	----	1 UNCH
6700	----	----	----/*5.80A	6.40B/*5.80A	----	5.80 - 1.60	.0210	----	----	----	----	127 UNCH
6800	----	----	----/*5.30A	5.80B/*5.30A	----	5.30 - 1.50	.0190	----	----	----	----	199 UNCH
6825	----	----	----/*5.20A	5.70B/*5.20A	----	5.20 - 1.50	.0186	----	----	----	----	19 UNCH
6850	----	----	----/*5.10A	5.60B/*5.10A	----	5.10 - 1.50	.0181	----	----	----	----	201 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 33

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
6875	----	----	----/*5.00A	5.50B/*5.00A	----	5.00 - 1.50	.0177	----	----	----	----	22 UNCH
6900	----	----	----/*4.90A	5.40B/*4.90A	----	4.90 - 1.50	.0173	----	----	----	----	19 UNCH
6925	----	----	----/*4.80A	5.30B/*4.80A	----	4.80 - 1.40	.0169	----	----	----	----	1 UNCH
6950	----	----	----/*4.70A	5.20B/*4.70A	----	4.70 - 1.40	.0165	----	----	----	----	22 UNCH
6975	----	----	----/*4.70A	5.10B/*4.70A	----	4.60 - 1.40	.0161	----	----	----	----	10 UNCH
7000	4.60	4.60	4.60/4.60	5.00B/4.60	----	4.50 - 1.40	.0157	----	----	1	----	817 + 1
7050	----	----	----/*4.40A	4.80B/*4.40A	----	4.30 - 1.40	.0150	----	----	----	----	17 UNCH
7075	----	----	----/*4.40A	4.70B/*4.40A	----	4.20 - 1.50	.0146	----	----	----	----	13 UNCH
7100	----	----	----/*4.30A	4.70B/*4.30A	----	4.20 - 1.40	.0145	----	----	----	----	28 UNCH
7125	----	----	----/*4.20A	4.50B/*4.20A	----	4.10 - 1.40	.0141	----	----	----	----	1 UNCH
7150	----	----	----/*4.10A	4.50B/*4.10A	----	4.00 - 1.40	.0137	----	----	----	----	19 UNCH
7175	----	----	----/*4.10A	4.40B/*4.10A	----	3.90 - 1.40	.0134	----	----	----	----	1 UNCH
7200	----	----	----/*4.00A	4.30B/*4.00A	----	3.90 - 1.30	.0133	----	----	----	----	3 UNCH
7225	----	----	----/*3.90A	4.30B/*3.90A	----	3.80 - 1.40	.0129	----	----	----	----	22 UNCH
7250	----	----	----/*3.90A	4.20B/*3.90A	----	3.70 - 1.40	.0126	----	----	----	----	23 UNCH
7275	----	----	----/*3.80A	4.10B/*3.80A	----	3.70 - 1.30	.0125	----	----	----	----	14 UNCH
7300	----	----	----/*3.80A	4.10B/*3.80A	----	3.60 - 1.40	.0122	----	----	2	----	42 UNCH
7350	----	----	----/*3.70A	3.90B/3.70A	----	3.50 - 1.30	.0117	----	----	----	----	8 UNCH
7400	----	----	----/*3.60A	3.80B/3.60A	----	3.40 - 1.30	.0113	----	----	----	----	2 UNCH
7425	----	----	----/*3.50A	3.80B/3.50A	----	3.30 - 1.30	.0110	----	----	----	----	19 UNCH
7450	----	----	----/*3.50A	3.70B/3.50A	----	3.30 - 1.30	.0109	----	----	----	----	16 UNCH
7475	----	----	----/*3.40A	3.70B/3.40A	----	3.20 - 1.30	.0106	----	----	----	----	9 UNCH
7500	----	----	----/3.40A	3.60B/3.40A	----	3.20 - 1.20	.0105	----	----	----	----	301 UNCH
7525	----	----	----/*3.40A	3.60B/3.40A	----	3.10 - 1.30	.0102	----	----	----	----	33 UNCH
7550	----	----	----/*3.30A	3.50B/3.30A	----	3.10 - 1.20	.0102	----	----	----	----	50 UNCH
7575	----	----	----/*3.30A	3.40B/3.30A	----	3.00 - 1.30	.0098	----	----	----	----	1 UNCH
7600	----	----	----/*3.20A	3.40B/3.20A	----	3.00 - 1.20	.0098	----	----	----	----	10 UNCH
7625	----	----	----/*3.20A	3.30B/3.20A	----	2.90 - 1.30	.0095	----	----	----	----	12 UNCH
7700	----	----	----/*3.10A	3.20B/3.10A	----	2.80 - 1.20	.0090	----	----	----	----	11 UNCH
7725	----	----	----/*3.00A	3.20B/3.00A	----	2.80 - 1.10	.0090	----	----	----	----	11 UNCH
7750	----	----	----/*3.00A	3.10B/3.00A	----	2.70 - 1.20	.0087	----	----	----	----	6 UNCH
7775	----	----	----/*3.00A	3.10B/3.00A	----	2.70 - 1.20	.0086	----	----	----	----	5 UNCH
7800	----	----	----/*2.90A	3.10B/2.90A	----	2.70 - 1.10	.0086	----	----	----	----	5 UNCH
7825	----	----	----/*2.90A	3.00B/2.90A	----	2.60 - 1.20	.0083	----	----	----	----	13 UNCH
7875	----	----	----/*2.80A	2.90B/2.80A	----	2.60 - 1.10	.0082	----	----	----	----	140 UNCH
7900	----	----	----/*2.80A	2.90B/2.80A	----	2.50 - 1.10	.0079	----	----	----	----	1 UNCH
8000	----	----	----/2.70A	2.80B/2.70A	----	2.40 - 1.00	.0075	----	----	----	----	589 UNCH
8100	----	----	----/2.60A	2.60B/2.60A	----	2.30 - 1.00	.0071	----	----	----	----	7 UNCH
8300	----	----	----/*2.30A	2.40B/2.30A	----	2.10 - 0.90	.0064	----	----	----	----	4 UNCH
8500	----	----	----/2.10A	2.20B/2.10A	----	1.90 - 0.80	.0057	----	----	----	----	6 UNCH
8600	----	----	----/*2.00A	2.10B/2.00A	----	1.90 - 0.70	.0056	----	----	----	----	1 UNCH
8700	----	----	----/*1.90A	2.00B/1.90A	----	1.80 - 0.70	.0052	----	----	----	----	25 UNCH
8800	----	----	----/2.00A	1.90B/2.00A	----	1.70 - 0.70	.0049	----	----	----	----	7 UNCH
9000	----	----	----/1.80A	1.80B/1.80A	----	1.60 - 0.60	.0045	----	----	----	----	223 UNCH
9200	----	----	----/1.70A	1.60B/1.70A	----	1.50 - 0.50	.0042	----	----	----	----	11 UNCH
9300	----	----	----/1.70A	1.60B/1.70A	----	1.50 - 0.40	.0041	----	----	----	----	4 UNCH
9400	----	----	----/1.60A	1.50B/1.60A	----	1.40 - 0.50	.0039	----	----	----	----	141 UNCH
9500	----	----	----/1.60A	1.40B/1.60A	----	1.40 - 0.40	.0038	----	----	----	----	66 UNCH
9900	----	----	----/1.40A	1.20B/1.40A	----	1.20 - 0.40	.0032	----	----	----	----	5 UNCH
10000	1.40	1.40	1.40/1.40	1.40/1.40	----	1.20 - 0.30	.0031	----	----	2	----	173 UNCH
10100	----	----	----/1.30A	1.10B/1.30A	----	1.10 - 0.40	.0029	----	----	----	----	12 UNCH
11000	----	----	----/*1.00A	0.80B/1.00A	----	0.80 - 0.30	.0020	----	----	2	----	88 + 2
11200	----	----	----	0.70B/1.00A	----	0.70 - 0.30	.0018	----	----	----	----	13 UNCH
11500	----	----	----	0.70B/0.90A	----	0.70 - 0.20	.0017	----	----	----	----	47 UNCH
11600	----	----	----	0.60B/0.90A	----	0.60 - 0.20	.0015	----	----	----	----	50 UNCH
12000	0.50	0.50	0.50/*0.50	0.50/0.50	----	0.60 - 0.10	.0014	----	----	1	----	217 + 1
TOTAL										4306	50	54414 - 1115
AUG26												
3400	----	----	----	----	----	1447.20 - 15.70	.9785	----	----	----	----	1 UNCH
3500	----	----	----	----	----	1348.80 - 15.90	.9729	----	----	----	----	46 UNCH
3505	----	----	----	----	----	1343.90 - 15.90	.9726	----	----	----	----	4 UNCH
3520	----	----	----	----	----	1329.20 - 15.90	.9717	----	----	----	----	65 UNCH
3550	----	----	----	----	----	1299.80 - 16.00	.9696	----	----	----	----	310 UNCH
3600	----	----	----	----	----	1251.00 - 16.10	.9657	----	----	----	----	1045 UNCH
3610	----	----	----	----	----	1241.30 - 16.10	.9651	----	----	----	----	6 UNCH
3650	----	----	----	----	----	1202.50 - 16.20	.9615	----	----	1	----	4 UNCH
3660	----	----	----	----	----	1192.80 - 16.20	.9606	----	----	1	----	1 - 1
3685	----	----	----	----	----	1168.60 - 16.30	.9583	----	----	----	----	1 UNCH
3700	----	----	----	----	----	1154.10 - 16.40	.9568	----	----	----	----	40 UNCH
3715	----	----	----	----	----	1139.70 - 16.40	.9551	----	----	----	----	30 UNCH
3720	----	----	----	----	----	1134.80 - 16.50	.9545	----	----	----	----	1 UNCH
3735	----	----	----	----	----	1120.40 - 16.50	.9530	----	----	----	----	1 UNCH
3750	----	----	----	----	----	1106.00 - 16.60	.9513	----	----	----	----	8 UNCH
3775	----	----	----	----	----	1082.10 - 16.70	.9484	----	----	----	----	4 UNCH
3780	----	----	----	----	----	1077.30 - 16.70	.9476	----	----	----	----	10 UNCH
3790	----	----	----	----	----	1067.80 - 16.70	.9465	----	----	----	----	67 UNCH
3800	----	----	----	----	----	1058.20 - 16.80	.9451	----	----	----	----	303 UNCH
3820	----	----	----	----	----	1039.20 - 16.90	.9425	----	----	----	----	3 UNCH
3840	----	----	----	----	----	1020.30 - 16.90	.9397	----	----	----	----	1 UNCH
3850	----	----	----	----	----	1010.80 - 17.00	.9383	----	----	----	----	12 UNCH
3885	----	----	----	----	----	977.80 - 17.20	.9328	----	----	----	----	2 UNCH
3890	----	----	----	----	----	973.10 - 17.20	.9322	----	----	----	----	2 UNCH
3900	----	----	----	----	----	963.70 - 17.30	.9305	----	----	----	----	146 UNCH
3920	----	----	----	----	----	945.00 - 17.40	.9270	----	----	----	----	1 UNCH
3925	----	----	----	----	----	940.40 - 17.30	.9262	----	----	----	----	10 UNCH
3950	----	----	----	----	----	917.10 - 17.50	.9216	----	----	----	----	106 UNCH
3955	----	----	----	----	----	912.50 - 17.50	.9208	----	----	----	----	7 UNCH
3975	----	----	----	----	----	894.00 - 17.60	.9168	----	----	----	----	200 UNCH
3995	----	----	----	----	----	875.60 - 17.70	.9128	----	----	----	----	30 UNCH
4000	----	----	----	----	----	871.00 - 17.80	.9118	----	----	----	----	714 UNCH
4005	----	----	----	----	----	866.40 - 17.80	.9107	----	----	----	----	1 UNCH
4015	----	----	----	----	----	857.30 - 17.80	.9086	----	----	----	----	12 UNCH
4025	----	----	----	601.20B/1140.00A	----	848.10 - 18.00	.9065	----	----	----	----	174 UNCH
4045	----	----	----	663.60B/1007.30A	----	830.00 - 18.00	.9018	----	----	----	----	30 UNCH
4050	----	----	----	659.10B/1002.80A	----	825.40 - 18.10	.9008	----	----	----	----	100 UNCH
4055	----	----	----	654.30B/998.30A	----	820.90 - 18.10	.8995	----	----	----	----	100 UNCH
4075	----	----	----	636.00B/980.30A	----	802.90 - 18.20	.8948	----	----	----	----	3 UNCH
4080	----	----	----	631.50B/975.80A	----	798.40 - 18.20	.8936	----	----	----	----	1 UNCH
4100	----	----	----	613.60B/958.00A	----	780.50 - 18.40	.8885	----	----	----	----	73 UNCH
4110	----	----	----	604.70B/949.10A	----	771.60 - 18.40	.8858	----	----	----	----	19 UNCH
4135	----	----	----	582.10B/927.10A	----	749.50 - 18.60	.8790	----	----	----	----	20 UNCH
4140	----	----	----	577.80B/922.70A	----	745.00 - 18.70	.8775	----	----	----	----	1 UNCH
4150	----	----	----	568.90B/913.90A	----	736.30 - 18.70	.8746	----	----	----	----	40 UNCH
4165	----	----	----	555.60B/900.80A	----	723.10 - 18.80	.8702	----	----	----	----	1 UNCH
4195	----	----	----	529.50B/874.80A	----	697.10 - 19.00	.8610	----	----	----	----	3 UNCH
4200	----	----	----	525.10B/870.50A	----	692.80 - 19.00	.8594	----	----	----	----	75 UNCH
4215	----	----	----	512.20B/857.60A	----	680.00 - 19.10	.8546	----	----	----	----	1 UNCH
4220	----	----	----	507.90B/853.50A	----	675.70 - 19.10	.8529	----	----	----	----	16 UNCH
4225	----	----	----	503.60B/849.20A	----	671.40 - 19.20	.8512	----	----	----	----	102 UNCH
4235	----	----	----	495.10B/841.10A	----	662.90 - 19.30	.8478	----	----	----	----	1 UNCH
4250	----	----	----	482.10B/829.20A	----	650.30 - 19.30	.8426	----	----	----	----	71 UNCH
4265	----	----	----	469.00B/817.20A	----	637.70 - 19.40	.8371	----	----	----	----	77 UNCH
4285	----	----	----	451.30B/801.20A	----	621.10 - 19.50	.8298	----	----	----	----	8 UNCH
4300	----	----	----	438.30B/789.50A	----	608.70 - 19.60	.8240	----	----	----	----	42 UNCH
4320	----	----	----	421.10B/773.90A	----	592.40 - 19.70	.8162	----	----	----	----	2 UNCH
4325	----	----	----	416.90B/770.00A	----	588.30 - 19.80	.8142	----	----	----	----	6 UNCH
4330	----	----	----	412.60B/766.10A	----	584.30 - 19.70	.8122	----	----	----	----	201 UNCH
4350	----	----	----	395.70B/750.90A	----	568.20 - 19.90	.8039	----	----	----	----	774 UNCH
4360	----	----	----	387.40B/743.20A	----	560.20 - 20.00	.7996	----	----	----	----	1 UNCH
4375	----	----	----	374.80B/731.80A	----	548.40 - 20.00	.7931	----	----	----	----	3 UNCH
4385	----	----	----	366.70B/724.30A	----	540.50 - 20.10	.7887	----	----	----	----	100 UNCH
4390	----	----	----	362.60B/720.60A	----	536.60 - 20.10	.7864	----	----	----	----	1 UNCH
4400	----	----	----	354.40B/713.10A	----	528.90 - 20.10	.7819	----	----	----	----	325 UNCH
4420	----	----	----	338.30B/698.30A	----	513.50 - 20.20	.7726	----	----	----	----	50 UNCH
4425	----	----	----	334.30B/694.70A	----	509.70 - 20.20	.7703	----	----	----	----	5 UNCH
4440	----	----	----	322.50B/683.70A	----	498.30 - 20.30	.7631	----	----	----	----	1 UNCH
4450	----	----	----	314.70B/676.50A	----	490.80 - 20.30	.7582	----	----	----	----	6 UNCH
4455	----	----	----	310.80B/672.90A	----	487.10 - 20.30	.7558	----	----	----	----	2 UNCH
4460	----	----	----	306.90B/669.30A	----	483.40 - 20.30	.7533	----	----	----	----	5 UNCH
4465	----	----	----	303.10B/665.70A	----	479.70 - 20.30	.7508	----	----	----	----	9 UNCH
4470	----	----	----	299.20B/662.10A	----	476.00 - 20.30	.7483	----	----	----	----	7 UNCH
4475	----	----	----	295.40B/658.60A	----	472.30 - 20.30	.7458	----	----	----	----	29 UNCH
4485	----	----	----	287.80B/651.60A	----	465.00 - 20.30	.7407	----	----	----	----	5 UNCH
4490	----	----	----	284.10B/648.10A	----	461.40 - 20.30	.7381	----	----	----	----	1 UNCH
4500	----	----	----	276.60B/641.10A	----	454.20 - 20.30	.7329	----	----	----	----	846 UNCH
4535	----	----	----	250.90B/616.90A	----	429.40 - 20.30	.7142	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 34

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
4540	----	----	----	247.30B/613.50A	----	425.90 - 20.30	.7115	----	----	----	----	5 UNCH
4545	----	----	----/422.30A	422.80B/422.30A	----	422.50 - 20.20	.7087	----	----	----	----	1 UNCH
4550	----	----	----/418.90A	424.60B/418.90A	----	419.00 - 20.30	.7060	----	----	----	----	22 UNCH
4555	----	----	----/415.40A	423.80B/415.40A	----	415.60 - 20.20	.7031	----	----	----	----	1 UNCH
4560	----	----	----/412.10A	423.70B/412.10A	----	412.20 - 20.20	.7004	----	----	----	----	5 UNCH
4565	----	----	----/408.70A	423.20B/408.70A	----	408.80 - 20.20	.6975	----	----	----	----	1 UNCH
4575	----	----	423.90B/402.00A	423.90B/402.00A	----	402.10 - 20.10	.6919	----	----	----	----	41 UNCH
4580	----	----	423.00B/398.70A	423.00B/398.70A	----	398.70 - 20.20	.6890	----	----	----	----	200 UNCH
4585	----	----	420.60B/395.40A	420.60B/395.40A	----	395.40 - 20.10	.6861	----	----	----	----	2 UNCH
4590	----	----	417.20B/392.10A	417.20B/392.10A	----	392.10 - 20.10	.6833	----	----	----	----	16 UNCH
4595	----	----	413.90B/388.80A	413.90B/388.80A	----	388.80 - 20.10	.6804	----	----	----	----	2 UNCH
4600	----	----	410.50B/385.50A	410.50B/385.50A	----	385.50 - 20.10	.6775	----	----	----	----	100 UNCH
4605	----	----	407.10B/382.30A	407.10B/382.30A	----	382.30 - 20.00	.6745	----	----	----	----	1 UNCH
4620	----	----	397.20B/372.70A	397.20B/372.70A	----	372.60 - 20.00	.6657	----	----	----	----	4 UNCH
4640	----	----	384.20B/360.10A	384.20B/360.10A	----	360.00 - 19.80	.6537	----	----	----	----	1 UNCH
4650	----	----	377.60B/353.90A	377.60B/353.90A	----	353.90 - 19.60	.6477	----	----	----	----	147 UNCH
4660	----	----	371.30B/347.70A	371.30B/347.70A	----	347.70 - 19.60	.6416	----	----	----	----	2 UNCH
4670	----	----	365.00B/341.70A	365.00B/341.70A	----	341.70 - 19.50	.6355	----	----	----	----	3 UNCH
4675	----	----	361.90B/338.50A	361.90B/338.50A	----	338.70 - 19.50	.6324	----	----	----	----	36 UNCH
4700	----	----	346.70B/323.80A	346.70B/323.80A	----	324.00 - 19.30	.6169	----	----	----	----	1619 UNCH
4705	----	----	343.70B/320.90A	343.70B/320.90A	----	321.10 - 19.20	.6137	----	----	----	----	20 UNCH
4710	----	----	340.60B/318.00A	340.60B/318.00A	----	318.20 - 19.20	.6106	----	----	----	----	17 UNCH
4720	----	----	336.10B/311.80A	336.10B/311.80A	----	312.50 - 19.10	.6043	----	----	----	----	29 UNCH
4725	----	----	337.20B/309.00A	337.20B/309.00A	----	309.70 - 19.10	.6012	----	----	----	----	2 UNCH
4730	----	----	334.90B/306.30A	334.90B/306.30A	----	306.90 - 19.00	.5980	----	----	----	----	3 UNCH
4735	----	----	331.30B/304.00A	331.30B/304.00A	----	304.10 - 19.00	.5948	----	----	----	----	2 UNCH
4750	----	----	322.80B/295.30A	322.80B/295.30A	----	295.70 - 19.00	.5853	----	----	----	----	181 UNCH
4760	----	----	316.90B/290.30A	316.90B/290.30A	----	290.20 - 19.00	.5790	----	----	----	----	10 UNCH
4770	----	----	311.20B/284.70A	311.20B/284.70A	----	284.80 - 19.00	.5726	----	----	----	----	14 UNCH
4775	----	----	308.60B/282.30A	308.60B/282.30A	----	282.10 - 19.00	.5694	----	----	----	----	11 UNCH
4780	----	----	305.70B/279.70A	305.70B/279.70A	----	279.40 - 19.10	.5662	----	----	----	----	4 UNCH
4795	----	----	303.10B/271.80A	303.10B/271.80A	----	271.50 - 19.10	.5565	----	----	----	----	2 UNCH
4800	----	----	304.50B/269.30A	304.50B/269.30A	----	269.00 - 19.00	.5533	----	----	----	----	1622 UNCH
4810	----	----	298.70B/264.00A	298.70B/264.00A	----	263.80 - 19.00	.5468	----	----	----	----	4 UNCH
4815	----	----	296.00B/261.60A	296.00B/261.60A	----	261.30 - 18.90	.5436	----	----	----	----	3 UNCH
4820	----	----	293.40B/259.10A	293.40B/259.10A	----	258.80 - 18.90	.5404	----	----	----	----	21 UNCH
4825	----	----	290.80B/256.70A	290.80B/256.70A	----	256.40 - 18.80	.5371	----	----	----	----	11 UNCH
4830	----	----	288.30B/254.10A	288.30B/254.10A	----	253.90 - 18.70	.5339	----	----	----	----	11 UNCH
4835	251.00	251.00	285.70B/251.00	285.70B/251.00	----	251.50 - 18.60	.5307	----	----	3	----	38 + 3
4840	----	----	283.20B/249.20A	283.20B/249.20A	----	249.20 - 18.50	.5274	----	----	----	----	11 UNCH
4850	----	----	277.10B/243.60A	277.10B/243.60A	----	244.50 - 18.20	.5210	----	----	10	----	54 + 10
4860	----	----	272.90B/238.90A	272.90B/238.90A	----	239.90 - 18.00	.5146	----	----	3	----	26 + 1
4870	----	----	267.90B/234.20A	267.90B/234.20A	----	235.30 - 17.80	.5081	----	----	----	----	11 UNCH
4875	----	----	265.50B/230.50A	265.50B/230.50A	----	233.10 - 17.60	.5049	----	----	----	----	88 UNCH
4880	----	----	260.50B/229.40A	260.50B/229.40A	----	230.90 - 17.50	.5018	----	----	----	----	46 UNCH
4885	229.70	229.70	260.60B/227.10A	260.60B/227.10A	----	228.70 - 17.40	.4986	----	----	6	----	7 + 6
4890	----	----	258.20B/224.90A	258.20B/224.90A	----	226.50 - 17.30	.4954	----	----	----	----	9 UNCH
4895	234.20	234.20	255.90B/222.70A	255.90B/222.70A	----	224.30 - 17.20	.4922	----	----	6	----	25 + 6
4900	----	----	253.50B/220.50A	253.50B/220.50A	----	222.20 - 17.00	.4890	----	----	----	----	544 UNCH
4905	----	----	251.30B/218.40A	251.30B/218.40A	----	220.00 - 17.00	.4858	----	----	----	----	9 UNCH
4910	----	----	248.80B/216.20A	248.80B/216.20A	----	217.90 - 16.80	.4827	----	----	----	----	7 UNCH
4925	----	----	241.30B/209.90A	241.30B/209.90A	----	211.50 - 16.70	.4731	----	----	----	----	125 UNCH
4935	----	----	237.90B/205.90A	237.90B/205.90A	----	207.40 - 16.50	.4669	----	----	----	----	1 UNCH
4940	----	----	235.60B/204.30A	235.60B/204.30A	----	205.30 - 16.50	.4637	----	----	----	----	1 UNCH
4950	----	----	231.20B/199.80A	231.20B/199.80A	----	201.20 - 16.40	.4574	----	----	----	----	64 UNCH
4955	----	----	229.00B/198.20A	229.00B/198.20A	----	199.20 - 16.30	.4543	----	----	----	----	22 UNCH
4960	----	----	226.90B/196.00A	226.90B/196.00A	----	197.20 - 16.30	.4512	----	----	----	----	6 UNCH
4975	----	----	220.50B/190.50A	220.50B/190.50A	----	191.30 - 16.20	.4419	----	----	----	----	2 UNCH
4985	----	----	216.30B/186.60A	216.30B/186.60A	----	187.40 - 16.10	.4357	----	----	----	----	4 UNCH
4990	----	----	214.30B/184.90A	214.30B/184.90A	----	185.50 - 16.10	.4326	----	----	----	----	1 UNCH
4995	----	----	212.20B/182.90A	212.20B/182.90A	----	183.70 - 16.00	.4296	----	----	----	----	3 UNCH
5000	206.00	206.00	210.20B/180.70A	210.20B/180.70A	----	181.80 - 15.90	.4265	----	----	219	----	1413 + 104
5005	190.50	190.50	208.10B/179.10A	208.10B/179.10A	----	179.90 - 15.90	.4234	----	----	6	----	10 + 5
5015	----	----	204.20B/175.60A	204.20B/175.60A	----	176.30 - 15.80	.4174	----	----	----	----	3 UNCH
5025	----	----	199.30B/172.10A	199.30B/172.10A	----	172.70 - 15.70	.4114	----	----	----	----	5 UNCH
5030	----	----	198.30B/170.40A	198.30B/170.40A	----	170.90 - 15.70	.4084	----	----	----	----	2 UNCH
5035	----	----	196.30B/168.70A	196.30B/168.70A	----	169.20 - 15.60	.4054	----	----	----	----	10 UNCH
5040	----	----	194.50B/167.00A	194.50B/167.00A	----	167.40 - 15.60	.4024	----	----	----	----	3 UNCH
5045	----	----	192.60B/165.10A	192.60B/165.10A	----	165.70 - 15.50	.3994	----	----	22	----	22 + 21
5050	----	----	190.70B/163.60A	190.70B/163.60A	----	164.00 - 15.50	.3965	----	----	----	----	141 UNCH
5060	----	----	187.00B/160.40A	187.00B/160.40A	----	160.70 - 15.30	.3906	----	----	----	----	10 UNCH
5065	----	----	185.10B/158.70A	185.10B/158.70A	----	159.00 - 15.30	.3877	----	----	----	----	43 UNCH
5070	----	----	183.40B/157.10A	183.40B/157.10A	----	157.40 - 15.20	.3848	----	----	----	----	6 UNCH
5075	165.50	165.50	181.50B/155.50A	181.50B/155.50A	----	155.80 - 15.10	.3819	----	----	1	----	204 + 1
5080	----	----	179.80B/153.70A	179.80B/153.70A	----	154.20 - 15.00	.3791	----	----	----	----	21 UNCH
5100	----	----	172.80B/147.60A	172.80B/147.60A	----	147.90 - 14.80	.3676	----	----	----	----	1594 UNCH
5105	----	----	171.10B/146.10A	171.10B/146.10A	----	146.40 - 14.70	.3648	----	----	----	----	2 UNCH
5110	----	----	169.40B/144.70A	169.40B/144.70A	----	144.90 - 14.60	.3621	----	----	----	----	4 UNCH
5115	----	----	167.80B/143.10A	167.80B/143.10A	----	143.40 - 14.50	.3593	----	----	----	----	4 UNCH
5125	----	----	164.50B/140.30A	164.50B/140.30A	----	140.50 - 14.30	.3538	----	----	----	----	20 UNCH
5130	----	----	162.80B/138.90A	162.80B/138.90A	----	139.00 - 14.30	.3510	----	----	----	----	1 UNCH
5145	----	----	157.90B/134.60A	157.90B/134.60A	----	134.70 - 14.10	.3428	----	----	----	----	14 UNCH
5150	----	----	156.50B/133.00A	156.50B/133.00A	----	133.30 - 14.00	.3401	----	----	----	10	87 + 10
5155	----	----	154.90B/131.80A	154.90B/131.80A	----	132.00 - 13.90	.3375	----	----	----	----	4 UNCH
5160	----	----	153.40B/130.40A	153.40B/130.40A	----	130.60 - 13.80	.3348	----	----	----	----	6 UNCH
5165	----	----	151.70B/128.90A	151.70B/128.90A	----	129.20 - 13.80	.3321	----	----	----	----	2 UNCH
5170	----	----	150.20B/127.60A	150.20B/127.60A	----	127.90 - 13.70	.3295	----	----	----	----	6 UNCH
5175	----	----	148.70B/126.30A	148.70B/126.30A	----	126.60 - 13.60	.3269	----	----	----	----	1 UNCH
5185	----	----	145.90B/123.70A	145.90B/123.70A	----	124.00 - 13.40	.3218	----	----	----	----	2 UNCH
5190	----	----	144.30B/122.50A	144.30B/122.50A	----	122.70 - 13.30	.3192	----	----	----	----	4 UNCH
5195	----	----	143.00B/121.30A	143.00B/121.30A	----	121.40 - 13.30	.3166	----	----	----	----	12 UNCH
5200	----	----	141.50B/120.10A	141.50B/120.10A	----	120.20 - 13.20	.3141	----	----	----	----	2631 UNCH
5205	----	----	140.00B/118.80A	140.00B/118.80A	----	118.90 - 13.10	.3115	----	----	----	----	1 UNCH
5210	----	----	138.60B/117.60A	138.60B/117.60A	----	117.70 - 13.00	.3090	----	----	----	----	6 UNCH
5215	----	----	137.20B/116.20A	137.20B/116.20A	----	116.50 - 12.90	.3066	----	----	----	----	14 UNCH
5220	----	----	136.00B/115.00A	136.00B/115.00A	----	115.30 - 12.80	.3041	----	----	----	----	29 UNCH
5225	----	----	134.50B/113.80A	134.50B/113.80A	----	114.10 - 12.80	.3016	----	----	----	----	46 UNCH
5230	----	----	133.30B/112.60A	133.30B/112.60A	----	112.90 - 12.70	.2991	----	----	----	----	8 UNCH
5235	----	----	131.80B/111.60A	131.80B/111.60A	----	111.70 - 12.70	.2967	----	----	----	----	10 UNCH
5240	----	----	130.50B/110.40A	130.50B/110.40A	----	110.60 - 12.50	.2943	----	----	----	----	16 UNCH
5245	----	----	129.20B/109.20A	129.20B/109.20A	----	109.40 - 12.50	.2918	----	----	----	----	12 UNCH
5250	----	----	127.90B/108.10A	127.90B/108.10A	----	108.30 - 12.40	.2895	----	----	----	----	476 UNCH
5255	118.30	118.30	126.60B/107.00A	126.60B/107.00A	----	107.20 - 12.30	.2871	----	----	2	----	888 UNCH
5260	----	----	125.30B/105.90A	125.30B/105.90A	----	106.00 - 12.30	.2847	----	----	----	----	24 UNCH
5265	----	----	124.10B/104.80A	124.10B/104.80A	----	104.90 - 12.20	.2823	----	----	----	----	10 UNCH
5270	----	----	122.80B/103.70A	122.80B/103.70A	----	103.90 - 12.10	.2801	----	----	----	----	18 UNCH
5275	----	----	121.60B/102.60A	121.60B/102.60A	----	102.80 - 12.00	.2778	----	----	----	----	17 UNCH
5280	----	----	120.40B/101.60A	120.40B/101.60A	----	101.70 - 12.00	.2754	----	----	----	----	6 UNCH
5285	----	----	119.20B/100.50A	119.20B/100.50A	----	100.70 - 11.90	.2732	----	----	----	----	31 UNCH
5290	----	----	118.00B/99.60A	118.00B/99.60A	----	99.60 - 11.80	.2709	----	----	----	----	6 UNCH
5295	----	----	116.80B/98.70A	116.80B/98.70A	----	98.60 - 11.70	.2687	----	----	----	----	6 UNCH
5300	116.00	116.00	116.00/97.50A	116.00/97.50A	----	97.60 - 11.70	.2664	----	----	3	----	635 + 1
5305	----	----	114.40B/96.50A	114.40B/96.50A	----	96.60 - 11.60	.2642	----	----	----	----	6 UNCH
5310	----	----	113.30B/95.50A	113.30B/95.50A	----	95.60 - 11.50	.2620	----	----	----	----	105 UNCH
5320	----	----	111.00B/93.70A	111.00B/93.70A	----	93.60 - 11.40	.2576	----	----	----	----	9 UNCH
5325	99.50	99.50	109.90B/92.70A	109.90B/92.70A	----	92.70 - 11.20	.2555	----	----	1	----	11 UNCH
5330	----	----	108.80B/91.70A	108.80B/91.70A	----	91.70 - 11.20	.2533	----	----	----	----	3 UNCH
5350	94.70	94.70	104.60B/88.10A	104.60B/88.10A	----	88.00 - 10.90	.2450	----	----	1	----	30 + 1
5355	----	----	103.50B/87.00A	103.50B/87.00A	----	87.10 - 10.80	.2429	----	----	----	----	1 UNCH
5360	92.80	92.80	102.50B/86.30A	102.50B/86.30A	----	86.20 - 10.80	.2408	----	----	60	----	110 + 60
5370	----	----	100.40B/84.50A	100.40B/84.50A	----	84.40 - 10.70	.2367	----	----	----	----	2 UNCH
5375	----	----	99.40B/83.80A	99.40B/83.80A	----	83.60 - 10.50	.2348	----	----	----	----	4 UNCH
5400	----	----	94.60B/79.40A	94.60B/79.40A	----	79.40 - 10.20	.2250	----	----	----	----	2048 UNCH
5410	----	----	92.60B/78.00A	92.60B/78.00A	----	77.80 - 10.10	.2212	----	----	----	----	6 UNCH
5420	82.30	82.30	90.80B/76.40A	90.80B/76.40A	----	76.20 - 10.00	.2174	----	----	1	----	8 + 1
5435	----	----	88.10B/74.10A	88.10B/74.10A	----	73.90 - 9.80	.2119	----	----	----	----	1 UNCH
5445	----	----	86.40B/72.70A	86.40B/72.70A	----	72.40 - 9.60	.2083	----	----	----	----	3 UNCH
5450	----	----	85.50B/71.70A	85.50B/71.70A	----	71.70 - 9.50	.2066	----	----	50	----	57 + 49
5460	----	----	83.80B/70.50A	83.80B/70.50A	----	70.30 - 9.40	.2031	----	----	----	----	3 UNCH
5465	----	----	83.00B/69.70A	83.00B/69.70A	----	69.60 - 9.30	.2014	----	----	----	----	19 UNCH
5470	----	----	82.20B/68.90A	82.20B/68.90A	----	68.90 - 9.20	.1997	----	----	----	----	1 UNCH
5475	----	----	81.40B/68.30A	81.40B/68.30A	----	68.20 - 9.20	.1980	----	----	----	----	2 UNCH
5480	67.00	67.00	80.60B/67.00	80.60B/67.00	----	67.50 - 9.10	.1962	----	----	4	----	14 + 4
5485	----	----	79.80B/66.90A	79.80B/66.90A	----	66.80 - 9.10	.1945	----	----	----	----	1 UNCH
5490	----	----	79.00B/66.30A	79.00B/66.30A	----	66.20 - 9.00	.1930	----	----	----	----	2 UNCH
5495	----	----	78.20B/65.80A	78.20B/65.80A	----	65.50 - 9.00	.1913	----	----	----	----	4 UNCH
5500	67.70	67.70	77.50B/64.90A	77.50B/64.90A	----	64.90 - 8.80	.1897	----	----	216	----	1273 + 103

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
5505	68.90	68.90	76.80B/64.40A	76.80B/64.40A	----	64.20 - 8.80	.1880	----	----	1	----	7 + 1
5515	----	----	75.20B/63.10A	75.20B/63.10A	----	63.00 - 8.60	.1849	----	----	----	----	2 UNCH
5525	62.70	62.70	73.70B/61.70A	73.70B/61.70A	----	61.70 - 8.60	.1817	----	----	4	----	29 + 4
5535	----	----	72.30B/60.60A	72.30B/60.60A	----	60.50 - 8.40	.1786	----	----	----	----	6 UNCH
5545	----	----	70.90B/59.60A	70.90B/59.60A	----	59.40 - 8.20	.1757	----	----	----	----	2 UNCH
5550	----	----	70.30B/58.80A	70.30B/58.80A	----	58.80 - 8.20	.1742	----	----	----	----	126 UNCH
5560	----	----	68.90B/57.70A	68.90B/57.70A	----	57.70 - 8.00	.1713	----	----	----	----	2 UNCH
5565	----	----	68.20B/57.20A	68.20B/57.20A	----	57.10 - 8.00	.1698	----	----	----	----	5 UNCH
5570	----	----	67.50B/56.60A	67.50B/56.60A	----	56.60 - 7.90	.1684	----	----	----	----	2 UNCH
5575	----	----	66.90B/56.20A	66.90B/56.20A	----	56.00 - 7.90	.1669	----	----	----	----	3 UNCH
5580	----	----	66.30B/55.50A	66.30B/55.50A	----	55.50 - 7.80	.1656	----	----	----	----	17 UNCH
5595	----	----	64.40B/54.10A	64.40B/54.10A	----	53.90 - 7.70	.1614	----	----	----	----	3 UNCH
5600	----	----	63.80B/53.50A	63.80B/53.50A	----	53.40 - 7.60	.1601	----	----	1	----	1080 UNCH
5615	----	----	61.90B/51.90A	61.90B/51.90A	----	51.90 - 7.40	.1561	----	----	----	----	1 UNCH
5620	----	----	61.40B/51.50A	61.40B/51.50A	----	51.40 - 7.40	.1547	----	----	----	----	2 UNCH
5635	----	----	59.60B/50.00A	59.60B/50.00A	----	50.00 - 7.10	.1509	----	----	----	----	2 UNCH
5640	----	----	59.10B/49.70A	59.10B/49.70A	----	49.50 - 7.10	.1496	----	----	----	----	3 UNCH
5650	----	----	58.00B/48.70A	58.00B/48.70A	----	48.60 - 7.00	.1472	----	----	50	----	550 + 43
5660	47.00	47.00	56.90B/47.00	56.90B/47.00	----	47.70 - 6.90	.1447	----	----	6	----	18 + 6
5670	----	----	55.80B/47.00A	55.80B/47.00A	----	46.80 - 6.80	.1423	----	----	----	----	10 UNCH
5675	----	----	55.40B/46.60A	55.40B/46.60A	----	46.40 - 6.70	.1412	----	----	----	----	4 UNCH
5690	45.20	45.20	53.80B/45.10A	53.80B/45.10A	----	45.10 - 6.60	.1376	----	----	3	----	16 + 3
5700	----	----	52.80B/44.50A	52.80B/44.50A	----	44.30 - 6.50	.1354	----	----	14	----	2341 UNCH
5720	----	----	50.90B/42.90A	50.90B/42.90A	----	42.70 - 6.30	.1310	----	----	----	----	13 UNCH
5725	----	----	50.40B/42.60A	50.40B/42.60A	----	42.40 - 6.10	.1301	----	----	----	----	1 UNCH
5730	42.00	42.00	50.00B/42.00	50.00B/42.00	----	42.00 - 6.10	.1290	----	----	3	----	15 + 3
5750	----	----	48.20B/40.70A	48.20B/40.70A	----	40.50 - 6.00	.1248	----	----	----	----	300 UNCH
5775	----	----	45.90B/39.00A	45.90B/39.00A	----	38.80 - 5.70	.1199	----	----	----	----	2 UNCH
5800	39.80	39.80	44.00B/37.30A	44.00B/37.30A	----	37.10 - 5.50	.1151	----	----	1	100	1040 + 100
5825	35.00	35.00	42.00B/35.00	42.00B/35.00	----	35.50 - 5.30	.1105	----	----	6	----	20 + 6
5850	----	----	40.10B/34.20A	40.10B/34.20A	----	34.10 - 5.10	.1064	----	----	----	----	165 UNCH
5875	32.80	32.80	38.40B/32.80	38.40B/32.80	----	32.70 - 4.90	.1023	----	----	5	----	26 + 5
5900	----	----	36.80B/31.60A	36.80B/31.60A	----	31.30 - 4.80	.0982	----	----	----	----	1858 UNCH
5925	----	----	35.30B/30.40A	35.30B/30.40A	----	30.10 - 4.60	.0946	----	----	----	----	2 UNCH
5950	----	----	33.90B/29.20A	33.90B/29.20A	----	28.90 - 4.40	.0910	----	----	----	----	1 UNCH
6000	31.70	31.70	31.70/27.00A	31.70/27.00A	----	26.70 - 4.20	.0844	----	----	104	----	1708 + 46
6100	----	----	----/23.50A	25.40B/23.50A	----	23.00 - 3.70	.0730	----	----	----	----	374 UNCH
6200	----	----	----/20.60A	21.80B/20.60A	----	20.00 - 3.30	.0636	----	----	26	----	1478 UNCH
6300	----	----	----/18.30A	19.20B/18.30A	----	17.60 - 3.00	.0559	----	----	----	----	85 UNCH
6400	17.40	17.40	17.40/16.40A	17.40/16.40A	----	15.60 - 2.70	.0494	----	----	1	----	61 UNCH
6500	14.50	14.50	14.50/14.50	15.30B/14.50	----	13.90 - 2.60	.0439	----	----	50	----	762 - 50
6600	----	----	----/13.30A	13.90B/13.30A	----	12.60 - 2.40	.0395	----	----	----	----	150 UNCH
6700	----	----	----/12.10A	12.60B/12.10A	----	11.50 - 2.20	.0358	----	----	----	----	254 UNCH
6800	----	----	----/11.10A	11.60B/11.10A	----	10.60 - 2.00	.0327	----	----	----	----	49 UNCH
6900	----	----	----/10.20A	10.70B/10.20A	----	9.90 - 1.80	.0301	----	----	----	----	2 UNCH
7000	----	----	----/9.40A	9.90B/9.40A	----	9.20 - 1.70	.0277	----	----	104	----	622 + 62
7500	----	----	----/6.80A	7.20B/6.80A	----	6.90 - 1.30	.0197	----	----	----	----	738 UNCH
8000	----	----	----/5.30A	5.60B/5.30A	----	5.40 - 1.20	.0147	----	----	----	----	167 UNCH
8500	----	----	----/4.40A	4.60B/4.40A	----	4.30 - 1.10	.0113	----	----	----	----	89 UNCH
9000	----	----	----/3.80A	3.70B/3.80A	----	3.50 - 0.90	.0089	----	----	----	----	9 UNCH
9500	----	----	----/3.20A	3.20B/3.20A	----	2.90 - 0.70	.0072	----	----	1	----	69 + 1
10000	----	----	----	2.70B/2.90A	----	2.60 - 0.30	.0062	----	----	----	----	98 UNCH
TOTAL										996	110	38479+ 615
SEP26												
3875	----	----	----	----	----	1028.30 - 18.40	.9227	----	----	----	----	1 UNCH
3995	----	----	----	748.40B/1100.30A	----	919.10 - 18.90	.8993	----	----	----	----	10 UNCH
4085	----	----	----	668.10B/1020.70A	----	839.40 - 19.30	.8780	----	----	----	----	37 UNCH
4130	----	----	----	628.80B/981.60A	----	800.40 - 19.50	.8660	----	----	----	----	10 UNCH
4185	----	----	----	581.70B/934.80A	----	753.50 - 19.70	.8500	----	----	----	----	37 UNCH
4200	----	----	----	569.10B/922.70A	----	740.90 - 19.80	.8454	----	----	----	----	1 UNCH
4220	----	----	----	551.60B/906.70A	----	724.20 - 19.90	.8391	----	----	----	----	162 UNCH
4290	----	----	----	491.60B/851.80A	----	667.00 - 20.10	.8153	----	----	----	----	6 UNCH
4295	----	----	----	487.40B/847.90A	----	662.90 - 20.10	.8136	----	----	----	----	50 UNCH
4300	----	----	----	483.20B/844.20A	----	658.90 - 20.20	.8117	----	----	----	----	13 UNCH
4320	----	----	----	466.50B/828.90A	----	643.00 - 20.20	.8044	----	----	----	----	162 UNCH
4375	----	----	----	421.70B/787.40A	----	600.10 - 20.30	.7831	----	----	----	----	1 UNCH
4390	----	----	----	409.70B/776.40A	----	588.60 - 20.40	.7770	----	----	----	----	200 UNCH
4425	----	----	----	382.40B/750.90A	----	562.20 - 20.50	.7624	----	----	----	----	1 UNCH
4495	----	----	----	329.80B/701.30A	----	511.40 - 20.60	.7312	----	----	----	----	18 UNCH
4500	----	----	----	326.10B/697.90A	----	507.80 - 20.70	.7289	----	----	----	----	5 UNCH
4505	----	----	----	322.50B/694.50A	----	504.30 - 20.60	.7265	----	----	----	----	2 UNCH
4510	----	----	----	318.90B/691.00A	----	500.80 - 20.60	.7242	----	----	----	----	2 UNCH
4515	----	----	----	315.30B/687.60A	----	497.30 - 20.60	.7218	----	----	----	----	2 UNCH
4545	----	----	----/476.60A	482.40B/476.60A	----	476.60 - 20.70	.7075	----	----	----	----	16 UNCH
4550	----	----	----/473.30A	480.60B/473.30A	----	473.20 - 20.70	.7050	----	----	----	----	222 UNCH
4560	----	----	----/466.50A	480.60B/466.50A	----	466.50 - 20.70	.7001	----	----	----	----	2 UNCH
4565	----	----	----/463.20A	477.20B/463.20A	----	463.20 - 20.60	.6976	----	----	----	----	2 UNCH
4570	----	----	481.00B/459.90A	481.00B/459.90A	----	459.80 - 20.70	.6952	----	----	----	----	2 UNCH
4575	----	----	480.90B/456.70A	480.90B/456.70A	----	456.50 - 20.70	.6927	----	----	----	----	2 UNCH
4580	----	----	478.40B/453.40A	478.40B/453.40A	----	453.20 - 20.60	.6902	----	----	----	----	2 UNCH
4585	----	----	475.10B/450.00A	475.10B/450.00A	----	449.90 - 20.70	.6877	----	----	----	----	2 UNCH
4590	----	----	471.70B/446.80A	471.70B/446.80A	----	446.60 - 20.70	.6851	----	----	----	----	2 UNCH
4600	----	----	465.10B/440.30A	465.10B/440.30A	----	440.10 - 20.70	.6801	----	----	----	----	53 UNCH
4650	----	----	432.40B/408.80A	432.40B/408.80A	----	408.50 - 20.50	.6542	----	----	----	----	1 UNCH
4675	----	----	416.80B/393.70A	416.80B/393.70A	----	393.20 - 20.50	.6409	----	----	----	----	1 UNCH
4680	----	----	413.70B/390.60A	413.70B/390.60A	----	390.20 - 20.50	.6382	----	----	----	----	1 UNCH
4700	----	----	401.40B/378.80A	401.40B/378.80A	----	378.30 - 20.40	.6275	----	----	----	----	117 UNCH
4705	----	----	398.40B/376.00A	398.40B/376.00A	----	375.40 - 20.40	.6247	----	----	----	----	10 UNCH
4710	----	----	395.40B/373.00A	395.40B/373.00A	----	372.50 - 20.30	.6220	----	----	----	----	1 UNCH
4720	----	----	389.50B/367.30A	389.50B/367.30A	----	366.70 - 20.30	.6166	----	----	----	----	45 UNCH
4725	----	----	386.60B/364.40A	386.60B/364.40A	----	363.80 - 20.30	.6139	----	----	----	----	2 UNCH
4730	----	----	383.60B/361.60A	383.60B/361.60A	----	360.90 - 20.30	.6111	----	----	----	----	5 UNCH
4750	----	----	376.30B/350.10A	376.30B/350.10A	----	349.60 - 20.20	.6002	----	----	----	----	43 UNCH
4775	----	----	362.00B/336.60A	362.00B/336.60A	----	335.70 - 20.20	.5863	----	----	----	----	184 UNCH
4780	----	----	359.40B/333.90A	359.40B/333.90A	----	333.00 - 20.10	.5835	----	----	----	----	7 UNCH
4800	----	----	348.20B/323.40A	348.20B/323.40A	----	322.30 - 20.00	.5724	----	----	1	----	942 + 1
4840	----	----	326.90B/303.10A	326.90B/303.10A	----	301.80 - 19.70	.5499	----	----	----	----	2 UNCH
4850	----	----	321.70B/298.20A	321.70B/298.20A	----	296.90 - 19.50	.5442	----	----	----	----	20 UNCH
4860	----	----	316.60B/293.30A	316.60B/293.30A	----	292.10 - 19.40	.5386	----	----	----	----	2 UNCH
4875	----	----	308.90B/286.10A	308.90B/286.10A	----	285.00 - 19.10	.5302	----	----	----	----	30 UNCH
4900	----	----	296.70B/274.50A	296.70B/274.50A	----	273.50 - 18.80	.5162	----	----	----	----	260 UNCH
4920	----	----	287.10B/265.50A	287.10B/265.50A	----	264.70 - 18.40	.5050	----	----	----	----	30 UNCH
4925	----	----	284.80B/263.30A	284.80B/263.30A	----	262.50 - 18.30	.5022	----	----	----	----	1 UNCH
4930	----	----	282.50B/261.10A	282.50B/261.10A	----	260.40 - 18.20	.4995	----	----	----	----	1 UNCH
4975	----	----	262.10B/242.10A	262.10B/242.10A	----	241.60 - 17.40	.4747	----	----	----	----	314 UNCH
5000	----	----	251.50B/232.10A	251.50B/232.10A	----	231.70 - 16.90	.4612	----	----	----	150	725 + 141
5005	----	----	249.40B/230.20A	249.40B/230.20A	----	229.80 - 16.80	.4585	----	----	----	----	1 UNCH
5050	----	----	231.10B/213.20A	231.10B/213.20A	----	212.80 - 16.20	.4345	----	----	----	----	1 UNCH
5075	----	----	221.70B/204.20A	221.70B/204.20A	----	203.80 - 15.90	.4214	----	----	----	----	1 UNCH
5100	195.00	195.00	212.10B/195.00	212.10B/195.00	----	195.20 - 15.60	.4085	----	----	10	----	241 UNCH
5150	----	----	194.60B/179.50A	194.60B/179.50A	----	178.90 - 15.10	.3834	----	----	----	----	3 UNCH
5155	----	----	192.90B/177.90A	192.90B/177.90A	----	177.30 - 15.10	.3809	----	----	----	----	1 UNCH
5200	----	----	----/164.60A	178.30B/164.60A	----	163.90 - 14.70	.3592	----	----	----	----	373 UNCH
5230	----	----	----/156.30A	169.20B/156.30A	----	155.50 - 14.40	.3452	----	----	----	----	400 UNCH
5235	----	----	----/154.90A	167.70B/154.90A	----	154.10 - 14.40	.3429	----	----	----	----	1 UNCH
5245	----	----	----/152.20A	165.10B/152.20A	----	151.40 - 14.30	.3383	----	----	----	----	20 UNCH
5250	----	----	----/150.90A	163.30B/150.90A	----	150.10 - 14.20	.3361	----	----	----	----	200 UNCH
5300	----	----	----/138.40A	149.90B/138.40A	----	137.50 - 13.60	.3140	----	----	----	160	1013 + 160
5330	----	----	144.10B/131.40A	144.10B/131.40A	----	130.50 - 13.20	.3014	----	----	----	----	20 UNCH
5335	----	----	142.90B/130.30A	142.90B/130.30A	----	129.30 - 13.20	.2992	----	----	----	----	1 UNCH
5350	----	----	----/127.00A	138.20B/127.00A	----	126.00 - 12.90	.2931	----	----	----	----	1 UNCH
5370	----	----	----/122.70A	133.50B/122.70A	----	121.70 - 12.70	.2851	----	----	----	----	15 UNCH
5375	----	----	----/121.60A	132.40B/121.60A	----	120.60 - 12.60	.2831	----	----	----	----	2 UNCH
5400	----	----	----/116.50A	126.70B/116.50A	----	115.50 - 12.30	.2734	----	----	----	----	399 UNCH
5420	----	----	----/112.60A	122.30B/112.60A	----	111.50 - 12.10	.2658	----	----	----	----	80 UNCH
5425	----	----	----/111.70A	121.30B/111.70A	----	110.60 - 12.00	.2640	----	----	----	----	50 UNCH
5450	----	----	----/107.00A	115.90B/107.00A	----	105.90 - 11.70	.2548	----	----	----	----	5 UNCH
5460	----	----	----/105.20A	114.30B/105.20A	----	104.10 - 11.60	.2512	----	----	----	----	1 UNCH
5475	----	----	----/102.50A	111.00B/102.50A	----	101.50 - 11.30	.2460	----	----	----	----	2 UNCH
5500	----	----	----/98.30A	105.40B/98.30A	----	97.20 - 11.10	.2374	----	----	----	50	1244 UNCH
5505	----	----	----/97.50A	105.50B/97.50A	----	96.40 - 11.00	.2357	----	----	----	----	3 UNCH
5520	----	----	----/95.00A	103.60B/95.00A	----	93.90 - 10.90	.2307	----	----	----	----	1 UNCH
5525	----	----	----/94.30A	102.00B/94.30A	----	93.10 - 10.90	.2291	----	----	----	----	2 UNCH
5540	----	----	----/91.90A	98.80B/91.90A	----	90.80 - 10.60	.2243	----	----	----	----	15 UNCH
5600	----	----	----/83.20A	89.70B/83.20A	----	82.00 - 10.10	.2058	----	----	----	----	938 UNCH
5625	----	----	----/79.90A	85.70B/79.90A	----	78.70 - 9.70	.1987	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
SEP26												
5650	----	----	----/76.70A	82.30B/76.70A	----	75.40 - 9.60	.1916	----	----	180	----	539 - 20
5665	74.00	74.00	74.00/74.00	80.40B/74.00	----	73.60 NEW	.1876	----	----	3	----	3 + 3
5675	----	----	----/73.80A	79.00B/73.80A	----	72.40 - 9.20	.1849	----	----	----	----	8 UNCH
5700	----	----	----/70.90A	75.90B/70.90A	----	69.40 - 9.10	.1783	----	----	4	----	1061 + 1
5730	65.00	65.00	65.00/65.00	72.30B/65.00	----	66.10 NEW	.1709	----	----	2	----	2 + 2
5750	----	----	----/65.40A	70.10B/65.40A	----	64.00 - 8.60	.1661	----	----	----	----	237 UNCH
5800	59.00	59.00	59.00/59.00	64.70B/59.00	----	59.10 - 8.10	.1548	----	----	6	----	831 + 3
5850	----	----	----/55.90A	59.40B/55.90A	----	54.70 - 7.60	.1445	----	----	180	----	563 - 20
5900	----	----	----/52.20A	55.50B/52.20A	----	50.70 - 7.10	.1349	----	----	----	----	503 UNCH
5950	47.00	47.00	47.00/*47.00	50.80B/*47.00	----	47.20 - 6.60	.1262	----	----	2	----	51 + 2
6000	43.00	43.00	43.00/43.00	47.00B/43.00	----	44.10 - 6.10	.1184	----	----	3	----	1310 UNCH
6100	----	----	----/40.00A	40.60B/40.00A	----	38.80 - 5.10	.1047	----	----	----	----	362 UNCH
6200	----	----	----/35.40A	36.20B/35.40A	----	34.10 - 4.40	.0925	----	----	----	----	229 UNCH
6300	----	----	----/31.40A	31.40B/31.40A	----	30.10 - 3.90	.0821	----	----	----	----	159 UNCH
6400	----	----	----/28.60A	28.10B/28.60A	----	26.70 - 3.60	.0730	----	----	----	----	212 UNCH
6500	----	----	----/26.00A	23.70B/26.00A	----	23.90 - 3.40	.0654	----	----	----	150	540 UNCH
6600	25.00	25.00	25.00/*23.80A	25.00/23.80A	----	21.70 - 3.10	.0592	----	----	6	----	39 - 6
6650	----	----	----/*23.00A	20.40B/23.00A	----	20.70 - 3.00	.0564	----	----	----	----	5 UNCH
6750	----	----	----/*21.20A	18.10B/21.20A	----	18.90 - 2.80	.0513	----	----	----	----	11 UNCH
6775	----	----	----/*20.90A	17.80B/20.90A	----	18.50 - 2.80	.0502	----	----	----	----	1 UNCH
6800	----	----	----/20.50A	17.60B/20.50A	----	18.10 - 2.70	.0490	----	----	----	----	127 UNCH
7000	----	----	----	14.50B/*18.00A	----	15.60 - 2.30	.0417	----	----	----	----	200 UNCH
TOTAL										397	510	15798 + 267
OCT26												
3600	----	----	----	----	----	1292.20 - 17.50	.9485	----	----	----	----	12 UNCH
4300	----	----	----	489.70B/875.60A	----	678.10 - 20.50	.7935	----	----	----	----	102 UNCH
4400	----	----	----	411.40B/803.20A	----	603.20 - 20.40	.7557	----	----	----	----	8 UNCH
4405	----	----	----	407.60B/799.60A	----	599.50 - 20.50	.7537	----	----	----	----	2 UNCH
4480	----	----	----	352.70B/747.80A	----	546.30 - 20.50	.7227	----	----	----	----	1 UNCH
4500	----	----	----	338.60B/734.40A	----	532.60 - 20.40	.7140	----	----	----	----	3 UNCH
4515	----	----	----/521.00A	525.20B/521.00A	----	522.40 - 20.40	.7075	----	----	----	----	1 UNCH
4550	----	----	523.30B/497.30A	523.30B/497.30A	----	499.10 - 20.40	.6918	----	----	----	----	1 UNCH
4580	----	----	503.50B/478.30A	503.50B/478.30A	----	479.60 - 20.30	.6781	----	----	----	----	70 UNCH
4600	----	----	490.50B/466.60A	490.50B/466.60A	----	467.00 - 20.10	.6688	----	----	----	----	134 UNCH
4610	----	----	484.10B/459.30A	484.10B/459.30A	----	460.70 - 20.10	.6641	----	----	----	----	5 UNCH
4620	----	----	477.80B/453.60A	477.80B/453.60A	----	454.50 - 20.10	.6594	----	----	----	----	1 UNCH
4630	----	----	471.40B/447.50A	471.40B/447.50A	----	448.30 - 20.10	.6546	----	----	----	----	3 UNCH
4650	----	----	459.00B/435.60A	459.00B/435.60A	----	436.20 - 19.90	.6450	----	----	----	----	1 UNCH
4670	----	----	446.80B/424.00A	446.80B/424.00A	----	424.30 - 19.80	.6354	----	----	----	----	1 UNCH
4675	----	----	443.70B/421.00A	443.70B/421.00A	----	421.40 - 19.70	.6329	----	----	----	----	1 UNCH
4690	----	----	434.70B/412.70A	434.70B/412.70A	----	412.60 - 19.70	.6256	----	----	----	----	1 UNCH
4700	----	----	428.90B/406.90A	428.90B/406.90A	----	406.90 - 19.50	.6207	----	----	----	----	5 UNCH
4710	----	----	423.10B/401.10A	423.10B/401.10A	----	401.20 - 19.50	.6157	----	----	----	----	1 UNCH
4715	----	----	420.20B/398.50A	420.20B/398.50A	----	398.30 - 19.50	.6133	----	----	----	----	2 UNCH
4750	----	----	403.80B/379.90A	403.80B/379.90A	----	378.90 - 19.40	.5959	----	----	----	----	1 UNCH
4755	----	----	401.00B/377.20A	401.00B/377.20A	----	376.20 - 19.40	.5934	----	----	----	----	1 UNCH
4800	----	----	376.40B/353.70A	376.40B/353.70A	----	352.30 - 19.50	.5707	----	----	----	----	14 UNCH
4845	----	----	352.90B/331.50A	352.90B/331.50A	----	329.50 - 19.80	.5479	----	----	----	----	1 UNCH
4850	----	----	350.50B/328.90A	350.50B/328.90A	----	327.10 - 19.80	.5453	----	----	----	----	54 UNCH
4865	----	----	342.80B/321.90A	342.80B/321.90A	----	320.00 - 19.70	.5377	----	----	----	----	2 UNCH
4880	----	----	335.60B/314.90A	335.60B/314.90A	----	313.20 - 19.50	.5301	----	----	----	----	1 UNCH
4900	311.00	311.00	325.80B/306.20A	325.80B/306.20A	----	304.30 - 19.20	.5201	----	----	1	----	1278 - 1
4910	----	----	321.10B/301.70A	321.10B/301.70A	----	299.90 - 19.00	.5151	----	----	----	----	1 UNCH
4925	----	----	314.10B/295.00A	314.10B/295.00A	----	293.40 - 18.80	.5076	----	----	----	----	18 UNCH
4935	----	----	309.50B/290.70A	309.50B/290.70A	----	289.10 - 18.70	.5026	----	----	----	----	5 UNCH
4945	----	----	305.00B/286.40A	305.00B/286.40A	----	284.80 - 18.60	.4976	----	----	----	----	3 UNCH
4950	----	----	302.60B/284.30A	302.60B/284.30A	----	282.70 - 18.60	.4951	----	----	----	----	7 UNCH
5000	----	----	280.90B/263.80A	280.90B/263.80A	----	262.20 - 18.20	.4705	----	----	----	----	1451 UNCH
5025	----	----	270.50B/254.00A	270.50B/254.00A	----	252.50 - 17.90	.4583	----	----	----	----	2 UNCH
5050	----	----	----/244.60A	260.30B/244.60A	----	243.10 - 17.60	.4463	----	----	----	----	57 UNCH
5075	----	----	----/235.50A	250.60B/235.50A	----	234.10 - 17.30	.4345	----	----	----	----	2 UNCH
5080	----	----	----/233.70A	248.80B/233.70A	----	232.40 - 17.10	.4322	----	----	----	----	3 UNCH
5085	----	----	----/231.90A	246.80B/231.90A	----	230.60 - 17.10	.4298	----	----	----	----	3 UNCH
5100	----	----	----/226.70A	241.30B/226.70A	----	225.50 - 16.80	.4229	----	----	1	----	677 UNCH
5125	----	----	----/218.30A	232.20B/218.30A	----	217.10 - 16.40	.4114	----	----	----	----	1 UNCH
5150	----	----	----/210.10A	223.30B/210.10A	----	209.00 - 16.00	.4001	----	----	----	----	1 UNCH
5160	----	----	----/206.90A	219.90B/206.90A	----	205.80 - 15.90	.3956	----	----	----	----	1 UNCH
5200	----	----	----/194.70A	206.60B/194.70A	----	193.70 - 15.20	.3781	----	----	2	----	1033 - 1
5250	----	----	----/180.40A	191.20B/180.40A	----	179.40 - 14.60	.3569	----	----	----	----	522 UNCH
5255	----	----	----/179.00A	189.70B/179.00A	----	178.00 - 14.60	.3548	----	----	----	----	2 UNCH
5300	----	----	183.10B/167.30A	183.10B/167.30A	----	166.10 - 14.10	.3365	----	----	2	----	939 UNCH
5325	----	----	----/161.10A	170.00B/161.10A	----	159.80 - 13.80	.3266	----	----	----	----	1 UNCH
5365	155.00	155.00	155.00/151.60A	159.90B/151.60A	----	150.20 - 13.50	.3112	----	----	2	----	1 - 1
5400	153.50	153.50	153.50/143.70A	153.50/143.70A	----	142.40 - 13.00	.2983	----	----	12	----	158 - 10
5435	----	----	----/136.40A	143.60B/136.40A	----	134.90 - 12.70	.2857	----	----	----	----	226 UNCH
5450	----	----	----/133.30A	140.40B/133.30A	----	131.90 - 12.50	.2806	----	----	----	----	66 UNCH
5455	----	----	----/132.40A	139.40B/132.40A	----	130.90 - 12.50	.2789	----	----	----	----	175 UNCH
5475	----	----	----/128.50A	135.20B/128.50A	----	127.00 - 12.20	.2721	----	----	----	----	1 UNCH
5500	----	----	----/123.80A	130.20B/123.80A	----	122.20 - 12.00	.2638	----	----	1	202	2006 + 202
5545	----	----	----/115.90A	121.60B/115.90A	----	114.30 - 11.40	.2496	----	----	----	----	5 UNCH
5550	----	----	----/115.00A	120.70B/115.00A	----	113.40 - 11.40	.2480	----	----	----	----	100 UNCH
5590	----	----	----/108.50A	113.70B/108.50A	----	106.80 - 11.00	.2360	----	----	----	----	4 UNCH
5600	----	----	----/106.90A	112.10B/106.90A	----	105.30 - 10.80	.2331	----	----	----	50	184 + 34
5610	----	----	----/105.40A	110.40B/105.40A	----	103.70 - 10.80	.2302	----	----	----	----	1 UNCH
5615	----	----	----/104.70A	109.60B/104.70A	----	103.00 - 10.60	.2288	----	----	----	----	5 UNCH
5650	----	----	----/99.50A	104.10B/99.50A	----	97.80 - 10.30	.2191	----	----	----	----	401 UNCH
5655	----	----	----/98.80A	103.30B/98.80A	----	97.10 - 10.20	.2177	----	----	----	----	2 UNCH
5660	----	----	----/98.10A	102.40B/98.10A	----	96.40 - 10.20	.2164	----	----	----	----	1 UNCH
5675	----	----	----/96.20A	100.20B/96.20A	----	94.30 - 10.00	.2124	----	----	----	----	3 UNCH
5700	----	----	----/92.70A	96.60B/92.70A	----	90.90 - 9.80	.2059	----	----	----	----	20 UNCH
5710	----	----	----/91.40A	95.20B/91.40A	----	89.60 - 9.70	.2033	----	----	----	----	5 UNCH
5720	----	----	----/90.20A	93.80B/90.20A	----	88.30 - 9.60	.2008	----	----	----	----	75 UNCH
5750	----	----	----/86.50A	89.90B/86.50A	----	84.60 - 9.30	.1935	----	----	----	----	1 UNCH
5775	----	----	----/83.50A	86.70B/83.50A	----	81.60 - 9.10	.1876	----	----	----	----	50 UNCH
5800	----	----	----/80.70A	83.70B/80.70A	----	78.80 - 8.90	.1819	----	----	----	----	413 UNCH
5875	----	----	----/73.00A	75.40B/73.00A	----	71.00 - 8.20	.1660	----	----	----	----	1 UNCH
5900	----	----	----/70.60A	72.80B/70.60A	----	68.60 - 8.10	.1610	----	----	----	----	133 UNCH
5925	----	----	----/68.30A	70.20B/68.30A	----	66.40 - 7.80	.1563	----	----	----	----	1 UNCH
5950	----	----	----/66.10A	67.90B/66.10A	----	64.20 - 7.60	.1517	----	----	----	----	1 UNCH
6000	----	----	----/62.00A	63.60B/62.00A	----	60.10 - 7.30	.1429	----	----	----	----	3155 UNCH
6100	----	----	----/55.20A	55.60B/55.20A	----	53.00 - 6.60	.1273	----	----	----	----	66 UNCH
6200	----	----	----/49.40A	48.70B/49.40A	----	47.10 - 5.80	.1140	----	----	----	----	38 UNCH
6300	----	----	----/43.60A	43.00B/43.60A	----	42.10 - 5.20	.1024	----	----	----	----	757 UNCH
6400	----	----	----/39.20A	39.60B/39.20A	----	37.80 - 4.70	.0923	----	----	----	----	1911 UNCH
6500	36.50	36.50	36.50/35.20	36.50/35.20	----	34.20 - 4.20	.0836	----	----	3	----	4727 UNCH
6800	----	----	----	24.40B/29.40A	----	26.10 - 3.00	.0637	----	----	----	----	1385 UNCH
6900	----	----	----	22.20B/27.60A	----	24.10 - 2.70	.0587	----	----	----	----	1 UNCH
7000	----	----	----	20.60B/25.90A	----	22.30 - 2.40	.0541	----	----	----	----	1572 UNCH
8000	----	----	----	11.20B/16.80A	----	12.70 - 0.60	.0291	----	----	----	202	211 UNCH
8500	----	----	----	9.20B/14.70A	----	10.50 - 0.40	.0233	----	----	----	----	208 UNCH
9000	----	----	----	7.50B/12.90A	----	8.80 - 0.70	.0190	----	----	----	----	69 UNCH
9500	----	----	----	6.20B/11.40A	----	7.60 - 1.00	.0159	----	----	----	----	10 UNCH
TOTAL										24	454	24585 + 223
NOV26												
4000	----	----	----	769.60B/1182.10A	----	970.50 - 20.90	.8732	----	----	----	----	1 UNCH
4100	----	----	----	685.10B/1098.50A	----	886.20 - 21.50	.8485	----	----	----	----	1 UNCH
4275	----	----	----	538.90B/964.60A	----	746.80 - 21.70	.7967	----	----	----	----	38 UNCH
4300	----	----	----	519.00B/946.40A	----	727.80 - 21.70	.7884	----	----	----	----	1 UNCH
4375	----	----	----	460.80B/892.70A	----	672.20 - 21.60	.7624	----	----	----	----	38 UNCH
4400	----	----	----	442.00B/875.20A	----	654.20 - 21.50	.7533	----	----	----	----	20 UNCH
4440	----	----	----	412.60B/847.70A	----	625.90 - 21.40	.7384	----	----	----	----	1 UNCH
4500	----	----	----	370.10B/807.50A	----	584.70 - 21.20	.7151	----	----	----	----	25 UNCH
4600	----	----	542.00B/519.40A	542.00B/519.40A	----	519.60 - 20.80	.6741	----	----	----	----	1 UNCH
4750	----	----	451.70B/432.30A	451.70B/432.30A	----	431.30 - 19.90	.6086	----	----	----	----	1 UNCH
4775	458.00	458.00	458.00/419.10A	458.00/419.10A	----	417.70 - 19.80	.5974	----	----	1	----	31 + 1
4800	----	----	433.10B/406.60A	433.10B/406.60A	----	404.40 - 19.80	.5860	----	----	----	----	2 UNCH
4850	----	----	406.60B/381.60A	406.60B/381.60A	----	378.50 - 20.20	.5633	----	----	----	----	25 UNCH
4900	----	----	385.00B/357.70A	385.00B/357.70A	----	354.50 - 19.90	.5404	----	----	----	----	451 UNCH
4915	----	----	374.10B/351.00A	374.10B/351.00A	----	347.70 - 19.60	.5335	----	----	----	----	1 UNCH
4925	----	----	369.40B/346.30A	369.40B/346.30A	----	343.30 - 19.30	.5290	----	----	----	----	1 UNCH
4950	----	----	357.40B/334.60A	357.40B/334.60A	----	332.40 - 18.80	.5177	----	----	----	----	150 UNCH
5000	----	----	334.80B/314.10A	334.80B/314.10A	----	311.60 - 18.00	.4954	----	----	----	----	29 UNCH
5060	----	----	309.20B/289.90A	309.20B/289.90A	----	287.80 - 17.70	.4690	----	----	----	----	2 UNCH
5080	----	----	301.00B/282.40A	301.00B/282.40A	----	280.20 - 17.50	.4604	----	----	----	----	4 UNCH
5085	----	----	299.00B/280.50A	299.00B/280.50A	----	278.40 - 17.40	.4582	----	----	----	----	4 UNCH
5175	----	----	265.00B/248.60A	265.00B/248.60A	----	246.50 - 16.60	.4203	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 37

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
NOV26												
5200	----	----	256.20B/240.20A	256.20B/240.20A	----	238.20 - 16.40	.4100	----	----	----	----	26 UNCH
5250	----	----	239.30B/224.90A	239.30B/224.90A	----	222.50 - 15.90	.3900	----	----	----	----	9 UNCH
5300	----	----	223.60B/210.30A	223.60B/210.30A	----	207.80 - 15.40	.3706	----	----	----	----	27 UNCH
5370	----	----	----/191.70A	203.30B/191.70A	----	188.90 - 14.60	.3447	----	----	----	----	5 UNCH
5400	----	----	----/184.30A	195.10B/184.30A	----	181.40 - 14.20	.3340	----	----	----	----	17 UNCH
5450	----	----	----/172.40A	182.30B/172.40A	----	169.50 - 13.70	.3168	----	----	----	----	925 UNCH
5500	----	----	----/161.40A	170.30B/161.40A	----	158.50 - 13.10	.3003	----	----	----	----	79 UNCH
5550	----	----	----/151.10A	159.10B/151.10A	----	148.20 - 12.70	.2846	----	----	----	----	1 UNCH
5600	----	----	----/141.60A	148.80B/141.60A	----	138.60 - 12.30	.2696	----	----	----	----	43 UNCH
5700	----	----	----/124.30A	130.10B/124.30A	----	121.50 - 11.50	.2418	----	----	----	----	35 UNCH
5710	----	----	----/122.70A	128.40B/122.70A	----	120.00 - 11.30	.2393	----	----	----	----	1 UNCH
5800	----	----	----/109.40A	114.00B/109.40A	----	106.80 - 10.70	.2169	----	----	----	----	25 UNCH
5825	----	----	----/106.10A	110.30B/106.10A	----	103.50 - 10.50	.2111	----	----	----	----	2 UNCH
5900	----	----	----/97.00A	100.00B/97.00A	----	94.30 - 9.80	.1948	----	----	----	----	1 UNCH
5925	----	----	----/94.10A	96.90B/94.10A	----	91.40 - 9.70	.1896	----	----	----	----	4 UNCH
5975	----	----	----/88.90A	90.90B/88.90A	----	86.00 - 9.30	.1797	----	----	----	----	3 UNCH
6000	----	----	----/86.20A	88.10B/86.20A	----	83.50 - 9.00	.1751	----	----	----	----	231 UNCH
6100	----	----	----/77.10A	77.80B/77.10A	----	74.30 - 8.20	.1577	----	----	----	----	1 UNCH
6200	----	----	----/69.20A	69.00B/69.20A	----	66.40 - 7.30	.1424	----	----	----	----	1 UNCH
6400	----	----	----/57.50A	54.90B/57.50A	----	53.80 - 5.70	.1171	----	----	----	----	13 UNCH
6500	----	----	----/50.80A	49.30B/50.80A	----	48.80 - 5.00	.1067	----	----	----	----	1161 UNCH
8000	----	----	----	15.30B/24.20A	----	19.20 - 1.90	.0400	----	----	----	----	11 UNCH
9000	----	----	----	10.30B/18.80A	----	13.50 - 1.30	.0266	----	----	----	----	7 UNCH
20000	----	----	----	0.50B/2.00A	----	1.20 - 0.20	.0020	----	----	----	----	138 UNCH
TOTAL										1		3595 + 1
DEC26												
3550	----	----	----	----	----	1383.00 - 18.10	.9389	----	----	----	----	2 UNCH
3570	----	----	----	----	----	1364.30 - 18.20	.9364	----	----	----	----	1 UNCH
3600	----	----	----	----	----	1336.40 - 18.40	.9325	----	----	----	----	1 UNCH
3800	----	----	----	939.00B/1380.40A	----	1154.80 - 19.90	.9017	----	----	----	----	4 UNCH
3900	----	----	----	850.80B/1292.80A	----	1067.20 - 20.60	.8824	----	----	----	----	2 UNCH
4060	----	----	----	715.50B/1158.90A	----	932.50 - 21.40	.8458	----	----	----	----	100 UNCH
4100	----	----	----	681.30B/1127.80A	----	900.00 - 21.50	.8354	----	----	----	----	48 UNCH
4160	----	----	----	631.00B/1082.20A	----	852.20 - 21.60	.8189	----	----	----	----	100 UNCH
4175	----	----	----	618.60B/1070.90A	----	840.40 - 21.60	.8146	----	----	----	----	37 UNCH
4200	----	----	----	598.20B/1052.30A	----	820.90 - 21.70	.8073	----	----	----	----	150 UNCH
4250	----	----	----	558.10B/1015.70A	----	782.70 - 21.70	.7922	----	----	----	----	293 UNCH
4255	----	----	----	554.00B/1012.10A	----	778.90 - 21.70	.7906	----	----	----	----	50 UNCH
4300	----	----	----	518.90B/979.80A	----	745.40 - 21.60	.7763	----	----	----	----	436 UNCH
4315	----	----	----	507.30B/969.20A	----	734.30 - 21.60	.7714	----	----	----	----	1 UNCH
4320	----	----	----	503.50B/965.70A	----	730.70 - 21.50	.7697	----	----	----	----	100 UNCH
4350	----	----	----	480.80B/944.80A	----	708.90 - 21.50	.7597	----	----	----	----	206 UNCH
4375	----	----	----	462.20B/927.60A	----	691.10 - 21.40	.7511	----	----	----	----	61 UNCH
4400	----	----	----	443.90B/910.60A	----	673.50 - 21.40	.7424	----	----	----	----	2 UNCH
4425	----	----	----	426.00B/893.80A	----	656.20 - 21.30	.7335	----	----	----	----	8 UNCH
4450	----	----	----	408.30B/877.30A	----	639.10 - 21.20	.7245	----	----	----	----	87 UNCH
4465	----	----	----	397.90B/867.40A	----	629.00 - 21.10	.7190	----	----	----	----	93 UNCH
4490	----	----	----/611.70A	611.90B/611.70A	----	612.30 - 21.00	.7097	----	----	----	----	7 UNCH
4500	----	----	----/604.90A	613.00B/604.90A	----	605.70 - 21.00	.7059	----	----	----	----	757 UNCH
4525	----	----	611.80B/589.20A	611.80B/589.20A	----	589.40 - 20.90	.6964	----	----	----	----	5 UNCH
4540	----	----	602.10B/579.00A	602.10B/579.00A	----	579.80 - 20.80	.6907	----	----	----	----	9 UNCH
4550	----	----	595.60B/572.70A	595.60B/572.70A	----	573.40 - 20.80	.6868	----	----	----	----	1 UNCH
4565	----	----	585.90B/563.40A	585.90B/563.40A	----	563.90 - 20.70	.6810	----	----	----	----	93 UNCH
4580	----	----	576.40B/554.20A	576.40B/554.20A	----	554.50 - 20.60	.6751	----	----	----	----	150 UNCH
4585	----	----	573.30B/551.20A	573.30B/551.20A	----	551.40 - 20.60	.6731	----	----	----	----	325 UNCH
4590	----	----	570.20B/547.80A	570.20B/547.80A	----	548.30 - 20.60	.6711	----	----	----	----	15 UNCH
4600	----	----	563.80B/542.10A	563.80B/542.10A	----	542.20 - 20.50	.6671	----	----	----	----	145 UNCH
4615	----	----	554.60B/533.80A	554.60B/533.80A	----	533.00 - 20.50	.6612	----	----	----	----	41 UNCH
4625	----	----	548.40B/527.20A	548.40B/527.20A	----	527.00 - 20.40	.6572	----	----	----	----	71 UNCH
4640	----	----	539.20B/518.10A	539.20B/518.10A	----	518.00 - 20.40	.6511	----	----	----	----	100 UNCH
4650	----	----	533.30B/512.80A	533.30B/512.80A	----	512.10 - 20.30	.6470	----	----	----	----	302 UNCH
4700	----	----	503.80B/484.80A	503.80B/484.80A	----	483.30 - 20.00	.6265	----	----	----	----	97 UNCH
4720	----	----	492.20B/473.80A	492.20B/473.80A	----	472.10 - 19.90	.6182	----	----	----	----	1 UNCH
4750	----	----	478.10B/457.20A	478.10B/457.20A	----	455.70 - 19.70	.6057	----	----	----	----	211 UNCH
4780	----	----	461.70B/441.70A	461.70B/441.70A	----	439.80 - 19.50	.5931	----	----	----	----	2 UNCH
4800	----	----	451.10B/431.80A	451.10B/431.80A	----	429.40 - 19.50	.5846	----	----	----	----	175 UNCH
4810	----	----	445.80B/426.20A	445.80B/426.20A	----	424.40 - 19.30	.5804	----	----	----	----	56 UNCH
4820	----	----	440.40B/422.00A	440.40B/422.00A	----	419.30 - 19.30	.5762	----	----	----	----	49 UNCH
4825	----	----	437.90B/419.50A	437.90B/419.50A	----	416.80 - 19.30	.5740	----	----	----	----	104 UNCH
4850	----	----	425.10B/407.10A	425.10B/407.10A	----	404.50 - 19.10	.5634	----	----	----	----	291 UNCH
4875	----	----	412.60B/394.80A	412.60B/394.80A	----	392.60 - 18.90	.5528	----	----	----	----	1 UNCH
4880	----	----	410.00B/393.10A	410.00B/393.10A	----	390.20 - 18.90	.5507	----	----	----	----	4 UNCH
4900	----	----	400.20B/383.80A	400.20B/383.80A	----	380.90 - 18.70	.5422	----	----	----	----	92 UNCH
4925	----	----	388.20B/372.10A	388.20B/372.10A	----	369.60 - 18.50	.5316	----	----	----	----	126 UNCH
4950	----	----	----/361.30A	376.70B/361.30A	----	358.60 - 18.30	.5211	----	----	----	----	100 UNCH
4975	----	----	----/350.70A	365.30B/350.70A	----	347.90 - 18.10	.5107	----	----	----	----	50 UNCH
5000	----	----	----/339.60A	354.30B/339.60A	----	337.40 - 18.00	.5003	----	----	----	----	2174 UNCH
5025	----	----	----/329.90A	343.50B/329.90A	----	327.30 - 17.70	.4900	----	----	----	----	218 UNCH
5050	----	----	----/319.80A	333.00B/319.80A	----	317.40 - 17.50	.4798	----	----	----	----	100 UNCH
5070	----	----	----/312.20A	324.60B/312.20A	----	309.70 - 17.30	.4717	----	----	----	----	13 UNCH
5075	----	----	----/310.20A	322.60B/310.20A	----	307.80 - 17.30	.4697	----	----	----	----	30 UNCH
5090	----	----	----/304.30A	316.70B/304.30A	----	302.20 - 17.10	.4637	----	----	----	----	13 UNCH
5100	300.00	300.00	300.90/299.90	312.70B/299.90	----	298.50 - 17.00	.4597	----	----	3	----	133 + 2
5150	----	----	----/282.60A	293.60B/282.60A	----	280.60 - 16.60	.4400	----	----	----	----	1 UNCH
5175	----	----	----/274.10A	284.50B/274.10A	----	272.10 - 16.40	.4303	----	----	----	----	100 UNCH
5195	----	----	----/267.40A	277.50B/267.40A	----	265.40 - 16.20	.4227	----	----	----	----	5 UNCH
5200	----	----	----/264.40A	275.70B/264.40A	----	263.80 - 16.10	.4208	----	----	----	----	854 UNCH
5250	261.30	261.30	261.70/246.10A	261.70/246.10A	----	247.90 - 15.70	.4020	----	----	80	----	337 + 29
5275	----	----	----/242.10A	250.60B/242.10A	----	240.30 - 15.50	.3929	----	----	----	----	20 UNCH
5300	----	----	----/235.10A	243.20B/235.10A	----	233.00 - 15.20	.3839	----	----	----	----	340 UNCH
5350	----	----	----/221.00A	228.50B/221.00A	----	219.00 - 14.80	.3663	----	----	----	----	457 UNCH
5360	----	----	----/218.30A	225.70B/218.30A	----	216.20 - 14.80	.3628	----	----	----	----	100 UNCH
5370	----	----	----/215.70A	222.70B/215.70A	----	213.60 - 14.60	.3594	----	----	----	----	20 UNCH
5400	----	----	----/208.10A	214.60B/208.10A	----	205.80 - 14.40	.3493	----	----	----	----	1760 UNCH
5460	----	----	----/193.20A	199.20B/193.20A	----	191.00 - 13.90	.3297	----	----	----	----	200 UNCH
5465	----	----	----/192.00A	198.00B/192.00A	----	189.80 - 13.90	.3281	----	----	----	----	50 UNCH
5480	----	----	----/188.70A	194.40B/188.70A	----	186.30 - 13.80	.3234	----	----	----	----	50 UNCH
5500	----	----	----/184.00A	189.60B/184.00A	----	181.80 - 13.60	.3172	----	----	----	----	2375 UNCH
5525	----	----	----/178.50A	184.00B/178.50A	----	176.30 - 13.40	.3095	----	----	----	----	80 UNCH
5550	----	----	----/173.40A	178.40B/173.40A	----	170.90 - 13.30	.3020	----	----	----	----	1 UNCH
5600	----	----	----/163.40A	168.00B/163.40A	----	160.80 - 12.80	.2876	----	----	----	----	2041 UNCH
5650	----	----	----/153.90A	158.00B/153.90A	----	151.30 - 12.50	.2737	----	----	----	----	6 UNCH
5660	----	----	----/152.20A	156.20B/152.20A	----	149.50 - 12.40	.2710	----	----	----	----	1 UNCH
5675	----	----	----/149.50A	153.40B/149.50A	----	146.90 - 12.20	.2671	----	----	----	----	8 UNCH
5680	----	----	----/148.60A	152.20B/148.60A	----	146.00 - 12.20	.2658	----	----	----	----	1 UNCH
5685	----	----	----/147.80A	151.30B/147.80A	----	145.10 - 12.10	.2644	----	----	----	----	18 UNCH
5690	----	----	----/146.90A	150.40B/146.90A	----	144.20 - 12.10	.2631	----	----	----	----	7 UNCH
5700	----	----	----/145.30A	148.60B/145.30A	----	142.50 - 12.00	.2605	----	----	----	----	375 UNCH
5705	----	----	----/144.40A	147.70B/144.40A	----	141.70 - 11.90	.2593	----	----	----	----	5 UNCH
5710	----	----	----/143.60A	147.10B/143.60A	----	140.80 - 12.00	.2580	----	----	----	----	5 UNCH
5750	----	----	----/137.10A	140.20B/137.10A	----	134.30 - 11.60	.2480	----	----	----	----	576 UNCH
5770	----	----	----/134.00A	136.80B/134.00A	----	131.20 - 11.40	.2432	----	----	----	----	5 UNCH
5775	----	----	----/133.30A	136.10B/133.30A	----	130.40 - 11.40	.2420	----	----	----	----	2 UNCH
5800	----	----	----/129.50A	132.10B/129.50A	----	126.60 - 11.20	.2360	----	----	----	----	827 UNCH
5810	----	----	----/128.10A	130.50B/128.10A	----	125.20 - 11.00	.2338	----	----	----	----	56 UNCH
5825	----	----	----/126.00A	128.30B/126.00A	----	123.00 - 10.90	.2303	----	----	----	----	4 UNCH
5850	----	----	----/122.40A	124.60B/122.40A	----	119.50 NEW	.2248	----	----	50	----	50 + 50
5875	----	----	----/119.10A	121.10B/119.10A	----	116.10 - 10.50	.2193	----	----	----	----	9 UNCH
5900	117.00	117.00	117.00/115.80A	117.60B/115.80A	----	112.80 - 10.30	.2140	----	----	213	----	1265 + 190
5950	----	----	----/109.60A	110.80B/109.60A	----	106.60 - 9.90	.2038	----	----	----	----	25 UNCH
6000	100.50	100.50	102.00/100.50	104.50B/100.50	----	100.80 - 9.50	.1941	----	----	4	----	5933 + 4
6100	----	----	----/93.50A	93.50B/93.50A	----	90.40 - 8.80	.1763	----	----	----	----	40 UNCH
6150	----	----	----/88.80A	88.70B/88.80A	----	85.60 - 8.60	.1681	----	----	----	----	1 UNCH
6200	----	----	----/84.50A	84.10B/84.50A	----	81.20 - 8.30	.1603	----	----	----	----	3345 UNCH
6250	----	----	----/*80.40A	79.80B/80.40A	----	77.10 - 8.00	.1530	----	----	----	----	20 UNCH
6300	----	----	----/76.60A	75.80B/76.60A	----	73.30 - 7.70	.1461	----	----	----	----	1046 UNCH
6400	----	----	----/69.90A	68.20B/69.90A	----	66.50 - 7.10	.1336	----	----	----	----	558 UNCH
6500	----	----	----/64.20A	61.70B/64.20A	----	60.60 - 6.50	.1224	----	----	----	----	5077 UNCH
6750	----	----	----/51.30A	50.60B/51.30A	----	49.30 - 5.10	.1002	----	----	----	----	100 UNCH
6775	----	----	----/50.40A	49.50B/50.40A	----	48.40 - 4.90	.0984	----	----	----	----	163 UNCH
6800	----	----	----/49.80A	48.50B/49.80A	----	47.50 - 4.80	.0966	----	----	----	----	1814 UNCH
6900	----	----	----/46.50A	43.40B/46.50A	----	44.20 - 4.30	.0898	----	----	----	----	12 UNCH
7000	----	----	----/43.40A	40.50B/43.40A	----	41.20 - 3.90	.0837	----	----	1	----	4034 UNCH
7130	----	----	----	36.60B/42.50A	----	37.90 - 3.30	.0768	----	----	----	----	200 UNCH
7175	----	----	----	33.00B/*41.40A	----	36.80 - 3.20	.0745	----	----	----	----	125 UNCH
7250	----	----	----	31.20B/40.00A	----	35.20 - 3.00	.0711	----	----	----	----	108 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
DEC26												
7500	----	----	----	26.20B/35.60A	----	30.60 - 2.40	.0613	----	----	1	----	109 + 1
8000	----	----	----	19.80B/29.70A	----	24.20 - 2.20	.0475	----	----	----	----	629 UNCH
8125	----	----	----	18.80B/28.60A	----	23.10 - 2.30	.0450	----	----	----	----	801 UNCH
8500	----	----	----	16.10B/25.90A	----	20.40 - 2.80	.0389	----	----	----	----	170 UNCH
8630	----	----	----	15.60B/25.10A	----	19.60 - 3.00	.0371	----	----	----	----	400 UNCH
8725	----	----	----	14.80B/24.60A	----	19.20 - 3.00	.0361	----	----	----	----	250 UNCH
9000	----	----	----	13.70B/23.20A	----	18.10 - 2.80	.0334	----	----	----	----	103 UNCH
9500	----	----	----	11.90B/21.20A	----	16.80 - 1.40	.0298	----	----	----	----	287 UNCH
9900	----	----	----	10.70B/19.80A	----	16.10 - 0.10	.0278	----	----	----	----	17 UNCH
10000	14.50	14.50	14.50/13.50	14.50/13.50	----	15.90 + 0.10	.0273	----	----	45	----	7836 + 35
11000	----	----	----	7.90B/16.70A	----	14.30 + 1.50	.0231	----	----	----	----	387 UNCH
13000	----	----	----	8.00B/12.40A	----	10.90 + 0.30	.0165	----	----	----	----	394 UNCH
15000	----	----	----/7.10A	6.50B/7.10A	----	7.50 - 1.30	.0111	----	----	----	----	18921 UNCH
17000	----	----	----	1.10B/7.10A	----	4.80 - 1.10	.0071	----	----	----	----	27 UNCH
19000	----	----	----	----/26.90A	----	2.90 - 0.30	.0044	----	----	----	----	7 UNCH
20000	2.20	2.20	2.20/2.20	2.20/2.20	----	2.30 - 0.10	.0035	----	----	1	----	19080 + 1
21000	----	----	----	----/2.00A	----	1.70 - 0.10	.0026	----	----	----	----	23 UNCH
24000	----	----	----	----/1.80A	----	1.50 - 0.10	.0022	----	----	----	----	31 UNCH
TOTAL										398		91927 + 312
JAN27												
4190	----	----	----	619.70B/1138.80A	----	874.60 - 20.90	.8073	----	----	----	----	1 UNCH
4290	----	----	----	540.70B/1067.30A	----	799.10 - 21.30	.7785	----	----	----	----	1 UNCH
4300	----	----	----	533.00B/1060.30A	----	791.70 - 21.40	.7754	----	----	----	----	1 UNCH
4400	----	----	----	458.50B/992.10A	----	720.10 - 21.80	.7439	----	----	----	----	1 UNCH
4650	----	----	----/561.50A	577.60B/561.50A	----	558.50 - 22.00	.6554	----	----	----	----	1 UNCH
4750	----	----	----/506.70A	519.10B/506.70A	----	501.40 - 21.50	.6172	----	----	----	----	5 UNCH
4760	----	----	----/501.10A	513.80B/501.10A	----	496.00 - 21.40	.6133	----	----	----	----	100 UNCH
4800	----	----	503.10B/480.60A	503.10B/480.60A	----	474.70 - 21.10	.5976	----	----	----	----	1 UNCH
4850	----	----	476.70B/455.10A	476.70B/455.10A	----	449.20 - 20.60	.5780	----	----	----	----	1 UNCH
4875	----	----	463.90B/442.80A	463.90B/442.80A	----	436.90 - 20.40	.5681	----	----	----	----	4 UNCH
4900	----	----	451.40B/431.10A	451.40B/431.10A	----	424.90 - 20.30	.5582	----	----	----	----	9 UNCH
5000	----	----	404.10B/386.50A	404.10B/386.50A	----	380.40 - 19.80	.5190	----	----	----	----	27 UNCH
5050	----	----	382.10B/365.80A	382.10B/365.80A	----	359.90 - 19.50	.4997	----	----	----	----	100 UNCH
5100	----	----	361.10B/346.50A	361.10B/346.50A	----	340.50 - 19.00	.4808	----	----	----	----	1 UNCH
5195	----	----	----/309.90A	324.10B/309.90A	----	306.20 - 18.00	.4459	----	----	----	----	11 UNCH
5250	----	----	----/293.40A	304.40B/293.40A	----	287.80 - 17.40	.4263	----	----	----	----	7 UNCH
5300	----	----	----/277.10A	287.40B/277.10A	----	272.10 - 16.70	.4090	----	----	----	----	1 UNCH
5400	----	----	----/248.00A	256.20B/248.00A	----	242.90 - 15.70	.3758	----	----	----	----	2 UNCH
5500	----	----	----/221.80A	228.50B/221.80A	----	216.90 - 14.80	.3445	----	----	----	----	24 UNCH
5550	----	----	----/210.10A	215.80B/210.10A	----	205.00 - 14.30	.3297	----	----	----	----	1 UNCH
5820	----	----	----/157.60A	159.20B/157.60A	----	152.30 - 11.90	.2592	----	----	----	----	6 UNCH
5850	----	----	----/152.80A	154.00B/152.80A	----	147.50 - 11.70	.2524	----	----	----	----	3 UNCH
5900	----	----	----/145.30A	145.70B/145.30A	----	139.80 - 11.30	.2413	----	----	----	----	5 UNCH
6000	----	----	----/130.90A	130.70B/130.90A	----	125.90 - 10.40	.2208	----	----	----	----	204 UNCH
6025	----	----	----/127.60A	127.20B/127.60A	----	122.70 - 10.10	.2160	----	----	----	----	1 UNCH
6300	----	----	----/98.40A	95.50B/98.40A	----	92.70 - 8.00	.1693	----	----	----	----	2 UNCH
20000	----	----	----/3.30A	3.00B/3.30A	----	4.00 + 0.50	.0056	----	----	----	----	49 UNCH
TOTAL												569 0
FEB27												
5000	----	----	----/406.90A	417.40B/406.90A	----	401.50 - 16.80	.5217	----	----	----	----	1 UNCH
5100	----	----	----/366.00A	374.70B/366.00A	----	360.90 - 15.60	.4853	----	----	----	----	1 UNCH
5175	----	----	----/338.00A	345.40B/338.00A	----	333.10 - 14.90	.4589	----	----	----	----	125 UNCH
5300	----	----	----/295.80A	301.10B/295.80A	----	291.50 - 13.70	.4166	----	----	----	----	50 UNCH
5375	----	----	----/273.20A	277.30B/273.20A	----	269.10 - 13.00	.3926	----	----	----	----	1 UNCH
5400	----	----	----/266.20A	269.70B/266.20A	----	262.10 - 12.70	.3848	----	----	----	----	1 UNCH
5520	----	----	----/234.80A	236.40B/234.80A	----	230.90 - 11.40	.3491	----	----	----	----	300 UNCH
5530	----	----	----/232.40A	233.90B/232.40A	----	228.50 - 11.30	.3462	----	----	----	----	100 UNCH
5550	----	----	----/227.50A	228.80B/227.50A	----	223.70 - 11.10	.3406	----	----	----	----	65 UNCH
5600	----	----	----/216.10A	216.60B/216.10A	----	212.40 - 10.50	.3269	----	----	----	----	1 UNCH
6000	142.20	142.20	142.50/142.20	142.50/142.20	----	142.50 - 6.10	.2350	----	----	4	----	9 + 3
6025	----	----	----/142.20A	137.30B/142.20A	----	139.20 - 5.90	.2303	----	----	----	----	4 UNCH
6100	----	----	----/132.70A	126.90B/132.70A	----	129.80 - 5.30	.2167	----	----	----	----	1 UNCH
6300	----	----	----/*111.20A	103.60B/111.20A	----	108.40 - 3.90	.1848	----	----	----	----	1 UNCH
6500	----	----	----	85.40B/94.40A	----	90.70 - 3.50	.1577	----	----	----	----	110 UNCH
6900	----	----	----	59.80B/70.60A	----	64.10 - 3.70	.1153	----	----	----	----	532 UNCH
7000	----	----	----	55.20B/66.20A	----	59.60 - 3.40	.1076	----	----	----	----	383 UNCH
7100	----	----	----	51.30B/*62.30A	----	56.00 - 2.90	.1011	----	----	----	----	8 UNCH
7900	----	----	----	0.10B/74.70A	----	33.30 - 0.30	.0611	----	----	----	----	500 UNCH
8000	----	----	----	0.10B/72.90A	----	31.00 - 0.30	.0571	----	----	----	----	500 UNCH
TOTAL										4		2693 + 3
MAR27												
4210	----	----	----	514.40B/1324.10A	----	919.80 - 12.80	.7900	----	----	----	----	1 UNCH
5000	----	----	----	87.10B/772.50A	----	461.60 - 9.20	.5388	----	----	----	----	75 UNCH
6000	164.00	164.00	#166.00/*164.00	#166.00/*164.00	----	180.40 NEW	.2660	----	----	2	----	2 + 2
TOTAL										2		78 + 2
APR27												
5000	----	----	----	----/*491.60A	----	481.80 - 9.10	.5407	----	----	----	----	100 UNCH
5600	----	----	----	----/529.80A	----	276.70 - 6.40	.3649	----	----	----	----	300 UNCH
6000	----	----	----	----/381.10A	----	198.60 - 5.10	.2781	----	----	----	----	151 UNCH
TOTAL												551 0
JUN27												
9500	----	----	----	----	----	19.80 - 0.70	.0341	----	----	----	----	1 UNCH
TOTAL												1 0
DEC27												
4860	----	----	----	----	----	763.90 - 10.20	.6206	----	----	----	----	100 UNCH
5000	----	----	----	----	----	699.20 - 9.60	.5866	----	----	----	----	50 UNCH
5650	----	----	----	----	----	454.30 - 7.40	.4370	----	----	----	----	200 UNCH
5700	----	----	----	----	----	439.20 - 7.20	.4265	----	----	----	----	150 UNCH
5800	----	----	----	----	----	410.40 - 6.90	.4059	----	----	----	----	200 UNCH
5880	----	----	----	----	----	388.80 - 6.70	.3900	----	----	----	----	50 UNCH
6300	----	----	----	----	----	293.90 - 5.50	.3148	----	----	----	----	18 UNCH
7500	----	----	----	----	----	212.30 - 4.00	.2166	----	----	----	----	170 UNCH
7800	----	----	----	----	----	206.50 - 3.80	.2051	----	----	----	----	284 UNCH
10000	----	----	----	----	----	145.80 - 2.60	.1355	----	----	----	----	100 UNCH
10500	----	----	----	----	----	129.40 - 2.40	.1212	----	----	----	----	10 UNCH
TOTAL												1332 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK4										
APR26												
4100	----	----	----	0.10B/*0.90A	----	0.40 - 0.30	.0022	----	----	----	----	2 UNCH
4200	----	----	----/*2.70A	1.90B/*2.70A	----	2.30 - 0.80	.0159	----	----	----	----	12 UNCH
4200	----	----	----	0.40B/*0.90A	----	0.60 - 0.30	.0038	----	----	----	----	53 UNCH
4250	----	----	----/*3.20A	2.40B/*3.20A	----	2.80 - 1.00	.0201	----	----	----	----	12 UNCH
4250	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4270	----	----	----/*1.00A	0.60B/*1.00A	----	0.80 - 0.40	.0057	----	----	----	----	1 UNCH
4295	1.70	1.70	1.70/*1.10A	1.70/*1.10A	----	0.80 NEW	.0059	----	----	3	----	3 + 3
4300	----	----	----/511.80A	527.20B/511.80A	----	511.40 - 16.40	.9739	----	----	----	----	1 UNCH
4300	----	----	----/*1.10A	0.80B/*1.10A	----	0.90 - 0.50	.0067	----	----	----	----	5 UNCH
4320	----	----	----/*1.20A	0.80B/*1.20A	----	0.90 - 0.60	.0069	----	----	----	----	1 UNCH
4385	----	----	----/*1.50A	1.30B/*1.50A	----	1.30 - 0.70	.0110	----	----	----	----	1 UNCH
4395	1.30	1.30	1.40B/*1.30	1.40B/*1.30	----	1.40 NEW	.0120	----	----	1	----	1 + 1
4400	----	----	----/*1.60A	1.40B/*1.60A	----	1.40 - 0.80	.0121	----	----	----	----	1 UNCH
4415	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4450	----	----	----/*7.70A	7.30B/*7.70A	----	7.80 - 2.20	.0613	----	----	----	----	1 UNCH
4450	----	----	----/*2.00A	2.00B/*2.00A	----	1.90 - 1.00	.0177	----	----	----	----	1 UNCH
4465	----	----	389.00B/338.90A	389.00B/338.90A	----	345.20 - 16.40	.9799	----	----	----	----	5 UNCH
4475	----	----	----/*8.50A	8.60B/*8.50A	----	9.10 - 2.40	.0717	----	----	----	----	1 UNCH
4480	----	----	----/*8.60A	9.10B/*8.60A	----	9.40 - 2.40	.0740	----	----	----	----	1 UNCH
4490	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4495	2.60	2.60	2.60/*2.40A	2.80B/*2.40A	----	2.60 NEW	.0258	----	----	1	----	1 + 1
4500	----	----	----	----	----	323.60 UNCH	----	----	----	----	----	0 UNCH
4500	----	----	----/*2.50A	2.90B/*2.50A	----	2.70 - 1.40	.0270	----	----	1	----	105 + 1
4500	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4510	----	----	----/*2.60A	3.10B/*2.60A	----	2.90 - 1.50	.0294	----	----	----	----	0 UNCH
4510	----	----	----	----	----	313.60 UNCH	----	----	----	----	----	0 UNCH
4525	----	----	----/*2.90A	3.60B/*2.90A	----	3.30 - 1.60	.0340	----	----	----	----	20 UNCH
4530	----	----	----	----	----	293.60 UNCH	----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED APR26		GOLD WEEKLY WEDNESDAY OPTION WEEK4										
4540	2.60	2.60	2.60/*2.60	4.10B/*2.60	----	3.70 NEW	.0389	----	----	1	----	1 + 1
4550	----	----	----	----	----	273.60 UNCH	----	----	----	----	----	0 UNCH
4550	----	----	310.70B/256.20A	310.70B/256.20A	----	262.20 - 17.20	.9564	----	----	----	----	1 UNCH
4550	----	----	----/*3.40A	4.60B/*3.40A	----	4.10 - 1.80	.0434	----	----	----	----	1 UNCH
4575	----	----	286.50B/232.40A	286.50B/232.40A	----	238.30 - 17.40	.9444	----	----	----	----	1 UNCH
4585	----	----	277.30B/223.00A	277.30B/223.00A	----	228.80 - 17.60	.9385	----	----	----	----	1 UNCH
4600	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4600	----	----	262.90B/209.00A	262.90B/209.00A	----	214.60 - 17.90	.9288	----	----	----	----	4 UNCH
4600	----	----	----	----	----	223.60 UNCH	----	----	----	----	----	0 UNCH
4600	----	----	----/*4.90A	7.60B/*4.90A	----	6.40 - 2.60	.0710	----	----	2	----	10 + 2
4605	----	----	----	----	----	218.60 UNCH	----	----	----	----	----	0 UNCH
4610	----	----	----/*18.40A	23.00B/*18.40A	----	22.30 - 3.70	.1700	----	----	----	----	6 UNCH
4615	----	----	----/*19.00A	23.80B/*19.00A	----	23.00 - 3.80	.1751	----	----	----	----	1 UNCH
4615	----	----	----	----	----	208.60 UNCH	----	----	----	----	----	0 UNCH
4620	----	----	----	----	----	203.60 UNCH	----	----	----	----	----	0 UNCH
4620	----	----	----/*5.80A	9.40B/*5.80A	----	7.80 - 2.90	.0874	----	----	1	----	2 UNCH
4625	----	----	----/*20.60A	25.50B/*20.60A	----	24.70 - 3.80	.1866	----	----	----	----	0 UNCH
4630	----	----	----/*6.40A	10.40B/*6.40A	----	8.60 - 3.20	.0969	----	----	----	----	6 UNCH
4640	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4645	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4650	9.10	9.10	9.10/*7.60A	12.70B/*7.60A	----	10.60 - 3.50	.1197	----	----	5	----	84 + 2
4650	23.00	23.00	30.50B/*23.00	30.50B/*23.00	----	29.40 - 4.00	.2176	----	----	6	----	12 UNCH
4650	----	----	----	----	----	173.60 UNCH	----	----	----	----	----	0 UNCH
4650	----	----	215.50B/163.90A	215.50B/163.90A	----	168.80 - 18.80	.8800	----	----	----	----	2 UNCH
4650	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4655	----	----	----/*8.00A	13.40B/*8.00A	----	11.20 - 3.60	.1264	----	----	----	----	2 UNCH
4660	----	----	----/*8.40A	14.10B/*8.40A	----	11.70 - 3.80	.1324	----	----	----	----	1 UNCH
4660	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4665	----	----	----	----	----	158.60 UNCH	----	----	----	----	----	0 UNCH
4670	----	----	----/*9.30A	15.60B/*9.30A	----	13.00 - 4.00	.1469	----	----	1	----	2 + 1
4670	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4670	----	----	197.00B/146.80A	197.00B/146.80A	----	151.30 - 19.20	.8528	----	----	----	----	10 UNCH
4675	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4675	----	----	----/*9.70A	16.30B/*9.70A	----	13.70 - 4.10	.1547	----	----	----	----	4 UNCH
4680	----	----	----	----	----	143.60 UNCH	----	----	----	----	----	0 UNCH
4680	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4680	----	----	----/*10.20A	17.20B/*10.20A	----	14.50 NEW	.1631	----	----	2	----	2 + 2
4680	----	----	188.00B/138.40A	188.00B/138.40A	----	142.70 - 19.40	.8366	----	----	----	----	2 UNCH
4685	----	----	----/*10.70A	18.10B/*10.70A	----	15.30 - 4.20	.1717	----	----	----	----	6 UNCH
4685	----	----	183.60B/134.40A	183.60B/134.40A	----	138.50 - 19.50	.8281	----	----	----	----	1 UNCH
4690	----	----	186.30B/157.10A	186.30B/157.10A	----	156.80 - 19.40	.7245	----	----	----	----	1 UNCH
4690	----	----	----/*11.30A	19.00B/*11.30A	----	16.10 - 4.30	.1804	----	----	----	----	2 UNCH
4690	----	----	----	----	----	133.60 UNCH	----	----	----	----	----	0 UNCH
4690	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4690	----	----	179.10B/130.30A	179.10B/130.30A	----	134.30 - 19.60	.8194	----	----	----	----	7 UNCH
4695	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4695	----	----	----	----	----	128.60 UNCH	----	----	----	----	----	0 UNCH
4695	----	----	----/*11.80A	20.10B/*11.80A	----	17.00 - 4.30	.1898	----	----	----	----	3 UNCH
4700	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4700	17.70	17.70	19.60/*12.50A	21.20B/*12.50A	----	17.90 - 4.40	.1993	----	----	11	----	15 + 11
4700	----	----	----	----	----	123.60 UNCH	----	----	----	----	----	0 UNCH
4705	----	----	----	----	----	118.60 UNCH	----	----	----	----	----	0 UNCH
4705	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4710	----	----	----	----	----	113.60 UNCH	----	----	----	----	----	0 UNCH
4710	----	----	----/*13.80A	23.30B/*13.80A	----	19.90 - 4.60	.2198	----	----	1	----	2 + 1
4715	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4715	----	----	----/*14.60A	24.60B/*14.60A	----	20.90 - 4.70	.2303	----	----	2	----	17 + 2
4720	20.30	20.30	20.30/*15.40A	25.70B/*15.40A	----	22.10 NEW	.2419	----	----	1	----	1 + 1
4725	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4725	----	----	----/*16.20A	26.90B/*16.20A	----	23.20 NEW	.2531	----	----	1	----	1 + 1
4725	----	----	----	----	----	98.60 UNCH	----	----	----	----	----	0 UNCH
4725	----	----	149.00B/103.60A	149.00B/103.60A	----	106.50 - 20.10	.7467	----	----	----	----	4 UNCH
4730	----	----	----	----	----	93.60 UNCH	----	----	----	----	----	0 UNCH
4730	----	----	----/*17.00A	28.20B/*17.00A	----	24.50 NEW	.2653	----	----	1	----	1 + 1
4735	----	----	----	----	----	88.60 UNCH	----	----	----	----	----	0 UNCH
4735	23.00	23.00	29.70B/*18.00A	29.70B/*18.00A	----	25.80 - 4.90	.2777	----	----	1	----	2 + 1
4740	53.20	53.20	53.20/*44.90A	56.00B/*44.90A	----	54.00 NEW	.3597	----	----	1	----	1 + 1
4740	22.00	22.00	31.20B/*18.90A	31.20B/*18.90A	----	27.20 NEW	.2906	----	----	90	----	90 + 90
4745	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4745	----	----	----	----	----	78.60 UNCH	----	----	----	----	----	0 UNCH
4750	55.50	55.50	59.70B/*47.90A	59.70B/*47.90A	----	57.70 - 3.70	.3782	----	----	1	----	10 - 1
4750	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4750	----	----	----	----	----	73.60 UNCH	----	----	----	----	----	0 UNCH
4750	22.50	22.50	34.50B/*21.00A	34.50B/*21.00A	----	30.10 - 4.90	.3171	----	----	1	----	6 UNCH
4750	----	----	128.80B/86.30A	128.80B/86.30A	----	88.40 - 20.10	.6826	----	----	----	----	1 UNCH
4755	----	----	----	----	----	68.60 UNCH	----	----	----	----	----	0 UNCH
4755	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4760	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4760	----	----	----/*51.10A	63.60B/*51.10A	----	61.50 - 3.60	.3970	----	----	----	----	0 UNCH
4760	----	----	----	----	----	63.60 UNCH	----	----	----	----	----	0 UNCH
4760	----	----	----/*23.20A	38.10B/*23.20A	----	33.30 - 4.90	.3452	----	----	----	----	4 UNCH
4765	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4765	----	----	117.40B/74.30A	117.40B/74.30A	----	78.30 - 20.10	.6401	----	----	----	----	3 UNCH
4770	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4770	----	----	----	----	----	53.60 UNCH	----	----	----	----	----	0 UNCH
4775	29.60	29.60	44.10B/*27.20A	44.10B/*27.20A	----	38.70 NEW	.3896	----	----	2	----	2 + 2
4775	----	----	----	----	----	48.60 UNCH	----	----	----	----	----	0 UNCH
4775	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4780	----	----	----	----	----	43.60 UNCH	----	----	----	----	----	0 UNCH
4780	----	----	122.10B/98.60A	122.10B/98.60A	----	98.00 - 18.50	.5641	----	----	1	----	1 UNCH
4780	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4780	----	----	46.20B/*28.70A	46.20B/*28.70A	----	40.70 - 4.50	.4050	----	----	----	----	1 UNCH
4785	----	----	----	----	----	38.60 UNCH	----	----	----	----	----	0 UNCH
4785	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4785	----	----	48.40B/*30.20A	48.40B/*30.20A	----	42.70 NEW	.4205	----	----	1	----	1 + 1
4790	----	----	----	----	----	33.60 UNCH	----	----	----	----	----	0 UNCH
4790	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4790	----	----	98.90B/60.00A	98.90B/60.00A	----	63.10 - 19.60	.5636	----	----	----	----	8 UNCH
4790	----	----	50.70B/*31.90A	50.70B/*31.90A	----	44.80 - 4.30	.4362	----	----	2	----	3 + 2
4795	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4795	----	----	----	----	----	28.60 UNCH	----	----	----	----	----	0 UNCH
4795	----	----	53.00B/*33.50A	53.00B/*33.50A	----	47.00 - 4.10	.4520	----	----	----	----	8 UNCH
4800	----	----	----/*65.80A	81.20B/*65.80A	----	78.80 - 2.70	.4750	----	----	----	----	2 UNCH
4800	----	----	109.70B/87.80A	109.70B/87.80A	----	87.10 - 18.00	.5246	----	----	1	----	3 + 1
4800	----	----	----	----	----	23.60 UNCH	----	----	----	----	----	0 UNCH
4800	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4800	80.60	80.60	92.00B/54.80A	92.00B/54.80A	----	57.60 - 19.20	.5317	----	----	4	----	5 + 3
4800	46.70	46.70	55.40B/*35.30A	55.40B/*35.30A	----	49.30 - 3.90	.4680	----	----	2	----	47 + 1
4805	----	----	----	----	----	18.60 UNCH	----	----	----	----	----	0 UNCH
4805	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4805	----	----	88.80B/52.30A	88.80B/52.30A	----	54.90 - 19.10	.5157	----	----	----	----	9 UNCH
4810	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4810	----	----	----	----	----	13.60 UNCH	----	----	----	----	----	0 UNCH
4810	----	----	60.50B/*39.00A	60.50B/*39.00A	----	54.10 NEW	.5002	----	----	1	----	1 + 1
4815	----	----	82.60B/47.50A	82.60B/47.50A	----	49.90 - 18.60	.4833	----	----	----	----	28 UNCH
4815	----	----	----	----	----	8.60 UNCH	----	----	----	----	----	0 UNCH
4815	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4815	60.50	60.50	63.20B/*40.90A	63.20B/*40.90A	----	56.60 - 3.30	.5164	----	----	1	----	51 + 1
4820	----	----	----	----	----	3.60 UNCH	----	----	----	----	----	0 UNCH
4820	----	----	91.20B/*74.20A	91.20B/*74.20A	----	88.70 - 2.10	.5149	----	----	----	----	1 UNCH
4820	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4820	----	----	65.60B/*43.00A	65.60B/*43.00A	----	59.20 - 3.00	.5326	----	----	1	----	10 + 1
4820	----	----	79.30B/45.30A	79.30B/45.30A	----	47.50 - 18.30	.4672	----	----	----	----	33 UNCH
4825	----	----	----	----	----	1.40 UNCH	----	----	----	----	----	0 UNCH
4825	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4825	----	----	76.20B/43.10A	76.20B/43.10A	----	45.20 - 18.10	.4511	----	----	----	----	5 UNCH
4830	----	----	----	----	----	6.40 UNCH	----	----	----	----	----	0 UNCH
4830	75.60	75.60	92.40B/73.10A	92.40B/73.10A	----	72.30 - 17.00	.4648	----	----	1	----	1 UNCH
4830	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4830	----	----	73.90B/40.90A	73.90B/40.90A	----	43.00 - 17.80	.4351	----	----	----	----	9 UNCH
4830	----	----	71.40B/*47.30A	71.40B/*47.30A	----	64.60 - 2.60	.5647	----	----	----	----	28 UNCH
4835	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4835	----	----	----	----	----	11.40 UNCH	----	----	----	----	----	0 UNCH
4835	----	----	71.10B/39.00A	71.10B/39.00A	----	40.80 - 17.50	.4191	----	----	----	----	8 UNCH
4840	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4840	----	----	68.20B/37.10A	68.20B/37.10A	----	38.70 - 17.20	.4032	----	----	----	----	4 UNCH
4840	----	----	----	----	----	16.40 UNCH	----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 40

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK3										
APR26												
4845	----	----	----	----	----	21.40 UNCH	----	----	----	----	----	0 UNCH
4845	----	----	65.40B/35.20A	65.40B/35.20A	----	36.80 - 16.80	.3878	----	----	----	----	18 UNCH
4845	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4850	----	----	82.10B/64.30A	82.10B/64.30A	----	63.50 - 16.20	.4252	----	----	----	----	1 UNCH
4850	----	----	----	----	----	26.40 UNCH	----	----	----	----	----	0 UNCH
4850	70.00	70.00	81.50B/56.80A	81.50B/56.80A	----	76.50 - 1.30	.6273	----	----	1	----	6 + 1
4850	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4850	53.00	53.00	62.80B/33.30A	62.80B/33.30A	----	34.90 - 16.50	.3724	----	----	125	----	86 - 23
4855	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4855	----	----	----	----	----	31.40 UNCH	----	----	----	----	----	0 UNCH
4855	60.50	60.50	60.50/31.70A	60.50/31.70A	----	33.00 NEW	.3570	----	----	1	----	1 + 1
4860	----	----	----	----	----	36.40 UNCH	----	----	----	----	----	0 UNCH
4860	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4860	----	----	57.50B/30.10A	57.50B/30.10A	----	31.30 - 15.80	.3423	----	----	4	----	4 UNCH
4865	----	----	----	----	----	41.40 UNCH	----	----	----	----	----	0 UNCH
4865	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4865	----	----	55.20B/28.50A	55.20B/28.50A	----	29.60 - 15.50	.3276	----	----	----	----	100 UNCH
4870	----	----	----	----	----	46.40 UNCH	----	----	----	----	----	0 UNCH
4870	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4870	----	----	53.00B/27.00A	53.00B/27.00A	----	28.00 - 15.10	.3133	----	----	1	----	15 + 1
4875	----	----	----	----	----	51.40 UNCH	----	----	----	----	----	0 UNCH
4875	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4880	----	----	----	----	----	56.40 UNCH	----	----	----	----	----	0 UNCH
4880	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4880	----	----	102.20B/72.50A	102.20B/72.50A	----	96.70 + 1.00	.7142	----	----	----	----	7 UNCH
4880	----	----	48.20B/24.20A	48.20B/24.20A	----	25.00 NEW	.2855	----	----	40	----	40 + 40
4885	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4885	----	----	----	----	----	61.40 UNCH	----	----	----	----	----	0 UNCH
4890	----	----	43.90B/*21.70A	43.90B/*21.70A	----	22.30 - 13.50	.2594	----	----	----	----	1 UNCH
4890	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4895	----	----	42.00B/*20.50A	42.00B/*20.50A	----	21.10 - 13.10	.2472	----	----	1	----	1 UNCH
4895	----	----	----	----	----	71.40 UNCH	----	----	----	----	----	0 UNCH
4900	----	----	61.60B/45.90A	61.60B/45.90A	----	45.00 - 14.00	.3308	----	----	1	----	32 + 1
4900	----	----	----	----	----	76.40 UNCH	----	----	----	----	----	0 UNCH
4900	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4900	39.90	39.90	40.00B/*19.40A	40.00B/*19.40A	----	19.90 - 12.70	.2350	----	----	4	----	14 + 1
4905	----	----	38.10B/*18.30A	38.10B/*18.30A	----	18.80 - 12.30	.2235	----	----	----	----	50 UNCH
4905	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4910	----	----	36.30B/*17.30A	36.30B/*17.30A	----	17.70 - 11.90	.2121	----	----	----	----	4 UNCH
4910	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4915	----	----	----	----	----	91.40 UNCH	----	----	----	----	----	0 UNCH
4915	----	----	34.50B/*16.20A	34.50B/*16.20A	----	16.70 NEW	.2013	----	----	4	----	4 + 4
4915	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4920	----	----	----	----	----	96.40 UNCH	----	----	----	----	----	0 UNCH
4920	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4920	----	----	32.80B/*15.30A	32.80B/*15.30A	----	15.70 NEW	.1907	----	----	2	----	1 + 1
4925	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4925	----	----	51.80B/38.40A	51.80B/38.40A	----	37.50 - 12.80	.2875	----	----	4	----	9 + 4
4925	22.00	22.00	31.20B/*14.40A	31.20B/*14.40A	----	14.80 - 10.80	.1807	----	----	1	----	5 + 1
4930	----	----	29.60B/*13.70A	29.60B/*13.70A	----	13.90 - 10.40	.1708	----	----	1	----	1 UNCH
4930	----	----	141.60B/104.00A	141.60B/104.00A	----	135.60 + 4.90	.8289	----	----	----	----	1 UNCH
4930	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4935	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4940	----	----	26.70B/*12.10A	26.70B/*12.10A	----	12.30 NEW	.1527	----	----	1	----	1 + 1
4940	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4950	----	----	43.00B/31.90A	43.00B/31.90A	----	31.10 NEW	.2476	----	----	1	----	1 + 1
4950	----	----	----	----	----	126.40 UNCH	----	----	----	----	----	0 UNCH
4950	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4950	11.50	11.50	24.00B/*10.80A	24.00B/*10.80A	----	10.90 - 9.00	.1363	----	----	8	----	9 + 8
4955	----	----	163.20B/121.80A	163.20B/121.80A	----	156.90 + 6.70	.8708	----	----	----	----	1 UNCH
4955	----	----	22.70B/*10.10A	22.70B/*10.10A	----	10.30 - 8.60	.1290	----	----	2	----	9 + 1
4960	----	----	167.60B/125.70A	167.60B/125.70A	----	161.30 + 7.00	.8780	----	----	----	----	1 UNCH
4960	----	----	21.50B/*9.60A	21.50B/*9.60A	----	9.70 - 8.30	.1218	----	----	----	----	1 UNCH
4960	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4970	----	----	----	----	----	146.40 UNCH	----	----	----	----	----	0 UNCH
4970	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4975	----	----	----	----	----	151.40 UNCH	----	----	----	----	----	0 UNCH
4975	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4975	15.00	15.00	18.20B/*8.00A	18.20B/*8.00A	----	8.10 - 7.30	.1023	----	----	2	----	8 + 2
4985	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4990	----	----	15.20B/*6.70A	15.20B/*6.70A	----	6.70 - 6.60	.0851	----	----	----	----	14 UNCH
4995	----	----	14.60B/*6.30A	14.60B/*6.30A	----	6.30 - 6.30	.0800	----	----	----	----	50 UNCH
4995	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4995	----	----	----	----	----	171.40 UNCH	----	----	----	----	----	0 UNCH
5000	----	----	----/21.90A	29.00B/21.90A	----	21.20 - 9.10	.1797	----	----	2	----	2 + 1
5000	----	----	----	----	----	176.40 UNCH	----	----	----	----	----	0 UNCH
5000	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
5000	----	----	13.70B/*6.00A	13.70B/*6.00A	----	5.90 - 6.10	.0751	----	----	----	----	193 UNCH
5010	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
5010	----	----	12.10B/*5.40A	12.10B/*5.40A	----	5.30 - 5.60	.0671	----	----	----	----	1 UNCH
5015	----	----	11.40B/*5.10A	11.40B/*5.10A	----	5.00 - 5.30	.0632	----	----	----	----	1 UNCH
5015	----	----	----	----	----	191.40 UNCH	----	----	----	----	----	0 UNCH
5020	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
5025	----	----	10.10B/*4.60A	10.10B/*4.60A	----	4.40 - 5.00	.0556	----	----	----	----	1 UNCH
5040	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
5050	----	----	----/*15.20A	18.90B/*15.20A	----	14.40 - 6.90	.1277	----	----	----	----	3 UNCH
5075	----	----	----/*12.60A	14.60B/*12.60A	----	11.90 - 5.90	.1073	----	----	----	----	2 UNCH
5075	----	----	----/*2.80A	5.50B/*2.80A	----	2.50 - 3.40	.0306	----	----	----	----	77 UNCH
5080	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
5085	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
5100	----	----	----/*2.30A	4.00B/*2.30A	----	1.90 - 2.80	.0228	----	----	----	----	7 UNCH
5100	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
5125	----	----	----/*1.90A	2.80B/*1.90A	----	1.50 - 2.30	.0175	----	----	1	----	1 UNCH
5150	----	----	----/*1.60A	2.00B/*1.60A	----	1.30 NEW	.0145	----	----	1	----	1 + 1
5175	----	----	----/*1.40A	1.60B/*1.40A	----	1.10 - 1.50	.0118	----	----	----	----	4 UNCH
5200	----	----	----/*5.50A	5.00B/*5.50A	----	4.90 - 2.90	.0455	----	----	----	----	119 UNCH
5200	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
5225	----	----	----/*1.00A	1.10B/*1.00A	----	0.80 - 0.90	.0080	----	----	----	----	1 UNCH
5250	----	----	----/*0.90A	1.00B/*0.90A	----	0.80 - 0.60	.0076	----	----	----	----	2 UNCH
TOTAL										360		1741 + 182
MAY26												
4300	----	----	----	#8.60B/*14.80A	----	16.20 NEW	.0810	----	----	1	----	1 + 1
4300	7.00	7.00	#7.00/*7.00	7.00/*7.00	----	7.60 NEW	.0480	----	----	1	----	1 + 1
4400	12.20	12.20	12.20/*12.00	12.50B/*12.00	----	12.60 - 1.80	.0794	----	----	50	----	125 + 50
4600	----	----	----/*33.30A	36.80B/*33.30A	----	36.40 - 3.80	.2124	----	----	----	----	1 UNCH
4670	----	----	----/*48.00A	53.90B/*48.00A	----	53.10 - 4.10	.2913	----	----	----	----	12 UNCH
4700	----	----	----/*56.00A	63.10B/*56.00A	----	62.20 - 4.10	.3304	----	----	----	----	45 UNCH
4705	----	----	----/*57.40A	64.80B/*57.40A	----	63.90 - 4.00	.3372	----	----	----	----	1 UNCH
4760	----	----	----/75.70A	85.40B/75.70A	----	84.70 - 3.50	.4159	----	----	----	----	10 UNCH
4800	----	----	134.00B/112.60A	134.00B/112.60A	----	111.20 - 18.10	.5232	----	----	----	----	40 UNCH
4850	----	----	107.00B/88.60A	107.00B/88.60A	----	87.70 - 16.90	.4473	----	----	----	----	51 UNCH
5000	----	----	----	#64.00B/*58.50A	----	57.80 NEW	.2888	----	----	1	----	1 + 1
5075	----	----	----/*26.30A	31.20B/*26.30A	----	25.20 - 9.60	.1702	----	----	----	----	1 UNCH
5250	10.00	10.00	10.00/*10.00	10.00/*10.00	----	9.30 NEW	.0691	----	----	3	----	3 + 3
TOTAL										56		292 + 56

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWT TUE		GOLD WEEKLY TUESDAY OPTION Week3										
APR26												
4000	----	----	----	----/*0.50A	----	0.10 - 0.20	.0002	----	----	1	----	2 UNCH
4000	----	----	----	0.50B/*1.60A	----	0.70 NEW	.0044	----	----	1	----	1 + 1
4200	----	----	----	0.10B/*0.70A	----	0.30 - 0.30	.0018	----	----	----	----	2 UNCH
4200	----	----	----	1.30B/*2.50A	----	1.90 - 0.40	.0134	----	----	----	----	4 UNCH
4225	----	----	----	0.20B/*0.80A	----	0.40 - 0.30	.0024	----	----	----	----	1 UNCH
4240	----	----	----/*0.70A	0.30B/*0.70A	----	0.40 - 0.40	.0025	----	----	----	----	1 UNCH
4250	----	----	----/*0.70A	0.30B/*0.70A	----	0.40 - 0.40	.0025	----	----	----	----	25 UNCH
4250	----	----	----	1.60B/*2.90A	----	2.30 - 0.50	.0169	----	----	----	----	1 UNCH
4300	----	----	----/3.40A	2.20B/3.40A	----	2.80 - 0.70	.0215	----	----	----	----	2 UNCH
4300	----	----	----/*0.80A	0.40B/*0.80A	----	0.60 - 0.40	.0041	----	----	----	----	2 UNCH
4325	----	----	----/*0.90A	0.50B/*0.90A	----	0.70 - 0.50	.0050	----	----	10	----	10 UNCH
4350	3.50	3.50	4.00B/*3.50	4.00B/*3.50	----	3.60 - 0.90	.0285	----	----	8	----	9 + 8
4360	----	----	----/*1.00A	0.60B/*1.00A	----	0.80 - 0.50	.0061	----	----	----	----	2 UNCH
4375	----	----	----/*1.00A	0.70B/*1.00A	----	0.80 - 0.60	.0063	----	----	10	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 41

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWT TUE APR26		GOLD WEEKLY TUESDAY OPTION Week4										
4400	----	----	----/5.00A	4.00B/5.00A	----	4.70 - 1.20	.0382	----	----	----	----	31 UNCH
4400	----	----	----/*1.10A	0.80B/*1.10A	----	1.00 - 0.60	.0082	----	----	----	----	2 UNCH
4475	----	----	----/*7.30A	6.80B/*7.30A	----	7.30 - 2.00	.0612	----	----	----	----	4 UNCH
4475	1.60	1.60	1.60/*1.60	1.60/*1.60	----	1.50 NEW	.0143	----	----	1	----	1 + 1
4475	----	----	378.40B/330.00A	378.40B/330.00A	----	334.70 - 16.20	.9855	----	----	----	----	5 UNCH
4480	----	----	----/*1.60A	1.60B/*1.60A	----	1.50 - 1.00	.0145	----	----	----	----	5 UNCH
4500	----	----	----/*1.80A	1.80B/*1.80A	----	1.80 - 1.10	.0180	----	----	----	----	2 UNCH
4505	8.00	8.00	9.50/*7.20	9.50/*7.20	----	8.90 NEW	.0749	----	----	14	----	10 + 10
4530	----	----	----/*2.10A	2.40B/*2.10A	----	2.20 - 1.40	.0234	----	----	----	----	1 UNCH
4535	----	----	----/*2.20A	2.50B/*2.20A	----	2.30 - 1.40	.0246	----	----	----	----	1 UNCH
4540	----	----	----/*2.20A	2.60B/*2.20A	----	2.40 - 1.40	.0259	----	----	----	----	1 UNCH
4550	----	----	----/*2.40A	2.90B/*2.40A	----	2.60 - 1.60	.0286	----	----	----	----	2 UNCH
4560	----	----	----/*2.50A	3.20B/*2.50A	----	2.90 - 1.60	.0323	----	----	----	----	1 UNCH
4580	----	----	----/*12.80A	15.90B/*12.80A	----	15.20 - 3.20	.1264	----	----	----	----	1 UNCH
4580	4.10	4.10	4.10/*2.90A	4.10/*2.90A	----	3.40 NEW	.0394	----	----	1	----	1 + 1
4585	----	----	----/*13.30A	16.50B/*13.30A	----	15.70 - 3.40	.1306	----	----	----	----	4 UNCH
4585	3.80	3.80	4.20B/*3.00A	4.20B/*3.00A	----	3.60 NEW	.0419	----	----	1	----	1 + 1
4590	4.80	4.80	4.80/*3.10A	4.80/*3.10A	----	3.80 - 2.00	.0445	----	----	12	----	12 + 11
4595	3.60	3.60	3.60/*3.30A	4.60B/*3.30A	----	4.00 NEW	.0472	----	----	1	----	1 + 1
4600	3.80	3.80	4.90B/*3.40A	4.90B/*3.40A	----	4.20 - 2.20	.0499	----	----	6	----	5 - 4
4600	----	----	----/*14.80A	18.00B/*14.80A	----	17.50 - 3.50	.1447	----	----	----	----	2 UNCH
4605	----	----	----/*3.50A	5.20B/*3.50A	----	4.40 - 2.30	.0527	----	----	----	----	2 UNCH
4610	----	----	250.70B/197.00A	250.70B/197.00A	----	202.80 - 17.70	.9442	----	----	----	----	10 UNCH
4615	5.30	5.30	5.30/*3.80A	5.80B/*3.80A	----	4.90 NEW	.0594	----	----	3	----	3 + 3
4620	18.20	18.20	21.00B/*17.00A	21.00B/*17.00A	----	20.30 NEW	.1659	----	----	15	----	15 + 15
4620	----	----	241.10B/187.60A	241.10B/187.60A	----	193.40 - 17.80	.9374	----	----	----	----	1 UNCH
4620	5.50	5.50	5.50/*4.00A	6.10B/*4.00A	----	5.10 - 2.60	.0624	----	----	3	----	4 + 3
4625	5.90	5.90	5.90/*4.20A	6.50B/*4.20A	----	5.40 NEW	.0664	----	----	3	----	3 + 3
4625	----	----	236.20B/182.90A	236.20B/182.90A	----	188.60 - 18.00	.9334	----	----	----	----	1 UNCH
4630	----	----	----/*18.10A	22.70B/*18.10A	----	21.90 - 3.80	.1777	----	----	----	----	1 UNCH
4630	----	----	----/*4.40A	6.90B/*4.40A	----	5.70 - 2.80	.0705	----	----	4	----	0 - 4
4635	----	----	----/*4.60A	7.30B/*4.60A	----	6.00 - 2.90	.0747	----	----	----	----	19 UNCH
4640	6.60	6.60	6.60/*4.80A	7.70B/*4.80A	----	6.40 NEW	.0799	----	----	1	----	1 + 1
4650	7.70	7.70	7.70/*5.20A	8.70B/*5.20A	----	7.10 - 3.30	.0896	----	----	1	----	2 + 1
4655	----	----	207.60B/155.60A	207.60B/155.60A	----	160.80 - 18.60	.9039	----	----	----	----	1 UNCH
4655	----	----	----/*22.10A	27.40B/*22.10A	----	26.30 - 4.00	.2095	----	----	----	----	1 UNCH
4660	7.60	7.60	7.60/*5.80A	9.70B/*5.80A	----	8.00 - 3.50	.1015	----	----	80	----	98 + 80
4665	9.60	9.60	10.20B/*6.10A	10.20B/*6.10A	----	8.50 NEW	.1081	----	----	3	----	3 + 3
4670	----	----	----/*6.40A	10.90B/*6.40A	----	9.00 - 3.70	.1148	----	----	----	----	1 UNCH
4675	----	----	----/*25.40A	31.80B/*25.40A	----	30.50 - 4.00	.2384	----	----	----	----	1 UNCH
4675	10.80	10.80	11.50B/*6.80A	11.50B/*6.80A	----	9.50 - 3.80	.1216	----	----	2	----	4 + 2
4680	----	----	----/*7.20A	12.10B/*7.20A	----	10.10 - 3.90	.1294	----	----	----	----	1 UNCH
4685	----	----	----/*27.40A	34.20B/*27.40A	----	32.80 - 4.10	.2538	----	----	----	----	2 UNCH
4690	----	----	175.20B/125.10A	175.20B/125.10A	----	129.60 - 19.50	.8536	----	----	----	----	3 UNCH
4690	----	----	----/*8.00A	13.70B/*8.00A	----	11.40 - 4.20	.1462	----	----	5	----	7 + 4
4690	----	----	----/*28.40A	35.60B/*28.40A	----	34.10 - 4.00	.2620	----	----	----	----	2 UNCH
4695	11.00	11.00	14.50B/*8.50A	14.50B/*8.50A	----	12.10 NEW	.1552	----	----	136	----	110 + 110
4700	----	----	166.00B/117.00A	166.00B/117.00A	----	121.10 - 19.70	.8354	----	----	----	----	1 UNCH
4700	40.50	40.50	40.50/*30.40A	40.50/*30.40A	----	36.60 - 4.00	.2783	----	----	1	----	6 UNCH
4700	10.20	10.20	15.30B/*9.00A	15.30B/*9.00A	----	12.80 - 4.50	.1644	----	----	1	----	2 + 1
4705	----	----	----/*9.50A	16.20B/*9.50A	----	13.60 - 4.60	.1745	----	----	1	----	2 + 1
4705	----	----	----/*31.80A	39.50B/*31.80A	----	38.00 - 4.00	.2870	----	----	----	----	1 UNCH
4710	----	----	----/*32.80A	41.10B/*32.80A	----	39.40 - 3.90	.2957	----	----	----	----	1 UNCH
4710	----	----	----/*10.10A	17.30B/*10.10A	----	14.50 - 4.60	.1854	----	----	----	----	1 UNCH
4720	----	----	----/*11.30A	19.40B/*11.30A	----	16.30 - 4.90	.2078	----	----	----	----	3 UNCH
4725	----	----	----/*11.90A	20.60B/*11.90A	----	17.30 NEW	.2199	----	----	1	----	1 + 1
4730	----	----	----/*12.60A	21.70B/*12.60A	----	18.40 NEW	.2328	----	----	5	----	4 + 4
4730	----	----	156.70B/124.50A	156.70B/124.50A	----	123.60 - 19.10	.6678	----	----	----	----	2 UNCH
4730	----	----	----/*37.90A	47.30B/*37.90A	----	45.40 - 3.80	.3318	----	----	----	----	2 UNCH
4735	----	----	----/*39.30A	49.20B/*39.30A	----	47.00 - 3.80	.3412	----	----	----	----	3 UNCH
4735	----	----	153.10B/121.20A	153.10B/121.20A	----	120.30 - 19.00	.6584	----	----	----	----	3 UNCH
4740	18.70	18.70	24.40B/*14.20A	24.40B/*14.20A	----	20.80 NEW	.2603	----	----	10	----	4 + 4
4740	44.50	44.50	50.80B/*40.60A	50.80B/*40.60A	----	48.70 - 3.70	.3509	----	----	2	----	7 UNCH
4745	19.80	19.80	25.90B/*15.10A	25.90B/*15.10A	----	22.10 NEW	.2748	----	----	2	----	2 + 2
4750	23.90	23.90	23.90/*16.00A	27.50B/*16.00A	----	23.40 - 5.30	.2895	----	----	1	----	5 + 1
4755	22.20	22.20	29.20B/*16.90A	29.20B/*16.90A	----	24.80 - 5.30	.3049	----	----	1	----	2 + 1
4760	----	----	114.30B/72.90A	114.30B/72.90A	----	74.60 - 20.60	.6785	----	----	----	----	1 UNCH
4760	27.50	27.50	30.90B/*17.90A	30.90B/*17.90A	----	26.40 - 5.30	.3213	----	----	1	----	2 + 1
4765	29.20	29.20	32.70B/*19.00A	32.70B/*19.00A	----	28.00 - 5.20	.3378	----	----	1	----	11 + 1
4765	----	----	131.80B/101.80A	131.80B/101.80A	----	101.20 - 18.50	.5989	----	----	----	----	1 UNCH
4770	----	----	----/*49.80A	62.30B/*49.80A	----	59.90 - 3.10	.4110	----	----	----	----	1 UNCH
4770	25.30	25.30	34.60B/*20.10A	34.60B/*20.10A	----	29.60 - 5.30	.3545	----	----	1	----	2 + 1
4775	----	----	125.30B/96.00A	125.30B/96.00A	----	95.20 - 18.30	.5783	----	----	----	----	1 UNCH
4775	----	----	----/*21.50A	36.60B/*21.50A	----	31.40 - 5.20	.3720	----	----	----	----	2 UNCH
4780	----	----	38.70B/*22.80A	38.70B/*22.80A	----	33.30 NEW	.3899	----	----	1	----	1 + 1
4780	----	----	122.00B/93.20A	122.00B/93.20A	----	92.30 - 18.20	.5678	----	----	----	----	2 UNCH
4780	----	----	----/*53.20A	66.50B/*53.20A	----	64.00 - 2.90	.4318	----	----	----	----	3 UNCH
4785	34.40	34.40	40.90B/*24.10A	40.90B/*24.10A	----	35.20 NEW	.4079	----	----	3	----	3 + 3
4790	36.30	36.30	43.10B/*25.60A	43.10B/*25.60A	----	37.20 - 5.00	.4263	----	----	2	----	3 + 2
4795	38.60	38.60	45.50B/*27.10A	45.50B/*27.10A	----	39.40 NEW	.4450	----	----	1	----	1 + 1
4800	----	----	75.70B/*60.70A	75.70B/*60.70A	----	73.00 - 2.40	.4743	----	----	----	----	2 UNCH
4800	----	----	109.30B/82.30A	109.30B/82.30A	----	81.30 - 17.60	.5253	----	----	----	----	11 UNCH
4800	40.00	40.00	47.90B/*28.70A	47.90B/*28.70A	----	41.60 - 4.70	.4639	----	----	3	----	10 + 1
4800	----	----	84.40B/47.30A	84.40B/47.30A	----	49.90 - 19.90	.5359	----	----	----	----	23 UNCH
4810	----	----	77.00B/42.60A	77.00B/42.60A	----	44.70 - 19.50	.4977	----	----	----	----	1 UNCH
4810	47.40	47.40	53.10B/*32.10A	53.10B/*32.10A	----	46.40 NEW	.5021	----	----	4	----	4 + 4
4810	----	----	103.30B/77.30A	103.30B/77.30A	----	76.10 - 17.40	.5038	----	----	----	----	3 UNCH
4815	----	----	100.40B/74.80A	100.40B/74.80A	----	73.60 - 17.20	.4931	----	----	----	----	8 UNCH
4815	49.70	49.70	74.30B/40.30A	74.30B/40.30A	----	42.20 - 19.30	.4785	----	----	2	----	3 + 2
4815	----	----	83.10B/*67.00A	83.10B/*67.00A	----	80.30 - 1.90	.5066	----	----	----	----	8 UNCH
4815	----	----	55.80B/*34.20A	55.80B/*34.20A	----	48.90 - 4.00	.5213	----	----	----	----	1 UNCH
4820	40.10	40.10	71.20B/38.00A	71.20B/38.00A	----	39.80 NEW	.4594	----	----	1	----	1 + 1
4825	37.00	37.00	68.00B/35.90A	68.00B/35.90A	----	37.50 - 18.80	.4402	----	----	2	----	5 + 2
4830	76.00	76.00	92.90/*73.00	92.90/*73.00	----	88.20 NEW	.5388	----	----	19	----	11 + 11
4835	32.90	32.90	62.60B/32.10A	62.60B/32.10A	----	33.30 NEW	.4027	----	----	2	----	2 + 2
4835	81.80	81.80	93.70B/*76.10A	93.70B/*76.10A	----	90.90 NEW	.5496	----	----	2	----	2 + 2
4835	----	----	65.00B/*42.50A	65.00B/*42.50A	----	60.00 - 2.80	.5971	----	----	----	----	1 UNCH
4840	----	----	59.70B/30.10A	59.70B/30.10A	----	31.30 - 17.80	.3841	----	----	----	----	1 UNCH
4840	71.50	71.50	86.30B/63.30A	86.30B/63.30A	----	62.00 - 16.20	.4393	----	----	6	----	12 + 3
4840	----	----	96.50B/*78.20A	96.50B/*78.20A	----	93.70 NEW	.5603	----	----	4	----	4 + 4
4845	----	----	83.70B/61.20A	83.70B/61.20A	----	59.80 - 16.00	.4286	----	----	----	----	1 UNCH
4850	78.00	78.00	83.00B/59.10A	83.00B/59.10A	----	57.70 - 15.80	.4181	----	----	7	----	8 + 4
4850	50.00	50.00	74.60B/49.60A	74.60B/49.60A	----	69.30 - 1.80	.6517	----	----	1	----	1 UNCH
4850	44.20	44.20	54.30B/26.80A	54.30B/26.80A	----	27.60 - 17.10	.3481	----	----	2	----	17 + 1
4855	40.40	40.40	51.60B/25.10A	51.60B/25.10A	----	25.90 - 16.70	.3306	----	----	4	----	50 UNCH
4855	----	----	78.00B/52.10A	78.00B/52.10A	----	72.60 - 1.40	.6691	----	----	----	----	51 UNCH
4860	----	----	76.00B/55.10A	76.00B/55.10A	----	53.70 - 15.40	.3971	----	----	----	----	3 UNCH
4860	----	----	49.10B/23.70A	49.10B/23.70A	----	24.30 - 16.30	.3137	----	----	1	----	12 + 1
4865	47.50	47.50	47.50/22.20A	47.50/22.20A	----	22.70 - 15.90	.2968	----	----	20	----	19 - 1
4870	----	----	44.40B/*20.90A	44.40B/*20.90A	----	21.30 - 15.40	.2810	----	----	1	----	2 + 1
4870	----	----	71.30B/51.30A	71.30B/51.30A	----	49.90 - 14.90	.3765	----	----	----	----	4 UNCH
4875	----	----	42.10B/*19.50A	42.10B/*19.50A	----	19.90 - 15.00	.2653	----	----	----	----	2 UNCH
4880	29.90	29.90	39.90B/*18.20A	39.90B/*18.20A	----	18.60 NEW	.2503	----	----	5	----	3 + 3
4890	----	----	104.00B/70.60A	104.00B/70.60A	----	97.90 NEW	.7774	----	----	1	----	1 + 1
4890	----	----	35.80B/*15.80A	35.80B/*15.80A	----	16.30 - 13.60	.2224	----	----	----	----	5 UNCH
4895	----	----	34.20B/*14.80A	34.20B/*14.80A	----	15.20 - 13.20	.2090	----	----	1	----	9 UNCH
4900	----	----	32.20B/*13.60A	32.20B/*13.60A	----	14.20 - 12.70	.1963	----	----	6	----	105 + 6
4905	----	----	30.50B/*12.90A	30.50B/*12.90A	----	13.20 NEW	.1839	----	----	1	----	1 + 1
4910	----	----	28.60B/*12.20A	28.60B/*12.20A	----	12.40 - 11.80	.1730	----	----	----	----	1 UNCH
4925	----	----	133.10B/95.20A	133.10B/95.20A	----	126.70 + 4.80	.8575	----	----	----	----	1 UNCH
4925	13.20	13.20	23.90B/*9.70A	23.90B/*9.70A	----	10.10 - 10.50	.1423	----	----	1	----	51 + 1
4930	----	----	22.30B/*9.20A	22.30B/*9.20A	----	9.40 - 10.10	.1328	----	----	5	----	5 - 5
4935	----	----	45.30B/31.30A	45.30B/31.30A	----	30.10 - 11.70	.2547	----	----	----	----	1 UNCH
4940	----	----	43.60B/30.10A	43.60B/30.10A	----	28.90 - 11.40	.2464	----	----	----	----	2 UNCH
4945	----	----	18.80B/*7.60A	18.80B/*7.60A	----	7.60 - 8.90	.1079	----	----	----	----	25 UNCH
4950	----	----	40.50B/27.70A	40.50B/27.70A	----	26.70 - 10.90	.2307	----	----	----	----	2 UNCH
4950	7.10	7.10	17.50B/*7.10	17.50B/*7.10	----	7.10 - 8.50	.1008	----	----	1	----	52 UNCH
4955	----	----	16.30B/*6.70A	16.30B/*6.70A	----	6.70 - 8.10	.0947	----	----	----	----	22 UNCH
4955	----	----	38.50B/26.70A	38.50B/26.70A	----	25.60 NEW	.2229	----	----	4	----	4 + 4
4960	----	----	15.30B/*6.10A	15.30B/*6.10A	----	6.30 - 7.70	.0888	----	----	----	----	5 UNCH
4970	----	----	13.40B/*5.30A	13.40B/*5.30A	----	5.50 - 7.00	.0772	----	----	----	----	1 UNCH
4975	----	----	178.40B/132.50A	178.40B/132.50A	----	171.80 + 8.70	.9282	----	----	----	----	1 UNCH
4975	----	----	12.50B/*5.00A	12.50B/*5.00A	----	5.10 - 6.70	.0716	----	----	----	----	15 UNCH
4980	----	----	11.70B/*4.80A	11.70B/*4.80A	----	4.80 - 6.40	.0671	----	----	----	----	2 UNCH
4985	----	----	11.20B/*4.50A	11.20B/*4.50A	----	4.50 - 6.10	.0627	----	----	----	----	2 UNCH
4990	----	----	10.30B/*4.30A	10.30B/*4.30A	----	4.30 - 5.70	.0593	----	----	----	----	60 UNCH
4995	----	----	9.60B/*4.00A	9.60B/*4.00A	----	4.00 - 5.50	.0551	----	----	----	----	50 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWT TUE		GOLD WEEKLY TUESDAY OPTION Week4										
APR26												
5000	----	----	26.60B/18.60A	26.60B/18.60A	----	17.70 - 8.40	.1623	----	----	----	----	2 UNCH
5000	10.00	10.00	10.00/*3.80A	10.00/*3.80A	----	3.80 - 5.20	.0519	----	----	14	----	123 + 14
5000	----	----	202.10B/154.00A	202.10B/154.00A	----	195.40 + 10.10	.9479	----	----	----	----	1 UNCH
5010	----	----	24.70B/*17.20A	24.70B/*17.20A	----	16.20 - 8.10	.1504	----	----	----	----	2 UNCH
5015	----	----	----/*3.20A	7.30B/*3.20A	----	3.20 - 4.40	.0429	----	----	----	----	50 UNCH
5025	----	----	----/*2.90A	6.50B/*2.90A	----	2.80 - 4.10	.0372	----	----	----	----	5 UNCH
5050	----	----	----/*12.40A	17.10B/*12.40A	----	11.70 - 6.30	.1118	----	----	----	----	1 UNCH
5075	1.60	1.60	1.60/*1.60	3.20B/*1.60	----	1.70 - 2.40	.0208	----	----	1	----	2 + 1
5075	----	----	----/*10.10A	13.50B/*10.10A	----	9.60 - 5.40	.0928	----	----	----	----	1 UNCH
5100	----	----	299.70B/246.50A	299.70B/246.50A	----	293.00 + 13.40	.9835	----	----	2	----	0 - 2
5100	----	----	----/*1.50A	2.10B/*1.50A	----	1.40 - 1.90	.0163	----	----	----	----	8 UNCH
5150	----	----	----/*1.10A	1.30B/*1.10A	----	1.00 - 1.20	.0106	----	----	----	----	23 UNCH
5150	7.20	7.20	7.20/*5.50	8.20B/*5.50	----	5.40 - 3.40	.0531	----	----	17	----	19 + 17
5200	----	----	----/*4.40A	4.10B/*4.40A	----	3.80 - 2.50	.0372	----	----	----	----	1 UNCH
5200	----	----	----/*0.80A	0.80B/*0.80A	----	0.70 - 0.80	.0068	----	----	----	----	9 UNCH
5225	----	----	----/*0.90A	0.60B/*0.90A	----	0.60 - 0.70	.0056	----	----	----	----	3 UNCH
5250	----	----	----/*0.80A	0.40B/*0.80A	----	0.50 - 0.60	.0044	----	----	----	----	1 UNCH
5300	----	----	3.50B/*2.80A	3.50B/*2.80A	----	1.60 - 1.40	.0159	----	----	----	----	22 UNCH
5350	----	----	----	1.00B/*2.40A	----	1.10 - 0.90	.0108	----	----	----	----	5 UNCH
5400	----	----	#593.30B/----	#593.30B/*584.40A	----	591.80 + 15.10	.9987	----	----	----	----	1 UNCH
TOTAL										497		1535 + 355
MAY26												
4300	----	----	----	5.30B/*7.50A	----	6.70 - 0.60	.0438	----	----	----	----	1 UNCH
4650	----	----	----/*40.10A	45.20B/*40.10A	----	44.50 - 3.30	.2600	----	----	----	----	10 UNCH
4795	----	----	132.90B/111.20A	132.90B/111.20A	----	109.80 - 18.40	.5312	----	----	----	----	1 UNCH
4800	----	----	130.00B/108.60A	130.00B/108.60A	----	107.20 - 18.40	.5233	----	----	----	----	34 UNCH
4850	----	----	102.80B/84.60A	102.80B/84.60A	----	83.60 - 17.40	.4443	----	----	----	----	3 UNCH
4900	----	----	82.00B/64.90A	82.00B/64.90A	----	64.10 - 15.80	.3681	----	----	----	----	20 UNCH
4950	----	----	62.20B/49.10A	62.20B/49.10A	----	48.50 - 13.40	.2981	----	----	----	----	2 UNCH
5000	----	----	----/36.80A	45.70B/36.80A	----	36.10 - 10.90	.2361	----	----	----	----	32 UNCH
5150	----	----	----/*15.30A	16.60B/*15.30A	----	13.70 - 5.90	.1039	----	----	----	----	1 UNCH
TOTAL												104 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU		GOLD WEEKLY THURSDAY OPTION Week5										
APR26												
4000	2.10	2.10	#2.10/*1.50A	2.10/*1.50A	----	1.40 NEW	.0083	----	----	1	----	1 + 1
4000	----	----	----	0.30B/*0.80A	----	0.40 UNCH	.0021	----	----	----	----	3 UNCH
4000	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
4050	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4100	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4175	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4200	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
4225	----	----	1.00B/----	1.00B/*1.20A	----	1.20 + 0.30	.0081	----	----	----	----	115 UNCH
4225	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
4235	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4240	1.50	1.50	1.50/*1.20	1.50/*1.20	----	1.30 NEW	.0089	----	----	200	----	200 + 200
4250	----	----	----	1.10B/*1.30A	----	1.30 + 0.20	.0090	----	----	----	----	300 UNCH
4250	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 15
4255	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4285	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4300	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 22
4310	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4325	----	----	----/*5.20A	4.40B/*5.20A	----	5.00 - 0.90	.0357	----	----	----	----	1 UNCH
4325	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	1	----	0 - 150
4350	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
4360	----	----	----/*1.90A	1.90B/*1.90A	----	2.00 UNCH	.0160	----	----	----	----	2 UNCH
4360	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4380	----	----	----/*2.00A	2.10B/*2.00A	----	2.20 NEW	.0180	----	----	2	----	2 + 2
4395	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4395	----	----	----/*2.20A	2.20B/*2.20A	----	2.30 - 0.20	.0193	----	----	----	----	1 UNCH
4400	----	----	----/*7.30A	6.60B/*7.30A	----	7.30 - 1.40	.0535	----	----	----	----	1 UNCH
4400	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	1	----	0 - 311
4400	----	----	----/*2.20A	2.30B/*2.20A	----	2.40 - 0.20	.0202	----	----	----	----	1 UNCH
4410	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
4410	----	----	----/*2.30A	2.40B/*2.30A	----	2.50 - 0.30	.0213	----	----	----	----	2 UNCH
4415	----	----	----	----/*0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4415	----	----	443.40B/388.30A	443.40B/388.30A	----	393.30 - 15.40	----	----	----	----	----	0 - 5
4420	----	----	438.40B/383.30A	438.40B/383.30A	----	388.30 - 15.40	----	----	----	----	----	0 - 5
4425	----	----	----/*8.20A	7.80B/*8.20A	----	8.40 - 1.50	.0618	----	----	----	----	15 UNCH
4425	----	----	----	----/*0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 1
4430	----	----	----/*2.40A	2.70B/*2.40A	----	2.70 - 0.50	.0237	----	----	----	----	2 UNCH
4445	----	----	----/*2.60A	3.00B/*2.60A	----	3.00 - 0.60	.0267	----	----	----	----	1 UNCH
4450	----	----	----/*9.10A	9.20B/*9.10A	----	9.70 NEW	.0715	----	----	1	----	1 + 1
4455	2.60	2.60	3.10B/*2.60	3.10B/*2.60	----	3.10 NEW	.0281	----	----	1	----	1 + 1
4460	----	----	----/0.20A	----/0.20A	----	0.00 - 0.30	----	----	----	----	----	0 - 4
4460	----	----	----/*2.80A	3.20B/*2.80A	----	3.20 - 0.80	.0291	----	----	----	----	1 UNCH
4465	----	----	----/0.20A	----/0.20A	----	0.00 - 0.30	----	----	----	----	----	0 - 3
4470	----	----	----/0.20A	----/0.20A	----	0.00 - 0.30	----	----	----	----	----	0 - 4
4470	----	----	----/*2.90A	3.50B/*2.90A	----	3.40 - 1.00	.0313	----	----	----	----	2 UNCH
4475	----	----	----/*9.50A	10.90B/*9.50A	----	11.30 - 1.90	.0832	----	----	----	----	1 UNCH
4475	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.30	----	----	----	----	----	0 - 2
4480	----	----	----/*9.80A	11.30B/*9.80A	----	11.60 - 2.00	.0855	----	----	1	----	0 - 1
4480	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.40	----	----	----	----	----	0 - 3
4480	----	----	----/*3.10A	3.70B/*3.10A	----	3.60 - 1.10	.0336	----	----	----	----	4 UNCH
4485	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.40	----	----	----	----	----	0 - 1
4500	12.00	12.00	12.00/*10.90A	12.90B/*10.90A	----	13.10 - 2.20	.0963	----	----	3	----	5 + 3
4500	0.50	0.50	0.50/*0.10A	0.50/*0.10A	----	0.00 - 0.50	----	----	----	1	----	0 - 24
4500	----	----	----/*3.50A	4.30B/*3.50A	----	4.10 - 1.40	.0391	----	----	1	----	2 UNCH
4510	----	----	----/0.20A	----/0.20A	----	0.00 - 0.50	----	----	----	----	----	0 - 5
4510	----	----	----/*3.70A	4.60B/*3.70A	----	4.40 - 1.60	.0423	----	----	----	----	2 UNCH
4515	----	----	----/*3.80A	4.80B/*3.80A	----	4.60 - 1.60	.0444	----	----	----	----	20 UNCH
4520	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.50	----	----	----	8	----	0 - 66
4525	----	----	----/*12.70A	15.20B/*12.70A	----	15.30 - 2.50	.1120	----	----	----	----	1 UNCH
4525	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.50	----	----	----	----	----	0 - 71
4530	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.60	----	----	----	----	----	0 - 2
4540	----	----	----/*4.40A	6.00B/*4.40A	----	5.50 - 2.10	.0543	----	----	1	----	3 + 1
4540	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.60	----	----	----	----	----	0 - 2
4545	----	----	----/*14.70A	17.40B/*14.70A	----	17.40 - 2.60	.1264	----	----	----	----	2 UNCH
4545	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.60	----	----	----	----	----	0 - 1
4550	----	----	----/*15.20A	18.10B/*15.20A	----	17.90 - 2.80	.1300	----	----	----	----	1 UNCH
4550	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.60	----	----	----	8	----	0 - 61
4550	----	----	----/*4.80A	6.50B/*4.80A	----	6.00 - 2.20	.0595	----	----	1	----	7 UNCH
4550	----	----	308.50B/253.40A	308.50B/253.40A	----	258.30 - 15.90	----	----	----	50	----	0 - 50
4565	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.70	----	----	----	----	----	0 - 3
4575	----	----	----/*17.80A	21.30B/*17.80A	----	21.00 - 3.00	.1509	----	----	----	----	1 UNCH
4575	----	----	----/*5.60A	8.20B/*5.60A	----	7.30 - 2.80	.0737	----	----	----	----	55 UNCH
4580	----	----	----/*0.20A	0.10B/*0.20A	----	0.00 - 0.80	----	----	----	----	----	0 - 4
4585	----	----	----/*0.20A	0.10B/*0.20A	----	0.00 - 0.80	----	----	----	----	----	0 - 1
4590	----	----	----/*0.20A	0.10B/*0.20A	----	0.00 - 0.80	----	----	----	----	----	0 - 2
4595	----	----	----/*0.20A	0.10B/*0.20A	----	0.00 - 0.90	----	----	----	----	----	0 - 50
4600	----	----	----/*20.50A	25.20B/*20.50A	----	24.70 - 3.30	.1749	----	----	----	----	1 UNCH
4600	8.80	8.80	8.90/*6.90A	10.30B/*6.90A	----	9.10 - 3.20	.0926	----	----	50	----	51 + 50
4600	0.20	0.20	0.20/*0.10	0.20/*0.10	----	0.00 - 0.90	----	----	----	4	----	0 - 86
4605	----	----	----/*7.30A	10.80B/*7.30A	----	9.50 - 3.30	.0968	----	----	----	----	1 UNCH
4605	----	----	----/*0.20A	0.20B/*0.20A	----	0.00 - 0.90	----	----	----	3	----	0 - 3
4610	----	----	----/*0.20A	0.20B/*0.20A	----	0.00 - 1.00	----	----	----	----	----	0 - 6
4615	----	----	----/*23.10A	27.90B/*23.10A	----	27.20 - 3.40	.1907	----	----	----	----	2 UNCH
4615	0.30	0.30	0.30/*0.20A	0.30/*0.20A	----	0.00 NEW	----	----	----	1	----	0 UNCH
4620	0.90	0.90	1.00/*0.20A	1.00/*0.20A	----	0.00 - 1.00	----	----	----	3	----	0 - 37
4620	----	----	----/*8.20A	12.40B/*8.20A	----	10.90 NEW	.1111	----	----	1	----	1 + 1
4625	0.40	0.40	0.40/*0.20A	0.40/*0.20A	----	0.00 - 1.10	----	----	----	8	----	0 - 24
4630	----	----	----/*25.40A	30.80B/*25.40A	----	30.00 - 3.50	.2079	----	----	----	----	1 UNCH
4630	----	----	----/*8.90A	13.60B/*8.90A	----	11.90 - 3.70	.1215	----	----	----	----	1 UNCH
4630	----	----	----/*0.20A	0.40B/*0.20A	----	0.00 - 1.10	----	----	----	----	----	0 - 4
4635	12.10	12.10	12.10/*9.30A	14.20B/*9.30A	----	12.50 NEW	.1274	----	----	1	----	1 + 1
4635	----	----	----/*0.20A	0.40B/*0.20A	----	0.00 - 1.20	----	----	----	----	----	0 - 4
4640	----	----	----/*9.70A	14.90B/*9.70A	----	13.10 - 3.80	.1334	----	----	----	----	18 UNCH
4640	----	----	----/*0.20A	0.40B/*0.20A	----	0.00 - 1.20	----	----	----	----	----	0 - 4
4645	----	----	----/*0.20A	0.50B/*0.20A	----	0.00 - 1.20	----	----	----	----	----	0 - 51
4645	----	----	----/*10.20A	15.70B/*10.20A	----	13.70 - 3.90	.1394	----	----	----	----	5 UNCH
4650	----	----	----/*10.60A	16.40B/*10.60A	----	14.40 - 4.00	.1461	----	----	5	----	6 + 5
4650	0.40	0.40	0.40/*0.10	0.50B/*0.10	----	0.00 - 1.30	----	----	----	7	----	0 - 95

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU		GOLD WEEKLY THURSDAY OPTION Week3										
APR26												
4655	----	----	----/*0.20A	0.60B/*0.20A	----	0.00 - 1.40	----	----	----	1	----	0 - 3
4660	33.60	33.60	37.40B/*30.60A	37.40B/*30.60A	----	36.40 NEW	.2457	----	----	100	----	100 + 100
4660	----	----	----/*0.20A	0.60B/*0.20A	----	0.00 - 1.40	----	----	----	----	----	0 - 7
4660	----	----	----/*11.60A	18.10B/*11.60A	----	15.80 - 4.10	.1598	----	----	1	----	0 - 1
4665	----	----	----/*12.10A	18.90B/*12.10A	----	16.50 - 4.20	.1668	----	----	----	----	18 UNCH
4665	----	----	----/*0.20A	0.70B/*0.20A	----	0.00 - 1.50	----	----	----	----	----	0 - 8
4670	----	----	----/*0.20A	0.70B/*0.20A	----	0.00 - 1.50	----	----	----	----	----	0 - 30
4670	----	----	----/*12.70A	19.80B/*12.70A	----	17.30 - 4.30	.1744	----	----	----	----	10 UNCH
4675	----	----	----/*0.20A	0.80B/*0.20A	----	0.00 - 1.60	----	----	----	----	----	0 - 12
4675	----	----	----/*13.20A	20.80B/*13.20A	----	18.10 NEW	.1821	----	----	4	----	4 + 4
4680	----	----	----/*0.20A	0.90B/*0.20A	----	0.00 - 1.70	----	----	----	1	----	0 - 10
4680	17.20	17.20	21.80B/*13.80A	21.80B/*13.80A	----	19.00 NEW	.1904	----	----	1	----	1 + 1
4680	----	----	178.50B/123.80A	178.50B/123.80A	----	128.30 - 17.00	----	----	----	----	----	0 - 31
4685	----	----	----/*0.20A	1.00B/*0.20A	----	0.00 - 1.80	----	----	----	----	----	0 - 11
4690	0.80	0.80	0.90/*0.20A	1.00B/*0.20A	----	0.00 - 1.90	----	----	----	13	----	0 - 18
4695	----	----	----/*15.90A	25.10B/*15.90A	----	21.90 - 4.50	.2169	----	----	----	----	2 UNCH
4695	0.60	0.60	0.70/*0.20A	1.10B/*0.20A	----	0.00 - 2.00	----	----	----	100	----	0 - 122
4700	----	----	158.60B/101.20A	158.60B/101.20A	----	108.30 - 17.40	----	----	----	----	----	0 - 69
4700	----	----	174.00B/129.70A	174.00B/129.70A	----	131.20 - 19.80	.7737	----	----	----	----	1 UNCH
4700	1.40	1.40	1.40/*0.10	1.40/*0.10	----	0.00 - 2.20	----	----	----	163	----	0 - 411
4700	----	----	----/*16.70A	26.20B/*16.70A	----	22.90 - 4.60	.2260	----	----	31	----	34 + 30
4705	----	----	----/*0.20A	1.40B/*0.20A	----	0.00 - 2.30	----	----	----	2	----	0 - 2
4710	----	----	----/*0.20A	1.50B/*0.20A	----	0.00 - 2.50	----	----	----	1	----	0 - 25
4710	----	----	----/*18.30A	28.80B/*18.30A	----	25.20 - 4.60	.2460	----	----	----	----	1 UNCH
4715	----	----	143.70B/87.00A	143.70B/87.00A	----	93.30 - 17.90	----	----	----	----	----	0 - 9
4715	----	----	----/*0.20A	1.70B/*0.20A	----	0.00 - 2.70	----	----	----	4	----	0 - 30
4720	1.20	1.20	1.20/*0.20A	1.90B/*0.20A	----	0.00 - 2.90	----	----	----	8	----	0 - 4
4725	1.90	1.90	1.90/*0.10A	2.10B/*0.10A	----	0.00 - 3.10	----	----	----	11	----	0 - 56
4730	24.90	24.90	34.50B/*22.00A	34.50B/*22.00A	----	30.30 - 4.60	.2889	----	----	1	----	2 + 1
4730	----	----	128.80B/74.10A	128.80B/74.10A	----	78.30 - 18.70	----	----	----	1	----	0 - 13
4730	1.20	1.20	1.20/*0.10A	2.30B/*0.10A	----	0.00 - 3.40	----	----	----	24	----	0 - 154
4735	----	----	----/*49.00A	59.90B/*49.00A	----	58.20 - 3.60	.3598	----	----	----	----	1 UNCH
4735	----	----	----/*0.20A	2.60B/*0.20A	----	0.00 - 3.70	----	----	----	2	----	0 - 9
4740	----	----	118.90B/61.60A	118.90B/61.60A	----	68.30 - 19.30	----	----	----	3	----	0 - 3
4740	2.00	2.00	2.00/*0.20A	3.00B/*0.20A	----	0.00 - 4.00	----	----	----	4	----	0 - 38
4745	0.60	0.60	0.60/*0.20A	3.30B/*0.20A	----	0.00 - 4.40	----	----	----	10	----	0 - 4
4745	----	----	39.40B/*25.30A	39.40B/*25.30A	----	34.70 - 4.60	.3241	----	----	----	----	100 UNCH
4745	----	----	114.00B/57.40A	114.00B/57.40A	----	63.30 - 19.70	----	----	----	----	----	0 - 70
4750	58.20	58.20	65.50B/*53.60A	65.50B/*53.60A	----	63.70 - 3.50	.3855	----	----	1	----	2 + 1
4750	----	----	109.50B/52.40A	109.50B/52.40A	----	58.30 - 20.10	----	----	----	1	----	0 - 25
4750	2.00	2.00	2.00/*0.10	3.90B/*0.10	----	0.00 - 4.80	----	----	----	16	----	0 - 123
4750	----	----	133.70B/90.40A	133.70B/90.40A	----	94.50 - 19.90	.6634	----	----	----	----	1 UNCH
4750	36.40	36.40	41.20B/*26.40A	41.20B/*26.40A	----	36.30 - 4.60	.3364	----	----	7	----	10 + 7
4755	----	----	----/*0.20A	4.40B/*0.20A	----	0.00 - 5.30	----	----	----	7	----	0 - 11
4755	----	----	104.50B/47.00A	104.50B/47.00A	----	53.30 - 20.60	----	----	----	----	----	0 - 2
4760	2.10	2.10	2.10/*0.20A	5.00B/*0.20A	----	0.00 - 5.90	----	----	----	8	----	0 - 3
4760	----	----	99.20B/42.30A	99.20B/42.30A	----	48.30 - 21.20	----	----	----	79	----	0 - 81
4765	2.40	2.40	2.40/*0.20A	5.60B/*0.20A	----	0.00 - 6.60	----	----	----	33	----	0 - 6
4765	35.80	35.80	46.80B/*30.30A	46.80B/*30.30A	----	41.40 NEW	.3745	----	----	8	----	8 + 8
4770	41.60	41.60	48.80B/*31.80A	48.80B/*31.80A	----	43.30 NEW	.3878	----	----	1	----	1 + 1
4770	2.50	2.50	3.00/*0.20	6.40B/*0.20	----	0.00 - 7.30	----	----	----	23	----	0 - 6
4775	4.50	4.50	4.50/*0.20A	7.40B/*0.20A	----	0.00 - 8.10	----	----	----	30	----	0 - 27
4775	----	----	84.60B/29.20A	84.60B/29.20A	----	33.30 - 23.40	----	----	----	----	----	0 - 41
4775	----	----	50.90B/*33.30A	50.90B/*33.30A	----	45.20 - 4.30	.4012	----	----	----	----	2 UNCH
4780	3.30	3.30	3.30/*0.20A	8.50B/*0.20A	----	0.00 - 9.10	----	----	----	17	----	0 - 10
4780	47.90	47.90	53.10B/*34.90A	53.10B/*34.90A	----	47.20 NEW	.4148	----	----	2	----	2 + 2
4780	----	----	79.80B/24.60A	79.80B/24.60A	----	28.30 - 24.40	----	----	----	----	----	0 - 5
4785	3.00	3.00	5.30/*0.20A	9.60B/*0.20A	----	0.00 - 10.20	----	----	----	34	----	0 - 31
4785	44.00	44.00	75.00B/*20.40A	75.00B/*20.40A	----	23.30 - 25.50	----	----	----	4	----	0 - 16
4790	2.80	2.80	5.00/*0.10	11.10B/*0.10	----	0.00 - 11.40	----	----	----	31	----	0 - 29
4790	----	----	70.20B/*14.50A	70.20B/*14.50A	----	18.30 - 26.70	----	----	----	3	----	0 - 3
4790	44.10	44.10	59.00B/*38.20A	59.00B/*38.20A	----	51.40 NEW	.4424	----	----	1	----	1 + 1
4795	----	----	----/*69.80A	84.80B/*69.80A	----	82.70 - 2.60	.4663	----	----	----	----	1 UNCH
4795	1.20	1.20	6.50/*0.30A	12.70B/*0.30A	----	0.00 - 12.70	----	----	----	19	----	0 - 6
4800	54.40	54.40	60.80B/*8.30A	60.80B/*8.30A	----	8.30 - 29.60	----	----	----	10	----	0 - 39
4800	6.70	6.70	14.50B/*0.10	14.50B/*0.10	----	0.00 - 14.30	----	----	----	328	----	0 - 124
4800	----	----	97.80B/61.70A	97.80B/61.70A	----	64.20 - 18.90	.5292	----	----	----	----	33 UNCH
4805	7.40	7.40	16.30B/*0.10	16.30B/*0.10	----	0.00 - 16.00	----	----	----	129	----	0 - 6
4805	67.60	67.60	94.60B/59.20A	94.60B/59.20A	----	61.50 - 18.80	.5151	----	----	2	----	21 + 2
4805	9.30	9.30	56.20B/*4.00	56.20B/*4.00	----	3.30 - 31.30	----	----	----	8	----	0 - 3
4810	14.80	14.80	51.70B/*0.30A	51.70B/*0.30A	----	0.00 - 31.40	----	----	----	25	----	0 - 4
4810	7.40	7.40	18.80B/*0.60A	18.80B/*0.60A	----	1.70 - 16.10	----	----	----	121	----	0 - 9
4810	66.00	66.00	91.40B/56.80A	91.40B/56.80A	----	58.90 - 18.70	.5008	----	----	1	----	10 + 1
4810	59.60	59.60	67.50B/*45.60A	67.50B/*45.60A	----	60.60 NEW	.4989	----	----	1	----	1 + 1
4815	9.00	9.00	21.20B/*1.00	21.20B/*1.00	----	6.70 - 13.20	----	----	----	111	----	0 - 26
4815	14.40	14.40	47.70B/*0.10A	47.70B/*0.10A	----	0.00 - 28.50	----	----	----	20	----	0 - 3
4815	60.00	60.00	88.30B/54.50A	88.30B/54.50A	----	56.40 NEW	.4866	----	----	1	----	1 + 1
4820	----	----	97.20B/*80.50A	97.20B/*80.50A	----	95.00 - 1.90	.5125	----	----	----	----	1 UNCH
4820	11.30	11.30	23.80B/*2.10A	23.80B/*2.10A	----	11.70 - 10.40	----	----	----	72	----	0 - 17
4820	22.20	22.20	46.00/*0.10A	46.00/*0.10A	----	0.00 - 25.70	----	----	----	93	----	0 - 25
4820	----	----	84.80B/52.20A	84.80B/52.20A	----	54.00 - 18.30	.4723	----	----	----	----	1 UNCH
4825	----	----	99.80B/*82.60A	99.80B/*82.60A	----	97.60 - 1.70	.5217	----	----	----	----	1 UNCH
4825	12.90	12.90	26.40B/*3.40A	26.40B/*3.40A	----	16.70 - 7.90	----	----	----	52	----	0 - 9
4825	15.50	15.50	39.30B/*0.20A	39.30B/*0.20A	----	0.00 - 23.20	----	----	----	126	----	0 - 69
4825	----	----	82.50B/50.00A	82.50B/50.00A	----	51.60 - 18.10	.4580	----	----	----	----	20 UNCH
4830	----	----	102.80B/79.20A	102.80B/79.20A	----	78.60 - 16.80	.4686	----	----	----	----	1 UNCH
4830	20.00	20.00	35.30B/*0.20A	35.30B/*0.20A	----	0.00 - 20.80	----	----	----	94	----	0 - 16
4830	10.00	10.00	29.70B/*4.40	29.70B/*4.40	----	21.70 - 5.50	----	----	----	201	----	0 - 8
4830	----	----	78.30B/*54.10A	78.30B/*54.10A	----	71.10 - 2.50	.5558	----	----	6	----	24 + 6
4835	13.50	13.50	34.60B/*7.60A	34.60B/*7.60A	----	26.70 - 3.30	----	----	----	16	----	0 - 6
4835	15.90	15.90	31.40B/*0.10	31.40B/*0.10	----	0.00 - 18.60	----	----	----	27	----	0 - 32
4835	----	----	81.10B/*56.10A	81.10B/*56.10A	----	73.80 NEW	.5699	----	----	6	----	6 + 6
4835	----	----	76.70B/45.70A	76.70B/45.70A	----	47.20 - 17.60	.4298	----	----	----	----	9 UNCH
4840	15.00	15.00	39.30B/*9.20	39.30B/*9.20	----	31.70 - 1.30	----	----	----	36	----	0 - 37
4840	23.70	23.70	28.00B/*0.20A	28.00B/*0.20A	----	0.00 - 16.60	----	----	----	86	----	0 - 15
4845	87.10	87.10	95.00B/72.50A	95.00B/72.50A	----	71.80 NEW	.4410	----	----	1	----	1 + 1
4845	10.40	10.40	44.30B/*10.40	44.30B/*10.40	----	36.70 + 0.50	----	----	----	16	----	0 - 1
4845	20.30	20.30	25.20B/*0.20A	25.20B/*0.20A	----	0.00 - 14.80	----	----	----	122	----	0 - 31
4850	17.40	17.40	47.00B/*14.20	47.00B/*14.20	----	41.70 + 2.10	----	----	----	26	----	0 - 20
4850	----	----	92.40B/70.30A	92.40B/70.30A	----	69.70 - 16.10	.4319	----	----	----	----	5 UNCH
4850	13.60	13.60	25.00/*0.10	25.00/*0.10	----	0.00 - 13.20	----	----	----	75	----	0 - 138
4850	43.70	43.70	68.70B/39.80A	68.70B/39.80A	----	41.00 - 16.90	.3880	----	----	3	----	5 + 3
4855	----	----	89.90B/68.30A	89.90B/68.30A	----	67.60 - 15.90	.4228	----	----	----	----	1 UNCH
4855	19.90	19.90	52.00B/*16.60A	52.00B/*16.60A	----	46.70 + 3.60	----	----	----	5	----	0 - 6
4855	15.70	15.70	19.70B/*0.20A	19.70B/*0.20A	----	0.00 - 11.70	----	----	----	29	----	0 - 5
4855	----	----	66.10B/38.10A	66.10B/38.10A	----	39.10 - 16.60	.3744	----	----	1	----	7 + 1
4860	19.00	19.00	19.00/*0.20A	19.00/*0.20A	----	0.00 - 10.40	----	----	----	67	----	0 - 41
4860	33.60	33.60	56.90B/*19.00A	56.90B/*19.00A	----	51.70 + 4.90	----	----	----	4	----	0 - 2
4860	----	----	93.10B/68.50A	93.10B/68.50A	----	88.90 - 1.00	.6389	----	----	----	----	1 UNCH
4860	----	----	63.50B/36.30A	63.50B/36.30A	----	37.20 - 16.40	.3608	----	----	----	----	9 UNCH
4865	10.00	10.00	16.10/*0.20A	16.10/*0.20A	----	0.00 - 9.20	----	----	----	26	----	0 - 22
4865	----	----	61.90B/*21.90A	61.90B/*21.90A	----	56.70 + 6.10	----	----	----	2	----	0 - 2
4865	----	----	60.70B/34.60A	60.70B/34.60A	----	35.40 - 16.10	.3474	----	----	1	----	39 + 1
4870	10.10	10.10	14.00/*0.10	14.00/*0.10	----	0.00 - 8.10	----	----	----	64	----	0 - 63
4870	40.20	40.20	66.80B/*24.50A	66.80B/*24.50A	----	61.70 + 7.20	----	----	----	3	----	0 - 2
4870	46.30	46.30	58.30B/33.00A	58.30B/33.00A	----	33.70 NEW	.3344	----	----	200	----	200 + 200
4870	78.90	78.90	99.70B/73.00A	99.70B/73.00A	----	95.40 NEW	.6654	----	----	2	----	2 + 2
4875	----	----	71.80B/*28.40A	71.80B/*28.40A	----	66.70 + 8.10	----	----	----	12	----	0 - 3
4875	6.10	6.10	10.70B/*0.20A	10.70B/*0.20A	----	0.00 - 7.20	----	----	----	51	----	0 - 63
4875	----	----	56.30B/31.50A	56.30B/31.50A	----	32.10 - 15.50	.3217	----	----	4	----	4 UNCH
4880	38.50	38.50	76.80B/31.70A	76.80B/31.70A	----	71.70 + 9.00	----	----	----	3	----	0 - 2
4880	8.80	8.80	10.00/*0.20A	10.00/*0.20A	----	0.00 - 6.30	----	----	----	12	----	0 - 8
4885	----	----	51.50B/28.50A	51.50B/28.50A	----	29.00 NEW	.2967	----	----	1	----	1 + 1
4885	5.10	5.10	8.90/*0.20A	8.90/*0.20A	----	0.00 - 5.60	----	----	----	18	----	0 - 84
4890	39.30	39.30	49.40B/27.10A	49.40B/27.10A	----	27.60 - 14.50	.2848	----	----	1	----	19 + 1
4890	6.50	6.50	6.50/*0.20A	6.50/*0.20A	----	0.00 - 5.00	----	----	----	1	----	0 - 5
4895	----	----	5.40B/*0.20A	5.40B/*0.20A	----	0.00 - 4.40	----	----	----	1	----	0 - 6
4900	4.00	4.00	6.00/*0.10	6.00/*0.10	----	0.00 - 3.90	----	----	----	342	----	0 - 375
4900	----	----	69.20B/51.50A	69.20B/51.50A	----	50.80 - 14.00	.3437	----	----	----	----	1 UNCH
4900	----	----	96.80B/47.10A	96.80B/47.10A	----	91.70 + 11.40	----	----	----	4	----	0 - 4
4900	26.70	26.70	45.50B/24.60	45.50B/24.60	----	24.90 - 13.80	.2616	----	----	100	----	125 + 99
4905	----	----	3.60B/*0.20A	3.60B/*0.20A	----	0.00 - 3.40	----	----	----	----	----	0 - 41
4910	----	----	41.70B/22.20A	41.70B/22.20A	----	22.40 - 13.20	.2394	----	----	1	----	0 - 1
4910	3.00	3.00	3.00/*0.20	3.00/*0.20	----	0.00 - 3.00	----	----	----	6	----	0 - 8
4915	1.10	1.10	1.10/*0.20A	2.50B/*0.20A	----	0.00 - 2.70	----	----	----	3	----	0 - 28
4920	----	----	38.00B/*20.00A	38.00B/*20.00A	----	20.20 - 12.40	.2189	----	----	----	----	6 UNCH
4920	109.90	109.90	116.80B/64.90A	116.80B/64.90A	----	111.70 + 12.90	----	----	----	1	----	0 - 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU		GOLD WEEKLY THURSDAY OPTION Week3										
APR26												
4920	1.70	1.70	2.00B/*0.20A	2.00B/*0.20A	----	0.00 - 2.40	----	----	----	4	----	0 - 133
4920	----	----	61.10B/45.10A	61.10B/45.10A	----	44.50 - 13.10	.3108	----	----	----	----	1 UNCH
4925	0.30	0.30	0.30/*0.20	1.70B/*0.20	----	0.00 - 2.10	----	----	----	6	----	0 - 17
4925	----	----	36.30B/*19.10A	36.30B/*19.10A	----	19.10 - 12.10	.2088	----	----	5	----	24 + 3
4930	0.60	0.60	0.60/*0.20A	1.40B/*0.20A	----	0.00 - 1.90	----	----	----	1	----	0 - 1
4935	0.20	0.20	0.20/*0.20	1.10B/*0.20	----	0.00 - 1.70	----	----	----	7	----	0 UNCH
4940	----	----	31.50B/*16.30A	31.50B/*16.30A	----	16.30 - 11.10	.1813	----	----	2	----	2 + 1
4940	0.40	0.40	0.40/*0.20A	0.80B/*0.20A	----	0.00 - 1.50	----	----	----	11	----	0 - 17
4945	0.40	0.40	0.40/*0.20A	0.60B/*0.20A	----	0.00 - 1.30	----	----	----	2	----	0 - 11
4950	52.50	52.50	52.50/36.80A	52.50/36.80A	----	36.20 - 11.70	.2645	----	----	1	----	2 + 1
4950	----	----	146.80B/93.40A	146.80B/93.40A	----	141.70 + 14.10	----	----	----	----	----	0 - 1
4950	0.40	0.40	0.40/*0.10A	0.50B/*0.10A	----	0.00 - 1.20	----	----	----	3	----	0 - 95
4950	14.40	14.40	28.70B/*14.40	28.70B/*14.40	----	14.70 - 10.30	.1650	----	----	2	----	2 + 1
4955	----	----	27.10B/*13.90A	27.10B/*13.90A	----	13.90 NEW	.1569	----	----	1	----	1 + 1
4955	----	----	----/*0.10A	0.60B/*0.10A	----	0.00 - 1.10	----	----	----	----	----	0 - 5
4960	----	----	26.10B/*13.20A	26.10B/*13.20A	----	13.20 - 9.70	.1495	----	----	----	----	4 UNCH
4960	----	----	----/*0.10A	0.20B/*0.10A	----	0.00 - 1.00	----	----	----	----	----	0 - 6
4965	----	----	----/*0.10A	0.20B/*0.10A	----	0.00 - 0.90	----	----	----	----	----	0 - 6
4970	----	----	23.40B/*11.90A	23.40B/*11.90A	----	11.90 - 9.00	.1356	----	----	----	----	200 UNCH
4970	----	----	166.80B/112.90A	166.80B/112.90A	----	161.70 + 14.50	----	----	----	2	----	0 - 4
4970	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 0.80	----	----	----	2	----	0 - 3
4975	----	----	171.80B/117.30A	171.80B/117.30A	----	166.70 + 14.60	----	----	----	2	----	0 - 4
4975	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 2
4980	----	----	----/*0.10A	0.40B/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 5
4985	----	----	20.30B/*10.10A	20.30B/*10.10A	----	10.20 NEW	.1170	----	----	2	----	0 UNCH
4985	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 2
4990	----	----	----/*0.10A	0.30B/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 1
4990	----	----	186.80B/132.70A	186.80B/132.70A	----	181.70 + 14.80	----	----	----	----	----	0 - 2
4995	0.60	0.60	0.60/*0.10	0.60/*0.10	----	0.00 - 0.50	----	----	----	2	----	0 - 3
5000	----	----	35.70B/26.00A	35.70B/26.00A	----	25.50 - 9.30	.1982	----	----	----	----	3 UNCH
5000	----	----	196.80B/142.60A	196.80B/142.60A	----	191.70 + 14.90	----	----	----	----	----	0 - 1
5000	0.50	0.50	0.50/*0.10A	0.50/*0.10A	----	0.00 - 0.40	----	----	----	10	----	0 - 152
5000	----	----	17.10B/*8.60A	17.10B/*8.60A	----	8.70 - 7.10	.1004	----	----	1	----	4 UNCH
5005	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 1
5005	----	----	34.80B/25.10A	34.80B/25.10A	----	24.60 NEW	.1923	----	----	4	----	4 + 4
5010	----	----	15.40B/*7.80A	15.40B/*7.80A	----	7.80 - 6.60	.0904	----	----	----	----	200 UNCH
5010	----	----	----/*0.10A	0.30B/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 5
5010	----	----	206.80B/152.10A	206.80B/152.10A	----	201.70 + 15.00	----	----	----	1	----	0 - 1
5015	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 2
5020	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	3	----	0 - 30
5025	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 1
5025	----	----	13.20B/*6.70A	13.20B/*6.70A	----	6.70 - 5.80	.0777	----	----	----	----	1 UNCH
5030	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 5
5035	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 1
5040	----	----	----/0.10A	----/0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 8
5050	0.50	0.50	0.50/*0.10A	0.50/*0.10A	----	0.00 - 0.10	----	----	----	10	----	0 - 67
5050	----	----	10.10B/*5.20A	10.10B/*5.20A	----	5.30 - 4.60	.0610	----	----	----	----	50 UNCH
5060	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
5065	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5075	----	----	----/*4.20A	7.80B/*4.20A	----	4.20 - 3.70	.0479	----	----	----	----	75 UNCH
5100	----	----	----/*3.40A	5.80B/*3.40A	----	3.30 - 3.00	.0372	----	----	----	----	9 UNCH
5100	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
5115	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
5125	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5125	----	----	----/*11.00A	13.70B/*11.00A	----	10.40 - 4.80	.0892	----	----	1	----	0 - 1
5135	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5140	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5150	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
5150	----	----	4.40B/*2.30A	4.40B/*2.30A	----	2.10 NEW	.0230	----	----	2	----	1 + 1
5180	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5200	----	----	----/*1.70A	1.90B/*1.70A	----	1.40 - 1.50	.0147	----	----	----	----	2 UNCH
5200	----	----	----/*6.90A	7.80B/*6.90A	----	6.30 - 3.10	.0551	----	----	1	----	12 + 1
5200	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5210	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5225	----	----	----/*1.50A	1.60B/*1.50A	----	1.10 - 1.40	.0113	----	----	----	----	1 UNCH
5240	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5250	----	----	----/*1.40A	1.30B/*1.40A	----	1.00 NEW	.0099	----	----	2	----	2 + 2
5255	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5300	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5305	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5320	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5400	----	----	----/*2.90A	1.70B/*2.90A	----	2.10 - 1.40	.0178	----	----	----	----	1 UNCH
5425	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
5500	2.60	2.60	2.60/*2.30A	2.60/*2.30A	----	1.40 NEW	.0113	----	----	1	----	1 + 1
TOTAL										4046		2303 - 4083
MAY26												
4400	----	----	----/*13.20A	13.10B/*13.20A	----	13.70 - 3.00	.0839	----	----	1	----	2 + 1
4475	----	----	----/*19.00A	20.10B/*19.00A	----	20.20 NEW	.1214	----	----	1	----	1 + 1
4500	22.70	22.70	#22.70/*21.60A	23.30B/*21.60A	----	23.10 NEW	.1373	----	----	1	----	1 + 1
4575	----	----	----/*31.70A	34.60B/*31.70A	----	34.30 NEW	.1958	----	----	1	----	1 + 1
4780	91.00	91.00	97.80B/*88.00A	97.80B/*88.00A	----	96.80 NEW	.4469	----	----	4	----	4 + 4
4850	125.00	125.00	#133.40B/*119.0	#133.40B/*119.00A	----	132.50 NEW	.5498	----	----	2	----	0 UNCH
4850	----	----	110.20B/*92.90A	110.20B/*92.90A	----	90.90 - 18.10	.4496	----	----	----	----	100 UNCH
4955	----	----	----/*55.10A	67.20B/*55.10A	----	53.80 NEW	.3064	----	----	9	----	9 + 9
4970	----	----	----/*51.00A	62.00B/*51.00A	----	49.70 NEW	.2881	----	----	18	----	18 + 18
5000	----	----	----/*43.40A	53.20B/*43.40A	----	42.30 NEW	.2536	----	----	9	----	9 + 9
5025	----	----	----/*38.00A	46.10B/*38.00A	----	37.00 NEW	.2273	----	----	1	----	1 + 1
5125	----	----	----/*21.60A	24.60B/*21.60A	----	21.20 NEW	.1418	----	----	1	----	1 + 1
5250	----	----	----/*11.50A	11.00B/*11.50A	----	10.70 NEW	.0763	----	----	1	----	1 + 1
5400	----	----	----/*7.00A	3.70B/*7.00A	----	5.20 - 2.70	.0378	----	----	----	----	1 UNCH
TOTAL										49		149 + 47

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK3										
APR26												
4000	0.10	0.10	#0.10/*0.10	0.10/*0.10	----	0.10 NEW	.0000	----	----	1	----	1 + 1
4025	----	----	----	----/*0.40A	----	0.10 - 0.10	.0000	----	----	----	----	1 UNCH
4050	----	----	----	----/*0.30A	----	0.10 - 0.10	.0000	----	----	----	----	12 UNCH
4100	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	.0001	----	----	----	----	11 UNCH
4125	----	----	----	----/*0.40A	----	0.10 - 0.20	.0002	----	----	1	----	1 UNCH
4150	----	----	----	----/*0.40A	----	0.10 - 0.30	.0004	----	----	----	----	2 UNCH
4175	----	----	----	0.10B/*0.40A	----	0.20 - 0.20	.0009	----	----	----	----	1 UNCH
4220	----	----	----	0.10B/*0.50A	----	0.20 - 0.30	.0010	----	----	----	----	1 UNCH
4225	----	----	----/*0.50A	0.10B/*0.50A	----	0.20 - 0.40	.0010	----	----	----	----	49 UNCH
4250	0.50	0.50	0.70/*0.50	0.70/*0.50	----	0.30 - 0.30	.0016	----	----	25	----	22 - 4
4300	----	----	----/*0.60A	0.20B/*0.60A	----	0.30 - 0.40	.0018	----	----	----	----	1 UNCH
4335	----	----	----/*0.60A	0.30B/*0.60A	----	0.40 - 0.40	.0025	----	----	----	----	1 UNCH
4350	----	----	----/*0.70A	0.30B/*0.70A	----	0.40 - 0.50	.0026	----	----	----	----	5 UNCH
4375	----	----	----/*0.70A	0.40B/*0.70A	----	0.50 - 0.50	.0035	----	----	----	----	2 UNCH
4380	----	----	----/*0.70A	0.40B/*0.70A	----	0.50 - 0.50	.0035	----	----	----	----	2 UNCH
4400	----	----	----/*0.80A	0.50B/*0.80A	----	0.50 - 0.60	.0037	----	----	----	----	152 UNCH
4410	----	----	----/*0.80A	0.50B/*0.80A	----	0.60 - 0.50	.0045	----	----	----	----	1 UNCH
4440	----	----	----/*0.90A	0.60B/*0.90A	----	0.70 - 0.60	.0057	----	----	----	----	15 UNCH
4450	----	----	----/*0.90A	0.60B/*0.90A	----	0.70 - 0.70	.0058	----	----	1	----	3 UNCH
4460	----	----	----/*1.00A	0.90B/*1.00A	----	0.80 - 0.60	.0068	----	----	----	----	10 UNCH
4465	----	----	----/*1.00A	0.80B/*1.00A	----	0.80 - 0.70	.0069	----	----	----	----	5 UNCH
4470	----	----	----/*1.00A	0.80B/*1.00A	----	0.80 - 0.70	.0070	----	----	----	----	9 UNCH
4475	----	----	----/*1.00A	0.90B/*1.00A	----	0.80 - 0.80	.0071	----	----	----	----	2 UNCH
4485	----	----	----/*1.10A	0.90B/*1.10A	----	0.90 - 0.70	.0082	----	----	----	----	6 UNCH
4495	----	----	360.50B/310.80A	360.50B/310.80A	----	314.20 - 16.00	.9905	----	----	----	----	2 UNCH
4495	----	----	----/*1.10A	1.00B/*1.10A	----	1.00 - 0.70	.0093	----	----	----	----	1 UNCH
4500	1.00	1.00	1.20/*0.90A	1.20/*0.90A	----	1.00 - 0.80	.0095	----	----	2	----	24 + 2
4500	----	----	358.40B/304.80A	358.40B/304.80A	----	309.20 - 16.10	.9904	----	----	----	----	2 UNCH
4505	1.50	1.50	1.50/*1.10A	1.50/*1.10A	----	1.00 NEW	.0096	----	----	1	----	1 + 1
4510	----	----	348.40B/294.90A	348.40B/294.90A	----	299.30 - 16.10	.9892	----	----	----	----	1 UNCH
4535	----	----	----/*1.40A	1.40B/*1.40A	----	1.30 - 1.00	.0135	----	----	----	----	1 UNCH
4550	----	----	----/*1.50A	1.60B/*1.50A	----	1.50 - 1.10	.0162	----	----	----	----	3 UNCH
4550	----	----	308.70B/253.90A	308.70B/253.90A	----	259.70 - 16.40	.9836	----	----	50	----	51 + 50
4565	----	----	----/*1.70A	1.80B/*1.70A	----	1.70 - 1.20	.0191	----	----	----	----	2 UNCH
4570	----	----	288.90B/234.20A	288.90B/234.20A	----	240.00 - 16.60	.9794	----	----	----	----	1 UNCH
4570	----	----	----/*1.70A	2.00B/*1.70A	----	1.80 - 1.30	.0205	----	----	----	----	15 UNCH
4575	----	----	----/*1.80A	2.10B/*1.80A	----	1.80 - 1.40	.0209	----	----	----	----	16 UNCH
4580	----	----	----/*1.80A	2.20B/*1.80A	----	1.90 - 1.40	.0223	----	----	----	----	36 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK3										
APR26												
4585	----	----	----/*1.90A	2.30B/*1.90A	----	2.00 - 1.50	.0238	----	----	----	----	2 UNCH
4590	----	----	----/*1.90A	2.40B/*1.90A	----	2.10 NEW	.0253	----	----	1	----	1 + 1
4595	----	----	----/*2.00A	2.50B/*2.00A	----	2.20 - 1.60	.0269	----	----	----	----	2 UNCH
4600	----	----	259.30B/205.00A	259.30B/205.00A	----	210.60 - 16.90	.9714	----	----	----	----	10 UNCH
4600	2.10	2.10	3.00/*2.00	3.00/*2.00	----	2.30 - 1.70	.0285	----	----	12	----	48 + 5
4605	----	----	----/*2.10A	2.80B/*2.10A	----	2.40 - 1.80	.0302	----	----	----	----	26 UNCH
4610	----	----	----/*2.20A	3.00B/*2.20A	----	2.60 - 1.80	.0329	----	----	----	----	5 UNCH
4615	----	----	----/*2.30A	3.20B/*2.30A	----	2.70 - 1.90	.0347	----	----	----	----	1 UNCH
4635	----	----	----/*2.70A	4.10B/*2.70A	----	3.30 NEW	.0447	----	----	2	----	1 + 1
4640	208.70	208.70	220.10B/166.20A	220.10B/166.20A	----	171.80 NEW	.9518	----	----	10	----	10 + 10
4640	----	----	----/*2.80A	4.40B/*2.80A	----	3.50 - 2.50	.0480	----	----	----	----	1 UNCH
4645	----	----	----/*2.90A	4.70B/*2.90A	----	3.80 - 2.50	.0524	----	----	----	----	1 UNCH
4650	5.80	5.80	5.80/*3.10A	5.80/*3.10A	----	4.00 - 2.70	.0559	----	----	3	----	9 UNCH
4655	----	----	205.50B/152.30A	205.50B/152.30A	----	157.50 - 18.10	.9403	----	----	----	----	1 UNCH
4655	5.10	5.10	5.10/*3.20A	5.40B/*3.20A	----	4.20 NEW	.0595	----	----	3	----	3 + 3
4660	----	----	----/*3.40A	5.70B/*3.40A	----	4.50 - 2.90	.0643	----	----	2	----	4 + 2
4665	----	----	----/*3.50A	6.10B/*3.50A	----	4.80 - 3.10	.0693	----	----	1	----	4 + 1
4670	----	----	----/*3.70A	6.60B/*3.70A	----	5.10 - 3.20	.0744	----	----	1	----	2 + 1
4675	5.00	5.00	5.00/*3.90A	7.10B/*3.90A	----	5.40 - 3.40	.0796	----	----	3	----	190 + 2
4680	----	----	181.40B/128.60A	181.40B/128.60A	----	134.10 - 18.80	.9137	----	----	----	----	1 UNCH
4680	----	----	----/*4.10A	7.70B/*4.10A	----	5.80 - 3.60	.0861	----	----	----	----	4 UNCH
4685	7.60	7.60	7.60/*4.40A	8.10B/*4.40A	----	6.20 - 3.70	.0928	----	----	7	----	6 + 4
4700	----	----	162.40B/111.30A	162.40B/111.30A	----	115.90 - 19.50	.8826	----	----	----	----	51 UNCH
4700	6.00	6.00	8.50/*5.20A	10.30B/*5.20A	----	7.70 - 4.10	.1172	----	----	102	----	153 + 96
4705	9.10	9.10	9.10/*5.50A	10.80B/*5.50A	----	8.20 - 4.40	.1258	----	----	3	----	4 + 2
4710	----	----	----/*5.80A	11.60B/*5.80A	----	8.80 - 4.60	.1356	----	----	----	----	1 UNCH
4715	----	----	----/*6.20A	12.70B/*6.20A	----	9.50 - 4.70	.1467	----	----	----	----	1 UNCH
4720	----	----	----/*6.60A	13.30B/*6.60A	----	10.20 - 4.90	.1580	----	----	1	----	2 + 1
4725	----	----	----/*7.10A	14.50B/*7.10A	----	11.00 - 5.00	.1705	----	----	17	----	16 + 10
4735	----	----	----/*8.10A	16.40B/*8.10A	----	12.70 - 5.30	.1973	----	----	1	----	27 + 1
4740	----	----	125.80B/79.20A	125.80B/79.20A	----	82.00 - 20.70	.7874	----	----	----	----	1 UNCH
4740	----	----	----/*8.70A	17.70B/*8.70A	----	13.70 NEW	.2124	----	----	2	----	2 + 2
4745	----	----	121.40B/76.10A	121.40B/76.10A	----	78.10 - 20.70	.7713	----	----	----	----	1 UNCH
4745	----	----	----/*9.30A	18.80B/*9.30A	----	14.80 - 5.50	.2285	----	----	2	----	2 UNCH
4750	----	----	117.10B/71.90A	117.10B/71.90A	----	74.20 - 20.90	.7548	----	----	1	----	13 + 1
4750	16.00	16.00	17.00/*10.00A	20.10B/*10.00A	----	15.90 - 5.60	.2450	----	----	11	----	12 + 6
4755	----	----	112.70B/68.10A	112.70B/68.10A	----	70.40 - 21.00	.7373	----	----	1	----	2 + 1
4755	----	----	----/*10.70A	21.50B/*10.70A	----	17.10 - 5.70	.2625	----	----	1	----	2 + 1
4760	----	----	108.40B/64.80A	108.40B/64.80A	----	66.70 - 21.10	.7183	----	----	----	----	15 UNCH
4760	----	----	----/*11.50A	23.10B/*11.50A	----	18.50 - 5.70	.2815	----	----	1	----	29 UNCH
4765	----	----	104.30B/61.40A	104.30B/61.40A	----	63.20 - 21.00	.6989	----	----	----	----	62 UNCH
4765	----	----	----/*12.40A	24.80B/*12.40A	----	19.90 - 5.70	.3009	----	----	1	----	2 + 1
4770	----	----	100.20B/55.80A	100.20B/55.80A	----	59.70 - 21.00	.6788	----	----	----	----	7 UNCH
4770	22.90	22.90	26.50B/*13.30A	26.50B/*13.30A	----	21.40 - 5.80	.3210	----	----	32	----	54 + 32
4775	20.00	20.00	28.40B/*14.40A	28.40B/*14.40A	----	23.00 - 5.80	.3420	----	----	15	----	35 + 14
4775	----	----	96.00B/52.70A	96.00B/52.70A	----	56.30 - 21.00	.6578	----	----	----	----	2 UNCH
4780	----	----	92.00B/49.60A	92.00B/49.60A	----	53.00 - 21.00	.6362	----	----	----	----	1 UNCH
4780	20.10	20.10	30.50B/*15.40A	30.50B/*15.40A	----	24.70 NEW	.3637	----	----	7	----	5 + 5
4785	----	----	88.20B/46.80A	88.20B/46.80A	----	49.80 - 21.00	.6138	----	----	----	----	24 UNCH
4785	28.40	28.40	32.70B/*16.60A	32.70B/*16.60A	----	26.50 - 5.70	.3860	----	----	2	----	63 + 2
4790	----	----	84.20B/44.00A	84.20B/44.00A	----	46.80 - 20.80	.5907	----	----	2	----	3 UNCH
4790	20.10	20.10	34.90B/*17.80A	34.90B/*17.80A	----	28.50 NEW	.4091	----	----	6	----	6 + 6
4795	37.60	37.60	37.60/*19.20A	37.60/*19.20A	----	30.50 NEW	.4324	----	----	5	----	5 + 5
4795	----	----	80.70B/41.40A	80.70B/41.40A	----	43.80 - 20.70	.5674	----	----	----	----	59 UNCH
4800	44.00	44.00	76.80B/38.80A	76.80B/38.80A	----	41.00 - 20.50	.5435	----	----	26	----	19 - 7
4800	20.10	20.10	39.70B/*20.10	39.70B/*20.10	----	32.70 - 5.20	.4563	----	----	17	----	18 + 17
4805	29.00	29.00	42.30B/*22.20A	42.30B/*22.20A	----	35.00 NEW	.4805	----	----	3	----	2 + 2
4805	----	----	73.40B/36.40A	73.40B/36.40A	----	38.30 NEW	.5193	----	----	1	----	1 + 1
4810	----	----	69.70B/34.20A	69.70B/34.20A	----	35.70 - 20.10	.4950	----	----	----	----	21 UNCH
4815	----	----	47.30B/*25.70A	47.30B/*25.70A	----	40.00 - 4.50	.5291	----	----	----	----	8 UNCH
4815	36.90	36.90	66.40B/31.80A	66.40B/31.80A	----	33.30 - 19.80	.4707	----	----	10	----	18 + 3
4820	----	----	63.20B/29.70A	63.20B/29.70A	----	30.90 - 19.60	.4463	----	----	----	----	20 UNCH
4820	----	----	50.20B/*27.60A	50.20B/*27.60A	----	42.60 - 4.30	.5535	----	----	----	----	6 UNCH
4825	----	----	51.30B/*29.60A	51.30B/*29.60A	----	45.40 - 3.90	.5776	----	----	1	----	6 UNCH
4825	65.00	65.00	65.00/27.80A	65.00/27.80A	----	28.70 - 19.20	.4223	----	----	52	----	58 + 48
4830	----	----	53.90B/*31.70A	53.90B/*31.70A	----	48.30 - 3.50	.6014	----	----	----	----	0 UNCH
4830	----	----	57.40B/25.70A	57.40B/25.70A	----	26.60 - 18.80	.3984	----	----	2	----	6 UNCH
4835	----	----	57.50B/*33.90A	57.50B/*33.90A	----	51.30 - 3.20	.6249	----	----	2	----	2 + 1
4835	49.50	49.50	54.40B/23.80A	54.40B/23.80A	----	24.60 - 18.50	.3749	----	----	32	----	31 + 1
4840	----	----	51.90B/*22.00A	51.90B/*22.00A	----	22.80 - 18.00	.3522	----	----	5	----	25 + 1
4840	----	----	60.70B/*35.60A	60.70B/*35.60A	----	54.50 - 2.70	.6476	----	----	----	----	3 UNCH
4845	29.40	29.40	49.10B/*20.30A	49.10B/*20.30A	----	21.00 - 17.60	.3297	----	----	12	----	97 + 12
4850	20.50	20.50	46.50B/*18.70A	46.50B/*18.70A	----	19.40 - 17.10	.3082	----	----	21	----	64 - 7
4850	----	----	67.70B/*40.20A	67.70B/*40.20A	----	61.10 - 1.80	.6916	----	----	----	----	5 UNCH
4855	----	----	43.90B/*17.20A	43.90B/*17.20A	----	17.90 - 16.60	.2875	----	----	----	----	8 UNCH
4860	----	----	74.90B/45.50A	74.90B/45.50A	----	68.10 - 0.90	.7322	----	----	----	----	1 UNCH
4860	----	----	41.20B/*16.00A	41.20B/*16.00A	----	16.50 - 16.10	.2676	----	----	54	----	54 + 53
4865	----	----	38.80B/*14.70A	38.80B/*14.70A	----	15.10 - 15.60	.2479	----	----	----	----	1 UNCH
4870	20.10	20.10	36.60B/*13.30A	36.60B/*13.30A	----	13.90 - 15.10	.2299	----	----	2	----	8 + 2
4870	----	----	82.50B/50.30A	82.50B/50.30A	----	75.60 + 0.30	.7699	----	----	----	----	1 UNCH
4875	14.40	14.40	34.40B/*12.20A	34.40B/*12.20A	----	12.80 - 14.50	.2129	----	----	63	----	41 - 19
4880	----	----	32.30B/*11.20A	32.30B/*11.20A	----	11.70 - 14.00	.1961	----	----	3	----	12 + 2
4885	30.00	30.00	30.40B/*10.30A	30.40B/*10.30A	----	10.80 - 13.40	.1814	----	----	8	----	43 + 5
4890	28.70	28.70	28.70/*9.60A	28.70/*9.60A	----	9.90 NEW	.1669	----	----	4	----	4 + 4
4895	----	----	26.80B/*8.60A	26.80B/*8.60A	----	9.10 - 12.30	.1536	----	----	1	----	27 - 1
4895	----	----	102.90B/66.00A	102.90B/66.00A	----	95.70 + 2.90	.8462	----	----	1	----	1 UNCH
4900	----	----	106.40B/69.10A	106.40B/69.10A	----	100.00 + 3.50	.8592	----	----	----	----	1 UNCH
4900	20.10	20.10	25.00B/*8.00	25.00B/*8.00	----	8.30 - 11.80	.1406	----	----	29	----	42 + 3
4905	----	----	23.80B/*7.40A	23.80B/*7.40A	----	7.60 - 11.30	.1288	----	----	2	----	8 + 1
4910	6.40	6.40	22.20B/*6.40	22.20B/*6.40	----	7.00 - 10.70	.1184	----	----	11	----	40 + 7
4915	----	----	20.70B/*6.20A	20.70B/*6.20A	----	6.40 - 10.20	.1081	----	----	----	----	3 UNCH
4920	----	----	123.80B/83.40A	123.80B/83.40A	----	117.60 + 5.60	.9006	----	----	----	----	1 UNCH
4920	16.40	16.40	19.20B/*5.70A	19.20B/*5.70A	----	5.90 - 9.70	.0993	----	----	4	----	28 + 1
4925	10.00	10.00	17.80B/*5.30A	17.80B/*5.30A	----	5.40 - 9.30	.0906	----	----	4	----	67 + 4
4925	----	----	129.40B/87.10A	129.40B/87.10A	----	122.10 + 6.10	.9092	----	----	----	----	2 UNCH
4930	15.80	15.80	16.60B/*4.80A	16.60B/*4.80A	----	5.00 - 8.70	.0833	----	----	3	----	4 + 2
4935	----	----	15.40B/*4.50A	15.40B/*4.50A	----	4.60 - 8.30	.0762	----	----	----	----	7 UNCH
4940	----	----	14.30B/*4.10A	14.30B/*4.10A	----	4.30 NEW	.0705	----	----	7	----	6 + 6
4945	7.40	7.40	13.00B/*3.80A	13.00B/*3.80A	----	3.90 - 7.40	.0638	----	----	3	----	3 + 2
4950	3.90	3.90	12.30B/*3.40A	12.30B/*3.40A	----	3.70 - 6.90	.0597	----	----	31	----	56 - 1
4950	----	----	151.50B/106.30A	151.50B/106.30A	----	145.30 + 8.30	.9402	----	----	----	----	1 UNCH
4955	----	----	11.20B/*3.20A	11.20B/*3.20A	----	3.40 - 6.60	.0545	----	----	----	----	1 UNCH
4960	5.40	5.40	10.30B/*2.90A	10.30B/*2.90A	----	3.10 - 6.30	.0494	----	----	7	----	7 + 6
4965	5.30	5.30	9.50B/*2.70A	9.50B/*2.70A	----	2.90 - 5.90	.0456	----	----	8	----	8 + 8
4970	----	----	8.80B/*2.50A	8.80B/*2.50A	----	2.70 - 5.60	.0420	----	----	----	----	1 UNCH
4975	7.60	7.60	8.10B/*2.30A	8.10B/*2.30A	----	2.60 - 5.10	.0398	----	----	19	----	20 + 14
4975	----	----	175.30B/127.40A	175.30B/127.40A	----	169.20 + 10.10	.9600	----	----	----	----	2 UNCH
4980	2.50	2.50	7.50B/*2.20A	7.50B/*2.20A	----	2.40 - 4.90	.0364	----	----	5	----	5 + 3
4985	----	----	6.90B/*2.20A	6.90B/*2.20A	----	2.20 - 4.60	.0331	----	----	----	----	1 UNCH
4990	----	----	----/*2.00A	6.40B/*2.00A	----	2.10 - 4.30	.0311	----	----	----	----	1 UNCH
4995	----	----	194.70B/145.00A	194.70B/145.00A	----	188.60 + 11.20	.9707	----	----	1	----	3 UNCH
5000	----	----	199.60B/149.50A	199.60B/149.50A	----	193.50 + 11.50	.9725	----	----	----	----	2 UNCH
5000	7.20	7.20	7.20/*1.60	7.20/*1.60	----	1.90 - 3.80	.0273	----	----	24	----	443 + 6
5005	----	----	----/*1.70A	5.00B/*1.70A	----	1.80 - 3.60	.0255	----	----	----	----	25 UNCH
5005	----	----	204.50B/154.20A	204.50B/154.20A	----	198.40 NEW	.9743	----	----	1	----	1 + 1
5010	----	----	----/*1.60A	4.60B/*1.60A	----	1.70 - 3.40	.0238	----	----	----	----	4 UNCH
5015	----	----	----/*1.50A	4.20B/*1.50A	----	1.60 - 3.20	.0221	----	----	----	----	1 UNCH
5020	----	----	219.20B/167.80A	219.20B/167.80A	----	213.10 + 12.30	.9794	----	----	----	----	2 UNCH
5025	----	----	----/*1.50A	3.60B/*1.50A	----	1.40 - 2.80	.0189	----	----	1	----	2 UNCH
5025	----	----	224.10B/172.50A	224.10B/172.50A	----	218.10 + 12.50	.9810	----	----	----	----	2 UNCH
5035	----	----	----/*1.10A	3.00B/*1.10A	----	1.30 NEW	.0170	----	----	2	----	1 + 1
5040	----	----	----/*1.10A	2.60B/*1.10A	----	1.20 NEW	.0155	----	----	1	----	1 + 1
5050	3.00	3.00	3.00/*1.20A	3.00/*1.20A	----	1.10 - 2.10	.0138	----	----	3	----	104 + 2
5050	----	----	248.80B/196.10A	248.80B/196.10A	----	242.70 + 13.20	.9860	----	----	1	----	1 UNCH
5055	----	----	----/*1.10A	2.10B/*1.10A	----	1.10 - 2.00	.0136	----	----	----	----	2 UNCH
5060	----	----	----/*1.10A	1.90B/*1.10A	----	1.00 NEW	.0122	----	----	2	----	1 + 1
5075	----	----	----/*1.00A	1.60B/*1.00A	----	0.90 - 1.60	.0105	----	----	----	----	4 UNCH
5085	----	----	----/*0.90A	1.20B/*0.90A	----	0.80 - 1.50	.0091	----	----	----	----	1 UNCH
5090	----	----	----/*0.90A	1.30B/*0.90A	----	0.80 - 1.40	.0090	----	----	----	----	1 UNCH
5100	1.50	1.50	1.50/*0.90A	1.50/*0.90A	----	0.70 - 1.30	.0077	----	----	2	----	9 + 2
5100	----	----	298.40B/244.40A	298.40B/244.40A	----	292.30 + 14.00	.9922	----	----	----	----	2 UNCH
5120	----	----	----/*0.80A	0.90B/*0.80A	----	0.60 - 1.10	.0062	----	----	----	----	1 UNCH
5150	----	----	----/*0.70A	0.70B/*0.70A	----	0.40 - 0.90	.0039	----	----	1	----	5 UNCH
5175	----	----	----/*0.70A	0.30B/*0.70A	----	0.30 - 0.70	.0027	----	----	----	----	1 UNCH
5175	----	----	370.60B/344.10A	370.60B/344.10A	----	366.90 + 14.70	.9973	----	----	----	----	1 UNCH
5200	----	----	----/*0.60A	0.20B/*0.60A	----	0.20 - 0.60	.0017	----	----	----	----	5 UNCH
5400	----	----	----	----/*0.50A	----	0.10 - 0.10	.0000	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON	GOLD WEEKLY MONDAY OPTION WEEK3										
TOTAL									831		3017 + 454
MAY26											
3900 ----	----	----	0.30B/*4.50A	----	1.40 - 0.40	.0082	----	----	----	----	2 UNCH
4000 ----	----	----	5.50B/25.00A	----	4.40 - 1.90	.0228	----	----	----	----	1 UNCH
4100 3.50	3.50	#3.50/*3.50	3.50/*3.50	----	2.70 NEW	.0167	----	----	30	----	30 + 30
4100 ----	----	----	0.10B/27.80A	----	6.90 - 2.60	.0355	----	----	----	----	2 UNCH
4200 ----	----	----	0.10B/32.10A	----	10.80 - 3.50	.0548	----	----	----	----	2 UNCH
4200 ----	----	----/*8.20A	4.70B/*8.20A	----	7.50 - 1.30	.0420	----	----	----	----	1 UNCH
4200 ----	----	----	2.70B/*5.20A	----	3.90 + 0.70	.0252	----	----	----	----	1 UNCH
4250 ----	----	----/*9.70A	6.10B/*9.70A	----	9.40 - 1.50	.0526	----	----	----	----	2 UNCH
4250 ----	----	----	3.50B/*5.90A	----	4.80 + 0.40	.0317	----	----	----	----	2 UNCH
4300 ----	----	----/*11.80A	9.00B/*11.80A	----	11.90 - 1.50	.0661	----	----	----	----	7 UNCH
4300 ----	----	----	4.70B/*6.80A	----	6.10 UNCH	.0407	----	----	----	----	18 UNCH
4325 ----	----	----/*19.20A	16.70B/*19.20A	----	18.90 - 2.50	.0929	----	----	----	----	2 UNCH
4325 ----	----	----/*13.00A	10.60B/*13.00A	----	13.40 - 1.60	.0741	----	----	----	----	2 UNCH
4350 ----	----	----/*14.10A	12.10B/*14.10A	----	15.00 - 1.70	.0827	----	----	----	----	16 UNCH
4350 ----	----	----/*8.10A	6.10B/*8.10A	----	7.70 - 0.60	.0520	----	----	----	----	1 UNCH
4370 ----	----	----/*9.10A	8.10B/*9.10A	----	8.50 - 0.80	.0576	----	----	----	----	1 UNCH
4375 ----	----	----/*15.50A	14.00B/*15.50A	----	16.80 - 1.70	.0923	----	----	----	----	1 UNCH
4375 ----	----	----/*23.00A	21.10B/*23.00A	----	23.60 - 1.30	.1140	----	----	----	----	1 UNCH
4375 ----	----	----/*9.10A	8.30B/*9.10A	----	8.70 - 0.90	.0591	----	----	----	----	1 UNCH
4400 ----	----	----/*17.40A	15.50B/*17.40A	----	18.90 - 1.80	.1032	----	----	----	----	9 UNCH
4400 ----	----	----/*10.00A	9.60B/*10.00A	----	9.90 - 1.30	.0673	----	----	----	----	86 UNCH
4450 ----	----	----/*21.50A	20.40B/*21.50A	----	23.70 - 2.00	.1278	----	----	----	----	2 UNCH
4475 ----	----	----/*23.50A	23.30B/*23.50A	----	26.60 - 2.00	.1423	----	----	----	----	10 UNCH
4475 ----	----	----/*34.00A	33.60B/*34.00A	----	36.30 + 0.70	.1681	----	----	4	----	4 + 3
4475 ----	----	----/*14.30A	14.40B/*14.30A	----	14.90 - 2.10	.1006	----	----	----	----	1 UNCH
4485 ----	----	----/*25.30A	24.60B/*25.30A	----	27.80 - 2.10	.1483	----	----	----	----	11 UNCH
4490 ----	----	----/*25.90A	25.30B/*25.90A	----	28.40 - 2.20	.1514	----	----	----	----	2 UNCH
4500 ----	----	----/*26.60A	26.70B/*26.60A	----	29.70 - 2.20	.1578	----	----	1	----	4 - 1
4500 ----	----	----/*37.60A	37.70B/*37.60A	----	40.40 + 1.00	.1846	----	----	----	----	3 UNCH
4500 ----	----	----/*16.10A	17.20B/*16.10A	----	17.20 - 2.30	.1153	----	----	----	----	2 UNCH
4505 ----	----	----/*27.60A	27.40B/*27.60A	----	30.40 - 2.20	.1612	----	----	----	----	1 UNCH
4505 ----	----	----/*16.70A	17.80B/*16.70A	----	17.70 - 2.30	.1185	----	----	----	----	1 UNCH
4520 ----	----	----/*29.50A	29.60B/*29.50A	----	32.50 - 2.40	.1714	----	----	----	----	1 UNCH
4525 51.30	51.30	#51.30/*41.60A	#51.30/*41.60A	----	44.80 NEW	.2022	----	----	1	----	1 + 1
4540 ----	----	----/*32.20A	33.00B/*32.20A	----	35.60 - 2.40	.1862	----	----	----	----	1 UNCH
4550 ----	----	----/*46.00A	47.30B/*46.00A	----	49.70 NEW	.2211	----	----	1	----	1 + 1
4550 ----	----	----/*33.50A	34.70B/*33.50A	----	37.20 - 2.60	.1938	----	----	----	----	1 UNCH
4555 ----	----	----/*34.60A	35.60B/*34.60A	----	38.00 - 2.60	.1977	----	----	----	----	1 UNCH
4565 ----	----	----/*36.20A	37.60B/*36.20A	----	39.70 NEW	.2057	----	----	1	----	1 + 1
4570 ----	----	----/*36.80A	38.50B/*36.80A	----	40.60 - 2.80	.2099	----	----	2	----	2 UNCH
4575 ----	----	----/*51.00A	52.90B/*51.00A	----	55.10 NEW	.2413	----	----	3	----	3 + 3
4580 ----	----	----/*25.10A	27.70B/*25.10A	----	27.40 - 2.70	.1770	----	----	----	----	2 UNCH
4590 ----	----	----/*26.40A	29.30B/*26.40A	----	29.00 - 2.80	.1863	----	----	----	----	2 UNCH
4600 ----	----	----/*42.20A	45.00B/*42.20A	----	46.40 - 3.10	.2363	----	----	----	----	1 UNCH
4600 ----	----	----/*56.50A	59.00B/*56.50A	----	61.00 + 0.10	.2629	----	----	----	----	3 UNCH
4600 ----	----	----/*28.00A	31.20B/*28.00A	----	30.80 - 2.80	.1964	----	----	----	----	4 UNCH
4610 ----	----	----/*44.40A	47.40B/*44.40A	----	48.40 - 3.30	.2455	----	----	----	----	2 UNCH
4620 ----	----	----/*46.60A	49.80B/*46.60A	----	50.60 - 3.40	.2552	----	----	----	----	2 UNCH
4650 ----	----	230.10B/199.30A	230.10B/199.30A	----	199.40 - 18.20	.7469	----	----	----	----	1 UNCH
4690 ----	----	----/*64.80A	70.10B/*64.80A	----	69.00 - 4.30	.3314	----	----	----	----	4 UNCH
4690 ----	----	199.20B/171.80A	199.20B/171.80A	----	170.20 - 18.30	.6942	----	----	----	----	3 UNCH
4695 ----	----	----/*66.50A	71.80B/*66.50A	----	70.60 - 4.30	.3374	----	----	----	----	1 UNCH
4700 ----	----	----/*67.40A	73.50B/*67.40A	----	72.20 - 4.30	.3435	----	----	----	----	12 UNCH
4700 ----	----	----/*49.10A	55.80B/*49.10A	----	55.20 - 3.00	.3194	----	----	----	----	3 UNCH
4700 ----	----	192.00B/164.90A	192.00B/164.90A	----	163.30 - 18.30	.6800	----	----	----	----	1 UNCH
4705 ----	----	188.30B/161.60A	188.30B/161.60A	----	159.90 - 18.30	.6730	----	----	----	----	1 UNCH
4705 ----	----	----/*50.50A	57.50B/*50.50A	----	56.70 - 3.10	.3265	----	----	----	----	11 UNCH
4720 ----	----	177.70B/151.40A	177.70B/151.40A	----	149.90 - 18.40	.6507	----	----	----	----	1 UNCH
4725 ----	----	----/75.70A	82.70B/75.70A	----	81.10 NEW	.3752	----	----	2	----	2 + 2
4730 ----	----	----/77.60A	84.40B/77.60A	----	83.10 - 4.10	.3818	----	----	----	----	20 UNCH
4750 ----	----	180.80B/156.10A	180.80B/156.10A	----	149.50 - 19.10	.5909	----	----	----	----	7 UNCH
4770 ----	----	----/92.50A	101.00B/92.50A	----	100.60 - 3.20	.4355	----	----	1	----	0 - 1
4775 ----	----	----/*73.50A	83.90B/*73.50A	----	83.40 - 3.10	.4351	----	----	2	----	6 + 2
4775 ----	----	140.90B/118.00A	140.90B/118.00A	----	116.60 - 18.40	.5644	----	----	----	----	16 UNCH
4780 ----	----	----/96.60A	105.50B/96.60A	----	105.60 - 2.80	.4491	----	----	1	----	0 - 1
4800 ----	----	150.70B/127.90A	150.70B/127.90A	----	124.50 - 17.10	.5231	----	----	----	----	101 UNCH
4800 162.50	162.50	168.70B/*144.40	168.70B/*144.40A	----	143.20 NEW	.5234	----	----	5	----	5 + 5
4800 ----	----	----/104.40A	115.50B/104.40A	----	116.20 - 1.90	.4762	----	----	----	----	1 UNCH
4800 ----	----	125.70B/104.40A	125.70B/104.40A	----	103.30 - 18.20	.5234	----	----	----	----	1 UNCH
4810 ----	----	144.90B/123.30A	144.90B/123.30A	----	120.10 - 16.60	.5097	----	----	----	----	7 UNCH
4815 ----	----	142.20B/120.60A	142.20B/120.60A	----	117.90 - 16.40	.5030	----	----	----	----	1 UNCH
4820 ----	----	139.30B/117.50A	139.30B/117.50A	----	115.80 - 16.10	.4964	----	----	----	----	1 UNCH
4820 ----	----	----/114.30A	125.50B/114.30A	----	127.50 - 0.80	.5029	----	----	----	----	3 UNCH
4825 ----	----	----/94.60A	107.70B/94.60A	----	107.60 - 2.70	.5172	----	----	----	----	1 UNCH
4825 ----	----	111.70B/91.90A	111.70B/91.90A	----	91.00 NEW	.4822	----	----	2	----	2 + 2
4850 ----	----	123.80B/103.80A	123.80B/103.80A	----	103.60 - 14.40	.4574	----	----	----	----	1 UNCH
4850 ----	----	98.50B/80.50A	98.50B/80.50A	----	79.80 - 17.50	.4413	----	----	----	----	1 UNCH
4870 ----	----	----/140.70A	152.50B/140.70A	----	157.30 + 1.90	.5673	----	----	----	----	2 UNCH
4880 ----	----	109.70B/91.50A	109.70B/91.50A	----	91.90 - 12.90	.4194	----	----	----	----	1 UNCH
4900 ----	----	----/157.70A	172.00B/157.70A	----	175.80 + 3.20	.6049	----	----	----	----	1 UNCH
4900 98.90	98.90	100.40B/83.60A	100.40B/83.60A	----	84.30 - 12.00	.3944	----	----	1	----	18 + 1
4900 ----	----	77.70B/61.00A	77.70B/61.00A	----	60.60 - 16.10	.3624	----	----	----	----	21 UNCH
4905 ----	----	----/59.50A	74.80B/59.50A	----	58.90 - 15.90	.3549	----	----	----	----	2 UNCH
4915 ----	----	----/56.00A	70.50B/56.00A	----	55.70 - 15.50	.3401	----	----	----	----	1 UNCH
4930 ----	----	----/51.30A	64.60B/51.30A	----	51.00 - 15.00	.3183	----	----	----	----	1 UNCH
4950 ----	----	80.80B/66.60A	80.80B/66.60A	----	66.70 - 10.10	.3334	----	----	----	----	5 UNCH
4950 ----	----	----/45.50A	58.40B/45.50A	----	45.40 - 14.10	.2907	----	----	----	----	30 UNCH
4960 ----	----	76.80B/63.50A	76.80B/63.50A	----	63.40 - 9.90	.3215	----	----	----	----	5 UNCH
4970 ----	----	----/40.40A	50.80B/40.40A	----	40.30 - 13.10	.2645	----	----	----	----	1 UNCH
4975 ----	----	----/39.20A	49.90B/39.20A	----	39.10 - 12.90	.2582	----	----	----	----	1 UNCH
5000 ----	----	63.50B/52.70A	63.50B/52.70A	----	51.50 - 8.80	.2758	----	----	----	----	2 UNCH
5000 80.00	80.00	80.50B/*67.70A	80.50B/*67.70A	----	68.90 NEW	.3087	----	----	1	----	1 + 1
5000 ----	----	----/33.60A	42.60B/33.60A	----	33.60 - 11.70	.2282	----	----	----	----	4 UNCH
5000 ----	----	----/200.20A	220.60B/200.20A	----	225.00 + 3.50	.7713	----	----	----	----	1 UNCH
5005 ----	----	----/32.60A	40.50B/32.60A	----	32.50 - 11.60	.2222	----	----	----	----	3 UNCH
5025 ----	----	56.30B/46.80A	56.30B/46.80A	----	45.10 - 8.10	.2492	----	----	----	----	1 UNCH
5050 ----	----	65.40B/*55.40A	65.40B/*55.40A	----	56.60 NEW	.2642	----	----	3	----	3 + 3
5075 ----	----	43.70B/36.90A	43.70B/36.90A	----	34.50 - 7.00	.2015	----	----	----	----	1 UNCH
5100 24.00	24.00	24.00/*18.00A	24.00/*18.00A	----	17.80 - 7.70	.1330	----	----	1	----	3 + 1
5100 ----	----	----/*45.00A	52.70B/*45.00A	----	46.20 - 7.00	.2242	----	----	----	----	3 UNCH
5100 ----	----	38.40B/32.80A	38.40B/32.80A	----	30.10 - 6.60	.1803	----	----	----	----	1 UNCH
5125 ----	----	33.60B/29.20A	33.60B/29.20A	----	26.30 - 6.10	.1611	----	----	----	----	1 UNCH
5150 ----	----	----/*36.70A	42.20B/*36.70A	----	37.50 NEW	.1887	----	----	3	----	3 + 3
5175 ----	----	----/*11.40A	12.40B/*11.40A	----	10.80 - 5.60	.0852	----	----	----	----	2 UNCH
5200 ----	----	----/*30.20A	33.60B/*30.20A	----	30.30 - 5.40	.1576	----	----	----	----	3 UNCH
5200 8.90	8.90	8.90/*8.90	10.10B/*8.90	----	9.20 - 5.00	.0735	----	----	2	----	2 UNCH
5200 20.70	20.70	20.70/20.70	22.50B/20.70	----	17.70 - 5.00	.1142	----	----	1	----	91 UNCH
5225 ----	----	----/*18.70A	19.60B/18.70A	----	15.60 - 4.70	.1019	----	----	----	----	1 UNCH
5250 ----	----	----/*16.80A	17.10B/16.80A	----	13.80 - 4.40	.0911	----	----	----	----	4 UNCH
TOTAL									68		690 + 56

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
FMG OPT	MICRO GOLD WEEKLY FRI OPTION WEEK3										
APR26											
4250 ----	----	----	----	----	0.10 - 0.10	----	----	----	----	----	1 UNCH
4700 ----	----	----	----	----	111.00 - 18.40	.9777	----	----	----	----	1 UNCH
4915 ----	----	----	----	----	1.20 - 6.70	.0086	----	----	----	----	3 UNCH
4950 3.00	3.00	#3.00/*3.00	#3.00/*3.00	----	0.60 NEW	.0023	----	----	1	----	1 + 1
TOTAL									1		6 + 1

SILVER OPTIONS ON FUTURES

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU	SILVER WEEKLY THURSDAY OPTION Week4										
APR26											
5000 ----	----	----	----/0.172A	----	0.038 - 0.002	.0046	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU		SILVER WEEKLY THURSDAY OPTION Week3										
APR26												
5000	----	----	----	----/*0.075A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
6100	----	----	----	0.002B/*0.129A	----	0.094 - 0.001	.0168	----	----	----	----	1 UNCH
6600	----	----	----	----/*0.075A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
6650	----	----	----	----/*0.076A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
6775	----	----	----	0.045B/*0.193A	----	0.141 - 0.043	.0362	----	----	1	----	1 UNCH
6800	----	----	----	----/*0.083A	----	0.000 - 0.003	----	----	----	----	----	0 - 2
6850	----	----	----	0.059B/*0.211A	----	0.162 - 0.047	.0427	----	----	----	----	25 UNCH
7000	0.250	0.250	0.250/*0.250	0.250/*0.250	----	0.226 NEW	.0619	----	----	1	----	1 + 1
7000	----	----	----/9.518A	7.613B/9.518A	----	8.931 - 0.969	.9380	----	----	----	----	1 UNCH
7000	----	----	----	----/*0.081A	----	0.000 - 0.012	----	----	----	----	----	0 - 1
7180	----	----	----	----/*0.095A	----	0.000 - 0.037	----	----	----	----	----	0 - 3
7200	----	----	----	----/*0.067A	----	0.000 - 0.042	----	----	----	----	----	0 - 1
7325	----	----	----	----/*0.126A	----	0.000 - 0.080	----	----	----	----	----	0 - 10
7330	----	----	----	----/*0.127A	----	0.000 - 0.080	----	----	----	----	----	0 - 10
7350	0.575	0.575	0.575/*0.546A	0.575/*0.546A	----	0.582 NEW	.1593	----	----	5	----	5 + 5
7355	----	----	----	----/*0.124A	----	0.000 - 0.082	----	----	----	----	----	0 - 10
7400	0.001	0.001	0.001/*0.001	0.001/*0.001	----	0.000 - 0.086	----	----	----	2	----	0 - 3
7450	----	----	----	----/*0.104A	----	0.000 - 0.093	----	----	----	----	----	0 - 5
7470	----	----	----	0.001B/*0.104A	----	0.000 - 0.096	----	----	----	----	----	0 - 10
7500	----	----	----	----	----	3.710 - 1.020	----	----	----	----	----	0 - 1
7500	----	----	----/0.100A	0.001B/0.100A	----	0.000 - 0.103	----	----	----	----	----	0 - 30
7525	----	----	----/*0.101A	0.001B/*0.101A	----	0.000 - 0.110	----	----	----	----	----	0 - 1
7600	----	----	----	----	----	2.710 - 1.060	----	----	----	----	----	0 - 3
7600	----	----	----/*0.099A	0.001B/*0.099A	----	0.000 - 0.142	----	----	----	----	----	0 - 5
7600	1.800	1.800	1.800/*1.701A	1.800/*1.701A	----	1.912 + 0.047	.3221	----	----	1	----	1 + 1
7620	2.600	2.600	2.600/*2.600	2.600/2.600	----	2.510 - 1.072	----	----	----	3	----	0 - 3
7700	0.150	0.150	0.150/*0.093A	0.150/*0.093A	----	0.000 - 0.234	----	----	----	2	----	0 - 3
7750	0.060	0.060	0.060/*0.060	0.060/*0.060	----	0.000 NEW	----	----	----	1	----	0 UNCH
7800	----	----	----/1.344A	0.029B/1.344A	----	0.710 - 1.344	----	----	----	----	----	0 - 1
7800	0.090	0.090	0.200/*0.090	0.200/*0.090	----	0.000 - 0.426	----	----	----	15	----	0 - 1
7825	0.246	0.246	0.246/*0.155A	0.246/*0.155A	----	0.000 NEW	----	----	----	2	----	0 UNCH
7825	----	----	----/1.333A	0.029B/1.333A	----	0.460 - 1.413	----	----	----	----	----	0 - 21
7830	0.171	0.171	0.171/*0.006	0.171/*0.006	----	0.000 NEW	----	----	----	2	----	0 UNCH
7840	----	----	----/*0.170A	0.127B/*0.170A	----	0.000 - 0.541	----	----	----	----	----	0 - 24
7850	0.190	0.190	0.190/*0.180	0.190/*0.180	----	0.000 NEW	----	----	----	6	----	0 UNCH
7870	0.029	0.029	0.029/*0.029	0.031B/*0.029	----	0.010 NEW	----	----	----	2	----	0 UNCH
7875	0.550	0.550	0.600/*0.230A	0.600/*0.230A	----	0.040 NEW	----	----	----	16	----	0 UNCH
7875	0.395	0.395	0.395/*0.024	0.395/*0.024	----	0.000 NEW	----	----	----	4	----	0 UNCH
7900	----	----	----/*0.325A	0.328B/*0.325A	----	0.000 - 1.388	----	----	----	----	----	0 UNCH
7900	0.410	0.410	0.799/*0.272A	0.799/*0.272A	----	0.290 - 0.470	----	----	----	13	----	0 - 7
7930	0.600	0.600	0.600/*0.193	0.600/*0.193	----	0.000 NEW	----	----	----	2	----	0 UNCH
7950	0.400	0.400	0.400/*0.281	0.532B/*0.281	----	0.790 NEW	----	----	----	2	----	0 UNCH
7950	1.100	1.100	1.100/*0.175A	1.100/*0.175A	----	0.000 - 1.114	----	----	----	1	----	0 - 1
7960	0.094	0.094	0.094/*0.006	0.414B/*0.006	----	0.000 NEW	----	----	----	2	----	0 UNCH
7970	1.175	1.175	#1.175/*0.090A	#1.175/*0.090A	----	0.000 NEW	----	----	----	5	----	0 UNCH
7975	1.100	1.100	1.100/*0.125A	1.100/*0.125A	----	0.000 - 0.993	----	----	----	11	----	0 - 5
7990	0.732	0.732	0.732/*0.126A	0.732/*0.126A	----	0.000 NEW	----	----	----	1	----	0 UNCH
8000	----	----	----/3.008A	3.056B/3.008A	----	3.001 - 0.717	.4846	----	----	----	----	1 UNCH
8000	----	----	3.604B/*3.167A	3.604B/*3.167A	----	3.727 + 0.208	.5153	----	----	----	----	1 UNCH
8000	----	----	----/1.788A	1.959B/1.788A	----	1.662 - 0.829	.4162	----	----	1	----	1 UNCH
8000	0.080	0.080	0.080/*0.080	0.427B/*0.080	----	0.000 - 0.882	----	----	----	1	----	0 - 16
8000	0.804	0.804	0.804/*0.450	0.804/*0.450	----	1.290 + 0.036	----	----	----	2	----	0 - 1
8010	0.501	0.501	0.501/*0.124A	0.501/*0.124A	----	0.000 NEW	----	----	----	1	----	0 UNCH
8025	0.400	0.400	0.400/*0.122A	0.431B/*0.122A	----	0.000 NEW	----	----	----	15	----	0 UNCH
8040	0.430	0.430	0.430/*0.124A	0.436B/*0.124A	----	0.000 NEW	----	----	----	1	----	0 UNCH
8050	0.577	0.577	0.577/*0.118A	0.577/*0.118A	----	0.000 - 0.687	----	----	----	2	----	0 - 2
8075	----	----	----/*0.115A	0.443B/*0.115A	----	0.000 - 0.602	----	----	----	----	----	0 - 10
8090	----	----	----/*0.120A	0.434B/*0.120A	----	0.000 - 0.556	----	----	----	----	----	0 - 5
8100	0.311	0.311	0.495B/*0.115A	0.495B/*0.115A	----	0.000 - 0.526	----	----	----	1	----	0 - 3
8100	0.900	0.900	0.900/*0.900	0.900/*0.900	----	2.290 NEW	----	----	----	1	----	0 UNCH
8150	----	----	----/*0.104A	0.259B/*0.104A	----	0.000 - 0.397	----	----	----	----	----	0 - 10
8200	1.300	1.300	1.714B/1.149A	1.714B/1.149A	----	1.010 - 0.590	.2811	----	----	2	----	3 + 2
8200	0.280	0.280	0.280/*0.094A	0.280/*0.094A	----	0.000 NEW	----	----	----	1	----	0 UNCH
8250	0.300	0.300	0.300/*0.093A	0.300/*0.093A	----	0.000 NEW	----	----	----	10	----	0 UNCH
8250	----	----	----	----	----	3.790 + 0.702	----	----	----	----	----	0 - 4
8275	----	----	----	----	----	4.040 + 0.735	----	----	----	----	----	0 - 4
8300	0.250	0.250	0.250/*0.106A	0.250/*0.106A	----	0.000 NEW	----	----	----	25	----	0 UNCH
8400	----	----	----	0.001B/*0.101A	----	0.000 - 0.078	----	----	----	----	----	0 - 1
8600	----	----	----	0.001B/0.084A	----	0.000 - 0.017	----	----	----	----	----	0 - 1
8800	----	----	----	----	----	9.290 + 0.915	----	----	----	1	----	0 - 1
TOTAL										164	0	42 - 214
SMW MON		SILVER WEEKLY MONDAY OPTION WEEK3										
APR26												
6500	----	----	----	0.010B/*0.100A	----	0.050 - 0.024	.0099	----	----	----	----	1 UNCH
7000	----	----	----	0.050B/*0.128A	----	0.086 - 0.025	.0248	----	----	----	----	1 UNCH
7200	0.110	0.110	0.110/*0.110	0.110/*0.110	----	0.125 - 0.054	.0426	----	----	1	----	2 + 1
7300	----	----	----/*0.140A	0.087B/*0.140A	----	0.161 - 0.081	.0592	----	----	----	----	7 UNCH
7300	----	----	----/6.811A	#5.765B/6.811A	----	5.870 - 0.997	.9407	----	----	----	----	2 UNCH
7305	----	----	----/6.771A	5.719B/6.771A	----	5.822 - 0.999	.9395	----	----	----	----	1 UNCH
7400	0.185	0.185	0.186B/*0.185	0.186B/*0.185	----	0.223 NEW	.0869	----	----	1	----	1 + 1
7405	----	----	----/*0.253A	0.211B/*0.253A	----	0.227 - 0.114	.0887	----	----	----	----	1 UNCH
7500	0.355	0.355	0.355/*0.259A	0.360B/*0.259A	----	0.324 NEW	.1309	----	----	2	----	2 + 2
7500	----	----	----	----/44.867A	----	4.033 - 1.063	.8690	----	----	----	----	2 UNCH
7600	----	----	----/*0.369A	0.449B/*0.369A	----	0.487 - 0.173	.1977	----	----	----	----	2 UNCH
7625	----	----	----/*0.386A	0.553B/*0.386A	----	0.540 - 0.177	.2183	----	----	----	----	1 UNCH
7650	----	----	----/*0.431A	0.494B/*0.431A	----	0.598 - 0.181	.2405	----	----	----	----	2 UNCH
7725	----	----	----/*0.585A	0.807B/*0.585A	----	0.813 - 0.177	.3165	----	----	----	----	20 UNCH
7800	----	----	----/*0.830A	1.056B/*0.830A	----	1.092 - 0.151	.4038	----	----	----	----	2 UNCH
7850	1.000	1.000	1.312B/*0.997A	1.312B/*0.997A	----	1.316 NEW	.4656	----	----	1	----	1 + 1
7875	----	----	----/*1.090A	1.420B/*1.090A	----	1.440 - 0.101	.4969	----	----	----	----	1 UNCH
7900	----	----	----/1.343A	1.497B/1.343A	----	1.282 - 0.995	.4718	----	----	----	----	2 UNCH
7950	----	----	----/*1.390A	1.809B/*1.390A	----	1.859 - 0.024	.5894	----	----	----	----	1 UNCH
7975	0.900	0.900	1.023/0.805	1.316B/0.805	----	0.974 NEW	.3809	----	----	6	----	3 + 3
8000	----	----	----/0.924A	1.261B/0.924A	----	0.886 - 0.878	.3522	----	----	----	----	10 UNCH
8100	----	----	----/0.619A	1.240B/0.619A	----	0.598 - 0.730	.2497	----	----	----	----	2 UNCH
8150	0.800	0.800	1.153B/0.500	1.153B/0.500	----	0.489 NEW	.2070	----	----	15	----	15 + 15
8800	----	----	----	----/51.292A	----	9.320 NEW	.9885	----	----	1	----	1 + 1
9000	----	----	----	0.002B/*0.127A	----	0.015 - 0.065	.0045	----	----	----	----	1 UNCH
TOTAL										27	0	84 + 24
MAY26												
5500	0.120	0.120	0.125/*0.120	0.125/*0.120	----	0.131 - 0.005	.0200	----	----	2	----	17 + 2
6600	----	----	----/*0.383A	0.204B/*0.383A	----	0.349 - 0.050	.0668	----	----	----	----	1 UNCH
7625	----	----	----/*2.733A	2.715B/*2.733A	----	3.071 + 0.169	.3639	----	----	----	----	1 UNCH
7900	----	----	----/4.637A	3.710B/4.637A	----	4.592 NEW	.5374	----	----	4	----	4 + 4
7900	----	----	----/*3.760A	4.066B/*3.760A	----	4.320 NEW	.4624	----	----	4	----	4 + 4
8000	----	----	----/4.445A	4.091B/4.445A	----	4.123 - 0.722	.5012	----	----	----	----	20 UNCH
8500	----	----	----/*2.376A	2.907B/2.376A	----	2.394 - 0.552	.3360	----	----	----	----	20 UNCH
TOTAL										10	0	67 + 10
SO CALL		COMEX SILVER OPTIONS										
MAY26												
3850	----	----	----	----	----	40.210 NEW	.9993	----	----	25	----	0 UNCH
3875	----	----	40.962B/39.685A	40.962B/39.685A	----	39.960 - 0.918	.9993	----	----	50	----	50 UNCH
3900	----	----	----/39.585A	40.619B/39.585A	----	39.710 - 0.918	.9993	----	----	25	----	1 UNCH
3975	----	----	----	----	----	38.960 NEW	.9990	----	----	15	----	0 UNCH
4000	----	----	39.712B/38.445A	39.712B/38.445A	----	38.710 - 0.919	.9990	----	----	35	----	53 UNCH
4025	----	----	----	----	----	38.460 - 0.920	.9990	----	----	15	----	0 UNCH
4100	----	----	38.712B/37.435A	38.712B/37.435A	----	37.710 - 0.920	.9988	----	----	5	----	50 UNCH
4200	----	----	37.712B/36.433A	37.712B/36.433A	----	36.710 - 0.921	.9985	----	----	----	----	116 UNCH
4400	----	----	----	----	----	34.713 - 0.922	.9979	----	----	----	----	0 UNCH
4450	----	----	----/34.085A	35.119B/34.085A	----	34.214 - 0.922	.9977	----	----	----	----	0 - 2
4500	----	----	----	----	----	33.715 - 0.922	.9975	----	----	----	----	0 UNCH
4550	----	----	----/33.086A	34.119B/33.086A	----	33.216 - 0.922	.9973	----	----	----	----	0 - 1
4600	----	----	----/32.528A	33.614B/32.528A	----	32.717 - 0.922	.9971	----	----	----	----	20 - 2
4650	----	----	33.212B/31.947A	33.212B/31.947A	----	32.218 - 0.922	.9968	----	----	----	----	71 UNCH
4675	----	----	----/31.779A	32.864B/31.779A	----	31.969 - 0.922	.9967	----	----	----	----	10 - 4
4700	----	----	----/31.586A	32.619B/31.586A	----	31.720 - 0.922	.9966	----	----	----	----	0 - 2
4725	----	----	----/31.337A	32.369B/31.337A	----	31.470 - 0.922	.9964	----	----	----	----	0 - 2
4750	----	----	----/31.021A	32.114B/31.021A	----	31.221 - 0.922	.9963	----	----	----	----	0 - 7
4800	----	----	----/30.522A	31.614B/30.522A	----	30.723 - 0.921	.9960	----	----	----	----	4 - 3
4825	----	----	----/30.280A	31.364B/30.280A	----	30.474 - 0.921	.9958	----	----	----	----	22 UNCH
4850	----	----	----/30.030A	31.115B/30.030A	----	30.224 - 0.922	.9958	----	----	----	----	10 UNCH
4900	----	----	----/29.531A	30.615B/29.531A	----	29.726 - 0.921	.9954	----	----	----	----	1 - 12
4925	----	----	----/29.293A	30.365B/29.293A	----	29.477 - 0.921	.9953	----	----	----	----	0 - 12
4950	----	----	----/29.089A	30.120B/29.089A	----	29.228 - 0.921	.9951	----	----	----	----	0 - 4
5000	----	----	29.713B/28.451A	29.713B/28.451A	----	28.730 - 0.920	.9948	----	----	----	----	91 - 8

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
5025	----	----	----/28.340A	29.370B/28.340A	----	28.480 - 0.921	.9946	----	----	----	----	2 UNCH
5050	----	----	----/28.090A	29.120B/28.090A	----	28.231 - 0.920	.9945	----	----	----	----	0 - 4
5075	----	----	----	----	----	27.982 - 0.920	.9944	----	----	----	----	0 UNCH
5100	----	----	----/27.546A	28.617B/27.546A	----	27.733 - 0.919	.9942	----	----	----	----	8 UNCH
5125	----	----	----/27.342A	28.372B/27.342A	----	27.484 - 0.919	.9940	----	----	----	----	1 UNCH
5150	----	----	----/27.047A	28.117B/27.047A	----	27.235 - 0.919	.9938	----	----	----	----	15 UNCH
5200	----	----	----/26.548A	27.618B/26.548A	----	26.736 - 0.919	.9935	----	----	----	----	11 UNCH
5225	----	----	----/26.344A	27.373B/26.344A	----	26.487 - 0.918	.9933	----	----	----	----	1 UNCH
5250	----	----	----/26.049A	27.118B/26.049A	----	26.238 - 0.918	.9931	----	----	----	----	17 UNCH
5275	----	----	----/25.800A	26.869B/25.800A	----	25.989 - 0.918	.9931	----	----	----	----	6 UNCH
5300	----	----	26.716B/25.457A	26.716B/25.457A	----	25.739 - 0.918	.9929	----	----	----	----	126 UNCH
5325	----	----	26.418B/25.266A	26.418B/25.266A	----	25.490 - 0.918	.9927	----	----	----	----	29 UNCH
5350	----	----	26.168B/25.041A	26.168B/25.041A	----	25.241 - 0.918	.9924	----	----	----	----	25 UNCH
5400	----	----	25.718B/24.460A	25.718B/24.460A	----	24.742 - 0.918	.9921	----	----	----	----	146 UNCH
5425	----	----	----/24.304A	25.371B/24.304A	----	24.493 - 0.918	.9919	----	----	----	----	12 UNCH
5450	----	----	25.219B/23.962A	25.219B/23.962A	----	24.244 - 0.918	.9918	----	----	----	----	50 UNCH
5475	----	----	----/23.851A	24.877B/23.851A	----	23.995 - 0.918	.9916	----	----	----	----	2 UNCH
5500	----	----	24.720B/23.463A	24.720B/23.463A	----	23.745 - 0.919	.9914	----	----	----	----	185 UNCH
5525	----	----	24.422B/23.297A	24.422B/23.297A	----	23.496 - 0.920	.9913	----	----	----	----	35 UNCH
5550	----	----	----/23.059A	24.124B/23.059A	----	23.247 - 0.920	.9910	----	----	----	----	8 UNCH
5600	----	----	23.723B/22.468A	23.723B/22.468A	----	22.748 - 0.922	.9907	----	----	----	----	110 UNCH
5625	----	----	----/22.303A	23.376B/22.303A	----	22.499 - 0.923	.9904	----	----	----	----	8 UNCH
5650	----	----	23.176B/22.029A	23.176B/22.029A	----	22.250 - 0.924	.9902	----	----	----	----	31 UNCH
5675	----	----	----/21.806A	22.878B/21.806A	----	22.001 - 0.925	.9900	----	----	----	----	6 UNCH
5700	----	----	----/21.558A	22.629B/21.558A	----	21.751 - 0.927	.9898	----	----	----	----	9 UNCH
5750	----	----	----/21.061A	22.132B/21.061A	----	21.253 - 0.929	.9892	----	----	----	----	15 UNCH
5775	----	----	----/20.867A	21.887B/20.867A	----	21.004 - 0.931	.9891	----	----	----	----	1 UNCH
5800	----	----	----/20.619A	21.638B/20.619A	----	20.755 - 0.932	.9888	----	----	----	----	1 UNCH
5825	----	----	----/20.316A	21.385B/20.316A	----	20.506 - 0.934	.9885	----	----	----	----	11 UNCH
5850	----	----	----/20.123A	21.141B/20.123A	----	20.257 - 0.935	.9882	----	----	----	----	2 UNCH
5900	----	----	20.738B/19.487A	20.738B/19.487A	----	19.760 - 0.938	.9874	----	----	----	----	124 UNCH
5925	----	----	----/19.380A	20.396B/19.380A	----	19.511 - 0.940	.9871	----	----	----	----	1 UNCH
5950	----	----	----/19.108A	20.143B/19.108A	----	19.263 - 0.941	.9868	----	----	----	----	16 UNCH
6000	----	----	19.745B/18.497A	19.745B/18.497A	----	18.766 - 0.944	.9859	----	----	----	----	245 UNCH
6050	----	----	----/18.143A	19.155B/18.143A	----	18.270 - 0.946	.9849	----	----	----	----	2 UNCH
6075	----	----	19.001B/17.755A	19.001B/17.755A	----	18.022 - 0.947	.9843	----	----	----	----	122 UNCH
6100	----	----	----/17.626A	18.654B/17.626A	----	17.774 - 0.948	.9838	----	----	----	----	9 UNCH
6125	----	----	----/17.392A	18.410B/17.392A	----	17.527 - 0.948	.9831	----	----	----	----	1 UNCH
6150	----	----	----/17.155A	18.163B/17.155A	----	17.279 - 0.949	.9825	----	----	----	----	3 UNCH
6175	----	----	----/16.898A	17.915B/16.898A	----	17.032 - 0.949	.9817	----	----	----	----	1 UNCH
6200	----	----	17.763B/16.521A	17.763B/16.521A	----	16.785 - 0.950	.9810	----	----	----	----	59 UNCH
6225	----	----	17.516B/16.275A	17.516B/16.275A	----	16.538 - 0.950	.9802	----	----	----	----	69 UNCH
6250	----	----	----/16.159A	17.173B/16.159A	----	16.292 - 0.949	.9794	----	----	----	----	3 UNCH
6275	----	----	----/15.924A	16.926B/15.924A	----	16.046 - 0.949	.9784	----	----	----	----	4 UNCH
6300	----	----	----/15.611A	16.675B/15.611A	----	15.799 - 0.950	.9776	----	----	----	----	24 UNCH
6325	----	----	----/15.433A	16.432B/15.433A	----	15.553 - 0.950	.9765	----	----	----	----	3 UNCH
6350	----	----	----/15.121A	16.182B/15.121A	----	15.308 - 0.949	.9753	----	----	----	----	7 UNCH
6375	----	----	----/14.860A	15.985B/14.860A	----	15.062 - 0.949	.9742	----	----	----	----	48 UNCH
6400	----	----	15.790B/14.557A	15.790B/14.557A	----	14.817 - 0.949	.9730	----	----	----	----	62 UNCH
6425	----	----	----/14.401A	15.443B/14.401A	----	14.572 - 0.948	.9717	----	----	----	----	6 UNCH
6450	----	----	----/14.211A	15.201B/14.211A	----	14.327 - 0.948	.9704	----	----	----	----	4 UNCH
6475	----	----	----/13.900A	14.951B/13.900A	----	14.083 - 0.948	.9690	----	----	----	----	6 UNCH
6500	----	----	14.805B/13.571A	14.805B/13.571A	----	13.839 - 0.948	.9675	----	----	----	----	172 UNCH
6525	----	----	----/13.379A	14.510B/13.379A	----	13.595 - 0.948	.9659	----	----	----	----	28 UNCH
6550	----	----	----/13.173A	14.215B/13.173A	----	13.352 - 0.947	.9641	----	----	----	----	8 UNCH
6575	----	----	----/12.981A	13.974B/12.981A	----	13.109 - 0.947	.9623	----	----	----	----	3 UNCH
6600	----	----	----/12.690A	13.724B/12.690A	----	12.867 - 0.947	.9605	----	----	----	----	9 UNCH
6625	----	----	----/12.449A	13.480B/12.449A	----	12.625 - 0.947	.9584	----	----	----	----	7 UNCH
6650	----	----	----/12.208A	13.235B/12.208A	----	12.383 - 0.947	.9561	----	----	----	----	6 UNCH
6675	----	----	----/12.017A	12.995B/12.017A	----	12.142 - 0.947	.9540	----	----	----	----	1 UNCH
6700	----	----	----/11.652A	12.848B/11.652A	----	11.902 - 0.946	.9515	----	----	----	----	169 UNCH
6750	----	----	----/11.252A	12.261B/11.252A	----	11.423 - 0.946	.9461	----	----	----	----	10 UNCH
6800	----	----	----/10.690A	11.878B/10.690A	----	10.947 - 0.946	.9402	----	----	----	----	56 UNCH
6825	----	----	----/10.485A	11.637B/10.485A	----	10.710 - 0.946	.9369	----	----	----	----	107 UNCH
6850	----	----	----/10.361A	11.300B/10.361A	----	10.474 - 0.946	.9334	----	----	----	----	1 UNCH
6875	----	----	----/10.127A	11.060B/10.127A	----	10.239 - 0.946	.9296	----	----	----	----	1 UNCH
6900	----	----	----/9.766A	10.919B/9.766A	----	10.005 - 0.946	.9258	----	----	----	----	195 UNCH
6925	----	----	----/9.623A	10.580B/9.623A	----	9.772 - 0.946	.9216	----	----	----	----	12 UNCH
6950	----	----	----/9.433A	10.346B/9.433A	----	9.540 - 0.947	.9172	----	----	----	----	5 UNCH
7000	----	----	10.218B/8.841A	10.218B/8.841A	----	9.080 - 0.947	.9075	----	----	----	----	443 UNCH
7025	----	----	10.250B/8.712A	10.250B/8.712A	----	8.852 - 0.947	.9022	----	----	----	----	11 UNCH
7050	----	----	----/8.443A	9.453B/8.443A	----	8.626 - 0.946	.8966	----	----	----	----	26 UNCH
7075	----	----	----/8.268A	9.170B/8.268A	----	8.401 - 0.946	.8907	----	----	----	----	6 UNCH
7100	----	----	----/7.961A	9.039B/7.961A	----	8.178 - 0.946	.8844	----	----	----	----	64 UNCH
7125	----	----	----/7.875A	8.713B/7.875A	----	7.956 - 0.946	.8779	----	----	----	----	4 UNCH
7150	----	----	----/7.653A	8.485B/7.653A	----	7.737 - 0.945	.8708	----	----	----	----	2 UNCH
7175	----	----	----/7.396A	8.255B/7.396A	----	7.520 - 0.944	.8636	----	----	----	----	13 UNCH
7200	----	----	----/7.099A	8.130B/7.099A	----	7.304 - 0.945	.8558	----	----	----	----	52 UNCH
7225	----	----	----/6.967A	7.809B/6.967A	----	7.092 - 0.943	.8477	----	----	----	----	8 UNCH
7250	----	----	----/6.681A	7.686B/6.681A	----	6.881 - 0.943	.8392	----	----	----	----	62 UNCH
7275	----	----	----/6.602A	7.370B/6.602A	----	6.673 - 0.942	.8302	----	----	----	----	3 UNCH
7300	----	----	----/6.278A	7.249B/6.278A	----	6.468 - 0.940	.8209	----	----	----	----	144 UNCH
7325	----	----	----/6.202A	6.938B/6.202A	----	6.265 - 0.939	.8112	----	----	----	----	2 UNCH
7350	----	----	----/5.888A	6.824B/5.888A	----	6.065 - 0.937	.8010	----	----	----	----	51 UNCH
7375	----	----	----/5.699A	6.617B/5.699A	----	5.868 - 0.935	.7904	----	----	----	----	86 UNCH
7400	6.350	6.350	6.360B/5.545A	6.360B/5.545A	----	5.674 - 0.933	.7795	----	----	8	----	43 + 6
7425	----	----	----/5.350A	6.116B/5.350A	----	5.483 - 0.931	.7682	----	----	----	----	7 UNCH
7450	----	----	----/5.159A	5.916B/5.159A	----	5.295 - 0.929	.7565	----	----	----	----	15 UNCH
7475	----	----	----/4.974A	5.748B/4.974A	----	5.111 - 0.925	.7443	----	----	----	----	6 UNCH
7500	6.420	6.420	6.430/4.787A	6.430/4.787A	----	4.930 - 0.922	.7318	----	----	12	----	426 + 1
7525	4.639	4.639	4.639/4.619A	5.368B/4.619A	----	4.753 - 0.918	.7190	----	----	1	----	16 UNCH
7530	----	----	----/4.695A	5.293B/4.695A	----	4.717 - 0.918	.7163	----	----	----	----	5 UNCH
7535	----	----	----/4.662A	5.255B/4.662A	----	4.683 - 0.916	.7137	----	----	----	----	2 UNCH
7540	----	----	----/4.627A	5.219B/4.627A	----	4.648 - 0.915	.7111	----	----	----	----	1 UNCH
7545	----	----	----/4.591A	5.181B/4.591A	----	4.613 - 0.915	.7085	----	----	----	----	2 UNCH
7550	----	----	----/4.445A	5.182B/4.445A	----	4.579 - 0.914	.7058	----	----	----	----	14 UNCH
7555	----	----	----/4.524A	5.105B/4.524A	----	4.544 - 0.913	.7031	----	----	----	----	2 UNCH
7570	----	----	----/4.344A	4.996B/4.344A	----	4.442 - 0.910	.6950	----	----	----	----	3 UNCH
7575	----	----	----/4.272A	5.000B/4.272A	----	4.408 - 0.910	.6923	----	----	----	----	10 UNCH
7585	----	----	----/4.238A	4.887B/4.238A	----	4.341 - 0.908	.6868	----	----	----	----	2 UNCH
7590	----	----	----/4.221A	4.851B/4.221A	----	4.308 - 0.906	.6841	----	----	----	----	1 UNCH
7595	----	----	----/4.220A	4.815B/4.220A	----	4.275 - 0.905	.6813	----	----	----	----	2 UNCH
7600	5.020	5.020	5.020/4.108A	5.020/4.108A	----	4.242 - 0.904	.6785	----	----	1	----	107 UNCH
7605	----	----	----/4.172A	4.744B/4.172A	----	4.209 - 0.903	.6757	----	----	----	----	2 UNCH
7615	----	----	----/4.106A	4.674B/4.106A	----	4.143 - 0.902	.6701	----	----	----	----	2 UNCH
7620	----	----	----/4.094A	4.638B/4.094A	----	4.111 - 0.900	.6673	----	----	----	----	2 UNCH
7625	----	----	----/3.948A	4.659B/3.948A	----	4.079 - 0.899	.6644	----	----	----	----	13 UNCH
7630	----	----	----/4.016A	4.567B/4.016A	----	4.046 - 0.899	.6616	----	----	----	----	1 UNCH
7635	----	----	----/3.986A	4.533B/3.986A	----	4.014 - 0.897	.6587	----	----	----	----	3 UNCH
7640	----	----	----/3.949A	4.499B/3.949A	----	3.983 - 0.895	.6559	----	----	----	----	3 UNCH
7645	----	----	----/3.817A	4.527B/3.817A	----	3.951 - 0.895	.6530	----	----	----	----	11 UNCH
7650	----	----	----/3.784A	4.496B/3.784A	----	3.919 - 0.894	.6501	----	----	----	----	31 UNCH
7655	----	----	----/3.756A	4.451B/3.756A	----	3.888 - 0.892	.6472	----	----	----	----	6 UNCH
7660	----	----	----/3.721A	4.427B/3.721A	----	3.857 - 0.891	.6443	----	----	----	----	6 UNCH
7665	----	----	----/3.690A	4.394B/3.690A	----	3.826 - 0.890	.6414	----	----	----	----	13 UNCH
7675	----	----	----/3.713A	4.261B/3.713A	----	3.764 - 0.887	.6356	----	----	----	----	5 UNCH
7680	----	----	----/3.673A	4.228B/3.673A	----	3.733 - 0.886	.6326	----	----	----	----	4 UNCH
7685	----	----	----/3.645A	4.195B/3.645A	----	3.703 - 0.885	.6297	----	----	----	----	5 UNCH
7690	----	----	----/3.611A	4.162B/3.611A	----	3.673 - 0.883	.6267	----	----	----	----	3 UNCH
7695	----	----	----/3.581A	4.129B/3.581A	----	3.642 - 0.883	.6238	----	----	----	----	4 UNCH
7700	----	----	----/3.471A	4.203B/3.471A	----	3.612 - 0.881	.6208	----	----	1	----	182 UNCH
7705	----	----	----/3.502A	4.064B/3.502A	----	3.583 - 0.879	.6178	----	----	----	----	4 UNCH
7710	----	----	----/3.418A	4.032B/3.418A	----	3.553 - 0.878	.6149	----	----	----	----	2 UNCH
7715	----	----	----/3.384A	4.000B/3.384A	----	3.523 - 0.877	.6118	----	----	----	----	5 UNCH
7720	----	----	----/3.352A	3.967B/3.352A	----	3.494 - 0.875	.6089	----	----	----	----	1 UNCH
7725	----	----	----/3.287A	4.034B/3.287A	----	3.465 - 0.873	.6059	----	----	----	----	8 UNCH
7735	----	----	----/3.223A	3.872B/3.223A	----	3.407 - 0.870	.5998	----	----	----	----	1 UNCH
7740	----	----	----/3.193A	3.840B/3.193A	----	3.378 - 0.869	.5968	----	----	----	----	2 UNCH
7745	----	----	----/3.165A	3.808B/3.165A	----	3.349 - 0.868	.5938	----	----	----	----	3 UNCH
7750	----	----	----/3.131A	3.889B/3.131A	----	3.321 - 0.866	.5907	----	----	----	----	8 UNCH
7755	----	----	----/3.102A	3.746B/3.102A	----	3.293 - 0.864	.5877	----	----	----	----	1 UNCH
7760	----	----	----/3.075A	3.715B/3.075A	----	3.265 - 0.862	.5847	----	----	----	----	2 UNCH
7765	----	----	----/3.047A	3.685B/3.047A	----	3.237 - 0.861	.5816	----	----	----	----	1 UNCH
7770	----	----	----/3.020A	3.653B/3.020A	----	3.209 - 0.859	.5786	----	----	----	----	1 UNCH
7775	----	----	----/2.988A	3.623B/2.988A	----	3.181 - 0.858	.5755	----	----	----	----	3 UNCH
7780	----	----	----/2.962A	3.593B/2.962A	----	3.154 - 0.856	.5724	----	----	----	----	1 UNCH
7785	----	----	----/2.937A	3.562B/2.937A	----	3.126 - 0.855	.5694	----	----	----	----	1 UNCH
7790	----	----	----/2.910A	3.531B/2.910A	----	3.099 - 0.853	.5663	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
7800	----	----	4.021B/2.838A	4.021B/2.838A	----	3.045 - 0.850	.5602	----	----	11	----	78 - 11
7805	----	----	----/2.827A	3.554B/2.827A	----	3.019 - 0.847	.5571	----	----	----	----	7 UNCH
7810	----	----	----/2.807A	3.412B/2.807A	----	2.992 - 0.846	.5540	----	----	----	----	1 UNCH
7815	----	----	----/2.783A	3.384B/2.783A	----	2.966 - 0.844	.5509	----	----	----	----	3 UNCH
7825	----	----	----/2.732A	3.326B/2.732A	----	2.913 - 0.841	.5447	----	----	----	----	4 UNCH
7830	----	----	----/2.716A	3.304B/2.716A	----	2.887 - 0.839	.5416	----	----	----	----	1 UNCH
7845	----	----	----/2.634A	3.221B/2.634A	----	2.810 - 0.833	.5324	----	----	----	----	3 UNCH
7850	----	----	----/2.592A	3.318B/2.592A	----	2.785 - 0.831	.5293	----	----	----	----	34 UNCH
7855	----	----	----/2.568A	3.293B/2.568A	----	2.760 - 0.829	.5262	----	----	----	----	8 UNCH
7860	----	----	----/2.545A	3.147B/2.545A	----	2.735 - 0.827	.5231	----	----	----	----	4 UNCH
7865	----	----	----/2.521A	3.123B/2.521A	----	2.710 - 0.825	.5200	----	----	----	----	1 UNCH
7870	----	----	----/2.498A	3.155B/2.498A	----	2.685 - 0.823	.5169	----	----	----	----	1 UNCH
7875	----	----	----/2.474A	3.236B/2.474A	----	2.661 - 0.821	.5138	----	----	----	----	44 UNCH
7880	----	----	----/2.451A	3.106B/2.451A	----	2.637 - 0.818	.5107	----	----	----	----	1 UNCH
7885	----	----	----/2.428A	3.081B/2.428A	----	2.612 - 0.817	.5076	----	----	----	----	1 UNCH
7890	----	----	----/2.404A	3.056B/2.404A	----	2.588 - 0.815	.5045	----	----	----	----	1 UNCH
7895	----	----	----/2.381A	3.037B/2.381A	----	2.564 - 0.813	.5014	----	----	----	----	1 UNCH
7900	3.351	3.351	3.351/2.359A	3.351/2.359A	----	2.541 - 0.810	.4983	----	----	7	----	45 + 1
7905	----	----	----/2.336A	2.985B/2.336A	----	2.517 - 0.808	.4952	----	----	----	----	4 UNCH
7910	----	----	----/2.316A	2.999B/2.316A	----	2.494 - 0.805	.4921	----	----	----	----	1 UNCH
7915	----	----	----/2.291A	3.017B/2.291A	----	2.470 - 0.804	.4890	----	----	----	----	3 UNCH
7925	----	----	----/2.253A	3.169B/2.253A	----	2.424 - 0.799	.4828	----	----	----	----	6 UNCH
7930	----	----	----/2.227A	3.025B/2.227A	----	2.402 - 0.796	.4797	----	----	----	----	2 UNCH
7935	----	----	----/2.205A	3.043B/2.205A	----	2.379 - 0.794	.4767	----	----	----	----	1 UNCH
7940	----	----	----/2.183A	2.983B/2.183A	----	2.356 - 0.793	.4736	----	----	----	----	3 UNCH
7945	----	----	----/2.164A	3.009B/2.164A	----	2.334 - 0.790	.4705	----	----	----	----	2 UNCH
7950	2.165	2.165	3.411B/2.144A	3.411B/2.144A	----	2.312 - 0.787	.4674	----	----	1	----	34 + 1
7955	----	----	----/2.119A	3.024B/2.119A	----	2.290 - 0.785	.4644	----	----	----	----	1 UNCH
7960	----	----	3.356B/2.100A	3.356B/2.100A	----	2.268 - 0.783	.4613	----	----	----	----	15 UNCH
7965	----	----	3.059B/2.079A	3.059B/2.079A	----	2.246 - 0.781	.4582	----	----	----	----	2 UNCH
7970	----	----	3.304B/2.059A	3.304B/2.059A	----	2.225 - 0.778	.4552	----	----	----	----	14 UNCH
7975	2.352	2.352	3.277B/2.039A	3.277B/2.039A	----	2.203 - 0.776	.4521	----	----	1	----	17 UNCH
7980	----	----	3.204B/2.019A	3.204B/2.019A	----	2.182 - 0.773	.4491	----	----	----	----	10 UNCH
7985	----	----	3.236B/1.999A	3.236B/1.999A	----	2.161 - 0.771	.4460	----	----	----	----	2 UNCH
7990	----	----	3.260B/1.978A	3.260B/1.978A	----	2.140 - 0.768	.4430	----	----	----	----	8 UNCH
7995	----	----	3.216B/1.959A	3.216B/1.959A	----	2.120 - 0.765	.4400	----	----	----	----	22 UNCH
8000	3.285	3.285	3.379/1.939A	3.379/1.939A	----	2.099 - 0.763	.4369	----	----	47	----	1224 + 14
8005	2.069	2.069	3.189B/1.920A	3.189B/1.920A	----	2.078 - 0.761	.4339	----	----	2	----	24 - 1
8010	2.563	2.563	3.189B/1.902A	3.189B/1.902A	----	2.058 - 0.758	.4309	----	----	1	----	35 + 1
8015	2.487	2.487	3.133B/1.880A	3.133B/1.880A	----	2.038 - 0.755	.4279	----	----	1	----	25 UNCH
8020	----	----	3.132B/1.863A	3.132B/1.863A	----	2.018 - 0.753	.4249	----	----	----	----	14 UNCH
8025	2.414	2.414	3.140B/1.854A	3.140B/1.854A	----	1.998 - 0.750	.4219	----	----	2	----	34 + 2
8030	----	----	3.209B/1.826A	3.209B/1.826A	----	1.979 - 0.747	.4189	----	----	----	----	25 UNCH
8035	----	----	3.162B/1.816A	3.162B/1.816A	----	1.959 - 0.745	.4159	----	----	----	----	2 UNCH
8040	----	----	3.107B/1.799A	3.107B/1.799A	----	1.940 - 0.742	.4129	----	----	----	----	3 UNCH
8045	2.175	2.175	3.094B/1.781A	3.094B/1.781A	----	1.920 - 0.740	.4099	----	----	2	----	3 + 1
8050	2.780	2.780	3.072B/1.760A	3.072B/1.760A	----	1.901 - 0.737	.4070	----	----	3	----	16 + 1
8055	2.343	2.343	3.037B/1.739A	3.037B/1.739A	----	1.882 - 0.735	.4040	----	----	10	----	3 + 2
8060	----	----	3.008B/1.723A	3.008B/1.723A	----	1.864 - 0.731	.4011	----	----	----	----	1 UNCH
8065	----	----	2.987B/1.706A	2.987B/1.706A	----	1.845 - 0.729	.3981	----	----	----	----	5 UNCH
8070	----	----	2.965B/1.687A	2.965B/1.687A	----	1.827 - 0.726	.3952	----	----	----	----	2 UNCH
8075	2.693	2.693	2.946B/1.671A	2.946B/1.671A	----	1.808 - 0.723	.3923	----	----	1	----	8 + 1
8080	----	----	2.914B/1.662A	2.914B/1.662A	----	1.790 - 0.721	.3894	----	----	----	----	2 UNCH
8085	----	----	2.892B/1.638A	2.892B/1.638A	----	1.772 - 0.718	.3865	----	----	----	----	1 UNCH
8090	----	----	2.871B/1.628A	2.871B/1.628A	----	1.754 - 0.715	.3836	----	----	----	----	21 UNCH
8095	----	----	2.850B/1.612A	2.850B/1.612A	----	1.737 - 0.712	.3807	----	----	----	----	13 UNCH
8100	2.805	2.805	2.819B/1.586A	2.819B/1.586A	----	1.719 - 0.709	.3778	----	----	66	----	287 + 36
8105	----	----	2.801B/1.584A	2.801B/1.584A	----	1.702 - 0.706	.3750	----	----	----	----	2 UNCH
8110	----	----	2.778B/1.559A	2.778B/1.559A	----	1.684 - 0.704	.3721	----	----	1	----	3 - 1
8115	2.507	2.507	2.756B/1.553A	2.756B/1.553A	----	1.667 - 0.701	.3692	----	----	4	----	4 + 1
8125	----	----	2.704B/1.516A	2.704B/1.516A	----	1.633 - 0.695	.3636	----	----	----	----	3 UNCH
8150	2.400	2.400	2.651/1.399A	2.651/1.399A	----	1.551 - 0.681	.3496	----	----	17	----	15 UNCH
8175	----	----	2.483B/1.367A	2.483B/1.367A	----	1.473 - 0.665	.3359	----	----	----	----	12 UNCH
8195	1.447	1.447	2.402B/1.313A	2.402B/1.313A	----	1.413 - 0.653	.3252	----	----	1	----	1 - 1
8200	2.302	2.302	2.381B/1.290A	2.381B/1.290A	----	1.398 - 0.650	.3225	----	----	68	----	167 + 10
8205	1.419	1.419	2.354B/1.288A	2.354B/1.288A	----	1.384 - 0.647	.3199	----	----	1	----	1 UNCH
8210	----	----	2.339B/1.276A	2.339B/1.276A	----	1.369 - 0.644	.3173	----	----	----	----	4 UNCH
8215	----	----	2.322B/1.267A	2.322B/1.267A	----	1.355 - 0.641	.3147	----	----	----	----	1 UNCH
8220	1.364	1.364	2.294B/1.254A	2.294B/1.254A	----	1.341 NEW	.3121	----	----	1	----	1 + 1
8225	1.800	1.800	2.278B/1.230A	2.278B/1.230A	----	1.327 - 0.635	.3095	----	----	4	----	3 + 2
8235	----	----	2.234B/1.210A	2.234B/1.210A	----	1.299 - 0.629	.3043	----	----	----	----	1 UNCH
8240	----	----	2.213B/1.197A	2.213B/1.197A	----	1.286 - 0.625	.3018	----	----	----	----	2 UNCH
8250	2.220	2.220	2.220/1.162A	2.220/1.162A	----	1.259 - 0.619	.2968	----	----	4	----	150 + 2
8255	----	----	2.152B/1.163A	2.152B/1.163A	----	1.245 - 0.617	.2942	----	----	----	----	3 UNCH
8260	1.261	1.261	2.141B/1.142A	2.141B/1.142A	----	1.232 NEW	.2917	----	----	1	----	1 + 1
8265	----	----	2.125B/1.139A	2.125B/1.139A	----	1.219 - 0.610	.2892	----	----	----	----	2 UNCH
8270	----	----	2.103B/1.125A	2.103B/1.125A	----	1.207 - 0.606	.2869	----	----	----	----	3 UNCH
8275	----	----	2.082B/1.115A	2.082B/1.115A	----	1.194 - 0.603	.2844	----	----	----	----	6 UNCH
8280	----	----	2.058B/1.108A	2.058B/1.108A	----	1.181 - 0.601	.2819	----	----	----	----	2 UNCH
8285	----	----	2.049B/1.085A	2.049B/1.085A	----	1.169 - 0.597	.2795	----	----	----	----	1 UNCH
8290	----	----	2.038B/1.081A	2.038B/1.081A	----	1.157 - 0.594	.2772	----	----	----	----	17 UNCH
8300	1.924	1.924	1.992B/1.047A	1.992B/1.047A	----	1.132 - 0.588	.2723	----	----	28	----	112 + 8
8310	----	----	1.955B/1.037A	1.955B/1.037A	----	1.109 - 0.581	.2677	----	----	----	----	4 UNCH
8325	----	----	1.897B/1.005A	1.897B/1.005A	----	1.074 - 0.572	.2607	----	----	----	----	5 UNCH
8335	1.197	1.197	1.867B/0.979A	1.867B/0.979A	----	1.051 NEW	.2561	----	----	2	----	2 + 2
8340	----	----	1.856B/0.965A	1.856B/0.965A	----	1.040 - 0.562	.2539	----	----	----	----	32 UNCH
8345	----	----	1.840B/0.966A	1.840B/0.966A	----	1.029 - 0.559	.2516	----	----	----	----	16 UNCH
8350	----	----	1.819B/0.948A	1.819B/0.948A	----	1.018 - 0.556	.2494	----	----	----	----	22 UNCH
8360	----	----	1.788B/0.938A	1.788B/0.938A	----	0.997 - 0.549	.2450	----	----	----	----	9 UNCH
8365	----	----	1.769B/0.923A	1.769B/0.923A	----	0.986 - 0.547	.2428	----	----	----	----	1 UNCH
8370	1.113	1.113	1.745B/0.915A	1.745B/0.915A	----	0.976 - 0.543	.2407	----	----	2	----	5 UNCH
8375	----	----	1.743B/0.906A	1.743B/0.906A	----	0.966 - 0.540	.2386	----	----	----	----	7 UNCH
8400	1.528	1.528	1.653B/0.853A	1.653B/0.853A	----	0.916 - 0.524	.2280	----	----	141	----	177 + 119
8410	1.026	1.026	1.631B/0.844A	1.631B/0.844A	----	0.897 NEW	.2240	----	----	1	----	1 + 1
8415	----	----	1.622B/0.835A	1.622B/0.835A	----	0.887 - 0.515	.2219	----	----	----	----	2 UNCH
8420	----	----	1.605B/0.827A	1.605B/0.827A	----	0.878 - 0.511	.2199	----	----	----	----	5 UNCH
8425	----	----	1.592B/0.818A	1.592B/0.818A	----	0.869 - 0.508	.2179	----	----	----	----	6 UNCH
8430	----	----	1.581B/0.809A	1.581B/0.809A	----	0.860 - 0.505	.2160	----	----	----	----	2 UNCH
8435	----	----	1.564B/0.801A	1.564B/0.801A	----	0.851 - 0.501	.2140	----	----	----	----	2 UNCH
8440	----	----	1.553B/0.793A	1.553B/0.793A	----	0.842 - 0.498	.2121	----	----	----	----	1 UNCH
8450	----	----	1.524B/0.770A	1.524B/0.770A	----	0.824 - 0.493	.2082	----	----	----	----	158 UNCH
8460	----	----	1.494B/0.760A	1.494B/0.760A	----	0.807 - 0.486	.2044	----	----	----	----	1 UNCH
8475	----	----	1.459B/0.736A	1.459B/0.736A	----	0.782 - 0.477	.1988	----	----	----	----	1 UNCH
8480	----	----	1.441B/0.728A	1.441B/0.728A	----	0.774 - 0.474	.1970	----	----	----	----	1 UNCH
8485	----	----	1.428B/0.724A	1.428B/0.724A	----	0.766 - 0.471	.1952	----	----	----	----	1 UNCH
8490	----	----	1.419B/0.714A	1.419B/0.714A	----	0.758 - 0.468	.1934	----	----	----	----	2 UNCH
8500	1.360	1.360	1.400/0.698A	1.400/0.698A	----	0.743 - 0.461	.1900	----	----	75	100	1063 - 3
8505	----	----	1.376B/0.696A	1.376B/0.696A	----	0.735 - 0.458	.1882	----	----	----	----	4 UNCH
8510	----	----	1.367B/0.686A	1.367B/0.686A	----	0.728 - 0.455	.1865	----	----	----	----	2 UNCH
8515	----	----	1.355B/0.683A	1.355B/0.683A	----	0.720 - 0.452	.1848	----	----	----	----	1 UNCH
8520	----	----	1.341B/0.676A	1.341B/0.676A	----	0.713 - 0.449	.1831	----	----	----	----	0 UNCH
8525	----	----	1.328B/0.667A	1.328B/0.667A	----	0.705 - 0.446	.1813	----	----	----	----	23 UNCH
8530	----	----	1.318B/0.660A	1.318B/0.660A	----	0.698 - 0.443	.1797	----	----	----	----	1 UNCH
8535	0.655	0.655	1.306B/0.654A	1.306B/0.654A	----	0.691 - 0.440	.1781	----	----	1	----	2 + 1
8540	----	----	1.293B/0.647A	1.293B/0.647A	----	0.684 - 0.437	.1764	----	----	----	----	6 UNCH
8545	----	----	1.282B/0.641A	1.282B/0.641A	----	0.677 - 0.434	.1748	----	----	----	----	4 UNCH
8550	----	----	1.270B/0.636A	1.270B/0.636A	----	0.670 - 0.431	.1732	----	----	1	----	10 UNCH
8565	----	----	1.243B/0.616A	1.243B/0.616A	----	0.650 - 0.422	.1685	----	----	----	----	10 UNCH
8570	----	----	1.235B/0.610A	1.235B/0.610A	----	0.644 - 0.419	.1670	----	----	----	----	4 UNCH
8575	----	----	1.215B/0.606A	1.215B/0.606A	----	0.637 - 0.416	.1654	----	----	----	----	34 UNCH
8590	----	----	1.186B/0.587A	1.186B/0.587A	----	0.619 - 0.407	.1610	----	----	----	----	1 UNCH
8595	----	----	1.178B/0.581A	1.178B/0.581A	----	0.612 - 0.405	.1594	----	----	----	----	4 UNCH
8600	1.071	1.071	1.163B/0.573A	1.163B/0.573A	----	0.606 - 0.402	.1580	----	----	42	----	265 + 12
8605	----	----	1.154B/0.570A	1.154B/0.570A	----	0.600 - 0.399	.1565	----	----	----	----	9 UNCH
8615	----	----	1.133B/0.560A	1.133B/0.560A	----	0.589 - 0.392	.1538	----	----	----	----	1 UNCH
8620	----	----	1.124B/0.554A	1.124B/0.554A	----	0.583 - 0.390	.1524	----	----	----	----	5 UNCH
8625	----	----	1.118B/0.548A	1.118B/0.548A	----	0.577 - 0.387	.1509	----	----	----	----	2 UNCH
8630	----	----	1.109B/0.544A	1.109B/0.544A	----	0.572 - 0.384	.1497	----	----	----	----	2 UNCH
8635	----	----	1.100B/0.539A	1.100B/0.539A	----	0.566 - 0.381	.1482	----	----	----	----	1 UNCH
8640	----	----	1.090B/0.534A	1.090B/0.534A	----	0.561 - 0.378	.1470	----	----	----	----	1 UNCH
8650	----	----	1.063B/0.525A	1.063B/0.525A	----	0.550 - 0.373	.1443	----	----	----	----	9 UNCH
8660	----	----	1.045B/0.515A	1.045B/0.515A	----	0.540 - 0.367	.1418	----	----	----	----	2 UNCH
8670	----	----	1.029B/0.505A	1.029B/0.505A	----	0.530 - 0.361	.1393	----	----	----	----	1 UNCH
8675	----	----	1.020B/0.500A	1.020B/0.500A	----	0.525 - 0.359	.1380	----	----	----	----	1 UNCH
8695	----	----	0.985B/0.482A	0.985B/0.482A	----	0.505 - 0.349	.1331	----	----	----	----	2 UNCH
8700	0.645	0.645	0.976B/0.475A	0.976B/0.475A	----	0.501 - 0.345	.1320	----	----	4	----	93 + 1
8705	----	----	0.966B/0.473A	0.966B/0.473A	----	0.496 - 0.343	.1308	----	----	----	----	20 UNCH
8725	----	----	0.935B/0.455A	0.935B/0.455A	----	0.478 - 0.333	.1262	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
8750	----	----	0.898B/0.436A	0.898B/0.436A	----	0.457 - 0.320	.1208	----	----	1	----	72 - 1
8775	----	----	0.861B/0.419A	0.861B/0.419A	----	0.438 - 0.307	.1158	----	----	----	----	17 UNCH
8800	0.477	0.477	0.819B/0.399A	0.819B/0.399A	----	0.419 - 0.296	.1108	----	----	80	----	652 + 10
8850	----	----	0.752B/0.368A	0.752B/0.368A	----	0.386 - 0.272	.1020	----	----	1	----	4 + 1
8875	----	----	0.722B/0.353A	0.722B/0.353A	----	0.371 - 0.261	.0979	----	----	----	----	3 UNCH
8900	----	----	0.694B/0.339A	0.694B/0.339A	----	0.356 - 0.252	.0939	----	----	7	----	95 UNCH
8925	----	----	0.663B/0.324A	0.663B/0.324A	----	0.343 - 0.241	.0903	----	----	----	----	4 UNCH
8950	0.320	0.320	0.634B/0.311A	0.634B/0.311A	----	0.330 - 0.232	.0868	----	----	4	----	77 UNCH
8975	----	----	0.610B/0.301A	0.610B/0.301A	----	0.318 - 0.222	.0835	----	----	----	----	23 UNCH
9000	0.276	0.276	0.588B/0.276	0.588B/0.276	----	0.306 - 0.214	.0802	----	----	18	100	1193 - 58
9025	----	----	0.561B/0.277A	0.561B/0.277A	----	0.295 - 0.206	.0772	----	----	----	----	23 UNCH
9050	----	----	0.539B/0.266A	0.539B/0.266A	----	0.285 - 0.198	.0744	----	----	----	----	17 UNCH
9075	----	----	0.518B/0.256A	0.518B/0.256A	----	0.275 - 0.190	.0716	----	----	----	----	6 UNCH
9100	----	----	0.503B/0.253A	0.503B/0.253A	----	0.265 - 0.184	.0689	----	----	----	----	79 UNCH
9125	----	----	0.482B/0.245A	0.482B/0.245A	----	0.256 - 0.177	.0664	----	----	----	----	5 UNCH
9150	0.269	0.269	0.464B/0.234A	0.464B/0.234A	----	0.247 - 0.171	.0639	----	----	1	----	29 + 1
9175	----	----	0.448B/0.227A	0.448B/0.227A	----	0.239 - 0.164	.0617	----	----	----	----	8 UNCH
9200	0.260	0.260	0.430B/0.219A	0.430B/0.219A	----	0.231 - 0.158	.0595	----	----	2	----	171 - 1
9225	----	----	0.413B/*0.214A	0.413B/*0.214A	----	0.223 - 0.153	.0573	----	----	----	----	17 UNCH
9250	----	----	0.398B/*0.207A	0.398B/*0.207A	----	0.215 - 0.149	.0551	----	----	----	----	37 UNCH
9275	----	----	0.383B/*0.200A	0.383B/*0.200A	----	0.208 - 0.144	.0532	----	----	----	----	29 UNCH
9300	----	----	0.369B/0.194A	0.369B/0.194A	----	0.201 - 0.139	.0513	----	----	----	----	189 UNCH
9325	----	----	0.354B/*0.188A	0.354B/*0.188A	----	0.195 - 0.134	.0496	----	----	----	----	6 UNCH
9350	----	----	0.342B/*0.186A	0.342B/*0.186A	----	0.189 - 0.130	.0479	----	----	----	----	37 UNCH
9375	----	----	0.330B/*0.182A	0.330B/*0.182A	----	0.183 - 0.126	.0463	----	----	----	----	14 UNCH
9400	----	----	0.319B/0.190A	0.319B/0.190A	----	0.177 - 0.122	.0446	----	----	1	----	50 UNCH
9425	----	----	0.308B/*0.184A	0.308B/*0.184A	----	0.171 - 0.118	.0430	----	----	----	----	8 UNCH
9450	----	----	0.296B/*0.183A	0.296B/*0.183A	----	0.166 - 0.114	.0416	----	----	1	----	21 + 1
9475	0.200	0.200	0.287B/*0.155	0.287B/*0.155	----	0.161 - 0.111	.0403	----	----	10	----	18 + 6
9500	0.250	0.250	0.280B/0.150	0.280B/0.150	----	0.156 - 0.107	.0389	----	----	4	----	793 - 3
9525	----	----	0.267B/*0.175A	0.267B/*0.175A	----	0.152 - 0.103	.0378	----	----	----	----	21 UNCH
9550	----	----	0.256B/*0.170A	0.256B/*0.170A	----	0.147 - 0.101	.0364	----	----	----	----	30 UNCH
9575	----	----	0.247B/*0.167A	0.247B/*0.167A	----	0.143 - 0.097	.0353	----	----	----	----	4 UNCH
9600	----	----	0.240B/*0.161A	0.240B/*0.161A	----	0.139 - 0.094	.0342	----	----	----	----	135 UNCH
9625	----	----	0.233B/*0.159A	0.233B/*0.159A	----	0.135 - 0.092	.0331	----	----	----	----	6 UNCH
9650	----	----	0.222B/*0.155A	0.222B/*0.155A	----	0.131 - 0.090	.0321	----	----	----	----	15 UNCH
9675	----	----	----/*0.152A	0.215B/*0.152A	----	0.128 - 0.087	.0312	----	----	----	----	13 UNCH
9700	----	----	----/*0.147A	0.167B/*0.147A	----	0.124 - 0.085	.0301	----	----	----	----	16 UNCH
9725	----	----	----/*0.146A	0.149B/*0.146A	----	0.121 - 0.083	.0293	----	----	----	----	9 UNCH
9750	----	----	----/*0.143A	0.142B/*0.143A	----	0.118 - 0.081	.0285	----	----	----	----	73 UNCH
9775	----	----	----/*0.140A	0.128B/*0.140A	----	0.115 - 0.080	.0276	----	----	----	----	2 UNCH
9800	----	----	----/*0.136A	0.116B/*0.136A	----	0.112 - 0.079	.0268	----	----	1	----	99 - 1
9825	----	----	----/*0.140A	0.108B/*0.140A	----	0.110 - 0.077	.0262	----	----	----	----	5 UNCH
9850	----	----	----/*0.131A	0.103B/*0.131A	----	0.107 - 0.076	.0254	----	----	----	----	20 UNCH
9875	----	----	----/*0.124A	0.100B/*0.124A	----	0.105 - 0.075	.0248	----	----	----	----	11 UNCH
9900	----	----	----/*0.126A	0.106B/*0.126A	----	0.102 - 0.075	.0241	----	----	1	----	244 UNCH
9925	----	----	----/*0.121A	0.094B/*0.121A	----	0.100 - 0.073	.0235	----	----	----	----	2 UNCH
9950	----	----	----/*0.120A	0.092B/*0.120A	----	0.098 - 0.073	.0229	----	----	----	----	21 UNCH
9975	----	----	----/*0.123A	0.089B/*0.123A	----	0.096 - 0.072	.0224	----	----	----	----	2 UNCH
10000	----	----	----/0.115A	0.093B/0.115A	----	0.094 - 0.071	.0218	----	----	1	100	1058 UNCH
10025	----	----	----/*0.113A	0.084B/*0.113A	----	0.092 - 0.070	.0213	----	----	----	----	2 UNCH
10050	0.101	0.101	0.101/*0.101	0.101/*0.101	----	0.090 - 0.070	.0207	----	----	1	----	23 + 1
10075	----	----	----/*0.106A	0.087B/*0.106A	----	0.088 - 0.069	.0202	----	----	----	----	4 UNCH
10100	0.075	0.075	0.075/*0.075	0.092B/*0.075	----	0.087 - 0.067	.0198	----	----	5	----	64 - 4
10125	----	----	----/*0.106A	0.075B/*0.106A	----	0.085 - 0.067	.0193	----	----	----	----	1 UNCH
10175	----	----	----/*0.102A	0.061B/*0.102A	----	0.082 - 0.065	.0185	----	----	----	----	1 UNCH
10200	----	----	----/*0.094A	0.059B/*0.094A	----	0.080 - 0.064	.0180	----	----	----	----	29 UNCH
10225	----	----	----/*0.098A	0.057B/*0.098A	----	0.079 - 0.063	.0177	----	----	----	----	1 UNCH
10250	----	----	----/*0.099A	0.055B/*0.099A	----	0.077 - 0.062	.0172	----	----	----	----	5 UNCH
10275	----	----	----/*0.097A	0.055B/*0.097A	----	0.076 - 0.061	.0169	----	----	----	----	4 UNCH
10300	0.110	0.110	0.110/*0.097A	0.110/*0.097A	----	0.074 - 0.060	.0164	----	----	1	----	204 UNCH
10305	----	----	----/*0.097A	0.053B/*0.097A	----	0.074 - 0.060	.0163	----	----	----	----	2 UNCH
10325	----	----	----/*0.104A	0.050B/*0.104A	----	0.073 - 0.059	.0161	----	----	----	----	1 UNCH
10350	----	----	----/*0.104A	0.049B/*0.104A	----	0.071 - 0.058	.0156	----	----	----	----	2 UNCH
10375	----	----	----/*0.102A	0.051B/*0.102A	----	0.070 - 0.057	.0153	----	----	----	----	1 UNCH
10400	----	----	----/*0.099A	0.050B/*0.099A	----	0.068 - 0.056	.0148	----	----	----	----	29 UNCH
10425	----	----	----/*0.091A	0.048B/*0.091A	----	0.067 - 0.055	.0146	----	----	----	----	19 UNCH
10450	----	----	----/*0.090A	0.043B/*0.090A	----	0.066 - 0.053	.0143	----	----	----	----	4 UNCH
10480	----	----	----/*0.087A	0.043B/*0.087A	----	0.064 - 0.052	.0138	----	----	----	----	2 UNCH
10485	----	----	----/*0.082A	0.049B/*0.082A	----	0.064 - 0.052	.0138	----	----	----	----	2 UNCH
10490	----	----	----/*0.082A	0.049B/*0.082A	----	0.063 - 0.052	.0136	----	----	----	----	1 UNCH
10500	0.065	0.065	0.065/0.065	0.065/0.065	----	0.063 - 0.052	.0136	----	----	34	----	284 - 32
10515	----	----	----/*0.092A	0.042B/*0.092A	----	0.062 - 0.051	.0133	----	----	----	----	7 UNCH
10520	----	----	----/*0.083A	0.042B/*0.083A	----	0.062 - 0.051	.0133	----	----	----	----	2 UNCH
10550	----	----	----/*0.081A	0.038B/*0.081A	----	0.060 - 0.050	.0128	----	----	----	----	2 UNCH
10555	----	----	----/*0.084A	0.039B/*0.084A	----	0.060 - 0.049	.0128	----	----	----	----	1 UNCH
10560	0.080	0.080	0.080/*0.060	0.080/*0.060	----	0.059 - 0.050	.0126	----	----	2	----	26 + 2
10570	----	----	----/*0.082A	0.043B/*0.082A	----	0.059 - 0.049	.0126	----	----	----	----	1 UNCH
10575	----	----	----/*0.080A	0.037B/*0.080A	----	0.059 - 0.049	.0126	----	----	----	----	1 UNCH
10580	----	----	----/*0.082A	0.036B/*0.082A	----	0.058 - 0.049	.0124	----	----	----	----	1 UNCH
10595	----	----	----/*0.081A	0.035B/*0.081A	----	0.057 - 0.049	.0122	----	----	----	----	2 UNCH
10600	----	----	----/*0.081A	0.036B/*0.081A	----	0.057 - 0.048	.0121	----	----	----	----	23 UNCH
10605	----	----	----/*0.083A	0.039B/*0.083A	----	0.057 - 0.048	.0121	----	----	----	----	5 UNCH
10610	----	----	----/*0.082A	0.040B/*0.082A	----	0.057 - 0.047	.0121	----	----	----	----	1 UNCH
10615	----	----	----/*0.081A	0.039B/*0.081A	----	0.056 - 0.048	.0119	----	----	----	----	1 UNCH
10625	----	----	----/*0.076A	0.040B/*0.076A	----	0.056 - 0.047	.0119	----	----	----	----	1 UNCH
10630	----	----	----/*0.075A	0.040B/*0.075A	----	0.056 - 0.047	.0119	----	----	----	----	1 UNCH
10650	----	----	----/*0.074A	0.033B/*0.074A	----	0.055 - 0.046	.0116	----	----	----	----	1 UNCH
10655	----	----	----/*0.072A	0.035B/*0.072A	----	0.054 - 0.046	.0114	----	----	----	----	1 UNCH
10670	----	----	----/*0.069A	0.034B/*0.069A	----	0.053 - 0.046	.0112	----	----	----	----	1 UNCH
10675	----	----	----/*0.075A	0.036B/*0.075A	----	0.053 - 0.046	.0112	----	----	----	----	3 UNCH
10680	----	----	----/*0.076A	0.032B/*0.076A	----	0.053 - 0.045	.0112	----	----	----	----	7 UNCH
10685	----	----	----/*0.072A	0.037B/*0.072A	----	0.053 - 0.045	.0112	----	----	----	----	1 UNCH
10690	----	----	----/*0.076A	0.037B/*0.076A	----	0.052 - 0.045	.0110	----	----	----	----	1 UNCH
10700	----	----	----/*0.070A	0.035B/*0.070A	----	0.052 - 0.044	.0110	----	----	33	----	93 - 26
10720	----	----	----/*0.075A	0.036B/*0.075A	----	0.051 - 0.044	.0107	----	----	----	----	1 UNCH
10725	----	----	----/*0.068A	0.034B/*0.068A	----	0.051 - 0.043	.0107	----	----	----	----	3 UNCH
10750	----	----	----/*0.067A	0.042B/*0.067A	----	0.049 - 0.043	.0103	----	----	----	----	1 UNCH
10755	----	----	----/*0.068A	0.042B/*0.068A	----	0.049 - 0.043	.0103	----	----	----	----	1 UNCH
10760	----	----	----/*0.067A	0.042B/*0.067A	----	0.049 - 0.042	.0103	----	----	----	----	10 UNCH
10765	----	----	----/*0.066A	0.038B/*0.066A	----	0.049 - 0.042	.0102	----	----	----	----	10 UNCH
10770	----	----	----/*0.067A	0.042B/*0.067A	----	0.048 - 0.042	.0101	----	----	----	----	1 UNCH
10800	----	----	----/*0.066A	0.032B/*0.066A	----	0.047 - 0.041	.0098	----	----	----	----	21 UNCH
10825	----	----	----/*0.065A	0.030B/*0.065A	----	0.046 - 0.040	.0096	----	----	----	----	1 UNCH
10835	----	----	----/*0.065A	0.030B/*0.065A	----	0.045 - 0.040	.0094	----	----	----	----	1 UNCH
10850	----	----	----/*0.065A	0.030B/*0.065A	----	0.045 - 0.039	.0093	----	----	----	----	12 UNCH
10855	----	----	----/*0.064A	0.030B/*0.064A	----	0.044 - 0.040	.0091	----	----	----	----	3 UNCH
10875	----	----	----/*0.064A	0.031B/*0.064A	----	0.043 - 0.039	.0089	----	----	----	----	2 UNCH
10900	----	----	----/*0.062A	0.032B/*0.062A	----	0.042 - 0.038	.0087	----	----	----	----	40 UNCH
10925	----	----	----/*0.061A	0.023B/*0.061A	----	0.041 - 0.037	.0085	----	----	----	----	5 UNCH
10950	----	----	----/*0.063A	0.032B/*0.063A	----	0.040 - 0.036	.0082	----	----	----	----	2 UNCH
10975	----	----	----/*0.061A	0.030B/*0.061A	----	0.039 - 0.035	.0080	----	----	----	----	9 UNCH
11000	0.045	0.045	0.045/0.040	0.045/0.040	----	0.038 - 0.035	.0078	----	----	7	----	696 + 7
11025	----	----	----/*0.061A	0.031B/*0.061A	----	0.037 - 0.034	.0076	----	----	----	----	5 UNCH
11050	----	----	----/*0.060A	0.032B/*0.060A	----	0.036 - 0.033	.0074	----	----	----	----	2 UNCH
11075	----	----	----/*0.060A	0.032B/*0.060A	----	0.035 - 0.032	.0071	----	----	----	----	1 UNCH
11100	----	----	----/*0.060A	0.031B/*0.060A	----	0.034 - 0.032	.0069	----	----	----	----	59 UNCH
11125	----	----	----/*0.061A	0.032B/*0.061A	----	0.033 - 0.031	.0067	----	----	----	----	3 UNCH
11150	----	----	----/*0.060A	0.028B/*0.060A	----	0.032 - 0.030	.0065	----	----	----	----	2 UNCH
11200	----	----	----	0.026B/*0.060A	----	0.030 - 0.029	.0061	----	----	----	----	262 UNCH
11225	----	----	----	0.027B/*0.065A	----	0.029 - 0.029	.0059	----	----	----	----	40 UNCH
11240	----	----	----	0.026B/*0.065A	----	0.029 - 0.028	.0058	----	----	----	----	2 UNCH
11245	----	----	----	0.026B/*0.067A	----	0.029 - 0.028	.0058	----	----	----	----	2 UNCH
11250	----	----	----	0.026B/*0.065A	----	0.029 - 0.027	.0058	----	----	----	----	22 UNCH
11255	----	----	----	0.026B/*0.068A	----	0.028 - 0.028	.0056	----	----	----	----	1 UNCH
11260	----	----	----	0.025B/*0.068A	----	0.028 - 0.028	.0056	----	----	----	----	1 UNCH
11265	----	----	----	0.026B/*0.064A	----	0.028 - 0.027	.0056	----	----	----	----	1 UNCH
11275	----	----	----	0.025B/*0.065A	----	0.028 - 0.027	.0056	----	----	----	----	1 UNCH
11290	----	----	----	0.025B/*0.066A	----	0.027 - 0.027	.0054	----	----	----	----	1 UNCH
11300	----	----	----	0.025B/*0.068A	----	0.027 - 0.026	.0054	----	----	----	----	93 UNCH
11305	----	----	----	0.024B/*0.066A	----	0.027 - 0.026	.0054	----	----	----	----	1 UNCH
11315	----	----	----	0.024B/*0.065A	----	0.027 - 0.025	.0054	----	----	----	----	1 UNCH
11325	----	----	----	0.024B/*0.068A	----	0.026 - 0.026	.0052	----	----	----	----	8 UNCH
11335	----	----	----	0.023B/*0.068A	----	0.026 - 0.025	.0052	----	----	----	----	2 UNCH
11345	----	----	----	0.023B/*0.066A	----	0.026 - 0.025	.0052	----	----	----	----	1 UNCH
11350	----	----	----	0.023B/*0.066A	----	0.025 - 0.026	.0050	----	----	----	----	4 UNCH
11365	----	----	----	0.022B/*0.067A	----	0.025 - 0.025	.0050	----	----	----	----	1 UNCH
11370	----	----	----	0.022B/*0.068A	----	0.025 - 0.024	.0050	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
11380	----	----	----	0.020B/*0.067A	----	0.025 - 0.024	.0050	----	----	----	----	3 UNCH
11385	----	----	----	0.018B/*0.067A	----	0.024 - 0.025	.0048	----	----	----	----	1 UNCH
11400	----	----	----	0.020B/*0.067A	----	0.024 - 0.024	.0048	----	----	----	----	10 UNCH
11450	----	----	----	0.017B/*0.079A	----	0.023 - 0.022	.0046	----	----	----	----	41 UNCH
11455	----	----	----	0.005B/0.085A	----	0.022 - 0.023	.0044	----	----	----	----	1 UNCH
11465	----	----	----	0.005B/0.084A	----	0.022 - 0.023	.0044	----	----	----	----	1 UNCH
11475	----	----	----	0.005B/0.084A	----	0.022 - 0.022	.0044	----	----	----	----	1 UNCH
11480	----	----	----	0.005B/0.084A	----	0.022 - 0.022	.0044	----	----	----	----	1 UNCH
11485	----	----	----	0.005B/0.083A	----	0.022 - 0.022	.0044	----	----	----	----	2 UNCH
11500	----	----	----	0.005B/0.075A	----	0.021 - 0.022	.0042	----	----	34	----	238 UNCH
11505	----	----	----	0.001B/*0.082A	----	0.021 - 0.022	.0042	----	----	----	----	2 UNCH
11515	----	----	----	0.001B/*0.081A	----	0.021 - 0.021	.0041	----	----	----	----	2 UNCH
11525	----	----	----	0.001B/*0.080A	----	0.021 - 0.021	.0041	----	----	----	----	7 UNCH
11530	----	----	----	0.001B/*0.080A	----	0.021 - 0.021	.0041	----	----	----	----	10 UNCH
11540	----	----	----	0.001B/*0.080A	----	0.020 - 0.021	.0040	----	----	----	----	10 UNCH
11550	----	----	----	0.005B/*0.079A	----	0.020 - 0.021	.0039	----	----	----	----	22 UNCH
11570	----	----	----	0.001B/*0.078A	----	0.020 - 0.020	.0039	----	----	----	----	1 UNCH
11575	----	----	----	0.001B/*0.077A	----	0.019 - 0.021	.0037	----	----	----	----	1 UNCH
11595	----	----	----	0.001B/*0.076A	----	0.019 - 0.020	.0037	----	----	----	----	1 UNCH
11600	----	----	----	0.001B/*0.076A	----	0.019 - 0.020	.0037	----	----	----	----	43 UNCH
11615	----	----	----	0.001B/*0.075A	----	0.019 - 0.019	.0037	----	----	----	----	1 UNCH
11625	----	----	----	0.001B/*0.074A	----	0.018 - 0.019	.0035	----	----	----	----	2 UNCH
11630	----	----	----	0.001B/*0.074A	----	0.018 - 0.019	.0035	----	----	----	----	1 UNCH
11640	----	----	----	0.001B/*0.074A	----	0.018 - 0.019	.0035	----	----	----	----	1 UNCH
11650	----	----	----	0.001B/*0.073A	----	0.018 - 0.018	.0035	----	----	----	----	2 UNCH
11665	----	----	----	0.001B/*0.072A	----	0.017 - 0.019	.0033	----	----	----	----	1 UNCH
11685	----	----	----	0.001B/*0.071A	----	0.017 - 0.018	.0033	----	----	----	----	1 UNCH
11690	----	----	----	0.001B/*0.071A	----	0.017 - 0.018	.0033	----	----	----	----	1 UNCH
11700	----	----	----	0.001B/0.070A	----	0.017 - 0.017	.0033	----	----	----	----	85 UNCH
11705	----	----	----	0.001B/*0.070A	----	0.017 - 0.017	.0033	----	----	----	----	1 UNCH
11725	----	----	----	0.001B/*0.069A	----	0.016 - 0.018	.0031	----	----	----	----	6 UNCH
11730	----	----	----	0.001B/*0.069A	----	0.016 - 0.017	.0031	----	----	----	----	1 UNCH
11750	----	----	----	0.001B/*0.068A	----	0.016 - 0.017	.0031	----	----	----	----	5 UNCH
11775	----	----	----	0.001B/*0.066A	----	0.015 - 0.017	.0029	----	----	----	----	2 UNCH
11800	----	----	----	0.001B/0.065A	----	0.015 - 0.016	.0029	----	----	34	----	61 UNCH
11825	----	----	----	0.001B/*0.064A	----	0.014 - 0.016	.0027	----	----	----	----	2 UNCH
11850	----	----	----	0.001B/*0.063A	----	0.014 - 0.015	.0027	----	----	----	----	3 UNCH
11900	----	----	----	0.001B/*0.061A	----	0.013 - 0.015	.0025	----	----	----	----	86 UNCH
11925	----	----	----	0.001B/*0.060A	----	0.013 - 0.014	.0025	----	----	----	----	2 UNCH
11950	----	----	----	0.001B/*0.059A	----	0.012 - 0.014	.0023	----	----	----	----	5 UNCH
11975	----	----	----	0.001B/*0.058A	----	0.012 - 0.013	.0023	----	----	----	----	4 UNCH
12000	----	----	----	0.003B/0.030A	----	0.012 - 0.013	.0023	----	----	----	----	844 UNCH
12025	----	----	----	0.001B/*0.056A	----	0.011 - 0.014	.0021	----	----	----	----	1 UNCH
12050	----	----	----	0.001B/*0.056A	----	0.011 - 0.013	.0021	----	----	----	----	1 UNCH
12075	----	----	----	0.001B/*0.055A	----	0.011 - 0.013	.0021	----	----	----	----	1 UNCH
12100	----	----	----	0.001B/*0.054A	----	0.011 - 0.013	.0021	----	----	----	----	17 UNCH
12125	----	----	----	0.001B/*0.053A	----	0.011 - 0.012	.0021	----	----	----	----	1 UNCH
12150	----	----	----	0.001B/*0.053A	----	0.011 - 0.012	.0021	----	----	----	----	13 UNCH
12175	----	----	----	0.001B/*0.052A	----	0.011 - 0.012	.0020	----	----	----	----	1 UNCH
12200	----	----	----	0.001B/*0.051A	----	0.011 - 0.012	.0020	----	----	----	----	3 UNCH
12225	----	----	----	0.001B/*0.050A	----	0.010 - 0.013	.0019	----	----	----	----	2 UNCH
12250	----	----	----	0.001B/*0.050A	----	0.010 - 0.012	.0018	----	----	----	----	3 UNCH
12300	----	----	----	0.001B/*0.049A	----	0.010 - 0.012	.0018	----	----	----	----	118 UNCH
12350	----	----	----	0.001B/*0.048A	----	0.010 - 0.011	.0018	----	----	----	----	2 UNCH
12375	----	----	----	0.001B/*0.047A	----	0.010 - 0.011	.0018	----	----	----	----	1 UNCH
12400	----	----	----	0.001B/*0.047A	----	0.010 - 0.011	.0018	----	----	----	----	12 UNCH
12450	----	----	----	----/*0.046A	----	0.009 - 0.011	.0016	----	----	----	----	5 UNCH
12500	----	----	----	----/*0.045A	----	0.009 - 0.011	.0016	----	----	----	----	331 UNCH
12525	----	----	----	----/*0.045A	----	0.009 - 0.011	.0016	----	----	----	----	2 UNCH
12550	----	----	----	----/*0.044A	----	0.009 - 0.011	.0016	----	----	----	----	3 UNCH
12600	----	----	----	----/0.044A	----	0.009 - 0.010	.0016	----	----	----	----	31 UNCH
12650	----	----	----	----/*0.043A	----	0.009 - 0.010	.0016	----	----	----	----	3 UNCH
12675	----	----	----	----/*0.043A	----	0.008 - 0.010	.0014	----	----	----	----	3 UNCH
12700	----	----	----	----/0.043A	----	0.008 - 0.010	.0014	----	----	----	----	5 UNCH
12725	----	----	----	----/*0.042A	----	0.008 - 0.010	.0014	----	----	----	----	1 UNCH
12775	----	----	----	----/*0.042A	----	0.008 - 0.010	.0014	----	----	----	----	2 UNCH
12800	----	----	----	----/*0.042A	----	0.008 - 0.010	.0014	----	----	----	----	30 UNCH
12900	----	----	----	----/*0.041A	----	0.008 - 0.009	.0014	----	----	----	----	72 UNCH
13000	----	----	----	0.002B/0.030A	----	0.007 - 0.009	.0012	----	----	----	----	281 UNCH
13100	----	----	----	----/*0.040A	----	0.007 - 0.008	.0012	----	----	----	----	3 UNCH
13200	----	----	----	----/*0.038A	----	0.007 - 0.008	.0011	----	----	----	----	44 UNCH
13300	----	----	----	----/*0.039A	----	0.006 - 0.008	.0010	----	----	----	----	3 UNCH
13400	----	----	----	----/*0.039A	----	0.006 - 0.007	.0010	----	----	----	----	3 UNCH
13500	----	----	----	----/*0.039A	----	0.006 - 0.007	.0009	----	----	----	----	64 UNCH
13600	----	----	----	----/*0.037A	----	0.005 - 0.007	.0008	----	----	----	----	19 UNCH
13700	----	----	----	----/*0.038A	----	0.005 - 0.007	.0008	----	----	----	----	76 UNCH
13800	----	----	----	----/*0.038A	----	0.005 - 0.006	.0008	----	----	----	----	39 UNCH
13900	----	----	----	----/*0.038A	----	0.005 - 0.006	.0008	----	----	----	----	4 UNCH
14000	----	----	----	----/0.038A	----	0.004 - 0.006	.0006	----	----	----	----	400 UNCH
14100	----	----	----	----/*0.038A	----	0.004 - 0.006	.0006	----	----	----	----	27 UNCH
14200	----	----	----	----/*0.038A	----	0.004 - 0.005	.0006	----	----	----	----	41 UNCH
14300	----	----	----	----/*0.038A	----	0.004 - 0.005	.0006	----	----	----	----	6 UNCH
14400	----	----	----	----/*0.038A	----	0.004 - 0.005	.0006	----	----	----	----	13 UNCH
14500	----	----	----	----/0.038A	----	0.004 - 0.004	.0006	----	----	----	----	117 UNCH
14600	----	----	----	----/*0.038A	----	0.003 - 0.005	.0004	----	----	----	----	55 UNCH
14700	----	----	----	----/*0.042A	----	0.003 - 0.005	.0004	----	----	----	----	9 UNCH
14800	----	----	----	----/*0.042A	----	0.003 - 0.004	.0004	----	----	----	----	62 UNCH
14900	----	----	----	----/0.178A	----	0.003 - 0.004	.0004	----	----	----	----	3 UNCH
15000	----	----	----	----/0.028A	----	0.003 - 0.004	.0004	----	----	18	----	450 - 6
15100	----	----	----	----/0.181A	----	0.003 - 0.003	.0004	----	----	----	----	9 UNCH
15200	----	----	----	----/0.182A	----	0.003 - 0.003	.0004	----	----	18	----	54 UNCH
15300	----	----	----	----/0.184A	----	0.002 - 0.004	.0002	----	----	----	----	11 UNCH
15500	----	----	----	----/0.186A	----	0.002 - 0.003	.0002	----	----	----	----	115 UNCH
15600	----	----	----	----/0.187A	----	0.002 - 0.003	.0002	----	----	----	----	1 UNCH
15700	----	----	----	----/0.188A	----	0.002 - 0.003	.0002	----	----	----	----	19 UNCH
15800	----	----	----	----/0.189A	----	0.002 - 0.003	.0002	----	----	----	----	14 UNCH
15900	----	----	----	----/0.190A	----	0.002 - 0.003	.0002	----	----	----	----	14 UNCH
16000	----	----	----	----/0.020A	----	0.002 - 0.003	.0002	----	----	----	----	721 UNCH
16100	----	----	----	----/0.192A	----	0.002 - 0.002	.0002	----	----	----	----	6 UNCH
16200	----	----	----	----/0.193A	----	0.002 - 0.002	.0002	----	----	----	----	1 UNCH
16300	----	----	----	----/0.193A	----	0.002 - 0.002	.0002	----	----	----	----	1 UNCH
16400	----	----	----	----/0.194A	----	0.001 - 0.003	.0001	----	----	----	----	2 UNCH
16500	----	----	----	----/0.195A	----	0.001 - 0.002	.0001	----	----	----	----	56 UNCH
16600	----	----	----	----/0.195A	----	0.001 - 0.002	.0001	----	----	----	----	3 UNCH
16700	----	----	----	----/0.196A	----	0.001 - 0.002	.0001	----	----	----	----	5 UNCH
16800	----	----	----	----/0.196A	----	0.001 - 0.002	.0000	----	----	----	----	6 UNCH
16900	----	----	----	----/0.197A	----	0.001 - 0.002	.0000	----	----	----	----	67 UNCH
17000	----	----	----	----/0.020A	----	0.001 - 0.002	.0000	----	----	----	----	67 UNCH
17100	----	----	----	----/0.198A	----	0.001 - 0.002	.0000	----	----	----	----	8 UNCH
17200	----	----	----	----/0.198A	----	0.001 - 0.001	.0000	----	----	----	----	6 UNCH
17300	----	----	----	----/0.199A	----	0.001 - 0.001	.0000	----	----	----	----	5 UNCH
17400	----	----	----	----/0.199A	----	0.001 - 0.001	.0000	----	----	----	----	6 UNCH
17500	----	----	----	----/*0.009A	----	0.001 - 0.001	.0000	----	----	----	----	96 UNCH
17600	----	----	----	----/0.200A	----	0.001 - 0.001	.0000	----	----	----	----	7 UNCH
17700	----	----	----	----/0.200A	----	0.001 - 0.001	.0000	----	----	----	----	9 UNCH
17800	----	----	----	----/0.201A	----	0.001 - 0.001	.0000	----	----	----	----	8 UNCH
17900	----	----	----	----/0.201A	----	0.001 - 0.001	.0000	----	----	----	----	3 UNCH
18000	----	----	----	----/0.015A	----	0.001 - 0.001	.0000	----	----	----	----	54 UNCH
18100	----	----	----	----/0.202A	----	0.001 - 0.001	.0000	----	----	----	----	1 UNCH
18200	----	----	----	----/0.202A	----	0.001 - 0.001	.0000	----	----	----	----	11 UNCH
18300	----	----	----	----/0.202A	----	0.001 - 0.001	.0000	----	----	----	----	5 UNCH
18400	----	----	----	----/0.203A	----	0.001 UNCH	.0000	----	----	----	----	2 UNCH
18500	----	----	----	----/0.203A	----	0.001 UNCH	.0000	----	----	----	----	11 UNCH
18700	----	----	----	----/0.203A	----	0.001 UNCH	.0000	----	----	----	----	8 UNCH
18800	----	----	----	----/0.203A	----	0.001 UNCH	.0000	----	----	----	----	6 UNCH
18900	----	----	----	----/0.204A	----	0.001 UNCH	.0000	----	----	----	----	3 UNCH
19000	0.001	0.001	0.001/*0.001	0.001/*0.001	----	0.001 UNCH	.0000	----	----	4	----	51 UNCH
19100	0.010	0.010	0.010/*0.009A	0.010/*0.009A	----	0.001 UNCH	.0000	----	----	4	----	74 UNCH
19200	----	----	----	----/0.204A	----	0.001 UNCH	----	----	----	----	----	130 UNCH
19300	----	----	----	----/0.204A	----	0.001 UNCH	----	----	----	----	----	6 UNCH
19400	----	----	----	----/0.205A	----	0.001 UNCH	----	----	----	----	----	66 UNCH
19500	----	----	----	----/*0.007A	----	0.001 UNCH	----	----	----	10	----	86 - 10
19700	----	----	----	----/0.205A	----	0.001 UNCH	----	----	----	----	----	2 UNCH
19800	----	----	----	----/0.205A	----	0.001 UNCH	----	----	----	----	----	10 UNCH
19900	----	----	----	----/0.205A	----	0.001 UNCH	----	----	----	----	----	11 UNCH
20000	----	----	----	----/0.007A	----	0.001 UNCH	----	----	----	10	----	382 - 10
21000	----	----	----	----/0.207A	----	0.001 UNCH	----	----	----	----	----	14 UNCH
22000	----	----	----	----/0.208A	----	0.001 UNCH	----	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
23000	----	----	----	----/0.208A	----	0.001 UNCH	----	----	----	----	----	6 UNCH
24000	----	----	----	----/0.209A	----	0.001 UNCH	----	----	----	----	----	4 UNCH
25000	----	----	----	0.001B/0.003A	----	0.001 UNCH	----	----	----	----	----	94 UNCH
TOTAL										1095	300	23617 + 25
JUN26												
4300	----	----	37.381B/35.861A	37.381B/35.861A	----	36.305 - 0.911	.9896	----	----	----	----	20 UNCH
4850	----	----	31.878B/30.413A	31.878B/30.413A	----	30.837 - 0.913	.9842	----	----	----	----	7 UNCH
4900	----	----	31.380B/29.921A	31.380B/29.921A	----	30.341 - 0.914	.9835	----	----	----	----	9 UNCH
5000	----	----	30.431B/28.902A	30.431B/28.902A	----	29.350 - 0.918	.9822	----	----	----	----	365 UNCH
5025	----	----	30.138B/28.693A	30.138B/28.693A	----	29.103 - 0.919	.9818	----	----	----	----	6 UNCH
5050	----	----	29.897B/28.448A	29.897B/28.448A	----	28.855 - 0.921	.9813	----	----	----	----	1 UNCH
5200	----	----	28.452B/26.941A	28.452B/26.941A	----	27.373 - 0.931	.9786	----	----	----	----	79 UNCH
5225	----	----	28.163B/26.738A	28.163B/26.738A	----	27.127 - 0.933	.9781	----	----	----	----	4 UNCH
5275	----	----	27.662B/26.255A	27.662B/26.255A	----	26.634 - 0.938	.9768	----	----	----	----	7 UNCH
5300	----	----	27.422B/26.033A	27.422B/26.033A	----	26.388 - 0.941	.9762	----	----	----	----	3 UNCH
5325	----	----	27.176B/25.790A	27.176B/25.790A	----	26.142 - 0.943	.9756	----	----	----	----	5 UNCH
5350	----	----	26.922B/25.524A	26.922B/25.524A	----	25.897 - 0.945	.9750	----	----	----	----	7 UNCH
5400	----	----	26.440B/25.039A	26.440B/25.039A	----	25.407 - 0.950	.9735	----	----	----	----	2 UNCH
5425	----	----	26.188B/24.796A	26.188B/24.796A	----	25.162 - 0.953	.9727	----	----	----	----	9 UNCH
5500	----	----	25.504B/24.023A	25.504B/24.023A	----	24.430 - 0.961	.9702	----	----	----	----	341 UNCH
5525	----	----	25.214B/23.832A	25.214B/23.832A	----	24.186 - 0.964	.9692	----	----	----	----	2 UNCH
5600	----	----	24.475B/23.111A	24.475B/23.111A	----	23.459 - 0.970	.9662	----	----	----	----	7 UNCH
5625	----	----	24.231B/22.873A	24.231B/22.873A	----	23.217 - 0.973	.9650	----	----	----	----	11 UNCH
5675	----	----	23.753B/22.395A	23.753B/22.395A	----	22.735 - 0.976	.9625	----	----	----	----	1 UNCH
5700	----	----	23.558B/22.103A	23.558B/22.103A	----	22.494 - 0.979	.9613	----	----	----	----	56 UNCH
5725	----	----	23.260B/21.918A	23.260B/21.918A	----	22.255 - 0.979	.9599	----	----	----	----	10 UNCH
5750	----	----	23.017B/21.681A	23.017B/21.681A	----	22.015 - 0.981	.9585	----	----	----	----	13 UNCH
5775	----	----	22.782B/21.450A	22.782B/21.450A	----	21.776 - 0.983	.9571	----	----	----	----	1 UNCH
5800	----	----	22.540B/21.210A	22.540B/21.210A	----	21.538 - 0.984	.9555	----	----	----	----	2 UNCH
5825	----	----	22.299B/20.973A	22.299B/20.973A	----	21.300 - 0.985	.9539	----	----	----	----	1 UNCH
5850	----	----	22.051B/20.738A	22.051B/20.738A	----	21.063 - 0.986	.9522	----	----	----	----	9 UNCH
5900	----	----	21.578B/20.264A	21.578B/20.264A	----	20.591 - 0.986	.9487	----	----	----	----	4 UNCH
5925	----	----	----/20.031A	21.330B/20.031A	----	20.355 - 0.987	.9468	----	----	----	----	17 UNCH
6000	----	----	20.680B/19.272A	20.680B/19.272A	----	19.653 - 0.987	.9409	----	----	----	----	401 UNCH
6025	----	----	----/19.098A	20.381B/19.098A	----	19.420 - 0.987	.9387	----	----	----	----	7 UNCH
6050	----	----	----/18.866A	20.152B/18.866A	----	19.188 - 0.987	.9365	----	----	----	----	4 UNCH
6075	----	----	----/18.609A	19.940B/18.609A	----	18.957 - 0.986	.9342	----	----	----	----	30 UNCH
6100	----	----	----/18.409A	19.674B/18.409A	----	18.726 - 0.986	.9319	----	----	----	----	16 UNCH
6200	----	----	18.803B/17.433A	18.803B/17.433A	----	17.809 - 0.985	.9218	----	----	----	----	101 UNCH
6225	----	----	----/17.289A	18.512B/17.289A	----	17.581 - 0.985	.9191	----	----	----	----	1 UNCH
6250	----	----	----/17.064A	18.280B/17.064A	----	17.355 - 0.984	.9164	----	----	----	----	4 UNCH
6300	----	----	----/16.619A	17.819B/16.619A	----	16.903 - 0.984	.9106	----	----	----	----	4 UNCH
6400	----	----	17.367B/15.657A	17.367B/15.657A	----	16.011 - 0.982	.8981	----	----	----	----	110 UNCH
6425	----	----	----/15.466A	16.705B/15.466A	----	15.790 - 0.982	.8947	----	----	----	----	25 UNCH
6450	----	----	----/15.282A	16.444B/15.282A	----	15.570 - 0.982	.8913	----	----	----	----	6 UNCH
6475	----	----	----/15.087A	16.226B/15.087A	----	15.351 - 0.982	.8878	----	----	----	----	5 UNCH
6500	----	----	----/14.854A	15.995B/14.854A	----	15.133 - 0.982	.8842	----	----	----	----	11 UNCH
6625	----	----	----/13.806A	14.890B/13.806A	----	14.059 - 0.983	.8647	----	----	----	----	10 UNCH
6700	----	----	----/13.187A	14.245B/13.187A	----	13.429 - 0.984	.8519	----	----	----	----	1 UNCH
6725	----	----	----/12.987A	14.030B/12.987A	----	13.221 - 0.985	.8474	----	----	----	----	1 UNCH
6750	----	----	----/12.785A	13.817B/12.785A	----	13.015 - 0.986	.8428	----	----	----	----	3 UNCH
6800	----	----	----/12.386A	13.391B/12.386A	----	12.607 - 0.988	.8333	----	----	----	----	6 UNCH
6850	----	----	----/11.994A	12.984B/11.994A	----	12.205 - 0.990	.8234	----	----	----	----	5 UNCH
6900	----	----	----/11.609A	12.571B/11.609A	----	11.810 - 0.992	.8131	----	----	----	----	16 UNCH
6925	----	----	----/11.423A	12.371B/11.423A	----	11.614 - 0.994	.8078	----	----	----	----	9 UNCH
6975	----	----	----/11.044A	11.977B/11.044A	----	11.228 - 0.996	.7968	----	----	----	----	7 UNCH
7000	----	----	----/10.781A	11.859B/10.781A	----	11.038 - 0.997	.7912	----	----	----	----	125 UNCH
7025	----	----	----/10.680A	11.586B/10.680A	----	10.849 - 0.999	.7854	----	----	----	----	1 UNCH
7050	----	----	----/10.500A	11.391B/10.500A	----	10.662 - 1.000	.7796	----	----	----	----	1 UNCH
7075	----	----	----/10.320A	11.197B/10.320A	----	10.477 - 1.001	.7737	----	----	----	----	4 UNCH
7100	----	----	----/10.062A	11.088B/10.062A	----	10.294 - 1.002	.7677	----	----	----	----	99 UNCH
7150	----	----	----/9.798A	10.633B/9.798A	----	9.933 - 1.004	.7553	----	----	----	----	1 UNCH
7225	----	----	----/9.292A	10.083B/9.292A	----	9.406 - 1.005	.7362	----	----	----	----	1 UNCH
7250	----	----	----/9.085A	9.973B/9.085A	----	9.234 - 1.006	.7296	----	----	----	----	31 UNCH
7275	----	----	----/8.962A	9.726B/8.962A	----	9.065 - 1.005	.7230	----	----	----	----	2 UNCH
7300	----	----	----/8.768A	9.614B/8.768A	----	8.897 - 1.006	.7163	----	----	----	----	16 UNCH
7375	----	----	----/8.349A	9.036B/8.349A	----	8.407 - 1.003	.6957	----	----	----	----	4 UNCH
7400	----	----	----/8.195A	8.871B/8.195A	----	8.248 - 1.001	.6887	----	----	1	----	4 - 1
7425	----	----	----/7.972A	8.797B/7.972A	----	8.091 - 0.999	.6817	----	----	----	----	12 UNCH
7450	----	----	----/7.817A	8.612B/7.817A	----	7.936 - 0.997	.6746	----	----	----	----	12 UNCH
7475	----	----	----/7.751A	8.376B/7.751A	----	7.784 - 0.994	.6674	----	----	----	----	2 UNCH
7500	----	----	----/7.498A	8.329B/7.498A	----	7.633 - 0.992	.6602	----	----	----	----	242 UNCH
7525	----	----	----/7.370A	8.169B/7.370A	----	7.485 - 0.989	.6530	----	----	----	----	9 UNCH
7550	----	----	----/7.157A	7.998B/7.157A	----	7.339 - 0.985	.6457	----	----	----	----	25 UNCH
7575	----	----	----/7.030A	7.752B/7.030A	----	7.196 - 0.981	.6384	----	----	----	----	1 UNCH
7600	----	----	----/6.891A	7.703B/6.891A	----	7.054 - 0.977	.6310	----	----	1	----	21 - 1
7675	----	----	----/6.485A	7.162B/6.485A	----	6.643 - 0.963	.6088	----	----	----	----	3 UNCH
7700	----	----	----/6.334A	7.130B/6.334A	----	6.510 - 0.958	.6013	----	----	----	----	119 UNCH
7725	----	----	----/6.211A	7.000B/6.211A	----	6.380 - 0.952	.5939	----	----	----	----	7 UNCH
7750	----	----	----/6.082A	6.866B/6.082A	----	6.252 - 0.945	.5864	----	----	----	----	70 UNCH
7775	----	----	----/5.967A	6.603B/5.967A	----	6.126 - 0.939	.5789	----	----	----	----	3 UNCH
7800	----	----	----/5.840A	6.677B/5.840A	----	6.002 - 0.933	.5714	----	----	----	----	169 UNCH
7825	----	----	----/5.725A	6.534B/5.725A	----	5.881 - 0.926	.5640	----	----	----	----	1 UNCH
7850	----	----	----/5.608A	6.406B/5.608A	----	5.762 - 0.919	.5565	----	----	----	----	1 UNCH
7900	----	----	----/5.357A	6.249B/5.357A	----	5.530 - 0.904	.5417	----	----	----	----	92 UNCH
7925	----	----	----/5.275A	6.124B/5.275A	----	5.417 - 0.896	.5343	----	----	----	----	12 UNCH
7950	----	----	6.379B/5.168A	6.379B/5.168A	----	5.306 - 0.889	.5269	----	----	1	----	4 + 1
7975	----	----	6.339B/5.064A	6.339B/5.064A	----	5.198 - 0.880	.5196	----	----	1	----	7 UNCH
8000	6.500	6.500	6.500/4.923A	6.500/4.923A	----	5.091 - 0.873	.5122	----	----	10	----	523 + 5
8025	----	----	6.235B/4.823A	6.235B/4.823A	----	4.987 - 0.864	.5050	----	----	----	----	3 UNCH
8050	6.200	6.200	6.200/4.730A	6.200/4.730A	----	4.884 - 0.856	.4977	----	----	1	----	6 UNCH
8075	----	----	5.983B/4.636A	5.983B/4.636A	----	4.784 - 0.847	.4906	----	----	----	----	2 UNCH
8100	----	----	5.890B/4.531A	5.890B/4.531A	----	4.686 - 0.838	.4834	----	----	----	----	12 UNCH
8125	----	----	5.781B/4.450A	5.781B/4.450A	----	4.590 - 0.829	.4763	----	----	----	----	2 UNCH
8150	----	----	5.666B/4.352A	5.666B/4.352A	----	4.496 - 0.820	.4693	----	----	----	----	10 UNCH
8175	----	----	5.566B/4.267A	5.566B/4.267A	----	4.403 - 0.812	.4623	----	----	----	----	1 UNCH
8200	----	----	5.459B/4.175A	5.459B/4.175A	----	4.313 - 0.803	.4554	----	----	8	----	116 - 5
8225	----	----	5.349B/4.095A	5.349B/4.095A	----	4.225 - 0.793	.4485	----	----	----	----	3 UNCH
8250	----	----	5.250B/4.005A	5.250B/4.005A	----	4.138 - 0.785	.4417	----	----	----	----	21 UNCH
8275	----	----	5.153B/3.930A	5.153B/3.930A	----	4.053 - 0.776	.4350	----	----	----	----	19 UNCH
8300	3.881	3.881	5.058B/3.841A	5.058B/3.841A	----	3.971 - 0.766	.4283	----	----	1	----	92 + 1
8350	----	----	4.866B/3.695A	4.866B/3.695A	----	3.810 - 0.749	.4152	----	----	----	----	20 UNCH
8375	----	----	4.770B/3.620A	4.770B/3.620A	----	3.733 - 0.739	.4087	----	----	----	----	5 UNCH
8400	----	----	4.674B/3.538A	4.674B/3.538A	----	3.657 - 0.730	.4023	----	----	1	----	308 + 1
8425	----	----	4.581B/3.469A	4.581B/3.469A	----	3.583 - 0.721	.3960	----	----	----	----	51 UNCH
8450	----	----	4.502B/3.403A	4.502B/3.403A	----	3.511 - 0.712	.3898	----	----	----	----	20 UNCH
8475	----	----	4.414B/3.337A	4.414B/3.337A	----	3.440 - 0.703	.3837	----	----	----	----	4 UNCH
8500	3.900	3.900	4.341B/3.261A	4.341B/3.261A	----	3.371 - 0.695	.3776	----	----	141	----	605 + 108
8525	----	----	4.249B/3.205A	4.249B/3.205A	----	3.303 - 0.686	.3716	----	----	----	----	17 UNCH
8550	----	----	4.172B/3.135A	4.172B/3.135A	----	3.237 - 0.678	.3657	----	----	5	----	14 + 5
8575	----	----	4.094B/3.072A	4.094B/3.072A	----	3.173 - 0.669	.3598	----	----	1	----	6 - 1
8600	3.850	3.850	4.008B/3.010A	4.008B/3.010A	----	3.110 - 0.660	.3541	----	----	3	----	115 UNCH
8625	----	----	3.938B/2.953A	3.938B/2.953A	----	3.048 - 0.653	.3484	----	----	----	----	4 UNCH
8650	----	----	3.815B/2.896A	3.815B/2.896A	----	2.988 - 0.644	.3428	----	----	5	----	14 + 5
8675	----	----	3.783B/2.838A	3.783B/2.838A	----	2.929 - 0.636	.3373	----	----	1	----	6 UNCH
8700	----	----	3.722B/2.781A	3.722B/2.781A	----	2.872 - 0.628	.3319	----	----	----	----	25 UNCH
8725	----	----	3.599B/2.729A	3.599B/2.729A	----	2.816 - 0.620	.3265	----	----	----	----	3 UNCH
8750	----	----	3.582B/2.677A	3.582B/2.677A	----	2.761 - 0.612	.3213	----	----	----	----	13 UNCH
8775	----	----	3.508B/2.629A	3.508B/2.629A	----	2.708 - 0.604	.3161	----	----	2	----	0 UNCH
8800	----	----	3.452B/2.573A	3.452B/2.573A	----	2.655 - 0.597	.3110	----	----	----	----	127 UNCH
8825	----	----	3.391B/2.523A	3.391B/2.523A	----	2.605 - 0.588	.3060	----	----	----	----	2 UNCH
8850	----	----	3.330B/2.475A	3.330B/2.475A	----	2.555 - 0.580	.3010	----	----	----	----	12 UNCH
8875	----	----	3.271B/2.428A	3.271B/2.428A	----	2.506 - 0.573	.2962	----	----	----	----	3 UNCH
8900	----	----	3.218B/2.383A	3.218B/2.383A	----	2.459 - 0.565	.2914	----	----	2	----	23 UNCH
8925	----	----	3.159B/2.339A	3.159B/2.339A	----	2.412 - 0.558	.2867	----	----	----	----	3 UNCH
8950	----	----	3.101B/2.295A	3.101B/2.295A	----	2.367 - 0.550	.2821	----	----	1	----	9 + 1
8975	----	----	3.045B/2.251A	3.045B/2.251A	----	2.323 - 0.543	.2775	----	----	----	----	4 UNCH
9000	2.770	2.770	3.150/2.208A	3.150/2.208A	----	2.280 - 0.535	.2731	----	----	143	115	780 - 83
9025	----	----	2.957B/2.169A	2.957B/2.169A	----	2.238 - 0.528	.2687	----	----	----	----	5 UNCH
9050	----	----	2.911B/2.129A	2.911B/2.129A	----	2.197 - 0.520	.2644	----	----	----	----	12 UNCH
9075	----	----	2.859B/2.092A	2.859B/2.092A	----	2.156 - 0.514	.2601	----	----	----	----	6 UNCH
9100	2.830	2.830	2.830/2.051A	2.830/2.051A	----	2.117 - 0.507	.2560	----	----	2	----	329 - 1
9125	----	----	2.771B/2.017A	2.771B/2.017A	----	2.079 - 0.499	.2519	----	----	1	----	2 UNCH
9150	----	----	2.726B/1.979A	2.726B/1.979A	----	2.041 - 0.493	.2479	----	----	----	----	103 UNCH
9175	----	----	2.675B/1.949A	2.675B/1.949A	----	2.005 - 0.485	.2440	----	----	----	----	1 UNCH
9200	----	----	2.633B/1.908A	2.633B/1.908A	----	1.969 - 0.478	.2401	----	----	4	----	106 + 1
9225	----	----	2.583B/1.880A	2.583B/1.880A	----	1.934 - 0.472	.2363	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUN26												
9250	----	----	2.538B/1.847A	2.538B/1.847A	----	1.900 - 0.465	.2326	----	----	----	----	7 UNCH
9275	----	----	2.494B/1.815A	2.494B/1.815A	----	1.867 - 0.458	.2289	----	----	----	----	7 UNCH
9300	----	----	2.452B/1.780A	2.452B/1.780A	----	1.834 - 0.451	.2253	----	----	----	----	32 UNCH
9325	----	----	2.409B/1.750A	2.409B/1.750A	----	1.803 - 0.444	.2218	----	----	----	----	0 UNCH
9350	----	----	2.367B/1.722A	2.367B/1.722A	----	1.771 - 0.438	.2183	----	----	----	----	18 UNCH
9375	----	----	2.325B/1.694A	2.325B/1.694A	----	1.741 - 0.432	.2149	----	----	----	----	17 UNCH
9400	----	----	2.288B/1.661A	2.288B/1.661A	----	1.711 - 0.426	.2115	----	----	----	----	21 UNCH
9425	----	----	2.247B/1.636A	2.247B/1.636A	----	1.682 - 0.419	.2083	----	----	1	----	22 UNCH
9450	----	----	2.210B/1.609A	2.210B/1.609A	----	1.654 - 0.413	.2051	----	----	----	----	4 UNCH
9475	----	----	2.173B/1.580A	2.173B/1.580A	----	1.626 - 0.407	.2019	----	----	----	----	17 UNCH
9500	----	----	2.137B/1.554A	2.137B/1.554A	----	1.599 - 0.401	.1988	----	----	39	----	340 + 14
9525	1.821	1.821	2.101B/1.530A	2.101B/1.530A	----	1.573 - 0.394	.1958	----	----	1	----	2 + 1
9550	----	----	2.067B/1.505A	2.067B/1.505A	----	1.547 - 0.388	.1928	----	----	----	----	4 UNCH
9575	----	----	2.030B/1.480A	2.030B/1.480A	----	1.522 - 0.382	.1899	----	----	----	----	1 UNCH
9600	----	----	1.997B/1.457A	1.997B/1.457A	----	1.497 - 0.377	.1870	----	----	2	----	23 + 1
9625	----	----	1.964B/1.431A	1.964B/1.431A	----	1.472 - 0.372	.1841	----	----	----	----	4 UNCH
9650	----	----	1.931B/1.408A	1.931B/1.408A	----	1.449 - 0.366	.1814	----	----	----	----	1 UNCH
9675	----	----	1.903B/1.387A	1.903B/1.387A	----	1.425 - 0.361	.1786	----	----	----	----	6 UNCH
9700	----	----	1.867B/1.364A	1.867B/1.364A	----	1.403 - 0.355	.1760	----	----	----	----	37 UNCH
9725	1.388	1.388	1.842B/1.342A	1.842B/1.342A	----	1.380 NEW	.1733	----	----	1	----	1 + 1
9750	----	----	1.811B/1.321A	1.811B/1.321A	----	1.359 - 0.344	.1708	----	----	----	----	28 UNCH
9775	1.532	1.532	1.783B/1.300A	1.783B/1.300A	----	1.337 NEW	.1682	----	----	1	----	1 + 1
9800	----	----	1.754B/1.281A	1.754B/1.281A	----	1.316 - 0.335	.1657	----	----	----	----	10 UNCH
9825	----	----	1.730B/1.265A	1.730B/1.265A	----	1.296 - 0.329	.1633	----	----	1	----	1 + 1
9850	----	----	1.703B/1.242A	1.703B/1.242A	----	1.276 - 0.324	.1609	----	----	----	----	2 UNCH
9875	1.442	1.442	1.673B/1.224A	1.673B/1.224A	----	1.256 - 0.320	.1585	----	----	1	----	10 UNCH
9900	----	----	1.647B/1.209A	1.647B/1.209A	----	1.237 - 0.315	.1562	----	----	----	----	27 UNCH
9925	----	----	1.623B/1.185A	1.623B/1.185A	----	1.218 - 0.310	.1539	----	----	----	----	1 UNCH
9950	----	----	1.597B/1.169A	1.597B/1.169A	----	1.200 - 0.305	.1517	----	----	----	----	2 UNCH
9975	----	----	1.575B/1.151A	1.575B/1.151A	----	1.181 - 0.302	.1495	----	----	----	----	4 UNCH
10000	1.272	1.272	1.547B/1.131A	1.547B/1.131A	----	1.164 - 0.296	.1474	----	----	20	----	933 + 11
10025	----	----	1.524B/1.114A	1.524B/1.114A	----	1.146 - 0.293	.1452	----	----	----	----	5 UNCH
10050	----	----	1.504B/1.105A	1.504B/1.105A	----	1.129 - 0.288	.1432	----	----	----	----	3 UNCH
10075	----	----	1.480B/1.081A	1.480B/1.081A	----	1.112 - 0.284	.1411	----	----	----	----	9 UNCH
10100	----	----	1.456B/1.072A	1.456B/1.072A	----	1.096 - 0.280	.1391	----	----	----	----	19 UNCH
10125	----	----	1.435B/1.046A	1.435B/1.046A	----	1.079 - 0.277	.1371	----	----	----	----	1 UNCH
10175	----	----	1.392B/1.016A	1.392B/1.016A	----	1.048 - 0.268	.1333	----	----	----	----	1 UNCH
10200	----	----	1.372B/1.006A	1.372B/1.006A	----	1.033 - 0.264	.1314	----	----	----	----	16 UNCH
10225	----	----	1.352B/0.984A	1.352B/0.984A	----	1.018 - 0.261	.1296	----	----	----	----	1 UNCH
10300	1.250	1.250	1.294B/0.939A	1.294B/0.939A	----	0.974 - 0.250	.1242	----	----	2	----	13 + 2
10375	----	----	1.240B/0.902A	1.240B/0.902A	----	0.933 - 0.240	.1191	----	----	----	----	2 UNCH
10400	0.995	0.995	1.222B/0.893A	1.222B/0.893A	----	0.920 - 0.237	.1175	----	----	11	----	20 + 8
10425	----	----	1.205B/0.877A	1.205B/0.877A	----	0.907 - 0.233	.1158	----	----	----	----	1 UNCH
10450	----	----	1.188B/0.870A	1.188B/0.870A	----	0.894 - 0.231	.1142	----	----	----	----	3 UNCH
10475	----	----	1.170B/0.853A	1.170B/0.853A	----	0.881 - 0.228	.1126	----	----	----	----	2 UNCH
10500	0.855	0.855	1.155B/0.825	1.155B/0.825	----	0.869 - 0.225	.1111	----	----	4	----	358 - 3
10525	----	----	1.139B/0.829A	1.139B/0.829A	----	0.857 - 0.222	.1096	----	----	----	----	12 UNCH
10550	----	----	1.123B/0.823A	1.123B/0.823A	----	0.845 - 0.219	.1081	----	----	----	----	1 UNCH
10575	0.820	0.820	1.106B/0.807A	1.106B/0.807A	----	0.834 NEW	.1067	----	----	4	----	4 + 4
10600	----	----	1.091B/0.799A	1.091B/0.799A	----	0.822 - 0.213	.1052	----	----	----	----	62 UNCH
10625	----	----	1.076B/0.785A	1.076B/0.785A	----	0.811 - 0.210	.1038	----	----	----	----	1 UNCH
10650	----	----	1.062B/0.779A	1.062B/0.779A	----	0.800 - 0.207	.1025	----	----	----	----	3 UNCH
10675	0.851	0.851	1.047B/0.764A	1.047B/0.764A	----	0.789 - 0.205	.1011	----	----	12	----	15 + 12
10700	1.000	1.000	1.034B/0.759A	1.034B/0.759A	----	0.778 - 0.203	.0997	----	----	6	72	82 + 70
10750	----	----	1.005B/0.741A	1.005B/0.741A	----	0.758 - 0.197	.0972	----	----	----	----	3 UNCH
10800	----	----	0.979B/0.724A	0.979B/0.724A	----	0.738 - 0.192	.0946	----	----	----	----	2 UNCH
10825	0.721	0.721	0.966B/0.714A	0.966B/0.714A	----	0.728 NEW	.0934	----	----	1	----	1 + 1
10850	----	----	0.953B/0.707A	0.953B/0.707A	----	0.718 - 0.188	.0921	----	----	----	----	12 UNCH
10875	----	----	0.940B/0.699A	0.940B/0.699A	----	0.709 - 0.185	.0910	----	----	----	----	6 UNCH
10900	----	----	0.928B/0.693A	0.928B/0.693A	----	0.700 - 0.183	.0898	----	----	----	----	20 UNCH
10925	----	----	0.916B/0.684A	0.916B/0.684A	----	0.691 - 0.180	.0887	----	----	2	----	2 + 1
10950	----	----	0.904B/0.679A	0.904B/0.679A	----	0.682 - 0.178	.0875	----	----	----	----	1 UNCH
11000	----	----	0.881B/0.659A	0.881B/0.659A	----	0.665 - 0.174	.0853	----	----	----	----	415 UNCH
11025	----	----	0.870B/0.652A	0.870B/0.652A	----	0.656 - 0.172	.0842	----	----	----	----	1 UNCH
11050	----	----	0.859B/0.643A	0.859B/0.643A	----	0.648 - 0.170	.0832	----	----	----	----	4 UNCH
11075	----	----	0.847B/0.635A	0.847B/0.635A	----	0.640 - 0.168	.0821	----	----	----	----	5 UNCH
11100	----	----	0.838B/0.628A	0.838B/0.628A	----	0.632 - 0.166	.0811	----	----	----	----	1 UNCH
11125	----	----	0.827B/0.621A	0.827B/0.621A	----	0.624 - 0.164	.0801	----	----	----	----	5 UNCH
11175	----	----	0.807B/0.610A	0.807B/0.610A	----	0.609 - 0.160	.0782	----	----	----	----	2 UNCH
11200	----	----	0.797B/0.600A	0.797B/0.600A	----	0.601 - 0.158	.0772	----	----	----	----	7 UNCH
11225	----	----	0.786B/0.593A	0.786B/0.593A	----	0.594 - 0.156	.0762	----	----	----	----	3 UNCH
11300	----	----	0.757B/0.577A	0.757B/0.577A	----	0.573 - 0.151	.0735	----	----	----	----	2 UNCH
11325	----	----	0.749B/0.570A	0.749B/0.570A	----	0.566 - 0.149	.0726	----	----	----	----	6 UNCH
11350	----	----	0.739B/0.561A	0.739B/0.561A	----	0.559 - 0.148	.0717	----	----	----	----	3 UNCH
11375	----	----	0.731B/0.563A	0.731B/0.563A	----	0.552 - 0.146	.0708	----	----	----	----	1 UNCH
11400	----	----	0.720B/0.550A	0.720B/0.550A	----	0.546 - 0.144	.0700	----	----	----	----	163 UNCH
11425	----	----	0.714B/0.545A	0.714B/0.545A	----	0.540 - 0.142	.0692	----	----	----	----	12 UNCH
11450	----	----	0.705B/0.539A	0.705B/0.539A	----	0.533 - 0.141	.0684	----	----	----	----	13 UNCH
11475	0.541	0.541	0.696B/0.528A	0.696B/0.528A	----	0.527 - 0.140	.0676	----	----	6	----	8 + 6
11500	0.530	0.530	0.690B/0.524A	0.690B/0.524A	----	0.521 - 0.138	.0668	----	----	12	----	250 + 10
11525	----	----	----/0.554A	0.595B/0.554A	----	0.515 - 0.136	.0660	----	----	----	----	4 UNCH
11550	----	----	----/0.552A	0.587B/0.552A	----	0.509 - 0.135	.0652	----	----	----	----	1 UNCH
11600	----	----	----/0.537A	0.574B/0.537A	----	0.498 - 0.132	.0638	----	----	----	----	2 UNCH
11625	----	----	----/0.532A	0.565B/0.532A	----	0.493 - 0.130	.0631	----	----	----	----	1 UNCH
11675	----	----	----/0.525A	0.551B/0.525A	----	0.482 - 0.127	.0617	----	----	----	----	2 UNCH
11700	----	----	----/0.520A	0.546B/0.520A	----	0.477 - 0.125	.0610	----	----	----	----	9 UNCH
11725	----	----	----/0.515A	0.537B/0.515A	----	0.471 - 0.125	.0603	----	----	----	----	2 UNCH
11750	----	----	----/0.510A	0.531B/0.510A	----	0.466 - 0.123	.0596	----	----	----	----	21 UNCH
11775	----	----	----/0.506A	0.524B/0.506A	----	0.461 - 0.122	.0589	----	----	----	----	2 UNCH
11800	----	----	----/0.500A	0.520B/0.500A	----	0.456 - 0.121	.0583	----	----	----	----	6 UNCH
11850	----	----	----/0.492A	0.504B/0.492A	----	0.447 - 0.117	.0571	----	----	----	----	5 UNCH
11900	----	----	----/0.482A	0.471B/0.482A	----	0.438 - 0.115	.0559	----	----	----	----	2 UNCH
11925	----	----	----/0.478A	0.461B/0.478A	----	0.433 - 0.114	.0552	----	----	----	----	8 UNCH
11950	----	----	----/0.440A	0.413B/0.440A	----	0.429 - 0.112	.0547	----	----	----	----	2 UNCH
12000	----	----	----/0.466A	0.484B/0.466A	----	0.420 - 0.110	.0535	----	----	----	----	449 UNCH
12025	----	----	----/0.461A	0.476B/0.461A	----	0.416 - 0.109	.0530	----	----	----	----	11 UNCH
12125	----	----	----/0.449A	0.394B/0.449A	----	0.400 - 0.104	.0508	----	----	----	----	1 UNCH
12200	----	----	----/0.438A	0.418B/0.438A	----	0.389 - 0.100	.0494	----	----	----	----	13 UNCH
12225	----	----	----/0.434A	0.396B/0.434A	----	0.385 - 0.099	.0488	----	----	----	----	7 UNCH
12275	----	----	----/0.427A	0.341B/0.427A	----	0.378 - 0.097	.0479	----	----	----	----	1 UNCH
12325	----	----	----/0.420A	0.325B/0.420A	----	0.372 - 0.094	.0471	----	----	----	----	3 UNCH
12350	----	----	----/0.417A	0.322B/0.417A	----	0.368 - 0.093	.0465	----	----	----	----	5 UNCH
12400	----	----	----/0.410A	0.340B/0.410A	----	0.362 - 0.091	.0457	----	----	----	----	23 UNCH
12425	----	----	----/0.407A	0.311B/0.407A	----	0.359 - 0.089	.0453	----	----	----	----	1 UNCH
12450	----	----	----/0.404A	0.307B/0.404A	----	0.356 - 0.088	.0449	----	----	----	----	9 UNCH
12475	----	----	----/0.401A	0.304B/0.401A	----	0.352 - 0.088	.0444	----	----	----	----	1 UNCH
12500	----	----	----/0.398A	0.359B/0.398A	----	0.349 - 0.087	.0440	----	----	----	----	106 UNCH
12525	----	----	----/0.395A	0.339B/0.395A	----	0.347 - 0.085	.0437	----	----	----	----	37 UNCH
12550	----	----	----/0.392A	0.293B/0.392A	----	0.344 - 0.084	.0433	----	----	----	----	6 UNCH
12575	----	----	----/0.389A	0.294B/0.389A	----	0.341 - 0.083	.0429	----	----	----	----	2 UNCH
12600	----	----	----/0.386A	0.285B/0.386A	----	0.338 - 0.082	.0425	----	----	----	----	5 UNCH
12650	----	----	----/0.381A	0.280B/0.381A	----	0.332 - 0.081	.0417	----	----	----	----	2 UNCH
12675	----	----	----/0.376A	0.284B/0.376A	----	0.330 - 0.079	.0414	----	----	----	----	2 UNCH
12700	----	----	----/0.373A	0.281B/0.373A	----	0.327 - 0.079	.0410	----	----	----	----	11 UNCH
12725	----	----	----/0.370A	0.277B/0.370A	----	0.324 - 0.078	.0406	----	----	----	----	2 UNCH
12750	----	----	----/0.368A	0.278B/0.368A	----	0.322 - 0.077	.0403	----	----	----	----	2 UNCH
12775	----	----	----/0.367A	0.273B/0.367A	----	0.319 - 0.076	.0399	----	----	----	----	7 UNCH
12800	----	----	----/0.366A	0.319B/0.366A	----	0.317 - 0.075	.0396	----	----	----	----	34 UNCH
12900	----	----	----/0.357A	0.261B/0.357A	----	0.307 - 0.072	.0382	----	----	----	----	6 UNCH
13000	0.336	0.336	0.336/0.300A	0.336/0.300A	----	0.298 - 0.068	.0370	----	----	1	----	273 UNCH
13100	----	----	----/0.339A	0.244B/0.339A	----	0.290 - 0.064	.0359	----	----	----	----	4 UNCH
13200	----	----	----/0.330A	0.231B/0.330A	----	0.281 - 0.062	.0347	----	----	----	----	3 UNCH
13300	----	----	----/*0.322A	0.221B/0.322A	----	0.274 - 0.059	.0337	----	----	----	----	3 UNCH
13400	----	----	----/*0.315A	0.209B/0.315A	----	0.266 - 0.057	.0326	----	----	----	----	5 UNCH
13500	0.265	0.265	0.265/0.255	0.265/0.255	----	0.259 - 0.054	.0317	----	----	12	----	21 - 1
13600	----	----	----/*0.300A	0.196B/0.300A	----	0.253 - 0.051	.0308	----	----	----	----	7 UNCH
13700	----	----	----/*0.291A	0.182B/0.291A	----	0.246 - 0.050	.0299	----	----	----	----	5 UNCH
13800	----	----	----/*0.285A	0.174B/0.285A	----	0.240 - 0.047	.0291	----	----	----	----	1 UNCH
13900	----	----	----	0.165B/0.280A	----	0.234 - 0.046	.0283	----	----	----	----	3 UNCH
14000	----	----	----	0.206B/0.277A	----	0.229 - 0.043	.0275	----	----	----	----	292 UNCH
14200	----	----	----	0.192B/0.265A	----	0.218 - 0.040	.0261	----	----	----	----	60 UNCH
14300	----	----	----	0.142B/0.258A	----	0.213 - 0.039	.0254	----	----	----	----	1 UNCH
14400	----	----	----	0.179B/0.254A	----	0.208 - 0.038	.0247	----	----	----	----	65 UNCH
14500	----	----	----	0.173B/0.249A	----	0.203 - 0.037	.0241	----	----	----	----	31 UNCH
14600	----	----	----	0.126B/0.243A	----	0.199 - 0.035	.0235	----	----	----	----	6 UNCH
14700	----	----	----	0.122B/0.243A	----	0.194 - 0.034	.0229	----	----	----	----	11 UNCH
14800	----	----	----	0.118B/0.236A	----	0.190 - 0.033	.0223	----	----	----	----	10 UNCH
14900	----	----	----	0.114B/0.236A	----	0.185 - 0.033	.0217	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUN26												
15000	0.177	0.177	0.177/0.175A	0.177/0.175A	----	0.181 - 0.032	.0212	----	----	1	----	146 - 1
15300	----	----	----	0.094B/0.219A	----	0.168 - 0.032	.0195	----	----	----	----	2 UNCH
15400	----	----	----	0.090B/0.217A	----	0.164 - 0.031	.0190	----	----	----	----	1 UNCH
15500	----	----	----	0.087B/0.215A	----	0.160 - 0.031	.0185	----	----	----	----	7 UNCH
15600	----	----	----	0.084B/0.212A	----	0.157 - 0.031	.0181	----	----	----	----	1 UNCH
15700	----	----	----	0.081B/0.209A	----	0.153 - 0.031	.0176	----	----	----	----	1 UNCH
15800	----	----	----	0.077B/0.205A	----	0.149 - 0.031	.0172	----	----	----	----	6 UNCH
15900	----	----	----	0.075B/0.203A	----	0.145 - 0.032	.0167	----	----	----	----	8 UNCH
16000	----	----	----	0.103B/0.199A	----	0.142 - 0.031	.0163	----	----	----	----	202 UNCH
16200	----	----	----	0.069B/0.194A	----	0.135 - 0.032	.0155	----	----	----	----	36 UNCH
16400	----	----	----	0.061B/0.189A	----	0.128 - 0.033	.0146	----	----	----	----	1 UNCH
16500	----	----	----	0.059B/0.187A	----	0.125 - 0.033	.0143	----	----	----	----	30 UNCH
16600	----	----	----	0.055B/0.184A	----	0.122 - 0.034	.0139	----	----	----	----	2 UNCH
16700	----	----	----	0.056B/0.183A	----	0.119 - 0.034	.0135	----	----	----	----	6 UNCH
16800	----	----	----	0.051B/0.181A	----	0.116 - 0.034	.0132	----	----	----	----	3 UNCH
17000	----	----	----	0.047B/0.180A	----	0.111 - 0.035	.0126	----	----	----	----	25 UNCH
17100	----	----	----	0.046B/0.177A	----	0.108 - 0.035	.0122	----	----	----	----	5 UNCH
17200	----	----	----	0.046B/0.175A	----	0.105 - 0.036	.0119	----	----	----	----	5 UNCH
17300	----	----	----	0.043B/0.173A	----	0.103 - 0.036	.0116	----	----	----	----	11 UNCH
17400	----	----	----	0.041B/0.172A	----	0.100 - 0.037	.0113	----	----	----	----	2 UNCH
17500	----	----	----	0.034B/0.167A	----	0.098 - 0.037	.0110	----	----	----	----	63 UNCH
17700	----	----	----	0.043B/*0.156A	----	0.094 - 0.038	.0106	----	----	----	----	3 UNCH
17800	----	----	----	0.029B/*0.153A	----	0.091 - 0.039	.0102	----	----	----	----	3 UNCH
18000	0.061	0.061	0.061/*0.061	0.062B/*0.061	----	0.087 - 0.040	.0098	----	----	1	----	44 - 1
18100	----	----	----	0.022B/0.161A	----	0.085 - 0.038	.0095	----	----	----	----	2 UNCH
18300	----	----	----	0.023B/0.154A	----	0.081 - 0.036	.0091	----	----	----	----	1 UNCH
18900	----	----	----	0.001B/0.137A	----	0.069 - 0.032	.0077	----	----	----	----	1 UNCH
19000	----	----	----	0.001B/0.134A	----	0.068 - 0.031	.0076	----	----	----	----	229 UNCH
19500	----	----	----	0.001B/0.122A	----	0.060 - 0.028	.0067	----	----	----	----	126 UNCH
19600	----	----	----	0.001B/0.120A	----	0.058 - 0.028	.0065	----	----	----	----	2 UNCH
19900	----	----	----	0.001B/*0.130A	----	0.054 - 0.026	.0060	----	----	----	----	28 UNCH
20000	0.050	0.050	0.050/*0.050	0.050/*0.050	----	0.053 - 0.026	.0059	----	----	1	----	237 + 1
21000	----	----	----	0.001B/0.164A	----	0.042 - 0.021	.0046	----	----	----	----	20 UNCH
23000	----	----	----	0.001B/*0.050A	----	0.028 - 0.015	.0030	----	----	----	----	14 UNCH
25000	----	----	----	0.001B/0.110A	----	0.020 - 0.011	.0021	----	----	----	----	298 UNCH
27000	----	----	----	----/0.182A	----	0.013 - 0.007	.0014	----	----	----	----	3 UNCH
30000	----	----	----	----/0.140A	----	0.007 - 0.004	.0007	----	----	----	----	31 UNCH
32000	----	----	----	----/0.224A	----	0.005 - 0.003	.0005	----	----	----	----	1 UNCH
35000	----	----	----	----/0.021A	----	0.003 - 0.002	.0003	----	----	----	----	21 UNCH
TOTAL										479	187	12868 + 175
JUL26												
2700	----	----	53.342B/51.910A	53.342B/51.910A	----	52.273 - 0.926	.9976	----	----	----	----	1 UNCH
3900	----	----	41.374B/39.879A	41.374B/39.879A	----	40.277 - 0.937	.9913	----	----	----	----	1 UNCH
4000	----	----	40.373B/38.877A	40.373B/38.877A	----	39.281 - 0.940	.9903	----	----	----	----	1 UNCH
4200	----	----	38.375B/36.890A	38.375B/36.890A	----	37.293 - 0.949	.9880	----	----	----	----	2 UNCH
4500	35.083	35.083	35.394B/33.906A	35.394B/33.906A	----	34.324 - 0.966	.9834	----	----	2	----	28 UNCH
4600	34.047	34.047	34.425B/32.905A	34.425B/32.905A	----	33.338 - 0.975	.9816	----	----	8	----	122 + 8
4700	----	----	33.389B/31.964A	33.389B/31.964A	----	32.355 - 0.983	.9795	----	----	----	----	1 UNCH
4750	----	----	32.895B/31.488A	32.895B/31.488A	----	31.864 - 0.988	.9782	----	----	----	----	1 UNCH
4825	----	----	32.156B/30.759A	32.156B/30.759A	----	31.130 - 0.995	.9764	----	----	----	----	3 UNCH
4900	----	----	31.420B/30.032A	31.420B/30.032A	----	30.397 - 1.004	.9743	----	----	----	----	1 UNCH
4925	----	----	31.174B/29.790A	31.174B/29.790A	----	30.154 - 1.006	.9735	----	----	----	----	16 UNCH
5000	30.348	30.348	30.495B/29.012A	30.495B/29.012A	----	29.424 - 1.015	.9712	----	----	6	----	307 UNCH
5025	----	----	----/28.825A	30.199B/28.825A	----	29.182 - 1.017	.9704	----	----	----	----	4 UNCH
5050	----	----	----/28.585A	29.956B/28.585A	----	28.940 - 1.020	.9695	----	----	----	----	2 UNCH
5100	28.256	28.256	29.524B/28.052A	29.524B/28.052A	----	28.456 - 1.026	.9676	----	----	2	----	131 + 1
5150	----	----	----/27.645A	28.984B/27.645A	----	27.974 - 1.032	.9656	----	----	----	----	6 UNCH
5200	----	----	----/27.116A	28.530B/27.116A	----	27.493 - 1.038	.9636	----	----	----	----	40 UNCH
5225	----	----	----/26.934A	28.260B/26.934A	----	27.254 - 1.040	.9625	----	----	----	----	9 UNCH
5250	----	----	----/26.698A	28.019B/26.698A	----	27.014 - 1.044	.9614	----	----	----	----	2 UNCH
5275	----	----	----/26.463A	27.779B/26.463A	----	26.775 - 1.047	.9602	----	----	----	----	1 UNCH
5300	----	----	----/26.227A	27.538B/26.227A	----	26.537 - 1.050	.9589	----	----	----	----	7 UNCH
5350	----	----	----/25.681A	27.110B/25.681A	----	26.061 - 1.056	.9564	----	----	----	----	155 UNCH
5375	----	----	----/25.515A	26.820B/25.515A	----	25.824 - 1.058	.9551	----	----	----	----	1 UNCH
5400	----	----	----/25.289A	26.580B/25.289A	----	25.587 - 1.062	.9537	----	----	----	----	21 UNCH
5425	----	----	----/25.009A	26.372B/25.009A	----	25.351 - 1.064	.9523	----	----	----	----	42 UNCH
5450	----	----	----/24.821A	26.103B/24.821A	----	25.116 - 1.067	.9508	----	----	----	----	1 UNCH
5500	----	----	----/24.279A	25.691B/24.279A	----	24.646 - 1.073	.9478	----	----	----	----	494 UNCH
5550	----	----	----/23.879A	25.158B/23.879A	----	24.178 - 1.079	.9446	----	----	----	----	3 UNCH
5600	----	----	----/23.356A	24.753B/23.356A	----	23.713 - 1.084	.9411	----	----	----	----	102 UNCH
5650	----	----	----/22.945A	24.254B/22.945A	----	23.250 - 1.090	.9375	----	----	----	----	43 UNCH
5675	----	----	----/22.717A	24.022B/22.717A	----	23.020 - 1.092	.9356	----	----	----	----	25 UNCH
5700	----	----	----/22.492A	23.790B/22.492A	----	22.790 - 1.095	.9337	----	----	----	----	26 UNCH
5750	----	----	----/22.004A	23.361B/22.004A	----	22.333 - 1.099	.9296	----	----	----	----	162 UNCH
5775	----	----	----/21.831A	23.065B/21.831A	----	22.106 - 1.101	.9275	----	----	----	----	1 UNCH
5800	----	----	----/21.608A	22.837B/21.608A	----	21.879 - 1.103	.9253	----	----	----	----	16 UNCH
5900	----	----	----/20.722A	21.925B/20.722A	----	20.980 - 1.111	.9160	----	----	----	----	10 UNCH
5925	----	----	----/20.500A	21.700B/20.500A	----	20.757 - 1.113	.9136	----	----	----	----	10 UNCH
5950	----	----	----/20.282A	21.476B/20.282A	----	20.535 - 1.115	.9110	----	----	----	----	6 UNCH
5975	----	----	----/20.065A	21.249B/20.065A	----	20.314 - 1.117	.9084	----	----	----	----	20 UNCH
6000	----	----	----/19.777A	21.097B/19.777A	----	20.094 - 1.118	.9058	----	----	----	----	550 UNCH
6050	19.589	19.589	19.589/19.345A	20.654B/19.345A	----	19.657 - 1.121	.9003	----	----	2	----	58 UNCH
6075	----	----	----/19.204A	20.362B/19.204A	----	19.439 - 1.123	.8975	----	----	----	----	1 UNCH
6100	----	----	----/18.991A	20.142B/18.991A	----	19.223 - 1.124	.8946	----	----	----	----	10 UNCH
6200	----	----	----/18.073A	19.337B/18.073A	----	18.368 - 1.127	.8823	----	----	----	----	101 UNCH
6250	----	----	----/17.741A	18.840B/17.741A	----	17.947 - 1.128	.8758	----	----	----	----	1 UNCH
6300	----	----	----/17.330A	18.414B/17.330A	----	17.531 - 1.128	.8690	----	----	----	----	3 UNCH
6350	----	----	----/16.927A	17.993B/16.927A	----	17.119 - 1.128	.8620	----	----	----	----	2 UNCH
6450	----	----	----/16.122A	17.162B/16.122A	----	16.310 - 1.126	.8471	----	----	----	----	1 UNCH
6500	15.696	15.696	15.696/15.660A	16.838B/15.660A	----	15.913 - 1.124	.8393	----	----	2	----	195 UNCH
6600	----	----	----/14.893A	16.043B/14.893A	----	15.135 - 1.118	.8229	----	----	----	----	56 UNCH
6650	14.726	14.726	14.726/14.508A	15.653B/14.508A	----	14.753 - 1.115	.8143	----	----	2	----	102 + 2
6750	----	----	----/13.869A	14.801B/13.869A	----	14.008 - 1.107	.7965	----	----	----	----	24 UNCH
6800	----	----	----/13.432A	14.512B/13.432A	----	13.644 - 1.102	.7873	----	----	----	----	250 UNCH
6825	----	----	----/13.346A	14.238B/13.346A	----	13.465 - 1.098	.7826	----	----	----	----	6 UNCH
6850	----	----	----/13.174A	14.054B/13.174A	----	13.287 - 1.095	.7778	----	----	----	----	1 UNCH
6875	----	----	----/13.002A	13.871B/13.002A	----	13.110 - 1.092	.7730	----	----	----	----	16 UNCH
6900	----	----	----/12.721A	13.778B/12.721A	----	12.935 - 1.089	.7681	----	----	----	----	99 UNCH
6950	----	----	----/12.497A	13.329B/12.497A	----	12.589 - 1.082	.7583	----	----	----	----	1 UNCH
7000	----	----	----/12.056A	13.066B/12.056A	----	12.250 - 1.074	.7482	----	----	----	----	154 UNCH
7025	----	----	----/11.910A	12.885B/11.910A	----	12.083 - 1.070	.7431	----	----	----	----	125 UNCH
7050	----	----	----/11.844A	12.627B/11.844A	----	11.918 - 1.065	.7380	----	----	----	----	1 UNCH
7100	----	----	----/11.526A	12.279B/11.526A	----	11.592 - 1.056	.7276	----	----	----	----	5 UNCH
7200	----	----	----/10.921A	11.619B/10.921A	----	10.959 - 1.037	.7064	----	----	----	----	11 UNCH
7225	----	----	----/10.769A	11.458B/10.769A	----	10.805 - 1.032	.7010	----	----	----	----	1 UNCH
7250	----	----	----/10.531A	11.393B/10.531A	----	10.653 - 1.027	.6956	----	----	----	----	165 UNCH
7300	----	----	----/10.333A	10.978B/10.333A	----	10.354 - 1.015	.6847	----	----	----	----	5 UNCH
7325	----	----	----/10.086A	10.920B/10.086A	----	10.207 - 1.009	.6793	----	----	----	----	100 UNCH
7350	----	----	----/10.048A	10.670B/10.048A	----	10.062 - 1.003	.6737	----	----	----	----	2 UNCH
7400	----	----	----/9.766A	10.368B/9.766A	----	9.776 - 0.991	.6627	----	----	2	----	18 - 2
7450	----	----	----/9.500A	10.073B/9.500A	----	9.497 - 0.978	.6515	----	----	----	----	12 UNCH
7500	----	----	----/9.145A	9.883B/9.145A	----	9.226 - 0.963	.6403	----	----	2	----	301 - 2
7550	----	----	----/8.995A	9.503B/8.995A	----	8.961 - 0.950	.6291	----	----	----	----	6 UNCH
7575	----	----	----/8.866A	9.365B/8.866A	----	8.831 - 0.942	.6235	----	----	----	----	20 UNCH
7600	----	----	----/8.747A	9.228B/8.747A	----	8.703 - 0.935	.6179	----	----	1	----	12 - 1
7700	----	----	----/8.260A	8.697B/8.260A	----	8.208 - 0.904	.5954	----	----	1	----	14 - 1
7750	----	----	----/7.930A	8.543B/7.930A	----	7.970 - 0.889	.5842	----	----	----	----	65 UNCH
7800	----	----	----/7.715A	8.294B/7.715A	----	7.740 - 0.872	.5730	----	----	----	----	51 UNCH
7900	----	----	----/7.389A	7.709B/7.389A	----	7.298 - 0.839	.5508	----	----	----	----	8 UNCH
7975	----	----	----/7.092A	7.361B/7.092A	----	6.985 - 0.812	.5344	----	----	----	----	5 UNCH
8000	7.323	7.323	7.755B/6.893A	7.755B/6.893A	----	6.884 - 0.803	.5290	----	----	13	----	615 + 10
8025	6.900	6.900	6.900/6.881A	7.309B/6.881A	----	6.784 - 0.794	.5236	----	----	4	----	8 UNCH
8100	----	----	----/6.571A	7.257B/6.571A	----	6.494 - 0.768	.5076	----	----	----	----	42 UNCH
8200	7.500	7.500	7.500/6.000	7.500/6.000	----	6.129 - 0.732	.4868	----	----	52	----	52 + 50
8250	----	----	----/6.058A	6.529B/6.058A	----	5.956 - 0.713	.4766	----	----	----	----	45 UNCH
8300	----	----	6.652B/5.821A	6.652B/5.821A	----	5.788 - 0.695	.4665	----	----	----	----	351 UNCH
8325	----	----	----/5.856A	6.235B/5.856A	----	5.706 - 0.686	.4615	----	----	----	----	1 UNCH
8350	----	----	----/5.778A	6.140B/5.778A	----	5.625 - 0.678	.4566	----	----	----	----	2 UNCH
8375	----	----	----/5.642A	6.046B/5.642A	----	5.546 - 0.669	.4517	----	----	----	----	48 UNCH
8400	----	----	----/5.632A	5.973B/5.632A	----	5.468 - 0.660	.4469	----	----	----	----	8 UNCH
8500	5.500	5.500	5.925B/5.221A	5.925B/5.221A	----	5.170 - 0.625	.4279	----	----	1	----	703 UNCH
8550	----	----	5.709B/5.086A	5.709B/5.086A	----	5.028 - 0.608	.4187	----	----	----	----	329 UNCH
8600	----	----	----/5.060A	5.310B/5.060A	----	4.892 - 0.591	.4097	----	----	----	----	6 UNCH
8650	----	----	----/4.937A	5.084B/4.937A	----	4.759 - 0.576	.4008	----	----	----	----	1 UNCH
8700	----	----	----/4.696A	5.103B/4.696A	----	4.632 - 0.560	.3922	----	----	----	----	63 UNCH
8750	----	----	----/4.690A	4.792B/4.690A	----	4.508 - 0.545	.3837	----	----	----	----	7 UNCH
8800	----	----	----/4.572A	4.725B/4.572A	----	4.389 - 0.530	.3754	----	----	----	----	12 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUL26												
8900	----	----	4.726B/4.248A	4.726B/4.248A	----	4.163 - 0.503	.3594	----	----	----	----	109 UNCH
9000	4.073	4.073	4.507B/4.038A	4.507B/4.038A	----	3.952 - 0.478	.3440	----	----	2	----	444 + 1
9100	----	----	----/3.944A	3.963B/3.944A	----	3.755 - 0.455	.3294	----	----	----	----	10 UNCH
9200	----	----	----/3.663A	3.929B/3.663A	----	3.571 - 0.435	.3155	----	----	----	----	81 UNCH
9225	----	----	----/3.725A	3.636B/3.725A	----	3.527 - 0.431	.3122	----	----	----	----	2 UNCH
9250	----	----	----/3.681A	3.585B/3.681A	----	3.484 - 0.426	.3089	----	----	----	----	7 UNCH
9300	----	----	3.821B/3.497A	3.821B/3.497A	----	3.399 - 0.418	.3023	----	----	----	----	266 UNCH
9350	----	----	----/3.509A	3.401B/3.509A	----	3.317 - 0.411	.2959	----	----	----	----	9 UNCH
9400	----	----	----/3.388A	3.379B/3.388A	----	3.238 - 0.404	.2897	----	----	----	----	25 UNCH
9450	----	----	----/3.315A	3.223B/3.315A	----	3.161 - 0.398	.2837	----	----	----	----	33 UNCH
9500	3.447	3.447	3.480/2.960	3.480/2.960	----	3.087 - 0.393	.2777	----	----	28	----	511 + 8
9525	----	----	----/3.412A	3.095B/3.412A	----	3.050 NEW	.2748	----	----	1	----	1 + 1
9550	----	----	----/3.375A	3.053B/3.375A	----	3.015 NEW	.2720	----	----	1	----	1 + 1
9600	----	----	----/3.050A	3.039B/3.050A	----	2.945 - 0.385	.2663	----	----	----	----	53 UNCH
9700	----	----	----/2.995A	2.881B/2.995A	----	2.812 - 0.378	.2555	----	----	1	----	5 + 1
9725	----	----	----/2.964A	2.775B/2.964A	----	2.779 - 0.378	.2528	----	----	----	----	1 UNCH
9750	2.711	2.711	2.749/2.711	2.933B/2.711	----	2.748 - 0.376	.2503	----	----	6	----	82 + 6
9775	----	----	----/2.827A	2.760B/2.827A	----	2.717 - 0.374	.2477	----	----	----	----	50 UNCH
9800	----	----	----/2.797A	2.974B/2.797A	----	2.686 - 0.374	.2452	----	----	----	----	130 UNCH
9825	----	----	----/2.847A	2.630B/2.847A	----	2.655 - 0.373	.2426	----	----	----	----	3 UNCH
9900	----	----	----/2.683A	2.769B/2.683A	----	2.567 - 0.369	.2353	----	----	2	----	71 - 2
10000	3.000	3.000	3.000/2.576A	3.000/2.576A	----	2.455 - 0.364	.2259	----	----	7	----	1474 - 1
10100	----	----	----/2.552A	2.340B/2.552A	----	2.348 - 0.359	.2169	----	----	----	----	1 UNCH
10125	----	----	----/2.528A	2.244B/2.528A	----	2.322 - 0.358	.2148	----	----	----	----	7 UNCH
10200	----	----	----/2.378A	2.397B/2.378A	----	2.247 - 0.353	.2084	----	----	----	----	81 UNCH
10250	----	----	----/2.410A	2.113B/2.410A	----	2.199 - 0.348	.2043	----	----	----	----	20 UNCH
10375	----	----	----/2.302A	1.981B/2.302A	----	2.082 - 0.340	.1943	----	----	----	----	18 UNCH
10400	----	----	----/2.280A	2.009B/2.280A	----	2.060 - 0.337	.1924	----	----	----	----	1 UNCH
10475	----	----	----/2.164A	1.936B/2.164A	----	1.995 - 0.331	.1868	----	----	----	----	25 UNCH
10500	----	----	----/2.119A	2.140B/2.119A	----	1.974 - 0.328	.1849	----	----	1	----	585 - 1
10550	----	----	----/2.158A	1.803B/2.158A	----	1.932 - 0.324	.1813	----	----	----	----	1 UNCH
10600	----	----	----/2.119A	1.818B/2.119A	----	1.891 - 0.320	.1778	----	----	----	----	2 UNCH
10800	----	----	----/1.926A	1.668B/1.926A	----	1.739 - 0.301	.1645	----	----	----	----	28 UNCH
11000	1.650	1.650	1.651/1.650	1.706B/1.650	----	1.602 - 0.281	.1523	----	----	2	----	1061 + 1
11100	----	----	----	1.429B/1.814A	----	1.538 - 0.272	.1466	----	----	----	----	23 UNCH
11200	----	----	----	1.365B/1.763A	----	1.478 - 0.262	.1412	----	----	----	----	8 UNCH
11225	----	----	----	1.312B/1.748A	----	1.463 - 0.260	.1399	----	----	----	----	3 UNCH
11300	----	----	----	1.305B/1.704A	----	1.420 - 0.253	.1360	----	----	----	----	50 UNCH
11400	----	----	----	1.252B/1.648A	----	1.365 - 0.244	.1311	----	----	----	----	19 UNCH
11500	----	----	----	1.198B/1.595A	----	1.313 - 0.235	.1263	----	----	----	----	59 UNCH
11600	----	----	----	1.147B/1.543A	----	1.264 - 0.226	.1219	----	----	----	----	1 UNCH
11625	----	----	----	1.087B/1.532A	----	1.252 - 0.224	.1208	----	----	----	----	2 UNCH
11650	----	----	----	1.073B/1.518A	----	1.240 - 0.222	.1197	----	----	----	----	24 UNCH
11675	----	----	----	1.063B/1.507A	----	1.229 - 0.219	.1186	----	----	----	----	22 UNCH
11700	----	----	----	1.094B/1.494A	----	1.217 - 0.218	.1175	----	----	----	----	22 UNCH
11725	----	----	----	1.040B/1.484A	----	1.206 - 0.215	.1165	----	----	----	----	22 UNCH
11750	----	----	----/1.403A	1.027B/1.403A	----	1.195 - 0.213	.1155	----	----	----	----	22 UNCH
11775	----	----	----/1.379A	1.017B/1.379A	----	1.183 - 0.212	.1144	----	----	----	----	22 UNCH
11800	----	----	----	1.049B/1.450A	----	1.173 - 0.209	.1135	----	----	----	----	1 UNCH
11900	----	----	----	1.010B/1.406A	----	1.130 - 0.202	.1095	----	----	----	----	1 UNCH
11950	----	----	----	0.944B/1.385A	----	1.110 - 0.198	.1076	----	----	----	----	1 UNCH
12000	----	----	----	1.141B/1.305A	----	1.090 - 0.195	.1058	----	----	----	----	409 UNCH
12200	----	----	----	0.894B/1.286A	----	1.015 - 0.182	.0988	----	----	----	----	1 UNCH
12225	----	----	----	0.842B/1.276A	----	1.007 - 0.180	.0980	----	----	----	----	16 UNCH
12250	----	----	----	0.830B/1.267A	----	0.998 - 0.179	.0971	----	----	----	----	6 UNCH
12300	----	----	----	0.854B/1.249A	----	0.981 - 0.176	.0955	----	----	----	----	8 UNCH
12375	----	----	----	0.786B/1.222A	----	0.956 - 0.172	.0932	----	----	----	----	1 UNCH
12425	----	----	----	0.769B/1.205A	----	0.940 - 0.170	.0917	----	----	----	----	1 UNCH
12450	----	----	----	0.761B/1.197A	----	0.933 - 0.168	.0910	----	----	----	----	1 UNCH
12475	----	----	----	0.754B/1.188A	----	0.925 - 0.167	.0902	----	----	----	----	3 UNCH
12500	----	----	----	0.951B/1.117A	----	0.917 - 0.166	.0895	----	----	50	----	89 - 48
12550	----	----	----/0.993A	0.761B/0.993A	----	0.902 - 0.164	.0880	----	----	----	----	0 UNCH
12600	----	----	----/0.968A	0.778B/0.968A	----	0.888 - 0.162	.0867	----	----	----	----	6 UNCH
12725	----	----	----/0.944A	0.760B/0.944A	----	0.853 - 0.158	.0833	----	----	----	----	1 UNCH
12800	----	----	----/0.925A	0.785B/0.925A	----	0.834 - 0.155	.0815	----	----	----	----	1 UNCH
13000	----	----	----/0.873A	0.807B/0.873A	----	0.785 - 0.150	.0767	----	----	----	----	596 UNCH
14000	0.620	0.620	0.620/0.620	0.620/0.620	----	0.602 - 0.132	.0585	----	----	11	----	793 - 6
14700	----	----	----/0.594A	0.465B/0.594A	----	0.514 - 0.111	.0496	----	----	----	----	1 UNCH
15000	0.609	0.609	0.609/0.388	0.609/0.388	----	0.483 - 0.100	.0464	----	----	25	----	709 UNCH
16000	0.387	0.387	0.387/0.387	0.387/0.387	----	0.397 - 0.071	.0377	----	----	7	----	769 + 6
17000	----	----	----	0.264B/0.402A	----	0.329 - 0.055	.0310	----	----	----	----	26 UNCH
18000	----	----	----	0.221B/0.350A	----	0.271 - 0.056	.0254	----	----	----	----	256 UNCH
19000	----	----	----	0.174B/0.307A	----	0.221 - 0.065	.0207	----	----	----	----	78 UNCH
20000	----	----	----/0.239A	0.147B/0.239A	----	0.181 - 0.068	.0170	----	----	1	----	1210 + 1
21000	----	----	----	0.124B/0.226A	----	0.149 - 0.065	.0140	----	----	----	----	427 UNCH
24000	----	----	----	0.070B/0.199A	----	0.089 - 0.035	.0084	----	----	----	----	125 UNCH
25000	0.145	0.145	0.145/0.145	0.145/0.145	----	0.076 - 0.027	.0071	----	----	1	----	357 + 1
27000	----	----	----	0.001B/0.242A	----	0.066 - 0.023	.0060	----	----	----	----	4 UNCH
30000	----	----	----	0.001B/0.217A	----	0.058 - 0.019	.0051	----	----	----	----	23 UNCH
32000	----	----	----	0.001B/0.212A	----	0.047 - 0.017	.0041	----	----	----	----	4 UNCH
35000	----	----	----	0.010B/0.070A	----	0.031 - 0.011	.0027	----	----	----	----	77 UNCH
TOTAL										246	0	18173 + 34
AUG26												
5000	----	----	----	----	----	30.158 - 1.014	.9572	----	----	----	----	2 UNCH
5400	----	----	----	7.027B/41.292A	----	26.427 - 1.044	.9350	----	----	----	----	2 UNCH
5500	----	----	----	6.119B/40.532A	----	25.516 - 1.052	.9279	----	----	----	----	1 UNCH
6300	----	----	----	----/37.624A	----	18.694 - 1.112	.8460	----	----	----	----	5 UNCH
6450	----	----	----	----/39.926A	----	17.532 - 1.120	.8252	----	----	----	----	1 UNCH
6500	----	----	----	----/36.243A	----	17.154 - 1.123	.8179	----	----	----	----	2 UNCH
6600	----	----	----	----/38.082A	----	16.415 - 1.127	.8028	----	----	----	----	4 UNCH
6800	----	----	----	----/32.965A	----	15.002 - 1.132	.7706	----	----	----	----	7 UNCH
6875	----	----	----	----/32.469A	----	14.495 - 1.133	.7579	----	----	----	----	5 UNCH
7000	----	----	----	----/32.316A	----	13.679 - 1.133	.7361	----	----	----	----	3 UNCH
7025	----	----	----	----/31.110A	----	13.521 - 1.132	.7317	----	----	----	----	5 UNCH
7050	----	----	----	----/31.706A	----	13.363 - 1.133	.7272	----	----	----	----	2 UNCH
7100	----	----	----	----/31.818A	----	13.054 - 1.131	.7182	----	----	----	----	2 UNCH
7400	----	----	----/11.867A	11.294B/11.867A	----	11.358 - 1.080	.6625	----	----	----	----	2 UNCH
7425	----	----	----/11.728A	11.209B/11.728A	----	11.227 - 1.074	.6578	----	----	----	----	14 UNCH
7475	----	----	----/11.470A	10.943B/11.470A	----	10.970 - 1.061	.6483	----	----	----	----	6 UNCH
7500	----	----	----/11.343A	10.763B/11.343A	----	10.843 - 1.054	.6436	----	----	----	----	4 UNCH
7550	----	----	----/11.093A	10.837B/11.093A	----	10.594 - 1.040	.6342	----	----	----	----	4 UNCH
7625	----	----	----/10.601A	10.180B/10.601A	----	10.230 - 1.019	.6202	----	----	----	----	18 UNCH
7700	----	----	----/10.174A	10.057B/10.174A	----	9.878 - 0.997	.6061	----	----	----	----	1 UNCH
7800	----	----	----/9.721A	9.567B/9.721A	----	9.427 - 0.968	.5876	----	----	----	----	1 UNCH
7900	----	----	----/9.288A	9.111B/9.288A	----	8.996 - 0.939	.5692	----	----	----	----	1 UNCH
7950	----	----	----/9.079A	8.890B/9.079A	----	8.789 - 0.924	.5601	----	----	----	----	9 UNCH
7975	----	----	----/8.977A	8.552B/8.977A	----	8.687 - 0.917	.5556	----	----	----	----	1 UNCH
8000	----	----	----/8.876A	8.680B/8.876A	----	8.587 - 0.909	.5511	----	----	----	----	12 UNCH
8300	----	----	----/7.762A	7.509B/7.762A	----	7.476 - 0.828	.4988	----	----	----	----	1 UNCH
8450	----	----	----/7.267A	6.987B/7.267A	----	6.984 - 0.791	.4740	----	----	----	----	1 UNCH
8500	----	----	----/7.109A	6.819B/7.109A	----	6.828 - 0.781	.4660	----	----	----	----	12 UNCH
8775	----	----	----/6.317A	5.877B/6.317A	----	6.047 - 0.723	.4240	----	----	----	----	2 UNCH
8900	----	----	----/5.991A	5.651B/5.991A	----	5.729 - 0.700	.4061	----	----	----	----	7 UNCH
8950	----	----	----/5.869A	5.521B/5.869A	----	5.607 - 0.692	.3991	----	----	----	----	6 UNCH
9000	----	----	----/5.749A	5.396B/5.749A	----	5.490 - 0.682	.3924	----	----	----	----	20 UNCH
9100	----	----	----/5.517A	5.152B/5.517A	----	5.263 - 0.666	.3791	----	----	----	----	84 UNCH
9400	----	----	----/4.896A	4.502B/4.896A	----	4.652 - 0.621	.3420	----	----	----	----	102 UNCH
10000	----	----	----/4.155A	3.496B/4.155A	----	3.680 - 0.537	.2796	----	----	----	----	76 UNCH
10200	----	----	----/3.874A	3.233B/3.874A	----	3.415 - 0.511	.2618	----	----	----	----	3 UNCH
10400	----	----	----/3.618A	2.997B/3.618A	----	3.176 - 0.486	.2454	----	----	----	----	2 UNCH
10500	----	----	----/3.499A	2.887B/3.499A	----	3.064 - 0.474	.2376	----	----	----	----	7 UNCH
11100	----	----	----	2.330B/2.915A	----	2.497 - 0.406	.1972	----	----	----	----	1 UNCH
11200	----	----	----	2.249B/2.829A	----	2.417 - 0.395	.1914	----	----	----	----	1 UNCH
11300	----	----	----/2.725A	2.173B/2.725A	----	2.340 - 0.386	.1857	----	----	----	----	10 UNCH
11500	----	----	----	2.032B/2.591A	----	2.197 - 0.366	.1751	----	----	5	----	48 - 5
11850	----	----	----	1.813B/2.348A	----	1.976 - 0.334	.1585	----	----	----	----	1 UNCH
12000	----	----	----	1.715B/2.232A	----	1.891 - 0.322	.1521	----	----	----	----	2 UNCH
12500	----	----	----	1.463B/2.018A	----	1.643 - 0.284	.1329	----	----	----	----	1 UNCH
13000	----	----	----	1.247B/1.787A	----	1.441 - 0.251	.1171	----	----	10	----	53 UNCH
14000	----	----	----	0.954B/1.366A	----	1.136 - 0.198	.0927	----	----	----	----	6 UNCH
15000	----	----	----/1.007A	0.907B/1.007A	----	0.920 - 0.160	.0751	----	----	----	----	36 UNCH
16000	----	----	----/0.834A	0.746B/0.834A	----	0.761 - 0.134	.0620	----	----	----	----	1 UNCH
17000	----	----	----/0.749A	0.602B/0.749A	----	0.640 - 0.115	.0520	----	----	----	----	2 UNCH
18000	----	----	----	0.497B/0.651A	----	0.545 - 0.103	.0441	----	----	----	----	1 UNCH
19000	----	----	----	0.421B/0.577A	----	0.470 - 0.094	.0379	----	----	----	----	2 UNCH
20000	----	----	----	0.361B/0.515A	----	0.410 - 0.088	.0329	----	----	----	----	217 UNCH
25000	----	----	----	0.185B/0.332A	----	0.235 - 0.065	.0185	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
AUG26												
30000	----	----	----	0.109B/0.245A	----	0.156 - 0.046	.0120	----	----	----	----	13 UNCH
35000	----	----	----	0.062B/0.224A	----	0.099 - 0.030	.0076	----	----	----	----	2 UNCH
TOTAL										15	0	836 - 5
SEP26												
5100	----	----	----	0.493B/49.731A	----	29.406 - 0.984	.9395	----	----	----	----	1 UNCH
5900	----	----	----	----/46.247A	----	22.464 - 1.039	.8729	----	----	----	----	2 UNCH
6000	----	----	----	----/44.017A	----	21.660 - 1.047	.8618	----	----	----	----	7 UNCH
6700	----	----	----	----/38.479A	----	16.554 - 1.075	.7681	----	----	----	----	1 UNCH
7000	----	----	----	----/32.195A	----	14.669 - 1.056	.7214	----	----	----	----	121 UNCH
7125	----	----	----/14.735A	13.208B/14.735A	----	13.940 - 1.040	.7012	----	----	----	----	75 UNCH
7400	----	----	----/12.974A	12.230B/12.974A	----	12.450 - 0.983	.6562	----	----	----	----	100 UNCH
7500	----	----	----/12.474A	12.029B/12.474A	----	11.947 - 0.956	.6397	----	----	----	----	1 UNCH
7700	----	----	----/11.501A	10.999B/11.501A	----	11.000 - 0.892	.6069	----	----	----	----	1 UNCH
8000	----	----	----/10.307A	9.688B/10.307A	----	9.725 - 0.783	.5585	----	----	----	----	105 UNCH
8200	----	----	----/9.576A	8.910B/9.576A	----	8.966 - 0.710	.5274	----	----	----	----	24 UNCH
8500	----	----	----	7.874B/8.601A	----	7.952 - 0.613	.4831	----	----	----	----	100 UNCH
8675	----	----	----	7.243B/8.174A	----	7.425 - 0.564	.4587	----	----	----	----	5 UNCH
8700	----	----	----	7.259B/8.027A	----	7.353 - 0.557	.4553	----	----	----	----	100 UNCH
9000	----	----	----	6.444B/7.265A	----	6.558 - 0.489	.4164	----	----	----	----	186 UNCH
9500	----	----	----	5.316B/6.194A	----	5.471 - 0.410	.3592	----	----	----	----	53 UNCH
9750	----	----	----	4.846B/5.729A	----	5.021 - 0.386	.3341	----	----	----	----	23 UNCH
9800	----	----	----	4.763B/5.644A	----	4.938 - 0.382	.3293	----	----	----	----	109 UNCH
9900	----	----	----	4.602B/5.473A	----	4.777 - 0.375	.3201	----	----	2	----	45 + 2
10000	----	----	----	4.445B/5.311A	----	4.624 - 0.369	.3112	----	----	2	----	283 + 2
10500	----	----	----	3.778B/4.603A	----	3.962 - 0.350	.2713	----	----	----	----	115 UNCH
10800	----	----	----	3.438B/4.236A	----	3.633 - 0.347	.2507	----	----	----	----	2 UNCH
11000	----	----	----	3.234B/4.018A	----	3.437 - 0.347	.2382	----	----	----	----	190 UNCH
11300	----	----	----	2.956B/3.719A	----	3.173 - 0.348	.2211	----	----	----	----	60 UNCH
11500	----	----	----	2.787B/3.539A	----	3.014 - 0.348	.2107	----	----	----	----	70 UNCH
12000	----	----	----	2.400B/3.140A	----	2.665 - 0.348	.1875	----	----	----	----	117 UNCH
12500	----	----	----	2.095B/2.809A	----	2.370 - 0.341	.1676	----	----	----	----	35 UNCH
13000	----	----	----	1.841B/2.525A	----	2.118 - 0.328	.1505	----	----	----	----	36 UNCH
14000	2.720	2.720	2.720/1.900A	2.720/1.900A	----	1.713 - 0.291	.1227	----	----	1	----	97 UNCH
15000	----	----	----/1.654A	1.039B/1.654A	----	1.406 - 0.249	.1013	----	----	----	----	221 UNCH
16000	----	----	----	0.801B/1.627A	----	1.170 - 0.208	.0847	----	----	----	----	18 UNCH
17000	----	----	----/1.110A	0.949B/1.110A	----	0.987 - 0.173	.0717	----	----	----	----	27 UNCH
18000	----	----	----/0.977A	0.799B/0.977A	----	0.845 - 0.145	.0615	----	----	----	----	2 UNCH
19000	----	----	----	0.687B/0.864A	----	0.734 - 0.124	.0535	----	----	----	----	14 UNCH
20000	----	----	----	0.590B/0.772A	----	0.644 - 0.109	.0469	----	----	----	----	304 UNCH
21000	----	----	----	0.516B/0.701A	----	0.572 - 0.097	.0415	----	----	----	----	1 UNCH
23000	----	----	----	0.400B/0.585A	----	0.464 - 0.080	.0335	----	----	----	----	32 UNCH
25000	----	----	----	0.321B/0.480A	----	0.390 - 0.069	.0279	----	----	----	----	14 UNCH
30000	----	----	----	0.202B/0.366A	----	0.284 - 0.059	.0198	----	----	----	----	19 UNCH
35000	----	----	----	0.131B/0.291A	----	0.160 - 0.037	.0115	----	----	----	----	27 UNCH
TOTAL										5	0	2743 + 4
OCT26												
3800	----	----	----	----	----	42.675 - 0.952	.9845	----	----	----	----	1 UNCH
7000	----	----	----	----/30.339A	----	16.041 - 0.985	.7233	----	----	----	----	2 UNCH
7100	----	----	----/16.263A	14.309B/16.263A	----	15.460 - 0.962	.7088	----	----	----	----	1 UNCH
7500	----	----	----/13.927A	13.032B/13.927A	----	13.328 - 0.865	.6497	----	----	----	----	1 UNCH
7650	----	----	----/13.226A	12.498B/13.226A	----	12.608 - 0.826	.6274	----	----	----	----	1 UNCH
7875	----	----	----	11.313B/12.410A	----	11.607 - 0.770	.5943	----	----	----	----	2 UNCH
8000	----	----	----/11.748A	10.954B/11.748A	----	11.090 - 0.741	.5762	----	----	----	----	4 UNCH
8075	----	----	----	10.459B/11.595A	----	10.793 - 0.725	.5655	----	----	----	----	1 UNCH
8500	----	----	----	9.100B/9.997A	----	9.287 - 0.652	.5074	----	----	----	----	1 UNCH
8700	----	----	----	8.463B/9.395A	----	8.675 - 0.629	.4820	----	----	----	----	4 UNCH
9000	----	----	----	7.612B/8.618A	----	7.856 - 0.605	.4461	----	----	----	----	1 UNCH
9100	----	----	----	7.351B/8.349A	----	7.607 - 0.599	.4348	----	----	----	----	73 UNCH
10000	----	----	----	5.472B/6.500A	----	5.799 - 0.544	.3469	----	----	----	----	96 UNCH
11000	----	----	----	4.112B/5.054A	----	4.434 - 0.450	.2739	----	----	----	----	3 UNCH
11100	----	----	----	4.001B/4.936A	----	4.324 - 0.440	.2678	----	----	----	----	2 UNCH
11700	----	----	----	3.386B/4.308A	----	3.737 - 0.386	.2346	----	----	----	----	2 UNCH
12000	----	----	----	3.135B/4.042A	----	3.484 - 0.364	.2201	----	----	----	----	65 UNCH
13000	----	----	----	2.466B/3.296A	----	2.792 - 0.305	.1793	----	----	----	----	145 UNCH
14000	----	----	----	1.983B/2.760A	----	2.276 - 0.267	.1481	----	----	----	----	2 UNCH
15000	----	----	----	1.532B/2.401A	----	1.887 - 0.242	.1240	----	----	----	----	178 UNCH
16000	----	----	----	1.208B/2.124A	----	1.593 - 0.225	.1054	----	----	----	----	4 UNCH
18000	----	----	----	1.135B/1.332A	----	1.114 - 0.172	.0754	----	----	----	----	340 UNCH
20000	----	----	----	0.859B/1.067A	----	0.824 - 0.135	.0565	----	----	----	----	225 UNCH
TOTAL											0	1154 0
NOV26												
6500	----	----	----	----/42.238A	----	19.999 - 0.926	.7796	----	----	----	----	1 UNCH
7000	----	----	----	----/37.022A	----	16.902 - 0.851	.7158	----	----	----	----	14 UNCH
7100	----	----	----/17.063A	15.366B/17.063A	----	16.333 - 0.835	.7025	----	----	----	----	14 UNCH
7500	----	----	----/14.829A	13.714B/14.829A	----	14.231 - 0.769	.6485	----	----	----	----	1 UNCH
7900	----	----	----/13.051A	12.129B/13.051A	----	12.409 - 0.706	.5944	----	----	----	----	10 UNCH
8000	----	----	----/12.663A	11.718B/12.663A	----	11.996 - 0.692	.5810	----	----	----	----	10 UNCH
10000	----	----	----	6.275B/7.461A	----	6.684 - 0.522	.3682	----	----	----	----	26 UNCH
12000	----	----	----	3.793B/4.862A	----	4.208 - 0.413	.2446	----	----	----	----	13 UNCH
12500	----	----	----	3.394B/4.422A	----	3.795 - 0.386	.2226	----	----	----	----	10 UNCH
13000	----	----	----	3.058B/4.040A	----	3.437 - 0.362	.2033	----	----	----	----	2 UNCH
14000	----	----	----	2.465B/3.419A	----	2.854 - 0.315	.1711	----	----	----	----	3 UNCH
15000	----	----	----	2.036B/2.950A	----	2.405 - 0.274	.1457	----	----	----	----	5 UNCH
16000	----	----	----	1.645B/2.628A	----	2.055 - 0.241	.1255	----	----	----	----	2 UNCH
17000	----	----	----	1.344B/2.362A	----	1.779 - 0.215	.1092	----	----	----	----	1 UNCH
20000	----	----	----/1.389A	1.145B/1.389A	----	1.231 - 0.162	.0762	----	----	----	----	32 UNCH
21000	----	----	----	1.010B/1.260A	----	1.105 - 0.150	.0685	----	----	----	----	2 UNCH
TOTAL											0	146 0
DEC26												
3875	----	----	----	----	----	42.022 - 0.954	.9714	----	----	----	----	1 UNCH
5250	----	----	----	----/54.285A	----	29.602 - 0.965	.8999	----	----	----	----	50 UNCH
5500	----	----	----	----/52.265A	----	27.549 - 0.965	.8797	----	----	----	----	1 UNCH
6500	----	----	----	----/46.185A	----	20.269 - 0.962	.7757	----	----	----	----	564 UNCH
6900	----	----	----	----/42.321A	----	17.857 - 0.954	.7259	----	----	----	----	1 UNCH
6950	----	----	----	----/41.842A	----	17.577 - 0.951	.7195	----	----	----	----	200 UNCH
7000	----	----	----	15.773B/18.454A	----	17.301 - 0.948	.7130	----	----	----	----	120 UNCH
7025	----	----	----	15.868B/18.312A	----	17.165 - 0.946	.7098	----	----	----	----	1 UNCH
7075	----	----	----	15.994B/18.045A	----	16.896 - 0.943	.7034	----	----	----	----	5 UNCH
7100	----	----	----	16.089B/17.912A	----	16.763 - 0.941	.7001	----	----	----	----	15 UNCH
7375	----	----	----	14.747B/16.519A	----	15.373 - 0.911	.6645	----	----	----	----	2 UNCH
7500	----	----	----/15.537A	14.420B/15.537A	----	14.785 - 0.891	.6483	----	----	----	----	18 UNCH
7575	----	----	----	13.804B/15.592A	----	14.444 - 0.878	.6386	----	----	----	----	1 UNCH
7750	----	----	----/13.857A	13.387B/13.857A	----	13.686 - 0.842	.6162	----	----	----	----	2 UNCH
7800	----	----	----/13.906A	13.172B/13.906A	----	13.478 - 0.831	.6099	----	----	----	----	1 UNCH
7925	----	----	----	12.248B/14.067A	----	12.975 - 0.802	.5941	----	----	----	----	2 UNCH
8000	----	----	----	12.355B/13.473A	----	12.685 - 0.783	.5848	----	----	----	----	127 UNCH
8100	----	----	----	11.968B/13.107A	----	12.311 - 0.757	.5725	----	----	----	----	1 UNCH
8200	----	----	----	11.600B/12.750A	----	11.952 - 0.729	.5605	----	----	----	----	21 UNCH
8400	----	----	----	10.897B/12.081A	----	11.274 - 0.670	.5371	----	----	----	----	50 UNCH
8500	----	----	----	10.566B/11.767A	----	10.955 - 0.640	.5257	----	----	----	----	150 UNCH
8550	----	----	----	10.406B/11.612A	----	10.800 - 0.624	.5201	----	----	----	----	1 UNCH
8600	----	----	----	10.249B/11.479A	----	10.648 - 0.609	.5146	----	----	----	----	7 UNCH
8800	----	----	----	9.650B/10.897A	----	10.070 - 0.546	.4931	----	----	----	----	5 UNCH
8900	----	----	----	9.369B/10.630A	----	9.797 - 0.515	.4827	----	----	----	----	2 UNCH
8950	----	----	----	9.232B/10.521A	----	9.665 - 0.499	.4776	----	----	----	----	1 UNCH
9000	9.900	9.900	9.900/9.900	9.900/9.900	----	9.536 - 0.482	.4725	----	----	1	----	228 UNCH
9050	----	----	----	8.966B/10.247A	----	9.409 - 0.466	.4675	----	----	----	----	100 UNCH
9300	----	----	----	8.345B/9.665A	----	8.809 - 0.390	.4435	----	----	----	----	1 UNCH
9500	----	----	----	7.888B/9.228A	----	8.370 - 0.330	.4254	----	----	----	----	3 UNCH
9700	----	----	----	7.465B/8.829A	----	7.962 - 0.275	.4082	----	----	----	----	1 UNCH
9800	----	----	----	7.264B/8.639A	----	7.769 - 0.248	.3999	----	----	----	----	19 UNCH
9900	----	----	----	7.070B/8.487A	----	7.582 - 0.224	.3918	----	----	----	----	3 UNCH
10000	----	----	----	6.883B/8.000A	----	7.402 - 0.201	.3839	----	----	----	----	775 UNCH
10025	----	----	----	6.670B/8.396A	----	7.358 - 0.195	.3820	----	----	----	----	3 UNCH
10500	----	----	----	6.039B/7.484A	----	6.587 - 0.105	.3475	----	----	----	----	2 UNCH
10600	----	----	----	5.887B/7.340A	----	6.440 - 0.090	.3408	----	----	----	----	6 UNCH
10800	----	----	----	5.596B/7.066A	----	6.159 - 0.063	.3279	----	----	----	----	1 UNCH
11000	----	----	----	5.323B/6.791A	----	5.896 - 0.040	.3156	----	----	----	----	91 UNCH
11350	----	----	----	4.884B/6.395A	----	5.473 - 0.010	.2955	----	----	----	----	5 UNCH
11800	----	----	----	4.383B/5.934A	----	4.992 + 0.013	.2723	----	----	----	----	25 UNCH
12000	----	----	----	4.180B/5.440A	----	4.799 + 0.020	.2628	----	----	----	----	478 UNCH
12200	----	----	----	3.988B/5.531A	----	4.616 + 0.024	.2537	----	----	----	----	1 UNCH
12500	----	----	----	3.720B/5.247A	----	4.361 + 0.027	.2409	----	----	----	----	43 UNCH
13000	----	----	----	3.354B/4.842A	----	3.980 + 0.024	.2216	----	----	----	----	338 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 57

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
DEC26												
14000	----	----	----	2.754B/4.155A	----	3.354 + 0.003	.1892	----	----	----	----	56 UNCH
14200	----	----	----	2.650B/4.036A	----	3.247 - 0.002	.1835	----	----	----	----	1 UNCH
15000	----	----	----	2.291B/3.606A	----	2.865 - 0.028	.1632	----	----	----	----	1821 UNCH
16000	----	----	----	1.902B/2.780A	----	2.477 - 0.063	.1422	----	----	----	----	1608 UNCH
17000	----	----	----	1.509B/2.929A	----	2.163 - 0.096	.1249	----	----	----	----	50 UNCH
18000	----	----	----	1.220B/2.690A	----	1.905 - 0.125	.1106	----	----	----	----	7 UNCH
19000	----	----	----	0.979B/2.486A	----	1.692 - 0.146	.0987	----	----	----	----	1 UNCH
20000	----	----	----	1.352B/1.735A	----	1.513 - 0.159	.0885	----	----	----	----	262 UNCH
21000	----	----	----	1.202B/1.591A	----	1.363 - 0.162	.0800	----	----	----	----	4 UNCH
23000	----	----	----	0.952B/1.354A	----	1.126 - 0.151	.0663	----	----	----	----	4 UNCH
25000	----	----	----	0.775B/1.179A	----	0.951 - 0.128	.0561	----	----	----	----	231 UNCH
30000	----	----	----	0.491B/0.882A	----	0.677 - 0.078	.0398	----	----	----	----	108 UNCH
40000	----	----	----	0.230B/0.587A	----	0.440 - 0.033	.0253	----	----	----	----	23 UNCH
90000	----	----	----	----	----	0.201 UNCH	.0104	----	----	----	----	1 UNCH
TOTAL										1	0	7649 0
JAN27												
7550	----	----	----/16.506A	15.272B/16.506A	----	15.766 - 0.863	.6513	----	----	----	----	1 UNCH
7650	----	----	----/16.068A	14.919B/16.068A	----	15.329 - 0.855	.6393	----	----	----	----	6 UNCH
10000	----	----	----	7.818B/9.306A	----	8.452 - 0.658	.4071	----	----	----	----	5 UNCH
11000	----	----	----	6.171B/7.746A	----	6.801 - 0.583	.3391	----	----	----	----	5 UNCH
13000	----	----	----	4.007B/5.701A	----	4.823 - 0.466	.2478	----	----	----	----	1 UNCH
14000	----	----	----	3.272B/5.006A	----	4.365 - 0.429	.2219	----	----	----	----	1 UNCH
14500	----	----	----	2.963B/4.708A	----	4.191 - 0.414	.2116	----	----	----	----	400 UNCH
15000	----	----	----	2.686B/4.455A	----	4.045 - 0.402	.2026	----	----	----	----	400 UNCH
TOTAL											0	819 0
FEB27												
9000	----	----	----	10.688B/12.162A	----	11.246 - 0.737	.4993	----	----	----	----	1 UNCH
30000	----	----	----	0.646B/1.435A	----	0.863 - 0.099	.0480	----	----	----	----	1 UNCH
TOTAL											0	2 0
MAR27												
8000	----	----	----	13.477B/16.916A	----	15.018 - 0.822	.6036	----	----	----	----	200 UNCH
9000	----	----	----	10.317B/13.756A	----	11.828 - 0.693	.5063	----	----	----	----	35 UNCH
9200	----	----	----	9.806B/13.243A	----	11.311 - 0.660	.4889	----	----	----	----	25 UNCH
30000	----	----	----	0.788B/1.638A	----	1.498 - 0.135	.0732	----	----	----	----	1 UNCH
TOTAL											0	261 0
JUL27												
2000	----	----	----	----	----	62.485 - 0.974	.9956	----	----	----	----	1 UNCH
10000	----	----	----	----	----	12.862 - 0.483	.4785	----	----	----	----	1 UNCH
10300	----	----	----	----	----	12.323 - 0.467	.4612	----	----	----	----	1 UNCH
TOTAL											0	3 0
DEC27												
4000	----	----	----	----	----	44.906 - 0.904	.9277	----	----	----	----	1 UNCH
20000	----	----	----	----	----	7.722 - 0.273	.2625	----	----	----	----	25 UNCH
TOTAL											0	26 0
SO PUT		COMEX SILVER OPTIONS										
MAY26												
2075	----	----	----	----/0.005A	----	0.001 UNCH	----	----	----	----	----	31 UNCH
2100	----	----	----	----/0.038A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
2150	----	----	----	----/0.038A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
2175	----	----	----	----/0.038A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
2650	----	----	----	----/0.038A	----	0.001 UNCH	----	----	----	----	----	2 UNCH
2700	----	----	----	----/0.038A	----	0.001 UNCH	----	----	----	----	----	50 UNCH
2800	----	----	----	----/*0.006A	----	0.001 UNCH	.0000	----	----	----	----	12 UNCH
2850	----	----	----	----/0.039A	----	0.001 UNCH	.0000	----	----	----	----	3 UNCH
2875	----	----	----	----/0.038A	----	0.001 UNCH	.0000	----	----	----	----	1 UNCH
2950	----	----	----	----/*0.038A	----	0.001 UNCH	.0000	----	----	----	----	1 UNCH
3000	----	----	----	----/0.006A	----	0.001 UNCH	.0000	----	----	----	----	22 UNCH
3075	----	----	----	----/*0.040A	----	0.001 - 0.001	.0000	----	----	----	----	16 UNCH
3100	----	----	----	----/0.040A	----	0.001 - 0.001	.0000	----	----	----	----	5 UNCH
3125	----	----	----	----/0.041A	----	0.001 - 0.001	.0000	----	----	----	----	14 UNCH
3175	----	----	----	----/*0.041A	----	0.001 - 0.001	.0000	----	----	----	----	14 UNCH
3200	----	----	----	----/*0.007A	----	0.001 - 0.002	.0000	----	----	----	----	13 UNCH
3225	----	----	----	----/0.041A	----	0.001 - 0.002	.0000	----	----	----	----	10 UNCH
3275	----	----	----	----/*0.042A	----	0.001 - 0.002	.0000	----	----	----	----	54 UNCH
3300	----	----	----	----/*0.042A	----	0.001 - 0.002	.0001	----	----	----	----	79 UNCH
3325	----	----	----	----/0.043A	----	0.002 - 0.002	.0002	----	----	----	----	2 UNCH
3350	----	----	----	----/*0.043A	----	0.002 - 0.002	.0002	----	----	----	----	14 UNCH
3375	----	----	----	----/0.043A	----	0.002 - 0.002	.0002	----	----	----	----	12 UNCH
3400	----	----	----	----/*0.008A	----	0.002 - 0.002	.0002	----	----	----	----	39 UNCH
3450	----	----	----	----/*0.044A	----	0.002 - 0.003	.0002	----	----	----	----	5 UNCH
3475	----	----	----	----/*0.010A	----	0.002 - 0.003	.0002	----	----	----	----	13 UNCH
3500	----	----	----	----/*0.008A	----	0.002 - 0.004	.0002	----	----	----	----	59 UNCH
3550	----	----	----	----/0.045A	----	0.003 - 0.003	.0003	----	----	----	----	1 UNCH
3575	----	----	----	----/*0.045A	----	0.003 - 0.004	.0003	----	----	----	----	28 UNCH
3600	----	----	----	----/0.046A	----	0.003 - 0.004	.0003	----	----	----	----	6 UNCH
3625	----	----	----	----/0.046A	----	0.003 - 0.005	.0003	----	----	----	----	12 UNCH
3675	----	----	----	----/0.046A	----	0.004 - 0.004	.0004	----	----	----	----	105 UNCH
3700	----	----	----	----/*0.046A	----	0.004 - 0.005	.0004	----	----	----	----	264 UNCH
3750	----	----	----	----/*0.047A	----	0.005 - 0.005	.0005	----	----	----	----	10 UNCH
3775	----	----	----	----/*0.047A	----	0.005 - 0.005	.0005	----	----	----	----	10 UNCH
3800	----	----	----/*0.008A	0.001B/*0.008A	----	0.005 - 0.006	.0005	----	----	----	----	356 UNCH
3850	----	----	----	----/*0.047A	----	0.006 - 0.006	.0006	----	----	----	----	1 UNCH
3900	----	----	----	----/0.048A	----	0.006 - 0.007	.0007	----	----	----	----	52 UNCH
3925	----	----	----	----/*0.048A	----	0.007 - 0.007	.0008	----	----	----	----	9 UNCH
3950	----	----	----	----/*0.048A	----	0.007 - 0.008	.0008	----	----	----	----	11 UNCH
3975	----	----	----	----/*0.048A	----	0.008 - 0.007	.0009	----	----	----	----	5 UNCH
4000	0.006	0.006	0.010/*0.006	0.010/*0.006	----	0.008 - 0.008	.0009	----	----	30	----	331 + 21
4025	----	----	----	----/*0.049A	----	0.008 - 0.008	.0009	----	----	----	----	3 UNCH
4050	----	----	----	----/*0.049A	----	0.009 - 0.008	.0010	----	----	----	----	21 UNCH
4075	----	----	----	----/*0.049A	----	0.009 - 0.008	.0010	----	----	----	----	15 UNCH
4100	0.005	0.005	0.005/*0.005	0.005/*0.005	----	0.010 - 0.008	.0012	----	----	1	----	190 UNCH
4125	----	----	----	----/*0.050A	----	0.010 - 0.008	.0012	----	----	----	----	10 UNCH
4150	----	----	----	----/*0.050A	----	0.011 - 0.008	.0013	----	----	----	----	9 UNCH
4175	----	----	----	----/*0.050A	----	0.011 - 0.008	.0013	----	----	----	----	1 UNCH
4200	----	----	----	----/*0.051A	----	0.012 - 0.008	.0014	----	----	----	----	101 UNCH
4225	----	----	----	----/*0.051A	----	0.012 - 0.008	.0014	----	----	----	----	20 UNCH
4250	----	----	----	----/*0.051A	----	0.013 - 0.008	.0016	----	----	----	----	10 UNCH
4275	----	----	----	----/*0.051A	----	0.013 - 0.008	.0016	----	----	----	----	7 UNCH
4300	0.014	0.014	0.014/*0.010	0.014/*0.010	----	0.014 - 0.008	.0017	----	----	2	----	267 UNCH
4325	----	----	----	----/*0.052A	----	0.014 - 0.008	.0017	----	----	----	----	1 UNCH
4350	----	----	----	----/*0.052A	----	0.015 - 0.008	.0018	----	----	----	----	27 UNCH
4375	----	----	----	----/*0.053A	----	0.016 - 0.007	.0020	----	----	----	----	12 UNCH
4400	----	----	----	----/*0.053A	----	0.016 - 0.008	.0020	----	----	----	----	314 UNCH
4425	----	----	----	----/*0.053A	----	0.017 - 0.007	.0021	----	----	----	----	14 UNCH
4450	----	----	----	----/*0.054A	----	0.018 - 0.007	.0023	----	----	----	----	7 UNCH
4475	----	----	----	----/*0.054A	----	0.018 - 0.008	.0023	----	----	----	----	81 UNCH
4500	----	----	----/*0.025A	0.010B/*0.025A	----	0.019 - 0.007	.0024	----	----	----	----	784 UNCH
4525	----	----	----	----/*0.055A	----	0.020 - 0.007	.0025	----	----	----	----	19 UNCH
4550	----	----	----	----/*0.055A	----	0.020 - 0.007	.0026	----	----	----	----	4 UNCH
4575	----	----	----	----/*0.056A	----	0.021 - 0.007	.0027	----	----	----	----	11 UNCH
4600	----	----	----	----/0.056A	----	0.022 - 0.007	.0029	----	----	----	----	14 UNCH
4625	----	----	----	----/*0.057A	----	0.023 - 0.006	.0030	----	----	----	----	66 UNCH
4650	----	----	----	----/*0.057A	----	0.024 - 0.006	.0031	----	----	----	----	10 UNCH
4675	----	----	----	----/*0.058A	----	0.024 - 0.007	.0032	----	----	----	----	17 UNCH
4700	----	----	----	----/*0.058A	----	0.025 - 0.007	.0033	----	----	----	----	116 UNCH
4725	----	----	----	----/*0.059A	----	0.026 - 0.006	.0035	----	----	----	----	11 UNCH
4750	----	----	----	----/*0.059A	----	0.027 - 0.006	.0036	----	----	----	----	18 UNCH
4775	----	----	----	----/*0.060A	----	0.028 - 0.006	.0038	----	----	----	----	4 UNCH
4800	----	----	----	----/*0.060A	----	0.029 - 0.006	.0039	----	----	----	----	318 UNCH
4825	----	----	----	----/*0.061A	----	0.030 - 0.005	.0041	----	----	----	----	3 UNCH
4850	----	----	----	0.003B/0.062A	----	0.030 - 0.006	.0041	----	----	----	----	75 UNCH
4875	----	----	----	----/*0.062A	----	0.031 - 0.006	.0043	----	----	----	----	1 UNCH
4900	----	----	----	----/0.063A	----	0.032 - 0.006	.0045	----	----	----	----	163 UNCH
4925	----	----	----	----/*0.064A	----	0.033 - 0.005	.0046	----	----	----	----	9 UNCH
4950	----	----	----	----/0.064A	----	0.034 - 0.005	.0048	----	----	----	----	11 UNCH
4975	----	----	----	----/*0.065A	----	0.035 - 0.005	.0050	----	----	----	----	52 UNCH
5000	0.030	0.030	0.030/0.020	0.030/0.020	----	0.036 - 0.004	.0051	----	----	2	----	915 - 1
5025	----	----	----	----/*0.067A	----	0.037 - 0.004	.0053	----	----	----	----	1 UNCH
5050	----	----	----	----/*0.068A	----	0.037 - 0.004	.0054	----	----	----	----	24 UNCH
5075	----	----	----	----/*0.069A	----	0.038 - 0.004	.0055	----	----	----	----	7 UNCH
5100	0.030	0.030	0.030/*0.030	0.030/*0.030	----	0.039 - 0.004	.0057	----	----	1	----	161 - 1
5125	0.033	0.033	0.033/*0.033	0.033/*0.033	----	0.040 - 0.003	.0059	----	----	1	----	51 - 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
5150	----	----	----	----/*0.072A	----	0.041 - 0.003	.0061	----	----	----	----	48 UNCH
5175	----	----	----	----/*0.073A	----	0.041 - 0.003	.0062	----	----	----	----	2 UNCH
5200	----	----	----	----/0.074A	----	0.042 - 0.003	.0064	----	----	----	----	163 UNCH
5225	----	----	----	----/*0.075A	----	0.043 - 0.002	.0066	----	----	----	----	5 UNCH
5250	----	----	----	----/*0.076A	----	0.044 - 0.002	.0068	----	----	----	----	29 UNCH
5275	----	----	----	----/*0.078A	----	0.044 - 0.002	.0068	----	----	----	----	8 UNCH
5300	0.034	0.034	0.034/*0.022A	0.034/*0.022A	----	0.045 - 0.002	.0070	----	----	5	----	171 - 1
5325	----	----	----	0.001B/*0.080A	----	0.046 - 0.001	.0072	----	----	----	----	23 UNCH
5350	----	----	----	0.001B/*0.082A	----	0.047 - 0.001	.0075	----	----	----	----	28 UNCH
5375	----	----	----	0.001B/*0.083A	----	0.047 - 0.002	.0075	----	----	----	----	14 UNCH
5400	----	----	----	0.008B/0.083A	----	0.048 - 0.002	.0078	----	----	11	----	98 UNCH
5425	----	----	----	0.001B/0.084A	----	0.049 - 0.001	.0080	----	----	----	----	14 UNCH
5450	----	----	----	0.001B/*0.084A	----	0.049 - 0.002	.0081	----	----	----	----	12 UNCH
5475	----	----	----	0.012B/*0.085A	----	0.050 - 0.002	.0083	----	----	----	----	13 UNCH
5500	0.075	0.075	0.075/0.073A	0.075/0.073A	----	0.051 - 0.002	.0085	----	----	24	----	629 + 11
5525	----	----	----	0.009B/*0.087A	----	0.051 - 0.004	.0086	----	----	----	----	37 UNCH
5550	----	----	----	0.001B/0.089A	----	0.052 - 0.004	.0089	----	----	----	----	31 UNCH
5575	----	----	----	0.001B/0.090A	----	0.053 - 0.004	.0091	----	----	----	----	5 UNCH
5600	0.050	0.050	0.050/*0.045A	0.050/*0.045A	----	0.053 - 0.006	.0092	----	----	15	----	84 + 6
5625	----	----	----	0.002B/0.094A	----	0.054 - 0.007	.0095	----	----	----	----	6 UNCH
5650	----	----	----	0.003B/0.095A	----	0.055 - 0.007	.0097	----	----	----	----	41 UNCH
5675	----	----	----	0.008B/0.096A	----	0.055 - 0.009	.0099	----	----	----	----	48 UNCH
5700	----	----	----	0.011B/*0.068A	----	0.056 - 0.010	.0101	----	----	3	----	131 UNCH
5725	----	----	----	0.019B/0.098A	----	0.057 - 0.012	.0104	----	----	----	----	28 UNCH
5750	----	----	----/*0.068A	0.008B/*0.068A	----	0.058 - 0.013	.0107	----	----	----	----	110 UNCH
5775	----	----	----/*0.069A	0.005B/*0.069A	----	0.058 - 0.015	.0108	----	----	----	----	11 UNCH
5800	----	----	----	0.005B/0.094A	----	0.059 - 0.017	.0111	----	----	16	----	357 - 13
5825	----	----	----	0.030B/0.094A	----	0.060 - 0.018	.0114	----	----	----	----	55 UNCH
5850	----	----	----/*0.066A	0.023B/*0.066A	----	0.061 - 0.020	.0117	----	----	----	----	7 UNCH
5875	----	----	----	0.006B/0.099A	----	0.062 - 0.021	.0120	----	----	----	----	4 UNCH
5900	----	----	----	0.035B/*0.093A	----	0.064 - 0.022	.0125	----	----	----	----	106 UNCH
5925	----	----	----	0.005B/0.100A	----	0.065 - 0.024	.0128	----	----	----	----	13 UNCH
5950	----	----	----/*0.077A	0.006B/*0.077A	----	0.066 - 0.026	.0131	----	----	----	----	13 UNCH
5975	0.108	0.108	0.108/0.107A	0.108/0.107A	----	0.068 - 0.027	.0136	----	----	3	----	23 UNCH
6000	0.075	0.075	0.075/*0.070	0.075/*0.070	----	0.069 - 0.029	.0140	----	----	39	----	1116 - 13
6025	----	----	----	0.006B/0.113A	----	0.071 - 0.030	.0145	----	----	----	----	24 UNCH
6050	0.056	0.056	0.056/*0.056	0.056/*0.056	----	0.073 - 0.030	.0150	----	----	1	----	323 - 1
6075	0.070	0.070	0.070/*0.070	0.070/*0.070	----	0.075 - 0.031	.0155	----	----	1	----	153 - 1
6100	0.081	0.081	0.081/*0.081	0.081/*0.081	----	0.077 - 0.032	.0161	----	----	1	----	154 UNCH
6125	----	----	----	0.021B/0.124A	----	0.080 - 0.032	.0168	----	----	----	----	7 UNCH
6150	----	----	----/*0.086A	0.059B/*0.086A	----	0.082 - 0.033	.0174	----	----	----	----	39 UNCH
6175	----	----	----/*0.089A	0.063B/*0.089A	----	0.085 - 0.033	.0181	----	----	----	----	14 UNCH
6200	----	----	----/*0.092A	0.066B/*0.092A	----	0.088 - 0.033	.0189	----	----	3	----	58 UNCH
6225	----	----	----/*0.096A	0.071B/*0.096A	----	0.091 - 0.034	.0197	----	----	----	----	33 UNCH
6250	----	----	----/*0.097A	0.072B/*0.097A	----	0.094 - 0.034	.0205	----	----	----	----	91 UNCH
6275	----	----	----/*0.100A	0.074B/*0.100A	----	0.098 - 0.033	.0215	----	----	----	----	12 UNCH
6300	----	----	----/*0.105A	0.105B/*0.105A	----	0.101 - 0.034	.0223	----	----	3	----	199 - 3
6325	----	----	----/*0.113A	0.082B/*0.113A	----	0.105 - 0.034	.0234	----	----	----	----	125 UNCH
6350	----	----	----/*0.116A	0.086B/*0.116A	----	0.110 - 0.033	.0246	----	----	----	----	74 UNCH
6375	----	----	----/*0.120A	0.090B/*0.120A	----	0.114 - 0.033	.0256	----	----	----	----	29 UNCH
6400	0.099	0.099	0.101B/*0.099	0.101B/*0.099	----	0.119 - 0.032	.0269	----	----	2	----	105 + 1
6425	----	----	----/*0.126A	0.104B/*0.126A	----	0.124 - 0.032	.0282	----	----	----	----	10 UNCH
6450	----	----	----/*0.130A	0.103B/*0.130A	----	0.129 - 0.032	.0295	----	----	----	----	56 UNCH
6475	----	----	----/*0.134A	0.110B/*0.134A	----	0.134 - 0.032	.0309	----	----	----	----	10 UNCH
6500	0.130	0.130	0.132/*0.120	0.132/*0.120	----	0.140 - 0.032	.0324	----	----	46	----	738 - 11
6525	----	----	----/*0.144A	0.122B/*0.144A	----	0.146 - 0.032	.0340	----	----	----	----	18 UNCH
6550	----	----	----/*0.149A	0.131B/*0.149A	----	0.153 - 0.031	.0358	----	----	----	----	171 UNCH
6575	----	----	----/*0.155A	0.131B/*0.155A	----	0.160 - 0.031	.0376	----	----	----	----	59 UNCH
6600	0.102	0.102	0.168/*0.102	0.168/*0.102	----	0.167 - 0.031	.0394	----	----	5	----	365 - 4
6625	----	----	----/*0.165A	0.155B/*0.165A	----	0.175 - 0.031	.0415	----	----	1	----	6 - 1
6650	0.188	0.188	0.188/*0.170A	0.188/*0.170A	----	0.184 - 0.030	.0437	----	----	3	----	82 - 1
6675	----	----	----/*0.178A	0.202B/*0.178A	----	0.192 - 0.031	.0459	----	----	----	----	65 UNCH
6700	0.142	0.142	0.214B/*0.120	0.214B/*0.120	----	0.202 - 0.030	.0484	----	----	21	----	526 - 14
6725	0.218	0.218	0.218/*0.188A	0.226B/*0.188A	----	0.212 - 0.030	.0510	----	----	2	----	10 + 2
6750	----	----	----/*0.194A	0.239B/*0.194A	----	0.223 - 0.030	.0538	----	----	----	----	88 UNCH
6775	----	----	----/*0.192A	0.251B/*0.192A	----	0.234 - 0.030	.0566	----	----	----	----	14 UNCH
6800	0.151	0.151	0.266B/*0.151	0.266B/*0.151	----	0.246 - 0.030	.0597	----	----	18	----	128 + 10
6825	----	----	----/*0.196A	0.280B/*0.196A	----	0.259 - 0.030	.0630	----	----	----	----	12 UNCH
6850	0.280	0.280	0.280/*0.205A	0.294B/*0.205A	----	0.273 - 0.030	.0665	----	----	3	----	18 - 1
6875	----	----	----/*0.216A	0.312B/*0.216A	----	0.288 - 0.030	.0702	----	----	----	----	6 UNCH
6900	0.247	0.247	0.326B/*0.210	0.326B/*0.210	----	0.303 - 0.031	.0741	----	----	17	----	491 - 6
6925	0.328	0.328	0.328/*0.240A	0.348B/*0.240A	----	0.320 - 0.030	.0783	----	----	4	----	79 + 4
6950	----	----	----/*0.254A	0.367B/*0.254A	----	0.338 - 0.030	.0827	----	----	1	----	35 UNCH
6975	----	----	----/*0.270A	0.381B/*0.270A	----	0.357 - 0.031	.0874	----	----	----	----	9 UNCH
7000	0.333	0.333	0.408B/*0.270	0.408B/*0.270	----	0.378 - 0.030	.0924	----	----	30	----	856 - 5
7025	0.349	0.349	0.439B/*0.302A	0.439B/*0.302A	----	0.400 - 0.030	.0977	----	----	3	----	14 UNCH
7050	0.464	0.464	0.464/*0.318A	0.464/*0.318A	----	0.423 - 0.030	.1033	----	----	1	----	62 UNCH
7075	0.430	0.430	0.484B/*0.335A	0.484B/*0.335A	----	0.448 - 0.030	.1092	----	----	2	----	11 UNCH
7100	0.334	0.334	0.515B/*0.333	0.515B/*0.333	----	0.475 - 0.029	.1155	----	----	8	----	75 - 4
7125	0.514	0.514	0.549B/*0.372A	0.549B/*0.372A	----	0.503 - 0.029	.1220	----	----	3	----	21 + 2
7150	0.469	0.469	0.575B/*0.392A	0.575B/*0.392A	----	0.534 - 0.028	.1290	----	----	4	----	31 + 2
7175	0.445	0.445	0.613B/*0.415A	0.613B/*0.415A	----	0.566 - 0.028	.1363	----	----	2	----	23 + 1
7200	0.436	0.436	0.661B/*0.435	0.661B/*0.435	----	0.601 - 0.027	.1441	----	----	46	----	335 + 17
7225	0.487	0.487	0.695B/*0.465A	0.695B/*0.465A	----	0.638 - 0.027	.1522	----	----	2	----	16 - 1
7250	0.517	0.517	0.745B/*0.492A	0.745B/*0.492A	----	0.677 - 0.026	.1607	----	----	6	----	71 + 2
7275	0.773	0.773	0.779B/*0.522A	0.779B/*0.522A	----	0.719 - 0.025	.1697	----	----	2	----	7 - 1
7300	0.499	0.499	0.843B/*0.499	0.843B/*0.499	----	0.763 - 0.024	.1790	----	----	3	----	69 - 1
7325	0.864	0.864	0.890B/*0.596A	0.890B/*0.596A	----	0.810 - 0.022	.1887	----	----	2	----	49 + 2
7350	0.660	0.660	0.953B/*0.626A	0.953B/*0.626A	----	0.860 - 0.021	.1989	----	----	1	----	53 - 1
7375	0.697	0.697	1.007B/*0.665A	1.007B/*0.665A	----	0.913 - 0.018	.2094	----	----	20	----	38 + 18
7400	0.729	0.729	1.074B/*0.697A	1.074B/*0.697A	----	0.969 - 0.016	.2204	----	----	9	----	64 + 4
7425	0.855	0.855	1.128B/*0.738A	1.128B/*0.738A	----	1.027 - 0.015	.2317	----	----	2	----	16 UNCH
7450	0.816	0.816	1.195B/*0.780A	1.195B/*0.780A	----	1.089 - 0.012	.2434	----	----	5	----	20 + 1
7475	0.822	0.822	1.271B/*0.822	1.271B/*0.822	----	1.155 - 0.008	.2556	----	----	4	----	12 + 4
7500	0.970	0.970	1.360B/*0.877A	1.360B/*0.877A	----	1.224 - 0.005	.2681	----	----	169	----	453 UNCH
7525	----	----	1.437B/*0.927A	1.437B/*0.927A	----	1.296 - 0.001	.2809	----	----	----	----	33 UNCH
7530	----	----	1.445B/*0.939A	1.445B/*0.939A	----	1.311 UNCH	.2835	----	----	----	----	7 UNCH
7535	----	----	1.460B/*0.949A	1.460B/*0.949A	----	1.326 + 0.001	.2862	----	----	----	----	7 UNCH
7540	1.419	1.419	1.477B/*0.962A	1.477B/*0.962A	----	1.341 + 0.001	.2888	----	----	2	----	7 UNCH
7545	----	----	1.496B/*0.971A	1.496B/*0.971A	----	1.356 + 0.002	.2914	----	----	----	----	2 UNCH
7550	----	----	1.516B/*0.982A	1.516B/*0.982A	----	1.372 + 0.003	.2941	----	----	2	----	14 - 2
7555	----	----	1.528B/*0.994A	1.528B/*0.994A	----	1.387 + 0.003	.2967	----	----	----	----	2 UNCH
7560	----	----	1.543B/*1.005A	1.543B/*1.005A	----	1.403 + 0.005	.2994	----	----	----	----	2 UNCH
7565	----	----	1.562B/*1.017A	1.562B/*1.017A	----	1.419 + 0.006	.3021	----	----	----	----	1 UNCH
7570	----	----	1.585B/*1.029A	1.585B/*1.029A	----	1.435 + 0.006	.3049	----	----	----	----	3 UNCH
7575	----	----	1.603B/*1.041A	1.603B/*1.041A	----	1.451 + 0.007	.3076	----	----	----	----	4 UNCH
7580	----	----	1.627B/*1.054A	1.627B/*1.054A	----	1.467 + 0.008	.3103	----	----	----	----	27 UNCH
7585	----	----	1.637B/*1.065A	1.637B/*1.065A	----	1.484 + 0.009	.3131	----	----	----	----	7 UNCH
7590	1.185	1.185	1.656B/*1.078A	1.656B/*1.078A	----	1.500 + 0.010	.3158	----	----	2	----	3 + 1
7595	----	----	1.675B/*1.090A	1.675B/*1.090A	----	1.517 + 0.011	.3186	----	----	----	----	3 UNCH
7600	1.173	1.173	1.699B/*1.099A	1.699B/*1.099A	----	1.534 + 0.012	.3214	----	----	22	----	57 + 9
7605	----	----	1.706B/*1.115A	1.706B/*1.115A	----	1.551 + 0.013	.3241	----	----	----	----	13 UNCH
7610	----	----	1.730B/*1.127A	1.730B/*1.127A	----	1.568 + 0.014	.3269	----	----	----	----	2 UNCH
7615	1.225	1.225	1.746B/*1.140A	1.746B/*1.140A	----	1.586 + 0.016	.3298	----	----	1	----	2 UNCH
7620	----	----	1.766B/*1.153A	1.766B/*1.153A	----	1.603 + 0.016	.3326	----	----	----	----	13 UNCH
7625	1.129	1.129	1.788B/*1.129	1.788B/*1.129	----	1.621 + 0.018	.3354	----	----	15	----	10 + 3
7630	----	----	1.808B/*1.179A	1.808B/*1.179A	----	1.639 + 0.019	.3383	----	----	----	----	1 UNCH
7635	----	----	1.834B/*1.193A	1.834B/*1.193A	----	1.657 + 0.020	.3411	----	----	----	----	36 UNCH
7645	----	----	1.869B/*1.220A	1.869B/*1.220A	----	1.693 + 0.022	.3469	----	----	----	----	2 UNCH
7650	1.395	1.395	1.887B/*1.236A	1.887B/*1.236A	----	1.711 + 0.023	.3497	----	----	4	----	31 + 1
7655	----	----	1.905B/*1.250A	1.905B/*1.250A	----	1.730 + 0.024	.3527	----	----	----	----	23 UNCH
7660	----	----	1.927B/*1.264A	1.927B/*1.264A	----	1.749 + 0.026	.3556	----	----	----	----	15 UNCH
7665	----	----	1.948B/*1.278A	1.948B/*1.278A	----	1.768 + 0.027	.3585	----	----	----	----	5 UNCH
7670	----	----	1.968B/*1.292A	1.968B/*1.292A	----	1.787 + 0.029	.3614	----	----	----	----	4 UNCH
7675	1.525	1.525	1.991B/*1.307A	1.991B/*1.307A	----	1.806 + 0.030	.3643	----	----	2	----	7 + 2
7680	----	----	2.010B/*1.322A	2.010B/*1.322A	----	1.825 + 0.031	.3672	----	----	----	----	3 UNCH
7685	----	----	2.028B/*1.337A	2.028B/*1.337A	----	1.845 + 0.032	.3702	----	----	----	----	15 UNCH
7690	----	----	2.049B/*1.350A	2.049B/*1.350A	----	1.864 + 0.033	.3731	----	----	----	----	5 UNCH
7695	----	----	2.079B/*1.367A	2.079B/*1.367A	----	1.884 + 0.035	.3761	----	----	----	----	3 UNCH
7700	1.827	1.827	2.098B/*1.378A	2.098B/*1.378A	----	1.904 + 0.036	.3791	----	----	27	----	491 + 12
7705	----	----	2.117B/*1.396A	2.117B/*1.396A	----	1.924 + 0.037	.3821	----	----	----	----	3 UNCH
7710	----	----	2.140B/*1.413A	2.140B/*1.413A	----	1.944 + 0.038	.3850	----	----	----	----	2 UNCH
7715	----	----	2.164B/*1.428A	2.164B/*1.428A	----	1.965 + 0.040	.3880	----	----	----	----	2 UNCH
7720	----	----	2.183B/*1.442A	2.183B/*1.442A	----	1.985 + 0.041	.3910	----	----	----	----	3 UNCH
7725	----	----	2.204B/*1.459A	2.204B/*1.459A	----	2.006 + 0.043	.3940	----	----	----	----	4 UNCH
7730	----	----	2.226B/*1.474A	2.226B/*1.474A	----	2.027 + 0.045	.3970	----	----	----	----	1 UNCH
7735	----	----	2.249B/*1.490A	2.249B/*1.490A	----	2.048 + 0.046	.4001	----	----	----	----	3 UNCH
7740	1.954	1.954	2.276B/*1.506A	2.276B/*1.506A	----	2.069 + 0.047	.4031	----	----	1	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
7745	----	----	2.295B/*1.522A	2.295B/*1.522A	----	2.091 + 0.050	.4061	----	----	----	----	3 UNCH
7750	1.761	1.761	2.329B/*1.540A	2.329B/*1.540A	----	2.112 + 0.051	.4091	----	----	6	----	73 - 1
7755	----	----	2.342B/*1.556A	2.342B/*1.556A	----	2.134 + 0.053	.4122	----	----	----	----	11 UNCH
7760	----	----	2.363B/*1.573A	2.363B/*1.573A	----	2.156 + 0.054	.4152	----	----	----	----	14 UNCH
7765	----	----	2.390B/*1.582A	2.390B/*1.582A	----	2.178 + 0.056	.4183	----	----	----	----	10 UNCH
7770	----	----	2.413B/*1.606A	2.413B/*1.606A	----	2.200 + 0.058	.4213	----	----	----	----	2 UNCH
7775	----	----	2.437B/*1.623A	2.437B/*1.623A	----	2.222 + 0.059	.4244	----	----	----	----	1 UNCH
7780	----	----	2.458B/*1.638A	2.458B/*1.638A	----	2.245 + 0.061	.4275	----	----	----	----	1 UNCH
7785	----	----	2.486B/*1.660A	2.486B/*1.660A	----	2.267 + 0.062	.4305	----	----	----	----	1 UNCH
7790	----	----	2.510B/*1.673A	2.510B/*1.673A	----	2.290 + 0.064	.4336	----	----	----	----	2 UNCH
7800	1.805	1.805	2.569B/*1.703A	2.569B/*1.703A	----	2.336 + 0.068	.4397	----	----	33	----	38 + 12
7805	----	----	2.583B/*1.727A	2.583B/*1.727A	----	2.359 + 0.069	.4428	----	----	----	----	3 UNCH
7810	2.013	2.013	2.610B/*1.745A	2.610B/*1.745A	----	2.383 + 0.072	.4459	----	----	1	----	2 + 1
7815	----	----	2.635B/*1.762A	2.635B/*1.762A	----	2.406 + 0.073	.4490	----	----	----	----	1 UNCH
7820	----	----	2.658B/*1.781A	2.658B/*1.781A	----	2.430 + 0.075	.4521	----	----	----	----	1 UNCH
7825	----	----	2.686B/*1.799A	2.686B/*1.799A	----	2.454 + 0.077	.4551	----	----	----	----	2 UNCH
7830	----	----	2.710B/*1.817A	2.710B/*1.817A	----	2.478 + 0.079	.4582	----	----	----	----	12 UNCH
7835	----	----	2.738B/*1.839A	2.738B/*1.839A	----	2.502 + 0.081	.4613	----	----	----	----	1 UNCH
7840	----	----	2.764B/*1.856A	2.764B/*1.856A	----	2.526 + 0.082	.4644	----	----	----	----	3 UNCH
7845	2.135	2.135	2.787B/*1.879A	2.787B/*1.879A	----	2.551 NEW	.4675	----	----	2	----	2 + 2
7850	----	----	2.817B/*1.891A	2.817B/*1.891A	----	2.575 + 0.086	.4706	----	----	----	----	49 UNCH
7855	----	----	2.840B/*1.916A	2.840B/*1.916A	----	2.600 + 0.088	.4737	----	----	----	----	3 UNCH
7860	----	----	2.867B/*1.947A	2.867B/*1.947A	----	2.625 + 0.090	.4768	----	----	----	----	3 UNCH
7865	2.190	2.190	2.894B/*1.950A	2.894B/*1.950A	----	2.650 + 0.092	.4799	----	----	2	----	13 UNCH
7870	----	----	2.922B/*1.982A	2.922B/*1.982A	----	2.675 + 0.094	.4830	----	----	----	----	3 UNCH
7875	2.280	2.280	2.944B/*1.993A	2.944B/*1.993A	----	2.701 + 0.097	.4861	----	----	16	----	11 + 2
7880	----	----	2.976B/*2.013A	2.976B/*2.013A	----	2.727 + 0.099	.4892	----	----	2	----	6 + 2
7885	----	----	2.934B/*2.036A	2.934B/*2.036A	----	2.752 + 0.100	.4923	----	----	----	----	3 UNCH
7890	2.343	2.343	2.947B/*2.051A	2.947B/*2.051A	----	2.778 + 0.103	.4954	----	----	1	----	4 + 1
7895	----	----	2.980B/*2.077A	2.980B/*2.077A	----	2.804 + 0.105	.4985	----	----	----	----	4 UNCH
7900	2.206	2.206	3.026/*2.102A	3.026/*2.102A	----	2.830 + 0.107	.5016	----	----	27	----	53 + 8
7905	----	----	3.041B/*2.119A	3.041B/*2.119A	----	2.857 + 0.109	.5047	----	----	----	----	4 UNCH
7910	----	----	3.065B/*2.135A	3.065B/*2.135A	----	2.883 + 0.111	.5078	----	----	----	----	3 UNCH
7915	----	----	3.097B/*2.168A	3.097B/*2.168A	----	2.910 + 0.114	.5109	----	----	----	----	3 UNCH
7925	2.470	2.470	3.109B/*2.199A	3.109B/*2.199A	----	2.964 + 0.118	.5171	----	----	2	----	1 UNCH
7930	2.283	2.283	3.136B/*2.230A	3.136B/*2.230A	----	2.991 + 0.120	.5201	----	----	1	----	3 UNCH
7935	----	----	3.165B/*2.244A	3.165B/*2.244A	----	3.018 + 0.122	.5232	----	----	----	----	2 UNCH
7940	----	----	3.193B/*2.272A	3.193B/*2.272A	----	3.046 + 0.125	.5263	----	----	----	----	5 UNCH
7950	----	----	3.299B/*2.319A	3.299B/*2.319A	----	3.101 + 0.129	.5325	----	----	----	----	22 UNCH
7955	----	----	3.279B/*2.341A	3.279B/*2.341A	----	3.129 + 0.132	.5355	----	----	----	----	2 UNCH
7960	----	----	3.311B/*2.354A	3.311B/*2.354A	----	3.157 + 0.134	.5386	----	----	----	----	1 UNCH
7965	----	----	3.389B/*2.384A	3.389B/*2.384A	----	3.185 + 0.136	.5417	----	----	----	----	6 UNCH
7970	----	----	3.371B/*2.408A	3.371B/*2.408A	----	3.214 + 0.139	.5447	----	----	----	----	4 UNCH
7975	----	----	3.399B/*2.430A	3.399B/*2.430A	----	3.242 + 0.141	.5478	----	----	----	----	1 UNCH
7980	----	----	3.429B/*2.444A	3.429B/*2.444A	----	3.271 + 0.144	.5508	----	----	----	----	1 UNCH
7985	----	----	3.459B/*2.475A	3.459B/*2.475A	----	3.300 + 0.147	.5539	----	----	----	----	1 UNCH
7990	----	----	3.486B/*2.498A	3.486B/*2.498A	----	3.329 + 0.149	.5569	----	----	----	----	2 UNCH
7995	----	----	3.517B/*2.524A	3.517B/*2.524A	----	3.358 + 0.151	.5599	----	----	----	----	1 UNCH
8000	2.830	2.830	3.601B/*2.545A	3.601B/*2.545A	----	3.388 + 0.154	.5630	----	----	4	----	475 + 1
8005	----	----	3.580B/*2.569A	3.580B/*2.569A	----	3.417 + 0.157	.5660	----	----	----	----	3 UNCH
8010	----	----	3.611B/*2.593A	3.611B/*2.593A	----	3.447 + 0.159	.5690	----	----	----	----	2 UNCH
8020	----	----	3.703B/*2.635A	3.703B/*2.635A	----	3.507 + 0.165	.5750	----	----	----	----	23 UNCH
8025	2.866	2.866	3.738B/*2.664A	3.738B/*2.664A	----	3.537 + 0.167	.5780	----	----	2	----	13 + 1
8030	----	----	3.728B/*2.693A	3.728B/*2.693A	----	3.567 + 0.170	.5810	----	----	----	----	1 UNCH
8035	----	----	3.760B/*2.713A	3.760B/*2.713A	----	3.597 + 0.172	.5840	----	----	----	----	1 UNCH
8040	----	----	3.790B/*2.738A	3.790B/*2.738A	----	3.628 + 0.175	.5869	----	----	----	----	1 UNCH
8050	----	----	3.783B/*2.787A	3.783B/*2.787A	----	3.690 + 0.181	.5929	----	----	----	----	4 UNCH
8060	----	----	3.786B/*2.844A	3.786B/*2.844A	----	3.752 + 0.186	.5988	----	----	----	----	1 UNCH
8065	3.065	3.065	3.870B/*2.872A	3.870B/*2.872A	----	3.783 + 0.188	.6017	----	----	3	----	3 + 2
8070	----	----	3.902B/*2.892A	3.902B/*2.892A	----	3.815 + 0.192	.6046	----	----	----	----	2 UNCH
8075	----	----	3.935B/*2.914A	3.935B/*2.914A	----	3.846 + 0.194	.6076	----	----	----	----	4 UNCH
8080	----	----	3.968B/*2.942A	3.968B/*2.942A	----	3.878 + 0.197	.6105	----	----	----	----	3 UNCH
8085	----	----	4.074B/*2.972A	4.074B/*2.972A	----	3.910 + 0.200	.6134	----	----	----	----	7 UNCH
8090	----	----	4.102B/*3.001A	4.102B/*3.001A	----	3.942 + 0.202	.6163	----	----	----	----	20 UNCH
8095	3.121	3.121	4.064B/*3.021A	4.064B/*3.021A	----	3.974 + 0.205	.6192	----	----	1	----	3 + 1
8100	----	----	4.188B/*3.041A	4.188B/*3.041A	----	4.007 + 0.208	.6221	----	----	----	----	34 UNCH
8105	----	----	4.132B/*3.071A	4.132B/*3.071A	----	4.039 + 0.211	.6249	----	----	----	----	1 UNCH
8110	----	----	4.165B/*3.100A	4.165B/*3.100A	----	4.072 + 0.214	.6278	----	----	----	----	2 UNCH
8125	----	----	4.285B/*3.178A	4.285B/*3.178A	----	4.171 + 0.222	.6363	----	----	----	----	1 UNCH
8150	----	----	4.457B/*3.325A	4.457B/*3.325A	----	4.339 + 0.237	.6503	----	----	----	----	4 UNCH
8175	----	----	4.632B/*3.457A	4.632B/*3.457A	----	4.510 + 0.252	.6639	----	----	----	----	2 UNCH
8195	----	----	4.777B/*3.577A	4.777B/*3.577A	----	4.650 + 0.264	.6747	----	----	----	----	2 UNCH
8200	----	----	4.881B/3.598A	4.881B/3.598A	----	4.685 + 0.267	.6773	----	----	----	----	37 UNCH
8205	----	----	4.846B/*3.630A	4.846B/*3.630A	----	4.720 + 0.270	.6799	----	----	----	----	1 UNCH
8210	----	----	4.885B/*3.662A	4.885B/*3.662A	----	4.756 + 0.273	.6826	----	----	----	----	1 UNCH
8215	----	----	4.921B/*3.693A	4.921B/*3.693A	----	4.792 + 0.277	.6852	----	----	----	----	1 UNCH
8225	----	----	4.968B/3.748A	4.968B/3.748A	----	4.863 + 0.282	.6904	----	----	----	----	5 UNCH
8230	----	----	5.030B/*3.780A	5.030B/*3.780A	----	4.899 + 0.285	.6930	----	----	----	----	1 UNCH
8240	----	----	5.100B/*3.838A	5.100B/*3.838A	----	4.972 + 0.292	.6980	----	----	----	----	2 UNCH
8250	----	----	5.284B/3.902A	5.284B/3.902A	----	5.045 + 0.298	.7031	----	----	----	----	74 UNCH
8255	----	----	5.190B/*3.933A	5.190B/*3.933A	----	5.082 + 0.302	.7057	----	----	----	----	3 UNCH
8265	----	----	5.265B/*3.993A	5.265B/*3.993A	----	5.156 + 0.308	.7106	----	----	----	----	1 UNCH
8270	----	----	5.303B/*4.026A	5.303B/*4.026A	----	5.193 + 0.311	.7130	----	----	----	----	1 UNCH
8275	----	----	5.341B/4.058A	5.341B/4.058A	----	5.230 + 0.314	.7155	----	----	----	----	1 UNCH
8280	----	----	5.378B/*4.089A	5.378B/*4.089A	----	5.267 + 0.317	.7180	----	----	----	----	3 UNCH
8285	----	----	5.416B/*4.122A	5.416B/*4.122A	----	5.305 + 0.320	.7204	----	----	----	----	1 UNCH
8290	----	----	5.454B/*4.154A	5.454B/*4.154A	----	5.343 + 0.324	.7227	----	----	----	----	2 UNCH
8295	----	----	5.493B/*4.278A	5.493B/*4.278A	----	5.380 + 0.326	.7252	----	----	----	----	1 UNCH
8300	----	----	5.671B/4.327A	5.671B/4.327A	----	5.418 + 0.330	.7276	----	----	----	----	62 UNCH
8305	----	----	5.570B/*4.417A	5.570B/*4.417A	----	5.456 + 0.333	.7299	----	----	----	----	1 UNCH
8315	----	----	5.647B/*4.482A	5.647B/*4.482A	----	5.533 + 0.340	.7346	----	----	----	----	1 UNCH
8320	----	----	5.687B/*4.521A	5.687B/*4.521A	----	5.571 + 0.343	.7369	----	----	----	----	2 UNCH
8325	----	----	5.725B/4.546A	5.725B/4.546A	----	5.609 + 0.345	.7392	----	----	----	----	1 UNCH
8330	----	----	5.764B/*4.579A	5.764B/*4.579A	----	5.648 + 0.349	.7415	----	----	----	----	1 UNCH
8335	----	----	5.804B/*4.612A	5.804B/*4.612A	----	5.687 + 0.352	.7438	----	----	----	----	1 UNCH
8340	----	----	5.918B/*4.653A	5.918B/*4.653A	----	5.726 + 0.356	.7460	----	----	----	----	19 UNCH
8350	----	----	5.998B/4.711A	5.998B/4.711A	----	5.804 + 0.362	.7505	----	----	----	----	19 UNCH
8355	----	----	5.962B/*4.754A	5.962B/*4.754A	----	5.843 + 0.365	.7526	----	----	----	----	3 UNCH
8360	----	----	6.002B/*4.783A	6.002B/*4.783A	----	5.882 + 0.368	.7549	----	----	----	----	4 UNCH
8375	----	----	6.197B/4.850A	6.197B/4.850A	----	6.001 + 0.378	.7613	----	----	----	----	8 UNCH
8385	----	----	6.202B/*5.151A	6.202B/*5.151A	----	6.081 + 0.384	.7657	----	----	----	----	1 UNCH
8395	----	----	6.283B/5.558A	6.283B/5.558A	----	6.161 + 0.391	.7697	----	----	----	----	1 UNCH
8400	----	----	6.436B/5.529A	6.436B/5.529A	----	6.201 + 0.394	.7718	----	----	----	----	27 UNCH
8405	----	----	6.365B/5.625A	6.365B/5.625A	----	6.241 + 0.397	.7739	----	----	----	----	2 UNCH
8410	----	----	6.406B/5.664A	6.406B/5.664A	----	6.282 + 0.400	.7759	----	----	----	----	3 UNCH
8415	----	----	6.447B/5.702A	6.447B/5.702A	----	6.322 + 0.403	.7780	----	----	----	----	3 UNCH
8420	----	----	6.488B/5.741A	6.488B/5.741A	----	6.363 + 0.407	.7800	----	----	----	----	2 UNCH
8425	----	----	6.531B/5.809A	6.531B/5.809A	----	6.404 + 0.410	.7819	----	----	----	----	5 UNCH
8430	----	----	6.571B/5.819A	6.571B/5.819A	----	6.444 + 0.412	.7839	----	----	----	----	1 UNCH
8450	----	----	6.843B/5.917A	6.843B/5.917A	----	6.609 + 0.425	.7917	----	----	----	----	30 UNCH
8460	----	----	6.821B/6.069A	6.821B/6.069A	----	6.692 + 0.432	.7955	----	----	----	----	1 UNCH
8475	----	----	6.947B/6.174A	6.947B/6.174A	----	6.817 + 0.441	.8010	----	----	----	----	5 UNCH
8480	----	----	6.990B/6.215A	6.990B/6.215A	----	6.858 + 0.444	.8028	----	----	----	----	1 UNCH
8490	----	----	7.073B/6.319A	7.073B/6.319A	----	6.942 + 0.450	.8064	----	----	----	----	1 UNCH
8495	----	----	7.116B/6.359A	7.116B/6.359A	----	6.985 + 0.454	.8082	----	----	----	----	1 UNCH
8500	----	----	7.265B/6.284A	7.265B/6.284A	----	7.027 + 0.457	.8099	----	----	----	----	329 UNCH
8515	----	----	7.287B/6.498A	7.287B/6.498A	----	7.154 + 0.466	.8151	----	----	----	----	1 UNCH
8535	----	----	7.460B/6.682A	7.460B/6.682A	----	7.325 + 0.478	.8218	----	----	----	----	2 UNCH
8545	----	----	7.546B/6.763A	7.546B/6.763A	----	7.411 + 0.484	.8251	----	----	----	----	1 UNCH
8550	----	----	7.589B/6.804A	7.589B/6.804A	----	7.454 + 0.487	.8267	----	----	----	----	3 UNCH
8555	----	----	7.632B/6.803A	7.632B/6.803A	----	7.497 + 0.490	.8282	----	----	----	----	1 UNCH
8560	----	----	7.676B/6.888A	7.676B/6.888A	----	7.540 + 0.492	.8298	----	----	----	----	1 UNCH
8565	----	----	7.719B/6.929A	7.719B/6.929A	----	7.584 + 0.496	.8314	----	----	----	----	1 UNCH
8570	----	----	7.763B/6.971A	7.763B/6.971A	----	7.627 + 0.499	.8329	----	----	----	----	1 UNCH
8575	----	----	7.807B/7.012A	7.807B/7.012A	----	7.671 + 0.502	.8345	----	----	----	----	3 UNCH
8580	----	----	7.851B/7.054A	7.851B/7.054A	----	7.714 + 0.504	.8359	----	----	----	----	1 UNCH
8585	----	----	7.894B/7.096A	7.894B/7.096A	----	7.758 + 0.508	.8374	----	----	----	----	1 UNCH
8590	----	----	7.937B/7.137A	7.937B/7.137A	----	7.802 + 0.511	.8388	----	----	----	----	4 UNCH
8600	----	----	8.158B/7.118A	8.158B/7.118A	----	7.890 + 0.517	.8419	----	----	1	----	83 + 1
8605	----	----	8.071B/7.264A	8.071B/7.264A	----	7.934 + 0.520	.8433	----	----	----	----	3 UNCH
8620	----	----	8.203B/7.390A	8.203B/7.390A	----	8.066 + 0.528	.8475	----	----	----	----	1 UNCH
8630	----	----	8.291B/7.475A	8.291B/7.475A	----	8.155 + 0.534	.8502	----	----	----	----	1 UNCH
8640	----	----	8.381B/7.560A	8.381B/7.560A	----	8.244 + 0.540	.8529	----	----	----	----	2 UNCH
8645	----	----	8.425B/7.603A	8.425B/7.603A	----	8.288 + 0.542	.8543	----	----	----	----	1 UNCH
8650	----	----	8.469B/7.646A	8.469B/7.646A	----	8.333 + 0.545	.8556	----	----	----	----	5 UNCH
8655	----	----	8.513B/7.688A	8.513B/7.688A	----	8.378 + 0.548	.8569	----	----	----	----	3 UNCH
8665	----	----	8.603B/7.774A	8.603B/7.774A	----	8.467 + 0.553	.8594	----	----	----	----	1 UNCH
8670	----	----	8.648B/7.817A	8.648B/7.817A	----	8.512 + 0.556	.8606	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.			DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO PUT		COMEX SILVER OPTIONS													
MAY26															
8675	----	----	8.757B/7.832A	8.757B/7.832A	----	8.557	+	0.559	.8619	----	----	----	----	9	UNCH
8685	----	----	8.784B/7.947A	8.784B/7.947A	----	8.647	+	0.564	.8644	----	----	----	----	1	UNCH
8695	----	----	8.874B/8.034A	8.874B/8.034A	----	8.738	+	0.570	.8668	----	----	----	----	1	UNCH
8700	----	----	9.015B/8.022A	9.015B/8.022A	----	8.783	+	0.572	.8679	----	----	1	----	33	+ 1
8705	----	----	9.028B/8.088A	9.028B/8.088A	----	8.828	+	0.575	.8691	----	----	----	----	10	UNCH
8725	----	----	9.147B/8.295A	9.147B/8.295A	----	9.011	+	0.586	.8737	----	----	----	----	2	UNCH
8750	----	----	9.376B/8.515A	9.376B/8.515A	----	9.239	+	0.598	.8791	----	----	----	----	1	UNCH
8775	----	----	9.672B/8.710A	9.672B/8.710A	----	9.470	+	0.611	.8841	----	----	----	----	9	UNCH
8800	----	----	9.952B/8.861A	9.952B/8.861A	----	9.701	+	0.623	.8891	----	----	----	----	219	UNCH
8825	----	----	10.068B/9.185A	10.068B/9.185A	----	9.934	+	0.635	.8936	----	----	----	----	3	UNCH
8850	----	----	10.361B/9.390A	10.361B/9.390A	----	10.167	+	0.646	.8979	----	----	----	----	13	UNCH
8875	----	----	10.600B/9.616A	10.600B/9.616A	----	10.402	+	0.657	.9019	----	----	----	----	8	UNCH
8900	----	----	10.828B/9.847A	10.828B/9.847A	----	10.637	+	0.667	.9059	----	----	----	----	8	UNCH
8925	----	----	11.006B/10.069A	11.006B/10.069A	----	10.873	+	0.677	.9095	----	----	----	----	5	UNCH
8950	----	----	11.241B/10.301A	11.241B/10.301A	----	11.110	+	0.686	.9131	----	----	----	----	3	UNCH
8975	----	----	11.538B/10.540A	11.538B/10.540A	----	11.348	+	0.696	.9164	----	----	----	----	9	UNCH
9000	----	----	11.837B/10.685A	11.837B/10.685A	----	11.586	+	0.704	.9197	----	----	----	----	167	UNCH
9025	----	----	12.013B/11.015A	12.013B/11.015A	----	11.825	+	0.713	.9227	----	----	----	----	11	UNCH
9050	----	----	12.191B/11.235A	12.191B/11.235A	----	12.064	+	0.720	.9255	----	----	----	----	2	UNCH
9075	----	----	12.431B/11.470A	12.431B/11.470A	----	12.304	+	0.728	.9283	----	----	----	----	4	UNCH
9100	----	----	12.670B/11.707A	12.670B/11.707A	----	12.544	+	0.735	.9310	----	----	----	----	4	UNCH
9150	----	----	13.207B/12.197A	13.207B/12.197A	----	13.026	+	0.748	.9360	----	----	----	----	7	UNCH
9175	----	----	13.448B/12.425A	13.448B/12.425A	----	13.268	+	0.754	.9382	----	----	----	----	19	UNCH
9200	----	----	13.690B/12.674A	13.690B/12.674A	----	13.509	+	0.759	.9404	----	----	----	----	7	UNCH
9225	----	----	13.941B/12.904A	13.941B/12.904A	----	13.751	+	0.765	.9426	----	----	----	----	7	UNCH
9250	----	----	14.119B/13.141A	14.119B/13.141A	----	13.994	+	0.771	.9448	----	----	----	----	2	UNCH
9275	----	----	14.361B/13.381A	14.361B/13.381A	----	14.236	+	0.775	.9467	----	----	----	----	1	UNCH
9300	----	----	14.659B/13.634A	14.659B/13.634A	----	14.480	+	0.780	.9486	----	----	----	----	6	UNCH
9375	----	----	15.389B/14.353A	15.389B/14.353A	----	15.210	+	0.793	.9536	----	----	----	----	10	UNCH
9400	----	----	15.633B/14.594A	15.633B/14.594A	----	15.454	+	0.797	.9552	----	----	----	----	6	UNCH
9450	----	----	16.067B/15.080A	16.067B/15.080A	----	15.943	+	0.804	.9582	----	----	----	----	3	UNCH
9475	----	----	16.313B/15.324A	16.313B/15.324A	----	16.188	+	0.808	.9596	----	----	----	----	4	UNCH
9500	----	----	16.693B/15.471A	16.693B/15.471A	----	16.433	+	0.812	.9610	----	----	----	----	110	UNCH
9525	----	----	16.806B/15.811A	16.806B/15.811A	----	16.678	+	0.815	.9621	----	----	----	----	1	UNCH
9550	----	----	17.052B/16.056A	17.052B/16.056A	----	16.924	+	0.819	.9635	----	----	----	----	3	UNCH
9575	----	----	17.297B/16.300A	17.297B/16.300A	----	17.169	+	0.821	.9646	----	----	----	----	1	UNCH
9600	----	----	17.651B/16.499A	17.651B/16.499A	----	17.415	+	0.824	.9657	----	----	----	----	26	UNCH
9650	----	----	18.092B/17.037A	18.092B/17.037A	----	17.907	+	0.830	.9678	----	----	----	----	11	UNCH
9675	----	----	18.283B/17.279A	18.283B/17.279A	----	18.154	+	0.833	.9687	----	----	----	----	2	UNCH
9700	----	----	18.662B/17.428A	18.662B/17.428A	----	18.400	+	0.834	.9697	----	----	----	----	182	UNCH
9725	----	----	18.776B/17.771A	18.776B/17.771A	----	18.647	+	0.837	.9706	----	----	----	----	1	UNCH
9750	----	----	19.023B/18.015A	19.023B/18.015A	----	18.894	+	0.838	.9714	----	----	----	----	3	UNCH
9775	----	----	19.270B/18.262A	19.270B/18.262A	----	19.141	+	0.840	.9722	----	----	----	----	3	UNCH
9800	----	----	19.571B/18.509A	19.571B/18.509A	----	19.388	+	0.841	.9731	----	----	----	----	7	UNCH
9825	----	----	19.764B/18.753A	19.764B/18.753A	----	19.635	+	0.842	.9737	----	----	----	----	2	UNCH
9850	----	----	20.144B/18.903A	20.144B/18.903A	----	19.882	+	0.843	.9745	----	----	----	----	179	UNCH
9900	----	----	20.561B/19.494A	20.561B/19.494A	----	20.377	+	0.845	.9758	----	----	----	----	8	UNCH
10000	----	----	21.629B/20.383A	21.629B/20.383A	----	21.368	+	0.849	.9781	----	----	----	----	133	UNCH
10050	----	----	21.991B/20.973A	21.991B/20.973A	----	21.864	+	0.850	.9792	----	----	----	----	2	UNCH
10100	----	----	22.486B/21.469A	22.486B/21.469A	----	22.361	+	0.853	.9801	----	----	----	----	2	UNCH
10225	----	----	23.726B/22.706A	23.726B/22.706A	----	23.602	+	0.857	.9822	----	----	----	----	2	UNCH
10250	----	----	23.974B/22.954A	23.974B/22.954A	----	23.851	+	0.859	.9827	----	----	----	----	4	UNCH
10300	----	----	24.471B/23.450A	24.471B/23.450A	----	24.348	+	0.861	.9835	----	----	----	----	4	UNCH
10325	----	----	24.719B/23.698A	24.719B/23.698A	----	24.596	+	0.862	.9838	----	----	----	----	1	UNCH
10350	----	----	24.967B/23.946A	24.967B/23.946A	----	24.844	+	0.862	.9843	----	----	----	----	1	UNCH
10400	----	----	25.465B/24.442A	25.465B/24.442A	----	25.341	+	0.864	.9851	----	----	----	----	2	UNCH
10450	----	----	25.962B/24.938A	25.962B/24.938A	----	25.838	+	0.867	.9856	----	----	----	----	2	UNCH
10475	----	----	26.210B/25.186A	26.210B/25.186A	----	26.087	+	0.868	.9861	----	----	----	----	1	UNCH
10500	----	----	26.516B/25.435A	26.516B/25.435A	----	26.335	+	0.869	.9863	----	----	----	----	10	UNCH
10505	----	----	26.509B/25.484A	26.509B/25.484A	----	26.385	+	0.869	.9865	----	----	----	----	1	UNCH
10510	----	----	26.559B/25.534A	26.559B/25.534A	----	26.435	+	0.870	.9866	----	----	----	----	1	UNCH
10545	----	----	26.907B/25.881A	26.907B/25.881A	----	26.783	+	0.871	.9870	----	----	----	----	1	UNCH
10550	----	----	27.013B/25.935A	27.013B/25.935A	----	26.832	+	0.870	.9871	----	----	----	----	22	UNCH
10585	----	----	27.305B/26.278A	27.305B/26.278A	----	27.180	+	0.872	.9875	----	----	----	----	1	UNCH
10590	----	----	27.355B/26.328A	27.355B/26.328A	----	27.230	+	0.872	.9875	----	----	----	----	1	UNCH
10595	----	----	27.404B/26.378A	27.404B/26.378A	----	27.280	+	0.873	.9877	----	----	----	----	3	UNCH
10600	----	----	27.454B/26.427A	27.454B/26.427A	----	27.330	+	0.873	.9878	----	----	----	----	5	UNCH
10670	----	----	28.151B/27.123A	28.151B/27.123A	----	28.026	+	0.876	.9887	----	----	----	----	3	UNCH
10675	----	----	28.201B/27.172A	28.201B/27.172A	----	28.076	+	0.876	.9887	----	----	----	----	1	UNCH
10700	----	----	28.506B/27.420A	28.506B/27.420A	----	28.324	+	0.876	.9889	----	----	----	----	9	UNCH
10800	----	----	29.445B/28.415A	29.445B/28.415A	----	29.319	+	0.880	.9901	----	----	----	----	1	UNCH
10820	----	----	29.644B/28.614A	29.644B/28.614A	----	29.518	+	0.881	.9903	----	----	----	----	1	UNCH
10825	----	----	29.694B/28.663A	29.694B/28.663A	----	29.568	+	0.881	.9903	----	----	----	----	1	UNCH
10835	----	----	29.793B/28.763A	29.793B/28.763A	----	29.668	+	0.882	.9905	----	----	----	----	2	UNCH
10845	----	----	29.893B/28.862A	29.893B/28.862A	----	29.767	+	0.882	.9906	----	----	----	----	1	UNCH
10875	----	----	30.192B/29.161A	30.192B/29.161A	----	30.066	+	0.883	.9910	----	----	----	----	2	UNCH
10900	----	----	30.441B/29.410A	30.441B/29.410A	----	30.315	+	0.884	.9912	----	----	----	----	1	UNCH
10950	----	----	30.939B/29.907A	30.939B/29.907A	----	30.812	+	0.885	.9917	----	----	----	----	1	UNCH
10975	----	----	31.188B/30.156A	31.188B/30.156A	----	31.061	+	0.886	.9919	----	----	----	----	3	UNCH
11000	----	----	31.574B/30.311A	31.574B/30.311A	----	31.310	+	0.887	.9921	----	----	----	----	60	UNCH
11025	----	----	31.686B/30.654A	31.686B/30.654A	----	31.559	+	0.888	.9923	----	----	----	----	1	UNCH
11075	----	----	32.184B/31.152A	32.184B/31.152A	----	32.058	+	0.890	.9928	----	----	----	----	1	UNCH
11100	----	----	32.434B/31.401A	32.434B/31.401A	----	32.307	+	0.891	.9930	----	----	----	----	1	UNCH
11125	----	----	32.683B/31.650A	32.683B/31.650A	----	32.556	+	0.892	.9932	----	----	----	----	1	UNCH
11175	----	----	33.182B/32.149A	33.182B/32.149A	----	33.054	+	0.893	.9936	----	----	----	----	1	UNCH
11200	----	----	33.431B/32.398A	33.431B/32.398A	----	33.303	+	0.893	.9938	----	----	----	----	4	UNCH
11225	----	----	33.680B/32.647A	33.680B/32.647A	----	33.552	+	0.894	.9940	----	----	----	----	3	UNCH
11250	----	----	33.929B/32.896A	33.929B/32.896A	----	33.802	+	0.895	.9941	----	----	----	----	1	UNCH
11500	----	----	36.585B/35.297A	36.585B/35.297A	----	36.296	+	0.902	.9958	----	----	----	----	73	UNCH
11550	----	----	36.924B/35.889A	36.924B/35.889A	----	36.795	+	0.903	.9960	----	----	----	----	1	UNCH
11650	----	----	37.922B/36.887A	37.922B/36.887A	----	37.793	+	0.905	.9964	----	----	----	----	1	UNCH
11800	----	----	39.419B/----	39.419B/38.385A	----	39.291	+	0.908	.9970	----	----	----	----	1	UNCH
11875	----	----	40.169B/----	40.169B/39.134A	----	40.041	+	0.910	.9974	----	----	----	----	1	UNCH
12000	----	----	----	----	----	41.290		NEW	.9976	----	----	5	----	0	UNCH
12250	----	----	43.915B/----	43.915B/42.881A	----	43.790	+	0.914	.9981	----	----	----	----	0	- 3
12300	----	----	44.415B/----	44.415B/43.381A	----	44.290	+	0.915	.9981	----	----	----	----	1	UNCH
12500	----	----	46.477B/----	46.477B/45.385A	----	46.290	+	0.916	.9983	----	----	5	----	20	UNCH
12700	----	----	48.415B/----	48.415B/47.381A	----	48.290	+	0.917	.9985	----	----	----	----	1	UNCH
TOTAL												802	0	20074	+ 79
JUN26															
2100	----	----	----	----/0.010A	----	0.003		UNCH	.0002	----	----	----	----	1	UNCH
2350	----	----	----	0.001B/0.021A	----	0.008	+	0.001	.0007	----	----	----	----	2	UNCH
2500	----	----	----	0.002B/0.024A	----	0.013	+	0.001	.0011	----	----	----	----	141	UNCH
2650	----	----	----	----/0.033A	----	0.017	+	0.002	.0015	----	----	----	----	1	UNCH
3000	----	----	----	----/0.065A	----	0.029	+	0.004	.0026	----	----	----	----	244	UNCH
3075	----	----	----	----/0.074A	----	0.032	+	0.005	.0029	----	----	----	----	4	UNCH
3100	----	----	----	----/0.075A	----	0.033	+	0.005	.0030	----	----	----	----	3	UNCH
3150	----	----	----	----/0.077A	----	0.035	+	0.006	.0032	----	----	----	----	9	UNCH
3200	----	----	----	----/0.079A	----	0.037	+	0.006	.0034	----	----	----	----	4	UNCH
3325	----	----	----	----/*0.083A	----	0.043	+	0.008	.0040	----	----	----	----	2	UNCH
3350	----	----	----	----/*0.084A	----	0.044	+	0.008	.0041	----	----	----	----	1	UNCH
3400	----	----	----	----/0.086A	----	0.046	+	0.008	.0043	----	----	----	----	12	UNCH
3500	----	----	----	----/0.090A	----	0.052	+	0.010	.0049	----	----	----	----	100	UNCH
3550	----	----	----	----/0.092A	----	0.054	+	0.010	.0052	----	----	----	----	5	UNCH
3575	----	----	----	----/*0.093A	----	0.056	+	0.011	.0054	----	----	----	----	22	UNCH
3600	----	----	----	0.005B/0.094A	----	0.057	+	0.011	.0055	----	----	----	----	5	UNCH
3650	----	----	----	0.001B/*0.096A	----	0.060	+	0.012	.0058	----	----	----	----	22	UNCH
3675	----	----	----	0.001B/*0.098A	----	0.061	+	0.012	.0059	----	----	----	----	2	UNCH
3700	----	----	----	0.001B/*0.099A	----	0.062	+	0.012	.0061	----	----	----	----	6	UNCH
3800	----	----	----	0.001B/*0.105A	----	0.068	+	0.014	.0068	----	----	----	----	14	UNCH
3850	----	----	----	0.001B/*0.107A	----	0.070	+	0.014	.0070	----	----	----	----	2	UNCH
3900	----	----	----	0.001B/*0.111A	----	0.073	+	0.015	.0074	----	----	----	----	6	UNCH
3925	----	----	----	0.001B/*0.112A	----	0.075	+	0.016	.0076	----	----	----	----	3	UNCH
4000	----	----	----	0.039B/0.118A	----	0.079	+	0.017	.0081	----	----	----	----	54	UNCH
4075	----	----	----	0.001B/*0.124A	----	0.083	+	0.018	.0087	----	----	----	----	1	UNCH
4100	----	----	----	0.001B/*0.126A	----	0.084	+	0.018	.0088	----	----	----	----	2	UNCH
4125	----	----	----	0.001B/*0.127A	----	0.085	+	0.017	.0090	----	----	----	----	5	UNCH
4150	----	----	----	0.001B/*0.129A	----	0.087	+	0.018	.0092	----	----	----	----	4	UNCH
4200	----	----	----	0.001B/0.132A	----	0.089	+	0.018	.0095	----	----	----	----	26	UNCH
4225	----	----	----	0.001B/*0.134A	----	0.090	+	0.018	.0097	----	----	----	----	7	UNCH
4250	----	----	----	0.001B/*0.136A	----	0.092	+	0.019	.0100	----	----	----	----	5	UNCH
4275	----	----	----	0.001B/*0.137A	----	0.093	+	0.019	.0101	----	----	----	----	13	UNCH
4300	----	----	----	0.001B/*0.139A	----	0.094	+	0.019	.0103	----	----	----	----	7	UNCH
4350	----	----	----	0.001B/*0.142A	----	0.097	+	0.019	.0107	----	----	----	----	2	UNCH
4375	----	----	----	0.001B/*0.143A	----	0.098	+	0.019	.0109	----	----	----	----	3	UNCH
4400	----	----	----	0.001B/*0.145A	----	0.099	+	0.019	.0111	----	----	----	----	8	UNCH
4425	----	----	----	0.001B/*0.147A	----	0.101	+	0.019	.0114	----	----	----	----	1	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

SO PUT	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUN26		COMEX SILVER OPTIONS										
4500	----	----	----	0.055B/0.153A	----	0.105 + 0.019	.0120	----	----	----	----	167 UNCH
4550	----	----	----	0.010B/*0.137A	----	0.107 + 0.018	.0124	----	----	----	----	2 UNCH
4600	----	----	----	0.007B/*0.144A	----	0.110 + 0.018	.0129	----	----	----	----	7 UNCH
4625	----	----	----	0.007B/*0.145A	----	0.111 + 0.017	.0131	----	----	----	----	12 UNCH
4650	----	----	----	0.011B/*0.137A	----	0.113 + 0.018	.0134	----	----	----	----	1 UNCH
4700	----	----	----	0.010B/*0.113A	----	0.116 + 0.017	.0139	----	----	----	----	3 UNCH
4725	----	----	----	0.012B/*0.147A	----	0.117 + 0.016	.0141	----	----	----	----	10 UNCH
4750	----	----	----	0.014B/*0.149A	----	0.119 + 0.016	.0145	----	----	----	----	3 UNCH
4800	----	----	----	0.019B/0.155A	----	0.122 + 0.014	.0150	----	----	----	----	24 UNCH
4850	----	----	----	0.025B/*0.158A	----	0.126 + 0.013	.0156	----	----	----	----	3 UNCH
4875	----	----	----	0.028B/*0.161A	----	0.128 + 0.012	.0160	----	----	----	----	15 UNCH
4900	----	----	----	0.039B/*0.134A	----	0.130 + 0.011	.0163	----	----	----	----	176 UNCH
4975	----	----	----	0.040B/*0.173A	----	0.136 + 0.007	.0173	----	----	----	----	1 UNCH
5000	0.110	0.110	0.110/*0.110	0.110/*0.110	----	0.138 + 0.006	.0177	----	----	1	----	1004 UNCH
5025	----	----	----	0.047B/*0.179A	----	0.140 + 0.004	.0181	----	----	----	----	8 UNCH
5050	----	----	----	0.052B/*0.182A	----	0.143 + 0.003	.0185	----	----	----	----	3 UNCH
5075	----	----	----	0.120B/*0.182A	----	0.145 + 0.001	.0189	----	----	----	----	2 UNCH
5100	----	----	----	0.065B/0.186A	----	0.148 - 0.001	.0193	----	----	----	----	32 UNCH
5125	----	----	----	0.063B/*0.194A	----	0.151 - 0.003	.0198	----	----	----	----	1 UNCH
5150	----	----	----	0.068B/*0.192A	----	0.154 - 0.004	.0203	----	----	----	----	16 UNCH
5175	----	----	----	0.072B/*0.197A	----	0.157 - 0.007	.0208	----	----	----	----	12 UNCH
5200	0.187	0.187	0.187/*0.186A	0.187/*0.186A	----	0.160 - 0.009	.0213	----	----	1	----	7 + 1
5225	----	----	----	0.081B/*0.212A	----	0.163 - 0.012	.0218	----	----	----	----	1 UNCH
5250	----	----	----	0.084B/*0.216A	----	0.167 - 0.014	.0224	----	----	----	----	14 UNCH
5275	----	----	----	0.135B/*0.217A	----	0.171 - 0.016	.0230	----	----	15	----	17 - 7
5300	----	----	----/*0.184A	0.096B/*0.184A	----	0.175 - 0.018	.0236	----	----	----	----	14 UNCH
5325	----	----	----	0.104B/*0.230A	----	0.179 - 0.021	.0242	----	----	----	----	10 UNCH
5350	----	----	----	0.109B/*0.234A	----	0.183 - 0.024	.0249	----	----	5	----	12 UNCH
5375	----	----	----	0.113B/*0.240A	----	0.188 - 0.026	.0256	----	----	----	----	10 UNCH
5400	----	----	----	0.121B/*0.245A	----	0.193 - 0.029	.0264	----	----	5	----	13 UNCH
5425	----	----	----	0.125B/*0.250A	----	0.198 - 0.032	.0271	----	----	----	----	4 UNCH
5450	----	----	----	0.132B/*0.256A	----	0.203 - 0.035	.0279	----	----	----	----	1 UNCH
5475	----	----	----	0.142B/*0.259A	----	0.209 - 0.037	.0288	----	----	----	----	13 UNCH
5500	0.230	0.230	0.230/0.230	0.230/0.230	----	0.215 - 0.040	.0297	----	----	12	----	400 + 2
5525	----	----	----	0.156B/*0.272A	----	0.222 - 0.042	.0306	----	----	----	----	16 UNCH
5550	----	----	----	0.164B/*0.279A	----	0.228 - 0.045	.0315	----	----	----	----	10 UNCH
5575	----	----	----	0.172B/*0.288A	----	0.236 - 0.047	.0327	----	----	----	----	2 UNCH
5600	----	----	----	0.181B/*0.293A	----	0.243 - 0.050	.0337	----	----	----	----	18 UNCH
5625	----	----	----/*0.300A	0.190B/*0.300A	----	0.251 - 0.052	.0348	----	----	----	----	2 UNCH
5650	----	----	----/*0.307A	0.198B/*0.307A	----	0.260 - 0.054	.0360	----	----	----	----	51 UNCH
5675	----	----	----/*0.315A	0.208B/*0.315A	----	0.269 - 0.055	.0373	----	----	----	----	21 UNCH
5700	0.296	0.296	0.296/*0.296	0.296/*0.296	----	0.278 - 0.057	.0385	----	----	1	----	248 - 1
5725	----	----	----/*0.332A	0.230B/*0.332A	----	0.288 - 0.059	.0399	----	----	----	----	2 UNCH
5750	----	----	----/*0.341A	0.240B/*0.341A	----	0.298 - 0.061	.0413	----	----	----	----	227 UNCH
5775	----	----	----/*0.350A	0.252B/*0.350A	----	0.309 - 0.062	.0428	----	----	----	----	9 UNCH
5800	0.336	0.336	0.336/*0.336	0.336/*0.336	----	0.321 - 0.062	.0444	----	----	1	----	100 UNCH
5825	----	----	----/*0.370A	0.274B/*0.370A	----	0.333 - 0.063	.0460	----	----	----	----	9 UNCH
5850	----	----	----/*0.380A	0.287B/*0.380A	----	0.346 - 0.064	.0477	----	----	----	----	16 UNCH
5875	----	----	----/*0.390A	0.300B/*0.390A	----	0.359 - 0.064	.0494	----	----	----	----	12 UNCH
5900	----	----	----/*0.402A	0.313B/*0.402A	----	0.372 - 0.066	.0511	----	----	----	----	49 UNCH
5925	----	----	----/*0.413A	0.326B/*0.413A	----	0.387 - 0.065	.0530	----	----	----	----	21 UNCH
5950	----	----	----/*0.425A	0.341B/*0.425A	----	0.402 - 0.065	.0550	----	----	----	----	16 UNCH
5975	----	----	----/*0.438A	0.405B/*0.438A	----	0.417 - 0.066	.0569	----	----	----	----	1 UNCH
6000	0.450	0.450	0.450/*0.422A	0.450/*0.422A	----	0.433 - 0.066	.0590	----	----	12	----	761 + 2
6025	----	----	----/*0.463A	0.441B/*0.463A	----	0.450 - 0.066	.0611	----	----	----	----	31 UNCH
6050	----	----	----/*0.472A	0.454B/*0.472A	----	0.468 - 0.065	.0634	----	----	----	----	144 UNCH
6075	----	----	----/*0.489A	0.473B/*0.489A	----	0.486 - 0.065	.0656	----	----	----	----	30 UNCH
6100	0.480	0.480	0.510/*0.461	0.510/*0.461	----	0.504 - 0.065	.0679	----	----	3	----	79 + 1
6125	----	----	----/*0.523A	0.507B/*0.523A	----	0.524 - 0.064	.0704	----	----	----	----	2 UNCH
6150	----	----	----/*0.510A	0.554B/*0.510A	----	0.544 - 0.063	.0729	----	----	----	----	13 UNCH
6175	----	----	----/*0.527A	0.578B/*0.527A	----	0.564 - 0.064	.0754	----	----	----	----	291 UNCH
6200	----	----	----/*0.546A	0.600B/*0.546A	----	0.586 - 0.063	.0780	----	----	----	----	160 UNCH
6225	----	----	----/*0.558A	0.623B/*0.558A	----	0.608 - 0.062	.0807	----	----	----	----	2 UNCH
6250	----	----	----/*0.572A	0.647B/*0.572A	----	0.630 - 0.063	.0834	----	----	----	----	90 UNCH
6275	----	----	----/*0.592A	0.672B/*0.592A	----	0.654 - 0.062	.0863	----	----	----	----	3 UNCH
6300	----	----	----/*0.612A	0.697B/*0.612A	----	0.678 - 0.062	.0892	----	----	1	----	133 + 1
6325	----	----	----/*0.633A	0.723B/*0.633A	----	0.703 - 0.061	.0922	----	----	----	----	6 UNCH
6350	----	----	----/*0.656A	0.750B/*0.656A	----	0.729 - 0.061	.0953	----	----	----	----	31 UNCH
6375	----	----	----/*0.680A	0.777B/*0.680A	----	0.756 - 0.060	.0985	----	----	----	----	103 UNCH
6400	0.729	0.729	0.807B/*0.703A	0.807B/*0.703A	----	0.783 - 0.061	.1017	----	----	3	----	90 UNCH
6425	----	----	----/*0.729A	0.836B/*0.729A	----	0.812 - 0.060	.1051	----	----	----	----	44 UNCH
6450	----	----	----/*0.755A	0.868B/*0.755A	----	0.841 - 0.060	.1085	----	----	1	----	20 + 1
6475	----	----	----/*0.781A	0.898B/*0.781A	----	0.872 - 0.060	.1120	----	----	----	----	121 UNCH
6500	----	----	----/*0.807A	0.931B/*0.807A	----	0.903 - 0.060	.1156	----	----	6	36	306 + 1
6525	----	----	----/*0.836A	0.965B/*0.836A	----	0.935 - 0.060	.1193	----	----	----	----	36 UNCH
6550	----	----	----/*0.864A	1.001B/*0.864A	----	0.969 - 0.060	.1231	----	----	----	----	28 UNCH
6575	----	----	----/*0.897A	1.025B/*0.897A	----	1.003 - 0.061	.1270	----	----	----	----	3 UNCH
6600	----	----	----/*0.927A	1.064B/*0.927A	----	1.039 - 0.061	.1310	----	----	7	----	140 + 1
6625	----	----	----/*0.963A	1.102B/*0.963A	----	1.076 - 0.061	.1351	----	----	1	----	9 - 1
6650	1.095	1.095	1.142B/*0.997A	1.142B/*0.997A	----	1.114 - 0.061	.1392	----	----	1	----	15 + 1
6675	----	----	----/*1.032A	1.186B/*1.032A	----	1.153 - 0.062	.1435	----	----	8	----	20 + 8
6700	----	----	----/*1.069A	1.229B/*1.069A	----	1.194 - 0.062	.1479	----	----	6	----	91 + 6
6725	1.122	1.122	1.271B/*1.110A	1.271B/*1.110A	----	1.236 - 0.063	.1524	----	----	7	----	36 + 5
6750	----	----	----/*1.150A	1.314B/*1.150A	----	1.279 - 0.064	.1570	----	----	1	----	38 + 1
6775	----	----	----/*1.189A	1.360B/*1.189A	----	1.324 - 0.064	.1617	----	----	5	----	7 + 5
6800	1.422	1.422	1.422/*1.232A	1.431B/*1.232A	----	1.370 - 0.065	.1665	----	----	5	----	64 + 2
6825	----	----	----/*1.274A	1.462B/*1.274A	----	1.417 - 0.067	.1714	----	----	1	----	3 + 1
6850	----	----	----/*1.319A	1.513B/*1.319A	----	1.467 - 0.067	.1764	----	----	15	----	15 - 1
6875	----	----	----/*1.366A	1.571B/*1.366A	----	1.517 - 0.069	.1815	----	----	----	----	2 UNCH
6900	1.450	1.450	1.646B/*1.413A	1.646B/*1.413A	----	1.569 - 0.070	.1867	----	----	5	----	84 - 5
6925	----	----	----/*1.457A	1.687B/*1.457A	----	1.623 - 0.071	.1921	----	----	1	----	9 - 1
6950	----	----	----/*1.513A	1.737B/*1.513A	----	1.679 - 0.072	.1975	----	----	----	----	5 UNCH
6975	----	----	----/*1.552A	1.807B/*1.552A	----	1.736 - 0.073	.2030	----	----	----	----	9 UNCH
7000	1.790	1.790	1.889B/*1.619A	1.889B/*1.619A	----	1.794 - 0.076	.2086	----	----	5	----	614 UNCH
7025	----	----	1.936B/*1.658A	1.936B/*1.658A	----	1.855 - 0.076	.2144	----	----	2	----	6 - 2
7050	----	----	1.998B/*1.722A	1.998B/*1.722A	----	1.917 - 0.078	.2202	----	----	----	----	15 UNCH
7075	----	----	2.081B/*1.764A	2.081B/*1.764A	----	1.981 - 0.079	.2261	----	----	----	----	41 UNCH
7100	----	----	2.144B/*1.841A	2.144B/*1.841A	----	2.047 - 0.080	.2321	----	----	----	----	19 UNCH
7125	----	----	2.218B/*1.884A	2.218B/*1.884A	----	2.115 - 0.081	.2383	----	----	----	----	5 UNCH
7150	----	----	2.294B/*1.957A	2.294B/*1.957A	----	2.185 - 0.082	.2445	----	----	----	----	27 UNCH
7175	----	----	2.377B/*2.001A	2.377B/*2.001A	----	2.257 - 0.082	.2508	----	----	----	----	37 UNCH
7200	----	----	2.462B/*2.079A	2.462B/*2.079A	----	2.330 - 0.083	.2571	----	----	----	----	304 UNCH
7225	2.218	2.218	2.528B/*2.132A	2.528B/*2.132A	----	2.406 - 0.083	.2636	----	----	2	----	6 UNCH
7250	----	----	2.611B/*2.212A	2.611B/*2.212A	----	2.483 - 0.084	.2702	----	----	----	----	13 UNCH
7275	2.420	2.420	2.697B/*2.268A	2.697B/*2.268A	----	2.563 - 0.083	.2768	----	----	7	----	9 + 6
7300	----	----	2.796B/*2.355A	2.796B/*2.355A	----	2.645 - 0.083	.2835	----	----	1	----	77 UNCH
7325	----	----	2.872B/*2.413A	2.872B/*2.413A	----	2.728 - 0.083	.2903	----	----	----	----	1 UNCH
7350	----	----	2.962B/*2.500A	2.962B/*2.500A	----	2.814 - 0.082	.2972	----	----	----	----	3 UNCH
7375	----	----	3.053B/*2.575A	3.053B/*2.575A	----	2.902 - 0.081	.3041	----	----	----	----	2 UNCH
7400	2.725	2.725	3.159B/*2.651A	3.159B/*2.651A	----	2.992 - 0.079	.3111	----	----	2	----	52 + 2
7425	----	----	3.247B/*2.731A	3.247B/*2.731A	----	3.085 - 0.077	.3181	----	----	----	----	2 UNCH
7450	----	----	3.356B/2.817A	3.356B/2.817A	----	3.179 - 0.075	.3252	----	----	----	----	52 UNCH
7475	----	----	3.444B/2.896A	3.444B/2.896A	----	3.276 - 0.072	.3324	----	----	1	----	3 - 1
7500	3.080	3.080	3.559B/2.984A	3.559B/2.984A	----	3.374 - 0.070	.3396	----	----	6	----	407 - 4
7525	3.301	3.301	3.652B/3.069A	3.652B/3.069A	----	3.476 - 0.066	.3468	----	----	2	----	5 + 2
7550	----	----	3.758B/3.164A	3.758B/3.164A	----	3.579 - 0.062	.3541	----	----	----	----	7 UNCH
7575	----	----	3.869B/3.255A	3.869B/3.255A	----	3.684 - 0.059	.3615	----	----	----	----	5 UNCH
7600	----	----	3.991B/3.346A	3.991B/3.346A	----	3.792 - 0.054	.3688	----	----	1	----	77 UNCH
7625	3.605	3.605	4.094B/3.442A	4.094B/3.442A	----	3.902 - 0.050	.3762	----	----	1	----	3 + 1
7650	----	----	4.215B/3.539A	4.215B/3.539A	----	4.014 - 0.045	.3836	----	----	----	----	5 UNCH
7675	----	----	4.332B/3.643A	4.332B/3.643A	----	4.128 - 0.040	.3910	----	----	----	----	2 UNCH
7700	----	----	4.451B/3.739A	4.451B/3.739A	----	4.245 - 0.035	.3985	----	----	----	36	58 + 36
7725	4.105	4.105	4.574B/3.855A	4.574B/3.855A	----	4.364 - 0.029	.4060	----	----	20	----	21 + 20
7750	----	----	4.697B/3.962A	4.697B/3.962A	----	4.485 - 0.023	.4134	----	----	----	----	4 UNCH
7775	----	----	4.827B/4.068A	4.827B/4.068A	----	4.608 - 0.017	.4209	----	----	----	----	27 UNCH
7800	----	----	4.952B/4.176A	4.952B/4.176A	----	4.734 - 0.010	.4284	----	----	----	----	8 UNCH
7825	----	----	5.089B/4.286A	5.089B/4.286A	----	4.861 - 0.004	.4358	----	----	1	----	2 + 1
7850	----	----	5.221B/4.405A	5.221B/4.405A	----	4.991 + 0.004	.4433	----	----	----	----	10 UNCH
7875	----	----	5.352B/4.512A	5.352B/4.512A	----	5.123 + 0.011	.4507	----	----	----	----	19 UNCH
7900	5.022	5.022	5.496B/4.638A	5.496B/4.638A	----	5.257 + 0.018	.4581	----	----	3	----	117 + 1
7925	----	----	5.627B/4.761A	5.627B/4.761A	----	5.394 + 0.026	.4655	----	----	8	----	18 + 8
7950	5.200	5.200	5.779B/4.883A	5.779B/4.883A	----	5.532 + 0.034	.4729	----	----	1	----	21 UNCH
8000	5.450	5.450	6.065B/5.121A	6.065B/5.121A	----	5.816 + 0.051	.4876	----	----	4	----	166 + 3
8025	----	----	6.206B/5.255A	6.206B/5.255A	----	5.960 + 0.058	.4948	----	----	----	----	1 UNCH
8050	----	----	6.365B/5.388A	6.365B/5.388A	----	6.107 + 0.067	.5021	----	----	----	----	2 UNCH
8075	----	----	6.517B/5.515A	6.517B/5.515A	----	6.256 + 0.075	.5093	----	----	----	----	1 UNCH
8100	5.800	5.800	6.661B/5.651A	6.661B/5.651A	----	6.407 + 0.084	.5164	----	----	4	----	5 + 1
8125	----	----	6.812B/5.796A	6.812B/5.796A	----	6.560 + 0.093	.5235	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS											
JUN26													
8150	----	----	6.961B/5.928A	6.961B/5.928A	----	6.715	+ 0.102	.5305	----	----	----	----	4 UNCH
8175	----	----	7.143B/6.070A	7.143B/6.070A	----	6.872	+ 0.111	.5375	----	----	----	----	43 UNCH
8200	----	----	7.197B/6.202A	7.197B/6.202A	----	7.031	+ 0.120	.5444	----	----	----	----	13 UNCH
8225	----	----	7.358B/6.356A	7.358B/6.356A	----	7.192	+ 0.130	.5513	----	----	----	----	6 UNCH
8250	----	----	7.532B/6.500A	7.532B/6.500A	----	7.354	+ 0.138	.5581	----	----	----	----	16 UNCH
8275	----	----	7.687B/6.653A	7.687B/6.653A	----	7.519	+ 0.148	.5648	----	----	----	----	23 UNCH
8300	----	----	7.851B/6.797A	7.851B/6.797A	----	7.685	+ 0.157	.5715	----	----	----	----	8 UNCH
8350	----	----	8.191B/7.094A	8.191B/7.094A	----	8.023	+ 0.175	.5846	----	----	----	----	18 UNCH
8375	----	----	8.341B/7.258A	8.341B/7.258A	----	8.195	+ 0.184	.5911	----	----	----	----	1 UNCH
8400	----	----	8.484B/7.422A	8.484B/7.422A	----	8.368	+ 0.193	.5975	----	----	----	----	3 UNCH
8425	----	----	8.748B/7.574A	8.748B/7.574A	----	8.544	+ 0.203	.6038	----	----	----	----	63 UNCH
8450	----	----	8.877B/7.727A	8.877B/7.727A	----	8.720	+ 0.211	.6100	----	----	----	----	18 UNCH
8475	----	----	9.024B/7.890A	9.024B/7.890A	----	8.899	+ 0.220	.6162	----	----	----	----	2 UNCH
8500	----	----	9.275B/8.057A	9.275B/8.057A	----	9.079	+ 0.229	.6222	----	----	----	----	63 UNCH
8525	----	----	9.391B/8.223A	9.391B/8.223A	----	9.260	+ 0.237	.6282	----	----	----	----	1 UNCH
8550	----	----	9.558B/8.405A	9.558B/8.405A	----	9.444	+ 0.246	.6342	----	----	----	----	1 UNCH
8575	----	----	9.764B/8.677A	9.764B/8.677A	----	9.628	+ 0.254	.6400	----	----	----	----	1 UNCH
8600	----	----	9.934B/8.852A	9.934B/8.852A	----	9.814	+ 0.262	.6457	----	----	----	----	5 UNCH
8625	----	----	10.171B/9.095A	10.171B/9.095A	----	10.002	+ 0.271	.6514	----	----	----	----	11 UNCH
8675	----	----	10.525B/9.462A	10.525B/9.462A	----	10.382	+ 0.288	.6625	----	----	----	----	2 UNCH
8700	----	----	10.743B/9.614A	10.743B/9.614A	----	10.573	+ 0.295	.6679	----	----	----	----	14 UNCH
8750	----	----	11.153B/10.409A	11.153B/10.409A	----	10.961	+ 0.312	.6786	----	----	----	----	26 UNCH
8775	----	----	11.309B/10.652A	11.309B/10.652A	----	11.157	+ 0.320	.6837	----	----	----	----	1 UNCH
8800	----	----	11.525B/10.812A	11.525B/10.812A	----	11.354	+ 0.328	.6889	----	----	----	----	14 UNCH
8825	----	----	11.729B/11.007A	11.729B/11.007A	----	11.552	+ 0.335	.6938	----	----	----	----	15 UNCH
8850	----	----	11.930B/11.201A	11.930B/11.201A	----	11.752	+ 0.343	.6988	----	----	----	----	6 UNCH
8925	----	----	12.498B/11.807A	12.498B/11.807A	----	12.357	+ 0.366	.7131	----	----	----	----	4 UNCH
8975	----	----	12.912B/12.202A	12.912B/12.202A	----	12.766	+ 0.381	.7223	----	----	----	----	2 UNCH
9000	----	----	13.222B/12.295A	13.222B/12.295A	----	12.972	+ 0.388	.7267	----	----	----	----	94 UNCH
9050	----	----	13.535B/12.794A	13.535B/12.794A	----	13.387	+ 0.403	.7354	----	----	----	----	3 UNCH
9075	----	----	13.747B/12.997A	13.747B/12.997A	----	13.597	+ 0.411	.7397	----	----	----	----	2 UNCH
9100	----	----	13.991B/13.204A	13.991B/13.204A	----	13.807	+ 0.418	.7438	----	----	----	----	6 UNCH
9125	----	----	14.169B/13.402A	14.169B/13.402A	----	14.017	+ 0.425	.7479	----	----	----	----	1 UNCH
9150	----	----	14.383B/13.607A	14.383B/13.607A	----	14.229	+ 0.432	.7519	----	----	----	----	1 UNCH
9175	----	----	14.597B/13.813A	14.597B/13.813A	----	14.442	+ 0.439	.7558	----	----	----	----	1 UNCH
9200	----	----	14.914B/13.927A	14.914B/13.927A	----	14.656	+ 0.447	.7597	----	----	----	----	80 UNCH
9325	----	----	15.896B/15.068A	15.896B/15.068A	----	15.735	+ 0.480	.7780	----	----	----	----	1 UNCH
9450	----	----	17.037B/16.145A	17.037B/16.145A	----	16.833	+ 0.512	.7947	----	----	----	----	6 UNCH
9500	----	----	17.545B/16.481A	17.545B/16.481A	----	17.277	+ 0.524	.8010	----	----	----	----	138 UNCH
9525	----	----	17.671B/16.788A	17.671B/16.788A	----	17.500	+ 0.531	.8040	----	----	----	----	1 UNCH
9550	----	----	17.893B/17.008A	17.893B/17.008A	----	17.723	+ 0.536	.8070	----	----	----	----	1 UNCH
9575	----	----	18.115B/17.227A	18.115B/17.227A	----	17.947	+ 0.542	.8099	----	----	----	----	2 UNCH
9725	----	----	19.478B/18.552A	19.478B/18.552A	----	19.302	+ 0.575	.8265	----	----	----	----	1 UNCH
9825	----	----	20.385B/19.448A	20.385B/19.448A	----	20.215	+ 0.596	.8365	----	----	----	----	1 UNCH
9850	----	----	20.614B/19.675A	20.614B/19.675A	----	20.444	+ 0.601	.8389	----	----	----	----	1 UNCH
9900	----	----	21.118B/20.126A	21.118B/20.126A	----	20.904	+ 0.611	.8436	----	----	----	----	17 UNCH
9925	----	----	21.311B/20.354A	21.311B/20.354A	----	21.135	+ 0.616	.8459	----	----	----	----	1 UNCH
9950	----	----	21.538B/20.580A	21.538B/20.580A	----	21.365	+ 0.620	.8481	----	----	----	----	1 UNCH
10000	----	----	22.092B/20.948A	22.092B/20.948A	----	21.828	+ 0.629	.8524	----	----	----	----	97 UNCH
10025	----	----	22.237B/21.266A	22.237B/21.266A	----	22.060	+ 0.633	.8546	----	----	----	----	2 UNCH
10075	----	----	22.701B/21.724A	22.701B/21.724A	----	22.525	+ 0.642	.8587	----	----	----	----	1 UNCH
10100	----	----	22.957B/21.960A	22.957B/21.960A	----	22.758	+ 0.646	.8607	----	----	----	----	6 UNCH
10125	----	----	23.169B/22.185A	23.169B/22.185A	----	22.991	+ 0.650	.8627	----	----	----	----	1 UNCH
10150	----	----	23.428B/22.421A	23.428B/22.421A	----	23.225	+ 0.654	.8646	----	----	----	----	8 UNCH
10175	----	----	23.640B/22.646A	23.640B/22.646A	----	23.458	+ 0.658	.8666	----	----	----	----	2 UNCH
10200	----	----	23.954B/22.789A	23.954B/22.789A	----	23.692	+ 0.661	.8684	----	----	----	----	120 UNCH
10225	----	----	24.111B/23.108A	24.111B/23.108A	----	23.927	+ 0.666	.8703	----	----	----	----	1 UNCH
10325	----	----	25.058B/24.034A	25.058B/24.034A	----	24.867	+ 0.680	.8774	----	----	----	----	1 UNCH
10350	----	----	25.297B/24.268A	25.297B/24.268A	----	25.103	+ 0.683	.8791	----	----	----	----	1 UNCH
10375	----	----	25.537B/24.499A	25.537B/24.499A	----	25.339	+ 0.687	.8807	----	----	----	----	1 UNCH
10400	----	----	25.770B/24.732A	25.770B/24.732A	----	25.575	+ 0.690	.8824	----	----	----	----	1 UNCH
10500	----	----	26.742B/25.675A	26.742B/25.675A	----	26.522	+ 0.702	.8887	----	----	----	----	9 UNCH
10600	----	----	27.680B/26.610A	27.680B/26.610A	----	27.473	+ 0.714	.8946	----	----	----	----	5 UNCH
10825	----	----	29.864B/28.748A	29.864B/28.748A	----	29.624	+ 0.738	.9065	----	----	----	----	6 UNCH
10850	----	----	30.088B/28.979A	30.088B/28.979A	----	29.864	+ 0.740	.9077	----	----	----	----	4 UNCH
10875	----	----	30.328B/29.217A	30.328B/29.217A	----	30.104	+ 0.742	.9089	----	----	----	----	2 UNCH
10950	----	----	31.053B/29.932A	31.053B/29.932A	----	30.825	+ 0.749	.9123	----	----	----	----	3 UNCH
11000	----	----	31.534B/30.410A	31.534B/30.410A	----	31.307	+ 0.754	.9145	----	----	----	----	3 UNCH
11325	----	----	34.686B/33.532A	34.686B/33.532A	----	34.452	+ 0.779	.9272	----	----	----	----	1 UNCH
11500	----	----	36.420B/35.232A	36.420B/35.232A	----	36.155	+ 0.791	.9330	----	----	----	----	10 UNCH
11525	----	----	36.638B/35.465A	36.638B/35.465A	----	36.399	+ 0.793	.9338	----	----	----	----	1 UNCH
11675	----	----	38.108B/36.922A	38.108B/36.922A	----	37.863	+ 0.802	.9382	----	----	----	----	1 UNCH
11700	----	----	38.375B/37.165A	38.375B/37.165A	----	38.107	+ 0.803	.9388	----	----	----	----	1 UNCH
12000	----	----	41.381B/40.021A	41.381B/40.021A	----	41.047	+ 0.821	.9463	----	----	----	----	50 UNCH
12025	----	----	41.544B/40.337A	41.544B/40.337A	----	41.293	+ 0.822	.9469	----	----	----	----	1 UNCH
13000	----	----	51.190B/49.925A	51.190B/49.925A	----	50.914	+ 0.864	.9629	----	----	----	----	5 UNCH
TOTAL											201	72	10039 + 97
JUL26													
2000	----	----	----	0.005B/0.160A	----	0.011	- 0.005	.0008	----	----	----	----	6 UNCH
2400	----	----	----	----/0.170A	----	0.020	- 0.008	.0016	----	----	----	----	10 UNCH
2650	----	----	----	----/0.087A	----	0.026	- 0.011	.0022	----	----	----	----	6 UNCH
3000	----	----	----	0.001B/0.100A	----	0.037	- 0.014	.0033	----	----	----	----	5 UNCH
3025	----	----	----	0.001B/0.100A	----	0.038	- 0.015	.0034	----	----	----	----	1 UNCH
3350	----	----	----	0.001B/*0.115A	----	0.050	- 0.020	.0047	----	----	----	----	1 UNCH
3400	----	----	----	0.001B/0.117A	----	0.052	- 0.021	.0049	----	----	----	----	55 UNCH
3475	----	----	----	0.001B/0.122A	----	0.056	- 0.022	.0054	----	----	----	----	5 UNCH
3500	----	----	----	0.049B/0.122A	----	0.057	- 0.022	.0055	----	----	----	----	4 UNCH
3600	----	----	----	0.001B/*0.129A	----	0.063	- 0.023	.0061	----	----	----	----	12 UNCH
3700	----	----	----	0.001B/0.136A	----	0.069	- 0.026	.0068	----	----	----	----	92 UNCH
3800	----	----	----	0.001B/*0.144A	----	0.077	- 0.027	.0077	----	----	----	----	25 UNCH
3825	----	----	----	0.001B/*0.146A	----	0.079	- 0.027	.0079	----	----	----	----	8 UNCH
3850	----	----	----	0.001B/*0.147A	----	0.081	- 0.028	.0081	----	----	----	----	3 UNCH
3900	----	----	----	0.001B/*0.151A	----	0.085	- 0.029	.0086	----	----	----	----	11 UNCH
3950	----	----	----	0.001B/*0.155A	----	0.090	- 0.029	.0091	----	----	----	----	1 UNCH
4000	----	----	----	0.038B/0.144A	----	0.094	- 0.031	.0096	----	----	----	----	70 UNCH
4075	----	----	----	0.016B/*0.155A	----	0.101	- 0.034	.0104	----	----	----	----	16 UNCH
4100	----	----	----	0.020B/*0.156A	----	0.104	- 0.034	.0107	----	----	----	----	6 UNCH
4175	----	----	----	0.026B/*0.165A	----	0.112	- 0.037	.0116	----	----	----	----	9 UNCH
4200	----	----	----	0.028B/*0.170A	----	0.114	- 0.039	.0119	----	----	----	----	27 UNCH
4225	----	----	----	0.030B/*0.173A	----	0.117	- 0.040	.0122	----	----	----	----	1 UNCH
4250	----	----	----	0.033B/*0.176A	----	0.120	- 0.041	.0126	----	----	----	----	21 UNCH
4300	----	----	----	0.042B/0.179A	----	0.126	- 0.043	.0132	----	----	----	----	98 UNCH
4325	----	----	----	0.045B/*0.182A	----	0.129	- 0.045	.0136	----	----	----	----	17 UNCH
4375	----	----	----	0.050B/*0.190A	----	0.135	- 0.048	.0143	----	----	----	----	32 UNCH
4400	----	----	----	0.053B/*0.190A	----	0.139	- 0.049	.0147	----	----	----	----	29 UNCH
4450	----	----	----	0.060B/*0.198A	----	0.146	- 0.052	.0156	----	----	----	----	4 UNCH
4475	----	----	----/*0.202A	0.063B/*0.202A	----	0.149	- 0.054	.0159	----	----	----	----	16 UNCH
4500	----	----	----/*0.198A	0.068B/*0.198A	----	0.153	- 0.056	.0164	----	----	----	----	304 UNCH
4575	----	----	----/*0.224A	0.077B/*0.224A	----	0.165	- 0.061	.0178	----	----	----	----	75 UNCH
4600	----	----	----/*0.231A	0.087B/*0.231A	----	0.169	- 0.063	.0182	----	----	----	----	101 UNCH
4650	----	----	----/*0.242A	0.090B/*0.242A	----	0.178	- 0.067	.0193	----	----	----	----	40 UNCH
4675	----	----	----/*0.242A	0.095B/*0.242A	----	0.183	- 0.069	.0199	----	----	----	----	12 UNCH
4700	----	----	----/*0.247A	0.105B/*0.247A	----	0.187	- 0.072	.0203	----	----	----	----	153 UNCH
4725	----	----	----/*0.253A	0.104B/*0.253A	----	0.192	- 0.074	.0209	----	----	----	----	3 UNCH
4750	----	----	----/*0.259A	0.109B/*0.259A	----	0.198	- 0.076	.0216	----	----	----	----	54 UNCH
4775	----	----	----/*0.266A	0.114B/*0.266A	----	0.203	- 0.078	.0222	----	----	----	----	8 UNCH
4800	----	----	----/*0.273A	0.120B/*0.273A	----	0.208	- 0.081	.0228	----	----	----	----	15 UNCH
4825	----	----	----/*0.282A	0.125B/*0.282A	----	0.214	- 0.083	.0234	----	----	----	----	26 UNCH
4850	----	----	----/*0.288A	0.131B/*0.288A	----	0.220	- 0.086	.0241	----	----	----	----	2 UNCH
4875	----	----	----/*0.295A	0.137B/*0.295A	----	0.226	- 0.088	.0248	----	----	----	----	23 UNCH
4900	----	----	----/*0.303A	0.154B/*0.303A	----	0.232	- 0.091	.0255	----	----	----	----	172 UNCH
5000	----	----	----/0.332A	0.186B/0.332A	----	0.260	- 0.101	.0286	----	----	----	----	886 UNCH
5025	----	----	----/*0.343A	0.185B/*0.343A	----	0.267	- 0.104	.0294	----	----	----	----	1 UNCH
5050	----	----	----/*0.348A	0.193B/*0.348A	----	0.275	- 0.107	.0303	----	----	----	----	16 UNCH
5075	----	----	----/*0.357A	0.202B/*0.357A	----	0.283	- 0.110	.0312	----	----	----	----	11 UNCH
5100	----	----	----/*0.366A	0.218B/*0.366A	----	0.292	- 0.112	.0322	----	----	----	----	176 UNCH
5150	----	----	----/*0.385A	0.228B/*0.385A	----	0.310	- 0.117	.0341	----	----	----	----	5 UNCH
5175	----	----	----/*0.395A	0.238B/*0.395A	----	0.319	- 0.121	.0351	----	----	----	----	5 UNCH
5200	----	----	----/*0.405A	0.248B/*0.405A	----	0.329	- 0.123	.0362	----	----	----	----	86 UNCH
5225	----	----	----/*0.415A	0.257B/*0.415A	----	0.339	- 0.126	.0373	----	----	----	----	9 UNCH
5250	----	----	----/*0.425A	0.272B/*0.425A	----	0.349	- 0.129	.0384	----	----	----	----	250 UNCH
5275	----	----	----/*0.436A	0.284B/*0.436A	----	0.360	- 0.132	.0396	----	----	----	----	2 UNCH
5300	----	----	----/*0.448A	0.296B/*0.448A	----	0.372	- 0.134	.0408	----	----	1	----	125 + 1
5325	----	----	----/*0.460A	0.309B/*0.460A	----	0.383	- 0.138	.0420	----	----	----	----	11 UNCH
5350	----	----	----/*0.473A	0.321B/*0.473A	----	0.396	- 0.140	.0434	----	----	----	----	26 UNCH
5375	----	----	----/*0.484A	0.334B/*0.484A	----	0.408	- 0.143	.0447	----	----	----	----	17 UNCH
5400	----	----	----/*0.502A	0.344B/*0.502A	----	0.421	- 0.146	.0460	----	----	----	----	75 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUL26												
5425	----	----	----/*0.515A	0.358B/*0.515A	----	0.435 - 0.148	.0475	----	----	----	----	49 UNCH
5450	----	----	----/*0.525A	0.373B/*0.525A	----	0.449 - 0.151	.0489	----	----	----	----	38 UNCH
5475	----	----	----/*0.543A	0.388B/*0.543A	----	0.463 - 0.154	.0504	----	----	----	----	53 UNCH
5500	----	----	----/*0.555A	0.404B/*0.555A	----	0.478 - 0.157	.0519	----	----	----	----	883 UNCH
5525	----	----	----/*0.570A	0.420B/*0.570A	----	0.494 - 0.159	.0536	----	----	----	----	72 UNCH
5550	----	----	----/*0.586A	0.440B/*0.586A	----	0.510 - 0.162	.0552	----	----	----	----	13 UNCH
5575	----	----	----/*0.607A	0.457B/*0.607A	----	0.527 - 0.164	.0569	----	----	----	----	3 UNCH
5600	----	----	----/*0.619A	0.475B/*0.619A	----	0.544 - 0.167	.0586	----	----	----	----	13 UNCH
5625	----	----	----/*0.636A	0.494B/*0.636A	----	0.562 - 0.169	.0604	----	----	----	----	3 UNCH
5650	----	----	----/*0.654A	0.514B/*0.654A	----	0.580 - 0.172	.0622	----	----	----	----	29 UNCH
5675	----	----	----/*0.672A	0.531B/*0.672A	----	0.600 - 0.174	.0642	----	----	----	----	45 UNCH
5700	----	----	----/*0.691A	0.552B/*0.691A	----	0.619 - 0.177	.0661	----	----	----	----	297 UNCH
5725	----	----	----/*0.710A	0.574B/*0.710A	----	0.640 - 0.179	.0681	----	----	----	----	3 UNCH
5750	----	----	----/*0.730A	0.602B/*0.730A	----	0.661 - 0.181	.0702	----	----	----	----	52 UNCH
5775	----	----	----/*0.751A	0.625B/*0.751A	----	0.683 - 0.183	.0723	----	----	----	----	2 UNCH
5800	----	----	----/*0.773A	0.649B/*0.773A	----	0.706 - 0.185	.0745	----	----	1	----	20 - 1
5825	----	----	----/*0.795A	0.674B/*0.795A	----	0.729 - 0.187	.0767	----	----	----	----	2 UNCH
5850	----	----	----/*0.817A	0.697B/*0.817A	----	0.753 - 0.190	.0790	----	----	----	----	114 UNCH
5875	----	----	----/*0.841A	0.724B/*0.841A	----	0.778 - 0.191	.0813	----	----	----	----	3 UNCH
5900	----	----	----/*0.865A	0.751B/*0.865A	----	0.804 - 0.193	.0837	----	----	1	----	6 UNCH
5950	----	----	----/*0.915A	0.811B/*0.915A	----	0.858 - 0.196	.0887	----	----	----	----	2 UNCH
5975	----	----	----/*0.942A	0.838B/*0.942A	----	0.886 - 0.198	.0913	----	----	----	----	1 UNCH
6000	----	----	----/*0.969A	0.871B/*0.969A	----	0.915 - 0.200	.0939	----	----	10	----	602 - 10
6100	----	----	----/*1.085A	0.970B/*1.085A	----	1.041 - 0.204	.1052	----	----	1	----	288 + 1
6125	----	----	----/*1.117A	0.956B/*1.117A	----	1.075 NEW	.1082	----	----	1	----	1 + 1
6200	1.178	1.178	1.178/*1.178	1.178/*1.178	----	1.183 - 0.207	.1175	----	----	1	----	8 UNCH
6250	----	----	----/1.418A	1.105B/1.418A	----	1.260 - 0.208	.1240	----	----	----	----	13 UNCH
6275	----	----	----/1.458A	1.145B/1.458A	----	1.300 - 0.208	.1273	----	----	----	----	1 UNCH
6300	----	----	----/1.490A	1.186B/1.490A	----	1.341 - 0.209	.1307	----	----	----	----	218 UNCH
6325	----	----	----/1.543A	1.228B/1.543A	----	1.384 - 0.208	.1342	----	----	----	----	20 UNCH
6375	----	----	----/1.631A	1.317B/1.631A	----	1.472 - 0.208	.1414	----	----	----	----	1 UNCH
6400	----	----	----/1.677A	1.361B/1.677A	----	1.518 - 0.208	.1451	----	----	----	----	57 UNCH
6500	----	----	----/1.850A	1.619B/1.850A	----	1.715 - 0.204	.1605	----	----	1	----	698 UNCH
6550	----	----	----/1.976A	1.758B/1.976A	----	1.821 - 0.201	.1686	----	----	----	----	59 UNCH
6600	----	----	----	1.804B/2.145A	----	1.932 - 0.198	.1769	----	----	1	----	2 UNCH
6650	----	----	----/2.084A	1.987B/2.084A	----	2.049 - 0.195	.1854	----	----	----	----	120 UNCH
6700	----	----	----/2.199A	2.109B/2.199A	----	2.171 - 0.191	.1942	----	----	----	----	82 UNCH
6750	----	----	----/2.364A	2.206B/2.364A	----	2.299 - 0.186	.2033	----	----	----	----	26 UNCH
6800	----	----	----/2.447A	2.378B/2.447A	----	2.432 - 0.181	.2125	----	----	1	----	258 + 1
6900	----	----	----/2.799A	2.620B/2.799A	----	2.718 - 0.168	.2316	----	----	10	----	17 + 5
7000	----	----	----/2.996A	2.999B/2.996A	----	3.028 - 0.154	.2515	----	----	27	----	591 - 23
7025	----	----	----/3.078A	3.080B/3.078A	----	3.110 - 0.149	.2566	----	----	----	----	127 UNCH
7050	----	----	----/3.246A	3.078B/3.246A	----	3.193 - 0.145	.2617	----	----	----	----	1 UNCH
7100	----	----	----/3.410A	3.252B/3.410A	----	3.364 - 0.137	.2721	----	----	1	----	4 UNCH
7125	----	----	----/3.490A	3.352B/3.490A	----	3.452 - 0.132	.2774	----	----	----	----	9 UNCH
7150	----	----	----/3.573A	3.437B/3.573A	----	3.542 - 0.127	.2826	----	----	----	----	1 UNCH
7200	----	----	----/3.702A	3.670B/3.702A	----	3.727 - 0.116	.2933	----	----	----	----	41 UNCH
7250	----	----	----/3.832A	3.925B/3.832A	----	3.918 - 0.106	.3041	----	----	----	----	169 UNCH
7300	----	----	----/4.062A	4.079B/4.062A	----	4.116 - 0.094	.3150	----	----	----	----	25 UNCH
7375	----	----	----/4.305A	4.454B/4.305A	----	4.426 - 0.076	.3315	----	----	----	----	157 UNCH
7400	----	----	----/4.503A	4.462B/4.503A	----	4.532 - 0.071	.3371	----	----	1	----	24 + 1
7450	----	----	----/4.704A	4.696B/4.704A	----	4.751 - 0.057	.3482	----	----	----	----	1 UNCH
7500	----	----	----/4.854A	4.972B/4.854A	----	4.977 - 0.043	.3594	----	----	1	----	46 UNCH
7525	----	----	----/5.028A	5.037B/5.028A	----	5.092 - 0.036	.3650	----	----	----	----	2 UNCH
7550	----	----	----/5.138A	5.163B/5.138A	----	5.209 - 0.029	.3706	----	----	----	----	7 UNCH
7600	----	----	----/5.365A	5.399B/5.365A	----	5.448 - 0.015	.3818	----	----	----	----	3 UNCH
7625	----	----	----/5.479A	5.508B/5.479A	----	5.570 - 0.008	.3875	----	----	----	----	1 UNCH
7700	----	----	----/5.839A	5.895B/5.839A	----	5.947 + 0.016	.4043	----	----	----	----	3 UNCH
7800	6.160	6.160	6.551B/6.159	6.551B/6.159	----	6.474 + 0.049	.4267	----	----	11	----	75 - 5
7825	----	----	6.586B/6.460A	6.586B/6.460A	----	6.610 + 0.057	.4323	----	----	----	----	6 UNCH
7850	----	----	6.729B/6.583A	6.729B/6.583A	----	6.747 + 0.065	.4378	----	----	----	----	1 UNCH
7900	----	----	7.016B/6.845A	7.016B/6.845A	----	7.027 + 0.082	.4489	----	----	----	----	11 UNCH
7975	----	----	7.449B/7.246A	7.449B/7.246A	----	7.459 + 0.108	.4653	----	----	----	----	5 UNCH
8000	7.054	7.054	7.692B/7.054	7.692B/7.054	----	7.607 + 0.118	.4707	----	----	8	----	294 + 3
8100	----	----	8.262B/7.897A	8.262B/7.897A	----	8.212 + 0.154	.4921	----	----	----	----	25 UNCH
8125	----	----	8.363B/8.096A	8.363B/8.096A	----	8.367 + 0.163	.4974	----	----	----	----	4 UNCH
8175	8.681	8.681	8.681/8.681	8.681/8.603A	----	8.681 NEW	.5078	----	----	3	----	3 + 3
8225	----	----	9.005B/8.695A	9.005B/8.695A	----	9.002 + 0.199	.5181	----	----	----	----	1 UNCH
8250	----	----	9.226B/8.793A	9.226B/8.793A	----	9.165 + 0.208	.5232	----	----	----	----	46 UNCH
8300	----	----	9.612B/8.991A	9.612B/8.991A	----	9.494 + 0.226	.5332	----	----	----	----	124 UNCH
8375	----	----	10.020B/9.623A	10.020B/9.623A	----	9.998 + 0.253	.5480	----	----	----	----	3 UNCH
8400	----	----	10.190B/9.788A	10.190B/9.788A	----	10.169 + 0.262	.5529	----	----	----	----	7 UNCH
8500	----	----	11.024B/10.354A	11.024B/10.354A	----	10.865 + 0.296	.5718	----	----	----	----	57 UNCH
8600	----	----	11.744B/11.035A	11.744B/11.035A	----	11.581 + 0.330	.5900	----	----	----	----	56 UNCH
8700	----	----	12.359B/11.834A	12.359B/11.834A	----	12.316 + 0.362	.6075	----	----	----	----	4 UNCH
9000	----	----	14.786B/13.966A	14.786B/13.966A	----	14.620 + 0.444	.6557	----	----	----	----	307 UNCH
9200	----	----	16.294B/15.635A	16.294B/15.635A	----	16.229 + 0.487	.6842	----	----	----	----	11 UNCH
9400	----	----	17.956B/17.249A	17.956B/17.249A	----	17.885 + 0.518	.7100	----	----	----	----	1 UNCH
9450	----	----	18.380B/17.659A	18.380B/17.659A	----	18.306 + 0.525	.7161	----	----	----	----	12 UNCH
9500	----	----	18.912B/17.966A	18.912B/17.966A	----	18.729 + 0.530	.7220	----	----	----	----	218 UNCH
9600	----	----	19.772B/18.799A	19.772B/18.799A	----	19.582 + 0.538	.7334	----	----	----	----	50 UNCH
9900	----	----	22.286B/21.463A	22.286B/21.463A	----	22.190 + 0.554	.7644	----	----	----	----	6 UNCH
9950	----	----	22.726B/21.896A	22.726B/21.896A	----	22.631 + 0.557	.7692	----	----	----	----	5 UNCH
10000	----	----	23.286B/22.227A	23.286B/22.227A	----	23.073 + 0.559	.7738	----	----	----	----	205 UNCH
10275	----	----	25.645B/24.759A	25.645B/24.759A	----	25.531 + 0.578	.7975	----	----	----	----	7 UNCH
10500	----	----	27.695B/26.780A	27.695B/26.780A	----	27.570 + 0.596	.8148	----	----	----	----	3 UNCH
10600	----	----	28.628B/27.687A	28.628B/27.687A	----	28.483 + 0.605	.8220	----	----	----	----	9 UNCH
11000	----	----	32.425B/31.257A	32.425B/31.257A	----	32.178 + 0.645	.8474	----	----	----	----	217 UNCH
11300	----	----	35.157B/34.159A	35.157B/34.159A	----	34.985 + 0.674	.8637	----	----	----	----	10 UNCH
11500	----	----	37.054B/36.033A	37.054B/36.033A	----	36.871 + 0.693	.8734	----	----	----	----	1 UNCH
12000	----	----	41.817B/40.771A	41.817B/40.771A	----	41.632 + 0.734	.8940	----	----	----	----	15 UNCH
13000	----	----	51.494B/50.404A	51.494B/50.404A	----	51.301 + 0.782	.9231	----	----	----	----	6 UNCH
TOTAL										81	0	10471 - 23
AUG26												
3300	----	----	----	0.001B/3.375A	----	0.063 - 0.020	.0056	----	----	----	----	2 UNCH
3900	----	----	----	0.049B/*0.212A	----	0.143 - 0.038	.0127	----	----	----	----	2 UNCH
4175	----	----	----	0.090B/*0.260A	----	0.194 - 0.048	.0174	----	----	----	----	1 UNCH
4300	----	----	----	0.115B/*0.288A	----	0.223 - 0.053	.0200	----	----	----	----	1 UNCH
4350	----	----	----	0.126B/*0.301A	----	0.235 - 0.055	.0211	----	----	----	----	1 UNCH
4375	----	----	----	0.132B/*0.308A	----	0.241 - 0.057	.0217	----	----	----	----	160 UNCH
4400	----	----	----	0.138B/*0.318A	----	0.248 - 0.057	.0223	----	----	----	----	1 UNCH
4500	----	----	----	0.164B/*0.349A	----	0.276 - 0.062	.0249	----	----	----	----	2 UNCH
4600	----	----	----	0.194B/*0.378A	----	0.307 - 0.068	.0277	----	----	----	----	4 UNCH
4625	----	----	----	0.201B/*0.387A	----	0.316 - 0.068	.0285	----	----	----	----	1 UNCH
4700	----	----	----	0.227B/*0.415A	----	0.342 - 0.073	.0309	----	----	----	----	1 UNCH
4775	----	----	----/*0.446A	0.256B/*0.446A	----	0.371 - 0.077	.0335	----	----	----	----	1 UNCH
4800	----	----	----/0.457A	0.265B/0.457A	----	0.381 - 0.078	.0344	----	----	----	----	16 UNCH
4825	----	----	----/*0.467A	0.276B/*0.467A	----	0.391 - 0.080	.0353	----	----	----	----	1 UNCH
5000	----	----	----/*0.552A	0.450B/*0.552A	----	0.473 - 0.091	.0425	----	----	----	----	14 UNCH
5275	----	----	----/*0.725A	0.544B/*0.725A	----	0.641 - 0.109	.0569	----	----	----	----	1 UNCH
5300	----	----	----/*0.747A	0.564B/*0.747A	----	0.659 - 0.111	.0584	----	----	----	----	1 UNCH
5500	----	----	----/*0.911A	0.737B/*0.911A	----	0.823 - 0.126	.0718	----	----	----	----	25 UNCH
5675	----	----	----/*1.088A	0.931B/*1.088A	----	0.999 - 0.140	.0856	----	----	----	----	9 UNCH
5800	----	----	----/*1.234A	1.130B/*1.234A	----	1.147 - 0.149	.0968	----	----	----	----	4 UNCH
5850	----	----	----/1.289A	1.211B/1.289A	----	1.212 - 0.153	.1017	----	----	----	----	2 UNCH
5875	----	----	----/*1.274A	1.278B/*1.274A	----	1.245 - 0.156	.1041	----	----	----	----	4 UNCH
5900	----	----	----/1.326A	1.263B/1.326A	----	1.280 - 0.157	.1067	----	----	----	----	5 UNCH
5950	----	----	----/1.397A	1.303B/1.397A	----	1.352 - 0.161	.1119	----	----	----	----	10 UNCH
6000	----	----	----/1.551A	1.346B/1.551A	----	1.427 - 0.165	.1172	----	----	----	----	155 UNCH
6050	----	----	----/1.634A	1.457B/1.634A	----	1.506 - 0.168	.1228	----	----	----	----	1 UNCH
6100	----	----	----/1.710A	1.540B/1.710A	----	1.589 - 0.172	.1286	----	----	----	----	10 UNCH
6150	----	----	----/1.711A	1.625B/1.711A	----	1.677 - 0.175	.1346	----	----	----	----	1 UNCH
6200	----	----	----/1.802A	1.715B/1.802A	----	1.768 - 0.179	.1407	----	----	----	----	1 UNCH
6500	----	----	----/2.440A	2.296B/2.440A	----	2.413 - 0.195	.1818	----	----	----	----	156 UNCH
6600	----	----	----/2.691A	2.537B/2.691A	----	2.667 - 0.199	.1969	----	----	----	----	13 UNCH
6725	----	----	----/*3.035A	2.859B/3.035A	----	3.014 - 0.203	.2167	----	----	----	----	7 UNCH
6825	----	----	----/*3.336A	3.130B/3.336A	----	3.317 - 0.205	.2333	----	----	----	----	7 UNCH
6900	----	----	----/3.579A	3.356B/3.579A	----	3.559 - 0.206	.2460	----	----	----	----	1 UNCH
6950	3.749	3.749	3.749/3.749	3.749/3.749	----	3.728 NEW	.2547	----	----	1	----	1 + 1
6975	3.836	3.836	3.836/3.836	3.836/3.836	----	3.814 NEW	.2591	----	----	1	----	1 + 1
7000	3.923	3.923	3.923/3.923	3.923/3.923	----	3.902 - 0.205	.2635	----	----	1	----	7 UNCH
7050	----	----	----/4.106A	3.835B/4.106A	----	4.083 - 0.204	.2724	----	----	----	----	1 UNCH
7100	----	----	----/4.296A	3.996B/4.296A	----	4.269 - 0.204	.2814	----	----	----	----	2 UNCH
7200	----	----	----/4.695A	4.347B/4.695A	----	4.660 - 0.201	.2997	----	----	----	----	1 UNCH
7225	4.799	4.799	4.800/4.799	4.800/4.799	----	4.766 NEW	.3043	----	----	2	----	2 + 2
7300	----	----	----/5.118A	4.755B/5.118A	----	5.094 - 0.178	.3184	----	----	----	----	1 UNCH
7350	----	----	----/5.338A	4.984B/5.338A	----	5.320 - 0.165	.3278	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
AUG26												
7400	----	----	----/5.564A	5.229B/5.564A	----	5.550 -	0.153 .3372	----	----	----	----	4 UNCH
7500	----	----	----/6.035A	5.680B/6.035A	----	6.028 -	0.126 .3560	----	----	----	----	6 UNCH
7550	----	----	----/6.279A	5.940B/6.279A	----	6.275 -	0.112 .3654	----	----	----	----	5 UNCH
7600	----	----	----/6.528A	6.171B/6.528A	----	6.527 -	0.097 .3748	----	----	----	----	4 UNCH
7700	6.950	6.950	6.950/6.943	6.950/6.943	----	7.047 -	0.069 .3935	----	----	19	----	18 - 8
7950	----	----	----/8.429A	8.080B/8.429A	----	8.438 +	0.005 .4396	----	----	----	----	4 UNCH
7975	----	----	----	8.085B/8.575A	----	8.584 +	0.012 .4441	----	----	----	----	1 UNCH
8000	----	----	----	8.376B/8.722A	----	8.731 +	0.019 .4486	----	----	----	----	20 UNCH
8150	----	----	----	9.291B/9.632A	----	9.642 +	0.061 .4751	----	----	----	----	10 UNCH
8200	----	----	----	9.607B/9.945A	----	9.955 +	0.074 .4838	----	----	----	----	10 UNCH
8250	----	----	----	9.946B/10.261A	----	10.274 +	0.088 .4924	----	----	----	----	5 UNCH
8500	----	----	----	11.616B/11.914A	----	11.933 +	0.148 .5336	----	----	----	----	20 UNCH
9000	----	----	----	15.244B/15.513A	----	15.556 +	0.247 .6073	----	----	----	----	29 UNCH
9300	----	----	----	17.584B/17.832A	----	17.888 +	0.294 .6457	----	----	----	----	1 UNCH
9500	----	----	----/19.029A	18.832B/19.029A	----	19.498 +	0.325 .6690	----	----	----	----	30 UNCH
10000	----	----	----	22.079B/23.942A	----	23.673 +	0.394 .7201	----	----	----	----	6 UNCH
10175	----	----	----	15.096B/32.984A	----	25.178 +	0.417 .7357	----	----	----	----	15 UNCH
TOTAL										24	0	831 - 4
SEP26												
2500	----	----	----	0.001B/3.269A	----	0.017 -	0.003 .0015	----	----	----	----	60 UNCH
3000	----	----	----	0.001B/3.401A	----	0.046 -	0.008 .0040	----	----	----	----	22 UNCH
3500	----	----	----	0.040B/0.224A	----	0.107 -	0.014 .0090	----	----	----	----	74 UNCH
4000	----	----	----	0.122B/*0.321A	----	0.227 -	0.023 .0185	----	----	----	----	46 UNCH
4500	----	----	----	0.281B/*0.499A	----	0.404 -	0.035 .0325	----	----	----	----	12 UNCH
5000	----	----	----	0.574B/*0.794A	----	0.694 -	0.052 .0545	----	----	----	----	232 UNCH
5100	----	----	----	0.654B/*0.873A	----	0.772 -	0.058 .0602	----	----	----	----	1 UNCH
5500	1.220	1.220	1.220/*1.220	1.220/*1.220	----	1.185 -	0.083 .0886	----	----	1	----	227 - 1
5600	----	----	----/*1.400A	1.226B/1.400A	----	1.317 -	0.090 .0972	----	----	----	----	1 UNCH
5700	----	----	----/1.542A	1.350B/1.542A	----	1.462 -	0.098 .1064	----	----	----	----	2 UNCH
5800	----	----	----	1.191B/2.010A	----	1.622 -	0.105 .1163	----	----	----	----	7 UNCH
5900	----	----	----	1.402B/2.173A	----	1.796 -	0.113 .1267	----	----	----	----	50 UNCH
6000	----	----	----	1.590B/2.345A	----	1.986 -	0.121 .1378	----	----	----	----	128 UNCH
6050	----	----	----	1.702B/2.321A	----	2.088 -	0.124 .1436	----	----	----	----	15 UNCH
6200	----	----	----	2.016B/2.747A	----	2.418 -	0.135 .1619	----	----	----	----	40 UNCH
6300	----	----	----	2.245B/3.007A	----	2.660 -	0.141 .1748	----	----	----	----	5 UNCH
6400	----	----	----	2.494B/3.260A	----	2.922 -	0.145 .1883	----	----	----	----	1 UNCH
6425	----	----	----	2.559B/3.346A	----	2.990 -	0.146 .1917	----	----	----	----	2 UNCH
6500	----	----	----	2.761B/3.546A	----	3.203 -	0.148 .2022	----	----	----	----	55 UNCH
6550	----	----	----	2.903B/3.695A	----	3.350 -	0.149 .2094	----	----	----	----	15 UNCH
6800	----	----	----	3.684B/4.511A	----	4.166 -	0.145 .2468	----	----	----	----	4 UNCH
6900	----	----	----	4.029B/4.880A	----	4.528 -	0.140 .2623	----	----	----	----	1 UNCH
7000	----	----	----	4.398B/5.264A	----	4.912 -	0.130 .2782	----	----	----	----	16 UNCH
7025	----	----	----	4.496B/5.364A	----	5.011 -	0.127 .2822	----	----	----	----	1 UNCH
7100	----	----	----	4.790B/5.669A	----	5.316 -	0.118 .2943	----	----	----	----	16 UNCH
7125	----	----	----	4.893B/5.773A	----	5.421 -	0.113 .2983	----	----	----	----	25 UNCH
7175	----	----	----	5.100B/5.986A	----	5.633 -	0.106 .3065	----	----	----	----	20 UNCH
7200	----	----	----	5.205B/6.095A	----	5.742 -	0.101 .3105	----	----	----	----	50 UNCH
7400	----	----	----	6.103B/7.008A	----	6.654 -	0.058 .3434	----	----	----	----	20 UNCH
7500	----	----	----	6.599B/7.497A	----	7.141 -	0.030 .3599	----	----	----	----	3 UNCH
7550	----	----	----	6.855B/7.751A	----	7.392 -	0.015 .3681	----	----	----	----	2 UNCH
7700	----	----	----	7.643B/8.513A	----	8.175 +	0.035 .3927	----	----	----	----	1 UNCH
7800	----	----	----	8.199B/9.061A	----	8.721 +	0.070 .4090	----	----	----	----	4 UNCH
7900	----	----	----/8.985A	8.775B/8.985A	----	9.286 +	0.106 .4251	----	----	----	----	1 UNCH
8000	----	----	----	9.371B/10.225A	----	9.870 +	0.144 .4411	----	----	----	----	40 UNCH
8100	----	----	----	9.984B/10.831A	----	10.471 +	0.180 .4568	----	----	----	----	1 UNCH
8200	----	----	----	10.616B/11.422A	----	11.090 +	0.216 .4721	----	----	----	----	1 UNCH
8500	----	----	----	12.613B/13.349A	----	13.047 +	0.315 .5165	----	----	----	----	225 UNCH
8700	----	----	----	14.017B/14.709A	----	14.428 +	0.370 .5443	----	----	----	----	100 UNCH
9000	----	----	16.228B/----	16.228B/16.853A	----	16.604 +	0.439 .5832	----	----	----	----	74 UNCH
9300	----	----	18.546B/----	18.546B/19.125A	----	18.890 +	0.491 .6187	----	----	----	----	1 UNCH
9400	----	----	19.337B/----	19.337B/19.895A	----	19.675 +	0.506 .6297	----	----	----	----	1 UNCH
10150	----	----	----	25.182B/26.235A	----	25.849 +	0.569 .7012	----	----	----	----	1 UNCH
10300	----	----	----	26.096B/27.518A	----	27.135 +	0.574 .7132	----	----	----	----	1 UNCH
TOTAL										1	0	1604 - 1
OCT26												
2675	----	----	----	0.001B/3.569A	----	0.038 -	0.006 .0030	----	----	----	----	8 UNCH
3250	----	----	----	0.032B/0.236A	----	0.088 -	0.012 .0070	----	----	----	----	1 UNCH
4000	----	----	----	0.181B/0.410A	----	0.256 -	0.026 .0198	----	----	----	----	3 UNCH
4500	----	----	----	0.384B/*0.638A	----	0.520 -	0.040 .0377	----	----	----	----	3 UNCH
5000	----	----	----/*0.992A	0.746B/*0.992A	----	0.921 -	0.084 .0633	----	----	----	----	6 UNCH
5050	----	----	----/*1.038A	0.793B/*1.038A	----	0.971 -	0.089 .0664	----	----	----	----	1 UNCH
5150	----	----	----/*1.139A	0.893B/*1.139A	----	1.078 -	0.100 .0729	----	----	----	----	5 UNCH
6500	----	----	----	3.174B/4.051A	----	3.748 -	0.131 .2073	----	----	----	----	6 UNCH
7000	----	----	----	4.877B/5.835A	----	5.498 -	0.049 .2762	----	----	----	----	85 UNCH
7225	----	----	----	5.802B/6.794A	----	6.441 +	0.002 .3090	----	----	----	----	87 UNCH
7500	----	----	----	7.076B/8.096A	----	7.727 +	0.071 .3498	----	----	9	----	10 + 9
7950	----	----	----	9.515B/10.509A	----	10.138 +	0.183 .4161	----	----	----	----	10 UNCH
8200	----	----	----	11.040B/12.023A	----	11.635 +	0.236 .4516	----	----	----	----	6 UNCH
8375	----	----	----	12.060B/13.134A	----	12.744 +	0.266 .4755	----	----	----	----	1 UNCH
9100	----	----	----	17.280B/18.118A	----	17.816 +	0.338 .5647	----	----	----	----	1 UNCH
10000	----	----	----	24.407B/25.096A	----	24.908 +	0.396 .6527	----	----	----	----	40 UNCH
TOTAL										9	0	273 + 9
NOV26												
4500	----	----	----	0.524B/0.808A	----	0.680 -	0.091 .0448	----	----	----	----	2 UNCH
4550	----	----	----	0.559B/*0.846A	----	0.724 -	0.093 .0473	----	----	----	----	1 UNCH
4800	----	----	----/*1.049A	0.771B/*1.049A	----	0.976 -	0.098 .0614	----	----	----	----	1 UNCH
5000	----	----	----/*1.249A	0.976B/*1.249A	----	1.218 -	0.099 .0744	----	----	----	----	12 UNCH
5200	----	----	----/*1.484A	1.230B/*1.484A	----	1.501 -	0.096 .0890	----	----	----	----	1 UNCH
5950	----	----	----	2.242B/3.145A	----	2.974 -	0.055 .1572	----	----	----	----	1 UNCH
6700	----	----	----	4.403B/5.420A	----	5.229 +	0.037 .2447	----	----	----	----	50 UNCH
7000	----	----	----	5.551B/6.613A	----	6.381 +	0.082 .2836	----	----	----	----	40 UNCH
7025	----	----	----	5.656B/6.721A	----	6.484 +	0.087 .2869	----	----	----	----	6 UNCH
7500	----	----	----	7.838B/8.959A	----	8.642 +	0.164 .3509	----	----	----	----	3 UNCH
7700	----	----	----	8.880B/10.022A	----	9.668 +	0.196 .3781	----	----	----	----	50 UNCH
8500	----	----	----	13.801B/14.919A	----	14.456 +	0.306 .4818	----	----	----	----	60 UNCH
9000	----	----	----	17.331B/18.358A	----	17.953 +	0.352 .5387	----	----	----	----	5 UNCH
9050	----	----	----	17.702B/18.723A	----	18.320 +	0.355 .5440	----	----	----	----	3 UNCH
10000	----	----	----	25.123B/26.023A	----	25.751 +	0.414 .6312	----	----	----	----	1 UNCH
11000	----	----	----	33.293B/34.573A	----	34.193 +	0.472 .7014	----	----	----	----	1 UNCH
TOTAL											0	237 0
DEC26												
1500	----	----	----	----/0.085A	----	0.010 -	0.001 .0006	----	----	----	----	180 UNCH
2000	----	----	----	0.001B/4.025A	----	0.034 -	0.003 .0022	----	----	----	----	10 UNCH
2500	----	----	----	0.001B/4.176A	----	0.063 -	0.005 .0042	----	----	----	----	32 UNCH
3000	----	----	----	0.015B/0.312A	----	0.115 -	0.008 .0080	----	----	----	----	93 UNCH
3100	----	----	----	0.029B/0.337A	----	0.129 -	0.009 .0090	----	----	----	----	1 UNCH
3150	----	----	----	0.037B/0.350A	----	0.142 -	0.010 .0098	----	----	----	----	1 UNCH
3500	----	----	----	0.108B/0.457A	----	0.265 -	0.014 .0173	----	----	----	----	45 UNCH
3850	----	----	----	0.226B/0.599A	----	0.436 -	0.019 .0273	----	----	----	----	1 UNCH
3900	----	----	----	0.246B/0.623A	----	0.464 -	0.019 .0289	----	----	----	----	1 UNCH
3925	----	----	----	0.256B/0.636A	----	0.478 -	0.020 .0298	----	----	----	----	1 UNCH
4000	----	----	----	0.289B/0.677A	----	0.522 -	0.021 .0323	----	----	----	----	74 UNCH
4500	----	----	----	0.605B/1.024A	----	0.897 -	0.026 .0531	----	----	----	----	32 UNCH
4600	----	----	----	0.688B/1.101A	----	0.991 -	0.027 .0582	----	----	----	----	4 UNCH
4800	----	----	----	0.884B/1.300A	----	1.203 -	0.028 .0693	----	----	----	----	241 UNCH
5000	----	----	----	1.133B/1.527A	----	1.447 -	0.030 .0818	----	----	----	----	357 UNCH
5250	----	----	----	1.414B/1.871A	----	1.807 -	0.031 .0996	----	----	----	----	50 UNCH
5300	----	----	----	1.014B/2.479A	----	1.887 -	0.031 .1034	----	----	----	----	250 UNCH
5400	----	----	----	1.180B/2.639A	----	2.055 -	0.031 .1113	----	----	----	----	100 UNCH
5500	2.065	2.065	2.065/2.065	2.065/2.065	----	2.235 -	0.031 .1197	----	----	8	----	109 + 8
5600	----	----	----	1.595B/2.988A	----	2.427 -	0.032 .1284	----	----	----	----	4 UNCH
5650	----	----	----	1.714B/3.081A	----	2.529 -	0.031 .1329	----	----	----	----	12 UNCH
5800	----	----	----	2.080B/3.032A	----	2.853 -	0.031 .1470	----	----	----	----	1 UNCH
5950	----	----	----	2.437B/3.718A	----	3.210 -	0.031 .1620	----	----	----	----	5 UNCH
6000	----	----	----/3.170A	2.561B/3.170A	----	3.337 -	0.031 .1672	----	----	----	----	147 UNCH
6200	----	----	----	3.092B/4.432A	----	3.885 -	0.031 .1888	----	----	----	----	13 UNCH
6300	----	----	----	3.383B/4.748A	----	4.185 -	0.031 .2002	----	----	----	----	25 UNCH
6500	----	----	----	4.015B/5.426A	----	4.839 -	0.030 .2237	----	----	----	----	626 UNCH
6650	----	----	----	4.538B/5.982A	----	5.379 -	0.028 .2420	----	----	----	----	5 UNCH
6725	----	----	----	4.815B/6.273A	----	5.664 -	0.027 .2514	----	----	----	----	4 UNCH
6750	----	----	----	4.916B/6.372A	----	5.761 -	0.027 .2545	----	----	----	----	6 UNCH
6800	5.600	5.600	5.656B/5.600	5.656B/5.600	----	5.960 -	0.025 .2608	----	----	10	----	59 + 7
6850	----	----	----	5.325B/6.780A	----	6.163 -	0.024 .2671	----	----	----	----	78 UNCH
6900	----	----	----	5.535B/6.990A	----	6.370 -	0.022 .2735	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
DEC26												
6950	----	----	----	5.750B/7.204A	----	6.582 - 0.020	.2799	----	----	----	----	101 UNCH
7000	----	----	----	5.970B/7.423A	----	6.799 - 0.016	.2863	----	----	----	----	179 UNCH
7050	----	----	----	6.194B/7.646A	----	7.020 - 0.013	.2928	----	----	----	----	1 UNCH
7075	----	----	----	6.235B/7.759A	----	7.132 - 0.012	.2960	----	----	----	----	20 UNCH
7100	----	----	----/7.164A	6.422B/7.164A	----	7.245 - 0.010	.2992	----	----	----	----	2 UNCH
7200	----	----	----	6.891B/8.340A	----	7.710 UNCH	.3122	----	----	----	----	14 UNCH
7250	----	----	----	7.132B/8.580A	----	7.948 + 0.005	.3187	----	----	----	----	48 UNCH
7500	9.101	9.101	9.101/9.101	9.101/9.101	----	9.206 + 0.041	.3511	----	----	1	----	22 + 1
7550	----	----	----	8.668B/10.076A	----	9.470 + 0.050	.3575	----	----	----	----	1 UNCH
7800	----	----	----	10.063B/11.421A	----	10.851 + 0.100	.3895	----	----	----	----	20 UNCH
7850	----	----	----	10.353B/11.703A	----	11.139 + 0.111	.3958	----	----	----	----	10 UNCH
7875	----	----	----	10.292B/11.928A	----	11.285 + 0.118	.3990	----	----	----	----	1 UNCH
7900	----	----	----	10.647B/11.988A	----	11.431 + 0.123	.4021	----	----	----	----	19 UNCH
8000	----	----	----/11.860A	11.248B/11.860A	----	12.027 + 0.149	.4146	----	----	----	----	50 UNCH
8100	----	----	----	11.863B/13.158A	----	12.637 + 0.175	.4269	----	----	----	----	1 UNCH
8200	----	----	----	12.493B/13.765A	----	13.262 + 0.203	.4389	----	----	----	----	35 UNCH
8350	----	----	----	13.464B/14.715A	----	14.224 + 0.246	.4565	----	----	----	----	9 UNCH
8400	----	----	----	13.795B/15.037A	----	14.552 + 0.262	.4623	----	----	----	----	50 UNCH
8500	----	----	----	14.465B/15.692A	----	15.217 + 0.292	.4736	----	----	----	----	166 UNCH
8600	----	----	----	15.148B/16.357A	----	15.894 + 0.323	.4848	----	----	----	----	2 UNCH
8800	----	----	----	16.548B/17.698A	----	17.285 + 0.387	.5063	----	----	----	----	12 UNCH
8900	----	----	----	17.264B/18.402A	----	17.997 + 0.419	.5167	----	----	----	----	30 UNCH
9000	----	----	----/18.250A	17.991B/18.250A	----	18.720 + 0.451	.5269	----	----	----	----	3 UNCH
9050	----	----	----	18.359B/19.471A	----	19.085 + 0.467	.5318	----	----	----	----	100 UNCH
9500	----	----	----	21.767B/22.827A	----	22.477 + 0.603	.5740	----	----	----	----	2 UNCH
9850	----	----	----	24.528B/25.548A	----	25.230 + 0.698	.6036	----	----	----	----	8 UNCH
9950	----	----	25.333B/----	25.333B/26.348A	----	26.033 + 0.723	.6115	----	----	----	----	1 UNCH
10025	----	----	----	25.530B/27.238A	----	26.638 + 0.739	.6174	----	----	----	----	3 UNCH
10125	----	----	----	26.341B/28.053A	----	27.451 + 0.761	.6250	----	----	----	----	1 UNCH
10700	----	----	----	31.104B/32.466A	----	32.233 + 0.860	.6651	----	----	----	----	5 UNCH
10800	----	----	----	31.957B/32.904A	----	33.081 + 0.873	.6715	----	----	----	----	2 UNCH
11000	----	----	----	33.663B/35.390A	----	34.791 + 0.896	.6838	----	----	----	----	2 UNCH
11500	----	----	----	37.675B/39.745A	----	39.136 + 0.936	.7119	----	----	----	----	1 UNCH
12000	----	----	----	----/68.425A	----	43.569 + 0.958	.7367	----	----	----	----	1 UNCH
12100	----	----	----	----/69.512A	----	44.464 + 0.960	.7413	----	----	----	----	1 UNCH
12300	----	----	----	----/71.726A	----	46.263 + 0.962	.7501	----	----	----	----	1 UNCH
15000	----	----	----	----/99.173A	----	71.345 + 0.915	.8363	----	----	----	----	1 UNCH
19000	----	----	----	48.572B/131.025A	----	109.982 + 0.828	.9010	----	----	----	----	1 UNCH
TOTAL										19	0	3494 + 16
JAN27												
3800	----	----	----	0.138B/0.789A	----	0.400 + 0.004	.0249	----	----	----	----	1 UNCH
7125	----	----	----	6.286B/*8.869A	----	7.800 + 0.038	.2967	----	----	----	----	1 UNCH
8600	----	----	----	15.366B/16.722A	----	16.356 + 0.155	.4665	----	----	----	----	1 UNCH
TOTAL											0	3 0
FEB27												
8150	----	----	----	12.984B/*14.517A	----	13.951 + 0.113	.4149	----	----	----	----	10 UNCH
8225	----	----	----	12.668B/*15.622A	----	14.418 + 0.117	.4229	----	----	----	----	10 UNCH
8250	----	----	----	13.617B/*15.133A	----	14.576 + 0.119	.4255	----	----	----	----	10 UNCH
TOTAL											0	30 0
MAR27												
6500	----	----	----	4.567B/*7.269A	----	6.140 + 0.066	.2315	----	----	----	----	20 UNCH
8300	----	----	----/15.150A	13.626B/15.150A	----	15.457 + 0.135	.4266	----	----	----	----	50 UNCH
TOTAL											0	70 0
APR27												
4000	0.800	0.800	#0.800/*0.800	0.800/*0.800	----	0.995 NEW	.0470	----	----	1	----	1 + 1
TOTAL										1	0	1 + 1
DEC27												
7175	----	----	----	----	----	12.935 + 0.253	.2881	----	----	----	----	25 UNCH
TOTAL											0	25 0
SO1 CALL		SILVER OPTIONS										
MAY26												
8000	----	----	----/3.160A	3.210B/3.160A	----	3.122 - 0.774	.4867	----	----	----	----	5 UNCH
8200	----	----	----/2.385A	2.760B/2.385A	----	2.351 - 0.670	.3962	----	----	----	----	1 UNCH
9000	1.100	1.100	1.100/*0.838A	1.100/0.838A	----	0.791 - 0.275	.1546	----	----	1	----	9 + 1
TOTAL										1	0	15 + 1
SO1 PUT		SILVER OPTIONS										
MAY26												
6700	0.320	0.320	0.320/*0.320	0.320/*0.320	----	0.365 NEW	.0721	----	----	1	----	1 + 1
7000	----	----	----/0.629A	0.489B/0.629A	----	0.641 - 0.033	.1239	----	----	----	----	1 UNCH
7050	----	----	----/*0.699A	0.511B/*0.699A	----	0.710 - 0.028	.1359	----	----	----	----	1 UNCH
TOTAL										1	0	3 + 1
SO2 CALL		SILVER OPTIONS										
MAY26												
8000	----	----	----/*4.311A	3.950B/*4.311A	----	3.968 - 0.677	.4991	----	----	----	----	2 UNCH
8300	----	----	3.442B/*2.797A	3.442B/*2.797A	----	2.871 - 0.547	.3934	----	----	----	----	6 UNCH
9200	----	----	----/*1.132A	1.230B/*1.132A	----	1.109 - 0.281	.1757	----	----	----	----	2 UNCH
TOTAL											0	10 0
SO3 CALL		SILVER OPTIONS										
APR26												
7000	----	----	----	----	----	8.750 - 0.959	.9974	----	----	----	----	7 UNCH
7100	----	----	----	----	----	7.763 - 0.957	.9956	----	----	----	----	1 UNCH
7300	----	----	----	----	----	5.799 - 0.968	.9876	----	----	----	----	3 UNCH
7400	----	----	----	----	----	4.822 - 0.992	.9794	----	----	----	----	1 UNCH
7420	----	----	----	----	----	4.628 - 0.999	.9767	----	----	----	----	5 UNCH
7430	----	----	----	----	----	4.532 - 1.001	.9754	----	----	----	----	2 UNCH
7450	----	----	----	----	----	4.339 - 1.008	.9724	----	----	----	----	6 UNCH
7475	----	----	----	----	----	4.100 - 1.017	.9676	----	----	----	----	6 UNCH
7500	----	----	----	----	----	3.862 - 1.026	.9620	----	----	----	----	20 UNCH
7575	----	----	----	----	----	3.163 - 1.056	.9359	----	----	----	----	2 UNCH
7600	----	----	----	----	----	2.936 - 1.066	.9230	----	----	----	----	16 UNCH
7625	----	----	----	----	----	2.713 - 1.075	.9072	----	----	----	----	4 UNCH
7630	2.650	2.650	#2.650/*2.650	#2.650/2.650	----	2.669 NEW	.9036	----	----	3	----	3 + 3
7650	----	----	----	----	----	2.495 - 1.083	.8878	----	----	----	----	5 UNCH
7680	----	----	----	----	----	2.241 - 1.091	.8591	----	----	----	----	2 UNCH
7750	----	----	----/2.086A	1.012B/2.086A	----	1.690 - 1.092	.7632	----	----	1	----	3 UNCH
7800	----	----	----/1.297A	0.979B/1.297A	----	1.341 - 1.074	.6682	----	----	----	----	7 UNCH
7825	----	----	----/1.126A	1.075B/1.126A	----	1.183 - 1.057	.6133	----	----	----	----	3 UNCH
7850	----	----	----/1.070A	0.968B/1.070A	----	1.038 - 1.033	.5548	----	----	----	----	20 UNCH
7870	----	----	----/0.944A	0.986B/0.944A	----	0.931 - 1.010	.5065	----	----	----	----	20 UNCH
7875	0.978	0.978	1.039/0.905A	1.169B/0.905A	----	0.905 - 1.004	.4944	----	----	2	----	5 + 1
7900	----	----	----/0.819A	1.193B/0.819A	----	0.785 - 0.970	.4337	----	----	6	----	9 + 6
7920	0.550	0.550	0.550/*0.550	1.167B/0.550	----	0.698 NEW	.3861	----	----	1	----	1 + 1
7950	----	----	----/0.475A	1.186B/0.475A	----	0.581 - 0.888	.3182	----	----	6	----	8 + 6
7975	----	----	----/0.504A	1.253B/0.504A	----	0.498 - 0.840	.2667	----	----	----	----	2 UNCH
7980	1.183	1.183	1.183/*0.490A	1.247B/0.490A	----	0.482 NEW	.2568	----	----	2	----	0 UNCH
8000	0.520	0.520	1.265B/0.350	1.265B/0.350	----	0.424 - 0.791	.2200	----	----	6	----	68 + 2
8050	0.250	0.250	1.202B/*0.250	1.202B/*0.250	----	0.307 NEW	.1447	----	----	2	----	2 + 2
8075	----	----	1.068B/*0.285A	1.068B/*0.285A	----	0.262 - 0.637	.1160	----	----	----	----	1 UNCH
8100	----	----	0.975B/*0.199A	0.975B/*0.199A	----	0.223 - 0.587	.0921	----	----	----	----	3 UNCH
8150	----	----	0.724B/*0.179A	0.724B/*0.179A	----	0.162 - 0.495	.0570	----	----	----	----	7 UNCH
8180	0.420	0.420	0.612B/*0.195A	0.612B/*0.195A	----	0.135 NEW	.0428	----	----	1	----	1 + 1
8200	0.400	0.400	0.570B/*0.101	0.570B/*0.101	----	0.120 - 0.414	.0353	----	----	15	----	31 + 9
8250	----	----	----/*0.147A	0.390B/*0.147A	----	0.090 - 0.346	.0219	----	----	----	----	1 UNCH
8300	----	----	----/*0.142A	0.296B/*0.142A	----	0.069 - 0.290	.0138	----	----	----	----	7 UNCH
8350	----	----	----/*0.134A	0.174B/*0.134A	----	0.054 - 0.245	.0089	----	----	----	----	1 UNCH
8390	----	----	----/*0.129A	0.114B/*0.129A	----	0.045 - 0.215	.0063	----	----	----	----	1 UNCH
8400	----	----	----/*0.125A	0.098B/*0.125A	----	0.043 - 0.209	.0058	----	----	----	----	12 UNCH
8500	0.080	0.080	0.080/*0.037A	0.080/*0.037A	----	0.028 - 0.157	.0026	----	----	5	----	32 UNCH
8575	----	----	----/*0.113A	0.068B/*0.113A	----	0.020 - 0.130	.0013	----	----	----	----	50 UNCH
8600	----	----	----/*0.111A	0.007B/*0.111A	----	0.018 NEW	.0011	----	----	1	----	1 + 1
8800	----	----	----/*0.090A	0.001B/*0.090A	----	0.008 - 0.083	.0002	----	----	----	----	4 UNCH
8825	----	----	----	0.001B/0.093A	----	0.007 - 0.074	.0001	----	----	----	----	1 UNCH
8875	----	----	----	0.001B/*0.091A	----	0.005 - 0.059	.0001	----	----	----	----	1 UNCH
8900	----	----	----	0.001B/*0.089A	----	0.004 - 0.053	.0000	----	----	----	----	2 UNCH
9000	----	----	----	0.001B/0.098A	----	0.002 - 0.032	.0000	----	----	----	----	3 UNCH
TOTAL										51	0	390 + 32
SO3 PUT		SILVER OPTIONS										
APR26												

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 66

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO3 PUT		SILVER OPTIONS										
APR26												
4000	----	----	----	----/0.210A	----	0.001	UNCH ----	----	----	----	----	20 UNCH
5500	----	----	----	----/0.209A	----	0.001	UNCH ----	----	----	----	----	1 UNCH
6000	----	----	----	----/0.198A	----	0.001 -	0.003 ----	----	----	----	----	110 UNCH
6200	----	----	----	----/0.186A	----	0.001 -	0.009 ----	----	----	----	----	3 UNCH
6300	----	----	----	----/0.177A	----	0.002 -	0.012 .0000	----	----	----	----	2 UNCH
6400	----	----	----	0.005B/0.165A	----	0.004 -	0.017 .0000	----	----	----	----	7 UNCH
6500	----	----	----	----/0.149A	----	0.007 -	0.022 .0000	----	----	----	----	7 UNCH
6600	----	----	----	----/0.140A	----	0.011 -	0.029 .0002	----	----	----	----	16 UNCH
6625	----	----	----	----/0.140A	----	0.012 -	0.031 .0002	----	----	----	----	1 UNCH
6700	----	----	----/*0.048A	----/*0.048A	----	0.017 -	0.036 .0004	----	----	----	----	2 UNCH
6800	----	----	----	0.001B/0.121A	----	0.025 -	0.042 .0009	----	----	----	----	27 UNCH
6825	----	----	----	0.001B/*0.117A	----	0.027 -	0.044 .0010	----	----	----	----	20 UNCH
6900	----	----	----	0.001B/0.110A	----	0.032 -	0.044 .0015	----	----	----	----	3 UNCH
7000	0.050	0.050	0.050/*0.050	0.050/*0.050	----	0.041 -	0.042 .0025	----	----	10	----	29 + 10
7050	----	----	----	0.001B/*0.090A	----	0.046 -	0.042 .0032	----	----	----	----	1 UNCH
7055	----	----	----	0.001B/0.090A	----	0.047 -	0.041 .0033	----	----	----	----	1 UNCH
7100	----	----	----/*0.092A	0.001B/*0.092A	----	0.054 -	0.040 .0043	----	----	----	----	11 UNCH
7200	0.039	0.039	0.040/*0.039	0.040/*0.039	----	0.074 -	0.037 .0079	----	----	2	----	54 + 1
7205	0.040	0.040	0.040/*0.040	0.040/*0.040	----	0.075 -	0.037 .0081	----	----	1	----	1 UNCH
7210	0.040	0.040	0.040/*0.040	0.040/*0.040	----	0.076 -	0.037 .0084	----	----	1	----	1 UNCH
7250	----	----	----/*0.111A	0.001B/*0.111A	----	0.081 -	0.043 .0098	----	----	----	----	5 UNCH
7300	0.047	0.047	0.047/*0.047	0.047/*0.047	----	0.089 -	0.051 .0123	----	----	2	----	12 + 2
7330	----	----	----/*0.117A	0.002B/*0.117A	----	0.095 -	0.057 .0143	----	----	----	----	1 UNCH
7345	----	----	----/*0.119A	0.002B/*0.119A	----	0.098 -	0.061 .0153	----	----	----	----	1 UNCH
7350	----	----	----/*0.119A	0.002B/*0.119A	----	0.099 -	0.062 .0157	----	----	----	----	7 UNCH
7380	----	----	----/*0.122A	0.002B/*0.122A	----	0.107 -	0.069 .0185	----	----	----	----	2 UNCH
7400	----	----	----/*0.126A	0.070B/*0.126A	----	0.112 -	0.075 .0205	----	----	----	----	11 UNCH
7450	0.100	0.100	0.100/*0.100	0.100/*0.100	----	0.129 -	0.091 .0275	----	----	1	----	0 - 1
7460	----	----	----/*0.136A	0.020B/*0.136A	----	0.133 -	0.095 .0293	----	----	----	----	1 UNCH
7470	----	----	----/*0.136A	0.043B/*0.136A	----	0.138 -	0.098 .0313	----	----	----	----	4 UNCH
7500	----	----	----/*0.100A	0.072B/*0.100A	----	0.152 -	0.109 .0379	----	----	----	----	15 UNCH
7550	----	----	----/*0.175A	0.116B/*0.175A	----	0.183 -	0.129 .0534	----	----	----	----	5 UNCH
7575	0.161	0.161	0.161/*0.161	0.161/*0.161	----	0.203 -	0.139 .0640	----	----	1	----	7 + 1
7580	0.220	0.220	#0.230/*0.191A	0.230/*0.191A	----	0.207	NEW .0663	----	----	20	----	20 + 20
7600	0.140	0.140	0.250/*0.130	0.250/*0.130	----	0.226 -	0.148 .0769	----	----	15	----	22 + 11
7650	0.210	0.210	0.210/*0.207A	0.210/*0.207A	----	0.285	NEW .1121	----	----	1	----	1 + 1
7675	----	----	----/*0.248A	0.279B/*0.248A	----	0.323 -	0.172 .1357	----	----	----	----	1 UNCH
7700	0.395	0.395	0.395/*0.268A	0.400B/*0.268A	----	0.367 -	0.176 .1638	----	----	7	----	11 + 6
7740	0.450	0.450	#0.453B/*0.322A	0.453B/*0.322A	----	0.454	NEW .2201	----	----	5	----	5 + 5
7750	0.325	0.325	0.500/*0.322A	0.500/*0.322A	----	0.480	NEW .2367	----	----	2	----	2 + 2
7760	0.345	0.345	0.497B/*0.310A	0.497B/*0.310A	----	0.507 -	0.172 .2539	----	----	20	----	38 + 17
7780	0.449	0.449	#0.449/*0.397A	0.544B/*0.397A	----	0.565	NEW .2910	----	----	1	----	1 + 1
7800	0.350	0.350	0.568B/*0.350	0.568B/*0.350	----	0.631 -	0.156 .3317	----	----	2	----	6 + 2
7850	0.558	0.558	0.826B/*0.558	0.826B/*0.558	----	0.828 -	0.115 .4451	----	----	2	----	3 + 2
7870	----	----	----/*0.641A	0.905B/*0.641A	----	0.921 -	0.092 .4934	----	----	----	----	1 UNCH
7900	1.000	1.000	1.200/*0.600A	1.200/*0.600A	----	1.075 -	0.052 .5662	----	----	8	----	3 - 2
7940	1.164	1.164	1.333/*0.925A	1.333/*0.925A	----	1.308	NEW .6597	----	----	2	----	0 UNCH
7950	0.848	0.848	1.129B/*0.846A	1.129B/*0.846A	----	1.371 +	0.030 .6817	----	----	10	----	11 + 10
7980	----	----	----/*1.066A	1.182B/*1.066A	----	1.572 +	0.087 .7431	----	----	----	----	1 UNCH
7990	----	----	----/*1.105A	1.239B/*1.105A	----	1.642 +	0.107 .7620	----	----	----	----	5 UNCH
8000	1.140	1.140	1.140/*1.116A	1.331B/*1.116A	----	1.714 +	0.127 .7799	----	----	1	----	4 UNCH
8050	----	----	----/*1.423A	1.477B/*1.423A	----	2.097 +	0.229 .8552	----	----	----	----	4 UNCH
TOTAL										114	0	527 + 88
SO4 CALL		SILVER OPTIONS										
APR26												
7800	----	----	----/3.263A	2.838B/3.263A	----	2.788 -	0.950 .5638	----	----	----	----	20 UNCH
7900	----	----	----/2.416A	2.314B/2.416A	----	2.296 -	0.898 .4945	----	----	----	----	5 UNCH
8000	----	----	----/1.985A	2.200B/1.985A	----	1.876 -	0.833 .4268	----	----	----	----	1 UNCH
8150	1.550	1.550	1.550/1.410	1.969B/1.410	----	1.371 -	0.717 .3334	----	----	3	----	4 + 3
8200	----	----	1.941B/1.326A	1.941B/1.326A	----	1.232 -	0.676 .3053	----	----	----	----	3 UNCH
8225	----	----	----/1.289A	1.806B/1.289A	----	1.168 -	0.655 .2918	----	----	----	----	2 UNCH
8250	----	----	----/1.220A	1.707B/1.220A	----	1.107 -	0.634 .2788	----	----	----	----	2 UNCH
8300	----	----	----/1.086A	1.558B/1.086A	----	0.994 -	0.592 .2540	----	----	----	----	5 UNCH
8350	0.850	0.850	0.850/0.850	1.357B/0.850	----	0.892 -	0.551 .2310	----	----	1	----	0 - 1
8400	0.800	0.800	0.800/0.800	1.238B/0.800	----	0.801 -	0.509 .2097	----	----	6	----	7 + 6
8500	----	----	----/*0.600A	0.976B/0.600A	----	0.646 -	0.431 .1722	----	----	----	----	3 UNCH
8600	----	----	----/*0.608A	0.760B/0.608A	----	0.522 -	0.358 .1409	----	----	----	----	3 UNCH
8650	0.620	0.620	#0.620/*0.574A	0.639B/*0.574A	----	0.469	NEW .1272	----	----	1	----	1 + 1
9000	0.280	0.280	0.280/*0.280	0.280/0.280	----	0.241	NEW .0648	----	----	2	----	2 + 2
9500	0.120	0.120	#0.120/*0.120	0.120/*0.120	----	0.111	NEW .0279	----	----	1	----	1 + 1
10000	0.070	0.070	#0.070/*0.060A	0.070/*0.060A	----	0.059	NEW .0136	----	----	2	----	2 + 2
TOTAL										16	0	61 + 14
SO4 PUT		SILVER OPTIONS										
APR26												
6000	0.050	0.050	0.050/*0.050	0.050/*0.050	----	0.085 -	0.023 .0153	----	----	1	----	1 UNCH
6125	----	----	----	0.004B/*0.138A	----	0.092 -	0.026 .0174	----	----	----	----	2 UNCH
6400	----	----	----	0.009B/*0.158A	----	0.114 -	0.033 .0244	----	----	----	----	1 UNCH
6500	0.130	0.130	0.130/*0.100	0.130/*0.100	----	0.126 -	0.036 .0281	----	----	2	----	11 UNCH
7000	----	----	----/*0.300A	0.176B/*0.300A	----	0.280 -	0.071 .0733	----	----	----	----	27 UNCH
7100	----	----	----/*0.385A	0.256B/*0.385A	----	0.353 -	0.082 .0933	----	----	----	----	2 UNCH
7200	0.409	0.409	0.417/*0.342	0.417/*0.342	----	0.453 -	0.092 .1196	----	----	25	----	16 + 11
7300	0.520	0.520	0.520/*0.520	0.520/*0.520	----	0.587 -	0.101 .1533	----	----	2	----	2 UNCH
7500	0.800	0.800	0.912B/*0.600	0.912B/*0.600	----	0.995 -	0.104 .2455	----	----	6	----	7 + 6
7700	1.200	1.200	1.628B/*1.200	1.628B/*1.200	----	1.646	NEW .3679	----	----	2	----	2 + 2
7750	1.350	1.350	1.782B/*1.350	1.782B/*1.350	----	1.853 -	0.053 .4017	----	----	1	----	2 - 1
7825	----	----	----/*1.908A	2.172B/*1.908A	----	2.199	NEW .4534	----	----	1	----	1 + 1
7850	1.700	1.700	2.262B/*1.700	2.262B/*1.700	----	2.323 -	0.008 .4708	----	----	1	----	0 - 1
7900	----	----	2.582B/*2.161A	2.582B/*2.161A	----	2.586 +	0.020 .5054	----	----	1	----	2 + 1
7950	2.000	2.000	2.743B/*2.000	2.743B/*2.000	----	2.866	NEW .5396	----	----	1	----	1 + 1
TOTAL										43	0	77 + 20
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
APR26												
6000	----	----	----	----	----	18.765 -	0.922 .9892	----	----	----	----	1 UNCH
6000	----	----	----	----	----	19.628	UNCH ----	----	----	----	----	0 UNCH
6800	----	----	----	0.028B/*0.164A	----	0.127 -	0.012 .0327	----	----	----	----	2 UNCH
6800	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7100	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7375	----	----	----/*0.451A	0.328B/*0.451A	----	0.497 -	0.053 .1483	----	----	----	----	1 UNCH
7400	0.480	0.480	0.480/*0.463A	0.480/*0.463A	----	0.534 -	0.056 .1591	----	----	1	----	1 UNCH
7400	----	----	----/*0.993A	0.937B/*0.993A	----	1.244 +	0.106 .2329	----	----	----	----	1 UNCH
7450	----	----	----/*1.118A	1.040B/*1.118A	----	1.378 +	0.126 .2531	----	----	----	----	2 UNCH
7500	----	----	----	----/19.285A	----	4.422 -	0.982 .7902	----	----	----	----	0 UNCH
7500	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7500	----	----	----	----	----	4.628	UNCH ----	----	----	----	----	0 UNCH
7500	----	----	----/*0.599A	0.576B/*0.599A	----	0.714 -	0.065 .2096	----	----	----	----	2 UNCH
7500	----	----	----/*1.220A	1.211B/*1.220A	----	1.523 +	0.147 .2742	----	----	----	----	1 UNCH
7600	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7610	----	----	----	----	----	3.528	UNCH ----	----	----	----	----	0 UNCH
7660	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7700	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7700	----	----	----	----	----	2.628	UNCH ----	----	----	----	----	0 UNCH
7750	----	----	----	----	----	2.128	UNCH ----	----	----	----	----	0 UNCH
7750	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7800	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7800	----	----	----	----	----	1.628	UNCH ----	----	----	----	----	0 UNCH
7850	----	----	----	----	----	1.128	UNCH ----	----	----	----	----	0 UNCH
7850	----	----	----/2.576A	2.103B/2.576A	----	2.100 -	0.940 .5298	----	----	----	----	2 UNCH
7850	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7860	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7870	----	----	----	----	----	0.928	UNCH ----	----	----	----	----	0 UNCH
7890	----	----	----	----	----	0.728	UNCH ----	----	----	----	----	0 UNCH
7900	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7900	----	----	----	----	----	0.628	UNCH ----	----	----	----	----	0 UNCH
7925	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7950	----	----	----	----	----	0.128	UNCH ----	----	----	----	----	0 UNCH
7950	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7960	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
8000	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
8030	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
8050	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
8075	1.506	1.506	1.506/1.308A	1.595B/1.308A	----	1.162	NEW .3425	----	----	15	----	15 + 15
8100	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
8125	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
8125	1.421	1.421	1.421/1.168A	1.615B/1.168A	----	1.010	NEW .3054	----	----	4	----	4 + 4
8175	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
APR26												
8200	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8200	----	----	----/2.001A	2.430B/2.001A	----	2.094 - 0.562	.3839	----	----	----	----	2 UNCH
8300	----	----	1.138B/0.740A	1.138B/0.740A	----	0.604 - 0.457	.1956	----	----	----	----	1 UNCH
8350	----	----	----/0.680A	0.951B/0.680A	----	0.533 - 0.426	.1729	----	----	----	----	1 UNCH
8500	----	----	----/*0.458A	0.612B/0.458A	----	0.368 - 0.343	.1189	----	----	----	----	5 UNCH
8700	----	----	----/*0.924A	1.149B/0.924A	----	0.943 - 0.295	.1975	----	----	----	----	1 UNCH
8800	----	----	----/*0.799A	0.953B/0.799A	----	0.807 - 0.258	.1716	----	----	----	----	1 UNCH
9300	----	----	----/*0.164A	0.035B/*0.164A	----	0.064 - 0.106	.0177	----	----	----	----	1 UNCH
TOTAL										20	0	44 + 19
MAY26												
10000	----	----	----/*0.472A	0.371B/*0.472A	----	0.366 - 0.152	.0672	----	----	----	----	2 UNCH
TOTAL											0	2 0
TWS TUE		SILVER WEEKLY TUESDAY OPTION Week3										
APR26												
7000	0.120	0.120	0.120/*0.120	0.120/*0.120	----	0.135 - 0.031	.0390	----	----	4	----	9 + 4
7150	0.139	0.139	0.149/*0.136	0.149/*0.136	----	0.183 NEW	.0574	----	----	13	----	13 + 13
7300	----	----	----/*0.724A	0.607B/*0.724A	----	0.864 + 0.041	.1813	----	----	----	----	3 UNCH
7325	0.232	0.232	0.250B/*0.210	0.250B/*0.210	----	0.294 NEW	.0986	----	----	12	----	12 + 12
7500	----	----	----/*0.456A	0.374B/*0.456A	----	0.520 NEW	.1766	----	----	1	----	1 + 1
7600	----	----	----/*0.619A	0.597B/*0.619A	----	0.731 - 0.090	.2428	----	----	----	----	5 UNCH
7700	4.000	4.000	#4.000/3.140A	#4.000/3.140A	----	2.732 - 1.003	.6749	----	----	21	----	4 - 18
7700	----	----	----/*0.856A	0.912B/*0.856A	----	1.023 - 0.086	.3250	----	----	2	----	6 + 2
7750	----	----	----/*1.020A	1.117B/*1.020A	----	1.203 - 0.077	.3710	----	----	----	----	1 UNCH
7750	----	----	----	0.030B/10.759A	----	4.037 - 0.673	.6128	----	----	----	----	3 UNCH
7750	----	----	----/2.842A	2.010B/2.842A	----	2.412 - 0.994	.6289	----	----	----	----	1 UNCH
7850	----	----	----/*1.341A	1.525B/*1.341A	----	1.636 - 0.038	.4688	----	----	1	----	5 + 1
7960	1.800	1.800	#1.855B/*1.732A	1.855B/*1.732A	----	2.228 NEW	.5781	----	----	2	----	2 + 2
7975	----	----	----/1.425A	1.362B/1.425A	----	1.279 - 0.855	.4073	----	----	----	----	2 UNCH
8000	----	----	----/1.304A	1.372B/1.304A	----	1.183 NEW	.3835	----	----	6	----	6 + 6
8000	----	----	----/*1.896A	2.180B/*1.896A	----	2.472 NEW	.6164	----	----	6	----	6 + 6
8090	----	----	----/*1.024A	1.395B/*1.024A	----	0.885 - 0.714	.3030	----	----	----	----	10 UNCH
8100	2.219	2.219	#2.273B/*2.219	2.273B/*2.219	----	3.145 NEW	.7053	----	----	10	----	10 + 10
8100	----	----	----/0.985A	1.437B/0.985A	----	0.856 - 0.700	.2946	----	----	----	----	1 UNCH
8600	0.180	0.180	0.180/*0.180	0.261B/*0.180	----	0.175 - 0.256	.0620	----	----	1	----	1 UNCH
TOTAL										79	0	101 + 39

COPPER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HMW MON		COPPER WEEKLY MONDAY OPTION WEEK3										
APR26												
548	----	----	----/0.5745A	#0.5915B/0.5745	----	0.5970 - 0.0085	.0000	----	----	----	----	1 UNCH
560	----	----	----	----/0.0060A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
576	----	----	----	----/*0.0070A	----	0.0005 - 0.0020	.0030	----	----	----	----	1 UNCH
600	----	----	0.1360B/0.0880A	0.1360B/0.0880A	----	0.1015 - 0.0200	.7358	----	----	----	----	5 UNCH
602	0.0380	0.0380	#0.0380/*0.0350	0.0380/*0.0350A	----	0.0320 NEW	.3218	----	----	1	----	1 + 1
607	0.0670	0.0670	0.0865B/0.0530A	0.0865B/0.0530A	----	0.0600 - 0.0200	.5245	----	----	5	----	7 + 4
608	0.0675	0.0675	#0.0675/*0.0565	0.0675/*0.0565A	----	0.0590 NEW	.5066	----	----	1	----	1 + 1
610	----	----	----/*0.0655A	0.0795B/*0.0655	----	0.0700 - 0.0105	.5681	----	----	----	----	3 UNCH
610	0.0440	0.0440	0.0695B/0.0410A	0.0695B/0.0410A	----	0.0465 NEW	.4317	----	----	2	----	2 + 2
645	----	----	----	----/*0.0060A	----	0.0010 - 0.0025	.0085	----	----	----	----	2 UNCH
TOTAL										9		24 + 8
MAY26												
465	----	----	----	----/0.0075A	----	0.0005 - 0.0005	.0015	----	----	----	----	14 UNCH
490	0.0025	0.0025	#0.0025/*0.0025	0.0025/*0.0025	----	0.0020 NEW	.0084	----	----	14	----	14 + 14
565	----	----	----/*0.0295A	0.0260B/*0.0295	----	0.0270 - 0.0035	.1156	----	----	----	----	2 UNCH
570	----	----	----/*0.0365A	0.0330B/*0.0365	----	0.0330 - 0.0040	.1384	----	----	----	----	1 UNCH
585	----	----	----/*0.0415A	0.0385B/*0.0415	----	0.0380 - 0.0040	.1867	----	----	----	----	1 UNCH
586	----	----	----/*0.0655A	0.0665B/*0.0655	----	0.0625 - 0.0065	.2380	----	----	----	----	1 UNCH
590	----	----	----/*0.0765A	0.0800B/*0.0765	----	0.0740 - 0.0065	.2707	----	----	----	----	1 UNCH
606	----	----	#0.1430B/*0.133	0.1430B/*0.1330	----	0.1345 - 0.0075	.4153	----	----	----	----	4 UNCH
606	----	----	----/0.1960A	0.2205B/0.1960A	----	0.2090 - 0.0180	.5840	----	----	----	----	4 UNCH
615	----	----	----	0.2080B/*0.2435	----	0.2330 NEW	.4926	----	----	4	----	4 + 4
615	----	----	----	0.1945B/*0.2305	----	0.2175 NEW	.5065	----	----	4	----	4 + 4
630	0.2185	0.2185	#0.2185/*0.1725	#0.2185/*0.1725	----	0.1600 NEW	.4045	----	----	29	----	29 + 29
TOTAL										51		79 + 51
HWR THU		COPPER WEEKLY THURSDAY OPT Week5										
APR26												
465	----	----	----	----/0.0070A	----	0.0005 UNCH	.0001	----	----	----	----	21 UNCH
500	----	----	----	----/*0.0065A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 3
530	----	----	----	----/*0.0065A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 2
556	----	----	0.5580B/0.4975A	0.5580B/0.4975A	----	0.5165 - 0.0090	----	----	----	----	----	0 - 1
560	0.0060	0.0060	0.0060/*0.0060	0.0060/*0.0060	----	0.0045 - 0.0005	.0297	----	----	10	----	20 + 10
571	----	----	0.4080B/0.3475A	0.4080B/0.3475A	----	0.3665 - 0.0090	----	----	----	----	----	0 - 1
590	----	----	0.2185B/0.1580A	0.2185B/0.1580A	----	0.1765 - 0.0100	----	----	----	----	----	0 - 2
594	0.0005	0.0005	0.0005/*0.0005	0.0005/*0.0005	----	0.0000 NEW	----	----	----	2	----	0 UNCH
598	0.0010	0.0010	0.0010/*0.0010	0.0010/*0.0010	----	0.0000 NEW	----	----	----	1	----	0 UNCH
599	----	----	----/*0.0065A	0.0005B/*0.0065	----	0.0000 - 0.0100	----	----	----	----	----	0 - 1
599	----	----	----/*0.0630A	0.0680B/*0.0630	----	0.0620 - 0.0060	.3020	----	----	----	----	1 UNCH
604	0.0015	0.0015	0.0015/*0.0005A	0.0050B/*0.0005	----	0.0000 - 0.0235	----	----	----	1	----	0 - 1
605	0.0070	0.0070	0.0070/*0.0060	0.0085B/*0.0060	----	0.0000 - 0.0275	----	----	----	20	----	0 - 1
607	0.0010	0.0010	0.0010/*0.0010	0.0175B/*0.0010	----	0.0000 NEW	----	----	----	2	----	0 UNCH
608	0.0325	0.0325	0.0360/*0.0120A	0.0360/*0.0120A	----	0.0035 NEW	----	----	----	4	----	0 UNCH
609	0.0185	0.0185	0.0345B/*0.0175	0.0345B/*0.0175	----	0.0135 NEW	----	----	----	1	----	0 UNCH
609	0.0035	0.0035	0.0035/*0.0035	0.0400B/*0.0035	----	0.0000 - 0.0405	----	----	----	1	----	0 - 4
610	0.0040	0.0040	0.0040/*0.0040	0.0335B/*0.0040	----	0.0000 NEW	----	----	----	1	----	0 UNCH
611	0.0075	0.0075	0.0075/*0.0065A	0.0280B/*0.0065	----	0.0000 NEW	----	----	----	1	----	0 UNCH
612	0.0270	0.0270	0.0270/*0.0005	0.0270/*0.0005	----	0.0000 - 0.0280	----	----	----	2	----	0 - 11
615	0.0585	0.0585	0.0770B/0.0545A	0.0770B/0.0545A	----	0.0605 - 0.0120	.3742	----	----	2	----	4 + 2
618	----	----	----/0.0065A	0.0015B/0.0065A	----	0.0000 - 0.0120	----	----	----	----	----	0 - 2
619	----	----	----/*0.0065A	0.0015B/*0.0065	----	0.0000 - 0.0105	----	----	----	----	----	0 - 2
620	----	----	----/*0.0065A	0.0010B/*0.0065	----	0.0000 - 0.0090	----	----	----	----	----	0 - 5
635	----	----	----	----/0.0065A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
640	0.0275	0.0275	0.0275/*0.0170A	0.0275/0.0170A	----	0.0145 NEW	.1005	----	----	22	----	22 + 22
640	----	----	----	----/0.0065A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
640	----	----	----/0.0410A	0.0550B/0.0410A	----	0.0445 - 0.0135	.2224	----	----	----	----	25 UNCH
650	0.0200	0.0200	#0.0200/*0.0125	#0.0200/0.0125A	----	0.0075 - 0.0035	.0527	----	----	4	----	42 UNCH
650	----	----	----	----/*0.0065A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 2
660	0.0080	0.0080	0.0080/*0.0080	0.0080/*0.0080	----	0.0035 - 0.0020	.0248	----	----	10	----	22 + 10
TOTAL										84		157 + 4
HWT TUE		COPPER WEEKLY TUESDAY OPTION Week4										
APR26												
465	----	----	----	----/0.0070A	----	0.0005 UNCH	.0000	----	----	----	----	21 UNCH
565	0.0080	0.0080	0.0080/*0.0080	0.0080/*0.0080	----	0.0080 NEW	.0499	----	----	1	----	1 + 1
565	0.0040	0.0040	0.0040/*0.0040	0.0040/*0.0040	----	0.0015 NEW	.0115	----	----	1	----	1 + 1
589	0.0260	0.0260	0.0270B/*0.0260	0.0270B/*0.0260	----	0.0265 NEW	.1663	----	----	2	----	2 + 2
595	----	----	----/*0.0265A	0.0220B/*0.0265	----	0.0220 - 0.0070	.2014	----	----	1	----	2 + 1
635	----	----	----/0.0125A	0.0080B/0.0125A	----	0.0080 NEW	.0698	----	----	1	----	1 + 1
665	----	----	----	0.0120B/0.0135A	----	0.0095 - 0.0035	.0598	----	----	----	----	36 UNCH
TOTAL										6		64 + 6
MAY26												
490	0.0015	0.0015	#0.0015/*0.0015	0.0015/*0.0015	----	0.0015 NEW	.0064	----	----	14	----	14 + 14
TOTAL										14		14 + 14
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
APR26												
465	----	----	----	----/0.0070A	----	0.0005 UNCH	.0001	----	----	----	----	21 UNCH
549	----	----	----	----/*0.0070A	----	0.0010 - 0.0010	.0065	----	----	----	----	1 UNCH
557	----	----	----	----/*0.0075A	----	0.0020 - 0.0015	.0137	----	----	----	----	10 UNCH
580	----	----	----	0.0045B/*0.0125	----	0.0085 - 0.0030	.0709	----	----	----	----	1 UNCH
580	----	----	0.3255B/0.2645A	0.3255B/0.2645A	----	0.2850 - 0.0110	.9289	----	----	----	----	1 UNCH
588	----	----	----	----	----	0.2050 UNCH	----	----	----	----	----	0 UNCH
590	----	----	----	0.0185B/*0.0235	----	0.0200 - 0.0035	.1631	----	----	----	----	1 UNCH
590	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
595	----	----	----	----	----	0.1350 UNCH	----	----	----	----	----	0 UNCH
597	----	----	----	----	----	0.1150 UNCH	----	----	----	----	----	0 UNCH
598	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 68

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
APR26												
600	----	----	----/0.1105A	0.1200B/0.1105A	----	0.1230 - 0.0130	.6673	----	----	----	----	4 UNCH
600	----	----	----	----	----	0.0850 UNCH	----	----	----	----	----	0 UNCH
601	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
602	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
607	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
608	----	----	----	----	----	0.0050 UNCH	----	----	----	----	----	0 UNCH
609	----	----	----	----	----	0.0050 UNCH	----	----	----	----	----	0 UNCH
612	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
615	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
620	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
621	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
625	----	----	----/0.0260A	0.0325B/0.0260A	----	0.0270 - 0.0100	.2018	----	----	----	----	3 UNCH
630	----	----	----/0.0200A	0.0220B/0.0200A	----	0.0195 - 0.0080	.1477	----	----	----	----	1 UNCH
635	0.0250	0.0250	0.0250/*0.0145	0.0250/0.0145	----	0.0140 NEW	.1066	----	----	2	----	1 + 1
TOTAL										2		44 + 1
MAY26												
455	----	----	----	----/0.0075A	----	0.0005 UNCH	.0010	----	----	----	----	21 UNCH
465	----	----	----	----/*0.0075A	----	0.0005 UNCH	.0021	----	----	----	----	2 UNCH
475	----	----	----	----/*0.0075A	----	0.0010 - 0.0005	.0041	----	----	----	----	2 UNCH
485	----	----	----	----/*0.0080A	----	0.0020 - 0.0005	.0079	----	----	----	----	1 UNCH
500	----	----	----	----/*0.0090A	----	0.0030 - 0.0005	.0123	----	----	----	----	2 UNCH
510	----	----	----	0.0005B/*0.0100	----	0.0040 - 0.0010	.0168	----	----	----	----	8 UNCH
520	----	----	----	0.0015B/*0.0110	----	0.0050 - 0.0010	.0219	----	----	----	----	1 UNCH
530	----	----	----	0.0035B/*0.0120	----	0.0065 - 0.0015	.0294	----	----	----	----	4 UNCH
540	----	----	----	0.0060B/*0.0125	----	0.0085 - 0.0010	.0397	----	----	----	----	10 UNCH
550	----	----	----	0.0090B/*0.0145	----	0.0110 - 0.0015	.0533	----	----	----	----	27 UNCH
550	----	----	----	----	----	0.6445 - 0.0120	.9463	----	----	----	----	3 UNCH
555	----	----	----	0.0115B/*0.0165	----	0.0125 - 0.0020	.0619	----	----	----	----	16 UNCH
556	----	----	----	0.0120B/*0.0165	----	0.0130 - 0.0020	.0643	----	----	----	----	1 UNCH
560	----	----	----	0.0140B/*0.0185	----	0.0150 - 0.0025	.0745	----	----	----	----	1 UNCH
562	----	----	----	0.0155B/*0.0200	----	0.0165 - 0.0025	.0814	----	----	----	----	20 UNCH
565	----	----	----	0.0185B/*0.0220	----	0.0185 - 0.0030	.0912	----	----	----	----	1 UNCH
568	----	----	----/0.4780A	0.4715B/0.4780A	----	0.4745 - 0.0140	.8981	----	----	----	----	1 UNCH
575	----	----	----/*0.0325A	0.0290B/*0.0325	----	0.0280 - 0.0050	.1351	----	----	----	----	1 UNCH
579	----	----	----/0.3860A	0.3755B/0.3860A	----	0.3775 - 0.0165	.8409	----	----	----	----	1 UNCH
584	----	----	----/*0.0475A	0.0465B/*0.0475	----	0.0425 - 0.0065	.1940	----	----	----	----	24 UNCH
585	----	----	----/*0.0495A	0.0480B/*0.0495	----	0.0445 - 0.0065	.2016	----	----	----	----	1 UNCH
590	----	----	----/*0.0605A	0.0615B/*0.0605	----	0.0570 - 0.0060	.2449	----	----	----	----	17 UNCH
590	----	----	----/0.2745A	0.2970B/0.2745A	----	0.2910 - 0.0165	.7545	----	----	4	----	4 UNCH
600	----	----	0.0960B/*0.0900	0.0960B/*0.0900	----	0.0900 - 0.0045	.3435	----	----	----	----	1 UNCH
600	----	----	0.2535B/0.2095A	0.2535B/0.2095A	----	0.2245 - 0.0145	.6559	----	----	----	----	1 UNCH
607	----	----	----/0.1715A	0.1940B/0.1715A	----	0.1850 - 0.0140	.5810	----	----	----	----	1 UNCH
610	----	----	0.1945B/0.1570A	0.1945B/0.1570A	----	0.1695 - 0.0140	.5488	----	----	4	----	5 UNCH
617	----	----	0.1645B/0.1270A	0.1645B/0.1270A	----	0.1375 - 0.0145	.4746	----	----	----	----	1 UNCH
624	----	----	0.1335B/0.1015A	0.1335B/0.1015A	----	0.1105 - 0.0150	.4040	----	----	----	----	16 UNCH
645	----	----	----/*0.3475A	0.3680B/*0.3475	----	0.3695 + 0.0005	.7700	----	----	----	----	6 UNCH
660	----	----	----/0.0325A	0.0410B/0.0325A	----	0.0350 - 0.0080	.1523	----	----	----	----	1 UNCH
675	----	----	----/0.0225A	0.0250B/0.0225A	----	0.0200 - 0.0055	.0928	----	----	----	----	2 UNCH
695	----	----	----	0.0115B/0.0150A	----	0.0090 - 0.0030	.0448	----	----	----	----	20 UNCH
700	----	----	----	0.0090B/0.0140A	----	0.0070 - 0.0030	.0357	----	----	----	----	21 UNCH
710	----	----	----	0.0020B/0.0145A	----	0.0050 - 0.0020	.0257	----	----	----	----	2 UNCH
TOTAL										8		246
JUN26												
500	----	----	----	0.0090B/*0.0210	----	0.0120 - 0.0020	.0373	----	----	----	----	1 UNCH
530	----	----	----	0.0225B/*0.0335	----	0.0265 - 0.0040	.0804	----	----	----	----	1 UNCH
540	----	----	----	0.0315B/*0.0415	----	0.0345 - 0.0045	.1031	----	----	----	----	1 UNCH
555	----	----	----	0.0520B/*0.0595	----	0.0525 - 0.0060	.1502	----	----	----	----	1 UNCH
579	----	----	----/*0.1135A	0.1110B/*0.1135	----	0.1065 - 0.0075	.2649	----	----	----	----	1 UNCH
580	----	----	----/*0.1165A	0.1145B/*0.1165	----	0.1095 - 0.0075	.2706	----	----	----	----	5 UNCH
580	----	----	0.4785B/0.4275A	0.4785B/0.4275A	----	0.4425 - 0.0180	.7283	----	----	----	----	5 UNCH
595	----	----	0.1725B/*0.1685	0.1725B/*0.1685	----	0.1640 - 0.0080	.3614	----	----	----	----	5 UNCH
595	----	----	0.3800B/0.3345A	0.3800B/0.3345A	----	0.3475 - 0.0190	.6374	----	----	----	----	5 UNCH
606	----	----	0.2250B/*0.2165	0.2250B/*0.2165	----	0.2145 - 0.0085	.4316	----	----	----	----	2 UNCH
610	----	----	0.2980B/0.2590A	0.2980B/0.2590A	----	0.2690 - 0.0195	.5417	----	----	----	----	8 UNCH
650	----	----	----/0.1270A	0.1470B/0.1270A	----	0.1315 - 0.0155	.3160	----	----	----	----	6 UNCH
660	----	----	----/0.1065A	0.1225B/0.1065A	----	0.1080 - 0.0145	.2703	----	----	----	----	8 UNCH
TOTAL												49
JUL26												
600	----	----	0.4480B/0.4080A	0.4480B/0.4080A	----	0.4205 - 0.0160	.6205	----	----	----	----	12 UNCH
611	0.2900	0.2900	0.2900/*0.2820A	0.2900/*0.2820A	----	0.2810 NEW	.4321	----	----	22	----	22 + 22
612	----	----	0.2945B/*0.2870	0.2945B/*0.2870	----	0.2860 - 0.0065	.4371	----	----	----	----	5 UNCH
612	----	----	0.3840B/0.3480A	0.3840B/0.3480A	----	0.3590 - 0.0160	.5610	----	----	----	----	5 UNCH
621	0.3100	0.3100	0.3415B/0.3085A	0.3415B/0.3085A	----	0.3180 NEW	.5168	----	----	1	----	1 + 1
TOTAL										23		45 + 23
HX CALL		COMEX COPPER OPTIONS										
MAY26												
490	----	----	----	----	----	1.1775 - 0.0085	.9940	----	----	----	----	1 UNCH
500	----	----	----/1.0535A	1.0720B/1.0535A	----	1.0775 - 0.0085	.9934	----	----	----	----	3 UNCH
505	----	----	----/1.0040A	1.0220B/1.0040A	----	1.0275 - 0.0090	.9931	----	----	----	----	3 UNCH
525	----	----	----/0.8020A	0.8315B/0.8020A	----	0.8280 - 0.0095	.9893	----	----	----	----	14 UNCH
530	----	----	0.7990B/0.7405A	0.7990B/0.7405A	----	0.7785 - 0.0095	.9864	----	----	----	----	276 UNCH
531	----	----	----	----	----	0.7685 - 0.0095	.9862	----	----	----	----	1 UNCH
532	----	----	----	----	----	0.7585 - 0.0095	.9861	----	----	----	----	1 UNCH
533	----	----	----	----	----	0.7485 - 0.0095	.9859	----	----	----	----	3 UNCH
534	----	----	----	----	----	0.7390 - 0.0095	.9835	----	----	----	----	4 UNCH
535	----	----	----/0.7065A	0.7240B/0.7065A	----	0.7290 - 0.0095	.9833	----	----	----	----	1 UNCH
536	----	----	----	----	----	0.7190 - 0.0095	.9831	----	----	----	----	2 UNCH
537	----	----	----	----	----	0.7090 - 0.0095	.9829	----	----	----	----	1 UNCH
539	----	----	----	----	----	0.6890 - 0.0100	.9824	----	----	----	----	2 UNCH
540	----	----	----/0.6540A	0.6825B/0.6540A	----	0.6795 - 0.0095	.9799	----	----	----	----	44 UNCH
541	----	----	----/0.6485A	0.6725B/0.6485A	----	0.6695 - 0.0095	.9796	----	----	----	----	9 UNCH
542	----	----	----/0.6385A	0.6625B/0.6385A	----	0.6595 - 0.0100	.9793	----	----	----	----	15 UNCH
543	----	----	----	----	----	0.6495 - 0.0100	.9791	----	----	----	----	1 UNCH
544	----	----	----	----	----	0.6400 - 0.0095	.9765	----	----	----	----	2 UNCH
545	----	----	----/0.6045A	0.6330B/0.6045A	----	0.6300 - 0.0100	.9761	----	----	----	----	14 UNCH
546	----	----	----/0.5990A	0.6230B/0.5990A	----	0.6200 - 0.0100	.9758	----	----	----	----	7 UNCH
547	----	----	----	----	----	0.6100 - 0.0100	.9755	----	----	----	----	1 UNCH
548	----	----	----/0.5795A	0.6030B/0.5795A	----	0.6005 - 0.0100	.9728	----	----	----	----	28 UNCH
549	----	----	----/0.5700A	0.5935B/0.5700A	----	0.5905 - 0.0100	.9724	----	----	----	----	5 UNCH
550	----	----	0.5995B/0.5440A	0.5995B/0.5440A	----	0.5805 - 0.0105	.9720	----	----	----	----	452 UNCH
551	----	----	----/0.5500A	0.5740B/0.5500A	----	0.5710 - 0.0100	.9692	----	----	----	----	11 UNCH
552	----	----	----/0.5405A	0.5640B/0.5405A	----	0.5610 - 0.0100	.9687	----	----	----	----	18 UNCH
553	----	----	----/0.5290A	0.5540B/0.5290A	----	0.5510 - 0.0105	.9683	----	----	----	----	19 UNCH
554	----	----	----/0.5210A	0.5445B/0.5210A	----	0.5415 - 0.0100	.9654	----	----	----	----	7 UNCH
555	----	----	----/0.5065A	0.5345B/0.5065A	----	0.5315 - 0.0105	.9649	----	----	----	----	109 UNCH
556	----	----	----/0.4995A	0.5245B/0.4995A	----	0.5220 - 0.0100	.9619	----	----	----	----	26 UNCH
557	----	----	----/0.4915A	0.5150B/0.4915A	----	0.5120 - 0.0105	.9613	----	----	----	----	17 UNCH
558	----	----	----/0.4800A	0.5050B/0.4800A	----	0.5025 - 0.0100	.9583	----	----	----	----	16 UNCH
559	0.4845	0.4845	0.4965B/0.4720A	0.4965B/0.4720A	----	0.4925 - 0.0105	.9576	----	----	6	----	18 - 2
560	0.4730	0.4730	0.4995B/0.4465A	0.4995B/0.4465A	----	0.4830 - 0.0105	.9546	----	----	6	----	869 - 1
561	----	----	----/0.4525A	0.4755B/0.4525A	----	0.4735 - 0.0100	.9515	----	----	----	----	20 UNCH
562	----	----	----/0.4410A	0.4660B/0.4410A	----	0.4635 - 0.0105	.9506	----	----	----	----	7 UNCH
563	----	----	----/0.4330A	0.4560B/0.4330A	----	0.4540 - 0.0105	.9474	----	----	----	----	22 UNCH
564	----	----	----/0.4220A	0.4465B/0.4220A	----	0.4445 - 0.0100	.9442	----	----	----	----	23 UNCH
565	0.4395	0.4395	0.4580B/0.4025A	0.4580B/0.4025A	----	0.4345 - 0.0105	.9432	----	----	1	----	210 UNCH
566	----	----	----/0.4045A	0.4270B/0.4045A	----	0.4250 - 0.0105	.9398	----	----	----	----	12 UNCH
567	----	----	----/0.3950A	0.4175B/0.3950A	----	0.4155 - 0.0105	.9364	----	----	----	----	11 UNCH
568	----	----	----/0.3835A	0.4080B/0.3835A	----	0.4060 - 0.0105	.9329	----	----	----	----	59 UNCH
569	----	----	----/0.3745A	0.3985B/0.3745A	----	0.3965 - 0.0105	.9294	----	----	----	----	108 UNCH
570	----	----	0.4075B/0.3510A	0.4075B/0.3510A	----	0.3870 - 0.0105	.9258	----	----	----	----	554 UNCH
571	----	----	----/0.3555A	0.3790B/0.3555A	----	0.3775 - 0.0105	.9221	----	----	----	----	31 UNCH
572	----	----	----/0.3460A	0.3695B/0.3460A	----	0.3685 - 0.0100	.9161	----	----	----	----	29 UNCH
573	----	----	----/0.3370A	0.3600B/0.3370A	----	0.3590 - 0.0105	.9122	----	----	----	----	35 UNCH
574	----	----	----/0.3280A	0.3565B/0.3280A	----	0.3495 - 0.0105	.9082	----	----	----	----	17 UNCH
575	----	----	0.3570B/0.3050A	0.3570B/0.3050A	----	0.3405 - 0.0105	.9020	----	----	----	----	582 UNCH
576	----	----	----/0.3100A	0.3325B/0.3100A	----	0.3315 - 0.0105	.8957	----	----	----	----	116 UNCH
577	----	----	----/0.3010A	0.3230B/0.3010A	----	0.3220 - 0.0105	.8915	----	----	1	----	55 - 1
578	----	----	----/0.2920A	0.3140B/0.2920A	----	0.3130 - 0.0105	.8850	----	----	1	----	13 - 1
579	----	----	----/0.2835A	0.3050B/0.2835A	----	0.3040 - 0.0110	.8784	----	----	----	----	9 UNCH
580	0.2865	0.2865	0.3110B/0.2610A	0.3110B/0.2610A	----	0.2955 - 0.0105	.8698	----	----	1	----	509 UNCH
581	----	----	----	0.2715B/0.3290A	----	0.2870 - 0.0105	.8630	----	----	----	----	4 UNCH
582	----	----	----/0.2580A	0.2785B/0.2580A	----	0.2785 - 0.0100	.8542	----	----	----	----	7 UNCH
583	----	----	----/0.2495A	0.2700B/0.2495A	----	0.2700 - 0.0100	.8453	----	----	----	----	63 UNCH
584	----	----	----/0.2415A	0.2615B/0.2415A	----	0.2615 - 0.0105	.8364	----	----	----	----	45 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
MAY26												
585	----	----	0.2660B/0.2205A	0.2660B/0.2205A	----	0.2530 - 0.0105	.8273	----	----	----	----	455 UNCH
586	----	----	----/0.2260A	0.2450B/0.2260A	----	0.2450 - 0.0105	.8165	----	----	----	----	13 UNCH
587	----	----	----/0.2180A	0.2365B/0.2180A	----	0.2365 - 0.0110	.8071	----	----	----	----	8 UNCH
588	----	----	----	0.2130B/0.2715A	----	0.2285 - 0.0115	.7961	----	----	----	----	3 UNCH
589	----	----	----/0.2030A	0.2210B/0.2030A	----	0.2210 - 0.0115	.7836	----	----	----	----	18 UNCH
590	0.2035	0.2035	0.2265B/0.1835A	0.2265B/0.1835A	----	0.2130 - 0.0120	.7724	----	----	8	----	1515 - 6
591	----	----	----/0.1935A	0.2055B/0.1935A	----	0.2055 - 0.0120	.7598	----	----	----	----	66 UNCH
592	----	----	----	0.1820B/0.2430A	----	0.1985 - 0.0120	.7459	----	----	----	----	2 UNCH
593	----	----	----/0.1800A	0.1910B/0.1800A	----	0.1910 - 0.0125	.7331	----	----	----	----	16 UNCH
594	----	----	----/0.1730A	0.1840B/0.1730A	----	0.1840 - 0.0125	.7192	----	----	----	----	20 UNCH
595	----	----	0.2065B/0.1495A	0.2065B/0.1495A	----	0.1770 - 0.0130	.7053	----	----	160	----	841 UNCH
596	----	----	----/0.1510A	0.1705B/0.1510A	----	0.1705 - 0.0130	.6903	----	----	----	----	5 UNCH
597	----	----	----/0.1445A	0.1640B/0.1445A	----	0.1640 - 0.0130	.6755	----	----	----	----	17 UNCH
598	----	----	----/0.1325A	0.1575B/0.1325A	----	0.1575 - 0.0135	.6606	----	----	----	----	31 UNCH
599	----	----	----/0.1320A	0.1515B/0.1320A	----	0.1515 - 0.0135	.6450	----	----	----	----	6 UNCH
600	----	----	0.1720B/0.1200A	0.1720B/0.1200A	----	0.1455 - 0.0135	.6295	----	----	1	----	1346 - 1
601	----	----	----/0.1125A	0.1460B/0.1125A	----	0.1395 - 0.0135	.6140	----	----	----	----	8 UNCH
602	----	----	----/0.1090A	0.1420B/0.1090A	----	0.1340 - 0.0135	.5980	----	----	----	----	4 UNCH
603	----	----	----/0.1030A	0.1395B/0.1030A	----	0.1285 - 0.0135	.5822	----	----	----	----	18 UNCH
604	----	----	0.1460B/0.0980A	0.1460B/0.0980A	----	0.1230 - 0.0140	.5663	----	----	----	----	44 UNCH
605	0.1505	0.1505	0.1505/0.0910A	0.1505/0.0910A	----	0.1180 - 0.0135	.5503	----	----	1	----	175 - 1
606	0.0845	0.0845	0.1420B/0.0845	0.1420B/0.0845	----	0.1130 - 0.0135	.5344	----	----	1	----	8 + 1
607	----	----	0.1345B/0.0845A	0.1345B/0.0845A	----	0.1080 - 0.0140	.5185	----	----	----	----	19 UNCH
608	----	----	0.1300B/0.0805A	0.1300B/0.0805A	----	0.1030 - 0.0140	.5026	----	----	----	----	56 UNCH
609	----	----	0.1245B/0.0760A	0.1245B/0.0760A	----	0.0985 - 0.0140	.4869	----	----	----	----	25 UNCH
610	----	----	0.1215B/0.0705A	0.1215B/0.0705A	----	0.0945 - 0.0135	.4714	----	----	4	----	1095 + 3
611	----	----	0.1165B/0.0685A	0.1165B/0.0685A	----	0.0900 - 0.0135	.4558	----	----	----	----	17 UNCH
612	0.1175	0.1175	0.1175/0.0645A	0.1175/0.0645A	----	0.0860 - 0.0130	.4405	----	----	2	----	29 UNCH
613	----	----	0.1070B/0.0615A	0.1070B/0.0615A	----	0.0820 - 0.0130	.4253	----	----	----	----	39 UNCH
614	----	----	0.1030B/0.0575A	0.1030B/0.0575A	----	0.0785 - 0.0125	.4107	----	----	----	----	35 UNCH
615	0.0555	0.0555	0.0985B/0.0535A	0.0985B/0.0535A	----	0.0745 - 0.0125	.3957	----	----	167	----	903 - 12
616	----	----	0.0945B/0.0520A	0.0945B/0.0520A	----	0.0710 - 0.0125	.3812	----	----	----	----	45 UNCH
617	----	----	0.0900B/0.0495A	0.0900B/0.0495A	----	0.0680 - 0.0120	.3676	----	----	----	----	56 UNCH
618	----	----	0.0860B/0.0465A	0.0860B/0.0465A	----	0.0645 - 0.0120	.3533	----	----	----	----	49 UNCH
619	----	----	0.0815B/0.0440A	0.0815B/0.0440A	----	0.0615 - 0.0115	.3399	----	----	----	----	78 UNCH
620	0.0575	0.0575	0.0780B/0.0400A	0.0780B/0.0400A	----	0.0585 - 0.0115	.3266	----	----	5	----	1133 + 1
621	----	----	0.0745B/0.0390A	0.0745B/0.0390A	----	0.0555 - 0.0110	.3133	----	----	----	----	60 UNCH
622	----	----	0.0700B/0.0370A	0.0700B/0.0370A	----	0.0530 - 0.0105	.3011	----	----	----	----	45 UNCH
623	0.0435	0.0435	0.0670B/0.0345A	0.0670B/0.0345A	----	0.0505 - 0.0105	.2891	----	----	28	----	85 + 15
624	----	----	0.0635B/0.0325A	0.0635B/0.0325A	----	0.0480 - 0.0100	.2771	----	----	----	----	66 UNCH
625	0.0560	0.0560	0.0605B/0.0300A	0.0605B/0.0300A	----	0.0455 - 0.0100	.2652	----	----	116	----	833 - 8
626	0.0615	0.0615	0.0615/0.0285A	0.0615/0.0285A	----	0.0430 - 0.0100	.2534	----	----	1	----	51 - 1
627	0.0490	0.0490	0.0560B/0.0270A	0.0560B/0.0270A	----	0.0410 - 0.0095	.2429	----	----	5	----	31 UNCH
628	0.0470	0.0470	0.0530B/0.0250A	0.0530B/0.0250A	----	0.0390 - 0.0095	.2325	----	----	30	----	210 + 5
629	0.0310	0.0310	0.0505B/0.0235A	0.0505B/0.0235A	----	0.0370 - 0.0090	.2223	----	----	7	----	149 UNCH
630	0.0425	0.0425	0.0480B/0.0220A	0.0480B/0.0220A	----	0.0350 - 0.0090	.2120	----	----	66	----	696 - 13
631	0.0280	0.0280	0.0455B/0.0215A	0.0455B/0.0215A	----	0.0335 - 0.0085	.2034	----	----	32	----	38 + 31
632	0.0265	0.0265	0.0435B/0.0205A	0.0435B/0.0205A	----	0.0315 - 0.0085	.1933	----	----	2	----	2 + 1
633	0.0260	0.0260	0.0420B/0.0195A	0.0420B/0.0195A	----	0.0300 - 0.0085	.1848	----	----	41	----	56 + 21
634	0.0275	0.0275	0.0395B/0.0185A	0.0395B/0.0185A	----	0.0285 - 0.0080	.1765	----	----	22	----	36 + 22
635	0.0265	0.0265	0.0380B/0.0170A	0.0380B/0.0170A	----	0.0270 - 0.0080	.1682	----	----	29	----	423 + 2
636	----	----	0.0360B/0.0170A	0.0360B/0.0170A	----	0.0255 - 0.0080	.1600	----	----	----	----	49 UNCH
637	----	----	0.0345B/0.0155A	0.0345B/0.0155A	----	0.0245 - 0.0075	.1536	----	----	----	----	4 UNCH
638	----	----	0.0330B/0.0150A	0.0330B/0.0150A	----	0.0230 - 0.0075	.1455	----	----	----	----	3 UNCH
639	----	----	0.0315B/0.0145A	0.0315B/0.0145A	----	0.0220 - 0.0070	.1392	----	----	----	----	27 UNCH
640	0.0320	0.0320	0.0345B/0.0140A	0.0345B/0.0140A	----	0.0210 - 0.0070	.1331	----	----	7	----	1282 UNCH
641	----	----	0.0285B/0.0130A	0.0285B/0.0130A	----	0.0200 - 0.0065	.1271	----	----	----	----	9 UNCH
642	----	----	0.0275B/0.0125A	0.0275B/0.0125A	----	0.0190 - 0.0065	.1211	----	----	----	----	17 UNCH
643	----	----	0.0260B/0.0120A	0.0260B/0.0120A	----	0.0180 - 0.0065	.1152	----	----	----	----	10 UNCH
644	----	----	0.0250B/0.0115A	0.0250B/0.0115A	----	0.0170 - 0.0065	.1093	----	----	----	----	1 UNCH
645	----	----	0.0275B/0.0110A	0.0275B/0.0110A	----	0.0160 - 0.0065	.1035	----	----	----	----	90 UNCH
646	----	----	0.0230B/0.0105A	0.0230B/0.0105A	----	0.0155 - 0.0060	.0998	----	----	----	----	5 UNCH
650	----	----	0.0220B/0.0090A	0.0220B/0.0090A	----	0.0125 - 0.0055	.0814	----	----	----	----	2815 UNCH
655	----	----	0.0180B/0.0075A	0.0180B/0.0075A	----	0.0100 - 0.0045	.0649	----	----	5	----	123 + 5
660	0.0145	0.0145	0.0145/0.0060A	0.0145/0.0060A	----	0.0080 - 0.0040	.0517	----	----	2	----	152 UNCH
665	----	----	----/0.0050A	0.0095B/0.0050A	----	0.0065 - 0.0030	.0416	----	----	----	----	23 UNCH
670	0.0035	0.0035	0.0035/*0.0035	0.0080B/*0.0035	----	0.0050 - 0.0030	.0321	----	----	1	----	1083 + 1
675	0.0055	0.0055	0.0055/0.0035A	0.0065B/0.0035A	----	0.0040 - 0.0025	.0255	----	----	11	----	148 + 6
680	----	----	----/0.0030A	0.0055B/0.0030A	----	0.0035 - 0.0020	.0217	----	----	----	----	1138 UNCH
685	----	----	----/*0.0025A	0.0040B/*0.0025	----	0.0030 - 0.0015	.0183	----	----	----	----	13 UNCH
690	----	----	----/0.0025A	----/0.0025A	----	0.0025 - 0.0010	.0150	----	----	----	----	178 UNCH
695	----	----	----/*0.0020A	----/*0.0020A	----	0.0020 - 0.0010	.0119	----	----	----	----	26 UNCH
700	0.0020	0.0020	0.0030B/*0.0015	0.0030B/*0.0015	----	0.0015 - 0.0010	.0089	----	----	3	----	531 - 1
705	----	----	----	----/0.0020A	----	0.0015 - 0.0005	.0086	----	----	----	----	2 UNCH
710	----	----	----/*0.0015A	----/*0.0015A	----	0.0015 - 0.0005	.0083	----	----	----	----	59 UNCH
715	----	----	----/*0.0015A	----/*0.0015A	----	0.0010 - 0.0010	.0056	----	----	----	----	44 UNCH
720	----	----	----	----/0.0015A	----	0.0010 - 0.0005	.0054	----	----	----	----	18 UNCH
725	0.0010	0.0010	0.0010/*0.0010	0.0010/*0.0010	----	0.0010 - 0.0005	.0052	----	----	3	----	93 UNCH
730	----	----	----/*0.0010A	----/*0.0010A	----	0.0010 - 0.0005	.0050	----	----	----	----	14 UNCH
735	----	----	----/*0.0010A	----/*0.0010A	----	0.0010 - 0.0005	.0049	----	----	----	----	5 UNCH
740	----	----	----	----/0.0015A	----	0.0010 - 0.0005	.0047	----	----	----	----	92 UNCH
745	----	----	----	----/*0.0010A	----	0.0010 UNCH	.0046	----	----	----	----	34 UNCH
750	0.0010	0.0010	0.0010/*0.0010	0.0010/*0.0010	----	0.0010 UNCH	.0045	----	----	3	----	455 - 1
755	----	----	----	----/0.0015A	----	0.0005 - 0.0005	.0023	----	----	----	----	2 UNCH
760	----	----	----	----/0.0010A	----	0.0005 - 0.0005	.0018	----	----	----	----	72 UNCH
765	----	----	----	----/*0.0010A	----	0.0005 - 0.0005	.0013	----	----	----	----	4 UNCH
770	----	----	----	----/0.0010A	----	0.0005 - 0.0005	.0010	----	----	----	----	4 UNCH
775	----	----	----	----/0.0010A	----	0.0005 UNCH	.0007	----	----	----	----	47 UNCH
780	----	----	----	----/0.0015A	----	0.0005 UNCH	.0005	----	----	----	----	10 UNCH
785	----	----	----	----/0.0020A	----	0.0005 UNCH	.0004	----	----	----	----	3 UNCH
790	----	----	----	----/0.0020A	----	0.0005 UNCH	.0003	----	----	----	----	3 UNCH
795	----	----	----	----/0.0020A	----	0.0005 UNCH	.0002	----	----	----	----	5 UNCH
800	----	----	----	----/*0.0015A	----	0.0005 UNCH	.0001	----	----	----	----	4120 UNCH
810	----	----	----	----/*0.0020A	----	0.0005 UNCH	.0000	----	----	----	----	4040 UNCH
820	----	----	----	----/0.0020A	----	0.0005 UNCH	.0000	----	----	----	----	28 UNCH
825	----	----	----	----/*0.0020A	----	0.0005 UNCH	.0000	----	----	----	----	91 UNCH
835	----	----	----	----/*0.0020A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
840	----	----	----	----/*0.0020A	----	0.0005 UNCH	.0000	----	----	----	----	4 UNCH
850	----	----	----	----/*0.0005A	----	0.0005 UNCH	.0000	----	----	----	----	62 UNCH
855	----	----	----	----/0.0020A	----	0.0005 UNCH	----	----	----	----	----	30 UNCH
860	----	----	----	----/0.0020A	----	0.0005 UNCH	----	----	----	----	----	4 UNCH
865	----	----	----	----/0.0020A	----	0.0005 UNCH	----	----	----	----	----	3 UNCH
870	----	----	----	----/0.0020A	----	0.0005 UNCH	----	----	----	----	----	4 UNCH
875	----	----	----	----/0.0020A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
880	----	----	----	----/0.0020A	----	0.0005 UNCH	----	----	----	----	----	12 UNCH
890	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
900	----	----	----	----/*0.0010A	----	0.0005 UNCH	----	----	----	----	----	73 UNCH
915	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
920	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	4 UNCH
925	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	10 UNCH
930	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
935	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
940	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	4 UNCH
945	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	10 UNCH
950	----	----	----	----/*0.0005A	----	0.0005 UNCH	----	----	----	----	----	40 UNCH
TOTAL										779		32758 + 65
JUN26												
500	----	----	----	----	----	1.1430 - 0.0130	.9639	----	----	----	----	4 UNCH
525	----	----	----	----	----	0.9005 - 0.0140	.9400	----	----	----	----	1 UNCH
535	----	----	----	----	----	0.8050 - 0.0155	.9231	----	----	----	----	2 UNCH
540	----	----	----/0.7520A	0.7590B/0.7520A	----	0.7580 - 0.0160	.9130	----	----	----	----	22 UNCH
545	----	----	0.7285B/----	0.7285B/0.7345A	----	0.7120 - 0.0160	.9015	----	----	----	----	2 UNCH
549	----	----	----	0.6800B/0.6990A	----	0.6755 - 0.0165	.8904	----	----	----	----	1 UNCH
550	----	----	----	0.6710B/0.6890A	----	0.6665 - 0.0165	.8874	----	----	----	----	3 UNCH
555	----	----	----	0.6270B/0.6460A	----	0.6225 - 0.0165	.8709	----	----	----	----	1 UNCH
556	----	----	----	0.6185B/0.6370A	----	0.6135 - 0.0170	.8669	----	----	----	----	1 UNCH
557	----	----	----/0.6005A	0.6100B/0.6005A	----	0.6050 - 0.0170	.8637	----	----	----	----	63 UNCH
559	----	----	----	0.5930B/0.6115A	----	0.5880 - 0.0170	.8555	----	----	----	----	4 UNCH
560	----	----	----/0.5755A	0.5845B/0.5755A	----	0.5795 - 0.0170	.8513	----	----	----	----	106 UNCH
562	----	----	----	0.5675B/0.5865A	----	0.5625 - 0.0170	.8430	----	----	----	----	1 UNCH
565	----	----	----	0.5430B/0.5620A	----	0.5375 - 0.0175	.8297	----	----	----	----	2 UNCH
568	----	----	----	0.5185B/0.5385A	----	0.5135 - 0.0175	.8147	----	----	----	----	3 UNCH
569	----	----	----	0.5110B/0.5300A	----	0.5055 - 0.0175	.8097	----	----	----	----	2 UNCH
570	----	----	----/0.4950A	0.5030B/0.4950A	----	0.4975 - 0.0180	.8047	----	----	----	----	19 UNCH
574	----	----	----	0.4720B/0.4925A	----	0.4665 - 0.0185	.7831	----	----	----	----	3 UNCH
575	----	----	----/0.4410A	0.4725B/0.4410A	----	0.4590 - 0.0185	.7774	----	----	----	----	149 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
JUN26												
579	----	----	----	0.4350B/0.4570A	----	0.4295 - 0.0190	.7539	----	----	----	----	3 UNCH
580	----	----	0.4465B/0.4020A	0.4465B/0.4020A	----	0.4225 - 0.0190	.7482	----	----	----	----	45 UNCH
581	----	----	----	0.4205B/0.4420A	----	0.4155 - 0.0190	.7419	----	----	----	----	1 UNCH
582	----	----	----	0.4135B/0.4355A	----	0.4085 - 0.0190	.7356	----	----	----	----	1 UNCH
583	----	----	----	0.4065B/0.4285A	----	0.4015 - 0.0190	.7293	----	----	----	----	2 UNCH
584	----	----	----	0.3995B/0.4220A	----	0.3945 - 0.0195	.7231	----	----	----	----	3 UNCH
585	----	----	0.4240B/0.3680A	0.4240B/0.3680A	----	0.3875 - 0.0195	.7168	----	----	----	----	11 UNCH
586	----	----	----	0.3855B/0.4085A	----	0.3810 - 0.0195	.7101	----	----	----	----	1 UNCH
587	----	----	----	0.3790B/0.4020A	----	0.3745 - 0.0195	.7038	----	----	----	----	3 UNCH
588	----	----	----	0.3725B/0.3955A	----	0.3675 - 0.0200	.6970	----	----	----	----	4 UNCH
589	----	----	----	0.3660B/0.3890A	----	0.3610 - 0.0200	.6903	----	----	----	----	1 UNCH
590	----	----	0.3900B/0.3365A	0.3900B/0.3365A	----	0.3550 - 0.0200	.6837	----	----	----	----	82 UNCH
591	----	----	----/0.3490A	0.3530B/0.3490A	----	0.3485 - 0.0200	.6770	----	----	----	----	10 UNCH
594	----	----	----/0.3165A	0.3340B/0.3165A	----	0.3300 - 0.0205	.6562	----	----	----	----	3 UNCH
595	----	----	0.3580B/0.3070A	0.3580B/0.3070A	----	0.3240 - 0.0205	.6493	----	----	----	----	6 UNCH
596	----	----	----/0.3050A	0.3220B/0.3050A	----	0.3180 - 0.0205	.6423	----	----	----	----	3 UNCH
598	----	----	----/0.2945A	0.3175B/0.2945A	----	0.3065 - 0.0205	.6281	----	----	----	----	3 UNCH
599	----	----	----/0.2825A	0.3145B/0.2825A	----	0.3005 - 0.0205	.6212	----	----	----	----	1 UNCH
600	----	----	0.3280B/0.2755A	0.3280B/0.2755A	----	0.2950 - 0.0205	.6140	----	----	5	----	381 + 5
603	----	----	----/0.2630A	0.2935B/0.2630A	----	0.2785 - 0.0205	.5927	----	----	----	----	2 UNCH
604	----	----	0.2945B/0.2565A	0.2945B/0.2565A	----	0.2735 - 0.0205	.5855	----	----	----	----	14 UNCH
605	----	----	0.3005B/0.2485A	0.3005B/0.2485A	----	0.2685 - 0.0200	.5784	----	----	----	----	12 UNCH
606	----	----	0.2975B/0.2420A	0.2975B/0.2420A	----	0.2630 - 0.0205	.5712	----	----	----	----	4 UNCH
607	----	----	0.2925B/0.2380A	0.2925B/0.2380A	----	0.2580 - 0.0205	.5640	----	----	----	----	30 UNCH
608	----	----	0.2900B/0.2325A	0.2900B/0.2325A	----	0.2535 - 0.0200	.5569	----	----	----	----	4 UNCH
609	----	----	0.2845B/0.2280A	0.2845B/0.2280A	----	0.2485 - 0.0200	.5498	----	----	----	----	8 UNCH
610	0.2635	0.2635	0.2805B/0.2230A	0.2805B/0.2230A	----	0.2435 - 0.0200	.5426	----	----	2	----	552 UNCH
611	----	----	0.2755B/0.2190A	0.2755B/0.2190A	----	0.2390 - 0.0200	.5356	----	----	----	----	1 UNCH
612	----	----	0.2705B/0.2145A	0.2705B/0.2145A	----	0.2345 - 0.0195	.5285	----	----	----	----	20 UNCH
613	----	----	0.2655B/0.2105A	0.2655B/0.2105A	----	0.2300 - 0.0195	.5214	----	----	----	----	2 UNCH
614	----	----	0.2610B/0.2065A	0.2610B/0.2065A	----	0.2255 - 0.0195	.5144	----	----	----	----	3 UNCH
615	0.2275	0.2275	0.2565B/0.2000A	0.2565B/0.2000A	----	0.2215 - 0.0190	.5074	----	----	4	----	760 + 1
616	----	----	0.2515B/0.1980A	0.2515B/0.1980A	----	0.2170 - 0.0190	.5005	----	----	----	----	10 UNCH
617	----	----	0.2475B/0.1940A	0.2475B/0.1940A	----	0.2130 - 0.0190	.4936	----	----	----	----	7 UNCH
618	----	----	0.2425B/0.1905A	0.2425B/0.1905A	----	0.2090 - 0.0190	.4867	----	----	----	----	11 UNCH
619	----	----	0.2380B/0.1865A	0.2380B/0.1865A	----	0.2050 - 0.0185	.4799	----	----	----	----	2 UNCH
620	----	----	0.2335B/0.1810A	0.2335B/0.1810A	----	0.2010 - 0.0185	.4731	----	----	----	----	220 UNCH
622	0.2190	0.2190	0.2250B/0.1755A	0.2250B/0.1755A	----	0.1930 - 0.0190	.4596	----	----	1	----	5 UNCH
624	0.2180	0.2180	0.2180/0.1680A	0.2180/0.1680A	----	0.1860 NEW	.4465	----	----	1	----	1 + 1
625	0.2160	0.2160	0.2160/0.1625A	0.2160/0.1625A	----	0.1820 - 0.0185	.4398	----	----	11	----	380 + 9
626	0.1885	0.1885	0.2090B/0.1615A	0.2090B/0.1615A	----	0.1785 - 0.0185	.4334	----	----	1	----	2 + 1
627	0.2015	0.2015	0.2050B/0.1580A	0.2050B/0.1580A	----	0.1750 - 0.0185	.4269	----	----	4	----	14 + 3
628	0.1815	0.1815	0.2015B/0.1545A	0.2015B/0.1545A	----	0.1720 NEW	.4208	----	----	13	----	13 + 13
629	0.1780	0.1780	0.1970B/0.1515A	0.1970B/0.1515A	----	0.1685 - 0.0180	.4144	----	----	31	----	33 + 31
630	0.1740	0.1740	0.1940B/0.1465A	0.1940B/0.1465A	----	0.1650 - 0.0180	.4080	----	----	24	----	567 + 20
632	0.1675	0.1675	0.1865B/0.1425A	0.1865B/0.1425A	----	0.1590 NEW	.3959	----	----	4	----	4 + 4
635	----	----	0.1760B/0.1315A	0.1760B/0.1315A	----	0.1495 - 0.0175	.3777	----	----	----	----	446 UNCH
640	0.1305	0.1305	0.1595B/0.1180A	0.1595B/0.1180A	----	0.1350 - 0.0170	.3487	----	----	11	----	857 + 11
645	----	----	0.1450B/0.1080A	0.1450B/0.1080A	----	0.1220 - 0.0160	.3214	----	----	----	----	61 UNCH
650	0.1300	0.1300	0.1320B/0.0950A	0.1320B/0.0950A	----	0.1100 - 0.0155	.2955	----	----	27	----	569 + 9
655	----	----	0.1185B/0.0850A	0.1185B/0.0850A	----	0.0995 - 0.0145	.2717	----	----	----	----	368 UNCH
660	----	----	0.1070B/0.0765A	0.1070B/0.0765A	----	0.0895 - 0.0140	.2489	----	----	23	----	294 + 11
665	----	----	0.0970B/0.0705A	0.0970B/0.0705A	----	0.0805 - 0.0135	.2278	----	----	----	----	33 UNCH
670	0.0630	0.0630	0.0875B/0.0625A	0.0875B/0.0625A	----	0.0725 - 0.0125	.2083	----	----	9	----	223 UNCH
675	----	----	0.0790B/0.0570A	0.0790B/0.0570A	----	0.0650 - 0.0120	.1898	----	----	----	----	39 UNCH
680	----	----	0.0715B/0.0495A	0.0715B/0.0495A	----	0.0585 - 0.0115	.1732	----	----	3	----	317 - 1
685	----	----	0.0645B/0.0460A	0.0645B/0.0460A	----	0.0530 - 0.0105	.1584	----	----	----	----	10 UNCH
690	0.0570	0.0570	0.0600B/0.0410A	0.0600B/0.0410A	----	0.0475 - 0.0100	.1440	----	----	5	----	136 - 3
695	----	----	0.0535B/0.0370A	0.0535B/0.0370A	----	0.0430 - 0.0095	.1315	----	----	----	----	5 UNCH
700	0.0385	0.0385	0.0490B/0.0335A	0.0490B/0.0335A	----	0.0390 - 0.0085	.1202	----	----	4	----	718 - 1
705	----	----	0.0445B/0.0305A	0.0445B/0.0305A	----	0.0350 - 0.0085	.1092	----	----	----	----	5 UNCH
710	----	----	0.0400B/0.0275A	0.0400B/0.0275A	----	0.0320 - 0.0075	.1002	----	----	3	----	453 + 3
715	----	----	0.0370B/0.0250A	0.0370B/0.0250A	----	0.0290 - 0.0070	.0915	----	----	1	----	10 UNCH
720	----	----	----/0.0230A	0.0330B/0.0230A	----	0.0265 - 0.0065	.0839	----	----	----	----	30 UNCH
725	----	----	----/0.0210A	0.0300B/0.0210A	----	0.0240 - 0.0060	.0765	----	----	----	----	76 UNCH
730	----	----	----/0.0190A	0.0275B/0.0190A	----	0.0220 - 0.0055	.0704	----	----	----	----	3 UNCH
735	0.0275	0.0275	0.0285/0.0175A	0.0285/0.0175A	----	0.0200 - 0.0055	.0643	----	----	10	----	20 + 10
740	----	----	----/0.0165A	0.0230B/0.0165A	----	0.0185 - 0.0050	.0595	----	----	----	----	1 UNCH
745	----	----	----/0.0150A	0.0210B/0.0150A	----	0.0170 - 0.0045	.0548	----	----	----	----	1522 UNCH
750	0.0220	0.0220	0.0220/0.0140A	0.0220/0.0140A	----	0.0155 - 0.0040	.0501	----	----	11	----	166 - 1
755	----	----	----/0.0130A	0.0175B/0.0130A	----	0.0145 - 0.0035	.0468	----	----	----	----	1 UNCH
765	----	----	----/0.0115A	0.0150B/0.0115A	----	0.0125 - 0.0030	.0402	----	----	----	----	1505 UNCH
770	0.0160	0.0160	0.0160/0.0110A	0.0160/0.0110A	----	0.0115 - 0.0030	.0371	----	----	1	----	7 + 1
775	----	----	----/0.0100A	0.0130B/0.0100A	----	0.0105 - 0.0030	.0340	----	----	----	----	2 UNCH
780	----	----	----/0.0095A	0.0120B/0.0095A	----	0.0100 - 0.0025	.0322	----	----	----	----	5 UNCH
795	----	----	----/*0.0080A	0.0095B/0.0080A	----	0.0080 - 0.0020	.0257	----	----	----	----	33 UNCH
800	----	----	----/0.0075A	0.0090B/0.0075A	----	0.0075 - 0.0020	.0241	----	----	2	----	7 + 1
810	----	----	----/0.0070A	0.0070B/0.0070A	----	0.0060 - 0.0020	.0196	----	----	----	----	3 UNCH
825	----	----	----	0.0060B/0.0070A	----	0.0050 - 0.0015	.0162	----	----	----	----	1 UNCH
840	----	----	----	0.0045B/0.0075A	----	0.0040 - 0.0010	.0129	----	----	----	----	6 UNCH
850	----	----	----	0.0040B/0.0070A	----	0.0030 - 0.0015	.0099	----	----	----	----	4 UNCH
880	----	----	----	----/0.0060A	----	0.0020 - 0.0010	.0066	----	----	----	----	2 UNCH
900	----	----	----	----/0.0055A	----	0.0015 - 0.0005	.0049	----	----	----	----	9 UNCH
910	----	----	----	----/0.0050A	----	0.0015 - 0.0005	.0048	----	----	----	----	11 UNCH
950	----	----	----	----/0.0035A	----	0.0005 - 0.0005	.0014	----	----	----	----	1 UNCH
975	----	----	----	----/0.0025A	----	0.0005 UNCH	.0007	----	----	----	----	1 UNCH
TOTAL										211		11594 + 128
JUL26												
500	1.1600	1.1600	#1.1600/1.1400	#1.1600/1.1400	----	1.1550 - 0.0130	.9370	----	----	3	----	5 + 3
520	----	----	----	----	----	0.9690 - 0.0140	.9053	----	----	----	----	1 UNCH
525	----	----	----	----	----	0.9240 - 0.0145	.8945	----	----	----	----	1 UNCH
530	----	----	----/0.8755A	0.8770B/0.8755A	----	0.8795 - 0.0150	.8834	----	----	----	----	6 UNCH
540	----	----	----/0.7900A	0.7900B/0.7900A	----	0.7935 - 0.0150	.8559	----	----	1	----	16 UNCH
545	----	----	----	----	----	0.7515 - 0.0155	.8403	----	----	----	----	1 UNCH
550	----	----	----	----	----	0.7110 - 0.0155	.8235	----	----	----	----	2 UNCH
555	----	----	----/0.6695A	0.6685B/0.6695A	----	0.6710 - 0.0165	.8053	----	----	----	----	116 UNCH
560	----	----	----	----	----	0.6325 - 0.0170	.7856	----	----	----	----	1 UNCH
570	----	----	0.5945B/0.5390A	0.5945B/0.5390A	----	0.5600 - 0.0185	.7426	----	----	----	----	157 UNCH
574	----	----	----/0.5335A	0.5295B/0.5335A	----	0.5325 - 0.0185	.7241	----	----	----	----	5 UNCH
575	----	----	0.5600B/0.5060A	0.5600B/0.5060A	----	0.5260 - 0.0185	.7196	----	----	1	----	19 UNCH
580	----	----	0.5265B/0.4740A	0.5265B/0.4740A	----	0.4935 - 0.0180	.6956	----	----	1	----	122 - 1
585	----	----	0.4940B/0.4410A	0.4940B/0.4410A	----	0.4620 - 0.0175	.6710	----	----	1	----	304 UNCH
590	----	----	0.4630B/0.4155A	0.4630B/0.4155A	----	0.4320 - 0.0170	.6458	----	----	1	----	105 - 1
591	----	----	----/0.4140A	0.4215B/0.4140A	----	0.4265 - 0.0165	.6407	----	----	----	----	3 UNCH
593	----	----	----/0.4030A	0.4250B/0.4030A	----	0.4150 - 0.0165	.6305	----	----	----	----	1 UNCH
594	----	----	----/0.3975A	0.4190B/0.3975A	----	0.4095 - 0.0165	.6254	----	----	----	----	2 UNCH
595	----	----	0.4340B/0.3865A	0.4340B/0.3865A	----	0.4040 - 0.0165	.6202	----	----	2	----	29 UNCH
597	----	----	----/0.3795A	0.4035B/0.3795A	----	0.3930 - 0.0165	.6099	----	----	----	----	1 UNCH
598	----	----	----/0.3745A	0.3980B/0.3745A	----	0.3875 - 0.0165	.6048	----	----	----	----	1 UNCH
599	----	----	----/0.3690A	0.3925B/0.3690A	----	0.3820 - 0.0170	.5996	----	----	----	----	2 UNCH
600	----	----	0.4080B/0.3600A	0.4080B/0.3600A	----	0.3770 - 0.0165	.5945	----	----	42	----	386 + 29
605	----	----	0.3810B/0.3360A	0.3810B/0.3360A	----	0.3515 - 0.0170	.5686	----	----	----	----	33 UNCH
610	----	----	0.3610B/0.3140A	0.3610B/0.3140A	----	0.3275 - 0.0180	.5428	----	----	----	----	116 UNCH
615	----	----	0.3375B/0.2865A	0.3375B/0.2865A	----	0.3050 - 0.0185	.5172	----	----	2	----	203 UNCH
620	0.2885	0.2885	0.3155B/0.2695A	0.3155B/0.2695A	----	0.2845 - 0.0180	.4922	----	----	1	----	112 UNCH
625	----	----	0.2940B/0.2475A	0.2940B/0.2475A	----	0.2645 - 0.0180	.4675	----	----	----	----	216 UNCH
630	0.2880	0.2880	0.2880/0.2335A	0.2880/0.2335A	----	0.2465 - 0.0175	.4436	----	----	1	----	42 + 1
635	----	----	0.2560B/0.2190A	0.2560B/0.2190A	----	0.2295 - 0.0170	.4205	----	----	----	----	13 UNCH
640	0.2130	0.2130	0.2385B/0.1995A	0.2385B/0.1995A	----	0.2135 - 0.0170	.3980	----	----	33	----	859 + 15
645	0.1995	0.1995	0.2225B/0.1850A	0.2225B/0.1850A	----	0.1990 - 0.0160	.3766	----	----	11	----	350 - 10
650	0.2060	0.2060	0.2075B/0.1720A	0.2075B/0.1720A	----	0.1855 - 0.0150	.3561	----	----	15	----	473 UNCH
655	----	----	0.1940B/0.1640A	0.1940B/0.1640A	----	0.1730 - 0.0140	.3365	----	----	----	----	1 UNCH
660	----	----	0.1800B/0.1495A	0.1800B/0.1495A	----	0.1610 - 0.0135	.3175	----	----	----	----	226 UNCH
665	----	----	0.1695B/0.1420A	0.1695B/0.1420A	----	0.1500 - 0.0130	.2996	----	----	----	----	1 UNCH
670	----	----	0.1580B/0.1320A	0.1580B/0.1320A	----	0.1400 - 0.0120	.2827	----	----	----	----	22 UNCH
675	0.1320	0.1320	0.1465B/0.1195A	0.1465B/0.1195A	----	0.1305 - 0.0110	.2665	----	----	4	----	449 UNCH
680	----	----	0.1370B/0.1150A	0.1370B/0.1150A	----	0.1215 - 0.0105	.2510	----	----	----	----	3 UNCH
685	----	----	0.1275B/0.1065A	0.1275B/0.1065A	----	0.1130 - 0.0105	.2361	----	----	----	----	23 UNCH
690	----	----	0.1190B/0.0965A	0.1190B/0.0965A	----	0.1055 - 0.0095	.2225	----	----	----	----	197 UNCH
695	----	----	0.1105B/0.0925A	0.1105B/0.0925A	----	0.0985 - 0.0090	.2096	----	----	----	----	40 UNCH
700	0.1030	0.1030	0.1030/0.0835A	0.1030/0.0835A	----	0.0915 - 0.0090	.1968	----	----	2	----	217 - 1
715	----	----	0.0840B/0.0700A	0.0840B/0.0700A	----	0.0740 - 0.0080	.1635	----	----	----	----	25 UNCH
725	----	----	0.0725B/0.0610A	0.0725B/0.0610A	----	0.0645 - 0.0070	.1446	----	----	----	----	1528 UNCH
730	----	----	0.0675B/0.0570A	0.0675B/0.0570A	----	0.0600 - 0.0070	.1357	----	----	----	----	4 UNCH
750	0.0565	0.0565	0.0575/0.0440A	0.0575/0.0440A	----	0.0455 - 0.0060	.1057	----	----	22	----	244 + 10
775	----	----	----/0.0325A	0.0370B/0.0325A	----	0.0330 - 0.0045	.0784	----	----	----	----	34 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 71

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
JUL26												
780	0.0330	0.0330	0.0330/0.0305A	0.0350B/0.0305A	----	0.0310 - 0.0045	.0739	----	----	3	----	3 + 3
800	----	----	----/0.0245A	0.0275B/0.0245A	----	0.0245 - 0.0040	.0590	----	----	----	----	76 UNCH
850	----	----	----	0.0150B/0.0170A	----	0.0145 - 0.0025	.0352	----	----	----	----	4 UNCH
875	----	----	----	0.0110B/0.0145A	----	0.0115 - 0.0020	.0279	----	----	----	----	2 UNCH
900	----	----	----	0.0085B/0.0125A	----	0.0090 - 0.0015	.0219	----	----	----	----	271 UNCH
950	----	----	----	0.0040B/0.0090A	----	0.0050 - 0.0015	.0125	----	----	2	----	58 + 2
975	----	----	----	0.0025B/0.0080A	----	0.0040 - 0.0010	.0100	----	----	----	----	2 UNCH
1000	0.0055	0.0055	0.0055/*0.0055	0.0055/0.0055	----	0.0030 - 0.0010	.0076	----	----	1	----	4 UNCH
TOTAL										149		7137 + 50
AUG26												
500	----	----	----	----	----	1.2260 - 0.0135	.9186	----	----	----	----	2 UNCH
550	----	----	----	----	----	0.8025 - 0.0155	.8017	----	----	----	----	3 UNCH
580	----	----	0.6225B/0.5790A	0.6225B/0.5790A	----	0.5925 - 0.0170	.6933	----	----	----	----	252 UNCH
585	----	----	0.5910B/0.5485A	0.5910B/0.5485A	----	0.5620 - 0.0165	.6733	----	----	----	----	11 UNCH
590	----	----	0.5605B/0.5195A	0.5605B/0.5195A	----	0.5320 - 0.0170	.6529	----	----	----	----	16 UNCH
595	----	----	0.5315B/0.4920A	0.5315B/0.4920A	----	0.5040 - 0.0165	.6323	----	----	----	----	1 UNCH
600	----	----	0.5035B/0.4655A	0.5035B/0.4655A	----	0.4765 - 0.0170	.6114	----	----	----	----	4 UNCH
620	----	----	0.4105B/0.3715A	0.4105B/0.3715A	----	0.3800 - 0.0170	.5277	----	----	----	----	7 UNCH
625	----	----	0.3880B/0.3510A	0.3880B/0.3510A	----	0.3590 - 0.0170	.5073	----	----	5	----	90 + 5
635	----	----	0.3470B/0.3130A	0.3470B/0.3130A	----	0.3195 - 0.0170	.4673	----	----	----	----	2 UNCH
640	----	----	0.3280B/0.2955A	0.3280B/0.2955A	----	0.3020 - 0.0165	.4481	----	----	----	----	153 UNCH
650	----	----	0.2925B/0.2635A	0.2925B/0.2635A	----	0.2690 - 0.0165	.4109	----	----	----	----	31 UNCH
675	----	----	0.2200B/0.1985A	0.2200B/0.1985A	----	0.2020 - 0.0135	.3281	----	----	----	----	168 UNCH
680	----	----	0.2075B/0.1875A	0.2075B/0.1875A	----	0.1905 - 0.0135	.3130	----	----	----	----	4 UNCH
690	----	----	----/0.1715A	0.1790B/0.1715A	----	0.1705 - 0.0115	.2854	----	----	----	----	3 UNCH
700	----	----	----/0.1540A	0.1590B/0.1540A	----	0.1525 - 0.0100	.2599	----	----	----	----	4 UNCH
725	----	----	----/0.1190A	0.1195B/0.1190A	----	0.1155 - 0.0075	.2049	----	----	----	----	86 UNCH
730	----	----	0.1180B/0.1090A	0.1180B/0.1090A	----	0.1090 - 0.0080	.1950	----	----	----	----	1 UNCH
750	----	----	0.0950B/0.0885A	0.0950B/0.0885A	----	0.0880 - 0.0065	.1614	----	----	----	----	66 UNCH
800	----	----	----/0.0545A	0.0545B/0.0545A	----	0.0520 - 0.0050	.1004	----	----	----	----	6 UNCH
850	----	----	----/*0.0355A	0.0305B/0.0355A	----	0.0325 - 0.0035	.0645	----	----	----	----	1 UNCH
900	----	----	----	0.0180B/0.0255A	----	0.0220 - 0.0025	.0439	----	----	----	----	57 UNCH
950	----	----	----	0.0110B/0.0195A	----	0.0140 - 0.0020	.0287	----	----	----	----	2 UNCH
975	----	----	----	0.0085B/0.0180A	----	0.0115 - 0.0015	.0237	----	----	2	----	3 + 2
TOTAL										7		973 + 7
SEP26												
495	----	----	----	----	----	1.2860 - 0.0155	.9072	----	----	----	----	2 UNCH
500	----	----	----	----	----	1.2420 - 0.0155	.8983	----	----	----	----	5 UNCH
535	----	----	----	----	----	0.9520 - 0.0155	.8204	----	----	----	----	1 UNCH
565	----	----	0.7650B/0.7210A	0.7650B/0.7210A	----	0.7350 - 0.0165	.7296	----	----	----	----	1 UNCH
575	----	----	0.6990B/0.6575A	0.6990B/0.6575A	----	0.6705 - 0.0170	.6956	----	----	----	----	100 UNCH
595	----	----	0.5805B/0.5440A	0.5805B/0.5440A	----	0.5550 - 0.0175	.6238	----	----	----	----	3 UNCH
600	----	----	0.5535B/0.5180A	0.5535B/0.5180A	----	0.5285 - 0.0175	.6055	----	----	----	----	288 UNCH
610	----	----	0.5025B/0.4700A	0.5025B/0.4700A	----	0.4790 - 0.0180	.5688	----	----	----	----	31 UNCH
615	----	----	0.4850B/0.4470A	0.4850B/0.4470A	----	0.4560 - 0.0180	.5505	----	----	----	----	9 UNCH
620	----	----	0.4615B/0.4255A	0.4615B/0.4255A	----	0.4340 - 0.0180	.5324	----	----	----	----	37 UNCH
625	----	----	0.4395B/0.4050A	0.4395B/0.4050A	----	0.4130 - 0.0180	.5145	----	----	----	----	142 UNCH
630	----	----	0.4185B/0.3855A	0.4185B/0.3855A	----	0.3925 - 0.0180	.4968	----	----	----	----	2 UNCH
640	----	----	0.3800B/0.3490A	0.3800B/0.3490A	----	0.3550 - 0.0180	.4623	----	----	----	----	12 UNCH
650	----	----	0.3440B/0.3160A	0.3440B/0.3160A	----	0.3210 - 0.0175	.4293	----	----	----	----	164 UNCH
655	----	----	0.3275B/0.3005A	0.3275B/0.3005A	----	0.3055 - 0.0170	.4135	----	----	----	----	4 UNCH
670	----	----	0.2815B/0.2590A	0.2815B/0.2590A	----	0.2625 - 0.0160	.3681	----	----	----	----	1 UNCH
675	----	----	0.2680B/0.2465A	0.2680B/0.2465A	----	0.2500 - 0.0155	.3541	----	----	----	----	325 UNCH
680	----	----	0.2550B/0.2345A	0.2550B/0.2345A	----	0.2375 - 0.0155	.3402	----	----	1	----	351 + 1
690	0.2120	0.2120	0.2305B/0.2120	0.2305B/0.2120	----	0.2150 - 0.0145	.3140	----	----	1	----	12 + 1
700	0.2000	0.2000	0.2000/0.1935A	0.2085B/0.1935A	----	0.1950 - 0.0135	.2898	----	----	51	----	86 + 49
720	----	----	----/0.1600A	0.1715B/0.1600A	----	0.1600 - 0.0120	.2459	----	----	----	----	5 UNCH
750	----	----	----/0.1210A	0.1275B/0.1210A	----	0.1200 - 0.0100	.1921	----	----	3	----	71 UNCH
775	----	----	----/0.0970A	0.0990B/0.0970A	----	0.0955 NEW	.1569	----	----	3	----	3 + 3
800	----	----	----/0.0785A	0.0775B/0.0785A	----	0.0755 - 0.0070	.1274	----	----	----	----	12 UNCH
875	----	----	----	0.0390B/0.0450A	----	0.0395 - 0.0045	.0703	----	----	----	----	1 UNCH
900	----	----	----	0.0305B/0.0380A	----	0.0320 - 0.0045	.0578	----	----	----	----	25 UNCH
975	----	----	----	0.0165B/0.0260A	----	0.0180 - 0.0030	.0335	----	----	2	----	3 + 2
TOTAL										61		1696 + 56
OCT26												
650	----	----	----/0.4020A	0.4175B/0.4020A	----	0.4045 - 0.0145	.4695	----	----	----	----	100 UNCH
700	----	----	----/0.2725A	0.2630B/0.2725A	----	0.2600 - 0.0130	.3353	----	----	----	----	145 UNCH
775	----	----	----	0.1310B/0.1510A	----	0.1365 - 0.0105	.1961	----	----	----	----	71 UNCH
800	----	----	----/0.1155A	0.1090B/0.1155A	----	0.1105 - 0.0095	.1633	----	----	----	----	1 UNCH
850	----	----	----/0.0805A	0.0720B/0.0805A	----	0.0770 - 0.0075	.1172	----	----	----	----	30 UNCH
875	----	----	----/0.0685A	0.0585B/0.0685A	----	0.0660 - 0.0065	.1010	----	----	----	----	2 UNCH
900	----	----	----/0.0590A	0.0475B/0.0590A	----	0.0575 - 0.0060	.0881	----	----	----	----	3 UNCH
975	----	----	----	0.0255B/0.0400A	----	0.0315 - 0.0040	.0513	----	----	2	----	6 + 2
TOTAL										2		358 + 2
NOV26												
535	----	----	----	----	----	1.0795 - 0.0135	.8024	----	----	----	----	1 UNCH
545	----	----	----	----	----	1.0075 - 0.0130	.7779	----	----	----	----	1 UNCH
580	----	----	0.7975B/0.7770A	0.7975B/0.7770A	----	0.7810 - 0.0130	.6828	----	----	----	----	2 UNCH
585	----	----	0.7680B/0.7490A	0.7680B/0.7490A	----	0.7520 - 0.0130	.6683	----	----	----	----	1 UNCH
595	----	----	0.7115B/0.6945A	0.7115B/0.6945A	----	0.6970 - 0.0130	.6390	----	----	----	----	2 UNCH
600	----	----	0.6850B/0.6690A	0.6850B/0.6690A	----	0.6705 - 0.0135	.6242	----	----	----	----	2 UNCH
610	----	----	----/0.6195A	0.6335B/0.6195A	----	0.6205 - 0.0135	.5946	----	----	----	----	14 UNCH
640	----	----	----/0.4915A	0.4990B/0.4915A	----	0.4895 - 0.0135	.5072	----	----	----	----	1 UNCH
655	----	----	----/0.4370A	0.4415B/0.4370A	----	0.4340 - 0.0130	.4657	----	----	----	----	1 UNCH
670	----	----	----/0.3885A	0.3900B/0.3885A	----	0.3845 - 0.0125	.4262	----	----	----	----	14 UNCH
675	----	----	----/0.3735A	0.3745B/0.3735A	----	0.3695 - 0.0120	.4136	----	----	----	----	1 UNCH
700	0.3205	0.3205	0.3205/0.3070A	0.3205/0.3070A	----	0.3020 NEW	.3544	----	----	1	----	1 + 1
750	----	----	----/0.2100A	0.1990B/0.2100A	----	0.2025 - 0.0085	.2569	----	----	----	----	1 UNCH
850	----	----	----	0.0880B/0.1060A	----	0.0950 - 0.0055	.1338	----	----	----	----	1 UNCH
900	----	----	----	0.0580B/0.0795A	----	0.0665 - 0.0040	.0972	----	----	----	----	1 UNCH
975	----	----	----	0.0305B/0.0550A	----	0.0380 - 0.0030	.0588	----	----	----	----	1 UNCH
TOTAL										1		45 + 1
DEC26												
520	----	----	----	----	----	1.2155 - 0.0145	.8235	----	----	----	----	1 UNCH
525	----	----	----	----	----	1.1780 - 0.0145	.8128	----	----	----	----	123 UNCH
535	----	----	----	----	----	1.1050 - 0.0145	.7904	----	----	----	----	1 UNCH
550	----	----	----/0.9990A	1.0000B/0.9990A	----	1.0015 - 0.0140	.7545	----	----	----	----	2 UNCH
555	----	----	0.9855B/0.9665A	0.9855B/0.9665A	----	0.9690 - 0.0135	.7419	----	----	----	----	1 UNCH
565	----	----	0.9205B/0.9035A	0.9205B/0.9035A	----	0.9055 - 0.0130	.7162	----	----	----	----	45 UNCH
575	----	----	0.8590B/0.8445A	0.8590B/0.8445A	----	0.8450 - 0.0130	.6897	----	----	----	----	123 UNCH
585	----	----	----/0.7885A	0.8005B/0.7885A	----	0.7880 - 0.0130	.6627	----	----	----	----	1 UNCH
590	----	----	----/0.7615A	0.7725B/0.7615A	----	0.7610 - 0.0130	.6491	----	----	----	----	200 UNCH
595	----	----	----/0.7355A	0.7455B/0.7355A	----	0.7345 - 0.0130	.6354	----	----	----	----	163 UNCH
600	----	----	----/0.7105A	0.7190B/0.7105A	----	0.7085 - 0.0130	.6216	----	----	----	----	602 UNCH
610	----	----	----/0.6620A	0.6690B/0.6620A	----	0.6595 - 0.0135	.5941	----	----	----	----	356 UNCH
620	----	----	----/0.6170A	0.6215B/0.6170A	----	0.6135 - 0.0135	.5666	----	----	----	----	408 UNCH
625	----	----	----/0.5955A	0.5990B/0.5955A	----	0.5915 - 0.0135	.5530	----	----	----	----	3 UNCH
630	----	----	----/0.5745A	0.5775B/0.5745A	----	0.5705 - 0.0135	.5395	----	----	----	----	456 UNCH
640	----	----	----/0.5350A	0.5360B/0.5350A	----	0.5300 - 0.0135	.5129	----	----	----	----	29 UNCH
650	----	----	----/0.4980A	0.4970B/0.4980A	----	0.4920 - 0.0135	.4869	----	----	----	----	522 UNCH
660	----	----	----/0.4635A	0.4605B/0.4635A	----	0.4570 - 0.0130	.4617	----	----	----	----	300 UNCH
670	----	----	----/0.4315A	0.4265B/0.4315A	----	0.4240 - 0.0130	.4372	----	----	----	----	4 UNCH
675	----	----	----/0.4160A	0.4105B/0.4160A	----	0.4085 - 0.0125	.4253	----	----	----	----	17 UNCH
680	----	----	----/0.4015A	0.3950B/0.4015A	----	0.3940 - 0.0120	.4138	----	----	----	----	3 UNCH
700	----	----	----/0.3475A	0.3380B/0.3475A	----	0.3395 - 0.0110	.3694	----	----	----	----	844 UNCH
705	----	----	----/0.3355A	0.3250B/0.3355A	----	0.3270 - 0.0110	.3589	----	----	----	----	2 UNCH
725	----	----	----/0.2915A	0.2780B/0.2915A	----	0.2820 - 0.0100	.3194	----	----	----	----	5 UNCH
730	0.2800	0.2800	0.2800/0.2800	0.2800/0.2800	----	0.2720 - 0.0100	.3102	----	----	2	----	4 + 2
750	----	----	----	0.2290B/0.2455A	----	0.2355 - 0.0090	.2758	----	----	----	----	24 UNCH
800	----	----	----	0.1570B/0.1780A	----	0.1660 - 0.0070	.2054	----	----	----	----	104 UNCH
850	----	----	----	0.1090B/0.1320A	----	0.1195 - 0.0060	.1539	----	----	----	----	4 UNCH
900	----	----	----	0.0755B/0.1015A	----	0.0885 - 0.0045	.1172	----	----	----	----	213 UNCH
925	----	----	----	0.0625B/0.0895A	----	0.0790 - 0.0040	.1047	----	----	----	----	6 UNCH
950	----	----	----	0.0515B/0.0800A	----	0.0710 - 0.0040	.0941	----	----	----	----	78 UNCH
975	----	----	----	0.0425B/0.0715A	----	0.0645 - 0.0035	.0853	----	----	----	----	13 UNCH
TOTAL										2		4657 + 2
JAN27												
500	----	----	----	----	----	1.4665 - 0.0070	.8558	----	----	----	----	1 UNCH
900	----	----	----	----	----	0.1540 - 0.0025	.1667	----	----	----	----	1 UNCH
TOTAL												2
MAR27												

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
MAR27												
680	----	----	----	----	----	0.5385 - 0.0045	.4601	----	----	----	----	30 UNCH
950	----	----	----	----	----	0.1195 - 0.0020	.1333	----	----	----	----	3 UNCH
TOTAL												33
HX PUT		COMEX COPPER OPTIONS										
MAY26												
125	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	10 UNCH
300	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	22 UNCH
330	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
340	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	6 UNCH
350	----	----	----	----/0.0010A	----	0.0005 UNCH	----	----	----	----	----	6 UNCH
360	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	35 UNCH
370	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
375	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
390	----	----	----	----/0.0055A	----	0.0005 UNCH	.0000	----	----	----	----	2 UNCH
395	----	----	----	----/0.0060A	----	0.0005 UNCH	.0000	----	----	----	----	6 UNCH
400	----	----	----	----/0.0010A	----	0.0005 UNCH	.0000	----	----	----	----	124 UNCH
405	----	----	----	----/*0.0010A	----	0.0005 UNCH	.0000	----	----	----	----	125 UNCH
410	----	----	----	----/*0.0010A	----	0.0005 UNCH	.0000	----	----	----	----	23 UNCH
415	----	----	----	----/*0.0010A	----	0.0005 UNCH	.0001	----	----	----	----	6 UNCH
420	0.0005	0.0005	0.0005/0.0005	0.0005/0.0005	----	0.0005 UNCH	.0001	----	----	1	----	59 - 1
425	----	----	----	----/0.0015A	----	0.0005 UNCH	.0002	----	----	----	----	56 UNCH
430	----	----	----	----/0.0015A	----	0.0005 UNCH	.0003	----	----	----	----	13 UNCH
435	----	----	----	----/0.0010A	----	0.0005 UNCH	.0005	----	----	----	----	8 UNCH
440	----	----	----	----/0.0010A	----	0.0005 UNCH	.0008	----	----	----	----	130 UNCH
445	----	----	----	----/0.0010A	----	0.0005 UNCH	.0011	----	----	----	----	52 UNCH
450	----	----	----	----/0.0015A	----	0.0005 - 0.0005	.0016	----	----	----	----	855 UNCH
455	----	----	----	----/0.0010A	----	0.0010 UNCH	.0032	----	----	----	----	23 UNCH
460	0.0010	0.0010	0.0020/*0.0010	0.0020/*0.0010	----	0.0010 UNCH	.0033	----	----	7	----	498 - 6
465	----	----	----	----/0.0020A	----	0.0010 UNCH	.0034	----	----	----	----	34 UNCH
470	----	----	----	0.0010B/0.0010A	----	0.0010 UNCH	.0035	----	----	2	----	57 UNCH
475	----	----	----	----/*0.0010A	----	0.0010 UNCH	.0037	----	----	----	----	416 - 1
480	----	----	----	0.0010B/0.0015A	----	0.0015 UNCH	.0055	----	----	2	----	1301 - 2
485	----	----	----	0.0010B/*0.0015	----	0.0015 UNCH	.0057	----	----	----	----	85 UNCH
490	----	----	----	----/0.0025A	----	0.0015 UNCH	.0059	----	----	1	----	268 - 1
495	----	----	----	----/*0.0025A	----	0.0015 UNCH	.0062	----	----	1	----	90 - 1
500	----	----	----	0.0015B/0.0025A	----	0.0015 - 0.0005	.0065	----	----	1	----	1752 UNCH
505	----	----	----	----/0.0025A	----	0.0015 - 0.0005	.0068	----	----	----	----	175 - 2
510	----	----	----	0.0015B/*0.0030	----	0.0015 - 0.0005	.0071	----	----	----	----	389 UNCH
514	----	----	----	----/0.0050A	----	0.0015 - 0.0010	.0074	----	----	----	----	43 UNCH
515	----	----	----	0.0015B/*0.0030	----	0.0020 - 0.0005	.0095	----	----	----	----	154 UNCH
516	----	----	----	----/*0.0030A	----	0.0020 - 0.0005	.0096	----	----	----	----	74 UNCH
517	----	----	----	----/*0.0030A	----	0.0020 - 0.0005	.0097	----	----	----	----	108 UNCH
518	----	----	----	----/0.0035A	----	0.0020 - 0.0005	.0098	----	----	----	----	117 UNCH
519	----	----	----	----/0.0035A	----	0.0020 - 0.0005	.0099	----	----	----	----	88 UNCH
520	----	----	----	0.0015B/0.0035A	----	0.0020 - 0.0005	.0100	----	----	1	----	1171 - 1
521	----	----	----	----/0.0040A	----	0.0020 - 0.0010	.0102	----	----	----	----	67 UNCH
522	----	----	----	----/0.0040A	----	0.0020 - 0.0010	.0103	----	----	----	----	52 UNCH
523	----	----	----	----/0.0035A	----	0.0020 - 0.0010	.0104	----	----	----	----	23 UNCH
524	----	----	----	----/*0.0030A	----	0.0020 - 0.0010	.0105	----	----	----	----	20 UNCH
525	----	----	----	----/0.0035A	----	0.0020 - 0.0010	.0106	----	----	----	----	329 UNCH
526	----	----	----	----/*0.0035A	----	0.0020 - 0.0010	.0107	----	----	----	----	19 UNCH
527	----	----	----	----/*0.0035A	----	0.0025 - 0.0005	.0130	----	----	----	----	17 UNCH
528	----	----	----	----/*0.0035A	----	0.0025 - 0.0010	.0132	----	----	----	----	12 UNCH
529	----	----	----	----/*0.0035A	----	0.0025 - 0.0010	.0133	----	----	----	----	6 UNCH
530	0.0025	0.0025	0.0025/*0.0025	0.0025/*0.0025	----	0.0025 - 0.0010	.0135	----	----	4	----	590 UNCH
531	----	----	----	----/*0.0040A	----	0.0025 - 0.0010	.0137	----	----	----	----	24 UNCH
532	----	----	----	----/0.0040A	----	0.0025 - 0.0010	.0138	----	----	----	----	11 UNCH
533	----	----	----	----/*0.0040A	----	0.0025 - 0.0015	.0140	----	----	----	----	7 UNCH
534	----	----	----	----/*0.0040A	----	0.0030 - 0.0010	.0164	----	----	----	----	9 UNCH
535	----	----	----	0.0030B/*0.0040	----	0.0030 - 0.0010	.0166	----	----	----	----	200 UNCH
536	----	----	----	0.0025B/*0.0040	----	0.0030 - 0.0010	.0168	----	----	----	----	12 UNCH
537	----	----	----	0.0035B/*0.0040	----	0.0030 - 0.0010	.0170	----	----	----	----	9 UNCH
538	----	----	----	0.0040B/*0.0045	----	0.0030 - 0.0015	.0173	----	----	----	----	10 UNCH
539	----	----	----	0.0040B/*0.0045	----	0.0030 - 0.0015	.0175	----	----	----	----	11 UNCH
540	----	----	----	0.0040B/*0.0045	----	0.0035 - 0.0010	.0200	----	----	----	----	316 UNCH
541	----	----	----/*0.0045A	0.0045B/*0.0045	----	0.0035 - 0.0015	.0203	----	----	----	----	10 UNCH
542	----	----	----/*0.0045A	0.0045B/*0.0045	----	0.0035 - 0.0015	.0205	----	----	----	----	8 UNCH
543	----	----	----	0.0045B/*0.0050	----	0.0035 - 0.0015	.0208	----	----	----	----	1 UNCH
544	----	----	----	0.0045B/*0.0050	----	0.0040 - 0.0010	.0234	----	----	----	----	1 UNCH
545	----	----	----/*0.0050A	0.0050B/*0.0050	----	0.0040 - 0.0015	.0238	----	----	----	----	156 UNCH
546	----	----	----/*0.0050A	0.0050B/*0.0050	----	0.0040 - 0.0015	.0241	----	----	----	----	10 UNCH
547	----	----	----/*0.0050A	0.0050B/*0.0050	----	0.0040 - 0.0015	.0244	----	----	----	----	7 UNCH
548	----	----	----/*0.0050A	0.0055B/*0.0050	----	0.0045 - 0.0015	.0271	----	----	----	----	55 UNCH
549	----	----	----/*0.0050A	0.0055B/*0.0050	----	0.0045 - 0.0015	.0275	----	----	----	----	12 UNCH
550	----	----	----/*0.0055A	0.0055B/*0.0055	----	0.0045 - 0.0020	.0279	----	----	202	----	1702 + 1
551	----	----	----/*0.0055A	0.0060B/*0.0055	----	0.0050 - 0.0015	.0307	----	----	----	----	36 UNCH
552	----	----	----/*0.0055A	0.0060B/*0.0055	----	0.0050 - 0.0015	.0312	----	----	----	----	16 UNCH
553	----	----	----/*0.0055A	0.0065B/*0.0055	----	0.0050 - 0.0020	.0316	----	----	----	----	18 UNCH
554	----	----	----/*0.0060A	0.0065B/*0.0060	----	0.0055 - 0.0015	.0345	----	----	----	----	19 UNCH
555	----	----	----/*0.0060A	0.0070B/*0.0060	----	0.0055 - 0.0020	.0350	----	----	5	----	135 + 2
556	----	----	----/*0.0060A	0.0070B/*0.0060	----	0.0060 - 0.0015	.0380	----	----	----	----	12 UNCH
557	0.0080	0.0080	0.0080/*0.0060A	0.0080/*0.0060A	----	0.0060 - 0.0020	.0386	----	----	3	----	21 + 1
558	----	----	----/*0.0065A	0.0075B/*0.0065	----	0.0065 - 0.0015	.0416	----	----	----	----	83 UNCH
559	0.0085	0.0085	0.0085/*0.0065A	0.0085/*0.0065A	----	0.0065 - 0.0020	.0422	----	----	3	----	22 - 3
560	0.0085	0.0085	0.0085/*0.0065	0.0085/*0.0065	----	0.0070 - 0.0020	.0453	----	----	12	----	476 - 3
561	----	----	----/*0.0070A	0.0085B/*0.0070	----	0.0075 - 0.0015	.0484	----	----	----	----	23 UNCH
562	----	----	----/*0.0070A	0.0090B/*0.0070	----	0.0075 - 0.0020	.0492	----	----	----	----	17 UNCH
563	----	----	----/*0.0075A	0.0095B/*0.0075	----	0.0080 - 0.0020	.0525	----	----	----	----	40 UNCH
564	----	----	----/*0.0075A	0.0100B/*0.0075	----	0.0085 - 0.0015	.0557	----	----	----	----	12 UNCH
565	0.0105	0.0105	0.0105/*0.0080A	0.0105/*0.0080A	----	0.0085 - 0.0020	.0567	----	----	6	----	228 + 6
566	----	----	----/*0.0080A	0.0105B/*0.0080	----	0.0090 - 0.0020	.0600	----	----	1	----	6 - 1
567	0.0075	0.0075	0.0110B/*0.0075	0.0110B/*0.0075	----	0.0095 - 0.0020	.0635	----	----	1	----	10 + 1
568	0.0115	0.0115	0.0125/*0.0090A	0.0125/*0.0090A	----	0.0100 - 0.0020	.0670	----	----	51	----	54 + 44
569	----	----	----/*0.0090A	0.0125B/*0.0090	----	0.0105 - 0.0020	.0705	----	----	1	----	29 UNCH
570	0.0130	0.0130	0.0130/*0.0095A	0.0130/*0.0095A	----	0.0110 - 0.0020	.0741	----	----	201	----	723 + 151
571	----	----	----/*0.0100A	0.0135B/*0.0100	----	0.0115 - 0.0020	.0778	----	----	1	----	7 - 1
572	0.0130	0.0130	0.0145/*0.0105A	0.0145/*0.0105A	----	0.0125 - 0.0015	.0838	----	----	8	----	14 + 5
573	----	----	0.0155B/*0.0110	0.0155B/*0.0110	----	0.0130 - 0.0020	.0877	----	----	1	----	10 UNCH
574	0.0160	0.0160	0.0160/*0.0115A	0.0160/*0.0115A	----	0.0135 - 0.0020	.0916	----	----	4	----	5 + 3
575	0.0165	0.0165	0.0170B/*0.0120	0.0170B/*0.0120	----	0.0145 - 0.0020	.0979	----	----	102	----	406 + 19
576	0.0155	0.0155	0.0180B/*0.0125	0.0180B/*0.0125	----	0.0155 - 0.0015	.1041	----	----	1	----	28 - 1
577	----	----	0.0195B/*0.0135	0.0195B/*0.0135	----	0.0160 - 0.0020	.1084	----	----	----	----	74 UNCH
578	----	----	0.0205B/*0.0140	0.0205B/*0.0140	----	0.0170 - 0.0020	.1149	----	----	----	----	25 UNCH
579	----	----	0.0220B/*0.0150	0.0220B/*0.0150	----	0.0180 - 0.0020	.1215	----	----	----	----	8 UNCH
580	0.0165	0.0165	0.0235B/*0.0150	0.0235B/*0.0150	----	0.0195 - 0.0020	.1301	----	----	24	----	322 - 4
581	0.0180	0.0180	0.0245B/*0.0170	0.0245B/*0.0170	----	0.0205 - 0.0020	.1369	----	----	6	----	25 + 5
582	----	----	0.0265B/*0.0180	0.0265B/*0.0180	----	0.0220 - 0.0020	.1457	----	----	----	----	10 UNCH
583	0.0210	0.0210	0.0285B/*0.0190	0.0285B/*0.0190	----	0.0235 - 0.0020	.1546	----	----	1	----	5 UNCH
584	0.0230	0.0230	0.0300B/*0.0205	0.0300B/*0.0205	----	0.0250 - 0.0020	.1635	----	----	1	----	8 UNCH
585	0.0245	0.0245	0.0325B/*0.0215	0.0325B/*0.0215	----	0.0265 - 0.0025	.1726	----	----	34	----	367 + 11
586	----	----	0.0340B/*0.0235	0.0340B/*0.0235	----	0.0285 - 0.0025	.1834	----	----	----	----	8 UNCH
587	----	----	0.0365B/*0.0255	0.0365B/*0.0255	----	0.0300 - 0.0030	.1928	----	----	----	----	3 UNCH
588	----	----	0.0390B/*0.0270	0.0390B/*0.0270	----	0.0320 - 0.0030	.2038	----	----	----	----	5 UNCH
589	0.0325	0.0325	0.0415B/*0.0290	0.0415B/*0.0290	----	0.0345 - 0.0030	.2163	----	----	104	----	109 + 103
590	0.0350	0.0350	0.0460B/*0.0310	0.0460B/*0.0310	----	0.0365 - 0.0035	.2275	----	----	23	----	338 - 10
591	----	----	0.0480B/*0.0330	0.0480B/*0.0330	----	0.0390 - 0.0035	.2401	----	----	----	----	5 UNCH
592	----	----	0.0505B/*0.0360	0.0505B/*0.0360	----	0.0420 - 0.0035	.2540	----	----	25	----	68 + 11
593	0.0500	0.0500	0.0535B/*0.0380	0.0535B/*0.0380	----	0.0445 - 0.0040	.2667	----	----	3	----	4 + 3
594	----	----	0.0575B/*0.0410	0.0575B/*0.0410	----	0.0475 - 0.0040	.2807	----	----	----	----	25 UNCH
595	----	----	0.0605B/*0.0445	0.0605B/*0.0445	----	0.0505 - 0.0045	.2946	----	----	3	----	90 + 2
596	----	----	0.0645B/*0.0470	0.0645B/*0.0470	----	0.0540 - 0.0045	.3095	----	----	----	----	16 UNCH
597	----	----	0.0685B/*0.0510	0.0685B/*0.0510	----	0.0575 - 0.0045	.3244	----	----	----	----	17 UNCH
598	----	----	0.0725B/*0.0540	0.0725B/*0.0540	----	0.0610 - 0.0050	.3393	----	----	----	----	1 UNCH
599	----	----	0.0760B/*0.0570	0.0760B/*0.0570	----	0.0650 - 0.0050	.3549	----	----	----	----	1 UNCH
600	0.0750	0.0750	0.0840/*0.0610A	0.0840/*0.0610A	----	0.0690 - 0.0050	.3704	----	----	50	----	593 + 7
601	----	----	0.0855B/*0.0640	0.0855B/*0.0640	----	0.0730 - 0.0055	.3859	----	----	----	----	1 UNCH
602	----	----	0.0905B/*0.0675	0.0905B/*0.0675	----	0.0775 - 0.0050	.4019	----	----	----	----	1 UNCH
603	----	----	0.0950B/*0.0715	0.0950B/*0.0715	----	0.0820 - 0.0050	.4177	----	----	----	----	1 UNCH
604	----	----	0.0990B/*0.0760	0.0990B/*0.0760	----	0.0865 - 0.0055	.4336	----	----	----	----	2 UNCH
605	0.1010	0.1010	0.1050B/*0.0800	0.1050B/*0.0800	----	0.0915 - 0.0050	.4496	----	----	14	----	59 + 12
606	----	----	0.1100B/*0.0850	0.1100B/*0.0850	----	0.0965 - 0.0050	.4655	----	----	----	----	1 UNCH
607	----	----	0.1145B/*0.0890	0.1145B/*0.0890	----	0.1015 - 0.0055	.4814	----	----	----	----	2 UNCH
608	----	----	0.1185B/*0.0945	0.1185B/*0.0945	----	0.1065 - 0.0055	.4972	----	----	----	----	2 UNCH
609	----	----	0.1240B/*0.0985	0.1240B/*0.0985	----	0.1120 - 0.0055	.5130	----	----	----	----	1 UNCH
610	0.1080	0.1080	0.1320B/*0.1035	0.1320B/*0.1035	----	0.1180 - 0.0050	.5285	----	----	1	----	49 + 1
611	----	----	0.1355B/*0.1090	0.1355B/*0.1090	----	0.1235 - 0.0050	.5441	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
MAY26												
612	----	----	0.1405B/*0.1155	0.1405B/*0.1155	----	0.1295 - 0.0045	.5594	----	----	----	----	3 UNCH
613	----	----	0.1465B/*0.1210	0.1465B/*0.1210	----	0.1355 - 0.0045	.5745	----	----	----	----	4 UNCH
615	----	----	0.1595B/*0.1320	0.1595B/*0.1320	----	0.1480 - 0.0040	.6042	----	----	----	----	1 UNCH
619	----	----	----/*0.1600A	0.1735B/*0.1600	----	0.1750 - 0.0030	.6600	----	----	----	----	1 UNCH
620	----	----	0.1940B/*0.1640	0.1940B/*0.1640	----	0.1820 - 0.0025	.6733	----	----	----	----	3 UNCH
645	----	----	0.4080B/----	0.4080B/*0.3970	----	0.3890 + 0.0020	.8964	----	----	----	----	1 UNCH
TOTAL										912		16804 + 350
JUN26												
330	----	----	----	----/0.0020A	----	0.0010 - 0.0005	.0020	----	----	----	----	8 UNCH
355	----	----	----	----/*0.0040A	----	0.0015 - 0.0010	.0032	----	----	----	----	10 UNCH
370	----	----	----	----/*0.0045A	----	0.0020 - 0.0015	.0044	----	----	----	----	1 UNCH
380	----	----	----	----/*0.0045A	----	0.0025 - 0.0015	.0055	----	----	----	----	1 UNCH
400	----	----	----	----/0.0055A	----	0.0035 - 0.0020	.0080	----	----	----	----	3 UNCH
405	----	----	----	0.0005B/*0.0055	----	0.0035 - 0.0020	.0082	----	----	----	----	1 UNCH
410	----	----	----/*0.0055A	----/*0.0055A	----	0.0035 - 0.0025	.0084	----	----	----	----	2 UNCH
420	0.0040	0.0040	0.0040/*0.0040	0.0040/*0.0040	----	0.0035 - 0.0025	.0088	----	----	1	----	3 UNCH
430	----	----	----/*0.0045A	----/*0.0045A	----	0.0035 - 0.0025	.0093	----	----	----	----	3 UNCH
435	----	----	----	0.0005B/*0.0075	----	0.0035 - 0.0025	.0096	----	----	----	----	2 UNCH
440	----	----	----	0.0040B/*0.0075	----	0.0040 - 0.0025	.0110	----	----	----	----	8 UNCH
445	----	----	----	0.0040B/*0.0080	----	0.0040 - 0.0025	.0113	----	----	----	----	8 UNCH
450	----	----	----	0.0045B/0.0085A	----	0.0045 - 0.0020	.0128	----	----	----	----	453 UNCH
455	----	----	----	0.0020B/0.0090A	----	0.0050 - 0.0020	.0143	----	----	----	----	65 UNCH
460	----	----	----	0.0050B/0.0095A	----	0.0055 - 0.0020	.0159	----	----	18	----	54 - 14
465	----	----	----	0.0055B/0.0100A	----	0.0060 - 0.0020	.0175	----	----	----	----	920 UNCH
470	----	----	----	0.0040B/0.0105A	----	0.0065 - 0.0020	.0192	----	----	2	----	667 UNCH
475	----	----	----	0.0045B/*0.0090	----	0.0075 - 0.0015	.0221	----	----	2	----	155 + 2
480	----	----	----/*0.0085A	0.0050B/*0.0085	----	0.0080 - 0.0020	.0240	----	----	22	----	957 - 2
485	----	----	----	0.0060B/0.0125A	----	0.0090 - 0.0020	.0271	----	----	----	----	60 UNCH
490	----	----	----/*0.0110A	0.0085B/*0.0110	----	0.0095 - 0.0020	.0292	----	----	2	----	50 - 2
495	----	----	----/*0.0115A	0.0100B/*0.0115	----	0.0105 - 0.0020	.0325	----	----	----	----	35 UNCH
500	----	----	----/*0.0115A	0.0110B/*0.0115	----	0.0115 - 0.0025	.0360	----	----	----	----	563 UNCH
505	----	----	----/*0.0125A	0.0120B/*0.0125	----	0.0125 - 0.0025	.0396	----	----	----	----	522 UNCH
510	----	----	----/*0.0145A	0.0145B/*0.0145	----	0.0135 - 0.0030	.0435	----	----	1	----	163 - 1
515	0.0150	0.0150	0.0160B/*0.0150	0.0160B/*0.0150	----	0.0150 - 0.0030	.0487	----	----	1	----	30 + 1
520	----	----	----/*0.0165A	0.0180B/*0.0165	----	0.0165 - 0.0035	.0541	----	----	4	----	159 UNCH
523	----	----	----/*0.0175A	0.0190B/*0.0175	----	0.0175 - 0.0035	.0577	----	----	1	----	4 + 1
525	----	----	----/*0.0180A	0.0200B/*0.0180	----	0.0180 - 0.0040	.0598	----	----	3	----	2154 + 1
526	----	----	----/*0.0185A	0.0205B/*0.0185	----	0.0185 - 0.0040	.0615	----	----	----	----	2 UNCH
527	----	----	----/*0.0190A	0.0210B/*0.0190	----	0.0190 - 0.0040	.0631	----	----	----	----	2 UNCH
528	----	----	----/*0.0195A	0.0215B/*0.0195	----	0.0195 - 0.0040	.0647	----	----	----	----	3 UNCH
529	----	----	----/*0.0195A	0.0220B/*0.0195	----	0.0200 - 0.0040	.0664	----	----	----	----	5 UNCH
530	----	----	----/*0.0200A	0.0225B/*0.0200	----	0.0205 - 0.0040	.0681	----	----	1	----	131 - 1
531	----	----	----/*0.0205A	0.0235B/*0.0205	----	0.0210 - 0.0045	.0698	----	----	----	----	4 UNCH
532	----	----	----/*0.0210A	0.0240B/*0.0210	----	0.0215 - 0.0045	.0715	----	----	----	----	2 UNCH
533	----	----	----/*0.0215A	0.0245B/*0.0215	----	0.0220 NEW	.0732	----	----	1	----	1 + 1
534	----	----	----/*0.0220A	0.0250B/*0.0220	----	0.0225 - 0.0045	.0749	----	----	----	----	3 UNCH
535	----	----	----/*0.0225A	0.0255B/*0.0225	----	0.0230 - 0.0045	.0767	----	----	----	----	73 UNCH
536	----	----	----/*0.0230A	0.0265B/*0.0230	----	0.0235 - 0.0050	.0785	----	----	----	----	1 UNCH
537	----	----	----/*0.0235A	0.0270B/*0.0235	----	0.0240 - 0.0050	.0803	----	----	----	----	4 UNCH
538	----	----	----/*0.0245A	0.0280B/*0.0245	----	0.0245 - 0.0050	.0821	----	----	----	----	5 UNCH
539	----	----	----/*0.0250A	0.0285B/*0.0250	----	0.0250 - 0.0055	.0839	----	----	----	----	1 UNCH
540	----	----	----/*0.0255A	0.0295B/*0.0255	----	0.0260 - 0.0050	.0868	----	----	102	----	155 + 93
542	----	----	----/*0.0270A	0.0315B/*0.0270	----	0.0270 - 0.0060	.0905	----	----	----	----	4 UNCH
543	----	----	----/*0.0275A	0.0320B/*0.0275	----	0.0280 - 0.0055	.0935	----	----	----	----	12 UNCH
544	----	----	----/*0.0285A	0.0330B/*0.0285	----	0.0285 - 0.0060	.0954	----	----	----	----	2 UNCH
545	----	----	----/*0.0290A	0.0340B/*0.0290	----	0.0295 - 0.0060	.0984	----	----	1	----	57 + 1
546	----	----	----/*0.0300A	0.0350B/*0.0300	----	0.0305 - 0.0055	.1013	----	----	----	----	1 UNCH
547	0.0350	0.0350	0.0360B/*0.0310	0.0360B/*0.0310	----	0.0310 - 0.0060	.1034	----	----	3	----	4 UNCH
548	0.0370	0.0370	0.0370/*0.0315A	0.0370/*0.0315A	----	0.0320 - 0.0060	.1064	----	----	3	----	4 + 1
550	0.0350	0.0350	0.0350/*0.0335A	0.0395B/*0.0335	----	0.0340 - 0.0060	.1124	----	----	16	----	294 + 16
551	0.0400	0.0400	0.0400/*0.0345A	0.0405B/*0.0345	----	0.0350 - 0.0065	.1155	----	----	3	----	93 + 3
552	0.0410	0.0410	0.0410/*0.0355A	0.0420B/*0.0355	----	0.0360 - 0.0065	.1186	----	----	1	----	1 UNCH
553	0.0420	0.0420	0.0420/*0.0365A	0.0430B/*0.0365	----	0.0375 - 0.0060	.1226	----	----	3	----	2 - 1
554	0.0385	0.0385	0.0385/*0.0375A	0.0445B/*0.0375	----	0.0385 - 0.0065	.1257	----	----	1	----	2 + 1
555	----	----	----/*0.0390A	0.0455B/*0.0390	----	0.0395 - 0.0065	.1289	----	----	1	----	16 UNCH
556	0.0410	0.0410	0.0410/*0.0400A	0.0470B/*0.0400	----	0.0410 - 0.0065	.1330	----	----	4	----	8 + 4
557	----	----	----/*0.0410A	0.0485B/*0.0410	----	0.0420 - 0.0065	.1362	----	----	----	----	62 UNCH
559	----	----	----/*0.0440A	0.0515B/*0.0440	----	0.0450 - 0.0065	.1444	----	----	----	----	5 UNCH
560	0.0520	0.0520	0.0535B/*0.0455	0.0535B/*0.0455	----	0.0465 - 0.0065	.1485	----	----	12	----	403 + 10
561	----	----	0.0550B/*0.0470	0.0550B/*0.0470	----	0.0480 - 0.0065	.1526	----	----	----	----	3 UNCH
562	----	----	0.0570B/*0.0485	0.0570B/*0.0485	----	0.0495 - 0.0070	.1568	----	----	----	----	5 UNCH
565	0.0605	0.0605	0.0625B/*0.0535	0.0625B/*0.0535	----	0.0545 - 0.0070	.1701	----	----	106	----	250 + 71
566	0.0630	0.0630	0.0645B/*0.0550	0.0645B/*0.0550	----	0.0565 NEW	.1751	----	----	3	----	3 + 3
567	----	----	0.0665B/*0.0570	0.0665B/*0.0570	----	0.0585 - 0.0070	.1801	----	----	----	----	4 UNCH
568	----	----	0.0685B/*0.0590	0.0685B/*0.0590	----	0.0605 - 0.0070	.1851	----	----	----	----	1 UNCH
569	----	----	0.0710B/*0.0610	0.0710B/*0.0610	----	0.0625 - 0.0070	.1901	----	----	1	----	2 + 1
570	0.0660	0.0660	0.0730B/*0.0630	0.0730B/*0.0630	----	0.0645 - 0.0075	.1951	----	----	7	----	39 + 2
571	0.0670	0.0670	0.0755B/*0.0650	0.0755B/*0.0650	----	0.0665 - 0.0075	.2002	----	----	6	----	6 + 5
573	----	----	0.0805B/*0.0695	0.0805B/*0.0695	----	0.0710 - 0.0080	.2110	----	----	1	----	2 + 1
574	----	----	0.0830B/*0.0715	0.0830B/*0.0715	----	0.0735 - 0.0075	.2167	----	----	----	----	2 UNCH
575	0.0765	0.0765	0.0855B/*0.0740	0.0855B/*0.0740	----	0.0760 - 0.0075	.2224	----	----	7	----	78 + 3
576	----	----	0.0885B/*0.0765	0.0885B/*0.0765	----	0.0785 - 0.0080	.2281	----	----	----	----	1 UNCH
577	----	----	0.0910B/*0.0800	0.0910B/*0.0800	----	0.0810 - 0.0080	.2338	----	----	----	----	2 UNCH
578	----	----	0.0935B/*0.0820	0.0935B/*0.0820	----	0.0835 - 0.0085	.2396	----	----	----	----	2 UNCH
579	----	----	0.0965B/*0.0850	0.0965B/*0.0850	----	0.0865 - 0.0080	.2459	----	----	----	----	2 UNCH
580	0.0965	0.0965	0.1000B/*0.0875	0.1000B/*0.0875	----	0.0890 - 0.0085	.2516	----	----	14	----	134 + 11
581	----	----	0.1030B/*0.0905	0.1030B/*0.0905	----	0.0920 - 0.0085	.2579	----	----	----	----	3 UNCH
582	----	----	0.1060B/*0.0935	0.1060B/*0.0935	----	0.0950 - 0.0085	.2642	----	----	----	----	3 UNCH
583	----	----	0.1090B/*0.0965	0.1090B/*0.0965	----	0.0980 - 0.0085	.2705	----	----	----	----	4 UNCH
584	0.1000	0.1000	0.1125B/*0.0995	0.1125B/*0.0995	----	0.1010 - 0.0090	.2767	----	----	1	----	9 + 1
585	----	----	0.1165B/*0.1025	0.1165B/*0.1025	----	0.1040 - 0.0090	.2830	----	----	----	----	17 UNCH
588	----	----	0.1275B/*0.1120	0.1275B/*0.1120	----	0.1140 - 0.0095	.3028	----	----	----	----	1 UNCH
590	0.1200	0.1200	0.1350B/*0.1190	0.1350B/*0.1190	----	0.1210 - 0.0095	.3162	----	----	3	----	18 UNCH
591	----	----	0.1390B/*0.1225	0.1390B/*0.1225	----	0.1245 - 0.0100	.3229	----	----	----	----	1 UNCH
594	----	----	0.1510B/*0.1340	0.1510B/*0.1340	----	0.1360 - 0.0100	.3436	----	----	----	----	3 UNCH
595	----	----	0.1550B/*0.1380	0.1550B/*0.1380	----	0.1400 - 0.0100	.3505	----	----	----	----	1 UNCH
596	----	----	0.1595B/*0.1420	0.1595B/*0.1420	----	0.1440 - 0.0100	.3575	----	----	----	----	11 UNCH
597	----	----	0.1640B/*0.1460	0.1640B/*0.1460	----	0.1480 - 0.0105	.3645	----	----	----	----	3 UNCH
598	----	----	0.1685B/*0.1495	0.1685B/*0.1495	----	0.1525 - 0.0100	.3717	----	----	----	----	6 UNCH
599	----	----	0.1730B/*0.1540	0.1730B/*0.1540	----	0.1565 - 0.0105	.3786	----	----	----	----	4 UNCH
600	0.1545	0.1545	0.1780B/*0.1545	0.1780B/*0.1545	----	0.1610 - 0.0100	.3858	----	----	2	----	27 + 1
602	0.1765	0.1765	0.1875B/*0.1665	0.1875B/*0.1665	----	0.1700 - 0.0100	.4000	----	----	1	----	1 - 1
603	----	----	0.1925B/*0.1710	0.1925B/*0.1710	----	0.1745 - 0.0100	.4071	----	----	----	----	1 UNCH
604	----	----	0.1975B/*0.1755	0.1975B/*0.1755	----	0.1795 - 0.0095	.4144	----	----	----	----	3 UNCH
605	0.1830	0.1830	0.2025B/*0.1805	0.2025B/*0.1805	----	0.1840 - 0.0100	.4214	----	----	17	----	55 + 2
606	0.1875	0.1875	0.2075B/*0.1845	0.2075B/*0.1845	----	0.1890 - 0.0100	.4286	----	----	6	----	7 + 6
607	0.1925	0.1925	0.2125B/*0.1885	0.2125B/*0.1885	----	0.1940 - 0.0095	.4358	----	----	70	----	75 + 70
608	0.1970	0.1970	0.2175B/*0.1930	0.2175B/*0.1930	----	0.1990 - 0.0095	.4429	----	----	34	----	38 + 34
609	0.2025	0.2025	0.2230B/*0.1990	0.2230B/*0.1990	----	0.2040 - 0.0095	.4500	----	----	1	----	2 + 1
610	0.2075	0.2075	0.2290B/*0.2040	0.2290B/*0.2040	----	0.2095 - 0.0090	.4572	----	----	5	----	28 + 4
611	----	----	0.2345B/*0.2090	0.2345B/*0.2090	----	0.2145 - 0.0095	.4643	----	----	----	----	2 UNCH
613	----	----	0.2450B/*0.2195	0.2450B/*0.2195	----	0.2255 - 0.0090	.4784	----	----	----	----	2 UNCH
615	0.2330	0.2330	0.2550B/*0.2255	0.2550B/*0.2255	----	0.2365 - 0.0090	.4924	----	----	1	----	32 + 1
616	0.2565	0.2565	0.2615B/*0.2300	0.2615B/*0.2300	----	0.2425 - 0.0085	.4994	----	----	4	----	5 + 4
617	0.2445	0.2445	0.2675B/*0.2355	0.2675B/*0.2355	----	0.2480 NEW	.5062	----	----	1	----	1 + 1
618	----	----	0.2735B/*0.2405	0.2735B/*0.2405	----	0.2540 - 0.0085	.5131	----	----	----	----	8 UNCH
619	----	----	0.2795B/*0.2460	0.2795B/*0.2460	----	0.2600 - 0.0085	.5199	----	----	----	----	9 UNCH
620	0.2625	0.2625	0.2855B/*0.2535	0.2855B/*0.2535	----	0.2660 - 0.0085	.5267	----	----	1	----	10 + 1
621	----	----	0.2905B/*0.2590	0.2905B/*0.2590	----	0.2720 - 0.0085	.5335	----	----	----	----	1 UNCH
623	0.2790	0.2790	0.3025B/*0.2685	0.3025B/*0.2685	----	0.2845 - 0.0080	.5468	----	----	1	----	2 + 1
630	----	----	0.3490B/*0.3180	0.3490B/*0.3180	----	0.3300 - 0.0075	.5918	----	----	----	----	9 UNCH
645	----	----	0.4520B/*0.4225	0.4520B/*0.4225	----	0.4365 - 0.0055	.6784	----	----	----	----	1 UNCH
650	----	----	0.4905B/*0.4585	0.4905B/*0.4585	----	0.4745 - 0.0050	.7043	----	----	----	----	3 UNCH
655	0.5175	0.5175	0.5300B/*0.4960	0.5300B/*0.4960	----	0.5135 - 0.0040	.7281	----	----	20	----	10 + 9
700	----	----	0.9120B/----	0.9120B/0.9235A	----	0.9020 + 0.0020	.8796	----	----	----	----	1 UNCH
TOTAL										522		9376 + 346
JUL26												
330	----	----	----	----/0.0075A	----	0.0010 - 0.0005	.0021	----	----	----	----	80 UNCH
350	----	----	----	----/0.0080A	----	0.0015 - 0.0005	.0032	----	----	----	----	5 UNCH
380	----	----	----	----/*0.0095A	----	0.0030 - 0.0005	.0066	----	----	----	----	2 UNCH
390	----	----	----	0.0005B/*0.0100	----	0.0035 - 0.0010	.0078	----	----	----	----	6 UNCH
395	----	----	----	0.0010B/*0.0105	----	0.0040 - 0.0010	.0089	----	----	----	----	1 UNCH
400	----	----	----	0.0015B/0.0095A	----	0.0045 - 0.0010	.0100	----	----	80	----	586 + 78
405	----	----	----	0.0020B/0.0095A	----	0.0050 - 0.0010	.0111	----	----	----	----	1 UNCH
415	----	----	----	0.0030B/0.0080A	----	0.0060 - 0.0010	.0135	----	----	----	----	53 UNCH
420	----	----	----	0.0035B/0.0080A	----	0.0065 - 0.0015	.0147	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 74

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
JUL26												
425	----	----	----	0.0060B/0.0120A	----	0.0070 - 0.0015	.0160	----	----	----	----	46 UNCH
430	----	----	----/*0.0090A	0.0050B/0.0090A	----	0.0075 - 0.0020	.0173	----	----	----	----	8 UNCH
435	----	----	----	0.0060B/0.0125A	----	0.0085 - 0.0015	.0195	----	----	----	----	5 UNCH
440	----	----	----	0.0075B/0.0135A	----	0.0090 - 0.0020	.0210	----	----	----	----	4 UNCH
445	----	----	----	0.0070B/*0.0145	----	0.0100 - 0.0020	.0233	----	----	----	----	3 UNCH
450	----	----	----	0.0075B/0.0135A	----	0.0105 - 0.0025	.0248	----	----	----	----	1920 UNCH
455	----	----	----/*0.0135A	0.0085B/0.0135A	----	0.0115 - 0.0025	.0273	----	----	----	----	9 UNCH
460	----	----	----/0.0130A	0.0090B/0.0130A	----	0.0125 - 0.0025	.0299	----	----	----	----	6 UNCH
470	----	----	----/*0.0160A	0.0125B/*0.0160	----	0.0150 - 0.0025	.0361	----	----	----	----	2 UNCH
475	----	----	----	0.0140B/*0.0195	----	0.0160 - 0.0030	.0389	----	----	2	----	512 + 2
480	----	----	----	0.0155B/*0.0210	----	0.0175 - 0.0030	.0428	----	----	----	----	70 UNCH
485	----	----	----	0.0170B/*0.0225	----	0.0195 - 0.0025	.0475	----	----	----	----	1 UNCH
490	----	----	----/*0.0210A	0.0200B/*0.0210	----	0.0210 - 0.0030	.0516	----	----	----	----	545 UNCH
495	----	----	----/*0.0255A	0.0210B/*0.0255	----	0.0235 - 0.0025	.0575	----	----	----	----	96 UNCH
500	----	----	----/*0.0275A	0.0245B/*0.0275	----	0.0255 - 0.0030	.0628	----	----	82	----	2685 + 69
505	----	----	----/*0.0300A	0.0265B/*0.0300	----	0.0285 - 0.0025	.0698	----	----	----	----	2 UNCH
510	----	----	----/*0.0305A	0.0295B/*0.0305	----	0.0315 - 0.0030	.0770	----	----	----	----	203 UNCH
520	----	----	----/*0.0380A	0.0395B/*0.0380	----	0.0390 - 0.0035	.0944	----	----	50	----	487 - 50
525	----	----	----/*0.0425A	0.0450B/*0.0425	----	0.0440 - 0.0040	.1053	----	----	----	----	523 UNCH
530	0.0525	0.0525	0.0525/*0.0480A	0.0525/*0.0480A	----	0.0490 - 0.0045	.1164	----	----	4	----	3225 - 3
533	----	----	----/*0.0510A	0.0550B/*0.0510	----	0.0530 - 0.0045	.1245	----	----	----	----	1 UNCH
534	----	----	----/*0.0525A	0.0555B/*0.0525	----	0.0540 - 0.0050	.1268	----	----	----	----	2 UNCH
535	----	----	----/*0.0540A	0.0570B/*0.0540	----	0.0555 - 0.0045	.1297	----	----	----	----	1 UNCH
539	----	----	----/*0.0590A	0.0630B/*0.0590	----	0.0610 - 0.0050	.1409	----	----	----	----	1 UNCH
540	----	----	----/*0.0610A	0.0645B/*0.0610	----	0.0625 - 0.0050	.1438	----	----	----	----	868 UNCH
541	----	----	----/*0.0620A	0.0665B/*0.0620	----	0.0640 - 0.0050	.1468	----	----	----	----	1 UNCH
542	----	----	----/*0.0635A	0.0680B/*0.0635	----	0.0655 - 0.0050	.1498	----	----	----	----	2 UNCH
543	----	----	----/*0.0650A	0.0700B/*0.0650	----	0.0675 - 0.0050	.1534	----	----	----	----	3 UNCH
545	----	----	----/*0.0690A	0.0740B/*0.0690	----	0.0705 - 0.0055	.1594	----	----	----	----	3 UNCH
548	----	----	----/*0.0735A	0.0800B/*0.0735	----	0.0760 - 0.0055	.1696	----	----	----	----	1 UNCH
550	0.0785	0.0785	0.0790/*0.0765A	0.0850B/*0.0765	----	0.0795 - 0.0055	.1763	----	----	64	----	697 + 24
552	----	----	----/*0.0810A	0.0875B/*0.0810	----	0.0835 - 0.0060	.1835	----	----	----	----	2 UNCH
554	----	----	----/*0.0850A	0.0925B/*0.0850	----	0.0875 - 0.0060	.1908	----	----	----	----	10 UNCH
555	----	----	----/*0.0875A	0.0950B/*0.0875	----	0.0895 - 0.0065	.1944	----	----	----	----	54 UNCH
556	----	----	----/*0.0890A	0.0975B/*0.0890	----	0.0920 - 0.0060	.1985	----	----	----	----	1 UNCH
560	0.1015	0.1015	0.1085B/*0.0980	0.1085B/*0.0980	----	0.1010 - 0.0065	.2141	----	----	2	----	153 UNCH
565	----	----	----/*0.1115A	0.1205B/*0.1115	----	0.1135 - 0.0075	.2348	----	----	----	----	9 UNCH
570	----	----	----/*0.1255A	0.1360B/*0.1255	----	0.1280 - 0.0080	.2571	----	----	----	----	94 UNCH
571	----	----	----/*0.1285A	0.1390B/*0.1285	----	0.1310 - 0.0080	.2617	----	----	----	----	22 UNCH
574	----	----	0.1490B/*0.1370	0.1490B/*0.1370	----	0.1405 - 0.0080	.2756	----	----	----	----	5 UNCH
575	----	----	0.1540B/*0.1400	0.1540B/*0.1400	----	0.1435 - 0.0080	.2802	----	----	----	----	201 UNCH
580	0.1535	0.1535	0.1720B/*0.1535	0.1720B/*0.1535	----	0.1605 - 0.0080	.3041	----	----	14	----	1780 - 2
585	----	----	0.1895B/*0.1755	0.1895B/*0.1755	----	0.1790 - 0.0070	.3287	----	----	----	----	24 UNCH
586	----	----	0.1940B/*0.1790	0.1940B/*0.1790	----	0.1830 - 0.0065	.3338	----	----	----	----	7 UNCH
587	----	----	0.1980B/*0.1835	0.1980B/*0.1835	----	0.1870 - 0.0065	.3388	----	----	----	----	7 UNCH
588	----	----	0.2020B/*0.1875	0.2020B/*0.1875	----	0.1910 - 0.0065	.3439	----	----	----	----	1 UNCH
589	----	----	0.2065B/*0.1910	0.2065B/*0.1910	----	0.1950 - 0.0065	.3489	----	----	----	----	7 UNCH
590	----	----	0.2130B/*0.1940	0.2130B/*0.1940	----	0.1990 - 0.0065	.3539	----	----	----	----	382 UNCH
595	----	----	0.2315B/*0.2170	0.2315B/*0.2170	----	0.2205 - 0.0060	.3795	----	----	----	----	3 UNCH
600	----	----	0.2570B/*0.2395	0.2570B/*0.2395	----	0.2430 - 0.0065	.4053	----	----	30	----	90 + 19
605	0.2650	0.2650	0.2805B/*0.2630	0.2805B/*0.2630	----	0.2675 - 0.0065	.4312	----	----	1	----	3 + 1
610	----	----	0.3095B/*0.2880	0.3095B/*0.2880	----	0.2935 - 0.0070	.4569	----	----	----	----	47 UNCH
615	----	----	0.3390B/*0.3135	0.3390B/*0.3135	----	0.3205 - 0.0075	.4825	----	----	----	----	10 UNCH
700	----	----	----	----	----	0.9525 + 0.0015	.8029	----	----	----	----	1 UNCH
705	----	----	----	----	----	0.9960 + 0.0020	.8144	----	----	----	----	1 UNCH
TOTAL										329		15584 + 138
AUG26												
405	----	----	----	0.0035B/*0.0175	----	0.0100 - 0.0010	.0186	----	----	----	----	3 UNCH
420	----	----	----	0.0055B/*0.0195	----	0.0120 - 0.0010	.0228	----	----	----	----	1 UNCH
440	----	----	----	0.0110B/0.0225A	----	0.0150 - 0.0015	.0297	----	----	----	----	11 UNCH
450	----	----	----	0.0140B/*0.0215	----	0.0170 - 0.0020	.0343	----	----	----	----	4 UNCH
475	----	----	----	0.0220B/*0.0290	----	0.0250 - 0.0030	.0513	----	----	2	----	4 + 2
480	----	----	----	0.0245B/*0.0315	----	0.0275 - 0.0030	.0562	----	----	----	----	4 UNCH
500	----	----	----/*0.0440A	0.0380B/*0.0440	----	0.0405 - 0.0040	.0811	----	----	----	----	3 UNCH
510	----	----	----/*0.0535A	0.0485B/*0.0535	----	0.0500 - 0.0045	.0981	----	----	----	----	1 UNCH
520	----	----	----/*0.0650A	0.0605B/*0.0650	----	0.0615 - 0.0050	.1178	----	----	----	----	300 UNCH
530	----	----	----/*0.0795A	0.0760B/*0.0795	----	0.0760 - 0.0050	.1412	----	----	----	----	1 UNCH
550	----	----	----/*0.1175A	0.1160B/*0.1175	----	0.1145 - 0.0060	.1980	----	----	----	----	1 UNCH
565	----	----	----/*0.1570A	0.1565B/*0.1570	----	0.1535 - 0.0065	.2491	----	----	----	----	1 UNCH
580	----	----	----/*0.2060A	0.2080B/*0.2060	----	0.2030 - 0.0065	.3064	----	----	----	----	250 UNCH
585	----	----	----/*0.2245A	0.2275B/*0.2245	----	0.2215 - 0.0070	.3263	----	----	----	----	7 UNCH
590	----	----	----/*0.2445A	0.2485B/*0.2445	----	0.2415 - 0.0070	.3467	----	----	----	----	14 UNCH
625	----	----	0.4270B/*0.4140	0.4270B/*0.4140	----	0.4155 NEW	.4924	----	----	5	----	5 + 5
TOTAL										7		610 + 7
SEP26												
400	----	----	----	0.0060B/*0.0210	----	0.0130 - 0.0010	.0220	----	----	----	----	1 UNCH
450	----	----	----	0.0185B/*0.0315	----	0.0235 - 0.0030	.0429	----	----	----	----	578 UNCH
470	----	----	----	0.0290B/*0.0405	----	0.0330 - 0.0040	.0598	----	----	----	----	3 UNCH
475	----	----	----	0.0325B/*0.0440	----	0.0360 - 0.0045	.0650	----	----	2	----	72 + 2
480	----	----	----	0.0360B/*0.0475	----	0.0395 - 0.0050	.0709	----	----	----	----	7 UNCH
485	----	----	----	0.0405B/*0.0515	----	0.0435 - 0.0055	.0774	----	----	----	----	1 UNCH
490	----	----	----	0.0415B/*0.0585	----	0.0480 - 0.0055	.0846	----	----	----	----	9 UNCH
500	----	----	----	0.0525B/*0.0680	----	0.0590 - 0.0055	.1013	----	----	----	----	377 UNCH
520	----	----	----	0.0820B/*0.0960	----	0.0880 - 0.0055	.1422	----	----	----	----	3 UNCH
525	----	----	----	0.0910B/*0.1045	----	0.0965 - 0.0060	.1537	----	----	----	----	325 UNCH
535	----	----	----	0.1120B/*0.1245	----	0.1165 - 0.0060	.1792	----	----	----	----	350 UNCH
540	----	----	----/*0.1325A	0.1260B/*0.1325	----	0.1280 - 0.0060	.1931	----	----	----	----	1 UNCH
550	----	----	----/*0.1575A	0.1515B/*0.1575	----	0.1530 - 0.0060	.2222	----	----	----	----	21 UNCH
560	0.1900	0.1900	0.1900/*0.1855A	0.1900/*0.1855A	----	0.1815 NEW	.2535	----	----	6	----	6 + 6
570	----	----	----/*0.2175A	0.2155B/*0.2175	----	0.2145 - 0.0065	.2869	----	----	----	----	3 UNCH
575	----	----	----/*0.2355A	0.2340B/*0.2355	----	0.2320 - 0.0070	.3040	----	----	----	----	102 UNCH
580	----	----	----/*0.2545A	0.2535B/*0.2545	----	0.2510 - 0.0070	.3216	----	----	----	----	2 UNCH
590	----	----	----/*0.2950A	0.2965B/*0.2950	----	0.2920 - 0.0075	.3575	----	----	----	----	2 UNCH
600	----	----	----/*0.3390A	0.3435B/*0.3390	----	0.3375 - 0.0075	.3940	----	----	----	----	9 UNCH
610	----	----	----/*0.3875A	0.3945B/*0.3875	----	0.3870 - 0.0080	.4308	----	----	----	----	6 UNCH
615	----	----	----/*0.4130A	0.4215B/*0.4130	----	0.4135 - 0.0080	.4490	----	----	----	----	1 UNCH
620	0.4500	0.4500	0.4500/*0.4400A	0.4500/*0.4400A	----	0.4410 NEW	.4672	----	----	1	----	1 + 1
625	----	----	0.4790B/*0.4675	0.4790B/*0.4675	----	0.4695 - 0.0080	.4851	----	----	----	----	147 UNCH
695	----	----	0.9670B/*0.9395	0.9670B/*0.9395	----	0.9545 - 0.0040	.6981	----	----	----	----	2 UNCH
TOTAL										9		2029 + 9
OCT26												
375	----	----	----	0.0030B/0.0235A	----	0.0130 - 0.0010	.0191	----	----	----	----	2 UNCH
400	----	----	----	0.0070B/*0.0270	----	0.0165 - 0.0010	.0253	----	----	----	----	1 UNCH
450	----	----	----	0.0210B/*0.0410	----	0.0310 - 0.0040	.0496	----	----	----	----	1 UNCH
470	----	----	----	0.0335B/*0.0530	----	0.0430 - 0.0065	.0678	----	----	----	----	1 UNCH
475	----	----	----	0.0345B/*0.0645	----	0.0465 NEW	.0730	----	----	2	----	2 + 2
500	----	----	----	0.0615B/*0.0890	----	0.0730 - 0.0085	.1089	----	----	----	----	116 UNCH
570	----	----	----	0.2245B/*0.2445	----	0.2330 - 0.0070	.2767	----	----	----	----	4 UNCH
TOTAL										2		127 + 2
NOV26												
400	----	----	----	0.0075B/*0.0355	----	0.0210 - 0.0020	.0301	----	----	----	----	10 UNCH
475	----	----	----	0.0490B/*0.0760	----	0.0615 - 0.0040	.0863	----	----	----	----	2 UNCH
590	----	----	----	0.3470B/*0.3645	----	0.3530 - 0.0040	.3458	----	----	----	----	1 UNCH
735	----	----	1.2900B/*1.2800	1.2900B/*1.2800	----	1.2870 - 0.0005	.7162	----	----	----	----	2 UNCH
TOTAL												15
DEC26												
380	0.0230	0.0230	#0.0230/*0.0230	0.0230/*0.0230	----	0.0210 NEW	.0275	----	----	2	----	2 + 2
385	----	----	----	0.0055B/*0.0390	----	0.0220 - 0.0020	.0291	----	----	----	----	1 UNCH
400	----	----	----	0.0095B/0.0425A	----	0.0260 - 0.0020	.0348	----	----	----	----	18 UNCH
420	----	----	----	0.0165B/*0.0500	----	0.0330 - 0.0025	.0448	----	----	----	----	2 UNCH
475	----	----	----	0.0610B/*0.0935	----	0.0760 - 0.0050	.0973	----	----	----	----	76 UNCH
480	0.0750	0.0750	0.0850/*0.0750	0.0850/*0.0750	----	0.0825 NEW	.1045	----	----	10	----	10 + 10
490	----	----	----	0.0825B/*0.1145	----	0.0970 - 0.0055	.1199	----	----	----	----	5 UNCH
500	----	----	----	0.1000B/*0.1315	----	0.1135 - 0.0060	.1369	----	----	----	----	53 UNCH
550	----	----	----	0.2250B/*0.2555	----	0.2370 - 0.0050	.2449	----	----	----	----	2 UNCH
560	----	----	----	0.2595B/*0.2880	----	0.2705 - 0.0045	.2702	----	----	----	----	300 UNCH
570	----	----	----	0.2965B/*0.3240	----	0.3075 - 0.0040	.2963	----	----	----	----	1 UNCH
580	----	----	----	0.3375B/*0.3635	----	0.3470 - 0.0045	.3230	----	----	----	----	22 UNCH
600	----	----	----	0.4280B/*0.4510	----	0.4365 - 0.0045	.3777	----	----	----	----	26 UNCH
630	----	----	----	0.5870B/*0.6055	----	0.5935 - 0.0045	.4599	----	----	----	----	18 UNCH
TOTAL										12		536 + 12
JAN27												

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000
FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
JAN27												
400	----	----	----	----	----	0.0245 UNCH	.0325	----	----	----	----	8 UNCH
TOTAL												8
FEB27												
400	----	----	----	----	----	0.0305 UNCH	.0377	----	----	----	----	2 UNCH
TOTAL												2
MAR27												
275	----	----	----	----	----	0.0165 UNCH	.0147	----	----	----	----	1 UNCH
TOTAL												1
HXE CALL		COPPER OPTIONS										
APR26												
558	----	----	----	----	----	0.5010 - 0.0095	.9702	----	----	----	----	11 UNCH
574	----	----	#0.3795B/0.3145	#0.3795B/0.3145	----	0.3370 - 0.0090	.0000	----	----	----	----	1 UNCH
575	0.3785	0.3785	#0.3785/0.3170A	#0.3785/0.3170A	----	0.3370 - 0.0105	.9234	----	----	5	----	0 - 5
578	----	----	#0.3395B/0.2745	#0.3395B/0.2745	----	0.2970 - 0.0095	.0000	----	----	----	----	1 UNCH
580	----	----	0.3195B/0.2545A	0.3195B/0.2545A	----	0.2770 - 0.0105	.0000	----	----	----	----	7 UNCH
580	----	----	#0.3300B/0.2720	#0.3300B/0.2720	----	0.2910 - 0.0110	.8940	----	----	----	----	2 UNCH
581	----	----	#0.3095B/0.2445	#0.3095B/0.2445	----	0.2670 - 0.0105	.0000	----	----	----	----	1 UNCH
589	----	----	#0.2305B/0.1655	#0.2305B/0.1655	----	0.1875 - 0.0135	.9968	----	----	----	----	4 UNCH
590	----	----	0.2205B/0.1560A	0.2205B/0.1560A	----	0.1775 - 0.0140	.9965	----	----	----	----	10 UNCH
590	----	----	#0.2415B/0.1910	#0.2415B/0.1910	----	0.2065 - 0.0125	.7947	----	----	----	----	1 UNCH
595	----	----	0.1725B/0.1090A	0.1725B/0.1090A	----	0.1295 - 0.0175	.9789	----	----	----	----	5 UNCH
595	0.2100	0.2100	0.2100/0.2030A	0.2100/0.2030A	----	0.1700 - 0.0130	.7226	----	----	5	----	2 - 5
596	----	----	#0.1630B/0.1000	#0.1630B/0.1000	----	0.1205 - 0.0180	.9680	----	----	----	----	1 UNCH
600	----	----	0.1265B/0.0690A	0.1265B/0.0690A	----	0.0855 - 0.0220	.8947	----	----	----	----	0 UNCH
600	0.1200	0.1200	0.1200/0.1200	0.1445B/0.1200	----	0.1380 - 0.0130	.6403	----	----	2	----	11 + 1
605	----	----	0.0850B/0.0415A	0.0850B/0.0415A	----	0.0510 - 0.0235	.6620	----	----	1	----	0 - 1
606	0.0295	0.0295	0.0780B/0.0295	0.0780B/0.0295	----	0.0450 NEW	.6036	----	----	3	----	3 + 3
607	0.0390	0.0390	0.0710B/0.0330A	0.0710B/0.0330A	----	0.0400 - 0.0240	.5419	----	----	10	----	11 + 10
609	0.0140	0.0140	0.0580B/*0.0140	0.0580B/*0.0140	----	0.0305 - 0.0235	.4202	----	----	2	----	3 + 2
610	0.0365	0.0365	0.0525B/0.0230A	0.0525B/0.0230A	----	0.0265 NEW	.3623	----	----	58	----	52 + 52
620	0.0100	0.0100	0.0100/*0.0040A	0.0110B/*0.0040	----	0.0045 - 0.0135	.0348	----	----	9	----	16 + 6
620	----	----	0.0655B/0.0465A	0.0655B/0.0465A	----	0.0525 - 0.0105	.3122	----	----	----	----	7 UNCH
625	0.0120	0.0120	0.0120/*0.0070A	0.0120/*0.0070A	----	0.0015 NEW	.0062	----	----	10	----	10 + 10
635	0.0330	0.0330	0.0330/0.0230A	0.0330/0.0230A	----	0.0235 - 0.0070	.1518	----	----	2	----	6 + 2
640	----	----	----	----/*0.0045A	----	0.0005 - 0.0010	----	----	----	----	----	3 UNCH
640	0.0180	0.0180	0.0180/0.0180	0.0205B/0.0180	----	0.0175 - 0.0065	.1154	----	----	1	----	0 - 1
650	----	----	----	----/0.0045A	----	0.0005 UNCH	----	----	----	----	----	10 UNCH
670	----	----	----	----/*0.0040A	----	0.0005 UNCH	----	----	----	----	----	3 UNCH
TOTAL										108		181 + 74
MAY26												
580	----	----	----	0.3580B/0.3935A	----	0.3595 - 0.0145	.8620	----	----	----	----	1 UNCH
593	----	----	----	0.2525B/0.2945A	----	0.2540 - 0.0160	.7544	----	----	----	----	1 UNCH
595	----	----	0.2595B/0.2235A	0.2595B/0.2235A	----	0.2395 - 0.0160	.7343	----	----	----	----	1 UNCH
605	----	----	0.2025B/0.1625A	0.2025B/0.1625A	----	0.1755 - 0.0175	.6160	----	----	----	----	1 UNCH
TOTAL												4
HXE PUT		COPPER OPTIONS										
APR26												
490	----	----	----	----/*0.0040A	----	0.0005 UNCH	----	----	----	----	----	2 UNCH
510	----	----	----	----/0.0040A	----	0.0005 UNCH	----	----	----	----	----	24 UNCH
524	----	----	----	----/*0.0075A	----	0.0010 UNCH	.0052	----	----	----	----	1 UNCH
565	----	----	----	----/*0.0055A	----	0.0005 UNCH	----	----	----	----	----	2 UNCH
568	----	----	----	----/*0.0055A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
570	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
575	----	----	----	----/0.0055A	----	0.0005 - 0.0005	----	----	----	----	----	1 UNCH
580	0.0010	0.0010	0.0010/*0.0010	0.0010/*0.0010	----	0.0005 - 0.0020	.0000	----	----	13	----	38 + 11
589	----	----	----	0.0005B/*0.0065	----	0.0010 - 0.0050	.0031	----	----	----	----	4 UNCH
590	----	----	----	----/*0.0065A	----	0.0010 - 0.0055	.0034	----	----	----	----	1 UNCH
595	0.0070	0.0070	0.0075/*0.0050	0.0075/*0.0050	----	0.0030 - 0.0090	.0210	----	----	62	----	69 + 14
596	----	----	----/*0.0105A	0.0015B/*0.0105	----	0.0040 - 0.0095	.0319	----	----	----	----	1 UNCH
600	0.0100	0.0100	0.0100/*0.0100	0.0100/*0.0100	----	0.0090 - 0.0135	.1051	----	----	25	----	27 + 25
600	----	----	0.0670B/*0.0605	0.0670B/*0.0605	----	0.0615 - 0.0045	.3594	----	----	----	----	1 UNCH
605	0.0265	0.0265	0.0265/*0.0265	0.0310B/*0.0265	----	0.0245 - 0.0150	.3379	----	----	1	----	53 + 1
606	----	----	----/*0.0320A	0.0365B/*0.0320	----	0.0285 - 0.0155	.3963	----	----	----	----	4 UNCH
608	----	----	----/*0.0395A	0.0485B/*0.0395	----	0.0385 - 0.0150	.5192	----	----	----	----	1 UNCH
609	----	----	----/*0.0435A	0.0550B/*0.0435	----	0.0440 - 0.0150	.5797	----	----	----	----	1 UNCH
619	----	----	#0.1400B/*0.098	0.1400B/*0.0985	----	0.1190 - 0.0060	.9529	----	----	----	----	6 UNCH
TOTAL										101		238 + 51
MAY26												
465	----	----	----	----/0.0070A	----	0.0005 UNCH	.0010	----	----	----	----	14 UNCH
510	----	----	----	----/*0.0085A	----	0.0025 - 0.0005	.0111	----	----	----	----	1 UNCH
599	----	----	----/*0.0680A	0.0730B/*0.0680	----	0.0675 - 0.0065	.3103	----	----	----	----	1 UNCH
TOTAL												16

ALUMINIUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST

PLATINUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO CALL		NYMEX PALLADIUM OPTIONS										
MAY26												
1575	----	----	----	----	----	13.40 UNCH	----	----	----	----	----	0 UNCH
1585	----	----	----	----	----	3.40 UNCH	----	----	----	----	----	0 UNCH
TOTAL												0 0
JUN26												
1400	----	----	220.80B/193.60A	220.80B/193.60A	----	203.50 - 12.20	.8273	----	----	----	----	75 UNCH
1440	----	----	----	----	----	171.50 - 13.00	.7758	----	----	----	----	1 UNCH
1460	----	----	----	----	----	156.70 - 13.10	.7455	----	----	----	----	25 UNCH
1500	----	----	144.80B/124.10A	144.80B/124.10A	----	129.90 - 12.90	.6778	----	----	----	----	110 UNCH
1525	----	----	128.70B/110.40A	128.70B/110.40A	----	115.00 - 12.40	.6322	----	----	----	----	5 UNCH
1550	----	----	113.80B/98.10A	113.80B/98.10A	----	101.50 - 11.80	.5854	----	----	----	----	14 UNCH
1575	----	----	----/86.90A	100.30B/86.90A	----	89.30 - 11.10	.5386	----	----	----	----	15 UNCH
1600	90.30	90.30	90.30/76.70A	90.30/76.70A	----	78.20 - 10.50	.4924	----	----	1	----	64 UNCH
1650	66.50	66.50	68.80/59.30A	68.80/59.30A	----	59.40 NEW	.4045	----	----	4	----	4 + 4
1655	----	----	----/57.80A	64.60B/57.80A	----	57.70 - 9.00	.3960	----	----	----	----	1 UNCH
1700	----	----	----/45.80A	49.30B/45.80A	----	44.60 - 7.90	.3255	----	----	----	----	55 UNCH
1750	----	----	----/35.90A	36.10B/35.90A	----	33.40 - 6.80	.2581	----	----	----	----	10 UNCH
1800	----	----	----/*28.70A	26.40B/28.70A	----	25.40 - 5.80	.2042	----	----	----	----	112 UNCH
1850	----	----	----/*23.50A	19.40B/23.50A	----	19.80 - 5.00	.1629	----	----	----	----	2 UNCH
1900	----	----	----/*19.90A	14.30B/19.90A	----	15.80 - 4.30	.1315	----	----	----	----	64 UNCH
1925	----	----	----	12.30B/*18.60A	----	14.20 - 4.10	.1186	----	----	----	----	40 UNCH
1950	----	----	----	10.60B/*17.40A	----	12.90 - 3.80	.1077	----	----	----	----	10 UNCH
2000	----	----	----	7.80B/*15.40A	----	10.70 - 3.40	.0893	----	----	----	----	108 UNCH
2100	----	----	----	4.10B/*12.70A	----	6.60 - 2.40	.0569	----	----	----	----	52 UNCH
2200	----	----	----	1.90B/*11.00A	----	4.10 - 1.70	.0363	----	----	----	----	8 UNCH
2300	----	----	----	0.40B/*9.80A	----	2.70 - 1.20	.0241	----	----	----	----	30 UNCH
2400	----	----	----	----/*8.90A	----	1.90 - 0.90	.0169	----	----	----	----	7 UNCH
2500	----	----	----	----/*8.20A	----	1.20 - 0.70	.0109	----	----	----	----	25 UNCH
2700	----	----	----	----/*7.20A	----	0.60 - 0.30	.0054	----	----	----	----	50 UNCH
3000	----	----	----	----/*6.20A	----	0.20 - 0.10	.0018	----	----	----	----	30 UNCH
3500	----	----	----	----/*5.50A	----	0.10 UNCH	.0001	----	----	----	----	25 UNCH
TOTAL										5		942 + 4
JUL26												
1800	----	----	----/61.20A	60.90B/61.20A	----	58.60 - 7.00	.3141	----	----	----	----	29 UNCH
TOTAL												29 0
SEP26												
1400	----	----	----/274.20A	291.80B/274.20A	----	281.60 - 10.40	.7413	----	----	----	----	75 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO CALL		NYMEX PALLADIUM OPTIONS										
SEP26												
1575	----	----	----/183.90A	195.30B/183.90A	----	189.50 - 9.00	.5822	----	----	----	----	25 UNCH
1665	----	----	----/149.70A	158.10B/149.70A	----	154.30 - 8.20	.5039	----	----	----	----	9 UNCH
1700	----	----	----/138.20A	145.50B/138.20A	----	142.30 - 7.90	.4752	----	----	----	----	5 UNCH
1800	----	----	----/110.00A	114.40B/110.00A	----	113.10 - 6.90	.3997	----	----	----	----	1 UNCH
1900	----	----	----/88.50A	90.10B/88.50A	----	90.60 - 6.00	.3350	----	----	----	----	5 UNCH
2100	----	----	----/*61.00A	57.70B/61.00A	----	60.80 - 4.50	.2381	----	----	----	----	25 UNCH
2200	----	----	----/*52.30A	47.30B/52.30A	----	51.90 - 4.10	.2051	----	----	----	----	5 UNCH
2400	----	----	----/40.30A	33.20B/40.30A	----	40.50 - 3.40	.1593	----	----	----	----	15 UNCH
2550	----	----	----/*34.30A	26.00B/34.30A	----	34.10 - 3.10	.1339	----	----	----	----	50 UNCH
TOTAL												215 0
DEC26												
2000	----	----	----	----	----	186.90 - 3.60	.4224	----	----	----	----	1 UNCH
3000	----	----	----	----	----	112.20 - 2.40	.2464	----	----	----	----	1 UNCH
TOTAL												2 0
PAO PUT		NYMEX PALLADIUM OPTIONS										
MAY26												
1605	----	----	----	----	----	16.60 UNCH	----	----	----	----	----	0 UNCH
1610	----	----	----	----	----	21.60 UNCH	----	----	----	----	----	0 UNCH
1615	----	----	----	----	----	26.60 UNCH	----	----	----	----	----	0 UNCH
1675	----	----	----	----	----	86.60 UNCH	----	----	----	----	----	0 UNCH
1820	----	----	----	----	----	231.60 UNCH	----	----	----	----	----	0 UNCH
TOTAL												0 0
JUN26												
1200	----	----	----	1.30B/*10.20A	----	4.30 - 2.00	.0368	----	----	----	----	15 UNCH
1250	----	----	----	4.40B/*12.80A	----	6.80 - 3.00	.0568	----	----	----	----	1 UNCH
1300	----	----	----	8.70B/*16.40A	----	10.50 - 3.60	.0851	----	----	----	----	75 UNCH
1325	----	----	----	11.50B/*18.60A	----	12.90 - 3.80	.1029	----	----	10	----	18 UNCH
1335	----	----	----	12.70B/*19.60A	----	13.90 - 4.00	.1105	----	----	----	----	1 UNCH
1350	----	----	----	14.70B/*21.20A	----	15.60 - 4.30	.1229	----	----	----	----	5 UNCH
1400	----	----	----	22.70B/28.30A	----	22.60 - 5.20	.1725	----	----	----	----	217 UNCH
1440	----	----	----/36.40A	31.40B/36.40A	----	30.60 - 5.90	.2241	----	----	----	----	4 UNCH
1450	38.00	38.00	38.00/38.00	38.00/38.00	----	33.10 - 5.90	.2389	----	----	20	----	99 + 20
1460	----	----	----/41.50A	36.80B/41.50A	----	35.80 - 6.00	.2544	----	----	----	----	25 UNCH
1475	----	----	----/45.90A	41.50B/45.90A	----	40.20 NEW	.2786	----	----	10	----	10 + 10
1500	----	----	----/54.40A	50.50B/54.40A	----	48.80 - 5.80	.3220	----	----	----	50	53 + 50
1750	----	----	209.50B/197.20A	209.50B/197.20A	----	201.70 + 0.30	.7418	----	----	----	----	1 UNCH
1900	----	----	344.50B/324.00A	344.50B/324.00A	----	333.70 + 2.80	.8683	----	----	----	----	50 UNCH
TOTAL									50	40		574 + 80
JUL26												
1285	----	----	----	15.90B/*25.40A	----	18.90 - 3.10	.1100	----	----	----	----	9 UNCH
1300	21.00	21.00	21.00/*21.00	21.00/*21.00	----	20.80 - 3.30	.1199	----	----	10	----	95 + 10
1400	----	----	----	37.20B/45.40A	----	38.70 - 4.30	.2045	----	----	----	----	20 UNCH
1450	----	----	----	51.70B/59.20A	----	52.40 - 4.50	.2599	----	----	----	----	30 UNCH
TOTAL										10		154 + 10
SEP26												
1300	----	----	----	43.10B/52.40A	----	48.30 - 2.90	.1789	----	----	----	----	10 UNCH
1465	----	----	----	100.30B/*109.20	----	103.30 - 2.80	.3166	----	----	----	----	150 UNCH
1550	----	----	----	142.30B/*151.30	----	145.00 - 2.00	.3948	----	----	----	----	100 UNCH
1575	----	----	----	156.10B/165.20A	----	158.80 - 1.70	.4174	----	----	----	----	25 UNCH
1650	----	----	----	201.70B/208.20A	----	203.30 - 1.00	.4831	----	----	----	----	50 UNCH
1925	----	----	404.50B/----	404.50B/401.40A	----	402.00 + 1.60	.6790	----	----	----	----	75 UNCH
TOTAL												410 0
DEC26												
1500	----	----	----	----	----	201.40 NEW	.3444	----	----	----	40	40 + 40
TOTAL									40			40 + 40
PAW OOF		PALLADIUM WEEKLY FRIDAY OPTION Week										
APR26												
1600	----	----	----/*12.20A	18.80B/*12.20A	----	10.00 - 12.20	.2801	----	----	----	----	1 UNCH
1650	21.20	21.20	21.20/21.20	25.70B/21.20	----	21.70 NEW	.2864	----	----	1	----	1 + 1
TOTAL										1		2 + 1
PLW OOF		PLATINUM WEEKLY FRIDAY OPTION Week4										
APR26												
1755	----	----	----	----/*4.70A	----	1.40 - 0.60	.0142	----	----	----	----	27 UNCH
1765	----	----	----	----/*3.20A	----	0.10 UNCH	----	----	----	----	----	27 UNCH
1790	----	----	----	----/*3.20A	----	0.10 UNCH	----	----	----	----	----	27 UNCH
1840	----	----	----	----/*3.20A	----	0.10 - 0.20	----	----	----	----	----	27 UNCH
1935	----	----	----	----/*3.80A	----	0.40 - 1.80	.0009	----	----	----	----	25 UNCH
2040	----	----	----	----	----	77.30 - 23.10	.9340	----	----	----	----	10 UNCH
2085	----	----	56.60B/*36.30A	56.60B/*36.30A	----	49.00 + 1.90	.4123	----	----	----	----	26 UNCH
2090	----	----	----/63.70A	67.40B/63.70A	----	73.40 - 16.10	.5740	----	----	----	----	26 UNCH
2090	----	----	59.20B/*37.80A	59.20B/*37.80A	----	51.30 + 2.20	.4259	----	----	----	----	26 UNCH
2095	----	----	----/25.40A	27.70B/25.40A	----	33.90 - 22.70	.6587	----	----	----	----	18 UNCH
2095	----	----	61.90B/*39.30A	61.90B/*39.30A	----	53.50 + 2.40	.4393	----	----	----	----	53 UNCH
2095	----	----	----/61.40A	66.20B/61.40A	----	70.70 - 15.90	.5606	----	----	----	----	26 UNCH
2100	62.00	62.00	101.00B/59.20A	101.00B/59.20A	----	68.10 NEW	.5470	----	----	20	----	20 + 20
2120	----	----	----/50.80A	69.40B/50.80A	----	58.30 - 14.60	.4926	----	----	----	----	27 UNCH
2135	----	----	33.80B/*12.40A	33.80B/*12.40A	----	14.20 - 18.30	.2985	----	----	----	----	5 UNCH
2150	----	----	34.80B/*9.50A	34.80B/*9.50A	----	9.80 - 16.00	.1911	----	----	----	----	25 UNCH
2150	----	----	66.00B/*24.80A	66.00B/*24.80A	----	47.60 + 2.30	.8088	----	----	----	----	12 UNCH
2155	----	----	----/*26.80A	35.40B/*26.80A	----	51.40 + 3.00	.8381	----	----	----	----	12 UNCH
2160	----	----	----/*29.00A	35.90B/*29.00A	----	55.30 + 3.70	.8645	----	----	----	----	12 UNCH
2160	----	----	28.40B/*8.10A	28.40B/*8.10A	----	7.50 - 14.60	.1354	----	----	----	----	12 UNCH
2210	----	----	#43.00B/*24.70A	43.00B/*24.70A	----	27.00 - 10.00	.2719	----	----	----	----	5 UNCH
2230	----	----	----/*4.60A	5.20B/*4.60A	----	0.90 - 5.90	.0053	----	----	----	----	25 UNCH
2265	----	----	----	0.70B/*4.10A	----	0.20 - 3.20	.0004	----	----	----	----	26 UNCH
TOTAL										20		499 + 20
MAY26												
1700	----	----	----	0.20B/*5.90A	----	2.30 - 0.40	.0211	----	----	----	----	3 UNCH
1915	----	----	----	----	----	216.40 - 19.20	.8465	----	----	----	----	20 UNCH
2000	38.00	38.00	40.10B/*31.80A	40.10B/*31.80A	----	37.30 NEW	.2690	----	----	10	----	10 + 10
2050	----	----	#153.80B/103.90	#153.80B/103.90	----	116.20 - 16.40	.6413	----	----	----	----	10 UNCH
2200	45.00	45.00	67.90B/44.20A	67.90B/44.20A	----	48.80 NEW	.3541	----	----	20	----	20 + 20
TOTAL										30		63 + 30
PO CALL		PLATINUM OPTIONS										
MAY26												
1750	----	----	----	----	----	380.50 UNCH	----	----	----	----	----	0 UNCH
1800	----	----	----	----	----	330.50 UNCH	----	----	----	----	----	0 UNCH
1850	----	----	----	----	----	280.50 UNCH	----	----	----	----	----	0 UNCH
1950	----	----	----	----	----	180.50 UNCH	----	----	----	----	----	0 UNCH
1995	----	----	----	----	----	135.50 UNCH	----	----	----	----	----	0 UNCH
2000	----	----	----	----	----	130.50 UNCH	----	----	----	----	----	0 UNCH
2005	----	----	----	----	----	125.50 UNCH	----	----	----	----	----	0 UNCH
2025	----	----	----	----	----	105.50 UNCH	----	----	----	----	----	0 UNCH
2040	----	----	----	----	----	90.50 UNCH	----	----	----	----	----	0 UNCH
2045	----	----	----	----	----	85.50 UNCH	----	----	----	----	----	0 UNCH
2050	----	----	----	----	----	80.50 UNCH	----	----	----	----	----	0 UNCH
2055	----	----	----	----	----	75.50 UNCH	----	----	----	----	----	0 UNCH
2060	----	----	----	----	----	70.50 UNCH	----	----	----	----	----	0 UNCH
2065	----	----	----	----	----	65.50 UNCH	----	----	----	----	----	0 UNCH
2070	----	----	----	----	----	60.50 UNCH	----	----	----	----	----	0 UNCH
2075	----	----	----	----	----	55.50 UNCH	----	----	----	----	----	0 UNCH
2080	----	----	----	----	----	50.50 UNCH	----	----	----	----	----	0 UNCH
2085	----	----	----	----	----	45.50 UNCH	----	----	----	----	----	0 UNCH
2090	----	----	----	----	----	40.50 UNCH	----	----	----	----	----	0 UNCH
2095	----	----	----	----	----	35.50 UNCH	----	----	----	----	----	0 UNCH
2100	----	----	----	----	----	30.50 UNCH	----	----	----	----	----	0 UNCH
2105	----	----	----	----	----	25.50 UNCH	----	----	----	----	----	0 UNCH
2110	----	----	----	----	----	20.50 UNCH	----	----	----	----	----	0 UNCH
2115	----	----	----	----	----	15.50 UNCH	----	----	----	----	----	0 UNCH
2120	----	----	----	----	----	10.50 UNCH	----	----	----	----	----	0 UNCH
2125	----	----	----	----	----	5.50 UNCH	----	----	----	----	----	0 UNCH
2130	----	----	----	----	----	0.50 UNCH	----	----	----	----	----	0 UNCH
TOTAL												0 0
JUN26												
1900	----	----	298.10B/233.80A	298.10B/233.80A	----	251.70 - 19.30	.7900	----	----	----	----	1 UNCH
2000	----	----	222.00B/168.00A	222.00B/168.00A	----	182.50 - 16.90	.6752	----	----	----	----	20 UNCH
2090	----	----	----/121.80A	127.90B/121.80A	----	133.00 - 13.60	.5577	----	----	----	----	2 UNCH
2100	----	----	158.20B/117.40A	158.20B/117.40A	----	128.20 - 13.20	.5445	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PO CALL		PLATINUM OPTIONS										
JUN26												
2150	----	----	131.80B/97.40A	131.80B/97.40A	----	106.40 - 11.50	.4797	----	----	----	----	5 UNCH
2165	----	----	124.60B/92.00A	124.60B/92.00A	----	100.50 - 11.00	.4608	----	----	----	----	1 UNCH
2200	90.00	90.00	109.00B/80.40A	109.00B/80.40A	----	87.80 - 10.00	.4179	----	----	55	----	357 + 45
2225	----	----	99.00B/72.90A	99.00B/72.90A	----	79.60 - 9.40	.3886	----	----	----	----	30 UNCH
2240	----	----	93.30B/68.80A	93.30B/68.80A	----	75.00 - 9.10	.3716	----	----	----	----	15 UNCH
2250	----	----	89.80B/66.10A	89.80B/66.10A	----	72.10 - 8.80	.3605	----	----	----	----	2 UNCH
2255	----	----	88.00B/64.90A	88.00B/64.90A	----	70.70 - 8.70	.3551	----	----	----	----	15 UNCH
2300	----	----	73.60B/54.30A	73.60B/54.30A	----	58.90 - 7.90	.3082	----	----	----	----	423 UNCH
2320	----	----	67.90B/50.20A	67.90B/50.20A	----	54.30 - 7.50	.2889	----	----	----	----	78 UNCH
2350	49.30	49.30	60.10B/44.60A	60.10B/44.60A	----	47.90 NEW	.2613	----	----	40	----	40 + 40
2355	----	----	58.90B/43.70A	58.90B/43.70A	----	47.00 - 7.00	.2571	----	----	----	----	2 UNCH
2450	----	----	39.50B/30.50A	39.50B/30.50A	----	31.90 - 5.30	.1857	----	----	----	----	1 UNCH
2500	----	----	31.90B/25.60A	31.90B/25.60A	----	26.10 - 4.40	.1560	----	----	----	----	104 UNCH
2650	----	----	16.90B/16.60A	16.90B/16.60A	----	14.00 - 2.80	.0899	----	----	----	----	17 UNCH
TOTAL										95		1115 + 85
JUL26												
1500	----	----	669.60B/596.00A	669.60B/596.00A	----	617.60 - 18.50	.9611	----	----	----	----	50 UNCH
1680	----	----	----	----	----	452.50 - 18.50	.8982	----	----	----	----	50 UNCH
1700	----	----	483.90B/415.40A	483.90B/415.40A	----	435.30 - 18.40	.8875	----	----	----	----	1 UNCH
1800	----	----	399.60B/336.00A	399.60B/336.00A	----	354.30 - 17.80	.8226	----	----	----	----	113 UNCH
1850	----	----	360.10B/299.90A	360.10B/299.90A	----	317.20 - 17.10	.7836	----	----	----	----	1 UNCH
2000	----	----	254.70B/206.90A	254.70B/206.90A	----	220.50 - 13.70	.6479	----	----	----	----	110 UNCH
2050	----	----	224.20B/181.20A	224.20B/181.20A	----	193.50 - 11.90	.5992	----	----	----	----	1 UNCH
2100	----	----	196.20B/158.20A	196.20B/158.20A	----	169.10 - 10.10	.5502	----	----	----	----	522 UNCH
2150	----	----	171.00B/137.90A	171.00B/137.90A	----	147.50 - 8.60	.5020	----	----	----	----	12 UNCH
2160	168.00	168.00	168.00/134.20A	168.00/134.20A	----	143.50 NEW	.4925	----	----	4	----	0 UNCH
2170	165.00	165.00	165.00/130.50A	165.00/130.50A	----	139.50 NEW	.4831	----	----	4	----	4 + 4
2200	----	----	148.50B/120.10A	148.50B/120.10A	----	128.30 - 7.80	.4554	----	----	----	300	506 + 100
2300	94.00	94.00	111.50B/91.00A	111.50B/91.00A	----	96.90 - 6.50	.3698	----	----	8	----	165 UNCH
2350	----	----	96.60B/79.30A	96.60B/79.30A	----	84.10 NEW	.3314	----	----	----	100	100 + 100
2375	----	----	89.90B/74.00A	89.90B/74.00A	----	78.30 - 5.70	.3134	----	----	----	----	50 UNCH
2400	----	----	83.60B/69.10A	83.60B/69.10A	----	73.00 - 5.30	.2962	----	----	----	----	866 UNCH
2450	----	----	72.30B/60.30A	72.30B/60.30A	----	63.30 - 4.90	.2640	----	----	----	----	50 UNCH
2500	----	----	62.50B/52.70A	62.50B/52.70A	----	55.00 - 4.30	.2350	----	----	----	----	422 UNCH
2600	----	----	46.60B/40.80A	46.60B/40.80A	----	41.80 - 3.50	.1861	----	----	----	----	362 UNCH
2700	----	----	----/32.40A	35.00B/32.40A	----	32.40 - 2.60	.1484	----	----	----	----	14 UNCH
2800	----	----	----/26.60A	26.60B/26.60A	----	25.40 - 2.00	.1189	----	----	----	----	348 UNCH
2850	----	----	----	23.30B/24.30A	----	22.50 - 1.80	.1065	----	----	----	----	91 UNCH
2900	----	----	----	20.50B/22.40A	----	20.00 - 1.70	.0955	----	----	----	100	142 + 52
3000	----	----	----	16.20B/19.40A	----	16.00 - 1.30	.0774	----	----	----	----	582 UNCH
3100	----	----	----	13.00B/17.10A	----	13.00 - 1.10	.0635	----	----	----	----	159 UNCH
3200	----	----	----	7.70B/18.10A	----	10.30 - 0.90	.0511	----	----	----	----	14 UNCH
3300	----	----	----	5.90B/16.70A	----	8.30 - 0.70	.0417	----	----	----	----	31 UNCH
3400	----	----	----	4.50B/15.50A	----	6.80 - 0.60	.0344	----	----	----	----	32 UNCH
3500	----	----	----	3.30B/14.60A	----	5.60 - 0.60	.0285	----	----	----	----	274 UNCH
3600	----	----	----	2.30B/13.70A	----	4.80 - 0.40	.0244	----	----	----	----	300 UNCH
3800	----	----	----	3.40B/9.70A	----	3.50 - 0.40	.0178	----	----	----	----	12 UNCH
3900	----	----	----	2.80B/9.20A	----	3.10 - 0.30	.0157	----	----	----	----	8 UNCH
4000	----	----	----	2.20B/8.70A	----	2.80 - 0.20	.0140	----	----	----	----	221 UNCH
TOTAL									500	16		5613 + 256
OCT26												
1720	----	----	----	----	----	485.30 - 13.70	.8091	----	----	----	----	1 UNCH
1800	----	----	465.90B/415.90A	465.90B/415.90A	----	430.50 - 12.30	.7647	----	----	----	----	1 UNCH
2125	252.80	252.80	276.40B/247.90A	276.40B/247.90A	----	256.60 NEW	.5637	----	----	12	----	12 + 12
2135	248.70	248.70	248.70/243.90A	248.70/243.90A	----	252.40 NEW	.5575	----	----	12	----	12 + 12
2200	----	----	243.50B/219.70A	243.50B/219.70A	----	227.10 - 3.50	.5183	----	----	----	----	135 UNCH
2400	----	----	174.20B/160.50A	174.20B/160.50A	----	164.90 - 3.00	.4094	----	----	----	----	110 UNCH
2500	----	----	148.10B/137.90A	148.10B/137.90A	----	141.10 - 1.70	.3624	----	----	----	----	180 UNCH
2600	----	----	126.40B/118.80A	126.40B/118.80A	----	121.20 - 1.10	.3207	----	----	----	----	10 UNCH
2700	----	----	108.10B/102.70A	108.10B/102.70A	----	104.40 - 1.10	.2836	----	----	----	----	310 UNCH
2800	----	----	92.60B/89.10A	92.60B/89.10A	----	90.00 - 0.70	.2506	----	----	----	----	31 UNCH
2850	----	----	85.80B/83.10A	85.80B/83.10A	----	83.70 - 0.60	.2357	----	----	----	----	100 UNCH
2900	----	----	79.50B/77.60A	79.50B/77.60A	----	78.00 - 0.40	.2219	----	----	----	----	210 UNCH
3000	----	----	68.40B/68.00A	68.40B/68.00A	----	68.00 - 0.20	.1969	----	----	----	----	121 UNCH
3200	----	----	----	51.20B/53.30A	----	52.60 UNCH	.1567	----	----	----	----	10 UNCH
3500	----	----	----	34.40B/39.40A	----	37.60 + 0.20	.1148	----	----	----	----	10 UNCH
4000	22.50	22.50	22.50/*22.10	22.50/*22.10	----	24.30 + 0.30	.0750	----	----	5	----	5 + 5
TOTAL										29		1258 + 29
JAN27												
2360	----	----	----	----	----	254.20 - 9.30	.4806	----	----	----	----	100 UNCH
TOTAL												100 0
PO PUT		PLATINUM OPTIONS										
MAY26												
2155	----	----	----	----	----	24.50 UNCH	----	----	----	----	----	0 UNCH
2160	----	----	----	----	----	29.50 UNCH	----	----	----	----	----	0 UNCH
2175	----	----	----	----	----	44.50 UNCH	----	----	----	----	----	0 UNCH
2195	----	----	----	----	----	64.50 UNCH	----	----	----	----	----	0 UNCH
2200	----	----	----	----	----	69.50 UNCH	----	----	----	----	----	0 UNCH
2215	----	----	----	----	----	84.50 UNCH	----	----	----	----	----	0 UNCH
2450	----	----	----	----	----	319.50 UNCH	----	----	----	----	----	0 UNCH
2500	----	----	----	----	----	369.50 UNCH	----	----	----	----	----	0 UNCH
TOTAL												0 0
JUN26												
1825	----	----	----/*24.60A	25.60B/*24.60A	----	25.30 - 1.50	.1428	----	----	----	----	89 UNCH
1850	----	----	----/*28.30A	30.40B/*28.30A	----	29.70 - 1.40	.1634	----	----	----	----	2 UNCH
1885	----	----	38.10B/*34.20A	38.10B/*34.20A	----	36.70 - 1.20	.1951	----	----	----	----	30 UNCH
1900	45.00	45.00	45.00/*37.10A	45.00/*37.10A	----	40.10 - 1.00	.2098	----	----	40	----	315 + 40
1905	46.20	46.20	46.20/*38.10A	46.20/*38.10A	----	41.20 NEW	.2147	----	----	15	----	15 + 15
1910	47.50	47.50	47.50/*39.10A	47.50/*39.10A	----	42.50 NEW	.2200	----	----	15	----	15 + 15
1915	48.80	48.80	48.80/*40.10A	48.80/*40.10A	----	43.70 NEW	.2251	----	----	15	----	15 + 15
1920	50.10	50.10	50.10/*41.20A	50.10/*41.20A	----	45.00 NEW	.2304	----	----	17	----	17 + 17
1930	52.80	52.80	52.80/*43.40A	52.80/*43.40A	----	47.70 NEW	.2413	----	----	15	----	15 + 15
1935	54.20	54.20	54.20/*44.50A	54.20/*44.50A	----	49.10 NEW	.2469	----	----	15	----	15 + 15
1940	55.70	55.70	55.70/*45.70A	55.70/*45.70A	----	50.50 NEW	.2524	----	----	15	----	15 + 15
1950	----	----	56.40B/*48.10A	56.40B/*48.10A	----	53.50 - 0.10	.2639	----	----	----	----	2 UNCH
2000	----	----	74.50B/*61.70A	74.50B/*61.70A	----	70.60 + 1.30	.3246	----	----	16	----	16 + 15
2050	90.00	90.00	96.90B/*78.10A	96.90B/*78.10A	----	91.50 NEW	.3893	----	----	3	----	3 + 3
2100	----	----	123.20B/*98.10A	123.20B/*98.10A	----	116.00 + 5.00	.4553	----	----	----	----	100 UNCH
2140	----	----	146.80B/*116.60	146.80B/*116.60	----	138.20 + 6.40	.5074	----	----	----	----	1 UNCH
2200	175.00	175.00	186.00B/*148.80	186.00B/*148.80	----	175.40 NEW	.5819	----	----	10	----	10 + 10
TOTAL										176		675 + 175
JUL26												
1400	----	----	----	1.20B/*7.70A	----	4.00 - 0.30	.0211	----	----	----	----	150 UNCH
1500	----	----	----	5.00B/*10.30A	----	7.60 - 0.30	.0387	----	----	----	----	153 UNCH
1550	----	----	----	7.50B/*12.40A	----	10.40 - 0.30	.0516	----	----	----	----	200 UNCH
1600	----	----	----	11.50B/15.30A	----	13.90 - 0.40	.0673	----	----	----	----	403 UNCH
1650	----	----	----	16.70B/*19.20A	----	18.60 - 0.40	.0872	----	----	----	----	1 UNCH
1680	----	----	----/*22.20A	20.70B/*22.20A	----	22.20 - 0.30	.1016	----	----	----	----	50 UNCH
1700	----	----	----/*24.40A	23.70B/*24.40A	----	25.00 - 0.20	.1123	----	----	----	----	286 UNCH
1710	----	----	----/*25.70A	25.30B/*25.70A	----	26.50 - 0.10	.1179	----	----	----	----	1 UNCH
1750	----	----	----/*31.20A	32.60B/*31.20A	----	33.20 UNCH	.1422	----	----	----	----	50 UNCH
1800	----	----	43.60B/*39.80A	43.60B/*39.80A	----	43.60 + 0.50	.1771	----	----	----	----	261 UNCH
1825	----	----	49.90B/*44.90A	49.90B/*44.90A	----	49.60 + 0.70	.1961	----	----	----	----	30 UNCH
1850	50.00	50.00	57.00B/*50.00	57.00B/*50.00	----	56.20 NEW	.2161	----	----	40	----	40 + 40
1900	60.00	60.00	72.70B/*60.00	72.70B/*60.00	----	71.20 + 1.80	.2588	----	----	80	----	81 + 80
2100	----	----	162.80B/137.50A	162.80B/137.50A	----	157.00 + 8.10	.4496	----	----	----	----	225 UNCH
2135	----	----	183.10B/154.40A	183.10B/154.40A	----	176.40 + 9.20	.4835	----	----	----	----	190 UNCH
2165	----	----	201.50B/170.00A	201.50B/170.00A	----	194.00 + 9.90	.5119	----	----	----	----	20 UNCH
2350	----	----	333.00B/286.60A	333.00B/286.60A	----	320.70 + 12.30	.6683	----	----	----	----	5 UNCH
2400	----	----	372.70B/323.30A	372.70B/323.30A	----	359.40 + 12.90	.7035	----	----	----	----	300 UNCH
4000	----	----	1,910.90B/1,837	1,910.90B/1,837	----	1887.80 + 18.30	.9859	----	----	----	----	10 UNCH
TOTAL										120		2456 + 120
OCT26												
1300	----	----	----	10.00B/*18.20A	----	14.80 + 0.70	.0453	----	----	----	----	4 UNCH
1500	30.00	30.00	30.00/*30.00	30.00/*30.00	----	33.00 + 1.70	.0945	----	----	50	----	20 - 50
1600	----	----	----	46.20B/47.60A	----	49.30 + 2.70	.1329	----	----	----	----	17 UNCH
1720	----	----	75.10B/71.80A	75.10B/71.80A	----	77.10 + 4.20	.1904	----	----	----	----	2 UNCH
1820	----	----	107.50B/99.40A	107.50B/99.40A	----	108.40 + 6.00	.2466	----	----	----	----	3 UNCH
2000	----	----	184.90B/167.10A	184.90B/167.10A	----	183.40 + 10.10	.3574	----	----	----	----	1 UNCH
2100	----	----	238.20B/214.30A	238.20B/214.30A	----	235.10 + 13.10	.4203	----	----	----	----	100 UNCH
2130	256.10	256.10	256.60/229.80A	256.60/229.80A	----	251.90 NEW	.4390	----	----	41	----	41 + 41

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PO PUT		PLATINUM OPTIONS										
OCT26												
2135	259.50	259.50	259.50/232.50A	259.50/232.50A	----	254.80 NEW	.4420	----	----	12	----	12 + 12
2140	262.40	262.40	262.40/235.10A	262.40/235.10A	----	257.70 NEW	.4451	----	----	12	----	12 + 12
2400	----	----	437.10B/396.90A	437.10B/396.90A	----	429.30 + 15.10	.5902	----	----	----	----	200 UNCH
2500	----	----	513.60B/469.50A	513.60B/469.50A	----	504.40 + 16.30	.6371	----	----	----	----	1 UNCH
TOTAL										115		413 + 15
JAN27												
1500	----	----	----	40.00B/*75.00A	----	51.30 + 1.80	.1173	----	----	----	----	40 UNCH
1800	----	----	----	----	----	143.20 + 3.90	.2533	----	----	----	----	1 UNCH
TOTAL												41 0

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OPTIONS EOO'S AND BLOCKS

PRODUCT	STRIKE PRICE	EOO VOLUME	BLOCK VOLUME
OG CALL	COMEX GOLD OPTIONS		
MAY26 CALL			
OG	4810	0	200
OG	4900	0	70
OG	5300	0	140
TOTALS		0	410
JUN26 CALL			
OG	4850	0	200
OG	5100	0	25
OG	5200	0	160
TOTALS		0	385
JUL26 CALL			
OG	5230	0	50
TOTALS		0	50
AUG26 CALL			
OG	5150	0	10
OG	5800	0	100
TOTALS		0	110
SEP26 CALL			
OG	5000	0	150
OG	5300	0	160
OG	5500	0	50
OG	6500	0	150
TOTALS		0	510
OCT26 CALL			
OG	5500	0	202
OG	5600	0	50
OG	8000	0	202
TOTALS		0	454
OG PUT	COMEX GOLD OPTIONS		
MAY26 PUT			
OG	4800	0	100
OG	4820	0	250
TOTALS		0	350
JUN26 PUT			
OG	3900	0	160
OG	4000	0	100
OG	4200	0	60
OG	4300	0	200
OG	4600	0	100
OG	4690	0	25
TOTALS		0	645
JUL26 PUT			
OG	4820	0	125
TOTALS		0	125
AUG26 PUT			
OG	4700	0	10
TOTALS		0	10
OCT26 PUT			
OG	4500	0	10
TOTALS		0	10
SO CALL	COMEX SILVER OPTIONS		
MAY26 CALL			
SO	8500	0	100
SO	9000	0	100
SO	10000	0	100
TOTALS		0	300
JUN26 CALL			
SO	9000	0	115
SO	10700	0	72
TOTALS		0	187
SO PUT	COMEX SILVER OPTIONS		
JUN26 PUT			
SO	6500	0	36
SO	7700	0	36
TOTALS		0	72
PO CALL	PLATINUM OPTIONS		
JUL26 CALL			
PO	2200	0	300
PO	2350	0	100
PO	2900	0	100
TOTALS		0	500
PAO PUT	NYMEX PALLADIUM OPTIONS		
JUN26 PUT			
PAO	1500	0	50
TOTALS		0	50
DEC26 PUT			
PAO	1500	0	40
TOTALS		0	40
OG3 CALL	GOLD OPTIONS		
APR26 CALL			
OG3	4810	0	100
OG3	4850	0	70
TOTALS		0	170
HRO OPT	U.S. MIDWEST DOMESTIC HOT-ROLLED CO		
AUG26 PUT			
HRO	97500	0	50
TOTALS		0	50
SEP26 PUT			
HRO	97500	0	50
TOTALS		0	50
OCT26 PUT			
HRO	97500	0	50
TOTALS		0	50

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.