METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY'S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES

EXPIRATION:	APR26	APR26	APR26	MAY26	JUN26	JUL26	AUG26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27
COO OPT	04/30			05/29	06/30	07/31	08/28	09/30	10/30	11/30	12/31	01/29	02/26	03/31
ECG10 OP		04/10	04/13											
ECG11 OP		04/10	04/13											
ECG13 OP		04/10	04/13											
ECG15 OP		04/10	04/13											
ECG16 OP		04/10	04/13											
ECGC OOF		04/10	04/13											
ECHG OOF		04/10	04/13											
ECSI OOF		04/10	04/13											
EHO OPT	04/30			05/29	06/30	07/31	08/28	09/30						
FMG OPT	04/17													
FSO OPT	04/30			05/29	06/30									
GMW MON	04/20			05/11										
GWR THU	04/30													
GWT TUE	04/28			05/05										
GWW WED	04/29			05/06										
HMW MON	04/20			05/11										
HRO OPT	04/28			05/26	06/23	07/28	08/25	09/29	10/27	11/24	12/29			
HWR THU	04/30													
HWT TUE	04/28													
HWW WED	04/29			05/06	06/03	07/01								
HX CALL				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28		02/23
HX PUT				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
HXE CALL	04/24			05/01										
HXE PUT	04/24			05/01										
LHO OPT	04/30			05/29	06/30	07/31	08/31	09/30	10/30	11/30	12/31	01/29	02/26	03/31
MMG MON	04/13													
OG CALL				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
OG PUT				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
OG1 CALL				05/01										
OG1 PUT				05/01										
OG2 CALL	04/10			05/08										
OG2 PUT	04/10			05/08										
OG3 CALL	04/17													
OG3 PUT	04/17													
OG4 CALL	04/24													
OG4 PUT	04/24													
OMG OPT				04/27	05/26	06/25								
PAO CALL				04/15	05/20	06/17		08/19			11/18			
PAO PUT				04/15	05/20	06/17		08/19						
PAW OOF	04/17													
PLW OOF	04/24			05/01										
PO CALL				04/15	05/20	06/17			09/16			12/16		
PO PUT				04/15	05/20	06/17			09/16			12/16		
RWS THU	04/30													
SMW MON	04/20			05/11										
SO CALL				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
SO PUT				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
SO1 CALL				05/01										
SO1 PUT				05/01										
SO2 CALL	04/10			05/08										
SO2 PUT	04/10													
SO3 CALL	04/17													
SO3 PUT	04/17													
SO4 CALL	04/24													
SO4 PUT	04/24													
SWW WED	04/29													
TWS TUE	04/28													
WMG WED	04/15													

GOLD OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
WMG WED		MICRO GOLD WEEKLY WED OPTION WEEK3										
APR26												
4500	----	----	----	----	----	1.90 - 2.60	.0118	----	----	----	----	1 UNCH
TOTAL												1 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT		MICRO GOLD OPTIONS										
MAY26												
3600	----	----	----	----	----	0.70 - 0.10	----	----	----	----	----	2 UNCH
3700	----	----	----	----	----	0.90 - 0.10	----	----	----	----	----	1 UNCH
3850	----	----	----	----	----	1.40 - 0.30	----	----	----	----	----	2 UNCH
3900	----	----	----	----	----	1.60 - 0.30	----	----	----	----	----	3 UNCH
4000	----	----	----	----	----	2.10 - 0.50	----	----	----	----	----	7 UNCH
4200	----	----	----	----	----	4.40 - 1.00	----	----	----	----	----	2 UNCH
4250	----	----	----	----	----	522.30 - 21.10	----	----	----	----	----	1 UNCH
4400	----	----	----	----	----	378.70 - 21.70	----	----	----	----	----	0 UNCH
4450	24.00	24.00	30.00B/*24.00	30.00B/*24.00	----	15.50 - 2.10	----	----	----	1	----	0 - 1
4450	----	----	----	----	----	332.50 - 22.00	----	----	----	----	----	1 UNCH
4500	----	----	----	----/35.60A	----	20.80 - 2.30	----	----	----	----	----	1 UNCH
4500	----	----	----	----	----	287.90 - 22.20	----	----	----	----	----	1 UNCH
4600	----	----	----	----	----	37.60 - 2.00	----	----	----	----	----	2 UNCH
4725	----	----	----	----	----	76.00 + 0.20	----	----	----	----	----	1 UNCH
4800	----	----	----	----	----	78.50 - 17.20	----	----	----	----	----	1 UNCH
4800	----	----	----	----	----	111.10 + 2.80	----	----	----	----	----	1 UNCH
4900	----	----	----	----	----	41.20 - 13.00	----	----	----	----	----	2 UNCH
4900	----	----	----	----	----	173.60 + 6.90	----	----	----	----	----	1 UNCH
4920	205.00	205.00	#205.00/205.00	#205.00/205.00	----	188.20 + 7.90	----	----	----	1	----	1 - 1
4950	----	----	----	----	----	28.90 - 10.70	----	----	----	----	----	2 UNCH
5000	----	----	----/*28.00A	----/*28.00A	----	20.00 - 8.50	----	----	----	----	----	2 UNCH
5050	----	----	----	----	----	296.00 + 13.40	----	----	----	----	----	3 UNCH
5200	----	----	----	----	----	4.80 - 2.70	----	----	----	----	----	1 UNCH
5875	----	----	----	----	----	0.70 - 0.20	----	----	----	----	----	1 UNCH
TOTAL										2		39 - 2
JUN26												
2500	----	----	----	----	----	0.50 UNCH	----	----	----	----	----	2 UNCH
4260	----	----	----	----	----	32.40 - 0.50	----	----	----	----	----	1 UNCH
4500	99.90	99.90	100.00/99.90	100.00/99.90	----	73.30 + 0.70	----	----	----	2	----	5 + 2
4645	128.00	128.00	128.00/*128.00	128.00/*128.00	----	117.40 + 2.80	----	----	----	3	----	6 + 3
4700	----	----	----	----	----	206.20 - 16.30	----	----	----	----	----	1 UNCH
4900	----	----	----	----	----	111.40 - 12.30	----	----	----	----	----	2 UNCH
5200	39.00	39.00	39.00/*39.00	39.00/*39.00	----	38.90 - 6.20	----	----	----	1	----	0 - 1
5400	----	----	----	----	----	19.80 - 3.70	----	----	----	----	----	2 UNCH
5875	----	----	----	----	----	6.70 - 1.20	----	----	----	----	----	1 UNCH
TOTAL										6		20 + 4
JUL26												
3400	----	----	----	----	----	1406.20 - 20.20	----	----	----	----	----	1 UNCH
3460	----	----	----	----	----	1347.00 - 20.10	----	----	----	----	----	1 UNCH
4200	46.00	46.00	#46.00/*43.70A	#46.00/*43.70A	----	46.10 NEW	----	----	----	1	----	1 + 1
4300	----	----	----	----	----	60.80 + 0.60	----	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT		MICRO GOLD OPTIONS										
TOTAL										1		4+ 1

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 PUT		GOLD OPTIONS										
APR26												
3800	----	----	1.20B/----	1.20B/*0.80A	----	0.80 UNCH	.0040	----	----	----	----	1 UNCH
4000	2.00	2.00	#2.60B/*1.60A	2.60B/*1.60A	----	1.70 NEW	.0097	----	----	10	----	10 + 10
4025	----	----	2.80B/*2.00A	2.80B/*2.00A	----	1.90 - 0.40	.0110	----	----	----	----	1 UNCH
4050	----	----	3.10B/*2.20A	3.10B/*2.20A	----	2.10 - 0.50	.0123	----	----	----	----	4 UNCH
4100	2.90	2.90	4.70B/*2.50A	4.70B/*2.50A	----	2.50 - 0.50	.0152	----	----	2	----	2 + 1
4150	----	----	6.50B/*3.00A	6.50B/*3.00A	----	3.10 - 0.60	.0193	----	----	----	----	9 UNCH
4175	8.70	8.70	8.70/*3.20A	8.70/*3.20A	----	3.40 - 0.60	.0215	----	----	1	----	3 + 1
4200	----	----	8.90B/*3.50A	8.90B/*3.50A	----	3.80 - 0.70	.0244	----	----	----	----	5 UNCH
4210	----	----	9.40B/*3.70A	9.40B/*3.70A	----	3.90 - 0.80	.0253	----	----	----	----	2 UNCH
4225	----	----	10.30B/*3.80A	10.30B/*3.80A	----	4.20 - 0.80	.0274	----	----	----	----	5 UNCH
4255	----	----	12.30B/*4.30A	12.30B/*4.30A	----	4.80 - 1.00	.0318	----	----	----	----	1 UNCH
4290	9.10	9.10	15.00B/*5.00A	15.00B/*5.00A	----	5.70 NEW	.0383	----	----	10	----	10 + 10
4300	7.50	7.50	15.90B/*5.20A	15.90B/*5.20A	----	6.00 - 1.20	.0405	----	----	1	----	10 + 1
4310	9.40	9.40	16.80B/*5.50A	16.80B/*5.50A	----	6.30 NEW	.0427	----	----	8	----	8 + 8
4315	----	----	17.30B/*5.60A	17.30B/*5.60A	----	6.40 - 1.30	.0436	----	----	----	----	1 UNCH
4340	9.50	9.50	19.90B/*6.40A	19.90B/*6.40A	----	7.30 NEW	.0501	----	----	1	----	1 + 1
4350	13.00	13.00	21.10B/*6.70A	21.10B/*6.70A	----	7.60 - 1.50	.0525	----	----	10	----	10 + 10
4365	----	----	23.20B/*7.30A	23.20B/*7.30A	----	8.30 NEW	.0575	----	----	3	----	3 + 3
4375	----	----	24.50B/*7.70A	24.50B/*7.70A	----	8.70 - 1.70	.0605	----	----	----	----	1 UNCH
4385	----	----	25.80B/*8.20A	25.80B/*8.20A	----	9.20 NEW	.0641	----	----	3	----	3 + 3
4400	15.00	15.00	28.10B/*8.80A	28.10B/*8.80A	----	10.00 - 1.80	.0699	----	----	1	----	40 + 1
4420	11.90	11.90	31.20B/*9.80A	31.20B/*9.80A	----	11.20 NEW	.0785	----	----	5	----	5 + 5
4450	----	----	36.50B/*11.70A	36.50B/*11.70A	----	13.30 - 2.00	.0934	----	----	----	----	10 UNCH
4480	----	----	42.60B/*14.00A	42.60B/*14.00A	----	15.90 - 1.80	.1115	----	----	----	----	1 UNCH
4490	20.60	20.60	44.90B/*15.00A	44.90B/*15.00A	----	16.90 NEW	.1183	----	----	21	----	21 + 21
4500	18.00	18.00	47.30B/*15.90A	47.30B/*15.90A	----	18.00 - 2.00	.1256	----	----	23	----	42 + 22
4505	24.20	24.20	48.40B/*16.50A	48.40B/*16.50A	----	18.60 - 1.90	.1295	----	----	10	----	31 + 10
4520	22.00	22.00	52.40B/*18.00A	52.40B/*18.00A	----	20.40 - 1.90	.1414	----	----	2	----	4 UNCH
4525	----	----	53.50B/*18.70A	53.50B/*18.70A	----	21.00 - 1.90	.1455	----	----	----	----	125 UNCH
4540	29.50	29.50	57.50B/*20.60A	57.50B/*20.60A	----	23.00 NEW	.1586	----	----	10	----	10 + 10
4550	----	----	60.40B/*22.00A	60.40B/*22.00A	----	24.50 - 1.80	.1681	----	----	----	----	11 UNCH
4555	32.00	32.00	61.90B/*22.70A	61.90B/*22.70A	----	25.30 NEW	.1731	----	----	10	----	10 + 10
4565	32.90	32.90	64.90B/*24.30A	64.90B/*24.30A	----	26.90 - 1.70	.1832	----	----	1	----	2 + 1
4575	----	----	68.00B/*25.90A	68.00B/*25.90A	----	28.60 - 1.70	.1938	----	----	----	----	6 UNCH
4590	----	----	73.00B/*28.60A	73.00B/*28.60A	----	31.40 - 1.50	.2107	----	----	----	----	1 UNCH
4600	65.00	65.00	76.50B/*30.50A	76.50B/*30.50A	----	33.40 - 1.40	.2227	----	----	5	----	77 + 3
4620	----	----	83.90B/34.70A	83.90B/34.70A	----	37.80 - 1.10	.2482	----	----	----	----	3 UNCH
4625	----	----	85.80B/36.00A	85.80B/36.00A	----	38.90 - 1.10	.2546	----	----	----	----	3 UNCH
4635	----	----	89.80B/38.40A	89.80B/38.40A	----	41.40 - 0.90	.2685	----	----	----	----	1 UNCH
4650	----	----	96.10B/42.20A	96.10B/42.20A	----	45.30 - 0.70	.2900	----	----	----	----	2 UNCH
4670	----	----	105.40B/48.00A	105.40B/48.00A	----	51.10 - 0.20	.3205	----	----	----	----	2 UNCH
4675	----	----	107.70B/49.50A	107.70B/49.50A	----	52.60 - 0.20	.3283	----	----	----	----	1 UNCH
4680	115.00	115.00	115.00/51.00A	115.00/51.00A	----	54.20 UNCH	.3364	----	----	1	----	1 + 1
4690	----	----	114.40B/54.20A	114.40B/54.20A	----	57.50 NEW	.3528	----	----	1	----	1 + 1
4695	----	----	116.90B/56.00A	116.90B/56.00A	----	59.20 + 0.40	.3611	----	----	----	----	1 UNCH
4700	76.30	76.30	119.40B/57.50A	119.40B/57.50A	----	60.90 + 0.40	.3695	----	----	1	----	51 + 1
4735	----	----	138.10B/71.10A	138.10B/71.10A	----	74.40 + 1.60	.4311	----	----	----	----	5 UNCH
4750	----	----	147.30B/77.50A	147.30B/77.50A	----	80.80 + 2.00	.4585	----	----	----	----	5 UNCH
4765	----	----	155.80B/84.40A	155.80B/84.40A	----	87.70 + 2.60	.4864	----	----	----	----	10 UNCH
4770	----	----	158.90B/86.70A	158.90B/86.70A	----	90.10 + 2.80	.4958	----	----	10	----	14 + 10
4775	----	----	161.90B/89.10A	161.90B/89.10A	----	92.60 + 3.00	.5051	----	----	----	----	3 UNCH
4780	----	----	165.20B/91.60A	165.20B/91.60A	----	95.00 + 3.10	.5145	----	----	2	----	5 + 2
4850	----	----	213.00B/----	213.00B/132.00A	----	135.00 + 6.10	.6443	----	----	2	----	5 UNCH
4870	----	----	228.30B/----	228.30B/145.20A	----	148.20 + 7.10	.6792	----	----	----	----	2 UNCH
4900	----	----	251.50B/----	251.50B/166.40A	----	169.30 + 8.40	.7285	----	----	3	----	3 UNCH
5075	----	----	404.80B/----	404.80B/313.50A	----	317.10 + 15.30	.9143	----	----	----	----	1 UNCH
TOTAL										157		605 + 146

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 CALL		GOLD OPTIONS										
APR26												
4540	----	----	----/203.50A	253.70B/203.50A	----	250.20 - 21.80	.8411	----	----	----	----	2 UNCH
4550	----	----	----/196.00A	245.00B/196.00A	----	241.70 - 21.80	.8316	----	----	----	----	1 UNCH
4600	----	----	----/160.10A	203.80B/160.10A	----	200.70 - 21.30	.7770	----	----	----	----	2 UNCH
4675	----	----	----/114.40A	147.20B/114.40A	----	144.90 - 20.10	.6713	----	----	----	----	1 UNCH
4680	114.00	114.00	144.00B/*111.40	144.00B/111.40A	----	141.50 NEW	.6632	----	----	1	----	1 + 1
4690	----	----	----/*106.10A	136.90B/106.10A	----	134.80 NEW	.6469	----	----	1	----	1 + 1
4730	----	----	----/*87.20A	112.30B/*87.20A	----	109.70 - 18.60	.5776	----	----	----	----	1 UNCH
4765	----	----	----/*70.60A	92.40B/*70.60A	----	90.10 - 17.40	.5132	----	----	----	----	10 UNCH
4770	----	----	----/*68.30A	89.80B/*68.30A	----	87.50 - 17.20	.5039	----	----	10	----	14 + 10
4775	----	----	----/*66.10A	87.10B/*66.10A	----	85.00 - 17.00	.4945	----	----	1	----	4 + 1
4780	----	----	----/*64.40A	84.20B/*64.40A	----	82.50 - 16.80	.4851	----	----	----	----	1 UNCH
4800	70.00	70.00	74.60B/*56.10A	74.60B/*56.10A	----	72.90 - 16.10	.4474	----	----	2	----	30 + 2
4820	----	----	----/*48.90A	65.80B/*48.90A	----	64.20 - 15.20	.4101	----	----	----	----	4 UNCH
4825	----	----	----/*47.00A	63.80B/*47.00A	----	62.10 - 15.00	.4008	----	----	----	----	3 UNCH
4845	54.90	54.90	54.90/*41.10A	56.10B/*41.10A	----	54.30 NEW	.3642	----	----	2	----	2 + 2
4850	41.00	41.00	41.00/*39.30A	54.30B/*39.30A	----	52.50 - 13.90	.3553	----	----	5	----	6 + 2
4865	----	----	----/*35.60A	49.10B/*35.60A	----	47.30 - 13.30	.3289	----	----	----	----	1 UNCH
4875	----	----	----/*32.60A	45.90B/*32.60A	----	44.10 - 12.70	.3119	----	----	----	----	13 UNCH
4890	----	----	----/*29.10A	41.50B/*29.10A	----	39.60 - 12.00	.2871	----	----	----	----	9 UNCH
4895	38.70	38.70	38.70/*28.00A	40.10B/*28.00A	----	38.20 - 11.80	.2791	----	----	3	----	18 + 3
4900	31.50	31.50	34.50/*27.00A	38.70B/*27.00A	----	36.80 - 11.60	.2712	----	----	17	----	40 + 16
4920	32.90	32.90	32.90/*23.30A	33.70B/*23.30A	----	31.70 NEW	.2408	----	----	10	----	10 + 10
4930	----	----	----/*21.50A	31.20B/*21.50A	----	29.40 - 10.30	.2265	----	----	----	----	14 UNCH
4940	26.20	26.20	26.20/*20.20A	29.00B/*20.20A	----	27.30 NEW	.2129	----	----	1	----	1 + 1
4945	----	----	----/*19.50A	28.00B/*19.50A	----	26.20 - 9.60	.2060	----	----	----	----	5 UNCH
4950	24.10	24.10	27.00B/*18.10	27.00B/*18.10	----	25.30 - 9.30	.1998	----	----	3	----	14 + 2
4955	----	----	----/*18.10A	26.10B/*18.10A	----	24.30 NEW	.1933	----	----	1	----	1 + 1
4980	18.50	18.50	18.50/*14.90A	21.60B/*14.90A	----	20.10 - 8.10	.1641	----	----	4	----	6 + 2
4995	16.50	16.50	16.50/*13.40A	19.30B/*13.40A	----	17.90 - 7.50	.1483	----	----	27	----	42 + 27
5000	16.10	16.10	20.10/*12.40	20.10/*12.40	----	17.20 - 7.30	.1433	----	----	33	----	49 + 19
5005	14.90	14.90	14.90/*12.40A	17.90B/*12.40A	----	16.60 - 7.10	.1387	----	----	8	----	22 UNCH
5010	12.90	12.90	12.90/*12.00A	17.20B/*12.00A	----	15.90 - 7.00	.1336	----	----	42	----	43 + 42
5015	12.40	12.40	12.40/*11.60A	16.60B/*11.60A	----	15.30 - 6.80	.1291	----	----	42	----	64 + 42
5020	12.60	12.60	#12.60/*11.10A	15.90B/*11.10A	----	14.80 NEW	.1251	----	----	73	----	73 + 73
5025	11.50	11.50	11.60/*10.50A	15.30B/*10.50A	----	14.20 - 6.40	.1206	----	----	105	----	122 + 105
5030	11.10	11.10	11.20/*10.30A	14.70B/*10.30A	----	13.70 NEW	.1167	----	----	84	----	84 + 84
5050	9.40	9.40	9.50/*8.90A	12.60B/*8.90A	----	11.80 - 5.50	.1016	----	----	113	----	169 + 113
5075	----	----	----/*7.50A	10.30B/*7.50A	----	9.80 - 4.80	.0854	----	----	----	----	8 UNCH
5100	9.00	9.00	9.00/*6.20A	9.00/*6.20A	----	8.20 - 4.00	.0719	----	----	1	----	75 UNCH
5150	----	----	----/*4.60A	5.90B/*4.60A	----	5.80 NEW	.0512	----	----	2	----	2 + 2
5200	4.00	4.00	4.00/*3.50A	4.20B/*3.50A	----	4.20 - 2.10	.0369	----	----	301	----	188 - 113
5300	----	----	----/*2.20A	2.20B/*2.20A	----	2.40 - 0.80	.0205	----	----	2	----	14 + 2
5400	----	----	----/*1.50A	1.30B/*1.50A	----	1.50 - 0.30	.0122	----	----	----	----	3 UNCH
5450	----	----	----	1.00B/*1.40A	----	1.20 - 0.20	.0095	----	----	----	----	20 UNCH
TOTAL										894		1193 + 450

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG3 PUT		GOLD OPTIONS										
APR26												
3200	----	----	----	----/0.40A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3350	----	----	----	----/0.40A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3500	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
3550	----	----	----	----/0.40A	----	0.10 - 0.10	----	----	----	----	----	2 UNCH
3600	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	1	----	12 + 1
3650	----	----	----	----/*0.40A	----	0.10 - 0.10	.0000	----	----	----	----	3 UNCH
3700	----	----	----	----/*0.40A	----	0.10 - 0.20	.0000	----	----	----	----	3 UNCH
3750	----	----	----	----/*0.40A	----	0.10 - 0.20	.0000	----	----	----	----	3 UNCH
3800	----	----	----	0.20B/*0.40A	----	0.10 - 0.30	.0001	----	----	----	----	44 UNCH
3850	----	----	----/*0.40A	0.30B/*0.40A	----	0.10 - 0.40	.0003	----	----	----	----	6 UNCH
3900	----	----	----/*0.40A	0.40B/*0.40A	----	0.20 - 0.40	.0006	----	----	----	----	32 UNCH
3950	----	----	----/*0.50A	0.50B/*0.50A	----	0.20 - 0.50	.0007	----	----	----	----	52 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG3 PUT — GOLD OPTIONS — APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4000	1.40	1.40	1.40/*0.40	1.40/*0.40	----	0.30 - 0.60	.0011	----	----	59	----	165 UNCH
4025	0.30	0.30	1.30B/*0.30	1.30B/*0.30	----	0.40 - 0.60	.0015	----	----	1	----	3 + 1
4050	----	----	----/*0.70A	0.80B/*0.70A	----	0.50 - 0.60	.0020	----	----	12	----	47 - 12
4075	2.70	2.70	2.70/*0.70A	2.70/*0.70A	----	0.50 - 0.70	.0021	----	----	13	----	28 - 2
4100	0.80	0.80	2.00B/*0.80	2.00B/*0.80	----	0.60 - 0.70	.0026	----	----	14	----	28 - 11
4125	1.20	1.20	2.50B/*0.90	2.50B/*0.90	----	0.70 - 0.70	.0032	----	----	4	----	4 + 2
4150	----	----	3.10B/*0.90A	3.10B/*0.90A	----	0.80 - 0.70	.0038	----	----	----	----	4 UNCH
4175	----	----	3.60B/*1.00A	3.60B/*1.00A	----	0.90 - 0.70	.0045	----	----	3	----	9 + 3
4200	5.00	5.00	5.00/*1.00	5.00/*1.00	----	1.00 - 0.80	.0052	----	----	57	----	70 + 40
4215	3.10	3.10	4.90B/*1.00	4.90B/*1.00	----	1.10 NEW	.0058	----	----	4	----	4 + 4
4220	----	----	5.10B/*1.10A	5.10B/*1.10A	----	1.10 - 0.80	.0059	----	----	----	----	150 UNCH
4225	----	----	5.30B/*1.10A	5.30B/*1.10A	----	1.20 - 0.80	.0064	----	----	----	----	2 UNCH
4250	6.90	6.90	6.90/*1.20A	6.90/*1.20A	----	1.30 - 0.90	.0073	----	----	5	----	142 - 3
4255	----	----	6.40B/*1.20A	6.40B/*1.20A	----	1.30 - 0.90	.0073	----	----	----	----	5 UNCH
4260	----	----	6.60B/*1.30A	6.60B/*1.30A	----	1.40 - 0.90	.0080	----	----	----	----	6 UNCH
4270	1.30	1.30	7.10B/*1.30	7.10B/*1.30	----	1.40 NEW	.0081	----	----	1	----	1 + 1
4275	----	----	7.30B/*1.30A	7.30B/*1.30A	----	1.50 - 0.90	.0087	----	----	1	----	5 UNCH
4280	----	----	7.70B/*1.40A	7.70B/*1.40A	----	1.50 - 1.00	.0088	----	----	----	----	27 UNCH
4290	1.70	1.70	8.20B/*1.40A	8.20B/*1.40A	----	1.60 - 1.00	.0096	----	----	1	----	4 + 1
4295	----	----	8.40B/*1.50A	8.40B/*1.50A	----	1.60 - 1.10	.0097	----	----	----	----	3 UNCH
4300	2.40	2.40	8.60B/*1.50A	8.60B/*1.50A	----	1.60 - 1.10	.0098	----	----	14	----	41 - 10
4310	----	----	9.10B/*1.60A	9.10B/*1.60A	----	1.70 - 1.20	.0106	----	----	----	----	1 UNCH
4315	----	----	9.40B/*1.60A	9.40B/*1.60A	----	1.80 - 1.10	.0112	----	----	----	----	1 UNCH
4320	----	----	9.80B/*1.60A	9.80B/*1.60A	----	1.80 - 1.20	.0114	----	----	----	----	0 UNCH
4345	----	----	11.40B/*1.90A	11.40B/*1.90A	----	2.10 - 1.30	.0138	----	----	----	----	1 UNCH
4350	11.00	11.00	12.00B/*1.90A	12.00B/*1.90A	----	2.10 - 1.40	.0140	----	----	8	----	157 + 1
4355	----	----	12.20B/*2.00A	12.20B/*2.00A	----	2.20 NEW	.0147	----	----	1	----	1 + 1
4375	2.60	2.60	14.10B/*2.20A	14.10B/*2.20A	----	2.40 - 1.50	.0167	----	----	1	----	28 UNCH
4380	----	----	14.40B/*2.20A	14.40B/*2.20A	----	2.50 - 1.50	.0175	----	----	3	----	24 + 3
4385	----	----	14.80B/*2.40A	14.80B/*2.40A	----	2.60 - 1.50	.0183	----	----	----	----	2 UNCH
4390	----	----	15.30B/*2.40A	15.30B/*2.40A	----	2.70 - 1.60	.0192	----	----	----	----	10 UNCH
4395	4.90	4.90	15.70B/*2.40A	15.70B/*2.40A	----	2.70 - 1.70	.0194	----	----	1	----	3 + 1
4400	16.00	16.00	16.60B/*2.50	16.60B/*2.50	----	2.80 - 1.70	.0203	----	----	113	----	212 - 6
4410	----	----	17.30B/*2.70A	17.30B/*2.70A	----	3.00 - 1.80	.0221	----	----	----	----	1 UNCH
4415	4.40	4.40	17.90B/*2.80A	17.90B/*2.80A	----	3.10 NEW	.0230	----	----	1	----	1 + 1
4425	3.50	3.50	19.20B/*3.00A	19.20B/*3.00A	----	3.30 - 1.90	.0249	----	----	1	----	3 + 1
4430	----	----	19.60B/*3.10A	19.60B/*3.10A	----	3.40 - 1.90	.0259	----	----	----	----	3 UNCH
4435	3.70	3.70	20.40B/*3.20A	20.40B/*3.20A	----	3.50 NEW	.0269	----	----	6	----	6 + 6
4440	----	----	21.10B/*3.30A	21.10B/*3.30A	----	3.60 - 2.10	.0279	----	----	----	----	11 UNCH
4450	22.00	22.00	22.70B/*3.50A	22.70B/*3.50A	----	3.90 - 2.10	.0307	----	----	4	----	167 + 1
4455	----	----	23.40B/*3.50A	23.40B/*3.50A	----	4.00 - 2.20	.0318	----	----	----	----	100 UNCH
4460	----	----	23.90B/*3.70A	23.90B/*3.70A	----	4.20 - 2.20	.0336	----	----	----	----	4 UNCH
4465	----	----	24.40B/*3.80A	24.40B/*3.80A	----	4.30 NEW	.0347	----	----	1	----	1 + 1
4470	----	----	25.50B/*3.90A	25.50B/*3.90A	----	4.50 - 2.30	.0366	----	----	----	----	4 UNCH
4475	----	----	26.00B/*4.00A	26.00B/*4.00A	----	4.60 - 2.40	.0378	----	----	----	----	1 UNCH
4480	----	----	27.10B/*4.10A	27.10B/*4.10A	----	4.80 - 2.40	.0397	----	----	----	----	10 UNCH
4490	----	----	28.80B/*4.40A	28.80B/*4.40A	----	5.20 - 2.50	.0436	----	----	----	----	4 UNCH
4495	10.30	10.30	29.60B/*4.50A	29.60B/*4.50A	----	5.40 NEW	.0456	----	----	1	----	1 + 1
4500	22.10	22.10	31.00B/*4.70A	31.00B/*4.70A	----	5.60 - 2.60	.0476	----	----	156	----	466 + 29
4510	4.90	4.90	32.40B/*4.90	32.40B/*4.90	----	6.00 - 2.80	.0518	----	----	5	----	7 + 5
4515	6.60	6.60	33.50B/*5.10	33.50B/*5.10	----	6.20 - 2.90	.0540	----	----	20	----	19 + 15
4520	----	----	34.60B/*5.40A	34.60B/*5.40A	----	6.50 - 2.90	.0569	----	----	18	----	20 UNCH
4525	----	----	35.80B/*5.50A	35.80B/*5.50A	----	6.80 - 2.90	.0598	----	----	----	----	7 UNCH
4530	----	----	36.70B/*5.80A	36.70B/*5.80A	----	7.00 - 3.10	.0622	----	----	----	----	9 UNCH
4535	10.00	10.00	37.70B/*6.00A	37.70B/*6.00A	----	7.30 - 3.10	.0652	----	----	1	----	3 + 1
4540	37.80	37.80	39.00B/*6.30A	39.00B/*6.30A	----	7.60 - 3.20	.0683	----	----	1	----	6 UNCH
4545	----	----	40.20B/*6.50A	40.20B/*6.50A	----	7.90 - 3.30	.0715	----	----	18	----	18 UNCH
4550	42.40	42.40	42.40/*6.80A	42.40/*6.80A	----	8.30 - 3.30	.0754	----	----	38	----	303 + 28
4560	----	----	43.80B/*7.40A	43.80B/*7.40A	----	9.00 - 3.40	.0827	----	----	3	----	2 + 1
4565	----	----	45.20B/*7.70A	45.20B/*7.70A	----	9.40 - 3.50	.0868	----	----	1	----	6 + 1
4570	12.60	12.60	46.60B/*8.00A	46.60B/*8.00A	----	9.80 NEW	.0910	----	----	10	----	10 + 10
4575	10.30	10.30	48.00B/*8.40A	48.00B/*8.40A	----	10.20 - 3.70	.0953	----	----	15	----	63 + 7
4580	----	----	48.60B/*8.80A	48.60B/*8.80A	----	10.60 - 3.80	.0996	----	----	1	----	2 + 1
4585	14.30	14.30	50.90B/*9.20A	50.90B/*9.20A	----	11.10 - 3.80	.1047	----	----	9	----	23 + 8
4590	17.60	17.60	52.50B/*9.60A	52.50B/*9.60A	----	11.60 - 3.90	.1098	----	----	6	----	15 + 1
4595	11.80	11.80	54.80B/*10.10A	54.80B/*10.10A	----	12.10 - 3.90	.1151	----	----	1	----	103 + 1
4600	43.00	43.00	56.40B/*10.20	56.40B/*10.20	----	12.60 - 4.10	.1204	----	----	71	----	202 + 7
4605	----	----	58.00B/*11.00A	58.00B/*11.00A	----	13.20 - 4.10	.1265	----	----	----	----	110 UNCH
4610	----	----	58.60B/*11.60A	58.60B/*11.60A	----	13.80 - 4.10	.1327	----	----	----	----	2 UNCH
4615	28.00	28.00	59.80B/*12.10A	59.80B/*12.10A	----	14.40 NEW	.1389	----	----	5	----	2 + 2
4625	25.50	25.50	64.20B/*13.30A	64.20B/*13.30A	----	15.70 - 4.40	.1524	----	----	10	----	31 + 4
4630	26.10	26.10	66.20B/*14.00A	66.20B/*14.00A	----	16.50 - 4.30	.1602	----	----	4	----	24 + 4
4635	25.90	25.90	68.10B/*14.70A	68.10B/*14.70A	----	17.20 - 4.40	.1676	----	----	17	----	17 + 4
4640	----	----	69.70B/*15.40A	69.70B/*15.40A	----	18.00 - 4.50	.1756	----	----	----	----	1 UNCH
4645	----	----	71.90B/*16.20A	71.90B/*16.20A	----	18.80 - 4.60	.1838	----	----	----	----	5 UNCH
4650	71.00	71.00	74.80B/*17.00A	74.80B/*17.00A	----	19.70 - 4.60	.1926	----	----	20	----	111 + 2
4655	30.70	30.70	75.40B/*17.90A	75.40B/*17.90A	----	20.60 NEW	.2015	----	----	1	----	1 + 1
4660	32.10	32.10	78.30B/*18.80A	78.30B/*18.80A	----	21.60 - 4.60	.2111	----	----	5	----	9 + 5
4670	36.50	36.50	82.50B/*20.70A	82.50B/*20.70A	----	23.60 NEW	.2307	----	----	2	----	2 + 2
4675	40.00	40.00	85.90B/*21.80A	85.90B/*21.80A	----	24.70 - 4.70	.2412	----	----	3	----	95 + 3
4680	----	----	87.50B/*22.90A	87.50B/*22.90A	----	25.90 - 4.60	.2523	----	----	15	----	83 + 11
4685	86.30	86.30	89.80B/*24.00A	89.80B/*24.00A	----	27.10 - 4.60	.2635	----	----	2	----	21 + 1
4690	26.10	26.10	92.10B/*25.20A	92.10B/*25.20A	----	28.30 - 4.60	.2748	----	----	1	----	39 UNCH
4695	----	----	94.70B/*26.50A	94.70B/*26.50A	----	29.60 - 4.60	.2868	----	----	----	----	21 UNCH
4700	81.00	81.00	98.10B/*27.70	98.10B/*27.70	----	31.00 - 4.50	.2992	----	----	59	----	179 + 3
4710	----	----	102.50B/*30.70A	102.50B/*30.70A	----	33.90 - 4.40	.3248	----	----	----	----	1 UNCH
4720	----	----	108.10B/*33.80A	108.10B/*33.80A	----	37.10 - 4.20	.3519	----	----	----	----	5 UNCH
4725	57.80	57.80	111.00B/35.50A	111.00B/35.50A	----	38.80 - 4.10	.3660	----	----	21	----	20 + 8
4730	49.00	49.00	113.10B/36.90A	113.10B/36.90A	----	40.60 - 3.90	.3804	----	----	52	----	54 + 52
4735	----	----	115.50B/39.00A	115.50B/39.00A	----	42.40 - 3.80	.3949	----	----	10	----	36 UNCH
4740	53.30	53.30	118.60B/40.90A	118.60B/40.90A	----	44.30 - 3.70	.4097	----	----	10	----	43 + 9
4745	----	----	121.70B/42.90A	121.70B/42.90A	----	46.30 - 3.50	.4248	----	----	----	----	24 UNCH
4750	60.90	60.90	124.90B/45.00	124.90B/45.00	----	48.40 - 3.20	.4402	----	----	12	----	22 + 1
4755	----	----	128.10B/47.10A	128.10B/47.10A	----	50.50 - 3.10	.4556	----	----	2	----	15 UNCH
4760	----	----	131.60B/49.40A	131.60B/49.40A	----	52.70 - 2.80	.4713	----	----	2	----	12 + 2
4770	----	----	138.50B/54.10A	138.50B/54.10A	----	57.40 - 2.30	.5029	----	----	2	----	1 - 1
4775	----	----	141.40B/56.50A	141.40B/56.50A	----	59.80 - 2.10	.5188	----	----	1	----	51 - 1
4780	----	----	145.40B/59.10A	145.40B/59.10A	----	62.30 - 1.80	.5348	----	----	----	----	49 UNCH
4785	----	----	148.50B/61.70A	148.50B/61.70A	----	64.90 - 1.50	.5508	----	----	2	----	17 + 2
4790	90.00	90.00	152.00B/64.50A	152.00B/64.50A	----	67.60 - 1.20	.5667	----	----	3	----	3 + 1
4795	----	----	155.80B/67.30A	155.80B/67.30A	----	70.40 - 0.80	.5826	----	----	----	----	1 UNCH
4800	----	----	159.40B/70.10A	159.40B/70.10A	----	73.20 - 0.50	.5984	----	----	3	----	11 + 3
4805	----	----	163.10B/73.20A	163.10B/73.20A	----	76.20 - 0.10	.6139	----	----	1	----	11 + 1
4810	----	----	166.70B/76.40A	166.70B/76.40A	----	79.20 + 0.30	.6294	----	----	----	----	1 UNCH
4820	----	----	174.30B/82.70A	174.30B/82.70A	----	85.40 + 1.00	.6599	----	----	----	----	1 UNCH
4825	----	----	178.30B/85.90A	178.30B/85.90A	----	88.70 + 1.50	.6745	----	----	2	----	4 + 2
4850	----	----	198.20B/----	198.20B/102.90A	----	106.00 + 3.60	.7438	----	----	----	----	1 UNCH
4875	----	----	219.30B/----	219.30B/121.70A	----	125.00 + 6.00	.8028	----	----	----	----	1 UNCH
4885	----	----	228.00B/----	228.00B/129.60A	----	133.00 + 6.90	.8238	----	----	----	----	1 UNCH
4900	236.00	236.00	241.30B/141.80A	241.30B/141.80A	----	145.50 + 8.30	.8520	----	----	2	----	5 + 1
4910	----	----	250.20B/----	250.20B/150.40A	----	154.00 NEW	.8680	----	----	1	----	1 + 1
4915	----	----	254.40B/----	254.40B/154.80A	----	158.40 + 9.70	.8758	----	----	2	----	5 UNCH
4925	----	----	263.60B/----	263.60B/163.40A	----	167.10 NEW	.8898	----	----	1	----	1 + 1
4950	----	----	286.30B/----	286.30B/185.80A	----	189.70 + 12.60	.9183	----	----	----	----	2 UNCH
4975	----	----	310.70B/----	310.70B/209.00A	----	213.00 + 14.40	.9398	----	----	----	----	1 UNCH
4995	----	----	329.60B/----	329.60B/227.90A	----	231.90 + 15.50	.9521	----	----	----	----	1 UNCH
5000	----	----	334.30B/----	334.30B/232.60A	----	236.70 + 15.80	.9547	----	----	1	----	2 + 1
5050	----	----	382.80B/----	382.80B/284.50A	----	285.10 + 17.80	.9739	----	----	----	----	1 UNCH
5150	----	----	464.10B/----	464.10B/383.10A	----	383.60 + 19.40	.9907	----	----	----	----	1 UNCH
5180	----	----	493.40B/----	493.40B/413.10A	----	413.40 + 19.60	.9928	----	----	----	----	1 UNCH
TOTAL										979		4113 + 266

OG3 CALL — GOLD OPTIONS — APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4300	----	----	----/379.20A	469.80B/379.20A	----	468.90 - 21.00	.9901	----	----	----	----	1 UNCH
4375	----	----	----/309.80A	399.00B/309.80A	----	394.70 - 21.40	.9832	----	----	----	----	74 UNCH
4400	----	----	----/287.30A	374.40B/287.30A	----	370.10 - 21.60	.9796	----	----	1	----	4 + 1
4415	----	----	----/274.00A	359.70B/274.00A	----	355.40 - 21.70	.9768	----	----	----	----	6 UNCH
4435	----	----	----/256.50A	340.10B/256.50A	----	335.80 - 21.90	.9729	----	----	----	----	10 UNCH
4450	----	----	----/244.00A	325.20B/244.00A	----	321.20 - 22.00	.9691	----	----	----	----	1 UNCH
4475	----	----	----/222.60A	301.20B/222.60A	----	296.90 - 22.30	.9621	----	----	----	----	3 UNCH
4500	----	----	----/202.50A	277.00B/202.50A	----	272.90 - 22.60	.9522	----	----	1	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG3 CALL GOLD OPTIONS
APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4550	----	----	----/164.00A	229.60B/164.00A	----	225.60 - 23.30	.9244	----	----	----	----	1 UNCH
4575	----	----	----/145.40A	206.50B/145.40A	----	202.50 - 23.60	.9046	----	----	----	----	4 UNCH
4585	----	----	----/138.80A	197.30B/138.80A	----	193.40 - 23.80	.8952	----	----	1	----	2 + 1
4600	----	----	----/128.30A	184.10B/128.30A	----	180.00 - 23.90	.8794	----	----	11	----	22 - 10
4610	----	----	----/122.00A	174.80B/122.00A	----	171.10 - 24.10	.8672	----	----	----	----	1 UNCH
4625	----	----	----/111.30A	161.70B/111.30A	----	158.10 - 24.30	.8474	----	----	----	----	3 UNCH
4650	----	----	----/95.10A	140.50B/95.10A	----	137.10 - 24.50	.8072	----	----	----	----	9 UNCH
4655	----	----	----/92.00A	136.30B/92.00A	----	133.00 - 24.50	.7983	----	----	----	----	1 UNCH
4670	----	----	----/83.40A	124.20B/83.40A	----	121.00 - 24.60	.7691	----	----	----	----	4 UNCH
4675	----	----	----/80.30A	120.10B/80.30A	----	117.10 - 24.60	.7586	----	----	----	----	7 UNCH
4680	100.00	100.00	116.80B/77.80A	116.80B/77.80A	----	113.20 - 24.60	.7475	----	----	4	----	36 + 4
4685	----	----	----/75.10A	112.90B/75.10A	----	109.40 - 24.60	.7363	----	----	----	----	39 UNCH
4690	----	----	----/72.50A	109.20B/72.50A	----	105.70 - 24.50	.7250	----	----	2	----	20 UNCH
4695	----	----	----/69.90A	105.40B/69.90A	----	102.00 - 24.50	.7130	----	----	----	----	32 UNCH
4700	----	----	----/67.10A	101.70B/67.10A	----	98.40 - 24.50	.7006	----	----	13	----	50 + 5
4705	----	----	----/64.90A	97.60B/64.90A	----	94.80 NEW	.6877	----	----	2	----	1 + 1
4710	----	----	----/62.60A	94.00B/62.60A	----	91.30 - 24.40	.6750	----	----	4	----	3 + 2
4715	----	----	----/60.20A	90.50B/60.20A	----	87.90 - 24.20	.6615	----	----	----	----	2 UNCH
4725	----	----	----/*55.80A	83.50B/*55.80A	----	81.20 - 24.00	.6338	----	----	8	----	4 + 3
4730	----	----	----/*53.20A	80.30B/*53.20A	----	78.00 - 23.90	.6194	----	----	----	----	1 UNCH
4735	----	----	----/*50.80A	77.20B/*50.80A	----	74.80 NEW	.6049	----	----	10	----	4 + 4
4740	----	----	----/*48.20A	74.40B/*48.20A	----	71.70 - 23.60	.5901	----	----	----	----	78 UNCH
4745	----	----	----/*45.90A	71.40B/*45.90A	----	68.70 - 23.40	.5750	----	----	2	----	66 - 1
4750	52.20	52.20	68.60B/*43.40A	68.60B/*43.40A	----	65.80 - 23.20	.5596	----	----	16	----	104 + 15
4755	----	----	----/*41.30A	66.10B/*41.30A	----	62.90 - 23.00	.5442	----	----	----	----	14 UNCH
4760	58.00	58.00	58.00/*39.20A	63.40B/*39.20A	----	60.10 NEW	.5285	----	----	8	----	5 + 5
4765	52.90	52.90	53.00/*37.10A	60.70B/*37.10A	----	57.40 - 22.60	.5128	----	----	136	----	106 + 25
4770	46.00	46.00	59.40/*35.10A	59.40/*35.10A	----	54.80 - 22.30	.4969	----	----	7	----	18 + 6
4775	40.50	40.50	55.70B/*33.00A	55.70B/*33.00A	----	52.20 - 22.10	.4810	----	----	379	----	191 + 85
4780	----	----	----/*31.40A	53.10B/*31.40A	----	49.70 - 21.80	.4650	----	----	----	----	13 UNCH
4785	41.90	41.90	41.90/*29.60A	50.60B/*29.60A	----	47.30 - 21.50	.4490	----	----	10	----	19 + 3
4790	----	----	----/*28.00A	48.50B/*28.00A	----	45.00 - 21.20	.4331	----	----	13	----	80 + 9
4795	----	----	----/*26.40A	46.10B/*26.40A	----	42.80 - 20.80	.4172	----	----	11	----	21 + 10
4800	34.50	34.50	44.00/*24.90A	44.00/*24.90A	----	40.60 - 20.50	.4014	----	----	86	----	90 + 28
4805	----	----	----/*23.40A	41.90B/*23.40A	----	38.60 - 20.10	.3859	----	----	2	----	11 + 1
4810	----	----	----/*22.00A	39.90B/*22.00A	----	36.60 - 19.70	.3704	----	----	----	100	111 + 100
4815	34.30	34.30	34.30/*20.70A	38.00B/*20.70A	----	34.70 - 19.30	.3552	----	----	15	----	20 + 13
4820	27.50	27.50	27.50/*19.50A	36.10B/*19.50A	----	32.80 NEW	.3399	----	----	2	----	2 + 2
4825	28.00	28.00	28.00/*18.30A	34.40B/*18.30A	----	31.10 - 18.60	.3253	----	----	10	----	67 + 3
4830	----	----	----/*17.20A	32.60B/*17.20A	----	29.40 - 18.10	.3108	----	----	1	----	8 UNCH
4835	29.70	29.70	29.70/*16.20A	30.90B/*16.20A	----	27.80 NEW	.2966	----	----	2	----	1 + 1
4840	25.10	25.10	28.10/*15.20A	29.00B/*15.20A	----	26.30 - 17.20	.2829	----	----	31	----	47 + 23
4845	----	----	----/*14.30A	28.70B/*14.30A	----	24.80 - 16.80	.2692	----	----	----	----	10 UNCH
4850	26.00	26.00	28.00/*13.20	28.00/*13.20	----	23.40 - 16.40	.2561	----	----	44	----	171 + 15
4855	----	----	----/*12.60A	25.10B/*12.60A	----	22.10 - 15.90	.2434	----	----	----	----	2 UNCH
4860	----	----	----/*11.80A	23.60B/*11.80A	----	20.80 - 15.50	.2309	----	----	----	----	5 UNCH
4865	----	----	----/*11.10A	22.60B/*11.10A	----	19.70 - 14.90	.2195	----	----	18	----	18 UNCH
4870	16.90	16.90	16.90/*10.40A	21.80B/*10.40A	----	18.50 - 14.50	.2076	----	----	7	----	112 + 7
4875	15.00	15.00	20.20B/*9.80A	20.20B/*9.80A	----	17.50 - 14.00	.1970	----	----	48	----	62 + 35
4880	15.10	15.10	15.10/*9.20A	19.30B/*9.20A	----	16.40 - 13.60	.1858	----	----	2	----	3 + 1
4885	17.50	17.50	17.50/*8.60A	18.40B/*8.60A	----	15.50 - 13.10	.1760	----	----	1	----	3 + 1
4890	14.00	14.00	15.90/*8.10A	17.70B/*8.10A	----	14.60 - 12.60	.1663	----	----	26	----	48 + 3
4895	----	----	----/*7.60A	16.50B/*7.60A	----	13.70 - 12.20	.1567	----	----	----	----	5 UNCH
4900	18.50	18.50	18.50/*6.90	18.50/*6.90	----	12.90 - 11.70	.1478	----	----	61	----	267 - 10
4905	10.90	10.90	10.90/*6.70A	15.10B/*6.70A	----	12.20 - 11.20	.1398	----	----	2	----	3 + 1
4910	15.00	15.00	15.00/*6.30A	15.00/*6.30A	----	11.50 - 10.80	.1318	----	----	9	----	9 + 3
4915	----	----	----/*6.00A	13.60B/*6.00A	----	10.80 - 10.30	.1240	----	----	----	----	6 UNCH
4920	9.20	9.20	10.40/*5.60A	12.90B/*5.60A	----	10.20 - 9.90	.1170	----	----	11	----	27 + 10
4925	9.60	9.60	13.00/*5.30A	13.00/*5.30A	----	9.60 - 9.50	.1101	----	----	9	----	23 + 2
4930	10.40	10.40	10.40/*5.00A	11.90B/*5.00A	----	9.00 - 9.10	.1032	----	----	10	----	44 + 10
4935	7.50	7.50	7.50/*4.70A	11.20B/*4.70A	----	8.50 - 8.70	.0973	----	----	2	----	7 + 2
4940	4.70	4.70	7.10/*4.40A	10.80B/*4.40A	----	8.00 - 8.30	.0914	----	----	116	----	97 - 16
4945	6.60	6.60	6.60/*4.20A	10.20B/*4.20A	----	7.60 - 7.80	.0865	----	----	2	----	15 + 1
4950	7.00	7.00	7.40/*3.90A	9.60B/*3.90A	----	7.20 - 7.40	.0816	----	----	14	----	205 + 3
4955	----	----	----/*3.70A	9.10B/*3.70A	----	6.80 - 7.00	.0768	----	----	----	----	50 UNCH
4960	----	----	----/*3.50A	8.70B/*3.50A	----	6.40 - 6.70	.0721	----	----	----	----	45 UNCH
4965	----	----	----/*3.30A	8.20B/*3.30A	----	6.10 - 6.30	.0683	----	----	----	----	33 UNCH
4970	5.10	5.10	5.10/*3.20A	7.90B/*3.20A	----	5.70 - 6.10	.0637	----	----	3	----	7 + 1
4975	4.20	4.20	4.20/*3.00A	7.40B/*3.00A	----	5.40 - 5.70	.0600	----	----	8	----	68 + 1
4980	4.50	4.50	4.50/*2.90A	7.20B/*2.90A	----	5.10 - 5.40	.0564	----	----	6	----	16 + 6
4985	----	----	----/*2.70A	6.80B/*2.70A	----	4.90 - 5.10	.0537	----	----	----	----	2 UNCH
4990	7.10	7.10	7.10/*2.60A	7.10/*2.60A	----	4.60 - 4.80	.0503	----	----	9	----	11 + 7
4995	3.80	3.80	3.80/*2.50A	6.20B/*2.50A	----	4.40 - 4.50	.0477	----	----	28	----	1017 + 17
5000	5.00	5.00	6.00/*2.10	6.00/*2.10	----	4.20 - 4.20	.0452	----	----	56	----	402 - 2
5005	----	----	----/*2.20A	5.60B/*2.20A	----	4.00 - 4.00	.0427	----	----	1	----	1004 UNCH
5010	3.30	3.30	3.30/*2.10A	5.30B/*2.10A	----	3.80 - 3.70	.0403	----	----	14	----	12 + 2
5015	3.10	3.10	3.10/*2.00A	4.80B/*2.00A	----	3.60 - 3.50	.0380	----	----	18	----	22 - 1
5020	2.70	2.70	2.70/*1.90A	4.60B/*1.90A	----	3.40 - 3.40	.0356	----	----	3	----	51 UNCH
5025	2.50	2.50	2.50/*1.90A	4.40B/*1.90A	----	3.30 - 3.10	.0342	----	----	1	----	12 UNCH
5030	2.60	2.60	2.60/*1.80A	4.10B/*1.80A	----	3.10 - 2.90	.0320	----	----	6	----	8 + 6
5035	----	----	----/*1.70A	3.90B/*1.70A	----	3.00 - 2.70	.0306	----	----	1	----	4 + 1
5040	2.40	2.40	2.40/*1.60A	3.60B/*1.60A	----	2.80 - 2.60	.0285	----	----	1	----	2 + 1
5050	2.50	2.50	3.00/*1.40	3.30B/*1.40	----	2.60 - 2.30	.0259	----	----	13	----	27 + 7
5055	----	----	----/*1.50A	3.00B/*1.50A	----	2.50 - 2.10	.0247	----	----	----	----	2 UNCH
5065	----	----	----/*1.40A	2.30B/*1.40A	----	2.30 - 1.80	.0223	----	----	----	----	12 UNCH
5070	1.40	1.40	1.40/*1.30A	2.70B/*1.30A	----	2.20 - 1.70	.0212	----	----	16	----	14 + 10
5075	----	----	----/*1.30A	2.50B/*1.30A	----	2.10 - 1.60	.0201	----	----	----	----	10 UNCH
5080	----	----	----/*1.20A	2.30B/*1.20A	----	2.00 - 1.50	.0190	----	----	----	----	21 UNCH
5085	----	----	----/*1.20A	2.20B/*1.20A	----	1.90 - 1.50	.0179	----	----	----	----	1 UNCH
5090	----	----	----/*1.10A	2.00B/*1.10A	----	1.80 - 1.40	.0168	----	----	----	----	9 UNCH
5095	----	----	----/*1.10A	1.90B/*1.10A	----	1.70 - 1.30	.0157	----	----	----	----	2 UNCH
5100	1.70	1.70	1.70/*1.10A	1.80B/*1.10A	----	1.70 - 1.20	.0155	----	----	3	----	463 + 1
5105	----	----	----/*1.00A	1.70B/*1.00A	----	1.60 - 1.10	.0145	----	----	----	----	2 UNCH
5115	1.40	1.40	1.40/*1.00A	1.40/*1.00A	----	1.50 NEW	.0134	----	----	1	----	1 + 1
5120	----	----	----/*1.00A	1.40B/*1.00A	----	1.40 - 1.00	.0124	----	----	----	----	2 UNCH
5130	----	----	----/*0.90A	1.20B/*0.90A	----	1.30 - 0.90	.0113	----	----	----	----	11 UNCH
5135	1.00	1.00	1.00/*0.90A	1.20B/*0.90A	----	1.30 - 0.80	.0111	----	----	1	----	2 + 1
5150	----	----	----/*0.80A	1.00B/*0.80A	----	1.10 - 0.70	.0092	----	----	----	----	20 UNCH
5155	----	----	----/*0.80A	1.00B/*0.80A	----	1.10 - 0.60	.0091	----	----	----	----	3 UNCH
5160	----	----	----/*0.80A	0.90B/*0.80A	----	1.00 - 0.70	.0082	----	----	----	----	3 UNCH
5170	----	----	----/*0.70A	0.80B/*0.70A	----	1.00 - 0.50	.0080	----	----	----	----	10 UNCH
5175	----	----	----/*0.70A	0.80B/*0.70A	----	0.90 - 0.60	.0072	----	----	----	----	3 UNCH
5190	----	----	----/*0.70A	0.70B/*0.70A	----	0.80 - 0.50	.0062	----	----	----	----	3 UNCH
5195	----	----	----/*0.60A	0.60B/*0.60A	----	0.80 - 0.40	.0062	----	----	----	----	29 UNCH
5200	0.70	0.70	0.70/*0.60A	0.70/*0.60A	----	0.80 - 0.40	.0061	----	----	3	----	211 + 3
5215	----	----	----/*0.60A	0.60B/*0.60A	----	0.70 - 0.40	.0052	----	----	----	----	1 UNCH
5220	----	----	----/*0.60A	0.50B/*0.60A	----	0.70 - 0.30	.0051	----	----	3	----	6 + 3
5230	----	----	----/*0.60A	0.50B/*0.60A	----	0.70 - 0.20	.0050	----	----	----	----	3 UNCH
5245	----	----	----/*0.60A	0.50B/*0.60A	----	0.60 - 0.20	.0042	----	----	1	----	10 UNCH
5250	----	----	----/*0.60A	0.50B/*0.60A	----	0.60 - 0.20	.0042	----	----	----	----	202 UNCH
5255	----	----	----/*0.60A	0.50B/*0.60A	----	0.60 - 0.20	.0041	----	----	----	----	5 UNCH
5265	----	----	----/*0.50A	0.40B/*0.50A	----	0.50 - 0.20	.0034	----	----	----	----	5 UNCH
5270	----	----	----/*0.50A	0.30B/*0.50A	----	0.50 - 0.20	.0033	----	----	----	----	8 UNCH
5275	----	----	----	0.30B/*0.60A	----	0.50 - 0.10	.0033	----	----	----	----	5 UNCH
5280	----	----	----	0.30B/*0.60A	----	0.50 - 0.10	.0033	----	----	----	----	2 UNCH
5290	----	----	----	0.30B/*0.60A	----	0.50 - 0.10	.0032	----	----	----	----	38 UNCH
5295	----	----	----	0.30B/*0.70A	----	0.50 UNCH	.0032	----	----	----	----	2 UNCH
5300	----	----	----	0.20B/*0.70A	----	0.50 UNCH	.0032	----	----	----	----	83 UNCH
5325	----	----	----	----/0.70A	----	0.40 UNCH	.0024	----	----	----	----	6 UNCH
5350	----	----	----	----/0.70A	----	0.30 - 0.10	.0017	----	----	----	----	28 UNCH
5375	----	----	----	----/*0.60A	----	0.20 - 0.10	.0011	----	----	----	----	2 UNCH
5400	----	----	----	----/*0.60A	----	0.20 - 0.10	.0010	----	----	----	----	7 UNCH
5425	----	----	----	----/*0.50A	----	0.20 UNCH	.0010	----	----	----	----	3 UNCH
5450	----	----	----	----/0.60A	----	0.10 - 0.10	.0005	----	----	----	----	1 UNCH
5500	----	----	----	----/0.60A	----	0.10 UNCH	.0002	----	----	----	----	28 UNCH
5550	----	----	----	----/*0.50A	----	0.10 UNCH	.0000	----	----	----	----	20 UNCH
5700	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	.0000	----	----	1	----	6 UNCH
5750	0.20	0.20	0.20/*0.10A	0.20/*0.10A	----	0.10 UNCH	----	----	----	1	----	1 + 1
TOTAL										1368	100	6660 + 473

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST

OG2 PUT GOLD OPTIONS
APR26

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG2 PUT		GOLD OPTIONS												
APR26														
4050	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4300	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4350	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4375	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4400	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4450	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4480	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4485	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4500	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4550	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4600	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4605	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4610	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4615	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4625	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4630	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4635	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4640	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4645	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4650	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4655	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4660	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4665	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4670	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4675	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4680	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4685	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4690	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4695	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4700	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4705	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4710	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4715	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4720	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4725	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4730	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4735	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4740	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4745	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4750	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4755	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4760	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4765	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4770	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4775	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4780	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4785	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4790	----	----	----	----	----	2.60	UNCH	----	----	----	----	----	0	UNCH
4795	----	----	----	----	----	7.60	UNCH	----	----	----	----	----	0	UNCH
4800	----	----	----	----	----	12.60	UNCH	----	----	----	----	----	0	UNCH
4805	----	----	----	----	----	17.60	UNCH	----	----	----	----	----	0	UNCH
4810	----	----	----	----	----	22.60	UNCH	----	----	----	----	----	0	UNCH
4815	----	----	----	----	----	27.60	UNCH	----	----	----	----	----	0	UNCH
4820	----	----	----	----	----	32.60	UNCH	----	----	----	----	----	0	UNCH
4825	----	----	----	----	----	37.60	UNCH	----	----	----	----	----	0	UNCH
4830	----	----	----	----	----	42.60	UNCH	----	----	----	----	----	0	UNCH
4835	----	----	----	----	----	47.60	UNCH	----	----	----	----	----	0	UNCH
4840	----	----	----	----	----	52.60	UNCH	----	----	----	----	----	0	UNCH
4845	----	----	----	----	----	57.60	UNCH	----	----	----	----	----	0	UNCH
4850	----	----	----	----	----	62.60	UNCH	----	----	----	----	----	0	UNCH
4860	----	----	----	----	----	72.60	UNCH	----	----	----	----	----	0	UNCH
4875	----	----	----	----	----	87.60	UNCH	----	----	----	----	----	0	UNCH
4880	----	----	----	----	----	92.60	UNCH	----	----	----	----	----	0	UNCH
4900	----	----	----	----	----	112.60	UNCH	----	----	----	----	----	0	UNCH
4910	----	----	----	----	----	122.60	UNCH	----	----	----	----	----	0	UNCH
4925	----	----	----	----	----	137.60	UNCH	----	----	----	----	----	0	UNCH
4935	----	----	----	----	----	147.60	UNCH	----	----	----	----	----	0	UNCH
4940	----	----	----	----	----	152.60	UNCH	----	----	----	----	----	0	UNCH
4945	----	----	----	----	----	157.60	UNCH	----	----	----	----	----	0	UNCH
4950	----	----	----	----	----	162.60	UNCH	----	----	----	----	----	0	UNCH
4955	----	----	----	----	----	167.60	UNCH	----	----	----	----	----	0	UNCH
4975	----	----	----	----	----	187.60	UNCH	----	----	----	----	----	0	UNCH
4995	----	----	----	----	----	207.60	UNCH	----	----	----	----	----	0	UNCH
5000	----	----	----	----	----	212.60	UNCH	----	----	----	----	----	0	UNCH
5015	----	----	----	----	----	227.60	UNCH	----	----	----	----	----	0	UNCH
5020	----	----	----	----	----	232.60	UNCH	----	----	----	----	----	0	UNCH
5025	----	----	----	----	----	237.60	UNCH	----	----	----	----	----	0	UNCH
5050	----	----	----	----	----	262.60	UNCH	----	----	----	----	----	0	UNCH
5065	----	----	----	----	----	277.60	UNCH	----	----	----	----	----	0	UNCH
5070	----	----	----	----	----	282.60	UNCH	----	----	----	----	----	0	UNCH
5075	----	----	----	----	----	287.60	UNCH	----	----	----	----	----	0	UNCH
5100	----	----	----	----	----	312.60	UNCH	----	----	----	----	----	0	UNCH
5125	----	----	----	----	----	337.60	UNCH	----	----	----	----	----	0	UNCH
5130	----	----	----	----	----	342.60	UNCH	----	----	----	----	----	0	UNCH
5200	----	----	----	----	----	412.60	UNCH	----	----	----	----	----	0	UNCH
5230	----	----	----	----	----	442.60	UNCH	----	----	----	----	----	0	UNCH
5235	----	----	----	----	----	447.60	UNCH	----	----	----	----	----	0	UNCH
5260	----	----	----	----	----	472.60	UNCH	----	----	----	----	----	0	UNCH
5360	----	----	----	----	----	572.60	UNCH	----	----	----	----	----	0	UNCH
5400	----	----	----	----	----	612.60	UNCH	----	----	----	----	----	0	UNCH
TOTAL													0	0
MAY26														
4200	13.00	13.00	#13.00/*13.00	#13.00/*13.00	----	13.30	NEW	.0655	----	----	3	----	3 +	3
4775	----	----	----	#152.70B/*140.60A	----	138.00	NEW	.4951	----	----	2	----	2 +	2
4975	278.00	278.00	#286.80B/*266.5	#286.80B/*266.50A	----	263.30	NEW	.7217	----	----	2	----	2 +	2
TOTAL											7		7+	7

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG2 CALL		GOLD OPTIONS												
APR26														
4200	----	----	----	----	----	587.40	UNCH	----	----	----	----	----	0	UNCH
4350	----	----	----	----	----	437.40	UNCH	----	----	----	----	----	0	UNCH
4375	----	----	----	----	----	412.40	UNCH	----	----	----	----	----	0	UNCH
4400	----	----	----	----	----	387.40	UNCH	----	----	----	----	----	0	UNCH
4415	----	----	----	----	----	372.40	UNCH	----	----	----	----	----	0	UNCH
4450	----	----	----	----	----	337.40	UNCH	----	----	----	----	----	0	UNCH
4475	----	----	----	----	----	312.40	UNCH	----	----	----	----	----	0	UNCH
4480	----	----	----	----	----	307.40	UNCH	----	----	----	----	----	0	UNCH
4500	----	----	----	----	----	287.40	UNCH	----	----	----	----	----	0	UNCH
4505	----	----	----	----	----	282.40	UNCH	----	----	----	----	----	0	UNCH
4525	----	----	----	----	----	262.40	UNCH	----	----	----	----	----	0	UNCH
4530	----	----	----	----	----	257.40	UNCH	----	----	----	----	----	0	UNCH
4535	----	----	----	----	----	252.40	UNCH	----	----	----	----	----	0	UNCH
4540	----	----	----	----	----	247.40	UNCH	----	----	----	----	----	0	UNCH
4545	----	----	----	----	----	242.40	UNCH	----	----	----	----	----	0	UNCH
4550	----	----	----	----	----	237.40	UNCH	----	----	----	----	----	0	UNCH
4555	----	----	----	----	----	232.40	UNCH	----	----	----	----	----	0	UNCH
4560	----	----	----	----	----	227.40	UNCH	----	----	----	----	----	0	UNCH
4570	----	----	----	----	----	217.40	UNCH	----	----	----	----	----	0	UNCH
4575	----	----	----	----	----	212.40	UNCH	----	----	----	----	----	0	UNCH
4580	----	----	----	----	----	207.40	UNCH	----	----	----	----	----	0	UNCH
4585	----	----	----	----	----	202.40	UNCH	----	----	----	----	----	0	UNCH
4595	----	----	----	----	----	192.40	UNCH	----	----	----	----	----	0	UNCH
4600	----	----	----	----	----	187.40	UNCH	----	----	----	----	----	0	UNCH
4610	----	----	----	----	----	177.40	UNCH	----	----	----	----	----	0	UNCH
4625	----	----	----	----	----	162.40	UNCH	----	----	----	----	----	0	UNCH
4630	----	----	----	----	----	157.40	UNCH	----	----	----	----	----	0	UNCH
4635	----	----	----	----	----	152.40	UNCH	----	----	----	----	----	0	UNCH
4640	----	----	----	----	----	147.40	UNCH	----	----	----	----	----	0	UNCH
4645	----	----	----	----	----	142.40	UNCH	----	----	----	----	----	0	UNCH
4650	----	----	----	----	----	137.40	UNCH	----	----	----	----	----	0	UNCH
4655	----	----	----	----	----	132.40	UNCH	----	----	----	----	----	0	UNCH
4660	----	----	----	----	----	127.40	UNCH	----	----	----	----	----	0	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG2 CALL		GOLD OPTIONS												
APR26														
4665	----	----	----	----	----	122.40	UNCH	----	----	----	----	----	0	UNCH
4670	----	----	----	----	----	117.40	UNCH	----	----	----	----	----	0	UNCH
4675	----	----	----	----	----	112.40	UNCH	----	----	----	----	----	0	UNCH
4680	----	----	----	----	----	107.40	UNCH	----	----	----	----	----	0	UNCH
4685	----	----	----	----	----	102.40	UNCH	----	----	----	----	----	0	UNCH
4695	----	----	----	----	----	92.40	UNCH	----	----	----	----	----	0	UNCH
4700	----	----	----	----	----	87.40	UNCH	----	----	----	----	----	0	UNCH
4705	----	----	----	----	----	82.40	UNCH	----	----	----	----	----	0	UNCH
4710	----	----	----	----	----	77.40	UNCH	----	----	----	----	----	0	UNCH
4715	----	----	----	----	----	72.40	UNCH	----	----	----	----	----	0	UNCH
4720	----	----	----	----	----	67.40	UNCH	----	----	----	----	----	0	UNCH
4725	----	----	----	----	----	62.40	UNCH	----	----	----	----	----	0	UNCH
4730	----	----	----	----	----	57.40	UNCH	----	----	----	----	----	0	UNCH
4735	----	----	----	----	----	52.40	UNCH	----	----	----	----	----	0	UNCH
4740	----	----	----	----	----	47.40	UNCH	----	----	----	----	----	0	UNCH
4745	----	----	----	----	----	42.40	UNCH	----	----	----	----	----	0	UNCH
4750	----	----	----	----	----	37.40	UNCH	----	----	----	----	----	0	UNCH
4755	----	----	----	----	----	32.40	UNCH	----	----	----	----	----	0	UNCH
4760	----	----	----	----	----	27.40	UNCH	----	----	----	----	----	0	UNCH
4765	----	----	----	----	----	22.40	UNCH	----	----	----	----	----	0	UNCH
4770	----	----	----	----	----	17.40	UNCH	----	----	----	----	----	0	UNCH
4775	----	----	----	----	----	12.40	UNCH	----	----	----	----	----	0	UNCH
4780	----	----	----	----	----	7.40	UNCH	----	----	----	----	----	0	UNCH
4785	----	----	----	----	----	2.40	UNCH	----	----	----	----	----	0	UNCH
4790	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4795	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4800	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4805	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4810	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4815	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4820	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4825	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4830	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4835	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4840	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4845	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4850	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4855	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4860	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4865	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4870	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4875	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4880	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4885	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4890	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4895	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4900	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4905	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4915	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4920	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4925	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4930	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4935	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4945	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4950	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4955	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4965	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4975	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4980	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4985	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4995	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
5000	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
5005	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
5020	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
5025	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
5050	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
5065	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
5120	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
5200	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
5250	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
TOTAL													0	0
MAY26														
4775	----	----	----	#123.30B/*115.80A	----	130.40	NEW	.5042	----	----	4	----	4 +	4
4800	----	----	----	#111.10B/*105.40A	----	118.80	NEW	.4741	----	----	1	----	1 +	1
4950	----	----	----	#56.60B/*55.80A	----	63.30	NEW	.3034	----	----	14	----	14 +	14
TOTAL											19		19+	19

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG1 PUT		GOLD OPTIONS												
MAY26														
3900	1.70	1.70	#1.70/*1.70	#3.30B/*1.70	----	2.10	NEW	.0113	----	----	1	----	1 +	1
4125	----	----	11.40B/*5.70A	11.40B/*5.70A	----	5.80	- 0.80	.0324	----	----	----	----	2	UNCH
4150	----	----	12.90B/*6.30A	12.90B/*6.30A	----	6.40	- 0.90	.0360	----	----	----	----	1	UNCH
4175	----	----	14.60B/*6.80A	14.60B/*6.80A	----	7.10	- 1.00	.0402	----	----	----	----	1	UNCH
4200	----	----	16.50B/*7.80A	16.50B/*7.80A	----	7.90	- 1.00	.0449	----	----	----	----	1	UNCH
4250	----	----	21.10B/*9.20A	21.10B/*9.20A	----	9.80	- 1.20	.0560	----	----	----	----	5	UNCH
4300	20.00	20.00	26.70B/*11.40A	26.70B/*11.40A	----	12.30	- 1.20	.0704	----	----	4	----	6 +	4
4325	----	----	30.00B/*12.60A	30.00B/*12.60A	----	13.70	- 1.40	.0786	----	----	----	----	2	UNCH
4350	40.00	40.00	40.00/*14.30A	40.00/*14.30A	----	15.40	- 1.40	.0882	----	----	11	----	16 +	11
4400	----	----	42.10B/*18.20A	42.10B/*18.20A	----	19.50	- 1.50	.1109	----	----	----	----	1	UNCH
4450	24.50	24.50	52.70B/*23.40A	52.70B/*23.40A	----	24.90	- 1.50	.1397	----	----	150	----	150 +	150
4485	----	----	60.90B/28.30A	60.90B/28.30A	----	29.60	- 1.50	.1638	----	----	----	----	1	UNCH
4500	----	----	64.90B/30.30A	64.90B/30.30A	----	31.90	- 1.40	.1752	----	----	22	----	12 +	10
4535	----	----	75.20B/36.50A	75.20B/36.50A	----	37.90	- 1.30	.2044	----	----	----	----	1	UNCH
4610	----	----	101.00B/53.10A	101.00B/53.10A	----	54.80	- 0.70	.2803	----	----	----	----	10	UNCH
4700	----	----	141.30B/81.10A	141.30B/81.10A	----	83.90	+ 0.80	.3930	----	----	22	----	12 +	11
4750	----	----	168.40B/102.50A	168.40B/102.50A	----	104.90	+ 2.10	.4631	----	----	----	----	1	UNCH
4835	----	----	222.20B/----	222.20B/146.50A	----	149.30	+ 4.90	.5860	----	----	1	----	1	UNCH
4950	----	----	308.10B/----	308.10B/228.70A	----	226.20	+ 8.90	.7378	----	----	----	----	1	UNCH
5000	----	----	349.50B/----	349.50B/268.00A	----	265.00	+ 10.50	.7925	----	----	----	----	1	UNCH
TOTAL											211		226+	187

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG1 CALL		GOLD OPTIONS												
MAY26														
4625	----	----	----/164.90A	201.40B/164.90A	----	201.10	- 20.50	.7018	----	----	----	----	1	UNCH
4665	----	----	----/*141.70A	174.80B/*141.70A	----	173.60	- 19.80	.6528	----	----	----	----	1	UNCH
4700	152.30	152.30	152.30/*123.20A	152.30/*123.20A	----	151.20	NEW	.6064	----	----	1	----	1 +	1
4760	----	----	----/*97.10A	117.60B/*97.10A	----	117.00	NEW	.5220	----	----	1	----	1 +	1
4770	----	----	----/*93.10A	112.50B/*93.10A	----	111.80	NEW	.5075	----	----	1	----	1 +	1
4775	97.30	97.30	109.70B/*91.10A	109.70B/*91.10A	----	109.20	NEW	.5003	----	----	4	----	4 +	4
4800	86.10	86.10	86.10/*80.60A	97.50B/*80.60A	----	97.10	- 16.30	.4639	----	----	1	----	1	UNCH
4825	----	----	----/*71.10A	86.30B/*71.10A	----	86.00	- 15.40	.4278	----	----	----	----	1	UNCH
4840	----	----	----/*65.60A	80.00B/*65.60A	----	79.70	- 14.90	.4063	----	----	----	----	10	UNCH
4860	----	----	----/*59.10A	72.10B/*59.10A	----	71.90	- 14.20	.3781	----	----	----	----	1	UNCH
4875	----	----	----/*54.60A	66.60B/*54.60A	----	66.50	- 13.60	.3575	----	----	----	----	1	UNCH
4900	59.00	59.00	59.00/*47.00	59.00/*47.00	----	58.10	- 12.80	.3239	----	----	3	----	13 +	2
4925	----	----	----/*41.40A	51.00B/*41.40A	----	50.60	- 11.90	.2919	----	----	----	----	20	UNCH
4950	----	----	----/*36.00A	44.40B/*36.00A	----	43.90	- 11.10	.2617	----	----	----	----	21	UNCH
5000	----	----	----/*27.00A	33.30B/*27.00A	----	32.70	- 9.50	.2070	----	----	----	----	3	UNCH
5050	----	----	----/*20.20A	25.10B/*20.20A	----	24.20	- 8.10	.1612	----	----	5	----	8 +	5
5100	15.50	15.50	16.00/*15.20A	18.80B/*15.20A	----	17.80	NEW	.1237	----	----	740	----	740 +	740
5125	----	----	----/*13.20A	16.10B/*13.20A	----	15.30	- 6.00	.1082	----	----	----	----	1	UNCH
5150	14.50	14.50	14.50/*11.40A	14.50/*11.40A	----	13.10	NEW	.0942	----	----	8	----	8 +	8
5200	11.50	11.50	11.50/*8.70A	11.50/*8.70A	----	9.70	- 3.80	.0716	----	----	1	----	7 +	1
TOTAL											765		844+	763

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
1000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2046 UNCH
1500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	761 UNCH
1600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	40 UNCH
1700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1800	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1900	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	149 UNCH
2175	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	25 UNCH
2200	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	129 UNCH
2225	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	271 UNCH
2250	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
2275	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2300	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	156 UNCH
2325	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
2350	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	122 UNCH
2400	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	13 UNCH
2420	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	16 UNCH
2450	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
2485	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
2495	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	75 UNCH
2500	0.10	0.10	0.10/*0.10	0.10/0.10	----	0.10 UNCH	----	----	----	1	----	74 UNCH
2505	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
2520	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
2525	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	102 UNCH
2540	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
2550	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2560	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
2580	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	35 UNCH
2590	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2600	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	114 UNCH
2615	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2620	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2650	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	4 UNCH
2660	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2685	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2700	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	34 UNCH
2705	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2715	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
2725	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2730	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
2750	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	3 UNCH
2755	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	6 UNCH
2770	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	4 UNCH
2785	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	21 UNCH
2790	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
2800	0.10	0.10	0.10/*0.10	0.10/0.10	----	0.10 UNCH	.0000	----	----	1	----	88 UNCH
2815	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	35 UNCH
2820	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	74 UNCH
2845	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
2850	----	----	----	----/*0.10A	----	0.10 UNCH	.0001	----	----	----	----	2 UNCH
2870	----	----	----	----/*0.10A	----	0.10 UNCH	.0001	----	----	----	----	23 UNCH
2895	----	----	----	----/*0.10A	----	0.10 UNCH	.0001	----	----	----	----	39 UNCH
2900	----	----	----	----/*0.10A	----	0.10 UNCH	.0001	----	----	----	----	348 UNCH
2905	----	----	----	----/0.30A	----	0.10 UNCH	.0001	----	----	----	----	4 UNCH
2910	----	----	----	----/*0.10A	----	0.10 UNCH	.0001	----	----	----	----	20 UNCH
2930	----	----	----	----/*0.10A	----	0.10 UNCH	.0002	----	----	----	----	28 UNCH
2940	----	----	----	----/*0.10A	----	0.10 UNCH	.0002	----	----	----	----	8 UNCH
2950	----	----	----	----/*0.10A	----	0.10 UNCH	.0002	----	----	----	----	302 UNCH
2980	----	----	----	----/0.30A	----	0.10 UNCH	.0003	----	----	----	----	2 UNCH
2995	----	----	----	----/0.30A	----	0.20 + 0.10	.0006	----	----	----	----	4 UNCH
3000	----	----	----	0.10B/0.20A	----	0.20 + 0.10	.0006	----	----	----	----	140 UNCH
3005	----	----	----	----/0.30A	----	0.20 UNCH	.0006	----	----	----	----	1 UNCH
3010	----	----	----	----/0.30A	----	0.20 UNCH	.0006	----	----	----	----	1 UNCH
3020	----	----	----	----/0.30A	----	0.20 UNCH	.0006	----	----	----	----	1 UNCH
3040	----	----	----	----/0.30A	----	0.20 UNCH	.0006	----	----	----	----	52 UNCH
3045	----	----	----	----/0.30A	----	0.20 UNCH	.0006	----	----	----	----	2 UNCH
3050	----	----	----	----/0.30A	----	0.20 UNCH	.0006	----	----	----	----	19 UNCH
3055	----	----	----	----/0.30A	----	0.20 UNCH	.0007	----	----	----	----	5 UNCH
3065	----	----	----	----/0.30A	----	0.20 UNCH	.0007	----	----	----	----	5 UNCH
3070	----	----	----	----/0.30A	----	0.20 UNCH	.0007	----	----	----	----	1 UNCH
3075	----	----	----	----/0.30A	----	0.20 UNCH	.0007	----	----	----	----	66 UNCH
3080	----	----	----	----/0.30A	----	0.20 UNCH	.0007	----	----	----	----	1 UNCH
3090	----	----	----	----/0.30A	----	0.20 UNCH	.0007	----	----	----	----	5 UNCH
3095	----	----	----	----/0.30A	----	0.20 UNCH	.0007	----	----	----	----	3 UNCH
3100	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.20 UNCH	.0007	----	----	1	----	306 UNCH
3105	----	----	----	----/0.30A	----	0.20 UNCH	.0007	----	----	----	----	5 UNCH
3115	----	----	----	----/0.30A	----	0.20 UNCH	.0007	----	----	----	----	5 UNCH
3120	----	----	----	----/0.30A	----	0.20 UNCH	.0007	----	----	----	----	41 UNCH
3125	----	----	----	----/0.30A	----	0.20 UNCH	.0007	----	----	----	----	1 UNCH
3130	----	----	----	----/0.30A	----	0.20 UNCH	.0007	----	----	----	----	8 UNCH
3135	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0007	----	----	----	----	2 UNCH
3140	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0007	----	----	----	----	3 UNCH
3150	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0007	----	----	----	----	10 UNCH
3155	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0007	----	----	----	----	74 UNCH
3160	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0007	----	----	----	----	15 UNCH
3170	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0007	----	----	----	----	5 UNCH
3175	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0007	----	----	----	----	10 UNCH
3185	----	----	0.30B/----	0.30B/*0.30A	----	0.20 UNCH	.0007	----	----	----	----	18 UNCH
3200	0.30	0.30	0.30/*0.30	0.30/*0.30	----	0.20 - 0.10	.0007	----	----	1	----	258 UNCH
3205	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0007	----	----	----	----	10 UNCH
3210	----	----	----	0.20B/*0.30A	----	0.30 UNCH	.0011	----	----	----	----	10 UNCH
3220	----	----	----	0.20B/*0.30A	----	0.30 UNCH	.0011	----	----	----	----	8 UNCH
3225	----	----	----	0.20B/*0.30A	----	0.30 UNCH	.0011	----	----	----	----	12 UNCH
3235	----	----	----	0.20B/*0.30A	----	0.30 UNCH	.0011	----	----	----	----	5 UNCH
3245	----	----	----	0.20B/*0.30A	----	0.30 UNCH	.0011	----	----	----	----	5 UNCH
3250	----	----	----	0.20B/*0.30A	----	0.30 UNCH	.0011	----	----	5	----	89 + 5
3255	----	----	----	0.20B/*0.30A	----	0.30 UNCH	.0011	----	----	----	----	8 UNCH
3260	----	----	----	0.20B/*0.30A	----	0.30 UNCH	.0011	----	----	----	----	21 UNCH
3265	----	----	----	0.20B/*0.30A	----	0.30 UNCH	.0011	----	----	----	----	16 UNCH
3270	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0011	----	----	----	----	2 UNCH
3275	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0011	----	----	----	----	22 UNCH
3280	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0011	----	----	----	----	1 UNCH
3290	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0011	----	----	----	----	40 UNCH
3295	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0011	----	----	----	----	1 UNCH
3300	0.40	0.40	0.40/0.40	0.40/0.40	----	0.30 UNCH	.0012	----	----	1	----	596 - 1
3305	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0012	----	----	----	----	60 UNCH
3310	----	----	----	0.30B/*0.40A	----	0.30 UNCH	.0012	----	----	----	----	1 UNCH
3315	----	----	----	0.30B/*0.40A	----	0.30 UNCH	.0012	----	----	----	----	3 UNCH
3320	----	----	----	0.30B/*0.40A	----	0.30 - 0.10	.0012	----	----	----	----	1 UNCH
3325	----	----	----	0.30B/*0.40A	----	0.40 UNCH	.0015	----	----	----	----	10 UNCH
3330	----	----	----	0.30B/*0.40A	----	0.40 UNCH	.0015	----	----	----	----	2 UNCH
3335	----	----	----	0.30B/*0.40A	----	0.40 UNCH	.0015	----	----	----	----	20 UNCH
3340	----	----	----	0.30B/*0.40A	----	0.40 UNCH	.0015	----	----	----	----	1 UNCH
3345	----	----	----	0.30B/*0.40A	----	0.40 UNCH	.0016	----	----	----	----	1 UNCH
3350	----	----	----	0.30B/*0.40A	----	0.40 UNCH	.0016	----	----	----	----	53 UNCH
3360	----	----	----	0.30B/*0.40A	----	0.40 UNCH	.0016	----	----	----	----	4 UNCH
3370	----	----	----	0.30B/*0.40A	----	0.40 UNCH	.0016	----	----	----	----	75 UNCH
3375	----	----	----	0.40B/*0.40A	----	0.40 UNCH	.0016	----	----	----	----	54 UNCH
3380	----	----	----	0.40B/0.50A	----	0.40 UNCH	.0016	----	----	----	----	5 UNCH
3385	----	----	----	0.40B/*0.50A	----	0.40 UNCH	.0016	----	----	----	----	12 UNCH
3390	----	----	----	0.40B/*0.50A	----	0.40 UNCH	.0016	----	----	----	----	5 UNCH
3395	----	----	----	0.30B/0.50A	----	0.40 UNCH	.0016	----	----	----	----	35 UNCH
3400	0.50	0.50	0.50/*0.50	0.50/*0.50	----	0.40 UNCH	.0016	----	----	2	----	188 - 2
3405	----	----	----	0.40B/*0.50A	----	0.40 UNCH	.0016	----	----	----	----	5 UNCH
3415	----	----	----	0.40B/*0.50A	----	0.40 - 0.10	.0016	----	----	----	----	118 UNCH
3420	----	----	----	0.40B/0.50A	----	0.50 UNCH	.0020	----	----	----	----	1 UNCH
3425	----	----	----	0.40B/*0.50A	----	0.50 UNCH	.0020	----	----	----	----	11 UNCH
3430	----	----	----	0.50B/*0.50A	----	0.50 UNCH	.0020	----	----	----	----	21 UNCH
3435	----	----	----	0.50B/*0.50A	----	0.50 UNCH	.0020	----	----	----	----	101 UNCH
3440	----	----	----	0.50B/*0.50A	----	0.50 UNCH	.0021	----	----	----	----	1 UNCH
3445	----	----	----	0.50B/*0.50A	----	0.50 UNCH	.0021	----	----	----	----	33 UNCH
3450	----	----	----	0.50B/*0.50A	----	0.50 UNCH	.0021	----	----	----	----	49 UNCH
3455	----	----	----	0.50B/*0.50A	----	0.50 UNCH	.0021	----	----	----	----	44 UNCH
3460	----	----	----	0.50B/0.60A	----	0.50 UNCH	.0021	----	----	----	----	142 UNCH
3465	----	----	----	0.50B/*0.60A	----	0.50 UNCH	.0021	----	----	----	----	17 UNCH
3470	----	----	----	0.50B/*0.60A	----	0.50 UNCH	.0021	----	----	----	----	76 UNCH
3475	----	----	0.60B/----	0.60B/*0.60A	----	0.50 UNCH	.0021	----	----	----	----	94 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
3480	----	----	0.60B/----	0.60B/0.60A	----	0.50 UNCH	.0021	----	----	----	----	84 UNCH
3485	----	----	----	0.60B/*0.60A	----	0.50 - 0.10	.0021	----	----	----	----	60 UNCH
3490	----	----	----	0.60B/*0.60A	----	0.50 - 0.10	.0021	----	----	----	----	52 UNCH
3495	----	----	----	0.60B/*0.60A	----	0.50 - 0.10	.0022	----	----	----	----	54 UNCH
3500	----	----	0.70B/----	0.70B/*0.60A	----	0.50 - 0.10	.0022	----	----	----	----	1430 UNCH
3505	----	----	----	0.60B/*0.60A	----	0.60 UNCH	.0026	----	----	----	----	14 UNCH
3510	----	----	----	0.60B/*0.60A	----	0.60 UNCH	.0026	----	----	----	----	35 UNCH
3515	----	----	----	0.60B/*0.60A	----	0.60 UNCH	.0026	----	----	----	----	82 UNCH
3520	----	----	----	0.60B/*0.60A	----	0.60 UNCH	.0026	----	----	----	----	8 UNCH
3525	----	----	----	0.60B/*0.60A	----	0.60 UNCH	.0026	----	----	----	----	119 UNCH
3530	----	----	0.70B/----	0.70B/0.70A	----	0.60 UNCH	.0026	----	----	----	----	102 UNCH
3535	----	----	0.70B/----	0.70B/0.70A	----	0.60 UNCH	.0026	----	----	----	----	158 UNCH
3540	----	----	0.70B/----	0.70B/0.70A	----	0.60 UNCH	.0026	----	----	----	----	10 UNCH
3545	----	----	----	0.60B/*0.70A	----	0.60 - 0.10	.0026	----	----	----	----	66 UNCH
3550	----	----	----	0.70B/0.70A	----	0.60 - 0.10	.0027	----	----	----	----	339 UNCH
3555	----	----	0.80B/----	0.80B/*0.70A	----	0.60 - 0.10	.0027	----	----	----	----	45 UNCH
3560	----	----	0.80B/----	0.80B/*0.70A	----	0.60 - 0.10	.0027	----	----	----	----	9 UNCH
3565	----	----	0.80B/----	0.80B/*0.70A	----	0.60 - 0.10	.0027	----	----	----	----	7 UNCH
3570	----	----	0.80B/----	0.80B/0.80A	----	0.60 - 0.10	.0027	----	----	----	----	11 UNCH
3575	----	----	0.80B/----	0.80B/0.80A	----	0.70 UNCH	.0031	----	----	----	----	96 UNCH
3580	----	----	0.80B/----	0.80B/*0.80A	----	0.70 UNCH	.0031	----	----	----	----	9 UNCH
3585	----	----	0.80B/----	0.80B/0.80A	----	0.70 UNCH	.0031	----	----	----	----	9 UNCH
3590	----	----	0.90B/----	0.90B/*0.80A	----	0.70 UNCH	.0031	----	----	----	----	33 UNCH
3595	----	----	0.80B/----	0.80B/*0.80A	----	0.70 UNCH	.0032	----	----	----	----	39 UNCH
3600	----	----	----	0.80B/0.80A	----	0.70 - 0.10	.0032	----	----	----	----	982 UNCH
3605	----	----	----	0.80B/0.80A	----	0.70 - 0.10	.0032	----	----	----	----	56 UNCH
3610	----	----	0.90B/----	0.90B/0.90A	----	0.70 - 0.10	.0032	----	----	----	----	23 UNCH
3615	----	----	0.90B/----	0.90B/0.90A	----	0.70 - 0.10	.0032	----	----	----	----	120 UNCH
3620	----	----	0.90B/----	0.90B/0.90A	----	0.70 - 0.10	.0032	----	----	----	----	128 UNCH
3625	----	----	0.90B/----	0.90B/0.90A	----	0.70 - 0.10	.0033	----	----	----	----	45 UNCH
3630	----	----	0.90B/----	0.90B/0.90A	----	0.70 - 0.10	.0033	----	----	----	----	13 UNCH
3635	----	----	0.90B/----	0.90B/*0.90A	----	0.80 UNCH	.0037	----	----	----	----	26 UNCH
3640	----	----	0.90B/----	0.90B/*0.90A	----	0.80 UNCH	.0037	----	----	----	----	42 UNCH
3645	----	----	----	0.90B/*0.90A	----	0.80 - 0.10	.0037	----	----	----	----	15 UNCH
3650	1.10	1.10	1.10/0.90A	1.10/0.90A	----	0.80 - 0.10	.0037	----	----	7	----	414 UNCH
3655	0.90	0.90	1.10B/0.90	1.10B/0.90	----	0.80 - 0.10	.0038	----	----	7	----	23 - 1
3660	----	----	1.10B/----	1.10B/*0.90A	----	0.80 - 0.10	.0038	----	----	----	----	47 UNCH
3665	----	----	1.10B/----	1.10B/1.00A	----	0.80 - 0.10	.0038	----	----	----	----	35 UNCH
3670	----	----	1.00B/----	1.00B/1.00A	----	0.80 - 0.10	.0038	----	----	----	----	35 UNCH
3675	----	----	1.10B/----	1.10B/1.00A	----	0.80 - 0.10	.0038	----	----	----	----	66 UNCH
3680	----	----	1.10B/----	1.10B/1.00A	----	0.80 - 0.10	.0038	----	----	----	----	119 UNCH
3685	----	----	1.10B/----	1.10B/1.00A	----	0.90 - 0.10	.0043	----	----	----	----	26 UNCH
3690	----	----	1.10B/----	1.10B/*1.00A	----	0.90 - 0.10	.0043	----	----	----	----	23 UNCH
3695	----	----	1.20B/----	1.20B/1.00A	----	0.90 - 0.10	.0043	----	----	----	----	73 UNCH
3700	----	----	1.20B/----	1.20B/*1.00A	----	0.90 - 0.10	.0043	----	----	212	----	1385 - 200
3705	----	----	1.10B/----	1.10B/1.00A	----	0.90 - 0.10	.0044	----	----	----	----	40 UNCH
3710	----	----	1.30B/----	1.30B/*1.00A	----	0.90 - 0.10	.0044	----	----	----	----	25 UNCH
3715	----	----	1.20B/----	1.20B/1.10A	----	0.90 - 0.20	.0044	----	----	----	----	28 UNCH
3720	----	----	1.20B/----	1.20B/1.10A	----	0.90 - 0.20	.0044	----	----	----	----	35 UNCH
3725	----	----	1.30B/----	1.30B/1.10A	----	1.00 - 0.10	.0049	----	----	----	----	37 UNCH
3730	1.80	1.80	1.80/1.10A	1.80/1.10A	----	1.00 - 0.10	.0049	----	----	1	----	55 + 1
3735	----	----	1.30B/----	1.30B/1.10A	----	1.00 - 0.10	.0049	----	----	----	----	38 UNCH
3740	----	----	1.40B/1.10A	1.40B/1.10A	----	1.00 - 0.20	.0049	----	----	----	----	13 UNCH
3745	0.90	0.90	1.60B/*0.90	1.60B/*0.90	----	1.00 - 0.20	.0050	----	----	7	----	39 UNCH
3750	----	----	1.30B/1.10A	1.30B/1.10A	----	1.00 - 0.20	.0050	----	----	----	----	392 UNCH
3755	----	----	1.40B/----	1.40B/1.20A	----	1.00 - 0.20	.0050	----	----	----	----	10 UNCH
3760	----	----	1.80B/----	1.80B/1.20A	----	1.10 - 0.10	.0055	----	----	----	----	49 UNCH
3765	----	----	1.50B/*1.20A	1.50B/*1.20A	----	1.10 - 0.20	.0055	----	----	----	----	104 UNCH
3770	----	----	1.90B/1.20A	1.90B/1.20A	----	1.10 - 0.20	.0055	----	----	----	----	25 UNCH
3775	----	----	1.80B/1.20A	1.80B/1.20A	----	1.10 - 0.20	.0055	----	----	----	----	279 UNCH
3780	----	----	1.50B/*1.20A	1.50B/*1.20A	----	1.10 - 0.20	.0056	----	----	----	----	33 UNCH
3785	----	----	1.50B/1.20A	1.50B/1.20A	----	1.10 - 0.20	.0056	----	----	----	----	27 UNCH
3790	----	----	2.10B/*1.20A	2.10B/*1.20A	----	1.20 - 0.20	.0061	----	----	----	----	28 UNCH
3795	----	----	2.10B/1.30A	2.10B/1.30A	----	1.20 - 0.20	.0061	----	----	----	----	25 UNCH
3800	2.10	2.10	2.20B/*1.20	2.20B/*1.20	----	1.20 - 0.20	.0061	----	----	7	----	1485 - 1
3805	----	----	2.00B/1.30A	2.00B/1.30A	----	1.20 - 0.20	.0062	----	----	----	----	74 UNCH
3810	----	----	2.30B/1.30A	2.30B/1.30A	----	1.20 - 0.30	.0062	----	----	----	----	20 UNCH
3815	----	----	2.30B/1.30A	2.30B/1.30A	----	1.20 - 0.30	.0062	----	----	----	----	53 UNCH
3820	----	----	2.40B/*1.30A	2.40B/*1.30A	----	1.30 - 0.20	.0067	----	----	----	----	788 UNCH
3825	----	----	2.20B/*1.30A	2.20B/*1.30A	----	1.30 - 0.20	.0067	----	----	----	----	113 UNCH
3830	----	----	2.50B/1.40A	2.50B/1.40A	----	1.30 - 0.30	.0068	----	----	----	----	18 UNCH
3835	----	----	2.50B/1.40A	2.50B/1.40A	----	1.30 - 0.30	.0068	----	----	----	----	31 UNCH
3840	----	----	2.00B/1.40A	2.00B/1.40A	----	1.30 - 0.30	.0068	----	----	----	----	51 UNCH
3845	----	----	2.70B/*1.40A	2.70B/*1.40A	----	1.40 - 0.20	.0073	----	----	----	----	36 UNCH
3850	2.20	2.20	2.70B/*1.40A	2.70B/*1.40A	----	1.40 - 0.30	.0073	----	----	8	----	2990 UNCH
3855	----	----	2.80B/*1.40A	2.80B/*1.40A	----	1.40 - 0.30	.0074	----	----	----	----	41 UNCH
3860	----	----	2.80B/*1.40A	2.80B/*1.40A	----	1.40 - 0.30	.0074	----	----	----	----	53 UNCH
3865	----	----	2.90B/1.50A	2.90B/1.50A	----	1.40 - 0.30	.0075	----	----	----	----	21 UNCH
3870	----	----	3.00B/1.50A	3.00B/1.50A	----	1.50 - 0.30	.0080	----	----	----	----	48 UNCH
3875	----	----	3.00B/*1.50A	3.00B/*1.50A	----	1.50 - 0.30	.0080	----	----	----	----	42 UNCH
3880	----	----	3.10B/*1.50A	3.10B/*1.50A	----	1.50 - 0.30	.0080	----	----	----	----	39 UNCH
3885	----	----	3.10B/1.60A	3.10B/1.60A	----	1.50 - 0.40	.0081	----	----	----	----	82 UNCH
3890	----	----	3.30B/1.60A	3.30B/1.60A	----	1.50 - 0.40	.0081	----	----	----	----	12 UNCH
3895	----	----	3.30B/1.60A	3.30B/1.60A	----	1.50 - 0.40	.0082	----	----	----	----	75 UNCH
3900	2.10	2.10	3.40B/*1.60A	3.40B/*1.60A	----	1.60 - 0.30	.0087	----	----	36	----	1801 - 17
3905	----	----	3.50B/*1.50A	3.50B/*1.50A	----	1.60 - 0.40	.0087	----	----	----	----	27 UNCH
3910	----	----	3.60B/*1.60A	3.60B/*1.60A	----	1.60 - 0.40	.0088	----	----	----	----	135 UNCH
3915	----	----	3.70B/1.70A	3.70B/1.70A	----	1.60 - 0.40	.0088	----	----	----	----	38 UNCH
3920	----	----	3.80B/*1.70A	3.80B/*1.70A	----	1.70 - 0.40	.0093	----	----	----	----	210 UNCH
3925	----	----	3.90B/*1.70A	3.90B/*1.70A	----	1.70 - 0.40	.0094	----	----	----	----	84 UNCH
3930	----	----	4.00B/*1.70A	4.00B/*1.70A	----	1.70 - 0.40	.0094	----	----	----	----	61 UNCH
3935	----	----	4.10B/*1.70A	4.10B/*1.70A	----	1.70 - 0.40	.0095	----	----	----	----	16 UNCH
3940	----	----	4.20B/*1.80A	4.20B/*1.80A	----	1.70 - 0.50	.0095	----	----	----	----	37 UNCH
3945	----	----	4.30B/*1.80A	4.30B/*1.80A	----	1.80 - 0.40	.0101	----	----	----	----	24 UNCH
3950	2.80	2.80	4.40B/*1.80A	4.40B/*1.80A	----	1.80 - 0.40	.0101	----	----	8	----	143 + 5
3955	----	----	4.50B/*1.80A	4.50B/*1.80A	----	1.80 - 0.50	.0102	----	----	----	----	59 UNCH
3960	----	----	4.60B/*1.90A	4.60B/*1.90A	----	1.80 - 0.50	.0102	----	----	----	----	14 UNCH
3965	----	----	4.70B/*1.90A	4.70B/*1.90A	----	1.90 - 0.40	.0108	----	----	----	----	85 UNCH
3970	----	----	4.80B/*1.80A	4.80B/*1.80A	----	1.90 - 0.50	.0108	----	----	----	----	32 UNCH
3975	----	----	4.90B/*1.80A	4.90B/*1.80A	----	1.90 - 0.50	.0109	----	----	----	----	42 UNCH
3980	----	----	5.00B/*1.80A	5.00B/*1.80A	----	1.90 - 0.50	.0109	----	----	----	----	141 UNCH
3985	----	----	5.10B/*1.90A	5.10B/*1.90A	----	2.00 - 0.50	.0115	----	----	----	----	51 UNCH
3990	----	----	5.20B/*1.90A	5.20B/*1.90A	----	2.00 - 0.50	.0115	----	----	----	----	20 UNCH
3995	----	----	5.40B/*1.90A	5.40B/*1.90A	----	2.00 - 0.60	.0116	----	----	----	----	26 UNCH
4000	6.00	6.00	6.00/*1.90A	6.00/*1.90A	----	2.10 - 0.50	.0122	----	----	584	----	3632 - 373
4005	----	----	5.50B/*2.00A	5.50B/*2.00A	----	2.10 - 0.50	.0122	----	----	----	----	236 UNCH
4010	----	----	5.80B/*2.00A	5.80B/*2.00A	----	2.10 - 0.60	.0123	----	----	----	----	61 UNCH
4015	----	----	5.80B/*2.00A	5.80B/*2.00A	----	2.20 - 0.50	.0129	----	----	----	----	53 UNCH
4020	----	----	5.90B/*2.10A	5.90B/*2.10A	----	2.20 - 0.60	.0129	----	----	----	----	92 UNCH
4025	3.50	3.50	6.10B/*2.10A	6.10B/*2.10A	----	2.20 - 0.60	.0130	----	----	1	----	104 UNCH
4030	----	----	6.20B/*2.10A	6.20B/*2.10A	----	2.30 - 0.60	.0136	----	----	1	----	39 - 1
4035	----	----	6.30B/*2.20A	6.30B/*2.20A	----	2.30 - 0.60	.0137	----	----	----	----	32 UNCH
4040	----	----	6.60B/*2.20A	6.60B/*2.20A	----	2.30 - 0.70	.0137	----	----	----	----	61 UNCH
4045	----	----	6.80B/*2.20A	6.80B/*2.20A	----	2.40 - 0.60	.0143	----	----	----	----	211 UNCH
4050	2.10	2.10	6.80B/*2.10	6.80B/*2.10	----	2.40 - 0.70	.0144	----	----	2	----	1317 UNCH
4055	6.00	6.00	6.90B/*2.30A	6.90B/*2.30A	----	2.50 - 0.60	.0150	----	----	7	----	146 - 7
4060	----	----	7.10B/*2.30A	7.10B/*2.30A	----	2.50 - 0.70	.0151	----	----	----	----	26 UNCH
4065	----	----	7.30B/*2.40A	7.30B/*2.40A	----	2.60 - 0.60	.0157	----	----	----	----	28 UNCH
4070	----	----	7.60B/*2.40A	7.60B/*2.40A	----	2.60 - 0.70	.0158	----	----	----	----	121 UNCH
4075	----	----	7.70B/*2.40A	7.70B/*2.40A	----	2.60 - 0.70	.0159	----	----	----	----	125 UNCH
4080	----	----	7.90B/*2.50A	7.90B/*2.50A	----	2.70 - 0.70	.0164	----	----	----	----	92 UNCH
4085	2.60	2.60	8.10B/*2.50A	8.10B/*2.50A	----	2.70 - 0.80	.0166	----	----	20	----	767 + 20
4090	----	----	8.30B/*2.60A	8.30B/*2.60A	----	2.80 - 0.70	.0172	----	----	----	----	218 UNCH
4095	----	----	8.50B/*2.70A	8.50B/*2.70A	----	2.80 - 0.80	.0173	----	----	----	----	156 UNCH
4100	3.40	3.40	8.70B/*2.70A	8.70B/*2.70A	----	2.90 - 0.80	.0179	----	----	4	----	1498 + 1
4105	----	----	8.90B/*2.80A	8.90B/*2.80A	----	3.00 - 0.70	.0185	----	----	----	----	207 UNCH
4110	----	----	9.10B/*2.80A	9.10B/*2.80A	----	3.00 - 0.80	.0186	----	----	----	----	67 UNCH
4115	----	----	9.30B/*2.80A	9.30B/*2.80A	----	3.10 - 0.80	.0192	----	----	----	----	44 UNCH
4120	3.90	3.90	9.50B/*2.90A	9.50B/*2.90A	----	3.10 - 0.80	.0193	----	----	2	----	131 + 1
4125	----	----	9.90B/*2.90A	9.90B/*2.90A	----	3.20 - 0.80	.0200	----	----	----	----	207 UNCH
4130	4.60	4.60	9.90B/*3.00A	9.90B/*3.00A	----	3.30 - 0.80	.0206	----	----	4	----	844 + 4
4135	----	----	10.30B/*3.00A	10.30B/*3.00A	----	3.30 - 0.90	.0207	----	----	----	----	79 UNCH
4140	----	----	10.60B/*3.10A	10.60B/*3.10A	----	3.40 - 0.80	.0214	----	----	----	----	26 UNCH
4145	----	----	10.80B/*3.10A	10.80B/*3.10A	----	3.50 - 0.80	.0220	----	----	----	----	108 UNCH
4150	5.60	5.60	11.00B/*3.20A	11.00B/*3.20A	----	3.50 - 0.90	.0222	----	----	4	----	511 + 4
4155	----	----	11.30B/*3.20A	11.30B/*3.20A	----	3.60 - 0.90	.0228	----	----	----	----	44 UNCH
4160	----	----	11.50B/*3.30A	11.50B/*3.30A	----	3.70 - 0.90	.0235	----	----	----	----	30 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
4165	----	----	11.70B/*3.40A	11.70B/*3.40A	----	3.80 - 0.90	.0241	----	----	----	----	66 UNCH
4170	5.80	5.80	12.10B/*3.40A	12.10B/*3.40A	----	3.80 - 1.00	.0243	----	----	10	----	75 UNCH
4175	----	----	12.50B/*3.50A	12.50B/*3.50A	----	3.90 - 1.00	.0250	----	----	----	----	196 UNCH
4180	----	----	12.70B/*3.50A	12.70B/*3.50A	----	4.00 - 1.00	.0256	----	----	1	----	289 UNCH
4185	----	----	13.10B/*3.60A	13.10B/*3.60A	----	4.10 - 1.00	.0263	----	----	----	----	357 UNCH
4190	----	----	13.30B/*3.70A	13.30B/*3.70A	----	4.20 - 1.00	.0270	----	----	----	----	86 UNCH
4195	----	----	13.70B/*3.80A	13.70B/*3.80A	----	4.30 - 1.00	.0277	----	----	----	----	112 UNCH
4200	7.30	7.30	14.20B/*3.80A	14.20B/*3.80A	----	4.40 - 1.00	.0284	----	----	105	----	2172 - 17
4205	----	----	14.50B/*3.90A	14.50B/*3.90A	----	4.50 - 1.00	.0291	----	----	----	----	200 UNCH
4210	----	----	14.60B/*4.00A	14.60B/*4.00A	----	4.60 - 1.00	.0298	----	----	----	----	87 UNCH
4215	----	----	15.00B/*4.10A	15.00B/*4.10A	----	4.70 - 1.00	.0305	----	----	----	----	178 UNCH
4220	7.40	7.40	15.50B/*4.20A	15.50B/*4.20A	----	4.80 - 1.00	.0312	----	----	2	----	23 UNCH
4225	7.50	7.50	15.80B/*4.20A	15.80B/*4.20A	----	4.90 - 1.10	.0320	----	----	46	----	223 + 16
4230	----	----	16.10B/*4.30A	16.10B/*4.30A	----	5.00 - 1.10	.0327	----	----	----	----	148 UNCH
4235	----	----	16.60B/*4.40A	16.60B/*4.40A	----	5.10 - 1.10	.0334	----	----	----	----	59 UNCH
4240	9.10	9.10	17.00B/*4.50A	17.00B/*4.50A	----	5.20 - 1.10	.0342	----	----	10	----	160 + 5
4245	9.20	9.20	17.30B/*4.60A	17.30B/*4.60A	----	5.30 - 1.20	.0349	----	----	5	----	58 + 5
4250	10.00	10.00	17.70B/*4.70A	17.70B/*4.70A	----	5.50 - 1.10	.0362	----	----	185	----	1028 + 45
4255	6.90	6.90	18.20B/*4.80A	18.20B/*4.80A	----	5.60 - 1.20	.0370	----	----	14	----	41 - 6
4260	7.60	7.60	18.60B/*4.90A	18.60B/*4.90A	----	5.70 - 1.20	.0377	----	----	26	----	106 UNCH
4265	5.70	5.70	19.20B/*5.00A	19.20B/*5.00A	----	5.90 - 1.20	.0390	----	----	16	----	73 - 11
4270	----	----	19.60B/*5.10A	19.60B/*5.10A	----	6.00 - 1.20	.0398	----	----	----	----	116 UNCH
4275	7.40	7.40	20.00B/*5.30A	20.00B/*5.30A	----	6.10 - 1.30	.0406	----	----	26	----	158 + 17
4280	8.00	8.00	20.50B/*5.40A	20.50B/*5.40A	----	6.30 - 1.20	.0419	----	----	10	----	120 - 1
4285	10.20	10.20	21.10B/*5.50A	21.10B/*5.50A	----	6.40 - 1.30	.0428	----	----	30	----	456 + 1
4290	10.20	10.20	21.60B/*5.70A	21.60B/*5.70A	----	6.60 - 1.30	.0441	----	----	1	----	107 UNCH
4295	----	----	22.20B/*5.80A	22.20B/*5.80A	----	6.80 - 1.30	.0454	----	----	----	----	36 UNCH
4300	24.00	24.00	24.00/*5.90A	24.00/*5.90A	----	6.90 - 1.40	.0463	----	----	142	----	1995 + 28
4305	8.50	8.50	23.20B/*6.10A	23.20B/*6.10A	----	7.10 - 1.40	.0476	----	----	7	----	47 - 1
4310	8.70	8.70	23.70B/*6.20A	23.70B/*6.20A	----	7.30 - 1.40	.0490	----	----	1	----	56 + 1
4315	----	----	24.40B/*6.40A	24.40B/*6.40A	----	7.50 - 1.40	.0504	----	----	1	----	21 + 1
4320	----	----	25.00B/*6.50A	25.00B/*6.50A	----	7.60 - 1.50	.0513	----	----	----	----	68 UNCH
4325	10.10	10.10	25.50B/*6.60A	25.50B/*6.60A	----	7.80 - 1.50	.0527	----	----	6	----	168 + 2
4330	----	----	26.20B/*6.90A	26.20B/*6.90A	----	8.00 - 1.50	.0541	----	----	----	----	276 UNCH
4335	9.90	9.90	26.70B/*7.00A	26.70B/*7.00A	----	8.30 - 1.40	.0560	----	----	1	----	40 UNCH
4340	11.30	11.30	27.50B/*7.30A	27.50B/*7.30A	----	8.50 - 1.50	.0574	----	----	17	----	147 - 1
4345	11.60	11.60	28.20B/*7.40A	28.20B/*7.40A	----	8.70 - 1.50	.0588	----	----	9	----	338 UNCH
4350	15.80	15.80	28.70B/*7.60A	28.70B/*7.60A	----	8.90 - 1.60	.0603	----	----	212	----	1050 + 59
4355	11.80	11.80	29.40B/*7.80A	29.40B/*7.80A	----	9.20 - 1.50	.0622	----	----	18	----	79 + 7
4360	14.40	14.40	30.30B/*8.00A	30.30B/*8.00A	----	9.40 - 1.60	.0637	----	----	3	----	371 UNCH
4365	----	----	30.80B/*8.30A	30.80B/*8.30A	----	9.70 - 1.60	.0657	----	----	----	----	39 UNCH
4370	----	----	31.40B/*8.50A	31.40B/*8.50A	----	9.90 - 1.70	.0672	----	----	----	----	207 UNCH
4375	16.20	16.20	32.20B/*8.80A	32.20B/*8.80A	----	10.20 - 1.60	.0692	----	----	17	----	113 + 2
4380	13.60	13.60	32.90B/*9.00A	32.90B/*9.00A	----	10.50 - 1.70	.0712	----	----	3	----	81 - 1
4385	13.80	13.80	33.80B/*9.30A	33.80B/*9.30A	----	10.80 - 1.70	.0732	----	----	4	----	398 UNCH
4390	----	----	34.50B/*9.50A	34.50B/*9.50A	----	11.10 - 1.70	.0753	----	----	----	----	97 UNCH
4395	14.90	14.90	35.30B/*9.80A	35.30B/*9.80A	----	11.40 - 1.70	.0773	----	----	33	----	62 + 7
4400	34.80	34.80	36.40B/*10.00	36.40B/*10.00	----	11.70 - 1.80	.0794	----	----	1899	----	3387 + 241
4405	15.70	15.70	37.10B/*10.40A	37.10B/*10.40A	----	12.00 - 1.80	.0815	----	----	2	----	27 - 2
4410	15.40	15.40	37.90B/*10.70A	37.90B/*10.70A	----	12.40 - 1.80	.0841	----	----	2	----	117 UNCH
4415	12.40	12.40	38.90B/*11.00A	38.90B/*11.00A	----	12.70 - 1.90	.0862	----	----	1	----	121 UNCH
4420	16.90	16.90	39.80B/*11.40A	39.80B/*11.40A	----	13.10 - 1.90	.0888	----	----	17	----	145 - 5
4425	21.90	21.90	41.00B/*11.70A	41.00B/*11.70A	----	13.40 - 2.00	.0910	----	----	2	----	581 - 2
4430	23.70	23.70	41.60B/*12.10A	41.60B/*12.10A	----	13.80 - 2.00	.0936	----	----	8	----	88 + 7
4435	23.10	23.10	42.70B/*12.40A	42.70B/*12.40A	----	14.20 - 2.00	.0963	----	----	6	----	289 + 1
4440	22.00	22.00	43.70B/*12.80A	43.70B/*12.80A	----	14.60 - 2.00	.0989	----	----	13	----	300 + 1
4445	----	----	44.70B/*13.20A	44.70B/*13.20A	----	15.10 - 2.00	.1021	----	----	15	----	125 + 5
4450	47.00	47.00	47.00/*13.60A	47.00/*13.60A	----	15.50 - 2.10	.1048	----	----	196	----	656 + 21
4455	----	----	46.70B/*14.00A	46.70B/*14.00A	----	16.00 - 2.10	.1079	----	----	----	----	237 UNCH
4460	----	----	47.80B/*14.40A	47.80B/*14.40A	----	16.40 - 2.20	.1107	----	----	----	----	58 UNCH
4465	----	----	48.90B/*14.90A	48.90B/*14.90A	----	16.90 - 2.20	.1139	----	----	----	----	47 UNCH
4470	22.70	22.70	50.20B/*15.30A	50.20B/*15.30A	----	17.40 - 2.20	.1171	----	----	1	----	108 - 1
4475	23.60	23.60	51.50B/*15.70A	51.50B/*15.70A	----	17.90 - 2.20	.1203	----	----	24	----	969 + 20
4480	----	----	52.60B/*16.10A	52.60B/*16.10A	----	18.50 - 2.20	.1240	----	----	1	----	181 UNCH
4485	----	----	53.60B/*16.70A	53.60B/*16.70A	----	19.00 - 2.30	.1273	----	----	----	----	43 UNCH
4490	16.90	16.90	55.00B/*16.90	55.00B/*16.90	----	19.60 - 2.30	.1310	----	----	1	----	260 UNCH
4495	26.40	26.40	56.20B/17.80A	56.20B/17.80A	----	20.20 - 2.30	.1347	----	----	1	----	25 UNCH
4500	31.60	31.60	57.60B/18.20A	57.60B/18.20A	----	20.80 - 2.30	.1385	----	----	1894	100	2487 - 189
4505	27.80	27.80	58.80B/18.80A	58.80B/18.80A	----	21.40 - 2.30	.1423	----	----	1	----	32 UNCH
4510	----	----	60.20B/19.60A	60.20B/19.60A	----	22.10 - 2.30	.1465	----	----	----	----	101 UNCH
4515	----	----	61.60B/20.00A	61.60B/20.00A	----	22.70 - 2.30	.1503	----	----	----	----	57 UNCH
4520	34.00	34.00	63.00B/20.80A	63.00B/20.80A	----	23.40 - 2.30	.1545	----	----	33	----	174 UNCH
4525	30.80	30.80	64.40B/21.40A	64.40B/21.40A	----	24.10 - 2.30	.1588	----	----	2	----	784 UNCH
4530	----	----	65.80B/22.00A	65.80B/22.00A	----	24.80 - 2.40	.1631	----	----	----	----	45 UNCH
4535	----	----	67.40B/22.80A	67.40B/22.80A	----	25.60 - 2.30	.1677	----	----	2	----	216 - 2
4540	----	----	68.80B/23.50A	68.80B/23.50A	----	26.40 - 2.30	.1724	----	----	----	----	43 UNCH
4545	----	----	70.30B/24.20A	70.30B/24.20A	----	27.20 - 2.30	.1771	----	----	----	----	74 UNCH
4550	50.30	50.30	71.90B/25.00A	71.90B/25.00A	----	28.00 - 2.30	.1819	----	----	148	----	764 + 57
4555	36.30	36.30	73.40B/25.90A	73.40B/25.90A	----	28.80 - 2.30	.1867	----	----	1	----	19 UNCH
4560	----	----	75.10B/26.60A	75.10B/26.60A	----	29.70 - 2.30	.1918	----	----	10	----	89 UNCH
4565	38.40	38.40	76.90B/27.50A	76.90B/27.50A	----	30.60 - 2.20	.1970	----	----	14	----	144 + 13
4570	73.00	73.00	78.40B/28.40A	78.40B/28.40A	----	31.50 - 2.20	.2021	----	----	5	----	183 - 1
4575	----	----	80.10B/29.30A	80.10B/29.30A	----	32.50 - 2.10	.2077	----	----	10	----	103 + 5
4580	39.90	39.90	81.80B/30.20A	81.80B/30.20A	----	33.40 - 2.20	.2129	----	----	2	----	137 + 1
4585	----	----	83.50B/31.20A	83.50B/31.20A	----	34.40 - 2.20	.2185	----	----	----	----	19 UNCH
4590	----	----	85.50B/32.30A	85.50B/32.30A	----	35.50 - 2.00	.2244	----	----	2	----	100 UNCH
4595	----	----	87.40B/33.20A	87.40B/33.20A	----	36.50 - 2.10	.2301	----	----	----	----	62 UNCH
4600	72.00	72.00	89.30B/34.00	89.30B/34.00	----	37.60 - 2.00	.2360	----	----	703	----	2471 + 245
4605	73.00	73.00	91.10B/35.30A	91.10B/35.30A	----	38.70 - 2.00	.2420	----	----	4	----	79 - 1
4610	54.00	54.00	93.00B/36.50A	93.00B/36.50A	----	39.90 - 1.90	.2483	----	----	17	----	207 - 9
4615	----	----	94.90B/37.60A	94.90B/37.60A	----	41.00 - 1.90	.2543	----	----	1	----	103 - 1
4620	----	----	96.80B/38.70A	96.80B/38.70A	----	42.30 - 1.70	.2609	----	----	----	----	196 UNCH
4625	49.30	49.30	99.00B/39.90A	99.00B/39.90A	----	43.50 - 1.70	.2673	----	----	42	----	288 - 3
4630	59.00	59.00	101.00B/41.20A	101.00B/41.20A	----	44.80 - 1.60	.2739	----	----	55	----	816 + 4
4635	53.80	53.80	103.00B/42.50A	103.00B/42.50A	----	46.10 - 1.60	.2806	----	----	4	----	527 UNCH
4640	----	----	104.80B/43.90A	104.80B/43.90A	----	47.40 - 1.50	.2873	----	----	----	----	145 UNCH
4645	----	----	107.20B/45.10A	107.20B/45.10A	----	48.80 - 1.40	.2943	----	----	1	----	48 UNCH
4650	80.00	80.00	109.40B/46.50A	109.40B/46.50A	----	50.20 - 1.40	.3013	----	----	314	----	881 - 102
4655	60.10	60.10	111.40B/47.90A	111.40B/47.90A	----	51.70 - 1.20	.3085	----	----	231	----	226 + 193
4660	----	----	113.80B/49.50A	113.80B/49.50A	----	53.20 - 1.10	.3157	----	----	1	----	202 + 1
4665	----	----	116.20B/51.00A	116.20B/51.00A	----	54.70 - 1.10	.3230	----	----	----	----	85 UNCH
4670	----	----	118.40B/52.40A	118.40B/52.40A	----	56.30 - 0.90	.3305	----	----	----	----	170 UNCH
4675	120.10	120.10	120.80B/54.10A	120.80B/54.10A	----	57.90 - 0.80	.3380	----	----	24	----	420 UNCH
4680	79.30	79.30	123.20B/55.70A	123.20B/55.70A	----	59.50 - 0.80	.3456	----	----	29	----	283 + 7
4685	----	----	125.60B/57.30A	125.60B/57.30A	----	61.20 - 0.70	.3533	----	----	2	----	175 - 2
4690	----	----	128.10B/59.00A	128.10B/59.00A	----	62.90 - 0.60	.3610	----	----	8	----	227 UNCH
4695	65.00	65.00	130.60B/60.80A	130.60B/60.80A	----	64.70 - 0.40	.3690	----	----	2	----	119 - 1
4700	95.10	95.10	133.10B/62.50A	133.10B/62.50A	----	66.50 - 0.30	.3769	----	----	125	250	2014 + 96
4705	88.50	88.50	135.70B/64.40A	135.70B/64.40A	----	68.30 - 0.20	.3849	----	----	33	----	40 - 8
4710	84.20	84.20	138.40B/66.20A	138.40B/66.20A	----	70.20 - 0.10	.3930	----	----	68	----	229 + 28
4715	99.80	99.80	141.00B/68.10A	141.00B/68.10A	----	72.10 UNCH	.4012	----	----	18	----	82 + 9
4720	84.50	84.50	143.70B/70.00A	143.70B/70.00A	----	74.00 + 0.10	.4094	----	----	14	----	551 - 5
4725	88.60	88.60	146.50B/72.00A	146.50B/72.00A	----	76.00 + 0.20	.4177	----	----	11	----	78 + 5
4730	----	----	149.20B/74.10A	149.20B/74.10A	----	78.00 + 0.30	.4260	----	----	107	----	127 + 5
4735	91.80	91.80	152.10B/76.20A	152.10B/76.20A	----	80.10 + 0.50	.4345	----	----	1	----	24 UNCH
4740	95.30	95.30	153.80B/78.30A	153.80B/78.30A	----	82.20 + 0.60	.4429	----	----	13	----	114 + 1
4745	----	----	157.00B/80.40A	157.00B/80.40A	----	84.40 + 0.80	.4515	----	----	----	----	39 UNCH
4750	138.90	138.90	160.10B/82.60A	160.10B/82.60A	----	86.60 + 1.00	.4601	----	----	86	----	608 - 5
4755	109.00	109.00	162.80B/84.80A	162.80B/84.80A	----	88.80 + 1.10	.4687	----	----	10	----	155 - 5
4760	----	----	165.80B/87.20A	165.80B/87.20A	----	91.10 + 1.30	.4773	----	----	----	----	135 UNCH
4765	----	----	168.80B/89.60A	168.80B/89.60A	----	93.40 + 1.40	.4860	----	----	----	----	62 UNCH
4770	----	----	171.90B/92.00A	171.90B/92.00A	----	95.80 + 1.60	.4947	----	----	----	----	76 UNCH
4775	----	----	175.10B/94.40A	175.10B/94.40A	----	98.20 + 1.70	.5035	----	----	----	----	427 UNCH
4780	105.00	105.00	178.10B/96.80	178.10B/96.80	----	100.70 + 2.00	.5123	----	----	5	----	114 + 1
4785	124.00	124.00	181.40B/99.40A	181.40B/99.40A	----	103.20 + 2.10	.5210	----	----	8	----	92 - 2
4790	105.30	105.30	184.70B/102.00A	184.70B/102.00A	----	105.80 + 2.40	.5298	----	----	2	----	374 UNCH
4795	----	----	187.80B/104.70A	187.80B/104.70A	----	108.40 + 2.50	.5386	----	----	2	----	35 - 1
4800	183.00	183.00	192.30B/107.30A	192.30B/107.30A	----	111.10 + 2.80	.5474	----	----	82	----	1419 - 36
4805	116.60	116.60	194.40B/110.00A	194.40B/110.00A	----	113.80 + 3.00	.5561	----	----	2	----	57 + 2
4810	----	----	197.80B/112.50A	197.80B/112.50A	----	116.60 + 3.20	.5648	----	----	----	----	263 UNCH
4815	----	----	201.20B/115.60A	201.20B/115.60A	----	119.40 + 3.40	.5735	----	----	----	----	24 UNCH
4820	----	----	204.60B/118.40A	204.60B/118.40A	----	122.20 + 3.60	.5822	----	----	----	----	261 UNCH
4825	----	----	208.20B/----	208.20B/121.30A	----	125.10 + 3.80	.5909	----	----	----	----	188 UNCH
4830	----	----	211.60B/----	211.60B/124.50A	----	128.10 + 4.10	.5996	----	----	1	----	67 UNCH
4835	----	----	215.10B/----	215.10B/127.50A	----	131.00 + 4.20	.6082	----	----	----	----	135 UNCH
4840	----	----	218.80B/----	218.80B/130.40A	----	134.00 + 4.40	.6167	----	----	----	----	56 UNCH
4845	----	----	222.40B/----	222.40B/133.50A	----	137.10 + 4.60	.6252	----	----	----	----	40 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
4850	----	----	225.70B/----	225.70B/136.70A	----	140.20 + 4.80	.6337	----	----	6	----	1079 - 2
4855	----	----	229.70B/----	229.70B/139.90A	----	143.30 + 5.00	.6422	----	----	----	----	76 UNCH
4860	----	----	233.40B/----	233.40B/143.20A	----	146.50 + 5.20	.6505	----	----	2	----	36 - 2
4865	----	----	237.10B/----	237.10B/146.50A	----	149.70 + 5.40	.6587	----	----	----	----	27 UNCH
4870	----	----	240.50B/----	240.50B/149.80A	----	153.00 + 5.60	.6670	----	----	----	----	234 UNCH
4875	----	----	244.90B/----	244.90B/153.20A	----	156.30 + 5.80	.6750	----	----	----	----	281 UNCH
4880	----	----	248.90B/----	248.90B/156.60A	----	159.70 + 6.10	.6830	----	----	----	----	90 UNCH
4885	----	----	252.00B/----	252.00B/159.90A	----	163.10 + 6.30	.6910	----	----	----	----	21 UNCH
4890	----	----	256.40B/----	256.40B/163.40A	----	166.60 + 6.50	.6990	----	----	----	----	66 UNCH
4895	----	----	260.30B/----	260.30B/167.10A	----	170.10 + 6.80	.7067	----	----	----	----	96 UNCH
4900	200.00	200.00	264.00B/170.70A	264.00B/170.70A	----	173.60 + 6.90	.7142	----	----	4	----	1060 - 4
4905	----	----	268.20B/----	268.20B/174.30A	----	177.20 + 7.20	.7217	----	----	----	----	53 UNCH
4910	----	----	271.80B/----	271.80B/177.80A	----	180.80 + 7.40	.7292	----	----	----	----	89 UNCH
4915	----	----	275.70B/----	275.70B/181.50A	----	184.50 + 7.70	.7365	----	----	2	----	29 - 2
4920	220.40	220.40	280.10B/185.30A	280.10B/185.30A	----	188.20 + 7.90	.7437	----	----	1	----	150 + 1
4925	----	----	283.60B/----	283.60B/189.00A	----	192.00 + 8.20	.7506	----	----	----	----	47 UNCH
4930	----	----	288.20B/----	288.20B/192.80A	----	195.80 + 8.40	.7575	----	----	----	----	53 UNCH
4935	----	----	291.90B/----	291.90B/196.50A	----	199.60 + 8.60	.7644	----	----	----	----	54 UNCH
4940	----	----	296.90B/----	296.90B/200.30A	----	203.40 + 8.80	.7713	----	----	----	----	14 UNCH
4945	----	----	300.20B/----	300.20B/204.20A	----	207.30 + 9.00	.7779	----	----	----	----	48 UNCH
4950	----	----	304.50B/----	304.50B/208.20A	----	211.30 + 9.30	.7841	----	----	70	----	753 UNCH
4955	----	----	308.70B/----	308.70B/212.10A	----	215.20 + 9.50	.7903	----	----	----	----	83 UNCH
4960	----	----	313.60B/----	313.60B/216.00A	----	219.20 + 9.70	.7964	----	----	----	----	132 UNCH
4965	----	----	317.10B/----	317.10B/220.00A	----	223.30 + 10.00	.8026	----	----	----	----	25 UNCH
4970	----	----	322.10B/----	322.10B/224.00A	----	227.30 + 10.20	.8084	----	----	----	----	4 UNCH
4975	----	----	326.40B/----	326.40B/228.20A	----	231.40 + 10.40	.8141	----	----	----	----	89 UNCH
4980	----	----	330.90B/----	330.90B/232.30A	----	235.50 + 10.60	.8199	----	----	----	----	56 UNCH
4985	----	----	335.10B/----	335.10B/236.30A	----	239.70 + 10.90	.8252	----	----	----	----	124 UNCH
4990	----	----	339.60B/----	339.60B/240.40A	----	243.90 + 11.10	.8310	----	----	----	----	35 UNCH
4995	----	----	343.20B/----	343.20B/244.70A	----	248.10 + 11.30	.8359	----	----	----	----	222 UNCH
5000	----	----	347.50B/----	347.50B/248.90A	----	252.30 + 11.50	.8412	----	----	1	----	1121 UNCH
5005	----	----	352.80B/----	352.80B/253.10A	----	256.60 + 11.70	.8460	----	----	----	----	41 UNCH
5010	----	----	356.30B/----	356.30B/257.30A	----	260.90 + 11.90	.8508	----	----	----	----	14 UNCH
5015	----	----	361.50B/----	361.50B/261.60A	----	265.20 + 12.10	.8557	----	----	----	----	23 UNCH
5020	----	----	365.20B/----	365.20B/265.90A	----	269.50 + 12.30	.8605	----	----	----	----	23 UNCH
5025	----	----	369.80B/----	369.80B/270.30A	----	273.90 + 12.50	.8648	----	----	----	----	154 UNCH
5030	----	----	374.20B/----	374.20B/274.60A	----	278.30 + 12.70	.8691	----	----	----	----	24 UNCH
5035	----	----	379.70B/----	379.70B/279.00A	----	282.70 + 12.90	.8734	----	----	----	----	13 UNCH
5040	----	----	384.20B/----	384.20B/283.50A	----	287.10 + 13.10	.8777	----	----	----	----	135 UNCH
5045	----	----	388.80B/----	388.80B/287.90A	----	291.50 + 13.20	.8815	----	----	----	----	28 UNCH
5050	----	----	393.30B/----	393.30B/292.20A	----	296.00 + 13.40	.8857	----	----	----	----	435 UNCH
5055	----	----	397.70B/----	397.70B/296.70A	----	300.50 + 13.60	.8895	----	----	----	----	107 UNCH
5060	----	----	402.40B/----	402.40B/301.30A	----	305.00 + 13.80	.8932	----	----	----	----	84 UNCH
5065	----	----	407.00B/----	407.00B/305.80A	----	309.50 + 14.00	.8964	----	----	----	----	54 UNCH
5070	----	----	411.70B/----	411.70B/310.30A	----	314.10 + 14.20	.9001	----	----	----	----	175 UNCH
5075	----	----	415.60B/----	415.60B/314.80A	----	318.60 + 14.30	.9032	----	----	----	----	47 UNCH
5080	----	----	420.90B/----	420.90B/319.40A	----	323.20 + 14.50	.9063	----	----	1	----	85 UNCH
5085	----	----	424.80B/----	424.80B/324.00A	----	327.80 + 14.60	.9094	----	----	----	----	116 UNCH
5090	----	----	430.20B/----	430.20B/328.60A	----	332.40 + 14.80	.9125	----	----	----	----	23 UNCH
5095	----	----	434.70B/----	434.70B/333.10A	----	337.00 + 14.90	.9156	----	----	----	----	17 UNCH
5100	----	----	439.70B/----	439.70B/337.90A	----	341.70 + 15.10	.9181	----	----	1	----	391 UNCH
5105	----	----	443.40B/----	443.40B/342.40A	----	346.30 + 15.20	.9212	----	----	----	----	57 UNCH
5110	----	----	449.10B/----	449.10B/347.10A	----	351.00 + 15.40	.9237	----	----	----	----	285 UNCH
5115	----	----	453.80B/----	453.80B/351.70A	----	355.70 + 15.50	.9261	----	----	----	----	24 UNCH
5120	----	----	458.30B/----	458.30B/356.70A	----	360.40 + 15.70	.9286	----	----	----	----	18 UNCH
5125	----	----	463.20B/----	463.20B/361.40A	----	365.10 + 15.80	.9310	----	----	----	----	89 UNCH
5130	----	----	468.00B/----	468.00B/365.80A	----	369.80 + 15.90	.9334	----	----	----	----	120 UNCH
5135	----	----	472.70B/----	472.70B/370.60A	----	374.60 + 16.10	.9352	----	----	----	----	95 UNCH
5140	----	----	477.50B/----	477.50B/375.30A	----	379.30 + 16.20	.9376	----	----	----	----	23 UNCH
5145	----	----	482.30B/----	482.30B/380.00A	----	384.10 + 16.40	.9394	----	----	----	----	44 UNCH
5150	----	----	487.00B/----	487.00B/384.80A	----	388.80 + 16.40	.9418	----	----	----	----	372 UNCH
5155	----	----	491.60B/----	491.60B/389.60A	----	393.60 + 16.50	.9435	----	----	----	----	9 UNCH
5160	----	----	496.60B/----	496.60B/394.30A	----	398.40 + 16.70	.9452	----	----	----	----	31 UNCH
5165	----	----	501.20B/----	501.20B/399.10A	----	403.20 + 16.80	.9470	----	----	----	----	47 UNCH
5170	----	----	506.20B/----	506.20B/403.90A	----	408.00 + 16.90	.9487	----	----	----	----	155 UNCH
5175	----	----	510.80B/----	510.80B/408.70A	----	412.80 + 17.00	.9504	----	----	1	----	30 UNCH
5180	----	----	515.70B/----	515.70B/413.60A	----	417.60 + 17.10	.9514	----	----	----	----	76 UNCH
5185	----	----	520.60B/----	520.60B/418.50A	----	422.50 + 17.20	.9531	----	----	----	----	2 UNCH
5190	----	----	525.50B/----	525.50B/423.20A	----	427.30 + 17.30	.9548	----	----	----	----	10 UNCH
5195	----	----	530.30B/----	530.30B/428.10A	----	432.10 + 17.30	.9558	----	----	----	----	25 UNCH
5200	----	----	535.00B/----	535.00B/432.90A	----	437.00 + 17.50	.9574	----	----	----	----	424 UNCH
5205	----	----	540.00B/----	540.00B/437.80A	----	441.80 + 17.50	.9584	----	----	----	----	19 UNCH
5210	----	----	544.70B/----	544.70B/442.60A	----	446.70 + 17.60	.9601	----	----	----	----	9 UNCH
5215	----	----	549.70B/----	549.70B/447.50A	----	451.50 + 17.60	.9610	----	----	----	----	5 UNCH
5220	----	----	554.40B/----	554.40B/452.30A	----	456.40 + 17.70	.9620	----	----	----	----	9 UNCH
5225	----	----	559.40B/----	559.40B/457.30A	----	461.30 + 17.80	.9636	----	----	----	----	59 UNCH
5230	----	----	564.10B/----	564.10B/462.30A	----	466.20 + 17.90	.9645	----	----	----	----	10 UNCH
5235	----	----	569.10B/----	569.10B/467.20A	----	471.10 + 18.00	.9655	----	----	----	----	71 UNCH
5240	----	----	574.00B/----	574.00B/471.90A	----	475.90 + 18.00	.9664	----	----	----	----	43 UNCH
5245	----	----	567.40B/----	567.40B/482.10A	----	480.80 + 18.00	.9673	----	----	----	----	15 UNCH
5250	----	----	572.30B/----	572.30B/484.30A	----	485.70 + 18.10	.9682	----	----	----	----	424 UNCH
5255	----	----	577.20B/----	577.20B/491.90A	----	490.60 + 18.10	.9691	----	----	----	----	4 UNCH
5260	----	----	582.10B/----	582.10B/496.80A	----	495.50 + 18.20	.9700	----	----	----	----	11 UNCH
5265	----	----	587.00B/----	587.00B/501.80A	----	500.50 + 18.30	.9709	----	----	----	----	7 UNCH
5270	----	----	591.90B/----	591.90B/506.70A	----	505.40 + 18.40	.9718	----	----	----	----	30 UNCH
5275	----	----	596.80B/----	596.80B/510.90A	----	510.30 + 18.40	.9720	----	----	----	----	206 UNCH
5280	----	----	601.70B/----	601.70B/516.50A	----	515.20 + 18.40	.9729	----	----	----	----	33 UNCH
5290	----	----	611.40B/----	611.40B/526.40A	----	525.10 + 18.60	.9746	----	----	----	----	2 UNCH
5295	----	----	616.40B/----	616.40B/531.30A	----	530.00 + 18.60	.9748	----	----	----	----	5 UNCH
5300	----	----	613.40B/----	613.40B/534.30A	----	534.90 + 18.60	.9756	----	----	----	----	108 UNCH
5305	----	----	613.40B/----	613.40B/541.50A	----	539.80 + 18.60	.9765	----	----	----	----	40 UNCH
5310	----	----	618.40B/----	618.40B/546.50A	----	544.80 + 18.70	.9766	----	----	----	----	32 UNCH
5315	----	----	----	----	----	549.70 + 18.70	.9775	----	----	----	----	1 UNCH
5320	----	----	628.20B/----	628.20B/556.30A	----	554.70 + 18.80	.9776	----	----	----	----	26 UNCH
5325	----	----	633.00B/----	633.00B/561.30A	----	559.60 + 18.80	.9785	----	----	----	----	51 UNCH
5330	----	----	638.00B/----	638.00B/566.20A	----	564.50 + 18.80	.9786	----	----	----	----	27 UNCH
5335	----	----	----	----	----	569.50 + 18.80	.9794	----	----	----	----	1 UNCH
5340	----	----	647.70B/----	647.70B/576.10A	----	574.40 + 18.80	.9802	----	----	----	----	12 UNCH
5350	----	----	657.50B/----	657.50B/586.00A	----	584.30 + 18.90	.9805	----	----	----	----	43 UNCH
5360	----	----	667.40B/----	667.40B/595.90A	----	594.30 + 19.00	.9814	----	----	----	----	11 UNCH
5365	----	----	672.20B/----	672.20B/600.90A	----	599.20 + 19.00	.9822	----	----	----	----	11 UNCH
5370	----	----	677.20B/----	677.20B/605.80A	----	604.20 + 19.10	.9823	----	----	----	----	32 UNCH
5375	----	----	682.00B/----	682.00B/610.80A	----	609.10 + 19.00	.9831	----	----	----	----	32 UNCH
5380	----	----	686.90B/----	686.90B/615.80A	----	614.10 + 19.10	.9832	----	----	----	----	4 UNCH
5385	----	----	691.90B/----	691.90B/620.70A	----	619.00 + 19.10	.9833	----	----	----	----	15 UNCH
5390	----	----	----	----	----	624.00 + 19.10	.9841	----	----	----	----	1 UNCH
5395	----	----	----	----	----	629.00 + 19.20	.9842	----	----	----	----	1 UNCH
5400	----	----	711.60B/----	711.60B/633.30A	----	633.90 + 19.10	.9843	----	----	----	----	96 UNCH
5410	----	----	716.60B/----	716.60B/645.50A	----	643.90 + 19.20	.9851	----	----	----	----	55 UNCH
5420	----	----	726.50B/----	726.50B/655.50A	----	653.80 + 19.30	.9860	----	----	----	----	7 UNCH
5425	----	----	731.30B/----	731.30B/660.50A	----	658.80 + 19.30	.9861	----	----	----	----	32 UNCH
5435	----	----	----	----	----	668.70 + 19.30	.9869	----	----	----	----	2 UNCH
5445	----	----	----	----	----	678.70 + 19.40	.9871	----	----	----	----	1 UNCH
5450	----	----	756.00B/----	756.00B/685.30A	----	683.60 + 19.30	.9871	----	----	----	----	20 UNCH
5475	----	----	----	----	----	708.50 + 19.50	.9888	----	----	----	----	1 UNCH
5490	----	----	795.80B/----	795.80B/725.10A	----	723.40 + 19.50	.9890	----	----	----	----	3 UNCH
5500	----	----	805.80B/----	805.80B/735.10A	----	733.40 + 19.50	.9898	----	----	----	----	34 UNCH
5515	----	----	820.50B/----	820.50B/750.10A	----	748.30 + 19.50	.9899	----	----	----	----	10 UNCH
5520	----	----	----	----	----	753.30 + 19.60	.9900	----	----	----	----	1 UNCH
5530	----	----	835.40B/----	835.40B/765.00A	----	763.30 + 19.60	.9908	----	----	----	----	10 UNCH
5535	----	----	840.40B/----	840.40B/770.00A	----	768.30 + 19.70	.9908	----	----	----	----	10 UNCH
5540	----	----	845.40B/----	845.40B/775.00A	----	773.30 + 19.70	.9909	----	----	----	----	5 UNCH
5550	----	----	855.40B/----	855.40B/784.90A	----	783.20 + 19.60	.9909	----	----	----	----	5 UNCH
5565	----	----	870.20B/----	870.20B/799.90A	----	798.20 + 19.70	.9917	----	----	----	----	10 UNCH
5575	----	----	880.20B/----	880.20B/809.90A	----	808.20 + 19.80	.9918	----	----	----	----	12 UNCH
5590	----	----	894.60B/----	894.60B/824.80A	----	823.10 + 19.70	.9919	----	----	----	----	25 UNCH
5600	----	----	905.20B/----	905.20B/834.80A	----	833.10 + 19.80	.9927	----	----	----	----	12 UNCH
5625	----	----	----	----	----	858.00 + 19.80	.9928	----	----	----	----	2 UNCH
5640	----	----	----	----	----	873.00 + 19.80	.9929	----	----	----	----	1 UNCH
5890	----	----	1,194.40B/----	1194.40B/1124.50A	----	1122.70 + 19.90	.9959	----	----	----	----	4 UNCH
5960	----	----	----	----	----	1192.70 + 20.00	.9967	----	----	----	----	1 UNCH
5980	----	----	----	----	----	1212.70 + 20.00	.9968	----	----	----	----	1 UNCH
6025	----	----	1,329.30B/----	1329.30B/1259.40A	----	1257.60 + 20.00	.9969	----	----	----	----	3 UNCH
6100	----	----	1,404.40B/----	1404.40B/1334.50A	----	1332.60 + 20.00	.9977	----	----	----	----	7 - 3
TOTAL										8323	350	89991 + 170
JUN26												

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 11

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
1325	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
1375	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1400	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1425	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1475	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
1500	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
1525	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
1575	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1580	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1590	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	175 UNCH
1600	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	18 UNCH
1610	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1615	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1620	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	31 UNCH
1625	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1650	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
1670	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH
1675	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH
1685	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
1690	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1695	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1700	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
1725	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1735	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1740	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1745	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1750	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	4 UNCH
1755	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1775	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1780	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
1785	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
1795	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	11 UNCH
1800	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	6 UNCH
1815	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1820	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
1855	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1875	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	3 UNCH
1900	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	3 UNCH
1905	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	7 UNCH
1915	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH
1920	----	----	----	----/0.30A	----	0.10 UNCH	.0001	----	----	----	----	2 UNCH
1950	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	1 UNCH
1955	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	2 UNCH
1965	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	10 UNCH
1975	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	85 UNCH
2000	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	603 UNCH
2005	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	1 UNCH
2010	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	1 UNCH
2015	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	7 UNCH
2020	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	1 UNCH
2025	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	40 UNCH
2030	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	13 UNCH
2050	----	----	----	----/0.40A	----	0.10 - 0.10	.0002	----	----	----	----	20 UNCH
2085	----	----	----	----/0.40A	----	0.20 UNCH	.0004	----	----	----	----	15 UNCH
2100	----	----	----	----/0.40A	----	0.20 UNCH	.0005	----	----	----	----	90 UNCH
2105	----	----	----	----/0.40A	----	0.20 UNCH	.0005	----	----	----	----	1 UNCH
2130	----	----	----	----/0.40A	----	0.20 UNCH	.0005	----	----	----	----	1 UNCH
2170	----	----	----	----/0.40A	----	0.20 UNCH	.0005	----	----	----	----	5 UNCH
2180	----	----	----	----/0.40A	----	0.20 UNCH	.0005	----	----	----	----	6 UNCH
2195	----	----	----	----/0.40A	----	0.20 - 0.10	.0005	----	----	----	----	5 UNCH
2200	----	----	----	----/0.40A	----	0.20 - 0.10	.0005	----	----	----	----	9 UNCH
2205	----	----	----	----/0.40A	----	0.20 - 0.10	.0005	----	----	----	----	7 UNCH
2220	----	----	----	0.10B/0.40A	----	0.20 - 0.10	.0005	----	----	----	----	1 UNCH
2230	----	----	----	0.10B/0.40A	----	0.20 - 0.10	.0005	----	----	----	----	25 UNCH
2235	----	----	----	0.10B/0.40A	----	0.20 - 0.10	.0005	----	----	----	----	21 UNCH
2240	----	----	----	0.10B/0.40A	----	0.20 - 0.10	.0005	----	----	----	----	6 UNCH
2250	----	----	----	0.10B/0.40A	----	0.30 UNCH	.0007	----	----	----	----	5 UNCH
2300	----	----	----	0.20B/0.50A	----	0.30 UNCH	.0007	----	----	----	----	13 UNCH
2315	----	----	----	0.20B/0.50A	----	0.30 UNCH	.0008	----	----	----	----	40 UNCH
2330	----	----	----	0.20B/0.50A	----	0.30 - 0.10	.0008	----	----	----	----	9 UNCH
2350	----	----	----	0.20B/0.50A	----	0.30 - 0.10	.0008	----	----	----	----	1 UNCH
2380	----	----	----	0.30B/0.50A	----	0.30 - 0.10	.0008	----	----	----	----	9 UNCH
2385	----	----	----	0.30B/0.50A	----	0.40 UNCH	.0010	----	----	----	----	1 UNCH
2390	----	----	----	0.30B/0.50A	----	0.40 UNCH	.0010	----	----	----	----	1 UNCH
2395	----	----	----	0.30B/0.50A	----	0.40 UNCH	.0010	----	----	----	----	1 UNCH
2400	----	----	----	0.30B/0.50A	----	0.40 UNCH	.0010	----	----	----	----	72 UNCH
2405	----	----	----	0.30B/0.50A	----	0.40 UNCH	.0010	----	----	----	----	1 UNCH
2410	----	----	----	0.30B/0.60A	----	0.40 UNCH	.0010	----	----	----	----	6 UNCH
2415	----	----	----	0.30B/0.60A	----	0.40 UNCH	.0010	----	----	----	----	1 UNCH
2420	----	----	----	0.30B/0.60A	----	0.40 UNCH	.0010	----	----	----	----	5 UNCH
2425	----	----	----	0.30B/0.60A	----	0.40 UNCH	.0010	----	----	----	----	2 UNCH
2430	----	----	----	0.30B/0.60A	----	0.40 UNCH	.0010	----	----	----	----	1 UNCH
2445	----	----	----	0.30B/0.60A	----	0.40 - 0.10	.0011	----	----	----	----	5 UNCH
2450	----	----	----	0.30B/0.60A	----	0.40 - 0.10	.0011	----	----	----	----	2 UNCH
2460	----	----	----	0.30B/0.60A	----	0.40 - 0.10	.0011	----	----	----	----	1 UNCH
2465	----	----	----	0.30B/0.60A	----	0.40 - 0.10	.0011	----	----	----	----	7 UNCH
2475	----	----	----	0.40B/0.60A	----	0.40 - 0.10	.0011	----	----	----	----	1 UNCH
2495	----	----	----	0.40B/0.60A	----	0.50 UNCH	.0013	----	----	----	----	1 UNCH
2500	----	----	----	0.40B/0.60A	----	0.50 UNCH	.0013	----	----	----	----	1920 UNCH
2510	----	----	----	0.40B/0.70A	----	0.50 UNCH	.0013	----	----	----	----	2 UNCH
2525	----	----	----	0.40B/0.70A	----	0.50 UNCH	.0013	----	----	----	----	25 UNCH
2535	----	----	----	0.40B/0.70A	----	0.50 UNCH	.0014	----	----	----	----	5 UNCH
2540	----	----	----	0.40B/0.70A	----	0.50 UNCH	.0014	----	----	----	----	5 UNCH
2550	----	----	----	0.40B/0.70A	----	0.50 - 0.10	.0014	----	----	----	----	50 UNCH
2565	----	----	----	0.50B/0.70A	----	0.50 - 0.10	.0014	----	----	----	----	5 UNCH
2580	----	----	----	0.50B/0.70A	----	0.60 UNCH	.0016	----	----	----	----	5 UNCH
2590	----	----	----	0.50B/0.80A	----	0.60 UNCH	.0016	----	----	----	----	8 UNCH
2600	----	----	----	0.50B/0.80A	----	0.60 UNCH	.0017	----	----	----	----	159 UNCH
2650	----	----	----	0.60B/0.90A	----	0.70 UNCH	.0019	----	----	----	----	1 UNCH
2695	----	----	----	0.70B/0.90A	----	0.70 UNCH	.0020	----	----	----	----	2 UNCH
2700	----	----	----	0.70B/0.90A	----	0.70 UNCH	.0020	----	----	1	----	427 UNCH
2730	----	----	----	0.80B/1.00A	----	0.80 UNCH	.0023	----	----	----	----	5 UNCH
2750	----	----	----	0.80B/1.00A	----	0.80 UNCH	.0023	----	----	----	----	1 UNCH
2800	1.20	1.20	1.20/1.10A	1.20/1.10A	----	0.90 UNCH	.0026	----	----	2	----	751 + 2
2805	----	----	1.00B/----	1.00B/1.10A	----	0.90 UNCH	.0027	----	----	----	----	223 UNCH
2810	----	----	1.00B/----	1.00B/1.10A	----	0.90 UNCH	.0027	----	----	----	----	39 UNCH
2825	----	----	----	1.00B/1.20A	----	1.00 UNCH	.0029	----	----	----	----	51 UNCH
2830	----	----	----	1.00B/1.20A	----	1.00 UNCH	.0029	----	----	----	----	25 UNCH
2850	----	----	1.10B/----	1.10B/1.20A	----	1.00 UNCH	.0030	----	----	----	----	22 UNCH
2875	----	----	----	1.10B/1.30A	----	1.10 UNCH	.0033	----	----	----	----	7 UNCH
2900	1.40	1.40	1.40/1.30A	1.40/1.30A	----	1.10 - 0.10	.0033	----	----	2	----	155 + 1
2905	----	----	----	1.20B/1.30A	----	1.20 UNCH	.0036	----	----	----	----	5 UNCH
2915	----	----	1.30B/----	1.30B/1.30A	----	1.20 UNCH	.0036	----	----	----	----	1 UNCH
2930	----	----	----	1.30B/1.40A	----	1.20 - 0.10	.0037	----	----	----	----	1 UNCH
2935	----	----	----	1.30B/1.40A	----	1.20 - 0.10	.0037	----	----	----	----	3 UNCH
2950	----	----	1.40B/----	1.40B/1.40A	----	1.30 UNCH	.0040	----	----	----	----	24 UNCH
2970	----	----	----	1.40B/1.50A	----	1.30 - 0.10	.0040	----	----	----	----	1 UNCH
2975	----	----	----	1.40B/1.50A	----	1.30 - 0.10	.0040	----	----	----	----	9 UNCH
2990	----	----	----	1.40B/1.50A	----	1.40 UNCH	.0043	----	----	----	----	5 UNCH
2995	----	----	----	1.40B/1.50A	----	1.40 - 0.10	.0043	----	----	----	----	6 UNCH
3000	1.40	1.40	1.40/1.30	1.50B/1.30	----	1.40 - 0.10	.0043	----	----	3	----	1664 - 2
3005	----	----	----	1.50B/1.50A	----	1.40 - 0.10	.0044	----	----	----	----	30 UNCH
3010	----	----	----	1.50B/1.50A	----	1.40 - 0.10	.0044	----	----	----	----	8 UNCH
3015	----	----	----	1.50B/1.50A	----	1.50 UNCH	.0046	----	----	----	----	215 UNCH
3020	----	----	----	1.50B/1.60A	----	1.50 UNCH	.0047	----	----	----	----	35 UNCH
3035	----	----	----	1.60B/1.60A	----	1.50 - 0.10	.0047	----	----	----	----	1 UNCH
3050	----	----	----	1.60B/1.60A	----	1.60 UNCH	.0050	----	----	----	----	389 UNCH
3065	----	----	----	1.60B/1.70A	----	1.60 - 0.10	.0051	----	----	----	----	7 UNCH
3070	----	----	----	1.70B/1.70A	----	1.60 - 0.10	.0051	----	----	----	----	6 UNCH
3075	----	----	----	1.70B/1.70A	----	1.60 - 0.10	.0051	----	----	----	----	10 UNCH
3080	----	----	1.80B/----	1.80B/1.70A	----	1.70 UNCH	.0054	----	----	----	----	8 UNCH
3095	----	----	----	1.80B/1.80A	----	1.70 - 0.10	.0054	----	----	----	----	41 UNCH
3100	----	----	1.90B/----	1.90B/1.80A	----	1.70 - 0.10	.0054	----	----	----	----	366 UNCH
3105	----	----	----	1.80B/1.80A	----	1.70 - 0.10	.0055	----	----	----	----	13 UNCH
3110	----	----	1.90B/----	1.90B/1.80A	----	1.80 UNCH	.0057	----	----	----	----	10 UNCH
3120	----	----	----/1.80A	1.80B/1.80A	----	1.80 - 0.10	.0058	----	----	----	----	13 UNCH
3125	----	----	----	1.90B/1.90A	----	1.80 - 0.10	.0058	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
3130	----	----	----	1.90B/1.90A	----	1.80 - 0.10	.0058	----	----	----	----	26 UNCH
3140	----	----	2.00B/----	2.00B/1.90A	----	1.90 UNCH	.0061	----	----	----	----	5 UNCH
3150	----	----	2.10B/1.90A	2.10B/1.90A	----	1.90 - 0.10	.0062	----	----	----	----	149 UNCH
3155	----	----	2.10B/----	2.10B/2.00A	----	1.90 - 0.10	.0062	----	----	----	----	16 UNCH
3160	----	----	2.10B/----	2.10B/2.00A	----	1.90 - 0.10	.0062	----	----	----	----	5 UNCH
3170	----	----	2.10B/----	2.10B/2.00A	----	2.00 UNCH	.0065	----	----	----	----	6 UNCH
3175	----	----	2.10B/----	2.10B/2.00A	----	2.00 UNCH	.0065	----	----	----	----	12 UNCH
3180	----	----	2.20B/2.00A	2.20B/2.00A	----	2.00 - 0.10	.0066	----	----	----	----	5 UNCH
3185	----	----	2.20B/----	2.20B/2.10A	----	2.00 - 0.10	.0066	----	----	----	----	6 UNCH
3190	----	----	2.20B/----	2.20B/2.10A	----	2.00 - 0.10	.0066	----	----	----	----	18 UNCH
3195	----	----	2.30B/----	2.30B/2.10A	----	2.10 UNCH	.0069	----	----	----	----	12 UNCH
3200	----	----	2.30B/----	2.30B/2.10A	----	2.10 UNCH	.0069	----	----	----	----	298 UNCH
3205	----	----	2.30B/2.10A	2.30B/2.10A	----	2.10 - 0.10	.0069	----	----	----	----	42 UNCH
3210	----	----	2.30B/----	2.30B/2.20A	----	2.10 - 0.10	.0070	----	----	----	----	15 UNCH
3215	----	----	2.30B/----	2.30B/2.20A	----	2.10 - 0.10	.0070	----	----	----	----	22 UNCH
3220	----	----	2.40B/----	2.40B/2.20A	----	2.10 - 0.10	.0070	----	----	----	----	7 UNCH
3225	----	----	2.40B/----	2.40B/2.20A	----	2.20 UNCH	.0073	----	----	----	----	65 UNCH
3235	----	----	2.40B/----	2.40B/2.30A	----	2.20 - 0.10	.0073	----	----	----	----	24 UNCH
3250	----	----	2.50B/----	2.50B/2.30A	----	2.30 UNCH	.0077	----	----	----	----	147 UNCH
3255	----	----	2.50B/----	2.50B/2.40A	----	2.30 UNCH	.0077	----	----	----	----	110 UNCH
3260	----	----	2.60B/----	2.60B/2.40A	----	2.30 - 0.10	.0078	----	----	----	----	1 UNCH
3265	----	----	2.60B/----	2.60B/2.40A	----	2.30 - 0.10	.0078	----	----	----	----	20 UNCH
3270	----	----	2.70B/----	2.70B/2.40A	----	2.40 UNCH	.0081	----	----	----	----	7 UNCH
3280	----	----	2.70B/2.40A	2.70B/2.40A	----	2.40 - 0.10	.0081	----	----	----	----	13 UNCH
3290	----	----	2.70B/----	2.70B/2.50A	----	2.40 - 0.10	.0082	----	----	----	----	37 UNCH
3300	2.90	2.90	2.90/2.50A	2.90/2.50A	----	2.50 UNCH	.0085	----	----	6	----	370 - 4
3305	----	----	2.90B/----	2.90B/2.60A	----	2.50 - 0.10	.0086	----	----	----	----	1 UNCH
3310	----	----	2.80B/----	2.80B/2.60A	----	2.50 - 0.10	.0086	----	----	----	----	7 UNCH
3320	----	----	2.90B/----	2.90B/2.60A	----	2.60 UNCH	.0089	----	----	----	----	4 UNCH
3325	----	----	2.90B/----	2.90B/2.70A	----	2.60 - 0.10	.0090	----	----	----	----	47 UNCH
3335	----	----	3.10B/----	3.10B/2.70A	----	2.70 UNCH	.0093	----	----	----	----	46 UNCH
3340	----	----	3.00B/----	3.00B/2.70A	----	2.70 UNCH	.0093	----	----	----	----	22 UNCH
3345	----	----	3.10B/----	3.10B/2.80A	----	2.70 - 0.10	.0094	----	----	----	----	12 UNCH
3350	----	----	3.10B/----	3.10B/2.80A	----	2.70 - 0.10	.0094	----	----	----	----	407 UNCH
3355	----	----	3.10B/----	3.10B/2.80A	----	2.80 UNCH	.0097	----	----	----	----	17 UNCH
3360	----	----	3.20B/----	3.20B/2.80A	----	2.80 UNCH	.0097	----	----	----	----	7 UNCH
3365	----	----	3.30B/----	3.30B/2.90A	----	2.80 - 0.10	.0098	----	----	----	----	31 UNCH
3370	----	----	3.20B/----	3.20B/2.90A	----	2.80 - 0.10	.0098	----	----	----	----	26 UNCH
3375	----	----	3.30B/----	3.30B/2.90A	----	2.90 UNCH	.0101	----	----	----	----	98 UNCH
3380	----	----	3.30B/----	3.30B/3.00A	----	2.90 - 0.10	.0102	----	----	----	----	46 UNCH
3385	----	----	3.40B/----	3.40B/3.00A	----	2.90 - 0.10	.0102	----	----	----	----	6 UNCH
3390	----	----	3.40B/----	3.40B/3.00A	----	3.00 UNCH	.0105	----	----	----	----	59 UNCH
3395	----	----	3.40B/----	3.40B/3.10A	----	3.00 - 0.10	.0105	----	----	----	----	1 UNCH
3400	----	----	3.50B/----	3.50B/3.10A	----	3.00 - 0.10	.0106	----	----	2	----	730 - 2
3405	----	----	3.60B/----	3.60B/3.10A	----	3.10 UNCH	.0109	----	----	----	----	66 UNCH
3410	----	----	3.60B/3.10A	3.60B/3.10A	----	3.10 - 0.10	.0109	----	----	----	----	7 UNCH
3415	----	----	3.60B/----	3.60B/3.20A	----	3.10 - 0.10	.0110	----	----	----	----	2 UNCH
3420	----	----	3.60B/----	3.60B/3.20A	----	3.20 UNCH	.0113	----	----	1	----	18 UNCH
3425	----	----	3.70B/3.20A	3.70B/3.20A	----	3.20 - 0.10	.0113	----	----	----	----	25 UNCH
3430	----	----	3.80B/3.20A	3.80B/3.20A	----	3.20 - 0.10	.0114	----	----	----	----	10 UNCH
3435	----	----	3.80B/----	3.80B/3.30A	----	3.30 UNCH	.0117	----	----	----	----	20 UNCH
3450	----	----	4.00B/----	4.00B/3.40A	----	3.40 UNCH	.0121	----	----	----	----	411 UNCH
3455	----	----	4.00B/----	4.00B/3.50A	----	3.40 - 0.10	.0122	----	----	----	----	51 UNCH
3460	----	----	4.10B/----	4.10B/3.50A	----	3.40 - 0.10	.0122	----	----	----	----	50 UNCH
3465	----	----	4.10B/3.50A	4.10B/3.50A	----	3.50 - 0.10	.0125	----	----	----	----	89 UNCH
3470	----	----	4.10B/----	4.10B/3.60A	----	3.50 - 0.10	.0126	----	----	----	----	28 UNCH
3475	----	----	4.30B/----	4.30B/3.60A	----	3.50 - 0.10	.0126	----	----	----	----	241 UNCH
3480	----	----	4.30B/3.60A	4.30B/3.60A	----	3.60 - 0.10	.0130	----	----	----	----	171 UNCH
3485	----	----	5.10B/----	5.10B/3.70A	----	3.60 - 0.10	.0130	----	----	----	----	2 UNCH
3490	----	----	4.50B/3.70A	4.50B/3.70A	----	3.70 - 0.10	.0133	----	----	----	----	21 UNCH
3500	4.60	4.60	5.30B/3.50A	5.30B/3.50A	----	3.70 - 0.10	.0134	----	----	12	----	1788 + 4
3505	----	----	4.70B/3.80A	4.70B/3.80A	----	3.80 - 0.10	.0138	----	----	----	----	65 UNCH
3510	----	----	4.70B/----	4.70B/3.90A	----	3.80 - 0.10	.0138	----	----	----	----	61 UNCH
3515	----	----	4.80B/3.90A	4.80B/3.90A	----	3.90 - 0.10	.0142	----	----	----	----	16 UNCH
3520	----	----	4.90B/3.90A	4.90B/3.90A	----	3.90 - 0.10	.0142	----	----	----	----	136 UNCH
3525	----	----	5.00B/4.00A	5.00B/4.00A	----	4.00 - 0.10	.0146	----	----	----	----	301 UNCH
3530	----	----	5.00B/4.00A	5.00B/4.00A	----	4.00 - 0.10	.0146	----	----	----	----	7 UNCH
3535	----	----	5.10B/4.10A	5.10B/4.10A	----	4.10 - 0.10	.0150	----	----	----	----	100 UNCH
3540	----	----	5.20B/4.10A	5.20B/4.10A	----	4.10 - 0.10	.0150	----	----	----	----	5 UNCH
3545	----	----	5.40B/4.20A	5.40B/4.20A	----	4.10 - 0.20	.0151	----	----	----	----	20 UNCH
3550	----	----	5.50B/4.20A	5.50B/4.20A	----	4.20 - 0.10	.0154	----	----	----	----	420 UNCH
3555	----	----	5.40B/4.20A	5.40B/4.20A	----	4.20 - 0.20	.0155	----	----	----	----	2 UNCH
3560	----	----	5.50B/4.30A	5.50B/4.30A	----	4.30 - 0.10	.0158	----	----	----	----	89 UNCH
3565	----	----	5.60B/4.30A	5.60B/4.30A	----	4.30 - 0.20	.0159	----	----	----	----	41 UNCH
3570	----	----	6.60B/4.40A	6.60B/4.40A	----	4.40 - 0.10	.0162	----	----	----	----	60 UNCH
3575	----	----	5.80B/4.40A	5.80B/4.40A	----	4.40 - 0.20	.0163	----	----	----	----	40 UNCH
3580	----	----	5.90B/4.50A	5.90B/4.50A	----	4.50 - 0.20	.0166	----	----	----	----	76 UNCH
3585	----	----	6.00B/4.50A	6.00B/4.50A	----	4.50 - 0.20	.0167	----	----	----	----	2 UNCH
3590	----	----	6.10B/4.60A	6.10B/4.60A	----	4.60 - 0.20	.0171	----	----	----	----	3 UNCH
3595	----	----	6.20B/4.60A	6.20B/4.60A	----	4.70 - 0.10	.0174	----	----	----	----	23 UNCH
3600	4.70	4.70	7.30B/4.70	7.30B/4.70	----	4.70 - 0.20	.0175	----	----	7	----	1657 - 5
3610	----	----	6.50B/4.80A	6.50B/4.80A	----	4.80 - 0.20	.0179	----	----	----	----	3 UNCH
3615	----	----	6.60B/4.80A	6.60B/4.80A	----	4.90 - 0.20	.0183	----	----	----	----	37 UNCH
3620	----	----	6.70B/4.90A	6.70B/4.90A	----	4.90 - 0.20	.0183	----	----	----	----	11 UNCH
3625	----	----	7.90B/4.90A	7.90B/4.90A	----	5.00 - 0.20	.0187	----	----	1	----	68 UNCH
3630	----	----	6.90B/5.00A	6.90B/5.00A	----	5.10 - 0.20	.0191	----	----	----	----	86 UNCH
3635	----	----	7.00B/5.10A	7.00B/5.10A	----	5.10 - 0.20	.0191	----	----	----	----	107 UNCH
3640	----	----	7.10B/5.10A	7.10B/5.10A	----	5.20 - 0.20	.0195	----	----	1	----	24 - 1
3645	----	----	7.40B/5.10A	7.40B/5.10A	----	5.30 - 0.20	.0199	----	----	----	----	13 UNCH
3650	6.40	6.40	7.30B/5.00	7.30B/5.00	----	5.30 - 0.20	.0199	----	----	16	----	539 - 1
3655	----	----	7.60B/5.30A	7.60B/5.30A	----	5.40 - 0.20	.0203	----	----	----	----	2 UNCH
3660	----	----	7.60B/5.30A	7.60B/5.30A	----	5.40 - 0.30	.0204	----	----	----	----	1 UNCH
3665	----	----	7.70B/5.40A	7.70B/5.40A	----	5.50 - 0.20	.0208	----	----	----	----	15 UNCH
3670	----	----	8.20B/5.50A	8.20B/5.50A	----	5.60 - 0.20	.0211	----	----	----	----	31 UNCH
3675	----	----	7.90B/5.50A	7.90B/5.50A	----	5.70 - 0.20	.0215	----	----	----	----	45 UNCH
3680	----	----	8.20B/5.60A	8.20B/5.60A	----	5.70 - 0.30	.0216	----	----	----	----	18 UNCH
3685	----	----	8.60B/5.70A	8.60B/5.70A	----	5.80 - 0.20	.0220	----	----	20	----	51 UNCH
3690	----	----	8.50B/5.70A	8.50B/5.70A	----	5.90 - 0.20	.0224	----	----	----	----	7 UNCH
3695	----	----	9.80B/5.80A	9.80B/5.80A	----	5.90 - 0.30	.0224	----	----	----	----	19 UNCH
3700	7.10	7.10	9.80B/5.90A	9.80B/5.90A	----	6.00 - 0.30	.0228	----	----	7	----	870 + 3
3705	----	----	8.70B/5.80A	8.70B/5.80A	----	6.10 - 0.20	.0232	----	----	----	----	123 UNCH
3710	----	----	9.30B/6.00A	9.30B/6.00A	----	6.20 - 0.20	.0236	----	----	----	----	79 UNCH
3715	----	----	9.30B/6.10A	9.30B/6.10A	----	6.20 - 0.30	.0237	----	----	----	----	46 UNCH
3720	----	----	10.40B/6.10A	10.40B/6.10A	----	6.30 - 0.30	.0241	----	----	----	----	2 UNCH
3725	----	----	9.60B/6.10A	9.60B/6.10A	----	6.40 - 0.30	.0245	----	----	----	----	91 UNCH
3730	----	----	9.60B/6.30A	9.60B/6.30A	----	6.50 - 0.30	.0249	----	----	----	----	18 UNCH
3740	10.20	10.20	11.10B/6.40A	11.10B/6.40A	----	6.70 - 0.20	.0256	----	----	1	----	67 UNCH
3745	----	----	10.30B/6.50A	10.30B/6.50A	----	6.70 - 0.30	.0257	----	----	----	----	19 UNCH
3750	11.70	11.70	11.70/6.60A	11.70/6.60A	----	6.80 - 0.30	.0261	----	----	1	----	1285 UNCH
3755	----	----	10.70B/6.70A	10.70B/6.70A	----	6.90 - 0.30	.0265	----	----	----	----	2 UNCH
3760	----	----	10.80B/6.70A	10.80B/6.70A	----	7.00 - 0.30	.0269	----	----	----	----	23 UNCH
3765	----	----	10.90B/6.80A	10.90B/6.80A	----	7.10 - 0.30	.0273	----	----	----	----	48 UNCH
3770	----	----	12.20B/6.80A	12.20B/6.80A	----	7.20 - 0.30	.0277	----	----	----	----	9 UNCH
3775	----	----	11.30B/6.90A	11.30B/6.90A	----	7.30 - 0.30	.0282	----	----	----	----	40 UNCH
3780	----	----	12.50B/7.00A	12.50B/7.00A	----	7.40 - 0.30	.0286	----	----	----	----	14 UNCH
3785	----	----	11.60B/7.20A	11.60B/7.20A	----	7.50 - 0.30	.0290	----	----	----	----	6 UNCH
3790	----	----	12.90B/7.30A	12.90B/7.30A	----	7.60 - 0.30	.0294	----	----	2	----	257 UNCH
3795	----	----	13.10B/7.40A	13.10B/7.40A	----	7.70 - 0.30	.0298	----	----	----	----	55 UNCH
3800	9.70	9.70	13.30B/7.50A	13.30B/7.50A	----	7.80 - 0.30	.0302	----	----	19	500	1291 + 202
3805	----	----	13.60B/7.50A	13.60B/7.50A	----	7.90 - 0.30	.0306	----	----	----	----	67 UNCH
3810	----	----	13.80B/7.60A	13.80B/7.60A	----	8.00 - 0.40	.0310	----	----	----	----	13 UNCH
3815	----	----	14.00B/7.70A	14.00B/7.70A	----	8.10 - 0.40	.0315	----	----	----	----	38 UNCH
3820	----	----	14.20B/7.80A	14.20B/7.80A	----	8.20 - 0.40	.0319	----	----	----	----	11 UNCH
3825	----	----	14.50B/8.00A	14.50B/8.00A	----	8.30 - 0.40	.0323	----	----	----	----	42 UNCH
3830	----	----	14.60B/8.10A	14.60B/8.10A	----	8.50 - 0.30	.0330	----	----	----	----	184 UNCH
3835	----	----	14.90B/8.20A	14.90B/8.20A	----	8.60 - 0.30	.0335	----	----	----	----	56 UNCH
3840	----	----	15.10B/8.30A	15.10B/8.30A	----	8.70 - 0.40	.0339	----	----	2	----	3 UNCH
3850	10.40	10.40	15.60B/8.50A	15.60B/8.50A	----	8.90 - 0.40	.0348	----	----	1	----	679 + 1
3855	----	----	15.90B/8.60A	15.90B/8.60A	----	9.10 - 0.30	.0355	----	----	----	----	72 UNCH
3860	----	----	16.10B/8.70A	16.10B/8.70A	----	9.20 - 0.40	.0359	----	----	----	----	28 UNCH
3865	----	----	16.40B/8.80A	16.40B/8.80A	----	9.30 - 0.40	.0364	----	----	----	----	16 UNCH
3870	----	----	16.70B/9.00A	16.70B/9.00A	----	9.40 - 0.40	.0368	----	----	----	----	15 UNCH
3875	----	----	16.90B/9.10A	16.90B/9.10A	----	9.60 - 0.40	.0375	----	----	2	----	162 UNCH
3880	----	----	17.20B/9.20A	17.20B/9.20A	----	9.70 - 0.40	.0380	----	----	----	----	14 UNCH
3885	----	----	17.40B/9.30A	17.40B/9.30A	----	9.90 - 0.40	.0387	----	----	----	----	12 UNCH
3890	----	----	17.70B/9.50A	17.70B/9.50A	----	10.00 - 0.40	.0392	----	----	----	----	43 UNCH
3895	----	----	18.00B/9.60A	18.00B/9.60A	----	10.10 - 0.50	.0397	----	----	----	----	16 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
3900	11.00	11.00	18.30B/9.60A	18.30B/9.60A	----	10.30 - 0.40	.0404	----	----	19	----	721 + 9
3905	11.80	11.80	18.50B/9.80A	18.50B/9.80A	----	10.40 - 0.50	.0409	----	----	3	----	45 + 2
3910	----	----	18.80B/9.90A	18.80B/9.90A	----	10.60 - 0.40	.0416	----	----	----	----	8 UNCH
3915	----	----	19.20B/10.10A	19.20B/10.10A	----	10.70 - 0.50	.0421	----	----	----	----	29 UNCH
3920	----	----	19.50B/10.30A	19.50B/10.30A	----	10.90 - 0.40	.0428	----	----	15	----	37 - 1
3925	13.90	13.90	19.80B/10.30A	19.80B/10.30A	----	11.10 - 0.40	.0436	----	----	4	----	51 + 2
3930	----	----	20.10B/10.60A	20.10B/10.60A	----	11.20 - 0.50	.0441	----	----	----	----	24 UNCH
3935	12.30	12.30	20.40B/10.70A	20.40B/10.70A	----	11.40 - 0.50	.0448	----	----	6	----	27 + 6
3940	----	----	20.70B/10.80A	20.70B/10.80A	----	11.60 - 0.40	.0456	----	----	15	----	104 UNCH
3945	----	----	21.00B/10.90A	21.00B/10.90A	----	11.70 - 0.50	.0461	----	----	----	----	25 UNCH
3950	----	----	21.40B/11.10A	21.40B/11.10A	----	11.90 - 0.50	.0469	----	----	10	----	342 UNCH
3955	12.00	12.00	21.70B/11.30A	21.70B/11.30A	----	12.10 - 0.50	.0476	----	----	7	----	12 + 6
3960	13.60	13.60	22.00B/11.40A	22.00B/11.40A	----	12.30 - 0.50	.0484	----	----	20	----	34 + 2
3965	----	----	22.40B/11.70A	22.40B/11.70A	----	12.40 - 0.50	.0489	----	----	----	----	23 UNCH
3970	13.60	13.60	22.70B/11.70A	22.70B/11.70A	----	12.60 - 0.50	.0497	----	----	1	----	56 UNCH
3975	----	----	23.10B/11.90A	23.10B/11.90A	----	12.80 - 0.50	.0505	----	----	----	----	336 UNCH
3980	----	----	23.50B/12.20A	23.50B/12.20A	----	13.00 - 0.50	.0513	----	----	----	----	32 UNCH
3985	----	----	23.80B/12.40A	23.80B/12.40A	----	13.20 - 0.50	.0521	----	----	----	----	27 UNCH
3990	----	----	24.20B/12.60A	24.20B/12.60A	----	13.40 - 0.50	.0529	----	----	----	----	22 UNCH
3995	----	----	24.60B/12.70A	24.60B/12.70A	----	13.60 - 0.60	.0537	----	----	1	----	150 - 1
4000	25.00	25.00	25.10B/12.80A	25.10B/12.80A	----	13.80 - 0.60	.0545	----	----	142	----	3819 + 94
4005	----	----	25.30B/13.10A	25.30B/13.10A	----	14.10 - 0.50	.0556	----	----	----	----	29 UNCH
4010	----	----	25.80B/13.30A	25.80B/13.30A	----	14.30 - 0.50	.0564	----	----	----	----	42 UNCH
4015	----	----	26.20B/13.50A	26.20B/13.50A	----	14.50 - 0.50	.0572	----	----	----	----	16 UNCH
4020	----	----	26.70B/13.70A	26.70B/13.70A	----	14.70 - 0.60	.0580	----	----	----	----	143 UNCH
4025	----	----	27.10B/13.80A	27.10B/13.80A	----	15.00 - 0.50	.0591	----	----	----	----	215 UNCH
4030	----	----	27.40B/14.10A	27.40B/14.10A	----	15.20 - 0.50	.0600	----	----	----	----	16 UNCH
4035	----	----	27.80B/14.30A	27.80B/14.30A	----	15.40 - 0.60	.0608	----	----	----	----	48 UNCH
4040	----	----	28.30B/14.60A	28.30B/14.60A	----	15.70 - 0.50	.0619	----	----	3	----	76 - 3
4045	----	----	28.70B/14.80A	28.70B/14.80A	----	15.90 - 0.60	.0627	----	----	----	----	2 UNCH
4050	----	----	29.30B/15.10A	29.30B/15.10A	----	16.20 - 0.50	.0639	----	----	37	----	1208 - 13
4055	24.50	24.50	29.60B/15.20A	29.60B/15.20A	----	16.40 - 0.60	.0647	----	----	7	----	20 + 3
4060	----	----	30.30B/15.40A	30.30B/15.40A	----	16.70 - 0.60	.0658	----	----	----	----	85 UNCH
4065	----	----	30.80B/15.80A	30.80B/15.80A	----	17.00 - 0.50	.0669	----	----	----	----	119 UNCH
4070	----	----	31.30B/16.00A	31.30B/16.00A	----	17.20 - 0.60	.0678	----	----	----	----	61 UNCH
4075	----	----	31.70B/16.30A	31.70B/16.30A	----	17.50 - 0.60	.0690	----	----	6	----	266 UNCH
4080	----	----	32.10B/16.50A	32.10B/16.50A	----	17.80 - 0.60	.0701	----	----	----	----	102 UNCH
4085	17.30	17.30	32.80B/16.80A	32.80B/16.80A	----	18.10 - 0.60	.0712	----	----	5	----	70 + 4
4090	25.70	25.70	33.20B/17.10A	33.20B/17.10A	----	18.40 - 0.60	.0724	----	----	1	----	117 + 1
4095	----	----	33.80B/17.30A	33.80B/17.30A	----	18.70 - 0.60	.0735	----	----	1	----	62 + 1
4100	35.00	35.00	35.00/17.60A	35.00/17.60A	----	19.00 - 0.60	.0747	----	----	58	----	1284 - 2
4105	----	----	34.90B/17.90A	34.90B/17.90A	----	19.30 - 0.60	.0758	----	----	5	----	87 - 2
4110	----	----	35.50B/18.20A	35.50B/18.20A	----	19.60 - 0.60	.0770	----	----	9	----	144 UNCH
4115	24.00	24.00	36.10B/18.50A	36.10B/18.50A	----	19.90 - 0.60	.0782	----	----	2	----	458 UNCH
4120	25.70	25.70	36.60B/18.80A	36.60B/18.80A	----	20.30 - 0.60	.0796	----	----	8	----	54 + 1
4125	29.70	29.70	37.30B/19.10A	37.30B/19.10A	----	20.60 - 0.60	.0808	----	----	8	----	374 - 8
4130	----	----	37.90B/19.40A	37.90B/19.40A	----	20.90 - 0.70	.0820	----	----	----	----	21 UNCH
4135	----	----	38.50B/19.70A	38.50B/19.70A	----	21.30 - 0.60	.0834	----	----	----	----	23 UNCH
4140	----	----	39.10B/20.00A	39.10B/20.00A	----	21.60 - 0.70	.0846	----	----	----	----	18 UNCH
4145	----	----	39.60B/20.40A	39.60B/20.40A	----	22.00 - 0.60	.0861	----	----	----	----	253 UNCH
4150	31.30	31.30	40.40B/20.60A	40.40B/20.60A	----	22.40 - 0.60	.0875	----	----	20	----	533 - 1
4155	----	----	41.00B/21.00A	41.00B/21.00A	----	22.70 - 0.70	.0887	----	----	1	----	21 UNCH
4160	----	----	41.60B/21.40A	41.60B/21.40A	----	23.10 - 0.60	.0902	----	----	----	----	81 UNCH
4165	----	----	42.30B/21.70A	42.30B/21.70A	----	23.50 - 0.60	.0917	----	----	----	----	28 UNCH
4170	----	----	43.10B/22.10A	43.10B/22.10A	----	23.90 - 0.60	.0932	----	----	----	----	47 UNCH
4175	----	----	43.80B/22.50A	43.80B/22.50A	----	24.30 - 0.60	.0946	----	----	4	----	927 + 1
4180	----	----	44.50B/22.90A	44.50B/22.90A	----	24.70 - 0.60	.0961	----	----	1	----	125 - 1
4185	----	----	45.10B/23.20A	45.10B/23.20A	----	25.10 - 0.60	.0976	----	----	----	----	15 UNCH
4190	----	----	45.80B/23.60A	45.80B/23.60A	----	25.50 - 0.70	.0991	----	----	1	----	44 UNCH
4195	----	----	46.60B/24.00A	46.60B/24.00A	----	26.00 - 0.60	.1009	----	----	----	----	33 UNCH
4200	40.50	40.50	47.60B/24.40A	47.60B/24.40A	----	26.40 - 0.60	.1024	----	----	58	----	2886 + 17
4205	----	----	48.10B/24.90A	48.10B/24.90A	----	26.90 - 0.60	.1042	----	----	1	----	59 + 1
4210	----	----	48.90B/25.30A	48.90B/25.30A	----	27.30 - 0.60	.1057	----	----	----	----	392 UNCH
4215	27.00	27.00	49.70B/25.70A	49.70B/25.70A	----	27.80 - 0.60	.1074	----	----	3	----	12 + 3
4220	----	----	50.50B/26.20A	50.50B/26.20A	----	28.30 - 0.60	.1092	----	----	----	----	190 UNCH
4225	----	----	51.30B/26.60A	51.30B/26.60A	----	28.70 - 0.60	.1108	----	----	23	----	252 - 18
4230	29.70	29.70	52.10B/27.10A	52.10B/27.10A	----	29.20 - 0.60	.1126	----	----	1	----	68 UNCH
4235	37.50	37.50	53.00B/27.50A	53.00B/27.50A	----	29.70 - 0.60	.1144	----	----	6	----	47 UNCH
4240	----	----	53.80B/28.00A	53.80B/28.00A	----	30.20 - 0.60	.1162	----	----	1	----	58 + 1
4245	----	----	54.70B/28.50A	54.70B/28.50A	----	30.80 - 0.50	.1182	----	----	----	----	48 UNCH
4250	35.10	35.10	55.20B/29.00A	55.20B/29.00A	----	31.30 - 0.60	.1200	----	----	21	----	707 + 7
4255	----	----	56.00B/29.50A	56.00B/29.50A	----	31.80 - 0.60	.1218	----	----	----	----	10 UNCH
4260	----	----	56.70B/30.00A	56.70B/30.00A	----	32.40 - 0.50	.1239	----	----	----	----	107 UNCH
4265	----	----	57.80B/30.50A	57.80B/30.50A	----	32.90 - 0.60	.1257	----	----	----	----	36 UNCH
4270	35.60	35.60	58.60B/30.90A	58.60B/30.90A	----	33.50 - 0.50	.1278	----	----	4	----	49 - 1
4275	36.20	36.20	59.80B/31.60A	59.80B/31.60A	----	34.10 - 0.50	.1298	----	----	25	----	110 + 22
4280	----	----	60.40B/32.00A	60.40B/32.00A	----	34.70 - 0.50	.1319	----	----	----	----	77 UNCH
4285	----	----	61.70B/32.60A	61.70B/32.60A	----	35.30 - 0.50	.1340	----	----	----	----	14 UNCH
4290	38.00	38.00	62.60B/33.30A	62.60B/33.30A	----	35.90 - 0.50	.1361	----	----	29	----	96 + 10
4295	41.70	41.70	63.30B/33.70A	63.30B/33.70A	----	36.50 - 0.50	.1382	----	----	12	----	32 + 12
4300	44.60	44.60	64.70B/34.30A	64.70B/34.30A	----	37.10 - 0.50	.1403	----	----	340	----	2452 - 92
4305	----	----	65.50B/34.90A	65.50B/34.90A	----	37.80 - 0.40	.1426	----	----	----	----	75 UNCH
4310	37.50	37.50	66.20B/35.60A	66.20B/35.60A	----	38.40 - 0.50	.1447	----	----	2	----	53 UNCH
4315	----	----	67.50B/36.20A	67.50B/36.20A	----	39.10 - 0.40	.1470	----	----	----	----	49 UNCH
4320	----	----	68.50B/36.80A	68.50B/36.80A	----	39.80 - 0.40	.1494	----	----	2	----	86 + 1
4325	----	----	69.40B/37.60A	69.40B/37.60A	----	40.40 - 0.40	.1515	----	----	2	----	60 + 2
4330	40.20	40.20	71.00B/38.10A	71.00B/38.10A	----	41.10 - 0.40	.1539	----	----	140	----	468 - 25
4335	49.10	49.10	71.60B/38.80A	71.60B/38.80A	----	41.80 - 0.40	.1563	----	----	3	----	38 UNCH
4340	----	----	72.90B/39.50A	72.90B/39.50A	----	42.60 - 0.30	.1588	----	----	1	----	119 UNCH
4345	54.10	54.10	74.10B/40.20A	74.10B/40.20A	----	43.30 - 0.30	.1612	----	----	4	----	48 UNCH
4350	53.10	53.10	75.50B/41.00A	75.50B/41.00A	----	44.10 - 0.30	.1638	----	----	52	----	539 + 11
4355	43.60	43.60	76.30B/41.60A	76.30B/41.60A	----	44.80 - 0.30	.1662	----	----	4	----	84 + 3
4360	----	----	77.70B/42.40A	77.70B/42.40A	----	45.60 - 0.20	.1688	----	----	39	----	79 - 11
4365	----	----	78.90B/43.20A	78.90B/43.20A	----	46.40 - 0.20	.1714	----	----	3	----	69 + 3
4370	----	----	79.80B/44.00A	79.80B/44.00A	----	47.20 - 0.20	.1740	----	----	----	----	24 UNCH
4375	52.10	52.10	81.50B/44.70A	81.50B/44.70A	----	48.00 - 0.20	.1766	----	----	61	----	510 + 4
4380	49.20	49.20	82.60B/45.50A	82.60B/45.50A	----	48.80 - 0.20	.1792	----	----	14	----	409 - 1
4385	----	----	83.60B/46.30A	83.60B/46.30A	----	49.70 - 0.10	.1821	----	----	----	----	135 UNCH
4390	----	----	84.80B/47.10A	84.80B/47.10A	----	50.50 - 0.10	.1847	----	----	----	----	64 UNCH
4395	----	----	86.10B/48.00A	86.10B/48.00A	----	51.40 - 0.10	.1875	----	----	----	----	83 UNCH
4400	84.00	84.00	87.70B/48.80A	87.70B/48.80A	----	52.30 UNCH	.1904	----	----	1235	----	3892 - 243
4405	61.20	61.20	88.60B/49.70A	88.60B/49.70A	----	53.20 UNCH	.1932	----	----	1	----	133 UNCH
4410	----	----	90.00B/50.60A	90.00B/50.60A	----	54.10 UNCH	.1961	----	----	3	----	99 UNCH
4415	----	----	91.40B/51.50A	91.40B/51.50A	----	55.00 UNCH	.1990	----	----	----	----	86 UNCH
4420	63.00	63.00	92.80B/52.40A	92.80B/52.40A	----	56.00 + 0.10	.2020	----	----	7	----	138 - 2
4425	----	----	94.10B/53.30A	94.10B/53.30A	----	56.90 + 0.10	.2049	----	----	16	----	148 + 16
4430	----	----	95.50B/54.30A	95.50B/54.30A	----	57.90 + 0.20	.2079	----	----	----	----	94 UNCH
4435	----	----	96.90B/55.20A	96.90B/55.20A	----	58.90 + 0.20	.2110	----	----	----	----	72 UNCH
4440	----	----	98.50B/56.20A	98.50B/56.20A	----	59.90 + 0.20	.2141	----	----	----	----	35 UNCH
4445	100.00	100.00	100.00/57.20A	100.00/57.20A	----	60.90 + 0.20	.2172	----	----	1	----	51 UNCH
4450	76.90	76.90	101.80B/58.20A	101.80B/58.20A	----	62.00 + 0.30	.2204	----	----	16	200	1060 + 214
4455	71.30	71.30	102.90B/59.20A	102.90B/59.20A	----	63.00 + 0.30	.2235	----	----	3	----	69 + 1
4460	72.60	72.60	104.50B/60.30A	104.50B/60.30A	----	64.10 + 0.40	.2268	----	----	1	----	35 + 1
4465	----	----	106.00B/61.40A	106.00B/61.40A	----	65.20 + 0.40	.2301	----	----	----	----	30 UNCH
4470	----	----	107.60B/62.40A	107.60B/62.40A	----	66.30 + 0.50	.2334	----	----	----	----	45 UNCH
4475	66.00	66.00	109.20B/63.50A	109.20B/63.50A	----	67.40 + 0.50	.2367	----	----	1	----	156 + 1
4480	67.30	67.30	110.90B/64.60A	110.90B/64.60A	----	68.50 + 0.50	.2400	----	----	1	----	106 + 1
4485	----	----	112.40B/65.80A	112.40B/65.80A	----	69.70 + 0.60	.2434	----	----	2	----	29 UNCH
4490	----	----	114.00B/66.90A	114.00B/66.90A	----	70.90 + 0.70	.2469	----	----	4	----	92 + 4
4495	----	----	115.70B/68.10A	115.70B/68.10A	----	72.10 + 0.70	.2504	----	----	----	----	82 UNCH
4500	98.00	98.00	117.60B/69.00	117.60B/69.00	----	73.30 + 0.70	.2538	----	----	427	250	2810 + 93
4505	84.20	84.20	119.10B/70.50A	119.10B/70.50A	----	74.50 + 0.80	.2573	----	----	3	----	30 + 3
4510	----	----	120.80B/71.70A	120.80B/71.70A	----	75.80 + 0.90	.2610	----	----	----	----	44 UNCH
4515	----	----	122.60B/73.00A	122.60B/73.00A	----	77.10 + 0.90	.2646	----	----	----	----	241 UNCH
4520	----	----	124.40B/74.20A	124.40B/74.20A	----	78.30 + 0.90	.2681	----	----	----	----	158 UNCH
4525	86.50	86.50	126.10B/75.50A	126.10B/75.50A	----	79.70 + 1.10	.2719	----	----	2	----	152 UNCH
4530	----	----	128.00B/76.80A	128.00B/76.80A	----	81.00 + 1.10	.2756	----	----	123	----	127 + 109
4535	----	----	129.80B/78.20A	129.80B/78.20A	----	82.30 + 1.10	.2793	----	----	----	----	25 UNCH
4540	----	----	131.60B/79.50A	131.60B/79.50A	----	83.70 + 1.20	.2831	----	----	----	----	192 UNCH
4545	----	----	133.60B/80.90A	133.60B/80.90A	----	85.10 + 1.20	.2869	----	----	----	----	79 UNCH
4550	----	----	135.40B/82.30A	135.40B/82.30A	----	86.50 + 1.30	.2907	----	----	16	----	577 + 2
4555	----	----	137.30B/83.70A	137.30B/83.70A	----	87.90 + 1.30	.2946	----	----	2	----	43 - 1
4560	----	----	139.20B/85.10A	139.20B/85.10A	----	89.40 + 1.40	.2985	----	----	1	----	30 UNCH
4565	102.20	102.20	141.20B/86.60A	141.20B/86.60A	----	90.90 + 1.50	.3025	----	----	1	----	199 UNCH
4570	----	----	143.20B/88.00A	143.20B/88.00A	----	92.40 + 1.60	.3064	----	----	2	----	58 - 2
4575	103.00	103.00	145.20B/89.50A	145.20B/89.50A	----	93.90 + 1.70	.3104	----	----	3	----	171 + 3
4580	----	----	147.20B/91.00A	147.20B/91.00A	----	95.40 + 1.70	.3144	----	----	----	----	218 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
4585	----	----	149.20B/92.60A	149.20B/92.60A	----	97.00 + 1.80	.3185	----	----	----	----	29 UNCH
4590	----	----	151.30B/94.10A	151.30B/94.10A	----	98.50 + 1.80	.3225	----	----	----	----	112 UNCH
4595	----	----	153.40B/95.70A	153.40B/95.70A	----	100.10 + 1.90	.3266	----	----	----	----	29 UNCH
4600	157.70	157.70	157.70/97.30A	157.70/97.30A	----	101.80 + 2.10	.3308	----	----	243	----	1698 + 1
4605	117.50	117.50	157.60B/98.90A	157.60B/98.90A	----	103.40 + 2.10	.3349	----	----	1	----	19 - 1
4610	----	----	159.80B/100.60A	159.80B/100.60A	----	105.10 + 2.20	.3391	----	----	----	----	12 UNCH
4615	----	----	161.70B/102.30A	161.70B/102.30A	----	106.70 + 2.20	.3433	----	----	----	----	51 UNCH
4620	----	----	164.20B/104.00A	164.20B/104.00A	----	108.50 + 2.40	.3476	----	----	----	----	186 UNCH
4625	----	----	166.10B/105.70A	166.10B/105.70A	----	110.20 + 2.40	.3518	----	----	----	----	253 UNCH
4630	----	----	168.60B/107.40A	168.60B/107.40A	----	111.90 + 2.40	.3561	----	----	----	----	132 UNCH
4635	----	----	170.90B/109.20A	170.90B/109.20A	----	113.70 + 2.60	.3604	----	----	----	----	24 UNCH
4640	----	----	173.20B/111.00A	173.20B/111.00A	----	115.50 + 2.60	.3648	----	----	----	----	47 UNCH
4645	----	----	175.50B/112.80A	175.50B/112.80A	----	117.40 + 2.80	.3692	----	----	1	----	46 UNCH
4650	----	----	177.80B/114.60A	177.80B/114.60A	----	119.20 + 2.80	.3736	----	----	8	25	1198 + 26
4655	----	----	180.20B/116.50A	180.20B/116.50A	----	121.10 + 2.90	.3780	----	----	1	----	46 + 1
4660	128.10	128.10	182.60B/118.40A	182.60B/118.40A	----	123.00 + 3.00	.3824	----	----	2	----	107 + 2
4665	----	----	185.00B/120.30A	185.00B/120.30A	----	124.90 + 3.10	.3869	----	----	----	----	16 UNCH
4670	137.50	137.50	187.40B/122.20A	187.40B/122.20A	----	126.90 + 3.20	.3914	----	----	11	----	257 + 2
4675	----	----	189.90B/124.20A	189.90B/124.20A	----	128.80 + 3.20	.3959	----	----	----	----	277 UNCH
4680	190.00	190.00	192.30B/126.20A	192.30B/126.20A	----	130.80 + 3.30	.4004	----	----	4	----	63 + 2
4685	----	----	194.50B/128.20A	194.50B/128.20A	----	132.90 + 3.50	.4050	----	----	2	----	36 UNCH
4690	----	----	197.40B/130.20A	197.40B/130.20A	----	134.90 + 3.50	.4095	----	----	----	----	53 UNCH
4695	142.70	142.70	199.90B/132.30A	199.90B/132.30A	----	137.00 + 3.60	.4141	----	----	37	----	64 + 33
4700	189.80	189.80	202.30B/134.30A	202.30B/134.30A	----	139.10 + 3.70	.4187	----	----	78	----	1564 + 37
4705	152.20	152.20	205.10B/136.50A	205.10B/136.50A	----	141.20 + 3.70	.4233	----	----	3	----	92 UNCH
4710	145.50	145.50	207.40B/138.60A	207.40B/138.60A	----	143.40 + 3.80	.4279	----	----	1	----	21 UNCH
4715	----	----	210.50B/140.80A	210.50B/140.80A	----	145.50 + 3.90	.4326	----	----	----	----	41 UNCH
4720	----	----	213.00B/143.00A	213.00B/143.00A	----	147.70 + 3.90	.4372	----	----	----	----	105 UNCH
4725	162.90	162.90	215.40B/145.20A	215.40B/145.20A	----	149.90 + 4.00	.4419	----	----	256	----	154 + 100
4730	167.00	167.00	218.10B/147.40A	218.10B/147.40A	----	152.20 + 4.10	.4466	----	----	41	----	87 + 21
4735	165.90	165.90	221.30B/149.70A	221.30B/149.70A	----	154.40 + 4.20	.4512	----	----	1	----	58 + 1
4740	151.80	151.80	223.60B/151.60	223.60B/151.60	----	156.70 + 4.30	.4559	----	----	8	----	84 - 2
4745	170.20	170.20	226.70B/154.30A	226.70B/154.30A	----	159.00 + 4.40	.4607	----	----	1	----	4 + 1
4750	173.00	173.00	229.40B/156.50A	229.40B/156.50A	----	161.30 + 4.40	.4654	----	----	101	100	972 + 61
4755	----	----	232.40B/159.00A	232.40B/159.00A	----	163.70 + 4.60	.4701	----	----	----	----	18 UNCH
4760	166.50	166.50	234.90B/161.40A	234.90B/161.40A	----	166.00 + 4.60	.4748	----	----	16	----	73 + 6
4765	166.50	166.50	237.30B/163.80A	237.30B/163.80A	----	168.40 + 4.70	.4796	----	----	1	----	68 UNCH
4770	186.60	186.60	240.30B/166.00A	240.30B/166.00A	----	170.80 + 4.80	.4843	----	----	57	----	91 + 39
4775	193.10	193.10	243.10B/168.70A	243.10B/168.70A	----	173.30 + 5.00	.4891	----	----	51	----	188 + 28
4780	----	----	246.00B/----	246.00B/171.20A	----	175.80 + 5.10	.4939	----	----	2	----	55 - 2
4785	----	----	249.00B/----	249.00B/173.70A	----	178.30 + 5.20	.4986	----	----	5	----	92 + 1
4790	----	----	252.00B/----	252.00B/176.20A	----	180.90 + 5.40	.5034	----	----	1	----	45 UNCH
4795	----	----	255.00B/----	255.00B/178.80A	----	183.50 + 5.60	.5081	----	----	----	----	32 UNCH
4800	----	----	258.90B/----	258.90B/181.30A	----	186.10 + 5.70	.5129	----	----	94	----	2386 + 29
4805	----	----	261.10B/----	261.10B/184.00A	----	188.80 + 5.90	.5176	----	----	----	----	84 UNCH
4810	----	----	264.20B/----	264.20B/186.70A	----	191.40 + 5.90	.5224	----	----	----	----	23 UNCH
4815	----	----	267.10B/----	267.10B/189.40A	----	194.10 + 6.10	.5271	----	----	----	----	92 UNCH
4820	----	----	270.40B/----	270.40B/192.10A	----	196.80 + 6.10	.5319	----	----	----	----	24 UNCH
4825	----	----	273.60B/----	273.60B/194.80A	----	199.60 + 6.30	.5366	----	----	----	----	166 UNCH
4830	----	----	276.60B/----	276.60B/197.50A	----	202.30 + 6.30	.5414	----	----	----	----	137 UNCH
4835	----	----	279.80B/----	279.80B/200.30A	----	205.10 + 6.40	.5461	----	----	----	----	30 UNCH
4840	----	----	283.10B/----	283.10B/203.20A	----	207.90 + 6.50	.5508	----	----	----	----	19 UNCH
4845	----	----	286.30B/----	286.30B/206.00A	----	210.70 + 6.60	.5555	----	----	----	----	11 UNCH
4850	273.00	273.00	289.60B/208.90A	289.60B/208.90A	----	213.60 + 6.70	.5602	----	----	1	----	542 UNCH
4855	----	----	292.90B/----	292.90B/211.80A	----	216.40 + 6.70	.5649	----	----	----	----	359 UNCH
4860	----	----	296.20B/----	296.20B/214.70A	----	219.40 + 6.90	.5696	----	----	----	----	44 UNCH
4865	----	----	299.60B/----	299.60B/217.60A	----	222.30 + 7.00	.5743	----	----	----	----	17 UNCH
4870	----	----	302.90B/----	302.90B/220.60A	----	225.30 + 7.10	.5789	----	----	----	----	42 UNCH
4875	----	----	306.30B/----	306.30B/223.90A	----	228.20 + 7.10	.5836	----	----	----	----	78 UNCH
4880	----	----	309.70B/----	309.70B/226.70A	----	231.30 + 7.30	.5882	----	----	----	----	3 UNCH
4885	----	----	313.10B/----	313.10B/230.00A	----	234.30 + 7.40	.5928	----	----	----	----	7 UNCH
4890	----	----	316.60B/----	316.60B/233.00A	----	237.40 + 7.50	.5974	----	----	----	----	47 UNCH
4895	----	----	320.00B/----	320.00B/236.20A	----	240.50 + 7.60	.6020	----	----	----	----	211 UNCH
4900	242.00	242.00	324.70B/239.30A	324.70B/239.30A	----	243.60 + 7.70	.6066	----	----	13	----	1804 + 1
4905	----	----	327.00B/----	327.00B/242.40A	----	246.70 + 7.80	.6111	----	----	----	----	10 UNCH
4910	----	----	330.60B/----	330.60B/245.60A	----	249.90 + 7.90	.6156	----	----	----	----	57 UNCH
4915	----	----	334.10B/----	334.10B/248.80A	----	253.10 + 8.10	.6201	----	----	----	----	37 UNCH
4920	----	----	337.70B/----	337.70B/252.00A	----	256.30 + 8.20	.6246	----	----	----	----	92 UNCH
4925	----	----	341.30B/----	341.30B/255.30A	----	259.50 + 8.20	.6290	----	----	----	----	73 UNCH
4930	----	----	344.90B/----	344.90B/258.60A	----	262.80 + 8.40	.6334	----	----	----	----	199 UNCH
4940	----	----	352.10B/----	352.10B/265.20A	----	269.40 + 8.60	.6423	----	----	----	----	64 UNCH
4945	----	----	355.80B/----	355.80B/268.70A	----	272.80 + 8.80	.6466	----	----	----	----	2 UNCH
4950	----	----	359.50B/----	359.50B/271.80A	----	276.10 + 8.90	.6509	----	----	----	----	289 UNCH
4955	----	----	363.20B/----	363.20B/275.20A	----	279.50 + 9.00	.6552	----	----	----	----	31 UNCH
4960	----	----	366.90B/----	366.90B/278.80A	----	282.90 + 9.10	.6595	----	----	----	----	23 UNCH
4965	----	----	370.70B/----	370.70B/282.30A	----	286.40 + 9.30	.6638	----	----	----	----	24 UNCH
4970	----	----	374.40B/----	374.40B/285.80A	----	289.80 + 9.40	.6680	----	----	----	----	44 UNCH
4975	----	----	378.20B/----	378.20B/289.30A	----	293.30 + 9.50	.6722	----	----	----	----	153 UNCH
4980	----	----	382.00B/----	382.00B/292.80A	----	296.80 + 9.60	.6764	----	----	----	----	28 UNCH
4985	----	----	385.80B/----	385.80B/296.30A	----	300.30 + 9.70	.6804	----	----	----	----	9 UNCH
4990	----	----	389.60B/----	389.60B/299.90A	----	303.90 + 9.90	.6846	----	----	----	----	292 UNCH
4995	----	----	393.30B/----	393.30B/303.50A	----	307.40 + 9.90	.6887	----	----	----	----	11 UNCH
5000	----	----	397.00B/----	397.00B/307.10A	----	311.00 + 10.10	.6927	----	----	2	----	1874 - 1
5005	----	----	401.10B/----	401.10B/310.50A	----	314.60 + 10.20	.6966	----	----	----	----	302 UNCH
5010	333.60	333.60	404.90B/314.20A	404.90B/314.20A	----	318.30 + 10.40	.7007	----	----	1	----	13 UNCH
5015	----	----	408.80B/----	408.80B/318.10A	----	321.90 + 10.40	.7046	----	----	----	----	49 UNCH
5020	----	----	413.20B/----	413.20B/321.80A	----	325.60 + 10.60	.7085	----	----	----	----	31 UNCH
5025	----	----	417.20B/----	417.20B/325.50A	----	329.30 + 10.70	.7124	----	----	----	----	53 UNCH
5030	----	----	421.20B/----	421.20B/329.20A	----	333.00 + 10.80	.7163	----	----	----	----	68 UNCH
5035	----	----	425.10B/----	425.10B/333.00A	----	336.70 + 10.80	.7200	----	----	----	----	13 UNCH
5040	----	----	429.10B/----	429.10B/336.80A	----	340.50 + 11.00	.7239	----	----	----	----	18 UNCH
5045	----	----	433.10B/----	433.10B/340.60A	----	344.30 + 11.10	.7277	----	----	----	----	5 UNCH
5050	----	----	436.60B/----	436.60B/344.40A	----	348.10 + 11.20	.7312	----	----	----	----	806 UNCH
5055	----	----	440.50B/----	440.50B/348.00A	----	351.90 + 11.30	.7350	----	----	----	----	63 UNCH
5060	----	----	445.00B/----	445.00B/352.00A	----	355.70 + 11.40	.7387	----	----	----	----	64 UNCH
5065	----	----	448.70B/----	448.70B/356.00A	----	359.60 + 11.60	.7423	----	----	----	----	17 UNCH
5070	----	----	452.70B/----	452.70B/359.90A	----	363.40 + 11.60	.7458	----	----	----	----	52 UNCH
5075	----	----	456.80B/----	456.80B/363.70A	----	367.30 + 11.70	.7493	----	----	2	----	28 UNCH
5080	----	----	461.00B/----	461.00B/367.50A	----	371.20 + 11.80	.7529	----	----	1	----	29 - 1
5085	----	----	465.00B/----	465.00B/371.80A	----	375.20 + 11.90	.7563	----	----	----	----	123 UNCH
5090	----	----	469.60B/----	469.60B/375.40A	----	379.10 + 12.00	.7598	----	----	----	----	109 UNCH
5095	----	----	473.80B/----	473.80B/379.40A	----	383.10 + 12.10	.7631	----	----	----	----	127 UNCH
5100	----	----	477.90B/----	477.90B/383.40A	----	387.10 + 12.20	.7665	----	----	1	----	458 + 1
5105	----	----	482.10B/----	482.10B/387.60A	----	391.00 + 12.20	.7698	----	----	----	----	38 UNCH
5110	----	----	486.30B/----	486.30B/391.70A	----	395.10 + 12.40	.7732	----	----	----	----	74 UNCH
5115	----	----	490.60B/----	490.60B/395.70A	----	399.10 + 12.50	.7763	----	----	----	----	14 UNCH
5120	----	----	495.00B/----	495.00B/399.90A	----	403.10 + 12.50	.7797	----	----	----	----	25 UNCH
5125	----	----	499.20B/----	499.20B/403.70A	----	407.20 + 12.60	.7828	----	----	----	----	192 UNCH
5130	----	----	502.90B/----	502.90B/407.90A	----	411.30 + 12.70	.7859	----	----	----	----	26 UNCH
5135	----	----	507.90B/----	507.90B/412.10A	----	415.40 + 12.80	.7890	----	----	----	----	37 UNCH
5140	----	----	512.00B/----	512.00B/416.10A	----	419.50 + 12.90	.7922	----	----	----	----	14 UNCH
5145	----	----	516.00B/----	516.00B/420.30A	----	423.60 + 12.90	.7951	----	----	----	----	39 UNCH
5150	----	----	520.00B/----	520.00B/424.70A	----	427.80 + 13.10	.7982	----	----	----	----	389 UNCH
5155	----	----	524.70B/----	524.70B/428.60A	----	431.90 + 13.10	.8011	----	----	----	----	38 UNCH
5160	----	----	529.00B/----	529.00B/432.90A	----	436.10 + 13.20	.8040	----	----	----	----	70 UNCH
5165	----	----	533.40B/----	533.40B/437.00A	----	440.30 + 13.30	.8069	----	----	----	----	47 UNCH
5170	----	----	537.50B/----	537.50B/441.20A	----	444.50 + 13.30	.8097	----	----	----	----	504 UNCH
5175	----	----	542.20B/----	542.20B/445.40A	----	448.70 + 13.40	.8124	----	----	----	----	15 UNCH
5180	----	----	546.40B/----	546.40B/449.60A	----	452.90 + 13.50	.8153	----	----	----	----	19 UNCH
5185	----	----	550.70B/----	550.70B/453.80A	----	457.20 + 13.60	.8179	----	----	----	----	22 UNCH
5190	----	----	555.10B/----	555.10B/458.20A	----	461.40 + 13.60	.8205	----	----	----	----	5 UNCH
5195	----	----	559.20B/----	559.20B/462.40A	----	465.70 + 13.70	.8234	----	----	----	----	8 UNCH
5200	483.90	483.90	564.00B/466.70A	564.00B/466.70A	----	470.00 + 13.80	.8258	----	----	1	----	611 - 1
5205	----	----	568.40B/----	568.40B/470.90A	----	474.30 + 13.90	.8284	----	----	----	----	36 UNCH
5210	----	----	572.90B/----	572.90B/475.30A	----	478.60 + 13.90	.8310	----	----	----	----	68 UNCH
5215	----	----	576.80B/----	576.80B/479.80A	----	483.00 + 14.10	.8334	----	----	----	----	42 UNCH
5220	----	----	581.10B/----	581.10B/484.10A	----	487.30 + 14.10	.8360	----	----	----	----	188 UNCH
5225	----	----	586.10B/----	586.10B/488.30A	----	491.70 + 14.20	.8384	----	----	----	----	200 UNCH
5230	----	----	590.00B/----	590.00B/492.60A	----	496.10 + 14.40	.8407	----	----	----	----	7 UNCH
5235	----	----	595.10B/----	595.10B/497.00A	----	500.40 + 14.40	.8431	----	----	----	----	160 UNCH
5245	----	----	604.20B/----	604.20B/505.80A	----	509.20 + 14.50	.8478	----	----	----	----	9 UNCH
5250	----	----	608.00B/----	608.00B/510.30A	----	513.70 + 14.70	.8501	----	----	----	----	332 UNCH
5255	----	----	612.50B/----	612.50B/514.50A	----	518.10 + 14.70	.8522	----	----	----	----	9 UNCH
5260	----	----	617.70B/----	617.70B/519.30A	----	522.50 + 14.80	.8545	----	----	----	----	11 UNCH
5265	----	----	621.50B/----	621.50B/523.50A	----	527.00 + 14.90	.8566	----	----	----	----	5 UNCH
5270	----	----	626.00B/----	626.00B/528.20A	----	531.40 + 14.90	.8586	----	----	----	----	24 UNCH
5275	----	----	631.20B/----	631.20B/532.30A	----	535.90 + 15.00	.8609	----	----	----	----	170 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
5280	----	----	635.80B/----	635.80B/536.90A	----	540.40 + 15.10	.8630	----	----	----	----	67 UNCH
5285	----	----	640.40B/----	640.40B/541.40A	----	544.90 + 15.20	.8650	----	----	----	----	27 UNCH
5290	----	----	644.30B/----	644.30B/546.10A	----	549.40 + 15.30	.8671	----	----	----	----	2 UNCH
5300	----	----	654.10B/----	654.10B/555.20A	----	558.40 + 15.40	.8708	----	----	----	----	161 UNCH
5305	----	----	658.70B/----	658.70B/559.60A	----	562.90 + 15.40	.8729	----	----	----	----	104 UNCH
5320	----	----	671.80B/----	671.80B/573.00A	----	576.60 + 15.70	.8783	----	----	----	----	108 UNCH
5325	----	----	677.10B/----	677.10B/577.50A	----	581.10 + 15.60	.8801	----	----	----	----	1 UNCH
5335	----	----	685.80B/----	685.80B/586.80A	----	590.30 + 15.80	.8835	----	----	----	----	5 UNCH
5340	----	----	690.20B/----	690.20B/591.50A	----	594.90 + 15.90	.8855	----	----	----	----	52 UNCH
5345	----	----	694.90B/----	694.90B/596.20A	----	599.40 + 15.80	.8869	----	----	----	----	1 UNCH
5350	----	----	699.70B/----	699.70B/600.70A	----	604.00 + 15.90	.8886	----	----	----	----	108 UNCH
5365	----	----	713.50B/----	713.50B/614.70A	----	617.90 + 16.10	.8934	----	----	----	----	4 UNCH
5370	----	----	718.90B/----	718.90B/619.20A	----	622.50 + 16.10	.8951	----	----	----	----	37 UNCH
5375	----	----	723.60B/----	723.60B/623.60A	----	627.20 + 16.20	.8964	----	----	----	----	1 UNCH
5380	----	----	727.70B/----	727.70B/628.60A	----	631.80 + 16.20	.8981	----	----	----	----	2 UNCH
5385	----	----	732.30B/----	732.30B/633.20A	----	636.50 + 16.30	.8995	----	----	----	----	10 UNCH
5390	----	----	736.90B/----	736.90B/637.70A	----	641.20 + 16.40	.9009	----	----	----	----	2 UNCH
5395	----	----	741.60B/----	741.60B/642.50A	----	645.80 + 16.40	.9025	----	----	----	----	156 UNCH
5400	----	----	746.40B/----	746.40B/647.30A	----	650.50 + 16.40	.9039	----	----	----	----	442 UNCH
5420	----	----	765.30B/----	765.30B/665.70A	----	669.30 + 16.60	.9090	----	----	----	----	10 UNCH
5425	----	----	770.00B/----	770.00B/670.40A	----	674.00 + 16.70	.9103	----	----	----	----	1 UNCH
5430	----	----	774.60B/----	774.60B/675.40A	----	678.70 + 16.70	.9116	----	----	----	----	30 UNCH
5435	----	----	779.40B/----	779.40B/680.10A	----	683.40 + 16.70	.9130	----	----	----	----	10 UNCH
5440	----	----	784.20B/----	784.20B/684.80A	----	688.20 + 16.80	.9140	----	----	----	----	20 UNCH
5470	----	----	813.40B/----	813.40B/713.40A	----	716.60 + 17.00	.9209	----	----	----	----	1 UNCH
5490	----	----	832.50B/----	832.50B/732.40A	----	735.70 + 17.20	.9251	----	----	----	----	166 UNCH
5500	----	----	842.10B/----	842.10B/741.90A	----	745.30 + 17.30	.9270	----	----	----	----	52 UNCH
5525	----	----	865.40B/----	865.40B/765.70A	----	769.30 + 17.50	.9318	----	----	----	----	2 UNCH
5575	----	----	914.40B/----	914.40B/814.00A	----	817.50 + 17.80	.9397	----	----	----	----	2 UNCH
5590	----	----	928.00B/----	928.00B/828.80A	----	832.10 + 18.00	.9420	----	----	----	----	77 UNCH
5595	----	----	933.70B/----	933.70B/833.30A	----	836.90 + 18.00	.9426	----	----	----	----	1 UNCH
5600	----	----	938.50B/----	938.50B/838.50A	----	841.80 + 18.00	.9432	----	----	----	----	8 UNCH
5640	----	----	977.40B/----	977.40B/877.30A	----	880.70 + 18.20	.9486	----	----	----	----	9 UNCH
5800	----	----	1,122.60B/----	1122.60B/1038.10A	----	1037.60 + 18.70	.9632	----	----	----	----	6 UNCH
6000	----	----	1,308.00B/----	1308.00B/1237.30A	----	1235.50 + 19.20	.9744	----	----	----	----	4 UNCH
6100	----	----	1,406.90B/----	1406.90B/1336.70A	----	1334.70 + 19.30	.9782	----	----	----	----	3 UNCH
6675	----	----	----	----	----	1907.80 + 19.90	.9903	----	----	----	----	2 UNCH
10000	----	----	----	----	----	5232.60 + 20.00	1.0000	----	----	----	----	0 UNCH
TOTAL										4300	1,075	85410 + 832
JUL26												
2275	----	----	----	0.40B/1.00A	----	0.60 UNCH	.0014	----	----	----	----	20 UNCH
2300	----	----	----	0.50B/1.00A	----	0.70 UNCH	.0016	----	----	----	----	96 UNCH
2400	----	----	----	0.70B/1.20A	----	0.90 UNCH	.0021	----	----	----	----	2 UNCH
2500	----	----	----	0.90B/1.50A	----	1.10 UNCH	.0027	----	----	----	----	192 UNCH
2575	----	----	----	1.10B/1.70A	----	1.30 UNCH	.0032	----	----	----	----	1 UNCH
2600	----	----	----	1.10B/1.70A	----	1.30 - 0.10	.0032	----	----	----	----	12 UNCH
2620	----	----	----	1.20B/1.80A	----	1.40 UNCH	.0035	----	----	----	----	1 UNCH
2650	----	----	----	1.30B/1.80A	----	1.50 UNCH	.0038	----	----	----	----	52 UNCH
2670	----	----	----	1.40B/1.90A	----	1.50 - 0.10	.0038	----	----	----	----	10 UNCH
2675	----	----	----	1.30B/1.90A	----	1.50 - 0.10	.0038	----	----	----	----	10 UNCH
2680	----	----	----	1.40B/1.90A	----	1.50 - 0.10	.0038	----	----	----	----	10 UNCH
2700	----	----	----	1.50B/2.00A	----	1.60 - 0.10	.0041	----	----	----	----	3 UNCH
2705	----	----	----	1.50B/2.00A	----	1.60 - 0.10	.0041	----	----	----	----	1 UNCH
2710	----	----	----	1.50B/2.00A	----	1.60 - 0.10	.0041	----	----	----	----	7 UNCH
2730	----	----	----	1.60B/2.10A	----	1.70 - 0.10	.0044	----	----	----	----	1 UNCH
2750	----	----	----	1.70B/2.10A	----	1.70 - 0.10	.0044	----	----	----	----	19 UNCH
2785	----	----	----	1.70B/2.30A	----	1.90 UNCH	.0049	----	----	----	----	2 UNCH
2800	----	----	----	1.80B/2.30A	----	1.90 - 0.10	.0050	----	----	----	----	7 UNCH
2850	----	----	----	2.00B/2.50A	----	2.10 - 0.10	.0056	----	----	----	----	3 UNCH
2860	----	----	----	2.10B/2.50A	----	2.10 - 0.10	.0056	----	----	----	----	5 UNCH
2890	----	----	----	2.20B/2.60A	----	2.20 - 0.10	.0059	----	----	----	----	60 UNCH
2895	----	----	----	2.20B/2.70A	----	2.30 - 0.10	.0062	----	----	----	----	18 UNCH
2900	----	----	----	2.30B/2.70A	----	2.30 - 0.10	.0062	----	----	----	----	18 UNCH
2905	----	----	----	2.20B/2.70A	----	2.30 - 0.10	.0062	----	----	----	----	19 UNCH
2920	----	----	----	2.30B/2.80A	----	2.40 - 0.10	.0065	----	----	----	----	3 UNCH
2950	----	----	----	2.50B/2.90A	----	2.50 - 0.10	.0068	----	----	----	----	32 UNCH
2995	----	----	----	2.60B/3.10A	----	2.70 - 0.10	.0074	----	----	----	----	16 UNCH
3000	----	----	----	2.70B/3.10A	----	2.70 - 0.20	.0075	----	----	----	----	58 UNCH
3015	----	----	----	2.80B/3.20A	----	2.80 - 0.10	.0078	----	----	----	----	5 UNCH
3025	----	----	----	2.80B/3.20A	----	2.90 - 0.10	.0080	----	----	----	----	1 UNCH
3035	----	----	----	2.80B/3.30A	----	2.90 - 0.20	.0081	----	----	----	----	5 UNCH
3050	----	----	----	3.10B/3.30A	----	3.00 - 0.10	.0084	----	----	----	----	1 UNCH
3100	----	----	3.60B/----	3.60B/3.60A	----	3.30 - 0.10	.0093	----	----	----	----	43 UNCH
3105	----	----	----	3.50B/3.70A	----	3.30 - 0.20	.0093	----	----	----	----	1 UNCH
3125	----	----	3.70B/----	3.70B/3.80A	----	3.50 - 0.10	.0099	----	----	----	----	42 UNCH
3140	----	----	3.80B/----	3.80B/3.90A	----	3.60 - 0.10	.0102	----	----	----	----	1 UNCH
3150	----	----	4.20B/----	4.20B/3.90A	----	3.60 - 0.20	.0103	----	----	----	----	12 UNCH
3155	----	----	4.00B/----	4.00B/4.00A	----	3.70 - 0.10	.0106	----	----	----	----	1 UNCH
3200	----	----	4.30B/----	4.30B/4.30A	----	4.00 - 0.20	.0115	----	----	----	----	113 UNCH
3210	----	----	4.30B/----	4.30B/4.40A	----	4.10 - 0.10	.0118	----	----	----	----	1 UNCH
3220	----	----	4.40B/----	4.40B/4.40A	----	4.20 - 0.10	.0121	----	----	----	----	1 UNCH
3225	----	----	4.50B/----	4.50B/4.50A	----	4.20 - 0.20	.0122	----	----	----	----	70 UNCH
3230	----	----	4.50B/----	4.50B/4.50A	----	4.20 - 0.20	.0122	----	----	----	----	2 UNCH
3250	----	----	4.80B/----	4.80B/4.70A	----	4.40 - 0.20	.0128	----	----	----	----	61 UNCH
3275	----	----	4.90B/----	4.90B/4.90A	----	4.70 - 0.10	.0137	----	----	----	----	10 UNCH
3290	----	----	5.20B/----	5.20B/5.00A	----	4.80 - 0.10	.0141	----	----	----	----	11 UNCH
3300	----	----	5.30B/----	5.30B/5.10A	----	4.90 - 0.10	.0144	----	----	----	----	55 UNCH
3320	----	----	5.50B/----	5.50B/5.30A	----	5.10 - 0.20	.0151	----	----	----	----	1 UNCH
3325	----	----	5.60B/----	5.60B/5.40A	----	5.20 - 0.10	.0153	----	----	----	----	147 UNCH
3335	----	----	5.70B/----	5.70B/5.50A	----	5.30 - 0.10	.0157	----	----	----	----	86 UNCH
3340	----	----	5.70B/----	5.70B/5.50A	----	5.30 - 0.20	.0157	----	----	----	----	1 UNCH
3350	----	----	5.90B/----	5.90B/5.60A	----	5.40 - 0.20	.0161	----	----	----	----	24 UNCH
3355	----	----	5.90B/----	5.90B/5.70A	----	5.50 - 0.10	.0163	----	----	----	----	69 UNCH
3360	----	----	6.00B/----	6.00B/5.80A	----	5.60 - 0.10	.0166	----	----	----	----	3 UNCH
3370	----	----	6.00B/----	6.00B/5.90A	----	5.70 - 0.10	.0170	----	----	----	----	9 UNCH
3380	----	----	6.30B/----	6.30B/6.00A	----	5.80 - 0.10	.0173	----	----	----	----	2 UNCH
3385	----	----	6.40B/----	6.40B/6.00A	----	5.90 - 0.10	.0176	----	----	----	----	4 UNCH
3390	----	----	6.50B/----	6.50B/6.10A	----	5.90 - 0.20	.0177	----	----	----	----	1 UNCH
3395	----	----	6.40B/----	6.40B/6.20A	----	6.00 - 0.10	.0179	----	----	----	----	31 UNCH
3400	----	----	6.60B/----	6.60B/6.20A	----	6.10 - 0.10	.0182	----	----	----	----	46 UNCH
3410	----	----	6.80B/----	6.80B/6.30A	----	6.20 - 0.10	.0186	----	----	----	----	5 UNCH
3425	----	----	7.00B/6.50A	7.00B/6.50A	----	6.40 - 0.20	.0192	----	----	----	----	56 UNCH
3435	----	----	7.10B/----	7.10B/6.70A	----	6.50 - 0.20	.0196	----	----	----	----	5 UNCH
3445	----	----	7.30B/6.80A	7.30B/6.80A	----	6.70 - 0.20	.0202	----	----	----	----	1 UNCH
3450	6.60	6.60	7.50B/6.60	7.50B/6.60	----	6.80 - 0.10	.0205	----	----	1	----	139 + 1
3455	----	----	7.50B/6.90A	7.50B/6.90A	----	6.80 - 0.20	.0205	----	----	----	----	10 UNCH
3460	----	----	7.70B/7.00A	7.70B/7.00A	----	6.90 - 0.20	.0208	----	----	----	----	10 UNCH
3465	----	----	7.80B/7.00A	7.80B/7.00A	----	7.00 - 0.20	.0211	----	----	----	----	142 UNCH
3475	----	----	8.00B/7.20A	8.00B/7.20A	----	7.10 - 0.20	.0215	----	----	----	----	138 UNCH
3480	----	----	8.20B/7.30A	8.20B/7.30A	----	7.20 - 0.20	.0218	----	----	----	----	36 UNCH
3495	----	----	8.50B/7.50A	8.50B/7.50A	----	7.50 - 0.20	.0227	----	----	----	----	5 UNCH
3500	10.10	10.10	10.10/7.50	10.10/7.50	----	7.60 - 0.20	.0230	----	----	2	----	583 + 1
3505	----	----	8.70B/7.70A	8.70B/7.70A	----	7.60 - 0.30	.0231	----	----	----	----	9 UNCH
3510	----	----	9.60B/7.70A	9.60B/7.70A	----	7.70 - 0.20	.0234	----	----	----	----	5 UNCH
3515	----	----	9.00B/7.80A	9.00B/7.80A	----	7.80 - 0.20	.0237	----	----	----	----	6 UNCH
3525	----	----	9.20B/8.00A	9.20B/8.00A	----	8.00 - 0.20	.0244	----	----	----	----	3 UNCH
3530	----	----	9.40B/8.10A	9.40B/8.10A	----	8.10 - 0.20	.0247	----	----	----	----	168 UNCH
3535	----	----	9.50B/8.20A	9.50B/8.20A	----	8.20 - 0.20	.0250	----	----	----	----	31 UNCH
3545	----	----	9.80B/8.40A	9.80B/8.40A	----	8.40 - 0.20	.0256	----	----	----	----	256 UNCH
3550	----	----	10.10B/8.40A	10.10B/8.40A	----	8.50 - 0.20	.0259	----	----	----	----	147 UNCH
3575	----	----	10.80B/8.90A	10.80B/8.90A	----	9.00 - 0.30	.0275	----	----	----	----	1 UNCH
3580	----	----	10.90B/9.10A	10.90B/9.10A	----	9.10 - 0.30	.0279	----	----	----	----	5 UNCH
3590	----	----	11.30B/9.30A	11.30B/9.30A	----	9.30 - 0.30	.0285	----	----	----	----	16 UNCH
3600	10.10	10.10	11.80B/9.50A	11.80B/9.50A	----	9.50 - 0.30	.0292	----	----	1	----	113 + 1
3605	----	----	11.80B/9.60A	11.80B/9.60A	----	9.60 - 0.30	.0295	----	----	----	----	5 UNCH
3620	----	----	12.30B/9.90A	12.30B/9.90A	----	10.00 - 0.30	.0307	----	----	----	----	12 UNCH
3625	----	----	12.50B/10.10A	12.50B/10.10A	----	10.10 - 0.30	.0311	----	----	----	----	11 UNCH
3630	----	----	13.70B/10.20A	13.70B/10.20A	----	10.20 - 0.40	.0314	----	----	----	----	3 UNCH
3635	----	----	12.90B/10.30A	12.90B/10.30A	----	10.40 - 0.30	.0320	----	----	----	----	3 UNCH
3640	----	----	13.10B/10.40A	13.10B/10.40A	----	10.50 - 0.30	.0323	----	----	----	----	6 UNCH
3645	----	----	13.30B/10.50A	13.30B/10.50A	----	10.60 - 0.40	.0326	----	----	----	----	1 UNCH
3650	----	----	13.60B/10.60A	13.60B/10.60A	----	10.80 - 0.30	.0332	----	----	----	----	101 UNCH
3655	11.50	11.50	13.70B/10.70A	13.70B/10.70A	----	10.90 - 0.30	.0335	----	----	1	----	7 + 1
3660	----	----	15.00B/10.80A	15.00B/10.80A	----	11.00 - 0.40	.0339	----	----	----	----	22 UNCH
3665	----	----	14.10B/11.00A	14.10B/11.00A	----	11.20 - 0.30	.0345	----	----	----	----	2 UNCH
3670	----	----	14.30B/11.10A	14.30B/11.10A	----	11.30 - 0.30	.0348	----	----	----	----	110 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
3675	----	----	14.50B/11.30A	14.50B/11.30A	----	11.40 - 0.40	.0352	----	----	2	----	5 + 2
3680	----	----	14.80B/11.40A	14.80B/11.40A	----	11.60 - 0.30	.0357	----	----	----	----	5 UNCH
3685	----	----	15.00B/11.50A	15.00B/11.50A	----	11.70 - 0.40	.0361	----	----	----	----	10 UNCH
3690	----	----	15.20B/11.70A	15.20B/11.70A	----	11.90 - 0.30	.0367	----	----	----	----	50 UNCH
3695	----	----	15.40B/11.80A	15.40B/11.80A	----	12.00 - 0.40	.0370	----	----	----	----	141 UNCH
3700	12.50	12.50	17.00B/12.00A	17.00B/12.00A	----	12.20 - 0.30	.0376	----	----	1	----	422 UNCH
3705	----	----	15.90B/12.10A	15.90B/12.10A	----	12.30 - 0.40	.0380	----	----	----	----	20 UNCH
3715	----	----	16.40B/12.40A	16.40B/12.40A	----	12.60 - 0.40	.0389	----	----	----	----	30 UNCH
3720	----	----	16.80B/12.60A	16.80B/12.60A	----	12.80 - 0.30	.0395	----	----	----	----	18 UNCH
3725	----	----	18.20B/12.70A	18.20B/12.70A	----	12.90 - 0.40	.0399	----	----	----	----	5 UNCH
3730	----	----	19.40B/12.90A	19.40B/12.90A	----	13.10 - 0.40	.0405	----	----	----	----	3 UNCH
3735	----	----	18.00B/13.00A	18.00B/13.00A	----	13.30 - 0.30	.0410	----	----	----	----	30 UNCH
3740	----	----	17.60B/13.20A	17.60B/13.20A	----	13.40 - 0.40	.0414	----	----	----	----	20 UNCH
3750	----	----	19.10B/13.50A	19.10B/13.50A	----	13.80 - 0.30	.0426	----	----	75	----	544 - 3
3760	----	----	19.10B/13.90A	19.10B/13.90A	----	14.10 - 0.40	.0436	----	----	----	----	2 UNCH
3765	----	----	20.00B/14.00A	20.00B/14.00A	----	14.30 - 0.30	.0442	----	----	----	----	32 UNCH
3770	----	----	19.70B/14.20A	19.70B/14.20A	----	14.50 - 0.30	.0448	----	----	----	----	120 UNCH
3775	----	----	19.70B/14.40A	19.70B/14.40A	----	14.70 - 0.30	.0454	----	----	----	----	61 UNCH
3780	----	----	20.10B/14.50A	20.10B/14.50A	----	14.90 - 0.30	.0460	----	----	----	----	1 UNCH
3785	----	----	21.20B/14.70A	21.20B/14.70A	----	15.10 - 0.30	.0466	----	----	1	----	6 + 1
3790	----	----	24.20B/14.90A	24.20B/14.90A	----	15.30 - 0.30	.0472	----	----	----	----	40 UNCH
3795	----	----	24.60B/14.90A	24.60B/14.90A	----	15.50 - 0.30	.0478	----	----	----	----	36 UNCH
3800	16.00	16.00	25.00B/15.30A	25.00B/15.30A	----	15.70 - 0.30	.0485	----	----	1	----	686 + 1
3810	----	----	25.50B/15.60A	25.50B/15.60A	----	16.10 - 0.20	.0497	----	----	----	----	16 UNCH
3815	----	----	25.90B/15.80A	25.90B/15.80A	----	16.30 - 0.20	.0503	----	----	----	----	14 UNCH
3820	----	----	26.20B/16.00A	26.20B/16.00A	----	16.50 - 0.30	.0509	----	----	1	----	10 UNCH
3825	----	----	26.70B/16.20A	26.70B/16.20A	----	16.70 - 0.30	.0516	----	----	----	----	9 UNCH
3830	----	----	26.90B/16.40A	26.90B/16.40A	----	16.90 - 0.30	.0522	----	----	----	----	24 UNCH
3835	----	----	27.40B/16.60A	27.40B/16.60A	----	17.20 - 0.20	.0530	----	----	----	----	1 UNCH
3840	----	----	27.60B/16.90A	27.60B/16.90A	----	17.40 - 0.20	.0537	----	----	----	----	32 UNCH
3845	----	----	28.00B/17.20A	28.00B/17.20A	----	17.60 - 0.20	.0543	----	----	----	----	13 UNCH
3850	----	----	28.30B/17.30A	28.30B/17.30A	----	17.90 - 0.20	.0552	----	----	----	----	206 UNCH
3860	----	----	29.10B/17.70A	29.10B/17.70A	----	18.30 - 0.20	.0564	----	----	----	----	29 UNCH
3875	----	----	30.30B/18.40A	30.30B/18.40A	----	19.10 - 0.10	.0588	----	----	----	----	108 UNCH
3880	----	----	30.70B/18.60A	30.70B/18.60A	----	19.30 - 0.20	.0595	----	----	----	----	14 UNCH
3885	----	----	31.00B/18.90A	31.00B/18.90A	----	19.60 - 0.10	.0603	----	----	----	----	5 UNCH
3890	----	----	31.60B/19.10A	31.60B/19.10A	----	19.80 - 0.20	.0610	----	----	----	----	4 UNCH
3895	----	----	31.70B/19.40A	31.70B/19.40A	----	20.10 - 0.10	.0618	----	----	----	----	1 UNCH
3900	23.00	23.00	32.40B/19.50A	32.40B/19.50A	----	20.40 - 0.10	.0627	----	----	11	----	310 + 10
3905	----	----	32.80B/19.80A	32.80B/19.80A	----	20.60 - 0.20	.0634	----	----	----	----	12 UNCH
3910	----	----	33.30B/20.00A	33.30B/20.00A	----	20.90 - 0.10	.0643	----	----	----	----	54 UNCH
3920	----	----	34.20B/20.70A	34.20B/20.70A	----	21.50 - 0.10	.0660	----	----	----	----	1 UNCH
3925	----	----	34.70B/20.90A	34.70B/20.90A	----	21.80 - 0.10	.0669	----	----	----	----	48 UNCH
3930	----	----	35.10B/21.00A	35.10B/21.00A	----	22.10 - 0.10	.0678	----	----	2	----	35 UNCH
3935	----	----	35.40B/21.30A	35.40B/21.30A	----	22.40 - 0.10	.0687	----	----	----	----	7 UNCH
3940	----	----	36.00B/21.70A	36.00B/21.70A	----	22.70 - 0.10	.0695	----	----	----	----	20 UNCH
3945	----	----	36.60B/22.00A	36.60B/22.00A	----	23.00 - 0.10	.0704	----	----	----	----	20 UNCH
3950	----	----	36.80B/22.20A	36.80B/22.20A	----	23.30 - 0.10	.0713	----	----	1	----	601 + 1
3955	----	----	37.20B/22.50A	37.20B/22.50A	----	23.60 - 0.10	.0722	----	----	----	----	25 UNCH
3960	----	----	37.70B/22.80A	37.70B/22.80A	----	23.90 - 0.10	.0731	----	----	----	----	19 UNCH
3965	----	----	38.30B/23.20A	38.30B/23.20A	----	24.20 - 0.20	.0740	----	----	----	----	94 UNCH
3970	----	----	38.00B/23.50A	38.00B/23.50A	----	24.60 - 0.10	.0751	----	----	4	----	6 + 4
3975	----	----	38.60B/23.80A	38.60B/23.80A	----	24.90 - 0.10	.0761	----	----	----	----	21 UNCH
3980	----	----	39.80B/24.10A	39.80B/24.10A	----	25.20 - 0.20	.0770	----	----	----	----	5 UNCH
3985	----	----	40.50B/24.50A	40.50B/24.50A	----	25.60 - 0.10	.0781	----	----	----	----	136 UNCH
3990	----	----	40.90B/24.70A	40.90B/24.70A	----	25.90 - 0.20	.0790	----	----	----	----	41 UNCH
3995	----	----	41.30B/25.10A	41.30B/25.10A	----	26.30 - 0.10	.0801	----	----	----	----	14 UNCH
4000	30.50	30.50	42.10B/25.50A	42.10B/25.50A	----	26.60 - 0.20	.0811	----	----	91	----	1091 - 1
4005	----	----	42.50B/25.70A	42.50B/25.70A	----	27.00 - 0.20	.0822	----	----	----	----	120 UNCH
4010	----	----	43.10B/26.10A	43.10B/26.10A	----	27.40 - 0.10	.0833	----	----	----	----	3 UNCH
4015	----	----	43.80B/26.50A	43.80B/26.50A	----	27.70 - 0.20	.0842	----	----	----	----	59 UNCH
4020	----	----	44.40B/26.80A	44.40B/26.80A	----	28.10 - 0.20	.0854	----	----	1	----	91 + 1
4025	----	----	44.80B/27.30A	44.80B/27.30A	----	28.50 - 0.20	.0865	----	----	----	----	18 UNCH
4030	----	----	45.40B/27.50A	45.40B/27.50A	----	28.90 - 0.20	.0877	----	----	----	----	35 UNCH
4035	----	----	46.20B/28.00A	46.20B/28.00A	----	29.30 - 0.20	.0888	----	----	1	----	3 + 1
4040	----	----	46.80B/28.40A	46.80B/28.40A	----	29.70 - 0.20	.0899	----	----	----	----	1 UNCH
4045	----	----	47.40B/28.70A	47.40B/28.70A	----	30.10 - 0.20	.0911	----	----	----	----	20 UNCH
4050	----	----	48.10B/29.20A	48.10B/29.20A	----	30.50 - 0.20	.0922	----	----	----	----	47 UNCH
4055	----	----	48.60B/29.50A	48.60B/29.50A	----	30.90 - 0.30	.0934	----	----	1	----	32 + 1
4065	----	----	50.00B/30.40A	50.00B/30.40A	----	31.80 - 0.20	.0959	----	----	----	----	7 UNCH
4070	----	----	50.70B/30.80A	50.70B/30.80A	----	32.20 - 0.30	.0971	----	----	----	----	12 UNCH
4075	----	----	51.40B/31.20A	51.40B/31.20A	----	32.70 - 0.20	.0984	----	----	----	----	13 UNCH
4080	----	----	52.10B/31.70A	52.10B/31.70A	----	33.10 - 0.30	.0996	----	----	----	----	8 UNCH
4085	----	----	52.80B/32.10A	52.80B/32.10A	----	33.60 - 0.20	.1010	----	----	----	----	10 UNCH
4090	----	----	53.50B/32.50A	53.50B/32.50A	----	34.00 - 0.30	.1022	----	----	----	----	2 UNCH
4095	----	----	54.20B/33.00A	54.20B/33.00A	----	34.50 - 0.30	.1035	----	----	----	----	1 UNCH
4100	47.80	47.80	55.10B/33.50A	55.10B/33.50A	----	35.00 - 0.30	.1049	----	----	4	80	676 + 77
4105	----	----	55.70B/33.90A	55.70B/33.90A	----	35.50 - 0.20	.1063	----	----	----	----	9 UNCH
4110	----	----	56.30B/34.40A	56.30B/34.40A	----	36.00 - 0.20	.1076	----	----	----	----	15 UNCH
4115	----	----	57.20B/34.90A	57.20B/34.90A	----	36.50 - 0.20	.1090	----	----	----	----	5 UNCH
4120	----	----	58.00B/35.40A	58.00B/35.40A	----	37.00 - 0.20	.1104	----	----	----	----	6 UNCH
4125	----	----	58.70B/35.80A	58.70B/35.80A	----	37.50 - 0.20	.1118	----	----	----	----	72 UNCH
4130	----	----	59.50B/36.30A	59.50B/36.30A	----	38.00 - 0.20	.1132	----	----	----	----	65 UNCH
4135	----	----	60.20B/36.80A	60.20B/36.80A	----	38.50 - 0.30	.1146	----	----	----	----	7 UNCH
4140	----	----	61.00B/37.40A	61.00B/37.40A	----	39.10 - 0.20	.1162	----	----	1	----	20 + 1
4145	----	----	61.90B/37.90A	61.90B/37.90A	----	39.60 - 0.20	.1176	----	----	----	----	235 UNCH
4150	----	----	62.70B/38.40A	62.70B/38.40A	----	40.20 - 0.10	.1192	----	----	1	----	133 + 1
4155	----	----	63.50B/38.90A	63.50B/38.90A	----	40.70 - 0.20	.1206	----	----	----	----	5 UNCH
4160	----	----	64.30B/39.50A	64.30B/39.50A	----	41.30 - 0.10	.1222	----	----	----	----	3 UNCH
4165	----	----	65.20B/40.00A	65.20B/40.00A	----	41.90 - 0.10	.1238	----	----	----	----	68 UNCH
4170	----	----	65.90B/40.60A	65.90B/40.60A	----	42.50 UNCH	.1254	----	----	----	----	1 UNCH
4175	----	----	66.90B/41.00A	66.90B/41.00A	----	43.10 UNCH	.1270	----	----	----	----	43 UNCH
4185	----	----	68.40B/42.10A	68.40B/42.10A	----	44.30 UNCH	.1302	----	----	----	----	13 UNCH
4190	----	----	69.60B/42.70A	69.60B/42.70A	----	44.90 + 0.10	.1318	----	----	----	----	126 UNCH
4195	----	----	70.40B/43.30A	70.40B/43.30A	----	45.50 + 0.10	.1334	----	----	----	----	65 UNCH
4200	----	----	71.40B/43.90A	71.40B/43.90A	----	46.10 + 0.10	.1350	----	----	21	----	573 + 20
4205	----	----	72.10B/44.50A	72.10B/44.50A	----	46.80 + 0.10	.1368	----	----	----	----	6 UNCH
4210	----	----	73.10B/45.10A	73.10B/45.10A	----	47.40 + 0.10	.1385	----	----	----	----	67 UNCH
4215	----	----	74.00B/45.80A	74.00B/45.80A	----	48.10 + 0.20	.1402	----	----	----	----	39 UNCH
4220	----	----	74.20B/46.40A	74.20B/46.40A	----	48.80 + 0.30	.1420	----	----	----	----	195 UNCH
4225	----	----	75.30B/47.10A	75.30B/47.10A	----	49.50 + 0.30	.1439	----	----	----	----	34 UNCH
4230	----	----	76.20B/47.70A	76.20B/47.70A	----	50.10 + 0.20	.1455	----	----	----	----	8 UNCH
4235	----	----	77.30B/48.40A	77.30B/48.40A	----	50.80 + 0.30	.1473	----	----	----	----	42 UNCH
4240	----	----	78.20B/49.10A	78.20B/49.10A	----	51.60 + 0.40	.1493	----	----	----	----	33 UNCH
4245	----	----	78.70B/49.80A	78.70B/49.80A	----	52.30 + 0.40	.1511	----	----	----	----	1 UNCH
4250	----	----	80.70B/50.50A	80.70B/50.50A	----	53.00 + 0.40	.1529	----	----	1	----	832 + 1
4255	----	----	80.80B/51.30A	80.80B/51.30A	----	53.70 + 0.40	.1548	----	----	----	----	2 UNCH
4260	----	----	81.10B/52.10A	81.10B/52.10A	----	54.50 + 0.50	.1568	----	----	----	----	4 UNCH
4265	----	----	83.40B/52.80A	83.40B/52.80A	----	55.20 + 0.40	.1586	----	----	----	----	12 UNCH
4270	----	----	84.70B/53.60A	84.70B/53.60A	----	56.00 + 0.50	.1606	----	----	----	----	1 UNCH
4275	----	----	85.40B/54.30A	85.40B/54.30A	----	56.80 + 0.50	.1626	----	----	----	----	73 UNCH
4280	61.40	61.40	86.60B/55.10A	86.60B/55.10A	----	57.60 + 0.60	.1646	----	----	2	----	39 UNCH
4285	----	----	87.70B/55.90A	87.70B/55.90A	----	58.40 + 0.60	.1666	----	----	----	----	101 UNCH
4290	----	----	89.00B/56.60A	89.00B/56.60A	----	59.20 + 0.60	.1686	----	----	----	----	33 UNCH
4295	----	----	89.90B/57.40A	89.90B/57.40A	----	60.00 + 0.60	.1706	----	----	----	----	20 UNCH
4300	----	----	91.40B/58.20A	91.40B/58.20A	----	60.80 + 0.60	.1727	----	----	1037	----	767 - 502
4305	----	----	92.20B/59.00A	92.20B/59.00A	----	61.70 + 0.70	.1748	----	----	----	----	9 UNCH
4310	----	----	93.30B/59.90A	93.30B/59.90A	----	62.50 + 0.60	.1769	----	----	1	----	5 UNCH
4315	----	----	94.60B/60.70A	94.60B/60.70A	----	63.40 + 0.70	.1790	----	----	----	----	24 UNCH
4320	----	----	95.80B/61.60A	95.80B/61.60A	----	64.20 + 0.60	.1811	----	----	----	----	3 UNCH
4325	70.80	70.80	97.30B/62.50A	97.30B/62.50A	----	65.10 + 0.70	.1833	----	----	2	----	101 + 2
4330	----	----	98.20B/63.30A	98.20B/63.30A	----	66.00 + 0.70	.1855	----	----	2	----	23 UNCH
4335	----	----	99.40B/64.20A	99.40B/64.20A	----	66.90 + 0.70	.1877	----	----	1	----	111 UNCH
4340	----	----	100.50B/65.10A	100.50B/65.10A	----	67.90 + 0.80	.1900	----	----	----	----	114 UNCH
4345	----	----	101.80B/66.00A	101.80B/66.00A	----	68.80 + 0.80	.1922	----	----	----	----	12 UNCH
4350	----	----	103.60B/66.90A	103.60B/66.90A	----	69.70 + 0.80	.1944	----	----	1	----	301 + 1
4355	----	----	104.70B/67.80A	104.70B/67.80A	----	70.70 + 0.80	.1968	----	----	----	----	123 UNCH
4360	----	----	105.70B/68.90A	105.70B/68.90A	----	71.60 + 0.80	.1990	----	----	----	----	104 UNCH
4365	----	----	107.40B/69.80A	107.40B/69.80A	----	72.60 + 0.80	.2013	----	----	----	----	28 UNCH
4370	----	----	108.90B/70.80A	108.90B/70.80A	----	73.60 + 0.90	.2037	----	----	----	----	140 UNCH
4375	----	----	109.70B/71.80A	109.70B/71.80A	----	74.60 + 0.90	.2061	----	----	----	----	26 UNCH
4380	----	----	111.00B/72.80A	111.00B/72.80A	----	75.60 + 0.90	.2084	----	----	----	----	3 UNCH
4385	----	----	112.30B/73.80A	112.30B/73.80A	----	76.70 + 1.00	.2109	----	----	----	----	52 UNCH
4390	----	----	113.30B/74.80A	113.30B/74.80A	----	77.70 + 1.00	.2133	----	----	----	----	2 UNCH
4395	----	----	115.20B/75.80A	115.20B/75.80A	----	78.80 + 1.10	.2158	----	----	----	----	13 UNCH
4400	87.30	87.30	117.20B/76.70A	117.20B/76.70A	----	79.80 + 1.00	.2182	----	----	1005	----	1113 - 520
4405	----	----	118.60B/78.00A	118.60B/78.00A	----	80.90 + 1.10	.2207	----	----	1	----	12 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
4410	----	----	119.60B/79.00A	119.60B/79.00A	----	82.00 + 1.10	.2233	----	----	----	----	14 UNCH
4415	----	----	120.90B/80.10A	120.90B/80.10A	----	83.10 + 1.20	.2258	----	----	----	----	4 UNCH
4420	----	----	122.30B/81.20A	122.30B/81.20A	----	84.30 + 1.30	.2284	----	----	----	----	15 UNCH
4425	----	----	123.90B/82.30A	123.90B/82.30A	----	85.40 + 1.30	.2310	----	----	----	----	36 UNCH
4430	----	----	125.50B/83.40A	125.50B/83.40A	----	86.50 + 1.30	.2335	----	----	----	----	157 UNCH
4435	----	----	127.40B/84.60A	127.40B/84.60A	----	87.70 + 1.40	.2362	----	----	----	----	1 UNCH
4440	----	----	128.40B/85.80A	128.40B/85.80A	----	88.90 + 1.40	.2388	----	----	----	----	36 UNCH
4445	----	----	130.60B/87.00A	130.60B/87.00A	----	90.10 + 1.50	.2415	----	----	----	----	152 UNCH
4450	99.10	99.10	132.10B/88.00A	132.10B/88.00A	----	91.30 + 1.50	.2442	----	----	7	----	584 + 4
4455	101.20	101.20	133.60B/89.30A	133.60B/89.30A	----	92.50 + 1.60	.2469	----	----	8	----	17 - 1
4460	----	----	135.40B/90.60A	135.40B/90.60A	----	93.70 + 1.60	.2496	----	----	----	----	93 UNCH
4465	----	----	136.30B/91.80A	136.30B/91.80A	----	95.00 + 1.70	.2523	----	----	----	----	27 UNCH
4470	----	----	138.00B/93.00A	138.00B/93.00A	----	96.30 + 1.80	.2551	----	----	----	----	10 UNCH
4475	----	----	140.10B/94.30A	140.10B/94.30A	----	97.50 + 1.70	.2578	----	----	1	----	36 + 1
4480	----	----	141.90B/95.60A	141.90B/95.60A	----	98.80 + 1.80	.2607	----	----	----	----	136 UNCH
4485	----	----	143.10B/96.90A	143.10B/96.90A	----	100.10 + 1.80	.2635	----	----	----	----	50 UNCH
4490	----	----	145.40B/98.20A	145.40B/98.20A	----	101.50 + 2.00	.2664	----	----	2	----	40 + 2
4495	----	----	146.40B/99.50A	146.40B/99.50A	----	102.80 + 2.00	.2692	----	----	----	----	3 UNCH
4500	109.10	109.10	148.80B/100.70A	148.80B/100.70A	----	104.20 + 2.00	.2721	----	----	61	----	625 - 9
4505	----	----	150.40B/102.20A	150.40B/102.20A	----	105.50 + 2.00	.2750	----	----	----	----	5 UNCH
4510	----	----	151.70B/103.60A	151.70B/103.60A	----	106.90 + 2.10	.2779	----	----	----	----	7 UNCH
4515	----	----	153.50B/105.00A	153.50B/105.00A	----	108.30 + 2.10	.2808	----	----	----	----	3 UNCH
4520	----	----	155.20B/106.40A	155.20B/106.40A	----	109.70 + 2.10	.2838	----	----	----	----	9 UNCH
4525	121.30	121.30	157.00B/107.80A	157.00B/107.80A	----	111.20 + 2.20	.2868	----	----	21	----	87 + 13
4530	----	----	158.80B/109.30A	158.80B/109.30A	----	112.60 + 2.20	.2897	----	----	----	----	8 UNCH
4535	----	----	159.00B/110.80A	159.00B/110.80A	----	114.10 + 2.30	.2928	----	----	----	----	2 UNCH
4540	----	----	162.70B/112.20A	162.70B/112.20A	----	115.60 + 2.30	.2958	----	----	----	----	89 UNCH
4545	----	----	164.60B/113.70A	164.60B/113.70A	----	117.10 + 2.30	.2989	----	----	----	----	20 UNCH
4550	----	----	166.40B/115.20A	166.40B/115.20A	----	118.60 + 2.40	.3019	----	----	1	----	63 UNCH
4555	----	----	168.20B/116.70A	168.20B/116.70A	----	120.10 + 2.40	.3050	----	----	----	----	15 UNCH
4560	----	----	170.20B/118.30A	170.20B/118.30A	----	121.70 + 2.40	.3081	----	----	1	----	20 + 1
4565	----	----	172.10B/119.80A	172.10B/119.80A	----	123.20 + 2.40	.3112	----	----	----	----	105 UNCH
4570	----	----	174.10B/121.40A	174.10B/121.40A	----	124.80 + 2.50	.3144	----	----	----	----	8 UNCH
4575	----	----	176.10B/123.00A	176.10B/123.00A	----	126.40 + 2.50	.3175	----	----	----	----	11 UNCH
4580	----	----	178.20B/124.60A	178.20B/124.60A	----	128.00 + 2.50	.3207	----	----	2	----	5 + 2
4585	----	----	180.10B/126.30A	180.10B/126.30A	----	129.70 + 2.60	.3239	----	----	----	----	5 UNCH
4590	----	----	182.10B/127.90A	182.10B/127.90A	----	131.30 + 2.60	.3271	----	----	----	----	5 UNCH
4595	----	----	184.30B/129.60A	184.30B/129.60A	----	133.00 + 2.70	.3303	----	----	----	----	48 UNCH
4600	141.40	141.40	187.00B/131.20A	187.00B/131.20A	----	134.70 + 2.70	.3336	----	----	138	----	1275 + 100
4605	----	----	186.70B/133.10A	186.70B/133.10A	----	136.40 + 2.80	.3368	----	----	----	----	1 UNCH
4610	150.10	150.10	190.40B/134.70A	190.40B/134.70A	----	138.10 + 2.80	.3401	----	----	14	----	129 - 14
4615	147.60	147.60	192.70B/136.40A	192.70B/136.40A	----	139.90 + 2.90	.3434	----	----	2	----	13 + 1
4620	----	----	194.80B/138.20A	194.80B/138.20A	----	141.60 + 2.90	.3467	----	----	----	----	45 UNCH
4625	----	----	196.90B/140.00A	196.90B/140.00A	----	143.40 + 3.00	.3500	----	----	----	----	35 UNCH
4630	----	----	199.20B/141.80A	199.20B/141.80A	----	145.20 + 3.00	.3534	----	----	----	----	3 UNCH
4635	196.00	196.00	201.40B/143.60A	201.40B/143.60A	----	147.00 + 3.10	.3567	----	----	2	----	126 - 1
4640	----	----	203.50B/145.40A	203.50B/145.40A	----	148.90 + 3.20	.3601	----	----	----	----	51 UNCH
4645	----	----	205.80B/147.20A	205.80B/147.20A	----	150.70 + 3.20	.3634	----	----	----	----	10 UNCH
4650	163.50	163.50	208.10B/149.10A	208.10B/149.10A	----	152.60 + 3.30	.3668	----	----	3	----	114 - 2
4655	----	----	209.10B/----	209.10B/151.40A	----	154.50 + 3.40	.3702	----	----	----	----	2 UNCH
4660	168.90	168.90	212.60B/152.90A	212.60B/152.90A	----	156.40 + 3.40	.3737	----	----	10	----	62 + 4
4665	----	----	214.80B/----	214.80B/154.90A	----	158.40 + 3.60	.3771	----	----	----	----	20 UNCH
4670	----	----	217.20B/----	217.20B/156.80A	----	160.30 + 3.60	.3805	----	----	----	----	100 UNCH
4675	----	----	219.60B/----	219.60B/158.80A	----	162.30 + 3.70	.3840	----	----	1	----	70 + 1
4680	177.90	177.90	222.00B/160.80A	222.00B/160.80A	----	164.30 + 3.80	.3875	----	----	16	----	24 + 16
4685	----	----	224.30B/----	224.30B/162.80A	----	166.30 + 3.80	.3909	----	----	----	----	7 UNCH
4695	----	----	229.10B/----	229.10B/166.90A	----	170.40 + 4.00	.3979	----	----	----	----	179 UNCH
4700	186.60	186.60	232.40B/168.90A	232.40B/168.90A	----	172.40 + 4.00	.4014	----	----	227	----	747 + 168
4705	----	----	234.20B/----	234.20B/171.00A	----	174.50 + 4.10	.4049	----	----	----	----	6 UNCH
4710	----	----	236.50B/----	236.50B/173.10A	----	176.70 + 4.30	.4085	----	----	1	----	124 UNCH
4715	180.20	180.20	237.70B/175.20A	237.70B/175.20A	----	178.80 + 4.30	.4120	----	----	3	----	4 + 3
4720	----	----	241.60B/----	241.60B/177.40A	----	180.90 + 4.30	.4155	----	----	----	----	9 UNCH
4725	----	----	244.10B/----	244.10B/179.60A	----	183.10 + 4.40	.4191	----	----	1	----	205 UNCH
4730	----	----	246.60B/----	246.60B/181.70A	----	185.30 + 4.50	.4227	----	----	----	----	58 UNCH
4735	----	----	249.30B/----	249.30B/184.00A	----	187.50 + 4.60	.4262	----	----	----	----	11 UNCH
4740	----	----	251.80B/----	251.80B/186.20A	----	189.70 + 4.60	.4298	----	----	----	----	114 UNCH
4745	----	----	254.40B/----	254.40B/188.50A	----	192.00 + 4.80	.4334	----	----	----	----	117 UNCH
4750	----	----	257.90B/----	257.90B/190.60A	----	194.20 + 4.80	.4370	----	----	2	----	408 UNCH
4755	----	----	260.10B/----	260.10B/193.10A	----	196.50 + 4.90	.4406	----	----	----	----	9 UNCH
4760	----	----	262.70B/----	262.70B/195.40A	----	198.80 + 4.90	.4442	----	----	----	----	28 UNCH
4765	----	----	265.90B/----	265.90B/197.70A	----	201.10 + 5.00	.4478	----	----	----	----	302 UNCH
4770	----	----	268.30B/----	268.30B/200.10A	----	203.40 + 5.00	.4514	----	----	----	----	3 UNCH
4775	----	----	271.10B/----	271.10B/202.40A	----	205.80 + 5.10	.4550	----	----	2	----	45 + 2
4780	----	----	273.80B/----	273.80B/204.80A	----	208.20 + 5.20	.4587	----	----	----	----	30 UNCH
4785	----	----	276.70B/----	276.70B/207.20A	----	210.60 + 5.30	.4623	----	----	1	50	67 + 50
4790	----	----	278.70B/----	278.70B/209.80A	----	213.00 + 5.30	.4659	----	----	1	----	2 + 1
4795	----	----	282.20B/----	282.20B/212.10A	----	215.40 + 5.30	.4695	----	----	60	----	67 + 60
4800	----	----	285.30B/----	285.30B/214.60A	----	217.90 + 5.40	.4732	----	----	2	----	1123 - 2
4805	----	----	287.50B/----	287.50B/217.10A	----	220.30 + 5.40	.4768	----	----	----	----	3 UNCH
4810	----	----	291.10B/----	291.10B/219.60A	----	222.80 + 5.50	.4805	----	----	----	----	7 UNCH
4815	----	----	294.00B/----	294.00B/222.10A	----	225.40 + 5.60	.4841	----	----	----	----	26 UNCH
4820	----	----	296.50B/----	296.50B/224.70A	----	227.90 + 5.60	.4877	----	----	----	----	101 UNCH
4825	----	----	299.30B/----	299.30B/227.30A	----	230.50 + 5.70	.4914	----	----	----	----	15 UNCH
4830	----	----	299.70B/----	299.70B/230.00A	----	233.10 + 5.80	.4950	----	----	----	----	1 UNCH
4840	----	----	307.60B/----	307.60B/235.10A	----	238.40 + 6.00	.5023	----	----	----	----	9 UNCH
4845	----	----	310.50B/----	310.50B/237.70A	----	241.00 + 6.00	.5059	----	----	----	----	69 UNCH
4850	----	----	314.70B/----	314.70B/240.20A	----	243.70 + 6.10	.5095	----	----	----	----	287 UNCH
4860	----	----	307.00B/----	307.00B/246.30A	----	249.20 + 6.30	.5167	----	----	----	----	1 UNCH
4865	----	----	309.70B/----	309.70B/248.90A	----	251.90 + 6.40	.5204	----	----	----	----	2 UNCH
4870	----	----	326.80B/----	326.80B/251.10A	----	254.70 + 6.50	.5240	----	----	----	----	318 UNCH
4875	----	----	328.70B/----	328.70B/254.10A	----	257.50 + 6.60	.5276	----	----	----	----	70 UNCH
4880	----	----	331.80B/----	331.80B/256.90A	----	260.30 + 6.70	.5312	----	----	----	----	12 UNCH
4890	----	----	336.90B/----	336.90B/262.60A	----	266.00 + 6.90	.5383	----	----	----	----	9 UNCH
4895	----	----	335.20B/----	335.20B/265.40A	----	268.80 + 6.90	.5419	----	----	----	----	61 UNCH
4900	335.00	335.00	345.20B/268.10A	345.20B/268.10A	----	271.70 + 7.10	.5455	----	----	2	----	263 UNCH
4905	----	----	335.60B/----	335.60B/271.20A	----	274.60 + 7.20	.5491	----	----	----	----	54 UNCH
4910	----	----	334.90B/----	334.90B/274.50A	----	277.50 + 7.20	.5526	----	----	----	----	2 UNCH
4915	----	----	343.10B/----	343.10B/277.00A	----	280.50 + 7.40	.5562	----	----	----	----	118 UNCH
4920	----	----	339.50B/----	339.50B/280.00A	----	283.40 + 7.50	.5597	----	----	----	----	22 UNCH
4925	----	----	348.00B/----	348.00B/282.90A	----	286.40 + 7.60	.5633	----	----	----	----	11 UNCH
4930	----	----	348.60B/----	348.60B/286.00A	----	289.40 + 7.70	.5668	----	----	----	----	52 UNCH
4935	----	----	350.70B/----	350.70B/289.00A	----	292.40 + 7.80	.5703	----	----	----	----	4 UNCH
4940	----	----	351.70B/----	351.70B/292.00A	----	295.40 + 7.90	.5738	----	----	----	----	11 UNCH
4950	----	----	358.40B/----	358.40B/298.10A	----	301.50 + 8.10	.5809	----	----	----	----	106 UNCH
4975	----	----	371.20B/----	371.20B/315.20A	----	317.00 + 8.50	.5982	----	----	----	----	2 UNCH
4980	----	----	378.60B/----	378.60B/318.00A	----	320.20 + 8.60	.6016	----	----	----	----	6 UNCH
4985	----	----	382.10B/----	382.10B/320.50A	----	323.40 + 8.70	.6050	----	----	----	----	104 UNCH
4990	----	----	381.50B/----	381.50B/324.70A	----	326.60 + 8.80	.6084	----	----	----	----	2 UNCH
4995	----	----	388.90B/----	388.90B/327.80A	----	329.80 + 8.90	.6118	----	----	----	----	12 UNCH
5000	339.20	339.20	400.00B/330.30A	400.00B/330.30A	----	333.10 + 9.00	.6152	----	----	6	----	548 - 3
5005	----	----	395.90B/----	395.90B/334.00A	----	336.40 + 9.10	.6186	----	----	----	----	12 UNCH
5010	----	----	399.40B/----	399.40B/337.80A	----	339.60 + 9.10	.6219	----	----	----	----	9 UNCH
5015	----	----	402.90B/----	402.90B/340.10A	----	342.90 + 9.20	.6252	----	----	----	----	20 UNCH
5020	----	----	406.50B/----	406.50B/344.40A	----	346.30 + 9.40	.6286	----	----	----	----	5 UNCH
5025	----	----	410.00B/----	410.00B/346.80A	----	349.60 + 9.40	.6318	----	----	----	----	150 UNCH
5030	----	----	413.60B/----	413.60B/351.50A	----	353.00 + 9.50	.6351	----	----	----	----	8 UNCH
5035	----	----	417.20B/----	417.20B/354.80A	----	356.30 + 9.60	.6384	----	----	----	----	37 UNCH
5045	----	----	424.40B/----	424.40B/361.70A	----	363.10 + 9.70	.6450	----	----	----	----	5 UNCH
5050	----	----	428.00B/----	428.00B/365.10A	----	366.60 + 9.90	.6481	----	----	----	----	79 UNCH
5055	----	----	431.70B/----	431.70B/368.50A	----	370.00 + 9.90	.6513	----	----	----	----	3 UNCH
5065	----	----	439.00B/----	439.00B/375.50A	----	377.00 + 10.10	.6577	----	----	----	----	11 UNCH
5075	----	----	446.40B/----	446.40B/382.50A	----	384.00 + 10.20	.6640	----	----	----	----	6 UNCH
5080	----	----	445.90B/----	445.90B/386.20A	----	387.50 + 10.30	.6672	----	----	----	----	2 UNCH
5085	----	----	453.90B/----	453.90B/389.60A	----	391.10 + 10.40	.6702	----	----	----	----	21 UNCH
5090	----	----	457.60B/----	457.60B/393.10A	----	394.70 + 10.50	.6733	----	----	----	----	6 UNCH
5095	----	----	461.40B/----	461.40B/396.70A	----	398.20 + 10.50	.6764	----	----	----	----	42 UNCH
5100	----	----	465.20B/----	465.20B/400.30A	----	401.80 + 10.60	.6795	----	----	----	----	106 UNCH
5105	----	----	468.90B/----	468.90B/403.90A	----	405.50 + 10.70	.6824	----	----	----	----	22 UNCH
5110	----	----	472.80B/----	472.80B/407.50A	----	409.10 + 10.80	.6855	----	----	----	----	16 UNCH
5115	----	----	476.60B/----	476.60B/411.10A	----	412.70 + 10.80	.6885	----	----	----	----	37 UNCH
5120	----	----	480.40B/----	480.40B/414.80A	----	416.40 + 10.90	.6915	----	----	----	----	14 UNCH
5125	----	----	484.30B/----	484.30B/418.40A	----	420.10 + 11.00	.6944	----	----	----	----	37 UNCH
5130	----	----	488.10B/----	488.10B/422.10A	----	423.80 + 11.00	.6973	----	----	----	----	23 UNCH
5135	----	----	492.00B/----	492.00B/425.80A	----	427.50 + 11.10	.7002	----	----	----	----	9 UNCH
5140	----	----	495.90B/----	495.90B/429.40A	----	431.20 + 11.10	.7032	----	----	----	----	19 UNCH
5145	----	----	437.70B/----	437.70B/433.30A	----	435.00 + 11.30	.7060	----	----	----	----	2 UNCH
5150	----	----	503.70B/----	503.70B/440.10A	----	438.70 + 11.30	.7089	----	----	----	----	233 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
5155	----	----	507.60B/----	507.60B/443.90A	----	442.50 + 11.40	.7117	----	----	----	----	42 UNCH
5160	----	----	511.50B/----	511.50B/447.70A	----	446.30 + 11.40	.7145	----	----	----	----	42 UNCH
5170	----	----	519.40B/----	519.40B/455.30A	----	453.90 + 11.60	.7201	----	----	----	----	51 UNCH
5175	----	----	523.40B/----	523.40B/459.20A	----	457.80 + 11.70	.7228	----	----	----	----	61 UNCH
5180	----	----	527.40B/----	527.40B/463.00A	----	461.60 + 11.70	.7256	----	----	----	----	10 UNCH
5185	----	----	531.40B/----	531.40B/466.80A	----	465.50 + 11.80	.7283	----	----	----	----	103 UNCH
5190	----	----	535.40B/----	535.40B/470.70A	----	469.30 + 11.80	.7310	----	----	----	----	19 UNCH
5200	505.10	505.10	543.50B/478.60A	543.50B/478.60A	----	477.10 + 11.90	.7362	----	----	1	----	57 - 1
5225	----	----	563.80B/----	563.80B/498.40A	----	496.90 + 12.30	.7492	----	----	----	----	42 UNCH
5230	----	----	----	361.70B/685.50A	----	500.80 + 12.30	.7518	----	----	----	----	2 UNCH
5235	----	----	572.00B/----	572.00B/506.40A	----	504.80 + 12.40	.7543	----	----	----	----	23 UNCH
5245	----	----	----	374.40B/697.10A	----	512.90 + 12.60	.7592	----	----	----	----	2 UNCH
5250	----	----	584.40B/----	584.40B/518.60A	----	516.90 + 12.60	.7616	----	----	----	----	14 UNCH
5255	----	----	588.60B/----	588.60B/522.60A	----	520.90 + 12.60	.7641	----	----	----	----	14 UNCH
5285	----	----	----	408.90B/728.70A	----	545.40 + 13.00	.7782	----	----	----	----	2 UNCH
5290	----	----	617.90B/----	617.90B/551.40A	----	549.60 + 13.10	.7806	----	----	----	----	4 UNCH
5295	----	----	----	417.60B/736.70A	----	553.70 + 13.10	.7828	----	----	----	----	2 UNCH
5300	----	----	626.40B/----	626.40B/559.80A	----	557.90 + 13.20	.7850	----	----	----	----	67 UNCH
5315	----	----	639.20B/----	639.20B/572.40A	----	570.40 + 13.40	.7915	----	----	----	----	10 UNCH
5325	----	----	----	444.10B/761.00A	----	578.80 + 13.50	.7959	----	----	----	----	1 UNCH
5350	----	----	669.30B/----	669.30B/602.10A	----	600.00 + 13.80	.8062	----	----	----	----	8 UNCH
5375	----	----	691.10B/----	691.10B/623.70A	----	621.40 + 14.00	.8160	----	----	----	----	7 UNCH
5390	----	----	704.30B/----	704.30B/636.60A	----	634.40 + 14.20	.8216	----	----	----	----	5 UNCH
5400	----	----	722.30B/----	722.30B/642.50A	----	643.10 + 14.40	.8253	----	----	----	----	602 UNCH
5410	----	----	----	521.00B/831.30A	----	651.90 + 14.50	.8289	----	----	----	----	1 UNCH
5440	----	----	----	548.40B/856.70A	----	678.40 + 14.90	.8391	----	----	----	----	1 UNCH
5475	----	----	780.00B/----	780.00B/711.60A	----	709.60 + 15.30	.8502	----	----	----	----	6 UNCH
5500	----	----	802.70B/----	802.70B/733.90A	----	732.10 + 15.60	.8577	----	----	----	----	3 UNCH
5505	----	----	----	606.90B/913.10A	----	736.70 + 15.70	.8590	----	----	----	----	1 UNCH
5510	----	----	----	611.90B/917.60A	----	741.20 + 15.70	.8605	----	----	----	----	1 UNCH
6100	----	----	----	----	----	1303.60 + 19.30	.9515	----	----	----	----	2 UNCH
6125	----	----	----	----	----	1328.10 + 19.30	.9531	----	----	----	----	2 UNCH
TOTAL										2877	130	29039 - 500
AUG26												
2300	1.20	1.20	1.20/1.20	1.20/1.20	----	1.30 + 0.20	.0028	----	----	1	----	34 + 1
2325	----	----	----	1.00B/1.80A	----	1.30 + 0.10	.0028	----	----	----	----	1 UNCH
2350	----	----	----	1.10B/1.90A	----	1.30 - 0.10	.0029	----	----	----	----	2 UNCH
2375	----	----	----	1.10B/2.00A	----	1.40 - 0.10	.0031	----	----	----	----	7 UNCH
2400	----	----	----/*1.50A	1.20B/1.50A	----	1.40 - 0.20	.0031	----	----	----	----	5 UNCH
2425	----	----	----	1.30B/2.10A	----	1.50 - 0.30	.0034	----	----	----	----	1 UNCH
2475	----	----	----	1.40B/2.20A	----	1.60 - 0.30	.0036	----	----	----	----	5 UNCH
2500	----	----	----	1.50B/2.30A	----	1.70 - 0.30	.0039	----	----	----	----	2 UNCH
2570	----	----	----	1.70B/2.50A	----	2.00 - 0.10	.0046	----	----	----	----	9 UNCH
2580	----	----	----	1.70B/2.50A	----	2.10 - 0.10	.0048	----	----	----	----	1 UNCH
2590	----	----	----	1.80B/2.50A	----	2.10 - 0.10	.0049	----	----	----	----	2 UNCH
2600	----	----	----	1.90B/2.50A	----	2.20 UNCH	.0051	----	----	----	----	2 UNCH
2615	----	----	----	1.90B/2.60A	----	2.20 - 0.10	.0051	----	----	----	----	1 UNCH
2625	----	----	----	1.90B/2.60A	----	2.30 UNCH	.0053	----	----	----	----	2 UNCH
2640	----	----	----	2.00B/2.70A	----	2.30 - 0.10	.0054	----	----	----	----	1 UNCH
2685	----	----	----	2.20B/2.90A	----	2.50 - 0.10	.0059	----	----	----	----	1 UNCH
2690	----	----	----	2.20B/2.90A	----	2.50 - 0.10	.0059	----	----	----	----	1 UNCH
2730	----	----	----	2.40B/3.10A	----	2.70 - 0.10	.0064	----	----	----	----	1 UNCH
2745	----	----	----	2.50B/3.10A	----	2.70 - 0.20	.0065	----	----	----	----	1 UNCH
2750	----	----	----	2.50B/3.10A	----	2.80 - 0.10	.0067	----	----	----	----	4 UNCH
2800	----	----	----	2.80B/3.40A	----	3.00 - 0.20	.0073	----	----	----	----	31 UNCH
2860	----	----	----	3.10B/3.70A	----	3.30 - 0.20	.0081	----	----	----	----	1 UNCH
2950	----	----	----	3.80B/4.30A	----	3.90 - 0.20	.0098	----	----	----	----	8 UNCH
3000	4.90	4.90	4.90/4.70A	4.90/4.70A	----	4.30 - 0.20	.0109	----	----	1	----	262 UNCH
3005	----	----	----	4.20B/4.70A	----	4.40 - 0.20	.0111	----	----	----	----	5 UNCH
3010	----	----	----	4.30B/4.80A	----	4.40 - 0.20	.0111	----	----	----	----	1 UNCH
3015	----	----	----	4.40B/4.80A	----	4.50 - 0.20	.0114	----	----	----	----	1 UNCH
3025	----	----	----	4.50B/4.90A	----	4.50 - 0.20	.0114	----	----	----	----	5 UNCH
3040	----	----	----	4.60B/5.00A	----	4.70 - 0.20	.0119	----	----	----	----	1 UNCH
3065	----	----	----	4.90B/5.30A	----	4.90 - 0.20	.0125	----	----	----	----	1 UNCH
3090	----	----	----	5.10B/5.50A	----	5.20 - 0.20	.0133	----	----	----	----	1 UNCH
3095	----	----	----	5.20B/5.50A	----	5.20 - 0.20	.0133	----	----	----	----	1 UNCH
3100	----	----	----	5.40B/5.60A	----	5.30 - 0.20	.0136	----	----	----	----	137 UNCH
3110	----	----	----	5.40B/5.70A	----	5.40 - 0.20	.0139	----	----	----	----	15 UNCH
3120	----	----	----	5.50B/5.80A	----	5.50 - 0.20	.0141	----	----	----	----	29 UNCH
3130	----	----	----	5.60B/5.90A	----	5.60 - 0.20	.0144	----	----	----	----	5 UNCH
3150	----	----	----	5.90B/6.10A	----	5.80 - 0.20	.0150	----	----	----	----	10 UNCH
3155	----	----	----	5.90B/6.20A	----	5.90 - 0.20	.0152	----	----	----	----	3 UNCH
3160	----	----	----	6.00B/6.30A	----	6.00 - 0.20	.0155	----	----	----	----	1 UNCH
3165	----	----	----	6.10B/6.30A	----	6.00 NEW	.0155	----	----	1	----	1 + 1
3170	----	----	----	6.10B/6.40A	----	6.10 - 0.20	.0158	----	----	----	----	1 UNCH
3180	----	----	----	6.30B/6.50A	----	6.20 - 0.20	.0161	----	----	----	----	25 UNCH
3185	----	----	----	6.40B/6.50A	----	6.30 - 0.20	.0163	----	----	----	----	1 UNCH
3190	----	----	----	6.40B/6.60A	----	6.30 - 0.20	.0164	----	----	----	----	881 UNCH
3195	----	----	----	6.50B/6.70A	----	6.40 - 0.20	.0166	----	----	----	----	1 UNCH
3200	----	----	----	6.60B/6.70A	----	6.50 - 0.20	.0169	----	----	----	----	406 UNCH
3250	----	----	----	7.40B/7.40A	----	7.20 - 0.20	.0188	----	----	----	----	405 UNCH
3260	----	----	7.70B/----	7.70B/7.60A	----	7.30 - 0.30	.0191	----	----	----	----	30 UNCH
3300	8.50	8.50	8.50/8.20A	8.50/8.20A	----	8.00 - 0.30	.0210	----	----	1	----	162 + 1
3350	----	----	9.50B/9.00A	9.50B/9.00A	----	8.90 - 0.30	.0235	----	----	----	----	371 UNCH
3370	----	----	10.00B/9.50A	10.00B/9.50A	----	9.30 - 0.30	.0245	----	----	----	----	1 UNCH
3375	----	----	10.00B/9.50A	10.00B/9.50A	----	9.40 - 0.30	.0248	----	----	----	----	15 UNCH
3380	----	----	10.20B/9.70A	10.20B/9.70A	----	9.50 - 0.40	.0251	----	----	----	----	1 UNCH
3390	----	----	10.50B/9.90A	10.50B/9.90A	----	9.70 - 0.40	.0257	----	----	----	----	1 UNCH
3400	----	----	11.00B/10.00A	11.00B/10.00A	----	10.00 - 0.30	.0264	----	----	----	----	23 UNCH
3405	----	----	10.90B/10.20A	10.90B/10.20A	----	10.10 - 0.30	.0267	----	----	----	----	4 UNCH
3450	----	----	12.70B/11.20A	12.70B/11.20A	----	11.20 - 0.40	.0296	----	----	----	----	1 UNCH
3465	----	----	12.90B/11.70A	12.90B/11.70A	----	11.50 - 0.50	.0305	----	----	----	----	6 UNCH
3470	----	----	13.10B/11.80A	13.10B/11.80A	----	11.70 - 0.40	.0310	----	----	----	----	1 UNCH
3495	----	----	14.10B/12.40A	14.10B/12.40A	----	12.40 - 0.40	.0328	----	----	----	----	1 UNCH
3500	13.10	13.10	14.50B/12.50A	14.50B/12.50A	----	12.50 - 0.50	.0331	----	----	201	----	822 - 199
3505	----	----	14.50B/12.70A	14.50B/12.70A	----	12.70 - 0.40	.0336	----	----	----	----	1 UNCH
3510	----	----	14.70B/12.90A	14.70B/12.90A	----	12.80 - 0.50	.0339	----	----	----	----	50 UNCH
3520	----	----	15.10B/13.20A	15.10B/13.20A	----	13.10 - 0.50	.0347	----	----	----	----	210 UNCH
3525	----	----	15.30B/13.30A	15.30B/13.30A	----	13.30 - 0.40	.0352	----	----	----	----	60 UNCH
3545	----	----	16.20B/14.00A	16.20B/14.00A	----	13.90 - 0.50	.0369	----	----	----	----	9 UNCH
3550	14.90	14.90	16.70B/14.10A	16.70B/14.10A	----	14.10 - 0.50	.0374	----	----	1	----	118 + 1
3570	----	----	17.40B/14.80A	17.40B/14.80A	----	14.70 - 0.60	.0390	----	----	----	----	32 UNCH
3575	----	----	17.70B/14.90A	17.70B/14.90A	----	14.90 - 0.50	.0395	----	----	----	----	20 UNCH
3585	----	----	18.20B/15.30A	18.20B/15.30A	----	15.30 - 0.50	.0405	----	----	----	----	50 UNCH
3600	16.80	16.80	19.60B/15.80A	19.60B/15.80A	----	15.80 - 0.60	.0419	----	----	210	----	454 - 97
3610	----	----	21.70B/16.20A	21.70B/16.20A	----	16.20 - 0.60	.0429	----	----	----	----	1 UNCH
3630	----	----	21.70B/17.00A	21.70B/17.00A	----	17.00 - 0.60	.0450	----	----	----	----	8 UNCH
3645	----	----	22.30B/17.60A	22.30B/17.60A	----	17.60 - 0.60	.0466	----	----	----	----	22 UNCH
3650	----	----	22.40B/17.80A	22.40B/17.80A	----	17.80 - 0.60	.0471	----	----	----	----	40 UNCH
3655	----	----	22.40B/18.00A	22.40B/18.00A	----	18.10 - 0.60	.0478	----	----	----	----	55 UNCH
3660	----	----	22.80B/18.20A	22.80B/18.20A	----	18.30 - 0.60	.0483	----	----	----	----	9 UNCH
3665	----	----	23.00B/18.40A	23.00B/18.40A	----	18.50 - 0.60	.0489	----	----	----	----	1 UNCH
3675	----	----	23.70B/18.80A	23.70B/18.80A	----	18.90 - 0.70	.0499	----	----	----	----	24 UNCH
3690	----	----	24.70B/19.50A	24.70B/19.50A	----	19.70 - 0.60	.0519	----	----	----	----	12 UNCH
3700	----	----	25.70B/20.00A	25.70B/20.00A	----	20.10 - 0.70	.0530	----	----	----	----	221 UNCH
3705	----	----	26.10B/20.30A	26.10B/20.30A	----	20.40 - 0.60	.0537	----	----	----	----	20 UNCH
3715	----	----	26.40B/20.70A	26.40B/20.70A	----	20.90 - 0.60	.0550	----	----	----	----	30 UNCH
3725	----	----	27.20B/21.30A	27.20B/21.30A	----	21.40 - 0.60	.0563	----	----	----	----	4 UNCH
3730	----	----	27.50B/21.50A	27.50B/21.50A	----	21.70 - 0.60	.0570	----	----	----	----	10 UNCH
3750	----	----	29.20B/22.50A	29.20B/22.50A	----	22.70 - 0.70	.0596	----	----	----	----	77 UNCH
3765	----	----	30.20B/23.40A	30.20B/23.40A	----	23.60 - 0.60	.0618	----	----	----	----	100 UNCH
3770	----	----	30.50B/23.40A	30.50B/23.40A	----	23.90 - 0.60	.0626	----	----	----	----	4 UNCH
3775	----	----	31.00B/23.90A	31.00B/23.90A	----	24.20 - 0.60	.0633	----	----	----	----	12 UNCH
3790	----	----	35.70B/24.60A	35.70B/24.60A	----	25.10 - 0.60	.0656	----	----	----	----	2 UNCH
3795	27.50	27.50	36.00B/25.00A	36.00B/25.00A	----	25.40 - 0.60	.0664	----	----	1	----	81 + 1
3800	34.50	34.50	36.50B/25.30A	36.50B/25.30A	----	25.70 - 0.60	.0671	----	----	10	----	321 + 4
3805	----	----	37.00B/25.50A	37.00B/25.50A	----	26.00 - 0.60	.0679	----	----	----	----	4 UNCH
3810	----	----	37.40B/25.80A	37.40B/25.80A	----	26.40 - 0.60	.0688	----	----	----	----	50 UNCH
3815	----	----	37.80B/26.20A	37.80B/26.20A	----	26.70 - 0.60	.0696	----	----	----	----	150 UNCH
3820	----	----	38.30B/26.50A	38.30B/26.50A	----	27.00 - 0.60	.0703	----	----	----	----	52 UNCH
3825	----	----	38.80B/26.80A	38.80B/26.80A	----	27.40 - 0.60	.0713	----	----	----	----	51 UNCH
3835	----	----	38.00B/27.40A	38.00B/27.40A	----	28.00 - 0.60	.0728	----	----	----	----	10 UNCH
3850	----	----	38.00B/28.60A	38.00B/28.60A	----	29.10 - 0.60	.0755	----	----	----	----	86 UNCH
3855	----	----	38.20B/28.80A	38.20B/28.80A	----	29.50 - 0.50	.0764	----	----	----	----	3 UNCH
3875	----	----	40.30B/30.20A	40.30B/30.20A	----	30.90 - 0.60	.0799	----	----	----	----	10 UNCH
3880	----	----	40.70B/30.60A	40.70B/30.60A	----	31.30 - 0.60	.0809	----	----	----	----	299 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
3890	----	----	42.00B/31.40A	42.00B/31.40A	----	32.10 - 0.50	.0828	----	----	----	----	73 UNCH
3900	----	----	44.60B/32.10A	44.60B/32.10A	----	32.90 - 0.50	.0847	----	----	----	----	306 UNCH
3910	----	----	47.80B/32.90A	47.80B/32.90A	----	33.80 - 0.40	.0868	----	----	----	----	1 UNCH
3925	----	----	49.60B/34.20A	49.60B/34.20A	----	35.00 - 0.50	.0898	----	----	----	----	10 UNCH
3930	----	----	49.50B/34.60A	49.50B/34.60A	----	35.50 - 0.40	.0909	----	----	----	----	38 UNCH
3950	----	----	52.90B/36.40A	52.90B/36.40A	----	37.30 - 0.40	.0952	----	----	----	----	246 UNCH
3965	----	----	54.10B/37.80A	54.10B/37.80A	----	38.70 - 0.40	.0985	----	----	----	----	14 UNCH
3975	----	----	55.90B/38.80A	55.90B/38.80A	----	39.60 - 0.40	.1006	----	----	----	----	267 UNCH
3980	43.70	43.70	56.00B/39.20A	56.00B/39.20A	----	40.10 - 0.40	.1018	----	----	1	----	45 - 1
3985	----	----	57.00B/39.70A	57.00B/39.70A	----	40.60 - 0.40	.1030	----	----	----	----	2 UNCH
3990	----	----	57.70B/40.20A	57.70B/40.20A	----	41.10 - 0.40	.1041	----	----	----	----	44 UNCH
3995	----	----	57.70B/40.70A	57.70B/40.70A	----	41.70 - 0.30	.1054	----	----	----	----	4 UNCH
4000	----	----	59.40B/41.10A	59.40B/41.10A	----	42.20 - 0.30	.1066	----	----	112	250	1852 + 265
4005	----	----	59.10B/41.70A	59.10B/41.70A	----	42.70 - 0.30	.1078	----	----	----	----	3 UNCH
4010	----	----	60.40B/42.20A	60.40B/42.20A	----	43.20 - 0.30	.1090	----	----	----	----	78 UNCH
4025	----	----	62.70B/43.80A	62.70B/43.80A	----	44.90 - 0.20	.1128	----	----	----	----	90 UNCH
4030	----	----	63.50B/44.30A	63.50B/44.30A	----	45.40 - 0.20	.1140	----	----	----	----	50 UNCH
4040	----	----	64.90B/45.40A	64.90B/45.40A	----	46.50 - 0.20	.1166	----	----	----	----	15 UNCH
4045	----	----	65.60B/46.00A	65.60B/46.00A	----	47.10 - 0.20	.1179	----	----	----	----	30 UNCH
4050	----	----	66.90B/46.30A	66.90B/46.30A	----	47.70 - 0.10	.1192	----	----	----	----	299 UNCH
4075	----	----	70.70B/49.30A	70.70B/49.30A	----	50.70 - 0.10	.1260	----	----	----	----	5 UNCH
4080	51.70	51.70	71.00B/49.80A	71.00B/49.80A	----	51.30 NEW	.1274	----	----	6	----	6 + 6
4085	----	----	72.00B/50.50A	72.00B/50.50A	----	52.00 UNCH	.1289	----	----	----	----	28 UNCH
4095	----	----	74.00B/51.70A	74.00B/51.70A	----	53.30 UNCH	.1318	----	----	----	----	4 UNCH
4100	----	----	74.20B/52.10A	74.20B/52.10A	----	53.90 UNCH	.1331	----	----	2	----	89 UNCH
4110	----	----	76.20B/53.70A	76.20B/53.70A	----	55.30 + 0.10	.1362	----	----	----	----	1 UNCH
4115	----	----	77.50B/54.30A	77.50B/54.30A	----	55.90 UNCH	.1376	----	----	----	----	6 UNCH
4120	----	----	78.20B/55.00A	78.20B/55.00A	----	56.60 + 0.10	.1391	----	----	----	----	1 UNCH
4130	----	----	80.40B/56.20A	80.40B/56.20A	----	58.00 + 0.10	.1421	----	----	----	----	5 UNCH
4135	59.80	59.80	81.20B/56.60A	81.20B/56.60A	----	58.70 + 0.10	.1437	----	----	28	----	54 + 28
4140	----	----	81.90B/57.80A	81.90B/57.80A	----	59.40 + 0.10	.1452	----	----	----	----	1 UNCH
4145	----	----	83.10B/58.50A	83.10B/58.50A	----	60.20 + 0.20	.1469	----	----	----	----	20 UNCH
4150	----	----	84.40B/59.20A	84.40B/59.20A	----	60.90 + 0.20	.1484	----	----	221	----	361 + 52
4160	----	----	86.00B/60.60A	86.00B/60.60A	----	62.40 + 0.30	.1516	----	----	----	----	62 UNCH
4165	----	----	86.80B/61.30A	86.80B/61.30A	----	63.20 + 0.30	.1533	----	----	----	----	100 UNCH
4170	----	----	87.60B/61.70A	87.60B/61.70A	----	63.90 + 0.30	.1549	----	----	----	----	77 UNCH
4175	----	----	89.00B/62.50A	89.00B/62.50A	----	64.70 + 0.30	.1566	----	----	----	----	25 UNCH
4180	----	----	89.60B/63.20A	89.60B/63.20A	----	65.50 + 0.30	.1583	----	----	----	----	91 UNCH
4185	----	----	91.10B/64.10A	91.10B/64.10A	----	66.30 + 0.40	.1599	----	----	----	----	41 UNCH
4190	----	----	91.90B/64.80A	91.90B/64.80A	----	67.10 + 0.40	.1616	----	----	----	----	140 UNCH
4195	----	----	93.00B/65.70A	93.00B/65.70A	----	67.90 + 0.40	.1633	----	----	----	----	143 UNCH
4200	----	----	94.50B/66.40A	94.50B/66.40A	----	68.70 + 0.40	.1650	----	----	----	----	194 UNCH
4205	----	----	95.60B/67.30A	95.60B/67.30A	----	69.50 + 0.40	.1668	----	----	----	----	19 UNCH
4215	----	----	97.80B/68.90A	97.80B/68.90A	----	71.20 + 0.40	.1703	----	----	----	----	3 UNCH
4220	----	----	98.60B/69.80A	98.60B/69.80A	----	72.10 + 0.50	.1721	----	----	----	----	9 UNCH
4225	----	----	99.30B/70.60A	99.30B/70.60A	----	72.90 + 0.50	.1739	----	----	----	----	1 UNCH
4230	----	----	100.40B/71.50A	100.40B/71.50A	----	73.80 + 0.50	.1757	----	----	----	----	10 UNCH
4235	----	----	102.00B/72.40A	102.00B/72.40A	----	74.70 + 0.50	.1775	----	----	----	----	1 UNCH
4245	----	----	104.10B/74.20A	104.10B/74.20A	----	76.50 + 0.60	.1812	----	----	----	----	32 UNCH
4250	----	----	105.50B/75.10A	105.50B/75.10A	----	77.40 + 0.60	.1831	----	----	----	----	173 UNCH
4255	----	----	106.40B/76.00A	106.40B/76.00A	----	78.30 + 0.60	.1850	----	----	----	----	883 UNCH
4260	----	----	108.00B/76.90A	108.00B/76.90A	----	79.30 + 0.70	.1869	----	----	----	----	8 UNCH
4270	----	----	110.10B/78.80A	110.10B/78.80A	----	81.20 + 0.70	.1908	----	----	----	----	3 UNCH
4275	----	----	111.40B/79.80A	111.40B/79.80A	----	82.10 + 0.70	.1927	----	----	----	----	6 UNCH
4285	----	----	114.00B/81.70A	114.00B/81.70A	----	84.10 + 0.80	.1966	----	----	----	----	170 UNCH
4290	----	----	115.30B/82.70A	115.30B/82.70A	----	85.10 + 0.80	.1986	----	----	----	----	2 UNCH
4295	----	----	116.30B/83.70A	116.30B/83.70A	----	86.10 + 0.80	.2006	----	----	----	----	2 UNCH
4300	89.70	89.70	117.80B/84.70A	117.80B/84.70A	----	87.10 + 0.80	.2026	----	----	26	----	455 UNCH
4305	----	----	118.90B/85.70A	118.90B/85.70A	----	88.10 + 0.80	.2046	----	----	----	----	100 UNCH
4310	----	----	120.30B/86.80A	120.30B/86.80A	----	89.20 + 0.90	.2067	----	----	----	----	1 UNCH
4315	----	----	121.50B/87.80A	121.50B/87.80A	----	90.20 + 0.90	.2088	----	----	----	----	8 UNCH
4320	----	----	123.10B/88.90A	123.10B/88.90A	----	91.30 + 0.90	.2109	----	----	----	----	5 UNCH
4325	----	----	124.40B/90.00A	124.40B/90.00A	----	92.30 + 0.90	.2129	----	----	----	----	275 UNCH
4330	----	----	125.70B/91.00A	125.70B/91.00A	----	93.40 + 0.90	.2150	----	----	----	----	102 UNCH
4335	101.30	101.30	126.90B/92.10A	126.90B/92.10A	----	94.50 NEW	.2172	----	----	1	----	1 + 1
4340	103.40	103.40	128.50B/93.20A	128.50B/93.20A	----	95.60 + 1.00	.2193	----	----	1	----	2 + 1
4350	----	----	131.60B/95.50A	131.60B/95.50A	----	97.80 + 1.00	.2236	----	----	29	----	654 + 22
4355	----	----	132.50B/96.60A	132.50B/96.60A	----	99.00 + 1.00	.2258	----	----	----	----	2 UNCH
4360	112.20	112.20	134.00B/97.80A	134.00B/97.80A	----	100.10 + 1.00	.2280	----	----	10	----	61 + 10
4365	----	----	135.40B/98.90A	135.40B/98.90A	----	101.30 + 1.10	.2302	----	----	----	----	100 UNCH
4380	----	----	140.00B/102.50A	140.00B/102.50A	----	104.90 + 1.20	.2370	----	----	----	----	1 UNCH
4385	----	----	141.90B/103.70A	141.90B/103.70A	----	106.10 + 1.20	.2392	----	----	----	----	8 UNCH
4390	113.20	113.20	142.80B/104.90A	142.80B/104.90A	----	107.30 + 1.20	.2415	----	----	12	----	15 + 9
4395	----	----	144.40B/106.20A	144.40B/106.20A	----	108.50 + 1.20	.2437	----	----	----	----	2 UNCH
4400	110.50	110.50	146.40B/107.40A	146.40B/107.40A	----	109.80 + 1.30	.2461	----	----	12	15	865 + 27
4410	----	----	149.80B/109.90A	149.80B/109.90A	----	112.30 + 1.30	.2507	----	----	----	----	1 UNCH
4415	----	----	151.40B/111.30A	151.40B/111.30A	----	113.60 + 1.30	.2531	----	----	----	----	6 UNCH
4420	----	----	152.30B/112.60A	152.30B/112.60A	----	114.90 + 1.40	.2555	----	----	----	----	2 UNCH
4425	----	----	153.80B/113.90A	153.80B/113.90A	----	116.20 + 1.40	.2579	----	----	----	----	3 UNCH
4435	----	----	157.30B/116.60A	157.30B/116.60A	----	118.90 + 1.50	.2627	----	----	----	----	6 UNCH
4440	----	----	159.50B/117.90A	159.50B/117.90A	----	120.30 + 1.60	.2652	----	----	----	----	37 UNCH
4445	135.60	135.60	161.30B/119.30A	161.30B/119.30A	----	121.60 NEW	.2676	----	----	1	----	1 + 1
4450	----	----	162.50B/120.70A	162.50B/120.70A	----	123.00 + 1.60	.2700	----	----	----	----	325 UNCH
4455	----	----	164.70B/122.10A	164.70B/122.10A	----	124.40 + 1.60	.2725	----	----	----	----	1 UNCH
4460	----	----	166.30B/123.50A	166.30B/123.50A	----	125.80 + 1.60	.2750	----	----	----	----	4 UNCH
4465	----	----	167.30B/124.90A	167.30B/124.90A	----	127.30 + 1.80	.2775	----	----	----	----	10 UNCH
4470	----	----	169.10B/126.30A	169.10B/126.30A	----	128.70 + 1.80	.2800	----	----	----	----	14 UNCH
4475	----	----	170.90B/127.70A	170.90B/127.70A	----	130.20 + 1.80	.2826	----	----	----	----	15 UNCH
4480	----	----	173.20B/129.20A	173.20B/129.20A	----	131.60 + 1.80	.2851	----	----	----	----	107 UNCH
4485	----	----	175.10B/130.70A	175.10B/130.70A	----	133.10 + 1.90	.2877	----	----	----	----	12 UNCH
4490	----	----	176.20B/132.20A	176.20B/132.20A	----	134.60 + 1.90	.2902	----	----	----	----	3 UNCH
4500	----	----	180.30B/135.20A	180.30B/135.20A	----	137.70 + 2.10	.2955	----	----	----	----	1315 UNCH
4505	154.50	154.50	181.70B/136.80A	181.70B/136.80A	----	139.20 + 2.10	.2980	----	----	1	----	4 + 1
4515	----	----	185.50B/139.90A	185.50B/139.90A	----	142.40 + 2.30	.3033	----	----	----	----	1 UNCH
4525	----	----	189.40B/143.00A	189.40B/143.00A	----	145.60 + 2.40	.3087	----	----	----	----	1 UNCH
4535	----	----	194.00B/----	194.00B/146.30A	----	148.90 + 2.60	.3140	----	----	----	----	10 UNCH
4545	----	----	197.80B/----	197.80B/149.60A	----	152.20 + 2.70	.3194	----	----	----	----	21 UNCH
4550	----	----	199.90B/----	199.90B/151.20A	----	153.90 + 2.70	.3222	----	----	----	----	4 UNCH
4560	----	----	203.50B/----	203.50B/154.60A	----	157.30 + 2.80	.3276	----	----	2	----	3 UNCH
4570	----	----	208.00B/----	208.00B/158.20A	----	160.80 + 3.00	.3332	----	----	----	----	10 UNCH
4575	----	----	205.90B/----	205.90B/159.80A	----	162.50 + 3.00	.3359	----	----	----	----	4 UNCH
4580	----	----	208.00B/----	208.00B/161.70A	----	164.30 + 3.10	.3387	----	----	----	----	165 UNCH
4585	----	----	210.20B/----	210.20B/163.30A	----	166.10 + 3.20	.3415	----	----	----	----	2 UNCH
4590	----	----	214.80B/----	214.80B/165.20A	----	167.90 + 3.20	.3443	----	----	----	----	10 UNCH
4600	178.00	178.00	219.20B/168.90A	219.20B/168.90A	----	171.60 + 3.40	.3500	----	----	4	----	360 UNCH
4605	----	----	221.40B/----	221.40B/170.60A	----	173.40 + 3.40	.3528	----	----	----	----	3 UNCH
4610	----	----	223.60B/----	223.60B/172.60A	----	175.30 + 3.50	.3557	----	----	----	----	2 UNCH
4615	191.30	191.30	226.70B/174.30A	226.70B/174.30A	----	177.20 + 3.60	.3586	----	----	2	----	2 + 2
4620	----	----	228.00B/----	228.00B/176.20A	----	179.10 + 3.60	.3614	----	----	----	----	3 UNCH
4625	----	----	230.20B/----	230.20B/178.10A	----	181.00 + 3.70	.3643	----	----	----	----	100 UNCH
4640	----	----	237.10B/----	237.10B/184.20A	----	186.80 + 3.80	.3730	----	----	1	----	301 - 1
4645	186.90	186.90	239.50B/186.10A	239.50B/186.10A	----	188.80 + 3.90	.3759	----	----	2	----	129 + 2
4650	----	----	242.00B/----	242.00B/188.10A	----	190.80 + 4.00	.3788	----	----	----	----	312 UNCH
4665	----	----	249.20B/----	249.20B/194.00A	----	196.80 + 4.00	.3876	----	----	----	----	1 UNCH
4675	----	----	253.80B/----	253.80B/198.10A	----	200.90 + 4.10	.3935	----	----	----	----	2 UNCH
4680	----	----	256.30B/----	256.30B/200.20A	----	203.00 + 4.20	.3965	----	----	----	----	5 UNCH
4700	222.00	222.00	266.40B/208.90A	266.40B/208.90A	----	211.50 + 4.30	.4084	----	----	10	----	473 + 5
4705	----	----	268.80B/----	268.80B/211.00A	----	213.60 + 4.30	.4114	----	----	----	----	50 UNCH
4710	----	----	271.30B/----	271.30B/213.20A	----	215.80 + 4.40	.4144	----	----	----	----	6 UNCH
4715	----	----	273.90B/----	273.90B/215.40A	----	218.00 + 4.40	.4174	----	----	----	----	1 UNCH
4720	----	----	275.10B/----	275.10B/217.90A	----	220.20 + 4.40	.4204	----	----	----	----	9 UNCH
4725	----	----	274.30B/----	274.30B/219.90A	----	222.40 + 4.40	.4234	----	----	----	----	30 UNCH
4730	----	----	282.70B/----	282.70B/222.10A	----	224.60 + 4.40	.4264	----	----	----	----	1 UNCH
4735	----	----	284.00B/----	284.00B/224.40A	----	226.90 + 4.50	.4294	----	----	----	----	59 UNCH
4740	----	----	286.60B/----	286.60B/226.70A	----	229.20 + 4.50	.4325	----	----	----	----	15 UNCH
4745	----	----	289.90B/----	289.90B/229.00A	----	231.50 + 4.60	.4355	----	----	----	----	3 UNCH
4750	----	----	292.00B/----	292.00B/231.50A	----	233.80 + 4.60	.4386	----	----	----	----	175 UNCH
4760	----	----	297.70B/----	297.70B/236.10A	----	238.50 + 4.70	.4447	----	----	----	----	1 UNCH
4775	----	----	303.20B/----	303.20B/243.40A	----	245.80 + 4.90	.4538	----	----	----	----	57 UNCH
4780	----	----	305.60B/----	305.60B/245.80A	----	248.20 + 4.90	.4569	----	----	1	----	15 + 1
4785	----	----	308.80B/----	308.80B/248.40A	----	250.70 + 5.00	.4599	----	----	----	----	17 UNCH
4795	----	----	314.40B/----	314.40B/253.50A	----	255.80 + 5.20	.4660	----	----	----	----	2 UNCH
4800	----	----	318.10B/----	318.10B/255.90A	----	258.30 + 5.20	.4691	----	----	----	----	786 UNCH
4805	----	----	319.50B/----	319.50B/258.60A	----	260.90 + 5.30	.4722	----	----	----	----	1 UNCH
4810	----	----	322.50B/----	322.50B/261.00A	----	263.50 + 5.40	.4752	----	----	----	----	3 UNCH
4820	----	----	330.40B/----	330.40B/266.40A	----	268.70 + 5.50	.4813	----	----	3	----	4 + 3
4835	----	----	337.80B/----	337.80B/274.20A	----	276.60 + 5.60	.4905	----	----	----	----	36 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
4840	----	----	340.10B/----	340.10B/276.70A	----	279.30 + 5.70	.4935	----	----	----	----	11 UNCH
4850	----	----	339.90B/----	339.90B/282.30A	----	284.70 + 5.80	.4996	----	----	----	----	66 UNCH
4855	----	----	342.90B/----	342.90B/285.10A	----	287.40 + 5.80	.5026	----	----	----	----	10 UNCH
4860	----	----	345.80B/----	345.80B/287.90A	----	290.10 + 5.80	.5057	----	----	----	----	3 UNCH
4865	----	----	348.90B/----	348.90B/290.90A	----	292.80 + 5.80	.5087	----	----	----	----	2 UNCH
4870	----	----	351.90B/----	351.90B/293.60A	----	295.60 + 5.90	.5117	----	----	----	----	14 UNCH
4875	----	----	355.00B/----	355.00B/296.40A	----	298.40 + 5.90	.5148	----	----	----	----	76 UNCH
4900	----	----	370.40B/----	370.40B/310.60A	----	312.40 + 6.00	.5298	----	----	----	----	355 UNCH
4905	----	----	373.60B/----	373.60B/313.40A	----	315.30 + 6.10	.5328	----	----	----	----	17 UNCH
4925	----	----	386.40B/----	386.40B/325.10A	----	326.90 + 6.20	.5448	----	----	----	----	50 UNCH
4950	----	----	402.60B/----	402.60B/339.90A	----	341.90 + 6.50	.5596	----	----	----	----	31 UNCH
4955	----	----	406.00B/----	406.00B/342.90A	----	344.90 + 6.60	.5625	----	----	----	----	1 UNCH
4980	----	----	423.60B/----	423.60B/359.30A	----	360.30 + 6.90	.5771	----	----	----	----	1 UNCH
5000	----	----	426.70B/----	426.70B/372.00A	----	373.00 + 7.30	.5886	----	----	----	----	317 UNCH
5010	----	----	426.00B/----	426.00B/378.40A	----	379.40 + 7.50	.5943	----	----	----	----	1 UNCH
5025	----	----	436.10B/----	436.10B/388.30A	----	389.10 + 7.80	.6028	----	----	----	----	25 UNCH
5030	----	----	439.40B/----	439.40B/391.50A	----	392.40 + 7.90	.6055	----	----	----	----	1 UNCH
5040	----	----	448.00B/----	448.00B/398.20A	----	399.00 + 8.10	.6111	----	----	----	----	4 UNCH
5045	----	----	451.60B/----	451.60B/401.50A	----	402.30 + 8.20	.6139	----	----	----	----	31 UNCH
5050	----	----	455.30B/----	455.30B/404.80A	----	405.70 + 8.40	.6166	----	----	----	----	351 UNCH
5070	----	----	469.90B/----	469.90B/418.20A	----	419.20 + 8.90	.6275	----	----	----	----	17 UNCH
5080	----	----	477.20B/----	477.20B/425.00A	----	426.00 + 9.00	.6329	----	----	----	----	3 UNCH
5100	----	----	492.20B/----	492.20B/438.80A	----	439.90 + 9.50	.6436	----	----	----	----	81 UNCH
5120	----	----	507.20B/----	507.20B/452.80A	----	454.00 + 9.80	.6540	----	----	----	----	2 UNCH
5180	----	----	530.50B/----	530.50B/496.00A	----	497.60 + 10.60	.6841	----	----	----	----	1 UNCH
5195	----	----	540.20B/----	540.20B/507.20A	----	508.80 + 10.80	.6913	----	----	----	----	2 UNCH
5200	----	----	540.30B/----	540.30B/510.90A	----	512.50 + 10.80	.6937	----	----	----	----	112 UNCH
5265	----	----	----	416.70B/749.60A	----	562.40 + 11.40	.7234	----	----	----	----	1 UNCH
5300	----	----	----	445.60B/776.80A	----	590.00 + 11.70	.7383	----	----	----	----	3 UNCH
5355	----	----	----	491.60B/820.30A	----	634.50 + 12.30	.7603	----	----	----	----	1 UNCH
5400	----	----	----	530.90B/856.70A	----	671.70 + 12.80	.7772	----	----	----	----	76 UNCH
5460	----	----	----	583.90B/906.00A	----	722.40 + 13.50	.7979	----	----	----	----	1 UNCH
5500	----	----	----	619.80B/939.40A	----	756.90 + 14.10	.8106	----	----	----	----	3 UNCH
5530	----	----	----	646.70B/964.70A	----	783.00 + 14.40	.8196	----	----	----	----	1 UNCH
5575	----	----	----	687.90B/1003.00A	----	822.70 + 14.90	.8323	----	----	----	----	2 UNCH
TOTAL										915	265	22168 + 147
SEP26												
2350	----	----	----	0.10B/15.40A	----	1.40 - 0.10	.0030	----	----	----	----	54 UNCH
2375	----	----	----	0.10B/15.50A	----	1.50 - 0.10	.0032	----	----	----	----	3 UNCH
2400	----	----	----	0.10B/14.60A	----	1.50 - 0.20	.0033	----	----	----	----	1 UNCH
2500	2.20	2.20	2.20/2.20	2.20/2.20	----	2.00 - 0.10	.0044	----	----	2	----	4 UNCH
2600	----	----	----	2.10B/4.00A	----	2.40 - 0.20	.0054	----	----	----	----	2 UNCH
2900	5.80	5.80	5.80/5.80	5.80/5.80	----	4.60 NEW	.0106	----	----	1	----	1 + 1
3000	----	----	----	4.50B/7.00A	----	5.60 - 0.30	.0131	----	----	----	----	2 UNCH
3145	----	----	----	6.60B/9.20A	----	7.80 - 0.30	.0184	----	----	----	----	15 UNCH
3150	----	----	----	6.70B/9.40A	----	7.80 - 0.40	.0184	----	----	2	----	2 UNCH
3200	----	----	----	7.70B/10.30A	----	8.80 - 0.30	.0207	----	----	----	----	1 UNCH
3270	----	----	----	9.30B/11.60A	----	10.20 - 0.40	.0241	----	----	----	----	15 UNCH
3300	----	----	----	10.00B/12.50A	----	10.90 - 0.40	.0258	----	----	----	----	1 UNCH
3475	----	----	----	16.00B/17.50A	----	16.00 - 0.50	.0379	----	----	----	----	2 UNCH
3480	----	----	----	16.20B/17.90A	----	16.20 - 0.40	.0383	----	----	----	----	780 UNCH
3500	19.00	19.00	19.00/18.50A	19.00/18.50A	----	17.00 - 0.40	.0402	----	----	1	----	19 UNCH
3525	----	----	----	18.20B/19.50A	----	17.90 - 0.50	.0423	----	----	2	----	2 UNCH
3565	----	----	20.20B/----	20.20B/21.20A	----	19.70 - 0.40	.0464	----	----	----	----	1 UNCH
3610	----	----	22.60B/----	22.60B/23.40A	----	21.80 - 0.40	.0512	----	----	----	----	1 UNCH
3625	----	----	23.50B/----	23.50B/24.10A	----	22.60 - 0.40	.0530	----	----	----	----	1 UNCH
3650	----	----	26.00B/----	26.00B/25.40A	----	24.00 - 0.30	.0561	----	----	----	----	66 UNCH
3700	----	----	29.60B/----	29.60B/27.90A	----	27.00 - 0.30	.0627	----	----	----	----	144 UNCH
3720	----	----	30.70B/----	30.70B/28.90A	----	28.30 - 0.20	.0655	----	----	----	----	50 UNCH
3750	31.50	31.50	33.00B/31.10A	33.00B/31.10A	----	30.30 NEW	.0699	----	----	80	----	80 + 80
3755	----	----	33.40B/----	33.40B/31.10A	----	30.70 - 0.20	.0707	----	----	----	----	310 UNCH
3800	----	----	37.60B/----	37.60B/34.50A	----	34.10 - 0.20	.0780	----	----	----	----	1 UNCH
3850	----	----	42.70B/----	42.70B/38.50A	----	38.30 - 0.10	.0868	----	----	----	----	20 UNCH
3880	----	----	46.10B/40.80A	46.10B/40.80A	----	41.10 - 0.10	.0926	----	----	----	----	26 UNCH
3900	----	----	48.50B/----	48.50B/43.30A	----	43.00 - 0.10	.0966	----	----	----	----	211 UNCH
3910	----	----	49.70B/44.00A	49.70B/44.00A	----	44.00 - 0.10	.0986	----	----	----	----	2 UNCH
3920	----	----	51.00B/45.00A	51.00B/45.00A	----	45.00 - 0.10	.1007	----	----	----	----	14 UNCH
3930	----	----	52.20B/46.00A	52.20B/46.00A	----	46.00 - 0.20	.1027	----	----	----	----	2 UNCH
3945	----	----	54.20B/47.60A	54.20B/47.60A	----	47.60 - 0.20	.1060	----	----	----	----	330 UNCH
3950	----	----	54.90B/48.10A	54.90B/48.10A	----	48.10 - 0.20	.1070	----	----	----	----	324 UNCH
4000	----	----	61.90B/53.50A	61.90B/53.50A	----	53.80 - 0.30	.1185	----	----	----	----	715 UNCH
4005	----	----	62.80B/54.10A	62.80B/54.10A	----	54.40 - 0.30	.1197	----	----	----	----	1 UNCH
4020	----	----	65.00B/55.90A	65.00B/55.90A	----	56.20 - 0.40	.1233	----	----	----	----	14 UNCH
4030	----	----	66.50B/57.20A	66.50B/57.20A	----	57.50 - 0.40	.1258	----	----	----	----	2 UNCH
4050	----	----	69.80B/59.80A	69.80B/59.80A	----	60.10 - 0.40	.1309	----	----	----	----	43 UNCH
4080	----	----	74.90B/63.60A	74.90B/63.60A	----	64.20 - 0.40	.1389	----	----	----	----	4 UNCH
4085	----	----	75.80B/64.30A	75.80B/64.30A	----	64.90 - 0.50	.1403	----	----	----	----	76 UNCH
4100	----	----	78.40B/66.50A	78.40B/66.50A	----	67.00 - 0.60	.1443	----	----	----	----	21 UNCH
4130	----	----	84.00B/71.00A	84.00B/71.00A	----	71.60 - 0.50	.1530	----	----	----	----	20 UNCH
4135	----	----	84.90B/71.60A	84.90B/71.60A	----	72.40 - 0.50	.1545	----	----	----	----	3 UNCH
4150	----	----	87.90B/74.10A	87.90B/74.10A	----	74.80 - 0.50	.1590	----	----	----	----	4 UNCH
4185	----	----	95.10B/80.00A	95.10B/80.00A	----	80.70 - 0.50	.1699	----	----	----	----	76 UNCH
4200	----	----	98.40B/82.60A	98.40B/82.60A	----	83.40 - 0.50	.1748	----	----	----	----	108 UNCH
4220	----	----	102.70B/86.30A	102.70B/86.30A	----	87.00 - 0.50	.1814	----	----	----	----	113 UNCH
4225	91.80	91.80	103.80B/87.20A	103.80B/87.20A	----	88.00 - 0.40	.1831	----	----	1	----	3 UNCH
4230	----	----	105.00B/88.40A	105.00B/88.40A	----	89.00 - 0.40	.1849	----	----	----	----	1 UNCH
4240	----	----	107.30B/90.20A	107.30B/90.20A	----	90.90 - 0.40	.1883	----	----	----	----	56 UNCH
4250	----	----	109.70B/92.30A	109.70B/92.30A	----	92.90 - 0.30	.1918	----	----	----	----	62 UNCH
4300	----	----	122.10B/102.90A	122.10B/102.90A	----	103.40 - 0.10	.2100	----	----	----	----	84 UNCH
4320	----	----	127.30B/107.30A	127.30B/107.30A	----	107.90 UNCH	.2176	----	----	----	----	152 UNCH
4350	----	----	135.60B/114.40A	135.60B/114.40A	----	115.00 + 0.30	.2294	----	----	----	----	20 UNCH
4365	----	----	139.90B/118.00A	139.90B/118.00A	----	118.70 + 0.40	.2354	----	----	----	----	5 UNCH
4390	----	----	147.30B/124.40A	147.30B/124.40A	----	125.00 + 0.50	.2457	----	----	----	----	15 UNCH
4400	----	----	150.30B/----	150.30B/127.10A	----	127.70 + 0.60	.2499	----	----	----	----	36 UNCH
4410	----	----	153.40B/129.50A	153.40B/129.50A	----	130.40 + 0.70	.2542	----	----	----	----	7 UNCH
4420	----	----	156.50B/132.20A	156.50B/132.20A	----	133.10 + 0.80	.2585	----	----	----	----	1 UNCH
4430	----	----	160.00B/----	160.00B/135.00A	----	135.90 + 0.90	.2628	----	----	----	----	2 UNCH
4440	----	----	163.00B/----	163.00B/137.90A	----	138.70 + 1.00	.2672	----	----	----	----	8 UNCH
4450	----	----	166.30B/----	166.30B/140.90A	----	141.60 + 1.10	.2716	----	----	----	----	430 UNCH
4475	----	----	174.90B/----	174.90B/148.20A	----	149.00 + 1.30	.2828	----	----	2	----	3 UNCH
4490	----	----	180.10B/----	180.10B/152.90A	----	153.60 + 1.40	.2897	----	----	----	----	50 UNCH
4500	----	----	183.70B/----	183.70B/156.10A	----	156.70 + 1.50	.2943	----	----	1	----	459 UNCH
4550	----	----	202.60B/----	202.60B/172.30A	----	173.10 + 1.80	.3179	----	----	----	----	350 UNCH
4560	----	----	206.50B/----	206.50B/175.80A	----	176.50 + 1.80	.3228	----	----	----	----	7 UNCH
4580	----	----	215.00B/----	215.00B/182.80A	----	183.60 + 2.00	.3326	----	----	----	----	1 UNCH
4620	----	----	231.10B/----	231.10B/197.90A	----	198.30 + 2.20	.3525	----	----	----	----	500 UNCH
4650	----	----	244.90B/----	244.90B/209.60A	----	210.00 + 2.40	.3677	----	----	----	----	2 UNCH
4700	----	----	267.70B/----	267.70B/229.40A	----	230.50 + 2.70	.3937	----	----	----	----	75 UNCH
4725	----	----	279.80B/----	279.80B/240.90A	----	241.40 + 2.90	.4068	----	----	----	----	1 UNCH
4730	----	----	282.30B/----	282.30B/243.10A	----	243.60 + 3.00	.4095	----	----	----	----	5 UNCH
4740	----	----	287.30B/----	287.30B/247.60A	----	248.10 + 3.10	.4148	----	----	----	----	2 UNCH
4750	----	----	292.40B/----	292.40B/252.20A	----	252.60 + 3.20	.4201	----	----	----	----	150 UNCH
4760	----	----	297.60B/----	297.60B/256.80A	----	257.20 + 3.30	.4254	----	----	----	----	100 UNCH
4775	----	----	305.00B/----	305.00B/263.80A	----	264.20 + 3.50	.4334	----	----	----	----	18 UNCH
4800	----	----	319.00B/----	319.00B/275.80A	----	276.20 + 3.90	.4468	----	----	----	----	30 UNCH
4825	----	----	332.70B/----	332.70B/288.20A	----	288.70 + 4.30	.4602	----	----	2	----	2 UNCH
4835	----	----	337.90B/----	337.90B/293.30A	----	293.80 + 4.40	.4656	----	----	----	----	30 UNCH
4900	----	----	375.50B/----	375.50B/327.80A	----	328.70 + 5.60	.5003	----	----	----	----	3 UNCH
4930	----	----	394.10B/----	394.10B/344.50A	----	345.70 + 6.10	.5161	----	----	----	----	20 UNCH
4950	----	----	406.30B/----	406.30B/356.10A	----	357.30 + 6.40	.5266	----	----	----	----	1 UNCH
4975	----	----	421.90B/----	421.90B/370.40A	----	372.10 + 6.80	.5395	----	----	----	----	210 UNCH
5000	----	----	438.60B/----	438.60B/385.40A	----	387.20 + 7.10	.5524	----	----	----	----	10 UNCH
5005	----	----	441.30B/----	441.30B/388.50A	----	390.20 + 7.10	.5550	----	----	----	----	3 UNCH
5020	----	----	451.10B/----	451.10B/397.80A	----	399.40 + 7.30	.5626	----	----	----	----	3 UNCH
5100	----	----	491.00B/----	491.00B/448.70A	----	450.50 + 8.20	.6024	----	----	----	----	28 UNCH
5105	----	----	494.40B/----	494.40B/452.00A	----	453.90 + 8.30	.6048	----	----	----	----	2 UNCH
5200	----	----	564.50B/----	564.50B/518.10A	----	519.50 + 9.60	.6490	----	----	----	----	47 UNCH
5230	----	----	587.60B/----	587.60B/539.70A	----	541.20 + 10.00	.6622	----	----	----	----	400 UNCH
5300	----	----	643.90B/----	643.90B/591.30A	----	593.20 + 10.80	.6916	----	----	----	----	300 UNCH
5400	----	----	723.90B/----	723.90B/668.80A	----	670.90 + 11.80	.7302	----	----	----	----	100 UNCH
5420	----	----	740.60B/----	740.60B/684.70A	----	686.80 + 11.90	.7374	----	----	----	----	80 UNCH
5450	----	----	766.00B/----	766.00B/708.90A	----	711.10 + 12.30	.7479	----	----	----	----	1 UNCH
5500	----	----	810.70B/----	810.70B/749.80A	----	752.10 + 12.80	.7646	----	----	----	----	3 UNCH
6000	----	----	----	1058.80B/1379.00A	----	1196.10 + 16.50	.8799	----	----	----	----	2 UNCH
TOTAL										94		7567 + 81
OCT26												

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 21

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
OCT26												
2700	----	----	----	2.10B/6.10A	----	3.80 - 0.30	.0082	----	----	----	----	1 UNCH
2800	----	----	----	2.80B/7.30A	----	4.70 - 0.30	.0102	----	----	----	----	3 UNCH
2900	5.90	5.90	5.90/5.90	5.90/5.90	----	5.80 NEW	.0127	----	----	1	----	1 + 1
3100	----	----	----	7.20B/11.80A	----	9.10 - 0.50	.0200	----	----	----	----	1 UNCH
3200	----	----	----	9.50B/14.20A	----	11.50 - 0.40	.0252	----	----	----	----	414 UNCH
3240	----	----	----	10.70B/15.30A	----	12.60 - 0.40	.0276	----	----	----	----	5 UNCH
3300	----	----	----	12.70B/17.00A	----	14.40 - 0.50	.0315	----	----	----	----	415 UNCH
3340	----	----	----	14.20B/18.50A	----	15.80 - 0.50	.0344	----	----	----	----	9 UNCH
3360	----	----	----	14.90B/19.30A	----	16.50 - 0.60	.0359	----	----	----	----	1 UNCH
3380	----	----	----	15.80B/20.10A	----	17.20 - 0.60	.0374	----	----	----	----	1 UNCH
3390	----	----	----	16.30B/20.60A	----	17.60 - 0.60	.0383	----	----	----	----	4 UNCH
3400	----	----	----	16.80B/21.00A	----	18.00 - 0.60	.0391	----	----	----	----	150 UNCH
3480	----	----	23.70B/----	23.70B/24.50A	----	21.60 - 0.60	.0466	----	----	----	----	12 UNCH
3500	----	----	24.90B/----	24.90B/25.50A	----	22.60 - 0.60	.0486	----	----	----	----	10 UNCH
3520	----	----	26.20B/----	26.20B/26.50A	----	23.60 - 0.60	.0507	----	----	----	----	12 UNCH
3550	----	----	28.30B/----	28.30B/28.10A	----	25.30 - 0.50	.0541	----	----	----	----	25 UNCH
3600	----	----	32.10B/----	32.10B/31.00A	----	28.30 - 0.60	.0602	----	----	----	----	177 UNCH
3615	----	----	33.30B/----	33.30B/31.40A	----	29.20 - 0.70	.0620	----	----	----	----	1 UNCH
3700	41.00	41.00	41.00/37.20A	41.00/37.20A	----	35.30 - 0.90	.0740	----	----	10	----	160 - 10
3750	----	----	46.00B/----	46.00B/40.60A	----	39.40 - 1.10	.0820	----	----	----	----	19 UNCH
3770	----	----	48.20B/----	48.20B/43.00A	----	41.20 - 1.20	.0854	----	----	----	----	1 UNCH
3785	----	----	49.90B/43.70A	49.90B/43.70A	----	42.50 - 1.30	.0879	----	----	----	----	1 UNCH
3800	----	----	51.60B/----	51.60B/45.50A	----	44.00 - 1.20	.0907	----	----	----	----	22 UNCH
3805	----	----	52.20B/----	52.20B/45.80A	----	44.50 - 1.20	.0916	----	----	----	----	1 UNCH
3865	----	----	59.80B/----	59.80B/52.30A	----	50.70 - 1.10	.1032	----	----	----	----	2 UNCH
3870	----	----	60.50B/----	60.50B/52.90A	----	51.20 - 1.20	.1041	----	----	----	----	1 UNCH
3875	----	----	61.20B/----	61.20B/53.30A	----	51.80 - 1.10	.1052	----	----	----	----	12 UNCH
3885	----	----	62.60B/----	62.60B/54.40A	----	52.90 - 1.10	.1072	----	----	----	----	5 UNCH
3890	----	----	63.30B/----	63.30B/55.00A	----	53.50 - 1.10	.1083	----	----	----	----	2 UNCH
3895	----	----	64.00B/----	64.00B/55.50A	----	54.10 - 1.00	.1094	----	----	----	----	2 UNCH
3900	----	----	64.70B/----	64.70B/56.00A	----	54.70 - 1.00	.1105	----	----	----	----	22 UNCH
3920	----	----	67.60B/----	67.60B/58.40A	----	57.10 - 0.90	.1148	----	----	----	----	28 UNCH
3930	----	----	69.10B/----	69.10B/59.50A	----	58.30 - 0.90	.1170	----	----	----	----	2 UNCH
3940	----	----	70.70B/----	70.70B/60.70A	----	59.60 - 0.90	.1193	----	----	----	----	65 UNCH
3950	----	----	72.20B/----	72.20B/61.90A	----	60.90 - 0.80	.1216	----	----	----	----	2 UNCH
3975	----	----	76.20B/----	76.20B/65.00A	----	64.20 - 0.70	.1275	----	----	----	----	5 UNCH
4000	----	----	80.40B/----	80.40B/68.30A	----	67.70 - 0.60	.1336	----	----	----	----	407 UNCH
4030	----	----	85.70B/72.30A	85.70B/72.30A	----	72.00 - 0.60	.1411	----	----	----	----	2 UNCH
4050	----	----	89.40B/75.30A	89.40B/75.30A	----	75.10 - 0.60	.1464	----	----	----	----	5 UNCH
4070	----	----	93.30B/78.40A	93.30B/78.40A	----	78.20 - 0.60	.1518	----	----	----	----	24 UNCH
4100	----	----	99.30B/83.70A	99.30B/83.70A	----	83.20 - 0.60	.1602	----	----	----	----	314 UNCH
4130	----	----	105.60B/88.80A	105.60B/88.80A	----	88.40 - 0.60	.1689	----	----	----	----	1 UNCH
4150	----	----	110.00B/92.60A	110.00B/92.60A	----	92.10 - 0.60	.1749	----	----	----	----	5 UNCH
4200	----	----	121.60B/----	121.60B/102.50A	----	101.80 - 0.70	.1906	----	----	2	----	133 + 2
4220	----	----	126.50B/----	126.50B/106.70A	----	105.90 - 0.80	.1971	----	----	----	----	5 UNCH
4235	----	----	130.30B/----	130.30B/110.00A	----	109.10 - 0.80	.2021	----	----	----	----	1 UNCH
4250	----	----	134.10B/----	134.10B/113.30A	----	112.40 - 0.80	.2073	----	----	----	----	72 UNCH
4265	----	----	138.10B/----	138.10B/116.90A	----	115.80 - 0.70	.2125	----	----	----	----	200 UNCH
4270	----	----	139.40B/----	139.40B/117.90A	----	116.90 - 0.80	.2142	----	----	----	----	226 UNCH
4300	----	----	147.80B/----	147.80B/125.10A	----	124.00 - 0.80	.2249	----	----	----	----	476 UNCH
4355	----	----	164.00B/----	164.00B/139.20A	----	138.00 - 0.60	.2455	----	----	----	----	11 UNCH
4375	----	----	170.40B/----	170.40B/144.70A	----	143.40 - 0.50	.2533	----	----	----	----	10 UNCH
4400	----	----	178.40B/----	178.40B/151.70A	----	150.40 - 0.40	.2632	----	----	----	----	302 UNCH
4430	----	----	188.50B/----	188.50B/160.60A	----	159.20 - 0.20	.2754	----	----	----	----	3 UNCH
4450	----	----	195.80B/----	195.80B/166.80A	----	165.30 - 0.10	.2837	----	----	----	----	26 UNCH
4500	192.90	192.90	214.00B/182.90A	214.00B/182.90A	----	181.40 + 0.40	.3050	----	----	40	----	68 + 12
4600	----	----	254.80B/----	254.80B/219.10A	----	217.10 + 1.50	.3498	----	----	----	240	352 - 67
4610	----	----	259.40B/----	259.40B/223.00A	----	221.00 + 1.60	.3544	----	----	----	----	5 UNCH
4675	----	----	288.90B/----	288.90B/249.40A	----	247.30 + 2.40	.3850	----	----	----	----	1 UNCH
4700	----	----	301.00B/----	301.00B/260.30A	----	258.00 + 2.70	.3969	----	----	----	----	64 UNCH
4750	----	----	326.10B/----	326.10B/283.00A	----	280.80 + 3.30	.4211	----	----	----	----	173 UNCH
4775	----	----	339.20B/----	339.20B/294.80A	----	292.80 + 3.50	.4332	----	----	----	----	1 UNCH
4800	----	----	352.70B/----	352.70B/307.00A	----	305.20 + 3.70	.4454	----	----	----	----	126 UNCH
4845	----	----	377.50B/----	377.50B/329.90A	----	328.70 + 4.00	.4673	----	----	----	----	17 UNCH
4850	----	----	380.40B/----	380.40B/332.50A	----	331.40 + 4.00	.4697	----	----	----	----	83 UNCH
4875	----	----	394.80B/----	394.80B/345.90A	----	345.10 + 4.40	.4818	----	----	----	----	1 UNCH
4900	----	----	410.00B/----	410.00B/359.50A	----	358.90 + 4.70	.4938	----	----	----	----	110 UNCH
4910	----	----	415.50B/----	415.50B/365.10A	----	364.60 + 4.90	.4986	----	----	----	----	1 UNCH
4920	----	----	421.50B/----	421.50B/370.70A	----	370.20 + 5.00	.5034	----	----	----	----	1 UNCH
4925	----	----	424.60B/----	424.60B/373.50A	----	373.10 + 5.10	.5058	----	----	----	----	25 UNCH
4935	----	----	430.70B/----	430.70B/379.20A	----	378.80 + 5.30	.5105	----	----	----	----	5 UNCH
4980	----	----	458.90B/----	458.90B/405.40A	----	405.20 + 6.10	.5317	----	----	----	----	1 UNCH
5000	----	----	471.70B/----	471.70B/417.40A	----	417.30 + 6.50	.5410	----	----	----	----	47 UNCH
5010	----	----	478.20B/----	478.20B/423.30A	----	423.30 + 6.60	.5457	----	----	----	----	1 UNCH
5050	----	----	504.60B/----	504.60B/448.00A	----	448.20 + 7.20	.5640	----	----	----	----	25 UNCH
5200	----	----	576.20B/----	576.20B/547.30A	----	548.00 + 8.30	.6292	----	----	----	----	100 UNCH
5230	----	----	598.10B/----	598.10B/568.40A	----	569.20 + 8.50	.6415	----	----	----	----	2 UNCH
5250	----	----	613.40B/----	613.40B/582.60A	----	583.50 + 8.70	.6495	----	----	----	----	75 UNCH
5300	----	----	652.20B/----	652.20B/619.00A	----	620.00 + 9.10	.6689	----	----	----	----	6 UNCH
5425	----	----	----	547.90B/919.20A	----	715.40 + 10.40	.7140	----	----	----	----	1 UNCH
5455	----	----	----	572.50B/942.70A	----	739.10 + 10.70	.7240	----	----	----	----	40 UNCH
5600	----	----	----	695.40B/1059.40A	----	857.50 + 12.10	.7680	----	----	----	----	1 UNCH
5700	----	----	----	783.00B/1142.70A	----	942.50 + 13.20	.7942	----	----	----	----	1 UNCH
TOTAL										53	240	5150 - 62
NOV26												
2750	----	----	----	2.00B/9.10A	----	5.50 - 0.10	.0110	----	----	----	----	1 UNCH
2800	----	----	----	2.50B/9.80A	----	6.10 - 0.10	.0123	----	----	----	----	8 UNCH
2900	----	----	----	3.80B/11.40A	----	7.70 - 0.20	.0155	----	----	----	----	1 UNCH
3000	----	----	----	5.50B/13.50A	----	9.60 - 0.30	.0193	----	----	----	----	95 UNCH
3120	----	----	----	8.30B/16.70A	----	12.40 - 0.40	.0249	----	----	----	----	10 UNCH
3180	----	----	----	10.10B/18.30A	----	14.10 - 0.50	.0282	----	----	----	----	10 UNCH
3200	----	----	----	10.80B/19.10A	----	14.70 - 0.50	.0294	----	----	----	----	93 UNCH
3215	----	----	----	11.30B/19.50A	----	15.20 - 0.50	.0304	----	----	----	----	1 UNCH
3220	----	----	----	11.50B/19.90A	----	15.40 - 0.50	.0308	----	----	----	----	1 UNCH
3225	----	----	----	11.60B/19.80A	----	15.50 - 0.60	.0310	----	----	----	----	1 UNCH
3235	----	----	----	12.00B/20.20A	----	15.90 - 0.50	.0318	----	----	----	----	2 UNCH
3250	----	----	----	12.50B/20.80A	----	16.40 - 0.60	.0327	----	----	----	----	18 UNCH
3255	----	----	----	12.70B/21.20A	----	16.50 - 0.60	.0330	----	----	----	----	18 UNCH
3300	----	----	----	14.60B/22.90A	----	18.20 - 0.70	.0363	----	----	----	----	20 UNCH
3310	----	----	----	15.00B/23.30A	----	18.60 - 0.70	.0370	----	----	----	----	1 UNCH
3320	----	----	----	15.60B/23.80A	----	19.00 - 0.70	.0378	----	----	----	----	16 UNCH
3350	----	----	----	16.80B/25.10A	----	20.20 - 0.80	.0401	----	----	----	----	180 UNCH
3455	----	----	----	23.10B/30.30A	----	25.30 - 0.90	.0498	----	----	----	----	1 UNCH
3475	----	----	----	24.40B/31.50A	----	26.40 - 1.00	.0518	----	----	----	----	2 UNCH
3500	----	----	----	26.10B/32.70A	----	27.80 - 1.10	.0544	----	----	----	----	655 UNCH
3535	----	----	----	29.70B/35.10A	----	30.00 - 1.10	.0585	----	----	----	----	1 UNCH
3690	----	----	----	42.60B/44.00A	----	41.60 - 1.40	.0792	----	----	----	----	1 UNCH
3725	----	----	46.30B/----	46.30B/47.10A	----	44.80 - 1.40	.0848	----	----	----	----	1 UNCH
3740	----	----	48.00B/----	48.00B/48.50A	----	46.20 - 1.40	.0872	----	----	----	----	21 UNCH
3750	----	----	49.20B/----	49.20B/49.50A	----	47.20 - 1.40	.0889	----	----	----	----	150 UNCH
3780	----	----	52.80B/----	52.80B/53.40A	----	50.30 - 1.40	.0942	----	----	----	----	1 UNCH
3800	----	----	55.30B/----	55.30B/55.50A	----	52.40 - 1.40	.0977	----	----	----	----	25 UNCH
3820	----	----	57.90B/----	57.90B/57.70A	----	54.60 - 1.50	.1014	----	----	----	----	20 UNCH
3875	----	----	65.60B/----	65.60B/64.10A	----	61.10 - 1.50	.1122	----	----	----	----	24 UNCH
4000	----	----	86.00B/----	86.00B/81.00A	----	78.60 - 1.60	.1401	----	----	----	----	2 UNCH
4100	----	----	105.70B/----	105.70B/98.00A	----	95.60 - 1.50	.1659	----	----	----	----	1 UNCH
4160	----	----	119.10B/----	119.10B/109.50A	----	107.20 - 1.50	.1829	----	----	----	----	1 UNCH
4170	----	----	121.50B/----	121.50B/111.50A	----	109.20 - 1.50	.1858	----	----	----	----	1 UNCH
4200	----	----	128.80B/----	128.80B/117.80A	----	115.60 - 1.40	.1949	----	----	----	----	4 UNCH
4205	----	----	130.00B/----	130.00B/118.90A	----	116.70 - 1.40	.1965	----	----	----	----	1 UNCH
4215	----	----	132.50B/----	132.50B/121.00A	----	118.90 - 1.40	.1996	----	----	----	----	5 UNCH
4275	----	----	148.50B/----	148.50B/134.90A	----	132.80 - 1.30	.2188	----	----	----	----	3 UNCH
4320	----	----	161.40B/----	161.40B/146.20A	----	144.10 - 1.30	.2339	----	----	----	----	43 UNCH
4350	----	----	170.50B/----	170.50B/154.20A	----	152.10 - 1.10	.2444	----	----	----	----	3 UNCH
4400	----	----	186.40B/----	186.40B/168.30A	----	166.30 - 0.90	.2625	----	----	----	----	3 UNCH
4425	----	----	194.80B/----	194.80B/175.70A	----	173.70 - 0.80	.2718	----	----	----	----	72 UNCH
4500	----	----	222.10B/----	222.10B/199.70A	----	197.70 - 0.40	.3007	----	----	----	----	40 UNCH
4580	----	----	253.70B/----	253.70B/228.10A	----	226.10 + 0.10	.3330	----	----	----	----	10 UNCH
4640	----	----	279.50B/----	279.50B/251.50A	----	249.40 + 0.60	.3581	----	----	----	----	90 UNCH
4700	----	----	307.50B/----	307.50B/276.70A	----	274.20 + 0.90	.3838	----	----	----	----	2 UNCH
4725	----	----	319.20B/----	319.20B/287.70A	----	285.10 + 1.10	.3947	----	----	----	----	2 UNCH
4800	338.00	338.00	357.20B/322.50A	357.20B/322.50A	----	319.80 + 1.80	.4276	----	----	1	----	2 UNCH
4840	----	----	378.60B/----	378.60B/342.20A	----	339.90 + 2.70	.4453	----	----	----	----	2 UNCH
4900	----	----	412.10B/----	412.10B/373.20A	----	371.60 + 3.90	.4718	----	----	----	----	2 UNCH
4915	----	----	420.70B/----	420.70B/381.30A	----	379.70 + 4.00	.4783	----	----	----	----	3 UNCH
4950	----	----	441.30B/----	441.30B/400.50A	----	399.20 + 4.50	.4936	----	----	----	----	11 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 22

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
NOV26												
4960	----	----	447.80B/----	447.80B/406.10A	----	404.80 + 4.60	.4979	----	----	----	----	2 UNCH
5000	----	----	471.70B/----	471.70B/429.00A	----	428.00 + 5.00	.5151	----	----	----	----	253 UNCH
5055	----	----	506.40B/----	506.40B/461.60A	----	461.10 + 5.50	.5383	----	----	----	----	8 UNCH
5200	----	----	591.90B/----	591.90B/555.00A	----	554.70 + 6.70	.5968	----	----	----	----	81 UNCH
5395	----	----	722.20B/----	722.20B/693.50A	----	693.20 + 8.40	.6679	----	----	----	----	6 UNCH
5400	----	----	726.00B/----	726.00B/697.40A	----	697.00 + 8.50	.6696	----	----	----	----	6 UNCH
5760	----	----	----	799.70B/1207.70A	----	985.00 + 11.80	.7734	----	----	----	----	1 UNCH
5975	----	----	----	992.40B/1391.10A	----	1171.90 + 13.70	.8190	----	----	----	----	1 UNCH
6000	----	----	----	1015.00B/1413.10A	----	1194.10 + 13.90	.8236	----	----	----	----	1 UNCH
TOTAL										1		2040 0
DEC26												
1350	----	----	----	----/1.10A	----	0.20 UNCH	.0003	----	----	----	----	16 UNCH
1500	----	----	----	----/2.20A	----	0.30 UNCH	.0005	----	----	----	----	1 UNCH
1600	----	----	----	----/3.00A	----	0.40 UNCH	.0007	----	----	----	----	190 UNCH
1700	----	----	----	0.10B/4.00A	----	0.50 - 0.10	.0009	----	----	----	----	200 UNCH
1845	----	----	----	0.10B/21.50A	----	0.80 - 0.10	.0014	----	----	----	----	36 UNCH
1900	----	----	----	0.10B/21.90A	----	1.00 UNCH	.0018	----	----	----	----	4 UNCH
2000	----	----	----	0.10B/22.60A	----	1.20 - 0.10	.0022	----	----	----	----	2 UNCH
2400	----	----	----	0.30B/6.50A	----	3.20 - 0.20	.0060	----	----	----	----	1 UNCH
2490	----	----	----	0.40B/7.10A	----	4.00 - 0.20	.0075	----	----	----	----	1 UNCH
2750	----	----	----	2.80B/10.70A	----	7.10 - 0.40	.0134	----	----	----	----	1 UNCH
2800	----	----	----	3.50B/11.70A	----	7.90 - 0.40	.0149	----	----	----	----	8 UNCH
2900	----	----	----	5.30B/13.60A	----	9.70 - 0.50	.0184	----	----	----	----	19 UNCH
2925	----	----	----	5.60B/14.50A	----	10.20 - 0.50	.0193	----	----	----	----	300 UNCH
2975	----	----	----	6.70B/15.50A	----	11.30 - 0.60	.0214	----	----	----	----	400 UNCH
3000	----	----	----	7.30B/16.10A	----	11.90 - 0.60	.0225	----	----	----	----	1363 UNCH
3160	----	----	----	12.30B/21.50A	----	16.60 - 0.70	.0313	----	----	----	----	2 UNCH
3175	----	----	----	12.90B/22.20A	----	17.10 - 0.70	.0322	----	----	----	----	1 UNCH
3190	----	----	----	13.50B/22.50A	----	17.60 - 0.80	.0332	----	----	----	----	5 UNCH
3250	----	----	----	16.10B/25.30A	----	20.00 - 0.70	.0375	----	----	----	----	15 UNCH
3300	----	----	----	18.60B/27.40A	----	22.20 - 0.80	.0415	----	----	----	----	6 UNCH
3400	----	----	----	24.40B/33.00A	----	27.50 - 0.60	.0507	----	----	----	----	1610 UNCH
3425	----	----	----	26.10B/34.50A	----	29.00 - 0.60	.0533	----	----	----	----	350 UNCH
3450	----	----	----	27.90B/36.10A	----	30.60 - 0.60	.0561	----	----	----	----	201 UNCH
3460	----	----	----	28.60B/36.50A	----	31.20 - 0.60	.0571	----	----	----	----	20 UNCH
3475	----	----	----	30.60B/37.70A	----	32.30 - 0.50	.0589	----	----	----	----	152 UNCH
3500	----	----	----	34.30B/38.50A	----	34.00 - 0.50	.0618	----	----	----	----	1457 UNCH
3550	----	----	38.30B/----	38.30B/40.60A	----	37.80 - 0.40	.0682	----	----	----	----	18 UNCH
3565	----	----	39.50B/----	39.50B/42.10A	----	39.00 - 0.40	.0701	----	----	----	----	2 UNCH
3590	----	----	41.80B/----	41.80B/43.50A	----	41.10 - 0.30	.0736	----	----	----	----	1 UNCH
3600	----	----	42.70B/----	42.70B/44.20A	----	42.00 - 0.30	.0750	----	----	3	----	356 + 3
3610	----	----	----	43.00B/45.50A	----	42.90 - 0.20	.0765	----	----	----	----	3 UNCH
3650	----	----	----	46.70B/49.30A	----	46.60 - 0.10	.0825	----	----	----	----	201 UNCH
3660	----	----	----	47.70B/50.10A	----	47.60 - 0.10	.0840	----	----	----	----	5 UNCH
3670	----	----	48.80B/----	48.80B/51.00A	----	48.60 UNCH	.0856	----	----	----	----	1 UNCH
3690	----	----	51.00B/----	51.00B/52.20A	----	50.60 UNCH	.0888	----	----	----	----	1 UNCH
3700	----	----	52.60B/----	52.60B/54.80A	----	51.70 UNCH	.0905	----	----	----	130	269 + 130
3710	----	----	53.80B/----	53.80B/55.90A	----	52.80 + 0.10	.0922	----	----	----	----	37 UNCH
3720	----	----	55.00B/----	55.00B/56.90A	----	53.90 + 0.10	.0939	----	----	----	----	1 UNCH
3725	----	----	55.60B/----	55.60B/57.50A	----	54.40 + 0.10	.0947	----	----	----	----	6 UNCH
3750	----	----	58.80B/----	58.80B/60.20A	----	57.20 + 0.10	.0991	----	----	----	----	166 UNCH
3760	----	----	60.00B/----	60.00B/61.30A	----	58.40 + 0.20	.1009	----	----	----	----	184 UNCH
3780	----	----	62.80B/----	62.80B/63.60A	----	60.80 + 0.30	.1046	----	----	----	----	1 UNCH
3800	----	----	65.80B/----	65.80B/66.00A	----	63.30 + 0.30	.1084	----	----	----	----	73 UNCH
3810	----	----	67.20B/----	67.20B/67.30A	----	64.50 + 0.30	.1103	----	----	----	----	56 UNCH
3850	----	----	73.20B/----	73.20B/72.40A	----	69.80 + 0.40	.1182	----	----	----	----	24 UNCH
3880	----	----	78.30B/----	78.30B/76.50A	----	74.10 + 0.50	.1245	----	----	----	----	1 UNCH
3900	----	----	81.50B/----	81.50B/79.30A	----	77.00 + 0.50	.1288	----	----	----	----	804 UNCH
3925	----	----	85.60B/----	85.60B/82.80A	----	80.70 + 0.40	.1342	----	----	----	----	207 UNCH
3930	----	----	86.50B/----	86.50B/83.50A	----	81.50 + 0.50	.1354	----	----	----	----	2 UNCH
3950	----	----	90.00B/----	90.00B/86.40A	----	84.70 + 0.50	.1400	----	----	----	----	27 UNCH
3975	----	----	94.40B/----	94.40B/90.10A	----	88.70 + 0.40	.1457	----	----	----	----	190 UNCH
3980	----	----	95.20B/----	95.20B/90.90A	----	89.60 + 0.50	.1470	----	----	2	----	136 + 2
4000	----	----	98.80B/----	98.80B/94.00A	----	93.00 + 0.40	.1518	----	----	----	----	1699 UNCH
4025	----	----	103.80B/----	103.80B/98.80A	----	97.40 + 0.40	.1580	----	----	----	----	220 UNCH
4070	----	----	113.40B/----	113.40B/107.20A	----	105.70 + 0.30	.1695	----	----	----	----	5 UNCH
4090	----	----	117.90B/----	117.90B/111.20A	----	109.60 + 0.20	.1748	----	----	----	----	1 UNCH
4100	----	----	120.10B/----	120.10B/113.20A	----	111.60 + 0.20	.1775	----	----	1	----	382 + 1
4130	----	----	127.20B/----	127.20B/119.60A	----	117.70 UNCH	.1857	----	----	----	----	2 UNCH
4160	----	----	134.50B/----	134.50B/126.00A	----	124.10 - 0.10	.1942	----	----	----	----	252 UNCH
4170	----	----	137.00B/----	137.00B/128.20A	----	126.30 - 0.10	.1971	----	----	----	----	2 UNCH
4175	----	----	138.30B/----	138.30B/129.40A	----	127.40 - 0.20	.1985	----	----	----	----	60 UNCH
4200	----	----	144.80B/----	144.80B/135.10A	----	133.10 - 0.30	.2059	----	----	1	----	687 + 1
4215	----	----	148.90B/----	148.90B/138.60A	----	136.60 - 0.30	.2104	----	----	----	----	14 UNCH
4250	----	----	158.60B/----	158.60B/147.10A	----	145.10 - 0.50	.2212	----	----	----	----	206 UNCH
4300	----	----	173.20B/----	173.20B/160.10A	----	158.00 - 0.60	.2372	----	----	110	90	2106 + 200
4320	----	----	179.40B/----	179.40B/165.60A	----	163.40 - 0.70	.2438	----	----	----	----	100 UNCH
4325	----	----	180.90B/----	180.90B/167.00A	----	164.70 - 0.80	.2454	----	----	----	----	300 UNCH
4340	----	----	185.80B/----	185.80B/171.20A	----	168.90 - 0.80	.2504	----	----	----	----	79 UNCH
4350	----	----	188.90B/----	188.90B/174.10A	----	171.70 - 0.90	.2538	----	----	----	----	101 UNCH
4375	----	----	197.10B/----	197.10B/181.40A	----	179.00 - 0.90	.2624	----	----	----	----	2 UNCH
4385	----	----	200.50B/----	200.50B/184.40A	----	182.00 - 0.90	.2659	----	----	----	----	75 UNCH
4390	----	----	202.20B/----	202.20B/185.90A	----	183.50 - 0.90	.2676	----	----	----	----	14 UNCH
4400	184.00	184.00	205.70B/184.00	205.70B/184.00	----	186.50 - 1.00	.2711	----	----	1	----	99 + 1
4425	----	----	214.70B/----	214.70B/196.90A	----	194.30 - 1.00	.2800	----	----	----	----	9 UNCH
4435	----	----	218.00B/----	218.00B/200.10A	----	197.50 - 0.90	.2836	----	----	----	----	14 UNCH
4450	----	----	223.70B/----	223.70B/205.00A	----	202.30 - 1.00	.2890	----	----	----	----	60 UNCH
4475	----	----	232.80B/----	232.80B/213.30A	----	210.60 - 1.00	.2982	----	----	----	----	8 UNCH
4500	----	----	242.50B/----	242.50B/222.00A	----	219.20 - 0.90	.3075	----	----	----	----	1117 UNCH
4510	----	----	246.40B/----	246.40B/225.50A	----	222.70 - 0.80	.3113	----	----	----	----	2 UNCH
4515	----	----	248.70B/----	248.70B/227.30A	----	224.50 - 0.80	.3132	----	----	----	----	242 UNCH
4520	----	----	250.40B/----	250.40B/229.10A	----	226.20 - 0.80	.3150	----	----	----	----	25 UNCH
4530	----	----	254.70B/----	254.70B/232.70A	----	229.80 - 0.80	.3188	----	----	----	----	20 UNCH
4535	----	----	256.40B/----	256.40B/234.50A	----	231.60 - 0.80	.3207	----	----	----	----	102 UNCH
4540	----	----	258.40B/----	258.40B/236.40A	----	233.50 - 0.70	.3227	----	----	----	----	1 UNCH
4550	----	----	262.50B/----	262.50B/240.10A	----	237.20 - 0.60	.3265	----	----	----	----	5 UNCH
4555	----	----	264.90B/----	264.90B/242.00A	----	239.00 - 0.60	.3284	----	----	----	----	50 UNCH
4580	----	----	275.40B/----	275.40B/251.50A	----	248.50 - 0.40	.3381	----	----	----	----	50 UNCH
4585	----	----	277.50B/----	277.50B/253.40A	----	250.40 - 0.40	.3401	----	----	----	----	325 UNCH
4600	----	----	283.70B/----	283.70B/259.30A	----	256.30 - 0.20	.3460	----	----	----	----	418 UNCH
4620	----	----	292.50B/----	292.50B/267.30A	----	264.30 UNCH	.3539	----	----	----	----	50 UNCH
4625	----	----	294.70B/----	294.70B/269.30A	----	266.30 UNCH	.3559	----	----	----	----	22 UNCH
4640	----	----	301.50B/----	301.50B/275.50A	----	272.50 + 0.20	.3619	----	----	----	----	100 UNCH
4650	----	----	306.00B/----	306.00B/279.60A	----	276.60 + 0.30	.3658	----	----	----	----	111 UNCH
4680	----	----	320.30B/----	320.30B/292.40A	----	289.40 + 0.60	.3779	----	----	----	----	60 UNCH
4690	----	----	324.70B/----	324.70B/296.70A	----	293.80 + 0.80	.3820	----	----	----	----	1 UNCH
4700	----	----	329.40B/----	329.40B/301.10A	----	298.20 + 0.90	.3860	----	----	----	----	522 UNCH
4750	----	----	354.40B/----	354.40B/323.80A	----	321.00 + 1.50	.4065	----	----	5	----	68 + 5
4790	----	----	374.60B/----	374.60B/342.70A	----	340.20 + 1.90	.4229	----	----	----	----	60 UNCH
4800	----	----	379.90B/----	379.90B/347.70A	----	345.10 + 2.00	.4270	----	----	----	----	152 UNCH
4810	----	----	385.60B/----	385.60B/352.70A	----	350.10 + 2.10	.4312	----	----	----	----	56 UNCH
4815	----	----	387.90B/----	387.90B/355.20A	----	352.60 + 2.10	.4332	----	----	----	----	10 UNCH
4820	----	----	390.50B/----	390.50B/357.70A	----	355.10 + 2.10	.4353	----	----	----	----	20 UNCH
4825	----	----	393.20B/----	393.20B/360.10A	----	357.70 + 2.30	.4373	----	----	----	----	100 UNCH
4850	----	----	406.80B/----	406.80B/372.80A	----	370.50 + 2.40	.4476	----	----	----	----	10 UNCH
4880	----	----	423.50B/----	423.50B/388.30A	----	386.30 + 2.60	.4600	----	----	----	----	11 UNCH
4900	----	----	434.90B/----	434.90B/398.90A	----	397.10 + 2.80	.4682	----	----	----	----	105 UNCH
4925	----	----	449.30B/----	449.30B/412.50A	----	410.90 + 3.00	.4783	----	----	----	----	137 UNCH
4950	----	----	464.50B/----	464.50B/426.30A	----	424.90 + 3.10	.4884	----	----	----	----	6 UNCH
4975	----	----	479.30B/----	479.30B/440.40A	----	439.20 + 3.30	.4985	----	----	----	----	43 UNCH
4980	----	----	482.00B/----	482.00B/443.20A	----	442.10 + 3.40	.5005	----	----	----	----	12 UNCH
4995	----	----	491.50B/----	491.50B/451.80A	----	450.80 + 3.50	.5065	----	----	----	----	32 UNCH
5000	----	----	494.20B/----	494.20B/454.70A	----	453.70 + 3.50	.5085	----	----	----	----	438 UNCH
5020	----	----	506.60B/----	506.60B/466.40A	----	465.60 + 3.70	.5164	----	----	----	----	8 UNCH
5025	----	----	509.70B/----	509.70B/469.30A	----	468.50 + 3.70	.5184	----	----	----	----	110 UNCH
5035	----	----	516.00B/----	516.00B/475.30A	----	474.50 + 3.80	.5223	----	----	----	----	8 UNCH
5050	----	----	525.50B/----	525.50B/484.20A	----	483.60 + 4.00	.5282	----	----	----	----	201 UNCH
5070	----	----	538.30B/----	538.30B/496.40A	----	495.80 + 4.20	.5360	----	----	----	----	1 UNCH
5075	----	----	541.50B/----	541.50B/499.40A	----	498.90 + 4.20	.5379	----	----	----	----	100 UNCH
5095	----	----	555.00B/----	555.00B/511.80A	----	511.30 + 4.40	.5456	----	----	----	----	6 UNCH
5100	----	----	558.30B/----	558.30B/514.80A	----	514.50 + 4.60	.5476	----	----	----	----	6 UNCH
5195	----	----	625.60B/----	625.60B/575.90A	----	575.80 + 5.80	.5832	----	----	----	----	5 UNCH
5200	----	----	625.30B/----	625.30B/579.20A	----	579.10 + 5.80	.5851	----	----	----	----	38 UNCH
5250	----	----	639.60B/----	639.60B/613.40A	----	612.90 + 6.50	.6031	----	----	----	----	126 UNCH
5290	----	----	667.80B/----	667.80B/641.10A	----	640.50 + 7.00	.6172	----	----	----	----	1 UNCH
5295	----	----	671.20B/----	671.20B/644.50A	----	644.00 + 7.10	.6189	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 23

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
DEC26												
5360	----	----	718.30B/----	718.30B/691.00A	----	690.20 + 7.80	.6410	----	----	----	----	100 UNCH
5370	----	----	725.80B/----	725.80B/698.60A	----	697.50 + 8.00	.6443	----	----	----	----	20 UNCH
5375	----	----	729.40B/----	729.40B/702.00A	----	701.10 + 8.00	.6459	----	----	----	----	34 UNCH
5400	----	----	748.10B/----	748.10B/720.40A	----	719.40 + 8.30	.6540	----	----	----	----	102 UNCH
5460	----	----	793.50B/----	793.50B/765.00A	----	764.20 + 8.90	.6729	----	----	----	----	200 UNCH
5465	----	----	797.40B/----	797.40B/768.70A	----	768.00 + 9.00	.6745	----	----	----	----	50 UNCH
5480	----	----	808.90B/----	808.90B/780.00A	----	779.30 + 9.00	.6791	----	----	----	----	50 UNCH
5500	----	----	824.40B/----	824.40B/795.30A	----	794.60 + 9.20	.6851	----	----	----	----	31 UNCH
5525	----	----	843.90B/----	843.90B/814.60A	----	813.90 + 9.40	.6925	----	----	----	----	80 UNCH
5600	----	----	----	662.10B/1114.70A	----	872.80 + 10.00	.7136	----	----	----	----	252 UNCH
5900	----	----	----	918.40B/1360.40A	----	1122.10 + 11.60	.7851	----	----	----	----	125 UNCH
6000	----	----	----	1008.20B/1446.20A	----	1209.10 + 12.10	.8046	----	----	----	----	40 UNCH
6500	----	----	----	1468.60B/1899.10A	----	1664.70 + 16.00	.8764	----	----	----	----	4 UNCH
TOTAL										123	220	21812 + 343
JAN27												
2800	----	----	----	2.40B/15.50A	----	8.90 - 0.30	.0160	----	----	----	----	10 UNCH
3000	----	----	----	7.30B/21.00A	----	13.60 - 0.40	.0244	----	----	----	----	3 UNCH
3520	----	----	----	43.20B/45.50A	----	41.50 - 2.60	.0693	----	----	----	----	1 UNCH
3680	----	----	60.90B/----	60.90B/62.20A	----	57.10 - 2.80	.0924	----	----	----	----	1 UNCH
3800	----	----	77.80B/----	77.80B/76.50A	----	71.80 - 2.50	.1133	----	----	----	----	1 UNCH
3825	----	----	81.60B/----	81.60B/79.70A	----	75.20 - 2.40	.1180	----	----	----	----	1 UNCH
3900	----	----	94.40B/----	94.40B/89.80A	----	86.20 - 2.10	.1331	----	----	----	----	1 UNCH
3980	----	----	109.70B/----	109.70B/101.90A	----	99.20 - 1.90	.1504	----	----	----	----	1 UNCH
4000	----	----	113.80B/----	113.80B/105.40A	----	102.70 - 1.90	.1550	----	----	----	----	1 UNCH
4350	----	----	206.70B/----	206.70B/188.40A	----	182.40 - 2.10	.2512	----	----	----	----	1 UNCH
4400	----	----	223.80B/----	223.80B/203.50A	----	197.40 - 1.90	.2675	----	----	----	----	1 UNCH
4500	----	----	260.60B/----	260.60B/236.90A	----	230.30 - 1.40	.3015	----	----	----	----	1 UNCH
4585	----	----	295.30B/----	295.30B/268.30A	----	261.60 - 0.90	.3319	----	----	----	----	1 UNCH
4600	----	----	302.00B/----	302.00B/274.10A	----	267.40 - 0.80	.3374	----	----	----	----	3 UNCH
4630	----	----	314.80B/----	314.80B/286.20A	----	279.40 - 0.60	.3484	----	----	----	----	1 UNCH
4660	----	----	328.30B/----	328.30B/298.60A	----	291.80 - 0.40	.3596	----	----	----	----	4 UNCH
4665	----	----	330.60B/----	330.60B/300.70A	----	293.90 - 0.40	.3615	----	----	----	----	4 UNCH
4760	----	----	376.10B/----	376.10B/342.30A	----	335.90 + 0.20	.3974	----	----	----	----	100 UNCH
4800	----	----	396.40B/----	396.40B/361.10A	----	354.80 + 0.40	.4127	----	----	----	----	6 UNCH
4820	----	----	406.70B/----	406.70B/370.90A	----	364.50 + 0.40	.4204	----	----	----	----	6 UNCH
4860	----	----	428.00B/----	428.00B/390.70A	----	384.50 + 0.60	.4358	----	----	----	----	1 UNCH
4990	----	----	501.80B/----	501.80B/460.10A	----	454.70 + 1.60	.4853	----	----	----	----	1 UNCH
4995	----	----	505.00B/----	505.00B/462.90A	----	457.60 + 1.70	.4872	----	----	----	----	1 UNCH
5000	----	----	508.00B/----	508.00B/465.80A	----	460.40 + 1.70	.4890	----	----	----	----	3 UNCH
5050	----	----	538.40B/----	538.40B/494.50A	----	489.50 + 2.20	.5076	----	----	----	----	100 UNCH
5085	----	----	560.30B/----	560.30B/515.30A	----	510.40 + 2.60	.5205	----	----	----	----	2 UNCH
5150	----	----	601.90B/----	601.90B/554.80A	----	550.20 + 3.10	.5440	----	----	----	----	2 UNCH
5235	----	----	659.20B/----	659.20B/609.30A	----	604.50 + 3.60	.5740	----	----	----	----	2 UNCH
5245	----	----	666.10B/----	666.10B/615.90A	----	611.10 + 3.70	.5774	----	----	----	----	2 UNCH
5300	----	----	697.70B/----	697.70B/652.70A	----	647.90 + 4.20	.5961	----	----	----	----	4 UNCH
TOTAL												266 0
FEB27												
4000	----	----	125.10B/----	125.10B/120.10A	----	112.80 + 1.50	.1616	----	----	----	----	1 UNCH
4600	----	----	319.00B/----	319.00B/294.60A	----	286.40 + 6.00	.3406	----	----	----	----	17 UNCH
4650	----	----	341.40B/----	341.40B/315.20A	----	306.60 + 6.10	.3582	----	----	----	----	1 UNCH
4655	----	----	343.70B/----	343.70B/317.30A	----	308.60 + 6.00	.3599	----	----	----	----	1 UNCH
4660	----	----	346.00B/----	346.00B/319.40A	----	310.70 + 6.00	.3617	----	----	----	----	435 UNCH
4665	----	----	348.30B/----	348.30B/321.50A	----	312.80 + 6.00	.3635	----	----	----	----	3 UNCH
4775	----	----	401.80B/----	401.80B/371.00A	----	361.30 + 5.30	.4033	----	----	----	----	1 UNCH
5000	----	----	526.40B/----	526.40B/487.30A	----	482.70 + 13.10	.4847	----	----	----	----	10 UNCH
5005	----	----	529.40B/----	529.40B/490.10A	----	485.60 + 13.20	.4865	----	----	----	----	2 UNCH
5100	----	----	588.00B/----	588.00B/545.60A	----	541.30 + 13.90	.5198	----	----	----	----	2 UNCH
5150	----	----	620.10B/----	620.10B/576.20A	----	571.50 + 13.50	.5371	----	----	----	----	1 UNCH
5175	----	----	636.50B/----	636.50B/591.90A	----	586.90 + 13.30	.5456	----	----	----	----	125 UNCH
5200	----	----	653.10B/----	653.10B/607.80A	----	602.50 + 13.00	.5542	----	----	----	----	1 UNCH
5355	----	----	732.50B/----	732.50B/711.60A	----	704.00 + 11.20	.6049	----	----	----	----	1 UNCH
5520	----	----	----	496.50B/1165.50A	----	822.00 + 11.50	.6540	----	----	----	----	300 UNCH
5530	----	----	----	504.40B/1175.20A	----	829.50 + 11.60	.6568	----	----	----	----	100 UNCH
5550	----	----	----	519.70B/1198.10A	----	844.50 + 11.80	.6623	----	----	----	----	65 UNCH
5565	----	----	----	531.20B/1207.90A	----	855.80 + 11.90	.6664	----	----	----	----	50 UNCH
TOTAL												1116 0
MAR27												
5000	----	----	----	#203.30B/771.30A	----	494.60 - 51.90	.4679	----	----	----	----	75 UNCH
TOTAL												75 0
APR27												
4300	----	----	----	#35.40B/*384.90A	----	209.20 - 51.80	.2454	----	----	----	----	150 UNCH
5000	----	----	----	#153.20B/862.90A	----	514.60 - 54.50	.4649	----	----	----	----	100 UNCH
TOTAL												250 0
DEC27												
3700	----	----	----	----	----	151.90 - 46.20	.1387	----	----	----	----	100 UNCH
3715	----	----	----	----	----	154.80 - 46.80	.1410	----	----	----	----	150 UNCH
3820	----	----	----	----	----	176.10 - 51.10	.1576	----	----	----	----	50 UNCH
4130	----	----	----	----	----	249.60 - 65.50	.2128	----	----	----	----	168 UNCH
4500	----	----	----	----	----	367.10 - 79.10	.2912	----	----	----	----	270 UNCH
4630	----	----	----	----	----	418.90 - 80.50	.3216	----	----	----	----	284 UNCH
4860	----	----	----	----	----	524.40 - 78.60	.3771	----	----	----	----	100 UNCH
5000	----	----	----	----	----	596.00 - 76.10	.4113	----	----	----	----	50 UNCH
5650	----	----	----	----	----	984.00 - 67.80	.5608	----	----	----	----	200 UNCH
5880	----	----	----	----	----	1142.70 - 65.10	.6078	----	----	----	----	200 UNCH
TOTAL												1572 0
JAN28												
5000	----	----	----	----	----	600.10 - 78.80	.4020	----	----	----	----	1 UNCH
5100	----	----	----	----	----	653.00 - 77.50	.4256	----	----	----	----	1 UNCH
TOTAL												2 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
3400	----	----	----	----	----	1367.40 - 20.00	.9987	----	----	----	----	1 UNCH
3500	----	----	----	----	----	1267.40 - 20.00	.9981	----	----	----	----	1 UNCH
3600	----	----	----/1,095.50A	1165.40B/1095.50A	----	1167.50 - 20.00	.9970	----	----	----	----	10 - 1
3675	----	----	----/1,020.00A	1090.50B/1020.00A	----	1092.60 - 20.00	.9963	----	----	----	----	8 UNCH
3685	----	----	----/1,010.70A	1080.60B/1010.70A	----	1082.60 - 20.00	.9958	----	----	----	----	8 UNCH
3700	----	----	----/995.70A	1065.60B/995.70A	----	1067.70 - 20.00	.9958	----	----	----	----	30 - 1
3720	----	----	----/975.20A	1045.60B/975.20A	----	1047.70 - 20.00	.9957	----	----	----	----	6 UNCH
3725	----	----	----/970.20A	1040.60B/970.20A	----	1042.70 - 20.00	.9952	----	----	----	----	8 UNCH
3735	----	----	----/960.20A	1030.70B/960.20A	----	1032.80 - 20.00	.9951	----	----	----	----	15 UNCH
3750	----	----	----/945.30A	1015.70B/945.30A	----	1017.80 - 20.00	.9951	----	----	----	----	56 UNCH
3800	----	----	----/884.10A	966.90B/884.10A	----	967.90 - 20.10	.9939	----	----	----	----	44 UNCH
3820	----	----	----/864.30A	947.00B/864.30A	----	948.00 - 20.10	.9933	----	----	----	----	4 UNCH
3840	----	----	----/844.50A	926.40B/844.50A	----	928.10 - 20.10	.9932	----	----	----	----	20 UNCH
3855	----	----	----/817.90A	911.50B/817.90A	----	913.10 - 20.20	.9926	----	----	----	----	2 UNCH
3875	----	----	----/798.20A	892.20B/798.20A	----	893.20 - 20.20	.9920	----	----	----	----	41 UNCH
3890	----	----	----/783.40A	876.40B/783.40A	----	878.30 - 20.20	.9918	----	----	----	----	1 UNCH
3895	----	----	----/778.50A	871.90B/778.50A	----	873.30 - 20.20	.9918	----	----	----	----	9 UNCH
3900	----	----	----/773.50A	868.20B/773.50A	----	868.30 - 20.20	.9913	----	----	----	----	112 UNCH
3950	----	----	----/724.40A	818.50B/724.40A	----	818.50 - 20.30	.9898	----	----	----	----	223 UNCH
3960	----	----	----/714.50A	807.30B/714.50A	----	808.60 - 20.30	.9897	----	----	----	----	11 UNCH
3975	----	----	----/699.80A	792.70B/699.80A	----	793.70 - 20.30	.9890	----	----	----	----	13 UNCH
3980	----	----	----/694.90A	788.20B/694.90A	----	788.70 - 20.40	.9890	----	----	----	----	97 UNCH
3995	----	----	----/680.30A	772.30B/680.30A	----	773.80 - 20.40	.9883	----	----	----	----	62 UNCH
4000	----	----	----/675.40A	768.80B/675.40A	----	768.80 - 20.40	.9877	----	----	----	----	143 UNCH
4005	----	----	----/670.50A	762.20B/670.50A	----	763.90 - 20.40	.9876	----	----	----	----	30 UNCH
4015	----	----	----/660.80A	752.30B/660.80A	----	753.90 - 20.50	.9870	----	----	----	----	5 UNCH
4020	----	----	----/655.90A	747.40B/655.90A	----	749.00 - 20.40	.9869	----	----	----	----	15 UNCH
4025	----	----	----/651.10A	741.80B/651.10A	----	744.00 - 20.40	.9868	----	----	----	----	2 UNCH
4050	----	----	----/626.90A	718.80B/626.90A	----	719.20 - 20.50	.9854	----	----	----	----	176 UNCH
4070	----	----	----/607.40A	697.50B/607.40A	----	699.40 - 20.50	.9841	----	----	----	----	25 UNCH
4075	----	----	----/602.80A	692.90B/602.80A	----	694.40 - 20.60	.9840	----	----	----	----	22 UNCH
4090	----	----	----/588.10A	683.50B/588.10A	----	679.60 - 20.60	.9827	----	----	----	----	1 UNCH
4100	----	----	----/579.30A	673.70B/579.30A	----	669.70 - 20.60	.9819	----	----	----	----	48 UNCH
4105	----	----	----/574.50A	668.80B/574.50A	----	664.80 - 20.60	.9813	----	----	----	----	10 UNCH
4115	----	----	----/564.20A	658.90B/564.20A	----	654.90 - 20.60	.9806	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
4120	----	----	----/560.20A	653.90B/560.20A	----	649.90 - 20.70	.9805	----	----	----	----	372 UNCH
4125	----	----	----/554.80A	649.00B/554.80A	----	645.00 - 20.70	.9798	----	----	----	----	1 UNCH
4130	----	----	----/549.80A	644.00B/549.80A	----	640.10 - 20.70	.9792	----	----	----	----	11 UNCH
4135	----	----	----/545.10A	639.10B/545.10A	----	635.10 - 20.70	.9791	----	----	----	----	3 UNCH
4145	----	----	----/536.30A	629.20B/536.30A	----	625.30 - 20.70	.9778	----	----	----	----	1 UNCH
4150	----	----	----/530.90A	624.30B/530.90A	----	620.40 - 20.70	.9776	----	----	----	----	255 UNCH
4155	----	----	----/526.00A	619.10B/526.00A	----	615.40 - 20.80	.9770	----	----	----	----	1 UNCH
4165	----	----	----/516.60A	609.60B/516.60A	----	605.60 - 20.80	.9756	----	----	----	----	3 UNCH
4170	----	----	----/512.00A	604.60B/512.00A	----	600.70 - 20.80	.9755	----	----	----	----	24 UNCH
4175	----	----	----/507.20A	599.70B/507.20A	----	595.80 - 20.80	.9748	----	----	----	----	3 UNCH
4180	----	----	----/502.40A	594.80B/502.40A	----	590.80 - 20.90	.9741	----	----	----	----	123 UNCH
4185	----	----	----/498.00A	589.90B/498.00A	----	585.90 - 20.90	.9734	----	----	----	----	3 UNCH
4190	----	----	----/493.10A	585.00B/493.10A	----	581.00 - 20.90	.9728	----	----	----	----	18 UNCH
4200	----	----	----/484.50A	575.20B/484.50A	----	571.20 - 20.90	.9714	----	----	----	----	822 UNCH
4205	----	----	----/479.10A	570.20B/479.10A	----	566.30 - 20.90	.9707	----	----	----	----	4 UNCH
4210	----	----	----/474.50A	565.40B/474.50A	----	561.40 - 20.90	.9699	----	----	----	----	23 UNCH
4220	----	----	----/465.20A	555.60B/465.20A	----	551.60 - 21.00	.9685	----	----	----	----	7 UNCH
4240	----	----	----/446.80A	536.00B/446.80A	----	532.10 - 21.00	.9655	----	----	----	----	21 UNCH
4245	----	----	----/442.40A	530.80B/442.40A	----	527.20 - 21.00	.9648	----	----	----	----	2 UNCH
4250	----	----	----/437.70A	526.20B/437.70A	----	522.30 - 21.10	.9635	----	----	----	----	277 UNCH
4255	----	----	----/433.70A	521.40B/433.70A	----	517.50 - 21.00	.9628	----	----	----	----	103 UNCH
4260	----	----	----/428.50A	516.30B/428.50A	----	512.60 - 21.10	.9620	----	----	----	----	8 UNCH
4265	----	----	----/424.60A	511.70B/424.60A	----	507.70 - 21.10	.9607	----	----	----	----	13 UNCH
4270	----	----	----/419.60A	506.80B/419.60A	----	502.90 - 21.10	.9599	----	----	----	----	29 UNCH
4275	----	----	----/415.20A	501.90B/415.20A	----	498.00 - 21.20	.9591	----	----	----	----	14 UNCH
4280	----	----	----/410.70A	497.00B/410.70A	----	493.20 - 21.10	.9578	----	----	----	----	1 UNCH
4285	----	----	----/406.30A	492.20B/406.30A	----	488.30 - 21.20	.9569	----	----	----	----	4 UNCH
4290	----	----	----/402.10A	487.40B/402.10A	----	483.50 - 21.20	.9556	----	----	----	----	44 UNCH
4295	----	----	----/397.00A	482.50B/397.00A	----	478.70 - 21.20	.9543	----	----	----	----	2 UNCH
4300	----	----	----/393.10A	477.70B/393.10A	----	473.80 - 21.30	.9534	----	----	----	----	1117 UNCH
4305	----	----	----/388.30A	472.80B/388.30A	----	469.00 - 21.20	.9521	----	----	----	----	2 UNCH
4315	----	----	----/379.50A	463.30B/379.50A	----	459.40 - 21.30	.9493	----	----	----	----	3 UNCH
4325	----	----	----/371.10A	453.70B/371.10A	----	449.80 - 21.30	.9470	----	----	----	----	562 UNCH
4330	----	----	----/366.50A	448.90B/366.50A	----	445.00 - 21.30	.9456	----	----	----	----	26 UNCH
4335	----	----	----/362.40A	443.80B/362.40A	----	440.20 - 21.40	.9437	----	----	----	----	1 UNCH
4340	----	----	----/358.00A	439.00B/358.00A	----	435.40 - 21.40	.9423	----	----	----	----	4 UNCH
4345	----	----	----/353.70A	434.40B/353.70A	----	430.60 - 21.40	.9408	----	----	----	----	2 UNCH
4350	----	----	----/349.40A	429.70B/349.40A	----	425.90 - 21.40	.9394	----	----	----	----	250 UNCH
4355	----	----	----/345.10A	425.00B/345.10A	----	421.10 - 21.50	.9374	----	----	----	----	40 UNCH
4360	----	----	----/340.90A	420.20B/340.90A	----	416.40 - 21.40	.9359	----	----	----	----	349 UNCH
4365	----	----	----/336.60A	415.50B/336.60A	----	411.60 - 21.50	.9340	----	----	----	----	5 UNCH
4370	----	----	----/332.40A	410.80B/332.40A	----	406.90 - 21.50	.9324	----	----	----	----	75 UNCH
4375	----	----	----/328.20A	406.00B/328.20A	----	402.20 - 21.50	.9304	----	----	----	----	34 UNCH
4380	----	----	----/324.00A	401.30B/324.00A	----	397.40 - 21.60	.9284	----	----	----	----	12 UNCH
4385	----	----	----/319.80A	396.60B/319.80A	----	392.70 - 21.60	.9264	----	----	----	----	4 UNCH
4390	----	----	----/315.70A	391.90B/315.70A	----	388.00 - 21.70	.9244	----	----	----	----	10 UNCH
4395	----	----	----/311.60A	387.20B/311.60A	----	383.40 - 21.60	.9223	----	----	----	----	5 UNCH
4400	----	----	----/307.50A	382.50B/307.50A	----	378.70 - 21.70	.9202	----	----	----	----	1635 UNCH
4405	----	----	----/303.30A	377.90B/303.30A	----	374.00 - 21.70	.9181	----	----	----	----	16 UNCH
4410	----	----	----/299.30A	373.20B/299.30A	----	369.40 - 21.70	.9156	----	----	----	----	44 UNCH
4415	----	----	----/295.30A	368.60B/295.30A	----	364.70 - 21.80	.9134	----	----	----	----	35 UNCH
4420	----	----	----/291.20A	363.90B/291.20A	----	360.10 - 21.80	.9108	----	----	----	----	50 UNCH
4425	----	----	----/287.20A	359.30B/287.20A	----	355.50 - 21.80	.9086	----	----	----	----	67 UNCH
4430	----	----	----/283.20A	354.70B/283.20A	----	350.80 - 21.90	.9060	----	----	----	----	16 UNCH
4435	----	----	----/279.20A	350.10B/279.20A	----	346.30 - 21.80	.9034	----	----	----	----	6 UNCH
4440	----	----	----/275.30A	345.80B/275.30A	----	341.70 - 21.90	.9007	----	----	----	----	62 UNCH
4445	----	----	----/271.40A	340.90B/271.40A	----	337.10 - 21.90	.8976	----	----	----	----	7 UNCH
4450	----	----	----/267.50A	336.90B/267.50A	----	332.50 - 22.00	.8949	----	----	----	----	270 UNCH
4455	----	----	----/263.60A	332.10B/263.60A	----	328.00 - 22.00	.8917	----	----	----	----	44 UNCH
4460	----	----	----/259.70A	327.60B/259.70A	----	323.50 - 22.00	.8889	----	----	----	----	27 UNCH
4465	----	----	----/255.90A	323.10B/255.90A	----	319.00 - 22.00	.8857	----	----	----	----	20 UNCH
4470	----	----	----/252.10A	318.60B/252.10A	----	314.50 - 22.10	.8825	----	----	----	----	53 UNCH
4475	----	----	----/248.30A	314.10B/248.30A	----	310.00 - 22.10	.8793	----	----	----	----	39 UNCH
4480	----	----	----/244.40A	309.80B/244.40A	----	305.50 - 22.20	.8756	----	----	----	----	117 UNCH
4485	----	----	----/240.70A	304.90B/240.70A	----	301.10 - 22.20	.8723	----	----	----	----	23 UNCH
4490	----	----	----/236.90A	300.90B/236.90A	----	296.70 - 22.10	.8686	----	----	----	----	19 UNCH
4495	----	----	----/233.20A	296.30B/233.20A	----	292.30 - 22.20	.8649	----	----	----	----	16 UNCH
4500	258.00	258.00	292.00B/229.50A	292.00B/229.50A	----	287.90 - 22.20	.8611	----	----	3	----	1257 + 1
4505	----	----	----/225.90A	287.50B/225.90A	----	283.50 - 22.20	.8573	----	----	----	----	29 UNCH
4510	----	----	----/222.20A	283.30B/222.20A	----	279.20 - 22.20	.8531	----	----	----	----	46 UNCH
4515	----	----	----/218.60A	278.90B/218.60A	----	274.80 - 22.30	.8493	----	----	----	----	16 UNCH
4520	----	----	----/215.00A	274.60B/215.00A	----	270.50 - 22.30	.8451	----	----	----	----	20 UNCH
4525	----	----	----/211.50A	270.20B/211.50A	----	266.20 - 22.30	.8408	----	----	----	----	23 UNCH
4530	----	----	----/207.90A	266.00B/207.90A	----	262.00 - 22.20	.8365	----	----	----	----	37 UNCH
4535	----	----	----/204.40A	261.40B/204.40A	----	257.70 - 22.30	.8319	----	----	----	----	30 UNCH
4540	----	----	----/201.00A	257.40B/201.00A	----	253.50 - 22.20	.8272	----	----	----	----	20 UNCH
4545	----	----	----/197.60A	252.90B/197.60A	----	249.30 - 22.20	.8224	----	----	----	----	4 UNCH
4550	----	----	----/193.20A	248.90B/193.20A	----	245.10 - 22.20	.8177	----	----	2	----	365 - 1
4555	----	----	----/189.70A	244.80B/189.70A	----	241.00 - 22.20	.8129	----	----	----	----	31 UNCH
4560	235.20	235.20	240.60B/186.40A	240.60B/186.40A	----	236.80 - 22.20	.8078	----	----	1	----	35 + 1
4565	----	----	----/183.00A	236.50B/183.00A	----	232.70 - 22.20	.8026	----	----	----	----	49 UNCH
4570	----	----	----/179.70A	232.50B/179.70A	----	228.70 - 22.10	.7974	----	----	----	----	205 UNCH
4575	----	----	----/176.40A	228.30B/176.40A	----	224.60 - 22.10	.7919	----	----	----	----	69 UNCH
4580	----	----	----/173.20A	224.00B/173.20A	----	220.60 - 22.10	.7867	----	----	----	----	6 UNCH
4585	206.60	206.60	220.40B/170.00A	220.40B/170.00A	----	216.60 - 22.10	.7811	----	----	9	----	100 - 1
4590	205.40	205.40	216.40B/166.90A	216.40B/166.90A	----	212.60 - 22.10	.7752	----	----	7	----	130 - 5
4595	----	----	----/163.50A	212.40B/163.50A	----	208.70 - 22.00	.7695	----	----	----	----	31 UNCH
4600	----	----	----/160.40A	208.40B/160.40A	----	204.80 - 21.90	.7636	----	----	1	----	2676 - 1
4605	----	----	----/156.90A	204.40B/156.90A	----	200.90 - 21.90	.7576	----	----	----	----	302 UNCH
4610	----	----	----/153.90A	200.70B/153.90A	----	197.10 - 21.80	.7513	----	----	----	----	77 UNCH
4615	----	----	----/151.20A	196.70B/151.20A	----	193.30 - 21.70	.7452	----	----	----	----	20 UNCH
4620	----	----	----/148.30A	192.90B/148.30A	----	189.50 - 21.70	.7386	----	----	----	----	26 UNCH
4625	----	----	----/144.70A	189.10B/144.70A	----	185.70 - 21.70	.7323	----	----	6	----	117 UNCH
4630	----	----	----/142.40A	185.30B/142.40A	----	182.00 - 21.60	.7256	----	----	12	----	39 - 1
4635	----	----	----/139.00A	181.60B/139.00A	----	178.30 - 21.50	.7190	----	----	1	----	229 UNCH
4640	----	----	----/136.50A	178.00B/136.50A	----	174.70 - 21.40	.7122	----	----	----	----	45 UNCH
4645	----	----	----/133.80A	174.00B/133.80A	----	171.10 - 21.30	.7053	----	----	----	----	6 UNCH
4650	----	----	----/130.50A	170.70B/130.50A	----	167.50 - 21.30	.6983	----	----	7	----	588 UNCH
4655	----	----	----/127.80A	167.20B/127.80A	----	164.00 - 21.10	.6911	----	----	1	----	222 - 1
4660	----	----	----/125.50A	163.50B/125.50A	----	160.40 - 21.10	.6838	----	----	----	----	151 UNCH
4665	----	----	----/122.70A	160.00B/122.70A	----	157.00 - 21.00	.6766	----	----	----	----	57 UNCH
4670	----	----	----/119.70A	156.50B/119.70A	----	153.60 - 20.90	.6691	----	----	----	----	118 UNCH
4675	----	----	----/116.90A	153.20B/116.90A	----	150.20 - 20.80	.6616	----	----	----	----	87 UNCH
4680	----	----	----/114.80A	149.70B/114.80A	----	146.80 - 20.70	.6540	----	----	----	----	163 UNCH
4685	----	----	----/111.80A	146.30B/111.80A	----	143.50 - 20.60	.6463	----	----	----	----	159 UNCH
4690	----	----	----/109.60A	143.10B/109.60A	----	140.20 - 20.50	.6385	----	----	----	----	49 UNCH
4695	----	----	----/107.10A	139.80B/107.10A	----	137.00 - 20.40	.6306	----	----	1	----	55 UNCH
4700	118.00	118.00	136.70B/104.60A	136.70B/104.60A	----	133.80 - 20.30	.6227	----	----	28	----	2234 + 1
4705	123.20	123.20	133.40B/101.90A	133.40B/101.90A	----	130.60 - 20.20	.6147	----	----	34	----	319 - 1
4710	----	----	----/100.00A	130.40B/100.00A	----	127.50 - 20.10	.6065	----	----	12	----	208 - 4
4715	----	----	----/97.70A	127.10B/97.70A	----	124.40 - 20.00	.5984	----	----	2	----	68 UNCH
4720	----	----	----/95.40A	124.20B/95.40A	----	121.40 - 19.80	.5902	----	----	2	----	265 + 2
4725	----	----	----/92.90A	121.00B/92.90A	----	118.40 - 19.70	.5819	----	----	14	----	145 - 5
4730	111.50	111.50	117.90B/91.10A	117.90B/91.10A	----	115.40 - 19.60	.5735	----	----	108	----	60 + 8
4735	----	----	----/88.80A	115.00B/88.80A	----	112.50 - 19.40	.5651	----	----	----	----	31 UNCH
4740	----	----	----/86.70A	112.10B/86.70A	----	109.60 - 19.30	.5566	----	----	----	----	160 UNCH
4745	----	----	----/84.60A	109.30B/84.60A	----	106.70 - 19.20	.5481	----	----	----	----	26 UNCH
4750	89.20	89.20	106.50B/82.30A	106.50B/82.30A	----	103.90 - 19.10	.5395	----	----	309	----	1384 + 56
4755	80.50	80.50	103.50B/80.20A	103.50B/80.20A	----	101.20 - 18.90	.5309	----	----	14	----	45 - 1
4760	96.20	96.20	100.90B/77.80A	100.90B/77.80A	----	98.50 - 18.70	.5222	----	----	58	----	99 + 13
4765	94.60	94.60	98.10B/75.60A	98.10B/75.60A	----	95.80 - 18.60	.5135	----	----	2	----	80 + 1
4770	77.50	77.50	95.60B/73.30A	95.60B/73.30A	----	93.20 - 18.40	.5048	----	----	2	----	87 UNCH
4775	71.30	71.30	93.00B/71.10A	93.00B/71.10A	----	90.60 - 18.20	.4961	----	----	33	----	242 + 3
4780	84.10	84.10	90.40B/69.00A	90.40B/69.00A	----	88.10 - 18.00	.4873	----	----	1	----	59 - 1
4785	----	----	----/66.90A	87.90B/66.90A	----	85.60 - 17.90	.4785	----	----	----	----	36 UNCH
4790	75.00	75.00	85.40B/64.70A	85.40B/64.70A	----	83.20 - 17.60	.4698	----	----	11	----	131 + 2
4795	----	----	----/62.90A	83.10B/62.90A	----	80.80 - 17.50	.4610	----	----	----	----	58 UNCH
4800	69.50	69.50	80.70B/60.00	80.70B/60.00	----	78.50 - 17.20	.4522	----	----	435	----	2334 - 52
4805	56.70	56.70	78.40B/56.70	78.40B/56.70	----	76.30 - 17.00	.4435	----	----	30	----	64 + 12
4810	70.50	70.50	76.10B/56.50	76.10B/56.50	----	74.00 - 16.80	.4347	----	----	61	----	587 + 5
4815	----	----	----/55.20A	73.90B/55.20A	----	71.90 - 16.50	.4261	----	----	----	----	14 UNCH
4820	66.50	66.50	71.80B/53.40A	71.80B/53.40A	----	69.70 - 16.40	.4173	----	----	80	----	200 + 7
4825	68.00	68.00	69.70B/51.00	69.70B/51.00	----	67.60 - 16.20	.4087	----	----	14	----	180 + 2
4830	58.00	58.00	67.60B/50.00A	67.60B/50.00A	----	65.50 - 16.00	.4000	----	----	7	----	74 - 4
4835	55.30	55.30	55.30/*48.30A	65.60B/*48.30A	----	63.50 - 15.80	.3914	----	----	2	----	12 + 2
4840	53.50	53.50	53.50/*46.70A	63.60B/*46.70A	----	61.50 - 15.60	.3828	----	----	2	----	34 UNCH
4845	57.80	57.80	61.70B/*45.10A	61.70B/*45.10A	----	59.60 - 15.40	.3744	----	----	2	----	132 - 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
4850	53.70	53.70	58.20/43.50A	59.90B/43.50A	----	57.70 - 15.20	.3659	----	----	163	----	1352 + 109
4855	----	----	----/*42.20A	58.00B/*42.20A	----	55.80 - 15.00	.3574	----	----	----	----	22 UNCH
4860	----	----	----/*40.80A	56.20B/*40.80A	----	54.00 - 14.80	.3490	----	----	----	----	50 UNCH
4865	47.30	47.30	47.30/*39.30A	54.50B/*39.30A	----	52.30 - 14.50	.3409	----	----	4	----	64 UNCH
4870	----	----	----/*38.00A	52.80B/*38.00A	----	50.50 - 14.40	.3325	----	----	----	----	106 UNCH
4875	----	----	----/36.60A	51.10B/36.60A	----	48.90 - 14.10	.3245	----	----	----	----	176 UNCH
4880	----	----	----/*35.40A	49.50B/*35.40A	----	47.30 - 13.90	.3166	----	----	----	----	30 UNCH
4885	----	----	----/*34.10A	47.90B/*34.10A	----	45.70 - 13.70	.3086	----	----	2	----	58 - 1
4890	38.00	38.00	38.00/*32.90A	46.50B/*32.90A	----	44.10 - 13.50	.3006	----	----	3	----	47 UNCH
4895	39.00	39.00	44.90B/*31.70A	44.90B/*31.70A	----	42.60 - 13.30	.2928	----	----	13	----	72 UNCH
4900	34.90	34.90	43.50B/30.50A	43.50B/30.50A	----	41.20 - 13.00	.2853	----	----	505	50	2247 + 99
4905	----	----	----/*29.50A	42.10B/*29.50A	----	39.80 - 12.80	.2778	----	----	----	----	43 UNCH
4910	38.00	38.00	40.70B/*28.40A	40.70B/*28.40A	----	38.40 - 12.60	.2703	----	----	1	----	87 + 1
4915	----	----	----/*27.50A	39.30B/*27.50A	----	37.10 - 12.30	.2631	----	----	----	----	69 UNCH
4920	35.00	35.00	35.00/*26.50A	38.10B/*26.50A	----	35.80 - 12.10	.2559	----	----	13	----	71 + 6
4925	32.70	32.70	32.70/*25.40A	36.90B/*25.40A	----	34.60 - 11.80	.2490	----	----	11	----	302 - 2
4930	31.30	31.30	35.60B/*24.50A	35.60B/*24.50A	----	33.40 - 11.60	.2421	----	----	13	----	196 + 2
4935	30.50	30.50	39.90/*23.80A	39.90/*23.80A	----	32.20 - 11.40	.2352	----	----	20	----	69 - 2
4940	29.60	29.60	29.60/*22.90A	33.30B/*22.90A	----	31.00 - 11.20	.2283	----	----	2	----	23 UNCH
4945	28.40	28.40	28.40/*22.10A	32.20B/*22.10A	----	29.90 - 11.00	.2217	----	----	2	----	34 UNCH
4950	28.90	28.90	30.40/*21.30A	31.20B/*21.30A	----	28.90 - 10.70	.2155	----	----	398	----	1464 + 30
4955	----	----	----/*20.50A	30.00B/*20.50A	----	27.90 - 10.50	.2093	----	----	----	----	10 UNCH
4960	----	----	----/*19.80A	29.10B/*19.80A	----	26.90 - 10.20	.2032	----	----	2	----	43 - 2
4965	----	----	----/*19.10A	28.00B/*19.10A	----	25.90 - 10.00	.1970	----	----	----	----	63 UNCH
4970	----	----	----/*18.40A	27.30B/*18.40A	----	25.00 - 9.80	.1912	----	----	30	----	60 - 12
4975	24.10	24.10	26.40B/*17.70A	26.40B/*17.70A	----	24.10 - 9.60	.1854	----	----	8	----	305 UNCH
4980	23.50	23.50	24.30/*17.00A	25.60B/*17.00A	----	23.20 - 9.40	.1797	----	----	32	----	253 - 7
4985	----	----	----/*16.40A	24.30B/*16.40A	----	22.40 - 9.10	.1744	----	----	----	----	170 UNCH
4990	21.50	21.50	23.40B/*15.80A	23.40B/*15.80A	----	21.50 - 9.00	.1686	----	----	14	----	56 - 4
4995	18.40	18.40	18.40/*15.20A	22.60B/*15.20A	----	20.80 - 8.70	.1637	----	----	1	----	113 UNCH
5000	22.50	22.50	22.50/14.70A	22.50/14.70A	----	20.00 - 8.50	.1584	----	----	944	----	4309 + 122
5005	18.40	18.40	18.40/*14.10A	21.00B/*14.10A	----	19.30 - 8.30	.1536	----	----	5	----	31 + 2
5010	17.70	17.70	17.70/*13.60A	20.30B/*13.60A	----	18.60 - 8.10	.1488	----	----	9	----	154 - 4
5015	16.10	16.10	16.60/*13.10A	20.10B/*13.10A	----	17.90 - 7.90	.1439	----	----	8	----	61 + 6
5020	16.40	16.40	16.40/*12.60A	19.00B/*12.60A	----	17.20 - 7.80	.1391	----	----	6	----	92 + 3
5025	----	----	----/*12.20A	18.30B/*12.20A	----	16.60 - 7.50	.1348	----	----	----	----	229 UNCH
5030	14.00	14.00	14.00/*11.70A	17.60B/*11.70A	----	16.00 - 7.30	.1305	----	----	2	----	266 UNCH
5035	14.60	14.60	14.60/*11.30A	17.00B/*11.30A	----	15.40 - 7.10	.1262	----	----	3	----	22 + 3
5040	15.30	15.30	15.30/*10.90A	16.40B/*10.90A	----	14.80 - 7.00	.1219	----	----	6	----	155 + 2
5045	16.40	16.40	16.60/*10.40	16.60/*10.40	----	14.30 - 6.70	.1182	----	----	925	----	949 - 254
5050	14.90	14.90	15.20/*10.10A	15.30B/*10.10A	----	13.70 - 6.60	.1139	----	----	961	----	1783 - 328
5055	11.50	11.50	11.50/*9.80A	14.70B/*9.80A	----	13.20 - 6.40	.1102	----	----	1	----	85 UNCH
5060	14.50	14.50	14.50/*9.40A	14.50/*9.40A	----	12.70 - 6.30	.1065	----	----	16	----	91 UNCH
5065	----	----	----/*9.10A	13.70B/*9.10A	----	12.30 - 6.00	.1033	----	----	1	----	21 UNCH
5070	12.50	12.50	12.50/*8.80A	13.50B/*8.80A	----	11.80 - 5.90	.0996	----	----	20	----	57 - 5
5075	----	----	----/*8.50A	13.00B/*8.50A	----	11.40 - 5.70	.0964	----	----	----	----	55 UNCH
5080	9.00	9.00	9.50/*8.20A	12.70B/*8.20A	----	11.00 - 5.50	.0933	----	----	18	----	149 + 6
5085	8.90	8.90	8.90/*7.90A	12.30B/*7.90A	----	10.60 - 5.40	.0902	----	----	2	----	325 UNCH
5090	8.60	8.60	8.60/*7.60A	11.80B/*7.60A	----	10.20 - 5.20	.0871	----	----	1	----	278 UNCH
5095	8.30	8.30	8.30/*7.30A	11.40B/*7.30A	----	9.80 - 5.10	.0840	----	----	2	----	25 UNCH
5100	10.90	10.90	11.00/*7.00	11.20B/*7.00	----	9.50 - 4.90	.0815	----	----	871	----	2530 + 583
5105	7.80	7.80	7.90/*6.90A	10.70B/*6.90A	----	9.10 - 4.80	.0785	----	----	7	----	13 - 3
5110	7.40	7.40	7.60/*6.60A	10.50B/*6.60A	----	8.80 - 4.60	.0760	----	----	6	----	421 UNCH
5115	7.30	7.30	8.00/*6.40A	10.10B/*6.40A	----	8.50 - 4.50	.0735	----	----	24	----	95 UNCH
5120	8.40	8.40	8.40/*6.20A	9.80B/*6.20A	----	8.20 - 4.40	.0711	----	----	9	----	39 - 4
5125	----	----	----/*6.00A	9.50B/*6.00A	----	7.90 - 4.20	.0687	----	----	4	----	348 - 1
5130	6.50	6.50	6.50/*5.80A	9.20B/*5.80A	----	7.60 - 4.10	.0662	----	----	3	----	89 - 3
5135	8.00	8.00	8.10/*5.60A	8.80B/*5.60A	----	7.40 - 3.90	.0645	----	----	34	----	177 - 2
5140	8.00	8.00	8.00/*5.40A	8.60B/*5.40A	----	7.10 - 3.90	.0621	----	----	5	----	262 + 2
5145	5.90	5.90	5.90/*5.30A	8.50B/*5.30A	----	6.90 - 3.70	.0603	----	----	41	----	78 UNCH
5150	8.00	8.00	8.00/*5.10A	8.00/*5.10A	----	6.60 - 3.70	.0579	----	----	85	----	1508 - 34
5155	5.40	5.40	5.40/*4.90A	7.80B/*4.90A	----	6.40 - 3.50	.0562	----	----	3	----	98 UNCH
5160	5.30	5.30	5.30/*4.80A	7.40B/*4.80A	----	6.20 - 3.40	.0544	----	----	5	----	319 UNCH
5165	5.40	5.40	5.60/*4.70A	7.20B/*4.70A	----	6.00 - 3.30	.0527	----	----	44	----	64 - 13
5170	5.00	5.00	5.40/*4.50A	7.20B/*4.50A	----	5.80 - 3.20	.0510	----	----	23	----	199 - 6
5175	----	----	----/*4.40A	7.00B/*4.40A	----	5.60 - 3.10	.0493	----	----	----	----	242 UNCH
5180	6.30	6.30	6.30/*4.30A	6.70B/*4.30A	----	5.50 - 2.90	.0483	----	----	2	----	40 + 2
5185	6.10	6.10	6.10/*4.10A	6.50B/*4.10A	----	5.30 - 2.90	.0466	----	----	2	----	35 UNCH
5190	5.70	5.70	5.70/*4.00A	6.30B/*4.00A	----	5.10 - 2.80	.0449	----	----	2	----	345 + 1
5195	5.70	5.70	5.70/*3.90A	6.10B/*3.90A	----	5.00 - 2.70	.0439	----	----	1	----	28 + 1
5200	6.00	6.00	6.00/*3.80A	6.00/*3.80A	----	4.80 - 2.70	.0423	----	----	396	----	2806 - 8
5205	5.30	5.30	5.30/*3.70A	5.80B/*3.70A	----	4.70 - 2.50	.0413	----	----	1	----	29 + 1
5210	4.90	4.90	4.90/*3.60A	5.70B/*3.60A	----	4.50 - 2.50	.0397	----	----	1	----	63 + 1
5215	----	----	----/*3.50A	5.50B/*3.50A	----	4.40 - 2.40	.0387	----	----	----	----	54 UNCH
5220	4.90	4.90	4.90/*3.40A	5.40B/*3.40A	----	4.30 - 2.30	.0378	----	----	1	----	267 + 1
5225	4.50	4.50	4.50/*3.30A	5.30B/*3.30A	----	4.10 - 2.30	.0361	----	----	1	----	182 + 1
5230	4.50	4.50	4.60/*3.20A	5.20B/*3.20A	----	4.00 - 2.20	.0352	----	----	4	----	45 + 1
5235	4.40	4.40	4.50/*3.00	5.00B/*3.00	----	3.90 - 2.20	.0343	----	----	4	----	64 UNCH
5240	----	----	----/*3.10A	4.90B/*3.10A	----	3.80 - 2.10	.0334	----	----	----	----	97 UNCH
5245	3.00	3.00	3.00/*3.00	4.70B/*3.00	----	3.70 - 2.00	.0324	----	----	3	----	59 - 2
5250	4.10	4.10	4.20/*2.90A	4.70B/*2.90A	----	3.60 - 2.00	.0315	----	----	110	----	1927 + 34
5255	----	----	----/*2.80A	4.60B/*2.80A	----	3.50 - 1.90	.0306	----	----	----	----	7 UNCH
5260	3.80	3.80	3.90/*2.80A	4.50B/*2.80A	----	3.40 - 1.90	.0297	----	----	3	----	111 UNCH
5265	3.50	3.50	3.50/*2.40	4.30B/*2.40	----	3.30 - 1.80	.0289	----	----	2	----	62 + 1
5270	3.70	3.70	3.70/*2.70A	4.10B/*2.70A	----	3.20 - 1.80	.0280	----	----	1	----	93 UNCH
5275	----	----	----/*2.60A	4.20B/*2.60A	----	3.20 - 1.70	.0278	----	----	1	----	203 UNCH
5280	3.50	3.50	3.50/*2.60A	4.00B/*2.60A	----	3.10 - 1.60	.0269	----	----	2	----	288 UNCH
5285	3.20	3.20	3.20/*2.50A	3.90B/*2.50A	----	3.00 - 1.60	.0260	----	----	1	----	36 UNCH
5290	3.10	3.10	3.10/*2.50A	3.90B/*2.50A	----	2.90 - 1.60	.0252	----	----	1	----	65 + 1
5295	3.20	3.20	3.20/*2.40A	3.90B/*2.40A	----	2.90 - 1.50	.0250	----	----	1	----	69 UNCH
5300	3.20	3.20	3.20/*2.20	3.60B/*2.20	----	2.80 - 1.50	.0242	----	----	369	----	2448 - 144
5305	2.30	2.30	2.30/*2.30	3.60B/*2.30	----	2.70 - 1.50	.0233	----	----	1	----	50 UNCH
5310	3.00	3.00	3.00/*2.30A	3.50B/*2.30A	----	2.70 - 1.40	.0232	----	----	5	----	36 + 5
5315	2.90	2.90	2.90/*2.20A	3.20B/*2.20A	----	2.60 - 1.40	.0223	----	----	1	----	35 + 1
5320	2.80	2.80	2.90/*2.20A	3.30B/*2.20A	----	2.60 - 1.30	.0222	----	----	4	----	530 + 1
5325	----	----	----/*2.10A	3.30B/*2.10A	----	2.50 - 1.30	.0214	----	----	1	----	110 UNCH
5330	2.70	2.70	2.70/*2.10A	3.30B/*2.10A	----	2.50 - 1.30	.0212	----	----	1	----	42 UNCH
5335	2.70	2.70	2.70/*2.00A	3.10B/*2.00A	----	2.40 - 1.30	.0204	----	----	3	----	243 - 1
5340	2.60	2.60	2.60/*1.90	3.00B/*1.90	----	2.30 - 1.30	.0196	----	----	2	----	134 + 1
5345	1.20	1.20	3.00B/*1.20	3.00B/*1.20	----	2.30 - 1.20	.0195	----	----	3	----	65 UNCH
5350	1.20	1.20	2.90B/*1.20	2.90B/*1.20	----	2.30 - 1.10	.0194	----	----	9	----	816 - 3
5355	----	----	----/*1.90A	2.80B/*1.90A	----	2.20 - 1.20	.0186	----	----	----	----	29 UNCH
5360	----	----	----/*1.90A	2.80B/*1.90A	----	2.20 - 1.10	.0185	----	----	----	----	106 UNCH
5365	----	----	----/*1.80A	2.70B/*1.80A	----	2.10 - 1.10	.0177	----	----	----	----	33 UNCH
5370	----	----	----/*1.80A	2.70B/*1.80A	----	2.10 - 1.10	.0176	----	----	----	----	127 UNCH
5375	----	----	----/*1.80A	2.60B/*1.80A	----	2.00 - 1.10	.0168	----	----	2	----	400 UNCH
5380	1.60	1.60	1.90/*1.60	2.60B/*1.60	----	2.00 - 1.00	.0167	----	----	2	----	77 UNCH
5385	1.90	1.90	1.90/*1.70A	2.50B/*1.70A	----	2.00 - 1.00	.0166	----	----	1	----	117 UNCH
5390	----	----	----/*1.70A	2.40B/*1.70A	----	1.90 - 1.00	.0158	----	----	----	----	100 UNCH
5395	----	----	----/*1.70A	2.40B/*1.70A	----	1.90 - 1.00	.0157	----	----	----	----	40 UNCH
5400	2.00	2.00	2.30B/*1.60A	2.30B/*1.60A	----	1.90 - 0.90	.0156	----	----	46	----	2505 - 23
5405	----	----	----/*1.60A	2.20B/*1.60A	----	1.80 - 1.00	.0149	----	----	----	----	63 UNCH
5410	----	----	----/*1.60A	2.30B/*1.60A	----	1.80 - 0.90	.0148	----	----	----	----	156 UNCH
5415	----	----	----/*1.60A	2.20B/*1.60A	----	1.80 - 0.90	.0147	----	----	----	----	35 UNCH
5420	----	----	----/*1.60A	2.20B/*1.60A	----	1.70 - 0.90	.0139	----	----	----	----	143 UNCH
5425	----	----	----/*1.60A	2.10B/*1.60A	----	1.70 - 0.80	.0139	----	----	----	----	100 UNCH
5430	----	----	----/*1.60A	2.00B/*1.60A	----	1.70 - 0.80	.0138	----	----	----	----	28 UNCH
5435	----	----	----/*1.50A	1.90B/*1.50A	----	1.60 - 0.90	.0130	----	----	----	----	15 UNCH
5440	----	----	----/*1.50A	1.90B/*1.50A	----	1.60 - 0.80	.0130	----	----	----	----	62 UNCH
5445	----	----	----/*1.50A	1.80B/*1.50A	----	1.60 - 0.80	.0129	----	----	----	----	116 UNCH
5450	----	----	----/*1.50A	1.80B/*1.50A	----	1.60 - 0.70	.0128	----	----	3	----	640 - 2
5455	----	----	----/*1.50A	1.80B/*1.50A	----	1.50 - 0.80	.0121	----	----	----	----	153 UNCH
5460	----	----	----/*1.40A	1.80B/*1.40A	----	1.50 - 0.70	.0120	----	----	----	----	37 UNCH
5465	----	----	----/*1.40A	1.80B/*1.40A	----	1.50 - 0.70	.0119	----	----	----	----	38 UNCH
5470	----	----	----/*1.40A	1.70B/*1.40A	----	1.50 - 0.70	.0119	----	----	----	----	253 UNCH
5475	----	----	----/*1.40A	1.70B/*1.40A	----	1.40 - 0.70	.0112	----	----	----	----	35 UNCH
5480	----	----	----/*1.40A	1.60B/*1.40A	----	1.40 - 0.70	.0111	----	----	----	----	34 UNCH
5485	----	----	----/*1.40A	1.50B/*1.40A	----	1.40 - 0.60	.0110	----	----	----	----	41 UNCH
5490	----	----	----/*1.30A	1.40B/*1.30A	----	1.40 - 0.60	.0110	----	----	----	----	35 UNCH
5495	----	----	----/*1.30A	1.50B/*1.30A	----	1.40 - 0.60	.0109	----	----	----	----	51 UNCH
5500	1.00	1.00	1.70/*0.10	1.70/*0.10	----	1.30 - 0.60	.0102	----	----	121	----	4322 - 109
5505	----	----	----/*1.30A	1.40B/*1.30A	----	1.30 - 0.60	.0102	----	----	----	----	92 UNCH
5510	----	----	----/*1.30A	1.30B/*1.30A	----	1.30 - 0.60	.0101	----	----	----	----	60 UNCH
5515	----	----	----/*1.30A	1.40B/*1.30A	----	1.30 - 0.50	.0101	----	----	----	----	13 UNCH
5520	----	----	----/*1.20A	1.40B/*1.20A	----	1.30 - 0.50	.0100	----	----	----	----	204 UNCH
5525	----	----	----/*1.20A	1.20B/*1.20A	----	1.30 - 0.50	.0100	----	----	----	----	86 UNCH
5530	----	----	----/*1.20A	1.20B/*1.20A	----	1.20 - 0.50	.0093	----	----	----	----	64 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
5535	----	----	----/*1.20A	1.20B/*1.20A	----	1.20 - 0.50	.0092	----	----	----	----	14 UNCH
5540	----	----	----/*1.20A	1.30B/*1.20A	----	1.20 - 0.50	.0092	----	----	----	----	27 UNCH
5545	----	----	----/*1.20A	1.10B/*1.20A	----	1.20 - 0.50	.0091	----	----	----	----	6 UNCH
5550	----	----	----/*1.20A	1.20B/*1.20A	----	1.20 - 0.40	.0091	----	----	2	----	851 UNCH
5555	1.30	1.30	1.30/*1.10A	1.30/*1.10A	----	1.20 - 0.40	.0090	----	----	1	----	19 UNCH
5560	----	----	----/*1.10A	1.10B/*1.10A	----	1.10 - 0.50	.0084	----	----	----	----	28 UNCH
5565	----	----	----/*1.10A	1.10B/*1.10A	----	1.10 - 0.50	.0083	----	----	----	----	46 UNCH
5570	----	----	----/*1.10A	1.10B/*1.10A	----	1.10 - 0.40	.0083	----	----	----	----	557 UNCH
5575	----	----	----/*1.10A	1.10B/*1.10A	----	1.10 - 0.40	.0082	----	----	----	----	239 UNCH
5580	1.20	1.20	1.20/*1.10A	1.20/*1.10A	----	1.10 - 0.40	.0082	----	----	2	----	139 + 2
5585	----	----	----/*1.10A	1.00B/*1.10A	----	1.10 - 0.40	.0082	----	----	----	----	20 UNCH
5590	----	----	----/*1.10A	1.00B/*1.10A	----	1.10 - 0.40	.0081	----	----	----	----	93 UNCH
5595	----	----	----/*1.10A	1.00B/*1.10A	----	1.10 - 0.30	.0081	----	----	----	----	17 UNCH
5600	1.40	1.40	1.40/*1.10	1.40/*1.10	----	1.00 - 0.40	.0074	----	----	12	----	3040 - 2
5610	----	----	----/*1.00A	0.90B/*1.00A	----	1.00 - 0.40	.0074	----	----	----	----	461 UNCH
5620	1.10	1.10	1.10/*1.00A	1.10/*1.00A	----	1.00 - 0.40	.0073	----	----	1	----	137 + 1
5625	----	----	----/*1.00A	0.90B/*1.00A	----	1.00 - 0.30	.0073	----	----	----	----	269 UNCH
5630	----	----	----/*1.00A	0.90B/*1.00A	----	1.00 - 0.30	.0072	----	----	1	----	147 UNCH
5640	----	----	----/*1.00A	0.90B/*1.00A	----	1.00 - 0.30	.0072	----	----	----	----	552 UNCH
5650	----	----	----/*0.90A	0.80B/*0.90A	----	0.90 - 0.40	.0065	----	----	----	----	707 UNCH
5660	----	----	----/*0.90A	0.80B/*0.90A	----	0.90 - 0.30	.0064	----	----	----	----	262 UNCH
5670	----	----	----/*0.90A	0.80B/*0.90A	----	0.90 - 0.30	.0064	----	----	----	----	41 UNCH
5675	----	----	----/*0.90A	0.80B/*0.90A	----	0.90 - 0.30	.0064	----	----	----	----	5 UNCH
5680	----	----	----/*0.90A	0.80B/*0.90A	----	0.90 - 0.30	.0063	----	----	----	----	94 UNCH
5690	----	----	----/*0.90A	0.80B/*0.90A	----	0.90 - 0.30	.0063	----	----	----	----	178 UNCH
5700	0.90	0.90	0.90/*0.90	0.90/*0.90	----	0.90 - 0.30	.0062	----	----	14	----	1835 - 1
5710	----	----	----/*0.90A	0.70B/*0.90A	----	0.90 - 0.20	.0062	----	----	----	----	49 UNCH
5720	----	----	----/*0.90A	0.70B/*0.90A	----	0.80 - 0.30	.0055	----	----	----	----	35 UNCH
5725	----	----	----/*0.90A	0.70B/*0.90A	----	0.80 - 0.30	.0055	----	----	----	----	432 UNCH
5730	----	----	----/*0.90A	0.70B/*0.90A	----	0.80 - 0.30	.0055	----	----	----	----	121 UNCH
5740	----	----	----/*0.90A	0.70B/*0.90A	----	0.80 - 0.30	.0054	----	----	----	----	55 UNCH
5750	----	----	----/*0.90A	0.70B/*0.90A	----	0.80 - 0.30	.0054	----	----	----	----	309 UNCH
5760	----	----	----/*0.80A	0.70B/*0.80A	----	0.80 - 0.30	.0054	----	----	----	----	63 UNCH
5770	----	----	----/*0.80A	0.60B/*0.80A	----	0.80 - 0.20	.0053	----	----	----	----	16 UNCH
5775	0.90	0.90	0.90/*0.80A	0.90/*0.80A	----	0.80 - 0.20	.0053	----	----	2	----	73 UNCH
5780	----	----	----/*0.80A	0.70B/*0.80A	----	0.80 - 0.20	.0053	----	----	----	----	22 UNCH
5790	----	----	----/*0.80A	0.60B/*0.80A	----	0.80 - 0.20	.0052	----	----	----	----	41 UNCH
5800	0.60	0.60	0.80/*0.60	0.80/*0.60	----	0.70 - 0.30	.0046	----	----	30	----	999 + 14
5810	----	----	----/*0.80A	0.60B/*0.80A	----	0.70 - 0.30	.0046	----	----	----	----	37 UNCH
5820	----	----	----/*0.80A	0.60B/*0.80A	----	0.70 - 0.30	.0046	----	----	2	----	50 - 1
5825	----	----	----/*0.80A	0.60B/*0.80A	----	0.70 - 0.30	.0045	----	----	----	----	112 UNCH
5830	----	----	----/*0.80A	0.60B/*0.80A	----	0.70 - 0.30	.0045	----	----	----	----	139 UNCH
5840	----	----	----/*0.70A	0.60B/*0.70A	----	0.70 - 0.20	.0045	----	----	----	----	87 UNCH
5850	----	----	----/*0.70A	0.60B/*0.70A	----	0.70 - 0.20	.0045	----	----	----	----	327 UNCH
5860	----	----	----/*0.70A	0.60B/*0.70A	----	0.70 - 0.20	.0044	----	----	----	----	68 UNCH
5870	----	----	----/*0.70A	0.60B/*0.70A	----	0.70 - 0.20	.0044	----	----	----	----	17 UNCH
5875	----	----	----/0.70A	0.50B/0.70A	----	0.70 - 0.20	.0044	----	----	----	----	123 UNCH
5880	----	----	----/*0.70A	0.60B/*0.70A	----	0.70 - 0.20	.0044	----	----	----	----	24 UNCH
5890	----	----	----/*0.70A	0.60B/*0.70A	----	0.70 - 0.10	.0043	----	----	----	----	23 UNCH
5900	----	----	----/*0.70A	0.50B/*0.70A	----	0.60 - 0.20	.0038	----	----	----	----	834 UNCH
5910	----	----	----/*0.70A	0.50B/*0.70A	----	0.60 - 0.20	.0037	----	----	----	----	61 UNCH
5920	----	----	----/*0.70A	0.50B/*0.70A	----	0.60 - 0.20	.0037	----	----	----	----	113 UNCH
5930	----	----	----/*0.70A	0.50B/*0.70A	----	0.60 - 0.20	.0037	----	----	----	----	136 UNCH
5940	----	----	----/*0.70A	0.50B/*0.70A	----	0.60 - 0.20	.0037	----	----	----	----	59 UNCH
5950	----	----	----/0.70A	0.50B/0.70A	----	0.60 - 0.20	.0036	----	----	----	----	441 UNCH
5960	----	----	----	0.50B/*0.70A	----	0.60 - 0.10	.0036	----	----	----	----	45 UNCH
5970	----	----	----	0.50B/*0.70A	----	0.60 - 0.10	.0036	----	----	----	----	35 UNCH
5980	----	----	----	0.50B/0.70A	----	0.60 - 0.10	.0036	----	----	----	----	129 UNCH
5990	----	----	----	0.50B/0.70A	----	0.60 - 0.10	.0035	----	----	----	----	72 UNCH
6000	0.10	0.10	0.50B/*0.10	0.50B/*0.10	----	0.60 - 0.10	.0035	----	----	4	----	3500 - 3
6025	----	----	----/*0.60A	0.40B/*0.60A	----	0.60 - 0.10	.0035	----	----	----	----	86 UNCH
6050	----	----	----	0.40B/0.60A	----	0.50 - 0.10	.0029	----	----	----	----	103 UNCH
6075	----	----	----	0.40B/0.60A	----	0.50 - 0.10	.0029	----	----	----	----	23 UNCH
6100	----	----	----/*0.50A	0.40B/*0.50A	----	0.50 - 0.10	.0028	----	----	----	----	522 UNCH
6125	----	----	----/*0.50A	0.40B/*0.50A	----	0.50 - 0.10	.0028	----	----	----	----	48 UNCH
6150	----	----	----/*0.50A	0.40B/*0.50A	----	0.50 - 0.10	.0027	----	----	----	----	132 UNCH
6175	----	----	----	0.30B/0.50A	----	0.50 UNCH	.0027	----	----	----	----	130 UNCH
6200	0.20	0.20	0.30B/*0.20	0.30B/*0.20	----	0.40 - 0.10	.0022	----	----	6	----	369 - 1
6225	----	----	----	0.30B/0.50A	----	0.40 - 0.10	.0022	----	----	----	----	138 UNCH
6250	0.40	0.40	0.40/*0.40	0.40/*0.40	----	0.40 - 0.10	.0021	----	----	1	----	259 - 1
6275	----	----	----/0.40A	0.30B/0.40A	----	0.40 - 0.10	.0021	----	----	----	----	34 UNCH
6300	----	----	----	0.30B/*0.40A	----	0.40 UNCH	.0021	----	----	----	----	254 UNCH
6325	----	----	----	0.30B/0.50A	----	0.40 UNCH	.0020	----	----	----	----	148 UNCH
6350	----	----	----	0.20B/*0.40A	----	0.40 UNCH	.0020	----	----	----	----	203 UNCH
6375	----	----	----	0.20B/*0.40A	----	0.30 - 0.10	.0015	----	----	----	----	24 UNCH
6400	----	----	----	0.20B/0.40A	----	0.30 - 0.10	.0015	----	----	----	----	345 UNCH
6425	----	----	----	0.20B/*0.40A	----	0.30 UNCH	.0015	----	----	----	----	42 UNCH
6450	----	----	----	0.20B/*0.40A	----	0.30 UNCH	.0015	----	----	----	----	76 UNCH
6475	----	----	----	0.30B/0.40A	----	0.30 UNCH	.0015	----	----	----	----	68 UNCH
6500	0.30	0.30	0.40/*0.30	0.40/*0.30	----	0.30 UNCH	.0014	----	----	100	----	1202 + 79
6525	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0014	----	----	----	----	20 UNCH
6550	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0010	----	----	----	----	75 UNCH
6575	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0010	----	----	----	----	10 UNCH
6600	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0009	----	----	----	----	72 UNCH
6625	----	----	----	0.10B/*0.30A	----	0.20 UNCH	.0009	----	----	----	----	38 UNCH
6650	----	----	----	0.10B/*0.30A	----	0.20 UNCH	.0009	----	----	----	----	57 UNCH
6675	----	----	----	0.10B/*0.30A	----	0.20 UNCH	.0009	----	----	----	----	29 UNCH
6700	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0009	----	----	----	----	381 UNCH
6725	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0009	----	----	----	----	101 UNCH
6750	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0009	----	----	----	----	64 UNCH
6775	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0009	----	----	----	----	7 UNCH
6800	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0009	----	----	----	----	616 UNCH
6825	----	----	----	----/0.30A	----	0.20 UNCH	.0009	----	----	----	----	8 UNCH
6850	----	----	----	----/0.30A	----	0.10 - 0.10	.0004	----	----	----	----	32 UNCH
6875	----	----	----	----/0.30A	----	0.10 - 0.10	.0004	----	----	----	----	13 UNCH
6900	----	----	----	----/0.30A	----	0.10 - 0.10	.0003	----	----	----	----	553 UNCH
6925	----	----	----	----/0.30A	----	0.10 - 0.10	.0003	----	----	----	----	1 UNCH
6950	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	34 UNCH
6975	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	7 UNCH
7000	----	----	----	0.10B/0.20A	----	0.10 UNCH	.0002	----	----	----	----	823 UNCH
7025	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	402 UNCH
7050	----	----	----	----/0.20A	----	0.10 UNCH	.0001	----	----	----	----	33 UNCH
7075	----	----	----	----/0.20A	----	0.10 UNCH	.0001	----	----	----	----	86 UNCH
7100	----	----	----	----/0.20A	----	0.10 UNCH	.0001	----	----	----	----	106 UNCH
7125	----	----	----	----/*0.20A	----	0.10 UNCH	.0001	----	----	----	----	14 UNCH
7150	----	----	----	----/*0.20A	----	0.10 UNCH	.0001	----	----	----	----	26 UNCH
7175	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	37 UNCH
7200	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	97 UNCH
7225	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	6 UNCH
7250	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	42 UNCH
7275	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	15 UNCH
7300	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH
7325	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
7350	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
7375	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH
7400	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	16 UNCH
7450	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	.0000	----	----	1	----	20 UNCH
7475	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	11 UNCH
7500	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	350 UNCH
7525	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	42 UNCH
7575	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	6 UNCH
7600	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	89 UNCH
7625	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
7650	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
7675	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	36 UNCH
7700	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	77 UNCH
7725	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
7750	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
7775	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
7800	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	23 UNCH
7825	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
7850	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
7875	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
7900	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
7950	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	39 UNCH
7975	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
8000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1098 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 27

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS												
MAY26														
8100	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	54	UNCH
8200	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1081	UNCH
8300	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	37	UNCH
8400	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
8500	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	74	UNCH
8600	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
8700	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	13	UNCH
8800	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
8900	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	14	UNCH
9000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	332	UNCH
9100	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	9	UNCH
9200	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
9300	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
9400	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
9500	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	53	UNCH
9600	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	7	UNCH
9700	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
9800	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	15	UNCH
9900	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	31	UNCH
10000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	767	UNCH
15000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	133	UNCH
TOTAL											7938	50	101711+	171
JUN26														
1995	----	----	----	----	----	2772.40	- 20.00	1.0000	----	----	30	----	0	UNCH
2000	----	----	----/2,692.60A	2763.80B/2692.60A	----	2767.40	- 20.00	1.0000	----	----	879	----	412	UNCH
2005	----	----	----	----	----	2762.40	- 20.00	1.0000	----	----	30	----	0	UNCH
2795	----	----	----	----	----	1972.40	- 20.00	.9986	----	----	----	----	0	UNCH
2800	----	----	----/1,894.40A	1967.50B/1894.40A	----	1967.40	- 20.00	.9986	----	----	1300	----	500	UNCH
2805	----	----	----	----	----	1962.40	- 20.00	.9986	----	----	----	----	0	UNCH
2995	----	----	----	----	----	1772.40	- 20.00	.9965	----	----	----	----	0	UNCH
3000	----	----	----/1,690.90A	1765.30B/1690.90A	----	1767.40	- 20.00	.9965	----	----	800	----	400 -	19
3005	----	----	----	----	----	1762.40	- 20.00	.9965	----	----	----	----	0	UNCH
3200	----	----	----/1,496.00A	1564.60B/1496.00A	----	1567.50	- 20.00	.9936	----	----	----	----	25	UNCH
3400	----	----	----/1,295.10A	1368.60B/1295.10A	----	1368.10	- 20.00	.9896	----	----	50	----	943 +	50
3500	----	----	----/1,186.80A	1267.30B/1186.80A	----	1268.70	- 20.00	.9866	----	----	----	----	58	UNCH
3525	----	----	----/1,162.30A	1238.40B/1162.30A	----	1243.90	- 20.00	.9854	----	----	----	----	1	UNCH
3550	----	----	----/1,138.10A	1213.90B/1138.10A	----	1219.20	- 19.90	.9845	----	----	----	----	1	UNCH
3580	----	----	----/1,096.50A	1188.10B/1096.50A	----	1189.40	- 20.00	.9832	----	----	----	----	18	UNCH
3585	----	----	----/1,091.60A	1183.10B/1091.60A	----	1184.50	- 20.00	.9832	----	----	----	----	100	UNCH
3600	----	----	----/1,076.90A	1168.30B/1076.90A	----	1169.70	- 20.00	.9824	----	----	----	----	214	UNCH
3635	----	----	----/1,042.70A	1133.60B/1042.70A	----	1135.10	- 20.00	.9807	----	----	----	----	60	UNCH
3650	----	----	----/1,028.00A	1118.80B/1028.00A	----	1120.30	- 20.00	.9798	----	----	----	----	143	UNCH
3665	----	----	----/1,013.40A	1104.00B/1013.40A	----	1105.40	- 20.10	.9790	----	----	----	----	3	UNCH
3700	----	----	----/979.40A	1070.20B/979.40A	----	1071.00	- 20.00	.9769	----	----	----	----	392	UNCH
3715	----	----	----/964.80A	1054.80B/964.80A	----	1056.20	- 20.10	.9760	----	----	----	----	25	UNCH
3725	----	----	----/955.10A	1048.90B/955.10A	----	1046.40	- 20.00	.9752	----	----	----	----	212	UNCH
3750	----	----	----/931.00A	1024.40B/931.00A	----	1021.80	- 20.10	.9735	----	----	----	----	1112	UNCH
3755	----	----	----/926.70A	1019.50B/926.70A	----	1016.90	- 20.10	.9731	----	----	----	----	15	UNCH
3785	----	----	----/897.80A	990.20B/897.80A	----	987.50	- 20.10	.9706	----	----	----	----	170	UNCH
3790	----	----	----/892.50A	985.20B/892.50A	----	982.60	- 20.10	.9702	----	----	----	----	1	UNCH
3800	----	----	----/882.90A	975.50B/882.90A	----	972.80	- 20.10	.9694	----	----	----	----	545	UNCH
3835	----	----	----/850.00A	941.30B/850.00A	----	938.60	- 20.20	.9661	----	----	----	----	1	UNCH
3840	----	----	----/844.70A	936.50B/844.70A	----	933.70	- 20.20	.9656	----	----	----	----	21	UNCH
3850	----	----	----/835.70A	926.80B/835.70A	----	923.90	- 20.20	.9647	----	----	----	----	322	UNCH
3875	----	----	----/811.50A	902.50B/811.50A	----	899.60	- 20.20	.9619	----	----	----	----	60	UNCH
3895	----	----	----/792.60A	883.40B/792.60A	----	880.20	- 20.20	.9598	----	----	----	----	1	UNCH
3900	----	----	----/787.90A	878.20B/787.90A	----	875.40	- 20.20	.9590	----	----	----	----	364	UNCH
3925	----	----	----/764.40A	854.10B/764.40A	----	851.20	- 20.20	.9558	----	----	----	----	4	UNCH
3950	----	----	----/741.10A	830.00B/741.10A	----	827.00	- 20.30	.9525	----	----	----	----	14	UNCH
3975	----	----	----/717.90A	806.00B/717.90A	----	803.00	- 20.30	.9488	----	----	----	----	106	UNCH
3990	----	----	----/704.10A	791.40B/704.10A	----	788.60	- 20.30	.9464	----	----	----	----	1	UNCH
3995	----	----	----/699.60A	786.80B/699.60A	----	783.80	- 20.40	.9456	----	----	----	----	5	UNCH
4000	----	----	----/695.00A	782.10B/695.00A	----	779.00	- 20.40	.9448	----	----	----	----	862	UNCH
4005	----	----	----/690.30A	777.30B/690.30A	----	774.30	- 20.30	.9437	----	----	----	----	10	UNCH
4010	----	----	----/685.70A	772.30B/685.70A	----	769.50	- 20.30	.9429	----	----	----	----	1	UNCH
4020	----	----	----/676.60A	762.80B/676.60A	----	760.00	- 20.30	.9413	----	----	----	----	2	UNCH
4025	----	----	----/672.10A	758.20B/672.10A	----	755.20	- 20.40	.9402	----	----	----	----	51	UNCH
4040	----	----	----/658.50A	744.20B/658.50A	----	740.90	- 20.40	.9374	----	----	----	----	1	UNCH
4050	----	----	----/649.40A	734.50B/649.40A	----	731.50	- 20.30	.9354	----	----	----	----	185	UNCH
4060	----	----	----/640.30A	725.00B/640.30A	----	722.00	- 20.40	.9334	----	----	----	----	25	UNCH
4070	----	----	----/631.30A	715.60B/631.30A	----	712.60	- 20.40	.9314	----	----	----	----	10	UNCH
4075	----	----	----/626.80A	710.90B/626.80A	----	707.80	- 20.50	.9303	----	----	----	----	64	UNCH
4090	----	----	----/613.40A	696.80B/613.40A	----	693.70	- 20.50	.9268	----	----	----	----	34	UNCH
4100	----	----	----/604.50A	687.80B/604.50A	----	684.40	- 20.40	.9245	----	----	----	----	682	UNCH
4105	----	----	----/600.00A	682.80B/600.00A	----	679.70	- 20.40	.9234	----	----	----	----	50	UNCH
4110	----	----	----/595.60A	678.00B/595.60A	----	675.00	- 20.40	.9222	----	----	----	----	2	UNCH
4115	----	----	----/591.20A	673.30B/591.20A	----	670.30	- 20.50	.9210	----	----	----	----	5	UNCH
4125	----	----	----/582.40A	664.10B/582.40A	----	661.00	- 20.50	.9184	----	----	----	----	95	UNCH
4135	----	----	----/573.60A	655.20B/573.60A	----	651.70	- 20.50	.9158	----	----	----	----	16	UNCH
4150	----	----	----/560.50A	641.30B/560.50A	----	637.80	- 20.50	.9116	----	----	----	----	263	UNCH
4155	----	----	----/556.20A	636.70B/556.20A	----	633.20	- 20.50	.9104	----	----	----	----	5	UNCH
4170	----	----	----/543.20A	622.90B/543.20A	----	619.40	- 20.50	.9060	----	----	----	----	51	UNCH
4175	----	----	----/538.90A	617.80B/538.90A	----	614.80	- 20.50	.9045	----	----	----	----	61	UNCH
4195	----	----	----/521.80A	599.50B/521.80A	----	596.60	- 20.40	.8982	----	----	----	----	1	UNCH
4200	----	----	----/517.50A	595.00B/517.50A	----	592.00	- 20.50	.8967	----	----	----	----	2079	UNCH
4210	----	----	----/509.10A	586.00B/509.10A	----	582.90	- 20.50	.8934	----	----	----	----	1582	UNCH
4220	----	----	----/500.60A	577.30B/500.60A	----	573.90	- 20.40	.8899	----	----	----	----	84	UNCH
4225	----	----	----/496.50A	572.40B/496.50A	----	569.40	- 20.40	.8883	----	----	----	----	15	UNCH
4235	----	----	----/488.10A	563.80B/488.10A	----	560.40	- 20.40	.8847	----	----	----	----	6	UNCH
4240	----	----	----/484.00A	559.00B/484.00A	----	555.90	- 20.50	.8829	----	----	----	----	53	UNCH
4245	----	----	----/479.80A	554.50B/479.80A	----	551.50	- 20.40	.8809	----	----	----	----	263	UNCH
4250	----	----	----/475.70A	550.10B/475.70A	----	547.00	- 20.40	.8791	----	----	----	----	922	UNCH
4255	----	----	----/471.60A	545.60B/471.60A	----	542.60	- 20.40	.8772	----	----	----	----	6	UNCH
4260	----	----	----/467.50A	541.40B/467.50A	----	538.10	- 20.40	.8752	----	----	----	----	1	UNCH
4265	----	----	----/463.40A	537.00B/463.40A	----	533.70	- 20.40	.8734	----	----	----	----	87	UNCH
4270	----	----	----/459.30A	532.30B/459.30A	----	529.30	- 20.40	.8713	----	----	----	----	11	UNCH
4280	----	----	----/451.20A	523.50B/451.20A	----	520.50	- 20.30	.8671	----	----	----	----	1	UNCH
4285	----	----	----/447.20A	519.00B/447.20A	----	516.10	- 20.30	.8651	----	----	----	----	1	UNCH
4300	500.00	500.00	500.00/435.10A	506.10B/435.10A	----	503.00	- 20.30	.8588	----	----	1	----	2117 +	1
4305	----	----	----/431.20A	501.80B/431.20A	----	498.60	- 20.30	.8564	----	----	----	----	1	UNCH
4310	----	----	----/427.20A	497.60B/427.20A	----	494.30	- 20.30	.8543	----	----	----	----	23	UNCH
4315	----	----	----/423.30A	493.00B/423.30A	----	490.00	- 20.20	.8520	----	----	----	----	1	UNCH
4320	----	----	----/419.30A	488.80B/419.30A	----	485.70	- 20.20	.8496	----	----	----	----	62	UNCH
4325	----	----	----/415.40A	484.50B/415.40A	----	481.40	- 20.20	.8475	----	----	----	----	72	UNCH
4335	----	----	----/407.60A	475.80B/407.60A	----	472.80	- 20.20	.8428	----	----	----	----	13	UNCH
4340	----	----	----/403.80A	471.80B/403.80A	----	468.50	- 20.20	.8402	----	----	----	----	17	UNCH
4345	----	----	----/399.90A	467.30B/399.90A	----	464.30	- 20.20	.8378	----	----	----	----	2	UNCH
4350	----	----	----/396.10A	463.40B/396.10A	----	460.10	- 20.10	.8352	----	----	----	----	1451	UNCH
4355	----	----	----/392.20A	458.80B/392.20A	----	455.80	- 20.20	.8328	----	----	----	----	129	UNCH
4360	----	----	----/388.40A	454.50B/388.40A	----	451.60	- 20.10	.8302	----	----	----	----	42	UNCH
4365	----	----	----/384.60A	450.70B/384.60A	----	447.40	- 20.10	.8276	----	----	----	----	4	UNCH
4370	----	----	----/380.80A	446.20B/380.80A	----	443.20	- 20.10	.8250	----	----	----	----	3	UNCH
4375	----	----	----/377.10A	442.10B/377.10A	----	439.10	- 20.00	.8224	----	----	----	----	106	UNCH
4380	----	----	----/373.30A	438.00B/373.30A	----	434.90	- 20.00	.8197	----	----	----	----	341	UNCH
4385	----	----	----/369.60A	433.70B/369.60A	----	430.80	- 20.00	.8169	----	----	----	----	3	UNCH
4390	----	----	----/365.90A	429.70B/365.90A	----	426.60	- 20.00	.8143	----	----	----	----	16	UNCH
4395	----	----	----/362.20A	425.60B/362.20A	----	422.50	- 20.00	.8114	----	----	----	----	10	UNCH
4400	----	----	----/358.50A	421.40B/358.50A	----	418.40	- 19.90	.8086	----	----	----	----	1458	UNCH
4410	----	----	----/351.20A	413.50B/351.20A	----	410.30	- 19.80	.8029	----	----	----	----	39	UNCH
4415	----	----	----/347.60A	409.30B/347.60A	----	406.20	- 19.80	.8000	----	----	----	----	176	UNCH
4420	----	----	----/343.90A	405.10B/343.90A	----	402.20	- 19.80	.7970	----	----	----	----	3	UNCH
4425	----	----	----/340.20A	401.20B/340.20A	----	398.10	- 19.80	.7941	----	----	----	----	274	UNCH
4430	----	----	----/336.00A	397.00B/336.00A	----	394.10	- 19.70	.7910	----	----	----	----	19	UNCH
4435	----	----	----/332.80A	393.10B/332.80A	----	390.10	- 19.70	.7879	----	----	----	----	20	UNCH
4440	----	----	----/328.70A	389.10B/328.70A	----	386.20	- 19.60	.7849	----	----	----	----	19	UNCH
4445	----	----	----/325.20A	385.40B/325.20A	----	382.20	- 19.60	.7818	----	----	----	----	5	UNCH
4450	----	----	----/322.00A	381.10B/322.00A	----	378.30	- 19.50	.7785	----	----	----	----	497	UNCH
4455	----	----	----/318.40A	377.50B/318.40A	----	374.30	- 19.60	.7754	----	----	----	----	6	UNCH
4460	----	----	----/314.40A	373.60B/314.40A	----	370.40	- 19.50	.7721	----	----	----	----	20	UNCH
4465	----	----	----/311.20A	369.70B/311.20A	----	366.50	- 19.50	.7689	----	----	----	----	18	UNCH
4470	----	----	----/307.70A	365.80B/307.70A	----	362.60	- 19.50	.7656	----	----	----	----	24	UNCH
4475	----	----	----/304.10A	361.90B/304.10A	----	358.80	- 19.30	.7623	----	----	----	----	22	UNCH
4480	----	----	----/300.20A	358.10B/300.20A	----	354.90	- 19.40	.7590	----	----	----	----	59	UNCH
4485	----	----	----/297.10A	354.00B/297.10A	----	351.10	- 19.30	.7555	----	----	----	----	6	UNCH
4490	----	----	----/293.30A	350.20B/293.30A	----	347.30	- 19.20	.7520	----	----	----	----	51	UNCH
4495	----	----	----/289.80A	346.40B/289.80A	----	343.50	- 19.20	.7486	----	----	----	----	6	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
4500	336.30	336.30	343.60B/286.80A	343.60B/286.80A	----	339.80 - 19.10	.7451	----	----	9	----	4391 - 5
4505	----	----	----/283.40A	339.60B/283.40A	----	336.00 - 19.10	.7416	----	----	----	----	49 UNCH
4510	----	----	----/280.00A	336.10B/280.00A	----	332.30 - 19.00	.7379	----	----	----	----	1475 UNCH
4515	----	----	----/276.60A	332.00B/276.60A	----	328.60 - 18.90	.7343	----	----	----	----	93 UNCH
4520	----	----	----/273.30A	328.30B/273.30A	----	324.90 - 18.90	.7308	----	----	----	----	51 UNCH
4525	----	----	----/270.00A	324.70B/270.00A	----	321.20 - 18.90	.7270	----	----	----	----	232 UNCH
4530	----	----	----/266.70A	320.50B/266.70A	----	317.60 - 18.80	.7233	----	----	----	----	13 UNCH
4535	----	----	----/263.40A	316.80B/263.40A	----	313.90 - 18.80	.7196	----	----	----	----	12 UNCH
4540	----	----	----/260.10A	313.60B/260.10A	----	310.30 - 18.70	.7158	----	----	----	----	78 UNCH
4545	----	----	----/256.90A	310.00B/256.90A	----	306.70 - 18.70	.7120	----	----	----	----	32 UNCH
4550	----	----	----/253.70A	306.40B/253.70A	----	303.10 - 18.60	.7082	----	----	----	----	219 UNCH
4555	----	----	----/250.50A	302.50B/250.50A	----	299.60 - 18.50	.7044	----	----	----	----	9 UNCH
4560	----	----	----/247.40A	299.40B/247.40A	----	296.10 - 18.40	.7004	----	----	----	----	159 UNCH
4565	----	----	----/244.30A	295.80B/244.30A	----	292.50 - 18.40	.6964	----	----	----	----	104 UNCH
4570	----	----	----/241.10A	292.40B/241.10A	----	289.10 - 18.30	.6925	----	----	----	----	35 UNCH
4575	----	----	----/238.10A	288.90B/238.10A	----	285.60 - 18.20	.6885	----	----	----	----	65 UNCH
4580	----	----	----/235.00A	284.90B/235.00A	----	282.10 - 18.20	.6845	----	----	----	----	8 UNCH
4585	----	----	----/232.00A	281.30B/232.00A	----	278.70 - 18.10	.6804	----	----	----	----	15 UNCH
4590	----	----	----/229.00A	278.50B/229.00A	----	275.30 - 18.00	.6764	----	----	----	----	79 UNCH
4595	----	----	----/226.00A	274.50B/226.00A	----	271.90 - 18.00	.6723	----	----	----	----	13 UNCH
4600	----	----	----/223.00A	271.80B/223.00A	----	268.60 - 17.80	.6681	----	----	64	----	5174 - 31
4605	----	----	----/220.10A	268.30B/220.10A	----	265.20 - 17.80	.6640	----	----	----	----	153 UNCH
4610	----	----	----/217.10A	264.50B/217.10A	----	261.90 - 17.70	.6598	----	----	----	----	2 UNCH
4615	----	----	----/214.30A	261.30B/214.30A	----	258.60 - 17.70	.6556	----	----	----	----	3 UNCH
4620	----	----	----/211.40A	258.30B/211.40A	----	255.30 - 17.60	.6513	----	----	1	----	20 + 1
4625	----	----	----/208.50A	255.10B/208.50A	----	252.10 - 17.50	.6470	----	----	----	----	196 UNCH
4630	----	----	----/205.70A	251.80B/205.70A	----	248.90 - 17.40	.6428	----	----	1	----	55 UNCH
4635	----	----	----/202.90A	248.30B/202.90A	----	245.70 - 17.30	.6384	----	----	----	----	6 UNCH
4640	----	----	----/200.20A	245.40B/200.20A	----	242.50 - 17.20	.6341	----	----	1	----	20 - 1
4645	----	----	----/197.40A	241.80B/197.40A	----	239.30 - 17.20	.6297	----	----	----	----	13 UNCH
4650	----	----	----/194.70A	239.20B/194.70A	----	236.20 - 17.10	.6253	----	----	2	----	1011 UNCH
4655	----	----	----/192.00A	235.90B/192.00A	----	233.10 - 17.00	.6209	----	----	----	----	28 UNCH
4660	----	----	----/189.40A	232.80B/189.40A	----	230.00 - 16.90	.6164	----	----	----	----	25 UNCH
4665	205.00	205.00	229.60B/186.80A	229.60B/186.80A	----	226.90 - 16.90	.6120	----	----	4	----	2 + 1
4670	----	----	----/184.20A	226.70B/184.20A	----	223.90 - 16.70	.6075	----	----	----	----	152 UNCH
4675	----	----	----/181.60A	223.60B/181.60A	----	220.90 - 16.70	.6030	----	----	----	----	511 UNCH
4680	----	----	----/179.00A	220.60B/179.00A	----	217.90 - 16.60	.5985	----	----	----	----	235 UNCH
4685	----	----	----/176.50A	217.50B/176.50A	----	215.00 - 16.50	.5939	----	----	----	----	32 UNCH
4690	----	----	----/174.00A	214.50B/174.00A	----	212.00 - 16.40	.5894	----	----	----	----	38 UNCH
4695	----	----	----/171.50A	211.70B/171.50A	----	209.10 - 16.40	.5848	----	----	35	----	51 + 32
4700	195.10	195.10	208.90B/169.10A	208.90B/169.10A	----	206.20 - 16.30	.5802	----	----	29	----	3362 + 11
4705	----	----	----/166.70A	205.90B/166.70A	----	203.40 - 16.20	.5756	----	----	----	----	3 UNCH
4710	----	----	----/164.30A	203.00B/164.30A	----	200.60 - 16.10	.5709	----	----	----	----	15 UNCH
4715	----	----	----/161.90A	200.10B/161.90A	----	197.70 - 16.10	.5663	----	----	----	----	13 UNCH
4720	----	----	----/159.50A	197.40B/159.50A	----	195.00 - 15.90	.5617	----	----	----	----	233 UNCH
4725	----	----	----/157.20A	194.60B/157.20A	----	192.20 - 15.90	.5570	----	----	149	----	350 - 42
4730	----	----	----/154.90A	191.80B/154.90A	----	189.40 - 15.80	.5523	----	----	38	----	45 + 32
4735	----	----	----/152.70A	189.00B/152.70A	----	186.70 - 15.70	.5476	----	----	----	----	90 UNCH
4740	177.60	177.60	186.30B/150.40A	186.30B/150.40A	----	184.00 - 15.60	.5429	----	----	14	----	45 + 9
4745	----	----	----/148.20A	183.60B/148.20A	----	181.30 - 15.60	.5382	----	----	1	----	14 + 1
4750	171.50	171.50	181.10B/146.00A	181.10B/146.00A	----	178.70 - 15.40	.5335	----	----	355	----	1819 - 129
4755	----	----	----/143.80A	178.30B/143.80A	----	176.00 - 15.40	.5288	----	----	1	----	103 + 1
4760	171.80	171.80	175.70B/141.70A	175.70B/141.70A	----	173.40 - 15.30	.5240	----	----	16	----	60 + 7
4765	----	----	----/139.60A	173.10B/139.60A	----	170.80 - 15.20	.5193	----	----	----	----	37 UNCH
4770	163.00	163.00	170.60B/137.50A	170.60B/137.50A	----	168.20 - 15.10	.5145	----	----	12	----	48 + 10
4775	----	----	----/135.40A	168.00B/135.40A	----	165.70 - 15.00	.5098	----	----	1	----	207 + 1
4780	158.00	158.00	165.50B/133.40A	165.50B/133.40A	----	163.20 - 14.80	.5050	----	----	4	----	103 - 1
4785	----	----	----/131.20A	163.00B/131.20A	----	160.80 - 14.70	.5003	----	----	----	----	31 UNCH
4790	----	----	----/129.40A	160.60B/129.40A	----	158.40 - 14.50	.4955	----	----	----	----	28 UNCH
4795	----	----	----/127.40A	158.20B/127.40A	----	156.00 - 14.40	.4907	----	----	----	----	43 UNCH
4800	135.70	135.70	156.20/125.30A	156.20/125.30A	----	153.60 - 14.30	.4860	----	----	264	----	2973 + 40
4805	----	----	----/123.60A	153.40B/123.60A	----	151.30 - 14.10	.4812	----	----	----	----	8 UNCH
4810	142.20	142.20	151.00B/121.70A	151.00B/121.70A	----	149.00 - 13.90	.4765	----	----	37	----	62 + 33
4815	----	----	----/119.70A	148.70B/119.70A	----	146.70 - 13.80	.4718	----	----	----	----	43 UNCH
4820	140.90	140.90	146.40B/117.80A	146.40B/117.80A	----	144.40 - 13.80	.4670	----	----	3	----	58 UNCH
4825	----	----	----/116.00A	144.10B/116.00A	----	142.20 - 13.60	.4623	----	----	----	----	152 UNCH
4830	----	----	----/114.40A	141.90B/114.40A	----	139.90 - 13.60	.4575	----	----	----	----	129 UNCH
4835	----	----	----/112.70A	139.70B/112.70A	----	137.70 - 13.50	.4528	----	----	----	----	2 UNCH
4840	120.00	120.00	137.50B/110.80A	137.50B/110.80A	----	135.50 - 13.50	.4481	----	----	3	----	37 UNCH
4845	----	----	----/109.10A	135.30B/109.10A	----	133.40 - 13.30	.4434	----	----	----	----	14 UNCH
4850	121.60	121.60	133.20B/107.60A	133.20B/107.60A	----	131.30 - 13.20	.4387	----	----	59	----	578 - 47
4855	----	----	----/105.70A	131.20B/105.70A	----	129.20 - 13.10	.4340	----	----	18	----	272 + 17
4860	----	----	----/104.10A	129.00B/104.10A	----	127.10 - 13.10	.4293	----	----	----	----	63 UNCH
4865	----	----	----/102.50A	126.90B/102.50A	----	125.00 - 13.00	.4246	----	----	----	----	26 UNCH
4870	----	----	----/101.10A	124.80B/101.10A	----	123.00 - 12.90	.4199	----	----	----	----	10 UNCH
4875	----	----	----/99.50A	122.80B/99.50A	----	121.00 - 12.80	.4153	----	----	3	----	120 UNCH
4880	115.00	115.00	120.80B/98.00A	120.80B/98.00A	----	119.10 - 12.60	.4107	----	----	1	----	64 + 1
4885	117.00	117.00	118.90B/96.30A	118.90B/96.30A	----	117.10 - 12.60	.4061	----	----	2	----	258 + 2
4890	----	----	----/94.80A	116.90B/94.80A	----	115.20 - 12.50	.4015	----	----	----	----	293 UNCH
4895	----	----	----/93.30A	115.00B/93.30A	----	113.30 - 12.40	.3969	----	----	5	----	204 UNCH
4900	106.70	106.70	113.20B/91.90A	113.20B/91.90A	----	111.40 - 12.30	.3923	----	----	276	----	3525 - 52
4905	102.00	102.00	111.30B/90.60A	111.30B/90.60A	----	109.60 - 12.20	.3878	----	----	10	----	18 + 9
4910	----	----	----/89.20A	109.40B/89.20A	----	107.80 - 12.00	.3833	----	----	----	----	27 UNCH
4915	92.50	92.50	107.60B/87.80A	107.60B/87.80A	----	106.00 - 11.90	.3788	----	----	1	----	41 + 1
4920	97.90	97.90	105.80B/86.30A	105.80B/86.30A	----	104.20 - 11.80	.3743	----	----	4	----	112 + 4
4925	----	----	----/84.90A	104.10B/84.90A	----	102.50 - 11.70	.3699	----	----	----	----	47 UNCH
4930	----	----	----/83.60A	102.30B/83.60A	----	100.80 - 11.60	.3655	----	----	----	----	205 UNCH
4935	86.90	86.90	100.60B/82.40A	100.60B/82.40A	----	99.10 - 11.40	.3610	----	----	1	----	7 + 1
4940	----	----	----/81.00A	98.90B/81.00A	----	97.40 - 11.40	.3566	----	----	----	----	102 UNCH
4945	----	----	----/79.90A	97.20B/79.90A	----	95.80 - 11.20	.3523	----	----	----	----	193 UNCH
4950	86.80	86.80	95.60B/78.60A	95.60B/78.60A	----	94.20 - 11.10	.3480	----	----	71	----	1070 + 43
4955	----	----	----/77.40A	94.00B/77.40A	----	92.60 - 10.90	.3437	----	----	----	----	33 UNCH
4960	----	----	----/76.20A	92.40B/76.20A	----	91.00 - 10.80	.3394	----	----	----	----	188 UNCH
4965	----	----	----/75.00A	90.80B/75.00A	----	89.40 - 10.80	.3351	----	----	----	----	37 UNCH
4970	----	----	----/73.70A	89.20B/73.70A	----	87.90 - 10.60	.3309	----	----	----	----	51 UNCH
4975	83.60	83.60	87.70B/72.70A	87.70B/72.70A	----	86.40 - 10.50	.3267	----	----	2	----	211 UNCH
4980	----	----	----/71.40A	86.20B/71.40A	----	84.90 - 10.40	.3225	----	----	----	----	74 UNCH
4985	----	----	----/70.30A	84.70B/70.30A	----	83.50 - 10.20	.3185	----	----	2	----	117 + 2
4990	79.20	79.20	83.30B/69.20A	83.30B/69.20A	----	82.00 - 10.20	.3143	----	----	808	----	893 - 358
4995	----	----	----/68.10A	81.80B/68.10A	----	80.60 - 10.00	.3102	----	----	----	----	41 UNCH
5000	79.90	79.90	80.70/67.40	80.70/67.40	----	79.20 - 9.90	.3062	----	----	1380	200	7756 + 127
5005	----	----	----/66.00A	79.00B/66.00A	----	77.90 - 9.70	.3023	----	----	----	----	301 UNCH
5010	----	----	----/65.00A	77.60B/65.00A	----	76.50 - 9.70	.2982	----	----	9	----	88 - 2
5015	----	----	----/64.00A	76.20B/64.00A	----	75.20 - 9.50	.2943	----	----	----	----	77 UNCH
5020	71.00	71.00	74.90B/63.00A	74.90B/63.00A	----	73.90 - 9.40	.2904	----	----	11	----	469 + 9
5025	62.10	62.10	73.60B/61.90A	73.60B/61.90A	----	72.60 - 9.30	.2865	----	----	2	----	69 - 1
5030	----	----	----/60.80A	72.30B/60.80A	----	71.30 - 9.20	.2826	----	----	2	----	120 + 2
5035	----	----	----/59.80A	71.00B/59.80A	----	70.10 - 9.10	.2789	----	----	----	----	54 UNCH
5040	63.30	63.30	69.80B/58.70A	69.80B/58.70A	----	68.80 - 9.00	.2750	----	----	10	----	52 UNCH
5045	63.40	63.40	68.50B/57.70A	68.50B/57.70A	----	67.60 - 8.90	.2713	----	----	4	----	26 + 4
5050	60.60	60.60	64.00/56.60A	67.40B/56.60A	----	66.50 - 8.70	.2677	----	----	52	----	1149 - 9
5055	----	----	----/55.60A	66.10B/55.60A	----	65.30 - 8.70	.2640	----	----	----	----	7 UNCH
5060	59.00	59.00	59.00/54.70A	65.00B/54.70A	----	64.10 - 8.60	.2602	----	----	3	----	87 + 2
5065	62.10	62.10	62.50/53.70A	63.90B/53.70A	----	63.00 - 8.50	.2567	----	----	9	----	37 + 9
5070	----	----	----/52.70A	62.80B/52.70A	----	61.90 - 8.40	.2531	----	----	----	----	81 UNCH
5075	52.20	52.20	52.20/51.80A	61.70B/51.80A	----	60.80 - 8.30	.2496	----	----	37	----	725 UNCH
5080	59.60	59.60	59.60/50.90A	60.60B/50.90A	----	59.70 - 8.20	.2461	----	----	1	----	155 + 1
5085	----	----	----/50.00A	59.60B/50.00A	----	58.70 - 8.00	.2427	----	----	----	----	129 UNCH
5090	----	----	----/49.10A	58.50B/49.10A	----	57.60 - 8.00	.2392	----	----	1	----	47 + 1
5095	56.00	56.00	56.00/48.20A	57.50B/48.20A	----	56.60 - 7.90	.2358	----	----	3	----	63 + 3
5100	52.30	52.30	57.00/47.40A	57.00/47.40A	----	55.60 - 7.80	.2325	----	----	72	----	4344 + 10
5105	52.60	52.60	52.60/46.60A	55.50B/46.60A	----	54.60 - 7.70	.2291	----	----	2	----	39 - 1
5110	53.00	53.00	53.00/45.70A	54.60B/45.70A	----	53.60 - 7.70	.2258	----	----	3	----	106 + 2
5115	52.00	52.00	52.00/44.90A	53.70B/44.90A	----	52.70 - 7.50	.2227	----	----	1	----	108 UNCH
5120	----	----	----/*44.10A	52.80B/*44.10A	----	51.70 - 7.50	.2193	----	----	1	----	53 UNCH
5125	----	----	----/*43.40A	51.90B/*43.40A	----	50.80 - 7.40	.2162	----	----	----	----	220 UNCH
5130	----	----	----/*42.60A	50.90B/*42.60A	----	49.90 - 7.30	.2131	----	----	4	----	46 + 2
5135	----	----	----/*41.90A	50.10B/*41.90A	----	49.00 - 7.30	.2099	----	----	1	----	44 UNCH
5140	----	----	----/*41.10A	49.20B/*41.10A	----	48.10 - 7.20	.2068	----	----	4	----	35 + 3
5145	----	----	----/*40.40A	48.40B/*40.40A	----	47.30 - 7.10	.2039	----	----	----	----	9 UNCH
5150	44.00	44.00	47.50B/*39.70A	47.50B/*39.70A	----	46.40 - 7.00	.2008	----	----	33	----	1888 + 20
5155	45.00	45.00	45.00/*39.00A	46.70B/*39.00A	----	45.60 - 6.90	.1979	----	----	3	----	25 + 3
5160	----	----	----/*38.30A	45.90B/*38.30A	----	44.80 - 6.90	.1950	----	----	1	----	97 + 1
5165	----	----	----/*37.70A	45.10B/*37.70A	----	44.00 - 6.80	.1921	----	----	23	----	153 + 22
5170	----	----	----/*37.00A	44.40B/*37.00A	----	43.20 - 6.70	.1893	----	----	----	----	46 UNCH
5175	37.70	37.70	37.70/*36.40A	43.60B/*36.40A	----	42.50 - 6.60	.1866	----	----	1	----	40 - 1
5180	40.60	40.60	40.60/*35.80A	42.90B/*35.80A	----	41.70 - 6.60	.1837	----	----	6	----	59 + 6

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG CALL COMEX GOLD OPTIONS
JUN26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
5185	----	----	----/*35.10A	42.10B/*35.10A	----	41.00 - 6.40	.1811	----	----	----	----	87 UNCH
5190	37.80	37.80	37.80/*34.50A	41.40B/*34.50A	----	40.30 - 6.30	.1785	----	----	5	----	504 + 1
5195	----	----	----/*33.90A	40.70B/*33.90A	----	39.50 - 6.40	.1756	----	----	----	----	499 UNCH
5200	35.50	35.50	40.00B/33.40A	40.00B/33.40A	----	38.90 - 6.20	.1732	----	----	519	----	6229 - 34
5205	----	----	----/*32.80A	39.30B/*32.80A	----	38.20 - 6.10	.1706	----	----	----	----	16 UNCH
5210	----	----	----/*32.20A	38.70B/*32.20A	----	37.50 - 6.10	.1680	----	----	----	----	3043 UNCH
5215	----	----	----/*31.70A	38.00B/*31.70A	----	36.90 - 5.90	.1656	----	----	----	----	58 UNCH
5220	----	----	----/*31.20A	37.40B/*31.20A	----	36.20 - 5.90	.1630	----	----	----	----	196 UNCH
5225	34.50	34.50	34.50/*30.60A	36.80B/*30.60A	----	35.60 - 5.80	.1607	----	----	7	----	289 + 6
5230	34.30	34.30	34.30/*30.10A	36.20B/*30.10A	----	35.00 - 5.70	.1583	----	----	1	----	106 + 1
5235	----	----	----/*29.60A	35.50B/*29.60A	----	34.40 - 5.60	.1560	----	----	----	----	149 UNCH
5240	----	----	----/*29.10A	35.00B/*29.10A	----	33.80 - 5.50	.1536	----	----	3	----	59 UNCH
5245	----	----	----/*28.60A	34.30B/*28.60A	----	33.20 - 5.50	.1513	----	----	----	----	19 UNCH
5250	29.90	29.90	33.80B/*28.20A	33.80B/*28.20A	----	32.60 - 5.40	.1490	----	----	10	200	3885 + 2
5255	31.60	31.60	31.60/*27.70A	33.20B/*27.70A	----	32.10 - 5.30	.1469	----	----	1	----	69 + 1
5260	----	----	----/*27.30A	32.70B/*27.30A	----	31.50 - 5.30	.1446	----	----	45	----	404 + 26
5265	30.50	30.50	30.50/*26.80A	32.20B/*26.80A	----	31.00 - 5.20	.1425	----	----	1	----	29 UNCH
5270	----	----	----/*26.40A	31.60B/*26.40A	----	30.50 - 5.10	.1405	----	----	----	25	51 + 2
5275	----	----	----/*25.90A	31.10B/*25.90A	----	29.90 - 5.10	.1382	----	----	7	----	26 - 2
5280	----	----	----/*25.50A	30.60B/*25.50A	----	29.40 - 5.00	.1361	----	----	----	----	91 UNCH
5285	----	----	----/*25.10A	30.10B/*25.10A	----	28.90 - 4.90	.1341	----	----	----	----	168 UNCH
5290	----	----	----/*24.70A	29.60B/*24.70A	----	28.40 - 4.90	.1321	----	----	----	----	35 UNCH
5295	27.40	27.40	27.40/*24.30A	29.10B/*24.30A	----	28.00 - 4.70	.1303	----	----	1	----	86 UNCH
5300	27.50	27.50	28.70B/24.00A	28.70B/24.00A	----	27.50 - 4.70	.1283	----	----	102	----	4857 + 44
5305	----	----	----/*23.60A	28.20B/*23.60A	----	27.00 - 4.70	.1263	----	----	1	----	397 + 1
5310	----	----	----/*23.20A	27.80B/*23.20A	----	26.60 - 4.60	.1245	----	----	----	----	118 UNCH
5315	----	----	----/*22.90A	27.30B/*22.90A	----	26.10 - 4.60	.1225	----	----	----	----	70 UNCH
5320	----	----	----/*22.50A	26.90B/*22.50A	----	25.70 - 4.50	.1208	----	----	----	----	140 UNCH
5325	----	----	----/*22.20A	26.40B/*22.20A	----	25.30 - 4.40	.1191	----	----	2	----	158 + 2
5330	----	----	----/*21.80A	26.00B/*21.80A	----	24.90 - 4.30	.1174	----	----	----	----	52 UNCH
5335	----	----	----/*21.50A	25.60B/*21.50A	----	24.50 - 4.20	.1157	----	----	----	----	12 UNCH
5340	22.50	22.50	22.50/*21.20A	25.20B/*21.20A	----	24.00 - 4.30	.1137	----	----	1	----	72 UNCH
5345	22.50	22.50	23.60/*20.80A	24.80B/*20.80A	----	23.70 - 4.10	.1123	----	----	7	----	23 + 7
5350	23.20	23.20	24.50/*20.50A	24.50/*20.50A	----	23.30 - 4.10	.1106	----	----	130	----	1732 - 122
5355	21.80	21.80	21.80/*20.20A	24.00B/*20.20A	----	22.90 - 4.10	.1089	----	----	6	----	18 + 6
5360	----	----	----/*19.90A	23.70B/*19.90A	----	22.50 - 4.10	.1072	----	----	----	----	52 UNCH
5365	----	----	----/*19.60A	23.30B/*19.60A	----	22.20 - 3.90	.1058	----	----	----	----	7 UNCH
5370	21.10	21.10	21.10/*19.30A	23.00B/*19.30A	----	21.80 - 3.90	.1041	----	----	1	----	71 UNCH
5375	----	----	----/*19.00A	22.60B/*19.00A	----	21.50 - 3.80	.1027	----	----	----	----	46 UNCH
5380	----	----	----/*18.80A	22.30B/*18.80A	----	21.10 - 3.90	.1011	----	----	----	----	95 UNCH
5385	----	----	----/*18.50A	21.90B/*18.50A	----	20.80 - 3.80	.0997	----	----	----	----	6 UNCH
5390	20.80	20.80	20.80/*18.20A	21.60B/*18.20A	----	20.50 - 3.70	.0984	----	----	1	----	61 + 1
5395	----	----	----/*18.00A	21.30B/*18.00A	----	20.10 - 3.70	.0967	----	----	----	----	44 UNCH
5400	19.90	19.90	20.90B/17.70A	20.90B/17.70A	----	19.80 - 3.70	.0953	----	----	39	----	5431 - 27
5405	19.00	19.00	19.00/*17.50A	20.60B/*17.50A	----	19.50 - 3.60	.0940	----	----	4	----	81 + 4
5410	----	----	----/*17.20A	20.30B/*17.20A	----	19.20 - 3.60	.0926	----	----	----	----	35 UNCH
5415	16.70	16.70	16.70/*16.70	20.00B/*16.70	----	18.90 - 3.60	.0913	----	----	1	----	14 UNCH
5420	----	----	----/*16.70A	19.70B/*16.70A	----	18.70 - 3.40	.0903	----	----	2	----	44 - 2
5425	----	----	----/*16.50A	19.50B/*16.50A	----	18.40 - 3.40	.0890	----	----	2	----	122 + 1
5430	----	----	----/*16.30A	19.20B/*16.30A	----	18.10 - 3.40	.0876	----	----	----	----	75 UNCH
5435	----	----	----/*16.00A	18.90B/*16.00A	----	17.80 - 3.40	.0863	----	----	----	----	15 UNCH
5440	16.50	16.50	16.50/*15.80A	18.60B/*15.80A	----	17.60 - 3.30	.0853	----	----	2	----	96 + 1
5445	----	----	----/*15.60A	18.40B/*15.60A	----	17.30 - 3.30	.0840	----	----	----	----	33 UNCH
5450	17.90	17.90	17.90/*15.40A	18.10B/*15.40A	----	17.10 - 3.20	.0830	----	----	8	----	1614 + 6
5455	----	----	----/*15.20A	17.80B/*15.20A	----	16.80 - 3.20	.0817	----	----	----	----	5 UNCH
5460	16.40	16.40	16.40/*14.90A	17.60B/*14.90A	----	16.60 - 3.10	.0807	----	----	2	----	116 + 1
5465	----	----	----/*14.80A	17.40B/*14.80A	----	16.30 - 3.10	.0794	----	----	----	----	38 UNCH
5470	----	----	----/*14.50A	17.10B/*14.50A	----	16.10 - 3.10	.0784	----	----	2	----	34 UNCH
5475	14.20	14.20	14.40/*14.20	16.90B/*14.20	----	15.90 - 3.00	.0775	----	----	5	----	75 + 5
5480	----	----	----/*14.10A	16.70B/*14.10A	----	15.70 - 2.90	.0765	----	----	----	----	27 UNCH
5485	14.40	14.40	14.40/*14.00A	16.40B/*14.00A	----	15.40 - 3.00	.0752	----	----	1	----	9 UNCH
5490	----	----	----/*13.80A	16.30B/*13.80A	----	15.20 - 2.90	.0742	----	----	----	----	178 UNCH
5495	----	----	----/*13.70A	16.10B/*13.70A	----	15.00 - 2.90	.0733	----	----	----	----	66 UNCH
5500	15.00	15.00	15.90B/13.50	15.90B/13.50	----	14.80 - 2.80	.0723	----	----	501	1160	7345 + 5
5505	----	----	----/*13.30A	15.70B/*13.30A	----	14.60 - 2.80	.0714	----	----	----	----	11 UNCH
5510	----	----	----/*13.10A	15.50B/*13.10A	----	14.40 - 2.80	.0704	----	----	----	----	185 UNCH
5515	----	----	----/*12.90A	15.30B/*12.90A	----	14.20 - 2.70	.0695	----	----	----	----	40 UNCH
5520	----	----	----/*12.80A	15.00B/*12.80A	----	14.00 - 2.70	.0686	----	----	----	----	26 UNCH
5525	----	----	----/*12.60A	14.80B/*12.60A	----	13.80 - 2.70	.0676	----	----	1	----	167 UNCH
5530	----	----	----/*12.50A	14.80B/*12.50A	----	13.70 - 2.60	.0670	----	----	----	----	39 UNCH
5535	12.20	12.20	12.20/*12.20	14.50B/*12.20	----	13.50 - 2.50	.0661	----	----	1	----	8 + 1
5540	----	----	----/*12.10A	14.30B/*12.10A	----	13.30 - 2.50	.0652	----	----	----	----	260 UNCH
5545	11.90	11.90	11.90/*11.90	14.10B/*11.90	----	13.10 - 2.50	.0642	----	----	1	----	19 + 1
5550	12.90	12.90	12.90/*11.70	14.10B/*11.70	----	13.00 - 2.40	.0637	----	----	2	----	776 + 2
5555	----	----	----/*11.70A	13.80B/*11.70A	----	12.80 - 2.40	.0627	----	----	----	----	8 UNCH
5560	----	----	----/*11.60A	13.70B/*11.60A	----	12.60 - 2.40	.0618	----	----	----	----	32 UNCH
5565	----	----	----/*11.40A	13.50B/*11.40A	----	12.50 - 2.30	.0612	----	----	----	----	2 UNCH
5570	12.00	12.00	12.00/*11.00	13.40B/*11.00	----	12.30 - 2.40	.0603	----	----	2	----	28 + 2
5575	----	----	----/*11.20A	13.20B/*11.20A	----	12.20 - 2.30	.0598	----	----	----	----	19 UNCH
5580	11.20	11.20	11.20/*11.00A	13.10B/*11.00A	----	12.00 - 2.30	.0589	----	----	1	----	13 + 1
5585	----	----	----/*10.90A	12.90B/*10.90A	----	11.90 - 2.20	.0583	----	----	----	----	11 UNCH
5590	----	----	----/*10.80A	12.80B/*10.80A	----	11.70 - 2.20	.0574	----	----	----	----	94 UNCH
5595	12.30	12.30	12.30/*10.70A	12.60B/*10.70A	----	11.60 - 2.20	.0569	----	----	2	----	30 UNCH
5600	10.10	10.10	11.30/*10.10	12.50B/*10.10	----	11.50 - 2.10	.0563	----	----	250	----	2243 - 77
5610	10.90	10.90	10.90/*10.00	12.20B/*10.00	----	11.20 - 2.10	.0549	----	----	4	----	72 + 3
5620	10.20	10.20	10.20/*10.00	12.00B/*10.00	----	10.90 - 2.10	.0534	----	----	3	----	60 + 3
5625	----	----	----/*10.00A	11.80B/*10.00A	----	10.80 - 2.00	.0529	----	----	----	----	404 UNCH
5630	10.10	10.10	10.10/*9.90A	11.80B/*9.90A	----	10.70 - 2.00	.0524	----	----	4	----	207 + 4
5640	9.80	9.80	9.80/*9.70A	11.50B/*9.70A	----	10.40 - 2.00	.0510	----	----	1	----	78 + 1
5650	9.70	9.70	9.70/*9.50A	11.30B/*9.50A	----	10.20 - 1.90	.0499	----	----	11	----	702 + 1
5660	----	----	----/*9.30A	10.90B/*9.30A	----	10.00 - 1.80	.0489	----	----	----	----	41 UNCH
5665	----	----	----/*9.20A	10.90B/*9.20A	----	9.90 - 1.80	.0483	----	----	----	----	3 UNCH
5670	----	----	----/*9.10A	10.70B/*9.10A	----	9.70 - 1.90	.0475	----	----	----	----	120 UNCH
5675	9.80	9.80	9.80/*9.00A	10.70B/*9.00A	----	9.60 - 1.90	.0470	----	----	1	----	23 + 1
5680	10.10	10.10	10.10/*8.90A	10.60B/*8.90A	----	9.50 - 1.80	.0465	----	----	1	----	47 + 1
5690	8.50	8.50	8.50/*8.50	10.20B/*8.50	----	9.30 - 1.80	.0454	----	----	1	----	157 + 1
5700	9.80	9.80	9.80/*8.60	10.00B/*8.60	----	9.10 - 1.80	.0444	----	----	11	----	1980 + 1
5710	----	----	----/*8.40A	9.80B/*8.40A	----	8.90 - 1.80	.0434	----	----	----	----	40 UNCH
5720	8.00	8.00	8.00/*8.00	9.60B/*8.00	----	8.80 - 1.70	.0428	----	----	1	----	18 + 1
5725	----	----	----/*8.20A	9.60B/*8.20A	----	8.70 - 1.70	.0423	----	----	----	----	16 UNCH
5730	8.00	8.00	8.00/*8.00	9.50B/*8.00	----	8.60 - 1.70	.0418	----	----	1	----	58 UNCH
5740	----	----	----/*7.90A	9.30B/*7.90A	----	8.40 - 1.70	.0408	----	----	----	----	58 UNCH
5750	7.90	7.90	7.90/*7.40	9.10B/*7.40	----	8.30 - 1.60	.0402	----	----	14	----	1681 - 2
5760	7.70	7.70	7.70/*7.60	9.00B/*7.60	----	8.10 - 1.60	.0393	----	----	2	----	19 + 1
5770	7.60	7.60	7.60/*7.40	8.80B/*7.40	----	8.00 - 1.50	.0387	----	----	2	----	32 + 2
5775	7.40	7.40	7.40/*7.30	8.70B/*7.30	----	7.90 - 1.50	.0382	----	----	3	----	221 + 3
5780	----	----	----/*7.40A	8.60B/*7.40A	----	7.80 - 1.60	.0377	----	----	----	----	219 UNCH
5790	----	----	----/*7.30A	8.50B/*7.30A	----	7.70 - 1.50	.0371	----	----	----	----	11 UNCH
5800	8.20	8.20	8.20/*7.10A	8.30B/*7.10A	----	7.60 - 1.40	.0365	----	----	71	----	3056 - 14
5810	----	----	----/*7.00A	8.10B/*7.00A	----	7.50 - 1.40	.0360	----	----	----	----	259 UNCH
5820	----	----	----/*6.90A	8.10B/*6.90A	----	7.30 - 1.40	.0350	----	----	----	----	34 UNCH
5825	6.90	6.90	6.90/*6.90	7.90B/*6.90	----	7.30 - 1.30	.0349	----	----	3	----	23 UNCH
5830	6.80	6.80	6.80/*6.80	7.90B/*6.80	----	7.20 - 1.30	.0345	----	----	1	----	16 + 1
5840	6.70	6.70	6.70/*6.70	7.70B/*6.70	----	7.10 - 1.30	.0339	----	----	1	----	22 UNCH
5850	6.40	6.40	6.40/*6.40	7.60B/*6.40	----	7.00 - 1.20	.0334	----	----	1	----	472 UNCH
5860	6.30	6.30	6.30/*6.30	7.50B/*6.30	----	6.90 - 1.20	.0328	----	----	1	----	24 + 1
5870	----	----	----/*6.40A	7.30B/*6.40A	----	6.80 - 1.10	.0323	----	----	----	----	32 UNCH
5875	----	----	----/*6.30A	7.30B/*6.30A	----	6.70 - 1.20	.0318	----	----	----	----	197 UNCH
5880	6.30	6.30	6.30/*6.30	7.10B/*6.30	----	6.70 - 1.10	.0317	----	----	1	----	18 + 1
5890	----	----	----/*6.20A	7.10B/*6.20A	----	6.60 - 1.10	.0312	----	----	----	----	138 UNCH
5900	5.90	5.90	5.90/*5.90	6.90B/*5.90	----	6.50 - 1.10	.0307	----	----	93	----	1407 + 39
5910	----	----	----/*6.00A	6.80B/*6.00A	----	6.40 - 1.10	.0301	----	----	----	----	12 UNCH
5920	5.70	5.70	5.70/*5.70	6.70B/*5.70	----	6.30 - 1.10	.0296	----	----	2	----	40 + 2
5930	5.60	5.60	5.60/*5.60	6.60B/*5.60	----	6.20 - 1.10	.0291	----	----	2	----	59 + 1
5940	----	----	----/5.80A	6.50B/5.80A	----	6.10 - 1.10	.0286	----	----	----	----	4 UNCH
5950	----	----	----/5.70A	6.40B/5.70A	----	6.00 - 1.10	.0281	----	----	----	----	169 UNCH
5960	5.40	5.40	5.40/*5.40	6.30B/*5.40	----	5.90 - 1.10	.0276	----	----	1	----	37 + 1
5970	----	----	----/5.50A	6.20B/5.50A	----	5.80 - 1.10	.0271	----	----	----	----	36 UNCH
5980	----	----	----/5.50A	6.10B/5.50A	----	5.70 - 1.10	.0266	----	----	----	----	7 UNCH
5990	----	----	----/5.40A	6.00B/5.40A	----	5.60 - 1.10	.0261	----	----	----	----	4 UNCH
6000	6.40	6.40	6.40/5.10	6.40/5.10	----	5.50 - 1.10	.0256	----	----	247	200	8512 - 199
6010	----	----	----/5.20A	5.90B/5.20A	----	5.50 - 1.00	.0255	----	----	----	----	10 UNCH
6020	----	----	----/5.20A	5.80B/5.20A	----	5.40 - 1.00	.0250	----	----	----	----	23 UNCH
6030	----	----	----/5.10A	5.70B/5.10A	----	5.30 - 1.00	.0245	----	----	----	----	31 UNCH
6040	----	----	----/5.00A	5.60B/5.00A	----	5.20 - 1.00	.0240	----	----	----	----	26 UNCH
6050	----	----	----/4.90A	5.50B/4.90A	----	5.20 - 0.90	.0239	----	----	----	----	281 UNCH
6060	----	----	----/4.90A	5.50B/4.90A	----	5.10 - 0.90	.0234	----	----	----	----	32 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
6070	----	----	----/4.80A	5.40B/4.80A	----	5.00 - 1.00	.0229	----	----	----	----	34 UNCH
6080	----	----	----/4.80A	5.30B/4.80A	----	4.90 - 1.00	.0225	----	----	----	----	10 UNCH
6090	----	----	----/4.70A	5.30B/4.70A	----	4.90 - 0.90	.0224	----	----	----	----	25 UNCH
6100	4.10	4.10	5.20B/*4.10	5.20B/*4.10	----	4.80 - 1.00	.0219	----	----	1	----	2395 + 1
6110	----	----	----/4.60A	5.10B/4.60A	----	4.70 - 1.00	.0215	----	----	----	----	65 UNCH
6120	----	----	----/4.50A	5.10B/4.50A	----	4.70 - 0.90	.0214	----	----	----	----	11 UNCH
6125	----	----	----/4.50A	5.00B/4.50A	----	4.70 - 0.90	.0213	----	----	----	----	16 UNCH
6130	----	----	----/4.50A	5.00B/4.50A	----	4.60 - 0.90	.0209	----	----	----	----	10 UNCH
6140	----	----	----/4.40A	4.90B/4.40A	----	4.60 - 0.90	.0208	----	----	----	----	8 UNCH
6150	----	----	----/4.40A	4.90B/4.40A	----	4.50 - 0.90	.0204	----	----	----	----	510 UNCH
6160	----	----	----/4.30A	4.80B/4.30A	----	4.50 - 0.80	.0203	----	----	----	----	136 UNCH
6170	----	----	----/4.30A	4.80B/4.30A	----	4.40 - 0.90	.0198	----	----	----	----	17 UNCH
6180	----	----	----/4.20A	4.70B/4.20A	----	4.40 - 0.80	.0197	----	----	----	----	75 UNCH
6190	----	----	----/4.20A	4.70B/4.20A	----	4.30 - 0.90	.0193	----	----	----	----	2 UNCH
6200	----	----	----/4.10A	4.60B/4.10A	----	4.30 - 0.80	.0192	----	----	160	----	4304 + 160
6210	----	----	----/4.10A	4.60B/4.10A	----	4.20 - 0.80	.0188	----	----	----	----	53 UNCH
6220	----	----	----/4.10A	4.50B/4.10A	----	4.20 - 0.80	.0187	----	----	----	----	7 UNCH
6230	----	----	----/4.00A	4.40B/4.00A	----	4.10 - 0.80	.0182	----	----	----	----	66 UNCH
6240	----	----	----/4.00A	4.40B/4.00A	----	4.10 - 0.80	.0182	----	----	----	----	21 UNCH
6250	4.30	4.30	4.30/3.90A	4.30/3.90A	----	4.00 - 0.80	.0177	----	----	22	----	1324 + 17
6260	----	----	----/3.90A	4.30B/3.90A	----	4.00 - 0.70	.0177	----	----	----	----	8 UNCH
6270	----	----	----/3.80A	4.20B/3.80A	----	3.90 - 0.80	.0172	----	----	----	----	146 UNCH
6280	----	----	----/3.80A	4.20B/3.80A	----	3.90 - 0.70	.0172	----	----	----	----	12 UNCH
6290	----	----	----/3.70A	4.20B/3.70A	----	3.80 - 0.80	.0167	----	----	----	----	19 UNCH
6300	----	----	----/3.70A	4.10B/3.70A	----	3.80 - 0.70	.0167	----	----	----	----	2450 UNCH
6310	----	----	----/3.70A	4.10B/3.70A	----	3.80 - 0.70	.0166	----	----	----	----	2 UNCH
6320	----	----	----/3.60A	4.00B/3.60A	----	3.70 - 0.70	.0162	----	----	----	----	24 UNCH
6330	----	----	----/3.60A	3.90B/3.60A	----	3.70 - 0.70	.0161	----	----	----	----	33 UNCH
6340	----	----	----/3.60A	3.90B/3.60A	----	3.60 - 0.70	.0157	----	----	----	----	35 UNCH
6350	----	----	----/3.50A	3.90B/3.50A	----	3.60 - 0.70	.0156	----	----	----	----	17 UNCH
6360	----	----	----/3.50A	3.90B/3.50A	----	3.50 - 0.70	.0152	----	----	----	----	2 UNCH
6370	----	----	----/3.50A	3.80B/3.50A	----	3.50 - 0.70	.0152	----	----	----	----	4 UNCH
6380	3.70	3.70	3.70/3.40A	3.80B/3.40A	----	3.50 - 0.60	.0151	----	----	1	----	8 - 1
6390	----	----	----/3.40A	3.70B/3.40A	----	3.40 - 0.70	.0147	----	----	----	----	1 UNCH
6400	----	----	----/3.30A	3.70B/3.30A	----	3.40 - 0.60	.0146	----	----	88	----	482 + 39
6410	----	----	----/3.30A	3.60B/3.30A	----	3.40 - 0.60	.0146	----	----	----	----	8 UNCH
6420	----	----	----/3.30A	3.60B/3.30A	----	3.30 - 0.70	.0142	----	----	----	----	3 UNCH
6430	----	----	----/3.20A	3.60B/3.20A	----	3.30 - 0.60	.0141	----	----	----	----	30 UNCH
6440	----	----	----/3.20A	3.50B/3.20A	----	3.30 - 0.60	.0141	----	----	----	----	2 UNCH
6450	----	----	----/3.20A	3.50B/3.20A	----	3.20 - 0.60	.0137	----	----	----	----	58 UNCH
6460	----	----	----/3.20A	3.50B/3.20A	----	3.20 - 0.60	.0136	----	----	----	----	36 UNCH
6470	----	----	----/3.10A	3.40B/3.10A	----	3.20 - 0.60	.0136	----	----	----	----	9 UNCH
6480	----	----	----/3.10A	3.40B/3.10A	----	3.10 - 0.60	.0132	----	----	----	----	21 UNCH
6490	3.00	3.00	3.40/*2.50	3.40/*2.50	----	3.10 - 0.60	.0131	----	----	6	----	17 - 6
6500	2.40	2.40	3.30B/2.40	3.30B/2.40	----	3.10 - 0.60	.0131	----	----	24	----	1105 - 22
6525	----	----	----/3.00A	3.20B/3.00A	----	3.00 - 0.60	.0126	----	----	----	----	21 UNCH
6550	----	----	----/2.90A	3.10B/2.90A	----	2.90 - 0.60	.0122	----	----	----	----	210 UNCH
6575	----	----	----/2.80A	3.10B/2.80A	----	2.80 - 0.60	.0117	----	----	----	----	7 UNCH
6600	2.30	2.30	3.00B/*2.30	3.00B/*2.30	----	2.80 - 0.60	.0116	----	----	39	----	879 + 37
6625	----	----	----/2.70A	2.90B/2.70A	----	2.70 - 0.60	.0112	----	----	----	----	106 UNCH
6650	2.80	2.80	3.00/2.60A	3.00/2.60A	----	2.70 - 0.50	.0111	----	----	8	----	32 UNCH
6675	----	----	----/2.60A	2.80B/2.60A	----	2.60 - 0.60	.0107	----	----	----	----	50 UNCH
6700	----	----	----/2.50A	2.70B/2.50A	----	2.60 - 0.50	.0106	----	----	160	----	1415 + 160
6725	----	----	----/2.50A	2.70B/2.50A	----	2.50 - 0.50	.0102	----	----	----	----	107 UNCH
6750	----	----	----/2.50A	2.60B/2.50A	----	2.50 - 0.50	.0101	----	----	----	----	135 UNCH
6775	----	----	----/2.40A	2.50B/2.40A	----	2.40 - 0.50	.0097	----	----	----	----	13 UNCH
6800	----	----	----/2.40A	2.50B/2.40A	----	2.40 - 0.50	.0096	----	----	----	----	245 UNCH
6825	----	----	----/2.30A	2.40B/2.30A	----	2.30 - 0.50	.0092	----	----	----	----	10 UNCH
6850	----	----	----/2.30A	2.40B/2.30A	----	2.30 - 0.50	.0091	----	----	----	----	26 UNCH
6875	----	----	----/2.20A	2.30B/2.20A	----	2.20 - 0.50	.0087	----	----	----	----	3 UNCH
6900	----	----	----/2.20A	2.30B/2.20A	----	2.20 - 0.50	.0087	----	----	----	----	157 UNCH
6925	----	----	----/2.20A	2.20B/2.20A	----	2.20 - 0.40	.0086	----	----	----	----	51 UNCH
6950	----	----	----/2.10A	2.20B/2.10A	----	2.10 - 0.50	.0082	----	----	----	----	27 UNCH
6975	----	----	----/2.10A	2.10B/2.10A	----	2.10 - 0.50	.0081	----	----	----	----	17 UNCH
7000	2.10	2.10	2.10/2.00A	2.10/2.00A	----	2.00 - 0.50	.0078	----	----	24	----	1838 + 23
7025	1.90	1.90	1.90/*1.90	2.10B/*1.90	----	2.00 - 0.50	.0077	----	----	1	----	33 + 1
7050	----	----	----/*1.90A	2.00B/*1.90A	----	2.00 - 0.40	.0077	----	----	----	----	5 UNCH
7075	----	----	----/*1.90A	2.00B/*1.90A	----	1.90 - 0.50	.0073	----	----	----	----	8 UNCH
7100	----	----	----/1.90A	1.90B/1.90A	----	1.90 - 0.40	.0072	----	----	----	----	147 UNCH
7125	----	----	----/1.90A	1.90B/1.90A	----	1.90 - 0.40	.0072	----	----	----	----	52 UNCH
7150	----	----	----/*1.80A	1.90B/*1.80A	----	1.80 - 0.40	.0068	----	----	----	----	59 UNCH
7200	----	----	----/1.80A	1.80B/1.80A	----	1.80 - 0.30	.0067	----	----	----	----	129 UNCH
7250	----	----	----/*1.70A	1.70B/*1.70A	----	1.70 - 0.30	.0063	----	----	----	----	91 UNCH
7275	----	----	----/*1.70A	1.70B/*1.70A	----	1.70 - 0.30	.0063	----	----	----	----	1 UNCH
7300	----	----	----/1.70A	1.60B/1.70A	----	1.60 - 0.30	.0059	----	----	----	----	150 UNCH
7325	----	----	----/*1.60A	1.60B/*1.60A	----	1.60 - 0.30	.0059	----	----	----	----	14 UNCH
7350	----	----	----/*1.60A	1.60B/*1.60A	----	1.60 - 0.20	.0059	----	----	----	----	3 UNCH
7375	----	----	----/*1.60A	1.50B/*1.60A	----	1.60 - 0.20	.0058	----	----	----	----	20 UNCH
7400	----	----	----/1.60A	1.50B/1.60A	----	1.50 - 0.30	.0055	----	----	----	----	46 UNCH
7425	----	----	----/*1.50A	1.50B/*1.50A	----	1.50 - 0.20	.0055	----	----	----	----	20 UNCH
7450	----	----	----/*1.50A	1.50B/*1.50A	----	1.50 - 0.20	.0054	----	----	----	----	5 UNCH
7475	----	----	----/*1.50A	1.40B/*1.50A	----	1.40 - 0.30	.0051	----	----	----	----	8 UNCH
7500	1.20	1.20	1.20/*1.20	1.40B/*1.20	----	1.40 - 0.20	.0051	----	----	1	----	1359 + 1
7525	----	----	----/*1.40A	1.40B/*1.40A	----	1.40 - 0.20	.0050	----	----	----	----	22 UNCH
7575	----	----	----/*1.40A	1.30B/*1.40A	----	1.30 - 0.20	.0047	----	----	----	----	8 UNCH
7600	----	----	----/*1.40A	1.30B/*1.40A	----	1.30 - 0.20	.0046	----	----	1	----	48 UNCH
7700	----	----	----/*1.30A	1.20B/*1.30A	----	1.20 - 0.20	.0042	----	----	----	----	45 UNCH
7750	----	----	----/*1.20A	1.10B/*1.20A	----	1.20 - 0.20	.0042	----	----	----	----	12 UNCH
7800	----	----	----/*1.20A	1.10B/*1.20A	----	1.10 - 0.20	.0039	----	----	----	----	39 UNCH
7825	----	----	----/1.20A	1.10B/1.20A	----	1.10 - 0.20	.0038	----	----	----	----	1 UNCH
7875	----	----	----/*1.10A	1.00B/*1.10A	----	1.10 - 0.20	.0038	----	----	----	----	31 UNCH
7900	----	----	----/*1.10A	1.00B/*1.10A	----	1.10 - 0.10	.0038	----	----	----	----	2 UNCH
7950	----	----	----/*1.10A	1.00B/*1.10A	----	1.00 - 0.20	.0035	----	----	----	----	2 UNCH
8000	----	----	----/*1.00A	0.90B/*1.00A	----	1.00 - 0.20	.0034	----	----	23	----	981 UNCH
8100	----	----	----	0.80B/*1.10A	----	0.90 - 0.20	.0031	----	----	----	----	3 UNCH
8200	----	----	----	0.80B/*1.00A	----	0.90 - 0.10	.0030	----	----	----	----	89 UNCH
8300	----	----	----	0.70B/*1.00A	----	0.80 - 0.10	.0027	----	----	----	----	64 UNCH
8500	----	----	----	0.60B/*0.90A	----	0.70 - 0.10	.0023	----	----	----	----	144 UNCH
8600	----	----	----	0.60B/*0.90A	----	0.70 - 0.10	.0023	----	----	----	----	51 UNCH
8800	----	----	----	0.50B/*0.80A	----	0.60 - 0.10	.0019	----	----	----	----	32 UNCH
8900	----	----	----	0.40B/*0.70A	----	0.60 UNCH	.0019	----	----	----	----	15 UNCH
9000	----	----	----	0.40B/0.70A	----	0.50 - 0.10	.0016	----	----	----	----	230 UNCH
9100	----	----	----	0.40B/0.70A	----	0.50 UNCH	.0016	----	----	----	----	11 UNCH
9200	----	----	----	0.30B/*0.60A	----	0.50 UNCH	.0015	----	----	----	----	51 UNCH
9300	----	----	----	0.40B/0.60A	----	0.40 - 0.10	.0012	----	----	----	----	3 UNCH
9400	----	----	----	0.30B/0.60A	----	0.40 - 0.10	.0012	----	----	----	----	25 UNCH
9500	----	----	----	0.30B/*0.60A	----	0.40 - 0.10	.0012	----	----	----	----	23 UNCH
9600	----	----	----	0.20B/*0.50A	----	0.40 UNCH	.0012	----	----	----	----	26 UNCH
9700	----	----	----	0.20B/*0.50A	----	0.40 UNCH	.0012	----	----	----	----	20 UNCH
9800	----	----	----	0.20B/*0.50A	----	0.30 - 0.10	.0009	----	----	----	----	17 UNCH
9900	----	----	----	0.20B/*0.50A	----	0.30 - 0.10	.0009	----	----	----	----	24 UNCH
10000	----	----	----	0.20B/*0.50A	----	0.30 - 0.10	.0009	----	----	----	----	263 UNCH
10100	----	----	----	0.20B/*0.50A	----	0.30 - 0.10	.0009	----	----	----	----	2 UNCH
10300	----	----	----	0.10B/*0.40A	----	0.30 - 0.10	.0008	----	----	----	----	3 UNCH
10400	----	----	----	0.10B/*0.40A	----	0.30 UNCH	.0008	----	----	----	----	2 UNCH
10500	----	----	----	0.10B/*0.40A	----	0.20 - 0.10	.0006	----	----	----	----	1 UNCH
10700	----	----	----	0.10B/*0.40A	----	0.20 - 0.10	.0005	----	----	----	----	4 UNCH
11000	----	----	----	0.10B/0.40A	----	0.20 - 0.10	.0005	----	----	----	----	72 UNCH
11300	----	----	----	0.10B/*0.30A	----	0.20 UNCH	.0005	----	----	----	----	12 UNCH
11500	----	----	----	0.10B/*0.30A	----	0.20 UNCH	.0005	----	----	----	----	1 UNCH
11600	----	----	----	0.10B/*0.30A	----	0.20 UNCH	.0005	----	----	----	----	5 UNCH
11700	----	----	----	----/*0.30A	----	0.10 - 0.10	.0002	----	----	----	----	15 UNCH
11900	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	1 UNCH
12000	----	----	----	0.10B/0.20A	----	0.10 - 0.10	.0002	----	----	----	----	350 UNCH
TOTAL										9799	1,785	162352 - 32
JUL26												
3500	----	----	----	----	----	1307.60 - 20.20	.9767	----	----	----	----	1 UNCH
3600	----	----	----/1,143.70A	1205.70B/1143.70A	----	1209.50 - 20.20	.9704	----	----	----	----	24 UNCH
3650	----	----	----/1,095.50A	1157.00B/1095.50A	----	1160.70 - 20.30	.9662	----	----	----	----	10 UNCH
3670	----	----	----/1,076.30A	1137.50B/1076.30A	----	1141.20 - 20.30	.9646	----	----	----	----	3 UNCH
3700	----	----	----/1,047.60A	1108.50B/1047.60A	----	1112.10 - 20.30	.9617	----	----	1	----	119 UNCH
3735	----	----	----	----	----	1078.20 - 20.40	.9582	----	----	----	----	1 UNCH
3775	----	----	----/976.30A	1036.10B/976.30A	----	1039.70 - 20.30	.9538	----	----	----	----	4 UNCH
3800	----	----	----/942.00A	1015.70B/942.00A	----	1015.70 - 20.30	.9507	----	----	----	----	2045 UNCH
3825	----	----	----/929.30A	988.30B/929.30A	----	991.80 - 20.20	.9475	----	----	----	----	5 UNCH
3850	----	----	----/906.00A	964.50B/906.00A	----	968.00 - 20.20	.9439	----	----	2	----	65 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 31

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
3860	----	----	----	----	----	958.50 - 20.10	.9426	----	----	----	----	1 UNCH
3865	----	----	----/892.00A	950.20B/892.00A	----	953.70 - 20.20	.9417	----	----	1	----	7 UNCH
3875	----	----	----/882.80A	940.80B/882.80A	----	944.20 - 20.20	.9402	----	----	----	----	25 UNCH
3900	----	----	----/859.70A	917.10B/859.70A	----	920.60 - 20.10	.9362	----	----	----	----	18 UNCH
3925	----	----	----/836.80A	893.60B/836.80A	----	897.10 - 20.10	.9320	----	----	----	----	35 UNCH
3950	----	----	----/804.40A	873.70B/804.40A	----	873.60 - 20.10	.9275	----	----	----	----	820 UNCH
3960	----	----	----	562.70B/1005.20A	----	864.30 - 20.10	.9257	----	----	----	----	1 UNCH
4000	----	----	----/768.90A	823.80B/768.90A	----	827.10 - 20.20	.9177	----	----	----	----	16 UNCH
4020	----	----	----	606.70B/951.70A	----	808.70 - 20.10	.9134	----	----	----	----	1 UNCH
4030	----	----	----	607.90B/942.90A	----	799.50 - 20.20	.9111	----	----	----	----	2 UNCH
4040	----	----	----	608.90B/934.00A	----	790.30 - 20.20	.9088	----	----	----	----	1 UNCH
4075	----	----	----/702.60A	755.20B/702.60A	----	758.40 - 20.20	.9002	----	----	----	----	6 UNCH
4095	----	----	----/685.30A	737.20B/685.30A	----	740.30 - 20.30	.8951	----	----	----	----	4 UNCH
4100	----	----	----/680.90A	732.70B/680.90A	----	735.80 - 20.30	.8937	----	----	----	----	194 UNCH
4105	----	----	----	555.40B/877.50A	----	731.30 - 20.30	.8924	----	----	----	----	1 UNCH
4110	----	----	----/672.30A	723.70B/672.30A	----	726.80 - 20.30	.8910	----	----	----	----	3 UNCH
4145	----	----	----/642.40A	692.50B/642.40A	----	695.60 - 20.20	.8810	----	----	----	----	28 UNCH
4150	----	----	----/638.20A	688.10B/638.20A	----	691.20 - 20.10	.8794	----	----	----	----	37 UNCH
4155	----	----	----	510.60B/834.50A	----	686.80 - 20.10	.8780	----	----	----	----	1 UNCH
4160	----	----	----	506.10B/830.50A	----	682.30 - 20.10	.8764	----	----	----	----	1 UNCH
4190	----	----	----	479.70B/805.00A	----	656.00 - 20.00	.8667	----	----	----	----	1 UNCH
4200	----	----	----/596.40A	644.20B/596.40A	----	647.40 - 19.80	.8635	----	----	----	----	8 UNCH
4215	----	----	----/584.00A	631.30B/584.00A	----	634.40 - 19.80	.8582	----	----	----	----	25 UNCH
4220	----	----	----	453.60B/780.80A	----	630.10 - 19.70	.8564	----	----	----	----	1 UNCH
4225	----	----	----	449.30B/776.80A	----	625.80 - 19.70	.8546	----	----	----	----	2 UNCH
4235	----	----	----	440.70B/768.50A	----	617.20 - 19.70	.8512	----	----	----	----	1 UNCH
4240	----	----	----/563.70A	610.00B/563.70A	----	612.90 - 19.70	.8492	----	----	----	----	39 UNCH
4245	----	----	----	432.00B/760.90A	----	608.70 - 19.60	.8474	----	----	----	----	1 UNCH
4250	----	----	----/551.40A	604.10B/551.40A	----	604.40 - 19.60	.8455	----	----	----	----	316 UNCH
4255	----	----	----	423.10B/752.70A	----	600.20 - 19.50	.8437	----	----	----	----	1 UNCH
4265	----	----	----	414.20B/745.20A	----	591.70 - 19.50	.8398	----	----	----	----	2 UNCH
4270	----	----	----/539.70A	584.60B/539.70A	----	587.50 - 19.50	.8378	----	----	----	----	38 UNCH
4275	----	----	----/535.70A	580.50B/535.70A	----	583.30 - 19.50	.8358	----	----	----	----	76 UNCH
4280	----	----	----/531.70A	576.30B/531.70A	----	579.10 - 19.50	.8338	----	----	----	----	3 UNCH
4300	----	----	----/516.10A	559.60B/516.10A	----	562.50 - 19.30	.8257	----	----	----	----	64 UNCH
4315	----	----	----/504.40A	547.30B/504.40A	----	550.10 - 19.30	.8194	----	----	----	----	21 UNCH
4325	----	----	----/496.80A	539.10B/496.80A	----	541.90 - 19.30	.8151	----	----	----	----	22 UNCH
4335	----	----	----	353.20B/690.80A	----	533.70 - 19.30	.8107	----	----	----	----	1 UNCH
4350	----	----	----/477.80A	518.80B/477.80A	----	521.60 - 19.20	.8040	----	----	----	----	10 UNCH
4360	----	----	----/470.30A	510.80B/470.30A	----	513.60 - 19.10	.7994	----	----	----	----	53 UNCH
4365	----	----	----/466.60A	506.80B/466.60A	----	509.60 - 19.10	.7970	----	----	----	----	45 UNCH
4370	----	----	----/462.90A	502.90B/462.90A	----	505.60 - 19.10	.7946	----	----	----	----	20 UNCH
4375	----	----	----/459.20A	498.90B/459.20A	----	501.60 - 19.10	.7923	----	----	----	----	5 UNCH
4400	----	----	----/433.10A	482.30B/433.10A	----	482.00 - 18.90	.7801	----	----	----	----	2267 UNCH
4410	----	----	----/433.70A	471.50B/433.70A	----	474.20 - 18.90	.7751	----	----	----	----	4 UNCH
4415	----	----	----/430.20A	467.50B/430.20A	----	470.30 - 18.90	.7725	----	----	----	----	39 UNCH
4420	----	----	----/426.60A	463.80B/426.60A	----	466.50 - 18.80	.7699	----	----	----	----	5 UNCH
4425	----	----	----/423.00A	460.00B/423.00A	----	462.70 - 18.70	.7673	----	----	----	----	16 UNCH
4430	----	----	----/423.90A	382.80B/423.90A	----	458.80 - 18.70	.7648	----	----	----	----	1 UNCH
4445	----	----	----/409.00A	444.70B/409.00A	----	447.40 - 18.60	.7568	----	----	----	----	30 UNCH
4450	----	----	----/401.70A	443.30B/401.70A	----	443.70 - 18.50	.7541	----	----	----	----	255 UNCH
4455	----	----	----/407.20A	376.70B/407.20A	----	439.90 - 18.50	.7514	----	----	----	----	2 UNCH
4460	----	----	----/402.40A	378.50B/402.40A	----	436.20 - 18.40	.7487	----	----	----	----	2 UNCH
4475	----	----	----/393.90A	370.10B/393.90A	----	425.10 - 18.20	.7404	----	----	----	----	2 UNCH
4480	----	----	----/385.00A	418.80B/385.00A	----	421.40 - 18.20	.7376	----	----	----	----	25 UNCH
4490	----	----	----/378.30A	411.50B/378.30A	----	414.10 - 18.10	.7319	----	----	----	----	9 UNCH
4500	----	----	----/364.40A	407.10B/364.40A	----	406.80 - 18.00	.7262	----	----	----	----	969 UNCH
4505	----	----	----/371.00A	387.10B/371.00A	----	403.20 - 18.00	.7233	----	----	----	----	2 UNCH
4510	----	----	----/365.10A	397.00B/365.10A	----	399.60 - 18.00	.7204	----	----	----	----	45 UNCH
4515	----	----	----/359.70A	393.50B/359.70A	----	396.10 - 17.90	.7174	----	----	----	----	200 UNCH
4520	----	----	----/355.90A	390.00B/355.90A	----	392.50 - 17.90	.7145	----	----	----	----	188 UNCH
4525	----	----	----/337.60A	386.50B/337.60A	----	389.00 - 17.80	.7115	----	----	----	----	129 UNCH
4530	----	----	----/336.30A	383.80B/336.30A	----	385.40 - 17.90	.7085	----	----	----	----	5 UNCH
4535	----	----	----/333.10A	380.60B/333.10A	----	381.90 - 17.80	.7055	----	----	----	----	14 UNCH
4540	----	----	----/329.90A	378.30B/329.90A	----	378.40 - 17.80	.7024	----	----	----	----	53 UNCH
4550	----	----	----/321.70A	372.90B/321.70A	----	371.50 - 17.70	.6963	----	----	----	----	10 UNCH
4560	----	----	----/317.30A	366.00B/317.30A	----	364.60 - 17.70	.6901	----	----	----	----	2 UNCH
4565	----	----	----/314.20A	362.60B/314.20A	----	361.20 - 17.60	.6870	----	----	----	----	1 UNCH
4570	----	----	----/311.10A	359.10B/311.10A	----	357.90 - 17.50	.6839	----	----	----	----	2 UNCH
4575	----	----	----/308.00A	355.80B/308.00A	----	354.50 - 17.50	.6807	----	----	----	----	128 UNCH
4600	----	----	----/291.20A	341.10B/291.20A	----	337.90 - 17.30	.6646	----	----	----	----	345 UNCH
4605	----	----	----/288.30A	335.90B/288.30A	----	334.60 - 17.30	.6614	----	----	----	----	10 UNCH
4610	----	----	----/287.10A	332.50B/287.10A	----	331.40 - 17.20	.6581	----	----	----	----	6 UNCH
4635	----	----	----/272.70A	318.60B/272.70A	----	315.40 - 17.00	.6415	----	----	----	----	86 UNCH
4640	----	----	----/269.90A	315.40B/269.90A	----	312.30 - 16.90	.6381	----	----	----	----	242 UNCH
4645	----	----	----/267.30A	310.40B/267.30A	----	309.20 - 16.80	.6348	----	----	----	----	14 UNCH
4650	279.90	279.90	309.20B/262.90A	309.20B/262.90A	----	306.10 - 16.70	.6314	----	----	2	----	257 - 2
4655	----	----	----/261.80A	306.10B/261.80A	----	303.00 - 16.70	.6280	----	----	----	----	18 UNCH
4660	----	----	----/259.00A	303.00B/259.00A	----	300.00 - 16.60	.6245	----	----	----	----	20 UNCH
4665	----	----	----/256.30A	300.00B/256.30A	----	296.90 - 16.60	.6211	----	----	----	----	268 UNCH
4670	----	----	----/252.00A	296.90B/252.00A	----	293.90 - 16.50	.6177	----	----	----	----	105 UNCH
4675	----	----	----/251.00A	293.90B/251.00A	----	290.90 - 16.40	.6142	----	----	----	----	129 UNCH
4680	----	----	----/248.30A	289.50B/248.30A	----	287.90 - 16.40	.6107	----	----	----	----	10 UNCH
4685	----	----	----/245.70A	286.90B/245.70A	----	285.00 - 16.20	.6073	----	----	----	----	11 UNCH
4695	250.60	250.60	282.00B/240.50A	282.00B/240.50A	----	279.10 - 16.10	.6003	----	----	12	----	23 + 1
4700	272.00	272.00	279.10B/236.40A	279.10B/236.40A	----	276.20 - 16.00	.5968	----	----	13	----	593 + 5
4710	255.90	255.90	273.30B/232.80A	273.30B/232.80A	----	270.50 - 15.90	.5897	----	----	11	----	118 + 8
4720	----	----	----/227.80A	266.10B/227.80A	----	264.80 - 15.70	.5826	----	----	----	----	2 UNCH
4725	----	----	----/223.90A	264.50B/223.90A	----	262.00 - 15.70	.5791	----	----	1	----	52 + 1
4730	----	----	----/221.50A	261.70B/221.50A	----	259.30 - 15.50	.5755	----	----	----	----	3 UNCH
4740	----	----	----/218.10A	255.20B/218.10A	----	253.80 - 15.40	.5684	----	----	----	----	1 UNCH
4745	----	----	----/215.70A	253.40B/215.70A	----	251.00 - 15.40	.5648	----	----	----	----	177 UNCH
4750	----	----	----/213.30A	250.70B/213.30A	----	248.30 - 15.30	.5612	----	----	----	----	1066 UNCH
4755	----	----	----/211.00A	248.10B/211.00A	----	245.60 - 15.20	.5576	----	----	----	----	16 UNCH
4760	----	----	----/208.70A	245.40B/208.70A	----	242.90 - 15.20	.5540	----	----	2	----	47 UNCH
4770	----	----	----/204.10A	240.00B/204.10A	----	237.60 - 15.10	.5468	----	----	----	----	69 UNCH
4775	----	----	----/200.40A	237.30B/200.40A	----	235.00 - 15.00	.5432	----	----	2	----	150 UNCH
4780	----	----	----/198.20A	234.80B/198.20A	----	232.40 - 14.90	.5395	----	----	----	----	32 UNCH
4785	----	----	----/197.30A	232.30B/197.30A	----	229.80 - 14.90	.5359	----	----	----	----	12 UNCH
4790	----	----	----/195.10A	228.80B/195.10A	----	227.30 - 14.80	.5323	----	----	----	----	2 UNCH
4795	----	----	----/191.60A	227.00B/191.60A	----	224.70 - 14.80	.5286	----	----	60	----	87 + 55
4800	218.70	218.70	218.70/190.80A	224.70B/190.80A	----	222.20 - 14.70	.5250	----	----	5	----	1733 UNCH
4805	215.30	215.30	222.00B/188.60A	222.00B/188.60A	----	219.70 - 14.70	.5214	----	----	1	----	2 - 1
4810	----	----	----/186.50A	219.50B/186.50A	----	217.30 - 14.50	.5177	----	----	----	----	32 UNCH
4820	----	----	----/182.30A	214.60B/182.30A	----	212.40 - 14.40	.5104	----	----	----	----	12 UNCH
4825	194.70	194.70	212.20B/180.30A	212.20B/180.30A	----	210.00 - 14.40	.5068	----	----	3	----	631 UNCH
4830	----	----	----/177.00A	209.80B/177.00A	----	207.60 - 14.30	.5032	----	----	----	----	10 UNCH
4835	----	----	----/176.20A	207.30B/176.20A	----	205.30 - 14.20	.4995	----	----	----	----	6 UNCH
4840	----	----	----/173.00A	203.90B/173.00A	----	203.00 - 14.10	.4959	----	----	2	----	3 + 2
4845	----	----	----/171.00A	202.70B/171.00A	----	200.70 - 14.00	.4923	----	----	----	----	59 UNCH
4850	182.20	182.20	200.40B/169.10A	200.40B/169.10A	----	198.40 - 13.90	.4887	----	----	1	----	380 - 1
4855	----	----	----/167.10A	198.00B/167.10A	----	196.10 - 13.90	.4850	----	----	----	----	7 UNCH
4860	----	----	----/165.20A	195.80B/165.20A	----	193.90 - 13.80	.4814	----	----	----	----	10 UNCH
4865	----	----	----/163.30A	193.40B/163.30A	----	191.70 - 13.70	.4778	----	----	----	----	6 UNCH
4870	----	----	----/161.50A	191.20B/161.50A	----	189.50 - 13.60	.4742	----	----	----	----	68 UNCH
4875	----	----	----/159.60A	189.00B/159.60A	----	187.30 - 13.50	.4706	----	----	----	----	13 UNCH
4880	171.50	171.50	186.70B/157.80A	186.70B/157.80A	----	185.10 - 13.40	.4670	----	----	2	----	20 + 2
4885	----	----	----/155.90A	184.60B/155.90A	----	183.00 - 13.30	.4634	----	----	----	----	5 UNCH
4890	----	----	----/154.20A	181.80B/154.20A	----	180.90 - 13.20	.4599	----	----	----	----	2 UNCH
4900	145.00	145.00	178.50B/145.00	178.50B/145.00	----	176.70 - 13.00	.4527	----	----	61	----	669 + 37
4905	----	----	----/148.90A	175.10B/148.90A	----	174.60 - 12.90	.4491	----	----	----	----	2 UNCH
4910	155.10	155.10	173.90B/147.10A	173.90B/147.10A	----	172.60 - 12.80	.4456	----	----	60	----	102 - 18
4915	----	----	----/145.40A	171.90B/145.40A	----	170.50 - 12.70	.4420	----	----	----	----	32 UNCH
4920	----	----	----/143.80A	169.80B/143.80A	----	168.50 - 12.60	.4385	----	----	----	----	6 UNCH
4925	----	----	----/142.10A	167.80B/142.10A	----	166.50 - 12.50	.4349	----	----	----	----	4 UNCH
4930	----	----	----/140.40A	165.80B/140.40A	----	164.50 - 12.40	.4314	----	----	1	----	11 UNCH
4935	----	----	----/138.80A	163.90B/138.80A	----	162.50 - 12.40	.4279	----	----	----	----	602 UNCH
4940	----	----	----/137.20A	161.90B/137.20A	----	160.60 - 12.20	.4244	----	----	----	----	173 UNCH
4945	----	----	----/135.60A	159.90B/135.60A	----	158.60 - 12.20	.4208	----	----	----	----	8 UNCH
4950	----	----	----/134.00A	158.00B/134.00A	----	156.70 - 12.10	.4174	----	----	----	----	110 UNCH
4955	----	----	----/132.50A	156.10B/132.50A	----	154.80 - 12.00	.4139	----	----	----	----	72 UNCH
4960	----	----	----/130.90A	153.40B/130.90A	----	153.00 - 11.80	.4104	----	----	1	----	2 + 1
4965	----	----	----/129.40A	152.30B/129.40A	----	151.10 - 11.80	.4069	----	----	----	----	173 UNCH
4970	----	----	----/127.90A	150.50B/127.90A	----	149.30 - 11.60	.4035	----	----	----	----	8 UNCH
4975	----	----	----/126.40A	148.60B/126.40A	----	147.40 - 11.60	.4000	----	----	----	----	42 UNCH
4980	----	----	----/124.90A	146.80B/124.90A	----	145.60 - 11.50	.3966	----	----	----	----	3 UNCH
4985	----	----	----/123.50A	145.10B/123.50A	----	143.80 - 11.40	.3932	----	----	----	----	27 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
4990	----	----	----/122.00A	143.30B/122.00A	----	142.10 - 11.30	.3898	----	----	----	----	13 UNCH
4995	----	----	----/120.60A	141.60B/120.60A	----	140.30 - 11.30	.3864	----	----	----	----	20 UNCH
5000	137.50	137.50	139.90B/119.20A	139.90B/119.20A	----	138.60 - 11.10	.3830	----	----	23	50	2727 - 64
5005	128.00	128.00	138.00B/117.80A	138.00B/117.80A	----	136.90 - 11.10	.3797	----	----	10	----	17 + 5
5010	----	----	----/116.40A	136.30B/116.40A	----	135.20 - 11.00	.3763	----	----	----	----	15 UNCH
5015	----	----	----/115.10A	134.70B/115.10A	----	133.60 - 10.80	.3730	----	----	----	----	26 UNCH
5020	----	----	----/113.70A	133.00B/113.70A	----	131.90 - 10.80	.3697	----	----	----	----	7 UNCH
5025	----	----	----/112.40A	131.30B/112.40A	----	130.30 - 10.70	.3664	----	----	----	----	35 UNCH
5030	----	----	----/111.10A	129.70B/111.10A	----	128.70 - 10.60	.3631	----	----	----	----	31 UNCH
5035	----	----	----/109.80A	128.10B/109.80A	----	127.10 - 10.50	.3598	----	----	----	----	59 UNCH
5040	----	----	----/108.50A	125.80B/108.50A	----	125.50 - 10.50	.3566	----	----	----	----	2 UNCH
5045	----	----	----/107.30A	124.90B/107.30A	----	123.90 - 10.40	.3533	----	----	----	----	3 UNCH
5050	----	----	----/106.00A	123.40B/106.00A	----	122.40 - 10.30	.3501	----	----	----	----	22 UNCH
5055	----	----	----/104.80A	121.80B/104.80A	----	120.90 - 10.20	.3469	----	----	----	----	8 UNCH
5060	----	----	----/103.60A	120.30B/103.60A	----	119.40 - 10.10	.3437	----	----	----	----	6 UNCH
5065	----	----	----/102.40A	118.80B/102.40A	----	117.90 - 10.00	.3405	----	----	----	----	34 UNCH
5070	----	----	----/101.20A	117.30B/101.20A	----	116.40 - 10.00	.3374	----	----	----	----	21 UNCH
5075	----	----	----/100.00A	115.80B/100.00A	----	115.00 - 9.90	.3343	----	----	----	----	45 UNCH
5080	----	----	----/98.80A	114.50B/98.80A	----	113.50 - 9.80	.3311	----	----	----	----	79 UNCH
5085	----	----	----/97.70A	113.00B/97.70A	----	112.10 - 9.80	.3280	----	----	----	----	34 UNCH
5090	----	----	----/96.60A	111.10B/96.60A	----	110.70 - 9.70	.3249	----	----	----	----	2 UNCH
5095	----	----	----/95.40A	110.10B/95.40A	----	109.30 - 9.60	.3219	----	----	----	----	45 UNCH
5100	99.30	99.30	108.80B/94.30A	108.80B/94.30A	----	107.90 - 9.60	.3188	----	----	84	250	908 + 286
5105	----	----	----/93.20A	107.40B/93.20A	----	106.60 - 9.40	.3158	----	----	----	----	61 UNCH
5110	101.90	101.90	101.90/92.20A	106.00B/92.20A	----	105.20 - 9.40	.3127	----	----	1	----	4 + 1
5115	----	----	----/91.10A	104.70B/91.10A	----	103.90 - 9.30	.3098	----	----	----	----	27 UNCH
5120	----	----	----/90.10A	103.40B/90.10A	----	102.60 - 9.30	.3068	----	----	----	----	38 UNCH
5125	----	----	----/89.00A	102.10B/89.00A	----	101.30 - 9.20	.3039	----	----	----	----	214 UNCH
5130	----	----	----/88.00A	100.70B/88.00A	----	100.10 - 9.10	.3010	----	----	----	----	13 UNCH
5135	----	----	----/86.90A	99.50B/86.90A	----	98.80 - 9.00	.2981	----	----	----	----	155 UNCH
5140	----	----	----/85.80A	98.20B/85.80A	----	97.50 - 9.00	.2951	----	----	----	----	55 UNCH
5145	----	----	----/84.90A	97.00B/84.90A	----	96.30 - 8.90	.2923	----	----	----	----	49 UNCH
5150	95.00	95.00	95.90B/83.90A	95.90B/83.90A	----	95.10 - 8.80	.2894	----	----	3	----	698 - 1
5155	89.00	89.00	89.00/83.10A	94.50B/83.10A	----	93.90 - 8.80	.2866	----	----	2	----	4 + 2
5160	----	----	----/82.00A	93.40B/82.00A	----	92.70 - 8.70	.2838	----	----	----	----	9 UNCH
5165	----	----	----/81.00A	92.20B/81.00A	----	91.60 - 8.60	.2811	----	----	----	----	4 UNCH
5170	----	----	----/80.10A	91.00B/80.10A	----	90.40 - 8.60	.2782	----	----	----	----	6 UNCH
5175	----	----	----/79.30A	89.80B/79.30A	----	89.30 - 8.50	.2755	----	----	----	----	55 UNCH
5180	----	----	----/78.40A	88.70B/78.40A	----	88.10 - 8.50	.2727	----	----	----	----	14 UNCH
5185	----	----	----/77.40A	87.50B/77.40A	----	87.00 - 8.40	.2700	----	----	----	----	118 UNCH
5190	----	----	----/76.60A	86.10B/76.60A	----	85.90 - 8.30	.2673	----	----	----	----	2 UNCH
5195	----	----	----/75.60A	85.40B/75.60A	----	84.80 - 8.30	.2646	----	----	----	----	39 UNCH
5200	79.80	79.80	84.40B/74.50A	84.40B/74.50A	----	83.80 - 8.20	.2621	----	----	16	----	1190 + 2
5205	----	----	----/73.80A	83.30B/73.80A	----	82.70 - 8.10	.2594	----	----	----	----	8 UNCH
5210	----	----	----/72.70A	82.20B/72.70A	----	81.70 - 8.00	.2569	----	----	----	----	16 UNCH
5215	----	----	----/71.90A	81.20B/71.90A	----	80.60 - 8.00	.2542	----	----	----	----	8 UNCH
5220	----	----	----/71.00A	80.20B/71.00A	----	79.60 - 8.00	.2516	----	----	----	----	17 UNCH
5225	----	----	----/70.00A	79.20B/70.00A	----	78.60 - 7.90	.2491	----	----	----	----	3 UNCH
5230	----	----	----/69.10A	78.20B/69.10A	----	77.60 - 7.80	.2466	----	----	----	----	9 UNCH
5240	----	----	----/68.10A	76.00B/68.10A	----	75.70 - 7.70	.2417	----	----	----	----	1 UNCH
5245	----	----	----/66.60A	75.30B/66.60A	----	74.70 - 7.70	.2391	----	----	----	----	61 UNCH
5250	65.70	65.70	65.70/65.60A	74.60B/65.60A	----	73.80 - 7.60	.2368	----	----	5	----	378 + 5
5255	----	----	----/64.90A	73.50B/64.90A	----	72.80 - 7.60	.2342	----	----	----	----	14 UNCH
5260	----	----	----/64.20A	72.60B/64.20A	----	71.90 - 7.50	.2319	----	----	----	----	150 UNCH
5265	----	----	----/63.30A	71.60B/63.30A	----	71.00 - 7.40	.2295	----	----	----	----	3 UNCH
5270	----	----	----/62.50A	70.80B/62.50A	----	70.10 - 7.40	.2271	----	----	----	----	10 UNCH
5275	----	----	----/61.70A	69.90B/61.70A	----	69.20 - 7.30	.2248	----	----	----	----	16 UNCH
5280	----	----	----/61.00A	69.10B/61.00A	----	68.40 - 7.20	.2226	----	----	----	----	5 UNCH
5285	64.50	64.50	68.20B/60.20A	68.20B/60.20A	----	67.50 - 7.20	.2202	----	----	9	----	18 + 4
5290	----	----	----/59.40A	67.40B/59.40A	----	66.60 - 7.20	.2178	----	----	1	----	34 + 1
5295	----	----	----/59.30A	66.30B/59.30A	----	65.80 - 7.10	.2157	----	----	----	----	1 UNCH
5300	----	----	----/57.90A	65.90B/57.90A	----	65.00 - 7.00	.2135	----	----	114	----	1028 + 34
5305	64.30	64.30	64.30/57.30A	65.00B/57.30A	----	64.20 - 6.90	.2113	----	----	3	----	43 + 3
5310	----	----	----/56.50A	64.20B/56.50A	----	63.40 - 6.90	.2091	----	----	----	----	4 UNCH
5315	----	----	----/55.80A	63.40B/55.80A	----	62.60 - 6.80	.2069	----	----	----	----	13 UNCH
5320	----	----	----/55.30A	62.60B/55.30A	----	61.80 - 6.80	.2047	----	----	----	----	58 UNCH
5325	----	----	----/54.40A	62.10B/54.40A	----	61.00 - 6.80	.2026	----	----	----	----	181 UNCH
5330	----	----	----/53.70A	61.00B/53.70A	----	60.30 - 6.60	.2005	----	----	----	----	4 UNCH
5340	----	----	----/52.50A	59.50B/52.50A	----	58.80 - 6.50	.1964	----	----	----	----	15 UNCH
5345	55.50	55.50	58.80B/51.90A	58.80B/51.90A	----	58.00 - 6.50	.1942	----	----	9	----	17 + 9
5350	----	----	----/51.20A	58.40B/51.20A	----	57.30 - 6.50	.1922	----	----	----	----	518 UNCH
5355	----	----	----/50.70A	57.40B/50.70A	----	56.60 - 6.40	.1902	----	----	----	----	4 UNCH
5360	----	----	----/50.00A	56.90B/50.00A	----	55.90 - 6.40	.1882	----	----	----	----	333 UNCH
5365	55.30	55.30	55.30/49.50A	56.10B/49.50A	----	55.20 - 6.30	.1863	----	----	3	----	138 + 3
5370	52.20	52.20	55.40B/48.90A	55.40B/48.90A	----	54.60 - 6.20	.1845	----	----	10	----	20 + 10
5375	----	----	----/48.70A	54.80B/48.70A	----	53.90 - 6.10	.1825	----	----	----	----	4 UNCH
5380	----	----	----/48.30A	54.10B/48.30A	----	53.20 - 6.10	.1805	----	----	----	----	5 UNCH
5385	----	----	----/47.70A	53.40B/47.70A	----	52.60 - 6.00	.1787	----	----	----	----	16 UNCH
5390	----	----	----/47.00A	52.80B/47.00A	----	52.00 - 5.90	.1769	----	----	----	----	11 UNCH
5395	----	----	----/46.40A	52.20B/46.40A	----	51.30 - 5.90	.1750	----	----	----	----	19 UNCH
5400	49.00	49.00	51.20B/45.90A	51.20B/45.90A	----	50.70 - 5.90	.1732	----	----	1505	----	3271 - 600
5405	----	----	----/*45.30A	50.60B/*45.30A	----	50.10 - 5.80	.1714	----	----	----	----	10 UNCH
5410	----	----	----/44.80A	50.00B/44.80A	----	49.50 - 5.70	.1696	----	----	----	----	19 UNCH
5415	----	----	----/*44.30A	49.40B/*44.30A	----	48.90 - 5.70	.1679	----	----	----	----	17 UNCH
5420	----	----	----/43.90A	48.80B/43.90A	----	48.30 - 5.60	.1661	----	----	----	----	15 UNCH
5425	46.60	46.60	48.20B/*43.20A	48.20B/*43.20A	----	47.80 - 5.50	.1645	----	----	1	----	26 + 1
5430	----	----	----/42.60A	47.60B/42.60A	----	47.20 - 5.50	.1628	----	----	----	----	5 UNCH
5435	43.30	43.30	43.30/*42.20A	47.10B/*42.20A	----	46.70 - 5.40	.1612	----	----	3	----	6 + 3
5440	----	----	----/41.70A	46.50B/41.70A	----	46.10 - 5.40	.1594	----	----	----	----	8 UNCH
5445	----	----	----/*41.00A	46.00B/*41.00A	----	45.60 - 5.30	.1579	----	----	----	----	8 UNCH
5450	----	----	----/40.80A	45.50B/40.80A	----	45.00 - 5.30	.1561	----	----	----	----	1186 UNCH
5455	----	----	----/*40.30A	45.00B/*40.30A	----	44.50 - 5.20	.1546	----	----	----	----	13 UNCH
5460	----	----	----/39.50A	44.40B/39.50A	----	44.00 - 5.10	.1530	----	----	----	----	13 UNCH
5465	----	----	----/*39.40A	43.90B/*39.40A	----	43.50 - 5.00	.1515	----	----	----	----	16 UNCH
5470	----	----	----/39.10A	43.40B/39.10A	----	43.00 - 5.00	.1499	----	----	----	----	17 UNCH
5475	----	----	----/*38.60A	43.00B/*38.60A	----	42.50 - 4.90	.1484	----	----	----	----	206 UNCH
5480	----	----	----/38.20A	42.50B/38.20A	----	42.00 - 4.90	.1469	----	----	----	----	5 UNCH
5485	----	----	----/*37.70A	42.00B/*37.70A	----	41.50 - 4.80	.1453	----	----	----	----	4 UNCH
5490	----	----	----/37.00A	41.60B/37.00A	----	41.10 - 4.70	.1440	----	----	----	----	17 UNCH
5495	37.90	37.90	37.90/*36.90A	41.00B/*36.90A	----	40.60 - 4.70	.1425	----	----	2	----	3 + 2
5500	36.00	36.00	41.00/36.00	41.00/36.00	----	40.10 - 4.70	.1409	----	----	399	----	4259 - 123
5505	----	----	----/*35.90A	40.10B/*35.90A	----	39.70 - 4.60	.1396	----	----	----	----	5 UNCH
5510	----	----	----/35.60A	39.60B/35.60A	----	39.20 - 4.60	.1381	----	----	----	----	13 UNCH
5515	----	----	----/*35.30A	39.10B/*35.30A	----	38.80 - 4.50	.1368	----	----	----	----	10 UNCH
5520	----	----	----/34.90A	38.80B/34.90A	----	38.30 - 4.50	.1353	----	----	----	----	11 UNCH
5525	----	----	----/*34.50A	38.30B/*34.50A	----	37.90 - 4.40	.1340	----	----	----	----	83 UNCH
5530	35.80	35.80	35.80/34.10A	37.60B/34.10A	----	37.50 - 4.30	.1327	----	----	2	----	23 - 2
5535	----	----	----/*33.70A	37.20B/*33.70A	----	37.10 - 4.30	.1314	----	----	----	----	1 UNCH
5540	----	----	----/33.30A	36.80B/33.30A	----	36.60 - 4.30	.1299	----	----	----	----	16 UNCH
5545	----	----	----/*32.80A	36.40B/*32.80A	----	36.20 - 4.20	.1286	----	----	----	----	8 UNCH
5550	35.60	35.60	35.60/32.70A	35.90B/32.70A	----	35.80 - 4.20	.1273	----	----	2	----	208 + 2
5555	----	----	----/*32.30A	35.60B/*32.30A	----	35.40 - 4.10	.1260	----	----	----	----	23 UNCH
5560	----	----	----/32.00A	35.20B/32.00A	----	35.00 - 4.10	.1247	----	----	----	----	22 UNCH
5565	----	----	----/*31.60A	34.80B/*31.60A	----	34.60 - 4.10	.1235	----	----	----	----	1 UNCH
5570	----	----	----/31.20A	34.50B/31.20A	----	34.30 - 4.00	.1224	----	----	----	----	4 UNCH
5575	----	----	----/*30.90A	34.10B/*30.90A	----	33.90 - 3.90	.1211	----	----	----	----	29 UNCH
5580	31.20	31.20	31.20/*30.40A	33.70B/*30.40A	----	33.50 - 3.90	.1198	----	----	5	----	7 + 5
5585	----	----	----/*30.30A	33.30B/*30.30A	----	33.10 - 3.90	.1186	----	----	----	----	19 UNCH
5590	----	----	----/*29.80A	33.00B/*29.80A	----	32.80 - 3.80	.1175	----	----	----	----	1 UNCH
5595	----	----	----/*29.50A	32.60B/*29.50A	----	32.40 - 3.80	.1163	----	----	----	----	19 UNCH
5600	29.30	29.30	31.00/*29.20A	32.30B/*29.20A	----	32.00 - 3.80	.1150	----	----	1582	----	1819 - 466
5605	----	----	----/*28.90A	31.90B/*28.90A	----	31.70 - 3.70	.1140	----	----	----	----	29 UNCH
5610	----	----	----/*28.60A	31.60B/*28.60A	----	31.40 - 3.70	.1129	----	----	----	----	1 UNCH
5625	----	----	----/*27.70A	30.90B/*27.70A	----	30.30 - 3.60	.1094	----	----	----	----	10 UNCH
5630	----	----	----/*27.40A	30.40B/*27.40A	----	30.00 - 3.60	.1084	----	----	----	----	5 UNCH
5635	----	----	----/*27.20A	30.20B/*27.20A	----	29.70 - 3.50	.1073	----	----	----	----	12 UNCH
5640	----	----	----/*26.90A	29.90B/*26.90A	----	29.40 - 3.50	.1063	----	----	----	----	4 UNCH
5650	----	----	----/*26.30A	29.20B/*26.30A	----	28.80 - 3.40	.1043	----	----	----	----	511 UNCH
5660	----	----	----/*25.80A	28.70B/*25.80A	----	28.10 - 3.40	.1020	----	----	----	----	1 UNCH
5670	----	----	----/*25.40A	28.10B/*25.40A	----	27.60 - 3.20	.1003	----	----	----	----	11 UNCH
5675	----	----	----/*25.20A	27.90B/*25.20A	----	27.30 - 3.20	.0993	----	----	----	----	6 UNCH
5680	----	----	----/*24.80A	27.50B/*24.80A	----	27.00 - 3.20	.0983	----	----	----	----	6 UNCH
5690	----	----	----/*24.40A	27.00B/*24.40A	----	26.40 - 3.20	.0963	----	----	----	----	11 UNCH
5700	----	----	----/*24.00A	26.50B/*24.00A	----	25.90 - 3.10	.0945	----	----	1	----	775 UNCH
5710	----	----	----/*23.50A	25.90B/*23.50A	----	25.40 - 3.00	.0928	----	----	----	----	12 UNCH
5720	----	----	----/*23.00A	25.40B/*23.00A	----	24.80 - 3.00	.0908	----	----	----	----	15 UNCH
5725	----	----	----/*22.80A	25.20B/*22.80A	----	24.60 - 2.90	.0901	----	----	----	----	57 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
5730	----	----	----/*22.90A	24.90B/*22.90A	----	24.30 - 3.00	.0891	----	----	----	----	9 UNCH
5740	----	----	----/*22.30A	24.70B/*22.30A	----	23.90 - 2.80	.0876	----	----	----	----	8 UNCH
5750	----	----	----/*21.80A	24.20B/*21.80A	----	23.40 - 2.80	.0859	----	----	----	----	972 UNCH
5760	----	----	----/*21.40A	23.50B/*21.40A	----	22.90 - 2.80	.0842	----	----	----	----	168 UNCH
5770	----	----	----/21.00A	23.10B/21.00A	----	22.50 - 2.60	.0827	----	----	----	----	4 UNCH
5775	----	----	----/*21.00A	22.80B/*21.00A	----	22.30 - 2.60	.0820	----	----	1	----	215 + 1
5780	----	----	----/*20.70A	22.60B/*20.70A	----	22.10 - 2.60	.0813	----	----	----	----	2 UNCH
5790	----	----	----/*20.30A	22.30B/*20.30A	----	21.60 - 2.60	.0796	----	----	----	----	10 UNCH
5800	----	----	----/*19.90A	21.80B/*19.90A	----	21.20 - 2.50	.0782	----	----	----	----	951 UNCH
5810	----	----	----/*19.60A	21.50B/*19.60A	----	20.80 - 2.40	.0768	----	----	----	----	10 UNCH
5820	----	----	----/*19.30A	21.10B/*19.30A	----	20.50 - 2.30	.0756	----	----	----	----	207 UNCH
5825	----	----	----/*19.10A	20.90B/*19.10A	----	20.30 - 2.30	.0749	----	----	----	----	19 UNCH
5830	----	----	----/*18.90A	20.70B/*18.90A	----	20.10 - 2.20	.0742	----	----	----	----	1 UNCH
5840	----	----	----/*18.60A	20.30B/*18.60A	----	19.70 - 2.20	.0728	----	----	----	----	102 UNCH
5850	----	----	----/*18.30A	20.00B/*18.30A	----	19.40 - 2.10	.0717	----	----	2	----	111 + 1
5860	18.00	18.00	18.00/*18.00	19.60B/*18.00	----	19.00 - 2.10	.0703	----	----	2	----	72 + 2
5870	----	----	----/*17.70A	19.30B/*17.70A	----	18.70 - 2.00	.0691	----	----	----	----	9 UNCH
5875	----	----	----/*17.50A	19.20B/*17.50A	----	18.50 - 2.00	.0685	----	----	----	----	22 UNCH
5880	----	----	----/*17.40A	19.00B/*17.40A	----	18.40 - 1.90	.0680	----	----	----	----	11 UNCH
5890	----	----	----/*17.10A	18.70B/*17.10A	----	18.10 - 1.80	.0669	----	----	----	----	6 UNCH
5900	----	----	----/*16.90A	18.40B/*16.90A	----	17.80 - 1.80	.0658	----	----	1	----	415 - 1
5910	----	----	----/*16.60A	18.10B/*16.60A	----	17.50 - 1.70	.0647	----	----	1	----	7 + 1
5920	----	----	----/*16.30A	17.70B/*16.30A	----	17.20 - 1.70	.0636	----	----	----	----	25 UNCH
5925	----	----	----/*16.20A	17.70B/*16.20A	----	17.00 - 1.70	.0629	----	----	1	----	6 UNCH
5940	----	----	----/*15.80A	17.20B/*15.80A	----	16.60 - 1.60	.0614	----	----	----	----	2 UNCH
5950	----	----	----/*15.60A	17.00B/*15.60A	----	16.40 - 1.50	.0606	----	----	----	----	3 UNCH
5960	----	----	----/*15.40A	16.70B/*15.40A	----	16.10 - 1.50	.0595	----	----	----	----	15 UNCH
5970	----	----	----/*15.10A	16.50B/*15.10A	----	15.90 - 1.40	.0587	----	----	----	----	55 UNCH
5980	----	----	----/*14.90A	16.20B/*14.90A	----	15.60 - 1.40	.0577	----	----	----	----	3 UNCH
5990	----	----	----/*14.70A	16.00B/*14.70A	----	15.40 - 1.40	.0569	----	----	----	----	70 UNCH
6000	16.60	16.60	16.60/14.50A	16.60/14.50A	----	15.20 - 1.30	.0561	----	----	2	----	2571 UNCH
6025	----	----	----/*14.00A	15.20B/*14.00A	----	14.60 - 1.30	.0539	----	----	----	----	14 UNCH
6050	----	----	----/*13.50A	14.60B/*13.50A	----	14.10 - 1.20	.0519	----	----	----	----	41 UNCH
6075	----	----	----/*13.10A	14.00B/*13.10A	----	13.60 - 1.10	.0500	----	----	----	----	90 UNCH
6100	----	----	----/*12.70A	13.60B/*12.70A	----	13.10 - 1.10	.0481	----	----	2	----	263 UNCH
6125	----	----	----/*12.20A	13.20B/*12.20A	----	12.70 - 1.00	.0466	----	----	----	----	60 UNCH
6150	----	----	----/*11.80A	12.70B/*11.80A	----	12.30 - 1.00	.0450	----	----	----	----	880 UNCH
6175	----	----	----/*11.50A	12.30B/*11.50A	----	11.90 - 0.90	.0435	----	----	----	----	38 UNCH
6200	----	----	----/*11.10A	11.90B/*11.10A	----	11.60 - 0.80	.0422	----	----	2	----	537 UNCH
6225	----	----	----/*10.80A	11.50B/*10.80A	----	11.20 - 0.80	.0407	----	----	2	----	21 + 2
6250	----	----	----/*10.50A	11.20B/*10.50A	----	10.90 - 0.70	.0395	----	----	----	----	392 UNCH
6275	----	----	----/*10.20A	10.90B/*10.20A	----	10.60 - 0.70	.0383	----	----	----	----	3 UNCH
6300	----	----	----/*10.00A	10.60B/*10.00A	----	10.30 - 0.70	.0371	----	----	----	----	335 UNCH
6325	----	----	----/*9.70A	10.20B/*9.70A	----	10.00 - 0.60	.0360	----	----	----	----	32 UNCH
6350	----	----	----/*9.50A	10.00B/*9.50A	----	9.70 - 0.60	.0348	----	----	----	----	32 UNCH
6375	----	----	----/*9.20A	9.70B/*9.20A	----	9.50 - 0.50	.0340	----	----	----	----	37 UNCH
6400	----	----	----/9.00A	9.40B/9.00A	----	9.20 - 0.60	.0328	----	----	10	----	187 - 8
6425	----	----	----/*8.80A	9.20B/*8.80A	----	9.00 - 0.50	.0320	----	----	----	----	15 UNCH
6450	----	----	----/8.60A	9.10B/8.60A	----	8.80 - 0.50	.0312	----	----	----	----	48 UNCH
6475	----	----	----/8.40A	8.70B/8.40A	----	8.60 - 0.40	.0304	----	----	----	----	14 UNCH
6500	8.30	8.30	8.30/8.20A	8.50B/8.20A	----	8.40 - 0.40	.0296	----	----	10	----	864 UNCH
6525	----	----	----/8.00A	8.30B/8.00A	----	8.20 - 0.40	.0288	----	----	----	----	132 UNCH
6550	----	----	----/7.80A	8.20B/7.80A	----	8.00 - 0.40	.0280	----	----	----	----	1 UNCH
6575	----	----	----/7.70A	8.00B/7.70A	----	7.80 - 0.40	.0273	----	----	----	----	4 UNCH
6600	----	----	----/7.50A	7.80B/7.50A	----	7.60 - 0.40	.0265	----	----	----	----	30 UNCH
6650	----	----	----/7.20A	7.40B/7.20A	----	7.30 - 0.30	.0253	----	----	----	----	16 UNCH
6675	----	----	----/7.10A	7.30B/7.10A	----	7.20 - 0.20	.0248	----	----	----	----	1 UNCH
6700	----	----	----/6.90A	7.10B/6.90A	----	7.00 - 0.30	.0241	----	----	----	----	127 UNCH
6800	----	----	----/6.30A	6.50B/6.30A	----	6.50 - 0.20	.0221	----	----	----	----	199 UNCH
6825	----	----	----/6.20A	6.40B/6.20A	----	6.40 - 0.20	.0216	----	----	----	----	19 UNCH
6850	----	----	----/6.10A	6.30B/6.10A	----	6.20 - 0.20	.0209	----	----	----	----	201 UNCH
6875	----	----	----/6.00A	6.20B/6.00A	----	6.10 - 0.20	.0205	----	----	----	----	22 UNCH
6900	----	----	----/5.90A	6.10B/5.90A	----	6.00 - 0.20	.0201	----	----	----	----	19 UNCH
6925	----	----	----/5.80A	6.00B/5.80A	----	5.90 - 0.20	.0197	----	----	----	----	1 UNCH
6950	----	----	----/5.70A	5.90B/5.70A	----	5.80 - 0.20	.0193	----	----	----	----	22 UNCH
6975	----	----	----/5.60A	5.80B/5.60A	----	5.70 - 0.20	.0189	----	----	----	----	10 UNCH
7000	----	----	----/5.50A	5.70B/5.50A	----	5.60 - 0.10	.0185	----	----	----	----	791 UNCH
7050	----	----	----/5.30A	5.50B/5.30A	----	5.40 - 0.10	.0178	----	----	----	----	17 UNCH
7075	----	----	----/5.30A	5.40B/5.30A	----	5.30 - 0.20	.0174	----	----	----	----	13 UNCH
7100	----	----	----/5.20A	5.30B/5.20A	----	5.30 - 0.10	.0173	----	----	----	----	28 UNCH
7125	----	----	----/5.10A	5.20B/5.10A	----	5.20 - 0.10	.0169	----	----	----	----	1 UNCH
7150	----	----	----/5.00A	5.10B/5.00A	----	5.10 - 0.10	.0166	----	----	----	----	19 UNCH
7175	----	----	----/4.90A	5.00B/4.90A	----	5.00 - 0.10	.0162	----	----	----	----	1 UNCH
7200	----	----	----/4.90A	5.00B/4.90A	----	4.90 - 0.10	.0158	----	----	----	----	3 UNCH
7225	----	----	----/4.80A	4.90B/4.80A	----	4.90 UNCH	.0157	----	----	----	----	17 UNCH
7250	----	----	----/4.70A	4.80B/4.70A	----	4.80 - 0.10	.0154	----	----	----	----	23 UNCH
7275	----	----	----/4.60A	4.70B/4.60A	----	4.70 - 0.10	.0150	----	----	----	----	14 UNCH
7300	----	----	----/4.60A	4.70B/4.60A	----	4.70 UNCH	.0150	----	----	----	----	42 UNCH
7350	----	----	----/4.50A	4.50B/4.50A	----	4.50 - 0.10	.0143	----	----	----	----	6 UNCH
7400	----	----	----/4.30A	4.40B/4.30A	----	4.40 UNCH	.0139	----	----	----	----	1 UNCH
7425	----	----	----/4.30A	4.30B/4.30A	----	4.30 - 0.10	.0135	----	----	----	----	19 UNCH
7450	----	----	----/4.20A	4.20B/4.20A	----	4.30 UNCH	.0135	----	----	----	----	16 UNCH
7475	----	----	----	4.20B/4.20A	----	4.20 UNCH	.0131	----	----	----	----	9 UNCH
7500	----	----	----/4.10A	4.10B/4.10A	----	4.20 UNCH	.0131	----	----	----	----	301 UNCH
7525	----	----	----	4.10B/4.10A	----	4.10 UNCH	.0127	----	----	----	----	33 UNCH
7550	----	----	----/4.00A	4.00B/4.00A	----	4.00 - 0.10	.0124	----	----	----	----	50 UNCH
7575	----	----	----/3.90A	3.90B/3.90A	----	4.00 UNCH	.0124	----	----	----	----	1 UNCH
7600	----	----	----/3.90A	3.90B/3.90A	----	3.90 - 0.10	.0120	----	----	----	----	10 UNCH
7625	----	----	----/3.80A	3.80B/3.80A	----	3.90 UNCH	.0120	----	----	----	----	12 UNCH
7700	----	----	----	3.70B/3.70A	----	3.70 UNCH	.0113	----	----	----	----	11 UNCH
7725	----	----	----	3.60B/3.70A	----	3.70 UNCH	.0112	----	----	----	----	11 UNCH
7750	----	----	----	3.60B/3.60A	----	3.60 UNCH	.0109	----	----	----	----	2 UNCH
7775	----	----	----	3.50B/3.60A	----	3.60 UNCH	.0109	----	----	----	----	5 UNCH
7800	----	----	----	3.40B/3.50A	----	3.50 UNCH	.0106	----	----	----	----	5 UNCH
7825	----	----	----	3.40B/3.50A	----	3.50 UNCH	.0105	----	----	----	----	10 UNCH
7875	----	----	----	3.30B/3.40A	----	3.40 UNCH	.0102	----	----	----	----	140 UNCH
7900	----	----	----	3.30B/3.40A	----	3.40 UNCH	.0101	----	----	----	----	1 UNCH
8000	----	----	----	3.10B/3.20A	----	3.20 UNCH	.0095	----	----	----	----	589 UNCH
8100	----	----	----	3.00B/3.10A	----	3.10 + 0.10	.0091	----	----	----	----	7 UNCH
8300	----	----	----	2.70B/2.80A	----	2.80 UNCH	.0081	----	----	----	----	4 UNCH
8500	----	----	----	2.50B/2.60A	----	2.60 + 0.10	.0073	----	----	----	----	6 UNCH
8600	----	----	----	2.40B/2.50A	----	2.50 + 0.10	.0070	----	----	----	----	1 UNCH
8700	2.20	2.20	2.20/2.20	2.30B/2.20	----	2.40 NEW	.0067	----	----	25	----	25 + 25
8800	----	----	----	2.20B/2.30A	----	2.30 + 0.10	.0063	----	----	----	----	7 UNCH
9000	----	----	----	2.00B/2.10A	----	2.10 + 0.10	.0057	----	----	----	----	223 UNCH
9200	----	----	----	1.80B/2.00A	----	2.00 + 0.20	.0053	----	----	----	----	11 UNCH
9300	----	----	----	1.80B/2.00A	----	1.90 + 0.10	.0051	----	----	----	----	4 UNCH
9400	----	----	----	1.70B/1.90A	----	1.80 + 0.10	.0048	----	----	----	----	141 UNCH
9500	----	----	1.70B/----	1.70B/1.80A	----	1.80 + 0.20	.0047	----	----	----	----	66 UNCH
9900	----	----	----	1.40B/1.60A	----	1.50 + 0.10	.0039	----	----	----	----	5 UNCH
10000	----	----	----	1.40B/1.50A	----	1.50 + 0.10	.0038	----	----	----	----	173 UNCH
10100	----	----	----	1.30B/1.50A	----	1.50 + 0.20	.0038	----	----	----	----	12 UNCH
11000	----	----	----	0.90B/1.20A	----	1.10 + 0.20	.0027	----	----	----	----	86 UNCH
11200	----	----	----	0.80B/1.20A	----	0.90 + 0.10	.0022	----	----	----	----	13 UNCH
11500	----	----	0.80B/----	0.80B/1.10A	----	0.80 + 0.10	.0019	----	----	----	----	47 UNCH
11600	----	----	0.70B/----	0.70B/1.10A	----	0.70 + 0.10	.0017	----	----	----	----	50 UNCH
12000	0.60	0.60	0.60/*0.60	0.60/0.60	----	0.60 + 0.10	.0014	----	----	1	----	216 UNCH
TOTAL										4101	300	54750 - 765
AUG26												
3400	----	----	----	----	----	1407.90 - 20.30	.9733	----	----	----	----	1 UNCH
3500	----	----	----	1270.00B/----	----	1310.30 - 20.40	.9662	----	----	----	----	46 UNCH
3505	----	----	----	----	----	1305.40 - 20.40	.9657	----	----	----	----	4 UNCH
3520	----	----	----	----	----	1290.80 - 20.40	.9646	----	----	----	----	65 UNCH
3550	----	----	----	----	----	1261.80 - 20.40	.9619	----	----	----	----	310 UNCH
3600	----	----	----	----	----	1213.50 - 20.50	.9572	----	----	----	----	1045 UNCH
3610	----	----	----	----	----	1203.90 - 20.50	.9562	----	----	----	----	6 UNCH
3650	----	----	----	----	----	1165.60 - 20.50	.9519	----	----	----	----	4 UNCH
3660	----	----	----	----	----	1156.00 - 20.50	.9506	----	----	----	----	2 UNCH
3685	----	----	----	----	----	1132.20 - 20.50	.9477	----	----	----	----	1 UNCH
3700	----	----	----	----	----	1117.90 - 20.60	.9458	----	----	----	----	40 UNCH
3715	----	----	----	----	----	1103.70 - 20.50	.9438	----	----	----	----	30 UNCH
3720	----	----	----	----	----	1099.00 - 20.50	.9432	----	----	----	----	1 UNCH
3735	----	----	----	----	----	1084.80 - 20.50	.9411	----	----	----	----	1 UNCH
3750	----	----	----	----	----	1070.60 - 20.60	.9391	----	----	----	----	8 UNCH
3775	----	----	----	----	----	1047.10 - 20.60	.9353	----	----	----	----	4 UNCH
3780	----	----	----	----	----	1042.40 - 20.60	.9345	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 34

FINAL

OG CALL — COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
AUG26												
3790	----	----	----	----	----	1033.10 - 20.50	.9330	----	----	----	----	67 UNCH
3800	----	----	----	----	----	1023.70 - 20.50	.9314	----	----	----	----	303 UNCH
3820	----	----	----	----	----	1005.10 - 20.50	.9282	----	----	----	----	3 UNCH
3840	----	----	----	681.20B/1129.10A	----	986.50 - 20.50	.9247	----	----	----	----	1 UNCH
3850	----	----	----	672.20B/1120.10A	----	977.20 - 20.50	.9230	----	----	----	----	12 UNCH
3885	----	----	----	641.20B/1088.90A	----	945.00 - 20.40	.9165	----	----	----	----	2 UNCH
3890	----	----	----	636.70B/1084.40A	----	940.40 - 20.40	.9156	----	----	----	----	2 UNCH
3900	----	----	----	697.50B/1075.60A	----	931.20 - 20.50	.9136	----	----	----	----	146 UNCH
3920	----	----	----	720.60B/1057.90A	----	913.00 - 20.40	.9095	----	----	----	----	1 UNCH
3925	----	----	----	724.70B/1053.50A	----	908.40 - 20.40	.9085	----	----	----	----	10 UNCH
3950	----	----	----	707.40B/1031.60A	----	885.80 - 20.30	.9031	----	----	----	----	106 UNCH
3955	----	----	----	703.10B/1027.30A	----	881.20 - 20.40	.9021	----	----	----	----	7 UNCH
3975	----	----	----	684.90B/1009.90A	----	863.20 - 20.30	.8976	----	----	----	----	200 UNCH
3995	----	----	----	666.90B/992.60A	----	845.30 - 20.30	.8927	----	----	----	----	30 UNCH
4000	----	----	----	662.40B/988.30A	----	840.90 - 20.20	.8915	----	----	----	----	714 UNCH
4005	----	----	----	658.00B/984.00A	----	836.40 - 20.30	.8903	----	----	----	----	1 UNCH
4015	----	----	----	649.00B/975.40A	----	827.50 - 20.20	.8878	----	----	----	----	12 UNCH
4025	----	----	----	640.10B/966.90A	----	818.70 - 20.20	.8853	----	----	----	----	174 UNCH
4045	----	----	----	622.40B/950.70A	----	801.10 - 20.10	.8802	----	----	----	----	30 UNCH
4050	----	----	----	618.00B/946.50A	----	796.70 - 20.10	.8788	----	----	----	----	100 UNCH
4055	----	----	----	613.50B/941.90A	----	792.30 - 20.10	.8775	----	----	----	----	100 UNCH
4075	----	----	----	596.00B/924.70A	----	774.80 - 20.00	.8720	----	----	----	----	3 UNCH
4080	----	----	----	591.60B/920.70A	----	770.50 - 20.00	.8706	----	----	----	----	1 UNCH
4100	----	----	----	574.30B/903.40A	----	753.10 - 20.00	.8648	----	----	----	----	73 UNCH
4110	----	----	----	565.60B/895.60A	----	744.50 - 19.90	.8618	----	----	----	----	19 UNCH
4135	----	----	----	544.20B/875.20A	----	723.10 - 19.80	.8543	----	----	----	----	20 UNCH
4140	----	----	----	539.90B/871.50A	----	718.90 - 19.80	.8527	----	----	----	----	1 UNCH
4150	----	----	----	531.40B/863.20A	----	710.40 - 19.80	.8495	----	----	----	----	40 UNCH
4165	----	----	----	518.30B/851.30A	----	697.80 - 19.60	.8446	----	----	----	----	1 UNCH
4195	----	----	----	492.00B/827.80A	----	672.70 - 19.50	.8345	----	----	----	----	3 UNCH
4200	----	----	----	487.70B/823.90A	----	668.50 - 19.60	.8328	----	----	----	----	75 UNCH
4215	----	----	----	474.70B/812.20A	----	656.10 - 19.50	.8275	----	----	----	----	1 UNCH
4220	----	----	----	470.40B/808.40A	----	652.00 - 19.50	.8257	----	----	----	----	16 UNCH
4225	----	----	----	466.10B/804.50A	----	647.90 - 19.50	.8239	----	----	----	----	102 UNCH
4235	----	----	----	457.60B/796.90A	----	639.70 - 19.40	.8202	----	----	----	----	1 UNCH
4250	----	----	----	444.80B/785.70A	----	627.60 - 19.30	.8147	----	----	----	----	71 UNCH
4265	----	----	----	432.20B/774.00A	----	615.40 - 19.30	.8090	----	----	----	----	77 UNCH
4285	----	----	----	415.50B/759.30A	----	599.50 - 19.20	.8011	----	----	----	----	8 UNCH
4300	----	----	----	403.20B/748.20A	----	587.60 - 19.10	.7951	----	----	----	----	42 UNCH
4320	----	----	----	386.90B/733.10A	----	571.90 - 19.00	.7868	----	----	----	----	2 UNCH
4325	----	----	----	382.80B/729.40A	----	568.00 - 19.00	.7848	----	----	----	----	6 UNCH
4330	----	----	----	378.40B/726.10A	----	564.10 - 19.00	.7827	----	----	----	----	201 UNCH
4350	----	----	----	362.80B/711.20A	----	548.70 - 18.90	.7741	----	----	----	----	774 UNCH
4360	----	----	----	354.90B/704.00A	----	541.00 - 18.90	.7697	----	----	----	----	1 UNCH
4375	----	----	----	343.20B/693.60A	----	529.70 - 18.80	.7629	----	----	----	----	3 UNCH
4385	----	----	----/493.50A	436.70B/493.50A	----	522.10 - 18.80	.7584	----	----	----	----	100 UNCH
4390	----	----	----/489.90A	436.90B/489.90A	----	518.40 - 18.80	.7561	----	----	----	----	1 UNCH
4400	----	----	----/483.10A	431.30B/483.10A	----	511.00 - 18.70	.7515	----	----	----	----	325 UNCH
4420	----	----	----/470.10A	436.10B/470.10A	----	496.20 - 18.60	.7421	----	----	----	----	50 UNCH
4425	----	----	----/466.70A	432.60B/466.70A	----	492.60 - 18.60	.7397	----	----	----	----	5 UNCH
4440	----	----	----/457.00A	422.40B/457.00A	----	481.70 - 18.50	.7324	----	----	----	----	1 UNCH
4450	----	----	----/446.30A	449.60B/446.30A	----	474.60 - 18.40	.7275	----	----	----	----	6 UNCH
4455	----	----	----/442.90A	449.70B/442.90A	----	471.00 - 18.40	.7251	----	----	----	----	2 UNCH
4460	----	----	----/439.50A	449.40B/439.50A	----	467.50 - 18.30	.7226	----	----	----	----	5 UNCH
4465	----	----	----/436.00A	449.40B/436.00A	----	463.90 - 18.30	.7200	----	----	----	----	9 UNCH
4470	----	----	----/432.60A	449.10B/432.60A	----	460.40 - 18.20	.7175	----	----	----	----	7 UNCH
4475	----	----	----/429.30A	447.50B/429.30A	----	456.90 - 18.20	.7150	----	----	----	----	29 UNCH
4485	----	----	----/422.50A	447.90B/422.50A	----	450.00 - 18.00	.7099	----	----	----	----	5 UNCH
4490	----	----	----/419.30A	445.70B/419.30A	----	446.50 - 18.00	.7073	----	----	----	----	1 UNCH
4500	424.50	424.50	440.60B/401.30A	440.60B/401.30A	----	439.60 - 17.90	.7021	----	----	1	----	846 UNCH
4535	----	----	----/378.60A	416.90B/378.60A	----	416.10 - 17.40	.6835	----	----	----	----	10 UNCH
4540	----	----	----/375.50A	413.60B/375.50A	----	412.80 - 17.40	.6808	----	----	----	----	5 UNCH
4545	----	----	----/370.60A	410.30B/370.60A	----	409.50 - 17.30	.6781	----	----	----	----	1 UNCH
4550	----	----	----/369.40A	406.90B/369.40A	----	406.20 - 17.30	.6753	----	----	----	----	22 UNCH
4555	----	----	----/366.40A	403.70B/366.40A	----	403.00 - 17.20	.6726	----	----	----	----	1 UNCH
4560	----	----	----/363.40A	400.40B/363.40A	----	399.70 - 17.20	.6699	----	----	----	----	5 UNCH
4565	----	----	----/360.40A	397.20B/360.40A	----	396.50 - 17.10	.6671	----	----	----	----	1 UNCH
4575	----	----	----/352.70A	390.70B/352.70A	----	390.10 - 16.90	.6616	----	----	----	----	41 UNCH
4580	----	----	----/351.60A	387.50B/351.60A	----	386.90 - 16.90	.6588	----	----	----	----	200 UNCH
4585	----	----	----/348.60A	384.30B/348.60A	----	383.70 - 16.80	.6560	----	----	----	----	2 UNCH
4590	----	----	----/343.90A	381.20B/343.90A	----	380.60 - 16.70	.6532	----	----	----	----	16 UNCH
4595	----	----	----/341.10A	378.00B/341.10A	----	377.40 - 16.70	.6503	----	----	----	----	2 UNCH
4600	----	----	----/338.20A	374.90B/338.20A	----	374.30 - 16.60	.6475	----	----	----	----	100 UNCH
4605	----	----	----/337.10A	371.70B/337.10A	----	371.20 - 16.60	.6447	----	----	----	----	1 UNCH
4620	----	----	----/326.90A	362.50B/326.90A	----	362.00 - 16.40	.6361	----	----	----	----	4 UNCH
4640	----	----	----/317.60A	350.30B/317.60A	----	349.90 - 16.10	.6245	----	----	----	----	1 UNCH
4650	322.00	322.00	344.50B/312.20A	344.50B/312.20A	----	343.90 - 16.10	.6187	----	----	1	----	146 + 1
4660	----	----	----/306.80A	338.40B/306.80A	----	338.00 - 16.00	.6128	----	----	----	----	2 UNCH
4670	----	----	----/301.50A	332.60B/301.50A	----	332.20 - 15.90	.6069	----	----	----	----	3 UNCH
4675	----	----	----/298.90A	329.80B/298.90A	----	329.30 - 15.80	.6040	----	----	----	----	36 UNCH
4700	----	----	----/284.60A	316.40B/284.60A	----	315.00 - 15.70	.5891	----	----	----	----	1619 UNCH
4705	----	----	----/283.60A	313.70B/283.60A	----	312.20 - 15.70	.5861	----	----	----	----	20 UNCH
4710	----	----	----/279.60A	310.80B/279.60A	----	309.40 - 15.70	.5831	----	----	----	----	17 UNCH
4720	----	----	----/275.30A	305.50B/275.30A	----	303.90 - 15.60	.5771	----	----	----	----	29 UNCH
4725	----	----	----/272.90A	302.70B/272.90A	----	301.10 - 15.60	.5741	----	----	----	----	2 UNCH
4730	----	----	----/270.60A	299.90B/270.60A	----	298.40 - 15.60	.5710	----	----	----	----	3 UNCH
4735	289.30	289.30	297.30B/268.30A	297.30B/268.30A	----	295.70 NEW	.5680	----	----	2	----	2 + 2
4750	----	----	----/261.00A	289.20B/261.00A	----	287.80 - 15.40	.5589	----	----	----	----	181 UNCH
4760	----	----	----/256.90A	284.00B/256.90A	----	282.60 - 15.30	.5528	----	----	----	----	10 UNCH
4770	----	----	----/249.80A	278.40B/249.80A	----	277.50 - 15.10	.5467	----	----	----	----	14 UNCH
4775	----	----	----/247.10A	276.40B/247.10A	----	274.90 - 15.10	.5436	----	----	----	----	10 UNCH
4780	----	----	----/244.90A	273.20B/244.90A	----	272.40 - 15.10	.5406	----	----	1	----	4 + 1
4795	----	----	----/238.40A	266.40B/238.40A	----	265.10 - 14.80	.5314	----	----	----	----	2 UNCH
4800	255.20	255.20	263.20B/237.50A	263.20B/237.50A	----	262.70 - 14.80	.5283	----	----	64	----	1620 - 10
4810	----	----	----/233.60A	259.10B/233.60A	----	257.90 - 14.70	.5222	----	----	----	----	4 UNCH
4815	----	----	----/230.10A	256.70B/230.10A	----	255.60 - 14.60	.5192	----	----	----	----	3 UNCH
4820	----	----	----/227.90A	254.30B/227.90A	----	253.20 - 14.60	.5161	----	----	3	----	21 UNCH
4825	242.10	242.10	252.00B/225.80A	252.00B/225.80A	----	250.90 - 14.50	.5131	----	----	6	----	11 + 6
4830	243.60	243.60	249.40B/223.80A	249.40B/223.80A	----	248.60 - 14.40	.5100	----	----	6	----	11 + 6
4835	----	----	----/221.90A	247.50B/221.90A	----	246.30 - 14.40	.5070	----	----	----	----	35 UNCH
4840	----	----	----/220.00A	244.90B/220.00A	----	244.00 - 14.40	.5039	----	----	----	----	11 UNCH
4850	----	----	----/216.00A	240.30B/216.00A	----	239.40 - 14.40	.4978	----	----	----	----	34 UNCH
4860	----	----	----/212.00A	235.70B/212.00A	----	235.00 - 14.20	.4918	----	----	----	----	26 UNCH
4870	----	----	----/208.30A	231.30B/208.30A	----	230.50 - 14.20	.4857	----	----	----	----	11 UNCH
4875	214.00	214.00	229.20B/206.40A	229.20B/206.40A	----	228.30 - 14.20	.4827	----	----	13	----	88 + 13
4880	----	----	----/204.40A	227.00B/204.40A	----	226.20 - 14.10	.4797	----	----	----	----	30 UNCH
4895	----	----	----/199.10A	220.40B/199.10A	----	219.70 - 14.10	.4706	----	----	----	----	11 UNCH
4900	----	----	----/197.90A	218.50B/197.90A	----	217.60 - 14.10	.4676	----	----	2	----	466 UNCH
4905	----	----	----/196.10A	216.40B/196.10A	----	215.50 - 14.00	.4646	----	----	----	----	9 UNCH
4910	----	----	----/194.30A	214.30B/194.30A	----	213.50 - 13.90	.4616	----	----	----	----	1 UNCH
4925	----	----	----/189.00A	208.10B/189.00A	----	207.30 - 13.90	.4527	----	----	----	----	123 UNCH
4935	----	----	----/185.50A	204.10B/185.50A	----	203.30 - 13.80	.4467	----	----	----	----	1 UNCH
4940	----	----	----/183.80A	202.10B/183.80A	----	201.40 - 13.60	.4438	----	----	----	----	1 UNCH
4950	----	----	----/180.40A	198.20B/180.40A	----	197.50 - 13.50	.4379	----	----	----	----	64 UNCH
4955	----	----	----/178.80A	196.20B/178.80A	----	195.60 - 13.40	.4350	----	----	----	----	22 UNCH
4970	----	----	----/173.90A	190.50B/173.90A	----	189.90 - 13.30	.4262	----	----	1	----	0 - 1
4975	----	----	----/172.30A	188.60B/172.30A	----	188.00 - 13.20	.4233	----	----	----	----	2 UNCH
4985	----	----	----/169.10A	184.90B/169.10A	----	184.40 - 13.00	.4175	----	----	----	----	1 UNCH
4995	----	----	----/166.00A	181.20B/166.00A	----	180.80 - 12.80	.4118	----	----	----	----	3 UNCH
5000	----	----	----/164.20A	180.10B/164.20A	----	179.00 - 12.70	.4089	----	----	113	250	1309 - 215
5005	----	----	----/162.60A	178.40B/162.60A	----	177.20 - 12.70	.4060	----	----	----	----	4 UNCH
5015	----	----	----/159.50A	174.90B/159.50A	----	173.80 - 12.40	.4004	----	----	----	----	3 UNCH
5025	----	----	----/156.20A	171.40B/156.20A	----	170.30 - 12.30	.3947	----	----	----	----	5 UNCH
5030	----	----	----/154.70A	169.70B/154.70A	----	168.70 - 12.10	.3920	----	----	----	----	2 UNCH
5045	----	----	----/150.10A	164.70B/150.10A	----	163.70 - 11.80	.3836	----	----	----	----	1 UNCH
5050	----	----	----/148.60A	163.10B/148.60A	----	162.10 - 11.70	.3809	----	----	----	----	52 UNCH
5060	150.50	150.50	159.70B/145.60A	159.70B/145.60A	----	158.90 NEW	.3754	----	----	10	----	10 + 10
5065	----	----	----/144.20A	158.20B/144.20A	----	157.30 - 11.40	.3727	----	----	----	----	22 UNCH
5075	148.90	148.90	155.10B/141.40A	155.10B/141.40A	----	154.20 - 11.10	.3672	----	----	20	----	203 UNCH
5080	----	----	----/140.00A	153.50B/140.00A	----	152.70 - 11.00	.3646	----	----	----	----	21 UNCH
5100	----	----	----/134.40A	147.40B/134.40A	----	146.70 - 10.60	.3539	----	----	4	----	1595 UNCH
5105	----	----	----/133.10A	145.90B/133.10A	----	145.20 - 10.60	.3513	----	----	----	----	2 UNCH
5110	----	----	----/131.70A	144.50B/131.70A	----	143.80 - 10.50	.3487	----	----	----	----	4 UNCH
5115	----	----	----/130.50A	143.00B/130.50A	----	142.40 - 10.40	.3461	----	----	----	----	4 UNCH
5125	----	----	----/127.80A	140.20B/127.80A	----	139.50 - 10.30	.3409	----	----	----	----	20 UNCH
5130	----	----	----/126.60A	138.90B/126.60A	----	138.20 - 10.10	.3384	----	----	----	----	1 UNCH
5145	----	----	----/122.80A	134.70B/122.80A	----	134.10 - 9.90	.3308	----	----	----	----	14 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
5150	----	----	----/121.60A	133.40B/121.60A	----	132.70 - 9.90	.3282	----	----	----	----	71 UNCH
5155	----	----	----/120.40A	132.10B/120.40A	----	131.40 - 9.80	.3258	----	----	----	----	4 UNCH
5160	----	----	----/119.20A	130.50B/119.20A	----	130.10 - 9.80	.3233	----	----	----	----	6 UNCH
5175	----	----	----/115.60A	126.70B/115.60A	----	126.30 - 9.50	.3160	----	----	----	----	1 UNCH
5190	----	----	----/112.20A	122.80B/112.20A	----	122.50 - 9.40	.3087	----	----	----	----	4 UNCH
5200	----	----	----/110.10A	120.40B/110.10A	----	120.10 - 9.30	.3039	----	----	34	----	3401 UNCH
5205	----	----	----/109.00A	119.30B/109.00A	----	118.90 - 9.30	.3016	----	----	----	----	1 UNCH
5210	----	----	----/107.90A	118.10B/107.90A	----	117.70 - 9.20	.2992	----	----	----	----	6 UNCH
5215	----	----	----/106.80A	116.80B/106.80A	----	116.50 - 9.20	.2969	----	----	----	----	14 UNCH
5220	111.50	111.50	115.80B/105.70A	115.80B/105.70A	----	115.40 - 9.10	.2946	----	----	1	----	29 UNCH
5225	----	----	----/104.70A	114.50B/104.70A	----	114.20 - 9.10	.2922	----	----	----	----	40 UNCH
5230	----	----	----/103.70A	113.30B/103.70A	----	113.10 - 9.00	.2900	----	----	----	----	8 UNCH
5235	----	----	----/102.60A	112.10B/102.60A	----	112.00 - 9.00	.2878	----	----	----	----	10 UNCH
5240	----	----	----/101.50A	111.00B/101.50A	----	110.80 - 9.00	.2854	----	----	----	----	16 UNCH
5245	----	----	----/100.50A	110.00B/100.50A	----	109.70 - 9.00	.2832	----	----	----	----	6 UNCH
5250	----	----	----/99.60A	108.90B/99.60A	----	108.60 - 8.90	.2809	----	----	24	----	476 + 11
5255	98.40	98.40	107.70B/98.40	107.70B/98.40	----	107.60 - 8.80	.2788	----	----	4	----	888 + 4
5260	----	----	----/97.60A	106.70B/97.60A	----	106.50 - 8.80	.2765	----	----	----	----	24 UNCH
5265	103.70	103.70	105.60B/96.60A	105.60B/96.60A	----	105.40 - 8.80	.2743	----	----	4	----	10 + 4
5270	----	----	----/95.80A	104.50B/95.80A	----	104.40 - 8.70	.2722	----	----	----	----	18 UNCH
5275	----	----	----/94.70A	103.50B/94.70A	----	103.40 - 8.60	.2701	----	----	----	----	17 UNCH
5285	----	----	----/93.00A	101.40B/93.00A	----	101.30 - 8.60	.2657	----	----	20	----	31 + 19
5290	----	----	----/91.90A	100.30B/91.90A	----	100.30 - 8.50	.2636	----	----	----	----	6 UNCH
5295	----	----	----/90.90A	99.30B/90.90A	----	99.30 - 8.50	.2615	----	----	----	----	6 UNCH
5300	94.70	94.70	94.70/90.20A	98.40B/90.20A	----	98.30 - 8.50	.2594	----	----	11	----	457 UNCH
5305	----	----	----/89.20A	97.40B/89.20A	----	97.40 - 8.30	.2574	----	----	----	----	6 UNCH
5310	----	----	----/88.40A	96.40B/88.40A	----	96.40 - 8.30	.2553	----	----	----	----	103 UNCH
5320	----	----	----/86.80A	94.50B/86.80A	----	94.50 - 8.20	.2512	----	----	----	----	9 UNCH
5325	----	----	----/85.20A	93.70B/85.20A	----	93.60 - 8.10	.2492	----	----	----	----	11 UNCH
5330	----	----	----/84.80A	92.50B/84.80A	----	92.60 - 8.20	.2471	----	----	----	----	3 UNCH
5350	----	----	----/81.80A	89.40B/81.80A	----	89.00 - 7.90	.2393	----	----	----	----	30 UNCH
5355	----	----	----/80.70A	88.60B/80.70A	----	88.20 - 7.80	.2374	----	----	----	----	1 UNCH
5360	----	----	----/80.20A	87.10B/80.20A	----	87.30 - 7.80	.2355	----	----	----	----	50 UNCH
5370	----	----	----/78.40A	85.50B/78.40A	----	85.60 - 7.70	.2317	----	----	----	----	2 UNCH
5375	----	----	----/77.90A	84.60B/77.90A	----	84.70 - 7.70	.2297	----	----	----	----	4 UNCH
5400	----	----	----/74.20A	80.70B/74.20A	----	80.70 - 7.30	.2206	----	----	73	----	3737 - 19
5410	----	----	----/72.90A	79.00B/72.90A	----	79.10 - 7.20	.2170	----	----	----	----	6 UNCH
5420	73.60	73.60	73.60/71.50A	77.50B/71.50A	----	77.60 - 7.10	.2135	----	----	2	----	7 + 2
5435	----	----	----/*69.40A	75.50B/*69.40A	----	75.30 - 7.00	.2083	----	----	----	----	1 UNCH
5445	----	----	----/*67.90A	74.10B/*67.90A	----	73.90 - 6.80	.2050	----	----	----	----	3 UNCH
5450	----	----	----/67.20A	73.30B/67.20A	----	73.20 - 6.70	.2033	----	----	----	----	6 UNCH
5460	----	----	----/*66.00A	72.00B/*66.00A	----	71.80 - 6.60	.2000	----	----	----	----	3 UNCH
5465	----	----	----/*65.40A	71.20B/*65.40A	----	71.10 NEW	.1984	----	----	19	----	19 + 19
5470	----	----	----/*64.80A	70.40B/*64.80A	----	70.40 - 6.50	.1967	----	----	----	----	1 UNCH
5475	----	----	----/*64.00A	70.00B/*64.00A	----	69.70 - 6.50	.1951	----	----	----	----	2 UNCH
5480	----	----	----/*63.40A	69.30B/*63.40A	----	69.10 - 6.40	.1936	----	----	----	----	10 UNCH
5485	----	----	----/*62.90A	68.60B/*62.90A	----	68.40 - 6.40	.1920	----	----	----	----	1 UNCH
5490	----	----	----/*62.30A	67.90B/*62.30A	----	67.70 - 6.30	.1903	----	----	----	----	2 UNCH
5495	----	----	----/61.80A	67.10B/61.80A	----	67.10 - 6.20	.1888	----	----	----	----	2 UNCH
5500	60.00	60.00	60.00/60.00	66.70B/60.00	----	66.50 - 6.10	.1874	----	----	53	----	1165 + 12
5505	----	----	----/*60.60A	66.10B/*60.60A	----	65.80 - 6.20	.1857	----	----	----	----	6 UNCH
5515	----	----	----/59.50A	64.70B/59.50A	----	64.60 - 6.00	.1828	----	----	----	----	2 UNCH
5525	----	----	----/*58.40A	63.40B/*58.40A	----	63.40 - 5.90	.1798	----	----	----	----	25 UNCH
5535	----	----	----/*57.40A	62.20B/*57.40A	----	62.20 - 5.80	.1769	----	----	----	----	6 UNCH
5545	----	----	----/56.20A	61.10B/56.20A	----	61.00 - 5.70	.1740	----	----	----	----	2 UNCH
5550	----	----	----/55.80A	60.60B/55.80A	----	60.50 - 5.60	.1727	----	----	----	----	2 UNCH
5560	55.40	55.40	55.40/*54.80A	59.40B/*54.80A	----	59.30 NEW	.1698	----	----	2	----	2 + 2
5565	----	----	----/*54.20A	58.80B/*54.20A	----	58.80 - 5.40	.1685	----	----	----	----	5 UNCH
5575	----	----	----/*53.10A	57.70B/*53.10A	----	57.70 - 5.40	.1657	----	----	----	----	3 UNCH
5580	----	----	----/*52.70A	57.20B/*52.70A	----	57.20 - 5.30	.1644	----	----	----	----	17 UNCH
5595	----	----	----/*51.50A	55.60B/*51.50A	----	55.60 - 5.20	.1604	----	----	----	----	3 UNCH
5600	----	----	----/50.80A	55.20B/50.80A	----	55.10 - 5.10	.1591	----	----	83	250	1835 - 202
5615	----	----	----/*49.60A	53.60B/*49.60A	----	53.60 - 5.00	.1553	----	----	----	----	1 UNCH
5620	----	----	----/*49.20A	53.10B/*49.20A	----	53.10 - 4.90	.1540	----	----	----	----	2 UNCH
5635	----	----	----/*47.90A	51.70B/*47.90A	----	51.70 - 4.80	.1504	----	----	----	----	2 UNCH
5640	----	----	----/*47.50A	51.30B/*47.50A	----	51.20 - 4.70	.1492	----	----	----	----	3 UNCH
5650	----	----	----/*46.60A	50.40B/*46.60A	----	50.30 - 4.60	.1468	----	----	194	----	269 + 180
5660	----	----	----/*45.90A	49.50B/*45.90A	----	49.40 - 4.50	.1445	----	----	----	----	12 UNCH
5670	----	----	----/*45.10A	48.60B/*45.10A	----	48.60 - 4.40	.1423	----	----	----	----	10 UNCH
5675	----	----	----/*44.50A	48.10B/*44.50A	----	48.10 - 4.40	.1411	----	----	----	----	4 UNCH
5690	----	----	----/*43.60A	46.90B/*43.60A	----	46.90 - 4.20	.1378	----	----	----	----	13 UNCH
5700	----	----	----/42.60A	45.90B/42.60A	----	46.10 - 4.10	.1357	----	----	20	----	2238 + 20
5720	----	----	----/*41.30A	44.20B/*41.30A	----	44.50 - 4.00	.1314	----	----	----	----	13 UNCH
5725	----	----	----/*41.10A	43.80B/*41.10A	----	44.10 - 3.90	.1304	----	----	----	----	1 UNCH
5730	----	----	----/*40.70A	43.50B/*40.70A	----	43.70 - 3.90	.1293	----	----	----	----	12 UNCH
5750	----	----	----/*39.50A	42.10B/*39.50A	----	42.20 - 3.80	.1253	----	----	----	----	300 UNCH
5775	37.80	37.80	37.80/*37.80	40.30B/*37.80	----	40.50 NEW	.1206	----	----	2	----	2 + 2
5800	36.30	36.30	36.30/36.20A	38.70B/36.20A	----	38.80 - 3.40	.1160	----	----	52	----	941 UNCH
5825	----	----	----/*34.80A	37.20B/*34.80A	----	37.20 - 3.30	.1116	----	----	----	----	14 UNCH
5850	----	----	----/*33.50A	35.80B/*33.50A	----	35.70 - 3.10	.1074	----	----	----	----	165 UNCH
5875	----	----	----/*32.20A	34.30B/*32.20A	----	34.30 - 2.90	.1035	----	----	----	----	21 UNCH
5900	----	----	----/31.00A	33.20B/31.00A	----	33.00 - 2.80	.0997	----	----	----	----	1858 UNCH
5925	----	----	----/*29.90A	31.90B/*29.90A	----	31.70 - 2.70	.0961	----	----	----	----	2 UNCH
5950	----	----	----/*28.90A	30.80B/*28.90A	----	30.50 - 2.50	.0926	----	----	----	----	1 UNCH
6000	----	----	----/27.00A	28.40B/27.00A	----	28.30 - 2.30	.0862	----	----	51	----	1598 + 50
6100	23.80	23.80	24.70B/23.50A	24.70B/23.50A	----	24.50 - 1.90	.0750	----	----	40	----	373 + 39
6200	----	----	----/20.90A	21.80B/20.90A	----	21.50 - 1.50	.0659	----	----	2	----	1340 - 2
6300	----	----	----/18.60A	19.30B/18.60A	----	19.10 - 1.20	.0584	----	----	1	----	75 - 1
6400	16.10	16.10	17.20B/15.50	17.20B/15.50	----	17.10 - 1.00	.0521	----	----	12	----	59 UNCH
6500	----	----	----/15.10A	15.50B/15.10A	----	15.50 - 0.70	.0469	----	----	----	----	812 UNCH
6600	13.60	13.60	13.60/13.60	14.10B/13.60	----	14.20 - 0.50	.0426	----	----	18	----	150 + 18
6700	12.10	12.10	12.90B/12.10	12.90B/12.10	----	13.00 - 0.40	.0388	----	----	1	----	254 - 1
6800	----	----	----/11.70A	11.90B/11.70A	----	12.00 - 0.30	.0355	----	----	2	----	49 UNCH
6900	----	----	----/11.00A	11.00B/11.00A	----	11.10 - 0.30	.0326	----	----	----	----	1 UNCH
7000	----	----	----/10.30A	10.30B/10.30A	----	10.40 - 0.20	.0302	----	----	1	----	543 + 1
7500	----	----	----/7.60A	7.40B/7.60A	----	7.80 UNCH	.0216	----	----	----	----	738 UNCH
8000	6.60	6.60	6.60/6.00A	6.60/6.00A	----	6.20 + 0.20	.0164	----	----	60	----	153 + 49
8500	----	----	----	4.70B/5.00A	----	5.10 + 0.40	.0129	----	----	4	----	88 UNCH
9000	----	----	----	3.80B/4.20A	----	4.30 + 0.50	.0105	----	----	----	----	9 UNCH
9500	----	----	3.30B/----	3.30B/3.70A	----	3.60 + 0.50	.0086	----	----	----	----	68 UNCH
10000	----	----	2.80B/----	2.80B/3.10A	----	3.20 + 0.50	.0074	----	----	----	----	98 UNCH
TOTAL										1037	500	39859 + 20
SEP26												
3875	----	----	----	814.60B/1145.40A	----	997.00 - 20.20	.9063	----	----	----	----	1 UNCH
3995	----	----	----	707.60B/1042.20A	----	890.20 - 20.40	.8804	----	----	----	----	10 UNCH
4085	----	----	----	629.90B/967.90A	----	812.50 - 20.60	.8572	----	----	----	----	37 UNCH
4130	----	----	----/734.60A	675.50B/734.60A	----	774.50 - 20.70	.8444	----	----	----	----	10 UNCH
4185	----	----	----/692.70A	659.00B/692.70A	----	729.00 - 20.60	.8274	----	----	----	----	37 UNCH
4200	----	----	----/681.60A	687.20B/681.60A	----	716.80 - 20.60	.8225	----	----	----	----	1 UNCH
4220	----	----	----/666.80A	686.10B/666.80A	----	700.60 - 20.60	.8159	----	----	----	----	162 UNCH
4290	----	----	----/614.80A	646.40B/614.80A	----	645.40 - 20.20	.7909	----	----	----	----	6 UNCH
4295	----	----	----/611.00A	642.50B/611.00A	----	641.50 - 20.20	.7890	----	----	----	----	50 UNCH
4300	----	----	----/607.20A	638.70B/607.20A	----	637.70 - 20.20	.7872	----	----	----	----	13 UNCH
4320	----	----	----/592.20A	623.30B/592.20A	----	622.30 - 20.10	.7795	----	----	----	----	162 UNCH
4375	----	----	----/552.10A	582.10B/552.10A	----	581.10 - 19.70	.7575	----	----	----	----	1 UNCH
4390	----	----	----/541.40A	571.00B/541.40A	----	570.10 - 19.60	.7514	----	----	----	----	200 UNCH
4425	----	----	----/516.90A	545.70B/516.90A	----	544.80 - 19.30	.7364	----	----	----	----	1 UNCH
4495	----	----	----/469.70A	496.80B/469.70A	----	496.20 - 18.70	.7050	----	----	----	----	18 UNCH
4500	----	----	----/466.40A	493.40B/466.40A	----	492.80 - 18.70	.7027	----	----	----	----	5 UNCH
4505	----	----	----/463.10A	490.00B/463.10A	----	489.40 - 18.70	.7003	----	----	----	----	2 UNCH
4510	----	----	----/459.80A	486.60B/459.80A	----	486.00 - 18.70	.6980	----	----	----	----	2 UNCH
4515	----	----	----/454.40A	483.30B/454.40A	----	482.70 - 18.60	.6956	----	----	----	----	2 UNCH
4545	----	----	----/421.50A	463.40B/421.50A	----	462.90 - 18.40	.6814	----	----	----	----	16 UNCH
4550	----	----	----/418.40A	460.10B/418.40A	----	459.70 - 18.30	.6790	----	----	----	----	222 UNCH
4560	----	----	----/412.40A	453.60B/412.40A	----	453.20 - 18.30	.6741	----	----	----	----	2 UNCH
4565	----	----	----/409.50A	450.40B/409.50A	----	450.00 - 18.20	.6717	----	----	----	----	2 UNCH
4570	----	----	----/404.60A	447.30B/404.60A	----	446.80 - 18.20	.6693	----	----	----	----	2 UNCH
4575	----	----	----/401.70A	444.00B/401.70A	----	443.60 - 18.20	.6668	----	----	----	----	2 UNCH
4580	----	----	----/400.60A	440.80B/400.60A	----	440.50 - 18.10	.6643	----	----	----	----	2 UNCH
4585	----	----	----/397.70A	437.60B/397.70A	----	437.30 - 18.10	.6619	----	----	----	----	2 UNCH
4590	----	----	----/394.80A	434.50B/394.80A	----	434.20 - 18.00	.6594	----	----	----	----	2 UNCH
4600	----	----	----/387.20A	428.20B/387.20A	----	427.90 - 18.00	.6544	----	----	----	----	53 UNCH
4650	----	----	----/361.10A	397.80B/361.10A	----	397.50 - 17.80	.6291	----	----	----	----	1 UNCH
4675	----	----	----/346.00A	383.10B/346.00A	----	382.90 - 17.60	.6162	----	----	----	----	1 UNCH
4680	----	----	----/345.10A	380.20B/345.10A	----	380.00 - 17.60	.6136	----	----	----	----	1 UNCH
4700	----	----	----/334.70A	368.80B/334.70A	----	368.60 - 17.50	.6032	----	----	----	----	117 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
SEP26												
4705	----	----	----/330.50A	366.00B/330.50A	----	365.80 - 17.40	.6006	----	----	----	----	10 UNCH
4710	----	----	----/329.60A	363.20B/329.60A	----	363.00 - 17.40	.5979	----	----	----	----	1 UNCH
4720	----	----	----/324.50A	357.80B/324.50A	----	357.50 - 17.30	.5927	----	----	----	----	45 UNCH
4725	----	----	----/321.60A	355.00B/321.60A	----	354.70 - 17.30	.5900	----	----	----	----	2 UNCH
4730	----	----	----/319.10A	352.40B/319.10A	----	352.00 - 17.20	.5874	----	----	----	----	5 UNCH
4750	----	----	----/309.30A	341.90B/309.30A	----	341.20 - 17.00	.5768	----	----	----	----	43 UNCH
4775	----	----	----/295.90A	328.40B/295.90A	----	328.00 - 16.70	.5634	----	----	----	----	184 UNCH
4780	----	----	----/295.10A	326.30B/295.10A	----	325.50 - 16.60	.5607	----	----	----	----	7 UNCH
4800	305.40	305.40	316.10B/285.90A	316.10B/285.90A	----	315.30 - 16.30	.5500	----	----	54	240	936 + 224
4840	----	----	----/268.30A	296.20B/268.30A	----	295.90 - 15.60	.5285	----	----	----	----	2 UNCH
4850	----	----	----/262.70A	291.70B/262.70A	----	291.20 - 15.50	.5232	----	----	----	----	20 UNCH
4875	----	----	----/252.40A	279.90B/252.40A	----	279.80 - 15.10	.5098	----	----	----	----	30 UNCH
4900	----	----	----/243.70A	268.80B/243.70A	----	268.80 - 14.70	.4965	----	----	----	----	260 UNCH
4920	----	----	----/236.00A	260.20B/236.00A	----	260.30 - 14.30	.4860	----	----	----	----	30 UNCH
4925	----	----	----/234.10A	258.00B/234.10A	----	258.20 - 14.20	.4833	----	----	----	----	1 UNCH
4975	----	----	----/214.70A	237.40B/214.70A	----	238.00 - 13.40	.4573	----	----	----	----	314 UNCH
5000	200.00	200.00	227.90B/200.00	227.90B/200.00	----	228.30 - 13.10	.4444	----	----	6	----	584 UNCH
5005	----	----	----/204.50A	225.90B/204.50A	----	226.40 - 13.10	.4419	----	----	----	----	1 UNCH
5050	----	----	----/190.10A	209.40B/190.10A	----	209.80 - 12.60	.4191	----	----	----	----	1 UNCH
5075	193.70	193.70	201.00B/182.60A	201.00B/182.60A	----	201.10 - 12.30	.4067	----	----	1	----	1 UNCH
5100	----	----	----/175.30A	192.50B/175.30A	----	192.70 - 12.00	.3945	----	----	----	----	241 UNCH
5150	----	----	----/161.80A	177.10B/161.80A	----	177.00 - 11.30	.3707	----	----	----	----	3 UNCH
5155	----	----	----/160.50A	175.40B/160.50A	----	175.50 - 11.30	.3684	----	----	----	----	1 UNCH
5200	----	----	----/149.40A	162.60B/149.40A	----	162.70 - 10.60	.3480	----	----	----	----	373 UNCH
5230	----	----	----/142.40A	154.70B/142.40A	----	154.60 - 10.20	.3348	----	----	----	----	400 UNCH
5235	----	----	----/141.30A	153.40B/141.30A	----	153.30 - 10.20	.3326	----	----	----	----	1 UNCH
5245	----	----	----/139.10A	150.40B/139.10A	----	150.70 - 10.10	.3283	----	----	----	----	20 UNCH
5250	----	----	----/138.00A	149.20B/138.00A	----	149.40 - 10.10	.3261	----	----	----	----	200 UNCH
5300	----	----	----/127.70A	137.10B/127.70A	----	137.30 - 9.50	.3054	----	----	----	----	853 UNCH
5330	----	----	----/121.70A	130.20B/121.70A	----	130.40 - 9.30	.2934	----	----	----	----	20 UNCH
5335	----	----	----/120.70A	129.10B/120.70A	----	129.30 - 9.20	.2914	----	----	----	----	1 UNCH
5350	----	----	----/117.70A	125.90B/117.70A	----	126.10 - 9.00	.2856	----	----	----	----	1 UNCH
5370	----	----	----/113.90A	121.70B/113.90A	----	121.90 - 8.80	.2781	----	----	----	----	15 UNCH
5375	----	----	----/113.00A	120.90B/113.00A	----	120.80 - 8.80	.2761	----	----	----	----	2 UNCH
5400	----	----	----/108.40A	115.70B/108.40A	----	115.80 - 8.60	.2669	----	----	50	----	399 UNCH
5420	----	----	----/104.70A	112.00B/104.70A	----	112.00 - 8.30	.2598	----	----	----	----	80 UNCH
5425	----	----	----/103.60A	110.90B/103.60A	----	111.00 - 8.40	.2579	----	----	----	----	50 UNCH
5450	----	----	----/99.50A	106.40B/99.50A	----	106.50 - 8.00	.2493	----	----	1	----	5 UNCH
5460	----	----	----/97.70A	104.80B/97.70A	----	104.70 - 7.90	.2459	----	----	----	----	1 UNCH
5475	----	----	----/95.30A	102.00B/95.30A	----	102.10 - 7.80	.2409	----	----	----	----	2 UNCH
5500	----	----	----/91.60A	97.80B/91.60A	----	97.90 - 7.50	.2327	----	----	5	----	1244 + 5
5505	----	----	----/90.60A	97.00B/90.60A	----	97.10 - 7.50	.2311	----	----	----	----	3 UNCH
5520	----	----	----/88.60A	94.60B/88.60A	----	94.70 - 7.30	.2264	----	----	----	----	1 UNCH
5525	----	----	----/87.90A	94.00B/87.90A	----	93.90 - 7.20	.2248	----	----	----	----	2 UNCH
5540	----	----	----/85.70A	91.50B/85.70A	----	91.60 - 7.10	.2202	----	----	----	----	15 UNCH
5600	81.70	81.70	83.00/77.90A	83.00/77.90A	----	83.00 - 6.40	.2027	----	----	5	360	938 + 360
5625	----	----	----/74.90A	79.70B/74.90A	----	79.70 - 6.20	.1958	----	----	----	----	2 UNCH
5650	----	----	----/*72.10A	76.60B/*72.10A	----	76.50 - 6.00	.1891	----	----	----	----	559 UNCH
5675	72.60	72.60	72.60/69.50A	73.50B/69.50A	----	73.50 NEW	.1827	----	----	8	----	8 + 8
5700	----	----	----/66.70A	70.70B/66.70A	----	70.60 - 5.60	.1764	----	----	----	----	1060 UNCH
5750	----	----	----/*61.80A	65.40B/*61.80A	----	65.20 - 5.40	.1646	----	----	----	----	237 UNCH
5800	----	----	----/57.60A	60.50B/57.60A	----	60.30 - 5.10	.1537	----	----	----	----	827 UNCH
5850	----	----	----/*53.80A	56.30B/*53.80A	----	55.80 - 5.00	.1435	----	----	2	----	580 - 2
5900	----	----	----/50.30A	52.10B/50.30A	----	51.90 - 4.70	.1344	----	----	----	----	503 UNCH
5950	----	----	----/*47.10A	48.30B/*47.10A	----	48.40 - 4.40	.1260	----	----	----	----	49 UNCH
6000	----	----	----/43.50A	44.80B/43.50A	----	45.20 - 4.10	.1183	----	----	----	----	1160 UNCH
6100	----	----	----/38.30A	39.40B/38.30A	----	39.80 - 3.40	.1048	----	----	----	----	362 UNCH
6200	33.30	33.30	33.50/33.30	34.40B/33.30	----	35.10 - 2.80	.0930	----	----	3	----	225 - 1
6300	----	----	----/31.60A	30.70B/31.60A	----	31.00 - 2.30	.0826	----	----	----	----	159 UNCH
6400	----	----	----/28.60A	26.40B/28.60A	----	27.60 - 1.80	.0738	----	----	----	----	220 UNCH
6500	----	----	----/26.10A	23.70B/26.10A	----	24.80 - 1.50	.0663	----	----	----	----	344 UNCH
6600	----	----	----	21.20B/*24.00A	----	22.60 - 1.20	.0603	----	----	----	----	45 UNCH
6650	----	----	----	20.20B/*23.10A	----	21.60 - 1.10	.0575	----	----	----	----	5 UNCH
6750	----	----	----	18.30B/*21.40A	----	19.90 - 0.80	.0527	----	----	----	----	11 UNCH
6775	----	----	----	18.00B/*21.10A	----	19.50 - 0.80	.0516	----	----	----	----	1 UNCH
6800	----	----	----	17.60B/20.70A	----	19.10 - 0.80	.0505	----	----	2	----	127 UNCH
7000	----	----	----	15.00B/*18.10A	----	16.50 - 0.40	.0431	----	----	----	----	200 UNCH
TOTAL										137	600	15177 + 594
OCT26												
3600	----	----	----	----	----	1256.90 - 20.70	.9381	----	----	----	----	12 UNCH
4300	----	----	----	455.70B/837.60A	----	657.20 - 20.90	.7716	----	----	----	----	102 UNCH
4400	----	----	----/580.70A	511.10B/580.70A	----	584.70 - 20.50	.7332	----	----	----	----	8 UNCH
4405	----	----	----/577.50A	507.80B/577.50A	----	581.20 - 20.50	.7312	----	----	----	----	2 UNCH
4480	----	----	----/505.70A	530.40B/505.70A	----	530.00 - 19.90	.6999	----	----	----	----	1 UNCH
4500	----	----	----/492.90A	517.10B/492.90A	----	516.80 - 19.70	.6913	----	----	----	----	3 UNCH
4515	----	----	----/477.90A	507.10B/477.90A	----	507.00 - 19.60	.6847	----	----	----	----	1 UNCH
4550	----	----	----/457.10A	485.00B/457.10A	----	484.70 - 19.20	.6692	----	----	----	----	1 UNCH
4580	----	----	----/439.70A	466.90B/439.70A	----	466.00 - 18.80	.6556	----	----	----	----	70 UNCH
4600	----	----	----/428.40A	454.80B/428.40A	----	453.70 - 18.60	.6465	----	----	----	----	134 UNCH
4610	----	----	----/422.80A	448.00B/422.80A	----	447.70 - 18.50	.6418	----	----	----	----	5 UNCH
4620	----	----	----/417.30A	442.90B/417.30A	----	441.70 - 18.40	.6372	----	----	----	----	1 UNCH
4630	----	----	----/411.80A	436.80B/411.80A	----	435.80 - 18.20	.6325	----	----	----	----	3 UNCH
4650	----	----	----/401.00A	425.40B/401.00A	----	424.10 - 18.00	.6231	----	----	----	----	1 UNCH
4670	----	----	----/390.50A	414.10B/390.50A	----	412.60 - 17.80	.6136	----	----	----	----	1 UNCH
4675	----	----	----/387.90A	411.30B/387.90A	----	409.80 - 17.70	.6113	----	----	----	----	1 UNCH
4690	----	----	----/380.20A	403.00B/380.20A	----	401.40 - 17.50	.6041	----	----	----	----	1 UNCH
4700	----	----	----/375.10A	397.50B/375.10A	----	395.80 - 17.40	.5993	----	----	----	----	5 UNCH
4710	----	----	----/370.10A	392.00B/370.10A	----	390.40 - 17.30	.5945	----	----	----	----	1 UNCH
4715	----	----	----/367.60A	389.30B/367.60A	----	387.70 - 17.20	.5921	----	----	----	----	2 UNCH
4750	----	----	----/350.50A	370.60B/350.50A	----	369.20 - 16.80	.5751	----	----	----	----	1 UNCH
4755	----	----	----/348.10A	368.00B/348.10A	----	366.60 - 16.80	.5727	----	----	----	----	1 UNCH
4800	----	----	----/327.10A	344.70B/327.10A	----	344.20 - 16.50	.5508	----	----	----	----	14 UNCH
4845	----	----	----/306.40A	324.10B/306.40A	----	323.30 - 16.10	.5289	----	----	----	----	1 UNCH
4850	----	----	----/304.20A	321.80B/304.20A	----	321.10 - 16.00	.5264	----	----	----	----	54 UNCH
4865	----	----	----/297.90A	314.90B/297.90A	----	314.40 - 15.90	.5192	----	----	----	----	2 UNCH
4880	----	----	----/291.20A	308.10B/291.20A	----	307.80 - 15.80	.5120	----	----	----	----	1 UNCH
4900	----	----	----/282.80A	299.30B/282.80A	----	299.20 - 15.40	.5024	----	----	----	----	1278 UNCH
4910	----	----	----/278.70A	295.00B/278.70A	----	294.90 - 15.30	.4976	----	----	----	----	1 UNCH
4925	----	----	----/272.80A	288.60B/272.80A	----	288.60 - 15.10	.4904	----	----	----	----	18 UNCH
4935	----	----	----/268.90A	283.60B/268.90A	----	284.50 - 14.80	.4857	----	----	----	----	5 UNCH
4950	----	----	----/263.00A	277.30B/263.00A	----	278.40 - 14.50	.4786	----	----	----	----	7 UNCH
5000	----	----	----/244.00A	258.40B/244.00A	----	258.70 - 13.70	.4552	----	----	----	----	1426 UNCH
5025	----	----	----/235.20A	248.80B/235.20A	----	249.30 - 13.40	.4436	----	----	----	----	2 UNCH
5050	----	----	----/226.60A	239.70B/226.60A	----	240.20 - 13.10	.4322	----	----	----	----	57 UNCH
5075	----	----	----/218.30A	230.40B/218.30A	----	231.50 - 12.80	.4210	----	----	----	----	2 UNCH
5080	----	----	----/216.70A	228.70B/216.70A	----	229.70 - 12.80	.4187	----	----	----	----	3 UNCH
5085	----	----	----/215.30A	227.50B/215.30A	----	228.00 - 12.80	.4165	----	----	----	----	3 UNCH
5100	----	----	----/210.60A	222.70B/210.60A	----	223.00 - 12.60	.4099	----	----	----	----	602 UNCH
5125	----	----	----/202.80A	214.50B/202.80A	----	214.80 - 12.40	.3989	----	----	----	----	1 UNCH
5160	----	----	----/192.50A	203.50B/192.50A	----	203.70 - 12.30	.3839	----	----	----	----	1 UNCH
5200	----	----	----/181.20A	191.70B/181.20A	----	191.80 - 12.00	.3671	----	----	----	----	1017 UNCH
5250	----	----	----/168.20A	177.60B/168.20A	----	177.90 - 11.60	.3469	----	----	----	----	522 UNCH
5255	----	----	----/166.90A	175.80B/166.90A	----	176.50 - 11.60	.3449	----	----	----	----	2 UNCH
5300	----	----	----/156.30A	164.70B/156.30A	----	165.00 - 11.10	.3275	----	----	1	----	939 + 1
5325	----	----	----/150.60A	158.80B/150.60A	----	158.90 - 10.80	.3181	----	----	----	----	1 UNCH
5400	----	----	----/134.70A	141.40B/134.70A	----	141.90 - 10.20	.2911	----	----	----	----	168 UNCH
5435	----	----	----/128.00A	134.70B/128.00A	----	134.70 - 9.80	.2792	----	----	----	----	226 UNCH
5450	----	----	----/125.20A	131.60B/125.20A	----	131.70 - 9.70	.2743	----	----	----	----	66 UNCH
5455	----	----	----/124.20A	130.20B/124.20A	----	130.70 - 9.60	.2726	----	----	----	----	175 UNCH
5475	----	----	----/120.90A	126.80B/120.90A	----	126.90 - 9.40	.2662	----	----	----	----	1 UNCH
5500	120.00	120.00	122.20B/116.40A	122.20B/116.40A	----	122.30 - 9.20	.2583	----	----	1	----	405 UNCH
5545	----	----	----/109.20A	114.50B/109.20A	----	114.40 - 8.80	.2446	----	----	----	----	5 UNCH
5550	----	----	----/108.30A	113.70B/108.30A	----	113.60 - 8.70	.2431	----	----	----	----	100 UNCH
5590	----	----	----/102.40A	107.20B/102.40A	----	107.10 - 8.40	.2316	----	----	----	----	4 UNCH
5600	----	----	----/100.80A	105.70B/100.80A	----	105.60 - 8.20	.2288	----	----	----	----	110 UNCH
5610	----	----	----/99.60A	103.70B/99.60A	----	104.00 - 8.20	.2260	----	----	----	----	1 UNCH
5615	----	----	----/98.70A	103.30B/98.70A	----	103.30 - 8.10	.2247	----	----	----	----	5 UNCH
5650	----	----	----/94.30A	98.20B/94.30A	----	98.20 - 7.80	.2153	----	----	----	----	201 UNCH
5655	----	----	----/93.40A	97.50B/93.40A	----	97.50 - 7.70	.2140	----	----	----	----	2 UNCH
5660	----	----	----/92.80A	96.90B/92.80A	----	96.80 - 7.70	.2127	----	----	----	----	1 UNCH
5675	----	----	----/90.80A	94.70B/90.80A	----	94.80 - 7.50	.2090	----	----	----	----	3 UNCH
5700	----	----	----/87.80A	91.40B/87.80A	----	91.50 - 7.20	.2028	----	----	----	----	20 UNCH
5710	----	----	----/86.60A	90.10B/86.60A	----	90.20 - 7.10	.2003	----	----	----	----	5 UNCH
5720	----	----	----/85.40A	88.60B/85.40A	----	88.90 - 7.10	.1979	----	----	----	----	75 UNCH
5750	----	----	----/82.00A	85.30B/82.00A	----	85.30 - 6.70	.1909	----	----	----	----	1 UNCH
5775	----	----	----/79.40A	82.20B/79.40A	----	82.40 - 6.50	.1853	----	----	----	----	50 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 37

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
OCT26												
5800	----	----	----/76.90A	79.20B/76.90A	----	79.60 - 6.30	.1798	----	----	----	----	413 UNCH
5875	----	----	----/*69.70A	71.50B/*69.70A	----	71.90 - 5.80	.1644	----	----	----	----	1 UNCH
5900	----	----	----/67.50A	69.50B/67.50A	----	69.60 - 5.60	.1597	----	----	----	----	133 UNCH
5925	----	----	----/*65.00A	67.10B/*65.00A	----	67.30 - 5.50	.1551	----	----	----	----	1 UNCH
5950	----	----	----/*63.20A	64.90B/*63.20A	----	65.20 - 5.30	.1507	----	----	----	----	1 UNCH
6000	60.00	60.00	60.00/59.60A	61.10B/59.60A	----	61.10 - 5.00	.1422	----	----	2	----	2066 UNCH
6100	----	----	----/53.30A	53.20B/53.30A	----	54.00 - 4.20	.1270	----	----	----	----	66 UNCH
6200	----	----	----/46.60A	47.10B/46.60A	----	48.00 - 3.50	.1138	----	----	----	----	38 UNCH
6300	----	----	----/42.00A	42.00B/42.00A	----	42.90 - 2.90	.1023	----	----	----	----	632 UNCH
6400	----	----	----/38.60A	37.80B/38.60A	----	38.60 - 2.40	.0925	----	----	----	----	1915 UNCH
6500	35.10	35.10	35.10/35.10	35.10/35.10	----	34.90 - 2.00	.0838	----	----	3	----	5476 + 2
6800	----	----	----	24.20B/*29.30A	----	26.70 - 1.20	.0641	----	----	----	----	1385 UNCH
6900	----	----	----	22.30B/*27.50A	----	24.60 - 0.90	.0590	----	----	1	----	1 UNCH
7000	----	----	----	20.50B/25.80A	----	22.80 - 0.60	.0545	----	----	----	----	1571 UNCH
8000	----	----	----	11.20B/17.30A	----	12.40 + 0.60	.0285	----	----	----	----	211 UNCH
8500	----	----	----	9.30B/14.90A	----	10.10 + 0.80	.0225	----	----	----	----	208 UNCH
9000	----	----	----	7.80B/13.40A	----	8.70 + 0.90	.0188	----	----	----	----	69 UNCH
9500	----	----	6.70B/----	6.70B/11.70A	----	7.80 + 1.40	.0162	----	----	----	----	10 UNCH
TOTAL										8		22137 + 3
NOV26												
4000	----	----	----	729.50B/1131.70A	----	943.50 - 21.60	.8564	----	----	----	----	1 UNCH
4100	----	----	----	645.10B/1054.10A	----	861.40 - 21.60	.8304	----	----	----	----	1 UNCH
4275	----	----	----	504.00B/926.20A	----	725.60 - 21.40	.7772	----	----	----	----	38 UNCH
4300	----	----	----	484.90B/908.40A	----	707.10 - 21.30	.7688	----	----	----	----	1 UNCH
4375	----	----	----/672.40A	529.70B/672.40A	----	653.10 - 21.10	.7424	----	----	----	----	38 UNCH
4400	----	----	----/650.80A	542.80B/650.80A	----	635.60 - 21.00	.7333	----	----	----	----	20 UNCH
4440	----	----	----/584.40A	594.00B/584.40A	----	608.20 - 20.80	.7183	----	----	----	----	1 UNCH
4500	----	----	----/545.80A	567.70B/545.80A	----	568.40 - 20.50	.6950	----	----	----	----	25 UNCH
4600	----	----	----/470.80A	504.40B/470.80A	----	505.80 - 19.70	.6543	----	----	----	----	1 UNCH
4750	----	----	----/394.30A	420.70B/394.30A	----	420.40 - 18.90	.5899	----	----	----	----	1 UNCH
4775	----	----	----/382.30A	407.70B/382.30A	----	407.30 - 18.70	.5789	----	----	----	----	30 UNCH
4800	----	----	----/370.60A	395.40B/370.60A	----	394.70 - 18.30	.5679	----	----	----	----	2 UNCH
4850	----	----	----/346.70A	371.00B/346.70A	----	370.70 - 17.20	.5458	----	----	----	----	25 UNCH
4900	----	----	----/325.50A	347.90B/325.50A	----	347.90 - 16.30	.5237	----	----	----	----	451 UNCH
4915	----	----	----/319.40A	341.20B/319.40A	----	341.30 - 16.00	.5172	----	----	----	----	1 UNCH
4925	----	----	----/315.40A	336.80B/315.40A	----	336.90 - 15.90	.5128	----	----	----	----	1 UNCH
4950	----	----	----/306.90A	326.00B/306.90A	----	326.20 - 15.70	.5019	----	----	----	----	150 UNCH
5000	----	----	----/286.80A	305.00B/286.80A	----	305.80 - 15.10	.4805	----	----	----	----	29 UNCH
5080	----	----	----/259.00A	274.70B/259.00A	----	275.50 - 14.40	.4469	----	----	----	----	4 UNCH
5085	----	----	----/257.40A	272.60B/257.40A	----	273.70 - 14.40	.4448	----	----	----	----	4 UNCH
5175	----	----	----/229.60A	241.80B/229.60A	----	243.20 - 13.70	.4086	----	----	----	----	2 UNCH
5200	233.90	233.90	233.90/222.50A	233.90/222.50A	----	235.30 - 13.50	.3988	----	----	1	----	26 UNCH
5250	----	----	----/207.90A	219.00B/207.90A	----	220.30 - 13.00	.3798	----	----	----	----	9 UNCH
5300	----	----	----/194.90A	204.60B/194.90A	----	206.10 - 12.60	.3613	----	----	----	----	27 UNCH
5370	----	----	----/177.50A	186.00B/177.50A	----	187.70 - 12.00	.3365	----	----	----	----	5 UNCH
5400	----	----	----/170.70A	179.30B/170.70A	----	180.30 - 11.70	.3262	----	----	----	----	17 UNCH
5450	----	----	----/159.90A	167.80B/159.90A	----	168.60 - 11.30	.3097	----	----	----	----	925 UNCH
5500	----	----	----/150.00A	156.70B/150.00A	----	157.80 - 10.80	.2939	----	----	----	----	79 UNCH
5550	----	----	----/140.70A	146.40B/140.70A	----	147.70 - 10.40	.2788	----	----	----	----	1 UNCH
5600	----	----	----/132.20A	137.40B/132.20A	----	138.30 - 10.00	.2643	----	----	----	----	43 UNCH
5700	121.90	121.90	121.90/116.80A	121.90/116.80A	----	121.50 - 9.10	.2376	----	----	2	----	35 UNCH
5710	----	----	----/115.30A	119.40B/115.30A	----	120.00 - 9.00	.2351	----	----	----	----	1 UNCH
5800	----	----	----/103.50A	106.10B/103.50A	----	107.10 - 8.20	.2137	----	----	----	----	25 UNCH
5825	----	----	----/100.50A	102.80B/100.50A	----	103.80 - 8.00	.2081	----	----	----	----	2 UNCH
5900	----	----	----/92.10A	93.90B/92.10A	----	94.70 - 7.40	.1922	----	----	----	----	1 UNCH
5925	----	----	----/89.50A	90.90B/89.50A	----	91.90 - 7.20	.1873	----	----	----	----	4 UNCH
5975	----	----	----/84.60A	85.60B/84.60A	----	86.60 - 6.70	.1778	----	----	----	----	1 UNCH
6000	----	----	----/82.30A	83.20B/82.30A	----	84.10 - 6.50	.1733	----	----	----	----	231 UNCH
6100	----	----	----/73.90A	73.90B/73.90A	----	74.90 - 5.80	.1563	----	----	----	----	1 UNCH
6200	----	----	----/66.50A	66.30B/66.50A	----	67.00 - 5.10	.1414	----	----	----	----	1 UNCH
6400	----	----	----/53.50A	53.20B/53.50A	----	54.40 - 3.80	.1166	----	----	----	----	13 UNCH
6500	----	----	----/49.00A	48.30B/49.00A	----	49.40 - 3.20	.1064	----	----	----	----	1161 UNCH
8000	----	----	----	15.10B/24.70A	----	20.00 + 0.70	.0411	----	----	----	----	11 UNCH
9000	----	----	----	10.10B/19.30A	----	14.40 + 1.90	.0279	----	----	----	----	7 UNCH
20000	1.80	1.80	1.80/*1.80	1.80/1.70A	----	1.10 + 0.40	.0018	----	----	1	----	138 + 1
TOTAL										4		3590 + 1
DEC26												
3550	----	----	----	----	----	1348.40 - 20.40	.9294	----	----	----	----	2 UNCH
3570	----	----	----	----	----	1330.00 - 20.40	.9267	----	----	----	----	1 UNCH
3600	----	----	----	----	----	1302.70 - 20.30	.9223	----	----	----	----	1 UNCH
3800	----	----	----	894.40B/1324.60A	----	1124.90 - 19.80	.8882	----	----	----	----	4 UNCH
3900	----	----	----	808.70B/1240.40A	----	1039.40 - 19.60	.8674	----	----	----	----	2 UNCH
4060	----	----	----	674.60B/1115.00A	----	907.80 - 19.80	.8290	----	----	----	----	100 UNCH
4100	----	----	----	641.50B/1085.40A	----	876.10 - 19.80	.8182	----	----	----	----	48 UNCH
4160	----	----	----	592.90B/1041.50A	----	829.40 - 20.10	.8014	----	----	----	----	100 UNCH
4175	----	----	----	580.90B/1030.40A	----	817.90 - 20.10	.7970	----	----	----	----	37 UNCH
4200	----	----	----	561.20B/1012.80A	----	798.90 - 20.20	.7896	----	----	----	----	150 UNCH
4250	----	----	----	522.60B/977.40A	----	761.50 - 20.50	.7742	----	----	----	----	293 UNCH
4255	----	----	----	518.70B/973.90A	----	757.80 - 20.50	.7727	----	----	----	----	50 UNCH
4285	----	----	----	496.20B/953.50A	----	735.90 - 20.60	.7631	----	----	----	----	1 UNCH
4300	----	----	----	485.00B/943.00A	----	725.00 - 20.70	.7582	----	----	----	----	436 UNCH
4315	----	----	----	473.90B/933.10A	----	714.30 - 20.80	.7532	----	----	----	----	1 UNCH
4320	----	----	----	470.30B/929.80A	----	710.70 - 20.80	.7516	----	----	----	----	100 UNCH
4350	----	----	----	559.40B/713.60A	----	689.50 - 20.90	.7415	----	----	----	----	206 UNCH
4375	----	----	----/690.40A	576.10B/690.40A	----	672.20 - 20.90	.7329	----	----	----	----	61 UNCH
4400	----	----	----/630.90A	630.30B/630.90A	----	655.00 - 21.00	.7241	----	----	----	----	2 UNCH
4425	----	----	----/614.70A	628.50B/614.70A	----	638.20 - 21.00	.7152	----	----	----	----	8 UNCH
4450	----	----	----/598.70A	620.30B/598.70A	----	621.60 - 21.00	.7061	----	----	----	----	87 UNCH
4465	----	----	----/589.20A	610.90B/589.20A	----	611.70 - 21.00	.7006	----	----	----	----	93 UNCH
4490	----	----	----/573.60A	594.90B/573.60A	----	595.60 - 20.90	.6914	----	----	----	----	7 UNCH
4500	----	----	----/567.40A	588.60B/567.40A	----	589.20 - 20.90	.6876	----	----	----	----	757 UNCH
4525	----	----	----/552.20A	571.90B/552.20A	----	573.40 - 20.80	.6781	----	----	----	----	5 UNCH
4540	----	----	----/531.50A	563.80B/531.50A	----	564.10 - 20.70	.6724	----	----	----	----	9 UNCH
4550	----	----	----/525.80A	557.30B/525.80A	----	557.90 - 20.70	.6685	----	----	----	----	1 UNCH
4565	----	----	----/517.30A	548.30B/517.30A	----	548.80 - 20.50	.6627	----	----	----	----	93 UNCH
4580	----	----	----/508.90A	539.30B/508.90A	----	539.80 - 20.40	.6569	----	----	----	----	150 UNCH
4585	----	----	----/506.10A	536.70B/506.10A	----	536.80 - 20.40	.6549	----	----	----	----	325 UNCH
4590	----	----	----/503.30A	533.70B/503.30A	----	533.80 - 20.30	.6530	----	----	----	----	15 UNCH
4600	----	----	----/497.80A	526.60B/497.80A	----	527.90 - 20.20	.6490	----	----	----	----	145 UNCH
4615	----	----	----/489.70A	519.10B/489.70A	----	519.10 - 20.10	.6431	----	----	----	----	41 UNCH
4625	----	----	----/484.30A	513.00B/484.30A	----	513.30 - 20.00	.6391	----	----	1	----	71 - 1
4640	----	----	----/476.30A	503.60B/476.30A	----	504.70 - 19.80	.6331	----	----	----	----	100 UNCH
4650	----	----	----/471.00A	499.10B/471.00A	----	499.00 - 19.70	.6291	----	----	----	----	302 UNCH
4700	430.00	430.00	470.50B/430.00	470.50B/430.00	----	471.40 - 19.10	.6089	----	----	1	----	98 UNCH
4720	----	----	----/435.40A	460.90B/435.40A	----	460.70 - 18.90	.6008	----	----	----	----	1 UNCH
4750	----	----	----/420.80A	444.90B/420.80A	----	445.00 - 18.60	.5885	----	----	----	----	211 UNCH
4780	----	----	----/406.70A	428.90B/406.70A	----	429.80 - 18.20	.5761	----	----	----	----	2 UNCH
4800	----	----	----/397.50A	420.00B/397.50A	----	419.90 - 18.10	.5679	----	----	6	----	148 + 2
4810	----	----	----/392.90A	415.10B/392.90A	----	415.00 - 18.00	.5638	----	----	----	----	56 UNCH
4820	----	----	----/388.40A	409.20B/388.40A	----	410.20 - 17.90	.5596	----	----	----	----	49 UNCH
4825	----	----	----/386.20A	407.80B/386.20A	----	407.80 - 17.90	.5576	----	----	5	----	102 + 2
4850	----	----	----/375.20A	396.00B/375.20A	----	396.10 - 17.60	.5473	----	----	----	----	291 UNCH
4875	----	----	----/364.50A	384.10B/364.50A	----	384.70 - 17.40	.5370	----	----	----	----	1 UNCH
4880	----	----	----/362.40A	382.10B/362.40A	----	382.40 - 17.40	.5349	----	----	----	----	4 UNCH
4900	----	----	----/354.10A	373.10B/354.10A	----	373.50 - 17.30	.5268	----	----	----	----	92 UNCH
4925	----	----	----/344.00A	361.80B/344.00A	----	362.70 - 17.10	.5166	----	----	----	----	126 UNCH
4950	----	----	----/334.10A	351.40B/334.10A	----	352.10 - 16.90	.5065	----	----	----	----	100 UNCH
4975	----	----	----/324.50A	341.00B/324.50A	----	341.80 - 16.80	.4964	----	----	----	----	50 UNCH
5000	332.80	332.80	332.80/315.20A	332.80/315.20A	----	331.70 - 16.60	.4864	----	----	2	----	2174 - 1
5025	----	----	----/306.10A	320.00B/306.10A	----	322.00 - 16.30	.4766	----	----	----	----	119 UNCH
5050	----	----	----/296.90A	310.40B/296.90A	----	312.40 - 16.10	.4667	----	----	----	----	100 UNCH
5070	----	----	----/290.50A	303.00B/290.50A	----	305.00 - 15.90	.4590	----	----	----	----	13 UNCH
5075	----	----	----/287.60A	301.70B/287.60A	----	303.10 - 15.90	.4570	----	----	----	----	30 UNCH
5090	----	----	----/282.60A	295.80B/282.60A	----	297.70 - 15.70	.4513	----	----	----	----	13 UNCH
5100	----	----	----/279.30A	292.10B/279.30A	----	294.10 - 15.60	.4474	----	----	----	----	131 UNCH
5150	----	----	----/263.40A	275.30B/263.40A	----	276.70 - 15.00	.4285	----	----	----	----	1 UNCH
5175	----	----	----/255.40A	266.50B/255.40A	----	268.40 - 14.60	.4192	----	----	----	----	100 UNCH
5195	----	----	----/249.20A	260.10B/249.20A	----	261.90 - 14.40	.4118	----	----	----	----	5 UNCH
5200	250.00	250.00	259.30B/247.20A	259.30B/247.20A	----	260.30 - 14.30	.4100	----	----	3	----	854 + 3
5250	----	----	----/232.50A	243.90B/232.50A	----	244.80 - 13.70	.3920	----	----	----	----	308 UNCH
5275	----	----	----/225.50A	236.60B/225.50A	----	237.40 - 13.30	.3831	----	----	----	----	20 UNCH
5300	----	----	----/218.80A	229.40B/218.80A	----	230.20 - 13.10	.3745	----	----	----	----	340 UNCH
5350	----	----	----/205.90A	215.80B/205.90A	----	216.50 - 12.50	.3575	----	----	----	----	457 UNCH
5360	----	----	----/203.50A	212.30B/203.50A	----	213.90 - 12.30	.3542	----	----	----	----	100 UNCH
5370	----	----	----/201.00A	210.60B/201.00A	----	211.30 - 12.20	.3509	----	----	----	----	20 UNCH
5400	195.00	195.00	202.20B/194.00A	202.20B/194.00A	----	203.70 - 11.90	.3412	----	----	3	----	1850 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
DEC26												
5460	----	----	----/180.60A	188.50B/180.60A	----	189.30 - 11.30	.3224	----	----	----	----	200 UNCH
5465	----	----	----/179.30A	187.00B/179.30A	----	188.10 - 11.30	.3208	----	----	----	----	50 UNCH
5480	----	----	----/176.30A	184.30B/176.30A	----	184.70 - 11.20	.3163	----	----	----	----	50 UNCH
5500	----	----	----/172.20A	179.10B/172.20A	----	180.30 - 11.00	.3103	----	----	15	292	2355 + 165
5525	----	----	----/167.20A	174.50B/167.20A	----	174.90 - 10.80	.3029	----	----	----	----	80 UNCH
5550	----	----	----/162.40A	169.30B/162.40A	----	169.70 - 10.60	.2958	----	----	----	----	1 UNCH
5600	----	----	----/153.10A	159.20B/153.10A	----	159.90 - 10.20	.2819	----	----	----	----	2040 UNCH
5650	----	----	----/144.50A	150.00B/144.50A	----	150.60 - 9.90	.2686	----	----	----	----	6 UNCH
5660	----	----	----/142.90A	148.20B/142.90A	----	148.90 - 9.80	.2660	----	----	----	----	1 UNCH
5675	----	----	----/140.40A	145.30B/140.40A	----	146.20 - 9.80	.2621	----	----	----	----	8 UNCH
5680	----	----	----/139.70A	144.40B/139.70A	----	145.40 - 9.70	.2609	----	----	----	----	1 UNCH
5685	----	----	----/138.90A	143.60B/138.90A	----	144.50 - 9.80	.2596	----	----	----	----	18 UNCH
5690	----	----	----/138.10A	143.30B/138.10A	----	143.70 - 9.70	.2584	----	----	----	----	7 UNCH
5700	----	----	----/136.60A	141.60B/136.60A	----	142.00 - 9.70	.2559	----	----	110	----	375 + 90
5705	----	----	----/135.80A	140.20B/135.80A	----	141.20 - 9.60	.2547	----	----	----	----	5 UNCH
5710	----	----	----/135.00A	139.30B/135.00A	----	140.40 - 9.60	.2535	----	----	----	----	5 UNCH
5750	----	----	----/129.10A	133.30B/129.10A	----	134.00 - 9.40	.2438	----	----	----	----	576 UNCH
5770	----	----	----/126.20A	130.20B/126.20A	----	130.90 - 9.30	.2391	----	----	----	----	5 UNCH
5775	----	----	----/125.50A	129.10B/125.50A	----	130.10 - 9.30	.2379	----	----	----	----	2 UNCH
5800	----	----	----/122.10A	125.80B/122.10A	----	126.40 - 9.20	.2323	----	----	1	----	221 + 1
5810	----	----	----/120.80A	124.00B/120.80A	----	125.00 - 9.10	.2301	----	----	----	----	56 UNCH
5825	----	----	----/118.80A	121.90B/118.80A	----	122.90 - 9.10	.2268	----	----	----	----	4 UNCH
5875	----	----	----/112.50A	115.10B/112.50A	----	116.10 - 8.90	.2161	----	----	----	----	9 UNCH
5900	----	----	----/109.50A	112.40B/109.50A	----	112.90 - 8.70	.2110	----	----	103	----	1175 + 103
5950	----	----	----/103.90A	106.10B/103.90A	----	106.80 - 8.50	.2011	----	----	----	----	25 UNCH
6000	95.10	95.10	95.10/95.10	101.50B/95.10	----	101.00 - 8.30	.1917	----	----	101	----	6026 + 101
6100	----	----	----/89.10A	90.00B/89.10A	----	90.60 - 7.70	.1743	----	----	----	----	40 UNCH
6150	----	----	----/84.70A	85.60B/84.70A	----	85.90 - 7.40	.1663	----	----	----	----	1 UNCH
6200	79.50	79.50	79.50/79.50	81.20B/79.50	----	81.60 - 6.90	.1588	----	----	1	----	3345 UNCH
6300	----	----	----/73.60A	73.20B/73.60A	----	73.60 - 6.30	.1448	----	----	----	----	1046 UNCH
6400	----	----	----/67.20A	65.80B/67.20A	----	66.70 - 5.50	.1324	----	----	----	----	438 UNCH
6500	----	----	----/61.90A	59.40B/61.90A	----	60.70 - 4.70	.1213	----	----	----	404	5080 + 404
6750	----	----	----/*50.00A	48.20B/*50.00A	----	48.90 - 3.00	.0988	----	----	----	----	100 UNCH
6775	----	----	----/49.50A	47.20B/49.50A	----	47.90 - 2.90	.0969	----	----	----	----	163 UNCH
6800	----	----	----/*48.50A	45.90B/*48.50A	----	47.00 - 2.70	.0951	----	----	----	----	1664 UNCH
6900	----	----	----/*45.30A	41.60B/*45.30A	----	43.60 - 2.20	.0883	----	----	----	----	2 UNCH
7000	36.20	36.20	36.20/36.20	39.50B/36.20	----	40.60 - 1.80	.0822	----	----	1	----	4033 UNCH
7130	----	----	----	33.40B/*42.50A	----	37.30 - 1.40	.0754	----	----	----	----	200 UNCH
7175	----	----	----	32.20B/*41.50A	----	36.20 - 1.40	.0732	----	----	----	----	125 UNCH
7250	----	----	----	30.40B/*39.90A	----	34.70 - 1.20	.0700	----	----	----	----	107 UNCH
7500	----	----	----	25.50B/35.70A	----	30.40 - 0.90	.0607	----	----	----	----	109 UNCH
8000	----	----	----	19.20B/29.70A	----	24.70 - 0.40	.0480	----	----	----	----	629 UNCH
8125	----	----	----	18.30B/29.00A	----	23.70 - 0.10	.0457	----	----	----	----	801 UNCH
8500	----	----	----	15.60B/26.30A	----	21.10 + 0.70	.0398	----	----	----	----	170 UNCH
8630	----	----	----	15.10B/25.30A	----	20.40 + 0.90	.0381	----	----	----	----	400 UNCH
8725	----	----	----	14.40B/24.80A	----	19.90 + 1.00	.0370	----	----	----	----	250 UNCH
9000	----	----	----	13.10B/23.30A	----	18.70 + 1.20	.0341	----	----	----	----	103 UNCH
9500	14.50	14.50	16.50B/14.50	16.50B/14.50	----	17.20 + 0.80	.0303	----	----	2	----	287 - 2
9900	----	----	----	16.00B/19.90A	----	16.40 + 0.20	.0282	----	----	----	----	17 UNCH
10000	16.00	16.00	16.00/16.00	16.00/16.00	----	16.20 + 0.10	.0276	----	----	150	----	7802 + 50
11000	----	----	----	14.00B/17.20A	----	14.40 - 0.70	.0233	----	----	----	----	387 UNCH
13000	----	----	----	8.50B/13.10A	----	11.10 - 0.10	.0168	----	----	----	----	394 UNCH
15000	6.50	6.50	6.60B/6.50	6.60B/6.50	----	7.80 + 0.50	.0115	----	----	7	----	18919 + 4
17000	----	----	----	1.00B/6.00A	----	5.00 + 0.40	.0074	----	----	----	----	27 UNCH
19000	----	----	----	1.50B/5.00A	----	3.00 + 0.10	.0045	----	----	----	----	7 UNCH
20000	2.40	2.40	2.50/2.10	2.50/2.10	----	2.40 UNCH	.0036	----	----	609	----	19078 + 601
21000	----	----	----	1.70B/1.90A	----	1.80 UNCH	.0028	----	----	----	----	23 UNCH
24000	----	----	----	----/1.80A	----	1.60 UNCH	.0023	----	----	----	----	31 UNCH
TOTAL										1121	696	90849 + 1522
JAN27												
4190	----	----	----	577.50B/1103.70A	----	850.30 - 22.40	.7915	----	----	----	----	1 UNCH
4290	----	----	----	501.10B/1035.10A	----	776.50 - 22.60	.7622	----	----	----	----	1 UNCH
4300	----	----	----	493.80B/1028.40A	----	769.30 - 22.60	.7591	----	----	----	----	1 UNCH
4400	----	----	----	580.40B/748.10A	----	699.80 - 22.30	.7271	----	----	----	----	1 UNCH
4650	----	----	----/527.20A	542.00B/527.20A	----	544.40 - 20.80	.6385	----	----	----	----	1 UNCH
4750	----	----	----/474.30A	488.90B/474.30A	----	489.80 - 20.30	.6007	----	----	----	----	5 UNCH
4760	----	----	----/469.30A	483.70B/469.30A	----	484.60 - 20.30	.5969	----	----	----	----	100 UNCH
4800	----	----	----/449.60A	461.90B/449.60A	----	464.20 - 20.10	.5815	----	----	----	----	1 UNCH
4850	----	----	----/426.10A	438.40B/426.10A	----	439.80 - 19.80	.5623	----	----	----	----	1 UNCH
4875	----	----	----/414.70A	426.60B/414.70A	----	428.00 - 19.70	.5527	----	----	----	----	4 UNCH
4900	----	----	----/403.40A	414.20B/403.40A	----	416.50 - 19.60	.5431	----	----	----	----	9 UNCH
5000	----	----	----/361.50A	372.00B/361.50A	----	373.60 - 18.60	.5052	----	----	----	----	27 UNCH
5050	----	----	----/342.10A	351.90B/342.10A	----	353.50 - 18.20	.4866	----	----	----	----	100 UNCH
5100	----	----	----/323.50A	332.70B/323.50A	----	334.40 - 17.80	.4683	----	----	----	----	1 UNCH
5195	----	----	----/290.80A	298.00B/290.80A	----	300.30 - 17.10	.4343	----	----	----	----	10 UNCH
5250	----	----	----/274.60A	281.10B/274.60A	----	282.00 - 16.70	.4152	----	----	----	----	7 UNCH
5300	----	----	----/259.20A	265.30B/259.20A	----	266.40 - 16.30	.3984	----	----	----	----	1 UNCH
5400	----	----	----/232.00A	237.10B/232.00A	----	237.70 - 15.60	.3660	----	----	----	----	2 UNCH
5500	----	----	----/208.00A	211.60B/208.00A	----	212.40 - 14.80	.3357	----	----	----	----	24 UNCH
5550	----	----	----/197.10A	200.50B/197.10A	----	200.90 - 14.40	.3214	----	----	----	----	1 UNCH
5820	----	----	----/148.70A	148.80B/148.70A	----	149.80 - 11.80	.2534	----	----	----	----	6 UNCH
5850	----	----	----/144.30A	144.40B/144.30A	----	145.20 - 11.50	.2469	----	----	----	----	3 UNCH
5900	----	----	----/137.30A	136.80B/137.30A	----	137.70 - 11.10	.2362	----	----	----	----	5 UNCH
6000	----	----	----/124.40A	123.30B/124.40A	----	124.20 - 10.00	.2163	----	----	----	----	204 UNCH
6025	----	----	----/121.40A	120.00B/121.40A	----	121.00 - 9.80	.2116	----	----	----	----	1 UNCH
6300	----	----	----/*94.10A	91.70B/94.10A	----	91.60 - 7.50	.1662	----	----	----	----	2 UNCH
20000	----	----	----	3.00B/3.50A	----	3.20 - 0.30	.0047	----	----	----	----	47 UNCH
TOTAL												566 0
FEB27												
5000	----	----	----/*382.60A	387.90B/*382.60A	----	396.00 - 7.30	.5089	----	----	----	----	1 UNCH
5100	----	----	----/*344.80A	348.00B/*344.80A	----	356.60 - 6.50	.4739	----	----	----	----	1 UNCH
5175	----	----	----/*318.70A	320.80B/*318.70A	----	328.70 - 7.10	.4481	----	----	----	----	125 UNCH
5300	----	----	----/*279.80A	280.40B/*279.80A	----	286.10 - 8.80	.4065	----	----	----	----	50 UNCH
5375	----	----	----/*258.80A	258.40B/*258.80A	----	263.40 - 9.30	.3828	----	----	----	----	1 UNCH
5400	----	----	----/*252.20A	251.70B/*252.20A	----	256.30 - 9.40	.3751	----	----	----	----	1 UNCH
5520	----	----	----/*223.20A	221.00B/*223.20A	----	225.30 - 9.00	.3401	----	----	----	----	300 UNCH
5530	----	----	----/*221.00A	218.60B/*221.00A	----	222.90 - 9.00	.3373	----	----	----	----	100 UNCH
5550	----	----	----/*216.60A	214.00B/*216.60A	----	218.30 - 8.70	.3318	----	----	----	----	65 UNCH
5600	----	----	----/*205.90A	202.90B/*205.90A	----	207.20 - 8.20	.3185	----	----	----	----	1 UNCH
6000	----	----	----/*140.60A	134.40B/*140.60A	----	140.10 - 3.10	.2300	----	----	----	----	6 UNCH
6025	----	----	----/*137.50A	131.10B/*137.50A	----	136.90 - 2.90	.2255	----	----	----	----	4 UNCH
6100	----	----	----/*128.60A	121.80B/*128.60A	----	127.90 - 2.20	.2125	----	----	----	----	1 UNCH
6300	----	----	----	100.90B/*108.60A	----	107.10 - 1.00	.1816	----	----	----	----	1 UNCH
6500	----	----	----	84.40B/*92.80A	----	90.00 - 0.40	.1555	----	----	----	----	110 UNCH
6900	----	----	----	61.20B/*70.50A	----	64.50 + 0.70	.1149	----	----	----	----	532 UNCH
7000	----	----	----	56.90B/*61.60A	----	60.10 + 0.90	.1074	----	----	----	----	383 UNCH
7100	----	----	----	53.00B/*62.60A	----	56.60 + 1.30	.1011	----	----	----	----	8 UNCH
7900	----	----	----	0.50B/92.50A	----	33.90 + 2.00	.0616	----	----	----	----	500 UNCH
8000	----	----	----	0.10B/90.80A	----	31.60 + 1.90	.0576	----	----	----	----	500 UNCH
TOTAL												2690 0
MAR27												
5000	----	----	----	105.90B/*735.80A	----	442.10 - 71.50	.5252	----	----	----	----	75 UNCH
TOTAL												75 0
APR27												
5000	----	----	----	----/*863.10A	----	462.10 - 74.20	.5276	----	----	----	----	100 UNCH
5600	----	----	----	----/*518.50A	----	264.00 - 62.00	.3537	----	----	----	----	300 UNCH
6000	----	----	----	----/373.50A	----	189.30 - 48.20	.2689	----	----	----	----	151 UNCH
TOTAL												551 0
JUN27												
9500	----	----	----	----	----	18.90 - 27.10	.0328	----	----	----	----	1 UNCH
TOTAL												1 0
DEC27												
4860	----	----	----	----	----	740.00 - 98.20	.6108	----	----	----	----	100 UNCH
5000	----	----	----	----	----	676.60 - 95.70	.5766	----	----	----	----	50 UNCH
5650	----	----	----	----	----	437.90 - 87.50	.4275	----	----	----	----	200 UNCH
5700	----	----	----	----	----	423.20 - 86.90	.4171	----	----	----	----	150 UNCH
5800	----	----	----	----	----	395.20 - 86.00	.3967	----	----	----	----	200 UNCH
5880	----	----	----	----	----	374.30 - 85.00	.3810	----	----	----	----	50 UNCH
6300	----	----	----	----	----	282.40 - 78.80	.3068	----	----	----	----	18 UNCH
7500	----	----	----	----	----	204.80 - 66.30	.2114	----	----	----	----	170 UNCH
7800	----	----	----	----	----	199.50 - 64.30	.2005	----	----	----	----	284 UNCH
10000	----	----	----	----	----	141.50 - 50.50	.1329	----	----	----	----	100 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
DEC27												
10500	----	----	----	----	----	125.70 - 46.90	.1188	----	----	----	----	10 UNCH
TOTAL												1332 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MMG MON		MICRO GOLD WEEKLY MONDAY OPTION WEE										
APR26												
4595	----	----	----	----	----	0.00 - 2.80	----	----	----	----	----	0 - 1
4750	----	----	----	2.00B/----	----	0.00 - 19.00	----	----	----	----	----	0 - 2
4895	----	----	----	----	----	0.00 - 3.50	----	----	----	----	----	0 - 3
TOTAL												0 - 6

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK3										
APR26												
3700	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3750	----	----	----	----/*0.30A	----	0.10 - 0.10	----	----	----	----	----	2 UNCH
3800	----	----	----	----/*0.30A	----	0.10 - 0.10	----	----	----	----	----	2 UNCH
4000	0.60	0.60	0.60/*0.30A	0.60/*0.30A	----	0.20 - 0.30	.0002	----	----	2	----	43 - 1
4050	----	----	----/*0.40A	0.20B/*0.40A	----	0.20 - 0.40	.0002	----	----	12	----	12 UNCH
4075	----	----	----/*0.40A	0.20B/*0.40A	----	0.30 - 0.40	.0004	----	----	----	----	0 UNCH
4100	3.60	3.60	4.00/*2.00A	4.00/*2.00A	----	1.80 NEW	.0110	----	----	2	----	2 + 2
4100	----	----	----/*0.40A	0.20B/*0.40A	----	0.30 - 0.50	.0005	----	----	12	----	13 UNCH
4125	----	----	----/*0.50A	0.30B/*0.50A	----	0.30 - 0.50	.0005	----	----	----	----	2 UNCH
4200	----	----	----	#10.70B/*5.30A	----	6.40 NEW	.0381	----	----	12	----	12 + 12
4200	4.50	4.50	6.20B/*2.70A	6.20B/*2.70A	----	2.70 - 0.60	.0178	----	----	50	----	53 + 50
4200	----	----	----/472.70A	571.80B/472.70A	----	567.60 - 20.70	.9994	----	----	----	----	1 UNCH
4200	----	----	----/*0.50A	0.50B/*0.50A	----	0.30 - 0.80	.0006	----	----	----	----	8 UNCH
4240	----	----	----/*0.60A	1.00B/*0.60A	----	0.30 - 1.00	.0006	----	----	----	----	1 UNCH
4245	----	----	----/*0.60A	1.10B/*0.60A	----	0.30 - 1.00	.0007	----	----	----	----	2 UNCH
4250	----	----	----	#14.40B/*6.80A	----	8.00 NEW	.0481	----	----	12	----	12 + 12
4250	----	----	8.60B/*3.30A	8.60B/*3.30A	----	3.30 - 0.80	.0227	----	----	----	----	0 UNCH
4250	----	----	----/*0.60A	1.20B/*0.60A	----	0.30 - 1.00	.0007	----	----	----	----	50 UNCH
4255	----	----	----/*0.60A	1.30B/*0.60A	----	0.40 - 1.00	.0010	----	----	----	----	1 UNCH
4270	----	----	9.80B/*3.30A	9.80B/*3.30A	----	3.70 - 0.80	.0257	----	----	----	----	1 UNCH
4280	----	----	1.70B/*0.60A	1.70B/*0.60A	----	0.40 - 1.10	.0010	----	----	----	----	1 UNCH
4300	----	----	2.20B/*0.70A	2.20B/*0.70A	----	0.40 - 1.20	.0011	----	----	1	----	103 + 1
4300	11.00	11.00	11.90B/*4.00A	11.90B/*4.00A	----	4.20 - 1.00	.0299	----	----	1	----	3 + 1
4300	----	----	----/406.80A	461.40B/406.80A	----	476.90 - 19.10	.9385	----	----	----	----	1 UNCH
4315	----	----	2.60B/*0.70A	2.60B/*0.70A	----	0.50 - 1.20	.0015	----	----	----	----	1 UNCH
4320	----	----	2.70B/*0.70A	2.70B/*0.70A	----	0.50 - 1.30	.0015	----	----	----	----	17 UNCH
4320	----	----	13.50B/*4.30A	13.50B/*4.30A	----	4.70 - 1.00	.0338	----	----	----	----	1 UNCH
4325	----	----	2.90B/*0.70A	2.90B/*0.70A	----	0.50 - 1.30	.0015	----	----	----	----	1 UNCH
4340	----	----	3.40B/*0.80A	3.40B/*0.80A	----	0.60 - 1.30	.0020	----	----	----	----	1 UNCH
4350	----	----	3.80B/*0.80A	3.80B/*0.80A	----	0.60 - 1.40	.0020	----	----	----	----	4 UNCH
4370	2.50	2.50	4.70B/*0.80A	4.70B/*0.80A	----	0.70 - 1.50	.0025	----	----	1	----	15 + 1
4380	----	----	5.40B/*0.90A	5.40B/*0.90A	----	0.80 - 1.50	.0031	----	----	----	----	1 UNCH
4400	6.40	6.40	6.60B/*0.90A	6.60B/*0.90A	----	0.90 - 1.60	.0037	----	----	1	----	4 + 1
4400	----	----	22.30B/*6.40A	22.30B/*6.40A	----	7.20 - 1.40	.0542	----	----	----	----	1 UNCH
4410	----	----	7.20B/*0.90A	7.20B/*0.90A	----	0.90 - 1.70	.0038	----	----	----	----	1 UNCH
4415	----	----	7.50B/*1.00A	7.50B/*1.00A	----	1.00 - 1.70	.0044	----	----	1	----	2 + 1
4420	----	----	7.90B/*1.00A	7.90B/*1.00A	----	1.00 - 1.80	.0045	----	----	----	----	5 UNCH
4425	----	----	8.20B/*1.00A	8.20B/*1.00A	----	1.10 - 1.80	.0050	----	----	----	----	1 UNCH
4430	----	----	8.70B/*1.10A	8.70B/*1.10A	----	1.10 - 1.80	.0051	----	----	----	----	16 UNCH
4435	----	----	9.00B/*1.10A	9.00B/*1.10A	----	1.10 - 1.90	.0052	----	----	----	----	2 UNCH
4440	----	----	9.50B/*1.10A	9.50B/*1.10A	----	1.20 - 1.90	.0058	----	----	----	----	2 UNCH
4445	1.30	1.30	9.90B/*1.20A	9.90B/*1.20A	----	1.20 NEW	.0059	----	----	10	----	10 + 10
4450	----	----	10.40B/*1.20A	10.40B/*1.20A	----	1.30 - 2.00	.0066	----	----	----	----	4 UNCH
4450	----	----	42.50B/*19.30A	42.50B/*19.30A	----	20.50 - 0.80	.1246	----	----	----	----	1 UNCH
4450	13.20	13.20	29.90B/*8.60A	29.90B/*8.60A	----	9.70 NEW	.0743	----	----	1	----	1 + 1
4455	----	----	11.80B/*1.30A	11.80B/*1.30A	----	1.30 - 2.10	.0067	----	----	----	----	16 UNCH
4460	----	----	11.40B/*1.30A	11.40B/*1.30A	----	1.40 - 2.10	.0074	----	----	4	----	3 + 2
4465	----	----	----/256.80A	316.40B/256.80A	----	312.80 - 21.70	.9181	----	----	----	----	5 UNCH
4475	----	----	13.70B/*1.50A	13.70B/*1.50A	----	1.60 - 2.20	.0090	----	----	----	----	108 UNCH
4475	----	----	48.00B/*21.70A	48.00B/*21.70A	----	23.20 - 1.20	.1404	----	----	----	----	1 UNCH
4480	----	----	49.40B/*22.30A	49.40B/*22.30A	----	23.80 - 1.20	.1438	----	----	----	----	1 UNCH
4490	----	----	15.20B/*1.60A	15.20B/*1.60A	----	1.80 - 2.40	.0108	----	----	2	----	12 + 1
4500	18.80	18.80	39.70B/*11.70A	39.70B/*11.70A	----	13.20 - 2.10	.1023	----	----	103	----	104 + 103
4500	----	----	----/191.10A	273.50B/191.10A	----	269.30 - 22.50	.9881	----	----	----	----	2 UNCH
4500	5.00	5.00	17.30B/*1.60A	17.30B/*1.60A	----	1.90 - 2.60	.0118	----	----	44	----	45 + 28
4505	----	----	17.00B/*1.80A	17.00B/*1.80A	----	2.00 - 2.70	.0127	----	----	1	----	1 UNCH
4510	----	----	----/182.80A	263.60B/182.80A	----	259.40 NEW	.9862	----	----	1	----	1 + 1
4515	----	----	19.30B/*1.90A	19.30B/*1.90A	----	2.20 - 2.80	.0146	----	----	----	----	4 UNCH
4520	----	----	20.70B/*2.00A	20.70B/*2.00A	----	2.30 - 2.90	.0156	----	----	----	----	3 UNCH
4525	----	----	45.50B/*13.80A	45.50B/*13.80A	----	15.60 - 2.20	.1208	----	----	----	----	20 UNCH
4525	2.20	2.20	21.30B/*2.10A	21.30B/*2.10A	----	2.40 NEW	.0166	----	----	5	----	5 + 5
4530	----	----	22.00B/*2.20A	22.00B/*2.20A	----	2.50 NEW	.0177	----	----	1	----	1 + 1
4530	----	----	----/166.40A	244.00B/166.40A	----	239.90 - 22.90	.9822	----	----	----	----	1 UNCH
4545	----	----	24.90B/*2.50A	24.90B/*2.50A	----	2.90 - 3.30	.0219	----	----	----	----	1 UNCH
4550	10.00	10.00	26.70B/*2.60A	26.70B/*2.60A	----	3.00 - 3.40	.0231	----	----	5	----	4 - 2
4550	----	----	----/150.50A	224.50B/150.50A	----	220.40 - 23.30	.9768	----	----	1	----	46 + 1
4550	----	----	----/188.30A	238.70B/188.30A	----	235.60 - 22.30	.8576	----	----	----	----	1 UNCH
4550	----	----	52.00B/*16.10A	52.00B/*16.10A	----	18.40 - 2.40	.1421	----	----	----	----	1 UNCH
4555	----	----	27.80B/*2.60A	27.80B/*2.60A	----	3.10 - 3.60	.0244	----	----	1	----	3 + 1
4560	----	----	28.90B/*2.80A	28.90B/*2.80A	----	3.30 - 3.70	.0265	----	----	----	----	2 UNCH
4565	3.10	3.10	29.90B/*2.90A	29.90B/*2.90A	----	3.50 - 3.70	.0287	----	----	3	----	5 + 2
4575	----	----	32.40B/*3.20A	32.40B/*3.20A	----	3.80 - 4.00	.0326	----	----	----	----	2 UNCH
4575	----	----	----/169.60A	217.10B/169.60A	----	214.00 - 22.40	.8329	----	----	----	----	1 UNCH
4580	3.50	3.50	32.90B/*3.40A	32.90B/*3.40A	----	4.00 - 4.20	.0350	----	----	1	----	3 UNCH
4585	6.50	6.50	35.00B/*3.50A	35.00B/*3.50A	----	4.20 NEW	.0375	----	----	2	----	2 + 2
4585	----	----	----/162.00A	208.40B/162.00A	----	205.50 - 22.50	.8219	----	----	----	----	1 UNCH
4590	4.10	4.10	35.80B/*3.70A	35.80B/*3.70A	----	4.50 NEW	.0410	----	----	4	----	4 + 4
4600	----	----	----/113.40A	176.30B/113.40A	----	172.30 - 24.70	.9525	----	----	----	----	1 UNCH
4600	15.00	15.00	38.70B/*4.10A	38.70B/*4.10A	----	5.00 - 4.70	.0474	----	----	32	----	32 + 15
4600	----	----	----/151.40A	196.00B/151.40A	----	193.00 - 22.50	.8041	----	----	----	----	4 UNCH
4600	----	----	67.40B/*23.30A	67.40B/*23.30A	----	25.70 - 2.60	.1956	----	----	----	----	5 UNCH
4605	----	----	----/109.90A	171.60B/109.90A	----	167.60 - 24.80	.9495	----	----	----	----	1 UNCH
4605	4.80	4.80	40.10B/*4.30A	40.10B/*4.30A	----	5.20 - 4.90	.0504	----	----	1	----	2 + 1
4610	----	----	88.40B/46.20A	88.40B/46.20A	----	46.80 - 1.60	.2646	----	----	----	----	6 UNCH
4610	5.10	5.10	41.30B/*4.60A	41.30B/*4.60A	----	5.50 NEW	.0544	----	----	5	----	5 + 5
4615	----	----	----/103.40A	162.20B/103.40A	----	158.20 NEW	.9406	----	----	1	----	1 + 1
4615	5.40	5.40	42.90B/*4.80A	42.90B/*4.80A	----	5.90 - 5.10	.0593	----	----	5	----	5 + 4
4620	----	----	----/100.10A	157.50B/100.10A	----	153.60 - 25.20	.9363	----	----	----	----	1 UNCH
4620	15.00	15.00	45.10B/*4.90	45.10B/*4.90	----	6.20 - 5.30	.0636	----	----	5	----	53 + 2
4625	----	----	46.90B/*5.40A	46.90B/*5.40A	----	6.60 - 5.40	.0689	----	----	40	----	43 + 40
4625	----	----	94.70B/50.10A	94.70B/50.10A	----	50.60 - 1.40	.2826	----	----	----	----	1 UNCH
4630	8.10	8.10	48.70B/*5.80A	48.70B/*5.80A	----	7.00 - 5.50	.0744	----	----	6	----	8 + 5
4630	----	----	78.40B/*28.90A	78.40B/*28.90A	----	31.60 - 2.60	.2360	----	----	----	----	5 UNCH
4635	----	----	50.40B/*6.10A	50.40B/*6.10A	----	7.40 - 5.70	.0801	----	----	----	----	0 UNCH
4640	----	----	52.40B/*6.50A	52.40B/*6.50A	----	7.80 - 5.90	.0861	----	----	2	----	38 UNCH
4640	----	----	----/86.20A	139.00B/86.20A	----	135.20 - 25.80	.9138	----	----	----	----	1 UNCH
4645	----	----	54.40B/*6.90A	54.40B/*6.90A	----	8.30 - 6.00	.0931	----	----	3	----	29 UNCH
4650	11.00	11.00	56.40B/*7.40A	56.40B/*7.40A	----	8.80 - 6.20	.1004	----	----	46	----	69 + 18
4650	----	----	----/77.70A	130.00B/77.70A	----	126.20 - 26.10	.8995	----	----	----	----	2 UNCH
4650	----	----	86.40B/33.30A	86.40B/33.30A	----	36.20 - 2.50	.2663	----	----	----	----	3 UNCH
4650	----	----	----/119.30A	155.90B/119.30A	----	153.50 - 22.40	.7334	----	----	----	----	2 UNCH
4650	----	----	105.50B/57.10A	105.50B/57.10A	----	57.70 - 1.20	.3148	----	----	----	----	10 UNCH
4655	40.00	40.00	58.40B/*7.80A	58.40B/*7.80A	----	9.40 NEW	.1088	----	----	1	----	1 + 1
4655	----	----	88.50B/34.60A	88.50B/34.60A	----	37.40 - 2.50	.2742	----	----	----	----	1 UNCH
4660	14.80	14.80	60.60B/*8.40A	60.60B/*8.40A	----	10.00 - 6.40	.1174	----	----	5	----	3 + 2
4665	----	----	62.90B/*8.90A	62.90B/*8.90A	----	10.60 - 6.60	.1264	----	----	----	----	21 UNCH
4665	----	----	----/69.70A	116.60B/69.70A	----	113.00 - 26.60	.8734	----	----	----	----	11 UNCH
4670	----	----	----/*107.30A	141.00B/107.30A	----	138.70 - 22.30	.7005	----	----	----	----	8 UNCH
4670	13.20	13.20	65.10B/*9.50A	65.10B/*9.50A	----	11.30 - 6.70	.1366	----	----	10	----	13 + 10
4675	67.50	67.50	67.50/*10.20A	67.50/*10.20A	----	12.00 - 6.90	.1471	----	----	17	----	16 + 15
4675	----	----	97.80B/39.80A	97.80B/39.80A	----	42.80 - 2.30	.3078	----	----	----	----	4 UNCH
4680	----	----	----/*63.60A	103.70B/*63.60A	----	100.20 - 26.90	.8412	----	----	1	----	1 UNCH
4680	50.00	50.00	70.30/*10.90A	70.30/*10.90A	----	12.80 - 7.00	.1587	----	----	31	----	25 + 23
4685	12.50	12.50	72.00B/*11.70A	72.00B/*11.70A	----	13.70 NEW	.1715	----	----	5	----	3 + 3
4685	----	----	----/*99.30A	130.40B/99.30A	----	128.10 - 22.10	.6739	----	----	----	----	1 UNCH
4685	----	----	102.10B/42.80A	102.10B/42.80A	----	45.80 - 2.10	.3258	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED APR26		GOLD WEEKLY WEDNESDAY OPTION WEEK5										
4690	----	----	----/*113.90A	149.20B/*113.90A	----	148.30 - 20.30	.6288	----	----	----	----	1 UNCH
4690	----	----	74.80B/*12.50A	74.80B/*12.50A	----	14.60 NEW	.1846	----	----	5	----	3 + 3
4690	----	----	----/*96.40A	126.80B/96.40A	----	124.70 - 22.00	.6647	----	----	----	----	5 UNCH
4690	----	----	----/*59.20A	95.30B/*59.20A	----	91.90 NEW	.8152	----	----	2	----	2 + 2
4695	19.00	19.00	77.40B/*12.70	77.40B/*12.70	----	15.50 - 7.30	.1982	----	----	3	----	4 + 3
4695	----	----	----/*56.90A	90.90B/*56.90A	----	87.90 - 27.20	.8016	----	----	----	----	1 UNCH
4695	----	----	107.00B/46.00A	107.00B/46.00A	----	49.00 - 1.90	.3443	----	----	----	----	2 UNCH
4700	38.50	38.50	80.00B/*14.00	80.00B/*14.00	----	16.50 - 7.30	.2130	----	----	16	----	23 + 10
4700	----	----	----/*51.20A	87.20B/*51.20A	----	83.90 - 27.30	.7869	----	----	----	----	4 UNCH
4705	----	----	----/*50.40A	83.10B/*50.40A	----	80.00 - 27.40	.7711	----	----	----	----	1 UNCH
4705	20.00	20.00	82.00B/*15.40A	82.00B/*15.40A	----	17.60 NEW	.2288	----	----	3	----	3 + 3
4710	----	----	----/*47.20A	79.20B/*47.20A	----	76.20 - 27.40	.7541	----	----	----	----	5 UNCH
4710	20.00	20.00	84.00B/*16.50A	84.00B/*16.50A	----	18.80 - 7.40	.2457	----	----	10	----	11 + 10
4715	----	----	117.90B/52.80A	117.90B/52.80A	----	55.80 - 1.60	.3828	----	----	----	----	15 UNCH
4715	19.80	19.80	87.00B/*17.70A	87.00B/*17.70A	----	20.10 - 7.30	.2637	----	----	1	----	45 + 1
4720	21.20	21.20	89.90B/*19.00A	89.90B/*19.00A	----	21.40 - 7.40	.2821	----	----	5	----	47 + 5
4725	36.50	36.50	93.20B/*20.30A	93.20B/*20.30A	----	22.80 - 7.30	.3015	----	----	35	----	69 + 18
4725	----	----	----/*38.50A	67.90B/*38.50A	----	65.20 - 27.30	.6984	----	----	----	----	1 UNCH
4725	92.90	92.90	92.90/*79.20A	103.70B/79.20A	----	102.00 NEW	.5968	----	----	3	----	3 + 3
4730	40.00	40.00	95.90B/*21.80A	95.90B/*21.80A	----	24.40 - 7.20	.3222	----	----	2	----	52 + 2
4735	47.80	47.80	50.00/*33.20A	60.60B/*33.20A	----	58.40 - 27.10	.6565	----	----	2	----	6 + 1
4735	31.40	31.40	99.10B/*23.30A	99.10B/*23.30A	----	26.00 - 7.10	.3434	----	----	9	----	10 - 1
4735	----	----	128.50B/60.50A	128.50B/60.50A	----	63.50 - 1.00	.4234	----	----	----	----	1 UNCH
4740	----	----	102.30B/*25.00A	102.30B/*25.00A	----	27.70 - 7.00	.3654	----	----	----	----	6 UNCH
4745	43.10	43.10	48.00/*28.50A	54.60B/*28.50A	----	51.90 - 26.80	.6118	----	----	3	----	9 + 2
4750	61.00	61.00	109.00B/*28.60A	109.00B/*28.60A	----	31.40 - 6.60	.4114	----	----	35	----	103 + 26
4750	30.10	30.10	30.10/*26.30A	52.30B/*26.30A	----	48.80 - 26.60	.5885	----	----	67	----	67 + 65
4750	----	----	154.60B/----	154.60B/94.50A	----	95.60 + 1.60	.4618	----	----	----	----	11 UNCH
4750	----	----	----/*66.80A	89.20B/66.80A	----	87.30 - 20.40	.5448	----	----	----	----	1 UNCH
4755	36.50	36.50	112.60B/*30.50A	112.60B/*30.50A	----	33.40 - 6.40	.4353	----	----	2	----	2 + 1
4760	32.50	32.50	47.10/*22.20A	47.20B/*22.20A	----	42.90 - 26.20	.5401	----	----	4	----	36 + 3
4760	----	----	116.10B/*32.60A	116.10B/*32.60A	----	35.50 NEW	.4597	----	----	1	----	1 + 1
4760	76.90	76.90	143.90B/71.30A	143.90B/71.30A	----	74.40 NEW	.4762	----	----	4	----	4 + 4
4760	----	----	160.90B/----	160.90B/99.10A	----	100.20 + 1.90	.4775	----	----	----	----	1 UNCH
4765	35.50	35.50	119.50B/*34.80A	119.50B/*34.80A	----	37.80 NEW	.4846	----	----	4	----	4 + 4
4765	----	----	----/*59.90A	80.90B/*59.90A	----	79.10 - 19.90	.5128	----	----	----	----	3 UNCH
4770	----	----	----/*18.70A	41.90B/*18.70A	----	37.50 - 25.50	.4902	----	----	----	----	3 UNCH
4775	----	----	126.80B/39.40A	126.80B/39.40A	----	42.60 - 5.10	.5349	----	----	2	----	3 UNCH
4775	----	----	----/*17.10A	39.40B/*17.10A	----	35.00 - 25.10	.4650	----	----	7	----	7 + 4
4780	----	----	130.60B/41.90A	130.60B/41.90A	----	45.20 NEW	.5601	----	----	1	----	1 + 1
4780	30.40	30.40	30.90/*15.70A	36.90B/*15.70A	----	32.60 - 24.70	.4398	----	----	3	----	2 + 1
4780	----	----	----/*75.70A	97.30B/*75.70A	----	97.50 - 17.30	.4904	----	----	----	----	1 UNCH
4785	25.00	25.00	25.00/*14.30A	34.20B/*14.30A	----	30.30 NEW	.4147	----	----	1	----	1 + 1
4785	----	----	134.40B/44.60A	134.40B/44.60A	----	47.90 - 4.20	.5852	----	----	----	----	16 UNCH
4790	----	----	----/*13.00A	32.00B/*13.00A	----	28.10 - 23.80	.3898	----	----	1	----	2 + 1
4790	----	----	138.30B/47.50A	138.30B/47.50A	----	50.70 - 3.80	.6101	----	----	----	----	5 UNCH
4795	----	----	----/*11.90A	30.20B/*11.90A	----	26.10 NEW	.3655	----	----	1	----	1 + 1
4795	----	----	142.20B/50.60A	142.20B/50.60A	----	53.70 - 3.20	.6344	----	----	----	----	3 UNCH
4800	20.00	20.00	28.20B/*10.80A	28.20B/*10.80A	----	24.10 - 22.70	.3413	----	----	43	----	76 UNCH
4800	----	----	146.20B/53.70A	146.20B/53.70A	----	56.70 - 2.70	.6585	----	----	2	----	4 + 2
4800	----	----	185.20B/----	185.20B/119.30A	----	120.60 + 3.50	.5408	----	----	----	----	1 UNCH
4805	----	----	----/*9.90A	26.20B/*9.90A	----	22.30 NEW	.3181	----	----	1	----	1 + 1
4805	----	----	150.20B/56.90A	150.20B/56.90A	----	59.90 - 2.10	.6818	----	----	----	----	1 UNCH
4810	20.10	20.10	24.40B/*9.00A	24.40B/*9.00A	----	20.60 - 21.50	.2956	----	----	11	----	13 + 10
4815	----	----	----/*8.20A	22.70B/*8.20A	----	19.00 - 20.80	.2738	----	----	2	----	2 + 1
4820	20.10	20.10	20.10/*7.50A	21.40B/*7.50A	----	17.50 - 20.20	.2529	----	----	6	----	13 + 6
4820	----	----	198.40B/----	198.40B/130.20A	----	131.70 + 4.30	.5723	----	----	----	----	1 UNCH
4825	21.50	21.50	21.50/*6.80A	21.50/*6.80A	----	16.10 - 19.50	.2330	----	----	15	----	27 + 14
4830	13.70	13.70	18.10B/*6.20A	18.10B/*6.20A	----	14.80 NEW	.2141	----	----	3	----	3 + 3
4835	13.80	13.80	13.80/*5.70A	16.80B/*5.70A	----	13.60 NEW	.1963	----	----	5	----	2 + 2
4840	----	----	----/*5.20A	15.50B/*5.20A	----	12.50 - 17.40	.1796	----	----	----	----	4 UNCH
4845	----	----	----/*4.80A	15.20B/*4.80A	----	11.40 - 16.70	.1633	----	----	1	----	5 + 1
4845	----	----	----/*31.90A	45.50B/*31.90A	----	44.20 - 15.80	.3424	----	----	----	----	18 UNCH
4850	11.20	11.20	14.60/*4.40A	14.60/*4.40A	----	10.50 - 15.90	.1491	----	----	72	----	66 + 7
4855	7.10	7.10	7.10/*4.10A	13.10B/*4.10A	----	9.60 - 15.30	.1353	----	----	3	----	2 + 1
4855	----	----	193.00B/----	193.00B/93.60A	----	97.20 + 4.80	.8646	----	----	----	----	2 UNCH
4860	8.70	8.70	8.70/*3.70A	12.10B/*3.70A	----	8.80 NEW	.1227	----	----	3	----	3 + 3
4860	----	----	----/*28.20A	40.60B/*28.20A	----	39.20 NEW	.3126	----	----	4	----	4 + 4
4865	----	----	----/*3.40A	11.20B/*3.40A	----	8.10 - 13.80	.1115	----	----	----	----	3 UNCH
4870	----	----	----/*25.90A	37.60B/*25.90A	----	36.10 - 14.40	.2934	----	----	----	----	14 UNCH
4875	8.00	8.00	8.00/*2.90A	9.60B/*2.90A	----	6.90 - 12.40	.0922	----	----	16	----	26 + 15
4880	----	----	----/*2.70A	8.90B/*2.70A	----	6.30 - 11.70	.0830	----	----	----	----	5 UNCH
4880	----	----	215.70B/----	215.70B/115.10A	----	118.90 NEW	.9169	----	----	1	----	1 + 1
4885	----	----	220.10B/----	220.10B/119.60A	----	123.40 NEW	.9248	----	----	2	----	2 + 2
4885	----	----	----/*2.50A	8.20B/*2.50A	----	5.80 - 11.10	.0751	----	----	----	----	10 UNCH
4890	6.50	6.50	6.60B/*2.40A	6.60B/*2.40A	----	5.40 - 10.40	.0685	----	----	52	----	52 + 46
4900	10.00	10.00	10.00/*1.80	10.00/*1.80	----	4.60 - 9.20	.0561	----	----	18	----	52 UNCH
4900	----	----	234.40B/----	234.40B/133.30A	----	137.20 NEW	.9437	----	----	1	----	1 + 1
4900	23.90	23.90	23.90/*19.90A	29.50B/*19.90A	----	28.10 - 12.50	.2399	----	----	5	----	7 + 4
4900	----	----	----/*40.10A	49.30B/*40.10A	----	50.20 - 12.70	.3076	----	----	----	----	30 UNCH
4905	----	----	----/*19.00A	28.20B/*19.00A	----	27.00 - 12.10	.2319	----	----	----	----	50 UNCH
4910	----	----	----/*1.80A	4.60B/*1.80A	----	4.00 - 8.00	.0467	----	----	1	----	11 + 1
4910	----	----	----/*18.20A	27.20B/*18.20A	----	25.80 - 11.80	.2235	----	----	4	----	4 UNCH
4915	----	----	248.90B/----	248.90B/147.30A	----	151.30 + 12.50	.9576	----	----	1	----	1 UNCH
4920	4.80	4.80	4.80/*1.60A	4.80/*1.60A	----	3.40 - 7.10	.0380	----	----	2	----	3 + 2
4925	----	----	257.80B/----	257.80B/156.80A	----	160.80 + 13.50	.9649	----	----	1	----	0 - 1
4925	----	----	----/*1.50A	3.50B/*1.50A	----	3.20 - 6.60	.0349	----	----	2	----	4 UNCH
4930	----	----	----/*1.40A	3.10B/*1.40A	----	3.00 - 6.10	.0320	----	----	----	----	1 UNCH
4930	----	----	270.00B/----	270.00B/181.40A	----	184.20 NEW	.8065	----	----	1	----	1 + 1
4935	----	----	----/*1.40A	2.80B/*1.40A	----	2.80 - 5.70	.0291	----	----	----	----	1 UNCH
4940	2.60	2.60	2.60/*1.30A	2.60/*1.30A	----	2.70 NEW	.0274	----	----	1	----	1 + 1
4945	----	----	----/*1.30A	2.40B/*1.30A	----	2.50 - 4.90	.0248	----	----	----	----	2 UNCH
4950	2.60	2.60	2.70/*1.20A	2.70/*1.20A	----	2.40 - 4.50	.0232	----	----	7	----	7 - 2
4955	----	----	----/*1.20A	2.10B/*1.20A	----	2.20 - 4.20	.0207	----	----	----	----	1 UNCH
4955	14.40	14.40	14.40/*12.10A	18.60B/*12.10A	----	17.40 NEW	.1595	----	----	8	----	8 + 8
4960	----	----	----/*1.10A	2.00B/*1.10A	----	2.10 - 3.90	.0193	----	----	----	----	1 UNCH
4965	----	----	----/*1.10A	1.80B/*1.10A	----	2.00 - 3.60	.0179	----	----	----	----	8 UNCH
4970	----	----	----/*1.00A	1.70B/*1.00A	----	1.90 - 3.30	.0166	----	----	----	----	19 UNCH
4975	1.30	1.30	1.30/*1.00	1.80B/*1.00	----	1.80 - 3.10	.0154	----	----	2	----	30 - 2
4975	----	----	307.00B/----	307.00B/205.20A	----	209.40 NEW	.9845	----	----	1	----	1 + 1
4975	----	----	----/*10.10A	15.60B/*10.10A	----	14.60 NEW	.1363	----	----	4	----	4 + 4
4985	----	----	----/*0.90A	1.40B/*0.90A	----	1.60 - 2.70	.0130	----	----	----	----	1 UNCH
4990	----	----	----/*0.90A	1.30B/*0.90A	----	1.60 - 2.40	.0127	----	----	1	----	0 - 1
4990	----	----	----/*8.90A	13.80B/*8.90A	----	12.80 - 7.30	.1209	----	----	----	----	14 UNCH
4995	----	----	----/*0.80A	1.30B/*0.80A	----	1.50 - 2.30	.0116	----	----	1	----	2 + 1
4995	----	----	326.60B/----	326.60B/224.90A	----	229.00 + 17.70	.9883	----	----	----	----	1 UNCH
4995	----	----	----/*8.80A	13.20B/*8.80A	----	12.30 - 7.00	.1164	----	----	----	----	28 UNCH
5000	1.50	1.50	1.50/*0.80A	1.50/*0.80A	----	1.40 - 2.10	.0106	----	----	34	----	36 + 24
5000	----	----	331.60B/----	331.60B/229.70A	----	234.00 + 18.00	.9893	----	----	----	----	2 UNCH
5000	----	----	----/*21.40A	25.80B/*21.40A	----	26.70 - 9.00	.1861	----	----	----	----	1 UNCH
5000	----	----	----/*8.10A	12.60B/*8.10A	----	11.80 - 6.80	.1120	----	----	1	----	3 + 1
5005	----	----	----/*0.80A	1.20B/*0.80A	----	1.30 - 2.00	.0096	----	----	----	----	1 UNCH
5010	0.80	0.80	1.10B/*0.80	1.10B/*0.80	----	1.30 - 1.80	.0094	----	----	1	----	7 UNCH
5015	----	----	----/*0.70A	1.00B/*0.70A	----	1.20 - 1.70	.0084	----	----	----	----	4 UNCH
5015	----	----	346.40B/----	346.40B/244.50A	----	248.80 + 18.40	.9915	----	----	----	----	2 UNCH
5020	----	----	----/*0.70A	1.00B/*0.70A	----	1.20 - 1.60	.0083	----	----	----	----	0 UNCH
5025	1.20	1.20	1.20/*0.70A	1.20/*0.70A	----	1.10 - 1.50	.0074	----	----	1	----	4 UNCH
5040	----	----	----/*0.60A	0.80B/*0.60A	----	1.00 - 1.20	.0063	----	----	----	----	40 UNCH
5050	----	----	----/*0.60A	0.80B/*0.60A	----	0.90 - 1.10	.0054	----	----	1	----	5 UNCH
5055	----	----	----/*0.70A	0.70B/*0.70A	----	0.90 - 1.00	.0053	----	----	----	----	1 UNCH
5060	----	----	----/*0.60A	0.70B/*0.60A	----	0.80 - 1.00	.0045	----	----	----	----	6 UNCH
5065	----	----	----/*0.60A	0.70B/*0.60A	----	0.80 - 0.90	.0045	----	----	----	----	1 UNCH
5075	----	----	----/*13.70A	15.60B/*13.70A	----	16.10 - 6.40	.1208	----	----	----	----	2 UNCH
5090	----	----	----/*0.70A	0.50B/*0.70A	----	0.70 - 0.60	.0035	----	----	----	----	13 UNCH
5095	----	----	----/*0.70A	0.50B/*0.70A	----	0.60 - 0.60	.0029	----	----	----	----	1 UNCH
5100	0.60	0.60	0.60/*0.60	0.60/*0.60	----	0.60 - 0.60	.0029	----	----	1	----	5 + 1
5100	----	----	----/*3.80A	5.20B/*3.80A	----	5.10 - 3.30	.0497	----	----	4	----	4 UNCH
5105	----	----	----/*0.60A	0.40B/*0.60A	----	0.60 - 0.50	.0028	----	----	----	----	2 UNCH
5110	----	----	----/*0.50A	0.40B/*0.50A	----	0.60 - 0.50	.0028	----	----	----	----	2 UNCH
5150	----	----	----/*0.60A	0.30B/*0.60A	----	0.50 - 0.20	.0020	----	----	----	----	1 UNCH
5175	----	----	----	0.20B/*0.60A	----	0.40 - 0.20	.0014	----	----	----	----	1 UNCH
5175	----	----	----/*2.50A	2.80B/*2.50A	----	2.90 - 1.80	.0278	----	----	4	----	4 UNCH
5200	----	----	----	0.10B/0.70A	----	0.40 - 0.10	.0013	----	----	----	----	3 UNCH
5200	7.00	7.00	7.00/*7.00	7.00/*7.00	----	7.00 - 2.50	.0564	----	----	360	----	118 - 242
5325	----	----	----	----/*0.50A	----	0.10 UNCH	.0001	----	----	1	----	1 - 1
TOTAL										1455		2799 + 480

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK1										
MAY26												
4400	30.00	30.00	#50.00B/27.50A	#50.00B/27.50A	----	25.90 NEW	.1318	----	----	75	----	75 + 75
4670	98.50	98.50	#137.60B/86.50A	#137.60B/86.50A	----	85.00 NEW	.3653	----	----	10	----	10 + 10
4700	112.60	112.60	#152.20B/97.70A	#152.20B/97.70A	----	96.20 NEW	.4014	----	----	45	----	45 + 45
4760	----	----	#185.80B/----	#185.80B/123.70A	----	122.40 + 5.20	.4772	----	----	----	----	10 UNCH
4800	97.90	97.90	#98.10/*91.60A	106.00B/*91.60A	----	110.20 NEW	.4705	----	----	40	----	40 + 40
4850	79.00	79.00	#79.00/*75.00A	84.50B/*75.00A	----	88.70 NEW	.4066	----	----	10	----	10 + 10
5075	28.60	28.60	#28.60/*26.70A	28.60/*26.70A	----	29.00 NEW	.1719	----	----	1	----	1 + 1
TOTAL										181		191+ 181

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWT TUE		GOLD WEEKLY TUESDAY OPTION Week2										
APR26												
3500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3850	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	2	----	2 UNCH
4000	----	----	----	0.40B/1.90A	----	1.10 - 0.30	.0060	----	----	----	----	1 UNCH
4000	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	----	----	----	----	----	3 UNCH
4075	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.40	----	----	----	----	----	2 UNCH
4100	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.40	----	----	----	----	----	16 UNCH
4150	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.50	----	----	----	----	----	3 UNCH
4175	----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 0.60	----	----	----	----	----	48 UNCH
4200	0.30	0.30	0.30/*0.20A	0.30/*0.20A	----	0.10 - 0.70	----	----	----	1	----	2 + 1
4200	----	----	4.80B/*2.20A	4.80B/*2.20A	----	2.20 - 0.50	.0146	----	----	----	----	1 UNCH
4200	6.60	6.60	#6.60/*5.00A	#11.80B/*5.00A	----	4.50 NEW	.0291	----	----	2	----	2 + 2
4235	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 0.80	----	----	----	----	----	3 UNCH
4250	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 0.80	----	----	----	----	----	61 UNCH
4250	----	----	6.90B/*2.70A	6.90B/*2.70A	----	2.70 - 0.60	.0187	----	----	----	----	25 UNCH
4250	----	----	----	#15.40B/*6.10A	----	6.10 NEW	.0394	----	----	1	----	1 + 1
4280	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 NEW	----	----	----	3	----	3 + 3
4285	----	----	----/*0.20A	0.30B/*0.20A	----	0.10 - 0.90	----	----	----	----	----	1 UNCH
4290	0.60	0.60	0.60/*0.20A	0.60/*0.20A	----	0.10 - 1.00	----	----	----	1	----	4 + 1
4300	2.10	2.10	2.10/*0.20	2.10/*0.20	----	0.10 - 1.00	----	----	----	8	----	327 + 5
4300	----	----	20.10B/----	20.10B/*9.10A	----	8.10 - 1.00	.0522	----	----	----	----	1 UNCH
4300	4.00	4.00	9.70B/*3.20A	9.70B/*3.20A	----	3.30 - 0.80	.0241	----	----	1	----	2 + 1
4305	1.30	1.30	1.40B/*0.30A	1.40B/*0.30A	----	0.10 - 1.00	----	----	----	1	----	6 + 1
4310	----	----	1.40B/*0.30A	1.40B/*0.30A	----	0.10 - 1.00	----	----	----	----	----	1 UNCH
4320	----	----	1.50B/*0.30A	1.50B/*0.30A	----	0.10 - 1.10	----	----	----	----	----	1 UNCH
4325	1.50	1.50	1.60B/*0.20A	1.60B/*0.20A	----	0.10 - 1.10	----	----	----	1	----	2 + 1
4325	----	----	11.50B/*3.60A	11.50B/*3.60A	----	3.70 NEW	.0276	----	----	10	----	10 + 10
4340	----	----	1.90B/*0.20A	1.90B/*0.20A	----	0.10 - 1.20	----	----	----	----	----	1 UNCH
4350	----	----	26.20B/*10.00A	26.20B/*10.00A	----	10.40 - 1.30	.0674	----	----	----	----	1 UNCH
4350	----	----	2.10B/*0.20A	2.10B/*0.20A	----	0.10 - 1.20	----	----	----	----	----	117 UNCH
4360	----	----	14.60B/*4.40A	14.60B/*4.40A	----	4.50 - 1.10	.0344	----	----	----	----	2 UNCH
4375	----	----	16.10B/*4.50A	16.10B/*4.50A	----	4.80 NEW	.0373	----	----	10	----	10 + 10
4380	0.80	0.80	2.00B/*0.20	2.00B/*0.20	----	0.10 - 1.40	----	----	----	4	----	4 + 1
4390	----	----	17.70B/*5.00A	17.70B/*5.00A	----	5.30 NEW	.0415	----	----	1	----	1 + 1
4400	5.00	5.00	5.00/*0.20A	5.00/*0.20A	----	0.10 - 1.60	.0000	----	----	3	----	21 UNCH
4400	----	----	----/276.50A	371.90B/276.50A	----	367.50 - 21.50	1.0000	----	----	----	----	1 UNCH
4400	6.80	6.80	18.90B/*5.00A	18.90B/*5.00A	----	5.60 NEW	.0442	----	----	1	----	1 + 1
4410	2.10	2.10	3.10B/*0.40A	3.10B/*0.40A	----	0.10 - 1.60	.0000	----	----	1	----	2 + 1
4425	0.20	0.20	3.90B/*0.20	3.90B/*0.20	----	0.10 NEW	.0000	----	----	2	----	2 + 2
4440	0.20	0.20	4.70B/*0.20	4.70B/*0.20	----	0.20 NEW	.0001	----	----	3	----	3 + 3
4445	----	----	5.00B/*0.40A	5.00B/*0.40A	----	0.20 NEW	.0001	----	----	3	----	3 + 3
4450	7.70	7.70	7.70/*0.20A	7.70/*0.20A	----	0.20 - 2.00	.0001	----	----	1	----	10 + 1
4455	----	----	5.70B/*0.40A	5.70B/*0.40A	----	0.20 - 2.00	.0001	----	----	----	----	1 UNCH
4460	10.10	10.10	10.10/*0.20A	10.10/*0.20A	----	0.30 - 2.00	.0002	----	----	5	----	7 + 5
4460	----	----	27.80B/*7.40A	27.80B/*7.40A	----	8.00 NEW	.0655	----	----	1	----	1 + 1
4465	----	----	6.30B/*0.40A	6.30B/*0.40A	----	0.30 - 2.00	.0002	----	----	----	----	12 UNCH
4470	----	----	7.00B/*0.40A	7.00B/*0.40A	----	0.30 - 2.10	.0002	----	----	----	----	2 UNCH
4475	1.90	1.90	7.10B/*0.40A	7.10B/*0.40A	----	0.30 - 2.20	.0002	----	----	2	----	4 + 2
4475	----	----	48.40B/*19.60A	48.40B/*19.60A	----	20.20 - 2.10	.1295	----	----	----	----	1 UNCH
4475	----	----	----/245.00A	295.40B/245.00A	----	301.00 - 22.00	.9271	----	----	----	----	5 UNCH
4480	5.70	5.70	7.50B/*0.20A	7.50B/*0.20A	----	0.40 NEW	.0004	----	----	1	----	1 + 1
4480	----	----	31.40B/*8.50A	31.40B/*8.50A	----	9.10 - 2.10	.0752	----	----	----	----	5 UNCH
4485	8.90	8.90	10.30B/*0.50A	10.30B/*0.50A	----	0.40 - 2.20	.0004	----	----	1	----	12 + 1
4490	5.60	5.60	8.40B/*0.40	8.40B/*0.40	----	0.40 - 2.30	.0004	----	----	2	----	2 + 2
4495	----	----	8.90B/*0.50A	8.90B/*0.50A	----	0.50 - 2.30	.0006	----	----	----	----	1 UNCH
4500	----	----	----/184.40A	272.30B/184.40A	----	267.90 - 22.30	.9993	----	----	----	----	1 UNCH
4500	10.50	10.50	12.80B/*0.50A	12.80B/*0.50A	----	0.50 - 2.40	.0007	----	----	23	----	165 + 7
4500	----	----	35.30B/*9.30A	35.30B/*9.30A	----	10.40 - 2.30	.0866	----	----	----	----	1 UNCH
4505	0.70	0.70	9.70B/*0.60A	9.70B/*0.60A	----	0.50 - 2.50	.0007	----	----	1	----	1 UNCH
4515	237.00	237.00	257.40B/171.40A	257.40B/171.40A	----	253.00 NEW	.9990	----	----	1	----	1 + 1
4520	1.00	1.00	14.90B/*0.70A	14.90B/*0.70A	----	0.70 - 2.60	.0012	----	----	1	----	3 + 1
4525	3.00	3.00	16.50B/*0.70A	16.50B/*0.70A	----	0.70 - 2.80	.0013	----	----	6	----	106 + 3
4530	1.10	1.10	14.60B/*0.70A	14.60B/*0.70A	----	0.80 - 2.80	.0016	----	----	1	----	2 + 1
4535	1.00	1.00	14.10B/*0.80A	14.10B/*0.80A	----	0.80 NEW	.0017	----	----	3	----	3 + 3
4540	----	----	18.80B/*0.80A	18.80B/*0.80A	----	0.90 - 3.00	.0020	----	----	----	----	5 UNCH
4540	----	----	44.50B/*12.90A	44.50B/*12.90A	----	13.70 - 2.80	.1150	----	----	----	----	1 UNCH
4545	----	----	19.70B/*0.80A	19.70B/*0.80A	----	0.90 - 3.10	.0021	----	----	----	----	13 UNCH
4550	----	----	----/142.00A	222.70B/142.00A	----	218.40 - 23.10	.9974	----	----	----	----	2 UNCH
4550	----	----	47.10B/*13.80A	47.10B/*13.80A	----	14.80 - 2.80	.1240	----	----	----	----	3 UNCH
4550	13.00	13.00	20.70B/*0.80A	20.70B/*0.80A	----	1.00 - 3.20	.0025	----	----	29	----	71 + 21
4560	2.00	2.00	20.00B/*0.90A	20.00B/*0.90A	----	1.10 NEW	.0031	----	----	5	----	5 + 5
4565	----	----	23.50B/*0.70A	23.50B/*0.70A	----	1.20 - 3.50	.0036	----	----	----	----	2 UNCH
4570	----	----	24.30B/*0.90A	24.30B/*0.90A	----	1.30 - 3.60	.0041	----	----	----	----	6 UNCH
4575	20.00	20.00	25.60B/*1.10A	25.60B/*1.10A	----	1.30 - 3.80	.0043	----	----	1	----	20 + 1
4580	2.00	2.00	23.90B/*1.20A	23.90B/*1.20A	----	1.40 NEW	.0049	----	----	2	----	2 + 2
4580	----	----	78.40B/35.90A	78.40B/35.90A	----	36.30 - 2.10	.2213	----	----	----	----	1 UNCH
4585	0.70	0.70	24.60B/*0.70	24.60B/*0.70	----	1.50 - 4.00	.0056	----	----	1	----	1 UNCH
4585	----	----	80.10B/37.00A	80.10B/37.00A	----	37.30 - 2.10	.2267	----	----	1	----	4 + 1
4590	----	----	----/110.70A	183.20B/110.70A	----	179.00 - 24.10	.9936	----	----	----	----	1 UNCH
4590	2.70	2.70	29.20B/*1.10A	29.20B/*1.10A	----	1.60 - 4.20	.0063	----	----	1	----	15 + 1
4595	----	----	30.30B/*1.40A	30.30B/*1.40A	----	1.70 - 4.30	.0071	----	----	----	----	4 UNCH
4600	----	----	85.10B/40.20A	85.10B/40.20A	----	40.60 - 2.00	.2439	----	----	----	----	2 UNCH
4600	----	----	----/103.20A	173.50B/103.20A	----	169.20 - 24.40	.9914	----	----	1	----	2 UNCH
4600	----	----	62.00B/*20.40A	62.00B/*20.40A	----	21.30 - 3.20	.1768	----	----	----	----	4 UNCH
4600	26.00	26.00	31.70B/*1.00	31.70B/*1.00	----	1.90 - 4.40	.0085	----	----	77	----	69 + 43
4605	----	----	----/99.80A	168.60B/99.80A	----	164.40 - 24.50	.9905	----	----	----	----	8 UNCH
4605	33.10	33.10	33.10/*1.10	33.10/*1.10	----	2.00 - 4.60	.0094	----	----	7	----	75 UNCH
4605	----	----	63.70B/*21.10A	63.70B/*21.10A	----	22.10 - 3.30	.1831	----	----	1	----	2 + 1
4610	34.00	34.00	34.10B/*1.60A	34.10B/*1.60A	----	2.10 - 4.80	.0104	----	----	6	----	12 + 5
4610	----	----	----/139.70A	175.00B/139.70A	----	180.30 - 23.10	.8098	----	----	----	----	10 UNCH
4620	4.10	4.10	34.50B/*1.90	34.50B/*1.90	----	2.40 NEW	.0133	----	----	103	----	97 + 97
4620	----	----	----/89.20A	154.10B/89.20A	----	149.80 - 25.10	.9866	----	----	----	----	9 UNCH
4625	----	----	----/129.60A	162.80B/129.60A	----	168.00 - 23.20	.7891	----	----	----	----	1 UNCH
4625	25.00	25.00	36.30B/*2.00A	36.30B/*2.00A	----	2.60 - 5.30	.0153	----	----	2	----	3 + 2
4630	----	----	96.70B/47.40A	96.70B/47.40A	----	48.00 - 1.60	.2810	----	----	----	----	1 UNCH
4630	----	----	72.70B/*25.50A	72.70B/*25.50A	----	26.70 - 3.20	.2181	----	----	----	----	2 UNCH
4630	----	----	37.30B/*2.10A	37.30B/*2.10A	----	2.80 - 5.50	.0175	----	----	2	----	2 + 1
4635	3.00	3.00	39.00B/*2.20A	39.00B/*2.20A	----	3.00 NEW	.0198	----	----	9	----	8 + 8
4635	----	----	----/78.20A	139.60B/78.20A	----	135.40 - 25.60	.9801	----	----	----	----	12 UNCH
4635	----	----	74.60B/*26.50A	74.60B/*26.50A	----	27.70 - 3.30	.2256	----	----	----	----	18 UNCH
4640	----	----	----/74.90A	134.80B/74.90A	----	130.70 NEW	.9768	----	----	1	----	1 + 1
4640	3.00	3.00	40.70B/*2.40A	40.70B/*2.40A	----	3.30 NEW	.0231	----	----	6	----	5 + 5
4645	----	----	42.60B/*2.60A	42.60B/*2.60A	----	3.50 NEW	.0259	----	----	6	----	4 + 4
4650	28.00	28.00	47.00B/*2.60	47.00B/*2.60	----	3.80 - 6.30	.0298	----	----	128	----	90 + 75
4655	----	----	107.20B/54.80A	107.20B/54.80A	----	55.00 - 1.20	.3145	----	----	----	----	1 UNCH
4655	----	----	49.00B/*3.00A	49.00B/*3.00A	----	4.10 - 6.50	.0339	----	----	2	----	12 + 2
4660	----	----	84.90B/32.10A	84.90B/32.10A	----	33.50 - 3.00	.2668	----	----	----	----	18 UNCH
4660	5.30	5.30	48.60B/*3.20A	48.60B/*3.20A	----	4.40 NEW	.0385	----	----	6	----	4 + 4
4665	----	----	53.20B/*3.50A	53.20B/*3.50A	----	4.80 - 6.90	.0443	----	----	28	----	33 - 2
4665	----	----	----/*59.60A	111.20B/*59.60A	----	107.20 - 26.90	.9556	----	----	----	----	27 UNCH
4670	----	----	----/*56.70A	106.60B/*56.70A	----	102.60 - 27.10	.9493	----	----	----	----	2 UNCH
4670	10.10	10.10	52.90B/*3.60	52.90B/*3.60	----	5.20 NEW	.0506	----	----	17	----	16 + 16
4675	10.00	10.00	57.40B/*4.20A	57.40B/*4.20A	----	5.60 - 7.40	.0575	----	----	55	----	32 - 13
4675	----	----	----/*53.90A	101.90B/*53.90A	----	98.00 - 27.40	.9424	----	----	----	----	17 UNCH
4680	----	----	----/*51.50A	97.30B/*51.50A	----	93.50 - 27.60	.9340	----	----	2	----	9 UNCH
4680	12.70	12.70	59.60B/*4.60A	59.60B/*4.60A	----	6.10 - 7.60	.0659	----	----	6	----	4 + 2
4680	39.80	39.80	93.90B/37.40A	93.90B/37.40A	----	38.80 NEW	.3031	----	----	1	----	1 + 1
4685	87.60	87.60	121.20B/64.30A	121.20B/64.30A	----	64.70 - 0.60	.3580	----	----	1	----	1 UNCH
4685	10.00	10.00	59.80B/*5.10A	59.80B/*5.10A	----	6.60 NEW	.0750	----	----	5	----	4 + 4
4690	----	----	----/*47.70A	88.30B/*47.70A	----	84.60 NEW	.9141	----	----	7	----	5 + 5
4690	----	----	123.60B/66.10A	123.60B/66.10A	----	66.40 - 0.50	.3655	----	----	----	----	2 UNCH
4690	----	----	----/*91.10A	120.40B/91.10A	----	119.20 - 22.50	.6771	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWT TUE APR26		GOLD WEEKLY TUESDAY OPTION Week2										
4690	13.10	13.10	64.70B/*5.30	64.70B/*5.30	----	7.20 - 8.00	.0858	----	----	63	----	59 + 33
4695	13.50	13.50	64.90B/*6.10A	64.90B/*6.10A	----	7.80 NEW	.0975	----	----	12	----	11 + 11
4695	----	----	----/*43.70A	83.90B/*43.70A	----	80.20 - 28.30	.9024	----	----	----	----	6 UNCH
4700	92.00	92.00	128.60B/69.70A	128.60B/69.70A	----	70.10 - 0.10	.3808	----	----	6	----	7 + 5
4700	56.70	56.70	72.60/*41.40A	79.50B/*41.40A	----	75.90 - 28.40	.8887	----	----	6	----	56 UNCH
4700	55.00	55.00	70.60B/*6.80A	70.60B/*6.80A	----	8.50 - 8.50	.1112	----	----	87	----	101 + 11
4705	10.30	10.30	69.20B/*7.40A	69.20B/*7.40A	----	9.30 NEW	.1269	----	----	4	----	4 + 4
4705	89.00	89.00	131.20B/71.50A	131.20B/71.50A	----	71.90 NEW	.3885	----	----	2	----	1 + 1
4710	24.00	24.00	71.90B/*8.20A	71.90B/*8.20A	----	10.10 NEW	.1437	----	----	18	----	13 + 13
4710	84.60	84.60	134.10B/73.40A	134.10B/73.40A	----	73.80 NEW	.3963	----	----	12	----	1 + 1
4715	----	----	----/*33.20A	66.60B/*33.20A	----	63.40 - 29.00	.8371	----	----	----	----	1 UNCH
4715	15.70	15.70	75.10B/*9.00A	75.10B/*9.00A	----	11.00 - 9.00	.1628	----	----	3	----	15 + 2
4720	31.00	31.00	62.80B/*30.20A	62.80B/*30.20A	----	59.50 NEW	.8148	----	----	3	----	2 + 2
4720	20.00	20.00	77.70B/*10.00	77.70B/*10.00	----	12.10 - 9.00	.1851	----	----	5	----	5 + 4
4725	30.00	30.00	80.70B/*10.90	80.70B/*10.90	----	13.20 - 9.10	.2087	----	----	51	50	47 - 4
4730	----	----	144.50B/----	144.50B/81.50A	----	81.90 NEW	.4282	----	----	3	----	3 + 3
4730	33.20	33.20	84.10B/*12.30A	84.10B/*12.30A	----	14.40 - 9.20	.2347	----	----	5	----	42 + 3
4730	----	----	----/*97.30A	120.10B/*97.30A	----	119.30 NEW	.5713	----	----	3	----	3 + 3
4730	27.40	27.40	55.00B/*24.60A	55.00B/*24.60A	----	51.80 - 29.10	.7652	----	----	85	----	61 - 42
4735	----	----	147.30B/----	147.30B/83.50A	----	84.00 + 0.90	.4363	----	----	----	----	3 UNCH
4735	----	----	----/*95.00A	117.10B/*95.00A	----	116.40 - 19.00	.5632	----	----	----	----	3 UNCH
4735	29.40	29.40	87.60B/*13.50A	87.60B/*13.50A	----	15.80 NEW	.2637	----	----	26	----	13 + 13
4735	46.00	46.00	51.00B/*22.20A	51.00B/*22.20A	----	48.20 NEW	.7362	----	----	1	----	1 + 1
4740	105.10	105.10	150.10B/85.80A	150.10B/85.80A	----	86.20 NEW	.4445	----	----	1	----	1 + 1
4740	39.00	39.00	47.40B/*19.80A	47.40B/*19.80A	----	44.60 NEW	.7057	----	----	10	----	8 + 8
4740	15.80	15.80	91.10B/*14.80A	91.10B/*14.80A	----	17.20 - 9.10	.2942	----	----	15	----	14 + 13
4745	34.20	34.20	43.90B/*17.10	43.90B/*17.10	----	41.30 - 28.90	.6719	----	----	24	----	11 + 10
4745	20.20	20.20	94.70B/*16.10	94.70B/*16.10	----	18.90 - 8.90	.3280	----	----	17	----	10 + 3
4750	39.50	39.50	98.60B/*17.80A	98.60B/*17.80A	----	20.60 - 8.80	.3630	----	----	79	----	106 + 72
4750	----	----	131.60B/61.70A	131.60B/61.70A	----	64.10 - 0.90	.4523	----	----	----	----	2 UNCH
4750	30.70	30.70	41.00B/*14.60	41.00B/*14.60	----	38.00 - 28.70	.6369	----	----	112	----	91 + 83
4755	----	----	134.60B/64.30A	134.60B/64.30A	----	66.40 - 0.60	.4638	----	----	----	----	1 UNCH
4755	23.20	23.20	33.10/*13.40	38.00B/*13.40	----	34.90 - 28.50	.5997	----	----	3	----	9 + 1
4755	23.70	23.70	102.20B/*19.60A	102.20B/*19.60A	----	22.50 - 8.50	.4002	----	----	2	----	3 + 1
4760	74.30	74.30	76.70B/*55.90A	76.70B/*55.90A	----	76.00 NEW	.5243	----	----	1	----	1 + 1
4760	92.00	92.00	103.30B/*84.30A	103.30B/*84.30A	----	102.70 - 18.10	.5221	----	----	2	----	0 UNCH
4760	35.10	35.10	105.60B/*21.50A	105.60B/*21.50A	----	24.60 NEW	.4389	----	----	9	----	8 + 8
4760	29.10	29.10	30.00/*12.20A	35.70B/*12.20A	----	32.00 NEW	.5610	----	----	34	----	30 + 30
4765	----	----	140.80B/68.80A	140.80B/68.80A	----	71.00 - 0.20	.4871	----	----	----	----	10 UNCH
4765	88.00	88.00	97.00/*82.30A	100.50B/*82.30A	----	100.00 NEW	.5138	----	----	2	----	1 + 1
4765	26.00	26.00	109.80B/*23.60A	109.80B/*23.60A	----	26.80 - 7.80	.4786	----	----	3	----	3 + 2
4765	17.00	17.00	29.50/*10.70A	33.00B/*10.70A	----	29.20 NEW	.5213	----	----	27	----	12 + 12
4770	----	----	144.00B/71.20A	144.00B/71.20A	----	73.40 + 0.10	.4988	----	----	----	----	1 UNCH
4770	29.00	29.00	113.50B/*25.80A	113.50B/*25.80A	----	29.20 - 7.30	.5189	----	----	5	----	7 + 4
4770	20.00	20.00	30.50B/*9.30	30.50B/*9.30	----	26.60 - 27.30	.4810	----	----	12	----	10 + 6
4775	93.00	93.00	95.40B/*78.40A	95.40B/*78.40A	----	95.00 NEW	.4971	----	----	2	----	1 + 1
4775	25.00	25.00	28.00B/*7.90	28.00B/*7.90	----	24.10 NEW	.4405	----	----	56	----	27 + 27
4775	45.00	45.00	117.40B/*28.20A	117.40B/*28.20A	----	31.70 - 6.80	.5593	----	----	12	----	5 - 6
4780	----	----	174.00B/----	174.00B/104.30A	----	105.10 + 2.60	.5107	----	----	----	----	2 UNCH
4780	----	----	----/*76.30A	92.80B/*76.30A	----	92.50 - 17.40	.4888	----	----	----	----	2 UNCH
4780	----	----	121.50B/*30.80A	121.50B/*30.80A	----	34.40 - 6.20	.5994	----	----	----	----	1 UNCH
4780	16.00	16.00	22.00/*6.90	25.70B/*6.90	----	21.80 - 26.20	.4005	----	----	18	----	14 + 13
4785	----	----	177.20B/----	177.20B/107.00A	----	107.60 + 2.80	.5191	----	----	----	----	0 UNCH
4785	18.50	18.50	20.00/*6.10	23.40B/*6.10	----	19.70 - 25.50	.3614	----	----	23	----	25 + 21
4790	----	----	129.90B/37.10A	129.90B/37.10A	----	40.40 NEW	.6758	----	----	4	----	3 + 3
4790	23.00	23.00	23.00/*5.70A	23.00/*5.70A	----	17.80 - 24.70	.3241	----	----	6	----	7 + 6
4795	----	----	134.20B/40.40A	134.20B/40.40A	----	43.60 - 3.90	.7116	----	----	----	----	1 UNCH
4795	6.90	6.90	12.60/*5.00A	19.50B/*5.00A	----	16.00 - 23.90	.2883	----	----	7	----	16 + 3
4800	85.00	85.00	85.00/*65.50	85.00/*65.50	----	83.00 - 16.50	.4554	----	----	18	----	18 + 18
4800	----	----	138.50B/43.70A	138.50B/43.70A	----	46.90 - 3.10	.7458	----	----	3	----	33 + 1
4800	12.00	12.00	20.40/*4.40A	20.40/*4.40A	----	14.30 - 23.10	.2541	----	----	295	----	154 + 31
4800	58.00	58.00	58.00/*40.10A	58.00/*40.10A	----	56.50 - 18.40	.4304	----	----	1	----	21 + 1
4805	----	----	142.80B/47.30A	142.80B/47.30A	----	50.40 - 2.30	.7771	----	----	----	----	1 UNCH
4805	16.70	16.70	16.70/*3.90A	16.70/*3.90A	----	12.80 - 22.30	.2227	----	----	8	----	5 + 3
4810	----	----	----/*64.10A	78.60B/*64.10A	----	78.50 - 16.10	.4388	----	----	----	----	2 UNCH
4810	15.20	15.20	15.20/*3.50A	15.20/*3.50A	----	11.40 - 21.40	.1936	----	----	14	----	14 + 13
4815	----	----	----/*62.10A	76.50B/*62.10A	----	76.30 - 15.90	.4305	----	----	----	----	6 UNCH
4815	----	----	197.30B/----	197.30B/123.00A	----	123.90 + 4.10	.5691	----	----	----	----	6 UNCH
4815	----	----	151.70B/54.60A	151.70B/54.60A	----	57.80 NEW	.8321	----	----	1	----	1 + 1
4815	13.00	13.00	13.00/*2.30	13.20B/*2.30	----	10.20 - 20.40	.1678	----	----	20	----	25 + 11
4820	2.20	2.20	9.20/*2.20	12.20B/*2.20	----	9.10 - 19.40	.1444	----	----	28	----	20 + 17
4825	----	----	160.70B/62.20A	160.70B/62.20A	----	65.70 + 1.50	.8764	----	----	----	----	2 UNCH
4825	9.00	9.00	9.00/*2.50A	11.40B/*2.50A	----	8.10 - 18.50	.1235	----	----	48	----	56 - 5
4825	----	----	----/*32.20A	46.20B/*32.20A	----	46.20 - 17.00	.3728	----	----	----	----	3 UNCH
4830	----	----	165.30B/66.20A	165.30B/66.20A	----	69.80 + 2.50	.8948	----	----	----	----	1 UNCH
4830	2.30	2.30	5.00/*1.70	9.20B/*1.70	----	7.20 - 17.50	.1050	----	----	10	----	34 + 5
4835	6.00	6.00	6.40/*1.50	8.30B/*1.50	----	6.40 - 16.60	.0890	----	----	21	----	21 + 20
4840	5.30	5.30	5.30/*1.90A	7.30B/*1.90A	----	5.70 - 15.60	.0752	----	----	5	----	28 + 3
4845	----	----	----/*1.70A	6.60B/*1.70A	----	5.10 - 14.60	.0636	----	----	----	----	2 UNCH
4850	----	----	----/*25.60A	37.40B/*25.60A	----	37.40 - 15.30	.3179	----	----	5	----	8 + 5
4850	----	----	----/*50.20A	62.10B/*50.20A	----	62.30 - 14.40	.3735	----	----	----	----	1 UNCH
4850	----	----	200.60B/----	200.60B/118.50A	----	119.90 NEW	.6818	----	----	1	----	1 + 1
4850	8.00	8.00	8.00/*1.60A	8.00/*1.60A	----	4.60 - 13.70	.0541	----	----	192	----	78 + 56
4850	----	----	183.90B/----	183.90B/83.30A	----	87.20 + 6.40	.9458	----	----	1	----	1 + 1
4860	----	----	----/*47.10A	58.50B/*47.10A	----	58.70 - 13.90	.3577	----	----	----	----	2 UNCH
4860	29.10	29.10	29.10/*23.40A	34.60B/*23.40A	----	34.30 - 14.60	.2971	----	----	2	----	11 + 1
4860	5.20	5.20	6.00/*1.40A	6.00/*1.40A	----	3.70 - 11.90	.0384	----	----	16	----	55 + 14
4865	1.10	1.10	1.10/*1.10	4.90B/*1.10	----	3.40 - 11.00	.0332	----	----	2	----	4 + 2
4870	----	----	----/*44.20A	54.90B/*44.20A	----	55.20 - 13.50	.3421	----	----	----	----	5 UNCH
4870	----	----	202.80B/----	202.80B/101.60A	----	105.60 + 9.80	.9715	----	----	----	----	1 UNCH
4870	----	----	----/*1.20A	4.40B/*1.20A	----	3.10 - 10.20	.0284	----	----	1	----	2 + 1
4875	3.90	3.90	3.90/*1.20A	3.90/*1.20A	----	2.80 - 9.40	.0240	----	----	14	----	158 - 2
4880	----	----	212.40B/----	212.40B/111.10A	----	115.10 NEW	.9790	----	----	1	----	1 + 1
4880	----	----	----/*1.10A	3.10B/*1.10A	----	2.60 - 8.70	.0209	----	----	----	----	23 UNCH
4885	2.30	2.30	2.30/*1.10A	2.60B/*1.10A	----	2.40 - 8.00	.0181	----	----	7	----	61 + 3
4890	----	----	----/*17.50A	26.50B/*17.50A	----	26.10 - 12.70	.2385	----	----	----	----	5 UNCH
4890	----	----	----/*1.00A	2.70B/*1.00A	----	2.20 NEW	.0155	----	----	2	----	1 + 1
4895	----	----	----/*16.70A	25.50B/*16.70A	----	24.90 - 12.40	.2295	----	----	----	----	5 UNCH
4895	1.70	1.70	1.70/*1.00A	2.40B/*1.00A	----	2.00 - 6.80	.0131	----	----	5	----	11 + 3
4900	----	----	----/*15.80A	24.30B/*15.80A	----	23.80 - 12.00	.2208	----	----	3	----	4 + 3
4900	1.90	1.90	1.90/*1.00	2.20B/*1.00	----	1.90 - 6.20	.0118	----	----	33	----	116 + 10
4900	148.30	148.30	232.20B/130.20A	232.20B/130.20A	----	134.50 NEW	.9881	----	----	4	----	3 + 3
4905	----	----	----/*0.90A	1.90B/*0.90A	----	1.80 - 5.60	.0105	----	----	----	----	12 UNCH
4910	----	----	----/*14.40A	22.20B/*14.40A	----	21.70 NEW	.2042	----	----	1	----	1 + 1
4910	----	----	----/*0.90A	1.70B/*0.90A	----	1.70 - 5.10	.0093	----	----	2	----	43 UNCH
4910	----	----	241.00B/----	241.00B/140.10A	----	144.30 + 14.90	.9906	----	----	1	----	1 UNCH
4915	----	----	----/*0.90A	1.50B/*0.90A	----	1.60 - 4.70	.0083	----	----	----	----	4 UNCH
4920	1.40	1.40	1.40/*0.80A	1.40/*0.80A	----	1.50 - 4.30	.0073	----	----	5	----	7 + 5
4925	----	----	262.40B/----	262.40B/179.80A	----	176.30 + 9.70	.8192	----	----	----	----	1 UNCH
4925	1.00	1.00	1.00/*0.80A	1.20B/*0.80A	----	1.40 - 3.90	.0064	----	----	52	----	89 - 31
4925	15.00	15.00	15.00/*12.30A	19.30B/*12.30A	----	18.80 NEW	.1805	----	----	50	----	50 + 50
4930	----	----	----/*12.00A	18.50B/*12.00A	----	17.90 - 10.10	.1730	----	----	5	----	5 + 1
4930	1.00	1.00	1.00/*0.80A	1.20B/*0.80A	----	1.40 - 3.50	.0061	----	----	1	----	3 UNCH
4935	----	----	----/*28.90A	35.90B/*28.90A	----	36.50 NEW	.2491	----	----	1	----	1 + 1
4935	0.90	0.90	0.90/*0.80A	1.10B/*0.80A	----	1.30 - 3.20	.0054	----	----	1	----	25 - 1
4940	----	----	----/*0.80A	1.10B/*0.80A	----	1.20 - 3.00	.0046	----	----	1	----	3 + 1
4945	----	----	----/*0.80A	1.00B/*0.80A	----	1.20 - 2.60	.0045	----	----	----	----	5 UNCH
4950	----	----	----/*9.90A	15.30B/*9.90A	----	14.80 - 8.80	.1461	----	----	----	----	18 UNCH
4950	34.00	34.00	34.00/*26.10A	34.00/*26.10A	----	33.10 - 9.80	.2302	----	----	4	----	5 + 4
4950	0.50	0.50	0.50/*0.50	1.00B/*0.50	----	1.10 - 2.40	.0038	----	----	1	----	20 + 1
4955	----	----	----/*0.70A	0.90B/*0.70A	----	1.10 - 2.20	.0037	----	----	1	----	3 + 1
4960	----	----	----/*9.20A	13.90B/*9.20A	----	13.50 - 8.20	.1342	----	----	----	----	5 UNCH
4960	----	----	----/*0.70A	1.00B/*0.70A	----	1.10 - 1.90	.0035	----	----	----	----	7 UNCH
4965	----	----	----/*0.70A	0.80B/*0.70A	----	1.00 - 1.80	.0030	----	----	----	----	1 UNCH
4970	----	----	----/*8.40A	12.70B/*8.40A	----	12.20 NEW	.1225	----	----	1	----	1 + 1
4970	----	----	----/*0.70A	0.90B/*0.70A	----	1.00 - 1.60	.0029	----	----	1	----	24 UNCH
4975	240.00	240.00	306.80B/224.10A	306.80B/224.10A	----	219.10 + 12.70	.8821	----	----	1	----	1 UNCH
4975	0.80	0.80	0.80/*0.50	0.90B/*0.50	----	0.90 - 1.50	.0024	----	----	28	----	59 - 3
4975	10.10	10.10	10.10/*7.90A	12.10B/*7.90A	----	11.70 - 7.30	.1177	----	----	3	----	19 + 1
4975	----	----	293.30B/----	293.30B/205.30A	----	208.50 + 18.60	.9975	----	----	----	----	1 UNCH
4980	----	----	----/*0.70A	0.80B/*0.70A	----	0.90 - 1.30	.0023	----	----	----	----	20 UNCH
4985	----	----	----/*7.00A	10.90B/*7.00A	----	10.60 NEW	.1074	----	----	1	----	1 + 1
4985	----	----	----/*0.70A	0.80B/*0.70A	----	0.80 - 1.30	.0019	----	----	----	----	308 UNCH
4985	----	----	303.20B/----	303.20B/215.10A	----	218.40 + 18.80	.9980	----	----	----	----	1 UNCH
4990	8.10	8.10	8.10/*7.10A	10.20B/*7.10A	----	10.10 NEW	.1027	----	----	60	----	60 + 60
4990	----	----	----/*0.60A	0.70B/*0.60A	----	0.80 - 1.10	.0019	----	----	----	----	15 UNCH
4995	0.40	0.40	0.40/*0.40	0.60B/*0.40	----	0.80 - 1.00	.0018	----	----	1	----	13 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000
FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWT TUE		GOLD WEEKLY TUESDAY OPTION Week3										
APR26												
5000	8.70	8.70	9.70/*6.20A	9.70/*6.20A	----	9.20 - 6.10	.0940	----	----	6	----	106 + 6
5000	0.50	0.50	0.60/*0.40	0.60/*0.40	----	0.70 - 1.00	.0014	----	----	5	----	38 + 4
5005	----	----	----/*0.50A	0.60B/*0.50A	----	0.70 - 0.80	.0014	----	----	----	----	25 UNCH
5010	0.90	0.90	0.90/*0.30	0.90/*0.30	----	0.70 - 0.70	.0014	----	----	3	----	58 UNCH
5015	----	----	----/*0.50A	0.60B/*0.50A	----	0.60 - 0.70	.0010	----	----	----	----	26 UNCH
5020	0.90	0.90	0.90/*0.50	0.90/*0.50	----	0.60 - 0.70	.0010	----	----	3	----	16 UNCH
5025	----	----	----/*5.40A	7.40B/*5.40A	----	7.40 - 4.90	.0759	----	----	----	----	4 UNCH
5025	0.80	0.80	0.80/*0.50A	0.80/*0.50A	----	0.60 - 0.60	.0010	----	----	2	----	16 UNCH
5030	0.20	0.20	0.20/*0.20	0.30B/*0.20	----	0.60 - 0.50	.0010	----	----	6	----	8 + 6
5035	----	----	----/*0.50A	0.30B/*0.50A	----	0.50 - 0.50	.0007	----	----	----	----	3 UNCH
5040	----	----	----/*0.40A	0.30B/*0.40A	----	0.50 - 0.50	.0007	----	----	----	----	11 UNCH
5045	----	----	----/*0.40A	0.30B/*0.40A	----	0.50 - 0.40	.0007	----	----	----	----	2 UNCH
5050	0.50	0.50	0.50/*0.20A	0.50/*0.20A	----	0.50 - 0.40	.0006	----	----	1	----	3 UNCH
5060	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.40 - 0.40	.0004	----	----	21	----	26 + 21
5065	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.40 - 0.30	.0004	----	----	7	----	17 UNCH
5070	----	----	----/*0.20A	0.20B/*0.20A	----	0.40 - 0.30	.0004	----	----	----	----	6 UNCH
5075	----	----	----/*11.30A	13.30B/*11.30A	----	13.90 - 5.60	.1099	----	----	----	----	1 UNCH
5075	----	----	----/*0.20A	0.20B/*0.20A	----	0.40 - 0.20	.0004	----	----	----	----	3 UNCH
5080	----	----	----/*0.50A	0.20B/*0.50A	----	0.40 - 0.20	.0004	----	----	----	----	3 UNCH
5085	----	----	----/*0.40A	0.20B/*0.40A	----	0.40 - 0.20	.0004	----	----	----	----	2 UNCH
5100	0.30	0.30	0.30/*0.10A	0.30/*0.10A	----	0.30 - 0.20	.0002	----	----	7	----	13 + 7
5105	----	----	----/*0.40A	0.10B/*0.40A	----	0.30 NEW	.0002	----	----	3	----	3 + 3
5120	----	----	----/*0.10A	0.10B/*0.10A	----	0.30 - 0.10	.0002	----	----	----	----	1 UNCH
5130	----	----	----/*0.30A	----/*0.30A	----	0.20 - 0.20	.0001	----	----	----	----	2 UNCH
5145	----	----	----	----/0.40A	----	0.20 - 0.10	.0001	----	----	----	----	2 UNCH
5150	----	----	----/*2.20A	2.40B/*2.20A	----	2.70 - 1.40	.0268	----	----	----	----	20 UNCH
5150	0.20	0.20	0.30/*0.10A	0.30/*0.10A	----	0.20 NEW	.0001	----	----	6	----	6 + 6
5165	----	----	----	----/0.30A	----	0.10 - 0.10	.0000	----	----	----	----	5 UNCH
5175	----	----	----	----/*0.30A	----	0.10 - 0.10	.0000	----	----	----	----	1 UNCH
5200	----	----	----/*6.90A	4.80B/*6.90A	----	5.70 - 3.20	.0484	----	----	----	----	1 UNCH
5200	0.20	0.20	0.20/*0.10A	0.20/*0.10A	----	0.10 - 0.10	.0000	----	----	15	----	16 + 15
5225	1.10	1.10	#1.10/*1.10	#1.20B/*1.10	----	1.60 NEW	.0152	----	----	1	----	1 + 1
5235	----	----	----	----/*0.30A	----	0.10 UNCH	----	----	----	2	----	2 UNCH
5300	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	12 UNCH
5350	3.00	3.00	3.00/*3.00	3.00/*3.00	----	2.10 NEW	.0182	----	----	5	----	5 + 5
5400	----	----	----	----	----	632.80 + 19.80	.9967	----	----	----	----	1 UNCH
6100	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
TOTAL										2584	50	5039 + 1147
MAY26												
4300	22.00	22.00	28.10B/*13.80	28.10B/*13.80	----	14.40 NEW	.0789	----	----	2	----	1 + 1
4795	----	----	----/*85.30A	103.80B/*85.30A	----	107.00 - 15.80	.4747	----	----	----	----	1 UNCH
4800	85.20	85.20	85.20/*83.70A	102.70B/*83.70A	----	104.70 NEW	.4679	----	----	34	----	34 + 34
4850	----	----	----/*67.60A	80.50B/*67.60A	----	83.60 - 19.90	.4014	----	----	----	----	4 UNCH
4900	----	----	----/*54.30A	62.80B/*54.30A	----	65.90 - 12.20	.3381	----	----	----	----	20 UNCH
4950	48.00	48.00	48.30B/*43.60A	48.30B/*43.60A	----	51.20 NEW	.2795	----	----	1	----	1 + 1
5000	----	----	----/*33.90A	36.50B/*33.90A	----	39.10 - 9.10	.2266	----	----	----	----	32 UNCH
TOTAL										37		93 + 36

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU		GOLD WEEKLY THURSDAY OPTION Week3										
APR26												
4000	----	----	----	0.20B/*0.70A	----	0.10 - 0.50	.0002	----	----	----	----	3 UNCH
4000	----	----	2.00B/----	2.00B/*2.00A	----	1.70 - 0.20	.0094	----	----	----	----	3 UNCH
4050	1.00	1.00	1.00/*0.60A	1.00/*0.60A	----	0.20 - 0.50	.0005	----	----	1	----	2 UNCH
4100	----	----	----/*0.60A	0.60B/*0.60A	----	0.30 - 0.60	.0009	----	----	----	----	2 UNCH
4175	----	----	----/*0.70A	1.00B/*0.70A	----	0.50 - 0.70	.0019	----	----	----	----	2 UNCH
4200	0.70	0.70	1.50B/*0.70	1.50B/*0.70	----	0.50 - 0.80	.0020	----	----	1	----	4 + 1
4225	----	----	8.70B/*3.60A	8.70B/*3.60A	----	3.60 - 0.80	.0239	----	----	----	----	115 UNCH
4225	----	----	1.90B/*0.80A	1.90B/*0.80A	----	0.60 - 0.90	.0025	----	----	----	----	3 UNCH
4235	----	----	2.10B/*0.80A	2.10B/*0.80A	----	0.60 - 0.90	.0026	----	----	----	----	1 UNCH
4250	1.20	1.20	2.50B/*0.90A	2.50B/*0.90A	----	0.70 - 0.90	.0031	----	----	14	----	15 + 14
4250	----	----	10.20B/----	10.20B/*4.90A	----	4.00 - 0.90	.0270	----	----	----	----	300 UNCH
4255	----	----	2.60B/*0.90A	2.60B/*0.90A	----	0.70 - 1.00	.0031	----	----	----	----	1 UNCH
4285	----	----	3.70B/*1.00A	3.70B/*1.00A	----	0.80 - 1.10	.0038	----	----	----	----	1 UNCH
4300	1.50	1.50	4.30B/*1.00A	4.30B/*1.00A	----	0.90 - 1.10	.0045	----	----	21	----	22 + 20
4310	----	----	4.70B/*1.00A	4.70B/*1.00A	----	1.00 - 1.10	.0051	----	----	----	----	1 UNCH
4325	----	----	#28.00B/*11.80A	#28.00B/*11.80A	----	12.30 - 1.20	.0730	----	----	----	----	1 UNCH
4325	----	----	5.30B/*1.00A	5.30B/*1.00A	----	1.00 - 1.20	.0053	----	----	----	----	150 UNCH
4350	----	----	6.80B/*1.20A	6.80B/*1.20A	----	1.20 - 1.30	.0067	----	----	----	----	4 UNCH
4360	----	----	19.80B/*6.40A	19.80B/*6.40A	----	6.70 NEW	.0483	----	----	2	----	2 + 2
4395	1.60	1.60	10.00B/*1.60	10.00B/*1.60	----	1.60 NEW	.0101	----	----	1	----	1 + 1
4400	----	----	#39.60B/*17.50A	#39.60B/*17.50A	----	17.80 - 1.60	.1047	----	----	----	----	1 UNCH
4400	1.90	1.90	11.40B/*1.60A	11.40B/*1.60A	----	1.70 - 1.60	.0108	----	----	20	----	311 + 10
4400	----	----	25.20B/*7.60A	25.20B/*7.60A	----	8.40 - 1.70	.0613	----	----	----	----	1 UNCH
4410	----	----	12.20B/*1.80A	12.20B/*1.80A	----	1.80 - 1.70	.0117	----	----	----	----	4 UNCH
4410	----	----	26.60B/*8.10A	26.60B/*8.10A	----	8.80 - 1.80	.0646	----	----	----	----	2 UNCH
4415	----	----	11.60B/*1.80A	11.60B/*1.80A	----	1.90 - 1.70	.0125	----	----	----	----	1 UNCH
4415	----	----	----/271.20A	355.60B/271.20A	----	354.20 - 21.60	.9874	----	----	----	----	5 UNCH
4420	----	----	----/266.70A	350.60B/266.70A	----	349.30 - 21.60	.9865	----	----	----	----	5 UNCH
4425	----	----	#44.40B/*19.40A	#44.40B/*19.40A	----	20.20 - 1.60	.1181	----	----	----	----	15 UNCH
4425	----	----	12.70B/*1.90A	12.70B/*1.90A	----	2.00 - 1.80	.0135	----	----	----	----	1 UNCH
4430	----	----	29.70B/*9.30A	29.70B/*9.30A	----	9.90 NEW	.0731	----	----	2	----	2 + 2
4445	----	----	32.50B/*10.10A	32.50B/*10.10A	----	10.90 NEW	.0805	----	----	1	----	1 + 1
4460	----	----	18.10B/*2.40A	18.10B/*2.40A	----	2.70 - 2.00	.0198	----	----	----	----	4 UNCH
4460	----	----	35.10B/*11.10A	35.10B/*11.10A	----	11.90 - 2.10	.0881	----	----	----	----	1 UNCH
4465	----	----	18.90B/*2.50A	18.90B/*2.50A	----	2.80 - 2.10	.0208	----	----	----	----	3 UNCH
4470	----	----	37.00B/*11.60A	37.00B/*11.60A	----	12.60 - 2.20	.0935	----	----	----	----	2 UNCH
4475	----	----	#55.40B/*24.50A	#55.40B/*24.50A	----	26.10 NEW	.1500	----	----	1	----	1 + 1
4475	----	----	19.40B/*2.70A	19.40B/*2.70A	----	3.00 - 2.20	.0229	----	----	----	----	2 UNCH
4480	----	----	39.00B/*12.60A	39.00B/*12.60A	----	13.40 - 2.30	.0995	----	----	----	----	4 UNCH
4480	----	----	#56.60B/25.10A	#56.60B/25.10A	----	26.70 - 1.70	.1534	----	----	----	----	1 UNCH
4480	----	----	20.40B/*2.80A	20.40B/*2.80A	----	3.10 - 2.30	.0239	----	----	2	----	3 + 2
4485	----	----	21.80B/*2.90A	21.80B/*2.90A	----	3.20 - 2.40	.0250	----	----	----	----	1 UNCH
4500	33.20	33.20	#62.00B/28.50A	#62.00B/28.50A	----	29.60 - 1.70	.1685	----	----	2	----	2 + 1
4500	----	----	24.50B/*3.20A	24.50B/*3.20A	----	3.70 - 2.50	.0299	----	----	20	----	22 + 3
4500	----	----	43.40B/*14.30A	43.40B/*14.30A	----	15.20 - 2.40	.1127	----	----	----	----	1 UNCH
4510	----	----	45.80B/*15.20A	45.80B/*15.20A	----	16.20 - 2.50	.1200	----	----	----	----	2 UNCH
4515	----	----	46.90B/*15.80A	46.90B/*15.80A	----	16.80 - 2.40	.1242	----	----	----	----	20 UNCH
4520	4.90	4.90	28.30B/*3.70A	28.30B/*3.70A	----	4.30 - 2.80	.0365	----	----	50	----	66 + 50
4525	----	----	29.10B/*3.80A	29.10B/*3.80A	----	4.50 - 2.90	.0386	----	----	----	----	72 UNCH
4530	----	----	29.60B/*4.00A	29.60B/*4.00A	----	4.70 - 3.00	.0407	----	----	----	----	2 UNCH
4540	----	----	32.60B/*4.30A	32.60B/*4.30A	----	5.20 - 3.00	.0460	----	----	1	----	2 UNCH
4540	----	----	53.40B/*18.50A	53.40B/*18.50A	----	19.70 - 2.60	.1449	----	----	----	----	2 UNCH
4545	----	----	33.80B/*4.60A	33.80B/*4.60A	----	5.40 - 3.10	.0483	----	----	----	----	1 UNCH
4545	----	----	#74.70B/36.20A	#74.70B/36.20A	----	37.40 - 1.30	.2073	----	----	----	----	2 UNCH
4550	----	----	----/158.60A	227.20B/158.60A	----	223.00 - 23.20	.9484	----	----	----	----	50 UNCH
4550	5.60	5.60	35.10B/*4.80A	35.10B/*4.80A	----	5.70 - 3.20	.0514	----	----	2	----	68 + 2
4565	----	----	39.10B/*5.40A	39.10B/*5.40A	----	6.50 - 3.40	.0606	----	----	1	----	3 UNCH
4575	----	----	#84.90B/42.20A	#84.90B/42.20A	----	43.50 - 1.10	.2366	----	----	----	----	1 UNCH
4575	----	----	63.80B/*23.60A	63.80B/*23.60A	----	24.80 - 2.70	.1798	----	----	----	----	55 UNCH
4580	----	----	43.40B/*6.20A	43.40B/*6.20A	----	7.40 - 3.80	.0711	----	----	1	----	2 - 1
4590	----	----	45.70B/*6.70A	45.70B/*6.70A	----	8.20 - 3.90	.0801	----	----	1	----	2 UNCH
4600	38.00	38.00	49.30B/*7.50A	49.30B/*7.50A	----	9.00 - 4.10	.0896	----	----	5	----	63 + 1
4605	----	----	73.70B/28.90A	73.70B/28.90A	----	30.30 - 2.60	.2155	----	----	----	----	1 UNCH
4610	18.80	18.80	52.60B/*8.20A	52.60B/*8.20A	----	9.90 - 4.30	.1002	----	----	2	----	6 + 1
4620	10.40	10.40	55.10B/*9.10A	55.10B/*9.10A	----	10.90 - 4.50	.1121	----	----	26	----	37 + 25
4625	----	----	57.50B/*9.60A	57.50B/*9.60A	----	11.40 - 4.60	.1183	----	----	----	----	15 UNCH
4630	----	----	83.10B/34.20A	83.10B/34.20A	----	35.70 NEW	.2491	----	----	1	----	1 + 1
4630	15.00	15.00	59.30B/*10.10A	59.30B/*10.10A	----	12.00 NEW	.1253	----	----	2	----	2 + 2
4630	----	----	#105.40B/56.00A	#105.40B/56.00A	----	57.50 NEW	.2987	----	----	1	----	1 + 1
4635	----	----	61.30B/*10.70A	61.30B/*10.70A	----	12.60 NEW	.1324	----	----	1	----	1 + 1
4640	----	----	87.00B/36.70A	87.00B/36.70A	----	38.10 NEW	.2636	----	----	18	----	18 + 18
4640	----	----	62.60B/*11.30A	62.60B/*11.30A	----	13.20 - 4.90	.1398	----	----	1	----	3 + 1
4645	----	----	89.10B/37.80A	89.10B/37.80A	----	39.30 - 2.50	.2709	----	----	----	----	5 UNCH
4650	20.10	20.10	67.00B/*12.60A	67.00B/*12.60A	----	14.60 - 5.10	.1563	----	----	4	----	6 UNCH
4655	----	----	69.50B/*13.30A	69.50B/*13.30A	----	15.40 - 5.20	.1655	----	----	1	----	2 + 1
4660	----	----	71.70B/*14.00A	71.70B/*14.00A	----	16.20 - 5.20	.1749	----	----	----	----	1 UNCH
4665	----	----	97.70B/43.30A	97.70B/43.30A	----	44.70 NEW	.3022	----	----	18	----	18 + 18
4670	----	----	76.20B/*15.70A	76.20B/*15.70A	----	17.90 NEW	.1950	----	----	26	----	26 + 26
4675	----	----	78.60B/*16.60A	78.60B/*16.60A	----	18.90 - 5.40	.2062	----	----	1	----	2 UNCH
4680	----	----	81.00B/*17.50A	81.00B/*17.50A	----	19.80 - 5.50	.2170	----	----	----	----	7 UNCH
4680	----	----	----/72.40A	110.60B/72.40A	----	107.20 - 25.50	.7828	----	----	2	----	32 + 2
4695	59.00	59.00	112.00B/52.30A	112.00B/52.30A	----	54.10 NEW	.3533	----	----	2	----	2 + 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWR THU — GOLD WEEKLY THURSDAY OPTION Week3

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
4695	----	----	88.00B/*20.70A	88.00B/*20.70A	----	23.10 - 5.60	.2543	----	----	26	----	121 + 26
4700	60.00	60.00	95.00B/60.00	95.00B/60.00	----	91.70 - 25.60	.7317	----	----	191	----	69 + 63
4700	87.90	87.90	90.50B/*22.00A	90.50B/*22.00A	----	24.40 - 5.60	.2682	----	----	1	----	7 UNCH
4700	----	----	----/*96.00A	124.10B/*96.00A	----	123.10 - 21.50	.6374	----	----	----	----	1 UNCH
4700	77.00	77.00	114.40B/54.20A	114.40B/54.20A	----	55.80 NEW	.3622	----	----	3	----	3 + 3
4710	120.00	120.00	120.00/57.80A	120.00/57.80A	----	59.30 - 1.30	.3804	----	----	1	----	1 UNCH
4715	59.40	59.40	83.80B/*53.50A	83.80B/*53.50A	----	80.80 NEW	.6883	----	----	9	----	9 + 9
4715	----	----	98.00B/*25.90A	98.00B/*25.90A	----	28.40 - 5.60	.3116	----	----	----	----	1 UNCH
4720	52.70	52.70	100.70B/*27.40A	100.70B/*27.40A	----	29.90 NEW	.3272	----	----	1	----	1 + 1
4725	39.30	39.30	103.60B/*28.90A	103.60B/*28.90A	----	31.50 NEW	.3433	----	----	2	50	52 + 52
4730	----	----	130.50B/65.40A	130.50B/65.40A	----	67.00 NEW	.4180	----	----	1	----	1 + 1
4730	67.00	67.00	73.40B/*45.40A	73.40B/*45.40A	----	70.60 NEW	.6398	----	----	11	----	11 + 11
4730	----	----	106.60B/*30.60A	106.60B/*30.60A	----	33.20 - 5.30	.3600	----	----	----	----	3 UNCH
4735	----	----	#156.20B/----	#156.20B/93.40A	----	94.90 + 2.30	.4406	----	----	----	----	1 UNCH
4735	----	----	109.60B/*32.30A	109.60B/*32.30A	----	34.90 NEW	.3770	----	----	1	----	1 + 1
4740	56.00	56.00	112.20B/34.10A	112.20B/34.10A	----	36.70 NEW	.3943	----	----	12	----	12 + 12
4745	44.20	44.20	63.90B/*38.10A	63.90B/*38.10A	----	61.00 - 24.90	.5877	----	----	9	----	70 + 6
4750	----	----	118.70B/38.00A	118.70B/38.00A	----	40.60 - 4.70	.4303	----	----	30	----	35 + 30
4750	55.80	55.80	60.80B/*36.00A	60.80B/*36.00A	----	58.00 - 24.70	.5695	----	----	33	----	32 + 31
4755	----	----	122.60B/40.10A	122.60B/40.10A	----	42.70 - 4.50	.4488	----	----	1	----	2 + 1
4755	53.10	53.10	53.10/*33.80A	58.30B/*33.80A	----	55.10 NEW	.5510	----	----	2	----	2 + 2
4760	----	----	125.20B/42.30A	125.20B/42.30A	----	44.90 - 4.20	.4675	----	----	----	----	2 UNCH
4760	----	----	----/*31.50A	55.30B/*31.50A	----	52.30 - 24.20	.5323	----	----	79	----	81 + 78
4775	----	----	135.40B/49.30A	135.40B/49.30A	----	52.00 - 3.30	.5246	----	----	1	----	1 UNCH
4775	----	----	----/*26.00A	47.90B/*26.00A	----	44.40 - 23.30	.4753	----	----	51	----	51 + 45
4775	----	----	157.30B/85.60A	157.30B/85.60A	----	87.10 + 1.00	.5067	----	----	----	----	2 UNCH
4780	----	----	----/*24.20A	45.40B/*24.20A	----	41.90 - 23.10	.4561	----	----	2	----	5 + 1
4780	----	----	139.00B/51.80A	139.00B/51.80A	----	54.50 - 3.10	.5438	----	----	----	----	4 UNCH
4785	32.60	32.60	32.60/*22.60A	43.00B/*22.60A	----	39.60 - 22.60	.4370	----	----	13	----	15 + 11
4785	69.80	69.80	142.60B/54.40A	142.60B/54.40A	----	57.20 - 2.60	.5628	----	----	4	----	3 + 2
4790	----	----	----/*21.20A	41.40B/*21.20A	----	37.30 NEW	.4179	----	----	2	----	0 UNCH
4795	----	----	----/*19.80A	39.20B/*19.80A	----	35.10 NEW	.3989	----	----	2	----	0 UNCH
4800	----	----	153.70B/63.10A	153.70B/63.10A	----	65.70 - 1.40	.6195	----	----	----	----	2 UNCH
4800	26.30	26.30	38.00/*18.10	38.00/*18.10	----	33.10 - 21.40	.3803	----	----	108	----	43 + 23
4800	----	----	----/*51.30A	68.10B/*51.30A	----	67.40 - 17.90	.4425	----	----	----	----	33 UNCH
4805	----	----	157.50B/66.20A	157.50B/66.20A	----	68.70 - 1.00	.6380	----	----	----	----	1 UNCH
4805	----	----	----/*17.00A	35.20B/*17.00A	----	31.10 - 21.00	.3618	----	----	2	----	3 UNCH
4805	----	----	----/*49.80A	65.70B/*49.80A	----	65.20 - 17.70	.4325	----	----	----	----	19 UNCH
4810	24.10	24.10	24.10/*15.90A	32.80B/*15.90A	----	29.30 - 20.50	.3440	----	----	10	----	7 + 6
4810	----	----	161.40B/69.40A	161.40B/69.40A	----	71.80 - 0.60	.6559	----	----	----	----	2 UNCH
4810	----	----	----/*47.80A	63.40B/*47.80A	----	63.00 - 17.40	.4224	----	----	----	----	1 UNCH
4815	----	----	----/*14.90A	31.20B/*14.90A	----	27.50 - 20.00	.3262	----	----	2	----	2 + 1
4820	23.20	23.20	23.20/*13.90A	30.10B/*13.90A	----	25.80 NEW	.3089	----	----	1	----	1 + 1
4825	21.70	21.70	21.70/*12.90A	27.80B/*12.90A	----	24.20 - 19.00	.2921	----	----	4	----	13 + 3
4830	----	----	----/*12.00A	27.00B/*12.00A	----	22.70 NEW	.2758	----	----	1	----	1 + 1
4835	----	----	----/*11.20A	24.60B/*11.20A	----	21.20 - 17.90	.2597	----	----	28	----	43 + 26
4850	----	----	194.00B/----	194.00B/96.80A	----	100.00 + 3.80	.7839	----	----	----	----	1 UNCH
4850	12.30	12.30	17.40/*9.00A	20.50B/*9.00A	----	17.40 - 16.20	.2159	----	----	92	----	140 + 81
4850	63.00	63.00	67.60/*59.30A	71.80B/*59.30A	----	72.30 - 13.80	.3878	----	----	3	----	4 + 3
4855	----	----	----/*8.30A	19.10B/*8.30A	----	16.30 NEW	.2027	----	----	1	----	1 + 1
4860	----	----	----/*7.70A	19.30B/*7.70A	----	15.20 - 15.10	.1896	----	----	26	----	47 + 26
4860	----	----	216.50B/----	216.50B/135.90A	----	136.50 + 5.30	.6742	----	----	----	----	1 UNCH
4865	----	----	----/*31.80A	42.80B/*31.80A	----	42.30 - 14.40	.3164	----	----	18	----	38 + 18
4865	15.10	15.10	15.40/*7.20A	18.20B/*7.20A	----	14.20 NEW	.1773	----	----	3	----	2 + 2
4870	----	----	----/*6.60A	15.80B/*6.60A	----	13.30 NEW	.1660	----	----	1	----	1 + 1
4875	----	----	215.80B/----	215.80B/116.50A	----	120.00 + 6.70	.8450	----	----	1	----	1 UNCH
4875	10.00	10.00	10.50/*6.20A	14.80B/*6.20A	----	12.40 NEW	.1548	----	----	51	----	51 + 51
4875	----	----	----/*29.20A	40.30B/*29.20A	----	39.20 NEW	.2984	----	----	4	----	4 + 4
4880	9.50	9.50	9.50/*5.80A	13.80B/*5.80A	----	11.60 - 12.80	.1446	----	----	1	----	4 + 1
4885	----	----	----/*5.40A	12.90B/*5.40A	----	10.90 - 12.20	.1353	----	----	2	----	51 + 1
4890	----	----	----/*25.90A	35.90B/*25.90A	----	34.90 NEW	.2725	----	----	18	----	18 + 18
4890	7.30	7.30	7.30/*5.10A	12.90B/*5.10A	----	10.20 NEW	.1262	----	----	3	----	2 + 2
4895	7.60	7.60	7.60/*4.70A	11.20B/*4.70A	----	9.50 - 11.10	.1173	----	----	3	----	4 + 3
4900	----	----	238.00B/----	238.00B/137.70A	----	141.50 + 9.50	.8905	----	----	----	----	1 UNCH
4900	5.00	5.00	7.20/*4.40	10.40B/*4.40	----	8.90 - 10.60	.1093	----	----	11	----	314 + 5
4900	----	----	----/*44.70A	54.10B/*44.70A	----	54.70 - 12.20	.3172	----	----	----	----	1 UNCH
4900	----	----	----/*24.00A	33.30B/*24.00A	----	32.30 - 12.40	.2561	----	----	----	----	25 UNCH
4905	6.70	6.70	6.70/*4.10A	9.50B/*4.10A	----	8.30 - 10.10	.1015	----	----	1	----	12 + 1
4905	----	----	242.40B/----	242.40B/142.10A	----	145.90 NEW	.8983	----	----	1	----	1 + 1
4910	----	----	----/*3.90A	9.10B/*3.90A	----	7.80 - 9.60	.0948	----	----	5	----	9 + 1
4915	----	----	----/*3.60A	8.50B/*3.60A	----	7.30 - 9.10	.0882	----	----	----	----	10 UNCH
4920	----	----	----/*3.40A	7.80B/*3.40A	----	6.80 - 8.70	.0817	----	----	1	----	133 + 1
4920	----	----	----/*39.60A	48.20B/*39.60A	----	48.70 - 11.50	.2907	----	----	----	----	1 UNCH
4925	----	----	----/*3.30A	7.30B/*3.30A	----	6.40 - 8.20	.0762	----	----	----	----	16 UNCH
4925	----	----	----/*19.50A	27.50B/*19.50A	----	26.40 - 11.00	.2173	----	----	----	----	20 UNCH
4930	----	----	----/*3.10A	7.40B/*3.10A	----	6.00 NEW	.0709	----	----	1	----	1 + 1
4940	----	----	----/*17.30A	24.60B/*17.30A	----	23.40 - 10.20	.1963	----	----	----	----	1 UNCH
4945	----	----	----/*2.60A	5.40B/*2.60A	----	4.90 - 6.70	.0565	----	----	----	----	10 UNCH
4950	----	----	284.50B/----	284.50B/183.20A	----	187.20 + 13.70	.9473	----	----	1	----	1 UNCH
4950	----	----	----/*2.50A	5.00B/*2.50A	----	4.60 - 6.40	.0525	----	----	1	----	6 UNCH
4955	----	----	----/*2.30A	4.80B/*2.30A	----	4.40 - 5.90	.0496	----	----	----	----	2 UNCH
4960	----	----	293.70B/----	293.70B/192.70A	----	196.70 + 14.40	.9541	----	----	----	----	1 UNCH
4960	----	----	----/*14.70A	21.00B/*14.70A	----	19.90 - 9.20	.1707	----	----	4	----	4 UNCH
4970	----	----	303.60B/----	303.60B/202.10A	----	206.20 + 15.00	.9605	----	----	----	----	4 UNCH
4970	18.40	18.40	19.20B/*13.50A	19.20B/*13.50A	----	18.30 NEW	.1588	----	----	1	----	1 + 1
4975	----	----	----/*1.90A	3.60B/*1.90A	----	3.40 - 4.80	.0368	----	----	----	----	1 UNCH
4975	----	----	308.10B/----	308.10B/206.90A	----	211.00 + 15.30	.9631	----	----	----	----	4 UNCH
4980	----	----	----/*1.80A	3.40B/*1.80A	----	3.20 - 4.60	.0342	----	----	----	----	5 UNCH
4990	----	----	323.30B/----	323.30B/221.40A	----	225.40 + 16.00	.9697	----	----	----	----	2 UNCH
4995	----	----	----/*1.60A	2.80B/*1.60A	----	2.70 - 3.80	.0278	----	----	----	----	2 UNCH
5000	2.30	2.30	2.30/*1.40A	2.60B/*1.40A	----	2.60 - 3.60	.0264	----	----	3	----	118 - 1
5000	----	----	332.90B/----	332.90B/233.70A	----	235.10 + 16.40	.9735	----	----	----	----	1 UNCH
5000	----	----	----/*10.70A	15.00B/*10.70A	----	14.40 - 7.30	.1280	----	----	----	----	1 UNCH
5005	----	----	----/*1.40A	2.50B/*1.40A	----	2.50 - 3.30	.0250	----	----	----	----	1 UNCH
5010	----	----	342.60B/----	342.60B/243.50A	----	244.90 + 16.90	.9771	----	----	----	----	1 UNCH
5010	----	----	----/*1.30A	2.40B/*1.30A	----	2.30 - 3.20	.0228	----	----	1	----	4 UNCH
5020	----	----	----/*1.20A	2.10B/*1.20A	----	2.10 - 2.80	.0202	----	----	1	----	2 - 1
5025	----	----	----/*1.20A	2.00B/*1.20A	----	2.00 - 2.70	.0190	----	----	----	----	1 UNCH
5030	----	----	----/*1.10A	1.90B/*1.10A	----	1.90 - 2.50	.0178	----	----	1	----	1 UNCH
5035	----	----	----/*1.10A	1.80B/*1.10A	----	1.80 - 2.40	.0167	----	----	----	----	1 UNCH
5050	----	----	----/*7.00A	10.10B/*7.00A	----	9.60 NEW	.0879	----	----	1	----	1 + 1
5050	----	----	----/*1.00A	1.50B/*1.00A	----	1.60 - 1.90	.0142	----	----	----	----	66 UNCH
5065	----	----	----/*0.90A	1.30B/*0.90A	----	1.40 - 1.60	.0119	----	----	1	----	1 UNCH
5100	----	----	----/*0.70A	0.90B/*0.70A	----	1.10 - 0.90	.0085	----	----	----	----	6 UNCH
5125	----	----	----/*11.80A	13.30B/*11.80A	----	13.70 - 5.50	.1006	----	----	----	----	1 UNCH
5150	----	----	----/*0.60A	0.50B/*0.60A	----	0.70 - 0.50	.0047	----	----	----	----	1 UNCH
5180	----	----	----/*0.60A	0.40B/*0.60A	----	0.60 - 0.30	.0037	----	----	----	----	1 UNCH
5200	----	----	----/*0.60A	0.30B/*0.60A	----	0.50 - 0.20	.0029	----	----	----	----	1 UNCH
5210	----	----	----/*0.60A	0.30B/*0.60A	----	0.40 - 0.30	.0023	----	----	----	----	1 UNCH
5255	----	----	----	0.20B/*0.70A	----	0.30 - 0.10	.0015	----	----	----	----	2 UNCH
5300	----	----	----	----/0.70A	----	0.20 - 0.10	.0009	----	----	----	----	1 UNCH
5305	----	----	----	----/*0.70A	----	0.20 - 0.10	.0009	----	----	----	----	2 UNCH
5320	----	----	----	----/*0.70A	----	0.10 - 0.20	.0003	----	----	----	----	1 UNCH
5425	----	----	----	----/*0.70A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH
TOTAL										1161	50	3582 + 878

GMW MON — GOLD WEEKLY MONDAY OPTION WEEK2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
3500	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
3600	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
3750	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
3850	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
3900	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
3950	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
4000	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 21
4025	----	----	----	0.70B/*1.30A	----	0.80 - 0.50	.0044	----	----	----	----	1 UNCH
4050	----	----	----	0.90B/*1.40A	----	0.90 - 0.50	.0051	----	----	----	----	12 UNCH
4050	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
4100	1.20	1.20	1.20/*1.20	1.50B/*1.20	----	1.00 - 0.70	.0060	----	----	1	----	11 + 1
4100	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 14
4125	----	----	----/*1.60A	1.70B/*1.60A	----	1.10 NEW	.0068	----	----	1	----	1 + 1
4150	3.50	3.50	3.50/*1.60A	3.50/*1.60A	----	1.20 NEW	.0076	----	----	3	----	2 + 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON APR26		GOLD WEEKLY MONDAY OPTION WEEK2										
4150	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.20	----	----	----	2	----	0 - 2
4175	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 2
4175	----	----	2.20B/*1.80A	2.20B/*1.80A	----	1.40 - 0.70	.0091	----	----	----	----	1 UNCH
4200	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 15
4215	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 5
4220	----	----	2.70B/*1.90A	2.70B/*1.90A	----	1.70 - 0.80	.0116	----	----	----	----	1 UNCH
4225	----	----	2.80B/*1.90A	2.80B/*1.90A	----	1.70 - 0.80	.0117	----	----	----	----	49 UNCH
4250	----	----	3.30B/*2.10A	3.30B/*2.10A	----	1.90 - 0.90	.0134	----	----	----	----	26 UNCH
4250	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 100
4250	----	----	----/420.70A	521.60B/420.70A	----	517.40 - 20.20	----	----	----	----	----	0 - 1
4255	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 2
4270	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 10
4300	----	----	5.40B/*2.40A	5.40B/*2.40A	----	2.50 NEW	.0185	----	----	1	----	1 + 1
4300	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 520
4305	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 2
4310	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 10
4315	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 5
4335	----	----	7.40B/*2.80A	7.40B/*2.80A	----	3.00 - 1.00	.0230	----	----	----	----	1 UNCH
4340	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 6
4345	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 101
4350	----	----	8.40B/*3.00A	8.40B/*3.00A	----	3.20 - 1.10	.0250	----	----	----	----	5 UNCH
4350	0.30	0.30	0.30/*0.10A	0.30/*0.10A	----	0.00 - 0.50	----	----	----	1	----	0 - 128
4355	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 2
4360	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 1
4365	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 1
4375	----	----	10.50B/*3.30A	10.50B/*3.30A	----	3.70 - 1.20	.0296	----	----	----	----	2 UNCH
4380	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 5
4380	----	----	10.90B/*3.40A	10.90B/*3.40A	----	3.80 - 1.30	.0305	----	----	1	----	2 - 1
4390	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 1
4400	4.80	4.80	12.90B/*3.80A	12.90B/*3.80A	----	4.20 - 1.50	.0345	----	----	3	----	152 + 1
4400	0.90	0.90	1.00/*0.10A	1.00/*0.10A	----	0.00 - 0.70	----	----	----	6	----	0 - 523
4405	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.80	----	----	----	----	----	0 - 1
4410	4.00	4.00	14.00B/*4.00	14.00B/*4.00	----	4.50 NEW	.0372	----	----	1	----	1 + 1
4415	----	----	----/257.10A	356.70B/257.10A	----	352.40 - 20.70	----	----	----	----	----	0 - 10
4420	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.80	----	----	----	----	----	0 - 5
4425	1.90	1.90	1.90/*0.20A	1.90/*0.20A	----	0.00 - 0.90	----	----	----	11	----	0 - 37
4440	----	----	17.70B/*4.80A	17.70B/*4.80A	----	5.50 - 1.70	.0465	----	----	----	----	15 UNCH
4440	----	----	----/*0.20A	0.20B/*0.20A	----	0.00 - 0.90	----	----	----	----	----	0 - 3
4440	----	----	----/232.80A	331.70B/232.80A	----	327.40 - 20.80	----	----	----	----	----	0 - 1
4450	----	----	19.40B/*5.10A	19.40B/*5.10A	----	5.90 - 1.70	.0502	----	----	1	----	2 + 1
4450	1.40	1.40	3.00/*0.10	3.00/*0.10	----	0.00 - 1.00	----	----	----	5	----	0 - 17
4460	----	----	20.90B/*5.50A	20.90B/*5.50A	----	6.30 - 1.80	.0540	----	----	----	----	10 UNCH
4465	----	----	21.70B/*5.70A	21.70B/*5.70A	----	6.50 - 1.90	.0559	----	----	----	----	5 UNCH
4465	2.10	2.10	2.10/*0.20A	2.10/*0.20A	----	0.00 NEW	----	----	----	1	----	0 UNCH
4470	----	----	22.40B/*5.90A	22.40B/*5.90A	----	6.70 - 2.00	.0579	----	----	8	----	9 + 4
4470	1.80	1.80	1.80/*0.20A	1.80/*0.20A	----	0.00 - 1.10	----	----	----	1	----	0 - 4
4475	----	----	23.30B/*6.10A	23.30B/*6.10A	----	7.00 - 1.90	.0605	----	----	----	----	2 UNCH
4475	2.50	2.50	2.50/*0.20A	2.50/*0.20A	----	0.00 NEW	----	----	----	2	----	0 UNCH
4480	3.30	3.30	3.30/*0.20A	3.30/*0.20A	----	0.00 - 1.20	----	----	----	2	----	0 - 3
4485	----	----	25.00B/*6.50A	25.00B/*6.50A	----	7.50 - 2.00	.0652	----	----	1	----	6 + 1
4490	----	----	----/*0.20A	1.10B/*0.20A	----	0.00 - 1.30	----	----	----	----	----	0 - 7
4495	----	----	----/217.50A	284.20B/217.50A	----	280.30 - 22.00	.9297	----	----	----	----	2 UNCH
4495	----	----	26.80B/*7.00A	26.80B/*7.00A	----	8.00 - 2.20	.0701	----	----	1	----	1 + 1
4495	----	----	----/*0.20A	1.30B/*0.20A	----	0.00 - 1.30	----	----	----	----	----	0 - 7
4500	----	----	----/213.70A	279.50B/213.70A	----	275.60 - 22.00	.9269	----	----	----	----	2 UNCH
4500	11.70	11.70	27.70B/*7.20A	27.70B/*7.20A	----	8.30 - 2.20	.0729	----	----	10	----	22 + 9
4500	2.50	2.50	2.60/*0.10	2.60/*0.10	----	0.00 - 1.40	----	----	----	4	----	0 - 65
4500	----	----	----/176.60A	271.60B/176.60A	----	267.40 - 21.30	----	----	----	1	----	0 - 301
4505	2.60	2.60	2.80/*0.20A	2.80/*0.20A	----	0.00 NEW	----	----	----	5	----	0 UNCH
4510	----	----	2.60B/*0.20A	2.60B/*0.20A	----	0.00 - 1.50	----	----	----	----	----	0 - 1
4515	----	----	2.50B/*0.20A	2.50B/*0.20A	----	0.00 - 1.50	----	----	----	----	----	0 - 6
4520	8.90	8.90	8.90/*0.20	8.90/*0.20	----	0.00 - 1.60	----	----	----	23	----	0 - 1
4525	0.50	0.50	3.30B/*0.20A	3.30B/*0.20A	----	0.00 - 1.60	----	----	----	2	----	0 - 31
4535	----	----	----/144.00A	236.70B/144.00A	----	232.40 - 21.60	----	----	----	----	----	0 - 4
4535	----	----	3.80B/*0.20A	3.80B/*0.20A	----	0.00 - 1.70	----	----	----	----	----	0 - 1
4540	----	----	----/139.50A	231.70B/139.50A	----	227.40 - 21.70	----	----	----	1	----	0 - 1
4540	7.10	7.10	7.10/*0.30A	7.10/*0.30A	----	0.00 - 1.80	----	----	----	3	----	0 - 2
4550	----	----	----/130.80A	221.60B/130.80A	----	217.40 - 21.80	----	----	----	----	----	0 - 1
4550	8.00	8.00	10.00/*0.10	10.00/*0.10	----	0.00 - 1.90	----	----	----	31	----	0 - 10
4550	----	----	38.60B/*10.40A	38.60B/*10.40A	----	12.10 - 2.60	.1079	----	----	1	----	2 + 1
4555	----	----	5.80B/*0.20A	5.80B/*0.20A	----	0.00 - 2.00	----	----	----	----	----	0 - 20
4560	8.00	8.00	8.00/*0.20A	8.00/*0.20A	----	0.00 - 2.10	----	----	----	1	----	0 - 2
4565	18.30	18.30	42.50B/*11.70A	42.50B/*11.70A	----	13.50 NEW	.1209	----	----	2	----	2 + 2
4570	----	----	43.80B/*12.20A	43.80B/*12.20A	----	14.10 NEW	.1261	----	----	1	----	1 + 1
4570	----	----	----/157.70A	215.00B/157.70A	----	211.40 - 22.80	.8736	----	----	----	----	1 UNCH
4570	8.50	8.50	12.50/*0.20A	12.50/*0.20A	----	0.00 - 2.30	----	----	----	6	----	0 - 4
4575	----	----	----/109.60A	196.70B/109.60A	----	192.40 - 22.30	----	----	----	----	----	0 - 5
4575	13.00	13.00	13.00/*0.20	13.00/*0.20	----	0.00 - 2.40	----	----	----	6	----	0 - 4
4575	15.30	15.30	45.30B/*12.70A	45.30B/*12.70A	----	14.60 - 2.90	.1308	----	----	2	----	2 + 1
4580	12.00	12.00	12.90/*0.10	12.90/*0.10	----	0.00 - 2.50	----	----	----	12	----	0 - 38
4580	20.50	20.50	46.60B/*13.20A	46.60B/*13.20A	----	15.20 - 3.00	.1362	----	----	37	----	36 + 9
4585	----	----	48.10B/*13.80A	48.10B/*13.80A	----	15.80 - 3.00	.1415	----	----	----	----	2 UNCH
4585	12.70	12.70	12.70/*0.20A	12.70/*0.20A	----	0.00 - 2.60	----	----	----	2	----	0 - 6
4585	----	----	----/101.40A	186.70B/101.40A	----	182.40 - 22.50	----	----	----	1	----	0 - 1
4590	0.40	0.40	11.60B/*0.20A	11.60B/*0.20A	----	0.00 - 2.70	----	----	----	4	----	0 - 10
4595	----	----	51.10B/*15.00A	51.10B/*15.00A	----	17.10 - 3.10	.1530	----	----	----	----	2 UNCH
4595	----	----	12.20B/*0.20A	12.20B/*0.20A	----	0.00 - 2.80	----	----	----	----	----	0 - 2
4600	12.50	12.50	20.00/*0.10	20.00/*0.10	----	0.00 - 2.90	----	----	----	90	----	0 - 346
4600	----	----	----/135.40A	188.50B/135.40A	----	185.10 - 23.10	.8406	----	----	----	----	10 UNCH
4600	42.60	42.60	52.60B/*15.60A	52.60B/*15.60A	----	17.80 - 3.10	.1591	----	----	31	----	46 + 24
4605	----	----	54.30B/*16.30A	54.30B/*16.30A	----	18.50 - 3.20	.1653	----	----	27	----	26 - 1
4610	----	----	----/81.70A	161.70B/81.70A	----	157.40 - 23.10	----	----	----	1	----	0 - 1
4610	----	----	15.50B/*0.20A	15.50B/*0.20A	----	0.00 - 3.20	----	----	----	----	----	0 - 18
4615	20.30	20.30	57.50B/*17.70A	57.50B/*17.70A	----	20.00 NEW	.1783	----	----	1	----	1 + 1
4615	3.00	3.00	17.10B/*0.20A	17.10B/*0.20A	----	0.00 - 3.40	----	----	----	4	----	0 - 45
4620	10.00	10.00	20.00/*0.20A	20.00/*0.20A	----	0.00 - 3.60	----	----	----	14	----	0 - 111
4625	25.00	25.00	25.00/*0.20A	25.00/*0.20A	----	0.00 - 3.80	----	----	----	3	----	0 - 5
4625	----	----	----/*70.40A	146.70B/*70.40A	----	142.40 - 23.70	----	----	----	1	----	0 - 1
4630	16.00	16.00	21.30B/*0.10	21.30B/*0.10	----	0.00 - 4.00	----	----	----	19	----	0 - 7
4635	21.00	21.00	22.90B/*0.20	22.90B/*0.20	----	0.00 - 4.20	----	----	----	13	----	0 - 12
4635	----	----	----/*63.60A	136.70B/*63.60A	----	132.40 - 24.10	----	----	----	----	----	0 - 9
4640	8.00	8.00	24.60B/*0.20A	24.60B/*0.20A	----	0.00 - 4.40	----	----	----	4	----	0 - 48
4645	2.80	2.80	27.10B/*0.20A	27.10B/*0.20A	----	0.00 - 4.70	----	----	----	4	----	0 - 7
4650	15.00	15.00	39.60/*0.20A	39.60/*0.20A	----	0.00 - 4.90	----	----	----	164	----	0 - 365
4650	----	----	71.70B/*23.80A	71.70B/*23.80A	----	26.50 - 3.40	.2321	----	----	5	----	7 + 1
4650	93.10	93.10	121.60B/*53.50A	121.60B/*53.50A	----	117.40 - 24.80	----	----	----	1	----	0 - 1
4655	0.30	0.30	29.20B/*0.20A	29.20B/*0.20A	----	0.00 - 5.20	----	----	----	2	----	0 - 3
4660	----	----	----/*46.50A	111.70B/*46.50A	----	107.40 - 25.50	----	----	----	----	----	0 - 2
4660	22.00	22.00	32.00B/*0.20A	32.00B/*0.20A	----	0.00 - 5.60	----	----	----	8	----	0 - 24
4660	----	----	74.80B/*26.10A	74.80B/*26.10A	----	28.70 NEW	.2497	----	----	1	----	1 + 1
4665	0.60	0.60	33.30B/*0.20A	33.30B/*0.20A	----	0.00 - 5.90	----	----	----	16	----	0 - 25
4665	----	----	----/*44.60A	106.70B/*44.60A	----	102.40 - 25.80	----	----	----	----	----	0 UNCH
4670	36.80	36.80	36.80/*0.10	36.80/*0.10	----	0.00 - 6.30	----	----	----	13	----	0 - 7
4675	39.90	39.90	39.90/*0.20A	39.90/*0.20A	----	0.00 - 6.60	----	----	----	17	50	0 - 227
4675	40.00	40.00	96.60B/*39.00A	96.60B/*39.00A	----	92.40 NEW	----	----	----	8	----	0 UNCH
4680	36.00	36.00	41.40B/*0.20A	41.40B/*0.20A	----	0.00 - 7.00	----	----	----	17	----	0 - 35
4680	----	----	----/*85.30A	123.30B/85.30A	----	120.90 - 23.30	.7121	----	----	----	----	1 UNCH
4680	42.50	42.50	83.40B/*30.80A	83.40B/*30.80A	----	33.60 NEW	.2876	----	----	5	----	3 + 3
4680	35.00	35.00	91.60B/*35.00	91.60B/*35.00	----	87.40 NEW	----	----	----	1	----	0 UNCH
4685	33.50	33.50	44.10B/*0.10	44.10B/*0.10	----	0.00 - 7.50	----	----	----	31	----	0 - 4
4685	93.80	93.80	93.80/*32.20A	93.80/*32.20A	----	34.90 NEW	.2976	----	----	1	----	1 + 1
4685	33.00	33.00	86.60B/*33.00	86.60B/*33.00	----	82.40 - 27.50	----	----	----	4	----	0 - 5
4690	50.00	50.00	50.00/*0.20A	50.00/*0.20A	----	0.00 - 8.00	----	----	----	21	----	0 - 20
4695	14.60	14.60	47.90B/*0.20A	47.90B/*0.20A	----	0.00 NEW	----	----	----	14	----	0 UNCH
4695	34.00	34.00	76.70B/*29.10A	76.70B/*29.10A	----	72.40 - 28.60	----	----	----	17	----	0 - 1
4700	39.50	39.50	93.10B/36.40A	93.10B/36.40A	----	39.30 - 3.10	.3294	----	----	3	----	25 + 1
4700	40.00	40.00	51.10B/*0.10	51.10B/*0.10	----	0.00 - 9.20	----	----	----	282	----	0 - 139
4700	40.00	40.00	71.70B/*27.50A	71.70B/*27.50A	----	67.40 - 29.20	----	----	----	11	----	0 - 114
4700	----	----	----/74.90A	108.80B/74.90A	----	106.70 - 23.00	.6703	----	----	----	----	51 UNCH
4705	22.10	22.10	66.70B/*22.10	66.70B/*22.10	----	62.40 NEW	----	----	----	3	----	0 UNCH
4705	46.70	46.70	54.20B/*0.20A	54.20B/*0.20A	----	0.00 - 9.90	----	----	----	9	----	0 - 11
4710	----	----	98.10B/39.50A	98.10B/39.50A	----	42.50 NEW	.3518	----	----	1	----	1 + 1
4710	43.10	43.10	57.40B/*0.20A	57.40B/*0.20A	----	0.00 - 10.60	----	----	----	35	----	0 - 13
4710	22.80	22.80	61.70B/*20.20A	61.70B/*20.20A	----	57.40 NEW	----	----	----	17	----	0 UNCH
4715	31.70	31.70	56.70B/*15.80A	56.70B/*15.80A	----	52.40 NEW	----	----	----	2	----	0 UNCH
4715	45.00	45.00	101.40B/41.20A	101.40B/41.20A	----	44.10 NEW	.3631	----	----	1	----	1 + 1
4715	----	----	60.80B/*0.20A	60.80B/*0.20A	----	0.00 - 11.40	----	----	----	6	----	0 - 3

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK2										
APR26												
4720	25.60	25.60	64.20B/*0.10	64.20B/*0.10	----	0.00 - 12.20	----	----	----	154	----	0 - 56
4720	22.70	22.70	51.70B/*12.10A	51.70B/*12.10A	----	47.40 - 32.20	----	----	----	35	----	0 - 17
4725	25.30	25.30	46.70B/*8.60A	46.70B/*8.60A	----	42.40 NEW	----	----	----	17	----	0 UNCH
4725	31.10	31.10	67.80B/*0.10	67.80B/*0.10	----	0.00 - 13.10	----	----	----	42	----	0 - 77
4725	----	----	106.30B/44.80A	106.30B/44.80A	----	47.70 NEW	.3868	----	----	1	----	1 + 1
4730	15.00	15.00	41.70B/*6.40A	41.70B/*6.40A	----	37.40 - 34.10	----	----	----	36	----	0 - 2
4730	8.50	8.50	71.50B/*0.10	71.50B/*0.10	----	0.00 - 14.10	----	----	----	71	----	0 - 78
4735	30.00	30.00	75.70B/*0.30A	75.70B/*0.30A	----	0.00 - 15.20	----	----	----	63	----	0 - 64
4735	31.50	31.50	36.70B/*4.30A	36.70B/*4.30A	----	32.40 - 35.20	----	----	----	48	----	0 - 3
4740	24.00	24.00	79.50B/*0.10	79.50B/*0.10	----	0.00 - 16.40	----	----	----	85	----	0 - 16
4740	28.70	28.70	31.80B/*2.50	31.80B/*2.50	----	27.40 - 36.40	----	----	----	28	----	0 - 2
4740	----	----	----/*58.10A	83.00B/*58.10A	----	80.80 - 22.10	.5763	----	----	1	----	2 UNCH
4745	32.80	32.80	83.40B/*0.40A	83.40B/*0.40A	----	0.00 - 17.60	----	----	----	17	----	0 - 4
4745	11.70	11.70	27.50/*1.60A	27.50/*1.60A	----	22.40 - 37.60	----	----	----	129	----	0 - 1
4750	14.00	14.00	23.50B/*1.00	23.50B/*1.00	----	17.40 - 39.00	----	----	----	267	----	0 - 12
4750	----	----	120.80B/54.80A	120.80B/54.80A	----	57.60 - 1.70	.4486	----	----	----	----	2 UNCH
4750	----	----	----/*53.40A	77.00B/*53.40A	----	74.90 - 21.80	.5511	----	----	----	----	12 UNCH
4750	70.00	70.00	87.60B/*0.10	87.60B/*0.10	----	0.00 - 19.00	----	----	----	136	----	0 - 119
4755	10.00	10.00	22.00/*0.20	22.00/*0.20	----	12.40 NEW	----	----	----	52	----	0 UNCH
4755	46.60	46.60	91.90B/*0.30A	91.90B/*0.30A	----	0.00 - 20.40	----	----	----	21	----	0 - 22
4760	21.00	21.00	96.10B/*0.10	96.10B/*0.10	----	0.00 - 22.00	----	----	----	27	----	0 - 33
4760	5.00	5.00	18.60B/*0.60A	18.60B/*0.60A	----	7.40 NEW	----	----	----	155	----	0 UNCH
4760	----	----	----/*48.90A	71.30B/*48.90A	----	69.40 NEW	.5255	----	----	15	----	15 + 15
4765	16.40	16.40	100.40B/*1.20A	100.40B/*1.20A	----	0.00 - 23.60	----	----	----	27	----	0 - 11
4765	13.50	13.50	17.00B/*0.40A	17.00B/*0.40A	----	2.40 NEW	----	----	----	15	----	0 UNCH
4770	8.50	8.50	8.50/*0.10	14.20B/*0.10	----	0.00 - 42.80	----	----	----	66	----	0 - 14
4770	----	----	104.90B/*1.50A	104.90B/*1.50A	----	2.60 - 22.80	----	----	----	----	----	0 - 6
4770	----	----	133.70B/63.50A	133.70B/63.50A	----	66.60 - 1.00	.5002	----	----	----	----	21 UNCH
4775	25.00	25.00	109.20B/*4.60A	109.20B/*4.60A	----	7.60 - 19.70	----	----	----	4	----	0 - 8
4775	13.00	13.00	13.70/*0.10A	13.70/*0.10A	----	0.00 - 39.70	----	----	----	80	----	0 - 12
4775	----	----	136.50B/66.00A	136.50B/66.00A	----	69.10 - 0.70	.5133	----	----	----	----	21 UNCH
4775	----	----	----/*42.70A	63.20B/*42.70A	----	61.50 - 20.70	.4864	----	----	----	----	2 UNCH
4780	23.50	23.50	113.80B/*8.70A	113.80B/*8.70A	----	12.60 - 16.70	----	----	----	3	----	0 - 169
4780	10.00	10.00	10.60B/*0.30A	10.60B/*0.30A	----	0.00 - 36.70	----	----	----	61	100	0 - 22
4780	----	----	----/*40.80A	60.70B/*40.80A	----	59.00 - 20.40	.4733	----	----	----	----	1 UNCH
4785	----	----	118.30B/*13.60A	118.30B/*13.60A	----	17.60 - 13.90	----	----	----	----	----	0 - 3
4785	5.10	5.10	5.10/*0.30A	9.00B/*0.30A	----	0.00 - 33.90	----	----	----	15	----	0 - 11
4785	----	----	----/*38.90A	58.60B/*38.90A	----	56.60 - 20.10	.4603	----	----	----	----	24 UNCH
4785	----	----	142.90B/71.00A	142.90B/71.00A	----	74.10 - 0.20	.5395	----	----	----	----	24 UNCH
4790	5.10	5.10	7.50B/*0.10	7.50B/*0.10	----	0.00 - 31.20	----	----	----	18	----	0 - 15
4790	51.00	51.00	122.90B/*18.40A	122.90B/*18.40A	----	22.60 - 11.20	----	----	----	7	----	0 - 12
4790	----	----	----/*37.10A	55.80B/*37.10A	----	54.20 - 19.90	.4471	----	----	----	----	3 UNCH
4795	1.00	1.00	1.00/*0.20	6.20B/*0.20	----	0.00 - 28.70	----	----	----	4	----	0 - 22
4795	110.00	110.00	127.60B/*23.50A	127.60B/*23.50A	----	27.60 - 8.70	----	----	----	15	----	0 - 24
4795	----	----	----/*35.40A	53.40B/*35.40A	----	51.90 - 19.60	.4340	----	----	----	----	59 UNCH
4800	4.50	4.50	8.00/*0.10	8.00/*0.10	----	0.00 - 26.30	----	----	----	107	----	0 - 60
4800	48.00	48.00	132.30B/*28.40A	132.30B/*28.40A	----	32.60 - 6.30	----	----	----	9	----	0 - 18
4800	43.70	43.70	43.70/*33.40A	51.20B/*33.40A	----	49.70 - 19.20	.4210	----	----	1	----	26 + 1
4805	2.10	2.10	2.10/*0.20A	4.10B/*0.20A	----	0.00 - 24.00	----	----	----	8	----	0 - 5
4810	1.60	1.60	1.70/*0.30A	3.40B/*0.30A	----	0.00 - 21.90	----	----	----	4	----	0 - 8
4810	----	----	142.00B/38.50A	142.00B/38.50A	----	42.60 - 1.90	----	----	----	----	----	0 - 4
4815	----	----	146.60B/43.50A	146.60B/43.50A	----	47.60 + 0.20	----	----	----	1	----	0 - 3
4815	1.70	1.70	1.70/*0.20A	2.70B/*0.20A	----	0.00 - 19.80	----	----	----	3	----	0 - 4
4815	----	----	----/*28.80A	44.80B/*28.80A	----	43.40 - 18.30	.3822	----	----	----	----	10 UNCH
4820	3.00	3.00	4.00/*0.20A	4.00/*0.20A	----	0.00 - 17.90	----	----	----	16	----	0 - 38
4820	----	----	151.20B/48.50A	151.20B/48.50A	----	52.60 + 2.10	----	----	----	3	----	0 - 4
4820	----	----	167.50B/----	167.50B/92.00A	----	94.10 + 2.20	.6301	----	----	----	----	1 UNCH
4825	3.00	3.00	3.00/*0.10	3.00/*0.10	----	0.00 - 16.20	----	----	----	27	----	0 - 54
4825	33.50	33.50	41.10B/*26.10A	41.10B/*26.10A	----	39.60 NEW	.3570	----	----	1	----	1 + 1
4830	2.10	2.10	3.90/*0.20A	3.90/*0.20A	----	0.00 - 14.60	----	----	----	18	----	0 - 34
4830	----	----	161.60B/----	161.60B/58.30A	----	62.60 + 5.40	----	----	----	----	----	0 - 3
4830	----	----	----/*24.80A	39.30B/*24.80A	----	37.80 NEW	.3447	----	----	4	----	4 + 4
4835	0.10	0.10	0.10/*0.10	1.40B/*0.10	----	0.00 - 13.20	----	----	----	4	----	0 - 37
4840	----	----	171.40B/----	171.40B/68.30A	----	72.60 + 8.10	----	----	----	----	----	0 - 2
4840	2.00	2.00	2.00/*0.20A	2.00/*0.20A	----	0.00 - 11.90	----	----	----	32	----	0 - 29
4840	----	----	----/*22.40A	35.90B/*22.40A	----	34.40 - 16.40	.3205	----	----	----	----	20 UNCH
4845	0.50	0.50	0.50/*0.20A	1.00B/*0.20A	----	0.00 - 10.60	----	----	----	7	----	0 - 13
4845	----	----	----/*21.20A	34.30B/*21.20A	----	32.70 - 16.10	.3084	----	----	----	----	80 UNCH
4850	----	----	181.10B/----	181.10B/78.40A	----	82.60 + 10.50	----	----	----	2	----	0 - 8
4850	1.90	1.90	2.00/*0.10A	2.00/*0.10A	----	0.00 - 9.50	----	----	----	76	----	0 - 115
4850	21.70	21.70	21.70/*20.10A	32.70B/*20.10A	----	31.20 - 15.50	.2970	----	----	54	----	59 + 50
4855	0.20	0.20	0.20/*0.10	0.70B/*0.10	----	0.00 - 8.60	----	----	----	2	----	0 - 3
4855	----	----	186.10B/----	186.10B/83.30A	----	87.60 + 11.40	----	----	----	----	----	0 - 1
4855	28.00	28.00	31.30B/*19.00A	31.30B/*19.00A	----	29.70 - 15.20	.2856	----	----	1	----	8 + 1
4860	0.50	0.50	0.50/*0.20A	0.50/*0.20A	----	0.00 - 7.70	----	----	----	3	----	0 - 32
4865	1.20	1.20	1.20/*0.20A	1.20/*0.20A	----	0.00 - 6.90	----	----	----	3	----	0 - 6
4870	1.50	1.50	1.50/*0.20A	1.50/*0.20A	----	0.00 - 6.10	----	----	----	3	----	0 - 14
4875	0.50	0.50	0.50/*0.20A	0.50/*0.20A	----	0.00 - 5.50	----	----	----	21	----	0 - 68
4875	25.00	25.00	25.00/*15.40A	25.70B/*15.40A	----	24.30 NEW	.2424	----	----	10	----	10 + 10
4880	0.80	0.80	0.80/*0.10A	0.80/*0.10A	----	0.00 - 4.80	----	----	----	4	----	0 - 22
4880	----	----	210.80B/----	210.80B/108.40A	----	112.60 + 15.20	----	----	----	1	----	0 - 1
4880	----	----	----/*14.60A	24.70B/*14.60A	----	23.10 - 13.20	.2323	----	----	4	----	9 UNCH
4885	----	----	214.80B/----	214.80B/113.30A	----	117.60 + 15.70	----	----	----	1	----	0 - 1
4885	----	----	----/*0.20A	0.20B/*0.20A	----	0.00 - 4.30	----	----	----	----	----	0 - 42
4885	27.00	27.00	27.00/*13.80A	27.00/*13.80A	----	21.90 NEW	.2223	----	----	4	----	4 + 4
4890	----	----	----/*0.20A	0.10B/*0.20A	----	0.00 - 3.90	----	----	----	----	----	0 - 5
4890	----	----	220.70B/----	220.70B/118.30A	----	122.60 + 16.10	----	----	----	2	----	0 - 2
4895	0.80	0.80	1.50/*0.20A	1.50/*0.20A	----	0.00 - 3.50	----	----	----	2	----	0 - 12
4895	----	----	----/*12.40A	21.20B/*12.40A	----	19.70 - 12.10	.2032	----	----	27	----	27 UNCH
4900	200.00	200.00	229.80B/128.40A	229.80B/128.40A	----	132.60 + 16.90	----	----	----	5	----	0 - 5
4900	1.00	1.00	1.00/*0.20A	1.00/*0.20A	----	0.00 - 3.10	----	----	----	10	----	0 - 131
4900	22.00	22.00	22.00/*11.80A	22.00/*11.80A	----	18.70 - 11.70	.1942	----	----	3	----	22 + 1
4905	----	----	----/*0.10A	----/*0.10A	----	0.00 - 2.80	----	----	----	1	----	0 - 5
4905	----	----	235.50B/----	235.50B/133.30A	----	137.60 + 17.20	----	----	----	1	----	0 - 1
4910	----	----	----/*0.10A	----/*0.10A	----	0.00 - 2.60	----	----	----	1	----	0 - 10
4915	----	----	----/*0.10A	----/*0.10A	----	0.00 - 2.30	----	----	----	----	----	0 - 7
4915	----	----	----/*10.00A	17.30B/*10.00A	----	16.00 - 10.50	.1692	----	----	1	----	2 + 1
4920	----	----	----/*0.10A	----/*0.10A	----	0.00 - 2.10	----	----	----	12	----	0 - 17
4920	----	----	248.90B/----	248.90B/165.00A	----	167.70 NEW	.8382	----	----	1	----	1 + 1
4920	----	----	----/*9.40A	16.50B/*9.40A	----	15.20 - 10.10	.1616	----	----	28	----	27 UNCH
4925	----	----	----/*0.10A	----/*0.10A	----	0.00 - 1.90	----	----	----	----	----	0 - 20
4925	----	----	255.40B/----	255.40B/153.30A	----	157.60 + 18.10	----	----	----	----	----	0 - 1
4925	12.30	12.30	12.80/*9.00A	15.70B/*9.00A	----	14.40 NEW	.1539	----	----	61	----	61 + 61
4925	----	----	253.30B/----	253.30B/169.20A	----	171.90 NEW	.8458	----	----	1	----	1 + 1
4930	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.00 - 1.70	----	----	----	2	----	0 - 27
4935	----	----	----/*0.20A	----/*0.20A	----	0.00 - 1.60	----	----	----	----	----	0 - 12
4940	1.40	1.40	1.40/*0.20A	1.40/*0.20A	----	0.00 - 1.50	----	----	----	18	----	0 - 26
4945	----	----	----/*0.20A	----/*0.20A	----	0.00 - 1.30	----	----	----	----	----	0 - 2
4950	----	----	----/*0.10A	----/*0.10A	----	0.00 - 1.20	----	----	----	----	----	0 - 61
4950	----	----	----/*6.90A	12.10B/*6.90A	----	11.00 - 8.10	.1203	----	----	2	----	2 + 1
4955	----	----	----/*0.20A	----/*0.20A	----	0.00 - 1.10	----	----	----	1	----	0 - 10
4955	----	----	----/*6.70A	11.40B/*6.70A	----	10.40 NEW	.1143	----	----	1	----	1 + 1
4960	----	----	----/*0.20A	----/*0.20A	----	0.00 - 1.00	----	----	----	----	----	0 - 30
4960	----	----	----/*6.30A	10.80B/*6.30A	----	9.90 NEW	.1090	----	----	1	----	1 + 1
4965	----	----	----/*0.20A	----/*0.20A	----	0.00 - 1.00	----	----	----	----	----	0 - 2
4970	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.90	----	----	----	----	----	0 - 4
4970	----	----	----/*5.70A	9.80B/*5.70A	----	8.90 NEW	.0985	----	----	1	----	1 + 1
4975	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 0.80	----	----	----	----	----	0 - 18
4975	----	----	305.40B/----	305.40B/203.40A	----	207.60 + 19.20	----	----	----	1	----	0 - 2
4975	----	----	----/*5.60A	9.30B/*5.60A	----	8.50 - 6.60	.0940	----	----	----	----	4 UNCH
4980	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.80	----	----	----	1	----	0 - 2
4985	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.70	----	----	----	----	----	0 - 3
4985	7.80	7.80	7.80/*5.10A	8.30B/*5.10A	----	7.60 NEW	.0846	----	----	1	----	1 + 1
4990	----	----	320.20B/----	320.20B/218.40A	----	222.60 + 19.30	----	----	----	----	----	0 - 1
4990	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.70	----	----	----	----	----	0 - 16
4995	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.60	----	----	----	1	----	0 - 1
4995	----	----	316.80B/----	316.80B/231.10A	----	234.30 + 14.30	.9230	----	----	----	----	3 UNCH
5000	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 33
5000	----	----	321.10B/----	321.10B/235.90A	----	239.00 + 14.60	.9272	----	----	----	----	2 UNCH
5000	----	----	----/*4.30A	7.20B/*4.30A	----	6.50 - 5.50	.0725	----	----	51	----	376 - 4
5005	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.60	----	----	----	----	----	0 - 4
5010	----	----	----/*0.20A	0.20B/*0.20A	----	0.00 - 0.50	----	----	----	----	----	0 - 22
5010	5.20	5.20	5.20/*4.00A	6.50B/*4.00A	----	5.90 NEW	.0658	----	----	2	----	2 + 2
5015	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.50	----	----	----	----	----	0 - 6
5020	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.50	----	----	----	----	----	0 - 1
5020	----	----	#333.60B/----	#333.60B/254.50A	----	257.80 + 15.40	.9398	----	----	----	----	2 UNCH
5025	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.40	----	----	----	----	----	0 - 7

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 47

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK3										
APR26												
5025	----	----	336.90B/----	336.90B/259.30A	----	262.50 + 15.50	.9430	----	----	----	----	2 UNCH
5035	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.40	----	----	----	----	----	0 - 2
5040	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.40	----	----	----	----	----	0 - 3
5050	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.30	----	----	----	----	----	0 - 4
5050	----	----	327.10B/----	327.10B/283.00A	----	286.50 + 16.40	.9556	----	----	----	----	1 UNCH
5050	----	----	----/*2.80A	4.40B/*2.80A	----	4.00 - 3.70	.0442	----	----	----	----	90 UNCH
5055	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.30	----	----	----	----	----	0 - 6
5060	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.30	----	----	----	----	----	0 - 2
5070	----	----	----	----/*0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 5
5075	----	----	----	----/*0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 1
5080	----	----	----	----/*0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 3
5090	----	----	----	----/*0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 1
5100	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 14
5100	----	----	----/*2.00A	2.70B/*2.00A	----	2.60 - 2.80	.0279	----	----	----	----	6 UNCH
5100	----	----	376.00B/----	376.00B/331.20A	----	335.10 + 17.30	.9719	----	----	----	----	2 UNCH
5105	----	----	----	----/*0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 1
5150	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 8
5150	----	----	----/*1.50A	1.80B/*1.50A	----	1.80 - 2.20	.0185	----	----	1	----	5 + 1
5175	----	----	#446.20B/----	446.20B/410.30A	----	408.90 NEW	.9848	----	----	1	----	1 + 1
5175	----	----	----/*1.40A	1.40B/*1.40A	----	1.50 NEW	.0151	----	----	1	----	1 + 1
5180	----	----	510.00B/----	510.00B/408.40A	----	412.60 + 19.90	----	----	----	1	----	0 - 1
5180	----	----	----	----/0.20A	----	0.00 NEW	----	----	----	1	----	0 UNCH
5200	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	1	----	0 - 17
5200	----	----	----/*1.50A	1.00B/*1.50A	----	1.30 - 1.70	.0127	----	----	----	----	5 UNCH
5220	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 2
5225	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.20	----	----	----	2	----	0 - 2
5235	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 1
5250	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 12
5350	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	1	----	0 - 3
5375	----	----	----	----/*0.10A	----	0.00 NEW	----	----	----	1	----	0 UNCH
5400	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
TOTAL										3534	150	1634 - 5550
MAY26												
3900	5.50	5.50	#5.50/*5.50	#5.50/*5.50	----	3.00 NEW	.0158	----	----	2	----	2 + 2
4200	----	----	15.60B/----	15.60B/*10.70A	----	7.40 - 1.50	.0434	----	----	----	----	1 UNCH
4250	15.00	15.00	#15.00/*15.00	#29.20B/*15.00	----	16.70 NEW	.0816	----	----	2	----	2 + 2
4250	----	----	20.40B/----	20.40B/*12.40A	----	9.70 - 1.70	.0563	----	----	----	----	2 UNCH
4300	----	----	36.10B/----	36.10B/*21.60A	----	20.90 - 0.30	.1005	----	----	1	----	8 UNCH
4300	----	----	26.20B/*14.40A	26.20B/*14.40A	----	12.70 - 2.00	.0726	----	----	----	----	18 UNCH
4350	----	----	44.40B/----	44.40B/26.30A	----	26.00 - 0.20	.1228	----	----	----	----	16 UNCH
4350	----	----	33.20B/*17.80A	33.20B/*17.80A	----	16.60 - 2.10	.0932	----	----	----	----	2 UNCH
4370	----	----	36.50B/*19.50A	36.50B/*19.50A	----	18.40 - 2.10	.1025	----	----	----	----	1 UNCH
4375	----	----	49.10B/----	49.10B/29.10A	----	29.00 UNCH	.1355	----	----	1	----	1 + 1
4375	----	----	37.30B/*19.90A	37.30B/*19.90A	----	18.80 - 2.20	.1047	----	----	----	----	1 UNCH
4400	----	----	54.30B/----	54.30B/32.30A	----	32.30 UNCH	.1493	----	----	1	----	6 + 1
4400	----	----	41.90B/*22.30A	41.90B/*22.30A	----	21.40 - 2.20	.1179	----	----	----	----	2 UNCH
4450	----	----	65.90B/39.60A	65.90B/39.60A	----	39.90 UNCH	.1802	----	----	1	----	2 + 1
4475	----	----	72.50B/43.80A	72.50B/43.80A	----	44.30 UNCH	.1974	----	----	----	----	11 UNCH
4475	----	----	58.30B/*31.60A	58.30B/*31.60A	----	30.90 - 2.50	.1650	----	----	----	----	1 UNCH
4485	----	----	75.20B/45.70A	75.20B/45.70A	----	46.20 + 0.10	.2047	----	----	1	----	11 + 1
4490	----	----	76.80B/46.70A	76.80B/46.70A	----	47.10 NEW	.2083	----	----	2	----	2 + 2
4500	----	----	79.50B/48.60A	79.50B/48.60A	----	49.10 + 0.10	.2159	----	----	4	----	4 + 3
4500	----	----	65.10B/*35.50A	65.10B/*35.50A	----	34.70 - 2.70	.1834	----	----	----	----	2 UNCH
4505	----	----	81.00B/49.60A	81.00B/49.60A	----	50.10 + 0.10	.2197	----	----	----	----	1 UNCH
4505	----	----	66.30B/*36.40A	66.30B/*36.40A	----	35.50 - 2.80	.1872	----	----	----	----	1 UNCH
4540	----	----	#92.00B/57.10A	92.00B/57.10A	----	57.80 + 0.40	.2480	----	----	----	----	1 UNCH
4550	----	----	#95.40B/59.60A	95.40B/59.60A	----	60.10 NEW	.2565	----	----	1	----	1 + 1
4555	----	----	#97.10B/60.70A	97.10B/60.70A	----	61.40 + 0.60	.2609	----	----	----	----	1 UNCH
4570	----	----	#102.40B/----	102.40B/64.60A	----	65.10 NEW	.2742	----	----	2	----	2 + 2
4580	50.90	50.90	90.10B/50.90	90.10B/50.90	----	50.30 - 3.10	.2543	----	----	2	----	2 UNCH
4590	56.40	56.40	93.40B/54.00A	93.40B/54.00A	----	52.70 NEW	.2646	----	----	4	----	2 + 2
4600	----	----	98.20B/56.60A	98.20B/56.60A	----	55.20 - 3.00	.2751	----	----	----	----	4 UNCH
4600	95.80	95.80	#114.20B/72.60A	114.20B/72.60A	----	73.20 + 1.00	.3021	----	----	2	----	2 + 1
4610	----	----	#117.60B/----	117.60B/75.70A	----	76.10 + 1.10	.3118	----	----	----	----	2 UNCH
4620	----	----	#121.50B/----	121.50B/78.70A	----	79.10 + 1.30	.3217	----	----	----	----	2 UNCH
4650	----	----	----/*149.00A	180.80B/*149.00A	----	186.60 - 22.60	.6674	----	----	----	----	1 UNCH
4690	----	----	#155.00B/----	155.00B/103.00A	----	103.10 NEW	.3959	----	----	8	----	8 + 8
4690	----	----	----/*127.60A	154.80B/*127.60A	----	160.40 - 22.00	.6170	----	----	----	----	3 UNCH
4695	----	----	#157.60B/----	157.60B/105.00A	----	105.10 + 2.90	.4015	----	----	----	----	2 UNCH
4700	----	----	----/*122.60A	148.60B/*122.60A	----	154.20 - 21.80	.6039	----	----	----	----	1 UNCH
4700	----	----	#160.20B/----	160.20B/107.00A	----	107.00 + 2.90	.4071	----	----	8	----	15 + 8
4700	----	----	142.90B/88.50A	142.90B/88.50A	----	87.00 - 1.80	.3955	----	----	----	----	1 UNCH
4705	----	----	145.80B/----	145.80B/90.60A	----	88.90 - 1.70	.4021	----	----	----	----	11 UNCH
4705	----	----	----/*120.10A	145.60B/*120.10A	----	151.20 - 21.60	.5973	----	----	----	----	1 UNCH
4720	----	----	----/*113.00A	136.60B/*113.00A	----	142.30 - 21.30	.5771	----	----	----	----	1 UNCH
4730	----	----	#174.10B/----	174.10B/119.50A	----	119.60 + 3.80	.4416	----	----	----	----	20 UNCH
4750	131.00	131.00	131.00/*117.30A	142.40B/*117.30A	----	146.00 NEW	.5342	----	----	7	----	7 + 7
4770	----	----	#197.30B/----	197.30B/138.20A	----	138.40 + 5.20	.4886	----	----	----	----	1 UNCH
4775	92.20	92.20	92.20/*89.60A	111.10B/*89.60A	----	112.70 NEW	.5010	----	----	16	----	16 + 16
4780	----	----	#202.50B/----	202.50B/143.00A	----	143.40 + 5.50	.5004	----	----	----	----	1 UNCH
4800	----	----	----/*80.20A	99.00B/*80.20A	----	100.80 - 18.40	.4660	----	----	----	----	1 UNCH
4800	120.60	120.60	120.60/*97.30A	120.60/*97.30A	----	121.50 - 13.60	.4753	----	----	111	----	111 + 109
4815	----	----	----/*92.00A	109.00B/*92.00A	----	114.80 - 13.10	.4577	----	----	----	----	1 UNCH
4820	----	----	----/*90.40A	107.30B/*90.40A	----	112.60 - 12.90	.4518	----	----	----	----	1 UNCH
4825	----	----	213.70B/----	213.70B/147.70A	----	147.30 NEW	.5681	----	----	1	----	1 + 1
4880	----	----	----/*71.90A	82.60B/*71.90A	----	88.50 - 11.40	.3828	----	----	----	----	1 UNCH
4900	70.00	70.00	85.50/*66.60A	85.50/*66.60A	----	81.20 - 11.10	.3604	----	----	8	----	12 + 1
4900	----	----	#283.00B/----	283.00B/212.80A	----	213.50 + 8.90	.6388	----	----	----	----	1 UNCH
4900	----	----	----/*51.50A	59.20B/*51.50A	----	62.20 - 14.30	.3318	----	----	----	----	21 UNCH
4905	----	----	----/*50.40A	57.30B/*50.40A	----	60.70 - 14.00	.3257	----	----	----	----	2 UNCH
4930	----	----	----/*45.10A	49.80B/*45.10A	----	53.30 NEW	.2953	----	----	1	----	1 + 1
4950	----	----	----/*54.90A	60.80B/*54.90A	----	64.70 NEW	.3062	----	----	1	----	1 + 1
4950	----	----	----/*40.70A	45.00B/*40.70A	----	47.90 - 12.40	.2720	----	----	----	----	30 UNCH
4975	----	----	----/*35.70A	39.10B/*35.70A	----	41.90 - 11.40	.2448	----	----	----	----	1 UNCH
5000	49.00	49.00	49.00/*45.00A	49.00/*45.00A	----	50.80 - 10.50	.2558	----	----	1	----	2 UNCH
5000	----	----	346.80B/----	346.80B/269.70A	----	268.70 + 9.40	.7802	----	----	----	----	1 UNCH
5000	----	----	----/*31.30A	33.80B/*31.30A	----	36.50 - 10.60	.2192	----	----	1	----	4 + 1
5005	----	----	----/*30.60A	32.10B/*30.60A	----	35.50 - 10.40	.2143	----	----	----	----	3 UNCH
5025	44.20	44.20	44.20/*40.40A	44.20/*40.40A	----	44.80 - 10.40	.2323	----	----	1	----	1 UNCH
5075	----	----	----/*32.50A	32.90B/*32.50A	----	34.70 - 9.50	.1899	----	----	----	----	1 UNCH
5100	----	----	----/*29.10A	29.00B/*29.10A	----	30.50 - 8.80	.1710	----	----	----	----	1 UNCH
5100	----	----	----/*18.90A	18.10B/*18.90A	----	20.40 - 7.70	.1351	----	----	----	----	2 UNCH
5125	----	----	----/*26.20A	25.30B/*26.20A	----	26.80 - 8.10	.1536	----	----	----	----	1 UNCH
5175	----	----	----/*13.30A	11.20B/*13.30A	----	12.90 - 5.80	.0907	----	----	----	----	2 UNCH
5200	----	----	----/*12.00A	9.60B/*12.00A	----	10.80 - 5.20	.0778	----	----	----	----	0 UNCH
TOTAL										190		408 + 172

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
FMG OPT		MICRO GOLD WEEKLY FRI OPTION WEEK3										
APR26												
4250	1.80	1.80	1.80/*1.80	1.80/*1.80	----	1.30 - 0.90	.0073	----	----	1	----	1 UNCH
4700	75.00	75.00	#75.00/*75.00	#75.00/*75.00	----	98.40 NEW	.7006	----	----	1	----	1 + 1
4915	----	----	----	----	----	10.80 - 10.30	.1240	----	----	----	----	3 UNCH
TOTAL										2		5 + 1

SILVER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU		SILVER WEEKLY THURSDAY OPTION Week4										
APR26												
5000	----	----	----	0.001B/*0.136A	----	0.041 - 0.050	.0063	----	----	----	----	1 UNCH
5000	----	----	----	----/0.166A	----	0.001 - 0.003	----	----	----	----	----	1 UNCH
6100	----	----	----	0.187B/*0.270A	----	0.155 - 0.090	.0322	----	----	----	----	1 UNCH
6500	0.070	0.070	0.070/*0.070	0.083B/*0.070	----	0.027 - 0.097	.0058	----	----	1	----	0 - 1
6600	----	----	----	0.135B/*0.195A	----	0.039 - 0.117	.0092	----	----	----	----	1 UNCH
6650	----	----	----	0.126B/*0.203A	----	0.048 - 0.127	.0118	----	----	----	----	2 UNCH
6775	----	----	0.808B/----	0.808B/*0.747A	----	0.577 NEW	.1256	----	----	1	----	1 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU		SILVER WEEKLY THURSDAY OPTION Week3										
APR26												
6800	----	----	----	0.216B/*0.256A	----	0.090 -	0.165 .0251	----	----	----	----	2 UNCH
6850	----	----	0.992B/----	0.992B/*0.851A	----	0.675 -	0.138 .1460	----	----	----	----	25 UNCH
7000	----	----	----	----/20.569A	----	6.583 -	0.951 .8047	----	----	----	----	1 UNCH
7000	----	----	0.591B/*0.392A	0.591B/*0.392A	----	0.207 -	0.224 .0655	----	----	----	----	1 UNCH
7180	----	----	1.101B/*0.639A	1.101B/*0.639A	----	0.430 -	0.271 .1433	----	----	----	----	3 UNCH
7200	0.950	0.950	1.231B/*0.651A	1.231B/*0.651A	----	0.466	NEW .1554	----	----	2	----	1 + 1
7325	----	----	1.711B/*0.956A	1.711B/*0.956A	----	0.739 -	0.280 .2458	----	----	----	----	10 UNCH
7330	----	----	1.741B/*0.969A	1.741B/*0.969A	----	0.751 -	0.279 .2498	----	----	----	----	10 UNCH
7450	1.940	1.940	1.940/*1.353A	1.940/*1.353A	----	1.093	NEW .3606	----	----	5	----	5 + 5
7470	1.966	1.966	#1.982/*1.435A	#1.982/*1.435A	----	1.162	NEW .3816	----	----	10	----	10 + 10
7500	----	----	----/*1.334A	1.663B/*1.334A	----	1.937 -	1.021 .5856	----	----	----	----	1 UNCH
7500	----	----	1.896B/----	1.896B/*1.537A	----	1.273 -	0.205 .4143	----	----	----	----	30 UNCH
7600	3.600	3.600	#4.145B/*3.600	#4.145B/*3.600	----	3.557	NEW .4668	----	----	1	----	1 + 1
7600	1.000	1.000	1.362B/*0.900A	1.362B/*0.900A	----	1.377 -	0.943 .4688	----	----	1	----	3 + 1
7825	----	----	----/*0.490A	0.478B/*0.490A	----	0.538 -	0.700 .2176	----	----	----	----	21 UNCH
8000	----	----	----/*0.999A	1.004B/*0.999A	----	1.139	NEW .2716	----	----	1	----	1 + 1
8100	----	----	----/*0.231A	0.078B/*0.231A	----	0.137 -	0.400 .0544	----	----	----	----	1 UNCH
8250	----	----	#7.836B/----	7.836B/9.009A	----	6.897 +	0.531 .9772	----	----	----	----	4 UNCH
8275	----	----	7.698B/----	7.698B/8.853A	----	7.139 +	0.546 .9802	----	----	----	----	4 UNCH
8800	----	----	----	----	----	12.339 +	0.716 .9987	----	----	----	----	1 UNCH
TOTAL										22	0	142 + 19
SMW MON		SILVER WEEKLY MONDAY OPTION WEEK2										
APR26												
6000	----	----	----	----/0.091A	----	0.000 -	0.001 ----	----	----	----	----	0 - 1
6300	----	----	----	----/0.097A	----	0.000 -	0.003 ----	----	----	----	----	0 - 1
6500	----	----	----	0.001B/*0.096A	----	0.000 -	0.005 ----	----	----	----	----	0 - 1
6500	----	----	----/*0.269A	0.265B/*0.269A	----	0.161 -	0.121 .0408	----	----	----	----	1 UNCH
6600	----	----	----	0.001B/*0.098A	----	0.000 -	0.007 ----	----	----	----	----	0 - 1
6625	----	----	----	0.001B/*0.097A	----	0.000 -	0.008 ----	----	----	----	----	0 - 6
6700	----	----	----	0.001B/*0.099A	----	0.000 -	0.010 ----	----	----	----	----	0 - 1
6750	----	----	----	0.001B/*0.060A	----	0.000 -	0.013 ----	----	----	----	----	0 - 1
6800	----	----	----	0.001B/0.098A	----	0.000 -	0.016 ----	----	----	----	----	0 - 10
6900	----	----	----	0.002B/*0.044A	----	0.000 -	0.025 ----	----	----	----	----	0 - 2
6975	----	----	----	0.002B/*0.098A	----	0.000 -	0.036 ----	----	----	----	----	0 - 11
7000	0.001	0.001	0.001/*0.001	0.003B/*0.001	----	0.000 -	0.041 ----	----	----	2	----	0 - 12
7000	----	----	1.018B/----	1.018B/*0.701A	----	0.534 -	0.164 .1442	----	----	----	----	1 UNCH
7050	----	----	----	----	----	5.165 -	0.867 ----	----	----	----	----	0 - 1
7100	----	----	----	0.052B/*0.101A	----	0.000 -	0.070 ----	----	----	----	----	0 - 1
7150	----	----	0.151B/----	0.151B/*0.106A	----	0.000	NEW ----	----	----	2	----	0 UNCH
7175	----	----	0.212B/*0.103A	0.212B/*0.103A	----	0.000 -	0.105 ----	----	----	----	----	0 - 2
7200	0.800	0.800	0.800/*0.021	0.800/*0.021	----	0.000 -	0.121 ----	----	----	6	----	0 - 1
7200	1.375	1.375	1.697B/*1.089A	1.697B/*1.089A	----	0.899	NEW .2350	----	----	1	----	1 + 1
7200	----	----	----/3.990A	0.164B/3.990A	----	3.665 -	0.935 ----	----	----	1	----	0 - 1
7205	----	----	0.294B/*0.098A	0.294B/*0.098A	----	0.000 -	0.125 ----	----	----	----	----	0 - 1
7250	0.160	0.160	0.436B/*0.094A	0.436B/*0.094A	----	0.000 -	0.160 ----	----	----	9	----	0 - 2
7260	1.400	1.400	1.400/*1.400	1.400/*1.400	----	3.065	NEW ----	----	----	1	----	0 UNCH
7300	----	----	----/1.955A	0.552B/1.955A	----	2.665 -	1.026 ----	----	----	----	----	0 - 4
7300	----	----	----/3.340A	2.520B/3.340A	----	3.824 -	0.961 .7059	----	----	----	----	2 UNCH
7300	0.325	0.325	0.568B/*0.107A	0.568B/*0.107A	----	0.000 -	0.212 ----	----	----	2	----	0 - 18
7305	----	----	----/*3.309A	2.523B/3.309A	----	3.789	NEW .7027	----	----	1	----	1 + 1
7350	1.200	1.200	1.200/*0.020	1.200/*0.020	----	0.000	NEW ----	----	----	13	----	0 UNCH
7355	0.963	0.963	0.963/*0.963	0.963/*0.963	----	2.115	NEW ----	----	----	1	----	0 UNCH
7360	0.930	0.930	0.975B/*0.930	0.975B/*0.930	----	2.065	NEW ----	----	----	1	----	0 UNCH
7400	0.800	0.800	0.919/*0.049	0.919/*0.049	----	0.000 -	0.361 ----	----	----	25	----	0 - 2
7400	1.400	1.400	1.800/*0.200	1.800/*0.200	----	1.665 -	1.175 ----	----	----	29	----	0 - 1
7415	0.218	0.218	0.218/*0.218	0.606B/*0.218	----	1.515	NEW ----	----	----	1	----	0 UNCH
7430	0.900	0.900	0.900/*0.272A	0.900/*0.272A	----	1.365	NEW ----	----	----	2	----	0 UNCH
7440	0.710	0.710	0.781B/*0.169A	0.781B/*0.169A	----	0.000	NEW ----	----	----	2	----	0 UNCH
7450	0.900	0.900	0.900/*0.199A	0.900/*0.199A	----	1.165	NEW ----	----	----	7	----	0 UNCH
7450	----	----	0.625B/*0.261A	0.625B/*0.261A	----	0.000 -	0.464 ----	----	----	----	----	0 - 6
7480	0.590	0.590	0.590/*0.138A	0.590/*0.138A	----	0.865	NEW ----	----	----	1	----	0 UNCH
7500	----	----	----/1.939A	2.074B/1.939A	----	2.545 -	0.899 .5648	----	----	----	----	2 UNCH
7500	0.755	0.755	0.755/*0.050	0.755/*0.050	----	0.665 -	1.407 ----	----	----	20	----	0 - 4
7500	----	----	0.808B/*0.010A	0.808B/*0.010A	----	0.000 -	0.592 ----	----	----	1	----	0 - 41
7525	0.640	0.640	0.640/*0.082A	0.641B/*0.082A	----	0.415	NEW ----	----	----	18	----	0 UNCH
7540	0.580	0.580	0.580/*0.112A	0.580/*0.112A	----	0.265	NEW ----	----	----	1	----	0 UNCH
7545	0.036	0.036	0.761B/*0.036	0.761B/*0.036	----	0.000	NEW ----	----	----	2	----	0 UNCH
7590	0.200	0.200	0.200/*0.050	0.200/*0.050	----	0.000	NEW ----	----	----	2	----	0 UNCH
7600	----	----	----	0.036B/1.422A	----	0.335 -	0.600 ----	----	----	----	----	0 - 4
7600	0.455	0.455	0.455/*0.005	0.455/*0.005	----	0.000 -	1.415 ----	----	----	7	----	0 - 6
7625	----	----	----	----	----	0.585 -	0.456 ----	----	----	----	----	0 - 1
7650	----	----	----	1.015B/----	----	0.835 -	0.322 ----	----	----	----	----	0 - 2
7650	0.100	0.100	0.100/*0.100	0.100/*0.100	----	0.000 -	1.137 ----	----	----	2	----	0 - 2
7700	0.060	0.060	0.060/*0.060	0.060/*0.060	----	0.000 -	0.894 ----	----	----	1	----	0 - 1
7700	2.200	2.200	#3.000B/2.200	3.000B/2.200	----	1.335 -	0.079 ----	----	----	1	----	0 - 2
7725	----	----	----/*0.101A	0.009B/*0.101A	----	0.000 -	0.787 ----	----	----	----	----	0 - 1
7750	----	----	----/*0.099A	0.009B/*0.099A	----	0.000 -	0.688 ----	----	----	----	----	0 - 21
7800	----	----	----/*0.104A	0.003B/*0.104A	----	0.000 -	0.518 ----	----	----	----	----	0 - 30
7825	----	----	----/*0.106A	0.002B/*0.106A	----	0.000 -	0.446 ----	----	----	----	----	0 - 1
7875	----	----	----/*0.109A	0.001B/*0.109A	----	0.000 -	0.325 ----	----	----	----	----	0 - 1
8000	----	----	----/*0.108A	----/*0.108A	----	0.000 -	0.136 ----	----	----	----	----	0 - 5
8025	----	----	----/*0.102A	----/*0.102A	----	0.000 -	0.116 ----	----	----	----	----	0 - 1
8100	----	----	----	----/*0.098A	----	0.000 -	0.071 ----	----	----	----	----	0 UNCH
8300	----	----	----	----/0.096A	----	0.000 -	0.020 ----	----	----	----	----	0 - 2
8500	----	----	----	----/*0.099A	----	0.000 -	0.006 ----	----	----	1	----	0 - 2
TOTAL										163	0	8 - 212
MAY26												
6600	----	----	1.100B/----	1.100B/*0.999A	----	0.902 -	0.056 .1413	----	----	----	----	1 UNCH
7625	----	----	4.818B/----	4.818B/4.915A	----	4.612 +	0.144 .4714	----	----	----	----	1 UNCH
8000	2.700	2.700	#2.829B/*2.651A	2.829B/*2.651A	----	3.002	NEW .3987	----	----	20	----	20 + 20
TOTAL										20	0	22 + 20
SO CALL		COMEX SILVER OPTIONS										
MAY26												
3750	----	----	----/36.503A	38.202B/36.503A	----	38.166 -	0.818 .9981	----	----	----	----	0 - 1
3875	----	----	----/35.025A	37.035B/35.025A	----	36.918 -	0.820 .9974	----	----	----	----	50 UNCH
3900	----	----	----/34.990A	36.702B/34.990A	----	36.669 -	0.820 .9973	----	----	----	----	1 UNCH
4000	----	----	----/33.895A	35.783B/33.895A	----	35.672 -	0.821 .9968	----	----	----	----	53 UNCH
4100	----	----	----/32.895A	34.783B/32.895A	----	34.674 -	0.823 .9963	----	----	----	----	50 UNCH
4200	----	----	----/31.909A	33.784B/31.909A	----	33.677 -	0.823 .9959	----	----	----	----	116 UNCH
4400	----	----	----/29.944A	31.749B/29.944A	----	31.682 -	0.825 .9948	----	----	----	----	43 UNCH
4450	----	----	----/29.497A	31.204B/29.497A	----	31.184 -	0.825 .9946	----	----	----	----	2 UNCH
4500	----	----	----/28.904A	30.787B/28.904A	----	30.685 -	0.825 .9943	----	----	----	----	120 UNCH
4550	----	----	----/28.503A	30.206B/28.503A	----	30.186 -	0.825 .9941	----	----	----	----	1 UNCH
4600	----	----	----/27.966A	29.751B/27.966A	----	29.687 -	0.825 .9939	----	----	----	----	43 UNCH
4650	----	----	----/27.413A	29.289B/27.413A	----	29.188 -	0.825 .9936	----	----	----	----	77 UNCH
4675	----	----	----/27.260A	28.957B/27.260A	----	28.939 -	0.824 .9936	----	----	----	----	15 UNCH
4700	----	----	----/27.131A	28.707B/27.131A	----	28.689 -	0.825 .9934	----	----	----	----	2 UNCH
4725	----	----	----/26.883A	28.471B/26.883A	----	28.440 -	0.824 .9933	----	----	----	----	2 UNCH
4750	----	----	----/26.635A	28.208B/26.635A	----	28.191 -	0.824 .9931	----	----	----	----	7 UNCH
4800	----	----	----/26.139A	27.710B/26.139A	----	27.692 -	0.824 .9929	----	----	----	----	7 UNCH
4825	----	----	----/25.891A	27.460B/25.891A	----	27.443 -	0.824 .9927	----	----	----	----	22 UNCH
4850	----	----	----/25.643A	27.212B/25.643A	----	27.193 -	0.824 .9925	----	----	----	----	10 UNCH
4900	----	----	----/25.148A	26.713B/25.148A	----	26.695 -	0.824 .9922	----	----	----	----	14 UNCH
4925	----	----	----/24.900A	26.464B/24.900A	----	26.447 -	0.823 .9918	----	----	----	----	12 UNCH
4950	----	----	----/24.653A	26.229B/24.653A	----	26.198 -	0.823 .9916	----	----	----	----	4 UNCH
5000	----	----	----/23.944A	25.803B/23.944A	----	25.701 -	0.824 .9911	----	----	----	----	99 UNCH
5025	----	----	----/23.911A	25.483B/23.911A	----	25.452 -	0.824 .9908	----	----	----	----	3 UNCH
5050	----	----	----/23.664A	25.220B/23.664A	----	25.204 -	0.824 .9905	----	----	----	----	6 UNCH
5075	----	----	----/23.418A	24.971B/23.418A	----	24.956 -	0.825 .9901	----	----	----	----	6 UNCH
5100	----	----	----/23.171A	24.722B/23.171A	----	24.707 -	0.826 .9899	----	----	----	----	9 UNCH
5125	----	----	----/22.925A	24.488B/22.925A	----	24.459 -	0.827 .9895	----	----	----	----	1 UNCH
5150	----	----	----/22.562A	24.225B/22.562A	----	24.211 -	0.828 .9891	----	----	----	----	15 UNCH
5200	----	----	----/22.071A	23.728B/22.071A	----	23.716 -	0.829 .9883	----	----	----	----	11 UNCH
5225	----	----	----/21.825A	23.494B/21.825A	----	23.468 -	0.831 .9878	----	----	----	----	1 UNCH
5250	----	----	----/21.580A	23.231B/21.580A	----	23.221 -	0.832 .9872	----	----	----	----	21 UNCH
5275	----	----	----/21.335A	22.983B/21.335A	----	22.974 -	0.833 .9867	----	----	----	----	6 UNCH
5300	----	----	----/20.963A	22.822B/20.963A	----	22.727 -	0.834 .9861	----	----	----	----	126 UNCH
5325	----	----	----/20.802A	22.533B/20.802A	----	22.480 -	0.836 .9856	----	----	----	----	29 UNCH
5350	----	----	----/20.556A	22.285B/20.556A	----	22.233 -	0.838 .9850	----	----	----	----	25 UNCH
5400	----	----	----/19.982A	21.830B/19.982A	----	21.740 -	0.841 .9839	----	----	----	----	146 UNCH
5425	----	----	----/19.876A	21.494B/19.876A	----	21.493 -	0.843 .9833	----	----	----	----	12 UNCH
5450	----	----	----/19.491A	21.335B/19.491A	----	21.246 -	0.846 .9825	----	----	----	----	50 UNCH
5475	----	----	----/19.386A	20.995B/19.386A	----	21.000 -	0.847 .9819	----	----	----	----	2 UNCH
5500	----	----	----/19.001A	20.840B/19.001A	----	20.753 -	0.850 .9813	----	----	----	----	185 UNCH
5525	----	----	----/18.824A	20.526B/18.824A	----	20.507 -	0.852 .9805	----	----	----	----	35 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

SO CALL — COMEX SILVER OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
5550	----	----	----/18.653A	20.259B/18.653A	----	20.260 - 0.854	.9799	----	----	----	----	8 UNCH
5600	----	----	----/18.026A	19.854B/18.026A	----	19.768 - 0.858	.9784	----	----	----	----	110 UNCH
5625	----	----	----/17.921A	19.533B/17.921A	----	19.522 - 0.860	.9776	----	----	----	----	8 UNCH
5650	----	----	----/17.688A	19.285B/17.688A	----	19.276 - 0.863	.9768	----	----	----	----	31 UNCH
5675	----	----	----/17.435A	19.039B/17.435A	----	19.030 - 0.865	.9759	----	----	----	----	6 UNCH
5700	----	----	----/17.177A	18.793B/17.177A	----	18.784 - 0.868	.9751	----	----	----	----	9 UNCH
5750	----	----	----/16.695A	18.304B/16.695A	----	18.293 - 0.872	.9732	----	----	----	----	16 UNCH
5775	----	----	----/16.454A	18.055B/16.454A	----	18.048 - 0.874	.9723	----	----	----	----	1 UNCH
5800	----	----	----/16.334A	17.810B/16.334A	----	17.803 - 0.876	.9712	----	----	----	----	1 UNCH
5825	----	----	----/16.084A	17.560B/16.084A	----	17.558 - 0.878	.9701	----	----	----	----	11 UNCH
5850	----	----	----/15.855A	17.322B/15.855A	----	17.314 - 0.880	.9689	----	----	----	----	2 UNCH
5900	----	----	----/15.155A	16.911B/15.155A	----	16.825 - 0.884	.9665	----	----	----	----	124 UNCH
5925	----	----	----/15.135A	16.539B/15.135A	----	16.582 - 0.886	.9651	----	----	----	----	1 UNCH
5950	----	----	----/14.880A	16.327B/14.880A	----	16.339 - 0.887	.9638	----	----	----	----	16 UNCH
6000	----	----	----/14.203A	15.944B/14.203A	----	15.854 - 0.890	.9607	----	----	----	----	247 UNCH
6050	----	----	----/13.947A	15.322B/13.947A	----	15.371 - 0.892	.9572	----	----	----	----	2 UNCH
6075	----	----	----/13.497A	15.218B/13.497A	----	15.130 - 0.894	.9553	----	----	----	----	122 UNCH
6100	----	----	----/13.457A	14.882B/13.457A	----	14.890 - 0.894	.9535	----	----	----	----	9 UNCH
6125	----	----	----/13.243A	14.598B/13.243A	----	14.650 - 0.895	.9513	----	----	----	----	1 UNCH
6150	----	----	----/13.009A	14.359B/13.009A	----	14.411 - 0.896	.9492	----	----	----	----	3 UNCH
6175	----	----	----/12.776A	14.120B/12.776A	----	14.173 - 0.896	.9468	----	----	----	----	1 UNCH
6200	----	----	----/12.334A	14.019B/12.334A	----	13.935 - 0.897	.9444	----	----	----	----	59 UNCH
6225	----	----	----/12.104A	13.781B/12.104A	----	13.698 - 0.897	.9420	----	----	----	----	69 UNCH
6250	----	----	----/12.083A	13.406B/12.083A	----	13.461 - 0.897	.9394	----	----	----	----	3 UNCH
6275	----	----	----/11.855A	13.167B/11.855A	----	13.225 - 0.898	.9366	----	----	----	----	4 UNCH
6300	----	----	----/11.588A	12.979B/11.588A	----	12.989 - 0.899	.9338	----	----	----	----	24 UNCH
6325	----	----	----/11.400A	12.696B/11.400A	----	12.755 - 0.898	.9308	----	----	----	----	3 UNCH
6350	----	----	----/11.129A	12.506B/11.129A	----	12.520 - 0.899	.9276	----	----	----	----	7 UNCH
6375	----	----	----/10.848A	12.309B/10.848A	----	12.287 - 0.900	.9244	----	----	----	----	48 UNCH
6400	----	----	----/10.522A	12.103B/10.522A	----	12.054 - 0.900	.9210	----	----	----	----	62 UNCH
6425	----	----	----/10.445A	11.803B/10.445A	----	11.822 - 0.901	.9176	----	----	----	----	6 UNCH
6450	----	----	----/10.278A	11.526B/10.278A	----	11.590 - 0.902	.9139	----	----	----	----	4 UNCH
6475	----	----	----/9.995A	11.339B/9.995A	----	11.360 - 0.903	.9101	----	----	----	----	6 UNCH
6500	----	----	----/9.638A	11.176B/9.638A	----	11.130 - 0.904	.9061	----	----	----	----	174 UNCH
6525	----	----	----/9.486A	10.920B/9.486A	----	10.901 - 0.905	.9020	----	----	----	----	28 UNCH
6550	----	----	----/9.329A	10.649B/9.329A	----	10.673 - 0.907	.8977	----	----	----	----	8 UNCH
6575	----	----	----/9.105A	10.380B/9.105A	----	10.446 - 0.908	.8932	----	----	----	----	3 UNCH
6600	----	----	----/8.892A	10.199B/8.892A	----	10.221 - 0.909	.8885	----	----	----	----	9 UNCH
6625	----	----	----/8.688A	9.971B/8.688A	----	9.996 - 0.911	.8836	----	----	----	----	7 UNCH
6650	----	----	----/8.473A	9.744B/8.473A	----	9.773 - 0.912	.8786	----	----	----	----	6 UNCH
6675	----	----	----/8.308A	9.482B/8.308A	----	9.550 - 0.914	.8732	----	----	----	----	1 UNCH
6700	----	----	----/8.008A	9.395B/8.008A	----	9.329 - 0.916	.8678	----	----	3	----	169 - 3
6750	----	----	----/7.632A	8.865B/7.632A	----	8.892 - 0.919	.8561	----	----	----	----	10 UNCH
6800	----	----	----/7.200A	8.508B/7.200A	----	8.460 - 0.924	.8434	----	----	----	----	56 UNCH
6825	----	----	----/7.004A	8.297B/7.004A	----	8.247 - 0.925	.8367	----	----	----	----	107 UNCH
6850	----	----	----/6.907A	7.974B/6.907A	----	8.035 - 0.928	.8297	----	----	----	----	1 UNCH
6875	----	----	----/6.718A	7.767B/6.718A	----	7.826 - 0.929	.8225	----	----	----	----	1 UNCH
6900	----	----	----/6.410A	7.673B/6.410A	----	7.618 - 0.931	.8150	----	----	----	----	195 UNCH
6925	----	----	----/6.242A	7.415B/6.242A	----	7.412 - 0.933	.8072	----	----	----	----	12 UNCH
6950	----	----	----/6.206A	7.156B/6.206A	----	7.209 - 0.934	.7991	----	----	----	----	5 UNCH
7000	----	----	----/5.679A	6.902B/5.679A	----	6.809 - 0.935	.7821	----	----	1	----	461 + 1
7025	----	----	----/5.493A	6.635B/5.493A	----	6.612 - 0.936	.7731	----	----	----	----	11 UNCH
7050	----	----	----/5.315A	6.465B/5.315A	----	6.418 - 0.936	.7639	----	----	----	----	26 UNCH
7075	----	----	----/5.142A	6.261B/5.142A	----	6.227 - 0.935	.7544	----	----	----	----	7 UNCH
7100	----	----	----/4.969A	6.144B/4.969A	----	6.038 - 0.934	.7445	----	----	----	----	64 UNCH
7125	----	----	----/4.956A	5.817B/4.956A	----	5.852 - 0.932	.7344	----	----	----	----	4 UNCH
7150	----	----	----/4.719A	5.637B/4.719A	----	5.670 - 0.929	.7240	----	----	----	----	2 UNCH
7175	----	----	----/4.476A	5.544B/4.476A	----	5.490 - 0.926	.7134	----	----	----	----	13 UNCH
7200	----	----	----/4.317A	5.419B/4.317A	----	5.313 - 0.922	.7025	----	----	----	----	52 UNCH
7225	----	----	----/4.156A	5.210B/4.156A	----	5.139 - 0.918	.6912	----	----	----	----	8 UNCH
7250	----	----	----/4.000A	5.082B/4.000A	----	4.969 - 0.913	.6798	----	----	----	----	62 UNCH
7275	----	----	----/3.876A	4.774B/3.876A	----	4.802 - 0.906	.6682	----	----	----	----	3 UNCH
7300	----	----	----/3.663A	4.742B/3.663A	----	4.638 - 0.900	.6563	----	----	----	----	141 UNCH
7325	----	----	----/3.553A	4.463B/3.553A	----	4.478 - 0.892	.6441	----	----	----	----	2 UNCH
7350	3.804	3.804	4.413B/3.403A	4.413B/3.403A	----	4.321 - 0.884	.6318	----	----	9	----	51 + 4
7375	----	----	----/3.262A	4.273B/3.262A	----	4.168 - 0.875	.6194	----	----	----	----	86 UNCH
7400	3.950	3.950	3.950/3.144A	4.136B/3.144A	----	4.018 - 0.866	.6067	----	----	1	----	32 + 1
7425	----	----	----/3.029A	3.993B/3.029A	----	3.872 - 0.856	.5939	----	----	----	----	7 UNCH
7450	----	----	----/2.913A	3.846B/2.913A	----	3.730 - 0.844	.5810	----	----	----	----	14 UNCH
7475	----	----	----/2.790A	3.702B/2.790A	----	3.591 - 0.833	.5680	----	----	----	----	6 UNCH
7500	3.500	3.500	3.600/2.656A	3.600/2.656A	----	3.456 - 0.820	.5549	----	----	18	----	437 - 6
7525	----	----	----/2.566A	3.494B/2.566A	----	3.325 - 0.807	.5417	----	----	----	----	16 UNCH
7530	----	----	----/2.544A	3.498B/2.544A	----	3.299 - 0.804	.5391	----	----	----	----	5 UNCH
7535	3.109	3.109	3.468B/2.524A	3.468B/2.524A	----	3.273 - 0.802	.5365	----	----	1	----	2 + 1
7540	----	----	----/2.503A	3.441B/2.503A	----	3.248 - 0.799	.5338	----	----	----	----	1 UNCH
7545	----	----	----/2.478A	3.415B/2.478A	----	3.222 - 0.797	.5312	----	----	----	----	2 UNCH
7550	2.600	2.600	3.400/2.459A	3.400/2.459A	----	3.197 - 0.794	.5285	----	----	6	----	14 + 3
7555	----	----	----/2.442A	3.363B/2.442A	----	3.172 - 0.791	.5259	----	----	----	----	2 UNCH
7570	----	----	----/2.373A	3.284B/2.373A	----	3.098 - 0.782	.5180	----	----	----	----	3 UNCH
7575	2.918	2.918	3.259B/2.358A	3.259B/2.358A	----	3.073 - 0.780	.5153	----	----	3	----	10 + 1
7585	----	----	----/2.317A	3.206B/2.317A	----	3.025 - 0.773	.5100	----	----	----	----	2 UNCH
7590	----	----	----/2.296A	3.184B/2.296A	----	3.001 - 0.770	.5074	----	----	----	----	1 UNCH
7595	----	----	----/2.278A	3.158B/2.278A	----	2.977 - 0.767	.5048	----	----	----	----	2 UNCH
7600	2.784	2.784	3.151B/2.238A	3.151B/2.238A	----	2.953 - 0.765	.5021	----	----	16	----	110 UNCH
7605	----	----	----/2.237A	3.108B/2.237A	----	2.929 - 0.762	.4995	----	----	----	----	2 UNCH
7615	2.741	2.741	3.060B/2.200A	3.060B/2.200A	----	2.883 - 0.755	.4942	----	----	1	----	2 UNCH
7620	----	----	----/2.181A	3.034B/2.181A	----	2.860 - 0.752	.4916	----	----	----	----	2 UNCH
7625	2.697	2.697	3.010B/2.163A	3.010B/2.163A	----	2.837 - 0.749	.4889	----	----	1	----	13 + 1
7630	----	----	----/2.141A	2.990B/2.141A	----	2.814 - 0.746	.4863	----	----	----	----	1 UNCH
7635	----	----	----/2.122A	2.963B/2.122A	----	2.791 - 0.743	.4837	----	----	----	----	3 UNCH
7640	----	----	----/2.104A	2.939B/2.104A	----	2.768 - 0.740	.4810	----	----	----	----	3 UNCH
7645	----	----	----/2.087A	2.917B/2.087A	----	2.746 - 0.737	.4784	----	----	----	----	11 UNCH
7650	2.440	2.440	2.908B/2.050	2.908B/2.050	----	2.724 - 0.733	.4758	----	----	48	----	31 - 8
7655	----	----	----/2.048A	2.868B/2.048A	----	2.702 - 0.730	.4732	----	----	----	----	5 UNCH
7660	----	----	----/2.030A	2.847B/2.030A	----	2.680 - 0.727	.4705	----	----	----	----	6 UNCH
7665	----	----	----/2.012A	2.823B/2.012A	----	2.658 - 0.724	.4679	----	----	----	----	13 UNCH
7675	----	----	----/1.976A	2.776B/1.976A	----	2.615 - 0.717	.4627	----	----	----	----	5 UNCH
7680	----	----	----/1.962A	2.755B/1.962A	----	2.593 - 0.715	.4601	----	----	----	----	4 UNCH
7685	----	----	----/1.941A	2.731B/1.941A	----	2.572 - 0.711	.4575	----	----	----	----	4 UNCH
7690	----	----	----/1.924A	2.709B/1.924A	----	2.551 - 0.708	.4549	----	----	----	----	3 UNCH
7695	----	----	----/1.909A	2.687B/1.909A	----	2.530 - 0.705	.4523	----	----	----	----	3 UNCH
7700	2.000	2.000	2.683B/1.875A	2.683B/1.875A	----	2.509 - 0.702	.4497	----	----	66	75	184 - 26
7705	----	----	----/1.874A	2.643B/1.874A	----	2.488 - 0.699	.4471	----	----	----	----	4 UNCH
7710	----	----	----/1.854A	2.619B/1.854A	----	2.468 - 0.695	.4445	----	----	----	----	1 UNCH
7715	----	----	----/1.837A	2.597B/1.837A	----	2.447 - 0.692	.4419	----	----	----	----	4 UNCH
7720	----	----	----/1.821A	2.580B/1.821A	----	2.427 - 0.688	.4394	----	----	----	----	1 UNCH
7725	2.103	2.103	2.557B/1.806A	2.557B/1.806A	----	2.407 - 0.685	.4368	----	----	6	----	9 + 2
7735	1.934	1.934	2.517B/1.768A	2.517B/1.768A	----	2.367 - 0.679	.4317	----	----	1	----	1 UNCH
7740	----	----	----/1.752A	2.491B/1.752A	----	2.347 - 0.676	.4291	----	----	----	----	2 UNCH
7745	1.900	1.900	2.471B/1.743A	2.471B/1.743A	----	2.327 - 0.673	.4265	----	----	1	----	1 + 1
7750	1.720	1.720	2.450B/1.720	2.450B/1.720	----	2.308 - 0.669	.4240	----	----	5	----	8 + 1
7755	1.867	1.867	2.431B/1.712A	2.431B/1.712A	----	2.289 NEW	.4215	----	----	1	----	1 + 1
7760	----	----	----/1.688A	2.411B/1.688A	----	2.269 - 0.663	.4189	----	----	----	----	2 UNCH
7765	1.834	1.834	2.388B/1.682A	2.388B/1.682A	----	2.250 NEW	.4164	----	----	1	----	1 + 1
7770	----	----	----/1.658A	2.369B/1.658A	----	2.231 - 0.656	.4139	----	----	----	----	1 UNCH
7775	----	----	----/1.651A	2.350B/1.651A	----	2.212 - 0.653	.4113	----	----	----	----	3 UNCH
7780	----	----	----/1.629A	2.326B/1.629A	----	2.194 - 0.649	.4088	----	----	----	----	1 UNCH
7785	----	----	----/1.617A	2.310B/1.617A	----	2.175 - 0.647	.4063	----	----	----	----	1 UNCH
7790	----	----	----/1.601A	2.288B/1.601A	----	2.157 - 0.643	.4038	----	----	----	----	2 UNCH
7800	2.000	2.000	2.263B/1.562A	2.263B/1.562A	----	2.120 - 0.637	.3988	----	----	14	----	90 - 3
7805	----	----	----/1.554A	2.229B/1.554A	----	2.102 - 0.634	.3964	----	----	----	----	7 UNCH
7810	----	----	----/*1.542A	2.213B/*1.542A	----	2.084 - 0.631	.3939	----	----	----	----	1 UNCH
7815	----	----	----/*1.530A	2.194B/*1.530A	----	2.066 - 0.628	.3914	----	----	----	----	3 UNCH
7825	2.240	2.240	2.240/*1.499A	2.240/*1.499A	----	2.031 - 0.621	.3865	----	----	3	----	4 - 3
7830	----	----	----/*1.486A	2.137B/*1.486A	----	2.014 - 0.618	.3841	----	----	----	----	1 UNCH
7845	1.577	1.577	2.083B/*1.451A	2.083B/*1.451A	----	1.962 - 0.609	.3767	----	----	1	----	3 UNCH
7850	1.900	1.900	2.075B/*1.438A	2.075B/*1.438A	----	1.945 - 0.606	.3743	----	----	1	----	34 - 1
7855	----	----	----/*1.424A	2.046B/*1.424A	----	1.929 - 0.602	.3719	----	----	----	----	8 UNCH
7860	----	----	----/*1.413A	2.027B/*1.413A	----	1.912 - 0.599	.3695	----	----	----	----	4 UNCH
7865	----	----	----/*1.398A	2.010B/*1.398A	----	1.895 - 0.597	.3671	----	----	----	----	1 UNCH
7870	----	----	----/*1.385A	1.990B/*1.385A	----	1.879 - 0.593	.3647	----	----	----	----	1 UNCH
7875	----	----	----/*1.374A	1.986B/*1.374A	----	1.863 - 0.590	.3624	----	----	----	----	43 UNCH
7885	----	----	----/*1.349A	1.940B/*1.349A	----	1.830 - 0.584	.3576	----	----	----	----	1 UNCH
7890	----	----	----/*1.337A	1.924B/*1.337A	----	1.814 - 0.581	.3552	----	----	----	----	1 UNCH
7895	----	----	----/*1.323A	1.907B/*1.323A	----	1.799 - 0.578	.3529	----	----	----	----	1 UNCH
7900	----	----	----/*1.311A	1.900B/*1.311A	----	1.783 - 0.575	.3505	----	----	----	----	38 UNCH
7905	----	----	----/*1.302A	1.872B/*1.302A	----	1.767 - 0.572	.3482	----	----	----	----	4 UNCH
7910	----	----	----/*1.288A	1.857B/*1.288A	----	1.752 - 0.569	.3459	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
7915	----	----	----/*1.276A	1.839B/*1.276A	----	1.736 - 0.567	.3435	----	----	----	----	2 UNCH
7920	----	----	----/*1.264A	1.823B/*1.264A	----	1.721 - 0.563	.3412	----	----	----	----	1 UNCH
7925	----	----	----/*1.252A	1.810B/*1.252A	----	1.706 - 0.560	.3389	----	----	----	----	6 UNCH
7930	----	----	----/*1.245A	1.792B/*1.245A	----	1.691 - 0.557	.3366	----	----	----	----	2 UNCH
7935	----	----	----/*1.231A	1.776B/*1.231A	----	1.676 - 0.555	.3344	----	----	----	----	1 UNCH
7940	----	----	----/*1.221A	1.757B/*1.221A	----	1.661 - 0.552	.3321	----	----	----	----	3 UNCH
7945	----	----	----/*1.208A	1.743B/*1.208A	----	1.647 - 0.548	.3298	----	----	----	----	2 UNCH
7950	1.370	1.370	1.727B/*1.195A	1.727B/*1.195A	----	1.632 - 0.546	.3276	----	----	7	----	26 + 4
7955	----	----	----/*1.185A	1.714B/*1.185A	----	1.618 - 0.543	.3253	----	----	----	----	1 UNCH
7960	1.250	1.250	1.700B/*1.174A	1.700B/*1.174A	----	1.604 - 0.540	.3231	----	----	16	----	17 + 15
7965	----	----	----/*1.163A	1.685B/*1.163A	----	1.589 - 0.538	.3208	----	----	----	----	2 UNCH
7970	----	----	----/*1.154A	1.667B/*1.154A	----	1.575 - 0.535	.3186	----	----	----	----	14 UNCH
7975	----	----	----/*1.143A	1.653B/*1.143A	----	1.561 - 0.532	.3164	----	----	----	----	17 UNCH
7980	----	----	----/*1.132A	1.638B/*1.132A	----	1.547 - 0.529	.3142	----	----	----	----	10 UNCH
7985	----	----	----/*1.120A	1.622B/*1.120A	----	1.534 - 0.526	.3121	----	----	----	----	10 UNCH
7990	----	----	----/*1.115A	1.609B/*1.115A	----	1.520 - 0.523	.3099	----	----	----	----	8 UNCH
7995	----	----	----/*1.099A	1.593B/*1.099A	----	1.506 - 0.521	.3077	----	----	----	----	21 UNCH
8000	1.200	1.200	1.675/1.050	1.675/1.050	----	1.493 - 0.518	.3055	----	----	63	----	1309 - 2
8005	----	----	----/*1.078A	1.573B/*1.078A	----	1.480 - 0.515	.3034	----	----	----	----	25 UNCH
8010	----	----	----/*1.071A	1.559B/*1.071A	----	1.467 - 0.512	.3013	----	----	----	----	34 UNCH
8015	----	----	----/*1.059A	1.537B/*1.059A	----	1.453 - 0.510	.2991	----	----	----	----	24 UNCH
8020	----	----	----/*1.051A	1.522B/*1.051A	----	1.440 - 0.507	.2969	----	----	----	----	14 UNCH
8025	1.240	1.240	1.510/*1.043A	1.510/*1.043A	----	1.428 - 0.504	.2949	----	----	4	----	13 UNCH
8030	----	----	----/*1.030A	1.495B/*1.030A	----	1.415 - 0.501	.2928	----	----	----	----	4 UNCH
8035	----	----	----/*1.022A	1.482B/*1.022A	----	1.402 - 0.499	.2907	----	----	----	----	2 UNCH
8040	----	----	----/*1.011A	1.467B/*1.011A	----	1.390 - 0.496	.2886	----	----	----	----	2 UNCH
8045	----	----	----/*1.002A	1.454B/*1.002A	----	1.377 - 0.493	.2865	----	----	----	----	1 UNCH
8050	----	----	----/*0.994A	1.442B/*0.994A	----	1.365 - 0.490	.2845	----	----	----	----	8 UNCH
8055	----	----	----/*0.987A	1.428B/*0.987A	----	1.352 - 0.489	.2824	----	----	----	----	1 UNCH
8060	----	----	----/*0.979A	1.415B/*0.979A	----	1.340 - 0.486	.2803	----	----	----	----	1 UNCH
8065	----	----	----/*0.969A	1.402B/*0.969A	----	1.328 - 0.483	.2783	----	----	----	----	5 UNCH
8070	----	----	----/*0.956A	1.389B/*0.956A	----	1.316 - 0.481	.2763	----	----	----	----	2 UNCH
8075	----	----	----/*0.948A	1.377B/*0.948A	----	1.304 - 0.478	.2742	----	----	----	----	7 UNCH
8080	----	----	----/*0.941A	1.366B/*0.941A	----	1.293 - 0.475	.2723	----	----	----	----	2 UNCH
8085	----	----	----/*0.932A	1.352B/*0.932A	----	1.281 - 0.473	.2703	----	----	----	----	1 UNCH
8090	----	----	----/*0.922A	1.340B/*0.922A	----	1.270 - 0.469	.2684	----	----	----	----	21 UNCH
8095	----	----	----/*0.917A	1.329B/*0.917A	----	1.258 - 0.467	.2663	----	----	----	----	13 UNCH
8100	0.902	0.902	1.330B/*0.902	1.330B/*0.902	----	1.247 - 0.465	.2644	----	----	8	----	245 + 6
8105	----	----	----/*0.897A	1.304B/*0.897A	----	1.235 - 0.463	.2624	----	----	----	----	1 UNCH
8110	----	----	----/*0.889A	1.293B/*0.889A	----	1.224 - 0.460	.2605	----	----	----	----	4 UNCH
8115	----	----	----/*0.881A	1.281B/*0.881A	----	1.213 - 0.458	.2585	----	----	----	----	3 UNCH
8125	----	----	----/*0.865A	1.258B/*0.865A	----	1.191 - 0.453	.2547	----	----	----	----	3 UNCH
8150	----	----	----/*0.827A	1.203B/*0.827A	----	1.139 - 0.439	.2454	----	----	----	----	13 UNCH
8175	----	----	----/*0.791A	1.149B/*0.791A	----	1.088 - 0.428	.2363	----	----	----	----	12 UNCH
8195	----	----	----/*0.766A	1.108B/*0.766A	----	1.049 - 0.418	.2292	----	----	----	----	1 UNCH
8200	0.774	0.774	1.109B/*0.757A	1.109B/*0.757A	----	1.040 - 0.416	.2275	----	----	30	----	136 - 6
8205	----	----	----/*0.750A	1.087B/*0.750A	----	1.030 - 0.414	.2257	----	----	1	----	0 - 1
8210	----	----	----/*0.744A	1.078B/*0.744A	----	1.021 - 0.411	.2240	----	----	1	----	4 UNCH
8215	----	----	----/*0.736A	1.068B/*0.736A	----	1.012 - 0.409	.2223	----	----	----	----	1 UNCH
8225	----	----	----/*0.723A	1.049B/*0.723A	----	0.993 - 0.405	.2188	----	----	----	----	2 UNCH
8235	----	----	----/*0.715A	1.030B/*0.715A	----	0.976 - 0.399	.2156	----	----	----	----	1 UNCH
8240	----	----	----/*0.706A	1.021B/*0.706A	----	0.967 - 0.397	.2139	----	----	----	----	1 UNCH
8250	0.755	0.755	1.014B/*0.692A	1.014B/*0.692A	----	0.949 - 0.393	.2105	----	----	23	----	142 + 12
8255	----	----	----/*0.688A	0.993B/*0.688A	----	0.941 - 0.390	.2090	----	----	----	----	3 UNCH
8265	----	----	----/*0.674A	0.974B/*0.674A	----	0.924 - 0.386	.2058	----	----	----	----	2 UNCH
8270	----	----	----/*0.669A	0.967B/*0.669A	----	0.916 - 0.383	.2042	----	----	----	----	3 UNCH
8275	----	----	----/*0.663A	0.958B/*0.663A	----	0.907 - 0.382	.2025	----	----	----	----	6 UNCH
8280	----	----	----/*0.657A	0.949B/*0.657A	----	0.899 - 0.379	.2010	----	----	----	----	2 UNCH
8290	----	----	----/*0.645A	0.932B/*0.645A	----	0.883 - 0.375	.1979	----	----	----	----	11 UNCH
8300	----	----	----/*0.634A	0.930B/*0.634A	----	0.867 - 0.371	.1948	----	----	23	----	109 - 19
8310	0.801	0.801	0.801/*0.624A	0.897B/*0.624A	----	0.852 - 0.366	.1918	----	----	4	----	4 + 2
8325	----	----	----/*0.607A	0.874B/*0.607A	----	0.829 - 0.360	.1873	----	----	----	----	4 UNCH
8340	----	----	----/*0.592A	0.861B/*0.592A	----	0.807 - 0.353	.1830	----	----	----	----	29 UNCH
8345	----	----	----/*0.588A	0.842B/*0.588A	----	0.800 - 0.351	.1816	----	----	----	----	16 UNCH
8350	0.783	0.783	0.783/*0.583A	0.844B/*0.583A	----	0.792 - 0.349	.1800	----	----	5	----	21 - 5
8360	0.614	0.614	0.821B/*0.572A	0.821B/*0.572A	----	0.778 - 0.345	.1772	----	----	5	----	6 + 5
8365	----	----	----/*0.567A	0.813B/*0.567A	----	0.771 - 0.343	.1758	----	----	----	----	1 UNCH
8370	0.658	0.658	0.658/*0.562A	0.805B/*0.562A	----	0.765 - 0.340	.1746	----	----	4	----	5 + 4
8375	----	----	----/*0.558A	0.799B/*0.558A	----	0.758 - 0.338	.1732	----	----	----	----	7 UNCH
8400	0.623	0.623	0.623/*0.535A	0.773B/*0.535A	----	0.725 - 0.328	.1665	----	----	7	----	45 + 7
8415	----	----	----/*0.521A	0.744B/*0.521A	----	0.706 - 0.322	.1626	----	----	----	----	1 UNCH
8420	----	----	----/*0.517A	0.739B/*0.517A	----	0.699 - 0.321	.1612	----	----	----	----	3 UNCH
8425	----	----	----/*0.514A	0.731B/*0.514A	----	0.693 - 0.318	.1599	----	----	----	----	6 UNCH
8435	----	----	----/*0.505A	0.719B/*0.505A	----	0.681 - 0.314	.1574	----	----	----	----	1 UNCH
8440	----	----	----/*0.502A	0.712B/*0.502A	----	0.675 - 0.312	.1562	----	----	----	----	1 UNCH
8450	----	----	----/*0.494A	0.715B/*0.494A	----	0.663 - 0.309	.1537	----	----	3	----	157 + 3
8460	----	----	----/*0.485A	0.687B/*0.485A	----	0.652 - 0.304	.1514	----	----	----	----	1 UNCH
8475	----	----	----/*0.475A	0.669B/*0.475A	----	0.635 - 0.298	.1478	----	----	----	----	1 UNCH
8480	----	----	----/*0.470A	0.665B/*0.470A	----	0.630 - 0.296	.1467	----	----	----	----	1 UNCH
8485	----	----	----/*0.466A	0.660B/*0.466A	----	0.624 - 0.294	.1455	----	----	----	----	1 UNCH
8490	----	----	----/*0.464A	0.652B/*0.464A	----	0.619 - 0.292	.1444	----	----	----	----	2 UNCH
8500	0.700	0.700	0.706/*0.430	0.706/*0.430	----	0.608 - 0.289	.1421	----	----	52	----	778 - 8
8505	----	----	----/*0.452A	0.636B/*0.452A	----	0.603 - 0.286	.1410	----	----	----	----	4 UNCH
8510	----	----	----/*0.448A	0.631B/*0.448A	----	0.598 - 0.284	.1399	----	----	----	----	2 UNCH
8515	----	----	----/*0.445A	0.626B/*0.445A	----	0.593 - 0.282	.1388	----	----	----	----	1 UNCH
8525	----	----	----/*0.438A	0.616B/*0.438A	----	0.582 - 0.279	.1365	----	----	----	----	23 UNCH
8535	----	----	----/*0.434A	0.605B/*0.434A	----	0.573 - 0.275	.1345	----	----	----	----	1 UNCH
8540	0.586	0.586	0.586/*0.429A	0.602B/*0.429A	----	0.568 - 0.273	.1335	----	----	5	----	6 UNCH
8545	0.504	0.504	0.595B/*0.424A	0.595B/*0.424A	----	0.563 - 0.271	.1324	----	----	3	----	4 + 2
8550	----	----	----/*0.421A	0.594B/*0.421A	----	0.558 - 0.270	.1313	----	----	2	----	10 UNCH
8565	----	----	----/*0.413A	0.577B/*0.413A	----	0.544 - 0.264	.1283	----	----	----	----	10 UNCH
8570	----	----	----/*0.409A	0.571B/*0.409A	----	0.540 - 0.262	.1273	----	----	----	----	4 UNCH
8575	----	----	----/*0.406A	0.566B/*0.406A	----	0.535 - 0.260	.1263	----	----	----	----	34 UNCH
8590	----	----	----/*0.397A	0.553B/*0.397A	----	0.522 - 0.255	.1234	----	----	----	----	1 UNCH
8600	----	----	----/*0.390A	0.542B/*0.390A	----	0.513 - 0.251	.1214	----	----	----	----	247 UNCH
8605	----	----	----/*0.387A	0.541B/*0.387A	----	0.509 - 0.249	.1205	----	----	----	----	8 UNCH
8615	----	----	----/*0.381A	0.531B/*0.381A	----	0.501 - 0.245	.1187	----	----	----	----	1 UNCH
8620	----	----	----/*0.380A	0.526B/*0.380A	----	0.496 - 0.244	.1177	----	----	----	----	5 UNCH
8625	----	----	----/*0.376A	0.522B/*0.376A	----	0.492 - 0.242	.1168	----	----	----	----	2 UNCH
8630	----	----	----/*0.375A	0.515B/*0.375A	----	0.488 - 0.241	.1159	----	----	----	----	2 UNCH
8635	----	----	----/*0.375A	0.512B/*0.375A	----	0.484 - 0.239	.1150	----	----	----	----	1 UNCH
8640	----	----	----/*0.368A	0.508B/*0.368A	----	0.480 - 0.237	.1141	----	----	----	----	1 UNCH
8650	----	----	----/*0.360A	0.497B/*0.360A	----	0.473 - 0.233	.1125	----	----	----	----	11 UNCH
8660	----	----	----/*0.357A	0.490B/*0.357A	----	0.465 - 0.230	.1107	----	----	----	----	2 UNCH
8670	----	----	----/*0.353A	0.483B/*0.353A	----	0.458 - 0.226	.1091	----	----	----	----	1 UNCH
8675	----	----	----/*0.349A	0.479B/*0.349A	----	0.454 - 0.224	.1082	----	----	----	----	1 UNCH
8695	----	----	----/*0.340A	0.463B/*0.340A	----	0.440 - 0.217	.1050	----	----	----	----	2 UNCH
8700	----	----	----/*0.340A	0.458B/*0.340A	----	0.436 - 0.216	.1041	----	----	7	----	82 - 7
8705	----	----	----/*0.334A	0.456B/*0.334A	----	0.433 - 0.214	.1034	----	----	----	----	17 UNCH
8725	----	----	----/*0.325A	0.440B/*0.325A	----	0.420 - 0.207	.1004	----	----	----	----	2 UNCH
8750	0.310	0.310	0.423B/*0.310	0.423B/*0.310	----	0.404 - 0.199	.0967	----	----	20	----	67 + 5
8775	0.290	0.290	0.404B/*0.290	0.404B/*0.290	----	0.389 - 0.190	.0932	----	----	15	----	17 - 5
8800	----	----	----/*0.299A	0.389B/*0.299A	----	0.374 - 0.183	.0897	----	----	3	----	623 UNCH
8850	----	----	----/*0.321A	0.359B/*0.321A	----	0.348 - 0.167	.0835	----	----	----	----	3 UNCH
8875	----	----	----/*0.305A	0.347B/*0.305A	----	0.336 - 0.160	.0806	----	----	----	----	3 UNCH
8900	----	----	----/*0.296A	0.333B/*0.296A	----	0.324 - 0.153	.0778	----	----	1	----	101 - 1
8925	----	----	----/*0.287A	0.320B/*0.287A	----	0.313 - 0.147	.0751	----	----	----	----	4 UNCH
8950	----	----	----/*0.280A	0.306B/*0.280A	----	0.303 - 0.140	.0726	----	----	5	----	69 + 5
8975	----	----	----/*0.270A	0.298B/*0.270A	----	0.293 - 0.134	.0702	----	----	----	----	23 UNCH
9000	0.295	0.295	0.331/0.233	0.331/0.233	----	0.283 - 0.128	.0678	----	----	86	----	1303 - 1
9025	----	----	----/*0.255A	0.277B/*0.255A	----	0.274 - 0.123	.0656	----	----	----	----	23 UNCH
9050	----	----	----/*0.257A	0.263B/*0.257A	----	0.265 - 0.118	.0634	----	----	----	----	17 UNCH
9075	----	----	----/*0.248A	0.255B/*0.248A	----	0.257 - 0.113	.0614	----	----	----	----	6 UNCH
9100	0.222	0.222	0.222/*0.222	0.247B/*0.222	----	0.249 - 0.109	.0594	----	----	2	----	79 - 1
9125	----	----	----/*0.228A	0.237B/*0.228A	----	0.242 - 0.104	.0576	----	----	----	----	5 UNCH
9150	0.200	0.200	0.220B/*0.200	0.220B/*0.200	----	0.235 - 0.100	.0559	----	----	1	----	28 + 1
9175	----	----	----/*0.215A	0.197B/*0.215A	----	0.228 - 0.096	.0541	----	----	----	----	8 UNCH
9200	----	----	----/*0.206A	0.200B/*0.206A	----	0.221 - 0.094	.0524	----	----	1	----	173 UNCH
9225	----	----	----/*0.221A	0.192B/*0.221A	----	0.215 - 0.090	.0509	----	----	----	----	17 UNCH
9250	----	----	----/*0.232A	0.176B/*0.232A	----	0.208 - 0.089	.0492	----	----	----	----	37 UNCH
9275	----	----	----/*0.217A	0.178B/*0.217A	----	0.203 - 0.085	.0479	----	----	----	----	29 UNCH
9300	0.091	0.091	0.178B/*0.091	0.178B/*0.091	----	0.197 - 0.084	.0464	----	----	1	----	197 + 1
9325	----	----	----/*0.229A	0.166B/*0.229A	----	0.191 - 0.083	.0449	----	----	1	----	6 - 1
9350	----	----	----/*0.224A	0.125B/*0.224A	----	0.186 - 0.081	.0436	----	----	1	----	37 UNCH
9375	----	----	----/*0.219A	0.114B/*0.219A	----	0.181 - 0.080	.0424	----	----	----	----	13 UNCH
9400	----	----	----/*0.203A	0.150B/*0.203A	----	0.176 - 0.079	.0411	----	----	----	----	39 UNCH
9425	----	----	----/*0.212A	0.102B/*0.212A	----	0.171 - 0.079	.0399	----	----	----	----	9 UNCH
9450	----	----	----/*0.210A	0.097B/*0.210A	----	0.167 - 0.078	.0389	----	----	----	----	21 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
9475	----	----	----/*0.206A	0.094B/*0.206A	----	0.162 - 0.079	.0377	----	----	----	----	12 UNCH
9500	0.150	0.150	0.150/*0.149	0.150/*0.149	----	0.158 - 0.079	.0366	----	----	5	----	832 UNCH
9525	----	----	----/*0.199A	0.085B/*0.199A	----	0.153 - 0.080	.0355	----	----	----	----	23 UNCH
9550	----	----	----/*0.198A	0.087B/*0.198A	----	0.149 - 0.081	.0345	----	----	----	----	30 UNCH
9575	----	----	----/*0.197A	0.076B/*0.197A	----	0.145 - 0.081	.0335	----	----	----	----	4 UNCH
9600	----	----	----/*0.193A	0.083B/*0.193A	----	0.142 - 0.081	.0327	----	----	2	----	145 UNCH
9625	----	----	----/*0.192A	0.068B/*0.192A	----	0.138 - 0.082	.0317	----	----	----	----	6 UNCH
9650	----	----	----/*0.189A	0.066B/*0.189A	----	0.134 - 0.083	.0308	----	----	1	----	15 UNCH
9675	----	----	----/*0.187A	0.067B/*0.187A	----	0.131 - 0.083	.0300	----	----	----	----	13 UNCH
9700	----	----	----/*0.184A	0.071B/*0.184A	----	0.128 - 0.083	.0292	----	----	----	----	16 UNCH
9725	----	----	----/*0.181A	0.054B/*0.181A	----	0.125 - 0.083	.0285	----	----	----	----	9 UNCH
9750	----	----	----/0.181A	0.053B/0.181A	----	0.122 - 0.083	.0277	----	----	----	----	73 UNCH
9775	----	----	----/*0.176A	0.051B/*0.176A	----	0.119 - 0.082	.0270	----	----	----	----	2 UNCH
9800	----	----	----/*0.174A	0.050B/*0.174A	----	0.116 - 0.082	.0263	----	----	----	----	100 UNCH
9825	----	----	----/0.173A	0.047B/0.173A	----	0.114 - 0.080	.0257	----	----	----	----	5 UNCH
9850	----	----	----/*0.170A	0.041B/*0.170A	----	0.112 - 0.079	.0252	----	----	----	----	20 UNCH
9875	----	----	----/*0.168A	0.039B/*0.168A	----	0.109 - 0.078	.0245	----	----	----	----	11 UNCH
9900	----	----	----/*0.167A	0.041B/*0.167A	----	0.107 - 0.077	.0239	----	----	----	----	245 UNCH
9925	----	----	----/*0.166A	0.040B/*0.166A	----	0.105 - 0.075	.0234	----	----	----	----	2 UNCH
9950	----	----	----/*0.164A	0.037B/*0.164A	----	0.103 - 0.073	.0229	----	----	----	----	21 UNCH
9975	----	----	----/*0.162A	0.033B/*0.162A	----	0.101 - 0.072	.0224	----	----	----	----	2 UNCH
10000	0.123	0.123	0.123/*0.091	0.123/*0.091	----	0.099 - 0.071	.0219	----	----	5	----	1060 - 1
10025	----	----	----/*0.155A	0.033B/*0.155A	----	0.098 - 0.068	.0216	----	----	----	----	2 UNCH
10050	----	----	----/*0.154A	0.032B/*0.154A	----	0.096 - 0.067	.0211	----	----	----	----	22 UNCH
10075	----	----	----/*0.157A	0.028B/*0.157A	----	0.095 - 0.065	.0208	----	----	----	----	4 UNCH
10100	0.094	0.094	0.094/*0.094	0.095B/*0.094	----	0.093 - 0.064	.0203	----	----	1	----	70 + 1
10125	----	----	----/*0.151A	0.030B/*0.151A	----	0.092 - 0.062	.0200	----	----	----	----	1 UNCH
10175	----	----	----	0.022B/0.152A	----	0.089 - 0.059	.0192	----	----	----	----	1 UNCH
10200	----	----	----	0.025B/*0.147A	----	0.088 - 0.057	.0189	----	----	----	----	32 UNCH
10225	----	----	----	0.020B/0.150A	----	0.087 - 0.056	.0186	----	----	----	----	1 UNCH
10250	----	----	----	0.019B/0.149A	----	0.085 - 0.055	.0181	----	----	----	----	5 UNCH
10275	----	----	----	0.017B/0.148A	----	0.084 - 0.054	.0179	----	----	----	----	4 UNCH
10300	----	----	----	0.020B/0.149A	----	0.083 - 0.053	.0176	----	----	----	----	207 UNCH
10305	----	----	----	0.020B/0.148A	----	0.083 - 0.052	.0176	----	----	----	----	2 UNCH
10325	----	----	----	0.019B/0.146A	----	0.082 - 0.051	.0173	----	----	----	----	1 UNCH
10350	----	----	----	0.019B/0.147A	----	0.081 - 0.050	.0170	----	----	----	----	2 UNCH
10375	----	----	----	0.018B/0.146A	----	0.080 - 0.049	.0168	----	----	----	----	1 UNCH
10400	----	----	----	0.017B/0.144A	----	0.080 - 0.047	.0167	----	----	----	----	27 UNCH
10425	----	----	----	0.016B/0.143A	----	0.079 - 0.046	.0164	----	----	----	----	19 UNCH
10450	----	----	----	0.015B/0.142A	----	0.078 - 0.046	.0161	----	----	----	----	4 UNCH
10480	----	----	----	0.009B/0.139A	----	0.077 - 0.044	.0159	----	----	----	----	2 UNCH
10485	----	----	----	0.009B/0.139A	----	0.077 - 0.044	.0158	----	----	----	----	2 UNCH
10490	----	----	----	0.007B/0.138A	----	0.077 - 0.044	.0158	----	----	----	----	1 UNCH
10500	0.064	0.064	0.064/*0.064	0.070B/*0.064	----	0.076 - 0.044	.0156	----	----	21	----	317 - 1
10515	----	----	----	0.007B/0.138A	----	0.076 - 0.043	.0156	----	----	----	----	7 UNCH
10520	----	----	----	0.007B/0.137A	----	0.076 - 0.043	.0155	----	----	----	----	2 UNCH
10550	----	----	----	0.007B/0.137A	----	0.075 - 0.042	.0153	----	----	----	----	2 UNCH
10555	----	----	----	0.007B/0.136A	----	0.075 - 0.042	.0153	----	----	----	----	1 UNCH
10560	0.080	0.080	0.080/*0.070	0.080/*0.070	----	0.075 - 0.041	.0152	----	----	2	----	23 + 1
10570	----	----	----	0.007B/0.136A	----	0.075 - 0.041	.0152	----	----	----	----	1 UNCH
10575	----	----	----	0.007B/0.136A	----	0.074 - 0.041	.0150	----	----	----	----	1 UNCH
10580	----	----	----	0.007B/0.136A	----	0.074 - 0.041	.0150	----	----	----	----	1 UNCH
10595	----	----	----	0.007B/0.135A	----	0.074 - 0.040	.0150	----	----	----	----	2 UNCH
10600	----	----	----	0.008B/0.135A	----	0.074 - 0.040	.0149	----	----	----	----	23 UNCH
10605	----	----	----	0.007B/0.135A	----	0.074 - 0.040	.0149	----	----	----	----	5 UNCH
10610	----	----	----	0.007B/0.135A	----	0.074 - 0.039	.0149	----	----	----	----	1 UNCH
10615	----	----	----	0.007B/0.135A	----	0.073 - 0.040	.0147	----	----	----	----	1 UNCH
10625	----	----	----	0.008B/0.135A	----	0.073 - 0.039	.0147	----	----	----	----	1 UNCH
10630	----	----	----	0.007B/0.134A	----	0.073 - 0.039	.0147	----	----	----	----	1 UNCH
10650	----	----	----	0.007B/0.134A	----	0.073 - 0.038	.0146	----	----	----	----	1 UNCH
10655	----	----	----	0.007B/0.134A	----	0.072 - 0.039	.0144	----	----	----	----	1 UNCH
10670	----	----	----	0.007B/0.134A	----	0.072 - 0.038	.0144	----	----	----	----	1 UNCH
10675	----	----	----	0.007B/0.133A	----	0.072 - 0.038	.0144	----	----	----	----	3 UNCH
10680	----	----	----	0.007B/0.133A	----	0.072 - 0.037	.0144	----	----	----	----	7 UNCH
10685	----	----	----	0.007B/0.134A	----	0.072 - 0.037	.0143	----	----	----	----	1 UNCH
10690	----	----	----	0.007B/0.133A	----	0.072 - 0.037	.0143	----	----	----	----	1 UNCH
10700	----	----	----	0.007B/0.131A	----	0.071 - 0.037	.0141	----	----	----	----	119 UNCH
10720	----	----	----	0.007B/0.133A	----	0.071 - 0.036	.0141	----	----	----	----	1 UNCH
10725	----	----	----	0.007B/0.131A	----	0.071 - 0.036	.0141	----	----	----	----	3 UNCH
10750	----	----	----	0.007B/0.130A	----	0.070 - 0.036	.0138	----	----	----	----	1 UNCH
10755	----	----	----	0.007B/0.132A	----	0.070 - 0.036	.0138	----	----	----	----	1 UNCH
10760	----	----	----	0.007B/0.130A	----	0.070 - 0.035	.0138	----	----	----	----	10 UNCH
10765	----	----	----	0.007B/0.130A	----	0.070 - 0.035	.0138	----	----	----	----	10 UNCH
10770	----	----	----	0.007B/0.130A	----	0.070 - 0.035	.0138	----	----	----	----	1 UNCH
10800	----	----	----	0.013B/0.129A	----	0.070 - 0.033	.0137	----	----	----	----	21 UNCH
10825	----	----	----	0.015B/0.129A	----	0.069 - 0.033	.0135	----	----	----	----	1 UNCH
10835	----	----	----	0.007B/0.128A	----	0.069 - 0.033	.0134	----	----	----	----	1 UNCH
10850	----	----	----	0.008B/0.128A	----	0.069 - 0.032	.0134	----	----	----	----	12 UNCH
10855	----	----	----	0.007B/0.128A	----	0.069 - 0.032	.0134	----	----	----	----	3 UNCH
10875	----	----	----	0.007B/0.127A	----	0.068 - 0.032	.0132	----	----	----	----	2 UNCH
10900	----	----	----	0.007B/0.127A	----	0.068 - 0.031	.0131	----	----	----	----	40 UNCH
10925	----	----	----	0.007B/0.127A	----	0.067 - 0.031	.0129	----	----	----	----	5 UNCH
10950	----	----	----	0.007B/0.126A	----	0.067 - 0.030	.0128	----	----	----	----	2 UNCH
10975	----	----	----	0.007B/0.125A	----	0.067 - 0.029	.0127	----	----	----	----	9 UNCH
11000	0.080	0.080	0.080/*0.075A	0.080/*0.075A	----	0.066 - 0.029	.0125	----	----	1	----	692 UNCH
11025	----	----	----	0.007B/0.124A	----	0.066 - 0.028	.0125	----	----	----	----	5 UNCH
11050	----	----	----	0.007B/0.124A	----	0.066 - 0.027	.0124	----	----	----	----	2 UNCH
11075	----	----	----	0.007B/0.123A	----	0.065 - 0.027	.0122	----	----	----	----	1 UNCH
11100	----	----	----	0.007B/0.123A	----	0.065 - 0.026	.0121	----	----	----	----	59 UNCH
11125	----	----	----	0.007B/0.123A	----	0.065 - 0.026	.0121	----	----	----	----	3 UNCH
11150	----	----	----	0.013B/0.116A	----	0.064 - 0.026	.0119	----	----	----	----	2 UNCH
11200	----	----	----	0.007B/0.121A	----	0.064 - 0.024	.0118	----	----	----	----	262 UNCH
11225	----	----	----	0.007B/0.120A	----	0.063 - 0.024	.0116	----	----	----	----	40 UNCH
11240	----	----	----	0.007B/0.120A	----	0.063 - 0.024	.0115	----	----	----	----	2 UNCH
11245	----	----	----	0.006B/0.120A	----	0.063 - 0.024	.0115	----	----	----	----	2 UNCH
11250	----	----	----	0.006B/0.120A	----	0.063 - 0.023	.0115	----	----	----	----	22 UNCH
11255	----	----	----	0.006B/0.120A	----	0.063 - 0.023	.0115	----	----	----	----	1 UNCH
11260	----	----	----	0.006B/0.120A	----	0.063 - 0.023	.0115	----	----	----	----	1 UNCH
11265	----	----	----	0.006B/0.120A	----	0.063 - 0.023	.0115	----	----	----	----	1 UNCH
11275	----	----	----	0.006B/0.121A	----	0.063 - 0.023	.0115	----	----	----	----	1 UNCH
11290	----	----	----	0.006B/0.119A	----	0.062 - 0.023	.0113	----	----	----	----	1 UNCH
11300	----	----	----	0.007B/0.117A	----	0.062 - 0.023	.0113	----	----	----	----	93 UNCH
11305	----	----	----	0.007B/0.117A	----	0.062 - 0.023	.0113	----	----	----	----	1 UNCH
11315	----	----	----	0.005B/0.117A	----	0.062 - 0.022	.0112	----	----	----	----	1 UNCH
11325	----	----	----	0.005B/0.119A	----	0.062 - 0.022	.0112	----	----	----	----	8 UNCH
11335	----	----	----	0.005B/0.119A	----	0.062 - 0.022	.0112	----	----	----	----	2 UNCH
11345	----	----	----	0.004B/0.120A	----	0.062 - 0.022	.0112	----	----	----	----	1 UNCH
11350	----	----	----	0.004B/0.120A	----	0.062 - 0.021	.0112	----	----	----	----	4 UNCH
11365	----	----	----	0.004B/*0.119A	----	0.061 - 0.022	.0110	----	----	----	----	1 UNCH
11370	----	----	----	0.004B/*0.119A	----	0.061 - 0.022	.0110	----	----	----	----	2 UNCH
11380	----	----	----	0.004B/*0.119A	----	0.061 - 0.021	.0110	----	----	----	----	3 UNCH
11385	----	----	----	0.004B/*0.119A	----	0.061 - 0.021	.0109	----	----	----	----	1 UNCH
11400	----	----	----	0.004B/*0.118A	----	0.061 - 0.021	.0109	----	----	----	----	10 UNCH
11450	----	----	----	0.005B/*0.114A	----	0.060 - 0.020	.0107	----	----	----	----	41 UNCH
11455	----	----	----	0.005B/*0.113A	----	0.060 - 0.020	.0107	----	----	----	----	1 UNCH
11465	----	----	----	0.005B/*0.112A	----	0.060 - 0.020	.0107	----	----	----	----	1 UNCH
11475	----	----	----	0.005B/*0.112A	----	0.060 - 0.020	.0106	----	----	----	----	1 UNCH
11480	----	----	----	0.004B/*0.113A	----	0.060 - 0.020	.0106	----	----	----	----	1 UNCH
11485	----	----	----	0.004B/*0.113A	----	0.060 - 0.019	.0106	----	----	----	----	2 UNCH
11500	0.050	0.050	0.050/*0.050	0.050/*0.050	----	0.060 - 0.019	.0106	----	----	2	----	248 - 2
11505	----	----	----	0.004B/*0.108A	----	0.060 - 0.019	.0106	----	----	----	----	2 UNCH
11515	----	----	----	0.005B/*0.109A	----	0.059 - 0.020	.0104	----	----	----	----	2 UNCH
11525	----	----	----	0.003B/*0.112A	----	0.059 - 0.019	.0104	----	----	----	----	7 UNCH
11530	----	----	----	0.003B/*0.112A	----	0.059 - 0.019	.0104	----	----	----	----	10 UNCH
11540	----	----	----	0.003B/*0.112A	----	0.059 - 0.019	.0104	----	----	----	----	10 UNCH
11550	----	----	----	0.007B/*0.110A	----	0.059 - 0.019	.0104	----	----	----	----	22 UNCH
11570	----	----	----	0.002B/*0.111A	----	0.059 - 0.018	.0103	----	----	----	----	1 UNCH
11575	----	----	----	0.002B/*0.110A	----	0.059 - 0.018	.0103	----	----	----	----	1 UNCH
11595	----	----	----	0.002B/*0.110A	----	0.058 - 0.018	.0101	----	----	----	----	1 UNCH
11600	----	----	----	0.002B/*0.110A	----	0.058 - 0.018	.0101	----	----	----	----	43 UNCH
11615	----	----	----	0.002B/*0.110A	----	0.058 - 0.018	.0101	----	----	----	----	1 UNCH
11625	----	----	----	0.002B/*0.108A	----	0.058 - 0.018	.0101	----	----	----	----	2 UNCH
11630	----	----	----	0.002B/*0.108A	----	0.058 - 0.017	.0101	----	----	----	----	1 UNCH
11640	----	----	----	0.002B/*0.108A	----	0.058 - 0.017	.0101	----	----	----	----	1 UNCH
11650	----	----	----	0.002B/0.108A	----	0.058 - 0.017	.0100	----	----	----	----	2 UNCH
11665	----	----	----	0.002B/*0.108A	----	0.058 - 0.016	.0100	----	----	----	----	1 UNCH
11685	----	----	----	0.002B/*0.107A	----	0.057 - 0.017	.0098	----	----	----	----	1 UNCH
11690	----	----	----	0.002B/*0.107A	----	0.057 - 0.017	.0098	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
11700	----	----	----	0.002B/0.107A	----	0.057 - 0.017	.0098	----	----	----	----	85 UNCH
11705	----	----	----	0.002B/*0.107A	----	0.057 - 0.016	.0098	----	----	----	----	1 UNCH
11725	----	----	----	0.002B/*0.106A	----	0.057 - 0.016	.0098	----	----	----	----	6 UNCH
11730	----	----	----	0.002B/*0.106A	----	0.057 - 0.016	.0098	----	----	----	----	1 UNCH
11750	----	----	----	0.002B/*0.106A	----	0.056 - 0.016	.0096	----	----	----	----	5 UNCH
11775	----	----	----	0.001B/*0.106A	----	0.056 - 0.016	.0096	----	----	----	----	2 UNCH
11800	----	----	----	0.001B/0.105A	----	0.056 - 0.015	.0095	----	----	----	----	64 UNCH
11825	----	----	----	0.001B/*0.105A	----	0.055 - 0.015	.0094	----	----	----	----	2 UNCH
11850	----	----	----	0.001B/*0.104A	----	0.055 - 0.015	.0093	----	----	----	----	3 UNCH
11900	----	----	----	0.001B/0.103A	----	0.054 - 0.015	.0091	----	----	----	----	86 UNCH
11925	----	----	----	0.001B/*0.103A	----	0.054 - 0.014	.0091	----	----	----	----	2 UNCH
11950	----	----	----	0.001B/*0.102A	----	0.054 - 0.013	.0090	----	----	----	----	5 UNCH
11975	----	----	----	0.001B/*0.102A	----	0.053 - 0.014	.0089	----	----	----	----	4 UNCH
12000	0.045	0.045	0.045/*0.045	0.045/*0.045	----	0.053 - 0.013	.0088	----	----	5	----	844 + 2
12025	----	----	----	0.001B/*0.101A	----	0.053 - 0.013	.0088	----	----	----	----	1 UNCH
12050	----	----	----	0.001B/0.101A	----	0.052 - 0.013	.0086	----	----	----	----	1 UNCH
12075	----	----	----	0.001B/*0.100A	----	0.052 - 0.013	.0086	----	----	----	----	1 UNCH
12100	----	----	----	0.001B/*0.100A	----	0.052 - 0.012	.0086	----	----	----	----	17 UNCH
12125	----	----	----	0.001B/*0.100A	----	0.051 - 0.013	.0084	----	----	----	----	1 UNCH
12150	----	----	----	0.001B/0.099A	----	0.051 - 0.012	.0084	----	----	----	----	13 UNCH
12175	----	----	----	0.001B/*0.099A	----	0.051 - 0.012	.0083	----	----	----	----	1 UNCH
12200	----	----	----	----/*0.099A	----	0.050 - 0.012	.0082	----	----	----	----	3 UNCH
12225	----	----	----	----/*0.098A	----	0.050 - 0.012	.0081	----	----	----	----	2 UNCH
12250	----	----	----	----/*0.098A	----	0.050 - 0.011	.0081	----	----	----	----	3 UNCH
12300	----	----	----	----/*0.097A	----	0.049 - 0.011	.0079	----	----	----	----	118 UNCH
12350	----	----	----	----/*0.097A	----	0.048 - 0.011	.0077	----	----	----	----	2 UNCH
12375	----	----	----	----/*0.096A	----	0.048 - 0.011	.0077	----	----	----	----	1 UNCH
12400	----	----	----	----/*0.096A	----	0.048 - 0.010	.0077	----	----	----	----	12 UNCH
12450	----	----	----	----/*0.095A	----	0.047 - 0.010	.0075	----	----	----	----	5 UNCH
12500	----	----	----	----/0.095A	----	0.046 - 0.010	.0073	----	----	----	----	331 UNCH
12525	----	----	----	----/*0.095A	----	0.046 - 0.010	.0073	----	----	----	----	2 UNCH
12550	----	----	----	----/*0.095A	----	0.046 - 0.010	.0073	----	----	----	----	3 UNCH
12600	----	----	----	----/*0.095A	----	0.045 - 0.010	.0071	----	----	----	----	30 UNCH
12650	----	----	----	----/*0.095A	----	0.045 - 0.009	.0070	----	----	----	----	3 UNCH
12675	----	----	----	----/*0.096A	----	0.044 - 0.010	.0069	----	----	----	----	3 UNCH
12700	----	----	----	----/0.096A	----	0.044 - 0.009	.0069	----	----	----	----	5 UNCH
12725	----	----	----	----/*0.097A	----	0.044 - 0.009	.0068	----	----	----	----	1 UNCH
12775	----	----	----	----/*0.095A	----	0.043 - 0.009	.0067	----	----	----	----	2 UNCH
12800	----	----	----	----/*0.096A	----	0.043 - 0.009	.0066	----	----	----	----	30 UNCH
12900	----	----	----	----/0.095A	----	0.041 - 0.010	.0063	----	----	----	----	72 UNCH
13000	0.038	0.038	0.038/*0.029	0.038/*0.029	----	0.040 - 0.009	.0061	----	----	4	----	286 UNCH
13100	----	----	----	----/0.104A	----	0.039 - 0.009	.0059	----	----	----	----	3 UNCH
13200	----	----	----	----/0.107A	----	0.038 - 0.009	.0057	----	----	----	----	44 UNCH
13300	----	----	----	----/0.108A	----	0.036 - 0.010	.0054	----	----	----	----	3 UNCH
13400	----	----	----	----/0.106A	----	0.035 - 0.011	.0052	----	----	----	----	3 UNCH
13500	----	----	----	----/0.105A	----	0.034 - 0.011	.0050	----	----	----	----	64 UNCH
13600	----	----	----	----/0.103A	----	0.033 - 0.011	.0048	----	----	----	----	19 UNCH
13700	----	----	----	----/0.102A	----	0.032 - 0.011	.0046	----	----	----	----	76 UNCH
13800	----	----	----	----/0.101A	----	0.031 - 0.011	.0045	----	----	----	----	39 UNCH
13900	----	----	----	----/0.100A	----	0.030 - 0.012	.0043	----	----	----	----	4 UNCH
14000	----	----	----	----/0.050A	----	0.029 - 0.012	.0041	----	----	----	----	401 UNCH
14100	----	----	----	----/0.097A	----	0.028 - 0.012	.0040	----	----	----	----	27 UNCH
14200	----	----	----	----/0.096A	----	0.027 - 0.012	.0038	----	----	----	----	41 UNCH
14300	----	----	----	----/0.095A	----	0.026 - 0.013	.0036	----	----	----	----	6 UNCH
14400	----	----	----	----/0.094A	----	0.025 - 0.013	.0035	----	----	----	----	13 UNCH
14500	----	----	----	0.015B/0.093A	----	0.024 - 0.013	.0033	----	----	----	----	117 UNCH
14600	----	----	----	----/0.092A	----	0.023 - 0.013	.0032	----	----	----	----	55 UNCH
14700	----	----	----	----/0.091A	----	0.022 - 0.013	.0030	----	----	----	----	9 UNCH
14800	----	----	----	----/0.090A	----	0.021 - 0.013	.0029	----	----	----	----	62 UNCH
14900	----	----	----	----/0.089A	----	0.020 - 0.013	.0027	----	----	----	----	3 UNCH
15000	0.025	0.025	0.025/0.025	0.025/0.025	----	0.019 - 0.013	.0026	----	----	1	----	455 - 1
15100	----	----	----	----/0.088A	----	0.019 - 0.012	.0026	----	----	----	----	9 UNCH
15200	----	----	----	----/0.087A	----	0.018 - 0.012	.0024	----	----	----	----	54 UNCH
15300	----	----	----	----/0.084A	----	0.017 - 0.012	.0023	----	----	----	----	11 UNCH
15500	----	----	----	----/0.085A	----	0.016 - 0.010	.0021	----	----	----	----	115 UNCH
15600	----	----	----	----/0.084A	----	0.015 - 0.010	.0020	----	----	----	----	1 UNCH
15700	----	----	----	----/0.082A	----	0.015 - 0.009	.0020	----	----	----	----	19 UNCH
15800	----	----	----	----/0.097A	----	0.014 - 0.009	.0018	----	----	----	----	14 UNCH
15900	----	----	----	----/0.164A	----	0.013 - 0.009	.0017	----	----	----	----	14 UNCH
16000	----	----	----	0.013B/0.023A	----	0.013 - 0.008	.0017	----	----	----	----	721 UNCH
16100	----	----	----	----/0.167A	----	0.012 - 0.008	.0016	----	----	----	----	6 UNCH
16200	----	----	----	----/0.168A	----	0.012 - 0.006	.0015	----	----	----	----	1 UNCH
16300	----	----	----	----/0.170A	----	0.011 - 0.006	.0014	----	----	----	----	1 UNCH
16400	----	----	----	----/0.171A	----	0.011 - 0.005	.0014	----	----	----	----	2 UNCH
16500	----	----	----	----/0.172A	----	0.010 - 0.005	.0013	----	----	----	----	56 UNCH
16600	----	----	----	----/0.173A	----	0.010 - 0.005	.0013	----	----	----	----	3 UNCH
16700	----	----	----	----/0.174A	----	0.010 - 0.004	.0013	----	----	----	----	5 UNCH
16800	----	----	----	----/0.175A	----	0.009 - 0.004	.0011	----	----	----	----	6 UNCH
16900	----	----	----	----/0.176A	----	0.009 - 0.003	.0011	----	----	----	----	67 UNCH
17000	----	----	----	----/0.177A	----	0.009 - 0.002	.0011	----	----	----	----	67 UNCH
17100	----	----	----	----/0.178A	----	0.008 - 0.003	.0010	----	----	----	----	8 UNCH
17200	----	----	----	----/0.179A	----	0.008 - 0.002	.0010	----	----	----	----	6 UNCH
17300	----	----	----	----/0.180A	----	0.008 - 0.001	.0010	----	----	----	----	5 UNCH
17400	----	----	----	----/0.180A	----	0.007 - 0.002	.0009	----	----	----	----	6 UNCH
17500	----	----	----	0.005B/0.010A	----	0.007 - 0.001	.0009	----	----	----	----	96 UNCH
17600	----	----	----	----/0.182A	----	0.007 - 0.001	.0008	----	----	----	----	7 UNCH
17700	----	----	----	----/0.183A	----	0.007 - 0.001	.0008	----	----	----	----	9 UNCH
17800	0.010	0.010	0.010/*0.010	0.010/*0.010	----	0.006 - 0.001	.0007	----	----	2	----	8 UNCH
17900	----	----	----	----/0.184A	----	0.006 - 0.001	.0007	----	----	----	----	3 UNCH
18000	----	----	----	----/*0.010A	----	0.006 - 0.001	.0007	----	----	----	----	54 UNCH
18100	----	----	----	----/0.185A	----	0.006 - 0.001	.0007	----	----	----	----	1 UNCH
18200	----	----	----	----/0.186A	----	0.006 - 0.001	.0007	----	----	----	----	11 UNCH
18300	----	----	----	----/0.187A	----	0.005 - 0.001	.0006	----	----	----	----	5 UNCH
18400	----	----	----	----/0.187A	----	0.005 - 0.001	.0006	----	----	----	----	2 UNCH
18500	----	----	----	----/0.188A	----	0.005 - 0.001	.0006	----	----	----	----	11 UNCH
18700	----	----	----	----/0.189A	----	0.005 - 0.001	.0006	----	----	----	----	8 UNCH
18800	----	----	----	----/0.189A	----	0.005 - 0.001	.0006	----	----	----	----	6 UNCH
18900	----	----	----	----/0.190A	----	0.005 UNCH	.0006	----	----	----	----	3 UNCH
19000	----	----	----	----/*0.009A	----	0.004 - 0.001	.0004	----	----	----	----	51 UNCH
19100	----	----	----	----/0.191A	----	0.004 - 0.001	.0004	----	----	----	----	74 UNCH
19200	----	----	----	----/0.191A	----	0.004 - 0.001	.0004	----	----	----	----	130 UNCH
19300	----	----	----	----/0.191A	----	0.004 - 0.001	.0004	----	----	----	----	6 UNCH
19400	----	----	----	----/0.192A	----	0.004 - 0.001	.0004	----	----	----	----	66 UNCH
19500	----	----	----	----/0.192A	----	0.004 - 0.001	.0004	----	----	----	----	96 UNCH
19700	----	----	----	----/0.193A	----	0.004 - 0.001	.0004	----	----	----	----	2 UNCH
19800	----	----	----	----/0.193A	----	0.004 UNCH	.0004	----	----	----	----	10 UNCH
19900	----	----	----	----/0.194A	----	0.003 - 0.001	.0003	----	----	----	----	11 UNCH
20000	----	----	----	----/*0.007A	----	0.003 - 0.001	.0003	----	----	----	----	392 UNCH
21000	----	----	----	----/0.100A	----	0.002 - 0.001	.0002	----	----	----	----	15 UNCH
22000	----	----	----	----/0.200A	----	0.002 UNCH	.0002	----	----	----	----	10 UNCH
23000	----	----	----	----/0.201A	----	0.001 UNCH	.0001	----	----	----	----	6 UNCH
24000	----	----	----	----/0.203A	----	0.001 UNCH	.0000	----	----	----	----	4 UNCH
25000	----	----	----	----/0.004A	----	0.001 UNCH	.0000	----	----	----	----	91 UNCH
TOTAL										670	75	23586 - 19
JUN26												
4300	----	----	----/31.081A	31.812B/31.081A	----	33.280 - 0.834	.9853	----	----	----	----	20 UNCH
4850	----	----	----/25.898A	27.958B/25.898A	----	27.852 - 0.861	.9753	----	----	----	----	7 UNCH
4900	----	----	----/25.354A	27.460B/25.354A	----	27.362 - 0.864	.9739	----	----	----	----	9 UNCH
5000	----	----	----/24.240A	26.557B/24.240A	----	26.387 - 0.869	.9707	----	----	----	----	348 UNCH
5025	----	----	----/24.292A	26.246B/24.292A	----	26.144 - 0.870	.9699	----	----	----	----	6 UNCH
5050	----	----	----/24.057A	25.986B/24.057A	----	25.901 - 0.872	.9689	----	----	----	----	1 UNCH
5200	----	----	----/22.354A	24.630B/22.354A	----	24.453 - 0.878	.9626	----	----	----	----	77 UNCH
5225	----	----	----/22.461A	24.308B/22.461A	----	24.213 - 0.879	.9614	----	----	----	----	4 UNCH
5275	----	----	----/22.003A	23.824B/22.003A	----	23.734 - 0.881	.9588	----	----	----	----	7 UNCH
5300	----	----	----/21.779A	23.583B/21.779A	----	23.495 - 0.882	.9574	----	----	----	----	3 UNCH
5325	----	----	----/21.554A	23.343B/21.554A	----	23.257 - 0.883	.9561	----	----	----	----	5 UNCH
5350	----	----	----/21.337A	23.066B/21.337A	----	23.019 - 0.884	.9546	----	----	----	----	7 UNCH
5400	----	----	----/20.898A	22.603B/20.898A	----	22.544 - 0.886	.9516	----	----	----	----	2 UNCH
5425	----	----	----/20.676A	22.378B/20.676A	----	22.308 - 0.886	.9500	----	----	----	----	9 UNCH
5500	----	----	----/19.660A	21.761B/19.660A	----	21.600 - 0.889	.9451	----	----	----	----	341 UNCH
5525	----	----	----/19.791A	21.446B/19.791A	----	21.365 - 0.890	.9433	----	----	----	----	2 UNCH
5600	----	----	----/19.099A	20.694B/19.099A	----	20.663 - 0.893	.9378	----	----	----	----	7 UNCH
5625	----	----	----/18.872A	20.458B/18.872A	----	20.430 - 0.893	.9359	----	----	----	----	11 UNCH
5675	----	----	----/18.425A	19.989B/18.425A	----	19.964 - 0.896	.9318	----	----	----	----	1 UNCH
5700	----	----	----/17.929A	19.883B/17.929A	----	19.732 - 0.898	.9298	----	----	----	----	56 UNCH
5725	----	----	----/17.975A	19.527B/17.975A	----	19.500 - 0.900	.9277	----	----	----	----	10 UNCH
5750	----	----	----/17.716A	19.291B/17.716A	----	19.269 - 0.901	.9255	----	----	----	----	13 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUN26												
5775	----	----	----/17.493A	19.072B/17.493A	----	19.038 - 0.903	.9233	----	----	----	----	1 UNCH
5800	----	----	----/17.272A	18.854B/17.272A	----	18.808 - 0.905	.9209	----	----	----	----	2 UNCH
5825	----	----	----/17.051A	18.623B/17.051A	----	18.579 - 0.906	.9186	----	----	----	----	1 UNCH
5850	----	----	----/16.826A	18.399B/16.826A	----	18.350 - 0.907	.9162	----	----	----	----	9 UNCH
5900	----	----	----/16.390A	17.935B/16.390A	----	17.893 - 0.912	.9111	----	----	----	----	4 UNCH
5925	----	----	----/16.250A	17.715B/16.250A	----	17.666 - 0.914	.9086	----	----	----	----	17 UNCH
6000	----	----	----/15.427A	17.118B/15.427A	----	16.989 - 0.919	.9003	----	----	----	----	401 UNCH
6025	----	----	----/15.311A	16.809B/15.311A	----	16.765 - 0.921	.8974	----	----	----	----	7 UNCH
6050	----	----	----/15.146A	16.566B/15.146A	----	16.541 - 0.924	.8945	----	----	----	----	4 UNCH
6075	----	----	----/14.887A	16.398B/14.887A	----	16.319 - 0.925	.8914	----	----	----	----	30 UNCH
6100	----	----	----/14.694A	16.140B/14.694A	----	16.097 - 0.927	.8883	----	----	----	----	16 UNCH
6200	----	----	----/13.746A	15.346B/13.746A	----	15.219 - 0.936	.8749	----	----	----	----	101 UNCH
6225	----	----	----/13.646A	15.051B/13.646A	----	15.003 - 0.937	.8713	----	----	----	----	1 UNCH
6250	----	----	----/13.455A	14.818B/13.455A	----	14.787 - 0.938	.8677	----	----	----	----	4 UNCH
6300	----	----	----/13.052A	14.385B/13.052A	----	14.359 - 0.942	.8601	----	----	----	----	4 UNCH
6400	----	----	----/12.225A	13.649B/12.225A	----	13.519 - 0.946	.8436	----	----	----	----	110 UNCH
6425	----	----	----/12.082A	13.399B/12.082A	----	13.313 - 0.945	.8392	----	----	----	----	25 UNCH
6450	----	----	----/11.914A	13.148B/11.914A	----	13.107 - 0.947	.8347	----	----	----	----	6 UNCH
6475	----	----	----/11.768A	12.904B/11.768A	----	12.903 - 0.947	.8302	----	----	----	----	5 UNCH
6500	----	----	----/11.525A	12.739B/11.525A	----	12.701 - 0.947	.8255	----	----	----	----	11 UNCH
6625	----	----	----/10.571A	11.749B/10.571A	----	11.712 - 0.945	.8006	----	----	----	----	10 UNCH
6700	----	----	----/10.042A	11.152B/10.042A	----	11.138 - 0.942	.7845	----	----	----	----	1 UNCH
6725	----	----	----/9.869A	10.963B/9.869A	----	10.951 - 0.939	.7789	----	----	----	----	1 UNCH
6750	----	----	----/9.714A	10.756B/9.714A	----	10.764 - 0.938	.7732	----	----	----	----	3 UNCH
6800	----	----	----/9.327A	10.433B/9.327A	----	10.397 - 0.934	.7616	----	----	----	----	6 UNCH
6850	----	----	----/9.107A	10.055B/9.107A	----	10.038 - 0.929	.7497	----	----	----	----	5 UNCH
6900	----	----	----/8.649A	9.748B/8.649A	----	9.685 - 0.924	.7374	----	----	----	----	16 UNCH
6925	----	----	----/8.486A	9.570B/8.486A	----	9.512 - 0.921	.7311	----	----	----	----	9 UNCH
6975	----	----	----/8.163A	9.233B/8.163A	----	9.171 - 0.914	.7183	----	----	----	----	7 UNCH
7000	----	----	----/8.003A	9.115B/8.003A	----	9.003 - 0.911	.7118	----	----	----	----	125 UNCH
7025	----	----	----/7.982A	8.821B/7.982A	----	8.838 - 0.906	.7053	----	----	----	----	1 UNCH
7050	----	----	----/7.833A	8.642B/7.833A	----	8.674 - 0.903	.6986	----	----	----	----	1 UNCH
7075	----	----	----/7.649A	8.479B/7.649A	----	8.512 - 0.899	.6919	----	----	----	----	4 UNCH
7100	----	----	----/7.388A	8.462B/7.388A	----	8.353 - 0.894	.6852	----	----	----	----	99 UNCH
7150	----	----	----/7.233A	8.001B/7.233A	----	8.039 - 0.886	.6715	----	----	----	----	1 UNCH
7225	----	----	----/6.738A	7.541B/6.738A	----	7.584 - 0.872	.6505	----	----	----	----	1 UNCH
7250	----	----	----/6.530A	7.528B/6.530A	----	7.436 - 0.867	.6435	----	----	----	----	31 UNCH
7275	----	----	----/6.414A	7.244B/6.414A	----	7.291 - 0.861	.6363	----	----	----	----	2 UNCH
7300	----	----	----/6.261A	7.238B/6.261A	----	7.147 - 0.857	.6292	----	----	----	----	16 UNCH
7375	----	----	----/5.856A	6.677B/5.856A	----	6.728 - 0.841	.6076	----	----	----	----	4 UNCH
7400	----	----	----/5.733A	6.579B/5.733A	----	6.592 - 0.836	.6003	----	----	----	----	4 UNCH
7425	----	----	----/5.613A	6.584B/5.613A	----	6.459 - 0.830	.5930	----	----	----	----	12 UNCH
7450	----	----	----/5.496A	6.450B/5.496A	----	6.327 - 0.825	.5857	----	----	----	----	12 UNCH
7475	----	----	----/5.383A	6.230B/5.383A	----	6.198 - 0.819	.5784	----	----	----	----	2 UNCH
7500	----	----	----/5.239A	6.195B/5.239A	----	6.070 - 0.814	.5711	----	----	----	----	242 UNCH
7525	----	----	----/5.160A	6.075B/5.160A	----	5.945 - 0.808	.5638	----	----	----	----	9 UNCH
7550	----	----	----/5.033A	6.033B/5.033A	----	5.821 - 0.803	.5565	----	----	----	----	25 UNCH
7575	----	----	----/4.945A	5.895B/4.945A	----	5.700 - 0.797	.5491	----	----	----	----	1 UNCH
7600	----	----	----/4.838A	5.775B/4.838A	----	5.581 - 0.791	.5418	----	----	----	----	22 UNCH
7675	----	----	----/4.536A	5.425B/4.536A	----	5.236 - 0.773	.5199	----	----	----	----	3 UNCH
7700	----	----	----/4.412A	5.333B/4.412A	----	5.125 - 0.767	.5126	----	----	12	----	123 + 12
7725	----	----	----/4.348A	5.201B/4.348A	----	5.016 - 0.761	.5054	----	----	----	----	7 UNCH
7750	4.427	4.427	5.111B/4.222A	5.111B/4.222A	----	4.909 - 0.754	.4982	----	----	4	----	70 UNCH
7775	----	----	----/4.162A	4.990B/4.162A	----	4.804 - 0.748	.4910	----	----	----	----	3 UNCH
7800	4.624	4.624	4.882B/4.072A	4.882B/4.072A	----	4.702 - 0.741	.4839	----	----	1	----	18 UNCH
7825	----	----	----/3.989A	4.783B/3.989A	----	4.601 - 0.735	.4768	----	----	----	----	1 UNCH
7850	----	----	----/3.900A	4.680B/3.900A	----	4.503 - 0.727	.4697	----	----	----	----	1 UNCH
7900	----	----	----/3.706A	4.497B/3.706A	----	4.312 - 0.713	.4557	----	----	----	----	67 UNCH
7925	----	----	----/3.658A	4.391B/3.658A	----	4.219 - 0.706	.4488	----	----	----	----	12 UNCH
7950	----	----	----/3.577A	4.296B/3.577A	----	4.129 - 0.699	.4419	----	----	----	----	3 UNCH
7975	----	----	----/3.502A	4.205B/3.502A	----	4.040 - 0.692	.4351	----	----	----	----	7 UNCH
8000	3.516	3.516	4.135B/3.398A	4.135B/3.398A	----	3.954 - 0.684	.4283	----	----	19	----	240 + 3
8025	----	----	----/*3.356A	4.029B/*3.356A	----	3.869 - 0.676	.4216	----	----	----	----	3 UNCH
8050	----	----	----/3.284A	3.944B/3.284A	----	3.787 - 0.668	.4150	----	----	----	----	6 UNCH
8075	----	----	----/*3.219A	3.861B/*3.219A	----	3.706 - 0.660	.4085	----	----	----	----	2 UNCH
8100	----	----	----/*3.148A	3.777B/*3.148A	----	3.627 - 0.652	.4020	----	----	----	----	11 UNCH
8125	----	----	----/*3.083A	3.698B/*3.083A	----	3.550 - 0.644	.3956	----	----	----	----	2 UNCH
8150	----	----	----/*3.013A	3.618B/*3.013A	----	3.474 - 0.637	.3892	----	----	----	----	10 UNCH
8175	----	----	----/*2.950A	3.541B/*2.950A	----	3.400 - 0.629	.3829	----	----	----	----	1 UNCH
8200	----	----	----/*2.887A	3.464B/*2.887A	----	3.328 - 0.621	.3767	----	----	125	----	127 + 124
8225	----	----	----/*2.827A	3.392B/*2.827A	----	3.258 - 0.612	.3706	----	----	----	----	3 UNCH
8250	----	----	----/*2.767A	3.320B/*2.767A	----	3.189 - 0.605	.3646	----	----	----	----	20 UNCH
8275	----	----	----/*2.709A	3.250B/*2.709A	----	3.122 - 0.596	.3586	----	----	----	----	19 UNCH
8300	----	----	----/2.635A	3.213B/2.635A	----	3.057 - 0.588	.3527	----	----	----	----	90 UNCH
8350	2.554	2.554	3.051B/*2.511	3.051B/*2.511	----	2.931 - 0.571	.3412	----	----	7	----	20 + 7
8375	----	----	----/*2.495A	2.970B/*2.495A	----	2.870 - 0.563	.3356	----	----	----	----	5 UNCH
8400	----	----	----/*2.436A	2.908B/*2.436A	----	2.810 - 0.555	.3300	----	----	----	----	7 UNCH
8425	----	----	----/*2.365A	2.896B/*2.365A	----	2.752 - 0.547	.3245	----	----	----	----	51 UNCH
8450	----	----	----/*2.335A	2.787B/*2.335A	----	2.696 - 0.538	.3191	----	----	----	----	19 UNCH
8475	----	----	----/*2.296A	2.729B/*2.296A	----	2.641 - 0.530	.3138	----	----	----	----	4 UNCH
8500	----	----	----/2.226A	2.713B/2.226A	----	2.587 - 0.522	.3086	----	----	33	----	381 + 17
8550	----	----	----/*2.152A	2.565B/*2.152A	----	2.483 - 0.506	.2984	----	----	4	----	9 + 4
8575	2.090	2.090	2.526B/*2.090	2.526B/*2.090	----	2.433 - 0.498	.2934	----	----	2	----	6 + 2
8600	2.048	2.048	2.497B/*2.048	2.497B/*2.048	----	2.384 - 0.490	.2885	----	----	127	----	128 + 119
8625	----	----	----/*2.029A	2.423B/*2.029A	----	2.336 - 0.483	.2836	----	----	----	----	4 UNCH
8650	----	----	----/*1.985A	2.352B/*1.985A	----	2.290 - 0.474	.2789	----	----	4	----	9 + 4
8675	----	----	----/*1.947A	2.327B/*1.947A	----	2.245 - 0.466	.2743	----	----	----	----	6 UNCH
8700	----	----	----/*1.907A	2.297B/*1.907A	----	2.200 - 0.459	.2697	----	----	10	----	29 - 3
8725	----	----	----/*1.873A	2.235B/*1.873A	----	2.157 - 0.451	.2652	----	----	----	----	3 UNCH
8750	----	----	----/*1.833A	2.172B/*1.833A	----	2.115 - 0.444	.2608	----	----	----	----	13 UNCH
8800	----	----	----/*1.756A	2.134B/*1.756A	----	2.034 - 0.428	.2522	----	----	----	----	95 UNCH
8825	----	----	----/*1.729A	2.061B/*1.729A	----	1.995 - 0.421	.2480	----	----	----	----	2 UNCH
8850	----	----	----/*1.696A	2.021B/*1.696A	----	1.956 - 0.415	.2438	----	----	----	----	12 UNCH
8875	----	----	----/*1.664A	1.981B/*1.664A	----	1.919 - 0.407	.2398	----	----	----	----	2 UNCH
8900	----	----	----/*1.632A	1.943B/*1.632A	----	1.883 - 0.400	.2359	----	----	----	----	22 UNCH
8925	----	----	----/*1.602A	1.906B/*1.602A	----	1.847 - 0.393	.2319	----	----	----	----	3 UNCH
8950	----	----	----/*1.572A	1.868B/*1.572A	----	1.813 - 0.386	.2281	----	----	----	----	4 UNCH
8975	----	----	----/*1.543A	1.832B/*1.543A	----	1.779 - 0.379	.2244	----	----	----	----	4 UNCH
9000	1.821	1.821	1.821/1.506A	1.830B/1.506A	----	1.746 - 0.372	.2207	----	----	121	----	618 + 92
9025	----	----	----/*1.486A	1.763B/*1.486A	----	1.713 - 0.366	.2170	----	----	----	----	4 UNCH
9050	----	----	----/*1.458A	1.730B/*1.458A	----	1.682 - 0.359	.2135	----	----	----	----	12 UNCH
9075	----	----	----/*1.430A	1.697B/*1.430A	----	1.651 - 0.353	.2100	----	----	----	----	6 UNCH
9100	----	----	----/*1.399A	1.695B/*1.399A	----	1.621 - 0.347	.2066	----	----	----	----	328 UNCH
9125	----	----	----/*1.379A	1.633B/*1.379A	----	1.591 - 0.341	.2032	----	----	----	----	2 UNCH
9150	----	----	----/*1.350A	1.633B/*1.350A	----	1.563 - 0.334	.1999	----	----	----	----	103 UNCH
9200	----	----	----/*1.302A	1.575B/*1.302A	----	1.507 - 0.323	.1935	----	----	1	----	98 UNCH
9225	1.450	1.450	1.450/*1.281A	1.514B/*1.281A	----	1.480 - 0.317	.1904	----	----	1	----	6 - 1
9250	----	----	----/*1.261A	1.486B/*1.261A	----	1.454 - 0.311	.1873	----	----	----	----	6 UNCH
9275	----	----	----/*1.235A	1.459B/*1.235A	----	1.428 - 0.306	.1843	----	----	----	----	7 UNCH
9300	----	----	----/*1.217A	1.447B/*1.217A	----	1.403 - 0.300	.1813	----	----	----	----	31 UNCH
9325	----	----	----/*1.196A	1.407B/*1.196A	----	1.379 - 0.294	.1785	----	----	----	----	2 UNCH
9350	----	----	----/*1.174A	1.381B/*1.174A	----	1.354 - 0.290	.1756	----	----	----	----	17 UNCH
9375	----	----	----/*1.152A	1.356B/*1.152A	----	1.331 - 0.284	.1728	----	----	----	----	17 UNCH
9400	----	----	----/*1.134A	1.331B/*1.134A	----	1.308 - 0.279	.1701	----	----	----	----	20 UNCH
9425	----	----	----/*1.116A	1.307B/*1.116A	----	1.285 - 0.275	.1673	----	----	----	----	22 UNCH
9450	----	----	----/*1.095A	1.283B/*1.095A	----	1.263 - 0.270	.1647	----	----	----	----	4 UNCH
9475	----	----	----/*1.079A	1.260B/*1.079A	----	1.242 - 0.264	.1621	----	----	----	----	17 UNCH
9500	----	----	----/1.058A	1.266B/1.058A	----	1.220 - 0.260	.1595	----	----	1	----	236 + 1
9525	----	----	----/*1.042A	1.215B/*1.042A	----	1.199 - 0.256	.1570	----	----	----	----	1 UNCH
9550	----	----	----/*1.022A	1.188B/*1.022A	----	1.179 - 0.251	.1545	----	----	----	----	1 UNCH
9575	----	----	----/*1.008A	1.163B/*1.008A	----	1.159 - 0.247	.1521	----	----	----	----	1 UNCH
9600	----	----	----/*0.987A	1.081B/*0.987A	----	1.140 - 0.242	.1498	----	----	----	----	17 UNCH
9625	----	----	----/*0.976A	1.125B/*0.976A	----	1.120 - 0.239	.1474	----	----	----	----	4 UNCH
9650	----	----	----/*0.956A	1.043B/*0.956A	----	1.101 - 0.235	.1450	----	----	----	----	1 UNCH
9675	----	----	----/*0.944A	1.087B/*0.944A	----	1.083 - 0.230	.1428	----	----	----	----	2 UNCH
9700	----	----	----/*0.924A	1.007B/*0.924A	----	1.065 - 0.226	.1406	----	----	----	----	37 UNCH
9750	----	----	----/*0.898A	1.034B/*0.898A	----	1.030 - 0.219	.1363	----	----	----	----	28 UNCH
9800	----	----	----/*0.869A	1.001B/*0.869A	----	0.996 - 0.212	.1321	----	----	----	----	6 UNCH
9850	----	----	----/*0.843A	0.969B/*0.843A	----	0.964 - 0.205	.1281	----	----	1	----	2 UNCH
9875	----	----	----/*0.830A	0.952B/*0.830A	----	0.948 - 0.202	.1261	----	----	----	----	10 UNCH
9900	----	----	----/*0.815A	0.934B/*0.815A	----	0.933 - 0.198	.1242	----	----	1	----	22 UNCH
9925	----	----	----/*0.804A	0.920B/*0.804A	----	0.918 - 0.195	.1223	----	----	----	----	1 UNCH
9950	----	----	----/*0.791A	0.904B/*0.791A	----	0.903 - 0.192	.1204	----	----	----	----	2 UNCH
9975	----	----	----/*0.779A	0.891B/*0.779A	----	0.888 - 0.190	.1186	----	----	----	----	4 UNCH
10000	0.890	0.890	0.890/0.730	0.890/0.730	----	0.874 - 0.187	.1168	----	----	120	----	748 + 55
10025	----	----	----/*0.755A	0.860B/*0.755A	----	0.860 - 0.184	.1150	----	----	----	----	5 UNCH
10050	----	----	----/*0.745A	0.846B/*0.745A	----	0.847 - 0.181	.1133	----	----	----	----	3 UNCH
10075	----	----	----/*0.737A	0.836B/*0.737A	----	0.833 - 0.179	.1116	----	----	----	----	9 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUN26												
10100	----	----	----/*0.728A	0.817B/*0.728A	----	0.820 - 0.177	.1099	----	----	----	----	19 UNCH
10125	----	----	----/*0.715A	0.806B/*0.715A	----	0.807 - 0.175	.1083	----	----	----	----	1 UNCH
10175	----	----	----/*0.695A	0.778B/*0.695A	----	0.783 - 0.169	.1052	----	----	----	----	1 UNCH
10200	----	----	----/*0.689A	0.767B/*0.689A	----	0.770 - 0.168	.1035	----	----	----	----	9 UNCH
10225	----	----	----/*0.675A	0.755B/*0.675A	----	0.759 - 0.165	.1021	----	----	----	----	1 UNCH
10300	0.740	0.740	0.740/*0.650A	0.740/*0.650A	----	0.725 - 0.159	.0977	----	----	2	----	10 + 2
10375	----	----	----/*0.621A	0.695B/*0.621A	----	0.693 - 0.154	.0935	----	----	----	----	2 UNCH
10400	----	----	----/*0.612A	0.679B/*0.612A	----	0.682 - 0.153	.0921	----	----	----	----	4 UNCH
10425	----	----	----/*0.603A	0.668B/*0.603A	----	0.672 - 0.151	.0908	----	----	----	----	1 UNCH
10450	----	----	----/*0.595A	0.653B/*0.595A	----	0.663 - 0.148	.0896	----	----	----	----	3 UNCH
10475	----	----	----/*0.586A	0.646B/*0.586A	----	0.653 - 0.147	.0883	----	----	----	----	2 UNCH
10500	----	----	----/*0.580A	0.637B/*0.580A	----	0.644 - 0.145	.0871	----	----	31	----	347 - 10
10525	----	----	----/*0.570A	0.620B/*0.570A	----	0.634 - 0.145	.0858	----	----	----	----	12 UNCH
10550	----	----	----/*0.564A	0.611B/*0.564A	----	0.625 - 0.143	.0846	----	----	----	----	1 UNCH
10600	----	----	----/*0.549A	0.592B/*0.549A	----	0.608 - 0.140	.0823	----	----	10	----	67 UNCH
10625	----	----	----/*0.541A	0.585B/*0.541A	----	0.599 - 0.139	.0812	----	----	----	----	1 UNCH
10650	----	----	----/*0.536A	0.575B/*0.536A	----	0.591 - 0.137	.0801	----	----	----	----	3 UNCH
10675	----	----	----/*0.528A	0.574B/*0.528A	----	0.582 - 0.137	.0789	----	----	----	----	3 UNCH
10700	----	----	----/*0.532A	0.556B/*0.532A	----	0.574 - 0.135	.0779	----	----	----	----	12 UNCH
10750	----	----	----/*0.524A	0.541B/*0.524A	----	0.559 - 0.132	.0758	----	----	----	----	3 UNCH
10800	----	----	----/*0.511A	0.525B/*0.511A	----	0.544 - 0.130	.0738	----	----	----	----	2 UNCH
10850	----	----	----/*0.525A	0.510B/*0.525A	----	0.529 - 0.128	.0718	----	----	----	----	12 UNCH
10875	----	----	----/*0.498A	0.504B/*0.498A	----	0.522 - 0.127	.0709	----	----	----	----	6 UNCH
10900	----	----	----/*0.519A	0.490B/*0.519A	----	0.515 - 0.126	.0699	----	----	----	----	20 UNCH
10925	----	----	----/*0.506A	0.491B/*0.506A	----	0.509 - 0.125	.0691	----	----	----	----	1 UNCH
10950	----	----	----/*0.524A	0.472B/*0.524A	----	0.502 - 0.124	.0682	----	----	----	----	1 UNCH
11000	----	----	----/0.514A	0.467B/0.514A	----	0.489 - 0.122	.0664	----	----	----	----	432 UNCH
11025	----	----	----/*0.508A	0.465B/*0.508A	----	0.483 - 0.121	.0656	----	----	----	----	1 UNCH
11050	----	----	----/*0.502A	0.455B/*0.502A	----	0.477 - 0.120	.0648	----	----	----	----	4 UNCH
11075	----	----	----/*0.498A	0.442B/*0.498A	----	0.471 - 0.119	.0640	----	----	----	----	5 UNCH
11100	----	----	----/*0.494A	0.431B/*0.494A	----	0.465 - 0.118	.0631	----	----	----	----	1 UNCH
11125	----	----	----/*0.489A	0.423B/*0.489A	----	0.459 - 0.118	.0623	----	----	----	----	5 UNCH
11175	----	----	----/*0.474A	0.402B/*0.474A	----	0.448 - 0.116	.0608	----	----	----	----	2 UNCH
11200	----	----	----/*0.471A	0.398B/*0.471A	----	0.442 - 0.116	.0600	----	----	----	----	3 UNCH
11225	----	----	----/*0.466A	0.391B/*0.466A	----	0.437 - 0.114	.0593	----	----	----	----	3 UNCH
11300	----	----	----/*0.453A	0.373B/*0.453A	----	0.421 - 0.113	.0571	----	----	----	----	2 UNCH
11325	----	----	----/*0.449A	0.368B/*0.449A	----	0.416 - 0.112	.0564	----	----	----	----	6 UNCH
11350	----	----	----/*0.445A	0.363B/*0.445A	----	0.411 - 0.111	.0558	----	----	----	----	3 UNCH
11375	----	----	----/*0.442A	0.357B/*0.442A	----	0.407 - 0.110	.0552	----	----	----	----	1 UNCH
11400	----	----	----/*0.437A	0.351B/*0.437A	----	0.402 - 0.109	.0545	----	----	----	----	163 UNCH
11425	----	----	----/*0.433A	0.346B/*0.433A	----	0.397 - 0.109	.0538	----	----	----	----	12 UNCH
11450	----	----	----/*0.429A	0.342B/*0.429A	----	0.393 - 0.108	.0532	----	----	----	----	13 UNCH
11475	----	----	----/*0.425A	0.335B/*0.425A	----	0.388 - 0.107	.0526	----	----	----	----	2 UNCH
11500	----	----	----/*0.422A	0.330B/*0.422A	----	0.384 - 0.106	.0520	----	----	----	----	245 UNCH
11525	----	----	----/*0.418A	0.326B/*0.418A	----	0.380 - 0.105	.0514	----	----	----	----	4 UNCH
11550	----	----	----/*0.415A	0.321B/*0.415A	----	0.375 - 0.105	.0508	----	----	----	----	1 UNCH
11625	----	----	----/*0.404A	0.307B/*0.404A	----	0.363 - 0.103	.0491	----	----	----	----	1 UNCH
11675	----	----	----/*0.398A	0.300B/*0.398A	----	0.355 - 0.102	.0480	----	----	----	----	2 UNCH
11700	----	----	----/*0.395A	0.295B/*0.395A	----	0.352 - 0.101	.0475	----	----	----	----	7 UNCH
11725	----	----	----/*0.392A	0.291B/*0.392A	----	0.348 - 0.100	.0470	----	----	----	----	2 UNCH
11750	----	----	----/*0.389A	0.287B/*0.389A	----	0.344 - 0.100	.0464	----	----	----	----	21 UNCH
11775	----	----	----/*0.390A	0.283B/*0.390A	----	0.341 - 0.099	.0460	----	----	----	----	2 UNCH
11800	----	----	----/*0.387A	0.280B/*0.387A	----	0.337 - 0.098	.0455	----	----	----	----	4 UNCH
11850	----	----	----/*0.381A	0.272B/*0.381A	----	0.330 - 0.097	.0445	----	----	----	----	5 UNCH
11900	----	----	----/*0.375A	0.264B/*0.375A	----	0.324 - 0.095	.0436	----	----	----	----	2 UNCH
11925	----	----	----/*0.372A	0.260B/*0.372A	----	0.321 - 0.094	.0432	----	----	----	----	8 UNCH
11950	----	----	----/*0.369A	0.257B/*0.369A	----	0.317 - 0.094	.0426	----	----	----	----	2 UNCH
12000	----	----	----/0.364A	0.250B/0.364A	----	0.311 - 0.093	.0418	----	----	----	----	451 UNCH
12025	----	----	----/*0.361A	0.247B/*0.361A	----	0.308 - 0.092	.0414	----	----	----	----	11 UNCH
12125	----	----	----/*0.349A	0.234B/*0.349A	----	0.297 - 0.089	.0398	----	----	----	----	1 UNCH
12200	----	----	----/*0.342A	0.219B/*0.342A	----	0.289 - 0.087	.0386	----	----	----	----	13 UNCH
12225	----	----	----/*0.339A	0.216B/*0.339A	----	0.286 - 0.086	.0382	----	----	----	----	7 UNCH
12275	----	----	----/*0.332A	0.210B/*0.332A	----	0.281 - 0.085	.0375	----	----	----	----	1 UNCH
12325	----	----	----/*0.328A	0.204B/*0.328A	----	0.276 - 0.083	.0368	----	----	----	----	3 UNCH
12350	----	----	----/*0.326A	0.202B/*0.326A	----	0.274 - 0.082	.0365	----	----	----	----	5 UNCH
12400	----	----	----/*0.321A	0.196B/*0.321A	----	0.269 - 0.081	.0358	----	----	----	----	23 UNCH
12425	----	----	----/*0.320A	0.193B/*0.320A	----	0.267 - 0.080	.0355	----	----	----	----	1 UNCH
12450	----	----	----/*0.317A	0.191B/*0.317A	----	0.265 - 0.079	.0352	----	----	----	----	9 UNCH
12475	----	----	----/*0.315A	0.188B/*0.315A	----	0.263 - 0.078	.0349	----	----	----	----	1 UNCH
12500	----	----	----/*0.311A	0.186B/*0.311A	----	0.260 - 0.078	.0345	----	----	----	----	102 UNCH
12525	----	----	----/*0.310A	0.183B/*0.310A	----	0.258 - 0.077	.0342	----	----	----	----	37 UNCH
12550	----	----	----/*0.313A	0.181B/*0.313A	----	0.256 - 0.077	.0339	----	----	----	----	6 UNCH
12575	----	----	----/*0.310A	0.178B/*0.310A	----	0.254 - 0.076	.0336	----	----	----	----	2 UNCH
12600	----	----	----/*0.309A	0.176B/*0.309A	----	0.252 - 0.075	.0333	----	----	----	----	5 UNCH
12650	----	----	----/*0.305A	0.171B/*0.305A	----	0.248 - 0.074	.0328	----	----	----	----	2 UNCH
12675	----	----	----/*0.303A	0.169B/*0.303A	----	0.246 - 0.073	.0325	----	----	----	----	2 UNCH
12700	----	----	----/*0.301A	0.166B/*0.301A	----	0.244 - 0.073	.0322	----	----	----	----	11 UNCH
12725	----	----	----/*0.298A	0.164B/*0.298A	----	0.243 - 0.071	.0320	----	----	----	----	2 UNCH
12750	----	----	----/*0.296A	0.164B/*0.296A	----	0.241 - 0.070	.0317	----	----	----	----	2 UNCH
12775	----	----	----/*0.295A	0.159B/*0.295A	----	0.239 - 0.070	.0314	----	----	----	----	7 UNCH
12800	----	----	----/*0.293A	0.157B/*0.293A	----	0.237 - 0.069	.0312	----	----	----	----	34 UNCH
12900	----	----	----/*0.286A	0.149B/*0.286A	----	0.230 - 0.067	.0301	----	----	----	----	6 UNCH
13000	----	----	----/0.280A	0.141B/0.280A	----	0.224 - 0.064	.0292	----	----	----	----	272 UNCH
13100	----	----	----/*0.274A	0.133B/*0.274A	----	0.218 - 0.061	.0284	----	----	----	----	4 UNCH
13200	----	----	----/*0.268A	0.126B/*0.268A	----	0.212 - 0.058	.0275	----	----	----	----	3 UNCH
13300	----	----	----	0.121B/*0.262A	----	0.207 - 0.055	.0267	----	----	----	----	3 UNCH
13400	----	----	----	0.115B/*0.257A	----	0.201 - 0.054	.0259	----	----	----	----	5 UNCH
13500	0.199	0.199	0.199/*0.199	0.199/*0.199	----	0.197 - 0.050	.0253	----	----	1	----	22 - 1
13600	----	----	----	0.103B/*0.247A	----	0.192 - 0.048	.0246	----	----	----	----	7 UNCH
13700	----	----	----	0.097B/*0.243A	----	0.187 - 0.047	.0238	----	----	----	----	5 UNCH
13800	----	----	----	0.091B/*0.237A	----	0.183 - 0.044	.0232	----	----	----	----	1 UNCH
13900	----	----	----	0.086B/*0.233A	----	0.179 - 0.042	.0227	----	----	----	----	3 UNCH
14000	----	----	----	0.079B/*0.229A	----	0.175 - 0.040	.0221	----	----	----	----	292 UNCH
14200	----	----	----	0.075B/*0.222A	----	0.168 - 0.036	.0210	----	----	----	----	60 UNCH
14300	----	----	----	0.065B/*0.219A	----	0.164 - 0.035	.0205	----	----	----	----	1 UNCH
14400	----	----	----	0.061B/0.215A	----	0.161 - 0.033	.0200	----	----	----	----	65 UNCH
14500	----	----	----	0.057B/*0.212A	----	0.158 - 0.031	.0196	----	----	----	----	31 UNCH
14600	----	----	----	0.053B/*0.209A	----	0.155 - 0.030	.0191	----	----	----	----	6 UNCH
14700	----	----	----	0.049B/*0.206A	----	0.151 - 0.029	.0186	----	----	----	----	11 UNCH
14800	----	----	----	0.046B/*0.204A	----	0.148 - 0.028	.0182	----	----	----	----	10 UNCH
14900	----	----	----	0.042B/*0.201A	----	0.145 - 0.027	.0178	----	----	----	----	6 UNCH
15000	----	----	----	0.088B/*0.196A	----	0.143 - 0.025	.0174	----	----	----	----	146 UNCH
15300	----	----	----	0.032B/*0.191A	----	0.134 - 0.023	.0162	----	----	----	----	2 UNCH
15400	----	----	----	0.028B/*0.189A	----	0.131 - 0.023	.0158	----	----	----	----	1 UNCH
15500	----	----	----	0.026B/*0.187A	----	0.129 - 0.022	.0155	----	----	----	----	7 UNCH
15600	----	----	----	0.019B/*0.184A	----	0.126 - 0.022	.0151	----	----	----	----	1 UNCH
15700	----	----	----	0.017B/*0.182A	----	0.124 - 0.021	.0149	----	----	----	----	1 UNCH
15800	----	----	----	0.015B/*0.180A	----	0.121 - 0.021	.0145	----	----	----	----	6 UNCH
15900	----	----	----	0.013B/*0.178A	----	0.119 - 0.020	.0142	----	----	----	----	8 UNCH
16000	----	----	----	0.100B/0.176A	----	0.116 - 0.020	.0138	----	----	----	----	202 UNCH
16200	----	----	----	0.007B/*0.173A	----	0.112 - 0.017	.0133	----	----	----	----	36 UNCH
16400	----	----	----	0.008B/*0.166A	----	0.107 - 0.015	.0126	----	----	----	----	1 UNCH
16500	----	----	----	0.005B/*0.168A	----	0.105 - 0.013	.0124	----	----	----	----	30 UNCH
16600	----	----	----	0.008B/*0.166A	----	0.103 - 0.012	.0121	----	----	----	----	2 UNCH
16700	----	----	----	0.052B/*0.171A	----	0.101 - 0.011	.0118	----	----	----	----	6 UNCH
16800	----	----	----	0.008B/*0.168A	----	0.099 - 0.010	.0116	----	----	----	----	3 UNCH
17000	----	----	----	0.002B/0.174A	----	0.096 - 0.007	.0112	----	----	----	----	21 UNCH
17100	----	----	----	0.003B/*0.176A	----	0.094 - 0.007	.0109	----	----	----	----	5 UNCH
17200	----	----	----	0.002B/0.177A	----	0.092 - 0.006	.0107	----	----	----	----	5 UNCH
17300	----	----	----	0.002B/0.176A	----	0.091 - 0.005	.0105	----	----	----	----	11 UNCH
17400	----	----	----	0.001B/0.196A	----	0.089 - 0.004	.0103	----	----	----	----	2 UNCH
17500	----	----	----	0.001B/0.193A	----	0.087 - 0.004	.0100	----	----	----	----	63 UNCH
17700	----	----	----	0.001B/0.188A	----	0.084 - 0.002	.0097	----	----	----	----	3 UNCH
17800	----	----	----	0.001B/0.185A	----	0.083 - 0.001	.0095	----	----	----	----	3 UNCH
18000	----	----	----	0.050B/*0.080A	----	0.080 UNCH	.0091	----	----	----	----	45 UNCH
18100	----	----	----	0.001B/0.176A	----	0.078 UNCH	.0089	----	----	----	----	2 UNCH
18300	----	----	----	0.001B/0.171A	----	0.075 + 0.001	.0085	----	----	----	----	1 UNCH
18900	----	----	----	0.001B/0.157A	----	0.065 UNCH	.0074	----	----	----	----	1 UNCH
19000	----	----	----	0.001B/0.154A	----	0.063 UNCH	.0072	----	----	----	----	229 UNCH
19500	----	----	----	0.001B/0.139A	----	0.056 UNCH	.0063	----	----	----	----	126 UNCH
19600	----	----	----	0.001B/0.136A	----	0.055 UNCH	.0062	----	----	----	----	2 UNCH
19900	----	----	----	0.001B/0.200A	----	0.051 - 0.001	.0058	----	----	----	----	28 UNCH
20000	----	----	----	0.001B/0.199A	----	0.050 - 0.001	.0056	----	----	----	----	236 UNCH
21000	----	----	----	0.001B/0.179A	----	0.041 UNCH	.0046	----	----	----	----	20 UNCH
23000	----	----	----	----/*0.074A	----	0.028 - 0.001	.0031	----	----	----	----	14 UNCH
25000	----	----	----	----/*0.050A	----	0.021 UNCH	.0023	----	----	----	----	298 UNCH
27000	----	----	----	----/0.208A	----	0.013 - 0.001	.0014	----	----	----	----	3 UNCH
30000	----	----	----	----/*0.040A	----	0.007 - 0.001	.0007	----	----	----	----	31 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUN26												
32000	----	----	----	----/0.067A	----	0.005 UNCH	.0005	----	----	----	----	1 UNCH
35000	----	----	----	----/0.023A	----	0.003 - 0.001	.0003	----	----	----	----	21 UNCH
TOTAL										638	0	11206 + 427
JUL26												
2700	----	----	----/46.777A	49.378B/46.777A	----	49.218 - 0.829	.9964	----	----	----	----	1 UNCH
3900	----	----	----/35.188A	35.772B/35.188A	----	37.263 - 0.826	.9851	----	----	----	----	1 UNCH
4000	----	----	----/34.240A	34.781B/34.240A	----	36.278 - 0.826	.9832	----	----	----	----	1 UNCH
4200	----	----	----/32.362A	32.804B/32.362A	----	34.316 - 0.826	.9790	----	----	----	----	2 UNCH
4500	----	----	----/29.395A	29.925B/29.395A	----	31.387 - 0.842	.9714	----	----	----	----	28 UNCH
4600	----	----	----/28.318A	30.568B/28.318A	----	30.417 - 0.850	.9683	----	----	----	----	114 UNCH
4700	----	----	----/27.755A	29.499B/27.755A	----	29.450 - 0.861	.9649	----	----	----	----	1 UNCH
4750	----	----	----/27.293A	29.016B/27.293A	----	28.968 - 0.867	.9630	----	----	----	----	1 UNCH
4825	----	----	----/26.600A	28.278B/26.600A	----	28.248 - 0.875	.9601	----	----	----	----	3 UNCH
4900	----	----	----/25.922A	27.560B/25.922A	----	27.532 - 0.883	.9567	----	----	----	----	1 UNCH
4925	----	----	----/25.665A	27.334B/25.665A	----	27.294 - 0.886	.9556	----	----	----	----	16 UNCH
5000	----	----	----/24.686A	26.719B/24.686A	----	26.583 - 0.893	.9518	----	----	----	----	307 UNCH
5025	----	----	----/24.737A	26.403B/24.737A	----	26.347 - 0.895	.9505	----	----	----	----	4 UNCH
5050	----	----	----/24.504A	26.167B/24.504A	----	26.112 - 0.897	.9491	----	----	----	----	2 UNCH
5100	----	----	----/23.777A	25.764B/23.777A	----	25.643 - 0.900	.9462	----	----	----	----	130 UNCH
5150	----	----	----/23.588A	25.214B/23.588A	----	25.177 - 0.903	.9431	----	----	----	----	6 UNCH
5200	----	----	----/23.110A	24.794B/23.110A	----	24.713 - 0.905	.9398	----	----	----	----	40 UNCH
5225	----	----	----/22.920A	24.522B/22.920A	----	24.482 - 0.905	.9380	----	----	----	----	9 UNCH
5250	----	----	----/22.694A	24.275B/22.694A	----	24.252 - 0.906	.9363	----	----	----	----	2 UNCH
5275	----	----	----/22.450A	24.061B/22.450A	----	24.022 - 0.906	.9345	----	----	----	----	1 UNCH
5300	----	----	----/22.292A	23.832B/22.292A	----	23.793 - 0.907	.9326	----	----	----	----	7 UNCH
5350	----	----	----/21.604A	23.489B/21.604A	----	23.338 - 0.906	.9287	----	----	----	----	155 UNCH
5375	----	----	----/21.620A	23.141B/21.620A	----	23.111 - 0.906	.9267	----	----	----	----	1 UNCH
5400	----	----	----/21.331A	22.917B/21.331A	----	22.885 - 0.905	.9246	----	----	----	----	21 UNCH
5425	----	----	----/21.087A	22.722B/21.087A	----	22.660 - 0.904	.9225	----	----	----	----	42 UNCH
5450	----	----	----/20.955A	22.464B/20.955A	----	22.436 - 0.903	.9203	----	----	----	----	1 UNCH
5500	----	----	----/20.373A	22.119B/20.373A	----	21.989 - 0.901	.9158	----	----	----	----	494 UNCH
5550	----	----	----/19.992A	21.570B/19.992A	----	21.545 - 0.900	.9110	----	----	----	----	3 UNCH
5600	----	----	----/19.452A	21.229B/19.452A	----	21.105 - 0.897	.9061	----	----	----	----	102 UNCH
5650	----	----	----/19.095A	20.715B/19.095A	----	20.668 - 0.894	.9010	----	----	----	----	43 UNCH
5675	----	----	----/18.882A	20.509B/18.882A	----	20.451 - 0.892	.8983	----	----	----	----	25 UNCH
5700	----	----	----/18.697A	20.289B/18.697A	----	20.234 - 0.891	.8957	----	----	----	----	26 UNCH
5750	----	----	----/18.244A	19.907B/18.244A	----	19.804 - 0.887	.8900	----	----	----	----	162 UNCH
5775	----	----	----/18.159A	19.596B/18.159A	----	19.591 - 0.885	.8872	----	----	----	----	1 UNCH
5800	----	----	----/17.951A	19.366B/17.951A	----	19.378 - 0.883	.8843	----	----	----	----	16 UNCH
5900	----	----	----/17.068A	18.509B/17.068A	----	18.536 - 0.875	.8720	----	----	----	----	10 UNCH
5925	----	----	----/16.863A	18.295B/16.863A	----	18.329 - 0.872	.8688	----	----	----	----	10 UNCH
5950	----	----	----/16.759A	18.083B/16.759A	----	18.122 - 0.869	.8655	----	----	----	----	6 UNCH
5975	----	----	----/16.557A	17.874B/16.557A	----	17.916 - 0.867	.8622	----	----	----	----	20 UNCH
6000	----	----	----/16.171A	17.780B/16.171A	----	17.711 - 0.865	.8589	----	----	----	----	550 UNCH
6050	----	----	----/15.774A	17.358B/15.774A	----	17.305 - 0.859	.8519	----	----	----	----	58 UNCH
6075	----	----	----/15.766A	17.032B/15.766A	----	17.103 - 0.857	.8484	----	----	----	----	1 UNCH
6100	----	----	----/15.464A	16.841B/15.464A	----	16.902 - 0.855	.8448	----	----	----	----	10 UNCH
6200	----	----	----/14.621A	16.169B/14.621A	----	16.112 - 0.844	.8299	----	----	----	----	101 UNCH
6250	----	----	----/14.358A	15.637B/14.358A	----	15.723 - 0.839	.8221	----	----	----	----	1 UNCH
6300	----	----	----/14.080A	15.249B/14.080A	----	15.339 - 0.833	.8141	----	----	----	----	3 UNCH
6350	----	----	----/13.632A	14.874B/13.632A	----	14.960 - 0.828	.8059	----	----	----	----	2 UNCH
6450	----	----	----/12.930A	14.121B/12.930A	----	14.216 - 0.818	.7889	----	----	----	----	1 UNCH
6500	----	----	----/12.512A	13.864B/12.512A	----	13.852 - 0.813	.7801	----	----	----	----	195 UNCH
6600	----	----	----/11.847A	13.137B/11.847A	----	13.138 - 0.805	.7620	----	----	----	----	56 UNCH
6650	----	----	----/11.524A	12.782B/11.524A	----	12.789 - 0.801	.7526	----	----	----	----	100 UNCH
6750	----	----	----/11.056A	11.934B/11.056A	----	12.107 - 0.795	.7334	----	----	----	----	24 UNCH
6800	----	----	----/10.622A	11.754B/10.622A	----	11.774 - 0.792	.7236	----	----	----	----	250 UNCH
6825	----	----	----/10.544A	11.427B/10.544A	----	11.610 - 0.791	.7186	----	----	----	----	6 UNCH
6850	----	----	----/10.398A	11.262B/10.398A	----	11.447 - 0.790	.7136	----	----	----	----	1 UNCH
6875	----	----	----/10.228A	11.100B/10.228A	----	11.285 - 0.789	.7085	----	----	----	----	16 UNCH
6900	----	----	----/10.055A	11.067B/10.055A	----	11.125 - 0.788	.7034	----	----	----	----	99 UNCH
6950	----	----	----/9.917A	10.616B/9.917A	----	10.810 - 0.786	.6931	----	----	----	----	1 UNCH
7000	----	----	----/9.420A	10.438B/9.420A	----	10.500 - 0.785	.6827	----	----	----	----	159 UNCH
7025	----	----	----/9.287A	10.290B/9.287A	----	10.348 - 0.784	.6775	----	----	----	----	125 UNCH
7050	----	----	----/9.367A	9.996B/9.367A	----	10.197 - 0.783	.6722	----	----	----	----	1 UNCH
7100	----	----	----/9.110A	9.701B/9.110A	----	9.899 - 0.782	.6615	----	----	----	----	5 UNCH
7200	----	----	----/8.566A	9.121B/8.566A	----	9.323 - 0.780	.6399	----	----	----	----	11 UNCH
7225	----	----	----/8.406A	8.980B/8.406A	----	9.183 - 0.780	.6345	----	----	----	----	1 UNCH
7250	----	----	----/8.134A	8.995B/8.134A	----	9.045 - 0.779	.6290	----	----	1	----	165 + 1
7300	----	----	----/8.088A	8.572B/8.088A	----	8.773 - 0.778	.6180	----	----	----	----	5 UNCH
7325	----	----	----/7.796A	8.572B/7.796A	----	8.639 - 0.778	.6125	----	----	----	----	100 UNCH
7350	----	----	----/7.870A	8.302B/7.870A	----	8.508 - 0.776	.6070	----	----	1	----	2 + 1
7400	----	----	----/7.652A	8.043B/7.652A	----	8.249 - 0.775	.5959	----	----	----	----	22 UNCH
7450	----	----	----/7.465A	7.811B/7.465A	----	7.997 - 0.773	.5848	----	----	----	----	12 UNCH
7500	----	----	----/7.064A	7.682B/7.064A	----	7.751 - 0.772	.5737	----	----	----	----	326 UNCH
7550	----	----	----/7.008A	7.323B/7.008A	----	7.513 - 0.769	.5626	----	----	----	----	6 UNCH
7575	----	----	----/6.892A	7.201B/6.892A	----	7.396 - 0.768	.5570	----	----	----	----	20 UNCH
7600	----	----	----/6.798A	7.087B/6.798A	----	7.281 - 0.766	.5515	----	----	----	----	19 UNCH
7700	----	----	----/6.442A	6.636B/6.442A	----	6.837 - 0.760	.5294	----	----	----	----	19 UNCH
7750	----	----	----/6.103A	6.554B/6.103A	----	6.626 - 0.755	.5185	----	----	----	----	65 UNCH
7800	----	----	----/6.071A	6.211B/6.071A	----	6.421 - 0.750	.5077	----	----	----	----	15 UNCH
7900	----	----	----/5.689A	5.810B/5.689A	----	6.031 - 0.739	.4863	----	----	----	----	9 UNCH
7975	----	----	----/5.536A	5.529B/5.536A	----	5.755 - 0.729	.4706	----	----	----	----	5 UNCH
8000	----	----	----/5.206A	5.537B/5.206A	----	5.666 - 0.726	.4654	----	----	27	75	614 + 48
8025	----	----	----/5.384A	5.355B/5.384A	----	5.579 - 0.722	.4603	----	----	----	----	8 UNCH
8100	----	----	----/5.161A	5.068B/5.161A	----	5.326 - 0.710	.4451	----	----	----	----	21 UNCH
8200	----	----	----/*4.809A	4.721B/*4.809A	----	5.008 - 0.694	.4254	----	----	----	----	2 UNCH
8250	----	----	----/*4.638A	4.631B/*4.638A	----	4.858 - 0.685	.4158	----	----	----	----	45 UNCH
8300	----	----	----/4.450A	4.554B/4.450A	----	4.713 - 0.676	.4064	----	----	----	----	196 UNCH
8350	----	----	----/*4.495A	4.268B/*4.495A	----	4.573 - 0.667	.3971	----	----	----	----	2 UNCH
8375	----	----	----/*4.362A	4.267B/*4.362A	----	4.505 - 0.662	.3926	----	----	----	----	48 UNCH
8400	----	----	----/*4.378A	4.132B/*4.378A	----	4.438 - 0.657	.3881	----	----	----	----	5 UNCH
8500	----	----	----/3.929A	4.005B/3.929A	----	4.183 - 0.637	.3705	----	----	27	----	684 UNCH
8550	----	----	----/3.889A	3.873B/3.889A	----	4.063 - 0.627	.3620	----	----	----	----	329 UNCH
8600	----	----	----/*3.941A	3.620B/*3.941A	----	3.946 - 0.617	.3537	----	----	----	----	6 UNCH
8650	----	----	----/*3.837A	3.528B/*3.837A	----	3.834 - 0.607	.3456	----	----	----	----	1 UNCH
8700	----	----	----/3.605A	3.523B/3.605A	----	3.726 - 0.596	.3376	----	----	----	----	63 UNCH
8750	----	----	----/*3.652A	3.275B/*3.652A	----	3.622 - 0.586	.3299	----	----	----	----	7 UNCH
8800	----	----	----/*3.564A	3.209B/*3.564A	----	3.522 - 0.575	.3223	----	----	----	----	12 UNCH
8900	----	----	----/*3.257A	3.118B/*3.257A	----	3.332 - 0.554	.3078	----	----	----	----	103 UNCH
9000	----	----	----/3.027A	2.971B/3.027A	----	3.155 - 0.534	.2939	----	----	----	----	295 UNCH
9100	----	----	----/*3.087A	2.632B/*3.087A	----	2.991 - 0.514	.2808	----	----	----	----	10 UNCH
9200	----	----	----/*2.815A	2.610B/*2.815A	----	2.838 - 0.494	.2684	----	----	----	----	81 UNCH
9225	2.534	2.534	2.534/*2.534	2.534/*2.534	----	2.801 NEW	.2653	----	----	2	----	2 + 2
9250	----	----	----/*2.882A	2.404B/*2.882A	----	2.765 - 0.485	.2624	----	----	----	----	7 UNCH
9300	----	----	----/*2.687A	2.468B/*2.687A	----	2.695 - 0.476	.2565	----	----	----	----	266 UNCH
9350	----	----	----/*2.758A	2.290B/*2.758A	----	2.627 - 0.466	.2508	----	----	----	----	7 UNCH
9400	----	----	----/*2.632A	2.301B/*2.632A	----	2.562 - 0.457	.2453	----	----	----	----	25 UNCH
9450	----	----	----/*2.575A	2.206B/*2.575A	----	2.498 - 0.449	.2399	----	----	----	----	33 UNCH
9500	2.549	2.549	2.549/2.430A	2.549/2.430A	----	2.437 - 0.439	.2347	----	----	2	----	449 UNCH
9600	2.444	2.444	2.444/*2.346A	2.444/*2.346A	----	2.319 - 0.424	.2245	----	----	2	----	53 + 2
9700	----	----	----/*2.378A	1.867B/*2.378A	----	2.209 - 0.408	.2149	----	----	----	----	4 UNCH
9725	----	----	----/*2.355A	1.841B/*2.355A	----	2.183 - 0.404	.2126	----	----	----	----	1 UNCH
9775	----	----	----/*2.178A	1.912B/*2.178A	----	2.131 - 0.397	.2081	----	----	----	----	50 UNCH
9800	----	----	----/*2.157A	1.888B/*2.157A	----	2.106 - 0.393	.2058	----	----	----	----	109 UNCH
9900	----	----	----/*2.069A	1.792B/*2.069A	----	2.009 - 0.378	.1972	----	----	----	----	73 UNCH
10000	1.984	1.984	1.984/1.951A	1.984/1.951A	----	1.917 - 0.365	.1890	----	----	4	----	1511 - 1
10100	----	----	----/*2.028A	1.492B/*2.028A	----	1.832 - 0.351	.1812	----	----	----	----	1 UNCH
10125	----	----	----/*2.009A	1.472B/*2.009A	----	1.811 - 0.348	.1793	----	----	----	----	1 UNCH
10200	----	----	----/*1.834A	1.536B/*1.834A	----	1.751 - 0.338	.1738	----	----	----	----	81 UNCH
10250	----	----	----/*1.908A	1.380B/*1.908A	----	1.712 - 0.332	.1702	----	----	----	----	20 UNCH
10375	----	----	----/*1.829A	1.284B/*1.829A	----	1.621 - 0.317	.1618	----	----	----	----	18 UNCH
10400	----	----	----/*1.813A	1.268B/*1.813A	----	1.603 - 0.314	.1601	----	----	----	----	1 UNCH
10475	----	----	----/*1.778A	1.219B/*1.778A	----	1.552 - 0.305	.1553	----	----	----	----	25 UNCH
10500	----	----	----/1.630A	1.224B/1.630A	----	1.536 - 0.302	.1538	----	----	----	----	584 UNCH
10600	----	----	----/*1.697A	1.144B/*1.697A	----	1.472 - 0.291	.1478	----	----	----	----	1 UNCH
10800	----	----	----/*1.355A	1.024B/*1.355A	----	1.355 - 0.271	.1366	----	----	----	----	28 UNCH
11000	1.000	1.000	1.001B/1.000	1.001B/1.000	----	1.251 - 0.251	.1266	----	----	51	----	1099 + 42
11100	----	----	----/*1.313A	0.886B/*1.313A	----	1.203 - 0.242	.1219	----	----	----	----	23 UNCH
11200	----	----	----/*1.366A	0.881B/*1.366A	----	1.157 - 0.234	.1175	----	----	----	----	8 UNCH
11225	----	----	----/*1.371A	0.835B/*1.371A	----	1.146 - 0.232	.1164	----	----	----	----	3 UNCH
11300	----	----	----/*1.088A	0.837B/*1.088A	----	1.113 - 0.226	.1132	----	----	----	----	62 UNCH
11400	----	----	----/*1.051A	0.960B/*1.051A	----	1.072 - 0.218	.1091	----	----	----	----	19 UNCH
11500	----	----	----/*1.018A	0.941B/*1.018A	----	1.033 - 0.211	.1053	----	----	----	----	128 UNCH
11600	----	----	----/*0.985A	0.927B/*0.985A	----	0.996 - 0.204	.1016	----	----	----	----	1 UNCH
11625	----	----	----/*0.977A	0.917B/*0.977A	----	0.987 - 0.202	.1007	----	----	----	----	2 UNCH
11650	----	----	----/*0.970A	0.907B/*0.970A	----	0.978 - 0.200	.0998	----	----	----	----	24 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUL26												
11675	----	----	----/*0.962A	0.897B/*0.962A	----	0.969 - 0.199	.0990	----	----	----	----	22 UNCH
11700	----	----	----/*0.954A	0.888B/*0.954A	----	0.960 - 0.197	.0981	----	----	----	----	22 UNCH
11725	----	----	----/*0.947A	0.879B/*0.947A	----	0.951 - 0.196	.0972	----	----	----	----	22 UNCH
11750	----	----	----/*0.939A	0.867B/*0.939A	----	0.943 - 0.194	.0964	----	----	----	----	22 UNCH
11775	----	----	----/*0.932A	0.858B/*0.932A	----	0.934 - 0.193	.0955	----	----	----	----	22 UNCH
11800	----	----	----/*0.925A	0.848B/*0.925A	----	0.926 - 0.191	.0947	----	----	----	----	1 UNCH
11900	----	----	----/*0.896A	0.813B/*0.896A	----	0.894 - 0.185	.0915	----	----	----	----	1 UNCH
11950	----	----	----/*0.883A	0.793B/*0.883A	----	0.878 - 0.183	.0899	----	----	----	----	1 UNCH
12000	----	----	----/0.873A	0.777B/0.873A	----	0.863 - 0.179	.0884	----	----	----	----	542 UNCH
12200	----	----	----/*0.822A	0.721B/*0.822A	----	0.804 - 0.170	.0825	----	----	----	----	1 UNCH
12225	----	----	----/*0.816A	0.712B/*0.816A	----	0.797 - 0.169	.0818	----	----	----	----	16 UNCH
12250	----	----	----/*0.810A	0.705B/*0.810A	----	0.791 - 0.167	.0812	----	----	----	----	6 UNCH
12300	----	----	----/*0.798A	0.691B/*0.798A	----	0.777 - 0.165	.0798	----	----	----	----	8 UNCH
12375	----	----	----/*0.782A	0.672B/*0.782A	----	0.757 - 0.162	.0778	----	----	----	----	1 UNCH
12425	----	----	----/*0.771A	0.659B/*0.771A	----	0.744 - 0.161	.0765	----	----	----	----	1 UNCH
12450	----	----	----/*0.765A	0.653B/*0.765A	----	0.738 - 0.159	.0759	----	----	----	----	1 UNCH
12475	----	----	----/*0.759A	0.645B/*0.759A	----	0.732 - 0.158	.0753	----	----	----	----	3 UNCH
12500	----	----	----/*0.754A	0.638B/*0.754A	----	0.726 - 0.157	.0747	----	----	1	----	141 - 1
12600	----	----	----/*0.729A	0.614B/*0.729A	----	0.701 - 0.154	.0722	----	----	----	----	6 UNCH
12725	----	----	----/*0.706A	0.581B/*0.706A	----	0.672 - 0.150	.0693	----	----	----	----	1 UNCH
12800	----	----	----/*0.692A	0.566B/*0.692A	----	0.655 - 0.147	.0676	----	----	----	----	1 UNCH
13000	----	----	----/0.656A	0.526B/0.656A	----	0.613 - 0.141	.0634	----	----	47	----	658 - 33
14000	----	----	----/0.522A	0.375B/0.522A	----	0.446 - 0.119	.0464	----	----	----	----	799 UNCH
14700	----	----	----/*0.448A	0.303B/*0.448A	----	0.368 - 0.104	.0383	----	----	----	----	1 UNCH
15000	----	----	----/0.425A	0.277B/0.425A	----	0.341 - 0.099	.0354	----	----	----	----	709 UNCH
16000	----	----	----/0.285A	0.290B/0.285A	----	0.274 - 0.081	.0282	----	----	----	----	759 UNCH
17000	----	----	----	0.160B/0.306A	----	0.226 - 0.069	.0231	----	----	----	----	24 UNCH
18000	0.200	0.200	0.200/0.200	0.200/0.200	----	0.190 - 0.060	.0192	----	----	1	----	256 UNCH
19000	----	----	----	0.094B/0.240A	----	0.161 - 0.054	.0161	----	----	----	----	78 UNCH
20000	----	----	----	0.070B/0.219A	----	0.140 - 0.046	.0139	----	----	----	----	1208 UNCH
21000	----	----	----	0.050B/*0.206A	----	0.124 - 0.037	.0121	----	----	----	----	427 UNCH
24000	----	----	----	0.001B/0.273A	----	0.098 - 0.010	.0092	----	----	----	----	125 UNCH
25000	----	----	----	0.050B/0.140A	----	0.093 - 0.002	.0086	----	----	----	----	356 UNCH
27000	----	----	----	0.001B/0.306A	----	0.082 - 0.002	.0074	----	----	----	----	4 UNCH
30000	----	----	----	0.030B/*0.087A	----	0.072 - 0.003	.0063	----	----	----	----	23 UNCH
32000	----	----	----	0.001B/0.289A	----	0.060 - 0.003	.0052	----	----	----	----	4 UNCH
35000	----	----	----/0.040A	0.032B/0.040A	----	0.040 - 0.002	.0035	----	----	----	----	76 UNCH
TOTAL										166	75	17981 + 61
AUG26												
5000	----	----	----	16.864B/34.759A	----	27.383 - 0.938	.9365	----	----	----	----	2 UNCH
5400	----	----	----	12.991B/31.702A	----	23.782 - 0.960	.9071	----	----	----	----	2 UNCH
5500	----	----	----	12.624B/30.256A	----	22.910 - 0.964	.8981	----	----	----	----	1 UNCH
6300	----	----	----	7.520B/22.909A	----	16.486 - 0.971	.8002	----	----	----	----	5 UNCH
6450	----	----	----	6.819B/21.595A	----	15.415 - 0.964	.7769	----	----	----	----	1 UNCH
6500	----	----	----	6.578B/21.125A	----	15.069 - 0.961	.7688	----	----	----	----	2 UNCH
6600	----	----	----	10.296B/16.989A	----	14.392 - 0.955	.7522	----	----	----	----	4 UNCH
6800	----	----	----/12.912A	11.543B/12.912A	----	13.108 - 0.938	.7176	----	----	----	----	7 UNCH
6875	----	----	----/12.133A	11.723B/12.133A	----	12.651 - 0.930	.7042	----	----	----	----	5 UNCH
7000	----	----	----/11.085A	11.065B/11.085A	----	11.918 - 0.916	.6815	----	----	----	----	3 UNCH
7025	----	----	----/10.954A	10.913B/10.954A	----	11.776 - 0.913	.6769	----	----	----	----	5 UNCH
7050	----	----	----/10.824A	10.775B/10.824A	----	11.635 - 0.910	.6723	----	----	----	----	2 UNCH
7100	----	----	----/10.569A	10.514B/10.569A	----	11.358 - 0.904	.6631	----	----	----	----	2 UNCH
7400	----	----	----/9.023A	9.328B/9.023A	----	9.822 - 0.863	.6071	----	----	----	----	2 UNCH
7425	----	----	----/8.915A	8.889B/8.915A	----	9.704 - 0.858	.6024	----	----	----	----	14 UNCH
7475	----	----	----/8.703A	8.662B/8.703A	----	9.471 - 0.851	.5931	----	----	----	----	6 UNCH
7500	----	----	----/8.599A	8.838B/8.599A	----	9.357 - 0.847	.5884	----	----	----	----	4 UNCH
7550	----	----	----/8.396A	8.624B/8.396A	----	9.133 - 0.839	.5792	----	----	----	----	4 UNCH
7625	7.992	7.992	8.097B/7.992	8.097B/7.992	----	8.807 - 0.827	.5653	----	----	9	----	18 + 3
7700	----	----	----/7.814A	8.047B/7.814A	----	8.493 - 0.815	.5516	----	----	----	----	1 UNCH
7800	----	----	----/7.452A	7.645B/7.452A	----	8.094 - 0.798	.5336	----	----	----	----	1 UNCH
7900	----	----	----/7.109A	7.261B/7.109A	----	7.715 - 0.781	.5160	----	----	----	----	1 UNCH
8000	----	----	----/6.784A	6.903B/6.784A	----	7.356 - 0.763	.4987	----	----	----	----	12 UNCH
8300	----	----	----/*5.911A	5.900B/*5.911A	----	6.390 - 0.710	.4493	----	----	----	----	1 UNCH
8450	----	----	----/*5.523A	5.625B/*5.523A	----	5.964 - 0.682	.4261	----	----	----	----	1 UNCH
8500	----	----	----/*5.399A	5.507B/*5.399A	----	5.830 - 0.673	.4187	----	----	----	----	12 UNCH
8775	----	----	----/*4.788A	4.532B/*4.788A	----	5.155 - 0.625	.3798	----	----	----	----	2 UNCH
8900	----	----	----/*4.535A	4.551B/*4.535A	----	4.882 - 0.602	.3633	----	----	----	----	7 UNCH
8950	4.392	4.392	4.392/*4.373A	4.392/*4.373A	----	4.777 NEW	.3569	----	----	6	----	6 + 6
9000	----	----	----/4.347A	4.341B/4.347A	----	4.676 - 0.585	.3507	----	----	----	----	20 UNCH
9100	----	----	----/*4.168A	4.143B/*4.168A	----	4.481 - 0.569	.3386	----	----	----	----	84 UNCH
9400	----	----	----/*3.678A	3.431B/*3.678A	----	3.956 - 0.521	.3048	----	----	----	----	102 UNCH
10000	----	----	----/2.930A	2.636B/2.930A	----	3.121 - 0.438	.2482	----	----	----	----	76 UNCH
10200	----	----	----/*2.814A	2.431B/*2.814A	----	2.893 - 0.414	.2321	----	----	----	----	3 UNCH
10400	----	----	----/*2.626A	2.277B/*2.626A	----	2.687 - 0.391	.2173	----	----	----	----	2 UNCH
10500	----	----	----/*2.520A	2.202B/*2.520A	----	2.591 - 0.381	.2103	----	----	----	----	7 UNCH
11100	----	----	----/*2.060A	1.787B/*2.060A	----	2.101 - 0.326	.1738	----	----	----	----	1 UNCH
11200	----	----	----/*1.999A	1.733B/*1.999A	----	2.032 - 0.317	.1686	----	----	----	----	1 UNCH
11300	----	----	----/*1.932A	1.675B/*1.932A	----	1.966 - 0.310	.1635	----	----	----	----	10 UNCH
11500	----	----	----/*1.818A	1.564B/*1.818A	----	1.842 - 0.295	.1539	----	----	----	----	9 UNCH
11850	----	----	----/*1.633A	1.399B/*1.633A	----	1.650 - 0.273	.1389	----	----	----	----	1 UNCH
12000	----	----	----/1.540A	1.335B/1.540A	----	1.576 - 0.264	.1330	----	----	----	----	2 UNCH
12500	----	----	----/*1.331A	1.206B/*1.331A	----	1.361 - 0.238	.1158	----	----	----	----	1 UNCH
13000	----	----	----/1.139A	1.123B/1.139A	----	1.186 - 0.216	.1014	----	----	----	----	53 UNCH
14000	----	----	----/0.885A	0.855B/0.885A	----	0.921 - 0.182	.0794	----	----	----	----	6 UNCH
15000	----	----	----/0.789A	0.634B/0.789A	----	0.734 - 0.158	.0635	----	----	----	----	36 UNCH
16000	----	----	----/0.658A	0.502B/0.658A	----	0.598 - 0.137	.0518	----	----	----	----	1 UNCH
17000	----	----	----/0.565A	0.405B/0.565A	----	0.495 - 0.121	.0428	----	----	----	----	2 UNCH
18000	----	----	----/0.495A	0.332B/0.495A	----	0.416 - 0.106	.0360	----	----	----	----	1 UNCH
19000	----	----	----/0.436A	0.273B/0.436A	----	0.355 - 0.093	.0306	----	----	----	----	2 UNCH
20000	----	----	----	0.230B/0.391A	----	0.306 - 0.082	.0263	----	----	----	----	217 UNCH
25000	----	----	----	0.101B/*0.255A	----	0.171 - 0.044	.0144	----	----	----	----	2 UNCH
30000	----	----	----	0.032B/*0.221A	----	0.115 - 0.032	.0094	----	----	----	----	13 UNCH
35000	----	----	----	0.001B/4.232A	----	0.073 - 0.021	.0060	----	----	----	----	2 UNCH
TOTAL										15	0	787 + 9
SEP26												
5100	----	----	----	13.531B/36.685A	----	26.721 - 0.955	.9166	----	----	----	----	1 UNCH
5900	----	----	----	7.790B/29.884A	----	20.076 - 0.974	.8380	----	----	----	----	2 UNCH
6000	----	----	----	7.199B/28.364A	----	19.316 - 0.973	.8254	----	----	----	----	7 UNCH
6700	----	----	----/14.402A	12.679B/14.402A	----	14.534 - 0.945	.7236	----	----	----	----	1 UNCH
7000	----	----	----/12.416A	11.860B/12.416A	----	12.794 - 0.926	.6747	----	----	----	----	119 UNCH
7125	----	----	----/11.751A	11.161B/11.751A	----	12.125 - 0.919	.6539	----	----	----	----	75 UNCH
7400	----	----	----/10.551A	10.170B/10.551A	----	10.768 - 0.903	.6079	----	----	----	----	100 UNCH
7500	----	----	----/10.135A	9.715B/10.135A	----	10.313 - 0.897	.5913	----	----	----	----	1 UNCH
7700	----	----	----/9.352A	8.875B/9.352A	----	9.461 - 0.887	.5583	----	----	----	----	1 UNCH
8000	----	----	----/8.365A	7.760B/8.365A	----	8.323 - 0.870	.5108	----	----	----	----	105 UNCH
8200	----	----	----/7.765A	7.098B/7.765A	----	7.650 - 0.857	.4806	----	----	----	----	20 UNCH
8500	----	----	----/6.971A	6.205B/6.971A	----	6.758 - 0.829	.4380	----	----	----	----	100 UNCH
8675	----	----	----/6.635A	5.661B/6.635A	----	6.296 - 0.810	.4147	----	----	----	----	5 UNCH
8700	----	----	----/6.512A	5.691B/6.512A	----	6.234 - 0.806	.4115	----	----	----	----	100 UNCH
9000	----	----	----/5.915A	5.022B/5.915A	----	5.542 - 0.768	.3747	----	----	1	25	91 + 26
9500	----	----	----/5.011A	4.072B/5.011A	----	4.604 - 0.695	.3214	----	----	1	40	53 + 41
9750	----	----	----/*4.632A	3.706B/*4.632A	----	4.219 - 0.656	.2982	----	----	----	----	23 UNCH
9800	----	----	----/*4.560A	3.638B/*4.560A	----	4.148 - 0.648	.2938	----	----	----	----	9 UNCH
9900	----	----	----/*4.422A	3.507B/*4.422A	----	4.010 - 0.633	.2853	----	----	----	----	40 UNCH
10000	----	----	----/4.290A	3.500B/4.290A	----	3.880 - 0.618	.2772	----	----	----	----	182 UNCH
10500	----	----	----/*3.703A	2.830B/*3.703A	----	3.316 - 0.543	.2408	----	----	----	----	50 UNCH
10800	----	----	----/*3.425A	2.553B/*3.425A	----	3.037 - 0.501	.2221	----	----	----	----	2 UNCH
11000	2.769	2.769	2.944/2.700A	2.944/2.700A	----	2.871 - 0.475	.2108	----	----	6	----	130 UNCH
12000	----	----	----/2.518A	1.737B/2.518A	----	2.215 - 0.364	.1650	----	----	----	----	47 UNCH
12500	----	----	----/*2.282A	1.484B/*2.282A	----	1.963 - 0.322	.1471	----	----	----	----	35 UNCH
13000	----	----	----/1.883A	1.244B/1.883A	----	1.746 - 0.288	.1315	----	----	8	----	36 + 4
14000	1.453	1.453	1.453/1.391A	1.453/1.391A	----	1.395 - 0.237	.1061	----	----	14	----	83 + 12
15000	1.050	1.050	1.050/1.050	1.050/1.050	----	1.129 - 0.201	.0867	----	----	10	----	221 + 10
16000	----	----	----/0.985A	0.813B/0.985A	----	0.925 - 0.176	.0716	----	----	----	----	18 UNCH
17000	----	----	----/0.844A	0.670B/0.844A	----	0.770 - 0.154	.0599	----	----	----	----	27 UNCH
18000	----	----	----/0.734A	0.555B/0.734A	----	0.653 - 0.135	.0509	----	----	----	----	2 UNCH
19000	----	----	----/0.656A	0.467B/0.656A	----	0.564 - 0.118	.0440	----	----	----	----	14 UNCH
20000	----	----	----/0.589A	0.398B/0.589A	----	0.495 - 0.104	.0385	----	----	----	----	304 UNCH
21000	----	----	----	0.341B/*0.531A	----	0.440 - 0.091	.0342	----	----	----	----	1 UNCH
23000	----	----	----	0.259B/*0.441A	----	0.363 - 0.069	.0279	----	----	----	----	32 UNCH
25000	----	----	----	0.199B/*0.374A	----	0.313 - 0.052	.0237	----	----	----	----	14 UNCH
30000	----	----	----	0.200B/0.284A	----	0.253 - 0.020	.0183	----	----	----	----	19 UNCH
35000	----	----	----	0.049B/0.242A	----	0.144 - 0.012	.0107	----	----	----	----	27 UNCH
TOTAL										40	65	2097 + 93
OCT26												

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 57

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
OCT26												
3800	----	----	----	----	----	39.657 -	0.894 .9768	----	----	----	----	1 UNCH
7000	----	----	----/13.795A	13.023B/13.795A	----	14.328 -	1.023 .6806	----	----	----	----	2 UNCH
7100	----	----	----/13.316A	12.499B/13.316A	----	13.778 -	1.019 .6659	----	----	----	----	1 UNCH
7500	----	----	----/11.498A	11.515B/11.498A	----	11.756 -	0.991 .6064	----	----	----	----	1 UNCH
7650	----	----	----/10.940A	10.263B/10.940A	----	11.071 -	0.977 .5840	----	----	----	----	1 UNCH
7875	----	----	----/10.269A	9.156B/10.269A	----	10.117 -	0.954 .5508	----	----	----	----	2 UNCH
8000	----	----	----/9.684A	8.913B/9.684A	----	9.625 -	0.940 .5328	----	----	----	----	4 UNCH
8075	----	----	----/9.567A	8.463B/9.567A	----	9.343 -	0.930 .5221	----	----	----	----	1 UNCH
8500	----	----	----/8.267A	7.322B/8.267A	----	7.919 -	0.874 .4644	----	----	----	----	1 UNCH
8700	----	----	----/7.771A	6.792B/7.771A	----	7.346 -	0.845 .4391	----	----	----	----	4 UNCH
9000	----	----	----/7.111A	6.039B/7.111A	----	6.590 -	0.800 .4038	----	----	----	----	1 UNCH
9100	----	----	----/6.923A	5.819B/6.923A	----	6.362 -	0.786 .3927	----	----	----	----	73 UNCH
10000	----	----	----/5.369A	4.270B/5.369A	----	4.777 -	0.656 .3088	----	----	----	----	96 UNCH
11000	----	----	----/4.155A	3.138B/4.155A	----	3.680 -	0.535 .2433	----	----	----	----	3 UNCH
12000	----	----	----/3.294A	2.355B/3.294A	----	2.944 -	0.441 .1968	----	----	----	----	65 UNCH
13000	----	----	----/2.708A	1.805B/2.708A	----	2.379 -	0.368 .1609	----	----	----	----	145 UNCH
14000	----	----	----	1.359B/2.332A	----	1.933 -	0.311 .1324	----	----	----	----	2 UNCH
15000	----	----	----/1.590A	1.436B/1.590A	----	1.582 -	0.265 .1098	----	----	----	----	178 UNCH
16000	----	----	----/1.354A	1.176B/1.354A	----	1.310 -	0.229 .0919	----	----	----	----	4 UNCH
18000	----	----	----/1.033A	0.830B/1.033A	----	0.914 -	0.176 .0655	----	----	----	----	340 UNCH
20000	----	----	----	0.604B/0.822A	----	0.677 -	0.139 .0490	----	----	----	----	225 UNCH
TOTAL											0	1150 0
NOV26												
6500	----	----	----	1.329B/34.172A	----	17.873 -	1.043 .7450	----	----	----	----	1 UNCH
7000	----	----	----/14.680A	13.660B/14.680A	----	14.967 -	1.031 .6780	----	----	----	----	14 UNCH
7100	----	----	----/14.241A	13.175B/14.241A	----	14.437 -	1.026 .6642	----	----	----	----	14 UNCH
7500	----	----	----/12.470A	11.532B/12.470A	----	12.491 -	0.999 .6085	----	----	----	----	1 UNCH
7900	----	----	----/11.030A	9.976B/11.030A	----	10.823 -	0.959 .5539	----	----	----	----	10 UNCH
8000	----	----	----/10.676A	9.615B/10.676A	----	10.449 -	0.947 .5406	----	----	----	----	10 UNCH
10000	----	----	----/6.241A	4.954B/6.241A	----	5.778 -	0.664 .3369	----	----	----	----	26 UNCH
12000	----	----	----/4.072A	2.903B/4.072A	----	3.630 -	0.474 .2223	----	----	----	----	13 UNCH
12500	----	----	----/*3.698A	2.567B/*3.698A	----	3.266 -	0.441 .2019	----	----	----	----	10 UNCH
14000	----	----	----	1.836B/2.871A	----	2.428 -	0.366 .1537	----	----	----	----	1 UNCH
15000	----	----	----	1.424B/2.527A	----	2.023 -	0.327 .1297	----	----	----	----	5 UNCH
16000	----	----	----/1.756A	1.557B/1.756A	----	1.707 -	0.292 .1106	----	----	----	----	2 UNCH
17000	----	----	----/1.534A	1.318B/1.534A	----	1.459 -	0.258 .0953	----	----	----	----	1 UNCH
20000	----	----	----/1.083A	0.839B/1.083A	----	0.971 -	0.179 .0644	----	----	----	----	31 UNCH
TOTAL											0	139 0
DEC26												
3875	----	----	----	----	----	39.096 -	0.914 .9614	----	----	----	----	1 UNCH
5250	----	----	----	#5.078B/*46.381A	----	27.004 -	0.982 .8785	----	----	----	----	50 UNCH
5500	----	----	----	3.396B/47.362A	----	25.022 -	0.990 .8559	----	----	----	----	1 UNCH
6500	----	----	----	----/40.317A	----	18.104 -	0.982 .7426	----	----	----	----	564 UNCH
6900	----	----	----/16.346A	14.400B/16.346A	----	15.871 -	0.960 .6901	----	----	----	----	1 UNCH
6950	----	----	----/15.644A	14.141B/15.644A	----	15.613 -	0.957 .6834	----	----	----	----	200 UNCH
7000	----	----	----/15.443A	13.887B/15.443A	----	15.360 -	0.954 .6768	----	----	----	----	120 UNCH
7025	----	----	----/15.728A	13.749B/15.728A	----	15.235 -	0.952 .6734	----	----	----	----	1 UNCH
7075	----	----	----/15.488A	13.502B/15.488A	----	14.989 -	0.948 .6668	----	----	----	----	5 UNCH
7100	----	----	----/15.000A	13.572B/15.000A	----	14.868 -	0.946 .6634	----	----	----	----	15 UNCH
7375	----	----	----/14.133A	12.129B/14.133A	----	13.600 -	0.926 .6269	----	----	----	----	3 UNCH
7500	----	----	----/13.279A	12.079B/13.279A	----	13.065 -	0.916 .6105	----	----	----	----	18 UNCH
7575	----	----	----/13.315A	11.318B/13.315A	----	12.756 -	0.910 .6007	----	----	----	----	1 UNCH
7750	----	----	----/12.364A	11.060B/12.364A	----	12.069 -	0.895 .5782	----	----	----	----	2 UNCH
7800	----	----	----/12.170A	10.870B/12.170A	----	11.881 -	0.891 .5719	----	----	----	----	1 UNCH
7925	----	----	----/12.032A	10.014B/12.032A	----	11.427 -	0.881 .5563	----	----	----	----	2 UNCH
8000	----	----	----/11.516A	10.111B/11.516A	----	11.166 -	0.874 .5472	----	----	----	----	127 UNCH
8100	----	----	----/11.172A	9.769B/11.172A	----	10.829 -	0.865 .5352	----	----	----	----	1 UNCH
8200	----	----	----/10.895A	9.448B/10.895A	----	10.505 -	0.857 .5234	----	----	----	----	22 UNCH
8400	----	----	----/10.360A	8.840B/10.360A	----	9.896 -	0.840 .5005	----	----	----	----	50 UNCH
8500	----	----	----/10.070A	8.556B/10.070A	----	9.609 -	0.831 .4895	----	----	----	----	150 UNCH
8550	----	----	----/9.940A	8.425B/9.940A	----	9.470 -	0.827 .4840	----	----	----	----	1 UNCH
8600	----	----	----/9.819A	8.288B/9.819A	----	9.333 -	0.824 .4787	----	----	----	----	7 UNCH
8800	----	----	----/9.343A	7.791B/9.343A	----	8.815 -	0.807 .4578	----	----	----	----	5 UNCH
8900	----	----	----/9.106A	7.547B/9.106A	----	8.571 -	0.798 .4478	----	----	----	----	2 UNCH
8950	----	----	----/9.010A	7.429B/9.010A	----	8.453 -	0.794 .4429	----	----	----	----	1 UNCH
9000	----	----	----/8.902A	7.313B/8.902A	----	8.337 -	0.790 .4380	----	----	----	----	228 UNCH
9050	----	----	----/8.788A	7.199B/8.788A	----	8.223 -	0.786 .4332	----	----	----	----	100 UNCH
9300	----	----	----/8.348A	6.662B/8.348A	----	7.688 -	0.764 .4102	----	----	----	----	1 UNCH
9500	----	----	----/7.937A	6.273B/7.937A	----	7.295 -	0.748 .3928	----	----	----	----	3 UNCH
9700	----	----	----/7.656A	5.912B/7.656A	----	6.931 -	0.731 .3764	----	----	----	----	1 UNCH
9800	----	----	----	5.739B/7.492A	----	6.759 -	0.723 .3685	----	----	----	----	18 UNCH
9900	----	----	----/7.289A	5.578B/7.289A	----	6.593 -	0.714 .3608	----	----	----	----	3 UNCH
10000	----	----	----	5.416B/7.183A	----	6.432 -	0.707 .3534	----	----	----	----	774 UNCH
10025	----	----	----	5.354B/7.144A	----	6.393 -	0.704 .3515	----	----	----	----	3 UNCH
10500	----	----	----	4.748B/6.461A	----	5.708 -	0.664 .3189	----	----	----	----	2 UNCH
10600	----	----	----	4.633B/6.327A	----	5.577 -	0.655 .3125	----	----	----	----	1 UNCH
10800	----	----	----	4.412B/6.076A	----	5.328 -	0.638 .3003	----	----	----	----	1 UNCH
11000	----	----	----	4.205B/5.840A	----	5.094 -	0.622 .2887	----	----	----	----	91 UNCH
11350	----	----	----	3.873B/5.460A	----	4.720 -	0.592 .2698	----	----	----	----	5 UNCH
11800	----	----	----	3.494B/5.023A	----	4.294 -	0.557 .2479	----	----	----	----	25 UNCH
12000	4.000	4.000	4.008/3.924	4.008/3.924	----	4.123 -	0.541 .2390	----	----	21	----	438 UNCH
12200	----	----	----	3.196B/*4.678A	----	3.961 -	0.527 .2305	----	----	----	----	1 UNCH
12500	----	----	----	2.994B/*4.443A	----	3.736 -	0.504 .2186	----	----	----	----	43 UNCH
13000	----	----	----	2.691B/4.089A	----	3.399 -	0.471 .2005	----	----	----	----	338 UNCH
14000	----	----	----	2.193B/3.499A	----	2.845 -	0.413 .1701	----	----	----	----	56 UNCH
14200	----	----	----	2.107B/*3.397A	----	2.750 -	0.402 .1648	----	----	----	----	1 UNCH
15000	----	----	----	1.801B/3.057A	----	2.411 -	0.365 .1458	----	----	----	----	1821 UNCH
16000	----	----	----	1.412B/2.761A	----	2.066 -	0.325 .1261	----	----	----	----	1608 UNCH
17000	----	----	----/1.930A	1.558B/1.930A	----	1.786 -	0.292 .1099	----	----	----	----	50 UNCH
18000	----	----	----/1.721A	1.402B/1.721A	----	1.557 -	0.264 .0965	----	----	----	----	7 UNCH
19000	----	----	----/1.556A	1.211B/1.556A	----	1.368 -	0.239 .0853	----	----	----	----	1 UNCH
20000	----	----	----/1.408A	1.053B/1.408A	----	1.210 -	0.217 .0758	----	----	----	----	262 UNCH
21000	----	----	----	0.920B/*1.283A	----	1.077 -	0.199 .0678	----	----	----	----	4 UNCH
23000	----	----	----	0.716B/*1.084A	----	0.870 -	0.167 .0552	----	----	----	----	4 UNCH
25000	----	----	----	0.567B/*0.935A	----	0.720 -	0.141 .0459	----	----	----	----	231 UNCH
30000	0.502	0.502	0.502/*0.502	0.502/*0.502	----	0.492 -	0.102 .0314	----	----	1	----	108 + 1
40000	----	----	----	0.201B/0.457A	----	0.302 -	0.067 .0189	----	----	----	----	23 UNCH
90000	----	----	----	0.002B/0.300A	----	0.147 -	0.034 .0081	----	----	----	----	1 UNCH
TOTAL										22	0	7604 + 1
JAN27												
7550	----	----	----/14.324A	12.726B/14.324A	----	13.961 -	0.858 .6159	----	----	----	----	1 UNCH
7650	----	----	----/13.928A	13.181B/13.928A	----	13.562 -	0.851 .6037	----	----	----	----	6 UNCH
10000	----	----	----	6.095B/*8.198A	----	7.386 -	0.666 .3771	----	----	5	----	5 + 4
11000	----	----	----	4.683B/*6.849A	----	5.932 -	0.592 .3128	----	----	5	----	5 + 4
13000	----	----	----	2.814B/*5.144A	----	4.210 -	0.480 .2279	----	----	----	----	1 UNCH
14000	----	----	----	2.200B/*4.539A	----	3.823 -	0.447 .2044	----	----	----	----	1 UNCH
14500	----	----	----	1.919B/*4.341A	----	3.677 -	0.434 .1951	----	----	----	----	400 UNCH
15000	----	----	----	1.682B/*4.113A	----	3.557 -	0.422 .1871	----	----	----	----	400 UNCH
TOTAL										10	0	819 + 8
FEB27												
9000	----	----	----	8.584B/10.751A	----	9.804 -	0.888 .4655	----	----	----	----	1 UNCH
30000	----	----	----/*2.164A	0.002B/*2.164A	----	0.802 -	1.375 .0460	----	----	----	----	1 UNCH
TOTAL											0	2 0
MAR27												
8000	----	----	----	10.650B/*15.162A	----	13.243 -	1.051 .5700	----	----	----	----	200 UNCH
9000	----	----	----/*9.920A	7.899B/*9.920A	----	10.386 -	0.941 .4741	----	----	----	----	15 UNCH
9200	----	----	----	7.465B/*11.961A	----	9.928 -	0.912 .4573	----	----	----	----	25 UNCH
30000	----	----	----	0.422B/*1.409A	----	1.200 -	0.182 .0628	----	----	----	----	1 UNCH
TOTAL											0	241 0
JUL27												
2000	----	----	----	----	----	59.412 -	0.891 .9945	----	----	----	----	1 UNCH
10000	----	----	----	----	----	11.514 -	0.461 .4533	----	----	----	----	1 UNCH
10300	----	----	----	----	----	11.027 -	0.447 .4366	----	----	----	----	1 UNCH
TOTAL											0	3 0
DEC27												
4000	----	----	----	----	----	42.104 -	0.829 .9193	----	----	----	----	1 UNCH
20000	----	----	----	----	----	7.000 -	0.275 .2495	----	----	----	----	25 UNCH
TOTAL											0	26 0
SO PUT		COMEX SILVER OPTIONS										
MAY26												

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
2075	----	----	----	----/0.005A	----	0.001	UNCH ----	----	----	----	----	31 UNCH
2100	----	----	----	----/0.047A	----	0.001	UNCH ----	----	----	----	----	1 UNCH
2150	----	----	----	----/0.048A	----	0.001	UNCH ----	----	----	----	----	1 UNCH
2175	----	----	----	----/0.048A	----	0.001	UNCH ----	----	----	----	----	1 UNCH
2650	----	----	----	----/0.051A	----	0.001 -	0.001 .0000	----	----	----	----	2 UNCH
2700	----	----	----	----/0.052A	----	0.001 -	0.002 .0000	----	----	----	----	50 UNCH
2800	----	----	----	----/*0.010A	----	0.002 -	0.002 .0002	----	----	----	----	12 UNCH
2850	----	----	----	----/0.052A	----	0.002 -	0.002 .0002	----	----	----	----	3 UNCH
2875	----	----	----	----/0.053A	----	0.002 -	0.002 .0002	----	----	----	----	1 UNCH
2950	----	----	----	----/0.052A	----	0.002 -	0.003 .0002	----	----	----	----	1 UNCH
3000	----	----	----	----/0.010A	----	0.003 -	0.003 .0003	----	----	----	----	22 UNCH
3075	----	----	----	----/0.054A	----	0.003 -	0.004 .0003	----	----	----	----	16 UNCH
3100	----	----	----	----/0.052A	----	0.004 -	0.003 .0004	----	----	----	----	5 UNCH
3125	----	----	----	----/*0.054A	----	0.004 -	0.004 .0004	----	----	----	----	14 UNCH
3175	----	----	----	----/*0.055A	----	0.004 -	0.004 .0004	----	----	----	----	14 UNCH
3200	----	----	----	----/0.055A	----	0.005 -	0.004 .0005	----	----	----	----	13 UNCH
3225	----	----	----	----/*0.055A	----	0.005 -	0.004 .0005	----	----	----	----	10 UNCH
3275	----	----	----	----/*0.056A	----	0.006 -	0.005 .0006	----	----	----	----	54 UNCH
3300	----	----	----	----/0.056A	----	0.006 -	0.005 .0006	----	----	----	----	79 UNCH
3325	----	----	----	----/*0.056A	----	0.006 -	0.006 .0006	----	----	----	----	2 UNCH
3350	----	----	----	----/*0.057A	----	0.007 -	0.005 .0007	----	----	----	----	14 UNCH
3375	----	----	----	----/*0.057A	----	0.007 -	0.006 .0008	----	----	----	----	12 UNCH
3400	----	----	----	----/*0.057A	----	0.008 -	0.006 .0009	----	----	----	----	39 UNCH
3450	----	----	----	----/*0.058A	----	0.009 -	0.006 .0010	----	----	----	----	5 UNCH
3475	----	----	----	----/*0.059A	----	0.009 -	0.007 .0010	----	----	----	----	13 UNCH
3500	----	----	----	----/*0.022A	----	0.010 -	0.007 .0011	----	----	----	----	59 UNCH
3550	----	----	----	----/*0.060A	----	0.011 -	0.008 .0012	----	----	----	----	1 UNCH
3575	----	----	----	----/*0.061A	----	0.011 -	0.008 .0012	----	----	----	----	28 UNCH
3600	----	----	----	----/*0.061A	----	0.012 -	0.008 .0014	----	----	----	----	6 UNCH
3625	----	----	----	----/*0.062A	----	0.013 -	0.008 .0015	----	----	----	----	12 UNCH
3675	----	----	----	----/0.063A	----	0.014 -	0.009 .0016	----	----	----	----	105 UNCH
3700	----	----	----	----/*0.064A	----	0.015 -	0.009 .0017	----	----	----	----	264 UNCH
3750	----	----	----	----/*0.065A	----	0.016 -	0.011 .0019	----	----	----	----	10 UNCH
3775	----	----	----	----/*0.066A	----	0.017 -	0.011 .0020	----	----	----	----	10 UNCH
3800	----	----	----	0.001B/0.067A	----	0.018 -	0.011 .0021	----	----	----	----	356 UNCH
3850	----	----	----	----/*0.069A	----	0.020 -	0.012 .0023	----	----	----	----	1 UNCH
3900	----	----	----	----/0.071A	----	0.022 -	0.012 .0026	----	----	----	----	52 UNCH
3925	----	----	----	----/*0.072A	----	0.023 -	0.013 .0027	----	----	----	----	9 UNCH
3950	----	----	----	----/*0.073A	----	0.024 -	0.013 .0028	----	----	----	----	11 UNCH
3975	----	----	----	----/*0.074A	----	0.025 -	0.013 .0030	----	----	----	----	5 UNCH
4000	----	----	----	0.010B/0.075A	----	0.026 -	0.014 .0031	----	----	----	----	311 UNCH
4025	----	----	----	----/*0.076A	----	0.027 -	0.014 .0032	----	----	----	----	3 UNCH
4050	----	----	----	----/*0.077A	----	0.028 -	0.014 .0034	----	----	----	----	21 UNCH
4075	----	----	----	----/*0.078A	----	0.028 -	0.015 .0034	----	----	----	----	15 UNCH
4100	----	----	----	----/*0.079A	----	0.029 -	0.015 .0036	----	----	----	----	190 UNCH
4125	----	----	----	----/*0.080A	----	0.030 -	0.015 .0037	----	----	----	----	10 UNCH
4150	----	----	----	----/*0.081A	----	0.031 -	0.015 .0038	----	----	----	----	9 UNCH
4175	----	----	----	----/*0.082A	----	0.032 -	0.014 .0040	----	----	----	----	1 UNCH
4200	----	----	----	----/*0.084A	----	0.032 -	0.015 .0040	----	----	----	----	101 UNCH
4225	----	----	----	0.001B/*0.085A	----	0.033 -	0.015 .0042	----	----	----	----	20 UNCH
4250	----	----	----	0.001B/*0.087A	----	0.034 -	0.015 .0043	----	----	----	----	10 UNCH
4275	----	----	----	0.001B/*0.088A	----	0.035 -	0.015 .0045	----	----	----	----	7 UNCH
4300	----	----	----	0.010B/*0.090A	----	0.036 -	0.015 .0046	----	----	----	----	267 UNCH
4325	----	----	----	0.001B/*0.091A	----	0.036 -	0.016 .0047	----	----	----	----	1 UNCH
4350	----	----	----	0.001B/*0.093A	----	0.037 -	0.016 .0048	----	----	----	----	27 UNCH
4375	----	----	----	0.001B/*0.095A	----	0.038 -	0.016 .0050	----	----	----	----	12 UNCH
4400	----	----	----	0.001B/*0.094A	----	0.039 -	0.015 .0051	----	----	----	----	314 UNCH
4425	----	----	----	0.001B/*0.095A	----	0.039 -	0.016 .0052	----	----	----	----	14 UNCH
4450	----	----	----	0.001B/*0.095A	----	0.040 -	0.016 .0053	----	----	----	----	7 UNCH
4475	----	----	----	0.001B/*0.096A	----	0.040 -	0.016 .0054	----	----	----	----	81 UNCH
4500	----	----	----	0.001B/0.097A	----	0.041 -	0.016 .0056	----	----	----	----	786 UNCH
4525	----	----	----	0.001B/*0.098A	----	0.042 -	0.015 .0057	----	----	----	----	19 UNCH
4550	----	----	----	0.001B/*0.099A	----	0.042 -	0.016 .0058	----	----	----	----	4 UNCH
4575	----	----	----	0.001B/*0.100A	----	0.043 -	0.015 .0060	----	----	----	----	11 UNCH
4600	----	----	----	0.001B/0.102A	----	0.043 -	0.015 .0060	----	----	----	----	14 UNCH
4625	----	----	----	0.001B/*0.103A	----	0.043 -	0.016 .0061	----	----	----	----	66 UNCH
4650	----	----	----	0.001B/0.104A	----	0.044 -	0.015 .0063	----	----	----	----	10 UNCH
4675	----	----	----	0.001B/*0.106A	----	0.044 -	0.015 .0063	----	----	----	----	17 UNCH
4700	----	----	----	0.001B/*0.107A	----	0.045 -	0.015 .0065	----	----	----	----	116 UNCH
4725	----	----	----	0.004B/*0.108A	----	0.045 -	0.015 .0066	----	----	----	----	11 UNCH
4750	----	----	----	0.007B/*0.109A	----	0.046 -	0.014 .0068	----	----	----	----	18 UNCH
4775	----	----	----	0.007B/*0.110A	----	0.047 -	0.014 .0070	----	----	----	----	4 UNCH
4800	0.066	0.066	0.066/*0.066	0.066/*0.066	----	0.047 -	0.014 .0070	----	----	1	----	318 UNCH
4825	----	----	----	0.006B/*0.113A	----	0.048 -	0.014 .0072	----	----	----	----	3 UNCH
4850	0.064	0.064	0.064/*0.064	0.064/*0.064	----	0.049 -	0.014 .0074	----	----	3	----	75 - 3
4875	----	----	----	0.004B/*0.116A	----	0.050 -	0.013 .0076	----	----	----	----	1 UNCH
4900	----	----	----	0.004B/0.121A	----	0.050 -	0.014 .0077	----	----	----	----	163 UNCH
4925	----	----	----	0.006B/*0.121A	----	0.052 -	0.013 .0081	----	----	----	----	9 UNCH
4950	----	----	----	0.006B/0.124A	----	0.053 -	0.014 .0083	----	----	----	----	11 UNCH
4975	----	----	----	0.005B/*0.126A	----	0.054 -	0.014 .0085	----	----	----	----	52 UNCH
5000	0.105	0.105	0.110/*0.026	0.110/*0.026	----	0.056 -	0.013 .0088	----	----	41	----	915 - 4
5025	----	----	----	0.006B/0.127A	----	0.057 -	0.014 .0091	----	----	----	----	1 UNCH
5050	----	----	----	0.004B/0.129A	----	0.059 -	0.014 .0094	----	----	----	----	24 UNCH
5075	----	----	----	0.011B/0.126A	----	0.061 -	0.014 .0098	----	----	----	----	7 UNCH
5100	0.078	0.078	0.078/*0.078	0.078/*0.078	----	0.062 -	0.016 .0100	----	----	1	----	162 - 1
5125	----	----	----	0.016B/0.126A	----	0.064 -	0.017 .0104	----	----	----	----	52 UNCH
5150	----	----	----	0.020B/0.128A	----	0.066 -	0.018 .0108	----	----	----	----	48 UNCH
5175	----	----	----	0.021B/0.137A	----	0.068 -	0.019 .0112	----	----	----	----	2 UNCH
5200	----	----	----	0.024B/0.138A	----	0.070 -	0.020 .0116	----	----	----	----	163 UNCH
5225	----	----	----	0.029B/0.140A	----	0.073 -	0.021 .0121	----	----	----	----	5 UNCH
5250	----	----	----	0.034B/0.142A	----	0.076 -	0.022 .0126	----	----	----	----	29 UNCH
5275	----	----	----	0.040B/0.144A	----	0.079 -	0.023 .0132	----	----	----	----	8 UNCH
5300	----	----	----	0.046B/0.146A	----	0.082 -	0.024 .0137	----	----	----	----	171 UNCH
5325	----	----	----	0.052B/0.148A	----	0.085 -	0.026 .0143	----	----	----	----	23 UNCH
5350	----	----	----	0.058B/0.150A	----	0.088 -	0.027 .0149	----	----	----	----	28 UNCH
5375	----	----	----	0.065B/0.153A	----	0.091 -	0.029 .0154	----	----	----	----	14 UNCH
5400	0.122	0.122	0.122/0.122	0.122/0.122	----	0.094 -	0.031 .0160	----	----	3	----	100 + 1
5425	----	----	----	0.079B/*0.158A	----	0.097 -	0.034 .0166	----	----	----	----	14 UNCH
5450	----	----	----	0.086B/*0.160A	----	0.101 -	0.035 .0174	----	----	----	----	12 UNCH
5475	----	----	----	0.093B/*0.163A	----	0.104 -	0.037 .0180	----	----	----	----	13 UNCH
5500	0.200	0.200	0.200/0.146A	0.200/0.146A	----	0.107 -	0.040 .0186	----	----	3	----	588 - 1
5525	----	----	----	0.110B/*0.169A	----	0.111 -	0.042 .0194	----	----	----	----	37 UNCH
5550	----	----	----	0.117B/*0.173A	----	0.114 -	0.044 .0200	----	----	----	----	31 UNCH
5575	----	----	----	0.122B/*0.176A	----	0.118 -	0.046 .0208	----	----	----	----	5 UNCH
5600	----	----	----	0.137B/*0.180A	----	0.121 -	0.049 .0215	----	----	----	----	73 UNCH
5625	----	----	----	0.133B/*0.183A	----	0.125 -	0.051 .0223	----	----	----	----	6 UNCH
5650	----	----	----/*0.170A	0.139B/*0.170A	----	0.129 -	0.053 .0231	----	----	----	----	41 UNCH
5675	----	----	----	0.146B/*0.188A	----	0.133 -	0.055 .0240	----	----	----	----	48 UNCH
5700	----	----	----/*0.192A	0.168B/*0.192A	----	0.137 -	0.058 .0248	----	----	1	----	131 UNCH
5725	----	----	----/*0.197A	0.160B/*0.197A	----	0.141 -	0.060 .0257	----	----	----	----	28 UNCH
5750	----	----	----/*0.202A	0.168B/*0.202A	----	0.146 -	0.062 .0267	----	----	----	----	111 UNCH
5775	----	----	----/*0.207A	0.177B/*0.207A	----	0.150 -	0.064 .0276	----	----	----	----	14 UNCH
5800	0.200	0.200	0.200/*0.200	0.203B/*0.200	----	0.155 -	0.066 .0287	----	----	2	----	371 + 1
5825	----	----	----/*0.219A	0.195B/*0.219A	----	0.160 -	0.068 .0297	----	----	----	----	55 UNCH
5850	----	----	----/*0.225A	0.213B/*0.225A	----	0.166 -	0.070 .0310	----	----	----	----	7 UNCH
5875	----	----	----/*0.227A	0.215B/*0.227A	----	0.171 -	0.072 .0321	----	----	----	----	4 UNCH
5900	----	----	----/*0.233A	0.246B/*0.233A	----	0.177 -	0.074 .0334	----	----	----	----	116 UNCH
5925	----	----	----/*0.240A	0.238B/*0.240A	----	0.184 -	0.075 .0348	----	----	----	----	13 UNCH
5950	----	----	0.284B/*0.248A	0.284B/*0.248A	----	0.190 -	0.077 .0361	----	----	----	----	13 UNCH
5975	----	----	0.292B/*0.191A	0.292B/*0.191A	----	0.197 -	0.079 .0376	----	----	----	----	23 UNCH
6000	0.250	0.250	0.395B/*0.234A	0.395B/*0.234A	----	0.205 -	0.080 .0392	----	----	43	----	1089 - 9
6025	----	----	0.321B/*0.268A	0.321B/*0.268A	----	0.213 -	0.081 .0409	----	----	----	----	24 UNCH
6050	----	----	0.342B/0.277A	0.342B/0.277A	----	0.222 -	0.082 .0427	----	----	----	----	328 UNCH
6075	0.287	0.287	0.349B/*0.255A	0.349B/*0.255A	----	0.231 -	0.083 .0445	----	----	72	----	154 - 12
6100	----	----	0.377B/*0.241A	0.377B/*0.241A	----	0.240 -	0.084 .0464	----	----	----	----	156 UNCH
6125	----	----	0.383B/*0.248A	0.383B/*0.248A	----	0.251 -	0.084 .0486	----	----	----	----	7 UNCH
6150	----	----	0.404B/*0.250A	0.404B/*0.250A	----	0.261 -	0.085 .0507	----	----	----	----	43 UNCH
6175	----	----	0.419B/*0.296A	0.419B/*0.296A	----	0.273 -	0.085 .0530	----	----	----	----	14 UNCH
6200	----	----	0.448B/*0.309A	0.448B/*0.309A	----	0.285 -	0.085 .0555	----	----	----	----	60 UNCH
6225	----	----	0.461B/*0.321A	0.461B/*0.321A	----	0.297 -	0.086 .0579	----	----	----	----	33 UNCH
6250	----	----	0.486B/*0.328A	0.486B/*0.328A	----	0.310 -	0.087 .0605	----	----	1	----	91 - 1
6275	----	----	0.504B/*0.348A	0.504B/*0.348A	----	0.324 -	0.087 .0633	----	----	1	----	12 - 1
6300	0.440	0.440	0.539B/*0.300	0.539B/*0.300	----	0.338 -	0.087 .0661	----	----	5	----	191 + 1
6325	----	----	0.548B/*0.384A	0.548B/*0.384A	----	0.353 -	0.088 .0691	----	----	2	----	125 - 1
6350	0.378	0.378	0.616B/*0.378	0.616B/*0.378	----	0.369 -	0.088 .0723	----	----	12	----	74 - 12
6375	----	----	0.649B/*0.366A	0.649B/*0.366A	----	0.385 -	0.088 .0755	----	----	----	----	29 UNCH
6400	0.885	0.885	0.885/*0.381A	0.885/*0.381A	----	0.402 -	0.089 .0789	----	----	3	----	106 - 3
6425	----	----	0.678B/*0.400A	0.678B/*0.400A	----	0.419 -	0.090 .0823	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
6450	0.940	0.940	0.940/*0.410A	0.940/*0.410A	----	0.438 - 0.091	.0860	----	----	2	----	58 UNCH
6475	----	----	0.750B/*0.428A	0.750B/*0.428A	----	0.457 - 0.092	.0898	----	----	----	----	10 UNCH
6500	0.650	0.650	0.878B/*0.440A	0.878B/*0.440A	----	0.477 - 0.093	.0938	----	----	10	----	781 UNCH
6525	----	----	0.828B/*0.468A	0.828B/*0.468A	----	0.498 - 0.094	.0979	----	----	----	----	17 UNCH
6550	0.730	0.730	0.962B/*0.490A	0.962B/*0.490A	----	0.520 - 0.095	.1022	----	----	2	----	172 UNCH
6575	----	----	1.006B/*0.513A	1.006B/*0.513A	----	0.543 - 0.096	.1067	----	----	----	----	59 UNCH
6600	----	----	1.060B/*0.538A	1.060B/*0.538A	----	0.567 - 0.097	.1114	----	----	24	----	383 - 1
6625	----	----	1.002B/*0.562A	1.002B/*0.562A	----	0.592 - 0.099	.1163	----	----	----	----	6 UNCH
6650	0.962	0.962	1.171B/*0.591A	1.171B/*0.591A	----	0.618 - 0.101	.1213	----	----	6	----	83 + 5
6675	----	----	1.218B/*0.616A	1.218B/*0.616A	----	0.646 - 0.102	.1267	----	----	----	----	65 UNCH
6700	0.655	0.655	1.280B/*0.644A	1.280B/*0.644A	----	0.674 - 0.104	.1321	----	----	10	150	538 + 110
6725	----	----	1.247B/*0.679A	1.247B/*0.679A	----	0.705 - 0.105	.1379	----	----	----	----	8 UNCH
6750	----	----	1.392B/*0.708A	1.392B/*0.708A	----	0.736 - 0.108	.1438	----	----	5	----	93 + 5
6775	----	----	1.362B/*0.741A	1.362B/*0.741A	----	0.769 - 0.110	.1500	----	----	----	----	14 UNCH
6800	1.200	1.200	1.474B/*0.771A	1.474B/*0.771A	----	0.804 - 0.112	.1565	----	----	9	----	122 + 8
6825	1.227	1.227	1.514B/*0.814A	1.514B/*0.814A	----	0.841 - 0.113	.1632	----	----	1	----	12 UNCH
6850	----	----	1.547B/*0.849A	1.547B/*0.849A	----	0.879 - 0.115	.1702	----	----	----	----	11 UNCH
6875	----	----	1.621B/*0.892A	1.621B/*0.892A	----	0.919 - 0.117	.1774	----	----	----	----	7 UNCH
6900	2.000	2.000	2.000/*0.932A	2.000/*0.932A	----	0.961 - 0.119	.1849	----	----	8	50	492 + 48
6925	1.970	1.970	1.970/*0.981A	1.970/*0.981A	----	1.005 - 0.120	.1927	----	----	7	----	75 + 2
6950	1.613	1.613	1.889B/*1.030A	1.889B/*1.030A	----	1.051 - 0.122	.2008	----	----	34	----	36 + 2
6975	----	----	1.901B/*1.080A	1.901B/*1.080A	----	1.100 - 0.122	.2092	----	----	2	----	9 UNCH
7000	2.352	2.352	2.352/*1.130A	2.352/*1.130A	----	1.150 - 0.123	.2178	----	----	45	----	1134 + 8
7025	----	----	2.156B/*1.188A	2.156B/*1.188A	----	1.204 - 0.123	.2268	----	----	1	----	14 + 1
7050	1.240	1.240	2.318B/*1.240	2.318B/*1.240	----	1.259 - 0.123	.2359	----	----	2	----	62 + 2
7075	1.982	1.982	2.357B/*1.303A	2.357B/*1.303A	----	1.318 - 0.122	.2455	----	----	3	----	6 - 3
7100	2.079	2.079	2.534B/*1.363A	2.534B/*1.363A	----	1.379 - 0.121	.2553	----	----	26	----	96 + 22
7125	----	----	2.539B/*1.436A	2.539B/*1.436A	----	1.443 - 0.119	.2654	----	----	----	----	12 UNCH
7150	----	----	2.675B/*1.503A	2.675B/*1.503A	----	1.510 - 0.116	.2758	----	----	----	----	25 UNCH
7175	2.309	2.309	2.747B/*1.575A	2.747B/*1.575A	----	1.579 - 0.114	.2865	----	----	2	----	22 UNCH
7200	2.183	2.183	2.855B/*1.645A	2.855B/*1.645A	----	1.652 - 0.110	.2974	----	----	17	----	318 + 4
7225	2.644	2.644	2.944B/*1.728A	2.944B/*1.728A	----	1.729 - 0.104	.3086	----	----	2	----	19 - 2
7250	2.426	2.426	3.150B/1.794A	3.150B/1.794A	----	1.808 - 0.099	.3201	----	----	5	----	68 UNCH
7275	2.565	2.565	3.164B/1.888A	3.164B/1.888A	----	1.890 - 0.094	.3317	----	----	2	----	12 + 2
7300	2.780	2.780	3.398B/1.967A	3.398B/1.967A	----	1.976 - 0.087	.3436	----	----	8	----	68 + 4
7325	----	----	3.402B/2.065A	3.402B/2.065A	----	2.066 - 0.079	.3557	----	----	----	----	14 UNCH
7350	2.091	2.091	3.801B/2.091	3.801B/2.091	----	2.159 - 0.071	.3680	----	----	1	----	32 UNCH
7375	3.612	3.612	4.036B/2.255A	4.036B/2.255A	----	2.255 - 0.062	.3805	----	----	1	----	6 UNCH
7400	3.246	3.246	4.173B/2.341A	4.173B/2.341A	----	2.355 - 0.053	.3932	----	----	11	----	50 - 9
7425	3.219	3.219	4.312B/2.457A	4.312B/2.457A	----	2.459 - 0.042	.4060	----	----	1	----	12 UNCH
7450	----	----	4.456B/2.562A	4.456B/2.562A	----	2.566 - 0.031	.4189	----	----	24	----	19 + 13
7475	----	----	4.600B/2.672A	4.600B/2.672A	----	2.677 - 0.019	.4319	----	----	----	----	8 UNCH
7500	3.500	3.500	4.747B/2.770A	4.747B/2.770A	----	2.792 - 0.006	.4450	----	----	29	----	413 - 1
7525	3.817	3.817	4.897B/2.890A	4.897B/2.890A	----	2.910 + 0.006	.4581	----	----	1	----	33 UNCH
7530	3.620	3.620	4.927B/2.923A	4.927B/2.923A	----	2.934 + 0.009	.4608	----	----	1	----	7 + 1
7535	3.840	3.840	4.957B/2.946A	4.957B/2.946A	----	2.958 + 0.011	.4634	----	----	4	----	7 + 1
7540	3.823	3.823	4.988B/2.972A	4.988B/2.972A	----	2.983 + 0.015	.4660	----	----	1	----	7 + 1
7545	----	----	5.018B/----	5.018B/2.995A	----	3.007 + 0.017	.4687	----	----	----	----	2 UNCH
7550	4.450	4.450	4.958B/3.019A	4.958B/3.019A	----	3.032 + 0.020	.4713	----	----	3	----	17 - 1
7555	----	----	4.989B/----	4.989B/3.044A	----	3.057 + 0.023	.4740	----	----	----	----	2 UNCH
7560	----	----	5.020B/----	5.020B/3.068A	----	3.082 + 0.026	.4766	----	----	----	----	2 UNCH
7565	----	----	5.050B/----	5.050B/3.092A	----	3.107 + 0.028	.4793	----	----	----	----	1 UNCH
7570	----	----	5.081B/----	5.081B/3.118A	----	3.133 + 0.032	.4819	----	----	----	----	3 UNCH
7575	3.813	3.813	5.112B/3.145A	5.112B/3.145A	----	3.158 + 0.034	.4845	----	----	1	----	3 UNCH
7580	----	----	5.143B/----	5.143B/3.167A	----	3.184 + 0.038	.4872	----	----	----	----	27 UNCH
7585	----	----	5.175B/----	5.175B/3.193A	----	3.209 + 0.040	.4898	----	----	----	----	6 UNCH
7590	----	----	5.206B/----	5.206B/3.218A	----	3.235 + 0.043	.4925	----	----	----	----	2 UNCH
7595	----	----	5.234B/----	5.234B/3.244A	----	3.261 + 0.046	.4951	----	----	----	----	1 UNCH
7600	4.270	4.270	5.269B/3.246A	5.269B/3.246A	----	3.288 + 0.050	.4978	----	----	3	----	52 UNCH
7605	----	----	5.301B/----	5.301B/3.295A	----	3.314 + 0.052	.5004	----	----	----	----	3 UNCH
7610	----	----	5.333B/----	5.333B/3.326A	----	3.340 + 0.055	.5030	----	----	----	----	2 UNCH
7615	----	----	5.365B/----	5.365B/3.347A	----	3.367 + 0.058	.5057	----	----	----	----	2 UNCH
7620	----	----	5.397B/----	5.397B/3.374A	----	3.394 + 0.062	.5083	----	----	----	----	12 UNCH
7625	----	----	5.426B/----	5.426B/3.402A	----	3.421 + 0.065	.5109	----	----	----	----	3 UNCH
7630	----	----	5.462B/----	5.462B/3.432A	----	3.448 + 0.068	.5136	----	----	----	----	1 UNCH
7635	----	----	5.493B/----	5.493B/3.450A	----	3.475 + 0.071	.5162	----	----	----	----	36 UNCH
7645	----	----	5.551B/----	5.551B/3.508A	----	3.530 + 0.077	.5215	----	----	----	----	2 UNCH
7650	----	----	5.585B/----	5.585B/3.532A	----	3.558 + 0.081	.5241	----	----	----	----	30 UNCH
7655	----	----	5.617B/----	5.617B/3.561A	----	3.586 + 0.084	.5267	----	----	----	----	23 UNCH
7660	----	----	5.648B/----	5.648B/3.590A	----	3.614 + 0.087	.5293	----	----	----	----	15 UNCH
7665	----	----	4.667B/----	4.667B/3.618A	----	3.642 + 0.090	.5320	----	----	----	----	4 UNCH
7670	----	----	4.664B/----	4.664B/3.648A	----	3.670 + 0.093	.5346	----	----	----	----	4 UNCH
7675	----	----	4.680B/----	4.680B/3.671A	----	3.698 + 0.096	.5372	----	----	----	----	4 UNCH
7680	----	----	4.701B/----	4.701B/3.700A	----	3.727 + 0.100	.5398	----	----	----	----	3 UNCH
7685	----	----	4.745B/----	4.745B/3.729A	----	3.755 + 0.102	.5424	----	----	----	----	15 UNCH
7690	----	----	4.765B/----	4.765B/3.764A	----	3.784 + 0.106	.5450	----	----	----	----	5 UNCH
7695	----	----	4.798B/----	4.798B/3.779A	----	3.813 + 0.109	.5476	----	----	----	----	3 UNCH
7700	----	----	5.209B/----	5.209B/3.813A	----	3.842 + 0.112	.5502	----	----	----	----	251 UNCH
7705	----	----	4.864B/----	4.864B/3.846A	----	3.871 + 0.115	.5528	----	----	----	----	2 UNCH
7710	----	----	4.897B/----	4.897B/3.877A	----	3.901 + 0.119	.5553	----	----	----	----	2 UNCH
7715	----	----	4.930B/----	4.930B/3.907A	----	3.930 + 0.122	.5579	----	----	----	----	2 UNCH
7720	----	----	4.966B/----	4.966B/3.923A	----	3.960 + 0.126	.5605	----	----	----	----	3 UNCH
7725	----	----	4.996B/----	4.996B/3.958A	----	3.990 + 0.129	.5631	----	----	----	----	2 UNCH
7730	----	----	5.030B/----	5.030B/3.990A	----	4.020 + 0.132	.5656	----	----	----	----	1 UNCH
7735	----	----	5.066B/----	5.066B/4.021A	----	4.050 + 0.136	.5682	----	----	----	----	3 UNCH
7740	----	----	5.097B/----	5.097B/4.053A	----	4.080 + 0.139	.5708	----	----	----	----	1 UNCH
7745	----	----	5.131B/----	5.131B/4.076A	----	4.110 + 0.142	.5733	----	----	----	----	3 UNCH
7750	----	----	5.542B/----	5.542B/4.102A	----	4.141 + 0.146	.5759	----	----	----	----	61 UNCH
7755	----	----	5.205B/----	5.205B/4.137A	----	4.171 + 0.148	.5784	----	----	----	----	11 UNCH
7760	----	----	5.236B/----	5.236B/4.172A	----	4.202 + 0.152	.5810	----	----	----	----	14 UNCH
7765	----	----	5.273B/----	5.273B/4.201A	----	4.233 + 0.155	.5835	----	----	----	----	10 UNCH
7770	----	----	5.302B/----	5.302B/4.234A	----	4.264 + 0.158	.5860	----	----	----	----	2 UNCH
7775	----	----	5.337B/----	5.337B/4.265A	----	4.295 + 0.162	.5885	----	----	----	----	1 UNCH
7780	----	----	5.371B/----	5.371B/4.284A	----	4.326 + 0.165	.5910	----	----	----	----	1 UNCH
7785	----	----	5.406B/----	5.406B/4.319A	----	4.358 + 0.168	.5935	----	----	----	----	1 UNCH
7790	----	----	5.441B/----	5.441B/4.354A	----	4.389 + 0.171	.5960	----	----	----	----	2 UNCH
7800	----	----	5.588B/----	5.588B/4.424A	----	4.452 + 0.177	.6010	----	----	----	----	25 UNCH
7805	----	----	5.546B/----	5.546B/4.472A	----	4.484 + 0.181	.6035	----	----	----	----	1 UNCH
7810	----	----	5.582B/----	5.582B/4.509A	----	4.516 + 0.184	.6060	----	----	----	----	1 UNCH
7815	----	----	5.617B/----	5.617B/4.541A	----	4.548 + 0.187	.6085	----	----	----	----	1 UNCH
7820	----	----	5.652B/----	5.652B/4.573A	----	4.581 + 0.191	.6109	----	----	----	----	1 UNCH
7825	----	----	5.688B/----	5.688B/4.605A	----	4.613 + 0.193	.6134	----	----	----	----	1 UNCH
7830	----	----	5.724B/----	5.724B/4.637A	----	4.646 + 0.197	.6158	----	----	----	----	11 UNCH
7835	----	----	5.760B/----	5.760B/4.669A	----	4.678 + 0.200	.6182	----	----	----	----	1 UNCH
7840	----	----	5.796B/----	5.796B/4.702A	----	4.711 + 0.203	.6207	----	----	----	----	3 UNCH
7850	----	----	6.123B/----	6.123B/4.767A	----	4.777 + 0.209	.6256	----	----	----	----	47 UNCH
7855	----	----	5.904B/----	5.904B/4.755A	----	4.810 + 0.212	.6279	----	----	----	----	3 UNCH
7860	----	----	5.941B/----	5.941B/4.789A	----	4.843 + 0.215	.6304	----	----	----	----	3 UNCH
7865	----	----	5.978B/----	5.978B/4.866A	----	4.877 + 0.219	.6328	----	----	----	----	3 UNCH
7870	----	----	6.014B/----	6.014B/4.899A	----	4.910 + 0.221	.6352	----	----	----	----	3 UNCH
7875	----	----	6.051B/----	6.051B/4.933A	----	4.944 + 0.225	.6375	----	----	----	----	9 UNCH
7880	----	----	6.088B/----	6.088B/4.966A	----	4.978 + 0.228	.6399	----	----	----	----	4 UNCH
7885	----	----	6.125B/----	6.125B/5.000A	----	5.012 + 0.231	.6423	----	----	----	----	3 UNCH
7890	----	----	6.161B/----	6.161B/5.034A	----	5.046 + 0.234	.6447	----	----	----	----	3 UNCH
7895	----	----	6.199B/----	6.199B/5.068A	----	5.080 + 0.237	.6470	----	----	----	----	3 UNCH
7900	----	----	6.480B/----	6.480B/5.102A	----	5.114 + 0.240	.6493	----	----	----	----	33 UNCH
7905	----	----	6.275B/----	6.275B/5.136A	----	5.148 + 0.242	.6517	----	----	----	----	3 UNCH
7910	----	----	6.310B/----	6.310B/5.171A	----	5.183 + 0.246	.6540	----	----	----	----	3 UNCH
7915	----	----	6.348B/----	6.348B/5.205A	----	5.217 + 0.248	.6563	----	----	----	----	3 UNCH
7925	----	----	6.425B/----	6.425B/5.275A	----	5.287 + 0.255	.6609	----	----	----	----	1 UNCH
7930	----	----	6.463B/----	6.463B/5.310A	----	5.322 + 0.258	.6632	----	----	----	----	1 UNCH
7935	----	----	6.502B/----	6.502B/5.345A	----	5.357 + 0.261	.6655	----	----	----	----	2 UNCH
7940	----	----	6.538B/----	6.538B/5.380A	----	5.392 + 0.263	.6678	----	----	----	----	3 UNCH
7950	----	----	6.616B/----	6.616B/5.476A	----	5.463 + 0.269	.6723	----	----	----	----	24 UNCH
7955	----	----	6.655B/----	6.655B/5.512A	----	5.498 + 0.272	.6745	----	----	----	----	1 UNCH
7965	----	----	6.732B/----	6.732B/5.584A	----	5.569 + 0.277	.6790	----	----	----	----	6 UNCH
7970	----	----	6.771B/----	6.771B/5.620A	----	5.605 + 0.280	.6812	----	----	----	----	3 UNCH
7975	----	----	6.811B/----	6.811B/5.655A	----	5.641 + 0.283	.6835	----	----	----	----	1 UNCH
7980	----	----	6.849B/----	6.849B/5.692A	----	5.677 + 0.286	.6857	----	----	----	----	1 UNCH
7985	----	----	6.889B/----	6.889B/5.728A	----	5.714 + 0.289	.6878	----	----	----	----	1 UNCH
7990	----	----	6.928B/----	6.928B/5.765A	----	5.750 + 0.292	.6900	----	----	----	----	2 UNCH
8000	6.933	6.933	7.337B/5.836A	7.337B/5.836A	----	5.823 + 0.297	.6943	----	----	2	----	474 UNCH
8005	----	----	7.045B/----	7.045B/5.874A	----	5.859 + 0.299	.6965	----	----	----	----	2 UNCH
8010	----	----	7.085B/----	7.085B/5.911A	----	5.896 + 0.302	.6986	----	----	----	----	2 UNCH
8020	----	----	7.164B/----	7.164B/5.985A	----	5.970 + 0.308	.7029	----	----	----	----	1 UNCH
8025	----	----	7.204B/----	7.204B/6.022A	----	6.007 + 0.311	.7050	----	----	----	----	7 UNCH
8030	----	----	7.244B/----	7.244B/6.060A	----	6.044 + 0.313	.7071	----	----	----	----	1 UNCH
8035	----	----	7.285B/----	7.285B/6.097A	----	6.081 + 0.316	.7092	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
8040	----	----	7.325B/----	7.325B/6.135A	----	6.119 + 0.319	.7113	----	----	----	----	1 UNCH
8050	----	----	7.406B/----	7.406B/6.210A	----	6.194 + 0.324	.7154	----	----	----	----	4 UNCH
8065	----	----	7.528B/----	7.528B/6.470A	----	6.307 + 0.332	.7216	----	----	----	----	1 UNCH
8070	----	----	7.568B/----	7.568B/6.509A	----	6.345 + 0.335	.7236	----	----	----	----	2 UNCH
8075	----	----	7.666B/----	7.666B/6.539A	----	6.383 + 0.337	.7256	----	----	----	----	4 UNCH
8080	----	----	7.709B/----	7.709B/6.582A	----	6.422 + 0.340	.7276	----	----	----	----	3 UNCH
8085	----	----	7.692B/----	7.692B/6.520A	----	6.460 + 0.343	.7296	----	----	----	----	7 UNCH
8090	----	----	7.792B/----	7.792B/6.558A	----	6.498 + 0.345	.7315	----	----	----	----	20 UNCH
8095	----	----	7.824B/----	7.824B/6.696A	----	6.537 + 0.348	.7335	----	----	----	----	2 UNCH
8100	----	----	8.041B/----	8.041B/6.638A	----	6.575 + 0.350	.7355	----	----	----	----	33 UNCH
8105	----	----	7.908B/----	7.908B/6.771A	----	6.614 + 0.353	.7375	----	----	----	----	1 UNCH
8110	----	----	7.960B/----	7.960B/6.810A	----	6.653 + 0.356	.7394	----	----	----	----	1 UNCH
8125	----	----	8.076B/----	8.076B/6.924A	----	6.770 + 0.363	.7452	----	----	----	----	1 UNCH
8150	----	----	8.298B/----	8.298B/7.123A	----	6.967 + 0.376	.7545	----	----	----	----	4 UNCH
8175	----	----	8.502B/----	8.502B/7.320A	----	7.166 + 0.388	.7636	----	----	----	----	2 UNCH
8195	----	----	8.675B/----	8.675B/7.472A	----	7.327 + 0.397	.7707	----	----	----	----	2 UNCH
8200	----	----	8.830B/----	8.830B/7.421A	----	7.367 + 0.399	.7724	----	----	----	----	37 UNCH
8205	----	----	8.769B/----	8.769B/7.558A	----	7.408 + 0.402	.7742	----	----	----	----	1 UNCH
8210	----	----	8.802B/----	8.802B/7.591A	----	7.448 + 0.404	.7759	----	----	----	----	1 UNCH
8215	----	----	8.856B/----	8.856B/7.632A	----	7.489 + 0.407	.7776	----	----	----	----	1 UNCH
8225	----	----	8.943B/----	8.943B/7.712A	----	7.571 + 0.412	.7811	----	----	----	----	5 UNCH
8230	----	----	8.933B/----	8.933B/7.759A	----	7.612 + 0.414	.7827	----	----	----	----	1 UNCH
8240	----	----	9.088B/----	9.088B/7.840A	----	7.694 + 0.418	.7860	----	----	----	----	2 UNCH
8250	----	----	9.400B/----	9.400B/7.782A	----	7.776 + 0.422	.7893	----	----	----	----	73 UNCH
8255	----	----	9.218B/----	9.218B/7.960A	----	7.818 + 0.425	.7909	----	----	----	----	3 UNCH
8265	----	----	9.304B/----	9.304B/8.039A	----	7.901 + 0.430	.7941	----	----	----	----	1 UNCH
8270	----	----	9.347B/----	9.347B/8.083A	----	7.942 + 0.432	.7957	----	----	----	----	1 UNCH
8275	----	----	9.391B/----	9.391B/8.121A	----	7.984 + 0.434	.7973	----	----	----	----	1 UNCH
8280	----	----	9.434B/----	9.434B/8.163A	----	8.026 + 0.437	.7989	----	----	----	----	3 UNCH
8285	----	----	9.478B/----	9.478B/8.204A	----	8.067 + 0.438	.8004	----	----	----	----	1 UNCH
8290	----	----	9.522B/----	9.522B/8.246A	----	8.109 + 0.440	.8020	----	----	----	----	2 UNCH
8295	----	----	9.565B/----	9.565B/8.275A	----	8.151 + 0.443	.8035	----	----	----	----	1 UNCH
8300	----	----	9.823B/----	9.823B/8.195A	----	8.193 + 0.445	.8051	----	----	----	----	62 UNCH
8305	----	----	9.653B/----	9.653B/8.360A	----	8.236 + 0.448	.8066	----	----	----	----	1 UNCH
8315	----	----	9.742B/----	9.742B/8.445A	----	8.320 + 0.452	.8096	----	----	----	----	1 UNCH
8320	----	----	9.786B/----	9.786B/8.488A	----	8.362 + 0.453	.8111	----	----	----	----	2 UNCH
8325	----	----	9.830B/----	9.830B/8.530A	----	8.405 + 0.456	.8125	----	----	----	----	1 UNCH
8330	----	----	9.873B/----	9.873B/8.573A	----	8.447 + 0.458	.8141	----	----	----	----	1 UNCH
8335	----	----	9.917B/----	9.917B/8.616A	----	8.490 + 0.460	.8155	----	----	----	----	1 UNCH
8340	----	----	9.962B/----	9.962B/8.618A	----	8.533 + 0.463	.8169	----	----	----	----	19 UNCH
8350	----	----	10.051B/----	10.051B/8.702A	----	8.618 + 0.467	.8198	----	----	----	----	19 UNCH
8355	----	----	10.095B/----	10.095B/8.788A	----	8.661 + 0.469	.8212	----	----	----	----	3 UNCH
8360	----	----	10.143B/----	10.143B/8.831A	----	8.704 + 0.471	.8226	----	----	----	----	4 UNCH
8375	----	----	10.277B/----	10.277B/8.914A	----	8.833 + 0.477	.8267	----	----	----	----	8 UNCH
8385	----	----	10.367B/----	10.367B/9.046A	----	8.920 + 0.482	.8295	----	----	----	----	1 UNCH
8395	----	----	10.446B/----	10.446B/9.133A	----	9.007 + 0.486	.8321	----	----	----	----	1 UNCH
8400	----	----	10.570B/----	10.570B/9.093A	----	9.050 + 0.488	.8334	----	----	----	----	29 UNCH
8405	----	----	10.549B/----	10.549B/9.223A	----	9.094 + 0.490	.8348	----	----	----	----	2 UNCH
8410	----	----	10.594B/----	10.594B/9.261A	----	9.137 + 0.492	.8361	----	----	----	----	3 UNCH
8415	----	----	10.639B/----	10.639B/9.309A	----	9.181 + 0.494	.8373	----	----	----	----	3 UNCH
8420	----	----	10.685B/----	10.685B/9.347A	----	9.225 + 0.496	.8387	----	----	----	----	2 UNCH
8425	----	----	10.732B/----	10.732B/9.396A	----	9.268 + 0.498	.8399	----	----	----	----	5 UNCH
8430	----	----	10.753B/----	10.753B/9.436A	----	9.312 + 0.500	.8412	----	----	----	----	1 UNCH
8450	----	----	11.030B/----	11.030B/9.511A	----	9.488 + 0.508	.8462	----	----	----	----	30 UNCH
8460	----	----	11.028B/----	11.028B/9.701A	----	9.577 + 0.512	.8485	----	----	----	----	1 UNCH
8475	----	----	11.167B/----	11.167B/9.832A	----	9.710 + 0.518	.8521	----	----	----	----	5 UNCH
8480	----	----	11.239B/----	11.239B/9.875A	----	9.754 + 0.520	.8532	----	----	----	----	1 UNCH
8490	----	----	11.321B/----	11.321B/9.964A	----	9.843 + 0.524	.8555	----	----	----	----	1 UNCH
8495	----	----	11.378B/----	11.378B/10.008A	----	9.888 + 0.526	.8567	----	----	----	----	1 UNCH
8500	----	----	11.616B/----	11.616B/9.912A	----	9.932 + 0.527	.8578	----	----	----	----	372 UNCH
8515	----	----	11.563B/----	11.563B/10.185A	----	10.067 + 0.534	.8610	----	----	----	----	1 UNCH
8535	----	----	11.749B/----	11.749B/10.364A	----	10.246 + 0.541	.8653	----	----	----	----	2 UNCH
8545	----	----	11.843B/----	11.843B/10.453A	----	10.337 + 0.545	.8675	----	----	----	----	1 UNCH
8550	----	----	11.859B/----	11.859B/10.498A	----	10.382 + 0.547	.8686	----	----	----	----	3 UNCH
8555	----	----	11.907B/----	11.907B/10.542A	----	10.427 + 0.549	.8696	----	----	----	----	1 UNCH
8560	----	----	11.972B/----	11.972B/10.587A	----	10.472 + 0.550	.8705	----	----	----	----	1 UNCH
8565	----	----	11.999B/----	11.999B/10.633A	----	10.518 + 0.553	.8716	----	----	----	----	1 UNCH
8570	----	----	11.998B/----	11.998B/10.678A	----	10.563 + 0.554	.8725	----	----	----	----	1 UNCH
8575	----	----	12.091B/----	12.091B/10.721A	----	10.609 + 0.557	.8736	----	----	----	----	3 UNCH
8580	----	----	12.092B/----	12.092B/10.767A	----	10.654 + 0.558	.8745	----	----	----	----	1 UNCH
8585	----	----	12.184B/----	12.184B/10.811A	----	10.700 + 0.560	.8756	----	----	----	----	1 UNCH
8590	----	----	12.232B/----	12.232B/10.855A	----	10.745 + 0.562	.8765	----	----	----	----	4 UNCH
8600	----	----	12.545B/----	12.545B/10.805A	----	10.836 + 0.565	.8784	----	----	----	----	83 UNCH
8605	----	----	12.326B/----	12.326B/10.990A	----	10.882 + 0.567	.8793	----	----	----	----	3 UNCH
8620	----	----	12.467B/----	12.467B/11.125A	----	11.019 + 0.572	.8822	----	----	----	----	1 UNCH
8630	----	----	12.560B/----	12.560B/11.216A	----	11.111 + 0.576	.8840	----	----	----	----	1 UNCH
8640	----	----	12.654B/----	12.654B/11.306A	----	11.203 + 0.580	.8858	----	----	----	----	2 UNCH
8645	----	----	12.701B/----	12.701B/11.352A	----	11.249 + 0.581	.8865	----	----	----	----	1 UNCH
8650	----	----	12.749B/----	12.749B/11.397A	----	11.295 + 0.583	.8874	----	----	----	----	5 UNCH
8655	----	----	12.796B/----	12.796B/11.442A	----	11.342 + 0.586	.8883	----	----	----	----	3 UNCH
8665	----	----	12.891B/----	12.891B/11.534A	----	11.434 + 0.589	.8901	----	----	----	----	1 UNCH
8670	----	----	12.938B/----	12.938B/11.579A	----	11.480 + 0.590	.8908	----	----	----	----	1 UNCH
8675	----	----	12.986B/----	12.986B/11.573A	----	11.527 + 0.593	.8917	----	----	----	----	9 UNCH
8685	----	----	13.081B/----	13.081B/11.716A	----	11.619 + 0.595	.8933	----	----	----	----	1 UNCH
8695	----	----	13.175B/----	13.175B/11.807A	----	11.712 + 0.599	.8949	----	----	----	----	1 UNCH
8700	----	----	13.368B/----	13.368B/11.766A	----	11.759 + 0.601	.8958	----	----	----	----	32 UNCH
8705	----	----	13.270B/----	13.270B/11.848A	----	11.805 + 0.603	.8965	----	----	----	----	10 UNCH
8725	----	----	13.461B/----	13.461B/12.083A	----	11.992 + 0.610	.8995	----	----	----	----	2 UNCH
8750	----	----	13.693B/----	13.693B/12.314A	----	12.226 + 0.618	.9032	----	----	----	----	1 UNCH
8775	----	----	13.932B/----	13.932B/12.508A	----	12.460 + 0.626	.9067	----	----	----	----	9 UNCH
8800	----	----	14.428B/----	14.428B/12.661A	----	12.696 + 0.635	.9102	----	----	----	----	219 UNCH
8825	----	----	14.842B/----	14.842B/13.010A	----	12.932 + 0.642	.9133	----	----	----	----	3 UNCH
8850	----	----	14.652B/----	14.652B/13.208A	----	13.169 + 0.650	.9164	----	----	----	----	13 UNCH
8875	----	----	14.894B/----	14.894B/13.443A	----	13.407 + 0.658	.9193	----	----	----	----	8 UNCH
8900	----	----	15.134B/----	15.134B/13.662A	----	13.645 + 0.664	.9221	----	----	----	----	8 UNCH
8925	----	----	15.376B/----	15.376B/13.900A	----	13.883 + 0.670	.9248	----	----	----	----	6 UNCH
8950	----	----	15.619B/----	15.619B/14.189A	----	14.123 + 0.677	.9272	----	----	----	----	3 UNCH
8975	----	----	15.861B/----	15.861B/14.374A	----	14.363 + 0.684	.9297	----	----	----	----	9 UNCH
9000	16.157	16.157	16.730B/14.550A	16.730B/14.550A	----	14.603 + 0.689	.9321	----	----	2	----	167 UNCH
9025	----	----	16.347B/----	16.347B/14.891A	----	14.844 + 0.695	.9343	----	----	----	----	11 UNCH
9050	----	----	16.590B/----	16.590B/15.142A	----	15.085 + 0.700	.9365	----	----	----	----	2 UNCH
9075	----	----	16.834B/----	16.834B/15.382A	----	15.326 + 0.704	.9385	----	----	----	----	4 UNCH
9100	----	----	17.078B/----	17.078B/15.622A	----	15.568 + 0.709	.9405	----	----	----	----	4 UNCH
9150	----	----	17.557B/----	17.557B/16.090A	----	16.053 + 0.717	.9440	----	----	----	----	7 UNCH
9175	----	----	17.812B/----	17.812B/16.332A	----	16.296 + 0.721	.9458	----	----	----	----	19 UNCH
9200	----	----	18.057B/----	18.057B/16.574A	----	16.539 + 0.724	.9475	----	----	----	----	7 UNCH
9225	----	----	18.302B/----	18.302B/16.793A	----	16.782 + 0.727	.9490	----	----	----	----	7 UNCH
9250	----	----	18.548B/----	18.548B/17.072A	----	17.026 + 0.730	.9507	----	----	----	----	2 UNCH
9275	----	----	18.764B/----	18.764B/17.276A	----	17.270 + 0.732	.9520	----	----	----	----	1 UNCH
9300	----	----	19.014B/----	19.014B/17.546A	----	17.514 + 0.734	.9535	----	----	----	----	6 UNCH
9375	----	----	19.779B/----	19.779B/18.249A	----	18.248 + 0.739	.9575	----	----	----	----	10 UNCH
9400	----	----	20.026B/----	20.026B/18.500A	----	18.493 + 0.739	.9587	----	----	----	----	6 UNCH
9450	----	----	20.492B/----	20.492B/18.987A	----	18.983 + 0.740	.9610	----	----	----	----	3 UNCH
9475	----	----	20.739B/----	20.739B/19.246A	----	19.228 + 0.740	.9622	----	----	----	----	4 UNCH
9500	----	----	21.239B/----	21.239B/19.395A	----	19.474 + 0.740	.9632	----	----	----	----	110 UNCH
9525	----	----	21.233B/----	21.233B/19.707A	----	19.719 + 0.739	.9644	----	----	----	----	1 UNCH
9550	----	----	21.477B/----	21.477B/19.976A	----	19.965 + 0.738	.9654	----	----	----	----	3 UNCH
9575	----	----	21.834B/----	21.834B/20.223A	----	20.211 + 0.738	.9664	----	----	----	----	1 UNCH
9600	----	----	22.136B/----	22.136B/20.408A	----	20.457 + 0.737	.9672	----	----	1	----	26 UNCH
9650	----	----	22.469B/----	22.469B/20.969A	----	20.950 + 0.737	.9691	----	----	----	----	11 UNCH
9675	----	----	22.717B/----	22.717B/21.179A	----	21.196 + 0.736	.9699	----	----	----	----	2 UNCH
9700	----	----	23.342B/----	23.342B/21.354A	----	21.443 + 0.736	.9707	----	----	----	----	182 UNCH
9725	----	----	23.303B/----	23.303B/21.699A	----	21.690 + 0.737	.9714	----	----	----	----	1 UNCH
9750	----	----	23.460B/----	23.460B/21.918A	----	21.937 + 0.737	.9722	----	----	----	----	3 UNCH
9775	----	----	23.708B/----	23.708B/22.164A	----	22.184 + 0.738	.9729	----	----	----	----	3 UNCH
9800	----	----	23.956B/----	23.956B/22.412A	----	22.431 + 0.738	.9736	----	----	----	----	7 UNCH
9825	----	----	24.198B/----	24.198B/22.698A	----	22.678 + 0.739	.9742	----	----	----	----	2 UNCH
9850	----	----	24.699B/----	24.699B/22.831A	----	22.926 + 0.741	.9747	----	----	----	----	179 UNCH
9900	----	----	24.948B/----	24.948B/23.425A	----	23.421 + 0.743	.9760	----	----	----	----	8 UNCH
10000	----	----	26.185B/----	26.185B/24.315A	----	24.413 + 0.750	.9780	----	----	----	----	133 UNCH
10050	----	----	26.438B/----	26.438B/24.901A	----	24.909 + 0.753	.9788	----	----	----	----	2 UNCH
10100	----	----	26.935B/----	26.935B/25.395A	----	25.406 + 0.757	.9796	----	----	----	----	2 UNCH
10225	----	----	28.178B/----	28.178B/26.656A	----	26.649 + 0.764	.9813	----	----	----	----	2 UNCH
10250	----	----	28.427B/----	28.427B/26.905A	----	26.898 + 0.766	.9817	----	----	----	----	4 UNCH
10300	----	----	28.925B/----	28.925B/27.402A	----	27.395 + 0.768	.9823	----	----	1	----	4 UNCH
10325	----	----	29.175B/----	29.175B/27.650A	----	27.644 + 0.769	.9826	----	----	----	----	1 UNCH
10350	----	----	29.424B/----	29.424B/27.859A	----	27.893 + 0.770	.9829	----	----	----	----	1 UNCH
10400	----	----	29.922B/----	29.922B/28.393A	----	28.391 + 0.773	.9832	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
10450	----	----	30.420B/----	30.420B/28.891A	----	28.889 + 0.775	.9838	----	----	----	----	2 UNCH
10475	----	----	30.669B/----	30.669B/29.138A	----	29.138 + 0.776	.9840	----	----	----	----	1 UNCH
10500	----	----	30.919B/----	30.919B/29.384A	----	29.388 + 0.778	.9843	----	----	----	----	10 UNCH
10505	----	----	30.968B/----	30.968B/29.397A	----	29.437 + 0.777	.9843	----	----	----	----	1 UNCH
10510	----	----	31.018B/----	31.018B/29.487A	----	29.487 + 0.777	.9843	----	----	----	----	1 UNCH
10545	----	----	31.367B/----	31.367B/29.795A	----	29.836 + 0.779	.9846	----	----	----	----	1 UNCH
10550	----	----	31.417B/----	31.417B/29.858A	----	29.886 + 0.779	.9846	----	----	----	----	22 UNCH
10585	----	----	31.766B/----	31.766B/30.192A	----	30.235 + 0.780	.9849	----	----	----	----	1 UNCH
10590	----	----	31.816B/----	31.816B/30.242A	----	30.285 + 0.781	.9849	----	----	----	----	1 UNCH
10595	----	----	31.865B/----	31.865B/30.292A	----	30.335 + 0.781	.9849	----	----	----	----	3 UNCH
10600	----	----	31.915B/----	31.915B/30.341A	----	30.384 + 0.780	.9850	----	----	----	----	5 UNCH
10670	----	----	32.613B/----	32.613B/31.038A	----	31.083 + 0.784	.9855	----	----	----	----	3 UNCH
10675	----	----	32.663B/----	32.663B/31.127A	----	31.132 + 0.783	.9855	----	----	----	----	1 UNCH
10700	----	----	32.913B/----	32.913B/31.372A	----	31.382 + 0.784	.9858	----	----	----	----	9 UNCH
10800	----	----	33.910B/----	33.910B/32.331A	----	32.379 + 0.787	.9862	----	----	----	----	1 UNCH
10820	----	----	34.110B/----	34.110B/32.530A	----	32.579 + 0.788	.9864	----	----	----	----	1 UNCH
10825	----	----	34.160B/----	34.160B/32.580A	----	32.629 + 0.788	.9864	----	----	----	----	1 UNCH
10835	----	----	34.260B/----	34.260B/32.679A	----	32.729 + 0.789	.9865	----	----	----	----	2 UNCH
10845	----	----	34.359B/----	34.359B/32.779A	----	32.828 + 0.788	.9865	----	----	----	----	1 UNCH
10875	----	----	34.659B/----	34.659B/33.078A	----	33.128 + 0.789	.9867	----	----	----	----	2 UNCH
10900	----	----	34.909B/----	34.909B/33.326A	----	33.377 + 0.790	.9868	----	----	----	----	1 UNCH
10950	----	----	35.407B/----	35.407B/33.824A	----	33.876 + 0.791	.9871	----	----	----	----	1 UNCH
10975	----	----	35.657B/----	35.657B/34.074A	----	34.126 + 0.792	.9871	----	----	----	----	3 UNCH
11000	----	----	36.134B/----	36.134B/34.249A	----	34.375 + 0.792	.9874	----	----	----	----	60 UNCH
11025	----	----	36.156B/----	36.156B/34.571A	----	34.625 + 0.793	.9874	----	----	----	----	1 UNCH
11075	----	----	36.656B/----	36.656B/35.069A	----	35.124 + 0.794	.9877	----	----	----	----	1 UNCH
11100	----	----	36.905B/----	36.905B/35.318A	----	35.373 + 0.794	.9878	----	----	----	----	1 UNCH
11125	----	----	37.155B/----	37.155B/35.567A	----	35.623 + 0.795	.9878	----	----	----	----	1 UNCH
11175	----	----	37.654B/----	37.654B/36.065A	----	36.122 + 0.796	.9881	----	----	----	----	1 UNCH
11200	----	----	37.904B/----	37.904B/36.314A	----	36.372 + 0.797	.9881	----	----	----	----	4 UNCH
11225	----	----	38.153B/----	38.153B/36.563A	----	36.621 + 0.797	.9883	----	----	----	----	3 UNCH
11250	----	----	38.403B/----	38.403B/36.812A	----	36.871 + 0.798	.9884	----	----	----	----	1 UNCH
11500	----	----	41.125B/----	41.125B/39.235A	----	39.367 + 0.802	.9893	----	----	----	----	78 UNCH
11550	----	----	41.400B/----	41.400B/39.818A	----	39.866 + 0.803	.9895	----	----	----	----	1 UNCH
11650	----	----	42.399B/----	42.399B/40.816A	----	40.864 + 0.804	.9899	----	----	----	----	1 UNCH
11800	----	----	43.897B/----	43.897B/42.313A	----	42.362 + 0.806	.9904	----	----	----	----	1 UNCH
11875	----	----	44.647B/----	44.647B/43.061A	----	43.111 + 0.807	.9906	----	----	----	----	1 UNCH
12250	----	----	48.394B/----	48.394B/46.803A	----	46.855 + 0.810	.9918	----	----	----	----	3 UNCH
12300	----	----	48.894B/----	48.894B/47.303A	----	47.354 + 0.810	.9920	----	----	----	----	1 UNCH
12500	----	----	50.893B/----	50.893B/49.301A	----	49.351 + 0.810	.9926	----	----	----	----	20 UNCH
12700	----	----	52.893B/----	52.893B/51.299A	----	51.349 + 0.812	.9931	----	----	----	----	1 UNCH
13000	----	----	55.892B/----	55.892B/54.298A	----	54.345 + 0.812	.9938	----	----	----	----	0 - 1
TOTAL										514	200	19861 + 176
JUN26												
2100	----	----	----	----/0.020A	----	0.004 - 0.001	.0003	----	----	----	----	1 UNCH
2350	----	----	----	0.007B/0.022A	----	0.011 - 0.001	.0010	----	----	----	----	2 UNCH
2500	----	----	----	0.011B/0.027A	----	0.017 - 0.002	.0015	----	----	----	----	141 UNCH
2650	----	----	----	----/*0.035A	----	0.022 - 0.002	.0020	----	----	----	----	1 UNCH
3000	----	----	----	----/0.075A	----	0.037 - 0.002	.0034	----	----	----	----	244 UNCH
3075	----	----	----	0.001B/0.103A	----	0.041 - 0.002	.0038	----	----	----	----	4 UNCH
3100	----	----	----	0.001B/0.104A	----	0.042 - 0.002	.0039	----	----	----	----	3 UNCH
3150	----	----	----	0.001B/0.108A	----	0.045 - 0.002	.0042	----	----	----	----	8 UNCH
3200	----	----	----	0.001B/0.112A	----	0.048 - 0.002	.0045	----	----	----	----	4 UNCH
3325	----	----	----	0.001B/0.123A	----	0.056 - 0.001	.0054	----	----	----	----	2 UNCH
3350	----	----	----	0.001B/0.125A	----	0.057 - 0.001	.0055	----	----	----	----	1 UNCH
3400	----	----	----	0.001B/0.130A	----	0.061 - 0.001	.0059	----	----	----	----	12 UNCH
3500	----	----	----	0.001B/0.140A	----	0.067 - 0.001	.0066	----	----	----	----	100 UNCH
3550	----	----	----	0.001B/0.146A	----	0.071 - 0.001	.0070	----	----	----	----	5 UNCH
3575	----	----	----	0.001B/0.149A	----	0.073 - 0.001	.0072	----	----	----	----	22 UNCH
3600	----	----	----	0.001B/0.152A	----	0.075 UNCH	.0074	----	----	----	----	4 UNCH
3650	----	----	----	0.001B/0.156A	----	0.078 - 0.001	.0078	----	----	----	----	22 UNCH
3675	----	----	----	0.001B/0.158A	----	0.080 - 0.001	.0080	----	----	----	----	2 UNCH
3700	----	----	----	0.001B/0.161A	----	0.082 - 0.001	.0082	----	----	----	----	6 UNCH
3800	----	----	----	0.001B/0.171A	----	0.090 - 0.001	.0092	----	----	----	----	14 UNCH
3850	----	----	----	0.007B/0.170A	----	0.094 - 0.001	.0097	----	----	----	----	2 UNCH
3900	----	----	----	0.003B/0.175A	----	0.098 - 0.002	.0102	----	----	----	----	6 UNCH
3925	----	----	----	0.013B/*0.162A	----	0.100 - 0.002	.0104	----	----	----	----	3 UNCH
4000	0.105	0.105	0.105/*0.095	0.105/*0.095	----	0.106 - 0.003	.0112	----	----	2	----	54 - 1
4075	----	----	----	0.020B/*0.165A	----	0.112 - 0.005	.0120	----	----	----	----	1 UNCH
4100	----	----	----	0.029B/*0.159A	----	0.114 - 0.006	.0122	----	----	----	----	2 UNCH
4125	----	----	----	0.026B/*0.170A	----	0.116 - 0.006	.0125	----	----	----	----	5 UNCH
4150	----	----	----	0.025B/*0.172A	----	0.118 - 0.007	.0128	----	----	----	----	4 UNCH
4200	----	----	----/*0.110A	0.036B/*0.110A	----	0.122 - 0.009	.0133	----	----	----	----	26 UNCH
4225	----	----	----	0.039B/*0.180A	----	0.124 - 0.010	.0136	----	----	----	----	7 UNCH
4250	----	----	----	0.043B/*0.182A	----	0.126 - 0.011	.0139	----	----	----	----	5 UNCH
4275	----	----	----	0.047B/*0.185A	----	0.129 - 0.011	.0143	----	----	----	----	13 UNCH
4300	----	----	----	0.050B/0.188A	----	0.131 - 0.012	.0146	----	----	----	----	7 UNCH
4350	----	----	----	0.058B/*0.194A	----	0.136 - 0.013	.0153	----	----	----	----	2 UNCH
4375	----	----	----	0.058B/0.196A	----	0.138 - 0.015	.0156	----	----	----	----	3 UNCH
4400	----	----	----	0.067B/*0.199A	----	0.140 - 0.016	.0159	----	----	----	----	8 UNCH
4425	----	----	----	0.070B/*0.203A	----	0.143 - 0.017	.0163	----	----	----	----	1 UNCH
4500	----	----	----/*0.150A	0.088B/*0.150A	----	0.151 - 0.020	.0174	----	----	----	----	167 UNCH
4550	----	----	----	0.091B/*0.220A	----	0.156 - 0.023	.0182	----	----	----	----	2 UNCH
4600	----	----	----	0.105B/*0.228A	----	0.162 - 0.026	.0190	----	----	----	----	7 UNCH
4625	----	----	----	0.111B/*0.232A	----	0.166 - 0.027	.0196	----	----	----	----	12 UNCH
4650	----	----	----	0.117B/*0.237A	----	0.169 - 0.028	.0200	----	----	----	----	1 UNCH
4700	----	----	----/*0.170A	0.161B/*0.170A	----	0.176 - 0.031	.0210	----	----	----	----	3 UNCH
4725	----	----	----	0.134B/*0.252A	----	0.180 - 0.032	.0216	----	----	----	----	10 UNCH
4750	----	----	----	0.141B/*0.256A	----	0.184 - 0.034	.0221	----	----	----	----	3 UNCH
4800	0.288	0.288	0.288/*0.263A	0.288/*0.263A	----	0.192 - 0.037	.0232	----	----	1	----	24 + 1
4850	----	----	----	0.170B/*0.274A	----	0.202 - 0.039	.0246	----	----	----	----	3 UNCH
4875	----	----	----	0.177B/*0.280A	----	0.206 - 0.042	.0252	----	----	----	----	15 UNCH
4900	----	----	----	0.211B/0.286A	----	0.212 - 0.042	.0259	----	----	----	----	176 UNCH
5000	0.410	0.410	0.410/*0.197	0.410/*0.197	----	0.236 - 0.048	.0291	----	----	2	----	1018 + 1
5025	----	----	----	0.229B/*0.321A	----	0.242 - 0.050	.0299	----	----	----	----	8 UNCH
5050	----	----	----	0.240B/0.328A	----	0.250 - 0.050	.0309	----	----	----	----	3 UNCH
5075	----	----	----	0.248B/*0.335A	----	0.257 - 0.052	.0318	----	----	----	----	2 UNCH
5100	----	----	----	0.287B/*0.343A	----	0.265 - 0.053	.0328	----	----	----	----	29 UNCH
5125	----	----	----	0.271B/*0.348A	----	0.273 - 0.054	.0339	----	----	----	----	1 UNCH
5150	----	----	----	0.283B/*0.357A	----	0.282 - 0.054	.0350	----	----	----	----	16 UNCH
5175	----	----	----	0.297B/*0.366A	----	0.291 - 0.055	.0361	----	----	----	----	12 UNCH
5200	----	----	----	0.307B/0.375A	----	0.300 - 0.057	.0372	----	----	----	----	4 UNCH
5225	----	----	----	0.321B/*0.385A	----	0.310 - 0.057	.0385	----	----	----	----	1 UNCH
5250	0.398	0.398	0.398/*0.395A	0.398/*0.395A	----	0.320 - 0.059	.0397	----	----	1	----	14 + 1
5275	0.678	0.678	0.678/*0.400A	0.678/*0.400A	----	0.331 - 0.059	.0410	----	----	1	----	24 + 1
5300	----	----	----	0.360B/*0.415A	----	0.342 - 0.060	.0424	----	----	----	----	14 UNCH
5325	----	----	----	0.374B/*0.422A	----	0.353 - 0.061	.0437	----	----	----	----	10 UNCH
5350	----	----	----	0.388B/*0.432A	----	0.365 - 0.062	.0452	----	----	1	----	12 - 1
5375	----	----	----	0.404B/*0.443A	----	0.377 - 0.063	.0467	----	----	----	----	10 UNCH
5400	----	----	----	0.418B/*0.458A	----	0.390 - 0.063	.0482	----	----	1	----	13 - 1
5425	----	----	----	0.437B/*0.471A	----	0.403 - 0.064	.0498	----	----	----	----	4 UNCH
5450	----	----	----/0.479A	0.453B/0.479A	----	0.416 - 0.065	.0514	----	----	----	----	2 UNCH
5475	----	----	----/*0.492A	0.470B/*0.492A	----	0.430 - 0.066	.0530	----	----	----	----	13 UNCH
5500	0.572	0.572	0.572/*0.438A	0.572/*0.438A	----	0.444 - 0.067	.0547	----	----	54	----	408 + 47
5525	----	----	----/*0.520A	0.512B/*0.520A	----	0.459 - 0.067	.0565	----	----	----	----	16 UNCH
5550	----	----	----/*0.517A	0.531B/*0.517A	----	0.474 - 0.068	.0583	----	----	----	----	10 UNCH
5600	----	----	0.604B/*0.524A	0.604B/*0.524A	----	0.505 - 0.070	.0620	----	----	----	----	21 UNCH
5625	----	----	0.640B/*0.580A	0.640B/*0.580A	----	0.521 - 0.072	.0639	----	----	----	----	2 UNCH
5650	----	----	0.658B/*0.532A	0.658B/*0.532A	----	0.538 - 0.073	.0660	----	----	----	----	51 UNCH
5675	----	----	0.677B/*0.615A	0.677B/*0.615A	----	0.555 - 0.074	.0680	----	----	----	----	21 UNCH
5700	1.210	1.210	1.210/*0.552	1.210/*0.552	----	0.572 - 0.076	.0700	----	----	4	----	249 UNCH
5750	----	----	0.751B/*0.668A	0.751B/*0.668A	----	0.608 - 0.079	.0743	----	----	----	----	227 UNCH
5775	----	----	0.806B/0.688A	0.806B/0.688A	----	0.627 - 0.080	.0766	----	----	----	----	9 UNCH
5800	----	----	0.813B/*0.705A	0.813B/*0.705A	----	0.647 - 0.081	.0789	----	----	1	----	89 UNCH
5825	----	----	0.860B/*0.726A	0.860B/*0.726A	----	0.666 - 0.084	.0812	----	----	----	----	9 UNCH
5850	----	----	0.893B/*0.727A	0.893B/*0.727A	----	0.687 - 0.085	.0836	----	----	----	----	16 UNCH
5875	----	----	0.918B/*0.720A	0.918B/*0.720A	----	0.708 - 0.087	.0861	----	----	----	----	12 UNCH
5900	----	----	0.952B/*0.740A	0.952B/*0.740A	----	0.730 - 0.088	.0887	----	----	----	----	50 UNCH
5925	----	----	0.981B/*0.763A	0.981B/*0.763A	----	0.752 - 0.090	.0913	----	----	----	----	21 UNCH
5950	----	----	1.016B/*0.790A	1.016B/*0.790A	----	0.775 - 0.092	.0939	----	----	----	----	16 UNCH
5975	----	----	1.051B/*0.813A	1.051B/*0.813A	----	0.798 - 0.095	.0966	----	----	----	----	1 UNCH
6000	1.100	1.100	1.100/0.815	1.100/0.815	----	0.823 - 0.096	.0995	----	----	7	----	762 UNCH
6025	----	----	1.120B/*0.862A	1.120B/*0.862A	----	0.848 - 0.098	.1024	----	----	----	----	31 UNCH
6050	----	----	1.217B/*0.889A	1.217B/*0.889A	----	0.874 - 0.100	.1053	----	----	----	----	144 UNCH
6075	----	----	1.278B/*0.916A	1.278B/*0.916A	----	0.901 - 0.102	.1084	----	----	----	----	31 UNCH
6100	1.423	1.423	1.423/0.946A	1.423/0.946A	----	0.928 - 0.105	.1115	----	----	4	----	77 UNCH
6125	----	----	1.302B/*0.976A	1.302B/*0.976A	----	0.957 - 0.106	.1147	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 62

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUN26												
6150	----	----	1.348B/*1.006A	1.348B/*1.006A	----	0.986 - 0.108	.1180	----	----	----	----	7 UNCH
6175	----	----	1.496B/*1.040A	1.496B/*1.040A	----	1.017 - 0.110	.1214	----	----	----	----	291 UNCH
6200	----	----	1.566B/1.075A	1.566B/1.075A	----	1.048 - 0.112	.1249	----	----	1	----	156 UNCH
6225	----	----	1.493B/1.106A	1.493B/1.106A	----	1.081 - 0.113	.1285	----	----	----	----	2 UNCH
6250	----	----	1.661B/1.141A	1.661B/1.141A	----	1.114 - 0.115	.1321	----	----	----	----	93 UNCH
6275	----	----	1.595B/1.177A	1.595B/1.177A	----	1.149 - 0.117	.1359	----	----	----	----	3 UNCH
6300	----	----	1.767B/1.215A	1.767B/1.215A	----	1.185 - 0.118	.1397	----	----	1	----	126 UNCH
6325	----	----	1.702B/1.256A	1.702B/1.256A	----	1.222 - 0.120	.1437	----	----	----	----	6 UNCH
6350	----	----	1.823B/1.293A	1.823B/1.293A	----	1.261 - 0.120	.1478	----	----	2	----	30 + 2
6375	----	----	1.936B/1.333A	1.936B/1.333A	----	1.301 - 0.121	.1519	----	----	----	----	102 UNCH
6400	1.678	1.678	2.003B/1.379A	2.003B/1.379A	----	1.342 - 0.122	.1562	----	----	8	----	88 + 4
6425	----	----	1.998B/1.420A	1.998B/1.420A	----	1.385 - 0.122	.1606	----	----	----	----	44 UNCH
6450	----	----	1.996B/1.468A	1.996B/1.468A	----	1.429 - 0.123	.1651	----	----	5	----	19 + 5
6475	----	----	2.188B/1.510A	2.188B/1.510A	----	1.474 - 0.123	.1696	----	----	----	----	121 UNCH
6500	1.900	1.900	2.253B/1.559A	2.253B/1.559A	----	1.521 - 0.123	.1743	----	----	54	28	307 + 54
6525	----	----	2.254B/1.607A	2.254B/1.607A	----	1.569 - 0.123	.1790	----	----	----	----	35 UNCH
6550	----	----	2.254B/1.662A	2.254B/1.662A	----	1.619 - 0.123	.1839	----	----	5	----	28 + 5
6575	----	----	2.321B/1.714A	2.321B/1.714A	----	1.671 - 0.122	.1889	----	----	----	----	2 UNCH
6600	----	----	2.525B/1.762A	2.525B/1.762A	----	1.724 - 0.121	.1940	----	----	----	----	141 UNCH
6625	----	----	2.464B/1.821A	2.464B/1.821A	----	1.778 - 0.121	.1992	----	----	----	----	10 UNCH
6650	----	----	2.537B/1.879A	2.537B/1.879A	----	1.835 - 0.120	.2045	----	----	----	----	11 UNCH
6675	2.283	2.283	2.610B/1.935A	2.610B/1.935A	----	1.893 - 0.118	.2099	----	----	12	----	12 - 4
6700	2.400	2.400	2.823B/1.991A	2.823B/1.991A	----	1.952 - 0.117	.2153	----	----	57	----	89 + 32
6725	----	----	2.833B/2.056A	2.833B/2.056A	----	2.014 - 0.115	.2209	----	----	----	----	30 UNCH
6750	----	----	2.845B/2.123A	2.845B/2.123A	----	2.077 - 0.113	.2266	----	----	----	----	22 UNCH
6775	----	----	2.924B/2.186A	2.924B/2.186A	----	2.141 - 0.112	.2323	----	----	----	----	2 UNCH
6800	----	----	3.011B/2.256A	3.011B/2.256A	----	2.208 - 0.110	.2382	----	----	1	----	22 UNCH
6825	----	----	3.095B/2.322A	3.095B/2.322A	----	2.276 - 0.108	.2441	----	----	----	----	2 UNCH
6850	----	----	3.182B/2.392A	3.182B/2.392A	----	2.347 - 0.104	.2501	----	----	----	----	16 UNCH
6875	----	----	3.274B/2.464A	3.274B/2.464A	----	2.419 - 0.102	.2562	----	----	----	----	2 UNCH
6900	----	----	3.499B/2.532A	3.499B/2.532A	----	2.493 - 0.099	.2624	----	----	1	----	91 - 1
6925	----	----	3.455B/2.614A	3.455B/2.614A	----	2.568 - 0.097	.2687	----	----	----	----	9 UNCH
6950	----	----	3.548B/2.694A	3.548B/2.694A	----	2.646 - 0.093	.2750	----	----	----	----	5 UNCH
6975	----	----	3.646B/2.769A	3.646B/2.769A	----	2.726 - 0.089	.2815	----	----	----	----	9 UNCH
7000	4.200	4.200	4.200/2.837	4.200/2.837	----	2.807 - 0.086	.2880	----	----	53	----	565 + 20
7025	----	----	3.845B/2.936A	3.845B/2.936A	----	2.891 - 0.082	.2945	----	----	----	----	5 UNCH
7050	----	----	3.937B/3.017A	3.937B/3.017A	----	2.976 - 0.078	.3012	----	----	----	----	15 UNCH
7075	----	----	4.122B/3.106A	4.122B/3.106A	----	3.064 - 0.074	.3079	----	----	----	----	41 UNCH
7100	----	----	4.159B/3.193A	4.159B/3.193A	----	3.153 - 0.070	.3146	----	----	4	----	19 UNCH
7125	----	----	4.248B/3.285A	4.248B/3.285A	----	3.245 - 0.065	.3215	----	----	----	----	3 UNCH
7150	----	----	4.445B/3.377A	4.445B/3.377A	----	3.338 - 0.061	.3283	----	----	1	----	28 + 1
7175	----	----	4.558B/3.473A	4.558B/3.473A	----	3.433 - 0.057	.3353	----	----	----	----	37 UNCH
7200	4.280	4.280	4.722B/3.563A	4.722B/3.563A	----	3.531 - 0.051	.3423	----	----	101	----	300 + 66
7225	----	----	4.696B/3.675A	4.696B/3.675A	----	3.630 - 0.047	.3493	----	----	----	----	6 UNCH
7250	----	----	4.810B/----	4.810B/3.779A	----	3.731 - 0.042	.3563	----	----	1	----	13 UNCH
7275	----	----	4.931B/----	4.931B/3.884A	----	3.835 - 0.037	.3635	----	----	----	----	3 UNCH
7300	----	----	5.197B/3.969A	5.197B/3.969A	----	3.940 - 0.032	.3706	----	----	----	----	80 UNCH
7325	----	----	5.199B/----	5.199B/4.093A	----	4.048 - 0.026	.3778	----	----	----	----	1 UNCH
7350	----	----	5.321B/----	5.321B/4.198A	----	4.157 - 0.021	.3850	----	----	----	----	3 UNCH
7375	----	----	5.448B/----	5.448B/4.318A	----	4.269 - 0.016	.3922	----	----	----	----	2 UNCH
7400	5.199	5.199	5.700B/4.413A	5.700B/4.413A	----	4.382 - 0.011	.3995	----	----	3	----	49 - 3
7425	----	----	5.706B/----	5.706B/4.545A	----	4.498 - 0.005	.4068	----	----	----	----	2 UNCH
7450	----	----	5.970B/----	5.970B/4.645A	----	4.615 UNCH	.4141	----	----	----	----	52 UNCH
7475	----	----	5.978B/----	5.978B/4.785A	----	4.735 + 0.006	.4214	----	----	----	----	4 UNCH
7500	----	----	6.243B/----	6.243B/4.886A	----	4.856 + 0.011	.4287	----	----	----	----	347 UNCH
7525	----	----	6.252B/----	6.252B/5.029A	----	4.980 + 0.017	.4360	----	----	----	----	3 UNCH
7550	----	----	6.394B/----	6.394B/5.156A	----	5.106 + 0.023	.4433	----	----	----	----	7 UNCH
7575	----	----	6.540B/----	6.540B/5.283A	----	5.234 + 0.029	.4507	----	----	----	----	5 UNCH
7600	----	----	6.811B/----	6.811B/5.393A	----	5.364 + 0.035	.4580	----	----	----	----	78 UNCH
7625	----	----	6.592B/----	6.592B/5.545A	----	5.496 + 0.041	.4653	----	----	----	----	2 UNCH
7650	----	----	6.737B/----	6.737B/5.679A	----	5.630 + 0.047	.4726	----	----	----	----	4 UNCH
7675	----	----	6.887B/----	6.887B/5.822A	----	5.766 + 0.053	.4799	----	----	----	----	2 UNCH
7700	----	----	7.290B/----	7.290B/5.953A	----	5.904 + 0.059	.4872	----	----	----	----	21 UNCH
7725	----	----	7.206B/----	7.206B/6.099A	----	6.044 + 0.065	.4944	----	----	----	----	1 UNCH
7750	----	----	7.360B/----	7.360B/6.244A	----	6.187 + 0.072	.5016	----	----	----	----	2 UNCH
7775	----	----	7.781B/----	7.781B/6.375A	----	6.331 + 0.078	.5088	----	----	----	----	27 UNCH
7800	----	----	7.693B/----	7.693B/6.524A	----	6.477 + 0.085	.5159	----	----	----	----	8 UNCH
7850	----	----	8.000B/----	8.000B/6.828A	----	6.777 + 0.099	.5301	----	----	----	----	8 UNCH
7875	----	----	8.167B/----	8.167B/6.981A	----	6.929 + 0.106	.5371	----	----	----	----	19 UNCH
7900	----	----	8.500B/----	8.500B/7.106A	----	7.084 + 0.113	.5441	----	----	1	----	114 + 1
7925	----	----	8.503B/----	8.503B/7.292A	----	7.241 + 0.121	.5510	----	----	----	----	10 UNCH
7950	----	----	8.675B/----	8.675B/7.451A	----	7.399 + 0.128	.5579	----	----	----	----	21 UNCH
8000	----	----	9.404B/----	9.404B/7.745A	----	7.722 + 0.142	.5715	----	----	----	----	147 UNCH
8025	----	----	9.106B/----	9.106B/7.936A	----	7.887 + 0.151	.5782	----	----	----	----	1 UNCH
8050	----	----	9.228B/----	9.228B/8.104A	----	8.053 + 0.158	.5848	----	----	----	----	1 UNCH
8075	----	----	9.416B/----	9.416B/8.270A	----	8.222 + 0.167	.5913	----	----	----	----	1 UNCH
8100	----	----	9.602B/----	9.602B/8.448A	----	8.392 + 0.175	.5978	----	----	----	----	2 UNCH
8125	----	----	9.789B/----	9.789B/8.616A	----	8.564 + 0.183	.6042	----	----	----	----	2 UNCH
8150	----	----	9.976B/----	9.976B/8.800A	----	8.737 + 0.190	.6106	----	----	----	----	4 UNCH
8175	----	----	10.337B/----	10.337B/8.994A	----	8.913 + 0.199	.6169	----	----	----	----	42 UNCH
8200	----	----	10.359B/----	10.359B/9.196A	----	9.090 + 0.207	.6231	----	----	----	----	14 UNCH
8225	----	----	10.551B/----	10.551B/9.381A	----	9.269 + 0.215	.6292	----	----	----	----	6 UNCH
8250	----	----	10.745B/----	10.745B/9.561A	----	9.449 + 0.223	.6352	----	----	----	----	15 UNCH
8275	----	----	10.954B/----	10.954B/9.744A	----	9.631 + 0.231	.6412	----	----	----	----	23 UNCH
8300	----	----	11.137B/----	11.137B/9.929A	----	9.815 + 0.240	.6471	----	----	----	----	6 UNCH
8350	----	----	11.536B/----	11.536B/10.302A	----	10.187 + 0.256	.6586	----	----	----	----	17 UNCH
8400	----	----	11.950B/----	11.950B/10.820A	----	10.565 + 0.273	.6698	----	----	----	----	3 UNCH
8425	----	----	12.488B/----	12.488B/10.864A	----	10.756 + 0.281	.6753	----	----	----	----	63 UNCH
8450	----	----	12.361B/----	12.361B/11.067A	----	10.949 + 0.290	.6807	----	----	----	----	18 UNCH
8475	----	----	12.567B/----	12.567B/11.383A	----	11.143 + 0.298	.6860	----	----	----	----	2 UNCH
8500	----	----	13.105B/----	13.105B/11.435A	----	11.338 + 0.306	.6912	----	----	----	----	62 UNCH
8525	----	----	12.984B/----	12.984B/11.745A	----	11.535 + 0.314	.6964	----	----	----	----	1 UNCH
8550	----	----	13.196B/----	13.196B/11.965A	----	11.733 + 0.323	.7014	----	----	----	----	1 UNCH
8575	----	----	13.407B/----	13.407B/12.129A	----	11.932 + 0.330	.7064	----	----	----	----	1 UNCH
8600	----	----	13.618B/----	13.618B/12.327A	----	12.132 + 0.338	.7113	----	----	----	----	5 UNCH
8625	----	----	13.831B/----	13.831B/12.459A	----	12.334 + 0.347	.7162	----	----	----	----	11 UNCH
8675	----	----	14.259B/----	14.259B/12.929A	----	12.740 + 0.362	.7255	----	----	----	----	2 UNCH
8700	----	----	14.479B/----	14.479B/13.073A	----	12.945 + 0.370	.7301	----	----	----	----	14 UNCH
8750	----	----	15.070B/----	15.070B/13.487A	----	13.358 + 0.385	.7390	----	----	----	----	26 UNCH
8775	----	----	15.128B/----	15.128B/13.748A	----	13.566 + 0.392	.7434	----	----	----	----	1 UNCH
8800	----	----	15.345B/----	15.345B/13.906A	----	13.775 + 0.400	.7476	----	----	----	----	14 UNCH
8825	----	----	15.564B/----	15.564B/14.119A	----	13.986 + 0.408	.7518	----	----	----	----	15 UNCH
8850	----	----	15.783B/----	15.783B/14.330A	----	14.197 + 0.415	.7560	----	----	----	----	6 UNCH
8925	----	----	16.444B/----	16.444B/15.007A	----	14.835 + 0.436	.7679	----	----	----	----	4 UNCH
8975	----	----	16.888B/----	16.888B/15.398A	----	15.265 + 0.450	.7754	----	----	----	----	2 UNCH
9000	----	----	17.424B/----	17.424B/15.489A	----	15.481 + 0.457	.7791	----	----	----	----	93 UNCH
9050	----	----	17.559B/----	17.559B/16.081A	----	15.916 + 0.470	.7863	----	----	----	----	3 UNCH
9075	----	----	17.783B/----	17.783B/16.298A	----	16.134 + 0.476	.7898	----	----	----	----	2 UNCH
9100	----	----	18.008B/----	18.008B/16.465A	----	16.353 + 0.483	.7932	----	----	----	----	6 UNCH
9125	----	----	18.233B/----	18.233B/16.692A	----	16.573 + 0.489	.7966	----	----	----	----	1 UNCH
9150	----	----	18.448B/----	18.448B/16.954A	----	16.794 + 0.496	.7999	----	----	----	----	1 UNCH
9175	----	----	18.674B/----	18.674B/17.174A	----	17.015 + 0.502	.8031	----	----	----	----	1 UNCH
9200	----	----	19.213B/----	19.213B/17.240A	----	17.237 + 0.508	.8063	----	----	----	----	80 UNCH
9325	----	----	20.044B/----	20.044B/18.499A	----	18.354 + 0.535	.8213	----	----	----	----	1 UNCH
9450	----	----	21.200B/----	21.200B/19.575A	----	19.486 + 0.562	.8351	----	----	----	----	6 UNCH
9500	----	----	21.981B/----	21.981B/19.925A	----	19.941 + 0.571	.8403	----	----	----	----	138 UNCH
9525	----	----	21.902B/----	21.902B/20.301A	----	20.170 + 0.576	.8428	----	----	----	----	1 UNCH
9550	----	----	22.140B/----	22.140B/20.520A	----	20.399 + 0.580	.8453	----	----	----	----	1 UNCH
9575	----	----	22.377B/----	22.377B/20.753A	----	20.628 + 0.584	.8477	----	----	----	----	2 UNCH
9725	----	----	23.801B/----	23.801B/22.131A	----	22.012 + 0.609	.8614	----	----	----	----	1 UNCH
9825	----	----	24.758B/----	24.758B/23.023A	----	22.942 + 0.623	.8698	----	----	----	----	1 UNCH
9850	----	----	24.993B/----	24.993B/23.281A	----	23.176 + 0.627	.8717	----	----	----	----	1 UNCH
9900	----	----	25.473B/----	25.473B/23.700A	----	23.643 + 0.633	.8756	----	----	----	----	17 UNCH
9925	----	----	25.712B/----	25.712B/23.936A	----	23.878 + 0.637	.8775	----	----	----	----	1 UNCH
9950	----	----	25.952B/----	25.952B/24.168A	----	24.112 + 0.639	.8794	----	----	----	----	1 UNCH
10000	----	----	26.769B/----	26.769B/24.534A	----	24.582 + 0.645	.8830	----	----	----	----	97 UNCH
10025	----	----	26.674B/----	26.674B/24.878A	----	24.818 + 0.648	.8848	----	----	----	----	2 UNCH
10075	----	----	27.155B/----	27.155B/25.345A	----	25.290 + 0.654	.8882	----	----	----	----	1 UNCH
10100	----	----	27.396B/----	27.396B/25.552A	----	25.526 + 0.656	.8899	----	----	----	----	6 UNCH
10125	----	----	27.636B/----	27.636B/25.817A	----	25.763 + 0.659	.8916	----	----	----	----	1 UNCH
10150	----	----	27.878B/----	27.878B/26.038A	----	26.000 + 0.661	.8931	----	----	----	----	8 UNCH
10175	----	----	28.119B/----	28.119B/26.287A	----	26.237 + 0.663	.8947	----	----	----	----	2 UNCH
10200	----	----	28.688B/----	28.688B/26.410A	----	26.474 + 0.665	.8963	----	----	1	----	115 UNCH
10225	----	----	28.603B/----	28.603B/26.761A	----	26.712 + 0.668	.8977	----	----	----	----	1 UNCH
10325	----	----	29.571B/----	29.571B/27.705A	----	27.665 + 0.676	.9036	----	----	----	----	1 UNCH
10350	----	----	29.813B/----	29.813B/27.941A	----	27.904 + 0.678	.9050	----	----	----	----	1 UNCH
10375	----	----	30.056B/----	30.056B/28.158A	----	28.143 + 0.680	.9063	----	----	----	----	1 UNCH
10400	----	----	30.298B/----	30.298B/28.413A	----	28.382 + 0.681	.9077	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUN26												
10500	----	----	31.270B/----	31.270B/29.338A	----	29.341 + 0.688	.9127	----	----	----	----	9 UNCH
10600	----	----	32.243B/----	32.243B/30.293A	----	30.303 + 0.694	.9175	----	----	----	----	5 UNCH
10825	----	----	34.440B/----	34.440B/32.452A	----	32.478 + 0.706	.9271	----	----	----	----	6 UNCH
10850	----	----	34.685B/----	34.685B/32.713A	----	32.720 + 0.706	.9280	----	----	----	----	4 UNCH
10875	----	----	34.929B/----	34.929B/32.917A	----	32.963 + 0.708	.9290	----	----	----	----	2 UNCH
10950	----	----	35.663B/----	35.663B/33.653A	----	33.691 + 0.711	.9317	----	----	----	----	3 UNCH
11000	----	----	36.153B/----	36.153B/34.159A	----	34.178 + 0.713	.9334	----	----	----	----	3 UNCH
11325	----	----	39.346B/----	39.346B/37.282A	----	37.350 + 0.725	.9434	----	----	----	----	1 UNCH
11500	----	----	41.067B/----	41.067B/38.994A	----	39.065 + 0.730	.9478	----	----	----	----	10 UNCH
11525	----	----	41.315B/----	41.315B/39.221A	----	39.311 + 0.732	.9484	----	----	----	----	1 UNCH
11675	----	----	42.808B/----	42.808B/40.706A	----	40.785 + 0.737	.9519	----	----	----	----	1 UNCH
11700	----	----	43.057B/----	43.057B/40.950A	----	41.030 + 0.736	.9523	----	----	----	----	1 UNCH
12000	----	----	46.348B/----	46.348B/43.810A	----	43.987 + 0.746	.9581	----	----	----	----	50 UNCH
12025	----	----	46.286B/----	46.286B/44.169A	----	44.234 + 0.747	.9585	----	----	----	----	1 UNCH
13000	----	----	56.049B/----	56.049B/55.382A	----	53.892 + 0.778	.9706	----	----	----	----	5 UNCH
TOTAL										391	28	9725 + 230
JUL26												
2000	----	----	----	0.014B/0.035A	----	0.024 + 0.001	.0017	----	----	----	----	6 UNCH
2400	----	----	----	----/0.291A	----	0.034 - 0.004	.0027	----	----	----	----	10 UNCH
2650	----	----	----	----/0.130A	----	0.040 - 0.009	.0033	----	----	----	----	6 UNCH
3000	----	----	----	0.001B/0.105A	----	0.053 - 0.015	.0047	----	----	----	----	5 UNCH
3025	----	----	----	0.001B/0.156A	----	0.054 - 0.015	.0048	----	----	----	----	1 UNCH
3350	----	----	----	0.001B/0.186A	----	0.078 - 0.014	.0072	----	----	----	----	1 UNCH
3400	----	----	----	0.013B/*0.110A	----	0.083 - 0.014	.0077	----	----	----	----	55 UNCH
3475	----	----	----	0.020B/0.184A	----	0.091 - 0.013	.0085	----	----	----	----	5 UNCH
3500	----	----	----	0.023B/0.192A	----	0.094 - 0.012	.0088	----	----	----	----	4 UNCH
3600	----	----	----	0.042B/0.189A	----	0.107 - 0.010	.0100	----	----	----	----	12 UNCH
3700	----	----	----	0.056B/0.200A	----	0.121 - 0.007	.0114	----	----	----	----	92 UNCH
3800	----	----	----	0.067B/0.214A	----	0.138 - 0.004	.0130	----	----	----	----	25 UNCH
3825	----	----	----	0.076B/*0.217A	----	0.142 - 0.004	.0134	----	----	----	----	8 UNCH
3850	----	----	----	0.080B/0.221A	----	0.146 - 0.003	.0138	----	----	----	----	3 UNCH
3900	----	----	----	0.088B/0.228A	----	0.155 - 0.002	.0147	----	----	----	----	11 UNCH
3950	----	----	----	0.095B/0.237A	----	0.165 - 0.001	.0157	----	----	----	----	1 UNCH
4000	----	----	----	0.106B/0.240A	----	0.175 UNCH	.0166	----	----	----	----	70 UNCH
4075	----	----	----	0.121B/*0.258A	----	0.190 UNCH	.0181	----	----	----	----	16 UNCH
4100	----	----	----	0.127B/*0.262A	----	0.195 UNCH	.0186	----	----	----	----	6 UNCH
4175	----	----	----	0.143B/*0.275A	----	0.211 - 0.002	.0202	----	----	----	----	9 UNCH
4200	----	----	----	0.150B/*0.281A	----	0.216 - 0.003	.0208	----	----	1	----	27 UNCH
4225	----	----	----	0.155B/*0.286A	----	0.221 - 0.004	.0213	----	----	----	----	1 UNCH
4250	----	----	----	0.165B/*0.291A	----	0.227 - 0.005	.0219	----	----	----	----	21 UNCH
4300	----	----	----	0.175B/*0.304A	----	0.239 - 0.007	.0231	----	----	----	----	96 UNCH
4325	----	----	----	0.182B/*0.311A	----	0.245 - 0.008	.0237	----	----	----	----	17 UNCH
4375	----	----	----	0.198B/*0.326A	----	0.257 - 0.011	.0250	----	----	----	----	32 UNCH
4400	----	----	----	0.205B/*0.333A	----	0.263 - 0.013	.0256	----	----	1	----	29 + 1
4450	----	----	----	0.221B/*0.348A	----	0.276 - 0.017	.0270	----	----	----	----	4 UNCH
4475	----	----	----	0.230B/*0.357A	----	0.283 - 0.018	.0277	----	----	----	----	16 UNCH
4500	----	----	----	0.239B/0.365A	----	0.290 - 0.020	.0284	----	----	----	----	304 UNCH
4575	----	----	----	0.267B/*0.391A	----	0.311 - 0.028	.0306	----	----	----	----	75 UNCH
4600	----	----	----	0.278B/*0.400A	----	0.319 - 0.030	.0315	----	----	----	----	101 UNCH
4650	----	----	----	0.299B/*0.416A	----	0.335 - 0.035	.0331	----	----	----	----	40 UNCH
4675	----	----	----	0.310B/*0.426A	----	0.343 - 0.038	.0340	----	----	----	----	12 UNCH
4700	----	----	----	0.322B/*0.436A	----	0.352 - 0.041	.0349	----	----	----	----	153 UNCH
4725	----	----	----	0.333B/*0.450A	----	0.360 - 0.045	.0357	----	----	----	----	3 UNCH
4750	----	----	----	0.346B/*0.461A	----	0.370 - 0.047	.0367	----	----	----	----	54 UNCH
4775	----	----	----	0.359B/*0.472A	----	0.379 - 0.050	.0377	----	----	----	----	8 UNCH
4800	----	----	----	0.371B/*0.484A	----	0.389 - 0.053	.0387	----	----	----	----	15 UNCH
4825	----	----	----	0.385B/*0.490A	----	0.399 - 0.056	.0397	----	----	----	----	26 UNCH
4850	----	----	----	0.398B/*0.502A	----	0.410 - 0.058	.0408	----	----	----	----	2 UNCH
4875	----	----	----	0.412B/*0.515A	----	0.420 - 0.062	.0419	----	----	----	----	23 UNCH
4900	----	----	----	0.427B/*0.529A	----	0.432 - 0.064	.0430	----	----	----	----	172 UNCH
5000	----	----	----	0.492B/0.583A	----	0.482 - 0.073	.0480	----	----	----	----	864 UNCH
5025	----	----	----	0.509B/*0.598A	----	0.495 - 0.076	.0493	----	----	----	----	1 UNCH
5050	----	----	----	0.527B/*0.613A	----	0.510 - 0.077	.0507	----	----	----	----	16 UNCH
5075	----	----	----	0.546B/*0.627A	----	0.525 - 0.079	.0521	----	----	----	----	11 UNCH
5100	----	----	----	0.565B/0.642A	----	0.540 - 0.081	.0536	----	----	----	----	176 UNCH
5150	----	----	----	0.605B/*0.677A	----	0.573 - 0.083	.0567	----	----	----	----	5 UNCH
5175	----	----	----	0.626B/*0.694A	----	0.590 - 0.084	.0583	----	----	----	----	5 UNCH
5200	----	----	----	0.647B/*0.712A	----	0.608 - 0.085	.0600	----	----	----	----	86 UNCH
5225	----	----	----	0.669B/*0.730A	----	0.627 - 0.085	.0617	----	----	----	----	9 UNCH
5250	----	----	----	0.693B/*0.748A	----	0.646 - 0.086	.0635	----	----	----	----	250 UNCH
5275	----	----	----	0.715B/*0.767A	----	0.666 - 0.086	.0653	----	----	----	----	2 UNCH
5300	----	----	----	0.739B/*0.786A	----	0.686 - 0.086	.0671	----	----	----	----	125 UNCH
5325	----	----	----	0.764B/*0.805A	----	0.708 - 0.086	.0691	----	----	----	----	11 UNCH
5350	----	----	----	0.789B/*0.826A	----	0.730 - 0.085	.0711	----	----	----	----	26 UNCH
5375	----	----	----	0.816B/*0.848A	----	0.752 - 0.085	.0731	----	----	----	----	17 UNCH
5400	----	----	----	0.848B/0.870A	----	0.776 - 0.084	.0752	----	----	----	----	75 UNCH
5425	----	----	----	0.875B/0.892A	----	0.800 - 0.084	.0773	----	----	----	----	49 UNCH
5450	----	----	----	0.898B/0.915A	----	0.825 - 0.083	.0795	----	----	----	----	38 UNCH
5475	----	----	----	0.910B/0.938A	----	0.850 - 0.082	.0817	----	----	----	----	53 UNCH
5500	----	----	----	0.951B/0.962A	----	0.877 - 0.080	.0840	----	----	----	----	882 UNCH
5525	----	----	----/*0.980A	0.913B/0.980A	----	0.904 - 0.079	.0863	----	----	----	----	72 UNCH
5550	----	----	----/*1.006A	0.877B/1.006A	----	0.932 - 0.078	.0887	----	----	----	----	13 UNCH
5575	----	----	----/*1.030A	0.884B/1.030A	----	0.960 - 0.077	.0911	----	----	----	----	3 UNCH
5600	----	----	----/*1.054A	0.892B/1.054A	----	0.990 - 0.075	.0936	----	----	----	----	13 UNCH
5625	----	----	----	0.913B/1.244A	----	1.020 - 0.074	.0962	----	----	----	----	3 UNCH
5650	----	----	----	0.944B/1.276A	----	1.051 - 0.073	.0988	----	----	----	----	29 UNCH
5675	----	----	----	1.056B/1.308A	----	1.083 - 0.071	.1014	----	----	----	----	45 UNCH
5700	----	----	----	1.135B/1.342A	----	1.115 - 0.070	.1041	----	----	----	----	297 UNCH
5725	----	----	----	1.042B/1.376A	----	1.149 - 0.068	.1069	----	----	----	----	3 UNCH
5750	----	----	----	1.174B/1.412A	----	1.184 - 0.065	.1097	----	----	----	----	52 UNCH
5775	----	----	----	1.111B/1.448A	----	1.219 - 0.064	.1126	----	----	----	----	2 UNCH
5800	----	----	----	1.149B/1.485A	----	1.255 - 0.062	.1155	----	----	----	----	21 UNCH
5825	----	----	----	1.224B/1.523A	----	1.292 - 0.060	.1184	----	----	----	----	2 UNCH
5850	----	----	----	1.346B/1.554A	----	1.331 - 0.057	.1215	----	----	----	----	114 UNCH
5875	----	----	----	1.262B/1.602A	----	1.370 - 0.055	.1246	----	----	----	----	3 UNCH
5900	----	----	----	1.305B/1.643A	----	1.410 - 0.053	.1277	----	----	----	----	6 UNCH
5950	----	----	----	1.387B/1.728A	----	1.493 - 0.048	.1342	----	----	----	----	2 UNCH
5975	----	----	----	1.433B/1.611A	----	1.536 - 0.046	.1375	----	----	----	----	1 UNCH
6000	----	----	1.700B/----	1.700B/1.722A	----	1.580 - 0.044	.1409	----	----	1	----	613 UNCH
6100	----	----	1.919B/----	1.919B/2.006A	----	1.767 - 0.033	.1549	----	----	----	----	287 UNCH
6200	----	----	----	1.923B/2.235A	----	1.972 - 0.022	.1698	----	----	----	----	9 UNCH
6250	----	----	----	2.039B/2.341A	----	2.081 - 0.016	.1776	----	----	----	----	13 UNCH
6275	----	----	----	2.100B/2.394A	----	2.137 - 0.014	.1816	----	----	----	----	1 UNCH
6300	----	----	2.230B/----	2.230B/2.391A	----	2.194 - 0.012	.1856	----	----	----	----	31 UNCH
6325	----	----	----	2.227B/2.507A	----	2.253 - 0.009	.1897	----	----	----	----	20 UNCH
6375	----	----	----	2.356B/2.625A	----	2.374 - 0.003	.1980	----	----	----	----	1 UNCH
6400	----	----	2.710B/----	2.710B/2.566A	----	2.436 - 0.001	.2022	----	----	1	----	57 + 1
6500	2.652	2.652	3.010B/2.652	3.010B/2.652	----	2.697 + 0.009	.2196	----	----	30	----	698 + 18
6550	2.667	2.667	3.184B/2.666	3.184B/2.666	----	2.835 + 0.013	.2286	----	----	13	----	59 + 7
6600	----	----	3.020B/----	3.020B/3.219A	----	2.978 + 0.018	.2377	----	----	----	----	1 UNCH
6650	----	----	3.529B/----	3.529B/3.243A	----	3.126 + 0.021	.2471	----	----	20	----	120 + 20
6700	----	----	3.716B/----	3.716B/3.395A	----	3.280 + 0.025	.2566	----	----	----	----	81 UNCH
6750	----	----	3.664B/----	3.664B/3.616A	----	3.439 + 0.028	.2663	----	----	----	----	26 UNCH
6800	----	----	4.101B/----	4.101B/3.721A	----	3.603 + 0.030	.2761	----	----	----	----	257 UNCH
6900	----	----	4.131B/----	4.131B/4.201A	----	3.949 + 0.035	.2963	----	----	----	----	11 UNCH
7000	4.484	4.484	4.925B/4.351A	4.925B/4.351A	----	4.318 + 0.038	.3170	----	----	2	----	615 + 2
7025	----	----	5.015B/----	5.015B/4.540A	----	4.414 + 0.039	.3223	----	----	----	----	127 UNCH
7050	4.391	4.391	4.776B/4.391	4.776B/4.391	----	4.512 NEW	.3276	----	----	1	----	1 + 1
7100	----	----	5.112B/----	5.112B/4.967A	----	4.712 + 0.041	.3382	----	----	----	----	3 UNCH
7125	----	----	5.119B/----	5.119B/5.073A	----	4.814 + 0.042	.3436	----	----	----	----	9 UNCH
7150	----	----	5.369B/----	5.369B/5.180A	----	4.918 + 0.042	.3490	----	----	----	----	1 UNCH
7200	----	----	5.638B/----	5.638B/5.331A	----	5.130 + 0.043	.3598	----	----	----	----	39 UNCH
7250	----	----	6.101B/----	6.101B/5.488A	----	5.349 + 0.045	.3707	----	----	----	----	171 UNCH
7300	----	----	6.150B/----	6.150B/5.787A	----	5.574 + 0.046	.3817	----	----	----	----	25 UNCH
7375	----	----	6.763B/----	6.763B/6.074A	----	5.924 + 0.048	.3983	----	----	----	----	152 UNCH
7400	----	----	6.589B/----	6.589B/6.331A	----	6.044 + 0.049	.4038	----	----	----	----	23 UNCH
7450	----	----	6.847B/----	6.847B/6.573A	----	6.289 + 0.050	.4149	----	----	----	----	1 UNCH
7500	----	----	7.246B/----	7.246B/6.771A	----	6.540 + 0.052	.4260	----	----	----	----	40 UNCH
7525	----	----	7.272B/----	7.272B/6.956A	----	6.669 + 0.054	.4316	----	----	----	----	2 UNCH
7550	----	----	7.411B/----	7.411B/7.097A	----	6.799 + 0.055	.4372	----	----	----	----	7 UNCH
7600	----	----	7.736B/----	7.736B/7.364A	----	7.064 + 0.058	.4482	----	----	----	----	3 UNCH
7625	----	----	7.860B/----	7.860B/7.501A	----	7.199 + 0.059	.4538	----	----	----	----	1 UNCH
7700	8.472	8.472	8.472/7.831A	8.472/7.831A	----	7.615 + 0.065	.4703	----	----	1	----	3 + 1
7800	9.294	9.294	9.324B/8.344A	9.324B/8.344A	----	8.192 + 0.074	.4920	----	----	2	----	80 + 2
7850	----	----	9.311B/----	9.311B/8.746A	----	8.491 + 0.079	.5028	----	----	----	----	1 UNCH
7900	----	----	9.657B/----	9.657B/8.827A	----	8.796 + 0.085	.5134	----	----	1	----	9 + 1
7975	----	----	10.155B/----	10.155B/9.521A	----	9.266 + 0.095	.5291	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUL26												
8000	----	----	10.681B/----	10.681B/9.577A	----	9.426 + 0.099	.5343	----	----	----	----	291 UNCH
8100	----	----	11.182B/----	11.182B/10.253A	----	10.080 + 0.115	.5546	----	----	----	----	25 UNCH
8125	----	----	11.221B/----	11.221B/10.459A	----	10.247 + 0.119	.5596	----	----	----	----	4 UNCH
8250	----	----	12.286B/----	12.286B/11.265A	----	11.104 + 0.141	.5839	----	----	----	----	46 UNCH
8300	----	----	12.873B/----	12.873B/11.541A	----	11.456 + 0.150	.5933	----	----	----	----	120 UNCH
8375	----	----	13.032B/----	13.032B/12.256A	----	11.994 + 0.164	.6072	----	----	----	----	1 UNCH
8400	----	----	13.220B/----	13.220B/12.410A	----	12.176 + 0.169	.6117	----	----	----	----	7 UNCH
8500	----	----	14.421B/----	14.421B/12.964A	----	12.915 + 0.189	.6292	----	----	----	----	57 UNCH
8600	----	----	15.217B/----	15.217B/13.747A	----	13.672 + 0.209	.6460	----	----	----	----	56 UNCH
8700	----	----	15.611B/----	15.611B/14.671A	----	14.447 + 0.231	.6621	----	----	----	----	4 UNCH
9000	----	----	18.552B/----	18.552B/16.912A	----	16.860 + 0.294	.7058	----	----	----	----	307 UNCH
9200	----	----	19.872B/----	19.872B/18.704A	----	18.532 + 0.334	.7314	----	----	----	----	11 UNCH
9400	----	----	21.620B/----	21.620B/20.408A	----	20.246 + 0.372	.7544	----	----	----	----	1 UNCH
9450	----	----	22.064B/----	22.064B/20.772A	----	20.680 + 0.381	.7598	----	----	----	----	12 UNCH
9500	----	----	22.916B/----	22.916B/21.131A	----	21.116 + 0.389	.7651	----	----	----	----	218 UNCH
9600	----	----	23.811B/----	23.811B/21.957A	----	21.994 + 0.406	.7752	----	----	----	----	50 UNCH
9900	----	----	26.125B/----	26.125B/24.763A	----	24.669 + 0.452	.8025	----	----	----	----	6 UNCH
9950	----	----	26.583B/----	26.583B/25.214A	----	25.120 + 0.459	.8067	----	----	----	----	5 UNCH
10000	----	----	27.442B/----	27.442B/25.557A	----	25.573 + 0.466	.8108	----	----	----	----	205 UNCH
10275	----	----	29.578B/----	29.578B/28.177A	----	28.088 + 0.503	.8313	----	----	----	----	7 UNCH
10500	----	----	31.692B/----	31.692B/30.258A	----	30.171 + 0.530	.8459	----	----	----	----	3 UNCH
10600	----	----	32.638B/----	32.638B/31.218A	----	31.103 + 0.541	.8520	----	----	----	----	9 UNCH
11000	----	----	36.827B/----	36.827B/34.836A	----	34.867 + 0.583	.8732	----	----	----	----	217 UNCH
11300	----	----	39.333B/----	39.333B/37.803A	----	37.719 + 0.609	.8866	----	----	----	----	10 UNCH
11500	----	----	41.268B/----	41.268B/39.656A	----	39.632 + 0.625	.8945	----	----	----	----	1 UNCH
12000	----	----	46.125B/----	46.125B/44.510A	----	44.448 + 0.658	.9114	----	----	----	----	15 UNCH
13000	----	----	55.900B/----	55.900B/54.197A	----	54.177 + 0.701	.9365	----	----	----	----	6 UNCH
TOTAL										74	0	10256 + 54
AUG26												
3300	----	----	----	0.054B/0.222A	----	0.113 - 0.026	.0094	----	----	----	----	2 UNCH
3900	----	----	----	0.181B/0.332A	----	0.246 - 0.047	.0204	----	----	----	----	2 UNCH
4175	----	----	----	0.273B/*0.422A	----	0.329 - 0.060	.0275	----	----	----	----	1 UNCH
4300	----	----	----	0.325B/0.466A	----	0.375 - 0.066	.0313	----	----	----	----	1 UNCH
4350	----	----	----	0.348B/0.488A	----	0.395 - 0.068	.0330	----	----	----	----	1 UNCH
4375	----	----	----	0.360B/*0.499A	----	0.405 - 0.070	.0338	----	----	----	----	160 UNCH
4400	----	----	----	0.373B/0.510A	----	0.416 NEW	.0348	----	----	1	----	1 + 1
4500	----	----	----	0.426B/0.558A	----	0.460 - 0.077	.0385	----	----	----	----	2 UNCH
4600	----	----	----	0.486B/0.611A	----	0.509 - 0.082	.0425	----	----	1	----	3 + 1
4625	----	----	----	0.502B/*0.625A	----	0.522 - 0.084	.0436	----	----	----	----	1 UNCH
4700	----	----	----	0.553B/0.669A	----	0.564 - 0.087	.0471	----	----	----	----	1 UNCH
4775	----	----	----	0.617B/*0.717A	----	0.608 - 0.092	.0507	----	----	----	----	1 UNCH
4800	----	----	----	0.628B/0.733A	----	0.624 - 0.093	.0520	----	----	----	----	16 UNCH
4825	----	----	----	0.656B/*0.750A	----	0.640 - 0.094	.0533	----	----	----	----	1 UNCH
5000	----	----	----	0.809B/0.881A	----	0.764 - 0.104	.0632	----	----	----	----	14 UNCH
5275	----	----	----	1.100B/1.134A	----	1.012 - 0.119	.0823	----	----	----	----	1 UNCH
5300	----	----	----/*1.154A	1.057B/1.154A	----	1.038 - 0.120	.0843	----	----	----	----	1 UNCH
5500	----	----	----/*1.300A	1.358B/1.300A	----	1.273 - 0.129	.1015	----	----	----	----	26 UNCH
5675	----	----	----/*1.560A	1.590B/1.560A	----	1.521 - 0.134	.1190	----	----	----	----	9 UNCH
5800	----	----	----/1.775A	1.786B/1.775A	----	1.724 - 0.137	.1328	----	----	----	----	4 UNCH
5850	----	----	----/1.868A	1.907B/1.868A	----	1.812 - 0.138	.1386	----	----	----	----	2 UNCH
5875	----	----	----/1.916A	1.957B/1.916A	----	1.858 - 0.138	.1416	----	----	----	----	4 UNCH
5900	----	----	----/1.965A	1.981B/1.965A	----	1.904 - 0.139	.1446	----	----	----	----	5 UNCH
5950	----	----	----/2.065A	2.114B/2.065A	----	2.001 - 0.139	.1509	----	----	----	----	10 UNCH
6000	2.450	2.450	2.451B/2.133	2.451B/2.133	----	2.101 - 0.139	.1573	----	----	47	----	155 + 16
6050	2.571	2.571	2.571/2.278A	2.571/2.278A	----	2.206 - 0.139	.1638	----	----	1	----	1 + 1
6100	2.693	2.693	2.693/2.392A	2.693/2.392A	----	2.316 - 0.138	.1706	----	----	1	----	10 + 1
6150	2.822	2.822	2.822/2.510A	2.822/2.510A	----	2.430 NEW	.1775	----	----	1	----	1 + 1
6200	2.955	2.955	2.955/2.632A	2.955/2.632A	----	2.549 NEW	.1847	----	----	1	----	1 + 1
6500	----	----	3.640B/3.470A	3.640B/3.470A	----	3.370 - 0.124	.2308	----	----	----	----	156 UNCH
6600	----	----	3.843B/3.792A	3.843B/3.792A	----	3.687 - 0.117	.2474	----	----	----	----	13 UNCH
6725	----	----	4.367B/----	4.367B/4.225A	----	4.114 - 0.107	.2689	----	----	----	----	7 UNCH
6825	----	----	4.748B/----	4.748B/4.594A	----	4.481 - 0.098	.2865	----	----	----	----	7 UNCH
7000	----	----	5.482B/----	5.482B/5.297A	----	5.181 - 0.079	.3182	----	----	----	----	6 UNCH
7050	----	----	5.731B/----	5.731B/5.508A	----	5.394 - 0.073	.3273	----	----	----	----	1 UNCH
7100	----	----	5.965B/----	5.965B/5.733A	----	5.613 - 0.067	.3366	----	----	----	----	2 UNCH
7200	6.820	6.820	6.820/6.172A	6.820/6.172A	----	6.070 NEW	.3552	----	----	1	----	1 + 1
7350	----	----	7.231B/----	7.231B/7.227A	----	6.798 - 0.032	.3832	----	----	----	----	6 UNCH
7400	----	----	7.504B/----	7.504B/7.490A	----	7.053 - 0.024	.3926	----	----	----	----	4 UNCH
7500	----	----	8.062B/----	8.062B/8.017A	----	7.579 - 0.009	.4112	----	----	----	----	6 UNCH
7550	----	----	8.435B/----	8.435B/8.289A	----	7.851 - 0.001	.4205	----	----	----	----	5 UNCH
7600	----	----	8.726B/----	8.726B/8.564A	----	8.128 + 0.007	.4297	----	----	----	----	4 UNCH
7700	----	----	9.325B/----	9.325B/9.105A	----	8.699 + 0.023	.4480	----	----	----	----	25 UNCH
8000	----	----	11.239B/----	11.239B/10.847A	----	10.538 + 0.076	.5010	----	----	----	----	20 UNCH
8150	----	----	12.261B/----	12.261B/11.822A	----	11.522 + 0.103	.5262	----	----	----	----	10 UNCH
8200	----	----	12.612B/----	12.612B/12.169A	----	11.860 + 0.113	.5344	----	----	----	----	10 UNCH
8250	----	----	12.963B/----	12.963B/12.503A	----	12.201 + 0.121	.5424	----	----	----	----	5 UNCH
8500	----	----	14.626B/----	14.626B/14.299A	----	13.971 + 0.167	.5810	----	----	----	----	20 UNCH
9000	----	----	18.148B/----	18.148B/18.280A	----	17.778 + 0.257	.6489	----	----	----	----	29 UNCH
9300	----	----	20.668B/----	20.668B/21.117A	----	20.202 + 0.307	.6840	----	----	----	----	1 UNCH
9500	----	----	----	20.884B/22.793A	----	21.864 + 0.337	.7052	----	----	----	----	30 UNCH
10000	----	----	----	19.353B/33.941A	----	26.151 + 0.407	.7515	----	----	----	----	6 UNCH
10175	----	----	----	20.257B/35.859A	----	27.690 + 0.430	.7656	----	----	----	----	15 UNCH
TOTAL										54	0	826 + 23
SEP26												
2500	----	----	----	0.001B/4.121A	----	0.033 - 0.010	.0027	----	----	----	----	60 UNCH
3000	----	----	----	0.044B/0.241A	----	0.083 - 0.022	.0068	----	----	----	----	22 UNCH
3500	----	----	----	0.150B/0.336A	----	0.183 - 0.039	.0145	----	----	----	----	74 UNCH
4000	----	----	----	0.319B/0.493A	----	0.369 - 0.064	.0281	----	----	----	----	46 UNCH
4500	----	----	----	0.612B/0.761A	----	0.631 - 0.091	.0473	----	----	----	----	12 UNCH
5000	----	----	----	1.106B/1.174A	----	1.039 - 0.118	.0758	----	----	----	----	232 UNCH
5100	----	----	----	1.114B/1.283A	----	1.146 - 0.122	.0830	----	----	----	----	1 UNCH
5500	----	----	----	1.508B/2.187A	----	1.688 - 0.136	.1175	----	----	----	----	228 UNCH
5600	----	----	----	1.715B/2.227A	----	1.857 - 0.137	.1276	----	----	----	----	1 UNCH
5700	----	----	----	1.919B/2.517A	----	2.040 - 0.139	.1384	----	----	----	----	2 UNCH
5800	----	----	----	2.126B/2.695A	----	2.238 - 0.140	.1497	----	----	----	----	7 UNCH
5900	----	----	----	2.350B/2.928A	----	2.453 - 0.139	.1616	----	----	----	----	50 UNCH
6000	----	----	----	2.593B/3.176A	----	2.685 - 0.138	.1742	----	----	----	----	128 UNCH
6050	----	----	----	2.722B/3.313A	----	2.807 - 0.138	.1806	----	----	----	----	15 UNCH
6200	----	----	----	3.135B/3.733A	----	3.203 NEW	.2009	----	----	----	40	40 + 40
6300	----	----	----	3.435B/4.037A	----	3.490 - 0.130	.2150	----	----	----	----	5 UNCH
6400	----	----	----	3.778B/4.364A	----	3.797 - 0.126	.2297	----	----	----	----	1 UNCH
6425	5.000	5.000	5.000/4.449A	5.000/4.449A	----	3.877 - 0.125	.2334	----	----	1	----	2 + 1
6500	----	----	----	4.114B/4.686A	----	4.124 - 0.121	.2447	----	----	----	----	55 UNCH
6550	----	----	----	4.292B/4.867A	----	4.295 - 0.119	.2524	----	----	----	----	15 UNCH
6800	----	----	----	5.253B/5.846A	----	5.229 - 0.104	.2920	----	----	----	----	4 UNCH
6900	----	----	----	5.694B/6.270A	----	5.639 - 0.097	.3083	----	----	----	----	1 UNCH
7000	----	----	----	6.161B/6.725A	----	6.071 - 0.090	.3248	----	----	----	----	16 UNCH
7025	----	----	----	6.251B/6.840A	----	6.182 - 0.089	.3290	----	----	----	----	1 UNCH
7100	----	----	6.650B/----	6.650B/7.198A	----	6.523 - 0.084	.3415	----	----	----	----	16 UNCH
7125	----	----	6.726B/----	6.726B/7.316A	----	6.640 - 0.082	.3456	----	----	----	----	25 UNCH
7175	----	----	6.971B/----	6.971B/7.562A	----	6.876 - 0.079	.3540	----	----	----	----	20 UNCH
7200	----	----	7.147B/----	7.147B/7.683A	----	6.997 - 0.077	.3582	----	----	----	----	50 UNCH
7400	----	----	8.258B/----	8.258B/8.721A	----	8.005 - 0.066	.3917	----	----	----	----	20 UNCH
7500	----	----	8.823B/----	8.823B/9.260A	----	8.540 - 0.060	.4083	----	----	----	----	3 UNCH
7550	----	----	9.117B/----	9.117B/9.537A	----	8.814 - 0.058	.4166	----	----	----	----	2 UNCH
7700	----	----	10.025B/----	10.025B/10.378A	----	9.667 - 0.050	.4413	----	----	----	----	1 UNCH
7800	----	----	10.650B/----	10.650B/10.978A	----	10.260 - 0.044	.4574	----	----	----	----	4 UNCH
7900	----	----	11.297B/----	11.297B/11.600A	----	10.870 - 0.039	.4732	----	----	----	----	1 UNCH
8000	----	----	11.969B/----	11.969B/12.231A	----	11.498 - 0.033	.4888	----	----	----	----	40 UNCH
8100	----	----	12.660B/----	12.660B/12.893A	----	12.143 - 0.026	.5041	----	----	----	----	1 UNCH
8200	----	----	13.342B/----	13.342B/13.563A	----	12.805 - 0.018	.5190	----	----	----	----	1 UNCH
8500	----	----	15.530B/----	15.530B/15.636A	----	14.883 + 0.011	.5616	----	----	----	----	225 UNCH
8700	----	----	17.042B/----	17.042B/17.112A	----	16.339 + 0.033	.5881	----	----	----	----	100 UNCH
9000	----	----	19.409B/----	19.409B/19.411A	----	18.618 + 0.073	.6249	----	----	----	----	74 UNCH
9300	----	----	21.483B/----	21.483B/21.798A	----	20.998 + 0.117	.6580	----	----	----	----	1 UNCH
9400	----	----	22.328B/----	22.328B/22.609A	----	21.811 + 0.132	.6683	----	----	----	----	1 UNCH
10150	----	----	----	19.030B/38.504A	----	28.169 + 0.250	.7341	----	----	----	----	1 UNCH
10300	----	----	----	20.217B/40.426A	----	29.486 + 0.273	.7451	----	----	----	----	1 UNCH
TOTAL										1	40	1605 + 41
OCT26												
2675	----	----	----	0.001B/4.529A	----	0.065 - 0.016	.0049	----	----	----	----	8 UNCH
3250	----	----	----	0.128B/0.347A	----	0.147 - 0.031	.0112	----	----	----	----	1 UNCH
4000	----	----	----	0.411B/0.611A	----	0.403 - 0.062	.0293	----	----	----	----	3 UNCH
4500	----	----	----	0.760B/0.930A	----	0.775 - 0.094	.0526	----	----	----	----	3 UNCH
5000	----	----	----/1.415A	1.196B/1.415A	----	1.360 - 0.128	.0861	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 65

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
OCT26												
5050	----	----	----/1.519A	1.201B/1.519A	----	1.432 -	0.131 .0900	----	----	----	----	1 UNCH
5150	----	----	----	1.126B/2.031A	----	1.584 -	0.138 .0982	----	----	----	----	5 UNCH
6500	----	----	----	4.537B/5.219A	----	4.896 -	0.184 .2483	----	----	----	----	6 UNCH
7000	----	----	----	6.586B/7.311A	----	6.830 -	0.171 .3189	----	----	----	----	85 UNCH
7225	----	----	----	7.677B/8.407A	----	7.841 -	0.158 .3521	----	----	----	----	87 UNCH
7500	----	----	----	9.212B/9.848A	----	9.197 -	0.138 .3931	----	----	----	----	1 UNCH
7950	----	----	12.011B/----	12.011B/12.517A	----	11.706 -	0.091 .4595	----	----	----	----	10 UNCH
8200	----	----	13.686B/----	13.686B/14.113A	----	13.250 -	0.060 .4949	----	----	----	----	6 UNCH
8375	----	----	14.698B/----	14.698B/15.441A	----	14.393 -	0.037 .5187	----	----	----	----	1 UNCH
9100	----	----	20.370B/----	20.370B/20.624A	----	19.613 +	0.071 .6068	----	----	----	----	1 UNCH
10000	----	----	27.481B/----	27.481B/28.255A	----	26.928 +	0.203 .6908	----	----	----	----	40 UNCH
TOTAL											0	264 0
NOV26												
4500	----	----	----	0.948B/1.147A	----	0.966 -	0.101 .0601	----	----	----	----	2 UNCH
4550	----	----	----	1.002B/1.195A	----	1.022 -	0.105 .0631	----	----	----	----	1 UNCH
4800	----	----	----	1.291B/1.463A	----	1.338 -	0.122 .0798	----	----	----	----	1 UNCH
5000	----	----	----	1.134B/2.193A	----	1.636 -	0.135 .0949	----	----	----	----	12 UNCH
5200	----	----	----	1.493B/2.496A	----	1.977 -	0.148 .1115	----	----	----	----	1 UNCH
5950	----	----	----	3.259B/4.084A	----	3.693 -	0.185 .1872	----	----	----	----	1 UNCH
6700	----	----	----	5.915B/6.757A	----	6.219 -	0.190 .2807	----	----	----	----	50 UNCH
7000	----	----	----	7.254B/8.122A	----	7.485 -	0.180 .3214	----	----	----	----	40 UNCH
7025	----	----	----	7.381B/8.245A	----	7.597 -	0.180 .3249	----	----	----	----	6 UNCH
7500	----	----	----	9.906B/10.767A	----	9.938 -	0.148 .3909	----	----	----	----	3 UNCH
7700	----	----	----	11.091B/11.948A	----	11.041 -	0.129 .4185	----	----	----	----	50 UNCH
8500	----	----	16.519B/----	16.519B/17.169A	----	16.129 -	0.028 .5211	----	----	----	----	60 UNCH
9000	----	----	20.275B/----	20.275B/20.828A	----	19.799 +	0.048 .5757	----	----	----	----	5 UNCH
9050	----	----	20.657B/----	20.657B/21.220A	----	20.183 +	0.056 .5807	----	----	----	----	3 UNCH
10000	----	----	28.134B/----	28.134B/28.830A	----	27.882 +	0.193 .6625	----	----	----	----	1 UNCH
11000	----	----	----	20.599B/53.350A	----	36.522 +	0.306 .7275	----	----	----	----	1 UNCH
TOTAL											0	237 0
DEC26												
1500	----	----	----	----/0.085A	----	0.016 -	0.005 .0010	----	----	----	----	180 UNCH
2000	----	----	----	0.001B/0.200A	----	0.054 -	0.011 .0033	----	----	----	----	10 UNCH
2500	----	----	----	0.006B/0.347A	----	0.099 -	0.019 .0064	----	----	----	----	32 UNCH
3000	----	----	----	0.132B/0.454A	----	0.180 -	0.030 .0119	----	----	----	----	93 UNCH
3100	----	----	----	0.161B/0.489A	----	0.202 -	0.033 .0134	----	----	----	----	1 UNCH
3150	----	----	----	0.177B/0.508A	----	0.221 -	0.035 .0146	----	----	----	----	1 UNCH
3500	----	----	----	0.321B/0.648A	----	0.395 -	0.052 .0246	----	----	----	----	45 UNCH
3850	----	----	----	0.517B/0.855A	----	0.623 -	0.071 .0372	----	----	----	----	1 UNCH
3900	----	----	----	0.551B/0.890A	----	0.658 -	0.073 .0391	----	----	----	----	1 UNCH
3925	----	----	----	0.568B/0.907A	----	0.676 -	0.075 .0401	----	----	----	----	1 UNCH
4000	----	----	----	0.624B/0.960A	----	0.732 -	0.078 .0432	----	----	----	----	74 UNCH
4500	----	----	----	1.110B/1.401A	----	1.193 -	0.103 .0679	----	----	----	----	32 UNCH
4600	----	----	----	1.236B/1.522A	----	1.307 -	0.107 .0738	----	----	----	----	4 UNCH
4800	----	----	----	1.254B/1.807A	----	1.559 -	0.117 .0867	----	----	----	----	241 UNCH
5000	----	----	----	1.330B/2.733A	----	1.847 -	0.125 .1009	----	----	----	----	357 UNCH
5250	----	----	----	1.844B/3.140A	----	2.266 -	0.135 .1210	----	----	----	----	50 UNCH
5300	----	----	----	1.959B/3.230A	----	2.358 -	0.137 .1253	----	----	----	----	250 UNCH
5400	----	----	----	2.203B/3.395A	----	2.553 -	0.139 .1342	----	----	----	----	100 UNCH
5500	----	----	----	2.439B/3.587A	----	2.760 -	0.141 .1435	----	----	----	----	84 UNCH
5600	----	----	----	2.674B/3.817A	----	2.981 -	0.143 .1532	----	----	----	----	4 UNCH
5650	----	----	----	2.798B/3.950A	----	3.096 -	0.145 .1582	----	----	----	----	12 UNCH
5800	----	----	----	3.192B/4.335A	----	3.467 -	0.146 .1738	----	----	----	----	1 UNCH
5950	----	----	----	3.623B/4.800A	----	3.873 -	0.146 .1902	----	----	----	----	5 UNCH
6000	----	----	----	3.775B/4.958A	----	4.017 -	0.146 .1959	----	----	----	----	147 UNCH
6200	----	----	----	4.429B/5.645A	----	4.637 -	0.144 .2194	----	----	----	----	13 UNCH
6300	----	----	----	4.781B/6.013A	----	4.975 -	0.141 .2316	----	----	----	----	25 UNCH
6500	----	----	----	5.535B/6.797A	----	5.712 -	0.133 .2568	----	----	----	----	626 UNCH
6650	----	----	----	6.153B/7.444A	----	6.315 -	0.127 .2762	----	----	----	----	5 UNCH
6725	----	----	----	6.477B/7.779A	----	6.634 -	0.122 .2861	----	----	----	----	4 UNCH
6750	----	----	----	6.588B/7.892A	----	6.742 -	0.121 .2894	----	----	----	----	6 UNCH
6800	----	----	----	6.812B/8.123A	----	6.963 -	0.118 .2960	----	----	----	----	52 UNCH
6850	----	----	----	7.041B/7.970A	----	7.188 -	0.115 .3026	----	----	----	----	61 UNCH
6900	----	----	----	7.264B/8.591A	----	7.418 -	0.112 .3093	----	----	----	----	1 UNCH
6950	----	----	----	7.500B/8.779A	----	7.653 -	0.108 .3159	----	----	----	----	101 UNCH
7000	----	----	----	7.789B/9.009A	----	7.892 -	0.104 .3226	----	----	----	----	179 UNCH
7050	----	----	----	8.037B/9.249A	----	8.135 -	0.101 .3293	----	----	----	----	1 UNCH
7075	----	----	----	8.163B/9.400A	----	8.259 -	0.099 .3326	----	----	----	----	20 UNCH
7100	----	----	----	8.289B/9.499A	----	8.383 -	0.097 .3359	----	----	----	----	2 UNCH
7200	----	----	----	8.804B/10.009A	----	8.892 -	0.089 .3492	----	----	----	----	14 UNCH
7500	11.337	11.337	11.337/10.714A	11.337/10.714A	----	10.517 -	0.066 .3889	----	----	4	----	21 UNCH
7550	----	----	----	10.755B/11.911A	----	10.802 -	0.062 .3954	----	----	----	----	1 UNCH
7800	----	----	----	12.252B/13.384A	----	12.285 -	0.041 .4275	----	----	----	----	20 UNCH
7850	----	----	----	12.567B/13.668A	----	12.592 -	0.037 .4337	----	----	----	----	10 UNCH
7875	----	----	----	12.711B/14.022A	----	12.748 -	0.034 .4369	----	----	----	----	4 UNCH
7900	----	----	----	12.894B/13.979A	----	12.904 -	0.032 .4399	----	----	----	----	19 UNCH
8000	----	----	----	13.557B/14.621A	----	13.537 -	0.024 .4522	----	----	----	----	50 UNCH
8100	----	----	14.221B/----	14.221B/15.270A	----	14.184 -	0.015 .4642	----	----	----	----	1 UNCH
8200	----	----	14.897B/----	14.897B/15.795A	----	14.844 -	0.006 .4760	----	----	----	----	35 UNCH
8350	----	----	15.932B/----	15.932B/16.958A	----	15.858 +	0.006 .4932	----	----	----	----	9 UNCH
8400	----	----	16.298B/----	16.298B/17.303A	----	16.203 +	0.011 .4988	----	----	----	----	50 UNCH
8500	----	----	17.005B/----	17.005B/18.001A	----	16.900 +	0.020 .5099	----	----	----	----	160 UNCH
8600	----	----	17.747B/----	17.747B/18.710A	----	17.609 +	0.028 .5207	----	----	----	----	2 UNCH
8800	----	----	19.225B/----	19.225B/20.154A	----	19.059 +	0.045 .5415	----	----	----	----	12 UNCH
8900	----	----	19.983B/----	19.983B/20.889A	----	19.800 +	0.054 .5516	----	----	----	----	30 UNCH
9000	----	----	20.746B/----	20.746B/21.646A	----	20.550 +	0.063 .5613	----	----	----	----	3 UNCH
9050	----	----	21.128B/----	21.128B/22.029A	----	20.929 +	0.067 .5661	----	----	----	----	100 UNCH
9500	----	----	24.742B/----	24.742B/25.511A	----	24.433 +	0.106 .6065	----	----	----	----	2 UNCH
9850	----	----	27.606B/----	27.606B/28.327A	----	27.261 +	0.136 .6347	----	----	----	----	8 UNCH
9950	----	----	28.436B/----	28.436B/29.162A	----	28.084 +	0.145 .6423	----	----	----	----	1 UNCH
10025	----	----	28.832B/----	28.832B/30.203A	----	28.705 +	0.152 .6479	----	----	----	----	3 UNCH
10125	----	----	29.669B/----	29.669B/30.516A	----	29.537 +	0.161 .6551	----	----	----	----	1 UNCH
10700	----	----	34.576B/----	34.576B/35.949A	----	34.420 +	0.212 .6931	----	----	----	----	5 UNCH
10800	----	----	35.442B/----	35.442B/36.814A	----	35.284 +	0.221 .6991	----	----	----	----	2 UNCH
11000	----	----	----	35.571B/38.519A	----	37.025 +	0.239 .7107	----	----	----	----	2 UNCH
11500	----	----	----	21.607B/61.750A	----	41.440 +	0.282 .7372	----	----	----	----	1 UNCH
12000	----	----	----	25.882B/66.991A	----	45.934 +	0.324 .7604	----	----	----	----	1 UNCH
12100	----	----	----	26.207B/68.049A	----	46.841 +	0.333 .7647	----	----	----	----	1 UNCH
12300	----	----	----	28.349B/70.568A	----	48.662 +	0.348 .7730	----	----	----	----	1 UNCH
15000	----	----	----	53.371B/96.311A	----	73.959 +	0.523 .8538	----	----	----	----	1 UNCH
19000	----	----	----	#93.780B/133.779A	----	112.791 +	0.690 .9145	----	----	----	----	1 UNCH
TOTAL										4	0	3393 0
JAN27												
3800	----	----	----	0.324B/1.094A	----	0.486 -	0.230 .0306	----	----	----	----	1 UNCH
7125	----	----	----	7.734B/10.779A	----	8.871 -	0.022 .3307	----	----	----	----	1 UNCH
8600	----	----	----	17.802B/19.101A	----	17.955 +	0.088 .5010	----	----	----	----	1 UNCH
TOTAL											0	3 0
FEB27												
8150	15.923	15.923	#15.923/*15.923	15.923/*15.923	----	15.273	NEW .4497	----	----	10	----	10 + 10
8225	16.173	16.173	#16.173/*16.173	16.173/*16.173	----	15.763	NEW .4578	----	----	10	----	10 + 10
8250	16.312	16.312	#16.312/*16.312	16.312/*16.312	----	15.928	NEW .4604	----	----	10	----	10 + 10
TOTAL										30	0	30 + 30
MAR27												
6500	----	----	----	5.495B/8.952A	----	6.879 -	0.161 .2591	----	----	----	----	20 UNCH
TOTAL											0	20 0
DEC27												
7175	----	----	----	----	----	13.853 +	0.219 .3097	----	----	----	----	25 UNCH
TOTAL											0	25 0
SO1 CALL		SILVER OPTIONS										
MAY26												
8000	----	----	----/*1.953A	2.103B/*1.953A	----	2.206 -	0.610 .3638	----	----	----	----	5 UNCH
8200	----	----	----/*1.513A	1.541B/*1.513A	----	1.647 -	0.535 .2903	----	----	----	----	1 UNCH
TOTAL											0	6 0
SO1 PUT		SILVER OPTIONS										
MAY26												
7050	----	----	2.242B/----	2.242B/1.842A	----	1.649 -	0.049 .2507	----	----	----	----	1 UNCH
TOTAL											0	1 0
SO2 CALL		SILVER OPTIONS										
APR26												

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 66

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO2 CALL		SILVER OPTIONS										
APR26												
6200	----	----	----	----	----	14.480	UNCH ----	----	----	----	----	0 UNCH
6800	----	----	----	----	----	8.480	UNCH ----	----	----	----	----	0 UNCH
7000	----	----	----	----	----	6.480	UNCH ----	----	----	----	----	0 UNCH
7050	----	----	----	----	----	5.980	UNCH ----	----	----	----	----	0 UNCH
7110	----	----	----	----	----	5.380	UNCH ----	----	----	----	----	0 UNCH
7200	----	----	----	----	----	4.480	UNCH ----	----	----	----	----	0 UNCH
7300	----	----	----	----	----	3.480	UNCH ----	----	----	----	----	0 UNCH
7350	----	----	----	----	----	2.980	UNCH ----	----	----	----	----	0 UNCH
7355	----	----	----	----	----	2.930	UNCH ----	----	----	----	----	0 UNCH
7400	----	----	----	----	----	2.480	UNCH ----	----	----	----	----	0 UNCH
7450	----	----	----	----	----	1.980	UNCH ----	----	----	----	----	0 UNCH
7475	----	----	----	----	----	1.730	UNCH ----	----	----	----	----	0 UNCH
7500	----	----	----	----	----	1.480	UNCH ----	----	----	----	----	0 UNCH
7525	----	----	----	----	----	1.230	UNCH ----	----	----	----	----	0 UNCH
7550	----	----	----	----	----	0.980	UNCH ----	----	----	----	----	0 UNCH
7560	----	----	----	----	----	0.880	UNCH ----	----	----	----	----	0 UNCH
7565	----	----	----	----	----	0.830	UNCH ----	----	----	----	----	0 UNCH
7575	----	----	----	----	----	0.730	UNCH ----	----	----	----	----	0 UNCH
7600	----	----	----	----	----	0.480	UNCH ----	----	----	----	----	0 UNCH
7605	----	----	----	----	----	0.430	UNCH ----	----	----	----	----	0 UNCH
7620	----	----	----	----	----	0.280	UNCH ----	----	----	----	----	0 UNCH
7625	----	----	----	----	----	0.230	UNCH ----	----	----	----	----	0 UNCH
7650	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7700	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7750	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7800	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
TOTAL											0	0 0
MAY26												
8000	----	----	----	#2.550B/*8.006A	----	3.119	NEW .4025	----	----	2	----	2 + 2
9200	----	----	----	#0.500B/*2.046A	----	0.618	NEW .1127	----	----	2	----	2 + 2
TOTAL										4	0	4 + 4
SO2 PUT		SILVER OPTIONS										
APR26												
6500	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
6700	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
6900	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7135	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7175	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7180	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7200	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7300	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7350	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7400	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7480	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7500	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7550	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7565	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7600	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7650	----	----	----	----	----	0.020	UNCH ----	----	----	----	----	0 UNCH
7675	----	----	----	----	----	0.270	UNCH ----	----	----	----	----	0 UNCH
7700	----	----	----	----	----	0.520	UNCH ----	----	----	----	----	0 UNCH
TOTAL											0	0 0
SO3 CALL		SILVER OPTIONS										
APR26												
7000	----	----	----	----/55.209A	----	6.047 -	0.960 .8906	----	----	----	----	7 UNCH
7100	----	----	----/5.354A	2.411B/5.354A	----	5.179 -	0.954 .8511	----	----	----	----	1 UNCH
7300	----	----	----/2.652A	2.715B/2.652A	----	3.595 -	0.910 .7351	----	----	----	----	3 UNCH
7400	----	----	----/2.017A	2.491B/2.017A	----	2.905 -	0.863 .6583	----	----	----	----	1 UNCH
7420	----	----	----/*1.895A	2.253B/*1.895A	----	2.776 -	0.852 .6417	----	----	----	----	5 UNCH
7430	----	----	----/*1.859A	2.313B/*1.859A	----	2.713 -	0.846 .6332	----	----	----	----	2 UNCH
7450	----	----	----/*1.773A	2.306B/*1.773A	----	2.589 -	0.834 .6160	----	----	----	----	6 UNCH
7475	----	----	----/*1.619A	2.345B/*1.619A	----	2.440 -	0.817 .5942	----	----	----	----	6 UNCH
7500	1.404	1.404	2.230B/*1.404	2.230B/*1.404	----	2.296 -	0.799 .5719	----	----	7	----	22 + 5
7550	----	----	----/*1.345A	1.916B/*1.345A	----	2.024 -	0.762 .5265	----	----	----	----	1 UNCH
7575	----	----	----/*1.225A	1.808B/*1.225A	----	1.897 -	0.741 .5036	----	----	----	----	2 UNCH
7600	1.250	1.250	1.675B/*1.099A	1.675B/*1.099A	----	1.775 -	0.721 .4806	----	----	3	----	16 + 2
7625	----	----	----/*1.044A	1.539B/*1.044A	----	1.659 -	0.699 .4577	----	----	----	----	4 UNCH
7650	0.886	0.886	1.480/*0.886	1.480/*0.886	----	1.548	NEW .4349	----	----	5	----	5 + 5
7680	0.886	0.886	#1.293B/*0.886	#1.293B/*0.886	----	1.422	NEW .4079	----	----	2	----	2 + 2
7750	----	----	----/*0.750A	1.017B/*0.750A	----	1.157 -	0.590 .3468	----	----	----	----	2 UNCH
7800	----	----	----/*0.554A	0.874B/*0.554A	----	0.990 -	0.548 .3053	----	----	----	----	3 UNCH
7825	----	----	----/*0.564A	0.800B/*0.564A	----	0.913 -	0.529 .2854	----	----	----	----	3 UNCH
7850	0.788	0.788	0.788/*0.548A	0.788/*0.548A	----	0.840	NEW .2660	----	----	1	----	1 + 1
7870	0.682	0.682	#0.682/*0.610	#0.695B/*0.495A	----	0.786	NEW .2512	----	----	20	----	20 + 20
7875	----	----	----/*0.488A	0.684B/*0.488A	----	0.772 -	0.491 .2474	----	----	----	----	4 UNCH
7900	0.825	0.825	0.825/*0.472A	0.825/*0.472A	----	0.709	NEW .2296	----	----	2	----	2 + 2
7975	----	----	----/*0.377A	0.497B/*0.377A	----	0.544 -	0.418 .1810	----	----	----	----	2 UNCH
8000	0.360	0.360	0.387B/*0.280	0.387B/*0.280	----	0.497 -	0.401 .1665	----	----	23	----	65 + 4
8100	----	----	----/*0.291A	0.274B/*0.291A	----	0.348 -	0.332 .1181	----	----	----	----	2 UNCH
8300	----	----	----/*0.214A	0.136B/*0.214A	----	0.186 -	0.211 .0608	----	----	----	----	7 UNCH
8400	0.170	0.170	0.170/*0.170	0.170/*0.170	----	0.147 -	0.164 .0459	----	----	2	----	13 + 2
8500	----	----	----/*0.159A	0.013B/*0.159A	----	0.122 -	0.126 .0362	----	----	----	----	32 UNCH
8800	----	----	----/*0.136A	0.003B/*0.136A	----	0.088 -	0.055 .0220	----	----	2	----	3 + 1
8875	----	----	----	0.002B/0.126A	----	0.068 -	0.044 .0167	----	----	----	----	1 UNCH
TOTAL										67	0	243 + 44
SO3 PUT		SILVER OPTIONS										
APR26												
4000	----	----	----	----/0.196A	----	0.001	UNCH ----	----	----	----	----	20 UNCH
5500	----	----	----	0.001B/*0.107A	----	0.018 -	0.040 .0023	----	----	----	----	1 UNCH
6000	----	----	----/*0.100A	0.006B/*0.100A	----	0.045 -	0.066 .0077	----	----	----	----	110 UNCH
6200	----	----	----	0.059B/*0.161A	----	0.061	NEW .0118	----	----	3	----	3 + 3
6300	----	----	----	0.083B/*0.174A	----	0.073 -	0.088 .0150	----	----	----	----	2 UNCH
6400	----	----	0.210B/----	0.210B/*0.194A	----	0.088 -	0.097 .0191	----	----	----	----	7 UNCH
6500	----	----	----/0.209A	0.172B/0.209A	----	0.107 -	0.107 .0246	----	----	----	----	7 UNCH
6600	0.360	0.360	0.361/0.243A	0.361/0.243A	----	0.134 -	0.117 .0326	----	----	7	----	17 + 7
6625	0.250	0.250	0.273B/*0.250	0.273B/*0.250	----	0.142	NEW .0350	----	----	1	----	1 + 1
6700	----	----	0.298B/*0.215A	0.298B/*0.215A	----	0.170 -	0.127 .0435	----	----	----	----	2 UNCH
6800	0.479	0.479	0.490B/*0.308A	0.490B/*0.308A	----	0.219	NEW .0586	----	----	27	----	27 + 27
6825	----	----	0.486B/*0.315A	0.486B/*0.315A	----	0.234 -	0.140 .0632	----	----	----	----	20 UNCH
6900	1.004	1.004	1.004/*0.354A	1.004/*0.354A	----	0.288	NEW .0799	----	----	3	----	3 + 3
7000	0.810	0.810	0.992B/*0.376A	0.992B/*0.376A	----	0.384 -	0.146 .1093	----	----	32	----	19 - 22
7050	----	----	0.910B/*0.497A	0.910B/*0.497A	----	0.444 -	0.146 .1276	----	----	----	----	1 UNCH
7100	1.000	1.000	1.112B/*0.553	1.112B/*0.553	----	0.515	NEW .1488	----	----	17	----	11 + 11
7200	----	----	1.452B/*0.669A	1.452B/*0.669A	----	0.694 -	0.125 .2004	----	----	3	50	61 + 51
7205	----	----	1.453B/*0.756A	1.453B/*0.756A	----	0.704 -	0.124 .2032	----	----	----	----	1 UNCH
7210	----	----	1.473B/*0.770A	1.473B/*0.770A	----	0.715 -	0.123 .2062	----	----	----	----	1 UNCH
7250	----	----	1.624B/*0.860A	1.624B/*0.860A	----	0.804 -	0.113 .2309	----	----	----	----	5 UNCH
7300	0.995	0.995	1.882B/*0.920	1.882B/*0.920	----	0.931 -	0.096 .2648	----	----	2	----	10 UNCH
7330	1.622	1.622	1.988B/*1.072A	1.988B/*1.072A	----	1.016	NEW .2866	----	----	1	----	1 + 1
7345	2.400	2.400	2.400/*1.116A	2.400/*1.116A	----	1.061	NEW .2980	----	----	1	----	1 + 1
7350	1.873	1.873	2.088B/*1.244A	2.088B/*1.244A	----	1.076	NEW .3018	----	----	7	----	7 + 7
7380	----	----	2.244B/*1.225A	2.244B/*1.225A	----	1.172 -	0.060 .3253	----	----	----	----	2 UNCH
7400	1.774	1.774	2.364B/*1.302A	2.364B/*1.302A	----	1.240	NEW .3416	----	----	2	----	2 + 2
7460	1.799	1.799	#1.799/*1.516A	#2.693B/*1.516A	----	1.464	NEW .3925	----	----	1	----	1 + 1
7470	2.270	2.270	#2.270/*1.525A	#2.714B/*1.525A	----	1.505	NEW .4013	----	----	4	----	4 + 4
7500	----	----	2.763B/----	2.763B/*1.717A	----	1.631 +	0.015 .4280	----	----	----	----	4 UNCH
7550	----	----	2.818B/----	2.818B/*1.926A	----	1.859 +	0.052 .4734	----	----	----	----	2 UNCH
7575	----	----	2.659B/----	2.659B/2.012A	----	1.982 +	0.073 .4963	----	----	----	----	6 UNCH
7600	----	----	2.800B/----	2.800B/2.125A	----	2.110 +	0.094 .5193	----	----	----	----	1 UNCH
7675	----	----	2.571B/----	2.571B/2.554A	----	2.527 +	0.159 .5875	----	----	----	----	1 UNCH
7700	----	----	2.609B/----	2.609B/2.805A	----	2.677 +	0.181 .6097	----	----	----	----	2 UNCH
TOTAL										111	50	363 + 97
SO4 CALL		SILVER OPTIONS										
APR26												
7400	3.149	3.149	3.548B/3.000	3.548B/3.000	----	3.938	NEW .6091	----	----	2	----	0 UNCH
7800	----	----	----/*1.570A	1.802B/*1.570A	----	1.963 -	0.680 .3901	----	----	----	----	8 UNCH
7900	----	----	----/*1.316A	1.459B/*1.316A	----	1.603 -	0.620 .3371	----	----	----	----	5 UNCH
8000	----	----	----/*1.149A	1.171B/*1.149A	----	1.292 -	0.557 .2869	----	----	----	----	1 UNCH
8200	----	----	----/*0.819A	0.740B/*0.819A	----	0.861 -	0.450 .2049	----	----	----	----	1 UNCH
8225	----	----	----/*0.820A	0.670B/*0.820A	----	0.828 -	0.442 .1973	----	----	----	----	2 UNCH
8250	----	----	----/*0.787A	0.607B/*0.787A	----	0.797 -	0.433 .1901	----	----	----	----	1 UNCH
8300	----	----	----/*0.694A	0.582B/*0.694A	----	0.738 -	0.417 .1764	----	----	----	----	1 UNCH
8400	----	----	----/*0.597A	0.423B/*0.597A	----	0.636 -	0.385 .1521	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO4 CALL		SILVER OPTIONS										
TOTAL										2	0	20 0
SO4 PUT		SILVER OPTIONS										
APR26												
6000	0.270	0.270	#0.270/*0.268A	#0.270/*0.268A	----	0.126 NEW	.0264	----	----	1	----	1 + 1
6100	----	----	0.299B/----	0.299B/0.291A	----	0.159 - 0.080	.0334	----	----	----	----	0 UNCH
6125	----	----	----	0.232B/*0.302A	----	0.168 - 0.083	.0353	----	----	----	----	2 UNCH
6400	----	----	----	0.398B/*0.447A	----	0.309 - 0.108	.0649	----	----	----	----	1 UNCH
6500	----	----	0.509B/----	0.509B/*0.522A	----	0.383 - 0.116	.0801	----	----	----	----	1 UNCH
7000	1.581	1.581	1.652B/*1.198A	1.652B/*1.198A	----	1.073 - 0.129	.2097	----	----	20	----	21 + 20
7200	----	----	2.397B/----	2.397B/1.724A	----	1.581 - 0.105	.2922	----	----	----	----	1 UNCH
7300	----	----	2.857B/----	2.857B/*2.044A	----	1.903 - 0.083	.3398	----	----	----	----	1 UNCH
TOTAL										21	0	28 + 21
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
APR26												
6000	----	----	----	----	----	15.667 - 0.858	.9999	----	----	----	----	1 UNCH
6700	----	----	----	0.113B/*0.149A	----	0.028 - 0.119	.0049	----	----	----	----	1 UNCH
6800	0.202	0.202	0.202/*0.166A	0.202/*0.166A	----	0.043 - 0.148	.0090	----	----	1	----	2 + 1
6800	----	----	0.812B/*0.658A	0.812B/*0.658A	----	0.524 - 0.147	.1203	----	----	----	----	2 UNCH
7000	----	----	0.406B/*0.243A	0.406B/*0.243A	----	0.106 - 0.221	.0303	----	----	----	----	1 UNCH
7200	----	----	0.941B/*0.419A	0.941B/*0.419A	----	0.268 - 0.298	.0969	----	----	----	----	1 UNCH
7300	1.148	1.148	1.330B/*0.586A	1.330B/*0.586A	----	0.426 NEW	.1651	----	----	10	----	10 + 10
7400	1.650	1.650	1.650/*0.740	1.650/*0.740	----	0.665 NEW	.2652	----	----	2	----	1 + 1
7400	3.300	3.300	#3.515B/*2.663A	#3.515B/2.663A	----	2.492 + 0.038	.3753	----	----	1	----	1 UNCH
7500	----	----	----/2.351A	2.470B/2.351A	----	2.954 NEW	.5589	----	----	5	----	5 + 5
7500	----	----	1.605B/*1.194A	1.605B/*1.194A	----	1.007 NEW	.3953	----	----	1	----	1 + 1
7500	----	----	----/*1.006A	1.360B/*1.006A	----	1.672 NEW	.6046	----	----	5	----	5 + 5
7800	----	----	----/*0.330A	0.325B/*0.330A	----	0.439 - 0.769	.1914	----	----	----	----	1 UNCH
7850	0.330	0.330	0.330/*0.281A	0.330/*0.281A	----	0.332 - 0.697	.1434	----	----	1	----	5 + 1
7900	----	----	----/*0.229A	0.154B/*0.229A	----	0.250 - 0.626	.1052	----	----	----	----	4 UNCH
8000	----	----	----/*0.166A	0.045B/*0.166A	----	0.135 - 0.488	.0521	----	----	----	----	2 UNCH
8100	0.050	0.050	0.050/*0.050	0.050/*0.050	----	0.069 NEW	.0232	----	----	1	----	1 + 1
8200	----	----	----/*1.240A	1.229B/*1.240A	----	1.363 - 0.554	.2676	----	----	----	----	2 UNCH
8300	----	----	----/*0.054A	0.002B/*0.054A	----	0.016 - 0.185	.0036	----	----	----	----	1 UNCH
8350	----	----	----/*0.469A	0.294B/*0.469A	----	0.394 - 0.373	.1154	----	----	----	----	1 UNCH
TOTAL										27	0	48 + 25
TWS TUE		SILVER WEEKLY TUESDAY OPTION Week2										
APR26												
6500	0.044	0.044	0.044/*0.044	0.044/*0.044	----	0.004 - 0.013	.0000	----	----	10	----	10 + 9
6550	----	----	----	0.001B/*0.104A	----	0.006 - 0.014	.0001	----	----	----	----	1 UNCH
6600	----	----	----	0.001B/*0.103A	----	0.008 - 0.016	.0002	----	----	----	----	1 UNCH
6700	----	----	----	0.002B/*0.110A	----	0.016 - 0.020	.0006	----	----	----	----	2 UNCH
6750	0.090	0.090	0.090/*0.090	0.090/*0.090	----	0.022 NEW	.0011	----	----	1	----	1 + 1
6800	0.080	0.080	0.080/*0.062	0.080/*0.062	----	0.030 NEW	.0019	----	----	11	----	10 + 10
6900	0.076	0.076	0.076/*0.050A	0.079B/*0.050A	----	0.057 - 0.029	.0057	----	----	1	----	0 - 1
7000	0.600	0.600	0.600/*0.063	0.600/*0.063	----	0.103 - 0.031	.0148	----	----	20	----	18 + 17
7000	0.971	0.971	1.161B/*0.843A	1.161B/*0.843A	----	0.687 - 0.161	.1669	----	----	5	----	5 + 4
7100	----	----	0.364B/*0.171A	0.364B/*0.171A	----	0.124 - 0.086	.0233	----	----	----	----	2 UNCH
7150	0.100	0.100	0.491B/*0.100	0.491B/*0.100	----	0.140 NEW	.0304	----	----	2	----	2 + 2
7175	0.140	0.140	0.566B/*0.140	0.566B/*0.140	----	0.149 NEW	.0349	----	----	1	----	1 + 1
7200	0.680	0.680	0.680/*0.110	0.680/*0.110	----	0.160 NEW	.0405	----	----	15	----	11 + 11
7250	----	----	0.820B/*0.310A	0.820B/*0.310A	----	0.189 - 0.212	.0558	----	----	----	----	1 UNCH
7300	0.682	0.682	1.008B/*0.348A	1.008B/*0.348A	----	0.231 NEW	.0796	----	----	12	----	12 + 12
7300	----	----	----/2.050A	1.367B/2.050A	----	2.896 - 1.077	.9203	----	----	----	----	1 UNCH
7300	----	----	2.890B/----	2.890B/2.173A	----	2.007 - 0.030	.3272	----	----	----	----	3 UNCH
7310	----	----	1.031B/*0.373A	1.031B/*0.373A	----	0.241 NEW	.0855	----	----	1	----	1 + 1
7350	0.700	0.700	1.100B/*0.439A	1.100B/*0.439A	----	0.289 NEW	.1151	----	----	1	----	1 + 1
7355	----	----	1.094B/*0.448A	1.094B/*0.448A	----	0.296 - 0.297	.1196	----	----	----	----	1 UNCH
7400	0.400	0.400	1.110B/*0.400	1.110B/*0.400	----	0.373 - 0.314	.1685	----	----	9	----	11 + 9
7420	1.010	1.010	1.091B/*0.603A	1.091B/*0.603A	----	0.415 NEW	.1957	----	----	1	----	1 + 1
7435	----	----	1.037B/*0.646A	1.037B/*0.646A	----	0.450 NEW	.2185	----	----	2	----	2 + 2
7450	0.864	0.864	0.864/*0.864	1.016B/*0.864	----	1.654 NEW	.7564	----	----	1	----	1 + 1
7475	----	----	----/*0.785A	1.031B/*0.785A	----	1.477 - 1.128	.7103	----	----	----	----	2 UNCH
7475	----	----	1.117B/*0.766A	1.117B/*0.766A	----	0.562 - 0.314	.2896	----	----	----	----	2 UNCH
7500	0.707	0.707	1.279B/*0.707	1.279B/*0.707	----	0.647 NEW	.3412	----	----	1	----	1 + 1
7500	0.727	0.727	0.740/*0.450	1.041B/*0.450	----	1.312 - 1.116	.6588	----	----	12	----	13 + 12
7520	----	----	1.067B/*0.942A	1.067B/*0.942A	----	0.723 - 0.288	.3855	----	----	----	----	4 UNCH
7535	----	----	1.067B/*1.006A	1.067B/*1.006A	----	0.786 - 0.275	.4203	----	----	----	----	4 UNCH
7550	0.340	0.340	0.814B/*0.340	0.814B/*0.340	----	1.019 NEW	.5440	----	----	1	----	1 + 1
7560	----	----	----/*1.115A	0.840B/*1.115A	----	0.901 NEW	.4799	----	----	1	----	1 + 1
7560	----	----	----/*0.519A	0.800B/*0.519A	----	0.966 NEW	.5200	----	----	1	----	1 + 1
7580	0.710	0.710	0.710/*0.471A	0.774B/*0.471A	----	0.869 NEW	.4718	----	----	1	----	1 + 1
7580	----	----	----/*1.214A	0.828B/*1.214A	----	1.004 - 0.218	.5281	----	----	----	----	2 UNCH
7600	0.789	0.789	0.789/*0.298A	0.789/*0.298A	----	0.779 - 1.001	.4243	----	----	15	----	17 + 10
7610	0.827	0.827	0.827/*0.410A	0.827/*0.410A	----	0.738 NEW	.4012	----	----	2	----	2 + 2
7625	----	----	----/*1.674A	1.990B/*1.674A	----	2.115 - 0.825	.4736	----	----	----	----	2 UNCH
7625	----	----	----/*0.383A	0.559B/*0.383A	----	0.679 - 0.955	.3672	----	----	----	----	2 UNCH
7650	0.555	0.555	0.555/*0.345A	0.555/*0.345A	----	0.592 NEW	.3142	----	----	3	----	3 + 3
7675	0.410	0.410	0.580/*0.302A	0.580/*0.302A	----	0.516 NEW	.2661	----	----	4	----	3 + 3
7700	----	----	----/*1.395A	1.662B/*1.395A	----	1.779 - 0.782	.4208	----	----	----	----	1 UNCH
7700	0.320	0.320	0.320/*0.260A	0.320/*0.260A	----	0.450 NEW	.2234	----	----	2	----	2 + 2
7750	----	----	----/*2.289A	2.525B/*2.289A	----	2.710 - 0.718	.4573	----	----	----	----	3 UNCH
7750	----	----	----/*0.216A	0.171B/*0.216A	----	0.345 - 0.670	.1548	----	----	----	----	1 UNCH
7790	----	----	----	#0.097B/*0.173A	----	0.282 NEW	.1146	----	----	1	----	1 + 1
7800	0.225	0.225	0.225/*0.160A	0.225/*0.160A	----	0.269 - 0.551	.1065	----	----	1	----	5 + 1
7830	0.189	0.189	#0.189/*0.189	#0.189/*0.146A	----	0.233 NEW	.0849	----	----	4	----	4 + 4
7850	----	----	----/*0.135A	0.027B/*0.135A	----	0.213 - 0.442	.0732	----	----	----	----	8 UNCH
7875	0.105	0.105	0.105/*0.105	0.105/*0.105	----	0.191 NEW	.0610	----	----	2	----	2 + 2
7900	0.331	0.331	0.331/*0.100A	0.331/*0.100A	----	0.172 - 0.346	.0509	----	----	2	----	2 + 1
8000	----	----	----/*0.108A	0.020B/*0.108A	----	0.108 - 0.211	.0232	----	----	----	----	6 UNCH
8100	0.690	0.690	0.690/*0.592A	0.690/*0.592A	----	0.610 - 0.502	.1815	----	----	1	----	2 + 1
8200	0.039	0.039	0.039/*0.039	0.039/*0.039	----	0.028 - 0.102	.0025	----	----	1	----	2 + 1
8500	----	----	----	----/0.111A	----	0.004 - 0.044	.0000	----	----	----	----	1 UNCH
TOTAL										148	0	200 + 129

COPPER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HMW MON		COPPER WEEKLY MONDAY OPTION WEEK2										
APR26												
530	----	----	#0.6750B/0.4850	#0.6750B/0.4850	----	0.6905 + 0.1040	----	----	----	----	----	0 UNCH
530	----	----	----	----/0.0075A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 30
535	----	----	----	----/0.0075A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
548	----	----	----/0.4060A	0.1945B/0.4060A	----	0.5135 + 0.1000	.9797	----	----	----	----	1 UNCH
550	----	----	#0.4750B/0.2865	#0.4750B/0.2865	----	0.4905 + 0.1040	----	----	----	----	----	0 - 3
555	----	----	----	----/0.0075A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 20
558	----	----	----	----/*0.0060A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
560	----	----	#0.3750B/0.1875	#0.3750B/0.1875	----	0.3905 + 0.1040	----	----	----	----	----	0 - 5
565	0.0005	0.0005	0.0005/*0.0005	0.0005/*0.0005	----	0.0000 NEW	----	----	----	3	----	0 UNCH
567	----	----	----	----/*0.0065A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
568	0.1260	0.1260	#0.2950B/0.1125	#0.2950B/0.1125	----	0.3105 + 0.1040	----	----	----	1	----	0 - 1
570	0.0010	0.0010	0.0010/*0.0010	0.0010/*0.0010	----	0.0000 NEW	----	----	----	1	----	0 UNCH
573	----	----	#0.2450B/0.0765	#0.2450B/0.0765	----	0.2605 + 0.1020	----	----	----	----	----	0 - 1
575	----	----	0.0070B/----	0.0070B/0.0065A	----	0.0000 - 0.0040	----	----	----	----	----	0 - 3
576	----	----	#0.2150B/0.0605	#0.2150B/0.0605	----	0.2305 + 0.0995	----	----	----	----	----	0 - 1
576	0.0260	0.0260	0.0740B/*0.0260	0.0740B/*0.0260	----	0.0220 - 0.0265	.1495	----	----	1	----	1 UNCH
577	----	----	0.0170B/----	0.0170B/*0.0065	----	0.0000 - 0.0060	----	----	----	----	----	0 - 1
578	----	----	0.0225B/*0.0070	0.0225B/*0.0070	----	0.0000 - 0.0075	----	----	----	----	----	0 - 2
580	0.0070	0.0070	0.0350B/*0.0070	0.0350B/*0.0070	----	0.0000 - 0.0110	----	----	----	3	----	0 - 30
584	----	----	#0.1350B/0.0305	0.1350B/0.0305A	----	0.1505 + 0.0830	----	----	----	----	----	0 - 1
584	0.0010	0.0010	0.0655B/*0.0010	0.0655B/*0.0010	----	0.0000 NEW	----	----	----	2	----	0 UNCH
586	----	----	#0.1150B/0.0260	0.1150B/0.0260A	----	0.1305 + 0.0750	----	----	----	----	----	0 - 2
586	----	----	0.0830B/*0.0075	0.0830B/*0.0075	----	0.0000 - 0.0295	----	----	----	----	----	0 - 1
590	0.0300	0.0300	#0.0750B/0.0185	0.0750B/0.0185A	----	0.0905 + 0.0545	----	----	----	20	----	0 - 39
593	0.0120	0.0120	0.1480B/*0.0080	0.1480B/*0.0080	----	0.0000 NEW	----	----	----	1	----	0 UNCH
595	----	----	0.0250B/0.0145A	0.0250B/0.0145A	----	0.0405 + 0.0200	----	----	----	----	----	0 - 20
595	0.0100	0.0100	0.1670B/*0.0005	0.1670B/*0.0005	----	0.0000 NEW	----	----	----	11	----	0 UNCH
596	0.0015	0.0015	0.0150B/*0.0015	0.0150B/*0.0015	----	0.0305 + 0.0125	----	----	----	2	----	0 - 21
596	0.0130	0.0130	0.1770B/*0.0090	0.1770B/*0.0090	----	0.0000 NEW	----	----	----	2	----	0 UNCH
598	----	----	----/0.0090A	0.0010B/0.0090A	----	0.0105 - 0.0035	----	----	----	----	----	0 - 10
599	0.0005	0.0005	0.0005/*0.0005	0.0010B/*0.0005	----	0.0005 NEW	----	----	----	2	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HMW MON		COPPER WEEKLY MONDAY OPTION WEEK3										
APR26												
645	0.0075	0.0075	#0.0075/*0.0075	#0.0075/*0.0075	----	0.0075 NEW	.0498	----	----	2	----	2 + 2
TOTAL										51		4 - 192
MAY26												
465	----	----	----	----/0.0115A	----	0.0015 - 0.0005	.0057	----	----	----	----	14 UNCH
565	----	----	0.1000B/*0.0575	0.1000B/*0.0575	----	0.0545 - 0.0235	.1873	----	----	----	----	2 UNCH
570	----	----	0.1195B/*0.0680	0.1195B/*0.0680	----	0.0650 NEW	.2167	----	----	1	----	1 + 1
590	----	----	0.2225B/*0.1305	0.2225B/*0.1305	----	0.1270 NEW	.3611	----	----	1	----	1 + 1
606	----	----	#0.2030B/0.1220	#0.2030B/0.1220	----	0.1950 NEW	.5074	----	----	4	----	4 + 4
606	----	----	----/*0.2050A	0.2660B/*0.2050	----	0.2055 NEW	.4919	----	----	4	----	4 + 4
630	----	----	#0.0860B/0.0505	#0.0860B/0.0505	----	0.0825 + 0.0165	.2980	----	----	----	----	0 UNCH
TOTAL										10		26 + 10
HWR THU		COPPER WEEKLY THURSDAY OPT Week5										
APR26												
465	----	----	----	----/0.0110A	----	0.0005 UNCH	.0015	----	----	----	----	21 UNCH
500	----	----	----	----/0.0105A	----	0.0005 UNCH	----	----	----	----	----	3 UNCH
530	----	----	----	----/0.0115A	----	0.0005 UNCH	----	----	----	----	----	2 UNCH
556	----	----	----	0.1705B/0.3975A	----	0.4310 + 0.0995	.9981	----	----	----	----	1 UNCH
571	----	----	0.2160B/0.1280A	0.2160B/0.1280A	----	0.2845 + 0.0870	.9690	----	----	----	----	1 UNCH
590	----	----	0.1345B/0.0510A	0.1345B/0.0510A	----	0.1265 + 0.0495	.7219	----	----	----	----	2 UNCH
612	0.0105	0.0105	0.0305B/*0.0105	0.0305B/*0.0105	----	0.0290 NEW	.2234	----	----	10	----	10 + 10
615	----	----	#0.0695B/*0.037	#0.0695B/0.0370	----	0.0660 + 0.0180	.3135	----	----	----	----	2 UNCH
620	----	----	0.0135B/----	0.0135B/0.0160A	----	0.0145 + 0.0025	.1122	----	----	----	----	4 UNCH
650	----	----	----	----/0.0120A	----	0.0005 - 0.0005	.0025	----	----	----	----	2 UNCH
TOTAL										10		48 + 10
HWT TUE		COPPER WEEKLY TUESDAY OPTION Week4										
APR26												
465	----	----	----	----/0.0110A	----	0.0005 UNCH	.0010	----	----	----	----	21 UNCH
565	----	----	#0.3610B/0.1480	#0.3610B/0.1480	----	0.3410 + 0.1025	.9995	----	----	----	----	1 UNCH
568	----	----	#0.3310B/0.1245	#0.3310B/0.1245	----	0.3115 + 0.1010	.9984	----	----	----	----	1 UNCH
575	----	----	0.0225B/*0.0115	0.0225B/*0.0115	----	0.0040 - 0.0085	.0136	----	----	----	----	10 UNCH
580	0.0500	0.0500	0.0505B/*0.0120	0.0505B/*0.0120	----	0.0080 NEW	.0393	----	----	1	----	1 + 1
584	----	----	0.0780B/*0.0135	0.0780B/*0.0135	----	0.0085 - 0.0285	.0534	----	----	----	----	1 UNCH
585	----	----	0.0855B/*0.0140	0.0855B/*0.0140	----	0.0090 - 0.0320	.0605	----	----	----	----	1 UNCH
585	----	----	#0.1630B/0.0420	#0.1630B/0.0420	----	0.1495 + 0.0725	.9394	----	----	----	----	1 UNCH
590	0.0055	0.0055	0.1275B/*0.0055	0.1275B/*0.0055	----	0.0125 - 0.0535	.1194	----	----	2	----	9 + 2
600	0.0360	0.0360	0.2195B/*0.0360	0.2195B/*0.0360	----	0.0480 NEW	.5469	----	----	1	----	1 + 1
600	0.0300	0.0300	#0.0445/*0.0170	#0.0445/0.0170A	----	0.0385 NEW	.4530	----	----	6	----	6 + 6
601	0.0345	0.0345	#0.0370B/*0.017	#0.0370B/0.0170	----	0.0340 NEW	.4015	----	----	3	----	3 + 3
605	0.0205	0.0205	0.0205/0.0205	0.0205/0.0170A	----	0.0195 NEW	.2184	----	----	1	----	1 + 1
609	0.0940	0.0940	#0.0940/*0.0940	#0.2700B/*0.094	----	0.1105 NEW	.8980	----	----	7	----	7 + 7
611	0.0120	0.0120	#0.0120/*0.0120	#0.0120/*0.0120	----	0.0080 NEW	.0649	----	----	2	----	2 + 2
665	----	----	0.0130B/----	0.0130B/0.0160A	----	0.0140 + 0.0015	.0728	----	----	----	----	36 UNCH
TOTAL										23		102 + 23
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
APR26												
465	----	----	----	----/0.0110A	----	0.0005 UNCH	.0006	----	----	----	----	21 UNCH
522	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
549	----	----	----	0.0105B/*0.0140	----	0.0075 - 0.0055	.0444	----	----	----	----	1 UNCH
554	----	----	----	----/*0.0080A	----	0.0005 - 0.0015	.0000	----	----	----	----	1 UNCH
561	----	----	----	0.0010B/*0.0085	----	0.0005 - 0.0035	.0002	----	----	----	----	1 UNCH
580	----	----	0.1125B/*0.0445	0.1125B/*0.0445	----	0.0405 - 0.0380	.2276	----	----	----	----	1 UNCH
580	----	----	#0.2425B/0.1155	#0.2425B/0.1155	----	0.2305 + 0.0665	.7721	----	----	----	----	1 UNCH
588	----	----	#0.1425B/0.0460	#0.1425B/0.0460	----	0.1295 + 0.0540	.8251	----	----	----	----	1 UNCH
595	----	----	#0.0885B/0.0320	#0.0885B/0.0320	----	0.0825 + 0.0350	.6328	----	----	----	----	1 UNCH
597	----	----	#0.0755B/*0.029	#0.0755B/0.0295	----	0.0715 + 0.0300	.5695	----	----	----	----	1 UNCH
600	----	----	#0.1195B/0.0555	#0.1195B/0.0555	----	0.1115 + 0.0330	.4953	----	----	----	----	4 UNCH
600	----	----	#0.0615B/0.0265	#0.0615B/0.0265	----	0.0570 + 0.0235	.4741	----	----	----	----	1 UNCH
608	0.0085	0.0085	#0.0295B/*0.008	#0.0295B/*0.008	----	0.0285 NEW	.2487	----	----	10	----	10 + 10
625	----	----	#0.0370B/0.0250	#0.0370B/0.0250	----	0.0360 + 0.0100	.1984	----	----	----	----	3 UNCH
TOTAL										10		48 + 10
MAY26												
455	----	----	----	----/0.0115A	----	0.0005 UNCH	.0015	----	----	----	----	21 UNCH
465	----	----	----	----/0.0120A	----	0.0010 UNCH	.0041	----	----	----	----	2 UNCH
475	----	----	----	----/0.0130A	----	0.0020 UNCH	.0079	----	----	----	----	2 UNCH
485	----	----	----	----/0.0140A	----	0.0035 + 0.0005	.0134	----	----	----	----	1 UNCH
500	----	----	----	0.0005B/0.0145A	----	0.0060 + 0.0005	.0230	----	----	----	----	2 UNCH
510	----	----	----	0.0030B/0.0135A	----	0.0075 - 0.0005	.0296	----	----	4	----	8 UNCH
520	----	----	----	0.0075B/*0.0145	----	0.0100 - 0.0020	.0400	----	----	----	----	1 UNCH
530	----	----	----	0.0145B/*0.0170	----	0.0130 - 0.0040	.0531	----	----	4	----	4 UNCH
540	----	----	0.0255B/*0.0210	0.0255B/*0.0210	----	0.0175 - 0.0065	.0721	----	----	----	----	10 UNCH
550	----	----	0.5765B/0.4570A	0.5765B/0.4570A	----	0.5730 + 0.0955	.8994	----	----	----	----	3 UNCH
550	----	----	0.0425B/*0.0275	0.0425B/*0.0275	----	0.0245 - 0.0105	.1001	----	----	1	----	27 - 1
555	----	----	0.0540B/*0.0320	0.0540B/*0.0320	----	0.0295 - 0.0130	.1188	----	----	----	----	16 UNCH
556	----	----	0.0565B/*0.0335	0.0565B/*0.0335	----	0.0305 - 0.0140	.1226	----	----	----	----	1 UNCH
560	----	----	0.0680B/*0.0380	0.0680B/*0.0380	----	0.0350 - 0.0175	.1395	----	----	----	----	1 UNCH
561	----	----	0.0710B/*0.0395	0.0710B/*0.0395	----	0.0365 - 0.0185	.1446	----	----	1	----	0 - 1
562	----	----	0.0745B/*0.0410	0.0745B/*0.0410	----	0.0380 - 0.0195	.1497	----	----	----	----	20 UNCH
565	----	----	0.0845B/*0.0460	0.0845B/*0.0460	----	0.0425 - 0.0225	.1653	----	----	----	----	1 UNCH
568	----	----	0.4205B/0.3275A	0.4205B/0.3275A	----	0.4165 + 0.0795	.8163	----	----	----	----	1 UNCH
575	----	----	0.1255B/*0.0670	0.1255B/*0.0670	----	0.0630 - 0.0340	.2291	----	----	----	----	1 UNCH
579	----	----	0.3265B/0.2070A	0.3265B/0.2070A	----	0.3330 + 0.0680	.7399	----	----	----	----	1 UNCH
584	----	----	0.1710B/*0.0925	0.1710B/*0.0925	----	0.0895 - 0.0425	.2996	----	----	----	----	24 UNCH
585	----	----	0.1765B/*0.0955	0.1765B/*0.0955	----	0.0930 - 0.0435	.3081	----	----	----	----	1 UNCH
590	----	----	0.2680B/0.1590A	0.2680B/0.1590A	----	0.2610 + 0.0585	.6483	----	----	----	----	4 UNCH
590	----	----	0.2060B/*0.1130	0.2060B/*0.1130	----	0.1115 - 0.0480	.3511	----	----	----	----	17 UNCH
600	----	----	0.2095B/0.1235A	0.2095B/0.1235A	----	0.2050 + 0.0460	.5589	----	----	----	----	1 UNCH
600	----	----	0.2655B/*0.1555	0.2655B/*0.1555	----	0.1555 - 0.0595	.4405	----	----	----	----	1 UNCH
607	----	----	0.1800B/0.1035A	0.1800B/0.1035A	----	0.1720 + 0.0370	.4961	----	----	----	----	1 UNCH
610	----	----	0.1665B/0.0965A	0.1665B/0.0965A	----	0.1595 + 0.0340	.4698	----	----	----	----	4 UNCH
617	----	----	0.1385B/0.0805A	0.1385B/0.0805A	----	0.1330 + 0.0275	.4108	----	----	----	----	1 UNCH
624	----	----	0.1145B/0.0680A	0.1145B/0.0680A	----	0.1105 + 0.0225	.3559	----	----	----	----	16 UNCH
645	----	----	0.6020B/*0.4905	0.6020B/*0.4905	----	0.4605 - 0.0955	.7798	----	----	----	----	6 UNCH
660	----	----	0.0390B/0.0290A	0.0390B/0.0290A	----	0.0390 + 0.0060	.1495	----	----	----	----	1 UNCH
675	----	----	0.0230B/----	0.0230B/0.0220A	----	0.0240 + 0.0030	.0977	----	----	----	----	2 UNCH
695	----	----	----	0.0105B/0.0165A	----	0.0120 + 0.0010	.0524	----	----	----	----	20 UNCH
700	----	----	----	0.0080B/0.0155A	----	0.0100 + 0.0005	.0443	----	----	----	----	21 UNCH
710	----	----	----	0.0025B/0.0200A	----	0.0070 UNCH	.0318	----	----	----	----	2 UNCH
TOTAL										10		245 - 2
JUN26												
530	----	----	----/*0.0535A	0.0560B/*0.0535	----	0.0450 NEW	.1183	----	----	1	----	1 + 1
540	----	----	0.0775B/*0.0665	0.0775B/*0.0665	----	0.0580 NEW	.1483	----	----	1	----	1 + 1
579	----	----	0.2255B/*0.1615	0.2255B/*0.1615	----	0.1555 - 0.0400	.3261	----	----	----	----	1 UNCH
580	----	----	0.4165B/0.2985A	0.4165B/0.2985A	----	0.4075 + 0.0650	.6669	----	----	----	----	5 UNCH
580	----	----	0.2305B/*0.1650	0.2305B/*0.1650	----	0.1595 - 0.0405	.3318	----	----	----	----	5 UNCH
595	----	----	0.3300B/0.2365A	0.3300B/0.2365A	----	0.3240 + 0.0545	.5799	----	----	----	----	5 UNCH
595	----	----	0.3180B/*0.2285	0.3180B/*0.2285	----	0.2250 - 0.0510	.4188	----	----	----	----	5 UNCH
610	----	----	0.2590B/0.1870A	0.2590B/0.1870A	----	0.2560 + 0.0440	.4933	----	----	1	----	8 + 1
630	0.1840	0.1840	0.1855B/0.1370A	0.1855B/0.1370A	----	0.1860 + 0.0325	.3880	----	----	8	----	0 - 8
650	----	----	0.1310B/0.1005A	0.1310B/0.1005A	----	0.1335 + 0.0250	.2982	----	----	----	----	6 UNCH
660	----	----	0.1095B/0.0865A	0.1095B/0.0865A	----	0.1120 + 0.0220	.2588	----	----	1	----	8 + 1
TOTAL										12		45 - 4
JUL26												
600	----	----	0.3960B/0.2985A	0.3960B/0.2985A	----	0.3900 + 0.0565	.5768	----	----	----	----	12 UNCH
612	----	----	0.3390B/0.2565A	0.3390B/0.2565A	----	0.3355 NEW	.5205	----	----	5	----	5 + 5
612	----	----	0.4490B/*0.3515	0.4490B/*0.3515	----	0.3490 NEW	.4776	----	----	5	----	5 + 5
TOTAL										10		22 + 10
HX CALL		COMEX COPPER OPTIONS										
MAY26												
490	----	----	----	----	----	1.0925 + 0.1035	.9878	----	----	----	----	1 UNCH
500	0.9650	0.9650	0.9650/0.9650	0.9650/0.9650	----	0.9935 + 0.1035	.9833	----	----	1	----	3 UNCH
505	----	----	----	----	----	0.9440 + 0.1035	.9825	----	----	----	----	3 UNCH
525	----	----	0.7555B/0.6235A	0.7555B/0.6235A	----	0.7465 + 0.1030	.9688	----	----	----	----	14 UNCH
530	----	----	0.7210B/0.5150A	0.7210B/0.5150A	----	0.6975 + 0.1025	.9633	----	----	----	----	276 UNCH
531	----	----	----/0.5800A	0.4305B/0.5800A	----	0.6875 + 0.1020	.9610	----	----	----	----	1 UNCH
532	----	----	----/0.5705A	0.4195B/0.5705A	----	0.6780 + 0.1025	.9606	----	----	----	----	1 UNCH
533	----	----	----/0.5610A	0.4380B/0.5610A	----	0.6680 + 0.1020	.9583	----	----	----	----	3 UNCH
534	----	----	----/0.5520A	0.4340B/0.5520A	----	0.6585 + 0.1020	.9578	----	----	----	----	4 UNCH
535	----	----	----/0.5425A	0.4165B/0.5425A	----	0.6485 + 0.1015	.9555	----	----	----	----	1 UNCH
536	----	----	----/0.5330A	0.3965B/0.5330A	----	0.6390 + 0.1020	.9549	----	----	----	----	2 UNCH
537	----	----	----/0.5235A	0.3875B/0.5235A	----	0.6290 + 0.1015	.9526	----	----	----	----	1 UNCH
539	----	----	----/0.5055A	0.4155B/0.5055A	----	0.6100 + 0.1015	.9495	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

HX CALL — COMEX COPPER OPTIONS

MAY26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
540	----	----	0.6085B/0.4935A	0.6085B/0.4935A	----	0.6000 + 0.1010	.9489	----	----	----	----	44 UNCH
541	----	----	#0.5985B/0.4845	#0.5985B/0.4845	----	0.5905 + 0.1010	.9464	----	----	----	----	9 UNCH
542	----	----	#0.5890B/0.4755	#0.5890B/0.4755	----	0.5810 + 0.1005	.9439	----	----	----	----	15 UNCH
543	----	----	----/0.4690A	0.4265B/0.4690A	----	0.5710 + 0.1000	.9414	----	----	----	----	1 UNCH
544	----	----	----/0.4600A	0.4365B/0.4600A	----	0.5615 + 0.1000	.9406	----	----	----	----	2 UNCH
545	----	----	0.5600B/0.4490A	0.5600B/0.4490A	----	0.5520 + 0.0995	.9380	----	----	----	----	14 UNCH
546	----	----	#0.5505B/0.4400	#0.5505B/0.4400	----	0.5425 + 0.0995	.9354	----	----	----	----	7 UNCH
547	----	----	0.4560B/----	0.4560B/0.4340A	----	0.5325 + 0.0985	.9327	----	----	----	----	1 UNCH
548	----	----	#0.5310B/0.4225	#0.5310B/0.4225	----	0.5230 + 0.0980	.9317	----	----	----	----	28 UNCH
549	----	----	#0.5215B/0.4145	#0.5215B/0.4145	----	0.5135 + 0.0975	.9290	----	----	----	----	5 UNCH
550	0.4800	0.4800	0.5260B/0.3400A	0.5260B/0.3400A	----	0.5040 + 0.0970	.9262	----	----	1	----	456 UNCH
551	0.4075	0.4075	0.5025B/0.3975A	0.5025B/0.3975A	----	0.4945 + 0.0965	.9233	----	----	6	----	11 - 3
552	----	----	0.4930B/----	0.4930B/0.3895A	----	0.4850 + 0.0960	.9205	----	----	----	----	18 UNCH
553	0.4600	0.4600	0.4835B/0.4585	0.4835B/0.3810A	----	0.4760 + 0.0955	.9158	----	----	6	----	19 - 2
554	----	----	0.4740B/----	0.4740B/0.3730A	----	0.4665 + 0.0945	.9128	----	----	----	----	7 UNCH
555	----	----	0.4650B/----	0.4650B/0.3655A	----	0.4570 + 0.0935	.9098	----	----	----	----	111 UNCH
556	----	----	0.4555B/----	0.4555B/0.3570A	----	0.4475 + 0.0925	.9067	----	----	----	----	26 UNCH
557	----	----	0.4460B/----	0.4460B/0.3485A	----	0.4385 + 0.0920	.9018	----	----	----	----	18 UNCH
558	----	----	0.4365B/----	0.4365B/0.3400A	----	0.4290 + 0.0910	.8986	----	----	----	----	16 UNCH
559	----	----	0.4275B/----	0.4275B/0.3315A	----	0.4200 + 0.0900	.8937	----	----	----	----	20 UNCH
560	0.3940	0.3940	0.4335B/0.2445A	0.4335B/0.2445A	----	0.4110 + 0.0890	.8887	----	----	3	----	881 UNCH
561	----	----	0.4090B/----	0.4090B/0.3155A	----	0.4020 + 0.0880	.8837	----	----	----	----	20 UNCH
562	----	----	0.4000B/----	0.4000B/0.3065A	----	0.3930 + 0.0870	.8786	----	----	----	----	12 UNCH
563	----	----	0.3910B/----	0.3910B/0.2985A	----	0.3840 + 0.0860	.8734	----	----	----	----	22 UNCH
564	----	----	0.3820B/----	0.3820B/0.2910A	----	0.3755 + 0.0850	.8682	----	----	----	----	24 UNCH
565	----	----	0.3835B/0.2155A	0.3835B/0.2155A	----	0.3665 + 0.0835	.8614	----	----	----	----	210 UNCH
566	----	----	0.3645B/0.2510A	0.3645B/0.2510A	----	0.3580 + 0.0825	.8546	----	----	----	----	15 UNCH
567	----	----	0.3560B/0.2420A	0.3560B/0.2420A	----	0.3495 + 0.0810	.8477	----	----	----	----	11 UNCH
568	----	----	0.3475B/0.2335A	0.3475B/0.2335A	----	0.3410 + 0.0800	.8408	----	----	----	----	59 UNCH
569	----	----	0.3390B/0.2040A	0.3390B/0.2040A	----	0.3325 + 0.0785	.8338	----	----	----	----	108 UNCH
570	0.3435	0.3435	0.3455B/0.1780A	0.3455B/0.1780A	----	0.3245 + 0.0775	.8255	----	----	3	----	557 - 3
571	----	----	0.3225B/0.1755A	0.3225B/0.1755A	----	0.3165 + 0.0760	.8184	----	----	----	----	31 UNCH
572	0.2820	0.2820	0.3145B/0.1700A	0.3145B/0.1700A	----	0.3085 + 0.0745	.8100	----	----	15	----	29 - 5
573	----	----	0.3065B/0.1645A	0.3065B/0.1645A	----	0.3005 + 0.0730	.8005	----	----	----	----	35 UNCH
574	----	----	0.2985B/0.1600A	0.2985B/0.1600A	----	0.2925 + 0.0715	.7920	----	----	----	----	19 UNCH
575	0.1955	0.1955	0.3055B/0.1550A	0.3055B/0.1550A	----	0.2850 + 0.0705	.7824	----	----	107	----	580 - 102
576	----	----	0.2930B/0.1505A	0.2930B/0.1505A	----	0.2775 + 0.0690	.7729	----	----	100	----	116 - 9
577	----	----	0.2755B/0.1460A	0.2755B/0.1460A	----	0.2700 + 0.0675	.7633	----	----	----	----	56 UNCH
578	----	----	0.2680B/0.1415A	0.2680B/0.1415A	----	0.2630 + 0.0660	.7536	----	----	----	----	14 UNCH
579	----	----	0.2605B/0.1370A	0.2605B/0.1370A	----	0.2555 + 0.0645	.7431	----	----	----	----	9 UNCH
580	0.2235	0.2235	0.2680B/0.1320A	0.2680B/0.1320A	----	0.2485 + 0.0630	.7325	----	----	44	----	548 - 30
581	----	----	0.2340B/0.1285A	0.2340B/0.1285A	----	0.2420 + 0.0620	.7220	----	----	----	----	4 UNCH
582	0.1230	0.1230	0.2410B/0.1190	0.2410B/0.1190	----	0.2350 + 0.0600	.7114	----	----	3	----	7 UNCH
583	----	----	0.2340B/0.1215A	0.2340B/0.1215A	----	0.2285 + 0.0590	.7001	----	----	----	----	63 UNCH
584	----	----	0.2255B/0.1175A	0.2255B/0.1175A	----	0.2220 + 0.0575	.6889	----	----	----	----	45 UNCH
585	0.1965	0.1965	0.2330B/0.1120A	0.2330B/0.1120A	----	0.2155 + 0.0560	.6777	----	----	2	----	476 - 2
586	----	----	0.2125B/0.1100A	0.2125B/0.1100A	----	0.2095 + 0.0545	.6659	----	----	----	----	13 UNCH
587	----	----	0.2060B/0.1065A	0.2060B/0.1065A	----	0.2030 + 0.0530	.6541	----	----	----	----	8 UNCH
588	----	----	0.1895B/0.1030A	0.1895B/0.1030A	----	0.1975 + 0.0520	.6425	----	----	----	----	3 UNCH
589	----	----	0.1935B/0.1000A	0.1935B/0.1000A	----	0.1915 + 0.0505	.6308	----	----	----	----	18 UNCH
590	0.1970	0.1970	0.2045B/0.0940A	0.2045B/0.0940A	----	0.1855 + 0.0490	.6188	----	----	348	----	1522 - 329
591	----	----	0.1920B/0.0935A	0.1920B/0.0935A	----	0.1800 + 0.0475	.6072	----	----	----	----	141 UNCH
592	----	----	0.1855B/0.0905A	0.1855B/0.0905A	----	0.1745 + 0.0460	.5950	----	----	----	----	2 UNCH
593	0.0930	0.0930	0.1845B/0.0875A	0.1845B/0.0875A	----	0.1695 + 0.0450	.5831	----	----	1	----	16 - 1
594	0.1480	0.1480	0.1790B/0.0845A	0.1790B/0.0845A	----	0.1640 + 0.0435	.5713	----	----	14	----	20 + 14
595	0.1440	0.1440	0.1740B/0.0790A	0.1740B/0.0790A	----	0.1590 + 0.0425	.5593	----	----	26	----	878 + 18
596	0.1400	0.1400	0.1670B/0.0790A	0.1670B/0.0790A	----	0.1540 + 0.0410	.5473	----	----	1	----	5 + 1
597	----	----	0.1615B/0.0765A	0.1615B/0.0765A	----	0.1495 + 0.0405	.5354	----	----	16	----	17 + 16
598	0.1190	0.1190	0.1580B/0.0740A	0.1580B/0.0740A	----	0.1445 + 0.0390	.5236	----	----	29	----	31 + 29
599	----	----	0.1535B/0.0720A	0.1535B/0.0720A	----	0.1400 + 0.0375	.5118	----	----	3	----	6 UNCH
600	0.0635	0.0635	0.1500B/0.0635	0.1500B/0.0635	----	0.1355 + 0.0365	.5001	----	----	95	----	1392 + 37
601	----	----	0.1440B/0.0670A	0.1440B/0.0670A	----	0.1310 + 0.0355	.4884	----	----	3	----	8 - 1
602	0.1025	0.1025	0.1395B/0.0645A	0.1395B/0.0645A	----	0.1270 + 0.0345	.4769	----	----	4	----	4 UNCH
603	----	----	0.1350B/0.0625A	0.1350B/0.0625A	----	0.1225 + 0.0330	.4653	----	----	----	----	15 UNCH
604	----	----	0.1315B/0.0610A	0.1315B/0.0610A	----	0.1185 + 0.0320	.4540	----	----	4	----	44 UNCH
605	0.1065	0.1065	0.1290B/0.0580A	0.1290B/0.0580A	----	0.1145 + 0.0305	.4427	----	----	3	----	182 + 2
606	----	----	0.1225B/0.0565A	0.1225B/0.0565A	----	0.1110 + 0.0300	.4317	----	----	----	----	5 UNCH
607	----	----	0.1185B/0.0555A	0.1185B/0.0555A	----	0.1070 + 0.0285	.4205	----	----	----	----	18 UNCH
608	----	----	0.1155B/0.0535A	0.1155B/0.0535A	----	0.1035 + 0.0280	.4097	----	----	3	----	53 + 3
609	----	----	0.1115B/0.0515A	0.1115B/0.0515A	----	0.1000 + 0.0270	.3990	----	----	----	----	25 UNCH
610	0.0500	0.0500	0.1100B/0.0460A	0.1100B/0.0460A	----	0.0965 + 0.0255	.3884	----	----	76	----	1073 + 63
611	----	----	0.1050B/0.0480A	0.1050B/0.0480A	----	0.0930 + 0.0245	.3777	----	----	----	----	17 UNCH
612	----	----	0.1015B/0.0470A	0.1015B/0.0470A	----	0.0895 + 0.0235	.3671	----	----	----	----	29 UNCH
613	----	----	0.0975B/0.0450A	0.0975B/0.0450A	----	0.0865 + 0.0225	.3571	----	----	----	----	39 UNCH
614	----	----	0.0945B/0.0430A	0.0945B/0.0430A	----	0.0835 + 0.0215	.3472	----	----	----	----	29 UNCH
615	0.0730	0.0730	0.0930B/0.0390A	0.0930B/0.0390A	----	0.0805 + 0.0210	.3373	----	----	9	----	993 + 2
616	----	----	0.0880B/0.0410A	0.0880B/0.0410A	----	0.0775 + 0.0200	.3274	----	----	----	----	45 UNCH
617	----	----	0.0850B/0.0390A	0.0850B/0.0390A	----	0.0745 + 0.0190	.3176	----	----	----	----	56 UNCH
618	----	----	0.0820B/0.0375A	0.0820B/0.0375A	----	0.0720 + 0.0180	.3085	----	----	----	----	50 UNCH
619	----	----	0.0795B/0.0370A	0.0795B/0.0370A	----	0.0690 + 0.0170	.2988	----	----	----	----	78 UNCH
620	0.0285	0.0285	0.0780B/0.0285	0.0780B/0.0285	----	0.0665 + 0.0165	.2898	----	----	400	----	1101 - 103
621	----	----	0.0740B/0.0345A	0.0740B/0.0345A	----	0.0640 + 0.0155	.2809	----	----	----	----	59 UNCH
622	----	----	0.0715B/0.0330A	0.0715B/0.0330A	----	0.0615 + 0.0145	.2720	----	----	----	----	45 UNCH
623	----	----	0.0685B/0.0320A	0.0685B/0.0320A	----	0.0590 + 0.0140	.2632	----	----	----	----	69 UNCH
624	----	----	0.0660B/0.0305A	0.0660B/0.0305A	----	0.0570 + 0.0135	.2553	----	----	----	----	69 UNCH
625	0.0300	0.0300	0.0645B/0.0290A	0.0645B/0.0290A	----	0.0545 + 0.0125	.2465	----	----	49	----	910 - 14
626	0.0500	0.0500	0.0615B/0.0285A	0.0615B/0.0285A	----	0.0525 + 0.0120	.2387	----	----	1	----	30 + 1
627	0.0480	0.0480	0.0590B/0.0255A	0.0590B/0.0255A	----	0.0505 + 0.0115	.2310	----	----	1	----	31 + 1
628	0.0455	0.0455	0.0570B/0.0255A	0.0570B/0.0255A	----	0.0480 + 0.0105	.2222	----	----	6	----	205 + 6
629	0.0440	0.0440	0.0545B/0.0245A	0.0545B/0.0245A	----	0.0465 + 0.0100	.2156	----	----	44	----	149 + 44
630	0.0400	0.0400	0.0530B/0.0235A	0.0530B/0.0235A	----	0.0445 + 0.0095	.2080	----	----	34	----	587 + 16
631	0.0410	0.0410	0.0505B/0.0230A	0.0505B/0.0230A	----	0.0425 + 0.0085	.2004	----	----	1	----	7 + 1
632	0.0390	0.0390	0.0485B/0.0220A	0.0485B/0.0220A	----	0.0410 NEW	.1939	----	----	1	----	1 + 1
633	----	----	0.0465B/0.0210A	0.0465B/0.0210A	----	0.0390 + 0.0075	.1863	----	----	----	----	35 UNCH
634	----	----	0.0450B/0.0200A	0.0450B/0.0200A	----	0.0375 + 0.0075	.1800	----	----	10	----	12 + 9
635	0.0325	0.0325	0.0440B/0.0195A	0.0440B/0.0195A	----	0.0360 + 0.0070	.1737	----	----	12	----	351 + 4
636	----	----	0.0415B/0.0190A	0.0415B/0.0190A	----	0.0345 + 0.0065	.1674	----	----	5	----	12 + 5
637	----	----	0.0400B/0.0180A	0.0400B/0.0180A	----	0.0330 + 0.0060	.1611	----	----	----	----	3 UNCH
638	----	----	0.0385B/0.0175A	0.0385B/0.0175A	----	0.0315 + 0.0055	.1549	----	----	----	----	3 UNCH
639	----	----	0.0370B/0.0170A	0.0370B/0.0170A	----	0.0305 + 0.0055	.1501	----	----	----	----	1 UNCH
640	0.0340	0.0340	0.0360B/0.0165A	0.0360B/0.0165A	----	0.0290 + 0.0050	.1439	----	----	1	----	1211 - 1
641	----	----	0.0340B/0.0160A	0.0340B/0.0160A	----	0.0280 + 0.0045	.1392	----	----	----	----	6 UNCH
642	----	----	0.0330B/0.0150A	0.0330B/0.0150A	----	0.0265 + 0.0040	.1330	----	----	----	----	16 UNCH
643	----	----	0.0315B/0.0145A	0.0315B/0.0145A	----	0.0255 + 0.0040	.1283	----	----	----	----	9 UNCH
644	----	----	0.0300B/0.0140A	0.0300B/0.0140A	----	0.0245 + 0.0035	.1237	----	----	----	----	1 UNCH
645	0.0225	0.0225	0.0290B/0.0135A	0.0290B/0.0135A	----	0.0235 + 0.0035	.1191	----	----	1	----	84 UNCH
646	----	----	0.0280B/0.0130A	0.0280B/0.0130A	----	0.0225 + 0.0030	.1145	----	----	----	----	1 UNCH
650	0.0195	0.0195	0.0235B/0.0115A	0.0235B/0.0115A	----	0.0190 + 0.0025	.0981	----	----	95	----	3229 - 55
655	----	----	0.0195B/0.0100A	0.0195B/0.0100A	----	0.0155 + 0.0015	.0811	----	----	15	----	84 + 14
660	----	----	0.0160B/0.0090A	0.0160B/0.0090A	----	0.0125 + 0.0010	.0663	----	----	----	----	149 UNCH
665	----	----	0.0130B/0.0075A	0.0130B/0.0075A	----	0.0105 + 0.0005	.0557	----	----	----	----	19 UNCH
670	----	----	0.0110B/0.0070A	0.0110B/0.0070A	----	0.0090 + 0.0005	.0474	----	----	----	----	1075 UNCH
675	----	----	0.0095B/0.0060A	0.0095B/0.0060A	----	0.0075 + 0.0005	.0396	----	----	----	----	124 UNCH
680	----	----	0.0080B/0.0055A	0.0080B/0.0055A	----	0.0065 UNCH	.0340	----	----	----	----	1124 UNCH
685	----	----	0.0070B/0.0050A	0.0070B/0.0050A	----	0.0055 UNCH	.0287	----	----	----	----	13 UNCH
690	----	----	0.0065B/0.0045A	0.0065B/0.0045A	----	0.0045 - 0.0005	.0235	----	----	----	----	178 UNCH
695	----	----	0.0055B/0.0040A	0.0055B/0.0040A	----	0.0040 - 0.0005	.0206	----	----	----	----	26 UNCH
700	0.0040	0.0040	0.0050B/0.0040	0.0050B/0.0040	----	0.0035 - 0.0005	.0179	----	----	1	----	527 UNCH
705	----	----	----	----/0.0035A	----	0.0035 UNCH	.0173	----	----	----	----	2 UNCH
710	----	----	----	----/0.0035A	----	0.0030 - 0.0005	.0147	----	----	----	----	59 UNCH
715	0.0035	0.0035	0.0040B/0.0035	0.0040B/0.0030A	----	0.0030 UNCH	.0143	----	----	30	----	40 + 27
720	----	----	----/0.0025A	----/0.0025A	----	0.0025 - 0.0005	.0119	----	----	----	----	18 UNCH
725	----	----	----/0.0025A	----/0.0025A	----	0.0025 - 0.0005	.0115	----	----	----	----	91 UNCH
730	----	----	----/0.0020A	----/0.0020A	----	0.0020 - 0.0005	.0093	----	----	----	----	15 UNCH
735	----	----	----/*0.0020A	----/*0.0020A	----	0.0020 - 0.0005	.0091	----	----	----	----	5 UNCH
740	----	----	----/*0.0020A	----/*0.0020A	----	0.0020 - 0.0005	.0088	----	----	----	----	92 UNCH
745	----	----	----/*0.0020A	----/*0.0020A	----	0.0020 - 0.0005	.0086	----	----	----	----	34 UNCH
750	0.0015	0.0015	0.0015/*0.0015	0.0015/*0.0015	----	0.0020 - 0.0005	.0084	----	----	42	----	456 - 33
755	----	----	----/0.0015A	----/0.0015A	----	0.0020 - 0.0005	.0082	----	----	----	----	2 UNCH
760	----	----	----/0.0015A	0.0015B/0.0015A	----	0.0015 - 0.0010	.0062	----	----	----	----	77 UNCH
765	----	----	----/*0.0015A	----/*0.0015A	----	0.0015 - 0.0010	.0061	----	----	----	----	2 UNCH
770	----	----	----/*0.0010A	----/*0.0010A	----	0.0015 - 0.0005	.0060	----	----	----	----	3 UNCH
775	----	----	----/*0.0010A	----/*0.0010A	----	0.0010 - 0.0010	.0041	----	----	----	----	47 UNCH
780	----	----	----/*0.0010A	----/*0.0010A	----	0.0010 - 0.0010	.0040	----	----	----	----	8 UNCH
785	----	----	----	----/0.0040A	----	0.0010 - 0.0010	.0039	----	----	----	----	3 UNCH
790	----	----	----	----/0.0035A	----	0.0010 - 0.0010	.0039	----	----	----	----	3 UNCH
795	----	----	----	----/0.0035A	----	0.0010 - 0.0010	.0038	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
MAY26												
800	----	----	----	----/0.0035A	----	0.0010 - 0.0010	.0037	----	----	----	----	4120 UNCH
810	----	----	----	----/*0.0030A	----	0.0010 - 0.0005	.0036	----	----	----	----	4040 UNCH
820	----	----	----	----/0.0030A	----	0.0010 - 0.0005	.0035	----	----	----	----	28 UNCH
825	----	----	----	----/0.0030A	----	0.0005 - 0.0010	.0018	----	----	----	----	91 UNCH
835	----	----	----	----/*0.0025A	----	0.0005 - 0.0005	.0013	----	----	----	----	1 UNCH
840	----	----	----	----/*0.0025A	----	0.0005 - 0.0005	.0010	----	----	----	----	4 UNCH
850	----	----	----	----/0.0025A	----	0.0005 - 0.0005	.0007	----	----	----	----	62 UNCH
855	----	----	----	----/0.0025A	----	0.0005 - 0.0005	.0006	----	----	----	----	30 UNCH
860	----	----	----	----/0.0025A	----	0.0005 - 0.0005	.0005	----	----	----	----	4 UNCH
865	----	----	----	----/*0.0020A	----	0.0005 UNCH	.0004	----	----	----	----	3 UNCH
870	----	----	----	----/*0.0020A	----	0.0005 UNCH	.0003	----	----	----	----	4 UNCH
875	----	----	----	----/*0.0020A	----	0.0005 UNCH	.0002	----	----	----	----	1 UNCH
880	----	----	----	----/*0.0020A	----	0.0005 UNCH	.0002	----	----	----	----	12 UNCH
890	----	----	----	----/0.0020A	----	0.0005 UNCH	.0001	----	----	----	----	1 UNCH
900	----	----	----	----/0.0020A	----	0.0005 UNCH	.0001	----	----	----	----	73 UNCH
915	----	----	----	----/0.0020A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
920	----	----	----	----/0.0020A	----	0.0005 UNCH	.0000	----	----	----	----	4 UNCH
925	----	----	----	----/0.0020A	----	0.0005 UNCH	.0000	----	----	----	----	10 UNCH
930	----	----	----	----/0.0020A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
935	----	----	----	----/0.0020A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
940	----	----	----	----/0.0020A	----	0.0005 UNCH	.0000	----	----	----	----	4 UNCH
945	----	----	----	----/0.0020A	----	0.0005 UNCH	.0000	----	----	----	----	10 UNCH
950	----	----	----	----/0.0010A	----	0.0005 UNCH	.0000	----	----	----	----	40 UNCH
TOTAL										1675		32989 - 379
JUN26												
500	----	----	----	----	----	1.0645 + 0.1035	.9485	----	----	----	----	4 UNCH
525	----	----	0.7490B/0.6895A	0.7490B/0.6895A	----	0.8280 + 0.0980	.9088	----	----	----	----	1 UNCH
535	----	----	0.7220B/0.6050A	0.7220B/0.6050A	----	0.7370 + 0.0945	.8849	----	----	----	----	2 UNCH
540	----	----	0.6945B/0.5630A	0.6945B/0.5630A	----	0.6930 + 0.0930	.8695	----	----	----	----	22 UNCH
545	----	----	0.6460B/0.5555A	0.6460B/0.5555A	----	0.6500 + 0.0905	.8521	----	----	----	----	2 UNCH
549	----	----	#0.6125B/0.5255	#0.6125B/0.5255	----	0.6165 + 0.0885	.8367	----	----	----	----	1 UNCH
550	----	----	0.6045B/0.4490A	0.6045B/0.4490A	----	0.6080 + 0.0875	.8330	----	----	----	----	3 UNCH
555	----	----	0.5525B/0.4150A	0.5525B/0.4150A	----	0.5675 + 0.0850	.8122	----	----	----	----	1 UNCH
556	----	----	#0.5445B/0.4470	#0.5445B/0.4470	----	0.5595 + 0.0840	.8077	----	----	----	----	1 UNCH
557	----	----	#0.5520B/0.4385	#0.5520B/0.4385	----	0.5515 + 0.0835	.8026	----	----	----	----	63 UNCH
559	----	----	#0.5210B/0.4270	#0.5210B/0.4270	----	0.5360 + 0.0820	.7937	----	----	----	----	4 UNCH
560	----	----	0.5280B/0.3830A	0.5280B/0.3830A	----	0.5285 + 0.0820	.7886	----	----	----	----	106 UNCH
562	----	----	#0.4985B/0.4075	#0.4985B/0.4075	----	0.5130 + 0.0800	.7790	----	----	----	----	1 UNCH
565	----	----	0.4760B/0.3535A	0.4760B/0.3535A	----	0.4905 + 0.0780	.7637	----	----	----	----	2 UNCH
568	----	----	0.4540B/0.3710A	0.4540B/0.3710A	----	0.4685 + 0.0760	.7478	----	----	----	----	3 UNCH
569	----	----	0.4470B/0.3650A	0.4470B/0.3650A	----	0.4615 + 0.0755	.7422	----	----	----	----	2 UNCH
570	----	----	0.4715B/0.3250A	0.4715B/0.3250A	----	0.4545 + 0.0745	.7370	----	----	6	----	22 + 2
574	----	----	0.4125B/0.2985A	0.4125B/0.2985A	----	0.4270 + 0.0720	.7141	----	----	----	----	3 UNCH
575	----	----	0.4375B/0.2895A	0.4375B/0.2895A	----	0.4205 + 0.0710	.7081	----	----	----	----	149 UNCH
579	----	----	0.3795B/0.2695A	0.3795B/0.2695A	----	0.3945 + 0.0685	.6842	----	----	----	----	3 UNCH
580	----	----	0.4015B/0.2650A	0.4015B/0.2650A	----	0.3880 + 0.0675	.6783	----	----	----	----	45 UNCH
581	----	----	0.3670B/0.2605A	0.3670B/0.2605A	----	0.3820 + 0.0670	.6720	----	----	----	----	1 UNCH
582	----	----	0.3605B/0.2560A	0.3605B/0.2560A	----	0.3760 + 0.0660	.6660	----	----	----	----	1 UNCH
583	----	----	0.3540B/0.2510A	0.3540B/0.2510A	----	0.3700 + 0.0655	.6598	----	----	----	----	2 UNCH
584	----	----	0.3485B/0.2465A	0.3485B/0.2465A	----	0.3640 + 0.0650	.6535	----	----	----	----	3 UNCH
585	----	----	0.3715B/0.2425A	0.3715B/0.2425A	----	0.3580 + 0.0640	.6473	----	----	----	----	11 UNCH
586	----	----	0.3400B/0.2380A	0.3400B/0.2380A	----	0.3520 + 0.0630	.6409	----	----	----	----	1 UNCH
587	----	----	0.3395B/0.2345A	0.3395B/0.2345A	----	0.3465 + 0.0625	.6347	----	----	----	----	3 UNCH
588	----	----	0.3420B/0.2300A	0.3420B/0.2300A	----	0.3405 + 0.0615	.6283	----	----	----	----	4 UNCH
589	----	----	0.3440B/0.2260A	0.3440B/0.2260A	----	0.3350 + 0.0605	.6221	----	----	----	----	1 UNCH
590	----	----	0.3440B/0.2220A	0.3440B/0.2220A	----	0.3295 + 0.0600	.6157	----	----	47	----	65 + 44
591	----	----	0.3365B/0.2180A	0.3365B/0.2180A	----	0.3240 + 0.0590	.6094	----	----	----	----	10 UNCH
594	----	----	0.3170B/0.2065A	0.3170B/0.2065A	----	0.3080 + 0.0565	.5902	----	----	----	----	3 UNCH
595	----	----	0.3165B/0.2025A	0.3165B/0.2025A	----	0.3025 + 0.0555	.5839	----	----	1	----	6 + 1
596	----	----	0.3110B/0.1995A	0.3110B/0.1995A	----	0.2975 + 0.0545	.5775	----	----	----	----	3 UNCH
598	0.2245	0.2245	0.3000B/0.1920A	0.3000B/0.1920A	----	0.2875 NEW	.5648	----	----	3	----	3 + 3
599	0.2140	0.2140	0.2950B/0.1895A	0.2950B/0.1895A	----	0.2825 NEW	.5584	----	----	1	----	1 + 1
600	0.2105	0.2105	0.2935B/0.1835A	0.2935B/0.1835A	----	0.2775 + 0.0510	.5520	----	----	15	----	377 + 12
603	0.2325	0.2325	0.2770B/0.1760A	0.2770B/0.1760A	----	0.2635 NEW	.5330	----	----	2	----	2 + 2
604	0.2310	0.2310	0.2730B/0.1725A	0.2730B/0.1725A	----	0.2590 + 0.0475	.5267	----	----	1	----	14 UNCH
605	0.2360	0.2360	0.2685B/0.1695A	0.2685B/0.1695A	----	0.2545 + 0.0465	.5204	----	----	6	----	12 + 4
606	0.2425	0.2425	0.2645B/0.1665A	0.2645B/0.1665A	----	0.2500 NEW	.5141	----	----	4	----	4 + 4
607	----	----	0.2600B/0.1635A	0.2600B/0.1635A	----	0.2455 + 0.0445	.5079	----	----	----	----	30 UNCH
608	----	----	0.2560B/0.1610A	0.2560B/0.1610A	----	0.2415 + 0.0440	.5017	----	----	2	----	4 + 2
609	----	----	0.2515B/0.1575A	0.2515B/0.1575A	----	0.2375 + 0.0435	.4955	----	----	----	----	7 UNCH
610	0.2065	0.2065	0.2480B/0.1515A	0.2480B/0.1515A	----	0.2330 + 0.0425	.4893	----	----	57	----	552 + 7
612	----	----	0.2380B/0.1495A	0.2380B/0.1495A	----	0.2250 + 0.0410	.4771	----	----	----	----	20 UNCH
613	----	----	0.2340B/0.1465A	0.2340B/0.1465A	----	0.2210 + 0.0405	.4710	----	----	----	----	2 UNCH
615	----	----	0.2265B/0.1410A	0.2265B/0.1410A	----	0.2135 + 0.0390	.4591	----	----	----	----	15 UNCH
616	----	----	0.2225B/0.1390A	0.2225B/0.1390A	----	0.2100 + 0.0390	.4532	----	----	----	----	9 UNCH
617	----	----	0.2190B/0.1370A	0.2190B/0.1370A	----	0.2060 + 0.0380	.4472	----	----	----	----	1 UNCH
618	----	----	0.2150B/0.1340A	0.2150B/0.1340A	----	0.2025 NEW	.4414	----	----	1	----	1 + 1
620	0.1820	0.1820	0.2085B/0.1295A	0.2085B/0.1295A	----	0.1955 + 0.0365	.4298	----	----	25	----	163 + 23
622	----	----	0.1995B/0.1240A	0.1995B/0.1240A	----	0.1885 + 0.0350	.4183	----	----	4	----	5 + 2
625	0.1635	0.1635	0.1910B/0.1180A	0.1910B/0.1180A	----	0.1785 + 0.0335	.4015	----	----	53	----	194 + 46
627	----	----	0.1825B/0.1135A	0.1825B/0.1135A	----	0.1725 + 0.0325	.3907	----	----	----	----	11 UNCH
629	----	----	0.1750B/0.1095A	0.1750B/0.1095A	----	0.1660 + 0.0310	.3797	----	----	----	----	2 UNCH
630	0.1435	0.1435	0.1760/0.1040A	0.1760/0.1040A	----	0.1630 + 0.0305	.3744	----	----	89	----	590 + 52
635	----	----	0.1570B/0.0980A	0.1570B/0.0980A	----	0.1485 + 0.0280	.3483	----	----	446	----	446 + 433
640	0.1260	0.1260	0.1435B/0.0895A	0.1435B/0.0895A	----	0.1350 + 0.0250	.3233	----	----	26	----	73 + 14
645	----	----	0.1305B/0.0820A	0.1305B/0.0820A	----	0.1225 + 0.0225	.2994	----	----	----	----	60 UNCH
650	0.0930	0.0930	0.1210B/0.0725A	0.1210B/0.0725A	----	0.1110 + 0.0195	.2768	----	----	131	----	566 - 1
655	----	----	0.1080B/0.0680A	0.1080B/0.0680A	----	0.1005 + 0.0175	.2554	----	----	30	----	36 + 29
660	0.0840	0.0840	0.0990B/0.0600A	0.0990B/0.0600A	----	0.0910 + 0.0150	.2354	----	----	11	----	276 + 3
665	0.0905	0.0905	0.0905/0.0570A	0.0905/0.0570A	----	0.0820 + 0.0130	.2162	----	----	1	----	30 UNCH
670	----	----	0.0805B/0.0510A	0.0805B/0.0510A	----	0.0740 + 0.0110	.1985	----	----	----	----	207 UNCH
675	----	----	0.0725B/0.0470A	0.0725B/0.0470A	----	0.0670 + 0.0095	.1824	----	----	----	----	38 UNCH
680	0.0565	0.0565	0.0660B/0.0420A	0.0660B/0.0420A	----	0.0605 + 0.0080	.1671	----	----	6	----	317 - 1
685	----	----	0.0590B/0.0380A	0.0590B/0.0380A	----	0.0545 + 0.0065	.1529	----	----	----	----	10 UNCH
690	0.0370	0.0370	0.0535B/0.0345A	0.0535B/0.0345A	----	0.0490 + 0.0050	.1395	----	----	5	----	127 + 3
695	----	----	0.0485B/0.0315A	0.0485B/0.0315A	----	0.0445 + 0.0045	.1280	----	----	----	----	1 UNCH
700	0.0300	0.0300	0.0440B/0.0285A	0.0440B/0.0285A	----	0.0400 + 0.0035	.1166	----	----	64	----	395 + 46
705	0.0355	0.0355	0.0395B/0.0260A	0.0395B/0.0260A	----	0.0360 + 0.0025	.1063	----	----	1	----	5 + 1
710	0.0345	0.0345	0.0355B/0.0240A	0.0355B/0.0240A	----	0.0325 + 0.0015	.0970	----	----	453	----	446 + 439
715	0.0290	0.0290	0.0325B/0.0220A	0.0325B/0.0220A	----	0.0295 + 0.0010	.0888	----	----	4	----	10 + 2
720	0.0265	0.0265	0.0295B/0.0200A	0.0295B/0.0200A	----	0.0265 + 0.0005	.0807	----	----	4	----	13 + 2
725	0.0265	0.0265	0.0265/0.0185A	0.0265/0.0185A	----	0.0240 UNCH	.0737	----	----	2	----	76 + 1
740	----	----	0.0200B/0.0145A	0.0200B/0.0145A	----	0.0180 - 0.0010	.0564	----	----	----	----	1 UNCH
745	----	----	0.0185B/0.0135A	0.0185B/0.0135A	----	0.0165 - 0.0010	.0519	----	----	----	----	1502 UNCH
750	0.0160	0.0160	0.0170B/0.0125A	0.0170B/0.0125A	----	0.0155 - 0.0010	.0486	----	----	3	----	166 + 3
755	----	----	----/0.0120A	0.0155B/0.0120A	----	0.0140 - 0.0015	.0442	----	----	----	----	1 UNCH
765	----	----	0.0135B/0.0100A	0.0135B/0.0100A	----	0.0120 - 0.0010	.0380	----	----	----	----	1503 UNCH
770	0.0125	0.0125	0.0130/0.0100A	0.0130/0.0100A	----	0.0110 - 0.0010	.0349	----	----	4	----	7 + 4
780	0.0105	0.0105	0.0105/0.0085A	0.0105/0.0085A	----	0.0095 - 0.0010	.0302	----	----	3	----	5 + 3
795	----	----	----	0.0080B/0.0105A	----	0.0070 - 0.0010	.0227	----	----	----	----	33 UNCH
800	----	----	----	0.0075B/0.0100A	----	0.0065 - 0.0010	.0211	----	----	----	----	6 UNCH
810	----	----	----	0.0060B/0.0080A	----	0.0055 - 0.0010	.0179	----	----	----	----	3 UNCH
825	----	----	----	0.0050B/0.0100A	----	0.0045 - 0.0010	.0146	----	----	----	----	1 UNCH
840	----	----	----	----/0.0090A	----	0.0035 - 0.0010	.0114	----	----	----	----	6 UNCH
850	----	----	----	----/0.0080A	----	0.0030 - 0.0005	.0098	----	----	----	----	4 UNCH
880	----	----	----	----/0.0065A	----	0.0020 - 0.0005	.0065	----	----	----	----	2 UNCH
900	----	----	----	----/0.0055A	----	0.0015 - 0.0005	.0049	----	----	----	----	9 UNCH
910	----	----	----	----/0.0050A	----	0.0010 - 0.0005	.0034	----	----	----	----	11 UNCH
950	----	----	----	----/0.0035A	----	0.0005 - 0.0005	.0014	----	----	----	----	1 UNCH
975	----	----	----	----/0.0015A	----	0.0005 UNCH	.0007	----	----	----	----	1 UNCH
TOTAL										1511		8967 + 1187
JUL26												
500	----	----	----	----	----	1.0805 + 0.0990	.9172	----	----	----	----	2 UNCH
520	----	----	----	----	----	0.9025 + 0.0955	.8744	----	----	----	----	1 UNCH
525	----	----	----	----	----	0.8590 + 0.0935	.8618	----	----	----	----	1 UNCH
530	----	----	0.8155B/----	0.8155B/0.7335A	----	0.8160 + 0.0910	.8489	----	----	----	----	6 UNCH
540	----	----	0.7340B/0.5780A	0.7340B/0.5780A	----	0.7335 + 0.0865	.8177	----	----	----	----	16 UNCH
545	----	----	----/0.5435A	0.5795B/0.5435A	----	0.6950 + 0.0850	.7996	----	----	----	----	1 UNCH
550	----	----	----/0.5110A	0.5735B/0.5110A	----	0.6575 + 0.0835	.7806	----	----	----	----	2 UNCH
555	----	----	0.6190B/0.4800A	0.6190B/0.4800A	----	0.6210 + 0.0815	.7607	----	----	----	----	116 UNCH
560	----	----	0.5970B/0.4500A	0.5970B/0.4500A	----	0.5855 + 0.0790	.7397	----	----	----	----	1 UNCH
570	----	----	0.5350B/0.3940A	0.5350B/0.3940A	----	0.5185 + 0.0735	.6954	----	----	----	----	157 UNCH
574	----	----	#0.4895B/0.3695	#0.4895B/0.3695	----	0.4935 + 0.0715	.6769	----	----	----	----	5 UNCH
575	----	----	0.5020B/0.3635A	0.5020B/0.3635A	----	0.4875 + 0.0710	.6721	----	----	----	----	19 UNCH
580	----	----	0.4720B/0.3405A	0.4720B/0.3405A	----	0.4575 + 0.0675	.6483	----	----	----	----	149 UNCH
585	----	----	0.4425B/0.3150A	0.4425B/0.3150A	----	0.4290 + 0.0645	.6242	----	----	----	----	304 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
JUL26												
590	----	----	0.4175B/0.2965A	0.4175B/0.2965A	----	0.4020 + 0.0610	.5998	----	----	----	----	107 UNCH
591	0.3225	0.3225	#0.4115B/0.2930	#0.4115B/0.2930	----	0.3970 + 0.0605	.5949	----	----	1	----	3 + 1
593	0.3295	0.3295	#0.4060/0.2850A	#0.4060/0.2850A	----	0.3870 NEW	.5851	----	----	2	----	1 + 1
594	0.3990	0.3990	#0.3990/0.2815A	#0.3990/0.2815A	----	0.3820 + 0.0590	.5802	----	----	2	----	2 UNCH
595	----	----	0.3915B/0.2775A	0.3915B/0.2775A	----	0.3770 + 0.0585	.5753	----	----	----	----	29 UNCH
597	0.3180	0.3180	#0.3785B/0.2700	#0.3785B/0.2700	----	0.3675 NEW	.5655	----	----	1	----	1 + 1
598	0.3150	0.3150	#0.3825/0.2660A	#0.3825/0.2660A	----	0.3630 + 0.0570	.5607	----	----	3	----	1 UNCH
599	0.3800	0.3800	#0.3800/0.2635A	#0.3800/0.2635A	----	0.3580 + 0.0560	.5558	----	----	1	----	2 UNCH
600	0.3240	0.3240	0.3670B/0.2545A	0.3670B/0.2545A	----	0.3535 + 0.0555	.5509	----	----	3	----	357 UNCH
605	----	----	0.3440B/0.2425A	0.3440B/0.2425A	----	0.3315 + 0.0525	.5268	----	----	----	----	40 UNCH
610	0.3015	0.3015	0.3220B/0.2265A	0.3220B/0.2265A	----	0.3105 + 0.0495	.5032	----	----	100	----	111 + 78
615	----	----	0.3030B/0.2120A	0.3030B/0.2120A	----	0.2910 + 0.0470	.4800	----	----	----	----	103 UNCH
620	----	----	0.2830B/0.1980A	0.2830B/0.1980A	----	0.2720 + 0.0435	.4572	----	----	1	----	110 UNCH
625	0.1955	0.1955	0.2685B/0.1805A	0.2685B/0.1805A	----	0.2545 + 0.0410	.4352	----	----	19	100	251 - 97
630	----	----	0.2475B/0.1730A	0.2475B/0.1730A	----	0.2380 + 0.0385	.4138	----	----	31	----	34 + 29
635	----	----	0.2315B/0.1615A	0.2315B/0.1615A	----	0.2225 + 0.0360	.3930	----	----	----	----	11 UNCH
640	0.1565	0.1565	0.2205B/0.1450A	0.2205B/0.1450A	----	0.2075 + 0.0335	.3727	----	----	62	----	806 - 6
645	0.1465	0.1465	0.2060B/0.1355A	0.2060B/0.1355A	----	0.1940 + 0.0315	.3535	----	----	31	----	318 - 8
650	0.1620	0.1620	0.1925B/0.1260A	0.1925B/0.1260A	----	0.1810 + 0.0295	.3347	----	----	23	----	465 - 4
660	----	----	0.1670B/0.1135A	0.1670B/0.1135A	----	0.1570 + 0.0250	.2992	----	----	----	----	226 UNCH
665	----	----	0.1520B/0.1070A	0.1520B/0.1070A	----	0.1465 + 0.0230	.2828	----	----	----	----	1 UNCH
670	----	----	0.1435B/0.0990A	0.1435B/0.0990A	----	0.1360 + 0.0205	.2665	----	----	----	----	22 UNCH
675	----	----	0.1365B/0.0905A	0.1365B/0.0905A	----	0.1265 + 0.0185	.2512	----	----	----	----	443 UNCH
680	----	----	0.1230B/0.0880A	0.1230B/0.0880A	----	0.1180 + 0.0170	.2370	----	----	----	----	3 UNCH
685	----	----	0.1140B/0.0820A	0.1140B/0.0820A	----	0.1095 + 0.0155	.2230	----	----	----	----	2 UNCH
690	0.1005	0.1005	0.1100B/0.0745A	0.1100B/0.0745A	----	0.1020 + 0.0140	.2100	----	----	3	----	247 + 1
695	----	----	0.1005B/0.0720A	0.1005B/0.0720A	----	0.0945 + 0.0120	.1972	----	----	----	----	40 UNCH
700	0.0860	0.0860	0.0950B/0.0670A	0.0950B/0.0670A	----	0.0880 + 0.0105	.1855	----	----	3	----	175 UNCH
715	----	----	0.0760B/0.0555A	0.0760B/0.0555A	----	0.0705 + 0.0070	.1536	----	----	----	----	25 UNCH
725	----	----	0.0655B/0.0495A	0.0655B/0.0495A	----	0.0615 + 0.0055	.1360	----	----	1	----	1523 UNCH
730	----	----	0.0615B/0.0465A	0.0615B/0.0465A	----	0.0570 + 0.0045	.1274	----	----	----	----	4 UNCH
750	0.0425	0.0425	0.0470B/0.0360A	0.0470B/0.0360A	----	0.0435 + 0.0020	.0998	----	----	17	----	184 UNCH
775	0.0325	0.0325	0.0340B/0.0270A	0.0340B/0.0270A	----	0.0320 + 0.0010	.0749	----	----	2	----	27 + 2
800	----	----	----	0.0220B/0.0245A	----	0.0240 UNCH	.0569	----	----	----	----	69 UNCH
850	----	----	----	0.0120B/0.0165A	----	0.0150 - 0.0005	.0355	----	----	----	----	3 UNCH
875	----	----	----	0.0090B/0.0125A	----	0.0125 + 0.0005	.0293	----	----	----	----	2 UNCH
900	----	----	----/0.0100A	0.0055B/0.0100A	----	0.0110 + 0.0005	.0253	----	----	----	----	271 UNCH
950	----	----	----	----/0.0065A	----	0.0065 UNCH	.0153	----	----	----	----	56 UNCH
975	----	----	----	----/0.0055A	----	0.0050 UNCH	.0119	----	----	----	----	2 UNCH
1000	----	----	----	----/0.0045A	----	0.0040 UNCH	.0095	----	----	----	----	4 UNCH
TOTAL									100	306		6861 - 2
AUG26												
500	----	----	----	----	----	1.1540 + 0.0985	.8972	----	----	----	----	2 UNCH
550	----	----	0.6905B/0.6035A	0.6905B/0.6035A	----	0.7485 + 0.0850	.7667	----	----	----	----	3 UNCH
575	----	----	0.5915B/0.4615A	0.5915B/0.4615A	----	0.5820 + 0.0730	.6753	----	----	----	----	1 UNCH
580	----	----	0.5610B/0.4305A	0.5610B/0.4305A	----	0.5525 + 0.0705	.6556	----	----	----	----	252 UNCH
585	----	----	0.5320B/0.4065A	0.5320B/0.4065A	----	0.5240 + 0.0675	.6356	----	----	----	----	11 UNCH
590	----	----	0.5045B/0.3840A	0.5045B/0.3840A	----	0.4970 + 0.0650	.6155	----	----	----	----	16 UNCH
600	----	----	0.4525B/0.3430A	0.4525B/0.3430A	----	0.4465 + 0.0595	.5750	----	----	----	----	4 UNCH
620	----	----	0.3680B/0.2730A	0.3680B/0.2730A	----	0.3590 + 0.0500	.4956	----	----	----	----	7 UNCH
625	----	----	0.3480B/0.2580A	0.3480B/0.2580A	----	0.3395 + 0.0475	.4764	----	----	----	----	85 UNCH
640	----	----	0.2935B/0.2165A	0.2935B/0.2165A	----	0.2870 + 0.0410	.4213	----	----	----	----	153 UNCH
650	0.2000	0.2000	0.2715/0.1935A	0.2715/0.1935A	----	0.2560 + 0.0365	.3867	----	----	2	----	31 + 1
675	----	----	0.1970B/0.1465A	0.1970B/0.1465A	----	0.1925 + 0.0270	.3093	----	----	----	----	168 UNCH
680	----	----	0.1860B/0.1390A	0.1860B/0.1390A	----	0.1820 + 0.0255	.2956	----	----	----	----	1 UNCH
690	----	----	0.1590B/0.1330A	0.1590B/0.1330A	----	0.1625 + 0.0225	.2694	----	----	----	----	3 UNCH
700	----	----	0.1415B/0.1205A	0.1415B/0.1205A	----	0.1450 + 0.0200	.2452	----	----	----	----	4 UNCH
725	----	----	0.1035B/0.0935A	0.1035B/0.0935A	----	0.1090 + 0.0140	.1928	----	----	----	----	86 UNCH
730	----	----	0.1040B/0.0850A	0.1040B/0.0850A	----	0.1030 + 0.0135	.1837	----	----	----	----	1 UNCH
750	----	----	0.0815B/0.0705A	0.0815B/0.0705A	----	0.0820 + 0.0100	.1508	----	----	----	----	66 UNCH
800	----	----	0.0445B/----	0.0445B/0.0455A	----	0.0480 + 0.0055	.0933	----	----	----	----	6 UNCH
850	----	----	----	0.0245B/0.0315A	----	0.0305 + 0.0035	.0607	----	----	----	----	1 UNCH
900	----	----	----	0.0135B/0.0235A	----	0.0210 + 0.0020	.0419	----	----	----	----	57 UNCH
950	----	----	----	0.0075B/0.0205A	----	0.0135 + 0.0010	.0276	----	----	----	----	2 UNCH
975	----	----	----	0.0055B/0.0185A	----	0.0110 + 0.0010	.0226	----	----	----	----	1 UNCH
TOTAL										2		961 + 1
SEP26												
495	----	----	----	----	----	1.2165 + 0.0960	.8856	----	----	----	----	2 UNCH
500	----	----	----	----	----	1.1740 + 0.0955	.8759	----	----	----	----	5 UNCH
535	----	----	----/0.7605A	0.7500B/0.7605A	----	0.8955 + 0.0900	.7912	----	----	----	----	1 UNCH
565	----	----	0.6985B/0.5605A	0.6985B/0.5605A	----	0.6890 + 0.0795	.6976	----	----	----	----	1 UNCH
575	----	----	0.6370B/0.5060A	0.6370B/0.5060A	----	0.6285 + 0.0750	.6632	----	----	----	----	100 UNCH
595	----	----	0.5275B/0.4110A	0.5275B/0.4110A	----	0.5215 + 0.0665	.5921	----	----	----	----	2 UNCH
600	----	----	0.5030B/0.3895A	0.5030B/0.3895A	----	0.4975 + 0.0645	.5742	----	----	----	----	287 UNCH
610	----	----	0.4565B/0.3520A	0.4565B/0.3520A	----	0.4520 + 0.0605	.5387	----	----	----	----	31 UNCH
615	----	----	0.4345B/0.3345A	0.4345B/0.3345A	----	0.4305 + 0.0580	.5212	----	----	----	----	9 UNCH
620	0.4080	0.4080	0.4135B/0.3190A	0.4135B/0.3190A	----	0.4100 + 0.0560	.5039	----	----	2	----	37 + 2
625	----	----	0.3935B/0.3030A	0.3935B/0.3030A	----	0.3905 + 0.0540	.4869	----	----	----	----	142 UNCH
630	----	----	0.3740B/0.2880A	0.3740B/0.2880A	----	0.3720 + 0.0520	.4702	----	----	----	----	2 UNCH
640	----	----	0.3390B/0.2610A	0.3390B/0.2610A	----	0.3365 + 0.0480	.4376	----	----	----	----	12 UNCH
650	----	----	0.3060B/0.2370A	0.3060B/0.2370A	----	0.3050 + 0.0445	.4065	----	----	----	50	251 + 50
655	----	----	0.2915B/0.2260A	0.2915B/0.2260A	----	0.2900 + 0.0425	.3915	----	----	----	----	4 UNCH
670	----	----	0.2510B/0.1960A	0.2510B/0.1960A	----	0.2495 + 0.0370	.3487	----	----	----	----	1 UNCH
675	----	----	0.2385B/0.1875A	0.2385B/0.1875A	----	0.2370 + 0.0350	.3351	----	----	----	----	325 UNCH
680	----	----	0.2270B/0.1790A	0.2270B/0.1790A	----	0.2255 + 0.0335	.3222	----	----	----	----	350 UNCH
690	----	----	0.2055B/0.1635A	0.2055B/0.1635A	----	0.2040 + 0.0305	.2974	----	----	----	----	11 UNCH
700	----	----	0.1855B/0.1500A	0.1855B/0.1500A	----	0.1845 + 0.0275	.2742	----	----	----	----	55 UNCH
750	----	----	0.1125B/0.0965A	0.1125B/0.0965A	----	0.1115 + 0.0145	.1800	----	----	----	50	85 + 50
800	----	----	0.0670B/----	0.0670B/0.0660A	----	0.0690 + 0.0080	.1181	----	----	----	----	12 UNCH
875	----	----	----	0.0315B/0.0420A	----	0.0365 + 0.0040	.0656	----	----	----	----	1 UNCH
900	----	----	----	0.0250B/0.0370A	----	0.0300 + 0.0035	.0545	----	----	----	----	25 UNCH
975	----	----	----	0.0120B/0.0280A	----	0.0170 + 0.0015	.0318	----	----	----	----	1 UNCH
TOTAL									100	2		1752 + 102
OCT26												
650	----	----	0.3790B/0.3115A	0.3790B/0.3115A	----	0.3815 + 0.0530	.4462	----	----	----	----	100 UNCH
700	----	----	0.2360B/----	0.2360B/0.2105A	----	0.2445 + 0.0345	.3178	----	----	----	----	145 UNCH
775	----	----	0.1155B/----	0.1155B/0.1260A	----	0.1260 + 0.0245	.1837	----	----	----	----	71 UNCH
800	----	----	0.0940B/----	0.0940B/0.0940A	----	0.1025 + 0.0210	.1534	----	----	----	----	1 UNCH
850	----	----	0.0590B/----	0.0590B/0.0690A	----	0.0715 + 0.0150	.1101	----	----	----	----	30 UNCH
875	----	----	----	0.0470B/0.0605A	----	0.0615 + 0.0130	.0951	----	----	----	----	2 UNCH
900	----	----	----	0.0370B/0.0535A	----	0.0535 + 0.0115	.0829	----	----	----	----	3 UNCH
975	----	----	----	0.0170B/0.0400A	----	0.0295 + 0.0065	.0485	----	----	----	----	4 UNCH
TOTAL												356
NOV26												
535	----	----	----/0.8765A	0.8965B/0.8765A	----	1.0210 + 0.0890	.7794	----	----	----	----	1 UNCH
545	----	----	0.9445B/0.8135A	0.9445B/0.8135A	----	0.9510 + 0.0860	.7543	----	----	----	----	1 UNCH
580	----	----	0.7325B/0.6215A	0.7325B/0.6215A	----	0.7340 + 0.0760	.6574	----	----	----	----	2 UNCH
585	----	----	0.7045B/0.5980A	0.7045B/0.5980A	----	0.7070 + 0.0750	.6428	----	----	----	----	1 UNCH
595	----	----	0.6520B/0.5525A	0.6520B/0.5525A	----	0.6550 + 0.0720	.6135	----	----	----	----	2 UNCH
600	----	----	0.6265B/0.5310A	0.6265B/0.5310A	----	0.6305 + 0.0705	.5988	----	----	----	----	2 UNCH
610	----	----	0.5790B/0.4905A	0.5790B/0.4905A	----	0.5835 + 0.0675	.5694	----	----	----	----	14 UNCH
640	----	----	0.4540B/0.3855A	0.4540B/0.3855A	----	0.4610 + 0.0580	.4842	----	----	----	----	1 UNCH
655	----	----	0.4005B/0.3415A	0.4005B/0.3415A	----	0.4085 + 0.0525	.4441	----	----	----	----	1 UNCH
670	----	----	0.3525B/0.3030A	0.3525B/0.3030A	----	0.3620 + 0.0480	.4061	----	----	----	----	14 UNCH
675	----	----	0.3380B/0.2910A	0.3380B/0.2910A	----	0.3475 + 0.0465	.3938	----	----	----	----	1 UNCH
750	----	----	0.1755B/----	0.1755B/0.1650A	----	0.1880 + 0.0255	.2424	----	----	----	----	1 UNCH
850	----	----	----	0.0725B/0.0885A	----	0.0880 + 0.0120	.1258	----	----	----	----	1 UNCH
900	----	----	----	0.0455B/0.0695A	----	0.0615 + 0.0085	.0912	----	----	----	----	1 UNCH
975	----	----	----	0.0215B/0.0525A	----	0.0355 + 0.0050	.0555	----	----	----	----	1 UNCH
TOTAL												44
DEC26												
520	----	----	----	----	----	1.1530 + 0.0925	.8037	----	----	----	----	1 UNCH
525	----	----	----/0.9705A	0.9325B/0.9705A	----	1.1165 + 0.0915	.7926	----	----	----	----	123 UNCH
535	----	----	----/0.9055A	0.9485B/0.9055A	----	1.0460 + 0.0895	.7694	----	----	----	----	1 UNCH
550	----	----	0.9425B/0.8150A	0.9425B/0.8150A	----	0.9455 + 0.0860	.7327	----	----	----	----	2 UNCH
555	----	----	0.9100B/0.7860A	0.9100B/0.7860A	----	0.9135 + 0.0845	.7199	----	----	----	----	1 UNCH
565	----	----	0.8480B/0.7315A	0.8480B/0.7315A	----	0.8520 + 0.0815	.6938	----	----	----	----	45 UNCH
575	----	----	0.7895B/0.6805A	0.7895B/0.6805A	----	0.7940 + 0.0785	.6669	----	----	----	----	123 UNCH
585	----	----	0.7345B/0.6325A	0.7345B/0.6325A	----	0.7400 + 0.0755	.6395	----	----	----	----	1 UNCH
590	----	----	0.7080B/0.6100A	0.7080B/0.6100A	----	0.7140 + 0.0740	.6258	----	----	----	----	200 UNCH
595	----	----	0.6825B/0.5880A	0.6825B/0.5880A	----	0.6890 + 0.0730	.6120	----	----	----	----	163 UNCH
600	----	----	0.6580B/0.5665A	0.6580B/0.5665A	----	0.6645 + 0.0710	.5982	----	----	----	----	602 UNCH
610	----	----	0.6105B/0.5265A	0.6105B/0.5265A	----	0.6185 + 0.0685	.5707	----	----	----	----	356 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
DEC26												
620	----	----	0.5665B/0.4885A	0.5665B/0.4885A	----	0.5750 + 0.0655	.5434	----	----	----	----	408 UNCH
625	----	----	0.5455B/0.4705A	0.5455B/0.4705A	----	0.5545 + 0.0645	.5300	----	----	----	----	3 UNCH
630	----	----	0.5255B/0.4535A	0.5255B/0.4535A	----	0.5345 + 0.0630	.5168	----	----	----	----	456 UNCH
640	----	----	0.4865B/0.4205A	0.4865B/0.4205A	----	0.4960 + 0.0600	.4906	----	----	----	----	29 UNCH
650	0.3695	0.3695	0.4815/0.3690	0.4815/0.3690	----	0.4605 + 0.0570	.4653	----	----	109	----	475 + 97
660	----	----	0.4165B/0.3620A	0.4165B/0.3620A	----	0.4275 + 0.0545	.4407	----	----	----	----	300 UNCH
670	----	----	0.3845B/0.3365A	0.3845B/0.3365A	----	0.3960 + 0.0510	.4168	----	----	----	----	4 UNCH
675	----	----	0.3695B/0.3240A	0.3695B/0.3240A	----	0.3815 + 0.0500	.4053	----	----	----	----	17 UNCH
680	----	----	0.3550B/0.3125A	0.3550B/0.3125A	----	0.3675 + 0.0485	.3940	----	----	----	----	3 UNCH
700	0.3000	0.3000	0.3200/0.2705A	0.3200/0.2705A	----	0.3155 + 0.0425	.3508	----	----	2	----	844 + 1
705	----	----	0.2905B/0.2610A	0.2905B/0.2610A	----	0.3040 + 0.0415	.3407	----	----	----	----	2 UNCH
725	----	----	0.2470B/----	0.2470B/0.2270A	----	0.2615 + 0.0360	.3025	----	----	----	----	5 UNCH
730	----	----	0.2370B/----	0.2370B/0.2195A	----	0.2515 + 0.0345	.2933	----	----	----	----	2 UNCH
750	----	----	0.2015B/----	0.2015B/0.1925A	----	0.2170 + 0.0300	.2600	----	----	----	----	24 UNCH
800	----	----	0.1355B/----	0.1355B/0.1415A	----	0.1520 + 0.0215	.1925	----	----	----	----	104 UNCH
850	----	----	----	0.0910B/0.1085A	----	0.1095 + 0.0160	.1441	----	----	----	----	4 UNCH
900	0.0800	0.0800	0.0850/0.0800	0.0850/0.0800	----	0.0810 + 0.0125	.1094	----	----	2	----	213 + 2
925	----	----	----	0.0490B/0.0775A	----	0.0725 + 0.0110	.0980	----	----	----	----	6 UNCH
950	----	----	----	0.0395B/0.0710A	----	0.0650 + 0.0095	.0879	----	----	----	----	78 UNCH
975	----	----	----	0.0315B/0.0650A	----	0.0590 + 0.0085	.0796	----	----	----	----	13 UNCH
TOTAL										113		4608 + 100
JAN27												
500	----	----	----	----	----	1.3940 + 0.0870	.8419	----	----	----	----	1 UNCH
900	----	----	----	----	----	0.1425 + 0.0135	.1576	----	----	----	----	1 UNCH
TOTAL												2
MAR27												
680	----	----	----	----	----	0.5025 - 0.0230	.4414	----	----	----	----	30 UNCH
950	----	----	----	----	----	0.1105 - 0.1465	.1258	----	----	----	----	3 UNCH
TOTAL												33
HX PUT		COMEX COPPER OPTIONS										
MAY26												
125	----	----	----	----/0.0090A	----	0.0005 UNCH	----	----	----	----	----	10 UNCH
300	----	----	----	----/0.0090A	----	0.0005 UNCH	----	----	----	----	----	22 UNCH
330	----	----	----	----/0.0090A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
340	----	----	----	----/0.0090A	----	0.0005 UNCH	----	----	----	----	----	6 UNCH
350	----	----	----	----/0.0005A	----	0.0005 UNCH	----	----	----	----	----	6 UNCH
360	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	35 UNCH
370	----	----	----	----/0.0055A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
375	----	----	----	----/0.0055A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
390	----	----	----	----/0.0055A	----	0.0005 UNCH	.0000	----	----	----	----	2 UNCH
395	----	----	----	----/0.0055A	----	0.0005 - 0.0005	.0001	----	----	----	----	6 UNCH
400	----	----	----	----/0.0020A	----	0.0005 - 0.0005	.0001	----	----	----	----	124 UNCH
405	----	----	----	----/0.0060A	----	0.0005 - 0.0005	.0002	----	----	----	----	125 UNCH
410	----	----	----	----/0.0060A	----	0.0005 - 0.0005	.0004	----	----	----	----	23 UNCH
415	----	----	----	----/0.0060A	----	0.0005 - 0.0005	.0006	----	----	----	----	6 UNCH
420	----	----	----/*0.0005A	----/*0.0005A	----	0.0005 - 0.0010	.0008	----	----	----	----	60 UNCH
425	----	----	----	----/0.0015A	----	0.0005 - 0.0010	.0012	----	----	----	----	56 UNCH
430	----	----	----	----/0.0060A	----	0.0005 - 0.0010	.0016	----	----	----	----	21 UNCH
435	----	----	----	----/0.0020A	----	0.0010 - 0.0005	.0032	----	----	----	----	8 UNCH
440	----	----	----/0.0010A	----/0.0010A	----	0.0010 - 0.0010	.0033	----	----	----	----	130 UNCH
445	----	----	----/0.0015A	----/0.0015A	----	0.0010 - 0.0010	.0034	----	----	----	----	52 UNCH
450	0.0010	0.0010	0.0010/0.0010	0.0010/0.0010	----	0.0015 - 0.0010	.0050	----	----	6	----	855 - 2
455	----	----	----/0.0015A	----/0.0015A	----	0.0015 - 0.0010	.0051	----	----	----	----	23 UNCH
460	0.0020	0.0020	0.0020/0.0020	0.0020/0.0020	----	0.0015 - 0.0010	.0053	----	----	1	----	504 UNCH
465	----	----	----	----/0.0045A	----	0.0020 - 0.0005	.0071	----	----	----	----	34 UNCH
470	----	----	----/0.0020A	0.0010B/0.0020A	----	0.0020 - 0.0005	.0073	----	----	----	----	58 UNCH
475	----	----	----/0.0025A	----/0.0025A	----	0.0020 - 0.0010	.0076	----	----	----	----	418 UNCH
480	0.0020	0.0020	0.0020/0.0020	0.0020/0.0020	----	0.0025 - 0.0010	.0095	----	----	5	----	1305 - 1
485	----	----	----/0.0030A	0.0010B/0.0030A	----	0.0030 - 0.0005	.0115	----	----	----	----	86 UNCH
490	0.0025	0.0025	0.0025/0.0025	0.0025/0.0025	----	0.0030 - 0.0010	.0120	----	----	3	----	269 - 2
495	----	----	----/0.0035A	----/0.0035A	----	0.0035 - 0.0010	.0142	----	----	1	----	91 - 1
500	0.0035	0.0035	0.0035/*0.0035	0.0035/*0.0035	----	0.0040 - 0.0010	.0166	----	----	7	----	1752 - 6
505	----	----	0.0060B/0.0045A	0.0060B/0.0045A	----	0.0040 - 0.0010	.0174	----	----	1	----	176 UNCH
510	0.0045	0.0045	0.0045/*0.0045	0.0050B/*0.0045	----	0.0045 - 0.0015	.0200	----	----	6	----	389 - 1
514	----	----	----/0.0055A	0.0055B/0.0055A	----	0.0050 - 0.0015	.0226	----	----	----	----	43 UNCH
515	0.0050	0.0050	0.0050/*0.0050	0.0065B/*0.0050	----	0.0050 - 0.0015	.0228	----	----	1	----	154 - 1
516	----	----	----/0.0055A	0.0055B/0.0055A	----	0.0055 - 0.0010	.0248	----	----	----	----	74 UNCH
517	----	----	----/0.0060A	0.0060B/0.0060A	----	0.0055 - 0.0015	.0251	----	----	----	----	108 UNCH
518	----	----	----/0.0060A	0.0065B/0.0060A	----	0.0055 - 0.0015	.0254	----	----	----	----	118 UNCH
519	----	----	----/0.0060A	0.0065B/0.0060A	----	0.0055 - 0.0015	.0256	----	----	----	----	88 UNCH
520	0.0055	0.0055	0.0085B/*0.0055	0.0085B/*0.0055	----	0.0060 - 0.0015	.0277	----	----	2	----	1172 - 1
521	----	----	0.0085B/*0.0060	0.0085B/*0.0060	----	0.0060 - 0.0015	.0280	----	----	----	----	67 UNCH
522	----	----	0.0090B/*0.0065	0.0090B/*0.0065	----	0.0060 - 0.0020	.0283	----	----	----	----	49 UNCH
523	0.0065	0.0065	0.0090B/*0.0065	0.0090B/*0.0065	----	0.0065 - 0.0015	.0304	----	----	2	----	23 + 2
524	----	----	0.0095B/*0.0065	0.0095B/*0.0065	----	0.0065 - 0.0015	.0307	----	----	----	----	20 UNCH
525	0.0065	0.0065	0.0095B/*0.0065	0.0095B/*0.0065	----	0.0065 - 0.0020	.0311	----	----	3	----	356 - 3
526	----	----	0.0100B/*0.0070	0.0100B/*0.0070	----	0.0070 - 0.0015	.0332	----	----	----	----	19 UNCH
527	----	----	0.0105B/*0.0065	0.0105B/*0.0065	----	0.0070 - 0.0020	.0336	----	----	----	----	17 UNCH
528	----	----	0.0105B/*0.0075	0.0105B/*0.0075	----	0.0070 - 0.0020	.0340	----	----	----	----	12 UNCH
529	----	----	0.0110B/*0.0075	0.0110B/*0.0075	----	0.0075 - 0.0020	.0362	----	----	----	----	6 UNCH
530	0.0110	0.0110	0.0120/*0.0070A	0.0120/*0.0070A	----	0.0075 - 0.0025	.0366	----	----	100	----	592 - 90
531	----	----	0.0120B/*0.0075	0.0120B/*0.0075	----	0.0080 - 0.0020	.0388	----	----	----	----	24 UNCH
532	----	----	0.0125B/*0.0080	0.0125B/*0.0080	----	0.0080 - 0.0025	.0393	----	----	----	----	11 UNCH
533	----	----	0.0125B/*0.0080	0.0125B/*0.0080	----	0.0085 - 0.0020	.0416	----	----	----	----	7 UNCH
534	----	----	0.0135B/*0.0080	0.0135B/*0.0080	----	0.0085 - 0.0025	.0421	----	----	----	----	9 UNCH
535	0.0100	0.0100	0.0140B/*0.0080	0.0140B/*0.0080	----	0.0090 - 0.0025	.0444	----	----	32	----	201 - 1
536	----	----	0.0145B/*0.0080	0.0145B/*0.0080	----	0.0090 - 0.0030	.0450	----	----	----	----	12 UNCH
537	----	----	0.0150B/*0.0080	0.0150B/*0.0080	----	0.0095 - 0.0030	.0473	----	----	----	----	9 UNCH
538	----	----	0.0165B/*0.0085	0.0165B/*0.0085	----	0.0095 - 0.0035	.0479	----	----	----	----	10 UNCH
539	----	----	0.0165B/*0.0085	0.0165B/*0.0085	----	0.0100 - 0.0030	.0503	----	----	----	----	11 UNCH
540	0.0120	0.0120	0.0175B/*0.0085	0.0175B/*0.0085	----	0.0100 - 0.0040	.0510	----	----	39	----	317 - 7
541	----	----	0.0185B/*0.0090	0.0185B/*0.0090	----	0.0105 - 0.0040	.0535	----	----	----	----	10 UNCH
542	----	----	0.0190B/*0.0090	0.0190B/*0.0090	----	0.0110 - 0.0040	.0560	----	----	----	----	8 UNCH
543	----	----	0.0200B/*0.0095	0.0200B/*0.0095	----	0.0115 - 0.0040	.0585	----	----	----	----	1 UNCH
544	----	----	0.0210B/*0.0095	0.0210B/*0.0095	----	0.0115 - 0.0045	.0593	----	----	----	----	1 UNCH
545	0.0130	0.0130	0.0240B/*0.0100	0.0240B/*0.0100	----	0.0120 - 0.0050	.0619	----	----	99	----	152 - 35
546	----	----	0.0225B/*0.0100	0.0225B/*0.0100	----	0.0125 - 0.0055	.0645	----	----	----	----	10 UNCH
547	----	----	0.0245B/*0.0105	0.0245B/*0.0105	----	0.0130 - 0.0055	.0672	----	----	----	----	7 UNCH
548	----	----	0.0260B/*0.0110	0.0260B/*0.0110	----	0.0130 - 0.0065	.0681	----	----	----	----	53 UNCH
549	----	----	0.0275B/*0.0110	0.0275B/*0.0110	----	0.0135 - 0.0070	.0709	----	----	----	----	12 UNCH
550	0.0290	0.0290	0.0350B/*0.0105	0.0350B/*0.0105	----	0.0140 - 0.0075	.0737	----	----	140	----	1683 - 65
551	0.0205	0.0205	0.0320B/*0.0120	0.0320B/*0.0120	----	0.0145 - 0.0080	.0765	----	----	6	----	36 UNCH
552	----	----	0.0340B/*0.0125	0.0340B/*0.0125	----	0.0150 - 0.0085	.0794	----	----	----	----	16 UNCH
553	0.0165	0.0165	0.0345B/*0.0130	0.0345B/*0.0130	----	0.0160 - 0.0090	.0841	----	----	6	----	18 - 2
554	----	----	0.0360B/*0.0135	0.0360B/*0.0135	----	0.0165 - 0.0100	.0871	----	----	----	----	17 UNCH
555	0.0210	0.0210	0.0440B/*0.0140	0.0440B/*0.0140	----	0.0170 - 0.0105	.0901	----	----	12	----	149 - 2
556	----	----	0.0410B/*0.0150	0.0410B/*0.0150	----	0.0175 - 0.0115	.0932	----	----	----	----	12 UNCH
557	0.0220	0.0220	0.0435B/*0.0155	0.0435B/*0.0155	----	0.0185 - 0.0125	.0980	----	----	17	----	19 - 15
558	0.0310	0.0310	0.0465B/*0.0160	0.0465B/*0.0160	----	0.0190 - 0.0135	.1013	----	----	31	----	85 - 17
559	----	----	0.0495B/*0.0170	0.0495B/*0.0170	----	0.0200 - 0.0145	.1062	----	----	----	----	25 UNCH
560	0.0345	0.0345	0.0590B/*0.0180	0.0590B/*0.0180	----	0.0210 - 0.0150	.1112	----	----	4	----	516 - 1
561	----	----	0.0560B/*0.0190	0.0560B/*0.0190	----	0.0220 - 0.0160	.1162	----	----	----	----	15 UNCH
562	----	----	0.0595B/*0.0200	0.0595B/*0.0200	----	0.0230 - 0.0175	.1213	----	----	----	----	22 UNCH
563	----	----	0.0635B/*0.0210	0.0635B/*0.0210	----	0.0240 - 0.0185	.1265	----	----	----	----	43 UNCH
564	0.0200	0.0200	0.0675B/*0.0200	0.0675B/*0.0200	----	0.0250 - 0.0200	.1317	----	----	3	----	12 + 3
565	0.0470	0.0470	0.0750B/*0.0230	0.0750B/*0.0230	----	0.0265 - 0.0210	.1385	----	----	64	----	262 + 54
566	----	----	0.0755B/*0.0245	0.0755B/*0.0245	----	0.0280 - 0.0220	.1453	----	----	----	----	6 UNCH
567	----	----	0.0785B/*0.0255	0.0785B/*0.0255	----	0.0295 - 0.0230	.1522	----	----	----	----	3 UNCH
568	----	----	0.0840B/*0.0275	0.0840B/*0.0275	----	0.0310 - 0.0245	.1591	----	----	3	----	10 + 2
569	0.0355	0.0355	0.0880B/*0.0285	0.0880B/*0.0285	----	0.0325 - 0.0260	.1660	----	----	5	----	28 + 1
570	0.0580	0.0580	0.0975B/*0.0295	0.0975B/*0.0295	----	0.0345 - 0.0270	.1743	----	----	66	----	574 + 41
571	----	----	0.0970B/*0.0315	0.0970B/*0.0315	----	0.0360 - 0.0285	.1814	----	----	3	----	8 + 3
572	----	----	0.1020B/*0.0335	0.1020B/*0.0335	----	0.0380 - 0.0300	.1898	----	----	----	----	9 UNCH
573	----	----	0.1050B/*0.0355	0.1050B/*0.0355	----	0.0405 - 0.0310	.1994	----	----	4	----	8 + 3
574	----	----	0.1120B/*0.0370	0.1120B/*0.0370	----	0.0425 - 0.0325	.2079	----	----	2	----	3 + 2
575	0.1100	0.1100	0.1225B/*0.0390	0.1225B/*0.0390	----	0.0450 - 0.0340	.2174	----	----	40	----	347 + 9
576	----	----	0.1225B/*0.0420	0.1225B/*0.0420	----	0.0475 - 0.0355	.2270	----	----	1	----	29 UNCH
577	----	----	0.1255B/*0.0440	0.1255B/*0.0440	----	0.0500 - 0.0370	.2366	----	----	----	----	77 UNCH
578	----	----	0.1315B/*0.0460	0.1315B/*0.0460	----	0.0525 - 0.0385	.2462	----	----	----	----	25 UNCH
579	----	----	0.1365B/*0.0485	0.1365B/*0.0485	----	0.0555 - 0.0400	.2568	----	----	----	----	6 UNCH
580	0.1215	0.1215	0.1500B/*0.0510	0.1500B/*0.0510	----	0.0585 - 0.0410	.2673	----	----	22	----	271 + 3
581	----	----	0.1490B/*0.0545	0.1490B/*0.0545	----	0.0615 - 0.0425	.2779	----	----	----	----	20 UNCH
582	0.0630	0.0630	0.1545B/*0.0575	0.1545B/*0.0575	----	0.0645 - 0.0445	.2884	----	----	1	----	8 + 1
583	----	----	0.1605B/*0.0610	0.1605B/*0.0610	----	0.0680 - 0.0455	.2997	----	----	1	----	5 + 1
584	----	----	0.1655B/*0.0635	0.1655B/*0.0635	----	0.0715 - 0.0470	.3110	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
MAY26												
585	0.1200	0.1200	0.1765B/*0.0665	0.1765B/*0.0665	----	0.0750 - 0.0485	.3222	----	----	9	----	184 - 1
586	----	----	0.1790B/*0.0710	0.1790B/*0.0710	----	0.0790 - 0.0500	.3340	----	----	----	----	3 UNCH
587	----	----	0.1875B/*0.0745	0.1875B/*0.0745	----	0.0830 - 0.0510	.3457	----	----	----	----	3 UNCH
588	----	----	0.1930B/*0.0785	0.1930B/*0.0785	----	0.0870 - 0.0525	.3574	----	----	1	----	2 UNCH
589	----	----	0.1895B/*0.0830	0.1895B/*0.0830	----	0.0910 - 0.0540	.3691	----	----	----	----	5 UNCH
590	0.1055	0.1055	0.2025B/*0.0850	0.2025B/*0.0850	----	0.0955 - 0.0550	.3811	----	----	23	----	175 + 8
591	----	----	0.1970B/*0.0905	0.1970B/*0.0905	----	0.0995 - 0.0570	.3927	----	----	----	----	5 UNCH
592	----	----	0.1880B/*0.0955	0.1880B/*0.0955	----	0.1045 - 0.0575	.4049	----	----	----	----	50 UNCH
594	0.1260	0.1260	0.1805B/*0.1035	0.1805B/*0.1035	----	0.1135 - 0.0610	.4286	----	----	22	----	25 + 22
595	0.1310	0.1310	0.2350B/*0.1080	0.2350B/*0.1080	----	0.1185 - 0.0620	.4406	----	----	8	----	31 UNCH
596	0.1425	0.1425	0.1890B/*0.1130	0.1890B/*0.1130	----	0.1235 NEW	.4525	----	----	16	----	15 + 15
597	0.1295	0.1295	0.1965B/*0.1180	0.1965B/*0.1180	----	0.1290 - 0.0640	.4645	----	----	17	----	17 + 16
598	----	----	0.2040B/*0.1235	0.2040B/*0.1235	----	0.1340 - 0.0655	.4763	----	----	----	----	1 UNCH
600	0.1650	0.1650	0.2790B/*0.1305	0.2790B/*0.1305	----	0.1450 - 0.0680	.4998	----	----	33	----	523 + 18
601	----	----	0.2265B/*0.1390	0.2265B/*0.1390	----	0.1505 NEW	.5115	----	----	1	----	1 + 1
602	----	----	0.2340B/*0.1450	0.2340B/*0.1450	----	0.1565 - 0.0700	.5230	----	----	----	----	1 UNCH
603	----	----	0.2420B/*0.1500	0.2420B/*0.1500	----	0.1620 - 0.0715	.5346	----	----	----	----	1 UNCH
604	----	----	0.2500B/*0.1560	0.2500B/*0.1560	----	0.1680 - 0.0725	.5459	----	----	----	----	2 UNCH
605	----	----	0.2995B/*0.1615	0.2995B/*0.1615	----	0.1740 - 0.0735	.5572	----	----	----	----	37 UNCH
610	----	----	0.3035B/*0.1920	0.3035B/*0.1920	----	0.2055 - 0.0790	.6115	----	----	----	----	42 UNCH
615	----	----	0.3415B/*0.2310	0.3415B/*0.2310	----	0.2395 - 0.0840	.6626	----	----	----	----	1 UNCH
619	----	----	0.3765B/*0.2590	0.3765B/*0.2590	----	0.2685 - 0.0870	.7011	----	----	----	----	1 UNCH
620	----	----	0.3855B/*0.2660	0.3855B/*0.2660	----	0.2755 - 0.0880	.7101	----	----	----	----	3 UNCH
645	----	----	0.5945B/0.5215A	0.5945B/0.5215A	----	0.4825 - 0.1010	.8808	----	----	----	----	1 UNCH
TOTAL										869		15939 - 49
JUN26												
330	----	----	----	----/0.0025A	----	0.0015 UNCH	.0030	----	----	5	----	8 + 5
355	----	----	----	----/0.0095A	----	0.0025 + 0.0005	.0051	----	----	----	----	10 UNCH
370	----	----	----	----/0.0095A	----	0.0035 + 0.0005	.0072	----	----	----	----	1 UNCH
380	----	----	----	----/0.0100A	----	0.0045 + 0.0010	.0092	----	----	----	----	1 UNCH
400	----	----	----	0.0020B/0.0075A	----	0.0060 + 0.0010	.0127	----	----	----	----	3 UNCH
405	----	----	----	----/0.0080A	----	0.0060 + 0.0010	.0130	----	----	----	----	1 UNCH
410	----	----	----	----/0.0085A	----	0.0065 + 0.0015	.0142	----	----	----	----	2 UNCH
420	----	----	----	0.0035B/0.0090A	----	0.0065 + 0.0015	.0150	----	----	----	----	3 UNCH
430	----	----	----	0.0020B/*0.0070	----	0.0065 + 0.0010	.0159	----	----	1	----	3 UNCH
435	----	----	----	----/0.0100A	----	0.0065 + 0.0010	.0164	----	----	----	----	2 UNCH
440	----	----	----	0.0060B/0.0105A	----	0.0065 + 0.0005	.0169	----	----	----	----	8 UNCH
445	----	----	----	0.0035B/0.0110A	----	0.0070 + 0.0005	.0184	----	----	3	----	8 - 3
450	0.0055	0.0055	0.0055/*0.0050	0.0055/*0.0050	----	0.0070 UNCH	.0189	----	----	37	----	460 - 13
455	----	----	----	0.0020B/0.0115A	----	0.0075 - 0.0005	.0206	----	----	9	----	65 UNCH
460	0.0085	0.0085	0.0095/0.0085	0.0095/0.0085	----	0.0080 - 0.0010	.0223	----	----	42	----	68 - 21
465	----	----	----	0.0095B/0.0135A	----	0.0090 - 0.0005	.0251	----	----	8	----	920 UNCH
470	0.0085	0.0085	0.0095/*0.0080	0.0095/*0.0080	----	0.0100 - 0.0005	.0280	----	----	30	----	667 - 4
475	----	----	----	0.0090B/0.0120A	----	0.0110 - 0.0010	.0310	----	----	3	----	153 - 3
480	0.0105	0.0105	0.0110/*0.0105	0.0115B/*0.0105	----	0.0120 - 0.0010	.0342	----	----	42	----	989 - 21
485	----	----	----/*0.0125A	0.0115B/*0.0125	----	0.0130 - 0.0015	.0375	----	----	12	----	60 + 6
490	----	----	0.0165B/*0.0130	0.0165B/*0.0130	----	0.0145 - 0.0015	.0419	----	----	15	----	62 UNCH
495	----	----	0.0185B/*0.0140	0.0185B/*0.0140	----	0.0160 - 0.0020	.0465	----	----	----	----	35 UNCH
500	0.0175	0.0175	0.0210B/*0.0160	0.0210B/*0.0160	----	0.0175 - 0.0030	.0514	----	----	55	----	566 - 5
505	----	----	0.0245B/*0.0175	0.0245B/*0.0175	----	0.0195 - 0.0040	.0574	----	----	2	----	516 - 1
510	0.0210	0.0210	0.0285B/*0.0195	0.0285B/*0.0195	----	0.0220 - 0.0045	.0647	----	----	13	----	228 + 7
515	----	----	0.0335B/*0.0220	0.0335B/*0.0220	----	0.0245 - 0.0055	.0722	----	----	1	----	29 UNCH
520	----	----	0.0385B/*0.0245	0.0385B/*0.0245	----	0.0275 - 0.0065	.0810	----	----	3	----	171 UNCH
523	----	----	0.0415B/*0.0265	0.0415B/*0.0265	----	0.0295 - 0.0075	.0868	----	----	----	----	3 UNCH
525	----	----	0.0430B/*0.0280	0.0430B/*0.0280	----	0.0310 - 0.0080	.0910	----	----	153	----	2153 - 149
526	0.0350	0.0350	0.0445B/*0.0290	0.0445B/*0.0290	----	0.0315 NEW	.0927	----	----	2	----	2 + 2
528	----	----	0.0485B/*0.0305	0.0485B/*0.0305	----	0.0330 - 0.0090	.0971	----	----	----	----	3 UNCH
529	0.0370	0.0370	0.0490B/*0.0310	0.0490B/*0.0310	----	0.0340 - 0.0090	.0997	----	----	1	----	5 UNCH
530	0.0365	0.0365	0.0515B/*0.0320	0.0515B/*0.0320	----	0.0350 - 0.0095	.1023	----	----	6	----	141 - 1
531	----	----	0.0535B/*0.0330	0.0535B/*0.0330	----	0.0360 - 0.0095	.1050	----	----	4	----	4 + 2
532	----	----	0.0550B/*0.0335	0.0550B/*0.0335	----	0.0365 - 0.0105	.1068	----	----	----	----	2 UNCH
534	----	----	0.0585B/*0.0355	0.0585B/*0.0355	----	0.0385 - 0.0110	.1122	----	----	----	----	3 UNCH
535	0.0410	0.0410	0.0600B/*0.0365	0.0600B/*0.0365	----	0.0395 - 0.0115	.1149	----	----	3	----	24 UNCH
536	0.0360	0.0360	0.0625B/*0.0360	0.0625B/*0.0360	----	0.0410 NEW	.1184	----	----	1	----	1 + 1
537	----	----	0.0640B/*0.0385	0.0640B/*0.0385	----	0.0420 - 0.0120	.1212	----	----	----	----	4 UNCH
538	----	----	0.0665B/*0.0400	0.0665B/*0.0400	----	0.0430 - 0.0125	.1239	----	----	----	----	5 UNCH
539	----	----	0.0685B/*0.0410	0.0685B/*0.0410	----	0.0445 - 0.0125	.1275	----	----	----	----	1 UNCH
540	0.0415	0.0415	0.0695B/*0.0415	0.0695B/*0.0415	----	0.0455 - 0.0130	.1303	----	----	5	----	60 + 4
542	----	----	0.0735B/*0.0445	0.0735B/*0.0445	----	0.0480 - 0.0140	.1368	----	----	----	----	3 UNCH
543	----	----	0.0755B/*0.0460	0.0755B/*0.0460	----	0.0495 - 0.0145	.1404	----	----	----	----	12 UNCH
544	----	----	0.0780B/*0.0475	0.0780B/*0.0475	----	0.0510 - 0.0150	.1440	----	----	----	----	2 UNCH
545	----	----	0.0820B/*0.0485	0.0820B/*0.0485	----	0.0525 - 0.0155	.1477	----	----	2	----	58 + 2
546	----	----	0.0835B/*0.0500	0.0835B/*0.0500	----	0.0540 - 0.0160	.1513	----	----	----	----	1 UNCH
547	0.0600	0.0600	0.0860B/*0.0515	0.0860B/*0.0515	----	0.0555 - 0.0165	.1550	----	----	1	----	4 + 1
548	----	----	0.0890B/*0.0530	0.0890B/*0.0530	----	0.0570 - 0.0170	.1587	----	----	----	----	1 UNCH
550	0.0630	0.0630	0.0955B/*0.0560	0.0955B/*0.0560	----	0.0605 - 0.0180	.1668	----	----	209	----	297 + 146
551	----	----	0.0980B/*0.0580	0.0980B/*0.0580	----	0.0620 - 0.0190	.1705	----	----	----	----	90 UNCH
553	----	----	0.1030B/*0.0615	0.1030B/*0.0615	----	0.0660 - 0.0195	.1794	----	----	----	----	3 UNCH
555	----	----	0.1100B/*0.0645	0.1100B/*0.0645	----	0.0695 - 0.0210	.1876	----	----	----	----	10 UNCH
556	----	----	0.1140B/*0.0670	0.1140B/*0.0670	----	0.0715 - 0.0220	.1921	----	----	2	----	4 + 2
557	----	----	0.1175B/*0.0685	0.1175B/*0.0685	----	0.0740 - 0.0220	.1972	----	----	----	----	52 UNCH
559	----	----	0.1260B/*0.0730	0.1260B/*0.0730	----	0.0780 - 0.0235	.2061	----	----	----	----	5 UNCH
560	----	----	0.1295B/*0.0750	0.1295B/*0.0750	----	0.0805 - 0.0240	.2112	----	----	42	----	46 + 42
561	----	----	0.1325B/*0.0770	0.1325B/*0.0770	----	0.0825 - 0.0250	.2158	----	----	----	----	2 UNCH
565	0.0995	0.0995	0.1490B/*0.0865	0.1490B/*0.0865	----	0.0925 - 0.0275	.2361	----	----	9	----	175 + 9
567	0.0970	0.0970	0.1565B/*0.0920	0.1565B/*0.0920	----	0.0975 - 0.0290	.2464	----	----	1	----	4 + 1
570	0.1680	0.1680	0.1695B/*0.0995	0.1695B/*0.0995	----	0.1060 - 0.0315	.2628	----	----	12	----	24 + 10
574	----	----	0.1870B/*0.1120	0.1870B/*0.1120	----	0.1185 - 0.0340	.2857	----	----	----	----	1 UNCH
575	0.1320	0.1320	0.1905B/*0.1150	0.1905B/*0.1150	----	0.1220 - 0.0345	.2917	----	----	13	----	72 + 9
576	----	----	0.1960B/*0.1190	0.1960B/*0.1190	----	0.1255 - 0.0350	.2976	----	----	----	----	1 UNCH
577	----	----	0.2005B/*0.1220	0.2005B/*0.1220	----	0.1290 - 0.0355	.3036	----	----	1	----	2 + 1
578	----	----	0.2070B/*0.1255	0.2070B/*0.1255	----	0.1325 - 0.0365	.3096	----	----	----	----	1 UNCH
579	----	----	0.2110B/*0.1290	0.2110B/*0.1290	----	0.1360 - 0.0375	.3156	----	----	----	----	2 UNCH
580	0.1755	0.1755	0.2180B/*0.1325	0.2180B/*0.1325	----	0.1395 - 0.0380	.3215	----	----	7	----	21 + 6
581	0.1525	0.1525	0.2245B/*0.1365	0.2245B/*0.1365	----	0.1435 - 0.0385	.3278	----	----	2	----	2 + 1
582	----	----	0.2265B/*0.1400	0.2265B/*0.1400	----	0.1470 - 0.0400	.3338	----	----	----	----	3 UNCH
583	----	----	0.2340B/*0.1435	0.2340B/*0.1435	----	0.1510 - 0.0405	.3400	----	----	3	----	3 + 2
584	0.1570	0.1570	0.2405B/*0.1475	0.2405B/*0.1475	----	0.1550 - 0.0410	.3463	----	----	2	----	5 + 1
585	0.1515	0.1515	0.2460B/*0.1510	0.2460B/*0.1510	----	0.1590 - 0.0420	.3525	----	----	7	----	9 + 7
588	----	----	0.2605B/*0.1640	0.2605B/*0.1640	----	0.1720 - 0.0440	.3715	----	----	----	----	1 UNCH
590	0.1900	0.1900	0.2750B/*0.1730	0.2750B/*0.1730	----	0.1805 - 0.0460	.3841	----	----	16	----	17 + 15
591	0.1840	0.1840	0.2815B/*0.1770	0.2815B/*0.1770	----	0.1850 NEW	.3904	----	----	1	----	1 + 1
594	----	----	0.2980B/*0.1910	0.2980B/*0.1910	----	0.1990 - 0.0490	.4096	----	----	----	----	3 UNCH
595	0.2025	0.2025	0.3025B/*0.1955	0.3025B/*0.1955	----	0.2035 NEW	.4159	----	----	1	----	1 + 1
596	0.2200	0.2200	0.3090B/*0.2000	0.3090B/*0.2000	----	0.2085 NEW	.4223	----	----	7	----	7 + 7
597	----	----	0.3160B/*0.2045	0.3160B/*0.2045	----	0.2130 NEW	.4286	----	----	3	----	3 + 3
598	0.2240	0.2240	0.3220B/*0.2095	0.3220B/*0.2095	----	0.2180 NEW	.4350	----	----	6	----	6 + 6
599	0.2570	0.2570	0.3290B/*0.2145	0.3290B/*0.2145	----	0.2230 NEW	.4414	----	----	4	----	4 + 4
600	0.2410	0.2410	0.3355B/*0.2195	0.3355B/*0.2195	----	0.2285 - 0.0545	.4478	----	----	9	----	25 + 8
602	----	----	0.3460B/*0.2295	0.3460B/*0.2295	----	0.2390 - 0.0560	.4605	----	----	----	----	1 UNCH
604	0.2695	0.2695	0.3505B/*0.2400	0.3505B/*0.2400	----	0.2495 NEW	.4731	----	----	2	----	2 + 2
605	----	----	0.3635B/*0.2450	0.3635B/*0.2450	----	0.2550 - 0.0590	.4794	----	----	----	----	48 UNCH
607	0.2745	0.2745	0.3485B/*0.2560	0.3485B/*0.2560	----	0.2660 NEW	.4919	----	----	2	----	2 + 2
608	----	----	0.3450B/*0.2615	0.3450B/*0.2615	----	0.2720 NEW	.4981	----	----	2	----	2 + 2
610	0.2715	0.2715	0.3990B/*0.2715	0.3990B/*0.2715	----	0.2835 - 0.0630	.5105	----	----	2	----	22 + 2
611	0.2775	0.2775	0.2775/*0.2775	0.3480B/*0.2775	----	0.2895 NEW	.5166	----	----	1	----	1 + 1
615	----	----	0.4355B/*0.3030	0.4355B/*0.3030	----	0.3135 - 0.0665	.5407	----	----	----	----	31 UNCH
620	----	----	0.4730B/*0.3350	0.4730B/*0.3350	----	0.3455 - 0.0690	.5700	----	----	----	----	9 UNCH
630	----	----	0.5520B/*0.4020	0.5520B/*0.4020	----	0.4125 - 0.0750	.6254	----	----	----	----	9 UNCH
645	----	----	----/*0.5165A	0.5985B/*0.5165	----	0.5215 - 0.0835	.7004	----	----	----	----	1 UNCH
650	----	----	----/*0.5545A	0.6415B/*0.5545	----	0.5600 - 0.0860	.7230	----	----	----	----	3 UNCH
655	----	----	----/*0.5935A	0.6850B/*0.5935	----	0.5995 - 0.0880	.7444	----	----	----	----	1 UNCH
700	----	----	----/1.0015A	1.0695B/1.0015A	----	0.9875 - 0.1020	.8832	----	----	----	----	1 UNCH
TOTAL										825		8566 + 100
JUL26												
330	----	----	----	----/0.0110A	----	0.0010 UNCH	.0022	----	----	----	----	80 UNCH
350	----	----	----	----/0.0120A	----	0.0015 UNCH	.0034	----	----	----	----	5 UNCH
380	----	----	----	----/0.0140A	----	0.0025 - 0.0005	.0059	----	----	----	----	2 UNCH
390	----	----	----	----/0.0150A	----	0.0035 UNCH	.0081	----	----	----	----	6 UNCH
395	----	----	----	0.0005B/0.0155A	----	0.0040 UNCH	.0093	----	----	----	----	1 UNCH
400	----	----	----	0.0010B/*0.0065	----	0.0045 UNCH	.0104	----	----	----	----	508 UNCH
405	----	----	----	0.0015B/0.0095A	----	0.0050 UNCH	.0116	----	----	----	----	1 UNCH
415	----	----	----	0.0030B/0.0105A	----	0.0060 - 0.0005	.0141	----	----	----	----	53 UNCH
420	----	----	----	0.0035B/0.0110A	----	0.0065 - 0.0005	.0154	----	----	----	----	4 UNCH
425	0.0080	0.0080	0.0085/*0.0080	0.0085/*0.0080	----	0.0070 - 0.0010	.0167	----	----	2	----	49 - 1
430	----	----	----	0.0045B/0.0130A	----	0.0080 - 0.0005	.0190	----	----	----	----	8 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 74

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
JUL26												
435	----	----	----	0.0070B/*0.0140	----	0.0090 - 0.0005	.0213	----	----	----	----	5 UNCH
440	----	----	----	0.0085B/*0.0150	----	0.0100 - 0.0005	.0237	----	----	----	----	3 UNCH
445	----	----	----	0.0085B/*0.0160	----	0.0110 - 0.0010	.0262	----	----	----	----	3 UNCH
450	----	----	----	0.0100B/0.0155A	----	0.0120 - 0.0015	.0287	----	----	----	----	1923 UNCH
455	----	----	----	0.0115B/0.0175A	----	0.0135 - 0.0015	.0322	----	----	----	----	9 UNCH
460	----	----	----	0.0125B/0.0185A	----	0.0150 - 0.0015	.0357	----	----	----	----	5 UNCH
470	----	----	----	0.0170B/0.0240A	----	0.0190 - 0.0020	.0447	----	----	----	----	2 UNCH
475	----	----	----	0.0200B/0.0245A	----	0.0210 - 0.0030	.0494	----	----	----	----	510 UNCH
480	----	----	----/*0.0260A	0.0235B/*0.0260	----	0.0235 - 0.0035	.0550	----	----	----	----	70 UNCH
485	----	----	----/*0.0285A	0.0270B/*0.0285	----	0.0260 - 0.0040	.0607	----	----	----	----	1 UNCH
490	----	----	----/*0.0285A	0.0325B/*0.0285	----	0.0290 - 0.0050	.0674	----	----	1	----	540 UNCH
495	----	----	----/*0.0320A	0.0380B/*0.0320	----	0.0325 - 0.0055	.0749	----	----	----	----	96 UNCH
500	----	----	0.0440B/*0.0355	0.0440B/*0.0355	----	0.0360 - 0.0065	.0826	----	----	12	----	2622 + 5
505	----	----	0.0500B/*0.0395	0.0500B/*0.0395	----	0.0400 - 0.0080	.0912	----	----	----	----	2 UNCH
510	----	----	0.0580B/*0.0445	0.0580B/*0.0445	----	0.0450 - 0.0090	.1014	----	----	2	----	33 UNCH
520	----	----	0.0790B/*0.0555	0.0790B/*0.0555	----	0.0575 - 0.0100	.1253	----	----	36	----	574 - 19
525	0.0675	0.0675	0.0900B/*0.0625	0.0900B/*0.0625	----	0.0640 - 0.0120	.1379	----	----	19	----	517 - 3
530	0.0860	0.0860	0.1000B/*0.0695	0.1000B/*0.0695	----	0.0705 - 0.0145	.1508	----	----	11	----	3222 + 2
534	----	----	0.1065B/*0.0770	0.1065B/*0.0770	----	0.0765 - 0.0170	.1622	----	----	----	----	1 UNCH
535	----	----	0.1090B/*0.0775	0.1090B/*0.0775	----	0.0785 - 0.0170	.1656	----	----	----	----	1 UNCH
539	----	----	0.1195B/*0.0860	0.1195B/*0.0860	----	0.0855 - 0.0190	.1782	----	----	----	----	1 UNCH
540	0.0915	0.0915	0.1275B/*0.0855	0.1275B/*0.0855	----	0.0880 - 0.0190	.1821	----	----	1	----	481 UNCH
542	----	----	0.1280B/*0.0915	0.1280B/*0.0915	----	0.0920 NEW	.1889	----	----	2	----	2 + 2
550	0.1140	0.1140	0.1590B/*0.1065	0.1590B/*0.1065	----	0.1110 - 0.0225	.2191	----	----	35	----	614 + 14
555	----	----	0.1720B/*0.1215	0.1720B/*0.1215	----	0.1240 - 0.0245	.2390	----	----	5	----	54 UNCH
560	0.1380	0.1380	0.1920B/*0.1340	0.1920B/*0.1340	----	0.1385 - 0.0265	.2600	----	----	4	----	152 UNCH
565	----	----	0.2140B/*0.1505	0.2140B/*0.1505	----	0.1540 - 0.0290	.2818	----	----	1	----	8 + 1
570	----	----	0.2370B/*0.1680	0.2370B/*0.1680	----	0.1710 - 0.0320	.3044	----	----	4	----	82 + 1
571	----	----	0.2410B/*0.1725	0.2410B/*0.1725	----	0.1745 - 0.0325	.3089	----	----	----	----	1 UNCH
574	----	----	0.2560B/*0.1825	0.2560B/*0.1825	----	0.1855 - 0.0345	.3229	----	----	----	----	5 UNCH
575	----	----	0.2610B/*0.1870	0.2610B/*0.1870	----	0.1895 NEW	.3276	----	----	1	----	1 + 1
580	0.2145	0.2145	0.2900B/*0.2020	0.2900B/*0.2020	----	0.2095 - 0.0380	.3514	----	----	20	----	1772 + 8
585	----	----	0.3150B/*0.2265	0.3150B/*0.2265	----	0.2305 - 0.0410	.3755	----	----	----	----	21 UNCH
586	----	----	0.3205B/*0.2305	0.3205B/*0.2305	----	0.2350 - 0.0415	.3804	----	----	----	----	7 UNCH
587	----	----	0.3260B/*0.2355	0.3260B/*0.2355	----	0.2395 - 0.0425	.3853	----	----	----	----	7 UNCH
588	----	----	0.3320B/*0.2405	0.3320B/*0.2405	----	0.2440 - 0.0430	.3901	----	----	----	----	1 UNCH
589	----	----	0.3375B/*0.2440	0.3375B/*0.2440	----	0.2490 - 0.0435	.3951	----	----	----	----	7 UNCH
590	----	----	0.3435B/*0.2490	0.3435B/*0.2490	----	0.2535 - 0.0440	.3999	----	----	29	----	48 + 27
595	----	----	0.3740B/*0.2735	0.3740B/*0.2735	----	0.2780 - 0.0470	.4244	----	----	----	----	2 UNCH
600	----	----	0.4050B/*0.2975	0.4050B/*0.2975	----	0.3045 - 0.0500	.4488	----	----	----	----	10 UNCH
610	----	----	0.4690B/*0.3525	0.4690B/*0.3525	----	0.3605 - 0.0560	.4966	----	----	----	----	47 UNCH
615	----	----	0.5005B/*0.3815	0.5005B/*0.3815	----	0.3905 - 0.0590	.5197	----	----	----	----	10 UNCH
700	----	----	----	----	----	1.0335 - 0.0945	.8142	----	----	----	----	1 UNCH
705	----	----	----	----	----	1.0770 - 0.0960	.8257	----	----	----	----	1 UNCH
TOTAL										185		14191 + 38
AUG26												
405	----	----	----	0.0015B/0.0230A	----	0.0120 - 0.0005	.0221	----	----	----	----	3 UNCH
420	----	----	----	0.0070B/0.0250A	----	0.0145 UNCH	.0273	----	----	----	----	1 UNCH
440	0.0160	0.0160	0.0160/*0.0160	0.0160/*0.0160	----	0.0185 - 0.0010	.0360	----	----	3	----	11 + 3
450	----	----	----	0.0175B/0.0280A	----	0.0215 - 0.0015	.0421	----	----	----	----	4 UNCH
475	----	----	----	0.0350B/0.0385	----	0.0335 - 0.0035	.0651	----	----	----	----	2 UNCH
480	----	----	----	0.0395B/*0.0420	----	0.0370 - 0.0040	.0714	----	----	----	----	4 UNCH
500	----	----	----/*0.0595A	0.0625B/*0.0595	----	0.0550 - 0.0080	.1024	----	----	----	----	3 UNCH
510	----	----	----/*0.0720A	0.0780B/*0.0720	----	0.0680 - 0.0100	.1230	----	----	----	----	1 UNCH
520	----	----	0.0975B/*0.0870	0.0975B/*0.0870	----	0.0830 - 0.0125	.1459	----	----	----	----	300 UNCH
530	----	----	0.1215B/*0.1045	0.1215B/*0.1045	----	0.1010 - 0.0145	.1720	----	----	----	----	1 UNCH
565	----	----	0.2420B/*0.1940	0.2420B/*0.1940	----	0.1920 NEW	.2860	----	----	1	----	1 + 1
580	----	----	0.3125B/*0.2490	0.3125B/*0.2490	----	0.2485 - 0.0350	.3440	----	----	----	----	250 UNCH
585	----	----	0.3390B/*0.2700	0.3390B/*0.2700	----	0.2700 - 0.0375	.3640	----	----	1	----	6 + 1
590	----	----	0.3660B/*0.2920	0.3660B/*0.2920	----	0.2925 - 0.0405	.3842	----	----	----	----	14 UNCH
TOTAL										5		601 + 5
SEP26												
400	----	----	----	0.0040B/0.0265A	----	0.0150 - 0.0010	.0254	----	----	----	----	1 UNCH
450	----	----	----	0.0210B/*0.0405	----	0.0300 - 0.0040	.0527	----	----	----	----	578 UNCH
470	----	----	----	0.0405B/*0.0535	----	0.0430 - 0.0065	.0739	----	----	----	----	3 UNCH
475	----	----	----	0.0465B/*0.0580	----	0.0475 - 0.0070	.0808	----	----	----	----	70 UNCH
480	----	----	----	0.0535B/*0.0630	----	0.0525 - 0.0075	.0883	----	----	----	----	7 UNCH
485	----	----	----	0.0605B/*0.0685	----	0.0580 - 0.0080	.0963	----	----	----	----	1 UNCH
490	----	----	----	0.0625B/*0.0770	----	0.0640 - 0.0085	.1049	----	----	----	----	9 UNCH
500	----	----	----	0.0790B/*0.0890	----	0.0775 - 0.0105	.1237	----	----	----	----	377 UNCH
520	----	----	----/*0.1230A	0.1220B/*0.1230	----	0.1125 - 0.0130	.1687	----	----	----	----	3 UNCH
525	----	----	----/*0.1335A	0.1355B/*0.1335	----	0.1230 - 0.0140	.1815	----	----	----	----	325 UNCH
535	----	----	0.1645B/*0.1560	0.1645B/*0.1560	----	0.1460 - 0.0160	.2084	----	----	----	----	350 UNCH
540	----	----	0.1890B/*0.1650	0.1890B/*0.1650	----	0.1590 - 0.0175	.2229	----	----	----	----	1 UNCH
550	----	----	0.2250B/*0.1925	0.2250B/*0.1925	----	0.1870 - 0.0205	.2530	----	----	----	----	20 UNCH
575	----	----	0.3340B/*0.2800	0.3340B/*0.2800	----	0.2755 - 0.0310	.3364	----	----	----	----	102 UNCH
590	----	----	0.4130B/*0.3445	0.4130B/*0.3445	----	0.3420 - 0.0370	.3896	----	----	----	----	2 UNCH
600	----	----	0.4705B/*0.3925	0.4705B/*0.3925	----	0.3920 - 0.0410	.4254	----	----	----	----	9 UNCH
610	----	----	0.5320B/*0.4445	0.5320B/*0.4445	----	0.4455 - 0.0450	.4609	----	----	----	----	6 UNCH
615	----	----	0.5640B/*0.4725	0.5640B/*0.4725	----	0.4735 - 0.0475	.4784	----	----	----	----	1 UNCH
625	----	----	0.6305B/*0.5305	0.6305B/*0.5305	----	0.5325 - 0.0515	.5126	----	----	----	----	147 UNCH
695	----	----	1.1085B/*1.0250	1.1085B/*1.0250	----	1.0290 - 0.0770	.7140	----	----	----	----	2 UNCH
TOTAL												2014
OCT26												
375	----	----	----	0.0010B/0.0290A	----	0.0140 - 0.0005	.0208	----	----	----	----	2 UNCH
400	----	----	----	0.0050B/0.0335A	----	0.0190 UNCH	.0290	----	----	----	----	1 UNCH
450	----	----	----	0.0265B/*0.0520	----	0.0395 - 0.0010	.0604	----	----	----	----	1 UNCH
470	----	----	----	0.0480B/*0.0675	----	0.0555 - 0.0030	.0826	----	----	----	----	1 UNCH
500	----	----	----	0.0775B/0.1120A	----	0.0920 - 0.0075	.1290	----	----	----	----	116 UNCH
TOTAL												121
NOV26												
400	----	----	----	0.0060B/0.0425A	----	0.0250 + 0.0005	.0351	----	----	----	----	10 UNCH
475	----	----	----	0.0695B/*0.0940	----	0.0760 - 0.0055	.1015	----	----	----	----	2 UNCH
735	----	----	----/*1.3640A	1.3570B/*1.3640	----	1.3575 - 0.0780	.7315	----	----	----	----	2 UNCH
TOTAL												14
DEC26												
385	----	----	----	0.0040B/0.0460A	----	0.0260 UNCH	.0337	----	----	----	----	1 UNCH
400	----	----	----	0.0300B/0.0505A	----	0.0310 - 0.0010	.0406	----	----	----	----	17 UNCH
420	----	----	----	0.0180B/0.0595A	----	0.0400 - 0.0025	.0526	----	----	----	----	2 UNCH
455	----	----	----	0.0520B/*0.0875	----	0.0670 - 0.0040	.0853	----	----	----	----	1 UNCH
475	----	----	----	0.0830B/0.1130A	----	0.0915 - 0.0055	.1122	----	----	----	----	76 UNCH
490	----	----	----	0.1115B/*0.1370	----	0.1150 - 0.0080	.1364	----	----	----	----	5 UNCH
500	----	----	----	0.1335B/*0.1560	----	0.1340 - 0.0100	.1548	----	----	----	----	53 UNCH
550	----	----	----	0.2880B/*0.2895	----	0.2670 - 0.0210	.2666	----	----	----	----	2 UNCH
560	----	----	0.3295B/*0.3250	0.3295B/*0.3250	----	0.3025 - 0.0235	.2924	----	----	----	----	300 UNCH
570	----	----	0.3745B/*0.3640	0.3745B/*0.3640	----	0.3415 - 0.0265	.3190	----	----	----	----	1 UNCH
580	----	----	0.4225B/*0.4060	0.4225B/*0.4060	----	0.3840 - 0.0290	.3461	----	----	----	----	22 UNCH
600	----	----	0.5290B/*0.5000	0.5290B/*0.5000	----	0.4785 - 0.0350	.4012	----	----	----	----	26 UNCH
630	----	----	0.7105B/*0.6630	0.7105B/*0.6630	----	0.6435 - 0.0435	.4826	----	----	----	----	18 UNCH
TOTAL												524
JAN27												
400	----	----	----	----	----	0.0285 - 0.0050	.0373	----	----	----	----	8 UNCH
TOTAL												8
FEB27												
400	----	----	----	----	----	0.0345 - 0.0060	.0424	----	----	----	----	2 UNCH
TOTAL												2
MAR27												
275	----	----	----	----	----	0.0185 + 0.0070	.0163	----	----	----	----	1 UNCH
TOTAL												1
HXE CALL		COPPER OPTIONS										
APR26												
548	----	----	----	----	----	0.4060 UNCH	----	----	----	----	----	0 UNCH
555	----	----	----	----	----	0.3360 UNCH	----	----	----	----	----	0 UNCH
558	----	----	#0.4160B/----	#0.4160B/0.3595	----	0.4270 + 0.0935	.9071	----	----	----	----	11 UNCH
560	----	----	----	----	----	0.2860 UNCH	----	----	----	----	----	0 UNCH
567	----	----	----	----	----	0.2160 UNCH	----	----	----	----	----	0 UNCH
570	----	----	----	----	----	0.1860 UNCH	----	----	----	----	----	0 UNCH
572	----	----	----	----	----	0.1660 UNCH	----	----	----	----	----	0 UNCH
574	----	----	#0.2195B/0.1215	0.2195B/0.1215A	----	0.2625 + 0.0820	.9111	----	----	----	----	1 UNCH
575	----	----	----	----	----	0.1360 UNCH	----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 75

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HXE CALL		COPPER OPTIONS										
APR26												
575	----	----	#0.2665B/0.1520	#0.2665B/0.1520	----	0.2800 + 0.0715	.7954	----	----	----	----	7 UNCH
576	----	----	----	----	----	0.1260 UNCH	----	----	----	----	----	0 UNCH
578	----	----	#0.1830B/0.1025	0.1830B/0.1025A	----	0.2280 + 0.0760	.8716	----	----	----	----	1 UNCH
580	----	----	----	----	----	0.0860 UNCH	----	----	----	----	----	0 UNCH
580	0.0860	0.0860	#0.2255B/0.0860	0.2255B/0.0860	----	0.2115 + 0.0725	.8476	----	----	2	----	7 + 2
580	----	----	#0.2445B/0.1285	#0.2445B/0.1285	----	0.2425 + 0.0635	.7446	----	----	----	----	2 UNCH
581	----	----	#0.1565B/0.0900	0.1565B/0.0900A	----	0.2035 + 0.0705	.8344	----	----	----	----	1 UNCH
582	----	----	----	----	----	0.0660 UNCH	----	----	----	----	----	0 UNCH
584	----	----	----	----	----	0.0460 UNCH	----	----	----	----	----	0 UNCH
585	----	----	----	----	----	0.0360 UNCH	----	----	----	----	----	0 UNCH
587	----	----	----	----	----	0.0160 UNCH	----	----	----	----	----	0 UNCH
589	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
589	----	----	#0.1175B/0.0625	0.1175B/0.0625A	----	0.1445 + 0.0535	.7065	----	----	----	----	4 UNCH
590	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
590	----	----	#0.1130B/0.0595	0.1130B/0.0595A	----	0.1380 + 0.0515	.6877	----	----	----	----	10 UNCH
590	----	----	#0.1840B/0.0925	#0.1840B/0.0925	----	0.1780 + 0.0475	.6257	----	----	----	----	1 UNCH
592	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
593	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
594	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
595	----	----	#0.1110B/0.0480	0.1110B/0.0480A	----	0.1075 + 0.0395	.5896	----	----	1	----	5 - 1
595	----	----	#0.1560B/0.0785	#0.1560B/0.0785	----	0.1510 + 0.0400	.5618	----	----	----	----	7 UNCH
596	----	----	#0.1065B/0.0460	0.1065B/0.0460A	----	0.1020 NEW	.5692	----	----	1	----	1 + 1
600	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
600	0.0765	0.0765	#0.0890B/0.0390	0.0890B/0.0390A	----	0.0815 NEW	.4867	----	----	2	----	2 + 2
600	0.1200	0.1200	#0.1350B/0.0660	#0.1350B/0.0660	----	0.1270 + 0.0325	.4983	----	----	7	----	10 + 7
610	0.0600	0.0600	#0.0940B/0.0475	#0.0940B/0.0475	----	0.0880 NEW	.3785	----	----	5	----	5 + 5
620	0.0085	0.0085	#0.0220B/*0.008	0.0220B/*0.0085	----	0.0225 NEW	.1577	----	----	10	----	10 + 10
620	0.0530	0.0530	#0.0625B/0.0350	#0.0625B/0.0350	----	0.0590 NEW	.2746	----	----	7	----	7 + 7
640	----	----	----	0.0020B/0.0110A	----	0.0050 UNCH	.0331	----	----	----	----	3 UNCH
650	----	----	----	----/0.0110A	----	0.0025 - 0.0005	.0151	----	----	----	----	10 UNCH
670	----	----	----	----/0.0085A	----	0.0005 UNCH	.0013	----	----	----	----	3 UNCH
TOTAL										35		108 + 33
MAY26												
580	----	----	#0.3115B/0.1830	#0.3115B/0.1830	----	0.3100 + 0.0690	.7553	----	----	----	----	1 UNCH
TOTAL												1
HXE PUT		COPPER OPTIONS										
APR26												
490	----	----	----	----/0.0070A	----	0.0005 UNCH	----	----	----	----	----	2 UNCH
510	----	----	----	----/0.0075A	----	0.0005 UNCH	----	----	----	----	----	25 UNCH
524	----	----	----	----/0.0140A	----	0.0040 - 0.0025	.0203	----	----	----	----	1 UNCH
552	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
565	0.0150	0.0150	0.0195B/*0.0125	0.0195B/*0.0125	----	0.0050 - 0.0130	.0358	----	----	2	----	2 + 1
568	----	----	0.0290B/*0.0140	0.0290B/*0.0140	----	0.0065 - 0.0155	.0477	----	----	----	----	1 UNCH
570	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
572	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
573	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
575	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
577	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
580	0.0860	0.0860	0.0860/*0.0265A	0.0860/*0.0265A	----	0.0210 NEW	.1522	----	----	2	----	2 + 2
585	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
587	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
589	----	----	----	----	----	0.0040 UNCH	----	----	----	----	----	0 UNCH
589	----	----	0.1280B/*0.0455	0.1280B/*0.0455	----	0.0440 - 0.0510	.2933	----	----	----	----	4 UNCH
590	----	----	0.1290B/*0.0485	0.1290B/*0.0485	----	0.0475 NEW	.3121	----	----	1	----	1 + 1
596	----	----	----/*0.0700A	0.1290B/*0.0700	----	0.0715 NEW	.4306	----	----	1	----	1 + 1
TOTAL										6		39 + 5
MAY26												
465	----	----	----	----/0.0110A	----	0.0015 - 0.0005	.0056	----	----	----	----	14 UNCH
510	----	----	----	0.0005B/0.0140A	----	0.0050 - 0.0020	.0213	----	----	----	----	1 UNCH
TOTAL												15

ALUMINIUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST

PLATINUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO CALL		NYMEX PALLADIUM OPTIONS										
MAY26												
1575	----	----	30.60B/21.20A	30.60B/21.20A	----	33.70 + 10.60	.5537	----	----	----	----	5 UNCH
1585	----	----	25.00B/19.00A	25.00B/19.00A	----	28.70 + 8.60	.4890	----	----	----	----	1 UNCH
1600	----	----	18.00B/----	18.00B/16.40A	----	22.40 + 6.20	.3947	----	----	----	----	31 UNCH
1610	----	----	----	14.00B/14.80A	----	18.80 + 4.70	.3359	----	----	----	----	15 UNCH
1615	----	----	----	12.30B/14.20A	----	17.30 + 4.30	.3090	----	----	----	----	15 UNCH
1720	----	----	----	----/8.00A	----	2.00 - 0.50	.0262	----	----	----	----	8 UNCH
1800	----	----	----	----/6.80A	----	0.30 - 0.50	.0022	----	----	----	----	4 UNCH
1900	----	----	----	----/6.00A	----	0.10 - 0.10	.0000	----	----	----	----	20 UNCH
1925	----	----	----	----/5.80A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH
1950	----	----	----	----/5.70A	----	0.10 UNCH	----	----	----	----	----	40 UNCH
2475	----	----	----	----/5.10A	----	0.10 UNCH	----	----	----	----	----	100 UNCH
TOTAL												249 0
JUN26												
1400	----	----	216.70B/171.80A	216.70B/171.80A	----	216.70 + 31.50	.7913	----	----	----	----	75 UNCH
1440	----	----	----	----	----	186.70 + 28.70	.7432	----	----	----	----	1 UNCH
1460	----	----	----	----	----	172.70 + 27.30	.7164	----	----	----	----	25 UNCH
1500	----	----	144.70B/114.10A	144.70B/114.10A	----	146.80 + 24.40	.6591	----	----	----	----	110 UNCH
1525	----	----	129.50B/102.50A	129.50B/102.50A	----	132.00 + 22.50	.6211	----	----	----	----	5 UNCH
1550	----	----	115.50B/91.80A	115.50B/91.80A	----	118.40 + 20.70	.5822	----	----	----	----	14 UNCH
1575	----	----	102.70B/82.20A	102.70B/82.20A	----	105.90 + 18.90	.5430	----	----	----	----	15 UNCH
1600	----	----	91.00B/73.50A	91.00B/73.50A	----	94.50 + 17.20	.5040	----	----	----	----	56 UNCH
1655	----	----	68.70B/57.50A	68.70B/57.50A	----	72.90 + 13.50	.4211	----	----	----	----	1 UNCH
1700	----	----	54.10B/47.50A	54.10B/47.50A	----	58.80 + 10.90	.3589	----	----	----	----	25 UNCH
1750	----	----	41.20B/----	41.20B/39.10A	----	46.30 + 8.20	.2976	----	----	----	----	10 UNCH
1800	----	----	31.50B/----	31.50B/32.70A	----	36.80 + 6.10	.2460	----	----	----	----	110 UNCH
1850	----	----	----	24.40B/27.90A	----	29.80 + 4.60	.2043	----	----	----	----	2 UNCH
1900	----	----	----	19.10B/24.40A	----	24.50 + 3.50	.1707	----	----	----	----	64 UNCH
1925	----	----	----	16.90B/22.90A	----	22.40 + 3.00	.1567	----	----	----	----	40 UNCH
1950	----	----	----	15.10B/21.70A	----	20.50 + 2.60	.1440	----	----	----	----	10 UNCH
2000	----	----	----	11.90B/19.50A	----	17.40 + 2.10	.1227	----	----	----	----	106 UNCH
2100	----	----	----	7.50B/16.50A	----	11.60 + 1.10	.0846	----	----	----	----	52 UNCH
2200	----	----	----	4.70B/14.40A	----	7.80 + 0.70	.0585	----	----	----	----	7 UNCH
2300	----	----	----	2.80B/12.90A	----	5.50 + 0.40	.0417	----	----	----	----	30 UNCH
2400	----	----	----	1.30B/11.80A	----	4.10 + 0.20	.0311	----	----	----	----	7 UNCH
2500	----	----	----	0.20B/10.80A	----	2.90 + 0.10	.0223	----	----	----	----	25 UNCH
2700	----	----	----	----/9.40A	----	1.50 UNCH	.0117	----	----	----	----	50 UNCH
3000	----	----	----	----/8.10A	----	0.60 UNCH	.0047	----	----	----	----	30 UNCH
3500	----	----	----	----/6.90A	----	0.10 - 0.10	.0008	----	----	----	----	25 UNCH
TOTAL												895 0
JUL26												
1800	----	----	68.10B/----	68.10B/63.70A	----	74.10 + 11.40	.3443	----	----	----	----	29 UNCH
TOTAL												29 0
SEP26												
1400	----	----	289.90B/256.70A	289.90B/256.70A	----	294.40 + 29.40	.7322	----	----	----	----	75 UNCH
1575	----	----	196.70B/177.60A	196.70B/177.60A	----	203.20 + 22.20	.5850	----	----	----	----	25 UNCH
1665	----	----	160.70B/147.20A	160.70B/147.20A	----	167.80 + 19.20	.5122	----	----	----	----	9 UNCH
1700	----	----	148.50B/137.00A	148.50B/137.00A	----	155.80 + 18.10	.4854	----	----	----	----	5 UNCH
1800	----	----	118.30B/----	118.30B/112.00A	----	126.10 + 14.90	.4144	----	----	----	----	1 UNCH
1900	----	----	94.50B/----	94.50B/92.80A	----	102.80 + 12.10	.3528	----	----	----	----	5 UNCH
2100	----	----	----	62.20B/67.30A	----	70.90 + 8.00	.2578	----	----	----	----	25 UNCH
2200	----	----	----	51.70B/58.80A	----	61.30 + 6.80	.2249	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 76

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO CALL		NYMEX PALLADIUM OPTIONS										
SEP26												
2400	----	----	----	37.20B/46.70A	----	48.70 + 5.10	.1782	----	----	----	----	15 UNCH
2550	----	----	----	29.80B/40.50A	----	41.60 + 4.20	.1519	----	----	----	----	50 UNCH
TOTAL												215 0
DEC26												
2000	----	----	----	----	----	189.90 + 15.70	.4253	----	----	----	----	1 UNCH
3000	----	----	----	----	----	114.90 + 8.30	.2499	----	----	----	----	1 UNCH
TOTAL												2 0
PAO PUT		NYMEX PALLADIUM OPTIONS										
MAY26												
1250	----	----	----	----/*5.20A	----	0.10 UNCH	----	----	----	----	----	160 UNCH
1300	----	----	----	----/*5.30A	----	0.10 - 0.10	----	----	----	----	----	1 UNCH
1400	----	----	----	----/*6.50A	----	0.20 - 2.30	.0014	----	----	----	----	22 UNCH
1450	----	----	----/*7.90A	6.30B/*7.90A	----	1.20 - 6.80	.0149	----	----	----	----	2 UNCH
1500	10.00	10.00	21.90B/*10.00	21.90B/*10.00	----	5.40 - 15.00	.0893	----	----	1	----	2 UNCH
1550	----	----	50.70B/*20.70A	50.70B/*20.70A	----	16.70 - 25.60	.2941	----	----	----	100	0 - 100
1605	----	----	----/*45.40A	33.80B/*45.40A	----	43.40 - 36.50	.6353	----	----	----	----	17 UNCH
1610	----	----	----/*48.40A	33.30B/*48.40A	----	46.70 - 37.10	.6640	----	----	----	----	17 UNCH
1615	----	----	----	----	----	50.20 - 37.60	.6909	----	----	----	----	26 UNCH
1675	----	----	159.70B/98.10A	159.70B/98.10A	----	98.30 - 41.60	.9125	----	----	----	----	100 UNCH
1820	----	----	----	----	----	238.10 - 42.20	.9987	----	----	----	----	25 UNCH
TOTAL									100	1		372 - 100
JUN26												
1200	----	----	----	8.40B/15.10A	----	9.10 - 2.90	.0611	----	----	----	----	15 UNCH
1250	----	----	----	14.00B/19.00A	----	13.50 - 4.20	.0874	----	----	----	----	1 UNCH
1300	----	----	----/24.20A	21.40B/24.20A	----	18.80 - 5.60	.1189	----	----	----	----	125 UNCH
1325	----	----	----/27.40A	25.90B/27.40A	----	22.00 - 6.50	.1375	----	----	----	----	18 UNCH
1335	----	----	----/*28.80A	27.90B/28.80A	----	23.40 - 6.90	.1456	----	----	----	----	1 UNCH
1350	----	----	----/*31.10A	31.20B/31.10A	----	25.70 - 7.60	.1585	----	----	----	----	5 UNCH
1400	----	----	----/40.40A	44.70B/40.40A	----	35.10 - 10.40	.2085	----	----	----	----	217 UNCH
1440	----	----	58.80B/50.00A	58.80B/50.00A	----	45.00 - 13.10	.2566	----	----	----	----	4 UNCH
1450	----	----	62.80B/52.80A	62.80B/52.80A	----	47.90 - 13.80	.2698	----	----	----	----	79 UNCH
1460	----	----	67.10B/55.70A	67.10B/55.70A	----	51.00 - 14.50	.2834	----	----	----	----	25 UNCH
1500	----	----	85.90B/69.30A	85.90B/69.30A	----	64.90 - 17.40	.3407	----	----	----	----	3 UNCH
1750	----	----	261.70B/215.00A	261.70B/215.00A	----	213.70 - 33.50	.7022	----	----	----	----	1 UNCH
1900	----	----	397.70B/341.10A	397.70B/341.10A	----	341.50 - 38.30	.8291	----	----	----	----	50 UNCH
TOTAL												544 0
JUL26												
1285	----	----	----/*34.90A	31.50B/*34.90A	----	28.80 - 6.30	.1368	----	----	----	----	9 UNCH
1300	----	----	----/*37.40A	34.60B/*37.40A	----	31.30 - 6.90	.1471	----	----	----	----	35 UNCH
TOTAL												44 0
SEP26												
1300	60.00	60.00	60.00/*60.00	62.20B/*60.00	----	58.20 NEW	.1920	----	----	5	----	5 + 5
1465	----	----	----/124.40A	131.00B/124.40A	----	116.10 - 15.80	.3215	----	----	----	----	150 UNCH
1550	----	----	178.10B/165.90A	178.10B/165.90A	----	158.00 NEW	.3936	----	----	----	100	100 + 100
1575	----	----	193.30B/179.40A	193.30B/179.40A	----	171.80 - 19.90	.4146	----	----	----	----	25 UNCH
1650	----	----	241.80B/223.40A	241.80B/223.40A	----	216.10 - 22.50	.4756	----	----	----	----	50 UNCH
1925	----	----	452.30B/418.30A	452.30B/418.30A	----	413.00 - 30.80	.6608	----	----	----	----	75 UNCH
TOTAL									100	5		405 + 105
PAW OOF		PALLADIUM WEEKLY FRIDAY OPTION Week										
APR26												
1500	----	----	----	----	----	40.20 UNCH	----	----	----	----	----	0 UNCH
1600	----	----	30.00B/24.30A	30.00B/24.30A	----	34.40 + 9.50	.4377	----	----	----	----	1 UNCH
TOTAL												1 0
PLW OOF		PLATINUM WEEKLY FRIDAY OPTION Week4										
APR26												
1755	----	----	8.80B/*8.30A	8.80B/*8.30A	----	5.10 - 3.30	.0452	----	----	----	----	27 UNCH
1765	----	----	----	1.20B/*4.60A	----	0.90 - 2.00	.0080	----	----	----	----	27 UNCH
1790	----	----	----	3.00B/*5.00A	----	1.40 - 2.50	.0131	----	----	----	----	27 UNCH
1840	----	----	8.20B/*6.30A	8.20B/*6.30A	----	3.10 - 4.00	.0312	----	----	----	----	27 UNCH
1935	----	----	26.90B/*13.30A	26.90B/*13.30A	----	10.80 - 7.70	.1177	----	----	----	----	25 UNCH
1955	----	----	----	----	----	110.20 UNCH	----	----	----	----	----	0 UNCH
1975	----	----	----	----	----	90.20 UNCH	----	----	----	----	----	0 UNCH
2040	----	----	----/47.00A	61.00B/47.00A	----	73.60 - 0.10	.6375	----	----	----	----	10 UNCH
2050	----	----	----	----	----	15.20 UNCH	----	----	----	----	----	0 UNCH
2065	----	----	----	----	----	0.20 UNCH	----	----	----	----	----	0 UNCH
2085	----	----	99.30B/81.50A	99.30B/81.50A	----	80.80 - 14.40	.4972	----	----	----	----	26 UNCH
2090	----	----	----	----	----	24.80 UNCH	----	----	----	----	----	0 UNCH
2090	----	----	99.20B/84.00A	99.20B/84.00A	----	83.40 - 14.60	.5080	----	----	----	----	26 UNCH
2090	----	----	----/52.10A	70.30B/52.10A	----	71.40 - 1.90	.4919	----	----	----	----	26 UNCH
2095	----	----	----/50.50A	68.00B/50.50A	----	69.10 - 2.00	.4811	----	----	----	----	26 UNCH
2095	----	----	----/86.70A	98.80B/86.70A	----	86.10 - 14.80	.5187	----	----	----	----	53 UNCH
2120	----	----	----/43.50A	57.00B/43.50A	----	58.50 - 2.60	.4282	----	----	----	----	27 UNCH
2135	21.60	21.60	25.40B/21.10A	25.40B/21.10A	----	27.10 NEW	.3171	----	----	5	----	5 + 5
2150	----	----	159.00B/93.90A	159.00B/93.90A	----	94.40 - 19.10	.7290	----	----	----	----	12 UNCH
2150	20.00	20.00	20.70B/18.40A	20.70B/18.40A	----	22.40 NEW	.2709	----	----	1	----	1 + 1
2155	----	----	----	----	----	98.00 - 19.20	.7435	----	----	----	----	12 UNCH
2160	----	----	----/16.90A	17.90B/16.90A	----	19.70 - 6.50	.2425	----	----	----	----	12 UNCH
2160	----	----	----	----	----	101.70 - 19.30	.7574	----	----	----	----	12 UNCH
2210	25.70	25.70	#28.20B/*25.70	28.20B/*25.70	----	30.80 NEW	.2605	----	----	5	----	5 + 5
2230	6.00	6.00	6.00/*6.00	7.20B/*6.00	----	8.50 NEW	.1067	----	----	25	----	25 + 25
2265	----	----	----/*8.50A	4.30B/*8.50A	----	5.40 - 4.40	.0668	----	----	----	----	26 UNCH
TOTAL										36		437 + 36
MAY26												
1700	----	----	10.70B/----	10.70B/*9.60A	----	5.70 - 3.80	.0453	----	----	----	----	3 UNCH
1915	----	----	----	----	----	197.30 + 2.40	.7774	----	----	----	----	20 UNCH
2050	----	----	----/84.40A	108.70B/84.40A	----	110.00 - 1.50	.5700	----	----	----	----	10 UNCH
TOTAL												33 0
PO CALL		PLATINUM OPTIONS										
MAY26												
1750	----	----	332.60B/256.60A	332.60B/256.60A	----	328.10 + 12.50	.9999	----	----	----	----	19 UNCH
1800	----	----	282.70B/208.30A	282.70B/208.30A	----	278.10 + 11.60	.9996	----	----	----	----	18 UNCH
1850	----	----	232.90B/161.90A	232.90B/161.90A	----	228.50 + 10.20	.9967	----	----	----	----	2 UNCH
1950	----	----	136.10B/80.30A	136.10B/80.30A	----	132.50 + 5.10	.9463	----	----	----	----	3 UNCH
1995	----	----	----/53.50A	46.10B/53.50A	----	93.20 + 2.00	.8593	----	----	----	----	15 UNCH
2000	----	----	91.30B/51.00A	91.30B/51.00A	----	89.20 + 1.60	.8455	----	----	----	----	304 UNCH
2005	----	----	----/48.60A	47.40B/48.60A	----	85.20 + 1.20	.8304	----	----	----	----	14 UNCH
2025	----	----	70.60B/39.80A	70.60B/39.80A	----	69.80 - 0.70	.7609	----	----	----	----	50 UNCH
2040	----	----	----/34.10A	46.20B/34.10A	----	59.10 - 2.20	.6983	----	----	----	----	64 UNCH
2045	----	----	----/32.50A	45.90B/32.50A	----	55.80 - 2.70	.6752	----	----	----	----	50 UNCH
2050	----	----	----/30.80A	52.40B/30.80A	----	52.50 - 3.20	.6516	----	----	----	----	111 UNCH
2055	----	----	----/29.20A	42.10B/29.20A	----	49.40 - 3.60	.6269	----	----	----	----	57 UNCH
2060	----	----	----/27.70A	40.20B/27.70A	----	46.40 - 4.00	.6017	----	----	----	----	12 UNCH
2065	----	----	----/26.30A	37.70B/26.30A	----	43.50 - 4.40	.5759	----	----	----	----	14 UNCH
2070	----	----	----/24.90A	37.60B/24.90A	----	40.70 - 4.80	.5497	----	----	----	----	14 UNCH
2075	----	----	----/23.40A	37.10B/23.40A	----	38.00 - 5.10	.5231	----	----	----	----	25 UNCH
2080	----	----	----/22.00A	34.50B/22.00A	----	35.50 - 5.40	.4964	----	----	----	----	20 UNCH
2085	----	----	----/20.60A	32.00B/20.60A	----	33.10 - 5.60	.4698	----	----	----	----	14 UNCH
2090	----	----	----/19.40A	29.60B/19.40A	----	30.80 - 5.90	.4432	----	----	----	----	21 UNCH
2095	----	----	----/18.20A	27.30B/18.20A	----	28.60 - 6.10	.4168	----	----	----	----	7 UNCH
2100	----	----	----/17.10A	25.00B/17.10A	----	26.60 - 6.20	.3912	----	----	----	----	233 UNCH
2105	----	----	----/16.10A	22.90B/16.10A	----	24.70 - 6.30	.3660	----	----	----	----	7 UNCH
2110	----	----	----/15.10A	21.00B/15.10A	----	22.80 - 6.50	.3411	----	----	----	----	37 UNCH
2115	----	----	----/14.30A	19.20B/14.30A	----	21.10 - 6.50	.3173	----	----	----	----	22 UNCH
2120	----	----	----/*13.40A	17.40B/*13.40A	----	19.50 - 6.60	.2944	----	----	----	----	27 UNCH
2125	----	----	----/*12.70A	15.80B/*12.70A	----	18.00 - 6.60	.2723	----	----	----	----	27 UNCH
2130	----	----	----/*12.00A	14.30B/*12.00A	----	16.60 - 6.60	.2513	----	----	----	----	120 UNCH
2135	----	----	----/*11.40A	12.90B/*11.40A	----	15.30 - 6.60	.2314	----	----	----	----	20 UNCH
2140	----	----	----/*10.80A	11.90B/*10.80A	----	14.10 - 6.50	.2126	----	----	----	----	7 UNCH
2145	----	----	----/*10.30A	10.90B/*10.30A	----	13.00 - 6.40	.1951	----	----	----	----	7 UNCH
2150	----	----	----/*9.90A	10.00B/*9.90A	----	11.90 - 6.40	.1779	----	----	----	----	119 UNCH
2155	----	----	----/*9.40A	9.20B/*9.40A	----	10.90 - 6.30	.1620	----	----	----	----	7 UNCH
2160	----	----	----/*9.00A	8.40B/*9.00A	----	10.00 - 6.30	.1475	----	----	----	----	13 UNCH
2170	----	----	----/*8.30A	7.00B/*8.30A	----	8.40 - 6.00	.1214	----	----	----	----	75 UNCH
2175	----	----	----/*8.00A	6.40B/*8.00A	----	7.70 - 5.90	.1099	----	----	----	----	208 UNCH
2200	----	----	----/*6.80A	3.80B/*6.80A	----	5.00 - 5.20	.0659	----	----	----	----	205 UNCH
2215	----	----	----/*6.30A	2.60B/*6.30A	----	3.80 - 4.80	.0473	----	----	----	----	20 UNCH
2220	----	----	----/*6.20A	2.20B/*6.20A	----	3.50 - 4.60	.0426	----	----	----	----	21 UNCH
2245	----	----	----/*5.50A	0.90B/*5.50A	----	2.10 - 3.90	.0227	----	----	----	----	10 UNCH
2250	1.20	1.20	1.20/*1.20	1.20/*1.20	----	1.90 - 3.70	.0200	----	----	1	----	30 + 1
2260	----	----	----	0.20B/*5.20A	----	1.60 - 3.40	.0160	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 77

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PO CALL		PLATINUM OPTIONS										
MAY26												
2265	----	----	----	----/*5.20A	----	1.50 - 3.20	.0146	----	----	----	----	10 UNCH
2270	----	----	----	----/*5.10A	----	1.30 - 3.10	.0123	----	----	----	----	183 UNCH
2275	----	----	----	----/*5.00A	----	1.20 - 3.00	.0110	----	----	----	----	10 UNCH
2280	----	----	----	----/*4.90A	----	1.10 - 2.90	.0098	----	----	----	----	38 UNCH
2285	----	----	----	----/*4.90A	----	1.00 - 2.70	.0086	----	----	----	----	10 UNCH
2300	----	----	----/*1.20A	----/*1.20A	----	0.70 - 2.50	.0054	----	----	----	----	27 UNCH
2315	----	----	----	----/*4.50A	----	0.60 - 2.10	.0043	----	----	----	----	10 UNCH
2320	----	----	----	----/*4.50A	----	0.50 - 2.10	.0034	----	----	----	----	4 UNCH
2330	----	----	----	----/*4.40A	----	0.40 - 1.90	.0025	----	----	----	----	10 UNCH
2350	----	----	----	----/*4.20A	----	0.30 - 1.50	.0017	----	----	----	----	1 UNCH
2360	----	----	----	----/*4.10A	----	0.20 - 1.40	.0010	----	----	----	----	10 UNCH
2390	----	----	----	----/*3.90A	----	0.10 - 1.00	.0002	----	----	----	----	21 UNCH
2400	----	----	----	----/1.20A	----	0.10 - 0.80	.0001	----	----	----	----	18 UNCH
2450	----	----	----	----/*3.60A	----	0.10 - 0.30	.0000	----	----	----	----	160 UNCH
2500	----	----	----	----/3.40A	----	0.10 - 0.10	----	----	----	----	----	170 UNCH
2700	----	----	----	----/3.10A	----	0.10 UNCH	----	----	----	----	----	110 UNCH
2730	----	----	----	----/3.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2750	----	----	----	----/3.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
2800	----	----	----	----/3.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2880	----	----	----	----/3.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3000	----	----	----	----/3.00A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3050	----	----	----	----/3.00A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3150	----	----	----	----/3.00A	----	0.10 UNCH	----	----	----	----	----	121 UNCH
TOTAL										1		2981 + 1
JUN26												
1900	----	----	238.00B/196.10A	238.00B/196.10A	----	236.80 + 0.70	.7377	----	----	----	----	1 UNCH
2000	----	----	----/143.00A	173.40B/143.00A	----	173.30 - 1.90	.6255	----	----	----	----	20 UNCH
2090	----	----	----/105.70A	126.50B/105.70A	----	127.80 - 3.00	.5171	----	----	----	----	2 UNCH
2100	----	----	----/102.00A	121.90B/102.00A	----	123.30 - 3.20	.5051	----	----	----	----	2 UNCH
2150	----	----	----/85.70A	101.10B/85.70A	----	102.10 - 4.40	.4457	----	----	----	----	4 UNCH
2200	----	----	----/71.10A	83.20B/71.10A	----	84.00 - 5.30	.3888	----	----	----	----	200 UNCH
2225	----	----	----/64.70A	75.30B/64.70A	----	76.20 - 5.40	.3619	----	----	----	----	30 UNCH
2240	61.90	61.90	70.90B/61.10A	70.90B/61.10A	----	71.90 NEW	.3464	----	----	15	----	15 + 15
2250	----	----	----/58.90A	68.10B/58.90A	----	69.20 - 5.40	.3364	----	----	----	----	2 UNCH
2255	58.50	58.50	66.70B/57.70A	66.70B/57.70A	----	67.90 NEW	.3315	----	----	15	----	15 + 15
2300	----	----	----/48.80A	55.50B/48.80A	----	57.10 - 5.10	.2894	----	----	----	----	321 UNCH
2320	46.20	46.20	51.00B/45.20A	51.00B/45.20A	----	53.00 NEW	.2723	----	----	30	----	30 + 30
2355	----	----	----/39.80A	44.10B/39.80A	----	46.40 - 4.20	.2442	----	----	----	----	2 UNCH
2500	25.00	25.00	25.00/24.40A	25.00/24.40A	----	26.50 - 3.30	.1519	----	----	1	----	106 + 1
2650	----	----	----/*16.60A	13.40B/16.60A	----	14.90 - 2.60	.0912	----	----	----	----	17 UNCH
TOTAL										61		767 + 61
JUL26												
1500	----	----	590.70B/523.50A	590.70B/523.50A	----	587.50 + 8.90	.9450	----	----	----	----	50 UNCH
1680	----	----	----	----	----	429.40 + 5.20	.8664	----	----	----	----	50 UNCH
1700	----	----	415.20B/361.20A	415.20B/361.20A	----	413.30 + 4.80	.8539	----	----	----	----	1 UNCH
1800	----	----	338.60B/292.60A	338.60B/292.60A	----	338.20 + 3.70	.7832	----	----	----	----	113 UNCH
1850	----	----	303.60B/261.50A	303.60B/261.50A	----	303.70 + 3.10	.7435	----	----	----	----	1 UNCH
2000	----	----	----/181.50A	211.70B/181.50A	----	212.60 + 0.20	.6130	----	----	----	----	110 UNCH
2050	----	----	----/159.50A	185.60B/159.50A	----	186.60 - 1.10	.5671	----	----	----	----	1 UNCH
2100	----	----	----/140.00A	161.90B/140.00A	----	163.10 - 2.00	.5210	----	----	----	----	422 UNCH
2150	----	----	----/122.60A	140.70B/122.60A	----	142.00 - 2.80	.4756	----	----	----	----	12 UNCH
2200	113.00	113.00	122.00B/107.40A	122.00B/107.40A	----	123.30 - 3.30	.4316	----	----	2	----	406 + 1
2300	----	----	----/82.20A	91.00B/82.20A	----	92.60 - 3.90	.3504	----	----	----	----	167 UNCH
2375	----	----	----/67.10A	72.90B/67.10A	----	74.70 - 3.80	.2969	----	----	----	----	50 UNCH
2400	----	----	----/62.70A	67.60B/62.70A	----	69.70 - 3.60	.2808	----	----	----	----	766 UNCH
2500	----	----	----/47.80A	50.20B/47.80A	----	53.00 - 2.60	.2241	----	----	1	----	422 UNCH
2600	----	----	----/37.10A	37.60B/37.10A	----	40.80 - 1.70	.1790	----	----	----	----	361 UNCH
2700	----	----	----/29.80A	28.50B/29.80A	----	31.90 - 1.30	.1438	----	----	----	----	14 UNCH
2755	----	----	----/26.90A	24.70B/26.90A	----	28.00 - 1.20	.1278	----	----	----	----	1 UNCH
2800	----	----	----/24.80A	22.00B/24.80A	----	25.20 - 1.10	.1161	----	----	----	----	347 UNCH
2850	----	----	----/22.90A	19.50B/22.90A	----	22.40 - 1.20	.1043	----	----	----	----	91 UNCH
2900	----	----	----	17.40B/21.30A	----	20.10 - 1.10	.0942	----	----	----	----	90 UNCH
3000	----	----	----	14.00B/18.70A	----	16.20 - 1.10	.0770	----	----	----	----	582 UNCH
3100	----	----	----	11.50B/16.80A	----	13.30 - 1.00	.0637	----	----	----	----	159 UNCH
3200	----	----	----	6.80B/18.00A	----	10.70 - 0.90	.0520	----	----	----	----	14 UNCH
3300	----	----	----	5.20B/16.80A	----	8.70 - 0.80	.0428	----	----	----	----	31 UNCH
3400	----	----	----	4.00B/15.70A	----	7.20 - 0.70	.0356	----	----	----	----	32 UNCH
3500	----	----	----	2.90B/14.80A	----	6.00 - 0.70	.0299	----	----	----	----	274 UNCH
3600	----	----	----	2.00B/14.00A	----	5.20 - 0.60	.0258	----	----	----	----	300 UNCH
3800	----	----	----	3.30B/9.90A	----	3.90 - 0.50	.0193	----	----	----	----	12 UNCH
3900	----	----	----	2.70B/9.40A	----	3.50 - 0.40	.0172	----	----	----	----	8 UNCH
4000	----	----	----	2.20B/9.00A	----	3.10 - 0.40	.0152	----	----	----	----	221 UNCH
TOTAL										3		5108 + 1
OCT26												
1720	----	----	----	----	----	465.40 + 7.40	.7866	----	----	----	----	1 UNCH
1800	----	----	409.60B/368.50A	409.60B/368.50A	----	413.20 + 6.00	.7416	----	----	----	----	1 UNCH
2200	----	----	----/196.10A	214.40B/196.10A	----	218.80 + 0.70	.5007	----	----	----	----	135 UNCH
2400	----	----	----/145.20A	155.00B/145.20A	----	159.80 - 0.30	.3965	----	----	----	----	110 UNCH
2500	117.00	117.00	132.40B/117.00	132.40B/117.00	----	137.00 - 1.00	.3515	----	----	1	----	178 + 1
2600	----	----	----/109.10A	113.50B/109.10A	----	117.60 - 1.60	.3111	----	----	----	----	10 UNCH
2700	----	----	----/94.90A	97.40B/94.90A	----	101.20 - 2.20	.2752	----	----	----	----	300 UNCH
2800	----	----	----/82.90A	83.80B/82.90A	----	87.60 - 2.50	.2439	----	----	----	----	30 UNCH
2850	----	----	----/77.60A	77.80B/77.60A	----	81.60 - 2.70	.2296	----	----	----	----	100 UNCH
2900	----	----	----/72.70A	72.30B/72.70A	----	76.10 - 2.80	.2163	----	----	----	----	210 UNCH
3000	----	----	----/64.20A	62.60B/64.20A	----	66.60 - 2.90	.1926	----	----	----	100	121 UNCH
3200	----	----	----/50.80A	47.50B/50.80A	----	52.00 - 2.90	.1543	----	----	----	----	10 UNCH
3500	----	----	----/38.20A	32.70B/38.20A	----	37.50 - 2.70	.1140	----	----	----	----	10 UNCH
TOTAL									100	1		1216 + 1
JAN27												
2360	----	----	----	----	----	239.50 + 4.10	.4649	----	----	----	----	100 UNCH
TOTAL												100 0
PO PUT		PLATINUM OPTIONS										
MAY26												
1700	----	----	----	----/*3.10A	----	0.10 - 0.10	----	----	----	----	----	1 UNCH
1725	----	----	----	----/*3.10A	----	0.10 - 0.20	.0000	----	----	----	----	13 UNCH
1745	----	----	----	----/*3.20A	----	0.10 - 0.40	.0000	----	----	----	----	15 UNCH
1750	----	----	----	----/*3.20A	----	0.10 - 0.40	.0000	----	----	----	----	76 UNCH
1780	----	----	----	----/*3.40A	----	0.10 - 0.80	.0001	----	----	----	----	1 UNCH
1785	----	----	----	----/*3.40A	----	0.10 - 0.90	.0001	----	----	----	----	1 UNCH
1800	----	----	----	----/*3.50A	----	0.10 - 1.30	.0003	----	----	----	----	108 UNCH
1820	----	----	----	0.40B/*3.70A	----	0.20 - 1.70	.0009	----	----	----	----	100 UNCH
1825	----	----	----	0.70B/*3.70A	----	0.30 - 1.80	.0016	----	----	----	----	14 UNCH
1850	----	----	----	2.70B/*4.10A	----	0.50 - 2.70	.0032	----	----	----	----	78 UNCH
1855	----	----	----	3.20B/*4.10A	----	0.60 - 2.80	.0040	----	----	----	----	15 UNCH
1860	----	----	----	3.70B/*4.20A	----	0.70 - 3.00	.0049	----	----	----	----	100 UNCH
1865	----	----	4.20B/----	4.20B/*4.30A	----	0.80 - 3.20	.0059	----	----	----	----	5 UNCH
1870	----	----	4.80B/----	4.80B/*4.40A	----	0.90 - 3.40	.0068	----	----	----	----	14 UNCH
1875	----	----	5.40B/*4.50A	5.40B/*4.50A	----	1.00 - 3.70	.0079	----	----	----	----	122 UNCH
1890	----	----	7.30B/*4.80A	7.30B/*4.80A	----	1.40 - 4.40	.0122	----	----	----	----	22 UNCH
1895	----	----	8.00B/*4.90A	8.00B/*4.90A	----	1.50 - 4.70	.0134	----	----	----	----	29 UNCH
1900	----	----	8.70B/*5.10A	8.70B/*5.10A	----	1.70 - 4.90	.0157	----	----	----	----	132 UNCH
1905	----	----	9.50B/*5.20A	9.50B/*5.20A	----	1.90 - 5.20	.0181	----	----	----	----	46 UNCH
1910	----	----	10.40B/*5.40A	10.40B/*5.40A	----	2.10 - 5.40	.0205	----	----	----	----	46 UNCH
1915	----	----	11.30B/*5.60A	11.30B/*5.60A	----	2.30 - 5.70	.0231	----	----	----	----	67 UNCH
1920	----	----	12.30B/*5.80A	12.30B/*5.80A	----	2.60 - 6.00	.0268	----	----	----	----	49 UNCH
1925	----	----	13.30B/*6.10A	13.30B/*6.10A	----	2.80 - 6.30	.0297	----	----	----	----	20 UNCH
1930	----	----	14.50B/*6.30A	14.50B/*6.30A	----	3.10 - 6.50	.0337	----	----	----	----	20 UNCH
1935	----	----	15.70B/*6.60A	15.70B/*6.60A	----	3.40 - 6.80	.0379	----	----	----	----	20 UNCH
1945	10.00	10.00	18.30B/*7.20A	18.30B/*7.20A	----	4.10 - 7.40	.0478	----	----	4	----	30 UNCH
1950	----	----	19.70B/*7.60A	19.70B/*7.60A	----	4.50 - 7.70	.0536	----	----	----	----	79 UNCH
1960	----	----	23.00B/*8.40A	23.00B/*8.40A	----	5.40 NEW	.0670	----	----	45	----	45 + 45
1970	----	----	26.60B/*9.30A	26.60B/*9.30A	----	6.50 - 9.00	.0835	----	----	----	----	9 UNCH
1990	----	----	35.10B/*11.70A	35.10B/*11.70A	----	9.40 - 10.40	.1272	----	----	45	----	55 + 45
2000	13.00	13.00	39.90B/*13.00	39.90B/*13.00	----	11.20 - 11.20	.1544	----	----	1	----	311 + 1
2005	----	----	42.60B/*14.10A	42.60B/*14.10A	----	12.20 - 11.60	.1695	----	----	----	----	13 UNCH
2010	----	----	45.20B/*15.00A	45.20B/*15.00A	----	13.20 - 12.10	.1851	----	----	----	----	13 UNCH
2015	----	----	48.00B/*15.90A	48.00B/*15.90A	----	14.30 - 12.60	.2019	----	----	----	----	13 UNCH
2020	----	----	50.70B/*17.00A	50.70B/*17.00A	----	15.50 - 13.10	.2199	----	----	----	----	13 UNCH
2025	----	----	53.80B/*18.10A	53.80B/*18.10A	----	16.80 - 13.50	.2390	----	----	----	----	13 UNCH
2030	----	----	50.50B/*19.40A	50.50B/*19.40A	----	18.10 - 14.10	.2586	----	----	----	----	78 UNCH
2050	----	----	70.10B/*25.30A	70.10B/*25.30A	----	24.50 - 16.00	.3483	----	----	----	----	200 UNCH
2100	----	----	108.50B/48.20A	108.50B/48.20A	----	48.60 - 19.00	.6087	----	----	----	----	70 UNCH
2115	----	----	----	----	----	58.10 - 19.30	.6826	----	----	----	----	22 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
PO PUT		PLATINUM OPTIONS											
MAY26													
2155	----	----	----	----	----	87.90 - 19.10	.8379	----	----	----	----	13	UNCH
2160	----	----	----	----	----	92.00 - 19.00	.8524	----	----	----	----	38	UNCH
2175	----	----	175.70B/101.90A	175.70B/101.90A	----	104.70 - 18.70	.8900	----	----	----	----	10	UNCH
2195	----	----	----	----	----	122.40 - 18.10	.9273	----	----	----	----	23	UNCH
2200	----	----	199.50B/123.80A	199.50B/123.80A	----	126.90 - 18.00	.9340	----	----	----	----	10	UNCH
2215	----	----	----	----	----	140.80 - 17.50	.9526	----	----	----	----	60	UNCH
2450	----	----	446.00B/368.20A	446.00B/368.20A	----	372.10 - 13.00	1.0000	----	----	----	----	50	UNCH
2500	----	----	495.90B/418.10A	495.90B/418.10A	----	422.10 - 12.80	1.0000	----	----	----	----	100	UNCH
TOTAL										95		2382 +	91
JUN26													
1825	----	----	59.20B/*41.90A	59.20B/*41.90A	----	39.70 - 10.20	.1902	----	----	----	----	89	UNCH
1850	----	----	67.10B/47.70A	67.10B/47.70A	----	45.60 - 10.80	.2128	----	----	----	----	1	UNCH
1900	----	----	85.50B/61.30A	85.50B/61.30A	----	59.30 - 12.10	.2621	----	----	----	----	275	UNCH
1950	----	----	107.00B/77.50A	107.00B/77.50A	----	75.80 - 13.50	.3163	----	----	----	----	2	UNCH
2000	----	----	131.80B/96.90A	131.80B/96.90A	----	95.50 - 14.70	.3743	----	----	----	----	1	UNCH
2100	----	----	190.60B/145.30A	190.60B/145.30A	----	145.20 - 15.90	.4947	----	----	----	----	100	UNCH
TOTAL												468	0
JUL26													
1400	----	----	----	6.70B/*10.40A	----	6.70 - 2.60	.0320	----	----	----	----	150	UNCH
1500	----	----	----/*15.20A	15.30B/*15.20A	----	11.90 - 4.00	.0548	----	----	----	----	153	UNCH
1550	----	----	21.60B/*19.10A	21.60B/*19.10A	----	15.80 - 5.00	.0708	----	----	----	----	200	UNCH
1600	----	----	29.70B/24.30A	29.70B/24.30A	----	21.10 - 6.00	.0911	----	----	----	----	403	UNCH
1650	----	----	39.60B/31.10A	39.60B/31.10A	----	28.10 - 7.10	.1161	----	----	----	----	1	UNCH
1680	----	----	46.50B/36.10A	46.50B/36.10A	----	33.30 - 7.60	.1334	----	----	----	----	50	UNCH
1700	45.90	45.90	51.50B/39.80A	51.50B/39.80A	----	37.20 - 8.00	.1458	----	----	1	----	286	UNCH
1710	----	----	54.20B/41.70A	54.20B/41.70A	----	39.20 - 8.20	.1522	----	----	----	----	1	UNCH
1750	----	----	65.60B/50.50A	65.60B/50.50A	----	48.40 - 8.60	.1796	----	----	----	----	50	UNCH
1800	72.00	72.00	81.80B/63.50A	81.80B/63.50A	----	61.60 - 9.10	.2165	----	----	50	----	261 +	43
1825	69.00	69.00	90.80B/67.00A	90.80B/67.00A	----	69.00 NEW	.2361	----	----	5	----	5 +	5
1900	----	----	120.90B/95.80A	120.90B/95.80A	----	94.20 - 10.40	.2981	----	----	----	----	1	UNCH
2100	----	----	226.90B/186.40A	226.90B/186.40A	----	185.00 - 14.80	.4788	----	----	----	----	225	UNCH
2165	----	----	239.60B/224.00A	239.60B/224.00A	----	222.70 - 15.70	.5375	----	----	----	----	20	UNCH
2350	----	----	408.40B/351.30A	408.40B/351.30A	----	350.90 - 16.50	.6857	----	----	----	----	5	UNCH
2400	----	----	449.50B/390.10A	449.50B/390.10A	----	390.00 - 16.30	.7189	----	----	----	----	300	UNCH
4000	----	----	1,996.00B/1,920	1,996.00B/1,920	----	1922.00 - 12.90	.9848	----	----	----	----	10	UNCH
TOTAL										56		2121 +	48
OCT26													
1300	----	----	----	15.80B/22.40A	----	17.80 - 2.00	.0529	----	----	----	----	4	UNCH
1500	----	----	43.90B/----	43.90B/43.80A	----	40.70 - 3.00	.1102	----	----	----	----	80	UNCH
1600	----	----	67.20B/62.50A	67.20B/62.50A	----	60.30 - 3.90	.1523	----	----	----	----	17	UNCH
1720	----	----	105.30B/94.70A	105.30B/94.70A	----	92.50 - 5.50	.2129	----	----	----	----	2	UNCH
2000	----	----	233.80B/209.60A	233.80B/209.60A	----	206.00 - 10.60	.3789	----	----	----	----	1	UNCH
2100	----	----	292.80B/263.20A	292.80B/263.20A	----	259.70 - 11.80	.4402	----	----	----	----	100	UNCH
2400	----	----	505.70B/461.40A	505.70B/461.40A	----	459.30 - 13.00	.6031	----	----	----	----	200	UNCH
2500	----	----	585.50B/537.60A	585.50B/537.60A	----	535.30 - 13.80	.6480	----	----	----	----	1	UNCH
TOTAL												405	0
JAN27													
1500	----	----	----	----	----	56.60 - 2.60	.1280	----	----	----	----	40	UNCH
1800	----	----	----	----	----	153.90 - 5.00	.2689	----	----	----	----	1	UNCH
TOTAL												41	0

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 79

FINAL

OPTIONS EOO'S AND BLOCKS

PRODUCT	STRIKE PRICE	EOO VOLUME	BLOCK VOLUME
OG CALL	COMEX GOLD OPTIONS		
MAY26 CALL			
OG	4900	0	50
TOTALS		0	50
JUN26 CALL			
OG	5000	0	200
OG	5250	0	200
OG	5270	0	25
OG	5500	0	1160
OG	6000	0	200
TOTALS		0	1785
JUL26 CALL			
OG	5000	0	50
OG	5100	0	250
TOTALS		0	300
AUG26 CALL			
OG	5000	0	250
OG	5600	0	250
TOTALS		0	500
SEP26 CALL			
OG	4800	0	240
OG	5600	0	360
TOTALS		0	600
DEC26 CALL			
OG	5500	0	292
OG	6500	0	404
TOTALS		0	696
OG PUT	COMEX GOLD OPTIONS		
MAY26 PUT			
OG	4500	0	100
OG	4700	0	250
TOTALS		0	350
JUN26 PUT			
OG	3800	0	500
OG	4450	0	200
OG	4500	0	250
OG	4650	0	25
OG	4750	0	100
TOTALS		0	1075
JUL26 PUT			
OG	4100	0	80
OG	4785	0	50
TOTALS		0	130
AUG26 PUT			
OG	4000	0	250
OG	4400	0	15
TOTALS		0	265
OCT26 PUT			
OG	4600	0	240
TOTALS		0	240
DEC26 PUT			
OG	3700	0	130
OG	4300	0	90
TOTALS		0	220
SO CALL	COMEX SILVER OPTIONS		
MAY26 CALL			
SO	7700	0	75
TOTALS		0	75
JUL26 CALL			
SO	8000	0	75
TOTALS		0	75
SEP26 CALL			
SO	9000	0	25
SO	9500	0	40
TOTALS		0	65
SO PUT	COMEX SILVER OPTIONS		
MAY26 PUT			
SO	6700	0	150
SO	6900	0	50
TOTALS		0	200
JUN26 PUT			
SO	6500	0	28
TOTALS		0	28
SEP26 PUT			
SO	6200	0	40
TOTALS		0	40
HX CALL	COMEX COPPER OPTIONS		
JUL26 CALL			
HX	625	0	100
TOTALS		0	100
SEP26 CALL			
HX	650	0	50
HX	750	0	50
TOTALS		0	100
PO CALL	PLATINUM OPTIONS		
OCT26 CALL			
PO	3000	0	100
TOTALS		0	100
PAO PUT	NYMEX PALLADIUM OPTIONS		
MAY26 PUT			
PAO	1550	0	100
TOTALS		0	100
SEP26 PUT			
PAO	1550	0	100
TOTALS		0	100
OG3 CALL	GOLD OPTIONS		
APR26 CALL			
OG3	4810	0	100
TOTALS		0	100
SO3 PUT	SILVER OPTIONS		
APR26 PUT			
SO3	7200	0	50
TOTALS		0	50

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GMW MON		GOLD WEEKLY MONDAY OPTION WEEK2		
APR26	PUT			
G2M		4675	0	50
TOTALS			0	50
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK2		
APR26	CALL			
G2M		4780	0	100
TOTALS			0	100
GWT TUE		GOLD WEEKLY TUESDAY OPTION Week2		
APR26	PUT			
G2T		4725	0	50
TOTALS			0	50
GWR THU		GOLD WEEKLY THURSDAY OPTION Week3		
APR26	PUT			
G3R		4725	0	50
TOTALS			0	50

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.