

PG64

BULLETIN # 89@

METALS OPTION PRODUCTS

Mon, May 11, 2026

PG64

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY
R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY’S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES														
EXPIRATION:	MAY26	MAY26	MAY26	JUN26	JUL26	AUG26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27	APR27
COO OPT	05/29			06/30	07/31	08/28	09/30	10/30	11/30	12/31	01/29	02/26	03/31	
ECG10 OP		05/08	05/11											
ECG11 OP		05/08	05/11											
ECG13 OP		05/08	05/11											
ECG15 OP		05/08	05/11											
ECG16 OP		05/08	05/11											
ECGC OOF		05/08	05/11											
ECHG OOF		05/08	05/11											
ECSI OOF		05/08	05/11											
EHO OPT	05/29			06/30	07/31	08/28	09/30							
FMG OPT	05/15													
FSO OPT	05/29			06/30										
GMW MON	05/18			06/08										
GWR THU	05/28			06/04										
GWT TUE	05/19			06/09										
GWV WED	05/27			06/03										
HMW MON	05/18			06/08										
HRO OPT	05/26			06/23	07/28	08/25	09/29	10/27	11/24	12/29				
HWR THU	05/28			06/04										
HWT TUE	05/19			06/09										
HWV WED	05/27			06/03										
HX CALL				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	
HX PUT				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	
HXE CALL	05/29			06/05										
HXE PUT	05/29													
LHO OPT	05/29			06/30	07/31	08/31	09/30	10/30	11/30	12/31	01/29	02/26	03/31	
MMG MON	05/11			06/01										
OG CALL				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
OG PUT				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
OG1 CALL				06/05										
OG1 PUT				06/05										
OG2 CALL	05/08													
OG2 PUT	05/08													
OG3 CALL	05/15													
OG3 PUT	05/15													
OG4 CALL	05/22													
OG4 PUT	05/22													
OG5 CALL	05/29													
OG5 PUT	05/29													
OMG OPT				05/26	06/25	07/28								
PAO CALL				05/20	06/17	07/15	08/19			11/18				
PAO PUT				05/20	06/17		08/19			11/18				
PLW OOF	05/15													
PO CALL				05/20	06/17	07/15		09/16			12/16			
PO PUT				05/20	06/17			09/16			12/16			
RWS THU	05/28			06/04										
SMW MON	05/18			06/01										
SO CALL				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
SO PUT				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
SO2 CALL	05/08													
SO2 PUT	05/08													
SO3 CALL	05/15													
SO3 PUT	05/15													
SO4 CALL	05/22													
SO4 PUT	05/22													
SO5 CALL	05/29													
SO5 PUT	05/29													
SWV WED	05/27													
TWS TUE	05/19			06/02										
WMG WED	05/13													

GOLD OPTIONS ON FUTURES															
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
WMG WED MAY26	MICRO GOLD WEEKLY WED OPTION WEEK2														
4700	26.00	26.00		#26.00/*26.00	#26.00/*26.00	----	----	----	23.90 NEW 4.80 - 5.50	.3473 .0627	----	----	1	----	1 + 3
4850	----	----		----	----	----	----	----	----	----	----	----	1	----	UNCH 1
TOTAL															
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT JUN26	MICRO GOLD OPTIONS														
2500	----	----		----	----	----	----	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3950	----	----		----	----	----	----	----	1.60 - 0.40	----	----	----	----	----	1 UNCH
4200	----	----		----	----	----	----	----	3.60 - 0.70	----	----	----	----	----	1 UNCH
4260	----	----		----	----	----	----	----	4.70 - 1.00	----	----	----	----	----	1 UNCH
4300	----	----		----	----	----	----	----	5.80 - 1.20	----	----	----	----	----	4 UNCH
4500	----	----		----	----	----	----	----	20.10 - 3.80	----	----	----	----	----	6 UNCH
4600	----	----		----	----	----	----	----	40.30 - 4.60	----	----	----	----	----	1 UNCH
4625	----	----		----	----	----	----	----	47.60 - 4.80	----	----	----	----	----	1 UNCH
4645	----	----		----	----	----	----	----	54.20 - 4.90	----	----	----	----	----	6 UNCH
4700	----	----		----	----	----	----	----	104.90 - 6.80	----	----	----	----	----	1 UNCH
4720	----	----		----	----	----	----	----	85.70 - 4.60	----	----	----	----	----	2 UNCH
4800	----	----		----	----	----	----	----	60.50 - 5.10	----	----	----	----	----	1 UNCH
4865	45.00	45.00		45.00/*45.00	45.00/*45.00	----	----	----	41.10 - 3.80	----	----	----	1	----	0 - 1
4900	33.30	33.30		33.30/33.30	33.30/33.30	----	----	----	33.30 - 3.10	----	----	----	2	----	1 - 1
5100	----	----		----	----	----	----	----	9.90 - 0.70	----	----	----	----	----	1 UNCH
5400	----	----		----	----	----	----	----	2.50 - 0.20	----	----	----	----	----	2 UNCH
5875	----	----		----	----	----	----	----	0.70 - 0.30	----	----	----	----	----	1 UNCH
TOTAL													3		32 - 2
JUL26															
3400	----	----		----	----	----	----	----	1364.70 - 2.30	----	----	----	----	----	1 UNCH
3460	----	----		----	----	----	----	----	1304.90 - 2.30	----	----	----	----	----	1 UNCH
4200	----	----		----	----	----	----	----	18.00 - 1.80	----	----	----	----	----	1 UNCH
4300	----	----		----	----	----	----	----	26.60 - 2.40	----	----	----	----	----	1 UNCH
4500	----	----		#65.20B/----	#65.20B/----	----	----	----	59.80 - 2.90	----	----	----	----	----	4 UNCH
4600	----	----		----	----	----	----	----	88.60 - 2.50	----	----	----	----	----	2 UNCH
4700	----	----		----	----	----	----	----	191.80 - 3.90	----	----	----	----	----	1 UNCH
5000	----	----		----	----	----	----	----	74.90 - 0.90	----	----	----	----	----	2 UNCH
5050	----	----		----	----	----	----	----	63.40 - 0.60	----	----	----	----	----	1 UNCH
5200	----	----		----	----	----	----	----	38.50 + 0.10	----	----	----	----	----	1 UNCH
5500	----	----		----	----	----	----	----	15.40 + 0.60	----	----	----	----	----	2 UNCH
TOTAL															17 0
AUG26															
4400	----	----		----	----	----	----	----	71.70 - 2.20	----	----	----	----	----	5 UNCH
TOTAL															5

	BULLETIN # 89@										METALS OPTION PRODUCTS										Mon, May 11, 2026										PG64									
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST																									
OG5 PUT	GOLD OPTIONS																																							
MAY26																																								
3700	1.00	1.00		#1.10/*1.00	1.10/*1.00		----		1.20	NEW	.0059	----																												
3800	----	----		----/*1.80A	1.40B/*1.80A		----		1.50	- 0.50	.0078	----																												
3900	----	----		----/*2.20A	1.80B/*2.20A		----		2.00	NEW	.0109	----																												
4000	----	----		----/2.70A	2.30B/2.70A		----		2.50	- 1.10	.0146	----																												
4100	----	----		----/*3.40A	3.50B/*3.40A		----		3.30	- 1.30	.0206	----																												
4250	5.90	5.90		7.20B/*5.80A	7.20B/*5.80A		----		5.70	- 0.90	.0384	----																												
4275	----	----		8.80B/*6.40A	8.80B/*6.40A		----		6.40	- 0.70	.0434	----																												
4300	10.20	10.20		10.20/*7.00	10.20/*7.00		----		7.30	- 0.60	.0496	----																												
4350	----	----		#13.30B/*9.10A	13.30B/*9.10A		----		9.40	- 1.30	.0643	----																												
4400	13.20	13.20		18.60B/*11.80A	18.60B/*11.80A		----		12.40	- 2.90	.0845	----																												
4450	----	----		24.60B/*15.60A	24.60B/*15.60A		----		16.50	- 4.40	.1111	----																												
4475	18.70	18.70		28.60B/*18.00A	28.60B/*18.00A		----		19.20	- 4.90	.1278	----																												
4500	31.30	31.30		33.50B/*20.80A	33.50B/*20.80A		----		22.40	- 5.30	.1469	----																												
4600	44.50	44.50		#61.50B/*38.10A	61.50B/*38.10A		----		41.40	- 6.10	.2487	----																												
4625	58.00	58.00		70.80B/*44.20A	70.80B/*44.20A		----		48.00	- 6.10	.2804	----																												
4650	----	----		#81.10B/*51.20A	81.10B/*51.20A		----		55.60	- 5.90	.3145	----																												
4675	----	----		#92.40B/*59.10A	92.40B/*59.10A		----		64.10	- 5.70	.3505	----																												
4700	----	----		#106.00B/*68.00	106.00B/*68.00A		----		73.50	- 5.50	.3880	----																												
4750	----	----		#124.80B/*88.60	124.80B/*88.60A		----		95.50	- 4.50	.4663	----																												
4775	----	----		#137.80B/*101.1	137.80B/*101.10A		----		108.40	- 3.60	.5060	----																												
TOTAL																																								
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST																									
OG5 CALL	GOLD OPTIONS																																							
MAY26																																								
4625	----	----		201.30B/151.90A	201.30B/151.90A		----		187.20	- 8.30	.7191	----																												
4725	----	----		145.50B/*94.20A	145.50B/94.20A		----		123.30	- 7.20	.5727	----																												
4750	----	----		131.20B/*83.60A	131.20B/83.60A		----		109.90	- 6.70	.5331	----																												
4775	----	----		117.90B/*74.10A	117.90B/74.10A		----		97.80	- 5.80	.4934	----																												
4900	----	----		66.30B/39.30A	66.30B/39.30A		----		52.70	- 2.20	.3113	----																												
4925	----	----		58.50B/34.30A	58.50B/34.30A		----		46.20	- 2.10	.2801	----																												
4950	----	----		51.90B/30.10A	51.90B/30.10A		----		40.40	- 2.10	.2511	----																												
4975	----	----		45.50B/26.40A	45.50B/26.40A		----		35.40	- 2.00	.2246	----																												
5000	23.50	23.50		40.30B/23.00	40.30B/23.00		----		31.00	- 1.90	.2005	----																												
5050	----	----		31.00B/17.80A	31.00B/17.80A		----		23.80	- 1.60	.1588	----																												
5075	----	----		27.10B/15.60A	27.10B/15.60A		----		20.80	- 1.40	.1408	----																												
5100	----	----		23.80B/13.80A	23.80B/13.80A		----		18.30	- 1.20	.1252	----																												
5125	----	----		20.90B/12.00A	20.90B/12.00A		----		16.00	- 1.00	.1107	----																												
5200	----	----		14.20B/*8.50A	14.20B/8.50A		----		11.00	NEW	.0776	----																												
5300	----	----		8.80B/*5.50A	8.80B/5.50A		----		6.90	NEW	.0491	----																												
5400	----	----		5.60B/4.10A	5.60B/4.10A		----		4.70	- 0.10	.0329	----																												
5600	----	----		----/*2.50A	2.60B/2.50A		----		2.50	- 0.20	.0166	----																												
5750	----	----		----/*1.90A	1.70B/1.90A		----		1.70	- 0.40	.0107	----																												
TOTAL																																								
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST																									
OG4 PUT	GOLD OPTIONS																																							
MAY26																																								
3500	----	----		----	----/1.20A		----		0.40	- 0.20	.0017	----																												
3800	----	----		----	0.70B/*1.20A		----		0.90	- 0.20	.0047	----																												
3900	----	----		----	1.10B/*1.30A		----		1.00	- 0.30	.0057	----																												
4000	1.50	1.50		1.50/																																				

BULLETIN # 89@										METALS OPTION PRODUCTS										Mon, May 11, 2026		PG64
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST						
OG3 PUT		GOLD OPTIONS																				
MAY26																						
3500	----	----	----	----	----	----	----/0.30A	----	0.10 - 0.10	----	----	----	----	----	----	10	UNCH					
3700	----	----	----	----	----	----	----/*0.20A	----	0.10 - 0.20	.0000	----	----	----	----	----	2	UNCH					
3750	----	----	----	----	----	----	----/*0.20A	----	0.10 - 0.20	.0001	----	----	----	----	----	6	UNCH					
3800	----	----	----	----	----	----	0.10B/0.30A	----	0.10 - 0.20	.0003	----	----	----	----	----	56	UNCH					
3900	----	----	----	----	----	----	0.20B/0.40A	----	0.20 - 0.20	.0007	----	----	----	1	----	69	UNCH					
4000	0.30	0.30	0.40	/*0.30	0.40/*0.30	----	0.40/*0.30	----	0.20 - 0.40	.0008	----	----	14	----	----	66 +	9					
4100	----	----	----	/*0.50A	0.60B/*0.50A	----	0.60B/*0.50A	----	0.40 - 0.30	.0019	----	----	5	----	----	21	UNCH					
4150	----	----	----	/*0.60A	0.80B/*0.60A	----	0.80B/*0.60A	----	0.40 - 0.50	.0020	----	----	----	----	----	6	UNCH					
4175	----	----	----	/*0.70A	0.90B/*0.70A	----	0.90B/*0.70A	----	0.50 NEW	.0027	----	----	3	----	----	3 +	3					
4200	0.90	0.90	1.00	/*0.70	1.00/*0.70	----	1.00/*0.70	----	0.60 - 0.40	.0034	----	----	21	----	----	133 -	2					
4225	----	----	----	/*0.80A	1.20B/*0.80A	----	1.20B/*0.80A	----	0.60 - 0.60	.0035	----	----	4	----	----	4	UNCH					
4250	1.30	1.30	1.50	/*0.90A	1.50/*0.90A	----	1.50/*0.90A	----	0.70 - 0.60	.0044	----	----	28	----	----	50 +	28					
4270	----	----	----	----	#1.50B/*0.90A	----	#1.50B/*0.90A	----	0.80 NEW	.0052	----	----	2	----	----	2 +	2					
4275	1.30	1.30	1.60B	/*1.00A	1.60B/*1.00A	----	1.60B/*1.00A	----	0.80 - 0.70	.0052	----	----	5	----	----	49 +	1					
4295	1.00	1.00	#1.00	/*1.00	#1.80B/*1.00	----	#1.80B/*1.00	----	0.90 NEW	.0061	----	----	1	----	----	1 +	1					
4300	1.80	1.80	2.00B	/*1.00	2.00B/*1.00	----	2.00B/*1.00	----	1.00 - 0.70	.0069	----	----	9	----	----	385 -	5					
4325	2.20	2.20	2.30B	/*1.20A	2.30B/*1.20A	----	2.30B/*1.20A	----	1.10 - 0.80	.0080	----	----	1	----	----	39	UNCH					
4350	3.00	3.00	3.00	/*1.30A	3.00/*1.30A	----	3.00/*1.30A	----	1.30 - 0.90	.0099	----	----	1	----	----	55 +	1					
4370	----	----	----	----	#3.40B/*1.50A	----	#3.40B/*1.50A	----	1.50 NEW	.0119	----	----	2	----	----	2 +	2					
4375	----	----	----	3.60B	/*1.50A	3.60B/*1.50A	3.60B/*1.50A	----	1.50 - 1.10	.0121	----	----	3	----	----	57 +	3					
4400	2.20	2.20	4.60B	/*1.70	4.60B/*1.70	----	4.60B/*1.70	----	1.80 - 1.30	.0152	----	----	6	----	----	82 +	3					
4415	4.80	4.80	#5.30B	/*1.90A	#5.30B/*1.90A	----	#5.30B/*1.90A	----	2.00 NEW	.0175	----	----	2	----	----	2 +	2					
4425	5.90	5.90	6.20	/*2.00A	6.20/*2.00A	----	6.20/*2.00A	----	2.20 - 1.50	.0196	----	----	205	----	----	210 +	187					
4435	5.00	5.00	#5.00	/*2.10A	#6.30B/*2.10A	----	#6.30B/*2.10A	----	2.40 NEW	.0218	----	----	1	----	----	1 +	1					
4445	5.50	5.50	#5.50	/*2.30A	#7.20B/*2.30A	----	#7.20B/*2.30A	----	2.60 NEW	.0241	----	----	3	----	----	3 +	3					
4450	6.00	6.00	7.60B	/*2.30A	7.60B/*2.30A	----	7.60B/*2.30A	----	2.70 - 1.70	.0253	----	----	8	----	----	194 -	1					
4465	----	----	----	----	#8.40B/*2.60A	----	#8.40B/*2.60A	----	3.00 NEW	.0290	----	----	1	----	----	1 +	1					
4475	6.60	6.60	9.40B	/*2.90A	9.40B/*2.90A	----	9.40B/*2.90A	----	3.30 - 2.20	.0325	----	----	5	----	----	64 +	2					
4480	3.30	3.30	#3.30	/*3.00A	#9.40B/*3.00A	----	#9.40B/*3.00A	----	3.50 NEW	.0347	----	----	1	----	----	1 +	1					
4490	5.10	5.10	#5.10	/*3.30A	#10.40B/*3.30A	----	#10.40B/*3.30A	----	3.80 NEW	.0384	----	----	2	----	----	2 +	2					
4500	10.00	10.00	12.00B	/*3.60A	12.00B/*3.60A	----	12.00B/*3.60A	----	4.20 - 2.60	.0431	----	----	65	----	----	237 +	30					
4505	7.70	7.70	#7.70	/*3.70A	#12.40B/*3.70A	----	#12.40B/*3.70A	----	4.40 NEW	.0456	----	----	1	----	----	1 +	1					
4510	5.30	5.30	#5.30	/*3.90A	#13.00B/*3.90A	----	#13.00B/*3.90A	----	4.70 NEW	.0489	----	----	1	----	----	1 +	1					
4525	10.00	10.00	15.80B	/*4.50	15.80B/*4.50	----	15.80B/*4.50	----	5.40 - 3.30	.0576	----	----	16	----	----	46 +	7					
4530	11.20	11.20	#16.30B	/*4.70A	#16.30B/*4.70A	----	#16.30B/*4.70A	----	5.70 NEW	.0612	----	----	1	----	----	1 +	1					
4535	8.80	8.80	#8.80	/*5.00A	#17.20B/*5.00A	----	#17.20B/*5.00A	----	6.10 NEW	.0657	----	----	2	----	----	2 +	2					
4540	8.00	8.00	#8.00	/*5.20A	#18.20B/*5.20A	----	#18.20B/*5.20A	----	6.40 NEW	.0694	----	----	3	----	----	3 +	3					
4545	12.30	12.30	#19.30B	/*5.50A	#19.30B/*5.50A	----	#19.30B/*5.50A	----	6.80 NEW	.0741	----	----	2	----	----	2 +	2					
4550	15.20	15.20	20.40B	/*5.80A	20.40B/*5.80A	----	20.40B/*5.80A	----	7.10 - 4.00	.0780	----	----	12	----	----	364 +	5					
4560	7.20	7.20	#7.20	/*6.50A	#22.60B/*6.50A	----	#22.60B/*6.50A	----	8.00 NEW	.0885	----	----	2	----	----	2 +	2					
4565	8.80	8.80	#8.80	/*6.80A	#23.80B/*6.80A	----	#23.80B/*6.80A	----	8.50 NEW	.0943	----	----	4	----	----	4 +	4					
4570	8.30	8.30	#8.30	/*7.20A	#25.10B/*7.20A	----	#25.10B/*7.20A	----	8.90 NEW	.0994	----	----	1	----	----	1 +	1					
4575	25.00	25.00	26.50B	/*7.60A	26.50B/*7.60A	----	26.50B/*7.60A	----	9.50 - 4.70	.1062	----	----	13	----	----	65 +	3					
4580	10.70	10.70	#10.70	/*8.10A	#27.70B/*8.10A	----	#27.70B/*8.10A	----	10.00 NEW	.1123	----	----	14	----	----	14 +	14					
4585	11.80	11.80	#11.90	/*8.50A	#29.10B/*8.50A	----	#29.10B/*8.50A	----	10.60 NEW	.1193	----	----	4	----	----	4 +	4					
4590	10.10	10.10	#10.10	/*9.00A	#30.60B/*9.00A	----	#30.60B/*9.00A	----	11.30 NEW	.1271	----	----	1	----	----	1 +	1					
4600	25.50	25.50	33.70B	/*10.10A	33.70B/*10.10A	----	33.70B/*10.10A	----	12.70 - 5.50	.1431	----	----	141	----	----	228 +	82					
4610	33.30	33.30	#33.30	/*11.40A	#37.10B/*11.40A	----	#37.10B/*11.40A	----	14.20 NEW	.1603	----	----	1	----	----	1 +	1					
4620	14.40	14.40	#15.50	/*12.80A	#40.40B/*12.80A	----	#40.40B/*12.80A	----	16.00 NEW	.1800	----	----	79	----	----	74 +	74					
4625	17.50	17.50	42.80B	/*13.60A	42.80B/*13.60A	----	42.80B/*13.60A	----	17.00 - 6.20	.1907	----	----	15	----	----	64 +	1					
4630	----	----	----	----	#43.60B/*14.40A	----	#43.60B/*14.40A	----	18.00 NEW	.2015	----	----	2	----	----	2 +	2					
4635	----	----	----	----	#45.60B/*15.20A	----	#45.60B/*15.20A	----	19.00 NEW	.2125	----	----	6	----	----	6 +	6					
4640	----	----	----	----	#47.90B/*16.20A	----	#47.90B/*16.20A	----	20.20 NEW	.2246	----	----	2	----	----	1 +	1					
4650	38.50	38.50	53.70B	/*18.10A	53.70B/*18.10A	----	53.70B/*18.10A	----	22.60 - 6.80	.2494	----	----	26	----	----	238 -	95					
4655	----	----	----	----	#54.10B/*19.30A	----	#54.10B/*19.30A	----	23.90 NEW	.2624	----	----	3	----	----	3 +	3					
4660	----	----	----	----	#56.60B/*20.30A	----	#56.60B/*20.30A	----	25.30 NEW	.2761	----	----	2	----	----	0	UNCH					
4675	39.30	39.30	66.60B	/*24.10A	66.60B/*24.10A	----	66.60B/*24.10A	----	29.80 - 7.30	.3190	----	----	18	----	----	16 +	12					
4700	57.60	57.60	81.30B	/*31.60A	81.30B/*31.60A	----	81.30B/*31.60A	----	30.90 - 7.50	.3979	----	----	32	----	----	108 +	17					
4705	38.40	38.40	#38.40	/*33.40A	#84.50B/*33.40A	----	#84.50B/*33.40A	----	48.90 NEW	.4144	----	----	5	----	----	5 +	5					
4720	----	----	----	----	#94.40B/*39.20A	----	#94.40B/*39.20A	----	47.60 NEW	.4652	----	----	5	----	----	1 +	1					
4725	45.30	45.30	97.80B	/*41.20A	97.80B/*41.20A	----	97.80B/*41.20A	----	49.90 - 7.60	.4823	----	----	13	----	----	178 +	5					
4730	48.90	48.90	#51.00	/*43.40A	#101.30B/*43.40A	----	#101.30B/*43.40A	----	52.40 NEW	.4995	----	----	4	----	----	4 +	4					
4735	65.50	65.50	#65.50	/*45.70A	#104.90B/*45.70A	----	#104.90B/*45.70A	----	55.00 NEW	.5166	----	----	13	----	----	11 +	11					
4740	----	----	----	----	#108.50B/*48.10A	----	#108.50B/*48.10A	----	57.60 NEW	.5338	----	----	5	----	----	5 +	5					
4745	62.50	62.50	#112.20B	/*50.50A	#112.20B/*50.50A	----	#112.20B/*50.50A	----	60.30 NEW	.5509	----	----	8	----	----	8 +	8					
4750	73.50	73.50	115.80B	/*53.00A	115.80B/*53.00A	----	115.80B/*53.00A	----	63.20 - 7.10	.5678	----	----	31	----	----	17 +	10					
4765	81.20	81.20	#81.20	/*61.00A	#127.40B/*61.00A	----	#127.40B/*61.00A	----	72.10 NEW	.6176	----	----	6	----	----	6 +	6					
4775	75.50	75.50	135.40B	/*66.80A	135.40B/*66.80A	----	135.40B/*66.80A	----	78.50 - 6.40	.6494	----	----	1	----	----	5 +	1					
4795	----	----	----	----	#151.90B/*79.50A	----	#151.90B/*79.50A	----	92.10 NEW	.7094	----	----	1	----	----	1 +	1					
4800	----	----	156.10B	/*82.70A	156.10B/*82.70A	----	156.10B/*82.70A	----	95.70 - 5.50	.7233	----	----	5	----	----	14	UNCH					
4815	----	----	----	----	#168.90B/*92.90A	----	#168.90B/*92.90A	----	106.80 NEW	.7625	----	----	5	----	----	5 +	5					
4825	----	----	177.80B	/*99.80A	177.80B/*99.80A	----	177.80B/*99.80A	----	114.60 - 4.50	.7868	----	----	----	----	----	2	UNCH					
4850	----	----	200.20B	/*118.10	200.20B/*118.10A	----	200.20B/*118.10A	----	134.90 - 3.60	.8392	----	----	----	----	----	1	UNCH					
4875	----	----	223.30B	/*137.40A	223.30B/*137.40A	----	223.30B/*137.40A	----	156.40 - 2.60	.8804	----	----	----	----	----	1	UNCH					
4900	----	----	246.90B	/*157.80A	246.90B/*157.80A	----	246.90B/*157.80A	----	178.70 - 1.80	.9120	----	----	3	----	----	4	UNCH					
5025	----	----	347.80B	/*272.50A	347.80B/*272.50A	----	347.80B/*272.50A	----	298.10 + 0.70	.9809	----	----	----	----	----	3	UNCH					
5100	----	----	422.40B	/*345.70A	422.40B/*345.70A	----	422.40B/*345.70A	----														

BULLETIN # 89@										METALS OPTION PRODUCTS										Mon, May 11, 2026		PG64
	LOBEX OPEN	OPEN OPEN	OUTCRY RANGE	LOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	LOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
OG3 CALL	GOLD			OPTIONS																		
MAY26																						
5075	1.20	1.20		1.20/*1.10A	2.00B/*1.10A	----		1.20 - 0.90	.0109	----	----	9	----	12 +	5							
5100	0.60	0.60		1.60B/*0.60	1.60B/*0.60	----		1.00 - 0.70	.0087	----	----	8	----	30	UNCH							
5115	----	----		----	#1.40B/*0.80A	----		0.80 NEW	.0068	----	----	2	----	2 +	2							
5125	----	----		----/*0.80A	1.30B/*0.80A	----		0.80 - 0.70	.0066	----	----	----	----	18	UNCH							
5150	----	----		----/*0.70A	1.00B/*0.70A	----		0.70 - 0.50	.0055	----	----	1	----	67 -	1							
5175	----	----		----/*0.60A	0.80B/*0.60A	----		0.60 - 0.50	.0045	----	----	3	----	4 +	3							
5200	0.40	0.40		0.60B/*0.40	0.60B/*0.40	----		0.50 - 0.40	.0036	----	----	5	----	11 +	5							
5225	----	----		----/*0.50A	0.50B/*0.50A	----		0.40 - 0.40	.0027	----	----	----	----	4	UNCH							
5300	----	----		----/*0.20A	0.30B/*0.20A	----		0.30 - 0.30	.0018	----	----	5	----	10	UNCH							
5325	----	----		----/*0.40A	0.20B/*0.40A	----		0.30 - 0.20	.0017	----	----	----	----	3	UNCH							
5400	----	----		----	0.10B/*0.40A	----		0.10 - 0.20	.0005	----	----	----	----	20	UNCH							
5500	----	----		----	----/*0.40A	----		0.10 - 0.10	.0000	----	----	----	----	12	UNCH							
5600	----	----		----	----/*0.40A	----		0.10 UNCH	.0000	----	----	----	----	1	UNCH							
TOTAL												895		4776 +	146							
	LOBEX OPEN	OPEN OPEN	OUTCRY RANGE	LOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	LOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
OG2 PUT	GOLD			OPTIONS																		
MAY26																						
3250	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH							
3500	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH							
3600	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH							
3700	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH							
3750	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH							
4325	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH							
4400	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH							
4425	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH							
4450	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH							
4470	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH							
4475	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH							
4490	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH							
4500	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH							
4540	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH							
4545	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH							
4550	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH							
4570	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH							
4575	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH							
4585	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH							
4595	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH							
4600	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH							
4610	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH							
4615	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH							
4620	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH							
4625	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH							
4630	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH							
4635	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH							
4640	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH							
4645	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH							
4650	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH							
4655	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH							
4660	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH							
4665	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH							
4670	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH							
4675	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH							
4680	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH							
4685	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH							
4690	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH							
4695	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH							
4700	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH							
4705	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH							
4710	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH							
4715	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH							
4720	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH							
4725	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH							
4730	----	----		----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH							
4735	----	----		----	----	----		4.30 UNCH	----	----	----	----	----	0	UNCH							
4740	----	----		----	----	----		9.30 UNCH	----	----	----	----	----	0	UNCH							
4745	----	----		----	----	----		14.30 UNCH	----	----	----	----	----	0	UNCH							
4750	----	----		----	----	----		19.30 UNCH	----	----	----	----	----	0	UNCH							
4755	----	----		----	----	----		24.30 UNCH	----	----	----	----	----	0	UNCH							
4760	----	----		----	----	----		29.30 UNCH	----	----	----	----	----	0	UNCH							
4765	----	----		----	----	----		34.30 UNCH	----	----	----	----	----	0	UNCH							
4770	----	----		----	----	----		39.30 UNCH	----	----	----	----	----	0	UNCH							
4775	----	----		----	----	----		44.30 UNCH	----	----	----	----	----	0	UNCH							
4780	----	----		----	----	----		49.30 UNCH	----	----	----	----	----	0	UNCH							
4790	----	----		----	----	----		59.30 UNCH	----	----	----	----	----	0	UNCH							
4800	----	----		----	----	----		69.30 UNCH	----	----	----	----	----	0	UNCH							
4825	----	----		----	----	----		94.30 UNCH	----	----	----	----	----	0	UNCH							
4850	----	----		----	----	----		119.30 UNCH	----	----	----	----	----	0	UNCH							
4875	----	----		----	----	----		144.30 UNCH	----	----	----	----	----	0	UNCH							
4900	----	----		----	----	----		169.30 UNCH	----	----	----	----	----	0	UNCH							
4925	----	----		----	----	----		194.30 UNCH	----	----	----	----	----	0	UNCH							
4975	----	----		----	----	----		244.30 UNCH	----	----	----	----	----	0	UNCH							
5000	----	----		----	----	----		269.30 UNCH	----	----	----	----	----	0	UNCH							
5600	----	----		----	----	----		869.30 UNCH	----	----	----	----	----	0	UNCH							
5700	----	----		----	----	----		969.30 UNCH	----	----	----	----	----	0	UNCH							
5750	----	----		----	----	----		1019.30 UNCH	----	----	----	----	----	0	UNCH							
6250	----	----		----	----	----		1519.30 UNCH	----	----	----	----	----	0	UNCH							
6500	----	----		----	----	----		1769.30 UNCH	----	----	----	----	----	0	UNCH							
TOTAL														0	0							
	LOBEX OPEN	OPEN OPEN	OUTCRY RANGE	LOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.														

PG64		BULLETIN # 89@										METALS OPTION PRODUCTS										Mon, May 11, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST								
OG PUT	COMEX GOLD OPTIONS																							
JUN26																								
2050	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	----	20								
2085	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	----	15								
2100	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	----	91								
2105	----	----	----	----	----	/*0.10A	----		0.10	UNCH	----	----	----	----	----	1								
2110	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	----	1								
2130	----	----	----	----	----	/*0.10A	----		0.10	UNCH	----	----	----	----	----	1								
2170	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	----	5								
2180	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	----	6								
2195	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	----	5								
2200	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	----	9								
2205	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	----	7								
2220	----	----	----	----	----	/0.20A	----		0.10	UNCH	----	----	----	----	----	1								
2230	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	----	25								
2235	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	----	21								
2240	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	----	6								
2250	----	----	----	----	----	/0.20A	----		0.10	UNCH	----	----	----	----	----	6								
2300	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	----	13								
2315	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	----	40								
2330	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	----	9								
2350	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	----	1								
2380	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	----	14								
2385	----	----	----	----	----	/0.20A	----		0.10	UNCH	----	----	----	----	----	1								
2390	----	----	----	----	----	/0.20A	----		0.10	UNCH	----	----	----	----	----	1								
2395	----	----	----	----	----	/0.20A	----		0.10	UNCH	----	----	----	----	----	1								
2400	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	----	72								
2405	----	----	----	----	----	/0.20A	----		0.10	UNCH	----	----	----	----	----	1								
2410	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	----	6								
2415	----	----	----	----	----	/0.20A	----		0.10	UNCH	----	----	----	----	----	1								
2420	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	----	5								
2425	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	----	5								
2430	----	----	----	----	----	/0.20A	----		0.10	UNCH	----	----	----	----	----	23								
2445	----	----	----	----	----	/0.20A	----		0.10	UNCH	----	----	----	----	----	1								
2450	----	----	----	----	----	/0.20A	----		0.10	UNCH	----	----	----	----	----	5								
2460	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	----	51								
2465	----	----	----	----	----	/0.20A	----		0.10	UNCH	----	----	----	----	----	1								
2475	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	----	7								
2495	----	----	----	----	----	/0.20A	----		0.10	UNCH	----	----	----	----	----	3								
2500	----	----	----	----	----	/0.20A	----		0.10	UNCH	----	----	----	----	----	1								
2510	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	1928	UNCH								
2525	----	----	----	----	----	/0.20A	----		0.10	UNCH	----	----	----	----	----	2								
2535	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	----	25								
2550	----	----	----	----	----	/0.20A	----		0.10	UNCH	----	----	----	----	----	5								
2555	----	----	----	----	----	/0.20A	----		0.10	UNCH	----	----	----	----	----	5								
2565	----	----	----	----	----	/0.20A	----		0.10	UNCH	----	----	----	----	----	50								
2580	----	----	----	----	----	/0.20A	----		0.10	UNCH	----	----	----	----	----	5								
2590	----	----	----	----	----	/0.10A	----		0.10	UNCH	.0000	----	----	----	13	UNCH								
2600	----	----	----	----	----	/0.10A	----		0.10	UNCH	.0000	----	----	----	189	UNCH								
2645	----	----	----	----	----	/0.10A	----		0.10	UNCH	.0000	----	----	----	10	UNCH								
2650	----	----	----	----	----	/0.10A	----		0.10	UNCH	.0000	----	----	----	1	UNCH								
2685	----	----	----	----	----	/0.10A	----		0.10	UNCH	.0000	----	----	----	26	UNCH								
2695	----	----	----	----	----	/*0.20A	----		0.10	- 0.10	.0000	----	----	----	2	UNCH								
2700	----	----	----	/0.10A	----	/0.10A	----		0.10	- 0.10	.0000	----	----	----	427	UNCH								
2730	----	----	----	/0.10A	----	/0.10A	----		0.10	- 0.10	.0000	----	----	----	35	UNCH								
2750	----	----	----	/0.10A	----	/0.10A	----		0.10	- 0.10	.0000	----	----	----	6	UNCH								
2800	----	----	----	/0.10A	----	/0.10A	----		0.10	- 0.10	.0000	----	----	----	718	UNCH								
2805	----	----	----	/*0.10A	----	/*0.10A	----		0.10	- 0.10	.0000	----	----	----	223	UNCH								
2810	----	----	----	/*0.10A	----	/*0.10A	----		0.10	- 0.10	.0000	----	----	----	18	UNCH								
2825	----	----	----	/*0.10A	----	/*0.10A	----		0.10	- 0.10	.0000	----	----	----	56	UNCH								
2830	----	----	----	/*0.10A	----	/*0.10A	----		0.10	- 0.10	.0000	----	----	----	25	UNCH								
2850	0.10	0.10		0.10	0.10	0.10	/*0.10	0.10	/*0.10	0.001	- 0.10	----	10	----	32	+								
2865	----	----	----	/*0.10A	----	/*0.10A	----		0.10	- 0.10	.0001	----	----	----	7	UNCH								
2875	----	----	----	----	----	/0.20A	----		0.10	- 0.10	.0001	----	----	----	2	UNCH								
2900	----	----	----	----	----	0.10B/0.20A	----		0.10	- 0.10	.0001	----	----	----	157	UNCH								
2905	----	----	----	----	----	0.10B/*0.20A	----		0.10	- 0.10	.0001	----	----	----	5	UNCH								
2915	----	----	----	----	----	0.10B/0.30A	----		0.10	- 0.10	.0002	----	----	----	1	UNCH								
2930	----	----	----	----	----	0.10B/0.30A	----		0.10	- 0.10	.0002	----	----	----	1	UNCH								
2935	----	----	----	----	----	0.10B/*0.20A	----		0.10	- 0.10	.0002	----	----	----	3	UNCH								
2950	----	----	----	----	----	0.10B/*0.20A	----		0.10	- 0.10	.0002	----	----	----	24	UNCH								
2955	----	----	----	----	----	0.10B/*0.20A	----		0.10	- 0.10	.0002	----	----	----	8	UNCH								
2970	----	----	----	----	----	0.10B/0.30A	----		0.10	- 0.20	.0003	----	----	----	2	UNCH								
2975	----	----	----	----	----	0.10B/0.30A	----		0.10	- 0.20	.0003	----	----	----	10	UNCH								
2990	----	----	----	----	----	0.10B/0.30A	----		0.20	- 0.10	.0007	----	----	----	5	UNCH								
2995	----	----	----	----	----	0.10B/0.30A	----		0.20	- 0.10	.0007	----	----	----	6	UNCH								
3000	0.10	0.10		0.20/0.10	0.20/0.10	0.20/0.10	0.20/0.10		0.20	- 0.10	.0007	----	2	----	1721	-								
3005	----	----	----	----	----	0.10B/*0.30A	----		0.20	- 0.10	.0007	----	----	----	30	UNCH								
3010	----	----	----	----	----	0.10B/*0.30A	----		0.20	- 0.10	.0007	----	----	----	8	UNCH								
3015	----	----	----	----	----	0.10B/*0.30A	----		0.20	- 0.10	.0007	----	----	----	216	UNCH								
3020	----	----	----	----	----	0.10B/*0.30A	----		0.20	- 0.10	.0007	----	----	----	35	UNCH								
3035	----	----	----	----	----	0.20B/*0.30A	----		0.20	- 0.10	.0007	----	----	----	1	UNCH								
3045	----	----	----	----	----	0.20B/*0.30A	----		0.20	- 0.10	.0007	----	----	----	56	UNCH								
3050	----	----	----	----	----	0.20B/0.30A	----		0.20	- 0.10	.0007	----	----	----	391	UNCH								
3065	----	----	----	----	----	0.20B/*0.30A	----		0.20	- 0.10	.0007	----	----	----	7	UNCH								
3070	----	----	----	----	----	0.20B/*0.30A	----		0.20	- 0.10	.0007	----	----	----	7	UNCH								
3075	----	----	----	----	----	0.20B/0.30A	----		0.20	- 0.10	.0007	----	----	----	30	UNCH								
3080	----	----	----	----	----	0.20B/*0.30A	----		0.20	- 0.10	.0007	----	----	----	8	UNCH								
3085	----	----	----	----	----	0.20B/*0.30A	----		0.20	- 0.10	.0007	----	----	----	1	UNCH								
3095	----	----	----	----	----	0.20B/*0.30A	----		0.20	- 0.10	.0007	----	----	----	42	UNCH								
3100	0.20	0.20		0.20/0.20	0.20/0.20	0.20/0.20	0.20/0.20		0.20	- 0.10	.0007	----	41	----	452	+								
3105	----	----	----	----	----	0.20B/*0.30A	----		0.20	- 0.10	.0007	----	----	----	13	UNCH								
3110	----	----	----	----	----	0.20B/*0.30A	----		0.20	- 0.10	.0007	----	----	----	11	UNCH								
3120	----	----	----	----	----	0.20B/0.40A	----		0.20	- 0.20	.0007	----	----	----	13	UNCH								
3125	----	----	----	----	----	0.20B/0.40A	----		0.20	- 0.20	.0007	----	----	----	13	UNCH								
3130	----	----	----	----	----	0.20B/0.40A	----		0.20	- 0.20	.0007	----	----	----	26	UNCH								
3140	----	----	----	----	----	0.20B/0.40A	----		0.20	- 0.20	.0007	----	----	----	5	UNCH								
3150	----	----	----	----	----	0.20B/0.40A	----		0.20	- 0.20	.0007	----	----	----	147	UNCH								
3155	----	----	----	----	----	0.20B/0.40A	----		0.20	- 0.20	.0007	----	----	----	16	UNCH								
3160	----	----	----	----	----	0.30B/0.40A	----		0.20	- 0.20	.0007	----	----	----	16	UNCH								
3170	----	----	----	----	----	0.30B/0.40A	----		0.30	- 0.10	.0011	----	----	----	6	UNCH								
3175	----	----	----	----	----	0.30B/0.40A	----		0.30	- 0.10	.0011	----	----	----	13	UNCH								
3180	----	----	----	----	----	0.30B/0.40A	----		0.30	- 0.10	.0011	----	----	----	5	UNCH								
3185	----	----	----	----	----	0.30B/0.40A	----		0.30	- 0.10	.0011	----	----	----	6	UNCH								
3190	----	----	----	----	----	0.30B/0.40A	----		0.30	- 0.10	.0011	----	----	----	18	UNCH								
3195	----	----	----	----	----	0.30B/0.40A	----		0.30	- 0.10	.0011	----	----	----	12	UNCH								
3200	----	----	----	----	----	0.30B/0.40A	----		0.30	- 0.10	.0011	----	----	----	1172	UNCH								
3205	----	----	----	----	----	0.30B/0.40A	----		0.30	- 0.10	.0011	----	----	----	42	UNCH								
3210	----	----	----	----	----	/*0.40A	0.30B/*0.40A		0.30	- 0.20	.0011	----	----	----	25	UNCH								
3215	----	----	----	----	----	/*0.40A	0.30B/*0.40A		0.30	- 0.20														



CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499

Customer Service: (312) 930-1000

PRELIMINARY



PG64 BULLETIN # 89@				METALS OPTION PRODUCTS							Mon, May 11, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT JUN26	COMEX GOLD OPTIONS												
3385	----	----	----/*0.50A	0.50B/*0.50A	----	0.50 - 0.20	.0021	----	----	----	----	6	UNCH
3390	----	----	----/*0.50A	0.50B/*0.50A	----	0.50 - 0.20	.0021	----	----	----	----	59	UNCH
3395	----	----	----/*0.50A	0.50B/*0.50A	----	0.50 - 0.20	.0021	----	----	----	----	2	UNCH
3400	----	----	----/0.60A	0.50B/0.60A	----	0.50 - 0.30	.0021	----	----	----	----	720	UNCH
3405	----	----	----/0.60A	0.50B/0.60A	----	0.50 - 0.30	.0021	----	----	----	----	66	UNCH
3410	----	----	----/0.60A	0.50B/0.60A	----	0.50 - 0.30	.0021	----	----	----	----	7	UNCH
3415	----	----	----/*0.60A	0.50B/*0.60A	----	0.50 - 0.30	.0021	----	----	----	----	3	UNCH
3420	----	----	----/*0.60A	0.50B/*0.60A	----	0.50 - 0.30	.0021	----	----	----	----	18	UNCH
3425	----	----	----/*0.60A	0.60B/*0.60A	----	0.50 - 0.30	.0021	----	----	----	----	25	UNCH
3430	----	----	----/*0.60A	0.60B/*0.60A	----	0.50 - 0.30	.0021	----	----	----	----	10	UNCH
3435	----	----	----/*0.60A	0.60B/*0.60A	----	0.50 - 0.30	.0022	----	----	----	----	20	UNCH
3450	----	----	----/*0.60A	0.60B/*0.60A	----	0.50 - 0.30	.0022	----	----	2	----	386	UNCH
3455	----	----	----/*0.60A	0.60B/*0.60A	----	0.50 - 0.30	.0022	----	----	----	----	51	UNCH
3460	----	----	----/*0.60A	0.60B/*0.60A	----	0.50 - 0.30	.0022	----	----	----	----	227	UNCH
3465	----	----	----/*0.60A	0.60B/*0.60A	----	0.50 - 0.40	.0022	----	----	----	----	89	UNCH
3470	----	----	----/*0.60A	0.60B/*0.60A	----	0.50 - 0.40	.0022	----	----	----	----	28	UNCH
3475	----	----	----/0.70A	0.60B/0.70A	----	0.60 - 0.30	.0026	----	----	----	----	106	UNCH
3480	----	----	----/*0.70A	0.60B/*0.70A	----	0.60 - 0.30	.0026	----	----	----	----	171	UNCH
3485	----	----	----/*0.70A	0.70B/*0.70A	----	0.60 - 0.30	.0026	----	----	----	----	3	UNCH
3490	----	----	----/*0.70A	0.70B/*0.70A	----	0.60 - 0.30	.0026	----	----	----	----	21	UNCH
3500	0.90	0.90	0.90/*0.50	0.90/*0.50	----	0.60 - 0.30	.0027	----	----	7	----	1817	- 2
3505	----	----	----/*0.70A	0.70B/*0.70A	----	0.60 - 0.30	.0027	----	----	----	----	65	UNCH
3510	----	----	----/*0.70A	0.70B/*0.70A	----	0.60 - 0.30	.0027	----	----	----	----	86	UNCH
3515	----	----	----/*0.70A	0.70B/*0.70A	----	0.60 - 0.30	.0027	----	----	----	----	16	UNCH
3520	----	----	----/*0.70A	0.70B/*0.70A	----	0.60 - 0.30	.0027	----	----	----	----	138	UNCH
3525	----	----	----/*0.70A	0.70B/*0.70A	----	0.60 - 0.30	.0027	----	----	----	----	301	UNCH
3530	----	----	----/*0.70A	0.70B/*0.70A	----	0.60 - 0.30	.0027	----	----	----	----	7	UNCH
3535	----	----	----/0.80A	0.70B/0.80A	----	0.60 - 0.30	.0028	----	----	----	----	100	UNCH
3540	----	----	----/0.80A	0.70B/0.80A	----	0.70 - 0.20	.0032	----	----	----	----	5	UNCH
3545	----	----	----/0.80A	0.70B/0.80A	----	0.70 - 0.20	.0032	----	----	----	----	22	UNCH
3550	----	----	----/*0.70A	0.70B/*0.70A	----	0.70 - 0.20	.0032	----	----	----	----	417	UNCH
3555	----	----	----/0.80A	0.70B/0.80A	----	0.70 - 0.20	.0032	----	----	----	----	2	UNCH
3560	----	----	----/0.80A	0.70B/0.80A	----	0.70 - 0.20	.0032	----	----	----	----	89	UNCH
3565	----	----	----/*0.80A	0.80B/*0.80A	----	0.70 - 0.20	.0032	----	----	----	----	41	UNCH
3570	----	----	----/*0.80A	0.80B/*0.80A	----	0.70 - 0.20	.0033	----	----	----	----	60	UNCH
3575	----	----	----/*0.80A	0.80B/*0.80A	----	0.70 - 0.20	.0033	----	----	----	----	41	UNCH
3580	----	----	----/*0.80A	0.80B/*0.80A	----	0.70 - 0.30	.0033	----	----	----	----	76	UNCH
3585	----	----	----/*0.80A	0.80B/*0.80A	----	0.70 - 0.30	.0033	----	----	4	----	4	UNCH
3590	----	----	----/*0.80A	0.80B/*0.80A	----	0.70 - 0.30	.0033	----	----	3	----	3	UNCH
3595	----	----	----/*0.80A	0.80B/*0.80A	----	0.80 - 0.20	.0037	----	----	----	----	23	UNCH
3600	----	----	----/*0.80A	0.80B/*0.80A	----	0.80 - 0.20	.0038	----	----	----	1858	UNCH	
3610	----	----	----/0.90A	0.80B/0.90A	----	0.80 - 0.20	.0038	----	----	----	----	4	UNCH
3615	----	----	----/0.90A	0.80B/0.90A	----	0.80 - 0.20	.0038	----	----	----	----	37	UNCH
3620	----	----	----/0.90A	0.80B/0.90A	----	0.80 - 0.20	.0038	----	----	----	----	17	UNCH
3625	----	----	----/0.90A	0.90B/0.90A	----	0.80 - 0.20	.0038	----	----	----	----	67	UNCH
3630	----	----	----/*0.90A	0.90B/*0.90A	----	0.80 - 0.20	.0039	----	----	----	----	87	UNCH
3635	----	----	----/*0.90A	0.90B/*0.90A	----	0.80 - 0.20	.0039	----	----	----	----	108	UNCH
3640	----	----	----/*0.90A	0.90B/*0.90A	----	0.80 - 0.20	.0039	----	----	----	----	24	UNCH
3645	----	----	----/*0.90A	0.90B/*0.90A	----	0.90 - 0.10	.0043	----	----	----	----	14	UNCH
3650	----	----	----/*0.90A	0.90B/*0.90A	----	0.90 - 0.10	.0044	----	----	----	----	702	UNCH
3655	----	----	----/*0.90A	0.90B/*0.90A	----	0.90 - 0.10	.0044	----	----	----	----	9	UNCH
3660	----	----	----/*0.90A	0.90B/*0.90A	----	0.90 - 0.10	.0044	----	----	1	UNCH	1	UNCH
3665	----	----	----/*0.90A	0.90B/*0.90A	----	0.90 - 0.10	.0044	----	----	----	----	39	UNCH
3670	----	----	----/*0.90A	0.90B/*0.90A	----	0.90 - 0.10	.0044	----	----	----	----	31	UNCH
3675	----	----	----/*0.90A	1.00B/*0.90A	----	0.90 - 0.20	.0045	----	----	----	----	46	UNCH
3680	----	----	----/*0.90A	1.00B/*0.90A	----	0.90 - 0.20	.0045	----	----	----	----	18	UNCH
3685	----	----	----/*1.00A	1.00B/*1.00A	----	0.90 - 0.20	.0045	----	----	----	----	48	UNCH
3690	----	----	----/1.00A	1.00B/1.00A	----	0.90 - 0.20	.0045	----	----	----	----	15	UNCH
3695	1.00	1.00	1.00/*1.00	1.00/*1.00	----	1.00 - 0.10	.0050	----	----	5	----	19	UNCH
3700	0.90	0.90	0.90/*0.90	1.00B/*0.90	----	1.00 - 0.10	.0050	----	----	3	----	819	UNCH
3705	----	----	----/*1.00A	1.00B/*1.00A	----	1.00 - 0.10	.0050	----	----	----	----	126	UNCH
3710	----	----	----/*1.00A	1.00B/*1.00A	----	1.00 - 0.10	.0051	----	----	----	----	80	UNCH
3715	----	----	----/*1.00A	1.00B/*1.00A	----	1.00 - 0.10	.0051	----	----	----	----	50	UNCH
3720	----	----	----/*1.00A	1.10B/*1.00A	----	1.00 - 0.10	.0051	----	----	----	----	4	UNCH
3725	----	----	----/*1.00A	1.10B/*1.00A	----	1.00 - 0.20	.0051	----	----	----	----	121	UNCH
3730	1.00	1.00	1.10/*1.00	1.10/*1.00	----	1.00 - 0.20	.0052	----	----	2	----	20 +	2
3740	1.20	1.20	1.20/1.10A	1.20/1.10A	----	1.10 - 0.10	.0056	----	----	1	----	70 +	1
3745	----	----	----/*1.10A	1.10B/*1.10A	----	1.10 - 0.10	.0057	----	----	----	----	20	UNCH
3750	----	----	----/*1.10A	1.10B/*1.10A	----	1.10 - 0.10	.0057	----	----	----	----	1288	UNCH
3755	----	----	----/*1.10A	1.10B/*1.10A	----	1.10 - 0.10	.0057	----	----	----	----	14	UNCH
3760	----	----	----/*1.10A	1.10B/*1.10A	----	1.10 - 0.20	.0058	----	----	----	----	23	UNCH
3765	1.10	1.10	1.10/*1.10	1.20B/*1.10	----	1.10 - 0.20	.0058	----	----	1	----	48 -	1
3770	----	----	----/1.10A	1.30B/1.10A	----	1.10 - 0.20	.0058	----	----	----	----	17	UNCH
3775	----	----	----/*1.10A	1.20B/*1.10A	----	1.10 - 0.20	.0059	----	----	----	----	39	UNCH
3780	----	----	----/*1.20A	1.30B/*1.20A	----	1.10 - 0.20	.0059	----	----	----	----	15	UNCH
3785	----	----	----/*1.20A	1.20B/*1.20A	----	1.20 - 0.10	.0064	----	----	----	----	7	UNCH
3790	----	----	----/*1.20A	1.30B/*1.20A	----	1.20 - 0.20	.0064	----	----	----	----	259	UNCH
3795	----	----	----/*1.20A	1.40B/*1.20A	----	1.20 - 0.20	.0064	----	----	----	----	83	UNCH
3800	1.50	1.50	1.50/*1.20	1.50/*1.20	----	1.20 - 0.20	.0065	----	----	3	----	2782	- 1
3805	----	----	----/*1.20A	1.40B/*1.20A	----	1.20 - 0.20	.0065	----	----	----	----	71	UNCH
3810	----	----	----/*1.30A	1.30B/*1.30A	----	1.20 - 0.20	.0065	----	----	----	----	45	UNCH
3815	----	----	----/*1.30A	1.40B/*1.30A	----	1.20 - 0.30	.0066	----	----	----	----	40	UNCH
3820	----	----	----/*1.30A	1.30B/*1.30A	----	1.20 - 0.30	.0066	----	----	----	----	18	UNCH
3825	----	----	----/*1.30A	1.30B/*1.30A	----	1.30 - 0.20	.0071	----	----	----	----	40	UNCH
3830	----	----	----/*1.30A	1.40B/*1.30A	----	1.30 - 0.20	.0071	----	----	----	----	187	UNCH
3835	----	----	----/*1.30A	1.40B/*1.30A	----	1.30 - 0.20	.0072	----	----	----	----	55	UNCH
3840	----	----	----/*1.30A	1.40B/*1.30A	----	1.30 - 0.30	.0072	----	----	----	----	4	UNCH
3845	----	----	----/*1.30A	1.40B/*1.30A	----	1.30 - 0.30	.0073	----	----	----	----	1	UNCH
3850	1.20	1.20	1.20/*1.20	1.40B/*1.20	----	1.30 - 0.30	.0073	----	----	4	----	694 +	2
3855	----	----	----/*1.40A	1.40B/*1.40A	----	1.30 - 0.30	.0073	----	----	----	----	73	UNCH
3860	----	----	----/*1.40A	1.50B/*1.40A	----	1.30 - 0.30	.0074	----	----	----	----	29	UNCH
3865	----	----	----/*1.40A	1.50B/*1.40A	----	1.40 - 0.30	.0079	----	----	----	----	19	UNCH
3870	----	----	----/*1.40A	1.60B/*1.40A	----	1.40 - 0.30	.0079	----	----	----	----	16	UNCH
3875	----	----	----/*1.40A	1.50B/*1.40A	----	1.40 - 0.30	.0080	----	----	----	----	162	UNCH
3880	----	----	----/*1.40A	1.50B/*1.40A	----	1.40 - 0.30	.0080	----	----	----	----	25	UNCH
3885	----	----	----/*1.40A	1.60B/*1.40A	----	1.40 - 0.30	.0081	----	----	----	----	13	UNCH
3890	----	----	----/*1.50A	1.60B/*1.50A	----	1.40 - 0.40	.0081	----	----	----	----	49	UNCH
3895	----	----	----/*1.50A	1.70B/*1.50A	----	1.40 - 0.40	.0082	----	----	----	----	16	UNCH
3900	----	----	----/*1.50A	1.70B/*1.50A	----	1.50 - 0.30	.0087	----	----	----	----	1171	UNCH
3905	----	----	----/*1.50A	1.70B/*1.50A	----	1.50 - 0.30	.0087	----	----	----	----	45	UNCH
3910	----	----	----/*1.40A	1.70B/*1.40A	----	1.50 - 0.30	.0088	----	----	----	----	10	UNCH
3915	----	----	----/*1.50A	1.70B/*1.50A	----	1.50 - 0.40	.0088	----	----	----	----	24	UNCH
3920	----	----	----/*1.50A	1.80B/*1.50A	----	1.50 - 0.40	.0089	----	----	----	----	36	UNCH
3925	----	----	----/*1.50A	1.80B/*1.50A	----	1.50 - 0.40	.0089	----	----	----	----	59	UNCH
3930	----	----	----/*1.50A	1.70B/*1.50A	----	1.60 - 0.30	.0095	----	----	----	----	19	UNCH
3935	----	----	----/*1.50A	1.80B/*1.50A	----	1.60 - 0.30	.0095	----	----	----	----	27	UNCH
3940	----	----	----/*1.50A	1.80B/*1.50A	----	1.60 - 0							

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.

© Copyright CME Group Inc. All rights reserved.



BULLETIN # 89@		METALS OPTION PRODUCTS										Mon, May 11, 2026		PG64		
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT JUN26	COMEX GOLD OPTIONS															
4095	----	----	----	3.20B/*2.30A	3.20B/*2.30A	----	----	----	2.40 - 0.50	.0163	----	----	----	----	2079	UNCH
4100	3.10	3.10		3.30B/*2.40A	3.30B/*2.40A	----	----	----	2.40 - 0.50	.0164	----	----	2	----	2480	UNCH
4105	----	----		3.40B/*2.40A	3.40B/*2.40A	----	----	----	2.50 - 0.40	.0170	----	----	2	----	2069	UNCH
4110	2.70	2.70		3.50B/*2.50A	3.50B/*2.50A	----	----	----	2.50 - 0.50	.0172	----	6	----	156 -	4	
4115	----	----		3.50B/*2.50A	3.50B/*2.50A	----	----	----	2.60 - 0.40	.0178	----	----	----	472	UNCH	
4120	----	----		3.60B/*2.50A	3.60B/*2.50A	----	----	----	2.60 - 0.50	.0180	----	----	----	85	UNCH	
4125	----	----		3.70B/*2.60A	3.70B/*2.60A	----	----	----	2.70 - 0.50	.0186	----	----	----	392	UNCH	
4130	----	----		3.80B/*2.60A	3.80B/*2.60A	----	----	----	2.70 - 0.50	.0188	----	----	----	52	UNCH	
4135	----	----		3.90B/*2.70A	3.90B/*2.70A	----	----	----	2.80 - 0.50	.0195	----	----	----	47	UNCH	
4140	----	----		4.00B/*2.70A	4.00B/*2.70A	----	----	----	2.80 - 0.50	.0196	----	----	----	48	UNCH	
4145	----	----		4.10B/*2.80A	4.10B/*2.80A	----	----	----	2.90 - 0.50	.0203	----	----	----	267	UNCH	
4150	3.20	3.20		4.20B/*2.80	4.20B/*2.80	----	----	----	2.90 - 0.60	.0204	----	3	----	579	UNCH	
4155	----	----		4.30B/*2.90A	4.30B/*2.90A	----	----	----	3.00 - 0.50	.0212	----	----	----	43	UNCH	
4160	3.10	3.10		4.40B/*2.90A	4.40B/*2.90A	----	----	----	3.00 - 0.60	.0213	----	1	----	223	UNCH	
4165	3.30	3.30		4.60B/*3.00A	4.60B/*3.00A	----	----	----	3.10 - 0.60	.0220	----	4	----	34 +	4	
4170	3.40	3.40		4.70B/*3.00A	4.70B/*3.00A	----	----	----	3.20 - 0.50	.0227	----	7	----	56	UNCH	
4175	----	----		4.80B/*3.10A	4.80B/*3.10A	----	----	----	3.20 - 0.60	.0229	----	----	----	932	UNCH	
4180	----	----		4.90B/*3.20A	4.90B/*3.20A	----	----	----	3.30 - 0.60	.0237	----	----	----	124	UNCH	
4185	----	----		5.10B/*3.20A	5.10B/*3.20A	----	----	----	3.40 - 0.60	.0244	----	----	----	21	UNCH	
4190	3.70	3.70		5.20B/*3.30A	5.20B/*3.30A	----	----	----	3.40 - 0.70	.0246	----	9	----	36 +	7	
4195	----	----		5.40B/*3.40A	5.40B/*3.40A	----	----	----	3.50 - 0.70	.0253	----	----	----	40	UNCH	
4200	4.80	4.80		5.70/*3.40	5.70/*3.40	----	----	----	3.60 - 0.70	.0261	----	32	----	3637 -	1	
4205	----	----		5.70B/*3.50A	5.70B/*3.50A	----	----	----	3.70 - 0.70	.0268	----	----	----	68	UNCH	
4210	----	----		5.80B/*3.60A	5.80B/*3.60A	----	----	----	3.80 - 0.70	.0276	----	----	----	465	UNCH	
4215	----	----		6.00B/*3.70A	6.00B/*3.70A	----	----	----	3.80 - 0.80	.0278	----	----	----	36	UNCH	
4220	4.20	4.20		6.20B/*3.70A	6.20B/*3.70A	----	----	----	3.90 - 0.80	.0286	----	4	----	200	UNCH	
4225	4.10	4.10		6.40B/*3.80A	6.40B/*3.80A	----	----	----	4.00 - 0.80	.0294	----	8	----	338	UNCH	
4230	3.90	3.90		6.60B/*3.90	6.60B/*3.90	----	----	----	4.10 - 0.80	.0302	----	2	----	105 +	2	
4235	4.40	4.40		6.70B/*4.00A	6.70B/*4.00A	----	----	----	4.20 - 0.80	.0310	----	1	----	68	-	
4240	4.70	4.70		7.00B/*4.10A	7.00B/*4.10A	----	----	----	4.30 - 0.80	.0318	----	4	----	73	-	
4245	4.30	4.30		7.10B/*4.20A	7.10B/*4.20A	----	----	----	4.40 - 0.90	.0327	----	1	----	88	UNCH	
4250	6.80	6.80		7.40B/*4.30A	7.40B/*4.30A	----	----	----	4.50 - 0.90	.0335	----	65	----	1188 -	26	
4255	----	----		7.40B/*4.40A	7.40B/*4.40A	----	----	----	4.60 - 0.90	.0343	----	----	----	270	UNCH	
4260	----	----		7.70B/*4.50A	7.70B/*4.50A	----	----	----	4.70 - 1.00	.0352	----	9	----	140	UNCH	
4265	4.80	4.80		8.00B/*4.60A	8.00B/*4.60A	----	----	----	4.90 - 0.90	.0366	----	7	----	86 +	4	
4270	4.80	4.80		8.40B/*4.60	8.40B/*4.60	----	----	----	5.00 - 1.00	.0375	----	6	----	49 +	1	
4275	5.60	5.60		8.60B/*4.80A	8.60B/*4.80A	----	----	----	5.10 - 1.10	.0383	----	19	----	141 -	17	
4280	5.50	5.50		8.70B/*5.00A	8.70B/*5.00A	----	----	----	5.20 - 1.10	.0392	----	4	----	82 +	3	
4285	6.20	6.20		9.00B/*5.10A	9.00B/*5.10A	----	----	----	5.40 - 1.10	.0407	----	4	----	54 +	4	
4290	6.40	6.40		9.40B/*5.20A	9.40B/*5.20A	----	----	----	5.50 - 1.20	.0416	----	14	----	119 -	13	
4295	----	----		9.70B/*5.40A	9.70B/*5.40A	----	----	----	5.70 - 1.20	.0431	----	3	----	116	UNCH	
4300	9.50	9.50		9.90B/*5.50	9.90B/*5.50	----	----	----	5.80 - 1.20	.0440	----	57	----	3197 -	10	
4305	6.30	6.30		10.30B/*5.60A	10.30B/*5.60A	----	----	----	6.00 - 1.20	.0455	----	7	----	102 -	1	
4310	6.90	6.90		10.60B/*5.60	10.60B/*5.60	----	----	----	6.10 - 1.30	.0465	----	15	----	81 -	6	
4315	6.80	6.80		11.00B/*5.90A	11.00B/*5.90A	----	----	----	6.30 - 1.40	.0480	----	4	----	54	UNCH	
4320	6.80	6.80		11.20B/*6.10A	11.20B/*6.10A	----	----	----	6.50 - 1.40	.0495	----	9	----	93 +	5	
4325	7.80	7.80		11.60B/*6.30A	11.60B/*6.30A	----	----	----	6.60 - 1.50	.0506	----	8	----	159 -	3	
4330	11.20	11.20		11.70B/*6.40	11.70B/*6.40	----	----	----	6.80 - 1.50	.0521	----	25	----	542 -	10	
4335	11.60	11.60		12.30B/*6.60A	12.30B/*6.60A	----	----	----	7.00 - 1.60	.0537	----	13	----	86 +	10	
4340	7.70	7.70		12.90B/*6.80A	12.90B/*6.80A	----	----	----	7.20 - 1.60	.0553	----	8	----	120 +	3	
4345	8.80	8.80		13.10B/*7.00A	13.10B/*7.00A	----	----	----	7.40 - 1.70	.0569	----	39	----	83 +	17	
4350	11.70	11.70		13.60B/*7.20	13.60B/*7.20	----	----	----	7.70 - 1.70	.0591	----	40	----	972 -	13	
4355	8.40	8.40		14.00B/*7.40A	14.00B/*7.40A	----	----	----	7.90 - 1.80	.0607	----	15	----	86 +	5	
4360	9.60	9.60		14.40B/*7.60A	14.40B/*7.60A	----	----	----	8.10 - 1.80	.0624	----	3	----	156 +	2	
4365	7.80	7.80		15.00B/*7.80	15.00B/*7.80	----	----	----	8.40 - 1.80	.0646	----	7	----	69 -	1	
4370	10.20	10.20		15.50B/*8.00A	15.50B/*8.00A	----	----	----	8.60 - 2.00	.0663	----	7	----	44 -	3	
4375	9.30	9.30		16.00B/*8.20A	16.00B/*8.20A	----	----	----	8.90 - 2.00	.0685	----	6	----	525 +	3	
4380	9.00	9.00		16.60B/*8.50A	16.60B/*8.50A	----	----	----	9.10 - 2.10	.0702	----	11	----	497 -	5	
4385	8.90	8.90		17.10B/*8.70A	17.10B/*8.70A	----	----	----	9.40 - 2.20	.0725	----	11	----	145 -	2	
4390	10.10	10.10		17.60B/*9.00A	17.60B/*9.00A	----	----	----	9.70 - 2.20	.0748	----	12	----	108 +	4	
4395	9.30	9.30		18.10B/*9.20A	18.10B/*9.20A	----	----	----	10.00 - 2.30	.0771	----	9	----	100 +	1	
4400	16.00	16.00		19.00B/*9.50A	19.00B/*9.50A	----	----	----	10.30 - 2.40	.0795	----	148	----	2083 -	66	
4405	15.90	15.90		19.40B/*9.80A	19.40B/*9.80A	----	----	----	10.70 - 2.40	.0823	----	3	----	131	UNCH	
4410	----	----		20.00B/*10.10A	20.00B/*10.10A	----	----	----	11.00 - 2.50	.0847	----	2	----	441	UNCH	
4415	11.80	11.80		20.80B/*10.40A	20.80B/*10.40A	----	----	----	11.40 - 2.50	.0876	----	4	----	111 -	2	
4420	12.30	12.30		21.50B/*10.70A	21.50B/*10.70A	----	----	----	11.70 - 2.70	.0901	----	3	----	115	UNCH	
4425	----	----		22.30B/*11.10A	22.30B/*11.10A	----	----	----	12.10 - 2.70	.0930	----	11	----	306 -	6	
4430	13.00	13.00		23.00B/*11.40A	23.00B/*11.40A	----	----	----	12.50 - 2.80	.0960	----	23	----	93 -	6	
4435	----	----		23.60B/*11.80A	23.60B/*11.80A	----	----	----	12.90 - 2.90	.0990	----	----	----	101	UNCH	
4440	14.00	14.00		24.60B/*12.10A	24.60B/*12.10A	----	----	----	13.40 - 2.90	.1025	----	4	----	84	UNCH	
4445	13.60	13.60		25.40B/*12.50A	25.40B/*12.50A	----	----	----	13.80 - 3.00	.1055	----	9	----	83 +	5	
4450	20.50	20.50		26.40B/*12.90A	26.40B/*12.90A	----	----	----	14.30 - 3.10	.1091	----	38	----	2840 -	18	
4455	15.30	15.30		27.10B/*13.40A	27.10B/*13.40A	----	----	----	14.80 - 3.10	.1126	----	10	----	112 +	1	
4460	21.80	21.80		28.20B/*13.80A	28.20B/*13.80A	----	----	----								

PG64		BULLETIN # 89@										METALS OPTION PRODUCTS										Mon, May 11, 2026		PG64
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME					OPEN INTEREST				
OG PUT		COMEX GOLD OPTIONS																						
JUN26																								
4780	----	----	----	----	169.40B/108.40A	169.40B/108.40A	----	----	----	119.10 - 3.40	.5822	----	----	----	----	----	89	UNCH	----	----	89	UNCH	----	----
4785	----	----	----	----	173.00B/111.20A	173.00B/111.20A	----	----	----	122.20 - 3.30	.5909	----	----	1	----	----	91	UNCH	----	----	91	UNCH	----	----
4790	----	----	----	----	176.70B/114.20A	176.70B/114.20A	----	----	----	125.30 - 3.30	.5995	----	----	1	----	----	92	+	1	----	----	92	+	1
4795	125.00	125.00	125.00	125.00	180.40B/117.20A	180.40B/117.20A	----	----	----	128.50 - 3.20	.6079	----	----	4	----	----	51	UNCH	----	----	51	UNCH	----	----
4800	164.50	164.50	164.50	164.50	184.10B/120.20A	184.10B/120.20A	----	----	----	131.70 - 3.10	.6164	----	----	3	----	2821	-	1	----	----	2821	-	1	
4805	----	----	----	----	187.80B/123.30A	187.80B/123.30A	----	----	----	135.00 - 3.00	.6246	----	----	----	----	82	UNCH	----	----	82	UNCH	----	----	
4810	132.80	132.80	132.80	132.80	191.60B/126.70A	191.60B/126.70A	----	----	----	138.30 - 2.90	.6329	----	10	----	48	-	10	----	----	48	-	10	----	----
4815	----	----	----	----	195.40B/129.80A	195.40B/129.80A	----	----	----	141.60 - 2.80	.6411	----	----	----	119	UNCH	----	----	119	UNCH	----	----		
4820	----	----	----	----	199.30B/133.10A	199.30B/133.10A	----	----	----	145.00 - 2.70	.6491	----	----	----	44	UNCH	----	----	44	UNCH	----	----		
4825	----	----	----	----	203.10B/136.30A	203.10B/136.30A	----	----	----	148.40 - 2.70	.6570	----	----	----	202	UNCH	----	----	202	UNCH	----	----		
4830	----	----	----	----	207.00B/139.50A	207.00B/139.50A	----	----	----	151.90 - 2.50	.6649	----	1	123	+	1	----	----	123	+	1	----	----	
4835	----	----	----	----	211.00B/143.10A	211.00B/143.10A	----	----	----	155.40 - 2.40	.6725	----	----	----	32	UNCH	----	----	32	UNCH	----	----		
4840	----	----	----	----	214.90B/146.40A	214.90B/146.40A	----	----	----	159.00 - 2.20	.6802	----	----	----	46	UNCH	----	----	46	UNCH	----	----		
4845	----	----	----	----	218.90B/149.90A	218.90B/149.90A	----	----	----	162.50 - 2.20	.6877	----	----	----	23	UNCH	----	----	23	UNCH	----	----		
4850	155.10	155.10	155.10	155.10	222.90B/153.40A	222.90B/153.40A	----	----	----	166.20 - 2.00	.6952	----	1	572	+	1	----	----	572	+	1	----	----	
4855	----	----	----	----	227.00B/156.90A	227.00B/156.90A	----	----	----	169.80 - 2.00	.7024	----	----	----	315	UNCH	----	----	315	UNCH	----	----		
4860	----	----	----	----	231.10B/160.40A	231.10B/160.40A	----	----	----	173.50 - 1.80	.7096	----	----	----	91	UNCH	----	----	91	UNCH	----	----		
4865	----	----	----	----	235.20B/164.00A	235.20B/164.00A	----	----	----	177.30 - 1.70	.7167	----	----	----	50	UNCH	----	----	50	UNCH	----	----		
4870	----	----	----	----	239.40B/167.50A	239.40B/167.50A	----	----	----	181.00 - 1.60	.7236	----	----	----	44	UNCH	----	----	44	UNCH	----	----		
4875	----	----	----	----	243.60B/170.90A	243.60B/170.90A	----	----	----	184.80 - 1.50	.7304	----	----	----	71	UNCH	----	----	71	UNCH	----	----		
4880	----	----	----	----	247.70B/174.40A	247.70B/174.40A	----	----	----	188.70 - 1.40	.7369	----	4	8	UNCH	----	----	8	UNCH	----	----			
4885	----	----	----	----	251.90B/178.00A	251.90B/178.00A	----	----	----	192.50 - 1.40	.7437	----	----	----	7	UNCH	----	----	7	UNCH	----	----		
4890	----	----	----	----	256.10B/181.70A	256.10B/181.70A	----	----	----	196.40 - 1.30	.7502	----	----	----	48	UNCH	----	----	48	UNCH	----	----		
4895	----	----	----	----	260.40B/185.20A	260.40B/185.20A	----	----	----	200.40 - 1.10	.7563	----	----	----	228	UNCH	----	----	228	UNCH	----	----		
4900	----	----	----	----	264.60B/188.90A	264.60B/188.90A	----	----	----	204.30 - 1.10	.7624	----	4	1684	UNCH	----	----	1684	UNCH	----	----			
4905	----	----	----	----	268.90B/192.70A	268.90B/192.70A	----	----	----	208.30 - 1.00	.7684	----	----	----	11	UNCH	----	----	11	UNCH	----	----		
4910	----	----	----	----	273.20B/196.40A	273.20B/196.40A	----	----	----	212.40 - 0.90	.7745	----	----	----	59	UNCH	----	----	59	UNCH	----	----		
4915	----	----	----	----	277.60B/200.30A	277.60B/200.30A	----	----	----	216.40 - 0.90	.7802	----	----	----	37	UNCH	----	----	37	UNCH	----	----		
4920	----	----	----	----	281.90B/204.00A	281.90B/204.00A	----	----	----	220.50 - 0.80	.7858	----	----	----	93	UNCH	----	----	93	UNCH	----	----		
4925	----	----	----	----	286.40B/207.90A	286.40B/207.90A	----	----	----	224.60 - 0.70	.7914	----	----	----	74	UNCH	----	----	74	UNCH	----	----		
4930	----	----	----	----	290.70B/211.60A	290.70B/211.60A	----	----	----	228.80 - 0.50	.7970	----	----	199	UNCH	----	----	199	UNCH	----	----			
4940	----	----	----	----	299.60B/219.60A	299.60B/219.60A	----	----	----	237.10 - 0.40	.8074	----	----	----	64	UNCH	----	----	64	UNCH	----	----		
4945	----	----	----	----	304.00B/223.50A	304.00B/223.50A	----	----	----	241.30 - 0.40	.8125	----	----	----	13	UNCH	----	----	13	UNCH	----	----		
4950	----	----	----	----	308.50B/227.40A	308.50B/227.40A	----	----	----	245.60 - 0.20	.8177	----	2	291	UNCH	----	----	291	UNCH	----	----			
4955	----	----	----	----	313.00B/231.50A	313.00B/231.50A	----	----	----	249.80 - 0.20	.8224	----	----	32	UNCH	----	----	32	UNCH	----	----			
4960	----	----	----	----	317.50B/235.60A	317.50B/235.60A	----	----	----	254.10 - 0.10	.8271	----	----	23	UNCH	----	----	23	UNCH	----	----			
4965	----	----	----	----	322.00B/239.60A	322.00B/239.60A	----	----	----	258.40 UNCH	.8317	----	----	29	UNCH	----	----	29	UNCH	----	----			
4970	----	----	----	----	326.50B/243.70A	326.50B/243.70A	----	----	----	262.70 + 0.10	.8363	----	----	44	UNCH	----	----	44	UNCH	----	----			
4975	----	----	----	----	331.10B/247.70A	331.10B/247.70A	----	----	----	267.10 + 0.20	.8405	----	----	156	UNCH	----	----	156	UNCH	----	----			
4980	----	----	----	----	335.60B/252.00A	335.60B/252.00A	----	----	----	271.40 + 0.20	.8451	----	----	29	UNCH	----	----	29	UNCH	----	----			
4985	----	----	----	----	340.20B/256.20A	340.20B/256.20A	----	----	----	275.80 + 0.30	.8493	----	----	10	UNCH	----	----	10	UNCH	----	----			
4990	----	----	----	----	344.80B/260.50A	344.80B/260.50A	----	----	----	280.20 + 0.40	.8534	----	----	293	UNCH	----	----	293	UNCH	----	----			
4995	----	----	----	----	349.40B/264.60A	349.40B/264.60A	----	----	----	284.60 + 0.40	.8571	----	----	12	UNCH	----	----	12	UNCH	----	----			
5000	----	----	----	----	354.00B/268.70A	354.00B/268.70A	----	----	----	289.10 + 0.60	.8611	----	10	1845	-	4	----	1845	-	4	----	----		
5005	----	----	----	----	358.70B/272.90A	358.70B/272.90A	----	----	----	293.50 + 0.60	.8652	----	4	300	-	2	----	300	-	2	----	----		
5010	----	----	----	----	363.30B/277.50A	363.30B/277.50A	----	----	----	298.00 + 0.70	.8688	----	----	13	UNCH	----	----	13	UNCH	----	----			
5015	----	----	----	----	368.00B/281.80A	368.00B/281.80A	----	----	----	302.50 + 0.70	.8723	----	----	49	UNCH	----	----	49	UNCH	----	----			
5020	----	----	----	----	372.60B/286.10A	372.60B/286.10A	----	----	----	307.00 + 0.80	.8759	----	----	31	UNCH	----	----	31	UNCH	----	----			
5025	----	----	----	----	377.30B/290.20A	377.30B/290.20A	----	----	----	311.50 + 0.80	.8794	----	----	53	UNCH	----	----	53	UNCH	----	----			
5030	----	----	----	----	382.00B/294.90A	382.00B/294.90A	----	----	----	316.00 + 0.90	.8825	----	----	66	UNCH	----	----	66	UNCH	----	----			
5035	----	----	----	----	386.70B/299.00A	386.70B/299.00A	----	----	----	320.50 + 0.90	.8859	----	----	12	UNCH	----	----	12	UNCH	----	----			
5040	----	----	----	----	391.40B/303.50A	391.40B/303.50A	----	----	----	325.10 + 1.00	.8889	----	----	18	UNCH	----	----	18	UNCH	----	----			
5045	----	----	----	----	396.3																			

BULLETIN # 89@				METALS OPTION PRODUCTS										Mon, May 11, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG PUT	COMEX GOLD OPTIONS															
JUL26																
2000	0.30	0.30	#0.30/0.20A	#0.30/0.20A	----	0.10 - 0.10	.0002	----	----	1	----	5 +	1			
2275	----	----	---/0.30A	0.10B/0.30A	----	0.30 - 0.10	.0007	----	----	----	----	23	UNCH			
2300	----	----	---/*0.30A	0.10B/*0.30A	----	0.40 UNCH	.0010	----	----	----	----	101	UNCH			
2400	----	----	---/*0.40A	0.20B/*0.40A	----	0.50 UNCH	.0013	----	----	----	----	2	UNCH			
2500	----	----	---/*0.40A	0.20B/*0.40A	----	0.60 - 0.10	.0016	----	----	----	----	194	UNCH			
2575	----	----	---/*0.50A	0.30B/*0.50A	----	0.60 - 0.10	.0016	----	----	----	----	1	UNCH			
2600	----	----	---/*0.50A	0.30B/*0.50A	----	0.70 - 0.10	.0019	----	----	----	----	12	UNCH			
2620	----	----	---/*0.60A	0.30B/*0.60A	----	0.70 - 0.10	.0019	----	----	----	----	1	UNCH			
2650	----	----	---/*0.60A	0.40B/*0.60A	----	0.70 - 0.10	.0020	----	----	----	----	51	UNCH			
2670	----	----	---/*0.60A	0.40B/*0.60A	----	0.80 - 0.10	.0022	----	----	----	----	10	UNCH			
2675	----	----	---/*0.60A	0.40B/*0.60A	----	0.80 - 0.10	.0022	----	----	----	----	10	UNCH			
2680	----	----	---/*0.60A	0.40B/*0.60A	----	0.80 - 0.10	.0022	----	----	----	----	10	UNCH			
2700	----	----	---/*0.70A	0.50B/*0.70A	----	0.80 - 0.10	.0023	----	----	----	----	7	UNCH			
2705	----	----	---/*0.70A	0.50B/*0.70A	----	0.80 - 0.10	.0023	----	----	----	----	1	UNCH			
2710	----	----	---/*0.70A	0.50B/*0.70A	----	0.80 - 0.10	.0023	----	----	----	----	7	UNCH			
2730	----	----	---/*0.70A	0.50B/*0.70A	----	0.80 - 0.10	.0023	----	----	----	----	1	UNCH			
2750	----	----	---/*0.70A	0.50B/*0.70A	----	0.90 - 0.10	.0026	----	----	----	----	20	UNCH			
2775	----	----	---/0.80A	0.60B/0.80A	----	0.90 - 0.10	.0026	----	----	----	----	1	UNCH			
2785	----	----	---/*0.80A	0.60B/*0.80A	----	0.90 - 0.10	.0026	----	----	----	----	2	UNCH			
2800	----	----	---/*0.80A	0.60B/*0.80A	----	0.90 - 0.10	.0027	----	----	----	----	9	UNCH			
2850	----	----	---/*0.90A	0.70B/*0.90A	----	1.00 - 0.10	.0030	----	----	----	----	3	UNCH			
2860	----	----	---/*0.90A	0.80B/*0.90A	----	1.00 - 0.10	.0030	----	----	----	----	6	UNCH			
2890	----	----	---/*1.00A	0.80B/*1.00A	----	1.10 - 0.10	.0033	----	----	----	----	60	UNCH			
2895	----	----	---/*1.00A	0.80B/*1.00A	----	1.10 - 0.10	.0033	----	----	----	----	18	UNCH			
2900	----	----	---/*1.00A	0.80B/*1.00A	----	1.10 - 0.10	.0034	----	----	----	----	18	UNCH			
2905	----	----	---/*1.00A	0.80B/*1.00A	----	1.10 - 0.10	.0034	----	----	----	----	19	UNCH			
2920	----	----	---/*1.00A	0.90B/*1.00A	----	1.10 - 0.10	.0034	----	----	----	----	3	UNCH			
2950	----	----	---/1.10A	0.90B/1.10A	----	1.20 - 0.10	.0037	----	----	----	----	35	UNCH			
2985	----	----	---/*1.10A	1.00B/*1.10A	----	1.20 - 0.20	.0038	----	----	----	----	21	UNCH			
2995	----	----	---/*1.20A	1.10B/*1.20A	----	1.30 - 0.10	.0041	----	----	----	----	16	UNCH			
3000	1.00	1.00	1.00/*1.00	1.10B/*1.00	----	1.30 - 0.10	.0041	----	----	1	----	66	UNCH			
3010	----	----	---/*1.20A	1.10B/*1.20A	----	1.30 - 0.10	.0041	----	----	----	----	1	UNCH			
3015	----	----	---/*1.20A	1.10B/*1.20A	----	1.30 - 0.10	.0041	----	----	----	----	5	UNCH			
3025	----	----	---/*1.20A	1.10B/*1.20A	----	1.30 - 0.10	.0042	----	----	----	----	1	UNCH			
3035	----	----	---/*1.30A	1.20B/*1.30A	----	1.30 - 0.20	.0042	----	----	----	----	5	UNCH			
3050	----	----	---/*1.30A	1.20B/*1.30A	----	1.40 - 0.10	.0045	----	----	----	----	2	UNCH			
3100	----	----	---/*1.40A	1.30B/*1.40A	----	1.50 - 0.10	.0049	----	----	----	----	43	UNCH			
3105	----	----	---/*1.40A	1.40B/*1.40A	----	1.50 - 0.10	.0050	----	----	----	----	1	UNCH			
3125	----	----	---/*1.50A	1.40B/*1.50A	----	1.50 - 0.10	.0050	----	----	----	----	42	UNCH			
3140	----	----	---/*1.50A	1.50B/*1.50A	----	1.60 - 0.10	.0053	----	----	----	----	1	UNCH			
3150	----	----	---/*1.60A	1.50B/*1.60A	----	1.60 - 0.10	.0054	----	----	----	----	12	UNCH			
3155	----	----	---/*1.60A	1.50B/*1.60A	----	1.60 - 0.10	.0054	----	----	----	----	1	UNCH			
3165	----	----	---/1.60A	1.50B/1.60A	----	1.60 - 0.10	.0054	----	----	----	----	1	UNCH			
3170	----	----	---/*1.60A	1.60B/*1.60A	----	1.60 - 0.20	.0055	----	----	----	----	0	UNCH			
3185	----	----	---/*1.70A	1.60B/*1.70A	----	1.70 - 0.10	.0058	----	----	----	----	20	UNCH			
3200	----	----	---/*1.70A	1.70B/*1.70A	----	1.70 - 0.10	.0059	----	----	84	----	220 -	38			
3210	----	----	---/*1.70A	1.70B/*1.70A	----	1.70 - 0.20	.0059	----	----	----	----	1	UNCH			
3220	----	----	---/*1.70A	1.70B/*1.70A	----	1.80 - 0.10	.0062	----	----	----	----	1	UNCH			
3225	----	----	---/1.80A	1.70B/1.80A	----	1.80 - 0.10	.0062	----	----	----	----	71	UNCH			
3250	----	----	---/*1.90A	1.80B/*1.90A	----	1.80 - 0.20	.0063	----	----	----	----	61	UNCH			
3275	----	----	---/*2.00A	1.90B/*2.00A	----	1.90 - 0.20	.0068	----	----	----	----	10	UNCH			
3280	----	----	---/*2.00A	1.90B/*2.00A	----	1.90 - 0.20	.0068	----	----	----	----	24	UNCH			
3285	----	----	---/*2.00A	2.00B/*2.00A	----	1.90 - 0.20	.0068	----	----	----	----	1	UNCH			
3290	----	----	---/*2.00A	2.00B/*2.00A	----	2.00 - 0.10	.0071	----	----	----	----	12	UNCH			
3300	----	----	---/*2.00A	2.00B/*2.00A	----	2.00 - 0.20	.0072	----	----	----	----	82	UNCH			
3320	----	----	---/*2.10A	2.00B/*2.10A	----	2.00 - 0.30	.0073	----	----	----	----	27	UNCH			
3325	----	----	---/*2.10A	2.10B/*2.10A	----	2.10 - 0.20	.0076	----	----	----	----	147	UNCH			
3335	----	----	---/*2.20A	2.00B/*2.20A	----	2.10 - 0.20	.0076	----	----	----	----	87	UNCH			
3340	----	----	---/*2.20A	2.10B/*2.20A	----	2.10 - 0.30	.0077	----	----	----	----	1	UNCH			
3350	----	----	---/*2.20A	2.20B/*2.20A	----	2.10 - 0.30	.0077	----	----	----	----	25	UNCH			
3355	----	----	---/*2.30A	2.20B/*2.30A	----	2.20 - 0.20	.0080	----	----	----	----	69	UNCH			
3360	----	----	---/*2.30A	2.10B/*2.30A	----	2.20 - 0.20	.0081	----	----	----	----	5	UNCH			
3370	----	----	---/*2.30A	2.20B/*2.30A	----	2.20 - 0.30	.0081	----	----	----	----	9	UNCH			
3380	----	----	---/*2.40A	2.30B/*2.40A	----	2.20 - 0.30	.0082	----	----	----	----	2	UNCH			
3385	----	----	---/*2.40A	2.30B/*2.40A	----	2.30 - 0.20	.0085	----	----	----	----	4	UNCH			
3390	----	----	---/*2.40A	2.30B/*2.40A	----	2.30 - 0.30	.0086	----	----	----	----	1	UNCH			
3395	----	----	---/*2.40A	2.40B/*2.40A	----	2.30 - 0.30	.0086	----	----	----	----	32	UNCH			
3400	----	----	---/*2.40A	2.40B/*2.40A	----	2.30 - 0.30	.0086	----	----	----	----	55	UNCH			
3405	----	----	---/*2.50A	2.40B/*2.50A	----	2.30 - 0.30	.0087	----	----	----	----	1	UNCH			
3410	----	----	---/*2.50A	2.40B/*2.50A	----	2.40 - 0.30	.0090	----	----	----	----	5	UNCH			
3415	----	----	---/*2.50A	2.40B/*2.50A	----	2.40 - 0.30	.0090	----	----	----	----	1	UNCH			
3425	----	----	---/*2.60A	2.50B/*2.60A	----	2.40 - 0.30	.0091	----	----	----	----	57	UNCH			
3435	----	----	---/*2.60A	2.60B/*2.60A	----	2.50 - 0.30	.0095	----	----	----	----	5	UNCH			
3445	----	----	---/*2.70A	2.60B/*2.70A	----	2.50 - 0.30	.0095	----	----	----	----	2	UNCH			
3450	----	----	---/*2.70A	2.70B/*2.70A	----	2.50 - 0.30	.0096	----	----	----	----	132	UNCH			
3455	----	----	---/*2.70A	2.70B/*2.70A	----	2.50 - 0.40	.0096	----	----	----	----	10	UNCH			
3460	----	----	---/*2.70A	2.70B/*2.70A	----	2.60 - 0.30	.0099	----	----	----	----	10	UNCH			
3465	----	----	---/*2.70A	2.70B/*2.70A	----	2.60 - 0.30	.0100	----	----	----	----	142	UNCH			
3475	----	----	---/*2.80A	2												

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG PUT	COMEX GOLD OPTIONS															
JUL26																
3820	----	----	----	6.10B/*5.50A	6.10B/*5.50A	----	----	5.50 - 0.50	.0239	----	----	----	----	10	UNCH	
3825	----	----	----	6.20B/*5.60A	6.20B/*5.60A	----	----	5.60 - 0.50	.0244	----	----	----	----	11	UNCH	
3830	----	----	----	6.60B/*5.70A	6.60B/*5.70A	----	----	5.60 - 0.60	.0245	----	----	----	----	24	UNCH	
3835	----	----	----	6.40B/*5.80A	6.40B/*5.80A	----	----	5.70 - 0.60	.0249	----	----	----	----	1	UNCH	
3840	----	----	----	6.50B/*5.80A	6.50B/*5.80A	----	----	5.80 - 0.50	.0254	----	----	----	----	33	UNCH	
3845	----	----	----	6.90B/*5.90A	6.90B/*5.90A	----	----	5.80 - 0.60	.0255	----	----	----	----	12	UNCH	
3850	----	----	----	7.00B/*6.00A	7.00B/*6.00A	----	----	5.90 - 0.60	.0259	----	----	----	----	216	UNCH	
3860	----	----	----	7.30B/*6.10A	7.30B/*6.10A	----	----	6.10 - 0.60	.0268	----	----	----	----	42	UNCH	
3865	----	----	----	7.00B/*6.20A	7.00B/*6.20A	----	----	6.20 - 0.60	.0273	----	----	----	----	78	UNCH	
3870	----	----	----	7.10B/*6.30A	7.10B/*6.30A	----	----	6.20 - 0.70	.0274	----	----	----	----	3	UNCH	
3875	----	----	----	7.60B/*6.30A	7.60B/*6.30A	----	----	6.30 - 0.70	.0279	----	----	----	----	113	UNCH	
3880	----	----	----	7.30B/*6.40A	7.30B/*6.40A	----	----	6.40 - 0.70	.0283	----	----	----	----	14	UNCH	
3885	----	----	----	7.40B/*6.50A	7.40B/*6.50A	----	----	6.50 - 0.70	.0288	----	----	----	----	37	UNCH	
3890	----	----	----	7.60B/*6.60A	7.60B/*6.60A	----	----	6.60 - 0.70	.0293	----	----	----	----	4	UNCH	
3895	----	----	----	7.70B/*6.70A	7.70B/*6.70A	----	----	6.70 - 0.70	.0297	----	----	----	----	3	UNCH	
3900	8.00	8.00	----	8.00/*6.80	8.00/*6.80	----	----	6.80 - 0.70	.0302	----	----	13	----	304 +	12	
3905	----	----	----	8.20B/*6.90A	8.20B/*6.90A	----	----	6.90 - 0.70	.0307	----	----	----	----	12	UNCH	
3910	----	----	----	8.00B/*6.90A	8.00B/*6.90A	----	----	6.90 - 0.80	.0308	----	----	----	----	54	UNCH	
3920	----	----	----	8.30B/*7.20A	8.30B/*7.20A	----	----	7.10 - 0.80	.0318	----	----	----	----	12	UNCH	
3925	----	----	----	8.40B/*7.30A	8.40B/*7.30A	----	----	7.20 - 0.90	.0323	----	----	----	----	57	UNCH	
3930	----	----	----	8.60B/*7.40A	8.60B/*7.40A	----	----	7.30 - 0.90	.0328	----	----	----	----	25	UNCH	
3935	----	----	----	8.70B/*7.50A	8.70B/*7.50A	----	----	7.50 - 0.80	.0336	----	----	----	----	18	UNCH	
3940	----	----	----	8.80B/*7.60A	8.80B/*7.60A	----	----	7.60 - 0.80	.0341	----	----	----	----	27	UNCH	
3945	----	----	----	9.00B/*7.70A	9.00B/*7.70A	----	----	7.70 - 0.80	.0346	----	----	----	----	23	UNCH	
3950	----	----	----	9.10B/*7.80A	9.10B/*7.80A	----	----	7.80 - 0.90	.0351	----	----	----	----	608	UNCH	
3955	----	----	----	9.30B/*7.90A	9.30B/*7.90A	----	----	7.90 - 0.90	.0356	----	----	----	----	56	UNCH	
3960	----	----	----	9.40B/*8.00A	9.40B/*8.00A	----	----	8.00 - 0.90	.0361	----	----	----	----	23	UNCH	
3965	----	----	----	9.80B/*8.10A	9.80B/*8.10A	----	----	8.10 - 1.00	.0366	----	----	----	----	94	UNCH	
3970	----	----	----	9.70B/*8.20A	9.70B/*8.20A	----	----	8.30 - 0.90	.0374	----	----	----	----	15	UNCH	
3975	----	----	----	10.60B/*8.30A	10.60B/*8.30A	----	----	8.40 - 0.90	.0379	----	----	----	----	25	UNCH	
3980	----	----	----	10.10B/*8.50A	10.10B/*8.50A	----	----	8.50 - 1.00	.0384	----	----	1	----	236	UNCH	
3985	----	----	----	10.90B/*8.60A	10.90B/*8.60A	----	----	8.60 - 1.00	.0390	----	----	----	----	136	UNCH	
3990	----	----	----	10.40B/*8.70A	10.40B/*8.70A	----	----	8.80 - 1.00	.0398	----	----	1	----	40 -	1	
3995	----	----	----	10.60B/*8.90A	10.60B/*8.90A	----	----	8.90 - 1.00	.0403	----	----	----	----	20	UNCH	
4000	10.50	10.50	----	11.50B/*9.00A	11.50B/*9.00A	----	----	9.00 - 1.10	.0409	----	----	3	----	1404 +	2	
4005	----	----	----	12.00B/*9.10A	12.00B/*9.10A	----	----	9.20 - 1.00	.0417	----	----	----	----	153	UNCH	
4010	----	----	----	11.90B/*9.30A	11.90B/*9.30A	----	----	9.30 - 1.10	.0423	----	----	----	----	4	UNCH	
4015	----	----	----	12.10B/*9.40A	12.10B/*9.40A	----	----	9.50 - 1.00	.0431	----	----	----	----	63	UNCH	
4020	----	----	----	12.60B/*9.50A	12.60B/*9.50A	----	----	9.60 - 1.10	.0437	----	----	----	----	120	UNCH	
4025	----	----	----	13.00B/*9.70A	13.00B/*9.70A	----	----	9.80 - 1.10	.0446	----	----	----	----	22	UNCH	
4030	----	----	----	13.20B/*9.80A	13.20B/*9.80A	----	----	9.90 - 1.20	.0451	----	----	----	----	52	UNCH	
4035	----	----	----	13.40B/*10.00A	13.40B/*10.00A	----	----	10.10 - 1.10	.0460	----	----	----	----	3	UNCH	
4040	----	----	----	13.70B/*10.10A	13.70B/*10.10A	----	----	10.30 - 1.10	.0469	----	----	----	----	9	UNCH	
4045	----	----	----	13.80B/*10.30A	13.80B/*10.30A	----	----	10.40 - 1.20	.0474	----	----	----	----	22	UNCH	
4050	11.30	11.30	----	14.10B/*10.40A	14.10B/*10.40A	----	----	10.60 - 1.20	.0483	----	----	2	----	235	UNCH	
4055	----	----	----	14.40B/*10.60A	14.40B/*10.60A	----	----	10.80 - 1.20	.0492	----	----	----	----	32	UNCH	
4060	----	----	----	14.60B/*10.80A	14.60B/*10.80A	----	----	10.90 - 1.30	.0498	----	----	----	----	2	UNCH	
4065	----	----	----	15.00B/*11.00A	15.00B/*11.00A	----	----	11.10 - 1.30	.0507	----	----	----	----	130	UNCH	
4070	11.20	11.20	----	15.10B/*11.10A	15.10B/*11.10A	----	----	11.30 - 1.30	.0516	----	----	1	----	12	UNCH	
4075	----	----	----	15.40B/*11.30A	15.40B/*11.30A	----	----	11.50 - 1.30	.0525	----	----	----	----	19	UNCH	
4080	----	----	----	15.70B/*11.50A	15.70B/*11.50A	----	----	11.70 - 1.30	.0535	----	----	1	----	10 +	1	
4085	----	----	----	16.00B/*11.70A	16.00B/*11.70A	----	----	11.90 - 1.30	.0544	----	----	----	----	14	UNCH	
4090	----	----	----	16.30B/*11.90A	16.30B/*11.90A	----	----	12.10 - 1.30	.0553	----	----	----	----	6	UNCH	
4095	----	----	----	16.60B/*12.10A	16.60B/*12.10A	----	----	12.30 - 1.40	.0562	----	----	----	----	15	UNCH	
4100	15.00	15.00	----	16.90B/*12.30A	16.90B/*12.30A	----	----	12.50 - 1.40	.0572	----	----	23	----	1225 +	5	
4105	----	----	----	17.40B/*12.50A	17.40B/*12.50A	----	----	12.70 - 1.40	.0581	----	----	----	----	13	UNCH	
4110	----	----	----	17.60B/*12.70A	17.60B/*12.70A	----	----	13.00 - 1.40	.0594	----	----	3	----	15 -	1	
4115	----	----	----	18.00B/*12.90A	18.00B/*12.90A	----	----	13.20 - 1.40	.0603	----	----	----	----	6	UNCH	
4120	----	----	----	18.40B/*13.20A	18.40B/*13.20A	----	----	13.40 - 1.50	.0613	----	----	----	----	82	UNCH	
4125	----	----	----	18.50B/*13.30A	18.50B/*13.30A	----	----	13.70 - 1.40	.0625	----	----	----	----	84	UNCH	
4130	----	----	----	18.90B/*13.60A	18.90B/*13.60A	----	----	13.90 - 1.50	.0635	----	----	----	----	91	UNCH	
4135	----	----	----	19.40B/*13.90A	19.40B/*13.90A	----	----	14.20 - 1.50	.0648	----	----	----	----	43	UNCH	
4140	----	----	----	19.70B/*14.10A	19.70B/*14.10A	----	----	14.40 - 1.60	.0658	----	----	----	----	37	UNCH	
4145	----	----	----	20.20B/*14.40A	20.20B/*14.40A	----	----	14.70 - 1.50	.0671	----	----	----	----	237	UNCH	
4150	----	----	----	20.30B/*14.60A	20.30B/*14.60A	----	----	14.90 - 1.60	.0681	----	----	----	----	159	UNCH	
4155	----	----	----	20.80B/*14.90A	20.80B/*14.90A	----	----	15.20 - 1.60	.0694	----	----	----	----	8	UNCH	
4160	----	----	----	21.10B/*15.10A	21.10B/*15.10A	----	----	15.50 - 1.60	.0707	----	----	----	----	8	UNCH	
4165	----	----	----	21.50B/*15.40A	21.50B/*15.40A	----	----	15.80 - 1.60	.0720	----	----	3	----	91	UNCH	
4170	----	----	----	22.10B/*15.70A	22.10B/*15.70A	----	----	16.10 - 1.70	.0733	----	----	----	----	60	UNCH	
4175	----	----	----	22.10B/*16.00A	22.10B/*16.00A	----	----	16.40 - 1.70	.0746	----	----	----	----	47	UNCH	
4180	----	----	----	22.80B/*16.30A	22.80B/*16.30A	----	----	16.70 - 1.70	.0760	----	----	----	----	18	UNCH	
4185	----	----	----	23.40B/*16.60A	23.40B/*16.60A	----	----	17.00 - 1.80	.0773	----	----	1	----	15 +	1	
4190	----	----	----	23.80B/*16.90A	23.80B/*16.90A	----	----	17.30 - 1.80	.0786	----	----	----	----	130	UNCH	
4195	----	----	----	24.30B/*17.20A	24.30B/*17.20A	----	----	17.60 - 1.90	.0800	----	----	----	----	67	UNCH	
4200	19.00	19.00	----	24.40B/*17.50A	24.40B/*17.50A	----	----	18.00 - 1.80	.0816	----	----	12	----	629 +	3	
4205	----	----	----	24.90B/*17.90A	24.90B/*17.90A	----	----	18.30 - 1.90	.0830	----	----	----	----	63	UNCH	
4210	----	----	----	25.80B/*18.20A	25.80B/*18.20A	----	----	18.70 - 1.90	.0846	----	----	----	----	92	UNCH	
4215	----	----	----	26.20B/*18.50A	26.20B/*18.50A	----	----	19.00 - 2.00	.0860	----	----	----	----	43	UNCH	
4220	21.00	21.00	----	26.70B/*18.90A	26.70B/*18.90A	----	----	19.40 - 2.00	.0877	----	----	3	----	197 +	2	
4225	21.20	21.20	----	26.40B/*19.20A	26.40B/*19.20A	----	----	19.80 - 2.00	.0894	----	----	----	----	127 +	2	
4230	----	----	----	27.40B/*19.50A	27.40B/*19.50A	----	----	20.20 - 2.00	.0910	----	----	4	----	49 +	1	
4235	25.00	25.00	----	28.00B/*19.90A	28.00B/*19.90A	----	----	20.60 - 2.00	.0927	----	----	2	----	49 +	2	
4240	----	----	----	28.60B/*20.30A	28.60B/*20.30A	----	----	21.00 - 2.00	.0944	----	----	1	----	98 +	1	
4245	----	----	----	29.00B/*20.70A	29.00B/*20.70A	----	----	21.40 - 2.10	.0961	----	----	----	----	5	UNCH	
4250	28.50	28.50	----	29.90B/*21.00A	29.90B/*21.00A	----	----	21.80 - 2.10	.0978	----	----	19	----	1227 +	9	
4255	24.00	24.00	----	30.30B/*21.50A	30.30B/*21.50A	----	----	22.20 - 2.20	.0996	----	----	----	----	11	UNCH	
4260	----	----	----	30.90B/*21.90A	30.90B/*21.90A	----	----	22.70 - 2.10	.1016	----	----	4	----	27	UNCH	
4265	----	----	----	31.60B/*22.40A	31.60B/*22.40A	----	----	23.10 - 2.20	.1033	----	----	----	----	16	UNCH	
4270	29.60	29.60	----	32.10B/*22.80A	32.10B/*22.80A	----	----	23.60 - 2.20	.1053	----	----	50	----	38 +	34	
4275	25.00	25.00	----	32.90B/*23.20A	32.90B/*23.20A	----	----	24.00 - 2.30	.1071	----	----	2	----	93 +	1	
4280	----	----	----	33.50B/*23.70A	33.50B/*23.70A	----	----	24.50 - 2.30	.1091	----	----	----	----	138	UNCH	
4285	----	----	----	34.00B/*24.20A	34.00B/*24.20A	----	----	25.00 - 2.30	.1111	----	----	----	----	189	UNCH	
4290	----															

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
COMEX GOLD OPTIONS																
JUL26																
4515	----	----	----	84.90B/60.10A	84.90B/60.10A	----	----	----	63.50 - 2.90	.2481	----	----	----	----	4	UNCH
4520	----	----	----	86.40B/61.30A	86.40B/61.30A	----	----	----	64.80 - 2.90	.2522	----	----	----	----	13	UNCH
4525	----	----	----	87.90B/62.50A	87.90B/62.50A	----	----	----	66.10 - 2.80	.2562	----	----	----	----	513	UNCH
4530	----	----	----	89.90B/63.70A	89.90B/63.70A	----	----	----	67.40 - 2.90	.2602	----	----	----	----	16	UNCH
4535	----	----	----	91.30B/65.00A	91.30B/65.00A	----	----	----	68.80 - 2.80	.2644	----	----	----	----	10	UNCH
4540	69.20	69.20	69.20	93.30B/66.30A	93.30B/66.30A	----	----	----	70.10 - 2.90	.2685	----	----	1	----	91	UNCH
4545	----	----	----	94.90B/67.60A	94.90B/67.60A	----	----	----	71.50 - 2.90	.2727	----	----	----	----	20	UNCH
4550	93.00	93.00	93.00	96.60B/68.90A	96.60B/68.90A	----	----	----	73.00 - 2.80	.2770	----	----	9	----	432	+
4555	----	----	----	98.50B/70.30A	98.50B/70.30A	----	----	----	74.40 - 2.80	.2812	----	----	----	----	23	UNCH
4560	----	----	----	100.40B/71.70A	100.40B/71.70A	----	----	----	75.90 - 2.80	.2855	----	2	----	70	-	1
4565	----	----	----	102.20B/73.10A	102.20B/73.10A	----	----	----	77.40 - 2.70	.2899	----	----	----	----	112	UNCH
4570	----	----	----	104.00B/74.50A	104.00B/74.50A	----	----	----	78.90 - 2.70	.2942	----	----	----	----	19	UNCH
4575	----	----	----	105.80B/76.00A	105.80B/76.00A	----	----	----	80.50 - 2.70	.2987	----	----	----	----	25	UNCH
4580	----	----	----	108.00B/77.40A	108.00B/77.40A	----	----	----	82.00 - 2.70	.3031	----	----	----	----	11	UNCH
4585	----	----	----	109.80B/78.90A	109.80B/78.90A	----	----	----	83.60 - 2.70	.3076	----	----	----	----	17	UNCH
4590	----	----	----	111.70B/80.50A	111.70B/80.50A	----	----	----	85.20 - 2.70	.3121	----	----	----	----	21	UNCH
4595	----	----	----	113.70B/82.00A	113.70B/82.00A	----	----	----	86.90 - 2.60	.3167	----	----	----	----	50	UNCH
4600	96.10	96.10	96.10	115.80B/83.60A	115.80B/83.60A	----	----	----	88.60 - 2.50	.3213	----	17	----	1370	+	2
4605	----	----	----	117.90B/85.20A	117.90B/85.20A	----	----	----	90.30 - 2.50	.3259	----	----	----	----	8	UNCH
4610	----	----	----	119.90B/86.80A	119.90B/86.80A	----	----	----	92.00 - 2.50	.3305	----	----	----	----	136	UNCH
4615	----	----	----	122.00B/88.50A	122.00B/88.50A	----	----	----	93.70 - 2.50	.3351	----	----	----	----	24	UNCH
4620	----	----	----	124.00B/90.20A	124.00B/90.20A	----	----	----	95.50 - 2.50	.3398	----	----	----	----	49	UNCH
4625	----	----	----	126.40B/91.90A	126.40B/91.90A	----	----	----	97.30 - 2.40	.3445	----	20	----	178	-	9
4630	----	----	----	128.50B/93.60A	128.50B/93.60A	----	----	----	99.10 - 2.40	.3493	----	----	----	----	16	UNCH
4635	99.00	99.00	99.00	131.00B/95.40A	131.00B/95.40A	----	----	----	101.00 - 2.30	.3541	----	2	----	128	+	2
4640	----	----	----	132.80B/97.20A	132.80B/97.20A	----	----	----	102.90 - 2.30	.3589	----	----	----	----	155	UNCH
4645	102.10	102.10	102.10	135.20B/99.00A	135.20B/99.00A	----	----	----	104.80 - 2.30	.3637	----	2	----	24	UNCH	
4650	103.40	103.40	103.40	137.70B/100.80A	137.70B/100.80A	----	----	----	106.70 - 2.30	.3685	----	15	----	385	+	6
4655	----	----	----	140.10B/102.70A	140.10B/102.70A	----	----	----	108.70 - 2.20	.3734	----	----	----	----	12	UNCH
4660	----	----	----	142.30B/104.70A	142.30B/104.70A	----	----	----	110.70 - 2.10	.3783	----	----	----	----	64	UNCH
4665	----	----	----	144.60B/106.60A	144.60B/106.60A	----	----	----	112.70 - 2.10	.3831	----	----	----	----	24	UNCH
4670	----	----	----	147.00B/108.40A	147.00B/108.40A	----	----	----	114.70 - 2.10	.3880	----	----	----	----	99	UNCH
4675	----	----	----	149.40B/110.50A	149.40B/110.50A	----	----	----	116.80 - 2.00	.3930	----	2	----	156	+	1
4680	----	----	----	152.10B/112.40A	152.10B/112.40A	----	----	----	118.90 - 2.00	.3979	----	----	----	----	132	UNCH
4685	----	----	----	154.40B/114.60A	154.40B/114.60A	----	----	----	121.00 - 2.00	.4029	----	----	----	----	8	UNCH
4690	----	----	----	156.90B/116.60A	156.90B/116.60A	----	----	----	123.20 - 1.90	.4079	----	----	----	----	15	UNCH
4695	----	----	----	159.50B/118.60A	159.50B/118.60A	----	----	----	125.40 - 1.80	.4129	----	----	----	----	189	UNCH
4700	155.00	155.00	155.00	162.40B/120.70A	162.40B/120.70A	----	----	----	127.60 - 1.80	.4179	----	4	----	830	-	1
4705	127.60	127.60	127.60	164.70B/122.80A	164.70B/122.80A	----	----	----	129.80 - 1.80	.4229	----	3	----	12	+	3
4710	----	----	----	167.30B/125.10A	167.30B/125.10A	----	----	----	132.10 - 1.70	.4279	----	----	----	----	128	UNCH
4715	----	----	----	169.60B/127.20A	169.60B/127.20A	----	----	----	134.40 - 1.60	.4330	----	----	----	----	122	UNCH
4720	----	----	----	172.10B/129.50A	172.10B/129.50A	----	----	----	136.80 - 1.50	.4380	----	----	----	----	63	UNCH
4725	136.00	136.00	136.00	174.80B/131.90A	174.80B/131.90A	----	----	----	139.10 - 1.50	.4431	----	22	----	223	+	11
4730	----	----	----	177.10B/134.20A	177.10B/134.20A	----	----	----	141.50 - 1.50	.4481	----	----	----	----	78	UNCH
4735	173.00	173.00	173.00	177.60B/136.50A	177.60B/136.50A	----	----	----	143.90 - 1.40	.4532	----	10	----	34	-	1
4740	----	----	----	181.20B/138.70A	181.20B/138.70A	----	----	----	146.40 - 1.30	.4583	----	----	----	----	115	UNCH
4745	----	----	----	185.60B/141.10A	185.60B/141.10A	----	----	----	148.80 - 1.30	.4633	----	----	----	----	121	UNCH
4750	148.90	148.90	148.90	188.20B/143.40A	188.20B/143.40A	----	----	----	151.30 - 1.30	.4684	----	11	----	658	+	9
4755	----	----	----	191.40B/146.00A	191.40B/146.00A	----	----	----	153.90 - 1.10	.4734	----	----	----	----	13	UNCH
4760	----	----	----	194.30B/148.60A	194.30B/148.60A	----	----	----	156.40 - 1.20	.4785	----	----	----	----	81	UNCH
4765	----	----	----	195.60B/150.90A	195.60B/150.90A	----	----	----	159.00 - 1.10	.4836	----	1	----	306	UNCH	
4770	----	----	----	200.30B/153.40A	200.30B/153.40A	----	----	----	161.60 - 1.00	.4886	----	1	----	12	+	1
4775	----	----	----	198.30B/155.90A	198.30B/155.90A	----	----	----	164.20 - 1.00	.4937	----	3	----	57	+	1
4780	----	----	----	206.50B/158.50A	206.50B/158.50A	----	----	----	166.90 - 0.90	.4987	----	----	----	39	UNCH	
4785	----	----	----	208.80B/160.90A	208.80B/160.90A	----	----	----	169.60 - 0.90	.5037	----	----	----	115	UNCH	
4790	----	----	----	212.40B/163.70A	212.40B/163.70A	----	----	----	172.30 - 0.90	.5088	----	----	----	3	UNCH	
4795	----	----	----	215.60B/166.40A	215.60B/166.40A	----	----	----	175.10 - 0.80	.5138	----	----	----	8	UNCH	
4800	----	----	----	213.10B/169.00A	213.10B/169.00A	----	----	----	177.90 - 0.70	.5188	----	----	----	1238	UNCH	
4805	----	----	----	215.90B/172.00A	215.90B/172.00A	----	----	----	180.70 - 0.60	.5238	----	----	----	6	UNCH	
4810	----	----	----	217.80B/174.70A	217.80B/174.70A	----	----	----	183.50 - 0.60	.5287	----	----	----	11	UNCH	
4815	----	----	----	225.70B/177.40A	225.70B/177.40A	----	----	----	186.40 - 0.50	.5337	----	----	----	28	UNCH	
4820	----	----	----	224.90B/180.10A	224.90B/180.10A	----	----	----	189.30 - 0.50	.5386	----	----	----	207	UNCH	
4825	----	----	----	225.50B/182.80A	225.50B/182.80A	----	----	----	192.20 - 0.40	.5436	----	----	----	5	UNCH	
4830	----	----	----	226.60B/185.60A	226.60B/185.60A	----	----	----	195.10 - 0.40	.5485	----	----	----	5	UNCH	
4835	191.90	191.90	191.90	229.10B/188.40A	229.10B/188.40A	----	----	----	198.10 - 0.30	.5533	----	2	----	24	+	2
4840	----	----	----	232.40B/191.20A	232.40B/191.20A	----	----	----	201.10 - 0.30	.5582	----	1	----	10	-	1
4845	----	----	----	235.70B/194.00A	235.70B/194.00A	----	----	----	204.10 - 0.20	.5631	----	55	----	63	-	38
4850	----	----	----	239.00B/196.90A	239.00B/196.90A	----	----	----	207.20 - 0.10	.5679	----	1	----	298	UNCH	
4855	----	----	----	242.30B/199.80A	242.30B/199.80A	----	----	----	210.20 - 0.10	.5727	----	----	----	11	UNCH	
4860	----	----	----	245.70B/202.70A	245.70B/202.70A	----	----	----	213.30 - 0.10	.5775	----	----	----	5	UNCH	
4865	----	----	----	249.10B/205.70A	249.10B/205.70A	----	----	----	216.50 + 0.10	.5823	----	----	----	30	UNCH	
4870	----	----	----	252.50B/208.60A	252.50B/208.60A	----	----	----	219.60 + 0.10	.5870	----	----	----	319	UNCH	
4875	----	----	----	255.90B/211.60A	255.90B/211.60A	----	----	----	222.80 + 0.20	.5917	----	----	----	71	UNCH	
4880	----	----	----	259.40B/214.70A	259.40B/214.70A	----	----	----	226.00 + 0.20	.5964	----	----	----	51	UNCH	
4885	----	----	----	262.90B/217.70A	262.90B/217.70A	----	----	----	229.20 + 0.20	.6011	----	----	----	12	UNCH	
4890	----	----	----	266.40B/220.80A	266.40B/220.80A	----	----	----	232.50 + 0.40	.6058	----	----	----	9	UNCH	
4895	----	----	----	269.90B/223.90A	269.90B/223.90A	----	----	----	235.70 + 0.30	.6104	----	----	----	48	UNCH	
4900	----	----	----	273.40B/227.00A	273.40B/227.00A	----	----	----	239.00 + 0.40	.6150	----	1	----	245	UNCH	
4905	272.00	272.00	272.00	277.00B/230.10A	277.00B/230.10A	----	----	----	242.30 + 0.40	.6196	----	2	----	53	-	1
4910	----	----	----	280.60B/233.30A	280.60B/233.30A	----	----	----	245.70 + 0.60	.6241	----	----	----	2	UNCH	
4915	----	----	----	284.20B/236.50A	284.20B/236.50A	----	----	----	249.00 + 0.60	.6285	----	----	----	118	UNCH	
4920	----	----	----	287.90B/239.70A	287.90B/239.70A	----	----	----	252.40 + 0.60	.6330	----	----	----	22	UNCH	
4925	----	----	----	291.50B/243.00A	291.50B/243.00A	----	----	----	255.80 + 0.70	.6375	----	----	----	11	UNCH	
4930	----	----	----	295.20B/246.20A	295.20B/246.20A	----	----	----	259.30 + 0.80	.6418	----	----	----	52	UNCH	
4935	----	----	----	298.90B/249.50A	298.90B/249.50A	----	----	----	262.70 + 0.80	.6463	----	----	----	4	UNCH	
4940	----	----	----	302.60B/252.80A	302.60B/252.80A	----	----									



CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY



GLOBEX			OPEN OUTCRY			GLOBEX			OPEN OUTCRY			SETT.PRICE			DELTA			EXER			OPEN			GLOBEX®			PNT			OPEN					
OPEN			OPEN RANGE			HIGH/LOW			HIGH/LOW			CLOSE RANGE			& PT.CHGE.						CISES			VOLUME			VOLUME			VOLUME			INTEREST		
OG PUT			COMEX GOLD OPTIONS																																
JUL26																																			
5295	----	----	605.20B/542.00A	605.20B/542.00A	----	557.30	+	2.80	.8677	----	----	----	----	2	UNCH																				
5300	----	----	609.80B/544.20A	609.80B/544.20A	----	561.90	+	2.80	.8697	----	----	----	----	68	UNCH																				
5315	----	----	623.80B/557.50A	623.80B/557.50A	----	575.50	+	2.80	.8751	----	----	----	----	10	UNCH																				
5325	----	----	633.10B/569.00A	633.10B/569.00A	----	584.70	+	2.80	.8785	----	----	----	----	2	UNCH																				
5350	----	----	656.10B/589.10A	656.10B/589.10A	----	607.70	+	2.90	.8867	----	----	----	----	8	UNCH																				
5375	----	----	679.70B/612.00A	679.70B/612.00A	----	630.90	+	2.90	.8945	----	----	----	----	8	UNCH																				
5390	----	----	693.50B/625.80A	693.50B/625.80A	----	644.80	+	2.90	.8989	----	----	----	----	5	UNCH																				
5395	----	----	694.60B/633.20A	694.60B/633.20A	----	649.50	+	2.90	.9002	----	----	----	----	0	UNCH																				
5400	----	----	695.60B/634.10A	695.60B/634.10A	----	654.20	+	2.90	.9015	----	----	----	----	602	UNCH																				
5410	----	----	698.40B/647.10A	698.40B/647.10A	----	663.60	+	2.90	.9042	----	----	----	----	1	UNCH																				
5440	----	----	703.00B/675.20A	703.00B/675.20A	----	691.80	+	2.90	.9118	----	----	----	----	1	UNCH																				
5475	----	----	763.80B/705.60A	763.80B/705.60A	----	725.00	+	2.90	.9200	----	----	----	----	7	UNCH																				
5500	----	----	787.90B/729.10A	787.90B/729.10A	----	748.80	+	2.90	.9251	----	----	----	----	4	UNCH																				
5505	----	----	---/736.60A	735.90B/736.60A	----	753.60	+	2.90	.9260	----	----	----	----	1	UNCH																				
5510	----	----	---/741.30A	738.90B/741.30A	----	758.40	+	2.90	.9270	----	----	----	----	1	UNCH																				
6100	----	----	----	----	----	1337.30	+	2.50	.9797	----	----	----	----	2	UNCH																				
6125	----	----	----	----	----	1362.20	+	2.50	.9804	----	----	----	----	2	UNCH																				
TOTAL																								940			38256+			76					
AUG26																																			
2300	----	----	---/*0.70A	0.50B/*0.70A	----	0.70	-	0.10	.0017	----	----	----	----	38	UNCH																				
2325	----	----	----	0.60B/*0.80A	----	0.80	UNCH	.0019	----	----	----	----	1	UNCH																					
2350	0.70	0.70	0.70/*0.70	0.70/*0.70	----	0.80	-	0.10	.0019	----	----	10	----	12	+																				
2375	----	----	----	0.60B/*0.90A	----	0.80	-	0.10	.0019	----	----	----	----	7	UNCH																				
2400	----	----	----	0.70B/*0.90A	----	0.90	UNCH	.0022	----	----	----	----	5	UNCH																					
2425	----	----	---/*0.90A	0.70B/*0.90A	----	0.90	-	0.10	.0022	----	----	----	----	1	UNCH																				
2475	----	----	---/*1.00A	0.80B/*1.00A	----	1.00	-	0.10	.0025	----	----	----	----	5	UNCH																				
2500	----	----	----	0.90B/*1.10A	----	1.10	UNCH	.0027	----	----	----	----	112	UNCH																					
2570	----	----	---/*1.20A	1.00B/*1.20A	----	1.20	-	0.10	.0031	----	----	----	----	9	UNCH																				
2580	----	----	----	1.00B/*1.30A	----	1.30	UNCH	.0033	----	----	----	----	----	1	UNCH																				
2590	----	----	---/*1.30A	1.00B/*1.30A	----	1.30	-	0.10	.0033	----	----	----	----	2	UNCH																				
2600	----	----	---/*1.30A	1.10B/*1.30A	----	1.30	-	0.10	.0033	----	----	----	----	6	UNCH																				
2615	----	----	----	1.10B/*1.40A	----	1.40	UNCH	.0036	----	----	----	----	----	1	UNCH																				
2625	----	----	----	1.10B/*1.40A	----	1.40	UNCH	.0036	----	----	----	----	----	2	UNCH																				
2640	----	----	---/*1.40A	1.20B/*1.40A	----	1.40	-	0.10	.0036	----	----	----	----	1	UNCH																				
2665	----	----	----	1.20B/*1.50A	----	1.50	UNCH	.0039	----	----	----	----	----	1	UNCH																				
2685	----	----	---/*1.50A	1.30B/*1.50A	----	1.50	-	0.10	.0039	----	----	----	----	1	UNCH																				
2690	----	----	----	1.30B/*1.60A	----	1.60	UNCH	.0042	----	----	----	----	----	1	UNCH																				
2730	----	----	----	1.50B/*1.70A	----	1.70	UNCH	.0045	----	----	----	----	----	1	UNCH																				
2740	1.50	1.50	1.50/*1.50	1.50/*1.50	----	1.70	NEW	.0045	----	----	2	----	2	+																					
2745	----	----	---/*1.70A	1.50B/*1.70A	----	1.70	-	0.10	.0045	----	----	----	----	1	UNCH																				
2750	----	----	---/*1.60A	1.50B/*1.60A	----	1.70	-	0.10	.0045	----	----	----	----	4	UNCH																				
2800	----	----	----	1.70B/*1.90A	----	1.90	UNCH	.0051	----	----	----	----	36	UNCH																					
2860	----	----	----	1.90B/*2.20A	----	2.00	-	0.10	.0055	----	----	----	----	1	UNCH																				
2900	----	----	----	2.00B/*2.30A	----	2.20	UNCH	.0061	----	----	----	----	2	UNCH																					
2950	----	----	----	2.20B/*2.50A	----	2.40	UNCH	.0068	----	----	----	----	8	UNCH																					
2980	----	----	----	2.30B/*2.60A	----	2.50	UNCH	.0071	----	----	----	----	1	UNCH																					
3000	----	----	----	2.40B/2.70A	----	2.60	UNCH	.0074	----	----	2	----	269	UNCH																					
3005	----	----	----	2.40B/*2.70A	----	2.60	UNCH	.0075	----	----	----	----	5	UNCH																					
3010	----	----	----	2.40B/*2.70A	----	2.60	UNCH	.0075	----	----	----	----	1	UNCH																					
3015	----	----	----	2.50B/*2.70A	----	2.70	UNCH	.0077	----	----	----	----	1	UNCH																					
3025	----	----	----	2.50B/*2.80A	----	2.70	UNCH	.0078	----	----	----	----	5	UNCH																					
3040	----	----	----	2.60B/*2.80A	----	2.80	UNCH	.0081	----	----	----	----	1	UNCH																					
3065	----	----	----	2.70B/*3.00A	----	2.90	UNCH	.0084	----	----	----	----	1	UNCH																					
3090	----	----	----	2.80B/*3.10A	----	3.00	UNCH	.0088	----	----	----	----	1	UNCH																					
3095	----	----	----	2.80B/*3.10A	----	3.00	UNCH	.0088	----	----	----	----	1	UNCH																					
3100	----	----	----	2.90B/*3.10A	----	3.00	UNCH	.0089	----	----	----	----	264	UNCH																					
3110	----	----	----	2.90B/*3.20A	----	3.10	UNCH	.0092	----	----	----	----	15	UNCH																					
3115	----	----	----	2.90B/*3.20A	----	3.10	UNCH	.0092	----	----	----	----	1	UNCH																					
3120	----	----	----	3.00B/*3.20A	----	3.10	UNCH	.0092	----	----	----	----	29	UNCH																					
3130	----	----	----	3.00B/*3.30A	----	3.10	-	0.10	.0093	----	----	----	5	UNCH																					
3145	----	----	----	3.10B/*3.40A	----	3.20	-	0.10	.0096	----	----	----	1	UNCH																					
3150	----	----	----	3.10B/*3.40A	----	3.20	-	0.10	.0096	----	----	----	10	UNCH																					
3155	----	----	----	3.20B/*3.40A	----	3.20	-	0.10	.0097	----	----	----	3	UNCH																					
3160	----	----	----	3.20B/*3.40A	----	3.30	-	0.10	.0099	----	----	----	1	UNCH																					
3165	----	----	----	3.20B/*3.40A	----	3.30	-	0.10	.0100	----	----	----	141	UNCH																					
3170	----	----	----	3.30B/*3.40A	----	3.30	-	0.10	.0100	----	----	----	1	UNCH																					
3175	----	----	----	3.30B/*3.40A	----	3.30	-	0.10	.0100	----	----	----	1	UNCH																					
3180	----	----	---/3.40A	3.30B/3.40A	----	3.30	-	0.20	.0101	----	----	----	26	UNCH																					
3185	----	----	---/3.40A	3.30B/3.40A	----	3.40	-	0.10	.0103	----	----	----	1	UNCH																					
3190	----	----	----	3.40B/3.50A	----	3.40	-	0.10	.0104	----	----	----	883	UNCH																					
3195	----	----	---/3.50A	3.40B/3.50A	----	3.40	-	0.20	.0104	----	----	----	1	UNCH																					
3200	----	----	----	3.40B/3.60A	----	3.40	-	0.20	.0105	----	----	84	----	531	+																				
3250	----	----	----	3.80B/*3.90A	----	3.80	-	0.10	.0118	----	----	----	530	UNCH																					
3260	----	----	----	3.90B/4.00A	----	3.90	-	0.10	.0121	----	----	----	30	UNCH																					
3295	----	----	----	4.20B/*4.20A	----	4.10	-	0.10	.0129	----	----	----	2	UNCH																					
3300	----	----	----	4.20B/4.30A	----	4.20	-	0.10	.0132	----	----	----	263	UNCH																					
3330	----	----	----	4.50B/*4.50A	----	4.40	-	0.10	.0139	----	----	----	2	UNCH																					
3350	----	----	---/*4.60A	4.60B/*4.60A	----	4.60	-	0.10	.0146	----	----	----	375	UNCH																					
3370	----	----	----	4.80B/*4.80A	----	4.80	UNCH	.0153	----	----	----	----	1	UNCH																					
3375	----	----	---/*4.80A	4.80B/*4.80A	----	4.80	-	0.10	.0154	----	----	----	15	UNCH																					
3380	----	----	----	4.90B/*4.90A	----	4.90	UNCH	.0157	----	----	----	----	1	UNCH																					
3390	----	----	---/*4.90A	5.00B/*4.90A	----	5.00	UNCH	.0160	----	----	----	----	7	UNCH																					
3395	----	----	---/*5.00A	5.00B/*5.00A	----	5.00	-	0.10	.0161	----	----	----	33	UNCH																					
3400	----	----	---/*5.00A	5.10B/*5.00A	----	5.00	-	0.10	.0162	----	----	2	----	4	UNCH																				
3405	----	----	---/*5.10A	5.10B/*5.10A	----	5.10	-	0.10	.0165	----	----	----	1	UNCH																					
3410	----	----	---/*5.10A	5.20B/*5.10A	----	5.10	-	0.10	.0165	----	----	----	1	UNCH																					
3450	----	----	---/*5.50A	5.60B/*5.50A	----	5.50	-	0.10	.0180	----	----	----	1	UNCH																					
3460	----	----	---/*5.60A	5.70B/*5.60A	----	5.60	-	0.10	.0184	----	----	----	1	UNCH																					
3465	----	----	---/*5.60A	5.80B/*5.60A	----	5.70	-	0.10	.0187	----	----	----	6	UNCH																					
3470	----	----	---/*5.70A	5.80B/*5.70A	----	5.70	-	0.20	.0188	----	----	----	1	UNCH																					
3495	----	----	---/*6.00A	6.20B/*6.00A	----	6.00	-	0.20	.0199	----	----	----	1	UNCH																					
3500	----	----	---/*6.00A	6.20B/*6.00A	----	6.10	-	0.10	.0202	----	----	1	820	UNCH																					
3505	----	----	---/*6.10A	6.30B/*6.10A	----	6.10	-	0.20	.0203	----	----	----	1	UNCH																					
3510	----	----	---/*6.20A	6.40B/*6.20A	----	6.20	-	0.20	.0206	----	----	----	50	UNCH																					
3520	----	----	---/*6.30A	6.50B/*6.30A	----	6.30	-	0.20	.0210	----	----	----	210	UNCH																					
3525	----	----	---/*6.30A	6.60B/*6.30A	----	6.30	-	0.30	.0211	----	----	----	60	UNCH																					
3535	----	----	---/*6.50A	6.70B/*6.50A	----	6.50	-	0.20	.0217	----	----	----	1	UNCH																					
3545	----	----	6.90B/*6.60A	6.90B/*6.60A	----	6.60	-	0.20	.0221	----	----	----	9	UNCH																					
3550	----	----	7.00B/*6.70A	7.00B/*6.70A	----	6.70	-	0.20	.0225	----	----	----	119	UNCH																					
3560	----	----	---/*6.80A	7.10B/*6.80A	----	6.80	-	0.30	.0229	----	----	----	1	UNCH																					
3570	----	----	7.30B/*7.00A	7.30B/*7.00A	----	6.90	-	0.30	.0233	----	----	----	32	UNCH																					
3575	----	----	7.40B/*7.00A	7.40B/*7.00A	----	7.00	-	0.30	.0237	----	----	----	20	UNCH																					
3585	----	----	7.60B/*7.20A	7.60B/*7.20A	----	7.10	-	0.40	.0241	----	----	----	50	UNCH																					
3600	----	----	7.90B/*7.40A	7.90B/*7.40A	----	7.30	-	0.40	.0249	----	----	----																							

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT		COMEX GOLD OPTIONS														
AUG26																
3855	----	----	----	15.40B/*13.60A	15.40B/*13.60A	----	----	----	13.40 - 1.10	.0473	----	----	1	----	6 +	1
3875	----	----	----	16.30B/*14.30A	16.30B/*14.30A	----	----	----	14.20 - 1.10	.0501	----	----	----	----	10	UNCH
3880	----	----	----	16.70B/*14.50A	16.70B/*14.50A	----	----	----	14.40 - 1.10	.0508	----	----	----	----	340	UNCH
3885	----	----	----	16.90B/*14.70A	16.90B/*14.70A	----	----	----	14.60 - 1.10	.0515	----	----	----	----	89	UNCH
3890	----	----	----	16.90B/*14.90A	16.90B/*14.90A	----	----	----	14.80 - 1.10	.0522	----	----	----	----	73	UNCH
3895	----	----	----	17.20B/15.10A	17.20B/15.10A	----	----	----	15.00 - 1.20	.0529	----	----	----	----	1	UNCH
3900	17.50	17.50	----	17.60B/15.30A	17.60B/15.30A	----	----	----	15.20 - 1.20	.0536	----	----	4	----	661 +	3
3910	----	----	----	18.00B/15.80A	18.00B/15.80A	----	----	----	15.60 - 1.20	.0551	----	----	----	----	37	UNCH
3915	----	----	----	18.30B/16.00A	18.30B/16.00A	----	----	----	15.80 - 1.30	.0558	----	----	----	----	35	UNCH
3920	----	----	----	18.90B/16.20A	18.90B/16.20A	----	----	----	16.10 - 1.20	.0568	----	----	----	----	49	UNCH
3925	----	----	----	19.30B/16.40A	19.30B/16.40A	----	----	----	16.30 - 1.30	.0575	----	----	----	----	11	UNCH
3930	----	----	----	19.60B/16.70A	19.60B/16.70A	----	----	----	16.50 - 1.30	.0582	----	----	----	----	49	UNCH
3935	----	----	----	19.90B/16.90A	19.90B/16.90A	----	----	----	16.80 - 1.30	.0592	----	----	----	----	11	UNCH
3940	----	----	----	19.70B/17.10A	19.70B/17.10A	----	----	----	17.00 - 1.30	.0600	----	----	----	----	17	UNCH
3950	----	----	----	20.90B/17.60A	20.90B/17.60A	----	----	----	17.50 - 1.40	.0617	----	----	1	----	250 +	1
3955	----	----	----	20.60B/17.90A	20.60B/17.90A	----	----	----	17.80 - 1.30	.0627	----	----	----	----	11	UNCH
3960	----	----	----	21.50B/18.10A	21.50B/18.10A	----	----	----	18.00 - 1.40	.0634	----	----	----	----	1	UNCH
3965	----	----	----	21.80B/18.40A	21.80B/18.40A	----	----	----	18.30 - 1.40	.0644	----	----	----	----	25	UNCH
3970	----	----	----	22.20B/18.60A	22.20B/18.60A	----	----	----	18.60 - 1.40	.0654	----	----	----	----	11	UNCH
3975	----	----	----	22.50B/18.90A	22.50B/18.90A	----	----	----	18.90 - 1.40	.0664	----	----	----	----	267	UNCH
3980	----	----	----	22.80B/19.20A	22.80B/19.20A	----	----	----	19.10 - 1.50	.0672	----	----	----	----	2251	UNCH
3985	----	----	----	23.20B/19.40A	23.20B/19.40A	----	----	----	19.40 - 1.50	.0682	----	----	----	----	2	UNCH
3990	----	----	----	23.70B/19.70A	23.70B/19.70A	----	----	----	19.70 - 1.50	.0692	----	----	----	----	45	UNCH
3995	----	----	----	23.90B/20.00A	23.90B/20.00A	----	----	----	20.00 - 1.50	.0702	----	----	----	----	5	UNCH
4000	21.20	21.20	----	25.00B/20.30A	25.00B/20.30A	----	----	----	20.30 - 1.50	.0712	----	----	2	----	1387 +	2
4005	----	----	----	25.90B/20.60A	25.90B/20.60A	----	----	----	20.60 - 1.50	.0722	----	----	5	----	5 +	2
4010	----	----	----	26.30B/20.90A	26.30B/20.90A	----	----	----	21.00 - 1.40	.0735	----	----	----	----	79	UNCH
4015	----	----	----	26.70B/21.20A	26.70B/21.20A	----	----	----	21.30 - 1.50	.0745	----	----	----	----	2	UNCH
4020	----	----	----	27.10B/21.50A	27.10B/21.50A	----	----	----	21.60 - 1.50	.0755	----	----	----	----	2	UNCH
4025	----	----	----	27.50B/21.80A	27.50B/21.80A	----	----	----	21.90 - 1.50	.0766	----	----	----	----	101	UNCH
4030	----	----	----	28.00B/22.10A	28.00B/22.10A	----	----	----	22.30 - 1.50	.0778	----	----	----	----	50	UNCH
4035	----	----	----	28.70B/22.40A	28.70B/22.40A	----	----	----	22.60 - 1.50	.0789	----	----	----	----	19	UNCH
4040	----	----	----	28.80B/22.80A	28.80B/22.80A	----	----	----	23.00 - 1.50	.0801	----	----	----	----	25	UNCH
4045	----	----	----	29.40B/23.10A	29.40B/23.10A	----	----	----	23.30 - 1.60	.0812	----	----	----	----	30	UNCH
4050	----	----	----	29.90B/23.50A	29.90B/23.50A	----	----	----	23.70 - 1.50	.0824	----	----	1	----	313 +	1
4055	----	----	----	30.30B/23.80A	30.30B/23.80A	----	----	----	24.00 - 1.60	.0835	----	----	1	----	15 +	1
4065	----	----	----	31.20B/24.50A	31.20B/24.50A	----	----	----	24.80 - 1.60	.0861	----	----	----	----	4	UNCH
4070	----	----	----	31.60B/24.90A	31.60B/24.90A	----	----	----	25.20 - 1.60	.0873	----	----	----	----	1	UNCH
4075	31.90	31.90	----	32.30B/25.30A	32.30B/25.30A	----	----	----	25.60 - 1.60	.0886	----	----	1	----	11	UNCH
4080	----	----	----	32.80B/25.60A	32.80B/25.60A	----	----	----	26.00 - 1.60	.0899	----	----	----	----	10	UNCH
4085	26.40	26.40	----	33.30B/26.00A	33.30B/26.00A	----	----	----	26.40 - 1.60	.0912	----	----	1	----	42 -	1
4090	----	----	----	33.80B/26.40A	33.80B/26.40A	----	----	----	26.80 - 1.70	.0925	----	----	----	----	201	UNCH
4095	28.20	28.20	----	34.20B/26.80A	34.20B/26.80A	----	----	----	27.20 - 1.70	.0938	----	----	1	----	83	UNCH
4100	----	----	----	35.00B/27.20A	35.00B/27.20A	----	----	----	27.70 - 1.60	.0954	----	----	8	----	403	UNCH
4105	----	----	----	35.30B/27.60A	35.30B/27.60A	----	----	----	28.10 - 1.70	.0967	----	----	----	----	15	UNCH
4110	----	----	----	35.90B/28.00A	35.90B/28.00A	----	----	----	28.50 - 1.70	.0980	----	----	----	----	3	UNCH
4115	29.90	29.90	----	36.40B/28.50A	36.40B/28.50A	----	----	----	29.00 - 1.70	.0995	----	----	1	----	17 +	1
4120	----	----	----	37.10B/28.90A	37.10B/28.90A	----	----	----	29.40 - 1.80	.1009	----	----	----	----	120	UNCH
4125	----	----	----	37.70B/29.40A	37.70B/29.40A	----	----	----	29.90 - 1.80	.1024	----	----	----	----	5	UNCH
4130	----	----	----	38.20B/29.80A	38.20B/29.80A	----	----	----	30.40 - 1.70	.1040	----	----	----	----	6	UNCH
4135	----	----	----	38.90B/30.30A	38.90B/30.30A	----	----	----	30.90 - 1.70	.1055	----	----	----	----	57	UNCH
4140	----	----	----	39.40B/30.70A	39.40B/30.70A	----	----	----	31.40 - 1.70	.1071	----	----	----	----	1	UNCH
4145	32.80	32.80	----	40.20B/31.20A	40.20B/31.20A	----	----	----	31.90 - 1.70	.1086	----	----	5	----	27	UNCH
4150	----	----	----	40.80B/31.70A	40.80B/31.70A	----	----	----	32.40 - 1.80	.1102	----	----	1	----	362 +	1
4155	----	----	----	41.50B/32.20A	41.50B/32.20A	----	----	----	32.90 - 1.80	.1118	----	----	----	----	1	UNCH
4160	33.70	33.70	----	42.10B/32.70A	42.10B/32.70A	----	----	----	33.40 - 1.80	.1133	----	----	3	----	63 -	3
4165	34.80	34.80	----	42.80B/33.20A	42.80B/33.20A	----	----	----	34.00 - 1.80	.1151	----	----	1	----	103 +	1
4170	----	----	----	43.40B/33.70A	43.40B/33.70A	----	----	----	34.50 - 1.80	.1167	----	----	----	----	80	UNCH
4175	----	----	----	44.10B/34.20A	44.10B/34.20A	----	----	----	35.10 - 1.80	.1185	----	----	----	----	33	UNCH
4180	----	----	----	44.80B/34.70A	44.80B/34.70A	----	----	----	35.60 - 1.90	.1201	----	----	----	----	114	UNCH
4185	----	----	----	45.60B/35.30A	45.60B/35.30A	----	----	----	36.20 - 1.80	.1218	----	----	----	----	50	UNCH
4190	----	----	----	46.50B/35.80A	46.50B/35.80A	----	----	----	36.80 - 1.80	.1236	----	----	----	----	140	UNCH
4195	----	----	----	47.00B/36.40A	47.00B/36.40A	----	----	----	37.40 - 1.80	.1254	----	----	----	----	218	UNCH
4200	43.00	43.00	----	47.90B/36.90A	47.90B/36.90A	----	----	----	38.00 - 1.80	.1272	----	----	17	----	271 +	4
4205	----	----	----	48.50B/37.50A	48.50B/37.50A	----	----	----	38.60 - 1.90	.1290	----	----	----	----	350	UNCH
4210	----	----	----	49.30B/38.10A	49.30B/38.10A	----	----	----	39.20 - 1.90	.1309	----	----	----	----	3	UNCH
4215	----	----	----	50.40B/38.70A	50.40B/38.70A	----	----	----	39.80 - 1.90	.1327	----	----	----	----	17	UNCH
4220	----	----	----	50.90B/39.30A	50.90B/39.30A	----	----	----	40.50 - 1.90	.1347	----	----	----	----	12	UNCH
4225	49.50	49.50	----	51.70B/39.90A	51.70B/39.90A	----	----	----	41.10 - 2.00	.1365	----	----	1	----	18 +	1
4230	----	----	----	52.50B/40.60A	52.50B/40.60A	----	----	----	41.80 - 1.90	.1385	----	----	----	----	12	UNCH
4235	----	----	----	53.60B/41.20A	53.60B/41.20A	----	----	----	42.50 - 1.90	.1405	----	----	----	----	8	UNCH
4240	----	----	----	54.10B/41.80A	54.10B/41.80A	----	----	----	43.20 - 1.90	.1426	----	----	----	----	37	UNCH
4245	----	----	----	55.10B/42.50A	55.10B/42.50A	----	----	----	43.80 - 2.00	.1444	----	----	----	----	55	UNCH
4250	----	----	----	56.10B/43.20A	56.10B/43.20A	----	----	----	44.60 - 1.90	.1466	----	----	32	----	806 +	28
4255	54.50	54.50	----	57.10B/43.80A	57.10B/43.80A	----	----	----	45.30 - 1.90	.1487	----	----	25	----	888	UNCH
4260	----	----	----	57.90B/44.50A	57.90B/44.50A	----	----	----	46.00 - 2.00	.1507	----	----	----	----	10	UNCH
4270	47.40	47.40	----	59.70B/45.90A	59.70B/45.90A	----	----	----	47.50 - 2.00	.1550	----	----	2	----	16	UNCH
4275	----	----	----	60.60B/46.70A	60.60B/46.70A	----	----	----	48.30 - 2.00	.1572	----	----	----	----	23	UNCH
4280	----	----	----	61.70B/47.40A	61.70B/47.40A	----	----	----	49.00 - 2.10	.1593	----	----	----	----	68	UNCH
4285	----	----	----	62.70B/48.20A	62.70B/48.20A	----	----	----	49.80 - 2.00	.1615	----	----	----	----	171	UNCH
4290	50.40	50.40	----	63.70B/48.90A	63.70B/48.90A	----	----	----	50.60 - 2.10	.1638	----	----	2	----	61	UNCH
4295	----	----	----	64.70B/49.70A	64.70B/49.70A	----	----	----	51.40 - 2.10	.1660	----	----	----	----	2	UNCH
4300	52.00	52.00	----	65.60B/50.40A	65.60B/50.40A	----	----	----	52.30 - 2.00	.1684	----	----	6	----	925	UNCH
4305	----	----	----	66.70B/51.20A	66.70B/51.20A	----	----	----	53.10 - 2.10	.1707	----	----	----	----	507	UNCH
4310	----	----	----	67.80B/52.00A	67.8											

PG64		BULLETIN # 89@										METALS OPTION PRODUCTS										Mon, May 11, 2026		PG64
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME			OPEN INTEREST						
OG PUT		COMEX GOLD OPTIONS																						
AUG26																								
4580	122.60	122.60			150.90B/118.60A	150.90B/118.60A	----	----	----	123.80	- 1.60	----	----	11	----	----	186	+	11					
4585	----	----			152.90B/120.40A	152.90B/120.40A	----	----	----	125.60	- 1.50	----	----	----	----	----	4	UNCH						
4590	----	----			155.00B/122.10A	155.00B/122.10A	----	----	----	127.40	- 1.50	----	----	----	----	----	32	UNCH						
4595	----	----			157.10B/124.00A	157.10B/124.00A	----	----	----	129.30	- 1.40	----	----	----	----	----	155	UNCH						
4600	----	----			159.30B/125.60A	159.30B/125.60A	----	----	----	131.20	- 1.40	----	----	4	----	----	553	+	3					
4605	----	----			161.50B/127.60A	161.50B/127.60A	----	----	----	133.10	- 1.30	----	----	----	----	----	86	UNCH						
4610	----	----			163.60B/129.40A	163.60B/129.40A	----	----	----	135.00	- 1.30	----	----	----	----	----	9	UNCH						
4615	----	----			165.70B/131.20A	165.70B/131.20A	----	----	----	136.90	- 1.30	----	----	----	----	----	2	UNCH						
4620	----	----			167.90B/133.10A	167.90B/133.10A	----	----	----	138.80	- 1.40	----	----	----	----	----	15	UNCH						
4625	----	----			170.20B/135.00A	170.20B/135.00A	----	----	----	140.80	- 1.30	----	----	----	----	----	209	UNCH						
4630	----	----			172.60B/136.90A	172.60B/136.90A	----	----	----	142.80	- 1.30	----	----	----	----	----	11	UNCH						
4635	----	----			175.00B/138.90A	175.00B/138.90A	----	----	----	144.80	- 1.20	----	----	----	----	----	128	UNCH						
4640	----	----			177.30B/140.80A	177.30B/140.80A	----	----	----	146.90	- 1.20	----	----	----	----	----	325	UNCH						
4645	----	----			179.50B/142.80A	179.50B/142.80A	----	----	----	148.90	- 1.20	----	----	----	----	----	131	UNCH						
4650	147.80	147.80			181.90B/144.80A	181.90B/144.80A	----	----	----	151.00	- 1.10	----	----	70	----	----	455	+	55					
4655	----	----			184.20B/146.80A	184.20B/146.80A	----	----	----	153.10	- 1.10	----	----	----	----	----	25	UNCH						
4660	----	----			186.80B/148.90A	186.80B/148.90A	----	----	----	155.20	- 1.10	----	----	----	----	----	27	UNCH						
4665	----	----			188.90B/151.00A	188.90B/151.00A	----	----	----	157.40	- 1.00	----	----	----	----	----	4	UNCH						
4670	----	----			191.70B/153.10A	191.70B/153.10A	----	----	----	159.60	- 1.00	----	----	30	----	----	36	+	30					
4675	163.40	163.40			193.90B/155.10A	193.90B/155.10A	----	----	----	161.80	- 0.90	----	----	2	----	----	15	+	2					
4680	162.90	162.90			196.30B/157.40A	196.30B/157.40A	----	----	----	164.00	- 0.90	----	----	1	----	----	13	+	1					
4685	165.10	165.10			199.00B/159.50A	199.00B/159.50A	----	----	----	166.20	- 0.90	----	----	1	----	----	223	+	1					
4690	----	----			201.70B/161.70A	201.70B/161.70A	----	----	----	168.50	- 0.80	----	----	----	----	----	9	UNCH						
4695	----	----			204.30B/163.90A	204.30B/163.90A	----	----	----	170.80	- 0.70	----	----	----	----	----	5	UNCH						
4700	197.00	197.00			206.70B/165.30	206.70B/165.30	----	----	----	173.10	- 0.70	----	----	58	----	----	1011	+	17					
4705	----	----			209.60B/168.40A	209.60B/168.40A	----	----	----	175.40	- 0.70	----	----	----	----	----	61	UNCH						
4710	----	----			212.20B/170.60A	212.20B/170.60A	----	----	----	177.80	- 0.60	----	----	----	----	----	10	UNCH						
4715	----	----			214.50B/173.00A	214.50B/173.00A	----	----	----	180.10	- 0.60	----	----	----	----	----	1	UNCH						
4720	----	----			217.50B/175.30A	217.50B/175.30A	----	----	----	182.50	- 0.60	----	----	----	----	----	10	UNCH						
4725	----	----			220.50B/177.50A	220.50B/177.50A	----	----	----	185.00	- 0.40	----	----	1	----	----	49	+	1					
4730	----	----			222.50B/180.00A	222.50B/180.00A	----	----	----	187.40	- 0.40	----	----	----	----	----	6	UNCH						
4735	----	----			225.00B/182.40A	225.00B/182.40A	----	----	----	189.90	- 0.30	----	----	1	----	----	60	+	1					
4740	----	----			223.10B/184.80A	223.10B/184.80A	----	----	----	192.40	- 0.30	----	----	----	----	----	49	UNCH						
4745	----	----			230.20B/187.20A	230.20B/187.20A	----	----	----	194.90	- 0.20	----	----	----	----	----	32	UNCH						
4750	----	----			233.50B/189.60A	233.50B/189.60A	----	----	----	197.40	- 0.20	----	----	----	----	----	171	UNCH						
4755	----	----			236.20B/192.30A	236.20B/192.30A	----	----	----	200.00	- 0.10	----	----	----	----	----	25	UNCH						
4760	----	----			237.10B/194.60A	237.10B/194.60A	----	----	----	202.60	UNCH	----	----	6	----	----	9	-	3					
4765	----	----			240.10B/197.10A	240.10B/197.10A	----	----	----	205.20	+	0.10	----	----	----	----	5	UNCH						
4770	----	----			239.60B/199.50A	239.60B/199.50A	----	----	----	207.80	+	0.10	----	3	----	----	254	+	3					
4775	----	----			242.60B/202.20A	242.60B/202.20A	----	----	----	210.50	+	0.20	----	----	----	----	96	UNCH						
4780	----	----			245.40B/204.70A	245.40B/204.70A	----	----	----	213.20	+	0.30	----	----	----	----	20	UNCH						
4785	213.80	213.80			253.40B/207.40A	253.40B/207.40A	----	----	----	215.90	+	0.40	----	1	----	----	18	UNCH						
4790	----	----			251.40B/210.00A	251.40B/210.00A	----	----	----	218.60	+	0.50	----	----	----	----	53	UNCH						
4795	----	----			259.50B/212.60A	259.50B/212.60A	----	----	----	221.40	+	0.60	----	6	----	----	107	+	6					
4800	----	----			258.10B/215.20A	258.10B/215.20A	----	----	----	224.10	+	0.60	----	18	----	----	943	+	5					
4805	222.60	222.60			259.60B/218.00A	259.60B/218.00A	----	----	----	226.90	+	0.70	----	1	----	----	9	UNCH						
4810	----	----			263.50B/221.00A	263.50B/221.00A	----	----	----	229.70	+	0.70	----	----	----	----	5	UNCH						
4815	----	----			271.70B/223.80A	271.70B/223.80A	----	----	----	232.60	+	0.90	----	----	----	----	3	UNCH						
4820	----	----			269.80B/226.50A	269.80B/226.50A	----	----	----	235.40	+	0.90	----	----	----	----	4	UNCH						
4825	----	----			273.20B/229.30A	273.20B/229.30A	----	----	----	238.30	+	1.00	----	----	----	----	30	UNCH						
4830	----	----			280.90B/232.10A	280.90B/232.10A	----	----	----	241.20	+	1.00	----	----	----	----	4	UNCH						
4835	----	----			284.10B/234.90A	284.10B/234.90A	----	----	----	244.10	+	1.10	----	----	----	----	36	UNCH						
4840	----	----			282.00B/237.80A	282.00B/237.80A	----	----	----	247.00	+	1.10	----	----	----	----	5	UNCH						
4850	----	----			290.00B/243.50A	290.00B/243.50A	----	----	----	252.90	+	1.20	----	----	----	----	155	UNCH						
4855	----	----			290.90B/246.50A	290.90B/246.50A	----	----	----	255.90	+	1.20	----	----	----	----	11	UNCH						
4860	----	----			293.10B/249.40A	293.10B/249.40A	----	----	----	258.90	+	1.20	----	----	----	----	9	UNCH						
4865	----	----			295.10B/252.40A	295.10B/252.40A	----	----	----	261.90	+	1.20	----	----	----	----	12	UNCH						
4870	----	----			298.40B/255.30A	298.40B/255.30A	----	----	----	265.00	+	1.30	----	----	----	----	29	UNCH						
4875	----	----			301.60B/258.40A	301.60B/258.40A	----	----	----	268.00	+	1.30	----	----	----	----	82	UNCH						
4880	----	----			305.00B/261.30A	305.00B/261.30A	----	----	----	271.10	+	1.30	----	----	----	----	126	UNCH						
4885	----	----			308.30B/264.40A	308.30B/264.40A	----	----	----	274.20	+	1.40	----	----	----	----	8	UNCH						
4890	----	----			311.60B/267.50A	311.60B/267.50A	----	----	----	277.30														



CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY



G664		BULLETIN # 89@		METALS OPTION PRODUCTS										Mon, May 11, 2026		PG64	
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG PUT SEP26		COMEX GOLD OPTIONS															
3945	----	----		30.00B/26.90A	30.00B/26.90A	----	----		26.90 - 1.10	.0784	----	----	----	----	380	UNCH	
3950	----	----		30.30B/27.20A	30.30B/27.20A	----	----		27.30 - 1.10	.0795	----	----	----	----	324	UNCH	
3975	----	----		32.40B/29.00A	32.40B/29.00A	----	----		29.20 - 1.20	.0847	----	----	----	----	4	UNCH	
3980	----	----		32.90B/29.40A	32.90B/29.40A	----	----		29.60 - 1.20	.0857	----	----	----	----	2	UNCH	
4000	----	----		34.60B/30.90A	34.60B/30.90A	----	----		31.20 - 1.20	.0901	----	----	----	----	1211	UNCH	
4005	----	----		35.10B/31.30A	35.10B/31.30A	----	----		31.60 - 1.30	.0912	----	----	----	----	1	UNCH	
4020	----	----		36.60B/32.60A	36.60B/32.60A	----	----		32.90 - 1.30	.0947	----	----	----	----	14	UNCH	
4030	----	----		37.80B/33.40A	37.80B/33.40A	----	----		33.80 - 1.30	.0971	----	----	----	----	3	UNCH	
4050	35.50	35.50		39.90B/35.20A	39.90B/35.20A	----	----		35.70 - 1.30	.1021	----	----	3	----	44	3	
4065	----	----		41.60B/36.70A	41.60B/36.70A	----	----		37.10 - 1.50	.1058	----	----	----	----	5	UNCH	
4070	----	----		42.20B/37.20A	42.20B/37.20A	----	----		37.60 - 1.50	.1071	----	----	----	----	10	UNCH	
4080	----	----		43.50B/38.20A	43.50B/38.20A	----	----		38.70 - 1.40	.1099	----	----	----	----	6	UNCH	
4085	----	----		43.90B/38.70A	43.90B/38.70A	----	----		39.20 - 1.50	.1112	----	----	----	----	76	UNCH	
4090	----	----		44.60B/39.20A	44.60B/39.20A	----	----		39.70 - 1.50	.1126	----	----	----	----	2	UNCH	
4100	----	----		46.40B/40.30A	46.40B/40.30A	----	----		40.80 - 1.60	.1154	----	----	----	----	24	UNCH	
4110	----	----		47.20B/41.30A	47.20B/41.30A	----	----		41.90 - 1.60	.1182	----	----	----	----	1	UNCH	
4115	----	----		48.10B/41.90A	48.10B/41.90A	----	----		42.50 - 1.60	.1197	----	----	----	----	28	UNCH	
4130	----	----		50.10B/43.60A	50.10B/43.60A	----	----		44.30 - 1.60	.1243	----	----	----	----	20	UNCH	
4135	----	----		50.70B/44.20A	50.70B/44.20A	----	----		44.90 - 1.60	.1258	----	----	----	----	3	UNCH	
4150	----	----		54.70B/46.00A	54.70B/46.00A	----	----		46.80 - 1.70	.1305	----	----	----	----	4	UNCH	
4185	----	----		60.20B/50.50A	60.20B/50.50A	----	----		51.50 - 1.70	.1421	----	----	----	----	76	UNCH	
4200	----	----		62.70B/52.50A	62.70B/52.50A	----	----		53.60 - 1.80	.1472	----	----	2	----	225	+	
4220	----	----		66.10B/55.40A	66.10B/55.40A	----	----		56.60 - 1.90	.1544	----	----	----	----	113	UNCH	
4225	----	----		67.20B/56.20A	67.20B/56.20A	----	----		57.40 - 1.90	.1563	----	----	----	----	2	UNCH	
4230	----	----		68.10B/57.00A	68.10B/57.00A	----	----		58.20 - 1.90	.1581	----	----	----	----	29	UNCH	
4240	59.60	59.60		69.70B/58.50A	69.70B/58.50A	----	----		59.80 - 1.90	.1619	----	----	2	----	128	UNCH	
4250	----	----		71.90B/59.90A	71.90B/59.90A	----	----		61.50 - 1.90	.1658	----	----	----	----	126	UNCH	
4275	----	----		76.90B/64.00A	76.90B/64.00A	----	----		65.80 - 1.90	.1758	----	----	----	----	30	UNCH	
4290	67.70	67.70		80.10B/66.90A	80.10B/66.90A	----	----		68.50 - 2.00	.1819	----	----	1	----	1	UNCH	
4300	----	----		82.10B/68.40A	82.10B/68.40A	----	----		70.40 - 2.00	.1862	----	----	1	----	256	+	
4320	----	----		86.70B/72.20A	86.70B/72.20A	----	----		74.30 - 2.00	.1949	----	----	----	----	158	UNCH	
4325	----	----		88.20B/73.20A	88.20B/73.20A	----	----		75.30 - 2.00	.1971	----	----	----	----	6	UNCH	
4345	----	----		93.00B/77.20A	93.00B/77.20A	----	----		79.50 - 2.00	.2062	----	----	----	----	16	UNCH	
4350	----	----		94.30B/78.30A	94.30B/78.30A	----	----		80.60 - 1.90	.2085	----	----	----	----	43	UNCH	
4360	----	----		96.80B/80.60A	96.80B/80.60A	----	----		82.80 - 1.90	.2132	----	----	----	----	1	UNCH	
4365	----	----		97.80B/81.30A	97.80B/81.30A	----	----		83.90 - 1.90	.2155	----	----	----	----	6	UNCH	
4375	----	----		100.60B/83.50A	100.60B/83.50A	----	----		86.10 - 2.00	.2203	----	----	----	----	55	UNCH	
4380	----	----		102.00B/84.60A	102.00B/84.60A	----	----		87.30 - 2.00	.2227	----	----	----	----	95	UNCH	
4390	----	----		104.50B/87.00A	104.50B/87.00A	----	----		89.60 - 2.00	.2276	----	----	----	----	41	UNCH	
4395	----	----		106.00B/88.10A	106.00B/88.10A	----	----		90.80 - 2.00	.2301	----	----	----	----	41	UNCH	
4400	----	----		107.30B/89.30A	107.30B/89.30A	----	----		92.00 - 2.00	.2325	----	----	----	----	868	UNCH	
4405	----	----		108.80B/90.40A	108.80B/90.40A	----	----		93.30 - 1.90	.2351	----	----	----	----	40	UNCH	
4410	----	----		110.00B/91.70A	110.00B/91.70A	----	----		94.50 - 2.00	.2376	----	----	----	----	6	UNCH	
4420	----	----		113.00B/94.50A	113.00B/94.50A	----	----		97.00 - 2.00	.2427	----	----	----	----	1	UNCH	
4430	----	----		116.00B/97.00A	116.00B/97.00A	----	----		99.60 - 1.90	.2479	----	----	----	----	2	UNCH	
4440	----	----		119.10B/99.10A	119.10B/99.10A	----	----		102.20 - 1.90	.2531	----	----	----	----	7	UNCH	
4445	----	----		120.50B/100.90A	120.50B/100.90A	----	----		103.60 - 1.90	.2558	----	----	----	----	1	UNCH	
4450	----	----		122.00B/101.70A	122.00B/101.70A	----	----		104.90 - 1.90	.2584	----	----	----	460	UNCH		
4470	----	----		128.20B/107.70A	128.20B/107.70A	----	----		110.50 - 1.90	.2693	----	----	----	----	2	UNCH	
4475	----	----		129.90B/108.50A	129.90B/108.50A	----	----		111.90 - 1.90	.2720	----	----	----	----	3	UNCH	
4485	----	----		133.20B/111.90A	133.20B/111.90A	----	----		114.90 - 1.80	.2776	----	----	----	----	1	UNCH	
4490	----	----		134.80B/112.80A	134.80B/112.80A	----	----		116.30 - 1.80	.2803	----	----	----	50	UNCH		
4495	----	----		136.50B/114.90A	136.50B/114.90A	----	----		117.80 - 1.80	.2831	----	----	----	2	UNCH		
4500	----	----		138.20B/115.60A	138.20B/115.60A	----	----		119.40 - 1.70	.2860	----	----	1	498	-		
4515	----	----		143.60B/120.10A	143.60B/120.10A	----	----		124.00 - 1.70	.2946	----	----	----	3	UNCH		
4520	----	----		145.40B/121.60A	145.40B/121.60A	----	----		125.60 - 1.60	.2975	----	----	----	91	UNCH		
4525	----	----		147.10B/123.90A	147.10B/123.90A	----	----		127.20 - 1.60	.3004	----	----	----	2	UNCH		
4530	----	----		149.00B/125.50A	149.00B/125.50A	----	----		128.80 - 1.60	.3033	----	----	----	2	UNCH		
4550	----	----		156.30B/131.00A	156.30B/131.00A	----	----		135.40 - 1.50	.3151	----	----	----	352	UNCH		
4560	----	----		160.30B/134.50A	160.30B/134.50A	----	----		138.80 - 1.50	.3210	----	----	----	30	UNCH		
4565	----	----		162.20B/136.10A	162.20B/136.10A	----	----		140.50 - 1.50	.3240	----	----	----	75	UNCH		
4570	----	----		164.20B/138.60A	164.20B/138.60A	----	----		142.30 - 1.40	.3271	----	----	----	2	UNCH		
4575	----	----		166.30B/139.60A	166.30B/139.60A	----	----		144.00 - 1.50	.3301	----	----	----	16	UNCH		
4580	----	----		168.10B/142.10A	168.10B/142.10A	----	----		145.80 - 1.40	.3331	----	----	----	1	UNCH		
4585	----	----		170.00B/143.00A	170.00B/143.00A	----	----		147.60 - 1.40	.3362	----	----	----	7	UNCH		
4595	----	----		174.20B/147.40A	174.20B/147.40A	----	----		151.20 - 1.40	.3423	----	----	----	2	UNCH		
4600	----	----		176.30B/148.30A	176.30B/148.30A	----	----		153.10 - 1.30	.3454	----	----	1	53	UNCH		
4605	----	----		178.10B/150.20A	178.10B/150.20A	----	----		155.00 - 1.20	.3486	----	----	----	3	UNCH		
4610	----	----		180.20B/152.10A	180.20B/152.10A	----	----		156.80 - 1.30	.3516	----	----	----	5	UNCH		
4615	----	----		182.50B/154.70A	182.50B/154.70A	----	----		158.70 - 1.30	.3548	----	----	----	1	UNCH		
4620	----	----		184.90B/155.60A	184.90B/155.60A	----	----		160.70 - 1.10	.3579	----	----	----	408	UNCH		
4625	----	----		187.40B/157.60A	187.40B/157.60A	----	----		162.60 - 1.20	.3611	----	----	----	13	UNCH		
4630	----	----		189.70B/160.40A	189.70B/160.40A	----	----		164.60 - 1.10	.3642	----	----	----	2	UNCH		
4635	----	----		191.90B/162.40A	191.90B/162.40A	----	----		166.60 - 1.00	.3674	----	----	----	1	UNCH		
4645	----	----		196.10B/166.30A	196.10B/166.30A	----	----		170.60 - 1.00	.3737	----	----	----	1	UNCH		
4650	----	----		198.40B/167.40A	198.40B/167.40A	----	----		172.60 - 1.00	.3769	----	----	----	9	UNCH		
4655	----	----		200.80B/169.40A	200.80B/169.40A	----	----		174.70 - 0.90	.3801	----	----	----	3	UNCH		
4670	----	----		208.00B/176.50A	208.00B/176.50A	----	----		180.90 - 0.80	.3898	----	----	----	2	UNCH		
4695	----	----		219.90B/187.10A	219.90B/187.10A	----	----		191.80 - 0.60	.4060	----	----	----	2	UNCH		
4700	----	----		221.80B/188.10A	221.80B/188.10A	----	----		194.00 - 0.60	.4092	----	----	1	138	UNCH		
4705	----	----		224.90B/191.50A	224.90B/191.50A	----	----		196.30 - 0.50	.4125	----	----	----	2	UNCH		
4710	----	----		227.30B/193.70A	227.30B/193.70A	----	----		198.60 - 0.40	.4158	----	----	----	1	UNCH		
4725	----	----		233.90B/199.10A	233.90B/199.10A	----	----		205.50 - 0.30	.4256	----	----	----	7	UNCH		
4730	205.10	205.10		236.70B/201.40A	236.70B/201.40A	----	----		207.90 - 0.20	.4289	----	----	2	7	+		
4735	----	----		238.70B/203.80A	238.70B/203.80A	----	----		210.20 - 0.20	.4322	----	----	----	100	UNCH		
4740	----	----		241.10B/207.40A	241.10B/207.40A	----	----		212.60 - 0.20	.4355	----	----	----	2	UNCH		
4750	----	----		247.20B/210.80A	247.20B/210.80A	----	----		217.50 UNCH	.4421	----	----	----	174	UNCH		
4760	----	----		252.40B/215.60A	252.40B/215.60A	----	----		222.50 + 0.20	.4487	----	----	----	100	UNCH		
4775	----	----		261.80B/222.70A	261.80B/222.70A	----	----		230.00 + 0.30	.4585	----	----	----	18	UNCH		
4780	----	----	</														

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

PG64 BULLETIN # 89@		METALS OPTION PRODUCTS										Mon, May 11, 2026		PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG PUT	COMEX GOLD OPTIONS														
OCT26															
3480	----	----	----	12.50B/13.10A	----	12.10 - 1.00	.0322	----	----	----	----	12	UNCH		
3500	----	----	----	12.90B/13.70A	----	12.70 - 0.90	.0338	----	----	----	----	10	UNCH		
3520	----	----	----	13.80B/14.30A	----	13.30 - 1.00	.0354	----	----	----	----	12	UNCH		
3550	----	----	----/15.20A	14.90B/15.20A	----	14.30 - 1.00	.0380	----	----	----	----	25	UNCH		
3600	----	----	----/17.00A	16.90B/17.00A	----	16.20 - 0.90	.0429	----	----	----	----	182	UNCH		
3615	----	----	----/17.50A	17.50B/17.50A	----	16.80 - 0.90	.0445	----	----	----	----	1	UNCH		
3700	----	----	----/21.20A	21.60B/21.20A	----	20.70 - 0.90	.0544	----	----	----	----	136	UNCH		
3715	----	----	22.50B/22.00A	22.50B/22.00A	----	21.50 - 0.90	.0564	----	----	----	----	196	UNCH		
3750	----	----	24.60B/23.80A	24.60B/23.80A	----	23.40 - 1.00	.0612	----	----	----	----	19	UNCH		
3770	----	----	26.70B/25.00A	26.70B/25.00A	----	24.60 - 1.00	.0642	----	----	----	----	1	UNCH		
3785	----	----	27.70B/25.90A	27.70B/25.90A	----	25.60 - 1.00	.0666	----	----	----	----	1	UNCH		
3800	----	----	28.80B/26.80A	28.80B/26.80A	----	26.50 - 1.10	.0689	----	----	----	----	19	UNCH		
3805	----	----	29.20B/27.10A	29.20B/27.10A	----	26.90 - 1.00	.0698	----	----	----	----	1	UNCH		
3820	----	----	30.30B/28.10A	30.30B/28.10A	----	27.90 - 1.10	.0723	----	----	----	----	1	UNCH		
3865	----	----	34.00B/31.20A	34.00B/31.20A	----	31.20 - 1.20	.0803	----	----	----	----	2	UNCH		
3870	----	----	34.30B/31.60A	34.30B/31.60A	----	31.60 - 1.20	.0812	----	----	----	----	1	UNCH		
3875	----	----	34.80B/32.00A	34.80B/32.00A	----	32.00 - 1.20	.0822	----	----	----	----	12	UNCH		
3885	----	----	35.80B/32.80A	35.80B/32.80A	----	32.80 - 1.20	.0841	----	----	----	----	5	UNCH		
3890	----	----	36.10B/33.20A	36.10B/33.20A	----	33.20 - 1.20	.0851	----	----	----	----	2	UNCH		
3895	----	----	36.70B/33.60A	36.70B/33.60A	----	33.60 - 1.30	.0860	----	----	----	----	2	UNCH		
3900	----	----	37.10B/34.00A	37.10B/34.00A	----	34.00 - 1.30	.0870	----	----	----	----	23	UNCH		
3920	----	----	38.50B/35.60A	38.50B/35.60A	----	35.80 - 1.30	.0912	----	----	----	----	28	UNCH		
3930	----	----	39.70B/36.50A	39.70B/36.50A	----	36.70 - 1.30	.0933	----	----	----	----	2	UNCH		
3940	----	----	40.50B/37.40A	40.50B/37.40A	----	37.60 - 1.30	.0954	----	----	----	----	65	UNCH		
3950	----	----	41.70B/38.30A	41.70B/38.30A	----	38.50 - 1.30	.0976	----	----	----	----	2	UNCH		
3975	----	----	44.60B/40.70A	44.60B/40.70A	----	41.00 - 1.30	.1033	----	----	----	----	5	UNCH		
4000	48.50	48.50	49.00/43.20A	49.00/43.20A	----	43.60 - 1.30	.1093	----	----	21	----	374 -	19		
4030	----	----	52.20B/46.40A	52.20B/46.40A	----	47.00 - 1.30	.1170	----	----	----	----	2	UNCH		
4050	----	----	54.50B/48.80A	54.50B/48.80A	----	49.40 - 1.20	.1223	----	----	----	----	5	UNCH		
4070	----	----	57.10B/51.20A	57.10B/51.20A	----	51.90 - 1.20	.1278	----	----	----	----	24	UNCH		
4100	----	----	61.80B/55.00A	61.80B/55.00A	----	55.90 - 1.20	.1366	----	----	----	----	466	UNCH		
4130	----	----	66.70B/59.20A	66.70B/59.20A	----	60.20 - 1.20	.1458	----	----	----	----	2	UNCH		
4150	----	----	70.10B/62.20A	70.10B/62.20A	----	63.20 - 1.20	.1522	----	----	----	----	5	UNCH		
4180	----	----	75.70B/66.90A	75.70B/66.90A	----	68.00 - 1.30	.1622	----	----	----	----	1	UNCH		
4200	71.40	71.40	79.70B/70.00A	79.70B/70.00A	----	71.40 - 1.30	.1692	----	----	3	----	430	UNCH		
4220	----	----	83.50B/73.50A	83.50B/73.50A	----	75.00 - 1.30	.1764	----	----	----	----	5	UNCH		
4235	----	----	86.70B/76.60A	86.70B/76.60A	----	77.80 - 1.30	.1820	----	----	----	----	1	UNCH		
4250	----	----	89.90B/78.90A	89.90B/78.90A	----	80.70 - 1.30	.1877	----	----	----	----	72	UNCH		
4265	----	----	93.50B/81.90A	93.50B/81.90A	----	83.70 - 1.30	.1936	----	----	----	----	200	UNCH		
4270	84.50	84.50	94.40B/82.80A	94.40B/82.80A	----	84.80 - 1.20	.1956	----	----	3	----	229 +	3		
4280	----	----	97.00B/84.90A	97.00B/84.90A	----	86.90 - 1.20	.1997	----	----	----	----	196	UNCH		
4300	----	----	102.00B/88.90A	102.00B/88.90A	----	91.20 - 1.30	.2079	----	----	----	----	616	UNCH		
4330	----	----	108.80B/96.50A	108.80B/96.50A	----	98.00 - 1.30	.2206	----	----	----	----	1	UNCH		
4350	----	----	114.10B/100.30A	114.10B/100.30A	----	102.80 - 1.40	.2293	----	----	----	----	211	UNCH		
4355	----	----	115.50B/101.40A	115.50B/101.40A	----	104.00 - 1.40	.2316	----	----	----	----	11	UNCH		
4375	----	----	121.10B/106.30A	121.10B/106.30A	----	109.10 - 1.40	.2406	----	----	----	----	10	UNCH		
4400	----	----	128.50B/112.60A	128.50B/112.60A	----	115.70 - 1.40	.2523	----	----	----	----	607	UNCH		
4425	----	----	136.20B/120.50A	136.20B/120.50A	----	122.60 - NEW	.2642	----	----	----	15	15 +	15		
4430	----	----	137.80B/120.80A	137.80B/120.80A	----	124.10 - 1.40	.2667	----	----	----	----	3	UNCH		
4450	----	----	144.40B/126.40A	144.40B/126.40A	----	129.90 - 1.50	.2765	----	----	----	----	26	UNCH		
4475	----	----	153.10B/135.20A	153.10B/135.20A	----	137.60 - 1.40	.2891	----	----	----	----	2	UNCH		
4500	153.00	153.00	161.70B/141.70A	161.70B/141.70A	----	145.60 - 1.40	.3019	----	----	3	----	90	UNCH		
4550	----	----	180.70B/160.00A	180.70B/160.00A	----	162.70 - 1.30	.3285	----	----	----	----	1	UNCH		
4560	----	----	184.70B/161.90A	184.70B/161.90A	----	166.40 - 1.10	.3339	----	----	----	----	78	UNCH		
4600	----	----	200.90B/176.50A	200.90B/176.50A	----	181.60 - 0.90	.3560	----	----	----	----	329	UNCH		
4610	----	----	205.10B/180.50A	205.10B/180.50A	----	185.50 - 0.90	.3616	----	----	----	----	5	UNCH		
4625	----	----	216.20B/186.40A	216.20B/186.40A	----	191.60 - 0.70	.3701	----	----	----	----	40	UNCH		
4630	----	----	220.00B/190.20A	220.00B/190.20A	----	193.70 - 0.70	.3729	----	----	----	----	1	UNCH		
4635	----	----	222.30B/192.30A	222.30B/192.30A	----	195.70 - 0.70	.3757	----	----	----	----	1	UNCH		
4640	----	----	224.60B/192.30A	224.60B/192.30A	----	197.80 - 0.60	.3786	----	----	----	----	13	UNCH		
4650	----	----	230.50B/196.40A	230.50B/196.40A	----	202.10 - 0.50	.3843	----	----	----	----	133	UNCH		
4675	----	----	242.40B/209.00A	242.40B/209.00A	----	213.00 - 0.30	.3986	----	----	----	----	1	UNCH		
4680	----	----	243.50B/210.80A	243.50B/210.80A	----	215.20 - 0.30	.4015	----	----	----	----	1	UNCH		
4700	----	----	253.40B/217.90A	253.40B/217.90A	----	224.30 - 0.10	.4131	----	----	----	----	84	UNCH		
4715	----	----	262.20B/224.60A	262.20B/224.60A	----	231.30 + 0.10	.4218	----	----	----	----	3	UNCH		
4750	----	----	279.00B/241.10A	279.00B/241.10A	----	248.20 + 0.40	.4422	----	----	----	----	175	UNCH		
4775	----	----	292.50B/255.40A	292.50B/255.40A	----	260.80 + 0.70	.4568	----	----	----	----	1	UNCH		
4780	----	----	296.40B/257.90A	296.40B/257.90A	----	263.30 + 0.70	.4597	----	----	----	----	1	UNCH		
4800	----	----	299.10B/266.10A	299.10B/266.10A	----	273.80 + 0.90	.4713	----	----	----	----	101	UNCH		
4805	----	----	301.90B/270.60A	301.90B/270.60A	----	276.40 + 0.90	.4742	----	----	----	----	1	UNCH		
4815	----	----	307.60B/273.70A	307.60B/273.70A	----	281.70 + 1.00	.4800	----	----	----	----	36	UNCH		
4845	----	----	324.90B/289.80A	324.90B/289.80A	----	298									

BULLETIN # 89@				METALS OPTION PRODUCTS										Mon, May 11, 2026				PG64	
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE		OUTCRY RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT		COMEX GOLD OPTIONS																	
NOV26																			
4160	----	----	----	85.60B/77.30A	85.60B/77.30A	----	----	----	----	----	78.30 - 1.40	.1648	----	----	----	----	----	1	UNCH
4170	----	----	----	87.30B/79.10A	87.30B/79.10A	----	----	----	----	----	80.00 - 1.50	.1679	----	----	----	----	----	1	UNCH
4180	----	----	----	89.50B/80.90A	89.50B/80.90A	----	----	----	----	----	81.90 - 1.40	.1712	----	----	----	----	----	1	UNCH
4200	----	----	----	93.30B/84.50A	93.30B/84.50A	----	----	----	----	----	85.60 - 1.50	.1778	----	----	----	----	----	6	UNCH
4205	----	----	----	94.30B/85.50A	94.30B/85.50A	----	----	----	----	----	86.50 - 1.50	.1794	----	----	----	----	----	1	UNCH
4215	----	----	----	96.60B/87.40A	96.60B/87.40A	----	----	----	----	----	88.50 - 1.50	.1829	----	----	----	----	----	5	UNCH
4250	----	----	----	104.30B/94.30A	104.30B/94.30A	----	----	----	----	----	95.60 - 1.50	.1951	----	----	----	----	370	UNCH	
4275	----	----	----	110.20B/99.80A	110.20B/99.80A	----	----	----	----	----	101.00 - 1.50	.2043	----	----	----	----	----	3	UNCH
4305	----	----	----	117.30B/106.50A	117.30B/106.50A	----	----	----	----	----	107.80 - 1.50	.2156	----	----	----	----	----	1	UNCH
4320	----	----	----	121.30B/109.90A	121.30B/109.90A	----	----	----	----	----	111.40 - 1.50	.2214	----	----	----	----	43	UNCH	
4330	----	----	----	124.30B/112.50A	124.30B/112.50A	----	----	----	----	----	113.80 - 1.50	.2253	----	----	----	----	2	UNCH	
4350	----	----	----	129.80B/117.20A	129.80B/117.20A	----	----	----	----	----	118.80 - 1.50	.2333	----	----	----	----	3	UNCH	
4390	----	----	----	140.90B/127.60A	140.90B/127.60A	----	----	----	----	----	129.40 - 1.40	.2499	----	----	----	----	1	UNCH	
4395	----	----	----	142.40B/129.00A	142.40B/129.00A	----	----	----	----	----	130.70 - 1.50	.2520	----	----	----	----	1	UNCH	
4400	----	----	----	144.80B/129.90A	144.80B/129.90A	----	----	----	----	----	132.10 - 1.40	.2541	----	----	----	----	3	UNCH	
4425	----	----	----	151.80B/137.40A	151.80B/137.40A	----	----	----	----	----	139.30 - 1.30	.2649	----	----	----	----	72	UNCH	
4430	----	----	----	153.10B/138.80A	153.10B/138.80A	----	----	----	----	----	140.70 - 1.40	.2671	----	----	----	----	10	UNCH	
4450	----	----	----	159.40B/144.70A	159.40B/144.70A	----	----	----	----	----	146.70 - 1.30	.2760	----	----	----	----	39	UNCH	
4485	----	----	----	171.00B/154.80A	171.00B/154.80A	----	----	----	----	----	157.70 - 1.20	.2918	----	----	----	----	1	UNCH	
4490	----	----	----	172.90B/156.90A	172.90B/156.90A	----	----	----	----	----	159.30 - 1.20	.2941	----	----	----	----	1	UNCH	
4500	----	----	----	176.50B/160.30A	176.50B/160.30A	----	----	----	----	----	162.60 - 1.20	.2988	----	----	----	----	45	UNCH	
4510	----	----	----	180.10B/163.50A	180.10B/163.50A	----	----	----	----	----	165.90 - 1.20	.3034	----	----	----	----	11	UNCH	
4535	----	----	----	189.10B/171.50A	189.10B/171.50A	----	----	----	----	----	174.50 - 1.10	.3152	----	----	----	----	10	UNCH	
4540	----	----	----	191.10B/173.10A	191.10B/173.10A	----	----	----	----	----	176.30 - 1.00	.3176	----	----	----	----	6	UNCH	
4580	----	----	----	206.30B/187.30A	206.30B/187.30A	----	----	----	----	----	190.90 - 0.90	.3370	----	----	----	----	10	UNCH	
4600	----	----	----	214.60B/195.40A	214.60B/195.40A	----	----	----	----	----	198.50 - 0.80	.3468	----	----	----	----	1	UNCH	
4640	----	----	----	231.60B/210.90A	231.60B/210.90A	----	----	----	----	----	214.40 - 0.70	.3668	----	----	----	----	90	UNCH	
4650	----	----	----	237.80B/215.30A	237.80B/215.30A	----	----	----	----	----	218.50 - 0.70	.3719	----	----	2	----	52	+	
4700	----	----	----	263.90B/236.40A	263.90B/236.40A	----	----	----	----	----	239.80 - 0.70	.3973	----	----	----	----	2	UNCH	
4710	----	----	----	271.40B/240.80A	271.40B/240.80A	----	----	----	----	----	244.20 - 0.70	.4025	----	----	----	----	1	UNCH	
4725	----	----	----	277.90B/247.70A	277.90B/247.70A	----	----	----	----	----	250.90 - 0.80	.4102	----	----	----	----	2	UNCH	
4750	----	----	----	291.30B/258.70A	291.30B/258.70A	----	----	----	----	----	262.40 - 0.80	.4232	----	----	----	----	10	UNCH	
4755	----	----	----	293.00B/261.00A	293.00B/261.00A	----	----	----	----	----	264.80 - 0.80	.4258	----	----	----	----	1	UNCH	
4800	----	----	----	317.50B/283.00A	317.50B/283.00A	----	----	----	----	----	287.10 - 0.30	.4492	----	----	----	----	7	UNCH	
4820	----	----	----	325.70B/292.90A	325.70B/292.90A	----	----	----	----	----	297.60 + 0.10	.4597	----	----	----	----	1	UNCH	
4840	----	----	----	336.90B/303.30A	336.90B/303.30A	----	----	----	----	----	308.50 + 0.70	.4700	----	----	----	----	2	UNCH	
4845	----	----	----	335.50B/305.60A	335.50B/305.60A	----	----	----	----	----	311.20 + 0.80	.4726	----	----	----	----	10	UNCH	
4850	----	----	----	336.40B/308.10A	336.40B/308.10A	----	----	----	----	----	314.00 + 1.00	.4752	----	----	2	----	8	+	
4900	----	----	----	364.60B/335.70A	364.60B/335.70A	----	----	----	----	----	342.10 + 2.10	.5007	----	----	----	----	12	UNCH	
4915	----	----	----	373.40B/344.00A	373.40B/344.00A	----	----	----	----	----	350.70 + 2.30	.5083	----	----	----	----	3	UNCH	
4935	----	----	----	385.70B/355.90A	385.70B/355.90A	----	----	----	----	----	362.20 + 2.50	.5184	----	----	----	----	25	UNCH	
4950	----	----	----	394.90B/364.50A	394.90B/364.50A	----	----	----	----	----	371.00 + 2.60	.5260	----	----	----	----	11	UNCH	
4960	----	----	----	401.00B/370.50A	401.00B/370.50A	----	----	----	----	----	376.90 + 2.60	.5310	----	----	----	----	2	UNCH	
5000	----	----	----	426.40B/394.20A	426.40B/394.20A	----	----	----	----	----	401.30 + 2.80	.5507	----	----	----	----	256	UNCH	
5020	----	----	----	439.50B/406.00A	439.50B/406.00A	----	----	----	----	----	413.90 + 2.90	.5604	----	----	----	----	30	UNCH	
5055	----	----	----	462.70B/427.90A	462.70B/427.90A	----	----	----	----	----	436.40 + 3.10	.5771	----	----	----	----	8	UNCH	
5200	----	----	----	565.40B/525.10A	565.40B/525.10A	----	----	----	----	----	535.90 + 3.30	.6419	----	----	----	----	81	UNCH	
5395	----	----	----	----/669.90A	668.00B/669.90A	----	----	----	----	----	683.40 + 3.20	.7172	----	----	----	----	6	UNCH	
5400	----	----	----	----/673.80A	668.50B/673.80A	----	----	----	----	----	687.40 + 3.30	.7190	----	----	----	----	6	UNCH	
5760	----	----	----	----	885.30B/1101.10A	----	----	----	----	----	992.20 + 3.30	.8191	----	----	----	----	1	UNCH	
5975	----	----	----	----	1083.30B/1294.60A	----	----	----	----	----	1187.40 + 3.40	.8590	----	----	----	----	1	UNCH	
6000	----	----	----	----	1106.60B/1317.90A	----	----	----	----	----	1210.60 + 3.40	.8629	----	----	----	----	1	UNCH	
TOTAL																30	2745	+	29
DEC26																			
1350	----	----	----	----	----/1.00A	----	----	----	----	----	0.10 UNCH	.0000	----	----	----	----	----	16	UNCH
1375	----	----	----	----	----/16.40A	----	----	----	----	----	0.10 UNCH	.0001	----	----	----	----	----	1	UNCH
1500	----	----	----	----	----/1.80A	----	----	----	----	----	0.20 UNCH	.0003	----	----	----	----	----	1	UNCH
1600	----	----	----	----	0.20B/1.80A	0.20B/1.80A	----	----	----	----	0.30 UNCH	.0005	----	----	----	----	190	UNCH	
1700	----	----	----	----	0.20B/2.10A	0.20B/2.10A	----	----	----	----	0.40 UNCH	.0007	----	----	----	----	200	UNCH	
1845	1.00	1.00		1.00/1.00	1.00/1.00	1.00/1.00	----	----	----	----	0.70 UNCH	.0013	----	----	5	----	55	+	
1900	----	----	----	----	0.20B/3.50A	0.20B/3.50A	----	----	----	----	0.80 - 0.10	.0015	----	----	----	----	4	UNCH	
2000	----	----	----	----	0.40B/3.90A	0.40B/3.90A	----	----	----	----	1.10 - 0.10	.0021	----	----	----	----	2	UNCH	
2400	----	----	----	----	2.20B/4.00A	2.20B/4.00A	----	----	----	----	2.50 - 0.10	.0050	----	----	----	----	1	UNCH	
2490	----	----	----	----	2.60B/4.30A	2.60B/4.30A	----	----	----	----	3.00 - 0.10	.0061	----	----	----	----	1	UNCH	
2750	----	----	----	----	4.20B/6.20A	4.20B/6.20A	----	----	----	----	4.80 - 0.10	.0102	----	----	----	----	1	UNCH	
2800	----	----	----	----	4.70B/6.70A	4.70B/6.70A	----	----	----	----	5.30 - 0.10	.0113	----	----	----	----	18	UNCH	
2900	----	----	----	----	5.70B/7.80A	5.70B/7.80A	----												

PG64	BULLETIN # 89@										METALS OPTION PRODUCTS										Mon, May 11, 2026		PG64
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME		OPEN INTEREST							
OG PUT	COMEX GOLD OPTIONS																						
FEB27																							
4905	----	----	----	414.80B/----	414.80B/396.00A	----	----		395.80 + 0.80	.4731	----	----	----	----	----	4	UNCH						
4950	----	----	----	441.10B/----	441.10B/420.10A	----	----		420.80 + 1.30	.4916	----	----	----	----	----	1	UNCH						
4955	----	----	----	444.10B/----	444.10B/422.90A	----	----		423.60 + 1.30	.4937	----	----	----	----	----	1	UNCH						
5000	----	----	----	471.90B/----	471.90B/448.70A	----	----		449.60 + 1.70	.5120	----	----	----	----	----	10	UNCH						
5005	----	----	----	474.20B/----	474.20B/451.60A	----	----		452.50 + 1.70	.5140	----	----	----	----	----	2	UNCH						
5050	----	----	----	502.90B/----	502.90B/478.60A	----	----		479.40 + 2.00	.5321	----	----	----	----	----	4	UNCH						
5055	----	----	----	505.40B/----	505.40B/481.50A	----	----		482.50 + 2.00	.5341	----	----	----	----	----	4	UNCH						
5100	----	----	----	534.30B/----	534.30B/509.20A	----	----		510.30 + 2.10	.5517	----	----	----	----	----	2	UNCH						
5120	----	----	----	547.40B/----	547.40B/521.50A	----	----		523.00 + 2.20	.5595	----	----	----	----	----	0	UNCH						
5150	----	----	----	567.50B/----	567.50B/540.80A	----	----		542.20 + 2.20	.5710	----	----	----	----	----	1	UNCH						
5175	----	----	----	584.40B/----	584.40B/556.60A	----	----		558.60 + 2.20	.5804	----	----	----	----	----	125	UNCH						
5200	----	----	----	601.60B/----	601.60B/573.50A	----	----		575.20 + 2.20	.5898	----	----	----	----	----	1	UNCH						
5250	----	----	----	632.60B/----	632.60B/608.50A	----	----		609.20 + 2.20	.6079	----	----	----	----	----	10	UNCH						
5355	----	----	----	709.40B/----	709.40B/684.30A	----	----		683.80 + 2.20	.6441	----	----	----	----	----	1	UNCH						
5520	----	----	----	832.00B/----	832.00B/806.90A	----	----		809.20 + 2.60	.6949	----	----	----	----	----	300	UNCH						
5530	----	----	----	832.80B/----	832.80B/814.60A	----	----		817.10 + 2.60	.6978	----	----	----	----	----	100	UNCH						
5550	----	----	----	835.90B/830.10A	835.90B/830.10A	----	----		832.90 + 2.60	.7034	----	----	----	----	----	65	UNCH						
5565	----	----	----	843.10B/841.70A	843.10B/841.70A	----	----		844.90 + 2.70	.7075	----	----	----	----	----	50	UNCH						
TOTAL																1359							0
MAR27																							
4070	----	----	----	-----/107.00A	105.90B/107.00A	----	----		106.10 - 2.30	.1661	----	----	----	----	----	2	UNCH						
4370	----	----	----	182.20B/179.60A	182.20B/179.60A	----	----		178.30 - 1.50	.2547	----	----	----	----	----	250	UNCH						
4525	----	----	----	235.70B/----	235.70B/229.90A	----	----		229.90 + 0.70	.3093	----	----	----	----	----	11	UNCH						
4660	----	----	----	291.30B/----	291.30B/282.30A	----	----		282.50 + 2.20	.3601	----	----	----	----	----	24	UNCH						
4750	----	----	----	339.60B/----	339.60B/320.90A	----	----		321.00 + 2.20	.3950	----	----	----	----	----	15	UNCH						
4810	----	----	----	359.90B/346.20A	359.90B/346.20A	----	----		348.20 + 1.60	.4188	----	----	----	----	----	21	UNCH						
4900	----	----	----	407.10B/----	407.10B/395.40A	----	----		392.50 + 1.10	.4548	----	----	----	----	----	2	UNCH						
4905	----	----	----	409.90B/----	409.90B/398.00A	----	----		395.10 + 1.10	.4568	----	----	----	----	----	7	UNCH						
5000	----	----	----	464.40B/----	464.40B/449.40A	----	----		447.20 + 1.70	.4942	----	----	----	----	----	75	UNCH						
TOTAL																402							0
APR27																							
4300	----	----	----	----	74.40B/*246.50A	----	----		152.30 - 19.80	.2286	----	----	----	----	----	150	UNCH						
4900	----	----	----	----	158.60B/685.40A	----	----		380.80 - 25.10	.4556	----	----	----	----	----	2	UNCH						
4905	----	----	----	----	160.30B/678.40A	----	----		383.30 - 25.10	.4577	----	----	----	----	----	2	UNCH						
5000	----	----	----	----	187.80B/766.40A	----	----		432.60 - 25.20	.4968	----	----	----	----	----	100	UNCH						
5060	610.20	610.20		#620.20/*610.20	#620.20/*610.20	----	----		471.70 - 25.20	.5198	----	----	----	----	----	25	UNCH						
5200									564.50 NEW	.5710	----	----	15	----	15	15 +	15						
TOTAL																294							15
JUN27																							
3625	----	----	----	----	----	----	----		83.40 - 1.00	.1076	----	----	----	----	----	450	UNCH						
4900	----	----	----	----	----	----	----		484.70 - 1.70	.4323	----	----	----	----	----	1	UNCH						
4905	----	----	----	----	----	----	----		487.40 - 1.60	.4339	----	----	----	----	----	1	UNCH						
5085	----	----	----	----	----	----	----		587.20 - 1.70	.4889	----	----	----	----	----	150	UNCH						
TOTAL																602							0
DEC27																							
3700	----	----	----	----	----	----	----		147.60 - 1.00	.1395	----	----	----	----	----	100	UNCH						
3715	----	----	----	----	----	----	----		150.50 - 1.00	.1419	----	----	----	----	----	150	UNCH						
3820	----	----	----	----	----	----	----		171.80 - 1.10	.1590	----	----	----	----	----	50	UNCH						
4130	----	----	----	----	----	----	----		245.80 - 1.20	.2161	----	----	----	----	----	168	UNCH						
4500	----	----	----	----	----	----	----		364.50 - 1.40	.2975	----	----	----	----	----	270	UNCH						
4630	----	----	----	----	----	----	----		416.90 - 1.30	.3289	----	----	----	----	----	284	UNCH						
4860	----	----	----	----	----	----	----		523.60 - 1.40	.3864	----	----	----	----	----	100	UNCH						
5000	----	----	----	----	----	----	----		596.20 - 1.40	.4216	----	----	----	----	----	50	UNCH						
5650	----	----	----	----	----	----	----		990.80 - 1.30	.5743	----	----	----	----	----	200	UNCH						
5880	----	----	----	----	----	----	----		1152.40 - 1.10	.6216	----	----	----	----	----	200	UNCH						
TOTAL																1572							0
JAN28																							
5000	----	----	----	----	----	----	----		600.20 - 1.50	.4115	----	----	----	----	----	1	UNCH						
5100	----	----	----	----	----	----	----		653.70 - 1.50	.4358	----	----	----	----	----	1	UNCH						
TOTAL																2							0
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME		OPEN INTEREST							
OG CALL	COMEX GOLD OPTIONS																						
JUN26																							

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS													
JUN26															
4235	----	----	----	525.00B/429.30A	525.00B/429.30A	----	----	497.40 - 2.70	.9687	----	----	----	----	6	UNCH
4240	----	----	----	520.20B/424.50A	520.20B/424.50A	----	----	492.50 - 2.70	.9679	----	----	----	----	53	UNCH
4245	----	----	----	515.20B/419.70A	515.20B/419.70A	----	----	487.60 - 2.80	.9671	----	----	----	----	263	UNCH
4250	----	----	----	510.60B/414.90A	510.60B/414.90A	----	----	482.70 - 2.80	.9662	----	----	----	----	921	UNCH
4255	----	----	----	505.50B/410.20A	505.50B/410.20A	----	----	477.80 - 2.80	.9654	----	----	----	----	6	UNCH
4260	----	----	----	500.50B/405.40A	500.50B/405.40A	----	----	473.00 - 2.80	.9645	----	----	----	----	1	UNCH
4265	----	----	----	495.70B/400.60A	495.70B/400.60A	----	----	468.10 - 2.80	.9631	----	----	----	----	87	UNCH
4270	----	----	----	490.90B/395.90A	490.90B/395.90A	----	----	463.20 - 2.90	.9622	----	----	----	----	11	UNCH
4280	----	----	----	481.30B/386.40A	481.30B/386.40A	----	----	453.50 - 2.90	.9605	----	----	----	----	1	UNCH
4285	----	----	----	476.40B/381.70A	476.40B/381.70A	----	----	448.60 - 3.00	.9590	----	----	----	----	1	UNCH
4300	----	----	----	461.80B/367.60A	461.80B/367.60A	----	----	434.00 - 3.20	.9557	----	----	----	2169	UNCH	
4305	----	----	----	457.10B/362.90A	457.10B/362.90A	----	----	429.20 - 3.20	.9542	----	----	----	----	1	UNCH
4310	----	----	----	452.20B/358.20A	452.20B/358.20A	----	----	424.40 - 3.20	.9532	----	----	----	----	23	UNCH
4315	----	----	----	447.40B/353.60A	447.40B/353.60A	----	----	419.50 - 3.30	.9517	----	----	----	----	1	UNCH
4320	----	----	----	442.60B/348.90A	442.60B/348.90A	----	----	414.70 - 3.30	.9501	----	----	----	----	62	UNCH
4325	----	----	----	437.80B/344.30A	437.80B/344.30A	----	----	409.90 - 3.40	.9491	----	----	----	----	73	UNCH
4335	----	----	----	428.20B/335.10A	428.20B/335.10A	----	----	400.30 - 3.50	.9460	----	----	----	----	13	UNCH
4340	----	----	----	423.50B/330.50A	423.50B/330.50A	----	----	395.50 - 3.50	.9444	----	----	----	----	17	UNCH
4345	----	----	----	418.90B/325.80A	418.90B/325.80A	----	----	390.70 - 3.60	.9428	----	----	----	----	2	UNCH
4350	----	----	----	414.00B/321.30A	414.00B/321.30A	----	----	385.90 - 3.70	.9406	----	----	----	1457	UNCH	
4355	----	----	----	409.20B/316.80A	409.20B/316.80A	----	----	381.20 - 3.60	.9390	----	----	----	----	129	UNCH
4360	----	----	----	404.40B/312.20A	404.40B/312.20A	----	----	376.40 - 3.70	.9373	----	----	----	----	42	UNCH
4365	----	----	----	399.60B/307.70A	399.60B/307.70A	----	----	371.60 - 3.80	.9351	----	----	----	----	4	UNCH
4370	----	----	----	394.90B/303.20A	394.90B/303.20A	----	----	366.90 - 3.90	.9334	----	----	----	----	3	UNCH
4375	----	----	----	390.20B/298.70A	390.20B/298.70A	----	----	362.20 - 3.90	.9311	----	----	----	----	106	UNCH
4380	----	----	----	385.60B/294.30A	385.60B/294.30A	----	----	357.40 - 4.00	.9294	----	----	----	----	341	UNCH
4385	----	----	----	380.70B/289.80A	380.70B/289.80A	----	----	352.70 - 4.10	.9271	----	----	----	----	3	UNCH
4390	----	----	----	376.00B/285.40A	376.00B/285.40A	----	----	348.00 - 4.10	.9248	----	----	----	----	16	UNCH
4395	----	----	----	371.50B/281.00A	371.50B/281.00A	----	----	343.30 - 4.20	.9225	----	----	----	----	10	UNCH
4400	341.40	----	341.40	366.70B/276.60A	366.70B/276.60A	----	----	338.70 - 4.20	.9202	----	----	3	----	1468	- 1
4410	----	----	----	357.40B/267.90A	357.40B/267.90A	----	----	329.30 - 4.40	.9149	----	----	----	----	39	UNCH
4415	----	----	----	352.70B/263.50A	352.70B/263.50A	----	----	324.70 - 4.50	.9120	----	----	----	----	176	UNCH
4420	----	----	----	348.20B/259.20A	348.20B/259.20A	----	----	320.10 - 4.50	.9096	----	----	----	----	3	UNCH
4425	----	----	----	343.70B/255.00A	343.70B/255.00A	----	----	315.50 - 4.60	.9066	----	----	----	----	274	UNCH
4430	----	----	----	339.10B/250.70A	339.10B/250.70A	----	----	310.90 - 4.70	.9036	----	----	----	----	24	UNCH
4435	----	----	----	334.40B/246.50A	334.40B/246.50A	----	----	306.30 - 4.80	.9006	----	----	----	----	21	UNCH
4440	----	----	----	330.10B/242.30A	330.10B/242.30A	----	----	301.70 - 4.90	.8971	----	----	----	----	20	UNCH
4445	----	----	----	325.20B/238.10A	325.20B/238.10A	----	----	297.20 - 4.90	.8941	----	----	----	----	5	UNCH
4450	----	----	----	320.90B/234.00A	320.90B/234.00A	----	----	292.70 - 4.90	.8905	----	----	3	----	488	+ 2
4455	----	----	----	316.40B/229.90A	316.40B/229.90A	----	----	288.20 - 5.00	.8870	----	----	----	----	6	UNCH
4460	----	----	----	311.90B/225.80A	311.90B/225.80A	----	----	283.70 - 5.10	.8834	----	----	----	----	20	UNCH
4465	----	----	----	307.20B/221.80A	307.20B/221.80A	----	----	279.20 - 5.20	.8797	----	----	----	----	28	UNCH
4470	----	----	----	302.80B/217.70A	302.80B/217.70A	----	----	274.80 - 5.20	.8757	----	----	----	----	24	UNCH
4475	----	----	----	298.40B/213.70A	298.40B/213.70A	----	----	270.30 - 5.40	.8715	----	----	----	----	22	UNCH
4480	----	----	----	294.00B/209.80A	294.00B/209.80A	----	----	265.90 - 5.40	.8678	----	----	----	----	59	UNCH
4485	----	----	----	289.60B/205.90A	289.60B/205.90A	----	----	261.60 - 5.40	.8632	----	----	----	----	11	UNCH
4490	----	----	----	285.20B/202.00A	285.20B/202.00A	----	----	257.20 - 5.50	.8590	----	----	----	----	81	UNCH
4495	----	----	----	280.90B/198.10A	280.90B/198.10A	----	----	252.90 - 5.60	.8544	----	----	----	2	12	UNCH
4500	----	----	----	276.90B/194.30A	276.90B/194.30A	----	----	248.60 - 5.60	.8501	----	----	2	2000	6145	+ 1680
4505	----	----	----	272.20B/190.50A	272.20B/190.50A	----	----	244.30 - 5.70	.8450	----	----	----	----	53	UNCH
4510	----	----	----	267.80B/186.80A	267.80B/186.80A	----	----	240.00 - 5.80	.8402	----	----	----	----	1475	UNCH
4515	----	----	----	263.60B/183.10A	263.60B/183.10A	----	----	235.80 - 5.80	.8351	----	----	----	----	99	UNCH
4520	----	----	----	259.70B/179.30A	259.70B/179.30A	----	----	231.60 - 5.90	.8299	----	----	----	----	92	UNCH
4525	----	----	----	255.20B/175.70A	255.20B/175.70A	----	----	227.40 - 6.00	.8247	----	----	1	----	414	UNCH
4530	----	----	----	251.20B/172.10A	251.20B/172.10A	----	----	223.30 - 6.00	.8194	----	----	----	----	125	UNCH
4535	----	----	----	247.10B/168.60A	247.10B/168.60A	----	----	219.20 - 6.00	.8138	----	----	----	----	104	UNCH
4540	----	----	----	242.70B/165.10A	242.70B/165.10A	----	----	215.10 - 6.10	.8081	----	----	----	----	114	UNCH
4545	----	----	----	238.80B/161.60A	238.80B/161.60A	----	----	211.00 - 6.20	.8021	----	----	----	----	33	UNCH
4550	177.10	----	177.10	234.90B/158.10A	234.90B/158.10A	----	----	207.00 - 6.20	.7960	----	----	3	----	346	- 2
4555	----	----	----	230.70B/154.80A	230.70B/154.80A	----	----	203.00 - 6.30	.7899	----	----	----	----	29	UNCH
4560	218.80	----	218.80	226.40B/151.40A	226.40B/151.40A	----	----	199.10 - 6.30	.7838	----	----	1	----	174	UNCH
4565	----	----	----	222.40B/148.10A	222.40B/148.10A	----	----	195.20 - 6.30	.7773	----	----	----	----	106	UNCH
4570	----	----	----	218.50B/144.80A	218.50B/144.80A	----	----	191.30 - 6.40	.7708	----	----	----	----	70	UNCH
4575	----	----	----	214.60B/141.60A	214.60B/141.60A	----	----	187.50 - 6.40	.7643	----	----	----	----	86	UNCH
4580	----	----	----	210.50B/138.40A	210.50B/138.40A	----	----	183.60 - 6.50	.7574	----	----	----	----	43	UNCH
4585	167.80	----	167.80	207.00B/135.30A	207.00B/135.30A	----	----	179.90 - 6.50	.7503	----	----	141	----	246	+ 111
4590	----	----	----	203.00B/132.20A	203.00B/132.20A	----	----	176.10 - 6.60	.7433	----	----	----	----	231	UNCH
4595	----	----	----	199.20B/129.20A	199.20B/129.20A	----	----	172.40 - 6.60	.7361	----	----	----	----	40	UNCH
4600	130.90	----	130.90	195.70B/126.30A	195.70B/126.30A	----	----	168.80 - 6.60	.7287	----	----	2	----	5722	- 3
4605	----	----	----	191.60B/123.20A	191.60B/123.20A	----	----	165.20 - 6.60	.7214	----	----	----	----	156	UNCH
4610	----	----	----	188.00B/120.30A	188.00B/120.30A	----	----	161.60 - 6.70	.7139	----	----	----	1	123	+ 1
4615	----	----	----	184.50B/117.40A	184.50B/117.40A	----	----	158.10 - 6.70	.7061	----	----	----	----	55	UNCH
4620	----	----	----	180.90B/114.60A	180.90B/114.60A	----	----	154.60 - 6.70	.6983	----	----	----	----	72	UNCH
4625	----	----	----	177.30B/111.80A	177.30B/111.80A	----	----	151.10 - 6.80	.6903	----	----	1	----	273	- 2
4630	----	----	----	173.70B/109.40A	173.70B/109.40A	----	----	147.70 - 6.80	.6824	----	----	----	----	29	UNCH
4635	----	----	----	170.30B/107.10A	170.30B/107.10A	----	----	144.30 - 6.90	.6742	----	----	----	----	105	UNCH
4640	----	----	----	166.50B/103.80A	166.50B/103.80A	----	----	141.00 - 6.90	.6661	----	----	----	----	37	UNCH
4645	----	----	----	163.30B/101.20A	163.30B/101.20A	----	----	137.80 - 6.80	.6576	----	----	----	----	14	UNCH
4650	----	----	----	159.90B/98.70A	159.90B/98.70A	----	----	134.50 - 6.90	.6493	----	----	7	----	2110	+ 7
4655	----	----	----	156.60B/96.30A	156.60B/96.30A	----	----	131.30 - 7.00	.6408	----	----	----	----	54	UNCH
4660	----	----	----	153.30B/93.70A	153.30B/93.70A	----	----	128.20 - 6.90	.6322	----	----	----	----	94	UNCH
4665	----	----	----	150.10B/90.30A	150.10B/90.30A	----	----	125.10 - 6.90	.6235	----	----	----	----	81	UNCH
4670	92.40	92.40	92.40	146.80B/88.50A	146.80B/88.50A	----	----	122.10 - 6.90	.6148	----	----	1	----	166	UNCH
4675	94.90	94.90	94.90	143.70B/86.10A	143.70B/86.10A	----	----	119.10 - 6.90	.6060	----	----	3	----	517	+ 1
4680	----	----	----	140.50B/83.70A	140.50B/83.70A	----	----	116.20 - 6.80	.5972	----	----	1	----	225	+ 1
4685	90.50	90.50	90.50	137.40B/81.70A	137.40B/81.70A	----	----	113.30 - 6.80	.5882	----	----	1	----	56	- 1
4690	79.10	79.10	79.10	134.40B/79.10	134.40B/79.10	----	----	110.40 - 6.90	.5793						

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG CALL		COMEX GOLD OPTIONS															
JUN26																	
4945	27.30	27.30		35.00B/17.40A	35.00B/17.40A	----	----	----	25.30 - 2.40	.1870	----	----	27	----	----	375 +	9
4950	21.10	21.10		34.00B/16.80A	34.00B/16.80A	----	----	----	24.50 - 2.30	.1819	----	----	143	----	----	2025 -	5
4955	31.30	31.30		33.00B/16.40A	33.00B/16.40A	----	----	----	23.80 - 2.20	.1772	----	----	9	----	----	114 +	3
4960	29.20	29.20		32.10B/15.90A	32.10B/15.90A	----	----	----	23.10 - 2.10	.1725	----	----	4	----	----	385 +	2
4965	21.80	21.80		31.20B/15.40A	31.20B/15.40A	----	----	----	22.40 - 2.00	.1679	----	----	4	----	----	144 +	1
4970	27.70	27.70		30.20B/14.90A	30.20B/14.90A	----	----	----	21.70 - 2.00	.1632	----	----	19	----	----	202 -	2
4975	23.20	23.20		29.30B/14.40A	29.30B/14.40A	----	----	----	21.10 - 1.90	.1590	----	----	23	----	----	365 -	11
4980	22.90	22.90		28.40B/14.00A	28.40B/14.00A	----	----	----	20.40 - 1.90	.1545	----	----	8	----	----	225 +	1
4985	26.20	26.20		27.70B/13.60A	27.70B/13.60A	----	----	----	19.80 - 1.80	.1503	----	----	2	----	----	182 +	1
4990	20.90	20.90		26.80B/13.10A	26.80B/13.10A	----	----	----	19.20 - 1.70	.1462	----	----	10	----	----	933 +	2
4995	20.00	20.00		25.90B/12.80A	25.90B/12.80A	----	----	----	18.70 - 1.60	.1425	----	----	3	----	----	147 -	1
5000	14.30	14.30		25.30B/12.40A	25.30B/12.40A	----	----	----	18.10 - 1.50	.1385	----	----	1201	300	----	9237 -	230
5005	22.40	22.40		24.60B/12.10A	24.60B/12.10A	----	----	----	17.50 - 1.50	.1344	----	----	14	----	----	341	UNCH
5010	19.90	19.90		23.90B/11.70A	23.90B/11.70A	----	----	----	17.00 - 1.40	.1308	----	----	4	----	----	213 +	1
5015	21.90	21.90		23.10B/11.30A	23.10B/11.30A	----	----	----	16.50 - 1.40	.1272	----	----	6	----	----	136 -	1
5020	11.10	11.10		22.40B/11.00A	22.40B/11.00A	----	----	----	16.00 - 1.30	.1237	----	----	40	----	----	466 -	5
5025	----	----		21.80B/10.60A	21.80B/10.60A	----	----	----	15.50 - 1.30	.1202	----	----	4	----	----	162 +	2
5030	12.30	12.30		21.10B/10.40A	21.10B/10.40A	----	----	----	15.10 - 1.20	.1172	----	----	9	----	----	184 -	1
5035	17.20	17.20		20.50B/10.10A	20.50B/10.10A	----	----	----	14.60 - 1.20	.1137	----	----	1	----	----	71 -	1
5040	16.60	16.60		19.90B/9.80A	19.90B/9.80A	----	----	----	14.20 - 1.10	.1107	----	----	64	----	----	284 +	45
5045	18.70	18.70		19.30B/9.50A	19.30B/9.50A	----	----	----	13.70 - 1.10	.1072	----	----	14	----	----	179 -	2
5050	15.60	15.60		18.80B/9.20A	18.80B/9.20A	----	----	----	13.30 - 1.10	.1043	----	----	120	----	----	1344 -	23
5055	15.10	15.10		18.20B/9.00A	18.20B/9.00A	----	----	----	12.90 - 1.00	.1013	----	----	1	----	----	66 +	1
5060	13.60	13.60		17.70B/8.70A	17.70B/8.70A	----	----	----	12.50 - 1.00	.0984	----	----	14	----	----	117 +	14
5065	15.50	15.50		17.10B/8.50A	17.10B/8.50A	----	----	----	12.20 - 0.90	.0960	----	----	10	----	----	37 +	3
5070	12.80	12.80		16.70B/8.30A	16.70B/8.30A	----	----	----	11.80 - 0.90	.0931	----	----	7	----	----	118 +	7
5075	16.20	16.20		16.20/8.00A	16.20/8.00A	----	----	----	11.50 - 0.80	.0908	----	----	42	----	----	759 +	2
5080	12.70	12.70		15.60B/7.80A	15.60B/7.80A	----	----	----	11.10 - 0.90	.0879	----	----	18	----	----	441 +	4
5085	11.70	11.70		15.30B/7.70A	15.30B/7.70A	----	----	----	10.80 - 0.80	.0856	----	----	16	----	----	216 -	1
5090	14.30	14.30		14.70B/7.40A	14.70B/7.40A	----	----	----	10.50 - 0.80	.0833	----	----	5	----	----	85 +	1
5095	8.20	8.20		14.40B/7.20A	14.40B/7.20A	----	----	----	10.20 - 0.70	.0810	----	----	3	----	----	93	UNCH
5100	7.20	7.20		13.90B/7.10A	13.90B/7.10A	----	----	----	9.90 - 0.70	.0787	----	----	297	----	----	6695 -	46
5105	12.80	12.80		13.50B/6.90A	13.50B/6.90A	----	----	----	9.60 - 0.70	.0765	----	----	7	----	----	54 +	2
5110	11.40	11.40		13.30/6.70A	13.30/6.70A	----	----	----	9.40 - 0.60	.0748	----	----	27	----	----	115	UNCH
5115	6.60	6.60		12.70B/6.50A	12.70B/6.50A	----	----	----	9.10 - 0.60	.0725	----	----	12	----	----	182 -	2
5120	10.50	10.50		12.40B/6.40A	12.40B/6.40A	----	----	----	8.90 - 0.50	.0708	----	----	3	----	----	158 -	1
5125	11.60	11.60		12.00B/6.20A	12.00B/6.20A	----	----	----	8.60 - 0.60	.0686	----	----	27	----	----	317 +	10
5130	6.00	6.00		11.70B/6.00	11.70B/6.00	----	----	----	8.40 - 0.50	.0670	----	----	5	----	----	80 +	1
5135	----	----		11.40B/5.90A	11.40B/5.90A	----	----	----	8.10 - 0.60	.0648	----	----	----	----	----	77	UNCH
5140	8.90	8.90		11.10B/5.70A	11.10B/5.70A	----	----	----	7.90 - 0.50	.0632	----	----	39	----	----	144 +	1
5145	8.50	8.50		10.80B/5.60A	10.80B/5.60A	----	----	----	7.70 - 0.50	.0616	----	----	1	----	----	28	UNCH
5150	10.50	10.50		10.50/5.50A	10.50/5.50A	----	----	----	7.50 - 0.50	.0600	----	----	160	----	----	2501 -	87
5155	8.20	8.20		10.20B/5.30A	10.20B/5.30A	----	----	----	7.30 - 0.50	.0584	----	----	6	----	----	38 +	2
5160	9.50	9.50		9.80B/5.20A	9.80B/5.20A	----	----	----	7.10 - 0.40	.0568	----	----	5	----	----	115 +	2
5165	9.60	9.60		9.70B/5.10A	9.70B/5.10A	----	----	----	6.90 - 0.40	.0552	----	----	6	----	----	154 +	3
5170	7.60	7.60		9.50/5.00A	9.50/5.00A	----	----	----	6.80 - 0.30	.0542	----	----	11	----	----	360 -	2
5175	9.10	9.10		9.10/4.80A	9.10/4.80A	----	----	----	6.60 - 0.40	.0527	----	----	9	----	----	70 -	2
5180	7.20	7.20		8.80B/4.70A	8.80B/4.70A	----	----	----	6.40 - 0.40	.0512	----	----	6	----	----	74 +	2
5185	8.50	8.50		8.60B/4.60A	8.60B/4.60A	----	----	----	6.30 - 0.30	.0502	----	----	8	----	----	124 +	4
5190	8.10	8.10		8.40B/4.50A	8.40B/4.50A	----	----	----	6.10 - 0.30	.0487	----	----	26	----	----	496	UNCH
5195	8.20	8.20		8.20/4.40A	8.20/4.40A	----	----	----	6.00 - 0.30	.0478	----	----	5	----	----	525 +	4
5200	7.70	7.70		7.90B/4.30A	7.90B/4.30A	----	----	----	5.80 - 0.30	.0463	----	----	44	----	----	6022 +	18
5205	7.80	7.80		7.80/4.20A	7.80/4.20A	----	----	----	5.70 - 0.30	.0453	----	----	12	----	----	93 +	9
5210	7.60	7.60		7.60/4.20A	7.60/4.20A	----	----	----	5.50 - 0.30	.0439	----	----	13	----	----	3079 +	7
5215	7.00	7.00		7.40B/4.00A	7.40B/4.00A	----	----	----	5.40 - 0.30	.0430	----	----	9	----	----	90 +	3
5220	7.20	7.20		7.30B/4.00A	7.30B/4.00A	----	----	----	5.30 - 0.20	.0421	----	----	27	----	----	213 +	4
5225	6.70	6.70		7.20/3.90A	7.20/3.90A	----	----	----	5.20 - 0.20	.0412	----	----	9	----	----	790 -	2
5230	3.70	3.70		6.80B/3.70	6.80B/3.70	----	----	----	5.00 - 0.30	.0397	----	----	4	----	----	124 +	1
5235	7.00	7.00		7.00/3.80A	7.00/3.80A	----	----	----	4.90 - 0.20	.0389	----	----	11	----	----	158 +	2
5240	6.10	6.10		6.50B/3.70A	6.50B/3.70A	----	----	----	4.80 - 0.20	.0380	----	----	3	----	----	68 +	1
5245	6.00	6.00		6.40B/3.60A	6.40B/3.60A	----	----	----	4.70 - 0.20	.0372	----	----	2	----	----	29 +	2
5250	4.10	4.10		6.20B/3.50A	6.20B/3.50A	----	----	----	4.60 - 0.20	.0363	----	----	113	----	----	4321 +	68
5255																	

BULLETIN # 89@				METALS OPTION PRODUCTS										Mon, May 11, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG CALL	COMEX GOLD OPTIONS																	
JUN26																		
5650	1.30	1.30		1.60B/*1.30	1.60B/*1.30	----			1.30 - 0.10	.0087	----	----	3	----	734	+	3	
5660	----	----		1.60B/*1.30A	1.60B/*1.30A	----			1.30 - 0.10	.0087	----	----	----	----	42		UNCH	
5665	----	----		1.50B/*1.30A	1.50B/*1.30A	----			1.30 - 0.10	.0086	----	----	----	----	6		UNCH	
5670	----	----		1.60B/*1.30A	1.60B/*1.30A	----			1.20 - 0.20	.0080	----	----	----	----	119		UNCH	
5675	----	----		1.60B/----	1.60B/*1.30A	----			1.20 - 0.10	.0080	----	----	----	----	22		UNCH	
5680	----	----		1.60B/*1.20A	1.60B/*1.20A	----			1.20 - 0.10	.0080	----	----	----	----	47		UNCH	
5690	----	----		1.50B/1.20A	1.50B/1.20A	----			1.20 - 0.10	.0079	----	----	----	----	176		UNCH	
5700	1.20	1.20		1.30B/*1.20	1.30B/*1.20	----			1.20 - 0.10	.0078	----	----	1	----	1896	+	1	
5710	----	----		1.50B/*1.20A	1.50B/*1.20A	----			1.10 - 0.20	.0072	----	----	----	----	41		UNCH	
5720	----	----		1.40B/*1.10A	1.40B/*1.10A	----			1.10 - 0.20	.0072	----	----	----	----	18		UNCH	
5725	----	----		1.40B/*1.10A	1.40B/*1.10A	----			1.10 - 0.10	.0071	----	----	----	----	36		UNCH	
5730	----	----		1.40B/*1.10A	1.40B/*1.10A	----			1.10 - 0.10	.0071	----	----	----	----	59		UNCH	
5740	0.70	0.70		1.40B/*0.70	1.40B/*0.70	----			1.00 - 0.20	.0065	----	----	1	----	62	+	1	
5750	----	----		1.40B/*1.10A	1.40B/*1.10A	----			1.00 - 0.20	.0065	----	----	----	----	1691		UNCH	
5760	----	----		1.30B/*1.00A	1.30B/*1.00A	----			1.00 - 0.20	.0064	----	----	----	----	18		UNCH	
5770	----	----		1.10B/*1.10A	1.10B/*1.10A	----			0.90 - 0.20	.0058	----	----	----	----	32		UNCH	
5775	----	----		1.30B/*1.00A	1.30B/*1.00A	----			0.90 - 0.20	.0058	----	----	----	----	167		UNCH	
5780	----	----		1.20B/*1.00A	1.20B/*1.00A	----			0.90 - 0.20	.0058	----	----	----	----	219		UNCH	
5790	----	----		/*1.00A	1.10B/*1.00A	----			0.90 - 0.20	.0057	----	----	----	----	11		UNCH	
5800	1.10	1.10		1.10/*0.90A	1.10/*0.90A	----			0.90 - 0.20	.0057	----	----	7	----	3138	-	6	
5810	----	----		1.00B/1.00A	1.00B/1.00A	----			0.80 - 0.30	.0051	----	----	----	----	264		UNCH	
5820	----	----		/*0.90A	0.90B/*0.90A	----			0.80 - 0.30	.0051	----	----	----	----	35		UNCH	
5825	----	----		/*1.00A	1.00B/*1.00A	----			0.80 - 0.30	.0051	----	----	----	----	37		UNCH	
5830	----	----		/*0.90A	0.90B/*0.90A	----			0.80 - 0.30	.0050	----	----	----	----	17		UNCH	
5840	----	----		/*0.90A	0.90B/*0.90A	----			0.80 - 0.30	.0050	----	----	----	----	22		UNCH	
5850	----	----		/*0.90A	0.80B/*0.90A	----			0.80 - 0.30	.0049	----	----	----	----	456		UNCH	
5860	----	----		/*0.90A	0.90B/*0.90A	----			0.80 - 0.30	.0049	----	----	----	----	24		UNCH	
5870	----	----		/*0.80A	0.80B/*0.80A	----			0.70 - 0.30	.0044	----	----	----	----	32		UNCH	
5875	----	----		/*0.80A	0.80B/*0.80A	----			0.70 - 0.30	.0043	----	----	----	----	196		UNCH	
5880	----	----		/*0.80A	0.80B/*0.80A	----			0.70 - 0.30	.0043	----	----	----	----	17		UNCH	
5890	----	----		/*0.90A	0.90B/*0.90A	----			0.70 - 0.30	.0043	----	----	----	----	139		UNCH	
5900	----	----		/*0.80A	0.80B/*0.80A	----			0.70 - 0.30	.0043	----	----	----	----	1370		UNCH	
5910	----	----		/*0.80A	0.70B/*0.80A	----			0.70 - 0.30	.0043	----	----	----	----	16		UNCH	
5920	----	----		/*0.80A	0.70B/*0.80A	----			0.70 - 0.30	.0042	----	----	----	----	40		UNCH	
5930	----	----		/*0.80A	0.70B/*0.80A	----			0.70 - 0.20	.0042	----	----	----	----	57		UNCH	
5940	----	----		/*0.70A	0.70B/*0.70A	----			0.60 - 0.30	.0036	----	----	1	----	7		UNCH	
5950	1.00	1.00		1.00/*0.80A	1.00/*0.80A	----			0.60 - 0.30	.0036	----	----	6	----	170		UNCH	
5960	----	----		0.70B/0.80A	0.70B/0.80A	----			0.60 - 0.20	.0036	----	----	----	----	51		UNCH	
5970	----	----		/*0.70A	0.60B/*0.70A	----			0.60 - 0.20	.0036	----	----	----	----	34		UNCH	
5980	----	----		/*0.70A	0.60B/*0.70A	----			0.60 - 0.20	.0036	----	----	----	----	22		UNCH	
5990	----	----		0.70B/*0.70A	0.70B/*0.70A	----			0.60 - 0.10	.0035	----	----	----	----	13		UNCH	
6000	----	----		/*0.60A	0.60B/*0.60A	----			0.60 - 0.10	.0035	----	----	6	----	5649	-	1	
6010	----	----		/*0.60A	0.60B/*0.60A	----			0.60 - 0.10	.0035	----	----	----	----	10		UNCH	
6020	----	----		0.60B/*0.70A	0.60B/*0.70A	----			0.50 - 0.20	.0029	----	----	----	----	23		UNCH	
6030	----	----		0.50B/0.70A	0.50B/0.70A	----			0.50 - 0.20	.0029	----	----	----	----	37		UNCH	
6040	----	----		/*0.60A	0.50B/*0.60A	----			0.50 - 0.20	.0029	----	----	----	----	24		UNCH	
6050	----	----		0.50B/*0.60A	0.50B/*0.60A	----			0.50 - 0.10	.0029	----	----	----	----	278		UNCH	
6060	----	----		0.50B/*0.60A	0.50B/*0.60A	----			0.50 - 0.10	.0029	----	----	----	----	32		UNCH	
6070	----	----		0.50B/*0.60A	0.50B/*0.60A	----			0.50 - 0.10	.0029	----	----	----	----	34		UNCH	
6080	----	----		0.50B/*0.60A	0.50B/*0.60A	----			0.50 - 0.10	.0028	----	----	----	----	10		UNCH	
6090	----	----		/*0.50A	0.40B/*0.50A	----			0.50 - 0.10	.0028	----	----	----	----	27		UNCH	
6100	0.60	0.60		0.60/*0.60	0.60/*0.60	----			0.50 - 0.10	.0028	----	----	4	----	2409	-	1	
6110	----	----		0.40B/0.60A	0.40B/0.60A	----			0.50 - 0.10	.0028	----	----	----	----	67		UNCH	
6120	----	----		0.40B/*0.60A	0.40B/*0.60A	----			0.50 - 0.10	.0028	----	----	----	----	11		UNCH	
6125	----	----		/*0.50A	0.40B/*0.50A	----			0.50 - 0.10	.0028	----	----	----	----	16		UNCH	
6130	----	----		0.40B/*0.60A	0.40B/*0.60A	----			0.50 - 0.10	.0028	----	----	----	----	10		UNCH	
6140	----	----		/*0.50A	0.40B/*0.50A	----			0.50 - 0.10	.0028	----	----	----	----	7		UNCH	
6150	----	----		0.50A	0.40B/0.50A	----			0.50 - 0.10	.0027	----	----	----	----	515		UNCH	
6160	----	----		/*0.50A	0.40B/*0.50A	----			0.40 - 0.20	.0022	----	----	----	----	138		UNCH	
6170	----	----		/*0.50A	0.40B/*0.50A	----			0.40 - 0.20	.0022	----	----	----	----	17		UNCH	
6180	----	----		/*0.50A	0.40B/*0.50A	----			0.40 - 0.20	.0022	----	----	----	----	75		UNCH	
6190	----	----		/*0.50A	0.40B/*0.50A	----			0.40 - 0.20	.0022	----	----	----	----	2		UNCH	
6200	0.60	0.60		0.60/*0.40	0.60/*0.40	----			0.40 - 0.20	.0022	----	----	7	----	4272	-	2	
6210	----	----		/*0.50A	0.40B/*0.50A	----			0.40 - 0.20	.0022	----	----	----	----	53		UNCH	
6220	----	----		0.50A	0.40B/0.50A	----			0.40 - 0.20	.0022	----	----	----	----	7		UNCH	
6230	----	----		0.40B/0.50A	0.40B/0.50A	----			0.40 - 0.10	.0022	----	----	----	----	73		UNCH	
6240	----	----		/*0.40A	0.30B/*0.40A	----			0.40 - 0.10	.0021	----	----	----	----	21		UNCH	
6250	----	----		/*0.40A	0.30B/*0.40A	----			0.40 - 0.10	.0021	----	----	----	----	1322		UNCH	
6260	----	----		/*0.40A	0.30B/*0.40A	----			0.40 - 0.10	.0021	----	----	----	----	8		UNCH	
6270	----																	



PRELIMINARY



BULLETIN # 89@				METALS OPTION PRODUCTS							Mon, May 11, 2026			PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG CALL		COMEX GOLD OPTIONS													
JUN26															
7750	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	17	UNCH		
7800	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	39	UNCH		
7825	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	1	UNCH		
7875	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	31	UNCH		
7900	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	2	UNCH		
7950	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	2	UNCH		
8000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	1064	UNCH		
8100	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	4	UNCH		
8200	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	88	UNCH		
8300	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	64	UNCH		
8500	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	146	UNCH		
8600	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	52	UNCH		
8800	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	32	UNCH		
8900	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	15	UNCH		
9000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	387	UNCH		
9100	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	11	UNCH		
9200	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	51	UNCH		
9300	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	11	UNCH		
9400	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	25	UNCH		
9500	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	23	UNCH		
9600	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	27	UNCH		
9700	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	20	UNCH		
9800	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	17	UNCH		
9900	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	27	UNCH		
10000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	363	UNCH		
10100	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	2	UNCH		
10300	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	3	UNCH		
10400	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	2	UNCH		
10500	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	1	UNCH		
10700	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	4	UNCH		
11000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	72	UNCH		
11300	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	12	UNCH		
11500	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	1	UNCH		
11600	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	5	UNCH		
11700	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	15	UNCH		
11900	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	2	UNCH		
12000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	406	UNCH		
TOTAL										8514	4,480	188248	29		
JUL26															
3300	----	----	1,486.40B/1,422	1486.40B/1422.40A	----	1464.50	- 2.20	.9934	----	----	----	7	UNCH		
3500	----	----	----	----	----	1265.00	- 2.30	.9893	----	----	----	1	UNCH		
3600	----	----	1,187.30B/1,123	1187.30B/1123.10A	----	1165.50	- 2.40	.9867	----	----	----	24	UNCH		
3650	----	----	1,137.70B/1,073	1137.70B/1073.40A	----	1115.90	- 2.30	.9847	----	----	----	10	UNCH		
3670	----	----	1,117.80B/1,053	1117.80B/1053.60A	----	1096.00	- 2.40	.9838	----	----	----	3	UNCH		
3700	----	----	1,088.10B/1,023	1088.10B/1023.90A	----	1066.30	- 2.30	.9827	----	----	----	119	UNCH		
3735	----	----	----	----	----	1031.60	- 2.40	.9808	----	----	----	1	UNCH		
3775	----	----	1,014.00B/949.7	1014.00B/949.70A	----	992.00	- 2.50	.9787	----	----	----	4	UNCH		
3800	----	----	990.50B/921.10A	990.50B/921.10A	----	967.40	- 2.50	.9772	----	----	2050	UNCH			
3825	----	----	964.70B/900.50A	964.70B/900.50A	----	942.70	- 2.60	.9753	----	----	----	3	UNCH		
3850	----	----	940.10B/876.00A	940.10B/876.00A	----	918.10	- 2.60	.9737	----	----	----	65	UNCH		
3860	----	----	----	----	----	908.20	- 2.70	.9728	----	----	----	1	UNCH		
3865	----	----	925.40B/861.30A	925.40B/861.30A	----	903.30	- 2.70	.9723	----	----	----	7	UNCH		
3875	----	----	915.60B/851.50A	915.60B/851.50A	----	893.50	- 2.70	.9717	----	----	----	25	UNCH		
3900	----	----	891.10B/827.10A	891.10B/827.10A	----	868.90	- 2.80	.9694	----	----	----	18	UNCH		
3925	----	----	866.60B/802.70A	866.60B/802.70A	----	844.50	- 2.80	.9673	----	----	----	35	UNCH		
3950	----	----	843.40B/774.60A	843.40B/774.60A	----	820.00	- 2.90	.9644	----	----	820	UNCH			
3960	----	----	----	----	----	810.30	- 2.90	.9634	----	----	----	1	UNCH		
4000	----	----	793.60B/730.10A	793.60B/730.10A	----	771.30	- 3.10	.9586	----	----	----	15	UNCH		
4020	----	----	----	----	----	751.90	- 3.20	.9557	----	----	----	1	UNCH		
4030	----	----	----	----	----	742.30	- 3.10	.9543	----	----	----	2	UNCH		
4040	----	----	----	----	----	732.60	- 3.20	.9525	----	----	----	1	UNCH		
4075	----	----	721.40B/658.30A	721.40B/658.30A	----	698.90	- 3.30	.9468	----	----	----	6	UNCH		
4095	----	----	702.30B/629.60A	702.30B/629.60A	----	679.70	- 3.40	.9431	----	----	----	4	UNCH		
4100	----	----	697.50B/620.50A	697.50B/620.50A	----	675.00	- 3.40	.9421	----	----	194	UNCH			
4105	----	----	----/615.80A	612.70B/615.80A	----	670.20	- 3.40	.9412	----	----	----	1	UNCH		
4110	----	----	688.00B/611.20A	688.00B/611.20A	----	665.40	- 3.50	.9399	----	----	----	3	UNCH		
4145	----	----	654.80B/578.60A	654.80B/578.60A	----	632.20	- 3.60	.9322	----	----	28	UNCH			
4150	----	----	650.10B/574.00A	650.10B/574.00A	----	627.50	- 3.60	.9312	----	----	37	UNCH			
4155	----	----	----/569.40A	602.00B/569.40A	----	622.70	- 3.70	.9299	----	----	----	1	UNCH		
4160	----	----	----/564.80A	611.20B/564.80A	----	618.00	- 3.70	.9285	----	----	----	1	UNCH		
4190	----	----	607.60B/537.00A	607.60B/537.00A	----	589.90	- 3.90	.9205	----	----	----	7	UNCH		
4200	----	----	603.10B/527.90A	603.10B/527.90A	----	580.60	- 3.90	.9175	----	----	----	7	UNCH		
4215	----	----	589.90B/518.80A	589.90B/518.80A	----	566.70	- 4.00	.9131	----	----	25	UNCH			
4220	----	----	579.10B/509.90A	579.10B/509.90A	----	562.10	- 4.00	.9114	----	----	----	1	UNCH		
4225	----	----	575.20B/505.40A	575.20B/505.40A	----	557.40	- 4.10	.9098	----	----	----	2	UNCH		
4235	----	----	565.30B/496.50A	565.30B/496.50A	----	548.30	- 4.10	.9064	----	----	----	1	UNCH		
4240	----	----	566.40B/492.10A	566.40B/492.10A	----	543.70	- 4.10	.9047	----	----	39	UNCH			
4245	----	----	556.20B/487.70A	556.20B/487.70A	----	539.10	- 4.20	.9030	----	----	----	1	UNCH		
4250	----	----	557.60B/483.20A	557.60B/483.20A	----	534.50	- 4.20	.9013	----	----	318	UNCH			
4255	----	----	547.10B/478.80A	547.10B/478.80A	----	530.00	- 4.20	.8995	----	----	----	1	UNCH		
4265	----	----	538.00B/470.10A	538.00B/470.10A	----	520.90	- 4.30	.8958	----	----	----	2	UNCH		
4270	----	----	539.00B/465.70A	539.00B/465.70A	----	516.40	- 4.30	.8938	----	----	38	UNCH			
4275	----	----	534.60B/461.30A	534.60B/461.30A	----	511.80									

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS														
JUL26																
4650	188.30	188.30		243.20B/185.90A	243.20B/185.90A	----	----	----	220.70 - 4.40	.6303	----	----	62	----	840 -	1
4655	----	----		240.00B/182.00A	240.00B/182.00A	----	----	----	217.70 - 4.30	.6255	----	----	----	----	18	UNCH
4660	----	----		236.90B/179.00A	236.90B/179.00A	----	----	----	214.70 - 4.30	.6206	----	----	1	----	53 +	1
4665	----	----		234.60B/176.40A	234.60B/176.40A	----	----	----	211.70 - 4.30	.6157	----	----	1	----	270 +	1
4670	----	----		231.50B/173.30A	231.50B/173.30A	----	----	----	208.80 - 4.20	.6108	----	----	----	----	106	UNCH
4675	----	----		228.40B/169.20A	228.40B/169.20A	----	----	----	205.90 - 4.20	.6058	----	----	----	----	135	UNCH
4680	----	----		225.40B/166.70A	225.40B/166.70A	----	----	----	203.00 - 4.10	.6009	----	----	----	----	140	UNCH
4685	----	----		222.40B/164.20A	222.40B/164.20A	----	----	----	200.20 - 4.00	.5959	----	----	----	----	11	UNCH
4690	----	----		219.40B/161.70A	219.40B/161.70A	----	----	----	197.30 - 4.10	.5909	----	----	----	----	3	UNCH
4695	----	----		216.50B/159.20A	216.50B/159.20A	----	----	----	194.50 - 4.00	.5859	----	----	2	----	33	UNCH
4700	163.00	163.00		213.60B/156.80A	213.60B/156.80A	----	----	----	191.80 - 3.90	.5809	----	273	----	----	717 -	191
4705	----	----		210.60B/154.50A	210.60B/154.50A	----	----	----	189.00 - 3.90	.5759	----	----	----	----	2	UNCH
4710	----	----		207.80B/152.10A	207.80B/152.10A	----	----	----	186.30 - 3.90	.5709	----	----	----	----	117	UNCH
4715	----	----		204.90B/149.80A	204.90B/149.80A	----	----	----	183.60 - 3.80	.5658	----	----	----	----	2	UNCH
4720	----	----		202.10B/147.50A	202.10B/147.50A	----	----	----	181.00 - 3.70	.5608	----	----	----	----	17	UNCH
4725	----	----		199.30B/145.20A	199.30B/145.20A	----	----	----	178.40 - 3.70	.5558	----	23	----	----	76 +	19
4730	----	----		196.60B/143.00A	196.60B/143.00A	----	----	----	175.80 - 3.60	.5507	----	----	----	----	13	UNCH
4735	145.50	145.50		193.90B/140.70A	193.90B/140.70A	----	----	----	173.20 - 3.60	.5456	----	5	----	----	7 +	5
4740	----	----		191.20B/138.60A	191.20B/138.60A	----	----	----	170.70 - 3.50	.5406	----	----	----	----	1	UNCH
4745	----	----		188.90B/136.50A	188.90B/136.50A	----	----	----	168.20 - 3.40	.5355	----	----	----	----	177	UNCH
4750	142.40	142.40		186.30B/134.30A	186.30B/134.30A	----	----	----	165.70 - 3.40	.5304	----	374	----	----	1961 +	306
4755	----	----		183.70B/132.20A	183.70B/132.20A	----	----	----	163.20 - 3.40	.5254	----	----	----	----	19	UNCH
4760	168.00	168.00		181.10B/130.10A	181.10B/130.10A	----	----	----	160.80 - 3.30	.5203	----	3	----	----	50 +	3
4765	----	----		178.50B/128.20A	178.50B/128.20A	----	----	----	158.40 - 3.30	.5153	----	----	----	----	5	UNCH
4770	166.60	166.60		176.00B/126.00A	176.00B/126.00A	----	----	----	156.00 - 3.30	.5102	----	2	----	----	73	UNCH
4775	----	----		173.50B/124.10A	173.50B/124.10A	----	----	----	153.70 - 3.20	.5052	----	----	----	----	156	UNCH
4780	160.00	160.00		171.00B/122.10A	171.00B/122.10A	----	----	----	151.40 - 3.10	.5001	----	1	----	----	33	UNCH
4785	----	----		168.00B/120.20A	168.00B/120.20A	----	----	----	149.10 - 3.10	.4951	----	----	----	----	13	UNCH
4790	----	----		166.10B/118.20A	166.10B/118.20A	----	----	----	146.80 - 3.00	.4901	----	----	----	----	6	UNCH
4795	----	----		163.70B/116.30A	163.70B/116.30A	----	----	----	144.60 - 3.00	.4851	----	----	----	----	89	UNCH
4800	123.00	123.00		161.30B/113.70	161.30B/113.70	----	----	----	142.40 - 2.90	.4801	----	20	----	----	2024 -	19
4805	----	----		159.00B/112.60A	159.00B/112.60A	----	----	----	140.20 - 2.90	.4751	----	1	----	----	46 +	1
4810	----	----		156.70B/110.80A	156.70B/110.80A	----	----	----	138.10 - 2.80	.4701	----	1	----	----	36	UNCH
4815	----	----		154.50B/109.10A	154.50B/109.10A	----	----	----	136.00 - 2.70	.4651	----	----	----	----	10	UNCH
4820	134.20	134.20		152.20B/107.30A	152.20B/107.30A	----	----	----	133.90 - 2.70	.4602	----	15	----	----	67 -	4
4825	----	----		150.00B/105.50A	150.00B/105.50A	----	----	----	131.80 - 2.60	.4553	----	----	----	----	645	UNCH
4830	----	----		147.80B/103.90A	147.80B/103.90A	----	----	----	129.80 - 2.60	.4504	----	----	----	----	14	UNCH
4835	----	----		145.60B/102.20A	145.60B/102.20A	----	----	----	127.80 - 2.50	.4455	----	----	----	----	18	UNCH
4840	----	----		143.40B/100.40A	143.40B/100.40A	----	----	----	125.80 - 2.40	.4406	----	----	----	----	183	UNCH
4845	----	----		141.20B/98.90A	141.20B/98.90A	----	----	----	123.80 - 2.40	.4357	----	----	----	----	69	UNCH
4850	112.70	112.70		139.20B/95.90	139.20B/95.90	----	----	----	121.90 - 2.30	.4309	----	38	----	----	548 +	22
4855	----	----		137.10B/95.70A	137.10B/95.70A	----	----	----	120.00 - 2.30	.4261	----	----	150	----	155 +	148
4860	----	----		134.90B/94.10A	134.90B/94.10A	----	----	----	118.10 - 2.20	.4213	----	----	----	----	17	UNCH
4865	----	----		132.80B/92.50A	132.80B/92.50A	----	----	----	116.20 - 2.20	.4165	----	----	----	----	32	UNCH
4870	115.00	115.00		131.00B/91.00A	131.00B/91.00A	----	----	----	114.40 - 2.10	.4118	----	3	----	----	68	UNCH
4875	----	----		129.00B/89.40A	129.00B/89.40A	----	----	----	112.60 - 2.10	.4071	----	1	----	----	27 -	9
4880	----	----		127.00B/88.00A	127.00B/88.00A	----	----	----	110.80 - 2.00	.4024	----	----	----	----	74	UNCH
4885	----	----		125.00B/86.60A	125.00B/86.60A	----	----	----	109.10 - 1.90	.3978	----	----	----	----	25	UNCH
4890	----	----		123.10B/85.10A	123.10B/85.10A	----	----	----	107.30 - 1.90	.3931	----	1	----	----	57	UNCH
4895	----	----		121.30B/83.70A	121.30B/83.70A	----	----	----	105.60 - 1.90	.3885	----	----	----	----	51	UNCH
4900	95.00	95.00		119.40B/82.10A	119.40B/82.10A	----	----	----	103.90 - 1.80	.3839	----	77	----	----	1203 +	68
4905	----	----		117.40B/80.90A	117.40B/80.90A	----	----	----	102.20 - 1.80	.3793	----	----	----	----	8	UNCH
4910	----	----		115.60B/79.50A	115.60B/79.50A	----	----	----	100.60 - 1.70	.3748	----	----	----	----	146	UNCH
4915	----	----		113.80B/78.20A	113.80B/78.20A	----	----	----	99.00 - 1.60	.3703	----	----	----	----	36	UNCH
4920	----	----		112.20B/76.90A	112.20B/76.90A	----	----	----	97.40 - 1.60	.3658	----	----	----	----	13	UNCH
4925	----	----		110.30B/75.60A	110.30B/75.60A	----	----	----	95.80 - 1.60	.3614	----	----	----	----	38	UNCH
4930	----	----		108.70B/74.30A	108.70B/74.30A	----	----	----	94.30 - 1.50	.3570	----	----	----	----	66	UNCH
4935	----	----		106.90B/73.10A	106.90B/73.10A	----	----	----	92.70 - 1.50	.3525	----	1	----	----	619	UNCH
4940	----	----		105.30B/71.80A	105.30B/71.80A	----	----	----	91.20 - 1.40	.3482	----	----	----	----	284	UNCH
4945	----	----		103.60B/70.80A	103.60B/70.80A	----	----	----	89.80 - 1.30	.3440	----	----	----	----	11	UNCH
4950	71.60	71.60		101.90B/69.40A	101.90B/69.40A	----	----	----	88.30 - 1.30	.3397	----	2	----	----	299 -	2
4955	----	----		100.30B/68.30A	100.30B/68.30A	----	----	----	86.90 - 1.20	.3355	----	----	----	----	87	UNCH
4960	----	----		98.80B/67.10A	98.80B/67.10A	----	----	----	85.40 - 1.20	.3311	----	----	----	----	25	UNCH
4965	84.70	84.70		97.30B/65.90A	97.30B/65.90A	----	----	----	84.00 - 1.20	.3270	----	3	----	----	177 -	1
4970	----	----		95.70B/65.00A	95.70B/65.00A	----	----	----	82.70 - 1.10	.3229	----	----	----	----	56	UNCH
4975	----	----		94.20B/63.90A	94.20B/63.90A	----	----	----	81.30 - 1.10	.3187	----	----	----	----	43	UNCH
4980	----	----		92.60B/62.80A	92.60B/62.80A	----	----	----	80.00 - 1.00	.3147	----	----	----	----	30	UNCH
4985	----	----		91.30B/61.60A	91.30B/61.60A	----	----	----	78.70 - 1.00	.3107	----	----	----	----	35	UNCH
4990	----	----		89.80B/60.70A	89.80B/60.70A	----	----	----	77.40 - 1.00	.3067	----	----	----	----	37	UNCH
4995	----	----		88.40B/59.50A	88.40B/59.50A	----	----	----	76.10 - 1.00	.3027	----	----	----	----	43	UNCH
5000	65.70	65.70		87.00B/58.50A	87.00B/58.50A	----	----	----	74.90 - 0.90	.2988	----	427	200	3303 +	95	UNCH
5005	----	----		85.60B/57.60A	85.60B/57.60A	----	----	----	73.60 - 0.90	.2948	----	----	----	----	21	UNCH
5010	----	----		84.20B/56.50A	84.20B/56.50A	----	----	----	72.40 - 0.90	.2910	----	----	----	----	36	UNCH
5015	----	----		82.90B/55.50A	82.90B/55.50A	----	----	----	71.20 - 0.80	.2871	----	----	----	----	33	UNCH
5020	----	----		81.60B/54.70A	81.60B/54.70A	----	----	----	70.10 - 0.70	.2835	----	----	----	----	13	UNCH
5025	----	----		80.30B/53.80A	80.30B/53.80A	----	----	----	68.90 - 0.80	.2797	----	20	----	----	48	UNCH
5030	----	----		79.00B/53.00A	79.00B/53.00A	----	----	----	67.80 - 0.70	.2760	----	----	----	----	43	UNCH
5035	----	----		77.60B/51.90A	77.60B/51.90A	----	----	----	66.70 - 0.60	.2724	----	----	----	----	59	UNCH
5040	69.30	69.30		76.50B/51.00A	76.50B/51.00A	----	----	----	65.60 - 0.60	.2687	----	1	----	----	15	UNCH
5045	----	----		75.20B/50.10A	75.20B/50.10A	----	----	----	64.50 - 0.60	.2651	----	----	----	----	9	UNCH
5050	----	----		74.10B/49.20A	74.10B/49.20A	----	----	----	63.40 - 0.60	.2615	----	9	----	----	295	UNCH
5055	----	----		72.90B/48.40A	72.90B/48.40A	----	----	----	62.40 - 0.50	.2581	----	1	----	----	19 -	1
5060	----	----		71.60B/47.70A	71.60B/47.70A	----	----	----	61.30 - 0.60	.2544	----	2	----	----	34	UNCH
5065	----	----		70.60B/47.00A	70.60B/47.00A	----	----	----	60.30 - 0.50	.2510	----	1	----	----	214	UNCH
5070	----	----		69.40B/46.00A	69.40B/46.00A	----	----	----	59.30 - 0.50	.2476	----	2	----	----	32 +	1
5075	----	----		68.30B/45.30A	68.30B/45.30A											

PG64		BULLETIN # 89@										METALS OPTION PRODUCTS										Mon, May 11, 2026		PG64
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME			OPEN INTEREST						
OG CALL		COMEX GOLD OPTIONS																						
JUL26																								
5335	----	----	----	----	29.308/19.20A	29.308/19.20A	----	----	----	25.10 + 0.50	.1172	----	----	----	----	----	4	UNCH						
5340	----	----	----	----	28.908/18.90A	28.908/18.90A	----	----	----	24.70 + 0.50	.1155	----	----	----	----	----	30	UNCH						
5345	----	----	----	----	28.408/18.70A	28.408/18.70A	----	----	----	24.40 + 0.60	.1141	----	----	----	----	----	42	UNCH						
5350	----	----	----	----	28.008/18.40A	28.008/18.40A	----	----	----	24.00 + 0.60	.1124	----	----	10	----	----	714	+						
5355	----	----	----	----	27.508/18.10A	27.508/18.10A	----	----	----	23.60 + 0.50	.1107	----	----	----	----	----	108	UNCH						
5360	----	----	----	----	27.108/17.80A	27.108/17.80A	----	----	----	23.30 + 0.60	.1094	----	----	----	----	----	328	UNCH						
5365	----	----	----	----	26.708/17.60A	26.708/17.60A	----	----	----	22.90 + 0.60	.1077	----	----	----	----	----	148	UNCH						
5370	----	----	----	----	26.208/17.30A	26.208/17.30A	----	----	----	22.60 + 0.60	.1063	----	----	----	----	----	27	UNCH						
5375	----	----	----	----	25.908/17.10A	25.908/17.10A	----	----	----	22.20 + 0.60	.1047	----	----	----	----	----	24	UNCH						
5380	----	----	----	----	25.508/16.80A	25.508/16.80A	----	----	----	21.90 + 0.60	.1033	----	----	----	----	----	17	UNCH						
5385	----	----	----	----	25.108/16.50A	25.108/16.50A	----	----	----	21.60 + 0.60	.1020	----	----	2	----	----	19	UNCH						
5390	----	----	----	----	24.708/16.30A	24.708/16.30A	----	----	----	21.20 + 0.60	.1003	----	----	----	----	----	13	UNCH						
5395	----	----	----	----	24.308/16.10A	24.308/16.10A	----	----	----	20.90 + 0.60	.0990	----	----	----	----	----	24	UNCH						
5400	17.00	17.00	----	----	24.008/15.90A	24.008/15.90A	----	----	----	20.60 + 0.60	.0976	----	----	120	----	----	3788	-						
5405	----	----	----	----	23.608/15.70A	23.608/15.70A	----	----	----	20.30 + 0.60	.0963	----	----	----	----	----	19	UNCH						
5410	----	----	----	----	23.308/15.40A	23.308/15.40A	----	----	----	20.00 + 0.60	.0950	----	----	----	----	----	24	UNCH						
5415	----	----	----	----	22.908/15.30A	22.908/15.30A	----	----	----	19.70 + 0.60	.0937	----	----	----	----	----	18	UNCH						
5420	----	----	----	----	22.608/15.10A	22.608/15.10A	----	----	----	19.40 + 0.60	.0923	----	----	----	----	----	29	UNCH						
5425	----	----	----	----	22.208/14.80A	22.208/14.80A	----	----	----	19.10 + 0.60	.0910	----	----	2	----	----	32	UNCH						
5430	----	----	----	----	21.908/14.70A	21.908/14.70A	----	----	----	18.80 + 0.50	.0897	----	----	----	----	----	11	UNCH						
5435	----	----	----	----	21.608/14.60A	21.608/14.60A	----	----	----	18.60 + 0.60	.0887	----	----	----	----	----	7	UNCH						
5440	----	----	----	----	21.308/14.40A	21.308/14.40A	----	----	----	18.30 + 0.60	.0874	----	----	----	----	----	17	UNCH						
5445	----	----	----	----	20.808/14.20A	20.808/14.20A	----	----	----	18.00 + 0.60	.0861	----	----	----	----	----	24	UNCH						
5450	----	----	----	----	20.608/14.10A	20.608/14.10A	----	----	----	17.80 + 0.60	.0851	----	----	2	----	1159	+							
5455	----	----	----	----	20.308/13.90A	20.308/13.90A	----	----	----	17.50 + 0.60	.0838	----	----	----	----	----	36	UNCH						
5460	----	----	----	----	19.908/13.70A	19.908/13.70A	----	----	----	17.30 + 0.60	.0828	----	----	----	----	----	27	UNCH						
5465	----	----	----	----	19.708/13.60A	19.708/13.60A	----	----	----	17.00 + 0.60	.0816	----	----	----	----	----	19	UNCH						
5470	----	----	----	----	19.508/13.20A	19.508/13.20A	----	----	----	16.80 + 0.60	.0806	----	----	----	----	----	28	UNCH						
5475	----	----	----	----	19.208/13.10A	19.208/13.10A	----	----	----	16.50 + 0.50	.0793	----	----	----	----	----	206	UNCH						
5480	----	----	----	----	18.908/12.90A	18.908/12.90A	----	----	----	16.30 + 0.60	.0783	----	----	----	----	----	5	UNCH						
5485	----	----	----	----	18.508/12.80A	18.508/12.80A	----	----	----	16.10 + 0.60	.0774	----	----	----	----	----	6	UNCH						
5490	----	----	----	----	18.308/12.60A	18.308/12.60A	----	----	----	15.90 + 0.60	.0764	----	----	----	----	----	20	UNCH						
5495	----	----	----	----	18.008/12.40A	18.008/12.40A	----	----	----	15.60 + 0.60	.0752	----	----	----	----	----	7	UNCH						
5500	14.30	14.30	----	----	17.708/12.20A	17.708/12.20A	----	----	----	15.40 + 0.60	.0742	----	----	344	----	2268	-							
5505	----	----	----	----	17.508/12.10A	17.508/12.10A	----	----	----	15.20 + 0.60	.0733	----	----	----	----	----	15	UNCH						
5510	----	----	----	----	17.308/12.00A	17.308/12.00A	----	----	----	15.00 + 0.60	.0723	----	----	----	----	----	13	UNCH						
5515	----	----	----	----	17.108/11.80A	17.108/11.80A	----	----	----	14.80 + 0.60	.0714	----	----	----	----	----	17	UNCH						
5520	----	----	----	----	16.708/11.60A	16.708/11.60A	----	----	----	14.60 + 0.60	.0705	----	----	----	----	----	18	UNCH						
5525	----	----	----	----	16.508/11.50A	16.508/11.50A	----	----	----	14.40 + 0.60	.0695	----	----	----	----	----	91	UNCH						
5530	15.60	15.60	----	----	16.308/11.30A	16.308/11.30A	----	----	----	14.20 + 0.60	.0686	----	----	1	----	25	-							
5535	----	----	----	----	16.108/11.10A	16.108/11.10A	----	----	----	14.00 + 0.60	.0677	----	----	----	----	----	12	UNCH						
5540	----	----	----	----	15.808/11.00A	15.808/11.00A	----	----	----	13.80 + 0.60	.0668	----	----	----	----	----	16	UNCH						
5545	----	----	----	----	15.608/10.90A	15.608/10.90A	----	----	----	13.60 + 0.50	.0659	----	----	----	----	----	16	UNCH						
5550	----	----	----	----	15.408/10.70A	15.408/10.70A	----	----	----	13.40 + 0.50	.0650	----	----	3	----	200	-							
5555	----	----	----	----	15.208/10.70A	15.208/10.70A	----	----	----	13.30 + 0.60	.0644	----	----	----	----	----	35	UNCH						
5560	----	----	----	----	15.008/10.50A	15.008/10.50A	----	----	----	13.10 + 0.60	.0635	----	----	----	----	----	23	UNCH						
5565	----	----	----	----	14.808/10.40A	14.808/10.40A	----	----	----	12.90 + 0.50	.0626	----	----	----	----	----	12	UNCH						
5570	----	----	----	----	14.608/10.20A	14.608/10.20A	----	----	----	12.80 + 0.60	.0620	----	----	----	----	----	4	UNCH						
5575	----	----	----	----	14.408/10.10A	14.408/10.10A	----	----	----	12.60 + 0.60	.0611	----	----	----	----	----	31	UNCH						
5580	----	----	----	----	14.208/10.00A	14.208/10.00A	----	----	----	12.40 + 0.50	.0602	----	----	----	----	----	7	UNCH						
5585	----	----	----	----	14.008/9.90A	14.008/9.90A	----	----	----	12.30 + 0.60	.0596	----	----	----	----	----	19	UNCH						
5590	----	----	----	----	13.808/9.70A	13.808/9.70A	----	----	----	12.10 + 0.50	.0587	----	----	----	----	----	5	UNCH						
5595	----	----	----	----	13.608/9.60A	13.608/9.60A	----	----	----	12.00 + 0.60	.0582	----	----	----	----	----	19	UNCH						
5600	9.30	9.30	----	----	13.508/9.30	13.508/9.30	----	----	----	11.80 + 0.50	.0573	----	----	20	----	2106	+							
5605	----	----	----	----	13.308/9.40A	13.308/9.40A	----	----	----	11.70 + 0.60	.0568	----	----	----	----	----	32	UNCH						
5610	----	----	----	----	13.108/9.30A	13.108/9.30A	----	----	----	11.50 + 0.50	.0559	----	----	----	----	----	10	UNCH						
5615	----	----	----	----	12.908/9.20A	12.908/9.20A	----	----	----	11.40 + 0.60	.0553	----	----	----	----	----	1	UNCH						
5620	----	----	----	----	12.808/9.10A	12.808/9.10A	----	----	----	11.20 + 0.50	.0545	----	----	----	----	----	6	UNCH						
5625	----	----	----	----	12.608/9.00A	12.608/9.00A	----	----	----	11.10 + 0.50	.0539	----	----	----	----	----	9	UNCH						
5630	----	----	----	----	12.408/8.90A	12.408/8.90A	----	----	----	11.00 + 0.60	.0534	----	----	----	----	----	6	UNCH						
5635	----	----	----	----	12.308/8.80A	12.308/8.80A	----	----	----	10.80 + 0.50	.0525	----	----	----	----	----	12	UNCH						
5640	----	----	----	----	12.108/8.70A	12.108/8.70A	----	----	----	10.70 + 0.50	.0520	----	----	----	----	----	8	UNCH						
5650	----	----	----	----	11.808/8.40A	11.808/8.40A	----	----	----	10.40 + 0.50	.0506	----	----	----										

BULLETIN # 89@										METALS OPTION PRODUCTS										Mon, May 11, 2026				PG64
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
OG CALL		COMEX GOLD OPTIONS																						
JUL26																								
6925	----	----	----	1.80B/----	1.80B/1.90A	----	----	----	----	1.80 + 0.10	.0073	----	----	----	----	1	UNCH							
6950	----	----	----	1.80B/----	1.80B/1.90A	----	----	----	----	1.80 + 0.10	.0072	----	----	----	----	22	UNCH							
6975	----	----	----	1.70B/----	1.70B/1.80A	----	----	----	----	1.70 + 0.10	.0069	----	----	----	----	10	UNCH							
7000	----	----	----	1.70B/----	1.70B/1.80A	----	----	----	----	1.70 + 0.10	.0068	----	----	----	----	1194 -	1							
7050	----	----	----	1.60B/----	1.60B/1.70A	----	----	----	----	1.60 + 0.10	.0064	----	----	----	----	18	UNCH							
7075	----	----	----	1.60B/----	1.60B/1.70A	----	----	----	----	1.60 + 0.10	.0063	----	----	----	----	13	UNCH							
7100	----	----	----	1.60B/----	1.60B/1.70A	----	----	----	----	1.60 + 0.10	.0063	----	----	----	----	28	UNCH							
7125	----	----	----	1.50B/----	1.50B/1.70A	----	----	----	----	1.60 + 0.20	.0062	----	----	----	----	1	UNCH							
7150	----	----	----	1.50B/----	1.50B/1.60A	----	----	----	----	1.50 + 0.10	.0059	----	----	----	----	19	UNCH							
7175	----	----	----	----	1.40B/1.60A	----	----	----	----	1.50 + 0.10	.0058	----	----	----	----	1	UNCH							
7200	----	----	----	----	1.40B/1.60A	----	----	----	----	1.50 + 0.10	.0058	----	----	----	----	3	UNCH							
7225	----	----	----	1.40B/----	1.40B/1.60A	----	----	----	----	1.40 + 0.10	.0054	----	----	----	----	22	UNCH							
7250	----	----	----	1.40B/----	1.40B/1.50A	----	----	----	----	1.40 + 0.10	.0054	----	----	----	----	23	UNCH							
7275	----	----	----	----	1.30B/1.50A	----	----	----	----	1.40 + 0.10	.0054	----	----	----	----	14	UNCH							
7300	----	----	----	----	1.30B/1.50A	----	----	----	----	1.40 + 0.10	.0053	----	----	----	----	50	UNCH							
7350	----	----	----	1.30B/----	1.30B/1.40A	----	----	----	----	1.30 + 0.10	.0049	----	----	----	----	8	UNCH							
7400	----	----	----	----	1.20B/1.40A	----	----	----	----	1.30 + 0.10	.0049	----	----	----	----	2	UNCH							
7425	----	----	----	----	1.20B/1.40A	----	----	----	----	1.30 + 0.10	.0049	----	----	----	----	19	UNCH							
7450	----	----	----	----	1.10B/1.40A	----	----	----	----	1.20 + 0.10	.0045	----	----	----	----	28	UNCH							
7475	----	----	----	----	1.10B/1.40A	----	----	----	----	1.20 + 0.10	.0045	----	----	----	----	9	UNCH							
7500	----	----	----	1.10B/*1.10A	1.10B/*1.10A	----	----	----	----	1.20 + 0.10	.0045	----	----	----	----	300	UNCH							
7525	1.10	1.10	1.10	1.10/*1.10	1.10/*1.10	----	----	----	----	1.20 + 0.10	.0044	----	----	1	----	33	UNCH							
7550	----	----	----	----	1.10B/1.30A	----	----	----	----	1.20 + 0.10	.0044	----	----	----	----	50	UNCH							
7575	----	----	----	----	1.00B/1.30A	----	----	----	----	1.20 + 0.10	.0044	----	----	----	----	1	UNCH							
7600	----	----	----	----	1.00B/1.30A	----	----	----	----	1.10 UNCH	.0040	----	----	----	----	10	UNCH							
7625	----	----	----	----	1.00B/1.20A	----	----	----	----	1.10 + 0.10	.0040	----	----	----	----	12	UNCH							
7700	----	----	----	----	0.90B/1.20A	----	----	----	----	1.10 + 0.10	.0040	----	----	----	----	11	UNCH							
7725	----	----	----	----	0.90B/*1.10A	----	----	----	----	1.10 + 0.10	.0039	----	----	----	----	17	UNCH							
7750	----	----	----	----	0.90B/*1.10A	----	----	----	----	1.00 UNCH	.0036	----	----	----	----	6	UNCH							
7775	----	----	----	----	0.90B/*1.10A	----	----	----	----	1.00 UNCH	.0036	----	----	----	----	6	UNCH							
7800	----	----	----	----	0.90B/*1.10A	----	----	----	----	1.00 UNCH	.0036	----	----	----	----	5	UNCH							
7825	----	----	----	----	0.80B/1.10A	----	----	----	----	1.00 UNCH	.0036	----	----	----	----	13	UNCH							
7875	----	----	----	----	0.80B/*1.00A	----	----	----	----	1.00 + 0.10	.0035	----	----	----	----	151	UNCH							
7900	----	----	----	----	0.80B/*1.00A	----	----	----	----	1.00 + 0.10	.0035	----	----	----	----	1	UNCH							
8000	----	----	----	----	0.70B/1.00A	----	----	----	----	0.90 UNCH	.0031	----	----	----	----	823	UNCH							
8100	----	----	----	----	0.70B/*0.90A	----	----	----	----	0.90 UNCH	.0031	----	----	----	----	7	UNCH							
8200	----	----	----	----	0.60B/*0.80A	----	----	----	----	0.80 UNCH	.0027	----	----	----	----	1	UNCH							
8300	----	----	----	----	0.60B/*0.80A	----	----	----	----	0.80 UNCH	.0027	----	----	----	----	4	UNCH							
8500	----	----	----	---/*0.70A	0.50B/*0.70A	----	----	----	----	0.70 - 0.10	.0023	----	----	----	----	30	UNCH							
8600	----	----	----	---/0.70A	0.50B/0.70A	----	----	----	----	0.70 - 0.10	.0023	----	----	----	----	1	UNCH							
8700	----	----	----	---/0.60A	0.40B/0.60A	----	----	----	----	0.70 UNCH	.0022	----	----	----	----	24	UNCH							
8800	----	----	----	---/*0.60A	0.40B/*0.60A	----	----	----	----	0.70 UNCH	.0022	----	----	----	----	7	UNCH							
9000	----	----	----	---/*0.50A	0.30B/*0.50A	----	----	----	----	0.70 UNCH	.0021	----	----	----	----	241	UNCH							
9200	----	----	----	---/*0.50A	0.20B/*0.50A	----	----	----	----	0.60 - 0.10	.0018	----	----	----	----	11	UNCH							
9300	----	----	----	---/*0.40A	0.20B/*0.40A	----	----	----	----	0.60 UNCH	.0018	----	----	----	----	4	UNCH							
9400	----	----	----	---/*0.40A	0.20B/*0.40A	----	----	----	----	0.60 UNCH	.0018	----	----	----	----	141	UNCH							
9500	----	----	----	---/*0.40A	0.20B/*0.40A	----	----	----	----	0.60 UNCH	.0017	----	----	----	----	66	UNCH							
9900	----	----	----	---/*0.30A	0.10B/*0.30A	----	----	----	----	0.60 UNCH	.0017	----	----	----	----	5	UNCH							
10000	----	----	----	---/0.30A	0.20B/0.30A	----	----	----	----	0.60 UNCH	.0016	----	----	----	----	173	UNCH							
10100	----	----	----	---/*0.30A	0.10B/*0.30A	----	----	----	----	0.60 UNCH	.0016	----	----	----	----	12	UNCH							
11000	----	----	----	---/0.20A	----	----	----	----	----	0.30 UNCH	.0008	----	----	----	----	103	UNCH							
11200	----	----	----	---/*0.20A	----	----	----	----	----	0.30 UNCH	.0008	----	----	----	----	13	UNCH							
11500	----	----	----	---/0.20A	----	----	----	----	----	0.20 UNCH	.0005	----	----	----	----	47	UNCH							
11600	----	----	----	----	---/0.20A	----	----	----	----	0.20 UNCH	.0005	----	----	----	----	50	UNCH							
12000	----	----	----	----	---/0.20A	----	----	----	----	0.10 UNCH	.0002	----	----	----	----	217	UNCH							
TOTAL														2191	350	64427 +	365							
AUG26																								
3200	----	----	----	1,585.30B/1,524	1585.30B/1524.70A	----	----	----	----	1564.50 - 2.20	.9903	----	----	----	----	3	UNCH							
3300	----	----	----	----	----	----	----	----	----	1464.90 - 2.10	.9873	----	----	----	----	1	UNCH							
3350	1363.30	1363.30	1363.30	1,436.00B/1,374	1436.00B/1374.60A	----	----	----	----	1415.10 - 2.20	.9857	----	----	----	----	125	UNCH							
3400	----	----	----	1,387.10B/1,323	1387.10B/1323.10A	----	----	----	----	1365.50 - 2.10	.9841	----	1	----	----	400	UNCH							
3500	----	----	----	1,287.40B/1,225	1287.40B/1225.40A	----	----	----	----	1266.30 - 2.20	.9798	----	----	----	----	46	UNCH							
3505	----	----	----	1,282.50B/1,220	1282.50B/1220.40A	----	----	----	----	1261.40 - 2.20	.9797	----	----	----	----	4	UNCH							
3520	----	----	----	1,267.50B/1,205	1267.50B/1205.60A	----	----	----	----	1246.50 - 2.30	.9789	----	----	----	----	65	UNCH							
3550	----	----	----	1,238.60B/1,174	1238.60B/1174.20A	----	----	----	----	1216.90 - 2.30	.9774	----	----	----	----	310	UNCH							
3600	----	----	----	1,189.80B/1,122	1189.80B/1122.10A	----	----	----	----	1167.50 - 2.40	.9749	----	----	----	----	1045	UNCH							
3610	----	----	----	1,178.90B/1,116	1178.90B/1116.80A	----	----	----	----	1157.70 - 2.40	.9741	----	----	----	----	6	UNCH							
3650	----	----	----	1,139.70B/1,077	1139.70B/1077.50A	----	----	----	----	1118.30 - 2.50	.9717	----	----	----	----	4	UNCH							
3660	----	----	----	----	----	----	----	----	----	1108.50 - 2.50	.9710	----	----	----	----	1	UNCH							
3685	----	----	----	----	----	----	----	----	----	1084.00 - 2.60	.9690	----	----	----	----	1	UNCH							
3700	----	----	----	1,090.80B/1,028	1090.80B/1028.60A	----	----	----	----	1069.30 - 2.60	.9679	----	----	----	----	40	UNCH							
3715	----	----	----	1,076.10B/1,014	1076.10B/1014.00A	----	----	----	----	1054.60 - 2.70	.9667	----	----	----	----	30	UNCH							
3720	----	----	----	----	----	----	----	----	----	1049.70 - 2.70	.9663	----	----	----	----	1	UNCH							
3735	----	----	----	----	----	----	----	----	----	1035.10 - 2.70	.9649	----	----	----	----	1	UNCH							
3750	----	----	----	1,042.10B/980.0	1042.10B/980.00A	----	----	----	----	1020.40 - 2.80	.9636	----	----	----	----	8	UNCH							
3775	----	----	----	1,017.80B/955.8	1017.80B/955.80A	----	----	----	----	996.10 - 2.80	.9611	----	----	----	----	4	UNCH							
3780	----	----	----	1,013.00B/950.9	1013.00B/950.90A	----	----	----	----	991.30 - 2.80	.9607	----	----	----	----	10	UNCH							
3790	----	----	----	1,003.30B/941.3	1003.30B/941.30A	----	----	----	----	981.50 - 2.90	.9596	----	----	----	----	67	UNCH							
3800	----	----	----	994.20B/930.10A	994.20B/930.10A	----	----	----	----	971.80 - 3.00	.9584	----	----	----	----	303	UNCH							
3820	----	----	----	974.30B/912.40A	974.30B/912.40A	----	----	----	----	952.50 - 3.00	.9562	----	----	----	----	3	UNCH							
3840	----	----	----	----	----	----	----	----	----	933.20 - 3.00	.9537	----	----	----	----	1	UNCH							
3850	----	----	----	945.40B/883.60A	945.40B/883.60A	----	----	----	----	923.50 - 3.10	.9525	----	----	----	----	12	UNCH							
3885	----	----	----	----	----	----	----	----	----	889.90 - 3.20	.9476	----	----	----	----	2	UNCH							
3890	----	----	----	----	----	----	----	----	----	885.10 - 3.20	.9468	----	----	----	----	2	UNCH							
3900	----	----	----	897.60B/836.00A	897.60B/836.00A	----	----	----	----	875.60 - 3.20	.9454	----	----	----	----	146	UNCH							
3920	----	----	----	----	----	----	----	----	----	856.50 - 3.30	.9422	----	----	----	----	1	UNCH							
3925	----	----	----	873.80B/812.30A	873.80B/812.30A	----	----	----	----	851.70 - 3.30	.9415	----	----	----	----	10	UNCH							
3950	----	----	----	850.20B/788.80A	850.20B/788.80A	----	----	----	----	828.00 - 3.40	.9372	----	----	----	----	106	UNCH							
3955	----	----	----	845.40B/784.10A	845.40B/784.10A	----	----	----	----	823.30 - 3.30	.9363	----	----	----	----	7	UNCH							
3975	----	----	----	826.60B/765.40A	826.60B/765.40A	----	----	----	----	804.40 - 3.40	.9325	----	----	----	----	200	UNCH							
3995	----	----	----	807.80B/746.80A	807.80B/746.80A	----	----	----	----	785.60 - 3.50	.9286	----	----	----	----	30	UNCH							
4000	----	----	----	804.00B/738.60A	804.00B/738.60A	----	----	----	----	780.90 - 3.50	.9276	----	----	----	----	723	UNCH							
4005	----	----	----	----	----	----	----	----																

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG CALL		COMEX GOLD OPTIONS															
AUG26																	
4500	372.30	372.30		381.80B/325.00A	381.80B/325.00A	----	----	----	360.40 - 4.10	.7169	----	----	2	----	814	+	2
4525	----	----		360.40B/309.80A	360.40B/309.80A	----	----	----	343.20 - 4.00	.6999	----	----	----	----	13		UNCH
4535	----	----		356.40B/303.40A	356.40B/303.40A	----	----	----	336.50 - 3.90	.6931	----	----	----	----	10		UNCH
4540	----	----		356.00B/300.30A	356.00B/300.30A	----	----	----	333.10 - 3.90	.6896	----	----	----	----	5		UNCH
4545	----	----		352.50B/297.20A	352.50B/297.20A	----	----	----	329.80 - 3.90	.6861	----	----	----	----	1		UNCH
4550	----	----		349.20B/293.90A	349.20B/293.90A	----	----	----	326.50 - 3.80	.6826	----	----	----	----	22		UNCH
4555	----	----		345.80B/291.00A	345.80B/291.00A	----	----	----	323.20 - 3.80	.6791	----	----	----	----	1		UNCH
4560	----	----		342.60B/287.80A	342.60B/287.80A	----	----	----	319.90 - 3.80	.6755	----	----	----	----	133		UNCH
4565	----	----		339.10B/284.80A	339.10B/284.80A	----	----	----	316.70 - 3.80	.6720	----	----	----	----	1		UNCH
4570	----	----		335.90B/281.60A	335.90B/281.60A	----	----	----	313.50 - 3.70	.6684	----	----	----	----	4		UNCH
4575	----	----		332.60B/278.70A	332.60B/278.70A	----	----	----	310.30 - 3.70	.6648	----	----	----	----	41		UNCH
4580	----	----		329.30B/275.60A	329.30B/275.60A	----	----	----	307.10 - 3.70	.6612	----	----	----	----	209		UNCH
4585	----	----		326.00B/272.80A	326.00B/272.80A	----	----	----	303.90 - 3.70	.6575	----	----	----	----	2		UNCH
4590	----	----		322.80B/269.70A	322.80B/269.70A	----	----	----	300.80 - 3.60	.6539	----	----	----	----	66		UNCH
4595	----	----		319.60B/266.80A	319.60B/266.80A	----	----	----	297.70 - 3.60	.6502	----	----	----	----	10		UNCH
4600	290.50	290.50		316.50B/263.90A	316.50B/263.90A	----	----	----	294.60 - 3.50	.6465	----	----	1	----	281	+	1
4605	----	----		313.30B/255.90A	313.30B/255.90A	----	----	----	291.50 - 3.50	.6428	----	----	----	----	3		UNCH
4615	----	----		307.00B/247.80A	307.00B/247.80A	----	----	----	285.40 - 3.50	.6354	----	----	----	----	7		UNCH
4620	----	----		303.90B/244.50A	303.90B/244.50A	----	----	----	282.40 - 3.40	.6317	----	----	----	----	5		UNCH
4625	----	----		300.80B/242.20A	300.80B/242.20A	----	----	----	279.40 - 3.40	.6280	----	----	----	----	13		UNCH
4630	----	----		297.70B/240.90A	297.70B/240.90A	----	----	----	276.40 - 3.40	.6242	----	----	----	----	24		UNCH
4640	----	----		291.70B/236.70A	291.70B/236.70A	----	----	----	270.50 - 3.40	.6166	----	----	----	----	18		UNCH
4650	----	----		285.70B/229.80A	285.70B/229.80A	----	----	----	264.70 - 3.30	.6090	----	----	----	----	277		UNCH
4655	----	----		282.70B/227.30A	282.70B/227.30A	----	----	----	261.80 - 3.30	.6052	----	----	----	----	1		UNCH
4660	----	----		280.00B/224.70A	280.00B/224.70A	----	----	----	259.00 - 3.20	.6014	----	----	----	----	4		UNCH
4665	----	----		276.90B/223.20A	276.90B/223.20A	----	----	----	256.20 - 3.20	.5976	----	----	----	----	16		UNCH
4670	----	----		274.00B/217.70A	274.00B/217.70A	----	----	----	253.40 - 3.10	.5937	----	----	----	----	50		UNCH
4675	----	----		271.10B/217.10A	271.10B/217.10A	----	----	----	250.60 - 3.10	.5899	----	----	----	----	39		UNCH
4680	----	----		268.30B/214.60A	268.30B/214.60A	----	----	----	247.90 - 3.00	.5860	----	----	----	----	10		UNCH
4685	----	----		265.80B/210.00A	265.80B/210.00A	----	----	----	245.10 - 3.10	.5822	----	----	----	----	200		UNCH
4690	----	----		263.10B/209.30A	263.10B/209.30A	----	----	----	242.40 - 3.00	.5783	----	----	----	----	4		UNCH
4695	----	----		260.20B/205.00A	260.20B/205.00A	----	----	----	239.70 - 3.00	.5744	----	----	----	----	1		UNCH
4700	242.40	242.40		257.40B/202.70A	257.40B/202.70A	----	----	----	237.10 - 2.90	.5705	----	----	7	----	2258	+	1
4705	----	----		254.60B/200.40A	254.60B/200.40A	----	----	----	234.40 - 2.90	.5667	----	----	----	----	22		UNCH
4710	----	----		251.90B/199.80A	251.90B/199.80A	----	----	----	231.80 - 2.80	.5628	----	----	----	----	22		UNCH
4715	----	----		249.20B/195.70A	249.20B/195.70A	----	----	----	229.20 - 2.80	.5589	----	----	----	----	1		UNCH
4720	199.00	199.00		246.70B/193.60A	246.70B/193.60A	----	----	----	226.70 - 2.70	.5550	----	----	30	----	60		UNCH
4725	----	----		243.90B/191.20A	243.90B/191.20A	----	----	----	224.10 - 2.70	.5511	----	----	----	----	35		UNCH
4730	----	----		241.20B/188.90A	241.20B/188.90A	----	----	----	221.60 - 2.60	.5472	----	----	----	----	11		UNCH
4735	----	----		238.60B/186.60A	238.60B/186.60A	----	----	----	219.10 - 2.50	.5433	----	----	----	----	2		UNCH
4740	216.40	216.40		236.00B/184.50A	236.00B/184.50A	----	----	----	216.60 NEW	.5394	----	----	2	----	2	+	2
4745	208.10	208.10		233.50B/182.30A	233.50B/182.30A	----	----	----	214.20 - 2.40	.5355	----	----	1	----	64	+	1
4750	220.00	220.00		231.20B/180.00A	231.20B/180.00A	----	----	----	211.70 - 2.40	.5316	----	----	11	----	313	+	5
4755	180.00	180.00		228.40B/178.70A	228.40B/178.70A	----	----	----	209.30 - 2.30	.5277	----	----	2	----	56		UNCH
4760	200.80	200.80		225.90B/175.70A	225.90B/175.70A	----	----	----	207.00 - 2.20	.5238	----	----	1	----	34		UNCH
4765	----	----		223.40B/173.60A	223.40B/173.60A	----	----	----	204.60 - 2.10	.5199	----	----	6	----	11		UNCH
4770	----	----		221.20B/172.30A	221.20B/172.30A	----	----	----	202.30 - 2.00	.5160	----	----	3	----	255	+	3
4775	----	----		218.40B/169.50A	218.40B/169.50A	----	----	----	200.00 - 1.90	.5121	----	----	----	----	21		UNCH
4780	----	----		216.00B/167.50A	216.00B/167.50A	----	----	----	197.70 - 1.90	.5083	----	----	----	----	22		UNCH
4785	----	----		213.60B/165.60A	213.60B/165.60A	----	----	----	195.40 - 1.80	.5044	----	----	6	----	15	+	5
4790	----	----		211.20B/164.20A	211.20B/164.20A	----	----	----	193.20 - 1.70	.5005	----	----	----	----	27		UNCH
4795	191.70	191.70		208.80B/161.40A	208.80B/161.40A	----	----	----	191.00 - 1.60	.4967	----	----	7	----	104		UNCH
4800	162.00	162.00		207.00B/159.60A	207.00B/159.60A	----	----	----	188.80 - 1.50	.4928	----	----	88	----	2039	+	31
4805	----	----		204.20B/157.50A	204.20B/157.50A	----	----	----	186.60 - 1.50	.4890	----	----	----	----	16		UNCH
4810	----	----		201.90B/155.40A	201.90B/155.40A	----	----	----	184.40 - 1.40	.4851	----	----	----	----	17		UNCH
4815	----	----		200.10B/153.40A	200.10B/153.40A	----	----	----	182.30 - 1.30	.4813	----	----	----	----	3		UNCH
4820	----	----		198.20B/151.80A	198.20B/151.80A	----	----	----	180.20 - 1.20	.4775	----	----	----	----	24		UNCH
4825	----	----		196.00B/149.70A	196.00B/149.70A	----	----	----	178.10 - 1.20	.4737	----	----	----	----	83		UNCH
4830	----	----		193.70B/148.00A	193.70B/148.00A	----	----	----	176.00 - 1.20	.4699	----	----	----	----	29		UNCH
4835	----	----		191.60B/146.30A	191.60B/146.30A	----	----	----	173.90 - 1.20	.4661	----	----	----	----	38		UNCH
4840	----	----		189.30B/144.60A	189.30B/144.60A	----	----	----	171.90 - 1.10	.4623	----	----	----	----	25		UNCH
4845	----	----		187.30B/142.80A	187.30B/142.80A	----	----	----	169.90 - 1.00	.4585	----	----	----	----	1		UNCH
4850	----	----		185.10B/141.00A	185.10B/141.00A	----	----	----	167.80 - 1.10	.4547	----	----	----	----	190		UNCH
4860	----	----		180.90B/137.60A	180.90B/137.60A	----	----	----	163.90 - 1.00	.4473	----	----	----	----			

PG64	BULLETIN # 89@				METALS OPTION PRODUCTS					Mon, May 11, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG CALL	COMEX GOLD OPTIONS													
AUG26														
5235	----	----	73.908/54.00A	73.908/54.00A	----	65.70 + 0.80	.2194	----	----	----	----	20	UNCH	
5240	----	----	73.008/53.40A	73.008/53.40A	----	65.00 + 0.90	.2174	----	----	----	----	16	UNCH	
5245	64.40	64.40	72.108/52.50A	72.108/52.50A	----	64.20 + 0.90	.2151	----	----	5	----	17 +	5	
5250	----	----	71.308/51.90A	71.308/51.90A	----	63.40 + 0.80	.2129	----	----	340	----	818 +	8	
5255	----	----	70.308/51.40A	70.308/51.40A	----	62.60 + 0.80	.2106	----	----	----	----	888	UNCH	
5260	62.10	62.10	69.608/50.60A	69.608/50.60A	----	61.90 + 0.90	.2086	----	1	----	----	25 +	1	
5265	----	----	68.708/50.10A	68.708/50.10A	----	61.10 + 0.80	.2064	----	----	----	----	13	UNCH	
5270	----	----	67.908/49.50A	67.908/49.50A	----	60.40 + 0.90	.2043	----	----	----	----	118	UNCH	
5275	----	----	67.008/48.90A	67.008/48.90A	----	59.70 + 0.90	.2022	----	----	----	----	21	UNCH	
5280	----	----	66.308/48.30A	66.308/48.30A	----	59.00 + 0.90	.2002	----	----	----	----	207	UNCH	
5285	----	----	65.408/47.70A	65.408/47.70A	----	58.30 + 0.90	.1982	----	----	----	----	32	UNCH	
5290	----	----	64.708/47.10A	64.708/47.10A	----	57.60 + 0.90	.1961	----	----	----	----	17	UNCH	
5295	----	----	63.808/46.60A	63.808/46.60A	----	56.90 + 0.90	.1941	----	----	----	----	6	UNCH	
5300	59.50	59.50	63.208/46.00A	63.208/46.00A	----	56.20 + 0.90	.1921	----	----	134	----	1124 +	109	
5305	----	----	62.408/45.40A	62.408/45.40A	----	55.50 + 0.90	.1900	----	----	----	----	14	UNCH	
5310	----	----	61.608/44.80A	61.608/44.80A	----	54.90 + 0.90	.1882	----	----	----	----	105	UNCH	
5320	----	----	60.108/43.80A	60.108/43.80A	----	53.60 + 0.90	.1843	----	----	----	----	17 -	3	
5325	43.20	43.20	59.408/43.20	59.408/43.20	----	52.90 + 0.90	.1823	----	6	----	----	27 +	4	
5330	----	----	58.708/42.90A	58.708/42.90A	----	52.30 + 0.90	.1805	----	----	----	----	3	UNCH	
5335	----	----	58.008/42.20A	58.008/42.20A	----	51.70 + 0.90	.1787	----	----	----	----	1	UNCH	
5345	----	----	56.708/41.10A	56.708/41.10A	----	50.50 + 0.90	.1751	----	----	----	----	2	UNCH	
5350	----	----	56.108/40.70A	56.108/40.70A	----	49.90 + 0.90	.1732	----	----	----	8001	UNCH		
5355	----	----	55.408/40.30A	55.408/40.30A	----	49.30 + 0.90	.1714	----	----	----	----	1	UNCH	
5360	----	----	54.608/39.70A	54.608/39.70A	----	48.70 + 0.90	.1696	----	----	----	----	114	UNCH	
5365	----	----	54.008/39.20A	54.008/39.20A	----	48.20 + 1.00	.1680	----	----	----	----	3	UNCH	
5370	52.20	52.20	53.608/39.20A	53.608/39.20A	----	47.60 + 0.90	.1662	----	1	----	8006 +	1		
5375	----	----	52.608/38.30A	52.608/38.30A	----	47.00 + 0.90	.1644	----	----	----	----	16	UNCH	
5380	----	----	52.208/38.10A	52.208/38.10A	----	46.50 + 0.90	.1628	----	----	----	----	6	UNCH	
5400	44.60	44.60	49.908/36.20A	49.908/36.20A	----	44.40 + 1.00	.1563	----	2	2542 -	21			
5405	----	----	49.208/35.80A	49.208/35.80A	----	43.90 + 1.00	.1547	----	----	----	----	7	UNCH	
5410	----	----	48.708/35.40A	48.708/35.40A	----	43.40 + 1.00	.1532	----	----	----	----	24 -	1	
5420	----	----	47.608/34.50A	47.608/34.50A	----	42.40 + 1.00	.1500	----	----	----	----	8	UNCH	
5425	----	----	47.008/34.20A	47.008/34.20A	----	41.90 + 1.00	.1485	----	----	----	----	22	UNCH	
5430	----	----	46.508/33.80A	46.508/33.80A	----	41.40 + 0.90	.1469	----	----	----	----	22	UNCH	
5435	----	----	45.908/33.40A	45.908/33.40A	----	40.90 + 0.90	.1454	----	----	----	----	50	UNCH	
5440	----	----	45.308/33.00A	45.308/33.00A	----	40.50 + 1.00	.1440	----	----	----	----	106	UNCH	
5445	----	----	44.808/32.60A	44.808/32.60A	----	40.00 + 0.90	.1425	----	----	----	----	10	UNCH	
5450	----	----	44.308/32.20A	44.308/32.20A	----	39.60 + 1.00	.1411	----	100	----	182 +	56		
5455	----	----	43.808/31.90A	43.808/31.90A	----	39.10 + 0.90	.1396	----	----	----	----	17	UNCH	
5460	----	----	43.408/31.60A	43.408/31.60A	----	38.70 + 1.00	.1383	----	----	----	----	12	UNCH	
5465	----	----	42.808/31.20A	42.808/31.20A	----	38.20 + 0.90	.1367	----	----	----	----	38	UNCH	
5470	----	----	42.308/30.90A	42.308/30.90A	----	37.80 + 0.90	.1354	----	----	----	----	4	UNCH	
5475	31.00	31.00	41.908/30.50A	41.908/30.50A	----	37.40 + 1.00	.1341	----	1	----	----	2	UNCH	
5480	----	----	41.508/30.20A	41.508/30.20A	----	37.00 + 1.00	.1327	----	----	----	----	14	UNCH	
5485	----	----	41.108/29.90A	41.108/29.90A	----	36.60 + 1.00	.1314	----	----	----	----	19	UNCH	
5490	----	----	40.408/29.50A	40.408/29.50A	----	36.20 + 1.00	.1301	----	----	----	----	2	UNCH	
5495	----	----	40.008/29.20A	40.008/29.20A	----	35.80 + 1.00	.1288	----	----	----	----	4	UNCH	
5500	30.70	30.70	39.608/28.50	39.608/28.50	----	35.40 + 1.00	.1275	----	295	----	1434 +	17		
5505	----	----	39.108/28.60A	39.108/28.60A	----	35.00 + 1.00	.1262	----	----	----	----	10	UNCH	
5510	----	----	38.808/28.30A	38.808/28.30A	----	34.60 + 1.00	.1249	----	----	----	----	9	UNCH	
5515	----	----	38.308/28.00A	38.308/28.00A	----	34.20 + 1.00	.1236	----	----	----	----	30	UNCH	
5520	----	----	37.808/27.70A	37.808/27.70A	----	33.80 + 0.90	.1223	----	----	----	----	1	UNCH	
5525	----	----	37.508/27.40A	37.508/27.40A	----	33.50 + 1.00	.1212	----	1	2235 +	1			
5530	----	----	37.108/27.10A	37.108/27.10A	----	33.10 + 1.00	.1200	----	----	----	----	1	UNCH	
5535	----	----	36.608/26.90A	36.608/26.90A	----	32.80 + 1.00	.1189	----	----	----	----	12	UNCH	
5540	----	----	36.208/26.50A	36.208/26.50A	----	32.40 + 1.00	.1176	----	----	----	----	9	UNCH	
5545	----	----	35.808/26.30A	35.808/26.30A	----	32.10 + 1.00	.1166	----	----	----	----	18	UNCH	
5550	----	----	35.408/26.40A	35.408/26.40A	----	31.70 + 1.00	.1153	----	----	129	UNCH			
5555	----	----	35.008/25.70A	35.008/25.70A	----	31.40 + 1.00	.1142	----	----	----	----	1	UNCH	
5560	----	----	34.608/25.50A	34.608/25.50A	----	31.00 + 0.90	.1130	----	----	----	----	3	UNCH	
5565	----	----	34.208/25.20A	34.208/25.20A	----	30.70 + 1.00	.1119	----	----	----	----	39	UNCH	
5570	----	----	33.908/25.00A	33.908/25.00A	----	30.40 + 1.00	.1109	----	----	----	----	3	UNCH	
5575	----	----	33.608/24.80A	33.608/24.80A	----	30.10 + 1.00	.1098	----	1	----	----	3	UNCH	
5580	----	----	33.208/24.50A	33.208/24.50A	----	29.80 + 1.00	.1088	----	----	----	----	17	UNCH	
5590	----	----	32.508/24.00A	32.508/24.00A	----	29.10 + 0.90	.1065	----	----	----	----	2	UNCH	
5595	----	----	32.108/23.80A	32.108/23.80A	----	28.80 + 0.90	.1055	----	----	----	----	29	UNCH	
5600	----	----	31.808/23.60A	31.808/23.60A	----	28.50 + 0.90	.1044	----	45	1172 +	41			
5605	----	----	31.408/23.30A	31.408/23.30A	----	28.30 + 1.00	.1037	----	----	----	----	7	UNCH	
5610	----	----	31.108/23.10A	31.108/23.10A	----	28.00 + 1.00	.1026	----	----	----	----	11	UNCH	
5615	----	----	30.808/23.00A	30.808/23.00A	----	27.70 + 1.00	.1016	----	----	----	----	2	UNCH	
5620	27.50	27.50	30.508/22.70A	30.508/22.70A	----	27.40 + 1.00	.1006	----	17	37 +	17			
5635	----	----	29.508/22.00A	29.508/22.00A	----	26.60 + 1.00	.0978	----	----	----	----	2	UNCH	
564														

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG CALL		COMEX GOLD OPTIONS															
SEP26																	
4565	----	----	----	393.50B/336.80A	393.50B/336.80A	----	----	----	371.60 - 3.30	.6735	----	----	----	----	----	2	UNCH
4570	----	----	----	390.20B/333.80A	390.20B/333.80A	----	----	----	368.40 - 3.30	.6704	----	----	----	----	----	2	UNCH
4575	----	----	----	387.00B/331.20A	387.00B/331.20A	----	----	----	365.20 - 3.30	.6674	----	----	----	----	----	2	UNCH
4580	----	----	----	383.70B/327.90A	383.70B/327.90A	----	----	----	362.00 - 3.30	.6643	----	----	----	----	----	2	UNCH
4585	----	----	----	380.50B/325.00A	380.50B/325.00A	----	----	----	358.90 - 3.20	.6613	----	----	----	----	----	2	UNCH
4590	----	----	----	377.30B/322.00A	377.30B/322.00A	----	----	----	355.70 - 3.20	.6582	----	----	----	----	----	2	UNCH
4600	----	----	----	371.00B/316.30A	371.00B/316.30A	----	----	----	349.50 - 3.10	.6520	----	----	----	----	----	54	UNCH
4605	----	----	----	367.80B/313.40A	367.80B/313.40A	----	----	----	346.40 - 3.10	.6489	----	----	----	----	----	10	UNCH
4620	----	----	----	358.40B/304.30A	358.40B/304.30A	----	----	----	337.20 - 3.00	.6395	----	----	----	----	----	1	UNCH
4640	----	----	----	346.20B/289.60A	346.20B/289.60A	----	----	----	325.30 - 2.80	.6269	----	----	----	----	----	1	UNCH
4650	----	----	----	340.30B/283.90A	340.30B/283.90A	----	----	----	319.40 - 2.80	.6205	----	----	----	----	----	1	UNCH
4675	----	----	----	325.70B/270.60A	325.70B/270.60A	----	----	----	305.10 - 2.60	.6044	----	----	----	----	----	4	UNCH
4680	----	----	----	322.70B/267.80A	322.70B/267.80A	----	----	----	302.20 - 2.60	.6012	----	----	----	----	----	1	UNCH
4700	----	----	----	311.40B/257.80A	311.40B/257.80A	----	----	----	291.20 - 2.40	.5882	----	----	----	----	----	169	UNCH
4705	----	----	----	308.70B/255.40A	308.70B/255.40A	----	----	----	288.50 - 2.40	.5849	----	----	----	----	----	10	UNCH
4710	----	----	----	305.80B/252.90A	305.80B/252.90A	----	----	----	285.80 - 2.30	.5816	----	----	----	----	----	1	UNCH
4720	----	----	----	300.30B/247.80A	300.30B/247.80A	----	----	----	280.50 - 2.20	.5751	----	----	----	----	----	45	UNCH
4725	----	----	----	297.50B/245.50A	297.50B/245.50A	----	----	----	277.90 - 2.20	.5718	----	----	----	----	----	2	UNCH
4730	----	----	----	295.00B/242.90A	295.00B/242.90A	----	----	----	275.30 - 2.10	.5685	----	----	----	----	----	5	UNCH
4740	----	----	----	290.00B/238.50A	290.00B/238.50A	----	----	----	270.20 - 2.00	.5620	----	----	----	----	----	1	UNCH
4745	----	----	----	287.30B/236.00A	287.30B/236.00A	----	----	----	267.60 - 2.00	.5587	----	----	----	----	----	1	UNCH
4750	----	----	----	284.80B/233.90A	284.80B/233.90A	----	----	----	265.10 - 1.90	.5554	----	----	----	----	----	51	UNCH
4760	----	----	----	279.50B/230.30A	279.50B/230.30A	----	----	----	260.10 - 1.80	.5488	----	----	----	----	----	2	UNCH
4770	----	----	----	274.30B/225.40A	274.30B/225.40A	----	----	----	255.30 - 1.60	.5422	----	----	----	----	----	2	UNCH
4775	----	----	----	271.90B/223.50A	271.90B/223.50A	----	----	----	252.80 - 1.60	.5389	----	----	----	----	----	186	UNCH
4780	----	----	----	269.40B/221.70A	269.40B/221.70A	----	----	----	250.50 - 1.50	.5356	----	----	----	----	----	47	UNCH
4785	----	----	----	266.60B/219.90A	266.60B/219.90A	----	----	----	248.10 - 1.40	.5323	----	----	----	----	----	1	UNCH
4795	----	----	----	261.80B/215.00A	261.80B/215.00A	----	----	----	243.40 - 1.30	.5257	----	----	----	----	----	2	UNCH
4800	251.60	251.60	----	259.60B/212.90A	259.60B/212.90A	----	----	----	241.10 - 1.30	.5224	----	----	2	125	1328	-	75
4835	----	----	----	242.60B/198.50A	242.60B/198.50A	----	----	----	225.50 - 0.80	.4996	----	----	----	----	----	1	UNCH
4840	----	----	----	240.50B/196.40A	240.50B/196.40A	----	----	----	223.30 - 0.80	.4964	----	----	----	----	----	4	UNCH
4850	227.30	227.30	----	235.90B/191.70A	235.90B/191.70A	----	----	----	219.00 - 0.70	.4899	----	----	2	----	61	UNCH	
4860	----	----	----	231.20B/187.80A	231.20B/187.80A	----	----	----	214.80 - 0.60	.4835	----	----	----	----	----	2	UNCH
4875	----	----	----	224.80B/182.20A	224.80B/182.20A	----	----	----	208.60 - 0.40	.4738	----	----	----	----	----	30	UNCH
4880	----	----	----	222.50B/180.30A	222.50B/180.30A	----	----	----	206.60 - 0.40	.4707	----	----	----	----	----	2	UNCH
4885	----	----	----	220.30B/178.60A	220.30B/178.60A	----	----	----	204.60 - 0.30	.4675	----	----	----	----	----	2	UNCH
4900	210.10	210.10	----	214.00B/173.30A	214.00B/173.30A	----	----	----	198.60 - 0.20	.4580	----	----	8	----	310	UNCH	
4905	----	----	----	211.80B/171.30A	211.80B/171.30A	----	----	----	196.70 - 0.10	.4548	----	----	----	----	----	1	UNCH
4920	----	----	----	205.90B/166.70A	205.90B/166.70A	----	----	----	190.90 - 0.10	.4454	----	----	----	----	----	30	UNCH
4925	----	----	----	203.90B/164.90A	203.90B/164.90A	----	----	----	189.00 UNCH	.4423	----	----	----	----	----	3	UNCH
4930	----	----	----	201.80B/163.30A	201.80B/163.30A	----	----	----	187.10 UNCH	.4392	----	----	----	----	----	2	UNCH
4935	----	----	----	199.70B/161.60A	199.70B/161.60A	----	----	----	185.30 + 0.10	.4361	----	----	----	----	----	1	UNCH
4945	----	----	----	195.80B/158.10A	195.80B/158.10A	----	----	----	181.60 + 0.10	.4300	----	----	----	----	----	1	UNCH
4950	----	----	----	194.00B/156.40A	194.00B/156.40A	----	----	----	179.80 + 0.10	.4269	----	----	----	----	----	281	UNCH
4960	----	----	----	190.20B/153.10A	190.20B/153.10A	----	----	----	176.20 + 0.10	.4208	----	----	----	----	----	10	UNCH
4965	----	----	----	188.30B/150.90A	188.30B/150.90A	----	----	----	174.40 + 0.10	.4177	----	----	----	----	----	2	UNCH
4975	----	----	----	184.70B/148.70A	184.70B/148.70A	----	----	----	170.90 + 0.10	.4117	----	----	----	----	----	317	UNCH
5000	----	----	----	175.80B/141.10A	175.80B/141.10A	----	----	----	162.50 + 0.20	.3968	----	----	----	----	----	787	UNCH
5005	----	----	----	174.00B/139.80A	174.00B/139.80A	----	----	----	160.80 + 0.20	.3938	----	----	----	----	----	1	UNCH
5010	----	----	----	172.30B/138.50A	172.30B/138.50A	----	----	----	159.20 + 0.20	.3909	----	----	----	----	----	10	UNCH
5050	----	----	----	159.10B/127.30A	159.10B/127.30A	----	----	----	146.90 + 0.40	.3680	----	----	----	----	----	300	UNCH
5075	----	----	----	151.30B/120.70A	151.30B/120.70A	----	----	----	139.70 + 0.50	.3542	----	----	----	----	----	1	UNCH
5100	137.00	137.00	----	144.10B/114.30A	144.10B/114.30A	----	----	----	132.80 + 0.60	.3407	----	----	5	----	318	UNCH	
5110	----	----	----	141.10B/112.20A	141.10B/112.20A	----	----	----	130.20 + 0.70	.3355	----	----	----	----	----	1	UNCH
5130	----	----	----	135.70B/107.20A	135.70B/107.20A	----	----	----	125.00 + 0.70	.3250	----	----	----	----	----	4	UNCH
5150	----	----	----	130.40B/104.00A	130.40B/104.00A	----	----	----	120.10 + 0.80	.3149	----	----	----	----	----	6	UNCH
5155	----	----	----	129.00B/102.60A	129.00B/102.60A	----	----	----	118.90 + 0.80	.3125	----	----	----	----	----	1	UNCH
5175	----	----	----	124.20B/97.80A	124.20B/97.80A	----	----	----	114.20 + 0.90	.3026	----	----	----	----	----	3	UNCH
5200	----	----	----	118.10B/93.00A	118.10B/93.00A	----	----	----	108.60 + 1.00	.2907	----	----	5	----	518	+	5
5230	----	----	----	111.20B/87.50A	111.20B/87.50A	----	----	----	102.30 + 1.20	.2769	----	----	----	----	----	402	UNCH
5235	----	----	----	109.80B/86.60A	109.80B/86.60A	----	----	----	101.20 + 1.10	.2746	----	----	----	----	----	1	UNCH
5240	----	----	----	108.70B/85.80A	108.70B/85.80A	----	----	----	100.20 + 1.10	.2724	----	----	----	----	----	20	UNCH
5245	----	----	----	107.70B/84.90A	107.70B/84.90A	----	----	----	99.20 + 1.20	.2701	----	----	----	----	----	2	UNCH
5250	103.30	103.30	----	106.90B/84.10A	106.90B/84.10A	----	----	----	98.20 + 1.20	.2679	----	----	2	----	275	UNCH	
5270	----	----	----	102.60B/81.00A	102.60B/81.00A	----	----	----	94.40 + 1.30	.2593	----	----	----	----	----	5	UNCH
5300	96.20	96.20	----	96.60B/76.10A	96.60B/76.10A	----	----	----	88.90 + 1.30	.2468	----	----	1	----	1041	UNCH	
5315	----	----	----	93.80B/73.90A	93.80B/73.90A	----	----	----	86.30 + 1.30	.2408	----	----	----	----	----	5	UNCH
5330	----	----	----	91.00B/71.80A	91.00B/71.80A	----	----	----	83.80 + 1.40	.2349	----	----	----	----	----	20	UNCH
5335	----	----	----	90.10B/71.10A	90.10B/71.10A	----	----	----	83.00 + 1.40	.2330	----	----	----	----	----	1	UNCH
5350	----	----	----	87.50B/69.00A	87.50B/69.00A	----	----	----	80.60 + 1.40	.2273	----	----	----	----	----	26	UNCH
5365	----	----	----	84.90B/67.10A	84.90B/												

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG CALL		COMEX GOLD OPTIONS															
OCT26																	
4620	----	----	----	385.30B/336.20A	385.30B/336.20A	----	----	----	365.70 - 2.70	.6296	----	----	----	----	1	UNCH	
4630	----	----	----	379.50B/330.40A	379.50B/330.40A	----	----	----	359.90 - 2.60	.6239	----	----	----	----	3	UNCH	
4650	----	----	----	367.70B/319.40A	367.70B/319.40A	----	----	----	348.60 - 2.30	.6125	----	----	----	----	84	UNCH	
4670	----	----	----	356.30B/309.20A	356.30B/309.20A	----	----	----	337.50 - 2.10	.6011	----	----	----	----	1	UNCH	
4675	----	----	----	353.30B/306.60A	353.30B/306.60A	----	----	----	334.70 - 2.20	.5982	----	----	----	----	1	UNCH	
4690	----	----	----	345.10B/298.30A	345.10B/298.30A	----	----	----	326.60 - 2.00	.5895	----	----	----	----	4	UNCH	
4700	----	----	----	339.70B/292.70A	339.70B/292.70A	----	----	----	321.30 - 1.90	.5837	----	----	10	----	147	- 10	
4710	----	----	----	334.10B/289.00A	334.10B/289.00A	----	----	----	316.00 - 1.90	.5779	----	----	----	----	1	UNCH	
4715	----	----	----	331.30B/286.40A	331.30B/286.40A	----	----	----	313.40 - 1.80	.5750	----	----	----	----	2	UNCH	
4750	----	----	----	313.30B/269.10A	313.30B/269.10A	----	----	----	295.70 - 1.50	.5546	----	----	----	----	35	UNCH	
4755	----	----	----	311.50B/267.30A	311.50B/267.30A	----	----	----	293.30 - 1.30	.5517	----	----	----	----	1	UNCH	
4800	----	----	----	289.30B/244.50A	289.30B/244.50A	----	----	----	271.80 - 1.00	.5255	----	----	----	----	478	UNCH	
4805	----	----	----	286.70B/241.00A	286.70B/241.00A	----	----	----	269.50 - 0.90	.5226	----	----	----	----	1	UNCH	
4815	----	----	----	282.00B/236.80A	282.00B/236.80A	----	----	----	264.90 - 0.90	.5168	----	----	----	----	36	UNCH	
4845	----	----	----	267.90B/224.60A	267.90B/224.60A	----	----	----	251.60 - 0.70	.4994	----	----	----	----	2	UNCH	
4850	----	----	----	265.70B/221.60A	265.70B/221.60A	----	----	----	249.40 - 0.70	.4966	----	----	----	----	53	UNCH	
4865	----	----	----	258.90B/215.80A	258.90B/215.80A	----	----	----	243.10 - 0.50	.4880	----	----	----	----	2	UNCH	
4880	----	----	----	252.30B/210.30A	252.30B/210.30A	----	----	----	236.80 - 0.50	.4794	----	----	----	----	1	UNCH	
4900	----	----	----	243.90B/202.90A	243.90B/202.90A	----	----	----	228.70 - 0.40	.4681	----	----	----	200	1319	UNCH	
4905	----	----	----	241.80B/201.00A	241.80B/201.00A	----	----	----	226.70 - 0.30	.4653	----	----	----	----	20	UNCH	
4910	----	----	----	239.50B/199.20A	239.50B/199.20A	----	----	----	224.80 - 0.30	.4625	----	----	----	----	1	UNCH	
4925	----	----	----	233.40B/194.00A	233.40B/194.00A	----	----	----	219.00 - 0.20	.4542	----	----	----	----	18	UNCH	
4935	----	----	----	229.50B/190.30A	229.50B/190.30A	----	----	----	215.20 - 0.10	.4486	----	----	----	----	5	UNCH	
4945	----	----	----	225.80B/189.10A	225.80B/189.10A	----	----	----	211.50 UNCH	.4431	----	----	----	----	3	UNCH	
4950	----	----	----	223.90B/188.20A	223.90B/188.20A	----	----	----	209.60 - 0.10	.4404	----	----	----	----	868	UNCH	
4995	208.50	208.50	208.50	208.50/174.30A	208.50/174.30A	----	----	----	193.70 NEW	.4161	----	----	5	----	5	+	
5000	193.00	193.00	193.00	205.00B/171.80A	205.00B/171.80A	----	----	----	192.00 + 0.20	.4134	----	----	66	200	1347	- 11	
5025	----	----	----	195.80B/165.30A	195.80B/165.30A	----	----	----	183.80 + 0.40	.4004	----	----	----	----	2	UNCH	
5050	----	----	----	187.90B/157.20A	187.90B/157.20A	----	----	----	175.90 + 0.50	.3875	----	----	----	----	59	UNCH	
5075	----	----	----	179.80B/150.80A	179.80B/150.80A	----	----	----	168.40 + 0.70	.3750	----	----	----	----	4	UNCH	
5080	174.80	174.80	174.80	178.30B/149.60A	178.30B/149.60A	----	----	----	166.90 + 0.70	.3725	----	1	----	----	4	+	
5085	----	----	----	176.70B/147.50A	176.70B/147.50A	----	----	----	165.50 + 0.80	.3701	----	----	----	----	3	UNCH	
5100	----	----	----	172.20B/143.70A	172.20B/143.70A	----	----	----	161.20 + 1.00	.3627	----	----	----	----	807	UNCH	
5125	----	----	----	164.30B/138.10A	164.30B/138.10A	----	----	----	154.40 + 1.30	.3508	----	----	----	----	1	UNCH	
5150	----	----	----	157.90B/132.00A	157.90B/132.00A	----	----	----	147.90 + 1.60	.3392	----	----	----	----	36	UNCH	
5160	----	----	----	154.50B/129.70A	154.50B/129.70A	----	----	----	145.30 + 1.70	.3346	----	----	----	----	1	UNCH	
5170	----	----	----	152.40B/126.60A	152.40B/126.60A	----	----	----	142.80 + 1.80	.3301	----	----	----	----	5	UNCH	
5200	----	----	----	144.70B/120.00A	144.70B/120.00A	----	----	----	135.60 + 2.00	.3168	----	5	----	1588	UNCH		
5250	----	----	----	132.60B/110.10A	132.60B/110.10A	----	----	----	124.30 + 2.20	.2955	----	----	----	524	UNCH		
5255	----	----	----	130.70B/109.60A	130.70B/109.60A	----	----	----	123.20 + 2.10	.2935	----	----	----	1	UNCH		
5300	116.00	116.00	116.00	121.50B/100.80A	121.50B/100.80A	----	----	----	113.90 + 2.10	.2754	----	6	----	993	+		
5325	----	----	----	116.40B/96.90A	116.40B/96.90A	----	----	----	109.00 + 2.00	.2657	----	----	----	9	UNCH		
5350	----	----	----	111.60B/92.80A	111.60B/92.80A	----	----	----	104.40 + 2.00	.2565	----	----	----	4	UNCH		
5365	----	----	----	107.90B/90.40A	107.90B/90.40A	----	----	----	101.70 + 1.90	.2510	----	----	----	1	UNCH		
5400	102.30	102.30	102.30	102.30/84.80A	102.30/84.80A	----	----	----	95.70 + 1.80	.2386	----	132	----	696	+		
5410	----	----	----	99.90B/83.70A	99.90B/83.70A	----	----	----	94.10 + 1.90	.2353	----	----	----	1	UNCH		
5435	----	----	----	96.40B/80.20A	96.40B/80.20A	----	----	----	90.10 + 1.80	.2269	----	----	----	226	UNCH		
5450	----	----	----	93.90B/78.00A	93.90B/78.00A	----	----	----	87.90 + 1.80	.2221	----	----	----	67	UNCH		
5455	----	----	----	93.20B/77.50A	93.20B/77.50A	----	----	----	87.10 + 1.70	.2205	----	----	----	175	UNCH		
5475	----	----	----	89.40B/75.00A	89.40B/75.00A	----	----	----	84.20 + 1.70	.2142	----	----	----	1	UNCH		
5480	82.10	82.10	82.10	88.70B/74.30A	88.70B/74.30A	----	----	----	83.50 + 1.70	.2127	----	----	----	2	UNCH		
5500	----	----	----	86.20B/71.60A	86.20B/71.60A	----	----	----	80.80 + 1.70	.2067	----	160	----	2128	+		
5545	----	----	----	80.10B/66.70A	80.10B/66.70A	----	----	----	75.00 + 1.60	.1938	----	----	----	5	UNCH		
5550	----	----	----	79.40B/66.00A	79.40B/66.00A	----	----	----	74.40 + 1.60	.1925	----	----	----	280	UNCH		
5590	----	----	----	74.10B/62.10A	74.10B/62.10A	----	----	----	69.70 + 1.60	.1818	----	----	----	4	UNCH		
5600	----	----	----	73.20B/61.10A	73.20B/61.10A	----	----	----	68.60 + 1.50	.1793	----	75	----	295	+		
5610	----	----	----	71.50B/60.10A	71.50B/60.10A	----	----	----	67.60 + 1.60	.1769	----	----	----	1	UNCH		
5615	----	----	----	71.30B/59.80A	71.30B/59.80A	----	----	----	67.00 + 1.50	.1755	----	----	----	5	UNCH		
5640	----	----	----	68.10B/57.50A	68.10B/57.50A	----	----	----	64.40 + 1.50	.1695	----	----	----	2	UNCH		
5650	----	----	----	67.50B/56.70A	67.50B/56.70A	----	----	----	63.40 + 1.50	.1671	----	----	----	401	UNCH		
5655	----	----	----	66.50B/55.90A	66.50B/55.90A	----	----	----	62.90 + 1.50	.1660	----	----	----	2	UNCH		
5660	----	----	----	66.00B/55.60A	66.00B/55.60A	----	----	----	62.50 + 1.60	.1649	----	----	----	1	UNCH		
5675	----	----	----	65.00B/54.30A	65.00B/54.30A	----	----	----	61.00 + 1.50	.1614	----	----	----	3	UNCH		
5700	----	----	----	62.00B/52.30A	62.00B/52.30A	----	----	----	58.70 + 1.40	.1559	----	----	----	181	UNCH		
5710	----	----	----	61.00B/51.50A	61.00B/51.50A	----	----	----	57.90 + 1.50	.1539	----	----	----	5	UNCH		
5720	----	----	----	60.10B/50.80A	60.10B/50.80A	----	----	----	57.00 + 1.50	.1518	----	----	----	75	UNCH		
5750	----	----	----	57.30B/48.60A	57.30B/48.60A	----	----	----	54.50 + 1.50	.1457	----	4	----	854	+		
5775	----	----	----	55.20B/47.20A	55.20B/47.20A	----	----	----	52.50 + 1.40	.1408	----	----	2	50	UNCH		
5800	----	----	----	53.40B/45.60A	53.40B/45.60A	----	----	----	50.60 + 1.30	.1361	----	----	2	413	+		
5825	----	----	----	51.40B/44.00A	51.40B/44.00A	----	----	----	48.90 + 1.40	.1318	----	----	----	1	UNCH		
5850	----	----	----	49.40B/42.60A	49.40B/42.60A	----	----	----	47.20 + 1.40	.1275	----	----	----	2	UNCH		
5875	----	----	----	47.60B/41.20A	47.60B/41.20A	----	----	----	45.60 + 1.40	.1235	----	----	----	1	UNCH		
5900	----	----	----	46.00B/40.00A	46.00B/40.00A	----	----	----	44.00 + 1.30	.1194	----	----	----	274	UNCH		
5925	----	----	----	44.10B/38.20A	44.10B/38.20A	----	----	----	42.60 + 1.30	.1158	----	----	----	2	UNCH		
5950	----	----	----	42.60B/36.90A	42.60B/36.90A	----	----	----	41.20 + 1.30	.1122	----	----	----	1	UNCH		
6000	----	----	----	39.70B/34.60A	39.70B/34.60A	----	----	----	38.60 + 1.30	.1034	----	25	----	2054	+		
6100	----	----	----	35.00B/30.80A	35.00B/30.80A	----	----	----	34.10 + 1.30	.0954	----	----	----	66	UNCH		
6200	----	----	----	31.00B/28.20A	31.00B/28.20A	----	----	----	30.50 + 1.40	.0836	----	----	----	38	UNCH		
6300	----	----	----	27.40B/25.50A	27.40B/25.50A	----	----	----	27.40 + 1.40	.0750	----	----	----	756	UNCH		
6400	----	----	----	24.50B/23.30A	24.50B/23.30A	----	----	----	24.90 + 1.40	.0679	----	----	----	1910	UNCH		
6500	----	----	----	22.10B/----	22.10B/21.50A	----	----	----	22.80 + 1.40	.0618	----	----	----	4029	UNCH		
6800	----	----	----	17.40B/----	17.40B/17.60A	----	----	----	18.30 + 1.30	.0485	----	----	----	1385	UNCH		
6900	----	----	----	16.40B/----	16.40B/16.40A	----	----	----	17.20 + 1.20	.0451	----	----	----	1	UNCH		
7000	----	----	----	15.40B/----	15.40B/15.60A	----	----	----	16.20 + 1.20	.0421	----	----	----	1584	UNCH		
8000	----	----	----	----	9.80B/11.40A	----	----	----	10.90 + 1.00	.0256	----	----	----	210	UNCH		
8500	----	----	----	9.00B/----	9.00B/10.30A	----	----	----	9.60 + 0.90	.0215	----	----	----	208	UNCH		
9000	----	----	----	8.20B/----	8.20B/9.30A	----	----	----	8.70 + 0.80	.0186	----	----	----	69	UNCH		
9500	----	----	----	7.20B/----	7.20B/8.30A	----	----	----	7.80 + 0.70	.0162	----	----	----	10	UNCH		
13000	----	----	----	----	3.00B/3.60A	----	----	----	3.10 UNCH	.0058							

BULLETIN # 89@														METALS OPTION PRODUCTS										Mon, May 11, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST																
OG CALL	COMEX GOLD OPTIONS																											
NOV26																												
5550	----	----	107.60B/92.40A	107.60B/92.40A	----	102.00 + 1.80	.2302	----	----	----	----	1	UNCH															
5600	----	----	99.90B/85.90A	99.90B/85.90A	----	94.90 + 1.90	.2164	----	----	----	----	44	UNCH															
5650	91.20	91.20	92.80B/80.20A	92.80B/80.20A	----	88.40 NEW	.2035	----	----	1	----	1	+															
5655	90.40	90.40	92.20B/79.50A	92.20B/79.50A	----	87.70 NEW	.2021	----	----	1	----	1	+															
5660	89.80	89.80	91.60B/78.90A	91.60B/78.90A	----	87.10 NEW	.2009	----	----	1	----	1	+															
5665	89.10	89.10	90.90B/78.40A	90.90B/78.40A	----	86.50 NEW	.1997	----	----	1	----	1	+															
5670	88.40	88.40	90.20B/77.80A	90.20B/77.80A	----	85.90 NEW	.1985	----	----	2	----	2	+															
5675	87.90	87.90	89.50B/77.40A	89.50B/77.40A	----	85.30 NEW	.1973	----	----	2	----	2	+															
5680	87.50	87.50	88.90B/76.90A	88.90B/76.90A	----	84.70 + 1.80	.1961	----	----	3	----	39	UNCH															
5685	86.60	86.60	88.20B/76.30A	88.20B/76.30A	----	84.20 NEW	.1950	----	----	5	----	5	+															
5690	86.20	86.20	87.70B/75.70A	87.70B/75.70A	----	83.60 + 1.90	.1938	----	----	8	----	18	+															
5695	85.50	85.50	87.00B/75.30A	87.00B/75.30A	----	83.00 NEW	.1926	----	----	15	----	15	+															
5700	84.90	84.90	86.50B/74.70A	86.50B/74.70A	----	82.40 + 1.90	.1914	----	----	42	----	53	+															
5710	----	----	85.20B/73.60A	85.20B/73.60A	----	81.30 + 1.90	.1891	----	----	----	----	1	UNCH															
5800	----	----	75.10B/65.40A	75.10B/65.40A	----	72.00 + 1.90	.1697	----	----	----	----	80	UNCH															
5825	----	----	72.60B/63.20A	72.60B/63.20A	----	69.70 + 1.90	.1647	----	----	----	----	2	UNCH															
5900	----	----	65.60B/57.40A	65.60B/57.40A	----	63.40 + 2.00	.1510	----	----	----	----	1	UNCH															
5925	----	----	63.50B/55.90A	63.50B/55.90A	----	61.40 + 2.00	.1467	----	----	----	----	4	UNCH															
5975	----	----	59.70B/52.50A	59.70B/52.50A	----	57.80 + 2.00	.1386	----	----	----	----	3	UNCH															
6000	----	----	57.80B/51.20A	57.80B/51.20A	----	56.10 + 2.00	.1348	----	----	----	----	261	UNCH															
6100	----	----	50.80B/45.80A	50.80B/45.80A	----	50.00 + 2.00	.1208	----	----	----	----	1	UNCH															
6200	----	----	45.10B/40.70A	45.10B/40.70A	----	44.80 + 2.00	.1087	----	----	----	----	1	UNCH															
6400	----	----	37.10B/34.30A	37.10B/34.30A	----	36.70 + 1.90	.0893	----	----	----	----	13	UNCH															
6500	----	----	33.60B/----	33.60B/31.90A	----	33.50 + 1.80	.0814	----	----	----	----	1155	UNCH															
8000	----	----	----	15.20B/16.80A	----	16.20 + 0.90	.0349	----	----	----	----	11	UNCH															
9000	----	----	----	12.20B/13.80A	----	13.50 + 0.60	.0265	----	----	----	----	8	UNCH															
20000	----	----	----	1.60B/3.40A	----	1.80 + 0.10	.0028	----	----	----	----	140	UNCH															
TOTAL										85		4526+	46															
DEC26																												
3550	----	----	----	----	----	1295.70 - 2.30	.9454	----	----	----	----	2	UNCH															
3570	----	----	----	----	----	1276.80 - 2.40	.9430	----	----	----	----	1	UNCH															
3600	----	----	----	----	----	1248.50 - 2.50	.9393	----	----	----	----	1	UNCH															
3800	----	----	1,079.30B/1,031	1079.30B/1031.10A	----	1064.70 - 2.40	.9076	----	----	----	----	4	UNCH															
3900	----	----	----	855.20B/1086.00A	----	976.40 - 2.10	.8868	----	----	----	----	2	UNCH															
4060	----	----	854.90B/806.60A	854.90B/806.60A	----	840.00 - 2.30	.8471	----	----	----	----	100	UNCH															
4100	----	----	822.00B/774.00A	822.00B/774.00A	----	807.00 - 2.50	.8357	----	----	----	----	48	UNCH															
4160	----	----	773.80B/726.50A	773.80B/726.50A	----	758.60 - 2.70	.8175	----	----	----	----	100	UNCH															
4175	----	----	762.00B/714.80A	762.00B/714.80A	----	746.70 - 2.80	.8128	----	----	----	----	37	UNCH															
4200	----	----	742.40B/695.50A	742.40B/695.50A	----	727.00 - 2.90	.8046	----	----	----	----	150	UNCH															
4250	----	----	705.30B/655.70A	705.30B/655.70A	----	688.50 - 3.10	.7876	----	----	----	----	293	UNCH															
4255	----	----	700.20B/653.60A	700.20B/653.60A	----	684.70 - 3.10	.7857	----	----	----	----	50	UNCH															
4300	----	----	667.70B/619.00A	667.70B/619.00A	----	651.10 - 3.10	.7694	----	----	----	----	436	UNCH															
4315	----	----	----	514.90B/765.10A	----	640.10 - 3.10	.7638	----	----	----	----	1	UNCH															
4320	----	----	651.80B/606.30A	651.80B/606.30A	----	636.40 - 3.20	.7619	----	----	----	----	100	UNCH															
4350	----	----	630.10B/585.10A	630.10B/585.10A	----	614.80 - 3.10	.7504	----	----	----	----	206	UNCH															
4375	----	----	612.30B/567.80A	612.30B/567.80A	----	597.10 - 3.10	.7405	----	----	----	----	61	UNCH															
4400	----	----	----	453.30B/707.90A	----	579.70 - 3.00	.7303	----	----	----	----	2	UNCH															
4425	----	----	577.60B/527.90A	577.60B/527.90A	----	562.60 - 2.90	.7200	----	----	----	----	8	UNCH															
4450	----	----	560.60B/511.70A	560.60B/511.70A	----	545.80 - 2.80	.7095	----	----	----	----	87	UNCH															
4465	----	----	550.60B/502.10A	550.60B/502.10A	----	535.90 - 2.70	.7031	----	----	----	----	93	UNCH															
4490	----	----	538.70B/486.40A	538.70B/486.40A	----	519.50 - 2.70	.6923	----	----	----	----	7	UNCH															
4500	----	----	532.50B/480.10A	532.50B/480.10A	----	513.10 - 2.60	.6879	----	----	----	----	757	UNCH															
4525	----	----	516.10B/464.90A	516.10B/464.90A	----	497.20 - 2.50	.6769	----	----	----	----	5	UNCH															
4540	----	----	506.60B/455.90A	506.60B/455.90A	----	487.80 - 2.50	.6702	----	----	----	----	9	UNCH															
4550	----	----	500.30B/450.00A	500.30B/450.00A	----	481.60 - 2.40	.6657	----	----	----	----	11	UNCH															
4565	----	----	491.00B/440.80A	491.00B/440.80A	----	472.40 - 2.40	.6589	----	----	----	----	93	UNCH															
4580	----	----	481.80B/432.60A	481.80B/432.60A	----	463.30 - 2.30	.6521	----	----	----	----	150	UNCH															
4585	----	----	478.80B/429.40A	478.80B/429.40A	----	460.30 - 2.30	.6498	----	----	----	----	325	UNCH															
4590	----	----	475.80B/426.60A	475.80B/426.60A	----	457.30 - 2.30	.6475	----	----	----	----	16	UNCH															
4600	----	----	469.80B/421.00A	469.80B/421.00A	----	451.30 - 2.30	.6429	----	----	----	----	159	UNCH															
4615	----	----	460.80B/412.80A	460.80B/412.80A	----	442.50 - 2.30	.6360	----	----	----	----	41	UNCH															
4625	----	----	455.00B/407.20A	455.00B/407.20A	----	436.70 - 2.30	.6313	----	----	----	----	71	UNCH															
4640	----	----	446.30B/398.80A	446.30B/398.80A	----	428.10 - 2.20	.6243	----	----	----	----	100	UNCH															
4650	----	----	440.50B/393.20A	440.50B/393.20A	----	422.40 - 2.20	.6196	----	----	----	----	302	UNCH															
4675	----	----	426.40B/380.40A	426.40B/380.40A	----	408.50 - 2.20	.6078	----	----	1	----	48	UNCH															
4680	----	----	423.70B/378.00A	423.70B/378.00A	----	405.70 - 2.30	.6054	----	----	----	----	2	UNCH															
4700	----	----	412.60B/367.50A	412.60B/367.50A	----	394.90 - 2.30	.5958	----	----	----	----	95	UNCH															
4725	----	----	399.10B/355.20A	399.10B/355.20A	----	381.70 - 2.30	.5839	----	----	----	----	110	UNCH															
4730	----	----	396.60B/352.70A	396.60B/352.70A	----	379.10 - 2.30	.5815	----	----	----	----	2	UNCH															
4750	----	----	386.60B/343.00A	386.60B/343.00A	----	368.90 - 2.10	.5718	----	----	----	----	239	UNCH															
4775	----	----	373.30B/331.00A	373.30B/331.00A	----	356.40 - 1.90	.5598	----	----	----	----	2	UNCH															
4780	----	----	370.80B/328.70A	370.80B/328.70A	----	354.00 - 1.80	.5574	----	----	----	----	2	UNCH															
4790	----	----	365.80B/324.30A	365.80B/324.30A	----	349.20 - 1.70	.5525	----	----	----	----	1	UNCH															
4795	----	----	363.60B/321.50A	363.60B/321.50A																								

	BULLETIN # 89@			METALS OPTION PRODUCTS										Mon, May 11, 2026			PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH	OUTCRY LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG CALL																	
DEC26																	
5770	----	----		95.10B/82.00A	95.10B/82.00A	----	90.70	+ 1.70	.1950	----	----	----	----	----	8		
5775	----	----		94.10B/81.50A	94.10B/81.50A	----	90.10	+ 1.60	.1939	----	----	----	----	----	2		
5800	87.00	87.00		91.50B/79.10A	91.50B/79.10A	----	87.40	+ 1.70	.1887	----	----	----	1	----	2104 +		
5810	----	----		90.50B/78.20A	90.50B/78.20A	----	86.30	+ 1.70	.1867	----	----	----	----	----	56		
5825	----	----		88.70B/76.80A	88.70B/76.80A	----	84.80	+ 1.70	.1837	----	----	----	----	----	4		
5850	----	----		86.00B/74.60A	86.00B/74.60A	----	82.20	+ 1.70	.1787	----	----	----	----	----	51		
5875	----	----		83.20B/72.50A	83.20B/72.50A	----	79.80	+ 1.70	.1740	----	----	----	----	----	9		
5900	81.50	81.50		81.50/70.60A	81.50/70.60A	----	77.50	+ 1.70	.1694	----	----	2	----	----	1567		
5950	----	----		75.80B/66.80A	75.80B/66.80A	----	73.10	+ 1.70	.1607	----	----	----	----	----	29		
6000	64.00	64.00		71.40B/63.30A	71.40B/63.30A	----	69.10	+ 1.70	.1526	----	----	87	----	----	5291 -		
6100	60.40	60.40		63.90B/57.10A	63.90B/57.10A	----	62.00	+ 1.70	.1379	----	----	21	----	----	133 +		
6150	57.30	57.30		60.10B/54.40A	60.10B/54.40A	----	58.90	+ 1.80	.1313	----	----	21	----	----	21 +		
6200	----	----		56.90B/51.80A	56.90B/51.80A	----	56.00	+ 1.80	.1251	----	----	----	----	----	3210		
6250	----	----		53.70B/49.40A	53.70B/49.40A	----	53.30	+ 1.80	.1193	----	----	----	----	----	76		
6300	----	----		51.20B/47.00A	51.20B/47.00A	----	50.80	+ 1.80	.1139	----	----	----	----	----	1049		
6400	----	----		46.60B/42.80A	46.60B/42.80A	----	46.40	+ 1.80	.1041	----	----	----	----	----	686		
6500	41.70	41.70		43.00B/38.30	43.00B/38.30	----	42.60	+ 1.70	.0956	----	----	72	120	----	6082 +		
6750	----	----		---/33.50A	33.50B/33.50A	----	35.00	+ 1.30	.0783	----	----	----	----	----	104		
6775	----	----		---/33.00A	32.90B/33.00A	----	34.40	+ 1.30	.0769	----	----	1	----	----	164 +		
6800	----	----		----	32.30B/32.50A	----	33.80	+ 1.30	.0755	----	----	----	----	----	1817		
6900	----	----		----	30.10B/30.60A	----	31.60	+ 1.20	.0703	----	----	----	----	----	67		
7000	----	----		----	28.50B/29.00A	----	29.70	+ 1.00	.0657	----	----	12	----	----	4198 -		
7130	----	----		----	26.60B/27.10A	----	27.60	+ 0.90	.0606	----	----	----	----	----	200		
7175	----	----		----	26.00B/26.60A	----	27.00	+ 0.90	.0591	----	----	----	----	----	125		
7250	----	----		----	25.20B/25.70A	----	26.00	+ 0.80	.0567	----	----	----	----	----	108		
7500	----	----		22.80B/----	22.80B/23.30A	----	23.40	+ 0.70	.0500	----	----	----	----	----	115		
8000	----	----		----	19.30B/20.30A	----	20.10	+ 0.60	.0410	----	----	137	----	----	1072 +		
8125	----	----		----	18.70B/19.80A	----	19.60	+ 0.60	.0395	----	----	----	----	----	801		
8500	----	----		----	17.20B/18.40A	----	18.20	+ 0.50	.0354	----	----	----	----	----	170		
8630	----	----		----	#16.70B/18.00A	----	17.80	+ 0.50	.0343	----	----	----	----	----	400		
8725	----	----		----	#16.40B/17.80A	----	17.60	+ 0.50	.0336	----	----	----	----	----	250		
8775	----	----		----	16.30B/17.60A	----	17.50	+ 0.50	.0332	----	----	----	----	----	25		
9000	----	----		----	15.70B/17.00A	----	17.00	+ 0.50	.0316	----	----	111	----	----	285 +		
9500	----	----		----	14.60B/15.90A	----	16.10	+ 0.40	.0288	----	----	----	----	----	305		
9900	----	----		----	14.00B/15.40A	----	15.40	+ 0.20	.0268	----	----	----	----	----	17		
10000	----	----		----	14.40B/15.40A	----	15.30	+ 0.20	.0264	----	----	240	----	----	8907 +		
11000	----	----		----	10.90B/14.40A	----	13.70	+ 0.10	.0223	----	----	240	----	----	486 -		
13000	----	----		----	8.00B/11.30A	----	10.50	+ 0.60	.0160	----	----	258	----	----	642 +		
15000	8.00	8.00		8.30/8.00	8.30/8.00	----	7.70	+ 0.60	.0114	----	----	68	----	----	22277 +		
17000	----	----		----	4.70B/6.90A	----	5.50	+ 0.30	.0080	----	----	----	----	----	26		
19000	----	----		----	3.50B/4.70A	----	4.10	+ 0.10	.0059	----	----	----	----	----	7		
20000	3.80	3.80		3.80/3.50A	3.80/3.50A	----	3.60	+ 0.30	.0052	----	----	61	----	----	24281 +		
21000	----	----		----	2.50B/3.40A	----	3.00	+ 0.20	.0043	----	----	----	----	----	31		
24000	2.00	2.00		2.10/2.00	2.10/2.00	----	1.80	+ 0.10	.0026	----	----	2	----	----	32 +		
TOTAL													1414	190	107816+ 632		
JAN27																	
4190	----	----		----	637.80B/921.10A	----	781.00	- 2.20	.8046	----	----	----	----	----	1		
4290	----	----		----	560.70B/849.10A	----	705.30	- 2.70	.7721	----	----	----	----	----	1		
4300	----	----		----	553.20B/842.00A	----	698.00	- 2.60	.7687	----	----	----	----	----	1		
4400	----	----		----	481.00B/772.60A	----	626.50	- 3.30	.7328	----	----	----	----	----	1		
4500	----	----		575.20B/528.50A	575.20B/528.50A	----	559.50	- 3.80	.6940	----	----	----	----	----	1		
4600	----	----		512.20B/469.10A	512.20B/469.10A	----	497.30	- 4.00	.6526	----	----	----	----	----	4		
4650	----	----		482.50B/441.20A	482.50B/441.20A	----	468.10	- 4.00	.6311	----	----	----	----	----	1		
4700	423.30	423.30		454.50B/414.80A	454.50B/414.80A	----	440.40	- 3.70	.6093	----	----	1	----	----	2 +		
4710	----	----		449.00B/409.60A	449.00B/409.60A	----	435.00	- 3.70	.6049	----	----	----	----	----	3		
4750	----	----		427.50B/389.50A	427.50B/389.50A	----	414.00	- 3.30	.5872	----	----	----	----	----	8		
4760	----	----		422.20B/384.60A	422.20B/384.60A	----	408.90	- 3.20	.5828	----	----	----	----	----	100		
4800	----	----		401.70B/365.60A	401.70B/365.60A	----	389.20	- 2.60	.5650	----	----	----	----	----	1		
4850	----	----		377.10B/342.70A	377.10B/342.70A	----	365.70	- 1.80	.5428	----	----	----	----	----	1		
4875	----	----		365.30B/332.00A	365.30B/332.00A	----	354.40	- 1.40	.5317	----	----	----	----	----	4		
4900	----	----		354.10B/319.00A	354.10B/319.00A	----	343.50	- 0.90	.5207	----	----	----	----	----	10		
5000	----	----		315.30B/275.30A	315.30B/275.30A	----	303.00	+ 1.10	.4776	----	----	----	----	----	28		
5050	----	----		295.60B/257.90A	295.60B/257.90A	----	284.30	+ 1.80	.4567	----	----	----	----	----	100		
5100	----	----		277.10B/245.50A	277.10B/245.50A	----	266.70	+ 2.40	.4362	----	----	----	----	----	1		
5130	----	----		266.50B/236.80A	266.50B/236.80A	----	256.70	+ 2.80	.4242	----	----	----	----	----	1		
5195	----	----		244.70B/216.80A	244.70B/216.80A	----	236.00	+ 3.20	.3988	----	----	----	----	----	5		
5250	----	----		227.90B/203.70A	227.90B/203.70A	----	219.80	+ 3.50	.3781	----	----	----	----	----	7		
5300	----	----		213.50B/190.80A	213.50B/190.80A	----	206.10	+ 3.70	.3600	----	----	----	----	----	1		



PG64	BULLETIN # 89@				METALS OPTION PRODUCTS						Mon, May 11, 2026				PG64
	GLOBAL OPEN	OPEN OUTCRY OPEN RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST			
OG CALL COMEX GOLD OPTIONS															
JUN27															
9000	----	----	----	----	----	26.50 - 0.60	.0446	----	----	----	----	1	UNCH		
10000	----	----		----	----	20.00 - 0.50	.0326	----	----	----	----	3	UNCH		
TOTAL												607	0		
DEC27															
4860	----	----	----	----	----	703.70 - 1.30	.6021	----	----	----	----	100	UNCH		
5000	----	----	----	----	----	641.30 - 1.30	.5668	----	----	----	----	50	UNCH		
5650	----	----	----	----	----	408.60 - 1.40	.4147	----	----	----	----	200	UNCH		
5700	----	----	----	----	----	394.50 - 1.40	.4041	----	----	----	----	150	UNCH		
5800	----	----	----	----	----	367.70 - 1.40	.3836	----	----	----	----	200	UNCH		
5880	----	----	----	----	----	347.60 - 1.40	.3678	----	----	----	----	125	UNCH		
6300	----	----	----	----	----	259.90 - 1.30	.2935	----	----	----	----	18	UNCH		
7500	----	----	----	----	----	123.40 - 1.10	.1565	----	----	----	----	170	UNCH		
7800	----	----	----	----	----	105.40 - 0.90	.1357	----	----	----	----	284	UNCH		
10000	----	----	----	----	----	46.70 - 0.70	.0615	----	----	----	----	102	UNCH		
10500	----	----	----	----	----	41.30 - 0.60	.0540	----	----	----	----	10	UNCH		
TOTAL												1409	0		
DEC28															
5750	----	----	----	----	----	633.70 + 0.20	.4774	----	----	----	----	100	UNCH		
TOTAL												100	0		
	GLOBAL OPEN	OPEN OUTCRY OPEN RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST			
MMG MON MICRO GOLD WEEKLY MONDAY OPTION WEE															
MAY26															
4700	----	----	----	----	----	0.00 - 16.30	----	----	----	----	----	0 -	1		
4750	----	----	----	----	----	21.30 - 17.70	1.0000	1	----	----	----	0 -	1		
TOTAL												0 -	2		
JUN26															
4400	----	----	----	-----/60.00A	----	13.90 - 2.50	.0916	----	----	----	----	1	UNCH		
TOTAL												1	0		
	GLOBAL OPEN	OPEN OUTCRY OPEN RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST			
GWW WED GOLD WEEKLY WEDNESDAY OPTION WEEK2															
MAY26															
3500	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	16	UNCH		
3800	----	----	----/*1.50A	1.00B/*1.50A	----	1.10 - 0.80	.0059	----	----	----	----	4	UNCH		
3800	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	----	----	----	4	----	5	UNCH		
3900	----	----	----	0.60B/*1.10A	----	0.70 - 0.10	.0039	----	----	----	----	3	UNCH		
4000	----	----	----	----/0.60A	----	0.10 - 0.10	----	----	----	----	----	2	UNCH		
4000	1.00	1.00	1.00/*1.00	1.10B/*1.00	----	1.10 NEW	.0066	----	----	2	----	2 +	2		
4100	----	----	----	----/0.60A	----	0.10 - 0.20	.0000	----	----	----	----	1	UNCH		
4100	----	----	----/*1.40A	1.30B/*1.40A	----	1.30 - 0.30	.0088	----	----	----	----	1	UNCH		
4175	----	----	----/*1.80A	1.80B/*1.80A	----	1.50 - 0.50	.0112	----	----	----	----	3	UNCH		
4200	----	----	----	----/*0.60A	----	0.10 - 0.40	.0001	----	----	----	----	14	UNCH		
4200	----	----	----/*1.90A	2.10B/*1.90A	----	1.60 - 0.60	.0123	----	----	----	----	51	UNCH		
4225	----	----	----/*2.00A	2.50B/*2.00A	----	1.80 - 0.70	.0142	----	----	----	----	3	UNCH		
4250	----	----	2.90B/*2.10A	2.90B/*2.10A	----	2.00 - 0.80	.0162	----	----	----	----	6	UNCH		
4250	----	----	----	0.30B/*0.60A	----	0.20 - 0.40	.0004	----	----	----	----	3	UNCH		
4265	----	----	----/0.60A	0.30B/0.60A	----	0.20 - 0.50	.0005	----	----	----	----	1	UNCH		
4275	----	----	6.30B/*5.10A	6.30B/*5.10A	----	4.90 - 1.10	.0353	----	----	5	----	13 +	5		
4275	----	----	----/*0.50A	0.30B/*0.50A	----	0.30 - 0.40	.0008	----	----	----	----	1	UNCH		
4285	----	----	----/0.50A	0.40B/0.50A	----	0.30 - 0.40	.0008	----	----	----	----	1	UNCH		
4300	----	----	----/*0.30A	0.50B/*0.30A	----	0.30 - 0.50	.0008	----	----	----	----	4	UNCH		
4300	----	----	4.30B/*2.60A	4.30B/*2.60A	----	2.60 - 1.10	.0220	----	----	----	----	16	UNCH		
4325	----	----	8.90B/*6.30A	8.90B/*6.30A	----	6.40 - 1.40	.0467	----	----	----	----	8	UNCH		
4325	----	----	----/*0.60A	0.60B/*0.60A	----	0.40 - 0.50	.0013	----	----	----	----	3	UNCH		
4325	----	----	5.40B/*2.90A	5.40B/*2.90A	----	3.10 - 1.20	.0267	----	----	----	----	14	UNCH		
4350	----	----	----/*0.60A	0.80B/*0.60A	----	0.40 - 0.60	.0014	----	----	----	----	42	UNCH		
4350	3.40	3.40	6.50B/*3.30A	6.50B/*3.30A	----	3.60 - 1.40	.0316	----	----	6	----	7 +	1		
4375	----	----	----/*0.70A	1.10B/*0.70A	----	0.50 - 0.70	.0020	----	----	----	----	14	UNCH		
4375	----	----	7.90B/*3.90A	7.90B/*3.90A	----	4.20 - 1.70	.0375	----	----	----	----	10	UNCH		
4375	----	----	12.00B/*8.20A	12.00B/*8.20A	----	8.40 - 2.00	.0618	----	----	5	----	10 +	5		
4385	----	----	----/*0.70A	1.20B/*0.70A	----	0.50 - 0.80	.0021	----	----	----	----	1	UNCH		
4400	----	----	1.50B/*0.70A	1.50B/*0.70A	----	0.50 - 0.90	.0022	----	----	----	----	6	UNCH		
4400	8.40	8.40	9.60B/*4.60A	9.60B/*4.60A	----	5.00 - 1.90	.0453	----	----	7	----	23 +	1		
4425	----	----	2.00B/*0.80A	2.00B/*0.80A	----	0.60 - 1.10	.0029	----	----	1	----	2	UNCH		
4425	11.00	11.00	17.00B/*10.70A	17.00B/*10.70A	----	11.30 - 2.70	.0829	----	----	1	----	1	UNCH		
4425	----	----	12.20B/*5.40A	12.20B/*5.40A	----	6.00 - 2.20	.0550	----	----	----	----	1	UNCH		
4450	----	----	20.50B/*12.40A	20.50B/*12.40A	----	13.20 - 3.10	.0964	----	----	----	----	2	UNCH		
4450	----	----	2.70B/*0.90A	2.70B/*0.90A	----	0.80 - 1.30	.0045	----	----	1	----	6	UNCH		
4450	----	----	14.90B/*6.40A	14.90B/*6.40A	----	7.20 - 2.70	.0666	----	----	----	----	5	UNCH		
4460	3.00	3.00	3.10B/*0.90A	3.10B/*0.90A	----	0.90 NEW	.0053	----	----	1	----	1 +	1		
4465	----	----	3.40B/*1.00A	3.40B/*1.00A	----	0.90 NEW	.0054	----	----	4	----	4 +	4		
4475	----	----	23.80B/*14.40A	23.80B/*14.40A	----	15.40 - 3.60	.1117	----	----	----	----	1	UNCH		
4475	----	----	3.90B/*1.00A	3.90B/*1.00A	----	1.00 - 1.70	.0064	----	----	1	----	1	UNCH		
4480	----	----	4.10B/*1.00A	4.10B/*1.00A	----	1.00 - 1.80	.0065	----	----	----	----	1	UNCH		
4485	----	----	4.40B/*1.10A	4.40B/*1.10A	----	1.10 NEW	.0074	----	----	2	----	2 +	2		
4490	----	----	4.80B/*1.10A	4.80B/*1.10A	----	1.10 - 2.00	.0075	----	----	----	----	1	UNCH		
4495	----	----	5.00B/*1.20A	5.00B/*1.20A	----	1.20 - 2.00	.0085	----	----	4	----	6 +	4		
4500	2.70	2.70	5.40B/*1.20A	5.40B/*1.20A	----	1.30 - 2.10	.0094	----	----	1	----	6 +	1		
4500	11.10	11.10	22.00B/*9.50A	22.00B/*9.50A	----	10.90 - 3.50	.1006	----	----	1	----	8 +	1		
4500	----	----	300.70B/240.80A	300.70B/240.80A	----	282.20 - 6.20	.8693	----	----	----	----	50	UNCH		
4505	1.80	1.80	5.70B/*1.30A	5.70B/*1.30A	----	1.30 NEW	.0097	----	----	15	----	15 +	15		
4510	1.30	1.30	6.20B/*1.30	6.20B/*1.30	----	1.40 NEW	.0107	----	----	25	----	25 +	25		
4515	4.40	4.40	6.70B/*1.40A	6.70B/*1.40A	----	1.50 NEW	.0118	----	----	2	----	2 +	2		
4520	4.70	4.70	7.20B/*1.40A	7.20B/*1.40A	----	1.60 NEW	.0129	----	----	4	----	2 +	2		
4525	----	----	33.50B/*19.80A	33.50B/*19.80A	----	21.40 - 4.40	.1511	----	----	----	----	2	UNCH		
4525	----	----	7.70B/*1.50A	7.70B/*1.50A	----	1.70 - 2.70	.0141	----	----	----	----	7	UNCH		
4530	6.80	6.80	8.10B/*1.50A	8.10B/*1.50A	----	1.80 NEW	.0153	----	----	26	----	26 +	26		
4545	2.30	2.30	10.00B/*1.80A	10.00B/*1.80A	----	2.20 NEW	.0202	----	----	1	----	1 +	1		
4550	7.50	7.50	10.80B/*1.90A	10.80B/*1.90A	----	2.30 - 3.50	.0217	----	----	29	----	30 +	25		
4550	----	----	39.50B/*23.20A	39.50B/*23.20A	----	25.20 - 4.90	.1748	----	----	1	----	14 +	1		
4550	----	----	33.30B/*14.40A	33.30B/*14.40A	----	16.60 - 4.60	.1506	----	----	----	----	31	UNCH		
4555	7.50	7.50	11.40B/*2.00A	11.40B/*2.00A	----	2.50 NEW	.0242	----	----	1	----	1 +	1		
4560	9.50	9.50	12.40B/*2.10A	12.40B/*2.10A	----	2.70 - 3.80	.0268	----	----	23	----	9 +	8		
4565	----	----	13.20B/*2.30A	13.20B/*2.30A	----	2.90 - 4.00	.0295	----	----	----	----	4	UNCH		
4570	----	----	14.10B/*2.40A	14.10B/*2.40A	----	3.10 - 4.20	.0324	----	----	1	----	2 +	1		
4575	----	----	185.00B/98.90A	185.00B/98.90A	----	157.00 - 6.40	.9645	----	----	1	----	1	UNCH		
4575	----	----	40.60B/*17.80A	40.60B/*17.80A	----	20.60 - 5.10	.1834	----	----	----	----	10	UNCH		
4575	4.70	4.70	15.20B/*2.60A	15.20B/*2.60A	----	3.30 - 4.40	.0353	----	----	1	----	13 +	1		
4575	----	----	201.00B/125.70A	201.00B/125.70A	----	174.20 NEW	.8163	----	----	1	----	1 +	1		
4575	----	----	46.70B/*27.30A	46.70B/*27.30A	----	29.70 - 5.30	.2017	----	----	----	----	1	UNCH		
4580	----	----	16.30B/*2.70A	16.30B/*2.70A	----	3.60 NEW	.0394	----	----	1	----	1 +	1		
4585	5.00	5.00	17.30B/*2.90A	17.30B/*2.90A	----	3.90 NEW	.0437	----	----	1	----	1 +	1		
4590	5.90	5.90	18.50B/*3.10A	18.50B/*3.10A	----	4.20 NEW	.0482	----	----	1	----	1 +	1		
45															

PG64	BULLETIN # 89@				METALS OPTION PRODUCTS					Mon, May 11, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX* VOLUME	PNT VOLUME	OPEN INTEREST		
GWW WED	GOLD WEEKLY WEDNESDAY OPTION WEEK2													
MAY26														
4670	15.50	15.50	#50.20B/*10.90A	#50.20B/*10.90A	----	15.00	NEW	.2180	----	6	----	6 +	6	
4675	----	----	80.60B/*41.40A	80.60B/*41.40A	----	47.50	- 6.50	.3685	----	----	----	1	UNCH	
4675	----	----	125.40B/68.70A	125.40B/68.70A	----	101.20	- 8.40	.6311	----	----	----	25	UNCH	
4675	14.00	14.00	52.90B/*11.90A	52.90B/*11.90A	----	16.30	- 9.10	.2374	----	4	----	9 +	3	
4675	55.40	55.40	95.90B/35.70A	95.90B/35.70A	----	70.00	- 11.10	.7625	----	5	----	4 +	3	
4675	----	----	85.10B/*52.00A	85.10B/*52.00A	----	56.50	- 5.80	.3396	----	----	----	1	UNCH	
4680	----	----	#55.90B/*12.90A	#55.90B/*12.90A	----	17.60	NEW	.2572	----	2	----	0	UNCH	
4685	----	----	#58.80B/*14.10A	#58.80B/*14.10A	----	19.00	- 9.50	.2781	----	----	----	1	UNCH	
4690	----	----	#61.80B/*15.30A	#61.80B/*15.30A	----	20.60	- 9.60	.3006	----	----	----	1	UNCH	
4700	----	----	109.30B/58.10A	109.30B/58.10A	----	86.40	- 8.40	.5742	----	----	----	7	UNCH	
4700	26.60	26.60	77.20B/26.00A	77.20B/26.00A	----	52.60	- 11.90	.6526	----	12	----	19 +	2	
4700	21.00	21.00	68.40B/*18.00A	68.40B/*18.00A	----	23.90	- 9.90	.3473	57	----	----	45 +	28	
4700	----	----	94.90B/*50.50A	94.90B/*50.50A	----	57.70	- 6.40	.4255	----	----	----	1	UNCH	
4705	51.70	51.70	73.70B/*24.00A	73.70B/*24.00A	----	49.50	NEW	.6276	1	----	----	1 +	1	
4705	27.30	27.30	#71.70B/*19.50A	#71.70B/*19.50A	----	25.80	NEW	.3722	3	----	----	3 +	3	
4710	----	----	70.20B/*22.40A	70.20B/*22.40A	----	46.50	NEW	.6021	1	----	----	1 +	1	
4710	26.70	26.70	#75.20B/*21.00A	#75.20B/*21.00A	----	27.80	- 9.90	.3978	----	50	----	51 +	38	
4720	----	----	63.50B/*19.60A	63.50B/*19.60A	----	40.70	- 12.00	.5498	----	----	----	1	UNCH	
4725	----	----	60.30B/18.20A	60.30B/18.20A	----	38.10	- 11.90	.5230	1	----	----	3	UNCH	
4725	----	----	92.70B/48.80A	92.70B/48.80A	----	73.10	- 8.20	.5157	----	----	----	54	UNCH	
4725	----	----	113.80B/*60.80A	113.80B/*60.80A	----	69.40	- 6.20	.4840	----	----	----	1	UNCH	
4725	----	----	86.00B/*26.40A	86.00B/*26.40A	----	34.40	- 9.90	.4769	----	----	----	2	UNCH	
4725	----	----	104.30B/*70.20A	104.30B/*70.20A	----	76.20	- 5.40	.4223	----	----	----	2	UNCH	
4730	----	----	57.40B/*17.00A	57.40B/*17.00A	----	35.50	- 11.90	.4960	----	----	----	30	UNCH	
4730	----	----	#89.80B/*28.40A	#89.80B/*28.40A	----	36.80	NEW	.5038	1	----	----	1 +	1	
4735	16.50	16.50	54.10B/*15.80A	54.10B/*15.80A	----	33.10	NEW	.4691	1	----	----	1 +	1	
4740	----	----	49.80B/*14.60A	49.80B/*14.60A	----	30.70	- 11.70	.4422	35	----	----	36 +	35	
4745	----	----	#101.50B/*35.20	#101.50B/*35.20A	----	44.90	- 9.50	.5840	----	----	----	1	UNCH	
4750	----	----	123.60B/76.50A	123.60B/76.50A	----	102.20	- 7.20	.5343	----	----	----	4	UNCH	
4750	22.30	22.30	45.90B/12.70A	45.90B/12.70A	----	26.50	- 11.40	.3897	27	----	----	29 +	10	
4750	----	----	105.50B/*37.60A	105.50B/*37.60A	----	47.80	- 9.30	.6102	2	----	----	3	UNCH	
4750	----	----	79.50B/40.50A	79.50B/40.50A	----	61.30	- 7.90	.4571	60	----	----	64 +	60	
4755	----	----	41.90B/*11.80A	41.90B/*11.80A	----	24.50	- 11.20	.3639	2	----	----	1	UNCH	
4760	----	----	39.50B/*11.00A	39.50B/*11.00A	----	22.70	- 10.90	.3392	----	----	----	1	UNCH	
4760	----	----	#113.70B/*42.90	#113.70B/*42.90A	----	54.00	- 8.90	.6606	----	----	----	2	UNCH	
4765	----	----	38.40B/*10.20A	38.40B/*10.20A	----	20.90	- 10.80	.3147	----	----	----	19	UNCH	
4770	19.40	19.40	36.10B/*9.40A	36.10B/*9.40A	----	19.30	NEW	.2916	8	----	----	7 +	7	
4770	----	----	#122.20B/*48.70	#122.20B/*48.70A	----	60.60	- 8.50	.7083	----	----	----	1	UNCH	
4775	----	----	126.50B/*52.00A	126.50B/*52.00A	----	64.10	- 8.20	.7304	----	----	----	4 +	3	
4775	15.50	15.50	33.90B/8.70A	33.90B/8.70A	----	17.80	- 10.20	.2694	3	----	----	46 -	1	
4775	----	----	67.50B/33.60A	67.50B/33.60A	----	51.10	- 7.40	.4001	----	----	----	50	UNCH	
4780	11.60	11.60	31.80B/*8.10A	31.80B/*8.10A	----	16.40	- 9.90	.2483	12	----	----	55 +	5	
4780	59.90	59.90	#130.90B/*55.10	#130.90B/*55.10A	----	67.70	NEW	.7516	5	----	----	5 +	5	
4785	----	----	29.80B/*7.60A	29.80B/*7.60A	----	15.10	NEW	.2282	2	----	----	1 +	1	
4790	----	----	27.80B/*7.10A	27.80B/*7.10A	----	13.80	NEW	.2085	6	----	----	4 +	4	
4795	----	----	26.00B/*6.50A	26.00B/*6.50A	----	12.70	- 9.00	.1909	1	----	----	1	UNCH	
4795	----	----	#144.20B/*64.90	#144.20B/*64.90A	----	79.00	NEW	.8090	2	----	----	2 +	2	
4800	----	----	97.80B/58.80A	97.80B/58.80A	----	79.10	- 6.00	.4487	----	----	----	6	UNCH	
4800	12.50	12.50	25.00/6.00	25.00/6.00	----	11.70	- 8.60	.1745	92	----	----	167 +	39	
4800	48.20	48.20	58.20B/27.70A	58.20B/27.70A	----	42.40	- 6.70	.3462	4	----	----	2 +	1	
4805	----	----	22.70B/*5.60A	22.70B/*5.60A	----	10.70	NEW	.1586	----	----	----	1 +	1	
4810	10.30	10.30	21.30B/*5.20A	21.30B/*5.20A	----	9.80	- 8.00	.1440	11	----	----	10 +	9	
4820	8.00	8.00	18.10B/*4.60A	18.10B/*4.60A	----	8.20	- 7.40	.1179	14	----	----	13 +	12	
4825	----	----	17.10B/*4.20A	17.10B/*4.20A	----	7.50	- 7.10	.1065	----	----	----	127	UNCH	
4825	120.80	120.80	188.60B/118.30A	188.60B/118.30A	----	131.20	NEW	.7035	1	----	----	1 +	1	
4825	----	----	171.80B/*86.00A	171.80B/*86.00A	----	103.80	- 5.00	.8934	----	----	----	1	UNCH	
4825	----	----	49.00B/22.90A	49.00B/22.90A	----	34.90	- 6.10	.2962	----	----	----	21	UNCH	
4830	6.00	6.00	15.90B/*3.90A	15.90B/*3.90A	----	6.90	- 6.70	.0964	15	----	----	13 +	11	
4830	----	----	#176.40B/*90.00	#176.40B/*90.00A	----	108.10	NEW	.9034	1	----	----	1 +	1	
4835	6.60	6.60	14.50B/*3.70A	14.50B/*3.70A	----	6.30	NEW	.0867	15	----	----	15 +	15	
4840	----	----	#185.90B/*97.80	#185.90B/*97.80A	----	117.00	NEW	.9225	1	----	----	1 +	1	
4840	9.10	9.10	13.70B/*3.50A	13.70B/*3.50A	----	5.70	NEW	.0773	5	----	----	5 +	5	
4845	9.90	9.90	12.70B/*3.20A	12.70B/*3.20A	----	5.30	NEW	.0704	8	----	----	6 +	6	
4850	----	----	195.50B/*105.60	195.50B/*105.60A	----	126.10	- 3.50	.9372	----	----	----	1	UNCH	
4850	22.10	22.10	41.10B/18.80A	41.10B/18.80A	----	28.70	NEW	.2513	5	----	----	2 +	2	
4850	5.10	5.10	11.70B/*3.00A	11.70B/*3.00A	----	4.80	- 5.50	.0627	4	----	----	27 -	1	
4855	5.30	5.30	10.90B/*2.80A	10.90B/*2.80A	----	4.40	NEW	.0563	9	----	----	9 +	9	
4860	----	----	10.10B/*2.60A	10.10B/*2.60A	----	4.00	NEW	.0502	2	----	----	2 +	2	
4870	----	----	8.60B/*2.30A	8.60B/*2.30A	----	3.40	NEW	.0407	2	----	----	2 +	2	
4875	----	----	67.00B/38.80A	67.00B/38.80A	----	52.70	- 4.10	.3305	----	----	----	1	UNCH	
4875	----	----	7.90B/*2.20A	7.90B/*2.20A	----	3.10	- 4.20	.0363	9	----	----	10 +	8	
4875	----	----	34.30B/15.50A	34.30B/15.50A	----	23.40	- 4.70	.2109	1	----	----	3	UNCH	
4880	----	----	7.30B/*2.10A	7.30B/*2.10A	----	2.80	- 4.10	.0320	----	----	----	2	UNCH	
4885	----	----	6.70B/*1.90A	6.70B/*1.90A	----	2.60	- 3.80	.0290	2	----	----	2	UNCH	
4890	5.00	5.00	6.20B/*1.80A	6.20B/*1.80A	----	2.40	NEW	.0261	12	----	----	6 +	6	
4900	36.00	36.00	58.80B/33.80A	58.80B/33.80A	----	45.80	- 3.60	.2955	4	----	----	7 -	1	
4900	2.00	2.00	5.30B/*1.60A	5.30B/*1.60A	----	2.00	- 3.30	.0206	5	----	----	80	UNCH	
4900	27.60	27.60	28.40B/12.80A	28.40B/12.80A	----	19.10	- 4.10	.1761	2	----	----	19	UNCH	
4905	----	----	#249.00B/*153.6	#249.00B/153.60A	----	178.10	- 1.10	.9808	----	----	----	2	UNCH	
4905	4.30	4.30	4.90B/*1.50A	4.90B/*1.50A	----	1.90	- 3.00	.0191	1	----	----	2 +	1	
4910	----	----	#253.90B/*158.2	#253.90B/158.20A	----	183.00	- 0.90	.9833	----	----	----	1	UNCH	
4925	2.10	2.10	3.50B/*1.30A	3.50B/*1.30A	----	1.30	- 2.50	.0116	1	----	----	6	UNCH	
4925	----	----	23.40B/10.60A	23.40B/10.60A	----	15.50	- 3.60	.1457	----	----	----	2	UNCH	
4925	34.20	34.20	51.50B/28.10	51.50B/28.10	----	39.70	- 3.20	.2629	5	----	----	4 +	3	
4930	1.30	1.30	1.30/*1.20A	3.20B/*1.20A	----	1.20	NEW	.0104	1	----	----	1 +	1	
4940	----	----	----/*1.10A	2.70B/*1.10A	----	1.10	NEW	.0091	6	----	----	3 +	3	
4945	----	----	----/*1.00A	2.50B/*1.00A	----	1.00	- 2.00	.0080	----	----	----	2	UNCH	
4950	----	----	19.20B/8.60A	19.20B/8.60A	----	12.60	- 3.10	.1202	----	----	----	1	UNCH	
4950	1.40	1.40	1.40/*1.00A	2.30B/*1.00A	----	0.90	- 1.90	.0070	1	----	----	13 +	1	
4950	----	----	45.10B/25.30A	45.10B/25.30A	----	34.40	- 2.90	.2331	----	----	----	1	UNCH	
4975	----	----	39.20B/21.90A	39.20B/21.90A	----	29.80	NEW	.2061	2	----	----	1 +	1	
4975	----	----	----/*0.80A	1.50B/*0.80A	----	0.60	- 1.50	.0040	7	----	----	10 +	7	
4975	----	----	15.70B/7.10A	15.70B/7.10A	----	10.20	- 2.80	.0985	5	----	----	6	UNCH	
5000	----	----	----/*0.70A	1.00B/*0.70A	----	0.50	- 1.10	.0029	1	----	----	7	UNCH	

PG64		BULLETIN # 89@										METALS OPTION PRODUCTS										Mon, May 11, 2026		PG64
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
GWT TUE		GOLD WEEKLY TUESDAY OPTION week3																						
MAY26																								
3800	----	----	----	----	----	----	/1.20A	----	----	0.40 - 0.10	.0020	----	----	----	----	10	UNCH							
4000	0.90	0.90	----	0.90/*0.90	0.90/*0.90	----	/*0.20A	----	----	0.90 + 0.10	.0053	----	----	4	----	5	+							
4000	----	----	----	----	----	----	0.10A	----	----	0.10 UNCH	----	----	----	----	----	3	UNCH							
4100	----	----	----	----	----	----	1.00B/*1.20A	----	----	1.10 UNCH	.0073	----	----	----	----	1	UNCH							
4100	----	----	----	----	----	----	/*0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH							
4150	----	----	----	----/*1.30A	1.30B/*1.30A	----	1.20 - 0.20	----	----	.0085	----	----	----	----	----	2	UNCH							
4150	----	----	----	----	----	----	/*0.20A	----	----	0.10 UNCH	----	----	----	2	----	2	UNCH							
4175	----	----	----	----	----	----	/*0.30A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH							
4200	----	----	----	----/*1.50A	1.70B/*1.50A	----	1.40 - 0.40	----	----	.0106	----	----	----	----	----	7	UNCH							
4200	----	----	----	----/*0.10A	/*0.10A	----	0.10 - 0.10	----	----	0.10 - 0.10	----	----	----	----	----	4	UNCH							
4225	----	----	----	----	----	----	/*0.30A	----	----	0.10 - 0.10	----	----	----	----	----	2	UNCH							
4240	----	----	----	----	----	----	/0.30A	----	----	0.10 - 0.10	----	----	----	----	----	1	UNCH							
4250	----	----	----	----/*1.70A	2.30B/*1.70A	----	1.60 - 0.70	----	----	.0130	----	----	----	----	----	20	UNCH							
4250	0.30	0.30	----	0.30/*0.20	0.30/*0.20	----	0.10 - 0.10	----	----	0.10 - 0.10	----	----	----	4	----	28	UNCH							
4275	----	----	----	----	----	----	/*0.30A	----	----	0.10 - 0.20	----	----	----	----	----	10	UNCH							
4300	----	----	----	3.30B/*2.00A	3.30B/*2.00A	----	2.10 - 1.00	----	----	.0180	----	----	----	----	----	23	UNCH							
4300	----	----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 0.30	----	----	.0000	----	----	----	----	----	34	UNCH							
4325	----	----	----	4.10B/*2.30A	4.10B/*2.30A	----	2.40 - 1.10	----	----	.0211	----	----	----	----	----	10	UNCH							
4325	----	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 0.40	----	----	.0000	----	----	----	----	----	10	UNCH							
4350	----	----	----	5.00B/*2.60A	5.00B/*2.60A	----	2.70 - 1.40	----	----	.0245	----	----	----	----	----	1	UNCH							
4350	0.20	0.20	----	0.20/*0.20	0.30B/*0.20	----	0.20 - 0.40	----	----	.0001	----	----	4	----	42	+								
4375	----	----	----	----/*0.40A	0.50B/*0.40A	----	0.30 - 0.40	----	----	.0002	----	----	----	----	16	UNCH								
4375	----	----	----	6.10B/*3.00A	6.10B/*3.00A	----	3.20 - 1.60	----	----	.0297	----	----	----	----	10	UNCH								
4380	0.20	0.20	----	#0.20/*0.20	0.60B/*0.20	----	0.30 NEW	----	----	.0002	5	----	5	----	5	+								
4395	0.40	0.40	----	#0.70B/*0.30A	0.70B/*0.30A	----	0.30 NEW	----	----	.0002	5	----	5	----	5	+								
4400	1.00	1.00	----	1.00/*0.20A	1.00/*0.20A	----	0.30 - 0.50	----	----	.0002	7	----	7	----	83	+								
4400	----	----	----	7.70B/*3.50A	7.70B/*3.50A	----	3.80 - 1.90	----	----	.0360	1	----	1	----	5	+								
4405	----	----	----	----/*0.30A	0.80B/*0.30A	----	0.30 - 0.50	----	----	.0002	----	----	----	----	6	UNCH								
4425	----	----	----	9.80B/*4.20A	9.80B/*4.20A	----	4.60 - 2.10	----	----	.0443	1	----	1	----	12	UNCH								
4425	0.20	0.20	----	1.10B/*0.20	1.10B/*0.20	----	0.40 - 0.60	----	----	.0004	1	----	1	----	4	+								
4430	----	----	----	#1.10B/*0.40A	1.10B/*0.40A	----	0.40 - 0.60	----	----	.0004	----	----	----	----	2	UNCH								
4440	0.80	0.80	----	#1.30B/*0.40A	1.30B/*0.40A	----	0.40 NEW	----	----	.0004	1	----	1	----	1	+								
4445	0.40	0.40	----	#0.50/*0.40	1.20B/*0.40	----	0.40 NEW	----	----	.0004	3	----	3	----	3	+								
4450	----	----	----	12.20B/*5.00A	12.20B/*5.00A	----	5.60 - 2.50	----	----	.0547	1	----	1	----	8	+								
4450	1.50	1.50	----	1.50/*0.40A	1.50/*0.40A	----	0.40 - 0.80	----	----	.0004	17	----	17	----	46	+								
4470	0.60	0.60	----	1.90B/*0.50A	1.90B/*0.50A	----	0.50 NEW	----	----	.0007	17	----	17	----	17	+								
4475	7.00	7.00	----	15.00B/*6.10A	15.00B/*6.10A	----	6.90 - 2.90	----	----	.0681	1	----	1	----	2	+								
4475	1.70	1.70	----	2.10B/*0.40A	2.10B/*0.40A	----	0.50 - 1.00	----	----	.0007	14	----	14	----	154	+								
4480	2.50	2.50	----	2.50/*0.40A	2.50/*0.40A	----	0.50 NEW	----	----	.0007	4	----	4	----	2	+								
4485	----	----	----	2.50B/*0.40A	2.50B/*0.40A	----	0.50 - 1.20	----	----	.0008	----	----	----	----	150	UNCH								
4490	0.60	0.60	----	2.80B/*0.40	2.80B/*0.40	----	0.60 NEW	----	----	.0010	11	----	11	----	11	+								
4495	0.50	0.50	----	2.90B/*0.50	2.90B/*0.50	----	0.60 NEW	----	----	.0011	1	----	1	----	1	+								
4500	----	----	----	256.90B/160.80A	256.90B/160.80A	----	229.30 - 3.30	----	----	.9988	4	----	----	----	4	UNCH								
4500	2.90	2.90	----	3.20B/*0.50	3.20B/*0.50	----	0.60 - 1.30	----	----	.0011	13	----	13	----	38	+								
4500	----	----	----	18.80B/*7.50A	18.80B/*7.50A	----	8.50 - 3.50	----	----	.0845	1	----	1	----	3	+								
4510	0.60	0.60	----	3.60B/*0.60	3.60B/*0.60	----	0.70 - 1.50	----	----	.0015	1	----	1	----	2	+								
4515	0.70	0.70	----	4.10B/*0.60	4.10B/*0.60	----	0.70 - 1.60	----	----	.0015	21	----	21	----	19	+								
4520	2.80	2.80	----	4.40B/*0.60	4.40B/*0.60	----	0.80 - 1.60	----	----	.0019	26	----	26	----	75	+								
4525	----	----	----	232.10B/137.30A	232.10B/137.30A	----	204.50 - 3.70	----	----	.9979	1	----	----	----	1	UNCH								
4525	3.10	3.10	----	4.60B/*0.80A	4.60B/*0.80A	----	0.80 - 1.70	----	----	.0020	21	----	21	----	47	+								
4530	----	----	----	4.90B/*0.80A	4.90B/*0.80A	----	0.80 - 1.90	----	----	.0021	3	----	3	----	3	UNCH								
4535	----	----	----	5.30B/*0.80A	5.30B/*0.80A	----	0.90 - 1.90	----	----	.0025	11	----	11	----	14	+								
4545	0.80	0.80	----	5.90B/*0.70A	5.90B/*0.70A	----	0.90 - 2.30	----	----	.0027	4	----	4	----	5	+								
4550	5.00	5.00	----	6.50B/*0.70	6.50B/*0.70	----	1.00 - 2.40	----	----	.0033	19	----	19	----	30	+								
4550	24.00	24.00	----	29.10B/*11.50A	29.10B/*11.50A	----	13.50 - 4.50	----	----	.1326	5	----	5	----	6	+								
4550	----	----	----	219.80B/138.70A	219.80B/138.70A	----	192.00 - 6.50	----	----	.8672	----	----	----	----	1	UNCH								
4555	----	----	----	6.90B/*1.00A	6.90B/*1.00A	----	1.00 NEW	----	----	.0034	6	----	6	----	5	+								
4560	2.60	2.60	----	7.50B/*1.00A	7.50B/*1.00A	----	1.10 NEW	----	----	.0041	1	----	1	----	1	+								
4565	2.90	2.90	----	8.10B/*1.00A	8.10B/*1.00A	----	1.10 NEW	----	----	.0042	1	----	1	----	1	+								
4570	1.10	1.10	----	8.90B/*1.10	8.90B/*1.10	----	1.20 NEW	----	----	.0050	3	----	3	----	2	+								
4575	----	----	----	182.70B/93.20A	182.70B/93.20A	----	154.90 - 5.40	----	----	.9947	----	----	----	----	1	UNCH								
4575	3.50	3.50	----	9.60B/*1.00	9.60B/*1.00	----	1.20 - 3.40	----	----	.0052	17	----	17	----	23	+								
4575	----	----	----	35.90B/*14.50A	35.90B/*14.50A	----	17.00 - 5.10	----	----	.1647	----	----	----	----	1	UNCH								
4580	----	----	----	177.80B/*89.10A	177.80B/*89.10A	----	149.90 - 5.70	----	----	.9939	1	----	1	----	1	UNCH								
4580	5.90	5.90	----	10.40B/*1.10A	10.40B/*1.10A	----	1.30 - 3.70	----	----	.0060	3	----	3	----	7	+								
4585	7.40	7.40	----	11.40B/*1.20A	11.40B/*1.20A	----	1.30 - 4.00	----	----	.0063	6	----	6	----	9	+								
4590	9.00	9.00	----	12.50B/*1.20A	12.50B/*1.20A	----	1.40 - 4.30	----	----	.0073	6	----	6	----	5	+								
4595	6.80	6.80	----	13.40B/*1.30A	13.40B/*1.30A	----	1.50 - 4.60	----	----	.0084	5													

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
GOLD WEEKLY TUESDAY OPTION week2																		
GWT TUE																		
MAY26																		
4765	----	----	----	#113.10B/*36.00	113.10B/*36.00A	----	----	----	47.80	NEW	.7861	----	2	----	2	+	2	
4765	23.30	23.30	----	27.70B/*5.00A	27.70B/*5.00A	----	----	----	11.50	NEW	.2138	----	2	----	2	+	2	
4770	11.00	11.00	----	25.50B/*4.50A	25.50B/*4.50A	----	----	----	10.20	- 12.40	.1840	----	55	----	53	+	52	
4775	5.70	5.70	----	23.40B/*4.00A	23.40B/*4.00A	----	----	----	9.00	- 12.00	.1568	----	59	----	45	+	39	
4775	----	----	----	63.20B/28.70A	63.20B/28.70A	----	----	----	45.80	- 7.50	.3902	----	----	----	14	UNCH	39	
4775	----	----	----	122.10B/*41.90A	122.10B/*41.90A	----	----	----	55.30	- 9.90	.8430	----	----	----	2	UNCH	4	
4780	6.50	6.50	----	21.40B/*3.80A	21.40B/*3.80A	----	----	----	8.00	- 11.40	.1336	----	19	----	11	+	11	
4785	7.50	7.50	----	19.50B/*3.40A	19.50B/*3.40A	----	----	----	7.00	- 11.00	.1119	----	7	----	4	+	3	
4790	10.00	10.00	----	17.80B/*3.20A	17.80B/*3.20A	----	----	----	6.20	- 10.40	.0942	----	4	----	4	+	3	
4795	7.20	7.20	----	16.20B/*2.90A	16.20B/*2.90A	----	----	----	5.40	- 9.90	.0777	----	7	----	10	+	3	
4795	----	----	----	#140.70B/*54.90	140.70B/*54.90A	----	----	----	71.70	- 7.90	.9222	----	----	----	1	UNCH	3	
4800	27.80	27.80	----	52.40B/23.40A	52.40B/23.40A	----	----	----	37.30	- 6.80	.3322	----	15	----	37	+	10	
4800	6.50	6.50	----	14.80B/*2.60A	14.80B/*2.60A	----	----	----	4.80	- 9.30	.0650	----	104	----	123	+	30	
4800	69.00	69.00	----	145.40B/*58.40A	145.40B/*58.40A	----	----	----	76.10	- 7.30	.9348	----	1	----	2	+	1	
4805	3.40	3.40	----	13.40B/*2.40A	13.40B/*2.40A	----	----	----	4.20	- 8.80	.0534	----	47	----	26	-	6	
4810	4.50	4.50	----	12.10B/*2.20A	12.10B/*2.20A	----	----	----	3.70	- 8.30	.0440	----	14	----	10	+	8	
4815	2.70	2.70	----	11.00B/*2.00A	11.00B/*2.00A	----	----	----	3.20	- 7.90	.0354	----	30	----	20	+	16	
4820	2.60	2.60	----	9.90B/*1.80A	9.90B/*1.80A	----	----	----	2.80	- 7.40	.0288	----	6	----	16	+	5	
4825	2.20	2.20	----	8.90B/*1.70A	8.90B/*1.70A	----	----	----	2.50	- 6.90	.0239	----	65	----	162	+	9	
4825	----	----	----	169.40B/*77.90A	169.40B/*77.90A	----	----	----	98.70	- 5.00	.9760	----	----	----	1	UNCH	5	
4825	----	----	----	43.40B/18.90A	43.40B/18.90A	----	----	----	30.20	- 6.10	.2792	----	8	----	17	+	5	
4830	2.30	2.30	----	8.00B/*1.60A	8.00B/*1.60A	----	----	----	2.10	NEW	.0184	----	19	----	15	+	15	
4835	3.20	3.20	----	7.20B/*1.40A	7.20B/*1.40A	----	----	----	1.90	NEW	.0154	----	11	----	8	+	8	
4840	1.90	1.90	----	2.50/*1.30A	6.50B/*1.30A	----	----	----	1.60	- 5.70	.0118	----	5	----	4	+	1	
4840	----	----	----	#184.10B/*90.10	184.10B/*90.10A	----	----	----	112.90	- 3.70	.9881	----	----	----	2	UNCH	1	
4845	2.10	2.10	----	2.10/*1.20A	5.80B/*1.20A	----	----	----	1.40	NEW	.0094	----	20	----	20	+	20	
4850	19.10	19.10	----	35.80B/15.20A	35.80B/15.20A	----	----	----	24.30	- 5.30	.2320	----	6	----	7	+	4	
4850	----	----	----	193.90B/*99.10A	193.90B/*99.10A	----	----	----	122.50	- 2.90	.9926	----	----	----	1	UNCH	4	
4850	1.50	1.50	----	5.50/*1.20A	5.50/*1.20A	----	----	----	1.20	- 5.00	.0073	----	48	----	129	-	11	
4855	----	----	----	----/*1.10A	4.70B/*1.10A	----	----	----	1.10	- 4.60	.0062	----	----	----	1	UNCH	1	
4870	1.30	1.30	----	3.40B/*0.70A	3.40B/*0.70A	----	----	----	0.70	- 3.70	.0029	----	78	----	118	+	18	
4875	----	----	----	29.30B/12.30A	29.30B/12.30A	----	----	----	19.50	- 4.60	.1910	----	5	----	5	UNCH	1	
4875	0.80	0.80	----	3.10/*0.70A	3.10/*0.70A	----	----	----	0.60	- 3.50	.0022	----	29	----	53	+	18	
4880	0.50	0.50	----	0.50/*0.50	2.70B/*0.50	----	----	----	0.50	- 3.30	.0016	----	1	----	2	+	1	
4885	----	----	----	----/*0.60A	2.40B/*0.60A	----	----	----	0.40	- 3.10	.0011	----	----	----	8	UNCH	1	
4890	----	----	----	----/*0.50A	2.10B/*0.50A	----	----	----	0.40	- 2.80	.0011	----	2	----	5	+	2	
4895	----	----	----	----/*0.50A	1.90B/*0.50A	----	----	----	0.30	NEW	.0007	----	1	----	1	+	1	
4900	1.40	1.40	----	1.80/*0.30	1.80/*0.30	----	----	----	0.30	- 2.50	.0006	----	20	----	30	+	13	
4900	13.10	13.10	----	23.80B/10.10A	23.80B/10.10A	----	----	----	15.50	- 4.00	.1554	----	14	----	22	+	12	
4905	0.60	0.60	----	1.40B/*0.40A	1.40B/*0.40A	----	----	----	0.20	NEW	.0003	----	1	----	1	+	1	
4920	----	----	----	----/*0.30A	1.00B/*0.30A	----	----	----	0.20	- 1.80	.0003	----	----	----	1	UNCH	1	
4925	12.40	12.40	----	19.20B/8.20A	19.20B/8.20A	----	----	----	12.30	- 3.50	.1255	----	24	----	24	+	22	
4925	0.20	0.20	----	0.20/*0.20	0.90B/*0.20	----	----	----	0.20	- 1.70	.0003	----	4	----	12	+	4	
4940	0.80	0.80	----	0.80/*0.20	0.80/*0.20	----	----	----	0.20	- 1.30	.0002	----	9	----	52	+	2	
4950	12.30	12.30	----	15.40B/6.70A	15.40B/6.70A	----	----	----	9.80	- 3.00	.1011	----	4	----	4	+	3	
4950	----	----	----	272.50B/194.80A	272.50B/194.80A	----	----	----	221.40	+	0.80	.9998	----	----	1	UNCH	1	
4950	0.60	0.60	----	0.60/*0.20	0.60/*0.20	----	----	----	0.20	- 1.10	.0002	----	2	----	9	+	2	
4965	0.20	0.20	----	0.20/*0.20	0.30B/*0.20	----	----	----	0.10	NEW	.0000	----	1	----	1	+	1	
4970	----	----	----	----/*0.20A	0.20B/*0.20A	----	----	----	0.10	- 0.90	.0000	----	----	----	2	UNCH	1	
4975	9.80	9.80	----	12.40B/5.50A	12.40B/5.50A	----	----	----	7.70	- 2.70	.0803	----	3	----	4	+	3	
4975	----	----	----	----/*0.20A	0.20B/*0.20A	----	----	----	0.10	- 0.90	.0000	----	----	----	11	UNCH	3	
4980	----	----	----	----/*0.20A	0.20B/*0.20A	----	----	----	0.10	- 0.80	.0000	----	2	----	2	UNCH	1	
5000	4.40	4.40	----	10.00B/4.40	10.00B/4.40	----	----	----	6.10	- 2.30	.0639	----	9	----	10	+	8	
5000	----	----	----	----/*0.20A	0.10B/*0.20A	----	----	----	0.10	- 0.70	.0000	----	3	----	50	UNCH	1	
5000	----	----	----	322.40B/244.30A	322.40B/244.30A	----	----	----	271.40	+	1.40	1.0000	----	1	----	0	-	1
5010	----	----	----	----/*0.20A	0.10B/*0.20A	----	----	----	0.10	- 0.60	.0000	----	----	----	1	UNCH	1	
5025	----	----	----	370.30B/277.40A	370.30B/277.40A	----	----	----	301.00	NEW	.9485	----	2	----	2	+	2	
5025	----	----	----	----/*0.20A	----/*0.20A	----	----	----	0.10	- 0.50	.0000	----	----	----	1	UNCH	1	
5025	----	----	----	347.20B/269.30A	347.20B/269.30A	----	----	----	296.40	+	1.60	1.0000	----	----	1	UNCH	1	
5025	----	----	----	8.00B/3.80A	8.00B/3.80A	----	----	----	4.90	- 2.00	.0513	----	----	----	1	UNCH	1	
5050	----	----	----	----/*0.20A	----/*0.20A	----	----	----	0.10	- 0.40	.0000	----	----	----	7	UNCH	1	
5075	----	----	----	----/*0.20A	----/*0.20A	----	----	----	0.10	- 0.30	.0000	----	----	----	3	UNCH	1	
5075	----	----	----	5.30B/*2.70A	5.30B/*2.70A	----	----	----	3.30	- 1.40	.0339	----	----	----	3	UNCH	1	
5100	----	----	----	383.20B/348.20A	383.20B/348.20A	----	----	----	373.80	+	0.90	.9724	----	1	----	2	+	2
5100	----	----	----	----/*0.20A	----/*0.20A	----	----	----	0.10	NEW	.0000	----	2	----	2	+	2	
5100	----	----	----	422.20B/344.10A	422.20B/344.10A	----	----	----	371.40	+	1.80	1.0000	----	----	1	UNCH	1	
5100	----	----	----	4.30B/*2.30A	4.30B/*2.30A	----	----	----	2.70	- 1.20	.0274	----	----	----	1	UNCH	1	
5125	----	----	----	----/*0.20A	----/*0.20A	----	----	----	0.10	- 0.20	.0000	----	----	----	3	UNCH	1	
5140	----	----	----	----/0.20A	----/0.20A	----	----	----	0.10	- 0.10	.0000	----	----	----	1	UNCH	1	
5150	2.60	2.60	----	2.90B/*1.80A	2.90B/*1.80A	----	----	----	1.90	- 0.90	.0187	----	5	----	6	+	5	
5175	----	----	----	----/*0.20A	----/*0.20A	----	----	----	0.10	UNCH	.0000	----	----	----	1	UNCH	1	
5200	----	----	----	----	----/0.20A	----	----	----	0.10	UNCH	.0000	----	----	----	1	UNCH	1	
5200	----	----	----	----	----	----	----	----	472.50	+	1.50	.9867	----	----	1	UNCH	1	
5200	1.70	1.70	----	1.70/*1.40A	1.90B/*1.40A	----	----	----	1.40	- 0.70	.0132	----	1	----	20	+	1	
5225	----	----	----	----/*1.30A	1.60B/*1.30A	----	----	----	1.30	- 0.50	.0119	----	----	----	1	UNCH	1	
5225	----	----	----	----	----/*0.20A	----	----	----	0.10	UNCH	.0000	----	----	----	5	UNCH	1	
5250	----	----	----	----/*1.20A	1.40B/*1.20A	----	----	----	1.10	- 0.50	.0099	----	----	----	1	UNCH	1	
5300	----	----	----	----/*1.00A	0.90B/*1.00A	----	----	----	0.90	- 0.40	.0077	----	----	----	1	UNCH	1	
5400	----	----	----	----/*0.80A	0.60B/*0.80A	----	----	----	0.60	- 0.40	.0047	----	----	----	2	UNCH	1	
TOTAL													2658		4112	+	1467	
JUN26																		
3250	----	----	----	----/*4.20A	0.30B/*1.60A	----	----	----	0.40	- 0.40	.0016	----	----	----	2	UNCH	1	
4100	6.50	6.50	----	4.30B/*4.20A	4.30B/*4.20A	----	----	----	4.10	- 0.50	.0248	----	----	----	2	UNCH	1	
4200	----	----	----	6.90B/*5.90A	6.90B/*5.90A	----	----	----	5.90	- 0.90	.0372	----	1	----	1	UNCH	1	
4275	----	----	----	----/*12.90A	15.90B/*12.90A	----	----	----	13.60	- 2.70	.0746	----	----	----	6	UNCH	1	
4300	----	----	----	#18.30B/*14.40A	#18.30B/*14.40A	----	----	----	15.00	- 2.40	.0824	----	----	----	1	UNCH	1	
4300	----	----	----	12.30B/*9.00A	12.30B/*9.00A	----	----	----	9.10	- 1.70	.0586	----	----	----	1	UNCH	1	
4350	----	----	----	#23.60B/*18.10A	#23.60B/*18.10A	----	----	----	18.50	- 2.30	.1013	----	----	----	2	UNCH	1	



GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
GOLD WEEKLY THURSDAY OPTION week2																	
MAY26																	
4275	----	----		----/*0.60A	0.80B/*0.60A	----			0.50 - 0.50	.0025	----	----	----	----		4	UNCH
4275	----	----		4.60B/*2.80A	4.60B/*2.80A	----			2.90 - 1.10	.0234	----	----	----	----		20	UNCH
4300	----	----		----/*0.70A	1.00B/*0.70A	----			0.60 - 0.50	.0032	----	----	----	----		104	UNCH
4300	5.70	5.70		----/422.70A	408.40B/422.70A	----			470.20 - 3.50	.9547	----	----	----	----		1	UNCH
4300				5.70/*3.10A	5.70/*3.10A	----			3.30 - 1.30	.0272	----	----	1	----	2 +	2	
4325	----	----		----/*0.80A	1.30B/*0.80A	----			0.70 - 0.60	.0041	----	----	----	----		23	UNCH
4325	----	----		6.80B/*3.60A	6.80B/*3.60A	----			3.80 - 1.50	.0319	----	----	----	----		10	UNCH
4330	1.30	1.30		#1.30/*0.80A	1.30/*0.80A	----			0.80 NEW	.0047	----	----	25	----	25 +	25	
4350	----	----		1.60B/*0.90A	1.60B/*0.90A	----			0.80 - 0.70	.0050	----	----	----	----		4	UNCH
4350	----	----		8.20B/*4.20A	8.20B/*4.20A	----			4.50 - 1.60	.0381	----	----	----	----		1	UNCH
4375	----	----		2.10B/*1.00A	2.10B/*1.00A	----			1.00 - 0.80	.0067	----	----	----	----		53	UNCH
4400	----	----		2.70B/*1.10A	2.70B/*1.10A	----			1.10 - 1.10	.0079	----	----	----	----		107	UNCH
4400	----	----		16.70B/10.60A	16.70B/10.60A	----			11.00 - 2.90	.0779	----	----	----	----		41	UNCH
4400	----	----		12.20B/*5.70A	12.20B/*5.70A	----			6.30 - 2.10	.0544	----	----	----	----		5	UNCH
4425	----	----		3.50B/*1.30A	3.50B/*1.30A	----			1.30 - 1.30	.0101	----	----	----	----		4	UNCH
4450	----	----		17.70B/*8.10A	17.70B/*8.10A	----			9.00 - 2.80	.0785	----	----	----	----		20	UNCH
4450	----	----		4.80B/*1.50A	4.80B/*1.50A	----			1.60 - 1.60	.0134	----	----	----	----		138	UNCH
4470	----	----		#6.00B/*1.70A	6.00B/*1.70A	----			1.90 NEW	.0169	----	----	1	----	1 +	1	
4475	----	----		6.40B/*1.80A	6.40B/*1.80A	----			2.00 - 2.00	.0181	----	----	----	----		26	UNCH
4475	269.00	269.00		292.50B/205.70A	292.50B/205.70A	----			264.40 NEW	.9048	----	----	1	----	1 +	1	
4480	5.20	5.20		#6.60B/*1.90A	6.60B/*1.90A	----			2.10 NEW	.0193	----	----	1	----	1 +	1	
4485	5.30	5.30		#7.00B/*1.90A	7.00B/*1.90A	----			2.20 NEW	.0205	----	----	2	----	2 +	2	
4495	----	----		#8.10B/*2.10A	8.10B/*2.10A	----			2.40 NEW	.0231	----	----	1	----	1 +	1	
4500	6.30	6.30		8.70B/*2.20A	8.70B/*2.20A	----			2.50 - 2.60	.0244	----	----	1	----	21 +	1	
4500	----	----		25.90B/*11.70A	25.90B/*11.70A	----			13.30 - 3.60	.1150	----	----	----	----		1	UNCH
4510	10.00	10.00		#10.00/*2.40A	10.00/*2.40A	----			2.80 NEW	.0281	----	----	3	----	2 +	2	
4525	----	----		11.50B/*2.80A	11.50B/*2.80A	----			3.30 - 3.20	.0345	----	----	----	----		16	UNCH
4540	4.80	4.80		#13.70B/*3.30A	13.70B/*3.30A	----			3.90 NEW	.0425	----	----	1	----	1 +	1	
4545	5.00	5.00		#14.40B/*3.50A	14.40B/*3.50A	----			4.20 NEW	.0462	----	----	2	----	2 +	2	
4550	40.00	40.00		42.50B/*25.80A	42.50B/*25.80A	----			28.00 - 4.20	.1845	----	----	1	----	0 -	1	
4550	----	----		38.00B/*17.40A	38.00B/*17.40A	----			19.90 - 4.40	.1672	----	----	----	----		7	UNCH
4550	12.50	12.50		15.40B/*3.70A	15.40B/*3.70A	----			4.50 - 3.90	.0501	----	----	4	----	18 +	1	
4555	10.70	10.70		#16.40B/*3.90A	16.40B/*3.90A	----			4.70 NEW	.0531	----	----	2	----	2 +	2	
4560	5.90	5.90		#17.30B/*4.10A	17.30B/*4.10A	----			5.10 NEW	.0580	----	----	2	----	2 +	2	
4565	6.40	6.40		#18.40B/*4.40A	18.40B/*4.40A	----			5.40 NEW	.0622	----	----	8	----	8 +	8	
4570	7.10	7.10		#19.50B/*4.60A	19.50B/*4.60A	----			5.70 NEW	.0664	----	----	3	----	3 +	3	
4575	----	----		187.80B/104.50A	187.80B/104.50A	----			159.80 - 6.70	.9281	----	----	----	----		9	UNCH
4575	7.30	7.30		20.70B/*4.90A	20.70B/*4.90A	----			6.10 - 4.80	.0717	----	----	3	----	104 +	1	
4575	----	----		45.60B/*21.30A	45.60B/*21.30A	----			24.40 - 4.80	.2003	----	----	----	----		34	UNCH
4580	7.50	7.50		#21.80B/*5.20A	21.80B/*5.20A	----			6.50 NEW	.0772	----	----	9	----	9 +	9	
4585	8.10	8.10		#23.20B/*5.60A	23.20B/*5.60A	----			7.00 NEW	.0837	----	----	1	----	1 +	1	
4590	----	----		#24.50B/*5.90A	24.50B/*5.90A	----			7.50 NEW	.0903	----	----	4	----	4 +	4	
4600	----	----		184.90B/114.70A	184.90B/114.70A	----			158.40 - 7.10	.7616	----	----	----	----		150	UNCH
4600	----	----		164.90B/86.40A	164.90B/86.40A	----			137.20 - 7.60	.8958	----	----	----	----		13	UNCH
4600	9.90	9.90		27.50B/*6.70A	27.50B/*6.70A	----			8.50 - 5.70	.1041	----	----	2	----	187 -	1	
4600	30.80	30.80		54.30B/*26.00A	54.30B/*26.00A	----			29.80 - 5.10	.2381	----	----	1	----	1	UNCH	
4605	10.60	10.60		#29.10B/*7.20A	29.10B/*7.20A	----			9.10 NEW	.1121	----	----	6	----	6 +	6	
4615	----	----		#32.60B/*8.10A	32.60B/*8.10A	----			10.40 NEW	.1295	----	----	2	----	2 +	2	
4620	----	----		#34.40B/*8.70A	34.40B/*8.70A	----			11.20 NEW	.1397	----	----	8	----	6 +	6	
4625	----	----		165.80B/100.20A	165.80B/100.20A	----			139.90 - 7.40	.7191	----	----	----	----		1	UNCH
4625	57.00	57.00		64.10B/*31.70A	64.10B/*31.70A	----			36.30 NEW	.2806	----	----	2	----	1 +	1	
4625	93.00	93.00		142.80B/70.00A	142.80B/70.00A	----			115.60 NEW	.8505	----	----	11	----	11 +	11	
4625	----	----		36.40B/*9.30A	36.40B/*9.30A	----			11.90 - 6.70	.1493	----	----	----	----		51	UNCH
4640	38.10	38.10		#41.00B/*11.40A	41.00B/*11.40A	----			14.60 NEW	.1841	----	----	50	----	50 +	50	
4645	----	----		#44.80B/*12.20A	44.80B/*12.20A	----			15.60 - 7.40	.1969	----	----	----	----		7	UNCH
4650	----	----		147.70B/86.70A	147.70B/86.70A	----			122.60 - 7.60	.6724	----	----	----	----		15	UNCH
4650	----	----		45.40B/*13.10A	45.40B/*13.10A	----			16.70 - 7.50	.2105	----	----	2	----	66 +	2	
4650	----	----		121.90B/55.50A	121.90B/55.50A	----			95.40 - 9.50	.7893	----	----	----	----		12	UNCH
4660	63.00	63.00		#113.90B/*51.10	113.90B/*51.10A	----			87.70 - 9.50	.7602	----	----	6	----	6 +	6	
4675	48.10	48.10		60.10B/*18.40A	60.10B/*18.40A	----			23.20 - 8.20	.2878	----	----	65	----	74 +	62	
4675	51.10	51.10		102.60B/43.30A	102.60B/43.30A	----			76.90 - 10.10	.7120	----	----	30	----	192 +	22	
4675	----	----		88.80B/*55.60A	88.80B/*55.60A	----			60.20 - 5.30	.3452	----	----	----	----		1	UNCH
4675	61.50	61.50		88.30B/*46.60A	88.30B/*46.60A	----			52.90 NEW	.3773	----	----	2	----	1 +	1	
4680	51.00	51.00		#63.00B/*19.60A	63.00B/*19.60A	----			24.70 NEW	.3050	----	----	1	----	1 +	1	
4695	----	----		#71.90B/*23.70A	71.90B/*23.70A	----			29.80 NEW	.3601	----	----	1	----	1 +	1	
4700	33.40	33.40		75.10B/*25.20A	75.10B/*25.20A	----			31.70 - 8.60	.3794	----	----	36	----	135 +	15	
4700	68.90	68.90		84.60B/33.00A	84.60B/33.00A	----			60.40 - 10.60	.6204	----	----	61	----	70 +	5	
4700	61.50	61.50		101.20B/*55.70A	101.20B/*55.70A	----			63.30 - 5.70	.4301	----	----	5	----	5	4	
4700	----	----		114.80B/63.90A	114.80B/63.90A	----			92.00 - 7.70	.5696	----	----	----	----		3	UNCH
4705	36.50	36.50		#81.20B/*31.00	81.20B/*31.00	----			57.40 - 10.60	.6007	----	----	60	----	24 +	23	
4720	36.00	36.00		#88.50B/*32.40A	88.50B/*32.40A	----			40.20 NEW	.4599	----	----	10	----	5 +	5	
4725	43.70	43.70		92.10B/*34.40A	92.10B/*34.40A	----			42.60 - 8.60	.4805	----	----	18	----	67 +	17	
4725	54.00	54.00		68.50B/24.50A	68.50B/24.50A	----			46.30 - 10.60	.5193	----	----	1	----	2	UNCH	
4730	----	----		#65.20B/*23.30A	65.20B/*23.30A	----			43.70 NEW	.4986	----	----	11	----	6 +	6	
4735	----	----		#99.40B/*38.70A	99.40B/*38.70A	----			47.60 - 8.50	.5219	----	----	2	----	30	UNCH	
4745	51.30	51.30		#106.90B/*43.30	106.90B/*43.30A	----			53.00 NEW	.5631	----	----	66	----	60 +	60	
4745	----	----		#56.60B/*19.40A	56.60B/*19.40A	----			36.70 NEW	.4367	----	----	4	----	4 +	4	
4750	----	----		122.50B/*84.90A	122.50B/*84.90A	----			91.60 - 5.00	.4658	----	----	----	----		1	UNCH
4750	54.10	54.10		110.80B/*45.80A	110.80B/*45.80A	----			55.90 - 8.10	.5833	----	----	9	----	39 +	9	
4750	49.60	49.60		87.20B/45.90A	87.20B/45.90A	----			67.00 - 7.20	.4616	----	----	1	----	2	UNCH	
4750	48.70	48.70		54.20B/18.20A	54.20B/18.20A	----			34.60 - 10.10	.4165	----	----	21	----	122 +	15	</

PG64	BULLETIN # 89@										METALS OPTION PRODUCTS										Mon, May 11, 2026										PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST																
GWR THU	GOLD WEEKLY THURSDAY OPTION week3																														
MAY26	----	----	----	6.70B/3.70A	6.70B/3.70A	----	----	----	4.50 - 1.10	.0408	----	----	----	----	1	UNCH															
5125	----	----	----	5.60B/*3.20A	5.60B/3.20A	----	----	----	3.90 - 0.90	.0350	----	----	----	----	4	UNCH															
5150	----	----	----	----/*0.60A	0.40B/*0.60A	----	----	----	0.40 - 0.40	.0024	----	----	----	----	3	UNCH															
5175	----	----	----	497.20B/419.80A	497.20B/419.80A	----	----	----	446.50 + 1.70	.9983	----	----	----	1	UNCH																
5200	----	----	----	----/*0.50A	0.20B/*0.50A	----	----	----	0.30 - 0.30	.0016	----	----	1	----	2 +	1															
5250	----	----	----	3.00B/*2.10A	3.00B/*2.10A	----	----	----	2.20 - 0.60	.0190	----	----	----	----	1	UNCH															
5300	----	----	----	2.30B/*1.80A	2.30B/*1.80A	----	----	----	1.80 - 0.40	.0150	----	----	----	----	3	UNCH															
5400	----	----	----	----/*1.30A	1.40B/*1.30A	----	----	----	1.20 - 0.30	.0094	----	----	----	----	40	UNCH															
5500	----	----	----	----	----/*0.30A	----	----	----	0.10	UNCH	----	----	----	----	1	UNCH															
5750	----	----	----	1.40B/----	1.40B/*1.70A	----	----	----	1.30 + 0.10	.0085	----	----	----	----	1	UNCH															
TOTAL													718		3356+	486															
JUN26	----	----	----	#213.40B/*165.6	213.40B/*165.60A	----	----	----	199.00 - 6.20	.6971	----	----	----	----	9	UNCH															
4625	58.00	58.00		#79.00B/*51.30A	#79.00B/*51.30A	----	----	----	65.10	NEW	.3350	----	3	----	3 +	3															
4900													3		12 +	3															
TOTAL																															
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST																
GMW MON	GOLD WEEKLY MONDAY OPTION WEEK2																														
MAY26	----	----	----	----	----/0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0	-	1														
3700	----	----	----	----	----/0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0	-	60														
3900	0.80	0.80		0.80/*0.70	0.90B/*0.70	----	----	----	0.80 - 0.20	.0045	----	----	6	----	11 +	6															
4000	----	----	----	----	----/0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0	-	5														
4000	0.90	0.90		0.90/*0.90	0.90/*0.90	----	----	----	0.90 - 0.30	.0058	----	1	----	4	----	UNCH															
4100	----	----	----	----	----/*0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0	-	3														
4100	----	----	----	----	----/*0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0	-	1														
4125	----	----	----	----	----/*0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0	-	1														
4150	----	----	----	----	----/*0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0	-	1														
4175	----	----	----	----	----/*0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0	-	2														
4175	1.20	1.20		1.20/*1.20	1.20/*1.20	----	----	----	1.10	NEW	.0078	----	2	----	2	+	2														
4200	2.00	2.00		2.00/*1.00	2.00/*1.00	----	----	----	1.20 - 0.30	.0088	----	5	----	8	+	3															
4200	----	----	----	----	----/*0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0	-	13														
4250	1.20	1.20		1.20/*1.20	1.70B/*1.20	----	----	----	1.30	NEW	.0104	5	----	5	+	5															
4250	----	----	----	----	----/0.20A	----	----	----	0.00 - 0.10	----	----	----	----	----	0	-	7														
4275	----	----	----	----	----/*0.20A	----	----	----	0.00 - 0.10	----	----	----	----	----	0	-	2														
4300	----	----	----	----	----/*0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0	-	58														
4300	2.10	2.10		2.60B/*1.70A	2.60B/*1.70A	----	----	----	1.60 - 0.80	.0138	----	63	----	76	+	49															
4315	----	----	----	----	----/*0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0	-	1														
4325	----	----	----	----	----/*0.20A	----	----	----	0.00 - 0.10	----	----	----	----	----	0	-	17														
4325	----	----	----	3.10B/*1.80A	3.10B/*1.80A	----	----	----	1.80 - 0.90	.0160	----	----	----	5	----	UNCH															
4350	3.80	3.80		3.90B/*2.00A	3.90B/*2.00A	----	----	----	2.00 - 1.20	.0185	----	4	----	22	+	1															
4350	----	----	----	----	----/0.20A	----	----	----	0.00 - 0.10	----	----	----	----	----	0	-	17														
4355	0.20	0.20		#0.20/*0.10A	0.20/*0.10A	----	----	----	0.00	NEW	----	2	----	0	----	UNCH															
4360	----	----	----	----	----/0.20A	----	----	----	0.00 - 0.10	----	----	----	----	----	0	-	6														
4365	----	----	----	----	----/*0.20A	----	----	----	0.00 - 0.10	----	----	----	----	----	0	-	1														
4375	----	----	----	4.80B/*2.30A	4.80B/*2.30A	----	----	----	2.40 - 1.30	.0228	----	----	----	4	----	UNCH															
4375	0.20	0.20		0.20/*0.10A	0.20/*0.10A	----	----	----	0.00 - 0.20	----	----	1	----	0	-	46															
4400	5.90	5.90		6.80/*2.60A	6.80/*2.60A	----	----	----	2.90 - 1.50	.0283	----	2	----	27	----	UNCH															
4400	0.30	0.30		0.30/0.30	0.30/0.20A	----	----	----	0.00 - 0.20	----	----	1	----	0	-	26															
4410	----	----	----	346.60B/247.50A	346.60B/247.50A	----	----	----	318.70 - 2.20	----	1	----	----	0	-	1															
4425	----	----	----	7.50B/*3.20A	7.50B/*3.20A	----	----	----	3.50 - 1.80	.0350	----	1	----	6	+	1															
4425	0.40	0.40		0.40/*0.10A	0.40/*0.10A	----	----	----	0.00 - 0.30	----	----	4	----	0	-	39															
4440	----	----	----	----/0.20A	----/0.20A	----	----	----	0.00 - 0.40	----	----	----	----	0	-	4															
4450	0.20	0.20		0.30/*0.10A	0.30/*0.10A	----	----	----	0.00 - 0.40	----	----	2	----	0	-	149															
4450	4.10	4.10		9.80B/*3.80A	9.80B/*3.80A	----	----	----	4.30 - 2.10	.0439	----	8	----	12	+	7															
4455	----	----	----	----/*0.20A	----/*0.20A	----	----	----	0.00 - 0.40	----	----	----	----	0	-	2															
4460	----	----	----	----/*0.20A	----/*0.20A	----	----	----	0.00 - 0.40	----	----	5	----	0	-	10															
4465	----	----	----	----/*0.20A	----/*0.20A	----	----	----	0.00 - 0.50	----	----	----	----	0	-	1															
4470	----	----	----	----/*0.10A	0.10B/*0.10A	----	----	----	0.00 - 0.50	----	----	----	----	0	-	1															
4475	----	----	----	12.40B/*4.70A	12.40B/*4.70A	----	----	----	5.30 - 2.60	.0551	----	----	----	4	----	UNCH															
4475	----	----	----	----/*0.10A	0.20B/*0.10A	----	----	----	0.00 - 0.50	----	----	----	----	0	-	22															
4480	0.50	0.50		0.50/*0.10	0.50/*0.10	----	----	----	0.00 - 0.50	----	----	3	----	0	-	2															
4485	----	----	----	----/*0.10A	0.30B/*0.10A	----	----	----	0.00 - 0.60	----	----	----	----	0	-	20															
4490	----	----	----	----/*0.10A	0.30B/*0.10A	----	----	----	0.00 - 0.60	----	----	5	----	0	-	10															
4495	0.40	0.40		0.50/*0.10A	0.50/*0.10A	----	----	----	0.00 - 0.60	----	----	3	----	0	-	3															
4500	6.60	6.60		15.90B/*5.70A	15.90B/*5.70A	----	----	----	6.70 - 3.00	.0704	----	26	----	30	+	18															
4500	----	----	----	256.30B/158.10A	256.30B/158.10A	----	----	----	228.70 - 2.60	----	2	----	2	----	0	-	2														
4500	0.90	0.90		0.90/*0.10A	0.90/*0.10A	----	----	----	0.00 - 0.60	----	----	2	----	0	-	67															
4505	----	----	----	----/*0.10A	0.50B/*0.10A	----	----	----	0.00 - 0.70	----	----	----	----	0	-	25															
4510	----	----	----	----/*0.10A	0.50B/*0.10A	----	----	----	0.00 - 0.70	----	----	----	----	0	-	2															
4515	0.60	0.60		0.60/*0.10A	0.60/*0.10A	----	----	----	0.00 - 0.80	----	----	3	----	0	-	4															
4520	----	----	----	236.20B/138.50A	236.20B/138.50A	----	----	----	208.70 - 2.80	----	1	----	1	----	0	-	1														
4520	0.30	0.30		0.30/*0.10A	0.60B/*0.10A	----	----	----	0.00 - 0.80	----	----	2	----	0	-	8															
4525	----	----	----	20.30B/*7.20A	20.30B/*7.20A	----	----	----	8.50 - 3.50	.0898	----	3	----	4	+	3															
4525	----	----	----	----/*0.10A	0.70B/*0.10A	----	----	----	0.00 - 0.90	----	----	1	----	0	-	31															
4530	----	----	----	----/*0.10A	0.80B/*0.10A	----	----	----	0.00 - 0.90	----	----	----	----	0	-	6															
4535	----	----	----	221.30B/124.00A	221.30B/124.00A	----	----	----	193.70 - 2.90	----	2	----	2	----	0	-	2														
4535	0.80	0.80		1.00B/*0.10A	1.00B/*0.10A	----	----	----	0.00 - 1.00	----	----	1	----	0	-	4															
4540	1.10	1.10		1.50/*0.10A	1.50/*0.10A	----	----	----	0.00 - 1.00	----	----	6	----	0	-	10															
4545	1.90	1.90		1.90/*0.10A	1.90/*0.10A	----	----	----	0.00 - 1.10	----	----	3	----	0	-	5															
4550	22.50	22.50		25.50B/*9.10A	25.50B/*9.10A	----	----	----	10.80 - 4.20	.1143	----	27	----	30	+	20															
4550	1.00	1.00		2.00/*0.10A	2.00/*0.10A	----	----	----	0.00 - 1.20	----	----	35	----	0	-	23															
4550	----	----	----	206.40B/109.50A	206.40B/109.50A	----	----	----	178.70 - 3.10	----	3	----	3	----	0	-	3														
4555	----	----	----	1.70B/*0.10A	1.70B/*0.10A	----	----	----	0.00 - 1.30	----	----	----	----	0	-	3															
4560	0.30	0.30		2.00B/*0.10A	2.00B/*0.10A	----	----	----	0.00 - 1.40	----	----	2	----	0	-	6															
4565	----	----	----	191.80B/95.30A	191.80B/95.30A	----	----	----	163.70 - 3.40	----	2	----	----	0	-	2															
4570	1.20	1.20		2.30B/*0.10A	2.30B/*0.10A	----	----	----	0.00 - 1.50	----	----	----	----	0	-	12															
4570	----	----	----	2.60B/*0.10A	2.60B/*0.10A	----	----	----	0.00 - 1.60	----	----	2	----	0	-	6															
4570	----	----	----	186.80B/90.70A	186.80B/90.70A	----	----	----	158.70 - 3.50	----	89	----	----	0	-	89															
4575	----	----	----	31.60B/*11.50A	31.60B/*11.50A	----	----	----	13.80 - 4.90	.1451	----	5	----	11	+	4															
4575	2.00	2.00		2.90B/*0.10A	2.90B/*0.10A	----	----	----	0.00 - 1.70	----	----	8	----	0	-	9															
4575	----	----	----	181.80B/86.10A	181.80B/86.10A	----	----	----	153.70 - 3.60	----	1	----	----	0	-	1															
4580	----	----	----	176.80B/81.60A	176.80B/81.60A	----	----	----	148.70 - 3.80	----	1	----	----	0	-	1															
4580	1.90	1.90		3.30B/*0.20A	3.30B/*0.20A	----	----	----	0.00 - 1.80	----	----	5	----	0	-	10															
4585	2.50	2.50		3.70B/*0.10A	3.70B/*0.10A	----	----	----	0.00 - 2.00	----	----	----	----	0	-	12															
4585	----	----	----	171.40B/77.10A	171.40B/77.10A	----	----	----	143.70 - 3.90	----	1	----	----	0	-	1															
4590	0.70	0.70		4.20B/*0.10A	4.20B/*0.10A	----	----	----																							

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GOLD WEEKLY MONDAY OPTION WEEK2															
GMW MON MAY26	17.70	17.70		32.10B/*0.20	32.10B/*0.20	----	----	----	0.00 - 10.10	----	----	----	75	----	0 -
4675	17.70	17.70		77.00B/*10.60A	77.00B/*10.60A	----	----	----	48.70 - 13.10	----	25	----	34	----	0 -
4680	20.00	20.00		35.30B/*0.20A	35.30B/*0.20A	----	----	----	0.00 - 11.10	----	----	----	50	----	0 -
4680	15.70	15.70		38.60B/*0.20A	38.60B/*0.20A	----	----	----	0.00 - 12.20	----	----	----	23	----	0 -
4685	22.00	22.00		72.10B/*9.00A	72.10B/*9.00A	----	----	----	43.70 - 14.20	----	6	----	7	----	0 -
4685	27.00	27.00		66.90B/*7.50A	66.90B/*7.50A	----	----	----	38.70 - 15.50	----	64	----	97	50	0 -
4690	27.40	27.40		42.10B/*0.10	42.10B/*0.10	----	----	----	0.00 - 13.50	----	----	----	84	----	0 -
4690	25.00	25.00		62.20B/*6.30A	62.20B/*6.30A	----	----	----	33.70 - 16.80	----	7	----	18	----	0 -
4695	24.20	24.20		45.80B/*0.20A	45.80B/*0.20A	----	----	----	0.00 - 14.80	----	----	----	46	----	0 -
4695	20.50	20.50		98.50B/47.00A	98.50B/47.00A	----	----	----	75.20 - 9.10	.5867	----	----	----	65	UNCH
4700	----	----		88.10B/*39.50A	88.10B/*39.50A	----	----	----	46.60 - 7.10	.4131	----	2	----	12 +	1
4700	45.00	45.00		57.50B/*5.30A	57.50B/*5.30A	----	----	----	28.70 - 18.30	----	215	287	----	0 -	212
4700	20.00	20.00		49.70B/*0.10	49.70B/*0.10	----	----	----	0.00 - 16.30	----	----	102	----	0 -	132
4700	21.50	21.50		52.60B/*4.60	52.60B/*4.60	----	----	----	23.70 - 19.90	----	51	58	----	0 -	8
4705	22.70	22.70		53.70B/*0.30A	53.70B/*0.30A	----	----	----	0.00 - 17.90	----	----	72	----	0 -	25
4705	22.60	22.60		48.00B/*3.50A	48.00B/*3.50A	----	----	----	18.70 - 21.60	----	20	49	----	0 -	8
4710	18.50	18.50		57.90B/*0.30A	57.90B/*0.30A	----	----	----	0.00 - 19.60	----	----	141	----	0 -	10
4710	50.00	50.00		62.10B/*0.10	62.10B/*0.10	----	----	----	0.00 - 21.50	----	----	71	----	0 -	13
4715	13.70	13.70		43.70B/*2.30	43.70B/*2.30	----	----	----	13.70 - 23.50	----	41	52	----	0 -	26
4715	24.00	24.00		39.00B/*2.30	39.00B/*2.30	----	----	----	8.70 - 25.60	----	65	101	----	0 -	19
4720	11.00	11.00		66.50B/*0.30	66.50B/*0.30	----	----	----	0.00 - 23.60	----	----	100	----	0 -	38
4720	38.50	38.50		83.30B/37.90A	83.30B/37.90A	----	----	----	61.60 - 9.00	.5163	----	10	----	13 +	7
4725	40.00	40.00		104.30B/*49.50A	104.30B/*49.50A	----	----	----	57.90 - NEW	.4834	----	5	----	5 +	5
4725	57.60	57.60		71.00B/*0.60A	71.00B/*0.60A	----	----	----	0.00 - 25.70	----	----	149	----	0 -	52
4725	44.10	44.10		34.80B/*1.80	34.80B/*1.80	----	----	----	3.70 - 27.70	----	87	78	----	0 -	78
4725	7.20	7.20		75.50B/*1.00	75.50B/*1.00	----	----	----	1.30 - 26.80	----	79	55	----	0 -	72
4730	13.10	13.10		31.00B/*0.20	31.00B/*0.20	----	----	----	0.00 - 28.80	----	----	47	----	0 -	53
4730	11.00	11.00		80.10B/*2.30A	80.10B/*2.30A	----	----	----	6.30 - 24.30	----	35	47	----	0 -	7
4735	12.80	12.80		27.10B/*0.20A	27.10B/*0.20A	----	----	----	0.00 - 26.30	----	----	57	----	0 -	8
4735	4.00	4.00		84.80B/*3.20	84.80B/*3.20	----	----	----	11.30 - 21.90	----	62	103	----	0 -	10
4740	39.90	39.90		23.50B/*0.10	23.50B/*0.10	----	----	----	0.00 - 23.90	----	----	71	----	0 -	14
4740	3.00	3.00		20.30B/*0.10A	20.30B/*0.10A	----	----	----	0.00 - 21.70	----	----	72	----	0 -	21
4745	7.40	7.40		89.50B/*4.80	89.50B/*4.80	----	----	----	16.30 - 19.70	----	31	37	----	0 -	5
4745	14.40	14.40		121.90B/*61.30A	121.90B/*61.30A	----	----	----	71.10 - 6.70	.5543	----	2	----	4 +	2
4750	69.90	69.90		69.50B/30.50A	69.50B/30.50A	----	----	----	49.80 - 8.70	.4454	----	19	----	47 +	16
4750	59.60	59.60		94.30B/*8.20A	94.30B/*8.20A	----	----	----	21.30 - 17.70	----	141	19	----	0 -	138
4750	11.80	11.80		17.30B/*0.10	17.30B/*0.10	----	----	----	0.00 - 19.70	----	----	305	----	0 -	174
4750	6.00	6.00		99.10B/*11.60A	99.10B/*11.60A	----	----	----	26.30 - 15.80	----	10	9	----	0 -	5
4755	95.00	95.00		15.30/*0.20A	15.30/*0.20A	----	----	----	0.00 - 17.80	----	----	40	----	0 -	24
4755	3.00	3.00		12.00B/*0.20	12.00B/*0.20	----	----	----	0.00 - 16.00	----	----	39	----	0 -	24
4760	6.00	6.00		103.90B/*15.40A	103.90B/*15.40A	----	----	----	31.30 - 14.00	----	1	----	----	0 -	1
4760	----	----		9.80B/*0.20A	9.80B/*0.20A	----	----	----	0.00 - 14.40	----	----	11	----	0 -	5
4765	1.00	1.00		108.70B/*18.60A	108.70B/*18.60A	----	----	----	36.30 - NEW	----	----	2	----	0	UNCH
4765	----	----		113.60B/*21.70A	113.60B/*21.70A	----	----	----	41.30 - 10.90	----	1	2	----	0 -	3
4770	4.00	4.00		7.90B/*0.10A	7.90B/*0.10A	----	----	----	0.00 - 12.90	----	----	70	----	0 -	68
4775	31.50	31.50		57.20B/24.30A	57.20B/24.30A	----	----	----	39.80 - 8.10	.3768	----	3	----	10 +	2
4775	----	----		140.70B/*74.90A	140.70B/*74.90A	----	----	----	86.10 - 6.10	.6229	----	----	----	1	UNCH
4775	0.90	0.90		6.30B/*0.10	6.30B/*0.10	----	----	----	0.00 - 11.60	----	----	114	----	0 -	56
4775	----	----		118.50B/25.20A	118.50B/*25.20A	----	----	----	46.30 - 9.60	----	----	1	----	0 -	1
4780	2.00	2.00		4.90B/*0.10	4.90B/*0.10	----	----	----	0.00 - 10.40	----	----	16	----	0 -	8
4780	38.50	38.50		123.50B/*28.90A	123.50B/*28.90A	----	----	----	51.30 - 8.40	----	1	2	----	0	UNCH
4785	0.80	0.80		4.10B/*0.20	4.10B/*0.20	----	----	----	0.00 - 9.30	----	----	27	----	0 -	2
4790	2.00	2.00		3.00B/*0.20A	3.00B/*0.20A	----	----	----	0.00 - 8.30	----	----	33	----	0 -	7
4795	2.10	2.10		2.30B/*0.10A	2.30B/*0.10A	----	----	----	0.00 - 7.40	----	----	28	----	0 -	112
4800	1.70	1.70		2.00/*0.10A	2.00/*0.10A	----	----	----	0.00 - 6.60	----	----	65	----	0 -	185
4800	----	----		160.80B/*90.40A	160.80B/*90.40A	----	----	----	102.80 - 5.40	.6867	----	----	----	1	UNCH
4800	26.50	26.50		46.70B/19.20A	46.70B/19.20A	----	----	----	31.50 - 7.40	.3131	----	16	----	26 +	10
4800	----	----		143.20B/*45.70A	143.20B/*45.70A	----	----	----	71.30 - 4.60	----	7	5	----	0 -	9
4805	0.70	0.70		1.30B/*0.10A	1.30B/*0.10A	----	----	----	0.00 - 5.90	----	----	6	----	0 -	3
4810	0.80	0.80		1.00B/*0.10	1.00B/*0.10	----	----	----	0.00 - 5.20	----	----	12	----	0 -	26
4815	2.30	2.30		2.30/*0.10A	2.30/*0.10A	----	----	----	0.00 - 4.70	----	----	5	----	0 -	8
4820	----	----		163.10B/*64.10A	163.10B/*64.10A	----	----	----	91.30 - 2.10	----	2	----	----	0 -	2
4820	0.40	0.40		0.40/*0.10A	0.50B/*0.10A	----	----	----	0.00 - 4.20	----	----	2	----	0 -	17
4825	35.30	35.30		38.00B/15.20A	38.00B/15.20A	----	----	----	24.80 - 6.60	.2561	----	18	----	21 +	8
4825	----	----		181.80B/107.10A	181.80B/107.10A	----	----	----	121.00 - NEW	.7436	----	1	----	1 +	1
4825	0.50	0.50		0.50/*0.10A	0.50/*0.10A	----	----	----	0.00 - 3.70	----	----	2	----	0 -	166
4830	----	----		0.30B/*0.10A	0.30B/*0.10A	----	----	----	0.00 - 3.30	----	----	----	----	0 -	7
4835	----	----		178.00B/*78.60A	178.00B/*78.60A	----	----	----	106.30 - 0.90	----	1	----	----	0 -	1
4835	0.40	0.40		0.40/*0.10	0.40/*0.10	----	----	----	0.00 - 3.00	----	----	1	----	0 -	26
4840	----	----		0.20B/*0.20A	0.20B/*0.20A	----	----	----	0.00 - 2.70	----	----	4	----	0 -	6
4845	----	----		188.00B/*88.50A	188.00B/*88.50A	----	----	----	116.30 - 0.40	----	----	1	----	0 -	1
4845	----	----		0.10B/*0.10A	0.10B/*0.10A	----	----	----	0.00 - 2.40	----	----	----	----	0 -	4
4850	----	----		203.70B/124.50A	203.70B/124.50A	----	----	----	140.60 - 3.70	.7937	----	7	----	1	UNCH
4850	25.20	25.20		30.70B/12.10A	30.70B/12.10A	----	----	----	19.30 - 5.80	.2061	----	2	----	27 +	6
4850	----	----		193.00B/93.80A	193.00B/93.80A	----	----	----	121.30 - 0.10	----	----	2	----	0 -	2
4850	0.10	0.10		0.10/*0.10	0.10/*0.10	----	----	----	0.00 - 2.10	----	----	3	----	0 -	33
4855	----	----		29.30B/11.50A	29.30B/11.50A	----	----	----	18.40 - 5.60	.1973	----	----	----	6	UNCH
4855	----	----		0.70/*0.20A	0.70/*0.20A	----	----	----	0.00 - 1.90	----	----	1	----	0 -	11
4860	0.70	0.70		0.70/*0.20A	0.70/*0.20A	----	----	----	0.00 - 1.70	----	----	1	----	0 -	13
4865	----	----		0.70/*0.30A	0.70/*0.30A	----	----	----	0.00 - 1.60	----	----	----	----	0 -	3
4870	----	----		0.70/*0.30A	0.70/*0.30A	----	----	----	0.00 - 1.40	----	----	----	----	0 -	6
4870	----	----		213.00B/113.80A	213.00B/113.80A	----	----	----	141.30 + 0.60	----	2	----	----	0 -	2
4875	----	----		226.20B/143.30A	226.20B/143.30A	----	----	----	161.20 - 2.90	.8357	----	1	----	1	UNCH
4875	13.00	13.00		24.50B/9.50A	24.50B/9.50A	----	----	----	15.00 - 5.00	.1641	----	4	----	12 +	3
4875	----	----		0.70/*0.10A	0.70/*0.10A	----	----	----	0.00 - 1.30	----	----	----	----	0 -	14
4880	----	----		0.70/*0.20A	0.70/*0.20A	----	----	----	0.00 - 1.10	----	----	----	----	0 -	16
4885	----	----		0.70/*0.20A	0.70/*0.20A	----	----	----	0.00 - 1.00	----	----	----	----	0 -	1
4890	----	----		0.70/*0.20A	0.70/*0.20A	----	----	----	0.00 - 0.90	----	----	----	----	0 -	5
4895	----	----		0.70/*0.20A	0.70/*0.20A	----	----	----	0.00 - 0.80	----	----	----	----	0 -	8
4900	----	----		249.30B/163.30A	249.30B/163.30A	----	----	----	182.80 - 2.20	.8706	----	----	----	1	UNCH
4900	9.00	9.00		19.40B/7.50A	19.40B/7.50A	----	----	----	11.60 - 4.20	.1292	----	18</			

PG64

BULLETIN # 89@

METALS OPTION PRODUCTS

Mon, May 11, 2026

PG64

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GMW MON	GOLD WEEKLY MONDAY OPTION WEEK3												
MAY26													
5200	----	----	----	373.50B/554.80A	----	472.00 + 1.50	.9913	----	----	----	----	1	UNCH
5200	----	----	----/*1.00A	1.20B/*1.00A	----	0.90 - 0.60	.0086	----	----	----	----	4	UNCH
5200	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0	- 90
5225	----	----	----	----/*0.20A	----	0.00 - 0.10	----	----	----	----	----	0	- 1
5225	----	----	----/*0.90A	0.90B/*0.90A	----	0.80 - 0.50	.0074	----	----	----	----	6	UNCH
5250	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0	- 10
5275	----	----	----	----/*0.20A	----	0.00 - 0.10	----	----	----	----	----	0	- 3
5300	----	----	----/*0.70A	0.50B/*0.70A	----	0.50 - 0.40	.0043	----	----	----	----	1	UNCH
5300	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0	- 5
5500	----	----	----	----/0.90A	----	0.10 - 0.10	.0007	----	----	----	----	1	UNCH
TOTAL										4140	50	866 - 3893	
JUN26													
3500	----	----	----/*1.40A	0.70B/*1.40A	----	1.00 - 1.10	.0043	----	----	----	----	40	UNCH
3750	----	----	----/*1.80A	1.40B/*1.80A	----	1.50 - 0.90	.0076	----	----	----	----	4	UNCH
3800	----	----	----/*2.00A	1.70B/*2.00A	----	1.70 - 0.70	.0088	----	----	----	----	1	UNCH
3900	----	----	----/*2.40A	2.10B/*2.40A	----	2.00 - 0.70	.0112	----	----	----	----	2	UNCH
4000	----	----	----/3.00A	2.70B/3.00A	----	2.60 - 0.60	.0154	----	----	----	----	6	UNCH
4100	----	----	----/4.00A	3.80B/4.00A	----	3.60 - 0.60	.0224	----	----	----	----	15	UNCH
4150	----	----	----/*4.60A	4.80B/*4.60A	----	4.30 - 0.70	.0274	----	----	1	----	2	- 1
4175	----	----	----/*5.00A	5.50B/*5.00A	----	4.70 - 0.80	.0303	----	----	----	----	1	UNCH
4200	----	----	6.20B/*5.50A	6.20B/*5.50A	----	5.20 - 0.90	.0338	----	----	5	----	18	+ 2
4225	----	----	7.00B/*6.00A	7.00B/*6.00A	----	5.80 - 1.10	.0379	----	----	----	----	1	UNCH
4250	----	----	8.60B/*6.60A	8.60B/*6.60A	----	6.50 - 1.20	.0427	----	----	----	----	2	UNCH
4275	8.80	8.80	9.90B/*7.30A	9.90B/*7.30A	----	7.20 - 1.50	.0478	----	----	1	----	12	UNCH
4300	----	----	#16.80B/*13.40A	16.80B/*13.40A	----	13.10 - 2.30	.0755	----	----	3	----	6	+ 3
4300	----	----	11.20B/*8.10A	11.20B/*8.10A	----	8.20 - 1.60	.0544	----	----	16	----	26	+ 13
4325	----	----	12.60B/*9.10A	12.60B/*9.10A	----	9.30 - 1.80	.0618	----	----	3	----	16	+ 3
4350	----	----	14.70B/*10.40A	14.70B/*10.40A	----	10.60 - 1.90	.0704	----	----	14	----	17	+ 12
4350	----	----	#22.20B/*16.80A	22.20B/*16.80A	----	16.90	NEW .0958	----	----	6	----	3	+ 3
4375	----	----	16.80B/*11.70A	16.80B/*11.70A	----	12.10 - 2.20	.0801	----	----	----	----	3	UNCH
4400	----	----	20.40B/*13.30A	20.40B/*13.30A	----	13.90 - 2.50	.0915	----	----	----	----	8	UNCH
4425	----	----	23.60B/*15.10A	23.60B/*15.10A	----	16.00 - 2.70	.1046	----	----	----	----	1	UNCH
4425	----	----	#33.30B/*24.00A	33.30B/*24.00A	----	24.60 - 3.50	.1353	----	----	----	----	3	UNCH
4450	----	----	27.20B/*17.40A	27.20B/*17.40A	----	18.50 - 3.00	.1196	----	----	----	----	2	UNCH
4475	----	----	31.50B/*20.30A	31.50B/*20.30A	----	21.40 - 3.20	.1367	----	----	2	----	5	+ 2
4500	----	----	36.20B/*23.00A	36.20B/*23.00A	----	24.80 - 3.30	.1559	----	----	----	----	5	UNCH
4500	----	----	307.30B/250.00A	307.30B/250.00A	----	288.70 - 5.50	.8435	----	----	----	----	1	UNCH
4500	----	----	#49.00B/*35.40A	49.00B/*35.40A	----	35.70	NEW .1882	----	----	1	----	1	+ 1
4525	----	----	286.20B/230.70A	286.20B/230.70A	----	267.70 - 5.60	.8221	----	----	----	----	1	UNCH
4525	----	----	#56.10B/*39.70A	56.10B/*39.70A	----	40.50 - 4.50	.2095	----	----	----	----	1	UNCH
4525	----	----	42.10B/*26.60A	42.10B/*26.60A	----	28.70 - 3.50	.1774	----	----	----	----	2	UNCH
4550	47.60	47.60	48.80B/*30.80A	48.80B/*30.80A	----	33.30 - 3.60	.2014	----	1	----	----	4	UNCH
4550	----	----	#63.60B/45.40A	63.60B/45.40A	----	45.80 - 4.70	.2323	----	----	----	----	1	UNCH
4575	46.30	46.30	56.50B/*35.80A	56.50B/*35.80A	----	38.60 - 3.70	.2279	----	----	2	----	4	+ 2
4600	43.50	43.50	65.00B/*41.10A	65.00B/*41.10A	----	44.60 - 3.80	.2566	----	1	----	----	4	+ 1
4600	----	----	226.60B/175.80A	226.60B/175.80A	----	208.70 - 6.00	.7428	----	----	----	----	2	UNCH
4625	----	----	208.10B/159.90A	208.10B/159.90A	----	190.60 - 6.00	.7117	----	----	----	----	3	UNCH
4625	----	----	#91.50B/64.50A	91.50B/64.50A	----	66.10 - 4.60	.3116	----	----	----	----	1	UNCH
4625	53.10	53.10	74.40B/*47.50A	74.40B/*47.50A	----	51.50 - 3.80	.2877	----	1	----	----	2	+ 1
4650	60.70	60.70	84.70B/*55.00A	84.70B/*55.00A	----	59.20 - 3.90	.3207	----	----	1	----	5	+ 1
4650	----	----	#102.00B/72.00A	102.00B/72.00A	----	74.40	NEW .3410	----	----	2	----	1	+ 1
4650	----	----	197.50B/143.40A	197.50B/143.40A	----	173.40 - 6.10	.6787	----	----	----	----	2	UNCH
4675	----	----	180.80B/129.50A	180.80B/129.50A	----	157.10 - 6.10	.6439	----	----	----	----	2	UNCH
4675	----	----	96.10B/*62.90A	96.10B/*62.90A	----	67.90 - 3.90	.3555	----	----	----	----	3	UNCH
4675	----	----	186.70B/*143.20	186.70B/143.20A	----	172.90 - 6.20	.6275	----	----	----	----	1	UNCH
4700	----	----	108.50B/*71.90A	108.50B/*71.90A	----	77.50 - 3.90	.3917	----	----	----	----	3	UNCH
4700	----	----	#126.40B/92.00A	126.40B/92.00A	----	93.80	NEW .4033	----	----	2	----	1	+ 1
4700	----	----	171.30B/*128.70	171.30B/128.70A	----	158.00 - 6.00	.5960	----	----	----	----	1	UNCH
4700	----	----	164.70B/112.20A	164.70B/112.20A	----	141.80 - 6.10	.6077	----	----	----	----	15	UNCH
4725	----	----	149.50B/98.40A	149.50B/98.40A	----	127.50 - 5.90	.5704	----	----	----	----	3	UNCH
4725	----	----	116.50B/*82.00A	116.50B/*82.00A	----	88.10 - 3.80	.4289	----	----	----	----	1	UNCH
4725	----	----	#133.50B/101.10	133.50B/101.10A	----	104.90	NEW .4355	----	1	----	----	1	+ 1
4750	----	----	129.90B/*92.80A	129.90B/*92.80A	----	99.80 - 3.60	.4668	----	1	----	----	2	+ 1
4750	145.00	145.00	145.00/*104.40A	145.00/104.40A	----	131.20 - 5.00	.5312	----	1	----	----	2	UNCH
4750	----	----	#147.30B/111.20	147.30B/111.20A	----	116.80	NEW .4680	----	1	----	----	1	+ 1
4750	----	----	135.30B/87.40A	135.30B/87.40A	----	114.20 - 5.80	.5326	----	----	----	----	1	UNCH
4775	----	----	122.10B/77.70A	122.10B/77.70A	----	102.00 - 5.40	.4946	----	----	----	----	1	UNCH
4800	----	----	161.00B/118.60A	161.00B/118.60A	----	126.40 - 2.80	.5424	----	----	----	----	1	UNCH
4800	----	----	109.80B/69.10A	109.80B/69.10A	----	90.90 - 5.00	.4570	----	----	----	----	15	UNCH
4800	----	----	124.20B/*86.40A	124.20B/86.40A	----	108.10 - 4.00	.4664	----	----	----	----	100	UNCH
4825	----	----	98.50B/61.40A	98.50B/61.40A	----	80.80 - 4.50	.4203	----	----	----	----	1	UNCH
4850	----	----	88.60B/54.40A	88.60B/54.40A	----	71.60 - 4.00	.3847	----	----	----	----	1	UNCH
4875	----	----	79.20B/48.00A	79.20B/48.00A	----	63.40 - 3.40	.3507	----	----	100	----	103	+ 100
4900	----	----	233.50B/180.40A	233.50B/180.40A	----	191.40 - 0.60	.6807	----	----	----	----	1	UNCH
4900	48.60	48.60	70.60B/42.40A	70.60B/42.40A	----	56.10 - 2.80	.3187	----	7	----	----	34	+ 5
4900	----	----	80.20B/56.30A	80.20B/56.30A	----	72.10 - 2.00	.3462	----	----	----	----	3	UNCH
4925	53.30	53.30	62.90B/37.30A	62.90B/37.30A	----	49.50 - 2.30	.2884	----	1	----	----	2	+ 1
4950	54.30	54.30	55.70B/32.80A	55.70B/32.80A	----	43.70 - 1.80	.2604	----	3	----	----	5	+ 2
4950	----	----	66.70B/*45.40A	66.70B/45.40A	----	58.40 - 1.40	.2933	----	1	----	----	0	- 1
4975	48.10	48.10	49.50B/28.80A	49.50B/28.80A	----	38.50 - 1.40	.2344	----	3	----	----	3	+ 3
5000	----	----	43.80B/25.30A	43.80B/25.30A	----	34.00 - 0.90	.2107	----	1	----	----	15	UNCH
5000	----	----	53.00B/*36.40A	53.00B/36.40A	----	47.20 - 0.90	.2465	----	1	----			

BULLETIN # 89@				METALS OPTION PRODUCTS							Mon, May 11, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
RWS THU	SILVER WEEKLY THURSDAY OPTION week4														
MAY26															
7300	----	----	----/*0.560A	0.664B/*0.560A	----	0.457 - 0.458	.0814	----	----	----	----	1	UNCH		
7450	----	----	----/*0.144A	0.096B/*0.144A	----	0.040 - 0.258	.0079	----	----	----	----	2	UNCH		
7550	----	----	----/*0.166A	0.166B/*0.166A	----	0.063 - 0.360	.0135	----	----	----	----	4	UNCH		
7650	----	----	----	----	----	9.545 + 4.585	.9771	----	----	----	----	1	UNCH		
7850	----	----	#6.938B/----	#6.938B/5.310A	----	7.650 + 4.188	.9481	----	----	----	----	2	UNCH		
7950	----	----	----/*0.359A	1.217B/*0.359A	----	0.284 - 1.161	.0753	----	----	----	----	2	UNCH		
8000	----	----	3.196B/2.326A	3.196B/2.326A	----	6.281 + 3.769	.9095	----	----	2	----	5 +	2		
8100	----	----	----/*0.496A	2.001B/*0.496A	----	0.465 - 1.649	.1284	----	----	----	----	8	UNCH		
8100	----	----	#6.187B/3.648A	#6.187B/3.648A	----	7.111 + 3.445	.7074	----	----	----	----	1	UNCH		
8150	----	----	#5.143B/2.744A	#5.143B/2.744A	----	6.123 + 3.354	.7215	----	----	----	----	1	UNCH		
8200	0.600	0.600	0.600/*0.600	2.556B/*0.600	----	0.645 - 2.021	.1793	----	----	4	----	6 +	4		
8200	----	----	#3.660B/1.460A	#3.660B/1.460A	----	4.592 + 3.060	.8207	----	----	----	----	12	UNCH		
8200	----	----	#5.601B/3.232A	#5.601B/3.232A	----	6.471 + 3.229	.6720	----	----	----	----	1	UNCH		
8250	----	----	#4.481B/2.362A	#4.481B/2.362A	----	5.478 + 3.114	.6782	----	----	----	----	1	UNCH		
8300	1.455	1.455	#3.035B/1.147A	#3.035B/1.147A	----	3.836 + 2.665	.7562	----	4	----	----	9 +	3		
8400	1.200	1.200	1.200/*1.148A	2.494B/*1.148A	----	1.210 NEW	.3204	----	4	----	----	4 +	4		
8400	----	----	#2.948B/----	#2.948B/0.895A	----	3.158 + 2.270	.6795	----	----	----	----	10	UNCH		
8650	----	----	#2.095B/----	#2.095B/0.522A	----	1.836 + 1.395	.4623	----	----	----	----	1	UNCH		
8650	2.158	2.158	2.158/*2.049A	3.531B/*2.049A	----	2.388 NEW	.5376	----	1	----	----	1 +	1		
8750	1.825	1.825	#1.825/1.825	#1.825/0.422A	----	1.453 NEW	.3793	----	1	----	----	1 +	1		
8800	1.400	1.400	#1.475B/1.400	#1.475B/0.363A	----	1.289 NEW	.3408	----	1	----	----	1 +	1		
8830	1.210	1.210	#1.346B/*1.210	#1.346B/*0.346A	----	1.199 NEW	.3189	----	1	----	----	1 +	1		
8900	1.150	1.150	#1.350/1.050	#1.350/0.290A	----	1.010 + 0.785	.2712	----	7	----	----	14	UNCH		
8900	1.150	1.150	#3.432B/1.150	#3.432B/1.150	----	3.269 NEW	.4186	----	1	----	----	1 +	1		
9000	0.838	0.838	#1.100/0.838	#1.100/0.237A	----	0.787 + 0.613	.2122	----	5	----	----	4 +	3		
9000	----	----	#3.096B/----	#3.096B/1.299A	----	2.961 + 1.739	.3868	----	----	----	----	4	UNCH		
9500	0.070	0.070	0.300/*0.070	0.300/*0.070	----	0.257 + 0.184	.0602	----	3	----	----	1 -	1		
10000	0.500	0.500	#1.162/0.476A	#1.162/0.476A	----	1.108 + 0.716	.1647	----	----	3	----	1	UNCH		
TOTAL										37	0	106 +	20		
JUN26															
7700	----	----	----	#0.448B/*13.137A	----	10.916 + 5.241	.7783	----	----	----	----	2	UNCH		
TOTAL											0	2	0		
SMW MON	SILVER WEEKLY MONDAY OPTION WEEK2														
MAY26															
5500	----	----	----	----/*0.054A	----	0.000 - 0.001	----	----	----	----	----	0 -	17		
6300	----	----	----	----/*0.060A	----	0.000 - 0.001	----	----	----	----	----	0 -	1		
6500	----	----	----	----/*0.058A	----	0.000 - 0.001	----	----	----	----	----	0 -	8		
6750	----	----	----	----/*0.059A	----	0.000 - 0.003	----	----	----	----	----	0 -	1		
6800	----	----	----	----/*0.059A	----	0.000 - 0.004	----	----	----	----	----	0 -	9		
6900	----	----	----	----/*0.066A	----	0.000 - 0.006	----	----	----	----	----	0 -	1		
7000	----	----	----	----/*0.078A	----	0.000 - 0.009	----	----	----	----	----	0 -	37		
7100	----	----	----/*0.152A	0.041B/*0.152A	----	0.030 - 0.197	.0076	----	----	----	----	2	UNCH		
7200	----	----	----/0.100A	----	----	0.000 - 0.020	----	----	----	----	----	0 -	5		
7350	----	----	----/*0.195A	0.174B/*0.195A	----	0.076 - 0.383	.0200	----	----	----	----	0	UNCH		
7370	----	----	----/0.127A	----	----	0.000 - 0.038	----	----	----	----	----	0 -	4		
7400	0.001	0.001	0.001/*0.001	0.001/*0.001	----	0.000 - 0.043	----	----	2	----	----	0 -	8		
7400	----	----	----	----	----	11.948 + 5.042	----	6	----	----	----	0 -	6		
7400	----	----	----/*0.207A	0.212B/*0.207A	----	0.091 - 0.435	.0240	----	----	----	----	1	UNCH		
7475	0.034	0.034	0.034/*0.034	0.034/*0.034	----	0.000 NEW	----	----	1	----	----	0	UNCH		
7500	----	----	----	----	----	10.948 + 5.019	----	4	----	----	----	0 -	4		
7500	----	----	----	0.001B/0.134A	----	0.000 - 0.065	----	----	----	----	----	0 -	3		
7600	----	----	----	0.001B/*0.122A	----	0.000 - 0.102	----	----	----	----	----	0 -	11		
7625	----	----	----	0.002B/*0.123A	----	0.000 - 0.115	----	----	----	----	----	0 -	1		
7650	----	----	----	----	----	9.448 + 4.954	----	8	----	----	----	0 -	8		
7650	----	----	----/*0.116A	0.002B/*0.116A	----	0.000 - 0.130	----	----	----	----	----	0 -	5		
7660	----	----	----/*0.117A	0.003B/*0.117A	----	0.000 - 0.136	----	----	----	----	----	0 -	4		
7675	----	----	----/*0.120A	0.003B/*0.120A	----	0.000 - 0.147	----	----	----	----	----	0 -	1		
7680	----	----	----/*0.117A	0.003B/*0.117A	----	0.000 - 0.150	----	----	----	----	----	0 -	1		
7700	----	----	----/*0.122A	0.003B/*0.122A	----	0.000 - 0.166	----	----	----	----	----	0 -	15		
7700	----	----	----	----	----	8.948 + 4.918	----	11	----	----	----	0 -	11		
7710	----	----	----	----	----	8.848 + 4.909	----	5	----	----	----	0 -	5		
7750	----	----	----	3.790B/6.456A	----	8.742 + 4.109	.9225	----	1	----	----	1	UNCH		
7790	0.060	0.060	0.060/*0.060	0.060/*0.060	----	0.000 - 0.263	----	----	1	----	----	0 -	1		
7800	----	----	#7.400B/----	#7.400B/----	----	7.948 + 4.807	----	5	----	----	----	0 -	5		
7800	----	----	----/*0.115A	0.150B/*0.115A	----	0.000 - 0.277	----	----	----	----	----	0 -	6		
7820	----	----	----/*0.118A	0.023B/*0.118A	----	0.000 - 0.307	----	----	----	----	----	0 -	1		
7850	0.487	0.487	0.487/*0.487	1.260B/*0.487	----	0.410 NEW	.1040	----	1	----	----	1 +	1		
7850	----	----	----	----	----	7.448 + 4.725	----	1	1	----	----	0 -	1		
7880	----	----	----/*0.121A	0.103B/*0.121A	----	0.000 - 0.418	----	----	----	----	----	0 -	2		
7900	0.381	0.381	0.381/*0.030	0.381/*0.030	----	0.000 - 0.463	----	----	7	----	----	0 -	6		
7900	----	----	----/2.328A	----	----	6.948 + 4.620	----	10	4	----	----	0 -	10		
7950	0.278	0.278	0.278/*0.140A	0.282B/*0.140A	----	0.000 - 0.596	----	----	10	----	----	0 -	1		
7980	0.410	0.410	0.410/*0.131A	0.410/*0.131A	----	0.000 NEW	----	----	1	----	----	0	UNCH		
8000	0.755	0.755	0.755/*0.030A	0.755/*0.030A	----	0.000 - 0.762	----	----	8	----	----	0 -	6		
8000	----	----	----/1.277A	0.852B/1.277A	----	5.948 + 4.322	----	15	5	----	----	0 -	16		
8050	----	----	----/0.995A	0.847B/0.995A	----	5.448 + 4.120	----	2	----	----	----	0 -	2		
8050	0.601	0.601	0.708B/*0.127A	0.708B/*0.127A	----	0.000 - 0.964	----	----	2	----	----	0 -	1		
8070	0.705	0.705	#5.000/*0.705	#5.000/0.705	----	5.248 + 4.028	----	2	2	----	----	0 -	1		
8100	0.755	0.755	0.761B/0.753A	0.761B/0.753A	----	4.948 + 3.879	----	5	4	----	----	0 -	4		
8100	0.077	0.077	0.077/*0.060	0.950B/*0.060	----	0.000 NEW	----	----	3	----					

BULLETIN # 89@				METALS OPTION PRODUCTS										Mon, May 11, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
SMW MON	SILVER WEEKLY MONDAY OPTION WEEK1																	
JUN26																		
8600	----	----	----	#4.923B/2.281A	#4.923B/2.281A	----	4.569	+	2.233	.5242	----	----	1	----	1	UNCH		
9500	----	----	----	#2.175B/----	#2.175B/0.941A	----	2.099		NEW	.2741	----	----	1	----	1	+		
10250	----	----	----	#1.062B/----	#1.062B/0.513A	----	1.235	+	0.814	.1639	----	----	----	----	1	UNCH		
TOTAL													16	0	15	+		
SO CALL	COMEX SILVER OPTIONS																	
JUN26																		
4275	----	----	----	----	----	----	43.198		NEW	.9985	10	----	10	----	0	UNCH		
4300	----	----	----	43.652B/----	43.652B/38.716A	----	42.948	+	5.083	.9985	20	----	20	----	20	UNCH		
4325	----	----	----	----	----	----	42.698		NEW	.9985	10	----	10	----	0	UNCH		
4850	----	----	----	38.150B/----	38.150B/33.216A	----	37.450	+	5.082	.9974	----	----	----	----	7	UNCH		
4900	----	----	----	37.650B/----	37.650B/32.716A	----	36.951	+	5.082	.9972	----	----	----	----	9	UNCH		
5000	----	----	----	36.749B/----	36.749B/31.537A	----	35.952	+	5.082	.9969	3	----	----	362	-	3		
5025	----	----	----	36.401B/----	36.401B/31.466A	----	35.702	+	5.081	.9969	----	----	----	6	UNCH			
5050	----	----	----	36.112B/----	36.112B/31.216A	----	35.452	+	5.081	.9968	----	----	----	1	UNCH			
5200	----	----	----	34.752B/----	34.752B/29.537A	----	33.955	+	5.081	.9962	----	----	----	79	UNCH			
5225	----	----	----	34.362B/----	34.362B/29.466A	----	33.705	+	5.081	.9962	----	----	----	4	UNCH			
5275	----	----	----	33.905B/----	33.905B/28.965A	----	33.206	+	5.081	.9960	----	----	----	7	UNCH			
5300	----	----	----	33.613B/----	33.613B/28.715A	----	32.957	+	5.081	.9959	----	----	----	3	UNCH			
5325	----	----	----	33.363B/----	33.363B/28.465A	----	32.707	+	5.081	.9958	----	----	----	5	UNCH			
5350	----	----	----	33.154B/----	33.154B/28.214A	----	32.458	+	5.081	.9957	----	----	----	7	UNCH			
5400	----	----	----	32.614B/----	32.614B/27.714A	----	31.959	+	5.081	.9955	----	----	----	2	UNCH			
5425	----	----	----	32.405B/----	32.405B/27.464A	----	31.709	+	5.080	.9953	----	----	----	9	UNCH			
5500	30.950	30.950		31.755B/30.850	31.755B/26.535A	----	30.961	+	5.080	.9949	----	----	5	----	340	-		
5525	----	----	----	31.365B/----	31.365B/26.463A	----	30.712	+	5.080	.9949	1	----	----	1	-	1		
5600	----	----	----	30.657B/----	30.657B/25.713A	----	29.964	+	5.080	.9943	----	----	----	7	UNCH			
5625	----	----	----	30.408B/----	30.408B/25.463A	----	29.715	+	5.080	.9943	11	----	----	0	-	11		
5675	----	----	----	29.867B/----	29.867B/24.963A	----	29.216	+	5.079	.9939	----	----	----	3	UNCH			
5700	----	----	----	29.759B/----	29.759B/24.536A	----	28.967	+	5.080	.9937	----	----	----	56	UNCH			
5725	----	----	----	29.411B/----	29.411B/24.463A	----	28.718	+	5.080	.9936	----	----	----	10	UNCH			
5750	----	----	----	29.160B/----	29.160B/24.214A	----	28.469	+	5.080	.9934	----	----	----	13	UNCH			
5775	----	----	----	28.869B/----	28.869B/23.964A	----	28.220	+	5.080	.9932	----	----	----	1	UNCH			
5800	----	----	----	28.620B/----	28.620B/23.714A	----	27.971	+	5.080	.9930	----	----	----	2	UNCH			
5825	----	----	----	28.371B/----	28.371B/23.465A	----	27.722	+	5.080	.9928	----	----	----	1	UNCH			
5850	----	----	----	28.164B/----	28.164B/23.215A	----	27.473	+	5.080	.9926	----	----	----	9	UNCH			
5900	----	----	----	27.623B/----	27.623B/22.717A	----	26.975	+	5.081	.9921	----	----	----	4	UNCH			
5925	----	----	----	27.418B/----	27.418B/22.467A	----	26.726	+	5.081	.9919	----	----	----	17	UNCH			
6000	----	----	----	26.768B/----	26.768B/21.544A	----	25.980	+	5.082	.9913	----	----	----	401	UNCH			
6025	----	----	----	26.422B/----	26.422B/21.471A	----	25.731	+	5.081	.9909	----	----	----	7	UNCH			
6050	----	----	----	26.130B/----	26.130B/21.222A	----	25.482	+	5.081	.9907	----	----	----	4	UNCH			
6075	----	----	----	25.977B/----	25.977B/20.886A	----	25.234	+	5.082	.9904	----	----	----	30	UNCH			
6100	----	----	----	25.676B/----	25.676B/20.725A	----	24.985	+	5.081	.9901	----	----	----	16	UNCH			
6200	----	----	----	24.783B/----	24.783B/19.556A	----	23.992	+	5.079	.9888	----	----	----	101	UNCH			
6225	----	----	----	24.391B/----	24.391B/19.484A	----	23.743	+	5.077	.9884	----	----	----	1	UNCH			
6250	----	----	----	24.143B/----	24.143B/19.236A	----	23.495	+	5.076	.9880	----	----	----	4	UNCH			
6300	----	----	----	23.647B/----	23.647B/18.741A	----	22.999	+	5.072	.9872	----	----	----	4	UNCH			
6400	----	----	----	22.801B/----	22.801B/17.579A	----	22.008	+	5.063	.9853	----	----	----	110	UNCH			
6425	----	----	----	22.500B/----	22.500B/17.420A	----	21.761	+	5.061	.9848	----	----	----	25	UNCH			
6450	----	----	----	22.160B/----	22.160B/17.261A	----	21.514	+	5.059	.9842	----	----	----	5	UNCH			
6475	----	----	----	21.959B/----	21.959B/17.016A	----	21.267	+	5.056	.9837	----	----	----	7	UNCH			
6500	----	----	----	21.712B/----	21.712B/16.770A	----	21.019	+	5.053	.9831	----	----	----	13	UNCH			
6625	----	----	----	20.479B/----	20.479B/15.548A	----	19.787	+	5.037	.9796	----	----	----	10	UNCH			
6700	----	----	----	#19.693B/----	#19.693B/14.819A	----	19.049	+	5.023	.9770	----	----	----	1	UNCH			
6725	----	----	----	#19.448B/----	#19.448B/14.578A	----	18.804	+	5.018	.9762	----	----	----	1	UNCH			
6750	----	----	----	#19.203B/----	#19.203B/14.336A	----	18.559	+	5.012	.9751	----	----	----	3	UNCH			
6800	----	----	----	18.762B/----	18.762B/13.856A	----	18.069	+	4.997	.9729	----	----	----	9	UNCH			
6850	----	----	----	18.223B/----	18.223B/13.378A	----	17.581	+	4.980	.9706	----	----	----	5	UNCH			
6900	----	----	----	17.786B/11.951A	17.786B/11.951A	----	17.094	+	4.961	.9679	----	----	----	16	UNCH			
6925	----	----	----	17.544B/----	17.544B/11.925A	----	16.851	+	4.950	.9665	----	----	----	9	UNCH			
6975	----	----	----	17.057B/----	17.057B/11.893A	----	16.367	+	4.926	.9634	----	----	----	7	UNCH			
7000	17.266	17.266		17.266/17.266	17.266/11.657A	----	16.125	+	4.912	.9618	----	----	2	126	-	1		
7025	----	----	----	16.522B/----	16.522B/11.665A	----	15.884	+	4.898	.9600	----	----	----	1	UNCH			
7050	----	----	----	16.281B/----	16.281B/11.501A	----	15.644	+	4.883	.9580	----	----	----	2	UNCH			
7075	----	----	----	#16.039B/----	#16.039B/11.272A	----	15.404	+	4.867	.9562	----	----	----	4	UNCH			
7100	----	----	----	15.958B/----	15.958B/10.874A	----	15.164	+	4.850	.9540	----	----	----	93	UNCH			
7150	----	----	----	15.321B/----	15.321B/10.592A	----	14.688	+	4.814	.9495	----	----	----	1	UNCH			
7200	12.050	12.050		14.898B/12.050	14.898B/10.148A	----	14.214	+	4.773	.9446	----	----	1	5	-	1		
7225	----	----	----	14.608B/----	14.608B/9.928A	----	13.978	+	4.751	.9419	----	----	----	4	UNCH			
7250	----	----	----	14.477B/----	14.477B/9.626A	----	13.743	+	4.727	.9390	----	----	----	31	UNCH			
7275	----	----	----	14.137B/----	14.137B/9.494A	----	13.509	+	4.703	.9360	----	----	----	2	UNCH			
7300	----	----	----	13.956B/----	13.956B/9.280A	----	13.276	+	4.678	.9328	----	----	----	17	UNCH			
7325	----	----	----	13.669B/----	13.669B/9.068A	----	13.044	+	4.651	.9295	----	----	----	1	UNCH			
7350	----	----	----	13.490B/----	13.490B/8.858A	----	12.813	+	4.623	.9261	----	----	----	23	UNCH			
7375	----	----	----	13.257B/----	13.257B/8.649A	----	12.583	+	4.594	.9224	----	----	----	6	UNCH			
7400	10.200	10.200		13.079B/10.200	13.079B/8.359A	----	12.354	+	4.563	.9186	----	----	1	47	UNCH			
7425	----	----	----	12.850B/----	12.850B/8.155A	----	12.127	+	4.532	.9145	----	----	----	31	UNCH			
7450	----	----	----	12.569B/----	12.569B/8.035A	----	11.901	+	4.499	.9104	----	----	----	15	UNCH			
7475	----	----	----	12.285B/----	12.285B/7.836A	----	11.676	+	4.464	.9060	----	----	----	3	UNCH			
7500	6.750	6.750		12.222B/6.750	12.222B/6.750	----	11.453	+	4.429	.9013	----	----	2	252	-	3		
7525	----	----	----	11.898B/----	11.898B/7.445A	----	11.231	+	4.392	.8965	----	----	----	12	UNCH			
7550	----	----	----	11.717B/----	11.717B/7.173A	----	11.011	+	4.354	.8914	----	----	----	31	UNCH			
7575	----	----	----	11.387B/----	11.387B/7.065A	----	10.793	+	4.316	.8862	----	----	----	4	UNCH			
7600	----	----	----	11.322B/----	11.322B/6.721A	----	10.576	+	4.275	.8808	----	----	----	82	UNCH			
7625	----	----	----	10.946B/----	10.946B/6.698A	----	10.362	+	4.234	.8749	----	----	----	4	UNCH			
7650	----	----	----	10.814B/----	10.814B/6.519A	----	10.149	+	4.192	.8690	----	----	----	6	UNCH			
7675	----	----	----	10.602B/----	10.602B/6.343A	----	9.938	+	4.148	.8629	----	----	----	9	UNCH			
7700	----	----	----	10.445B/----	10.445B/5.985A	----	9.729	+	4.103	.8565	----	----	----	108	UNCH			
7725	----	----	----	10.184B/----	10.184B/6.001A	----	9.523	+	4.058	.8498	----	----	----	9	UNCH			
7750	----	----	----	10.036B/----	10.036B/5.681A	----	9.318	+	4.011	.8430	----	----	----	80	UNCH			
7775	----	----	----	9.673B/----	9.673B/5.672A	----	9.116	+	3.963	.8360	----	----	----	4	UNCH			
7800	----	----	----	9.623B/----	9.623B/5.333A	----	8.916	+	3.914	.8286	----	----	1	183	UNCH			
7825	----	----	----	9.374B/----	9.374B/5.356A	----	8.719	+	3.865	.8210	----	----	----	10	UNCH			
7850	----	----	----	9.064B/----	9.064B/5.203A	----	8.524	+	3.815	.8134	----	----	----	3	UNCH			
7875	----	----	----	8.869B/4.319A	8.869B/4.319A	----	8.331	+	3.764	.8054	----	----	----	2	UNCH			
7900	8.770	8.770		8.821B/4.062A	8.821B/4.062A	----	8.141	+	3.712	.7972	----	----	3	83	-	2		
7925	----	----	----	8.598B/3.855A	8.598B/3.855A	----												

PG64	BULLETIN # 89@				METALS OPTION PRODUCTS						Mon, May 11, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
SO CALL	COMEX SILVER OPTIONS														
JUN26															
9000	0.870	0.870	3.000/0.869A	3.000/0.869A	----	2.508 +	1.513	.3683	----	368	26	1217 +	2		
9025	-----	-----	2.858B/0.852A	2.858B/0.852A	----	2.436 +	1.475	.3598	----	-----	-----	14	UNCH		
9050	-----	-----	2.780B/0.827A	2.780B/0.827A	----	2.367 +	1.439	.3515	----	-----	-----	31	UNCH		
9075	2.513	2.513	2.706B/0.798A	2.706B/0.798A	----	2.299 +	1.403	.3433	----	1	-----	11 +	1		
9100	1.000	1.000	2.670B/0.754A	2.670B/0.754A	----	2.234 +	1.369	.3353	----	28	-----	348 +	3		
9125	2.450	2.450	2.558B/0.744A	2.558B/0.744A	----	2.170 +	1.334	.3273	----	3	-----	6	UNCH		
9150	2.176	2.176	2.488B/0.719A	2.488B/0.719A	----	2.108 +	1.301	.3196	----	2	-----	115	UNCH		
9175	-----	-----	2.419B/0.700A	2.419B/0.700A	----	2.048 +	1.268	.3119	----	-----	-----	6	UNCH		
9200	0.645	0.645	2.405/0.645	2.405/0.645	----	1.990 +	1.237	.3045	----	28	-----	134 -	4		
9225	-----	-----	2.290B/0.636A	2.290B/0.636A	----	1.933 +	1.206	.2971	----	-----	-----	14	UNCH		
9250	-----	-----	2.231B/0.611A	2.231B/0.611A	----	1.878 +	1.175	.2900	----	18	-----	12 +	1		
9275	-----	-----	2.168B/0.615A	2.168B/0.615A	----	1.824 +	1.145	.2829	----	-----	-----	11	UNCH		
9300	0.750	0.750	2.110B/0.565A	2.110B/0.565A	----	1.773 +	1.117	.2761	----	3	-----	49 -	1		
9325	-----	-----	2.053B/0.572A	2.053B/0.572A	----	1.722 +	1.088	.2693	----	-----	-----	4	UNCH		
9350	1.100	1.100	2.001B/0.552A	2.001B/0.552A	----	1.673 +	1.060	.2626	----	2	-----	25	UNCH		
9375	-----	-----	1.944B/0.532A	1.944B/0.532A	----	1.626 +	1.034	.2562	----	-----	-----	25	UNCH		
9400	1.740	1.740	1.898B/0.498A	1.898B/0.498A	----	1.580 +	1.007	.2499	----	71	-----	134 +	49		
9425	-----	-----	1.843B/0.483A	1.843B/0.483A	----	1.535 +	0.981	.2437	----	1	-----	58 +	1		
9450	0.531	0.531	1.795B/0.470A	1.795B/0.470A	----	1.491 +	0.956	.2376	----	4	-----	12	UNCH		
9475	-----	-----	1.743B/0.455A	1.743B/0.455A	----	1.449 +	0.931	.2317	----	1	-----	19 +	1		
9500	0.800	0.800	1.753/0.456A	1.753/0.456A	----	1.408 +	0.907	.2259	----	396	-----	1942 +	46		
9525	-----	-----	1.651B/0.449A	1.651B/0.449A	----	1.369 +	0.885	.2203	----	-----	-----	3	UNCH		
9550	0.520	0.520	1.609B/0.423A	1.609B/0.423A	----	1.330 +	0.862	.2147	----	5	-----	12 +	5		
9575	-----	-----	1.566B/0.421A	1.566B/0.421A	----	1.293 +	0.840	.2093	----	1	-----	5 -	1		
9600	1.469	1.469	1.524B/0.404A	1.524B/0.404A	----	1.257 +	0.818	.2041	----	3	-----	47 -	1		
9625	-----	-----	1.482B/0.395A	1.482B/0.395A	----	1.222 +	0.798	.1990	----	-----	-----	9	UNCH		
9650	-----	-----	1.446B/0.381A	1.446B/0.381A	----	1.188 +	0.777	.1940	----	-----	-----	1	UNCH		
9675	1.055	1.055	1.406B/0.369A	1.406B/0.369A	----	1.155 +	0.757	.1891	----	3	-----	10 +	3		
9700	1.355	1.355	1.374B/0.360A	1.374B/0.360A	----	1.123 +	0.738	.1843	----	10	-----	57 +	10		
9725	-----	-----	1.334B/0.338A	1.334B/0.338A	----	1.092 +	0.719	.1796	----	-----	-----	7	UNCH		
9750	0.940	0.940	1.299B/0.341A	1.299B/0.341A	----	1.062 +	0.701	.1751	----	8	-----	37 +	8		
9775	-----	-----	1.264B/0.328A	1.264B/0.328A	----	1.032 +	0.682	.1706	----	-----	-----	1	UNCH		
9800	0.648	0.648	1.260/0.313A	1.260/0.313A	----	1.004 +	0.665	.1663	----	6	-----	50 +	2		
9825	-----	-----	1.199B/0.312A	1.199B/0.312A	----	0.977 +	0.648	.1622	----	-----	-----	5	UNCH		
9850	1.064	1.064	1.171B/0.301A	1.171B/0.301A	----	0.950 +	0.631	.1580	----	1	-----	3	UNCH		
9875	0.559	0.559	1.138B/0.301A	1.138B/0.301A	----	0.924 +	0.615	.1540	----	2	-----	18 +	2		
9900	0.543	0.543	1.111B/0.294A	1.111B/0.294A	----	0.900 +	0.600	.1503	----	3	-----	29	UNCH		
9925	0.527	0.527	1.078B/0.287A	1.078B/0.287A	----	0.875 +	0.584	.1464	----	2	-----	9 +	2		
9950	0.530	0.530	1.053B/0.280A	1.053B/0.280A	----	0.852 +	0.570	.1428	----	4	-----	10 +	4		
9975	0.498	0.498	1.030B/0.498	1.030B/0.274A	----	0.829 +	0.555	.1391	----	1	-----	14 +	1		
10000	0.280	0.280	1.030/0.271A	1.030/0.271A	----	0.807 +	0.542	.1357	----	635	-----	2750 +	15		
10025	0.485	0.485	0.970B/0.485	0.970B/0.267A	----	0.786 +	0.528	.1323	----	2	-----	9 +	2		
10050	-----	-----	0.946B/-----	0.946B/0.259A	----	0.765 +	0.515	.1290	----	-----	-----	14	UNCH		
10075	-----	-----	0.927B/-----	0.927B/0.254A	----	0.745 +	0.502	.1258	----	-----	-----	11	UNCH		
10100	0.490	0.490	0.900B/0.490	0.900B/0.249A	----	0.725 +	0.489	.1226	----	2	-----	20 +	2		
10125	-----	-----	0.888B/-----	0.888B/0.252A	----	0.706 +	0.477	.1195	----	-----	-----	1	UNCH		
10150	0.229	0.229	0.861B/0.229	0.861B/0.229	----	0.688 +	0.465	.1166	----	4	-----	5 +	3		
10175	-----	-----	0.842B/-----	0.842B/0.265A	----	0.670 +	0.453	.1137	----	-----	-----	1	UNCH		
10200	0.719	0.719	0.818B/0.618	0.818B/0.259A	----	0.653 +	0.442	.1109	----	3	-----	17 -	1		
10225	-----	-----	0.802B/-----	0.802B/0.255A	----	0.637 +	0.432	.1082	----	-----	-----	1	UNCH		
10275	0.199	0.199	0.759B/0.199	0.759B/0.199	----	0.605 +	0.410	.1030	----	1	-----	1	UNCH		
10300	0.585	0.585	0.775/0.585	0.775/0.238A	----	0.589 +	0.398	.1004	----	5	-----	13 +	1		
10350	0.696	0.696	0.709B/0.696	0.709B/0.231A	----	0.560 +	NEW	.0955	----	1	-----	1 +	1		
10375	0.609	0.609	0.690B/0.609	0.690B/0.225A	----	0.546 +	0.368	.0932	----	1	-----	2 +	1		
10400	0.556	0.556	0.674B/0.556	0.674B/0.223A	----	0.533 +	0.358	.0910	----	1	-----	26	UNCH		
10425	-----	-----	0.658B/-----	0.658B/0.217A	----	0.520 +	0.348	.0888	----	-----	-----	1	UNCH		
10450	0.565	0.565	0.644B/0.565	0.644B/0.217A	----	0.507 +	0.338	.0867	----	2	-----	5 +	2		
10475	0.554	0.554	0.629B/0.515	0.629B/0.213A	----	0.495 +	0.329	.0846	----	2	-----	4 +	2		
10500	0.298	0.298	0.630B/0.138	0.630B/0.138	----	0.483 +	0.319	.0826	----	18	-----	320 +	4		
10525	-----	-----	0.602B/-----	0.602B/0.212A	----	0.472 +	0.310	.0807	----	-----	-----	12	UNCH		
10550	-----	-----	0.588B/-----	0.588B/0.214A	----	0.460 +	0.300	.0787	----	-----	-----	1	UNCH		
10575	-----	-----	0.574B/-----	0.574B/0.208A	----	0.449 +	0.290	.0768	----	-----	-----	4	UNCH		
10600	0.461	0.461	0.561B/0.461	0.561B/0.196A	----	0.439 +	0.282	.0751	----	12	-----	36 +	2		
10625	0.473	0.473	0.548B/0.473	0.548B/0.200A	----	0.429 +	0.274	.0734	----	1	-----	2 +	1		
10650	-----	-----	0.536B/-----	0.536B/0.197A	----	0.419 +	0.265	.0717	----	-----	-----	2			

BULLETIN # 89@				METALS OPTION PRODUCTS							Mon, May 11, 2026			PG64		
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL	COMEX SILVER OPTIONS															
JUN26																
12800	----	----	----	0.084B/----	0.084B/0.111A	----	0.097	+	0.059	.0150	----	----	----	----	34	UNCH
12900	----	----	----	0.076B/----	0.076B/0.109A	----	0.093	+	0.057	.0143	----	----	----	----	6	UNCH
13000	0.070	0.070		0.143/0.070	0.143/0.070	----	0.089	+	0.054	.0136	----	----	19	----	538	+
13100	----	----	----	0.065B/----	0.065B/0.101A	----	0.086	+	0.053	.0130	----	----	----	----	4	UNCH
13200	----	----	----	0.061B/----	0.061B/0.105A	----	0.083	+	0.052	.0124	----	----	----	----	3	UNCH
13300	----	----	----	0.054B/----	0.054B/0.104A	----	0.080	+	0.050	.0119	----	----	----	----	3	UNCH
13400	----	----	----	0.050B/----	0.050B/0.106A	----	0.077	+	0.049	.0114	----	----	----	----	5	UNCH
13500	0.080	0.080		0.105B/0.080	0.105B/0.080	----	0.074	+	0.047	.0109	----	10	----	----	31	+
13600	----	----	----	0.041B/----	0.041B/0.106A	----	0.072	+	0.046	.0105	----	----	----	----	7	UNCH
13700	----	----	----	0.038B/----	0.038B/0.102A	----	0.070	+	0.045	.0101	----	----	----	----	5	UNCH
13800	----	----	----	0.033B/----	0.033B/0.101A	----	0.068	+	0.044	.0097	----	----	----	----	1	UNCH
13900	----	----	----	0.030B/----	0.030B/0.097A	----	0.066	+	0.043	.0094	----	----	----	----	3	UNCH
14000	----	----	----	0.028B/----	0.028B/0.095A	----	0.064	+	0.042	.0090	----	----	----	----	337	UNCH
14200	----	----	----	----	0.020B/0.093A	----	0.061	+	0.040	.0085	----	----	----	----	60	UNCH
14300	----	----	----	----	0.018B/0.091A	----	0.059	+	0.039	.0082	----	----	----	----	1	UNCH
14400	----	----	----	----	0.016B/0.089A	----	0.058	+	0.039	.0080	----	----	----	----	65	UNCH
14500	----	----	----	----	0.015B/0.087A	----	0.057	+	0.038	.0078	----	----	----	----	31	UNCH
14600	----	----	----	----	0.014B/0.085A	----	0.055	+	0.037	.0074	----	----	----	----	7	UNCH
14700	----	----	----	----	0.012B/0.083A	----	0.054	+	0.036	.0072	----	----	----	----	11	UNCH
14800	----	----	----	----	0.011B/0.081A	----	0.053	+	0.035	.0071	----	----	----	----	10	UNCH
14900	----	----	----	----	0.009B/0.079A	----	0.052	+	0.035	.0069	----	----	----	----	6	UNCH
15000	----	----	----	----	0.016B/0.077A	----	0.051	+	0.034	.0067	----	----	----	----	146	UNCH
15300	----	----	----	----	0.009B/0.073A	----	0.049	+	0.034	.0063	----	----	----	----	2	UNCH
15400	----	----	----	----	0.007B/0.071A	----	0.048	+	0.033	.0061	----	----	----	----	1	UNCH
15500	----	----	----	----	0.001B/0.070A	----	0.047	+	0.032	.0060	----	----	----	----	6	UNCH
15600	----	----	----	----	0.001B/0.069A	----	0.046	+	0.032	.0058	----	----	----	----	1	UNCH
15700	----	----	----	----	0.001B/0.068A	----	0.046	+	0.032	.0057	----	----	----	----	1	UNCH
15800	----	----	----	----	0.001B/0.067A	----	0.045	+	0.031	.0056	----	----	----	----	6	UNCH
15900	----	----	----	----	0.001B/0.066A	----	0.044	+	0.031	.0054	----	----	----	----	8	UNCH
16000	----	----	----	----	0.010B/0.065A	----	0.044	+	0.031	.0054	----	----	----	----	199	UNCH
16200	----	----	----	----	0.001B/0.063A	----	0.042	+	0.030	.0051	----	----	----	----	36	UNCH
16400	----	----	----	----	0.001B/0.061A	----	0.041	+	0.029	.0049	----	----	----	----	1	UNCH
16500	----	----	----	----	0.001B/0.061A	----	0.040	+	0.029	.0048	----	----	----	----	30	UNCH
16600	----	----	----	----	0.001B/0.060A	----	0.040	+	0.029	.0047	----	----	----	----	2	UNCH
16700	----	----	----	----	0.001B/0.060A	----	0.039	+	0.028	.0046	----	----	----	----	7	UNCH
16800	----	----	----	----	0.001B/0.059A	----	0.039	+	0.028	.0046	----	----	----	----	3	UNCH
17000	----	----	----	----/0.058A	----	----	0.038	+	0.028	.0044	----	----	----	----	27	UNCH
17100	----	----	----	----/*0.057A	----	----	0.037	+	0.027	.0043	----	----	----	----	5	UNCH
17200	----	----	----	----/*0.057A	----	----	0.037	+	0.027	.0042	----	----	----	----	5	UNCH
17300	----	----	----	----/*0.056A	----	----	0.036	+	0.027	.0041	----	----	----	----	11	UNCH
17400	----	----	----	----/*0.056A	----	----	0.036	+	0.027	.0041	----	----	----	----	2	UNCH
17500	----	----	----	----/0.056A	----	----	0.035	+	0.026	.0040	----	----	----	----	63	UNCH
17700	----	----	----	----/*0.055A	----	----	0.034	+	0.026	.0038	----	----	----	----	3	UNCH
17800	----	----	----	----/*0.053A	----	----	0.033	+	0.025	.0037	----	----	----	----	3	UNCH
18000	----	----	----	----/0.055A	----	----	0.032	+	0.024	.0035	----	----	----	----	46	UNCH
18100	----	----	----	----/0.059A	----	----	0.032	+	0.024	.0035	----	----	----	----	2	UNCH
18300	----	----	----	----/0.065A	----	----	0.030	+	0.023	.0033	----	----	----	----	1	UNCH
18900	----	----	----	----/*0.073A	----	----	0.027	+	0.021	.0029	----	----	----	----	1	UNCH
19000	----	----	----	----/0.073A	----	----	0.026	+	0.020	.0028	----	----	----	----	229	UNCH
19500	----	----	----	----/0.160A	----	----	0.023	+	0.018	.0024	----	----	----	----	126	UNCH
19600	----	----	----	----/0.162A	----	----	0.022	+	0.017	.0023	----	----	----	----	2	UNCH
19900	----	----	----	----/0.169A	----	----	0.021	+	0.016	.0022	----	----	----	----	28	UNCH
20000	0.027	0.027		0.027/0.027	0.027/0.027	----	0.020	+	0.016	.0021	----	----	2	----	238	-
21000	----	----	----	----/0.192A	----	----	0.014	+	0.011	.0014	----	----	----	----	20	UNCH
23000	----	----	----	----/0.221A	----	----	0.005	+	0.003	.0005	----	----	----	----	14	UNCH
25000	----	----	----	----/0.019A	----	----	0.001		UNCH	.0001	----	----	----	----	302	UNCH
27000	----	----	----	----/0.258A	----	----	0.001		UNCH	.0000	----	----	----	----	3	UNCH
30000	----	----	----	----/0.009A	----	----	0.001		UNCH	.0000	----	----	----	----	31	UNCH
32000	----	----	----	----/0.279A	----	----	0.001		UNCH	----	----	----	----	----	1	UNCH
35000	----	----	----	----/0.005A	----	----	0.001		UNCH	----	----	----	----	----	45	UNCH
TOTAL													2942	58	19582	+
JUL26																
2700	----	----	----	59.581B/----	59.581B/54.726A	----	58.948	+	5.083	.9991	----	----	----	----	1	UNCH
4000	----	----	----	46.594B/----	46.594B/41.720A	----	45.948	+	5.083	.9965	----	----	----	----	1	UNCH
4500	----	----	----	41.665B/----	41.665B/36.629A	----	40.949	+	5.081	.9945	----	----	----	----	28	UNCH
4600	----	----	----	40.745B/----	40.745B/35.538A	----	39.950	+	5.079	.9940	----	----	----	----	124	UNCH
4700	----	----	----	39.599B/----	39.599B/34.716A	----	38.952	+	5.076	.9933	----	----	----	----	1	UNCH
4750	----	----	----	39.099B/----	39.099B/34.216A	----	38.453	+	5.075	.9930	----	----	----	----	1	UNCH
4825	----	----	----	38.350B/----	38.350B/33.468A	----	37.705	+	5.072	.9925	----	----	----	----	3	UNCH
4900	----	----	----	37.601B/----	37.601B/32.721A	----	36.958	+	5.069	.9918	----	----	----	----	1	UNCH
4925	----	----	----	37.388B/----	37.388B/32.473A	----	36.709	+	5.068	.9916	----	----	----	----	16	UNCH
5000	----	----	----	36.751B/----	36.751B/31.549A	----	35.963	+	5							

BULLETIN # 89@				METALS OPTION PRODUCTS										Mon, May 11, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH	OUTCRY LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL	COMEX SILVER OPTIONS															
JUL26																
7600	----	----	----	13.1108/----	13.1108	/8.832A	----	----	12.446 + 4.060	.7680	----	----	----	----	146	UNCH
7650	----	----	----	12.5768/----	12.5768	/8.717A	----	----	12.106 + 3.999	.7574	----	----	----	----	3	UNCH
7675	----	----	----	12.5978/----	12.5978	/8.576A	----	----	11.938 + 3.967	.7520	----	----	----	----	7	UNCH
7700	----	----	----	12.4278/----	12.4278	/8.263A	----	----	11.772 + 3.935	.7465	----	----	----	----	146 -	11
7750	----	----	----	12.0998/----	12.0998	/7.992A	----	----	11.447 + 3.872	.7355	----	----	----	----	122	UNCH
7775	----	----	----	11.7368/----	11.7368	/8.033A	----	----	11.286 + 3.839	.7300	----	----	----	----	5	UNCH
7800	----	----	----	11.7788/----	11.7788	/7.730A	----	----	11.128 + 3.806	.7243	----	----	----	----	66	UNCH
7850	----	----	----	11.4638/----	11.4638	/7.430A	----	----	10.816 + 3.740	.7131	----	----	----	----	17	UNCH
7900	----	----	----	11.1588/6.673A	11.1588	/6.673A	----	----	10.511 + 3.673	.7016	----	----	1	----	66 -	2
7925	----	----	----	10.7868/----	10.7868	/7.078A	----	----	10.361 + 3.639	.6959	----	----	----	----	1	UNCH
7950	----	----	----	10.6368/6.527A	10.6368	/6.527A	----	----	10.213 + 3.605	.6901	----	----	----	----	1	UNCH
7975	----	----	----	10.4868/6.208A	10.4868	/6.208A	----	----	10.068 + 3.572	.6843	----	----	----	----	4	UNCH
8000	10.550	10.550		10.5798/6.093A	10.5798	/6.093A	----	----	9.924 + 3.539	.6785	----	----	43	----	654 -	4
8025	6.133	6.133		10.4358/6.004A	10.4358	/6.004A	----	----	9.782 + 3.506	.6727	----	----	1	----	10	UNCH
8050	----	----	----	10.2948/5.905A	10.2948	/5.905A	----	----	9.642 + 3.474	.6668	----	----	----	----	22	UNCH
8075	----	----	----	10.1548/5.796A	10.1548	/5.796A	----	----	9.503 + 3.440	.6610	----	----	----	----	13	UNCH
8100	9.909	9.909		10.0168/5.710A	10.0168	/5.710A	----	----	9.366 + 3.408	.6551	----	----	2	----	68 -	1
8150	----	----	----	9.7458/5.494A	9.7458	/5.494A	----	----	9.099 + 3.345	.6434	----	----	----	----	17	UNCH
8175	----	----	----	9.3558/5.397A	9.3558	/5.397A	----	----	8.967 + 3.312	.6375	----	----	----	----	2	UNCH
8200	8.700	8.700		9.4828/5.287A	9.4828	/5.287A	----	----	8.838 + 3.281	.6316	----	----	11	----	176 -	14
8225	----	----	----	9.0908/5.234A	9.0908	/5.234A	----	----	8.710 + 3.249	.6258	----	----	----	----	2	UNCH
8250	----	----	----	9.2268/5.132A	9.2268	/5.132A	----	----	8.584 + 3.218	.6199	----	----	----	----	147	UNCH
8275	----	----	----	8.8378/5.059A	8.8378	/5.059A	----	----	8.460 + 3.187	.6140	----	----	----	----	1	UNCH
8300	8.180	8.180		8.9768/4.950A	8.9768	/4.950A	----	----	8.338 + 3.157	.6082	----	----	13	----	464 -	12
8325	----	----	----	8.5898/4.877A	8.5898	/4.877A	----	----	8.218 + 3.127	.6023	----	----	----	----	4	UNCH
8350	6.149	6.149		8.7318/4.809A	8.7318	/4.809A	----	----	8.099 + 3.096	.5965	----	----	1	----	16	UNCH
8375	----	----	----	8.6138/4.757A	8.6138	/4.757A	----	----	7.982 + 3.066	.5907	----	----	----	----	49	UNCH
8400	4.750	4.750		8.4978/4.636A	8.4978	/4.636A	----	----	7.866 + 3.035	.5848	----	----	10	----	35 -	4
8425	6.092	6.092		8.3818/4.556A	8.3818	/4.556A	----	----	7.752 + 3.004	.5791	----	----	4	----	12	UNCH
8450	----	----	----	8.2668/4.484A	8.2668	/4.484A	----	----	7.640 + 2.974	.5733	----	----	----	----	11	UNCH
8500	4.050	4.050		8.1128/4.050	8.1128	/4.050	----	----	7.422 + 2.914	.5618	----	----	85	----	932 -	8
8525	----	----	----	7.9358/4.247A	7.9358	/4.247A	----	----	7.315 + 2.884	.5561	----	----	4	----	5 +	4
8550	----	----	----	7.8898/4.173A	7.8898	/4.173A	----	----	7.210 + 2.854	.5504	----	----	----	----	246	UNCH
8575	4.186	4.186		7.7328/4.105A	7.7328	/4.105A	----	----	7.106 + NEW	.5448	----	----	1	----	1 +	1
8600	4.112	4.112		7.6838/4.043A	7.6838	/4.043A	----	----	7.004 + 2.793	.5391	----	----	10	----	120 +	6
8625	4.041	4.041		7.5158/3.964A	7.5158	/3.964A	----	----	6.904 + 2.764	.5336	----	----	2	----	1	UNCH
8650	----	----	----	7.4158/3.900A	7.4158	/3.900A	----	----	6.805 + 2.733	.5280	----	----	----	----	21	UNCH
8675	----	----	----	7.3368/3.834A	7.3368	/3.834A	----	----	6.708 + 2.704	.5225	----	----	----	----	9	UNCH
8700	5.450	5.450		7.2798/3.789A	7.2798	/3.789A	----	----	6.612 + 2.674	.5170	----	----	12	----	117 +	6
8725	7.080	7.080		7.1408/3.716A	7.1408	/3.716A	----	----	6.519 + 2.646	.5116	----	----	2	----	3 -	2
8750	----	----	----	7.0838/3.656A	7.0838	/3.656A	----	----	6.426 + 2.616	.5061	----	----	----	----	79	UNCH
8775	----	----	----	6.9508/3.607A	6.9508	/3.607A	----	----	6.334 + 2.586	.5008	----	----	----	----	2	UNCH
8800	5.555	5.555		6.970/3.533A	6.970	/3.533A	----	----	6.244 + 2.556	.4954	----	----	35	----	46 +	32
8825	----	----	----	6.7648/3.479A	6.7648	/3.479A	----	----	6.156 + 2.528	.4901	----	----	----	----	2	UNCH
8850	----	----	----	6.6738/3.420A	6.6738	/3.420A	----	----	6.070 + 2.500	.4849	----	----	----	----	4	UNCH
8900	6.099	6.099		6.571/3.301A	6.571	/3.301A	----	----	5.900 + 2.443	.4745	----	----	15	----	126 +	8
8925	----	----	----	6.4328/3.257A	6.4328	/3.257A	----	----	5.817 + 2.415	.4694	----	----	----	----	7	UNCH
8950	----	----	----	6.3678/3.209A	6.3678	/3.209A	----	----	5.736 + 2.388	.4643	----	----	5	----	13 +	5
9000	3.000	3.000		6.256/3.000	6.256	/3.000	----	----	5.578 + 2.334	.4542	----	----	330	100	1416 +	294
9050	----	----	----	6.0238/3.000A	6.0238	/3.000A	----	----	5.424 + 2.280	.4444	----	----	5	----	11 +	4
9075	----	----	----	5.9448/2.951A	5.9448	/2.951A	----	----	5.350 + 2.255	.4395	----	----	----	----	1	UNCH
9100	----	----	----	5.8738/2.906A	5.8738	/2.906A	----	----	5.276 + 2.229	.4347	----	----	----	----	32	UNCH
9150	5.632	5.632		5.7128/2.817A	5.7128	/2.817A	----	----	5.133 + 2.179	.4252	----	----	1	----	3 +	1
9175	5.210	5.210		5.6438/2.773A	5.6438	/2.773A	----	----	5.062 + NEW	.4205	----	----	2	----	2 +	2
9200	3.160	3.160		5.5818/2.734A	5.5818	/2.734A	----	----	4.993 + 2.129	.4159	----	----	29	----	86	UNCH
9225	5.167	5.167		5.4988/2.686A	5.4988	/2.686A	----	----	4.927 + 2.106	.4114	----	----	1	----	4 +	1
9250	5.208	5.208		5.4188/2.650A	5.4188	/2.650A	----	----	4.860 + 2.082	.4068	----	----	6	----	14 +	6
9300	4.967	4.967		5.2988/2.568A	5.2988	/2.568A	----	----	4.730 + 2.035	.3979	----	----	138	----	348 +	74
9350	3.700	3.700		5.1498/2.507A	5.1498	/2.507A	----	----	4.605 + 1.990	.3892	----	----	2	----	11 +	2
9375	4.872	4.872		5.0978/2.449A	5.0978	/2.449A	----	----	4.543 + 1.967	.3848	----	----	2	----	2 +	1
9400	----	----	----	5.0188/2.416A	5.0188	/2.416A	----	----	4.483 + 1.945	.3806	----	----	1	----	24	UNCH
9425	4.746	4.746		4.9648/2.380A	4.9648	/2.380A	----	----	4.423 + 1.923	.3764	----	----	2	----	5 +	

	BULLETIN # 89@				METALS OPTION PRODUCTS				Mon, May 11, 2026				PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO CALL	COMEX SILVER OPTIONS													
JUL26														
11750	----	----	1.7788/0.728A	1.7788/0.728A	----	1.507 + 0.771	.1417	----	----	----	----	22	UNCH	
11775	----	----	1.7608/0.721A	1.7608/0.721A	----	1.492 + 0.764	.1404	----	----	----	----	23	UNCH	
11800	1.370	1.370	1.7438/0.711A	1.7438/0.711A	----	1.477 + 0.758	.1390	----	----	1	----	2 + 1		
11875	----	----	1.6938/0.690A	1.6938/0.690A	----	1.432 + 0.738	.1350	----	----	----	----	1	UNCH	
11900	----	----	1.6768/0.681A	1.6768/0.681A	----	1.418 + 0.733	.1338	----	----	----	----	1	UNCH	
11950	----	----	1.6448/0.668A	1.6448/0.668A	----	1.390 + 0.721	.1312	----	----	----	----	1	UNCH	
12000	1.415	1.415	1.6138/0.652A	1.6138/0.652A	----	1.363 + 0.709	.1288	----	78	----	----	515 + 44		
12025	1.495	1.495	1.5978/1.495	1.5978/0.646A	----	1.350 NEW	.1276	----	1	----	----	0	UNCH	
12150	1.216	1.216	1.5228/1.216	1.5228/0.612A	----	1.285 NEW	.1217	----	1	----	----	1 + 1		
12200	1.506	1.506	1.5111/1.506	1.5111/0.595A	----	1.260 + 0.665	.1194	----	13	----	----	12 + 1		
12225	----	----	1.4798/----	1.4798/0.588A	----	1.248 + 0.660	.1183	----	----	----	----	16	UNCH	
12250	----	----	1.4648/0.580A	1.4648/0.580A	----	1.236 + 0.654	.1172	----	----	----	----	6	UNCH	
12300	1.397	1.397	1.4378/1.397	1.4378/0.570A	----	1.212 + 0.644	.1151	----	5	----	----	14 + 5		
12375	1.152	1.152	1.3968/1.152	1.3968/0.551A	----	1.178 + 0.628	.1119	----	1	----	----	2 + 1		
12425	1.164	1.164	1.3708/1.109	1.3708/0.539A	----	1.156 + 0.618	.1099	----	2	----	----	3 + 2		
12450	----	----	1.3578/----	1.3578/0.533A	----	1.145 + 0.613	.1089	----	----	----	----	1	UNCH	
12475	----	----	1.3448/----	1.3448/0.529A	----	1.134 + 0.608	.1079	----	----	----	----	3	UNCH	
12500	0.530	0.530	1.3328/0.523A	1.3328/0.523A	----	1.123 + 0.603	.1069	----	23	----	----	123 + 18		
12575	1.235	1.235	1.2958/1.235	1.2958/0.507A	----	1.092 NEW	.1040	----	1	----	----	1 + 1		
12600	----	----	1.2838/----	1.2838/0.521A	----	1.083 + 0.584	.1032	----	----	----	----	6	UNCH	
12700	1.178	1.178	1.2368/1.178	1.2368/0.501A	----	1.043 + 0.564	.0995	----	1	----	----	1 + 1		
12725	1.167	1.167	1.2258/1.167	1.2258/0.496A	----	1.034 + 0.560	.0986	----	1	----	----	2 + 1		
12800	1.135	1.135	1.1928/1.135	1.1928/0.482A	----	1.006 + 0.546	.0960	----	1	----	----	2	UNCH	
13000	1.000	1.000	1.1088/0.980	1.1088/0.510A	----	0.935 + 0.509	.0895	----	12	----	----	402	UNCH	
14000	0.700	0.700	0.8000/0.700	0.8000/0.387A	----	0.667 + 0.360	.0642	----	47	----	----	866 - 1		
14700	----	----	0.6258/----	0.6258/0.365A	----	0.538 + 0.286	.0518	----	----	----	----	1	UNCH	
15000	0.485	0.485	0.6000/0.485	0.6000/0.308A	----	0.503 + 0.271	.0482	----	15	----	----	709 + 10		
16000	0.401	0.401	0.4010/0.401	0.4010/0.260A	----	0.373 + 0.192	.0358	----	1	----	----	745	UNCH	
17000	0.305	0.305	0.3068/0.305	0.3068/0.221A	----	0.289 + 0.144	.0277	----	1	----	----	23 - 3		
18000	0.199	0.199	0.2380/0.199	0.2380/0.194A	----	0.228 + 0.110	.0218	----	4	----	----	260 + 4		
19000	----	----	0.1648/----	0.1648/0.179A	----	0.182 + 0.085	.0173	----	----	----	----	78	UNCH	
20000	0.100	0.100	0.1658/0.085	0.1658/0.085	----	0.147 + 0.067	.0139	----	74	----	----	1178 + 7		
21000	----	----	0.0818/----	0.0818/0.155A	----	0.120 + 0.054	.0113	----	----	----	----	427	UNCH	
24000	----	----	----	0.0218/0.138A	----	0.069 + 0.032	.0064	----	----	----	----	130 - 1		
25000	0.055	0.055	0.0750/0.055	0.0750/0.055	----	0.058 + 0.027	.0054	----	11	----	----	390 - 10		
27000	----	----	----	0.0018/0.147A	----	0.042 + 0.019	.0039	----	----	----	----	4	UNCH	
30000	----	----	----	0.0018/0.075A	----	0.028 + 0.012	.0025	----	----	----	----	23	UNCH	
32000	----	----	----	0.0018/0.137A	----	0.023 + 0.010	.0021	----	----	----	----	4	UNCH	
35000	0.015	0.015	0.0280/0.015	0.0280/0.015	----	0.018 + 0.007	.0016	----	6	----	----	91 + 6		
TOTAL										2633	300	22654 + 577		
AUG26														
5000	----	----	36.9678/----	36.9678/32.104A	----	36.705 + 5.165	.9758	----	----	----	----	2	UNCH	
5400	----	----	33.0278/----	33.0278/28.260A	----	32.840 + 5.155	.9636	----	----	----	----	2	UNCH	
5500	----	----	32.0618/----	32.0618/27.316A	----	31.886 + 5.148	.9597	----	----	----	----	1	UNCH	
6300	----	----	25.0278/----	25.0278/20.105A	----	24.511 + 5.010	.9109	----	----	----	----	7	UNCH	
6450	----	----	23.2188/----	23.2188/18.857A	----	23.202 + 4.967	.8973	----	----	----	----	1	UNCH	
6500	----	----	22.7598/----	22.7598/18.450A	----	22.773 + 4.950	.8923	----	----	----	----	2	UNCH	
6600	----	----	21.9128/----	21.9128/17.651A	----	21.925 + 4.912	.8819	----	----	----	----	4	UNCH	
6800	----	----	20.8438/----	20.8438/16.103A	----	20.278 + 4.815	.8590	----	----	----	----	7	UNCH	
6875	----	----	19.5548/----	19.5548/15.545A	----	19.679 + 4.772	.8496	----	----	----	----	5	UNCH	
7000	----	----	18.5518/----	18.5518/14.646A	----	18.703 + 4.691	.8330	----	----	----	----	3	UNCH	
7025	----	----	18.3558/----	18.3558/14.471A	----	18.512 + 4.674	.8295	----	----	----	----	5	UNCH	
7050	----	----	18.1628/----	18.1628/14.297A	----	18.322 + 4.656	.8260	----	----	----	----	4	UNCH	
7100	----	----	17.7788/----	17.7788/13.955A	----	17.946 + 4.619	.8189	----	----	----	----	2	UNCH	
7200	----	----	17.0278/----	17.0278/13.286A	----	17.209 + 4.540	.8042	----	----	----	----	1	UNCH	
7250	----	----	16.6978/----	16.6978/12.963A	----	16.848 + 4.497	.7966	----	----	----	----	3	UNCH	
7300	----	----	16.2998/----	16.2998/12.647A	----	16.494 + 4.454	.7888	----	----	----	----	1	UNCH	
7400	----	----	15.6128/----	15.6128/12.036A	----	15.801 + 4.363	.7728	----	----	----	----	2	UNCH	
7425	----	----	16.1868/----	16.1868/11.887A	----	15.632 + 4.341	.7688	----	----	----	----	14	UNCH	
7475	----	----	15.8448/----	15.8448/11.592A	----	15.297 + 4.294	.7605	----	----	----	----	6	UNCH	
7500	15.100	15.100	15.6878/15.100	15.6878/11.378A	----	15.132 + 4.270	.7564	----	4	----	----	38 + 1		
7550	----	----	14.5818/----	14.5818/11.164A	----	14.807 + 4.224	.7480	----	----	----	----	4	UNCH	
7600	----	----	15.0458/----	15.0458/10.816A	----	14.487 + 4.177	.7394	----	----	----	----	27	UNCH	
7625	----	----	14.8578/----	14.8578/10.751A	----	14.330 + 4.154	.7351	----	----	----	----	18	UNCH	
7700	----	----	14.3808/----	14.3808/10.353A	----	13.867 + 4.086	.7221	----	----	----	----	18	UNCH	
7725	----	----	13.4698/----	13.4698/10.224A	----	13.715 + 4.062	.7178	----	4	----	----	0 - 4		
7750	----	----	13.3218/----	13.3218/10.097A	----	13.565 + 4.040	.7134	----	----	----	----	1	UNCH	
7800	13.930	13.930	13.930/13.930	13.930/9.800A	----	13.271 + 3.996	.7045	----	1	----	----	11	UNCH	
7850	----	----	12.7838/----	12.7838/9.606A	----	12.982 + 3.952	.6957	----	----	----	----	2	UNCH	
7900	----	----	12.5078/----	12.5078/9.370A	----	12.699 + 3.908	.6867	----	----	----	----	1	UNCH	
7925	----	----	12.3368/----	12.3368/9.486A	----	12.560 NEW	.6822	----	4	----	----	4 + 4		
7950	----	----	12.9108/----	12.9108/9.142A	----	12.423 + 3.866	.6778	----	----	----	----	9	UNCH	



BULLETIN # 89@										METALS OPTION PRODUCTS										Mon, May 11, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST							
SO CALL	COMEX SILVER OPTIONS																					
AUG26																						
12050	----	----	----	2.963B/----	2.963B/1.651A	----	----	----	2.797 +	1.223	.2001	----	----	----	145	UNCH						
12500	----	----	----	2.615B/----	2.615B/1.437A	----	----	----	2.466 +	1.101	.1777	----	43	----	130 +	16						
12725	----	----	----	2.575B/----	2.575B/1.343A	----	----	----	2.320 +	1.048	.1678	----	----	----	1	UNCH						
12800	----	----	----	2.419B/----	2.419B/1.312A	----	----	----	2.274 +	1.032	.1646	----	----	----	1	UNCH						
13000	----	----	----	2.283B/----	2.283B/1.236A	----	----	----	2.157 +	0.990	.1565	----	24	----	2292	UNCH						
14000	----	----	----	1.730B/----	1.730B/0.943A	----	----	----	1.678 +	0.815	.1231	----	2	----	17 +	2						
15000	1.415	1.415	1.415	1.415/1.415	1.415/0.742A	----	----	----	1.328 +	0.678	.0982	----	16	----	45 +	6						
16000	----	----	----	0.886B/----	0.886B/0.688A	----	----	----	1.067 +	0.567	.0795	----	----	----	1	UNCH						
17000	----	----	----	0.800B/----	0.800B/0.572A	----	----	----	0.867 +	0.474	.0650	----	----	----	2288	UNCH						
18000	0.791	0.791	0.791	0.791/0.791	0.791/0.484A	----	----	----	0.714 +	0.398	.0537	----	1	----	9	UNCH						
19000	----	----	----	0.565B/----	0.565B/0.420A	----	----	----	0.594 +	0.333	.0449	----	----	----	2	UNCH						
20000	0.222	0.222	0.222	0.460B/0.222	0.460B/0.222	----	----	----	0.501 +	0.279	.0379	----	1	----	221	UNCH						
25000	----	----	----	0.185B/----	0.185B/0.225A	----	----	----	0.256 +	0.104	.0193	----	----	----	3	UNCH						
27000	0.200	0.200	0.200	0.210/*0.200	0.210/0.197A	----	----	----	0.210	NEW	.0157	----	6	----	6 +	6						
30000	0.084	0.084	0.084	0.084/*0.084	0.084/0.084	----	----	----	0.168 +	0.077	.0123	----	2	----	13	UNCH						
32000	----	----	----	----	0.067B/0.225A	----	----	----	0.133 +	0.062	.0098	----	----	----	3	UNCH						
35000	----	----	----	----	0.040B/0.225A	----	----	----	0.098 +	0.046	.0072	----	----	----	4	UNCH						
TOTAL													634	400	7613 +	543						
SEP26																						
5100	----	----	----	#35.880B/----	#35.880B/31.519A	----	----	----	35.812 +	5.105	.9653	----	----	----	1	UNCH						
5900	----	----	----	#28.357B/----	#28.357B/24.222A	----	----	----	28.459 +	5.063	.9214	----	----	----	2	UNCH						
6000	----	----	----	#27.458B/----	#27.458B/23.359A	----	----	----	27.581 +	5.048	.9138	----	----	----	7	UNCH						
6700	----	----	----	#21.488B/----	#21.488B/17.819A	----	----	----	21.745 +	4.824	.8472	----	----	----	1	UNCH						
7000	----	----	----	19.633B/----	19.633B/15.616A	----	----	----	19.490 +	4.666	.8101	----	8	----	265 -	2						
7125	----	----	----	#18.741B/----	#18.741B/14.835A	----	----	----	18.613 +	4.593	.7930	----	----	----	75	UNCH						
7300	----	----	----	#17.541B/----	#17.541B/13.807A	----	----	----	17.448 +	4.484	.7679	----	----	----	145	UNCH						
7400	----	----	----	16.885B/----	16.885B/13.241A	----	----	----	16.811 +	4.416	.7531	----	----	----	104	UNCH						
7500	----	----	----	15.948B/----	15.948B/12.898A	----	----	----	16.194 +	4.341	.7380	----	----	----	4	UNCH						
7550	----	----	----	15.652B/----	15.652B/12.636A	----	----	----	15.893 +	4.302	.7304	----	----	----	2	UNCH						
7700	----	----	----	14.790B/----	14.790B/11.880A	----	----	----	15.022 +	4.178	.7074	----	----	----	1	UNCH						
7800	10.200	10.200	10.200	14.276B/10.200	14.276B/10.200	----	----	----	14.467 +	4.091	.6918	----	3	----	0 -	3						
8000	----	----	----	13.387B/----	13.387B/10.259A	----	----	----	13.420 +	3.910	.6606	----	----	----	268	UNCH						
8100	----	----	----	13.041B/----	13.041B/10.122A	----	----	----	12.927 +	3.818	.6450	----	----	----	1	UNCH						
8200	----	----	----	12.578B/----	12.578B/9.593A	----	----	----	12.455 +	3.727	.6295	----	----	----	25	UNCH						
8400	----	----	----	11.679B/----	11.679B/8.911A	----	----	----	11.569 +	3.548	.5988	----	----	----	10	UNCH						
8500	----	----	----	11.258B/----	11.258B/8.359A	----	----	----	11.155 +	3.461	.5837	----	----	----	232	UNCH						
8600	----	----	----	10.855B/----	10.855B/8.038A	----	----	----	10.759 +	3.376	.5688	----	7	----	68 -	5						
8675	----	----	----	10.356B/----	10.356B/8.024A	----	----	----	10.474 +	3.314	.5578	----	----	----	5	UNCH						
8700	----	----	----	10.469B/----	10.469B/7.743A	----	----	----	10.381 +	3.293	.5542	----	----	----	100	UNCH						
8800	----	----	----	10.101B/----	10.101B/7.684A	----	----	----	10.020 +	3.212	.5399	----	----	----	5	UNCH						
8925	----	----	----	9.468B/----	9.468B/7.376A	----	----	----	9.591 +	3.114	.5224	----	----	----	2	UNCH						
8950	----	----	----	9.577B/----	9.577B/7.318A	----	----	----	9.509 +	3.095	.5190	----	----	----	2	UNCH						
9000	----	----	----	9.410B/----	9.410B/6.995A	----	----	----	9.346 +	3.057	.5122	----	----	----	210	UNCH						
9100	----	----	----	9.088B/----	9.088B/6.979A	----	----	----	9.032 +	2.983	.4989	----	----	----	12	UNCH						
9500	----	----	----	7.934B/----	7.934B/5.953A	----	----	----	7.912 +	2.707	.4489	----	----	32	204	UNCH						
9600	----	----	----	7.677B/----	7.677B/5.866A	----	----	----	7.662 +	2.643	.4373	----	----	----	25	UNCH						
9750	----	----	----	7.311B/----	7.311B/5.652A	----	----	----	7.308 +	2.551	.4205	----	----	----	23	UNCH						
9800	----	----	----	7.195B/----	7.195B/5.415A	----	----	----	7.196 +	2.522	.4150	----	----	----	132 -	9						
9900	----	----	----	6.968B/----	6.968B/5.254A	----	----	----	6.977 +	2.463	.4044	----	----	----	90 -	19						
10000	4.499	4.499	4.499	6.750B/4.499	6.750B/4.499	----	----	----	6.767 +	2.405	.3941	----	2	105	518 +	81						
10100	----	----	----	6.543B/----	6.543B/4.945A	----	----	----	6.566 +	2.349	.3841	----	----	----	56	UNCH						
10200	----	----	----	6.343B/----	6.343B/4.894A	----	----	----	6.373 +	2.295	.3744	----	----	----	28	UNCH						
10300	6.330	6.330	6.330	6.342/6.329	6.342/4.813A	----	----	----	6.187	NEW	.3650	----	25	----	25 +	25						
10500	----	----	----	5.789B/----	5.789B/4.400A	----	----	----	5.838 +	2.139	.3471	----	----	100	229 +	100						
10800	----	----	----	5.296B/----	5.296B/4.146A	----	----	----	5.365 +	1.998	.3222	----	----	----	2	UNCH						
11000	3.268	3.268	3.268	5.024B/3.268	5.024B/3.268	----	----	----	5.079 +	1.910	.3069	----	2	60	239 +	39						
11300	----	----	----	4.635B/----	4.635B/3.542A	----	----	----	4.691 +	1.790	.2857	----	----	----	60	UNCH						
11500	----	----	----	4.404B/----	4.404B/3.358A	----	----	----	4.456 +	1.716	.2726	----	----	----	70	UNCH						
12000	2.350	2.350	2.350	4.365/2.350	4.365/2.350	----	----	----	3.944 +	1.558	.2435	----	10	80	201 +	82						
12500	----	----	----	3.440B/----	3.440B/2.660A	----	----	----	3.521 +	1.433	.2188	----	----	----	40	UNCH						
13000	----	----	----	3.049B/----	3.049B/2.201A	----	----	----	3.166 +	1.330	.1977	----	----	----	201	UNCH						
14000	2.775	2.775	2.775	2.775/2.775	2.775/2.038A	----	----	----	2.598 +	1.162	.1633	----	1	----	275	UNCH						
15000	----	----	----	1.954B/----	1.954B/1.442A	----	----	----	2.144 +	1.003	.1359	----	----	----	226	UNCH						
16000	----	----	----	1.478B/----	1.478B/1.151A	----	----	----	1.758 +	0.836	.1129	----	----	----	18	UNCH						
17000	----	----	----	1.129B/----	1.129B/0.976A	----	----	----	1.441 +	0.684	.0939	----	----	----	27	UNCH						
18000	----	----	----	0.878B/----	0.878B/0.839A	----	----	----	1.199 +	0.570	.0790	----	----	----	3	UNCH						
19000	----	----	----	0.918B/----	0.918B/0.730A	----	----	----	1.014 +	0.485	.0673	----	----	----	14	UNCH						
20000																						

PG64	BULLETIN # 89@										METALS OPTION PRODUCTS										Mon, May 11, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME				OPEN INTEREST							
SO CALL	COMEX SILVER OPTIONS																								
DEC26																									
7025	----	----	----	#21.469B/----	#21.469B/19.388A	----	22.035	+	4.731	.7795	----	----	----	----				1	UNCH						
7075	----	----	----	#21.160B/----	#21.160B/19.092A	----	21.723	+	4.706	.7738	----	----	----	----				5	UNCH						
7100	----	----	----	#21.006B/----	#21.006B/18.946A	----	21.569	+	4.694	.7709	----	----	----	----				15	UNCH						
7375	----	----	----	#19.391B/----	#19.391B/17.388A	----	19.942	+	4.548	.7387	----	----	----	----				2	UNCH						
7500	----	----	----	18.699B/----	18.699B/16.740A	----	19.245	+	4.476	.7238	----	----	----	----				18	UNCH						
7575	----	----	----	#18.298B/----	#18.298B/16.365A	----	18.840	+	4.432	.7149	----	----	----	----				1	UNCH						
7750	----	----	----	17.394B/----	17.394B/15.118A	----	17.930	+	4.324	.6939	----	----	----	----				2	UNCH						
7800	----	----	----	17.146B/----	17.146B/14.893A	----	17.680	+	4.293	.6879	----	----	----	----				1	UNCH						
7925	----	----	----	16.544B/----	16.544B/13.691A	----	17.071	+	4.212	.6729	----	----	----	----				2	UNCH						
8000	----	----	----	16.195B/----	16.195B/13.458A	----	16.718	+	4.163	.6639	----	----	----	----				132	UNCH						
8100	----	----	----	16.074B/----	16.074B/13.616A	----	16.260	+	4.096	.6520	----	----	----	----				1	UNCH						
8200	----	----	----	15.726B/----	15.726B/13.237A	----	15.819	+	4.030	.6402	----	----	----	----				21	UNCH						
8400	----	----	----	14.885B/----	14.885B/12.502A	----	14.980	+	3.896	.6168	----	----	----	----				50	UNCH						
8500	----	----	----	14.486B/----	14.486B/12.160A	----	14.582	+	3.828	.6053	----	----	----	----				150	UNCH						
8550	----	----	----	14.291B/----	14.291B/11.994A	----	14.388	+	3.793	.5996	----	----	----	----				25	UNCH						
8600	----	----	----	14.101B/----	14.101B/11.830A	----	14.198	+	3.760	.5939	----	----	----	----				7	UNCH						
8800	----	----	----	13.368B/----	13.368B/11.254A	----	13.471	+	3.626	.5716	----	----	----	----				5	UNCH						
8900	----	----	----	13.021B/----	13.021B/10.967A	----	13.127	+	3.560	.5608	----	----	----	----				2	UNCH						
8950	----	----	----	12.852B/----	12.852B/10.827A	----	12.960	+	3.528	.5555	----	----	----	----				1	UNCH						
9000	12.800	12.800		12.800/12.800	12.800/10.690A	----	12.796	+	3.496	.5502	----	----	20	----				249	+						
9050	----	----	----	12.524B/----	12.524B/10.550A	----	12.634	+	3.463	.5450	----	----	----	----				100	UNCH						
9100	----	----	----	12.364B/----	12.364B/10.420A	----	12.476	+	3.431	.5398	----	----	4	----				5	+						
9300	----	----	----	11.752B/----	11.752B/9.914A	----	11.871	+	3.307	.5196	----	----	4	----				4	+						
9500	----	----	----	11.182B/----	11.182B/9.448A	----	11.309	+	3.187	.5002	----	----	----	----				10	UNCH						
9700	----	----	----	10.652B/----	10.652B/9.023A	----	10.786	+	3.072	.4817	----	----	----	----				1	UNCH						
9800	----	----	----	10.401B/----	10.401B/8.863A	----	10.539	+	3.018	.4727	----	----	----	----				55	-						
9900	----	----	----	10.157B/----	10.157B/8.670A	----	10.300	+	2.965	.4640	----	----	----	----				4	UNCH						
10000	10.200	10.200		10.200/9.800	10.200/8.480A	----	10.070	+	2.914	.4554	----	----	83	----				833	UNCH						
10025	----	----	----	9.631B/----	9.631B/8.587A	----	10.014	+	2.902	.4533	----	----	----	----				3	UNCH						
10500	----	----	----	8.856B/----	8.856B/7.636A	----	9.033	+	2.684	.4158	----	----	----	----				2	UNCH						
10600	----	----	----	8.663B/----	8.663B/7.483A	----	8.846	+	2.642	.4084	----	----	----	----				6	UNCH						
10800	----	----	----	8.293B/----	8.293B/7.195A	----	8.491	+	2.564	.3942	----	----	----	----				5	UNCH						
11000	----	----	----	7.946B/----	7.946B/6.924A	----	8.158	+	2.490	.3807	----	----	----	----				93	UNCH						
11350	----	----	----	7.386B/----	7.386B/6.488A	----	7.625	+	2.373	.3587	----	----	----	----				5	UNCH						
11800	----	----	----	6.739B/----	6.739B/6.018A	----	7.018	+	2.237	.3331	----	----	----	----				25	UNCH						
12000	4.800	4.800		6.477B/4.800	6.477B/4.800	----	6.771	+	2.181	.3225	----	----	72	----				659	+						
12200	----	----	----	6.227B/----	6.227B/5.604A	----	6.538	+	2.127	.3124	----	----	----	----				1	UNCH						
12500	----	----	----	5.876B/----	5.876B/5.318A	----	6.209	+	2.049	.2981	----	----	----	----				45	UNCH						
13000	----	----	----	5.345B/----	5.345B/4.889A	----	5.707	+	1.922	.2761	----	----	----	----				371	UNCH						
14000	----	----	----	4.451B/----	4.451B/4.172A	----	4.837	+	1.673	.2377	----	----	----	25				81	+						
14200	----	----	----	4.300B/----	4.300B/4.048A	----	4.681	+	1.625	.2308	----	----	----	----				1	UNCH						
15000	3.000	3.000		3.785B/3.000	3.785B/3.000	----	4.108	+	1.434	.2053	----	----	56	----				1844	+						
16000	----	----	----	3.276B/----	3.276B/3.213A	----	3.496	+	1.216	.1777	----	----	----	----				1616	UNCH						
17000	----	----	----	2.833B/----	2.833B/2.953A	----	2.984	+	1.024	.1543	----	----	----	----				50	UNCH						
18000	----	----	----	2.427B/----	2.427B/2.734A	----	2.563	+	0.866	.1345	----	----	----	----				83	UNCH						
19000	----	----	----	2.070B/----	2.070B/2.287A	----	2.222	+	0.741	.1181	----	----	----	----				1	UNCH						
20000	----	----	----	1.664B/----	1.664B/1.692A	----	1.954	+	0.652	.1048	----	----	40	----				438	UNCH						
21000	----	----	----	1.371B/----	1.371B/1.540A	----	1.751	+	0.597	.0943	----	----	----	----				4	UNCH						
22000	----	----	----	1.158B/----	1.158B/1.410A	----	1.598	+	0.566	.0861	----	----	----	----				1	UNCH						
23000	----	----	----	0.974B/----	0.974B/1.298A	----	1.480	+	0.552	.0796	----	----	----	----				40	UNCH						
25000	----	----	----	0.765B/----	0.765B/1.117A	----	1.312	+	0.547	.0698	----	----	20	----				235	UNCH						
30000	----	----	----	0.789B/----	0.789B/0.823A	----	1.014	+	0.506	.0528	----	----	----	----				110	UNCH						
40000	----	----	----	0.342B/----	0.342B/0.537A	----	0.565	+	0.286	.0298	----	----	----	----				23	UNCH						
90000	----	----	----	----	0.003B/0.400A	----	0.183	+	0.093	.0091	----	----	----	----				2	UNCH						
TOTAL													355	25				8439	+						
JAN27																									
7550	----	----	----	#19.232B/----	#19.232B/18.286A	----	20.289	+	4.605	.7222	----	----	----	----				2	UNCH						
7650	19.700	19.700		19.700/19.700	19.700/17.829A	----	19.763	+	4.561	.7111	----	----	1	----				5	-						
8300	----	----	----	#16.552B/----	#16.552B/14.100A	----	16.708	+	4.235	.6390	----	----	----	----				16	UNCH						
10000	----	----	----	#11.072B/----	#11.072B/9.568A	----	11.249	+	3.267	.4752	----	----	----	----				6	UNCH						
11000	----	----	----	#9.008B/----	#9.008B/7.905A	----	9.248	+	2.766	.4029	----	----	----	----				6	UNCH						
12500	----	----	----	#6.815B/----	#6.815B/6.230A	----	7.183	+	2.216	.3217	----</														



2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>

CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY

PG64	BULLETIN # 89@				METALS OPTION PRODUCTS								Mon, May 11, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
SO PUT	COMEX SILVER OPTIONS																
JUN26	----	----	----	----	----	0.014 - 0.004	.0015	----	----	----	----	2	UNCH				
4350	----	----	----	----	----	0.014 - 0.004	.0016	----	----	----	----	3	UNCH				
4375	----	----	----	----	----	0.014 - 0.004	.0016	----	----	----	----	8	UNCH				
4400	----	----	----	----	----	0.015 - 0.003	.0017	----	----	----	----	1	UNCH				
4425	----	----	----	----	----	0.015 - 0.004	.0017	----	----	----	----	164	UNCH				
4500	----	----	----	----	----	0.016 - 0.004	.0019	----	----	----	----	2	UNCH				
4550	----	----	----	----	----	0.017 - 0.003	.0020	----	----	----	----	7	UNCH				
4600	----	----	----	----	----	0.017 - 0.004	.0020	----	----	----	----	12	UNCH				
4625	----	----	----	----	----	0.017 - 0.004	.0020	----	----	----	----	1	UNCH				
4650	----	----	----	----	----	0.018 - 0.003	.0022	----	----	----	----	2	UNCH				
4700	----	----	----	----	----	0.018 - 0.004	.0022	----	----	----	----	10	UNCH				
4725	----	----	----	----	----	0.019 - 0.003	.0023	----	----	----	----	3	UNCH				
4750	----	----	----	----	----	0.020 - 0.003	.0025	----	----	----	----	27	UNCH				
4800	----	----	----	----	----	0.020 - 0.003	.0025	----	----	----	----	3	UNCH				
4850	----	----	----	----	----	0.021 - 0.003	.0026	----	----	----	----	15	UNCH				
4875	----	----	----	----	----	0.021 - 0.003	.0027	----	----	----	----	171	UNCH				
4900	----	----	----	----	----	0.022 - 0.003	.0028	----	----	----	----	1	UNCH				
4975	0.030	0.030	0.030/0.025A	0.030/0.025A	----	0.023 - 0.003	.0030	----	3	----	----	1046	UNCH				
5000	----	----	----	----	----	0.023 - 0.003	.0030	----	----	----	----	8	UNCH				
5025	----	----	----	----	----	0.024 - 0.002	.0031	----	----	----	----	3	UNCH				
5050	----	----	----	----	----	0.024 - 0.003	.0032	----	----	----	----	2	UNCH				
5075	----	----	----	----	----	0.025 - 0.002	.0033	----	----	----	----	34	UNCH				
5100	----	----	----	----	----	0.025 - 0.003	.0033	----	----	----	----	1	UNCH				
5125	----	----	----	----	----	0.026 - 0.002	.0035	----	----	----	----	16	UNCH				
5150	----	----	----	----	----	0.026 - 0.003	.0035	----	----	----	----	12	UNCH				
5175	----	----	----	----	----	0.027 - 0.003	.0037	----	----	----	----	7	UNCH				
5200	----	----	----	----	----	0.027 - 0.003	.0037	----	----	----	----	1	UNCH				
5225	----	----	----	----	----	0.028 - 0.003	.0038	----	----	----	----	14	UNCH				
5250	----	----	----	----	----	0.028 - 0.003	.0039	----	----	----	----	17	UNCH				
5275	----	----	----	----	----	0.029 - 0.003	.0040	----	----	----	----	14	UNCH				
5300	----	----	----	----	----	0.029 - 0.004	.0041	----	----	----	----	10	UNCH				
5325	----	----	----	----	----	0.030 - 0.003	.0042	----	----	----	----	12	UNCH				
5350	----	----	----	----	----	0.030 - 0.004	.0043	----	----	----	----	10	UNCH				
5375	----	----	----	----	----	0.031 - 0.004	.0044	----	----	----	----	24	UNCH				
5400	----	----	----	----	----	0.032 - 0.003	.0046	----	----	----	----	4	UNCH				
5425	----	----	----	----	----	0.032 - 0.004	.0046	----	----	----	----	2	UNCH				
5450	----	----	----	----	----	0.033 - 0.004	.0048	----	----	----	----	13	UNCH				
5475	----	----	----	0.025B/0.069A	----	0.034 - 0.004	.0050	----	----	----	----	645	UNCH				
5500	----	----	----	----	----	0.034 - 0.004	.0050	----	----	----	----	16	UNCH				
5525	----	----	----	----	----	0.035 - 0.004	.0052	----	----	----	----	10	UNCH				
5550	----	----	----	----	----	0.036 - 0.004	.0054	----	----	----	----	2	UNCH				
5575	----	----	----	----	----	0.037 - 0.004	.0055	----	----	----	----	19	UNCH				
5600	----	----	----	----	----	0.037 - 0.004	.0056	----	----	----	----	2	UNCH				
5625	----	----	----	----	----	0.038 - 0.004	.0058	----	----	----	----	51	UNCH				
5650	----	----	----	----	----	0.039 - 0.004	.0060	----	----	----	----	21	UNCH				
5675	----	----	----	----	----	0.040 - 0.004	.0062	----	----	----	----	243	UNCH				
5700	----	----	----	0.039B/0.089A	----	0.041 - 0.004	.0063	----	----	----	----	18	UNCH				
5725	----	----	----	0.001B/0.090A	----	0.042 - 0.003	.0065	----	----	----	----	226	UNCH				
5750	----	----	----	0.001B/0.091A	----	0.043 - 0.003	.0067	----	----	----	----	9	UNCH				
5800	----	----	----	0.001B/0.092A	----	0.044 - 0.003	.0069	----	----	----	----	80	UNCH				
5825	----	----	----	0.001B/0.093A	----	0.045 - 0.003	.0071	----	----	----	----	9	UNCH				
5850	----	----	----	0.001B/0.094A	----	0.046 - 0.003	.0073	----	----	----	----	6	UNCH				
5875	----	----	----	0.001B/0.096A	----	0.047 - 0.002	.0075	----	----	----	----	14	UNCH				
5900	----	----	----	0.026B/0.097A	----	0.048 - 0.002	.0077	----	----	----	----	45	UNCH				
5925	----	----	----	0.009B/0.099A	----	0.049 - 0.002	.0080	----	----	----	----	21	UNCH				
5950	----	----	----	0.009B/0.089A	----	0.050 - 0.002	.0082	----	----	----	----	6	UNCH				
5975	----	----	----	0.024B/*0.088A	----	0.051 - 0.002	.0084	----	----	----	----	3	UNCH				
6000	----	----	-----/0.050A	0.050B/0.050A	----	0.052 - 0.002	.0086	----	----	----	----	1210 -	1				
6025	----	----	----	0.002B/*0.087A	----	0.054 - 0.001	.0090	----	----	----	----	31	UNCH				
6050	----	----	----	0.008B/*0.065A	----	0.055 - 0.001	.0092	----	----	----	----	142	UNCH				
6075	----	----	----	0.010B/*0.060A	----	0.056 - 0.002	.0094	----	----	----	----	31	UNCH				
6100	----	----	-----/0.052A	0.010B/*0.052A	----	0.058 - 0.001	.0098	----	2	----	----	109 -	2				
6125	----	----	----	0.010B/0.080A	----	0.059 - 0.002	.0101	----	----	----	----	3	UNCH				
6150	----	----	----	0.010B/0.084A	----	0.061 - 0.002	.0104	----	----	----	----	14	UNCH				
6175	----	----	----	0.020B/0.087A	----	0.063 - 0.002	.0108	----	----	----	----	307	UNCH				
6200	0.045	0.045	0.045/*0.045	0.055B/*0.045	----	0.064 - 0.004	.0111	----	3	----	----	248 -	3				
6225	----	----	----	0.012B/0.092A	----	0.066 - 0.005	.0115	----	----	----	----	8	UNCH				
6250	----	----	-----/0.070A	0.012B/*0.070A	----	0.068 - 0.006	.0119	----	----	----	----	69	UNCH				
6275	----	----	----	0.014B/*0.098A	----	0.070 - 0.008	.0123	----	----	----	----	3	UNCH				
6300	----	----	-----/0.072A	0.039B/*0.072A	----	0.072 - 0.009	.0127	----	----	----	----	146	UNCH				
6325	----	----	----	0.032B/*0.078A	----	0.074 - 0.012	.0132	----	----	----	----	18	UNCH				
6350	----	----	-----/0.082A	0.034B/*0.082A	----	0.076 - 0.014	.0136	----	----	----	----	32	UNCH				
6375	----	----	----	0.035B/*0.085A	----	0.078 - 0.016	.0140	----	----	----	----	14	UNCH				
6400	----	----	----	0.070B/*0.088A	----	0.081 - 0.018	.0146	----	3	----	----	192 +	3				
6425	----	----	----	0.056B/*0.091A	----	0.083 - 0.021	.0151	----	----	----	----	46	UNCH				
6450	----	----	----	0.054B/*0.095A	----	0.086 - 0.023	.0157	----	----	----	----	63	UNCH				
6475	----	----	----	0.049B/*0.099A	----	0.088 - 0.027	.0162	----	----	----	----	88	UNCH				
6500	0.100	0.100	0.105B/*0.080	0.105B/*0.080	----	0.091 - 0.029	.0168	----	69	----	----	528 -	16				
6525	----	----	----	0.104A/*0.104A	----	0.094 - 0.032	.0174	----	----	----	----	37	UNCH				
6550	----	----	----	0.107A/*0.107A	----	0.097 - 0.035	.0180	----	----	----	----	233	UNCH				
6575	----	----	----	0.113A/*0.113A	----	0.101 - 0.038	.0188	----	1	----	----	8	UNCH				
6600	0.100	0.100	0.100/*0.100	0.100/*0.100	----	0.104 - 0.042	.0195	----	2	----	----	182	UNCH				
6625	----	----	----	0.124A/*0.124A	----	0.108 - 0.045	.0203	----	----	----	----	20	UNCH				
6650	----	----	----	0.128A/*0.128A	----	0.112 - 0.049	.0212	----	8	----	----	40 +	8				
6675	----	----	----	0.131A/*0.131A	----	0.116 - 0.054	.0220	----	----	----	----	28	UNCH				
6700	----	----	----	0.139A/*0.139A	----	0.120 - 0.059	.0229	----	2	----	----	132 -	1				
6725	----	----	----	0.138A/*0.138A	----	0.124 - 0.065	.0237	----	----	----	----	40	UNCH				
6750	----	----	----	0.148A/*0.148A	----												

	BULLETIN # 89@				METALS OPTION PRODUCTS							Mon, May 11, 2026				PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY CLOSE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO PUT	COMEX SILVER OPTIONS																
JUN26																	
8025	1.916	1.916		3.298B/*1.431A	3.298B/*1.431A	----	1.540	-	1.631	.2463	----	----	2	----	22	+	1
8050	1.802	1.802		3.420B/*1.502A	3.420B/*1.502A	----	1.616	-	1.686	.2556	----	----	1	----	6	-	1
8075	----	----	----	3.565B/*1.578A	3.565B/*1.578A	----	1.694	-	1.741	.2649	----	----	----	----	3	UNCH	
8100	2.360	2.360		3.699B/*1.648A	3.699B/*1.648A	----	1.776	-	1.795	.2745	----	102	102	----	105	+	58
8125	3.451	3.451		3.845B/*1.731A	3.845B/*1.731A	----	1.860	-	1.851	.2842	----	2	2	----	9	-	1
8150	3.968	3.968		3.992B/*1.802A	3.992B/*1.802A	----	1.947	-	1.906	.2940	----	4	4	----	7	+	2
8175	----	----	----	4.153B/*1.888A	4.153B/*1.888A	----	2.037	-	1.961	.3039	----	----	----	----	44	UNCH	
8200	2.400	2.400		4.310B/*1.970	4.310B/*1.970	----	2.130	-	2.016	.3139	----	9	9	52	69	+	44
8225	----	----	----	4.423B/*2.066A	4.423B/*2.066A	----	2.225	-	2.072	.3240	----	1	1	----	8	+	1
8250	----	----	----	4.584B/*2.160A	4.584B/*2.160A	----	2.324	-	2.127	.3342	----	----	----	----	18	UNCH	
8275	2.512	2.512		4.748B/*2.243A	4.748B/*2.243A	----	2.426	-	2.182	.3444	----	2	2	----	42	+	1
8300	2.480	2.480		4.915B/*2.345A	4.915B/*2.345A	----	2.530	-	2.237	.3547	----	1	1	----	5	-	1
8325	2.610	2.610		5.084B/*2.451A	5.084B/*2.451A	----	2.637	-	NEW	.3651	----	2	2	----	1	+	1
8350	----	----	----	5.255B/*2.549A	5.255B/*2.549A	----	2.747	-	2.346	.3755	----	----	----	----	18	UNCH	
8375	----	----	----	5.429B/*2.653A	5.429B/*2.653A	----	2.861	-	2.399	.3860	----	----	----	----	1	UNCH	
8400	3.788	3.788		5.604B/*2.760A	5.604B/*2.760A	----	2.977	-	2.453	.3964	----	4	4	75	83	+	78
8425	3.421	3.421		5.783B/*2.857A	5.783B/*2.857A	----	3.095	-	2.507	.4069	----	1	1	----	64	UNCH	
8450	----	----	----	5.963B/*2.987A	5.963B/*2.987A	----	3.217	-	2.559	.4174	----	4	4	----	23	+	4
8475	----	----	----	6.146B/*3.107A	6.146B/*3.107A	----	3.342	-	2.611	.4278	----	----	----	----	2	UNCH	
8500	3.840	3.840		6.294B/*3.200	6.294B/*3.200	----	3.469	-	2.663	.4383	----	33	33	75	171	+	101
8525	3.683	3.683		6.481B/*3.345A	6.481B/*3.345A	----	3.599	-	2.715	.4487	----	1	1	----	1	UNCH	
8550	----	----	----	6.672B/*3.472A	6.672B/*3.472A	----	3.732	-	2.765	.4591	----	----	----	----	1	UNCH	
8575	3.850	3.850		6.864B/*3.570	6.864B/*3.570	----	3.867	-	2.816	.4694	----	21	21	----	20	+	19
8600	4.252	4.252		7.058B/*3.731A	7.058B/*3.731A	----	4.006	-	2.865	.4797	----	14	14	----	16	+	11
8625	----	----	----	7.255B/*3.855A	7.255B/*3.855A	----	4.146	-	2.914	.4899	----	5	5	----	15	+	5
8650	4.230	4.230		7.452B/*3.995A	7.452B/*3.995A	----	4.290	-	2.962	.5000	----	1	1	----	2	UNCH	
8675	----	----	----	7.649B/*4.133A	7.649B/*4.133A	----	4.436	-	3.010	.5101	----	----	----	----	2	UNCH	
8700	5.000	5.000		7.846B/*4.275A	7.846B/*4.275A	----	4.585	-	3.056	.5201	----	4	4	----	16	+	2
8750	----	----	----	8.043B/*4.552A	8.043B/*4.552A	----	4.890	-	3.148	.5398	----	----	----	----	26	UNCH	
8775	----	----	----	8.240B/*4.711A	8.240B/*4.711A	----	5.046	-	3.193	.5495	----	----	----	----	1	UNCH	
8800	----	----	----	8.437B/*4.864A	8.437B/*4.864A	----	5.204	-	3.238	.5591	----	----	----	----	14	UNCH	
8825	----	----	----	8.634B/*5.019A	8.634B/*5.019A	----	5.365	-	3.281	.5686	----	----	----	----	15	UNCH	
8850	----	----	----	8.831B/*5.170A	8.831B/*5.170A	----	5.528	-	3.324	.5780	----	----	----	----	6	UNCH	
8925	----	----	----	9.028B/*5.321A	9.028B/*5.321A	----	5.691	-	3.367	.5875	----	----	----	----	4	UNCH	
8975	----	----	----	9.225B/*5.472A	9.225B/*5.472A	----	5.854	-	3.410	.5970	----	----	----	----	2	UNCH	
9000	6.550	6.550		9.422B/*5.623A	9.422B/*5.623A	----	6.017	-	3.453	.6065	----	5	5	----	138	+	2
9050	----	----	----	9.619B/*5.774A	9.619B/*5.774A	----	6.180	-	3.496	.6160	----	----	----	----	3	UNCH	
9075	----	----	----	9.816B/*5.925A	9.816B/*5.925A	----	6.343	-	3.539	.6255	----	----	----	----	2	UNCH	
9100	----	----	----	10.013B/*6.076A	10.013B/*6.076A	----	6.506	-	3.582	.6350	----	----	----	----	6	UNCH	
9125	----	----	----	10.210B/*6.227A	10.210B/*6.227A	----	6.669	-	3.625	.6445	----	----	----	----	1	UNCH	
9150	----	----	----	10.407B/*6.378A	10.407B/*6.378A	----	6.832	-	3.668	.6540	----	----	----	----	1	UNCH	
9175	----	----	----	10.604B/*6.529A	10.604B/*6.529A	----	6.995	-	3.711	.6635	----	----	----	----	1	UNCH	
9200	----	----	----	10.801B/*6.680A	10.801B/*6.680A	----	7.158	-	3.754	.6730	----	----	----	----	1	UNCH	
9325	----	----	----	11.098B/*6.831A	11.098B/*6.831A	----	7.321	-	3.797	.6825	----	----	----	----	80	UNCH	
9450	----	----	----	11.295B/*6.982A	11.295B/*6.982A	----	7.484	-	3.838	.6920	----	----	----	----	1	UNCH	
9500	----	----	----	11.492B/*7.133A	11.492B/*7.133A	----	7.647	-	3.883	.7015	----	----	----	----	6	UNCH	
9525	----	----	----	11.689B/*7.284A	11.689B/*7.284A	----	7.810	-	3.926	.7110	----	----	----	----	138	UNCH	
9550	----	----	----	11.886B/*7.435A	11.886B/*7.435A	----	7.973	-	3.969	.7205	----	----	----	----	1	UNCH	
9575	----	----	----	12.083B/*7.586A	12.083B/*7.586A	----	8.136	-	4.012	.7300	----	----	----	----	1	UNCH	
9725	----	----	----	12.280B/*7.737A	12.280B/*7.737A	----	8.299	-	4.055	.7395	----	----	----	----	2	UNCH	
9825	----	----	----	12.477B/*7.888A	12.477B/*7.888A	----	8.462	-	4.098	.7490	----	----	----	----	1	UNCH	
9850	----	----	----	12.674B/*8.039A	12.674B/*8.039A	----	8.625	-	4.141	.7585	----	----	----	----	1	UNCH	
9900	----	----	----	12.871B/*8.190A	12.871B/*8.190A	----	8.788	-	4.184	.7680	----	----	----	----	1	UNCH	
9925	----	----	----	13.068B/*8.341A	13.068B/*8.341A	----	8.951	-	4.227	.7775	----	----	----	----	17	UNCH	
9950	----	----	----	13.265B/*8.492A	13.265B/*8.492A	----	9.114	-	4.270	.7870	----	----	----	----	1	UNCH	
10000	----	----	----	13.462B/*8.643A	13.462B/*8.643A	----	9.277	-	4.313	.7965	----	----	----	----	1	UNCH	
10025	----	----	----	13.659B/*8.794A	13.659B/*8.794A	----	9.440	-	4.356	.8060	----	----	----	----	97	UNCH	
10075	----	----	----	13.856B/*8.945A	13.856B/*8.945A	----	9.603	-	4.399	.8155	----	----	----	----	2	UNCH	
10100	----	----	----	14.053B/*9.096A	14.053B/*9.096A	----	9.766	-	4.442	.8250	----	----	----	----	1	UNCH	
10125	----	----	----	14.250B/*9.247A	14.250B/*9.247A	----	9.929	-	4.485	.8345	----	----	----	----	1	UNCH	
10150	----	----	----	14.447B/*9.398A	14.447B/*9.398A	----	10.092	-	4.528	.8440	----	----	----	----	8	UNCH	
10175	----	----	----	14.644B/*9.549A	14.644B/*												



BULLETIN # 89@			METALS OPTION PRODUCTS										Mon, May 11, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETTL.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
SO PUT	COMEX SILVER OPTIONS														
JUL26															
5250	----	----	----	0.035B/*0.186A	----	0.097 - 0.027	.0121	----	----	----	----	225	UNCH		
5275	----	----	----	0.039B/*0.190A	----	0.100 - 0.027	.0125	----	----	----	----	2	UNCH		
5300	----	----	----	0.040B/0.185A	----	0.103 - 0.028	.0129	----	----	----	----	123	UNCH		
5325	----	----	----	0.045B/*0.198A	----	0.106 - 0.029	.0133	----	----	----	----	11	UNCH		
5350	----	----	----	0.047B/*0.201A	----	0.109 - 0.030	.0137	----	----	----	----	26	UNCH		
5375	----	----	----	0.052B/*0.205A	----	0.113 - 0.030	.0142	----	----	----	----	17	UNCH		
5400	----	----	----	0.058B/*0.210A	----	0.116 - 0.031	.0146	----	----	----	----	75	UNCH		
5425	----	----	----	0.061B/*0.214A	----	0.120 - 0.032	.0151	----	----	----	----	49	UNCH		
5450	----	----	----	0.067B/*0.216A	----	0.124 - 0.033	.0156	----	----	----	----	38	UNCH		
5475	----	----	----	0.076B/*0.222A	----	0.128 - 0.034	.0161	----	----	----	----	53	UNCH		
5500	0.120	0.120	0.120/*0.120	0.120/*0.120	----	0.132 - 0.036	.0167	----	----	11	----	1011 -	11		
5525	----	----	----	0.080B/*0.230A	----	0.136 - 0.037	.0172	----	----	15	----	86 -	1		
5550	----	----	----	0.092B/*0.236A	----	0.140 - 0.039	.0177	----	----	----	----	18	UNCH		
5575	----	----	----	0.092B/*0.240A	----	0.145 - 0.041	.0183	----	----	----	----	3	UNCH		
5600	----	----	----	0.091B/*0.246A	----	0.150 - 0.042	.0190	----	----	35	----	30 -	1		
5625	----	----	----	0.102B/*0.252A	----	0.155 - 0.044	.0196	----	----	----	----	3	UNCH		
5650	----	----	----	0.107B/*0.258A	----	0.160 - 0.046	.0203	----	----	----	----	29	UNCH		
5675	----	----	----	0.116B/*0.260A	----	0.165 - 0.049	.0209	----	----	----	----	45	UNCH		
5700	----	----	----	0.161B/*0.273A	----	0.171 - 0.051	.0217	----	----	3	----	302	UNCH		
5725	----	----	----	0.134B/*0.275A	----	0.177 - 0.053	.0224	----	----	----	----	3	UNCH		
5750	----	----	----	0.128B/*0.284A	----	0.183 - 0.056	.0232	----	----	----	----	52	UNCH		
5775	----	----	----	0.135B/*0.293A	----	0.190 - 0.058	.0240	----	----	----	----	2	UNCH		
5800	----	----	----	0.190B/*0.301A	----	0.196 - 0.062	.0248	----	----	3	----	30	UNCH		
5825	----	----	----	0.149B/*0.308A	----	0.203 - 0.065	.0257	----	----	----	----	4	UNCH		
5850	----	----	----	0.163B/*0.316A	----	0.211 - 0.067	.0266	----	----	----	----	114	UNCH		
5875	----	----	----	0.170B/*0.323A	----	0.218 - 0.071	.0275	----	----	----	----	3	UNCH		
5900	----	----	----	0.184B/*0.314A	----	0.226 - 0.074	.0285	----	----	----	----	6	UNCH		
5925	----	----	----	0.185B/*0.341A	----	0.234 - 0.078	.0295	----	----	----	----	2	UNCH		
5950	----	----	----	0.194B/*0.350A	----	0.243 - 0.081	.0306	----	----	----	----	2	UNCH		
5975	----	----	----	0.264B/*0.362A	----	0.252 - 0.085	.0316	----	----	----	----	9	UNCH		
6000	0.275	0.275	0.280/*0.234	0.320B/*0.234	----	0.261 - 0.089	.0327	----	----	27	----	615	UNCH		
6050	----	----	----	0.239B/*0.397A	----	0.281 - 0.097	.0351	----	----	----	----	12	UNCH		
6100	----	----	----	0.273B/*0.409A	----	0.303 - 0.106	.0377	----	----	1	----	293	UNCH		
6125	----	----	----	0.277B/*0.437A	----	0.314 - 0.111	.0390	----	----	1	----	1 -	1		
6150	----	----	----	0.290B/*0.449A	----	0.326 - 0.115	.0404	----	----	----	----	10	UNCH		
6175	----	----	----/*0.395A	0.304B/*0.395A	----	0.338 - 0.121	.0418	----	----	----	----	2	UNCH		
6200	----	----	----/*0.464A	0.340B/*0.464A	----	0.351 - 0.126	.0433	----	----	----	----	44	UNCH		
6225	----	----	----	0.333B/*0.513A	----	0.364 - 0.132	.0448	----	----	----	----	1	UNCH		
6250	----	----	----	0.351B/*0.517A	----	0.378 - 0.138	.0464	----	----	----	----	27	UNCH		
6275	----	----	----	0.367B/*0.541A	----	0.392 - 0.144	.0480	----	----	----	----	1	UNCH		
6300	0.570	0.570	0.570/*0.410	0.570/*0.410	----	0.407 - 0.150	.0497	----	----	5	----	254 +	1		
6325	----	----	----/*0.474A	0.488B/*0.474A	----	0.422 - 0.157	.0514	----	----	----	----	20	UNCH		
6350	0.514	0.514	0.514/*0.468	0.514/*0.468	----	0.438 - 0.164	.0532	----	255	----	----	251 +	250		
6375	----	----	----/*0.522A	0.564B/*0.522A	----	0.455 - 0.171	.0550	----	----	----	----	6	UNCH		
6400	----	----	----/*0.533A	0.584B/*0.533A	----	0.472 - 0.179	.0569	----	----	2	----	89 -	2		
6425	----	----	----/*0.545A	0.621B/*0.545A	----	0.491 - 0.186	.0590	----	----	----	----	2	UNCH		
6450	----	----	----/*0.555A	0.648B/*0.555A	----	0.510 - 0.194	.0610	----	----	6	----	7 +	3		
6475	----	----	----/*0.576A	0.679B/*0.576A	----	0.530 - 0.202	.0632	----	----	----	----	2	UNCH		
6500	0.605	0.605	0.635/*0.545	0.705B/*0.545	----	0.550 - 0.211	.0653	----	37	----	----	830 +	4		
6525	----	----	----/*0.641A	0.739B/*0.641A	----	0.570 - 0.221	.0675	----	----	----	----	1	UNCH		
6550	----	----	----/*0.657A	0.771B/*0.657A	----	0.592 - 0.230	.0698	----	----	1	----	65	UNCH		
6575	----	----	----/*0.685A	0.812B/*0.685A	----	0.615 - 0.240	.0722	----	----	----	----	7	UNCH		
6600	----	----	----/*0.703A	0.846B/*0.703A	----	0.638 - 0.251	.0746	----	----	2	----	49	UNCH		
6650	----	----	----/*0.721A	0.923B/*0.721A	----	0.687 - 0.274	.0796	----	----	12	----	131 +	1		
6675	0.804	0.804	0.804/*0.753A	0.947B/*0.753A	----	0.714 - 0.284	.0823	----	----	6	----	6 +	5		
6700	----	----	----/*0.755A	1.002B/*0.755A	----	0.741 - 0.296	.0851	----	----	9	----	39 +	5		
6725	0.873	0.873	0.873/*0.779A	1.029B/*0.779A	----	0.768 - 0.310	.0878	----	----	1	----	2 +	1		
6750	0.987	0.987	0.987/*0.800A	1.067B/*0.800A	----	0.797 - 0.323	.0906	----	----	2	----	37 +	1		
6775	1.026	1.026	1.026/*0.829A	1.128B/*0.829A	----	0.827 - 0.336	.0936	----	----	1	----	2	UNCH		
6800	0.890	0.890	0.917/*0.858A	1.163B/*0.858A	----	0.858 - 0.349	.0966	----	12	----	----	334 +	6		
6825	1.113	1.113	1.113/*0.890A	1.201B/*0.890A	----	0.889 - 0.364	.0996	----	----	1	----	4 +	1		
6850	1.156	1.156	1.156/*0.921A	1.245B/*0.921A	----	0.922 - 0.379	.1028	----	7	----	----	15 +	3		
6875	----	----	----/*0.954A	1.304B/*0.954A	----	0.957 - 0.393	.1061	----	1	----	----	86	UNCH		
6900	0.992	0.992	0.992/*0.988A	1.351B/*0.988A	----	0.992 - 0.408	.1094	----	29	----	----	131 +	14		
6925	----	----	----/*1.024A	1.407B/*1.024A	----	1.028 - 0.424	.1127	----	----	----	----	45	UNCH		
6950	----	----	----/*1.059A	1.460B/*1.059A	----	1.066 - 0.439	.1162	----	2	----	----	84	UNCH		
6975	----	----	----/*1.102A	1.518B/*1.102A	----	1.104 - 0.456	.1197	----	----	----	----	1	UNCH		
7000	1.250	1.250	1.280/*1.141A	1.575B/*1.141A	----	1.144 - 0.472	.1233	----	27	----	----	738 +	1		
7025	----	----	----/*1.181A	1.636B/*1.181A	----	1.185 - 0.489	.1270	----	----	----	----	135	UNCH		
7050	----	----	----/*1.226A	1.696B/*1.226A	----	1.229 - 0.504	.1308	----	----	----	----	2	UNCH		
7075	----	----	----/*1.269A	1.760B/*1.269A	----	1.272 - 0.522	.1346	----	1	----	----	2	UNCH		
7100	----	----	----/*1.314A	1.827B/*1.314A	----	1.317 - 0.540	.1386	----	27	----	----	48 +	23		
7125	----	----	----/*1.374A	1.894B/*1.374A	----	1.364 - 0.557	.1426	----	2	----	----	11 +	1		
7150	----	----	----/*1.420A	1.964B/*1.420A	----	1.411 - 0.576	.1466	----	2	----	----	103 +	1		
7175	----	----	----/*1.461A	2.028B/*1.461A	----	1.461 - 0.595	.1508	----	----	----	----	32	UNCH		
7200	----	----	----/*1.507A	2.108B/*1.507A	----	1.512 - 0.614	.1550	----	2	----	----	96 +	2		
7225	----	----	----/*1.554A	2.177B/*1.554A	----	1.564 - 0.633	.1593	----	1	----	----	3 +	1		

BULLETIN # 89@			METALS OPTION PRODUCTS										Mon, May 11, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
SO PUT	COMEX SILVER OPTIONS														
JUL26															
9950	----	----	----/16.633A	19.526B/16.633A	----	16.879 - 3.534	.7015	----	----	----	----	5	UNCH		
10000	----	----	----/16.968A	20.167B/16.968A	----	17.294 - 3.567	.7079	----	----	----	----	225	UNCH		
10275	----	----	----/19.276A	22.453B/19.276A	----	19.623 - 3.732	.7408	----	----	----	----	7	UNCH		
10500	----	----	----/21.456A	24.513B/21.456A	----	21.574 - 3.849	.7646	----	----	----	----	3	UNCH		
10600	----	----	----/22.076A	25.436B/22.076A	----	22.455 - 3.894	.7744	----	----	----	----	9	UNCH		
10800	----	----	----/24.078A	27.302B/24.078A	----	24.233 - 3.979	.7925	----	----	----	----	1	UNCH		
11000	----	----	----/25.634A	29.382B/25.634A	----	26.036 - 4.057	.8089	----	----	13	----	230 +	13		
11300	----	----	----/28.347A	32.022B/28.347A	----	28.777 - 4.165	.8307	----	----	----	----	10	UNCH		
11500	----	----	----/30.393A	33.938B/30.393A	----	30.625 - 4.229	.8436	----	----	----	----	1	UNCH		
12000	----	----	----/34.830A	38.753B/34.830A	----	35.306 - 4.362	.8710	----	----	----	----	15	UNCH		
13000	----	----	----/44.487A	48.505B/44.487A	----	44.855 - 4.571	.9104	----	----	----	----	5	UNCH		
TOTAL										868	0	12727 +	456		
AUG26															
3300	----	----	----	0.001B/3.249A	----	0.041 + 0.023	.0034	----	----	----	----	2	UNCH		
3900	----	----	----	0.001B/3.376A	----	0.085 + 0.037	.0072	----	----	----	----	2	UNCH		
4000	----	----	----	0.001B/3.396A	----	0.095 + 0.040	.0081	----	----	----	----	1	UNCH		
4175	----	----	----	0.004B/0.185A	----	0.115 + 0.045	.0099	----	----	----	----	1	UNCH		
4300	----	----	----	0.014B/0.186A	----	0.132 + 0.049	.0114	----	----	----	----	1	UNCH		
4350	----	----	----	0.016B/0.192A	----	0.139 + 0.051	.0120	----	----	----	----	1	UNCH		
4375	----	----	----	0.018B/0.196A	----	0.142 + 0.051	.0123	----	----	----	----	160	UNCH		
4400	----	----	----	0.021B/0.201A	----	0.146 + 0.052	.0127	----	----	----	----	1	UNCH		
4500	----	----	----	0.031B/0.216A	----	0.162 + 0.054	.0141	----	----	----	----	2	UNCH		
4600	----	----	----	0.043B/0.232A	----	0.180 + 0.057	.0158	----	----	----	----	4	UNCH		
4625	----	----	----	0.046B/0.237A	----	0.184 + 0.057	.0161	----	----	----	----	1	UNCH		
4700	----	----	----	0.057B/0.251A	----	0.199 + 0.059	.0175	----	----	----	----	1	UNCH		
4775	----	----	----	0.069B/0.266A	----	0.215 + 0.060	.0189	----	----	----	----	1	UNCH		
4800	----	----	----	0.073B/0.271A	----	0.221 + 0.061	.0195	----	----	----	----	16	UNCH		
4825	----	----	----	0.077B/*0.276A	----	0.226 + 0.061	.0199	----	----	----	----	1	UNCH		
5000	----	----	----	0.108B/*0.320A	----	0.271 + 0.062	.0240	----	----	1	----	14	UNCH		
5275	----	----	----	0.187B/*0.407A	----	0.359 + 0.056	.0318	----	----	----	----	1	UNCH		
5300	----	----	----	0.195B/*0.417A	----	0.369 + 0.056	.0327	----	----	----	----	1	UNCH		
5425	----	----	----	0.242B/*0.468A	----	0.420 + 0.049	.0371	----	----	----	----	1	UNCH		
5500	----	----	----	0.275B/*0.504A	----	0.454 + 0.043	.0401	----	----	----	----	78	UNCH		
5675	----	----	----	0.366B/*0.597A	----	0.546 + 0.025	.0479	----	----	----	----	9	UNCH		
5700	----	----	----	0.381B/*0.613A	----	0.560 + 0.021	.0491	----	----	----	----	2	UNCH		
5750	----	----	----	0.412B/*0.644A	----	0.591 + 0.014	.0517	----	----	----	----	1	UNCH		
5800	----	----	----	0.445B/0.678A	----	0.623 + 0.006	.0543	----	----	----	----	5	UNCH		
5850	----	----	----	0.480B/*0.712A	----	0.657 - 0.003	.0571	----	----	----	----	2	UNCH		
5875	----	----	----	0.499B/*0.731A	----	0.675 - 0.007	.0586	----	----	----	----	4	UNCH		
5900	----	----	----	0.518B/*0.750A	----	0.693 - 0.012	.0600	----	----	----	----	5	UNCH		
5950	----	----	----	0.559B/*0.787A	----	0.731 - 0.023	.0631	----	----	----	----	10	UNCH		
6000	----	----	----	0.603B/0.822A	----	0.771 - 0.034	.0663	----	----	----	----	127	UNCH		
6050	----	----	----	0.651B/*0.862A	----	0.813 - 0.043	.0697	----	----	----	----	1	UNCH		
6100	----	----	----/*0.904A	0.701B/*0.904A	----	0.858 - 0.051	.0732	----	----	1	----	11 +	1		
6150	----	----	----/*0.949A	0.755B/*0.949A	----	0.905 - 0.061	.0769	----	----	----	----	1	UNCH		
6200	----	----	----/*0.996A	0.811B/*0.996A	----	0.955 - 0.070	.0807	----	----	1	----	101	UNCH		
6225	----	----	----/1.020A	0.841B/1.020A	----	0.981 - 0.075	.0827	----	----	----	----	9	UNCH		
6250	----	----	----/*1.046A	0.878B/*1.046A	----	1.008 - 0.080	.0847	----	----	----	----	111	UNCH		
6300	----	----	----/*1.100A	0.969B/*1.100A	----	1.063 - 0.092	.0889	----	----	----	----	52	UNCH		
6400	----	----	----/*1.213A	1.049B/*1.213A	----	1.184 - 0.118	.0978	----	----	----	----	1	UNCH		
6425	----	----	----/*1.243A	1.118B/*1.243A	----	1.216 - 0.126	.1001	----	----	----	----	6	UNCH		
6450	----	----	----/*1.274A	1.121B/*1.274A	----	1.249 - 0.134	.1025	----	----	----	----	1	UNCH		
6500	1.200	1.200	1.200/*1.200	1.200/*1.200	----	1.318 - 0.150	.1074	----	1	----	----	217 -	1		
6575	----	----	----/*1.407A	1.412B/*1.407A	----	1.428 - 0.178	.1151	----	----	----	----	1	UNCH		
6600	----	----	----/*1.481A	1.369B/*1.481A	----	1.467 - 0.188	.1178	----	----	----	----	16	UNCH		
6650	----	----	----/*1.617A	1.483B/*1.617A	----	1.547 - 0.209	.1233	----	5	----	----	14 +	5		
6675	----	----	----/*1.587A	1.595B/*1.587A	----	1.588 - 0.221	.1260	----	----	----	----	1	UNCH		
6700	----	----	----/*1.700A	1.618B/*1.700A	----	1.631 - 0.232	.1289	----	----	----	----	3	UNCH		
6725	----	----	----/*1.673A	1.620B/*1.673A	----	1.674 - 0.244	.1318	----	----	----	----	9	UNCH		
6750	----	----	----/*1.793A	1.673B/*1.793A	----	1.719 - 0.257	.1347	----	5	----	----	5 +	4		
6800	----	----	----/*1.882A	1.894B/*1.882A	----	1.811 - 0.283	.1408	----	----	----	----	3	UNCH		
6825	----	----	----/*1.857A	1.953B/*1.857A	----	1.859 - 0.297	.1438	----	----	----	----	8	UNCH		
6850	----	----	----/*1.983A	2.015B/*1.983A	----	1.908 - 0.311	.1470	----	----	----	----	1	UNCH		
6900	----	----	----/*2.079A	2.140B/*2.079A	----	2.010 - 0.340	.1534	----	----	----	----	6	UNCH		
6950	----	----	----/*2.192A	2.276B/*2.192A	----	2.116 - 0.372	.1600	----	----	----	----	24	UNCH		
6975	----	----	----/*2.167A	2.337B/*2.167A	----	2.171 - 0.388	.1633	----	----	----	----	1	UNCH		
7000	2.702	2.702	2.702/*2.185A	2.702/*2.185A	----	2.227 - 0.405	.1668	----	1	----	----	9	UNCH		
7050	----	----	----/*2.413A	2.532B/*2.413A	----	2.343 - 0.441	.1737	----	----	----	----	2	UNCH		
7100	----	----	----/*2.525A	2.678B/*2.525A	----	2.464 - 0.477	.1808	----	----	----	----	7	UNCH		
7150	----	----	----/*2.581A	2.835B/*2.581A	----	2.591 - 0.515	.1881	----	----	----	----	1	UNCH		
7200	2.811	2.811	2.811/*2.685A	3.032B/*2.685A	----	2.722 - 0.556	.1956	----	11	----	----	69 -	1		
7225	----	----	----/*2.777A	3.093B/*2.777A	----	2.790 - 0.577	.1993	----	----	----	----	2	UNCH		
7300	3.168	3.168	3.168/*2.971A	3.372B/*2.971A	----	3.002 - 0.641	.2109	----	5	----	----	111 -	1		
7350	----	----	----/*3.135A	3.523B/*3.135A	----	3.150 - 0.685	.2188	----	----	----	----	6	UNCH		
7400	----	----	----/*3.291A	3.711B/*3.291A	----	3.304 - 0.731	.2269	----	----	----	----	4	UNCH		
7425	----	----	----/*3.370A	3.806B/*3.370A	----	3.383 - 0.754	.2310	----	----	----	----	2	UNCH		
7450	----	----	----/*3.451A	3.906B/*3.451A	----	3.464 - 0.776	.2351	----	----	----	----	1	UNCH		
7500	3.834	3.834	3.834/*3.500	4.137B/*3.500											

	BULLETIN # 89@			METALS OPTION PRODUCTS							Mon, May 11, 2026			PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT	COMEX SILVER OPTIONS														
SEP26															
7100	----	----	----	*/3.681A	3.509B/*3.681A	----	----	----	3.335 - 0.478	.2031	----	----	1	----	17 +
7125	----	----	----	*/3.772A	3.684B/*3.772A	----	----	----	3.411 - 0.493	.2066	----	----	----	----	25
7175	----	----	----	*/3.906A	3.786B/*3.906A	----	----	----	3.568 - 0.522	.2137	----	----	----	----	20
7200	----	----	----	/3.992A	4.052B/3.992A	----	----	----	3.649 - 0.537	.2173	----	----	1	----	52 +
7300	----	----	----	/4.334A	4.452B/4.334A	----	----	----	3.984 - 0.600	.2318	----	----	----	----	171
7400	----	----	----	/4.698A	4.787B/4.698A	----	----	----	4.339 - 0.668	.2466	----	----	----	----	25
7500	----	----	----	/5.084A	5.145B/5.084A	----	----	----	4.715 - 0.742	.2616	----	----	----	----	3
7550	----	----	----	/5.286A	5.376B/5.286A	----	----	----	4.910 - 0.781	.2692	----	----	----	----	2
7700	----	----	----	/5.904A	6.102B/5.904A	----	----	----	5.527 - 0.904	.2923	----	----	----	----	1
7800	----	----	----	/6.353A	6.610B/6.353A	----	----	----	5.965 - 0.990	.3078	----	----	----	----	9
7900	----	----	----	/6.821A	7.137B/6.821A	----	----	----	6.423 - 1.079	.3234	----	----	----	----	1
8000	7.498	7.498		7.498/7.313A	7.781B/7.313A	----	----	----	6.902 - 1.170	.3390	----	----	1	----	41 +
8100	----	----	----	/7.822A	8.187B/7.822A	----	----	----	7.401 - 1.261	.3546	----	----	----	----	1
8200	----	----	----	/8.326A	8.834B/8.326A	----	----	----	7.920 - 1.353	.3702	----	----	----	----	1
8400	----	----	----	/9.420A	10.207B/9.420A	----	----	----	9.018 - 1.532	.4009	----	----	----	72	42 -
8500	9.841	9.841		9.841/9.841	10.930B/9.841	----	----	----	9.596 - 1.618	.4160	----	----	1	----	226 +
8700	----	----	----	/11.158A	12.240B/11.158A	----	----	----	10.805 - 1.786	.4455	----	----	----	----	100
9000	----	----	----	/13.082A	14.518B/13.082A	----	----	----	12.746 - 2.022	.4874	----	----	----	----	74
9300	----	----	----	/15.128A	16.623B/15.128A	----	----	----	14.822 - 2.238	.5265	----	----	----	----	1
9400	----	----	----	/15.869A	17.415B/15.869A	----	----	----	15.540 - 2.306	.5388	----	----	----	----	1
10150	----	----	----	/21.558A	23.600B/21.558A	----	----	----	21.276 - 2.759	.6204	----	----	----	----	1
10300	----	----	----	/22.759A	24.880B/22.759A	----	----	----	22.484 - 2.840	.6347	----	----	----	----	1
TOTAL													19	72	2182 -
OCT26															
2675	----	----	----	----	0.001B/3.316A	----	----	----	0.045 + 0.007	.0030	----	----	----	----	8
3250	----	----	----	----	0.001B/0.500A	----	----	----	0.092 + 0.012	.0063	----	----	----	----	1
4000	----	----	----	----	0.044B/0.333A	----	----	----	0.204 + 0.017	.0143	----	----	----	----	3
4500	----	----	----	----	0.154B/0.473A	----	----	----	0.332 + 0.018	.0235	----	----	----	----	3
5000	----	----	----	----	0.352B/0.694A	----	----	----	0.549 + 0.013	.0383	----	----	----	----	6
5050	----	----	----	----	0.381B/0.723A	----	----	----	0.577 + 0.013	.0402	----	----	----	----	1
5150	----	----	----	----	0.439B/0.784A	----	----	----	0.635 + 0.010	.0440	----	----	----	----	5
6500	----	----	----	----	1.864B/2.862A	----	----	----	2.321 - 0.183	.1387	----	----	----	----	120
6800	----	----	----	----	2.773B/3.516A	----	----	----	3.040 - 0.293	.1718	----	----	----	----	2
7000	----	----	----	----	3.191B/4.110A	----	----	----	3.610 - 0.384	.1960	----	----	----	----	85
7225	----	----	----	----	3.967B/*4.866A	----	----	----	4.343 - 0.503	.2249	----	----	----	----	87
7500	----	----	----	/5.886A	5.095B/5.886A	----	----	----	5.373 - 0.670	.2619	----	----	----	----	33
7950	----	----	----	/7.903A	7.344B/7.903A	----	----	----	7.376 - 0.986	.3244	----	----	----	----	10
8000	----	----	----	/8.146A	7.618B/8.146A	----	----	----	7.622 - NEW	.3314	----	----	2	----	2 +
8200	----	----	----	/9.158A	8.791B/9.158A	----	----	----	8.651 - 1.179	.3592	----	----	----	----	6
8375	----	----	----	/10.159A	9.664B/10.159A	----	----	----	9.608 - 1.318	.3832	----	----	----	----	1
9100	----	----	----	/14.533A	14.812B/14.533A	----	----	----	14.079 - 1.898	.4769	----	----	----	----	1
10000	----	----	----	/20.973A	21.842B/20.973A	----	----	----	20.578 - 2.502	.5744	----	----	----	----	40
TOTAL													2	0	414 +
NOV26															
4500	----	----	----	----	0.226B/0.634A	----	----	----	0.457 + 0.029	.0293	----	----	----	----	1
4550	----	----	----	----	0.246B/0.657A	----	----	----	0.480 + 0.028	.0307	----	----	----	----	1
4800	----	----	----	----	0.369B/0.791A	----	----	----	0.614 + 0.027	.0389	----	----	----	----	1
5000	----	----	----	----	0.497B/0.922A	----	----	----	0.741 + 0.023	.0465	----	----	----	----	12
5200	----	----	----	----	0.653B/1.078A	----	----	----	0.893 + 0.017	.0554	----	----	----	----	1
5950	----	----	----	----	1.602B/*1.967A	----	----	----	1.783 - 0.057	.1026	----	----	----	----	1
6700	----	----	----	----	2.859B/3.903A	----	----	----	3.415 - 0.262	.1740	----	----	----	----	50
7000	----	----	----	----	3.764B/4.972A	----	----	----	4.333 - 0.389	.2083	----	----	----	----	40
7025	----	----	----	----	3.852B/5.059A	----	----	----	4.417 - 0.401	.2113	----	----	----	----	6
7400	----	----	----	----	5.395B/6.496A	----	----	----	5.814 - 0.599	.2575	----	----	----	----	24
7500	----	----	----	----	5.840B/6.903A	----	----	----	6.231 - 0.657	.2702	----	----	----	----	7
7700	----	----	----	/7.772A	6.813B/7.772A	----	----	----	7.119 - 0.780	.2957	----	----	----	----	50
8500	----	----	----	/11.942A	11.484B/11.942A	----	----	----	11.356 - 1.325	.3969	----	----	----	----	60
9000	----	----	----	/15.018A	14.938B/15.018A	----	----	----	14.489 - 1.679	.4557	----	----	----	----	5
9050	----	----	----	/15.344A	15.299B/15.344A	----	----	----	14.820 - 1.714	.4613	----	----	----	----	3
10000	----	----	----	/22.126A	22.621B/22.126A	----	----	----	21.619 - 2.319	.5567	----	----	----	----	1
11000	----	----	----	/30.106A	30.512B/30.106A	----	----	----	29.574 - 2.811	.6361	----	----	----	----	1
TOTAL														0	264
DEC26															
1500	----	----	----	----	0.001B/0.150A	----	----	----	0.007 + 0.002	.0004	----	----	----	----	180
2000	----	----	----	----	0.001B/0.389A	----	----	----	0.023 + 0.004	.0014	----	----	----	----	10
2500	----	----	----	----	0.001B/3.899A	----	----	----	0.044 + 0.007	.0028	----	----	----	----	32
3000	----	----	----	----	0.001B/4.067A	----	----	----	0.083 + 0.012	.0054	----	----	----	----	93
3100	----	----	----	----	0.001B/4.104A	----	----	----	0.094 + 0.014	.0061	----	----	----	----	1
3150	----	----	----	----	0.002B/0.379A	----	----	----	0.104 + 0.015	.0067	----	----	----	----	1
3500	----	----	----	----	0.008B/0.388A	----	----	----	0.195 + 0.019	.0120	----	----	----	----	45
3850	----	----	----	----	0.079B/0.486A	----	----	----	0.312 + 0.024	.0187	----	----	----	----	1
3925	----	----	----	----	0.099B/0.511A	----	----	----	0.336 + 0.025	.0201	----	----	----	----	1
4000	----	----	----	----	0.120B/0.537A	----	----	----	0.362 + 0.026	.0216	----	----	----	----	75
4500	----	----	----	----	0.315B/0.763A	----	----	----	0.577 + 0.030	.0343	----	----	----	----	35
4600	----	----	----	----	0.368B/0.821A	----	----	----	0.632 + 0.030	.0374	----	----	----	----	4
4800	----	----	----	----	0.497B/0.952A	----	----	----	0.757 + 0.030	.0445	----	----	----	----	241
5000	----	----	----	----	0.652B/1.110A	----	----	----	0.907 + 0.027	.0528	----	----	----	----	358
5250	----	----	----	----	0.896B/1.347A	----	----	----	1.139 + 0.019	.0650	----	----	----	----	50
5300	----	----	----	----	0.952B/1.400A	----	----	----	1.193 + 0.018	.0678	----	----	----	----	



PG64	BULLETIN # 89@				METALS OPTION PRODUCTS							Mon, May 11, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO PUT	COMEX SILVER OPTIONS													
JAN27														
3800	----	----	----	0.004B/0.669A	----	0.248 +	0.036 .0154	----	----	----	----	1	UNCH	
6500	----	----	----	3.214B/*4.595A	----	3.789 -	0.154 .1659	----	----	----	----	1	UNCH	
7125	----	----	----	4.684B/*7.057A	----	5.893 -	0.350 .2304	----	----	----	----	1	UNCH	
8600	----	----	----	13.129B/*13.875A	----	13.210 -	1.045 .3926	----	----	----	----	1	UNCH	
8850	14.750	14.750	14.750/*14.750	14.790B/*14.750	----	14.751	NEW .4188	----	----	10	----	10 +	10	
TOTAL										10	0	14 +	10	
FEB27														
8150	----	----	----	10.874B/*12.001A	----	11.272 -	0.847 .3436	----	----	----	----	10	UNCH	
8225	----	----	----	10.553B/*13.118A	----	11.686 -	0.887 .3514	----	----	----	----	10	UNCH	
8250	----	----	----	11.468B/*12.552A	----	11.825 -	0.901 .3540	----	----	----	----	10	UNCH	
TOTAL											0	30	0	
MAR27														
6500	----	----	----	3.430B/*5.880A	----	4.647 -	0.117 .1782	----	----	----	----	20	UNCH	
6825	----	----	----	4.462B/*7.009A	----	5.752 -	0.207 .2091	----	----	----	----	2	UNCH	
8100	----	----	----	10.322B/13.106A	----	11.656 -	0.757 .3379	----	----	----	----	6	UNCH	
8300	----	----	----	11.500B/*14.255A	----	12.785 -	0.863 .3578	----	----	----	----	50	UNCH	
10500	----	----	----	27.347B/*29.496A	----	27.899 -	2.036 .5422	----	----	----	----	10	UNCH	
TOTAL											0	88	0	
APR27														
4000	----	----	----	----	----	0.603 -	0.193 .0297	----	----	----	----	1	UNCH	
TOTAL											0	1	0	
DEC27														
7175	----	----	----	----	----	10.763 -	1.351 .2432	----	----	----	----	25	UNCH	
TOTAL											0	25	0	
SO2 CALL	SILVER OPTIONS													
MAY26														
7350	----	----	----	----	----	7.365	UNCH	----	----	----	----	0	UNCH	
7400	----	----	----	----	----	6.865	UNCH	----	----	----	----	0	UNCH	
7490	----	----	----	----	----	5.965	UNCH	----	----	----	----	0	UNCH	
7500	----	----	----	----	----	5.865	UNCH	----	----	----	----	0	UNCH	
7600	----	----	----	----	----	4.865	UNCH	----	----	----	----	0	UNCH	
7700	----	----	----	----	----	3.865	UNCH	----	----	----	----	0	UNCH	
7720	----	----	----	----	----	3.665	UNCH	----	----	----	----	0	UNCH	
7750	----	----	----	----	----	3.365	UNCH	----	----	----	----	0	UNCH	
7800	----	----	----	----	----	2.865	UNCH	----	----	----	----	0	UNCH	
7850	----	----	----	----	----	2.365	UNCH	----	----	----	----	0	UNCH	
7900	----	----	----	----	----	1.865	UNCH	----	----	----	----	0	UNCH	
7950	----	----	----	----	----	1.365	UNCH	----	----	----	----	0	UNCH	
7960	----	----	----	----	----	1.265	UNCH	----	----	----	----	0	UNCH	
8000	----	----	----	----	----	0.865	UNCH	----	----	----	----	0	UNCH	
8020	----	----	----	----	----	0.665	UNCH	----	----	----	----	0	UNCH	
8050	----	----	----	----	----	0.365	UNCH	----	----	----	----	0	UNCH	
8070	----	----	----	----	----	0.165	UNCH	----	----	----	----	0	UNCH	
8100	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
8110	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
8150	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
8200	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
8250	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
8300	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
8500	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
TOTAL											0	0	0	
SO2 PUT	SILVER OPTIONS													
MAY26														
6800	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
7000	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
7200	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
7400	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
7600	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
7730	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
7800	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
7840	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
7850	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
7900	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
7910	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
7950	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
8000	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
8010	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
8040	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
8050	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
8060	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
8100	----	----	----	----	----	0.135	UNCH	----	----	----	----	0	UNCH	
8130	----	----	----	----	----	0.435	UNCH	----	----	----	----	0	UNCH	
8140	----	----	----	----	----	0.535	UNCH	----	----	----	----	0	UNCH	
8150	----	----	----	----	----	0.635	UNCH	----	----	----	----	0	UNCH	
8180	----	----	----	----	----	0.935	UNCH	----	----	----	----	0	UNCH	
8200	----	----	----	----	----	1.135	UNCH	----	----	----	----	0	UNCH	
TOTAL											0	0	0	
SO3 CALL	SILVER OPTIONS													
MAY26														
7150	----	----	----	----/55.945A	----	14.487 +	4.976 .9917	----	----	----	----	3	UNCH	
7200	----	----	----	7.340B/10.502A	----	13.992 +	4.955 .9905	----	----	----	----	2	UNCH	
7250	----	----	----	7.645B/9.573A	----	13.499 +	4.932 .9888	----	----	----	----	2	UNCH	
7400	----	----	#7.628B/----	#7.628B/9.557A	----	12.024 +	4.834 .9825	----	----	----	----	5	UNCH	
7450	----	----	----	----/48.654A	----	11.536 +	4.791 .9796	----	----	----	----	1	UNCH	
7500	----	----	----	----/46.732A	----	11.049 +	4.740 .9760	----	----	----	----	3	UNCH	
7600	----	----	----	----/42.441A	----	10.084 +	4.617 .9668	----	----	----	----	11	UNCH	
7700	9.500	9.500	#9.500/9.500	#9.500/9.500	----	9.133 +	4.458 .9537	----	1	----	----	50 -	1	
7750	----	----	#8.076B/----	#8.076B/6.299A	----	8.664 +	4.354 .9453	----	1	----	----	1 -	1	
7800	----	----	----	3.330B/5.881A	----	8.201 +	4.241 .9354	----	----	----	----	2	UNCH	
7850	----	----	----	3.506B/5.508A	----	7.745 +	4.118 .9240	----	----	----	----	2	UNCH	
7900	----	----	3.592B/----	3.592B/5.146A	----	7.296 +	3.985 .9106	----	----	----	----	3	UNCH	
8000	----	----	#3.868B/2.549A	3.868B/2.549A	----	6.425 +	3.694 .8774	----	12	----	----	17 +	2	
8100	----	----	#4.347B/2.097A	#4.347B/2.097A	----	5.598 +	3.376 .8352	----	----	----	----	12	UNCH	
8200	1.920	1.920	#4.042B/1.694A	#4.042B/1.694A	----	4.823 +	3.037 .7833	----	1	----	----	12	UNCH	
8250	----	----	#3.640B/1.546A	3.640B/1.546A	----	4.459 +	2.864 .7540	----	----	----	----	2	UNCH	
8300	2.800	2.800	#3.287B/1.369A	3.287B/1.369A	----	4.110 +	2.690 .7226	----	13	----	----	13 +	2	
8400	----	----	#3.321B/1.093A	#3.321B/1.093A	----	3.466 +	2.347 .6547	----	----	----	----	25	UNCH	
8500	0.784	0.784	#2.936B/0.784	#2.936B/0.784	----	2.895 +	2.019 .5824	----	13	----	----	30 +	13	
8600	0.800	0.800	#2.678B/0.800	#2.678B/0.725A	----	2.397	NEW .5087	----	7	----	----	7 +	7	
8650	2.493	2.493	#2.495/2.493	#2.495/0.671A	----	2.176	NEW .4724	----	11	----	----	11 +	11	
8700	1.910	1.910	#2.250/1.910	2.250/0.586A	----	1.972 +	1.438 .4369	----	35	----	----	1 -	29	
8750	2.006	2.006	#2.270B/2.006	#2.270B/0.546A	----	1.785 +	1.312 .4026	----	1	----	----	4 +	1	
8800	1.000	1.000	#1.873/1.000	1.873/0.471A	----	1.615 +	1.195 .3697	----	6	----	----	6 +	5	
8850	----	----	#1.613B/----	1.613B/0.433A	----	1.460 +	1.086 .3385	----	1	----	----	2 +	1	
8900	1.600	1.600	#1.600/1.600	1.600/0.373A	----	1.319	NEW .3090	----	1	----	----	1 +	1	
9000	1.000	1.000	#1.350/1.000	1.350/0.305A	----	1.077 +	0.809 .2557	----	33	----	----	43 +	32	
</														

	BULLETIN # 89@				METALS OPTION PRODUCTS							Mon, May 11, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
S03 PUT	SILVER OPTIONS														
MAY26															
7550	----	----	----/*0.204A	0.274B/*0.204A	----	0.120 -	0.401 .0280	----	----	----	----	1	----	UNCH	
7600	----	----	----/*0.217A	0.372B/*0.217A	----	0.139 -	0.466 .0331	----	----	1	----	6 -	1	1	
7700	0.700	0.700	0.700/*0.267A	0.700/*0.267A	----	0.188 -	0.624 .0462	----	----	11	----	47 +	1	1	
7750	----	----	----/*0.311A	0.694B/*0.311A	----	0.219 -	0.728 .0546	----	----	----	----	1	UNCH		
7800	----	----	----/*0.333A	0.875B/*0.333A	----	0.256 -	0.841 .0645	----	----	----	----	14	UNCH		
7850	0.400	0.400	0.400/*0.384A	1.025B/*0.384A	----	0.299 -	0.965 .0759	----	----	1	----	4 +	1	1	
7900	0.524	0.524	0.524/*0.340	1.390B/*0.340	----	0.350 -	1.097 .0893	----	----	4	----	27 -	1	1	
7960	----	----	----	#1.481B/*0.449A	----	0.423	NEW .1082	----	----	3	----	3 +	3	3	
7970	----	----	----	#1.527B/*0.465A	----	0.436	NEW .1116	----	----	3	----	3 +	3	3	
8000	0.800	0.800	0.870/*0.400	1.699B/*0.400	----	0.479 -	1.387 .1225	----	----	22	----	54 +	17	17	
8100	----	----	----/*0.637A	2.227B/*0.637A	----	0.651 -	1.706 .1647	----	----	----	----	8	UNCH		
8200	2.451	2.451	2.835B/*0.840A	2.835B/*0.840A	----	0.877 -	2.044 .2166	----	----	26	----	27 +	22	22	
8300	0.970	0.970	0.970/*0.970	3.025B/*0.970	----	1.164	NEW .2773	----	----	5	----	4 +	4	4	
8350	2.651	2.651	2.651/*1.285	2.954B/*1.285	----	1.332	NEW .3104	----	----	3	----	2 +	2	2	
8400	1.700	1.700	1.700/*1.420A	3.103B/*1.420A	----	1.519	NEW .3452	----	----	4	----	4 +	4	4	
8440	1.450	1.450	#1.450/*1.450	#3.152B/*1.450	----	1.681	NEW .3737	----	----	1	----	1 +	1	1	
8500	2.000	2.000	2.000/*1.813A	3.146B/*1.813A	----	1.947	NEW .4175	----	----	3	----	3 +	3	3	
TOTAL										129	0	316 +	41		
S04 CALL	SILVER OPTIONS														
MAY26															
7500	----	----	#11.082B/----	#11.082B/12.607A	----	11.355 +	4.457 .9159	----	----	----	----	1	UNCH		
7700	----	----	5.742B/----	5.742B/7.424A	----	9.575 +	4.113 .8751	----	----	----	----	1	UNCH		
8000	----	----	#6.374B/3.537A	#6.374B/3.537A	----	7.149 +	3.458 .7827	----	----	----	----	1	UNCH		
8100	----	----	#5.647B/3.081A	#5.647B/3.081A	----	6.425 +	3.218 .7438	----	----	----	----	1	UNCH		
8200	----	----	#4.974B/2.677A	#4.974B/2.677A	----	5.750 +	2.974 .7016	----	----	----	----	2	UNCH		
8300	----	----	#4.920B/2.319A	#4.920B/2.319A	----	5.126 +	2.732 .6569	----	----	1	----	2 +	1	1	
8500	4.436	4.436	#4.436/1.745A	#4.436/1.745A	----	4.037 +	2.271 .5640	----	----	2	----	50 -	1	1	
8550	2.500	2.500	#4.109B/*2.500	#4.109B/1.653A	----	3.797	NEW .5407	----	----	37	----	27 +	27	27	
8600	----	----	#3.963B/----	#3.963B/1.515A	----	3.570 +	2.057 .5176	----	----	----	----	56	UNCH		
8700	----	----	#3.538B/----	#3.538B/1.317A	----	3.153 +	1.859 .4724	----	----	----	----	1	UNCH		
8750	3.070	3.070	#3.294B/3.000	#3.294B/1.251A	----	2.962	NEW .4505	----	----	19	----	10 +	10	10	
8800	1.725	1.725	#3.126B/1.725	#3.126B/1.145A	----	2.782	NEW .4291	----	----	10	----	7 +	7	7	
9000	2.500	2.500	#2.500/2.500	#2.500/0.871A	----	2.163 +	1.357 .3500	----	----	5	----	0 -	5	5	
9250	1.900	1.900	#1.900/1.900	#1.900/0.643A	----	1.579	NEW .2671	----	----	20	----	20 +	20	20	
9500	1.450	1.450	#1.450/1.450	#1.450/0.461A	----	1.143 +	0.766 .2004	----	----	5	----	5 +	5	5	
10000	0.750	0.750	#0.750/0.750	#0.750/0.278A	----	0.601	NEW .1101	----	----	3	----	1 +	1	1	
TOTAL										102	0	185 +	65		
S04 PUT	SILVER OPTIONS														
MAY26															
6900	----	----	----/*0.205A	0.081B/*0.205A	----	0.142 -	0.086 .0274	----	----	----	----	1	UNCH		
7350	----	----	----/*0.400A	0.460B/*0.400A	----	0.310 -	0.423 .0627	----	----	----	----	1	UNCH		
7400	0.720	0.720	0.720/*0.423A	0.720/*0.423A	----	0.341	NEW .0690	----	----	4	----	0	UNCH		
7450	----	----	----/*0.481A	0.641B/*0.481A	----	0.377 -	0.550 .0761	----	----	----	----	1	UNCH		
TOTAL										4	0	3		0	
S05 CALL	SILVER OPTIONS														
MAY26															
8400	----	----	#5.460B/2.689A	#5.460B/2.689A	----	5.414 +	2.724 .5968	----	----	----	----	2	UNCH		
8600	5.000	5.000	#5.000/5.000	#5.000/2.129A	----	4.469 +	2.360 .5235	----	----	1	----	3	UNCH		
8700	----	----	#4.410B/----	#4.410B/1.917A	----	4.054 +	2.187 .4879	----	----	----	----	2	UNCH		
8800	----	----	#3.997B/----	#3.997B/1.722A	----	3.676 +	2.023 .4535	----	----	----	----	2	UNCH		
9500	----	----	#2.004B/----	#2.004B/0.843A	----	1.845	NEW .2580	----	----	1	----	1 +	1	1	
TOTAL										2	0	10 +	1		
S05 PUT	SILVER OPTIONS														
MAY26															
7000	----	----	----/*0.383A	0.346B/*0.383A	----	0.293 -	0.277 .0518	----	----	----	----	2	UNCH		
8000	2.000	2.000	2.001/*1.850	3.285B/*1.850	----	1.866	NEW .2598	----	----	6	----	2 +	2	2	
TOTAL										6	0	4 +	2		
SWW WED	SILVER WEEKLY WEDNESDAY OPTION WEEK														
MAY26															
6000	----	----	----	----/0.270A	----	0.001 -	0.006	----	----	----	----	6	UNCH		
6400	----	----	----	0.001B/0.128A	----	0.014 -	0.046 .0029	----	----	----	----	1	UNCH		
6500	----	----	----	----/0.205A	----	0.001 -	0.024	----	----	----	----	8	UNCH		
6800	----	----	----/*0.155A	0.013B/*0.155A	----	0.045 -	0.123 .0098	----	----	----	----	4	UNCH		
6850	----	----	----/*0.249A	0.116B/*0.249A	----	0.163 -	0.212 .0313	----	----	----	----	1	UNCH		
7000	----	----	----/*0.180A	0.064B/*0.180A	----	0.075 -	0.188 .0168	----	----	----	----	5	UNCH		
7150	----	----	----	0.001B/*0.125A	----	0.003 -	0.111 .0002	----	----	----	----	1	UNCH		
7200	----	----	----/0.125A	0.001B/0.125A	----	0.003 -	0.130 .0002	----	----	----	----	4	UNCH		
7300	----	----	----/*0.128A	0.002B/*0.128A	----	0.006 -	0.173 .0005	----	----	----	----	2	UNCH		
7400	0.090	0.090	0.090/*0.090	0.090/*0.090	----	0.009 -	0.234 .0009	----	----	3	----	25 +	3	3	
7400	----	----	----	5.495B/9.754A	----	11.957 +	4.852 .9990	----	----	----	----	4	UNCH		
7500	----	----	----	#5.332B/9.478A	----	10.963 +	4.770 .9981	----	----	----	----	1	UNCH		
7500	----	----	----/*0.117A	0.119B/*0.117A	----	0.015 -	0.316 .0019	----	----	----	----	2	UNCH		
7700	----	----	----/*0.552A	1.072B/*0.552A	----	0.485 -	0.820 .1045	----	----	----	----	3	UNCH		
7800	----	----	----	----	----	8.018 +	4.320 .9855	----	----	----	----	4	UNCH		
7800	----	----	----/*0.162A	0.511B/*0.162A	----	0.070 -	0.764 .0144	----	----	3	----	7 +	3	3	
8000	----	----	#5.657B/2.062A	#5.657B/2.062A	----	6.136 +	3.776 .9512	----	----	----	----	2	UNCH		
8000	----	----	----/*0.195A	1.253B/*0.195A	----	0.188	NEW .0487	----	----	3	----	3 +	3	3	
8100	0.340	0.340	0.340/*0.314A	1.776B/*0.314A	----	0.302	NEW .0840	----	----	3	----	3 +	3	3	
8100	----	----	2.603B/1.585A	2.603B/1.585A	----	5.250 +	3.426 .9159	----	----	----	----	5	UNCH		
8100	----	----	----/*1.992A	3.558B/*1.992A	----	2.052 -	1.602 .2875	----	----	----	----	1	UNCH		
8150	----	----	#2.856B/1.418A	#2.856B/1.418A	----	4.825 +	3.234 .8923	----	----	----	----	1	UNCH		
8200	0.360	0.360	#0.360/*0.360	2.191B/*0.360	----	0.467	NEW .1357	----	----	1	----	1 +	1	1	
8200	2.800	2.800	#4.700/1.210A	#4.700/1.210A	----	4.415 +	3.034 .8642	----	----	5	----	3 -	4	4	
8250	----	----	----/*0.529A	2.199B/*0.529A	----										

PG64	BULLETIN # 89@				METALS OPTION PRODUCTS						Mon, May 11, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
TWS TUE	SILVER WEEKLY TUESDAY OPTION week3												
MAY26													
8200	----	----	#4.449B/2.156A	#4.449B/2.156A	----	5.414 + 3.162	.7229	----	----	----	----	1	UNCH
8200	0.305	0.305	0.305/*0.169	1.706B/*0.169	----	0.228 NEW	.0539	----	----	6	----	3 +	3
8220	----	----	----/*0.269A	1.696B/*0.269A	----	0.249 NEW	.0618	----	----	1	----	1 +	1
8230	----	----	----/*0.277A	1.684B/*0.277A	----	0.261 - 2.164	.0664	----	----	----	----	5	UNCH
8250	0.600	0.600	0.600/*0.217	1.551B/*0.217	----	0.285 NEW	.0760	----	----	14	----	14 +	14
8300	0.831	0.831	#3.383/0.647A	#3.383/0.647A	----	3.305 + 2.540	.8939	----	----	2	----	4 +	1
8300	0.450	0.450	0.450/*0.270	1.578B/*0.270	----	0.357 NEW	.1060	----	----	14	----	7 +	7
8320	----	----	----/*0.367A	1.468B/*0.367A	----	0.391 NEW	.1208	----	----	1	----	1 +	1
8350	0.450	0.450	#2.050/0.450	#2.050/0.450	----	2.896 NEW	.8539	----	----	14	----	0	UNCH
8350	0.600	0.600	0.600/*0.381	1.521B/*0.381	----	0.448 NEW	.1460	----	----	12	----	11 +	11
8390	----	----	#1.434B/*0.498A	#1.434B/*0.498A	----	2.584 + 2.048	.8141	----	----	1	----	1	UNCH
8400	1.268	1.268	#4.035B/1.268	#4.035B/1.268	----	4.162 + 2.603	.6214	----	----	1	----	1 -	1
8400	1.000	1.000	1.587B/0.464A	1.587B/0.464A	----	2.508 + 1.994	.8030	----	----	6	----	6 +	5
8400	0.570	0.570	0.720/*0.470A	1.563B/*0.470A	----	0.560 NEW	.1969	----	----	15	----	5 +	5
8450	----	----	----/*0.594A	1.560B/*0.594A	----	0.699 NEW	.2599	----	----	2	----	0	UNCH
8460	0.583	0.583	#0.583/*0.583	1.567B/*0.583	----	0.730 NEW	.2738	----	----	1	----	1 +	1
8500	1.000	1.000	1.030/*0.500	1.647B/*0.500	----	0.868 NEW	.3339	----	----	22	----	8 +	8
8500	----	----	#1.624B/0.308A	#1.624B/0.308A	----	1.816 + 1.481	.6660	----	----	2	----	1	UNCH
8500	----	----	#3.467B/1.278A	#3.467B/1.278A	----	3.612 + 2.323	.5681	----	----	----	----	1	UNCH
8550	0.875	0.875	0.915/*0.800	1.651B/*0.800	----	1.071 NEW	.4167	----	----	8	----	6 +	6
8600	1.600	1.600	#1.625/1.410	#1.625/0.246A	----	1.257 NEW	.4961	----	----	8	----	2 +	2
8600	1.100	1.100	1.100/*1.053A	1.676B/*1.053A	----	1.309 NEW	.5038	----	----	4	----	4 +	4
8650	1.450	1.450	#1.450/0.950	#1.450/0.220A	----	1.047 NEW	.4108	----	----	7	----	7 +	7
8700	1.250	1.250	#1.250/0.750	#1.250/0.188A	----	0.866 NEW	.3321	----	----	10	----	5 +	5
8720	1.000	1.000	#1.000/*1.000	#1.000/*0.193A	----	0.801 NEW	.3030	----	----	1	----	1 +	1
8750	0.900	0.900	0.900/0.900	0.900/0.182A	----	0.712 NEW	.2625	----	----	1	----	1 +	1
8830	0.680	0.680	#0.680/*0.680	#0.680/*0.149A	----	0.515 NEW	.1725	----	----	1	----	1 +	1
8900	0.475	0.475	0.475/0.475	0.475/0.152A	----	0.384 NEW	.1148	----	----	1	----	1 +	1
8950	----	----	0.323B/----	0.323B/0.144A	----	0.310 + 0.238	.0842	----	----	----	----	1	UNCH
9000	----	----	0.266B/----	0.266B/0.127A	----	0.249 NEW	.0607	----	----	3	----	3 +	3
9100	0.085	0.085	0.146B/*0.038A	0.146B/*0.038A	----	0.160 + 0.111	.0305	----	----	4	----	4 +	3
9200	----	----	0.070B/----	0.070B/0.122A	----	0.103 + 0.064	.0149	----	----	----	----	2	UNCH
9250	----	----	----	0.026B/0.100A	----	0.081 + 0.048	.0100	----	----	----	----	4	UNCH
9300	0.070	0.070	0.136/*0.070	0.136/*0.070	----	0.063 NEW	.0066	----	----	9	----	9 +	9
9400	0.047	0.047	0.047/*0.047	0.047/*0.047	----	0.039 NEW	.0029	----	----	1	----	1 +	1
9500	0.040	0.040	#0.040/*0.040	0.040/*0.040	----	0.024 NEW	.0012	----	----	4	----	4 +	4
10000	0.450	0.450	#0.450/0.450	#0.450/0.190A	----	0.278 NEW	.0620	----	----	2	----	2 +	2
10500	----	----	----	----/0.200A	----	0.001 - 0.002	----	----	----	----	----	1	UNCH
TOTAL										217	0	209 +	128
JUN26													
7100	----	----	----/*0.554A	0.538B/*0.554A	----	0.433 - 0.398	.0716	----	----	----	----	2	UNCH
8000	----	----	#7.269B/4.493A	#7.269B/4.493A	----	7.862 + 3.353	.7365	----	----	----	----	4	UNCH
8000	1.800	1.800	1.950/*1.800	3.511B/*1.800	----	1.925 NEW	.2633	----	----	4	----	4 +	4
8200	3.600	3.600	#7.000/3.600	#7.000/3.600	----	6.576 NEW	.6682	----	----	8	----	4 +	4
8800	----	----	#4.343B/----	#4.343B/1.991A	----	3.786 + 1.884	.4563	----	----	----	----	1	UNCH
TOTAL										12	0	15 +	8

COPPER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
HMW MON MAY26	COPPER WEEKLY MONDAY OPTION WEEK3												
450	----	----	----	----/0.0060A	----	0.0005 UNCH	----	----	----	----	----	4	UNCH
490	----	----	----	----/0.0085A	----	0.0000 - 0.0005	----	----	----	----	----	0 -	14
565	----	----	----	----/0.0065A	----	0.0000 - 0.0005	----	----	----	----	----	0 -	2
566	----	----	----	----/0.0065A	----	0.0000 - 0.0005	----	----	----	----	----	0 -	1
570	----	----	----	----/0.0065A	----	0.0000 - 0.0005	----	----	----	----	----	0 -	1
576	----	----	----	----/*0.0065A	----	0.0000 - 0.0005	----	----	----	----	----	0 -	1
585	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 -	1
586	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 -	1
590	----	----	----	----/*0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 -	1
595	----	----	----	----/*0.0075A	----	0.0000 - 0.0005	----	----	----	----	----	0 -	1
600	----	----	----/*0.0135A	0.0130B/*0.0135	----	0.0045 - 0.0155	.0306	----	----	----	----	1	UNCH
600	----	----	#0.4995B/0.2970	#0.4995B/0.2970	----	0.4650 + 0.1490	.9692	----	----	----	----	17	UNCH
600	----	----	#0.4935B/0.2755	#0.4935B/0.2755	----	0.4605 + 0.1635	----	1	----	----	----	0 -	1
603	----	----	----	----/*0.0075A	----	0.0000 - 0.0005	----	----	----	----	----	0 -	1
605	----	----	----	----/*0.0075A	----	0.0000 - 0.0005	----	----	----	----	----	0 -	30
606	----	----	----	----/0.0075A	----	0.0000 - 0.0005	----	----	----	----	----	0 -	6
606	----	----	#0.4335B/0.2165	#0.4335B/0.2165	----	0.4005 + 0.1635	----	4	----	----	----	0 -	4
610	0.2700	0.2700	#0.4035B/0.2200	#0.4035B/0.2200	----	0.3700 + 0.1375	.9348	----	----	1	----	1 +	1
610	----	----	#0.3935B/0.1775	#0.3935B/0.1775	----	0.3605 + 0.1635	----	5	----	----	----	0 -	5
615	----	----	----/*0.0215A	0.0460B/*0.0215	----	0.0145 - 0.0350	.0963	----	----	----	----	4	UNCH
615	----	----	----	----/*0.0070A	----	0.0000 - 0.0030	----	----	----	----	----	0 -	6
615	----	----	#0.3575B/----	#0.3575B/0.2180	----	0.3250 + 0.1295	.9034	----	----	----	----	5	UNCH
615	----	----	#0.3435B/0.1315	#0.3435B/0.1315	----	0.3105 + 0.1610	----	4	----	----	----	0 -	4
620	0.0030	0.0030	0.0030/*0.0030	0.0040B/*0.0030	----	0.0000 - 0.0090	----	----	5	----	----	0 -	7
620	----	----	#0.3125B/0.1545	#0.3125B/0.1545	----	0.2815 + 0.1185	.8642	----	----	----	----	1	UNCH
620	----	----	#0.2935B/0.0915	#0.2935B/0.0915	----	0.2605 + 0.1550	----	4	----	----	----	0 -	4
625	----	----	0.0895B/*0.0360	0.0895B/*0.0360	----	0.0300 NEW	.1859	----	5	----	----	5 +	5
625	0.0100	0.0100	0.0100/*0.0045	0.0195B/*0.0045	----	0.0000 - 0.0220	----	----	4	----	----	0 -	22
625	----	----	#0.2435B/0.0530	#0.2435B/0.0530	----	0.2105 + 0.1420	----	1	----	----	----	0 -	1
628	0.0085	0.0085	0.0085/*0.0070A	0.0285B/*0.0070	----	0.0000 NEW	----	----	6	----	----	0	UNCH
629	----	----	----/*0.0075A	0.0350B/*0.0075	----	0.0000 - 0.0385	----	----	----	----	----	0 -	1
629	----	----	#0.2035B/0.0365	#0.2035B/0.0365	----	0.1705 + 0.1255	----	2	----	----	----	0 -	2
630	0.0030	0.0030	0.0030/*0.0030	0.0420B/*0.0030	----	0.0000 - 0.0435	----	----	5	----	----	0 -	5
630	----	----	#0.2275B/0.1035	#0.2275B/0.1035	----	0.2030 + 0.0930	.7516	----	----	----	----	15	UNCH
630	0.0260	0.0260	#0.1935B/0.0260	#0.1935B/0.0260	----	0.1605 + 0.1205	----	39	8	----	----	0 -	33
631	0.0280	0.0280	0.0495B/*0.0010	0.0495B/*0.0010	----	0.0000 NEW	----	----	16	----	----	0	UNCH
632	----	----	#0.1735B/0.0275	#0.1735B/0.0275	----	0.1405 + 0.1085	----	6	----	----	----	0 -	6
634	0.0020	0.0020	0.0740B/*0.0015	0.0740B/*0.0015	----	0.0000 NEW	----	----	2	----	----	0	UNCH
634	0.0085	0.0085	#0.1535B/*0.008	#0.1535B/0.0085	----	0.1205 NEW	----	4	4	----	----	0	UNCH
635	0.0340	0.0340	0.0830B/*0.0030	0.0830B/*0.0030	----	0.0000 NEW	----	----	6	----	----	0	UNCH
635	0.0240	0.0240	#0.1435B/0.0210	#0.1435B/0.0210	----	0.1105 + 0.0880	----	4	1	----	----	0 -	3
637	0.0080	0.0080	#0.1235B/*0.008	#0.1235B/0.0080	----	0.0905 NEW	----	1	1	----	----	0	UNCH
640	----	----	0.0935B/----	0.0935B/0.0175A	----	0.0605 + 0.0485	----	21	----	----	----	0 -	21
641	0.0250	0.0250	#0.0850/0.0250	#0.0850/0.0180A	----	0.0505 + 0.0405	----	22	31	----	----	0 -	1
642	0.0100	0.0100	0.1485B/*0.0035	0.1485B/*0.0035	----	0.0000 NEW	----	----	27	----	----	0	UNCH
642	----	----	#0.0735B/----	#0.0735B/0.0085	----	0.0405 + 0.0320	----	2	----	----	----	0 -	2
644	0.0070	0.0070	0.1680B/*0.0040	0.1680B/*0.0040	----	0.0000 NEW	----	----	23	----	----	0	UNCH
645	----	----	0.2135B/*0.1010	0.2135B/*0.1010	----	0.1045 NEW	.4756	----	5	----	----	5 +	5
645	0.0200	0.0200	0.1775B/*0.0120	0.1775B/*0.0120	----	0.0000 NEW	----	----	2	----	----	0	UNCH
645	0.0045	0.0045	0.0440B/*0.0045	0.0440B/*0.0045	----	0.0105 NEW	----	----	2	----	----	0	UNCH
648	0.0040	0.0040	0.2070B/*0.0040	0.2070B/*0.0040	----	0.0195 NEW	----	60	60	----	----	0	UNCH
650	0.0175	0.0175	0.0175/0.0175	0.0175/0.0095A	----	0.0000 - 0.0020	----	----	2	----	----	0 -	3
652	0.0070	0.0070	#0.0070/*0.0070	#0.0070/0.0070	----	0.0000 NEW	----	----	2	----	----	0	UNCH
655	----	----	----	----/0.0080A	----	0.0000 - 0.0005	----	----	----	----	----	0 -	3
660	----	----	#0.0675B/----	0.0675B/0.0305A	----	0.0580 NEW	.3088	----	5	----	----	5 +	5
675	----	----	0.0305B/----	0.0305B/0.0180A	----	0.0275 NEW	.1587	----	5	----	----	5 +	5
TOTAL										228		68 -	153
JUN26	COPPER WEEKLY THURSDAY OPT week3												
450	0.0025	0.0025	#0.0025/0.0025	#0.0025/0.0025	----	0.0005 UNCH	.0003	----	----	1	----	14	UNCH
500	----	----	----/0.0115A	----/0.0115A	----	0.0015 - 0.0005	.0056	----	----	----	----	5	UNCH
580	----	----	----/*0.0335A	0.0365B/*0.0335	----	0.0270 - 0.0210	.0949	----	----	----	----	1	UNCH
595	----	----	----/*0.0350A	0.0475B/*0.0350	----	0.0335 - 0.0190	.1260	----	----	----	----	1	UNCH
600	----	----	#0.5175B/0.3455	#0.5175B/0.3455	----	0.5000 + 0.1400	.8507	----	----	----	----	1	UNCH
600	----	----	----/*0.0570A	0.0800B/*0.0570	----	0.0545 - 0.0370	.1743	----	----	----	----	1	UNCH
630	----	----	#0.2910B/0.1675	#0.2910B/0.1675	----	0.2780 + 0.0980	.6497	----	----	----	----	1	UNCH
640	----	----	#0.2350B/0.1305	#0.2350B/0.1305	----	0.2230 + 0.0845	.5654	----	2	----	----	6 -	1
665	----	----	#0.1320B/0.0685	#0.1320B/0.0685	----	0.1220 + 0.0525	.3654	----	----	----	----	5	UNCH
675	----	----	#0.1020B/----	#0.1020B/0.0535	----	0.0950 + 0.0430	.2986	----	2	----	----	1 -	1
725	----	----	#0.0245B/----	#0.0245B/0.0200	----	0.0270 + 0.0135	.0975	----	----	----	----	14	UNCH
TOTAL										5		50 -	2
HMW THU MAY26	COPPER WEEKLY THURSDAY OPT week3												
450	----	----	----	----/0.0090A	----	0.0005 UNCH	----	----	----	----	----	4	UNCH
570	----	----	----	0.0035B/*0.0140	----	0.0030 - 0.0060	.0157	----	----	----	----	1	UNCH
595	----	----	#0.4975B/----	#0.4975B/0.4085	----	0.5220 + 0.1470	.9373	----	----	----	----	1	UNCH
608	0.0035	0.0035	#0.0035/*0.0035	0.0110B/*0.0035	----	0.0015 NEW	.0094	----	2	----	2 +	2	2
612	----	----	----/*0.0120A	0.180B/*0.0120	----	0.0030 - 0.0215	.0200	----	----	----	----	1	UNCH



BULLETIN # 89@				METALS OPTION PRODUCTS										Mon, May 11, 2026				PG64
	GLOBAL OPEN	OPEN OUTCRY OPEN RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST					
COPPER WEEKLY THURSDAY OPT week2																		
HWR THU																		
MAY26																		
620	0.0085	0.0085	0.0090/*0.0085	0.0430B/*0.0085	----	0.0075	NEW	.0556	----	----	10	----	10	+				
640	----	----	#0.1195B/----	#0.1195B/0.0500	----	0.1140	+	0.0675	.6410	----	----	----	1	UNCH				
700	----	----	#0.0420B/----	#0.0420B/0.0255	----	0.0400	+	0.0190	.1508	----	----	----	20	UNCH				
725	----	----	#0.0045B/----	#0.0045B/0.0115	----	0.0050	+	0.0030	.0265	----	----	----	14	UNCH				
TOTAL											12		54+	12				
COPPER WEEKLY TUESDAY OPTION week3																		
JUN26																		
630	----	----	----/*0.1345A	0.1925B/*0.1345	----	0.1330	-	0.0690	.3589	----	----	----	8	UNCH				
630	----	----	#0.3070B/*0.192	#0.3070B/*0.192	----	0.2930	+	0.0945	.6404	----	----	----	8	UNCH				
TOTAL													16					
COPPER WEEKLY WEDNESDAY OPTION WEEK																		
HWT TUE																		
MAY26																		
450	----	----	----	----/0.0090A	----	0.0005	UNCH	----	----	----	----	----	4	UNCH				
580	----	----	----	----/0.0095A	----	0.0005	UNCH	----	----	----	----	----	1	UNCH				
590	----	----	----/*0.0130A	0.0070B/*0.0130	----	0.0035	-	0.0100	.0220	----	----	----	1	UNCH				
595	----	----	----/0.0145A	0.0120B/0.0145A	----	0.0050	-	0.0135	.0315	----	----	----	0	UNCH				
595	----	----	#0.5435B/0.3275	#0.5435B/0.3275	----	0.5110	+	0.1640	.0000	----	----	----	3	UNCH				
605	----	----	----/*0.0110A	0.0295B/*0.0110	----	0.0005	-	0.0020	----	----	----	----	1	UNCH				
610	----	----	#0.3940B/0.1850	#0.3940B/0.1850	----	0.3610	+	0.1585	.0000	----	----	----	1	UNCH				
615	----	----	#0.3440B/0.1440	#0.3440B/0.1440	----	0.3110	+	0.1525	.0000	----	----	----	2	UNCH				
618	----	----	----/*0.0130A	0.0105B/*0.0130	----	0.0005	-	0.0175	.0000	----	----	----	2	UNCH				
620	----	----	----/*0.0135A	0.0170B/*0.0135	----	0.0005	-	0.0230	.0001	----	----	----	0	UNCH				
620	----	----	#0.2945B/0.1095	#0.2945B/0.1095	----	0.2610	+	0.1410	.9999	----	----	----	6	UNCH				
623	----	----	----/*0.0120A	0.0295B/*0.0120	----	0.0005	-	0.0325	.0005	----	----	----	2	UNCH				
625	0.0105	0.0105	0.0105/*0.0100A	0.0380B/*0.0100	----	0.0010	NEW	.0026	----	2	----	----	2	+				
630	0.0050	0.0050	0.0050/*0.0050	0.0600B/*0.0050	----	0.0030	NEW	.0158	----	10	----	----	10	+				
630	0.0725	0.0725	#0.1970B/0.0555	#0.1970B/0.0555	----	0.1635	+	0.1025	.9841	----	1	----	1	+				
633	0.0110	0.0110	#0.0110/*0.0110	0.0810B/*0.0110	----	0.0055	NEW	.0397	----	1	----	----	1	+				
640	0.0310	0.0310	0.1375B/*0.0135	0.1375B/*0.0135	----	0.0200	NEW	.2159	----	3	----	----	3	+				
640	0.0800	0.0800	#0.1065B/0.0800	#0.1065B/0.0270	----	0.0805	+	0.0535	.7840	5	----	----	3	-				
641	0.0175	0.0175	#0.1465B/*0.017	0.1465B/*0.0175	----	0.0230	NEW	.2551	----	1	----	----	1	+				
642	0.0430	0.0430	#0.1555B/*0.017	0.1555B/*0.0170	----	0.0270	NEW	.3010	----	42	----	----	40	+				
645	0.0300	0.0300	0.1830B/*0.0300	0.1830B/*0.0300	----	0.0405	NEW	.4457	----	3	----	----	3	+				
645	0.0610	0.0610	#0.0680B/0.0610	0.0680B/0.0210A	----	0.0510	+	0.0340	.5541	1	----	----	21	+				
647	0.0430	0.0430	#0.2015B/*0.043	0.2015B/*0.0430	----	0.0510	NEW	.5437	----	2	----	----	2	+				
648	0.0435	0.0435	#0.0510B/*0.043	#0.0510B/0.0175	----	0.0375	NEW	.4091	----	1	----	----	1	+				
650	0.0080	0.0080	0.0500/*0.0080	0.0500/0.0080	----	0.0305	NEW	.3224	----	22	----	----	20	+				
651	0.0440	0.0440	#0.0440/*0.0440	#0.0440/0.0170A	----	0.0275	NEW	.2836	----	2	----	----	2	+				
655	0.0050	0.0050	0.0215B/*0.0050	0.0215B/*0.0050	----	0.0175	NEW	.1580	----	21	----	----	21	+				
660	0.0030	0.0030	0.0100B/*0.0030	0.0100B/*0.0030	----	0.0085	NEW	.0593	----	1	----	----	1	+				
665	0.0035	0.0035	0.0035/*0.0035	0.0035/*0.0035	----	0.0035	NEW	.0161	----	1	----	----	1	+				
725	----	----	----/0.0100A	----	----	0.0025	+	0.0015	.0141	----	----	----	4	UNCH				
TOTAL											119		160+	108				
COPPER WEEKLY THURSDAY OPT week2																		
JUN26																		
450	----	----	----	----/0.0095A	----	0.0005	UNCH	.0003	----	----	----	----	14	UNCH				
595	0.0595	0.0595	0.0595/*0.0530A	0.0705B/*0.0530	----	0.0490	NEW	.1561	----	1	----	----	1	+				
670	0.1210	0.1210	#0.1550B/0.0855	#0.1550B/0.0855	----	0.1435	NEW	.3625	----	76	----	----	76	+				
750	----	----	#0.0120B/----	#0.0120B/0.0155	----	0.0155	+	0.0065	.0569	----	----	----	14	UNCH				
TOTAL											77		105+	77				
COPPER WEEKLY WEDNESDAY OPTION WEEK																		
HWW WED																		
MAY26																		
450	----	----	----	----/0.0090A	----	0.0005	UNCH	----	----	----	----	----	4	UNCH				
570	----	----	----	0.0015B/0.0125A	----	0.0025	-	0.0050	.0131	----	----	----	1	UNCH				
575	0.0190	0.0190	0.0190/*0.0150	0.0190/*0.0150	----	0.0095	-	0.0125	.0434	----	6	----	2	-				
585	----	----	----/*0.0135A	0.0070B/*0.0135	----	0.0050	-	0.0090	.0279	----	----	----	13	UNCH				
595	----	----	----/*0.0085A	0.0005	----	0.0005	-	0.0015	.0000	----	----	----	1	UNCH				
600	----	----	----/0.0095A	0.0005	----	0.0005	-	0.0030	.0000	----	----	----	2	UNCH				
610	0.0215	0.0215	0.0215/*0.0215	0.0460B/*0.0215	----	0.0210	NEW	.1133	----	1	----	----	1	+				
625	0.0075	0.0075	0.0075/*0.0075	0.0525B/*0.0075	----	0.0070	NEW	.0521	----	10	----	----	10	+				
626	0.0050	0.0050	#0.0050/*0.0050	0.0570B/*0.0050	----	0.0080	NEW	.0609	----	2	----	----	2	+				
635	0.1520	0.1520	#0.2405B/0.1310	#0.2405B/0.1310	----	0.2285	NEW	.6185	----	1	----	----	1	+				
635	0.0625	0.0625	#0.1600B/0.0625	#0.1600B/0.0535	----	0.1350	NEW	.7982	----	1	----	----	1	+				
645	0.0795	0.0795	#0.1510B/0.0675	#0.1510B/0.0675	----	0.1355	NEW	.5229	----	2	----	----	0	UNCH				
649	0.0585	0.0585	#0.0685B/*0.058	#0.0685B/0.0250	----	0.0535	NEW	.4192	----	2	----	----	1	+				
676	0.0060	0.0060	#0.0060/*0.0060	#0.0060/*0.0060	----	0.0045	NEW	.0265	----	1	----	----	1	+				
TOTAL											26		40+	11				
COPPER WEEKLY TUESDAY OPTION week3																		
JUN26																		
465	----	----	----	----/0.0100A	----	0.0005	UNCH	.0013	----	----	----	----	10	UNCH				
470	----	----	----	----/0.0100A	----	0.0005	-	0.0005	.0018	----	----	----	4	UNCH				
490	----	----	----	----/0.0110A	----	0.0015	-	0.0005	.0053	----	----	----	7	UNCH				
500	----	----	----	----/0.0120A	----	0.0025	-	0.0010	.0086	1	----	----	1	UNCH				
555	----	----	----	0.0090B/*0.0170	----	0.0125	-	0.0040	.0446	1	----	----	1	-				
579	----	----	----/*0.0265A	0.0265B/*0.0265	----	0.0220	-	0.0135	.0820	----	----	----	1	UNCH				
595	----	----	0.5585B/0.3995A	0.5585B/0.3995A	----	0.5440	+	0.1350	.8719	----	----	----	5	UNCH				
595	----	----	----/*0.0400A	0.0530B/*0.0400	----	0.0340	-	0.0290	.1275	----	----	----	5	UNCH				
600	----	----	0.5150B/0.3535A	0.5150B/0.3535A	----	0.5015	+	0.1295	.8483	----	----	----	1	UNCH				
606	----	----	----/*0.0560A	0.0850B/*0.0560	----	0.0530	-	0.0415	.1846	----	----	----	1	UNCH				
610	----	----	0.4330B/0.2880A	0.4330B/0.2880A	----	0.4220	+	0.1175	.7902	----	----	----	8	UNCH				
620	----	----	0.3705B/0.2235A	0.3705B/0.2235A	----	0.3500	+	0.1040	.7212	----	----	----	1	UNCH				
650	----	----	0.2030B/0.1095A	0.2030B/0.1095A	----													

BULLETIN # 89@				METALS OPTION PRODUCTS							Mon, May 11, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
HX CALL	COMEX COPPER OPTIONS													
JUN26														
581	----	----	----/0.5050A	0.4910B/0.5050A	----	0.6615 + 0.1540	.9470	----	----	----	----	1	UNCH	
582	----	----	#0.6685B/0.4960	#0.6685B/0.4960	----	0.6515 + 0.1530	.9448	----	----	----	----	11	UNCH	
583	----	----	#0.5265B/0.4870	#0.5265B/0.4870	----	0.6420 + 0.1525	.9425	----	----	----	----	1	UNCH	
584	----	----	#0.5295B/0.4780	#0.5295B/0.4780	----	0.6325 + 0.1520	.9418	----	----	----	----	3	UNCH	
585	----	----	0.6395B/0.4695A	0.6395B/0.4695A	----	0.6230 + 0.1515	.9395	----	----	----	----	12	UNCH	
586	----	----	0.5240B/0.4605A	0.5240B/0.4605A	----	0.6135 + 0.1510	.9372	----	----	----	----	1	UNCH	
587	----	----	#0.5275B/0.4515	#0.5275B/0.4515	----	0.6040 + 0.1500	.9348	----	----	----	----	3	UNCH	
588	----	----	#0.5540B/0.4430	#0.5540B/0.4430	----	0.5945 + 0.1495	.9324	----	----	----	----	4	UNCH	
589	----	----	#0.5540B/0.4345	#0.5540B/0.4345	----	0.5850 + 0.1485	.9300	----	----	----	----	1	UNCH	
590	----	----	0.5915B/0.4255A	0.5915B/0.4255A	----	0.5755 + 0.1475	.9275	----	----	----	----	84	UNCH	
591	----	----	#0.5820B/0.4170	#0.5820B/0.4170	----	0.5660 + 0.1465	.9250	----	----	----	----	10	UNCH	
592	----	----	#0.5260B/0.4090	#0.5260B/0.4090	----	0.5565 + 0.1455	.9210	----	----	----	----	1	UNCH	
593	----	----	#0.5245B/0.4005	#0.5245B/0.4005	----	0.5475 + 0.1450	.9184	----	----	----	----	2	UNCH	
594	----	----	#0.5380B/0.3920	#0.5380B/0.3920	----	0.5380 + 0.1440	.9158	----	----	----	----	4	UNCH	
595	----	----	0.5620B/0.3840A	0.5620B/0.3840A	----	0.5290 + 0.1430	.9117	----	----	----	----	129	UNCH	
596	----	----	#0.5355B/0.3760	#0.5355B/0.3760	----	0.5195 + 0.1420	.9090	----	----	----	----	7	UNCH	
597	----	----	#0.5135B/0.3680	#0.5135B/0.3680	----	0.5105 + 0.1410	.9048	----	----	----	----	1	UNCH	
598	0.4640	0.4640	#0.5170B/0.3600	#0.5170B/0.3600	----	0.5015 + 0.1400	.9006	----	----	1	----	6 -	1	
599	----	----	#0.4950B/0.3520	#0.4950B/0.3520	----	0.4925 + 0.1390	.8964	----	----	----	----	4	UNCH	
600	0.4800	0.4800	0.5195B/0.3445A	0.5195B/0.3445A	----	0.4835 + 0.1380	.8921	----	----	5	----	418 -	13	
601	----	----	0.4770B/0.3370A	0.4770B/0.3370A	----	0.4745 + 0.1370	.8878	----	----	----	----	1	UNCH	
602	----	----	0.4680B/0.3290A	0.4680B/0.3290A	----	0.4655 + 0.1355	.8835	----	----	----	----	4	UNCH	
603	----	----	0.4715B/----	0.4715B/0.3220A	----	0.4565 + 0.1345	.8791	----	----	----	----	10	UNCH	
604	----	----	0.4625B/----	0.4625B/0.3145A	----	0.4480 + 0.1335	.8734	----	----	----	----	15	UNCH	
605	----	----	0.4705B/0.2905A	0.4705B/0.2905A	----	0.4395 + 0.1325	.8676	----	----	----	----	212	UNCH	
606	----	----	0.4445B/----	0.4445B/0.3000A	----	0.4310 + 0.1310	.8619	----	----	----	----	23	UNCH	
607	----	----	0.4355B/----	0.4355B/0.2930A	----	0.4225 + 0.1300	.8561	----	----	----	----	92	UNCH	
608	----	----	0.4270B/----	0.4270B/0.2860A	----	0.4140 + 0.1285	.8503	----	----	----	----	7	UNCH	
609	----	----	0.4175B/----	0.4175B/0.2790A	----	0.4055 + 0.1270	.8444	----	----	----	----	13	UNCH	
610	0.3030	0.3030	0.4325B/0.2570A	0.4325B/0.2570A	----	0.3975 + 0.1260	.8374	----	----	4	----	776	UNCH	
611	----	----	0.4010B/----	0.4010B/0.2655A	----	0.3890 + 0.1245	.8315	----	----	----	----	9	UNCH	
612	----	----	0.3925B/----	0.3925B/0.2595A	----	0.3810 + 0.1230	.8244	----	----	----	----	29	UNCH	
613	----	----	0.3840B/----	0.3840B/0.2525A	----	0.3730 + 0.1220	.8174	----	----	----	----	56	UNCH	
614	----	----	0.3760B/----	0.3760B/0.2465A	----	0.3655 + 0.1210	.8103	----	----	----	----	13	UNCH	
615	0.3680	0.3680	0.3905B/0.2270A	0.3905B/0.2270A	----	0.3575 + 0.1190	.8023	----	----	2	----	864 -	2	
616	----	----	0.3595B/----	0.3595B/0.2340A	----	0.3500 + 0.1180	.7952	----	----	----	----	40	UNCH	
617	----	----	0.3515B/----	0.3515B/0.2285A	----	0.3420 + 0.1160	.7871	----	----	1	----	34	UNCH	
618	----	----	0.3435B/0.1985A	0.3435B/0.1985A	----	0.3345 + 0.1145	.7790	----	----	----	----	37	UNCH	
619	----	----	0.3355B/0.1935A	0.3355B/0.1935A	----	0.3275 + 0.1135	.7710	----	----	----	----	19	UNCH	
620	0.2150	0.2150	0.3510B/0.1885A	0.3510B/0.1885A	----	0.3200 + 0.1120	.7621	----	----	32	----	645 -	11	
621	----	----	0.3200B/0.1835A	0.3200B/0.1835A	----	0.3125 + 0.1100	.7540	----	----	----	----	30	UNCH	
622	----	----	0.3125B/0.1785A	0.3125B/0.1785A	----	0.3055 + 0.1090	.7452	----	----	----	----	86	UNCH	
623	----	----	0.3050B/0.1740A	0.3050B/0.1740A	----	0.2985 + 0.1075	.7364	----	----	----	----	37	UNCH	
624	----	----	0.2975B/0.1690A	0.2975B/0.1690A	----	0.2915 + 0.1055	.7275	----	----	----	----	12	UNCH	
625	----	----	0.3100B/0.1630A	0.3100B/0.1630A	----	0.2845 + 0.1040	.7187	----	----	2	----	214 -	2	
626	----	----	0.2830B/0.1590A	0.2830B/0.1590A	----	0.2780 + 0.1025	.7099	----	----	----	----	10	UNCH	
627	----	----	0.2760B/0.1545A	0.2760B/0.1545A	----	0.2710 + 0.1005	.7004	----	----	----	----	30	UNCH	
628	----	----	0.2695B/0.1495A	0.2695B/0.1495A	----	0.2645 + 0.0990	.6910	----	----	----	----	23	UNCH	
629	----	----	0.2625B/0.1445A	0.2625B/0.1445A	----	0.2580 + 0.0975	.6821	----	----	----	----	101	UNCH	
630	0.1650	0.1650	0.2780B/0.1400A	0.2780B/0.1400A	----	0.2515 + 0.0955	.6721	----	----	42	----	1575 -	28	
631	0.1300	0.1300	0.2665B/0.1300	0.2665B/0.1300	----	0.2455 + 0.0940	.6627	----	----	13	----	140 -	5	
632	0.1495	0.1495	0.2430B/0.1315A	0.2430B/0.1315A	----	0.2390 + 0.0920	.6528	----	----	3	----	124	UNCH	
635	0.1305	0.1305	0.2460B/0.1205A	0.2460B/0.1205A	----	0.2210 + 0.0870	.6233	----	----	19	----	349 -	9	
639	----	----	#0.2165B/0.1070	#0.2165B/0.1070	----	0.1990 + 0.0805	.5833	----	----	----	----	61	UNCH	
640	0.1040	0.1040	0.2150B/0.1030A	0.2150B/0.1030A	----	0.1935 + 0.0785	.5733	----	----	10	----	989 -	1	
641	----	----	#0.2095B/0.1000	#0.2095B/0.1000	----	0.1885 + 0.0770	.5631	----	----	----	----	53	UNCH	
644	----	----	#0.1950B/0.0915	#0.1950B/0.0915	----	0.1735 + 0.0720	.5328	----	----	3	----	22 +	3	
645	0.1465	0.1465	0.1905B/0.0885A	0.1905B/0.0885A	----	0.1685 + 0.0700	.5227	----	----	81	----	253 -	11	
646	----	----	#0.1845B/0.0835	#0.1845B/0.0835	----	0.1640 + 0.0685	.5127	----	----	----	----	20	UNCH	
649	0.1490	0.1490	#0.1705B/0.0760	#0.1705B/0.0760	----	0.1510	NEW .4830	----	5	----	----	5 +	5	
650	0.0910	0.0910	0.1680B/0.0735A	0.1680B/0.0735A	----	0.1465 + 0.0625	.4731	----	220	----	----	1268 -	90	
651	----	----	#0.1610B/0.0710	#0.1610B/0.0710	----	0.1425 + 0.0615	.4634	----	----	----	----	17	UNCH	
654	----	----	#0.1495B/0.0645	#0.1495B/0.0645	----	0.1305	NEW .4346	----	----	----	48	48 +	48	
655	0.1095	0.1095	0.1455B/0.0625A	0.1455B/0.0625A	----	0.1270 + 0.0555	.4253	----	39	880	----	1320 +	877	
656	----	----	#0.1410B/0.0605	#0.1410B/0.0605	----	0.1235 + 0.0545	.4161	----	----	----	----	7	UNCH	
660	0.0800	0.0800	0.1270B/0.0530A	0.1270B/0.0530A	----	0.1095 + 0.0490	.3798	----	90	----	----	804 +	23	
665	----	----	0.1115B/0.0450A	0.1115B/0.0450A	----	0.0940 + 0.0425	.3369	----	12	----	----	83	UNCH	
670	0.0500	0.0500	0.0985B/0.0385A	0.0985B/0.0385A	----	0.0810 + 0.0370	.2979	----	250	----	----	1615 +	37	
675	0.0810	0.0												

BULLETIN # 89@				METALS OPTION PRODUCTS										Mon, May 11, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OUTCRY CLOSE RANGE	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
HX CALL		COMEX COPPER OPTIONS																
JUL26																		
640	0.2410	0.2410		0.3415B/0.2125A	0.3415B/0.2125A	----	----	0.3180 + 0.0915	.5557	----	----	25	----	1669 -				
645	0.2610	0.2610		0.3180B/0.1950A	0.3180B/0.1950A	----	----	0.2950 + 0.0875	.5279	----	----	9	----	414 +				
650	0.2000	0.2000		0.2960B/0.1785A	0.2960B/0.1785A	----	----	0.2735 + 0.0830	.5006	----	----	218	250	1675 +				
655	0.2210	0.2210		0.2745B/0.1640A	0.2745B/0.1640A	----	----	0.2530 + 0.0780	.4737	----	----	5	----	730 UNCH				
660	0.1850	0.1850		0.2540B/0.1520A	0.2540B/0.1520A	----	----	0.2340 + 0.0735	.4475	----	----	203	750	1416 +				
665	0.1555	0.1555		0.2380/0.1365A	0.2380/0.1365A	----	----	0.2165 + 0.0695	.4222	----	----	10	----	23 +				
670	0.2095	0.2095		0.2170B/0.1250A	0.2170B/0.1250A	----	----	0.2000 + 0.0650	.3977	----	----	38	----	142 +				
675	0.1545	0.1545		0.2005B/0.1145A	0.2005B/0.1145A	----	----	0.1845 + 0.0605	.3739	----	----	177	150	2286 -				
680	0.1665	0.1665		0.1880/0.1045A	0.1880/0.1045A	----	----	0.1700 + 0.0565	.3510	----	----	15	----	245 +				
685	0.1550	0.1550		0.1710B/0.0960A	0.1710B/0.0960A	----	----	0.1570 + 0.0530	.3294	----	----	1	----	20 +				
690	0.1215	0.1215		0.1585B/0.0875A	0.1585B/0.0875A	----	----	0.1445 + 0.0490	.3084	----	----	50	----	360 +				
695	0.1315	0.1315		0.1455B/0.0805A	0.1455B/0.0805A	----	----	0.1330 + 0.0455	.2885	----	----	3	----	67 +				
700	0.0680	0.0680		0.1360B/0.0680	0.1360B/0.0680	----	----	0.1230 + 0.0425	.2702	----	----	103	250	556 +				
705	0.1225	0.1225		0.1285/0.0675A	0.1285/0.0675A	----	----	0.1130 + 0.0395	.2521	----	----	3	----	6 +				
710	0.0770	0.0770		0.1165B/0.0625A	0.1165B/0.0625A	----	----	0.1045 + 0.0370	.2357	----	----	32	----	985 +				
715	0.0620	0.0620		0.1070B/0.0575A	0.1070B/0.0575A	----	----	0.0960 + 0.0340	.2196	----	----	6	----	41 +				
720	0.0890	0.0890		0.0995B/0.0535A	0.0995B/0.0535A	----	----	0.0890 + 0.0320	.2054	----	----	10	----	69 -				
725	0.0700	0.0700		0.0930B/0.0490A	0.0930B/0.0490A	----	----	0.0820 + 0.0295	.1915	----	----	37	200	1462 -				
730	0.0840	0.0840		0.0855B/0.0455A	0.0855B/0.0455A	----	----	0.0755 + 0.0270	.1783	----	----	38	----	58 -				
750	0.0355	0.0355		0.0660/0.0340A	0.0660/0.0340A	----	----	0.0550 + 0.0195	.1345	----	----	566	975	1546 +				
775	0.0435	0.0435		0.0440B/0.0245A	0.0440B/0.0245A	----	----	0.0370 + 0.0115	.0939	----	----	23	----	92 +				
780	0.0315	0.0315		0.0410B/0.0230A	0.0410B/0.0230A	----	----	0.0345 + 0.0105	.0878	----	----	4	----	36 +				
800	0.0165	0.0165		0.0320/0.0165	0.0320/0.0165	----	----	0.0250 + 0.0065	.0654	----	----	371	----	2268 +				
825	0.0175	0.0175		0.0225B/0.0175	0.0225B/0.0145A	----	----	0.0175 + 0.0030	.0465	----	----	1	----	4 +				
850	0.0130	0.0130		0.0155B/0.0130	0.0155B/0.0120A	----	----	0.0125 + 0.0015	.0336	----	----	26	----	26 +				
875	----	----		0.0110B/----	0.0110B/0.0095A	----	----	0.0095 + 0.0005	.0254	----	----	2	----	2 UNCH				
900	0.0075	0.0075		0.0085/0.0060	0.0085/0.0060	----	----	0.0075 + 0.0005	.0198	----	----	18	----	2034 UNCH				
925	----	----		----	0.0050B/0.0070A	----	----	0.0065 + 0.0015	.0167	----	----	5	----	15 +				
950	0.0040	0.0040		0.0045/*0.0035	0.0045/0.0035	----	----	0.0055 + 0.0020	.0139	----	----	15	----	47 UNCH				
975	----	----		----	----/-0.0055A	----	----	0.0040 + 0.0015	.0102	----	----	----	----	2 UNCH				
1000	----	----		----	----/-0.0045A	----	----	0.0025 + 0.0010	.0066	----	----	----	----	4 UNCH				
TOTAL											2575	2033	22975 +		2757			
AUG26																		
500	----	----		----	----	----	----	1.5360 + 0.1600	.9552	----	----	----	----	3 UNCH				
550	----	----		----	----	----	----	1.0715 + 0.1510	.8895	----	----	----	----	3 UNCH				
580	----	----		0.8450B/----	0.8450B/0.7710A	----	----	0.8200 + 0.1350	.8138	----	----	----	----	253 UNCH				
585	----	----		0.7650B/0.6365A	0.7650B/0.6365A	----	----	0.7815 + 0.1320	.7979	----	----	----	----	11 UNCH				
590	----	----		0.7270B/0.6025A	0.7270B/0.6025A	----	----	0.7440 + 0.1285	.7808	----	----	----	----	17 UNCH				
595	----	----		0.7115B/0.5700A	0.7115B/0.5700A	----	----	0.7075 + 0.1250	.7630	----	----	----	----	1 UNCH				
600	----	----		0.6925B/0.5395A	0.6925B/0.5395A	----	----	0.6725 + 0.1220	.7445	----	----	----	----	4 UNCH				
610	----	----		0.6240B/0.4810A	0.6240B/0.4810A	----	----	0.6065 + 0.1155	.7053	----	----	----	----	1 UNCH				
620	----	----		0.5675B/0.4190A	0.5675B/0.4190A	----	----	0.5460 + 0.1100	.6642	----	----	----	----	28 UNCH				
625	----	----		0.5380B/0.3945A	0.5380B/0.3945A	----	----	0.5175 + 0.1070	.6432	----	----	----	----	92 UNCH				
630	0.5000	0.5000		0.5025B/0.3715A	0.5025B/0.3715A	----	----	0.4905 + 0.1045	.6220	----	5	----	----	4 UNCH				
635	----	----		0.4765B/0.3505A	0.4765B/0.3505A	----	----	0.4645 + 0.1015	.6008	----	----	----	----	2 UNCH				
640	----	----		0.4575B/0.3290A	0.4575B/0.3290A	----	----	0.4400 + 0.0990	.5797	----	----	----	----	151 UNCH				
650	0.3385	0.3385		0.4110B/0.2925A	0.4110B/0.2925A	----	----	0.3945 + 0.0940	.5379	----	7	----	----	587 +				
655	----	----		0.3875B/0.2725A	0.3875B/0.2725A	----	----	0.3730 + 0.0910	.5173	----	----	----	----	457 UNCH				
660	----	----		0.3670B/0.2560A	0.3670B/0.2560A	----	----	0.3525 + 0.0880	.4971	----	25	----	----	26 +				
665	----	----		0.3470B/0.2435A	0.3470B/0.2435A	----	----	0.3335 + 0.0855	.4774	----	----	----	----	1 UNCH				
670	0.2375	0.2375		0.3275B/0.2260A	0.3275B/0.2260A	----	----	0.3150 + 0.0820	.4579	----	10	----	----	58 +				
675	0.2435	0.2435		0.3130B/0.2110A	0.3130B/0.2110A	----	----	0.2975 + 0.0785	.4390	----	14	----	----	206 +				
680	0.2430	0.2430		0.2930B/0.1990A	0.2930B/0.1990A	----	----	0.2810 + 0.0750	.4205	----	4	----	----	1 UNCH				
685	0.2380	0.2380		0.2745B/0.2380	0.2745B/0.1980A	----	----	0.2655 NEW	.4026	----	8	----	----	2 +				
690	0.1990	0.1990		0.2535B/0.1990	0.2535B/0.1865A	----	----	0.2510 + 0.0680	.3853	----	1	----	----	4 +				
700	----	----		0.2325B/----	0.2325B/0.1660A	----	----	0.2245 + 0.0620	.3525	----	4	----	----	1167 +				
710	----	----		0.2020B/----	0.2020B/0.1480A	----	----	0.2010 + 0.0560	.3221	----	----	----	----	1 UNCH				
720	----	----		0.1825B/----	0.1825B/0.1325A	----	----	0.1800 + 0.0510	.2940	----	----	----	----	2 UNCH				
725	----	----		0.1725B/----	0.1725B/0.1255A	----	----	0.1700 + 0.0480	.2805	----	----	----	----	86 UNCH				
730	----	----		0.1655B/0.1070A	0.1655B/0.1070A	----	----	0.1610 + 0.0465	.2678	----	----	----	----	2 UNCH				
750	----	----		0.1335B/0.0855A	0.1335B/0.0855A	----	----	0.1290 + 0.0390	.2218	----	1	300	----	473 +				
775	----	----		0.0990B/----	0.0990B/0.0680A	----	----	0.0980 + 0.0315	.1746	----	10	----	----	11 +				
800	----	----		0.0755B/----	0.0755B/0.0535A	----	----	0.0745 + 0.0250	.1370	----	12	----	----	31 +				
850	----	----		0.0425B/----	0.0425B/0.0355A	----	----	0.0455 + 0.0155	.0868	----	----	----	----	2 UNCH				
900	----	----		0.0250B/----	0.0250B/0.0255A	----	----	0.0310 + 0.0105	.0592	----	1	----	----	57 UNCH				
950	----	----		----	0.0140B/0.0190A	----	----	0.0235 + 0.0080	.0439	----	----	----	----	43 UNCH				
975	----	----		----	0.0105B/0.0175A	----	----	0.0185 + 0.0060	.0352	----	----	----	----	5 UNCH				
TOTAL											300	102	3792 +		376			
SEP26																		
495	----	----		----	----	----	----	1.5945 + 0.1585	.9419	----	----	----	----	2 UNCH				
500	----	----		#1.5350B/----	#1.5350B/1.5220	----	----	1.5475 + 0.1585	.9369	----	----	----	----	5 UNCH				
510	----	----		----	----	----	----	1.4540 + 0.1575	.9261	----	----	----	----	2 UNCH				
535	----	----		----	----	----	----	1.2290 + 0.1530	.8892	----	----	----	----	1 UNCH				
565	----	----		----	----	----	----	0.9795 + 0.1425	.8238	----	----	----	----	1 UNCH				
575	----	----		0.8870B/0.7570A	0.8870B/0.7570A	----	----	0.9025 + 0.1375	.7966	----	----	----	----	100 UNCH				
595	----	----		0.7870B/0.6285A	0.7870B/0.6285A	----	----	0.7605 + 0.1280	.7352	----	----	----	----	5 UNCH				
600	0.6550	0.6550		0.7530B/0.5990A	0.7530B/0.5990A	----	----	0.7275 + 0.1255	.7187	----	1	----	----	231 -				
610	----	----		0.6890B/----	0.6890B/0.5435A	----	----	0.6650 + 0.1215	.6843	----	----	----	----	32 UNCH				
615	----	----		0.6585B/----	0.6585B/0.5180A	----	----	0.6355 + 0.1195	.6668	----	----	----	----	10 UNCH				
620	----	----		0.6290B/0.4845A	0.6290B/0.4845A	----	----	0.6070 + 0.1170	.6490	----	----	----	----	185 UNCH				
625	----	----		0.6010B/0.4610A	0.6010B/0.4610A	----	----	0.5795 + 0.1145	.6311	----	----	----	----	632 UNCH				
630	----	----		0.5745B/0.4385A	0.5745B/0.4385A	----	----	0.5535 + 0.1120	.6131	----	----	----	----	32 UNCH				
635	----	----		0.5420B/0.4170A	0.5420B/0.4170A	----	----	0.5280 + 0.1085	.5951	----	----	----	----	1 UNCH				
640	----	----		0.5240B/0.3960A	0.5240B/0.3960A	----	----	0.5040 + 0.1055	.5771	----	12	----	----	1002 -				
650	----	----		0.4775B/0.3580A	0.4775B/0.3580A	----	----	0.4585 + 0.0985	.5415	----	60	----	----	363 -				
655	----	----		0.4560B/0.3405A	0.4560B/0.3405A	----	----	0.4375 + 0.0955	.5240	----	----	----	----	4 UNCH				
660	----	----		0.4345B/0.3235A	0.4345B/0.3235A	----	----	0.4170 + 0.0920	.5067	----	----	----	----	1 UNCH				
670	----	----		0.3960B/0.2915A	0.3960B/0.2915A	----	----	0.3790 + 0.0860	.4730	----	1	----	----	2 UNCH				
675	----	----		0.3780B/0.2770A	0.3780B/0.2770A	----	----	0.3610 + 0.0830	.4566	----	----	----	----	525 UNCH				
680	0.3580	0.3580		0.3600B/0.2630A	0.3600B/0.2630A	----	----	0.3440 + 0.0800	.4405	----	2	----	----	1393 -				
690	----	----		0.3280B/0.2370A	0.3280B/0.2370A	----	----	0.3125 + 0.0745	.4096	----	----	----	----	406 UNCH				
700	----	----		0.2980B/----	0.2980B/0.2145A	----	----	0.2840 + 0.0695	.3803	----	3	----	----	1275 UNCH				
710	----	----		0.2715B/----	0.2715B/0.1940A	----	----	0.2580 + 0.0645	.3526	----	----	----	----	120 UNCH				
715																		

PG64	BULLETIN # 89@										METALS OPTION PRODUCTS										Mon, May 11, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST											
HX CALL	COMEX COPPER OPTIONS																						
NOV26																							
650	0.6300	0.6300	0.6310B/0.5155A	0.6310B/0.5155A	----	0.6305 + 0.1140	.5737	----	----	1	----	1	UNCH										
655	----	----	0.6120B/----	0.6120B/0.4965A	----	0.6090 + 0.1125	.5601	----	----	----	----	1	UNCH										
670	----	----	0.5480B/----	0.5480B/0.4420A	----	0.5470 + 0.1065	.5199	----	----	----	----	14	UNCH										
675	----	----	0.5285B/----	0.5285B/0.4255A	----	0.5275 + 0.1045	.5068	----	----	----	----	60	UNCH										
680	0.5200	0.5200	0.5200/0.5200	0.5200/0.4095A	----	0.5085 NEW	.4939	----	----	1	----	1 +	1										
695	----	----	0.4550B/----	0.4550B/0.3650A	----	0.4545 + 0.0950	.4560	----	----	----	----	1	UNCH										
700	----	----	0.4380B/----	0.4380B/0.3515A	----	0.4375 + 0.0925	.4437	----	----	----	----	21	UNCH										
705	----	----	0.4220B/----	0.4220B/0.3375A	----	0.4215 + 0.0905	.4317	----	----	----	----	1	UNCH										
725	----	----	0.3630B/----	0.3630B/0.2910A	----	0.3625 + 0.0820	.3856	----	----	----	----	48	UNCH										
750	----	----	0.3005B/----	0.3005B/0.2420A	----	0.3015 + 0.0730	.3339	----	----	----	----	22	UNCH										
850	----	----	0.1425B/----	0.1425B/0.1215A	----	0.1475 + 0.0435	.1839	----	----	----	----	1	UNCH										
900	----	----	0.1000B/----	0.1000B/0.0915A	----	0.1040 + 0.0325	.1357	----	----	----	----	1	UNCH										
975	----	----	0.0600B/----	0.0600B/0.0645A	----	0.0610 + 0.0210	.0848	----	----	----	----	1	UNCH										
TOTAL										2		197 +	1										
DEC26																							
520	----	----	----	----	----	1.5040 + 0.1545	.8719	----	----	----	----	1	UNCH										
525	----	----	----	----	----	1.4625 + 0.1530	.8638	----	----	----	----	123	UNCH										
535	----	----	----	----	----	1.3825 + 0.1505	.8465	----	----	----	----	1	UNCH										
550	----	----	----	----	----	1.2675 + 0.1470	.8175	----	----	----	----	2	UNCH										
555	----	----	----	----	----	1.2305 + 0.1455	.8072	----	----	----	----	1	UNCH										
565	----	----	----	0.9890B/1.0165A	----	1.1590 + 0.1430	.7855	----	----	----	----	45	UNCH										
575	----	----	1.0385B/----	1.0385B/0.9520A	----	1.0905 + 0.1400	.7627	----	----	----	----	123	UNCH										
585	----	----	1.0315B/----	1.0315B/0.8915A	----	1.0255 + 0.1375	.7390	----	----	----	----	1	UNCH										
590	----	----	0.9995B/----	0.9995B/0.8625A	----	0.9940 + 0.1355	.7269	----	----	----	----	200	UNCH										
595	----	----	0.9680B/----	0.9680B/0.8340A	----	0.9635 + 0.1345	.7145	----	----	----	----	163	UNCH										
600	0.9475	0.9475	0.9475/0.9475	0.9475/0.8070A	----	0.9340 + 0.1330	.7021	----	----	4	----	598 -	4										
610	----	----	0.8795B/----	0.8795B/0.7540A	----	0.8765 + 0.1295	.6769	----	----	----	----	291	UNCH										
620	----	----	0.8240B/----	0.8240B/0.7045A	----	0.8220 + 0.1260	.6515	----	----	----	----	414	UNCH										
625	----	----	0.7975B/----	0.7975B/0.6810A	----	0.7960 + 0.1245	.6387	----	----	----	----	3	UNCH										
630	----	----	0.7720B/----	0.7720B/0.6535A	----	0.7705 + 0.1225	.6259	----	----	----	----	391	UNCH										
640	----	----	0.7230B/----	0.7230B/0.6095A	----	0.7220 + 0.1190	.6003	----	----	----	----	29	UNCH										
650	0.6210	0.6210	0.7070/0.6210	0.7070/0.5690A	----	0.6760 + 0.1150	.5749	----	----	46	----	679 +	46										
660	----	----	0.6330B/----	0.6330B/0.5310A	----	0.6330 + 0.1115	.5497	----	----	----	----	300	UNCH										
670	----	----	0.5920B/----	0.5920B/0.4950A	----	0.5925 + 0.1080	.5251	----	----	----	----	4	UNCH										
675	----	----	0.5720B/----	0.5720B/0.4785A	----	0.5730 + 0.1060	.5129	----	----	----	----	17	UNCH										
680	----	----	0.5530B/----	0.5530B/0.4620A	----	0.5545 + 0.1045	.5010	----	----	----	----	3	UNCH										
700	0.4000	0.4000	0.4820B/0.4000	0.4820B/0.3995A	----	0.4860 + 0.0985	.4550	----	----	2	----	866 +	2										
705	----	----	0.4655B/----	0.4655B/0.3890A	----	0.4700 + 0.0970	.4439	----	----	----	----	2	UNCH										
725	----	----	0.4045B/----	0.4045B/0.3375A	----	0.4115 + 0.0905	.4014	----	----	----	----	7	UNCH										
730	----	----	0.3905B/----	0.3905B/0.3260A	----	0.3980 + 0.0890	.3913	----	----	----	----	4	UNCH										
750	0.3500	0.3500	0.3650/0.3500	0.3650/0.2835A	----	0.3485 + 0.0820	.3528	----	----	231	----	326 +	217										
775	----	----	0.2830B/----	0.2830B/0.2395A	----	0.2950 + 0.0735	.3091	----	----	----	----	1	UNCH										
800	----	----	0.2370B/----	0.2370B/0.2040A	----	0.2505 + 0.0655	.2704	----	----	----	----	130	UNCH										
850	----	----	0.1685B/----	0.1685B/0.1510A	----	0.1875 + 0.0525	.2100	----	----	----	----	4	UNCH										
900	0.1050	0.1050	0.1215B/0.1050	0.1215B/0.1050	----	0.1490 + 0.0430	.1687	----	----	9	----	213	UNCH										
925	----	----	0.1035B/----	0.1035B/0.1030A	----	0.1330 + 0.0390	.1514	----	----	----	----	6	UNCH										
950	----	----	0.0885B/----	0.0885B/0.0920A	----	0.1200 + 0.0360	.1370	----	----	----	----	78	UNCH										
975	----	----	----	0.0755B/0.0830A	----	0.1085 + 0.0325	.1242	----	----	292	----	13	UNCH										
TOTAL												5039 +	261										
JAN27																							
500	----	----	----	----	----	1.7760 + 0.1700	.8939	----	----	----	----	1	UNCH										
900	----	----	----	----	----	0.1870 + 0.0630	.1946	----	----	----	----	1	UNCH										
TOTAL												2											
FEB27																							
620	----	----	----	----	----	0.9585 + 0.1440	.6633	----	----	----	----	1	UNCH										
625	----	----	----	----	----	0.9325 + 0.1430	.6522	----	----	----	----	1	UNCH										
TOTAL												2											
MAR27																							
680	----	----	----	----	----	0.7250 + 0.1285	.5363	----	----	----	----	30	UNCH										
950	----	----	----	----	----	0.2045 + 0.0765	.1906	----	----	----	----	3	UNCH										
TOTAL												33											
HX PUT	COMEX COPPER OPTIONS																						
JUN26																							
330	----	----	----	----/0.0080A	----	0.0005 UNCH	----	----	----	----	----	8	UNCH										
355	----	----	----	----/0.0080A	----	0.0005 UNCH	.0000	----	----	----	----	10	UNCH										
370	----	----	----	----/0.0050A	----	0.0005 UNCH	.0000	----	----	----	----	1	UNCH										
380	----	----	----	----/0.0050A	----	0.0005 UNCH	.0001	----	----	----	----	1	UNCH										
400	----	----	----	----/*0.0010A	----	0.0005 - 0.0005	.0005	----	----	----	----	33	UNCH										
405	----	----	----	----/0.0050A	----	0.0005 - 0.0005	.0007	----	----	----	----	1	UNCH										
410	----	----	----	----/0.0050A	----	0.0005 - 0.0005	.0009	----	----	----	----	53	UNCH										
420	----	----	----	----/0.0050A	----	0.0010 UNCH	.0023	----	----	----	----	9	UNCH										
430	----	----	----	----/0.0050A	----	0.0010 - 0.0005	.0024	----	----	----	----	3	UNCH										
435	----	----	----	----/0.0055A	----	0.0010 - 0.0005	.0025	----	----	----	----	2	UNCH										
440	----	----	----	----/0.0040A	----	0.0015 - 0.0005	.0036	----	----	----	----	8	UNCH										
445	----	----	----	----/0.0045A	----	0.0015 - 0.0005	.0037	----	----	----	----	8	UNCH										
450	----	----	----	----/0.0045A	----	0.0015 - 0.0010	.0038	----	----	----	----	450	UNCH										
455	----	----	----	----/0.0050A	----	0.0020 - 0.0005	.0050	----	----	----	----	42	UNCH										
460	----	----	----	----/0.0050A	----	0.0020 - 0.0010	.0052	----	----	----	----	54	UNCH										
465	----	----	----	----/0.0055A	----	0.0025 - 0.0005	.0064	----	----	----	----	878	UNCH										
470	----	----	----	0.0010B/0.0055A	----	0.0025 - 0.0010	.0066	----	----	----	----	663	UNCH										
475	----	----	----	----/0.0060A	----	0.0025 - 0.0010	.0068	----	----	----	----	155	UNCH										
480	----	----	----	0.0010B/0.0060A	----	0.0025 - 0.0010	.0070	----	----	----	----	953	UNCH										
485	----	----	----	----/0.0060A	----	0.0025 - 0.0010	.0073	----															



BULLETIN # 89@		METALS OPTION PRODUCTS										Mon, May 11, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
COMEX COPPER OPTIONS														
HX PUT JUN26														
566	----	----	----/*0.0080A	0.0110B/*0.0080	----	0.0075 - 0.0050	.0329	----	----	----	----	4		
567	0.0105	0.0105	0.0105/*0.0080A	0.0115B/*0.0080	----	0.0080 - 0.0050	.0349	----	----	1	----	12 -		
568	----	----	----/*0.0080A	0.0120B/*0.0080	----	0.0080 - 0.0055	.0352	----	----	----	----	1		
569	----	----	----/*0.0085A	0.0125B/*0.0085	----	0.0085 - 0.0050	.0372	----	----	----	----	27		
570	0.0105	0.0105	0.0115/*0.0085A	0.0130B/*0.0085	----	0.0085 - 0.0055	.0376	----	13	----	----	402 -		
571	----	----	----/*0.0085A	0.0135B/*0.0085	----	0.0085 - 0.0060	.0380	----	----	----	----	41		
572	----	----	----/*0.0090A	0.0140B/*0.0090	----	0.0090 - 0.0060	.0401	----	----	----	----	1		
573	----	----	----/*0.0090A	0.0145B/*0.0090	----	0.0090 - 0.0070	.0405	----	----	----	----	26		
574	0.0125	0.0125	0.0125/*0.0095A	0.0155B/*0.0095	----	0.0095 - 0.0070	.0426	----	2	----	----	17 -		
575	0.0135	0.0135	0.0135/*0.0095A	0.0160B/*0.0095	----	0.0095 - 0.0075	.0431	----	30	----	----	132 -		
576	----	----	----/*0.0100A	0.0165B/*0.0100	----	0.0100 - 0.0075	.0452	----	----	30	----	5		
577	----	----	----/*0.0100A	0.0175B/*0.0100	----	0.0100 - 0.0085	.0457	----	----	----	----	5		
578	----	----	----/*0.0105A	0.0180B/*0.0105	----	0.0105 - 0.0085	.0479	----	----	----	----	10		
579	----	----	----/*0.0105A	0.0190B/*0.0105	----	0.0110 - 0.0090	.0500	----	----	----	----	18		
580	----	----	----/*0.0110A	0.0200B/*0.0110	----	0.0110 - 0.0100	.0506	----	----	12	----	930 -		
581	----	----	----/*0.0115A	0.0205B/*0.0115	----	0.0115 - 0.0100	.0529	----	1	----	----	41 -		
582	----	----	----/*0.0115A	0.0215B/*0.0115	----	0.0120 - 0.0105	.0551	----	----	----	----	14		
583	----	----	----/*0.0120A	0.0225B/*0.0120	----	0.0125 - 0.0110	.0573	----	----	----	----	13		
584	0.0200	0.0200	0.0200/*0.0125A	0.0235B/*0.0125	----	0.0125 - 0.0120	.0580	----	9	----	----	17		
585	----	----	----/*0.0130A	0.0250B/*0.0130	----	0.0130 - 0.0125	.0604	----	3	----	----	487		
586	----	----	----/*0.0130A	0.0255B/*0.0130	----	0.0135 - 0.0135	.0627	----	----	----	----	7		
587	----	----	----/*0.0135A	0.0265B/*0.0135	----	0.0140 - 0.0140	.0651	----	----	----	----	13		
588	----	----	----/*0.0140A	0.0275B/*0.0140	----	0.0145 - 0.0150	.0675	----	----	----	2	226 -		
590	0.0300	0.0300	0.0300/*0.0150A	0.0300/*0.0150A	----	0.0155 - 0.0165	.0723	----	14	----	----	4		
591	----	----	----/*0.0155A	0.0320B/*0.0155	----	0.0160 - 0.0175	.0748	----	----	----	----	14		
592	----	----	----/*0.0160A	0.0335B/*0.0160	----	0.0170 - 0.0180	.0789	----	----	----	----	33		
593	----	----	----/*0.0170A	0.0355B/*0.0170	----	0.0175 - 0.0190	.0814	----	----	----	----	6		
594	----	----	----/*0.0175A	0.0370B/*0.0175	----	0.0180 - 0.0200	.0840	----	----	23	----	113 +		
595	0.0235	0.0235	0.0235/*0.0180A	0.0390B/*0.0180	----	0.0195 - 0.0220	.0908	----	----	----	----	26		
596	----	----	----/*0.0190A	0.0405B/*0.0190	----	0.0205 - 0.0230	.0950	----	----	----	----	56		
597	----	----	----/*0.0195A	0.0425B/*0.0195	----	0.0215 - 0.0240	.0992	----	----	----	----	69		
598	----	----	0.0480B/*0.0210	0.0480B/*0.0210	----	0.0225 - 0.0250	.1035	----	----	----	----	24		
599	0.0375	0.0375	0.0375/*0.0220A	0.0495B/*0.0220	----	0.0235 - 0.0260	.1077	----	54	----	----	133 -		
600	0.0440	0.0440	0.0440/*0.0230A	0.0515B/*0.0230	----	0.0245 - 0.0270	.1120	----	2	----	----	26		
602	----	----	0.0550B/*0.0235	0.0550B/*0.0235	----	0.0255 - 0.0285	.1164	----	----	----	----	9		
603	----	----	0.0570B/*0.0245	0.0570B/*0.0245	----	0.0265 - 0.0295	.1208	----	----	----	----	18		
604	0.0240	0.0240	0.0600B/*0.0240	0.0600B/*0.0240	----	0.0280 - 0.0305	.1265	----	1	----	----	9 +		
605	0.0325	0.0325	0.0630B/*0.0265	0.0630B/*0.0265	----	0.0295 - 0.0315	.1323	----	25	----	----	190 -		
606	0.0355	0.0355	0.0660B/*0.0280	0.0660B/*0.0280	----	0.0310 - 0.0325	.1380	----	1	----	----	23		
607	----	----	0.0690B/*0.0290	0.0690B/*0.0290	----	0.0325 - 0.0340	.1438	----	----	----	----	29		
608	----	----	0.0720B/*0.0305	0.0720B/*0.0305	----	0.0340 - 0.0355	.1496	----	----	----	----	24		
609	----	----	0.0750B/*0.0315	0.0750B/*0.0315	----	0.0355 - 0.0365	.1555	----	----	----	----	41		
610	0.0580	0.0580	0.0770B/*0.0330	0.0770B/*0.0330	----	0.0375 - 0.0375	.1625	----	21	----	----	80 +		
611	----	----	----/*0.0345A	0.0775B/*0.0345	----	0.0390 - 0.0395	.1684	----	----	----	----	15		
612	0.0405	0.0405	0.0405/*0.0365A	0.0810B/*0.0365	----	0.0410 - 0.0405	.1754	----	1	----	----	27 -		
613	----	----	0.0860B/*0.0375	0.0860B/*0.0375	----	0.0430 - 0.0420	.1825	----	----	----	----	11		
614	----	----	0.0895B/*0.0395	0.0895B/*0.0395	----	0.0450 - 0.0435	.1895	----	12	----	----	23		
615	0.0810	0.0810	0.0935B/*0.0410	0.0935B/*0.0410	----	0.0475 - 0.0445	.1976	----	27	----	----	134 +		
616	----	----	0.0960B/*0.0430	0.0960B/*0.0430	----	0.0495 - 0.0460	.2047	----	----	----	----	15		
617	0.0595	0.0595	0.1015B/*0.0450	0.1015B/*0.0450	----	0.0520 - 0.0475	.2128	----	1	----	----	56 +		
618	0.0525	0.0525	0.1075B/*0.0475	0.1075B/*0.0475	----	0.0545 - 0.0490	.2208	----	1	----	----	12 -		
619	0.0750	0.0750	0.1095B/*0.0490	0.1095B/*0.0490	----	0.0570 - 0.0505	.2289	----	8	----	----	17 +		
620	0.0665	0.0665	0.1145B/*0.0515	0.1145B/*0.0515	----	0.0600 - 0.0515	.2378	----	7	----	----	78 +		
621	0.0655	0.0655	0.1185B/*0.0535	0.1185B/*0.0535	----	0.0625 - 0.0535	.2458	----	3	----	----	6 -		
622	----	----	0.1230B/*0.0560	0.1230B/*0.0560	----	0.0655 - 0.0550	.2547	----	----	----	----	14		
623	----	----	0.1275B/*0.0585	0.1275B/*0.0585	----	0.0685 - 0.0565	.2635	----	----	----	----	8		
624	0.1170	0.1170	0.1335B/*0.0615	0.1335B/*0.0615	----	0.0715 - 0.0580	.2723	----	2	----	----	3		
625	0.0910	0.0910	0.1385B/*0.0655	0.1385B/*0.0655	----	0.0745 - 0.0595	.2812	----	16	----	----	20 +		
626	----	----	0.1435B/*0.0665	0.1435B/*0.0665	----	0.0775 - 0.0615	.2900	----	----	----	----	3		
627	----	----	0.1485B/*0.0695	0.1485B/*0.0695	----	0.0810 - 0.0630	.2995	----	1	----	----	1		
628	----	----	0.1540B/*0.0745	0.1540B/*0.0745	----	0.0845 - 0.0645	.3089	----	2	----	----	4 +		
629	0.1365	0.1365	0.1615B/*0.0770	0.1615B/*0.0770	----	0.0875 - 0.0665	.3178	----	2	----	----	5 +		
630	0.1435	0.1435	0.1660B/*0.0810	0.1660B/*0.0810	----	0.0915 - 0.0680	.3277	----	29	----	----	37 +		
631	0.1500	0.1500	0.1725B/*0.0845	0.1725B/*0.0845	----	0.0950 - 0.0700	.3372	----	5	----	----	6 +		
632	0.1555	0.1555	0.1790B/*0.0860	0.1790B/*0.0860	----	0.0990 - NEW	.3470	----	6	----	----	6 +		
635	0.1675	0.1675	0.1940B/*0.0990	0.1940B/*0.0990	----	0.1110 - NEW	.3765	----	29	----	----	28 +		
640	0.1380	0.1380	0.1380/*0.1190A	0.2180B/*0.1190	----	0.1330 - 0.0855	.4266	----	8	----	----	10 +		
645	----	----	0.2540B/*0.1420	0.2540B/*0.1420	----	0.1580 - 0.0935	.4771	----	5	----	----	6 +		
646	----	----	----/*0.1470A	0.2350B/*0.1470	----	0.1635 - NEW	.4872	----	1	----	----	1 +		
650	----	----	0.2915B/*0.1680	0.2915B/*0.1680	----	0.1860 - 0.1010	.5268	----	----	----	----	3		
655	----	----	0.3315B/*0.1960	0.3315B/*0.1960	----	0.2165 - 0.1080	.5746	----	----	----	----	10		
700	----	----	----/*0.5585A	0.7020B/*0.5585	----	0.5710 - 0.1485	.8684	----	----	470	----	14404 +		
TOTAL														
JUL26														
330	----	----	----	----/0.0055A	----	0.0005 UNCH	.0002	----	----	4	----	84		
350	----	----	----	----/0.0055A	----	0.0005 UNCH	.0007	----	----	----	----	5		
360	----	----	----	----/0.0025A	----	0.0005 - 0.0005	.0011	----	----	----	----	1		
380	----	----	----	----/0.0060A	----	0.0010 - 0.0005	.0023	----	----	----	----	2		
390	----	----	----	----/0.0065A	----	0.0015 UNCH	.0033	----	----	----	----	6		
395	----	----	----	----/0.0065A	----	0.0020 UNCH	.0043	----	----	----	----	1		
400	----	----	0.0010B/0.0055A	0.0010B/0.0055A	----	0.0020 - 0.0005	.0044	----	2	----	----	588 +		
405	----	----	----/0.0060A	0.0020 - 0.0005	----	0.0020 - 0.0005	.0045	----	----	----	----	1		
415	----	----	----/0.0025A	0.0025 - 0.0005	----	0.0025 - 0.0005	.0057	----	----	----	----	52		
420	----	----	----/0.0025A	0.0025 - 0.0005	----	0.0025 - 0.0005	.0058	----	----	----	----	4		
425	----	----	0.0010B/*0.0035	0.0030 - 0.0005	----	0.0030 - 0.0005	.0069	----	----	----	----	51		
430	----	----	----/0.0075A	0.0030 - 0.0005	----	0.0030 - 0.0005	.0071	----	----	----	----	10		
435	----	----	----/0.0045A	0.0035 - 0.0005	----	0.0035 - 0.0005	.0082	----	----	----	----	5		
440	----	----	----/0.0045A	0.0035 - 0.0005	----	0.0035 - 0.0005	.0085	----	----	----	----	4		
445	----	----	----/0.0045A	0.0040 - 0.0005	----	0.0040 - 0.0005	.0096	----	----	----	----	3		
450	----	----	----/0.0045A	0.0040 - 0.0010	----	0.0040 - 0.0010	.0099	----	----	----	----	1915		
455	----	----	----/*0.0030A	0.0045 - 0.0005	----	0.0045 - 0.0005	.0112	----	----	----	----	14		
460	0.0045	0.0045	0.0045/*0.0045	0.0045/*0.0045	----	0.0050 - 0.0005	.0124	----	1	----	----	6 -		
465	----	----	0.0005B/0.0095A	0.0005B/0.0095A	----	0.0050 - 0.0010	.0128	----	----	----	----	1		
470	----	----	0.0010B/0.0100A	0.0010B/0.0100A	----	0.0055 - 0.0010	.0141	----	----	----	----	3		
475	----	----	0.0020B/0.0105A	0.0020B/0.0105A	----	0.0060 - 0.0010	.0156	----	----	----	----	513		
480	0.0115	0.0115	0.0115/*0.0065	0.0115/*0.0065	----	0.0065 - 0.0015	.0170	----	3	----	----	79 +		
485	----	----	0.0070B/0.0100A	0.0070B/0.0100A	----	0.0070 - 0.0015	.0185	----	----	----	----	2		
490	----	----	0.0075B/*0.0100	0.0075B/*0.0100	----	0.0075 - 0.0020	.0201	----	7	----	----	544 -		
495	----	----	0.0080B/*0.0110	0.0080B/*0.0110	----	0.0080 - 0.0025	.0217	----	----	----	----	104		
500	0.0085	0.0085	0.0085/*0.0085	0.0105B/*0.0085	----	0.0085 - 0.0030	.0235	----	3	----	----	3258 -		
505	----	----	----/*0.0125A	0.0110B/*0.0125	----	0.0090 - 0.0040	.0253	----	----	----	----	3		
510	0.0145	0.0145	0.0150/*0.0105A	0.0										

BULLETIN # 89@				METALS OPTION PRODUCTS										Mon, May 11, 2026				PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
HX PUT	COMEX COPPER OPTIONS																		
JUL26																			
568	----	----	----	----/*0.0390A	0.0575B/*0.0390	----	----	0.0400 - 0.0190	.1084	----	----	----	----	4	UNCH				
569	0.0555	0.0555		0.0555/*0.0385	0.0595B/*0.0385	----	----	0.0415 - 0.0190	.1116	----	----	5	----	7	+				
570	0.0500	0.0500		0.0500/*0.0415A	0.0610B/*0.0415	----	----	0.0425 - 0.0200	.1141	----	----	114	----	278	+				
571	----	----	----	----/*0.0425A	0.0620B/*0.0425	----	----	0.0435 - 0.0205	.1166	----	----	----	----	17	UNCH				
572	----	----	----	----/*0.0435A	0.0645B/*0.0435	----	----	0.0450 - 0.0205	.1199	----	1	----	----	4	UNCH				
573	----	----	----	----/*0.0450A	0.0665B/*0.0450	----	----	0.0465 - 0.0210	.1232	----	----	----	----	3	UNCH				
574	----	----	----	----/*0.0460A	0.0690B/*0.0460	----	----	0.0475 - 0.0220	.1258	----	1	----	----	6	UNCH				
575	0.0755	0.0755		0.0760/*0.0475A	0.0760/*0.0475A	----	----	0.0490 - 0.0225	.1291	----	10	----	----	222	+				
576	----	----	----	----/*0.0490A	0.0725B/*0.0490	----	----	0.0505 - 0.0225	.1323	----	----	----	----	1	UNCH				
577	----	----	----	----/*0.0505A	0.0745B/*0.0505	----	----	0.0520 - 0.0230	.1356	----	----	----	----	2	UNCH				
578	----	----	----	----/*0.0520A	0.0765B/*0.0520	----	----	0.0535 - 0.0240	.1390	----	----	----	----	1	UNCH				
579	----	----	----	----/*0.0535A	0.0785B/*0.0535	----	----	0.0550 - 0.0245	.1423	----	1	----	----	3	+				
580	0.0670	0.0670		0.0670/*0.0550A	0.0805B/*0.0550	----	----	0.0570 - 0.0245	.1463	----	23	----	----	1837	+				
581	----	----	----	----/*0.0565A	0.0830B/*0.0565	----	----	0.0585 - 0.0250	.1496	----	----	----	----	2	UNCH				
582	----	----	----	----/*0.0580A	0.0855B/*0.0580	----	----	0.0600 - 0.0260	.1529	----	----	----	----	2	UNCH				
583	----	----	----	----/*0.0600A	0.0880B/*0.0600	----	----	0.0620 - 0.0265	.1569	----	----	----	----	1	UNCH				
584	----	----	----	----/*0.0615A	0.0910B/*0.0615	----	----	0.0635 - 0.0275	.1603	----	----	----	----	1	UNCH				
585	0.0640	0.0640		0.0640/*0.0625	0.0920B/*0.0625	----	----	0.0655 - 0.0280	.1643	----	36	----	----	800	+				
586	----	----	----	----/*0.0650A	0.0960B/*0.0650	----	----	0.0675 - 0.0285	.1683	----	----	----	----	9	UNCH				
587	----	----	----	----/*0.0670A	0.0985B/*0.0670	----	----	0.0690 - 0.0295	.1717	----	2	----	----	9	UNCH				
588	----	----	----	----/*0.0685A	0.1010B/*0.0685	----	----	0.0710 - 0.0300	.1757	----	----	----	----	2	UNCH				
589	----	----	----	0.1045B/*0.0700	0.1045B/*0.0700	----	----	0.0730 - 0.0310	.1797	----	----	----	----	7	UNCH				
590	0.0815	0.0815		0.1070B/*0.0715	0.1070B/*0.0715	----	----	0.0750 - 0.0315	.1837	----	10	----	----	563	+				
591	----	----	----	0.1100B/*0.0740	0.1100B/*0.0740	----	----	0.0770 - NEW	.1877	----	1	----	----	1	+				
592	----	----	----	----/*0.0760A	0.1110B/*0.0760	----	----	0.0795 - 0.0330	.1923	----	----	----	----	1	UNCH				
595	----	----	----	----/*0.0825A	0.1205B/*0.0825	----	----	0.0860 - 0.0355	.2050	----	2	----	----	177	UNCH				
596	----	----	----	----/*0.0850A	0.1245B/*0.0850	----	----	0.0880 - 0.0365	.2090	----	----	----	----	1	UNCH				
597	----	----	----	0.1290B/*0.0865	0.1290B/*0.0865	----	----	0.0905 - 0.0375	.2136	----	----	----	----	30	UNCH				
598	----	----	----	0.1325B/*0.0890	0.1325B/*0.0890	----	----	0.0930 - 0.0380	.2182	----	----	----	----	10	UNCH				
599	----	----	----	0.1350B/*0.0915	0.1350B/*0.0915	----	----	0.0955 - 0.0390	.2228	----	----	----	----	29	UNCH				
600	0.1220	0.1220		0.1240/*0.0930	0.1330B/*0.0930	----	----	0.0980 - 0.0400	.2274	----	47	219	----	418	+				
602	----	----	----	----/*0.0990A	0.1400B/*0.0990	----	----	0.1035 - 0.0415	.2370	----	----	----	----	9	UNCH				
603	----	----	----	----/*0.1015A	0.1440B/*0.1015	----	----	0.1060 - 0.0425	.2416	----	----	----	----	2	UNCH				
605	----	----	----	----/*0.1070A	0.1510B/*0.1070	----	----	0.1120 - 0.0440	.2517	----	2	----	----	137	UNCH				
610	0.1350	0.1350		0.1370/*0.1210A	0.1725B/*0.1210	----	----	0.1275 - 0.0480	.2772	----	7	----	----	71	+				
615	0.1465	0.1465		0.1465/*0.1370A	0.1955B/*0.1370	----	----	0.1450 - 0.0520	.3039	----	11	----	----	48	+				
620	0.1960	0.1960		0.2060/*0.1560A	0.2195B/*0.1560	----	----	0.1640 - 0.0560	.3313	----	5	----	----	5	+				
625	0.1940	0.1940		0.2465B/*0.1750	0.2465B/*0.1750	----	----	0.1850 - 0.0600	.3594	----	1	----	----	6	+				
630	0.2565	0.2565		0.2740B/*0.1950	0.2740B/*0.1950	----	----	0.2075 - 0.0640	.3876	----	60	----	----	207	+				
635	0.2840	0.2840		0.3045B/*0.2185	0.3045B/*0.2185	----	----	0.2320 - 0.0675	.4160	----	12	----	----	12	+				
640	0.2840	0.2840		0.3350B/*0.2440	0.3350B/*0.2440	----	----	0.2575 - 0.0720	.4441	----	12	----	----	14	+				
645	0.2960	0.2960		0.3675B/*0.2680	0.3675B/*0.2680	----	----	0.2845 - NEW	.4719	----	2	----	----	2	+				
650	0.3120	0.3120		0.3120/*0.2955A	0.3920B/*0.2955	----	----	0.3130 - NEW	.4992	----	21	----	----	21	+				
660	----	----	----	0.4645B/*0.3540	0.4645B/*0.3540	----	----	0.3730 - 0.0900	.5523	----	----	----	----	1	UNCH				
700	----	----	----	----/*0.6460A	0.7655B/*0.6460	----	----	0.6605 - 0.1205	.7296	----	----	----	----	1	UNCH				
705	----	----	----	----/*0.6855A	0.8090B/*0.6855	----	----	0.7005 - 0.1240	.7477	----	----	----	----	1	UNCH				
TOTAL											219	717		19514	+				
AUG26																			
330	----	----	----	----	----/0.0025A	----	----	0.0010 - 0.0005	.0018	----	----	----	----	3	UNCH				
405	----	----	----	----	0.0005B/0.0155A	----	----	0.0060 - 0.0005	.0109	----	----	----	----	3	UNCH				
420	----	----	----	----	0.0010B/0.0160A	----	----	0.0070 - 0.0010	.0132	----	----	----	----	1	UNCH				
440	----	----	----	----	0.0015B/0.0170A	----	----	0.0090 - 0.0015	.0175	----	----	----	----	5	UNCH				
450	----	----	----	----	0.0025B/0.0185A	----	----	0.0105 - 0.0015	.0206	----	----	----	----	7	UNCH				
460	----	----	----	----	0.0045B/*0.0195	----	----	0.0120 - 0.0020	.0239	----	2	----	----	3	+				
465	----	----	----	----	0.0050B/0.0205A	----	----	0.0135 - 0.0020	.0266	----	----	----	----	1	UNCH				
475	----	----	----	----	0.0125B/0.0215A	----	----	0.0160 - 0.0020	.0317	----	----	----	----	5	UNCH				
480	----	----	----	----	0.0140B/*0.0220	----	----	0.0170 - 0.0025	.0339	----	2	----	----	7	+				
485	----	----	----	----	0.0155B/0.0230A	----	----	0.0180 - 0.0030	.0363	----	----	----	----	1	UNCH				
500	----	----	----	----	0.0205B/0.0275A	----	----	0.0215 - 0.0050	.0445	----	----	----	----	4	UNCH				
505	----	----	----	----	0.0225B/*0.0290	----	----	0.0230 - 0.0060	.0480	----	----	----	----	1	UNCH				
510	----	----	----	----/*0.0300A	0.0255B/*0.0300	----	----	0.0250 - 0.0065	.0522	----	----	----	----	1	UNCH				
520	----	----	----	----/*0.0360A	0.0315B/*0.0360	----	----	0.0300 - 0.0075	.0624	----	----	----	----	301	UNCH				
525	0.0280	0.0280		0.0280/*0.0280	0.0360B/*0.0280	----	----	0.0335 - NEW	.0690	----	1	----	----	1	+				
530	----	----	----	----/*0.0375A	0.0405B/*0.0375	----	----	0.0370 - 0.0085	.0758	----	----	----	----	51	UNCH				
535	----	----	----	----/*0.0420A	0.0465B/*0.0420	----	----	0.0410 - 0.0095	.0833	----	----	----	----	8	UNCH				
540	----	----	----	----/*0.0465A	0.0525B/*0.0465	----	----	0.0455 - 0.0105	.0916	----	----	----	----	3	UNCH				
545	----	----	----	----/*0.0505A	0.0590B/*0.0505	----	----	0.0505 - 0.0120	.1005	----	----	----	----	1	UNCH				
550	0.0600	0.0600		0.0600/*0.0565A	0.0660B/*0.0565	----	----	0.0560 - 0.0135	.1103	----	1	----	----	23	+				
565	----	----	----	----/*0.0755A	0.0940B/*0.0755	----	----	0.0760 - 0.0200	.1441	----	1	----	----	1	UNCH				
570	----	----	----	----/*0.0840A	0.1035B/*0.0840	----	----	0.0840 - 0.0230	.1570	----	----	----	----	1	UNCH				
575	----	----	----	----/*0.0930A	0.1160B/*0.0930	----	----	0.0930 - 0.0260	.1710	----	----	----	----	1	UNCH				
580	----	----	----	----/*0.1005A	0.1285B/*0.1005	----	----	0.1030 - 0.0290	.1859	----	----	----	----	251	UNCH				
585	----	----	----	----/*0.1140A	0.1425B/*0.1140	----	----	0.1140 - 0.0325	.2018	----	1	----	----	7	UNCH				
590	----	----	----	----/*0.1255A	0.1585B/*0.1255	----	----	0.1265 - 0.0355	.2189	----	----	----	----	14	UNCH				
600	----	----	----	----/*0.1535A	0.1945B/*0.1535	----	----	0.1545 - NEW	.2552	----	5	----	----	5	+				
605	----	----	----	----/*0.1690A	0.2140B/*0.1690	----	----	0.1705 - 0.0455	.2745	----	----	----	----	3	UNCH				
620	0.2400	0.2400		0.2400/*0.2230A	0.2810B/*0.2230	----	----	0.2265 - 0.0545	.3355	----	2	----	----	27	+				
625	----	----	----	----/*0.2430A	0.3050B/*0.2430	----	----	0.2480 - 0.0570	.3565	----	----	----	----	5	UNCH				
630	----	----	----	0.3315B/*0.2640	0.3315B/*0.2640	----	----	0.2710 - 0.0595	.3778	----	1	----	----	1	UNCH				
640	0.2980	0.2980		0.3885B/*0.2980	0.3885B/*0.2980	----	----	0.3200 - 0.0645	.4201	----	1	----	----	1	+				
TOTAL												17		747	+				
SEP26																			
400	----	----	----	----	0.0015B/0.0205A	----	----	0.0100 - 0.0010	.0159	----	----	----	----	1	UNCH				
440	----	----	----	----	0.0075B/0.0270A	----	----	0.0160 - 0.0025	.0268	----	----	----	----	2	UNCH				
450	----	----	----	----	0.0140B/0.0245A	----	----	0.0180 - 0.0035	.0305	----	----	----	----	804	UNCH				
470	----	----	----	----	0.0205B/*0.0295	----	----	0.0230 - 0.0050	.0399	----	----	----	----	3	UNCH				
475	0.0260	0.0260		0.0260/*0.0260	0.0260/*0.0260	----	----	0.0245 - 0.0055	.0427	----	1	----	----	74	+				
480	----	----	----	----	0.0245B/*0.0330	----	----	0.0265 - 0.0055	.0462	----	----	----	----	7	UNCH				
485	----	----	----	----	0.0270B/*0.0350	----	----	0.0285 - 0.0060	.0498	----	----	----	----	1	UNCH				
490	----	----	----	----	0.0255B/*0.0420	----	----	0.0305 - 0.0060	.0535	----	----	----	----	9	UNCH				
500	----	----	----	----	0.0315B/*0.0465	----	----	0.0360 - 0.0065	.0628	----	----	----	----	627	UNCH				
510	----	----	----	----	0.0395B/*0.0535	----	----	0.0425 - 0.0070	.0736	----	----	----	----	2	UNCH				
515	----	----	----	----	0.0440B/*0.0570	----	----	0.0465 - 0.0075											

BULLETIN # 89@				METALS OPTION PRODUCTS										Mon, May 11, 2026				PG64
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME		OPEN INTEREST		
HX PUT COMEX COPPER OPTIONS																		
NOV26																		
590	0.2600	0.2600		0.2600/*0.2600	0.2750B/*0.2600	----			0.2535 - 0.0305	.2618	----	----	1	----		1 +	1	
645	0.4915	0.4915		0.4915/*0.4915	0.5420B/*0.4915	----			0.4945 NEW	.4120	----	----	1	----		1 +	1	
735	----	----		----/*1.0680A	1.1495B/*1.0680	----			1.0670 - 0.0870	.6354	----	----	2	----		2	UNCH	
TOTAL													6			32 +	6	
DEC26																		
380	----	----		----	0.0025B/0.0370A	----			0.0205 + 0.0020	.0240	----	----	----	----		2	UNCH	
385	----	----		----	0.0035B/0.0380A	----			0.0215 + 0.0020	.0253	----	----	----	----		1	UNCH	
395	----	----		----	0.0055B/0.0400A	----			0.0235 + 0.0020	.0281	----	----	----	----		1	UNCH	
400	----	----		----	0.0070B/0.0410A	----			0.0245 + 0.0015	.0295	----	----	----	----		18	UNCH	
420	----	----		----	0.0125B/0.0465A	----			0.0295 UNCH	.0364	----	----	----	----		2	UNCH	
475	----	----		----	0.0425B/0.0750A	----			0.0575 - 0.0040	.0712	----	----	----	----		76	UNCH	
480	----	----		----	0.0640B/0.0795A	----			0.0620 - 0.0040	.0763	----	----	----	----		16	UNCH	
490	----	----		----	0.0570B/0.0890A	----			0.0715 - 0.0055	.0869	----	----	----	----		5	UNCH	
500	----	----		----	0.0690B/0.1005A	----			0.0825 - 0.0075	.0988	----	----	----	----		103	UNCH	
525	----	----		----	0.1095B/*0.1375	----			0.1195 - 0.0120	.1357	----	----	----	----		1	UNCH	
540	----	----		----	0.1420B/*0.1665	----			0.1485 - 0.0160	.1623	----	----	----	----		3	UNCH	
550	----	----		----/*0.1890A	0.1675B/*0.1890	----			0.1715 - 0.0185	.1820	----	----	----	----		152	UNCH	
560	----	----		----/*0.2145A	0.1960B/*0.2145	----			0.1975 - 0.0210	.2030	----	----	----	----		300	UNCH	
570	----	----		----/*0.2430A	0.2285B/*0.2430	----			0.2265 - 0.0235	.2253	----	----	----	----		1	UNCH	
580	----	----		----/*0.2740A	0.2650B/*0.2740	----			0.2585 - 0.0260	.2485	----	----	----	----		22	UNCH	
600	----	----		----/*0.3455A	0.3470B/*0.3455	----			0.3320 - 0.0320	.2973	----	----	----	----		31	UNCH	
630	----	----		----/*0.4755A	0.4935B/*0.4755	----			0.4645 - 0.0420	.3735	----	----	----	----		18	UNCH	
TOTAL																752		
JAN27																		
400	----	----		----	----	----			0.0375 + 0.0225	.0382	----	----	----	----		8	UNCH	
TOTAL																8		
FEB27																		
400	----	----		----	----	----			0.0490 + 0.0295	.0454	----	----	----	----		2	UNCH	
TOTAL																2		
MAR27																		
275	----	----		----	----	----			0.0240 + 0.0130	.0174	----	----	----	----		1	UNCH	
TOTAL																1		
HXE CALL COPPER OPTIONS																		
MAY26																		
580	----	----		----	0.4715B/0.5420A	----			0.6675 + 0.1550	.9629	----	----	----	----		1	UNCH	
595	----	----		----	----	----			0.3465 UNCH	----	----	----	----	----		0	UNCH	
600	----	----		----	----	----			0.2965 UNCH	----	----	----	----	----		0	UNCH	
600	----	----		#0.4975B/0.2910	#0.4975B/0.2910	----			0.4685 + 0.1615	.9592	----	----	----	----		1	UNCH	
601	----	----		----	----	----			0.2865 UNCH	----	----	----	----	----		0	UNCH	
605	----	----		----	----	----			0.2465 UNCH	----	----	----	----	----		0	UNCH	
610	----	----		----	----	----			0.1965 UNCH	----	----	----	----	----		0	UNCH	
610	----	----		#0.4005B/0.2090	#0.4005B/0.2090	----			0.3705 + 0.1495	.9407	----	----	----	----		2	UNCH	
610	----	----		#0.3965B/0.2475	#0.3965B/0.2475	----			0.3915 + 0.1295	.8541	----	----	----	----		6	UNCH	
610	----	----		#0.4160B/0.2730	#0.4160B/0.2730	----			0.4095 + 0.1195	.8119	----	----	----	----		5	UNCH	
615	----	----		----	----	----			0.1465 UNCH	----	----	----	----	----		0	UNCH	
615	----	----		#0.3530B/----	#0.3530B/0.1970	----			0.3225 + 0.1395	.9239	----	----	----	----		1	UNCH	
615	----	----		#0.3760B/0.2435	#0.3760B/0.2435	----			0.3705 + 0.1125	.7784	----	----	----	----		1	UNCH	
619	----	----		----	----	----			0.1065 UNCH	----	----	----	----	----		0	UNCH	
620	----	----		----	----	----			0.0965 UNCH	----	----	----	----	----		0	UNCH	
620	----	----		#0.3070B/0.1440	#0.3070B/0.1440	----			0.2760 + 0.1265	.8969	----	----	----	----		1	UNCH	
620	----	----		#0.3130B/0.1800	#0.3130B/0.1800	----			0.3105 + 0.1125	.7818	----	----	----	----		5	UNCH	
621	----	----		----	----	----			0.0865 UNCH	----	----	----	----	----		0	UNCH	
623	----	----		----	----	----			0.0665 UNCH	----	----	----	----	----		0	UNCH	
624	----	----		----	----	----			0.0565 UNCH	----	----	----	----	----		0	UNCH	
625	----	----		----	----	----			0.0465 UNCH	----	----	----	----	----		0	UNCH	
625	----	----		#0.2615B/0.1135	#0.2615B/0.1135	----			0.2315 + 0.1110	.8543	----	----	----	----		8	UNCH	
626	----	----		----	----	----			0.0365 UNCH	----	----	----	----	----		0	UNCH	
630	----	----		#0.2190B/0.0940	#0.2190B/0.0940	----			0.1915 + 0.0960	.7932	----	----	----	----		1	UNCH	
630	0.2000	0.2000		#0.2850B/0.1610	#0.2850B/0.1610	----			0.2690 + 0.0915	.6569	----	----	3	----		3	UNCH	
631	----	----		----	----	----			0.0000 UNCH	----	----	----	----	----		0	UNCH	
633	----	----		----	----	----			0.0000 UNCH	----	----	----	----	----		0	UNCH	
635	----	----		----	----	----			0.0000 UNCH	----	----	----	----	----		0	UNCH	
635	0.1150	0.1150		#0.1445B/0.1150	#0.1445B/0.0765	----			0.1560 + 0.0810	.7129	----	----	1	----		3 +	1	
635	----	----		#0.2220B/0.1125	#0.2220B/0.1125	----			0.2085 + 0.0840	.6334	----	----	----	----		1	UNCH	
635	----	----		#0.2535B/0.1425	#0.2535B/0.1425	----			0.2405 + 0.0845	.6122	----	----	----	----		5	UNCH	
640	----	----		----	----	----			0.0000 UNCH	----	----	----	----	----		0	UNCH	
640	----	----		#0.1340B/----	#0.1340B/0.0605	----			0.1255 + 0.0675	.6212	----	----	----	----		1	UNCH	
640	----	----		#0.2250B/0.1245	#0.2250B/0.1245	----			0.2140 + 0.0775	.5674	----	----	----	----		220	UNCH	
645	----	----		----	----	----			0.0000 UNCH	----	----	----	----	----		0	UNCH	
645	0.1075	0.1075		#0.1150B/0.1075	#0.1150B/0.0485	----			0.0995 + 0.0550	.5262	----	----	1	----		2 +	1	
645	0.1675	0.1675		#0.1715B/0.0810	#0.1715B/0.0810	----			0.1555 + 0.0665	.5226	----	----	2	----		3 +	2	
648	----	----		----	#0.1035B/*0.044	----			0.0860 NEW	.4702	----	----	2	----		2 +	2	
650	0.0950	0.0950		#0.0995/0.0910	#0.0995/0.0385A	----			0.0780 + 0.0435	.4340	----	----	20	----		35 -	5	
655	0.0645	0.0645		#0.0730B/0.0645	#0.0730B/0.0325	----			0.0600 NEW	.3486	----	----	3	----		1 +	1	
659	----	----		----	#0.0580B/*0.028	----			0.0480 NEW	.2868	----	----	4	----		4 +	4	
660	----	----		#0.1415B/0.0730	#0.1415B/0.0730	----			0.1305 + 0.0515	.3967	----	----	----	----		220	UNCH	
665	----	----		0.0400B/----	0.0400B/0.0215A	----			0.0335 NEW	.2068	----	----	2	----		2 +	2	

PG64	BULLETIN # 89@										METALS OPTION PRODUCTS										Mon, May 11, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST												
NYMEX PALLADIUM OPTIONS																									
PAO CALL																									
JUN26																									
1400	112.50	112.50		133.80B/96.40A	133.80B/96.40A	112.50/78.10A	125.00 + 24.50	.8914					75	UNCH											
1425				112.50/78.10A	112.50/78.10A		103.80 NEW	.8380			1		0	UNCH											
1440							91.80 + 20.80	.7972					1	UNCH											
1460				---/56.90A	47.90B/56.90A		77.10 + 18.70	.7344					25	UNCH											
1500				55.30B/---	55.30B/*39.10A		52.30 + 13.80	.5858					110	UNCH											
1525				41.70B/---	41.70B/*30.90A		40.10 + 10.60	.4882					5	UNCH											
1530				39.30B/---	39.30B/*29.50A		38.00 + 10.00	.4692					1	UNCH											
1550				30.90B/---	30.90B/*24.60A		30.50 + 7.90	.3961					94	UNCH											
1575				22.50B/---	22.50B/*19.70A		23.20 + 5.90	.3154					15	UNCH											
1600				16.00B/---	16.00B/*16.00A		17.70 + 4.40	.2481					49	UNCH											
1650					7.50B/*11.70A		10.30 + 2.40	.1497					67	UNCH											
1700					2.80B/*9.50A		5.90 + 1.10	.0874					32	UNCH											
1750					0.30B/*8.20A		3.40 + 0.50	.0505					142	UNCH											
1800					---/*7.40A		2.00 + 0.10	.0293					112	UNCH											
1850					---/*6.90A		1.30 UNCH	.0184					67	UNCH											
1900					---/*6.40A		0.80 - 0.10	.0110					64	UNCH											
1925					---/*6.30A		0.60 - 0.10	.0082					40	UNCH											
1950					---/*6.10A		0.50 - 0.10	.0067					10	UNCH											
2000					---/*5.80A		0.30 - 0.10	.0039					108	UNCH											
2100					---/*5.40A		0.10 UNCH	.0008					52	UNCH											
2200					---/*5.10A		0.10 UNCH	.0001					8	UNCH											
2300					---/*4.90A		0.10 UNCH	.0000					30	UNCH											
2400					---/*4.80A		0.10 UNCH	---					7	UNCH											
2500					---/*4.70A		0.10 UNCH	---					25	UNCH											
2700					---/4.60A		0.10 UNCH	---					50	UNCH											
3000					---/*4.50A		0.10 UNCH	---					30	UNCH											
3500					---/4.50A		0.10 UNCH	---					25	UNCH											
TOTAL											1		1244	0											
JUL26																									
1550				82.90B/---	82.90B/69.50A		81.50 + 13.60	.5151					50	UNCH											
1600				62.90B/---	62.90B/53.70A		62.70 + 11.30	.4250					50	UNCH											
1800				20.20B/---	20.20B/22.10A		22.40 + 4.50	.1791					49	UNCH											
TOTAL													149	0											
AUG26																									
1600				91.00B/---	91.00B/81.40A		91.40 + 13.10	.4604					100	UNCH											
1700				61.30B/---	61.30B/56.50A		63.20 + 10.40	.3446					20	UNCH											
1800				42.70B/---	42.70B/40.70A		43.70 + 7.90	.2539					100	UNCH											
1900	36.00	36.00		#36.00/36.00	#36.00/30.80A		31.30 NEW	.1888			10		10 +	10											
TOTAL											10		230 +	10											
SEP26																									
1400				210.00B/---	210.00B/191.20A		207.40 + 17.40	.7157					75	UNCH											
1575				123.80B/---	123.80B/114.60A		124.70 + 14.20	.5089					25	UNCH											
1625				106.20B/---	106.20B/98.60A		107.80 + 13.70	.4560					20	UNCH											
1665				93.80B/---	93.80B/87.40A		95.90 + 13.30	.4166					9	UNCH											
1700				84.00B/---	84.00B/78.70A		86.50 + 12.70	.3843					55	UNCH											
1800				61.60B/---	61.60B/59.40A		65.10 + 11.00	.3045					6	UNCH											
1875				49.70B/---	49.70B/49.20A		53.20 + 9.50	.2561					25	UNCH											
1885				48.30B/---	48.30B/48.00A		51.80 NEW	.2502				100	100 +	100											
1900				46.40B/---	46.40B/46.40A		49.90 + 9.00	.2420					10	UNCH											
2000				35.70B/---	35.70B/37.60A		39.10 + 7.30	.1943					25	UNCH											
2100				28.00B/---	28.00B/31.50A		31.20 + 6.10	.1576					25	UNCH											
2200				22.30B/---	22.30B/27.10A		25.30 + 5.00	.1293					5	UNCH											
2400					14.20B/21.40A		17.70 + 3.50	.0911					15	UNCH											
2550					10.20B/18.70A		14.20 + 2.80	.0727			100		445 +	100											
TOTAL																									
DEC26																									
1800							112.00 + 9.90	.3842					25	UNCH											
2000							80.20 + 7.00	.2860					1	UNCH											
3000							25.40 + 2.00	.0945					1	UNCH											
TOTAL													27	0											
NYMEX PALLADIUM OPTIONS																									
PAO PUT																									
JUN26																									
1195					---/4.70A		0.10 - 0.10	.0003					113	UNCH											
1200					---/*4.70A		0.10 - 0.10	.0004					15	UNCH											
1250					---/*5.10A		0.20 - 0.50	.0035					1	UNCH											
1300					---/*5.90A		0.80 - 1.50	.0141					135	UNCH											
1325					---/*6.50A		1.50 - 2.10	.0261					18	UNCH											
1335					---/*6.80A		1.80 - 2.50	.0315					1	UNCH											
1350					1.00B/*7.30A		2.50 - 3.10	.0432					12	UNCH											
1400				---/*10.90A	8.50B/10.90A		6.60 - 6.20	.1085					236	UNCH											
1440				---/*16.80A	19.60B/16.80A		13.40 - 9.80	.2027					4	UNCH											
1450				---/*18.80A	23.50B/18.80A		15.80 - 10.90	.2327					101	UNCH											
1460				---/21.10A	27.90B/21.10A		18.60 - 12.10	.2654					100	UNCH											

PG64	BULLETIN # 89@										METALS OPTION PRODUCTS										Mon, May 11, 2026				PG64
	LOBEX OPEN	OPEN OUTCRY OPEN RANGE	LOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	LOBEX® VOLUME	PNT VOLUME	OPEN INTEREST													
PO PUT	PLATINUM OPTIONS																								
JUN26																									
1965	----	----	----/*10.50A	19.40B/*10.50A	----	9.50 - 10.00	.1124	----	----	----	----	15	UNCH												
1970	----	----	20.90B/*11.00A	20.90B/*11.00A	----	10.00 - 10.70	.1183	----	----	----	----	15	UNCH												
1975	----	----	22.40B/*11.50A	22.40B/*11.50A	----	10.60 - 11.40	.1200	----	----	----	----	15	UNCH												
1980	----	----	24.10B/*12.10A	24.10B/*12.10A	----	11.30 - 12.00	.1325	----	----	----	----	15	UNCH												
1985	----	----	25.80B/*12.60A	25.80B/*12.60A	----	12.00 - 12.80	.1401	----	----	----	----	15	UNCH												
1990	----	----	27.70B/*13.20A	27.70B/*13.20A	----	12.70 - 13.60	.1477	----	----	----	----	15	UNCH												
1995	----	----	29.60B/*13.80A	29.60B/*13.80A	----	13.50 - 14.40	.1561	----	----	----	----	15	UNCH												
2000	----	----	31.60B/*14.50A	31.60B/*14.50A	----	14.30 - 15.30	.1645	----	----	----	----	24	UNCH												
2020	----	----	40.70B/*17.50A	40.70B/*17.50A	----	18.10 - 19.20	.2027	----	----	----	----	30	UNCH												
2050	----	----	56.50B/*23.40A	56.50B/*23.40A	----	25.90 - 25.20	.2725	----	----	----	----	5	UNCH												
2060	----	----	62.30B/*25.90A	62.30B/*25.90A	----	29.10 - 27.20	.2985	----	----	----	----	4	UNCH												
2080	----	----	----/*31.70A	65.40B/*31.70A	----	36.60 - 31.00	.3538	----	----	----	----	24	UNCH												
2100	40.00	40.00	88.30B/*38.80A	88.30B/*38.80A	----	45.30 - 34.60	.4111	----	----	4	----	105	+	4											
2115	----	----	----/*45.10A	65.80B/*45.10A	----	52.60 - 37.20	.4544	----	----	----	----	23	UNCH												
2140	----	----	----/*56.90A	70.60B/*56.90A	----	66.00 - 41.50	.5258	----	----	----	----	1	UNCH												
2150	----	----	126.80B/*62.10A	126.80B/*62.10A	----	71.80 - 43.20	.5538	----	----	----	----	1	UNCH												
2200	----	----	170.10B/*91.40A	170.10B/*91.40A	----	104.30 - 51.40	.6841	----	----	----	----	10	UNCH												
TOTAL										6		1610	+	4											
JUL26																									
1400	----	----	----	----/*3.60A	----	0.30 - 0.10	.0025	----	----	----	----	150	UNCH												
1500	----	----	----	----/*4.40A	----	0.90 - 0.30	.0074	----	----	----	----	153	UNCH												
1550	----	----	----	----/*5.00A	----	1.60 - 0.40	.0128	----	----	----	----	200	UNCH												
1600	----	----	----	0.80B/*5.90A	----	2.60 - 0.80	.0202	----	----	----	----	324	UNCH												
1650	----	----	----	2.80B/*7.10A	----	4.20 - 1.30	.0315	----	----	----	----	1	UNCH												
1680	----	----	----	4.60B/*8.10A	----	5.50 - 1.80	.0404	----	----	----	----	50	UNCH												
1700	----	----	----	6.10B/*8.90A	----	6.60 - 2.10	.0476	----	----	----	----	312	UNCH												
1710	----	----	----/*9.30A	7.00B/*9.30A	----	7.20 - 2.30	.0514	----	----	----	----	1	UNCH												
1725	----	----	----/*10.10A	8.40B/*10.10A	----	8.10 - 2.60	.0573	----	----	----	----	100	UNCH												
1750	----	----	----/*11.60A	11.20B/*11.60A	----	10.00 - 3.20	.0692	----	----	----	----	50	UNCH												
1800	----	----	----/*15.70A	18.50B/*15.70A	----	14.80 - 4.80	.0978	----	----	----	----	421	UNCH												
1825	----	----	----/*18.40A	23.00B/*18.40A	----	17.90 - 5.90	.1153	----	----	----	----	30	UNCH												
1850	----	----	----/*21.60A	28.40B/*21.60A	----	21.50 - 7.10	.1348	----	----	----	----	40	UNCH												
1900	----	----	42.00B/*29.80A	42.00B/*29.80A	----	30.70 - 10.30	.1810	----	----	----	----	81	UNCH												
1950	----	----	59.90B/*40.80A	59.90B/*40.80A	----	43.00 - 14.40	.2362	----	----	8	----	8	UNCH												
2000	----	----	82.40B/*55.10A	82.40B/*55.10A	----	59.30 - 18.80	.2996	----	----	----	----	1	UNCH												
2050	109.00	109.00	109.00/*73.00	109.00/*73.00	----	79.90 NEW	.3676	----	----	4	----	0	UNCH												
2085	----	----	129.60B/*88.90A	129.60B/*88.90A	----	96.60 - 26.10	.4160	----	----	----	----	1	UNCH												
2100	----	----	139.00B/96.10A	139.00B/96.10A	----	104.40 - 27.20	.4366	----	----	----	----	225	UNCH												
2130	----	----	----/111.40A	138.30B/111.40A	----	120.70 - 29.60	.4774	----	----	----	----	23	UNCH												
2135	----	----	----/114.10A	139.00B/114.10A	----	123.50 - 30.00	.4841	----	----	----	----	190	UNCH												
2165	----	----	----/130.70A	146.20B/130.70A	----	141.00 - 32.60	.5237	----	----	----	----	20	UNCH												
2350	----	----	333.80B/254.20A	333.80B/254.20A	----	270.30 - 49.00	.7341	----	----	----	----	5	UNCH												
2400	----	----	379.10B/293.40A	379.10B/293.40A	----	310.90 - 52.70	.7775	----	----	----	----	300	UNCH												
TOTAL										12		2686		0											
OCT26																									
1300	----	----	----	3.20B/*11.80A	----	7.50 UNCH	.0282	----	----	----	----	4	UNCH												
1500	----	----	----	15.60B/21.70A	----	18.20 - 1.60	.0659	----	----	----	----	20	UNCH												
1600	----	----	----/*31.40A	28.30B/*31.40A	----	28.70 - 3.00	.0989	----	----	----	----	19	UNCH												
1720	----	----	----/*50.00A	52.70B/*50.00A	----	48.80 - 6.10	.1547	----	----	----	----	2	UNCH												
1820	----	----	----/*73.40A	82.60B/*73.40A	----	73.60 - 9.90	.2141	----	----	----	----	5	UNCH												
1850	----	----	----/82.00A	93.60B/82.00A	----	82.80 - 11.20	.2339	----	----	----	----	200	UNCH												
1950	----	----	136.80B/116.70A	136.80B/116.70A	----	119.60 - 15.80	.3048	----	----	----	----	50	UNCH												
2000	----	----	162.10B/137.70A	162.10B/137.70A	----	141.70 - 18.10	.3418	----	----	----	----	1	UNCH												
2100	----	----	219.50B/186.70A	219.50B/186.70A	----	192.60 - 22.80	.4158	----	----	----	----	100	UNCH												
2130	----	----	238.30B/203.00A	238.30B/203.00A	----	209.50 - 24.20	.4376	----	----	----	----	41	UNCH												
2135	----	----	241.50B/205.80A	241.50B/205.80A	----	212.40 - 24.40	.4412	----	----	----	----	12	UNCH												
2140	----	----	244.70B/208.60A	244.70B/208.60A	----	215.30 - 24.70	.4447	----	----	----	----	12	UNCH												
2400	----	----	433.20B/376.80A	433.20B/376.80A	----	388.60 - 36.00	.6111	----	----	----	----	200	UNCH												
2500	----	----	514.40B/450.90A	514.40B/450.90A	----	463.90 - 40.60	.6646	----	----	----	----	1	UNCH												
3000	----	----	963.70B/873.00A	963.70B/873.00A	----	892.00 - 56.60	.8446	----	----	----	----	1	UNCH												
TOTAL												668		0											
JAN27																									
1500	----	----	----	----	----	40.00 - 5.70	.1019	----	----	----	----	40	UNCH												
1800	----	----	----	----	----	108.30 - 17.80	.2316	----	----	----	----	1	UNCH												
TOTAL												41		0											

OPTIONS EOO'S AND BLOCKS				
PRODUCT		STRIKE PRICE	EEO VOLUME	BLOCK VOLUME
OG CALL COMEX GOLD OPTIONS				
JUN26	CALL			
OG		4500	0	2000
OG		4725	0	100
OG		4800	0	200
OG		4850	0	300
OG		4855	0	200
OG		5000	0	300
OG		5500	0	1380
TOTALS			0	4480
JUL26	CALL			
OG		4855	0	150
OG		5000	0	200
TOTALS			0	350
SEP26	CALL			
OG		4800	0	125
TOTALS			0	125
OCT26	CALL			
OG		4900	0	200
OG		5000	0	200
TOTALS			0	400
DEC26	CALL			
OG		5000	0	60
OG		5300	0	10
OG		6500	0	120
TOTALS			0	190
OG PUT COMEX GOLD OPTIONS				
JUN26	PUT			
OG		4500	0	2215
TOTALS			0	2215
AUG26	PUT			
OG		4400	0	80
TOTALS			0	80
OCT26	PUT			
OG		4425	0	15
TOTALS			0	15
DEC26	PUT			
OG		4400	0	10
TOTALS			0	10
SO CALL COMEX SILVER OPTIONS				
JUN26	CALL			
SO		9000	0	26
SO		11500	0	32
TOTALS			0	58
JUL26	CALL			
SO		9000	0	100
SO		10500	0	200
TOTALS			0	300
AUG26	CALL			
SO		8250	0	200
SO		9000	0	200
TOTALS			0	400
SEP26	CALL			
SO		9500	0	32
SO		10000	0	105
SO		10500	0	100
SO		11000	0	60
SO		12000	0	80
TOTALS			0	377
DEC26	CALL			
SO		14000	0	25
TOTALS			0	25
SO PUT COMEX SILVER OPTIONS				
JUN26	PUT			
SO		8200	0	52
SO		8400	0	75
SO		8500	0	75
TOTALS			0	202
SEP26	PUT			
SO		8400	0	72
TOTALS			0	72
DEC26	PUT			
SO		6000	0	32
TOTALS			0	32
HX CALL COMEX COPPER OPTIONS				
JUN26	CALL			
HX		654	0	48
HX		655	0	880
HX		675	0	1320
TOTALS			0	2248
JUL26	CALL			
HX		650	0	250
HX		660	0	750
HX		675	0	150
HX		700	0	250
HX		725	0	200
HX		750	0	975
TOTALS			0	2575
AUG26	CALL			
HX		750	0	300
TOTALS			0	300
HX PUT COMEX COPPER OPTIONS				
JUL26	PUT			
HX		600	0	219
TOTALS			0	219
SEP26	PUT			
HX		635	0	100
TOTALS			0	100
PO CALL PLATINUM OPTIONS				
JUL26	CALL			
PO		2400	0	50
TOTALS			0	50
AUG26	CALL			
PO		2500	0	50
PO		3000	0	50
TOTALS			0	100

PRELIMINARY

PG64		BULLETIN # 89@		METALS OPTION PRODUCTS		Mon, May 11, 2026		PG64
PAO CALL SEP26 PAO TOTALS	CALL	NYMEX PALLADIUM OPTIONS		1885	0 0	100 100		
PAO PUT SEP26 PAO TOTALS	PUT	NYMEX PALLADIUM OPTIONS		1375	0 0	100 100		
HRO OPT NOV26 HRO TOTALS	CALL	U.S. MIDWEST DOMESTIC HOT-ROLLED CO		120000	0 0	50 50		
DEC26 HRO TOTALS	CALL			120000	0 0	50 50		
HRO OPT NOV26 HRO TOTALS	PUT	U.S. MIDWEST DOMESTIC HOT-ROLLED CO		95000 102500	0 0 0	100 50 150		
DEC26 HRO TOTALS	PUT			95000 102500	0 0 0	100 50 150		
GMW MON MAY26 G2M TOTALS	CALL	GOLD WEEKLY MONDAY OPTION WEEK2		4690	0 0	50 50		